

**SUBSURFACE INVESTIGATION
FYN PAINT & LACQUER CO., CONSOLIDATED EDISON
NORTH FIRST STREET AND VICINITY
BROOKLYN, NEW YORK**

Prepared For

Keane & Beane, P.C.

February 2002

**LEGGETTE, BRASHEARS & GRAHAM, INC.
Professional Ground-Water and Environmental Engineering Services
110 Corporate Park Drive, Suite 112
White Plains, NY 10604
(914) 694-5711**





TABLE OF CONTENTS

	<u>Page</u>
INTRODUCTION	1
AREA DESCRIPTION AND BACKGROUND	1
Con Edison Property	1
Fyn Paint Property - 230 Kent Avenue	2
LBG FIELD INVESTIGATION	3
Drilling and Soil Sampling	3
Monitor Well Installation	4
Top of Casing Elevation Survey	5
Fluid-Level Measurement and Ground-Water Sampling	5
RESULTS OF THE INVESTIGATION	6
Hydrogeologic Setting	6
Soil Quality	6
Ground-Water Quality	6
SOIL AND GROUND-WATER DISPOSAL	7
SUMMARY	7
Soil Quality	8
Volatile Organics (Table 3.1)	8
Semivolatile Organic Compounds (Table 3.2)	8
Ground-Water Quality	8
APPENDIX	

**LIST OF TABLES
(at end of report)**

Table

- | | |
|-----|---|
| 1 | Top of Casing Elevation Summary |
| 2 | Fluid-Level Summary |
| 3.1 | Summary of Soil Quality, Volatile Organic Compounds - EPA Method 8260,
Collected May 4, May 10, May 30, 2001 |
| 3.2 | Summary of Soil Quality, Semivolatile Organic Compounds – EPA Method 8270,
Collected May 4, May 10, May 30, 2001 |
| 4.1 | Summary of Water Quality Analysis – EPA Methods 8260 and 8270, Collected
June 7, 2001 |
| 4.2 | Summary of Water Quality Analysis – EPA Methods 8260 and 8270, Collected
June 7, 2001 |
| 4.3 | Summary of Water Quality Analysis – EPA Method 8015 (GC-FID), Collected
June 7, 2001 |



**LIST OF FIGURES
(at end of report)**

Figure

- 1 Site Plan With Monitor Well Locations
- 2 Ground-Water Elevation Contour Map, June 20, 2001
- 3 Ground-Water Elevation Contour Map, July 12, 2001
- 4 VOC Concentrations in Soil Samples Collected May 4, 10 and 30, 2001
- 5 VOC Concentrations in Ground-Water Samples Collected June 6 and 7, 2001

**SUBSURFACE INVESTIGATION
FYN PAINT & LACQUER CO., CONSOLIDATED EDISON
NORTH FIRST STREET AND VICINITY
BROOKLYN, NEW YORK**

INTRODUCTION

Leggette, Brashears & Graham, Inc. (LBG) was retained by the law firm of Keane & Beane, P.C. to conduct a subsurface investigation at the Fyn Paint factory and the adjacent areas including the Con Edison North First Street facility. The purpose of the investigation was to evaluate the soil and ground-water quality beneath Fyn Paint, Con Edison and the areas surrounding these two facilities.

The subsurface investigation program consisted of the following:

- review the existing environmental data;
- drilling of soil borings by geoprobe and installation of 1-inch diameter monitor wells;
- drilling and installation of 4-inch diameter monitor wells;
- collection of soil and ground-water samples;
- laboratory analysis of soil and ground-water samples;
- monitor wells and geoprobe points survey;
- data evaluation and preparation of report;

AREA DESCRIPTION AND BACKGROUND

The area investigated by LBG encompasses Kent Avenue to the east, North Third Street to the north, Grand Street to the south, and East River to the west. The two facilities subject to the subsurface investigation are Con Edison property located at 214 Kent Avenue and Fyn Paint property located at 230 Kent Avenue. A site map is shown on figure 1.

Con Edison Property

Con Edison North First Street Terminal (NFST), located at 214 Kent Avenue, occupies an area between East River, North Third Street, Grand Street and Kent Avenue. The facility was

used until April 1, 1998 for storage and distribution via pipeline of oil #6. A total of over 31 million gallons of #6 oil was stored in six (6) above-ground storage tanks (ASTs) and in one 10,000-gallon underground storage tank (UST).

On September 10, 1999, a Phase I Environmental Site Assessment (ESA) report was prepared by Holzmacher, McLendon & Murrel, P.C. of Melville, New York for the Con Ed property. The assessment evaluated two sections of Con Ed's property, one which is the oil transfer and storage portion on the NFST property and the other is the former Pfizer property. The NFST property which was used for oil transfer and storage was purchased by Con Ed in October 1984 and has been used since approximately 1965 for the storage and transfer of oil. The property identified as Pfizer site was purchased by Con Ed in November 1993. Thereafter Con Ed removed all structures from the property, leaving it as vacant land. In 2000, the New York State Power Authority obtained the former Pfizer property by eminent domain and has constructed a power generating facility.

The report concluded that considering the long-term industrial nature of the site, various operations could have caused or contributed to local areas of contamination. The EDR database included in the Phase I site assessment report indicates that 9 spills were reported for the NFST property from 1985 to the present. A list of the spills is attached in the Appendix.

A Phase II ESA, performed by Lawler, Matusky & Skelly Engineers, LLP (LMS), of the Con Edison property was completed on January 14, 2000.

Ground-water samples were collected from four monitoring wells which previously existed onsite in addition to the thirteen soil borings. Of the four monitoring wells only one, MW-4, contained VOCs (thirteen [13] compounds) in concentrations exceeding the NYSDEC Class GA standards. Seven metals were detected above their respective ground-water standards while no SVOCs or polychlorinated biphenols (PCBs) were detected in the four monitoring wells. Ground-water samples collected from the soil borings were generally consistent with the soil samples collected from the same location.

Fyn Paint Property - 230 Kent Avenue

Fyn Paint is a facility for the production of paints and lacquers and is a NYSDEC registered Chemical Bulk Facility (ID #2-000151). In January 1999, Fenley & Nicol performed

the closure of three, 550-gallon; four, 1,100-gallon; and one, 1,500-gallon steel USTs at the Fyn Paint & Lacquer Co., Inc.

Following the tank abandonment in February 1999, 8 soil borings were drilled inside of the Fyn Paint building. Selected soil samples were analyzed in laboratory. The laboratory analysis indicated the presence of ethylbenzene, toluene, o-xylene, m/p xylene and acetone. A report regarding the UST closure was prepared by Fenley & Nicol Environmental on March 23, 1999. The report concluded that additional investigation will be necessary in order to define the extent of soil and ground-water contamination at the Fyn Paint site.

In November and December 2000, Fenley & Nicol conducted a limited subsurface investigation in order to determine the ground-water quality beneath the Fyn Paint building. Three temporary ground-water sampling wells were installed in the vicinity of the former USTs. Laboratory analysis of the ground-water samples indicated the presence of similar components found in the soil during the 1999 investigation.

LBG FIELD INVESTIGATION

Drilling and Soil Sampling

On May 3 and May 4, 2001, LBG personnel supervised the drilling of Soil Borings GP-1, GP-2, GP-3 and GP-4. The soil borings were drilled using the Geoprobe drilling technique. The boring locations are shown on figure 1. During the drilling, soil samples were collected continuously using a 4-foot macrocore sampling device.

Each soil sample was visually examined by an LBG hydrogeologist, described on a geologic log and screened for the presence of petroleum hydrocarbon components using a photo-ionization detector (PID). The soil sample which exhibited the highest headspace-vapor concentration was submitted to American Analytical Laboratories (American) for analysis by EPA Methods 8260 and 8270.

On May 8 and May 9, 2001, LBG personnel supervised the drilling of Soil Borings MW-5, MW-6, MW-7 and MW-8. The soil borings were drilled using the hollow-stem auger drilling technique. Boring locations are shown on figure 1. Soil samples were collected at 5-foot intervals with a split-spoon sampler, logged, screened with a PID and packaged for laboratory analysis by EPA Methods 8260 and 8270.

On May 30, 2001, LBG personnel supervised the drilling of Soil Borings CE-1, CE-2, CE-3 and CE-4, shown on figure 1. The borings were also completed by using the Geoprobe drilling technique. Soil samples were collected continuously using a 4-foot macrocore sampling device. Soil samples were logged, screened with a PID and the sample from each boring with the highest PID reading was split with Mr. Edward Schwetz of LMS, consultants for Con Ed and LBG's portion was packaged for laboratory analysis by EPA Methods 8260 and 8270. The drilling and installation of monitor wells was also observed by Mr. Schwetz of LMS.

Monitor Well Installation

On May 3 and 4, 2001 and May 30, 2001, LBG personnel supervised the installation of Microwells GP-1, GP-2, GP-3, CE-1, CE-2, CE-3 and CE-4, each immediately after the completion of its respective soil boring. Boring GP-4 was not completed as a microwell because no water was encountered during drilling. Each microwell is constructed with a 5-foot length of 1-inch diameter, 0.020-slot, PVC well screen. The top of the well screen is between 5 feet (GP-2) and 11 feet (GP-3) below grade. A 1-inch diameter, PVC riser pipe extends from the top of the screen to the surface. Each well is completed at grade with a bolt-down roadbox and a locked plug. Geologic logs and well construction diagrams are included in the Appendix.

On May 8 and 9, 2001, LBG personnel supervised the installation of Monitor Wells MW-5, MW-6, MW-7 and MW-8, each immediately after the completion of its respective soil boring. Monitor Wells MW-1, MW-2, MW-3 and MW-4 were previously installed by Con Edison as part of NYSDEC's licensing requirement of the NFST property, a major oil storage facility. Monitor Wells MW-5, MW-6, MW-7 and MW-8 are each constructed with a 10-foot length of 4-inch diameter, 0.020-slot, PVC well screen and 4-inch diameter, PVC riser pipe extending from the top of the well screen to grade. The screened formation interval varied; MW-5 is screened from 10-20 ft bg (feet below grade), MW-8 from 15-25 ft bg and MW-6 and MW-7 are screened from 20-30 ft bg.

The annular space around the MW-5, MW-6, MW-7 and MW-8 well screens were filled with No. 2 sand from the bottom of the boring to 2 feet above the top of the screen. A 1-foot thick bentonite seal was placed above the sand pack and the remaining annular space was filled with drill cuttings.

Each well was completed at grade with a bolt-down roadbox set in concrete and a locking plug. Geologic logs and well construction diagrams are included in the Appendix.

Top of Casing Elevation Survey

On June 20, 2001, LBG personnel conducted a top of casing survey of all monitor wells and microwells (MW-1, MW-2, MW-3, MW-4, MW-5, MW-6, MW-7, MW-8, GP-1, GP-2, GP-3, CE-1, CE-2, CE-3 and CE-4). The elevations were adjusted to the Brooklyn Topographic Datum on the basis of a previously established elevation on Monitor Well MW-3. Top-of-casing elevations are summarized on table 1.

Fluid-Level Measurement and Ground-Water Sampling

On June 6, 2001, LBG personnel measured fluid levels and total depths in MW-1, MW-2, MW-3, MW-4, MW-5, MW-6, MW-7, MW-8, CE-1, CE-2, CE-3, CE-4, GP-1, GP-2 and GP-3. The measurements were used to calculate the volume of standing water within each well. Table 2 summarizes fluid levels for three dates.

On June 6 and June 7, 2001, LBG personnel sampled the above referenced wells with the exception of CE-3 and GP-3 which were dry. All ground-water level measurements and sampling was observed by Mr. Schwetz of LMS. Three well volumes of ground water were removed from each well, either with a dedicated polyethylene bailer or with a previously decontaminated, submersible pump. All purge water was contained for later disposal. After the ground-water level within each well recovered, ground-water samples were collected with a dedicated polyethylene bailer. The ground water was equally distributed (split samples) between the bottles supplied to LBG by American and bottles supplied by Mr. Schwetz.

All LBG ground-water samples were relinquished to American, onsite, on June 7, 2001. They were analyzed for VOCs and SVOCs by Environmental Protection Agency (EPA) Methods 8260 and 8270. In addition, ground water from MW-4 and free product samples from CE-1 and CE-2 were analyzed/fingerprinted by Gas Chromatography Flame Ionization Detector (GC-FID) techniques.

RESULTS OF THE INVESTIGATION

Hydrogeologic Setting

On the basis of soil samples collected during the drilling, overburden beneath the site consists of generally medium to fine sand and silt. Occasionally, a small amount of gravel was encountered. Bedrock was not encountered to the maximum depth drilled.

Static ground-water levels in all 4-inch diameter monitor wells, as measured on June 6, 2001, ranged between 2.80 ft btoc (feet below top of casing) (MW-3) and 15.82 ft btoc (MW-7). Ground-water flow is westward toward the East River. The average hydraulic gradient across the study area is 0.01. Figures 2 and 3 are ground-water contour maps for the dates June 20, 2001 and July 12, 2001.

Soil Quality

The results of laboratory analysis indicated that the highest concentrations of VOCs in soil is in the vicinity of CE-1, CE-2, CE-3 (Con Ed parking lot adjacent to Fyn Paint) and GP-3 (beneath Fyn Paint). Xylenes and acetone are the most prevalent VOCs with toluene and ethylbenzene also present at high concentrations. Xylene concentration in the CE-1 soil sample was 3,200,000 ug/kg (micrograms per kilogram) and acetone concentration in the GP-3 soil sample was 640,000 ug/kg. Low concentrations of toluene, ethylbenzene and xylenes were detected in a soil sample collected from the GP-2 boring. Figure 4 depicts VOC concentrations in soil samples. Tables 3.1 and 3.2 summarize laboratory results. A copy of the full laboratory report is included in the Appendix.

Ground-Water Quality

The results of laboratory analysis indicated that ground water from all 13 wells sampled contained detectable VOC concentrations. The highest concentrations of dissolved VOCs were encountered in ground water sampled from CE-1 and CE-2. Xylenes were the most prevalent VOC and were detected at concentrations of 1,200,000 ug/l (micrograms per liter) and 1,400,000 ug/l in ground-water samples from CE-1 and CE-2. Other detected VOCs include toluene, ethylbenzene and acetone at concentrations on the order of 10^5 ug/l.

Free-phase product was measured in CE-1 and CE-2 on June 7, 2001, at thicknesses of 0.84 foot and 0.02 foot, respectively. The free-phase product was removed from both wells during sampling on June 7, 2001. On June 20, 2001, measurements of these wells indicated that the free product thickness in CE-1 had recovered to 0.01 foot and there was no free product in CE-2. On July 12, 2001, CE-2 had no water or product in it and CE-1 had a free-product thickness of 0.14 foot.

Detected VOC concentrations in the ground-water sample collected from the downgradient Well MW-4 ranged from 18,000 ug/l to 3,400 ug/l and included acetone, toluene, ethylbenzene and xylene. Acetone, toluene, ethylbenzene and xylene were also detected in ground-water samples from MW-6 and MW-7 (upgradient from the Con Ed and Fyn properties) at concentrations ranging from 6 ug/l to 200 ug/l. Xylene was detected in all wells sampled.

Figure 5 illustrates VOC concentrations in ground-water samples. Tables 4.1, 4.2 and 4.3 summarize laboratory results. A copy of the full laboratory report is included in the Appendix.

SOIL AND GROUND-WATER DISPOSAL

Drill cuttings generated during the installation of monitor wells were contained in 55-gallon drums and temporarily stored on the Fyn Paint property. On June 20, 2001, LBG personnel witnessed the removal of 8 soil drums from the Fyn Pain property by Allied Environmental Group of Merrick, New York. A waste manifest is included in the Appendix.

Purge water generated during the sampling of the monitor wells on June 6-7, 2001, was contained in 55-gallon drums and temporarily stored on Fyn Paint property. The water was removed from the premises by American Environmental Assessment Corp. on June 26, 2001. A disposal manifest is included in the Appendix.

SUMMARY

Subsurface investigations conducted at Fyn Paint, Con Edison and vicinity indicated that soil and ground water in the area have been impacted by VOCs and SVOCS.

Soil Quality

Volatile Organics (Table 3.1)

Soil impacted by VOCs including acetone, ethylbenzene, isopropylbenzene, toluene and xylenes was encountered beneath the Con Edison and the adjacent Fyn property. These compounds were detected in soil samples collected from CE-1, CE-2 and CE-3 drilled on Con Edison parking lot and GP-3 and GP-4 drilled inside of Fyn Paint building (see figure 1 for locations).

The analysis of soil samples collected during LBG's investigation by EPA Method 8260 (presented on table 3) indicate the presence of naphthalene which is a specific chemical compound present in oil No. 6. This compound was detected in soil samples collected from CE-1 (760 ug/kg) and CE-2 (180 ug/kg) which are located on Con Ed property. LMS also detected naphthalene in soil during the January 2000 subsurface investigation (S-02D 134 ug/kg; S-04D 439 ug/kg). A comparison made between the chemical components detected in soil during the January 2000 LMS investigation for Con Edison and the chemical compounds found in soil during the Fenley & Nicol March 1999 investigation is attached in the Appendix.

It should be noted that as recorded in NYSDEC file, nine releases of fuel oil were reported by Con Edison at the North First Street facility from 1985 to the present. A list of these releases is included in the Appendix.

Semivolatile Organic Compounds (Table 3.2)

Laboratory analysis of soil samples for SVOCs by EPA Method 8270 showed the presence of several components in concentrations above NYSDEC Alternative Guidance Values (AGVs). These compounds which were detected only in soil samples collected during the drilling of CE-1 and CE-2 (in the vicinity of the 10,000-gallon UST) located in Con Edison's parking lot are naphthalene, phenanthrene, fluoranthrene, pyrene, chrysene and several benzo compounds.

Ground-Water Quality

Ground water impacted by dissolved VOCs was detected beneath the Fyn Paint and Con Edison properties located between Kent Avenue and River Street (figure 1). The dissolved VOCs

in ground water extend downgradient to the west of these facilities. Ground water near MW-4 has been significantly impacted and CE-4, MW-1 and MW-2 ground-water samples contain several VOCs at concentrations slightly above Ground Water Quality Standards. The primary VOCs of concern are acetone, toluene, ethylbenzene and xylenes. Free-phase product was present in CE-1 and CE-2. Fingerprint analysis was not capable of detecting the origin of the free-phase product.

The results of laboratory analysis of ground-water samples collected from beneath the Fyn Paint building by Fenley & Nicol in November 2000 are summarized in a December 2000 Fenley & Nicol report. The temporary wells (TW-1, TW-2 and TW-3) were installed around the abandoned tanks in the eastern portion of the building. Detected compounds in these ground-water samples included toluene, ethylbenzene, xylenes, acetone and methylene chloride. A copy of the Fenley & Nicol table is included in the Appendix.


Dissolved concentrations of the VOCs toluene, ethylbenzene and xylenes were found in ground water sampled from under Con Ed property (CE-1 and CE-2) and Fyn Paint (TW-1, TW-2 and TW-3). Also, the solvent methylene chloride was detected in CE-1 and CE-2 (CE-2, 17,000 ug/l) and in the Fyn Paint temporary wells (TW-1, 7,784 ug/l).

Acetone was detected in the ground water on the Fyn property (TW-2, 10,558,250 ug/l) and in ground water on Con Ed property (CE-2, 120,000 ug/l).

Fyn Paint & Lacquer Co. executed a Voluntary Cleanup Agreement with NYSDEC in April 2001 (Site Number Z-00380-2, Index #W2-0873-00-10). A Supplemental Remedial Investigation Work Plan (SRIWP) is currently being drafted and will be submitted to NYSDEC for their approval in March 2002. Assuming the approval of NYSDEC, remedial work can begin in the Spring of 2002.

LEGGETTE, BRASHEARS & GRAHAM, INC.


Dan C. Buzea, CPG
Vice President


Paul Woodell
Hydrogeologist

TABLES

TABLE 1

FYN PAINT & LACQUER COMPANY
KENT AVENUE
BROOKLYN, NEW YORK

Top of Casing Elevation Summary

Well Identification	Top of Casing Elevation (feet)
MW-1	7.99
MW-2	8.08
MW-3	3.99
MW-4	12.89
MW-5	10.71
MW-6	19.99
MW-7	18.77
MW-8	15.14
CE-1	18.54
CE-2	19.08
CE-3	18.53
CE-4	7.96
GP-1	7.87
GP-2	7.08
GP-3	18.40

PW
August 9, 2001
job\keanebeane\fynpaint\fluidlevels\TOC.tbl

TABLE 2
FYN PAINT & LACQUER COMPANY
KENT AVENUE
BROOKLYN, NEW YORK

Fluid-Level Summary

June 6, 2001

Well Identification	Top of Casing Elevation (feet)	Depth To Product (ft btoc)	Depth To Water (ft btoc)	Product Thickness (ft btoc)	Corrected Ground-Water Elevation (feet)
MW-1	7.99	---	8.86	---	-0.87
MW-2	8.08	---	8.70	---	-0.62
MW-3	3.99	---	2.80	---	1.19
MW-4	12.89		11.12	---	1.77
MW-5	10.71	---	8.72	---	1.99
MW-6	19.99	---	18.05	---	1.94
MW-7	18.77	---	15.82	---	2.95
MW-8	15.14	---	12.92	---	2.22
CE-1	18.54	10.46	11.30	0.84	7.87
CE-2	19.08	15.26	15.28	0.02	3.82
CE-3	18.53	---	DRY	---	---
CE-4	7.96	---	5.38	---	2.58
GP-1	7.87	---	7.07	---	0.80
GP-2	7.08	---	5.51	---	1.57
GP-3	18.40	---	DRY	---	---

June 20, 2001

Well Identification	Top of Casing Elevation (feet)	Depth To Product (ft btoc)	Depth To Water (ft btoc)	Product Thickness (ft btoc)	Corrected Ground-Water Elevation (feet)
MW-1	7.99	---	8.55	---	-0.56
MW-2	8.08	---	8.58	---	-0.50
MW-3	3.99	---	2.99	---	1.00
MW-4	12.89		11.19	---	1.70
MW-5	10.71	---	8.71	---	2.00
MW-6	19.99	---	18.07	---	1.92
MW-7	18.77	---	15.64	---	3.13
MW-8	15.14	---	13.29	---	1.85
CE-1	18.54	10.81	10.82	0.01	7.73
CE-2	19.08	---	15.15	---	3.93
CE-3	18.53	---	DRY	---	---
CE-4	7.96	---	5.56	---	2.40
GP-1	7.87	---	7.21	---	0.66
GP-2	7.08	---	5.53	---	1.55
GP-3	18.40	---	DRY	---	---

July 12, 2001

Well Identification	Top of Casing Elevation (feet)	Depth To Product (ft btoc)	Depth To Water (ft btoc)	Product Thickness (ft btoc)	Corrected Ground-Water Elevation (feet)
MW-1	7.99	---	9.11	---	-1.12
MW-2	8.08	---	NM	---	---
MW-3	3.99	---	2.89	---	1.10
MW-4	12.89		11.19	---	1.70
MW-5	10.71	---	8.70	---	2.00
MW-6	19.99	---	18.04	---	1.95
MW-7	18.77	---	15.54	---	3.23
MW-8	15.14	---	13.29	---	1.85
CE-1	18.54	10.64	10.78	0.14	7.73
CE-2	19.08	---	DRY	---	---
CE-3	18.53	---	DRY	---	---
CE-4	7.96	---	5.67	---	2.40
GP-1	7.87	---	7.12	---	0.66
GP-2	7.08	---	5.44	---	1.55
GP-3	18.40	---	DRY	---	---

ft btoc = Feet below top of casing
NM = Not measured

TABLE 3.1

FYN PAINT & LACQUER CO., INC.
GREENPOINT, BROOKLYN, NEW YORK

S O I C

TAG# 4046

Summary of Soil Quality
Volatile Organic Compounds - EPA Method 8260
Collected May 4, May 10, May 30, 2001
(all concentrations in micrograms per kilogram) *PP6*

Sample Point ID (Depth below grade)	CE-1 (8-16)	CE-2 (8-12)	CE-3 (12-16)	CE-4 (5-8)	GP-1 (12-16)	GP-2 (8-12)	GP-3 (L2-16)	GP-4 (8-12)	MW-5 (20-22)	MW-6 (25-27)	MW-7 (10-12)	MW-8 (20-22)	NYSDEC AGV ¹
Ethylbenzene ²	1,300,000	490,000	9,800	<5	11	200,000	21	<5	<5	<5	<5	<5	100
Isopropylbenzene ³	29,000	17,000	<125	<5	<5	5,200	<5	<5	<5	<5	<5	<5	100
Naphthalene ³	0.760	180	<125	<5	<5	53	<5	<5	<5	<5	<5	<5	200
n-propylbenzene	11,000	4,100	<125	<5	<5	140	<5	<5	<5	<5	<5	<5	100
Tetrachloroethene	8,200	2,300	<125	<5	<5	8	<5	<5	<5	<5	<5	<5	1,400 ²
Toluene ³	50,000	350,000	43,000	<5	19	200,000	29	<5	<5	<5	<5	<5	1,500 ²
1,3,5-trimethylbenzene	9,600	3,900	<125	<5	<5	0.160	<5	<5	<5	<5	<5	<5	100
1,1,2,4-trimethylbenzene	20,000	9,900	<125	<5	<5	9,200	<5	<5	<5	<5	<5	<5	100
Acetone	0.2	<125	380,000	<5	<5	640,000	120,000	<5	<5	<5	<5	<5	110 ²
Xylenes (total) ³	1,2	3,200,000	900,000	43,000	<15	50	820,000	0.120	<15	<15	<15	<15	100
Benzene ³	0.06	<125	<125	<5	<5	12	<5	<5	<5	<5	<5	<5	20
p-isopropyltoluene	<125	<125	<125	<5	<5	7	<5	<5	<5	<5	<5	<5	-
1,1,1-trichloroethane ³	<125	<125	<5	<5	<5	7	<5	<5	<5	<5	<5	<5	760 ²
2-butaneone	0.3	<125	<125	<5	<5	9,000	1,000	<5	<5	<5	<5	<5	-
4-methyl-2-pentanone ^{1,0}	<125	<125	<125	<5	<5	0.690	0.140	<5	<5	<5	<5	<5	1,000 ²

/ New York State Department of Environmental Conservation Spill Technology and Remediation Series (STARS) Alternative Guidance Values

/ Technical and Administrative Guidance Memorandum (TAGM) Soil Cleanup Objective
/ Table 9.16 Organic Chemicals Identified in Various Petroleum Hydrocarbons

August 9, 2001

Reports\keanbeane\soilquality

TABLE 3.2

FYN PAINT & LACQUER CO., INC.
GREENPOINT, BROOKLYN, NEW YORK

TASGM
ppm

Summary of Soil Quality
Semi-Volatile Organic Compounds - EPA Method 8270
Collected May 4, May 10, May 30, 2001
(all concentrations in micrograms per kilogram) *ppm*

Sample Point ID (Depth below grade)	CE-1 (8-16)	CE-2 (8-12)	CE-3 (12-16)	CE-4 (5-8)	GP-1 (12-16)	GP-2 (8-12)	GP-3 (12-16)	GP-4 (8-12)	MW-5 (20-22)	MW-6 (25-27)	MW-7 (10-12)	MW-8 (20-22)	NYSDEC AGV ^L
2-methylphenol	<40	0.400	190	<40	<40	<40	<40	<40	<40	<40	<40	<40	100 ²¹
3+4-methylphenol	0.9	<40	0.440	200	<40	<40	<40	<40	<40	<40	<40	<40	960 ²¹
2,4-dimethylphenol	<40	0.390	<40	<40	<40	<40	<40	<40	<40	<40	<40	<40	--
Benzoic acid ²¹	<70	<70	80	<70	<70	<70	<70	<70	<70	<70	<70	<70	2,700 ²¹
Naphthalene ²¹	84	<40	<40	<40	<40	<40	<40	<40	<40	<40	<40	<40	200
Phenanthrene ²¹	50.0	0.160	0.110	<40	<40	<40	<40	<40	<40	<40	<40	<40	1,000
Fluoranthrene	50.0	0.180	0.120	<40	<40	<40	<40	<40	<40	<40	<40	<40	1,000
Pyrene	50.0	0.200	0.094	<40	<40	<40	<40	<40	<40	<40	<40	<40	1,000
Benzo-(a)-anthracene	0.224	0.98	0.46	<40	<40	<40	<40	<40	<40	<40	<40	<40	.04
Chrysene	0.4	0.100	0.052	<40	<40	<40	<40	<40	<40	<40	<40	<40	.94
Bis(2-ethylhexyl) phthalate ²¹	<40	0.170	<40	<40	<40	<40	<40	<40	<40	<40	<40	<40	435,000 ²¹
Benzo-(b)-fluoranthene	1.1	0.84	43	<40	<40	<40	<40	<40	<40	<40	<40	<40	.04
Benzo-(k)-fluoranthene	1.1	0.86	43	<40	<40	<40	<40	<40	<40	<40	<40	<40	.04
Benzo-(a)-pyrene	0.061	0.110	47	<40	<40	<40	<40	<40	<40	<40	<40	<40	.04
Ideeno(1,2,3-c,d)pyrene	3.4	0.078	<40	<40	<40	<40	<40	<40	<40	<40	<40	<40	.04
Benzo-(g,h,i)-perylene	50.	90	<40	<40	<40	<40	<40	<40	<40	<40	<40	<40	.04

¹ New York State Department of Environmental Conservation Spill Technology and Remediation Series (STARS) Alternative Guidance Values² Technical and Administrative Guidance Memorandum (TAGM) Soil Cleanup Objective³ Table 9.16 Organic Chemicals Identified in Various Petroleum Hydrocarbons
nd/August 9, 2001/reports/keanebeane/soilquality1b

TABLE 4.1

FYN PAINT & LACQUER CO., INC.
GREENPOINT, BROOKLYN, NEW YORK

Summary of Water Quality
Analysis - EPA Methods 8260 & 8270
Collected June 7, 2001
(all concentrations in micrograms per Liter) *ppb.*

Parameter	CE-1	CE-2	CE-4	GP-1	GP-2	MW-1	MW-2	MW-3	MW-4	MW-5	MW-6	MW-7	MW-8
Ethylbenzene	5	380,000	440,000	<1	<1	<1	5	<1	3,400	<1	55	<1	<1
Chloroethane	50	<1	<1	<1	<1	<1	<1	<1	17	<1	<1	<1	<1
1,1,2-dichlorobenzene	4.7	<1	<1	<1	<1	<1	<1	<1	5	<1	<1	<1	<1
1,1,1-trichloroethane	1.8	<1	5	<1	<1	<1	<1	<1	<1	600	<1	9	<1
Tetrachloroethene (PCE)	960	1,400	8	<1	<1	<1	<1	<1	6	280	29	<1	<1
Toluene	5	180,000	450,000	<1	<1	6	8	<1	18,000	<1	61	16	<1
Isopropylbenzene	<1	<1	<1	<1	<1	<1	<1	<1	32	<1	<1	<1	<1
Trichloroethene (TCE)	<1	<1	<1	<1	<1	<1	<1	<1	11	66	76	<1	<1
n-Propylbenzene	<1	<1	<1	<1	<1	<1	<1	<1	12	<1	<1	<1	<1
1,1,1,3,5-trimethylbenzene	3,800	3,600	<1	<1	<1	<1	<1	<1	14	<1	<1	<1	<1
1,2,4-trimethylbenzene	530	<1	<1	<1	<1	<1	<1	<1	45	<1	<1	<1	<1
Methylene Chloride	5	14,000	17,000	<1	<1	<1	<1	<1	48	<1	<1	<1	<1
Acetone	50	<1	120,000	<1	<1	<1	<1	<1	14,000	<1	<1	65	<1
Xylenes (total)	5	1,200,000	1,400,000	10	7	12	11	17	<1	14,000	10	200	6
1,1,1,-dichloroethane	5	<1	12	<1	<1	<1	<1	<1	33	26	7	9	<1
1,1,1,dichloroethene	5	<1	10	<1	<1	<1	<1	<1	440	<1	<1	<1	<1
cis-1,2-dichloroethene	5	<1	<1	<1	<1	<1	<1	<1	16	14	100	<1	17

TABLE 4.2

FYN PAINT & LACQUER CO., INC.
GREENPOINT, BROOKLYN, NEW YORK
(continued)

Summary of Water Quality
Analysis - EPA Methods 8260 & 8270
Collected June 7, 2001
(all concentrations in micrograms per Liter)

Parameter	CE-1	CE-2	CE-4	GP-1	GP-2	MW-1	MW-2	MW-3	MW-4	MW-5	MW-6	MW-7	MW-8
2-Butanone (MKE)	50	<1	ND	<1	<1	<1	<1	<1	610	<1	<1	<1	<1
4-Methyl-2-Pentanone	50	<1	ND	<1	<1	<1	<1	<1	900	<1	<1	<1	<1
Carbon Tetrachloride	5	<1	ND	<1	<1	<1	<1	<1	54	<1	<1	<1	<1
Chloroform	4	<1	ND	<1	<1	<1	<1	<1	21	<1	<1	<1	<1
1,1,2-dichloropropane	0.3	<1	ND	<1	<1	<1	<1	<1	13	<1	<1	<1	<1
Vinyl Chloride	2	ND	ND	<1	<1	<1	<1	<1	<1	<1	<1	<1	22
1,4-dichlorobenzene	5	<50	NS	<5	<5	<5	<5	<5	<5	<5	<5	<5	6
N-Nitrosodi-N-Propyl Amine	5	<50	NS	<5	<5	<5	<5	<5	<5	<5	<5	<5	11
1,2,4-trichlorobenzene	5	<50	NS	<5	<5	<5	<5	<5	<5	<5	<5	<5	10
Acenaphthene	20	<50	NS	<5	<5	<5	<5	<5	<5	<5	<5	<5	11
Pyrene	50	<50	NS	<5	<5	<5	<5	<5	<5	<5	<5	<5	14
Benzene	1.0	<1	ND	<1	<1	<1	<1	<1	72	<1	<1	<1	<1

TABLE 4.3
FYN PAINT & LACQUER CO., INC.
GREENPOINT, BROOKLYN, NEW YORK

**Summary of Water Quality
 Analysis - EPA Method 8015 (GC-FID)^{1/}
 Collected June 7, 2001
 (all concentrations in micrograms per kilogram)**

Parameter	CE-1	CE-2	MW-4
Kerosene	<200	<10	<1.0
Gasoline	NS	<10	<1.0
Jet Fuel	<200	<10	<1.0
Aviation Gasoline	NS	<10	<1.0
Mineral Spirits	NS	<10	<1.0
Fuel Oil #2	<200	NS	<1.0
Fuel Oil #4	<200	NS	<1.0
Fuel Oil #5	<200	NS	<1.0
Fuel Oil #6	<200	NS	<1.0
Hydraulic Fluid	<200	NS	<1.0
Motor Oil Composite	<200	NS	<1.0
SAE #30	<200	NS	<1.0
Total TPH	12,000	240,000	2.0

^{1/} GC-FID = Gas Chromatograph Flame Ionization Detector

August 9, 2001
 reports\keanebeane\waterquality.tbl

FIGURES

APPENDIX

GEOLOGIC LOG		OWNER: Keane & Deane, P.C.
LEGGETTE, BRASHEARS & GRAHAM, INC.		WELL NO.: MW-5
WHITE PLAINS NEW YORK		PAGE: 1 OF 1 PAGES
SITE LOCATION:	Fyn Paint & Lacquer Co. Brooklyn, New York	SCREEN SIZE & TYPE: 4-inch PVC SLOT NO.: 020 SETTING: 10-20 feet
DATE COMPLETED:	May 8, 2001	SAND PACK SIZE & TYPE: #2 morie
DRILLING COMPANY:	Soil Testing, Inc.	SETTING: 8-20 feet
DRILLING METHOD:	Hollow Stem	CASING SIZE & TYPE: 4-inch PVC SETTING: 0-10 feet
SAMPLING METHOD:	Split-Spoon	SEAL TYPE: Bentonite
OBSERVER:	Aimee Petras	SETTING: 7-8 feet
REFERENCE POINT (RP):		BACKFILL TYPE: Cuttings
ELEVATION OF RP:		STATIC WATER LEVEL: ~12 ft bg
STICK-UP:		DEVELOPMENT METHOD:
SURFACE COMPLETION:		DURATION: YIELD:
REMARKS:	Sample: MW-5 (20-22 feet)	
ABBREVIATIONS:	SS = split spoon W = wash C = cuttings G = grab ST = shelby tube	
REC = Recovery	PPM = parts per million	

1/ Units are ppm calibration gas equivalent

aep

May 10, 2001

reports\keane beane\gpl-4mw5-8.log.wpd

GEOLOGIC LOG		OWNER: Keane & Deane, P.C.
LEGGETTE, BRASHEARS & GRAHAM, INC.		WELL NO.: MW-6
WHITE PLAINS, NEW YORK		PAGE: 1 OF 1 PAGES
SITE LOCATION:	Fyn Paint & Lacquer Co. Brooklyn, New York	SCREEN SIZE & TYPE: 4-inch PVC SLOT NO.: 020 SETTING: 20 - 30 feet
DATE COMPLETED:	May 2001	SAND PACK SIZE & TYPE: #2 morie SETTING: 18-30 feet
DRILLING COMPANY:	Soil Testing, Inc.	CASING SIZE & TYPE: 4-inch PVC
DRILLING METHOD:	Hollow Stem	SETTING: 0 - 20 feet
SAMPLING METHOD:	Split-Spoon	SEAL TYPE: Bentonite
OBSERVER:	Aimee Petras	SETTING: 17-18 feet
REFERENCE POINT (RP):		BACKFILL TYPE: Cuttings
ELEVATION OF RP:		STATIC WATER LEVEL: ~23 ft bg
STICK-UP:		DEVELOPMENT METHOD:
SURFACE COMPLETION:		DURATION: YIELD:
REMARKS: Sample: MW-6 (25-27 feet)		
ABBREVIATIONS: SS = split spoon W = wash C = cuttings G = grab ST = shelby tube		
REC = Recovery PPM = parts per million		

DEPTH (FEET)		SAMPLE TYPE	BLOW COUNT	REC. (FEET)	PID ¹ /READING	DESCRIPTION
FROM	TO					
5	7	SS	6 8 8 8	1.6	0.3	SAND, brown, medium to fine, and silt.
10	12	SS	6 8 8 12	1.5	0.3	SAND, brown, medium to fine, some silt.
15	17	SS	3 18 23 10	0.8	1.7	SAND, brown, medium to fine, and silt, moist.
17	23					Large Boulders from 17ftbg to 23 ft bg.
25	27	SS	4 4 5 8	2.0	1.9	SAND, brown, medium to coarse, some silt, saturated.
30						end of boring

¹/ Units are ppm calibration gas equivalent

aep
May 10, 2001
reports\keane beane\gpl-4mw5-8.log.wpd

GEOLOGIC LOG		OWNER: Keane & Deane, P.C.
LEGGETTE, BRASHEARS & GRAHAM, INC.		WELL NO.: MW-7
WHITE PLAINS, NEW YORK		PAGE: 1 OF 1 PAGES
SITE LOCATION: Fyn Paint & Lacquer Co. Brooklyn, New York		SCREEN SIZE & TYPE: 4-inch PVC SLOT NO.: 020 SETTING: 20-30 feet
DATE COMPLETED: May 9, 2001		SAND PACK SIZE & TYPE: #2 morie SETTING: 18-30 feet
DRILLING COMPANY: Soil Testing, Inc.		CASING SIZE & TYPE: 4-inch PVC
DRILLING METHOD: Hollow Stem		SETTING: 0 - 20 feet
SAMPLING METHOD: Split-Spoon		SEAL TYPE: Bentonite
OBSERVER: Aimee Petras		SETTING: 17 - 18
REFERENCE POINT (RP):		BACKFILL TYPE: Cuttings
ELEVATION OF RP:		STATIC WATER LEVEL: ~22 ft bg
STICK-UP:		DEVELOPMENT METHOD:
SURFACE COMPLETION:		DURATION: YIELD:
REMARKS: Sample: MW-7 (10-12 feet)		
ABBREVIATIONS: SS = split spoon W = wash C = cuttings G = grab ST = shelby tube REC = Recovery PPM = parts per million		

DEPTH (FEET)		SAMPLE TYPE	BLOW COUNT	REC. (FEET)	PID ¹ / READING	DESCRIPTION
FROM	TO					
5	7	SS	18 50/6	1.0	1.5	SAND, brown, medium to coarse, and silt, some gravel.
10	12	SS	11 15 18 21	1.7	6.5	SAND, brown, medium to coarse, and silt, some gravel, WET.
15	17	SS	1 10 5 5	1.6	3.7	SAND, brown, v. fine, and silt, wet.
20	22	SS	6 8 10 8	1.2	1.5	SAND, brown, v. fine, and silt, wet.
25	27	SS	18 60 17 25	1.6	1.4	SAND, brown, v. fine, and silt, saturated.
30	32	SS	25 25 28 25	1.6	2.3	SAND, brown, v. fine, and silt, saturated.

1/ Units are ppm calibration gas equivalent

GEOLOGIC LOG		OWNER: Keane & Deane, P.C.
LEGGETTE, BRASHEARS & GRAHAM, INC.		WELL NO.: MW-8
WHITE PLAINS NEW YORK		PAGE: 1 OF 1 PAGES
SITE LOCATION:	Fyn Paint & Lacquer Co. Brooklyn, New York	SCREEN SIZE & TYPE: 4-inch PVC SLOT NO.: 020 SETTING: 15 - 25 feet
DATE COMPLETED:	May 9, 2001	SAND PACK SIZE & TYPE: #2 morie
DRILLING COMPANY:	Soil Testing, Inc.	SETTING: 13 - 25
DRILLING METHOD:	Hollow Stem	CASING SIZE & TYPE: 4-inch PVC SETTING: 0 - 15 feet
SAMPLING METHOD:	Split-Spoon	SEAL TYPE: Bentonite
OBSERVER:	Aimee Petras	SETTING: 12 - 13 feet
REFERENCE POINT (RP):		BACKFILL TYPE: Cuttings
ELEVATION OF RP:		STATIC WATER LEVEL: ~19 ft bg
STICK-UP:		DEVELOPMENT METHOD:
SURFACE COMPLETION:	Roadbox	DURATION: YIELD:
REMARKS:	Sample: MW-8 (20-22 feet)	
ABBREVIATIONS: SS = split spoon W = wash C = cuttings G = grab ST = shelby tube		
REC = Recovery PPM = parts per million		

1/ Units are ppm calibration gas equivalent

GEOLOGIC LOG		OWNER: Keane & Deane, P.C.
LEGGETTE, BRASHEARS & GRAHAM, INC.		WELL NO.: GP-1
WHITE PLAINS, NEW YORK		PAGE: 1 OF 1 PAGES
SITE LOCATION:	Fyn Paint & Lacquer Co. Brooklyn, New York	SCREEN SIZE & TYPE: 1-inch PVC SLOT NO.: 020 SETTING: 7-12 feet
DATE COMPLETED:	May 3, 2001	SAND PACK SIZE & TYPE: NA
DRILLING COMPANY:	American Environmental Assessment	SETTING:
DRILLING METHOD:	Geoprobe	CASING SIZE & TYPE: 1-inch PVC SETTING: 0-7 feet
SAMPLING METHOD:	Macrocore	SEAL TYPE: NA
OBSERVER:	Aimee Petras	SETTING:
REFERENCE POINT (RP):		BACKFILL TYPE: Cuttings
ELEVATION OF RP:		STATIC WATER LEVEL: 8 ft bg
STICK-UP:		DEVELOPMENT METHOD:
SURFACE COMPLETION:	Roadbox in concrete	DURATION: YIELD:
REMARKS:	Sample: GP-1 (12-16 feet)	
ABBREVIATIONS: SS = split spoon W = wash C = cuttings G = grab ST = shelby tube		
REC = Recovery PPM = parts per million		

1/ Units are ppm calibration gas equivalent

aep

May 10, 2001

reports\keane beane\gp1-4mw5-8.log.wpd

GEOLOGIC LOG		OWNER: Keane & Deane, P.C.	
LEGGETTE, BRASHEARS & GRAHAM, INC.		WELL NO.: GP-2	
WHITE PLAINS, NEW YORK		PAGE: 1 OF 1 PAGES	
SITE LOCATION: Fyn Paint & Lacquer Co. Brooklyn, New York		SCREEN SIZE & TYPE: 1-inch PVC SLOT NO.: 020 SETTING: 5-10 feet	
DATE COMPLETED: May 3, 2001		SAND PACK SIZE & TYPE: NA SETTING:	
DRILLING COMPANY: American Environmental Assessment		CASING SIZE & TYPE: 1-inch PVC	
DRILLING METHOD: Geoprobe		SETTING: 0 - 5 feet	
SAMPLING METHOD: Macrocore		SEAL TYPE: NA	
OBSERVER: Aimee Petras		SETTING:	
REFERENCE POINT (RP):		BACKFILL TYPE: Cuttings	
ELEVATION OF RP:		STATIC WATER LEVEL: ~6 ft bg	
STICK-UP:		DEVELOPMENT METHOD:	
SURFACE COMPLETION:		DURATION:	YIELD:
REMARKS: Sample: GP-2 (8-12 feet)			
ABBREVIATIONS: SS = split spoon W = wash C = cuttings G = grab ST = shelby tube			
REC = Recovery PPM = parts per million			

DEPTH (FEET)		SAMPLE TYPE	BLOW COUNT	REC. (FEET)	PID ^{1/} READING	DESCRIPTION
FROM	TO					
0	4	MC		0.9	0.3	SILT and SAND, Brown, medium to fine, trace gravel.
4	8	MC		1.5	1.4	SAND, Brown, medium to coarse, some silt, trace gravel. Saturated at 7.5ft.
8	12	MC		0.5	0.7	Saturated SAND, brown, medium to coarse, some silt, trace gravel.

1/ Units are ppm calibration gas equivalent

GEOLOGIC LOG		OWNER: Keane & Deane, P.C.
LEGGETTE, BRASHEARS & GRAHAM, INC.		WELL NO.: GP-3
WHITE PLAINS, NEW YORK		PAGE: 1 OF 1 PAGES
SITE LOCATION: Fyn Paint & Lacquer Co. Brooklyn, New York		SCREEN SIZE & TYPE: 1-inch PVC SLOT NO.: 020 SETTING: 11-16 feet
DATE COMPLETED: May 4, 2001		SAND PACK SIZE & TYPE: NA
DRILLING COMPANY: American Environmental Assessment		SETTING:
DRILLING METHOD: Geoprobe		CASING SIZE & TYPE: 1-inch PVC SETTING: 0 - 11 feet
SAMPLING METHOD: Macrocore		SEAL TYPE: NA
OBSERVER: Aimee Petras		SETTING:
REFERENCE POINT (RP):		BACKFILL TYPE: Cuttings
ELEVATION OF RP:		STATIC WATER LEVEL:
STICK-UP:		DEVELOPMENT METHOD:
SURFACE COMPLETION:		DURATION: YIELD:
REMARKS: Sample: GP-3 (12-16 feet)		
ABBREVIATIONS: SS = split spoon W = wash C = cuttings G = grab ST = shelby tube		
REC = Recovery PPM = parts per million		

DEPTH (FEET)		SAMPLE TYPE	BLOW COUNT	REC. (FEET)	PID ¹ / READING	DESCRIPTION
FROM	TO					
0	4	MC		3.0	713	SAND, Brown, medium to fine, some silt, some gravel, odor.
4	8	MC		3.2	1569	SILT, brown, and sand, fine, odor.
8	12	MC		2.8	1269	SILT, brown, and sand, fine, odor.
12	16	MC		3.0	1573	SILT, dark brown, and sand, fine, odor.
16	17	MC		0.6	1405	SILT, dark brown, and sand, fine, odor.

1/ Units are ppm calibration gas equivalent

aep
May 10, 2001
reports\keane beane\gp1-4mw5-8.log.wpd

GEOLOGIC LOG		OWNER: Keane & Deane, P.C.
LEGGETTE, BRASHEARS & GRAHAM, INC.		WELL NO.: GP-4
WHITE PLAINS NEW YORK		PAGE: 1 OF 1 PAGES
SITE LOCATION:	Fyn Paint & Lacquer Co. Brooklyn, New York	SCREEN SIZE & TYPE: NA SLOT NO.: SETTING:
DATE COMPLETED:	May 4, 2001	SAND PACK SIZE & TYPE: NA
DRILLING COMPANY:	American Environmental Assessment	SETTING: CASING SIZE & TYPE: NA
DRILLING METHOD:	Geoprobe	SETTING:
SAMPLING METHOD:	Macrocore	SEAL TYPE: NA
OBSERVER:	Aimee Petras	SETTING:
REFERENCE POINT (RP):		BACKFILL TYPE: Cuttings
ELEVATION OF RP:		STATIC WATER LEVEL:
STICK-UP:		DEVELOPMENT METHOD:
SURFACE COMPLETION:		DURATION: YIELD:
REMARKS:	Sample: GP-4 (8-12 feet)	
ABBREVIATIONS:	SS = split spoon W = wash C = cuttings G = grab ST = shelby tube	
REC = Recovery	PPM = parts per million	

1/ Units are ppm calibration gas equivalent

***** Privileged and Confidential — Prepared at the Request of Legal Counsel *****

GEOLOGIC LOG		OWNER:	Keane & Beane, P.C.
LEGGETTE, BRASHEARS & GRAHAM, INC.		WELL NO.:	CE-1
WHITE PLAINS, NEW YORK		PAGE:	1 OF 1 PAGES
SITE LOCATION: Fyn Paint & Lacquer Corp., Inc. 214 Kent Avenue Brooklyn, New York		SCREEN SIZE & TYPE:	1-inch PVC
		SLOT NO.:	20 SETTING: 15 ft bg-10 ft bg
DATE COMPLETED: May 30, 2001		SAND PACK SIZE & TYPE:	None
DRILLING COMPANY: American Environmental Assessment Corp.		SETTING:	
DRILLING METHOD: Geoprobe		CASING SIZE & TYPE:	1-inch PVC
SAMPLING METHOD: Macrocore		SETTING:	10 ft bg - 0 ft bg
OBSERVER: Sean Groszkowski		SEAL TYPE:	Cuttings
REFERENCE POINT (RP): Grade		SETTING:	
ELEVATION OF RP:		BACKFILL TYPE:	Cuttings
STICK-UP:		STATIC WATER LEVEL:	8 ft bg
SURFACE COMPLETION: Flush-mount manhole		DEVELOPMENT METHOD:	
REMARKS: Water at 8 ft bg. Composite sample sent to lab (8-16 ft bg).		DURATION:	YIELD:
ABBREVIATIONS: SS = split spoon W = wash C = cuttings G = grab ST = shelby tube REC = recovery PPM = parts per million			

DEPTH (FEET)		SAMPLE TYPE	BLOW COUNT	REC. (FEET)	PID ¹ / READING	DESCRIPTION
FROM	TO					
0	4	—	—	—	—	Fill.
4	8		—	1.5	1.0	Fill, sand, fine, brown; some silt, no odor, moist.
8	12		—	1	—	Fine sand, brown/gray; some silt, strong odor of solvents, some free phase, wet to saturated, dirty at 12 ft bg.
12	16		—	4	—	Fine sand and silt, brown, strong odor, some free phase, saturated.
	16		—			End of boring.

¹/ Units are ppm calibration gas equivalent

**** Privileged and Confidential — Prepared at the Request of Legal Counsel ****

GEOLOGIC LOG		OWNER:	Keane & Beane, P.C.
LEGGETTE, BRASHEARS & GRAHAM, INC.		WELL NO.:	CE-2
WHITE PLAINS, NEW YORK		PAGE:	1 OF 1 PAGES
SITE LOCATION: Fyn Paint & Lacquer Corp., Inc. 214 Kent Avenue Brooklyn, New York		SCREEN SIZE & TYPE:	1-inch PVC
		SLOT NO.:	20 SETTING: 15 ft bg-10 ft bg
DATE COMPLETED: May 30, 2001		SAND PACK SIZE & TYPE:	None
DRILLING COMPANY: American Environmental Assessment Corp.		SETTING:	
DRILLING METHOD: Geoprobe		CASING SIZE & TYPE:	1-inch PVC
		SETTING:	10 ft bg - 0 ft bg
SAMPLING METHOD: Macrocore		SEAL TYPE:	Cuttings
OBSERVER: Sean Groszkowski		SETTING:	
REFERENCE POINT (RP): Grade		BACKFILL TYPE:	Cuttings
ELEVATION OF RP:		STATIC WATER LEVEL:	
STICK-UP:		DEVELOPMENT METHOD:	
SURFACE COMPLETION: Flush-mount manhole		DURATION:	YIELD:
REMARKS: 8 ft bg - 12 ft bg sample sent to lab.			
ABBREVIATIONS: SS = split spoon W = wash C = cuttings G = grab ST = shelby tube			
REC = recovery PPM = parts per million			

DEPTH (FEET)		SAMPLE TYPE	BLOW COUNT	REC. (FEET)	PID ^{1/} READING	DESCRIPTION
FROM	TO					
0	4		—	2.5	0	Sand, fine-medium, brown; some silt, moist, no odor.
4	8		—	3.5	33	Sand, fine-medium, brown/olive; trace silt; moist/wet, no odor.
8	12		—	3.7	>2,000	Sand, fine, brown; some grey/black patches; trace silt; moist; strong odor.
12	16		—	4.0	>2,000	Sand, fine-medium, brown; some silt and clay; moist; strong odor.
16	20		—			Sand, fine-medium, brown; some silt and clay; moist; strong odor.
	20		—			End of boring.

^{1/} Units are ppm calibration gas equivalent

dmd
June 13, 2001
reports\keanebeane\cel-4 log

**** Privileged and Confidential — Prepared at the Request of Legal Counsel ****

GEOLOGIC LOG		OWNER:	Keane & Beane, P.C.
LEGGETTE, BRASHEARS & GRAHAM, INC.		WELL NO.:	CE-3
WHITE PLAINS, NEW YORK		PAGE:	1 OF 1 PAGES
SITE LOCATION: Fyn Paint & Lacquer Corp., Inc. 214 Kent Avenue Brooklyn, New York		SCREEN SIZE & TYPE:	1-inch PVC
		SLOT NO.:	20 SETTING: 15 ft bg-10 ft bg
DATE COMPLETED: May 30, 2001		SAND PACK SIZE & TYPE:	None
DRILLING COMPANY: American Environmental Assessment Corp.		SETTING:	
DRILLING METHOD: Geoprobe		CASING SIZE & TYPE:	1-inch PVC
SAMPLING METHOD: Macrocore		SETTING:	10 ft bg - 0 ft bg
OBSERVER: Sean Groszkowski		SEAL TYPE:	Cuttings
REFERENCE POINT (RP): Grade		SETTING:	
ELEVATION OF RP:		BACKFILL TYPE:	Cuttings
STICK-UP:		STATIC WATER LEVEL:	
SURFACE COMPLETION: Flush-mount manhole		DEVELOPMENT METHOD:	
REMARKS: 12 ft bg - 16 ft bg sample sent to lab.		DURATION:	YIELD:
ABBREVIATIONS: SS = split spoon W = wash C = cuttings G = grab ST = shelby tube REC = recovery PPM = parts per million			

DEPTH (FEET)		SAMPLE TYPE	BLOW COUNT	REC. (FEET)	PID ^{1/} READING	DESCRIPTION
FROM	TO					
0	4		—	2.5	211	Sand, fine, brown; trace silt; moist; slight odor.
4	8		—	3.5	260	Sand, fine, brown; trace silt; moist; slight odor.
8	12		—	3.0	680	Sand, fine, brown; trace silt; moist; strong odor of solvents.
12	16		—	4.0	>2,000	Sand, fine-medium, brown/reddish; trace silt; moist; strong odor.
	16		—			End of boring.


1/ Units are ppm calibration gas equivalent

**** Privileged and Confidential — Prepared at the Request of Legal Counsel ****

GEOLOGIC LOG		OWNER:	Keane & Beane, P.C.	
LEGGETTE, BRASHEARS & GRAHAM, INC.		WELL NO.:	CE-4	
WHITE PLAINS, NEW YORK		PAGE:	1	OF 1 PAGES
SITE LOCATION: Fyn Paint & Lacquer Corp., Inc. 214 Kent Avenue Brooklyn, New York		SCREEN SIZE & TYPE:	1-inch PVC	
		SLOT NO.:	20	SETTING: 10 ft bg-5 ft bg
DATE COMPLETED: May 30, 2001		SAND PACK SIZE & TYPE:	None	
DRILLING COMPANY: American Environmental Assessment Corp.		SETTING:		
DRILLING METHOD: Geoprobe		CASING SIZE & TYPE:	1-inch PVC	
		SETTING:	5 ft bg - 0 ft bg	
SAMPLING METHOD: Macrocore		SEAL TYPE:	Cuttings	
OBSERVER: Sean Groszkowski		SETTING:		
REFERENCE POINT (RP): Grade		BACKFILL TYPE:	Cuttings	
ELEVATION OF RP:		STATIC WATER LEVEL:		
STICK-UP:		DEVELOPMENT METHOD:		
SURFACE COMPLETION: Flush-mount manhole		DURATION:	YIELD:	
REMARKS: 5 ft bg-8 ft bg sample send to lab. Saturated at 9 ft bg.				
ABBREVIATIONS: SS = split spoon W = wash C = cuttings G = grab ST = shelby tube				
REC = recovery PPM = parts per million				

DEPTH (FEET)		SAMPLE TYPE	BLOW COUNT	REC. (FEET)	PID ¹ / READING	DESCRIPTION
FROM	TO					
0	5	—	—	—	—	Hand augered gravel and cobble.
5	8		—	2.0	5.8	Sand, fine-medium, brown; trace silt; trace pebbles and cobble; wet; no odor.
8	12		—	4.0	3.0	Sand, fine-medium; brown/gray; trace silt; wet to saturated; no odor.
	12		—			End of boring.

1/ Units are ppm calibration gas equivalent




NOTE:
TOP OF CASING ELEVATION = 10.71'.

FYN PAINT AND LACQUER CO., INC.
BROOKLYN, NEW YORK
PREPARED FOR KEANE & BEANE, P.C.

WELL CONSTRUCTION DIAGRAM OF MW-5

DATE	REVISED	PREPARED BY:
		LEGGETTE, BRASHEARS & GRAHAM, INC.
		Professional Ground-Water and Environmental Engineering Services
		110 Corporate Park Drive
		Suite 112
		White Plains, NY 10604
		(914) 694-5711




NOTE:
TOP OF CASING ELEVATION = 19.99'.

FYN PAINT AND LACQUER CO., INC.
BROOKLYN, NEW YORK
PREPARED FOR KEANE & BEANE, P.C.

WELL CONSTRUCTION DIAGRAM OF MW-6

DATE	REVISED	PREPARED BY:				
		LEGGETTE, BRASHEARS & GRAHAM, INC. Professional Ground-Water and Environmental Engineering Services 110 Corporate Park Drive Suite 112 White Plains, NY 10604 (914) 694-5711				
DRAWN:	MRV	CHECKED:	PW	DATE:	7/16/01	FIGURE:




NOTE:
TOP OF CASING ELEVATION = 18.77'.

FYN PAINT AND LACQUER CO., INC.
BROOKLYN, NEW YORK
PREPARED FOR KEANE & BEANE, P.C.

WELL CONSTRUCTION DIAGRAM OF MW-7

DATE	REVISED	PREPARED BY:
		LEGGETTE, BRASHEARS & GRAHAM, INC. Professional Ground-Water and Environmental Engineering Services 110 Corporate Park Drive Suite 112 White Plains, NY 10604 (914) 694-5711
DRAWN:	MRV	CHECKED: PW DATE: 7/16/01 FIGURE: -






NOTE:
TOP OF CASING ELEVATION = 15.14'.

FYN PAINT AND LACQUER CO., INC.
BROOKLYN, NEW YORK
PREPARED FOR KEANE & BEANE, P.C.

WELL CONSTRUCTION DIAGRAM OF MW-8

DATE	REVISED	PREPARED BY: LEGGETTE, BRASHEARS & GRAHAM, INC. Professional Ground-Water and Environmental Engineering Services 110 Corporate Park Drive Suite 112 White Plains, NY 10604 (914) 694-5711
DRAWN:	MRV	CHECKED: PW DATE: 7/16/01 FIGURE: -

NOT TO SCALE




NOTE:
TOP OF CASING ELEVATION = 7.87'.

FYN PAINT AND LACQUER CO., INC.
BROOKLYN, NEW YORK
PREPARED FOR KEANE & BEANE, P.C.

WELL CONSTRUCTION DIAGRAM OF GP-1

DATE	REVISED	PREPARED BY:					
		LEGGETTE, BRASHEARS & GRAHAM, INC. Professional Ground-Water and Environmental Engineering Services 110 Corporate Park Drive Suite 112 White Plains, NY 10604 (914) 694-5711					
DRAWN:	MRV	CHECKED:	PW	DATE:	7/16/01	FIGURE:	-

NOT TO SCALE




NOTE:
TOP OF CASING ELEVATION = 7.08'.

FYN PAINT AND LACQUER CO., INC.
BROOKLYN, NEW YORK
PREPARED FOR KEANE & BEANE, P.C.

WELL CONSTRUCTION DIAGRAM OF GP-2

DATE	REVISED	PREPARED BY:
		LEGGETTE, BRASHEARS & GRAHAM, INC. Professional Ground-Water and Environmental Engineering Services 110 Corporate Park Drive Suite 112 White Plains, NY 10604 (914) 694-5711
DRAWN:	MRV	CHECKED: PW DATE: 7/16/01 FIGURE: -

NOT TO SCALE




NOTE:
TOP OF CASING ELEVATION = 18.40'.

FYN PAINT AND LACQUER CO., INC.
BROOKLYN, NEW YORK
PREPARED FOR KEANE & BEANE, P.C.

WELL CONSTRUCTION DIAGRAM OF GP-3

DATE	REVISED	PREPARED BY:  LEGGETTE, BRASHEARS & GRAHAM, INC. Professional Ground-Water and Environmental Engineering Services 110 Corporate Park Drive Suite 112 White Plains, NY 10604 (914) 694-5711
DRAWN:	MRV	CHECKED: PW DATE: 7/16/01 FIGURE: -

NOT TO SCALE




NOTE:
TOP OF CASING ELEVATION = 18.54'.

FYN PAINT AND LACQUER CO., INC.
BROOKLYN, NEW YORK
PREPARED FOR KEANE & BEANE, P.C.

WELL CONSTRUCTION DIAGRAM OF CE-1

DATE	REVISED	PREPARED BY: LEGGETTE, BRASHEARS & GRAHAM, INC. Professional Ground-Water and Environmental Engineering Services 110 Corporate Park Drive Suite 112 White Plains, NY 10604 (914) 694-5711
DRAWN:	MRV	CHECKED: PW DATE: 7/19/01 FIGURE: -

NOT TO SCALE




NOTE:
TOP OF CASING ELEVATION = 19.08'.

FYN PAINT AND LACQUER CO., INC.
BROOKLYN, NEW YORK
PREPARED FOR KEANE & BEANE, P.C.

WELL CONSTRUCTION DIAGRAM OF CE-2

DATE	REVISED	PREPARED BY:
		LEGGETTE, BRASHEARS & GRAHAM, INC. Professional Ground-Water and Environmental Engineering Services 110 Corporate Park Drive Suite 112 White Plains, NY 10604 (914) 694-5711
		
DRAWN:	MRV	CHECKED: PW DATE: 7/19/01 FIGURE: -

NOT TO SCALE




NOTE:
TOP OF CASING ELEVATION = 18.53'.

FYN PAINT AND LACQUER CO., INC.
BROOKLYN, NEW YORK
PREPARED FOR KEANE & BEANE, P.C.

WELL CONSTRUCTION DIAGRAM OF CE-3

DATE	REVISED	PREPARED BY:	
		LEGGETTE, BRASHEARS & GRAHAM, INC.	
		Professional Ground-Water and Environmental Engineering Services	
		110 Corporate Park Drive	
		Suite 112	
		White Plains, NY 10604	
		(914) 694-5711	
DRAWN:	MRV	CHECKED:	PW
		DATE: 7/19/01 FIGURE: -	

NOT TO SCALE



NOTE:
TOP OF CASING ELEVATION = 7.96'.


NOT TO SCALE

FYN PAINT AND LACQUER CO., INC.
BROOKLYN, NEW YORK
PREPARED FOR KEANE & BEANE, P.C.

WELL CONSTRUCTION DIAGRAM OF CE4

DATE	REVISED	PREPARED BY:
		LEGGETTE, BRASHEARS & GRAHAM, INC. Professional Ground-Water and Environmental Engineering Services 110 Corporate Park Drive Suite 112 White Plains, NY 10604 (914) 694-5711
DRAWN:	MRV	CHECKED: PW DATE: 7/19/01 FIGURE: -

SOIL



NYSDOH
AIHA
CTDOH

ELAP
PAT, LPAT
PH-0205

11418
102391

June 11, 2001

Dan Buzea
Leggette, Brashears, & Graham Inc.
110 Corporate Park Drive
Suite 112
White Plains, N.Y. 10604

Re: FYN Paint & Laquer Corp. Inc. Brooklyn, N.Y.

Dear Mr. Buzea;

Enclosed please find the Laboratory Analysis Report for samples received on June 01, 2001. American Analytical Laboratories analyzed the samples through June 07, 2001 for the following:

SAMPLE ID	ANALYSIS
CE-1	EPA 8260, EPA 8270
CE-2	EPA 8260, EPA 8270
CE-3	EPA 8260, EPA 8270
CE-4	EPA 8260, EPA 8270

This report consists of 16 pages of analytical results

If you have any questions or require further information, please call at your convenience. American Analytical Laboratories would like to thank you for the opportunity to be of service to you.

Best Regards,

American Analytical Laboratories, Inc.

Client: Leggette, Brashears, & Graham Inc.	Client ID: FYN Paint & Laquer Corp. Inc. Brooklyn, N.Y. (CE-1)
Date received: 06/01/01	Laboratory ID: 0018706
Date extracted: NA	Matrix: Soil
Date analyzed: 06/04/01	Contractor: 11418

EPA METHOD 8260

Parameter	CAS No.	Results ug/kg
BENZENE	71-43-2	<125
BROMOBENZENE	108-86-1	<125
BROMOCHLOROMETHANE	74-97-5	<125
BROMODICHLOROMETHANE	75-27-4	<125
BROMOFORM	75-25-2	<125
BROMOMETHANE	74-83-9	<125
n-BUTYLBENZENE	104-51-8	<125
sec-BUTYLBENZENE	135-98-8	<125
tert-BUTYLBENZENE	98-06-6	<125
CARBON TETRACHLORIDE	56-23-5	<125
CHLOROBENZENE	108-90-7	<125
CHLORODIBROMOMETHANE	124-48-1	<125
CHLOROETHANE	75-00-3	<125
CHLOROFORM	67-66-3	<125
CHLOROMETHANE	74-87-3	<125
2-CHLOROTOLUENE	95-49-8	<125
4-CHLOROTOLUENE	106-43-4	<125
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	<125
1,2-DIBROMOETHANE	106-93-4	<125
DIBROMOMETHANE	74-95-3	<125
1,2-DICHLOROBENZENE	95-50-1	<125
1,3-DICHLOROBENZENE	541-73-1	<125
1,4-DICHLOROBENZENE	106-46-7	<125
DICHLORODIFLUOROMETHANE	75-71-8	<125
1,1-DICHLOROETHANE	75-34-3	<125
1,2-DICHLOROETHANE	107-06-2	<125
1,1-DICHLOROETHENE	75-35-4	<125
cis-1,2-DICHLOROETHENE	156-59-2	<125
trans-1,2-DICHLOROETHENE	156-60-5	<125

Lou Beyer
Laboratory Director

000001

Client: Leggette, Brashears, & Graham Inc.	Client ID: FYN Paint & Laquer Corp. Inc. Brooklyn, N.Y. (CE-1)
Date received: 06/01/01	Laboratory ID: 0018706
Date extracted: NA	Matrix: Soil
Date analyzed: 06/04/01	Contractor: 11418

EPA METHOD 8260

Parameter	CAS No.	Results ug/kg
1,2-DICHLOROPROPANE	78-87-5	<125
1,3-DICHLOROPROPANE	142-28-9	<125
2,2-DICHLOROPROPANE	594-20-7	<125
1,1-DICHLOROPROPENE	563-58-6	<125
ETHYLBENZENE	100-41-4	1,300,000
HEXACHLOROBUTADIENE	87-68-3	<125
ISOPROPYLBENZENE	98-82-8	29,000
p-ISOPROPYLtoluene	99-87-6	<125
METHYLENE CHLORIDE	75-09-2	<125
NAPHTHALENE	91-20-3	760
n-PROPYLBENZENE	103-65-1	11,000
STYRENE	100-42-5	<125
1,1,1,2-TETRACHLOROETHANE	630-20-6	<125
1,1,2,2-TETRACHLOROETHANE	79-34-5	<125
TETRACHLOROETHENE	127-18-4	8,200
TOLUENE	108-88-3	550,000
1,2,3-TRICHLOROBENZENE	87-61-6	<125
1,2,4-TRICHLOROBENZENE	120-82-1	<125
1,1,1-TRICHLOROETHANE	71-55-6	<125
1,1,2-TRICHLOROETHANE	79-00-5	<125
TRICHLOROETHENE	79-01-6	<125
TRICHLOROFLUOROMETHANE	75-69-4	<125
1,2,3-TRICHLOROPROPANE	96-18-4	<125
1,3,5-TRIMETHYLBENZENE	108-67-8	9,600
1,2,4-TRIMETHYLBENZENE	95-63-6	20,000
VINYL CHLORIDE	75-01-4	<125
ACETONE	62-64-1	<125
CARBON DISULFIDE	75-15-0	<125
2-BUTANONE	78-93-3	<125
VINYL ACETATE	108-05-4	<125
4-METHYL-2-PENTANONE	108-10-1	<125
2-HEXANONE	591-78-6	<125
XYLENES (TOTAL)	1330-20-7	3,200,000

Raised MDL due to elevated non-target analytes.



Lou Beyer
Laboratory Director

000002

Client: Leggette, Brashears, & Graham Inc.	Client ID: FYN Paint & Laquer Corp. Inc. Brooklyn, N.Y. (CE-1)
Date received: 06/01/01	Laboratory ID:0018706
Date extracted: 06/04/01	Matrix: Soil
Date analyzed: 06/04/01	Contractor: 11418

EPA METHOD 8270

Parameter	CAS No.	Results ug/kg
PYRIDINE	110-86-1	<40
N-NITROSO-DI-METHYLAMINE	62-75-9	<40
ANILINE	62-53-3	<40
Bis(2-CHLOROETHYL)ETHER	111-44-4	<40
PHENOL	108-95-1	<40
2-CHLOROPHENOL	95-57-8	<40
1,3-DICHLOROBENZENE	541-73-1	<40
1,4-DICHLOROBENZENE	106-46-7	<40
1,2-DICHLOROBENZENE	95-50-1	<40
BENZYL ALCOHOL	100-51-6	<40
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	<40
2-METHYLPHENOL	95-48-7	<40
HEXACHLOROETHANE	67-72-1	<40
N-NITROSODI-N-PROPYL AMINE	621-64-7	<40
3+4-METHYLPHENOL	106-44-5/108-39-4	<40
NITROBENZENE	98-95-3	<40
ISOPHORONE	78-59-1	<40
2-NITROPHENOL	88-75-5	<40
2,4-DIMETHYLPHENOL	105-67-9	<40
BENZOIC ACID	65-85-0	<70
Bis(2-CHLOROETHOXY)METHANE	111-91-1	<40
2,4-DICHLOROPHENOL	102-83-2	<40
1,2,4-TRICHLOROBENZENE	120-82-1	<40
NAPHTHALENE	91-20-3	84
4-CHLOROANILINE	106-47-8	<40
HEXACHLOROBUTADIENE	87-68-3	<40
4-CHLORO-3-METHYLPHENOL	59-50-7	<40
2-METHYLNAPHTHALENE	91-57-6	<40
HEXACHLOROCYCLOPENTADIENE	77-47-4	<40
2,4,6-TRICHLOROPHENOL	88-06-2	<40
2,4,5-TRICHLOROPHENOL	95-95-4	<40
2-CHLORONAPHTHALENE	91-58-7	<40
2-NITROANILINE	88-74-4	<40
ACENAPHTHYLENE	208-96-8	<40
DIMETHYLPHthalate	131-11-3	<40
2,6-DINITROTOLUENE	606-20-2	<40

Son Beyer
Laboratory Director

000003

Client: Leggette, Brashears, & Graham Inc.	Client ID: FYN Paint & Laquer Corp. Inc. Brooklyn, N.Y. (CE-1)
Date received: 06/01/01	Laboratory ID:0018706
Date extracted: 06/04/01	Matrix: Soil
Date analyzed: 06/04/01	Contractor: 11418

EPA METHOD 8270

Parameter	CAS No.	Results ug/kg
ACENAPHTHENE	83-32-9	<40
3-NITROANILINE	99-09-2	<40
2,4-DINITROPHENOL	51-28-5	<70
DIBENZOFURAN	132-64-9	<40
2,4-DINTROTOLUENE	121-14-2	<40
4-NITROPHENOL	100-02-7	<50
FLUORENE	86-73-7	<40
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	<40
AZOBENZENE	103-33-3	<40
DIETHYLPHTHALATE	84-66-2	<40
4-NITROANILINE	100-01-6	<40
4,6-DINITRO-2-METHYLPHENOL	534-52-1	<40
N-NITROSO-DI-PHENYLAMINE	86-30-6	<40
4-BROMOPHENYL-PHENYL ETHER	101-55-3	<40
HEXACHLOROBENZENE	118-74-1	<40
PENTACHLOROPHENOL	87-86-5	<60
PHENANTHRENE	85-01-8	160
ANTHRACENE	120-12-7	<40
CARBAZOLE	86-74-8	<40
DI-N-BUTYLPHTHALATE	84-74-2	<40
FLUORANTHENE	206-44-0	180
BENZIDINE	92-87-5	<40
PYRENE	129-00-0	200
BUTYLBENZYLPHTHALATE	85-68-7	<40
3,3-DICHLOROBENZIDINE	91-94-1	<40
BENZO-(a)-ANTHRACENE	56-55-3	98
CHRYSENE	218-01-9	100
Bis(2-ETHYLHEXYL)PHTHALATE	117-81-7	<40
DI-N-OCTYLPHTHALATE	117-84-0	<40
BENZO-(b)-FLUORANTHENE	205-99-2	84
BENZO-(k) FLUORANTHENE	207-08-9	86
BENZO-(a)-PYRENE	50-32-8	110
INDENO(1,2,3-c,d)PYRENE	193-39-5	78
DIBENZO-(a,h)-ANTHRACENE	53-70-3	<40
BENZO-(g,h,i)-PERYLENE	191-24-2	90

Lou Beyer
Laboratory Director

000004

Client: Leggette, Brashears, & Graham Inc.	Client ID: FYN Paint & Laquer Corp. Inc. Brooklyn, N.Y. (CE-2)
Date received: 06/01/01	Laboratory ID: 0018707
Date extracted: NA	Matrix: Soil
Date analyzed: 06/04/01	Contractor: 11418

EPA METHOD 8260

Parameter	CAS No.	Results ug/kg
BENZENE	71-43-2	<125
BROMOBENZENE	108-86-1	<125
BROMOCHLOROMETHANE	74-97-5	<125
BROMODICHLOROMETHANE	75-27-4	<125
BROMOFORM	75-25-2	<125
BROMOMETHANE	74-83-9	<125
n-BUTYLBENZENE	104-51-8	<125
sec-BUTYLBENZENE	135-98-8	<125
tert-BUTYLBENZENE	98-06-6	<125
CARBON TETRACHLORIDE	56-23-5	<125
CHLOROBENZENE	108-90-7	<125
CHLORODIBROMOMETHANE	124-48-1	<125
CHLOROETHANE	75-00-3	<125
CHLOROFORM	67-66-3	<125
CHLOROMETHANE	74-87-3	<125
2-CHLOROTOLUENE	95-49-8	<125
4-CHLOROTOLUENE	106-43-4	<125
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	<125
1,2-DIBROMOETHANE	106-93-4	<125
DIBROMOMETHANE	74-95-3	<125
1,2-DICHLOROBENZENE	95-50-1	<125
1,3-DICHLOROBENZENE	541-73-1	<125
1,4-DICHLOROBENZENE	106-46-7	<125
DICHLORODIFLUOROMETHANE	75-71-8	<125
1,1-DICHLOROETHANE	75-34-3	<125
1,2-DICHLOROETHANE	107-06-2	<125
1,1-DICHLOROETHENE	75-35-4	<125
cis-1,2-DICHLOROETHENE	156-59-2	<125
trans-1,2-DICHLOROETHENE	156-60-5	<125

Sou Beyer
Laboratory Director

000005

Client: Leggette, Brashears, & Graham Inc.	Client ID: FYN Paint & Laquer Corp. Inc. Brooklyn, N.Y. (CE-2)
Date received: 06/01/01	Laboratory ID: 0018707
Date extracted: NA	Matrix: Soil
Date analyzed: 06/04/01	Contractor: 11418

EPA METHOD 8260

Parameter	CAS No.	Results ug/kg
1,2-DICHLOROPROPANE	78-87-5	<125
1,3-DICHLOROPROPANE	142-28-9	<125
2,2-DICHLOROPROPANE	594-20-7	<125
1,1-DICHLOROPROPENE	563-58-6	<125
ETHYLBENZENE	100-41-4	490,000
HEXACHLOROBUTADIENE	87-68-3	<125
ISOPROPYLBENZENE	98-82-8	17,000
p-ISOPROPYLtolUENE	99-87-6	<125
METHYLENE CHLORIDE	75-09-2	<125
NAPHTHALENE	91-20-3	180
n-PROPYLBENZENE	103-65-1	4,100
STYRENE	100-42-5	<125
1,1,1,2-TETRACHLOROETHANE	630-20-6	<125
1,1,2,2-TETRACHLOROETHANE	79-34-5	<125
TETRACHLOROETHENE	127-18-4	2,300
TOLUENE	108-88-3	350,000
1,2,3-TRICHLOROBENZENE	87-61-6	<125
1,2,4-TRICHLOROBENZENE	120-82-1	<125
1,1,1-TRICHLOROETHANE	71-55-6	<125
1,1,2-TRICHLOROETHANE	79-00-5	<125
TRICHLOROETHENE	79-01-6	<125
TRICHLOROFUOROMETHANE	75-69-4	<125
1,2,3-TRICHLOROPROPANE	96-18-4	<125
1,3,5-TRIMETHYLBENZENE	108-67-8	3,900
1,2,4-TRIMETHYLBENZENE	95-63-6	9,900
VINYL CHLORIDE	75-01-4	<125
ACETONE	62-64-1	<125
CARBON DISULFIDE	75-15-0	<125
2-BUTANONE	78-93-3	<125
VINYL ACETATE	108-05-4	<125
4-METHYL-2-PENTANONE	108-10-1	<125
2-HEXANONE	591-78-6	<125
XYLENES (TOTAL)	1330-20-7	900,000

Raised MDL due to elevated non-target analytes.



Laboratory Director

000006

Client: Leggette, Brashears, & Graham Inc.	Client ID: FYN Paint & Laquer Corp. Inc. Brooklyn, N.Y. (CE-2)
Date received: 06/01/01	Laboratory ID: 0018707
Date extracted: 06/04/01	Matrix: Soil
Date analyzed: 06/07/01	Contractor: 11418

EPA METHOD 8270

Parameter	CAS No.	Results ug/kg
PYRIDINE	110-86-1	<40
N-NITROSO-DI-METHYLAMINE	62-75-9	<40
ANILINE	62-53-3	<40
Bis(2-CHLOROETHYL)ETHER	111-44-4	<40
PHENOL	108-95-1	<40
2-CHLOROPHENOL	95-57-8	<40
1,3-DICHLOROBENZENE	541-73-1	<40
1,4-DICHLOROBENZENE	106-46-7	<40
1,2-DICHLOROBENZENE	95-50-1	<40
BENZYL ALCOHOL	100-51-6	<40
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	<40
2-METHYLPHENOL	95-48-7	400
HEXACHLOROETHANE	67-72-1	<40
N-NITROSODI-N-PROPYL AMINE	621-64-7	<40
3+4-METHYLPHENOL	106-44-5/108-39-4	440
NITROBENZENE	98-95-3	<40
ISOPHORONE	78-59-1	<40
2-NITROPHENOL	88-75-5	<40
2,4-DIMETHYLPHENOL	105-67-9	390
BENZOIC ACID	65-85-0	<70
Bis(2-CHLOROETHOXY)METHANE	111-91-1	<40
2,4-DICHLOROPHENOL	102-83-2	<40
1,2,4-TRICHLOROBENZENE	120-82-1	<40
NAPHTHALENE	91-20-3	<40
4-CHLOROANILINE	106-47-8	<40
HEXACHLOROBUTADIENE	87-68-3	<40
4-CHLORO-3-METHYLPHENOL	59-50-7	<40
2-METHYLNAPHTHALENE	91-57-6	<40
HEXACHLOROCYCLOPENTADIENE	77-47-4	<40
2,4,6-TRICHLOROPHENOL	88-06-2	<40
2,4,5-TRICHLOROPHENOL	95-95-4	<40
2-CHLORONAPHTHALENE	91-58-7	<40
2-NITROANILINE	88-74-4	<40
ACENAPHTHYLENE	208-96-8	<40
DIMETHYLPHthalate	131-11-3	<40
2,6-DINITROTOLUENE	606-20-2	<40

Sou Beyer
Laboratory Director

000007

Client: Leggette, Brashears, & Graham Inc.	Client ID: FYN Paint & Laquer Corp. Inc. Brooklyn, N.Y. (CE-2)
Date received: 06/01/01	Laboratory ID: 0018707
Date extracted: 06/04/01	Matrix: Soil
Date analyzed: 06/07/01	Contractor: 11418

EPA METHOD 8270

Parameter	CAS No.	Results ug/kg
ACENAPHTHENE	83-32-9	<40
3-NITROANILINE	99-09-2	<40
2,4-DINITROPHENOL	51-28-5	<70
DIBENZOFURAN	132-64-9	<40
2,4-DINTROTOLUENE	121-14-2	<40
4-NITROPHENOL	100-02-7	<50
FLUORENE	86-73-7	<40
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	<40
AZOBENZENE	103-33-3	<40
DIETHYLPHthalATE	84-66-2	<40
4-NITROANILINE	100-01-6	<40
4,6-DINITRO-2-METHYLPHENOL	534-52-1	<40
N-NITROSO-DI-PHENYLAMINE	86-30-6	<40
4-BROMOPHENYL-PHENYL ETHER	101-55-3	<40
HEXACHLOROBENZENE	118-74-1	<40
PENTACHLOROPHENOL	87-86-5	<60
PHENANTHRENE	85-01-8	110
ANTHRACENE	120-12-7	<40
CARBAZOLE	86-74-8	<40
DI-N-BUTYLPHthalATE	84-74-2	<40
FLUORANTHENE	206-44-0	120
BENZIDINE	92-87-5	<40
PYRENE	129-00-0	94
BUTYLBENZYLPHthalATE	85-68-7	<40
3,3-DICHLOROBENZIDINE	91-94-1	<40
BENZO-(a)-ANTHRACENE	56-55-3	46
CHRYSENE	218-01-9	52
Bis(2-ETHYLHEXYL)PHthalATE	117-81-7	170
DI-N-OCTYLPHthalATE	117-84-0	<40
BENZO-(b)-FLUORANTHENE	205-99-2	43
BENZO-(k) FLUORANTHENE	207-08-9	43
BENZO-(a)-PYRENE	50-32-8	47
INDENO(1,2,3-c,d)PYRENE	193-39-5	<40
DIBENZO-(a,h)-ANTHRACENE	53-70-3	<40
BENZO-(g,h,i)-PERYLENE	191-24-2	<40

Don Beyer
Laboratory Director

000008

Client: Leggette, Brashears, & Graham Inc.	Client ID: FYN Paint & Laquer Corp. Inc. Brooklyn, N.Y. (CE-3)
Date received: 06/01/01	Laboratory ID: 0018708
Date extracted: NA	Matrix: Soil
Date analyzed: 06/04/01	Contractor: 11418

EPA METHOD 8260

Parameter	CAS No.	Results ug/kg
BENZENE	71-43-2	<125
BROMOBENZENE	108-86-1	<125
BROMOCHLOROMETHANE	74-97-5	<125
BROMODICHLOROMETHANE	75-27-4	<125
BROMOFORM	75-25-2	<125
BROMOMETHANE	74-83-9	<125
n-BUTYLBENZENE	104-51-8	<125
sec-BUTYLBENZENE	135-98-8	<125
tert-BUTYLBENZENE	98-06-6	<125
CARBON TETRACHLORIDE	56-23-5	<125
CHLOROBENZENE	108-90-7	<125
CHLORODIBROMOMETHANE	124-48-1	<125
CHLOROETHANE	75-00-3	<125
CHLOROFORM	67-66-3	<125
CHLOROMETHANE	74-87-3	<125
2-CHLOROTOLUENE	95-49-8	<125
4-CHLOROTOLUENE	106-43-4	<125
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	<125
1,2-DIBROMOETHANE	106-93-4	<125
DIBROMOMETHANE	74-95-3	<125
1,2-DICHLOROBENZENE	95-50-1	<125
1,3-DICHLOROBENZENE	541-73-1	<125
1,4-DICHLOROBENZENE	106-46-7	<125
DICHLORODIFLUOROMETHANE	75-71-8	<125
1,1-DICHLOROETHANE	75-34-3	<125
1,2-DICHLOROETHANE	107-06-2	<125
1,1-DICHLOROETHENE	75-35-4	<125
cis-1,2-DICHLOROETHENE	156-59-2	<125
trans-1,2-DICHLOROETHENE	156-60-5	<125

See Below
Laboratory Director

000009

Client: Leggette, Brashears, & Graham Inc.	Client ID: FYN Paint & Laquer Corp. Inc. Brooklyn, N.Y. (CE-3)
Date received: 06/01/01	Laboratory ID: 0018708
Date extracted: NA	Matrix: Soil
Date analyzed: 06/04/01	Contractor: 11418

EPA METHOD 8260

Parameter	CAS No.	Results ug/kg
1,2-DICHLOROPROPANE	78-87-5	<125
1,3-DICHLOROPROPANE	142-28-9	<125
2,2-DICHLOROPROPANE	594-20-7	<125
1,1-DICHLOROPROPENE	563-58-6	<125
ETHYLBENZENE	100-41-4	9,800
HEXACHLOROBUTADIENE	87-68-3	<125
ISOPROPYLBENZENE	98-82-8	<125
p-ISOPROPYLtolUENE	99-87-6	<125
METHYLENE CHLORIDE	75-09-2	<125
NAPHTHALENE	91-20-3	<125
n-PROPYLBENZENE	103-65-1	<125
STYRENE	100-42-5	<125
1,1,1,2-TETRACHLOROETHANE	630-20-6	<125
1,1,2,2-TETRACHLOROETHANE	79-34-5	<125
TETRACHLOROETHENE	127-18-4	<125
TOLUENE	108-88-3	43,000
1,2,3-TRICHLOROBENZENE	87-61-6	<125
1,2,4-TRICHLOROBENZENE	120-82-1	<125
1,1,1-TRICHLOROETHANE	71-55-6	<125
1,1,2-TRICHLOROETHANE	79-00-5	<125
TRICHLOROETHENE	79-01-6	<125
TRICHLOROFUOROMETHANE	75-69-4	<125
1,2,3-TRICHLOROPROPANE	96-18-4	<125
1,3,5-TRIMETHYLBENZENE	108-67-8	<125
1,2,4-TRIMETHYLBENZENE	95-63-6	<125
VINYL CHLORIDE	75-01-4	<125
ACETONE	62-64-1	380,000
CARBON DISULFIDE	75-15-0	<125
2-BUTANONE	78-93-3	<125
VINYL ACETATE	108-05-4	<125
4-METHYL-2-PENTANONE	108-10-1	<125
2-HEXANONE	591-78-6	<125
XYLENES (TOTAL)	1330-20-7	43,000

Raised MDL due to elevated non-target analytes.



Lori Beyer
Laboratory Director

000010

Client: Leggette, Brashears, & Graham Inc.	Client ID: FYN Paint & Laquer Corp. Inc. Brooklyn, N.Y. (CE-3)
Date received: 06/01/01	Laboratory ID: 0018708
Date extracted: 06/07/01	Matrix: Soil
Date analyzed: 06/07/01	Contractor: 11418

EPA METHOD 8270

Parameter	CAS No.	Results ug/kg
PYRIDINE	110-86-1	<40
N-NITROSO-DI-METHYLAMINE	62-75-9	<40
ANILINE	62-53-3	<40
Bis(2-CHLOROETHYL)ETHER	111-44-4	<40
PHENOL	108-95-1	<40
2-CHLOROPHENOL	95-57-8	<40
1,3-DICHLOROBENZENE	541-73-1	<40
1,4-DICHLOROBENZENE	106-46-7	<40
1,2-DICHLOROBENZENE	95-50-1	<40
BENZYL ALCOHOL	100-51-6	<40
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	<40
2-METHYLPHENOL	95-48-7	190
HEXACHLOROETHANE	67-72-1	<40
N-NITROSODI-N-PROPYL AMINE	621-64-7	<40
3+4-METHYLPHENOL	106-44-5/108-39-4	200
NITROBENZENE	98-95-3	<40
ISOPHORONE	78-59-1	<40
2-NITROPHENOL	88-75-5	<40
2,4-DIMETHYLPHENOL	105-67-9	<40
BENZOIC ACID	65-85-0	80
Bis(2-CHLOROETHOXY)METHANE	111-91-1	<40
2,4-DICHLOROPHENOL	102-83-2	<40
1,2,4-TRICHLOROBENZENE	120-82-1	<40
NAPHTHALENE	91-20-3	<40
4-CHLOROANILINE	106-47-8	<40
HEXACHLOROBUTADIENE	87-68-3	<40
4-CHLORO-3-METHYLPHENOL	59-50-7	<40
2-METHYLNAPHTHALENE	91-57-6	<40
HEXACHLOROCYCLOPENTADIENE	77-47-4	<40
2,4,6-TRICHLOROPHENOL	88-06-2	<40
2,4,5-TRICHLOROPHENOL	95-95-4	<40
2-CHLORONAPHTHALENE	91-58-7	<40
2-NITROANILINE	88-74-4	<40
ACENAPHTHYLENE	208-96-8	<40
DIMETHYLPHthalate	131-11-3	<40
2,6-DINITROTOLUENE	606-20-2	<40

Don Beyer
Laboratory Director

000011

Client: Leggette, Brashears, & Graham Inc.	Client ID: FYN Paint & Laquer Corp. Inc. Brooklyn, N.Y. (CE-3)
Date received: 06/01/01	Laboratory ID: 0018708
Date extracted: 06/07/01	Matrix: Soil
Date analyzed: 06/07/01	Contractor: 11418

EPA METHOD 8270

Parameter	CAS No.	Results ug/kg
ACENAPHTHENE	83-32-9	<40
3-NITROANILINE	99-09-2	<40
2,4-DINITROPHENOL	51-28-5	<70
DIBENZOFURAN	132-64-9	<40
2,4-DINTROTOLUENE	121-14-2	<40
4-NITROPHENOL	100-02-7	<50
FLUORENE	86-73-7	<40
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	<40
AZOBENZENE	103-33-3	<40
DIETHYLPHthalate	84-66-2	<40
4-NITROANILINE	100-01-6	<40
4,6-DINITRO-2-METHYLPHENOL	534-52-1	<40
N-NITROSO-DI-PHENYLAMINE	86-30-6	<40
4-BROMOPHENYL-PHENYL ETHER	101-55-3	<40
HEXACHLOROBENZENE	118-74-1	<40
PENTACHLOROPHENOL	87-86-5	<60
PHENANTHRENE	85-01-8	<40
ANTHRACENE	120-12-7	<40
CARBAZOLE	86-74-8	<40
DI-N-BUTYLPHTHALATE	84-74-2	<40
FLUORANTHENE	206-44-0	<40
BENZIDINE	92-87-5	<40
PYRENE	129-00-0	<40
BUTYLBENZYLPHthalate	85-68-7	<40
3,3-DICHLOROBENZIDINE	91-94-1	<40
BENZO-(a)-ANTHRACENE	56-55-3	<40
CHRYSENE	218-01-9	<40
Bis(2-ETHYLHEXYL)PHTHALATE	117-81-7	<40
DI-N-OCTYLPHTHALATE	117-84-0	<40
BENZO-(b)-FLUORANTHENE	205-99-2	<40
BENZO-(k) FLUORANTHENE	207-08-9	<40
BENZO-(a)-PYRENE	50-32-8	<40
INDENO(1,2,3-c,d)PYRENE	193-39-5	<40
DIBENZO-(a,h)-ANTHRACENE	53-70-3	<40
BENZO-(g,h,i)-PERYLENE	191-24-2	<40

Sor Beyer
Laboratory Director

000012

Client: Leggette, Brashears, & Graham Inc.	Client ID: FYN Paint & Laquer Corp. Inc. Brooklyn, N.Y. (CE-4)
Date received: 06/01/01	Laboratory ID: 0018709
Date extracted: NA	Matrix: Soil
Date analyzed: 06/04/01	Contractor: 11418

EPA METHOD 8260

Parameter	CAS No.	Results ug/kg
BENZENE	71-43-2	<5
BROMOBENZENE	108-86-1	<5
BROMOCHLOROMETHANE	74-97-5	<5
BROMODICHLOROMETHANE	75-27-4	<5
BROMOFORM	75-25-2	<5
BROMOMETHANE	74-83-9	<5
n-BUTYLBENZENE	104-51-8	<5
sec-BUTYLBENZENE	135-98-8	<5
tert-BUTYLBENZENE	98-06-6	<5
CARBON TETRACHLORIDE	56-23-5	<5
CHLOROBENZENE	108-90-7	<5
CHLORODIBROMOMETHANE	124-48-1	<5
CHLOROETHANE	75-00-3	<5
CHLOROFORM	67-66-3	<5
CHLOROMETHANE	74-87-3	<5
2-CHLOROTOLUENE	95-49-8	<5
4-CHLOROTOLUENE	106-43-4	<5
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	<5
1,2-DIBROMOETHANE	106-93-4	<5
DIBROMOMETHANE	74-95-3	<5
1,2-DICHLOROBENZENE	95-50-1	<5
1,3-DICHLOROBENZENE	541-73-1	<5
1,4-DICHLOROBENZENE	106-46-7	<5
DICHLORODIFLUOROMETHANE	75-71-8	<5
1,1-DICHLOROETHANE	75-34-3	<5
1,2-DICHLOROETHANE	107-06-2	<5
1,1-DICHLOROETHENE	75-35-4	<5
cis-1,2-DICHLOROETHENE	156-59-2	<5
trans-1,2-DICHLOROETHENE	156-60-5	<5

Sor Beyer
Laboratory Director

000013

Client: Leggette, Brashears, & Graham Inc.	Client ID: FYN Paint & Laquer Corp. Inc. Brooklyn, N.Y. (CE-4)
Date received: 06/01/01	Laboratory ID: 0018709
Date extracted: NA	Matrix: Soil
Date analyzed: 06/04/01	Contractor: 11418

EPA METHOD 8260

Parameter	CAS No.	Results ug/kg
1,2-DICHLOROPROPANE	78-87-5	<5
1,3-DICHLOROPROPANE	142-28-9	<5
2,2-DICHLOROPROPANE	594-20-7	<5
1,1-DICHLOROPROPENE	563-58-6	<5
ETHYLBENZENE	100-41-4	<5
HEXACHLOROBUTADIENE	87-68-3	<5
ISOPROPYLBENZENE	98-82-8	<5
p-ISOPROPYLtolUENE	99-87-6	<5
METHYLENE CHLORIDE	75-09-2	<5
NAPHTHALENE	91-20-3	<5
n-PROPYLBENZENE	103-65-1	<5
STYRENE	100-42-5	<5
1,1,1,2-TETRACHLOROETHANE	630-20-6	<5
1,1,2,2-TETRACHLOROETHANE	79-34-5	<5
TETRACHLOROETHENE	127-18-4	<5
TOLUENE	108-88-3	<5
1,2,3-TRICHLOROBENZENE	87-61-6	<5
1,2,4-TRICHLOROBENZENE	120-82-1	<5
1,1,1-TRICHLOROETHANE	71-55-6	<5
1,1,2-TRICHLOROETHANE	79-00-5	<5
TRICHLOROETHENE	79-01-6	<5
TRICHLOROFLUOROMETHANE	75-69-4	<5
1,2,3-TRICHLOROPROPANE	96-18-4	<5
1,3,5-TRIMETHYLBENZENE	108-67-8	<5
1,2,4-TRIMETHYLBENZENE	95-63-6	<5
VINYL CHLORIDE	75-01-4	<5
ACETONE	62-64-1	<5
CARBON DISULFIDE	75-15-0	<5
2-BUTANONE	78-93-3	<5
VINYL ACETATE	108-05-4	<5
4-METHYL-2-PENTANONE	108-10-1	<5
2-HEXANONE	591-78-6	<5
XYLEMES (TOTAL)	1330-20-7	<15

Sorrey
Laboratory Director

000014

Client: Leggette, Brashears, & Graham Inc.	Client ID: FYN Paint & Laquer Corp. Inc. Brooklyn, N.Y. (CE-4)
Date received: 06/01/01	Laboratory ID: 0018709
Date extracted: 06/07/01	Matrix: Soil
Date analyzed: 06/07/01	Contractor: 11418

EPA METHOD 8270

Parameter	CAS No.	Results ug/kg
PYRIDINE	110-86-1	<40
N-NITROSO-DI-METHYLAMINE	62-75-9	<40
ANILINE	62-53-3	<40
Bis(2-CHLOROETHYL)ETHER	111-44-4	<40
PHENOL	108-95-1	<40
2-CHLOROPHENOL	95-57-8	<40
1,3-DICHLOROBENZENE	541-73-1	<40
1,4-DICHLOROBENZENE	106-46-7	<40
1,2-DICHLOROBENZENE	95-50-1	<40
BENZYL ALCOHOL	100-51-6	<40
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	<40
2-METHYLPHENOL	95-48-7	<40
HEXACHLOROETHANE	67-72-1	<40
N-NITROSODI-N-PROPYL AMINE	621-64-7	<40
3+4-METHYLPHENOL	106-44-5/108-39-4	<40
NITROBENZENE	98-95-3	<40
ISOPHORONE	78-59-1	<40
2-NITROPHENOL	88-75-5	<40
2,4-DIMETHYLPHENOL	105-67-9	<40
BENZOIC ACID	65-85-0	<70
Bis(2-CHLOROETHOXY)METHANE	111-91-1	<40
2,4-DICHLOROPHENOL	102-83-2	<40
1,2,4-TRICHLOROBENZENE	120-82-1	<40
NAPHTHALENE	91-20-3	<40
4-CHLOROANILINE	106-47-8	<40
HEXACHLOROBUTADIENE	87-68-3	<40
4-CHLORO-3-METHYLPHENOL	59-50-7	<40
2-METHYLNAPHTHALENE	91-57-6	<40
HEXACHLOROCYCLOPENTADIENE	77-47-4	<40
2,4,6-TRICHLOROPHENOL	88-06-2	<40
2,4,5-TRICHLOROPHENOL	95-95-4	<40
2-CHLORONAPHTHALENE	91-58-7	<40
2-NITROANILINE	88-74-4	<40
ACENAPHTHYLENE	208-96-8	<40
DIMETHYLPHTHALATE	131-11-3	<40
2,6-DINITROTOLUENE	606-20-2	<40

Joe Bayer
Laboratory Director

000015


Client: Leggette, Brashears, & Graham Inc.	Client ID: FYN Paint & Laquer Corp. Inc. Brooklyn, N.Y. (CE-4)
Date received: 06/01/01	Laboratory ID: 0018709
Date extracted: 06/07/01	Matrix: Soil
Date analyzed: 06/07/01	Contractor: 11418

EPA METHOD 8270

Parameter	CAS No.	Results ug/kg
ACENAPHTHENE	83-32-9	<40
3-NITROANILINE	99-09-2	<40
2,4-DINITROPHENOL	51-28-5	<70
DIBENZOFURAN	132-64-9	<40
2,4-DINTROTOLUENE	121-14-2	<40
4-NITROPHENOL	100-02-7	<50
FLUORENE	86-73-7	<40
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	<40
AZOBENZENE	103-33-3	<40
DIETHYLPHthalate	84-66-2	<40
4-NITROANILINE	100-01-6	<40
4,6-DINITRO-2-METHYLPHENOL	534-52-1	<40
N-NITROSO-DI-PHENYLAMINE	86-30-6	<40
4-BROMOPHENYL-PHENYL ETHER	101-55-3	<40
HEXACHLOROBENZENE	118-74-1	<40
PENTACHLOROPHENOL	87-86-5	<60
PHENANTHRENE	85-01-8	<40
ANTHRACENE	120-12-7	<40
CARBAZOLE	86-74-8	<40
DI-N-BUTYLPHthalate	84-74-2	<40
FLUORANTHENE	206-44-0	<40
BENZIDINE	92-87-5	<40
PYRENE	129-00-0	<40
BUTYLBENZYLPHthalate	85-68-7	<40
3,3-DICHLOROBENZIDINE	91-94-1	<40
BENZO-(a)-ANTHRACENE	56-55-3	<40
CHRYSENE	218-01-9	<40
Bis(2-ETHYLHEXYL)PHTHALATE	117-81-7	<40
DI-N-OCTYLPHthalate	117-84-0	<40
BENZO-(b)-FLUORANTHENE	205-99-2	<40
BENZO-(k) FLUORANTHENE	207-08-9	<40
BENZO-(a)-PYRENE	50-32-8	<40
INDENO(1,2,3-c,d)PYRENE	193-39-5	<40
DIBENZO-(a,h)-ANTHRACENE	53-70-3	<40
BENZO-(g,h,i)-PERYLENE	191-24-2	<40

S. Beyer
Laboratory Director

000016



LEGGETTE, BRASHEARS &

GRAHAM, INC.

Professional Ground-Water and
Environmental Engineering Services
110 Corporate Park Drive, Suite 112
White Plains, NY 10604
(214) 694-5711

CHAIN-OFCUSTODY

Name/Location: FYN PAINT
Brooklyn, NY

Report To:

Date/Time: / / / /

Date/Time:

- 2 -

Date/Time:
6/11/01 12:00


Date/Time:

10

Remarks: FYN PAINT & LACQUER CORP., INC.

211 VENT AVENUE

卷之三



NYSDOH
AIHA
CTDOH

ELAP
PAT, LPAT
PH-0205

11418
102391

Soil

May 10, 2001

Dan Buzea
Leggette, Brashears, & Graham Inc.
110 Corporate Park Drive
Suite 112
White Plains, N.Y. 10604

Re: FXN Paint & Lacquer Co. Inc. – Greenpoint Brooklyn, N.Y.

Dear Mr. Buzea;

Enclosed please find the Laboratory Analysis Report for samples received on May 04, 2001. American Analytical Laboratories analyzed the samples through May 08, 2001 for the following;


SAMPLE ID	ANALYSIS
GP-1 [12-16]	EPA 8260, EPA 8270
GP-2 [8-12]	EPA 8260, EPA 8270
GP-3 [12-16]	EPA 8260, EPA 8270
GP-4 [8-12]	EPA 8260, EPA 8270

This report consists of 16 pages of analytical results

If you have any questions or require further information, please call at your convenience. American Analytical Laboratories would like to thank you for the opportunity to be of service to you.

Best Regards,

American Analytical Laboratories, Inc.



NYSDOH
AIHA
CTDOH

ELAP
PAT, LPAT
PH-0205

11418
102391

May 10, 2001

Paul Jobmann
LBG Engineers
126 Monroe Turnpike
Trumball, CT 06611

Re: FXN Paint & Lacquer Co. Inc. – Greenpoint Brooklyn, N.Y.

Dear Mr. Jobmann;

Enclosed please find the Laboratory Analysis Report for samples received on May 04, 2001. American Analytical Laboratories analyzed the samples through May 08, 2001 for the following;

SAMPLE ID	ANALYSIS
GP-1 [12-16]	EPA 8260, EPA 8270
GP-2 [8-12]	EPA 8260, EPA 8270
GP-3 [12-16]	EPA 8260, EPA 8270
GP-4 [8-12]	EPA 8260, EPA 8270

This report consists of 16 pages of analytical results

If you have any questions or require further information, please call at your convenience. American Analytical Laboratories would like to thank you for the opportunity to be of service to you.

Best Regards,

American Analytical Laboratories, Inc.

Client: LBG Engineers	Client ID: FXN Paint & Lacquer Co. Inc. – Greenpoint Brooklyn, N.Y. (GP-1 [12-16])
Date received: 05/04/01	Laboratory ID: 0018236
Date extracted: NA	Matrix: Soil
Date analyzed: 05/07/01	Contractor: 11418

EPA METHOD 8260

Parameter	CAS No.	Results ug/kg
BENZENE	71-43-2	<5
BROMOBENZENE	108-86-1	<5
BROMOCHLOROMETHANE	74-97-5	<5
BROMODICHLOROMETHANE	75-27-4	<5
BROMOFORM	75-25-2	<5
BROMOMETHANE	74-83-9	<5
n-BUTYLBENZENE	104-51-8	<5
sec-BUTYLBENZENE	135-98-8	<5
tert-BUTYLBENZENE	98-06-6	<5
CARBON TETRACHLORIDE	56-23-5	<5
CHLOROBENZENE	108-90-7	<5
CHLORODIBROMOMETHANE	124-48-1	<5
CHLOROETHANE	75-00-3	<5
CHLOROFORM	67-66-3	<5
CHLOROMETHANE	74-87-3	<5
2-CHLOROTOLUENE	95-49-8	<5
4-CHLOROTOLUENE	106-43-4	<5
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	<5
1,2-DIBROMOETHANE	106-93-4	<5
DIBROMOMETHANE	74-95-3	<5
1,2-DICHLOROBENZENE	95-50-1	<5
1,3-DICHLOROBENZENE	541-73-1	<5
1,4-DICHLOROBENZENE	106-46-7	<5
DICHLORODIFLUOROMETHANE	75-71-8	<5
1,1-DICHLOROETHANE	75-34-3	<5
1,2-DICHLOROETHANE	107-06-2	<5
1,1-DICHLOROETHENE	75-35-4	<5
cis-1,2-DICHLOROETHENE	156-59-2	<5
trans-1,2-DICHLOROETHENE	156-60-5	<5

Tom Beyer
Laboratory Director

000001

Client: LBG Engineers	Client ID: FXN Paint & Lacquer Co. Inc. – Greenpoint Brooklyn, N.Y. (GP-1 [12-16])
Date received: 05/04/01	Laboratory ID: 0018236
Date extracted: NA	Matrix: Soil
Date analyzed: 05/07/01	Contractor: 11418

EPA METHOD 8260

Parameter	CAS No.	Results ug/kg
1,2-DICHLOROPROPANE	78-87-5	<5
1,3-DICHLOROPROPANE	142-28-9	<5
2,2-DICHLOROPROPANE	594-20-7	<5
1,1-DICHLOROPROPENE	563-58-6	<5
ETHYLBENZENE	100-41-4	<5
HEXACHLOROBUTADIENE	87-68-3	<5
ISOPROPYLBENZENE	98-82-8	<5
p-ISOPROPYLtolUENE	99-87-6	<5
METHYLENE CHLORIDE	75-09-2	<5
NAPHTHALENE	91-20-3	<5
n-PROPYLBENZENE	103-65-1	<5
STYRENE	100-42-5	<5
1,1,1,2-TETRACHLOROETHANE	630-20-6	<5
1,1,2,2-TETRACHLOROETHANE	79-34-5	<5
TETRACHLOROETHENE	127-18-4	<5
TOLUENE	108-88-3	<5
1,2,3-TRICHLOROBENZENE	87-61-6	<5
1,2,4-TRICHLOROBENZENE	120-82-1	<5
1,1,1-TRICHLOROETHANE	71-55-6	<5
1,1,2-TRICHLOROETHANE	79-00-5	<5
TRICHLOROETHENE	79-01-6	<5
TRICHLOROFLUOROMETHANE	75-69-4	<5
1,2,3-TRICHLOROPROPANE	96-18-4	<5
1,3,5-TRIMETHYLBENZENE	108-67-8	<5
1,2,4-TRIMETHYLBENZENE	95-63-6	<5
VINYL CHLORIDE	75-01-4	<5
ACETONE	62-64-1	<5
CARBON DISULFIDE	75-15-0	<5
2-BUTANONE	78-93-3	<5
VINYL ACETATE	108-05-4	<5
4-METHYL-2-PENTANONE	108-10-1	<5
2-HEXANONE	591-78-6	<5
XYLEMES (TOTAL)	1330-20-7	<15

Sue Bayer
Laboratory Director

000002

Client: LBG Engineers	Client ID: FXN Paint & Lacquer Co. Inc. – Greenpoint Brooklyn, N.Y. (GP-1 [12-16])
Date received: 05/04/01	Laboratory ID: 0018236
Date extracted: 05/07/01	Matrix: Soil
Date analyzed: 05/08/01	Contractor: 11418

EPA METHOD 8270

Parameter	CAS No.	Results ug/kg
PYRIDINE	110-86-1	<40
N-NITROSO-DI-METHYLAMINE	62-75-9	<40
ANILINE	62-53-3	<40
Bis(2-CHLOROETHYL)ETHER	111-44-4	<40
PHENOL	108-95-1	<40
2-CHLOROPHENOL	95-57-8	<40
1,3-DICHLOROBENZENE	541-73-1	<40
1,4-DICHLOROBENZENE	106-46-7	<40
1,2-DICHLOROBENZENE	95-50-1	<40
BENZYL ALCOHOL	100-51-6	<40
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	<40
2-METHYLPHENOL	95-48-7	<40
HEXACHLOROETHANE	67-72-1	<40
N-NITROSODI-N-PROPYL AMINE	621-64-7	<40
3+4-METHYLPHENOL	106-44-5/108-39-4	<40
NITROBENZENE	98-95-3	<40
ISOPHORONE	78-59-1	<40
2-NITROPHENOL	88-75-5	<40
2,4-DIMETHYLPHENOL	105-67-9	<40
BENZOIC ACID	65-85-0	<70
Bis(2-CHLOROETHOXY)METHANE	111-91-1	<40
2,4-DICHLOROPHENOL	102-83-2	<40
1,2,4-TRICHLOROBENZENE	120-82-1	<40
NAPHTHALENE	91-20-3	<40
4-CHLOROANILINE	106-47-8	<40
HEXACHLOROBUTADIENE	87-68-3	<40
4-CHLORO-3-METHYLPHENOL	59-50-7	<40
2-METHYLNAPHTHALENE	91-57-6	<40
HEXACHLOROCYCLOPENTADIENE	77-47-4	<40
2,4,6-TRICHLOROPHENOL	88-06-2	<40
2,4,5-TRICHLOROPHENOL	95-95-4	<40
2-CHLORONAPHTHALENE	91-58-7	<40
2-NITROANILINE	88-74-4	<40
ACENAPHTHYLENE	208-96-8	<40
DIMETHYLPHthalate	131-11-3	<40
2,6-DINITROTOLUENE	606-20-2	<40

Tom Beyer
Laboratory Director

000003

Client: LBG Engineers	Client ID: FXN Paint & Lacquer Co. Inc. – Greenpoint Brooklyn, N.Y. (GP-1 [12-16])
Date received: 05/04/01	Laboratory ID: 0018236
Date extracted: 05/07/01	Matrix: Soil
Date analyzed: 05/08/01	Contractor: 11418

EPA METHOD 8270

Parameter	CAS No.	Results ug/kg
ACENAPHTHENE	83-32-9	<40
3-NITROANILINE	99-09-2	<40
2,4-DINITROPHENOL	51-28-5	<70
DIBENZOFURAN	132-64-9	<40
2,4-DINTROTOLUENE	121-14-2	<40
4-NITROPHENOL	100-02-7	<50
FLUORENE	86-73-7	<40
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	<40
AZOBENZENE	103-33-3	<40
DIETHYLPHTHALATE	84-66-2	<40
4-NITROANILINE	100-01-6	<40
4,6-DINITRO-2-METHYLPHENOL	534-52-1	<40
N-NITROSO-DI-PHENYLAMINE	86-30-6	<40
4-BROMOPHENYL-PHENYL ETHER	101-55-3	<40
HEXACHLOROBENZENE	118-74-1	<40
PENTACHLOROPHENOL	87-86-5	<60
PHENANTHRENE	85-01-8	<40
ANTHRACENE	120-12-7	<40
CARBAZOLE	86-74-8	<40
DI-N-BUTYLPHTHALATE	84-74-2	<40
FLUORANTHENE	206-44-0	<40
BENZIDINE	92-87-5	<40
PYRENE	129-00-0	<40
BUTYLBENZYLPHTHALATE	85-68-7	<40
3,3-DICHLOROBENZIDINE	91-94-1	<40
BENZO-(a)-ANTHRACENE	56-55-3	<40
CHRYSENE	218-01-9	<40
Bis(2-ETHYLHEXYL)PHTHALATE	117-81-7	<40
DI-N-OCTYLPHTHALATE	117-84-0	<40
BENZO-(b)-FLUORANTHENE	205-99-2	<40
BENZO-(k) FLUORANTHENE	207-08-9	<40
BENZO-(a)-PYRENE	50-32-8	<40
INDENO(1,2,3-c,d)PYRENE	193-39-5	<40
DIBENZO-(a,h)-ANTHRACENE	53-70-3	<40
BENZO-(g,h,i)-PERYLENE	191-24-2	<40

Tom Beyer
Laboratory Director

000004

Client: LBG Engineers	Client ID: FXN Paint & Lacquer Co. Inc. – Greenpoint Brooklyn, N.Y. (GP-2 [8-12])
Date received: 05/04/01	Laboratory ID: 0018237
Date extracted: NA	Matrix: Soil
Date analyzed: 05/07/01	Contractor: 11418

EPA METHOD 8260

Parameter	CAS No.	Results ug/kg
BENZENE	71-43-2	<5
BROMOBENZENE	108-86-1	<5
BROMOCHLOROMETHANE	74-97-5	<5
BROMODICHLOROMETHANE	75-27-4	<5
BROMOFORM	75-25-2	<5
BROMOMETHANE	74-83-9	<5
n-BUTYLBENZENE	104-51-8	<5
sec-BUTYLBENZENE	135-98-8	<5
tert-BUTYLBENZENE	98-06-6	<5
CARBON TETRACHLORIDE	56-23-5	<5
CHLOROBENZENE	108-90-7	<5
CHLORODIBROMOMETHANE	124-48-1	<5
CHLOROETHANE	75-00-3	<5
CHLOROFORM	67-66-3	<5
CHLOROMETHANE	74-87-3	<5
2-CHLOROTOLUENE	95-49-8	<5
4-CHLOROTOLUENE	106-43-4	<5
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	<5
1,2-DIBROMOETHANE	106-93-4	<5
DIBROMOMETHANE	74-95-3	<5
1,2-DICHLOROBENZENE	95-50-1	<5
1,3-DICHLOROBENZENE	541-73-1	<5
1,4-DICHLOROBENZENE	106-46-7	<5
DICHLORODIFLUOROMETHANE	75-71-8	<5
1,1-DICHLOROETHANE	75-34-3	<5
1,2-DICHLOROETHANE	107-06-2	<5
1,1-DICHLOROETHENE	75-35-4	<5
cis-1,2-DICHLOROETHENE	156-59-2	<5
trans-1,2-DICHLOROETHENE	156-60-5	<5

Lou Beyer
Laboratory Director

000005

Client: LBG Engineers	Client ID: FXN Paint & Lacquer Co. Inc. -- Greenpoint Brooklyn, N.Y. (GP-2 [8-12])
Date received: 05/04/01	Laboratory ID: 0018237
Date extracted: NA	Matrix: Soil
Date analyzed: 05/07/01	Contractor: 11418

EPA METHOD 8260

Parameter	CAS No.	Results ug/kg
1,2-DICHLOROPROPANE	78-87-5	<5
1,3-DICHLOROPROPANE	142-28-9	<5
2,2-DICHLOROPROPANE	594-20-7	<5
1,1-DICHLOROPROPENE	563-58-6	<5
ETHYLBENZENE	100-41-4	11
HEXACHLOROBUTADIENE	87-68-3	<5
ISOPROPYLBENZENE	98-82-8	<5
p-ISOPROPYLtolUENE	99-87-6	<5
METHYLENE CHLORIDE	75-09-2	<5
NAPHTHALENE	91-20-3	<5
n-PROPYLBENZENE	103-65-1	<5
STYRENE	100-42-5	<5
1,1,1,2-TETRACHLOROETHANE	630-20-6	<5
1,1,2,2-TETRACHLOROETHANE	79-34-5	<5
TETRACHLOROETHENE	127-18-4	<5
TOLUENE	108-88-3	19
1,2,3-TRICHLOROBENZENE	87-61-6	<5
1,2,4-TRICHLOROBENZENE	120-82-1	<5
1,1,1-TRICHLOROETHANE	71-55-6	<5
1,1,2-TRICHLOROETHANE	79-00-5	<5
TRICHLOROETHENE	79-01-6	<5
TRICHLOROFLUOROMETHANE	75-69-4	<5
1,2,3-TRICHLOROPROPANE	96-18-4	<5
1,3,5-TRIMETHYLBENZENE	108-67-8	<5
1,2,4-TRIMETHYLBENZENE	95-63-6	<5
VINYL CHLORIDE	75-01-4	<5
ACETONE	62-64-1	<5
CARBON DISULFIDE	75-15-0	<5
2-BUTANONE	78-93-3	<5
VINYL ACETATE	108-05-4	<5
4-METHYL-2-PENTANONE	108-10-1	<5
2-HEXANONE	591-78-6	<5
XYLENES (TOTAL)	1330-20-7	50

Sou Beyer
Laboratory Director

000006

Client: LBG Engineers	Client ID: FXN Paint & Lacquer Co. Inc. – Greenpoint Brooklyn, N.Y. (GP-2 [8-12])
Date received: 05/04/01	Laboratory ID: 0018237
Date extracted: 05/07/01	Matrix: Soil
Date analyzed: 05/08/01	Contractor: 11418

EPA METHOD 8270

Parameter	CAS No.	Results ug/kg
PYRIDINE	110-86-1	<40
N-NITROSO-DI-METHYLAMINE	62-75-9	<40
ANILINE	62-53-3	<40
Bis(2-CHLOROETHYL)ETHER	111-44-4	<40
PHENOL	108-95-1	<40
2-CHLOROPHENOL	95-57-8	<40
1,3-DICHLOROBENZENE	541-73-1	<40
1,4-DICHLOROBENZENE	106-46-7	<40
1,2-DICHLOROBENZENE	95-50-1	<40
BENZYL ALCOHOL	100-51-6	<40
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	<40
2-METHYLPHENOL	95-48-7	<40
HEXACHLOROETHANE	67-72-1	<40
N-NITROSODI-N-PROPYL AMINE	621-64-7	<40
3+4-METHYLPHENOL	106-44-5/108-39-4	<40
NITROBENZENE	98-95-3	<40
ISOPHORONE	78-59-1	<40
2-NITROPHENOL	88-75-5	<40
2,4-DIMETHYLPHENOL	105-67-9	<40
BENZOIC ACID	65-85-0	<70
Bis(2-CHLOROETHOXY)METHANE	111-91-1	<40
2,4-DICHLOROPHENOL	102-83-2	<40
1,2,4-TRICHLOROBENZENE	120-82-1	<40
NAPHTHALENE	91-20-3	<40
4-CHLOROANILINE	106-47-8	<40
HEXACHLOROBUTADIENE	87-68-3	<40
4-CHLORO-3-METHYLPHENOL	59-50-7	<40
2-METHYLNAPHTHALENE	91-57-6	<40
HEXACHLOROCYCLOPENTADIENE	77-47-4	<40
2,4,6-TRICHLOROPHENOL	88-06-2	<40
2,4,5-TRICHLOROPHENOL	95-95-4	<40
2-CHLORONAPHTHALENE	91-58-7	<40
2-NITROANILINE	88-74-4	<40
ACENAPHTHYLENE	208-96-8	<40
DIMETHYLPHTHALATE	131-11-3	<40
2,6-DINITROTOLUENE	606-20-2	<40

Sou Beyer
Laboratory Director

000007

Client: LBG Engineers	Client ID: FXN Paint & Lacquer Co. Inc. – Greenpoint Brooklyn, N.Y. (GP-2 [8-12])
Date received: 05/04/01	Laboratory ID: 0018237
Date extracted: 05/07/01	Matrix: Soil
Date analyzed: 05/08/01	Contractor: 11418

EPA METHOD 8270

Parameter	CAS No.	Results ug/kg
ACENAPHTHENE	83-32-9	<40
3-NITROANILINE	99-09-2	<40
2,4-DINITROPHENOL	51-28-5	<70
DIBENZOFURAN	132-64-9	<40
2,4-DINTROTOLUENE	121-14-2	<40
4-NITROPHENOL	100-02-7	<50
FLUORENE	86-73-7	<40
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	<40
AZOBENZENE	103-33-3	<40
DIETHYLPHTHALATE	84-66-2	<40
4-NITROANILINE	100-01-6	<40
4,6-DINITRO-2-METHYLPHENOL	534-52-1	<40
N-NITROSO-DI-PHENYLAMINE	86-30-6	<40
4-BROMOPHENYL-PHENYL ETHER	101-55-3	<40
HEXACHLOROBENZENE	118-74-1	<40
PENTACHLOROPHENOL	87-86-5	<60
PHENANTHRENE	85-01-8	<40
ANTHRACENE	120-12-7	<40
CARBAZOLE	86-74-8	<40
DI-N-BUTYLPHTHALATE	84-74-2	<40
FLUORANTHENE	206-44-0	<40
BENZIDINE	92-87-5	<40
PYRENE	129-00-0	<40
BUTYLBENZYLPHTHALATE	85-68-7	<40
3,3-DICHLOROBENZIDINE	91-94-1	<40
BENZO-(a)-ANTHRACENE	56-55-3	<40
CHRYSENE	218-01-9	<40
Bis(2-ETHYLHEXYL)PHTHALATE	117-81-7	<40
DI-N-OCTYLPHTHALATE	117-84-0	<40
BENZO-(b)-FLUORANTHENE	205-99-2	<40
BENZO-(k) FLUORANTHENE	207-08-9	<40
BENZO-(a)-PYRENE	50-32-8	<40
INDENO(1,2,3-c,d)PYRENE	193-39-5	<40
DIBENZO-(a,h)-ANTHRACENE	53-70-3	<40
BENZO-(g,h,i)-PERYLENE	191-24-2	<40

Sue Beyer
Laboratory Director

000008

Client: LBG Engineers	Client ID: FXN Paint & Lacquer Co. Inc. – Greenpoint Brooklyn, N.Y. (GP-3 [12-16])
Date received: 05/04/01	Laboratory ID: 0018238
Date extracted: NA	Matrix: Soil
Date analyzed: 05/07/01-05/08/01	Contractor: 11418

EPA METHOD 8260

Parameter	CAS No.	Results ug/kg
BENZENE	71-43-2	12
BROMOBENZENE	108-86-1	<5
BROMOCHLOROMETHANE	74-97-5	<5
BROMODICHLOROMETHANE	75-27-4	<5
BROMOFORM	75-25-2	<5
BROMOMETHANE	74-83-9	<5
n-BUTYLBENZENE	104-51-8	<5
sec-BUTYLBENZENE	135-98-8	<5
tert-BUTYLBENZENE	98-06-6	<5
CARBON TETRACHLORIDE	56-23-5	<5
CHLOROBENZENE	108-90-7	<5
CHLORODIBROMOMETHANE	124-48-1	<5
CHLOROETHANE	75-00-3	<5
CHLOROFORM	67-66-3	<5
CHLOROMETHANE	74-87-3	<5
2-CHLOROTOLUENE	95-49-8	<5
4-CHLOROTOLUENE	106-43-4	<5
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	<5
1,2-DIBROMOETHANE	106-93-4	<5
DIBROMOMETHANE	74-95-3	<5
1,2-DICHLOROBENZENE	95-50-1	<5
1,3-DICHLOROBENZENE	541-73-1	<5
1,4-DICHLOROBENZENE	106-46-7	<5
DICHLORODIFLUOROMETHANE	75-71-8	<5
1,1-DICHLOROETHANE	75-34-3	<5
1,2-DICHLOROETHANE	107-06-2	<5
1,1-DICHLOROETHENE	75-35-4	<5
cis-1,2-DICHLOROETHENE	156-59-2	<5
trans-1,2-DICHLOROETHENE	156-60-5	<5

Sou Beyer
Laboratory Director

000009

Client: LBG Engineers	Client ID: FXN Paint & Lacquer Co. Inc. – Greenpoint Brooklyn, N.Y. (GP-3 [12-16])
Date received: 05/04/01	Laboratory ID: 0018238
Date extracted: NA	Matrix: Soil
Date analyzed: 05/07/01-05/08/01	Contractor: 11418

EPA METHOD 8260

Parameter	CAS No.	Results ug/kg
1,2-DICHLOROPROPANE	78-87-5	<5
1,3-DICHLOROPROPANE	142-28-9	<5
2,2-DICHLOROPROPANE	594-20-7	<5
1,1-DICHLOROPROPENE	563-58-6	<5
ETHYLBENZENE	100-41-4	200,000
HEXACHLOROBUTADIENE	87-68-3	<5
ISOPROPYLBENZENE	98-82-8	5,200
p-ISOPROPYLtolUENE	99-87-6	7
METHYLENE CHLORIDE	75-09-2	<5
NAPHTHALENE	91-20-3	53
n-PROPYLBENZENE	103-65-1	140
STYRENE	100-42-5	<5
1,1,1,2-TETRACHLOROETHANE	630-20-6	<5
1,1,2,2-TETRACHLOROETHANE	79-34-5	<5
TETRACHLOROETHENE	127-18-4	8
TOLUENE	108-88-3	200,000
1,2,3-TRICHLOROBENZENE	87-61-6	<5
1,2,4-TRICHLOROBENZENE	120-82-1	<5
1,1,1-TRICHLOROETHANE	71-55-6	7
1,1,2-TRICHLOROETHANE	79-00-5	<5
TRICHLOROETHENE	79-01-6	<5
TRICHLOROFLUOROMETHANE	75-69-4	<5
1,2,3-TRICHLOROPROPANE	96-18-4	<5
1,3,5-TRIMETHYLBENZENE	108-67-8	160
1,2,4-TRIMETHYLBENZENE	95-63-6	9,200
VINYL CHLORIDE	75-01-4	<5
ACETONE	62-64-1	640,000
CARBON DISULFIDE	75-15-0	<5
2-BUTANONE	78-93-3	9,000
VINYL ACETATE	108-05-4	<5
4-METHYL-2-PENTANONE	108-10-1	690
2-HEXANONE	591-78-6	<5
XYLEMES (TOTAL)	1330-20-7	820,000


Lou Beyer
Laboratory Director

000010

Client: LBG Engineers	Client ID: FXN Paint & Lacquer Co. Inc. – Greenpoint Brooklyn, N.Y. (GP-3 [12-16])
Date received: 05/04/01	Laboratory ID: 0018238
Date extracted: 05/07/01	Matrix: Soil
Date analyzed: 05/08/01	Contractor: 11418

EPA METHOD 8270

Parameter	CAS No.	Results ug/kg
PYRIDINE	110-86-1	<40
N-NITROSO-DI-METHYLAMINE	62-75-9	<40
ANILINE	62-53-3	<40
Bis(2-CHLOROETHYL)ETHER	111-44-4	<40
PHENOL	108-95-1	<40
2-CHLOROPHENOL	95-57-8	<40
1,3-DICHLOROBENZENE	541-73-1	<40
1,4-DICHLOROBENZENE	106-46-7	<40
1,2-DICHLOROBENZENE	95-50-1	<40
BENZYL ALCOHOL	100-51-6	<40
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	<40
2-METHYLPHENOL	95-48-7	<40
HEXACHLOROETHANE	67-72-1	<40
N-NITROSODI-N-PROPYL AMINE	621-64-7	<40
3+4-METHYLPHENOL	106-44-5/108-39-4	<40
NITROBENZENE	98-95-3	<40
ISOPHORONE	78-59-1	<40
2-NITROPHENOL	88-75-5	<40
2,4-DIMETHYLPHENOL	105-67-9	<40
BENZOIC ACID	65-85-0	<70
Bis(2-CHLOROETHOXY)METHANE	111-91-1	<40
2,4-DICHLOROPHENOL	102-83-2	<40
1,2,4-TRICHLOROBENZENE	120-82-1	<40
NAPHTHALENE	91-20-3	<40
4-CHLOROANILINE	106-47-8	<40
HEXACHLOROBUTADIENE	87-68-3	<40
4-CHLORO-3-METHYLPHENOL	59-50-7	<40
2-METHYLNAPHTHALENE	91-57-6	<40
HEXACHLOROCYCLOPENTADIENE	77-47-4	<40
2,4,6-TRICHLOROPHENOL	88-06-2	<40
2,4,5-TRICHLOROPHENOL	95-95-4	<40
2-CHLORONAPHTHALENE	91-58-7	<40
2-NITROANILINE	88-74-4	<40
ACENAPHTHYLENE	208-96-8	<40
DIMETHYLPHthalate	131-11-3	<40
2,6-DINITROTOLUENE	606-20-2	<40



Laboratory Director

Client: LBG Engineers	Client ID: FXN Paint & Lacquer Co. Inc. – Greenpoint Brooklyn, N.Y. (GP-3 [12-16])
Date received: 05/04/01	Laboratory ID: 0018238
Date extracted: 05/07/01	Matrix: Soil
Date analyzed: 05/08/01	Contractor: 11418

EPA METHOD 8270

Parameter	CAS No.	Results ug/kg
ACENAPHTHENE	83-32-9	<40
3-NITROANILINE	99-09-2	<40
2,4-DINITROPHENOL	51-28-5	<70
DIBENZOFURAN	132-64-9	<40
2,4-DINTROTOLUENE	121-14-2	<40
4-NITROPHENOL	100-02-7	<50
FLUORENE	86-73-7	<40
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	<40
AZOBENZENE	103-33-3	<40
DIETHYLPHthalATE	84-66-2	<40
4-NITROANILINE	100-01-6	<40
4,6-DINITRO-2-METHYLPHENOL	534-52-1	<40
N-NITROSO-DI-PHENYLAMINE	86-30-6	<40
4-BROMOPHENYL-PHENYL ETHER	101-55-3	<40
HEXACHLOROBENZENE	118-74-1	<40
PENTACHLOROPHENOL	87-86-5	<60
PHENANTHRENE	85-01-8	<40
ANTHRACENE	120-12-7	<40
CARBAZOLE	86-74-8	<40
DI-N-BUTYLPHthalATE	84-74-2	<40
FLUORANTHENE	206-44-0	<40
BENZIDINE	92-87-5	<40
PYRENE	129-00-0	<40
BUTYLBENZYLPHthalATE	85-68-7	<40
3,3-DICHLOROBENZIDINE	91-94-1	<40
BENZO-(a)-ANTHRACENE	56-55-3	<40
CHRYSENE	218-01-9	<40
Bis(2-ETHYLHEXYL)PHTHALATE	117-81-7	<40
DI-N-OCTYLPHthalATE	117-84-0	<40
BENZO-(b)-FLUORANTHENE	205-99-2	<40
BENZO-(k) FLUORANTHENE	207-08-9	<40
BENZO-(a)-PYRENE	50-32-8	<40
INDENO(1,2,3-c,d)PYRENE	193-39-5	<40
DIBENZO-(a,h)-ANTHRACENE	53-70-3	<40
BENZO-(g,h,i)-PERYLENE	191-24-2	<40


Laboratory Director

Client: LBG Engineers	Client ID: FXN Paint & Lacquer Co. Inc. – Greenpoint Brooklyn, N.Y. (GP-4 [8-12])
Date received: 05/04/01	Laboratory ID: 0018239
Date extracted: NA	Matrix: Soil
Date analyzed: 05/07/01-05/08/01	Contractor: 11418

EPA METHOD 8260

Parameter	CAS No.	Results ug/kg
BENZENE	71-43-2	<5
BROMOBENZENE	108-86-1	<5
BROMOCHLOROMETHANE	74-97-5	<5
BROMODICHLOROMETHANE	75-27-4	<5
BROMOFORM	75-25-2	<5
BROMOMETHANE	74-83-9	<5
n-BUTYLBENZENE	104-51-8	<5
sec-BUTYLBENZENE	135-98-8	<5
tert-BUTYLBENZENE	98-06-6	<5
CARBON TETRACHLORIDE	56-23-5	<5
CHLOROBENZENE	108-90-7	<5
CHLORODIBROMOMETHANE	124-48-1	<5
CHLOROETHANE	75-00-3	<5
CHLOROFORM	67-66-3	<5
CHLOROMETHANE	74-87-3	<5
2-CHLOROTOLUENE	95-49-8	<5
4-CHLOROTOLUENE	106-43-4	<5
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	<5
1,2-DIBROMOETHANE	106-93-4	<5
DIBROMOMETHANE	74-95-3	<5
1,2-DICHLOROBENZENE	95-50-1	<5
1,3-DICHLOROBENZENE	541-73-1	<5
1,4-DICHLOROBENZENE	106-46-7	<5
DICHLORODIFLUOROMETHANE	75-71-8	<5
1,1-DICHLOROETHANE	75-34-3	<5
1,2-DICHLOROETHANE	107-06-2	<5
1,1-DICHLOROETHENE	75-35-4	<5
cis-1,2-DICHLOROETHENE	156-59-2	<5
trans-1,2-DICHLOROETHENE	156-60-5	<5

Tom Beyer
Laboratory Director

000013

Client: LBG Engineers	Client ID: FXN Paint & Lacquer Co. Inc. – Greenpoint Brooklyn, N.Y. (GP-4 [8-12])
Date received: 05/04/01	Laboratory ID: 0018239
Date extracted: NA	Matrix: Soil
Date analyzed: 05/07/01-05/08/01	Contractor: 11418

EPA METHOD 8260

Parameter	CAS No.	Results ug/kg
1,2-DICHLOROPROPANE	78-87-5	<5
1,3-DICHLOROPROPANE	142-28-9	<5
2,2-DICHLOROPROPANE	594-20-7	<5
1,1-DICHLOROPROPENE	563-58-6	<5
ETHYLBENZENE	100-41-4	21
HEXACHLOROBUTADIENE	87-68-3	<5
ISOPROPYLBENZENE	98-82-8	<5
p-ISOPROPYLtolUENE	99-87-6	<5
METHYLENE CHLORIDE	75-09-2	<5
NAPHTHALENE	91-20-3	<5
n-PROPYLBENZENE	103-65-1	<5
STYRENE	100-42-5	<5
1,1,1,2-TETRACHLOROETHANE	630-20-6	<5
1,1,2,2-TETRACHLOROETHANE	79-34-5	<5
TETRACHLOROETHENE	127-18-4	<5
TOLUENE	108-88-3	29
1,2,3-TRICHLOROBENZENE	87-61-6	<5
1,2,4-TRICHLOROBENZENE	120-82-1	<5
1,1,1-TRICHLOROETHANE	71-55-6	<5
1,1,2-TRICHLOROETHANE	79-00-5	<5
TRICHLOROETHENE	79-01-6	<5
TRICHLOROFUOROMETHANE	75-69-4	<5
1,2,3-TRICHLOROPROPANE	96-18-4	<5
1,3,5-TRIMETHYLBENZENE	108-67-8	<5
1,2,4-TRIMETHYLBENZENE	95-63-6	<5
VINYL CHLORIDE	75-01-4	<5
ACETONE	62-64-1	120,000
CARBON DISULFIDE	75-15-0	<5
2-BUTANONE	78-93-3	1,000
VINYL ACETATE	108-05-4	<5
4-METHYL-2-PENTANONE	108-10-1	140
2-HEXANONE	591-78-6	<5
XYLEMES (TOTAL)	1330-20-7	120

For Bayer
Laboratory Director

000014

Client: LBG Engineers	Client ID: FXN Paint & Lacquer Co. Inc. – Greenpoint Brooklyn, N.Y. (GP-4 [8-12])
Date received: 05/04/01	Laboratory ID: 0018239
Date extracted: 05/07/01	Matrix: Soil
Date analyzed: 05/08/01	Contractor: 11418

EPA METHOD 8270

Parameter	CAS No.	Results ug/kg
PYRIDINE	110-86-1	<40
N-NITROSO-DI-METHYLAMINE	62-75-9	<40
ANILINE	62-53-3	<40
Bis(2-CHLOROETHYL)ETHER	111-44-4	<40
PHENOL	108-95-1	<40
2-CHLOROPHENOL	95-57-8	<40
1,3-DICHLOROBENZENE	541-73-1	<40
1,4-DICHLOROBENZENE	106-46-7	<40
1,2-DICHLOROBENZENE	95-50-1	<40
BENZYL ALCOHOL	100-51-6	<40
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	<40
2-METHYLPHENOL	95-48-7	<40
HEXACHLOROETHANE	67-72-1	<40
N-NITROSODI-N-PROPYL AMINE	621-64-7	<40
3+4-METHYLPHENOL	106-44-5/108-39-4	<40
NITROBENZENE	98-95-3	<40
ISOPHORONE	78-59-1	<40
2-NITROPHENOL	88-75-5	<40
2,4-DIMETHYLPHENOL	105-67-9	<40
BENZOIC ACID	65-85-0	<70
Bis(2-CHLOROETHOXYS)METHANE	111-91-1	<40
2,4-DICHLOROPHENOL	102-83-2	<40
1,2,4-TRICHLOROBENZENE	120-82-1	<40
NAPHTHALENE	91-20-3	<40
4-CHLOROANILINE	106-47-8	<40
HEXACHLOROBUTADIENE	87-68-3	<40
4-CHLORO-3-METHYLPHENOL	59-50-7	<40
2-METHYLNAPHTHALENE	91-57-6	<40
HEXACHLOROCYCLOPENTADIENE	77-47-4	<40
2,4,6-TRICHLOROPHENOL	88-06-2	<40
2,4,5-TRICHLOROPHENOL	95-95-4	<40
2-CHLORONAPHTHALENE	91-58-7	<40
2-NITROANILINE	88-74-4	<40
ACENAPHTHYLENE	208-96-8	<40
DIMETHYLPHthalate	131-11-3	<40
2,6-DINITROTOLUENE	606-20-2	<40

Lou Beyer
Laboratory Director

000015

Client: LBG Engineers	Client ID: FXN Paint & Lacquer Co. Inc. – Greenpoint Brooklyn, N.Y. (GP-4 [8-12])
Date received: 05/04/01	Laboratory ID: 0018239
Date extracted: 05/07/01	Matrix: Soil
Date analyzed: 05/08/01	Contractor: 11418

EPA METHOD 8270

Parameter	CAS No.	Results ug/kg
ACENAPHTHENE	83-32-9	<40
3-NITROANILINE	99-09-2	<40
2,4-DINITROPHENOL	51-28-5	<70
DIBENZOFURAN	132-64-9	<40
2,4-DINTROTOLUENE	121-14-2	<40
4-NITROPHENOL	100-02-7	<50
FLUORENE	86-73-7	<40
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	<40
AZOBENZENE	103-33-3	<40
DIETHYLPHTHALATE	84-66-2	<40
4-NITROANILINE	100-01-6	<40
4,6-DINITRO-2-METHYLPHENOL	534-52-1	<40
N-NITROSO-DI-PHENYLAMINE	86-30-6	<40
4-BROMOPHENYL-PHENYL ETHER	101-55-3	<40
HEXACHLOROBENZENE	118-74-1	<40
PENTACHLOROPHENOL	87-86-5	<60
PHENANTHRENE	85-01-8	<40
ANTHRACENE	120-12-7	<40
CARBAZOLE	86-74-8	<40
DI-N-BUTYLPHTHALATE	84-74-2	<40
FLUORANTHENE	206-44-0	<40
BENZIDINE	92-87-5	<40
PYRENE	129-00-0	<40
BUTYLBENZYLPHTHALATE	85-68-7	<40
3,3-DICHLOROBENZIDINE	91-94-1	<40
BENZO-(a)-ANTHRACENE	56-55-3	<40
CHRYSENE	218-01-9	<40
Bis(2-ETHYLHEXYL)PHTHALATE	117-81-7	<40
DI-N-OCTYLPHTHALATE	117-84-0	<40
BENZO-(b)-FLUORANTHENE	205-99-2	<40
BENZO-(k) FLUORANTHENE	207-08-9	<40
BENZO-(a)-PYRENE	50-32-8	<40
INDENO(1,2,3-c,d)PYRENE	193-39-5	<40
DIBENZO-(a,h)-ANTHRACENE	53-70-3	<40
BENZO-(g,h,i)-PERYLENE	191-24-2	<40


Dr. Beyer
Laboratory Director

000016




56 TOLEDO STREET • FARMINGDALE, NY 11735 • (516) 454-6100 • FAX (516) 454-8027

NYSDOH 11418
AIHA PH-0205
ELAP 15668
PAT, LPAT CTDOH

CHAIN OF CUSTODY / REQUEST FOR ANALYSIS DOCUMENT

LABORATORY ID #	MATRIX	TYPE	PRES.	SAMPLE # - LOCATION		ANALYSIS REQUIRED	P.O.#	SAMPLE(S) SEALED	CORRECT CONTAINER(S)	YES / NO	Comments / Instructions	
				1	2							
GP-1 (12-16)	SOIL SS	-	GP-1 (12-16)	X	X	00182236						
2	SOIL SS	-	GP-2 (8-12)	X	X	00182237						
3	SOIL SS	-	GP-3 (12-16)	X	X	00182238						
4	SOIL SS	-	GP-4 (8-12)	X	X	00182239						
PROJECT LOCATION: FXN PAINT + LACQUER CO. INC GREENPOINT, BROOKLYN, NEW YORK												
CONTACT: DAN BOZEA LEGGETTE BREASHEARS + GRAHAM, INC 110 CORPO DATE PARC DRIVE, STE 112 WHITE PLAINS, NEW YORK 10604												
SAMPLER (SIGNATURE) <i>Jimmy P. Boz</i> SAMPLER NAME (PRINT) <i>Jimmy Petras</i>												
RELINQUISHED BY (SIGNATURE) <i>Jimmy P. Boz</i> RELINQUISHED BY (SIGNATURE) <i>Jimmy P. Boz</i>												
RECEIVED BY LAB (SIGNATURE) <i>Joe Bly</i> RECEIVED BY LAB (SIGNATURE) <i>Joe Bly</i>												
RECEIVED BY LAB (SIGNATURE) <i>Joe Bly</i> RECEIVED BY LAB (SIGNATURE) <i>Joe Bly</i>												
MATRIX	S=SOIL; L=LIQUID; SL=SLUDGE; A=AIR; W=WIPE; P=PAINT CHIPS; B=BULK MATERIAL					TURNAROUND REQUIRED:						
TYPE	G=GRAB; C=COMPOSITE; SS=SPLIT SPOON					NORMALLY	STATO	BY	/	/	Comments / Instructions	
				DATE	TIME	RECEIVED BY LAB (SIGNATURE)	RECEIVED BY LAB (SIGNATURE)	PRINTED NAME	PRINTED NAME	DATE	Comments / Instructions	
				5/4	1300	<i>Joe Bly</i>	<i>Joe Bly</i>	<i>Joe Bly</i>	<i>Joe Bly</i>	14/10 14:30		
				DATE	TIME	RECEIVED BY LAB (SIGNATURE)	RECEIVED BY LAB (SIGNATURE)	PRINTED NAME	PRINTED NAME	DATE		
										TIME		



NYSDOH
AIHA
CTDOH

ELAP
PAT, LPAT
PH-0205

11418
102391

May 21, 2001

Dan Buzea
Leggette, Brashears, & Graham Inc.
110 Corporate Park Drive
Suite 112
White Plains, N.Y. 10604

RECEIVED
MAY 25 2001
LBE

Re: FXN Paint & Lacquer Co. Inc. – Greenpoint Brooklyn, N.Y.

Dear Mr. Buzea;

Enclosed please find the Laboratory Analysis Report for samples received on May 11, 2001. American Analytical Laboratories analyzed the samples through May 18, 2001 for the following;

SAMPLE ID	ANALYSIS
MW-5 (20-22)	EPA 8260, EPA 8270
MW-6 (25-27)	EPA 8260, EPA 8270
MW-7 (10-12)	EPA 8260, EPA 8270
MW-8 (20-22)	EPA 8260, EPA 8270

This report consists of 16 pages of analytical results

If you have any questions or require further information, please call at your convenience. American Analytical Laboratories would like to thank you for the opportunity to be of service to you.

Best Regards,

American Analytical Laboratories, Inc.

Client: LBG, Inc.	Client ID: FYN Paint & Lacquer Co., Inc. Greenpoint, Brooklyn, NY. (MW-5 [20-22])
Date received: 05/11/01	Laboratory ID: 0018365
Date extracted: 05/17/01	Matrix: Soil
Date analyzed: 05/18/01	Contractor: 11418

EPA METHOD 8270

Parameter	CAS No.	Results ug/kg
PYRIDINE	110-86-1	<40
N-NITROSO-DI-METHYLAMINE	62-75-9	<40
ANILINE	62-53-3	<40
Bis(2-CHLOROETHYL)ETHER	111-44-4	<40
PHENOL	108-95-1	<40
2-CHLOROPHENOL	95-57-8	<40
1,3-DICHLOROBENZENE	541-73-1	<40
1,4-DICHLOROBENZENE	106-46-7	<40
1,2-DICHLOROBENZENE	95-50-1	<40
BENZYL ALCOHOL	100-51-6	<40
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	<40
2-METHYLPHENOL	95-48-7	<40
HEXACHLOROETHANE	67-72-1	<40
N-NITROSODI-N-PROPYL AMINE	621-64-7	<40
3+4-METHYLPHENOL	106-44-5/108-39-4	<40
NITROBENZENE	98-95-3	<40
ISOPHORONE	78-59-1	<40
2-NITROPHENOL	88-75-5	<40
2,4-DIMETHYLPHENOL	105-67-9	<40
BENZOIC ACID	65-85-0	<70
Bis(2-CHLOROETHOXY)METHANE	111-91-1	<40
2,4-DICHLOROPHENOL	102-83-2	<40
1,2,4-TRICHLOROBENZENE	120-82-1	<40
NAPHTHALENE	91-20-3	<40
4-CHLOROANILINE	106-47-8	<40
HEXACHLOROBUTADIENE	87-68-3	<40
4-CHLORO-3-METHYLPHENOL	59-50-7	<40
2-METHYLNAPHTHALENE	91-57-6	<40
HEXACHLOROCYCLOPENTADIENE	77-47-4	<40
2,4,6-TRICHLOROPHENOL	88-06-2	<40
2,4,5-TRICHLOROPHENOL	95-95-4	<40
2-CHLORONAPHTHALENE	91-58-7	<40
2-NITROANILINE	88-74-4	<40
ACENAPHTHYLENE	208-96-8	<40
DIMETHYLPHTHALATE	131-11-3	<40
2,6-DINITROTOLUENE	606-20-2	<40

Joe Bay
Laboratory Director

Client: LBG, Inc.	Client ID: FYN Paint & Lacquer Co., Inc. Greenpoint, Brooklyn, NY. (MW-5 [20-22])
Date received: 05/11/01	Laboratory ID: 0018365
Date extracted: 05/17/01	Matrix: Soil
Date analyzed: 05/18/01	Contractor: 11418

EPA METHOD 8270

Parameter	CAS No.	Results ug/kg
ACENAPHTHENE	83-32-9	<40
3-NITROANILINE	99-09-2	<40
2,4-DINITROPHENOL	51-28-5	<70
DIBENZOFURAN	132-64-9	<40
2,4-DINTROTOLUENE	121-14-2	<40
4-NITROPHENOL	100-02-7	<50
FLUORENE	86-73-7	<40
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	<40
AZOBENZENE	103-33-3	<40
DIETHYLPHTHALATE	84-66-2	<40
4-NITROANILINE	100-01-6	<40
4,6-DINITRO-2-METHYLPHENOL	534-52-1	<40
N-NITROSO-DI-PHENYLAMINE	86-30-6	<40
4-BROMOPHENYL-PHENYL ETHER	101-55-3	<40
HEXACHLOROBENZENE	118-74-1	<40
PENTACHLOROPHENOL	87-86-5	<60
PHENANTHRENE	85-01-8	<40
ANTHRACENE	120-12-7	<40
CARBAZOLE	86-74-8	<40
DI-N-BUTYLPHTHALATE	84-74-2	<40
FLUORANTHENE	206-44-0	<40
BENZIDINE	92-87-5	<40
PYRENE	129-00-0	<40
BUTYLBENZYLPHTHALATE	85-68-7	<40
3,3-DICHLOROBENZIDINE	91-94-1	<40
BENZO-(a)-ANTHRACENE	56-55-3	<40
CHRYSENE	218-01-9	<40
Bis(2-ETHYLHEXYL)PHTHALATE	117-81-7	<40
DI-N-OCTYLPHTHALATE	117-84-0	<40
BENZO-(b)-FLUORANTHENE	205-99-2	<40
BENZO-(k) FLUORANTHENE	207-08-9	<40
BENZO-(a)-PYRENE	50-32-8	<40
INDENO(1,2,3-c,d)PYRENE	193-39-5	<40
DIBENZO-(a,h)-ANTHRACENE	53-70-3	<40
BENZO-(g,h,l)-PERYLENE	191-24-2	<40

S. A. Berg
Laboratory Director

Client: LBG, Inc.	Client ID: FYN Paint & Lacquer Co., Inc. Greenpoint, Brooklyn, NY. (MW-6 [25-27])
Date received: 05/11/01	Laboratory ID: 0018366
Date extracted: NA	Matrix: Soil
Date analyzed: 05/12/01	Contractor: 11418

EPA METHOD 8260

Parameter	CAS No.	Results ug/kg
BENZENE	71-43-2	<5
BROMOBENZENE	108-86-1	<5
BROMOCHLOROMETHANE	74-97-5	<5
BROMODICHLOROMETHANE	75-27-4	<5
BROMOFORM	75-25-2	<5
BROMOMETHANE	74-83-9	<5
n-BUTYLBENZENE	104-51-8	<5
sec-BUTYLBENZENE	135-98-8	<5
tert-BUTYLBENZENE	98-06-6	<5
CARBON TETRACHLORIDE	56-23-5	<5
CHLOROBENZENE	108-90-7	<5
CHLORODIBROMOMETHANE	124-48-1	<5
CHLOROETHANE	75-00-3	<5
CHLOROFORM	67-66-3	<5
CHLOROMETHANE	74-87-3	<5
2-CHLOROTOLUENE	95-49-8	<5
4-CHLOROTOLUENE	106-43-4	<5
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	<5
1,2-DIBROMOETHANE	106-93-4	<5
DIBROMOMETHANE	74-95-3	<5
1,2-DICHLOROBENZENE	95-50-1	<5
1,3-DICHLOROBENZENE	541-73-1	<5
1,4-DICHLOROBENZENE	106-46-7	<5
DICHLORODIFLUOROMETHANE	75-71-8	<5
1,1-DICHLOROETHANE	75-34-3	<5
1,2-DICHLOROETHANE	107-06-2	<5
1,1-DICHLOROETHENE	75-35-4	<5
cis-1,2-DICHLOROETHENE	156-59-2	<5
trans-1,2-DICHLOROETHENE	156-60-5	<5

Sou Beyer
Laboratory Director

Client: LBG, Inc.	Client ID: FYN Paint & Lacquer Co., Inc. Greenpoint, Brooklyn, NY. (MW-6 [25-27])
Date received: 05/11/01	Laboratory ID: 0018366
Date extracted: 05/17/01	Matrix: Soil
Date analyzed: 05/18/01	Contractor: 11418

EPA METHOD 8270

Parameter	CAS No.	Results ug/kg
PYRIDINE	110-86-1	<40
N-NITROSO-DI-METHYLAMINE	62-75-9	<40
ANILINE	62-53-3	<40
Bis(2-CHLOROETHYL)ETHER	111-44-4	<40
PHENOL	108-95-1	<40
2-CHLOROPHENOL	95-57-8	<40
1,3-DICHLOROBENZENE	541-73-1	<40
1,4-DICHLOROBENZENE	106-46-7	<40
1,2-DICHLOROBENZENE	95-50-1	<40
BENZYL ALCOHOL	100-51-6	<40
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	<40
2-METHYLPHENOL	95-48-7	<40
HEXACHLOROETHANE	67-72-1	<40
N-NITROSODI-N-PROPYL AMINE	621-64-7	<40
3+4-METHYLPHENOL	106-44-5/108-39-4	<40
NITROBENZENE	98-95-3	<40
ISOPHORONE	78-59-1	<40
2-NITROPHENOL	88-75-5	<40
2,4-DIMETHYLPHENOL	105-67-9	<40
BENZOIC ACID	65-85-0	<70
Bis(2-CHLOROETHOXY)METHANE	111-91-1	<40
2,4-DICHLOROPHENOL	102-83-2	<40
1,2,4-TRICHLOROBENZENE	120-82-1	<40
NAPHTHALENE	91-20-3	<40
4-CHLOROANILINE	106-47-8	<40
HEXACHLOROBUTADIENE	87-68-3	<40
4-CHLORO-3-METHYLPHENOL	59-50-7	<40
2-METHYLNAPHTHALENE	91-57-6	<40
HEXACHLOROCYCLOPENTADIENE	77-47-4	<40
2,4,6-TRICHLOROPHENOL	88-06-2	<40
2,4,5-TRICHLOROPHENOL	95-95-4	<40
2-CHLORONAPHTHALENE	91-58-7	<40
2-NITROANILINE	88-74-4	<40
ACENAPHTHYLENE	208-96-8	<40
DIMETHYLPHTHALATE	131-11-3	<40
2,6-DINITROTOLUENE	606-20-2	<40

Tom Bly
Laboratory Director

Client: LBG, Inc.	Client ID: FYN Paint & Lacquer Co., Inc. Greenpoint, Brooklyn, NY. (MW-7 [10-12])
Date received: 05/11/01	Laboratory ID: 0018367
Date extracted: NA	Matrix: Soil
Date analyzed: 05/12/01	Contractor: 11418

EPA METHOD 8260

Parameter	CAS No.	Results ug/kg
BENZENE	71-43-2	<5
BROMOBENZENE	108-86-1	<5
BROMOCHLOROMETHANE	74-97-5	<5
BROMODICHLOROMETHANE	75-27-4	<5
BROMOFORM	75-25-2	<5
BROMOMETHANE	74-83-9	<5
n-BUTYLBENZENE	104-51-8	<5
sec-BUTYLBENZENE	135-98-8	<5
tert-BUTYLBENZENE	98-06-6	<5
CARBON TETRACHLORIDE	56-23-5	<5
CHLOROBENZENE	108-90-7	<5
CHLORODIBROMOMETHANE	124-48-1	<5
CHLOROETHANE	75-00-3	<5
CHLOROFORM	67-66-3	<5
CHLOROMETHANE	74-87-3	<5
2-CHLOROTOLUENE	95-49-8	<5
4-CHLOROTOLUENE	106-43-4	<5
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	<5
1,2-DIBROMOETHANE	106-93-4	<5
DIBROMOMETHANE	74-95-3	<5
1,2-DICHLOROBENZENE	95-50-1	<5
1,3-DICHLOROBENZENE	541-73-1	<5
1,4-DICHLOROBENZENE	106-46-7	<5
DICHLORODIFLUOROMETHANE	75-71-8	<5
1,1-DICHLOROETHANE	75-34-3	<5
1,2-DICHLOROETHANE	107-06-2	<5
1,1-DICHLOROETHENE	75-35-4	<5
cis-1,2-DICHLOROETHENE	156-59-2	<5
trans-1,2-DICHLOROETHENE	156-60-5	<5

Lou Bey
Laboratory Director

Client: LBG, Inc.	Client ID: FYN Paint & Lacquer Co., Inc. Greenpoint, Brooklyn, NY. (MW-7 [10-12])
Date received: 05/11/01	Laboratory ID: 0018367
Date extracted: NA	Matrix: Soil
Date analyzed: 05/12/01	Contractor: 11418

EPA METHOD 8260

Parameter	CAS No.	Results ug/kg
1,2-DICHLOROPROPANE	78-87-5	<5
1,3-DICHLOROPROPANE	142-28-9	<5
2,2-DICHLOROPROPANE	594-20-7	<5
1,1-DICHLOROPROPENE	563-58-6	<5
ETHYLBENZENE	100-41-4	<5
HEXACHLOROBUTADIENE	87-68-3	<5
ISOPROPYLBENZENE	98-82-8	<5
p-ISOPROPYLtolUENE	99-87-6	<5
METHYLENE CHLORIDE	75-09-2	<5
NAPHTHALENE	91-20-3	<5
n-PROPYLBENZENE	103-65-1	<5
STYRENE	100-42-5	<5
1,1,1,2-TETRACHLOROETHANE	630-20-6	<5
1,1,2,2-TETRACHLOROETHANE	79-34-5	<5
TETRACHLOROETHENE	127-18-4	<5
TOLUENE	108-88-3	<5
1,2,3-TRICHLOROBENZENE	87-61-6	<5
1,2,4-TRICHLOROBENZENE	120-82-1	<5
1,1,1-TRICHLOROETHANE	71-55-6	<5
1,1,2-TRICHLOROETHANE	79-00-5	<5
TRICHLOROETHENE	79-01-6	<5
TRICHLOROFLUOROMETHANE	75-69-4	<5
1,2,3-TRICHLOROPROPANE	96-18-4	<5
1,3,5-TRIMETHYLBENZENE	108-67-8	<5
1,2,4-TRIMETHYLBENZENE	95-63-6	<5
VINYL CHLORIDE	75-01-4	<5
ACETONE	62-64-1	<5
CARBON DISULFIDE	75-15-0	<5
2-BUTANONE	78-93-3	<5
VINYL ACETATE	108-05-4	<5
4-METHYL-2-PENTANONE	108-10-1	<5
2-HEXANONE	591-78-6	<5
XYLENES (TOTAL)	1330-20-7	<15

Jon Beyer
Laboratory Director

Client: LBG, Inc.	Client ID: FYN Paint & Lacquer Co., Inc. Greenpoint, Brooklyn, NY. (MW-7 [10-12])
Date received: 05/11/01	Laboratory ID: 0018367
Date extracted: 05/17/01	Matrix: Soil
Date analyzed: 05/18/01	Contractor: 11418

EPA METHOD 8270


Parameter	CAS No.	Results ug/kg
PYRIDINE	110-86-1	<40
N-NITROSO-DI-METHYLAMINE	62-75-9	<40
ANILINE	62-53-3	<40
Bis(2-CHLOROETHYL)ETHER	111-44-4	<40
PHENOL	108-95-1	<40
2-CHLOROPHENOL	95-57-8	<40
1,3-DICHLOROBENZENE	541-73-1	<40
1,4-DICHLOROBENZENE	106-46-7	<40
1,2-DICHLOROBENZENE	95-50-1	<40
BENZYL ALCOHOL	100-51-6	<40
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	<40
2-METHYLPHENOL	95-48-7	<40
HEXACHLOROETHANE	67-72-1	<40
N-NITROSODI-N-PROPYL AMINE	621-64-7	<40
3+4-METHYLPHENOL	106-44-5/108-39-4	<40
NITROBENZENE	98-95-3	<40
ISOPHORONE	78-59-1	<40
2-NITROPHENOL	88-75-5	<40
2,4-DIMETHYLPHENOL	105-67-9	<40
BENZOIC ACID	65-85-0	<70
Bis(2-CHLOROETHOXY)METHANE	111-91-1	<40
2,4-DICHLOROPHENOL	102-83-2	<40
1,2,4-TRICHLOROBENZENE	120-82-1	<40
NAPHTHALENE	91-20-3	<40
4-CHLOROANILINE	106-47-8	<40
HEXACHLOROBUTADIENE	87-68-3	<40
4-CHLORO-3-METHYLPHENOL	59-50-7	<40
2-METHYLNAPHTHALENE	91-57-6	<40
HEXACHLOROCYCLOPENTADIENE	77-47-4	<40
2,4,6-TRICHLOROPHENOL	88-06-2	<40
2,4,5-TRICHLOROPHENOL	95-95-4	<40
2-CHLORONAPHTHALENE	91-58-7	<40
2-NITROANILINE	88-74-4	<40
ACENAPHTHYLENE	208-96-8	<40
DIMETHYLPHTHALATE	131-11-3	<40
2,6-DINITROTOLUENE	606-20-2	<40

Tom Bay
Laboratory Director

Client: LBG, Inc.	Client ID: FYN Paint & Lacquer Co., Inc. Greenpoint, Brooklyn, NY. (MW-7 [10-12])
Date received: 05/11/01	Laboratory ID: 0018367
Date extracted: 05/17/01	Matrix: Soil
Date analyzed: 05/18/01	Contractor: 11418

EPA METHOD 8270

Parameter	CAS No.	Results ug/kg
ACENAPHTHENE	83-32-9	<40
3-NITROANILINE	99-09-2	<40
2,4-DINITROPHENOL	51-28-5	<70
DIBENZOFURAN	132-64-9	<40
2,4-DINTROTOLUENE	121-14-2	<40
4-NITROPHENOL	100-02-7	<50
FLUORENE	86-73-7	<40
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	<40
AZOBENZENE	103-33-3	<40
DIETHYLPHthalATE	84-66-2	<40
4-NITROANILINE	100-01-6	<40
4,6-DINITRO-2-METHYLPHENOL	534-52-1	<40
N-NITROSO-DI-PHENYLAMINE	86-30-6	<40
4-BROMOPHENYL-PHENYL ETHER	101-55-3	<40
HEXACHLOROBENZENE	118-74-1	<40
PENTACHLOROPHENOL	87-86-5	<60
PHENANTHRENE	85-01-8	<40
ANTHRACENE	120-12-7	<40
CARBAZOLE	86-74-8	<40
DI-N-BUTYLPHthalATE	84-74-2	<40
FLUORANTHENE	206-44-0	<40
BENZIDINE	92-87-5	<40
PYRENE	129-00-0	<40
BUTYLBENZYLPHthalATE	85-68-7	<40
3,3-DICHLOROBENZIDINE	91-94-1	<40
BENZO-(a)-ANTHRACENE	56-55-3	<40
CHRYSENE	218-01-9	<40
Bis(2-ETHYLHEXYL)PHTHALATE	117-81-7	<40
DI-N-OCTYLPHthalATE	117-84-0	<40
BENZO-(b)-FLUORANTHENE	205-99-2	<40
BENZO-(k) FLUORANTHENE	207-08-9	<40
BENZO-(a)-PYRENE	50-32-8	<40
INDENO(1,2,3-c,d)PYRENE	193-39-5	<40
DIBENZO-(a,h)-ANTHRACENE	53-70-3	<40
BENZO-(g,h,i)-PERYLENE	191-24-2	<40



Laboratory Director



AMERICAN
ANALYTICAL

LABORATORIES, INC.

Client: LBG, Inc.	Client ID: FYN Paint & Lacquer Co., Inc. Greenpoint, Brooklyn, NY. (MW-8 [20-22])
Date received: 05/11/01	Laboratory ID: 0018368
Date extracted: NA	Matrix: Soil
Date analyzed: 05/12/01	Contractor: 11418

EPA METHOD 8260

Parameter	CAS No.	Results ug/kg
BENZENE	71-43-2	<5
BROMOBENZENE	108-86-1	<5
BROMOCHLOROMETHANE	74-97-5	<5
BROMODICHLOROMETHANE	75-27-4	<5
BROMOFORM	75-25-2	<5
BROMOMETHANE	74-83-9	<5
n-BUTYLBENZENE	104-51-8	<5
sec-BUTYLBENZENE	135-98-8	<5
tert-BUTYLBENZENE	98-06-6	<5
CARBON TETRACHLORIDE	56-23-5	<5
CHLOROBENZENE	108-90-7	<5
CHLORODIBROMOMETHANE	124-48-1	<5
CHLOROETHANE	75-00-3	<5
CHLOROFORM	67-66-3	<5
CHLOROMETHANE	74-87-3	<5
2-CHLOROTOLUENE	95-49-8	<5
4-CHLOROTOLUENE	106-43-4	<5
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	<5
1,2-DIBROMOETHANE	106-93-4	<5
DIBROMOMETHANE	74-95-3	<5
1,2-DICHLOROBENZENE	95-50-1	<5
1,3-DICHLOROBENZENE	541-73-1	<5
1,4-DICHLOROBENZENE	106-46-7	<5
DICHLORODIFLUOROMETHANE	75-71-8	<5
1,1-DICHLOROETHANE	75-34-3	<5
1,2-DICHLOROETHANE	107-06-2	<5
1,1-DICHLOROETHENE	75-35-4	<5
cis-1,2-DICHLOROETHENE	156-59-2	<5
trans-1,2-DICHLOROETHENE	156-60-5	<5


John Berger
Laboratory Director

Client: LBG, Inc.	Client ID: FYN Paint & Lacquer Co., Inc. Greenpoint, Brooklyn, NY. (MW-8 [20-22])
Date received: 05/11/01	Laboratory ID: 0018368
Date extracted: NA	Matrix: Soil
Date analyzed: 05/12/01	Contractor: 11418

EPA METHOD 8260

Parameter	CAS No.	Results ug/kg
1,2-DICHLOROPROPANE	78-87-5	<5
1,3-DICHLOROPROPANE	142-28-9	<5
2,2-DICHLOROPROPANE	594-20-7	<5
1,1-DICHLOROPROPENE	563-58-6	<5
ETHYLBENZENE	100-41-4	<5
HEXACHLOROBUTADIENE	87-68-3	<5
ISOPROPYLBENZENE	98-82-8	<5
p-ISOPROPYLtolUENE	99-87-6	<5
METHYLENE CHLORIDE	75-09-2	<5
NAPHTHALENE	91-20-3	<5
n-PROPYLBENZENE	103-65-1	<5
STYRENE	100-42-5	<5
1,1,1,2-TETRACHLOROETHANE	630-20-6	<5
1,1,2,2-TETRACHLOROETHANE	79-34-5	<5
TETRACHLOROETHENE	127-18-4	<5
TOLUENE	108-88-3	<5
1,2,3-TRICHLOROBENZENE	87-61-6	<5
1,2,4-TRICHLOROBENZENE	120-82-1	<5
1,1,1-TRICHLOROETHANE	71-55-6	<5
1,1,2-TRICHLOROETHANE	79-00-5	<5
TRICHLOROETHENE	79-01-6	<5
TRICHLOROFLUOROMETHANE	75-69-4	<5
1,2,3-TRICHLOROPROPANE	96-18-4	<5
1,3,5-TRIMETHYLBENZENE	108-67-8	<5
1,2,4-TRIMETHYLBENZENE	95-63-6	<5
VINYL CHLORIDE	75-01-4	<5
ACETONE	62-64-1	<5
CARBON DISULFIDE	75-15-0	<5
2-BUTANONE	78-93-3	<5
VINYL ACETATE	108-05-4	<5
4-METHYL-2-PENTANONE	108-10-1	<5
2-HEXANONE	591-78-6	<5
XYLEMES (TOTAL)	1330-20-7	<15

Jon Berg
Laboratory Director

Client: LBG, Inc.	Client ID: FYN Paint & Lacquer Co., Inc. Greenpoint, Brooklyn, NY. (MW-8 [20-22])
Date received: 05/11/01	Laboratory ID: 0018368
Date extracted: 05/17/01	Matrix: Soil
Date analyzed: 05/18/01	Contractor: 11418

EPA METHOD 8270

Parameter	CAS No.	Results ug/kg
PYRIDINE	110-86-1	<40
N-NITROSO-DI-METHYLAMINE	62-75-9	<40
ANILINE	62-53-3	<40
Bis(2-CHLOROETHYL)ETHER	111-44-4	<40
PHENOL	108-95-1	<40
2-CHLOROPHENOL	95-57-8	<40
1,3-DICHLOROBENZENE	541-73-1	<40
1,4-DICHLOROBENZENE	106-46-7	<40
1,2-DICHLOROBENZENE	95-50-1	<40
BENZYL ALCOHOL	100-51-6	<40
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	<40
2-METHYLPHENOL	95-48-7	<40
HEXACHLOROETHANE	67-72-1	<40
N-NITROSODI-N-PROPYL AMINE	621-64-7	<40
3+4-METHYLPHENOL	106-44-5/108-39-4	<40
NITROBENZENE	98-95-3	<40
ISOPHORONE	78-59-1	<40
2-NITROPHENOL	88-75-5	<40
2,4-DIMETHYLPHENOL	105-67-9	<40
BENZOIC ACID	65-85-0	<70
Bis(2-CHLOROETHOXY)METHANE	111-91-1	<40
2,4-DICHLOROPHENOL	102-83-2	<40
1,2,4-TRICHLOROBENZENE	120-82-1	<40
NAPHTHALENE	91-20-3	<40
4-CHLOROANILINE	106-47-8	<40
HEXACHLOROBUTADIENE	87-68-3	<40
4-CHLORO-3-METHYLPHENOL	59-50-7	<40
2-METHYLNAPHTHALENE	91-57-6	<40
HEXACHLOROCYCLOPENTADIENE	77-47-4	<40
2,4,6-TRICHLOROPHENOL	88-06-2	<40
2,4,5-TRICHLOROPHENOL	95-95-4	<40
2-CHLORONAPHTHALENE	91-58-7	<40
2-NITROANILINE	88-74-4	<40
ACENAPHTHYLENE	208-96-8	<40
DIMETHYLPHthalATE	131-11-3	<40
2,6-DINITROTOLUENE	606-20-2	<40

John Bell
Laboratory Director

Client: LBG, Inc.	Client ID: FYN Paint & Lacquer Co., Inc. Greenpoint, Brooklyn, NY. (MW-8 [20-22])
Date received: 05/11/01	Laboratory ID: 0018368
Date extracted: 05/17/01	Matrix: Soil
Date analyzed: 05/18/01	Contractor: 11418

EPA METHOD 8270

Parameter	CAS No.	Results ug/kg
ACENAPHTHENE	83-32-9	<40
3-NITROANILINE	99-09-2	<40
2,4-DINITROPHENOL	51-28-5	<70
DIBENZOFURAN	132-64-9	<40
2,4-DINTROTOLUENE	121-14-2	<40
4-NITROPHENOL	100-02-7	<50
FLUORENE	86-73-7	<40
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	<40
AZOBENZENE	103-33-3	<40
DIETHYLPHTHALATE	84-66-2	<40
4-NITROANILINE	100-01-6	<40
4,6-DINITRO-2-METHYLPHENOL	534-52-1	<40
N-NITROSO-DI-PHENYLAMINE	86-30-6	<40
4-BROMOPHENYL-PHENYL ETHER	101-55-3	<40
HEXACHLOROBENZENE	118-74-1	<40
PENTACHLOROPHENOL	87-86-5	<60
PHENANTHRENE	85-01-8	<40
ANTHRACENE	120-12-7	<40
CARBAZOLE	86-74-8	<40
DI-N-BUTYLPHTHALATE	84-74-2	<40
FLUORANTHENE	206-44-0	<40
BENZIDINE	92-87-5	<40
PYRENE	129-00-0	<40
BUTYLBENZYLPHTHALATE	85-68-7	<40
3,3-DICHLOROBENZIDINE	91-94-1	<40
BENZO-(a)-ANTHRACENE	56-55-3	<40
CHRYSENE	218-01-9	<40
Bis(2-ETHYLHEXYL)PHTHALATE	117-81-7	<40
DI-N-OCTYLPHTHALATE	117-84-0	<40
BENZO-(b)-FLUORANTHENE	205-99-2	<40
BENZO-(k) FLUORANTHENE	207-08-9	<40
BENZO-(a)-PYRENE	50-32-8	<40
INDENO(1,2,3-c,d)PYRENE	193-39-5	<40
DIBENZO-(a,h)-ANTHRACENE	53-70-3	<40
BENZO-(g,h,i)-PERYLENE	191-24-2	<40

John Bay
Laboratory Director



56 TOLEDO STREET • FARMINGDALE, NY 11735 • (516) 454-6100 • FAX (516) 454-8027

NYSDOH
AIHA
CTDOH

ELAP
PAT, LPAT
PH-0205

CHAIN OF CUSTODY / REQUEST FOR ANALYSIS DOCUMENT

CLIENT NAME/ADDRESS Le Goffe Bra Shears + GRAHAM, INC 110 CORPORATE PARK DRIVE, STE 112 WHITE PLAINS, NEW YORK, 10604		CONTACT: DAN BUZZA		SAMPLER (SIGNATURE) <i>James C. Jones</i>	SAMPLER NAME (PRINT) DANEE PETRAS	DATE 5/10	TIME 1400	SAMPLE(S) SEALED	YES / NO		
PROJECT LOCATION: FYN PAINT + LACQUER CO. INC Green Point, Brooklyn, NY				ANALYSIS REQUIRED P-AIR P-SLUDGE P-WIPE P-BULK MATERIAL S-SPLIT SPOON				CORRECT CONTAINER(S)		YES / NO	
LABORATORY ID #	MATRIX	TYPE	PRES.	SAMPLE # - LOCATION						P.O.#	
1	Soil	SS	-	MW-5 (20-22)	X X	X X	X X	X X	X X	5	
2	Soil	SS	-	MW-6 (25-27)	X X	X X	X X	X X	X X	6	
3	Soil	SS	-	MW-7 (10-12)	X X	X X	X X	X X	X X	7	
4	Soil	SS	-	MW-8 (20-22)	X X	X X	X X	X X	X X	8	
											COMMENTS / INSTRUCTIONS <i>TRANINTE Gray</i>
MATRIX S=SOIL; L=LIQUID; SL=SLUDGE; A=AIR; W=WIPE; P=PAINT CHIPS; B=BULK MATERIAL TYPE G=GRAB; C=COMPOSITE; SS=SPLIT SPOON											TURNAROUND REQUIRED: NORMAL <input checked="" type="checkbox"/> STATED <input type="checkbox"/> BY <input checked="" type="checkbox"/> DATE 5/10 PRINTED NAME <i>TRANINTE Gray</i>
RElinquished by (Signature) <i>James C. Jones</i>		Date 5/10 Time 1600		Printed Name		Received by Lab (Signature) <i>S. Sh</i>		Date 5/10 Time 11:35		Printed Name	
RElinquished by (Signature) <i>James C. Jones</i>		Date TIME		Printed Name		Received by Lab (Signature) <i>S. Sh</i>		Date TIME		Printed Name	



WHTF RL

NYSDOH
AIHA
CTDOHELAP
PAT, LPAT
PH-020511418
102391

June 18, 2001

Dan Buzea
Leggette, Brashears, & Graham Inc.
110 Corporate Park Drive
Suite 112
White Plains, N.Y. 10604

Re: FYN Paint Brooklyn

Dear Mr. Buzea;

Enclosed please find the Laboratory Analysis Report for samples received on June 07, 2001. American Analytical Laboratories analyzed the samples through June 15, 2001 for the following;

SAMPLE ID	ANALYSIS
MW-8	EPA 8260, EPA 8270
MW-6	EPA 8260, EPA 8270
MW-7	EPA 8260, EPA 8270
GP-1	EPA 8260, EPA 8270
CE-4	EPA 8260, EPA 8270
GP-2	EPA 8260, EPA 8270
MW-5	EPA 8260, EPA 8270
MW-2	EPA 8260, EPA 8270
MW-1	EPA 8260, EPA 8270
MW-3	EPA 8260, EPA 8270
MW-4	EPA 8260, EPA 8270, GC Fingerprint
CE-2	EPA 8260, GC Fingerprint
CE-1	EPA 8260, EPA 8270, GC Fingerprint
Trip Blank	EPA 8260

This report consists of 54 pages of analytical results

If you have any questions or require further information, please call at your convenience. American Analytical Laboratories would like to thank you for the opportunity to be of service to you.

Best Regards,

American Analytical Laboratories, Inc.

Client : LBG, Inc.
Project : FYN Paint, Brooklyn
Lab ID's : 0018793-0018806

Narrative Discussion

American Analytical Laboratories, Inc. (AAL) received thirteen liquid samples and the associated trip blank on June 07, 2001 collected from the above referenced site. All samples were requested for Volatile Organics by SW846 Method 8260, Semivolatile Organics by SW846 Method 8270 and Fingerprint analysis (MW-4, CE-2 and CE-1).

Volatile results for samples MW-4, DE-1 and CE-2 yielded significant concentrations of target analytes. These samples were extracted and analyzed for Diesel and Gasoline Range organics by Gas Chromatography Flame Ionization Detector (GC-FID) techniques. Results for this analysis/fingerprint was compared to analyzed referenced standards of common GRO and DRO products. The chromatograms demonstrated no GRO or DRO fingerprints and consequently, have been reported as unknown TPH.

Semivolatile analysis of sample CE-1 resulted in Mass Spectrometer shutdown when analyzed undiluted. This sample required to be analyzed at a 1:10 dilution in order to complete the entire GC/MS run.

A handwritten signature in black ink that reads "Lori Beyer". The signature is fluid and cursive, with "Lori" on top and "Beyer" below it, both starting with a capital letter.

Client: Leggette, Brashears, & Graham Inc.	Client ID: FYN Paint Brooklyn (MW-8)
Date received: 06/07/01	Laboratory ID: 0018793
Date extracted: NA	Matrix: Liquid
Date analyzed: 06/08/01	Contractor: 11418

EPA METHOD 8260

Parameter	CAS No.	Results ug/L
BENZENE	71-43-2	<1
BROMOBENZENE	108-86-1	<1
BROMOCHLOROMETHANE	74-97-5	<1
BROMODICHLOROMETHANE	75-27-4	<1
BROMOFORM	75-25-2	<1
BROMOMETHANE	74-83-9	<1
n-BUTYLBENZENE	104-51-8	<1
sec-BUTYLBENZENE	135-98-8	<1
tert-BUTYLBENZENE	98-06-6	<1
CARBON TETRACHLORIDE	56-23-5	<1
CHLOROBENZENE	108-90-7	<1
CHLORODIBROMOMETHANE	124-48-1	<1
CHLOROETHANE	75-00-3	<1
CHLOROFORM	67-66-3	<1
CHLOROMETHANE	74-87-3	<1
2-CHLOROTOLUENE	95-49-8	<1
4-CHLOROTOLUENE	106-43-4	<1
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	<1
1,2-DIBROMOETHANE	106-93-4	<1
DIBROMOMETHANE	74-95-3	<1
1,2-DICHLOROBENZENE	95-50-1	<1
1,3-DICHLOROBENZENE	541-73-1	<1
1,4-DICHLOROBENZENE	106-46-7	<1
DICHLORODIFLUOROMETHANE	75-71-8	<1
1,1-DICHLOROETHANE	75-34-3	<1
1,2-DICHLOROETHANE	107-06-2	<1
1,1-DICHLOROETHENE	75-35-4	<1
cis-1,2-DICHLOROETHENE	156-59-2	17
trans-1,2-DICHLOROETHENE	156-60-5	<1

Sou Beyer
Laboratory Director

Client: Leggette, Brashears, & Graham Inc.	Client ID: FYN Paint Brooklyn (MW-8)
Date received: 06/07/01	Laboratory ID: 0018793
Date extracted: NA	Matrix: Liquid
Date analyzed: 06/08/01	Contractor: 11418

EPA METHOD 8260

Parameter	CAS No.	Results ug/L
1,2-DICHLOROPROPANE	78-87-5	<1
1,3-DICHLOROPROPANE	142-28-9	<1
2,2-DICHLOROPROPANE	594-20-7	<1
1,1-DICHLOROPROPENE	563-58-6	<1
ETHYLBENZENE	100-41-4	<1
HEXACHLOROBUTADIENE	87-68-3	<1
ISOPROPYLBENZENE	98-82-8	<1
p-ISOPROPYLtolUENE	99-87-6	<1
METHYLENE CHLORIDE	75-09-2	<1
NAPHTHALENE	91-20-3	<1
n-PROPYLBENZENE	103-65-1	<1
STYRENE	100-42-5	<1
1,1,1,2-TETRACHLOROETHANE	630-20-6	<1
1,1,2,2-TETRACHLOROETHANE	79-34-5	<1
TETRACHLOROETHENE	127-18-4	<1
TOLUENE	108-88-3	<1
1,2,3-TRICHLOROBENZENE	87-61-6	<1
1,2,4-TRICHLOROBENZENE	120-82-1	<1
1,1,1-TRICHLOROETHANE	71-55-6	<1
1,1,2-TRICHLOROETHANE	79-00-5	<1
TRICHLOROETHENE	79-01-6	<1
TRICHLOROFUOROMETHANE	75-69-4	<1
1,2,3-TRICHLOROPROPANE	96-18-4	<1
1,3,5-TRIMETHYLBENZENE	108-67-8	<1
1,2,4-TRIMETHYLBENZENE	95-63-6	<1
VINYL CHLORIDE	75-01-4	22
ACETONE	62-64-1	<1
CARBON DISULFIDE	75-15-0	<1
2-BUTANONE	78-93-3	<1
VINYL ACETATE	108-05-4	<1
4-METHYL-2-PENTANONE	108-10-1	<1
2-HEXANONE	591-78-6	<1
XYLENES (TOTAL)	1330-20-7	8

Lou Beyer
Laboratory Director

Client: Leggette, Brashears, & Graham Inc.	Client ID: FYN Paint Brooklyn (MW-8)
Date received: 06/07/01	Laboratory ID: 0018793
Date extracted: 06/8/01	Matrix: Liquid
Date analyzed: 06/12/01-06/14/01	Contractor: 11418

EPA METHOD 8270

Parameter	CAS No.	Results ug/L
PYRIDINE	110-86-1	<5
N-NITROSO-DI-METHYLAMINE	62-75-9	<5
ANILINE	62-53-3	<5
Bis(2-CHLOROETHYL)ETHER	111-44-4	<5
PHENOL	108-95-1	<5
2-CHLOROPHENOL	95-57-8	<5
1,3-DICHLOROBENZENE	541-73-1	<5
1,4-DICHLOROBENZENE	106-46-7	6
1,2-DICHLOROBENZENE	95-50-1	<5
BENZYL ALCOHOL	100-51-6	<5
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	<5
2-METHYLPHENOL	95-48-7	<5
HEXACHLOROETHANE	67-72-1	<5
N-NITROSODI-N-PROPYL AMINE	621-64-7	11
3+4-METHYLPHENOL	106-44-5/108-39-4	<5
NITROBENZENE	98-95-3	<5
ISOPHORONE	78-59-1	<5
2-NITROPHENOL	88-75-5	<5
2,4-DIMETHYLPHENOL	105-67-9	<5
BENZOIC ACID	65-85-0	<5
Bis(2-CHLOROETHOXY)METHANE	111-91-1	<5
2,4-DICHLOROPHENOL	102-83-2	<5
1,2,4-TRICHLOROBENZENE	120-82-1	10
NAPHTHALENE	91-20-3	<5
4-CHLOROANILINE	106-47-8	<5
HEXACHLOROBUTADIENE	87-68-3	<5
4-CHLORO-3-METHYLPHENOL	59-50-7	<5
2-METHYLNAPHTHALENE	91-57-6	<5
HEXACHLOROCYCLOPENTADIENE	77-47-4	<5
2,4,6-TRICHLOROPHENOL	88-06-2	<5
2,4,5-TRICHLOROPHENOL	95-95-4	<5
2-CHLORONAPHTHALENE	91-58-7	<5
2-NITROANILINE	88-74-4	<5
ACENAPHTHYLENE	208-96-8	<5
DIMETHYLPHthalATE	131-11-3	<5
2,6-DINITROTOLUENE	606-20-2	<5

Lou Beyer
Laboratory Director

Client: Leggette, Brashears, & Graham Inc.	Client ID: FYN Paint Brooklyn (MW-8)
Date received: 06/07/01	Laboratory ID: 0018793
Date extracted: 06/08/01	Matrix: Liquid
Date analyzed: 06/12/01-06/14/01	Contractor: 11418

EPA METHOD 8270

Parameter	CAS No.	Results ug/L
ACENAPHTHENE	83-32-9	11
3-NITROANILINE	99-09-2	<5
2,4-DINITROPHENOL	51-28-5	<5
DIBENZOFURAN	132-64-9	<5
2,4-DINTROTOLUENE	121-14-2	<5
4-NITROPHENOL	100-02-7	<5
FLUORENE	86-73-7	<5
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	<5
AZOBENZENE	103-33-3	<5
DIETHYLPHthalATE	84-66-2	<5
4-NITROANILINE	100-01-6	<5
4,6-DINITRO-2-METHYLPHENOL	534-52-1	<5
N-NITROSO-DI-PHENYLAMINE	86-30-6	<5
4-BROMOPHENYL-PHENYL ETHER	101-55-3	<5
HEXACHLOROBENZENE	118-74-1	<5
PENTACHLOROPHENOL	87-86-5	<5
PHENANTHRENE	85-01-8	<5
ANTHRACENE	120-12-7	<5
CARBAZOLE	86-74-8	<5
DI-N-BUTYLPHthalATE	84-74-2	<5
FLUORANTHENE	206-44-0	<5
BENZIDINE	92-87-5	<5
PYRENE	129-00-0	14
BUTYLBENZYLPHthalATE	85-68-7	<5
3,3-DICHLOROBENZIDINE	91-94-1	<5
BENZO-(a)-ANTHRACENE	56-55-3	<5
CHRYSENE	218-01-9	<5
Bis(2-ETHYLHEXYL)PHTHALATE	117-81-7	<5
DI-N-OCTYLPHthalATE	117-84-0	<5
BENZO-(b)-FLUORANTHENE	205-99-2	<5
BENZO-(k) FLUORANTHENE	207-08-9	<5
BENZO-(a)-PYRENE	50-32-8	<5
INDENO(1,2,3-c,d)PYRENE	193-39-5	<5
DIBENZO-(a,h)-ANTHRACENE	53-70-3	<5
BENZO-(g,h,i)-PERYLENE	191-24-2	<5

Sou Beyer
Laboratory Director

Client: Leggette, Brashears, & Graham Inc.	Client ID: FYN Paint Brooklyn (MW-6)
Date received: 06/07/01	Laboratory ID: 0018794
Date extracted: NA	Matrix: Liquid
Date analyzed: 06/08/01	Contractor: 11418

EPA METHOD 8260

Parameter	CAS No.	Results ug/L
BENZENE	71-43-2	<1
BROMOBENZENE	108-86-1	<1
BROMOCHLOROMETHANE	74-97-5	<1
BROMODICHLOROMETHANE	75-27-4	<1
BROMOFORM	75-25-2	<1
BROMOMETHANE	74-83-9	<1
n-BUTYLBENZENE	104-51-8	<1
sec-BUTYLBENZENE	135-98-8	<1
tert-BUTYLBENZENE	98-06-6	<1
CARBON TETRACHLORIDE	56-23-5	<1
CHLOROBENZENE	108-90-7	<1
CHLORODIBROMOMETHANE	124-48-1	<1
CHLOROETHANE	75-00-3	<1
CHLOROFORM	67-66-3	<1
CHLOROMETHANE	74-87-3	<1
2-CHLOROTOLUENE	95-49-8	<1
4-CHLOROTOLUENE	106-43-4	<1
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	<1
1,2-DIBROMOETHANE	106-93-4	<1
DIBROMOMETHANE	74-95-3	<1
1,2-DICHLOROBENZENE	95-50-1	<1
1,3-DICHLOROBENZENE	541-73-1	<1
1,4-DICHLOROBENZENE	106-46-7	<1
DICHLORODIFLUOROMETHANE	75-71-8	<1
1,1-DICHLOROETHANE	75-34-3	7
1,2-DICHLOROETHANE	107-06-2	<1
1,1-DICHLOROETHENE	75-35-4	<1
cis-1,2-DICHLOROETHENE	156-59-2	100
trans-1,2-DICHLOROETHENE	156-60-5	<1

Ser Beyer
Laboratory Director

Client: Leggette, Brashears, & Graham Inc.	Client ID: FYN Paint Brooklyn (GP-1)
Date received: 06/07/01	Laboratory ID:0018796
Date extracted: 06/11/01	Matrix: Liquid
Date analyzed: 06/12/01-06/14/01	Contractor: 11418

EPA METHOD 8270

Parameter	CAS No.	Results ug/L
PYRIDINE	110-86-1	<5
N-NITROSO-DI-METHYLAMINE	62-75-9	<5
ANILINE	62-53-3	<5
Bis(2-CHLOROETHYL)ETHER	111-44-4	<5
PHENOL	108-95-1	<5
2-CHLOROPHENOL	95-57-8	<5
1,3-DICHLOROBENZENE	541-73-1	<5
1,4-DICHLOROBENZENE	106-46-7	<5
1,2-DICHLOROBENZENE	95-50-1	<5
BENZYL ALCOHOL	100-51-6	<5
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	<5
2-METHYLPHENOL	95-48-7	<5
HEXACHLOROETHANE	67-72-1	<5
N-NITROSODI-N-PROPYL AMINE	621-64-7	<5
3+4-METHYLPHENOL	106-44-5/108-39-4	<5
NITROBENZENE	98-95-3	<5
ISOPHORONE	78-59-1	<5
2-NITROPHENOL	88-75-5	<5
2,4-DIMETHYLPHENOL	105-67-9	<5
BENZOIC ACID	65-85-0	<5
Bis(2-CHLOROETHOXY)METHANE	111-91-1	<5
2,4-DICHLOROPHENOL	102-83-2	<5
1,2,4-TRICHLOROBENZENE	120-82-1	<5
NAPHTHALENE	91-20-3	<5
4-CHLOROANILINE	106-47-8	<5
HEXACHLOROBUTADIENE	87-68-3	<5
4-CHLORO-3-METHYLPHENOL	59-50-7	<5
2-METHYLNAPHTHALENE	91-57-6	<5
HEXACHLOROCYCLOPENTADIENE	77-47-4	<5
2,4,6-TRICHLOROPHENOL	88-06-2	<5
2,4,5-TRICHLOROPHENOL	95-95-4	<5
2-CHLORONAPHTHALENE	91-58-7	<5
2-NITROANILINE	88-74-4	<5
ACENAPHTHYLENE	208-96-8	<5
DIMETHYLPHthalATE	131-11-3	<5
2,6-DINITROTOLUENE	606-20-2	<5

Tom Beyer
Laboratory Director

Client: Leggette, Brashears, & Graham Inc.	Client ID: FYN Paint Brooklyn (GP-1)
Date received: 06/07/01	Laboratory ID:0018796
Date extracted: 06/11/01	Matrix: Liquid
Date analyzed: 06/12/01-06/14/01	Contractor: 11418

EPA METHOD 8270

Parameter	CAS No.	Results ug/L
ACENAPHTHENE	83-32-9	<5
3-NITROANILINE	99-09-2	<5
2,4-DINITROPHENOL	51-28-5	<5
DIBENZOFURAN	132-64-9	<5
2,4-DINTROTOLUENE	121-14-2	<5
4-NITROPHENOL	100-02-7	<5
FLUORENE	86-73-7	<5
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	<5
AZOBENZENE	103-33-3	<5
DIETHYLPHTHALATE	84-66-2	<5
4-NITROANILINE	100-01-6	<5
4,6-DINITRO-2-METHYLPHENOL	534-52-1	<5
N-NITROSO-DI-PHENYLAMINE	86-30-6	<5
4-BROMOPHENYL-PHENYL ETHER	101-55-3	<5
HEXACHLOROBENZENE	118-74-1	<5
PENTACHLOROPHENOL	87-86-5	<5
PHENANTHRENE	85-01-8	<5
ANTHRACENE	120-12-7	<5
CARBAZOLE	86-74-8	<5
DI-N-BUTYLPHTHALATE	84-74-2	<5
FLUORANTHENE	206-44-0	<5
BENZIDINE	92-87-5	<5
PYRENE	129-00-0	<5
BUTYLBENZYLPHTHALATE	85-68-7	<5
3,3-DICHLOROBENZIDINE	91-94-1	<5
BENZO-(a)-ANTHRACENE	56-55-3	<5
CHRYSENE	218-01-9	<5
Bis(2-ETHYLHEXYL)PHTHALATE	117-81-7	<5
DI-N-OCTYLPHTHALATE	117-84-0	<5
BENZO-(b)-FLUORANTHENE	205-99-2	<5
BENZO-(k) FLUORANTHENE	207-08-9	<5
BENZO-(a)-PYRENE	50-32-8	<5
INDENO(1,2,3-c,d)PYRENE	193-39-5	<5
DIBENZO-(a,h)-ANTHRACENE	53-70-3	<5
BENZO-(g,h,i)-PERYLENE	191-24-2	<5

Son Beyer
Laboratory Director

Client: Leggette, Brashears, & Graham Inc.	Client ID: FYN Paint Brooklyn (CE-4)
Date received: 06/07/01	Laboratory ID: 0018797
Date extracted: NA	Matrix: Liquid
Date analyzed: 06/08/01	Contractor: 11418

EPA METHOD 8260

Parameter	CAS No.	Results ug/L
BENZENE	71-43-2	<1
BROMOBENZENE	108-86-1	<1
BROMOCHLOROMETHANE	74-97-5	<1
BROMODICHLOROMETHANE	75-27-4	<1
BROMOFORM	75-25-2	<1
BROMOMETHANE	74-83-9	<1
n-BUTYLBENZENE	104-51-8	<1
sec-BUTYLBENZENE	135-98-8	<1
tert-BUTYLBENZENE	98-06-6	<1
CARBON TETRACHLORIDE	56-23-5	<1
CHLOROBENZENE	108-90-7	<1
CHLORODIBROMOMETHANE	124-48-1	<1
CHLOROETHANE	75-00-3	<1
CHLOROFORM	67-66-3	<1
CHLOROMETHANE	74-87-3	<1
2-CHLOROTOLUENE	95-49-8	<1
4-CHLOROTOLUENE	106-43-4	<1
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	<1
1,2-DIBROMOETHANE	106-93-4	<1
DIBROMOMETHANE	74-95-3	<1
1,2-DICHLOROBENZENE	95-50-1	<1
1,3-DICHLOROBENZENE	541-73-1	<1
1,4-DICHLOROBENZENE	106-46-7	<1
DICHLORODIFLUOROMETHANE	75-71-8	<1
1,1-DICHLOROETHANE	75-34-3	12
1,2-DICHLOROETHANE	107-06-2	<1
1,1-DICHLOROETHENE	75-35-4	10
cis-1,2-DICHLOROETHENE	156-59-2	<1
trans-1,2-DICHLOROETHENE	156-60-5	<1

Sou Beyer
Laboratory Director

Client: Leggette, Brashears, & Graham Inc.	Client ID: FYN Paint Brooklyn (CE-4)
Date received: 06/07/01	Laboratory ID: 0018797
Date extracted: NA	Matrix: Liquid
Date analyzed: 06/08/01	Contractor: 11418

EPA METHOD 8260

Parameter	CAS No.	Results ug/L
1,2-DICHLOROPROPANE	78-87-5	<1
1,3-DICHLOROPROPANE	142-28-9	<1
2,2-DICHLOROPROPANE	594-20-7	<1
1,1-DICHLOROPROPENE	563-58-6	<1
ETHYLBENZENE	100-41-4	<1
HEXACHLOROBUTADIENE	87-68-3	<1
ISOPROPYLBENZENE	98-82-8	<1
p-ISOPROPYLtolUENE	99-87-6	<1
METHYLENE CHLORIDE	75-09-2	<1
NAPHTHALENE	91-20-3	<1
n-PROPYLBENZENE	103-65-1	<1
STYRENE	100-42-5	<1
1,1,1,2-TETRACHLOROETHANE	630-20-6	<1
1,1,2,2-TETRACHLOROETHANE	79-34-5	<1
TETRACHLOROETHENE	127-18-4	8
TOLUENE	108-88-3	<1
1,2,3-TRICHLOROBENZENE	87-61-6	<1
1,2,4-TRICHLOROBENZENE	120-82-1	<1
1,1,1-TRICHLOROETHANE	71-55-6	5
1,1,2-TRICHLOROETHANE	79-00-5	<1
TRICHLOROETHENE	79-01-6	<1
TRICHLOROFLUOROMETHANE	75-69-4	<1
1,2,3-TRICHLOROPROPANE	96-18-4	<1
1,3,5-TRIMETHYLBENZENE	108-67-8	<1
1,2,4-TRIMETHYLBENZENE	95-63-6	<1
VINYL CHLORIDE	75-01-4	<1
ACETONE	62-64-1	<1
CARBON DISULFIDE	75-15-0	<1
2-BUTANONE	78-93-3	<1
VINYL ACETATE	108-05-4	<1
4-METHYL-2-PENTANONE	108-10-1	<1
2-HEXANONE	591-78-6	<1
XYLENES (TOTAL)	1330-20-7	10

Sor Beyer
Laboratory Director

Client: Leggette, Brashears, & Graham Inc.	Client ID: FYN Paint Brooklyn (CE-4)
Date received: 06/07/01	Laboratory ID: 0018797
Date extracted: 06/13/01	Matrix: Liquid
Date analyzed: 06/13/01-06/14/01	Contractor: 11418

EPA METHOD 8270

Parameter	CAS No.	Results ug/L
PYRIDINE	110-86-1	<5
N-NITROSO-DI-METHYLAMINE	62-75-9	<5
ANILINE	62-53-3	<5
Bis(2-CHLOROETHYL)ETHER	111-44-4	<5
PHENOL	108-95-1	<5
2-CHLOROPHENOL	95-57-8	<5
1,3-DICHLOROBENZENE	541-73-1	<5
1,4-DICHLOROBENZENE	106-46-7	<5
1,2-DICHLOROBENZENE	95-50-1	<5
BENZYL ALCOHOL	100-51-6	<5
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	<5
2-METHYLPHENOL	95-48-7	<5
HEXACHLOROETHANE	67-72-1	<5
N-NITROSODI-N-PROPYL AMINE	621-64-7	<5
3+4-METHYLPHENOL	106-44-5/108-39-4	<5
NITROBENZENE	98-95-3	<5
ISOPHORONE	78-59-1	<5
2-NITROPHENOL	88-75-5	<5
2,4-DIMETHYLPHENOL	105-67-9	<5
BENZOIC ACID	65-85-0	<5
Bis(2-CHLOROETHOXY)METHANE	111-91-1	<5
2,4-DICHLOROPHENOL	102-83-2	<5
1,2,4-TRICHLOROBENZENE	120-82-1	<5
NAPHTHALENE	91-20-3	<5
4-CHLOROANILINE	106-47-8	<5
HEXACHLOROBUTADIENE	87-68-3	<5
4-CHLORO-3-METHYLPHENOL	59-50-7	<5
2-METHYLNAPHTHALENE	91-57-6	<5
HEXACHLOROCYCLOPENTADIENE	77-47-4	<5
2,4,6-TRICHLOROPHENOL	88-06-2	<5
2,4,5-TRICHLOROPHENOL	95-95-4	<5
2-CHLORONAPHTHALENE	91-58-7	<5
2-NITROANILINE	88-74-4	<5
ACENAPHTHYLENE	208-96-8	<5
DIMETHYLPHTHALATE	131-11-3	<5
2,6-DINITROTOLUENE	606-20-2	<5

Tom Beyer
Laboratory Director

Client: Leggette, Brashears, & Graham Inc.	Client ID: FYN Paint Brooklyn (CE-4)
Date received: 06/07/01	Laboratory ID:0018797
Date extracted: 06/13/01	Matrix: Liquid
Date analyzed: 06/13/01-06/14/01	Contractor: 11418

EPA METHOD 8270

Parameter	CAS No.	Results ug/L
ACENAPHTHENE	83-32-9	<5
3-NITROANILINE	99-09-2	<5
2,4-DINITROPHENOL	51-28-5	<5
DIBENZOFURAN	132-64-9	<5
2,4-DINTROTOLUENE	121-14-2	<5
4-NITROPHENOL	100-02-7	<5
FLUORENE	86-73-7	<5
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	<5
AZOBENZENE	103-33-3	<5
DIETHYLPHthalATE	84-66-2	<5
4-NITROANILINE	100-01-6	<5
4,6-DINITRO-2-METHYLPHENOL	534-52-1	<5
N-NITROSO-DI-PHENYLAMINE	86-30-6	<5
4-BROMOPHENYL-PHENYL ETHER	101-55-3	<5
HEXACHLOROBENZENE	118-74-1	<5
PENTACHLOROPHENOL	87-86-5	<5
PHENANTHRENE	85-01-8	<5
ANTHRACENE	120-12-7	<5
CARBAZOLE	86-74-8	<5
DI-N-BUTYLPHthalATE	84-74-2	<5
FLUORANTHENE	206-44-0	<5
BENZIDINE	92-87-5	<5
PYRENE	129-00-0	<5
BUTYLBENZYLPHthalATE	85-68-7	<5
3,3-DICHLOROBENZIDINE	91-94-1	<5
BENZO-(a)-ANTHRACENE	56-55-3	<5
CHRYSENE	218-01-9	<5
Bis(2-ETHYLHEXYL)PHTHALATE	117-81-7	<5
DI-N-OCTYLPHthalATE	117-84-0	<5
BENZO-(b)-FLUORANTHENE	205-99-2	<5
BENZO-(k) FLUORANTHENE	207-08-9	<5
BENZO-(a)-PYRENE	50-32-8	<5
INDENO(1,2,3-c,d)PYRENE	193-39-5	<5
DIBENZO-(a,h)-ANTHRACENE	53-70-3	<5
BENZO-(g,h,i)-PERYLENE	191-24-2	<5

Lou Beyer
Laboratory Director

Client: Leggette, Brashears, & Graham Inc.	Client ID: FYN Paint Brooklyn (GP-2)
Date received: 06/07/01	Laboratory ID: 0018798
Date extracted: NA	Matrix: Liquid
Date analyzed: 06/08/01	Contractor: 11418

EPA METHOD 8260

Parameter	CAS No.	Results ug/L
BENZENE	71-43-2	<1
BROMOBENZENE	108-86-1	<1
BROMOCHLOROMETHANE	74-97-5	<1
BROMODICHLOROMETHANE	75-27-4	<1
BROMOFORM	75-25-2	<1
BROMOMETHANE	74-83-9	<1
n-BUTYLBENZENE	104-51-8	<1
sec-BUTYLBENZENE	135-98-8	<1
tert-BUTYLBENZENE	98-06-6	<1
CARBON TETRACHLORIDE	56-23-5	<1
CHLOROBENZENE	108-90-7	<1
CHLORODIBROMOMETHANE	124-48-1	<1
CHLOROETHANE	75-00-3	<1
CHLOROFORM	67-66-3	<1
CHLOROMETHANE	74-87-3	<1
2-CHLOROTOLUENE	95-49-8	<1
4-CHLOROTOLUENE	106-43-4	<1
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	<1
1,2-DIBROMOETHANE	106-93-4	<1
DIBROMOMETHANE	74-95-3	<1
1,2-DICHLOROBENZENE	95-50-1	<1
1,3-DICHLOROBENZENE	541-73-1	<1
1,4-DICHLOROBENZENE	106-46-7	<1
DICHLORODIFLUOROMETHANE	75-71-8	<1
1,1-DICHLOROETHANE	75-34-3	<1
1,2-DICHLOROETHANE	107-06-2	<1
1,1-DICHLOROETHENE	75-35-4	<1
cis-1,2-DICHLOROETHENE	156-59-2	<1
trans-1,2-DICHLOROETHENE	156-60-5	<1

Lei Beyer
Laboratory Director

Client: Leggette, Brashears, & Graham Inc.	Client ID: FYN Paint Brooklyn (GP-2)
Date received: 06/07/01	Laboratory ID: 0018798
Date extracted: NA	Matrix: Liquid
Date analyzed: 06/08/01	Contractor: 11418

EPA METHOD 8260

Parameter	CAS No.	Results ug/L
1,2-DICHLOROPROPANE	78-87-5	<1
1,3-DICHLOROPROPANE	142-28-9	<1
2,2-DICHLOROPROPANE	594-20-7	<1
1,1-DICHLOROPROPENE	563-58-6	<1
ETHYLBENZENE	100-41-4	<1
HEXACHLOROBUTADIENE	87-68-3	<1
ISOPROPYLBENZENE	98-82-8	<1
p-ISOPROPYLtolUENE	99-87-6	<1
METHYLENE CHLORIDE	75-09-2	<1
NAPHTHALENE	91-20-3	<1
n-PROPYLBENZENE	103-65-1	<1
STYRENE	100-42-5	<1
1,1,1,2-TETRACHLOROETHANE	630-20-6	<1
1,1,2,2-TETRACHLOROETHANE	79-34-5	<1
TETRACHLOROETHENE	127-18-4	<1
TOLUENE	108-88-3	<1
1,2,3-TRICHLOROBENZENE	87-61-6	<1
1,2,4-TRICHLOROBENZENE	120-82-1	<1
1,1,1-TRICHLOROETHANE	71-55-6	<1
1,1,2-TRICHLOROETHANE	79-00-5	<1
TRICHLOROETHENE	79-01-6	<1
TRICHLOROFUOROMETHANE	75-69-4	<1
1,2,3-TRICHLOROPROPANE	96-18-4	<1
1,3,5-TRIMETHYLBENZENE	108-67-8	<1
1,2,4-TRIMETHYLBENZENE	95-63-6	<1
VINYL CHLORIDE	75-01-4	<1
ACETONE	62-64-1	<1
CARBON DISULFIDE	75-15-0	<1
2-BUTANONE	78-93-3	<1
VINYL ACETATE	108-05-4	<1
4-METHYL-2-PENTANONE	108-10-1	<1
2-HEXANONE	591-78-6	<1
XYLEMES (TOTAL)	1330-20-7	12

Sam Beyer
Laboratory Director

Client: Leggette, Brashears, & Graham Inc.	Client ID: FYN Paint Brooklyn (GP-2)
Date received: 06/07/01	Laboratory ID:0018798
Date extracted: 06/11/01	Matrix: Liquid
Date analyzed: 06/12/01	Contractor: 11418

EPA METHOD 8270

Parameter	CAS No.	Results ug/L
PYRIDINE	110-86-1	<5
N-NITROSO-DI-METHYLAMINE	62-75-9	<5
ANILINE	62-53-3	<5
Bis(2-CHLOROETHYL)ETHER	111-44-4	<5
PHENOL	108-95-1	<5
2-CHLOROPHENOL	95-57-8	<5
1,3-DICHLOROBENZENE	541-73-1	<5
1,4-DICHLOROBENZENE	106-46-7	<5
1,2-DICHLOROBENZENE	95-50-1	<5
BENZYL ALCOHOL	100-51-6	<5
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	<5
2-METHYLPHENOL	95-48-7	<5
HEXACHLOROETHANE	67-72-1	<5
N-NITROSODI-N-PROPYL AMINE	621-64-7	<5
3+4-METHYLPHENOL	106-44-5/108-39-4	<5
NITROBENZENE	98-95-3	<5
ISOPHORONE	78-59-1	<5
2-NITROPHENOL	88-75-5	<5
2,4-DIMETHYLPHENOL	105-67-9	<5
BENZOIC ACID	65-85-0	<5
Bis(2-CHLOROETHOXY)METHANE	111-91-1	<5
2,4-DICHLOROPHENOL	102-83-2	<5
1,2,4-TRICHLOROBENZENE	120-82-1	<5
NAPHTHALENE	91-20-3	<5
4-CHLOROANILINE	106-47-8	<5
HEXACHLOROBUTADIENE	87-68-3	<5
4-CHLORO-3-METHYLPHENOL	59-50-7	<5
2-METHYLNAPHTHALENE	91-57-6	<5
HEXACHLOROCYCLOPENTADIENE	77-47-4	<5
2,4,6-TRICHLOROPHENOL	88-06-2	<5
2,4,5-TRICHLOROPHENOL	95-95-4	<5
2-CHLORONAPHTHALENE	91-58-7	<5
2-NITROANILINE	88-74-4	<5
ACENAPHTHYLENE	208-96-8	<5
DIMETHYLPHTHALATE	131-11-3	<5
2,6-DINITROTOLUENE	606-20-2	<5

Sou Beyer
Laboratory Director

Client: Leggette, Brashears, & Graham Inc.	Client ID: FYN Paint Brooklyn (GP-2)
Date received: 06/07/01	Laboratory ID:0018798
Date extracted: 06/11/01	Matrix: Liquid
Date analyzed: 06/12/01	Contractor: 11418

EPA METHOD 8270


Parameter	CAS No.	Results ug/L
ACENAPHTHENE	83-32-9	<5
3-NITROANILINE	99-09-2	<5
2,4-DINITROPHENOL	51-28-5	<5
DIBENZOFURAN	132-64-9	<5
2,4-DINTROTOLUENE	121-14-2	<5
4-NITROPHENOL	100-02-7	<5
FLUORENE	86-73-7	<5
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	<5
AZOBENZENE	103-33-3	<5
DIETHYLPHTHALATE	84-66-2	<5
4-NITROANILINE	100-01-6	<5
4,6-DINITRO-2-METHYLPHENOL	534-52-1	<5
N-NITROSO-DI-PHENYLAMINE	86-30-6	<5
4-BROMOPHENYL-PHENYL ETHER	101-55-3	<5
HEXACHLOROBENZENE	118-74-1	<5
PENTACHLOROPHENOL	87-86-5	<5
PHENANTHRENE	85-01-8	<5
ANTHRACENE	120-12-7	<5
CARBAZOLE	86-74-8	<5
DI-N-BUTYLPHTHALATE	84-74-2	<5
FLUORANTHENE	206-44-0	<5
BENZIDINE	92-87-5	<5
PYRENE	129-00-0	<5
BUTYLBENZYLPHTHALATE	85-68-7	<5
3,3-DICHLOROBENZIDINE	91-94-1	<5
BENZO-(a)-ANTHRACENE	56-55-3	<5
CHRYSENE	218-01-9	<5
Bis(2-ETHYLHEXYL)PHTHALATE	117-81-7	<5
DI-N-OCTYLPHTHALATE	117-84-0	<5
BENZO-(b)-FLUORANTHENE	205-99-2	<5
BENZO-(k) FLUORANTHENE	207-08-9	<5
BENZO-(a)-PYRENE	50-32-8	<5
INDENO(1,2,3-c,d)PYRENE	193-39-5	<5
DIBENZO-(a,h)-ANTHRACENE	53-70-3	<5
BENZO-(g,h,i)-PERYLENE	191-24-2	<5

Sai Beyer
Laboratory Director

Client: Leggette, Brashears, & Graham Inc.	Client ID: FYN Paint Brooklyn (MW-5)
Date received: 06/07/01	Laboratory ID: 0018799
Date extracted: NA	Matrix: Liquid
Date analyzed: 06/08/01-06/12/01	Contractor: 11418

EPA METHOD 8260

Parameter	CAS No.	Results ug/L
BENZENE	71-43-2	<1
BROMOBENZENE	108-86-1	<1
BROMOCHLOROMETHANE	74-97-5	<1
BROMODICHLOROMETHANE	75-27-4	<1
BROMOFORM	75-25-2	<1
BROMOMETHANE	74-83-9	<1
n-BUTYLBENZENE	104-51-8	<1
sec-BUTYLBENZENE	135-98-8	<1
tert-BUTYLBENZENE	98-06-6	<1
CARBON TETRACHLORIDE	56-23-5	54
CHLOROBENZENE	108-90-7	<1
CHLORODIBROMOMETHANE	124-48-1	<1
CHLOROETHANE	75-00-3	<1
CHLOROFORM	67-66-3	21
CHLOROMETHANE	74-87-3	<1
2-CHLOROTOLUENE	95-49-8	<1
4-CHLOROTOLUENE	106-43-4	<1
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	<1
1,2-DIBROMOETHANE	106-93-4	<1
DIBROMOMETHANE	74-95-3	<1
1,2-DICHLOROBENZENE	95-50-1	<1
1,3-DICHLOROBENZENE	541-73-1	<1
1,4-DICHLOROBENZENE	106-46-7	<1
DICHLORODIFLUOROMETHANE	75-71-8	<1
1,1-DICHLOROETHANE	75-34-3	26
1,2-DICHLOROETHANE	107-06-2	<1
1,1-DICHLOROETHENE	75-35-4	440
cis-1,2-DICHLOROETHENE	156-59-2	14
trans-1,2-DICHLOROETHENE	156-60-5	<1


Laboratory Director

Client: Leggette, Brashears, & Graham Inc.	Client ID: FYN Paint Brooklyn (MW-5)
Date received: 06/07/01	Laboratory ID: 0018799
Date extracted: NA	Matrix: Liquid
Date analyzed: 06/08/01-06/12/01	Contractor: 11418

EPA METHOD 8260

Parameter	CAS No.	Results ug/L
1,2-DICHLOROPROPANE	78-87-5	13
1,3-DICHLOROPROPANE	142-28-9	<1
2,2-DICHLOROPROPANE	594-20-7	<1
1,1-DICHLOROPROPENE	563-58-6	<1
ETHYLBENZENE	100-41-4	<1
HEXACHLOROBUTADIENE	87-68-3	<1
ISOPROPYLBENZENE	98-82-8	<1
p-ISOPROPYLtolUENE	99-87-6	<1
METHYLENE CHLORIDE	75-09-2	<1
NAPHTHALENE	91-20-3	<1
n-PROPYLBENZENE	103-65-1	<1
STYRENE	100-42-5	<1
1,1,1,2-TETRACHLOROETHANE	630-20-6	<1
1,1,2,2-TETRACHLOROETHANE	79-34-5	<1
TETRACHLOROETHENE	127-18-4	280
TOLUENE	108-88-3	<1
1,2,3-TRICHLOROBENZENE	87-61-6	<1
1,2,4-TRICHLOROBENZENE	120-82-1	<1
1,1,1-TRICHLOROETHANE	71-55-6	600
1,1,2-TRICHLOROETHANE	79-00-5	<1
TRICHLOROETHENE	79-01-6	66
TRICHLOROFLUOROMETHANE	75-69-4	<1
1,2,3-TRICHLOROPROPANE	96-18-4	<1
1,3,5-TRIMETHYLBENZENE	108-67-8	<1
1,2,4-TRIMETHYLBENZENE	95-63-6	<1
VINYL CHLORIDE	75-01-4	<1
ACETONE	62-64-1	<1
CARBON DISULFIDE	75-15-0	<1
2-BUTANONE	78-93-3	<1
VINYL ACETATE	108-05-4	<1
4-METHYL-2-PENTANONE	108-10-1	<1
2-HEXANONE	591-78-6	<1
XYLEMES (TOTAL)	1330-20-7	10

Sa Beyer
Laboratory Director

Client: Leggette, Brashears, & Graham Inc.	Client ID: FYN Paint Brooklyn (MW-5)
Date received: 06/07/01	Laboratory ID:0018799
Date extracted: 06/13/01	Matrix: Liquid
Date analyzed: 06/13/01-06/14/01	Contractor: 11418

EPA METHOD 8270

Parameter	CAS No.	Results ug/L
PYRIDINE	110-86-1	<5
N-NITROSO-DI-METHYLAMINE	62-75-9	<5
ANILINE	62-53-3	<5
Bis(2-CHLOROETHYL)ETHER	111-44-4	<5
PHENOL	108-95-1	<5
2-CHLOROPHENOL	95-57-8	<5
1,3-DICHLOROBENZENE	541-73-1	<5
1,4-DICHLOROBENZENE	106-46-7	<5
1,2-DICHLOROBENZENE	95-50-1	<5
BENZYL ALCOHOL	100-51-6	<5
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	<5
2-METHYLPHENOL	95-48-7	<5
HEXACHLOROETHANE	67-72-1	<5
N-NITROSODI-N-PROPYL AMINE	621-64-7	<5
3+4-METHYLPHENOL	106-44-5/108-39-4	<5
NITROBENZENE	98-95-3	<5
ISOPHORONE	78-59-1	<5
2-NITROPHENOL	88-75-5	<5
2,4-DIMETHYLPHENOL	105-67-9	<5
BENZOIC ACID	65-85-0	<5
Bis(2-CHLOROETHOXY)METHANE	111-91-1	<5
2,4-DICHLOROPHENOL	102-83-2	<5
1,2,4-TRICHLOROBENZENE	120-82-1	<5
NAPHTHALENE	91-20-3	<5
4-CHLOROANILINE	106-47-8	<5
HEXACHLOROBUTADIENE	87-68-3	<5
4-CHLORO-3-METHYLPHENOL	59-50-7	<5
2-METHYLNAPHTHALENE	91-57-6	<5
HEXACHLOROCYCLOPENTADIENE	77-47-4	<5
2,4,6-TRICHLOROPHENOL	88-06-2	<5
2,4,5-TRICHLOROPHENOL	95-95-4	<5
2-CHLORONAPHTHALENE	91-58-7	<5
2-NITROANILINE	88-74-4	<5
ACENAPHTHYLENE	208-96-8	<5
DIMETHYLPHTHALATE	131-11-3	<5
2,6-DINITROTOLUENE	606-20-2	<5

Sue Baye
Laboratory Director

Client: Leggette, Brashears, & Graham Inc.	Client ID: FYN Paint Brooklyn (MW-5)
Date received: 06/07/01	Laboratory ID:0018799
Date extracted: 06/13/01	Matrix: Liquid
Date analyzed: 06/13/01-06/14/01	Contractor: 11418

EPA METHOD 8270

Parameter	CAS No.	Results ug/L
ACENAPHTHENE	83-32-9	<5
3-NITROANILINE	99-09-2	<5
2,4-DINITROPHENOL	51-28-5	<5
DIBENZOFURAN	132-64-9	<5
2,4-DINTROTOLUENE	121-14-2	<5
4-NITROPHENOL	100-02-7	<5
FLUORENE	86-73-7	<5
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	<5
AZOBENZENE	103-33-3	<5
DIETHYLPHthalATE	84-66-2	<5
4-NITROANILINE	100-01-6	<5
4,6-DINITRO-2-METHYLPHENOL	534-52-1	<5
N-NITROSO-DI-PHENYLAMINE	86-30-6	<5
4-BROMOPHENYL-PHENYL ETHER	101-55-3	<5
HEXACHLOROBENZENE	118-74-1	<5
PENTACHLOROPHENOL	87-86-5	<5
PHENANTHRENE	85-01-8	<5
ANTHRACENE	120-12-7	<5
CARBAZOLE	86-74-8	<5
DI-N-BUTYLPHthalATE	84-74-2	<5
FLUORANTHENE	206-44-0	<5
BENZIDINE	92-87-5	<5
PYRENE	129-00-0	<5
BUTYLBENZYLPHthalATE	85-68-7	<5
3,3-DICHLOROBENZIDINE	91-94-1	<5
BENZO-(a)-ANTHRACENE	56-55-3	<5
CHRYSENE	218-01-9	<5
Bis(2-ETHYLHEXYL)PHTHALATE	117-81-7	<5
DI-N-OCTYLPHthalATE	117-84-0	<5
BENZO-(b)-FLUORANTHENE	205-99-2	<5
BENZO-(k) FLUORANTHENE	207-08-9	<5
BENZO-(a)-PYRENE	50-32-8	<5
INDENO(1,2,3-c,d)PYRENE	193-39-5	<5
DIBENZO-(a,h)-ANTHRACENE	53-70-3	<5
BENZO-(g,h,i)-PERYLENE	191-24-2	<5

Sou Beyer
Laboratory Director

Client: Leggette, Brashears, & Graham Inc.	Client ID: FYN Paint Brooklyn (MW-2)
Date received: 06/07/01	Laboratory ID: 0018800
Date extracted: NA	Matrix: Liquid
Date analyzed: 06/08/01	Contractor: 11418

EPA METHOD 8260

Parameter	CAS No.	Results ug/L
BENZENE	71-43-2	<1
BROMOBENZENE	108-86-1	<1
BROMOCHLOROMETHANE	74-97-5	<1
BROMODICHLOROMETHANE	75-27-4	<1
BROMOFORM	75-25-2	<1
BROMOMETHANE	74-83-9	<1
n-BUTYLBENZENE	104-51-8	<1
sec-BUTYLBENZENE	135-98-8	<1
tert-BUTYLBENZENE	98-06-6	<1
CARBON TETRACHLORIDE	56-23-5	<1
CHLOROBENZENE	108-90-7	<1
CHLORODIBROMOMETHANE	124-48-1	<1
CHLOROETHANE	75-00-3	<1
CHLOROFORM	67-66-3	<1
CHLOROMETHANE	74-87-3	<1
2-CHLOROTOLUENE	95-49-8	<1
4-CHLOROTOLUENE	106-43-4	<1
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	<1
1,2-DIBROMOETHANE	106-93-4	<1
DIBROMOMETHANE	74-95-3	<1
1,2-DICHLOROBENZENE	95-50-1	<1
1,3-DICHLOROBENZENE	541-73-1	<1
1,4-DICHLOROBENZENE	106-46-7	<1
DICHLORODIFLUOROMETHANE	75-71-8	<1
1,1-DICHLOROETHANE	75-34-3	<1
1,2-DICHLOROETHANE	107-06-2	<1
1,1-DICHLOROETHENE	75-35-4	<1
cis-1,2-DICHLOROETHENE	156-59-2	<1
trans-1,2-DICHLOROETHENE	156-60-5	<1

Sou Beyer
Laboratory Director

Client: Leggette, Brashears, & Graham Inc.	Client ID: FYN Paint Brooklyn (MW-2)
Date received: 06/07/01	Laboratory ID: 0018800
Date extracted: NA	Matrix: Liquid
Date analyzed: 06/08/01	Contractor: 11418

EPA METHOD 8260

Parameter	CAS No.	Results ug/L
1,2-DICHLOROPROPANE	78-87-5	<1
1,3-DICHLOROPROPANE	142-28-9	<1
2,2-DICHLOROPROPANE	594-20-7	<1
1,1-DICHLOROPROPENE	563-58-6	<1
ETHYLBENZENE	100-41-4	5
HEXACHLOROBUTADIENE	87-68-3	<1
ISOPROPYLBENZENE	98-82-8	<1
p-ISOPROPYLtolUENE	99-87-6	<1
METHYLENE CHLORIDE	75-09-2	<1
NAPHTHALENE	91-20-3	<1
n-PROPYLBENZENE	103-65-1	<1
STYRENE	100-42-5	<1
1,1,1,2-TETRACHLOROETHANE	630-20-6	<1
1,1,2,2-TETRACHLOROETHANE	79-34-5	<1
TETRACHLOROETHENE	127-18-4	<1
TOLUENE	108-88-3	8
1,2,3-TRICHLOROBENZENE	87-61-6	<1
1,2,4-TRICHLOROBENZENE	120-82-1	<1
1,1,1-TRICHLOROETHANE	71-55-6	<1
1,1,2-TRICHLOROETHANE	79-00-5	<1
TRICHLOROETHENE	79-01-6	<1
TRICHLOROFLUOROMETHANE	75-69-4	<1
1,2,3-TRICHLOROPROPANE	96-18-4	<1
1,3,5-TRIMETHYLBENZENE	108-67-8	<1
1,2,4-TRIMETHYLBENZENE	95-63-6	<1
VINYL CHLORIDE	75-01-4	<1
ACETONE	62-64-1	<1
CARBON DISULFIDE	75-15-0	<1
2-BUTANONE	78-93-3	<1
VINYL ACETATE	108-05-4	<1
4-METHYL-2-PENTANONE	108-10-1	<1
2-HEXANONE	591-78-6	<1
XYLEMES (TOTAL)	1330-20-7	17

Sai Beyer
Laboratory Director

Client: Leggette, Brashears, & Graham Inc.	Client ID: FYN Paint Brooklyn (MW-2)
Date received: 06/07/01	Laboratory ID:0018800
Date extracted: 06/11/01	Matrix: Liquid
Date analyzed: 06/12/01	Contractor: 11418

EPA METHOD 8270

Parameter	CAS No.	Results ug/L
PYRIDINE	110-86-1	<5
N-NITROSO-DI-METHYLAMINE	62-75-9	<5
ANILINE	62-53-3	<5
Bis(2-CHLOROETHYL)ETHER	111-44-4	<5
PHENOL	108-95-1	<5
2-CHLOROPHENOL	95-57-8	<5
1,3-DICHLOROBENZENE	541-73-1	<5
1,4-DICHLOROBENZENE	106-46-7	<5
1,2-DICHLOROBENZENE	95-50-1	<5
BENZYL ALCOHOL	100-51-6	<5
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	<5
2-METHYLPHENOL	95-48-7	<5
HEXACHLOROETHANE	67-72-1	<5
N-NITROSODI-N-PROPYL AMINE	621-64-7	<5
3+4-METHYLPHENOL	106-44-5/108-39-4	<5
NITROBENZENE	98-95-3	<5
ISOPHORONE	78-59-1	<5
2-NITROPHENOL	88-75-5	<5
2,4-DIMETHYLPHENOL	105-67-9	<5
BENZOIC ACID	65-85-0	<5
Bis(2-CHLOROETHOXY)METHANE	111-91-1	<5
2,4-DICHLOROPHENOL	102-83-2	<5
1,2,4-TRICHLOROBENZENE	120-82-1	<5
NAPHTHALENE	91-20-3	<5
4-CHLOROANILINE	106-47-8	<5
HEXACHLOROBUTADIENE	87-68-3	<5
4-CHLORO-3-METHYLPHENOL	59-50-7	<5
2-METHYLNAPHTHALENE	91-57-6	<5
HEXACHLOROCYCLOPENTADIENE	77-47-4	<5
2,4,6-TRICHLOROPHENOL	88-06-2	<5
2,4,5-TRICHLOROPHENOL	95-95-4	<5
2-CHLORONAPHTHALENE	91-58-7	<5
2-NITROANILINE	88-74-4	<5
ACENAPHTHYLENE	208-96-8	<5
DIMETHYLPHTHALATE	131-11-3	<5
2,6-DINITROTOLUENE	606-20-2	<5

Sou Beyer
Laboratory Director

Client: Leggette, Brashears, & Graham Inc.	Client ID: FYN Paint Brooklyn (MW-2)
Date received: 06/07/01	Laboratory ID: 0018800
Date extracted: 06/11/01	Matrix: Liquid
Date analyzed: 06/12/01	Contractor: 11418

EPA METHOD 8270

Parameter	CAS No.	Results ug/L
ACENAPHTHENE	83-32-9	<5
3-NITROANILINE	99-09-2	<5
2,4-DINITROPHENOL	51-28-5	<5
DIBENZOFURAN	132-64-9	<5
2,4-DINTROTOLUENE	121-14-2	<5
4-NITROPHENOL	100-02-7	<5
FLUORENE	86-73-7	<5
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	<5
AZOBENZENE	103-33-3	<5
DIETHYLPHthalATE	84-66-2	<5
4-NITROANILINE	100-01-6	<5
4,6-DINITRO-2-METHYLPHENOL	534-52-1	<5
N-NITROSO-DI-PHENYLAMINE	86-30-6	<5
4-BROMOPHENYL-PHENYL ETHER	101-55-3	<5
HEXACHLOROBENZENE	118-74-1	<5
PENTACHLOROPHENOL	87-86-5	<5
PHENANTHRENE	85-01-8	<5
ANTHRACENE	120-12-7	<5
CARBAZOLE	86-74-8	<5
DI-N-BUTYLPHthalATE	84-74-2	<5
FLUORANTHENE	206-44-0	<5
BENZIDINE	92-87-5	<5
PYRENE	129-00-0	<5
BUTYLBENZYLPHthalATE	85-68-7	<5
3,3-DICHLOROBENZIDINE	91-94-1	<5
BENZO-(a)-ANTHRACENE	56-55-3	<5
CHRYSENE	218-01-9	<5
Bis(2-ETHYLHEXYL)PHTHALATE	117-81-7	<5
DI-N-OCTYLPHthalATE	117-84-0	<5
BENZO-(b)-FLUORANTHENE	205-99-2	<5
BENZO-(k) FLUORANTHENE	207-08-9	<5
BENZO-(a)-PYRENE	50-32-8	<5
INDENO(1,2,3-c,d)PYRENE	193-39-5	<5
DIBENZO-(a,h)-ANTHRACENE	53-70-3	<5
BENZO-(g,h,i)-PERYLENE	191-24-2	<5

Sou Beyer
Laboratory Director

Client: Leggette, Brashears, & Graham Inc.	Client ID: FYN Paint Brooklyn (MW-1)
Date received: 06/07/01	Laboratory ID: 0018801
Date extracted: NA	Matrix: Liquid
Date analyzed: 06/08/01	Contractor: 11418

EPA METHOD 8260

Parameter	CAS No.	Results ug/L
BENZENE	71-43-2	<1
BROMOBENZENE	108-86-1	<1
BROMOCHLOROMETHANE	74-97-5	<1
BROMODICHLOROMETHANE	75-27-4	<1
BROMOFORM	75-25-2	<1
BROMOMETHANE	74-83-9	<1
n-BUTYLBENZENE	104-51-8	<1
sec-BUTYLBENZENE	135-98-8	<1
tert-BUTYLBENZENE	98-06-6	<1
CARBON TETRACHLORIDE	56-23-5	<1
CHLOROBENZENE	108-90-7	<1
CHLORODIBROMOMETHANE	124-48-1	<1
CHLOROETHANE	75-00-3	<1
CHLOROFORM	67-66-3	<1
CHLOROMETHANE	74-87-3	<1
2-CHLOROTOLUENE	95-49-8	<1
4-CHLOROTOLUENE	106-43-4	<1
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	<1
1,2-DIBROMOETHANE	106-93-4	<1
DIBROMOMETHANE	74-95-3	<1
1,2-DICHLOROBENZENE	95-50-1	<1
1,3-DICHLOROBENZENE	541-73-1	<1
1,4-DICHLOROBENZENE	106-46-7	<1
DICHLORODIFLUOROMETHANE	75-71-8	<1
1,1-DICHLOROETHANE	75-34-3	<1
1,2-DICHLOROETHANE	107-06-2	<1
1,1-DICHLOROETHENE	75-35-4	<1
cis-1,2-DICHLOROETHENE	156-59-2	<1
trans-1,2-DICHLOROETHENE	156-60-5	<1

Son Beyer
Laboratory Director

Client: Leggette, Brashears, & Graham Inc.	Client ID: FYN Paint Brooklyn (MW-1)
Date received: 06/07/01	Laboratory ID: 0018801
Date extracted: NA	Matrix: Liquid
Date analyzed: 06/08/01	Contractor: 11418

EPA METHOD 8260

Parameter	CAS No.	Results ug/L
1,2-DICHLOROPROPANE	78-87-5	<1
1,3-DICHLOROPROPANE	142-28-9	<1
2,2-DICHLOROPROPANE	594-20-7	<1
1,1-DICHLOROPROPENE	563-58-6	<1
ETHYLBENZENE	100-41-4	<1
HEXACHLOROBUTADIENE	87-68-3	<1
ISOPROPYLBENZENE	98-82-8	<1
p-ISOPROPYLtolUENE	99-87-6	<1
METHYLENE CHLORIDE	75-09-2	<1
NAPHTHALENE	91-20-3	<1
n-PROPYLBENZENE	103-65-1	<1
STYRENE	100-42-5	<1
1,1,1,2-TETRACHLOROETHANE	630-20-6	<1
1,1,2,2-TETRACHLOROETHANE	79-34-5	<1
TETRACHLOROETHENE	127-18-4	<1
TOLUENE	108-88-3	6
1,2,3-TRICHLOROBENZENE	87-61-6	<1
1,2,4-TRICHLOROBENZENE	120-82-1	<1
1,1,1-TRICHLOROETHANE	71-55-6	<1
1,1,2-TRICHLOROETHANE	79-00-5	<1
TRICHLOROETHENE	79-01-6	<1
TRICHLOROFLUOROMETHANE	75-69-4	<1
1,2,3-TRICHLOROPROPANE	96-18-4	<1
1,3,5-TRIMETHYLBENZENE	108-67-8	<1
1,2,4-TRIMETHYLBENZENE	95-63-6	<1
VINYL CHLORIDE	75-01-4	<1
ACETONE	62-64-1	<1
CARBON DISULFIDE	75-15-0	<1
2-BUTANONE	78-93-3	<1
VINYL ACETATE	108-05-4	<1
4-METHYL-2-PENTANONE	108-10-1	<1
2-HEXANONE	591-78-6	<1
XYLEMES (TOTAL)	1330-20-7	11

Lou Beyer
Laboratory Director

Client: Leggette, Brashears, & Graham Inc.	Client ID: FYN Paint Brooklyn (MW-1)
Date received: 06/07/01	Laboratory ID:0018801
Date extracted: 06/12/01	Matrix: Liquid
Date analyzed: 06/12/01-06/14/01	Contractor: 11418

EPA METHOD 8270

Parameter	CAS No.	Results ug/L
PYRIDINE	110-86-1	<5
N-NITROSO-DI-METHYLAMINE	62-75-9	<5
ANILINE	62-53-3	<5
Bis(2-CHLOROETHYL)ETHER	111-44-4	<5
PHENOL	108-95-1	<5
2-CHLOROPHENOL	95-57-8	<5
1,3-DICHLOROBENZENE	541-73-1	<5
1,4-DICHLOROBENZENE	106-46-7	<5
1,2-DICHLOROBENZENE	95-50-1	<5
BENZYL ALCOHOL	100-51-6	<5
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	<5
2-METHYLPHENOL	95-48-7	<5
HEXACHLOROETHANE	67-72-1	<5
N-NITROSODI-N-PROPYL AMINE	621-64-7	<5
3+4-METHYLPHENOL	106-44-5/108-39-4	<5
NITROBENZENE	98-95-3	<5
ISOPHORONE	78-59-1	<5
2-NITROPHENOL	88-75-5	<5
2,4-DIMETHYLPHENOL	105-67-9	<5
BENZOIC ACID	65-85-0	<5
Bis(2-CHLOROETHOXY)METHANE	111-91-1	<5
2,4-DICHLOROPHENOL	102-83-2	<5
1,2,4-TRICHLOROBENZENE	120-82-1	<5
NAPHTHALENE	91-20-3	<5
4-CHLOROANILINE	106-47-8	<5
HEXACHLOROBUTADIENE	87-68-3	<5
4-CHLORO-3-METHYLPHENOL	59-50-7	<5
2-METHYLNAPHTHALENE	91-57-6	<5
HEXACHLOROCYCLOPENTADIENE	77-47-4	<5
2,4,6-TRICHLOROPHENOL	88-06-2	<5
2,4,5-TRICHLOROPHENOL	95-95-4	<5
2-CHLORONAPHTHALENE	91-58-7	<5
2-NITROANILINE	88-74-4	<5
ACENAPHTHYLENE	208-96-8	<5
DIMETHYLPHthalATE	131-11-3	<5
2,6-DINITROTOLUENE	606-20-2	<5

Sue Beyer
Laboratory Director

Client: Leggette, Brashears, & Graham Inc.	Client ID: FYN Paint Brooklyn (MW-1)
Date received: 06/07/01	Laboratory ID:0018801
Date extracted: 06/12/01	Matrix: Liquid
Date analyzed: 06/12/01-06/14/01	Contractor: 11418

EPA METHOD 8270

Parameter	CAS No.	Results ug/L
ACENAPHTHENE	83-32-9	<5
3-NITROANILINE	99-09-2	<5
2,4-DINITROPHENOL	51-28-5	<5
DIBENZOFURAN	132-64-9	<5
2,4-DINTROTOLUENE	121-14-2	<5
4-NITROPHENOL	100-02-7	<5
FLUORENE	86-73-7	<5
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	<5
AZOBENZENE	103-33-3	<5
DIETHYLPHTHALATE	84-66-2	<5
4-NITROANILINE	100-01-6	<5
4,6-DINITRO-2-METHYLPHENOL	534-52-1	<5
N-NITROSO-DI-PHENYLAMINE	86-30-6	<5
4-BROMOPHENYL-PHENYL ETHER	101-55-3	<5
HEXACHLOROBENZENE	118-74-1	<5
PENTACHLOROPHENOL	87-86-5	<5
PHENANTHRENE	85-01-8	<5
ANTHRACENE	120-12-7	<5
CARBAZOLE	86-74-8	<5
DI-N-BUTYLPHTHALATE	84-74-2	<5
FLUORANTHENE	206-44-0	<5
BENZIDINE	92-87-5	<5
PYRENE	129-00-0	<5
BUTYLBENZYLPHTHALATE	85-68-7	<5
3,3-DICHLOROBENZIDINE	91-94-1	<5
BENZO-(a)-ANTHRACENE	56-55-3	<5
CHRYSENE	218-01-9	<5
Bis(2-ETHYLHEXYL)PHTHALATE	117-81-7	<5
DI-N-OCTYLPHTHALATE	117-84-0	<5
BENZO-(b)-FLUORANTHENE	205-99-2	<5
BENZO-(k) FLUORANTHENE	207-08-9	<5
BENZO-(a)-PYRENE	50-32-8	<5
INDENO(1,2,3-c,d)PYRENE	193-39-5	<5
DIBENZO-(a,h)-ANTHRACENE	53-70-3	<5
BENZO-(g,h,i)-PERYLENE	191-24-2	<5

Sai Beyer
Laboratory Director

Client: Leggette, Brashears, & Graham Inc.	Client ID: FYN Paint Brooklyn (MW-3)
Date received: 06/07/01	Laboratory ID: 0018802
Date extracted: NA	Matrix: Liquid
Date analyzed: 06/08/01	Contractor: 11418

EPA METHOD 8260

Parameter	CAS No.	Results ug/L
BENZENE	71-43-2	<1
BROMOBENZENE	108-86-1	<1
BROMOCHLOROMETHANE	74-97-5	<1
BROMODICHLOROMETHANE	75-27-4	<1
BROMOFORM	75-25-2	<1
BROMOMETHANE	74-83-9	<1
n-BUTYLBENZENE	104-51-8	<1
sec-BUTYLBENZENE	135-98-8	<1
tert-BUTYLBENZENE	98-06-6	<1
CARBON TETRACHLORIDE	56-23-5	<1
CHLOROBENZENE	108-90-7	<1
CHLORODIBROMOMETHANE	124-48-1	<1
CHLOROETHANE	75-00-3	<1
CHLOROFORM	67-66-3	<1
CHLOROMETHANE	74-87-3	<1
2-CHLOROTOLUENE	95-49-8	<1
4-CHLOROTOLUENE	106-43-4	<1
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	<1
1,2-DIBROMOETHANE	106-93-4	<1
DIBROMOMETHANE	74-95-3	<1
1,2-DICHLOROBENZENE	95-50-1	<1
1,3-DICHLOROBENZENE	541-73-1	<1
1,4-DICHLOROBENZENE	106-46-7	<1
DICHLORODIFLUOROMETHANE	75-71-8	<1
1,1-DICHLOROETHANE	75-34-3	<1
1,2-DICHLOROETHANE	107-06-2	<1
1,1-DICHLOROETHENE	75-35-4	<1
cis-1,2-DICHLOROETHENE	156-59-2	<1
trans-1,2-DICHLOROETHENE	156-60-5	<1

Lou Beyer
Laboratory Director

Client: Leggette, Brashears, & Graham Inc.	Client ID: FYN Paint Brooklyn (MW-3)
Date received: 06/07/01	Laboratory ID: 0018802
Date extracted: NA	Matrix: Liquid
Date analyzed: 06/08/01	Contractor: 11418

EPA METHOD 8260

Parameter	CAS No.	Results ug/L
1,2-DICHLOROPROPANE	78-87-5	<1
1,3-DICHLOROPROPANE	142-28-9	<1
2,2-DICHLOROPROPANE	594-20-7	<1
1,1-DICHLOROPROPENE	563-58-6	<1
ETHYLBENZENE	100-41-4	<1
HEXACHLOROBUTADIENE	87-68-3	<1
ISOPROPYLBENZENE	98-82-8	<1
p-ISOPROPYLtolUENE	99-87-6	<1
METHYLENE CHLORIDE	75-09-2	<1
NAPHTHALENE	91-20-3	<1
n-PROPYLBENZENE	103-65-1	<1
STYRENE	100-42-5	<1
1,1,1,2-TETRACHLOROETHANE	630-20-6	<1
1,1,2,2-TETRACHLOROETHANE	79-34-5	<1
TETRACHLOROETHENE	127-18-4	<1
TOLUENE	108-88-3	5
1,2,3-TRICHLOROBENZENE	87-61-6	<1
1,2,4-TRICHLOROBENZENE	120-82-1	<1
1,1,1-TRICHLOROETHANE	71-55-6	<1
1,1,2-TRICHLOROETHANE	79-00-5	<1
TRICHLOROETHENE	79-01-6	<1
TRICHLOROFLUOROMETHANE	75-69-4	<1
1,2,3-TRICHLOROPROPANE	96-18-4	<1
1,3,5-TRIMETHYLBENZENE	108-67-8	<1
1,2,4-TRIMETHYLBENZENE	95-63-6	<1
VINYL CHLORIDE	75-01-4	<1
ACETONE	62-64-1	<1
CARBON DISULFIDE	75-15-0	<1
2-BUTANONE	78-93-3	<1
VINYL ACETATE	108-05-4	<1
4-METHYL-2-PENTANONE	108-10-1	<1
2-HEXANONE	591-78-6	<1
XYLENES (TOTAL)	1330-20-7	11

Sai Beyer
Laboratory Director

Client: Leggette, Brashears, & Graham Inc.	Client ID: FYN Paint Brooklyn (MW-3)
Date received: 06/07/01	Laboratory ID:0018802
Date extracted: 06/12/01	Matrix: Liquid
Date analyzed: 06/12/01	Contractor: 11418

EPA METHOD 8270

Parameter	CAS No.	Results ug/L
PYRIDINE	110-86-1	<5
N-NITROSO-DI-METHYLAMINE	62-75-9	<5
ANILINE	62-53-3	<5
Bis(2-CHLOROETHYL)ETHER	111-44-4	<5
PHENOL	108-95-1	<5
2-CHLOROPHENOL	95-57-8	<5
1,3-DICHLOROBENZENE	541-73-1	<5
1,4-DICHLOROBENZENE	106-46-7	<5
1,2-DICHLOROBENZENE	95-50-1	<5
BENZYL ALCOHOL	100-51-6	<5
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	<5
2-METHYLPHENOL	95-48-7	<5
HEXACHLOROETHANE	67-72-1	<5
N-NITROSODI-N-PROPYL AMINE	621-64-7	<5
3+4-METHYLPHENOL	106-44-5/108-39-4	<5
NITROBENZENE	98-95-3	<5
ISOPHORONE	78-59-1	<5
2-NITROPHENOL	88-75-5	<5
2,4-DIMETHYLPHENOL	105-67-9	<5
BENZOIC ACID	65-85-0	<5
Bis(2-CHLOROETHOXY)METHANE	111-91-1	<5
2,4-DICHLOROPHENOL	102-83-2	<5
1,2,4-TRICHLOROBENZENE	120-82-1	<5
NAPHTHALENE	91-20-3	<5
4-CHLOROANILINE	106-47-8	<5
HEXACHLOROBUTADIENE	87-68-3	<5
4-CHLORO-3-METHYLPHENOL	59-50-7	<5
2-METHYLNAPHTHALENE	91-57-6	<5
HEXACHLOROCYCLOPENTADIENE	77-47-4	<5
2,4,6-TRICHLOROPHENOL	88-06-2	<5
2,4,5-TRICHLOROPHENOL	95-95-4	<5
2-CHLORONAPHTHALENE	91-58-7	<5
2-NITROANILINE	88-74-4	<5
ACENAPHTHYLENE	208-96-8	<5
DIMETHYLPHTHALATE	131-11-3	<5
2,6-DINITROTOLUENE	606-20-2	<5

Levi Beyer
Laboratory Director

Client: Leggette, Brashears, & Graham Inc.	Client ID: FYN Paint Brooklyn (MW-3)
Date received: 06/07/01	Laboratory ID:0018802
Date extracted: 06/12/01	Matrix: Liquid
Date analyzed: 06/12/01	Contractor: 11418

EPA METHOD 8270

Parameter	CAS No.	Results ug/L
ACENAPHTHENE	83-32-9	<5
3-NITROANILINE	99-09-2	<5
2,4-DINITROPHENOL	51-28-5	<5
DIBENZOFURAN	132-64-9	<5
2,4-DINTROTOLUENE	121-14-2	<5
4-NITROPHENOL	100-02-7	<5
FLUORENE	86-73-7	<5
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	<5
AZOBENZENE	103-33-3	<5
DIETHYLPHTHALATE	84-66-2	<5
4-NITROANILINE	100-01-6	<5
4,6-DINITRO-2-METHYLPHENOL	534-52-1	<5
N-NITROSO-DI-PHENYLAMINE	86-30-6	<5
4-BROMOPHENYL-PHENYL ETHER	101-55-3	<5
HEXACHLOROBENZENE	118-74-1	<5
PENTACHLOROPHENOL	87-86-5	<5
PHENANTHRENE	85-01-8	<5
ANTHRACENE	120-12-7	<5
CARBAZOLE	86-74-8	<5
DI-N-BUTYLPHTHALATE	84-74-2	<5
FLUORANTHENE	206-44-0	<5
BENZIDINE	92-87-5	<5
PYRENE	129-00-0	<5
BUTYLBENZYLPHthalate	85-68-7	<5
3,3-DICHLOROBENZIDINE	91-94-1	<5
BENZO-(a)-ANTHRACENE	56-55-3	<5
CHRYSENE	218-01-9	<5
Bis(2-ETHYLHEXYL)PHTHALATE	117-81-7	<5
DI-N-OCTYLPHTHALATE	117-84-0	<5
BENZO-(b)-FLUORANTHENE	205-99-2	<5
BENZO-(k) FLUORANTHENE	207-08-9	<5
BENZO-(a)-PYRENE	50-32-8	<5
INDENO(1,2,3-c,d)PYRENE	193-39-5	<5
DIBENZO-(a,h)-ANTHRACENE	53-70-3	<5
BENZO-(g,h,i)-PERYLENE	191-24-2	<5

Sou Beyer
Laboratory Director

Client: Leggette, Brashears, & Graham Inc.	Client ID: FYN Paint Brooklyn (MW-4)
Date received: 06/07/01	Laboratory ID: 0018803
Date extracted: NA	Matrix: Liquid
Date analyzed: 06/08/01-06/12/01	Contractor: 11418

EPA METHOD 8260

Parameter	CAS No.	Results ug/L
BENZENE	71-43-2	72
BROMOBENZENE	108-86-1	<1
BROMOCHLOROMETHANE	74-97-5	<1
BROMODICHLOROMETHANE	75-27-4	<1
BROMOFORM	75-25-2	<1
BROMOMETHANE	74-83-9	<1
n-BUTYLBENZENE	104-51-8	<1
sec-BUTYLBENZENE	135-98-8	<1
tert-BUTYLBENZENE	98-06-6	<1
CARBON TETRACHLORIDE	56-23-5	<1
CHLOROBENZENE	108-90-7	<1
CHLORODIBROMOMETHANE	124-48-1	<1
CHLOROETHANE	75-00-3	17
CHLOROFORM	67-66-3	<1
CHLOROMETHANE	74-87-3	<1
2-CHLOROTOLUENE	95-49-8	<1
4-CHLOROTOLUENE	106-43-4	<1
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	<1
1,2-DIBROMOETHANE	106-93-4	<1
DIBROMOMETHANE	74-95-3	<1
1,2-DICHLOROBENZENE	95-50-1	5
1,3-DICHLOROBENZENE	541-73-1	<1
1,4-DICHLOROBENZENE	106-46-7	<1
DICHLORODIFLUOROMETHANE	75-71-8	<1
1,1-DICHLOROETHANE	75-34-3	33
1,2-DICHLOROETHANE	107-06-2	<1
1,1-DICHLOROETHENE	75-35-4	<1
cis-1,2-DICHLOROETHENE	156-59-2	16
trans-1,2-DICHLOROETHENE	156-60-5	<1

Son Beyer
Laboratory Director

Client: Leggette, Brashears, & Graham Inc.	Client ID: FYN Paint Brooklyn (MW-4)
Date received: 06/07/01	Laboratory ID: 0018803
Date extracted: NA	Matrix: Liquid
Date analyzed: 06/08/01-06/12/01	Contractor: 11418

EPA METHOD 8260

Parameter	CAS No.	Results ug/L
1,2-DICHLOROPROPANE	78-87-5	<1
1,3-DICHLOROPROPANE	142-28-9	<1
2,2-DICHLOROPROPANE	594-20-7	<1
1,1-DICHLOROPROPENE	563-58-6	<1
ETHYLBENZENE	100-41-4	3,400
HEXACHLOROBUTADIENE	87-68-3	<1
ISOPROPYLBENZENE	98-82-8	32
p-ISOPROPYLTOLUENE	99-87-6	<1
METHYLENE CHLORIDE	75-09-2	48
NAPHTHALENE	91-20-3	<1
n-PROPYLBENZENE	103-65-1	12
STYRENE	100-42-5	<1
1,1,1,2-TETRACHLOROETHANE	630-20-6	<1
1,1,2,2-TETRACHLOROETHANE	79-34-5	<1
TETRACHLOROETHENE	127-18-4	6
TOLUENE	108-88-3	18,000
1,2,3-TRICHLOROBENZENE	87-61-6	<1
1,2,4-TRICHLOROBENZENE	120-82-1	<1
1,1,1-TRICHLOROETHANE	71-55-6	<1
1,1,2-TRICHLOROETHANE	79-00-5	<1
TRICHLOROETHENE	79-01-6	11
TRICHLOROFLUOROMETHANE	75-69-4	<1
1,2,3-TRICHLOROPROPANE	96-18-4	<1
1,3,5-TRIMETHYLBENZENE	108-67-8	14
1,2,4-TRIMETHYLBENZENE	95-63-6	45
VINYL CHLORIDE	75-01-4	<1
ACETONE	62-64-1	14,000
CARBON DISULFIDE	75-15-0	<1
2-BUTANONE	78-93-3	610
VINYL ACETATE	108-05-4	<1
4-METHYL-2-PENTANONE	108-10-1	900
2-HEXANONE	591-78-6	<1
XYLENES (TOTAL)	1330-20-7	14,000

Sou Beyer
Laboratory Director

Client: Leggette, Brashears, & Graham Inc.	Client ID: FYN Paint Brooklyn (MW-4)
Date received: 06/07/01	Laboratory ID:0018803
Date extracted: 06/12/01	Matrix: Liquid
Date analyzed: 06/12/01	Contractor: 11418

EPA METHOD 8270

Parameter	CAS No.	Results ug/L
PYRIDINE	110-86-1	<5
N-NITROSO-DI-METHYLAMINE	62-75-9	<5
ANILINE	62-53-3	<5
Bis(2-CHLOROETHYL)ETHER	111-44-4	<5
PHENOL	108-95-1	<5
2-CHLOROPHENOL	95-57-8	<5
1,3-DICHLOROBENZENE	541-73-1	<5
1,4-DICHLOROBENZENE	106-46-7	<5
1,2-DICHLOROBENZENE	95-50-1	<5
BENZYL ALCOHOL	100-51-6	<5
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	<5
2-METHYLPHENOL	95-48-7	<5
HEXACHLOROETHANE	67-72-1	<5
N-NITROSODI-N-PROPYL AMINE	621-64-7	<5
3+4-METHYLPHENOL	106-44-5/108-39-4	<5
NITROBENZENE	98-95-3	<5
ISOPHORONE	78-59-1	<5
2-NITROPHENOL	88-75-5	<5
2,4-DIMETHYLPHENOL	105-67-9	<5
BENZOIC ACID	65-85-0	<5
Bis(2-CHLOROETHOXY)METHANE	111-91-1	<5
2,4-DICHLOROPHENOL	102-83-2	<5
1,2,4-TRICHLOROBENZENE	120-82-1	<5
NAPHTHALENE	91-20-3	<5
4-CHLOROANILINE	106-47-8	<5
HEXACHLOROBUTADIENE	87-68-3	<5
4-CHLORO-3-METHYLPHENOL	59-50-7	<5
2-METHYLNAPHTHALENE	91-57-6	<5
HEXACHLOROCYCLOPENTADIENE	77-47-4	<5
2,4,6-TRICHLOROPHENOL	88-06-2	<5
2,4,5-TRICHLOROPHENOL	95-95-4	<5
2-CHLORONAPHTHALENE	91-58-7	<5
2-NITROANILINE	88-74-4	<5
ACENAPHTHYLENE	208-96-8	<5
DIMETHYLPHTHALATE	131-11-3	<5
2,6-DINITROTOLUENE	606-20-2	<5

Son Beyer
Laboratory Director

Client: Leggette, Brashears, & Graham Inc.	Client ID: FYN Paint Brooklyn (MW-4)
Date received: 06/07/01	Laboratory ID:0018803
Date extracted: 06/12/01	Matrix: Liquid
Date analyzed: 06/12/01	Contractor: 11418

EPA METHOD 8270

Parameter	CAS No.	Results ug/L
ACENAPHTHENE	83-32-9	<5
3-NITROANILINE	99-09-2	<5
2,4-DINITROPHENOL	51-28-5	<5
DIBENZOFURAN	132-64-9	<5
2,4-DINTROTOLUENE	121-14-2	<5
4-NITROPHENOL	100-02-7	<5
FLUORENE	86-73-7	<5
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	<5
AZOBENZENE	103-33-3	<5
DIETHYLPHTHALATE	84-66-2	<5
4-NITROANILINE	100-01-6	<5
4,6-DINITRO-2-METHYLPHENOL	534-52-1	<5
N-NITROSO-DI-PHENYLAMINE	86-30-6	<5
4-BROMOPHENYL-PHENYL ETHER	101-55-3	<5
HEXACHLOROBENZENE	118-74-1	<5
PENTACHLOROPHENOL	87-86-5	<5
PHENANTHRENE	85-01-8	<5
ANTHRACENE	120-12-7	<5
CARBAZOLE	86-74-8	<5
DI-N-BUTYLPHTHALATE	84-74-2	<5
FLUORANTHENE	206-44-0	<5
BENZIDINE	92-87-5	<5
PYRENE	129-00-0	<5
BUTYLBENZYLPHTHALATE	85-68-7	<5
3,3-DICHLOROBENZIDINE	91-94-1	<5
BENZO-(a)-ANTHRACENE	56-55-3	<5
CHRYSENE	218-01-9	<5
Bis(2-ETHYLHEXYL)PHTHALATE	117-81-7	<5
DI-N-OCTYLPHTHALATE	117-84-0	<5
BENZO-(b)-FLUORANTHENE	205-99-2	<5
BENZO-(k) FLUORANTHENE	207-08-9	<5
BENZO-(a)-PYRENE	50-32-8	<5
INDENO(1,2,3-c,d)PYRENE	193-39-5	<5
DIBENZO-(a,h)-ANTHRACENE	53-70-3	<5
BENZO-(g,h,i)-PERYLENE	191-24-2	<5

Tom Beyer
Laboratory Director


Client: Leggette, Brashears, & Graham Inc.	Client ID: FYN Paint Brooklyn (MW-4)
Date received: 06/07/01	Laboratory ID: 0018803
Date extracted: 06/12/01	Matrix : Liquid
Date analyzed: 06/13/01	Contractor: 11418

**TOTAL PETROLEUM HYDROCARBONS
MODIFIED EPA METHOD 8015
GASOLINE AND DIESEL RANGE ORGANICS**

COMPOUND	RESULTS	RESULTS mg/L
Gasoline	Negative	<1.0
Kerosene	Negative	<1.0
Aviation Gasoline	Negative	<1.0
Jet Fuel	Negative	<1.0
Mineral Spirits	Negative	<1.0
Fuel Oil #2	Negative	<1.0
Fuel Oil #4	Negative	<1.0
Fuel Oil #5	Negative	<1.0
Fuel Oil #6	Negative	<1.0
Hydraulic Fluid	Negative	<1.0
Motor Oil Composite	Negative	<1.0
SAE #30	Negative	<1.0
Unknown TPH	Positive	2.0
Total TPH	Positive	2.0

Tom Beyer
Laboratory Director

File : C:\HPCHEM\2\DATA\O3024.D
Operator : RN
Acquired : 13 Jun 2010 1 8:39 am using AcqMethod 8015.M
Instrument : System O
Sample Name: 0018803
Misc Info : 8015 920/1
Vial Number: 13



Client: Leggette, Brashears, & Graham Inc.	Client ID: FYN Paint Brooklyn (CE-2)
Date received: 06/07/01	Laboratory ID: 0018804
Date extracted: NA	Matrix: Liquid
Date analyzed: 06/08/01-06/12/01	Contractor: 11418

EPA METHOD 8260

Parameter	CAS No.	Results ug/L
BENZENE	71-43-2	<1
BROMOBENZENE	108-86-1	<1
BROMOCHLOROMETHANE	74-97-5	<1
BROMODICHLOROMETHANE	75-27-4	<1
BROMOFORM	75-25-2	<1
BROMOMETHANE	74-83-9	<1
n-BUTYLBENZENE	104-51-8	<1
sec-BUTYLBENZENE	135-98-8	<1
tert-BUTYLBENZENE	98-06-6	<1
CARBON TETRACHLORIDE	56-23-5	<1
CHLOROBENZENE	108-90-7	<1
CHLORODIBROMOMETHANE	124-48-1	<1
CHLOROETHANE	75-00-3	<1
CHLOROFORM	67-66-3	<1
CHLOROMETHANE	74-87-3	<1
2-CHLOROTOLUENE	95-49-8	<1
4-CHLOROTOLUENE	106-43-4	<1
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	<1
1,2-DIBROMOETHANE	106-93-4	<1
DIBROMOMETHANE	74-95-3	<1
1,2-DICHLOROBENZENE	95-50-1	<1
1,3-DICHLOROBENZENE	541-73-1	<1
1,4-DICHLOROBENZENE	106-46-7	<1
DICHLORODIFLUOROMETHANE	75-71-8	<1
1,1-DICHLOROETHANE	75-34-3	<1
1,2-DICHLOROETHANE	107-06-2	<1
1,1-DICHLOROETHENE	75-35-4	<1
cis-1,2-DICHLOROETHENE	156-59-2	<1
trans-1,2-DICHLOROETHENE	156-60-5	<1

Suz Beyer
Laboratory Director

Client: Leggette, Brashears, & Graham Inc.	Client ID: FYN Paint Brooklyn (CE-2)
Date received: 06/07/01	Laboratory ID: 0018804
Date extracted: NA	Matrix: Liquid
Date analyzed: 06/08/01-06/12/01	Contractor: 11418

EPA METHOD 8260

Parameter	CAS No.	Results ug/L
1,2-DICHLOROPROPANE	78-87-5	<1
1,3-DICHLOROPROPANE	142-28-9	<1
2,2-DICHLOROPROPANE	594-20-7	<1
1,1-DICHLOROPROPENE	563-58-6	<1
ETHYLBENZENE	100-41-4	440,000
HEXACHLOROBUTADIENE	87-68-3	<1
ISOPROPYLBENZENE	98-82-8	<1
p-ISOPROPYLtolUENE	99-87-6	<1
METHYLENE CHLORIDE	75-09-2	17,000
NAPHTHALENE	91-20-3	<1
n-PROPYLBENZENE	103-65-1	<1
STYRENE	100-42-5	<1
1,1,1,2-TETRACHLOROETHANE	630-20-6	<1
1,1,2,2-TETRACHLOROETHANE	79-34-5	<1
TETRACHLOROETHENE	127-18-4	1,400
TOLUENE	108-88-3	450,000
1,2,3-TRICHLOROBENZENE	87-61-6	<1
1,2,4-TRICHLOROBENZENE	120-82-1	<1
1,1,1-TRICHLOROETHANE	71-55-6	<1
1,1,2-TRICHLOROETHANE	79-00-5	<1
TRICHLOROETHENE	79-01-6	<1
TRICHLOROFLUOROMETHANE	75-69-4	<1
1,2,3-TRICHLOROPROPANE	96-18-4	<1
1,3,5-TRIMETHYLBENZENE	108-67-8	3,600
1,2,4-TRIMETHYLBENZENE	95-63-6	<1
VINYL CHLORIDE	75-01-4	<1
ACETONE	62-64-1	120,000
CARBON DISULFIDE	75-15-0	<1
2-BUTANONE	78-93-3	<1
VINYL ACETATE	108-05-4	<1
4-METHYL-2-PENTANONE	108-10-1	<1
2-HEXANONE	591-78-6	<1
XYLENES (TOTAL)	1330-20-7	1,400,000


Laboratory Director


Client: Leggette, Brashears, & Graham Inc.	Client ID: FYN Paint Brooklyn (CE-2)
Date received: 06/07/01	Laboratory ID: 0018804
Date extracted: NA	Matrix : Liquid
Date analyzed: 06/12/01	Contractor: 11418

**TOTAL PETROLEUM HYDROCARBONS
MODIFIED EPA METHOD 8015
GASOLINE RANGE ORGANICS**

COMPOUND	RESULTS	RESULTS mg/L
Gasoline	Negative	<10
Kerosene	Negative	<10
Aviation Gasoline	Negative	<10
Jet Fuel	Negative	<10
Mineral Spirits	Negative	<10
Unknown TPH	Positive	240,000
Total TPH	Positive	240,000

Tom Bayes
Laboratory Director

File : C:\HPCHEM\3\DATA\H5869.D
Operator : LDS/RN
Acquired : 12 Jun 2001 2:13 am using AcqMethod 524LDS
Instrument : GC/MS Sys
Sample Name: 0018804DL
Misc Info : 8260 25UL/5ML
Vial Number: 13



Client: Leggette, Brashears, & Graham Inc.	Client ID: FYN Paint Brooklyn (CE-1)
Date received: 06/07/01	Laboratory ID: 0018805
Date extracted: NA	Matrix: Liquid
Date analyzed: 06/08/01-06/12/01	Contractor: 11418

EPA METHOD 8260

Parameter	CAS No.	Results ug/L
BENZENE	71-43-2	<1
BROMOBENZENE	108-86-1	<1
BROMOCHLOROMETHANE	74-97-5	<1
BROMODICHLOROMETHANE	75-27-4	<1
BROMOFORM	75-25-2	<1
BROMOMETHANE	74-83-9	<1
n-BUTYLBENZENE	104-51-8	<1
sec-BUTYLBENZENE	135-98-8	<1
tert-BUTYLBENZENE	98-06-6	<1
CARBON TETRACHLORIDE	56-23-5	<1
CHLOROBENZENE	108-90-7	<1
CHLORODIBROMOMETHANE	124-48-1	<1
CHLOROETHANE	75-00-3	<1
CHLOROFORM	67-66-3	<1
CHLOROMETHANE	74-87-3	<1
2-CHLOROTOLUENE	95-49-8	<1
4-CHLOROTOLUENE	106-43-4	<1
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	<1
1,2-DIBROMOETHANE	106-93-4	<1
DIBROMOMETHANE	74-95-3	<1
1,2-DICHLOROBENZENE	95-50-1	<1
1,3-DICHLOROBENZENE	541-73-1	<1
1,4-DICHLOROBENZENE	106-46-7	<1
DICHLORODIFLUOROMETHANE	75-71-8	<1
1,1-DICHLOROETHANE	75-34-3	<1
1,2-DICHLOROETHANE	107-06-2	<1
1,1-DICHLOROETHENE	75-35-4	<1
cis-1,2-DICHLOROETHENE	156-59-2	<1
trans-1,2-DICHLOROETHENE	156-60-5	<1


Laboratory Director

Client: Leggette, Brashears, & Graham Inc.	Client ID: FYN Paint Brooklyn (CE-1)
Date received: 06/07/01	Laboratory ID: 0018805
Date extracted: NA	Matrix: Liquid
Date analyzed: 06/08/01-06/12/01	Contractor: 11418

EPA METHOD 8260


Parameter	CAS No.	Results ug/L
1,2-DICHLOROPROPANE	78-87-5	<1
1,3-DICHLOROPROPANE	142-28-9	<1
2,2-DICHLOROPROPANE	594-20-7	<1
1,1-DICHLOROPROPENE	563-58-6	<1
ETHYLBENZENE	100-41-4	380,000
HEXACHLOROBUTADIENE	87-68-3	<1
ISOPROPYLBENZENE	98-82-8	<1
p-ISOPROPYLtolUENE	99-87-6	<1
METHYLENE CHLORIDE	75-09-2	14,000
NAPHTHALENE	91-20-3	<1
n-PROPYLBENZENE	103-65-1	<1
STYRENE	100-42-5	<1
1,1,1,2-TETRACHLOROETHANE	630-20-6	<1
1,1,2,2-TETRACHLOROETHANE	79-34-5	<1
TETRACHLOROETHENE	127-18-4	960
TOLUENE	108-88-3	180,000
1,2,3-TRICHLOROBENZENE	87-61-6	<1
1,2,4-TRICHLOROBENZENE	120-82-1	<1
1,1,1-TRICHLOROETHANE	71-55-6	<1
1,1,2-TRICHLOROETHANE	79-00-5	<1
TRICHLOROETHENE	79-01-6	<1
TRICHLOROFLUOROMETHANE	75-69-4	<1
1,2,3-TRICHLOROPROPANE	96-18-4	<1
1,3,5-TRIMETHYLBENZENE	108-67-8	3,800
1,2,4-TRIMETHYLBENZENE	95-63-6	530
VINYL CHLORIDE	75-01-4	<1
ACETONE	62-64-1	<1
CARBON DISULFIDE	75-15-0	<1
2-BUTANONE	78-93-3	<1
VINYL ACETATE	108-05-4	<1
4-METHYL-2-PENTANONE	108-10-1	<1
2-HEXANONE	591-78-6	<1
XYLENES (TOTAL)	1330-20-7	1,200,000

Ed. Beyer
Laboratory Director

Client: Leggette, Brashears, & Graham Inc.	Client ID: FYN Paint Brooklyn (CE-1)
Date received: 06/07/01	Laboratory ID:0018805
Date extracted: 06/12/01	Matrix: Liquid
Date analyzed: 06/15/01	Contractor: 11418

EPA METHOD 8270

Parameter	CAS No.	Results ug/L
PYRIDINE	110-86-1	<50
N-NITROSO-DI-METHYLAMINE	62-75-9	<50
ANILINE	62-53-3	<50
Bis(2-CHLOROETHYL)ETHER	111-44-4	<50
PHENOL	108-95-1	<50
2-CHLOROPHENOL	95-57-8	<50
1,3-DICHLOROBENZENE	541-73-1	<50
1,4-DICHLOROBENZENE	106-46-7	<50
1,2-DICHLOROBENZENE	95-50-1	<50
BENZYL ALCOHOL	100-51-6	<50
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	<50
2-METHYLPHENOL	95-48-7	<50
HEXACHLOROETHANE	67-72-1	<50
N-NITROSODI-N-PROPYL AMINE	621-64-7	<50
3+4-METHYLPHENOL	106-44-5/108-39-4	<50
NITROBENZENE	98-95-3	<50
ISOPHORONE	78-59-1	<50
2-NITROPHENOL	88-75-5	<50
2,4-DIMETHYLPHENOL	105-67-9	<50
BENZOIC ACID	65-85-0	<50
Bis(2-CHLOROETHOXY)METHANE	111-91-1	<50
2,4-DICHLOROPHENOL	102-83-2	<50
1,2,4-TRICHLOROBENZENE	120-82-1	<50
NAPHTHALENE	91-20-3	<50
4-CHLOROANILINE	106-47-8	<50
HEXACHLOROBUTADIENE	87-68-3	<50
4-CHLORO-3-METHYLPHENOL	59-50-7	<50
2-METHYLNAPHTHALENE	91-57-6	<50
HEXACHLOROCYCLOPENTADIENE	77-47-4	<50
2,4,6-TRICHLOROPHENOL	88-06-2	<50
2,4,5-TRICHLOROPHENOL	95-95-4	<50
2-CHLORONAPHTHALENE	91-58-7	<50
2-NITROANILINE	88-74-4	<50
ACENAPHTHYLENE	208-96-8	<50
DIMETHYLPHthalate	131-11-3	<50
2,6-DINITROTOLUENE	606-20-2	<50


Laboratory Director

Client: Leggette, Brashears, & Graham Inc.	Client ID: FYN Paint Brooklyn (CE-1)
Date received: 06/07/01	Laboratory ID:0018805
Date extracted: 06/12/01	Matrix: Liquid
Date analyzed: 06/15/01	Contractor: 11418

EPA METHOD 8270

Parameter	CAS No.	Results ug/L
ACENAPHTHENE	83-32-9	<50
3-NITROANILINE	99-09-2	<50
2,4-DINITROPHENOL	51-28-5	<50
DIBENZOFURAN	132-64-9	<50
2,4-DINTROTOLUENE	121-14-2	<50
4-NITROPHENOL	100-02-7	<50
FLUORENE	86-73-7	<50
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	<50
AZOBENZENE	103-33-3	<50
DIETHYLPHthalATE	84-66-2	<50
4-NITROANILINE	100-01-6	<50
4,6-DINITRO-2-METHYLPHENOL	534-52-1	<50
N-NITROSO-DI-PHENYLAMINE	86-30-6	<50
4-BROMOPHENYL-PHENYL ETHER	101-55-3	<50
HEXACHLOROBENZENE	118-74-1	<50
PENTACHLOROPHENOL	87-86-5	<50
PHENANTHRENE	85-01-8	<50
ANTHRACENE	120-12-7	<50
CARBAZOLE	86-74-8	<50
DI-N-BUTYLPHthalATE	84-74-2	<50
FLUORANTHENE	206-44-0	<50
BENZIDINE	92-87-5	<50
PYRENE	129-00-0	<50
BUTYLBENZYLPHthalATE	85-68-7	<50
3,3-DICHLOROBENZIDINE	91-94-1	<50
BENZO-(a)-ANTHRACENE	56-55-3	<50
CHRYSENE	218-01-9	<50
Bis(2-ETHYLHEXYL)PHTHALATE	117-81-7	<50
DI-N-OCTYLPHthalATE	117-84-0	<50
BENZO-(b)-FLUORANTHENE	205-99-2	<50
BENZO-(k) FLUORANTHENE	207-08-9	<50
BENZO-(a)-PYRENE	50-32-8	<50
INDENO(1,2,3-c,d)PYRENE	193-39-5	<50
DIBENZO-(a,h)-ANTHRACENE	53-70-3	<50
BENZO-(g,h,i)-PERYLENE	191-24-2	<50

S. Beyer
Laboratory Director

Client: Leggette, Brashears, & Graham Inc.	Client ID: FYN Paint Brooklyn (CE-1)
Date received: 06/07/01	Laboratory ID: 0018805
Date Extracted: 06/11/01	Matrix: Oil
Date Analyzed: 06/12/01	ELAP#: 11418

**TOTAL PETROLEUM HYDROCARBONS
MODIFIED EPA METHOD 8015
DIESEL RANGE ORGANICS**


COMPOUND	RESULTS	RESULTS mg/kg
Kerosene	Negative	<200
Jet Fuel	Negative	<200
Fuel Oil #2	Negative	<200
Fuel Oil #4	Negative	<200
Fuel Oil #5	Negative	<200
Fuel Oil #6	Negative	<200
Hydraulic Fluid	Negative	<200
Motor Oil Composite	Negative	<200
SAE #30	Negative	<200
Unknown TPH	Negative	12,000
Total TPH	Negative	12,000

Raised MDL due to sample matrix interference.



Laboratory Director


File : C:\HPCHEM\2\DATA\O2997.D
Operator : RN
Acquired : 11 Jun 2010 11:32 pm using AcqMethod 8015.M
Instrument : System O
Sample Name: 0018805
Misc Info : 8015 2g/10 DF20 06/11/01
Vial Number: 9



Client: Leggette, Brashears, & Graham Inc.	Client ID: FYN Paint Brooklyn (Trip Blank)
Date received: 06/07/01	Laboratory ID: 0018806
Date extracted: NA	Matrix: Liquid
Date analyzed: 06/12/01	Contractor: 11418

EPA METHOD 8260

Parameter	CAS No.	Results ug/L
BENZENE	71-43-2	<1
BROMOBENZENE	108-86-1	<1
BROMOCHLOROMETHANE	74-97-5	<1
BROMODICHLOROMETHANE	75-27-4	<1
BROMOFORM	75-25-2	<1
BROMOMETHANE	74-83-9	<1
n-BUTYLBENZENE	104-51-8	<1
sec-BUTYLBENZENE	135-98-8	<1
tert-BUTYLBENZENE	98-06-6	<1
CARBON TETRACHLORIDE	56-23-5	<1
CHLOROBENZENE	108-90-7	<1
CHLORODIBROMOMETHANE	124-48-1	<1
CHLOROETHANE	75-00-3	<1
CHLOROFORM	67-66-3	<1
CHLOROMETHANE	74-87-3	<1
2-CHLOROTOLUENE	95-49-8	<1
4-CHLOROTOLUENE	106-43-4	<1
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	<1
1,2-DIBROMOETHANE	106-93-4	<1
DIBROMOMETHANE	74-95-3	<1
1,2-DICHLOROBENZENE	95-50-1	<1
1,3-DICHLOROBENZENE	541-73-1	<1
1,4-DICHLOROBENZENE	106-46-7	<1
DICHLORODIFLUOROMETHANE	75-71-8	<1
1,1-DICHLOROETHANE	75-34-3	<1
1,2-DICHLOROETHANE	107-06-2	<1
1,1-DICHLOROETHENE	75-35-4	<1
cis-1,2-DICHLOROETHENE	156-59-2	<1
trans-1,2-DICHLOROETHENE	156-60-5	<1


Laboratory Director

Client: Leggette, Brashears, & Graham Inc.	Client ID: FYN Paint Brooklyn (Trip Blank)
Date received: 06/07/01	Laboratory ID: 0018806
Date extracted: NA	Matrix: Liquid
Date analyzed: 06/12/01	Contractor: 11418

EPA METHOD 8260

Parameter	CAS No.	Results ug/L
1,2-DICHLOROPROPANE	78-87-5	<1
1,3-DICHLOROPROPANE	142-28-9	<1
2,2-DICHLOROPROPANE	594-20-7	<1
1,1-DICHLOROPROPENE	563-58-6	<1
ETHYLBENZENE	100-41-4	<1
HEXACHLOROBUTADIENE	87-68-3	<1
ISOPROPYLBENZENE	98-82-8	<1
p-ISOPROPYLtolUENE	99-87-6	<1
METHYLENE CHLORIDE	75-09-2	<1
NAPHTHALENE	91-20-3	<1
n-PROPYLBENZENE	103-65-1	<1
STYRENE	100-42-5	<1
1,1,1,2-TETRACHLOROETHANE	630-20-6	<1
1,1,2,2-TETRACHLOROETHANE	79-34-5	<1
TETRACHLOROETHENE	127-18-4	<1
TOLUENE	108-88-3	<1
1,2,3-TRICHLOROBENZENE	87-61-6	<1
1,2,4-TRICHLOROBENZENE	120-82-1	<1
1,1,1-TRICHLOROETHANE	71-55-6	<1
1,1,2-TRICHLOROETHANE	79-00-5	<1
TRICHLOROETHENE	79-01-6	<1
TRICHLOROFLUOROMETHANE	75-69-4	<1
1,2,3-TRICHLOROPROPANE	96-18-4	<1
1,3,5-TRIMETHYLBENZENE	108-67-8	<1
1,2,4-TRIMETHYLBENZENE	95-63-6	<1
VINYL CHLORIDE	75-01-4	<1
ACETONE	62-64-1	<1
CARBON DISULFIDE	75-15-0	<1
2-BUTANONE	78-93-3	<1
VINYL ACETATE	108-05-4	<1
4-METHYL-2-PENTANONE	108-10-1	<1
2-HEXANONE	591-78-6	<1
XYLEMES (TOTAL)	1330-20-7	<3

John Be
Laboratory Director



56 TOLEDO STREET • FARMINGDALE, NEW YORK 11735
 (631) 454-6100 • FAX (631) 454-8027 • email: AAL20000@aol.com

NYSDOH ELAP 11418
 AIHA PAT/LPAT 102391
 CTDOH PH-0205

CHAIN OF CUSTODY / REQUEST FOR ANALYSIS DOCUMENT

CLIENT NAME/ADDRESS		CONTACT:		SAMPLER (SIGNATURE)	DATE	TIME	SAMPLE(S) SEALED	YES / NO
LBCT 110 CORPORATE PARK DR WHITE PLAINS, NY 10604		DAN BUSSEA		Paul Woodward / Michael C.				
PROJECT LOCATION:		FYN PAINT Brooklyn		Paul Woodward / Mike C.				
LABORATORY ID #	MATRIX	TYPE	PRES.	SAMPLE # - LOCATION				P.O.#
SO18793	L	G	HCl	MW-8	6/6/01	1333	X	
794	L	G	HCl	MW-6	6/6/01	1343	X	
795	L	G	HCl	MW-7	6/6/01	1145	X	
796	L	G	HCl	GP-1	6/6/01	1430	X	
797	L	G	HCl	CE-4	6/6/01	1500	X	
798	L	G	HCl	GP-2	6/6/01	1530	X	
799	L	G	HCl	MW-5	6/7/01	1010	X	
800	L	G	HCl	MW-2	6/7/01	1100	X	
801	L	G	HCl	MW-1	6/1/01	1205	X	
802	L	G	HCl	MW-3	6/17/01	1225	X	
803	L	G	HCl	MW-4	6/7/01	1310	X	
804	L	G	HCl	CE-2	6/7/01	1330	X	
805	L	G	HCl	CE-1	6/7/01	1350	X	
806	L	G	HCl	TRIP BLANK			X	

MATRIX S=SOIL, L=LIQUID, SL=SLUDGE, A=AIR, W=WIPE; P=PAINT CHIPS; B=BULK MATERIAL
 TYPE G=GRAB; C=COMPOSITE, SS=SPLIT SPOON

RELINQUISHED BY (SIGNATURE) DATE RECEIVED BY LAB (SIGNATURE) PRINTED NAME DATE RECEIVED BY LAB (SIGNATURE) PRINTED NAME

Paul Woodward 1/10/01 Paul Woodward 1/10/01
 RELINQUISHED BY (SIGNATURE) DATE TIME PRINTED NAME DATE TIME PRINTED NAME

Comments / Instructions
 CE-2 finger print 22

NON-HAZARDOUS WASTE MANIFEST

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No. n/a	Manifest Document No. 21149	2. Page 1 of 1
3. Generator's Name and Mailing Address FYN PAINT NORTH FIRST STREET BROOKLYN, NY				
4. Generator's Phone ()				
5. Transporter 1 Company Name RAPID WASTE DISPOSAL, INC.		6. US EPA ID Number NYR000076141	A. State Transporter's ID LA-615	
7. Transporter 2 Company Name PREFERRED LOGISTICS, INC.		8. US EPA ID Number N/A	B. Transporter 1 Phone 631-391-0131 C. State Transporter's ID 607/ML WA D. Transporter 2 Phone 631-243-2612	
9. Designated Facility Name and Site Address VEXOR TECHNOLOGY, INC. 955 WEST SMITH ROAD MEDINA, OH 44256		10. US EPA ID Number OHD077772895	E. State Facility's ID N/A F. Facility's Phone 330-721-9773	
11. WASTE DESCRIPTION <i>large black water</i>		12. Containers No. 3 Type DM	13. Total Quantity 165	14. Unit Wt./Vol. G
a.				
b.				
c.				
d.				
G. Additional Descriptions for Materials Listed Above			H. Handling Codes for Wastes Listed Above	
15. Special Handling Instructions and Additional Information *IN CASE OF EMERGENCY CALL 631-391-0131 24HRS*				
16. GENERATOR'S CERTIFICATION: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this manifest are not subject to federal hazardous waste regulations.				
Printed/Typed Name <i>Ed S. Rickland</i>		Signature <i>E. Rickland</i>		Date 06/26/01
17. Transporter 1 Acknowledgement of Receipt of Materials				
Printed/Typed Name <i>Fred J. Capano</i>		Signature <i>F.J. Capano</i>		Date 06/26/01
18. Transporter 2 Acknowledgement of Receipt of Materials				
Printed/Typed Name <i>Steve Price</i>		Signature <i>Steve Price</i>		Date 06/28/01
19. Discrepancy Indication Space				
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this manifest, except as noted in Item 19.				
Printed/Typed Name <i>Pat O'Donnell</i>		Signature <i>Pat O'Donnell</i>		Date 06/29/01

NON-HAZARDOUS WASTE MANIFEST

Please print or type (Form designed for use on elite (12 pitch) typewriter)

GENERATOR	NON-HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No.	Manifest Document No.	2. Page 1 of 1		
	3. Generator's Name and Mailing Address		A.Y. & S. 227 South 2nd Street Waukesha, WI				
	4. Generator's Phone ()		FAX: (262) 248-2112				
	5. Transporter 1 Company Name		6. US EPA ID Number	A. State Transporter's ID	B. Transporter 1 Phone (262) 274-3320		
	6. Transporter 2 Company Name		7. US EPA ID Number	C. State Transporter's ID	D. Transporter 2 Phone		
	9. Designated Facility Name and Site Address		10. US EPA ID Number	E. State Facility's ID	F. Facility's Phone (262) 274-3320		
	11. WASTE DESCRIPTION			12. Containers No.	13. Total Quantity	14. Unit Wt./Vol.	
	a.			S Drums	4000	L	
	b.						
	c.						
	d.						
	G. Additional Descriptions for Materials Listed Above			H. Handling Codes for Wastes Listed Above			
	15. Special Handling Instructions and Additional Information SHIPMENT NUMBER: 38242 TRANSPORTER NUMBER: (262) 274-3320						
	Date						
	Printed/Typed Name		Signature		Month	Day	Year
	Date						
	17. Transporter 1 Acknowledgement of Receipt of Materials		Signature		Month	Day	Year
	Printed/Typed Name		Signature		6/20	20	2000
	Date						
	18. Transporter 2 Acknowledgement of Receipt of Materials		Signature		Month	Day	Year
Printed/Typed Name		Signature		6/20	20	2000	
Date							
19. Discrepancy Indication Space							
Date							
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this manifest, except as noted in item 19.		Signature		Month	Day	Year	
Printed/Typed Name		Signature		6/20	20	2000	

Table 1
Volatile Organic Compounds ($\mu\text{g/L}$)
EPA Method 8260

Analyte	TW-1	TW-2	TW-3	Groundwater Standard*
BENZENE	<350	<2,500	<12,500	1
BROMOBENZENE	<2,500	<2,500	<12,500	5
BROMOCHLOROMETHANE	<2,500	<2,500	<12,500	5
BROMODICHLOROMETHANE	<2,500	<2,500	<12,500	50
BROMOFORM	<2,500	<2,500	<12,500	50
BROMOMETHANE	<2,500	<2,500	<12,500	5
n-BUTYLBENZENE	<2,500	<2,500	<12,500	5
Sec-BUTYLBENZENE	<2,500	<2,500	<12,500	5
Tert-BUTYLBENZENE	<2,500	<2,500	<12,500	5
CARBON TETRACHLORIDE	<2,500	<2,500	<12,500	5
CHLOROBENZENE	<2,500	<2,500	<12,500	5
CHLORODIBROMOMETHANE	<2,500	<2,500	<12,500	NS
CHLOROETHANE	<2,500	<2,500	<12,500	5
CHLOROFORM	<2,500	<2,500	<12,500	7
CHLOROMTHANE	<2,500	<2,500	<12,500	NS
2-CHLOROTOLUENE	<2,500	<2,500	<12,500	5
4-CHLOROTOLUENE	<2,500	<2,500	<12,500	5
1,2-DIBROMO-3-CHLOROPROPANE	<2,500	<2,500	<12,500	0.04
1,2-DIBROMOETHANE	<2,500	<2,500	<12,500	5
DIBROMOETHANE	<2,500	<2,500	<12,500	5
1,2-DICHLOROBENZENE	<2,500	<2,500	<12,500	5
1,3-DICHLOROBENZENE	<2,500	<2,500	<12,500	5
1,4-DICHLOROBENZENE	<2,500	<2,500	<12,500	5
DICHLORODIFLUOROMETHANE	<2,500	<2,500	<12,500	5
1,1-DICHLOROETHANE	<2,500	<2,500	<12,500	5
1,2-DICHLOROETHANE	<2,500	<2,500	<12,500	0.6
1,1-DICHLOROETHENE	<2,500	<2,500	<12,500	5
Cis-1,2-DICHLOROETHENE	<2,500	<2,500	<12,500	5
Trans-1,2-DICHLOROETHENE	<2,500	<2,500	<12,500	5
1,2-DICHLOROPROPANE	<2,500	<2,500	<12,500	1
1,3-DICHLOROPROPANE	<2,500	<2,500	<12,500	5
2,2-DICHLOROPROPANE	<2,500	<2,500	<12,500	5

EPA 8260 continued

Analyte	TW-1	TW-2	TW-3	Groundwater Standard*
1,1-DICHLOROPROPENE	<2,500	<2,500	<12,500	5
ETHYLBENZENE	6,357	7,289	74,258	5
HEXACHLOROBUTADIENE	<2,500	<2,500	<12,500	0.5
ISOPROPYLtolUENE	<2,500	<2,500	<12,500	5
p-ISOPROPYLtolUENE	<2,500	<2,500	<12,500	NS
METHYLENE CHLORIDE	7,784	6,633	<12,500	5
NAPHTHALENE	<2,500	<2,500	<12,500	10
n-PROPYLBENZENE	<2,500	<2,500	<12,500	5
STYRENE	<2,500	<2,500	<12,500	5
1,1,1,2-TETRACHLOROETHANE	<2,500	<2,500	<12,500	5
1,1,2,2-TETRACHLOROETHANE	<2,500	<2,500	<12,500	5
TETRACHLOROETHENE	<2,500	<2,500	<12,500	5
TOLUENE	241,037	175,131	125,718	5
1,2,3-TRICHLOROBENZENE	<2,500	<2,500	<12,500	5
1,2,4-TRICHLOROBENZENE	<2,500	<2,500	<12,500	5
1,1,1-TRICHLOROETHANE	<2,500	<2,500	<12,500	5
1,1,2-TRICHLOROETHENE	<2,500	<2,500	<12,500	1
TRICHLOROETHENE	<2,500	<2,500	<12,500	5
TRICHLOROFUOROMETHANE	<2,500	<2,500	<12,500	5
1,2,3-TRICHLOROPROPANE	<2,500	<2,500	<12,500	5
1,3,5-TRIMETHYLBENZENE	<2,500	<2,500	<12,500	5
1,2,4-TRIMETHYLBENZENE	<2,500	<2,500	<12,500	5
VINYL CHLORIDE	<2,500	<2,500	<12,500	2
ACETONE	5,006,000	10,558,250	365,208	50
CARBON DISULFIDE	<2,500	<2,500	<12,500	NS
2-BUTANONE (MEK)	21,190	35,826	<12,500	NS
VINYL ACETATE	<2,500	<2,500	<12,500	NA
2-HEXANONE	<2,500	<2,500	<12,500	NS
P&m-XYLENE	28,385	32,074	342,519	5
o-XYLENE	9,352	11,383	110,134	5

U = Undetectable, Results Below Method Detection limit

Results in $\mu\text{g/L}$

Bold value represents concentration exceeding Guidance Value.

NS = No Standard

Standard from NYSDEC TOGS Ambient Water Quality Standards, June 1998.

< = Below laboratories reported detection limit

Table 1 indicates, the results of the EPA 8260 analyses have reported elevated concentration of Volatile Organic Compounds in the each groundwater samples



SUMMARY OF SITE RELATED NYSDEC SPILL NUMBERS

NY Spill #	Location	Spiller	Spill Date	Close Date	Comments
9004154	N 1st Terminal 214 Kent Av.	ConEd	07/15/90	07/15/90	420 gal. #6 F.O., overfill
9007240	N 1st Terminal & Kent Av.	Bouchard Barge #115	10/02/90	06/07/95	15 gal. #6 F.O., leaked from barge into river
9007596	N 1st Terminal & Kent Av.	ConEd	10/10/90		15,000 gal. #6 F.O., tank failure
9009234	N 1st Terminal & Kent Av.	ConEd	11/24/90	11/24/90	400 gal. #6 F.O., leak from barge hose to E . River
9106388	N 1st Terminal & Kent Av.	ConEd	09/13/91		500 gal. diesel, spilled on roof of storage tank, contained
9412417 - 9412429	214 Kent Av.	ConEd	12/16/94		200 gal. #6 F.O., equip. failure, contained in steel moat
9604977	214 Kent Av.	Paint factory	07/15/96		caller believed soil contamination was comming from paint factory
9606882	214 Kent Av.	ConEd	08/29/96		3 gal. #6 F.O., equip. failure
9611792	N 1st Terminal 214 Kent Av.	ConEd	12/30/96		10 gal. #6 F.O., equip. failure
9700566	214 Kent St.	ConEd	04/12/97		20 gal. #6 F.O., leaking oil pump seal, spill contained in moat
9812775	214 Kent Av.	ConEd	01/17/99		2 gal. #6 F.O., vacuum truck hose leak
9901816	214 Kent Av.	Unknown	05/17/99		passing truck leaked hydro oil

Client: Leggette, Brashears, & Graham Inc.	Client ID: FYN Paint Brooklyn (MW-6)
Date received: 06/07/01	Laboratory ID: 0018794
Date extracted: NA	Matrix: Liquid
Date analyzed: 06/08/01	Contractor: 11418

EPA METHOD 8260

Parameter	CAS No.	Results ug/L
1,2-DICHLOROPROPANE	78-87-5	<1
1,3-DICHLOROPROPANE	142-28-9	<1
2,2-DICHLOROPROPANE	594-20-7	<1
1,1-DICHLOROPROPENE	563-58-6	<1
ETHYLBENZENE	100-41-4	55
HEXACHLOROBUTADIENE	87-68-3	<1
ISOPROPYLBENZENE	98-82-8	<1
p-ISOPROPYLtolUENE	99-87-6	<1
METHYLENE CHLORIDE	75-09-2	<1
NAPHTHALENE	91-20-3	<1
n-PROPYLBENZENE	103-65-1	<1
STYRENE	100-42-5	<1
1,1,1,2-TETRACHLOROETHANE	630-20-6	<1
1,1,2,2-TETRACHLOROETHANE	79-34-5	<1
TETRACHLOROETHENE	127-18-4	29
TOLUENE	108-88-3	61
1,2,3-TRICHLOROBENZENE	87-61-6	<1
1,2,4-TRICHLOROBENZENE	120-82-1	<1
1,1,1-TRICHLOROETHANE	71-55-6	<1
1,1,2-TRICHLOROETHANE	79-00-5	<1
TRICHLOROETHENE	79-01-6	76
TRICHLOROFLUOROMETHANE	75-69-4	<1
1,2,3-TRICHLOROPROPANE	96-18-4	<1
1,3,5-TRIMETHYLBENZENE	108-67-8	<1
1,2,4-TRIMETHYLBENZENE	95-63-6	<1
VINYL CHLORIDE	75-01-4	<1
ACETONE	62-64-1	<1
CARBON DISULFIDE	75-15-0	<1
2-BUTANONE	78-93-3	<1
VINYL ACETATE	108-05-4	<1
4-METHYL-2-PENTANONE	108-10-1	<1
2-HEXANONE	591-78-6	<1
XYLEMES (TOTAL)	1330-20-7	200

Jon Beyer
Laboratory Director

Client: Leggette, Brashears, & Graham Inc.	Client ID: FYN Paint Brooklyn (MW-6)
Date received: 06/07/01	Laboratory ID: 0018794
Date extracted: 06/08/01	Matrix: Liquid
Date analyzed: 06/08/01-06/12/01	Contractor: 11418

EPA METHOD 8270

Parameter	CAS No.	Results ug/L
PYRIDINE	110-86-1	<5
N-NITROSO-DI-METHYLAMINE	62-75-9	<5
ANILINE	62-53-3	<5
Bis(2-CHLOROETHYL)ETHER	111-44-4	<5
PHENOL	108-95-1	<5
2-CHLOROPHENOL	95-57-8	<5
1,3-DICHLOROBENZENE	541-73-1	<5
1,4-DICHLOROBENZENE	106-46-7	<5
1,2-DICHLOROBENZENE	95-50-1	<5
BENZYL ALCOHOL	100-51-6	<5
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	<5
2-METHYLPHENOL	95-48-7	<5
HEXACHLOROETHANE	67-72-1	<5
N-NITROSODI-N-PROPYL AMINE	621-64-7	<5
3+4-METHYLPHENOL	106-44-5/108-39-4	<5
NITROBENZENE	98-95-3	<5
ISOPHORONE	78-59-1	<5
2-NITROPHENOL	88-75-5	<5
2,4-DIMETHYLPHENOL	105-67-9	<5
BENZOIC ACID	65-85-0	<5
Bis(2-CHLOROETHOXY)METHANE	111-91-1	<5
2,4-DICHLOROPHENOL	102-83-2	<5
1,2,4-TRICHLOROBENZENE	120-82-1	<5
NAPHTHALENE	91-20-3	<5
4-CHLOROANILINE	106-47-8	<5
HEXACHLOROBUTADIENE	87-68-3	<5
4-CHLORO-3-METHYLPHENOL	59-50-7	<5
2-METHYLNAPHTHALENE	91-57-6	<5
HEXACHLOROCYCLOPENTADIENE	77-47-4	<5
2,4,6-TRICHLOROPHENOL	88-06-2	<5
2,4,5-TRICHLOROPHENOL	95-95-4	<5
2-CHLORONAPHTHALENE	91-58-7	<5
2-NITROANILINE	88-74-4	<5
ACENAPHTHYLENE	208-96-8	<5
DIMETHYLPHTHALATE	131-11-3	<5
2,6-DINITROTOLUENE	606-20-2	<5

Dr. Bayes
Laboratory Director

Client: Leggette, Brashears, & Graham Inc.	Client ID: FYN Paint Brooklyn (MW-6)
Date received: 06/07/01	Laboratory ID: 0018794
Date extracted: 06/08/01	Matrix: Liquid
Date analyzed: 06/08/01-06/12/01	Contractor: 11418

EPA METHOD 8270

Parameter	CAS No.	Results ug/L
ACENAPHTHENE	83-32-9	<5
3-NITROANILINE	99-09-2	<5
2,4-DINITROPHENOL	51-28-5	<5
DIBENZOFURAN	132-64-9	<5
2,4-DINTROTOLUENE	121-14-2	<5
4-NITROPHENOL	100-02-7	<5
FLUORENE	86-73-7	<5
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	<5
AZOBENZENE	103-33-3	<5
DIETHYLPHthalATE	84-66-2	<5
4-NITROANILINE	100-01-6	<5
4,6-DINITRO-2-METHYLPHENOL	534-52-1	<5
N-NITROSO-DI-PHENYLAMINE	86-30-6	<5
4-BROMOPHENYL-PHENYL ETHER	101-55-3	<5
HEXACHLOROBENZENE	118-74-1	<5
PENTACHLOROPHENOL	87-86-5	<5
PHENANTHRENE	85-01-8	<5
ANTHRACENE	120-12-7	<5
CARBAZOLE	86-74-8	<5
DI-N-BUTYLPHthalATE	84-74-2	<5
FLUORANTHENE	206-44-0	<5
BENZIDINE	92-87-5	<5
PYRENE	129-00-0	<5
BUTYLBENZYLPHthalATE	85-68-7	<5
3,3-DICHLOROBENZIDINE	91-94-1	<5
BENZO-(a)-ANTHRACENE	56-55-3	<5
CHRYSENE	218-01-9	<5
Bis(2-ETHYLHEXYL)PHTHALATE	117-81-7	<5
DI-N-OCTYLPHthalATE	117-84-0	<5
BENZO-(b)-FLUORANTHENE	205-99-2	<5
BENZO-(k) FLUORANTHENE	207-08-9	<5
BENZO-(a)-PYRENE	50-32-8	<5
INDENO(1,2,3-c,d)PYRENE	193-39-5	<5
DIBENZO-(a,h)-ANTHRACENE	53-70-3	<5
BENZO-(g,h,i)-PERYLENE	191-24-2	<5

Tom Beyer
Laboratory Director

Client: Leggette, Brashears, & Graham Inc.	Client ID: FYN Paint Brooklyn (MW-7)
Date received: 06/07/01	Laboratory ID: 0018795
Date extracted: NA	Matrix: Liquid
Date analyzed: 06/08/01	Contractor: 11418

EPA METHOD 8260

Parameter	CAS No.	Results ug/L
BENZENE	71-43-2	<1
BROMOBENZENE	108-86-1	<1
BROMOCHLOROMETHANE	74-97-5	<1
BROMODICHLOROMETHANE	75-27-4	<1
BROMOFORM	75-25-2	<1
BROMOMETHANE	74-83-9	<1
n-BUTYLBENZENE	104-51-8	<1
sec-BUTYLBENZENE	135-98-8	<1
tert-BUTYLBENZENE	98-06-6	<1
CARBON TETRACHLORIDE	56-23-5	<1
CHLOROBENZENE	108-90-7	<1
CHLORODIBROMOMETHANE	124-48-1	<1
CHLOROETHANE	75-00-3	<1
CHLOROFORM	67-66-3	<1
CHLOROMETHANE	74-87-3	<1
2-CHLOROTOLUENE	95-49-8	<1
4-CHLOROTOLUENE	106-43-4	<1
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	<1
1,2-DIBROMOETHANE	106-93-4	<1
DIBROMOMETHANE	74-95-3	<1
1,2-DICHLOROBENZENE	95-50-1	<1
1,3-DICHLOROBENZENE	541-73-1	<1
1,4-DICHLOROBENZENE	106-46-7	<1
DICHLORODIFLUOROMETHANE	75-71-8	<1
1,1-DICHLOROETHANE	75-34-3	9
1,2-DICHLOROETHANE	107-06-2	<1
1,1-DICHLOROETHENE	75-35-4	<1
cis-1,2-DICHLOROETHENE	156-59-2	<1
trans-1,2-DICHLOROETHENE	156-60-5	<1

Tom Beyer
Laboratory Director

Client: Leggette, Brashears, & Graham Inc.	Client ID: FYN Paint Brooklyn (MW-7)
Date received: 06/07/01	Laboratory ID: 0018795
Date extracted: NA	Matrix: Liquid
Date analyzed: 06/08/01	Contractor: 11418

EPA METHOD 8260

Parameter	CAS No.	Results ug/L
1,2-DICHLOROPROPANE	78-87-5	<1
1,3-DICHLOROPROPANE	142-28-9	<1
2,2-DICHLOROPROPANE	594-20-7	<1
1,1-DICHLOROPROPENE	563-58-6	<1
ETHYLBENZENE	100-41-4	<1
HEXACHLOROBUTADIENE	87-68-3	<1
ISOPROPYLBENZENE	98-82-8	<1
p-ISOPROPYLtolUENE	99-87-6	<1
METHYLENE CHLORIDE	75-09-2	<1
NAPHTHALENE	91-20-3	<1
n-PROPYLBENZENE	103-65-1	<1
STYRENE	100-42-5	<1
1,1,1,2-TETRACHLOROETHANE	630-20-6	<1
1,1,2,2-TETRACHLOROETHANE	79-34-5	<1
TETRACHLOROETHENE	127-18-4	<1
TOLUENE	108-88-3	16
1,2,3-TRICHLOROBENZENE	87-61-6	<1
1,2,4-TRICHLOROBENZENE	120-82-1	<1
1,1,1-TRICHLOROETHANE	71-55-6	9
1,1,2-TRICHLOROETHANE	79-00-5	<1
TRICHLOROETHENE	79-01-6	<1
TRICHLOROFLUOROMETHANE	75-69-4	<1
1,2,3-TRICHLOROPROPANE	96-18-4	<1
1,3,5-TRIMETHYLBENZENE	108-67-8	<1
1,2,4-TRIMETHYLBENZENE	95-63-6	<1
VINYL CHLORIDE	75-01-4	<1
ACETONE	62-64-1	65
CARBON DISULFIDE	75-15-0	<1
2-BUTANONE	78-93-3	<1
VINYL ACETATE	108-05-4	<1
4-METHYL-2-PENTANONE	108-10-1	<1
2-HEXANONE	591-78-6	<1
XYLEMES (TOTAL)	1330-20-7	6

for Beyer
Laboratory Director

Client: Leggette, Brashears, & Graham Inc.	Client ID: FYN Paint Brooklyn (MW-7)
Date received: 06/07/01	Laboratory ID: 0018795
Date extracted: 06/08/01	Matrix: Liquid
Date analyzed: 06/12/01-06/14/01	Contractor: 11418

EPA METHOD 8270

Parameter	CAS No.	Results ug/L
PYRIDINE	110-86-1	<5
N-NITROSO-DI-METHYLAMINE	62-75-9	<5
ANILINE	62-53-3	<5
Bis(2-CHLOROETHYL)ETHER	111-44-4	<5
PHENOL	108-95-1	<5
2-CHLOROPHENOL	95-57-8	<5
1,3-DICHLOROBENZENE	541-73-1	<5
1,4-DICHLOROBENZENE	106-46-7	<5
1,2-DICHLOROBENZENE	95-50-1	<5
BENZYL ALCOHOL	100-51-6	<5
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	<5
2-METHYLPHENOL	95-48-7	<5
HEXACHLOROETHANE	67-72-1	<5
N-NITROSODI-N-PROPYL AMINE	621-64-7	<5
3+4-METHYLPHENOL	106-44-5/108-39-4	<5
NITROBENZENE	98-95-3	<5
ISOPHORONE	78-59-1	<5
2-NITROPHENOL	88-75-5	<5
2,4-DIMETHYLPHENOL	105-67-9	<5
BENZOIC ACID	65-85-0	<5
Bis(2-CHLOROETHOXY)METHANE	111-91-1	<5
2,4-DICHLOROPHENOL	102-83-2	<5
1,2,4-TRICHLOROBENZENE	120-82-1	<5
NAPHTHALENE	91-20-3	<5
4-CHLOROANILINE	106-47-8	<5
HEXACHLOROBUTADIENE	87-68-3	<5
4-CHLORO-3-METHYLPHENOL	59-50-7	<5
2-METHYLNAPHTHALENE	91-57-6	<5
HEXACHLOROCYCLOPENTADIENE	77-47-4	<5
2,4,6-TRICHLOROPHENOL	88-06-2	<5
2,4,5-TRICHLOROPHENOL	95-95-4	<5
2-CHLORONAPHTHALENE	91-58-7	<5
2-NITROANILINE	88-74-4	<5
ACENAPHTHYLENE	208-96-8	<5
DIMETHYLPHthalate	131-11-3	<5
2,6-DINITROTOLUENE	606-20-2	<5

Sue Beyer
Laboratory Director

Client: Leggette, Brashears, & Graham Inc.	Client ID: FYN Paint Brooklyn (MW-7)
Date received: 06/07/01	Laboratory ID:0018795
Date extracted: 06/08/01	Matrix: Liquid
Date analyzed: 06/12/01-06/14/01	Contractor: 11418

EPA METHOD 8270

Parameter	CAS No.	Results ug/L
ACENAPHTHENE	83-32-9	<5
3-NITROANILINE	99-09-2	<5
2,4-DINITROPHENOL	51-28-5	<5
DIBENZOFURAN	132-64-9	<5
2,4-DINTROTOLUENE	121-14-2	<5
4-NITROPHENOL	100-02-7	<5
FLUORENE	86-73-7	<5
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	<5
AZOBENZENE	103-33-3	<5
DIETHYLPHthalATE	84-66-2	<5
4-NITROANILINE	100-01-6	<5
4,6-DINITRO-2-METHYLPHENOL	534-52-1	<5
N-NITROSO-DI-PHENYLAMINE	86-30-6	<5
4-BROMOPHENYL-PHENYL ETHER	101-55-3	<5
HEXACHLOROBENZENE	118-74-1	<5
PENTACHLOROPHENOL	87-86-5	<5
PHENANTHRENE	85-01-8	<5
ANTHRACENE	120-12-7	<5
CARBAZOLE	86-74-8	<5
DI-N-BUTYLPHthalATE	84-74-2	<5
FLUORANTHENE	206-44-0	<5
BENZIDINE	92-87-5	<5
PYRENE	129-00-0	<5
BUTYLBENZYLPHthalATE	85-68-7	<5
3,3-DICHLOROBENZIDINE	91-94-1	<5
BENZO-(a)-ANTHRACENE	56-55-3	<5
CHRYSENE	218-01-9	<5
Bis(2-ETHYLHEXYL)PHTHALATE	117-81-7	<5
DI-N-OCTYLPHthalATE	117-84-0	<5
BENZO-(b)-FLUORANTHENE	205-99-2	<5
BENZO-(k) FLUORANTHENE	207-08-9	<5
BENZO-(a)-PYRENE	50-32-8	<5
INDENO(1,2,3-c,d)PYRENE	193-39-5	<5
DIBENZO-(a,h)-ANTHRACENE	53-70-3	<5
BENZO-(g,h,i)-PERYLENE	191-24-2	<5

Joe Beyer
Laboratory Director

Client: Leggette, Brashears, & Graham Inc.	Client ID: FYN Paint Brooklyn (GP-1)
Date received: 06/07/01	Laboratory ID: 0018796
Date extracted: NA	Matrix: Liquid
Date analyzed: 06/08/01	Contractor: 11418

EPA METHOD 8260

Parameter	CAS No.	Results ug/L
BENZENE	71-43-2	<1
BROMOBENZENE	108-86-1	<1
BROMOCHLOROMETHANE	74-97-5	<1
BROMODICHLOROMETHANE	75-27-4	<1
BROMOFORM	75-25-2	<1
BROMOMETHANE	74-83-9	<1
n-BUTYLBENZENE	104-51-8	<1
sec-BUTYLBENZENE	135-98-8	<1
tert-BUTYLBENZENE	98-06-6	<1
CARBON TETRACHLORIDE	56-23-5	<1
CHLOROBENZENE	108-90-7	<1
CHLORODIBROMOMETHANE	124-48-1	<1
CHLOROETHANE	75-00-3	<1
CHLOROFORM	67-66-3	<1
CHLOROMETHANE	74-87-3	<1
2-CHLOROTOLUENE	95-49-8	<1
4-CHLOROTOLUENE	106-43-4	<1
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	<1
1,2-DIBROMOETHANE	106-93-4	<1
DIBROMOMETHANE	74-95-3	<1
1,2-DICHLOROBENZENE	95-50-1	<1
1,3-DICHLOROBENZENE	541-73-1	<1
1,4-DICHLOROBENZENE	106-46-7	<1
DICHLORODIFLUOROMETHANE	75-71-8	<1
1,1-DICHLOROETHANE	75-34-3	<1
1,2-DICHLOROETHANE	107-06-2	<1
1,1-DICHLOROETHENE	75-35-4	<1
cis-1,2-DICHLOROETHENE	156-59-2	<1
trans-1,2-DICHLOROETHENE	156-60-5	<1


Len Beyer
Laboratory Director

Client: Leggette, Brashears, & Graham Inc.	Client ID: FYN Paint Brooklyn (GP-1)
Date received: 06/07/01	Laboratory ID: 0018796
Date extracted: NA	Matrix: Liquid
Date analyzed: 06/08/01	Contractor: 11418

EPA METHOD 8260

Parameter	CAS No.	Results ug/L
1,2-DICHLOROPROPANE	78-87-5	<1
1,3-DICHLOROPROPANE	142-28-9	<1
2,2-DICHLOROPROPANE	594-20-7	<1
1,1-DICHLOROPROPENE	563-58-6	<1
ETHYLBENZENE	100-41-4	<1
HEXACHLOROBUTADIENE	87-68-3	<1
ISOPROPYLBENZENE	98-82-8	<1
p-ISOPROPYLtolUENE	99-87-6	<1
METHYLENE CHLORIDE	75-09-2	<1
NAPHTHALENE	91-20-3	<1
n-PROPYLBENZENE	103-65-1	<1
STYRENE	100-42-5	<1
1,1,1,2-TETRACHLOROETHANE	630-20-6	<1
1,1,2,2-TETRACHLOROETHANE	79-34-5	<1
TETRACHLOROETHENE	127-18-4	<1
TOLUENE	108-88-3	<1
1,2,3-TRICHLOROBENZENE	87-61-6	<1
1,2,4-TRICHLOROBENZENE	120-82-1	<1
1,1,1-TRICHLOROETHANE	71-55-6	<1
1,1,2-TRICHLOROETHANE	79-00-5	<1
TRICHLOROETHENE	79-01-6	<1
TRICHLOROFLUOROMETHANE	75-69-4	<1
1,2,3-TRICHLOROPROPANE	96-18-4	<1
1,3,5-TRIMETHYLBENZENE	108-67-8	<1
1,2,4-TRIMETHYLBENZENE	95-63-6	<1
VINYL CHLORIDE	75-01-4	<1
ACETONE	62-64-1	<1
CARBON DISULFIDE	75-15-0	<1
2-BUTANONE	78-93-3	<1
VINYL ACETATE	108-05-4	<1
4-METHYL-2-PENTANONE	108-10-1	<1
2-HEXANONE	591-78-6	<1
XYLEMES (TOTAL)	1330-20-7	7

Tom Beyer
Laboratory Director



FYN PAINT AND LACQUER CO., INC.
230 KENT AVENUE
BROOKLYN, NEW YORK

PROPOSED SUPPLEMENTAL INVESTIGATION

LEGGETTE, BRASHEARS & GRAHAM, INC.
Professional Ground Water and Environmental Engineering Services
110 Corporate Park Drive
Suite 112
White Plains, NY 10604
(914) 694-5711

0
100

DRAWN: TLC CHECKED: PW DATE: 10/22/02 FIGURE: 1