

The Tyree Company

Latham

1 Northway Lane, Latham, NY 12110 Fax: 518-786-7351 Phone: 518-786-3200

Ms. Melissa Mastro

New York State Department of Environmental Conservation

21 South Putt Corners Road

New Paltz, New York 12561-1696

**RE: Potable Well Data Review
Horns Park Neighborhood
Hyde Park, New York
Dutchess County
NYSDEC Spill Number 00-02078**

Dear Ms. Mastro

The Tyree Company was requested by the Department to review the available water quality data for the potable well at 203 Horns Park Road (Cappillino Residence) Hyde Park, New York and to collect water samples from the surrounding properties' potable wells. This data review was prompted by the initial detection (18 ppb) of the volatile organic compound Tetrachloroethene (PCE) in the April 7, 2005 lab analysis of the Whole House Filter System (WHFS) influent sample, and the subsequent increase in concentration to 200 ppb of PCE in the June 2, 2005 WHFS influent sample. The following is a summary of the data review and data collection results.

The Cappillino Residence had a WHFS installed in November 2000 following the detection of Methyl-tertiary-Butyl Ether (MtBE) in the potable well. The source for the MtBE was an apparent fuel oil leak on the property. The April 7, 2005 sample event was part of the routine quarterly WHFS sampling for this property. Following the noted increase in the June 2, 2005 sample, water samples were collected on June 23, 2005 from the on-site septic system, and on July 23, 2005 from the on-site groundwater monitoring wells. The groundwater monitoring wells were installed in November 2000 in response to a fuel oil spill. PCE was not detected in these samples. Laboratory analytical reports are attached.

Water samples were collected from the adjoining properties at 24 Horns Park Road (Lown Residence), and 202 Horns Park Road (Ferreti Residence) on July 21, 2005 and September 30, 2005, respectively, and were analyzed for VOCs using EPA Method 8260. The results indicate that the compounds MtBE and PCE were not detected in the sample from 24 Horns Park Rd. MtBE and PCE were detected in the sample from 202 Horns Park Rd at concentrations of 2.2 ppb and 11 ppb respectively.

The Ferreti Residence has a WHFS that was reportedly installed by the property owner in early 2004. Laboratory analytical reports for sampling performed in 2004 identified the presence of MtBE at a concentration of 20ppb in the influent sample. Tyree attempted to collect water samples from other adjoining properties in the Horns Park neighborhood, however, there were no responses to written and verbal requests. The sampling attempts

USGS Hyde Park, New York, United States 01 Jul 1989




Image courtesy of the U.S. Geological Survey

Tyres
Company
Latham, New York

SITE LOCATION MAP
203 Horns Park Road
Hyde Park, New York

Figure 1

Scale: Not to Scale



Experience is the solution

314 North Pearl Street • Albany, New York 12207
(800) 848-4983 • (518) 434-4546 • Fax (518) 434-0891

October 06, 2005

Pete DeCicco
NYS DEC - Region 3
21 South Putts Corners
New Paltz, NY 12561

TEL: (845) 256-3109

FAX: (845) 255-2987

Work Order No: 050930053

PO#: C200302

Spill # / Pin #: 0002078 / 01413

RE: 202 Horns Park Rd
Hyde Park NY

Dear Pete DeCicco:

Adirondack Environmental Services, Inc received 3 samples on 9/30/2005 for the analyses presented in the following report.

There were no problems with the analyses and all associated QC met EPA or laboratory specifications, except if noted.

If you have any questions regarding these tests results, please feel free to call.

Sincerely,

ELAP#: 10709
AIHA#: 100307

Tara Daniels
Laboratory Manager

CC: The Tyres Org.-G.Sprague/EDD

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

T - Tentatively Identified Compound-Estimated Conc.

E - Value above quantitation range

Page 1 of 4

Adirondack Environmental Services, Inc

Date: 06-Oct-05

CLIENT: NYS DEC - Region 3
Work Order: 050930053
Project: 202 Horns Park Rd
PO#: C200302

Client Sample ID: Mid
Collection Date: 9/30/2005
Lab Sample ID: 050930053-002
Matrix: DRINKING WATER

Spill # / Pin #: 0002078 / 01413

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
						Analyst: SO
AROMATIC VOLATILE ORGANICS E502.2						10/4/2005 3:26:32 PM
Methyl tert-butyl ether	<2.0	2.0		µg/L	1	10/4/2005 3:26:32 PM
Benzene	<0.5	0.5		µg/L	1	10/4/2005 3:26:32 PM
Trichloroethene	<0.5	0.5		µg/L	1	10/4/2005 3:26:32 PM
Toluene	<0.5	0.5		µg/L	1	10/4/2005 3:26:32 PM
Tetrachloroethene	<0.5	0.5		µg/L	1	10/4/2005 3:26:32 PM
Chlorobenzene	<0.5	0.5		µg/L	1	10/4/2005 3:26:32 PM
Ethylbenzene	<0.5	0.5		µg/L	1	10/4/2005 3:26:32 PM
m,p-Xylene	<0.5	0.5		µg/L	1	10/4/2005 3:26:32 PM
o-Xylene	<0.5	0.5		µg/L	1	10/4/2005 3:26:32 PM
Styrene	<0.5	0.5		µg/L	1	10/4/2005 3:26:32 PM
Isopropylbenzene	<0.5	0.5		µg/L	1	10/4/2005 3:26:32 PM
n-Propylbenzene	<0.5	0.5		µg/L	1	10/4/2005 3:26:32 PM
Bromobenzene	<0.5	0.5		µg/L	1	10/4/2005 3:26:32 PM
1,3,5-Trimethylbenzene	<0.5	0.5		µg/L	1	10/4/2005 3:26:32 PM
2-Chlorotoluene	<0.5	0.5		µg/L	1	10/4/2005 3:26:32 PM
4-Chlorotoluene	<0.5	0.5		µg/L	1	10/4/2005 3:26:32 PM
tert-Butylbenzene	<0.5	0.5		µg/L	1	10/4/2005 3:26:32 PM
1,2,4-Trimethylbenzene	<0.5	0.5		µg/L	1	10/4/2005 3:26:32 PM
sec-Butylbenzene	<0.5	0.5		µg/L	1	10/4/2005 3:26:32 PM
4-Isopropyltoluene	<0.5	0.5		µg/L	1	10/4/2005 3:26:32 PM
1,3-Dichlorobenzene	<0.5	0.5		µg/L	1	10/4/2005 3:26:32 PM
1,4-Dichlorobenzene	<0.5	0.5		µg/L	1	10/4/2005 3:26:32 PM
n-Butylbenzene	<0.5	0.5		µg/L	1	10/4/2005 3:26:32 PM
1,2-Dichlorobenzene	<0.5	0.5		µg/L	1	10/4/2005 3:26:32 PM
1,2,4-Trichlorobenzene	<0.5	0.5		µg/L	1	10/4/2005 3:26:32 PM
Hexachlorobutadiene	<0.5	0.5		µg/L	1	10/4/2005 3:26:32 PM
Naphthalene	<0.5	0.5		µg/L	1	10/4/2005 3:26:32 PM
1,2,3-Trichlorobenzene	<0.5	0.5		µg/L	1	10/4/2005 3:26:32 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

I - Tentatively Identified Compound-Estimated Conc.

E - Value above quantitation range



314 North Pearl Street
Albany, New York 12207
518-434-4546/434-0891 FAX

CHAIN OF CUSTODY RECORD

Experience is the solution

A full service analytical research laboratory offering solutions to environmental concerns

Client Name: NYS DEC - Proj 3		Address: 21 Satv Pkt - Corner New Paltz				
Send Report To: Dele Del: 110		Project Name (Location): 202 Houns Park Rd. High Park - Gutschen Project				
Client Phone No: 518-786-3272		Client Fax No: 518-786-3272				
PO Number: 0002078/01413		Samplers: (Names) [Signature]				
Samplers: (Signature) [Signature]						
AES Sample Number	Client Sample Identification & Location	Date Sampled	Time A-a.m. P-p.m.	Sample Type Matrix	Number of Cont's	Analysis Required
	Influent	9/30/05	1:00	A	2	502.2 + m + BE
	m.d		1:00	A	2	
	Effluent		1:00	A	2	
				A		
				P		
				A		
				P		
				A		
				P		
				A		
				P		
				A		
				P		
				A		
				P		
				A		
				P		
				A		
				P		
				A		
				P		

AES Work Order #:		CC Report To / Special Instructions/Remarks: CC : gsm@quebec-lab.org.com	
Turnaround Time Request: ☐ 1 Day ☐ 3 Day ☒ Normal ☐ 2 Day ☐ 5 Day			
Relinquished by: (Signature) [Signature]	Received by: (Signature) [Signature]	Date/Time 9/30 4:00 pm	
Relinquished by: (Signature)	Received by: (Signature)	Date/Time	
Relinquished by: (Signature)	Received for Laboratory by: [Signature]	Date/Time 9/30/05 4:13	
TEMPERATURE Ambient or Chilled Notes: _____	PROPERLY PRESERVED Y N Notes: _____	RECEIVED WITHIN HOLDING TIMES Y N Notes: _____	

WHITE - Lab Copy

YELLOW - Sampler Copy

PINK - Generator Copy

Adirondack Environmental Services, Inc.

Adirondack Environmental Services, Inc

Date: 28-Sep-05

CLIENT: NYS DEC - Region 3

Client Sample ID: Influent

Work Order: 050919039

Collection Date: 9/16/2005

Project: Capillini

Lab Sample ID: 050919039-001

PO#: C200302

Matrix: DRINKING WATER

Spill # / Pin #: 0802078/01413

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
AROMATIC VOLATILE ORGANICS E502.2						Analyst: MG
Methyl tert-butyl ether	< 10	10		µg/L	5	9/27/2005 1:06:05 PM
Benzene	< 2.5	2.5		µg/L	5	9/27/2005 1:06:05 PM
Trichloroethene	4.4	2.5		µg/L	5	9/27/2005 1:06:05 PM
Toluene	< 2.5	2.5		µg/L	5	9/27/2005 1:06:05 PM
Tetrachloroethene	460	2.5		µg/L	5	9/27/2005 1:06:05 PM
Chlorobenzene	< 2.5	2.5		µg/L	5	9/27/2005 1:06:05 PM
Ethylbenzene	< 2.5	2.5		µg/L	5	9/27/2005 1:06:05 PM
m,p-Xylene	< 2.5	2.5		µg/L	5	9/27/2005 1:06:05 PM
o-Xylene	< 2.5	2.5		µg/L	5	9/27/2005 1:06:05 PM
Styrene	< 2.5	2.5		µg/L	5	9/27/2005 1:06:05 PM
Isopropylbenzene	< 2.5	2.5		µg/L	5	9/27/2005 1:06:05 PM
n-Propylbenzene	< 2.5	2.5		µg/L	5	9/27/2005 1:06:05 PM
Bromobenzene	< 2.5	2.5		µg/L	5	9/27/2005 1:06:05 PM
1,3,5-Trimethylbenzene	< 2.5	2.5		µg/L	5	9/27/2005 1:06:05 PM
2-Chlorotoluene	< 2.5	2.5		µg/L	5	9/27/2005 1:06:05 PM
4-Chlorotoluene	< 2.5	2.5		µg/L	5	9/27/2005 1:06:05 PM
tert-Butylbenzene	< 2.5	2.5		µg/L	5	9/27/2005 1:06:05 PM
1,2,4-Trimethylbenzene	< 2.5	2.5		µg/L	5	9/27/2005 1:06:05 PM
sec-Butylbenzene	< 2.5	2.5		µg/L	5	9/27/2005 1:06:05 PM
4-Isopropyltoluene	< 2.5	2.5		µg/L	5	9/27/2005 1:06:05 PM
1,3-Dichlorobenzene	< 2.5	2.5		µg/L	5	9/27/2005 1:06:05 PM
1,4-Dichlorobenzene	< 2.5	2.5		µg/L	5	9/27/2005 1:06:05 PM
n-Butylbenzene	< 2.5	2.5		µg/L	5	9/27/2005 1:06:05 PM
1,2-Dichlorobenzene	< 2.5	2.5		µg/L	5	9/27/2005 1:06:05 PM
1,2,4-Trichlorobenzene	< 2.5	2.5		µg/L	5	9/27/2005 1:06:05 PM
Hexachlorobutadiene	< 2.5	2.5		µg/L	5	9/27/2005 1:06:05 PM
Naphthalene	< 2.5	2.5		µg/L	5	9/27/2005 1:06:05 PM
1,2,3-Trichlorobenzene	< 2.5	2.5		µg/L	5	9/27/2005 1:06:05 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

T - Tentatively Identified Compound-Estimated Conc.

E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 28-Sep-05

CLIENT: NYS DEC - Region 3

Client Sample ID: Effluent

Work Order: 050919039

Collection Date: 9/16/2005

Project: Capillini

Lab Sample ID: 050919039-003

PO#: C200302

Matrix: DRINKING WATER

Spill # / Pin #: 0802078/01413

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
AROMATIC VOLATILE ORGANICS E502.2						Analyst: MG
Methyl tert-butyl ether	< 2.0	2.0		µg/L	1	9/27/2005 2:58:38 PM
Benzene	< 0.5	0.5		µg/L	1	9/27/2005 2:58:38 PM
Trichloroethene	< 0.5	0.5		µg/L	1	9/27/2005 2:58:38 PM
Toluene	< 0.5	0.5		µg/L	1	9/27/2005 2:58:38 PM
Tetrachloroethene	< 0.5	0.5		µg/L	1	9/27/2005 2:58:38 PM
Chlorobenzene	< 0.5	0.5		µg/L	1	9/27/2005 2:58:38 PM
Ethylbenzene	< 0.5	0.5		µg/L	1	9/27/2005 2:58:38 PM
m,p-Xylene	< 0.5	0.5		µg/L	1	9/27/2005 2:58:38 PM
o-Xylene	< 0.5	0.5		µg/L	1	9/27/2005 2:58:38 PM
Styrene	< 0.5	0.5		µg/L	1	9/27/2005 2:58:38 PM
Isopropylbenzene	< 0.5	0.5		µg/L	1	9/27/2005 2:58:38 PM
n-Propylbenzene	< 0.5	0.5		µg/L	1	9/27/2005 2:58:38 PM
Bromobenzene	< 0.5	0.5		µg/L	1	9/27/2005 2:58:38 PM
1,3,5-Trimethylbenzene	< 0.5	0.5		µg/L	1	9/27/2005 2:58:38 PM
2-Chlorotoluene	< 0.5	0.5		µg/L	1	9/27/2005 2:58:38 PM
4-Chlorotoluene	< 0.5	0.5		µg/L	1	9/27/2005 2:58:38 PM
tert-Butylbenzene	< 0.5	0.5		µg/L	1	9/27/2005 2:58:38 PM
1,2,4-Trimethylbenzene	< 0.5	0.5		µg/L	1	9/27/2005 2:58:38 PM
sec-Butylbenzene	< 0.5	0.5		µg/L	1	9/27/2005 2:58:38 PM
4-Isopropyltoluene	< 0.5	0.5		µg/L	1	9/27/2005 2:58:38 PM
1,3-Dichlorobenzene	< 0.5	0.5		µg/L	1	9/27/2005 2:58:38 PM
1,4-Dichlorobenzene	< 0.5	0.5		µg/L	1	9/27/2005 2:58:38 PM
n-Butylbenzene	< 0.5	0.5		µg/L	1	9/27/2005 2:58:38 PM
1,2-Dichlorobenzene	< 0.5	0.5		µg/L	1	9/27/2005 2:58:38 PM
1,2,4-Trichlorobenzene	< 0.5	0.5		µg/L	1	9/27/2005 2:58:38 PM
Hexachlorobutadiene	< 0.5	0.5		µg/L	1	9/27/2005 2:58:38 PM
Naphthalene	< 0.5	0.5		µg/L	1	9/27/2005 2:58:38 PM
1,2,3-Trichlorobenzene	< 0.5	0.5		µg/L	1	9/27/2005 2:58:38 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
• - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentatively Identified Compound-Estimated Conc.
E - Value above quantitation range



Experience is the solution

314 North Pearl Street • Albany, New York 12207 • (518) 434-4546 • Fax (518) 434-0891

TERMS, CONDITIONS & LIMITATIONS

All Services rendered by Adirondack Environmental Services, Inc. are undertaken and all rates are based upon the following terms:

- (a) Neither Adirondack Environmental Services, Inc., nor any of its employees, agents or sub-contractors shall be liable for any loss or damage arising out of Adirondack Environmental Services, Inc.'s performance or nonperformance, whether by way of negligence or breach of contract, or otherwise, in any amount greater than twice the amount billed to the customer for the work leading to the claim of the customer. Said remedy shall be the sole and exclusive remedy against Adirondack Environmental Services, Inc. arising out of its work.
- (b) All claims made must be in writing within forty-five (45) days after delivery of the Adirondack Environmental Services, Inc. report regarding said work or such claim shall be deemed as irrevocably waived.
- (c) Adirondack Environmental Services, Inc. reports are submitted in writing and are for our customers only. Our customers are considered to be only those entities being billed for our services. Acquisition of an Adirondack Environmental Services, Inc. report by other than our customer does not constitute a representation of Adirondack Environmental Services, Inc. as to the accuracy of the contents thereof.
- (d) In no event shall Adirondack Environmental Services, Inc., its employees agents or sub-contractors be responsible for consequential or special damages of any kind or in any amount.
- (e) No deviation from the terms set forth herein shall bind Adirondack Environmental Services, Inc. unless in writing and signed by a Director of Adirondack Environmental Services, Inc.
- (f) Results pertain only to items analyzed. Information supplied by client is assumed to be correct. This information may be used on reports and in calculations and Adirondack Environmental Services, Inc. is not responsible for the accuracy of this information.

Adirondack Environmental Services, Inc

Date: 01-Aug-05

CLIENT: NYS DEC - Region 3

Client Sample ID: Paul Lown Tap

Work Order: 050722007

Collection Date: 7/21/2005

Project:

Lab Sample ID: 050722007-002

PO#: C200302

Matrix: DRINKING WATER

Spill # / Pin #: 0002078/01413

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
AROMATIC VOLATILE ORGANICS E502.2						Analyst: MG
Methyl tert-butyl ether	< 2.0	2.0		µg/L	1	7/28/2005 7:11:07 PM
Benzene	< 0.5	0.5		µg/L	1	7/28/2005 7:11:07 PM
Trichloroethene	< 0.5	0.5		µg/L	1	7/28/2005 7:11:07 PM
Toluene	< 0.5	0.5		µg/L	1	7/28/2005 7:11:07 PM
Tetrachloroethene	< 0.5	0.5		µg/L	1	7/28/2005 7:11:07 PM
Chlorobenzene	< 0.5	0.5		µg/L	1	7/28/2005 7:11:07 PM
Ethylbenzene	< 0.5	0.5		µg/L	1	7/28/2005 7:11:07 PM
m,p-Xylene	< 0.5	0.5		µg/L	1	7/28/2005 7:11:07 PM
o-Xylene	< 0.5	0.5		µg/L	1	7/28/2005 7:11:07 PM
Styrene	< 0.5	0.5		µg/L	1	7/28/2005 7:11:07 PM
Isopropylbenzene	< 0.5	0.5		µg/L	1	7/28/2005 7:11:07 PM
n-Propylbenzene	< 0.5	0.5		µg/L	1	7/28/2005 7:11:07 PM
Bromobenzene	< 0.5	0.5		µg/L	1	7/28/2005 7:11:07 PM
1,3,5-Trimethylbenzene	< 0.5	0.5		µg/L	1	7/28/2005 7:11:07 PM
2-Chlorotoluene	< 0.5	0.5		µg/L	1	7/28/2005 7:11:07 PM
4-Chlorotoluene	< 0.5	0.5		µg/L	1	7/28/2005 7:11:07 PM
tert-Butylbenzene	< 0.5	0.5		µg/L	1	7/28/2005 7:11:07 PM
1,2,4-Trimethylbenzene	< 0.5	0.5		µg/L	1	7/28/2005 7:11:07 PM
sec-Butylbenzene	< 0.5	0.5		µg/L	1	7/28/2005 7:11:07 PM
4-Isopropyltoluene	< 0.5	0.5		µg/L	1	7/28/2005 7:11:07 PM
1,3-Dichlorobenzene	< 0.5	0.5		µg/L	1	7/28/2005 7:11:07 PM
1,4-Dichlorobenzene	< 0.5	0.5		µg/L	1	7/28/2005 7:11:07 PM
n-Butylbenzene	< 0.5	0.5		µg/L	1	7/28/2005 7:11:07 PM
1,2-Dichlorobenzene	< 0.5	0.5		µg/L	1	7/28/2005 7:11:07 PM
1,2,4-Trichlorobenzene	< 0.5	0.5		µg/L	1	7/28/2005 7:11:07 PM
Hexachlorobutadiene	< 0.5	0.5		µg/L	1	7/28/2005 7:11:07 PM
Naphthalene	< 0.5	0.5		µg/L	1	7/28/2005 7:11:07 PM
1,2,3-Trichlorobenzene	< 0.5	0.5		µg/L	1	7/28/2005 7:11:07 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentatively Identified Compound-Estimated Conc.
E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 29-Jun-05

CLIENT: Tyree Organization
Work Order: 050623046
Project: NYSDEC Reg. 3
PO#:

Client Sample ID: Septic Tank
Collection Date: 6/23/2005
Lab Sample ID: 050623046-001
Matrix: WATER

Spill # / Pin #: 0002078/01413

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
						Analyst: ML
VOLATILE ORGANICS SW8260B						
Chloromethane	< 10	10		µg/L	1	6/28/2005 5:19:00 PM
Bromomethane	< 10	10		µg/L	1	6/28/2005 5:19:00 PM
Vinyl chloride	< 10	10		µg/L	1	6/28/2005 5:19:00 PM
Chloroethane	< 10	10		µg/L	1	6/28/2005 5:19:00 PM
Methylene chloride	< 5.0	5.0		µg/L	1	6/28/2005 5:19:00 PM
Acetone	110	10		µg/L	1	6/28/2005 5:19:00 PM
Carbon disulfide	< 5.0	5.0		µg/L	1	6/28/2005 5:19:00 PM
1,1-Dichloroethene	< 5.0	5.0		µg/L	1	6/28/2005 5:19:00 PM
1,1-Dichloroethane	< 5.0	5.0		µg/L	1	6/28/2005 5:19:00 PM
trans-1,2-Dichloroethene	< 5.0	5.0		µg/L	1	6/28/2005 5:19:00 PM
cis-1,2-Dichloroethene	< 5.0	5.0		µg/L	1	6/28/2005 5:19:00 PM
Chloroform	< 5.0	5.0		µg/L	1	6/28/2005 5:19:00 PM
1,2-Dichloroethane	< 5.0	5.0		µg/L	1	6/28/2005 5:19:00 PM
2-Butanone	< 10	10		µg/L	1	6/28/2005 5:19:00 PM
1,1,1-Trichloroethane	< 5.0	5.0		µg/L	1	6/28/2005 5:19:00 PM
Carbon tetrachloride	< 5.0	5.0		µg/L	1	6/28/2005 5:19:00 PM
Bromodichloromethane	< 5.0	5.0		µg/L	1	6/28/2005 5:19:00 PM
1,2-Dichloropropane	< 5.0	5.0		µg/L	1	6/28/2005 5:19:00 PM
cis-1,3-Dichloropropene	< 5.0	5.0		µg/L	1	6/28/2005 5:19:00 PM
Trichloroethene	< 5.0	5.0		µg/L	1	6/28/2005 5:19:00 PM
Dibromochloromethane	< 5.0	5.0		µg/L	1	6/28/2005 5:19:00 PM
1,1,2-Trichloroethane	< 5.0	5.0		µg/L	1	6/28/2005 5:19:00 PM
Benzene	< 5.0	5.0		µg/L	1	6/28/2005 5:19:00 PM
trans-1,3-Dichloropropene	< 5.0	5.0		µg/L	1	6/28/2005 5:19:00 PM
Bromoform	< 5.0	5.0		µg/L	1	6/28/2005 5:19:00 PM
4-Methyl-2-pentanone	< 10	10		µg/L	1	6/28/2005 5:19:00 PM
2-Hexanone	< 10	10		µg/L	1	6/28/2005 5:19:00 PM
Tetrachloroethene	< 5.0	5.0		µg/L	1	6/28/2005 5:19:00 PM
1,1,2,2-Tetrachloroethane	< 5.0	5.0		µg/L	1	6/28/2005 5:19:00 PM
Toluene	< 5.0	5.0		µg/L	1	6/28/2005 5:19:00 PM
Chlorobenzene	< 5.0	5.0		µg/L	1	6/28/2005 5:19:00 PM
Ethylbenzene	< 5.0	5.0		µg/L	1	6/28/2005 5:19:00 PM
Styrene	< 5.0	5.0		µg/L	1	6/28/2005 5:19:00 PM
m,p-Xylene	< 5.0	5.0		µg/L	1	6/28/2005 5:19:00 PM
o-Xylene	< 5.0	5.0		µg/L	1	6/28/2005 5:19:00 PM
Methyl tert-butyl ether	< 5.0	5.0		µg/L	1	6/28/2005 5:19:00 PM
Dichlorodifluoromethane	< 10	10		µg/L	1	6/28/2005 5:19:00 PM
Methyl Acetate	20	5.0		µg/L	1	6/28/2005 5:19:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	< 5.0	5.0		µg/L	1	6/28/2005 5:19:00 PM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentatively Identified Compound-Estimated Conc.
E - Value above quantitation range



Experience is the solution.

314 North Pearl Street
Albany, New York 12207
518-434-4546/434-0891 FAX

CHAIN OF CUSTODY RECORD

A full service analytical research laboratory offering solutions to environmental concerns

[illegible]

AES Work Order #: 050623046		CC Report To / Special Instructions/Remarks: CC MELISSA MARTINO NYS DEC REGION #3 21 South NYS concurs N4W PALTZ N4 12561	
Turnaround Time Request: ☐ 1 Day ☐ 3 Day ☒ Normal ☐ 2 Day ☐ 5 Day			
Relinquished by: (Signature) 		Received by: (Signature) 	
Relinquished by: (Signature) 		Received by: (Signature) 	
Relinquished by: (Signature) 		Received for Laboratory by: Date/Time: 6/23/05 355	
TEMPERATURE Ambient or Chilled 13°C		PROPERLY PRESERVED ☒ Y ☐ N	
Notes:		Notes:	

WHITE - Lab Copy

YELLOW: Sampler Copy

PINK - Generator Copy

Adirondack Environmental Services, Inc.

Adirondack Environmental Services, Inc

Date: 01-Aug-05

CLIENT: NYS DEC - Region 3

Client Sample ID: MW-1

Work Order: 050725046

Collection Date: 7/25/2005

Project: Groundwater

Lab Sample ID: 050725046-001

PO#: C200302

Matrix: GROUNDWATER

Spill # / Pin #: 0002078/01413

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
AROMATIC VOLATILE ORGANICS E502.2						Analyst: MG
Methyl tert-butyl ether	< 2.0	2.0		µg/L	1	7/29/2005 4:28:56 AM
Benzene	< 0.5	0.5		µg/L	1	7/29/2005 4:28:56 AM
Trichloroethene	< 0.5	0.5		µg/L	1	7/29/2005 4:28:56 AM
Toluene	< 0.5	0.5		µg/L	1	7/29/2005 4:28:56 AM
Tetrachloroethene	< 0.5	0.5		µg/L	1	7/29/2005 4:28:56 AM
Chlorobenzene	< 0.5	0.5		µg/L	1	7/29/2005 4:28:56 AM
Ethylbenzene	< 0.5	0.5		µg/L	1	7/29/2005 4:28:56 AM
m,p-Xylene	< 0.5	0.5		µg/L	1	7/29/2005 4:28:56 AM
o-Xylene	< 0.5	0.5		µg/L	1	7/29/2005 4:28:56 AM
Styrene	< 0.5	0.5		µg/L	1	7/29/2005 4:28:56 AM
Isopropylbenzene	< 0.5	0.5		µg/L	1	7/29/2005 4:28:56 AM
n-Propylbenzene	< 0.5	0.5		µg/L	1	7/29/2005 4:28:56 AM
Bromobenzene	< 0.5	0.5		µg/L	1	7/29/2005 4:28:56 AM
1,3,5-Trimethylbenzene	< 0.5	0.5		µg/L	1	7/29/2005 4:28:56 AM
2-Chlorotoluene	< 0.5	0.5		µg/L	1	7/29/2005 4:28:56 AM
4-Chlorotoluene	< 0.5	0.5		µg/L	1	7/29/2005 4:28:56 AM
tert-Butylbenzene	< 0.5	0.5		µg/L	1	7/29/2005 4:28:56 AM
1,2,4-Trimethylbenzene	< 0.5	0.5		µg/L	1	7/29/2005 4:28:56 AM
sec-Butylbenzene	< 0.5	0.5		µg/L	1	7/29/2005 4:28:56 AM
4-Isopropyltoluene	< 0.5	0.5		µg/L	1	7/29/2005 4:28:56 AM
1,3-Dichlorobenzene	< 0.5	0.5		µg/L	1	7/29/2005 4:28:56 AM
1,4-Dichlorobenzene	< 0.5	0.5		µg/L	1	7/29/2005 4:28:56 AM
n-Butylbenzene	< 0.5	0.5		µg/L	1	7/29/2005 4:28:56 AM
1,2-Dichlorobenzene	< 0.5	0.5		µg/L	1	7/29/2005 4:28:56 AM
1,2,4-Trichlorobenzene	< 0.5	0.5		µg/L	1	7/29/2005 4:28:56 AM
Hexachlorobutadiene	< 0.5	0.5		µg/L	1	7/29/2005 4:28:56 AM
Naphthalene	< 0.5	0.5		µg/L	1	7/29/2005 4:28:56 AM
1,2,3-Trichlorobenzene	< 0.5	0.5		µg/L	1	7/29/2005 4:28:56 AM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentatively Identified Compound-Estimated Conc.
E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 01-Aug-05

CLIENT: NYS DEC - Region 3

Client Sample ID: MW-3

Work Order: 050725046

Collection Date: 7/25/2005

Project: Groundwater

Lab Sample ID: 050725046-003

PO#: C200302

Matrix: GROUNDWATER

Spill # / Pin #: 0002078/01413

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
AROMATIC VOLATILE ORGANICS E502.2						Analyst: MG
Methyl tert-butyl ether	< 2.0	2.0		µg/L	1	7/29/2005 6:21:02 AM
Benzene	< 0.5	0.5		µg/L	1	7/29/2005 6:21:02 AM
Trichloroethene	< 0.5	0.5		µg/L	1	7/29/2005 6:21:02 AM
Toluene	< 0.5	0.5		µg/L	1	7/29/2005 6:21:02 AM
Tetrachloroethene	< 0.5	0.5		µg/L	1	7/29/2005 6:21:02 AM
Chlorobenzene	< 0.5	0.5		µg/L	1	7/29/2005 6:21:02 AM
Ethylbenzene	< 0.5	0.5		µg/L	1	7/29/2005 6:21:02 AM
m,p-Xylene	< 0.5	0.5		µg/L	1	7/29/2005 6:21:02 AM
o-Xylene	< 0.5	0.5		µg/L	1	7/29/2005 6:21:02 AM
Styrene	< 0.5	0.5		µg/L	1	7/29/2005 6:21:02 AM
Isopropylbenzene	< 0.5	0.5		µg/L	1	7/29/2005 6:21:02 AM
n-Propylbenzene	< 0.5	0.5		µg/L	1	7/29/2005 6:21:02 AM
Bromobenzene	< 0.5	0.5		µg/L	1	7/29/2005 6:21:02 AM
1,3,5-Trimethylbenzene	< 0.5	0.5		µg/L	1	7/29/2005 6:21:02 AM
2-Chlorotoluene	< 0.5	0.5		µg/L	1	7/29/2005 6:21:02 AM
4-Chlorotoluene	< 0.5	0.5		µg/L	1	7/29/2005 6:21:02 AM
tert-Butylbenzene	< 0.5	0.5		µg/L	1	7/29/2005 6:21:02 AM
1,2,4-Trimethylbenzene	< 0.5	0.5		µg/L	1	7/29/2005 6:21:02 AM
sec-Butylbenzene	< 0.5	0.5		µg/L	1	7/29/2005 6:21:02 AM
4-Isopropyltoluene	< 0.5	0.5		µg/L	1	7/29/2005 6:21:02 AM
1,3-Dichlorobenzene	< 0.5	0.5		µg/L	1	7/29/2005 6:21:02 AM
1,4-Dichlorobenzene	< 0.5	0.5		µg/L	1	7/29/2005 6:21:02 AM
n-Butylbenzene	< 0.5	0.5		µg/L	1	7/29/2005 6:21:02 AM
1,2-Dichlorobenzene	< 0.5	0.5		µg/L	1	7/29/2005 6:21:02 AM
1,2,4-Trichlorobenzene	< 0.5	0.5		µg/L	1	7/29/2005 6:21:02 AM
Hexachlorobutadiene	< 0.5	0.5		µg/L	1	7/29/2005 6:21:02 AM
Naphthalene	< 0.5	0.5		µg/L	1	7/29/2005 6:21:02 AM
1,2,3-Trichlorobenzene	< 0.5	0.5		µg/L	1	7/29/2005 6:21:02 AM

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentatively Identified Compound-Estimated Conc.
E - Value above quantitation range



Experience Is the solution

314 North Pearl Street • Albany, New York 12207 • (518) 434-4546 • Fax (518) 434-0891

TERMS, CONDITIONS & LIMITATIONS

All Services rendered by **Adirondack Environmental Services, Inc.** are undertaken and all rates are based upon the following terms:

- (a) Neither **Adirondack Environmental Services, Inc.**, nor any of its employees, agents or sub-contractors shall be liable for any loss or damage arising out of **Adirondack Environmental Services, Inc.**'s performance or nonperformance, whether by way of negligence or breach of contract, or otherwise, in any amount greater than twice the amount billed to the customer for the work leading to the claim of the customer. Said remedy shall be the sole and exclusive remedy against **Adirondack Environmental Services, Inc.** arising out of its work.
- (b) All claims made must be in writing within forty-five (45) days after delivery of the **Adirondack Environmental Services, Inc.** report regarding said work or such claim shall be deemed as irrevocably waived.
- (c) **Adirondack Environmental Services, Inc.** reports are submitted in writing and are for our customers only. Our customers are considered to be only those entities being billed for our services. Acquisition of an **Adirondack Environmental Services, Inc.** report by other than our customer does not constitute a representation of **Adirondack Environmental Services, Inc.** as to the accuracy of the contents thereof.
- (d) In no event shall **Adirondack Environmental Services, Inc.**, its employees agents or sub-contractors be responsible for consequential or special damages of any kind or in any amount.
- (e) No deviation from the terms set forth herein shall bind **Adirondack Environmental Services, Inc.** unless in writing and signed by a Director of **Adirondack Environmental Services, Inc.**
- (f) Results pertain only to items analyzed. Information supplied by client is assumed to be correct. This information may be used on reports and in calculations and **Adirondack Environmental Services, Inc.** is not responsible for the accuracy of this information.

Adirondack Environmental Services, Inc

Date: 16-Jun-05

CLIENT: Tyree Organization

Client Sample ID: Influent

Work Order: 050603017

Collection Date: 6/2/2005

Project: 3 PW/502.2

Lab Sample ID: 050603017-001

PO#:

Matrix: DRINKING WATER

Spill # / Pin #: 00-02078/01413

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANIC COMPOUNDS E502.2						Analyst: SO
Dichlorodifluoromethane	< 0.5	0.5		µg/L	1	6/10/2005
Chloromethane	< 0.5	0.5		µg/L	1	6/10/2005
Vinyl chloride	< 0.5	0.5		µg/L	1	6/10/2005
Bromomethane	< 0.5	0.5		µg/L	1	6/10/2005
Chloroethane	< 0.5	0.5		µg/L	1	6/10/2005
Trichlorofluoromethane	< 0.5	0.5		µg/L	1	6/10/2005
1,1-Dichloroethene	< 0.5	0.5		µg/L	1	6/10/2005
Methylene chloride	< 0.5	0.5		µg/L	1	6/10/2005
Methyl tert-butyl ether	< 2.0	2.0		µg/L	1	6/10/2005
trans-1,2-Dichloroethene	0.5	0.5		µg/L	1	6/10/2005
1,1-Dichloroethane	< 0.5	0.5		µg/L	1	6/10/2005
2,2-Dichloropropane	< 0.5	0.5		µg/L	1	6/10/2005
cis-1,2-Dichloroethene	11	0.5		µg/L	1	6/10/2005
Chloroform	< 0.5	0.5		µg/L	1	6/10/2005
Bromochloromethane	< 0.5	0.5		µg/L	1	6/10/2005
1,1,1-Trichloroethane	< 0.5	0.5		µg/L	1	6/10/2005
1,1-Dichloropropene	< 0.5	0.5		µg/L	1	6/10/2005
Carbon tetrachloride	< 0.5	0.5		µg/L	1	6/10/2005
1,2-Dichloroethane	< 0.5	0.5		µg/L	1	6/10/2005
Benzene	< 0.5	0.5		µg/L	1	6/10/2005
Trichloroethene	1.9	0.5		µg/L	1	6/10/2005
1,2-Dichloropropane	< 0.5	0.5		µg/L	1	6/10/2005
Bromodichloromethane	< 0.5	0.5		µg/L	1	6/10/2005
Dibromomethane	< 0.5	0.5		µg/L	1	6/10/2005
cis-1,3-Dichloropropene	< 0.5	0.5		µg/L	1	6/10/2005
Toluene	< 0.5	0.5		µg/L	1	6/10/2005
trans-1,3-Dichloropropene	< 0.5	0.5		µg/L	1	6/10/2005
1,1,2-Trichloroethane	< 0.5	0.5		µg/L	1	6/10/2005
1,3-Dichloropropane	< 0.5	0.5		µg/L	1	6/10/2005
Tetrachloroethene	200	0.5		µg/L	1	6/10/2005
Dibromochloromethane	< 0.5	0.5		µg/L	1	6/10/2005
1,2-Dibromoethane	< 0.5	0.5		µg/L	1	6/10/2005
Chlorobenzene	< 0.5	0.5		µg/L	1	6/10/2005
1,1,1,2-Tetrachloroethane	< 0.5	0.5		µg/L	1	6/10/2005
Ethylbenzene	0.6	0.5		µg/L	1	6/10/2005
m,p-Xylene	< 0.5	0.5		µg/L	1	6/10/2005
o-Xylene	< 0.5	0.5		µg/L	1	6/10/2005
Styrene	< 0.5	0.5		µg/L	1	6/10/2005
Isopropylbenzene	0.6	0.5		µg/L	1	6/10/2005

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 * - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentitively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 16-Jun-05

CLIENT: Tyree Organization
Work Order: 050603017
Project: 3 PW/502.2
PO#:

Client Sample ID: Mid Carbon
Collection Date: 6/2/2005
Lab Sample ID: 050603017-002
Matrix: DRINKING WATER

Spill # / Pin #: 00-02078/01413

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANIC COMPOUNDS E502.2						Analyst: SO
Dichlorodifluoromethane	< 0.5	0.5		µg/L	1	6/10/2005
Chloromethane	< 0.5	0.5		µg/L	1	6/10/2005
Vinyl chloride	< 0.5	0.5		µg/L	1	6/10/2005
Bromomethane	< 0.5	0.5		µg/L	1	6/10/2005
Chloroethane	< 0.5	0.5		µg/L	1	6/10/2005
Trichlorofluoromethane	< 0.5	0.5		µg/L	1	6/10/2005
1,1-Dichloroethene	< 0.5	0.5		µg/L	1	6/10/2005
Methylene chloride	< 0.5	0.5		µg/L	1	6/10/2005
Methyl tert-butyl ether	< 2.0	2.0		µg/L	1	6/10/2005
trans-1,2-Dichloroethene	< 0.5	0.5		µg/L	1	6/10/2005
1,1-Dichloroethane	< 0.5	0.5		µg/L	1	6/10/2005
2,2-Dichloropropane	< 0.5	0.5		µg/L	1	6/10/2005
cis-1,2-Dichloroethene	< 0.5	0.5		µg/L	1	6/10/2005
Chloroform	< 0.5	0.5		µg/L	1	6/10/2005
Bromochloromethane	< 0.5	0.5		µg/L	1	6/10/2005
1,1,1-Trichloroethane	< 0.5	0.5		µg/L	1	6/10/2005
1,1-Dichloropropene	< 0.5	0.5		µg/L	1	6/10/2005
Carbon tetrachloride	< 0.5	0.5		µg/L	1	6/10/2005
1,2-Dichloroethane	< 0.5	0.5		µg/L	1	6/10/2005
Benzene	< 0.5	0.5		µg/L	1	6/10/2005
Trichloroethene	< 0.5	0.5		µg/L	1	6/10/2005
1,2-Dichloropropane	< 0.5	0.5		µg/L	1	6/10/2005
Bromodichloromethane	< 0.5	0.5		µg/L	1	6/10/2005
Dibromomethane	< 0.5	0.5		µg/L	1	6/10/2005
cis-1,3-Dichloropropene	< 0.5	0.5		µg/L	1	6/10/2005
Toluene	< 0.5	0.5		µg/L	1	6/10/2005
trans-1,3-Dichloropropene	< 0.5	0.5		µg/L	1	6/10/2005
1,1,2-Trichloroethane	< 0.5	0.5		µg/L	1	6/10/2005
1,3-Dichloropropane	< 0.5	0.5		µg/L	1	6/10/2005
Tetrachloroethene	< 0.5	0.5		µg/L	1	6/10/2005
Dibromochloromethane	< 0.5	0.5		µg/L	1	6/10/2005
1,2-Dibromoethane	< 0.5	0.5		µg/L	1	6/10/2005
Chlorobenzene	< 0.5	0.5		µg/L	1	6/10/2005
1,1,1,2-Tetrachloroethane	< 0.5	0.5		µg/L	1	6/10/2005
Ethylbenzene	< 0.5	0.5		µg/L	1	6/10/2005
m,p-Xylene	< 0.5	0.5		µg/L	1	6/10/2005
o-Xylene	< 0.5	0.5		µg/L	1	6/10/2005
Styrene	< 0.5	0.5		µg/L	1	6/10/2005
Isopropylbenzene	< 0.5	0.5		µg/L	1	6/10/2005

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentatively Identified Compound-Estimated Conc.
E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 16-Jun-05

CLIENT: Tyree Organization

Client Sample ID: Effluent

Work Order: 050603017

Collection Date: 6/2/2005

Project: 3 PW/502.2

Lab Sample ID: 050603017-003

PO#:

Matrix: DRINKING WATER

Spill # / Pin #: 00-02078/01413

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
VOLATILE ORGANIC COMPOUNDS E502.2						Analyst: SO
Dichlorodifluoromethane	< 0.5	0.5		µg/L	1	6/10/2005
Chloromethane	< 0.5	0.5		µg/L	1	6/10/2005
Vinyl chloride	< 0.5	0.5		µg/L	1	6/10/2005
Bromomethane	< 0.5	0.5		µg/L	1	6/10/2005
Chloroethane	< 0.5	0.5		µg/L	1	6/10/2005
Trichlorofluoromethane	< 0.5	0.5		µg/L	1	6/10/2005
1,1-Dichloroethene	< 0.5	0.5		µg/L	1	6/10/2005
Methylene chloride	< 0.5	0.5		µg/L	1	6/10/2005
Methyl tert-butyl ether	< 2.0	2.0		µg/L	1	6/10/2005
trans-1,2-Dichloroethene	< 0.5	0.5		µg/L	1	6/10/2005
1,1-Dichloroethane	< 0.5	0.5		µg/L	1	6/10/2005
2,2-Dichloropropane	< 0.5	0.5		µg/L	1	6/10/2005
cis-1,2-Dichloroethene	< 0.5	0.5		µg/L	1	6/10/2005
Chloroform	< 0.5	0.5		µg/L	1	6/10/2005
Bromochloromethane	< 0.5	0.5		µg/L	1	6/10/2005
1,1,1-Trichloroethane	< 0.5	0.5		µg/L	1	6/10/2005
1,1-Dichloropropene	< 0.5	0.5		µg/L	1	6/10/2005
Carbon tetrachloride	< 0.5	0.5		µg/L	1	6/10/2005
1,2-Dichloroethane	< 0.5	0.5		µg/L	1	6/10/2005
Benzene	< 0.5	0.5		µg/L	1	6/10/2005
Trichloroethene	< 0.5	0.5		µg/L	1	6/10/2005
1,2-Dichloropropane	< 0.5	0.5		µg/L	1	6/10/2005
Bromodichloromethane	< 0.5	0.5		µg/L	1	6/10/2005
Dibromomethane	< 0.5	0.5		µg/L	1	6/10/2005
cis-1,3-Dichloropropene	< 0.5	0.5		µg/L	1	6/10/2005
Toluene	< 0.5	0.5		µg/L	1	6/10/2005
trans-1,3-Dichloropropene	< 0.5	0.5		µg/L	1	6/10/2005
1,1,2-Trichloroethane	< 0.5	0.5		µg/L	1	6/10/2005
1,3-Dichloropropane	< 0.5	0.5		µg/L	1	6/10/2005
Tetrachloroethene	< 0.5	0.5		µg/L	1	6/10/2005
Dibromochloromethane	< 0.5	0.5		µg/L	1	6/10/2005
1,2-Dibromoethane	< 0.5	0.5		µg/L	1	6/10/2005
Chlorobenzene	< 0.5	0.5		µg/L	1	6/10/2005
1,1,1,2-Tetrachloroethane	< 0.5	0.5		µg/L	1	6/10/2005
Ethylbenzene	< 0.5	0.5		µg/L	1	6/10/2005
m,p-Xylene	< 0.5	0.5		µg/L	1	6/10/2005
o-Xylene	< 0.5	0.5		µg/L	1	6/10/2005
Styrene	< 0.5	0.5		µg/L	1	6/10/2005
Isopropylbenzene	< 0.5	0.5		µg/L	1	6/10/2005

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
T - Tentatively Identified Compound-Estimated Conc.
E - Value above quantitation range



Experience is the solution

314 North Pearl Street
Albany, New York 12207
518-434-4546/434-0891 FAX

A full service analytical research laboratory offering solutions to environmental concerns

CHAIN OF CUSTODY RECORD

[illegible]

AES Work Order #:		CC Report To / Special Instructions/Remarks: CC: ALE DECUO Rcy 3 NYSDEC	
Turnaround Time Request: ☐ 1 Day ☐ 3 Day ☒ Normal ☐ 2 Day ☐ 5 Day			
Relinquished by: (Signature) [Signature]	Received by: (Signature) [Signature]	Date/Time [Date/Time]	
Relinquished by: (Signature) / [Signature]	Received by: (Signature) [Signature]	Date/Time [Date/Time]	
Relinquished by: (Signature) [Signature]	Received for Laboratory by: [Signature]	Date/Time [Date/Time]	
TEMPERATURE Ambient or Chilled Notes: _____	PROPERLY PRESERVED Y N Notes: _____	RECEIVED WITHIN HOLDING TIMES Y N Notes: _____	

WHITE - Lab Copy

YELLOW - Sampler Copy

PINK - Generator Copy

Adirondack Environmental Services, Inc.



Experience is the solution

314 North Pearl Street • Albany, New York 12207 • (518) 434-4546 • Fax (518) 434-0891

TERMS, CONDITIONS & LIMITATIONS

All Services rendered by **Adirondack Environmental Services, Inc.** are undertaken and all rates are based upon the following terms:

- (a) Neither **Adirondack Environmental Services, Inc.**, nor any of its employees, agents or sub-contractors shall be liable for any loss or damage arising out of **Adirondack Environmental Services, Inc.**'s performance or nonperformance, whether by way of negligence or breach of contract, or otherwise, in any amount greater than twice the amount billed to the customer for the work leading to the claim of the customer. Said remedy shall be the sole and exclusive remedy against **Adirondack Environmental Services, Inc.** arising out of its work.
- (b) All claims made must be in writing within forty-five (45) days after delivery of the **Adirondack Environmental Services, Inc.** report regarding said work or such claim shall be deemed as irrevocably waived.
- (c) **Adirondack Environmental Services, Inc.** reports are submitted in writing and are for our customers only. Our customers are considered to be only those entities being billed for our services. Acquisition of an **Adirondack Environmental Services, Inc.** report by other than our customer does not constitute a representation of **Adirondack Environmental Services, Inc.** as to the accuracy of the contents thereof.
- (d) In no event shall **Adirondack Environmental Services, Inc.**, its employees agents or sub-contractors be responsible for consequential or special damages of any kind or in any amount.
- (e) No deviation from the terms set forth herein shall bind **Adirondack Environmental Services, Inc.** unless in writing and signed by a Director of **Adirondack Environmental Services, Inc.**
- (f) Results pertain only to items analyzed. Information supplied by client is assumed to be correct. This information may be used on reports and in calculations and **Adirondack Environmental Services, Inc.** is not responsible for the accuracy of this information.