



NORTHEASTERN ENVIRONMENTAL TECHNOLOGIES CORP.

1476 ROUTE 50 - P.O. Box 2167 BALLSTON SPA, NY 12020
Phone: (518) 884-8545 - Fax: (518) 884-9710

February 16, 2009
Mr. John Strang
NYS Department of Environmental Conservation
1150 North Westcott Rd.
Schenectady, NY 12306-2014

RE: FAIRVIEW PLAZA - WASH RITE LAUNDRY (DEC SPILL #02-04750)

Dear John:

This status report summarizes the results of a groundwater treatment pilot test completed at the Fairview Plaza site. The pilot test treatment measures employed during this work consisted of in Situ chemical oxidation using RegenOx™. The completed pilot testing work is intended to evaluate the appropriateness for employing similar in Situ anaerobic reductive dechlorination groundwater treatment measures over the balance of the tetrachloroethene (PERC) dry cleaning chemical impacts east of the Wash Rite Laundry tenant space. A more complete accounting of the results obtained from the pilot test work are included below for consideration.


COMPLETED SERVICES

Prior to the RegenOx™ pilot test work, baseline groundwater quality samples were obtained from the existing network of wells on October 30, 2008. Groundwater sampling occurred at monitoring wells MW-2,-04, MW-4-06, MW-2-07, MW-3-07, and MW-5-07. The baseline water quality data information included dissolved iron, manganese, Chemical Oxygen Demand (COD) and volatile organic compounds (VOC) via EPA Method 8260. In addition, field water quality parameters (i.e., pH, Dissolved Oxygen [DO], ORP, Temperature, and Conductivity) were established. All groundwater sampling was conducted using low flow sampling techniques using a Horiba U-22 field meter equipped with a flow through cell.

Following the baseline groundwater sample event, RegenOx™ was introduced over a pre established test site. A total of 1080 lbs of RegenOx™ was installed in (14) injection points over the 10.0 to 20.0 ft. soil horizon in the pilot test area (see **Figure 1**). A total of 240 lbs of RegenOx™ was pressure injected as a solution on October 31, 2008. The balance of the RegenOx™ (i.e., 840 lbs) was injected on November 7, 2008. NETC staff directed and documented all in Situ treatment and monitoring activities.


Following the RegenOx™ injection services, the effectiveness of the RegenOx™ chemical oxidant was monitored over a ± 60 day period. Dissolved phase groundwater quality trends were monitored using the above noted network of wells on November 17 & 24, 2008, December 18, 2008 and January 22, 2009.* The physiochemical parameters of pH, Dissolved Oxygen (DO), ORP, Temperature, and Conductivity were recorded during each of the sampling events.

*Note: The monitoring frequencies and chemical parameter testing methods employed were based on the groundwater quality trends and technical recommendations obtained from the application engineering staff at Regenesis.



RegenOx Application Rates

Date	Inj Point	Ibs./Gal.
10/31/2008	I-1	60
10/31/2008	I-2	80
10/31/2008	I-3	100
11/03/2008	I-4	60
11/07/2008	I-5	30
11/07/2008	I-6	90
11/07/2008	I-7	120
11/07/2008	I-8	120
11/07/2008	I-9	120
11/07/2008	I-10	40
11/07/2008	I-11	50
11/07/2008	I-12	30
11/07/2008	I-13	60
11/07/2008	I-14	60



LEGEND

- ✗ RegenOX Injection Point
- ☀ Monitoring Well Location
- MW-1-06
- ⊕ Monitoring Well Location (Installed 2008)
- MW-1-08
- Soil Boring Location (Installed 2008)
- GP-3-08



NORTHEASTERN
ENVIRONMENTAL
TECHNOLOGIES CORP.

1476 Route 50, P.O. Box 2167, Ballston Spa, NY 12020
Phone: (518) 884-8545 Fax: (518) 884-9710 e-mail: jeffnetc@nycap.rr.com

FIGURE 1: RegenOX Pilot Test Work Zone

PROJECT: 160 Fairview Avenue
Town of Greenport, Hudson, New York

Project # 08.1022044

Scale: 1" = 40.0 ft.

Date: 02/06/09

NOTES:

Site features are based on a site plan prepared by Hersberg and Hershberg Map No. 000277 Dated 09/27/00.
Monitoring well locations are based on field measurements.
RegenOX injection sites, concrete, fence and edge of asphalt are approximated.

Mr. John Strang
NYS Department of Environmental Conservation
February 16, 2009
Page 3 of 7

Groundwater samples collected on November 24, 2008 were submitted to Phoenix Laboratories, Inc. (PEL) for chemical analysis via EPA Method 8260. Groundwater samples collected on December 18, 2008 were also submitted to PEL for dissolved Iron, Manganese, and COD analysis, as well as chemical analysis via EPA Method 8260. Groundwater samples collected on January 22, 2009 were submitted to PEL for COD and EPA Method 8260 analysis.

As agreed, a post injection vapor intrusion risk assessment was performed in both the Wash Rite Laundry and Hallmark Card Store tenant spaces ± 30 days following the RegenOx™ in Situ treatment measures. A combination of interior air, sub slab and outdoor air samples were obtained in each of the tenant spaces following the RegenOx™ injection work. All sampling work was completed pursuant to the NYS Department of Health (DOH) guidance document entitled Guidance for Evaluating Soil Vapor Intrusion in the State of New York; hereinafter termed the "Guidance Document". The TO-15 sampling measures are intended to evaluate potential air quality variations in the structure that could be related to the RegenOx™ injection work and establish the 2008 -2009 "heating season conditions" for each tenant space.

A complete accounting of the sampling methods employed during the pilot scale test work are included in **Attachment A**. The following is a more detailed accounting of the results obtained during the pilot scale test work.

FINDINGS


HYDROGEOLOGIC CONDITIONS

Groundwater levels were documented in the network of monitoring wells during each sampling event. On January 22, 2009 the depth to groundwater ranged from 2.43 (MW-1-04) - 11.37 (MW-1-06) feet below grade. No measurable non aqueous phase liquids (NAPL) were documented in the network of monitoring wells. A groundwater divide persists east of the Wash Rite and Hallmark tenant spaces (see **Figure 2**). It is expected that the combination of unimproved gravel surfaces and buried cultural fill / utility trenches east of the Fairview Plaza combined with active roof drains in the structure may contribute to the observed groundwater condition. A historical accounting of the groundwater elevation data generated to date is included in **Attachment B**.

LABORATORY RESULTS

GROUNDWATER QUALITY RESULTS

Baseline groundwater samples collected on October 30,2008 at monitoring wells MW-2-07, MW-3-07, and MW-5-07 were reported by PEL as unaffected by the chlorinated VOC chemical compounds of concern inherent to EPA Method 8260. Tetrachloroethene (PERC), cis-1,2,-Dichloroethene, Trichloroethene (TCE) concentrations reported in monitoring wells MW-2-04, and MW-2-06; and trans-1,2-Dichloroethene and Vinyl Chloride reported in MW-4-06 were identified as above the NYS Department of Environmental Conservation (DEC) 6NYCRR Part 703 water quality standards. A copy of the PEL groundwater quality report is included in **Attachment C, Exhibit C-1**.



NOTES:
 Site features are based on a site plan prepared by Hersberg and Hershberg Map No. 000277 Dated 09/27/00.
 Monitoring well locations are based on field measurements.
 Concrete, fence and edge of asphalt are approximated.
 Groundwater elevations are measured in feet.



**NORTHEASTERN
ENVIRONMENTAL
TECHNOLOGIES CORP.**
 1476 Route 50, P.O. Box 2167, Ballston Spa, NY 12020
 Phone: (518) 884-8545 Fax: (518) 884-9710 e-mail: jeffnetc@nycap.rr.com

FIGURE 2: Groundwater Contour Map - January 22, 2009
PROJECT: 160 Fairview Avenue
Town of Greenport, Hudson, New York

Project # 08.1022044	Scale: 1" = 40.0 ft.	Date: 01/23/09
----------------------	----------------------	----------------

Mr. John Strang
NYS Department of Environmental Conservation
February 16, 2009
Page 5 of 7

The initial post injection groundwater quality samples collected on November 24, 2008 from monitoring wells MW-2-07, MW-3-07, and MW-5-07 remain unaffected by the chlorinated VOC chemical compounds of concern inherent to EPA Method 8260. Post injection concentrations of Tetrachloroethene (PERC), cis-1,2,-Dichloroethene, Trichloroethene (TCE) reported in MW-2-04, and MW-2-06; and Vinyl Chloride reported in MW-4-06, MW-1-08, and MW-2-08 remain at concentrations above the DEC's 6NYCRR Part 703 water quality standards. A notable reduction in all chlorinated VOCs was observed in the treatment zone at monitoring well MW-4-06. A copy of the PEL groundwater quality report is included in **Attachment C, Exhibit C-2.**

Groundwater samples collected on December 18, 2008 at monitoring wells MW-2-07, MW-3-07, and MW-5-07 remain unaffected by the chlorinated VOC chemical compounds of concern inherent to EPA Method 8260. Tetrachloroethene (PERC) reported in MW-2-04 and MW-4-06; cis-1,2,-Dichloroethene reported in MW-2-04, MW-4-06, MW-1-08, and MW-2-08; Trichloroethene (TCE) reported in MW-2-04, MW-4-06, and MW-1-08; Vinyl Chloride reported in MW-4-06, MW-1-08, and MW-2-08; trans-1,2-Dichloroethene reported in MW-4-06 and MW-1-08 and Methylene chloride reported in MW-1-08 were identified at concentrations above the DEC's 6NYCRR Part 703 water quality standards. Chlorinated VOC concentrations reported at monitoring wells MW-4-06, MW-1-08 and MW-2-08 suggested ongoing anaerobic reductive dechlorination is limited to areas down gradient of the treatment zone. A copy of the PEL groundwater quality report is included in **Attachment C, Exhibit C-3.**

Groundwater samples collected on January 22, 2009 at MW-2-07, MW-3-07, and MW-5-07 were reported by PEL as unaffected by the chlorinated VOC chemical compounds of concern inherent to EPA Method 8260. Tetrachloroethene (PERC) reported in MW-2-04, MW-4-06 and MW-1-08; cis-1,2,-Dichloroethene reported in MW-2-04, MW-4-06, MW-1-08, and MW-2-08; Trichloroethene (TCE) reported in MW-2-04, MW-4-06, and MW-1-08; Vinyl Chloride reported in MW-4-06, MW-1-08, and MW-2-08; and trans-1,2-Dichloroethene reported in MW-4-06 and MW-1-08 were identified at concentrations that remain above the DEC's 6NYCRR Part 703 water quality standards. Chlorinated VOC concentration trends reported in and down gradient of the treatment zone suggest limited anaerobic reductive dechlorination in and down gradient of the treatment zone. A copy of the PEL groundwater quality report is included in **Attachment C, Exhibit C-4.** **Figure 3** illustrates the baseline and post injection CVOC groundwater quality concentrations documented during the pilot test.

A summary of the field parameters collected during each sampling event, as well as a summary of each laboratory analysis is included as **Attachment C, Exhibit C-5.**

SOIL GAS QUALITY RESULTS

The TO-15 results have confirmed the presence of select chlorinated and non chlorinated VOCs in the sub slab vapor and indoor air samples collected from the Washrite and Hallmark Store tenant spaces. Each of the sub slab and indoor air samples were reported to contain chlorinated VOC concentration at levels below the monitor and mitigation ranges established in the DOH guidance document. The most ostensible chlorinated VOC impacts remain below the Washrite tenant space. A comparison of the current TO-15 data with prior TO-15 data assimilated at the Washrite and Hallmark Store tenant spaces since February 2006 support the

MW-2-08
Baseline Total CVOCs: Not Sampled
11/24/08 Total CVOCs: 190.0
12/18/08 Total CVOCs: 850.0
Final Total CVOCs: 340.0

MW-2-07
Baseline Total CVOCs: 0.0
11/24/08 Total CVOCs: 0.0
12/18/08 Total CVOCs: 0.0
Final Total CVOCs: 0.0

MW-1-07

MW-4-07

MW-1-08

MW-2-08

MW-4-06

MW-1-08

Baseline Total CVOCs: Not Sampled
11/24/08 Total CVOCs: 450.0
12/18/08 Total CVOCs: 1,213.5
Final Total CVOCs: 1,534.5

MW-3-06

MW-4-06
Baseline Total CVOCs: 22,178.0
11/24/08 Total CVOCs: 5,070.0
12/18/08 Total CVOCs: 9,928.5
Final Total CVOCs: 12,961.0

MW-5-07

Baseline Total CVOCs: 0.0
11/24/08 Total CVOCs: 0.0
12/18/08 Total CVOCs: 0.0
Final Total CVOCs: 0.0

MW-5-07

MW-2-04

MW-2-04

Baseline Total CVOCs: 194.0
11/24/08 Total CVOCs: 198.0
12/18/08 Total CVOCs: 250.0
Final Total CVOCs: 128.0

MW-1-04

Fence

Gravel Area

MW-18

Fence

Gravel Area

MW-2-06

MW-3-07

MW-3-07

Baseline Total CVOCs: 0.0
11/24/08 Total CVOCs: 0.0
12/18/08 Total CVOCs: 0.0
Final Total CVOCs: 0.0

MW-19

Wash Rite Laundry

Hallmark

MW-20

Concrete sidewalk

LEGEND

 Monitoring Well Location

MW-1-06

 Monitoring Well Location
Installed 2008

MW-1-08

 Soil Boring Location
Installed 2008

GP-3-08



**NORTHEASTERN
ENVIRONMENTAL
TECHNOLOGIES CORP.**

1476 Route 50, P.O. Box 2167, Ballston Spa, NY 12020
Phone: (518) 884-8545 Fax: (518) 884-9710 e-mail: jeffnetc@nycap.rr.com

FIGURE 3: Total CVOC Pilot Test Results

**PROJECT: 160 Fairview Avenue
Town of Greenport, Hudson, New York**

Project # 08.1022044

Scale: 1" = 40.0 ft.

Date: 01/23/09

NOTES:

Site features are based on a site plan prepared by Hersberg and Hershberg Map No. 000277 Dated 09/27/00.

Monitoring well locations are based on field measurements.

Concrete, fence and edge of asphalt are approximated.

Groundwater elevations are measured in feet.

All chemical concentrations are in parts per billion (ppb).

Mr. John Strang
NYS Department of Environmental Conservation
February 16, 2009
Page 7 of 7

ongoing reduction of the vapor impacts in and below the tenant spaces. A summary table of the TO-15 laboratory results, the sampling sites, as well as the Upstate laboratory reports are included in **Attachment D**.

CONCLUSION

The field and laboratory data assimilated during the pilot test suggests that RegenOx™ is a viable remedial alternative for the chlorinated VOCs (CVOCs) groundwater impacts located east of the Wash Rite tenant space. Within 14 days of the RegenOx™ injection work, total CVOC concentrations in monitoring well MW-4-06 were reduced from \pm 22 ppm to \pm 5 ppm. A rebound in CVOC concentrations was observed during the 60 - 90 day monitoring period, however, the total CVOC concentrations at monitoring well MW-4-06 remained at 58% (\pm 12ppm) of the initial baseline concentration. At this time, increases in CVOC are attributed [in part] to dissolved CVOC groundwater impacts upgradient of the RegenOx™ pilot test site.


The most recent TO-15 laboratory result illustrated no apparent negative impact from the pilot test work and suggest the historical use of the sub slab vapor mitigation system has reduced the CVOC sub slab and indoor air impacts to concentrations below the DOHs mitigation and monitoring action levels.

RECOMMENDATIONS

At this time, NETC recommends a second RegenOx™ injection application event over the pilot test work site. The second treatment will employ the means and methods as outlined in the DEC approved pilot test work plan. The results of the second RegenOx™ application will be used [along with any directives issued by the department] to design a site wide application program. Unless otherwise directed, we anticipate completing the second RegenOx™ application the week of March 2, 2009.

Please contact me with any specific questions regarding this matter. The NETC organization and I remain available to assist you and the DEC with this important matter, as necessary.

Sincerely,
NORTHEASTERN ENVIRONMENTAL TECHNOLOGIES CORPORATION


Jeffrey T. Wink, President
JTW/epa

File\c:\NETCProjects\Sites\fairview\StatusReport021609

C.c. Mr. Tony Fabiano
Ms. Maureen Schuck NYSDOH

ATTACHMENT A

FIELD METHODS

METHODOLOGIES

SOIL BORING PROGRAM

A total of (14) injection points were advanced in a pre selected work zone surrounding monitoring well MW-4-06. Three injection points were installed on October 31, 2008. The remaining (11) injection points were installed on November 7, 2008. The injection points were installed using direct push drilling techniques using a track mounted Geoprobe drilling platform. Each injection point was advanced to a maximum depth of 20.0 feet below grade. A positive displacement high pressure pump was used to inject a 50% Part A & 50% Part B of the RegenOx™ solution at each injection site. The actual amount of the RegenOx™ solution injected at each site ranged from 30 - 120 lbs.

The number of injection sites for the pilot test was increased from the proposed (9) to (14) and the contemplated 120 lbs RegenOx™ (50% Part A & 50% Part B) solution per injection site was reduced (when appropriate) to compensate for capacity limitation in the unconsolidated deposits, which resulted (in some cases) in surface breakout of the chemical oxidant. The subsurface treatment zone selected for this work was from 10.0 to 20.0 ft below grade. NETC directed and was responsible for all aspects of the drilling and injection program.

GROUNDWATER SAMPLING SERVICES

To evaluate the viability of in Situ anaerobic reductive dechlorination using the chemical oxidant RegenOx™, baseline groundwater quality samples, as well as periodic groundwater monitoring was conducted over a 90 day period. The groundwater monitoring was performed using existing wells MW-2-04, MW-2-06, MW-2-07, MW-3-07, MW-5-07, MW-1-08 and MW-2-08. Groundwater sampling occurred in each of the baseline monitoring wells, noted above, on November 17, November 24, and December 18, 2008. The field parameters of pH, Dissolved Oxygen (DO), ORP, Temperature, and Conductivity were recorded during each of the above noted sampling events.

Groundwater samples collected on November 24, 2008 were submitted to Phoenix Laboratories, Inc. (PEL) for analysis via EPA Method 8260. Groundwater samples collected on December 18, 2008 were submitted to PEL for dissolved Iron, Manganese, and COD analysis, as well as chemical analysis via EPA Method 8260. Based on post injection groundwater quality trends observed in the pilot test work zone, the application engineering staff of Regenesis advocated an additional sampling event approximately 60 days after the RegenOx™ injection program to evaluated long term effectiveness of the RegenOx™ application. The sampling occurred on January 22, 2009 using the above noted control wells. The field parameters of pH, Dissolved Oxygen (DO), ORP, Temperature, and Conductivity were recorded during the sampling event. Groundwater samples collected on January 22, 2009 were submitted to PEL for analysis via EPA Method 8260 and COD analysis.

All groundwater samples were collected using low flow and flow cell sampling techniques. All samples were collected in such a manner as to minimize agitation and other disturbing conditions, which may cause physiochemical changes and bring about losses due to volatilization, adsorption, redox changes or physiochemical degradation. The samples were transferred to a set of laboratory prepared bottles for chemical analysis as outlined above. Prior to groundwater sampling, groundwater elevations were recorded throughout the network of monitoring wells installed at the site.

Observations have been recorded regarding weather and surrounding air/water/soil conditions, non-aqueous components of water (e.g. "floaters," surface sheens) and other pertinent field conditions. Chain of custody documentation was maintained throughout the transfer and shipment of samples to the laboratory.

INTERIOR AIR & VAPOR SAMPLING SERVICES

Indoor air and sub slab vapor samples were collected in the Wash Rite Laundry and Hallmark tenant spaces on December 18, 2008. The purpose of this work is to establish a 2008 - 2009 "heating season" baseline for the tenant spaces [since the installation of the sub slab vapor mitigation system] and to evaluate the impact (if any) the RegenOx™ In Situ treatment measures would have on the Fairview Plaza.

Prior to collecting the soil vapor samples, three vapor volumes were purged from each implant using a SKC air sample pump. After purging, a vapor sample was collected using a hand held photoionization meter (i.e., PhotoVac Model 2020). Sub slab vapor samples were collected using a negatively pressurized 6L Summa® canister equipped with a time specific regulator. Each regulator was calibrated by UpState Laboratories, Inc. (UL) for the desired 8 hour sampling interval. A simultaneous indoor air sample was collected from each of the areas. A simultaneous outdoor air sample was collected at an upwind location (free of obstructions) adjacent to the Fairview Plaza. Each indoor and outdoor air sample was obtained from a 3 foot elevated platform via 6L Summa® canisters equipped with an 8 hour sample regulator.

All Summa® canisters were certified as clean by UL. A sampling log was maintained for the sampling event which documents sample IDs, date and time of the sample collection, sample height, the names of NETC staff, pertinent weather conditions, sampling methods and devices used, volume of air sampled, applicable pre and post sample vacuum and ambient air temperature data, and chain of custody information. All samples were shipped under chain of custody documentation for chemical analysis. All samples were analyzed via EPA Method TO-15. All data sets were reported in micrograms per cubic meter ($\mu\text{g}/\text{m}^3$) with minimum sample reporting limits of $1 \mu\text{g}/\text{m}^3$.

DECONTAMINATION PROTOCOL

All equipment used during the pilot test study work that came in contact with soil, as well as drill tools, pumps and hoses underwent an initial cleaning procedure. While working at the site, the drilling equipment was decontaminated between soil borings and injection points to prevent cross contamination. The cleaning process involved the use of an Alconox wash and a high pressure water rinse. All soil and water resultant from the drilling and decontamination procedures was staged on site in 55 gallon, 17H salvage drums.

ATTACHMENT B

GROUNDWATER ELEVATION DATA

160 Fairview Avenue - Fairview Plaza

Historical Groundwater Elevations

DATE	MONITORING LOCATION									
	MW-18		MW-19		MW-20		MW-1-04		MW-2-04	
	DTW	GW ele	DTW	GW ele	DTW	GW ele	DTW	GW ele	DTW	GW ele
04/18/2006	1.59	98.96	3.82	96.92	9.82	91.71	6.54	92.43	1.01	96.54
05/24/2006	3.01	97.54	3.52	97.22	9.05	92.48	1.25	97.72	0.41E	97.55
05/14/2007	3.49	97.06	5.67	95.07	8.56	92.97	1.37	97.60	0.80	96.75
05/17/2007	3.47	97.08	6.38	94.36	9.44	92.09	1.31	97.66	0.91	96.64
08/20/2007	3.31	97.24	1.24	99.50	9.86	91.67	1.50	97.47	0.79	96.76
10/23/2008	3.57	96.98	2.83	97.91	10.41	91.12	2.30	96.67	2.11	95.44
10/30/2008	2.68	97.87	3.00	97.74	10.55	90.98	1.25	97.72	<0.5	97.55
11/17/2008	2.67	97.88	3.03	97.71	10.56	90.97	1.33	97.64	1.40	96.15
11/24/2008	3.30	97.25	3.54	97.20	10.57	90.96	2.00	96.97	1.72	95.83
12/18/2008	NM	NM	3.12	97.62	10.68	90.85	0.94	98.03	0.28	97.27
01/22/2009	NM	NM	4.72	96.02	9.23	92.30	2.43	96.54	----	----

DATE	MONITORING LOCATION									
	MW-1-06		MW-2-06		MW-3-06		MW-4-06		MW-1-07	
	DTW	GW ele	DTW	GW ele	DTW	GW ele	DTW	GW ele	DTW	GW ele
04/18/2006	10.68	90.52	3.06	96.97	2.78	93.24	3.89	92.35	NI	NI
05/24/2006	10.27	90.93	2.55	97.48	2.40	93.62	2.20	94.04	NI	NI
05/14/2007	11.42	89.78	3.02	97.01	2.38	93.64	2.49	93.75	2.14	93.89
05/17/2007	10.08	91.12	3.03	97.00	2.25	93.77	2.20	94.04	2.12	93.91
08/20/2007	11.58	89.62	2.85	97.18	2.64	93.38	2.27	93.97	2.49	93.54
10/23/2008	12.13	89.07	3.13	96.90	3.15	92.87	3.35	92.89	3.00	93.03
10/30/2008	12.22	88.98	2.24	97.79	3.22	92.80	2.97	93.27	3.16	92.87
11/17/2008	NM	NM	2.22	97.81	3.26	92.76	2.96	93.28	3.11	92.92
11/24/2008	12.22	88.98	2.81	97.22	3.53	92.49	4.00	92.24	3.38	92.65
12/18/2008	12.03	89.17	1.92	98.11	3.52	92.50	3.90	92.34	NM	96.03
01/22/2009	11.37	89.83	2.49	97.54	3.56	92.46	3.87	92.37	3.40	92.63

DATE	MONITORING LOCATION									
	MW-2-07		MW-3-07		MW-4-07		MW-5-07		MW-1-08	MW-2-08
	DTW	GW ele	DTW	GW ele	DTW	GW ele	DTW	GW ele	DTW	DTW
04/18/2006	NI	NI	NI	NI	NI	NI	NI	NI	NI	NI
05/24/2006	NI	NI	NI	NI	NI	NI	NI	NI	NI	NI
05/14/2007	2.02	93.80	9.88	87.12	12.08	84.43	5.04	91.76	NI	NI
05/17/2007	3.08	92.74	2.10	94.90	8.67	87.84	1.64	95.16	NI	NI
08/20/2007	2.26	93.56	2.98	94.02	3.28	93.23	1.50	95.30	NI	NI
10/23/2008	2.95	92.87	3.02	93.98	3.82	92.69	5.80	91.00	NI	NI
10/30/2008	3.13	92.69	0.55	96.45	3.89	92.62	2.72	94.08	NI	NI
11/17/2008	3.10	92.72	2.88	94.12	3.65	92.86	4.80	92.00	3.35	3.14
11/24/2008	3.29	92.53	6.69	90.31	3.94	92.57	4.97	91.83	3.70	3.51
12/18/2008	3.38	92.44	6.97	90.03	NM	96.51	5.69	91.11	3.78	3.59
01/22/2009	3.23	92.59	6.84	90.16	3.88	92.63	5.63	91.17	3.71	3.53

Notes:

NI = Not installed

E = Estimated

160 Fairview Avenue - Fairview Plaza

January 22, 2009

Well Id	Ground Elevation (Feet)	PVC Elevation (Feet)	Depth to Water (Feet)	Groundwater Elevation (Feet)
MW-18	NM	100.55	NM	NM
MW-19	101.17	100.74	4.72	96.02
MW-20	101.61	101.53	9.23	92.30
MW-1-04	99.19	98.97	2.43	96.54
MW-2-04	97.60	97.55	ICE	NM
MW-1-06	101.57	101.20	11.37	89.83
MW-2-06	100.24	100.03	2.49	97.54
MW-3-06	96.48	96.02	3.56	92.46
MW-4-06	96.53	96.24	3.87	92.37
MW-1-07	96.25	96.03	3.40	92.63
MW-2-07	96.04	95.82	3.23	92.59
MW-3-07	97.63	97.00	6.84	90.16
MW-4-07	96.76	96.51	3.88	92.63
MW-5-07	97.36	96.80	5.63	91.17
MW-1-08	NM	NM	3.71	NM
MW-2-08	NM	NM	3.53	NM

E = Estimate

160 Fairview Avenue - Fairview Plaza

December 18, 2008

Well Id	Ground Elevation (Feet)	PVC Elevation (Feet)	Depth to Water (Feet)	Groundwater Elevation (Feet)
MW-18	NM	100.55	NM	NM
MW-19	101.17	100.74	3.12	97.62
MW-20	101.61	101.53	10.68	90.85
MW-1-04	99.19	98.97	0.94	98.03
MW-2-04	97.60	97.55	0.28	97.27
MW-1-06	101.57	101.20	12.03	89.17
MW-2-06	100.24	100.03	1.92	98.11
MW-3-06	96.48	96.02	3.52	92.50
MW-4-06	96.53	96.24	3.90	92.34
MW-1-07	96.25	96.03	NM	NM
MW-2-07	96.04	95.82	3.38	92.44
MW-3-07	97.63	97.00	6.97	90.03
MW-4-07	96.76	96.51	NM	NM
MW-5-07	97.36	96.80	5.69	91.11
MW-1-08	NM	NM	3.78	NM
MW-2-08	NM	NM	3.59	NM

E = Estimate

160 Fairview Avenue - Fairview Plaza

November 24, 2008

Well Id	Ground Elevation (Feet)	PVC Elevation (Feet)	Depth to Water (Feet)	Groundwater Elevation (Feet)
MW-18	NM	100.55	3.30	97.25
MW-19	101.17	100.74	3.54	97.20
MW-20	101.61	101.53	10.57	90.96
MW-1-04	99.19	98.97	2.00	96.97
MW-2-04	97.60	97.55	1.72	95.83
MW-1-06	101.57	101.20	12.22	88.98
MW-2-06	100.24	100.03	2.81	97.22
MW-3-06	96.48	96.02	3.53	92.49
MW-4-06	96.53	96.24	4.00	92.24
MW-1-07	96.25	96.03	3.38	92.65
MW-2-07	96.04	95.82	3.29	92.53
MW-3-07	97.63	97.00	6.69	90.31
MW-4-07	96.76	96.51	3.94	92.57
MW-5-07	97.36	96.80	4.97	91.83
MW-1-08	NM	NM	3.70	NM
MW-2-08	NM	NM	3.51	NM

E = Estimate

160 Fairview Avenue - Fairview Plaza

November 17, 2008

Well Id	Ground Elevation (Feet)	PVC Elevation (Feet)	Depth to Water (Feet)	Groundwater Elevation (Feet)
MW-18	NM	100.55	2.67	97.88
MW-19	101.17	100.74	3.03	97.71
MW-20	101.61	101.53	10.56	90.97
MW-1-04	99.19	98.97	1.33	97.64
MW-2-04	97.60	97.55	1.40	96.15
MW-1-06	101.57	101.20	NM	NM
MW-2-06	100.24	100.03	2.22	97.81
MW-3-06	96.48	96.02	3.26	92.76
MW-4-06	96.53	96.24	2.96	93.28
MW-1-07	96.25	96.03	3.11	92.92
MW-2-07	96.04	95.82	3.10	92.72
MW-3-07	97.63	97.00	2.88	94.12
MW-4-07	96.76	96.51	3.65	92.86
MW-5-07	97.36	96.80	4.80	92.00
MW-1-08	NM	NM	3.35	NM
MW-2-08	NM	NM	3.14	NM

E = Estimate

160 Fairview Avenue - Fairview Plaza

October 30, 2008

Well Id	Ground Elevation (Feet)	PVC Elevation (Feet)	Depth to Water (Feet)	Groundwater Elevation (Feet)
MW-18	NM	100.55	2.68	97.87
MW-19	101.17	100.74	3.00	97.74
MW-20	101.61	101.53	10.55	90.98
MW-1-04	99.19	98.97	1.25	97.72
MW-2-04	97.60	97.55	<0.5	NA
MW-1-06	101.57	101.20	12.22	88.98
MW-2-06	100.24	100.03	2.24	97.79
MW-3-06	96.48	96.02	3.22	92.80
MW-4-06	96.53	96.24	2.97	93.27
MW-1-07	96.25	96.03	3.16	92.87
MW-2-07	96.04	95.82	3.13	92.69
MW-3-07	97.63	97.00	0.55	96.45
MW-4-07	96.76	96.51	3.89	92.62
MW-5-07	97.36	96.80	2.72	94.08

E = Estimate

ATTACHMENT C

GROUNDWATER QUALITY DATA

GROUNDWATER QUALITY SUMMARY (EPA METHOD 8260)

FAIRVIEW PLAZA

160 Fairview Avenue Hudson, New York

October, 2008 - January, 2009

PARAMETER	WATER SAMPLE DESCRIPTION												DEC				
	MW-2-04				MW-4-06				MW-2-07								
	10/30/2008	11/24/2008	12/18/2008	01/22/2009	10/30/2008	11/24/2008	12/18/2008	01/22/2009	10/30/2008	11/24/2008	12/18/2008	01/22/2009	10/30/2008	11/24/2008	12/18/2008	01/22/2009	
Dissolved Iron	0.040	NS	0.018	NS	0.068	NS	0.765	NS	0.145	NS	0.242	NS	0.093	NS	0.005	NS	—
Dissolved Manganese	NS	NS	0.764	NS	NS	NS	0.290	NS	NS	NS	0.011	NS	NS	NS	0.042	NS	—
C.O.D.	<10	NS	<10	29.0	31	NS	280	330	15	NS	280	45	26	NS	18	<10	—
Acetone	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	50
Benzene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.7
cis-1,2-Dichloroethene	86.0	65.0	72.0	48.0	7,100	2,000	2,700	3,200	ND	5							
MTBE	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	10
Methylene chloride	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5
Tetrachloroethene (PERC)	50.0	71.0	100.0	25.0	6,800	1,600	4,300	6,200	ND	5							
trans-1,2-Dichloroethene	ND	ND	ND	ND	18	ND	8.5	11.0	ND	5							
Trichloroethene (TCE)	58.0	62.0	78.0	55.0	7,800	1,100	2,500	3,100	ND	5							
Vinyl Chloride	ND	ND	ND	ND	460	370	420	450	ND	2							
Total VOCs	194.0	198.0	250.0	128.0	22,178	5,070	9,928.5	12,961.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	—

PARAMETER	WATER SAMPLE DESCRIPTION												DEC	
	MW-5-07				MW-1-08				MW-2-08					
	10/30/2008	11/24/2008	12/18/2008	01/22/2009	10/30/2008	11/24/2008	12/18/2008	01/22/2009	10/30/2008	11/24/2008	12/18/2008	01/22/2009		
Dissolved Iron	2.330	NS	1.400	NS	NS	NS	0.372	NS	NS	NS	0.034	NS	—	
Dissolved Manganese	NS	NS	5.380	NS	NS	NS	0.118	NS	NS	NS	0.809	NS	—	
C.O.D.	60.0	NS	64.0	57	NS	NS	120.0	110.0	NS	NS	230.0	840.0	—	
Acetone	ND	ND	ND	ND	NS	ND	ND	ND	NS	ND	ND	ND	50	
Benzene	ND	ND	ND	ND	NS	ND	ND	ND	NS	ND	ND	ND	0.7	
cis-1,2-Dichloroethene	ND	ND	ND	ND	NS	ND	630.0	830.0	NS	ND	410.0	140.0	5	
MTBE	ND	ND	ND	ND	NS	ND	ND	ND	NS	ND	ND	ND	10	
Methylene chloride	ND	ND	ND	ND	NS	ND	5.5	ND	NS	ND	ND	ND	5	
Tetrachloroethene (PERC)	ND	ND	ND	ND	NS	ND	ND	7.1	NS	ND	ND	ND	5	
trans-1,2-Dichloroethene	ND	ND	ND	ND	NS	ND	5.0	5.4	NS	ND	ND	ND	5	
Trichloroethene (TCE)	ND	ND	ND	ND	NS	ND	13.0	32.0	NS	ND	ND	ND	5	
Vinyl Chloride	ND	ND	ND	ND	NS	450.0	560.0	660.0	NS	190.0	440.0	200.0	2	
Total VOCs	0.0	0.0	0.0	0.0	0.0	450.0	1,213.6	1,534.5	0.0	190.0	850.0	340.0	—	

Notes: All concentrations are in ug/l or ppb (parts per billion)

DEC = Groundwater quality standards & guidelines (6NYCRR Part 703)

* Principal organic compound standard for groundwater is 5 ppb

NA= Not Analyzed ND = Not Detected NS = Not Sampled

ATTACHMENT C
EXHIBIT C-1

OCTOBER 30, 2008

GROUNDWATER QUALITY SUMMARY (EPA METHOD 8260)
FAIRVIEW PLAZA

160 Fairview Avenue Hudson, New York

Baseline - Sampled on October 30, 2008

PARAMETER	WATER SAMPLE DESCRIPTION							UNITS	DEC
	MW-2-04	MW-4-06	MW-2-07	MW-3-07	MW-5-07	MW-1-08	MW-2-08		
Dissolved Iron	0.040	0.068	0.145	0.093	2.330	NS	NS	ppm	----
Dissolved Maganese	NS	NS	NS	NS	NS	NS	NS	ppm	----
C.O.D.	<10	31	15	26	60	NS	NS	ppm	----
Acetone	ND	ND	ND	ND	ND	NS	NS	ppb	50
Benzene	ND	ND	ND	ND	ND	NS	NS	ppb	0.7
cis-1,2-Dichloroethene	86.0	7,100	ND	ND	ND	NS	NS	ppb	5
MTBE	ND	ND	ND	ND	ND	NS	NS	ppb	10
Tetrachloroethene (PERC)	50.0	6,800	ND	ND	ND	NS	NS	ppb	5
trans-1,2-Dichloroethene	ND	18	ND	ND	ND	NS	NS	ppb	5
Trichloroethene (TCE)	58.0	7,800	ND	ND	ND	NS	NS	ppb	5
Vinyl Chloride	ND	460	ND	ND	ND	NS	NS	ppb	2
Total VOCs	194.0	22,178	0.00	0.00	0.00	NS	NS	----	----

Notes: All concentrations are in ug/l or ppb (parts per billion)

DEC = Groundwater quality standards & guidelines (6NYCRR Part 703)

* Principal organic compound standard for groundwater is 5 ppb

ND = Not Detected

---- = Not Sampled



Friday, November 07, 2008

**Attn: Mr. Todd Scott
NETC
PO Box 2167
Ballston Spa, NY 12020**

**Client ID: FAIRVIEW PLAZA
Sample ID#s: AQ96756 - AQ96760**

This laboratory is in compliance with the QA/QC procedures outlined in EPA 600/4-79-019, Handbook for Analytical Quality in Water and Waste Water, March 1979, SW846 QA/QC and NELAC requirements of procedures used.

This report contains results for the parameters tested, under the sampling conditions described on the Chain Of Custody, as received by the laboratory.

If you have any questions concerning this testing, please do not hesitate to contact Phoenix Client Services at ext. 200.

Sincerely yours,

A handwritten signature in black ink, appearing to read "Phyllis Shiller".

**Phyllis Shiller
Laboratory Director**

**CT Lab Registration #PH-0618
MA Lab Registration #MA-CT-007
NY Lab Registration #11301
RI Lab Registration #63
NH Lab Registration #213693-A,B
ME Lab Registration #CT-007
NJ Lab Registration #CT-003
PA Lab Registration #68-03530**



Environmental Laboratories, Inc.

587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06040
Tel. (860) 645-1102 Fax (860) 645-0823



Analysis Report

November 07, 2008

FOR: Attn: Mr. Todd Scott
NETC
PO Box 2167
Ballston Spa, NY 12020

Sample Information

Matrix: WATER
Location Code: NETC
Rush Request: RUSH
P.O.#: 08.1022044

Custody Information

Collected by: TS
Received by: LB
Analyzed by: see "By" below

Date 11/03/08 Time 11:21

Date 11/04/08 Time 9:20

SDG I.D.: GAQ96756

Phoenix I.D.: AQ96756

Laboratory Data

Client ID: FAIRVIEW PLAZA MW-2-07

Parameter	Result	RL	Units	Date	Time	By	Reference
Iron (Dissolved)	0.145	0.002	mg/L	11/05/08		E/L	6010/200.7
Magnesium (Dissolved)	78.1	0.01	mg/L	11/05/08		E/L	6010/200.7
C.O.D.	15	10	mg/L	11/06/08		KDB	SM5220 D
Filtration	Completed			11/05/08		AG	0.45um Filter
Dissolved Metals Preparation	Completed			11/05/08		AG	SW846-3005
Volatiles							
1,1,1,2-Tetrachloroethane	ND	5.0	ug/L	11/06/08		R/J	SW8260
1,1,1-Trichloroethane	ND	5.0	ug/L	11/06/08		R/J	SW8260
1,1,2,2-Tetrachloroethane	ND	5.0	ug/L	11/06/08		R/J	SW8260
1,1,2-Trichloroethane	ND	5.0	ug/L	11/06/08		R/J	SW8260
1,1-Dichloroethane	ND	5.0	ug/L	11/06/08		R/J	SW8260
1,1-Dichloroethene	ND	5.0	ug/L	11/06/08		R/J	SW8260
1,1-Dichloropropene	ND	5.0	ug/L	11/06/08		R/J	SW8260
1,2,3-Trichlorobenzene	ND	5.0	ug/L	11/06/08		R/J	SW8260
1,2,3-Trichloropropane	ND	5.0	ug/L	11/06/08		R/J	SW8260
1,2,4-Trichlorobenzene	ND	5.0	ug/L	11/06/08		R/J	SW8260
1,2,4-Trimethylbenzene	ND	5.0	ug/L	11/06/08		R/J	SW8260
1,2-Dibromo-3-chloropropane	ND	5.0	ug/L	11/06/08		R/J	SW8260
1,2-Dichlorobenzene	ND	5.0	ug/L	11/06/08		R/J	SW8260
1,2-Dichloroethane	ND	5.0	ug/L	11/06/08		R/J	SW8260
1,2-Dichloropropane	ND	5.0	ug/L	11/06/08		R/J	SW8260
1,3,5-Trimethylbenzene	ND	5.0	ug/L	11/06/08		R/J	SW8260
1,3-Dichlorobenzene	ND	5.0	ug/L	11/06/08		R/J	SW8260
1,3-Dichloropropane	ND	5.0	ug/L	11/06/08		R/J	SW8260
1,4-Dichlorobenzene	ND	5.0	ug/L	11/06/08		R/J	SW8260
2,2-Dichloropropane	ND	5.0	ug/L	11/06/08		R/J	SW8260
2-Chlorotoluene	ND	5.0	ug/L	11/06/08		R/J	SW8260
2-Hexanone	ND	25	ug/L	11/06/08		R/J	SW8260
2-Isopropyltoluene	ND	5.0	ug/L	11/06/08		R/J	SW8260
4-Chlorotoluene	ND	5.0	ug/L	11/06/08		R/J	SW8260

Parameter	Result	RL	Units	Date	Time	By	Reference
4-Methyl-2-pentanone	ND	25	ug/L	11/06/08		R/J	SW8260
Acetone	ND	50	ug/L	11/06/08		R/J	SW8260
Acrylonitrile	ND	10	ug/L	11/06/08		R/J	SW8260
Benzene	ND	5.0	ug/L	11/06/08		R/J	SW8260
Bromobenzene	ND	5.0	ug/L	11/06/08		R/J	SW8260
Bromoform	ND	5.0	ug/L	11/06/08		R/J	SW8260
Bromomethane	ND	5.0	ug/L	11/06/08		R/J	SW8260
Carbon Disulfide	ND	5.0	ug/L	11/06/08		R/J	SW8260
Carbon tetrachloride	ND	5.0	ug/L	11/06/08		R/J	SW8260
Chlorobenzene	ND	5.0	ug/L	11/06/08		R/J	SW8260
Chloroethane	ND	5.0	ug/L	11/06/08		R/J	SW8260
Chloroform	ND	5.0	ug/L	11/06/08		R/J	SW8260
Chloromethane	ND	5.0	ug/L	11/06/08		R/J	SW8260
cis-1,2-Dichloroethene	ND	5.0	ug/L	11/06/08		R/J	SW8260
cis-1,3-Dichloropropene	ND	5.0	ug/L	11/06/08		R/J	SW8260
Dibromochloromethane	ND	5.0	ug/L	11/06/08		R/J	SW8260
Dibromoethane	ND	5.0	ug/L	11/06/08		R/J	SW8260
Dibromomethane	ND	5.0	ug/L	11/06/08		R/J	SW8260
Dichlorodifluoromethane	ND	5.0	ug/L	11/06/08		R/J	SW8260
Ethylbenzene	ND	5.0	ug/L	11/06/08		R/J	SW8260
Hexachlorobutadiene	ND	5.0	ug/L	11/06/08		R/J	SW8260
Isopropylbenzene	ND	5.0	ug/L	11/06/08		R/J	SW8260
m&p-Xylene	ND	5.0	ug/L	11/06/08		R/J	SW8260
Methyl Ethyl Ketone	ND	60	ug/L	11/06/08		R/J	SW8260
Methyl t-butyl ether (MTBE)	ND	10	ug/L	11/06/08		R/J	SW8260
Methylene chloride	ND	5.0	ug/L	11/06/08		R/J	SW8260
Naphthalene	ND	5.0	ug/L	11/06/08		R/J	SW8260
n-Butylbenzene	ND	5.0	ug/L	11/06/08		R/J	SW8260
n-Propylbenzene	ND	5.0	ug/L	11/06/08		R/J	SW8260
o-Xylene	ND	5.0	ug/L	11/06/08		R/J	SW8260
p-Isopropyltoluene	ND	5.0	ug/L	11/06/08		R/J	SW8260
sec-Butylbenzene	ND	5.0	ug/L	11/06/08		R/J	SW8260
Styrene	ND	5.0	ug/L	11/06/08		R/J	SW8260
tert-Butylbenzene	ND	5.0	ug/L	11/06/08		R/J	SW8260
Tetrachloroethene	ND	5.0	ug/L	11/06/08		R/J	SW8260
Tetrahydrofuran (THF)	ND	10	ug/L	11/06/08		R/J	SW8260
Toluene	ND	5.0	ug/L	11/06/08		R/J	SW8260
Total Xylenes	ND	5.0	ug/L	11/06/08		R/J	SW8260
trans-1,2-Dichloroethene	ND	5.0	ug/L	11/06/08		R/J	SW8260
trans-1,3-Dichloropropene	ND	5.0	ug/L	11/06/08		R/J	SW8260
trans-1,4-dichloro-2-butene	ND	10	ug/L	11/06/08		R/J	SW8260
Trichloroethene	ND	5.0	ug/L	11/06/08		R/J	SW8260
Trichlorofluoromethane	ND	5.0	ug/L	11/06/08		R/J	SW8260
Trichlorotrifluoroethane	ND	5.0	ug/L	11/06/08		R/J	SW8260
Vinyl chloride	ND	5.0	ug/L	11/06/08		R/J	SW8260
<u>QA/QC Surrogates</u>							
% 1,2-dichlorobenzene-d4	104		%	11/06/08		R/J	SW8260
% Bromofluorobenzene	95		%	11/06/08		R/J	SW8260
% Dibromofluoromethane	102		%	11/06/08		R/J	SW8260
% Toluene-d8	101		%	11/06/08		R/J	SW8260

Parameter	Result	RL	Units	Date	Time	By	Reference
-----------	--------	----	-------	------	------	----	-----------

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level



Phyllis Shiller, Laboratory Director

November 07, 2008



Environmental Laboratories, Inc.

587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06040
Tel. (860) 645-1102 Fax (860) 645-0823



Analysis Report

November 07, 2008

FOR: Attn: Mr. Todd Scott
NETC
PO Box 2167
Ballston Spa, NY 12020

Sample Information

Matrix: WATER
Location Code: NETC
Rush Request: RUSH
P.O.#: 08.1022044

Custody Information

Collected by: TS
Received by: LB
Analyzed by: see "By" below

Date 11/03/08 Time 12:45

Date 11/04/08 Time 9:20

SDG I.D.: GAQ96756

Phoenix I.D.: AQ96757

Laboratory Data

Client ID: FAIRVIEW PLAZA MW-3-07

Parameter	Result	RL	Units	Date	Time	By	Reference
Iron (Dissolved)	0.093	0.002	mg/L	11/05/08		E/L	6010/200.7
Magnesium (Dissolved)	69.2	0.01	mg/L	11/05/08		E/L	6010/200.7
C.O.D.	26	10	mg/L	11/06/08		KDB	SM5220 D
Filtration	Completed			11/05/08		AG	0.45um Filter
Dissolved Metals Preparation	Completed			11/05/08		AG	SW846-3005

Volatiles

1,1,1,2-Tetrachloroethane	ND	5.0	ug/L	11/06/08		R/J	SW8260
1,1,1-Trichloroethane	ND	5.0	ug/L	11/06/08		R/J	SW8260
1,1,2,2-Tetrachloroethane	ND	5.0	ug/L	11/06/08		R/J	SW8260
1,1,2-Trichloroethane	ND	5.0	ug/L	11/06/08		R/J	SW8260
1,1-Dichloroethane	ND	5.0	ug/L	11/06/08		R/J	SW8260
1,1-Dichloroethene	ND	5.0	ug/L	11/06/08		R/J	SW8260
1,1-Dichloropropene	ND	5.0	ug/L	11/06/08		R/J	SW8260
1,2,3-Trichlorobenzene	ND	5.0	ug/L	11/06/08		R/J	SW8260
1,2,3-Trichloropropane	ND	5.0	ug/L	11/06/08		R/J	SW8260
1,2,4-Trichlorobenzene	ND	5.0	ug/L	11/06/08		R/J	SW8260
1,2,4-Trimethylbenzene	ND	5.0	ug/L	11/06/08		R/J	SW8260
1,2-Dibromo-3-chloropropane	ND	5.0	ug/L	11/06/08		R/J	SW8260
1,2-Dichlorobenzene	ND	5.0	ug/L	11/06/08		R/J	SW8260
1,2-Dichloroethane	ND	5.0	ug/L	11/06/08		R/J	SW8260
1,2-Dichloropropane	ND	5.0	ug/L	11/06/08		R/J	SW8260
1,3,5-Trimethylbenzene	ND	5.0	ug/L	11/06/08		R/J	SW8260
1,3-Dichlorobenzene	ND	5.0	ug/L	11/06/08		R/J	SW8260
1,3-Dichloropropane	ND	5.0	ug/L	11/06/08		R/J	SW8260
1,4-Dichlorobenzene	ND	5.0	ug/L	11/06/08		R/J	SW8260
2,2-Dichloropropane	ND	5.0	ug/L	11/06/08		R/J	SW8260
2-Chlorotoluene	ND	5.0	ug/L	11/06/08		R/J	SW8260
2-Hexanone	ND	25	ug/L	11/06/08		R/J	SW8260
2-Isopropyltoluene	ND	5.0	ug/L	11/06/08		R/J	SW8260
4-Chlorotoluene	ND	5.0	ug/L	11/06/08		R/J	SW8260


Parameter	Result	RL	Units	Date	Time	By	Reference
4-Methyl-2-pentanone	ND	25	ug/L	11/06/08		R/J	SW8260
Acetone	ND	50	ug/L	11/06/08		R/J	SW8260
Acrylonitrile	ND	10	ug/L	11/06/08		R/J	SW8260
Benzene	ND	5.0	ug/L	11/06/08		R/J	SW8260
Bromobenzene	ND	5.0	ug/L	11/06/08		R/J	SW8260
Bromochloromethane	ND	5.0	ug/L	11/06/08		R/J	SW8260
Bromodichloromethane	ND	5.0	ug/L	11/06/08		R/J	SW8260
Bromoform	ND	5.0	ug/L	11/06/08		R/J	SW8260
Bromomethane	ND	5.0	ug/L	11/06/08		R/J	SW8260
Carbon Disulfide	ND	5.0	ug/L	11/06/08		R/J	SW8260
Carbon tetrachloride	ND	5.0	ug/L	11/06/08		R/J	SW8260
Chlorobenzene	ND	5.0	ug/L	11/06/08		R/J	SW8260
Chloroethane	ND	5.0	ug/L	11/06/08		R/J	SW8260
Chloroform	ND	5.0	ug/L	11/06/08		R/J	SW8260
Chloromethane	ND	5.0	ug/L	11/06/08		R/J	SW8260
cis-1,2-Dichloroethene	ND	5.0	ug/L	11/06/08		R/J	SW8260
cis-1,3-Dichloropropene	ND	5.0	ug/L	11/06/08		R/J	SW8260
Dibromochloromethane	ND	5.0	ug/L	11/06/08		R/J	SW8260
Dibromoethane	ND	5.0	ug/L	11/06/08		R/J	SW8260
Dibromomethane	ND	5.0	ug/L	11/06/08		R/J	SW8260
Dichlorodifluoromethane	ND	5.0	ug/L	11/06/08		R/J	SW8260
Ethylbenzene	ND	5.0	ug/L	11/06/08		R/J	SW8260
Hexachlorobutadiene	ND	5.0	ug/L	11/06/08		R/J	SW8260
Isopropylbenzene	ND	5.0	ug/L	11/06/08		R/J	SW8260
m&p-Xylene	ND	5.0	ug/L	11/06/08		R/J	SW8260
Methyl Ethyl Ketone	ND	60	ug/L	11/06/08		R/J	SW8260
Methyl t-butyl ether (MTBE)	ND	10	ug/L	11/06/08		R/J	SW8260
Methylene chloride	ND	5.0	ug/L	11/06/08		R/J	SW8260
Naphthalene	ND	5.0	ug/L	11/06/08		R/J	SW8260
n-Butylbenzene	ND	5.0	ug/L	11/06/08		R/J	SW8260
n-Propylbenzene	ND	5.0	ug/L	11/06/08		R/J	SW8260
o-Xylene	ND	5.0	ug/L	11/06/08		R/J	SW8260
p-Isopropyltoluene	ND	5.0	ug/L	11/06/08		R/J	SW8260
sec-Butylbenzene	ND	5.0	ug/L	11/06/08		R/J	SW8260
Styrene	ND	5.0	ug/L	11/06/08		R/J	SW8260
tert-Butylbenzene	ND	5.0	ug/L	11/06/08		R/J	SW8260
Tetrachloroethene	ND	5.0	ug/L	11/06/08		R/J	SW8260
Tetrahydrofuran (THF)	ND	10	ug/L	11/06/08		R/J	SW8260
Toluene	ND	5.0	ug/L	11/06/08		R/J	SW8260
Total Xylenes	ND	5.0	ug/L	11/06/08		R/J	SW8260
trans-1,2-Dichloroethene	ND	5.0	ug/L	11/06/08		R/J	SW8260
trans-1,3-Dichloropropene	ND	5.0	ug/L	11/06/08		R/J	SW8260
trans-1,4-dichloro-2-butene	ND	10	ug/L	11/06/08		R/J	SW8260
Trichloroethene	ND	5.0	ug/L	11/06/08		R/J	SW8260
Trichlorofluoromethane	ND	5.0	ug/L	11/06/08		R/J	SW8260
Trichlorotrifluoroethane	ND	5.0	ug/L	11/06/08		R/J	SW8260
Vinyl chloride	ND	5.0	ug/L	11/06/08		R/J	SW8260
<u>QA/QC Surrogates</u>							
% 1,2-dichlorobenzene-d4	104		%	11/06/08		R/J	SW8260
% Bromofluorobenzene	94		%	11/06/08		R/J	SW8260
% Dibromofluoromethane	102		%	11/06/08		R/J	SW8260
% Toluene-d8	102		%	11/06/08		R/J	SW8260

Parameter	Result	RL	Units	Date	Time	By	Reference
-----------	--------	----	-------	------	------	----	-----------

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level



Phyllis Shiller, Laboratory Director

November 07, 2008



Environmental Laboratories, Inc.

587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06040
Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

November 07, 2008

FOR: Attn: Mr. Todd Scott
NETC
PO Box 2167
Ballston Spa, NY 12020

Sample Information

Matrix: WATER
Location Code: NETC
Rush Request: RUSH
P.O.#: 08.1022044

Custody Information

Collected by: TS
Received by: LB
Analyzed by: see "By" below

Date 11/03/08 Time 13:38

Date 11/04/08 Time 9:20

SDG I.D.: GAQ96756

Phoenix I.D.: AQ96758

Laboratory Data

Client ID: FAIRVIEW PLAZA MW-2-04

Parameter	Result	RL	Units	Date	Time	By	Reference
Iron (Dissolved)	0.040	0.002	mg/L	11/05/08		E/L	6010/200.7
Magnesium (Dissolved)	14.0	0.01	mg/L	11/05/08		E/L	6010/200.7
C.O.D.	< 10	10	mg/L	11/06/08		KDB	SM5220 D
Filtration	Completed			11/05/08		AG	0.45um Filter
Dissolved Metals Preparation	Completed			11/05/08		AG	SW846-3005

Volatiles

1,1,1,2-Tetrachloroethane	ND	5.0	ug/L	11/06/08		R/J	SW8260
1,1,1-Trichloroethane	ND	5.0	ug/L	11/06/08		R/J	SW8260
1,1,2,2-Tetrachloroethane	ND	5.0	ug/L	11/06/08		R/J	SW8260
1,1,2-Trichloroethane	ND	5.0	ug/L	11/06/08		R/J	SW8260
1,1-Dichloroethane	ND	5.0	ug/L	11/06/08		R/J	SW8260
1,1-Dichloroethene	ND	5.0	ug/L	11/06/08		R/J	SW8260
1,1-Dichloropropene	ND	5.0	ug/L	11/06/08		R/J	SW8260
1,2,3-Trichlorobenzene	ND	5.0	ug/L	11/06/08		R/J	SW8260
1,2,3-Trichloropropane	ND	5.0	ug/L	11/06/08		R/J	SW8260
1,2,4-Trichlorobenzene	ND	5.0	ug/L	11/06/08		R/J	SW8260
1,2,4-Trimethylbenzene	ND	5.0	ug/L	11/06/08		R/J	SW8260
1,2-Dibromo-3-chloropropane	ND	5.0	ug/L	11/06/08		R/J	SW8260
1,2-Dichlorobenzene	ND	5.0	ug/L	11/06/08		R/J	SW8260
1,2-Dichloroethane	ND	5.0	ug/L	11/06/08		R/J	SW8260
1,2-Dichloropropane	ND	5.0	ug/L	11/06/08		R/J	SW8260
1,3,5-Trimethylbenzene	ND	5.0	ug/L	11/06/08		R/J	SW8260
1,3-Dichlorobenzene	ND	5.0	ug/L	11/06/08		R/J	SW8260
1,3-Dichloropropane	ND	5.0	ug/L	11/06/08		R/J	SW8260
1,4-Dichlorobenzene	ND	5.0	ug/L	11/06/08		R/J	SW8260
2,2-Dichloropropane	ND	5.0	ug/L	11/06/08		R/J	SW8260
2-Chlorotoluene	ND	5.0	ug/L	11/06/08		R/J	SW8260
2-Hexanone	ND	25	ug/L	11/06/08		R/J	SW8260
2-Isopropyltoluene	ND	5.0	ug/L	11/06/08		R/J	SW8260
4-Chlorotoluene	ND	5.0	ug/L	11/06/08		R/J	SW8260

Parameter	Result	RL	Units	Date	Time	By	Reference
4-Methyl-2-pentanone	ND	25	ug/L	11/06/08		R/J	SW8260
Acetone	ND	50	ug/L	11/06/08		R/J	SW8260
Acrylonitrile	ND	10	ug/L	11/06/08		R/J	SW8260
Benzene	ND	5.0	ug/L	11/06/08		R/J	SW8260
Bromobenzene	ND	5.0	ug/L	11/06/08		R/J	SW8260
Bromoform	ND	5.0	ug/L	11/06/08		R/J	SW8260
Bromomethane	ND	5.0	ug/L	11/06/08		R/J	SW8260
Carbon Disulfide	ND	5.0	ug/L	11/06/08		R/J	SW8260
Carbon tetrachloride	ND	5.0	ug/L	11/06/08		R/J	SW8260
Chlorobenzene	ND	5.0	ug/L	11/06/08		R/J	SW8260
Chloroethane	ND	5.0	ug/L	11/06/08		R/J	SW8260
Chloroform	ND	5.0	ug/L	11/06/08		R/J	SW8260
Chloromethane	ND	5.0	ug/L	11/06/08		R/J	SW8260
cis-1,2-Dichloroethene	86	5.0	ug/L	11/06/08		R/J	SW8260
cis-1,3-Dichloropropene	ND	5.0	ug/L	11/06/08		R/J	SW8260
Dibromochloromethane	ND	5.0	ug/L	11/06/08		R/J	SW8260
Dibromoethane	ND	5.0	ug/L	11/06/08		R/J	SW8260
Dibromomethane	ND	5.0	ug/L	11/06/08		R/J	SW8260
Dichlorodifluoromethane	ND	5.0	ug/L	11/06/08		R/J	SW8260
Ethylbenzene	ND	5.0	ug/L	11/06/08		R/J	SW8260
Hexachlorobutadiene	ND	5.0	ug/L	11/06/08		R/J	SW8260
Isopropylbenzene	ND	5.0	ug/L	11/06/08		R/J	SW8260
m&p-Xylene	ND	5.0	ug/L	11/06/08		R/J	SW8260
Methyl Ethyl Ketone	ND	60	ug/L	11/06/08		R/J	SW8260
Methyl t-butyl ether (MTBE)	ND	10	ug/L	11/06/08		R/J	SW8260
Methylene chloride	ND	5.0	ug/L	11/06/08		R/J	SW8260
Naphthalene	ND	5.0	ug/L	11/06/08		R/J	SW8260
n-Butylbenzene	ND	5.0	ug/L	11/06/08		R/J	SW8260
n-Propylbenzene	ND	5.0	ug/L	11/06/08		R/J	SW8260
o-Xylene	ND	5.0	ug/L	11/06/08		R/J	SW8260
p-Isopropyltoluene	ND	5.0	ug/L	11/06/08		R/J	SW8260
sec-Butylbenzene	ND	5.0	ug/L	11/06/08		R/J	SW8260
Styrene	ND	5.0	ug/L	11/06/08		R/J	SW8260
tert-Butylbenzene	ND	5.0	ug/L	11/06/08		R/J	SW8260
Tetrachloroethene	50	5.0	ug/L	11/06/08		R/J	SW8260
Tetrahydrofuran (THF)	ND	10	ug/L	11/06/08		R/J	SW8260
Toluene	ND	5.0	ug/L	11/06/08		R/J	SW8260
Total Xylenes	ND	5.0	ug/L	11/06/08		R/J	SW8260
trans-1,2-Dichloroethene	ND	5.0	ug/L	11/06/08		R/J	SW8260
trans-1,3-Dichloropropene	ND	5.0	ug/L	11/06/08		R/J	SW8260
trans-1,4-dichloro-2-butene	ND	10	ug/L	11/06/08		R/J	SW8260
Trichloroethene	58	5.0	ug/L	11/06/08		R/J	SW8260
Trichlorofluoromethane	ND	5.0	ug/L	11/06/08		R/J	SW8260
Trichlorotrifluoroethane	ND	5.0	ug/L	11/06/08		R/J	SW8260
Vinyl chloride	ND	5.0	ug/L	11/06/08		R/J	SW8260
<u>QA/QC Surrogates</u>							
% 1,2-dichlorobenzene-d4	101		%	11/06/08		R/J	SW8260
% Bromofluorobenzene	95		%	11/06/08		R/J	SW8260
% Dibromofluoromethane	101		%	11/06/08		R/J	SW8260
% Toluene-d8	98		%	11/06/08		R/J	SW8260

Parameter	Result	RL	Units	Date	Time	By	Reference
-----------	--------	----	-------	------	------	----	-----------

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level



Phyllis Shiller, Laboratory Director

November 07, 2008



Environmental Laboratories, Inc.

587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06040
Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

November 07, 2008

FOR: Attn: Mr. Todd Scott
NETC
PO Box 2167
Ballston Spa, NY 12020

Sample Information

Matrix: WATER
Location Code: NETC
Rush Request: RUSH
P.O.#: 08.1022044

Custody Information

Collected by: TS
Received by: LB
Analyzed by: see "By" below

Date 11/03/08 Time 14:30

Date 11/04/08 Time 9:20

Laboratory Data

SDG I.D.: GAQ96756

Phoenix I.D.: AQ96759

Client ID: FAIRVIEW PLAZA MW-5-07

Parameter	Result	RL	Units	Date	Time	By	Reference
Iron (Dissolved)	2.33	0.002	mg/L	11/05/08		E/L	6010/200.7
Magnesium (Dissolved)	112	0.10	mg/L	11/06/08		EK	6010/200.7
C.O.D.	60	10	mg/L	11/06/08		KDB	SM5220 D
Filtration	Completed			11/05/08		AG	0.45um Filter
Dissolved Metals Preparation	Completed			11/05/08		AG	SW846-3005

Volatiles

1,1,1,2-Tetrachloroethane	ND	5.0	ug/L	11/06/08		R/J	SW8260
1,1,1-Trichloroethane	ND	5.0	ug/L	11/06/08		R/J	SW8260
1,1,2,2-Tetrachloroethane	ND	5.0	ug/L	11/06/08		R/J	SW8260
1,1,2-Trichloroethane	ND	5.0	ug/L	11/06/08		R/J	SW8260
1,1-Dichloroethane	ND	5.0	ug/L	11/06/08		R/J	SW8260
1,1-Dichloroethene	ND	5.0	ug/L	11/06/08		R/J	SW8260
1,1-Dichloropropene	ND	5.0	ug/L	11/06/08		R/J	SW8260
1,2,3-Trichlorobenzene	ND	5.0	ug/L	11/06/08		R/J	SW8260
1,2,3-Trichloropropane	ND	5.0	ug/L	11/06/08		R/J	SW8260
1,2,4-Trichlorobenzene	ND	5.0	ug/L	11/06/08		R/J	SW8260
1,2,4-Trimethylbenzene	ND	5.0	ug/L	11/06/08		R/J	SW8260
1,2-Dibromo-3-chloropropane	ND	5.0	ug/L	11/06/08		R/J	SW8260
1,2-Dichlorobenzene	ND	5.0	ug/L	11/06/08		R/J	SW8260
1,2-Dichloroethane	ND	5.0	ug/L	11/06/08		R/J	SW8260
1,2-Dichloropropane	ND	5.0	ug/L	11/06/08		R/J	SW8260
1,3,5-Trimethylbenzene	ND	5.0	ug/L	11/06/08		R/J	SW8260
1,3-Dichlorobenzene	ND	5.0	ug/L	11/06/08		R/J	SW8260
1,3-Dichloropropane	ND	5.0	ug/L	11/06/08		R/J	SW8260
1,4-Dichlorobenzene	ND	5.0	ug/L	11/06/08		R/J	SW8260
2,2-Dichloropropane	ND	5.0	ug/L	11/06/08		R/J	SW8260
2-Chlorotoluene	ND	5.0	ug/L	11/06/08		R/J	SW8260
2-Hexanone	ND	25	ug/L	11/06/08		R/J	SW8260
2-Isopropyltoluene	ND	5.0	ug/L	11/06/08		R/J	SW8260
4-Chlorotoluene	ND	5.0	ug/L	11/06/08		R/J	SW8260


Parameter	Result	RL	Units	Date	Time	By	Reference
4-Methyl-2-pentanone	ND	25	ug/L	11/06/08		R/J	SW8260
Acetone	ND	50	ug/L	11/06/08		R/J	SW8260
Acrylonitrile	ND	10	ug/L	11/06/08		R/J	SW8260
Benzene	ND	5.0	ug/L	11/06/08		R/J	SW8260
Bromobenzene	ND	5.0	ug/L	11/06/08		R/J	SW8260
Bromoform	ND	5.0	ug/L	11/06/08		R/J	SW8260
Bromomethane	ND	5.0	ug/L	11/06/08		R/J	SW8260
Carbon Disulfide	ND	5.0	ug/L	11/06/08		R/J	SW8260
Carbon tetrachloride	ND	5.0	ug/L	11/06/08		R/J	SW8260
Chlorobenzene	ND	5.0	ug/L	11/06/08		R/J	SW8260
Chloroethane	ND	5.0	ug/L	11/06/08		R/J	SW8260
Chloroform	ND	5.0	ug/L	11/06/08		R/J	SW8260
Chloromethane	ND	5.0	ug/L	11/06/08		R/J	SW8260
cis-1,2-Dichloroethene	ND	5.0	ug/L	11/06/08		R/J	SW8260
cis-1,3-Dichloropropene	ND	5.0	ug/L	11/06/08		R/J	SW8260
Dibromochloromethane	ND	5.0	ug/L	11/06/08		R/J	SW8260
Dibromoethane	ND	5.0	ug/L	11/06/08		R/J	SW8260
Dibromomethane	ND	5.0	ug/L	11/06/08		R/J	SW8260
Dichlorodifluoromethane	ND	5.0	ug/L	11/06/08		R/J	SW8260
Ethylbenzene	ND	5.0	ug/L	11/06/08		R/J	SW8260
Hexachlorobutadiene	ND	5.0	ug/L	11/06/08		R/J	SW8260
Isopropylbenzene	ND	5.0	ug/L	11/06/08		R/J	SW8260
m&p-Xylene	ND	5.0	ug/L	11/06/08		R/J	SW8260
Methyl Ethyl Ketone	ND	60	ug/L	11/06/08		R/J	SW8260
Methyl t-butyl ether (MTBE)	ND	10	ug/L	11/06/08		R/J	SW8260
Methylene chloride	ND	5.0	ug/L	11/06/08		R/J	SW8260
Naphthalene	ND	5.0	ug/L	11/06/08		R/J	SW8260
n-Butylbenzene	ND	5.0	ug/L	11/06/08		R/J	SW8260
n-Propylbenzene	ND	5.0	ug/L	11/06/08		R/J	SW8260
o-Xylene	ND	5.0	ug/L	11/06/08		R/J	SW8260
p-Isopropyltoluene	ND	5.0	ug/L	11/06/08		R/J	SW8260
sec-Butylbenzene	ND	5.0	ug/L	11/06/08		R/J	SW8260
Styrene	ND	5.0	ug/L	11/06/08		R/J	SW8260
tert-Butylbenzene	ND	5.0	ug/L	11/06/08		R/J	SW8260
Tetrachloroethene	ND	5.0	ug/L	11/06/08		R/J	SW8260
Tetrahydrofuran (THF)	ND	10	ug/L	11/06/08		R/J	SW8260
Toluene	ND	5.0	ug/L	11/06/08		R/J	SW8260
Total Xylenes	ND	5.0	ug/L	11/06/08		R/J	SW8260
trans-1,2-Dichloroethene	ND	5.0	ug/L	11/06/08		R/J	SW8260
trans-1,3-Dichloropropene	ND	5.0	ug/L	11/06/08		R/J	SW8260
trans-1,4-dichloro-2-butene	ND	10	ug/L	11/06/08		R/J	SW8260
Trichloroethene	ND	5.0	ug/L	11/06/08		R/J	SW8260
Trichlorofluoromethane	ND	5.0	ug/L	11/06/08		R/J	SW8260
Trichlorotrifluoroethane	ND	5.0	ug/L	11/06/08		R/J	SW8260
Vinyl chloride	ND	5.0	ug/L	11/06/08		R/J	SW8260
<u>QA/QC Surrogates</u>							
% 1,2-dichlorobenzene-d4	102		%	11/06/08		R/J	SW8260
% Bromofluorobenzene	93		%	11/06/08		R/J	SW8260
% Dibromofluoromethane	101		%	11/06/08		R/J	SW8260
% Toluene-d8	101		%	11/06/08		R/J	SW8260

Parameter	Result	RL	Units	Date	Time	By	Reference
-----------	--------	----	-------	------	------	----	-----------

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level



Phyllis Shiller, Laboratory Director

November 07, 2008



Environmental Laboratories, Inc.
 587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06040
 Tel. (860) 645-1102 Fax (860) 645-0823



Analysis Report

November 07, 2008

FOR: Attn: Mr. Todd Scott
 NETC
 PO Box 2167
 Ballston Spa, NY 12020

Sample Information

Matrix: WATER
 Location Code: NETC
 Rush Request: RUSH
 P.O.#: 08.1022044

Custody Information

Collected by: TS
 Received by: LB
 Analyzed by: see "By" below

Date 11/03/08 Time 15:26

Date 11/04/08 Time 9:20

SDG I.D.: GAQ96756

Phoenix I.D.: AQ96760

Client ID: FAIRVIEW PLAZA MW-4-06

Laboratory Data

Parameter	Result	RL	Units	Date	Time	By	Reference
Iron (Dissolved)	0.068	0.002	mg/L	11/05/08		E/L	6010/200.7
Magnesium (Dissolved)	241	0.10	mg/L	11/06/08		EK	6010/200.7
C.O.D.	31	10	mg/L	11/06/08		KDB	SM5220 D
Filtration	Completed			11/05/08		AG	0.45um Filter
Dissolved Metals Preparation	Completed			11/05/08		AG	SW846-3005
Volatiles							
1,1,1,2-Tetrachloroethane	ND	5.0	ug/L	11/06/08		R/J	SW8260
1,1,1-Trichloroethane	ND	5.0	ug/L	11/06/08		R/J	SW8260
1,1,2,2-Tetrachloroethane	ND	5.0	ug/L	11/06/08		R/J	SW8260
1,1,2-Trichloroethane	ND	5.0	ug/L	11/06/08		R/J	SW8260
1,1-Dichloroethane	ND	5.0	ug/L	11/06/08		R/J	SW8260
1,1-Dichloroethene	ND	5.0	ug/L	11/06/08		R/J	SW8260
1,1-Dichloropropene	ND	5.0	ug/L	11/06/08		R/J	SW8260
1,2,3-Trichlorobenzene	ND	5.0	ug/L	11/06/08		R/J	SW8260
1,2,3-Trichloropropane	ND	5.0	ug/L	11/06/08		R/J	SW8260
1,2,4-Trichlorobenzene	ND	5.0	ug/L	11/06/08		R/J	SW8260
1,2,4-Trimethylbenzene	ND	5.0	ug/L	11/06/08		R/J	SW8260
1,2-Dibromo-3-chloropropane	ND	5.0	ug/L	11/06/08		R/J	SW8260
1,2-Dichlorobenzene	ND	5.0	ug/L	11/06/08		R/J	SW8260
1,2-Dichloroethane	ND	5.0	ug/L	11/06/08		R/J	SW8260
1,2-Dichloropropane	ND	5.0	ug/L	11/06/08		R/J	SW8260
1,3,5-Trimethylbenzene	ND	5.0	ug/L	11/06/08		R/J	SW8260
1,3-Dichlorobenzene	ND	5.0	ug/L	11/06/08		R/J	SW8260
1,3-Dichloropropane	ND	5.0	ug/L	11/06/08		R/J	SW8260
1,4-Dichlorobenzene	ND	5.0	ug/L	11/06/08		R/J	SW8260
2,2-Dichloropropane	ND	5.0	ug/L	11/06/08		R/J	SW8260
2-Chlorotoluene	ND	5.0	ug/L	11/06/08		R/J	SW8260
2-Hexanone	ND	25	ug/L	11/06/08		R/J	SW8260
2-Isopropyltoluene	ND	5.0	ug/L	11/06/08		R/J	SW8260
4-Chlorotoluene	ND	5.0	ug/L	11/06/08		R/J	SW8260


Parameter	Result	RL	Units	Date	Time	By	Reference
4-Methyl-2-pentanone	ND	25	ug/L	11/06/08		R/J	SW8260
Acetone	ND	50	ug/L	11/06/08		R/J	SW8260
Acrylonitrile	ND	10	ug/L	11/06/08		R/J	SW8260
Benzene	ND	5.0	ug/L	11/06/08		R/J	SW8260
Bromobenzene	ND	5.0	ug/L	11/06/08		R/J	SW8260
Bromochloromethane	ND	5.0	ug/L	11/06/08		R/J	SW8260
Bromodichloromethane	ND	5.0	ug/L	11/06/08		R/J	SW8260
Bromoform	ND	5.0	ug/L	11/06/08		R/J	SW8260
Bromomethane	ND	5.0	ug/L	11/06/08		R/J	SW8260
Carbon Disulfide	ND	5.0	ug/L	11/06/08		R/J	SW8260
Carbon tetrachloride	ND	5.0	ug/L	11/06/08		R/J	SW8260
Chlorobenzene	ND	5.0	ug/L	11/06/08		R/J	SW8260
Chloroethane	ND	5.0	ug/L	11/06/08		R/J	SW8260
Chloroform	ND	5.0	ug/L	11/06/08		R/J	SW8260
Chloromethane	ND	5.0	ug/L	11/06/08		R/J	SW8260
cis-1,2-Dichloroethene	7100	500	ug/L	11/06/08		R/J	SW8260
cis-1,3-Dichloropropene	ND	5.0	ug/L	11/06/08		R/J	SW8260
Dibromochloromethane	ND	5.0	ug/L	11/06/08		R/J	SW8260
Dibromoethane	ND	5.0	ug/L	11/06/08		R/J	SW8260
Dibromomethane	ND	5.0	ug/L	11/06/08		R/J	SW8260
Dichlorodifluoromethane	ND	5.0	ug/L	11/06/08		R/J	SW8260
Ethylbenzene	ND	5.0	ug/L	11/06/08		R/J	SW8260
Hexachlorobutadiene	ND	5.0	ug/L	11/06/08		R/J	SW8260
Isopropylbenzene	ND	5.0	ug/L	11/06/08		R/J	SW8260
m&p-Xylene	ND	5.0	ug/L	11/06/08		R/J	SW8260
Methyl Ethyl Ketone	ND	60	ug/L	11/06/08		R/J	SW8260
Methyl t-butyl ether (MTBE)	ND	10	ug/L	11/06/08		R/J	SW8260
Methylene chloride	ND	5.0	ug/L	11/06/08		R/J	SW8260
Naphthalene	ND	5.0	ug/L	11/06/08		R/J	SW8260
n-Butylbenzene	ND	5.0	ug/L	11/06/08		R/J	SW8260
n-Propylbenzene	ND	5.0	ug/L	11/06/08		R/J	SW8260
o-Xylene	ND	5.0	ug/L	11/06/08		R/J	SW8260
p-Isopropyltoluene	ND	5.0	ug/L	11/06/08		R/J	SW8260
sec-Butylbenzene	ND	5.0	ug/L	11/06/08		R/J	SW8260
Styrene	ND	5.0	ug/L	11/06/08		R/J	SW8260
tert-Butylbenzene	ND	5.0	ug/L	11/06/08		R/J	SW8260
Tetrachloroethene	6800	500	ug/L	11/06/08		R/J	SW8260
Tetrahydrofuran (THF)	ND	10	ug/L	11/06/08		R/J	SW8260
Toluene	ND	5.0	ug/L	11/06/08		R/J	SW8260
Total Xylenes	ND	5.0	ug/L	11/06/08		R/J	SW8260
trans-1,2-Dichloroethene	18	5.0	ug/L	11/06/08		R/J	SW8260
trans-1,3-Dichloropropene	ND	5.0	ug/L	11/06/08		R/J	SW8260
trans-1,4-dichloro-2-butene	ND	10	ug/L	11/06/08		R/J	SW8260
Trichloroethene	7800	500	ug/L	11/06/08		R/J	SW8260
Trichlorofluoromethane	ND	5.0	ug/L	11/06/08		R/J	SW8260
Trichlorotrifluoroethane	ND	5.0	ug/L	11/06/08		R/J	SW8260
Vinyl chloride	460	250	ug/L	11/06/08		R/J	SW8260
<u>QA/QC Surrogates</u>							
% 1,2-dichlorobenzene-d4	102		%	11/06/08		R/J	SW8260
% Bromofluorobenzene	94		%	11/06/08		R/J	SW8260
% Dibromofluoromethane	102		%	11/06/08		R/J	SW8260
% Toluene-d8	104		%	11/06/08		R/J	SW8260

Parameter	Result	RL	Units	Date	Time	By	Reference
-----------	--------	----	-------	------	------	----	-----------

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level



Phyllis Shiller, Laboratory Director

November 07, 2008



Environmental Laboratories, Inc.

587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06040
Tel. (860) 645-1102 Fax (860) 645-0823

QA/QC Report

November 07, 2008

QA/QC Data

SDG I.D.: GAQ96756

Parameter	Blank	Dup RPD	LCS %	LCSD %	LCS RPD	MS Rec %	MS Dup Rec %	RPD
QA/QC Batch 114477, QC Sample No: AQ96781 (AQ96756, AQ96757, AQ96758, AQ96759, AQ96760)								
ICP Metals - Dissolved								
Iron	BDL	0.40	90.2	94.3	4.4	91.8	90.9	1.0
Magnesium	BDL	8.10	95.5	98.5	3.1	47.0	45.0	4.3

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

RPD - Relative Percent Difference

LCS - Laboratory Control Sample

LCSD - Laboratory Control Sample Duplicate

MS - Matrix Spike

MS Dup - Matrix Spike Duplicate

NC - No Criteria

Phyllis Shiller, Laboratory Director
November 07, 2008



Environmental Laboratories, Inc.

587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06040
Tel. (860) 645-1102 Fax (860) 645-0823



QA/QC Report

November 07, 2008

QA/QC Data

SDG I.D.: GAQ96756

Parameter	Blank	Dup RPD	LCS %	LCSD %	LCS RPD	MS Rec %	MS Dup Rec %	RPD
QA/QC Batch 114665, QC Sample No: AQ97040 (AQ96756, AQ96757, AQ96758, AQ96759, AQ96760)								
C.O.D.	BDL	NC	101			108		

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

RPD - Relative Percent Difference

LCS - Laboratory Control Sample

LCSD - Laboratory Control Sample Duplicate

MS - Matrix Spike

MS Dup - Matrix Spike Duplicate

NC - No Criteria

Phyllis Shiller, Laboratory Director
November 07, 2008



Environmental Laboratories, Inc.

587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06040
Tel. (860) 645-1102 Fax (860) 645-0823

QA/QC Report

November 07, 2008

QA/QC Data

SDG I.D.: GAQ96756

Parameter	Blank	LCS %	LCSD %	LCS RPD	MS Rec %	MS Dup Rec %	RPD
QA/QC Batch 114827, QC Sample No: AQ97869 (aq96756, aq96757, aq96758, aq96759, aq96760)							
Volatiles							
1,1,1,2-Tetrachloroethane	ND	97		108	96		11.8
1,1,1-Trichloroethane	ND	102		111	98		12.4
1,1,2,2-Tetrachloroethane	ND	99		109	97		11.7
1,1,2-Trichloroethane	ND	110		121	99		20.0
1,1-Dichloroethane	ND	117		114	97		16.1
1,1-Dichloroethene	ND	114		120	104		14.3
1,1-Dichloropropene	ND	98		110	94		15.7
1,2,3-Trichlorobenzene	ND	116		115	97		17.0
1,2,3-Trichloropropane	ND	126		105	95		10.0
1,2,4-Trichlorobenzene	ND	102		100	84		17.4
1,2,4-Trimethylbenzene	ND	97		100	88		12.8
1,2-Dibromo-3-chloropropane	ND	>130		139	120		14.7
1,2-Dichlorobenzene	ND	104		106	91		15.2
1,2-Dichloroethane	ND	106		116	96		18.9
1,2-Dichloropropane	ND	104		114	96		17.1
1,3,5-Trimethylbenzene	ND	97		99	89		10.6
1,3-Dichlorobenzene	ND	99		102	88		14.7
1,3-Dichloropropane	ND	102		110	95		14.6
1,4-Dichlorobenzene	ND	97		101	89		12.6
2,2-Dichloropropane	ND	97		95	82		14.7
2-Chlorotoluene	ND	95		99	89		10.6
2-Hexanone	ND	75		78	71		9.4
2-Isopropyltoluene	ND	99		103	91		12.4
4-Chlorotoluene	ND	96		98	87		11.9
4-Methyl-2-pentanone	ND	111		119	100		17.4
Acetone	ND	74		71	51		32.8
Acrolein	ND	>130		136	94		36.5
Acrylonitrile	ND	123		128	108		16.9
Benzene	ND	103		111	94		16.6
Bromobenzene	ND	96		102	90		12.5
Bromochloromethane	ND	103		114	97		16.1
Bromodichloromethane	ND	107		116	97		17.8
Bromoform	ND	105		120	100		18.2
Bromomethane	ND	116		117	84		32.8
Carbon Disulfide	ND	111		110	93		16.7
Carbon tetrachloride	ND	96		108	91		17.1
Chlorobenzene	ND	103		106	92		14.1
Chloroethane	ND	115		118	99		17.5

QA/QC Data

SDG I.D.: GAQ96756

Parameter	Blank	LCS %	LCSD %	LCS RPD	MS Rec %	MS Dup Rec %	RPD
Chloroform	ND	105		115	100		14.0
Chloromethane	ND	106		103	88		15.7
cis-1,2-Dichloroethene	ND	104		113	99		13.2
cis-1,3-Dichloropropene	ND	100		106	83		24.3
Dibromochloromethane	ND	98		115	98		16.0
Dibromoethane	ND	114		121	96		23.0
Dibromomethane	ND	106		118	99		17.5
Dichlorodifluoromethane	ND	97		84	73		14.0
Ethylbenzene	ND	106		109	94		14.8
Hexachlorobutadiene	ND	96		94	82		13.6
Isopropylbenzene	ND	93		100	91		9.4
m&p-Xylene	ND	107		110	97		12.6
Methyl ethyl ketone	ND	74		75	61		20.6
Methyl t-butyl ether (MTBE)	ND	109		125	105		17.4
Methylene chloride	ND	126		136	113	18.5	3
Naphthalene	ND	124		128	121		5.6
n-Butylbenzene	ND	97		95	84		12.3
n-Propylbenzene	ND	97		100	88		12.8
o-Xylene	ND	109		110	95		14.6
p-Isopropyltoluene	ND	100		100	89		11.6
sec-Butylbenzene	ND	96		101	89		12.6
Styrene	ND	113		115	98		16.0
tert-Butylbenzene	ND	98		102	92		10.3
Tetrachloroethene	ND	98		104	92		12.2
Tetrahydrofuran (THF)	ND	113		121	106		13.2
Toluene	ND	106		111	93		17.6
trans-1,2-Dichloroethene	ND	117		122	104		15.9
trans-1,3-Dichloropropene	ND	104		108	84		25.0
trans-1,4-dichloro-2-butene	ND	100		97	78		21.7
Trichloroethene	ND	99		109	93		15.8
Trichlorofluoromethane	ND	120		123	105		15.8
Trichlorotrifluoroethane	ND	122		127	105		19.0
Vinyl chloride	ND	101		108	94		13.9
% 1,2-dichlorobenzene-d4	103	103		101	100		1.0
% Bromofluorobenzene	90	104		102	99		3.0
% Dibromofluoromethane	114	96		99	103		4.0
% Toluene-d8	101	104		103	100		3.0

Comment:

Due to poor instrument purge, the LCS is not reported for this batch.

QA/QC Batch 114794, QC Sample No: AQ98010 (aq96760)

Volatiles

1,1,1,2-Tetrachloroethane	ND	103	111	7.5	97	126	26.0
1,1,1-Trichloroethane	ND	108	116	7.1	101	132	26.6
1,1,2,2-Tetrachloroethane	ND	112	108	3.6	101	128	23.6
1,1,2-Trichloroethane	ND	117	113	3.5	110	136	21.1
1,1-Dichloroethane	ND	111	119	7.0	102	135	27.8
1,1-Dichloroethene	ND	115	121	5.1	112	142	23.6
1,1-Dichloropropene	ND	104	111	6.5	99	132	28.6

QA/QC Data

SDG I.D.: GAQ96756

Parameter	Blank	LCS %	LCSD %	LCS RPD	MS Rec %	MS Dup Rec %	RPD
1,2,3-Trichlorobenzene	ND	113	118	4.3	112	140	22.2
1,2,3-Trichloropropane	ND	129	121	6.4	97	122	22.8
1,2,4-Trichlorobenzene	ND	95	102	7.1	102	133	26.4
1,2,4-Trimethylbenzene	ND	98	107	8.8	93	122	27.0
1,2-Dibromo-3-chloropropane	ND	>130	>130	NC	121	152	22.7
1,2-Dichlorobenzene	ND	105	108	2.8	98	126	25.0
1,2-Dichloroethane	ND	118	118	0.0	106	137	25.5
1,2-Dichloropropane	ND	111	114	2.7	102	133	26.4
1,3,5-Trimethylbenzene	ND	98	106	7.8	92	120	26.4
1,3-Dichlorobenzene	ND	97	105	7.9	97	123	23.6
1,3-Dichloropropane	ND	110	114	3.6	101	128	23.6
1,4-Dichlorobenzene	ND	96	104	8.0	95	124	26.5
2,2-Dichloropropane	ND	91	100	9.4	98	126	25.0
2-Chlorotoluene	ND	96	105	9.0	91	119	26.7
2-Hexanone	ND	89	86	3.4	72	90	22.2
2-Isopropyltoluene	ND	101	109	7.6	93	122	27.0
4-Chlorotoluene	ND	96	104	8.0	92	119	25.6
4-Methyl-2-pentanone	ND	130	120	8.0	107	131	20.2
Acetone	ND	<70	<70	NC	54	60	10.5
Acrolein	ND	>130	107	NC	95	109	13.7
Acrylonitrile	ND	>130	125	NC	114	140	20.5
Benzene	ND	108	113	4.5	101	131	25.9
Bromobenzene	ND	100	108	7.7	93	120	25.4
Bromochloromethane	ND	112	116	3.5	104	129	21.5
Bromodichloromethane	ND	117	118	0.9	105	133	23.5
Bromoform	ND	110	112	1.8	103	131	23.9
Bromomethane	ND	111	104	6.5	113	125	10.1
Carbon Disulfide	ND	113	120	6.0	109	141	25.6
Carbon tetrachloride	ND	101	107	5.8	94	124	27.5
Chlorobenzene	ND	105	110	4.7	99	126	24.0
Chloroethane	ND	115	118	2.6	111	140	23.1
Chloroform	ND	111	118	6.1	103	134	26.2
Chloromethane	ND	112	118	5.2	104	132	23.7
cis-1,2-Dichloroethene	ND	111	118	6.1	104	132	23.7
cis-1,3-Dichloropropene	ND	102	99	3.0	102	127	21.8
Dibromochloromethane	ND	109	114	4.5	99	132	28.6
Dibromoethane	ND	122	114	6.8	109	135	21.3
Dibromomethane	ND	118	114	3.4	108	135	22.2
Dichlorodifluoromethane	ND	104	113	8.3	92	119	25.6
Ethylbenzene	ND	108	114	5.4	100	130	26.1
Hexachlorobutadiene	ND	93	101	8.2	90	116	25.2
Isopropylbenzene	ND	97	105	7.9	88	120	30.8
m&p-Xylene	ND	107	116	8.1	102	132	25.6
Methyl ethyl ketone	ND	78	<70	NC	66	74	11.4
Methyl t-butyl ether (MTBE)	ND	120	118	1.7	114	146	24.6
Methylene chloride	ND	128	>130	NC	118	148	22.6
Naphthalene	ND	129	>130	NC	116	165	34.9
n-Butylbenzene	ND	93	106	13.1	93	125	29.4
n-Propylbenzene	ND	101	108	6.7	90	121	29.4

QA/QC Data

SDG I.D.: GAQ96756

Parameter	Blank	LCS %	LCSD %	LCS RPD	MS Rec %	MS Dup Rec %	RPD
o-Xylene	ND	109	115	5.4	102	130	24.1
p-Isopropyltoluene	ND	99	110	10.5	94	122	25.9
sec-Butylbenzene	ND	97	106	8.9	91	119	26.7
Styrene	ND	110	116	5.3	106	134	23.3
tert-Butylbenzene	ND	101	110	8.5	93	121	26.2
Tetrachloroethene	ND	101	111	9.4	97	126	26.0
Tetrahydrofuran (THF)	ND	>130	126	NC	112	137	20.1
Toluene	ND	108	111	2.7	103	130	23.2
trans-1,2-Dichloroethene	ND	117	122	4.2	113	143	23.4
trans-1,3-Dichloropropene	ND	103	100	3.0	105	127	19.0
trans-1,4-dichloro-2-butene	ND	98	92	6.3	108	124	13.8
Trichloroethene	ND	105	112	6.5	99	131	27.8
Trichlorofluoromethane	ND	120	127	5.7	114	146	24.6
Trichlorotrifluoroethane	ND	119	120	0.8	116	142	20.2
Vinyl chloride	ND	111	119	7.0	105	137	26.4
% 1,2-dichlorobenzene-d4	102	103	101	2.0	100	101	1.0
% Bromofluorobenzene	91	101	99	2.0	99	101	2.0
% Dibromofluoromethane	96	100	97	3.0	98	96	2.1
% Toluene-d8	99	102	99	3.0	102	101	1.0

3 = This parameter is outside laboratory ms/msd specified limits.

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

RPD - Relative Percent Difference


LCS - Laboratory Control Sample

LCSD - Laboratory Control Sample Duplicate

MS - Matrix Spike

MS Dup - Matrix Spike Duplicate

NC - No Criteria



 Phyllis Shiller, Laboratory Director
 November 07, 2008



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06040
Tel. (860) 645-1102 Fax (860) 645-0823



NY Temperature Narration

November 07, 2008

SDG I.D.: GAQ96756

The samples in this delivery group were received at 6C.
(Note acceptance criteria is above freezing up to 6C)

ATTACHMENT C
EXHIBIT C-2

NOVEMBER 24, 2008

GROUNDWATER QUALITY SUMMARY (EPA METHOD 8260)
FAIRVIEW PLAZA

160 Fairview Avenue Hudson, New York

Sampled on November 24, 2008

PARAMETER	WATER SAMPLE DESCRIPTION							UNITS	DEC
	MW-2-04	MW-4-06	MW-2-07	MW-3-07	MW-5-07	MW-1-08	MW-2-08		
Dissolved Iron	NS	NS	NS	NS	NS	NS	NS	ppm	---
Dissolved Maganese	NS	NS	NS	NS	NS	NS	NS	ppm	---
C.O.D.	NS	NS	NS	NS	NS	NS	NS	ppm	---
Acetone	ND	ND	ND	ND	ND	ND	ND	ppb	50
Benzene	ND	ND	ND	ND	ND	ND	ND	ppb	0.7
cis-1,2-Dichloroethene	65.0	2,000	ND	ND	ND	ND	ND	ppb	5
MTBE	ND	ND	ND	ND	ND	ND	ND	ppb	10
Tetrachloroethene (PERC)	71.0	1,600	ND	ND	ND	ND	ND	ppb	5
trans-1,2-Dichloroethene	ND	ND	ND	ND	ND	ND	ND	ppb	5
Trichloroethene (TCE)	62.0	1,100	ND	ND	ND	ND	ND	ppb	5
Vinyl Chloride	ND	370	ND	ND	ND	450.0	190.00	ppb	2
Total VOCs	198.0	5,070	0.00	0.00	0.00	450.00	190.00	---	---

Notes: All concentrations are in ug/l or ppb (parts per billion)

DEC = Groundwater quality standards & guidelines (6NYCRR Part 703)

* Principal organic compound standard for groundwater is 5 ppb

ND = Not Detected

---- = Not Sampled



Thursday, December 04, 2008

Attn: Mr. Todd Scott
NETC
PO Box 2167
Ballston Spa, NY 12020

Client ID: FAIRVIEW PLAZA
Sample ID#s: AR16254 - AR16260

This laboratory is in compliance with the QA/QC procedures outlined in EPA 600/4-79-019, Handbook for Analytical Quality in Water and Waste Water, March 1979, SW846 QA/QC and NELAC requirements of procedures used.

This report contains results for the parameters tested, under the sampling conditions described on the Chain Of Custody, as received by the laboratory.

If you have any questions concerning this testing, please do not hesitate to contact Phoenix Client Services at ext. 200.

Sincerely yours,

A handwritten signature in black ink that reads "Phyllis Shiller".

Phyllis Shiller

Laboratory Director

CT Lab Registration #PH-0618
MA Lab Registration #MA-CT-007
NY Lab Registration #11301
RI Lab Registration #63
NH Lab Registration #213693-A,B
ME Lab Registration #CT-007
NJ Lab Registration #CT-003
PA Lab Registration #68-03530



Environmental Laboratories, Inc.
 587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06040
 Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

December 04, 2008

FOR: Attn: Mr. Todd Scott
 NETC
 PO Box 2167
 Ballston Spa, NY 12020

Sample Information

Matrix: WATER
 Location Code: NETC
 Rush Request: RUSH
 P.O.#: 08.1022044

Custody Information

Collected by: TS
 Received by: LB
 Analyzed by: see "By" below

Date

Time

11/24/08 10:59
 12/02/08 10:50

SDG I.D.: GAR16254

Phoenix I.D.: AR16254

Laboratory Data

Client ID: FAIRVIEW PLAZA MW-2-07

Parameter	Result	RL	Units	Date	Time	By	Reference
Volatiles							
1,1,1,2-Tetrachloroethane	ND	5.0	ug/L	12/03/08		R/J	SW8260
1,1,1-Trichloroethane	ND	5.0	ug/L	12/03/08		R/J	SW8260
1,1,2,2-Tetrachloroethane	ND	5.0	ug/L	12/03/08		R/J	SW8260
1,1,2-Trichloroethane	ND	5.0	ug/L	12/03/08		R/J	SW8260
1,1-Dichloroethane	ND	5.0	ug/L	12/03/08		R/J	SW8260
1,1-Dichloroethene	ND	5.0	ug/L	12/03/08		R/J	SW8260
1,1-Dichloropropene	ND	5.0	ug/L	12/03/08		R/J	SW8260
1,2,3-Trichlorobenzene	ND	5.0	ug/L	12/03/08		R/J	SW8260
1,2,3-Trichloropropane	ND	5.0	ug/L	12/03/08		R/J	SW8260
1,2,4-Trichlorobenzene	ND	5.0	ug/L	12/03/08		R/J	SW8260
1,2,4-Trimethylbenzene	ND	5.0	ug/L	12/03/08		R/J	SW8260
1,2-Dibromo-3-chloropropane	ND	5.0	ug/L	12/03/08		R/J	SW8260
1,2-Dichlorobenzene	ND	5.0	ug/L	12/03/08		R/J	SW8260
1,2-Dichloroethane	ND	5.0	ug/L	12/03/08		R/J	SW8260
1,2-Dichloropropane	ND	5.0	ug/L	12/03/08		R/J	SW8260
1,3,5-Trimethylbenzene	ND	5.0	ug/L	12/03/08		R/J	SW8260
1,3-Dichlorobenzene	ND	5.0	ug/L	12/03/08		R/J	SW8260
1,3-Dichloropropane	ND	5.0	ug/L	12/03/08		R/J	SW8260
1,4-Dichlorobenzene	ND	5.0	ug/L	12/03/08		R/J	SW8260
2,2-Dichloropropane	ND	5.0	ug/L	12/03/08		R/J	SW8260
2-Chlorotoluene	ND	5.0	ug/L	12/03/08		R/J	SW8260
2-Hexanone	ND	25	ug/L	12/03/08		R/J	SW8260
2-Isopropyltoluene	ND	5.0	ug/L	12/03/08		R/J	SW8260
4-Chlorotoluene	ND	5.0	ug/L	12/03/08		R/J	SW8260
4-Methyl-2-pentanone	ND	25	ug/L	12/03/08		R/J	SW8260
Acetone	ND	50	ug/L	12/03/08		R/J	SW8260
Acrylonitrile	ND	10	ug/L	12/03/08		R/J	SW8260
Benzene	ND	5.0	ug/L	12/03/08		R/J	SW8260
Bromobenzene	ND	5.0	ug/L	12/03/08		R/J	SW8260

Parameter	Result	RL	Units	Date	Time	By	Reference
Bromochloromethane	ND	5.0	ug/L	12/03/08		R/J	SW8260
Bromodichloromethane	ND	5.0	ug/L	12/03/08		R/J	SW8260
Bromoform	ND	5.0	ug/L	12/03/08		R/J	SW8260
Bromomethane	ND	5.0	ug/L	12/03/08		R/J	SW8260
Carbon Disulfide	ND	5.0	ug/L	12/03/08		R/J	SW8260
Carbon tetrachloride	ND	5.0	ug/L	12/03/08		R/J	SW8260
Chlorobenzene	ND	5.0	ug/L	12/03/08		R/J	SW8260
Chloroethane	ND	5.0	ug/L	12/03/08		R/J	SW8260
Chloroform	ND	5.0	ug/L	12/03/08		R/J	SW8260
Chloromethane	ND	5.0	ug/L	12/03/08		R/J	SW8260
cis-1,2-Dichloroethene	ND	5.0	ug/L	12/03/08		R/J	SW8260
cis-1,3-Dichloropropene	ND	5.0	ug/L	12/03/08		R/J	SW8260
Dibromochloromethane	ND	5.0	ug/L	12/03/08		R/J	SW8260
Dibromoethane	ND	5.0	ug/L	12/03/08		R/J	SW8260
Dibromomethane	ND	5.0	ug/L	12/03/08		R/J	SW8260
Dichlorodifluoromethane	ND	5.0	ug/L	12/03/08		R/J	SW8260
Ethylbenzene	ND	5.0	ug/L	12/03/08		R/J	SW8260
Hexachlorobutadiene	ND	5.0	ug/L	12/03/08		R/J	SW8260
Isopropylbenzene	ND	5.0	ug/L	12/03/08		R/J	SW8260
m&p-Xylene	ND	5.0	ug/L	12/03/08		R/J	SW8260
Methyl Ethyl Ketone	ND	60	ug/L	12/03/08		R/J	SW8260
Methyl t-butyl ether (MTBE)	ND	10	ug/L	12/03/08		R/J	SW8260
Methylene chloride	ND	5.0	ug/L	12/03/08		R/J	SW8260
Naphthalene	ND	5.0	ug/L	12/03/08		R/J	SW8260
n-Butylbenzene	ND	5.0	ug/L	12/03/08		R/J	SW8260
n-Propylbenzene	ND	5.0	ug/L	12/03/08		R/J	SW8260
o-Xylene	ND	5.0	ug/L	12/03/08		R/J	SW8260
p-Isopropyltoluene	ND	5.0	ug/L	12/03/08		R/J	SW8260
sec-Butylbenzene	ND	5.0	ug/L	12/03/08		R/J	SW8260
Styrene	ND	5.0	ug/L	12/03/08		R/J	SW8260
tert-Butylbenzene	ND	5.0	ug/L	12/03/08		R/J	SW8260
Tetrachloroethene	ND	5.0	ug/L	12/03/08		R/J	SW8260
Tetrahydrofuran (THF)	ND	10	ug/L	12/03/08		R/J	SW8260
Toluene	ND	5.0	ug/L	12/03/08		R/J	SW8260
Total Xylenes	ND	5.0	ug/L	12/03/08		R/J	SW8260
trans-1,2-Dichloroethene	ND	5.0	ug/L	12/03/08		R/J	SW8260
trans-1,3-Dichloropropene	ND	5.0	ug/L	12/03/08		R/J	SW8260
trans-1,4-dichloro-2-butene	ND	10	ug/L	12/03/08		R/J	SW8260
Trichloroethene	ND	5.0	ug/L	12/03/08		R/J	SW8260
Trichlorofluoromethane	ND	5.0	ug/L	12/03/08		R/J	SW8260
Trichlorotrifluoroethane	ND	5.0	ug/L	12/03/08		R/J	SW8260
Vinyl chloride	ND	5.0	ug/L	12/03/08		R/J	SW8260
<u>QA/QC Surrogates</u>							
% 1,2-dichlorobenzene-d4	103		%	12/03/08		R/J	SW8260
% Bromofluorobenzene	95		%	12/03/08		R/J	SW8260
% Dibromofluoromethane	94		%	12/03/08		R/J	SW8260
% Toluene-d8	95		%	12/03/08		R/J	SW8260

Parameter	Result	RL	Units	Date	Time	By	Reference
-----------	--------	----	-------	------	------	----	-----------

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level



Phyllis Shiller, Laboratory Director

December 04, 2008



Environmental Laboratories, Inc.
 587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06040
 Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

December 04, 2008

FOR: Attn: Mr. Todd Scott
 NETC
 PO Box 2167
 Ballston Spa, NY 12020

Sample Information

Matrix: WATER
 Location Code: NETC
 Rush Request: RUSH
 P.O.#: 08.1022044

Custody Information

Collected by: TS
 Received by: LB
 Analyzed by: see "By" below

Date 11/24/08 Time 11:43

Date 12/02/08 Time 10:50

SDG I.D.: GAR16254

Phoenix I.D.: AR16255

Laboratory Data

Client ID: FAIRVIEW PLAZA MW-3-07

Parameter	Result	RL	Units	Date	Time	By	Reference
Volatiles							
1,1,1,2-Tetrachloroethane	ND	5.0	ug/L	12/03/08		R/J	SW8260
1,1,1-Trichloroethane	ND	5.0	ug/L	12/03/08		R/J	SW8260
1,1,2,2-Tetrachloroethane	ND	5.0	ug/L	12/03/08		R/J	SW8260
1,1,2-Trichloroethane	ND	5.0	ug/L	12/03/08		R/J	SW8260
1,1-Dichloroethane	ND	5.0	ug/L	12/03/08		R/J	SW8260
1,1-Dichloroethene	ND	5.0	ug/L	12/03/08		R/J	SW8260
1,1-Dichloropropene	ND	5.0	ug/L	12/03/08		R/J	SW8260
1,2,3-Trichlorobenzene	ND	5.0	ug/L	12/03/08		R/J	SW8260
1,2,3-Trichloropropane	ND	5.0	ug/L	12/03/08		R/J	SW8260
1,2,4-Trichlorobenzene	ND	5.0	ug/L	12/03/08		R/J	SW8260
1,2,4-Trimethylbenzene	ND	5.0	ug/L	12/03/08		R/J	SW8260
1,2-Dibromo-3-chloropropane	ND	5.0	ug/L	12/03/08		R/J	SW8260
1,2-Dichlorobenzene	ND	5.0	ug/L	12/03/08		R/J	SW8260
1,2-Dichloroethane	ND	5.0	ug/L	12/03/08		R/J	SW8260
1,2-Dichloropropane	ND	5.0	ug/L	12/03/08		R/J	SW8260
1,3,5-Trimethylbenzene	ND	5.0	ug/L	12/03/08		R/J	SW8260
1,3-Dichlorobenzene	ND	5.0	ug/L	12/03/08		R/J	SW8260
1,3-Dichloropropane	ND	5.0	ug/L	12/03/08		R/J	SW8260
1,4-Dichlorobenzene	ND	5.0	ug/L	12/03/08		R/J	SW8260
2,2-Dichloropropane	ND	5.0	ug/L	12/03/08		R/J	SW8260
2-Chlorotoluene	ND	5.0	ug/L	12/03/08		R/J	SW8260
2-Hexanone	ND	25	ug/L	12/03/08		R/J	SW8260
2-Isopropyltoluene	ND	5.0	ug/L	12/03/08		R/J	SW8260
4-Chlorotoluene	ND	5.0	ug/L	12/03/08		R/J	SW8260
4-Methyl-2-pentanone	ND	25	ug/L	12/03/08		R/J	SW8260
Acetone	ND	50	ug/L	12/03/08		R/J	SW8260
Acrylonitrile	ND	10	ug/L	12/03/08		R/J	SW8260
Benzene	ND	5.0	ug/L	12/03/08		R/J	SW8260
Bromobenzene	ND	5.0	ug/L	12/03/08		R/J	SW8260

Parameter	Result	RL	Units	Date	Time	By	Reference
Bromochloromethane	ND	5.0	ug/L	12/03/08		R/J	SW8260
Bromodichloromethane	ND	5.0	ug/L	12/03/08		R/J	SW8260
Bromoform	ND	5.0	ug/L	12/03/08		R/J	SW8260
Bromomethane	ND	5.0	ug/L	12/03/08		R/J	SW8260
Carbon Disulfide	ND	5.0	ug/L	12/03/08		R/J	SW8260
Carbon tetrachloride	ND	5.0	ug/L	12/03/08		R/J	SW8260
Chlorobenzene	ND	5.0	ug/L	12/03/08		R/J	SW8260
Chloroethane	ND	5.0	ug/L	12/03/08		R/J	SW8260
Chloroform	ND	5.0	ug/L	12/03/08		R/J	SW8260
Chloromethane	ND	5.0	ug/L	12/03/08		R/J	SW8260
cis-1,2-Dichloroethene	ND	5.0	ug/L	12/03/08		R/J	SW8260
cis-1,3-Dichloropropene	ND	5.0	ug/L	12/03/08		R/J	SW8260
Dibromochloromethane	ND	5.0	ug/L	12/03/08		R/J	SW8260
Dibromoethane	ND	5.0	ug/L	12/03/08		R/J	SW8260
Dibromomethane	ND	5.0	ug/L	12/03/08		R/J	SW8260
Dichlorodifluoromethane	ND	5.0	ug/L	12/03/08		R/J	SW8260
Ethylbenzene	ND	5.0	ug/L	12/03/08		R/J	SW8260
Hexachlorobutadiene	ND	5.0	ug/L	12/03/08		R/J	SW8260
Isopropylbenzene	ND	5.0	ug/L	12/03/08		R/J	SW8260
m&p-Xylene	ND	5.0	ug/L	12/03/08		R/J	SW8260
Methyl Ethyl Ketone	ND	60	ug/L	12/03/08		R/J	SW8260
Methyl t-butyl ether (MTBE)	ND	10	ug/L	12/03/08		R/J	SW8260
Methylene chloride	ND	5.0	ug/L	12/03/08		R/J	SW8260
Naphthalene	ND	5.0	ug/L	12/03/08		R/J	SW8260
n-Butylbenzene	ND	5.0	ug/L	12/03/08		R/J	SW8260
n-Propylbenzene	ND	5.0	ug/L	12/03/08		R/J	SW8260
o-Xylene	ND	5.0	ug/L	12/03/08		R/J	SW8260
p-Isopropyltoluene	ND	5.0	ug/L	12/03/08		R/J	SW8260
sec-Butylbenzene	ND	5.0	ug/L	12/03/08		R/J	SW8260
Styrene	ND	5.0	ug/L	12/03/08		R/J	SW8260
tert-Butylbenzene	ND	5.0	ug/L	12/03/08		R/J	SW8260
Tetrachloroethene	ND	5.0	ug/L	12/03/08		R/J	SW8260
Tetrahydrofuran (THF)	ND	10	ug/L	12/03/08		R/J	SW8260
Toluene	ND	5.0	ug/L	12/03/08		R/J	SW8260
Total Xylenes	ND	5.0	ug/L	12/03/08		R/J	SW8260
trans-1,2-Dichloroethene	ND	5.0	ug/L	12/03/08		R/J	SW8260
trans-1,3-Dichloropropene	ND	5.0	ug/L	12/03/08		R/J	SW8260
trans-1,4-dichloro-2-butene	ND	10	ug/L	12/03/08		R/J	SW8260
Trichloroethene	ND	5.0	ug/L	12/03/08		R/J	SW8260
Trichlorofluoromethane	ND	5.0	ug/L	12/03/08		R/J	SW8260
Trichlorotrifluoroethane	ND	5.0	ug/L	12/03/08		R/J	SW8260
Vinyl chloride	ND	5.0	ug/L	12/03/08		R/J	SW8260
QA/QC Surrogates							
% 1,2-dichlorobenzene-d4	102		%	12/03/08		R/J	SW8260
% Bromofluorobenzene	92		%	12/03/08		R/J	SW8260
% Dibromofluoromethane	102		%	12/03/08		R/J	SW8260
% Toluene-d8	98		%	12/03/08		R/J	SW8260

Client ID: FAIRVIEW PLAZA MW-3-07

Phoenix I.D.: AR16255

Parameter	Result	RL	Units	Date	Time	By	Reference
-----------	--------	----	-------	------	------	----	-----------

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level



Phyllis Shiller, Laboratory Director

December 04, 2008



Environmental Laboratories, Inc.
 587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06040
 Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

December 04, 2008

FOR: Attn: Mr. Todd Scott
 NETC
 PO Box 2167
 Ballston Spa, NY 12020

Sample Information

Matrix: WATER
 Location Code: NETC
 Rush Request: RUSH
 P.O.#: 08.1022044

Custody Information

Collected by: TS
 Received by: LB
 Analyzed by: see "By" below

Date

Time

11/24/08 13:52
 12/02/08 10:50

SDG I.D.: GAR16254

Phoenix I.D.: AR16256

Laboratory Data

Client ID: FAIRVIEW PLAZA MW-2-04

Parameter	Result	RL	Units	Date	Time	By	Reference
Volatiles							
1,1,1,2-Tetrachloroethane	ND	5.0	ug/L	12/03/08		R/J	SW8260
1,1,1-Trichloroethane	ND	5.0	ug/L	12/03/08		R/J	SW8260
1,1,2,2-Tetrachloroethane	ND	5.0	ug/L	12/03/08		R/J	SW8260
1,1,2-Trichloroethane	ND	5.0	ug/L	12/03/08		R/J	SW8260
1,1-Dichloroethane	ND	5.0	ug/L	12/03/08		R/J	SW8260
1,1-Dichloroethene	ND	5.0	ug/L	12/03/08		R/J	SW8260
1,1-Dichloropropene	ND	5.0	ug/L	12/03/08		R/J	SW8260
1,2,3-Trichlorobenzene	ND	5.0	ug/L	12/03/08		R/J	SW8260
1,2,3-Trichloropropane	ND	5.0	ug/L	12/03/08		R/J	SW8260
1,2,4-Trichlorobenzene	ND	5.0	ug/L	12/03/08		R/J	SW8260
1,2,4-Trimethylbenzene	ND	5.0	ug/L	12/03/08		R/J	SW8260
1,2-Dibromo-3-chloropropane	ND	5.0	ug/L	12/03/08		R/J	SW8260
1,2-Dichlorobenzene	ND	5.0	ug/L	12/03/08		R/J	SW8260
1,2-Dichloroethane	ND	5.0	ug/L	12/03/08		R/J	SW8260
1,2-Dichloropropane	ND	5.0	ug/L	12/03/08		R/J	SW8260
1,3,5-Trimethylbenzene	ND	5.0	ug/L	12/03/08		R/J	SW8260
1,3-Dichlorobenzene	ND	5.0	ug/L	12/03/08		R/J	SW8260
1,3-Dichloropropane	ND	5.0	ug/L	12/03/08		R/J	SW8260
1,4-Dichlorobenzene	ND	5.0	ug/L	12/03/08		R/J	SW8260
2,2-Dichloropropane	ND	5.0	ug/L	12/03/08		R/J	SW8260
2-Chlorotoluene	ND	5.0	ug/L	12/03/08		R/J	SW8260
2-Hexanone	ND	25	ug/L	12/03/08		R/J	SW8260
2-Isopropyltoluene	ND	5.0	ug/L	12/03/08		R/J	SW8260
4-Chlorotoluene	ND	5.0	ug/L	12/03/08		R/J	SW8260
4-Methyl-2-pentanone	ND	25	ug/L	12/03/08		R/J	SW8260
Acetone	ND	50	ug/L	12/03/08		R/J	SW8260
Acrylonitrile	ND	10	ug/L	12/03/08		R/J	SW8260
Benzene	ND	5.0	ug/L	12/03/08		R/J	SW8260
Bromobenzene	ND	5.0	ug/L	12/03/08		R/J	SW8260

Client ID: FAIRVIEW PLAZA MW-2-04

Phoenix I.D.: AR16256

Parameter	Result	RL	Units	Date	Time	By	Reference
Bromochloromethane	ND	5.0	ug/L	12/03/08		R/J	SW8260
Bromodichloromethane	ND	5.0	ug/L	12/03/08		R/J	SW8260
Bromoform	ND	5.0	ug/L	12/03/08		R/J	SW8260
Bromomethane	ND	5.0	ug/L	12/03/08		R/J	SW8260
Carbon Disulfide	ND	5.0	ug/L	12/03/08		R/J	SW8260
Carbon tetrachloride	ND	5.0	ug/L	12/03/08		R/J	SW8260
Chlorobenzene	ND	5.0	ug/L	12/03/08		R/J	SW8260
Chloroethane	ND	5.0	ug/L	12/03/08		R/J	SW8260
Chloroform	ND	5.0	ug/L	12/03/08		R/J	SW8260
Chloromethane	ND	5.0	ug/L	12/03/08		R/J	SW8260
cis-1,2-Dichloroethene	65	5.0	ug/L	12/03/08		R/J	SW8260
cis-1,3-Dichloropropene	ND	5.0	ug/L	12/03/08		R/J	SW8260
Dibromochloromethane	ND	5.0	ug/L	12/03/08		R/J	SW8260
Dibromoethane	ND	5.0	ug/L	12/03/08		R/J	SW8260
Dibromomethane	ND	5.0	ug/L	12/03/08		R/J	SW8260
Dichlorodifluoromethane	ND	5.0	ug/L	12/03/08		R/J	SW8260
Ethylbenzene	ND	5.0	ug/L	12/03/08		R/J	SW8260
Hexachlorobutadiene	ND	5.0	ug/L	12/03/08		R/J	SW8260
Isopropylbenzene	ND	5.0	ug/L	12/03/08		R/J	SW8260
m&p-Xylene	ND	5.0	ug/L	12/03/08		R/J	SW8260
Methyl Ethyl Ketone	ND	60	ug/L	12/03/08		R/J	SW8260
Methyl t-butyl ether (MTBE)	ND	10	ug/L	12/03/08		R/J	SW8260
Methylene chloride	ND	5.0	ug/L	12/03/08		R/J	SW8260
Naphthalene	ND	5.0	ug/L	12/03/08		R/J	SW8260
n-Butylbenzene	ND	5.0	ug/L	12/03/08		R/J	SW8260
n-Propylbenzene	ND	5.0	ug/L	12/03/08		R/J	SW8260
o-Xylene	ND	5.0	ug/L	12/03/08		R/J	SW8260
p-Isopropyltoluene	ND	5.0	ug/L	12/03/08		R/J	SW8260
sec-Butylbenzene	ND	5.0	ug/L	12/03/08		R/J	SW8260
Styrene	ND	5.0	ug/L	12/03/08		R/J	SW8260
tert-Butylbenzene	ND	5.0	ug/L	12/03/08		R/J	SW8260
Tetrachloroethene	71	5.0	ug/L	12/03/08		R/J	SW8260
Tetrahydrofuran (THF)	ND	10	ug/L	12/03/08		R/J	SW8260
Toluene	ND	5.0	ug/L	12/03/08		R/J	SW8260
Total Xylenes	ND	5.0	ug/L	12/03/08		R/J	SW8260
trans-1,2-Dichloroethene	ND	5.0	ug/L	12/03/08		R/J	SW8260
trans-1,3-Dichloropropene	ND	5.0	ug/L	12/03/08		R/J	SW8260
trans-1,4-dichloro-2-butene	ND	10	ug/L	12/03/08		R/J	SW8260
Trichloroethene	62	5.0	ug/L	12/03/08		R/J	SW8260
Trichlorofluoromethane	ND	5.0	ug/L	12/03/08		R/J	SW8260
Trichlorotrifluoroethane	ND	5.0	ug/L	12/03/08		R/J	SW8260
Vinyl chloride	ND	5.0	ug/L	12/03/08		R/J	SW8260
<u>QA/QC Surrogates</u>							
% 1,2-dichlorobenzene-d4	103		%	12/03/08		R/J	SW8260
% Bromofluorobenzene	94		%	12/03/08		R/J	SW8260
% Dibromofluoromethane	95		%	12/03/08		R/J	SW8260
% Toluene-d8	98		%	12/03/08		R/J	SW8260

Client ID: FAIRVIEW PLAZA MW-2-04


Phoenix I.D.: AR16256

Parameter	Result	RL	Units	Date	Time	By	Reference
-----------	--------	----	-------	------	------	----	-----------

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level



Phyllis Shiller, Laboratory Director

December 04, 2008



Environmental Laboratories, Inc.

587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06040
Tel. (860) 645-1102 Fax (860) 645-0823



Analysis Report

December 04, 2008

FOR: Attn: Mr. Todd Scott
NETC
PO Box 2167
Ballston Spa, NY 12020

<u>Sample Information</u>		<u>Custody Information</u>		<u>Date</u>	<u>Time</u>
Matrix:	WATER	Collected by:	TS	11/24/08	13:05
Location Code:	NETC	Received by:	LB	12/02/08	10:50
Rush Request:	RUSH	Analyzed by:	see "By" below		
P.O.#:	08.1022044			SDG I.D.: GAR16254	

Laboratory Data

Phoenix I.D.: AR16257

Client ID: FAIRVIEW PLAZA MW-5-07

Parameter	Result	RL	Units	Date	Time	By	Reference
Volatiles							
1,1,1,2-Tetrachloroethane	ND	5.0	ug/L	12/03/08		R/J	SW8260
1,1,1-Trichloroethane	ND	5.0	ug/L	12/03/08		R/J	SW8260
1,1,2,2-Tetrachloroethane	ND	5.0	ug/L	12/03/08		R/J	SW8260
1,1,2-Trichloroethane	ND	5.0	ug/L	12/03/08		R/J	SW8260
1,1-Dichloroethane	ND	5.0	ug/L	12/03/08		R/J	SW8260
1,1-Dichloroethene	ND	5.0	ug/L	12/03/08		R/J	SW8260
1,1-Dichloropropene	ND	5.0	ug/L	12/03/08		R/J	SW8260
1,2,3-Trichlorobenzene	ND	5.0	ug/L	12/03/08		R/J	SW8260
1,2,3-Trichloropropane	ND	5.0	ug/L	12/03/08		R/J	SW8260
1,2,4-Trichlorobenzene	ND	5.0	ug/L	12/03/08		R/J	SW8260
1,2,4-Trimethylbenzene	ND	5.0	ug/L	12/03/08		R/J	SW8260
1,2-Dibromo-3-chloropropane	ND	5.0	ug/L	12/03/08		R/J	SW8260
1,2-Dichlorobenzene	ND	5.0	ug/L	12/03/08		R/J	SW8260
1,2-Dichloroethane	ND	5.0	ug/L	12/03/08		R/J	SW8260
1,2-Dichloropropane	ND	5.0	ug/L	12/03/08		R/J	SW8260
1,3,5-Trimethylbenzene	ND	5.0	ug/L	12/03/08		R/J	SW8260
1,3-Dichlorobenzene	ND	5.0	ug/L	12/03/08		R/J	SW8260
1,3-Dichloropropane	ND	5.0	ug/L	12/03/08		R/J	SW8260
1,4-Dichlorobenzene	ND	5.0	ug/L	12/03/08		R/J	SW8260
2,2-Dichloropropane	ND	5.0	ug/L	12/03/08		R/J	SW8260
2-Chlorotoluene	ND	5.0	ug/L	12/03/08		R/J	SW8260
2-Hexanone	ND	25	ug/L	12/03/08		R/J	SW8260
2-Isopropyltoluene	ND	5.0	ug/L	12/03/08		R/J	SW8260
4-Chlorotoluene	ND	5.0	ug/L	12/03/08		R/J	SW8260
4-Methyl-2-pentanone	ND	25	ug/L	12/03/08		R/J	SW8260
Acetone	ND	50	ug/L	12/03/08		R/J	SW8260
Acrylonitrile	ND	10	ug/L	12/03/08		R/J	SW8260
Benzene	ND	5.0	ug/L	12/03/08		R/J	SW8260
Bromobenzene	ND	5.0	ug/L	12/03/08		R/J	SW8260

Parameter	Result	RL	Units	Date	Time	By	Reference
Bromochloromethane	ND	5.0	ug/L	12/03/08		R/J	SW8260
Bromodichloromethane	ND	5.0	ug/L	12/03/08		R/J	SW8260
Bromoform	ND	5.0	ug/L	12/03/08		R/J	SW8260
Bromomethane	ND	5.0	ug/L	12/03/08		R/J	SW8260
Carbon Disulfide	ND	5.0	ug/L	12/03/08		R/J	SW8260
Carbon tetrachloride	ND	5.0	ug/L	12/03/08		R/J	SW8260
Chlorobenzene	ND	5.0	ug/L	12/03/08		R/J	SW8260
Chloroethane	ND	5.0	ug/L	12/03/08		R/J	SW8260
Chloroform	ND	5.0	ug/L	12/03/08		R/J	SW8260
Chloromethane	ND	5.0	ug/L	12/03/08		R/J	SW8260
cis-1,2-Dichloroethene	ND	5.0	ug/L	12/03/08		R/J	SW8260
cis-1,3-Dichloropropene	ND	5.0	ug/L	12/03/08		R/J	SW8260
Dibromochloromethane	ND	5.0	ug/L	12/03/08		R/J	SW8260
Dibromoethane	ND	5.0	ug/L	12/03/08		R/J	SW8260
Dibromomethane	ND	5.0	ug/L	12/03/08		R/J	SW8260
Dichlorodifluoromethane	ND	5.0	ug/L	12/03/08		R/J	SW8260
Ethylbenzene	ND	5.0	ug/L	12/03/08		R/J	SW8260
Hexachlorobutadiene	ND	5.0	ug/L	12/03/08		R/J	SW8260
Isopropylbenzene	ND	5.0	ug/L	12/03/08		R/J	SW8260
m&p-Xylene	ND	5.0	ug/L	12/03/08		R/J	SW8260
Methyl Ethyl Ketone	ND	60	ug/L	12/03/08		R/J	SW8260
Methyl t-butyl ether (MTBE)	ND	10	ug/L	12/03/08		R/J	SW8260
Methylene chloride	ND	5.0	ug/L	12/03/08		R/J	SW8260
Naphthalene	ND	5.0	ug/L	12/03/08		R/J	SW8260
n-Butylbenzene	ND	5.0	ug/L	12/03/08		R/J	SW8260
n-Propylbenzene	ND	5.0	ug/L	12/03/08		R/J	SW8260
o-Xylene	ND	5.0	ug/L	12/03/08		R/J	SW8260
p-Isopropyltoluene	ND	5.0	ug/L	12/03/08		R/J	SW8260
sec-Butylbenzene	ND	5.0	ug/L	12/03/08		R/J	SW8260
Styrene	ND	5.0	ug/L	12/03/08		R/J	SW8260
tert-Butylbenzene	ND	5.0	ug/L	12/03/08		R/J	SW8260
Tetrachloroethene	ND	5.0	ug/L	12/03/08		R/J	SW8260
Tetrahydrofuran (THF)	ND	10	ug/L	12/03/08		R/J	SW8260
Toluene	ND	5.0	ug/L	12/03/08		R/J	SW8260
Total Xylenes	ND	5.0	ug/L	12/03/08		R/J	SW8260
trans-1,2-Dichloroethene	ND	5.0	ug/L	12/03/08		R/J	SW8260
trans-1,3-Dichloropropene	ND	5.0	ug/L	12/03/08		R/J	SW8260
trans-1,4-dichloro-2-butene	ND	10	ug/L	12/03/08		R/J	SW8260
Trichloroethene	ND	5.0	ug/L	12/03/08		R/J	SW8260
Trichlorofluoromethane	ND	5.0	ug/L	12/03/08		R/J	SW8260
Trichlorotrifluoroethane	ND	5.0	ug/L	12/03/08		R/J	SW8260
Vinyl chloride	ND	5.0	ug/L	12/03/08		R/J	SW8260
<u>QA/QC Surrogates</u>							
% 1,2-dichlorobenzene-d4	101		%	12/03/08		R/J	SW8260
% Bromofluorobenzene	89		%	12/03/08		R/J	SW8260
% Dibromofluoromethane	102		%	12/03/08		R/J	SW8260
% Toluene-d8	100		%	12/03/08		R/J	SW8260

Client ID: FAIRVIEW PLAZA MW-5-07

Phoenix I.D.: AR16257

Parameter	Result	RL	Units	Date	Time	By	Reference
-----------	--------	----	-------	------	------	----	-----------

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level



Phyllis Shiller, Laboratory Director

December 04, 2008



Environmental Laboratories, Inc.
 587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06040
 Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

December 04, 2008

FOR: Attn: Mr. Todd Scott
 NETC
 PO Box 2167
 Ballston Spa, NY 12020

Sample Information

Matrix: WATER
 Location Code: NETC
 Rush Request: RUSH
 P.O.#: 08.1022044

Custody Information

Collected by: TS
 Received by: LB
 Analyzed by: see "By" below

Date 11/24/08 Time 14:33

Date 12/02/08 Time 10:50

SDG I.D.: GAR16254

Phoenix I.D.: AR16258

Laboratory Data

Client ID: FAIRVIEW PLAZA MW-4-06

Parameter	Result	RL	Units	Date	Time	By	Reference
Volatiles							
1,1,1,2-Tetrachloroethane	ND	250	ug/L	12/04/08		R/J	SW8260
1,1,1-Trichloroethane	ND	250	ug/L	12/04/08		R/J	SW8260
1,1,2,2-Tetrachloroethane	ND	250	ug/L	12/04/08		R/J	SW8260
1,1,2-Trichloroethane	ND	250	ug/L	12/04/08		R/J	SW8260
1,1-Dichloroethane	ND	250	ug/L	12/04/08		R/J	SW8260
1,1-Dichloroethene	ND	250	ug/L	12/04/08		R/J	SW8260
1,1-Dichloropropene	ND	250	ug/L	12/04/08		R/J	SW8260
1,2,3-Trichlorobenzene	ND	250	ug/L	12/04/08		R/J	SW8260
1,2,3-Trichloropropane	ND	250	ug/L	12/04/08		R/J	SW8260
1,2,4-Trichlorobenzene	ND	250	ug/L	12/04/08		R/J	SW8260
1,2,4-Trimethylbenzene	ND	250	ug/L	12/04/08		R/J	SW8260
1,2-Dibromo-3-chloropropane	ND	250	ug/L	12/04/08		R/J	SW8260
1,2-Dichlorobenzene	ND	250	ug/L	12/04/08		R/J	SW8260
1,2-Dichloroethane	ND	250	ug/L	12/04/08		R/J	SW8260
1,2-Dichloropropane	ND	250	ug/L	12/04/08		R/J	SW8260
1,3,5-Trimethylbenzene	ND	250	ug/L	12/04/08		R/J	SW8260
1,3-Dichlorobenzene	ND	250	ug/L	12/04/08		R/J	SW8260
1,3-Dichloropropane	ND	250	ug/L	12/04/08		R/J	SW8260
1,4-Dichlorobenzene	ND	250	ug/L	12/04/08		R/J	SW8260
2,2-Dichloropropane	ND	250	ug/L	12/04/08		R/J	SW8260
2-Chlorotoluene	ND	250	ug/L	12/04/08		R/J	SW8260
2-Hexanone	ND	1200	ug/L	12/04/08		R/J	SW8260
2-Isopropyltoluene	ND	250	ug/L	12/04/08		R/J	SW8260
4-Chlorotoluene	ND	250	ug/L	12/04/08		R/J	SW8260
4-Methyl-2-pentanone	ND	1200	ug/L	12/04/08		R/J	SW8260
Acetone	ND	2500	ug/L	12/04/08		R/J	SW8260
Acrylonitrile	ND	500	ug/L	12/04/08		R/J	SW8260
Benzene	ND	250	ug/L	12/04/08		R/J	SW8260
Bromobenzene	ND	250	ug/L	12/04/08		R/J	SW8260

Parameter	Result	RL	Units	Date	Time	By	Reference
Bromoform	ND	250	ug/L	12/04/08		R/J	SW8260
Bromochloromethane	ND	250	ug/L	12/04/08		R/J	SW8260
Bromodichloromethane	ND	250	ug/L	12/04/08		R/J	SW8260
Bromomethane	ND	250	ug/L	12/04/08		R/J	SW8260
Carbon Disulfide	ND	250	ug/L	12/04/08		R/J	SW8260
Carbon tetrachloride	ND	250	ug/L	12/04/08		R/J	SW8260
Chlorobenzene	ND	250	ug/L	12/04/08		R/J	SW8260
Chloroethane	ND	250	ug/L	12/04/08		R/J	SW8260
Chloroform	ND	250	ug/L	12/04/08		R/J	SW8260
Chloromethane	ND	250	ug/L	12/04/08		R/J	SW8260
cis-1,2-Dichloroethene	2000	250	ug/L	12/04/08		R/J	SW8260
cis-1,3-Dichloropropene	ND	250	ug/L	12/04/08		R/J	SW8260
Dibromochloromethane	ND	250	ug/L	12/04/08		R/J	SW8260
Dibromoethane	ND	250	ug/L	12/04/08		R/J	SW8260
Dibromomethane	ND	250	ug/L	12/04/08		R/J	SW8260
Dichlorodifluoromethane	ND	250	ug/L	12/04/08		R/J	SW8260
Ethylbenzene	ND	250	ug/L	12/04/08		R/J	SW8260
Hexachlorobutadiene	ND	250	ug/L	12/04/08		R/J	SW8260
Isopropylbenzene	ND	250	ug/L	12/04/08		R/J	SW8260
m&p-Xylene	ND	250	ug/L	12/04/08		R/J	SW8260
Methyl Ethyl Ketone	ND	3000	ug/L	12/04/08		R/J	SW8260
Methyl t-butyl ether (MTBE)	ND	500	ug/L	12/04/08		R/J	SW8260
Methylene chloride	ND	250	ug/L	12/04/08		R/J	SW8260
Naphthalene	ND	250	ug/L	12/04/08		R/J	SW8260
n-Butylbenzene	ND	250	ug/L	12/04/08		R/J	SW8260
n-Propylbenzene	ND	250	ug/L	12/04/08		R/J	SW8260
o-Xylene	ND	250	ug/L	12/04/08		R/J	SW8260
p-Isopropyltoluene	ND	250	ug/L	12/04/08		R/J	SW8260
sec-Butylbenzene	ND	250	ug/L	12/04/08		R/J	SW8260
Styrene	ND	250	ug/L	12/04/08		R/J	SW8260
tert-Butylbenzene	ND	250	ug/L	12/04/08		R/J	SW8260
Tetrachloroethene	1600	250	ug/L	12/04/08		R/J	SW8260
Tetrahydrofuran (THF)	ND	500	ug/L	12/04/08		R/J	SW8260
Toluene	ND	250	ug/L	12/04/08		R/J	SW8260
Total Xylenes	ND	250	ug/L	12/04/08		R/J	SW8260
trans-1,2-Dichloroethene	ND	250	ug/L	12/04/08		R/J	SW8260
trans-1,3-Dichloropropene	ND	250	ug/L	12/04/08		R/J	SW8260
trans-1,4-dichloro-2-butene	ND	500	ug/L	12/04/08		R/J	SW8260
Trichloroethene	1100	250	ug/L	12/04/08		R/J	SW8260
Trichlorofluoromethane	ND	250	ug/L	12/04/08		R/J	SW8260
Trichlorotrifluoroethane	ND	250	ug/L	12/04/08		R/J	SW8260
Vinyl chloride	370	250	ug/L	12/04/08		R/J	SW8260
<u>QA/QC Surrogates</u>							
% 1,2-dichlorobenzene-d4	101		%	12/04/08		R/J	SW8260
% Bromofluorobenzene	93		%	12/04/08		R/J	SW8260
% Dibromofluoromethane	101		%	12/04/08		R/J	SW8260
% Toluene-d8	99		%	12/04/08		R/J	SW8260

Client ID: FAIRVIEW PLAZA MW-4-06

Phoenix I.D.: AR16258

Parameter	Result	RL	Units	Date	Time	By	Reference
-----------	--------	----	-------	------	------	----	-----------

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level



Phyllis Shiller, Laboratory Director

December 04, 2008



Environmental Laboratories, Inc.
 587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06040
 Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

December 04, 2008

FOR: Attn: Mr. Todd Scott
 NETC
 PO Box 2167
 Ballston Spa, NY 12020

Sample Information		Custody Information		Date	Time
Matrix:	WATER	Collected by:	TS	11/24/08	15:00
Location Code:	NETC	Received by:	LB	12/02/08	10:50
Rush Request:	RUSH	Analyzed by:	see "By" below		
P.O.#:	08.1022044			SDG I.D.: GAR16254	

Laboratory Data

Phoenix I.D.: AR16259

Client ID: FAIRVIEW PLAZA MW-1-08

Parameter	Result	RL	Units	Date	Time	By	Reference
Volatiles							
1,1,1,2-Tetrachloroethane	ND	50	ug/L	12/04/08		R/J	SW8260
1,1,1-Trichloroethane	ND	50	ug/L	12/04/08		R/J	SW8260
1,1,2,2-Tetrachloroethane	ND	50	ug/L	12/04/08		R/J	SW8260
1,1,2-Trichloroethane	ND	50	ug/L	12/04/08		R/J	SW8260
1,1-Dichloroethane	ND	50	ug/L	12/04/08		R/J	SW8260
1,1-Dichloroethene	ND	50	ug/L	12/04/08		R/J	SW8260
1,1-Dichloropropene	ND	50	ug/L	12/04/08		R/J	SW8260
1,2,3-Trichlorobenzene	ND	50	ug/L	12/04/08		R/J	SW8260
1,2,3-Trichloropropane	ND	50	ug/L	12/04/08		R/J	SW8260
1,2,4-Trichlorobenzene	ND	50	ug/L	12/04/08		R/J	SW8260
1,2,4-Trimethylbenzene	ND	50	ug/L	12/04/08		R/J	SW8260
1,2-Dibromo-3-chloropropane	ND	50	ug/L	12/04/08		R/J	SW8260
1,2-Dichlorobenzene	ND	50	ug/L	12/04/08		R/J	SW8260
1,2-Dichloroethane	ND	50	ug/L	12/04/08		R/J	SW8260
1,2-Dichloropropane	ND	50	ug/L	12/04/08		R/J	SW8260
1,3,5-Trimethylbenzene	ND	50	ug/L	12/04/08		R/J	SW8260
1,3-Dichlorobenzene	ND	50	ug/L	12/04/08		R/J	SW8260
1,3-Dichloropropane	ND	50	ug/L	12/04/08		R/J	SW8260
1,4-Dichlorobenzene	ND	50	ug/L	12/04/08		R/J	SW8260
2,2-Dichloropropane	ND	50	ug/L	12/04/08		R/J	SW8260
2-Chlorotoluene	ND	50	ug/L	12/04/08		R/J	SW8260
2-Hexanone	ND	250	ug/L	12/04/08		R/J	SW8260
2-Isopropyltoluene	ND	50	ug/L	12/04/08		R/J	SW8260
4-Chlorotoluene	ND	50	ug/L	12/04/08		R/J	SW8260
4-Methyl-2-pentanone	ND	250	ug/L	12/04/08		R/J	SW8260
Acetone	ND	500	ug/L	12/04/08		R/J	SW8260
Acrylonitrile	ND	100	ug/L	12/04/08		R/J	SW8260
Benzene	ND	50	ug/L	12/04/08		R/J	SW8260
Bromobenzene	ND	50	ug/L	12/04/08		R/J	SW8260

Parameter	Result	RL	Units	Date	Time	By	Reference
Bromoform	ND	50	ug/L	12/04/08		R/J	SW8260
Bromochloromethane	ND	50	ug/L	12/04/08		R/J	SW8260
Bromodichloromethane	ND	50	ug/L	12/04/08		R/J	SW8260
Bromomethane	ND	50	ug/L	12/04/08		R/J	SW8260
Carbon Disulfide	ND	50	ug/L	12/04/08		R/J	SW8260
Carbon tetrachloride	ND	50	ug/L	12/04/08		R/J	SW8260
Chlorobenzene	ND	50	ug/L	12/04/08		R/J	SW8260
Chloroethane	ND	50	ug/L	12/04/08		R/J	SW8260
Chloroform	ND	50	ug/L	12/04/08		R/J	SW8260
Chloromethane	ND	50	ug/L	12/04/08		R/J	SW8260
cis-1,2-Dichloroethene	500	50	ug/L	12/04/08		R/J	SW8260
cis-1,3-Dichloropropene	ND	50	ug/L	12/04/08		R/J	SW8260
Dibromochloromethane	ND	50	ug/L	12/04/08		R/J	SW8260
Dibromoethane	ND	50	ug/L	12/04/08		R/J	SW8260
Dibromomethane	ND	50	ug/L	12/04/08		R/J	SW8260
Dichlorodifluoromethane	ND	50	ug/L	12/04/08		R/J	SW8260
Ethylbenzene	ND	50	ug/L	12/04/08		R/J	SW8260
Hexachlorobutadiene	ND	50	ug/L	12/04/08		R/J	SW8260
Isopropylbenzene	ND	50	ug/L	12/04/08		R/J	SW8260
m&p-Xylene	ND	50	ug/L	12/04/08		R/J	SW8260
Methyl Ethyl Ketone	ND	600	ug/L	12/04/08		R/J	SW8260
Methyl t-butyl ether (MTBE)	ND	100	ug/L	12/04/08		R/J	SW8260
Methylene chloride	ND	50	ug/L	12/04/08		R/J	SW8260
Naphthalene	ND	50	ug/L	12/04/08		R/J	SW8260
n-Butylbenzene	ND	50	ug/L	12/04/08		R/J	SW8260
n-Propylbenzene	ND	50	ug/L	12/04/08		R/J	SW8260
o-Xylene	ND	50	ug/L	12/04/08		R/J	SW8260
p-Isopropyltoluene	ND	50	ug/L	12/04/08		R/J	SW8260
sec-Butylbenzene	ND	50	ug/L	12/04/08		R/J	SW8260
Styrene	ND	50	ug/L	12/04/08		R/J	SW8260
tert-Butylbenzene	ND	50	ug/L	12/04/08		R/J	SW8260
Tetrachloroethene	ND	50	ug/L	12/04/08		R/J	SW8260
Tetrahydrofuran (THF)	ND	100	ug/L	12/04/08		R/J	SW8260
Toluene	ND	50	ug/L	12/04/08		R/J	SW8260
Total Xylenes	ND	50	ug/L	12/04/08		R/J	SW8260
trans-1,2-Dichloroethene	ND	50	ug/L	12/04/08		R/J	SW8260
trans-1,3-Dichloropropene	ND	50	ug/L	12/04/08		R/J	SW8260
trans-1,4-dichloro-2-butene	ND	100	ug/L	12/04/08		R/J	SW8260
Trichloroethene	ND	50	ug/L	12/04/08		R/J	SW8260
Trichlorofluoromethane	ND	50	ug/L	12/04/08		R/J	SW8260
Trichlorotrifluoroethane	ND	50	ug/L	12/04/08		R/J	SW8260
Vinyl chloride	450	50	ug/L	12/04/08		R/J	SW8260
<u>QA/QC Surrogates</u>							
% 1,2-dichlorobenzene-d4	106		%	12/04/08		R/J	SW8260
% Bromofluorobenzene	93		%	12/04/08		R/J	SW8260
% Dibromofluoromethane	104		%	12/04/08		R/J	SW8260
% Toluene-d8	102		%	12/04/08		R/J	SW8260

Client ID: FAIRVIEW PLAZA MW-1-08

Phoenix I.D.: AR16259

Parameter	Result	RL	Units	Date	Time	By	Reference
-----------	--------	----	-------	------	------	----	-----------

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level



Phyllis Shiller, Laboratory Director

December 04, 2008



Environmental Laboratories, Inc.
 587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06040
 Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

December 04, 2008

FOR: Attn: Mr. Todd Scott
 NETC
 PO Box 2167
 Ballston Spa, NY 12020

Sample Information

Matrix: WATER
 Location Code: NETC
 Rush Request: RUSH
 P.O.#: 08.1022044

Custody Information

Collected by: TS
 Received by: LB
 Analyzed by: see "By" below

Date

Time

11/24/08 14:54
 12/02/08 10:50

SDG I.D.: GAR16254

Phoenix I.D.: AR16260

Laboratory Data

Client ID: FAIRVIEW PLAZA MW-2-08

Parameter	Result	RL	Units	Date	Time	By	Reference
Volatiles							
1,1,1,2-Tetrachloroethane	ND	5.0	ug/L	12/03/08		R/J	SW8260
1,1,1-Trichloroethane	ND	5.0	ug/L	12/03/08		R/J	SW8260
1,1,2,2-Tetrachloroethane	ND	5.0	ug/L	12/03/08		R/J	SW8260
1,1,2-Trichloroethane	ND	5.0	ug/L	12/03/08		R/J	SW8260
1,1-Dichloroethane	ND	5.0	ug/L	12/03/08		R/J	SW8260
1,1-Dichloroethene	ND	5.0	ug/L	12/03/08		R/J	SW8260
1,1-Dichloropropene	ND	5.0	ug/L	12/03/08		R/J	SW8260
1,2,3-Trichlorobenzene	ND	5.0	ug/L	12/03/08		R/J	SW8260
1,2,3-Trichloropropane	ND	5.0	ug/L	12/03/08		R/J	SW8260
1,2,4-Trichlorobenzene	ND	5.0	ug/L	12/03/08		R/J	SW8260
1,2,4-Trimethylbenzene	ND	5.0	ug/L	12/03/08		R/J	SW8260
1,2-Dibromo-3-chloropropane	ND	5.0	ug/L	12/03/08		R/J	SW8260
1,2-Dichlorobenzene	ND	5.0	ug/L	12/03/08		R/J	SW8260
1,2-Dichloroethane	ND	5.0	ug/L	12/03/08		R/J	SW8260
1,2-Dichloropropene	ND	5.0	ug/L	12/03/08		R/J	SW8260
1,3,5-Trimethylbenzene	ND	5.0	ug/L	12/03/08		R/J	SW8260
1,3-Dichlorobenzene	ND	5.0	ug/L	12/03/08		R/J	SW8260
1,3-Dichloropropane	ND	5.0	ug/L	12/03/08		R/J	SW8260
1,4-Dichlorobenzene	ND	5.0	ug/L	12/03/08		R/J	SW8260
2,2-Dichloropropane	ND	5.0	ug/L	12/03/08		R/J	SW8260
2-Chlorotoluene	ND	5.0	ug/L	12/03/08		R/J	SW8260
2-Hexanone	ND	25	ug/L	12/03/08		R/J	SW8260
2-Isopropyltoluene	ND	5.0	ug/L	12/03/08		R/J	SW8260
4-Chlorotoluene	ND	5.0	ug/L	12/03/08		R/J	SW8260
4-Methyl-2-pentanone	ND	25	ug/L	12/03/08		R/J	SW8260
Acetone	ND	50	ug/L	12/03/08		R/J	SW8260
Acrylonitrile	ND	10	ug/L	12/03/08		R/J	SW8260
Benzene	ND	5.0	ug/L	12/03/08		R/J	SW8260
Bromobenzene	ND	5.0	ug/L	12/03/08		R/J	SW8260

Client ID: FAIRVIEW PLAZA MW-2-08

Phoenix I.D.: AR16260

Parameter	Result	RL	Units	Date	Time	By	Reference
Bromoform	ND	5.0	ug/L	12/03/08		R/J	SW8260
Bromochloromethane	ND	5.0	ug/L	12/03/08		R/J	SW8260
Bromodichloromethane	ND	5.0	ug/L	12/03/08		R/J	SW8260
Bromomethane	ND	5.0	ug/L	12/03/08		R/J	SW8260
Carbon Disulfide	ND	5.0	ug/L	12/03/08		R/J	SW8260
Carbon tetrachloride	ND	5.0	ug/L	12/03/08		R/J	SW8260
Chlorobenzene	ND	5.0	ug/L	12/03/08		R/J	SW8260
Chloroethane	ND	5.0	ug/L	12/03/08		R/J	SW8260
Chloroform	ND	5.0	ug/L	12/03/08		R/J	SW8260
Chloromethane	ND	5.0	ug/L	12/03/08		R/J	SW8260
cis-1,2-Dichloroethene	110	5.0	ug/L	12/03/08		R/J	SW8260
cis-1,3-Dichloropropene	ND	5.0	ug/L	12/03/08		R/J	SW8260
Dibromochloromethane	ND	5.0	ug/L	12/03/08		R/J	SW8260
Dibromoethane	ND	5.0	ug/L	12/03/08		R/J	SW8260
Dibromomethane	ND	5.0	ug/L	12/03/08		R/J	SW8260
Dichlorodifluoromethane	ND	5.0	ug/L	12/03/08		R/J	SW8260
Ethylbenzene	ND	5.0	ug/L	12/03/08		R/J	SW8260
Hexachlorobutadiene	ND	5.0	ug/L	12/03/08		R/J	SW8260
Isopropylbenzene	ND	5.0	ug/L	12/03/08		R/J	SW8260
m&p-Xylene	ND	5.0	ug/L	12/03/08		R/J	SW8260
Methyl Ethyl Ketone	ND	60	ug/L	12/03/08		R/J	SW8260
Methyl t-butyl ether (MTBE)	ND	10	ug/L	12/03/08		R/J	SW8260
Methylene chloride	ND	5.0	ug/L	12/03/08		R/J	SW8260
Naphthalene	ND	5.0	ug/L	12/03/08		R/J	SW8260
n-Butylbenzene	ND	5.0	ug/L	12/03/08		R/J	SW8260
n-Propylbenzene	ND	5.0	ug/L	12/03/08		R/J	SW8260
o-Xylene	ND	5.0	ug/L	12/03/08		R/J	SW8260
p-Isopropyltoluene	ND	5.0	ug/L	12/03/08		R/J	SW8260
sec-Butylbenzene	ND	5.0	ug/L	12/03/08		R/J	SW8260
Styrene	ND	5.0	ug/L	12/03/08		R/J	SW8260
tert-Butylbenzene	ND	5.0	ug/L	12/03/08		R/J	SW8260
Tetrachloroethene	ND	5.0	ug/L	12/03/08		R/J	SW8260
Tetrahydrofuran (THF)	ND	10	ug/L	12/03/08		R/J	SW8260
Toluene	ND	5.0	ug/L	12/03/08		R/J	SW8260
Total Xylenes	ND	5.0	ug/L	12/03/08		R/J	SW8260
trans-1,2-Dichloroethene	ND	5.0	ug/L	12/03/08		R/J	SW8260
trans-1,3-Dichloropropene	ND	5.0	ug/L	12/03/08		R/J	SW8260
trans-1,4-dichloro-2-butene	ND	10	ug/L	12/03/08		R/J	SW8260
Trichloroethene	ND	5.0	ug/L	12/03/08		R/J	SW8260
Trichlorofluoromethane	ND	5.0	ug/L	12/03/08		R/J	SW8260
Trichlorotrifluoroethane	ND	5.0	ug/L	12/03/08		R/J	SW8260
Vinyl chloride	190	5.0	ug/L	12/03/08		R/J	SW8260
<u>QA/QC Surrogates</u>							
% 1,2-dichlorobenzene-d4	102		%	12/03/08		R/J	SW8260
% Bromofluorobenzene	94		%	12/03/08		R/J	SW8260
% Dibromofluoromethane	104		%	12/03/08		R/J	SW8260
% Toluene-d8	99		%	12/03/08		R/J	SW8260

Parameter	Result	RL	Units	Date	Time	By	Reference
-----------	--------	----	-------	------	------	----	-----------

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level



Phyllis Shiller, Laboratory Director

December 04, 2008



Environmental Laboratories, Inc.

587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06040
Tel. (860) 645-1102 Fax (860) 645-0823

QA/QC Report

December 04, 2008

QA/QC Data

SDG I.D.: GAR16254

Parameter	Blank	LCS %	LCSD %	LCS RPD	MS Rec %	MS Dup Rec %	RPD
QA/QC Batch 116584, QC Sample No: AR15581 (AR16254, AR16255, AR16256, AR16257, AR16260)							
Volatiles							
1,1,1,2-Tetrachloroethane	ND	115	102	12.0	110	109	0.9
1,1,1-Trichloroethane	ND	104	89	15.5	101	100	1.0
1,1,2,2-Tetrachloroethane	ND	105	88	17.6	106	113	6.4
1,1,2-Trichloroethane	ND	99	84	16.4	99	101	2.0
1,1-Dichloroethane	ND	101	86	16.0	101	100	1.0
1,1-Dichloroethene	ND	103	87	16.8	103	98	5.0
1,1-Dichloropropene	ND	102	89	13.6	101	100	1.0
1,2,3-Trichlorobenzene	ND	118	106	10.7	91	108	17.1
1,2,3-Trichloropropane	ND	118	98	18.5	104	109	4.7
1,2,4-Trichlorobenzene	ND	112	101	10.3	95	103	8.1
1,2,4-Trimethylbenzene	ND	112	101	10.3	113	111	1.8
1,2-Dibromo-3-chloropropane	ND	>130	106	NC	89	115	25.5
1,2-Dichlorobenzene	ND	109	95	13.7	103	106	2.9
1,2-Dichloroethane	ND	104	89	15.5	104	102	1.9
1,2-Dichloropropane	ND	102	89	13.6	103	101	2.0
1,3,5-Trimethylbenzene	ND	112	101	10.3	112	110	1.8
1,3-Dichlorobenzene	ND	110	98	11.5	107	108	0.9
1,3-Dichloropropane	ND	110	95	14.6	108	106	1.9
1,4-Dichlorobenzene	ND	109	96	12.7	106	106	0.0
2,2-Dichloropropane	ND	110	94	15.7	97	99	2.0
2-Chlorotoluene	ND	108	97	10.7	109	108	0.9
2-Hexanone	ND	>130	>130	NC	73	80	9.2
2-Isopropyltoluene	ND	112	96	15.4	110	110	0.0
4-Chlorotoluene	ND	111	98	12.4	108	105	2.8
4-Methyl-2-pentanone	ND	109	94	14.8	91	101	10.4
Acetone	ND	118	98	18.5	44	50	12.8
Acrolein	ND	74	91	20.6	84	91	8.0
Acrylonitrile	ND	98	78	22.7	92	98	6.3
Benzene	ND	102	89	13.6	102	101	1.0
Bromobenzene	ND	110	97	12.6	109	106	2.8
Bromochloromethane	ND	100	81	21.0	93	94	1.1
Bromodichloromethane	ND	109	94	14.8	104	105	1.0
Bromoform	ND	121	102	17.0	107	115	7.2
Bromomethane	ND	124	86	36.2	93	114	20.3
Carbon Disulfide	ND	99	82	18.8	98	96	2.1
Carbon tetrachloride	ND	107	94	12.9	99	104	4.9
Chlorobenzene	ND	108	95	12.8	107	107	0.0
Chloroethane	ND	105	84	22.2	101	101	0.0

QA/QC Data

SDG I.D.: GAR16254

Parameter	Blank	LCS %	LCSD %	LCS RPD	MS Rec %	MS Dup Rec %	RPD
Chloroform	ND	99	83	17.6	100	99	1.0
Chloromethane	ND	109	93	15.8	89	89	0.0
cis-1,2-Dichloroethene	ND	101	85	17.2	99	97	2.0
cis-1,3-Dichloropropene	ND	107	91	16.2	101	103	2.0
Dibromochloromethane	ND	109	97	11.7	107	106	0.9
Dibromoethane	ND	106	86	20.8	97	102	5.0
Dibromomethane	ND	100	85	16.2	97	102	5.0
Dichlorodifluoromethane	ND	>130	111	NC	82	80	2.5
Ethylbenzene	ND	110	97	12.6	109	107	1.9
Hexachlorobutadiene	ND	113	100	12.2	101	107	5.8
Isopropylbenzene	ND	106	96	9.9	112	108	3.6
m&p-Xylene	ND	113	99	13.2	112	107	4.6
Methyl ethyl ketone	ND	122	109	11.3	59	66	11.2
Methyl t-butyl ether (MTBE)	ND	102	87	15.9	98	101	3.0
Methylene chloride	ND	93	77	18.8	92	90	2.2
Naphthalene	ND	117	114	2.6	90	109	19.1
n-Butylbenzene	ND	113	103	9.3	113	109	3.6
n-Propylbenzene	ND	111	100	10.4	110	107	2.8
o-Xylene	ND	111	95	15.5	110	109	0.9
p-Isopropyltoluene	ND	116	103	11.9	111	111	0.0
sec-Butylbenzene	ND	111	100	10.4	113	111	1.8
Styrene	ND	115	100	14.0	112	111	0.9
tert-Butylbenzene	ND	112	101	10.3	113	111	1.8
Tetrachloroethene	ND	106	96	9.9	102	100	2.0
Tetrahydrofuran (THF)	ND	100	77	26.0	98	104	5.9
Toluene	ND	103	89	14.6	102	102	0.0
trans-1,2-Dichloroethene	ND	103	89	14.6	103	100	3.0
trans-1,3-Dichloropropene	ND	111	93	17.6	103	106	2.9
trans-1,4-dichloro-2-butene	ND	>130	105	NC	104	123	16.7
Trichloroethene	ND	99	89	10.6	95	94	1.1
Trichlorofluoromethane	ND	109	92	16.9	105	103	1.9
Trichlorotrifluoroethane	ND	98	82	17.8	102	101	1.0
Vinyl chloride	ND	107	86	21.8	94	94	0.0
% 1,2-dichlorobenzene-d4	102	98	98	0.0	99	102	3.0
% Bromofluorobenzene	90	100	100	0.0	101	103	2.0
% Dibromofluoromethane	99	98	103	5.0	97	93	4.2
% Toluene-d8	95	99	99	0.0	100	102	2.0

QA/QC Batch 116704, QC Sample No: AR16829 (AR16258, AR16259)

Volatiles

1,1,1,2-Tetrachloroethane	ND	109	99	9.6	100	100	0.0
1,1,1-Trichloroethane	ND	104	103	1.0	105	100	4.9
1,1,2,2-Tetrachloroethane	ND	101	102	1.0	95	90	5.4
1,1,2-Trichloroethane	ND	101	103	2.0	102	96	6.1
1,1-Dichloroethane	ND	107	104	2.8	105	99	5.9
1,1-Dichloroethene	ND	110	108	1.8	105	99	5.9
1,1-Dichloropropene	ND	101	96	5.1	97	93	4.2
1,2,3-Trichlorobenzene	ND	106	105	0.9	106	100	5.8
1,2,3-Trichloropropane	ND	111	109	1.8	101	94	7.2

QA/QC Data

SDG I.D.: GAR16254

Parameter	Blank	LCS %	LCSD %	LCS RPD	MS Rec %	MS Dup Rec %	RPD
1,2,4-Trichlorobenzene	ND	103	98	5.0	101	95	6.1
1,2,4-Trimethylbenzene	ND	106	102	3.8	100	96	4.1
1,2-Dibromo-3-chloropropane	ND	108	116	7.1	109	106	2.8
1,2-Dichlorobenzene	ND	102	100	2.0	100	92	8.3
1,2-Dichloroethane	ND	104	106	1.9	104	96	8.0
1,2-Dichloropropane	ND	106	104	1.9	105	99	5.9
1,3,5-Trimethylbenzene	ND	103	101	2.0	98	94	4.2
1,3-Dichlorobenzene	ND	102	102	0.0	99	94	5.2
1,3-Dichloropropane	ND	103	102	1.0	105	100	4.9
1,4-Dichlorobenzene	ND	99	100	1.0	98	93	5.2
2,2-Dichloropropane	ND	106	105	0.9	105	100	4.9
2-Chlorotoluene	ND	103	100	3.0	101	95	6.1
2-Hexanone	ND	128	102	22.6	76	72	5.4
2-Isopropyltoluene	ND	100	99	1.0	99	94	5.2
4-Chlorotoluene	ND	105	101	3.9	96	94	2.1
4-Methyl-2-pentanone	ND	105	103	1.9	103	95	8.1
Acetone	ND	110	94	15.7	69	48	35.9
Acrolein	ND	>130	93	NC	106	95	10.9
Acrylonitrile	ND	103	106	2.9	110	98	11.5
Benzene	ND	102	102	0.0	101	95	6.1
Bromobenzene	ND	98	98	0.0	95	90	5.4
Bromochloromethane	ND	97	99	2.0	100	90	10.5
Bromodichloromethane	ND	109	109	0.0	104	95	9.0
Bromoform	ND	106	104	1.9	106	102	3.8
Bromomethane	ND	104	121	15.1	120	95	23.3
Carbon Disulfide	ND	107	107	0.0	106	98	7.8
Carbon tetrachloride	ND	99	97	2.0	97	92	5.3
Chlorobenzene	ND	101	99	2.0	100	96	4.1
Chloroethane	ND	114	116	1.7	113	100	12.2
Chloroform	ND	104	101	2.9	105	99	5.9
Chloromethane	ND	123	127	3.2	105	98	6.9
cis-1,2-Dichloroethene	ND	104	102	1.9	103	97	6.0
cis-1,3-Dichloropropene	ND	103	102	1.0	105	98	6.9
Dibromochloromethane	ND	101	97	4.0	101	97	4.0
Dibromoethane	ND	102	105	2.9	106	93	13.1
Dibromomethane	ND	100	103	3.0	103	95	8.1
Dichlorodifluoromethane	ND	>130	>130	NC	115	111	3.5
Ethylbenzene	ND	104	101	2.9	103	97	6.0
Hexachlorobutadiene	ND	96	97	1.0	96	89	7.6
Isopropylbenzene	ND	97	95	2.1	96	92	4.3
m&p-Xylene	ND	106	101	4.8	102	100	2.0
Methyl ethyl ketone	ND	127	106	18.0	73	5.8	170.6
Methyl t-butyl ether (MTBE)	ND	104	104	0.0	105	98	6.9
Methylene chloride	ND	106	106	0.0	105	98	6.9
Naphthalene	ND	124	110	12.0	117	123	5.0
n-Butylbenzene	ND	106	104	1.9	102	98	4.0
n-Propylbenzene	ND	100	100	0.0	96	91	5.3
o-Xylene	ND	105	102	2.9	103	98	5.0
p-Isopropyltoluene	ND	104	103	1.0	99	94	5.2

QA/QC Data

SDG I.D.: GAR16254

Parameter	Blank	LCS %	LCSD %	LCS RPD	MS Rec %	MS Dup Rec %	RPD
sec-Butylbenzene	ND	102	101	1.0	100	95	5.1
Styrene	ND	107	105	1.9	106	101	4.8
tert-Butylbenzene	ND	102	100	2.0	98	95	3.1
Tetrachloroethene	ND	97	91	6.4	93	90	3.3
Tetrahydrofuran (THF)	ND	103	106	2.9	110	106	3.7
Toluene	ND	101	102	1.0	100	94	6.2
trans-1,2-Dichloroethene	ND	111	108	2.7	106	102	3.8
trans-1,3-Dichloropropene	ND	107	110	2.8	110	101	8.5
trans-1,4-dichloro-2-butene	ND	112	119	6.1	119	101	16.4
Trichloroethene	ND	96	94	2.1	95	91	4.3
Trichlorofluoromethane	ND	120	118	1.7	110	104	5.6
Trichlorotrifluoroethane	ND	105	102	2.9	105	100	4.9
Vinyl chloride	ND	116	119	2.6	112	101	10.3
% 1,2-dichlorobenzene-d4	103	100	107	6.8	102	98	4.0
% Bromofluorobenzene	89	100	101	1.0	103	103	0.0
% Dibromofluoromethane	99	100	96	4.1	97	100	3.0
% Toluene-d8	102	101	101	0.0	103	101	2.0

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

RPD - Relative Percent Difference

LCS - Laboratory Control Sample

LCSD - Laboratory Control Sample Duplicate

MS - Matrix Spike

MS Dup - Matrix Spike Duplicate

NC - No Criteria

Phyllis Shiller, Laboratory Director

December 04, 2008



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06040
Tel. (860) 645-1102 Fax (860) 645-0823



NY Temperature Narration

December 04, 2008

SDG I.D.: GAR16254

The samples in this delivery group were received at 6C.
(Note acceptance criteria is above freezing up to 6C)

PHOENIX

Environmental Laboratories, Inc.

CHAIN OF CUSTODY RECORD

587 East Middle Turnpike, P.O. Box 370, Manchester, CT 06040
 Email: service@phoenixlabs.com Fax (860) 645-0823

Client Services (860) 645-8726

Customer:

NETC
 1476 ROUTE 50
 B. SPA N.Y. 12020

Address:

Client Sample - Information - Identification

Sampler's
 Signature

Date 11/31/08

Matrix Code:

DW=drinking water

GW=groundwater

WW=vastewater

SL=soil/solid

A=air

S=soil/sludge

O=other

Phoenix Sample #	Customer Sample Identification	Sample Matrix	Date Sampled	Time Sampled
16254	MA-2-07	14-0	11/24/08	16:59
16255	MA-3-07	1		11:45
16256	MA-2-04		1:50	
16257	MA-5-07		1:55	
16258	MA-4-06		2:38	
16259	MA-1-08		3:00	
16260	MA-3-08		3:54	

Data Delivery:

- Fax #:
 Email: BOOGIECONYCAP.RR.COM

Temp 0° Pg of

Project: FATIGUE PLATE
 Report to: 1000561
 Invoice to: TEFLA INC

Phone #: (518) 384 3545
 Fax #: (518) 384 9710

PL H2SO4 125mL 150mL 100mL
 PL As 15 125mL 150mL 100mL
 PL HNO3 250mL 150mL 100mL
 PL NaOH 250mL 150mL 100mL
 PL Acetate Bottle

GL Ammonium Vola Vial 1As 15 HCl
 GL Soil container (15 Single 1H2O)
 GL VIAL Methanol 15 Single 1H2O
 GL VIAL Water 15 Single 1H2O
 GL VIAL Methanol 15 Single 1H2O
 GL VIAL Water 15 Single 1H2O

PL As 15 125mL 150mL 100mL
 PL H2SO4 125mL 150mL 100mL
 PL HNO3 250mL 150mL 100mL
 PL NaOH 250mL 150mL 100mL
 PL Acetate Bottle

GL Soil container (15 Single 1H2O)
 GL VIAL Methanol 15 Single 1H2O
 GL VIAL Water 15 Single 1H2O
 GL VIAL Methanol 15 Single 1H2O
 GL VIAL Water 15 Single 1H2O

PL As 15 125mL 150mL 100mL
 PL H2SO4 125mL 150mL 100mL
 PL HNO3 250mL 150mL 100mL
 PL NaOH 250mL 150mL 100mL
 PL Acetate Bottle

GL Soil container (15 Single 1H2O)
 GL VIAL Methanol 15 Single 1H2O
 GL VIAL Water 15 Single 1H2O
 GL VIAL Methanol 15 Single 1H2O
 GL VIAL Water 15 Single 1H2O

PL As 15 125mL 150mL 100mL
 PL H2SO4 125mL 150mL 100mL
 PL HNO3 250mL 150mL 100mL
 PL NaOH 250mL 150mL 100mL
 PL Acetate Bottle

GL Soil container (15 Single 1H2O)
 GL VIAL Methanol 15 Single 1H2O
 GL VIAL Water 15 Single 1H2O
 GL VIAL Methanol 15 Single 1H2O
 GL VIAL Water 15 Single 1H2O

PL As 15 125mL 150mL 100mL
 PL H2SO4 125mL 150mL 100mL
 PL HNO3 250mL 150mL 100mL
 PL NaOH 250mL 150mL 100mL
 PL Acetate Bottle

GL Soil container (15 Single 1H2O)
 GL VIAL Methanol 15 Single 1H2O
 GL VIAL Water 15 Single 1H2O
 GL VIAL Methanol 15 Single 1H2O
 GL VIAL Water 15 Single 1H2O

PL As 15 125mL 150mL 100mL
 PL H2SO4 125mL 150mL 100mL
 PL HNO3 250mL 150mL 100mL
 PL NaOH 250mL 150mL 100mL
 PL Acetate Bottle

GL Soil container (15 Single 1H2O)
 GL VIAL Methanol 15 Single 1H2O
 GL VIAL Water 15 Single 1H2O
 GL VIAL Methanol 15 Single 1H2O
 GL VIAL Water 15 Single 1H2O

PL As 15 125mL 150mL 100mL
 PL H2SO4 125mL 150mL 100mL
 PL HNO3 250mL 150mL 100mL
 PL NaOH 250mL 150mL 100mL
 PL Acetate Bottle

GL Soil container (15 Single 1H2O)
 GL VIAL Methanol 15 Single 1H2O
 GL VIAL Water 15 Single 1H2O
 GL VIAL Methanol 15 Single 1H2O
 GL VIAL Water 15 Single 1H2O

PL As 15 125mL 150mL 100mL
 PL H2SO4 125mL 150mL 100mL
 PL HNO3 250mL 150mL 100mL
 PL NaOH 250mL 150mL 100mL
 PL Acetate Bottle

GL Soil container (15 Single 1H2O)
 GL VIAL Methanol 15 Single 1H2O
 GL VIAL Water 15 Single 1H2O
 GL VIAL Methanol 15 Single 1H2O
 GL VIAL Water 15 Single 1H2O

PL As 15 125mL 150mL 100mL
 PL H2SO4 125mL 150mL 100mL
 PL HNO3 250mL 150mL 100mL
 PL NaOH 250mL 150mL 100mL
 PL Acetate Bottle

GL Soil container (15 Single 1H2O)
 GL VIAL Methanol 15 Single 1H2O
 GL VIAL Water 15 Single 1H2O
 GL VIAL Methanol 15 Single 1H2O
 GL VIAL Water 15 Single 1H2O

PL As 15 125mL 150mL 100mL
 PL H2SO4 125mL 150mL 100mL
 PL HNO3 250mL 150mL 100mL
 PL NaOH 250mL 150mL 100mL
 PL Acetate Bottle

GL Soil container (15 Single 1H2O)
 GL VIAL Methanol 15 Single 1H2O
 GL VIAL Water 15 Single 1H2O
 GL VIAL Methanol 15 Single 1H2O
 GL VIAL Water 15 Single 1H2O

PL As 15 125mL 150mL 100mL
 PL H2SO4 125mL 150mL 100mL
 PL HNO3 250mL 150mL 100mL
 PL NaOH 250mL 150mL 100mL
 PL Acetate Bottle

GL Soil container (15 Single 1H2O)
 GL VIAL Methanol 15 Single 1H2O
 GL VIAL Water 15 Single 1H2O
 GL VIAL Methanol 15 Single 1H2O
 GL VIAL Water 15 Single 1H2O

PL As 15 125mL 150mL 100mL
 PL H2SO4 125mL 150mL 100mL
 PL HNO3 250mL 150mL 100mL
 PL NaOH 250mL 150mL 100mL
 PL Acetate Bottle

GL Soil container (15 Single 1H2O)
 GL VIAL Methanol 15 Single 1H2O
 GL VIAL Water 15 Single 1H2O
 GL VIAL Methanol 15 Single 1H2O
 GL VIAL Water 15 Single 1H2O

PL As 15 125mL 150mL 100mL
 PL H2SO4 125mL 150mL 100mL
 PL HNO3 250mL 150mL 100mL
 PL NaOH 250mL 150mL 100mL
 PL Acetate Bottle

Analysis Request

Turnaround:

CTRI

MA

• SURCHARGE APPLIES

RCP Cert.

GW Protect.

GA Mobility

GB Mobility

SW Protect.

Other

Res. Vol.

Ind. Vol.

MWRA eSMART

Other

ASPA

NJ Reduced Dely.

NJ Hazsite EDD

Phoenix Std Report

Other

ATTACHMENT C
EXHIBIT C-3

DECEMBER 18, 2008

GROUNDWATER QUALITY SUMMARY (EPA METHOD 8260)
FAIRVIEW PLAZA

160 Fairview Avenue Hudson, New York

Sampled on December 18, 2008

PARAMETER	WATER SAMPLE DESCRIPTION							UNITS	DEC
	MW-2-04	MW-4-06	MW-2-07	MW-3-07	MW-5-07	MW-1-08	MW-2-08		
Dissolved Iron	0.018	0.765	0.242	0.005	1.400	0.372	0.034	ppm	----
Dissolved Maganese	0.764	0.290	0.011	0.042	5.380	0.118	0.809	ppm	----
C.O.D.	<10	280	280	18	64	120	230	ppm	----
Acetone	ND	ND	ND	ND	ND	ND	ND	ppb	50
Benzene	ND	ND	ND	ND	ND	ND	ND	ppb	0.7
cis-1,2-Dichloroethene	72.0	2,700	ND	ND	ND	630	410	ppb	5
MTBE	ND	ND	ND	ND	ND	ND	ND	ppb	10
Methylene chloride	ND	ND	ND	ND	ND	5.5	ND	ppb	5
Tetrachloroethene (PERC)	100.0	4,300	ND	ND	ND	ND	ND	ppb	5
trans-1,2-Dichloroethene	ND	8.5	ND	ND	ND	5.0	ND	ppb	5
Trichloroethene (TCE)	78.0	2,500	ND	ND	ND	13.0	ND	ppb	5
Vinyl Chloride	ND	420	ND	ND	ND	560	440	ppb	2
Total VOCs	250.0	9,929	0.00	0.00	0.00	1,213.5	850.0	----	----

Notes: All concentrations are in ug/l or ppb (parts per billion)

DEC = Groundwater quality standards & guidelines (6NYCRR Part 703)

* Principal organic compound standard for groundwater is 5 ppb

ND = Not Detected

---- = Not Sampled



Tuesday, December 30, 2008

Attn: Mr. Todd Scott
NETC
PO Box 2167
Ballston Spa, NY 12020

Client ID: FAIRVIEW PLAZA

Sample ID#s: AR23105 - AR23111

This laboratory is in compliance with the QA/QC procedures outlined in EPA 600/4-79-019, Handbook for Analytical Quality in Water and Waste Water, March 1979, SW846 QA/QC and NELAC requirements of procedures used.

This report contains results for the parameters tested, under the sampling conditions described on the Chain Of Custody, as received by the laboratory.

A scanned version of the COC form accompanies the analytical report and is an exact duplicate of the original.

If you have any questions concerning this testing, please do not hesitate to contact Phoenix Client Services at ext. 200.

Sincerely yours,

A handwritten signature in black ink that reads "Phyllis Shiller". The signature is fluid and cursive, with "Phyllis" on top and "Shiller" below it.

Phyllis Shiller

Laboratory Director

CT Lab Registration #PH-0618

MA Lab Registration #MA-CT-007

NY Lab Registration #11301

RI Lab Registration #63

NH Lab Registration #213693-A,B

ME Lab Registration #CT-007

NJ Lab Registration #CT-003

PA Lab Registration #68-03530



Environmental Laboratories, Inc.

587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06040
Tel. (860) 645-1102 Fax (860) 645-0823



Analysis Report

December 30, 2008

FOR: Attn: Mr. Todd Scott
NETC
PO Box 2167
Ballston Spa, NY 12020

Sample Information

Matrix: WATER
Location Code: NETC
Rush Request: RUSH
P.O.#: 08.1022044

Custody Information

Collected by:
Received by: SW
Analyzed by: see "By" below

Date

Time

12/18/08 14:12
12/20/08 11:00

SDG I.D.: GAR23105

Phoenix I.D.: AR23105

Client ID: FAIRVIEW PLAZA MW-2-04

Laboratory Data

Parameter	Result	RL	Units	Date	Time	By	Reference
Iron (Dissolved)	0.018	0.002	mg/L	12/25/08		LK	6010/200.7
Manganese (Dissolved)	0.764	0.001	mg/L	12/25/08		LK	6010/200.7
C.O.D.	< 10	10	mg/L	12/23/08		KDB	SM5220 D
Filtration	Completed			12/22/08		JC/T	0.45um Filter
Dissolved Metals Preparation	Completed			12/22/08		JC/T	SW846-3005

Volatiles

1,1,1,2-Tetrachloroethane	ND	5.0	ug/L	12/23/08	R/J	SW8260
1,1,1-Trichloroethane	ND	5.0	ug/L	12/23/08	R/J	SW8260
1,1,2,2-Tetrachloroethane	ND	5.0	ug/L	12/23/08	R/J	SW8260
1,1,2-Trichloroethane	ND	5.0	ug/L	12/23/08	R/J	SW8260
1,1-Dichloroethane	ND	5.0	ug/L	12/23/08	R/J	SW8260
1,1-Dichloroethene	ND	5.0	ug/L	12/23/08	R/J	SW8260
1,1-Dichloropropene	ND	5.0	ug/L	12/23/08	R/J	SW8260
1,2,3-Trichlorobenzene	ND	5.0	ug/L	12/23/08	R/J	SW8260
1,2,3-Trichloropropane	ND	5.0	ug/L	12/23/08	R/J	SW8260
1,2,4-Trichlorobenzene	ND	5.0	ug/L	12/23/08	R/J	SW8260
1,2,4-Trimethylbenzene	ND	5.0	ug/L	12/23/08	R/J	SW8260
1,2-Dibromo-3-chloropropane	ND	5.0	ug/L	12/23/08	R/J	SW8260
1,2-Dichlorobenzene	ND	5.0	ug/L	12/23/08	R/J	SW8260
1,2-Dichloroethane	ND	5.0	ug/L	12/23/08	R/J	SW8260
1,2-Dichloropropane	ND	5.0	ug/L	12/23/08	R/J	SW8260
1,3,5-Trimethylbenzene	ND	5.0	ug/L	12/23/08	R/J	SW8260
1,3-Dichlorobenzene	ND	5.0	ug/L	12/23/08	R/J	SW8260
1,3-Dichloropropane	ND	5.0	ug/L	12/23/08	R/J	SW8260
1,4-Dichlorobenzene	ND	5.0	ug/L	12/23/08	R/J	SW8260
2,2-Dichloropropane	ND	5.0	ug/L	12/23/08	R/J	SW8260
2-Chlorotoluene	ND	5.0	ug/L	12/23/08	R/J	SW8260
2-Hexanone	ND	25	ug/L	12/23/08	R/J	SW8260
2-Isopropyltoluene	ND	5.0	ug/L	12/23/08	R/J	SW8260
4-Chlorotoluene	ND	5.0	ug/L	12/23/08	R/J	SW8260

Parameter	Result	RL	Units	Date	Time	By	Reference
4-Methyl-2-pentanone	ND	25	ug/L	12/23/08		R/J	SW8260
Acetone	ND	50	ug/L	12/23/08		R/J	SW8260
Acrylonitrile	ND	10	ug/L	12/23/08		R/J	SW8260
Benzene	ND	5.0	ug/L	12/23/08		R/J	SW8260
Bromobenzene	ND	5.0	ug/L	12/23/08		R/J	SW8260
Bromochloromethane	ND	5.0	ug/L	12/23/08		R/J	SW8260
Bromodichloromethane	ND	5.0	ug/L	12/23/08		R/J	SW8260
Bromoform	ND	5.0	ug/L	12/23/08		R/J	SW8260
Bromomethane	ND	5.0	ug/L	12/23/08		R/J	SW8260
Carbon Disulfide	ND	5.0	ug/L	12/23/08		R/J	SW8260
Carbon tetrachloride	ND	5.0	ug/L	12/23/08		R/J	SW8260
Chlorobenzene	ND	5.0	ug/L	12/23/08		R/J	SW8260
Chloroethane	ND	5.0	ug/L	12/23/08		R/J	SW8260
Chloroform	ND	5.0	ug/L	12/23/08		R/J	SW8260
Chloromethane	ND	5.0	ug/L	12/23/08		R/J	SW8260
cis-1,2-Dichloroethene	72	5.0	ug/L	12/23/08		R/J	SW8260
cis-1,3-Dichloropropene	ND	5.0	ug/L	12/23/08		R/J	SW8260
Dibromochloromethane	ND	5.0	ug/L	12/23/08		R/J	SW8260
Dibromoethane	ND	5.0	ug/L	12/23/08		R/J	SW8260
Dibromomethane	ND	5.0	ug/L	12/23/08		R/J	SW8260
Dichlorodifluoromethane	ND	5.0	ug/L	12/23/08		R/J	SW8260
Ethylbenzene	ND	5.0	ug/L	12/23/08		R/J	SW8260
Hexachlorobutadiene	ND	5.0	ug/L	12/23/08		R/J	SW8260
Isopropylbenzene	ND	5.0	ug/L	12/23/08		R/J	SW8260
m&p-Xylene	ND	5.0	ug/L	12/23/08		R/J	SW8260
Methyl Ethyl Ketone	ND	60	ug/L	12/23/08		R/J	SW8260
Methyl t-butyl ether (MTBE)	ND	10	ug/L	12/23/08		R/J	SW8260
Methylene chloride	ND	10	ug/L	12/23/08		R/J	SW8260
Naphthalene	ND	5.0	ug/L	12/23/08		R/J	SW8260
n-Butylbenzene	ND	5.0	ug/L	12/23/08		R/J	SW8260
n-Propylbenzene	ND	5.0	ug/L	12/23/08		R/J	SW8260
o-Xylene	ND	5.0	ug/L	12/23/08		R/J	SW8260
p-Isopropyltoluene	ND	5.0	ug/L	12/23/08		R/J	SW8260
sec-Butylbenzene	ND	5.0	ug/L	12/23/08		R/J	SW8260
Styrene	ND	5.0	ug/L	12/23/08		R/J	SW8260
tert-Butylbenzene	ND	5.0	ug/L	12/23/08		R/J	SW8260
Tetrachloroethene	100	5.0	ug/L	12/23/08		R/J	SW8260
Tetrahydrofuran (THF)	ND	10	ug/L	12/23/08		R/J	SW8260
Toluene	ND	5.0	ug/L	12/23/08		R/J	SW8260
Total Xylenes	ND	5.0	ug/L	12/23/08		R/J	SW8260
trans-1,2-Dichloroethene	ND	5.0	ug/L	12/23/08		R/J	SW8260
trans-1,3-Dichloropropene	ND	5.0	ug/L	12/23/08		R/J	SW8260
trans-1,4-dichloro-2-butene	ND	10	ug/L	12/23/08		R/J	SW8260
Trichloroethene	78	5.0	ug/L	12/23/08		R/J	SW8260
Trichlorofluoromethane	ND	5.0	ug/L	12/23/08		R/J	SW8260
Trichlorotrifluoroethane	ND	5.0	ug/L	12/23/08		R/J	SW8260
Vinyl chloride	ND	5.0	ug/L	12/23/08		R/J	SW8260
<u>QA/QC Surrogates</u>							
% 1,2-dichlorobenzene-d4	107		%	12/23/08		R/J	SW8260
% Bromofluorobenzene	95		%	12/23/08		R/J	SW8260
% Dibromofluoromethane	101		%	12/23/08		R/J	SW8260
% Toluene-d8	98		%	12/23/08		R/J	SW8260

Parameter	Result	RL	Units	Date	Time	By	Reference
-----------	--------	----	-------	------	------	----	-----------

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level



Phyllis Shiller, Laboratory Director

December 30, 2008



Environmental Laboratories, Inc.

587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06040
Tel. (860) 645-1102 Fax (860) 645-0823



Analysis Report

December 30, 2008

FOR: Attn: Mr. Todd Scott
NETC
PO Box 2167
Ballston Spa, NY 12020

Sample Information

Matrix: WATER
Location Code: NETC
Rush Request: RUSH
P.O.#: 08.1022044

Custody Information

Collected by:
Received by: SW
Analyzed by: see "By" below

Date
12/18/08

Time
15:02

Date
12/20/08

Time
11:00

SDG I.D.: GAR23105

Phoenix I.D.: AR23106

Laboratory Data

Client ID: FAIRVIEW PLAZA MW-4-06

Parameter	Result	RL	Units	Date	Time	By	Reference
Iron (Dissolved)	0.735	0.002	mg/L	12/25/08		LK	6010/200.7
Manganese (Dissolved)	0.029	0.001	mg/L	12/25/08		LK	6010/200.7
C.O.D.	280	10	mg/L	12/23/08		KDB	SM5220 D
Filtration	Completed			12/22/08		JC/T	0.45um Filter
Dissolved Metals Preparation	Completed			12/22/08		JC/T	SW846-3005

Volatiles

1,1,1,2-Tetrachloroethane	ND	5.0	ug/L	12/23/08		R/J	SW8260
1,1,1-Trichloroethane	ND	5.0	ug/L	12/23/08		R/J	SW8260
1,1,2,2-Tetrachloroethane	ND	5.0	ug/L	12/23/08		R/J	SW8260
1,1,2-Trichloroethane	ND	5.0	ug/L	12/23/08		R/J	SW8260
1,1-Dichloroethane	ND	5.0	ug/L	12/23/08		R/J	SW8260
1,1-Dichloroethene	ND	5.0	ug/L	12/23/08		R/J	SW8260
1,1-Dichloropropene	ND	5.0	ug/L	12/23/08		R/J	SW8260
1,2,3-Trichlorobenzene	ND	5.0	ug/L	12/23/08		R/J	SW8260
1,2,3-Trichloropropane	ND	5.0	ug/L	12/23/08		R/J	SW8260
1,2,4-Trichlorobenzene	ND	5.0	ug/L	12/23/08		R/J	SW8260
1,2,4-Trimethylbenzene	ND	5.0	ug/L	12/23/08		R/J	SW8260
1,2-Dibromo-3-chloropropane	ND	5.0	ug/L	12/23/08		R/J	SW8260
1,2-Dichlorobenzene	ND	5.0	ug/L	12/23/08		R/J	SW8260
1,2-Dichloroethane	ND	5.0	ug/L	12/23/08		R/J	SW8260
1,2-Dichloropropane	ND	5.0	ug/L	12/23/08		R/J	SW8260
1,3,5-Trimethylbenzene	ND	5.0	ug/L	12/23/08		R/J	SW8260
1,3-Dichlorobenzene	ND	5.0	ug/L	12/23/08		R/J	SW8260
1,3-Dichloropropane	ND	5.0	ug/L	12/23/08		R/J	SW8260
1,4-Dichlorobenzene	ND	5.0	ug/L	12/23/08		R/J	SW8260
2,2-Dichloropropane	ND	5.0	ug/L	12/23/08		R/J	SW8260
2-Chlorotoluene	ND	5.0	ug/L	12/23/08		R/J	SW8260
2-Hexanone	ND	25	ug/L	12/23/08		R/J	SW8260
2-Isopropyltoluene	ND	5.0	ug/L	12/23/08		R/J	SW8260
4-Chlorotoluene	ND	5.0	ug/L	12/23/08		R/J	SW8260

Parameter	Result	RL	Units	Date	Time	By	Reference
4-Methyl-2-pentanone	ND	25	ug/L	12/23/08		R/J	SW8260
Acetone	ND	50	ug/L	12/23/08		R/J	SW8260
Acrylonitrile	ND	10	ug/L	12/23/08		R/J	SW8260
Benzene	ND	5.0	ug/L	12/23/08		R/J	SW8260
Bromobenzene	ND	5.0	ug/L	12/23/08		R/J	SW8260
Bromochloromethane	ND	5.0	ug/L	12/23/08		R/J	SW8260
Bromodichloromethane	ND	5.0	ug/L	12/23/08		R/J	SW8260
Bromoform	ND	5.0	ug/L	12/23/08		R/J	SW8260
Bromomethane	ND	5.0	ug/L	12/23/08		R/J	SW8260
Carbon Disulfide	ND	5.0	ug/L	12/23/08		R/J	SW8260
Carbon tetrachloride	ND	5.0	ug/L	12/23/08		R/J	SW8260
Chlorobenzene	ND	5.0	ug/L	12/23/08		R/J	SW8260
Chloroethane	ND	5.0	ug/L	12/23/08		R/J	SW8260
Chloroform	ND	5.0	ug/L	12/23/08		R/J	SW8260
Chloromethane	ND	5.0	ug/L	12/23/08		R/J	SW8260
cis-1,2-Dichloroethene	2700	250	ug/L	12/23/08		R/J	SW8260
cis-1,3-Dichloropropene	ND	5.0	ug/L	12/23/08		R/J	SW8260
Dibromochloromethane	ND	5.0	ug/L	12/23/08		R/J	SW8260
Dibromoethane	ND	5.0	ug/L	12/23/08		R/J	SW8260
Dibromomethane	ND	5.0	ug/L	12/23/08		R/J	SW8260
Dichlorodifluoromethane	ND	5.0	ug/L	12/23/08		R/J	SW8260
Ethylbenzene	ND	5.0	ug/L	12/23/08		R/J	SW8260
Hexachlorobutadiene	ND	5.0	ug/L	12/23/08		R/J	SW8260
Isopropylbenzene	ND	5.0	ug/L	12/23/08		R/J	SW8260
m&p-Xylene	ND	5.0	ug/L	12/23/08		R/J	SW8260
Methyl Ethyl Ketone	ND	60	ug/L	12/23/08		R/J	SW8260
Methyl t-butyl ether (MTBE)	ND	10	ug/L	12/23/08		R/J	SW8260
Methylene chloride	ND	5.0	ug/L	12/23/08		R/J	SW8260
Naphthalene	ND	5.0	ug/L	12/23/08		R/J	SW8260
n-Butylbenzene	ND	5.0	ug/L	12/23/08		R/J	SW8260
n-Propylbenzene	ND	5.0	ug/L	12/23/08		R/J	SW8260
o-Xylene	ND	5.0	ug/L	12/23/08		R/J	SW8260
p-Isopropyltoluene	ND	5.0	ug/L	12/23/08		R/J	SW8260
sec-Butylbenzene	ND	5.0	ug/L	12/23/08		R/J	SW8260
Styrene	ND	5.0	ug/L	12/23/08		R/J	SW8260
tert-Butylbenzene	ND	5.0	ug/L	12/23/08		R/J	SW8260
Tetrachloroethene	4300	250	ug/L	12/23/08		R/J	SW8260
Tetrahydrofuran (THF)	ND	10	ug/L	12/23/08		R/J	SW8260
Toluene	ND	5.0	ug/L	12/23/08		R/J	SW8260
Total Xylenes	ND	5.0	ug/L	12/23/08		R/J	SW8260
trans-1,2-Dichloroethene	8.5	5.0	ug/L	12/23/08		R/J	SW8260
trans-1,3-Dichloropropene	ND	5.0	ug/L	12/23/08		R/J	SW8260
trans-1,4-dichloro-2-butene	ND	10	ug/L	12/23/08		R/J	SW8260
Trichloroethene	2500	250	ug/L	12/23/08		R/J	SW8260
Trichlorofluoromethane	ND	5.0	ug/L	12/23/08		R/J	SW8260
Trichlorotrifluoroethane	ND	5.0	ug/L	12/23/08		R/J	SW8260
Vinyl chloride	420	250	ug/L	12/23/08		R/J	SW8260
<u>QA/QC Surrogates</u>							
% 1,2-dichlorobenzene-d4	102		%	12/23/08		R/J	SW8260
% Bromofluorobenzene	92		%	12/23/08		R/J	SW8260
% Dibromofluoromethane	99		%	12/23/08		R/J	SW8260
% Toluene-d8	92		%	12/23/08		R/J	SW8260

Parameter	Result	RL	Units	Date	Time	By	Reference
-----------	--------	----	-------	------	------	----	-----------

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level



Phyllis Shiller, Laboratory Director

December 30, 2008



Environmental Laboratories, Inc.

587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06040
Tel. (860) 645-1102 Fax (860) 645-0823



Analysis Report

December 30, 2008

FOR: Attn: Mr. Todd Scott
NETC
PO Box 2167
Ballston Spa, NY 12020

Sample Information

Matrix: WATER
Location Code: NETC
Rush Request: RUSH
P.O.#: 08.1022044

Custody Information

Collected by:
Received by: SW
Analyzed by: see "By" below

Date

12/18/08

22:47

12/20/08

11:00

SDG I.D.: GAR23105

Phoenix I.D.: AR23107

Laboratory Data

Client ID: FAIRVIEW PLAZA MW-2-07

Parameter	Result	RL	Units	Date	Time	By	Reference
Iron (Dissolved)	0.242	0.002	mg/L	12/25/08		LK	6010/200.7
Manganese (Dissolved)	0.011	0.001	mg/L	12/25/08		LK	6010/200.7
C.O.D.	280	10	mg/L	12/23/08		KDB	SM5220 D
Filtration	Completed			12/22/08		JC/T	0.45um Filter
Dissolved Metals Preparation	Completed			12/22/08		JC/T	SW846-3005
Volatiles							
1,1,1,2-Tetrachloroethane	ND	5.0	ug/L	12/23/08		R/J	SW8260
1,1,1-Trichloroethane	ND	5.0	ug/L	12/23/08		R/J	SW8260
1,1,2,2-Tetrachloroethane	ND	5.0	ug/L	12/23/08		R/J	SW8260
1,1,2-Trichloroethane	ND	5.0	ug/L	12/23/08		R/J	SW8260
1,1-Dichloroethane	ND	5.0	ug/L	12/23/08		R/J	SW8260
1,1-Dichloroethene	ND	5.0	ug/L	12/23/08		R/J	SW8260
1,1-Dichloropropene	ND	5.0	ug/L	12/23/08		R/J	SW8260
1,2,3-Trichlorobenzene	ND	5.0	ug/L	12/23/08		R/J	SW8260
1,2,3-Trichloropropane	ND	5.0	ug/L	12/23/08		R/J	SW8260
1,2,4-Trichlorobenzene	ND	5.0	ug/L	12/23/08		R/J	SW8260
1,2,4-Trimethylbenzene	ND	5.0	ug/L	12/23/08		R/J	SW8260
1,2-Dibromo-3-chloropropane	ND	5.0	ug/L	12/23/08		R/J	SW8260
1,2-Dichlorobenzene	ND	5.0	ug/L	12/23/08		R/J	SW8260
1,2-Dichloroethane	ND	5.0	ug/L	12/23/08		R/J	SW8260
1,2-Dichloropropane	ND	5.0	ug/L	12/23/08		R/J	SW8260
1,3,5-Trimethylbenzene	ND	5.0	ug/L	12/23/08		R/J	SW8260
1,3-Dichlorobenzene	ND	5.0	ug/L	12/23/08		R/J	SW8260
1,3-Dichloropropane	ND	5.0	ug/L	12/23/08		R/J	SW8260
1,4-Dichlorobenzene	ND	5.0	ug/L	12/23/08		R/J	SW8260
2,2-Dichloropropane	ND	5.0	ug/L	12/23/08		R/J	SW8260
2-Chlorotoluene	ND	5.0	ug/L	12/23/08		R/J	SW8260
2-Hexanone	ND	25	ug/L	12/23/08		R/J	SW8260
2-Isopropyltoluene	ND	5.0	ug/L	12/23/08		R/J	SW8260
4-Chlorotoluene	ND	5.0	ug/L	12/23/08		R/J	SW8260

Parameter	Result	RL	Units	Date	Time	By	Reference
4-Methyl-2-pentanone	ND	25	ug/L	12/23/08		R/J	SW8260
Acetone	ND	50	ug/L	12/23/08		R/J	SW8260
Acrylonitrile	ND	10	ug/L	12/23/08		R/J	SW8260
Benzene	ND	5.0	ug/L	12/23/08		R/J	SW8260
Bromobenzene	ND	5.0	ug/L	12/23/08		R/J	SW8260
Bromochloromethane	ND	5.0	ug/L	12/23/08		R/J	SW8260
Bromodichloromethane	ND	5.0	ug/L	12/23/08		R/J	SW8260
Bromoform	ND	5.0	ug/L	12/23/08		R/J	SW8260
Bromomethane	ND	5.0	ug/L	12/23/08		R/J	SW8260
Carbon Disulfide	ND	5.0	ug/L	12/23/08		R/J	SW8260
Carbon tetrachloride	ND	5.0	ug/L	12/23/08		R/J	SW8260
Chlorobenzene	ND	5.0	ug/L	12/23/08		R/J	SW8260
Chloroethane	ND	5.0	ug/L	12/23/08		R/J	SW8260
Chloroform	ND	5.0	ug/L	12/23/08		R/J	SW8260
Chloromethane	ND	5.0	ug/L	12/23/08		R/J	SW8260
cis-1,2-Dichloroethene	ND	5.0	ug/L	12/23/08		R/J	SW8260
cis-1,3-Dichloropropene	ND	5.0	ug/L	12/23/08		R/J	SW8260
Dibromochloromethane	ND	5.0	ug/L	12/23/08		R/J	SW8260
Dibromoethane	ND	5.0	ug/L	12/23/08		R/J	SW8260
Dibromomethane	ND	5.0	ug/L	12/23/08		R/J	SW8260
Dichlorodifluoromethane	ND	5.0	ug/L	12/23/08		R/J	SW8260
Ethylbenzene	ND	5.0	ug/L	12/23/08		R/J	SW8260
Hexachlorobutadiene	ND	5.0	ug/L	12/23/08		R/J	SW8260
Isopropylbenzene	ND	5.0	ug/L	12/23/08		R/J	SW8260
m&p-Xylene	ND	5.0	ug/L	12/23/08		R/J	SW8260
Methyl Ethyl Ketone	ND	60	ug/L	12/23/08		R/J	SW8260
Methyl t-butyl ether (MTBE)	ND	10	ug/L	12/23/08		R/J	SW8260
Methylene chloride	ND	5.0	ug/L	12/23/08		R/J	SW8260
Naphthalene	ND	5.0	ug/L	12/23/08		R/J	SW8260
n-Butylbenzene	ND	5.0	ug/L	12/23/08		R/J	SW8260
n-Propylbenzene	ND	5.0	ug/L	12/23/08		R/J	SW8260
o-Xylene	ND	5.0	ug/L	12/23/08		R/J	SW8260
p-Isopropyltoluene	ND	5.0	ug/L	12/23/08		R/J	SW8260
sec-Butylbenzene	ND	5.0	ug/L	12/23/08		R/J	SW8260
Styrene	ND	5.0	ug/L	12/23/08		R/J	SW8260
tert-Butylbenzene	ND	5.0	ug/L	12/23/08		R/J	SW8260
Tetrachloroethene	ND	5.0	ug/L	12/23/08		R/J	SW8260
Tetrahydrofuran (THF)	ND	10	ug/L	12/23/08		R/J	SW8260
Toluene	ND	5.0	ug/L	12/23/08		R/J	SW8260
Total Xylenes	ND	5.0	ug/L	12/23/08		R/J	SW8260
trans-1,2-Dichloroethene	ND	5.0	ug/L	12/23/08		R/J	SW8260
trans-1,3-Dichloropropene	ND	5.0	ug/L	12/23/08		R/J	SW8260
trans-1,4-dichloro-2-butene	ND	10	ug/L	12/23/08		R/J	SW8260
Trichloroethene	ND	5.0	ug/L	12/23/08		R/J	SW8260
Trichlorofluoromethane	ND	5.0	ug/L	12/23/08		R/J	SW8260
Trichlorotrifluoroethane	ND	5.0	ug/L	12/23/08		R/J	SW8260
Vinyl chloride	ND	5.0	ug/L	12/23/08		R/J	SW8260
<u>QA/QC Surrogates</u>							
% 1,2-dichlorobenzene-d4	101		%	12/23/08		R/J	SW8260
% Bromofluorobenzene	95		%	12/23/08		R/J	SW8260
% Dibromofluoromethane	101		%	12/23/08		R/J	SW8260
% Toluene-d8	101		%	12/23/08		R/J	SW8260

Parameter	Result	RL	Units	Date	Time	By	Reference
-----------	--------	----	-------	------	------	----	-----------

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level



Phyllis Shiller, Laboratory Director

December 30, 2008



Environmental Laboratories, Inc.

587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06040
Tel. (860) 645-1102 Fax (860) 645-0823



Analysis Report

December 30, 2008

FOR: Attn: Mr. Todd Scott
NETC
PO Box 2167
Ballston Spa, NY 12020

Sample Information

Matrix: WATER
Location Code: NETC
Rush Request: RUSH
P.O.#: 08.1022044

Custody Information

Collected by:
Received by: SW
Analyzed by: see "By" below

Date

Time

12/18/08 23:53
12/20/08 11:00

SDG I.D.: GAR23105

Phoenix I.D.: AR23108

Laboratory Data

Client ID: FAIRVIEW PLAZA MW-3-07

Parameter	Result	RL	Units	Date	Time	By	Reference
Iron (Dissolved)	0.005	0.002	mg/L	12/25/08		LK	6010/200.7
Manganese (Dissolved)	0.042	0.001	mg/L	12/25/08		LK	6010/200.7
C.O.D.	18	10	mg/L	12/23/08		KDB	SM5220 D
Filtration	Completed			12/22/08		JC/T	0.45um Filter
Dissolved Metals Preparation	Completed			12/22/08		JC/T	SW846-3005
Volatiles							
1,1,1,2-Tetrachloroethane	ND	5.0	ug/L	12/23/08		R/J	SW8260
1,1,1-Trichloroethane	ND	5.0	ug/L	12/23/08		R/J	SW8260
1,1,2,2-Tetrachloroethane	ND	5.0	ug/L	12/23/08		R/J	SW8260
1,1,2-Trichloroethane	ND	5.0	ug/L	12/23/08		R/J	SW8260
1,1-Dichloroethane	ND	5.0	ug/L	12/23/08		R/J	SW8260
1,1-Dichloroethene	ND	5.0	ug/L	12/23/08		R/J	SW8260
1,1-Dichloropropene	ND	5.0	ug/L	12/23/08		R/J	SW8260
1,2,3-Trichlorobenzene	ND	5.0	ug/L	12/23/08		R/J	SW8260
1,2,3-Trichloropropane	ND	5.0	ug/L	12/23/08		R/J	SW8260
1,2,4-Trichlorobenzene	ND	5.0	ug/L	12/23/08		R/J	SW8260
1,2,4-Trimethylbenzene	ND	5.0	ug/L	12/23/08		R/J	SW8260
1,2-Dibromo-3-chloropropane	ND	5.0	ug/L	12/23/08		R/J	SW8260
1,2-Dichlorobenzene	ND	5.0	ug/L	12/23/08		R/J	SW8260
1,2-Dichloroethane	ND	5.0	ug/L	12/23/08		R/J	SW8260
1,2-Dichloropropane	ND	5.0	ug/L	12/23/08		R/J	SW8260
1,3,5-Trimethylbenzene	ND	5.0	ug/L	12/23/08		R/J	SW8260
1,3-Dichlorobenzene	ND	5.0	ug/L	12/23/08		R/J	SW8260
1,3-Dichloropropane	ND	5.0	ug/L	12/23/08		R/J	SW8260
1,4-Dichlorobenzene	ND	5.0	ug/L	12/23/08		R/J	SW8260
2,2-Dichloropropane	ND	5.0	ug/L	12/23/08		R/J	SW8260
2-Chlorotoluene	ND	5.0	ug/L	12/23/08		R/J	SW8260
2-Hexanone	ND	25	ug/L	12/23/08		R/J	SW8260
2-Isopropyltoluene	ND	5.0	ug/L	12/23/08		R/J	SW8260
4-Chlorotoluene	ND	5.0	ug/L	12/23/08		R/J	SW8260

Parameter	Result	RL	Units	Date	Time	By	Reference
4-Methyl-2-pentanone	ND	25	ug/L	12/23/08		R/J	SW8260
Acetone	ND	50	ug/L	12/23/08		R/J	SW8260
Acrylonitrile	ND	10	ug/L	12/23/08		R/J	SW8260
Benzene	ND	5.0	ug/L	12/23/08		R/J	SW8260
Bromobenzene	ND	5.0	ug/L	12/23/08		R/J	SW8260
Bromochloromethane	ND	5.0	ug/L	12/23/08		R/J	SW8260
Bromodichloromethane	ND	5.0	ug/L	12/23/08		R/J	SW8260
Bromoform	ND	5.0	ug/L	12/23/08		R/J	SW8260
Bromomethane	ND	5.0	ug/L	12/23/08		R/J	SW8260
Carbon Disulfide	ND	5.0	ug/L	12/23/08		R/J	SW8260
Carbon tetrachloride	ND	5.0	ug/L	12/23/08		R/J	SW8260
Chlorobenzene	ND	5.0	ug/L	12/23/08		R/J	SW8260
Chloroethane	ND	5.0	ug/L	12/23/08		R/J	SW8260
Chloroform	ND	5.0	ug/L	12/23/08		R/J	SW8260
Chloromethane	ND	5.0	ug/L	12/23/08		R/J	SW8260
cis-1,2-Dichloroethene	ND	5.0	ug/L	12/23/08		R/J	SW8260
cis-1,3-Dichloropropene	ND	5.0	ug/L	12/23/08		R/J	SW8260
Dibromochloromethane	ND	5.0	ug/L	12/23/08		R/J	SW8260
Dibromoethane	ND	5.0	ug/L	12/23/08		R/J	SW8260
Dibromomethane	ND	5.0	ug/L	12/23/08		R/J	SW8260
Dichlorodifluoromethane	ND	5.0	ug/L	12/23/08		R/J	SW8260
Ethylbenzene	ND	5.0	ug/L	12/23/08		R/J	SW8260
Hexachlorobutadiene	ND	5.0	ug/L	12/23/08		R/J	SW8260
Isopropylbenzene	ND	5.0	ug/L	12/23/08		R/J	SW8260
m&p-Xylene	ND	5.0	ug/L	12/23/08		R/J	SW8260
Methyl Ethyl Ketone	ND	60	ug/L	12/23/08		R/J	SW8260
Methyl t-butyl ether (MTBE)	ND	10	ug/L	12/23/08		R/J	SW8260
Methylene chloride	ND	10	ug/L	12/23/08		R/J	SW8260
Naphthalene	ND	5.0	ug/L	12/23/08		R/J	SW8260
n-Butylbenzene	ND	5.0	ug/L	12/23/08		R/J	SW8260
n-Propylbenzene	ND	5.0	ug/L	12/23/08		R/J	SW8260
o-Xylene	ND	5.0	ug/L	12/23/08		R/J	SW8260
p-Isopropyltoluene	ND	5.0	ug/L	12/23/08		R/J	SW8260
sec-Butylbenzene	ND	5.0	ug/L	12/23/08		R/J	SW8260
Styrene	ND	5.0	ug/L	12/23/08		R/J	SW8260
tert-Butylbenzene	ND	5.0	ug/L	12/23/08		R/J	SW8260
Tetrachloroethene	ND	5.0	ug/L	12/23/08		R/J	SW8260
Tetrahydrofuran (THF)	ND	10	ug/L	12/23/08		R/J	SW8260
Toluene	ND	5.0	ug/L	12/23/08		R/J	SW8260
Total Xylenes	ND	5.0	ug/L	12/23/08		R/J	SW8260
trans-1,2-Dichloroethene	ND	5.0	ug/L	12/23/08		R/J	SW8260
trans-1,3-Dichloropropene	ND	5.0	ug/L	12/23/08		R/J	SW8260
trans-1,4-dichloro-2-butene	ND	10	ug/L	12/23/08		R/J	SW8260
Trichloroethene	ND	5.0	ug/L	12/23/08		R/J	SW8260
Trichlorofluoromethane	ND	5.0	ug/L	12/23/08		R/J	SW8260
Trichlorotrifluoroethane	ND	5.0	ug/L	12/23/08		R/J	SW8260
Vinyl chloride	ND	5.0	ug/L	12/23/08		R/J	SW8260
<u>QA/QC Surrogates</u>							
% 1,2-dichlorobenzene-d4	103		%	12/23/08		R/J	SW8260
% Bromofluorobenzene	94		%	12/23/08		R/J	SW8260
% Dibromofluoromethane	102		%	12/23/08		R/J	SW8260
% Toluene-d8	101		%	12/23/08		R/J	SW8260

Parameter	Result	RL	Units	Date	Time	By	Reference
-----------	--------	----	-------	------	------	----	-----------

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level



Phyllis Shiller, Laboratory Director

December 30, 2008



Environmental Laboratories, Inc.

587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06040
Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

December 30, 2008

FOR: Attn: Mr. Todd Scott
NETC
PO Box 2167
Ballston Spa, NY 12020

Sample Information

Matrix: WATER
Location Code: NETC
Rush Request: RUSH
P.O.#: 08.1022044

Custody Information

Collected by:
Received by: SW
Analyzed by: see "By" below

Date 12/18/08 Time 13:26

Date 12/20/08 Time 11:00

SDG I.D.: GAR23105

Phoenix I.D.: AR23109

Laboratory Data

Client ID: FAIRVIEW PLAZA MW-5-07

Parameter	Result	RL	Units	Date	Time	By	Reference
Iron (Dissolved)	1.40	0.002	mg/L	12/25/08		LK	6010/200.7
Manganese (Dissolved)	5.38	0.010	mg/L	12/29/08		LK	6010/200.7
C.O.D.	64	10	mg/L	12/23/08		KDB	SM5220 D
Filtration	Completed			12/22/08		JC/T	0.45um Filter
Dissolved Metals Preparation	Completed			12/22/08		JC/T	SW846-3005
Volatiles							
1,1,1,2-Tetrachloroethane	ND	5.0	ug/L	12/23/08		R/J	SW8260
1,1,1-Trichloroethane	ND	5.0	ug/L	12/23/08		R/J	SW8260
1,1,2,2-Tetrachloroethane	ND	5.0	ug/L	12/23/08		R/J	SW8260
1,1,2-Trichloroethane	ND	5.0	ug/L	12/23/08		R/J	SW8260
1,1-Dichloroethane	ND	5.0	ug/L	12/23/08		R/J	SW8260
1,1-Dichloroethene	ND	5.0	ug/L	12/23/08		R/J	SW8260
1,1-Dichloropropene	ND	5.0	ug/L	12/23/08		R/J	SW8260
1,2,3-Trichlorobenzene	ND	5.0	ug/L	12/23/08		R/J	SW8260
1,2,3-Trichloropropane	ND	5.0	ug/L	12/23/08		R/J	SW8260
1,2,4-Trichlorobenzene	ND	5.0	ug/L	12/23/08		R/J	SW8260
1,2,4-Trimethylbenzene	ND	5.0	ug/L	12/23/08		R/J	SW8260
1,2-Dibromo-3-chloropropane	ND	5.0	ug/L	12/23/08		R/J	SW8260
1,2-Dichlorobenzene	ND	5.0	ug/L	12/23/08		R/J	SW8260
1,2-Dichloroethane	ND	5.0	ug/L	12/23/08		R/J	SW8260
1,2-Dichloropropane	ND	5.0	ug/L	12/23/08		R/J	SW8260
1,3,5-Trimethylbenzene	ND	5.0	ug/L	12/23/08		R/J	SW8260
1,3-Dichlorobenzene	ND	5.0	ug/L	12/23/08		R/J	SW8260
1,3-Dichloropropane	ND	5.0	ug/L	12/23/08		R/J	SW8260
1,4-Dichlorobenzene	ND	5.0	ug/L	12/23/08		R/J	SW8260
2,2-Dichloropropane	ND	5.0	ug/L	12/23/08		R/J	SW8260
2-Chlorotoluene	ND	5.0	ug/L	12/23/08		R/J	SW8260
2-Hexanone	ND	25	ug/L	12/23/08		R/J	SW8260
2-Isopropyltoluene	ND	5.0	ug/L	12/23/08		R/J	SW8260
4-Chlorotoluene	ND	5.0	ug/L	12/23/08		R/J	SW8260

Parameter	Result	RL	Units	Date	Time	By	Reference
4-Methyl-2-pentanone	ND	25	ug/L	12/23/08		R/J	SW8260
Acetone	ND	50	ug/L	12/23/08		R/J	SW8260
Acrylonitrile	ND	10	ug/L	12/23/08		R/J	SW8260
Benzene	ND	5.0	ug/L	12/23/08		R/J	SW8260
Bromobenzene	ND	5.0	ug/L	12/23/08		R/J	SW8260
Bromochloromethane	ND	5.0	ug/L	12/23/08		R/J	SW8260
Bromodichloromethane	ND	5.0	ug/L	12/23/08		R/J	SW8260
Bromoform	ND	5.0	ug/L	12/23/08		R/J	SW8260
Bromomethane	ND	5.0	ug/L	12/23/08		R/J	SW8260
Carbon Disulfide	ND	5.0	ug/L	12/23/08		R/J	SW8260
Carbon tetrachloride	ND	5.0	ug/L	12/23/08		R/J	SW8260
Chlorobenzene	ND	5.0	ug/L	12/23/08		R/J	SW8260
Chloroethane	ND	5.0	ug/L	12/23/08		R/J	SW8260
Chloroform	ND	5.0	ug/L	12/23/08		R/J	SW8260
Chloromethane	ND	5.0	ug/L	12/23/08		R/J	SW8260
cis-1,2-Dichloroethene	ND	5.0	ug/L	12/23/08		R/J	SW8260
cis-1,3-Dichloropropene	ND	5.0	ug/L	12/23/08		R/J	SW8260
Dibromochloromethane	ND	5.0	ug/L	12/23/08		R/J	SW8260
Dibromoethane	ND	5.0	ug/L	12/23/08		R/J	SW8260
Dibromomethane	ND	5.0	ug/L	12/23/08		R/J	SW8260
Dichlorodifluoromethane	ND	5.0	ug/L	12/23/08		R/J	SW8260
Ethylbenzene	ND	5.0	ug/L	12/23/08		R/J	SW8260
Hexachlorobutadiene	ND	5.0	ug/L	12/23/08		R/J	SW8260
Isopropylbenzene	ND	5.0	ug/L	12/23/08		R/J	SW8260
m&p-Xylene	ND	5.0	ug/L	12/23/08		R/J	SW8260
Methyl Ethyl Ketone	ND	60	ug/L	12/23/08		R/J	SW8260
Methyl t-butyl ether (MTBE)	ND	10	ug/L	12/23/08		R/J	SW8260
Methylene chloride	ND	5.0	ug/L	12/23/08		R/J	SW8260
Naphthalene	ND	5.0	ug/L	12/23/08		R/J	SW8260
n-Butylbenzene	ND	5.0	ug/L	12/23/08		R/J	SW8260
n-Propylbenzene	ND	5.0	ug/L	12/23/08		R/J	SW8260
o-Xylene	ND	5.0	ug/L	12/23/08		R/J	SW8260
p-Isopropyltoluene	ND	5.0	ug/L	12/23/08		R/J	SW8260
sec-Butylbenzene	ND	5.0	ug/L	12/23/08		R/J	SW8260
Styrene	ND	5.0	ug/L	12/23/08		R/J	SW8260
tert-Butylbenzene	ND	5.0	ug/L	12/23/08		R/J	SW8260
Tetrachloroethene	ND	5.0	ug/L	12/23/08		R/J	SW8260
Tetrahydrofuran (THF)	ND	10	ug/L	12/23/08		R/J	SW8260
Toluene	ND	5.0	ug/L	12/23/08		R/J	SW8260
Total Xylenes	ND	5.0	ug/L	12/23/08		R/J	SW8260
trans-1,2-Dichloroethene	ND	5.0	ug/L	12/23/08		R/J	SW8260
trans-1,3-Dichloropropene	ND	5.0	ug/L	12/23/08		R/J	SW8260
trans-1,4-dichloro-2-butene	ND	10	ug/L	12/23/08		R/J	SW8260
Trichloroethene	ND	5.0	ug/L	12/23/08		R/J	SW8260
Trichlorofluoromethane	ND	5.0	ug/L	12/23/08		R/J	SW8260
Trichlorotrifluoroethane	ND	5.0	ug/L	12/23/08		R/J	SW8260
Vinyl chloride	ND	5.0	ug/L	12/23/08		R/J	SW8260
<u>QA/QC Surrogates</u>							
% 1,2-dichlorobenzene-d4	102		%	12/23/08		R/J	SW8260
% Bromofluorobenzene	93		%	12/23/08		R/J	SW8260
% Dibromofluoromethane	106		%	12/23/08		R/J	SW8260
% Toluene-d8	100		%	12/23/08		R/J	SW8260

Parameter	Result	RL	Units	Date	Time	By	Reference
-----------	--------	----	-------	------	------	----	-----------

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level



Phyllis Shiller, Laboratory Director

December 30, 2008



Environmental Laboratories, Inc.

587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06040
Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

December 30, 2008

FOR: Attn: Mr. Todd Scott
NETC
PO Box 2167
Ballston Spa, NY 12020

Sample Information

Matrix: WATER
Location Code: NETC
Rush Request: RUSH
P.O.#: 08.1022044

Custody Information

Collected by:
Received by: SW
Analyzed by: see "By" below

Date 12/18/08 Time 16:15

Date 12/20/08 Time 11:00

SDG I.D.: GAR23105

Phoenix I.D.: AR23110

Laboratory Data

Client ID: FAIRVIEW PLAZA MW-1-08

Parameter	Result	RL	Units	Date	Time	By	Reference
Iron (Dissolved)	0.372	0.002	mg/L	12/25/08		LK	6010/200.7
Manganese (Dissolved)	0.118	0.001	mg/L	12/25/08		LK	6010/200.7
C.O.D.	120	10	mg/L	12/23/08		KDB	SM5220 D
Filtration	Completed			12/22/08		JC/T	0.45um Filter
Dissolved Metals Preparation	Completed			12/22/08		JC/T	SW846-3005
Volatiles							
1,1,1,2-Tetrachloroethane	ND	5.0	ug/L	12/23/08		R/J	SW8260
1,1,1-Trichloroethane	ND	5.0	ug/L	12/23/08		R/J	SW8260
1,1,2,2-Tetrachloroethane	ND	5.0	ug/L	12/23/08		R/J	SW8260
1,1,2-Trichloroethane	ND	5.0	ug/L	12/23/08		R/J	SW8260
1,1-Dichloroethane	ND	5.0	ug/L	12/23/08		R/J	SW8260
1,1-Dichloroethene	ND	5.0	ug/L	12/23/08		R/J	SW8260
1,1-Dichloropropene	ND	5.0	ug/L	12/23/08		R/J	SW8260
1,2,3-Trichlorobenzene	ND	5.0	ug/L	12/23/08		R/J	SW8260
1,2,3-Trichloropropane	ND	5.0	ug/L	12/23/08		R/J	SW8260
1,2,4-Trichlorobenzene	ND	5.0	ug/L	12/23/08		R/J	SW8260
1,2,4-Trimethylbenzene	ND	5.0	ug/L	12/23/08		R/J	SW8260
1,2-Dibromo-3-chloropropane	ND	5.0	ug/L	12/23/08		R/J	SW8260
1,2-Dichlorobenzene	ND	5.0	ug/L	12/23/08		R/J	SW8260
1,2-Dichloroethane	ND	5.0	ug/L	12/23/08		R/J	SW8260
1,2-Dichloropropane	ND	5.0	ug/L	12/23/08		R/J	SW8260
1,3,5-Trimethylbenzene	ND	5.0	ug/L	12/23/08		R/J	SW8260
1,3-Dichlorobenzene	ND	5.0	ug/L	12/23/08		R/J	SW8260
1,3-Dichloropropane	ND	5.0	ug/L	12/23/08		R/J	SW8260
1,4-Dichlorobenzene	ND	5.0	ug/L	12/23/08		R/J	SW8260
2,2-Dichloropropane	ND	5.0	ug/L	12/23/08		R/J	SW8260
2-Chlorotoluene	ND	5.0	ug/L	12/23/08		R/J	SW8260
2-Hexanone	ND	25	ug/L	12/23/08		R/J	SW8260
2-Isopropyltoluene	ND	5.0	ug/L	12/23/08		R/J	SW8260
4-Chlorotoluene	ND	5.0	ug/L	12/23/08		R/J	SW8260

Parameter	Result	RL	Units	Date	Time	By	Reference
4-Methyl-2-pentanone	ND	25	ug/L	12/23/08		R/J	SW8260
Acetone	ND	50	ug/L	12/23/08		R/J	SW8260
Acrylonitrile	ND	10	ug/L	12/23/08		R/J	SW8260
Benzene	ND	5.0	ug/L	12/23/08		R/J	SW8260
Bromobenzene	ND	5.0	ug/L	12/23/08		R/J	SW8260
Bromoform	ND	5.0	ug/L	12/23/08		R/J	SW8260
Bromomethane	ND	5.0	ug/L	12/23/08		R/J	SW8260
Carbon Disulfide	ND	5.0	ug/L	12/23/08		R/J	SW8260
Carbon tetrachloride	ND	5.0	ug/L	12/23/08		R/J	SW8260
Chlorobenzene	ND	5.0	ug/L	12/23/08		R/J	SW8260
Chloroethane	ND	5.0	ug/L	12/23/08		R/J	SW8260
Chloroform	ND	5.0	ug/L	12/23/08		R/J	SW8260
Chloromethane	ND	5.0	ug/L	12/23/08		R/J	SW8260
cis-1,2-Dichloroethene	630	50	ug/L	12/23/08		R/J	SW8260
cis-1,3-Dichloropropene	ND	5.0	ug/L	12/23/08		R/J	SW8260
Dibromochloromethane	ND	5.0	ug/L	12/23/08		R/J	SW8260
Dibromoethane	ND	5.0	ug/L	12/23/08		R/J	SW8260
Dibromomethane	ND	5.0	ug/L	12/23/08		R/J	SW8260
Dichlorodifluoromethane	ND	5.0	ug/L	12/23/08		R/J	SW8260
Ethylbenzene	ND	5.0	ug/L	12/23/08		R/J	SW8260
Hexachlorobutadiene	ND	5.0	ug/L	12/23/08		R/J	SW8260
Isopropylbenzene	ND	5.0	ug/L	12/23/08		R/J	SW8260
m&p-Xylene	ND	5.0	ug/L	12/23/08		R/J	SW8260
Methyl Ethyl Ketone	ND	60	ug/L	12/23/08		R/J	SW8260
Methyl t-butyl ether (MTBE)	ND	10	ug/L	12/23/08		R/J	SW8260
Methylene chloride	5.5	5.0	ug/L	12/23/08		R/J	SW8260
Naphthalene	ND	5.0	ug/L	12/23/08		R/J	SW8260
n-Butylbenzene	ND	5.0	ug/L	12/23/08		R/J	SW8260
n-Propylbenzene	ND	5.0	ug/L	12/23/08		R/J	SW8260
o-Xylene	ND	5.0	ug/L	12/23/08		R/J	SW8260
p-Isopropyltoluene	ND	5.0	ug/L	12/23/08		R/J	SW8260
sec-Butylbenzene	ND	5.0	ug/L	12/23/08		R/J	SW8260
Styrene	ND	5.0	ug/L	12/23/08		R/J	SW8260
tert-Butylbenzene	ND	5.0	ug/L	12/23/08		R/J	SW8260
Tetrachloroethene	ND	5.0	ug/L	12/23/08		R/J	SW8260
Tetrahydrofuran (THF)	ND	10	ug/L	12/23/08		R/J	SW8260
Toluene	ND	5.0	ug/L	12/23/08		R/J	SW8260
Total Xylenes	ND	5.0	ug/L	12/23/08		R/J	SW8260
trans-1,2-Dichloroethene	5.0	5.0	ug/L	12/23/08		R/J	SW8260
trans-1,3-Dichloropropene	ND	5.0	ug/L	12/23/08		R/J	SW8260
trans-1,4-dichloro-2-butene	ND	10	ug/L	12/23/08		R/J	SW8260
Trichloroethene	13	5.0	ug/L	12/23/08		R/J	SW8260
Trichlorofluoromethane	ND	5.0	ug/L	12/23/08		R/J	SW8260
Trichlorotrifluoroethane	ND	5.0	ug/L	12/23/08		R/J	SW8260
Vinyl chloride	560	50	ug/L	12/23/08		R/J	SW8260
QA/QC Surrogates							
% 1,2-dichlorobenzene-d4	103		%	12/23/08		R/J	SW8260
% Bromofluorobenzene	94		%	12/23/08		R/J	SW8260
% Dibromofluoromethane	104		%	12/23/08		R/J	SW8260
% Toluene-d8	100		%	12/23/08		R/J	SW8260

Parameter	Result	RL	Units	Date	Time	By	Reference
-----------	--------	----	-------	------	------	----	-----------

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level



Phyllis Shiller, Laboratory Director

December 30, 2008



Environmental Laboratories, Inc.

587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06040
Tel. (860) 645-1102 Fax (860) 645-0823



Analysis Report

December 30, 2008

FOR: Attn: Mr. Todd Scott
NETC
PO Box 2167
Ballston Spa, NY 12020

Sample Information

Matrix: WATER
Location Code: NETC
Rush Request: RUSH
P.O.#: 08.1022044

Custody Information

Collected by:
Received by: SW
Analyzed by: see "By" below

Date 12/18/08 Time 16:30

12/20/08 11:00

SDG I.D.: GAR23105

Phoenix I.D.: AR23111

Laboratory Data

Client ID: FAIRVIEW PLAZA MW-1-08

Parameter	Result	RL	Units	Date	Time	By	Reference
Iron (Dissolved)	0.034	0.002	mg/L	12/25/08		LK	6010/200.7
Manganese (Dissolved)	0.809	0.001	mg/L	12/25/08		LK	6010/200.7
C.O.D.	230	10	mg/L	12/23/08		KDB	SM5220 D
Filtration	Completed			12/22/08		JC/T	0.45um Filter
Dissolved Metals Preparation	Completed			12/22/08		JC/T	SW846-3005

Volatiles

1,1,1,2-Tetrachloroethane	ND	25	ug/L	12/25/08		R/J	SW8260
1,1,1-Trichloroethane	ND	25	ug/L	12/25/08		R/J	SW8260
1,1,2,2-Tetrachloroethane	ND	25	ug/L	12/25/08		R/J	SW8260
1,1,2-Trichloroethane	ND	25	ug/L	12/25/08		R/J	SW8260
1,1-Dichloroethane	ND	25	ug/L	12/25/08		R/J	SW8260
1,1-Dichloroethene	ND	25	ug/L	12/25/08		R/J	SW8260
1,1-Dichloropropene	ND	25	ug/L	12/25/08		R/J	SW8260
1,2,3-Trichlorobenzene	ND	25	ug/L	12/25/08		R/J	SW8260
1,2,3-Trichloropropane	ND	25	ug/L	12/25/08		R/J	SW8260
1,2,4-Trichlorobenzene	ND	25	ug/L	12/25/08		R/J	SW8260
1,2,4-Trimethylbenzene	ND	25	ug/L	12/25/08		R/J	SW8260
1,2-Dibromo-3-chloropropane	ND	25	ug/L	12/25/08		R/J	SW8260
1,2-Dichlorobenzene	ND	25	ug/L	12/25/08		R/J	SW8260
1,2-Dichloroethane	ND	25	ug/L	12/25/08		R/J	SW8260
1,2-Dichloropropane	ND	25	ug/L	12/25/08		R/J	SW8260
1,3,5-Trimethylbenzene	ND	25	ug/L	12/25/08		R/J	SW8260
1,3-Dichlorobenzene	ND	25	ug/L	12/25/08		R/J	SW8260
1,3-Dichloropropane	ND	25	ug/L	12/25/08		R/J	SW8260
1,4-Dichlorobenzene	ND	25	ug/L	12/25/08		R/J	SW8260
2,2-Dichloropropane	ND	25	ug/L	12/25/08		R/J	SW8260
2-Chlorotoluene	ND	25	ug/L	12/25/08		R/J	SW8260
2-Hexanone	ND	120	ug/L	12/25/08		R/J	SW8260
2-Isopropyltoluene	ND	25	ug/L	12/25/08		R/J	SW8260
4-Chlorotoluene	ND	25	ug/L	12/25/08		R/J	SW8260

Parameter	Result	RL	Units	Date	Time	By	Reference
4-Methyl-2-pentanone	ND	120	ug/L	12/25/08		R/J	SW8260
Acetone	ND	250	ug/L	12/25/08		R/J	SW8260
Acrylonitrile	ND	50	ug/L	12/25/08		R/J	SW8260
Benzene	ND	25	ug/L	12/25/08		R/J	SW8260
Bromobenzene	ND	25	ug/L	12/25/08		R/J	SW8260
Bromochloromethane	ND	25	ug/L	12/25/08		R/J	SW8260
Bromodichloromethane	ND	25	ug/L	12/25/08		R/J	SW8260
Bromoform	ND	25	ug/L	12/25/08		R/J	SW8260
Bromomethane	ND	25	ug/L	12/25/08		R/J	SW8260
Carbon Disulfide	ND	25	ug/L	12/25/08		R/J	SW8260
Carbon tetrachloride	ND	25	ug/L	12/25/08		R/J	SW8260
Chlorobenzene	ND	25	ug/L	12/25/08		R/J	SW8260
Chloroethane	ND	25	ug/L	12/25/08		R/J	SW8260
Chloroform	ND	25	ug/L	12/25/08		R/J	SW8260
Chloromethane	ND	25	ug/L	12/25/08		R/J	SW8260
cis-1,2-Dichloroethene	410	25	ug/L	12/25/08		R/J	SW8260
cis-1,3-Dichloropropene	ND	25	ug/L	12/25/08		R/J	SW8260
Dibromochloromethane	ND	25	ug/L	12/25/08		R/J	SW8260
Dibromoethane	ND	25	ug/L	12/25/08		R/J	SW8260
Dibromomethane	ND	25	ug/L	12/25/08		R/J	SW8260
Dichlorodifluoromethane	ND	25	ug/L	12/25/08		R/J	SW8260
Ethylbenzene	ND	25	ug/L	12/25/08		R/J	SW8260
Hexachlorobutadiene	ND	25	ug/L	12/25/08		R/J	SW8260
Isopropylbenzene	ND	25	ug/L	12/25/08		R/J	SW8260
m&p-Xylene	ND	25	ug/L	12/25/08		R/J	SW8260
Methyl Ethyl Ketone	ND	300	ug/L	12/25/08		R/J	SW8260
Methyl t-butyl ether (MTBE)	ND	50	ug/L	12/25/08		R/J	SW8260
Methylene chloride	ND	25	ug/L	12/25/08		R/J	SW8260
Naphthalene	ND	25	ug/L	12/25/08		R/J	SW8260
n-Butylbenzene	ND	25	ug/L	12/25/08		R/J	SW8260
n-Propylbenzene	ND	25	ug/L	12/25/08		R/J	SW8260
o-Xylene	ND	25	ug/L	12/25/08		R/J	SW8260
p-Isopropyltoluene	ND	25	ug/L	12/25/08		R/J	SW8260
sec-Butylbenzene	ND	25	ug/L	12/25/08		R/J	SW8260
Styrene	ND	25	ug/L	12/25/08		R/J	SW8260
tert-Butylbenzene	ND	25	ug/L	12/25/08		R/J	SW8260
Tetrachloroethene	ND	25	ug/L	12/25/08		R/J	SW8260
Tetrahydrofuran (THF)	ND	50	ug/L	12/25/08		R/J	SW8260
Toluene	ND	25	ug/L	12/25/08		R/J	SW8260
Total Xylenes	ND	25	ug/L	12/25/08		R/J	SW8260
trans-1,2-Dichloroethene	ND	25	ug/L	12/25/08		R/J	SW8260
trans-1,3-Dichloropropene	ND	25	ug/L	12/25/08		R/J	SW8260
trans-1,4-dichloro-2-butene	ND	50	ug/L	12/25/08		R/J	SW8260
Trichloroethene	ND	25	ug/L	12/25/08		R/J	SW8260
Trichlorofluoromethane	ND	25	ug/L	12/25/08		R/J	SW8260
Trichlorotrifluoroethane	ND	25	ug/L	12/25/08		R/J	SW8260
Vinyl chloride	440	25	ug/L	12/25/08		R/J	SW8260
<u>QA/QC Surrogates</u>							
% 1,2-dichlorobenzene-d4	100		%	12/25/08		R/J	SW8260
% Bromofluorobenzene	100		%	12/25/08		R/J	SW8260
% Dibromofluoromethane	103		%	12/25/08		R/J	SW8260
% Toluene-d8	98		%	12/25/08		R/J	SW8260

Parameter	Result	RL	Units	Date	Time	By	Reference
-----------	--------	----	-------	------	------	----	-----------

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level



Phyllis Shiller, Laboratory Director

December 30, 2008



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06040
Tel. (860) 645-1102 Fax (860) 645-0823



QA/QC Report

December 30, 2008

QA/QC Data

SDG I.D.: GAR23105

Parameter	Blank	Dup RPD	LCS %	LCSD %	LCS RPD	MS Rec %	MS Dup Rec %	RPD
QA/QC Batch 117803, QC Sample No: AR22869 (AR23105, AR23106, AR23107, AR23108, AR23109, AR23110, AR23111)								
ICP Metals - Dissolved								
Iron	BDL	0.20	84.0	83.2	1.0	NC	NC	NC
Manganese	BDL	0.50	86.6	85.2	1.6	83.9	81.6	2.8

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

RPD - Relative Percent Difference

LCS - Laboratory Control Sample

LCSD - Laboratory Control Sample Duplicate

MS - Matrix Spike

MS Dup - Matrix Spike Duplicate

NC - No Criteria

Phyllis Shiller, Laboratory Director
December 30, 2008



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06040
Tel. (860) 645-1102 Fax (860) 645-0823



QA/QC Report

December 30, 2008

QA/QC Data

SDG I.D.: GAR23105

Parameter	Blank	Dup RPD	LCS %	LCSD %	LCS RPD	MS Rec %	MS Dup Rec %	RPD
QA/QC Batch 117898, QC Sample No: AR23105 (AR23105, AR23106, AR23107, AR23108, AR23109, AR23110, AR23111)								
C.O.D.	BDL	NC	106			118		

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

RPD - Relative Percent Difference

LCS - Laboratory Control Sample

LCSD - Laboratory Control Sample Duplicate

MS - Matrix Spike

MS Dup - Matrix Spike Duplicate

NC - No Criteria

Phyllis Shiller, Laboratory Director
December 30, 2008



Environmental Laboratories, Inc.

587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06040
Tel. (860) 645-1102 Fax (860) 645-0823



QA/QC Report

December 30, 2008

QA/QC Data

SDG I.D.: GAR23105

Parameter	Blank	LCS %	LCSD %	LCS RPD	MS Rec %	MS Dup Rec %	RPD
QA/QC Batch 117965, QC Sample No: AR23108 (AR23105, AR23106, AR23107, AR23108, AR23109, AR23110, AR23111)							
Volatiles							
1,1,1,2-Tetrachloroethane	ND	75	82	8.9	102	81	23.0
1,1,1-Trichloroethane	ND	81	90	10.5	117	92	23.9
1,1,2,2-Tetrachloroethane	ND	86	90	4.5	118	93	23.7
1,1,2-Trichloroethane	ND	89	97	8.6	127	94	29.9
1,1-Dichloroethane	ND	86	96	11.0	126	99	24.0
1,1-Dichloroethene	ND	88	100	12.8	144	111	25.9
1,1-Dichloropropene	ND	76	82	7.6	116	87	28.6
1,2,3-Trichlorobenzene	ND	80	89	10.7	100	83	18.6
1,2,3-Trichloropropane	ND	99	111	11.4	123	94	26.7
1,2,4-Trichlorobenzene	ND	71	79	10.7	95	76	22.2
1,2,4-Trimethylbenzene	ND	77	85	9.9	108	84	25.0
1,2-Dibromo-3-chloropropane	ND	76	86	12.3	87	76	13.5
1,2-Dichlorobenzene	ND	81	90	10.5	113	88	24.9
1,2-Dichloroethane	ND	92	100	8.3	134	98	31.0
1,2-Dichloropropane	ND	86	96	11.0	124	94	27.5
1,3,5-Trimethylbenzene	ND	79	87	9.6	109	86	23.6
1,3-Dichlorobenzene	ND	77	86	11.0	110	85	25.6
1,3-Dichloropropane	ND	88	94	6.6	126	94	29.1
1,4-Dichlorobenzene	ND	77	84	8.7	108	85	23.8
2,2-Dichloropropane	ND	74	84	12.7	102	81	23.0
2-Chlorotoluene	ND	78	86	9.8	111	88	23.1
2-Hexanone	ND	89	85	4.6	97	70	32.3
2-Isopropyltoluene	ND	79	87	9.6	112	89	22.9
4-Chlorotoluene	ND	78	85	8.6	108	84	25.0
4-Methyl-2-pentanone	ND	95	97	2.1	130	91	35.3
Acetone	ND	114	115	0.9	94	66	35.0
Acrolein	ND	123	130	5.5	128	88	37.0
Acrylonitrile	ND	90	97	7.5	132	93	34.7
Benzene	ND	83	91	9.2	122	92	28.0
Bromobenzene	ND	82	88	7.1	114	89	24.6
Bromochloromethane	ND	84	93	10.2	126	96	27.0
Bromodichloromethane	ND	85	94	10.1	113	86	27.1
Bromoform	ND	<70	<70	NC	82	65	23.1
Bromomethane	ND	<70	82	NC	134	94	35.1
Carbon Disulfide	ND	<70	76	NC	136	104	26.7
Carbon tetrachloride	ND	71	79	10.7	99	78	23.7
Chlorobenzene	ND	83	92	10.3	120	91	27.5
Chloroethane	ND	84	102	19.4	161	119	30.0

QA/QC Data

SDG I.D.: GAR23105

Parameter	Blank	LCS %	LCSD %	LCS RPD	MS Rec %	MS Dup Rec %	RPD
Chloroform	ND	87	97	10.9	127	97	26.8
Chloromethane	ND	<70	<70	NC	121	92	27.2
cis-1,2-Dichloroethene	ND	85	93	9.0	126	96	27.0
cis-1,3-Dichloropropene	ND	76	85	11.2	112	83	29.7
Dibromochloromethane	ND	<70	75	NC	94	75	22.5
Dibromoethane	ND	86	94	8.9	126	90	33.3
Dibromomethane	ND	86	93	7.8	127	92	32.0
Dichlorodifluoromethane	ND	<70	<70	NC	120	92	26.4
Ethylbenzene	ND	83	92	10.3	118	89	28.0
Hexachlorobutadiene	ND	76	86	12.3	111	84	27.7
Isopropylbenzene	ND	78	84	7.4	109	89	20.2
m&p-Xylene	ND	83	92	10.3	120	90	28.6
Methyl ethyl ketone	ND	85	93	9.0	94	63	39.5
Methyl t-butyl ether (MTBE)	ND	95	105	10.0	146	104	33.6
Methylene chloride	ND	88	102	14.7	143	106	29.7
Naphthalene	ND	89	89	0.0	107	94	12.9
n-Butylbenzene	ND	76	84	10.0	106	81	26.7
n-Propylbenzene	ND	80	87	8.4	110	85	25.6
o-Xylene	ND	83	93	11.4	121	89	30.5
p-Isopropyltoluene	ND	80	88	9.5	111	85	26.5
sec-Butylbenzene	ND	80	87	8.4	111	88	23.1
Styrene	ND	83	93	11.4	122	90	30.2
tert-Butylbenzene	ND	81	88	8.3	111	89	22.0
Tetrachloroethene	ND	80	86	7.2	115	91	23.3
Tetrahydrofuran (THF)	ND	86	89	3.4	126	87	36.6
Toluene	ND	82	92	11.5	120	89	29.7
trans-1,2-Dichloroethene	ND	91	104	13.3	144	110	26.8
trans-1,3-Dichloropropene	ND	77	86	11.0	111	80	32.5
trans-1,4-dichloro-2-butene	ND	<70	<70	NC	82	62	27.8
Trichloroethene	ND	83	89	7.0	121	92	27.2
Trichlorofluoromethane	ND	92	104	12.2	155	117	27.9
Trichlorotrifluoroethane	ND	86	96	11.0	142	109	26.3
Vinyl chloride	ND	70	77	9.5	137	109	22.8
% 1,2-dichlorobenzene-d4	100	101	101	0.0	100	99	1.0
% Bromofluorobenzene	95	98	100	2.0	102	96	6.1
% Dibromofluoromethane	100	100	101	1.0	103	103	0.0
% Toluene-d8	101	101	102	1.0	102	100	2.0

QA/QC Batch 118036, QC Sample No: AR23690 (ar23106, ar23110, ar23111)

Volatiles

1,1,1,2-Tetrachloroethane	ND	105	111	5.6	111	118	6.1
1,1,1-Trichloroethane	ND	98	103	5.0	105	115	9.1
1,1,2,2-Tetrachloroethane	ND	92	98	6.3	105	109	3.7
1,1,2-Trichloroethane	ND	98	99	1.0	106	109	2.8
1,1-Dichloroethane	ND	97	102	5.0	102	111	8.5
1,1-Dichloroethene	ND	102	102	0.0	103	108	4.7
1,1-Dichloropropene	ND	98	103	5.0	102	112	9.3
1,2,3-Trichlorobenzene	ND	107	110	2.8	117	113	3.5
1,2,3-Trichloropropane	ND	108	106	1.9	99	106	6.8

QA/QC Data

SDG I.D.: GAR23105

Parameter	Blank	LCS %	LCSD %	LCS RPD	MS Rec %	MS Dup Rec %	RPD
1,2,4-Trichlorobenzene	ND	100	103	3.0	105	106	0.9
1,2,4-Trimethylbenzene	ND	98	105	6.9	105	110	4.7
1,2-Dibromo-3-chloropropane	ND	124	119	4.1	132	128	3.1
1,2-Dichlorobenzene	ND	98	102	4.0	105	109	3.7
1,2-Dichloroethane	ND	99	101	2.0	105	111	5.6
1,2-Dichloropropane	ND	99	100	1.0	106	112	5.5
1,3,5-Trimethylbenzene	ND	98	102	4.0	105	111	5.6
1,3-Dichlorobenzene	ND	97	101	4.0	102	108	5.7
1,3-Dichloropropane	ND	102	105	2.9	111	115	3.5
1,4-Dichlorobenzene	ND	93	100	7.3	102	107	4.8
2,2-Dichloropropane	ND	98	102	4.0	101	107	5.8
2-Chlorotoluene	ND	94	100	6.2	102	111	8.5
2-Hexanone	ND	105	113	7.3	96	100	4.1
2-Isopropyltoluene	ND	97	103	6.0	106	111	4.6
4-Chlorotoluene	ND	94	100	6.2	100	107	6.8
4-Methyl-2-pentanone	ND	97	98	1.0	102	107	4.8
Acetone	ND	100	97	3.0	82	83	1.2
Acrolein	ND	94	100	6.2	95	110	14.6
Acrylonitrile	ND	96	95	1.0	100	103	3.0
Benzene	ND	99	103	4.0	103	110	6.6
Bromobenzene	ND	97	101	4.0	105	113	7.3
Bromochloromethane	ND	97	98	1.0	106	109	2.8
Bromodichloromethane	ND	104	107	2.8	105	113	7.3
Bromoform	ND	115	115	0.0	116	120	3.4
Bromomethane	ND	98	95	3.1	100	101	1.0
Carbon Disulfide	ND	101	99	2.0	103	108	4.7
Carbon tetrachloride	ND	102	106	3.8	106	117	9.9
Chlorobenzene	ND	101	104	2.9	110	113	2.7
Chloroethane	ND	108	101	6.7	107	110	2.8
Chloroform	ND	95	98	3.1	104	112	7.4
Chloromethane	ND	118	115	2.6	100	110	9.5
cis-1,2-Dichloroethene	ND	99	101	2.0	105	112	6.5
cis-1,3-Dichloropropene	ND	97	100	3.0	107	110	2.8
Dibromochloromethane	ND	104	112	7.4	114	122	6.8
Dibromoethane	ND	101	101	0.0	108	111	2.7
Dibromomethane	ND	97	98	1.0	104	107	2.8
Dichlorodifluoromethane	ND	>130	125	NC	102	111	8.5
Ethylbenzene	ND	102	104	1.9	107	113	5.5
Hexachlorobutadiene	ND	97	101	4.0	104	108	3.8
Isopropylbenzene	ND	94	101	7.2	104	113	8.3
m&p-Xylene	ND	106	107	0.9	111	116	4.4
Methyl ethyl ketone	ND	100	102	2.0	84	95	12.3
Methyl t-butyl ether (MTBE)	ND	100	98	2.0	107	108	0.9
Methylene chloride	ND	96	96	0.0	103	106	2.9
Naphthalene	ND	107	122	13.1	130	138	6.0
n-Butylbenzene	ND	97	103	6.0	101	108	6.7
n-Propylbenzene	ND	95	103	8.1	102	110	7.5
o-Xylene	ND	102	103	1.0	110	112	1.8
p-Isopropyltoluene	ND	100	106	5.8	105	109	3.7

QA/QC Data

SDG I.D.: GAR23105

Parameter	Blank	LCS %	LCSD %	LCS RPD	MS Rec %	MS Dup Rec %	RPD
sec-Butylbenzene	ND	95	102	7.1	102	111	8.5
Styrene	ND	104	104	0.0	112	114	1.8
tert-Butylbenzene	ND	96	103	7.0	105	113	7.3
Tetrachloroethene	ND	100	103	3.0	106	112	5.5
Tetrahydrofuran (THF)	ND	93	91	2.2	95	98	3.1
Toluene	ND	99	100	1.0	105	109	3.7
trans-1,2-Dichloroethene	ND	100	102	2.0	103	111	7.5
trans-1,3-Dichloropropene	ND	99	101	2.0	107	108	0.9
trans-1,4-dichloro-2-butene	ND	111	112	0.9	110	111	0.9
Trichloroethene	ND	97	98	1.0	103	111	7.5
Trichlorofluoromethane	ND	109	109	0.0	103	109	5.7
Trichlorotrifluoroethane	ND	97	101	4.0	103	111	7.5
Vinyl chloride	ND	109	108	0.9	99	108	8.7
% 1,2-dichlorobenzene-d4	99	100	100	0.0	99	98	1.0
% Bromofluorobenzene	97	105	103	1.9	106	102	3.8
% Dibromofluoromethane	94	101	95	6.1	98	103	5.0
% Toluene-d8	99	102	99	3.0	101	100	1.0

3 = This parameter is outside laboratory ms/msd specified limits.

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

RPD - Relative Percent Difference

LCS - Laboratory Control Sample

LCSD - Laboratory Control Sample Duplicate

MS - Matrix Spike

MS Dup - Matrix Spike Duplicate

NC - No Criteria

Phyllis Shiller, Laboratory Director
December 30, 2008



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06040
Tel. (860) 645-1102 Fax (860) 645-0823



NY Temperature Narration

December 30, 2008

SDG I.D.: GAR23105

The samples in this delivery group were received at 7C.
(Note acceptance criteria is above freezing up to 6C)

PHOENIX

Environmental Laboratories, Inc.

CHAIN OF CUSTODY RECORD

587 East Middle Turnpike, P.O. Box 370, Manchester, CT 06040
Email: service@phoenixlabs.com Fax (860) 645-0823

Customer: NETC

Address: 1476 Route 50

Baileys Corner, NY 12020

Client Services (860) 645-8726

Customer Signature: 1800S

Date (2/19/08)

Client Sample - Information - Identification

Matrix Code:

DW=drinking water

WW=wastewater

SL=solid

A=air

Phoenix Sample #	Customer Sample Identification	Sample Matrix	Date Sampled	Time Sampled	Analysis Request
23105	MW-2-04	H ₂ O	13/3/08	2:12pm	X X X X
23106	MW-4-06			3:03pm	X X X X
23107	MW-2-07			10:47pm	X X X X
23108	MW-3-07			11:53pm	X X X X
23109	MW-5-07			1:36am	X X X X
23110	MW-1-08			4:15am	X X X X
23111	MW-1-08			4:30am	X X X X

Relinquished by: John H. Hazzite

Accepted by: John H. Hazzite

Date: 12/19/08

Time: 9:30

Turnaround: C/IR

Comments, Special Requirements or Regulations:

* Labeled as MW-08 come + time

* SURCHARGE APPLIES

State where samples were collected: N.Y.

Data Format

- Excel
- PDF
- GIS/Key
- EQuIS
- Other

Data Package

- ASPA
- NJ Reduced Deliv. *
- NJ Hazsite EDD
- Phoenix Std Report
- Other

MA
MCP Cert.
GW-1
GW-2
GW-3
GB Mobility
SW Protect.
Standard
Other
Res. Vol.
Ind. Vol.
S-1
S-2
S-3
MWRA eSMART
Other

MA
RCP Cert.
GW Protect.
GA Mobility
GB Mobility
SW Protect.
Standard
Other
Res. Vol.
Ind. Vol.
S-1
S-2
S-3
MWRA eSMART
Other

* SURCHARGE APPLIES

GL VOA Vessel 100ml LAS 15 HOI
GL Soil container (as is)
GL Methanol 1L S Busulfene 1H2O
PL Alkali 250ml 150ml 150ml 150ml
PL H2SO4 250ml 250ml 250ml 250ml
PL HNO3 250ml 250ml 250ml 250ml
Pacelite Bottle

Project P.O.: OB-1022044

Phone #: (518) 884-8545

Fax #: (518) 884-9710

ATTACHMENT C
EXHIBIT C-4

JANUARY 22, 2009

GROUNDWATER QUALITY SUMMARY (EPA METHOD 8260)
FAIRVIEW PLAZA

160 Fairview Avenue Hudson, New York

Sampled on January 22, 2009

PARAMETER	WATER SAMPLE DESCRIPTION							UNITS	DEC
	MW-2-04	MW-4-06	MW-2-07	MW-3-07	MW-5-07	MW-1-08	MW-2-08		
Dissolved Iron	---	---	---	---	---	---	---	ppm	---
Dissolved Maganese	---	---	---	---	---	---	---	ppm	---
C.O.D.	29.0	330	45	<10	57	110	840	ppm	---
Acetone	ND	ND	ND	ND	ND	ND	ND	ppb	50
Benzene	ND	ND	ND	ND	ND	ND	ND	ppb	0.7
cis-1,2-Dichloroethene	48.0	3,200	ND	ND	ND	830	140	ppb	5
MTBE	ND	ND	ND	ND	ND	ND	ND	ppb	10
Methylene chloride	ND	ND	ND	ND	ND	ND	ND	ppb	5
Tetrachloroethene (PERC)	25.0	6,200	ND	ND	ND	7.1	ND	ppb	5
trans-1,2-Dichloroethene	ND	11.0	ND	ND	ND	5.4	ND	ppb	5
Trichloroethene (TCE)	55.0	3,100	ND	ND	ND	32.0	ND	ppb	5
Vinyl Chloride	ND	450	ND	ND	ND	660	200	ppb	2
Total VOCs	128.0	12,961	0.00	0.00	0.00	1,534.5	340.0		---

Notes: All concentrations are in ug/l or ppb (parts per billion)

DEC = Groundwater quality standards & guidelines (6NYCRR Part 703)

* Principal organic compound standard for groundwater is 5 ppb

ND = Not Detected

---- = Not Sampled



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06040
Tel. (860) 645-1102 Fax (860) 645-0823



Analysis Report

February 02, 2009

FOR: Attn: Mr. Todd Scott
NETC
PO Box 2167
Ballston Spa, NY 12020

Sample Information

Matrix: WATER
Location Code: NETC
Rush Request: RUSH
P.O.#: 08.1022044

Custody Information

Collected by: TS
Received by: LDF
Analyzed by: see "By" below

Date 01/22/09

Time 13:25

Date 01/24/09

Time 9:15

SDG I.D.: GAR30869

Phoenix I.D.: AR30869

Laboratory Data

Client ID: FAIRVIEW PLAZA MW-2-04

Parameter	Result	RL	Units	Date	Time	By	Reference
C.O.D.	29	10	mg/L	01/27/09		KDB	SM5220 D
Volatiles							
1,1,1,2-Tetrachloroethane	ND	5.0	ug/L	01/27/09		H/J	SW8260
1,1,1-Trichloroethane	ND	5.0	ug/L	01/27/09		H/J	SW8260
1,1,2,2-Tetrachloroethane	ND	5.0	ug/L	01/27/09		H/J	SW8260
1,1,2-Trichloroethane	ND	5.0	ug/L	01/27/09		H/J	SW8260
1,1-Dichloroethane	ND	5.0	ug/L	01/27/09		H/J	SW8260
1,1-Dichloroethene	ND	5.0	ug/L	01/27/09		H/J	SW8260
1,1-Dichloropropene	ND	5.0	ug/L	01/27/09		H/J	SW8260
1,2,3-Trichlorobenzene	ND	5.0	ug/L	01/27/09		H/J	SW8260
1,2,3-Trichloropropane	ND	5.0	ug/L	01/27/09		H/J	SW8260
1,2,4-Trichlorobenzene	ND	5.0	ug/L	01/27/09		H/J	SW8260
1,2,4-Trimethylbenzene	ND	5.0	ug/L	01/27/09		H/J	SW8260
1,2-Dibromo-3-chloropropane	ND	5.0	ug/L	01/27/09		H/J	SW8260
1,2-Dichlorobenzene	ND	5.0	ug/L	01/27/09		H/J	SW8260
1,2-Dichloroethane	ND	5.0	ug/L	01/27/09		H/J	SW8260
1,2-Dichloropropane	ND	5.0	ug/L	01/27/09		H/J	SW8260
1,3,5-Trimethylbenzene	ND	5.0	ug/L	01/27/09		H/J	SW8260
1,3-Dichlorobenzene	ND	5.0	ug/L	01/27/09		H/J	SW8260
1,3-Dichloropropane	ND	5.0	ug/L	01/27/09		H/J	SW8260
1,4-Dichlorobenzene	ND	5.0	ug/L	01/27/09		H/J	SW8260
2,2-Dichloropropane	ND	5.0	ug/L	01/27/09		H/J	SW8260
2-Chlorotoluene	ND	5.0	ug/L	01/27/09		H/J	SW8260
2-Hexanone	ND	25	ug/L	01/27/09		H/J	SW8260
2-Isopropyltoluene	ND	5.0	ug/L	01/27/09		H/J	SW8260
4-Chlorotoluene	ND	5.0	ug/L	01/27/09		H/J	SW8260
4-Methyl-2-pentanone	ND	25	ug/L	01/27/09		H/J	SW8260
Acetone	ND	50	ug/L	01/27/09		H/J	SW8260
Acrylonitrile	ND	10	ug/L	01/27/09		H/J	SW8260

Client ID: FAIRVIEW PLAZA MW-2-04

Phoenix I.D.: AR30869

Parameter	Result	RL	Units	Date	Time	By	Reference
Benzene	ND	5.0	ug/L	01/27/09		H/J	SW8260
Bromobenzene	ND	5.0	ug/L	01/27/09		H/J	SW8260
Bromoform	ND	5.0	ug/L	01/27/09		H/J	SW8260
Bromomethane	ND	5.0	ug/L	01/27/09		H/J	SW8260
Carbon Disulfide	ND	5.0	ug/L	01/27/09		H/J	SW8260
Carbon tetrachloride	ND	5.0	ug/L	01/27/09		H/J	SW8260
Chlorobenzene	ND	5.0	ug/L	01/27/09		H/J	SW8260
Chloroethane	ND	5.0	ug/L	01/27/09		H/J	SW8260
Chloroform	ND	5.0	ug/L	01/27/09		H/J	SW8260
Chloromethane	ND	5.0	ug/L	01/27/09		H/J	SW8260
cis-1,2-Dichloroethene	48	5.0	ug/L	01/27/09		H/J	SW8260
cis-1,3-Dichloropropene	ND	5.0	ug/L	01/27/09		H/J	SW8260
Dibromochloromethane	ND	5.0	ug/L	01/27/09		H/J	SW8260
Dibromoethane	ND	5.0	ug/L	01/27/09		H/J	SW8260
Dibromomethane	ND	5.0	ug/L	01/27/09		H/J	SW8260
Dichlorodifluoromethane	ND	5.0	ug/L	01/27/09		H/J	SW8260
Ethylbenzene	ND	5.0	ug/L	01/27/09		H/J	SW8260
Hexachlorobutadiene	ND	5.0	ug/L	01/27/09		H/J	SW8260
Isopropylbenzene	ND	5.0	ug/L	01/27/09		H/J	SW8260
m&p-Xylene	ND	5.0	ug/L	01/27/09		H/J	SW8260
Methyl Ethyl Ketone	ND	60	ug/L	01/27/09		H/J	SW8260
Methyl t-butyl ether (MTBE)	ND	10	ug/L	01/27/09		H/J	SW8260
Methylene chloride	ND	5.0	ug/L	01/27/09		H/J	SW8260
Naphthalene	ND	5.0	ug/L	01/27/09		H/J	SW8260
n-Butylbenzene	ND	5.0	ug/L	01/27/09		H/J	SW8260
n-Propylbenzene	ND	5.0	ug/L	01/27/09		H/J	SW8260
o-Xylene	ND	5.0	ug/L	01/27/09		H/J	SW8260
p-Isopropyltoluene	ND	5.0	ug/L	01/27/09		H/J	SW8260
sec-Butylbenzene	ND	5.0	ug/L	01/27/09		H/J	SW8260
Styrene	ND	5.0	ug/L	01/27/09		H/J	SW8260
tert-Butylbenzene	ND	5.0	ug/L	01/27/09		H/J	SW8260
Tetrachloroethene	25	5.0	ug/L	01/27/09		H/J	SW8260
Tetrahydrofuran (THF)	ND	10	ug/L	01/27/09		H/J	SW8260
Toluene	ND	5.0	ug/L	01/27/09		H/J	SW8260
Total Xylenes	ND	5.0	ug/L	01/27/09		H/J	SW8260
trans-1,2-Dichloroethene	ND	5.0	ug/L	01/27/09		H/J	SW8260
trans-1,3-Dichloropropene	ND	5.0	ug/L	01/27/09		H/J	SW8260
trans-1,4-dichloro-2-butene	ND	10	ug/L	01/27/09		H/J	SW8260
Trichloroethene	55	5.0	ug/L	01/27/09		H/J	SW8260
Trichlorofluoromethane	ND	5.0	ug/L	01/27/09		H/J	SW8260
Trichlorotrifluoroethane	ND	5.0	ug/L	01/27/09		H/J	SW8260
Vinyl chloride	ND	5.0	ug/L	01/27/09		H/J	SW8260
<u>QA/QC Surrogates</u>							
% 1,2-dichlorobenzene-d4	98		%	01/27/09		H/J	SW8260
% Bromofluorobenzene	94		%	01/27/09		H/J	SW8260
% Dibromofluoromethane	98		%	01/27/09		H/J	SW8260
% Toluene-d8	99		%	01/27/09		H/J	SW8260

Client ID: FAIRVIEW PLAZA MW-2-04


Phoenix I.D.: AR30869

Parameter	Result	RL	Units	Date	Time	By	Reference
-----------	--------	----	-------	------	------	----	-----------

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level



Phyllis Shiller
February 02, 2009



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06040
Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

February 02, 2009

FOR: Attn: Mr. Todd Scott
NETC
PO Box 2167
Ballston Spa, NY 12020

Sample Information

Matrix: WATER
Location Code: NETC
Rush Request: RUSH
P.O.#: 08.1022044

Custody Information

Collected by: TS
Received by: LDF
Analyzed by: see "By" below

Date 01/22/09 Time 14:20

Date 01/24/09 Time 9:15

SDG I.D.: GAR30869

Phoenix I.D.: AR30870

Laboratory Data

Client ID: FAIRVIEW PLAZA MW-4-06

Parameter	Result	RL	Units	Date	Time	By	Reference
C.O.D.	330	10	mg/L	01/27/09		KDB	SM5220 D
Volatiles							
1,1,1,2-Tetrachloroethane	ND	5.0	ug/L	01/27/09		H/J	SW8260
1,1,1-Trichloroethane	ND	5.0	ug/L	01/27/09		H/J	SW8260
1,1,2,2-Tetrachloroethane	ND	5.0	ug/L	01/27/09		H/J	SW8260
1,1,2-Trichloroethane	ND	5.0	ug/L	01/27/09		H/J	SW8260
1,1-Dichloroethane	ND	5.0	ug/L	01/27/09		H/J	SW8260
1,1-Dichloroethene	ND	5.0	ug/L	01/27/09		H/J	SW8260
1,1-Dichloropropene	ND	5.0	ug/L	01/27/09		H/J	SW8260
1,2,3-Trichlorobenzene	ND	5.0	ug/L	01/27/09		H/J	SW8260
1,2,3-Trichloropropane	ND	5.0	ug/L	01/27/09		H/J	SW8260
1,2,4-Trichlorobenzene	ND	5.0	ug/L	01/27/09		H/J	SW8260
1,2,4-Trimethylbenzene	ND	5.0	ug/L	01/27/09		H/J	SW8260
1,2-Dibromo-3-chloropropane	ND	5.0	ug/L	01/27/09		H/J	SW8260
1,2-Dichlorobenzene	ND	5.0	ug/L	01/27/09		H/J	SW8260
1,2-Dichloroethane	ND	5.0	ug/L	01/27/09		H/J	SW8260
1,2-Dichloropropane	ND	5.0	ug/L	01/27/09		H/J	SW8260
1,3,5-Trimethylbenzene	ND	5.0	ug/L	01/27/09		H/J	SW8260
1,3-Dichlorobenzene	ND	5.0	ug/L	01/27/09		H/J	SW8260
1,3-Dichloropropane	ND	5.0	ug/L	01/27/09		H/J	SW8260
1,4-Dichlorobenzene	ND	5.0	ug/L	01/27/09		H/J	SW8260
2,2-Dichloropropane	ND	5.0	ug/L	01/27/09		H/J	SW8260
2-Chlorotoluene	ND	5.0	ug/L	01/27/09		H/J	SW8260
2-Hexanone	ND	25	ug/L	01/27/09		H/J	SW8260
2-Isopropyltoluene	ND	5.0	ug/L	01/27/09		H/J	SW8260
4-Chlorotoluene	ND	5.0	ug/L	01/27/09		H/J	SW8260
4-Methyl-2-pentanone	ND	25	ug/L	01/27/09		H/J	SW8260
Acetone	ND	50	ug/L	01/27/09		H/J	SW8260
Acrylonitrile	ND	10	ug/L	01/27/09		H/J	SW8260

Client ID: FAIRVIEW PLAZA MW-4-06

Phoenix I.D.: AR30870

Parameter	Result	RL	Units	Date	Time	By	Reference
Benzene	ND	5.0	ug/L	01/27/09		H/J	SW8260
Bromobenzene	ND	5.0	ug/L	01/27/09		H/J	SW8260
Bromoform	ND	5.0	ug/L	01/27/09		H/J	SW8260
Bromomethane	ND	5.0	ug/L	01/27/09		H/J	SW8260
Carbon Disulfide	ND	5.0	ug/L	01/27/09		H/J	SW8260
Carbon tetrachloride	ND	5.0	ug/L	01/27/09		H/J	SW8260
Chlorobenzene	ND	5.0	ug/L	01/27/09		H/J	SW8260
Chloroethane	ND	5.0	ug/L	01/27/09		H/J	SW8260
Chloroform	ND	5.0	ug/L	01/27/09		H/J	SW8260
Chloromethane	ND	5.0	ug/L	01/27/09		H/J	SW8260
cis-1,2-Dichloroethene	3200	500	ug/L	01/27/09		H/J	SW8260
cis-1,3-Dichloropropene	ND	5.0	ug/L	01/27/09		H/J	SW8260
Dibromochloromethane	ND	5.0	ug/L	01/27/09		H/J	SW8260
Dibromoethane	ND	5.0	ug/L	01/27/09		H/J	SW8260
Dibromomethane	ND	5.0	ug/L	01/27/09		H/J	SW8260
Dichlorodifluoromethane	ND	5.0	ug/L	01/27/09		H/J	SW8260
Ethylbenzene	ND	5.0	ug/L	01/27/09		H/J	SW8260
Hexachlorobutadiene	ND	5.0	ug/L	01/27/09		H/J	SW8260
Isopropylbenzene	ND	5.0	ug/L	01/27/09		H/J	SW8260
m&p-Xylene	ND	5.0	ug/L	01/27/09		H/J	SW8260
Methyl Ethyl Ketone	ND	60	ug/L	01/27/09		H/J	SW8260
Methyl t-butyl ether (MTBE)	ND	10	ug/L	01/27/09		H/J	SW8260
Methylene chloride	ND	5.0	ug/L	01/27/09		H/J	SW8260
Naphthalene	ND	5.0	ug/L	01/27/09		H/J	SW8260
n-Butylbenzene	ND	5.0	ug/L	01/27/09		H/J	SW8260
n-Propylbenzene	ND	5.0	ug/L	01/27/09		H/J	SW8260
o-Xylene	ND	5.0	ug/L	01/27/09		H/J	SW8260
p-Isopropyltoluene	ND	5.0	ug/L	01/27/09		H/J	SW8260
sec-Butylbenzene	ND	5.0	ug/L	01/27/09		H/J	SW8260
Styrene	ND	5.0	ug/L	01/27/09		H/J	SW8260
tert-Butylbenzene	ND	5.0	ug/L	01/27/09		H/J	SW8260
Tetrachloroethene	6200	500	ug/L	01/27/09		H/J	SW8260
Tetrahydrofuran (THF)	ND	10	ug/L	01/27/09		H/J	SW8260
Toluene	ND	5.0	ug/L	01/27/09		H/J	SW8260
Total Xylenes	ND	5.0	ug/L	01/27/09		H/J	SW8260
trans-1,2-Dichloroethene	11	5.0	ug/L	01/27/09		H/J	SW8260
trans-1,3-Dichloropropene	ND	5.0	ug/L	01/27/09		H/J	SW8260
trans-1,4-dichloro-2-butene	ND	10	ug/L	01/27/09		H/J	SW8260
Trichloroethene	3100	500	ug/L	01/27/09		H/J	SW8260
Trichlorofluoromethane	ND	5.0	ug/L	01/27/09		H/J	SW8260
Trichlorotrifluoroethane	ND	5.0	ug/L	01/27/09		H/J	SW8260
Vinyl chloride	450	250	ug/L	01/27/09		H/J	SW8260
<u>QA/QC Surrogates</u>							
% 1,2-dichlorobenzene-d4	103		%	01/27/09		H/J	SW8260
% Bromofluorobenzene	97		%	01/27/09		H/J	SW8260
% Dibromofluoromethane	105		%	01/27/09		H/J	SW8260
% Toluene-d8	103		%	01/27/09		H/J	SW8260

Client ID: FAIRVIEW PLAZA MW-4-06


Phoenix I.D.: AR30870

Parameter	Result	RL	Units	Date	Time	By	Reference
-----------	--------	----	-------	------	------	----	-----------

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level



Phyllis Shiller, Laboratory Director
February 02, 2009



Environmental Laboratories, Inc.
 587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06040
 Tel. (860) 645-1102 Fax (860) 645-0823



Analysis Report

February 02, 2009

FOR: Attn: Mr. Todd Scott
 NETC
 PO Box 2167
 Ballston Spa, NY 12020

Sample Information

Matrix: WATER
 Location Code: NETC
 Rush Request: RUSH
 P.O.#: 08.1022044

Custody Information

Collected by: TS
 Received by: LDF
 Analyzed by: see "By" below

Date

01/22/09 10:15
 01/24/09 9:15

Time

SDG I.D.: GAR30869

Phoenix I.D.: AR30871

Laboratory Data

Client ID: FAIRVIEW PLAZA MW-2-07

Parameter	Result	RL	Units	Date	Time	By	Reference
C.O.D.	45	10	mg/L	01/27/09		KDB	SM5220 D
Volatiles							
1,1,1,2-Tetrachloroethane	ND	5.0	ug/L	01/27/09		H/J	SW8260
1,1,1-Trichloroethane	ND	5.0	ug/L	01/27/09		H/J	SW8260
1,1,2,2-Tetrachloroethane	ND	5.0	ug/L	01/27/09		H/J	SW8260
1,1,2-Trichloroethane	ND	5.0	ug/L	01/27/09		H/J	SW8260
1,1-Dichloroethane	ND	5.0	ug/L	01/27/09		H/J	SW8260
1,1-Dichloroethene	ND	5.0	ug/L	01/27/09		H/J	SW8260
1,1-Dichloropropene	ND	5.0	ug/L	01/27/09		H/J	SW8260
1,2,3-Trichlorobenzene	ND	5.0	ug/L	01/27/09		H/J	SW8260
1,2,3-Trichloropropane	ND	5.0	ug/L	01/27/09		H/J	SW8260
1,2,4-Trichlorobenzene	ND	5.0	ug/L	01/27/09		H/J	SW8260
1,2,4-Trimethylbenzene	ND	5.0	ug/L	01/27/09		H/J	SW8260
1,2-Dibromo-3-chloropropane	ND	5.0	ug/L	01/27/09		H/J	SW8260
1,2-Dichlorobenzene	ND	5.0	ug/L	01/27/09		H/J	SW8260
1,2-Dichloroethane	ND	5.0	ug/L	01/27/09		H/J	SW8260
1,2-Dichloropropane	ND	5.0	ug/L	01/27/09		H/J	SW8260
1,3,5-Trimethylbenzene	ND	5.0	ug/L	01/27/09		H/J	SW8260
1,3-Dichlorobenzene	ND	5.0	ug/L	01/27/09		H/J	SW8260
1,3-Dichloropropane	ND	5.0	ug/L	01/27/09		H/J	SW8260
1,4-Dichlorobenzene	ND	5.0	ug/L	01/27/09		H/J	SW8260
2,2-Dichloropropane	ND	5.0	ug/L	01/27/09		H/J	SW8260
2-Chlorotoluene	ND	5.0	ug/L	01/27/09		H/J	SW8260
2-Hexanone	ND	25	ug/L	01/27/09		H/J	SW8260
2-Isopropyltoluene	ND	5.0	ug/L	01/27/09		H/J	SW8260
4-Chlorotoluene	ND	5.0	ug/L	01/27/09		H/J	SW8260
4-Methyl-2-pentanone	ND	25	ug/L	01/27/09		H/J	SW8260
Acetone	ND	50	ug/L	01/27/09		H/J	SW8260
Acrylonitrile	ND	10	ug/L	01/27/09		H/J	SW8260

Client ID: FAIRVIEW PLAZA MW-2-07

Phoenix I.D.: AR30871

Parameter	Result	RL	Units	Date	Time	By	Reference
Benzene	ND	5.0	ug/L	01/27/09		H/J	SW8260
Bromobenzene	ND	5.0	ug/L	01/27/09		H/J	SW8260
Bromoform	ND	5.0	ug/L	01/27/09		H/J	SW8260
Bromomethane	ND	5.0	ug/L	01/27/09		H/J	SW8260
Carbon Disulfide	ND	5.0	ug/L	01/27/09		H/J	SW8260
Carbon tetrachloride	ND	5.0	ug/L	01/27/09		H/J	SW8260
Chlorobenzene	ND	5.0	ug/L	01/27/09		H/J	SW8260
Chloroethane	ND	5.0	ug/L	01/27/09		H/J	SW8260
Chloroform	ND	5.0	ug/L	01/27/09		H/J	SW8260
Chloromethane	ND	5.0	ug/L	01/27/09		H/J	SW8260
cis-1,2-Dichloroethene	ND	5.0	ug/L	01/27/09		H/J	SW8260
cis-1,3-Dichloropropene	ND	5.0	ug/L	01/27/09		H/J	SW8260
Dibromochloromethane	ND	5.0	ug/L	01/27/09		H/J	SW8260
Dibromoethane	ND	5.0	ug/L	01/27/09		H/J	SW8260
Dibromomethane	ND	5.0	ug/L	01/27/09		H/J	SW8260
Dichlorodifluoromethane	ND	5.0	ug/L	01/27/09		H/J	SW8260
Ethylbenzene	ND	5.0	ug/L	01/27/09		H/J	SW8260
Hexachlorobutadiene	ND	5.0	ug/L	01/27/09		H/J	SW8260
Isopropylbenzene	ND	5.0	ug/L	01/27/09		H/J	SW8260
m&p-Xylene	ND	5.0	ug/L	01/27/09		H/J	SW8260
Methyl Ethyl Ketone	ND	60	ug/L	01/27/09		H/J	SW8260
Methyl t-butyl ether (MTBE)	ND	10	ug/L	01/27/09		H/J	SW8260
Methylene chloride	ND	5.0	ug/L	01/27/09		H/J	SW8260
Naphthalene	ND	5.0	ug/L	01/27/09		H/J	SW8260
n-Butylbenzene	ND	5.0	ug/L	01/27/09		H/J	SW8260
n-Propylbenzene	ND	5.0	ug/L	01/27/09		H/J	SW8260
o-Xylene	ND	5.0	ug/L	01/27/09		H/J	SW8260
p-Isopropyltoluene	ND	5.0	ug/L	01/27/09		H/J	SW8260
sec-Butylbenzene	ND	5.0	ug/L	01/27/09		H/J	SW8260
Styrene	ND	5.0	ug/L	01/27/09		H/J	SW8260
tert-Butylbenzene	ND	5.0	ug/L	01/27/09		H/J	SW8260
Tetrachloroethene	ND	5.0	ug/L	01/27/09		H/J	SW8260
Tetrahydrofuran (THF)	ND	10	ug/L	01/27/09		H/J	SW8260
Toluene	ND	5.0	ug/L	01/27/09		H/J	SW8260
Total Xylenes	ND	5.0	ug/L	01/27/09		H/J	SW8260
trans-1,2-Dichloroethene	ND	5.0	ug/L	01/27/09		H/J	SW8260
trans-1,3-Dichloropropene	ND	5.0	ug/L	01/27/09		H/J	SW8260
trans-1,4-dichloro-2-butene	ND	10	ug/L	01/27/09		H/J	SW8260
Trichloroethene	ND	5.0	ug/L	01/27/09		H/J	SW8260
Trichlorofluoromethane	ND	5.0	ug/L	01/27/09		H/J	SW8260
Trichlorotrifluoroethane	ND	5.0	ug/L	01/27/09		H/J	SW8260
Vinyl chloride	ND	5.0	ug/L	01/27/09		H/J	SW8260
<u>QA/QC Surrogates</u>							
% 1,2-dichlorobenzene-d4	100		%	01/27/09		H/J	SW8260
% Bromofluorobenzene	94		%	01/27/09		H/J	SW8260
% Dibromofluoromethane	102		%	01/27/09		H/J	SW8260
% Toluene-d8	100		%	01/27/09		H/J	SW8260

Client ID: FAIRVIEW PLAZA MW-2-07


Phoenix I.D.: AR30871

Parameter	Result	RL	Units	Date	Time	By	Reference
-----------	--------	----	-------	------	------	----	-----------

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level



Phyllis Shiller, Laboratory Director
February 02, 2009



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06040
Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

February 02, 2009

FOR: Attn: Mr. Todd Scott
NETC
PO Box 2167
Ballston Spa, NY 12020

Sample Information

Matrix: WATER
Location Code: NETC
Rush Request: RUSH
P.O.#: 08.1022044

Custody Information

Collected by: TS
Received by: LDF
Analyzed by: see "By" below

Date

Time

01/22/09 11:22
01/24/09 9:15

SDG I.D.: GAR30869

Phoenix I.D.: AR30872

Laboratory Data

Client ID: FAIRVIEW PLAZA MW-3-07

Parameter	Result	RL	Units	Date	Time	By	Reference
C.O.D.	< 10	10	mg/L	01/27/09		KDB	SM5220 D
Volatiles							
1,1,1,2-Tetrachloroethane	ND	5.0	ug/L	01/27/09		H/J	SW8260
1,1,1-Trichloroethane	ND	5.0	ug/L	01/27/09		H/J	SW8260
1,1,2,2-Tetrachloroethane	ND	5.0	ug/L	01/27/09		H/J	SW8260
1,1,2-Trichloroethane	ND	5.0	ug/L	01/27/09		H/J	SW8260
1,1-Dichloroethane	ND	5.0	ug/L	01/27/09		H/J	SW8260
1,1-Dichloroethene	ND	5.0	ug/L	01/27/09		H/J	SW8260
1,1-Dichloropropene	ND	5.0	ug/L	01/27/09		H/J	SW8260
1,2,3-Trichlorobenzene	ND	5.0	ug/L	01/27/09		H/J	SW8260
1,2,3-Trichloropropane	ND	5.0	ug/L	01/27/09		H/J	SW8260
1,2,4-Trichlorobenzene	ND	5.0	ug/L	01/27/09		H/J	SW8260
1,2,4-Trimethylbenzene	ND	5.0	ug/L	01/27/09		H/J	SW8260
1,2-Dibromo-3-chloropropane	ND	5.0	ug/L	01/27/09		H/J	SW8260
1,2-Dichlorobenzene	ND	5.0	ug/L	01/27/09		H/J	SW8260
1,2-Dichloroethane	ND	5.0	ug/L	01/27/09		H/J	SW8260
1,2-Dichloropropane	ND	5.0	ug/L	01/27/09		H/J	SW8260
1,3,5-Trimethylbenzene	ND	5.0	ug/L	01/27/09		H/J	SW8260
1,3-Dichlorobenzene	ND	5.0	ug/L	01/27/09		H/J	SW8260
1,3-Dichloropropane	ND	5.0	ug/L	01/27/09		H/J	SW8260
1,4-Dichlorobenzene	ND	5.0	ug/L	01/27/09		H/J	SW8260
2,2-Dichloropropane	ND	5.0	ug/L	01/27/09		H/J	SW8260
2-Chlorotoluene	ND	5.0	ug/L	01/27/09		H/J	SW8260
2-Hexanone	ND	25	ug/L	01/27/09		H/J	SW8260
2-Isopropyltoluene	ND	5.0	ug/L	01/27/09		H/J	SW8260
4-Chlorotoluene	ND	5.0	ug/L	01/27/09		H/J	SW8260
4-Methyl-2-pentanone	ND	25	ug/L	01/27/09		H/J	SW8260
Acetone	ND	50	ug/L	01/27/09		H/J	SW8260
Acrylonitrile	ND	10	ug/L	01/27/09		H/J	SW8260

Client ID: FAIRVIEW PLAZA MW-3-07

Phoenix I.D.: AR30872

Parameter	Result	RL	Units	Date	Time	By	Reference
Benzene	ND	5.0	ug/L	01/27/09		H/J	SW8260
Bromobenzene	ND	5.0	ug/L	01/27/09		H/J	SW8260
Bromoform	ND	5.0	ug/L	01/27/09		H/J	SW8260
Bromochloromethane	ND	5.0	ug/L	01/27/09		H/J	SW8260
Bromodichloromethane	ND	5.0	ug/L	01/27/09		H/J	SW8260
Bromomethane	ND	5.0	ug/L	01/27/09		H/J	SW8260
Carbon Disulfide	ND	5.0	ug/L	01/27/09		H/J	SW8260
Carbon tetrachloride	ND	5.0	ug/L	01/27/09		H/J	SW8260
Chlorobenzene	ND	5.0	ug/L	01/27/09		H/J	SW8260
Chloroethane	ND	5.0	ug/L	01/27/09		H/J	SW8260
Chloroform	ND	5.0	ug/L	01/27/09		H/J	SW8260
Chloromethane	ND	5.0	ug/L	01/27/09		H/J	SW8260
cis-1,2-Dichloroethene	ND	5.0	ug/L	01/27/09		H/J	SW8260
cis-1,3-Dichloropropene	ND	5.0	ug/L	01/27/09		H/J	SW8260
Dibromochloromethane	ND	5.0	ug/L	01/27/09		H/J	SW8260
Dibromoethane	ND	5.0	ug/L	01/27/09		H/J	SW8260
Dibromomethane	ND	5.0	ug/L	01/27/09		H/J	SW8260
Dichlorodifluoromethane	ND	5.0	ug/L	01/27/09		H/J	SW8260
Ethylbenzene	ND	5.0	ug/L	01/27/09		H/J	SW8260
Hexachlorobutadiene	ND	5.0	ug/L	01/27/09		H/J	SW8260
Isopropylbenzene	ND	5.0	ug/L	01/27/09		H/J	SW8260
m&p-Xylene	ND	5.0	ug/L	01/27/09		H/J	SW8260
Methyl Ethyl Ketone	ND	60	ug/L	01/27/09		H/J	SW8260
Methyl t-butyl ether (MTBE)	ND	10	ug/L	01/27/09		H/J	SW8260
Methylene chloride	ND	5.0	ug/L	01/27/09		H/J	SW8260
Naphthalene	ND	5.0	ug/L	01/27/09		H/J	SW8260
n-Butylbenzene	ND	5.0	ug/L	01/27/09		H/J	SW8260
n-Propylbenzene	ND	5.0	ug/L	01/27/09		H/J	SW8260
o-Xylene	ND	5.0	ug/L	01/27/09		H/J	SW8260
p-Isopropyltoluene	ND	5.0	ug/L	01/27/09		H/J	SW8260
sec-Butylbenzene	ND	5.0	ug/L	01/27/09		H/J	SW8260
Styrene	ND	5.0	ug/L	01/27/09		H/J	SW8260
tert-Butylbenzene	ND	5.0	ug/L	01/27/09		H/J	SW8260
Tetrachloroethene	ND	5.0	ug/L	01/27/09		H/J	SW8260
Tetrahydrofuran (THF)	ND	10	ug/L	01/27/09		H/J	SW8260
Toluene	ND	5.0	ug/L	01/27/09		H/J	SW8260
Total Xylenes	ND	5.0	ug/L	01/27/09		H/J	SW8260
trans-1,2-Dichloroethene	ND	5.0	ug/L	01/27/09		H/J	SW8260
trans-1,3-Dichloropropene	ND	5.0	ug/L	01/27/09		H/J	SW8260
trans-1,4-dichloro-2-butene	ND	10	ug/L	01/27/09		H/J	SW8260
Trichloroethene	ND	5.0	ug/L	01/27/09		H/J	SW8260
Trichlorofluoromethane	ND	5.0	ug/L	01/27/09		H/J	SW8260
Trichlorotrifluoroethane	ND	5.0	ug/L	01/27/09		H/J	SW8260
Vinyl chloride	ND	5.0	ug/L	01/27/09		H/J	SW8260
<u>QA/QC Surrogates</u>							
% 1,2-dichlorobenzene-d4	101		%	01/27/09		H/J	SW8260
% Bromofluorobenzene	96		%	01/27/09		H/J	SW8260
% Dibromofluoromethane	103		%	01/27/09		H/J	SW8260
% Toluene-d8	99		%	01/27/09		H/J	SW8260

Client ID: FAIRVIEW PLAZA MW-3-07

Phoenix I.D.: AR30872

Parameter	Result	RL	Units	Date	Time	By	Reference
-----------	--------	----	-------	------	------	----	-----------

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level



Phyllis Shiller
Phyllis Shiller, Laboratory Director
February 02, 2009



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06040
Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

February 02, 2009

FOR: Attn: Mr. Todd Scott
NETC
PO Box 2167
Ballston Spa, NY 12020

Sample Information

Matrix: WATER
Location Code: NETC
Rush Request: RUSH
P.O.#: 08.1022044

Custody Information

Collected by: TS
Received by: LDF
Analyzed by: see "By" below

Date

01/22/09 12:24
01/24/09 9:15

Time

SDG I.D.: GAR30869
Phoenix I.D.: AR30873

Laboratory Data

Client ID: FAIRVIEW PLAZA MW-5-07

Parameter	Result	RL	Units	Date	Time	By	Reference
C.O.D.	57	10	mg/L	01/27/09		KDB	SM5220 D
Volatiles							
1,1,1,2-Tetrachloroethane	ND	5.0	ug/L	01/27/09		R/J	SW8260
1,1,1-Trichloroethane	ND	5.0	ug/L	01/27/09		R/J	SW8260
1,1,2,2-Tetrachloroethane	ND	5.0	ug/L	01/27/09		R/J	SW8260
1,1,2-Trichloroethane	ND	5.0	ug/L	01/27/09		R/J	SW8260
1,1-Dichloroethane	ND	5.0	ug/L	01/27/09		R/J	SW8260
1,1-Dichloroethene	ND	5.0	ug/L	01/27/09		R/J	SW8260
1,1-Dichloropropene	ND	5.0	ug/L	01/27/09		R/J	SW8260
1,2,3-Trichlorobenzene	ND	5.0	ug/L	01/27/09		R/J	SW8260
1,2,3-Trichloropropane	ND	5.0	ug/L	01/27/09		R/J	SW8260
1,2,4-Trichlorobenzene	ND	5.0	ug/L	01/27/09		R/J	SW8260
1,2,4-Trimethylbenzene	ND	5.0	ug/L	01/27/09		R/J	SW8260
1,2-Dibromo-3-chloropropane	ND	5.0	ug/L	01/27/09		R/J	SW8260
1,2-Dichlorobenzene	ND	5.0	ug/L	01/27/09		R/J	SW8260
1,2-Dichloroethane	ND	5.0	ug/L	01/27/09		R/J	SW8260
1,2-Dichloropropane	ND	5.0	ug/L	01/27/09		R/J	SW8260
1,3,5-Trimethylbenzene	ND	5.0	ug/L	01/27/09		R/J	SW8260
1,3-Dichlorobenzene	ND	5.0	ug/L	01/27/09		R/J	SW8260
1,3-Dichloropropane	ND	5.0	ug/L	01/27/09		R/J	SW8260
1,4-Dichlorobenzene	ND	5.0	ug/L	01/27/09		R/J	SW8260
2,2-Dichloropropane	ND	5.0	ug/L	01/27/09		R/J	SW8260
2-Chlorotoluene	ND	5.0	ug/L	01/27/09		R/J	SW8260
2-Hexanone	ND	25	ug/L	01/27/09		R/J	SW8260
2-Isopropyltoluene	ND	5.0	ug/L	01/27/09		R/J	SW8260
4-Chlorotoluene	ND	5.0	ug/L	01/27/09		R/J	SW8260
4-Methyl-2-pentanone	ND	25	ug/L	01/27/09		R/J	SW8260
Acetone	ND	50	ug/L	01/27/09		R/J	SW8260
Acrylonitrile	ND	10	ug/L	01/27/09		R/J	SW8260

Client ID: FAIRVIEW PLAZA MW-5-07

Phoenix I.D.: AR30873

Parameter	Result	RL	Units	Date	Time	By	Reference
Benzene	ND	5.0	ug/L	01/27/09		R/J	SW8260
Bromobenzene	ND	5.0	ug/L	01/27/09		R/J	SW8260
Bromoform	ND	5.0	ug/L	01/27/09		R/J	SW8260
Bromomethane	ND	5.0	ug/L	01/27/09		R/J	SW8260
Carbon Disulfide	ND	5.0	ug/L	01/27/09		R/J	SW8260
Carbon tetrachloride	ND	5.0	ug/L	01/27/09		R/J	SW8260
Chlorobenzene	ND	5.0	ug/L	01/27/09		R/J	SW8260
Chloroethane	ND	5.0	ug/L	01/27/09		R/J	SW8260
Chloroform	ND	5.0	ug/L	01/27/09		R/J	SW8260
Chloromethane	ND	5.0	ug/L	01/27/09		R/J	SW8260
cis-1,2-Dichloroethene	ND	5.0	ug/L	01/27/09		R/J	SW8260
cis-1,3-Dichloropropene	ND	5.0	ug/L	01/27/09		R/J	SW8260
Dibromochloromethane	ND	5.0	ug/L	01/27/09		R/J	SW8260
Dibromoethane	ND	5.0	ug/L	01/27/09		R/J	SW8260
Dibromomethane	ND	5.0	ug/L	01/27/09		R/J	SW8260
Dichlorodifluoromethane	ND	5.0	ug/L	01/27/09		R/J	SW8260
Ethylbenzene	ND	5.0	ug/L	01/27/09		R/J	SW8260
Hexachlorobutadiene	ND	5.0	ug/L	01/27/09		R/J	SW8260
Isopropylbenzene	ND	5.0	ug/L	01/27/09		R/J	SW8260
m&p-Xylene	ND	5.0	ug/L	01/27/09		R/J	SW8260
Methyl Ethyl Ketone	ND	60	ug/L	01/27/09		R/J	SW8260
Methyl t-butyl ether (MTBE)	ND	10	ug/L	01/27/09		R/J	SW8260
Methylene chloride	ND	5.0	ug/L	01/27/09		R/J	SW8260
Naphthalene	ND	5.0	ug/L	01/27/09		R/J	SW8260
n-Butylbenzene	ND	5.0	ug/L	01/27/09		R/J	SW8260
n-Propylbenzene	ND	5.0	ug/L	01/27/09		R/J	SW8260
o-Xylene	ND	5.0	ug/L	01/27/09		R/J	SW8260
p-Isopropyltoluene	ND	5.0	ug/L	01/27/09		R/J	SW8260
sec-Butylbenzene	ND	5.0	ug/L	01/27/09		R/J	SW8260
Styrene	ND	5.0	ug/L	01/27/09		R/J	SW8260
tert-Butylbenzene	ND	5.0	ug/L	01/27/09		R/J	SW8260
Tetrachloroethene	ND	5.0	ug/L	01/27/09		R/J	SW8260
Tetrahydrofuran (THF)	ND	10	ug/L	01/27/09		R/J	SW8260
Toluene	ND	5.0	ug/L	01/27/09		R/J	SW8260
Total Xylenes	ND	5.0	ug/L	01/27/09		R/J	SW8260
trans-1,2-Dichloroethene	ND	5.0	ug/L	01/27/09		R/J	SW8260
trans-1,3-Dichloropropene	ND	5.0	ug/L	01/27/09		R/J	SW8260
trans-1,4-dichloro-2-butene	ND	10	ug/L	01/27/09		R/J	SW8260
Trichloroethene	ND	5.0	ug/L	01/27/09		R/J	SW8260
Trichlorofluoromethane	ND	5.0	ug/L	01/27/09		R/J	SW8260
Trichlorotrifluoroethane	ND	5.0	ug/L	01/27/09		R/J	SW8260
Vinyl chloride	ND	5.0	ug/L	01/27/09		R/J	SW8260
<u>QA/QC Surrogates</u>							
% 1,2-dichlorobenzene-d4	100		%	01/27/09		R/J	SW8260
% Bromofluorobenzene	92		%	01/27/09		R/J	SW8260
% Dibromofluoromethane	104		%	01/27/09		R/J	SW8260
% Toluene-d8	98		%	01/27/09		R/J	SW8260

Client ID: FAIRVIEW PLAZA MW-5-07


Phoenix I.D.: AR30873

Parameter	Result	RL	Units	Date	Time	By	Reference
-----------	--------	----	-------	------	------	----	-----------

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level



Phyllis Shiller
Phyllis Shiller, Laboratory Director
February 02, 2009



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06040
Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

February 02, 2009

FOR: Attn: Mr. Todd Scott
NETC
PO Box 2167
Ballston Spa, NY 12020

Sample Information

Matrix: WATER
Location Code: NETC
Rush Request: RUSH
P.O.#: 08.1022044

Custody Information

Collected by: TS
Received by: LDF
Analyzed by: see "By" below

Date 01/22/09

Time 14:45

Date 01/24/09

Time 9:15

SDG I.D.: GAR30869

Phoenix I.D.: AR30874

Laboratory Data

Client ID: FAIRVIEW PLAZA MW-1-08

Parameter	Result	RL	Units	Date	Time	By	Reference
C.O.D.	110	10	mg/L	01/27/09		KDB	SM5220 D
Volatiles							
1,1,1,2-Tetrachloroethane	ND	5.0	ug/L	01/27/09		R/J	SW8260
1,1,1-Trichloroethane	ND	5.0	ug/L	01/27/09		R/J	SW8260
1,1,2,2-Tetrachloroethane	ND	5.0	ug/L	01/27/09		R/J	SW8260
1,1,2-Trichloroethane	ND	5.0	ug/L	01/27/09		R/J	SW8260
1,1-Dichloroethane	ND	5.0	ug/L	01/27/09		R/J	SW8260
1,1-Dichloroethene	ND	5.0	ug/L	01/27/09		R/J	SW8260
1,1-Dichloropropene	ND	5.0	ug/L	01/27/09		R/J	SW8260
1,2,3-Trichlorobenzene	ND	5.0	ug/L	01/27/09		R/J	SW8260
1,2,3-Trichloropropane	ND	5.0	ug/L	01/27/09		R/J	SW8260
1,2,4-Trichlorobenzene	ND	5.0	ug/L	01/27/09		R/J	SW8260
1,2,4-Trimethylbenzene	ND	5.0	ug/L	01/27/09		R/J	SW8260
1,2-Dibromo-3-chloropropane	ND	5.0	ug/L	01/27/09		R/J	SW8260
1,2-Dichlorobenzene	ND	5.0	ug/L	01/27/09		R/J	SW8260
1,2-Dichloroethane	ND	5.0	ug/L	01/27/09		R/J	SW8260
1,2-Dichloropropane	ND	5.0	ug/L	01/27/09		R/J	SW8260
1,3,5-Trimethylbenzene	ND	5.0	ug/L	01/27/09		R/J	SW8260
1,3-Dichlorobenzene	ND	5.0	ug/L	01/27/09		R/J	SW8260
1,3-Dichloropropane	ND	5.0	ug/L	01/27/09		R/J	SW8260
1,4-Dichlorobenzene	ND	5.0	ug/L	01/27/09		R/J	SW8260
2,2-Dichloropropane	ND	5.0	ug/L	01/27/09		R/J	SW8260
2-Chlorotoluene	ND	5.0	ug/L	01/27/09		R/J	SW8260
2-Hexanone	ND	25	ug/L	01/27/09		R/J	SW8260
2-Isopropyltoluene	ND	5.0	ug/L	01/27/09		R/J	SW8260
4-Chlorotoluene	ND	5.0	ug/L	01/27/09		R/J	SW8260
4-Methyl-2-pentanone	ND	25	ug/L	01/27/09		R/J	SW8260
Acetone	ND	50	ug/L	01/27/09		R/J	SW8260
Acrylonitrile	ND	10	ug/L	01/27/09		R/J	SW8260

Client ID: FAIRVIEW PLAZA MW-1-08

Phoenix I.D.: AR30874

Parameter	Result	RL	Units	Date	Time	By	Reference
Benzene	ND	5.0	ug/L	01/27/09		R/J	SW8260
Bromobenzene	ND	5.0	ug/L	01/27/09		R/J	SW8260
Bromoform	ND	5.0	ug/L	01/27/09		R/J	SW8260
Bromomethane	ND	5.0	ug/L	01/27/09		R/J	SW8260
Carbon Disulfide	ND	5.0	ug/L	01/27/09		R/J	SW8260
Carbon tetrachloride	ND	5.0	ug/L	01/27/09		R/J	SW8260
Chlorobenzene	ND	5.0	ug/L	01/27/09		R/J	SW8260
Chloroethane	ND	5.0	ug/L	01/27/09		R/J	SW8260
Chloroform	ND	5.0	ug/L	01/27/09		R/J	SW8260
Chloromethane	ND	5.0	ug/L	01/27/09		R/J	SW8260
cis-1,2-Dichloroethene	830	50	ug/L	01/27/09		R/J	SW8260
cis-1,3-Dichloropropene	ND	5.0	ug/L	01/27/09		R/J	SW8260
Dibromochloromethane	ND	5.0	ug/L	01/27/09		R/J	SW8260
Dibromoethane	ND	5.0	ug/L	01/27/09		R/J	SW8260
Dibromomethane	ND	5.0	ug/L	01/27/09		R/J	SW8260
Dichlorodifluoromethane	ND	5.0	ug/L	01/27/09		R/J	SW8260
Ethylbenzene	ND	5.0	ug/L	01/27/09		R/J	SW8260
Hexachlorobutadiene	ND	5.0	ug/L	01/27/09		R/J	SW8260
Isopropylbenzene	ND	5.0	ug/L	01/27/09		R/J	SW8260
m&p-Xylene	ND	5.0	ug/L	01/27/09		R/J	SW8260
Methyl Ethyl Ketone	ND	60	ug/L	01/27/09		R/J	SW8260
Methyl t-butyl ether (MTBE)	ND	10	ug/L	01/27/09		R/J	SW8260
Methylene chloride	ND	5.0	ug/L	01/27/09		R/J	SW8260
Naphthalene	ND	5.0	ug/L	01/27/09		R/J	SW8260
n-Butylbenzene	ND	5.0	ug/L	01/27/09		R/J	SW8260
n-Propylbenzene	ND	5.0	ug/L	01/27/09		R/J	SW8260
o-Xylene	ND	5.0	ug/L	01/27/09		R/J	SW8260
p-Isopropyltoluene	ND	5.0	ug/L	01/27/09		R/J	SW8260
sec-Butylbenzene	ND	5.0	ug/L	01/27/09		R/J	SW8260
Styrene	ND	5.0	ug/L	01/27/09		R/J	SW8260
tert-Butylbenzene	ND	5.0	ug/L	01/27/09		R/J	SW8260
Tetrachloroethene	7.1	5.0	ug/L	01/27/09		R/J	SW8260
Tetrahydrofuran (THF)	ND	10	ug/L	01/27/09		R/J	SW8260
Toluene	ND	5.0	ug/L	01/27/09		R/J	SW8260
Total Xylenes	ND	5.0	ug/L	01/27/09		R/J	SW8260
trans-1,2-Dichloroethene	5.4	5.0	ug/L	01/27/09		R/J	SW8260
trans-1,3-Dichloropropene	ND	5.0	ug/L	01/27/09		R/J	SW8260
trans-1,4-dichloro-2-butene	ND	10	ug/L	01/27/09		R/J	SW8260
Trichloroethene	32	5.0	ug/L	01/27/09		R/J	SW8260
Trichlorofluoromethane	ND	5.0	ug/L	01/27/09		R/J	SW8260
Trichlorotrifluoroethane	ND	5.0	ug/L	01/27/09		R/J	SW8260
Vinyl chloride	660	5.0	ug/L	01/27/09		R/J	SW8260
<u>QA/QC Surrogates</u>							
% 1,2-dichlorobenzene-d4	103		%	01/27/09		R/J	SW8260
% Bromofluorobenzene	93		%	01/27/09		R/J	SW8260
% Dibromofluoromethane	106		%	01/27/09		R/J	SW8260
% Toluene-d8	92		%	01/27/09		R/J	SW8260

Client ID: FAIRVIEW PLAZA MW-1-08


Phoenix I.D.: AR30874

Parameter	Result	RL	Units	Date	Time	By	Reference
-----------	--------	----	-------	------	------	----	-----------

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level



Phyllis Shiller, Laboratory Director

February 02, 2009



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06040
Tel. (860) 645-1102 Fax (860) 645-0823



Analysis Report

February 02, 2009

FOR: Attn: Mr. Todd Scott
NETC
PO Box 2167
Ballston Spa, NY 12020

Sample Information

Matrix: WATER
Location Code: NETC
Rush Request: RUSH
P.O.#: 08.1022044

Custody Information

Collected by: TS
Received by: LDF
Analyzed by: see "By" below

Date 01/22/09 Time 14:50

Date 01/24/09 Time 9:15

SDG I.D.: GAR30869

Phoenix I.D.: AR30875

Laboratory Data

Client ID: FAIRVIEW PLAZA MW-2-08

Parameter	Result	RL	Units	Date	Time	By	Reference
C.O.D.	840	20	mg/L	01/27/09		KDB	SM5220 D
Volatiles							
1,1,1,2-Tetrachloroethane	ND	5.0	ug/L	01/27/09		R/J	SW8260
1,1,1-Trichloroethane	ND	5.0	ug/L	01/27/09		R/J	SW8260
1,1,2,2-Tetrachloroethane	ND	5.0	ug/L	01/27/09		R/J	SW8260
1,1,2-Trichloroethane	ND	5.0	ug/L	01/27/09		R/J	SW8260
1,1-Dichloroethane	ND	5.0	ug/L	01/27/09		R/J	SW8260
1,1-Dichloroethene	ND	5.0	ug/L	01/27/09		R/J	SW8260
1,1-Dichloropropene	ND	5.0	ug/L	01/27/09		R/J	SW8260
1,2,3-Trichlorobenzene	ND	5.0	ug/L	01/27/09		R/J	SW8260
1,2,3-Trichloropropane	ND	5.0	ug/L	01/27/09		R/J	SW8260
1,2,4-Trichlorobenzene	ND	5.0	ug/L	01/27/09		R/J	SW8260
1,2,4-Trimethylbenzene	ND	5.0	ug/L	01/27/09		R/J	SW8260
1,2-Dibromo-3-chloropropane	ND	5.0	ug/L	01/27/09		R/J	SW8260
1,2-Dichlorobenzene	ND	5.0	ug/L	01/27/09		R/J	SW8260
1,2-Dichloroethane	ND	5.0	ug/L	01/27/09		R/J	SW8260
1,2-Dichloropropane	ND	5.0	ug/L	01/27/09		R/J	SW8260
1,3,5-Trimethylbenzene	ND	5.0	ug/L	01/27/09		R/J	SW8260
1,3-Dichlorobenzene	ND	5.0	ug/L	01/27/09		R/J	SW8260
1,3-Dichloropropane	ND	5.0	ug/L	01/27/09		R/J	SW8260
1,4-Dichlorobenzene	ND	5.0	ug/L	01/27/09		R/J	SW8260
2,2-Dichloropropane	ND	5.0	ug/L	01/27/09		R/J	SW8260
2-Chlorotoluene	ND	5.0	ug/L	01/27/09		R/J	SW8260
2-Hexanone	ND	25	ug/L	01/27/09		R/J	SW8260
2-Isopropyltoluene	ND	5.0	ug/L	01/27/09		R/J	SW8260
4-Chlorotoluene	ND	5.0	ug/L	01/27/09		R/J	SW8260
4-Methyl-2-pentanone	ND	25	ug/L	01/27/09		R/J	SW8260
Acetone	ND	50	ug/L	01/27/09		R/J	SW8260
Acrylonitrile	ND	10	ug/L	01/27/09		R/J	SW8260

Client ID: FAIRVIEW PLAZA MW-2-08

Phoenix I.D.: AR30875

Parameter	Result	RL	Units	Date	Time	By	Reference
Benzene	ND	5.0	ug/L	01/27/09		R/J	SW8260
Bromobenzene	ND	5.0	ug/L	01/27/09		R/J	SW8260
Bromoform	ND	5.0	ug/L	01/27/09		R/J	SW8260
Bromomethane	ND	5.0	ug/L	01/27/09		R/J	SW8260
Carbon Disulfide	ND	5.0	ug/L	01/27/09		R/J	SW8260
Carbon tetrachloride	ND	5.0	ug/L	01/27/09		R/J	SW8260
Chlorobenzene	ND	5.0	ug/L	01/27/09		R/J	SW8260
Chloroethane	ND	5.0	ug/L	01/27/09		R/J	SW8260
Chloroform	ND	5.0	ug/L	01/27/09		R/J	SW8260
Chloromethane	ND	5.0	ug/L	01/27/09		R/J	SW8260
cis-1,2-Dichloroethene	140	5.0	ug/L	01/27/09		R/J	SW8260
cis-1,3-Dichloropropene	ND	5.0	ug/L	01/27/09		R/J	SW8260
Dibromochloromethane	ND	5.0	ug/L	01/27/09		R/J	SW8260
Dibromoethane	ND	5.0	ug/L	01/27/09		R/J	SW8260
Dibromomethane	ND	5.0	ug/L	01/27/09		R/J	SW8260
Dichlorodifluoromethane	ND	5.0	ug/L	01/27/09		R/J	SW8260
Ethylbenzene	ND	5.0	ug/L	01/27/09		R/J	SW8260
Hexachlorobutadiene	ND	5.0	ug/L	01/27/09		R/J	SW8260
Isopropylbenzene	ND	5.0	ug/L	01/27/09		R/J	SW8260
m&p-Xylene	ND	5.0	ug/L	01/27/09		R/J	SW8260
Methyl Ethyl Ketone	ND	60	ug/L	01/27/09		R/J	SW8260
Methyl t-butyl ether (MTBE)	ND	10	ug/L	01/27/09		R/J	SW8260
Methylene chloride	ND	5.0	ug/L	01/27/09		R/J	SW8260
Naphthalene	ND	5.0	ug/L	01/27/09		R/J	SW8260
n-Butylbenzene	ND	5.0	ug/L	01/27/09		R/J	SW8260
n-Propylbenzene	ND	5.0	ug/L	01/27/09		R/J	SW8260
o-Xylene	ND	5.0	ug/L	01/27/09		R/J	SW8260
p-Isopropyltoluene	ND	5.0	ug/L	01/27/09		R/J	SW8260
sec-Butylbenzene	ND	5.0	ug/L	01/27/09		R/J	SW8260
Styrene	ND	5.0	ug/L	01/27/09		R/J	SW8260
tert-Butylbenzene	ND	5.0	ug/L	01/27/09		R/J	SW8260
Tetrachloroethene	ND	5.0	ug/L	01/27/09		R/J	SW8260
Tetrahydrofuran (THF)	ND	10	ug/L	01/27/09		R/J	SW8260
Toluene	ND	5.0	ug/L	01/27/09		R/J	SW8260
Total Xylenes	ND	5.0	ug/L	01/27/09		R/J	SW8260
trans-1,2-Dichloroethene	ND	5.0	ug/L	01/27/09		R/J	SW8260
trans-1,3-Dichloropropene	ND	5.0	ug/L	01/27/09		R/J	SW8260
trans-1,4-dichloro-2-butene	ND	10	ug/L	01/27/09		R/J	SW8260
Trichloroethene	ND	5.0	ug/L	01/27/09		R/J	SW8260
Trichlorofluoromethane	ND	5.0	ug/L	01/27/09		R/J	SW8260
Trichlorotrifluoroethane	ND	5.0	ug/L	01/27/09		R/J	SW8260
Vinyl chloride	200	25	ug/L	01/27/09		R/J	SW8260
<u>QA/QC Surrogates</u>							
% 1,2-dichlorobenzene-d4	101		%	01/27/09		R/J	SW8260
% Bromofluorobenzene	89		%	01/27/09		R/J	SW8260
% Dibromofluoromethane	105		%	01/27/09		R/J	SW8260
% Toluene-d8	98		%	01/27/09		R/J	SW8260

Client ID: FAIRVIEW PLAZA MW-2-08


Phoenix I.D.: AR30875

Parameter	Result	RL	Units	Date	Time	By	Reference
-----------	--------	----	-------	------	------	----	-----------

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level



Phyllis Shiller, Laboratory Director

February 02, 2009

**ATTACHMENT C
EXHIBIT C-5**

**GROUNDWATER SAMPLING
SUMMARIES**

FAIRVIEW PLAZA
Historical Groundwater Sampling Data

160 Fairview Ave. Hudson, New York

Page 1 of 5

PARAMETER	DATE	SAMPLE LOCATION						
		MW-2-04	MW-4-06	MW-2-07	MW-3-07	MW-5-07	MW-1-08	MW-2-08
pH	10/30/2008	7.45	7.07	6.94	7.29	6.93	7.44	7.30
	11/17/2008	7.18	10.30	6.08	7.14	6.66	9.08	7.38
	11/24/2008	7.27	9.66	8.98	7.01	6.63	8.71	7.30
	12/18/2008	7.28	9.35	9.17	7.05	6.68	8.15	7.23
	01/22/2009	7.50	9.09	8.47	7.27	6.84	8.08	6.81
Dissolved Oxygen mg/l	10/30/2008	0.00	5.13	6.44	3.52	2.23	5.25	3.72
	11/17/2008	0.91	17.70	35.59	7.83	5.78	4.92	5.72
	11/24/2008	2.89	22.77	29.64	2.08	1.04	4.35	5.50
	12/18/2008	4.10	20.60	18.40	5.77	1.61	4.00	2.97
	01/22/2009	2.37	12.33	14.13	2.31	0.68	4.49	5.20

NOTES: NR= Not Recorded / Equipment Malfunction

NA= Not Analyzed

FAIRVIEW PLAZA
Historical Groundwater Sampling Data

160 Fairview Ave. Hudson, New York

Page 2 of 5

PARAMETER	DATE	SAMPLE LOCATION						
		MW-2-04	MW-4-06	MW-2-07	MW-3-07	MW-5-07	MW-1-08	MW-2-08
ORP mV	10/30/2008	-132	-71	-56	24	-155	-135	-117
	11/17/2008	-74	14	78	163	-163	-59	-63
	11/24/2008	-98	28	78	159	-149	-94	36
	12/18/2008	-63	42	54	155	-116	-9	-91
	01/22/2009	-62	47	137	168	-127	54	-63
Temperature degree C	10/30/2008	14.10	16.00	18.30	16.50	15.70	18.70	17.80
	11/17/2008	14.38	16.94	18.81	17.17	16.99	17.62	16.92
	11/24/2008	12.84	18.81	15.02	16.94	16.29	16.13	15.92
	12/18/2008	10.56	17.36	15.64	14.83	14.94	13.87	12.73
	01/22/2009	10.00	13.78	14.13	14.32	13.84	10.38	10.06

NOTES: NR= Not Recorded / Equipment Malfunction

NA= Not Analyzed

FAIRVIEW PLAZA
Historical Groundwater Sampling Data

160 Fairview Ave. Hudson, New York

Page 3 of 5

PARAMETER	DATE	SAMPLE LOCATION						
		MW-2-04	MW-4-06	MW-2-07	MW-3-07	MW-5-07	MW-1-08	MW-2-08
Conductivity S/m	10/30/2008	0.0480	0.250	0.160	0.110	0.200	0.430	0.530
	11/17/2008	0.0348	2.350	0.966	0.100	0.173	0.707	0.563
	11/24/2008	0.0311	1.720	0.384	0.122	0.171	0.510	0.499
	12/18/2008	0.0274	0.865	1.100	0.144	0.165	0.388	0.450
	01/22/2009	0.0602	1.730	0.915	0.350	0.349	0.736	8.390
Chlorinated VOCs Total	10/30/2008	194.00	22178.00	0.00	0.00	0.00	NS	NS
	11/17/2008	NS	NS	NS	NS	NS	NS	NS
	11/24/2008	198.00	5070.00	0.00	0.00	0.00	450.00	190.00
	12/18/2008	250.00	9929.00	0.00	0.00	0.00	1213.50	850.00
	01/22/2009	128.00	12961.00	0.00	0.00	0.00	1534.50	340.00

NOTES: NR= Not Recorded / Equipment Malfunction

NA= Not Analyzed

FAIRVIEW PLAZA
Historical Groundwater Sampling Data

160 Fairview Ave. Hudson, New York

Page 4 of 5

PARAMETER	DATE	SAMPLE LOCATION						
		MW-2-04	MW-4-06	MW-2-07	MW-3-07	MW-5-07	MW-1-08	MW-2-08
COD	10/30/2008	<10.0	31.0	15.0	26.0	60.0	NS	NS
	11/17/2008	NS	NS	NS	NS	NS	NS	NS
	11/24/2008	NS	NS	NS	NS	NS	NS	NS
	12/18/2008	<10	280.0	280.0	18.0	64.0	120.0	230.0
	01/22/2009	29.000	330.000	45.000	<10	57.000	110.000	840.000
Dissolved Iron	10/30/2008	0.040	0.068	0.145	0.093	2.330	NS	NS
	11/17/2008	NS	NS	NS	NS	NS	NS	NS
	11/24/2008	NS	NS	NS	NS	NS	NS	NS
	12/18/2008	0.018	0.765	0.242	0.005	1.400	0.372	0.034
	01/22/2009	NS	NS	NS	NS	NS	NS	NS

NOTES: NR= Not Recorded / Equipment Malfunction

NA= Not Analyzed

FAIRVIEW PLAZA

160 Fairview Ave. Hudson, New York


Page 5 of 5

NOTES: NR= Not Recorded / Equipment Malfunction


NA= Not Analyzed

FAIRVIEW PLAZA

pH vs. Time




FAIRVIEW PLAZA
Dissolved Oxygen vs. Time




FAIRVIEW PLAZA

ORP vs. Time




FAIRVIEW PLAZA

Conductivity vs. Time



FAIRVIEW PLAZA

Total CVOCs vs. Time



ATTACHMENT D

SOIL GAS QUALITY DATA

VOLATILE ORGANICS DATA ANALYSIS SUMMARY (EPA METHOD TO-15)

Wash Rite Laundry - Fairview Plaza

Town of Greenport, New York

Sampled on December 18, 2008

PARAMETER	WATER SAMPLE DESCRIPTION					
	WSS-1 Location: West End - Wash Rite Laundry	WSS-2 East End - Wash Rite Laundry	HSS-1 Hallmark	WRS-1 Wash Rite Laundry	HRS-1 Hallmark	OS-1 Outdoor Air
1,2,4-Trichlorobenzene	2.4 B	2.7	2.4 B	1.7 B	1.7 B	ND
1,2-Dichloroethane	ND	ND	1.2	0.86	3.0	ND
1,2,4-Trimethylbenzene	5.1	6.6	7.8	ND	ND	ND
1,3,5-Trimethylbenzene	1.4	1.7	2.3	ND	ND	ND
4-Ethyltoluene	ND	ND	2.0	ND	ND	ND
Acetone	4.9	8.4	5.2	24.0	34.0	6.2
Benzene	ND	ND	0.71	0.78	1.2	1.4
Chloromethane	ND	ND	ND	0.59	0.92	0.71
cis-1,2-Dichloroethene	ND	ND	ND	ND	ND	ND
Cyclohexane	ND	ND	ND	0.7	ND	ND
Ethanol	11.0	6.5	5.4	61.0	44.0	3.0
Ethyl acetate	ND	ND	ND	ND	0.99	ND
Ethylbenzene	ND	ND	1.6	ND	ND	ND
Freon 11 (-Trichlorofluoromethane)	2.4	1.9	3.5	ND	1.2	ND
Freon 113(1,1,2-Trichlorotrifluoroethan)	ND	ND	ND	ND	ND	ND
Freon 12(Dichlorodifluoromethane)	1.7	2.5	2.2	1.4	1.8	2.0
Hexachlorobutadiene	2.7 B	4.0	3.3 B	2.3 B	2.5 B	2.4 B
Hexane	ND	ND	ND	0.75	0.9	0.86
Isopropyl alcohol (2-Propanol)	2.2	4.4	3.7	ND	3.7	1.9
m-Xylene / p-Xylene	1.8	2.0	4.7	ND	1.6	1.4
Methyl Ethyl Ketone	0.78	1.1	0.81	ND	0.84	ND
Methyl Isobutyl Ketone	1.1	ND	1.8	ND	ND	ND
Methylene Chloride	ND	ND	0.78	0.74	0.99	0.78
o-Xylene	1.5	1.9	2.9	ND	ND	ND
Tetrachloroethene (PCE)	28.0	73.0	17.0	3.7	1.5	ND
Tetrahydrofuran	ND	ND	ND	ND	0.72	ND
Toluene	3.1	4.1	6.4	2.3	4.8	2.9
Trichloroethene (TCE)	3.3	ND	ND	ND	ND	ND

Notes: All concentrations are in ug/m3 or ppb (parts per billion)

DEC = Groundwater quality standards & guidelines (6NYCRR Part 703)

E = Estimated concentration. Exceeded Calibration Limit

D = Diluted. Report from Dilution Run.

J = Detected below practical quantitation level but above MDL.

B = Analyte detected in the associated Method Blank.

TO-15 SAMPLE RUN TIMES

Wash Rite Laundry - Fairview Plaza
Town of Greenport, New York
Sampled December 18, 2008

Sample ID	Location	Initial PID (ppm) bkg = 0.0ppm	Sample Run Time
WSS-1	Wash Rite Laundry - West End	bkg	7 hours 44 minutes
WSS-2	Wash Rite Laundry - East End	bkg	7 hours 38 minutes
HSS-1	Hallmark	bkg	7 hours 32 minutes
WRS-1	Wash Rite Laundry	bkg	7 hours 42 minutes
HRS-2	Hallmark	0.1	7 hours 29 minutes
OS-2	Outside	bkg	7 hours 25 minutes

VOLATILE ORGANICS DATA ANALYSIS SUMMARY (EPA METHOD TO-15)

Wash Rite Laundry - Fairview Plaza

Town of Greenport, New York

Analytical History

PARAMETER	WATER SAMPLE DESCRIPTION																									
	Location	SS-1	SS-1	SS-1	WSS-1	SS-2	SS-2	SS-2	WSS-2	SS-3	SS-3	HSS-1	RS-1	RS-1	WRS-1	RS-2	RS-2	RS-2	HRS-1	OS-1	OS-1	OS-1	OS-1			
		West End - Wash Rite Laundry	East End - Wash Rite Laundry	Harbort	Harbort	Wash Rite Laundry	Wash Rite Laundry	Wash Rite Laundry	Wash Rite Laundry	Harbort	Harbort	Harbort	Harbort	Outdoor Air	Outdoor Air	Outdoor Air	Outdoor Air									
	Date	03/26/2008	03/26/2008	03/26/2008	03/26/2008	03/26/2008	03/26/2008	03/26/2008	03/26/2008	03/26/2008	03/26/2008	03/26/2008	03/26/2008	03/26/2008	03/26/2008	03/26/2008	03/26/2008	03/26/2008	03/26/2008	03/26/2008	03/26/2008	03/26/2008				
	Dilution Factor	25	1	1	NA	25	1	1	NA	25	1	1	1	1	1	1	1	1	1	1	1	1	1			
1,1,1-Trichloroethane		ND	ND	0.53	ND	ND	ND	ND	ND	ND	ND	12J	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			
1,2-Dichloroethane		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND										
1,2,4-Trichlorobenzene		ND	ND	ND	2.4B	ND	ND	ND	2.7	ND	ND	ND	2.4B	ND	ND	ND	1.7B	ND	ND	ND	1.7E	ND	ND	ND		
1,2,4-Trimethylbenzene		ND	ND	ND	1.4	ND	ND	ND	1.7	ND	ND	ND	2.3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
1,4-Dichlorobenzene		ND	ND	ND	ND	3.1	ND	ND	ND	4.3	ND	ND	ND	ND	ND	ND	ND									
2-Butanone (MEK)		ND	ND	50.0	ND	ND	ND	360D	ND	ND	ND	9.4	ND	3.2	ND	19.0	ND	2.2	1.5	6.1	ND	ND	ND	HO		
2,2,4-Trimethylpentane (Isooctane)		ND	13.0	ND	ND	ND	18.0	ND	ND	ND	25.0	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NS	ND		
4-Ethyltoluene		ND	ND	3.2	ND	2.0	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND									
4-Methyl-2-pentanone (MBK)		ND	3.6	4.0	ND	ND	ND	ND	ND	ND	ND	2.3	4.8	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
Acetone		ND	ND	27.0	4.9	ND	ND	510D	8.4	ND	8.2	10.0	5.2	130E	130D	94D	24.0	70E	210D	65.0	34.0	ND	3.9	NS	8.2	
Acetonitrile		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND									
Benzene		700	ND	140	ND	ND	9.71	ND	ND	1.6	0.76	ND	ND	1.9	1.2	ND	1.0	NS	1.4							
Carbon tetrachloride		ND	ND	6.94J	ND	ND	ND	0.37J	ND	ND	ND	0.25J	ND	ND	ND	0.85J	ND	ND	0.63J	ND	ND	ND	ND	NS	ND	
Chloroform		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND									
Chloromethane		ND	ND	ND	ND	ND	ND	ND	ND	1.5	1.3	2.6	ND	1.1	1.2	1.2	0.71									
cis-1,2-Dichloroethene		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND									
Cyclohexane		479	ND	120	ND	ND	ND	ND	ND	ND	0.7	ND	ND	ND	ND	ND	ND	ND								
Dibromochlorobenzene		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND									
Ethanol		ND	3.6	20.0	11.0	ND	ND	8.7	6.5	ND	ND	5.4	5.4	179E	360D	2000DE	61.0	350	56E	71E	44.0	ND	2.8	3.0		
Ethyl acetate		ND	ND	ND	2.9	1.9	3.6	ND	3.5	3.5	4.9	0.99	ND	ND	NS	ND	ND									
Ethylbenzene		ND	ND	ND	2.2	2.7	1.6	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND									
Freon 11 (1,1,1-Trichloroethane)		ND	4.0	3.5	2.4	ND	3.8	ND	1.9	ND	3.9	4.5	3.6	ND	ND	ND	ND	ND	ND	ND	1.2	ND	ND	ND		
Freon 113 (1,1,2-Trichloroethane)		ND	4.8	ND	ND	ND	15.0	ND	ND	ND	6.8	ND	ND	ND	21.0	ND	ND	0.5	ND	ND	ND	ND	5.7	ND		
Freon 12 (Dichlorodifluoromethane)		ND	ND	ND	17	ND	ND	ND	25	ND	ND	ND	2.2	ND	ND	ND	1.4	ND	ND	ND	ND	ND	16	NS	2.0	
Hexachlorobutadiene		ND	ND	ND	2.7B	ND	ND	ND	4.0	ND	ND	3.3B	ND	ND	ND	2.3B	ND	ND	ND	ND	ND	ND	ND	2.4B		
Hexane		ND	ND	ND	ND	ND	ND	ND	ND	0.75	ND	ND	ND	0.9	ND	ND	0.88									
Isopropyl alcohol (2-Propanol)		ND	ND	ND	2.2	ND	ND	ND	4.4	ND	ND	3.7	25.0	17.0	18.0	ND	1.5	1.8	18.0	3.7	ND	ND	NS	1.9		
m-Xylene / p-Xylene		ND	4.4	4.2	1.8	ND	25	2.6	2.0	ND	6.5	6.8	4.7	2.8	ND	3.5	ND	ND	2.5	1.6	ND	ND	NS	1.4		
Methyl Ethyl Ketone		ND	ND	ND	0.78	ND	ND	ND	1.1	ND	ND	ND	0.61	ND	ND	ND	ND	ND	ND	ND	ND	ND	NS	ND		
Methyl Isobutyl Ketone		ND	ND	ND	1.1	ND	ND	ND	ND	ND	ND	ND	1.6	ND	ND	ND	ND	ND	ND	ND	ND	ND	NS	ND		
Methyl-tert-butyl ether (MTBE)		49	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NS	ND								
Methylene Chloride		ND	18.0	ND	ND	ND	ND	5.7	111D	ND	ND	ND	ND	0.78	ND	ND	130D	0.74	5.5	ND	9.5	U90	ND	ND	0.78	
n-Heptane		1900E	ND	ND	ND	76.0	ND	ND	ND	399	ND	ND	ND	ND	ND	ND	21	ND	ND	ND	2.2	ND	ND	ND		
n-Xylene		8402E	ND	ND	ND	260	ND	ND	ND	1800	ND	ND	ND	ND	ND	ND	6.8	ND	ND	ND	2.3	ND	ND	ND		
o-Xylene		ND	ND	ND	1.5	ND	ND	ND	1.9	ND	ND	2.6	ND	2.9	ND	ND	ND	ND	ND	ND	ND	ND	NS	ND		
Tertiary butyl alcohol (TBA)		ND	ND	ND	ND	ND	ND	ND	ND	1.9	ND	ND	ND	ND	ND	ND	ND									
Tetrachloroethene (PCE)		1700	2100D	190D	28.0	1,600	1300D	150D	73.0	190	3000	73.0	17.0	200	11.0	9.5	3.7	6.0	9.2	3.9	1.5	ND	<0.18	NS	ND	
Tetrahydrofuran		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	2.6	0.72	ND	ND	NS	ND								
Toluene		ND	5.3	6.0	3.1	ND	3.3	6.5	4.1	ND	7.4	30.0	6.4	7.7	6.1	ND	15.0	2.3	15.0	9.7	32.0	4.6	3.1	1.5	NS	2.9
Trichloroethene (TCE)		110	72.0	100	3.3	ND	4.9	20J	ND	ND	19J	0.73J	ND	ND	0.01J	ND	ND	7.7	ND	ND	0.81J	3.6	ND	<0.16	NS	ND

Notes: All concentrations are in ug/m3 or ppb (parts per billion).

B = Analyte detected in the associated Method Blank.

DCC = Consumer water quality standards & guidelines (NYNCCR Part 703)


E = Estimated concentration. Exceeded Calibration Limit

D = Diluted. Report from Dilution Run.

J = Detected below practical quantitation level but above ND.

** OS-1 Not Sampled on 03/26/2008 due to calibration issue.

Asphalt Parking



Asphalt Parking

OS-1

LEGEND

WSS-1

○ = Sub Slab Vapor sample location

WRS-1

* = Indoor air sample location

OS-1

□ = Outdoor air sample location



**NORTHEASTERN
ENVIRONMENTAL
TECHNOLOGIES CORP.**

1476 Route 50, P.O. Box 2167, Ballston Spa, NY 12020
Phone: (518) 884-8545 Fax: (518) 884-9710 e-mail: jeffnetc@nycap.rr.com

NOTES:

Site features are based on a site plan prepared by Hersberg and Hershberg Map No. 000277 Dated 09/27/00.

Monitoring well locations are based on field measurements.

Concrete, fence and edge of asphalt are approximated.

Interior portions of the building as well as the sub slab and indoor air sampling locations are approximated and for illustration purposes only.

TO-15 / SUMMA CANISTER SAMPLE LOCATION MAP

PROJECT: 160 Fairview Avenue

Town of Greenport, Hudson, New York

Project # 08.1022044 Scale: 1" = 40.0 ft.

Date: 12/18/08

Enalytic,LLC

Analytical Report

Date: 09-Jan-09

CLIENT: NORTHEAST ENVIRONMENTAL
Lab Order: E0901001
Project: 8.1022044
Lab ID: E0901001-001A

Client Sample ID: WSS-1
Collection Date: 12/18/2008
Tag #: 1045/CAN331
Matrix: AIR

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
EPA TO-15 AIR METHOD						
1,1,1-Trichloroethane	ND	1.1		ug/m3	1	1/8/2009
1,1,2,2-Tetrachloroethane	ND	1.4		ug/m3	1	1/8/2009
1,1,2-Trichloroethane	ND	1.1		ug/m3	1	1/8/2009
1,1-Dichloroethane	ND	0.82		ug/m3	1	1/8/2009
1,1-Dichloroethene	ND	0.81		ug/m3	1	1/8/2009
1,2,4-Trichlorobenzene	2.4	1.5	B	ug/m3	1	1/8/2009
1,2,4-Trimethylbenzene	5.1	1.0		ug/m3	1	1/8/2009
1,2-Dibromoethane	ND	1.6		ug/m3	1	1/8/2009
1,2-Dichlorobenzene	ND	1.2		ug/m3	1	1/8/2009
1,2-Dichloroethane	ND	0.82		ug/m3	1	1/8/2009
1,2-Dichloropropane	ND	0.94		ug/m3	1	1/8/2009
1,3,5-Trimethylbenzene	1.4	1.0		ug/m3	1	1/8/2009
1,3-Butadiene	ND	0.45		ug/m3	1	1/8/2009
1,3-Dichlorobenzene	ND	1.2		ug/m3	1	1/8/2009
1,4-Dichlorobenzene	ND	1.2		ug/m3	1	1/8/2009
1,4-Dioxane	ND	0.73		ug/m3	1	1/8/2009
2-Chlorotoluene	ND	1.1		ug/m3	1	1/8/2009
2-Hexanone	ND	0.83		ug/m3	1	1/8/2009
4-Ethyltoluene	ND	1.0		ug/m3	1	1/8/2009
Acetone	4.9	0.48		ug/m3	1	1/8/2009
Benzene	ND	0.65		ug/m3	1	1/8/2009
Bromodichloromethane	ND	1.4		ug/m3	1	1/8/2009
Bromoform	ND	2.1		ug/m3	1	1/8/2009
Bromomethane	ND	0.79		ug/m3	1	1/8/2009
Carbon disulfide	ND	0.63		ug/m3	1	1/8/2009
Carbon tetrachloride	ND	0.26		ug/m3	1	1/8/2009
Chlorobenzene	ND	0.94		ug/m3	1	1/8/2009
Chloroethane	ND	0.54		ug/m3	1	1/8/2009
Chloroform	ND	0.99		ug/m3	1	1/8/2009
Chloromethane	ND	0.42		ug/m3	1	1/8/2009
cis-1,2-Dichloroethene	ND	0.81		ug/m3	1	1/8/2009
cis-1,3-Dichloropropene	ND	0.92		ug/m3	1	1/8/2009
Cyclohexane	ND	0.70		ug/m3	1	1/8/2009
Dibromochloromethane	ND	1.7		ug/m3	1	1/8/2009
Ethanol	11	0.38		ug/m3	1	1/8/2009
Ethyl acetate	ND	0.73		ug/m3	1	1/8/2009
Ethylbenzene	ND	0.88		ug/m3	1	1/8/2009
Freon 11	2.4	1.1		ug/m3	1	1/8/2009

Approved By:

Date:

Page 1 of 12

Qualifiers: * Low Level
B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit

** Value exceeds Maximum Contaminant Value
E Value above quantitation range
J Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits

Enalytic,LLC

Analytical Report

Date: 09-Jan-09

CLIENT: NORTHEAST ENVIRONMENTAL
Lab Order: E0901001
Project: 8.1022044
Lab ID: E0901001-001A

Client Sample ID: WSS-1
Collection Date: 12/18/2008
Tag #: 1045/CAN331
Matrix: AIR

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
EPA TO-15 AIR METHOD						
Freon 114	ND	1.4		ug/m3	1	1/8/2009
Freon 12	1.7	1.0		ug/m3	1	1/8/2009
Freon-113	ND	1.6		ug/m3	1	1/8/2009
Heptane	ND	0.83		ug/m3	1	1/8/2009
Hexachlorobutadiene	2.7	2.2	B	ug/m3	1	1/8/2009
Hexane	ND	0.72		ug/m3	1	1/8/2009
Isopropyl Alcohol	2.2	0.50		ug/m3	1	1/8/2009
m,p-Xylene	1.8	0.88		ug/m3	1	1/8/2009
Methyl Ethyl Ketone	0.78	0.60		ug/m3	1	1/8/2009
Methyl Isobutyl Ketone	1.1	0.83		ug/m3	1	1/8/2009
Methyl tert-butyl ether	ND	0.73		ug/m3	1	1/8/2009
Methylene chloride	ND	0.71		ug/m3	1	1/8/2009
o-Xylene	1.5	0.88		ug/m3	1	1/8/2009
Propylene	ND	0.35		ug/m3	1	1/8/2009
Styrene	ND	0.87		ug/m3	1	1/8/2009
Tetrachloroethene	28	1.4		ug/m3	1	1/8/2009
Tetrahydrofuran	ND	0.60		ug/m3	1	1/8/2009
Toluene	3.1	0.77		ug/m3	1	1/8/2009
trans-1,2-Dichloroethene	ND	0.81		ug/m3	1	1/8/2009
trans-1,3-Dichloropropene	ND	0.92		ug/m3	1	1/8/2009
Trichloroethene	3.3	0.22		ug/m3	1	1/8/2009
Vinyl acetate	ND	0.72		ug/m3	1	1/8/2009
Vinyl chloride	ND	0.52		ug/m3	1	1/8/2009
TIC: Cyclotetrasiloxane, octamethyl-	0	0		ug/m3	1	1/8/2009
TIC: unknown	0	0		ug/m3	1	1/8/2009

Approved By:

Qualifiers: * Low Level
 B Analyte detected in the associated Method Blank
 H Holding times for preparation or analysis exceeded
 ND Not Detected at the Reporting Limit

Date:

Page 2 of 12

** Value exceeds Maximum Contaminant Value
 E Value above quantitation range
 J Analyte detected below quantitation limits
 S Spike Recovery outside accepted recovery limits

Enalytic,LLC

Analytical Report

Date: 09-Jan-09

CLIENT: NORTHEAST ENVIRONMENTAL
Lab Order: E0901001
Project: 8.1022044
Lab ID: E0901001-003A

Client Sample ID: WSS-2
Collection Date: 12/18/2008
Tag #: 1045/CAN3214
Matrix: AIR

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
EPA TO-15 AIR METHOD						
				SW8260B		Analyst: KLP
1,1,1-Trichloroethane	ND	1.1		ug/m3	1	1/8/2009
1,1,2,2-Tetrachloroethane	ND	1.4		ug/m3	1	1/8/2009
1,1,2-Trichloroethane	ND	1.1		ug/m3	1	1/8/2009
1,1-Dichloroethane	ND	0.82		ug/m3	1	1/8/2009
1,1-Dichloroethene	ND	0.81		ug/m3	1	1/8/2009
1,2,4-Trichlorobenzene	2.7	1.5		ug/m3	1	1/8/2009
1,2,4-Trimethylbenzene	6.6	1.0		ug/m3	1	1/8/2009
1,2-Dibromoethane	ND	1.6		ug/m3	1	1/8/2009
1,2-Dichlorobenzene	ND	1.2		ug/m3	1	1/8/2009
1,2-Dichloroethane	ND	0.82		ug/m3	1	1/8/2009
1,2-Dichloropropane	ND	0.94		ug/m3	1	1/8/2009
1,3,5-Trimethylbenzene	1.7	1.0		ug/m3	1	1/8/2009
1,3-Butadiene	ND	0.45		ug/m3	1	1/8/2009
1,3-Dichlorobenzene	ND	1.2		ug/m3	1	1/8/2009
1,4-Dichlorobenzene	ND	1.2		ug/m3	1	1/8/2009
1,4-Dioxane	ND	0.73		ug/m3	1	1/8/2009
2-Chlorotoluene	ND	1.1		ug/m3	1	1/8/2009
2-Hexanone	ND	0.83		ug/m3	1	1/8/2009
4-Ethyltoluene	ND	1.0		ug/m3	1	1/8/2009
Acetone	8.4	0.48		ug/m3	1	1/8/2009
Benzene	ND	0.65		ug/m3	1	1/8/2009
Bromodichloromethane	ND	1.4		ug/m3	1	1/8/2009
Bromoform	ND	2.1		ug/m3	1	1/8/2009
Bromomethane	ND	0.79		ug/m3	1	1/8/2009
Carbon disulfide	ND	0.63		ug/m3	1	1/8/2009
Carbon tetrachloride	ND	0.26		ug/m3	1	1/8/2009
Chlorobenzene	ND	0.94		ug/m3	1	1/8/2009
Chloroethane	ND	0.54		ug/m3	1	1/8/2009
Chloroform	ND	0.99		ug/m3	1	1/8/2009
Chloromethane	ND	0.42		ug/m3	1	1/8/2009
cis-1,2-Dichloroethene	ND	0.81		ug/m3	1	1/8/2009
cis-1,3-Dichloropropene	ND	0.92		ug/m3	1	1/8/2009
Cyclohexane	ND	0.70		ug/m3	1	1/8/2009
Dibromochloromethane	ND	1.7		ug/m3	1	1/8/2009
Ethanol	6.5	0.38		ug/m3	1	1/8/2009
Ethyl acetate	ND	0.73		ug/m3	1	1/8/2009
Ethylbenzene	ND	0.88		ug/m3	1	1/8/2009
Freon 11	1.9	1.1		ug/m3	1	1/8/2009

Approved By:

Date: _____ Page 5 of 12

Qualifiers: * Low Level
 B Analyte detected in the associated Method Blank
 H Holding times for preparation or analysis exceeded
 ND Not Detected at the Reporting Limit

** Value exceeds Maximum Contaminant Value
 E Value above quantitation range
 J Analyte detected below quantitation limits
 S Spike Recovery outside accepted recovery limits

Enalytic,LLC

Analytical Report

Date: 09-Jan-09

CLIENT: NORTHEAST ENVIRONMENTAL
Lab Order: E0901001
Project: 8.1022044
Lab ID: E0901001-003A

Client Sample ID: WSS-2
Collection Date: 12/18/2008
Tag #: 1045/CAN3214
Matrix: AIR

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
EPA TO-15 AIR METHOD						
Freon 114	ND	1.4		ug/m3	1	1/8/2009
Freon 12	2.5	1.0		ug/m3	1	1/8/2009
Freon-113	ND	1.6		ug/m3	1	1/8/2009
Heptane	ND	0.83		ug/m3	1	1/8/2009
Hexachlorobutadiene	4.0	2.2		ug/m3	1	1/8/2009
Hexane	ND	0.72		ug/m3	1	1/8/2009
Isopropyl Alcohol	4.4	0.50		ug/m3	1	1/8/2009
m,p-Xylene	2.0	0.88		ug/m3	1	1/8/2009
Methy Ethyl Ketone	1.1	0.60		ug/m3	1	1/8/2009
Methyl Isobutyl Ketone	ND	0.83		ug/m3	1	1/8/2009
Methyl tert-butyl ether	ND	0.73		ug/m3	1	1/8/2009
Methylene chloride	ND	0.71		ug/m3	1	1/8/2009
o-Xylene	1.9	0.88		ug/m3	1	1/8/2009
Propylene	ND	0.35		ug/m3	1	1/8/2009
Styrene	ND	0.87		ug/m3	1	1/8/2009
Tetrachloroethene	73	1.4		ug/m3	1	1/8/2009
Tetrahydrofuran	ND	0.60		ug/m3	1	1/8/2009
Toluene	4.1	0.77		ug/m3	1	1/8/2009
trans-1,2-Dichloroethene	ND	0.81		ug/m3	1	1/8/2009
trans-1,3-Dichloropropene	ND	0.92		ug/m3	1	1/8/2009
Trichloroethene	ND	0.22		ug/m3	1	1/8/2009
Vinyl acetate	ND	0.72		ug/m3	1	1/8/2009
Vinyl chloride	ND	0.52		ug/m3	1	1/8/2009

NOTES:

TICS: No compounds were detected.

Approved By:

Qualifiers: * Low Level
 B Analyte detected in the associated Method Blank
 H Holding times for preparation or analysis exceeded
 ND Not Detected at the Reporting Limit

Date:

Page 6 of 12

** Value exceeds Maximum Contaminant Value
 E Value above quantitation range
 J Analyte detected below quantitation limits
 S Spike Recovery outside accepted recovery limits

Enalytic,LLC

Analytical Report

Date: 09-Jan-09

CLIENT: NORTHEAST ENVIRONMENTAL
Lab Order: E0901001
Project: 8.1022044
Lab ID: E0901001-004A

Client Sample ID: HSS-1
Collection Date: 12/18/2008
Tag #: 1045/CAN308
Matrix: AIR

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
EPA TO-15 AIR METHOD						
				SW8260B		Analyst: KLP
1,1,1-Trichloroethane	ND	1.1		ug/m3	1	1/8/2009
1,1,2,2-Tetrachloroethane	ND	1.4		ug/m3	1	1/8/2009
1,1,2-Trichloroethane	ND	1.1		ug/m3	1	1/8/2009
1,1-Dichloroethane	ND	0.82		ug/m3	1	1/8/2009
1,1-Dichloroethene	ND	0.81		ug/m3	1	1/8/2009
1,2,4-Trichlorobenzene	2.4	1.5	B	ug/m3	1	1/8/2009
1,2,4-Trimethylbenzene	7.8	1.0		ug/m3	1	1/8/2009
1,2-Dibromoethane	ND	1.6		ug/m3	1	1/8/2009
1,2-Dichlorobenzene	ND	1.2		ug/m3	1	1/8/2009
1,2-Dichloroethane	1.2	0.82		ug/m3	1	1/8/2009
1,2-Dichloropropane	ND	0.94		ug/m3	1	1/8/2009
1,3,5-Trimethylbenzene	2.3	1.0		ug/m3	1	1/8/2009
1,3-Butadiene	ND	0.45		ug/m3	1	1/8/2009
1,3-Dichlorobenzene	ND	1.2		ug/m3	1	1/8/2009
1,4-Dichlorobenzene	ND	1.2		ug/m3	1	1/8/2009
1,4-Dioxane	ND	0.73		ug/m3	1	1/8/2009
2-Chlorotoluene	ND	1.1		ug/m3	1	1/8/2009
2-Hexanone	ND	0.83		ug/m3	1	1/8/2009
4-Ethyltoluene	2.0	1.0		ug/m3	1	1/8/2009
Acetone	5.2	0.48		ug/m3	1	1/8/2009
Benzene	0.71	0.65		ug/m3	1	1/8/2009
Bromodichloromethane	ND	1.4		ug/m3	1	1/8/2009
Bromoform	ND	2.1		ug/m3	1	1/8/2009
Bromomethane	ND	0.79		ug/m3	1	1/8/2009
Carbon disulfide	ND	0.63		ug/m3	1	1/8/2009
Carbon tetrachloride	ND	0.26		ug/m3	1	1/8/2009
Chlorobenzene	ND	0.94		ug/m3	1	1/8/2009
Chloroethane	ND	0.54		ug/m3	1	1/8/2009
Chloroform	ND	0.99		ug/m3	1	1/8/2009
Chloromethane	ND	0.42		ug/m3	1	1/8/2009
cis-1,2-Dichloroethene	ND	0.81		ug/m3	1	1/8/2009
cis-1,3-Dichloropropene	ND	0.92		ug/m3	1	1/8/2009
Cyclohexane	ND	0.70		ug/m3	1	1/8/2009
Dibromochloromethane	ND	1.7		ug/m3	1	1/8/2009
Ethanol	5.4	0.38		ug/m3	1	1/8/2009
Ethyl acetate	ND	0.73		ug/m3	1	1/8/2009
Ethylbenzene	1.6	0.88		ug/m3	1	1/8/2009
Freon 11	3.5	1.1		ug/m3	1	1/8/2009

Approved By:

Qualifiers: * Low Level
 B Analyte detected in the associated Method Blank
 H Holding times for preparation or analysis exceeded
 ND Not Detected at the Reporting Limit

Date: Page 7 of 12

** Value exceeds Maximum Contaminant Value
 E Value above quantitation range
 J Analyte detected below quantitation limits
 S Spike Recovery outside accepted recovery limits

Enalytic,LLC

Analytical Report

Date: 09-Jan-09

CLIENT: NORTHEAST ENVIRONMENTAL
Lab Order: E0901001
Project: 8.1022044
Lab ID: E0901001-004A

Client Sample ID: HSS-1
Collection Date: 12/18/2008
Tag #: 1045/CAN308
Matrix: AIR

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
EPA TO-15 AIR METHOD						
Freon 114	ND	1.4		ug/m3	1	1/8/2009
Freon 12	2.2	1.0		ug/m3	1	1/8/2009
Freon-113	ND	1.6		ug/m3	1	1/8/2009
Heptane	ND	0.83		ug/m3	1	1/8/2009
Hexachlorobutadiene	3.3	2.2	B	ug/m3	1	1/8/2009
Hexane	ND	0.72		ug/m3	1	1/8/2009
Isopropyl Alcohol	3.7	0.50		ug/m3	1	1/8/2009
m,p-Xylene	4.7	0.88		ug/m3	1	1/8/2009
Methy Ethyl Ketone	0.81	0.60		ug/m3	1	1/8/2009
Methyl Isobutyl Ketone	1.8	0.83		ug/m3	1	1/8/2009
Methyl tert-butyl ether	ND	0.73		ug/m3	1	1/8/2009
Methylene chloride	0.78	0.71		ug/m3	1	1/8/2009
o-Xylene	2.9	0.88		ug/m3	1	1/8/2009
Propylene	ND	0.35		ug/m3	1	1/8/2009
Styrene	ND	0.87		ug/m3	1	1/8/2009
Tetrachloroethene	17	1.4		ug/m3	1	1/8/2009
Tetrahydrofuran	ND	0.60		ug/m3	1	1/8/2009
Toluene	6.4	0.77		ug/m3	1	1/8/2009
trans-1,2-Dichloroethene	ND	0.81		ug/m3	1	1/8/2009
trans-1,3-Dichloropropene	ND	0.92		ug/m3	1	1/8/2009
Trichloroethene	ND	0.22		ug/m3	1	1/8/2009
Vinyl acetate	ND	0.72		ug/m3	1	1/8/2009
Vinyl chloride	ND	0.52		ug/m3	1	1/8/2009
TIC: 1R-.alpha.-Pinene	0	0		ug/m3	1	1/8/2009
TIC: Cyclotrisiloxane, hexamethyl-	0	0		ug/m3	1	1/8/2009
TIC: unknown	0	0		ug/m3	1	1/8/2009

Approved By:

Qualifiers: * Low Level
 B Analyte detected in the associated Method Blank
 H Holding times for preparation or analysis exceeded
 ND Not Detected at the Reporting Limit

Date:

Page 8 of 12

** Value exceeds Maximum Contaminant Value
 E Value above quantitation range
 J Analyte detected below quantitation limits
 S Spike Recovery outside accepted recovery limits

Enalytic,LLC

Analytical Report

Date: 09-Jan-09

CLIENT: NORTHEAST ENVIRONMENTAL
Lab Order: E0901001
Project: 8.1022044
Lab ID: E0901001-002A

Client Sample ID: WRS-1
Collection Date: 12/18/2008
Tag #: 1045/CAN337
Matrix: AIR

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
EPA TO-15 AIR METHOD						
				SW8260B		Analyst: KLP
1,1,1-Trichloroethane	ND	1.1		ug/m3	1	1/8/2009
1,1,2,2-Tetrachloroethane	ND	1.4		ug/m3	1	1/8/2009
1,1,2-Trichloroethane	ND	1.1		ug/m3	1	1/8/2009
1,1-Dichloroethane	ND	0.82		ug/m3	1	1/8/2009
1,1-Dichloroethene	ND	0.81		ug/m3	1	1/8/2009
1,2,4-Trichlorobenzene	1.7	1.5	B	ug/m3	1	1/8/2009
1,2,4-Trimethylbenzene	ND	1.0		ug/m3	1	1/8/2009
1,2-Dibromoethane	ND	1.6		ug/m3	1	1/8/2009
1,2-Dichlorobenzene	ND	1.2		ug/m3	1	1/8/2009
1,2-Dichloroethane	0.86	0.82		ug/m3	1	1/8/2009
1,2-Dichloropropane	ND	0.94		ug/m3	1	1/8/2009
1,3,5-Trimethylbenzene	ND	1.0		ug/m3	1	1/8/2009
1,3-Butadiene	ND	0.45		ug/m3	1	1/8/2009
1,3-Dichlorobenzene	ND	1.2		ug/m3	1	1/8/2009
1,4-Dichlorobenzene	ND	1.2		ug/m3	1	1/8/2009
1,4-Dioxane	ND	0.73		ug/m3	1	1/8/2009
2-Chlorotoluene	ND	1.1		ug/m3	1	1/8/2009
2-Hexanone	ND	0.83		ug/m3	1	1/8/2009
4-Ethyltoluene	ND	1.0		ug/m3	1	1/8/2009
Acetone	24	0.48		ug/m3	1	1/8/2009
Benzene	0.78	0.65		ug/m3	1	1/8/2009
Bromodichloromethane	ND	1.4		ug/m3	1	1/8/2009
Bromoform	ND	2.1		ug/m3	1	1/8/2009
Bromomethane	ND	0.79		ug/m3	1	1/8/2009
Carbon disulfide	ND	0.63		ug/m3	1	1/8/2009
Carbon tetrachloride	ND	0.26		ug/m3	1	1/8/2009
Chlorobenzene	ND	0.94		ug/m3	1	1/8/2009
Chloroethane	ND	0.54		ug/m3	1	1/8/2009
Chloroform	ND	0.99		ug/m3	1	1/8/2009
Chloromethane	0.59	0.42		ug/m3	1	1/8/2009
cis-1,2-Dichloroethene	ND	0.81		ug/m3	1	1/8/2009
cis-1,3-Dichloropropene	ND	0.92		ug/m3	1	1/8/2009
Cyclohexane	0.70	0.70		ug/m3	1	1/8/2009
Dibromochloromethane	ND	1.7		ug/m3	1	1/8/2009
Ethanol	61	0.38		ug/m3	1	1/8/2009
Ethyl acetate	ND	0.73		ug/m3	1	1/8/2009
Ethylbenzene	ND	0.88		ug/m3	1	1/8/2009
Freon 11	ND	1.1		ug/m3	1	1/8/2009

Approved By:

Date: Page 3 of 12

Qualifiers: * Low Level
 B Analyte detected in the associated Method Blank
 H Holding times for preparation or analysis exceeded
 ND Not Detected at the Reporting Limit

** Value exceeds Maximum Contaminant Value
 E Value above quantitation range
 J Analyte detected below quantitation limits
 S Spike Recovery outside accepted recovery limits

Enalytic,LLC

Analytical Report

Date: 09-Jan-09

CLIENT: NORTHEAST ENVIRONMENTAL
Lab Order: E0901001
Project: 8.1022044
Lab ID: E0901001-002A

Client Sample ID: WRS-1
Collection Date: 12/18/2008
Tag #: 1045/CAN337
Matrix: AIR

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
EPA TO-15 AIR METHOD						
Freon 114	ND	1.4		ug/m3	1	1/8/2009
Freon 12	1.4	1.0		ug/m3	1	1/8/2009
Freon-113	ND	1.6		ug/m3	1	1/8/2009
Heptane	ND	0.83		ug/m3	1	1/8/2009
Hexachlorobutadiene	2.3	2.2	B	ug/m3	1	1/8/2009
Hexane	0.75	0.72		ug/m3	1	1/8/2009
Isopropyl Alcohol	6.6	0.50		ug/m3	1	1/8/2009
m,p-Xylene	ND	0.88		ug/m3	1	1/8/2009
Methyl Ethyl Ketone	ND	0.60		ug/m3	1	1/8/2009
Methyl Isobutyl Ketone	ND	0.83		ug/m3	1	1/8/2009
Methyl tert-butyl ether	ND	0.73		ug/m3	1	1/8/2009
Methylene chloride	0.74	0.71		ug/m3	1	1/8/2009
o-Xylene	ND	0.88		ug/m3	1	1/8/2009
Propylene	ND	0.35		ug/m3	1	1/8/2009
Styrene	ND	0.87		ug/m3	1	1/8/2009
Tetrachloroethene	3.7	1.4		ug/m3	1	1/8/2009
Tetrahydrofuran	ND	0.60		ug/m3	1	1/8/2009
Toluene	2.3	0.77		ug/m3	1	1/8/2009
trans-1,2-Dichloroethene	ND	0.81		ug/m3	1	1/8/2009
trans-1,3-Dichloropropene	ND	0.92		ug/m3	1	1/8/2009
Trichloroethene	ND	0.22		ug/m3	1	1/8/2009
Vinyl acetate	ND	0.72		ug/m3	1	1/8/2009
Vinyl chloride	ND	0.52		ug/m3	1	1/8/2009
TIC: Butane	0	0		ug/m3	1	1/8/2009
TIC: Cyclotetrasiloxane, octamethyl-	0	0		ug/m3	1	1/8/2009
TIC: Cyclotrisiloxane, hexamethyl-	0	0		ug/m3	1	1/8/2009
TIC: Difluorochloromethane	0	0		ug/m3	1	1/8/2009
TIC: unknown (28.839)	0	0		ug/m3	1	1/8/2009
TIC: unknown (5.853)	0	0		ug/m3	1	1/8/2009
TIC: unknown (6.276)	0	0		ug/m3	1	1/8/2009

Approved By: _____

Date: _____

Page 4 of 12

Qualifiers: * Low Level
 B Analyte detected in the associated Method Blank
 H Holding times for preparation or analysis exceeded
 ND Not Detected at the Reporting Limit

** Value exceeds Maximum Contaminant Value
 E Value above quantitation range
 J Analyte detected below quantitation limits
 S Spike Recovery outside accepted recovery limits

Enalytic,LLC

Analytical Report

Date: 09-Jan-09

CLIENT: NORTHEAST ENVIRONMENTAL
Lab Order: E0901001
Project: 8.1022044
Lab ID: E0901001-005A

Client Sample ID: HRS-1
Collection Date: 12/18/2008
Tag #: 1045/CAN303
Matrix: AIR

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
EPA TO-15 AIR METHOD						
1,1,1-Trichloroethane	ND	1.1		ug/m3	1	1/8/2009
1,1,2,2-Tetrachloroethane	ND	1.4		ug/m3	1	1/8/2009
1,1,2-Trichloroethane	ND	1.1		ug/m3	1	1/8/2009
1,1-Dichloroethane	ND	0.82		ug/m3	1	1/8/2009
1,1-Dichloroethene	ND	0.81		ug/m3	1	1/8/2009
1,2,4-Trichlorobenzene	1.7	1.5	B	ug/m3	1	1/8/2009
1,2,4-Trimethylbenzene	ND	1.0		ug/m3	1	1/8/2009
1,2-Dibromoethane	ND	1.6		ug/m3	1	1/8/2009
1,2-Dichlorobenzene	ND	1.2		ug/m3	1	1/8/2009
1,2-Dichloroethane	3.0	0.82		ug/m3	1	1/8/2009
1,2-Dichloropropane	ND	0.94		ug/m3	1	1/8/2009
1,3,5-Trimethylbenzene	ND	1.0		ug/m3	1	1/8/2009
1,3-Butadiene	ND	0.45		ug/m3	1	1/8/2009
1,3-Dichlorobenzene	ND	1.2		ug/m3	1	1/8/2009
1,4-Dichlorobenzene	ND	1.2		ug/m3	1	1/8/2009
1,4-Dioxane	ND	0.73		ug/m3	1	1/8/2009
2-Chlorotoluene	ND	1.1		ug/m3	1	1/8/2009
2-Hexanone	ND	0.83		ug/m3	1	1/8/2009
4-Ethyltoluene	ND	1.0		ug/m3	1	1/8/2009
Acetone	34	0.48		ug/m3	1	1/8/2009
Benzene	1.2	0.65		ug/m3	1	1/8/2009
Bromodichloromethane	ND	1.4		ug/m3	1	1/8/2009
Bromoform	ND	2.1		ug/m3	1	1/8/2009
Bromomethane	ND	0.79		ug/m3	1	1/8/2009
Carbon disulfide	ND	0.63		ug/m3	1	1/8/2009
Carbon tetrachloride	ND	0.26		ug/m3	1	1/8/2009
Chlorobenzene	ND	0.94		ug/m3	1	1/8/2009
Chloroethane	ND	0.54		ug/m3	1	1/8/2009
Chloroform	ND	0.99		ug/m3	1	1/8/2009
Chloromethane	0.92	0.42		ug/m3	1	1/8/2009
cis-1,2-Dichloroethene	ND	0.81		ug/m3	1	1/8/2009
cis-1,3-Dichloropropene	ND	0.92		ug/m3	1	1/8/2009
Cyclohexane	ND	0.70		ug/m3	1	1/8/2009
Dibromochloromethane	ND	1.7		ug/m3	1	1/8/2009
Ethanol	44	0.38		ug/m3	1	1/8/2009
Ethyl acetate	0.99	0.73		ug/m3	1	1/8/2009
Ethylbenzene	ND	0.88		ug/m3	1	1/8/2009
Freon 11		1.2	1.1	ug/m3	1	1/8/2009

Approved By:

Qualifiers: * Low Level
 B Analyte detected in the associated Method Blank
 H Holding times for preparation or analysis exceeded
 ND Not Detected at the Reporting Limit

Date: _____ Page 9 of 12

** Value exceeds Maximum Contaminant Value
 E Value above quantitation range
 J Analyte detected below quantitation limits
 S Spike Recovery outside accepted recovery limits

Enalytic,LLC

Analytical Report

Date: 09-Jan-09

CLIENT: NORTHEAST ENVIRONMENTAL
Lab Order: E0901001
Project: 8.1022044
Lab ID: E0901001-005A

Client Sample ID: HRS-1
Collection Date: 12/18/2008
Tag #: 1045/CAN303
Matrix: AIR

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
EPA TO-15 AIR METHOD						
Freon 114	ND	1.4		ug/m3	1	1/8/2009
Freon 12	1.8	1.0		ug/m3	1	1/8/2009
Freon-113	ND	1.6		ug/m3	1	1/8/2009
Heptane	ND	0.83		ug/m3	1	1/8/2009
Hexachlorobutadiene	2.5	2.2	B	ug/m3	1	1/8/2009
Hexane	0.90	0.72		ug/m3	1	1/8/2009
Isopropyl Alcohol	3.7	0.50		ug/m3	1	1/8/2009
m,p-Xylene	1.6	0.88		ug/m3	1	1/8/2009
Methyl Ethyl Ketone	0.84	0.60		ug/m3	1	1/8/2009
Methyl Isobutyl Ketone	ND	0.83		ug/m3	1	1/8/2009
Methyl tert-butyl ether	ND	0.73		ug/m3	1	1/8/2009
Methylene chloride	0.99	0.71		ug/m3	1	1/8/2009
o-Xylene	ND	0.88		ug/m3	1	1/8/2009
Propylene	ND	0.35		ug/m3	1	1/8/2009
Styrene	ND	0.87		ug/m3	1	1/8/2009
Tetrachloroethene	1.5	1.4		ug/m3	1	1/8/2009
Tetrahydrofuran	0.72	0.60		ug/m3	1	1/8/2009
Toluene	4.8	0.77		ug/m3	1	1/8/2009
trans-1,2-Dichloroethene	ND	0.81		ug/m3	1	1/8/2009
trans-1,3-Dichloropropene	ND	0.92		ug/m3	1	1/8/2009
Trichloroethene	ND	0.22		ug/m3	1	1/8/2009
Vinyl acetate	ND	0.72		ug/m3	1	1/8/2009
Vinyl chloride	ND	0.52		ug/m3	1	1/8/2009
TIC: Cyclotetrasiloxane, octamethyl-	0	0		ug/m3	1	1/8/2009
TIC: Cyclotrisiloxane, hexamethyl-	0	0		ug/m3	1	1/8/2009
TIC: Difluorochloromethane	0	0		ug/m3	1	1/8/2009
TIC: unknown (28.833)	0	0		ug/m3	1	1/8/2009
TIC: unknown (5.853)	0	0		ug/m3	1	1/8/2009
TIC: unknown hydrocarbon	0	0		ug/m3	1	1/8/2009

Approved By:

Date:

Page 10 of 12

Qualifiers: * Low Level
 B Analyte detected in the associated Method Blank
 H Holding times for preparation or analysis exceeded
 ND Not Detected at the Reporting Limit

** Value exceeds Maximum Contaminant Value
 E Value above quantitation range
 J Analyte detected below quantitation limits
 S Spike Recovery outside accepted recovery limits

Enalytic,LLC

Analytical Report

Date: 09-Jan-09

CLIENT: NORTHEAST ENVIRONMENTAL
Lab Order: E0901001
Project: 8.1022044
Lab ID: E0901001-006A

Client Sample ID: OS-1
Collection Date: 12/18/2008
Tag #: 1045/CAN286
Matrix: AIR

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
EPA TO-15 AIR METHOD						
				SW8260B		Analyst: KLP
1,1,1-Trichloroethane	ND	1.1		ug/m3	1	1/8/2009
1,1,2,2-Tetrachloroethane	ND	1.4		ug/m3	1	1/8/2009
1,1,2-Trichloroethane	ND	1.1		ug/m3	1	1/8/2009
1,1-Dichloroethane	ND	0.82		ug/m3	1	1/8/2009
1,1-Dichloroethene	ND	0.81		ug/m3	1	1/8/2009
1,2,4-Trichlorobenzene	ND	1.5		ug/m3	1	1/8/2009
1,2,4-Trimethylbenzene	ND	1.0		ug/m3	1	1/8/2009
1,2-Dibromoethane	ND	1.6		ug/m3	1	1/8/2009
1,2-Dichlorobenzene	ND	1.2		ug/m3	1	1/8/2009
1,2-Dichloroethane	ND	0.82		ug/m3	1	1/8/2009
1,2-Dichloropropane	ND	0.94		ug/m3	1	1/8/2009
1,3,5-Trimethylbenzene	ND	1.0		ug/m3	1	1/8/2009
1,3-Butadiene	ND	0.45		ug/m3	1	1/8/2009
1,3-Dichlorobenzene	ND	1.2		ug/m3	1	1/8/2009
1,4-Dichlorobenzene	ND	1.2		ug/m3	1	1/8/2009
1,4-Dioxane	ND	0.73		ug/m3	1	1/8/2009
2-Chlorotoluene	ND	1.1		ug/m3	1	1/8/2009
2-Hexanone	ND	0.83		ug/m3	1	1/8/2009
4-Ethyltoluene	ND	1.0		ug/m3	1	1/8/2009
Acetone	6.2	0.48		ug/m3	1	1/8/2009
Benzene	1.4	0.65		ug/m3	1	1/8/2009
Bromodichloromethane	ND	1.4		ug/m3	1	1/8/2009
Bromoform	ND	2.1		ug/m3	1	1/8/2009
Bromomethane	ND	0.79		ug/m3	1	1/8/2009
Carbon disulfide	ND	0.63		ug/m3	1	1/8/2009
Carbon tetrachloride	ND	0.26		ug/m3	1	1/8/2009
Chlorobenzene	ND	0.94		ug/m3	1	1/8/2009
Chloroethane	ND	0.54		ug/m3	1	1/8/2009
Chloroform	ND	0.99		ug/m3	1	1/8/2009
Chloromethane	0.71	0.42		ug/m3	1	1/8/2009
cis-1,2-Dichloroethene	ND	0.81		ug/m3	1	1/8/2009
cis-1,3-Dichloropropene	ND	0.92		ug/m3	1	1/8/2009
Cyclohexane	ND	0.70		ug/m3	1	1/8/2009
Dibromochloromethane	ND	1.7		ug/m3	1	1/8/2009
Ethanol	3.0	0.38		ug/m3	1	1/8/2009
Ethyl acetate	ND	0.73		ug/m3	1	1/8/2009
Ethylbenzene	ND	0.88		ug/m3	1	1/8/2009
Freon 11	ND	1.1		ug/m3	1	1/8/2009

Approved By:

Qualifiers: * Low Level
 B Analyte detected in the associated Method Blank
 H Holding times for preparation or analysis exceeded
 ND Not Detected at the Reporting Limit

Date: Page 11 of 12

** Value exceeds Maximum Contaminant Value
 E Value above quantitation range
 J Analyte detected below quantitation limits
 S Spike Recovery outside accepted recovery limits

Enalytic,LLC

Analytical Report

Date: 09-Jan-09

CLIENT: NORTHEAST ENVIRONMENTAL
Lab Order: E0901001
Project: 8.1022044
Lab ID: E0901001-006A

Client Sample ID: OS-1
Collection Date: 12/18/2008
Tag #: 1045/CAN286
Matrix: AIR

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
EPA TO-15 AIR METHOD						
Freon 114	ND	1.4		ug/m3	1	1/8/2009
Freon 12	2.0	1.0		ug/m3	1	1/8/2009
Freon-113	ND	1.6		ug/m3	1	1/8/2009
Heptane	ND	0.83		ug/m3	1	1/8/2009
Hexachlorobutadiene	2.4	2.2	B	ug/m3	1	1/8/2009
Hexane	0.86	0.72		ug/m3	1	1/8/2009
Isopropyl Alcohol	1.9	0.50		ug/m3	1	1/8/2009
m,p-Xylene	1.4	0.88		ug/m3	1	1/8/2009
Methy Ethyl Ketone	ND	0.60		ug/m3	1	1/8/2009
Methyl Isobutyl Ketone	ND	0.83		ug/m3	1	1/8/2009
Methyl tert-butyl ether	ND	0.73		ug/m3	1	1/8/2009
Methylene chloride	0.78	0.71		ug/m3	1	1/8/2009
o-Xylene	ND	0.88		ug/m3	1	1/8/2009
Propylene	ND	0.35		ug/m3	1	1/8/2009
Styrene	ND	0.87		ug/m3	1	1/8/2009
Tetrachloroethene	ND	1.4		ug/m3	1	1/8/2009
Tetrahydrofuran	ND	0.60		ug/m3	1	1/8/2009
Toluene	2.9	0.77		ug/m3	1	1/8/2009
trans-1,2-Dichloroethene	ND	0.81		ug/m3	1	1/8/2009
trans-1,3-Dichloropropene	ND	0.92		ug/m3	1	1/8/2009
Trichloroethene	ND	0.22		ug/m3	1	1/8/2009
Vinyl acetate	ND	0.72		ug/m3	1	1/8/2009
Vinyl chloride	ND	0.52		ug/m3	1	1/8/2009
TIC: Cyclotetrasiloxane, octamethyl-	0	0		ug/m3	1	1/8/2009
TIC: Cyclotrisiloxane, hexamethyl-	0	0		ug/m3	1	1/8/2009
TIC: unknown	0	0		ug/m3	1	1/8/2009

Approved By:

Date:

Page 12 of 12

Qualifiers: * Low Level
 B Analyte detected in the associated Method Blank
 H Holding times for preparation or analysis exceeded
 ND Not Detected at the Reporting Limit

** Value exceeds Maximum Contaminant Value
 E Value above quantitation range
 J Analyte detected below quantitation limits
 S Spike Recovery outside accepted recovery limits