


GRUMMAN AEROSPACE
CORPORATION
BETHPAGE FACILITY



**PHASE I SITE ASSESSMENT
BUILDING 30**

GRUMMAN AEROSPACE CORPORATION
BETHPAGE, NEW YORK



Dvirka and Bartilucci

Consulting Engineers

JANUARY 1996



**Dvirka
and
Bartilucci**

CONSULTING ENGINEERS

330 Crossways Park Drive, Woodbury, New York, 11797-2015
516-364-9890 • 718-460-3634 • Fax: 516-364-9045

January 31, 1996

John Ohlmann, P.E
Consultant for
Grumman Aerospace Corporation
Mail Stop: D08-001
Bethpage, NY 11714-3582

Re: Phase I Site Assessment
Building 30
Bethpage, NY
D&B No. 1167-N

Dear Mr. Ohlmann:

Enclosed please find six copies of the document entitled,

*“Phase I Site Assessment
Building 30
Bethpage, New York”*

If you have any questions and/or comments, please do not hesitate to contact Mr. David Glass or me at (516) 364-9892.

Very truly yours,

Richard M. Walka
Vice President

RMW/CW/ss

cc without encl.: J. Susco (GAC)
D. Glass (D&B)

◆1167/RMW96-19.ltr

GRUMMAN AEROSPACE CORPORATION

PHASE I SITE ASSESSMENT

BUILDING 30

BETHPAGE, NEW YORK

PREPARED BY

DVIRKA AND BARTILUCCI

CONSULTING ENGINEERS

WOODBURY, NEW YORK

JANUARY 1996

**GRUMMAN AEROSPACE CORPORATION
 PHASE I SITE ASSESSMENT
 BUILDING 30
 BETHPAGE, NEW YORK**

TABLE OF CONTENTS

<u>Section</u>	<u>Title</u>	<u>Page</u>
1.0	INTRODUCTION	1-1
2.0	SITE DESCRIPTION	2-1
2.1	Site Setting.....	2-1
2.2	Facility Overview	2-4
3.0	SITE HISTORY	3-1
3.1	Former Uses and Summary of Prior Assessment	3-1
3.2	Present Uses.....	3-5
4.0	REGULATORY COMPLIANCE HISTORY	4-1
4.1	Local Agency File Search	4-1
4.2	State and Federal Environmental Data Base Search Review	4-2
5.0	FINDINGS	5-1
5.1	On-Site Indicators of Contamination	5-1
5.2	Potential Areas of Environmental Concern	5-1
5.3	Potential Off-Site Sources of Contamination	5-1
6.0	RECOMMENDATIONS.....	6-1

List of Appendices

Delisting Petition Approval Letters.....	A
Aerial Photographs	B
Environmental Data Base Search.....	C
Supplemental Information.....	D
Sanborn Mapping and Geographic Information Service	E
References.....	F

TABLE OF CONTENTS (continued)

List of Figures

2-1	Site Location Map	2-2
2-2	Site Plan.....	2-3

Section 1

1.0 INTRODUCTION

This document presents the findings of a Phase I Site Assessment undertaken for the Grumman Aerospace Corporation (GAC) property known as "Building 30," located at 999 Stewart Avenue, Bethpage, New York. Information presented in this report has been compiled based upon a site inspection conducted on December 5, 1995; an evaluation of reasonably obtainable record sources; and interviews with representatives of Grumman Aerospace Corporation and the Robert Plan Company. This Phase I Site Assessment supplements a prior assessment undertaken in support of the June 1994 "New York State Site Registry Delisting Petition Buildings 30 and 35" in an effort to meet the applicable requirements of the American Society for Testing and Materials (ASTM) Standard E1527-94 entitled, "Standard Practice for Environmental Site Assessments: Phase I Environmental Site Assessment Process."

In response to the Buildings 30 and 35 Delisting Petition, the New York State Department of Environmental Conservation has removed the Buildings 30 and 35 parcel from the Registry of Inactive Hazardous Waste Disposal Sites in New York State (see Appendix A). It should also be noted that a portion of the Building 30 property included in this Phase I Site Assessment, consisting of an approximate 150,000-square foot parking area in the northwest portion of the parcel, was not included in the Buildings 30 and 35 Delisting Petition. This portion of the property (Section 46, Block G, Lot 67 [formerly part of Lot 50]) was included in a separate Delisting Petition titled, "New York State Site Registry Delisting Petition Parking Lot Adjacent to Bethpage Fire Department" and was removed from the Registry on August 19, 1992 (see Appendix A).

Section 2 of this document presents a description of the site and surrounding areas. An evaluation of the historical uses of the site and surrounding areas is presented in Section 3. The regulatory compliance history of the site and surrounding areas is presented in Section 4. Section 5 presents the findings of the Phase I Site Assessment and identifies potential areas of environmental concern. Recommendations are provided in Section 6.0.

In an effort to document the review of historical information sources, aerial photographs dated 1950 through 1988 are presented in Appendix B. To document the review of standard environmental record sources, a computer environmental data base search is presented in Appendix C. Supplemental information documenting the review of available files is presented in Appendix D. A certification that Sanborn Maps are not available for the Building 30 site is provided by Sanborn Mapping and Geographic Information Service in Appendix E. References are listed in Appendix F.

Section 2

2.0 SITE DESCRIPTION

The following presents an overview of the general environmental setting of the property and documents the observations made during the inspection conducted on December 5, 1995.

2.1 Site Setting

Building 30 is located at 999 Stewart Avenue, at the intersection of Cherry and Stewart Avenues, in Bethpage, Town of Oyster Bay, New York. A site location map is presented on Figure 2-1. The site is approximately 17 acres (current Tax ID No.: Section 46, Block G, Lot 67 and part of Lot 69) and is currently owned by Grumman Aerospace Corporation. The building and associated parking areas have been leased to the Robert Plan Company.

The property is zoned Industrial H and is bordered by industrial properties to the west. There are medium to high density residential developments north and east of the property. A recharge basin, athletic field and a Town of Oyster Bay park are located directly south of the site, and further south, there are residential and commercial developments. A site plan is provided on Figure 2-2.

The site is generally level with good drainage. Ground elevation is approximately 130 feet above mean sea level. The Soil Conservation Service classifies the majority of the site as Urban Land. Urban Land is defined as an area with at least 85 percent asphalt, concrete, or other impervious building material. The Nassau County Soil Survey indicates that areas identified as Urban Land are likely to be parking lots, shopping centers, industrial parks or institutional sites. Based on measurements obtained from groundwater monitoring wells installed in support of the Delisting Petitions, the depth from ground surface to the upper glacial aquifer is approximately 60 feet.





FIGURE 2 - 1

GRUMMAN AEROSPACE CORPORATION
 BETHPAGE FACILITY
 BUILDING 30
 SITE LOCATION MAP

db
 Dvirka and Bartilucci
 Consulting Engineers
 A Division of William F. Casulich Associates, P.C.



GRUMMAN AEROSPACE CORPORATION
BETHPAGE FACILITY
BUILDING 30



Dvirka and Bartilucci
Consulting Engineers
A Division of William F. Cosulich Associates, P.C.

SITE PLAN

FIGURE 2 - 2

2.2 Facility Overview

According to records at the Town of Oyster Bay Building Department, Building 30 was constructed in 1963 and comprises approximately 190,000 square feet. The building has two floors above grade as well as a penthouse on the roof and a partial basement. The building is connected to public water supply lines and the Nassau County sewer system.

Building 30 was utilized historically by Grumman as an office building and is currently utilized as an office building by the Robert Plan Company. Robert Plan first began to occupy the building in January 1995.

A site inspection and interviews with a representative of the Robert Plan Company were conducted on December 5, 1995 to supplement/update the inspection performed in support of the Delisting Petition. An overview of Building 30 and the parking areas within the project site boundaries is provided below.

First Floor

- Open Office Areas (East Side)
- Partitioned Offices
- Conference Rooms
- Telephone Communication Equipment Room
- Rest Rooms
- Alarm Equipment Room
- Vault
 - spare computers, keyboards, phones
 - electrical equipment
- Data Center
 - main distribution point for computers
 - overhead sprinklers
 - backup tape information storage

- three climate control units (humidity and air temperature)
- emergency battery-operated generator for lights
- bank of lead acid batteries for emergency backup power to computers
- Kitchen
- Cafeteria
 - self service areas
 - tables/chairs
 - recycling bin area
- Janitor Closet
 - slop sink

Second Floor

- Shipping/Receiving Room
 - empty
- Electrical Closet
- Coat Closets
- Storage Room
 - mostly empty
 - storage of framed pictures
 - desk
- Conference Rooms
- Rest Rooms
- Special Investigation Unit (West Side)
 - open office areas
 - partitioned offices
- Legal Area (Southwest Corner)
 - open office areas
 - partitioned offices
 - library
- Bookkeeping Area
- Open Office Areas (North Side)
- Open Floor Area (East Side)
 - unoccupied

- Office Area (Southwest Corner)

Penthouse (Fan Room)

- Air Handlers
- Compressors
- Mobil Oil Can - 5-gallon

Basement

- Custodial Closet
 - paper goods
- Lockers
- Freight Elevator
 - elevator pump room
 - * empty 55-gallon drum of hydraulic oil
- Miscellaneous Storage
 - picnic tables
 - lawn mower
 - bags of calcium chloride (for snow removal)
 - ceiling tiles
 - benchtop grinder
- Storage Shelves
 - motor oil
 - cans of spray paint
 - tools
 - degreaser
 - cans of pesticide
- Mechanical Equipment Room
 - air conditioning pumps
 - * seven 100-pound cans of refrigerant (trichlorofluoromethane)
 - * floor drains
 - spools of wire
 - slop sink
 - two Cleaver-Brooks package boilers (ea. 10 million Btu/hr)
 - * utilize #6 fuel oil supplied from two 15,000-gallon USTs
 - two gas-fired boilers supply steam to cafeteria
 - * water treatment chemical container (corrosion/scale inhibitor)
 - * floor drains for condensate

- series of eight lead acid batteries utilized to start up emergency generator
- emergency generator
 - * utilizes diesel oil
 - * floor drain
- Electrical Distribution Room
- Exterior (below grade)
 - sump pump room (inaccessible)
 - no chemical or waste storage according to representative of Robert Plan Company

Exterior

- West Side
 - three underground storage tanks (USTs)
 - * Tank #30-01-1 (15,000-gallon for No. 6 fuel oil)
 - * Tank #30-01-2 (15,000-gallon for No. 6 fuel oil)
 - * Tank #30-01-3 (550-gallon for diesel)
 - climate control condensers for Data Center
 - loading dock
 - * mechanical lifts
 - * solid waste compactor
 - * solid waste dumpster
 - shipping/receiving area
 - * boxes of paper
 - 55-gallon drum for waste vegetable oil/grease from kitchen
 - grease pits/traps for kitchen waste
 - * cleaned out monthly
 - paved parking area
- North Side
 - parking area
 - landscaped area
- South Side
 - walkway between building and roadway leading to Stewart Avenue
- East Side
 - parking area
 - landscaped area

According to the representative from the Robert Plan Company and GAC records, as indicated above, the two 15,000-gallon underground storage tanks (Tank #30-01-1 and #30-01-2)

contain #6 fuel oil utilized for space heating purposes, and the 550-gallon underground storage tank contains diesel fuel utilized for a backup generator.

Prior to the connection of Building 30 to the Nassau County sewer system in 1981, a network of approximately 45 leaching pools located adjacent to the north side of the building was utilized for sanitary sewage disposal. A review of Grumman Utility Quadrangle maps indicates that the leaching pools have been "filled."

During the December 5, 1995, site inspection, a series of manhole covers were noted outside, along the western side of the building. The manholes were determined to be grease pits/traps for kitchen waste. The traps are cleaned out monthly according to a representative of the Robert Plan Company.

Section 3

3.0 SITE HISTORY

The following presents a description of the history of the development of the site and surrounding areas. Information presented in this section has been compiled based upon a review of available aerial photographs dated 1950-1988 (see Appendix B), available files at the Grumman Aerospace Corporation BETHPAGE Facility and the Nassau County Department of Health (NCDOH) (see Appendix D), interviews with representatives of GAC and the Robert Plan Company and the findings of the site inspection undertaken on December 5, 1995, as well as the findings of the Delisting Petitions.

3.1 Former Uses and Summary of Prior Assessments

Aerial Photograph Review

A review of aerial photographs shows that the site was undeveloped, with the exception of agricultural activity in the western portion from 1950 through 1962. The eastern portion of the site appears undeveloped as well, with the exception of unpaved roadways. An enlarged aerial photograph (i.e., 1" = 100' scale) was obtained of this area for the year 1957 (see Appendix B) in an attempt to further define the use of this area; however, nothing noteworthy was observed at this increased scale. Properties north and east of the site appear residentially developed during this time frame, while areas west and south appear undeveloped. The 1957 aerial shows a building had been constructed adjacent to the northern boundary of the site.

Between 1962 and 1969, the site was completely developed, with Building 30 occupying a portion of the eastern side of the site. The western portion was paved and was in use for parking. Evenly spaced white dots noted in the 1969 aerial photograph in the grassy area to the north of Building 30 have been identified (by a review of Grumman Utility Quadrangle Map Number 125) as manhole covers for sanitary system leaching pools. Land to the west and south were also developed during this period.

A parking area is noted to the east of the building in the 1972 aerial. Between 1969 and 1972, another building had been constructed adjacent to the northern boundary line of the site. According to Grumman Utility Quadrangle maps, a small white square noted off the northeast corner of the building, close to Stewart Avenue, in the 1972 and 1988 aerials was identified as a vault utilized to house a backflow preventer for the connection to the Bethpage water supply.

Former Uses

Prior to leasing Building 30 to the Robert Plan Company, GAC utilized the building as office space. A 1963 letter on file at the Town of Oyster Bay Building Department indicated that Building 30 was constructed as a result of GAC's need for additional office space for engineering work on several government projects. It appears that GAC had been the sole occupant of the building until occupancy of the first floor by the Robert Plan Company began in January 1995.

Features noted inside the building during the February 1994 site inspection conducted in support of the Delisting Petition, prior to GAC's departure, included the following:

- Fan Room
 - air handlers
 - containerized lubricant
 - drummed oil
 - air compressors with connected 5-gallon buckets of oil
 - cooling towers
- Office Areas
- Storage Areas
- Boiler Room
 - electrical control center
 - transformer room
 - boilers chillers
 - emergency generator
 - battery storage
 - drummed oil
 - drummed "emulsifier" (Speedi-Dry)

According to a March 6, 1964 letter from the manager of the Town of Oyster Bay Building Department to the Burlington Elevator Company, which installed the elevator at Building 30, an oil leak in connection with the elevator had been observed, along with minor malfunctioning of the elevator doors. The letter indicated that a final inspection of the entire building would be performed and a completion letter would be issued to the Burlington Elevator Company after that time. Although no additional information regarding the oil leak was found in the files reviewed, the building received its Certificate of Occupancy one month later on April 1, 1964.

A 1984 report on file at NCDOH indicated that a Health Department representative went to Plant 30 (Building 30) on February 21, 1984 in response to a call from a Fire Inspector from the office of the Fire Marshal, regarding a titanium fire in the metal salvage yard. It appeared from a review of the report that the fire was located at Plant 30. However, a representative of GAC has indicated that the fire actually occurred north of Plant 3, in the area known as the *salvage yard*, located to the southwest of Building 30. The GAC representative indicated that phone calls regarding the fire were made from Plant 30, and that Plant 30 was utilized during the incident as a mobilization point.

Prior Assessments

The information reviews undertaken in support of the New York State Site Registry Delisting Petitions, completed in March 1992 and June 1994, revealed no records pertaining to any chemical and/or fuel spills on-site.

The field program conducted in support of the Buildings 30 and 35 Delisting Petition included installation of one downgradient monitoring well (B30MW-1) south of the Building 30 property (see Figure 2-2). The field program also included groundwater sampling of B30MW-1 and soil sampling of the B30MW-1 borehole. In addition to the sampling and analysis of groundwater from the one newly installed (B30MW-1) and two existing wells (i.e., GM-2S and P-2), the investigations conducted in support of the Buildings 30 and 35 Delisting Petition

included, compilation and review of previous analytical results for wells PLMW-1, PLMW-2, PLMW-3 and GM-8S (see Figure 2-2). Monitoring wells PLMW-1, PLMW-2 and PLMW-3 were installed and sampled as part of the "Parking Lot Adjacent to Bethpage Fire Department Delisting Petition."

The groundwater sample collected from well B30MW-1 was analyzed for volatile organic compounds (Method 624) and priority pollutant metals (Method 6010). One soil sample collected from the B30MW-1 monitoring well borehole at a depth of 6 to 8 feet was analyzed for volatile organic compounds, total petroleum hydrocarbons (TPHCs) and fuel related constituents.

Volatile organics were not detected above method detection limits in soil sample B30MW-1 (6'-8'). Total petroleum hydrocarbons were detected at 145 mg/kg utilizing Method 418.1. The assessment undertaken as part of the Buildings 30 and 35 Delisting Petition did not discover any evidence of prior fuel spills or releases nor was there any evidence of either discoloration or petroleum odors associated with the geologic or laboratory samples collected. To determine if the TPHCs were attributable to fuel-related compounds, the sample was also analyzed for fuel-related constituents utilizing Method 310-13, and PCBs utilizing Method 8080. The analytical results indicated that fuel related constituents such as gasoline, lubricating oil, kerosene, fuel oil and jet fuel were not detected above the method detection limit. PCBs were not detected above the method detection limit. The Delisting Petition concluded that the appearance of the TPHCs in the soil sample was not associated with any fuel-related spills.

Volatile organic compounds were not detected above method detection limits in the groundwater sample collected from B30MW-1. In addition, all inorganic constituents detected were well below NYSDOH drinking water standards. As stated in Section 1.0, as a result of the Delisting Petitions, the property has been removed from the Registry of Inactive Hazardous Waste Disposal Sites in New York State (see Appendix A).

According to water table elevation and contour maps prepared by others, monitoring well PLMW-1 located on the Building 30 property (see Figure 2-2) represents a downgradient well

with respect to the Naval Weapons Industrial Reserve Plant (NWIRP), for at least a portion of the year. The NWIRP is located immediately to the southwest of Building 30 and has been identified on the New York State Registry of Inactive Hazardous Waste Disposal Sites. Groundwater samples collected on February 25, 1992 from PLMW-1, as well as PLMW-2 and PLMW-3, also located on the Building 30 property, were analyzed for volatile organic compounds and inorganics. Volatile organic compounds were not detected above method detection limits. In addition, priority pollutant metals were not detected at concentrations above NYSDOH drinking water standards.

Additionally, borehole soil samples were collected from wells PLMW-1 (4'-6'), PLMW-2 (2'-4') and PLMW-3 (2'-4'), and analyzed for VOCs and TPHCs. No VOCs were detected in the soil samples, with the exception of methylene chloride which was also detected in the method blank and therefore attributed to laboratory contamination. TPHCs were detected in samples PLMW-1 (4'-6') at 96.4 mg/kg and PLMW-3 (2'-4') at 30.4 mg/kg; however, as stated in the Parking Lot Delisting Petition these concentrations "...are not atypical of shallow subsurface locations overlain by areas of extensive asphalt pavement as is exhibited by this site."

3.2 Present Uses

The Robert Plan Company first began to occupy the first floor of Building 30 in January 1995. Grumman continued to occupy the second floor until July 1995. The second floor is now also occupied by the Robert Plan Company. According to a representative of Robert Plan, the insurance company only recently became responsible for the maintenance of the building. The building is being utilized by the Robert Plan Company as office space for approximately 1,300 employees.

Section 4

4.0 REGULATORY COMPLIANCE HISTORY

4.1 Local Agency File Search

In support of the Delisting Petition efforts, an investigation and evaluation of local agency records was undertaken to identify any environmental concerns on-site or immediately adjacent to the site as required by the New York State Department of Environmental Conservation (NYSDEC). This review revealed no records pertaining to any chemical and/or fuel releases on-site.

A NCDOH Article XI map, dated 1988, reviewed during the Phase I Site Assessment effort, indicated that Building 30 has one registered indoor bulk/container storage area identified as "S301." According to information on file at NCDOH, this area was first in service in July 1988, and is permitted to contain lubricating oil, miscellaneous waxes, calcium chloride, freon and "trade name, inorgani" [sic] chemicals. The storage area's current status is "in-service."

The two 15,000-gallon USTs as well as the 550-gallon UST discussed in Section 2 were installed in 1964 according to a 1986 GAC list of storage tanks at the Bethpage facility. The list indicates that the tanks are all constructed of steel with an asphalt coating. The 550-gallon tank was tightness tested on August 4, 1994, and passed the test. The results are documented in Appendix D.

According to a representative of GAC, the two 15,000-gallon underground storage tanks have not been tightness tested since the tanks have always been used for storage of #6 fuel oil, and are, therefore, exempt from testing under NYS petroleum bulk storage regulations. It should be noted that Article XI of the Nassau County Public Health Ordinance requires that USTs that are 10 years of age or older that contain #5 or #6 fuel oil, be initially tightness tested by December 27, 1988. However, the 15,000 gallon tanks are exempt from this regulation since the Bethpage Facility is licensed under Article 12 of the New York State Navigation Law. Based upon discussion with a representative of GAC, however, the tanks are monitored daily for

inventory purposes as required by Grumman Aerospace Corporation/Major Oil Storage Facility (MOSF) licenses. GAC indicated in the verbal discussions that the daily inventory monitoring shows there does not appear to be any product losses that are unaccounted for.

4.2 State and Federal Environmental Data Base Search Review

In order to update and supplement the prior assessment, a computer environmental data base search of state and federal record sources for the site and surrounding areas was undertaken in accordance with the ASTM minimum search radius criteria. This section presents a summary of the findings of the environmental data base search. A detailed report is presented in Appendix C. Data bases evaluated include the following:

<u>Data Base</u>	<u>Search Radius</u>
• National Priorities List (NPL)	1 1/4 mile
• Inactive Hazardous Waste Disposal Sites State Priorities List (SPL)	1 1/4 mile
• Resource Conservation and Recovery Act (RCRA) Hazardous Waste Treatment, Storage and Disposal (RCRA - TSD)	1 1/4 mile
• Comprehensive Environmental Response, Compensation, and Liability Information System (CERCLIS) sites	3/4 mile
• Leaking Underground Storage Tanks (LUST)	3/4 mile
• Solid Waste Landfill Facilities (SWLF)	3/4 mile
• State Registered Above and Underground Storage Tanks (AST and UST)	1/2 mile
• Emergency Response Notification System (ERNS), Reported Releases of Oil and Hazardous Substances	3/8 mile
• RCRA Hazardous Waste - Large Quantity Generators	3/8 mile
• RCRA Hazardous Waste - Small Quantity Generators	3/8 mile

A summary of the evaluation of each of the sites identified in the environmental data base search is presented below by data base category.

National Priorities List (NPL)

The United States Environmental Protection Agency's (USEPA) NPL data base lists uncontrolled or abandoned hazardous waste sites that have been identified for priority remedial action under the federal Superfund program. The agency release date for the NPL data base was May 1995.

Ruco Polymer Corporation: The data base report has identified the Ruco Polymer facility (a.k.a. Hooker Chemical) as a National Priorities List (NPL) site. The Hooker Chemical NPL Site was initially discussed in the Buildings 30 and 35 Delisting Petition.

The site has been on the federal Superfund list since 1984 and remains an active plastics manufacturing facility. The site has been the subject of monitoring and investigations intended to identify the extent of contamination resulting from previous waste disposal practices. A Remedial Investigation and Feasibility Study (RI/FS) has been conducted, and the associated field work was completed in February 1990. The RI/FS identified two operable units at the Hooker Chemical Site requiring remedial action.

Operable Unit 1 has necessitated the remediation of soil and groundwater contaminated by volatile organic compounds (VOCs) used in the various manufacturing processes employed by the facilities on-site. Based upon communication with the USEPA, the RI report was approved on December 7, 1992. The associated Feasibility Study was subsequently completed and a Record of Decision on a Proposed Remedial Action Plan was signed on January 28, 1994. Based upon recent communications with the USEPA, a unilateral administrative order has been issued and a draft Work Plan is currently being reviewed by the USEPA. Until the USEPA releases all details concerning Operable Unit 1, and the ongoing investigation/remediation is completed, it is not possible to fully characterize the extent of potential off-site impacts.

According to the data base report, a distance of approximately 0.7 mile separates the Ruco Polymer Corporation Site from the Building 30 site, located to the east. Based upon a review of water table elevation and contour maps prepared by others, dated April and August 1993, groundwater flow direction in the vicinity of the Hooker Chemical and Building 30 properties varies on a seasonal basis. The predominant direction of groundwater flow is to the southeast. However, on a localized basis, recharge basins and the effects of groundwater withdrawal by nearby production wells causes seasonal shifts in flow direction. In general, the water table maps indicate the Building 30 site is approximately lateral to the Ruco Polymer/Hooker Chemical site with respect to the predominant direction of groundwater flow.

Operable Unit 2 pertains to a relatively small area of soil contaminated by PCBs resulting from releases of the heat transfer fluid Therminol. The migration of PCBs resulted from on-site runoff and on-site truck traffic. However, the extent of contaminated soil was contained entirely on the Ruco Polymer/Hooker Chemical Site. No off-site contamination from Operable Unit 2 was identified. Remedial action involving Operable Unit 2 has been completed.

The Ruco Polymer/Hooker Chemical site was also identified on several other data bases as described below.

RCRA-TSD

The USEPA's RCRA program identifies and tracks hazardous waste from the point of generation to the point of disposal. The TSD data base is comprised of facilities which report generation, storage, transportation, treatment or disposal of hazardous waste. The agency release date for this data base was June 1995. It should be noted that a facility's inclusion on this data base does not imply that a facility has had any violations or releases.

Grumman Aerospace Corporation: The data base report lists GAC as a facility that stores and treats hazardous waste. According to the report, there is no land disposal and there is no

incineration of hazardous waste at the site. Other than small quantities of waste generated at off-site Grumman-owned and operated facilities, the Bethpage facility does not receive hazardous waste generated off-site. The data base report also indicates that GAC is a Large Quantity Hazardous Waste Generator. As a generator of hazardous waste in Nassau County, GAC is not only subject to the regulatory requirements of the NYSDEC's Hazardous Waste Management Program, but must also adhere to the very stringent management standards and design criteria addressing the overall management and storage of hazardous waste over a sole source aquifer as administered by the Nassau County Department of Health. Overall, these include secondary containment structures for any designated storage areas along with stringent record keeping and administrative controls including the use of manifests for tracking the transportation and disposal of waste.

State Priorities List (SPL)

This data base is the New York State Registry of Inactive Hazardous Waste Disposal Sites and is provided by the NYSDEC. The agency release date for the data base was July 1995.

Grumman Aerospace - Bethpage Facility: In the data base report, the "Grumman Aerospace - Bethpage Facility" is identified on the SPL data base. According to information on file at Nassau County Department of Health, the Grumman Aerospace Corporation Bethpage Facility was first listed on the State's Registry of Inactive Hazardous Waste Disposal Sites in 1983 as a Class 2a site. In 1988, a Class 2 designation was assigned to the facility. In 1992 the Bethpage facility was separated into two sites, The Naval Weapons Industrial Reserve Plant (NWIRP) site and the Grumman Aerospace Bethpage facility. Grumman entered into a consent order with the NYSDEC to conduct an on-site and off-site Remedial Investigation/Feasibility Study (RI/FS) of the Bethpage facility. A report containing the data collected during the first phase of the RI was submitted to NYSDEC in January 1992, and a final RI report was submitted in September 1994.

The Building 30 site was initially included within the boundary lines of the Grumman Aerospace Bethpage Facility Inactive Hazardous Waste Disposal Site, however, the northwest portion was delisted on August 19, 1992 and the remaining portion was subsequently delisted on June 16, 1995, as documented in Appendix A.

Ruco Polymer Corporation: The data base report identifies the Ruco Polymer Corporation on the SPL data base. The SPL data base indicates that the facility type is "lagoon, landfill," and its status is "remedial action pending/in progress." Pollutants listed are "plant waste," "ethylhexyl and related compounds" and "ethylene substance." As stated previously, this facility has been under active investigation and/or remedial phases pursuant to consent orders, with additional ongoing monitoring.

Naval Weapons Industrial Reserve Plant: In the unmapped section of the data base report, the NWIRP was identified on the SPL data base. The facility type was listed as "lagoon, landfill" and its status was "remedial action pending/in progress." The pollutants identified on the SPL data base were "trichloroethylene," "tetrachloroethene" and "trichloroethane/TCA." Building 30 is located directly to the northeast of the NWIRP, which is downgradient with respect to groundwater flow for at least a portion of the year. However, as discussed in Section 3, previous sampling of well PLMW-1 did not indicate any groundwater impacts to the Building 30 property from the NWIRP.

CERCLIS Sites

According to the data base report, the CERCLIS data base contains sites which are either on the NPL, or are being screened and assessed for their potential inclusion on the NPL list. The agency release date for the CERCLIS data base was September 1995. The data base report also contains information on an associated CERCLIS data base called No Further Remedial Action Planned (NFRAP). This data base contains a listing of sites for which an initial investigation was performed and either no contamination was found, or the contamination was removed quickly, or

the "contamination was not serious enough to require Superfund action or NPL consideration." The agency release date of the NFRAP data base was September 1995.

Grumman Aerospace Corporation: The data base report identifies GAC on the CERCLIS/NFRAP data base. The facility's NPL status is listed as "not a proposed, current or deleted NPL site." A preliminary assessment was completed on January 1, 1980, and the event status was "no further remedial action planned."

Ruco Polymer Corporation: The data base report also identifies the Ruco Polymer Corporation on the CERCLIS data base. Its NPL status is listed as "currently on final NPL."

LUST

The LUST data base is a compilation of reported tank test failures provided by the NYSDEC. A facility's listing on the LUST data base does not necessarily imply that a release has been documented, but rather that investigation/monitoring is continuing on "case open" sites, as discussed below. The agency release date was June 1995. Facilities in Nassau County, New York that have reported tank test failure and/or spills are subject to not only the federal and state requirements for upgrading underground storage tank systems, but are also required to adhere to the stringent design, inventory control and reporting requirements of the Nassau County Department of Health. These additional requirements are in place to protect the sole source aquifer resources of the County. Overall, these include the design and implementation of secondary containment structures, leak detection, cathodic protection and rigorous inventory control and tank testing programs.

The LUST data base includes information on the remedial status of a leak or spill. According to a representative of the NYSDEC Region 1 Spill Unit, when the remedial status of a tank failure is "case closed/cleanup complete," the NYSDEC has ended its investigation, and remediation of the spill (if any) has been performed to the maximum extent possible. Based upon

this information, those sites with past releases having a “case closed/cleanup complete” remedial status are not expected to be potential off-site sources of contamination.

Grumman Aerospace Corporation: The data base report identifies a number of records for the Grumman Aerospace Corporation Bethpage facility, both in the mapped and unmapped section of the report. However, of the 20 releases reported, all but six have the remedial status “case closed/cleanup complete.”

The following records concerning releases at GAC’s Bethpage facility were reported in the data base to have “case open” remedial status with “groundwater” being the affected media:

- According to the data base report, at GAC Building 30, a release of No. 2 fuel oil due to tank failure was discovered on March 16, 1994 (NYSDEC Spill No. 91-00911). The quantity released was not reported. According to representatives of GAC, this release was a mineral oil spill related to an equipment failure that actually occurred at Plant 3 and was subsequently remediated. Therefore, based upon available information, this spill did not impact Building 30.
- According to the data base report, at GAC Plant 1, a release of an unspecified amount of No. 2 fuel oil was discovered on April 16, 1991 and was due to tank failure. The NYSDEC Spill No. is 92-07215. Representatives of GAC reported that this data base record concerns a 2,500 gallon waste oil tank which was removed from the Plant 1 property along with contaminated soils under NYSDEC direction. The NYSDEC was satisfied with the remedial effort.
- A release of diesel fuel due to tank failure was discovered at GAC Plant 20 on August 11, 1994. Its NYSDEC Spill No. is 92-04511. According to representatives of GAC, the release at Plant 20 was due to a tank which failed a tightness test. The tank was subsequently removed in the presence of a NYSDEC representative who determined the effort to be a “clean closure.”
- On June 2, 1993, a release of waste oil was discovered at GAC Plant 3 due to tank failure (NYSDEC Spill No. 94-06455). The quantity released was not reported. Although the spill remains in the “case open” remedial status, according to Grumman Aerospace Corporation, the spill concerns a tank which failed a tightness test, was subsequently repaired, and when retested, passed the tightness test.
- According to the data base report, a release of diesel fuel occurred at an unspecified location at the Grumman Aerospace Bethpage facility on June 29, 1993 and has a NYSDEC Spill No. of 87-07733. According to representatives of GAC, a tank at

Plant 20 failed a tank test on June 29, 1993, but has a NYSDEC Spill No. of 93-04043. GAC did not have any record of a spill with the Spill No. 87-07733. Therefore, it appears that the data base spill number may be inaccurate. According to GAC, the tank in question (i.e., NYSDEC Spill No. 93-04043) was uncovered and the fill line was noted to be cracked. The tank was subsequently repaired and approximately 2 yards of soil was removed. According to GAC, remediation efforts and monitoring of groundwater is ongoing under the direction of the NYSDEC. The extent of contamination has not been determined to date; however, the Building 30 site is located lateral (to the east) of Plant 20 with respect to the predominant direction of groundwater flow, and would therefore not appear to be impacted.

- At GAC Plant 28, a release of No. 2 fuel oil was discovered on September 21, 1994 (NYSDEC Spill No. 94-08269). According to GAC, the tank in question has been scheduled to be repaired and retested. All tank retesting and any required repair will be undertaken in coordination with the NYSDEC. Based upon discussion with representatives of GAC, this tank is monitored daily for inventory purposes and there does not appear to be any product losses that are unaccounted for. Building 30 is located lateral to Building 28 with respect to the predominant direction of groundwater flow, and would therefore not appear to be impacted.

The data base report also identifies a number of other sites that have had releases or spills as follows:

Bethpage School District: The data base report identifies the Bethpage School District on the LUST data base due to a release of No. 2 fuel oil on August 1987 due to tank failure. The remedial status of the release is "case closed/cleanup complete."

Shell Oil Co.: The data base report identifies the Shell Oil Co. at Stewart and Farmers Avenue on the LUST data base. A release of No. 2 fuel oil was discovered on January 29, 1988, with the affected media as groundwater. The remedial status of that release is "case closed/cleanup complete."

Another release was discovered at the Shell Oil Company site on October 12, 1993, with groundwater listed in the data base report as the affected media. The release of gasoline has a "case open" remedial status. The quantity released was not reported. According to the data base report, the Shell Service Station is located 0.06 mile north of the Building 30 site. Based upon a

review of water table elevation and contour maps prepared by others, it appears that the Shell Service Station is located upgradient of Building 30.

In order to gain additional information on this spill, a telephone call was placed to the NYSDEC Regional 1 Spill Unit. The NYSDEC representative indicated that a tank at the Shell Service Station had failed a tightness test and was given a Spill Number of 93-08447. According to the NYSDEC representative, a leaking manway gasket was repaired on the tank, and the tank subsequently passed a retest. The NYSDEC representative stated that the file contained information from the contractor for the repair, who noted "no contamination" found at the top of the tank when the repair was made. No monitoring wells were installed. The NYSDEC representative indicated that the spill still has "case open" status because the initial tank test failure report was never received by the NYSDEC so that they could close the case. Based upon the information provided, although the Building 30 site is located downgradient of the Shell Station, it does not appear that it was impacted by this spill.

Henry Soluk: The Soluk residence was identified on the LUST data base due to a 200 gallon leak of No. 2 fuel oil affecting "soil/sand/land" which was discovered on October 23, 1992. The remedial status of the leak is "case closed/cleanup complete."

Festante Residence: The Festante residence was identified on the LUST data base, with a release of No. 2 fuel oil affecting "soil/sand/land" which was discovered on April 24, 1992. The cause of the leak was tank failure and the remedial status of the release is "case closed/cleanup complete."

Shumski Residence: The data base report identifies the Shumski residence on the LUST data base due to a release of No. 2 fuel oil on February 14, 1990. The media affected was groundwater, but the remedial status is "case closed/cleanup complete."

Private Residence: The LUST data base identifies a residence on Silvber Avenue in Bethpage as having had a release of No. 2 fuel oil due to tank failure on August 24, 1993. The media affected was "soil/sand/land" and the remedial status is "case closed/cleanup complete."

Ruco Polymer Corporation: The data base report identifies the Ruco Polymer Corporation on the LUST data base. Two releases of No. 2 fuel oil due to tank failure were discovered on August 18, 1988. In each case, the remedial status was "case closed/cleanup complete."

Andriano Residence: The data base report identifies the Andriano residence on the LUST data base. A spill of 1 gallon of No. 2 fuel oil was discovered on February 23, 1993. The media affected was "soil/sand/land" and the remedial status of the release is "case closed/complete."

Getty Petroleum Corporation: According to the data base report, a release of gasoline was discovered on March 17, 1988 and was determined to be due to tank failure. The remedial status of the release is "case closed/cleanup complete."

Epstein Residence: The data base report identifies the Epstein residence on the LUST data base. A release of No. 2 fuel oil occurred on August 30, 1990. The affected media was "soil/sand/land" and the remedial status is "case closed/cleanup complete."

NYNEX Vehicle: According to the data base report, a gasoline spill from a truck occurred on March 17, 1994 at Sherman and South 6th Street in Bethpage. The media affected was "soil/sand/land" and the remedial status is "case closed/cleanup complete."

Bail Residence: The Bail residence at 127 South 1st Street, Bethpage, was identified on the LUST data base due to a release of No. 2 fuel oil affecting "soil/sand/land" on April 19, 1995. The remedial status is "case open." Building 30 is located upgradient of South 1st Street, and since the release is apparently confined to "soil/sand/land", it does not appear that the Building 30 site would be impacted by this release.

Metro S/S: According to the LUST data base, the Metro S/S had a release of gasoline due to tank failure on December 31, 1987. The media affected was listed as groundwater. The remedial status of the release is "case closed/cleanup complete."

Town of Oyster Bay, Stewart Avenue: In the unmapped section of the data base report, the Town of Oyster Bay was identified on the LUST data base, with a release of petroleum discovered on October 7, 1994. The remedial status was listed as "case open." Based upon communication with the NYSDEC Spill Unit, this release (NYSDEC Spill No. 94-09098) was actually the reporting of a chlorine tank tightness test failure at the Bethpage Community Park. The NYSDEC representative indicated that the remedial status was "case open." Based upon a review of water table elevations and contour maps prepared by others, Building 30 is located upgradient of the Park and, therefore would not appear to be impacted.

Bethpage Community Park: In the unmapped section of the data base report; the Bethpage Community Park was identified on the LUST data base. The data base listed the substance released as "unknown", with the media affected as "groundwater." Based upon communication with the NYSDEC Spill Unit, the substance was chlorinated water from the facility's swimming pool. The remedial status of the release is "case closed/cleanup complete."

USTs and ASTs

Two data bases are utilized in the data base report that identify sites that contain above and below ground storage tanks. The Nassau County Department of Health maintains an Article XI "In Service" Tank Data Base of ASTs and USTs. The agency release date of that data base was April 1995. In addition, the NYSDEC's Petroleum Bulk Storage Program maintains information on petroleum bulk storage tanks, hazardous substance bulk storage tanks and major petroleum storage facilities. The agency release date for the data base was June 1995. USTs located in Nassau County, New York, are subject not only to the federal and state requirements for underground storage tank systems but are also required to adhere to the stringent design, inventory control and reporting requirements of the Nassau County Department of Health. These

additional requirements are in place to protect the sole source aquifer resources of the County. Overall, these include the design and implementation of secondary containment structures, leak detection, cathodic protection and rigorous inventory control and tank testing programs. According to the data base report, within a 1/2 mile radius of Building 30, there are 3 mapped sites with registered ASTs or USTs.

ERNS

ERNS is a national data base containing information on reported releases of oil and hazardous substances. Spill information is reported to a variety of governmental agencies including the USEPA, the Coast Guard, the National Response Center and the Department of Transportation. The agency release date of March 1995 contains information on reported releases for the time period October 1986 through September 1994. According to the data base report, no sites were identified on the ERNS data base within the search radius of 3/8 of a mile.

RCRA - Hazardous Waste Large and Small Quantity Generators

The USEPA's RCRA program identifies and tracks hazardous waste from the point of generation to the point of disposal. Facilities which report generation, storage, transportation, treatment or disposal of hazardous waste are identified on the RCRA facilities data base. The agency release date was June 1995. Facilities are identified as Large Quantity Generators if they generate at least 1000 kg per month of nonacutely hazardous waste (or 1 kg per month of acutely hazardous waste). Facilities which generate less than 1000 kg per month of nonacutely hazardous waste and greater than 100 kg are identified as RCRA Small Quantity Generators.

It should be noted that generators of hazardous waste in Nassau County are not only subject to the regulatory requirements of the NYSDEC's Hazardous Waste Management Program, but must also adhere to the very stringent management standards and design criteria addressing the overall management and storage of hazardous waste over a sole source aquifer as administered by the Nassau County Department of Health. Overall, these include secondary

containment structures for any designated storage areas along with stringent record keeping and administrative controls including the use of manifests for tracking the transportation and disposal of waste.

In addition to the Grumman Aerospace Corporation facility and the Ruco Polymer/Hooker Chemical Corporation described previously, there are four RCRA Large and Small Quantity Generators within 3/8 of a mile of the site. It is important to note that the inclusion of a facility on this data base does not imply that there have been any violations or releases.

Section 5

5.0 FINDINGS

This section presents the findings of the Phase I Site Assessment and focuses on potential areas of environmental concern.

5.1 On-Site Indicators of Contamination

No indicators of contamination were noted during the site inspection conducted on December 5, 1995.

5.2 Potential Areas of Environmental Concern

The two 15,000-gallon No. 6 fuel oil USTs at the Building 30 property (GAC Tank Nos. 30-01-1 and 30-01-2) represent a potential area of environmental concern due to the age (32 years) and materials of construction (i.e., steel with an asphalt coating) of the tanks. According to GAC, the tanks are monitored daily for inventory purposes, however, this type of tank is classified as an "unprotected tank," pursuant to NYS petroleum bulk storage regulations (6NYCRR Part 613); that is, the tanks are not corrosion resistant and do not have leak monitoring systems. Since NYS regulations do not require tightness testing of No. 6 fuel oil storage tanks and the tanks are exempt under Article XI of the Nassau County Public Health Ordinance, these two tanks have not been tested. Therefore, other than verbal information provided by GAC regarding daily inventory records which indicate no apparent loss of product, the present condition of these tanks cannot be adequately assessed.

5.3 Potential Off-Site Sources of Contamination

As discussed above, the extent of off-site contamination from the Ruco Polymer/Hooker Chemical site has not been completely characterized. However, based upon review of water table elevation and contour maps prepared by others, it appears that the Ruco Polymer site is located

lateral to the Building 30 site with respect to groundwater flow, and it appears unlikely that the Building 30 site would be impacted.

The NWIRP, identified in the data base report on the State Priorities List (SPL) data base, is located upgradient of the Building 30 property with respect to the direction of groundwater flow, for at least a portion of the year. The data base report indicated that the SPL status of the NWIRP was "remedial action pending/in progress." As indicated previously, analytical results for a groundwater sample collected from monitoring well PLMW-1 in February 1992 (located downgradient of the NWIRP and upgradient of Building 30), did not indicate any groundwater contamination for the parameters tested (i.e., VOCs and inorganic constituents).

Section 6



6.0 RECOMMENDATIONS

This section provides recommendations for additional investigatory activities as part of a Phase II Site Assessment based on the findings of the Phase I portion of the program.

The Phase I Site Assessment identified the two 15,000-gallon No. 6 fuel oil underground storage tanks as a potential area of environmental concern. Although they are monitored daily for inventory purposes, and there does not appear to be any product losses that are unaccounted for (based on conversations with GAC), tightness testing is recommended to confirm the integrity of these tanks. It should be noted that if ownership of these tanks is transferred from the GAC Bethpage Facility to another facility not licensed under New York State Navigation Law Article 12, the exemption under NCDOH Article XI, may no longer apply and replacement or modification of the tanks will be required by August 1, 1996, due to the age of the tanks.

Appendix A

APPENDIX A

DELISTING PETITION APPROVAL LETTERS



Thomas C. Jorling
Commissioner

AUG 19 1992

Grumman Aerospace Facility
c/o Mr. J. Ohlmann, P.E. Director
Bethpage, New York

Dear Mr. Ohlmann:

Re: DEC Site No.: 130003
Site Name: Grumman Aerospace Facility
Site Address: Bethpage, NY 11714-3580

As mandated by Section 27-1305 of the Environmental Conservation Law, the New York State Department of Environmental Conservation (NYSDEC) must maintain a registry of all disposal sites suspected or known to contain - hazardous wastes. It is this Department's procedure to notify the owner of all or any part of each site or area included in the Registry of Inactive Hazardous Waste Disposal Sites as to changes in site classification.

Our records indicate that you are the owner or part-owner of the above-referenced site. Based on the information that has been gathered to date, the NYSDEC has not identified any hazardous wastes at your property. Therefore, this letter constitutes notification of deletion of the following properties: Tax Map # Section 46, Lots 7-14, Block 503; Section 46, Lot 59, Block G and Section 46, Lot - Part of 50, Block G. from the Grumman Aerospace Bethpage Facility #130003, in the Registry of Inactive Hazardous Waste Disposal Sites in New York State. Your properties will not appear in future Registries unless information is brought to our attention which justifies relisting these properties.

If you have any further questions, please contact Mr. Robert L. Marino, Chief, Site Control Section, Bureau of Hazardous Site Control at (518) 457-0747.

Sincerely,

Earl H. Barcomb, P.E.
Director
Bureau of Hazardous Site Control
Division of Hazardous Waste Remediation



Michael Zagata
Commissioner

JUN 16 1995

Mr. John Ohlmann
Director
Corporate Environmental Technology & Compliance
Grumman Corporation
Mail Stop: D08-GHQ
Bethpage, New York 11714-3580

Re: Petition to Modify
Grumman Aerospace - Bethpage Facility
Bethpage, New York
Buildings 30 and 35
Site ID #130003A


Dear Mr. Ohlmann:

Commissioner Zagata has asked me to respond to your petition of March 1, 1995 in which you requested that the boundary of the subject site be modified to exclude the Buildings 30 and 35 (including Building 16) property at Bethpage, New York in the Registry of Inactive Hazardous Waste Disposal Sites in New York State (The Registry). The area requested for exclusion is Section 46, Block G, Lots 49 (partial), 50, 51 and 52.

I am pleased to inform you that after a thorough review by New York State Department of Environmental Conservation and New York State Department of Health staff, your petition has been approved. This letter is official notification that the Registry database has been modified to reflect this change.

If we may be of further assistance regarding this matter, please contact Mr. Robert Marino, of my staff, at (518) 457-0747.

Sincerely,


Michael J. O'Toole, Jr.
Director
Division of Hazardous Waste Remediation

cc: Commissioner Zagata

Appendix B



APPENDIX B

AERIAL PHOTOGRAPHS




4-11-50




1-3-55






1-24-57

1-24-57




3-23-62




4-11-69



4-30-72



3-8-88



Appendix C

APPENDIX C

ENVIRONMENTAL DATA BASE SEARCH

SITE ASSESSMENT REPORT (EXTENDED BY 1/4 MILE)


PROPERTY INFORMATION	CLIENT INFORMATION
Project Name/Ref #: GRUMMAN CORP GRUMMAN AEROSPACE CORPORATION 999 STEWART AVE BLDG 30 BETHPAGE, NY 11714 Cross Street: W SIDE OF STEWART/CHERRY AVE IS OPPOSITE Latitude/Longitude: (40.756595, 73.486733)	CLAIRE WERNER DVIRKA BARTILUCCI-SYOSSET 6800 JERICHO TPKE SYOSSET, NY 11791

Site Distribution Summary	<i>within 3/8 mile</i>	<i>3/8 to 1/2 mile</i>	<i>1/2 to 3/4 mile</i>	<i>3/4 to 1 1/4 miles</i>
Agency / Database - Type of Records				
A) Databases searched to 1 1/4 miles:				
US EPA NPL National Priority List	0	0	1	0
US EPA TSD RCRA permitted treatment, storage, disposal facilities	0	0	1	0
STATE SPL State equivalent priority list	1	0	1	0
B) Databases searched to 3/4 mile:				
US EPA CERCLIS Sites under review by US EPA	0	0	2	-
STATE LUST Leaking Underground Storage Tanks	17	2	7	-
STATE SWLF Permitted as solid waste landfills, incinerators, or transfer stations	0	0	0	-
C) Databases searched to 1/2 mile:				
STATE UST Registered underground storage tanks	1	0	-	-
STATE AST Registered aboveground storage tanks	2	0	-	-
D) Databases searched to 3/8 mile:				
US EPA ERNS Emergency Response Notification System of spills	0	-	-	-
US EPA LG GEN RCRA registered large generators of hazardous waste	2	-	-	-
US EPA SM GEN RCRA registered small generators of hazardous waste	2	-	-	-

This geographic database search meets the American Society for Testing Materials (ASTM) standards for a government records review. A (-) indicates the search distance exceeds ASTM search parameters.

LIMITATION OF LIABILITY

Customer proceeds at its own risk in choosing to rely on VISTA services, in whole or in part, prior to proceeding with any transaction. VISTA cannot be an insurer of the accuracy of the information, errors occurring in conversion of data, or for customer's use of data. VISTA and its affiliated companies, officers, agents, employees and independent contractors cannot be held liable for accuracy, storage, delivery, loss or expense suffered by customer resulting directly or indirectly from any information provided by VISTA.




For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 089252-001

Date of Report: November 14, 1995


Version 2.4.1

Page #1



SITE ASSESSMENT REPORT (EXTENDED BY 1/4 MILE)

Map of Sites within One and One-Quarter Miles



Subject Site 	Category: Databases Searched to:	A 1 1/4 mi.	B 3/4 mi.	C 1/2 mi.	D 3/8 mi.
	Single Sites 				
Multiple Sites 					
Roads Highways Railroads Rivers or Water Bodies Utilities	NPL, SPL, SCL, TSD	CERCLIS, LUST, SWLF	UST	ERNS, GENERATORS	


If additional databases are listed in the cover page of the report they are also displayed on this map. The map symbol used corresponds to the database category letter A,B,C,D.

For More Information Call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403

Report ID: 089252-001


Date of Report: November 14, 1995

Page #2



SITE ASSESSMENT REPORT (EXTENDED BY 1/4 MILE)

Map of Sites within Half Mile




Subject Site	Category:	A	B	C	D
★	Databases Searched to:	1 1/4 mi.	3/4 mi.	1/2 mi.	3/8 mi.
	Single Sites	◆	■	△	○
	Multiple Sites	◆	■	△	○
		NPL, SPL, SCL, TSD	CERCLIS, LUST, SWLF	UST	ERNS, GENERATORS
		If additional databases are listed in the cover page of the report they are also displayed on this map. The map symbol used corresponds to the database category letter A,B,C,D.			

For More Information Call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403

Report ID: 089252-001


Date of Report: November 14, 1995

Page #3



SITE ASSESSMENT REPORT (EXTENDED BY 1/4 MILE)


Sites Represented as Radius Buffers



These radii are estimated from agency records or detailed street maps. The radii may be based on the furthest boundary of each property or study area from its center. For more information contact the agency referenced by source number in the site listing.




Subject Site



Roads
Highways
Railroads
Rivers or Water Bodies
Utilities


For More Information Call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403
Report ID: 089252-001

Date of Report: November 14, 1995
Page #4



SITE ASSESSMENT REPORT (EXTENDED BY 1/4 MILE)

Street Map




For More Information Call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403
Report ID: 089252-001

Date of Report: November 14, 1995
Page #5

SITE ASSESSMENT REPORT (EXTENDED BY 1/4 MILE)

SITE INVENTORY

MAP ID	PROPERTY AND THE ADJACENT AREA (within 3/8 mile)	VISTA ID DISTANCE DIRECTION	A			B			C		D	
			NPL	TSD	SPL	CERCLIS	LUST	SWLF	UST	AST	ERNS	LG GEN
1	GRUMMAN AEROSPACE CORPORATION MAIL STOP:D08-GHQ BETHPAGE, NY 11714	4119416 0.00 MI ADJACENT							X			
1	GRUMMAN AEROSPACE BUILDING 04-01-1 BETHPAGE, NY 11714	4111074 0.00 MI ADJACENT					X					
1	GRUMMAN BLDG #15 BETHPAGE, NY 11714	4111075 0.00 MI ADJACENT					X					
1	GRUMMAN GRUMMAN PLANT #17 BETHPAGE, NY 11714	2720226 0.00 MI ADJACENT					X					
1	GRUMMAN AEROSPACE GRUMMAN FACILITY BLDG 1 BETHPAGE, NY 11714	2720231 0.00 MI ADJACENT					X					
1	GRUMMAN AEROSPACE GRUMMAN AEROSPACE BETHPAGE, NY 11714	1337762 0.00 MI ADJACENT					X					
1	GRUMMAN AEROSPACE-BETHPAGE FACILITY STEWART AVENUE BETHPAGE, NY 11714	2495698 0.00 MI ADJACENT			X							
1	GRUMMAN STEWART AVENUE BETHPAGE, NY 11714	181974 0.00 MI ADJACENT					X		X			
1	GRUMMAN AEROSPACE BLDG 111 BETHPAGE, NY 11714	4111064 0.00 MI ADJACENT					X					
1	GRUMMAN AEROSPACE BUILDING 116-01-1 BETHPAGE, NY 11714	4111065 0.00 MI ADJACENT					X					
1	GRUMMAN AEROSPACE BUILDING #2 GRUMMAN BETHPAGE, NY 11714	4111070 0.00 MI ADJACENT					X					
1	GRUMMAN AEROSPACE BUILDING #1 BETHPAGE, NY 11714	4111071 0.00 MI ADJACENT					X					
1	GRUMMAN AEROSPACE BLDG 28 BETHPAGE, NY 11714	5308133 0.00 MI ADJACENT					X					
1	GRUMMAN AEROSPACE BLDG 115 BETHPAGE, NY 11714	4111072 0.00 MI ADJACENT					X					



X = search criteria; • = tag-along (beyond search criteria).

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 089252-001

Date of Report: November 14, 1995


Version 2.4.1

Page #6

MAP ID	PROPERTY AND THE ADJACENT AREA (within 3/8 mile)	VISTA ID DISTANCE DIRECTION	A			B			C			D	
			NPL	TSD	SPL	CERCLIS	LUST	SWLF	UST	AST	ERNS	LG GEN	SM GEN
2	BETHPAGE SCHOOL DISTRICT CHERRY LANE STEWART AVE BETHPAGE, NY 11714	2737155 0.02 MI SE					X						
2	SERVICE STATION N/S STEWART CHERRY AVES BETHPAGE, NY 11714	414800 0.02 MI SE											X
3	SHELL OIL CO STEWART FARMERS BETHPAGE, NY 11714	2737158 0.06 MI N					X		X				X
4	HENRY SOLUK OWNER 30 FLORAL AVENUE BETHPAGE, NY 11714	3856046 0.19 MI NE					X						
5	FESTANTE RESIDENCE 82 SYCAMORE AVENUE BETHPAGE, NY 11714	2737322 0.26 MI SE					X						
6	GARRETT AUTO PARTS 145 STEWART AVE BETHPAGE, NY 11714	1329446 0.34 MI SE											X
6	FROG HOLLOW COLLISION INC 11 STEWART AVE BETHPAGE, NY 11714	162031 0.34 MI SE											X
7	SHUMSKI RESIDENCE 8 SILBER AVENUE BETHPAGE, NY 11714	1133240 0.34 MI E					X						

MAP ID	SITES IN THE SURROUNDING AREA (within 3/8 - 1/2 mile)	VISTA ID DISTANCE DIRECTION	A			B			C			D	
			NPL	TSD	SPL	CERCLIS	LUST	SWLF	UST	AST	ERNS	LG GEN	SM GEN
8	RESIDENCE 89 SILVBER AVE BETHPAGE, NY 11714	4257764 0.42 MI NE					X						
9	METRO S/S 900 STEWART AVENUE BETHPAGE, NY 11714	2737175 0.44 MI NW					X						

MAP ID	SITES IN THE SURROUNDING AREA (within 1/2 - 3/4 mile)	VISTA ID DISTANCE DIRECTION	A			B			C			D	
			NPL	TSD	SPL	CERCLIS	LUST	SWLF	UST	AST	ERNS	LG GEN	SM GEN
10	AL ANDRIANO RESIDENCE 159 12TH STREET BETHPAGE, NY 11714	3911181 0.53 MI SW					X						
11	EPSTEINS RESIDENCE 46 KESWICK LANE PLAINVIEW, NY 11803	2723270 0.55 MI N					X						
12	NYNEX VEHICLE SHERMAN AVE/SO 6TH STREET BETHPAGE, NY 11714	5162244 0.58 MI S					X						



X = search criteria; • = tag-along (beyond search criteria).

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 089252-001


Date of Report: November 14, 1995

Version 2.4.1

Page #7

MAP ID	SITES IN THE SURROUNDING AREA (within 1/2 - 3/4 mile)	VISTA ID DISTANCE DIRECTION	A			B			C		D	
			NPL	TSD	SPL	CERCLIS	LUST	SWLF	UST	AST	ERNS	LG GEN
13	JAMES BAIL RESIDENCE 127 SOUTH 1ST ST BETHPAGE, NY 11714	5415574 0.64 MI S					X					
14	GRUMMAN AEROSPACE CORP SOUTH OYSTER BAY RD BETHPAGE, NY 11714	3624600 0.66 MI W		X		X	X			•		•
15	RUCO POLYMER CORPORATION NEW SOUTH ROAD HICKSVILLE, NY 11801	362950 0.69 MI W	X		X	X	X			•		•
16	GETTY PETROLEUM CORP 723 S OYSTER BAY RD PLAINVIEW, NY 11803	2729523 0.72 MI W					X					•

MAP ID	SITES IN THE SURROUNDING AREA (within 3/4 - 1 1/4 miles)	VISTA ID DISTANCE DIRECTION	A			B			C		D	
			NPL	TSD	SPL	CERCLIS	LUST	SWLF	UST	AST	ERNS	LG GEN
No Records Found												



X = search criteria; • = tag-along (beyond search criteria).

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.


Report ID: 089252-001

Date of Report: November 14, 1995

Version 2.4.1

Page #8

UNMAPPED SITES	VISTA ID	A			B		C		D			
		NPL	TSD	SPL	CERCLIS	LUST	SWLF	UST	AST	ERNS	LG GEN	SM GEN
BEECHWOOD , NY	5619464						X					
BETHPAGE SCH.BUS GARAGE BROADWAY BETHPAGE, NY 11714	5361191								X			
JOHN F. KENNEDY JR. HIGH BROADWAY BETHPAGE, NY 11714	5361192							X				
NAVAL WEAPONS IND. RESERVE PLANT STEWART AVENUE BETHPAGE, NY 11714	4123188			X								
OLD WESTBURY SWMF , NY	5619800						X					
DUFFY AVENUE , NY	5619554						X					
PLANDOME (V) , NY	5619817						X					
TOWN OF OYSTER BAY STEWART AVE BETHPAGE, NY 11714	5321334					X						
NORTHEdge SCHOOL STEWART AVE BETHPAGE, NY 11714	5362810							X				
LEE AVENUE SCHOOL 7TH STREET HICKSVILLE, NY	5361028								X			
GREAT NECK T.S. (V) , NY	4898181						X					
GARVIES POINT SLF , NY	5619635						X					
ROCKVILLE CENTER T.S. , NY	3502530						X					
BETHPAGE COMM PARK STEWART AVENUE BETHPAGE, NY 11714	46284					X						
BETHPAGE HIGH SCHOOL CHERRY AVENUE BETHPAGE, NY 11714	46285							X				
V G RUBBISH REMOVAL , NY	5619935						X					
AGO ASSOCIATES , NY	5619437						X					
WARREN BROTHERS/COES NECK , NY	5619964						X					



X = search criteria; • = tag-along (beyond search criteria).

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 089252-001

Date of Report: November 14, 1995

Version 2.4.1

Page #9

SITE ASSESSMENT REPORT (EXTENDED BY 1/4 MILE)

DETAILS

PROPERTY AND THE ADJACENT AREA (within 3/8 mile)


VISTA Address*:	GRUMMAN AEROSPACE CORPORATION MAIL STOP:D08-GHQ BETHPAGE, NY 11714	VISTA ID#:	4119416
		Distance/Direction:	0.00 MI / ADJACENT
		Plotted as:	Point
		Agency ID:	1-000208

Map ID

1

AST - Above Ground Storage Tank / SRC# 2448

Agency Address:	SAME AS ABOVE		
Underground Tanks:	NOT REPORTED		
Aboveground Tanks:	13		
Tanks Removed:	NOT REPORTED		
Tank ID:	10	Tank Status:	ACTIVE/IN SERVICE
Tank Contents:	HAZARDOUS	Leak Monitoring:	NO MONITOR
Tank Age:	NOT REPORTED	Tank Piping:	GALVANIZED STEEL
Tank Size (Units):	4000 (GALLONS)	Tank Material:	CARBON STEEL
Tank ID:	313	Tank Status:	ACTIVE/IN SERVICE
Tank Contents:	HAZARDOUS	Leak Monitoring:	MONITOR PRESENT
Tank Age:	NOT REPORTED	Tank Piping:	STAINLESS STEEL ALLOY
Tank Size (Units):	5000 (GALLONS)	Tank Material:	STAINLESS STEEL
Tank ID:	320	Tank Status:	ACTIVE/IN SERVICE
Tank Contents:	HAZARDOUS	Leak Monitoring:	MONITOR PRESENT
Tank Age:	NOT REPORTED	Tank Piping:	STAINLESS STEEL ALLOY
Tank Size (Units):	7000 (GALLONS)	Tank Material:	OTHER DESCRIPTIONS
Tank ID:	329	Tank Status:	ACTIVE/IN SERVICE
Tank Contents:	HAZARDOUS	Leak Monitoring:	MONITOR PRESENT
Tank Age:	NOT REPORTED	Tank Piping:	STAINLESS STEEL ALLOY
Tank Size (Units):	8000 (GALLONS)	Tank Material:	FIBERGLASS REINFORCED PLASTIC
Tank ID:	399	Tank Status:	ACTIVE/IN SERVICE
Tank Contents:	HAZARDOUS	Leak Monitoring:	MONITOR PRESENT
Tank Age:	NOT REPORTED	Tank Piping:	STEEL/IRON
Tank Size (Units):	4418 (GALLONS)	Tank Material:	FIBERGLASS REINFORCED PLASTIC
Tank ID:	400	Tank Status:	ACTIVE/IN SERVICE
Tank Contents:	HAZARDOUS	Leak Monitoring:	MONITOR PRESENT
Tank Age:	NOT REPORTED	Tank Piping:	STEEL/IRON
Tank Size (Units):	4418 (GALLONS)	Tank Material:	FIBERGLASS REINFORCED PLASTIC
Tank ID:	941	Tank Status:	ACTIVE/IN SERVICE
Tank Contents:	HAZARDOUS	Leak Monitoring:	MONITOR PRESENT
Tank Age:	NOT REPORTED	Tank Piping:	STAINLESS STEEL ALLOY
Tank Size (Units):	500 (GALLONS)	Tank Material:	CARBON STEEL
Tank ID:	1207	Tank Status:	ACTIVE/IN SERVICE
Tank Contents:	HAZARDOUS	Leak Monitoring:	MONITOR PRESENT
Tank Age:	NOT REPORTED	Tank Piping:	STEEL/IRON
Tank Size (Units):	10000 (GALLONS)	Tank Material:	CARBON STEEL



* VISTA address includes enhanced city and ZIP.

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 089252-001


Date of Report: November 14, 1995

Version 2.4.1

Page #10

PROPERTY AND THE ADJACENT AREA (within 3/8 mile) CONT.

Tank ID:	1254	Tank Status:	ACTIVE/IN SERVICE
Tank Contents:	HAZARDOUS	Leak Monitoring:	MONITOR PRESENT
Tank Age:	NOT REPORTED	Tank Piping:	STEEL/IRON
Tank Size (Units):	6000 (GALLONS)	Tank Material:	CARBON STEEL
Tank ID:	1271	Tank Status:	ACTIVE/IN SERVICE
Tank Contents:	HAZARDOUS	Leak Monitoring:	MONITOR PRESENT
Tank Age:	NOT REPORTED	Tank Piping:	STEEL/IRON
Tank Size (Units):	10000 (GALLONS)	Tank Material:	CARBON STEEL
Tank ID:	1303	Tank Status:	ACTIVE/IN SERVICE
Tank Contents:	HAZARDOUS	Leak Monitoring:	NO MONITOR
Tank Age:	NOT REPORTED	Tank Piping:	STEEL/IRON
Tank Size (Units):	600 (GALLONS)	Tank Material:	CARBON STEEL
Tank ID:	1304	Tank Status:	ACTIVE/IN SERVICE
Tank Contents:	HAZARDOUS	Leak Monitoring:	NO MONITOR
Tank Age:	NOT REPORTED	Tank Piping:	STEEL/IRON
Tank Size (Units):	500 (GALLONS)	Tank Material:	CARBON STEEL
Tank ID:	7002	Tank Status:	ACTIVE/IN SERVICE
Tank Contents:	HAZARDOUS	Leak Monitoring:	NO MONITOR
Tank Age:	NOT REPORTED	Tank Piping:	STAINLESS STEEL ALLOY
Tank Size (Units):	4800 (GALLONS)	Tank Material:	CARBON STEEL
AST - Above Ground Storage Tank / SRC# 2448		Agency ID:	1-1280
Agency Address:	SAME AS ABOVE		
Underground Tanks:	88		
Aboveground Tanks:	37		
Tanks Removed:	NOT REPORTED		
Tank ID:	01-01-1	Tank Status:	ACTIVE/IN SERVICE
Tank Contents:	DIESEL	Leak Monitoring:	NO MONITOR
Tank Age:	NOT REPORTED	Tank Piping:	STEEL/IRON
Tank Size (Units):	275 (GALLONS)	Tank Material:	CARBON STEEL
Tank ID:	01-01-2	Tank Status:	CLOSED REMOVED
Tank Contents:	AGENCY REPORTS THE UNDEFINED TERM "OTHER"	Leak Monitoring:	NO MONITOR
Tank Age:	NOT REPORTED	Tank Piping:	STEEL/IRON
Tank Size (Units):	2500 (GALLONS)	Tank Material:	CARBON STEEL
Tank ID:	01-01-3	Tank Status:	ACTIVE/IN SERVICE
Tank Contents:	DIESEL	Leak Monitoring:	NO MONITOR
Tank Age:	NOT REPORTED	Tank Piping:	STEEL/IRON
Tank Size (Units):	275 (GALLONS)	Tank Material:	CARBON STEEL
Tank ID:	01-04-2	Tank Status:	ACTIVE/IN SERVICE
Tank Contents:	DIESEL	Leak Monitoring:	NO MONITOR
Tank Age:	NOT REPORTED	Tank Piping:	STEEL/IRON
Tank Size (Units):	275 (GALLONS)	Tank Material:	CARBON STEEL
Tank ID:	01-04-3	Tank Status:	ACTIVE/IN SERVICE
Tank Contents:	FUEL OIL	Leak Monitoring:	NO MONITOR
Tank Age:	NOT REPORTED	Tank Piping:	STEEL/IRON
Tank Size (Units):	1000 (GALLONS)	Tank Material:	CARBON STEEL
Tank ID:	01-09-1	Tank Status:	CLOSED REMOVED
Tank Contents:	AGENCY REPORTS THE UNDEFINED TERM "OTHER"	Leak Monitoring:	MONITOR PRESENT
Tank Age:	NOT REPORTED	Tank Piping:	STEEL/IRON
Tank Size (Units):	15000 (GALLONS)	Tank Material:	CARBON STEEL



*** VISTA address includes enhanced city and ZIP.**

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 089252-001


Date of Report: November 14, 1995

Version 2.4.1

Page #11

PROPERTY AND THE ADJACENT AREA (within 3/8 mile) CONT.

Tank ID:	01-09-2	Tank Status:	CLOSED REMOVED
Tank Contents:	AGENCY REPORTS THE UNDEFINED TERM "OTHER"	Leak Monitoring:	MONITOR PRESENT
Tank Age:	NOT REPORTED	Tank Piping:	STEEL/IRON
Tank Size (Units):	15000 (GALLONS)	Tank Material:	CARBON STEEL
Tank ID:	01-09-3	Tank Status:	CLOSED REMOVED
Tank Contents:	AGENCY REPORTS THE UNDEFINED TERM "OTHER"	Leak Monitoring:	MONITOR PRESENT
Tank Age:	NOT REPORTED	Tank Piping:	STEEL/IRON
Tank Size (Units):	15000 (GALLONS)	Tank Material:	CARBON STEEL
Tank ID:	01-09-4	Tank Status:	CLOSED REMOVED
Tank Contents:	AGENCY REPORTS THE UNDEFINED TERM "OTHER"	Leak Monitoring:	MONITOR PRESENT
Tank Age:	NOT REPORTED	Tank Piping:	STEEL/IRON
Tank Size (Units):	15000 (GALLONS)	Tank Material:	CARBON STEEL
Tank ID:	01-09-5	Tank Status:	CLOSED REMOVED
Tank Contents:	AGENCY REPORTS THE UNDEFINED TERM "OTHER"	Leak Monitoring:	MONITOR PRESENT
Tank Age:	NOT REPORTED	Tank Piping:	STEEL/IRON
Tank Size (Units):	15000 (GALLONS)	Tank Material:	CARBON STEEL
Tank ID:	01-09-6	Tank Status:	CLOSED REMOVED
Tank Contents:	AGENCY REPORTS THE UNDEFINED TERM "OTHER"	Leak Monitoring:	MONITOR PRESENT
Tank Age:	NOT REPORTED	Tank Piping:	STEEL/IRON
Tank Size (Units):	15000 (GALLONS)	Tank Material:	CARBON STEEL
Tank ID:	01-09-7	Tank Status:	CLOSED REMOVED
Tank Contents:	AGENCY REPORTS THE UNDEFINED TERM "OTHER"	Leak Monitoring:	MONITOR PRESENT
Tank Age:	NOT REPORTED	Tank Piping:	STEEL/IRON
Tank Size (Units):	550 (GALLONS)	Tank Material:	CARBON STEEL
Tank ID:	02-01-1	Tank Status:	CLOSED REMOVED
Tank Contents:	DIESEL	Leak Monitoring:	NO MONITOR
Tank Age:	NOT REPORTED	Tank Piping:	UNKNOWN
Tank Size (Units):	15000 (GALLONS)	Tank Material:	CARBON STEEL
Tank ID:	02-01-10	Tank Status:	ACTIVE/IN SERVICE
Tank Contents:	DIESEL	Leak Monitoring:	NO MONITOR
Tank Age:	NOT REPORTED	Tank Piping:	STEEL/IRON
Tank Size (Units):	240 (GALLONS)	Tank Material:	CARBON STEEL
Tank ID:	02-01-2	Tank Status:	CLOSED REMOVED
Tank Contents:	DIESEL	Leak Monitoring:	NO MONITOR
Tank Age:	NOT REPORTED	Tank Piping:	UNKNOWN
Tank Size (Units):	15000 (GALLONS)	Tank Material:	CARBON STEEL
Tank ID:	02-01-3	Tank Status:	CLOSED REMOVED
Tank Contents:	DIESEL	Leak Monitoring:	NO MONITOR
Tank Age:	NOT REPORTED	Tank Piping:	STEEL/IRON
Tank Size (Units):	15000 (GALLONS)	Tank Material:	CARBON STEEL
Tank ID:	02-01-4	Tank Status:	CLOSED REMOVED
Tank Contents:	DIESEL	Leak Monitoring:	NO MONITOR
Tank Age:	NOT REPORTED	Tank Piping:	STEEL/IRON
Tank Size (Units):	15000 (GALLONS)	Tank Material:	CARBON STEEL
Tank ID:	02-01-5	Tank Status:	CLOSED REMOVED
Tank Contents:	UNLEADED GAS	Leak Monitoring:	NO MONITOR
Tank Age:	NOT REPORTED	Tank Piping:	STEEL/IRON
Tank Size (Units):	275 (GALLONS)	Tank Material:	CARBON STEEL



* VISTA address includes enhanced city and ZIP.

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 089252-001


Date of Report: November 14, 1995

Version 2.4.1

Page #12

PROPERTY AND THE ADJACENT AREA (within 3/8 mile) CONT.

Tank ID:	02-01-7	Tank Status:	ACTIVE/IN SERVICE
Tank Contents:	DIESEL	Leak Monitoring:	NO MONITOR
Tank Age:	NOT REPORTED	Tank Piping:	STEEL/IRON
Tank Size (Units):	275 (GALLONS)	Tank Material:	CARBON STEEL
Tank ID:	02-01-8	Tank Status:	ACTIVE/IN SERVICE
Tank Contents:	DIESEL	Leak Monitoring:	MONITOR PRESENT
Tank Age:	NOT REPORTED	Tank Piping:	COPPER
Tank Size (Units):	550 (GALLONS)	Tank Material:	FIBERGLASS REINFORCED PLASTIC
Tank ID:	02-01-9	Tank Status:	ACTIVE/IN SERVICE
Tank Contents:	DIESEL	Leak Monitoring:	MONITOR PRESENT
Tank Age:	NOT REPORTED	Tank Piping:	STEEL/IRON
Tank Size (Units):	10000 (GALLONS)	Tank Material:	STEEL, FIBERGLASS COATED
Tank ID:	02-04-1	Tank Status:	ACTIVE/IN SERVICE
Tank Contents:	DIESEL	Leak Monitoring:	MONITOR PRESENT
Tank Age:	NOT REPORTED	Tank Piping:	STEEL/IRON
Tank Size (Units):	275 (GALLONS)	Tank Material:	CARBON-STEEL
Tank ID:	02-22-1	Tank Status:	CLOSED REMOVED
Tank Contents:	DIESEL	Leak Monitoring:	NO MONITOR
Tank Age:	NOT REPORTED	Tank Piping:	STEEL/IRON
Tank Size (Units):	550 (GALLONS)	Tank Material:	CARBON-STEEL
Tank ID:	02-27-1	Tank Status:	CLOSED REMOVED
Tank Contents:	FUEL OIL	Leak Monitoring:	NO MONITOR
Tank Age:	NOT REPORTED	Tank Piping:	UNKNOWN
Tank Size (Units):	1000 (GALLONS)	Tank Material:	CARBON STEEL
Tank ID:	02-29-1	Tank Status:	ACTIVE/IN SERVICE
Tank Contents:	FUEL OIL	Leak Monitoring:	NO MONITOR
Tank Age:	NOT REPORTED	Tank Piping:	STEEL/IRON
Tank Size (Units):	556000 (GALLONS)	Tank Material:	CARBON STEEL
Tank ID:	02-29-2	Tank Status:	ACTIVE/IN SERVICE
Tank Contents:	DIESEL	Leak Monitoring:	NO MONITOR
Tank Age:	NOT REPORTED	Tank Piping:	STEEL/IRON
Tank Size (Units):	275 (GALLONS)	Tank Material:	CARBON-STEEL
Tank ID:	02-29-2	Tank Status:	CLOSED REMOVED
Tank Contents:	DIESEL	Leak Monitoring:	NO MONITOR
Tank Age:	NOT REPORTED	Tank Piping:	UNKNOWN
Tank Size (Units):	550 (GALLONS)	Tank Material:	CARBON STEEL
Tank ID:	02-35-1	Tank Status:	ACTIVE/IN SERVICE
Tank Contents:	FUEL OIL	Leak Monitoring:	NO MONITOR
Tank Age:	NOT REPORTED	Tank Piping:	STEEL/IRON
Tank Size (Units):	10000 (GALLONS)	Tank Material:	CARBON STEEL
Tank ID:	03-01-4	Tank Status:	ACTIVE/IN SERVICE
Tank Contents:	DIESEL	Leak Monitoring:	NO MONITOR
Tank Age:	NOT REPORTED	Tank Piping:	STEEL/IRON
Tank Size (Units):	550 (GALLONS)	Tank Material:	CARBON STEEL
Tank ID:	03-01-6	Tank Status:	ACTIVE/IN SERVICE
Tank Contents:	AGENCY REPORTS THE UNDEFINED TERM "OTHER"	Leak Monitoring:	MONITOR PRESENT
Tank Age:	NOT REPORTED	Tank Piping:	STEEL/IRON
Tank Size (Units):	2500 (GALLONS)	Tank Material:	FIBERGLASS REINFORCED PLASTIC



* VISTA address includes enhanced city and ZIP.

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 089252-001


Date of Report: November 14, 1995

Version 2.4.1

Page #13

PROPERTY AND THE ADJACENT AREA (within 3/8 mile) CONT.

Tank ID:	03-01-7	Tank Status:	ACTIVE/IN SERVICE
Tank Contents:	DIESEL	Leak Monitoring:	NO MONITOR
Tank Age:	NOT REPORTED	Tank Piping:	STEEL/IRON
Tank Size (Units):	275 (GALLONS)	Tank Material:	CARBON STEEL
Tank ID:	03-01-8	Tank Status:	ACTIVE/IN SERVICE
Tank Contents:	DIESEL	Leak Monitoring:	NO MONITOR
Tank Age:	NOT REPORTED	Tank Piping:	STEEL/IRON
Tank Size (Units):	275 (GALLONS)	Tank Material:	CARBON STEEL
Tank ID:	03-01-9	Tank Status:	ACTIVE/IN SERVICE
Tank Contents:	DIESEL	Leak Monitoring:	NO MONITOR
Tank Age:	NOT REPORTED	Tank Piping:	COPPER
Tank Size (Units):	275 (GALLONS)	Tank Material:	CARBON STEEL
Tank ID:	03-03-1	Tank Status:	ACTIVE/IN SERVICE
Tank Contents:	DIESEL	Leak Monitoring:	NO MONITOR
Tank Age:	NOT REPORTED	Tank Piping:	STEEL/IRON
Tank Size (Units):	550 (GALLONS)	Tank Material:	CARBON STEEL
Tank ID:	03-07-1	Tank Status:	ACTIVE/IN SERVICE
Tank Contents:	FUEL OIL	Leak Monitoring:	NO MONITOR
Tank Age:	NOT REPORTED	Tank Piping:	STEEL/IRON
Tank Size (Units):	4000 (GALLONS)	Tank Material:	FIBERGLASS REINFORCED PLASTIC
Tank ID:	03-13-13	Tank Status:	CLOSED IN PLACE
Tank Contents:	AGENCY REPORTS THE UNDEFINED TERM "OTHER"	Leak Monitoring:	NO MONITOR
Tank Age:	NOT REPORTED	Tank Piping:	UNKNOWN
Tank Size (Units):	2000 (GALLONS)	Tank Material:	CARBON STEEL
Tank ID:	03-13-14	Tank Status:	CLOSED IN PLACE
Tank Contents:	AGENCY REPORTS THE UNDEFINED TERM "OTHER"	Leak Monitoring:	NO MONITOR
Tank Age:	NOT REPORTED	Tank Piping:	UNKNOWN
Tank Size (Units):	1000 (GALLONS)	Tank Material:	CARBON STEEL
Tank ID:	03-13-15	Tank Status:	ACTIVE/IN SERVICE
Tank Contents:	FUEL OIL	Leak Monitoring:	NO MONITOR
Tank Age:	NOT REPORTED	Tank Piping:	COPPER
Tank Size (Units):	275 (GALLONS)	Tank Material:	CARBON STEEL
Tank ID:	03-13-15	Tank Status:	CLOSED REMOVED
Tank Contents:	FUEL OIL	Leak Monitoring:	NO MONITOR
Tank Age:	NOT REPORTED	Tank Piping:	STEEL/IRON
Tank Size (Units):	2000 (GALLONS)	Tank Material:	CARBON STEEL
Tank ID:	03-34-2	Tank Status:	ACTIVE/IN SERVICE
Tank Contents:	DIESEL	Leak Monitoring:	NO MONITOR
Tank Age:	NOT REPORTED	Tank Piping:	COPPER
Tank Size (Units):	550 (GALLONS)	Tank Material:	FIBERGLASS REINFORCED PLASTIC
Tank ID:	03-34-3	Tank Status:	CLOSED REMOVED
Tank Contents:	FUEL OIL	Leak Monitoring:	MONITOR PRESENT
Tank Age:	NOT REPORTED	Tank Piping:	COPPER
Tank Size (Units):	2000 (GALLONS)	Tank Material:	FIBERGLASS REINFORCED PLASTIC
Tank ID:	03-34-4	Tank Status:	ACTIVE/IN SERVICE
Tank Contents:	AGENCY REPORTS THE UNDEFINED TERM "OTHER"	Leak Monitoring:	MONITOR PRESENT
Tank Age:	NOT REPORTED	Tank Piping:	STEEL/IRON
Tank Size (Units):	4000 (GALLONS)	Tank Material:	FIBERGLASS REINFORCED PLASTIC



* VISTA address includes enhanced city and ZIP.

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 089252-001


Date of Report: November 14, 1995

Version 2.4.1

Page #14

PROPERTY AND THE ADJACENT AREA (within 3/8 mile) CONT.

Tank ID:	03-34-5(Tank Status:	ACTIVE/IN SERVICE
Tank Contents:	FUEL OIL	Leak Monitoring:	NO MONITOR
Tank Age:	NOT REPORTED	Tank Piping:	COPPER
Tank Size (Units):	2000 (GALLONS)	Tank Material:	CARBON-STEEL
Tank ID:	04-01-1	Tank Status:	CLOSED REMOVED
Tank Contents:	DIESEL	Leak Monitoring:	NO MONITOR
Tank Age:	NOT REPORTED	Tank Piping:	UNKNOWN
Tank Size (Units):	1000 (GALLONS)	Tank Material:	CARBON STEEL
Tank ID:	04-01-2	Tank Status:	ACTIVE/IN SERVICE
Tank Contents:	DIESEL	Leak Monitoring:	NO MONITOR
Tank Age:	NOT REPORTED	Tank Piping:	STEEL/IRON
Tank Size (Units):	275 (GALLONS)	Tank Material:	CARBON STEEL
Tank ID:	04-01-3	Tank Status:	ACTIVE/IN SERVICE
Tank Contents:	DIESEL	Leak Monitoring:	NO MONITOR
Tank Age:	NOT REPORTED	Tank Piping:	STEEL/IRON
Tank Size (Units):	275 (GALLONS)	Tank Material:	CARBON-STEEL
Tank ID:	04-03-1	Tank Status:	CLOSED REMOVED
Tank Contents:	FUEL OIL	Leak Monitoring:	NO MONITOR
Tank Age:	NOT REPORTED	Tank Piping:	STEEL/IRON
Tank Size (Units):	2000 (GALLONS)	Tank Material:	CARBON STEEL
Tank ID:	04-04-1	Tank Status:	CLOSED REMOVED
Tank Contents:	DIESEL	Leak Monitoring:	NO MONITOR
Tank Age:	NOT REPORTED	Tank Piping:	STEEL/IRON
Tank Size (Units):	275 (GALLONS)	Tank Material:	CARBON STEEL
Tank ID:	04-04-2	Tank Status:	TEMP OUT OF SERVICE
Tank Contents:	UNLEADED GAS	Leak Monitoring:	NO MONITOR
Tank Age:	NOT REPORTED	Tank Piping:	STEEL/IRON
Tank Size (Units):	275 (GALLONS)	Tank Material:	CARBON STEEL
Tank ID:	04-04-3	Tank Status:	TEMP OUT OF SERVICE
Tank Contents:	UNLEADED GAS	Leak Monitoring:	NO MONITOR
Tank Age:	NOT REPORTED	Tank Piping:	STEEL/IRON
Tank Size (Units):	275 (GALLONS)	Tank Material:	CARBON STEEL
Tank ID:	05-01-1	Tank Status:	ACTIVE/IN SERVICE
Tank Contents:	DIESEL	Leak Monitoring:	NO MONITOR
Tank Age:	NOT REPORTED	Tank Piping:	STEEL/IRON
Tank Size (Units):	1000 (GALLONS)	Tank Material:	CARBON STEEL
Tank ID:	05-05-1	Tank Status:	ACTIVE/IN SERVICE
Tank Contents:	DIESEL	Leak Monitoring:	NO MONITOR
Tank Age:	NOT REPORTED	Tank Piping:	STEEL/IRON
Tank Size (Units):	275 (GALLONS)	Tank Material:	CARBON STEEL
Tank ID:	05-17-1	Tank Status:	ACTIVE/IN SERVICE
Tank Contents:	DIESEL	Leak Monitoring:	MONITOR PRESENT
Tank Age:	NOT REPORTED	Tank Piping:	FIBERGLASS REINFORCED PLASTIC
Tank Size (Units):	550 (GALLONS)	Tank Material:	FIBERGLASS REINFORCED PLASTIC
Tank ID:	12-02-1	Tank Status:	ACTIVE/IN SERVICE
Tank Contents:	DIESEL	Leak Monitoring:	NO MONITOR
Tank Age:	NOT REPORTED	Tank Piping:	STEEL/IRON
Tank Size (Units):	275 (GALLONS)	Tank Material:	CARBON STEEL
Tank ID:	12-03-1	Tank Status:	ACTIVE/IN SERVICE
Tank Contents:	FUEL OIL	Leak Monitoring:	NO MONITOR
Tank Age:	NOT REPORTED	Tank Piping:	STEEL/IRON
Tank Size (Units):	15000 (GALLONS)	Tank Material:	CARBON STEEL



* VISTA address includes enhanced city and ZIP.

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 089252-001


Date of Report: November 14, 1995

Version 2.4.1

Page #15

PROPERTY AND THE ADJACENT AREA (within 3/8 mile) CONT.

Tank ID:	12-03-2	Tank Status:	ACTIVE/IN SERVICE
Tank Contents:	FUEL OIL	Leak Monitoring:	NO MONITOR
Tank Age:	NOT REPORTED	Tank Piping:	STEEL/IRON
Tank Size (Units):	15000 (GALLONS)	Tank Material:	CARBON STEEL
Tank ID:	12-03-3	Tank Status:	ACTIVE/IN SERVICE
Tank Contents:	DIESEL	Leak Monitoring:	NO MONITOR
Tank Age:	NOT REPORTED	Tank Piping:	STEEL/IRON
Tank Size (Units):	275 (GALLONS)	Tank Material:	CARBON STEEL
Tank ID:	12-03-4	Tank Status:	ACTIVE/IN SERVICE
Tank Contents:	DIESEL	Leak Monitoring:	NO MONITOR
Tank Age:	NOT REPORTED	Tank Piping:	STEEL/IRON
Tank Size (Units):	275 (GALLONS)	Tank Material:	CARBON STEEL
Tank ID:	12-05-1	Tank Status:	ACTIVE/IN SERVICE
Tank Contents:	FUEL OIL	Leak Monitoring:	NO MONITOR
Tank Age:	NOT REPORTED	Tank Piping:	STEEL/IRON
Tank Size (Units):	1000 (GALLONS)	Tank Material:	CARBON STEEL
Tank ID:	14-01-1	Tank Status:	ACTIVE/IN SERVICE
Tank Contents:	FUEL OIL	Leak Monitoring:	NO MONITOR
Tank Age:	NOT REPORTED	Tank Piping:	STEEL/IRON
Tank Size (Units):	10000 (GALLONS)	Tank Material:	CARBON STEEL
Tank ID:	14-01-2	Tank Status:	ACTIVE/IN SERVICE
Tank Contents:	FUEL OIL	Leak Monitoring:	NO MONITOR
Tank Age:	NOT REPORTED	Tank Piping:	STEEL/IRON
Tank Size (Units):	10000 (GALLONS)	Tank Material:	CARBON STEEL
Tank ID:	14-01-3	Tank Status:	ACTIVE/IN SERVICE
Tank Contents:	DIESEL	Leak Monitoring:	NO MONITOR
Tank Age:	NOT REPORTED	Tank Piping:	STEEL/IRON
Tank Size (Units):	275 (GALLONS)	Tank Material:	CARBON STEEL
Tank ID:	14-01-4	Tank Status:	ACTIVE/IN SERVICE
Tank Contents:	DIESEL	Leak Monitoring:	MONITOR PRESENT
Tank Age:	NOT REPORTED	Tank Piping:	STEEL/IRON
Tank Size (Units):	550 (GALLONS)	Tank Material:	FIBERGLASS REINFORCED PLASTIC
Tank ID:	15-01-1	Tank Status:	CLOSED REMOVED
Tank Contents:	FUEL OIL	Leak Monitoring:	NO MONITOR
Tank Age:	NOT REPORTED	Tank Piping:	STEEL/IRON
Tank Size (Units):	10000 (GALLONS)	Tank Material:	CARBON-STEEL
Tank ID:	15-01-2	Tank Status:	CLOSED REMOVED
Tank Contents:	FUEL OIL	Leak Monitoring:	NO MONITOR
Tank Age:	NOT REPORTED	Tank Piping:	STEEL/IRON
Tank Size (Units):	550 (GALLONS)	Tank Material:	CARBON-STEEL
Tank ID:	15-01-3	Tank Status:	CLOSED REMOVED
Tank Contents:	FUEL OIL	Leak Monitoring:	NO MONITOR
Tank Age:	NOT REPORTED	Tank Piping:	UNKNOWN
Tank Size (Units):	275 (GALLONS)	Tank Material:	CARBON-STEEL
Tank ID:	15-01-4	Tank Status:	CLOSED REMOVED
Tank Contents:	DIESEL	Leak Monitoring:	NO MONITOR
Tank Age:	NOT REPORTED	Tank Piping:	STEEL/IRON
Tank Size (Units):	275 (GALLONS)	Tank Material:	CARBON STEEL
Tank ID:	15-01-5	Tank Status:	ACTIVE/IN SERVICE
Tank Contents:	DIESEL	Leak Monitoring:	NO MONITOR
Tank Age:	NOT REPORTED	Tank Piping:	STEEL/IRON
Tank Size (Units):	275 (GALLONS)	Tank Material:	CARBON STEEL



* VISTA address includes enhanced city and ZIP.

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 089252-001


Date of Report: November 14, 1995

Version 2.4.1

Page #16

PROPERTY AND THE ADJACENT AREA (within 3/8 mile) CONT.

Tank ID:	17-20-1	Tank Status:	CLOSED REMOVED
Tank Contents:	FUEL OIL	Leak Monitoring:	NO MONITOR
Tank Age:	NOT REPORTED	Tank Piping:	STEEL/IRON
Tank Size (Units):	15000 (GALLONS)	Tank Material:	CARBON STEEL
Tank ID:	17-20-2	Tank Status:	ACTIVE/IN SERVICE
Tank Contents:	FUEL OIL	Leak Monitoring:	MONITOR PRESENT
Tank Age:	NOT REPORTED	Tank Piping:	FIBERGLASS REINFORCED PLASTIC
Tank Size (Units):	10000 (GALLONS)	Tank Material:	STEEL, FIBERGLASS COATED
Tank ID:	17-22-1	Tank Status:	CLOSED REMOVED
Tank Contents:	FUEL OIL	Leak Monitoring:	NO MONITOR
Tank Age:	NOT REPORTED	Tank Piping:	STEEL/IRON
Tank Size (Units):	2500 (GALLONS)	Tank Material:	CARBON STEEL
Tank ID:	17-22-2	Tank Status:	CLOSED REMOVED
Tank Contents:	LEADED GAS	Leak Monitoring:	NO MONITOR
Tank Age:	NOT REPORTED	Tank Piping:	UNKNOWN
Tank Size (Units):	275 (GALLONS)	Tank Material:	CARBON STEEL
Tank ID:	17-22-3	Tank Status:	ACTIVE/IN SERVICE
Tank Contents:	DIESEL	Leak Monitoring:	MONITOR PRESENT
Tank Age:	NOT REPORTED	Tank Piping:	STEEL/IRON
Tank Size (Units):	275 (GALLONS)	Tank Material:	CARBON STEEL
Tank ID:	18-01-1	Tank Status:	CLOSED REMOVED
Tank Contents:	FUEL OIL	Leak Monitoring:	NO MONITOR
Tank Age:	NOT REPORTED	Tank Piping:	UNKNOWN
Tank Size (Units):	3000 (GALLONS)	Tank Material:	CARBON STEEL
Tank ID:	20-01-1	Tank Status:	ACTIVE/IN SERVICE
Tank Contents:	DIESEL	Leak Monitoring:	NO MONITOR
Tank Age:	NOT REPORTED	Tank Piping:	GALVANIZED STEEL
Tank Size (Units):	6000 (GALLONS)	Tank Material:	FIBERGLASS REINFORCED PLASTIC
Tank ID:	20-01-10	Tank Status:	ACTIVE/IN SERVICE
Tank Contents:	DIESEL	Leak Monitoring:	NO MONITOR
Tank Age:	NOT REPORTED	Tank Piping:	COPPER
Tank Size (Units):	550 (GALLONS)	Tank Material:	CARBON STEEL
Tank ID:	20-01-10	Tank Status:	CLOSED REMOVED
Tank Contents:	DIESEL	Leak Monitoring:	NO MONITOR
Tank Age:	NOT REPORTED	Tank Piping:	STEEL/IRON
Tank Size (Units):	550 (GALLONS)	Tank Material:	CARBON STEEL
Tank ID:	20-01-11	Tank Status:	ACTIVE/IN SERVICE
Tank Contents:	LEADED GAS	Leak Monitoring:	MONITOR PRESENT
Tank Age:	NOT REPORTED	Tank Piping:	GALVANIZED STEEL
Tank Size (Units):	20000 (GALLONS)	Tank Material:	FIBERGLASS REINFORCED PLASTIC
Tank ID:	20-01-12	Tank Status:	ACTIVE/IN SERVICE
Tank Contents:	UNLEADED GAS	Leak Monitoring:	MONITOR PRESENT
Tank Age:	NOT REPORTED	Tank Piping:	GALVANIZED STEEL
Tank Size (Units):	20000 (GALLONS)	Tank Material:	FIBERGLASS REINFORCED PLASTIC
Tank ID:	20-01-13	Tank Status:	ACTIVE/IN SERVICE
Tank Contents:	DIESEL	Leak Monitoring:	MONITOR PRESENT
Tank Age:	NOT REPORTED	Tank Piping:	GALVANIZED STEEL
Tank Size (Units):	10000 (GALLONS)	Tank Material:	FIBERGLASS REINFORCED PLASTIC
Tank ID:	20-01-14	Tank Status:	ACTIVE/IN SERVICE
Tank Contents:	FUEL OIL	Leak Monitoring:	NO MONITOR
Tank Age:	NOT REPORTED	Tank Piping:	GALVANIZED STEEL
Tank Size (Units):	6000 (GALLONS)	Tank Material:	FIBERGLASS REINFORCED PLASTIC



* VISTA address includes enhanced city and ZIP.

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 089252-001


Date of Report: November 14, 1995

Version 2.4.1

Page #17

PROPERTY AND THE ADJACENT AREA (within 3/8 mile) CONT.

Tank ID:	20-01-15	Tank Status:	ACTIVE/IN SERVICE
Tank Contents:	FUEL OIL	Leak Monitoring:	MONITOR PRESENT
Tank Age:	NOT REPORTED	Tank Piping:	GALVANIZED STEEL
Tank Size (Units):	1000 (GALLONS)	Tank Material:	FIBERGLASS REINFORCED PLASTIC
Tank ID:	20-01-16	Tank Status:	CLOSED REMOVED
Tank Contents:	AGENCY REPORTS THE UNDEFINED TERM "OTHER"	Leak Monitoring:	NO MONITOR
Tank Age:	NOT REPORTED	Tank Piping:	GALVANIZED STEEL
Tank Size (Units):	550 (GALLONS)	Tank Material:	FIBERGLASS REINFORCED PLASTIC
Tank ID:	20-01-17	Tank Status:	CLOSED REMOVED
Tank Contents:	AGENCY REPORTS THE UNDEFINED TERM "OTHER"	Leak Monitoring:	NO MONITOR
Tank Age:	NOT REPORTED	Tank Piping:	GALVANIZED STEEL
Tank Size (Units):	1000 (GALLONS)	Tank Material:	FIBERGLASS REINFORCED PLASTIC
Tank ID:	20-01-19	Tank Status:	ACTIVE/IN SERVICE
Tank Contents:	AGENCY REPORTS THE UNDEFINED TERM "OTHER"	Leak Monitoring:	NO MONITOR
Tank Age:	NOT REPORTED	Tank Piping:	STEEL/IRON
Tank Size (Units):	550 (GALLONS)	Tank Material:	FIBERGLASS REINFORCED PLASTIC
Tank ID:	20-01-2	Tank Status:	ACTIVE/IN SERVICE
Tank Contents:	UNLEADED GAS	Leak Monitoring:	NO MONITOR
Tank Age:	NOT REPORTED	Tank Piping:	GALVANIZED STEEL
Tank Size (Units):	4000 (GALLONS)	Tank Material:	FIBERGLASS REINFORCED PLASTIC
Tank ID:	20-01-20	Tank Status:	ACTIVE/IN SERVICE
Tank Contents:	AGENCY REPORTS THE UNDEFINED TERM "OTHER"	Leak Monitoring:	NO MONITOR
Tank Age:	NOT REPORTED	Tank Piping:	STEEL/IRON
Tank Size (Units):	275 (GALLONS)	Tank Material:	CARBON STEEL
Tank ID:	20-01-21	Tank Status:	ACTIVE/IN SERVICE
Tank Contents:	AGENCY REPORTS THE UNDEFINED TERM "OTHER"	Leak Monitoring:	NO MONITOR
Tank Age:	NOT REPORTED	Tank Piping:	STEEL/IRON
Tank Size (Units):	275 (GALLONS)	Tank Material:	CARBON STEEL
Tank ID:	20-01-3	Tank Status:	ACTIVE/IN SERVICE
Tank Contents:	UNLEADED GAS	Leak Monitoring:	NO MONITOR
Tank Age:	NOT REPORTED	Tank Piping:	GALVANIZED STEEL
Tank Size (Units):	6000 (GALLONS)	Tank Material:	FIBERGLASS REINFORCED PLASTIC
Tank ID:	20-01-4	Tank Status:	CLOSED REMOVED
Tank Contents:	EMPTY	Leak Monitoring:	NO MONITOR
Tank Age:	NOT REPORTED	Tank Piping:	STEEL/IRON
Tank Size (Units):	4000 (GALLONS)	Tank Material:	CARBON STEEL
Tank ID:	20-01-5	Tank Status:	CLOSED IN PLACE
Tank Contents:	EMPTY	Leak Monitoring:	NO MONITOR
Tank Age:	NOT REPORTED	Tank Piping:	STEEL/IRON
Tank Size (Units):	5000 (GALLONS)	Tank Material:	CARBON STEEL
Tank ID:	20-01-6	Tank Status:	ACTIVE/IN SERVICE
Tank Contents:	FUEL OIL	Leak Monitoring:	NO MONITOR
Tank Age:	NOT REPORTED	Tank Piping:	COPPER
Tank Size (Units):	275 (GALLONS)	Tank Material:	CARBON STEEL
Tank ID:	20-01-7	Tank Status:	TEMP OUT OF SERVICE
Tank Contents:	EMPTY	Leak Monitoring:	NO MONITOR
Tank Age:	NOT REPORTED	Tank Piping:	STEEL/IRON
Tank Size (Units):	2000 (GALLONS)	Tank Material:	CARBON STEEL



* VISTA address includes enhanced city and ZIP.

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 089252-001


Date of Report: November 14, 1995

Version 2.4.1

Page #18

PROPERTY AND THE ADJACENT AREA (within 3/8 mile) CONT.

Tank ID:	20-01-8	Tank Status:	ACTIVE/IN SERVICE
Tank Contents:	AGENCY REPORTS THE UNDEFINED TERM "OTHER"	Leak Monitoring:	NO MONITOR
Tank Age:	NOT REPORTED	Tank Piping:	NONE
Tank Size (Units):	275 (GALLONS)	Tank Material:	CARBON STEEL
Tank ID:	20-01-9	Tank Status:	CLOSED REMOVED
Tank Contents:	AGENCY REPORTS THE UNDEFINED TERM "OTHER"	Leak Monitoring:	NO MONITOR
Tank Age:	NOT REPORTED	Tank Piping:	STEEL/IRON
Tank Size (Units):	550 (GALLONS)	Tank Material:	CARBON STEEL
Tank ID:	20-02-1	Tank Status:	CLOSED REMOVED
Tank Contents:	AGENCY REPORTS THE UNDEFINED TERM "OTHER"	Leak Monitoring:	NO MONITOR
Tank Age:	NOT REPORTED	Tank Piping:	UNKNOWN
Tank Size (Units):	550 (GALLONS)	Tank Material:	CARBON STEEL
Tank ID:	20-02-2	Tank Status:	CLOSED REMOVED
Tank Contents:	FUEL OIL	Leak Monitoring:	NO MONITOR
Tank Age:	NOT REPORTED	Tank Piping:	UNKNOWN
Tank Size (Units):	275 (GALLONS)	Tank Material:	CARBON STEEL
Tank ID:	20-02-3	Tank Status:	CLOSED REMOVED
Tank Contents:	FUEL OIL	Leak Monitoring:	NO MONITOR
Tank Age:	NOT REPORTED	Tank Piping:	UNKNOWN
Tank Size (Units):	275 (GALLONS)	Tank Material:	CARBON STEEL
Tank ID:	20-03-22	Tank Status:	ACTIVE/IN SERVICE
Tank Contents:	AGENCY REPORTS THE UNDEFINED TERM "OTHER"	Leak Monitoring:	MONITOR PRESENT
Tank Age:	NOT REPORTED	Tank Piping:	NONE
Tank Size (Units):	500 (GALLONS)	Tank Material:	CARBON STEEL
Tank ID:	20-03-23	Tank Status:	ACTIVE/IN SERVICE
Tank Contents:	AGENCY REPORTS THE UNDEFINED TERM "OTHER"	Leak Monitoring:	MONITOR PRESENT
Tank Age:	NOT REPORTED	Tank Piping:	NONE
Tank Size (Units):	500 (GALLONS)	Tank Material:	CARBON STEEL
Tank ID:	24-01-1	Tank Status:	ACTIVE/IN SERVICE
Tank Contents:	FUEL OIL	Leak Monitoring:	NO MONITOR
Tank Age:	NOT REPORTED	Tank Piping:	STEEL/IRON
Tank Size (Units):	10000 (GALLONS)	Tank Material:	CARBON STEEL
Tank ID:	24-01-2	Tank Status:	TEMP OUT OF SERVICE
Tank Contents:	AGENCY REPORTS THE UNDEFINED TERM "OTHER"	Leak Monitoring:	NO MONITOR
Tank Age:	NOT REPORTED	Tank Piping:	STEEL/IRON
Tank Size (Units):	1000 (GALLONS)	Tank Material:	CARBON STEEL
Tank ID:	25-01-1	Tank Status:	ACTIVE/IN SERVICE
Tank Contents:	FUEL OIL	Leak Monitoring:	NO MONITOR
Tank Age:	NOT REPORTED	Tank Piping:	STEEL/IRON
Tank Size (Units):	10000 (GALLONS)	Tank Material:	STEEL, FIBERGLASS COATED
Tank ID:	25-01-2	Tank Status:	CLOSED REMOVED
Tank Contents:	FUEL OIL	Leak Monitoring:	NO MONITOR
Tank Age:	NOT REPORTED	Tank Piping:	STEEL/IRON
Tank Size (Units):	10000 (GALLONS)	Tank Material:	STEEL, FIBERGLASS COATED
Tank ID:	25-01-3	Tank Status:	ACTIVE/IN SERVICE
Tank Contents:	DIESEL	Leak Monitoring:	NO MONITOR
Tank Age:	NOT REPORTED	Tank Piping:	COPPER
Tank Size (Units):	550 (GALLONS)	Tank Material:	CARBON STEEL



* VISTA address includes enhanced city and ZIP.

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 089252-001


Date of Report: November 14, 1995

Version 2.4.1

Page #19

PROPERTY AND THE ADJACENT AREA (within 3/8 mile) CONT.

Tank ID:	25-03-1	Tank Status:	ACTIVE/IN SERVICE
Tank Contents:	FUEL OIL	Leak Monitoring:	NO MONITOR
Tank Age:	NOT REPORTED	Tank Piping:	STEEL/IRON
Tank Size (Units):	275 (GALLONS)	Tank Material:	CARBON STEEL
Tank ID:	25-05-1	Tank Status:	CLOSED REMOVED
Tank Contents:	LEADED GAS	Leak Monitoring:	NO MONITOR
Tank Age:	NOT REPORTED	Tank Piping:	STEEL/IRON
Tank Size (Units):	275 (GALLONS)	Tank Material:	CARBON STEEL
Tank ID:	25-05-2	Tank Status:	ACTIVE/IN SERVICE
Tank Contents:	DIESEL	Leak Monitoring:	MONITOR PRESENT
Tank Age:	NOT REPORTED	Tank Piping:	COPPER
Tank Size (Units):	550 (GALLONS)	Tank Material:	CARBON STEEL
Tank ID:	25-08-1	Tank Status:	ACTIVE/IN SERVICE
Tank Contents:	FUEL OIL	Leak Monitoring:	NO MONITOR
Tank Age:	NOT REPORTED	Tank Piping:	COPPER
Tank Size (Units):	2000 (GALLONS)	Tank Material:	FIBERGLASS REINFORCED PLASTIC
Tank ID:	26-01-1	Tank Status:	ACTIVE/IN SERVICE
Tank Contents:	FUEL OIL	Leak Monitoring:	MONITOR PRESENT
Tank Age:	NOT REPORTED	Tank Piping:	STEEL/IRON
Tank Size (Units):	20000 (GALLONS)	Tank Material:	FIBERGLASS REINFORCED PLASTIC
Tank ID:	26-01-2	Tank Status:	ACTIVE/IN SERVICE
Tank Contents:	DIESEL	Leak Monitoring:	MONITOR PRESENT
Tank Age:	NOT REPORTED	Tank Piping:	STEEL/IRON
Tank Size (Units):	550 (GALLONS)	Tank Material:	FIBERGLASS REINFORCED PLASTIC
Tank ID:	28-01-1	Tank Status:	ACTIVE/IN SERVICE
Tank Contents:	FUEL OIL	Leak Monitoring:	NO MONITOR
Tank Age:	NOT REPORTED	Tank Piping:	STEEL/IRON
Tank Size (Units):	4000 (GALLONS)	Tank Material:	CARBON STEEL
Tank ID:	28A-01-1	Tank Status:	CLOSED REMOVED
Tank Contents:	FUEL OIL	Leak Monitoring:	NO MONITOR
Tank Age:	NOT REPORTED	Tank Piping:	UNKNOWN
Tank Size (Units):	5000 (GALLONS)	Tank Material:	CARBON STEEL
Tank ID:	30-01-1	Tank Status:	ACTIVE/IN SERVICE
Tank Contents:	FUEL OIL	Leak Monitoring:	NO MONITOR
Tank Age:	NOT REPORTED	Tank Piping:	STEEL/IRON
Tank Size (Units):	15000 (GALLONS)	Tank Material:	CARBON STEEL
Tank ID:	30-01-2	Tank Status:	ACTIVE/IN SERVICE
Tank Contents:	FUEL OIL	Leak Monitoring:	NO MONITOR
Tank Age:	NOT REPORTED	Tank Piping:	STEEL/IRON
Tank Size (Units):	15000 (GALLONS)	Tank Material:	CARBON STEEL
Tank ID:	30-01-3	Tank Status:	ACTIVE/IN SERVICE
Tank Contents:	DIESEL	Leak Monitoring:	NO MONITOR
Tank Age:	NOT REPORTED	Tank Piping:	COPPER
Tank Size (Units):	550 (GALLONS)	Tank Material:	CARBON STEEL
Tank ID:	31-01-1	Tank Status:	ACTIVE/IN SERVICE
Tank Contents:	FUEL OIL	Leak Monitoring:	NOT AVAILABLE
Tank Age:	NOT REPORTED	Tank Piping:	GALVANIZED STEEL
Tank Size (Units):	12000 (GALLONS)	Tank Material:	FIBERGLASS REINFORCED PLASTIC
Tank ID:	35-01-1	Tank Status:	ACTIVE/IN SERVICE
Tank Contents:	FUEL OIL	Leak Monitoring:	NO MONITOR
Tank Age:	NOT REPORTED	Tank Piping:	STEEL/IRON
Tank Size (Units):	15000 (GALLONS)	Tank Material:	CARBON STEEL



* VISTA address includes enhanced city and ZIP.

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 089252-001

Date of Report: November 14, 1995

Version 2.4.1

Page #20


PROPERTY AND THE ADJACENT AREA (within 3/8 mile) CONT.

Tank ID:	35-01-2	Tank Status:	ACTIVE/IN SERVICE
Tank Contents:	FUEL OIL	Leak Monitoring:	NO MONITOR
Tank Age:	NOT REPORTED	Tank Piping:	STEEL/IRON
Tank Size (Units):	15000 (GALLONS)	Tank Material:	CARBON STEEL
Tank ID:	35-01-3	Tank Status:	ACTIVE/IN SERVICE
Tank Contents:	DIESEL	Leak Monitoring:	NO MONITOR
Tank Age:	NOT REPORTED	Tank Piping:	COPPER
Tank Size (Units):	550 (GALLONS)	Tank Material:	CARBON STEEL
Tank ID:	35-04-1	Tank Status:	ACTIVE/IN SERVICE
Tank Contents:	FUEL OIL	Leak Monitoring:	NO MONITOR
Tank Age:	NOT REPORTED	Tank Piping:	STEEL/IRON
Tank Size (Units):	3000 (GALLONS)	Tank Material:	CARBON STEEL
Tank ID:	111-01-1	Tank Status:	ACTIVE/IN SERVICE
Tank Contents:	FUEL OIL	Leak Monitoring:	NO MONITOR
Tank Age:	NOT REPORTED	Tank Piping:	STEEL/IRON
Tank Size (Units):	4000 (GALLONS)	Tank Material:	CARBON STEEL
Tank ID:	111-01-2	Tank Status:	ACTIVE/IN SERVICE
Tank Contents:	FUEL OIL	Leak Monitoring:	NO MONITOR
Tank Age:	NOT REPORTED	Tank Piping:	STEEL/IRON
Tank Size (Units):	4000 (GALLONS)	Tank Material:	CARBON STEEL
Tank ID:	111-01-3	Tank Status:	ACTIVE/IN SERVICE
Tank Contents:	DIESEL	Leak Monitoring:	NO MONITOR
Tank Age:	NOT REPORTED	Tank Piping:	COPPER
Tank Size (Units):	1000 (GALLONS)	Tank Material:	CARBON STEEL
Tank ID:	111-01-4	Tank Status:	ACTIVE/IN SERVICE
Tank Contents:	DIESEL	Leak Monitoring:	NO MONITOR
Tank Age:	NOT REPORTED	Tank Piping:	STEEL/IRON
Tank Size (Units):	275 (GALLONS)	Tank Material:	CARBON STEEL

VISTA Address*:	GRUMMAN AEROSPACE BUILDING 04-01-1 BETHPAGE, NY 11714	VISTA ID#:	4111074
		Distance/Direction:	0.00 MI / ADJACENT
		Plotted as:	Point
STATE LUST - State Leaking Underground Storage Tank / SRC# 2449		Agency ID:	8901527

Map ID
1

Agency Address:	GRUMMAN AEROSPACE BUILDING 04-01-1 BETHPAGE, NY
Tank Status:	NOT AVAILABLE
Discovery Date:	MAY 12, 1989
Media Affected:	GROUNDWATER
Substance:	FUEL OIL #2
Leak Cause:	TANK FAILURE
Leak Source:	FIXED FACILITY
Remedial Action:	NOT AVAILABLE
Remedial Status 1:	CASE CLOSED/CLEANUP COMPLETE
Remedial Status 2:	NOT AVAILABLE
Fields Not Reported:	Quantity (Units)



* VISTA address includes enhanced city and ZIP.
 For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.
 Report ID: 089252-001
 Date of Report: November 14, 1995
 Version 2.4.1 Page #21

PROPERTY AND THE ADJACENT AREA (within 3/8 mile) CONT.

VISTA Address*:	GRUMMAN BLDG #15 BETHPAGE, NY 11714	VISTA ID#:	4111075
		Distance/Direction:	0.00 MI / ADJACENT
		Plotted as:	Point

Map ID

1

STATE LUST - State Leaking Underground Storage Tank / SRC# 2449	Agency ID:	8901729
--	------------	---------

Agency Address:	GRUMMAN BLDG #15 BETHPAGE, NY
Tank Status:	NOT AVAILABLE
Discovery Date:	MAY 19, 1989
Media Affected:	GROUNDWATER
Substance:	PETROLEUM
Leak Cause:	TANK FAILURE
Leak Source:	COMMERCIAL INDUSTRY
Remedial Action:	NOT AVAILABLE
Remedial Status 1:	CASE CLOSED/CLEANUP COMPLETE
Remedial Status 2:	NOT AVAILABLE
Fields Not Reported:	Quantity (Units)


VISTA Address*:	GRUMMAN GRUMMAN PLANT #17 BETHPAGE, NY 11714	VISTA ID#:	2720226
		Distance/Direction:	0.00 MI / ADJACENT
		Plotted as:	Point

Map ID

1

STATE LUST - State Leaking Underground Storage Tank / SRC# 2449	Agency ID:	9105709
--	------------	---------

Agency Address:	GRUMMAN GRUMMAN PLANT #17 BETHPAGE, NY
Tank Status:	NOT AVAILABLE
Discovery Date:	AUGUST 26, 1991
Media Affected:	GROUNDWATER
Substance:	FUEL OIL #2
Leak Cause:	TANK FAILURE
Leak Source:	COMMERCIAL INDUSTRY
Remedial Action:	NOT AVAILABLE
Remedial Status 1:	CASE CLOSED/CLEANUP COMPLETE
Remedial Status 2:	NOT AVAILABLE
Fields Not Reported:	Quantity (Units)



* VISTA address includes enhanced city and ZIP.

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 089252-001

Date of Report: November 14, 1995

Version 2.4.1

Page #22

PROPERTY AND THE ADJACENT AREA (within 3/8 mile) CONT.

VISTA Address*:	GRUMMAN AEROSPACE GRUMMAN FACILITY BLDG 1 BETHPAGE, NY 11714	VISTA ID#:	2720231
		Distance/Direction:	0.00 MI / ADJACENT
		Plotted as:	Point

Map ID
1

STATE LUST - State Leaking Underground Storage Tank / SRC# 2449	Agency ID:	8704386
--	------------	---------

Agency Address: GRUMMAN AEROSPACE
GRUMMAN FACILITY BLDG 1
BETHPAGE, NY

Tank Status: NOT AVAILABLE

Discovery Date: AUGUST 26, 1987

Media Affected: GROUNDWATER

Substance: JET FUEL

Leak Cause: TANK FAILURE

Leak Source: COMMERCIAL INDUSTRY

Remedial Action: NOT AVAILABLE

Remedial Status 1: CASE CLOSED/CLEANUP COMPLETE

Remedial Status 2: NOT AVAILABLE

Fields Not Reported: Quantity (Units)

VISTA Address*:	GRUMMAN AEROSPACE GRUMMAN AEROSPACE BETHPAGE, NY 11714	VISTA ID#:	1337762
		Distance/Direction:	0.00 MI / ADJACENT
		Plotted as:	Point

Map ID
1

STATE LUST - State Leaking Underground Storage Tank / SRC# 2449	Agency ID:	8707733
--	------------	---------

Agency Address: GRUMMAN AEROSPACE
GRUMMAN AEROSPACE
BETHPAGE, NY

Tank Status: NOT AVAILABLE

Discovery Date: JUNE 29, 1993

Media Affected: GROUNDWATER

Substance: DIESEL

Leak Cause: TANK FAILURE

Leak Source: COMMERCIAL INDUSTRY

Remedial Action: NOT AVAILABLE

Remedial Status 1: CASE OPEN

Remedial Status 2: NOT AVAILABLE

Fields Not Reported: Quantity (Units)

VISTA Address*:	GRUMMAN AEROSPACE-BETHPAGE FACILITY STEWART AVENUE BETHPAGE, NY 11714	VISTA ID#:	2495698
		Distance/Direction:	0.00 MI / ADJACENT
		Plotted as:	Point

Map ID
1

SPL - State Equivalent Priority List / SRC# 2566	EPA ID:	NYD002047967
	Agency ID:	130003A

Agency Address: SAME AS ABOVE

Facility Type: LAGOON, LANDFILL

Lead Agency: NOT AVAILABLE


State Status: REMEDIAL ACTION PENDING/IN PROGRESS

Pollutant 1: CHROMIUM OTHER

Pollutant 2: PAINT SLUDGE

Pollutant 3: METALS/RELATED SUBSTANCES

Fields Not Reported: Status



* VISTA address includes enhanced city and ZIP.

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 089252-001

Date of Report: November 14, 1995

Version 2.4.1


Page #23

PROPERTY AND THE ADJACENT AREA (within 3/8 mile) CONT.

Map ID

1

VISTA Address*:	GRUMMAN STEWART AVENUE BETHPAGE, NY 11714	VISTA ID#:	181974
		Distance/Direction:	0.00 MI / ADJACENT
		Plotted as:	Point
STATE LUST - State Leaking Underground Storage Tank / SRC# 2449		Agency ID:	9211482
Agency Address:	GRUMMAN STEWART AVENUE BETHPAGE, NY		
Tank Status:	NOT AVAILABLE		
Discovery Date:	JULY 20, 1992		
Media Affected:	GROUNDWATER		
Substance:	DIESEL		
Leak Cause:	TANK FAILURE		
Leak Source:	COMMERCIAL INDUSTRY		
Remedial Action:	NOT AVAILABLE		
Remedial Status 1:	CASE CLOSED/CLEANUP COMPLETE		
Remedial Status 2:	NOT AVAILABLE		
Fields Not Reported:	Quantity (Units)		
STATE LUST - State Leaking Underground Storage Tank / SRC# 2449		Agency ID:	9204511
Agency Address:	GRUMMAN PLANT #20 STEWART AVE BETHPAGE, NY		
Tank Status:	NOT AVAILABLE		
Discovery Date:	AUGUST 11, 1994		
Media Affected:	GROUNDWATER		
Substance:	DIESEL		
Leak Cause:	TANK FAILURE		
Leak Source:	COMMERCIAL INDUSTRY		
Remedial Action:	NOT AVAILABLE		
Remedial Status 1:	CASE OPEN		
Remedial Status 2:	NOT AVAILABLE		
Fields Not Reported:	Quantity (Units)		
STATE LUST - State Leaking Underground Storage Tank / SRC# 2449		Agency ID:	9100911
Agency Address:	GRUMMAN CORP STEWART AVE BLDG 30 BETHPAGE, NY		
Tank Status:	NOT AVAILABLE		
Discovery Date:	MARCH 16, 1994		
Media Affected:	GROUNDWATER		
Substance:	FUEL OIL #2		
Leak Cause:	TANK FAILURE		
Leak Source:	COMMERCIAL INDUSTRY		
Remedial Action:	NOT AVAILABLE		
Remedial Status 1:	CASE OPEN		
Remedial Status 2:	NOT AVAILABLE		
Fields Not Reported:	Quantity (Units)		



* VISTA address includes enhanced city and ZIP.

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 089252-001

Date of Report: November 14, 1995

Version 2.4.1

Page #24

PROPERTY AND THE ADJACENT AREA (within 3/8 mile) CONT.

STATE LUST - State Leaking Underground Storage Tank / SRC# 2449	Agency ID:	9406455
---	-------------------	---------

Agency Address:	GRUMMAN BLDG #3 STEWART AVE BETHPAGE, NY
Tank Status:	NOT AVAILABLE
Discovery Date:	JUNE 2, 1993
Media Affected:	GROUNDWATER
Substance:	WASTE OIL
Leak Cause:	TANK FAILURE
Leak Source:	COMMERCIAL INDUSTRY
Remedial Action:	NOT AVAILABLE
Remedial Status 1:	CASE OPEN
Remedial Status 2:	NOT AVAILABLE
Fields Not Reported:	Quantity (Units)

STATE LUST - State Leaking Underground Storage Tank / SRC# 2449	Agency ID:	9402644
---	-------------------	---------


Agency Address:	GRUMMAN CORP OPERATIONS STEWART AVENUE BETHPAGE, NY
Tank Status:	NOT AVAILABLE
Discovery Date:	MAY 26, 1993
Media Affected:	GROUNDWATER
Substance:	FUEL OIL #2
Leak Cause:	TANK FAILURE
Leak Source:	COMMERCIAL INDUSTRY
Remedial Action:	NOT AVAILABLE
Remedial Status 1:	CASE CLOSED/CLEANUP COMPLETE
Remedial Status 2:	NOT AVAILABLE
Fields Not Reported:	Quantity (Units)

STATE LUST - State Leaking Underground Storage Tank / SRC# 2449	Agency ID:	9302825
---	-------------------	---------

Agency Address:	GRUMMAN AEROSPACE STEWART AVE PLANT #24 BETHPAGE, NY
Tank Status:	NOT AVAILABLE
Discovery Date:	MAY 25, 1993
Media Affected:	GROUNDWATER
Substance:	FUEL OIL #2
Leak Cause:	TANK FAILURE
Leak Source:	NON-COMMERCIAL INDUSTRY
Remedial Action:	NOT AVAILABLE
Remedial Status 1:	CASE CLOSED/CLEANUP COMPLETE
Remedial Status 2:	NOT AVAILABLE
Fields Not Reported:	Quantity (Units)

AST - Above Ground Storage Tank / SRC# 2304	Agency ID:	000001
--	-------------------	--------

Agency Address:	GRUMMAN AEROSPACE CORP. STEWART AVE. BETHPAGE, NY
Underground Tanks:	1
Aboveground Tanks:	1
Tanks Removed:	NOT REPORTED



* VISTA address includes enhanced city and ZIP.

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 089252-001

Date of Report: November 14, 1995

Version 2.4.1

Page #25

PROPERTY AND THE ADJACENT AREA (within 3/8 mile) CONT.

Tank ID:	NOT REPORTED	Tank Status:	ACTIVE/IN SERVICE
Tank Contents:	MOTOR OIL	Leak Monitoring:	NO MONITOR
Tank Age:	NOT REPORTED	Tank Piping:	STEEL/IRON
Tank Size (Units):	275 (GALLONS)	Tank Material:	STEEL
Tank ID:	NOT REPORTED	Tank Status:	ACTIVE/IN SERVICE
Tank Contents:	FUEL OIL #2	Leak Monitoring:	MONITOR PRESENT
Tank Age:	NOT REPORTED	Tank Piping:	DOUBLE WALLED FIBERGLASS
Tank Size (Units):	10000 (GALLONS)	Tank Material:	STEEL

VISTA Address*:	GRUMMAN AEROSPACE BLDG 111 BETHPAGE, NY 11714	VISTA ID#:	4111064
		Distance/Direction:	0.00 MI / ADJACENT
		Plotted as:	Point
STATE LUST - State Leaking Underground Storage Tank / SRC# 2449		Agency ID:	9001711


Map ID
1

Agency Address:	GRUMMAN AEROSPACE BLDG 111 BETHPAGE, NY NOT AVAILABLE
Tank Status:	NOT AVAILABLE
Discovery Date:	MAY 14, 1990
Media Affected:	SOIL/SAND/LAND
Substance:	FUEL OIL #2
Leak Cause:	TANK FAILURE
Leak Source:	COMMERCIAL INDUSTRY
Remedial Action:	NOT AVAILABLE
Remedial Status 1:	CASE CLOSED/CLEANUP COMPLETE
Remedial Status 2:	NOT AVAILABLE
Fields Not Reported:	Quantity (Units)

VISTA Address*:	GRUMMAN AEROSPACE BUILDING 116-01-1 BETHPAGE, NY 11714	VISTA ID#:	4111065
		Distance/Direction:	0.00 MI / ADJACENT
		Plotted as:	Point
STATE LUST - State Leaking Underground Storage Tank / SRC# 2449		Agency ID:	8901526

Map ID
1

Agency Address:	GRUMMAN AEROSPACE BUILDING 116-01-1 BETHPAGE, NY NOT AVAILABLE
Tank Status:	NOT AVAILABLE
Discovery Date:	MAY 16, 1989
Media Affected:	GROUNDWATER
Substance:	FUEL OIL #2
Leak Cause:	TANK FAILURE
Leak Source:	FIXED FACILITY
Remedial Action:	NOT AVAILABLE
Remedial Status 1:	CASE CLOSED/CLEANUP COMPLETE
Remedial Status 2:	NOT AVAILABLE
Fields Not Reported:	Quantity (Units)



* VISTA address includes enhanced city and ZIP.

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 089252-001

Date of Report: November 14, 1995

Version 2.4.1

Page #26


PROPERTY AND THE ADJACENT AREA (within 3/8 mile) CONT.

VISTA Address*: GRUMMAN AEROSPACE BUILDING #2 GRUMMAN BETHPAGE, NY 11714	VISTA ID#:	4111070
	Distance/Direction:	0.00 MI / ADJACENT
	Plotted as:	Point
STATE LUST - State Leaking Underground Storage Tank / SRC# 2449		Agency ID: 8704145
Agency Address:	GRUMMAN AEROSPACE BUILDING #2 GRUMMAN BETHPAGE, NY	
Tank Status:	NOT AVAILABLE	
Discovery Date:	AUGUST 19, 1987	
Media Affected:	GROUNDWATER	
Substance:	FUEL OIL #2	
Leak Cause:	TANK FAILURE	
Leak Source:	COMMERCIAL INDUSTRY	
Remedial Action:	NOT AVAILABLE	
Remedial Status 1:	CASE CLOSED/CLEANUP COMPLETE	
Remedial Status 2:	NOT AVAILABLE	
Fields Not Reported:	Quantity (Units)	

Map ID
1

VISTA Address*: GRUMMAN AEROSPACE BUILDING #1 BETHPAGE, NY 11714	VISTA ID#:	4111071
	Distance/Direction:	0.00 MI / ADJACENT
	Plotted as:	Point
STATE LUST - State Leaking Underground Storage Tank / SRC# 2449		Agency ID: 8705197
Agency Address:	GRUMMAN AEROSPACE BUILDING #1 BETHPAGE, NY	
Tank Status:	NOT AVAILABLE	
Discovery Date:	SEPTEMBER 21, 1987	
Media Affected:	GROUNDWATER	
Substance:	JET FUEL	
Leak Cause:	TANK FAILURE	
Leak Source:	COMMERCIAL INDUSTRY	
Remedial Action:	NOT AVAILABLE	
Remedial Status 1:	CASE CLOSED/CLEANUP COMPLETE	
Remedial Status 2:	NOT AVAILABLE	
Fields Not Reported:	Quantity (Units)	

Map ID
1



PROPERTY AND THE ADJACENT AREA (within 3/8 mile) CONT.

VISTA Address*:	GRUMMAN AEROSPACE BLDG 28 BETHPAGE, NY 11714	VISTA ID#:	5308133
		Distance/Direction:	0.00 MI / ADJACENT
		Plotted as:	Point

Map ID

1

STATE LUST - State Leaking Underground Storage Tank / SRC# 2449	Agency ID:	9408269
--	------------	---------

Agency Address: GRUMMAN AEROSPACE
BLDG 28
BETHPAGE, NY

Tank Status: NOT AVAILABLE

Discovery Date: SEPTEMBER 21, 1994

Media Affected: GROUNDWATER

Substance: FUEL OIL #2

Leak Cause: TANK FAILURE

Leak Source: COMMERCIAL INDUSTRY

Remedial Action: NOT AVAILABLE

Remedial Status 1: CASE OPEN

Remedial Status 2: NOT AVAILABLE

Fields Not Reported: Quantity (Units)

VISTA Address*:	GRUMMAN AEROSPACE BLDG 115 BETHPAGE, NY 11714	VISTA ID#:	4111072
		Distance/Direction:	0.00 MI / ADJACENT
		Plotted as:	Point

Map ID

1

STATE LUST - State Leaking Underground Storage Tank / SRC# 2449	Agency ID:	8807239
--	------------	---------

Agency Address: GRUMMAN AEROSPACE
BLDG 115
BETHPAGE, NY

Tank Status: NOT AVAILABLE

Discovery Date: DECEMBER 1, 1988

Media Affected: GROUNDWATER

Substance: FUEL OIL #2

Leak Cause: TANK FAILURE


Leak Source: COMMERCIAL INDUSTRY

Remedial Action: NOT AVAILABLE

Remedial Status 1: CASE CLOSED/CLEANUP COMPLETE

Remedial Status 2: NOT AVAILABLE

Fields Not Reported: Quantity (Units)



* VISTA address includes enhanced city and ZIP.

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 089252-001

Date of Report: November 14, 1995

Version 2.4.1

Page #28

PROPERTY AND THE ADJACENT AREA (within 3/8 mile) CONT.

VISTA Address*:	BETHPAGE SCHOOL DISTRICT CHERRY LANE STEWART AVE BETHPAGE, NY 11714	VISTA ID#:	2737155
		Distance/Direction:	0.02 MI / SE
		Plotted as:	Point
STATE LUST - State Leaking Underground Storage Tank / SRC# 2449		Agency ID:	8703585
Agency Address:		BETHPAGE SCHOOL DISTRICT CHERRY LANE STEWART AVE BETHPAGE, NY	
Tank Status:		NOT AVAILABLE	
Discovery Date:		AUGUST 1, 1987	
Media Affected:		GROUNDWATER	
Substance:		FUEL OIL #2	
Leak Cause:		TANK FAILURE	
Leak Source:		COMMERCIAL INDUSTRY	
Remedial Action:		NOT AVAILABLE	
Remedial Status 1:		CASE CLOSED/CLEANUP COMPLETE	
Remedial Status 2:		NOT AVAILABLE	
Fields Not Reported:		Quantity (Units)	

Map ID

2

VISTA Address*:	SERVICE STATION N/S STEWART CHERRY AVES BETHPAGE, NY 11714	VISTA ID#:	414800
		Distance/Direction:	0.02 MI / SE
		Plotted as:	Point
RCRA-LgGen - RCRA-Large Generator / SRC# 2465		EPA ID:	NYD000697961
Agency Address:		SAME AS ABOVE	
Generator Class:		GENERATORS WHO GENERATE AT LEAST 1000 KG./MONTH OF NON-ACUTELY HAZARDOUS WASTE OR 1 KG./MONTH OF ACUTELY HAZARDOUS WASTE.	

Map ID


2

VISTA Address*:	SHELL OIL CO STEWART FARMERS BETHPAGE, NY 11714	VISTA ID#:	2737158
		Distance/Direction:	0.06 MI / N
		Plotted as:	Point
RCRA-LgGen - RCRA-Large Generator / SRC# 2465		EPA ID:	NYD986946309
Agency Address:		SAME AS ABOVE	
Generator Class:		GENERATORS WHO GENERATE AT LEAST 1000 KG./MONTH OF NON-ACUTELY HAZARDOUS WASTE OR 1 KG./MONTH OF ACUTELY HAZARDOUS WASTE.	

Map ID

3

STATE LUST - State Leaking Underground Storage Tank / SRC# 2449		Agency ID:	8709242
Agency Address:		SHELL OIL FARMERS RD STEWART AVE BETHPAGE, NY	
Tank Status:		NOT AVAILABLE	
Discovery Date:		JANUARY 29, 1988	
Media Affected:		GROUNDWATER	
Substance:		FUEL OIL #2	
Leak Cause:		TANK FAILURE	
Leak Source:		FIXED FACILITY	
Remedial Action:		NOT AVAILABLE	
Remedial Status 1:		CASE CLOSED/CLEANUP COMPLETE	
Remedial Status 2:		NOT AVAILABLE	
Fields Not Reported:		Quantity (Units)	



* VISTA address includes enhanced city and ZIP.

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 089252-001

Date of Report: November 14, 1995

Version 2.4.1

Page #29

PROPERTY AND THE ADJACENT AREA (within 3/8 mile) CONT.


STATE LUST - State Leaking Underground Storage Tank / SRC# 2449	Agency ID:	9308447
Agency Address:	SHELL GAS STATION STEWART AVE FARMERS AVE BETHPAGE, NY	
Tank Status:	NOT AVAILABLE	
Discovery Date:	OCTOBER 12, 1993	
Media Affected:	GROUNDWATER	
Substance:	GASOLINE (UNSPECIFIED)	
Leak Cause:	TANK FAILURE	
Leak Source:	FIXED FACILITY	
Remedial Action:	NOT AVAILABLE	
Remedial Status 1:	CASE OPEN	
Remedial Status 2:	NOT AVAILABLE	
Fields Not Reported:	Quantity (Units)	

STATE UST - State Underground Storage Tank / SRC# 2304	Agency ID:	041021
Agency Address:	AD SHELL OIL INC. STEWART FARMERS AVENUES BETHPAGE, NY	
Underground Tanks:	1	
Aboveground Tanks:	NOT REPORTED	
Tanks Removed:	NOT REPORTED	
Tank ID:	NOT REPORTED	Tank Status: ACTIVE/IN SERVICE
Tank Contents:	FUEL OIL #2	Leak Monitoring: NO MONITOR
Tank Age:	NOT REPORTED	Tank Piping: OTHER DESCRIPTIONS
Tank Size (Units):	550 (GALLONS)	Tank Material: STEEL

VISTA Address*:	HENRY SOLUK OWNER 30 FLORAL AVENUE BETHPAGE, NY 11714	VISTA ID#:	3856046
		Distance/Direction:	0.19 MI / NE
		Plotted as:	Point

Map ID
4

STATE LUST - State Leaking Underground Storage Tank / SRC# 2449	Agency ID:	9208514
Agency Address:	HENRY SOLUK OWNER 30 FLORAL AVENUE BETHPAGE, NY	
Tank Status:	NOT AVAILABLE	
Discovery Date:	OCTOBER 23, 1992	
Media Affected:	SOIL/SAND/LAND	
Substance:	FUEL OIL #2	
Quantity (Units):	200.0 (GALLONS)	
Leak Cause:	TANK FAILURE	
Leak Source:	PRIVATE DWELLING	
Remedial Action:	NOT AVAILABLE	
Remedial Status 1:	CASE CLOSED/CLEANUP COMPLETE	
Remedial Status 2:	NOT AVAILABLE	



* VISTA address includes enhanced city and ZIP.

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 089252-001

Date of Report: November 14, 1995

Version 2.4.1

Page #30

PROPERTY AND THE ADJACENT AREA (within 3/8 mile) CONT.

VISTA Address*:	FESTANTE RESIDENCE 82 SYCAMORE AVENUE BETHPAGE, NY 11714	VISTA ID#:	2737322
		Distance/Direction:	0.26 MI / SE
		Plotted as:	Point

Map ID

5

STATE LUST - State Leaking Underground Storage Tank / SRC# 2449	Agency ID:	9201264
--	------------	---------

Agency Address:	FESTANTE RESIDENCE 82 SYCAMORE AVENUE BETHPAGE, NY
Tank Status:	NOT AVAILABLE
Discovery Date:	APRIL 24, 1992
Media Affected:	SOIL/SAND/LAND
Substance:	FUEL OIL #2
Quantity (Units):	5.0 (GALLONS)
Leak Cause:	TANK FAILURE
Leak Source:	PRIVATE DWELLING
Remedial Action:	NOT AVAILABLE
Remedial Status 1:	CASE CLOSED/CLEANUP COMPLETE
Remedial Status 2:	NOT AVAILABLE

VISTA Address*:	GARRETT AUTO PARTS 145 STEWART AVE BETHPAGE, NY 11714	VISTA ID#:	1329446
		Distance/Direction:	0.34 MI / SE
		Plotted as:	Point

Map ID

6

RCRA-SmGen - RCRA-Small Generator / SRC# 2465	EPA ID:	NYD987029212
--	---------	--------------

Agency Address:	SAME AS ABOVE
Generator Class:	GENERATORS WHO GENERATE 100 KG./MONTH BUT LESS THAN 1000 KG./MONTH OF NON-ACUTELY HAZARDOUS WASTE

VISTA Address*:	FROG HOLLOW COLLISION INC 11 STEWART AVE BETHPAGE, NY 11714	VISTA ID#:	162031
		Distance/Direction:	0.34 MI / SE
		Plotted as:	Point

Map ID

6

RCRA-SmGen - RCRA-Small Generator / SRC# 2465	EPA ID:	NYD037047594
--	---------	--------------

Agency Address:	SAME AS ABOVE
Generator Class:	GENERATORS WHO GENERATE 100 KG./MONTH BUT LESS THAN 1000 KG./MONTH OF NON-ACUTELY HAZARDOUS WASTE


VISTA Address*:	SHUMSKI RESIDENCE 8 SILBER AVENUE BETHPAGE, NY 11714	VISTA ID#:	1133240
		Distance/Direction:	0.34 MI / E
		Plotted as:	Point

Map ID

7

STATE LUST - State Leaking Underground Storage Tank / SRC# 2449	Agency ID:	8910897
--	------------	---------

Agency Address:	SHUMSKI RESIDENCE 8 SILBER AVENUE BETHPAGE, NY
Tank Status:	NOT AVAILABLE
Discovery Date:	FEBRUARY 14, 1990
Media Affected:	GROUNDWATER
Substance:	FUEL OIL #2
Leak Cause:	TANK FAILURE
Leak Source:	PRIVATE DWELLING
Remedial Action:	NOT AVAILABLE
Remedial Status 1:	CASE CLOSED/CLEANUP COMPLETE
Remedial Status 2:	NOT AVAILABLE
Fields Not Reported:	Quantity (Units)



* VISTA address includes enhanced city and ZIP.

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 089252-001

Date of Report: November 14, 1995

Version 2.4.1

Page #31


SITES IN THE SURROUNDING AREA (within 3/8 - 1/2 mile)

VISTA Address*: RESIDENCE 89 SILVBER AVE BETHPAGE, NY 11714	VISTA ID#:	4257764
	Distance/Direction:	0.42 MI / NE
	Plotted as:	Point
STATE LUST - State Leaking Underground Storage Tank / SRC# 2449		Agency ID: 9306397
Agency Address:	RESIDENCE 89 SILVBER AVE BETHPAGE, NY NOT AVAILABLE	
Tank Status:	NOT AVAILABLE	
Discovery Date:	AUGUST 24, 1993	
Media Affected:	SOIL/SAND/LAND	
Substance:	FUEL OIL #2	
Quantity (Units):	6.0 (GALLONS)	
Leak Cause:	TANK FAILURE	
Leak Source:	PRIVATE DWELLING	
Remedial Action:	NOT AVAILABLE	
Remedial Status 1:	CASE CLOSED/CLEANUP COMPLETE	
Remedial Status 2:	NOT AVAILABLE	

Map ID
8

VISTA Address*: METRO S/S 900 STEWART AVENUE BETHPAGE, NY 11714	VISTA ID#:	2737175
	Distance/Direction:	0.44 MI / NW
	Plotted as:	Point
STATE LUST - State Leaking Underground Storage Tank / SRC# 2449		Agency ID: 8708438
Agency Address:	METRO S/S 900 STEWART AVENUE BETHPAGE, NY NOT AVAILABLE	
Tank Status:	NOT AVAILABLE	
Discovery Date:	DECEMBER 31, 1987	
Media Affected:	GROUNDWATER	
Substance:	GASOLINE (UNSPECIFIED)	
Leak Cause:	TANK FAILURE	
Leak Source:	FIXED FACILITY	
Remedial Action:	NOT AVAILABLE	
Remedial Status 1:	CASE CLOSED/CLEANUP COMPLETE	
Remedial Status 2:	NOT AVAILABLE	
Fields Not Reported:	Quantity (Units)	

Map ID
9



* VISTA address includes enhanced city and ZIP.

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 089252-001

Date of Report: November 14, 1995

Version 2.4.1

Page #32

SITES IN THE SURROUNDING AREA (within 1/2 - 3/4 mile)

VISTA Address*:	AL ANDRIANO RESIDENCE 159 12TH STREET BETHPAGE, NY 11714	VISTA ID#:	3911181
		Distance/Direction:	0.53 MI / SW
		Plotted as:	Point
STATE LUST - State Leaking Underground Storage Tank / SRC# 2449		Agency ID:	9213083
Agency Address:	AL ANDRIANO RESIDENCE 159 12TH STREET BETHPAGE, NY NOT AVAILABLE		
Tank Status:	NOT AVAILABLE		
Discovery Date:	FEBRUARY 23, 1993		
Media Affected:	SOIL/SAND/LAND		
Substance:	FUEL OIL #2		
Quantity (Units):	1.0 (GALLONS)		
Leak Cause:	TANK FAILURE		
Leak Source:	PRIVATE DWELLING		
Remedial Action:	NOT AVAILABLE		
Remedial Status 1:	CASE CLOSED/CLEANUP COMPLETE		
Remedial Status 2:	NOT AVAILABLE		


Map ID

10

VISTA Address*:	EPSTEINS RESIDENCE 46 KESWICK LANE PLAINVIEW, NY 11803	VISTA ID#:	2723270
		Distance/Direction:	0.55 MI / N
		Plotted as:	Point
STATE LUST - State Leaking Underground Storage Tank / SRC# 2449		Agency ID:	9006009
Agency Address:	EPSTEINS RESIDENCE 46 KESWICK LANE PLAINVIEW, NY NOT AVAILABLE		
Tank Status:	NOT AVAILABLE		
Discovery Date:	AUGUST 30, 1990		
Media Affected:	SOIL/SAND/LAND		
Substance:	FUEL OIL #2		
Leak Cause:	TANK FAILURE		
Leak Source:	PRIVATE DWELLING		
Remedial Action:	NOT AVAILABLE		
Remedial Status 1:	CASE CLOSED/CLEANUP COMPLETE		
Remedial Status 2:	NOT AVAILABLE		
Fields Not Reported:	Quantity (Units)		

Map ID

11



* VISTA address includes enhanced city and ZIP.

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 089252-001

Date of Report: November 14, 1995

Version 2.4.1

Page #33

SITES IN THE SURROUNDING AREA (within 1/2 - 3/4 mile) CONT.

VISTA Address*:	NYNEX VEHICLE SHERMAN AVE/SO 6TH STREET BETHPAGE, NY 11714	VISTA ID#:	5162244
		Distance/Direction:	0.58 MI / S
		Plotted as:	Point
STATE LUST - State Leaking Underground Storage Tank / SRC# 2449		Agency ID:	9314784
Agency Address:		NYNEX VEHICLE SHERMAN AVE/SO 6TH STREET BETHPAGE, NY NOT AVAILABLE	
Tank Status:		NOT AVAILABLE	
Discovery Date:		MARCH 17, 1994	
Media Affected:		SOIL/SAND/LAND	
Substance:		GASOLINE (UNSPECIFIED)	
Leak Cause:		TANK FAILURE	
Leak Source:		TRUCK/HIGHWAY VEHICLE	
Remedial Action:		NOT AVAILABLE	
Remedial Status 1:		CASE CLOSED/CLEANUP COMPLETE	
Remedial Status 2:		NOT AVAILABLE	
Fields Not Reported:		Quantity (Units)	

Map ID

12

VISTA Address*:	JAMES BAIL RESIDENCE 127 SOUTH 1ST ST BETHPAGE, NY 11714	VISTA ID#:	5415574
		Distance/Direction:	0.64 MI / S
		Plotted as:	Point
STATE LUST - State Leaking Underground Storage Tank / SRC# 2449		Agency ID:	9500753
Agency Address:		JAMES BAIL RESIDENCE 127 SOUTH 1ST ST BETHPAGE, NY NOT AVAILABLE	
Tank Status:		NOT AVAILABLE	
Discovery Date:		APRIL 19, 1995	
Media Affected:		SOIL/SAND/LAND	
Substance:		FUEL OIL #2	
Leak Cause:		TANK FAILURE	
Leak Source:		PRIVATE DWELLING	
Remedial Action:		NOT AVAILABLE	
Remedial Status 1:		CASE OPEN	
Remedial Status 2:		NOT AVAILABLE	
Fields Not Reported:		Quantity (Units)	


Map ID

13

VISTA Address*:	GRUMMAN AEROSPACE CORP SOUTH OYSTER BAY RD BETHPAGE, NY 11714	VISTA ID#:	3624600	
		Distance/Direction:	0.66 MI / W	
		Plotted as:	Point	
CERCLIS / SRC# 2632		EPA ID:	NYD002047967	
Agency Address:		SAME AS ABOVE		
NPL Status:		NOT A PROPOSED, CURRENT, OR DELETED NPL SITE		
Site Ownership:		OTHER		
Lead Agency:		NO DETERMINATION		
Site Description:		NOT REPORTED		
Event Type:	Lead Agency:	Event Status:	Start Date:	Completion Date:
DISCOVERY	EPA FUND-FINANCED	UNKNOWN	NOT REPORTED	DECEMBER 1, 1979
PRELIMINARY ASSESSMENT	EPA FUND-FINANCED	NO FURTHER REMEDIAL ACTION PLANNED	NOT REPORTED	JANUARY 1, 1980

Map ID

14



* VISTA address includes enhanced city and ZIP.

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 089252-001


Date of Report: November 14, 1995

Version 2.4.1

Page #34

SITES IN THE SURROUNDING AREA (within 1/2 - 3/4 mile) CONT.

RCRA-TSD / SRC# 2465		EPA ID:	NYD002047967
Agency Address:	GRUMMAN AEROSPACE CORP SOUTH OYSTER BAY ROAD BETHPAGE, NY 11714		
Off-Site Waste Received:	NO		
Land Disposal:	NO		
Incinerator:	NO		
Storage/Treatment:	YES		
STATE LUST - State Leaking Underground Storage Tank / SRC# 2449		Agency ID:	9207215
Agency Address:	GRUMMAN AEROSPACE SO OYSTER BAY RD BLDG #1 BETHPAGE, NY		
Tank Status:	NOT AVAILABLE		
Discovery Date:	APRIL 16, 1991		
Media Affected:	GROUNDWATER		
Substance:	FUEL OIL #2		
Leak Cause:	TANK FAILURE		
Leak Source:	COMMERCIAL INDUSTRY		
Remedial Action:	NOT AVAILABLE		
Remedial Status 1:	CASE OPEN		
Remedial Status 2:	NOT AVAILABLE		
Fields Not Reported:	Quantity (Units)		
STATE LUST - State Leaking Underground Storage Tank / SRC# 2449		Agency ID:	9206528
Agency Address:	GRUMMAN SO OYSTER BAY ROAD BETHPAGE, NY		
Tank Status:	NOT AVAILABLE		
Discovery Date:	JULY 12, 1993		
Media Affected:	GROUNDWATER		
Substance:	DIESEL		
Quantity (Units):	5.0 (GALLONS)		
Leak Cause:	TANK FAILURE		
Leak Source:	COMMERCIAL INDUSTRY		
Remedial Action:	NOT AVAILABLE		
Remedial Status 1:	CASE CLOSED/CLEANUP COMPLETE		
Remedial Status 2:	NOT AVAILABLE		
STATE LUST - State Leaking Underground Storage Tank / SRC# 2449		Agency ID:	9100585
Agency Address:	GRUMMAN OYSTER BAY ROAD BETHPAGE, NY		
Tank Status:	NOT AVAILABLE		
Discovery Date:	MAY 25, 1989		
Media Affected:	GROUNDWATER		
Substance:	DIESEL		
Leak Cause:	TANK FAILURE		
Leak Source:	COMMERCIAL INDUSTRY		
Remedial Action:	NOT AVAILABLE		
Remedial Status 1:	CASE CLOSED/CLEANUP COMPLETE		
Remedial Status 2:	NOT AVAILABLE		
Fields Not Reported:	Quantity (Units)		



*** VISTA address includes enhanced city and ZIP.**

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 089252-001

Date of Report: November 14, 1995

Version 2.4.1


Page #35

SITES IN THE SURROUNDING AREA (within 1/2 - 3/4 mile) CONT.

Map ID

15

VISTA Address*:	RUCO POLYMER CORPORATION NEW SOUTH ROAD HICKSVILLE, NY 11801	VISTA ID#:	362950	
		Distance/Direction:	0.69 MI / W	
		Plotted as:	Radius	
NPL - National Priority List / SRC# 2435		EPA ID:	NYD002920312	
Agency Address:	RUCO POLYMER CORPORATION NEW SOUTH ROAD HICKSVILLE, NY 11802			
NPL Status:	CURRENTLY ON FINAL NPL			
Site Ownership:	PRIVATE/NON-GOVERNMENTAL			
Lead Agency:	NOT AVAILABLE			
Site Description:	THE HOOKER/RUCO SITE IS AN ACTIVE PLASTICS MANUFACTURING FACILITY. RCRA: SMALL GENERATOR.			
Event Type:	Lead Agency:	Event Status:	Start Date:	
Completion Date:				
ADMINISTRATIVE RECORD	FEDERAL ENFORCEMENT	ADMIN RECORD COMPILATION / REMEDIAL EVENT	UNKNOWN	NOT REPORTED
COMMUNITY RELATIONS PLAN	EPA IN-HOUSE	UNKNOWN	UNKNOWN	NOT REPORTED
MANAGEMENT ASSISTANCE (FEDERAL RENUMERATION)	FEDERAL ENFORCEMENT	UNKNOWN	UNKNOWN	NOT REPORTED
ADMINISTRATIVE RECORD	RESPONSIBLE PARTY	ADMIN RECORD COMPILATION / REMEDIAL EVENT	UNKNOWN	NOT REPORTED
COMBINED RI/FS	RESPONSIBLE PARTY	UNKNOWN	UNKNOWN	NOT REPORTED
RECORD OF DECISION	FEDERAL ENFORCEMENT	UNKNOWN	NOT REPORTED	NOT REPORTED
DISCOVERY	EPA FUND-FINANCED	UNKNOWN	NOT REPORTED	UNKNOWN
PRELIMINARY ASSESSMENT	STATE, FUND FINANCED	LOWER PRIORITY	NOT REPORTED	UNKNOWN
SCREENING SITE INSPECTION	EPA FUND-FINANCED	HIGHER PRIORITY	UNKNOWN	UNKNOWN
REMOVAL INVESTIGATION AT NPL SITES	EPA FUND-FINANCED	STABILIZATION	UNKNOWN	UNKNOWN
FINAL LISTING ON NPL	EPA FUND-FINANCED	UNKNOWN	NOT REPORTED	UNKNOWN
PROPOSED FOR NPL	EPA FUND-FINANCED	UNKNOWN	NOT REPORTED	UNKNOWN
COMBINED RI/FS	EPA FUND-FINANCED	UNKNOWN	UNKNOWN	UNKNOWN
RI/FS WORKPLAN APPROVED	EPA FUND-FINANCED	UNKNOWN	UNKNOWN	UNKNOWN
REMOVAL INVESTIGATION AT NPL SITES	EPA FUND-FINANCED	STABILIZATION	UNKNOWN	UNKNOWN
COMBINED RI/FS	RESPONSIBLE PARTY	UNKNOWN	UNKNOWN	UNKNOWN



* VISTA address includes enhanced city and ZIP.

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 089252-001

Date of Report: November 14, 1995

Version 2.4.1

Page #36


SITES IN THE SURROUNDING AREA (within 1/2 - 3/4 mile) CONT.

Event Type:	Lead Agency:	Event Status:	Start Date:	Completion Date:
RECORD OF DECISION	FEDERAL ENFORCEMENT	UNKNOWN	NOT REPORTED	UNKNOWN
COMBINED RI/FS	RESPONSIBLE PARTY	UNKNOWN	UNKNOWN	UNKNOWN
RECORD OF DECISION	FEDERAL ENFORCEMENT	UNKNOWN	NOT REPORTED	UNKNOWN

SPL - State Equivalent Priority List / SRC# 2566		EPA ID:	NYD002920312
		Agency ID:	130004
Agency Address:	RUCO POLYMER CORP. (HOOKER CHEM) NEW SOUTH ROAD HICKSVILLE, NY 11801 LAGOON, LANDFILL		
Facility Type:	NOT AVAILABLE		
Lead Agency:	REMEDIAL ACTION PENDING/IN PROGRESS		
State Status:	PLANT WASTE		
Pollutant 1:	ETHYLHEXYL AND RELATED COMPOUNDS		
Pollutant 2:	ETHYLENE SUBSTANCE		
Pollutant 3:	Status		

CERCLIS / SRC# 2596		EPA ID:	NYD002920312
Agency Address:	HOOKER CHEMICAL/RUCO POLYMER CORP NEW SOUTH ROAD HICKSVILLE, NY 11801 CURRENTLY ON FINAL NPL		
NPL Status:	PRIVATE/NON-GOVERNMENTAL		
Site Ownership:	NOT AVAILABLE		
Lead Agency:	THE HOOKER/RUCO SITE IS AN ACTIVE PLASTICS MANUFACTURING FACILITY. RCRA: SMALL GENERATOR.		
Site Description:			

Event Type:	Lead Agency:	Event Status:	Start Date:	Completion Date:
ADMINISTRATIVE RECORD	FEDERAL ENFORCEMENT	ADMIN RECORD COMPILATION / REMEDIAL EVENT	UNKNOWN	NOT REPORTED
COMMUNITY RELATIONS PLAN	EPA IN-HOUSE	UNKNOWN	UNKNOWN	NOT REPORTED
MANAGEMENT ASSISTANCE (FEDERAL RENUMERATION)	FEDERAL ENFORCEMENT	UNKNOWN	UNKNOWN	NOT REPORTED
ADMINISTRATIVE RECORD	RESPONSIBLE PARTY	ADMIN RECORD COMPILATION / REMEDIAL EVENT	UNKNOWN	NOT REPORTED
COMBINED RI/FS	RESPONSIBLE PARTY	UNKNOWN	UNKNOWN	NOT REPORTED
RECORD OF DECISION	FEDERAL ENFORCEMENT	UNKNOWN	NOT REPORTED	NOT REPORTED
DISCOVERY	EPA FUND-FINANCED	UNKNOWN	NOT REPORTED	UNKNOWN
PRELIMINARY ASSESSMENT	STATE, FUND FINANCED	LOWER PRIORITY	NOT REPORTED	UNKNOWN
SCREENING SITE INSPECTION	EPA FUND-FINANCED	HIGHER PRIORITY	UNKNOWN	UNKNOWN
REMOVAL INVESTIGATION AT NPL SITES	EPA FUND-FINANCED	STABILIZATION	UNKNOWN	UNKNOWN



* VISTA address includes enhanced city and ZIP.

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 089252-001

Date of Report: November 14, 1995

Version 2.4.1

Page #37

SITES IN THE SURROUNDING AREA (within 1/2 - 3/4 mile) CONT.


Event Type:	Lead Agency:	Event Status:	Start Date:	Completion Date:
FINAL LISTING ON NPL	EPA FUND-FINANCED	UNKNOWN	NOT REPORTED	UNKNOWN
PROPOSED FOR NPL	EPA FUND-FINANCED	UNKNOWN	NOT REPORTED	UNKNOWN
COMBINED RI/FS	EPA FUND-FINANCED	UNKNOWN	UNKNOWN	UNKNOWN
RI/FS WORKPLAN APPROVED	EPA FUND-FINANCED	UNKNOWN	UNKNOWN	UNKNOWN
REMOVAL INVESTIGATION AT NPL SITES	EPA FUND-FINANCED	STABILIZATION	UNKNOWN	UNKNOWN
COMBINED RI/FS	RESPONSIBLE PARTY	UNKNOWN	UNKNOWN	UNKNOWN
RECORD OF DECISION	FEDERAL ENFORCEMENT	UNKNOWN	NOT REPORTED	UNKNOWN
COMBINED RI/FS	RESPONSIBLE PARTY	UNKNOWN	UNKNOWN	UNKNOWN
RECORD OF DECISION	FEDERAL ENFORCEMENT	UNKNOWN	NOT REPORTED	UNKNOWN

STATE LUST - State Leaking Underground Storage Tank / SRC# 2449	Agency ID:	8804415
--	-------------------	----------------

Agency Address:	RUCO POLYMER NEW SOUTH ROAD HICKSVILLE, NY
Tank Status:	NOT AVAILABLE
Discovery Date:	AUGUST 18, 1988
Media Affected:	GROUNDWATER
Substance:	FUEL OIL #2
Leak Cause:	TANK FAILURE
Leak Source:	COMMERCIAL INDUSTRY
Remedial Action:	NOT AVAILABLE
Remedial Status 1:	CASE CLOSED/CLEANUP COMPLETE
Remedial Status 2:	NOT AVAILABLE
Fields Not Reported:	Quantity (Units)

STATE LUST - State Leaking Underground Storage Tank / SRC# 2449	Agency ID:	9315273
--	-------------------	----------------

Agency Address:	ROCO POLYMER CORP NEW SOUTH ROAD HICKSVILLE, NY
Tank Status:	NOT AVAILABLE
Discovery Date:	AUGUST 18, 1988
Media Affected:	GROUNDWATER
Substance:	FUEL OIL #2
Leak Cause:	TANK FAILURE
Leak Source:	COMMERCIAL INDUSTRY
Remedial Action:	NOT AVAILABLE
Remedial Status 1:	CASE CLOSED/CLEANUP COMPLETE
Remedial Status 2:	NOT AVAILABLE
Fields Not Reported:	Quantity (Units)



*** VISTA address includes enhanced city and ZIP.**

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 089252-001

Date of Report: November 14, 1995

Version 2.4.1

Page #38

SITES IN THE SURROUNDING AREA (within 1/2 - 3/4 mile) CONT.


VISTA Address*:	GETTY PETROLEUM CORP 723 S OYSTER BAY RD PLAINVIEW, NY 11803	VISTA ID#:	2729523
		Distance/Direction:	0.72 MI / W
		Plotted as:	Point
STATE LUST - State Leaking Underground Storage Tank / SRC# 2449		Agency ID:	8710561
Agency Address:	GETTY PETROLEUM 723 SOUTH OYSTER BAY ROAD PLAINVIEW, NY NOT AVAILABLE		
Tank Status:	NOT AVAILABLE		
Discovery Date:	MARCH 17, 1988		
Media Affected:	GROUNDWATER		
Substance:	GASOLINE (UNSPECIFIED)		
Leak Cause:	TANK FAILURE		
Leak Source:	FIXED FACILITY		
Remedial Action:	NOT AVAILABLE		
Remedial Status 1:	CASE CLOSED/CLEANUP COMPLETE		
Remedial Status 2:	NOT AVAILABLE		
Fields Not Reported:	Quantity (Units)		

Map ID

16

SITES IN THE SURROUNDING AREA (within 3/4 - 1 1/4 miles)

No Records Found



* VISTA address includes enhanced city and ZIP.

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 089252-001

Date of Report: November 14, 1995

Version 2.4.1

Page #39

UNMAPPED SITES


VISTA Address*:	BEECHWOOD NY	VISTA ID#:	5619464
STATE SWLF - Solid Waste Landfill / SRC# 2629		Agency ID:	30S19
Agency Address:	SAME AS ABOVE		
Facility Type:	NOT AVAILABLE		
Facility Status:	INACTIVE		
Permit Status:	NOT AVAILABLE		

VISTA Address*:	NAVAL WEAPONS IND. RESERVE PLANT STEWART AVENUE BETHPAGE, NY 11714	VISTA ID#:	4123188
SPL - State Equivalent Priority List / SRC# 2566		EPA ID:	NYD602047967
		Agency ID:	130003B
Agency Address:	SAME AS ABOVE		
Facility Type:	LAGOON, LANDFILL		
Lead Agency:	NOT AVAILABLE		
State Status:	REMEDIAL ACTION PENDING/IN PROGRESS		
Pollutant 1:	TRICHLOROETHYLENE		
Pollutant 2:	TETRACHLOROETHENE		
Pollutant 3:	TRICHLOROETHANE/TCA		
Fields Not Reported:	Status		

VISTA Address*:	OLD WESTBURY SWMF NY	VISTA ID#:	5619800
STATE SWLF - Solid Waste Landfill / SRC# 2629		Agency ID:	30T18
Agency Address:	SAME AS ABOVE		
Facility Type:	NOT AVAILABLE		
Facility Status:	ACTIVE		
Permit Status:	NOT AVAILABLE		

VISTA Address*:	DUFFY AVENUE NY	VISTA ID#:	5619554
STATE SWLF - Solid Waste Landfill / SRC# 2629		Agency ID:	30D01
Agency Address:	SAME AS ABOVE		
Facility Type:	NOT AVAILABLE		
Facility Status:	INACTIVE		
Permit Status:	NOT AVAILABLE		

VISTA Address*:	PLANDOME (V) NY	VISTA ID#:	5619817
STATE SWLF - Solid Waste Landfill / SRC# 2629		Agency ID:	30T20
Agency Address:	SAME AS ABOVE		
Facility Type:	NOT AVAILABLE		
Facility Status:	INACTIVE		
Permit Status:	NOT AVAILABLE		



* VISTA address includes enhanced city and ZIP.

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 089252-001

Date of Report: November 14, 1995

Version 2.4.1

Page #40

UNMAPPED SITES CONT.

VISTA Address*:	TOWN OF OYSTER BAY STEWART AVE BETHPAGE, NY 11714	VISTA ID#:	5321334
-----------------	--	------------	---------

STATE LUST - State Leaking Underground Storage Tank / SRC# 2449	Agency ID:	9409098
--	------------	---------

Agency Address:	TOWN OF OYSTER BAY STEWART AVE BETHPAGE, NY
Tank Status:	NOT AVAILABLE
Discovery Date:	OCTOBER 7, 1994
Media Affected:	GROUNDWATER
Substance:	PETROLEUM
Remedial Action:	NOT AVAILABLE
Remedial Status 1:	CASE OPEN
Remedial Status 2:	NOT AVAILABLE

VISTA Address*:	GREAT NECK T.S. (V) NY	VISTA ID#:	4898181
-----------------	-----------------------------------	------------	---------

STATE SWLF - Solid Waste Landfill / SRC# 2629	Agency ID:	30T14
--	------------	-------

Agency Address:	SAME AS ABOVE
Facility Type:	NOT AVAILABLE
Facility Status:	ACTIVE
Permit Status:	NOT AVAILABLE

VISTA Address*:	GARVIES POINT SLF NY	VISTA ID#:	5619635
-----------------	---------------------------------	------------	---------


STATE SWLF - Solid Waste Landfill / SRC# 2629	Agency ID:	30S13
--	------------	-------

Agency Address:	SAME AS ABOVE
Facility Type:	NOT AVAILABLE
Facility Status:	INACTIVE
Permit Status:	NOT AVAILABLE

VISTA Address*:	ROCKVILLE CENTER T.S. NY	VISTA ID#:	3502530
-----------------	-------------------------------------	------------	---------

STATE SWLF - Solid Waste Landfill / SRC# 2629	Agency ID:	30T08
--	------------	-------

Agency Address:	SAME AS ABOVE
Facility Type:	NOT AVAILABLE
Facility Status:	ACTIVE
Permit Status:	NOT AVAILABLE



* VISTA address includes enhanced city and ZIP.

For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 089252-001

Date of Report: November 14, 1995

Version 2.4.1

Page #41

UNMAPPED SITES CONT.

VISTA Address*:	BETHPAGE COMM PARK STEWART AVENUE BETHPAGE, NY 11714	VISTA ID#:	46284
-----------------	---	------------	-------

STATE LUST - State Leaking Underground Storage Tank / SRC# 2449		Agency ID:	9110161
Agency Address:	BETHPAGE COMM PARK STEWART AVENUE BETHPAGE, NY		
Tank Status:	NOT AVAILABLE		
Discovery Date:	DECEMBER 26, 1991		
Media Affected:	GROUNDWATER		
Substance:	REPORTED AS "UNKNOWN" BY AGENCY		
Remedial Action:	NOT AVAILABLE		
Remedial Status 1:	CASE CLOSED/CLEANUP COMPLETE		
Remedial Status 2:	NOT AVAILABLE		

VISTA Address*:	V G RUBBISH REMOVAL NY	VISTA ID#:	5619935
-----------------	-----------------------------------	------------	---------


STATE SWLF - Solid Waste Landfill / SRC# 2629		Agency ID:	30T09
Agency Address:	SAME AS ABOVE		
Facility Type:	NOT AVAILABLE		
Facility Status:	INACTIVE		
Permit Status:	NOT AVAILABLE		

VISTA Address*:	AGO ASSOCIATES NY	VISTA ID#:	5619437
-----------------	------------------------------	------------	---------

STATE SWLF - Solid Waste Landfill / SRC# 2629		Agency ID:	30D12
Agency Address:	SAME AS ABOVE		
Facility Type:	NOT AVAILABLE		
Facility Status:	INACTIVE		
Permit Status:	NOT AVAILABLE		

VISTA Address*:	WARREN BROTHERS/COES NECK NY	VISTA ID#:	5619964
-----------------	---	------------	---------

STATE SWLF - Solid Waste Landfill / SRC# 2629		Agency ID:	30S11
Agency Address:	SAME AS ABOVE		
Facility Type:	NOT AVAILABLE		
Facility Status:	INACTIVE		
Permit Status:	NOT AVAILABLE		



SITE ASSESSMENT REPORT (EXTENDED BY 1/4 MILE)

DESCRIPTION OF DATABASES SEARCHED

A) DATABASES SEARCHED TO 1 1/4 MILES

NPL VISTA conducts a database search to identify all sites within 1.25 mile of your property.
SRC#: 2435 The agency release date for NPL was **May, 1995.**

The National Priorities List (NPL) is the EPA's database of uncontrolled or abandoned hazardous waste sites identified for priority remedial actions under the Superfund program. A site must meet or surpass a predetermined hazard ranking system score, be chosen as a state's top priority site, or meet three specific criteria set jointly by the US Dept of Health and Human Services and the US EPA in order to become an NPL site.

SPL VISTA conducts a database search to identify all sites within 1.25 mile of your property.
SRC#: 2566 The agency release date for **Inactive Hazardous Waste Disposal Sites** was **July, 1995.**

This database is provided by the Department of Environmental Conservation, Bureau of Hazardous Site Control.

RCRA-TSD VISTA conducts a database search to identify all sites within 1.25 mile of your property.
SRC#: 2465 The agency release date for **RCRIS** was **June, 1995.**

The EPA's Resource Conservation and Recovery Act (RCRA) Program identifies and tracks hazardous waste from the point of generation to the point of disposal. The RCRA Facilities database is a compilation by the EPA of facilities which report generation, storage, transportation, treatment or disposal of hazardous waste. RCRA TSDs are facilities which treat, store and/or dispose of hazardous waste.


B) DATABASES SEARCHED TO 3/4 MILE

CERCLIS VISTA conducts a database search to identify all sites within 3/4 mile of your property.
SRC#: 2596 The agency release date for **CERCLIS** was **September, 1995.**

The CERCLIS List contains sites which are either proposed to or on the National Priorities List(NPL) and sites which are in the screening and assessment phase for possible inclusion on the NPL. The information on each site includes a history of all pre-remedial, remedial, removal and community relations activities or events at the site, financial funding information for the events, and unrestricted enforcement activities.

NFRAP VISTA conducts a database search to identify all sites within 3/4 mile of your property.
SRC#: 2632 The agency release date for **CERCLIS** was **September, 1995.**

NFRAP sites may be sites where, following an initial investigation, no contamination was found, contamination was removed quickly, or the contamination was not serious enough to require Federal Superfund action or NPL consideration.



For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 089252-001

Date of Report: **November 14, 1995**

Version 2.4.1

Page #43

SWLF
SRC#: 1332

VISTA conducts a database search to identify all sites within 3/4 mile of your property.
The agency release date for Recycler's Listing was April, 1993.

This database is provided by the Department of Environmental Conservation, Bureau of Municipal Waste.

SWLF
SRC#: 1877

VISTA conducts a database search to identify all sites within 3/4 mile of your property.
The agency release date for Incinerators-Resource Recovery Projects was January, 1994.

This database is provided by the Department of Environmental Conservation, Bureau of Waste Management.

SWLF
SRC#: 2629

VISTA conducts a database search to identify all sites within 3/4 mile of your property.
The agency release date for Active Solid Waste Disposal Sites was September, 1995.

This database is provided by the Department of Environmental Conservation, Division of Municipal Waste.

SWLF
SRC#: 2629

VISTA conducts a database search to identify all sites within 3/4 mile of your property.
The agency release date for Inactive Solid Waste Sites was September, 1995.

This database is provided by the Department of Environmental Conservation, Division of Solid Waste.

LUST
SRC#: 2449

VISTA conducts a database search to identify all sites within 3/4 mile of your property.
The agency release date for LUST (Tank Test Failures) Database was June, 1995.

This database is provided by the Department of Environmental Conservation.

C) DATABASES SEARCHED TO 1/2 MILE

UST's
SRC#: 2304

VISTA conducts a database search to identify all sites within 1/2 mile of your property.
The agency release date for Nassau County Article XI "In Service" Tanks Database was April, 1995.

This database is provided by the Department of Environmental Conservation, Petroleum Bulk Storage Program. The New York Underground Storage Tank Database includes aboveground and aboveground tanks in all counties except Nassau. The statewide database contains information on Petroleum Bulk storage tanks; Hazardous Substance Bulk storage tanks; and Major Petroleum storage facilities.

UST's
SRC#: 2448


VISTA conducts a database search to identify all sites within 1/2 mile of your property.
The agency release date for Underground Storage Tank Database was June, 1995.

This database is provided by the Department of Environmental Conservation, Petroleum Bulk Storage Program. The New York Underground Storage Tank Database includes aboveground and aboveground tanks in all counties except Nassau. The statewide database contains information on Petroleum Bulk storage tanks; Hazardous Substance Bulk storage tanks; and Major Petroleum storage facilities.

AST's
SRC#: 2304

VISTA conducts a database search to identify all sites within 1/2 mile of your property.
The agency release date for Nassau County Article XI "In Service" Tanks Database was April, 1995.

This database is provided by the Nassau County Department of Health.



For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: 089252-001

Date of Report: November 14, 1995

Version 2.4.1

Page #44

AST's
SRC#: 2448

VISTA conducts a database search to identify all sites within 1/2 mile of your property.
The agency release date for Aboveground Storage Tanks was June, 1995.

This database is provided by the Department of Environmental Conservation, Petroleum Bulk Storage Program.

D) DATABASES SEARCHED TO 3/8 MILE

ERNS
SRC#: 2255

VISTA conducts a database search to identify all sites within .375 mile of your property.
The agency release date for ERNS was March, 1995.

The Emergency Response Notification System (ERNS) is a national database used to collect information on reported releases of oil and hazardous substances. The database contains information from spill reports made to federal authorities including the EPA, the US Coast Guard, the National Response Center and the Department of transportation. A search of the database records for the period October 1986 through September 1994 revealed the following information regarding reported spills of oil or hazardous substances in the stated area.

RCRA-LgGen
SRC#: 2465

VISTA conducts a database search to identify all sites within .375 mile of your property.
The agency release date for RCRIS was June, 1995.


The EPA's Resource Conservation and Recovery Act (RCRA) Program identifies and tracks hazardous waste from the point of generation to the point of disposal. The RCRA Facilities database is a compilation by the EPA of facilities which report generation, storage, transportation, treatment or disposal of hazardous waste. RCRA Large Generators are facilities which generate at least 1000 kg./month of non-acutely hazardous waste (or 1 kg./month of acutely hazardous waste).

RCRA-SmGen
SRC#: 2465

VISTA conducts a database search to identify all sites within .375 mile of your property.
The agency release date for RCRIS was June, 1995.

The EPA's Resource Conservation and Recovery Act (RCRA) Program identifies and tracks hazardous waste from the point of generation to the point of disposal. The RCRA Facilities database is a compilation by the EPA of facilities which report generation, storage, transportation, treatment or disposal of hazardous waste. RCRA Small and Very Small generators are facilities which generate less than 1000 kg./month of non-acutely hazardous waste.

End of Report



For more information call VISTA Information Solutions, Inc. at 1 - 800 - 767 - 0403.

Report ID: **089252-001**

Version 2.4.1

Date of Report: **November 14, 1995**

Page #45

Appendix D



APPENDIX D

SUPPLEMENTAL INFORMATION

GRUMMAN AIRCRAFT ENGINEERING CORPORATION
BETHPAGE, LONG ISLAND, NEW YORK

LR-5-3785

CABLE ADDRESS
GRUMAIR



December 27, 1963

Building Dept. - Town Hall
Town of Oyster Bay
Oyster Bay, New York

J.R. La
1/2 West of
February

Att: Mr. Edward Gaynor

Re: Bldg. Permit No. B-00819

Gentlemen:

Under the above Building Permit, the Austin Company is constructing for us a two story office building located on the east side of Stewart Avenue 1117 feet north of Sycamore Avenue, Bethpage, New York.

Due to the extreme urgency of office space required for vital engineering work on several government projects, the contractor has agreed to make the new building available for useful occupancy by us on or about January 15, 1964.

We respectfully request, therefore, that permission be granted for occupancy of the building on January 15, 1964.

Very truly yours,

GRUMMAN AIRCRAFT ENGINEERING CORPORATION

G. Suda
G. Suda
Plant Engineer

GS:rcm

CERTIFICATE OF OCCUPANCY

No. **20741**

TOWN OF OYSTER BAY BUILDING DEPARTMENT
OYSTER BAY, NASSAU COUNTY, N. Y.

ISSUED TO OWNER
NAME

**Grumman Aircraft Engineering Corp.
Bethpage, New York**

DATE

**April 1, 1964
B00819**

STREET ADDRESS
POST OFFICE

BUILDING PERMIT No.
CESSPOOL PERMIT No.
PLUMBING PERMIT No.
OIL BURNER PERMIT No.
APPEAL BOARD No.
SCHOOL DIST.

FOR BUILDING LOCATED ON THE TAX
MAP OF THE TOWN OF OYSTER BAY IN
SECTION **46** BLOCK **0** LOTS **24**

Zone **H**

This CERTIFIES that the Building located at **w/o Stewart Ave. 1117' n/o North
Sycamore Avenue, Bethpage, New York**

was constructed substantially in accordance with the plans filed for the above Building Permit and to all requirements of The Building Zone Ordinance and The Building Code of the Town of Oyster Bay and the occupancy is limited to the following use: CLASS **Type C-3 occupancy**
Smoking permitted.

SHOULD THE OCCUPANCY CHANGE FROM THE ABOVE LIMITATION OF USE, APPLICATION MUST BE MADE FOR NEW CERTIFICATE.

UNDERWRITERS CERTIFICATE
N.B.F.U. No.....

TOWN OF OYSTER BAY BUILDING DEPARTMENT

bb

March 6, 1964

Burlington Elevators, Inc.
246 Fulton Street
New York 7, N.Y.

Re: Grumman Office Building, Plant 30
Building Permit 819, Section 46, Block G, Lot 24
Case No. 64-6

Attn: Mr. Pratt

Dear Sir:

In reply to a telephone request made by your office regarding the Freight Elevator in Plant 30 Grumman Aircraft, we find after investigation that a completion letter will be issued subsequent to a final inspection, of the entire plant which will be made in the latter part of March provided the installation passes inspection.

We might note at this time an oil leak was observed and there has been intermittent minor malfunctioning of the doors.

Hoping the above to be of information.

Sincerely yours,

EJG/tm

Edward J. Gaynor
Manager Building Department

cc: SBL File
Chester Parker Plant 4, Eng. Dept., Grumman Aircraft

BUILDING PERMIT

BUILDING DEPARTMENT - TOWN OF OYSTER BAY - OYSTER BAY, L.I., NEW YORK
 AUDREY AVENUE - EDWARD J. GAYNOR, MANAGER - TEL. WA 2-5800

lp/mm

APPLICATION 4246	BD/APPEALS	DATE ISSUED 12-5-63	SECTION 46	BLOCK G	LOTS P/O 24	ZONE H	B 02794
PERMITTEE OWNER/LESSEE-CONTRACTOR ETC.		STREET ADDRESS		POST OFFICE		PHONE	
OWNER/L. <u>Gruman Aircraft Engineering Corp.</u>		<u>Bethpage</u>					
CONTRACTOR							
PLUMBER							
BURNER <u>Howland Tompkins & Son, Inc.</u>		<u>50 Broadway</u>		<u>Northore</u>		<u>Ro. 9-3600</u>	
SANITARY							
PERMISSION GRANTED FOR THE CONSTRUCTION OF <input checked="" type="checkbox"/> FAMILY RESIDENCE <input type="checkbox"/> COMMERCIAL <input checked="" type="checkbox"/> FACTORY <input type="checkbox"/>							

Installation of two 15,000 gal Oil Tanks below grade.

LOCATED AT <u>West</u> SIDE OF <u>Stewart Ave.</u>		1117 FEET <u>North</u> OF <u>Bethpage</u> <u>Sycamore Ave.</u>					
STRUCTURE OVERALL WIDTH	FEET.	DEPTH	FEET.	EST. VALUE CONSTRUCTION	RECEIPT NO.	B-1589	
HEIGHT	FEET.	NO. OF STORIES		\$	FEEES FOR	AMT OF FEE	
FRONT YARD	FEET.	REAR YARD	FEET.	SIDE YARD	FEET.	CONSTRUCTION	
FRONT SIDE YARD		FEET.				PLUMBING	
SANITARY-BLOCK <input type="checkbox"/> PRECAST <input type="checkbox"/>		NO. UNITS		S.F. EA. UNIT		BURNER	
SEPTIC TANK CAP.		GALS. DRYWELLS NO.		UNITS		TANK	36 00
WATER SERVICE RENEWAL <input type="checkbox"/> SIZE		INCHES.		SEWER CONNECTION - NEW <input type="checkbox"/> RENEWAL <input type="checkbox"/>		SANITARY	
PLUMBING NO. FIXTURE <u>None</u>		SPRINKLER FIRE PROTECTION <input type="checkbox"/>		SIZE OF MAIN		PLUMB. C.A.	
BURNER <input type="checkbox"/> OIL <input type="checkbox"/> GAS <input type="checkbox"/> COAL <input type="checkbox"/>		NUMBER OF UNITS		DOMESTIC HW. HEATER <input type="checkbox"/> OIL <input type="checkbox"/> GAS <input type="checkbox"/>		CONST. C.O.	
OIL TANK OUTSIDE <input type="checkbox"/> GAL.		GAUGE		INSIDE		GAL. (2)15,000	TOTAL FEES
							36 00

ADDITIONAL NOTES: THIS PERMIT ISSUED SUBJECT TO COMPLIANCE WITH ARTICLE 10, SECTION H-12 OF THE BUILDING ZONE ORDINANCE OF THE TOWN OF OYSTER BAY, (SCREENING).

FOUNDATION SURVEY MUST BE APPROVED BEFORE WALLS, STEEL OR FRAMING STARTS. SEE 4 *

Edward J. Gaynor

EDWARD J. GAYNOR, MANAGER
 BUILDING DEPARTMENT

THIS IS A PERMIT FOR CONSTRUCTION, PLUMBING, BURNER, TANK, AND SANITARY WORK IF IT IS INDICATED ABOVE AND FEES HAVE BEEN PAID-N.B.: SANITARY PERMIT VALID ONLY IF FILED PLANS ARE APPROVED.

OCCUPANCY OF THIS NEW BUILDING OR ADDITION OR ALTERATION PRIOR TO ISSUANCE OF A CERTIFICATE OF OCCUPANCY WILL BE CONSIDERED A VIOLATION OF THE TOWN OF OYSTER BAY BUILDING CODE, PLUMBING CODE, AND/OR BUILDING ZONE ORDINANCE.

PROMPT NOTIFICATION BY THE VARIOUS CONTRACTORS FOR INSPECTIONS OF THEIR RESPECTIVE PARTS OF THE WORK WILL AVOID DELAY IN THE ISSUANCE OF THE CERTIFICATE OF OCCUPANCY.


CHANGES REGARDLESS OF SIZE FROM THE STAMPED APPROVED PLANS MUST BE SUBMITTED TO THE BUILDING DEPARTMENT AND APPROVED BEFORE THE CHANGES ARE MADE. APPROVED PLANS MUST BE RETAINED ON THE JOB AND AVAILABLE TO INSPECTORS AT ALL TIMES.

REQUESTS FOR INSPECTION MUST BE FILED IN WRITING AT LEAST 48 HOURS PRIOR TO TIME DESIRED EXCEPT SANITARY INSPECTIONS MUST BE FILED IN WRITING AT LEAST 72 HOURS IN ADVANCE.

FOUNDATION LOCATION SURVEY TO BE APPROVED BEFORE FRAMING. *

INSPECTIONS: Normally there are 12 or more required inspections of a new building and as many as apply to alterations and additions.

1. SOIL CONDITIONS - Before foundation footings are poured. Forms in place.
2. FOUNDATION FORMS & KEY - Before walls are poured.
3. CONCRETE WALLS & OTHER CONCRETE - When being poured.
4. FRAMING - Before insulation or lathing. (Foundation location survey) *
5. ROUGH ENCLOSED - Before exterior finish or interior finish is applied.
6. FINAL ON CONSTRUCTION - When ready for certificate of occupancy.
7. PLUMBING - Roughing, when ready for water test.
8. FLANGE INSPECTION - 8A Sewer connection if used.
9. PLUMBING FINAL - When ready for certificate of approval.
10. BURNER - When installed with inside tank in place.
11. TANKS - Outside before being covered.
12. SANITARY (1) Excavation (2) Construction (3) Special.



NCDH-ARTICLE XI
TANK & CONTAINER
STORAGE REGISTRATION


BETHPAGE
GENERAL PLAN
FACILITIES DEPARTMENT

7 DATE: 5-20-88 REVISION DATE 11-85
CIVIL ENGINEERING SECTION

14

9

10



Plant 30, Tank 30-01-3

DEC 20 '94 04:40PM LARRY TYREE

P.2/3

Tyree Brothers Environmental Services, Inc.

208 Route 109, Farmingdale, NY 11735 • Fax: 516-249-3281 • Phone: 516-249-3150

DECEMBER 20, 1994**ROBERT PLAN CORP.
8 FREER STREET
LYNBROOK, NY****Dear Sir:****Enclosed please find a copy of the Line Test Report for:****GRUMMAN
PLANT # 30
BETHPAGE, NY**

CONFIRMATION #	
TESTING TECN.	JIM LEONARD
LICENSE #	329
DATE OF TEST	12-16-94
FACILITY ID #	
DISTRICT	
LOT #	
BLOCK #	
RESULTS:	LINE PASSED
SPILL #:	

****cc: NYSDEC****Sincerely,**

Regina Bendetti
Regina Bendetti
Petro-tite Coordinator

Member

**Tyree
Environmental
Technologies**

DATA CHART for use with PETRO TITE

1. LOCATION: Street No. and/or Corner City State Telephone No.
 2. OWNER: Grammer Plant 30 Stewart Ave Bethpage N.Y. 12-16-94
 Name Address Representative Telephone No.
 3. OPERATOR: Name Dealer, Mgr. or Other Address (if different than location) Telephone No.
 4. REASON FOR TEST:
 5. TEST REQUESTED BY: Name Position Order No. Billing Address
 6. SPECIAL INSTRUCTIONS:
 7. CONTRACTOR OR COMPANY MAKING TEST
 MECHANIC(S) NAME:
 8. IS A TANK TEST TO BE MADE WITH THIS LINE TEST? Yes No 9. MAKE AND TYPE OF PUMP OR DISPENSER:
 10. WEATHER _____ TEMP. IN TANKS _____ F COVER _____ C OVER LINES _____
 APPROXIMATE BURIAL DEPTH: _____ Concrete, Black Top, etc.

IDENTIFY EACH LINE AS TESTED	12 TIME (MILITARY)	13 LOG OF TEST PROCEDURES, AMBIENT TEMPERATURE, WEATHER, ETC.	14 PRESSURE psi O.P.P.s		15 VOLUME READING		NET CHANGE	16 TEST RESULTS CONCLUSIONS, REPAIRS AND COMMENTS
			BEFORE	AFTER	BEFORE	AFTER		
	12:30	start test		15				
	48		14	15	065	062	-003	
section	13:00		14	15	059	068	-001	--- 004 GPH pass
	16		15	15	056	056	+000	
	30		15	15	056	056	+000	
		blow test			056	064	+008	OK
		start test		16				
			13	15	062	059	-003	
Return			14	15	058	056	-002	- 005 GPH pass
			15	15	066	056	+000	
			15	15	066	056	+000	
		blow test			064	071	+007	OK

Tyree Brothers Environmental Services, Inc.

208 Route 109, Farmingdale, NY 11735 · Fax: 516-249-3281 · Phone: 516-249-3150

AUGUST 23, 1994

**NASSAU COUNTY FIRE MARSHALL
899 JERUSALEM AVE
UNIONDALE, NY 11553**

Gentleman:


Enclosed please find a copy of the Tank Test Report For:

**GRUMMAN
BLDG #30
BETHPAGE, NY**

CONFIRMATION #	14902909
TESTING TECN.	TOM DYKSTRA
LICENSE #	517
DATE OF TEST	8-4-94
FACILITY ID #	TANK #30-01-3
DISTRICT	
LOT #	
BLOCK #	
RESULTS:	TANK & LINE PASSED
SPILL #:	

****cc: NYSDEC**

Sincerely,





**Regina Bendetti
Petro-tite Coordinator**

Member
 **Tyree
Environmental
Technologies**

Data Chart for Tank System Tightness Test

PLEASE PRINT

1. OWNER Property <input type="checkbox"/> Tank(s) <input type="checkbox"/>	Name _____ Address _____ Zip _____ Representative _____ Telephone _____ Name _____ Address _____ Zip _____ Representative _____ Telephone _____																					
2. OPERATOR	Name <u>Summan</u> Address <u>B106 #30</u> Zip _____ Representative <u>Bethpage - NY</u> Telephone _____ Name _____ Address _____ Zip _____ Representative _____ Telephone _____																					
3. REASON FOR TEST (Explain Fully)	<u>Part of Contract</u>																					
4. WHO REQUESTED TEST AND WHEN	Name _____ Title _____ Company or Affiliation _____ Date _____ Address _____ Zip _____ Telephone _____																					
5. TANK INVOLVED Use additional lines for manifolded tanks	Identify by Direction <u>Tank #</u> <u>30-01-3</u>	Capacity <u>550</u>	Brand/Supplier <u>-</u>	Grade <u>Diesel</u>	Approx. Age <u>-</u>	Steel/Fiberglass <u>Steel</u>																
6. INSTALLATION DATA	Location <u>-</u> <small>North inside driveway, Rear of station, etc.</small>	Cover <u>Leas</u> <small>Concrete, Slack Top, Earth, etc.</small>	Fills <u>4"</u> <small>Size, Tilefill make, Drop tubes, Remote Fills</small>	Vents <u>2"</u> <small>Size, Manifolded</small>	Siphons <u>-</u> <small>Which tanks?</small>	Pumps <u>-</u> <small>Suction, Remote, Make if known</small>																
7. UNDERGROUND WATER	Depth to the water table from grade <u>Below</u> is the water over the tank? <input type="checkbox"/> Yes <input type="checkbox"/> No																					
8. FILL-UP ARRANGEMENTS	Tanks to be filled <u>800</u> by <u>8-4-94</u> Date Arranged by <u>Tyree Bros. Env. Serv.</u> Name _____ Telephone _____ Extra product to "top off" and run tank tester. How and who to provide? Consider NO Lead.																					
9. CONTRACTOR, MECHANICS, etc. Any other contractor involved	 TYREE BROTHERS ENVIRONMENTAL SERVICES, INC. 208 ROUTE 109 FARMINGDALE, NY 11735																					
10. OTHER INFORMATION OR REMARKS	Additional information on any items above. Officials or others to be advised when testing is in progress or completed. Visitors or observers present during test, etc.																					
11. TEST METHOD	<input checked="" type="checkbox"/> PETRO TITE <input type="checkbox"/> PETRO COMP <input type="checkbox"/> QUICK CHECK 2000																					
12. TEST RESULTS	Tests were made on the above tank systems in accordance with test procedures prescribed for as detailed on attached test charts with results as follows: <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 30%;">Tank Identification</th> <th style="width: 15%;">Tight</th> <th style="width: 35%;">Net Volume Change Per Hour</th> <th style="width: 20%;">Date Tested</th> </tr> </thead> <tbody> <tr> <td><u>Tank #</u> <u>30-01-3</u></td> <td style="text-align: center;"><u>Yes</u></td> <td style="text-align: center;"><u>- .017 GPH</u></td> <td style="text-align: center;"><u>8-4-94</u></td> </tr> <tr> <td><u>line test</u></td> <td style="text-align: center;"><u>Yes</u></td> <td style="text-align: center;"><u>- .001 GPH</u></td> <td style="text-align: center;"><u>8-4-94</u></td> </tr> <tr> <td></td> <td></td> <td style="text-align: center;"><u>- .007 GPH</u></td> <td></td> </tr> </tbody> </table>						Tank Identification	Tight	Net Volume Change Per Hour	Date Tested	<u>Tank #</u> <u>30-01-3</u>	<u>Yes</u>	<u>- .017 GPH</u>	<u>8-4-94</u>	<u>line test</u>	<u>Yes</u>	<u>- .001 GPH</u>	<u>8-4-94</u>			<u>- .007 GPH</u>	
Tank Identification	Tight	Net Volume Change Per Hour	Date Tested																			
<u>Tank #</u> <u>30-01-3</u>	<u>Yes</u>	<u>- .017 GPH</u>	<u>8-4-94</u>																			
<u>line test</u>	<u>Yes</u>	<u>- .001 GPH</u>	<u>8-4-94</u>																			
		<u>- .007 GPH</u>																				
13. SENSOR CERTIFICATION Date <u>8-4-94</u>	13. CONTRACTOR CERTIFICATION 1. <u>Tom Dykstra</u> Certification # <u>5107</u> 2. _____ Certification # _____ <div style="text-align: right;">  TYREE BROTHERS ENVIRONMENTAL SERVICES, INC. 208 ROUTE 109 FARMINGDALE, NY 11735 </div>																					

DATA CHART for use with PETRO TITE

1. LOCATION: Grumman Bldg #35 Bethpage, NY 8-4-94
Street No. and/or Corner City State Telephone No.

2. OWNER: _____
Name Address Representative Position Telephone No.

3. OPERATOR: _____
Name Dealer, Mgr. or Other Address (if different than location) Telephone No.

4. REASON FOR TEST _____

5. TEST REQUESTED BY: _____
Name Position Order No. Billing Address

6. SPECIAL INSTRUCTIONS: _____

7. CONTRACTOR OR COMPANY MAKING TEST
 MECHANIC(S) NAME: _____

8. IS A TANK TEST TO BE MADE WITH THIS LINE TEST? Yes No

9. MAKE AND TYPE OF PUMP OR DISPENSER: _____

10. WEATHER _____ TEMP. IN TANKS _____
F COVER C OVER LINES

APPROXIMATE BURIAL DEPTH: _____
Concrete, Black Top, etc.

IDENTIFY EACH LINE AS TESTED	12 TIME (MILITARY)	13 LOG OF TEST PROCEDURES, AMBIENT TEMPERATURE, WEATHER, ETC.	14 PRESSURE psi OF kPa		15 VOLUME READING		NET CHANGE	16 TEST RESULTS CONCLUSIONS, REPAIRS AND COMMENTS
			BEFORE	AFTER	BEFORE	AFTER		
Feed	1200			15				+001 GPH Pass
	15	start test	14	15	061	060	+001	
	30		15	15	063	063	+000	
	45		15	15	064	064	+000	
	1200		15	15	065	065	+000	
		Bleed Back	15	0.0	067	079	+0120X	
Return	1200			15				+00761H
	15	start test	25	15	060	063	+003	
	30		24	15	063	064	+001	
	45		23	15	064	065	+001	
	1200		24	15	065	067	+002	
		Bleed Back	15	0.0	079	088	+009.0	

Data Chart for Tank System Tightness Test

PLEASE PRINT

1. OWNER Property Tanks

2. OPERATOR

3. REASON FOR TEST (Explain fully)

4. WHO REQUESTED TEST AND WHEN

5. TANK INVOLVED
Use additional lines for multiloaned tanks

6. INSTALLATION DATA

7. UNDERGROUND WATER

8. FILL-UP ARRANGEMENTS

9. CONTRACTOR, MECHANICS, etc. with contractor involved

10. OTHER INFORMATION OR REMARKS

11. TEST METHOD PETRO TITE PETRO COMP QUICK CHECK 2000

11a. TEST RESULTS

12. SENSOR CERTIFICATION

13. CONTRACTOR CERTIFICATION

14. Gumman Plant 25 Bethpage NY 9-2-94

15. TANK TO TEST Identify by position: Diesel Brand and Grade: Diesel

15a. BRIEF DIAGRAM OF TANK FIELD Grass Cover

16. CAPACITY Nominal Capacity: 560 Gallons
By most accurate capacity chart available: 560 Gallons

17. FILL-UP FOR TEST

Shut Water System before Fill-up: 48" steel in 48" Tank Diameter

Inventory in Tank: 560
Water Bottom: —
Top of equipment: 10
Total Quantity: 560

18. SPECIAL CONDITIONS AND PROCEDURES TO TEST THIS TANK

See manual sections applicable. Check below and record procedure in log (27).

Use minimum allowable test pressure for all tests. Four sound runs does not apply to double-walled tanks.


Complete section below:

1. Is four pound rule required? Yes No

2. Height to 12" mark from grade: 24 in

3. Pressure at bottom of tank: 4.154 P.S.I.

4. Pressure at top of tank: 2.666 P.S.I.



NOTES

The above calculations are to be used for dry soil conditions to establish a positive pressure advantage, or when using the four pound rule to compensate for the presence of subsurface water in the tank area.

Refer to NFPA 38 Sections 2-2.4 and 2-7.2 and the tank manufacturer regarding allowable system test pressures.

19. TANK MEASUREMENTS FOR TST ASSEMBLY

Bottom of tank to grade: 100 in.
Add 36" for "T" probe assembly: 30 in.
Total tubing to assemble - approximate: _____ in.

20. EXTENSION HOSE SETTING

Tank top to grade: 52 in.
Extend hose on section tube 6" or more below tank top: _____ in.

USE WITH THERMAL SENSOR PN5039 (Blue Box)

22. Thermal-Sensor reading after circulation: _____ digits

23. Digits per °F in range of expected change: _____ digits

21. VAPOR RECOVERY SYSTEM Stage 1 Stage II

24b. COEFFICIENT OF EXPANSION RECIPROCAL METHOD

Type of Product: Diesel

Hydrometer Employed: _____

Temperature in Tank After Circulation: 74.7 °F

Temperature of Sample: 80 °F

Difference (T-A): 5.3 °F

Observed A.P.I. Gravity: 35.2

Revised: 2170 Page # 37

Total quantity in full tank (17): 560 Revised: 2170 Volume change in this tank per °F: 2582645

24a. IF USING THERMAL SENSOR DTS-2000 OR QC-2000 WHICH READ 1000 DIGITS PER °F TRANSFER 1000 TO LINE 26, DIGITS PER °F IN TEST RANGE.

24c. FOR TESTING WITH WATER see Table C & D

Water Temperature after Circulation: _____ °F

Table C from Thermal Sensor: _____

Coefficient of Expansion: N/A

Table D: _____

Added Surfactant? Yes No Transfer COE to Line 26b.

25. (a) Total quantity in full tank (17): _____ (b) Coefficient of expansion for revised product: _____ (c) Volume change in this tank per °F: _____

26. (a) 2582645 Volume change per °F (25 or 24b) (b) 1000 Digits per °F in test range (25 or 24a) (c) 2582645 Volume change per digit Compare to a decimal error

27		Sensor Calibration <u>2/27/2017</u>		30	31		34		38	39			
LOG OF TEST PROCEDURES				HYDROSTATIC PRESSURE CONTROL	VOLUME MEASUREMENTS (V) RECORD TO 001 GAL		TEMPERATURE COMPENSATION USE FACTOR (U)		NET VOLUME CHANGING EACH READING	ACCUMULATED CHANGE			
28 DATE TIME 24 hr	Record details of setting up and running test (Use full length of line if needed)	29 Reading No.	Standpipe Level in inches		32 Product in Graduate		33 Product Replaced (R)	35 Initial Sensor Reading	36 Change Higher - Lower - (C)	37 Compensation No. = 0 Expansion - Contraction (+) Contract (C) +335 = +37.1	Temperature Adjustment Volume Multiplier Expansion (+) or Contraction (-) +335 = +37.1	At Low Level, Compute Change per Hour MPPA Criteria	
			Beginning of Reading	Level to which Restored	Before Reading	After Reading	Product Recovered (R)						
	TOP OFF SYSTEM- BLEED ALL FITTINGS- CHECK FOR LEAKS- CIRCULATE- TAKE APT												
1:00	FIRST SENSOR	0	42					747.760					
15	START TEST	1	42	245	490	+045	385	+035	+035	-023			
30	A= .0003	2	42	250	490	+040	390	+025	+062	-012			
45		3	42	150	490	+040	391	+021	+060	+020			
1:30		4	42	180	490	+010	377	+016	+056	+006			
2		5	42										
		6	42										
		7	42										
		8	42										
		9	42										
		10	42										
	DROP TO LOW LEVEL												
15								760					
30	FIRST SENSOR	0	12	060	110	+050	935	+175	+053	-003			
35	START LOW LEVEL	1	12	110	130	+020	900	+65	+020	+000			
40		2	12	130	140	+010	857	+62	+016	-026	-006		
45		3	12	140	155	+015	809	+55	+017	-002	-008		
50		4	12	155	170	+015	762	+54	+016	-021	-009		
55		5	12	170	185	+015	719	+57	+017	-002	-011		
1:00		6	12	185	200	+015	670	+51	+015	+000	-011		
1:05		7	12	200	215	+015	625	+55	+017	-002	-013		
1:10		8	12	215	225	+010	575	+50	+015	-005	-018		
1:15		9	12	225	240	+015	525	+50	+015	+000	-019		
1:20		10	12	240	255	+015	473	+48	+014	+001	-017		
1:25		11	12	255	270	+015	425	+52	+016	-001	-018		
1:30		12	12	270	290	+020	378	+47	+014	-004	-022		
1:35		13	12	290	295	+005	323	+51	+015	+000	-022		
1:40		14	12	295	310	+015	269	+46	+014	+001	-021		
1:45		15	12	310	320	+010	217	+48	+014	-004	-025		
1:50		16	12	320	335	+015	163	+46	+014	+001	-024		
1:55		17	12	335	350	+015	112	+49	+015	+000	-024		
2:00		18	12	350	365	+015	69	+47	+014	+001	-023		
2:05		19	12	365	375	+010	207	+48	+014	-004	-027		
2:10		20	12	375	390	+015	152	+45	+014	+000	-026		
2:15		21	12	390	400	+010	96	+44	+013	+005	-029		
2:20		22	12	400	410	+010	38	+42	+013	-003	-032		
2:25		23	12	410	425	+015	284	+46	+014	+001	-031		
2:30		24	12	425	435	+010	127	+43	+013	+003	-034		
	$.024 \div 2 = .012$ GPH												

**P-T Tank Test Data Chart
Additional Info**

Net Volume Change at Conclusion of Precision Test $.017$ gph

Signature of Tester: [Signature]

Date

2. Statement.

- Tank and product handling system has been tested tight according to the Precision Test Criteria as established by regulatory agency. This is not intended to indicate permission of a leak.
- Tank and product handling system has failed the tank tightness test according to the Precision Test Criteria as established by regulatory agency.
- Test invalid due to environmental or mechanical factors beyond control of the testing equipment.

It is the responsibility of the owner and/or operator of this system to immediately advise state and local authorities of any implied hazard and the possibility of any reportable pollution to the environment as a result of the indicated failure of this system. The manufacturer of this test method does not assume any responsibility or liability for any loss of product to the environment.

Tank Owner Operator _____

Date _____

FMIGS90 00038

PERMIT NO. 03816

STATE OF NEW YORK
COUNTY OF NASSAU
OFFICE OF FIRE MARSHAL

***** A M E N D E D *****

FLAMMABLE/COMBUSTIBLE LIQUID STORAGE TANK REGISTRATION

LOCATION: GRUMMAN PLANT # 30 1111 STEWART AVENUE SPRING, NY 11714

ISSUED TO: NAME GRUMMAN AEROSPACE CORPORATION
ADDRESS MAIL STOP DEPT 8000
BETHPAGE, NY 11704
DATE ISSUED: 06/01/92
EXPIRE DATE: 06/30/97

TANK SIZE PRODUCT DATE INSTALLED DATE TESTED CONSTRUCTION
HB01 550 3 01993 01 04/01/64 08/01/94 STL



POSTAL REGISTRATION
LOCATION

OCT 7 1994

Thomas E. Tilly
ASSISTANT FIRE MARSHAL

DATE 01

Appendix E



APPENDIX E

SANBORN MAPPING AND GEOGRAPHIC INFORMATION SERVICE



November 20, 1995

CLAIRE WERNER
DVIRKA & BARTILUCCI-SYOSSET
6800 JERICHO TPKE
SYOSSET, NY 11791
Phone: 5163649892 Fax: 5163649045

Dear CLAIRE WERNER:

A SANBORN MAP-SITE SEARCH was conducted on the following address:

Name/Ref#: GRUMMAN AEROSPACE CORPORATION
Address: 999 STEWART AVE BLDG 30
City/St/Zip: BETHPAGE, NY 11714
Vista Order#: 9252011

SANBORN certifies that a search was made of their holdings and no SANBORN MAPS are available. VISTA has this letter of certification on file. Your use of VISTA for this service is greatly appreciated.

Document Retrieval Service
VISTA ENVIRONMENTAL INFORMATION, INC.

Appendix F

APPENDIX F

REFERENCES

REFERENCES

Dvirka and Bartilucci Consulting Engineers, New York State Site Registry Delisting Petition Buildings 30 and 35, Bethpage, New York, June 1994.

Dvirka and Bartilucci Consulting Engineers, New York State Site Registry Delisting Petition Parking Lot Adjacent to Bethpage Fire Department, Bethpage, New York, March 1992.

Geraghty and Miller, Water Table Elevation and Contour Maps: April 1993, August 1993.

LKB Aerial Photographs: April 11, 1950; January 3, 1955; January 24, 1957; March 23, 1962; April 11, 1969; April 30, 1972; and March 8, 1988.

United States Department of Agriculture, Soil Conservation Service, Soil Survey of Nassau County, New York, February 1987.

Vista Information Solutions Report ID: 089252-001, November 14, 1995.