



**PHASE I
ENVIRONMENTAL
SITE ASSESSMENT**

for

**PLANT 10 AND PLANT 17,
SOUTH WAREHOUSES**

**GOCO FACILITY
BETHPAGE, NEW YORK**

Prepared for:

**NORTHROP GRUMMAN
CORPORATION
South Oyster Bay Road
Bethpage, New York**

March 12, 1997

RADIAN
INTERNATIONAL LLC

RADIAN
INTERNATIONAL LLC

710 Route 46 East, Suite 401

Fairfield, NJ 07004

(201) 575-0095

FAX (201) 575-5775

March 12, 1997

Mr. Joseph Susco
Northrop Grumman Corporation
Mail Stop DO-8-001
South Oyster Bay Road
Bethpage, New York 11714-3556

Subject: **Final Phase I Environmental Site Assessment
Plant 10 and Plant 17, South Warehouses
Radian Project No. 012704-6006**

Dear Mr. Susco:

The above referenced Final Phase I report for Plant 10 and Plant 17, South Warehouses, is submitted for your review and comments.

If you have any questions, please do not hesitate to call me directly at (703) 713-6417.

Sincerely,



FOR

Susan Andrechak
Project Manager

SA/be
be97-035.ltr

c: Douglas Andl, Radian
Michael Boston, Radian

RECEIVED
NYSDEC

APR 16 1997

BUR. OF HAZARDOUS
COMPLIANCE & LAND MGT.
DIVISION OF SOLID &
HAZARDOUS MATERIAL

**PHASE I
ENVIRONMENTAL
SITE ASSESSMENT**

for

**PLANT 10 AND
PLANT 17, SOUTH WAREHOUSES**

**GOCO FACILITY
BETHPAGE, NEW YORK**

Prepared for:

**NORTHROP GRUMMAN
CORPORATION
South Oyster Bay Road
Bethpage, New York**

Prepared by:

Radian International LLC

March 12, 1997

**PHASE I ENVIRONMENTAL SITE ASSESSMENT
NORTHROP GRUMMAN CORPORATION
PLANT 10 and PLANT 17, SOUTH WAREHOUSES**

TABLE OF CONTENTS

<u>Section</u>	<u>Page</u>
EXECUTIVE SUMMARY	ES-1
1.0 INTRODUCTION	1-1
1.1 Purpose	1-1
1.2 Document Organization	1-1
2.0 SITE DESCRIPTION	2-1
2.1 Site Setting	2-1
2.1.1 Regional Geology and Hydrogeology	2-1
2.2 Facility Overview	2-4
2.3 Building Descriptions	2-5
2.3.1 Plant 10, Quality Control Laboratory	2-6
2.3.2 Plant 17, South Warehouses	2-7
2.4 Heating and Cooling Systems	2-9
2.5 Use of Chemicals and Raw Material	2-10
2.6 Chemical Storage Areas	2-10
2.6.1 Waste Storage Areas	2-10
2.7 Underground and Aboveground Storage Tanks	2-10
2.8 Wastewater Streams, Processes, or Discharges	2-11
2.9 PCB-Containing Equipment	2-11
2.10 Water Systems, Surface, Supply, Septic, and Sanitary	2-11

TABLE OF CONTENTS (Continued)

<u>Section</u>	<u>Page</u>
3.0 SITE HISTORY	3-1
3.1 Aerial Photograph and Topographic Map Review	3-1
3.2 Plant 10, Quality Control Laboratory	3-2
3.3 Plant 17, South Warehouses	3-2
3.4 Historic Chemical/Waste Storage Areas	3-3
4.0 ENVIRONMENTAL RECORDS REVIEW	4-1
4.1 Northrop Grumman Document Review	4-1
4.1.1 Previous Environmental Investigations	4-1
4.2 Local Regulatory Agencies	4-5
4.2.1 New York State Department of Environmental Conservation (NYSDEC)	4-5
4.2.2 Nassau County Department of Health	4-6
4.2.3 Nassau County Fire Marshal	4-6
4.3 Property History Search	4-6
4.4 Standard Environmental Regulatory Agency Database Review	4-6
4.4.1 Federal ASTM Records	4-7
4.4.2 Federal Non-ASTM Records	4-9
4.4.3 State of New York ASTM Records	4-13
4.4.4 State of New York Non-ASTM Records	4-17
4.4.5 Summary of Agency Database Review	4-18

TABLE OF CONTENTS (Continued)

<u>Section</u>		<u>Page</u>
5.0	FINDINGS	5-1
5.1	Indicators of Contamination	5-1
5.2	Summary of On-Site Areas of Concern	5-1
5.2.1	Plant 10, Quality Control Laboratory	5-1
5.2.2	Plant 17, South Warehouses	5-2
5.3	Off-Site Areas of Concern	5-3
6.0	RECOMMENDATIONS	6-1
6.1	On-Site Recommendations	6-1
6.2	Groundwater: On-Site/Off-Site Areas of Potential Concern	6-2
7.0	REFERENCES	7-1
8.0	WARRANTY AND DISCLOSURE LIMITATIONS	8-1

LIST OF TABLES

<u>Table</u>		<u>Page</u>
ES-1	AOC LOCATION AND DESCRIPTION, RECOMMENDATIONS FOR SAMPLING, AND PHASE II APPROACH	ES-3
3-1	AERIAL PHOTOGRAPH REVIEW	3-4
5-1	POTENTIAL ENVIRONMENTAL AREAS OF CONCERN	5-4
6-1	SUMMARY OF RECOMMENDATIONS FOR PHASE II SITE INVESTIGATION	6-3

LIST OF FIGURES

<u>Figure</u>		<u>Page</u>
1	VICINITY MAP	1-3
2	HYDRAULIC HEAD VALUES	2-12
3	IMPACTED AREA OF GROUNDWATER CONTAMINATION: GOCO FACILITY	2-13
4	SITE PLAN -, PLANT 10 AND PLANT 17, SOUTH WAREHOUSES	2-14
5	SITE PLAN - PLANT 10	2-15
6	PLANT 10 AND PLANT 17, SOUTH WAREHOUSES AREAS OF CONCERN	2-16

LIST OF APPENDICES

Appendix

- A AERIAL PHOTOGRAPHS
- B CHAIN OF TITLE
- C ENVIRONMENTAL DATA RESOURCES, INC. REPORT
- D SUPPLEMENTAL INFORMATION



0

0

0

EXECUTIVE SUMMARY

On March 25, 1996, Radian International LLC (Radian), formerly Dow Environmental Inc., initiated a Phase I Environmental Site Assessment (ESA) for Northrop Grumman Corporation (Northrop Grumman). The project activities were conducted from April thru July 1996.

Project Objectives

The objective of this Phase I ESA is to provide a baseline environmental assessment of recognized environmental conditions in connection with Plant 10 and Plant 17, South Warehouses. This assessment was performed in general accordance with Radian's Proposal No. P96A-041 dated February 23, 1996, and the American Society for Testing and Materials (ASTM) Phase I ESA Process E 1527-94. This assessment was performed to evaluate the presence, or likely presence of, hazardous substances that may indicate an existing or past release of hazardous substances on the Plant 10 and Plant 17 South property to soil, groundwater or surface water at the site.

Summary of Findings

Plant 10 and Plant 17 South is situated within the Government Owned, Contractor Operated (GOCO) section of the Northrop Grumman facility and is located in the central portion of the Northrop Grumman facility in the Town of Bethpage, Nassau County, New York. The property has been used for a QA/QC laboratory and for the warehousing of metal, machine parts and other dry goods used in the support of aircraft manufacturing. Currently, both facilities are in the process of being vacated. Figure 1 shows the vicinity map.

Plant 10 and Plant 17 South have several potential environmental areas of concern (AOCs) based on the results of Radian's Phase I ESA. These AOCs are based on the information gathered during site reconnaissance, review of public agencies' databases, review of available records, and information supplied by Northrop Grumman through interviews conducted by Radian.

Indicators of contamination or site activities that may have resulted in potential contamination were identified during the Phase I ESA. These areas include: drywells, leaching chambers, and associated

○ piping previously, and currently utilized at both facilities. These AOCs and recommendations are listed on Table ES-1.

The AOCs and recommendations are based on ASTM and current industry standards. Exact assessments of certain AOCs cannot be made without sampling and analysis to either confirm or deny the existence of contamination.

Table ES-1

Phase I Site Assessment - Plant 10 and Plant 17, South Warehouses
 AOC Location and Description, Recommendations for Sampling, and Phase II Approach

AOC Location	AOC No. & Description	Recommendation for Sampling and Matrix	Recommended Phase II Approach
Plant 10	1 - Three former drywells, located on the north and east sides of building	yes, soil	Analyze for priority pollutants, VOCs, semi-VOCs, metals, PCBs.
	2 - Former leaching chambers located on the southwest side of building	yes, soil	Analyze for priority pollutants, VOCs, semi-VOCs, metals, PCBs.
	3 - Subsurface pipe runs attached to the former drywells and leaching chambers	yes, soil	Analyze for priority pollutants, VOCs, semi-VOCs, metals, PCBs.
	4 - Floor staining in machine shop	yes, soil	Analyze for VOCs, semi-VOCs metals.
	5 - Loading dock, located on northeast corner of building	yes, soil	Analyze for priority pollutants, VOCs, semi-VOCs, metals.
Plant 17, South Warehouses	6 - Former drywells located on north sides of Warehouses A, B, C, E, F, G, I, J, K	yes, soil	Analyze for priority pollutants, VOCs, semi-VOCs, metals, PCBs.
	7 - Drywell located in Warehouse N, adjacent to former first cut Area 4	yes, soil	Analyze for TPHC, VOCs, Metals
	8 - Former leaching chambers located on northeast side of building.	yes, soil	Analyze for priority pollutants, VOCs, semi-VOCs, metals, PCBs
Plant 10 and Plant 17, South Warehouses	9 - Potential groundwater contamination from both on-site and off-site sources.	no	Phase II sampling not warranted

0

0

0

1.0 INTRODUCTION

1.1 Purpose

The purpose of this Phase I ESA is to provide a baseline environmental assessment for the Plant 10 and Plant 17 South warehouse property. This assessment was performed in general accordance with Radian's Proposal No. P96A-041, dated February 23, 1996, and the American Society for Testing and Materials (ASTM) Phase I ESA Process E 1527-94, Second Edition, 1994.

The assessment included a regulatory agency database search; state, county and local agency file research; visual review of the adjacent and surrounding properties and facilities; interviews with facility employees; review of Northrop Grumman environmental records; and a visual inspection of the Plant 10 and Plant 17 South warehouse facility.


Plant 10 and Plant 17 South is part of a larger operation known as the Naval Weapons Industrial Reserve Plant (NWIRP). The NWIRP facilities and properties are owned by the U.S. Navy and operated by Northrop Grumman. The NWIRP facilities are also referred to as the Government Owned, Contractor Operated (GOCO) facility. Plant 10 and Plant 17 South is located in the central portion of the Northrop Grumman facility in the Town of Bethpage, Nassau County, New York. The property, which is comprised of a QA/QC laboratory and 14 warehouses, has been used in the support of aircraft manufacturing and is currently being vacated. (Figure 1 shows the vicinity map.)

1.2 Document Organization

Section 1.0 of this document provides the introduction and document organization. Section 2.0 provides a site description, including the geology and hydrogeology of the area, and a summary of the results of the site reconnaissance and interviews. Section 3.0 provides the site history. Section 4.0 provides the regulatory compliance history including the state and local agency research and agency databases review. Section 5.0 provides the findings of the Phase I ESA and recommendations are included in Section 6.0.

Copies of historical aerial photographs used to review past and present operations at Plant 10 and Plant 17 South are provided in Appendix A. Appendix B contains the results of a chain of title

search performed for the Northrop Grumman facility. Appendix C contains the results of the Environmental Data Resources (EDR) search of public databases for information on potentially contaminated sites within a 1-mile radius of the Northrop Grumman facility. Appendix D contains supplemental information pertinent to this ESA.



REFERENCE:

U.S. Geological Survey

HUNTINGTON, NY

40073-G4-TF-024

1967


PHOTOREVISED 1979



QUADRANGLE LOCATION



SCALE 1:24000



RADIAN
INTERNATIONAL LLC

VICINITY MAP
PLANT 10 AND SOUTH WAREHOUSES

Client:
NORTHROP GRUMMAN CORP.

Proj No.: 2704-6006
Date: February 1997

Figure:

1

27046008

0

0

0

2.0 SITE DESCRIPTION

2.1 Site Setting

The Plant 10 and Plant 17 South site is approximately 13 acres in size and is located within the 105-acre GOCO facility. The area surrounding Plant 10 and Plant 17 South constitutes a mix of industrial and commercial use. According to a 1979 USGS map, the topography of the Plant 10 and Plant 17 South and adjacent properties is generally flat and is approximately 110-ft above mean sea level. There are no surface water bodies at Plant 10 and Plant 17 South. The closest water bodies are the GOCO facility recharge basins located approximately 1/4 mile to the northeast. The reported (1993) depth to groundwater at Plant 10 and Plant 17 South is approximately 68 ft below ground surface (bgs).

The area immediately north of Plant 10 and Plant 17 South contains Plant 3 product manufacturing. East of Plant 10 and Plant 17 South are residential properties. South of Plant 10 and Plant 17 South is the Long Island Railroad and the Northrop Grumman air strip. West of Plant 10 and Plant 17 South is the Northrop Grumman air strip and Plant 12. Figure 1 shows the location of Plant 10 and Plant 17 South.

2.1.1 Regional Geology and Hydrogeology

The Northrop Grumman site is located on Long Island, which is a relatively flat, featureless, glacial outwash plain. The site is underlain by approximately 1,000-ft of unconsolidated sediments that overlie crystalline bedrock. The unconsolidated sediments consist of four distinct geologic units that are in descending order: the Upper Glacial Formation, the Magothy Formation, the Raritan Clay Member of the Raritan Formation, and the Lloyd Sand Member of the Raritan Formation. The crystalline bedrock consists primarily of metamorphic and igneous rocks including schist, gneiss, and granite. The regional dip of the bedrock is to the south-southeast.

The Upper Glacial Formation, which is approximately 30 to 45-ft thick, consists mostly of coarse sand and gravels. The Upper Magothy Formation consists primarily of coarse sands to a depth of approximately 100-ft bgs, below which finer sands, silts and clays predominate.

Plant 10 and Plant 17 South , and in particular the Northrop Grumman Bethpage facility as a whole, is located on the south side of a groundwater divide which roughly splits Long Island in half in relation to groundwater flow. North of the divide, regional groundwater flows toward Long Island Sound while south of the divide, which includes the Northrop Grumman facility, groundwater flows in a southeasterly direction toward the Atlantic Ocean. (Figure 2 shows the regional groundwater hydraulic head elevations.) The Upper Glacial Formation, the Magothy Formation, and the Lloyd Sand Member (Raritan Formation) are regional aquifers. The principal aquifers of concern due to their shallow depths are the Glacial and Magothy aquifers. Although not the primary source of potable water for the area, the Upper Glacial aquifer is an important source of potable water in Nassau County. The glacial deposits are characterized by high primary porosity and permeability with the porosity reported to exceed 30 percent. The Magothy aquifer is the major source of public water in Nassau County. The Lloyd Sand Member is not widely utilized due to its greater depth.

The geologic and hydrogeologic information obtained from previous investigations indicate that the Upper Glacial and Upper Magothy aquifers in the area beneath the site are interconnected and may be considered a common aquifer. Groundwater in this aquifer occurs under unconfined conditions. The number and thickness of clay lenses increase with depth within the Upper Magothy, but the horizontally discontinuous nature of these units prevents any one of them from functioning as an aquitard or semi-confining unit.

Although the regional groundwater flow beneath Plant 10 and Plant 17 South , and the Northrop Grumman Bethpage facility as a whole, is toward the southeast, it appears that localized flow in and around the Northrop Grumman site is subject to significant fluctuations as a result of on-site pumping and reinjection. The 14 production wells located within the Northrop Grumman facility (seven production wells are located within the GOCO facility) operate on an irregular schedule and in various combinations based on facility demand. Demand is typically greatest during the summer months. As a result, the influence of the wells on the local flow regime at any time is dependent on pumping rates and on which of the production wells are operating. Groundwater withdrawal rates (Geraghty & Miller, Inc. 1994) were approximately 3 to 11 million gallons per day (mgd) in 1994. Almost all production well water (and most stormwater runoff) is discharged to the on-site recharge basins.

During the Phase I and Phase II Remedial Investigations of the Northrop Grumman facility (Geraghty & Miller, Inc. 1992 and 1993), pumping effects were observed around Plant 15, in the

vicinity of Northrop Grumman production well GP-13. Recharge effects were evident around the Plant 3 recharge basins, Plant 5 recharge basins, and to a lesser extent near the Plant 12 recharge basins. Mounding was also observed along the eastern border of the Occidental Chemical Company (OCC)/RUCO Polymer facility (near Plant 115) and is attributed to recharge occurring at the OCC/RUCO Polymer site.

Groundwater sampling conducted during the Phase I and Phase II Remedial Investigations indicated two plumes of contaminated groundwater (eastern and western) near the center of the Northrop Grumman facility. The eastern plume contains volatile organic compounds (VOCs) including trichloroethene (TCE), perchloroethene (PCE), 1,1,1-trichloroethane (1,1,1-TCA), 1,2-dichloroethene (1,2-DCE), 1,1-dichloroethene (1,1-DCE) and 1,1-dichloroethane (1,1-DCA). The western plume primarily consists of TCE. (Figure 3 shows the impacted areas of groundwater contamination on the GOCO facility)

In addition to the two plumes identified in the central portion of the Northrop Grumman site, an area of contamination was also identified along the borders of the Northrop Grumman facility and the OCC/RUCO Polymer site. The concentrations detected did not indicate a discrete plume or plumes, and generally consist of TCE, PCE, 1,1,1-TCA, 1,1-DCE and vinyl chloride. In addition, analytical data gathered from Northrop Grumman production well GP-6 during the Remedial Investigations performed by Geraghty & Miller indicate that this area is also affected by the OCC/RUCO Polymer site. (Figure 4 shows the approximate areal extent of groundwater contamination in the vicinity of the Northrop Grumman facility.)

To the south of the Northrop Grumman facility, contaminants are present in groundwater at varying depths, however, the concentrations of contaminants do not indicate that a discrete plume or plumes are present. The pumping and recharge of groundwater on the Northrop Grumman facility, as well as the pumping by the Bethpage Water District, is likely responsible for the observed contamination downgradient of the Northrop Grumman facility.

As a result of pumping and recharge in and around the Northrop Grumman facility, the groundwater at the Plant 10 and Plant 17 South property, which would normally be considered downgradient of Plant 3 and step-gradient to the OCC/RUCO Polymer site, appears to have been affected, possibly as a result of alteration of groundwater flow due to the effects of pumping and recharge.

2.2 Facility Overview

Site reconnaissance was performed to observe the condition of Plant 10 and Plant 17 South. In addition, a drive-by inspection of the adjacent properties was conducted to note general land use. As of this report date, the owner and operator of Plant 10 and Plant 17 South was identified as follows:

- Site Owner/Operator Name: U.S. Navy/Northrop Grumman Corp.
Street Address: Stewart Ave
Town: Bethpage
State: New York
- Site Location (see Figure 1): Plant 10 and Plant 17 South
Street Address: South Oyster Bay Road
Town: Bethpage
County: Nassau County
State: New York

Approximately 85 percent of Plant 10 and Plant 17 South is covered by a QA/QC laboratory and 14 warehouses. The remaining 15 percent is paved with concrete or asphalt. The Plant 10 and Plant 17 South land parcel is generally rectangular in shape. The warehouses are serviced by asphalt roads running between all the buildings. North of Plant 10 is a large paved area which is utilized for parking. One underground storage tank (UST) and one aboveground storage tank (AST) are currently in use on the Plant 17 South property. The UST is utilized for the storage of fuel oil, while the AST is for an emergency generator associated with a firefighting pumphouse located south of the warehouses (see Figure 4). The identity, size, use and approximate construction dates for the structures located in Plant 17 are as follows:

STRUCTURE (sq. ft)	USE OF STRUCTURE	CONSTRUCTION DATE
Plant 10 (24,900)	Quality Control Laboratory	1943
Warehouse A (12,344)	Storage of aircraft parts	1943
Warehouse B (11,965)	Storage of aircraft parts	1943
Warehouse C (12,827)	Storage of aircraft parts	1943
Warehouse E (16,387)	Storage of aircraft parts	1943
Warehouse F (20,698)	Storage of aircraft parts	1943

STRUCTURE (sq. ft)	USE OF STRUCTURE	CONSTRUCTION DATE
Warehouse G (13,779)	Storage of aircraft parts	1943
Warehouse I (14,316)	Storage of aircraft parts	1943
Warehouse J (12,386)	Storage of aircraft parts	1943
Warehouse K (13,755)	Storage of aircraft parts	1943
Warehouse (s) D, H, L, M, N (94,078)	Sonic testing, First Cut Area Storage of aircraft parts	1943
Firefighting Pumphouse (400)	Pumphouse	Approx. 1945

2.3 Building Descriptions

Plant 10, which was constructed in 1943 and was originally utilized as the Central Inspection and Receiving Warehouse, was converted into its current use as the Quality Control Laboratories in the early 1960s according to Northrop Grumman personnel. The facility is a one and a half story building constructed of steel frame and concrete block, which is currently utilized as a materials and environmental sample testing facility, and is comprised of 24,900 sq/ft.

The area surrounding Plant 10 is mostly asphalt roadway and parking areas. To the north of Plant 10 is Plant 3, to the west are the Plant 17 South warehouses, to the south and east is the Long Island Railroad and the Northrop Grumman airstrip.

The Plant 17 South Warehouses are comprised of 14, single story, wood frame and concrete buildings, which were utilized in support of the Plant 3 manufacturing activities. The facility is comprised of 165,691 sq/ft, and is currently utilized for the storage of office furniture, office equipment, and some metal components that had been used in the manufacturing of aircraft.

The Plant 17, South Warehouses, are surrounded by concrete loading docks and asphalt roadways. To the north of the facility is Plant 3, to the west is residential housing, to the south and east is residential housing, the Long Island Railroad and the Northrop Grumman airstrip. (Figure 4 shows the property site plan.)

2.3.1 Plant 10, Quality Control Laboratory

Plant 10, the Quality Control Laboratory, is a one and a half story building constructed of steel frame and concrete block. The building which is currently utilized as a materials and environmental sample testing facility is comprised of 24,900 sq/ft. The flooring throughout the facility is a mix of concrete slab (which is either painted or tiled) or wood block. (Figure 5 shows the Plant 10 site layout.)

The first floor of the facility is comprised of 25 individual laboratories, and associated offices, computer rooms, storage rooms, restrooms and hallways. The second level of the facility is a crawl space which contains piping, vent ducts, and various filtration units which are associated with the laboratories.

The laboratories, which comprise the majority of the facility, perform a variety of materials and environmental sample testing for the Northrop Grumman Corporation on a national level, and a variety of outside clients. The facility is a certified laboratory by the New York State Department of Health (NYSDOH).

The facility was constructed in 1943 and was originally utilized as the Central Inspection and Receiving Warehouse. The facility was used during that time period as a receiving facility, but was also used to perform metals and hydraulic testing. According to Northrop Grumman personnel, the facility was modified for its current use sometime in the early 1960s. According to a Northrop Grumman facility drawing (No. 100, 5/44), three drywells which were located north, east and west of the building were connected to the building's sinks and floor drains (AOC 1). During Radian's site reconnaissance, one of the former floor drains was identified in the Wet Chemistry Lab, Room No. 6. According to site personnel, during heavy rain events, this floor drain will allow water to seep into the lab, indicating that the drywell which the drain is connected to was improperly abandoned when the facility was connected to the Nassau County sewer system in 1983.

Another Northrop Grumman facility drawing (No. NOA-45-34-18, 1943) identified a septic tank, two settling tanks and three leaching chambers located on the south side of the facility (AOC 2). Although it is believed that this system was used for the disposal of sanitary waste, it is unclear from the Northrop Grumman facility drawings which were reviewed, if floor drains or sinks were also

connected to the system. Northrop Grumman facility drawings indicated that the three drywells and the leaching chambers were connected to the Plant 10 facility via subsurface piping (AOC 3).

During Radian's site reconnaissance, all laboratories appeared to be generally clean indicating the practice of good housekeeping techniques. However, major floor staining was observed, in the machine shop (Room No. 48), which still has a wood block floor (AOC 4).

According to site personnel and Northrop Grumman records, all chemical waste is stored in Department of Transportation (DOT) approved drums and barrels, and stored in a pre-fabricated building with secondary containment located on the south side of the facility. Wastes from the storage building are then collected by Northrop Grumman Environmental Operations Department, and are disposed of by an outside contractor in accordance with all applicable state and federal regulations. The chemical storage building was installed in 1993, and prior to its installation, chemical wastes were stored on a loading dock located on the northeast corner of the building (AOC 5). This area had no secondary containment, and some staining of the asphalt below the dock was noted at the time of inspection.

2.3.2 Plant 17, South Warehouses

The Plant 17, South Warehouses, is comprised of 14, single-story wood frame and concrete block buildings (Warehouses L, M, H, N, D, although identified as separate buildings, are actually one large inter-connected warehouse). The warehouses are surrounded by concrete loading docks, and asphalt roadways. Northrop Grumman facility drawing (No. H-P-SP-1, 12/41) identified 14 drywells located on the north of the warehouses (AOC 6). It appears that these drywells were utilized for the collection of stormwater runoff from the ground surface and building roofs. The same facility drawing also identified one drywell located in Warehouse N, adjacent to the former First Cut Area (AOC 7). This drywell was identified during the site reconnaissance. (See Figure 6 for Plant 10 and Plant 17 South AOCs.)

Both Northrop Grumman Quadrangle Map No. 115, and various other facility drawings indicate a former septic tank and leaching chambers located on the east side of the Plant 17, South Warehouses, (AOC 8). Although these leaching chambers were primarily used for sanitary waste, it is unclear if they were used for the disposal of any other waste fluids.

A 10,000 gallon underground storage tank (UST) is located east of the warehouses (No. 17-20-2). This is a double wall steel tank with a fiberglass coating, and is utilized for the storage of fuel oil, which fires the Plant 17 South boiler. This tank replaced a former tank which was removed in accordance with all state regulations in 1991.

Another UST, a 2,500 gallon tank, which had been utilized for the storage of diesel fuel associated with the firefighting pumphouse located south of Warehouse C, failed a tightness test in 1991, and was subsequently removed in accordance with all state regulations. Post-excavation soil samples indicated that all soil in the tank excavation was below analytical method detection limits. The UST was replaced with a 275 gallon above ground storage tank (AST) with secondary containment, which is currently located inside the firefighting pumphouse.

Following is a brief description of each warehouse in the Plant 17 South complex.

Warehouse A: The warehouse was being used for the storage of office furniture, equipment, and other dry goods at the time of inspection. No AOCs were noted.

Warehouse B: The warehouse was being used for the storage of office furniture, equipment, and other dry goods at the time of inspection. No AOCs were noted.

Warehouse C: The warehouse was being used for the storage of office furniture, equipment, and other dry goods at the time of inspection. Located south of Warehouse C is the firefighting pumphouse and associated water tank. The pumphouse contains pumping equipment, a large diesel generator, and a 275-gal diesel AST. The building is in good overall condition. No AOCs were noted.

Warehouse E: The warehouse was being used for the storage of office furniture, equipment, and other dry goods at the time of inspection. No AOCs were noted.

Warehouse F: The warehouse was being used for the storage of office furniture, equipment, and other dry goods at the time of inspection. No AOCs were noted.

Warehouse G: The warehouse was being used for the storage of office furniture, equipment, and other dry goods at the time of inspection. No AOCs were noted.

Warehouse I: The warehouse was being used for the storage of office furniture, equipment, and other dry goods at the time of inspection. No AOCs were noted.

Warehouse J: The warehouse was being used for the storage of office furniture, equipment, and other dry goods at the time of inspection. No AOCs were noted.

Warehouse K: The warehouse was being used for the storage of office furniture, equipment, and other dry goods at the time of inspection. No AOCs were noted.

Warehouses D, H, L, M, N: These warehouses, although identified as separate buildings, are actually one large interconnected building. These warehouses were being used for the storage of office furniture, equipment, and other dry goods at the time of inspection, but had also been used for other purposes. In Warehouse M, there is a locked flammable waste storage locker. This locker had been used for the storage of Type 1 flammable wastes (oils, grease, and other types of petroleum products) which were used in support of the First Cut Area which had been located in Warehouse N. This area was empty, and in good condition at the time of inspection.

Warehouse N contained the former First Cut Area, and former Ultra Sonic Testing area. The First Cut Area had been used to cut metal greater than one-half inch thick, while the Ultra Sonic Testing area was used to test metal for cracks. Both areas were generally clean at the time of inspection. A drywell was also located in Warehouse N, adjacent to the First Cut and Ultra Sonic Testing areas (AOC 8). This drywell may have collected oils used during the First Cut process.

2.4 Heating and Cooling Systems

Steam, generated in the central steam plant adjacent to Plant 2, is piped into Plant 10 from Plant 3. Steam heat for the Plant 17, South Warehouses, is generated from an on-site boiler, located on the east side of Warehouse H.

The offices in both Plant 10 and Plant 17, South Warehouse, were cooled with window and wall mounted air conditioning units.

2.5 Use of Chemicals and Raw Material

Plant 10 has been used as a materials and environmental sample testing laboratory for approximately 35 years. The laboratories use a variety of acids, bases, caustics, paints, solvents, and other compounds. Chemical use in Plant 17 South was limited to cutting and lubricating oils used in the First Cut Area. The South Warehouses are currently being used for storage.

2.6 Chemical Storage Areas

Primary chemical storage at Plant 10 is in the chemical storage building located on the south side of the building. Although small amounts of chemicals are stored in closets and lockers throughout the various laboratories, these areas of the laboratories are provided with secondary containment. Chemicals stored in the South Warehouses were kept in the flammable waste storage locker in Warehouse M. These were limited to lubricating and cutting oils.

2.6.1 Waste Storage Areas

Waste chemicals produced by the activities in Plant 10 are stored in the waste storage building located on the south side of the building, prior to disposal by Northrop Grumman's Environmental Operations Department. Waste oils are no longer generated in Plant 17 South.

2.7 Underground and Aboveground Storage Tanks

There is one UST and one AST associated with Plant 17 South. Septic tanks, leaching chambers, and drywells were identified on Northrop Grumman drawings. The existing UST (17-20-2) is a double walled, steel 10,000-gallon tank with a fiberglass coating. The AST located in the firefighting pumphouse is a 275-gallon tank with secondary containment. There are no USTs or ASTs associated with Plant 10. South of Warehouse C, is a large above ground tank which contains water to be used in support of any firefighting efforts.

Current Storage Tank Summary

Tank No.	Estimated Age (yrs)	Capacity (gals)	Substance Stored	Construction Material/ Tank Type	Date Installed	Status
17-20-2	3	10,000	no.2 fuel oil	doublewall steel/UST	3/21/94	active
01-04-2	12	275	diesel	single wall steel w/ secondary containment/AST	12/31/85	active

2.8 Wastewater Streams, Processes, or Discharges

No wastewater streams or process discharges were observed at Plant 17 South. However, fluid wastes at Plant 10, prior to connection to the Nassau County sewer system, are reported to have been discharged to the on-site drywells.


2.9 PCB-Containing Equipment

No PCB-containing equipment was observed in either Plant 10 or Plant 17 South at the time of Radian's site reconnaissance.


2.10 Water Systems, Surface, Supply, Septic, and Sanitary

There were no surface waters on the Plant 10 and Plant 17 South property. Stormwater drains into grated storm sewers located throughout the Plant 10 and Plant 17 South property. According to Northrop Grumman Quadrangle 115, these storm sewers drain into the GOCO recharge basins located northeast of the facility. Potable water and bathroom water is piped to Plant 10 and Plant 17 South from the Bethpage Water District public supply system.


There are no active septic systems associated with Plant 10 or Plant 17 South. However, Northrop Grumman facility drawings identify septic tanks and leaching chambers located south of Plant 10, and east of Plant 17 South. Many former drywells were also identified as part of Plant 10 and Plant 17 South. Sanitary wastes currently drain into a sewer line, which is connected to the Nassau County sewer system, which came on line in 1985.




CLIENT: NORTHROP GRUMMAN CORP. BETHPAGE, LONG ISLAND, NY		DWG. TITLE: HYDRAULIC HEAD VALUES	
RADIAN INTERNATIONAL LLC FAIRFIELD, NEW JERSEY	DRAWN BY: BTD	DATE: FEB. 1997	FIGURE: 2
	PROJECT No.: 2704-1006	SCALE: AS SHOWN	FILE NUMBER: 2704120F



CLIENT: NORTHROP GRUMMAN CORP. BETHPAGE, LONG ISLAND, NY	DWG. TITLE: IMPACTED AREA OF GROUNDWATER CONTAMINATION: GOCO FACILITY	
	DRAWN BY: BTD	DATE: FEB 1997
RADIAN INTERNATIONAL LLC <small>FAIRFIELD, NEW JERSEY</small>	PROJECT No.: 002704	SCALE: NONE
	FIGURE: 3	FILE NUMBER: 27040W




REFERENCE: GERAGHTY & MILLER, INC.
 GENERALIZED AREAS OF IMPACTED GROUNDWATER



NOTE:
THE SOUTH WAREHOUSES ARE
DESIGNATED INTO BUILDING
SECTIONS A THROUGH N.


CLIENT: NORTHROP GRUMMAN CORP. BETHPAGE, LONG ISLAND, NY	DWG. TITLE: SITE PLAN, PLANT 10 AND SOUTH WAREHOUSES
RADIAN INTERNATIONAL LLC <small>FAIRFIELD, NEW JERSEY</small>	DRAWN BY: BTD
	DATE: FEB. 1997
PROJECT No.: 2704-6003	SCALE: NOT TO SCALE
	FIGURE: 4
	FILE NUMBER: 2704600A



CLIENT:	NORTHROP GRUMMAN CORP. BETHPAGE, LONG ISLAND, NY
DWG. TITLE:	SITE PLAN, PLANT 10
DRAWN BY:	BTD
DATE:	FEB. 1997
FIGURE:	5
PROJECT No.:	2704-6003
SCALE:	NOT TO SCALE
FILE NUMBER:	2704600C



- 1. PLANT DIRECTOR'S OFFICE
- 2. STATIONARY STOCK/STORAGE
- 3. DEPUTY DIRECTOR'S OFFICE
- 4. ADM/SEAL
- 5. ADM/SEAL
- 6. WET CHEM
- 7. CONF. RM
- 8. CONF. RM
- 9. GAS ANALY
- 10. GAS LAB
- 11. OPS
- 12. OPS
- 13. LABS
- 14. LABS
- 15. LABS
- 16. MEN
- 17. X-RAY
- 18. X-RAY
- 19. X-RAY
- 20. OPS
- 21. INFRARED ANALY
- 22. EMISSION SPEC
- 23. SEM
- 24. X-RAY
- 25. PENETRANT
- 26. X-RAY
- 27. X-RAY
- 28. SPECS
- 29. DIR/READ SPEC
- 30. GC/ANALY
- 31. MEN'S ROOM
- 32. LOBBY
- 33. JND.T./AD LAB
- 34. MACHING OPS
- 35. PHYSICAL TEST
- 36. PAINT LAB
- 37. METALLOGRAPHY
- 38. PAINT LAB
- 39. STORAGE
- 40. MENS
- 41. SUPPLIES
- 42. METALLOGRAPHY
- 43. SUPPLIES
- 44. MENS
- 45. MENS
- 46. MENS
- 47. MENS
- 48. MENS
- 49. MENS
- 50. MENS
- 51. MENS
- 52. MENS
- 53. MENS
- 54. MENS
- 55. MENS
- 56. MENS
- 57. MENS
- 58. MENS
- 59. MENS
- 60. MENS
- 61. MENS
- 62. MENS
- 63. MENS
- 64. MENS
- 65. MENS
- 66. MENS
- 67. MENS
- 68. MENS
- 69. MENS
- 70. MENS
- 71. MENS
- 72. MENS
- 73. MENS
- 74. MENS
- 75. MENS
- 76. MENS
- 77. MENS
- 78. MENS
- 79. MENS
- 80. MENS
- 81. MENS
- 82. MENS
- 83. MENS
- 84. MENS
- 85. MENS
- 86. MENS
- 87. MENS
- 88. MENS
- 89. MENS
- 90. MENS
- 91. MENS
- 92. MENS
- 93. MENS
- 94. MENS
- 95. MENS
- 96. MENS
- 97. MENS
- 98. MENS
- 99. MENS
- 100. MENS



0

0

0

3.0 SITE HISTORY

Plant 10 and Plant 17 South were constructed in 1943 by Northrop Grumman to be used as a storage and warehouse facility to support manufacturing operations which were conducted in Plant 3. Since that time, the warehouses have been used to store aircraft components and office equipment. A First Cut Area existed in the east end of Warehouse N, and was used to pre-cut certain metal parts prior to distribution to the Plant 3 manufacturing facility.

According to the Plant 10 and Plant 17 South facilities manager, waste oils from the few machining operations at the warehouses were collected in 55-gallon drums and removed by Northrop Grumman facilities operations. All waste oil collected by facilities operations was then disposed of in accordance with all applicable state and federal regulations. There have been no reports of any spills or fires at Plant 10 and Plant 17 South. Specific information with respect to each warehouse is discussed below. Potential historical AOCs for each warehouse are also identified.

3.1 Aerial Photograph and Topographic Map Review

Seventeen (17) aerial photographs were reviewed, while eight are included in Appendix A. The photos were made available by Northrop Grumman and an outside aerial photograph vendor. Photographs were reviewed using a high powered hand lens. In approximately 1947, the firefighting pumphouse and associated water tank located south of Warehouse C are visible. A large, unbermed coal pile is visible to the north of Plant 10. From 1947 to 1976, the configuration of the Plant 10 and Plant 17 South property does not appreciably change. In approximately 1976, a small storage shed is located east of Warehouses M and H. In 1985, the coal pile north of Plant 10 is no longer visible and the area appears to be paved. From 1985 until the present, the property appears unchanged. Table 3-1 provides the aerial photograph review.

The topographic map (Huntington, NY Quadrangle, dated 1967, photo revised 1979) indicates that Plant 10 and Plant 17 South has not changed since 1967. On the northern adjacent property, Plant 3 shows additional building construction in the northwestern and southeastern building corners. Construction apparently took place between 1967 and 1979.

3.2 Plant 10, Quality Control Laboratory

A Northrop Grumman facility drawing (No. 100, May 1944) shows three drywells located on the north, east and west sides of the Plant 10, Quality Control Laboratory, formally known as the Central Inspection and Receiving Warehouse (AOC 1). This drawing also shows piping leading from the building to the three drywells that would suggest that the drywells were not utilized exclusively for the collection of stormwater runoff. (AOC 3).

A Northrop Grumman Quadrangle Sheet (No. 115, December 1966) shows a septic tank, two settling tanks, three leaching chambers, and associated piping located on the south side of Plant 10 (AOC 2).

A concrete loading dock currently exists on the northeast corner of the Plant 10 facility. According to Northrop Grumman personnel, this loading dock had been used for the storage of chemical waste until approximately 1994 (AOC 5).

According to Northrop Grumman personnel, Plant 10 was also used for Northrop Grumman canoe prototype manufacturing during the late 1940s, although no specific information regarding this was discovered during the site assessment.

3.3 Plant 17, South Warehouses

A Northrop Grumman facility drawing (No. 2, October 1941) shows a system of five drywells located on the north sides of the current warehouses A, B, C, E, F, G, I, J and K (AOC 6). These drywells do not appear to be connected to the warehouse interiors, and were likely designed for the collection of stormwater runoff.

Another drawing (No. H-P-SP-1, December 1941) shows a drywell located in Warehouse N, adjacent to the former First Cut Area. This drywell was observed during Radian's site reconnaissance (AOC 7).

Northrop Grumman Quad Sheet (No. 115, December 1996) Shows a septic tank and several leaching chambers located on the east side of Warehouse M (AOC 8). This drawing also illustrated the piping leading into the warehouses.

3.4 Historic Chemical/Waste Storage Areas

Although none of the Northrop Grumman drawing files or records indicated chemical waste storage areas, several aerial photographs from approximately 1947 until 1978 indicated a large coal pile located just north of Plant 10. This coal pile was used as fuel for the Plant 17 steam boiler, and apparently had no form of containment. This area was included as part of the U.S. Navy's investigation (Halliburton, NUS Corporation, 1993) and is not considered an AOC.

Table 3-1

**Phase I Site Assessment - Plant 10 and Plant 17, South Warehouses
Aerial Photograph Review**

Date	Visual Appearance and Interpretation
1937	Subject and adjacent properties are agricultural.
1939	Subject and adjacent properties are agricultural. Some farm buildings are present.
1941	Subject and adjacent properties are unchanged from previous photograph.
1945	Plant 10 and Plant 17 South are visible, details cannot be clearly seen; property to the north is Plant 3; to the west is South Oyster Bay Road with some agriculture and farm buildings beyond.
1947*	Subject property and adjacent properties are unchanged from previous photograph. Coal pile is present North of Plant 10. The firefighting pumphouse and water tank are visible south of Warehouse C.
4/50	Subject property and adjacent property appear unchanged.
12/2/53*	South Oyster Bay Road has been rerouted. Residential properties have been added to the east. The properties to the North and West are unchanged.
1/24/57	Subject property and adjacent properties are unchanged from previous photograph.
4/10/62*	Subject property appears unchanged from previous photograph. Plants 14, 15, 21, 114 and 116 have been constructed.
11/20/63	Subject property appears unchanged; Plant 15 is present; to the west of South Oyster Bay Road is parking or vacant land.
3/8/66	Subject property appears unchanged.
4/11/69	Subject property appears unchanged; property to the north is unchanged; to the east more residential properties are visible, to the south and west are unchanged.
4/10/76*	Subject property appears unchanged, except for the addition of a small storage shed located east of Warehouses M and H.
4/5/78	Subject property appears unchanged from previous photographs; The coal pile north of Plant 10 is diminishing.
8/28/85	Subject property is unchanged. Coal pile is no longer visible. Area is now a parking area. Small shed east of Warehouses M and H no longer visible.
3/21/86*	Subject property appears unchanged.
4/14/93*	All other adjacent properties appear as they are today.

* Copies of these aerial photographs are included in Appendix A. The other photographs listed were reviewed at the facility.



4.0 ENVIRONMENTAL RECORDS REVIEW

A records review was performed using available standard environmental records. Regulatory agency databases, state and local agency files/research, regional geology and hydrogeology, aerial photographs, chain of title, and other appropriate records were reviewed.

4.1 Northrop Grumman Document Review

Various AutoCAD-generated plans and micro-film blueprints have been reviewed for configuration of the building interiors. The Northrop Grumman files were reviewed to examine the building configurations and modifications, and to determine the former existence of any drains, sinks, sumps, or drywells which may have acted as conduits for the migration of contaminants. Files reviewed include:

- Roof drain schematic drawings
- Schematic drawing of underground drainage systems
- Engineering drawings for Plant 10 and Plant 17, South Warehouses

The results of this review are provided in Section 3.0 of this report. In addition, previous environmental investigations have been performed for the GOCO facility and numerous documents exist. The following discussion provides the results of this document review.

4.1.1 Previous Environmental Investigations

This section summarizes the results of environmental investigations previously conducted on or near the Northrop Grumman Bethpage facility by the U.S. Geological Survey (USGS), U.S. Navy and OCC/RUCO Polymer Corporation. Although none of these investigations focused exclusively on the Plant 10 and Plant 17 South property, they did focus on the overall conditions found within the Northrop Grumman facility.

USGS Study: Bethpage-Hicksville-Levittown Area

Beginning in 1985, the USGS conducted an investigation of the hydrogeology and groundwater quality of the Bethpage-Hicksville-Levittown area, in Nassau County, New York. The study included the Northrop Grumman Bethpage facility (which includes the GOCO facility) and the OCC/RUCO Polymer Corporation site. The results of the study were summarized in three reports:

1. Geohydrology of the Bethpage-Hicksville-Levittown Area, Long Island, New York. Smolensky and Feldman, 1990: Summarizes the geology, groundwater elevations, and flow directions in east/central Nassau County.
2. Groundwater Quality in the Bethpage-Hicksville-Levittown Area, Long Island. Smolensky, et al. 1992: Summarizes groundwater quality in the east/central Nassau County.
3. Three-Dimensional Advective Transport of Volatile Organic Compounds in Groundwater Beneath an Industrial/Residential Area of Nassau County, New York. Smolensky and Feldman, 1994: Summarizes the results of groundwater modeling activities.

In general, the first report (Smolensky and Feldman, 1990) describes a regional southward horizontal groundwater flow direction that is locally influenced by groundwater withdrawal and recharge beneath the Northrop Grumman facility.

The second report (Smolensky, et al., 1992) describes the presence of a VOC plume beneath and extending southward from the Northrop Grumman and OCC/RUCO Polymer sites. The plume was reported to be approximately 5,700-ft wide, 12,000-ft long, and more than 500-ft thick. The VOCs most frequently detected in the groundwater were trichloroethylene (TCE) and tetrachloroethene (PCE), with concentrations exceeding 1,000 $\mu\text{g/l}$.

The third report (Smolensky and Feldman, 1994) documents the construction, calibration and use of a groundwater flow and particle tracking model covering the Bethpage-Hicksville-Levittown study area.

U.S. Navy Investigations

In May 1992, a Phase I Remedial Investigation of the NWIRP, Bethpage, New York was completed by Halliburton, NUS Corporation under the U.S. Navy Installation Restoration Program. This investigation included a soil gas survey, soil sampling, surface water and sediment sampling, monitoring well installation, and groundwater sampling. Three sites, the former drum marshaling area (east of Plant 3), the salvage area, and the recharge basins were identified for the investigation. Findings from the report are summarized below:

The soil gas survey results for the former drum marshaling area, recharge basin, and salvage storage areas indicated potential solvent contamination. The results of the soil sampling program confirmed the presence of solvents at the former drum marshaling area, with detections of PCE and TCE at concentrations up to 4,800 $\mu\text{g}/\text{kg}$. In addition, soil sampling results revealed elevated concentrations of polychlorinated biphenyls (PCBs), up to 7,900 $\mu\text{g}/\text{kg}$, inorganics, and polynuclear aromatic hydrocarbons at the three sites, and pesticides at concentrations up to 440 $\mu\text{g}/\text{kg}$ in the former drum marshaling area.

VOCs were detected in groundwater samples from the former drum marshaling area, the salvage storage area, and the recharge basins. The groundwater near the former drum marshaling area contained concentrations of TCE (1,500 $\mu\text{g}/\text{l}$), PCE (7,700 $\mu\text{g}/\text{l}$), 1,1,1-TCA (10,000 $\mu\text{g}/\text{l}$), 1,1-DCA (880 $\mu\text{g}/\text{l}$), 1,1-dichloroethene (250 $\mu\text{g}/\text{l}$) and 1,2-DCE (3,600 $\mu\text{g}/\text{l}$). The groundwater downgradient of the salvage storage area had concentrations of TCE up to 58,000 $\mu\text{g}/\text{l}$.

In October 1993, a Phase II Remedial Investigation of the NWIRP, Bethpage, New York was completed by Halliburton, NUS Corporation. The investigation included a soil gas survey, soil sampling, monitoring well sampling and groundwater sampling. In addition to the sites investigated during the Phase I Remedial Investigation, The Phase II also included an investigation of Plant 3, the well HN-24 area, and off-site areas to the east/southeast.

In general, the groundwater data collected during the Phase II Remedial Investigation found concentrations of VOCs at the former drum marshaling area, at Plant 3 and in off-site monitoring wells. The groundwater near the former marshaling area contained VOCs: TCE (340 $\mu\text{g}/\text{l}$), PCE (1,400 $\mu\text{g}/\text{l}$), 1,1,1-TCA (690 $\mu\text{g}/\text{l}$), 1,1-DCA (120 $\mu\text{g}/\text{l}$), and 1,2-DCE (220 $\mu\text{g}/\text{l}$). The groundwater near Plant 3 contained concentrations of TCE up to 12,000 $\mu\text{g}/\text{l}$.

OCC/RUCO Polymer Corp. Investigation

In August 1992, a Remedial Investigation which included a soil gas survey, an electromagnetic conductivity survey, recharge basin sediment and surface water sampling, shallow and deep soil sampling, and groundwater sampling was completed for the OCC/RUCO Polymer site. The data summarized below was gathered from the OCC/RUCO draft Remedial Investigation Report (Leggette, Brashears & Graham, Inc., 1990).

Soil samples collected during the remedial investigation contained the following maximum concentrations: TCE (7,600 $\mu\text{g}/\text{kg}$), PCE (57,000 $\mu\text{g}/\text{kg}$), ethylbenzene (950 $\mu\text{g}/\text{kg}$), toluene (390 $\mu\text{g}/\text{kg}$), PAHs (7,700 $\mu\text{g}/\text{kg}$), phenols (120,000 $\mu\text{g}/\text{kg}$), phthalates (120,000 $\mu\text{g}/\text{kg}$), and PCBs (2.1 mg/kg). The sediments from the OCC/RUCO recharge basins were found to contain toluene and 1,2-DCE at concentrations of 260 $\mu\text{g}/\text{kg}$ and 76 $\mu\text{g}/\text{kg}$. Also found in the OCC/RUCO recharge basin sediments were PAHs and phthalates at concentrations of 2,180 $\mu\text{g}/\text{kg}$ and 9,580 $\mu\text{g}/\text{kg}$.

The groundwater sampling from on-site wells found the following VOCs: PCE (85 $\mu\text{g}/\text{l}$), TCE (14 $\mu\text{g}/\text{l}$) and vinyl chloride (560 $\mu\text{g}/\text{l}$).

Northrop Grumman Phase I and Phase II Remedial Investigations

In February 1991 and August 1992, respectively, Phase I and Phase II Remedial Investigations were performed by Geraghty & Miller, Inc. for the Northrop Grumman at the Bethpage, New York facility.

The remedial investigations were performed for the entire Northrop Grumman Bethpage facility, except for the GOCO facility. The investigations included a soil gas survey, soil sampling, recharge basin water and sediment sampling, and groundwater sampling. Included below is a summary of the findings:

Groundwater beneath the Northrop Grumman facility, to a depth of approximately 460 bgs occurs in two separate geologic units that are hydraulically connected and, in general, behave as one hydrogeologic unit. These units are the Upper Glacial and Magothy aquifers.

Groundwater predominantly flows regionally to the southeast across the site with a slight downward component, but is greatly influenced by the groundwater withdrawal that occurs at numerous sight production wells and the reinfiltration that occurs at the on-site recharge basins. Operation of these wells and the use of recharge basins has changed the flow patterns locally.

The results of the soil gas surveys indicated VOC contamination at six locations, based on these results, soil and groundwater sampling locations were identified.

The soil sampling results indicated SVOCs in nine locations, VOCs in two locations and metals in seven locations. All locations identified were above New York State Department of Environmental Conservation (NYSDEC) cleanup objectives.

The results of the recharge basin water sampling indicated that all parameters were below current NYSDEC cleanup objectives, with the exception of iron. The sediment samples indicated several metals and SVOCs were detected above current NYSDEC cleanup objectives.

The results of the groundwater sampling indicated two plumes of groundwater contamination (eastern and western) near the center of the facility.

4.2 Local Regulatory Agencies

In conducting this survey, state and local agencies were contacted for file searches regarding Plant 10 and Plant 17 South. The results of the regulatory agency records review are described in the following sections.

4.2.1 New York State Department of Environmental Conservation (NYSDEC)

Radian personnel visited the NYSDEC to search files for records regarding Plant 10 and Plant 17 South. The only information found was in regard to the UST closure in 1992 associated with the firefighting pumphouse.

The Northrop Grumman Bethpage facility was first listed on the state's Registry of Inactive Hazardous Waste Disposal Sites in 1983, as a Class 2a site. In 1988, a Class 2 designation was assigned to the facility. In 1992, the Bethpage facility was separated into two sites, the NWIRP site

and the Northrop Grumman Bethpage facility. Through a consent order with NYSDEC, an on-site and off-site Remedial Investigation/Feasibility Study (RI/FS) of the Bethpage facility was initiated. The first phase of the RI was submitted in January 1992 and a final RI was submitted in September 1994.

4.2.2 Nassau County Department of Health

Radian personnel visited the Nassau County Department of Health to search for records regarding Plant 10 and Plant 17 South. The only correspondence found was an approval letter for installation of UST 17-20-2 in 1994.

4.2.3 Nassau County Fire Marshal

The Nassau County Fire Department has not responded to two written requests from Radian for information regarding Plant 10 and Plant 17 South. No response was ever received.

4.3 Property History Search

The chain of title search was performed by Land Title Research. Nine title chains were identified for various lots on the Bethpage site. The current owner of the GOCO facility including Plant 10 and Plant 17, South Warehouses, is the U.S. Navy. The chain of title and tax maps are provided in Appendix B.

4.4 Standard Environmental Regulatory Agency Database Review

An environmental agency database review was conducted to identify properties that may pose a potential environmental impact to Plant 10 and Plant 17 South. Radian contracted EDR to perform an agency/regulatory database search of properties within a 1-mile radius of Plant 10 and Plant 17 South. The results of this database search are presented in a report dated April 12, 1996 (provided in Appendix C). Radian reviewed the summary report in accordance with ASTM search distance guidelines and Northrop Grumman's request for an extended radius of 1 mile.

The following sections provide summaries of the significant findings associated with the properties identified in the databases. Only those properties listed in the database as pertinent to Plant 10 and

Plant 17 South or within the ASTM minimum search distance are provided in the text of this report. The other properties are included in the EDR report. EDR designates sequential site numbers geographically from north to south. The EDR site number is referenced after the site listing in this report. The databases reviewed, their release dates by the agencies, and the results are presented below.

4.4.1 Federal ASTM Records

National Priorities List (NPL) - September, 1995: The NPL is the U.S. Environmental Protection Agency's (USEPA) database of uncontrolled or abandoned hazardous waste sites identified for priority remedial actions under the Superfund program. A site must meet or surpass a predetermined hazard ranking system score, be chosen as a state's top priority site, or meet three specific criteria set jointly by the U.S. Department of Health and Human Services and the USEPA in order to become an NPL site.

One (1) site within a 1-mile radius (ASTM standard) of Plant 10 and Plant 17 South was listed on this database.

RUCO Polymer Corp.
New South Road
Hicksville, NY 11801
(EDR site #53)

- According to the EDR report this site (formerly known as Hooker Chemicals and Plastics Corporation) is considered a significant threat to public health or environment - action required. The site is currently under a remedial design. Groundwater on the adjacent site contains vinyl chloride. Efforts to address off-site groundwater concerns are underway.
- According to EDR, the RUCO NPL site had three lagoons that were used for waste disposal from 1947 thru the late 1970s. The depth to groundwater is 50 ft. Soil and groundwater is contaminated with vinyl chloride and other chlorinated hydrocarbons. Plant 10 and Plant 17 South, the Northrop Grumman facility, and the Bethpage Water District supply wells are down gradient from the site. The groundwater at Bethpage Water District Plants 4 and 6 is contaminated and is currently being remediated via a groundwater treatment facility. The

Bethpage Water District Plant 5 is planning a treatment facility in anticipation that the contaminated groundwater will reach this facility in the future.

RUCO Assessment: Groundwater and contaminant migration from this site presents a threat to the groundwater below Plant 10 and Plant 17 South.

Comprehensive Environmental Response, Compensation, and Liability Information System (CERCLIS) - November, 1995: CERCLIS contains data on potentially hazardous waste sites that have been reported to the USEPA by states, municipalities, private companies and private persons, pursuant to Section 103 of the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA). CERCLIS contains sites which are either proposed for or already listed on the NPL and sites which are in the screening and assessment phase of possible inclusion on the NPL.

Three (3) CERCLIS sites were found within a 1-mile radius of Plant 10 and Plant 17 South (ASTM standard ½-mile). Two (2) sites within a ½-mile radius are listed below:

Servo Corporation of America
111 New South Road
Hicksville, NY 11801
(EDR site #70)

RUCO Polymer Corp.
New South Road
Hicksville, NY 11801
(EDR site #53)

- According to the EDR report, Servo Corporation of America is currently under investigation by the government to assess the extent of further action. The evaluation indicated a compliance violation.

Servo Assessment: Due to compliance status and apparent side gradient location this site does not appear to pose a threat to Plant 10 and Plant 17 South.

RUCO Assessment: See assessment provided previously in NPL Section.

Emergency Response Notification System (ERNS) of Spill - December, 1995: The ERNS is a national database used to collect information on reported releases of oil and hazardous substances. The database contains information from spill reports made to federal authorities including the

USEPA, the U.S. Coast Guard, the National Response Center, and the Department of Transportation (DOT).

One (1) site within a 1-mile radius (ASTM standard 1/8-mile) of Plant 10 and Plant 17 South was listed on this database. No sites were within a 1/8 mile radius.

Resource Conservation and Recovery Information System (RCRIS) - Treatment, Storage, Disposal (TSD): The USEPA's Resource Conservation and Recovery Act (RCRA) program identifies and tracks hazardous waste from point of generation to point of disposal. RCRIS includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by RCRA.

One (1) site was identified within a 1-mile radius (ASTM standard) of Plant 10 and Plant 17 South which was listed as a TSD. This site is:

LILCO Hicksville Op. Center
175 E. Old Country Road
Hicksville, NY 11801
(EDR site #25)

- According to the EDR report, LILCO is currently under investigation by the government to assess the extent of further action. Prioritization is low. A RCRA Facility Investigation has been completed and the Corrective Action process is terminated. The evaluation indicated a compliance violation.

LILCO Assessment: Due to current status and apparent distance this site does not appear to pose a threat to Plant 10 and Plant 17 South.

4.4.2 Federal Non-ASTM Records

CONSENT - Superfund (CERCLA) Consent Decrees - September, 1995: This search covered major legal settlements that establish responsibility and standards of cleanup at NPL (Superfund) sites. These are released periodically by U.S. District Courts after settlement by parties to litigation matters.

No sites were identified within a 1-mile radius of Plant 10 and Plant 17 South.

RCRA Corrective Action Sites (CORRACTS) - October, 1995: The USEPA maintains this database of RCRA facilities which are undergoing "corrective action". A "corrective action" order is issued when there has been a release of hazardous waste or constituents into the environment from a RCRA facility.

Two (2) sites within a 1-mile radius of Plant 10 and Plant 17 South were identified.

LILCO Hicksville Op. Center
175 E. Old Country Road
Hicksville, NY 11801
(EDR site #25)

RUCO Polymer Corp.
New South Road
Hicksville, NY 11801
(EDR site #53)

- According to the EDR report, LILCO is currently under investigation by the government to assess the extent of further action. Prioritization is low. A RCRA facility investigation has been completed and the corrective action process is terminated. The evaluation indicated a compliance violation.

RUCO Assessment: See assessment provided previously in NPL Section.

Facility Index System (FINDS) - September, 1995: FINDS contains both facility information and "pointers" to other sources that contain more detail. These include:

- RCRIS (Resource Conservation and Recovery Information System);
- PCS (Permit Compliance System);
- AIRS (Aerometric Information Retrieval System);
- FATES (FIFRA [Federal Insecticide Fungicide Rodenticide Act] and TSCA Enforcement System);
- FTTS (FIFRA, TSCA Tracking System);
- CERCLIS (Comprehensive Environmental Response, Compensation, and Liability Information System);
- DOCKET (Enforcement Docket used to manage and track information on civil judicial enforcement cases for all environmental statutes);
- TSCA Chemicals in Commerce Information System (CICIS);

- PADS (PCB Activity Database System);
- RCRA-J (medical waste transporters/disposers);
- TRIS (Toxic Chemical Release Inventory System); and
- TSCA (Toxic Substance Control Act).

Ninety (90) sites within a 1-mile radius of Plant 10 and Plant 17 South were identified. These sites are presented in the EDR report in Appendix C.

Assessment: This database provides a list of facilities and does not provide soil or groundwater information for use in evaluating potential threat to Plant 10 and Plant 17 South.

Hazardous Materials Information Reporting System (HMIRS) - December, 1995: Hazardous Materials Incident Report System contains hazardous material spill incidents reported to DOT.

No incidents were reported within a 1-mile radius of Plant 10 and Plant 17 South.

Material Licensing Tracking System (MLTS) - August, 1995: MLTS is maintained by the Nuclear Regulatory Commission (NCR) and contains a list of approximately 8,100 sites which possess or use radioactive materials and which are subject to NCR licensing requirements.

No sites within a 1-mile radius of Plant 10 and Plant 17 South were identified.

NPL LIENS - Federal Superfund Liens - October, 1991: Under the authority granted the USEPA by CERCLA of 1980, the USEPA has the authority to file liens against real property in order to recover remedial action expenditures or when the property owner receives notification of potential liability. USEPA compiles a listing of files that give notice of Superfund liens.

No sites within a 1-mile radius of Plant 10 and Plant 17 South were identified.

PCB Activity Database System (PADS) - October, 1994: PADS identifies generators, transporters, commercial storers and/or brokers and disposers of PCBs who are required to notify the USEPA of such activities.

No sites within a 1-mile radius of Plant 10 and Plant 17 South were identified.

RCRA Administrative Action Tracking System (RAATS) - April, 1995: RAATS contains records based on enforcement actions issued under RCRA pertaining to major violators and includes administrative and civil actions brought by the USEPA.

No sites within a 1-mile radius of Plant 10 and Plant 17 South were identified.

RCRIS, Small Quantity Generator - October, 1995: The USEPA's RCRA Information System identifies facilities which report generation, storage, transportation, treatment or disposal of hazardous waste. RCRA Small Quantity Generator tracks facilities which generate less than 1,000 kg/month of non-acutely hazardous waste.

Forty-eight (48) sites within a 1-mile radius of Plant 10 and Plant 17 South were identified. These sites are presented in the EDR report in Appendix C.

Assessment: This database provides a list of facilities and does not provide soil or groundwater information for use in evaluating potential threat to Plant 10 and Plant 17 South.

RCRIS, Large Quantity Generator - October, 1995: The USEPA's RCRA Information System identifies facilities which report generation, storage, transportation, treatment or disposal of hazardous waste. RCRA Large Quantity Generator tracks facilities which generate at least 1,000 kg/month of non-acutely hazardous waste or 1 kg/month of acutely hazardous waste.

Thirty-nine (39) sites within a 1-mile radius of Plant 10 and Plant 17 South were identified. These sites are presented in the EDR report in Appendix C.

Assessment: This database provides a list of facilities and does not provide soil or groundwater information for use in evaluating potential threat to Plant 10 and Plant 17 South.

Records of Decision (ROD) - March, 1995: ROD documents mandate a permanent remedy at an NPL (Superfund) site containing technical and health information to aid in the cleanup.

No sites within a 1-mile radius of Plant 10 and Plant 17 South were identified.

Toxic Chemical Release Inventory System (TRIS) - December, 1992: TRIS identifies facilities which release toxic chemicals to the air, water and land in reportable quantities under SARA Title III Section 313.

One (1) site within a 1-mile radius of Plant 10 and Plant 17 South was identified. This site is listed below.

RUCO Polymer Corp.
New South Road
Hicksville, NY 11801
(EDR site #53)

RUCO Assessment: See assessment provided previously in NPL Section.

Toxic Substances Control Act (TSCA) - January, 1995: TSCA identifies manufacturers and importers of chemical substances included on the TSCA Chemical Substance Inventory list. It includes data on the production volume of these substances by plant site. USEPA has no current plan to update and/or re-issue this database.

No sites within a 1-mile radius of Plant 10 and Plant 17 South were identified.

4.4.3 State of New York ASTM Records

Leaking Underground Storage Tank (LUST) Incidents Report - December, 1995: Records contain an inventory of reported LUST incidents.

Ninety-seven (97) sites were found within a 1-mile radius of Plant 10 and Plant 17 South (ASTM standard 1/2-mile). Twenty-four (24) sites within a 1/2-mile radius are listed below:

Getty Petroleum
723 South Oyster Bay Road
Plainview, NY 11803
(EDR site #21) - note 1

Mobil S/S #17-KKJ
755 S. Oyster Bay Road
Bethpage, NY
(EDR site #22) - note 1

Structural Industries Inc.
96 New South Road
Hicksville, NY 11801
(EDR site #27) - note 1

Bonanza Fabric Co.
35 Karin Lane
Hicksville, NY
(EDR site #38) - note 2

Henry Soluk, Owner
30 Floral Ave.
Bethpage, NY
(EDR site #47) - note 2

Shell Oil Co.
Stewart & Farmers
Bethpage, NY 11714
(EDR site #48) - note 2

LILCO
Evergreen & Spruce Ave.
Bethpage, NY
(EDR site #51) - note 4

Gabrielli Truck Sales Ltd.
880 S. Oyster Bay Road
Hicksville, NY
(EDR site #57) - note 2

Mineola Mack Inc.
880 S. Oyster Bay Road
Hicksville, NY 11801
(EDR site #57) - note 2

Bethpage Metro
900 Stewart Ave.
Bethpage, NY
(EDR site #60) - note 2

Metro S/S
900 Stewart Ave.
Bethpage, NY
(EDR site #60) - note 2

Northrop Grumman Corp.
Stewart Ave.
Bethpage, NY
(EDR site #65)
(see details on following page)

Festante Residence
82 Sycamore Ave.
Bethpage, NY
(EDR site #66) - note 3

Nassau Blue Flame Inc.
3 Washington Pky.
Hicksville, NY
(EDR site #69) - note 3

Bertan Assoc.
121 New South Road
Hicksville, NY
(EDR site #70) - note 3

Meenan Oil
121 New South Road
Hicksville, NY
(EDR site #70) - note 3

Servco Corp. of America
111 New South Road
Hicksville, NY 11801
(EDR site #70) - note 3

Long Island Development
101 New South Road
Hicksville, NY
(EDR site #70) - note 3

ERM Northeast
335 New South Road
Hicksville, NY
(EDR site #73) - note 3

Al Adriano Residence
159 12th Street
Bethpage, NY
(EDR site #83) - note 3

Variety Petrol (P & G Fuel)
317 New South Road
Hicksville, NY
(EDR site #73) - note 3

NYNEX Vehicle
Sherman Ave. & S. 6th Street
Bethpage, NY
(EDR site #86) - note 3

Avis Car Rental
980 South Broadway
Bethpage, NY
(EDR site #82) - note 3

James Bell Residence
127 South 1st Street
Bethpage, NY
EDR site #86) - note 3

Description of Notes:

- note 1: Up-gradient location/ Status is resolved, spill has been cleaned up and closure completed.
- note 2: Lateral-gradient location/ Status is resolved, spill has been cleaned up and closure completed.
- note 3: Down-gradient location/ Status is resolved, spill has been cleaned up and closure completed.
- note 4: Lateral-gradient location/ Active spill (ongoing).

LUST Assessment: Due to current status, distance from the subject property, and/or groundwater flow direction, these sites do not appear to pose a threat to Plant 10 and Plant 17 South.

Details of Northrop Grumman (EDR site #65) from previous page are provided below:

Thirty-three (33) LUST sites are identified for site #65, Northrop Grumman. Of these 34 sites, ten (10) are located at the GOCO facilities. None of these LUST sites are identified for Plant 10 and Plant 17 South.

Northrop Grumman LUST Assessment: One UST is known to exist at Plant 10 and Plant 17 South. No LUSTs have been identified for Plant 10 and Plant 17 South.

State Hazardous Waste Sites (SHWS) - July, 1995: State hazardous waste site records are the state's equivalent to CERCLIS. These sites may or may not already be listed on the federal CERCLIS list. Priority sites planned for cleanup using state funds (state equivalent of Superfund) are identified along with sites where cleanup will be paid for by potentially responsible parties.

Two (2) sites were found within a 1-mile radius of Plant 10 and Plant 17 South (ASTM standard 1/2-mile) and are listed below:

RUCO Polymer Corp.
New South Road
Hicksville, NY
(EDR site #53)

Northrop Grumman Corp.
Stewart Avenue
Bethpage, NY
(EDR Site #65)

Solid Waste Facilities/Landfill Sites (SWF/LS) - March, 1996: SWF/LS type records typically contain an inventory of solid waste disposal facilities or landfills in a particular state. Depending on the status these may be active or inactive facilities or open dumps that failed to meet RCRA Section 2004 criteria for solid waste landfills or disposal sites.

No sites within a 1-mile radius of Plant 10 and Plant 17 South were identified.

UST - Petroleum Bulk Storage (PBS, CBS, MOST) Database (UST) - December, 1995: USTs are regulated under Subtitle I of RCRA and must be registered with the state department responsible for administering the UST program.

Five (5) sites were found within a 1-mile radius of Plant 10 and Plant 17 South (ASTM standard 1/2-mile) and are listed below:

Mobil Oil S/S
755 S. Oyster Bay Road
Bethpage, NY
(EDR site #22)

Shell Oil Co.
Stewart Ave. & Farmers St.
Bethpage, NY
(EDR site #48)

Structural Industries Inc.
96 New South Road
Hicksville, NY
(EDR site #27)

Northrop Grumman Corp
Stewart Ave.
Bethpage, NY
(EDR site #65)

Frankie D's Serv. Sta.
1234 Stewart Ave.
Bethpage, NY
(EDR site #30)

Assessment: This database provides a list of facilities and does not provide soil or groundwater information for use in evaluating potential threat to Plant 10 and Plant 17 South.

4.4.4 State of New York Non-ASTM Records

AST - Petroleum Bulk Storage (AST) - September, 1995: Registered ASTs.

Nine (9) sites were found within a 1-mile radius of Plant 10 and Plant 17 South (ASTM standard 1/2-mile) and are listed below:

Gabrielli Truck Sales Ltd.
880 S. Oyster Bay Road
Hicksville, NY
(EDR site #57)

Nassau Blue Flame
3 Washington Pky.
Hicksville, NY
(EDR site #69)

Bethpage Mctro
900 Stewart Ave.
Bethpage, NY
(EDR site #60)

ERM Northeast
335 New South Road
Hicksville, NY
(EDR site #73)

King Bear
735 S. Broadway
Hicksville, NY
(EDR site #63)

TBG Cogen Partners
939 South Broadway
Hicksville, NY
(EDR site #78)

Northrop Grumman Corp.
Stewart Ave.
Bethpage, NY
(EDR site #65)

Bradco Supply Corp.
85 Bloomingdale Road
Hicksville, NY
(EDR site #85)

Greco Bros. Bulk Terminal
Lauman Lane & Hicksville Road
Hicksville, NY
(EDR site #101)

Assessment: This database provides a list of facilities and does not provide spill, soil and/or groundwater information for use in evaluating potential threat to Plant 10 and Plant 17 South.

4.4.5 Summary of Agency Database Review

The Northrop Grumman facility is identified on the EDR database. The Plant 10 and Plant 17 South site has been identified as having one UST, however, no LUSTs are known to exist at Plant 10 and Plant 17 South.

The database search indicated that one NPL site (RUCO, EDR site #53) has the potential to impact Plant 10 and Plant 17 South through migration of contaminated groundwater. The off-site LUST sites were located either lateral or downgradient, or were resolved cases.



5.0 FINDINGS

This section presents the findings of the Phase I ESA and focuses on site features which warrant consideration as potential environmental AOCs. A summary of the findings is presented in Table 5-1.

5.1 Indicators of Contamination

Indicators of contamination or site activities that may have resulted in potential contamination were identified during the Phase I ESA. These areas include: drywells, leaching chambers, subsurface piping, and a former chemical storage area. These AOCs are discussed below.

5.2 Summary of On-Site Areas of Concern

A summary of the AOCs by area, and the rationale for inclusion as an AOC is as follows:

5.2.1 **Plant 10, Quality Control Laboratory**

AOC 1: Three Former Drywells

Facility drawings (1944) indicate the location of the drywells located on the north, east, and west sides of the facility. Although these drywells could not be located during the site inspection, site personnel confirmed their existence.

AOC 2: Former Leaching Chambers

Facility drawings (1966) indicated a septic tank, two settling tanks and three leaching chambers located on the south side of the facility. Plumbing details could not be located, and the system was not visible during the site inspection.

AOC 3: *Subsurface Piping Connecting Interior Drains to Former Drywells*

Facility drawings (1944 and 1947) indicated subsurface piping connecting the three drywells to sinks and floor drains in the building. A floor drain was located during the site inspection in the existing Wet Chemistry Laboratory. According to site personnel, this drain continues to back up during times of extreme rain events. The other floor drains noted on the Northrop Grumman drawings will be targeted in the Phase II approach.

AOC 4: *Floor Staining in Machine Shop*

A woodblock floor was identified during the site inspection in the existing Machine Shop. This area was observed to have significant floor staining. Since the slab below the woodblock was not visible, it is possible that spilled oils could have migrated into the subsurface.

AOC 5: *Former Chemical Storage Area*

A loading dock was observed during the site inspection located on the northeast side of the building. According to site personnel, this area had been utilized as a waste chemical storage area until approximately 1994. This area had no secondary containment.

5.2.2 Plant 17, South Warehouses

AOC 6: *Drywells Located On North Side of Warehouses*

Facility drawings (1941 and 1943) indicate 14 drywells located on the north side of the existing warehouses. The majority of these drywells could not be located during the site inspection. Plumbing details indicate that the drywells were utilized for stormwater collection, both from surface, and roof runoff.

AOC 7: *Drywell Located in Warehouse N*

Facility drawings (1944) and site inspection indicated a drywell located in Warehouse N, adjacent to the former First Cut Area.

AOC 8: *Leaching Chambers East of Warehouse M*

Facility drawings (1966) indicate a septic tank and several associated leaching chambers located east of Warehouse M. Plumbing details show subsurface piping leading into the building.

5.3 Off-Site Areas of Concern

AOC 9: *On-Site Groundwater Contamination from On-Site and Off-Site Sources*

Groundwater beneath the Plant 10 and Plant 17 South property has been determined to have been impacted with chemical contaminants. The Record of Decision (ROD) for the NWIRP, dated May 1995, indicate that the primary source areas for this groundwater contamination are the Former Drum Marshaling area located east of Plant 3, the Recharge Basin area, the Salvage Storage area, and the OCC/RUCO Polymer site. All of these sites are potentially upgradient of the Plant 10 and Plant 17 South property.

A feasibility study conducted by the U.S. Navy (Halliburton, NUS Corporation, March 1994) also indicated high levels of TCE (58 mg/l) in monitoring well HN-24, located in the former coal pile area, north of Plant 10. The study indicated that this contamination may have resulted from disposal practices performed at Plant 10.

A regional Feasibility Study is currently being performed by Northrop Grumman, the U.S. Navy and OCC/RUCO Polymer to determine possible remedial alternatives for the groundwater contamination plume beneath the Bethpage facility.

Table 5-1

Phase I Site Assessment - Plant 10 and Plant 17, South Warehouses
Potential Environmental Areas of Concern

AOC No.	AOC/Process Description	Information Sources *						
		1	2	3	4	5	6	7
1	Three former drywells located on the north and east sides of Plant 10.		✓				✓	
2	Former leaching chambers located on the southwest side of Plant 10.		✓				✓	
3	Subsurface pipe runs attached to the former drywells and leaching chambers around Plant 10.		✓				✓	
4	Floor staining in Plant 10 machine shop.	✓	✓					
5	Loading dock, northeast corner of Plant 10, previously used for waste chemical storage.	✓	✓					
6	Former drywells located on the north side of South Warehouses A, B, C, E, F, G, I, J, K.						✓	
7	Drywell located in Warehouse N, (adjacent to the former first cut area).	✓					✓	
8	Former leaching chambers located on the northeast side of South Warehouses.						✓	
9	Potential groundwater contamination from both on-site and off-site sources.					✓		

*Information Sources

- | | |
|----------------------------|---|
| 1. Site inspection | 5. Previous environmental investigation reports |
| 2. Interviews | 6. Facility maps and building plans |
| 3. Spill reports | 7. Materials sampling |
| 4. Tank inspection reports | |



6.0 RECOMMENDATIONS

The recommendations have been developed based on the findings of the Phase I ESA. The recommendations are intended to provide the data needed to conduct a Phase II investigation. Table 6-1 provides a summary of the number of borings, linear feet of drilling, number of samples and sampling interval, and recommended analyses.

6.1 On-Site Recommendations

Plant 10, Quality Control Laboratory

Five areas of environmental concern within the Plant 10 area have been identified:

AOC 1, the three former drywells should be addressed. These drywells were reported to have been utilized for the disposal of liquids from the various laboratories located throughout the facility. Soil sampling in the area of the three wells is recommended. The drywell on the west side of Plant 10 appears still to be active and a UIC closure may be warranted, if found not to be properly closed. Backfilling will be verified through a Phase II approach.

AOC 2, the former septic system and leaching chambers located on the south side of the building. Although this system was designed for sanitary waste, there is a possibility that chemical waste may have been disposed of through this system. Soil sampling in the area of the septic systems leaching chambers is recommended.

AOC 3, the subsurface piping connecting the drywells and leaching chambers to the building. The condition of these pipes is unknown. Soil sampling along the pipe runs is recommended with a bias toward joints and elbows, and former floor drains.

AOC 4, the floor staining located in the existing Machine Shop. This flooring was observed to have significant staining throughout. Soil sampling is recommended.

AOC 5, the loading dock located on the north-east corner of the building which had previously been utilized for waste chemical storage. This area had no form of secondary containment, and during

the site inspection, staining of the asphalt below the loading dock was observed. Soil sampling is recommended.

Plant 17, South Warehouses

AOC 6, the former and existing drywells located on the north side of the warehouse buildings. Although it appears that these drywells were designed for the collection of stormwater runoff, spilled contaminants dissolved in stormwater runoff may have impacted the soils beneath the well. Soil sampling is recommended for 9 of the 14 drywells. One sample from a drywell located in front of each warehouse will be representative of the entire area.

AOC 7, the drywell located in Warehouse N, adjacent to the former First Cut Area. Cutting oils used for the First Cut process may have either run into, or have been intentionally disposed of in the drywell. Soil sampling is recommended.

AOC 8, the former septic tank and associated leaching chambers located east of Warehouse M. Although this system was designed for sanitary waste, the sinks and toilets connected to the system may have been utilized for the disposal of chemical waste. Soil sampling is recommended.

6.2 Groundwater: On-Site/Off-Site Areas of Potential Concern

Groundwater below the Plant 10 and Plant 17 South property has been impacted with contaminants attributable to off-site sources, AOC 9. According to documents reviewed, these sources are all potentially upgradient of the site. Due to the historic variability of groundwater flow, specific groundwater flow direction cannot be determined, and it is possible that off-site contaminants (from non-Northrop Grumman sources) may have been pulled onto the site due to the effects of pumping and recharge at the Northrop Grumman facility.

Additional monitoring well locations will be proposed based on the results of the soil sampling to be performed at the other identified AOCs.

Table 6-1
Phase I Site Assessment - Plant 10 and Plant 17, South Warehouses
Summary of Recommendations for Phase II Site Investigation

AOC No.	AOC Description	No. of Borings	No. of Corings	Lineal Ft Drilling	No. of Soil Samples	Sampling ⁽²⁾ Interval	No. of Water Samples	Principal Chemicals of Concern - Target Compounds	Recommended Analysis ⁽¹⁾ (soil/concrete)						
									1	2	3	4	5	6	
1	Three former drywells located on north and east sides of Plant 10 (GPR for location) ⁽⁶⁾	3	N/A	66	6	0-10 ft ^(3,4,5) (continuous)	N/A	solvents, oils, metals, PCBs.	6/0	6/0	6/0	6/0	6/0	6/0	6/0
2	Former leaching chambers located on southeast side of Plant 10.	2	N/A	44	4	0-10 ft ^(3,4,5) (continuous)	N/A	solvents, oils, metals, PCBs	4/0	4/0	4/0	4/0	4/0	4/0	4/0
3	Subsurface pipe runs attached to the former drywells and leaching chambers at Plant 10.	6	N/A	24	12	0-4 ft (continuous)	N/A	solvents, oils, metals, PCBs	12/0	12/0	12/0	12/0	12/0	12/0	12/0
4	Floor staining in Plant 10 machine shop.	2	2	8	4	0-4 ft (continuous)	N/A	solvents, oils, metals, PCBs	4/2	4/0	4/0	4/2	4/2	4/2	4/0
5	Loading dock on northeast corner of Plant 10 formerly used for waste chemical storage.	2	N/A	16	4	0-4 ft (continuous)	N/A	solvents, oils, metals, PCBs, cyanide	4/0	4/0	4/0	4/0	4/0	4/0	4/0
6	Former drywells located on north sides of Warehouses A, B, C, E, F, G, I, J, K.	9	N/A	36	18	0-4 ft (continuous)	N/A	solvents, oils, metals, PCBs.	18/0	18/0	18/0	18/0	18/0	18/0	18/0
7	Drywell located in Warehouse N, (adjacent to former first cut area).	1	1	22	2	0-10 ft ^(3,4,5) (continuous)	N/A	solvents, oils, metals, PCBs.	1/0	1/0	1/0	1/0	1/0	1/0	1/0
8	Former leaching chambers located on northeast side of South Warehouses.	6	N/A	132	12	0-10 ft ^(3,4,5) (continuous)	N/A	solvents, oils, metals, PCBs.	12/0	12/0	12/0	12/0	12/0	12/0	12/0

N/A - Not Applicable

(1) Analyses are listed below.

1. Priority Pollutant Metals (Method 6010)
2. Volatile Organic Compounds (Method 8240)
3. Semi Volatile Organic Compounds (Method 8270)
4. Total Petroleum Hydrocarbons (Method 8015-Modified)
5. PCBs (Method 8080)
6. Cyanide (Method 335.1)

(2) Sampling intervals are in feet below grade, unless otherwise noted.

(3) For continuous soil sampling, a sample will be collected every two (2) feet.

(4) Samples from drywells and leaching chambers will be collected below the invert.

(5) For continuous sampling, the first sample shall be collected directly below the invert; the remaining samples shall be screened by PID and the highest reading sample analyzed.

(6) Ground Penetrating Radar.

0

0

0

7.0 REFERENCES

1. Initial Assessment Study of NWIRP Bethpage, New York, Rogers, Golden & Halpern, December 1986.
2. Final Remedial Investigation Work Plan. Halliburton NUS Environmental Corp., August 1991.
3. Data Report, Phase I Remedial Investigation Grumman Aerospace Corp., Bethpage, New York, Geraghty & Miller, Inc., January 1992.
4. Environmental Compliance Evaluation of Naval Weapons Industrial Reserve Plants, Bethpage and Calverton, New York, Naval Facilities Engineering Command, June 1992.
5. Final Remedial Investigation Report for Naval Weapons Industrial Reserve Plant, Bethpage, New York, October 1993.
6. Feasibility Study Report for Naval Weapons Industrial Reserve Plant, Bethpage, New York. Halliburton NUS Corp., March 1994.
7. New York State Site Registry Delisting Petition Site 10 (Plants 21, 28, 37, 114, 115 and 116) Hicksville New York, Dvirka and Bartilucci, September 1994.

0

0

0

8.0 WARRANTY AND DISCLOSURE LIMITATIONS


Radian International LLC (Radian) warrants that this environmental assessment report was prepared in accordance with generally accepted professional standards and applicable environmental laws and regulations; was based solely upon the information made available to or gathered by Radian in the performance of the services described herein; and was conducted in accordance with the scope of work, schedule and budgetary constraints imposed by the client. Radian makes no other warranty, expressed or implied. The report is not to be construed as a guarantee or warranty as to the potential liabilities associated with environmental conditions or impacts at the site and Radian assumes no liability for conditions which did not come to its actual knowledge or for conditions which were not generally recognized as environmentally unacceptable at the time this report was prepared.

This report was prepared solely for the purpose of providing information to Northrop Grumman. Any reliance on this report, or any information contained therein, by any third party shall be at such party's sole risk. Radian shall have no liability to any third party in any manner whatsoever.

APPENDICES

A

APPENDIX A
AERIAL PHOTOGRAPHS



CLIENT:
 NORTHROP GRUMMAN CORP.
 BETHPAGE, LONG ISLAND, NY

DWG. TITLE:
 AERIAL PHOTOGRAPH 1947

RADIAN
 INTERNATIONAL LLC
 FAIRFIELD, NEW JERSEY

DRAWN BY:
 BTD

DATE:
 SEPT. 1996

FIGURE:
 A-1

PROJECT No.:
 2704-300

SCALE:
 UNKNOWN

FILE NUMBER:
 AP1947



CLIENT:
NORTHROP GRUMMAN CORP.
BETHPAGE, LONG ISLAND, NY

DWG. TITLE:
AERIAL PHOTOGRAPH 12-2-53

RADIAN
INTERNATIONAL LLC
FAIRFIELD, NEW JERSEY

DRAWN BY:
BTD

DATE:
SEPT. 1996

FIGURE:
A-2

PROJECT No.:
2704-300

SCALE:
UNKNOWN

FILE NUMBER:
AP12253



CLIENT:
NORTHROP GRUMMAN CORP.
BETHPAGE, LONG ISLAND, NY

RADIAN
INTERNATIONAL LLC
FAIRFIELD, NEW JERSEY

DWG. TITLE:
AERIAL PHOTOGRAPH 4-10-62

DRAWN BY:
BTD

DATE:
SEPT. 1996

FIGURE:
A-3

PROJECT No.:
2704-300

SCALE:
1" = 1500'

FILE NUMBER:
AP41062



CLIENT:
 NORTHROP GRUMMAN CORP.
 BETHPAGE, LONG ISLAND, NY

DWG. TITLE:
 AERIAL PHOTOGRAPH 3-8-66

RADIAN
INTERNATIONAL LLC
 FAIRFIELD, NEW JERSEY

DRAWN BY:
 BTD

DATE:
 SEPT. 1996

FIGURE:
 A-4

PROJECT No.:
 2704-300

SCALE:
 UNKNOWN

FILE NUMBER:
 AP3866



CLIENT:

NORTHROP GRUMMAN CORP.
BETHPAGE, LONG ISLAND, NY

RADIAN
INTERNATIONAL LLC

FAIRFIELD, NEW JERSEY

DWG. TITLE:

AERIAL PHOTOGRAPH 4-10-76

DRAWN BY:
BTD


DATE:
SEPT. 1996

FIGURE:
A-5

PROJECT No.:
2704-300

SCALE:
1" = 800'

FILE NUMBER:
AP41076



CLIENT:

NORTHROP GRUMMAN CORP.
BETHPAGE, LONG ISLAND, NY

RADIAN
INTERNATIONAL LLC

FAIRFIELD NEW JERSEY

DWG. TITLE:

AERIAL PHOTOGRAPH 4-5-78

DRAWN BY:
BTD

DATE:
SEPT. 1996

FIGURE:
A-6

PROJECT No.:
2704-300

SCALE:
1" = 1600'

FILE NUMBER:
AP4578



CLIENT:
 NORTHROP GRUMMAN CORP.
 BETHPAGE, LONG ISLAND, NY

DWG. TITLE:
 AERIAL PHOTOGRAPH 3-21-86

RADIAN
INTERNATIONAL LLC
 FAIRFIELD, NEW JERSEY

DRAWN BY:
 BTD

DATE:
 SEPT. 1996

FIGURE:
 A-7

PROJECT No.:
 2704-300

SCALE:
 1" = 800'

FILE NUMBER:
 AP32186



CLIENT:
 NORTHROP GRUMMAN CORP.
 BETHPAGE, LONG ISLAND, NY

DWG. TITLE:
 AERIAL PHOTOGRAPH 4-14-93

RADIAN
INTERNATIONAL LLC
 FAIRFIELD, NEW JERSEY

DRAWN BY:
 BTD

DATE:
 SEPT. 1996

FIGURE:
 A-8

PROJECT No.:
 2704-300

SCALE:
 1" = 2000'

FILE NUMBER:
 AP41493

O

O

O

B

APPENDIX B
CHAIN OF TITLE



Land Title Research

Suite 1200
11 North Pearl Street
Albany, New York 12207


PHONE (518) 427-6929
FAX (518) 427-6965

May 31, 1996

Mr. Michael Huston
Radian International
710 Route 46 East, Suite 401
Fairfield, NJ 07004

Client Reference: EDR
LTR Reference: 961204

Subject: Grumman
Bethpage, NY
Jurisdiction: Nassau County, NY
Term of Search: Seventy Five years
Record Owner: Grumman Aerospace Corp.



A seventy five year property history search has been conducted on your behalf in the State of New York, County of Nassau for the subject listed above. Please find attached a Grantor/Grantee Report, supporting documents and additional information as requested.

The information set forth in this report was compiled from public records and other sources maintained by third parties. Therefore, we can not be held responsible for error, omission or inaccurate information, although we have exercised reasonable care in its compilation.

DOCUMENT COVER PAGE

Northrop Grumman Gold Property
Adjacent to Stewart Ave. & S. Oyster Bay Rd., Bethpage, Nassau County, NY

CLIENT REFERENCE #:

LTR REFERENCE #: 961204

- GRANTOR/GRANTEE REPORT
- CURRENT DEED WITH RECORD OWNER
- HISTORICAL DEEDS AND LEASES
- TAX MAP



11 North Pearl Street Albany, New York 12207 (518) 427-6929 FAX: (518) 427-6965


MAP

Northrop Grumman Gold Property
Adjacent to Stewart Ave. & S. Oyster Bay Rd. Bethpage Nassau County NY



CLIENT REFERENCE #:

LTR REFERENCE # 961204

MAPS ATTACHED




11 North Pearl Street Albany, New York 12207 (518) 427-6929 FAX (518) 427-6965



NASSAU COUNTY LAND & TAX MAP

DEPARTMENT OF ASSESSMENT
ABE SELDON
PLANNING BOARD OF ASSESSES



DIST. MUNICIPALITIES	
TOWNSHIP	WATSON
CITY OF	WATSON
CITY OF	WATSON
CITY OF	WATSON
CITY OF	WATSON


SPECIAL DISTRICTS	
DAMAGE	0
LIEN	0
LIEN	0
LIEN	0
LIEN	0

SPECIAL DISTRICTS	
PUBLIC PARKING	0
URBAN CONSERVATION	0
SEWER	0
WATER	0

SPECIAL DISTRICTS	
SEWER	0
WATER	0
LIEN	0
LIEN	0
LIEN	0

SPECIAL DISTRICTS	
LIEN	0
LIEN	0
LIEN	0
LIEN	0
LIEN	0

SPECIAL DISTRICTS	
LIEN	0
LIEN	0
LIEN	0
LIEN	0
LIEN	0




SPECIAL DISTRICTS

057 MUNICIPALITY

400 200 0
SCALE 1" = 100'

UNITED STATES OF AMERICA
LOT NOS: 6 8 9
NASSAU COUNTY I.D.A.
LOT 61




E 2,143,000

N 196,200


N 192,000
E 2,137,800


EXCEPT AS NOTED



DETAIL "A"
SCALE 1" = 10'


E 2,138,200







FOR ADJOINING AREA SEE MAP NO. 19

FOR ADJOINING AREA SEE MAP NO. 21





FOR ACQUAINING AREA SEE MAP NO 21



1:24 AIRBORNE AID & RES. MAP NO. 28

GRANTOR/GRANTEE REPORT

Northrop Grumman Gold Property
Adjacent to Stewart Ave. & S. Oyster Bay Rd., Bethpage, Nassau County, NY
CHAIN ONE

CLIENT REFERENCE #:

LTR REFERENCE #: 961204

Chain One (A)

1.

Grantor: BWS Realty Co., a Co-Partnership Instrument: Bargain & Sale Deed

Dated: 08-01-74

Grantee: Grumman Aerospace Corporation,
a New York Corporation Recorded: 08-07-74

Conveyed: As described, copy attached Book: 8709 Page: 156

2.

Grantor: Grumman Aircraft Engineering
Corporation, a Domestic
Corporation Instrument: Bargain & Sale Deed

Dated: 07-02-69

Grantee: Grumman Aerospace Corporation,
a Domestic Corporation Recorded: 01-20-70

Conveyed: As described, copy attached Book: 8080 Page: 298


3.

Grantor: Taco Building Corp. Instrument: Bargain & Sale Deed

Dated: 11-30-64

Grantee: BWS Realty Co., a co-partnership
comprised of Morris Back, Samuel
Wax, Harrison A. Streisfeld &
Harry Back Recorded: 12-01-64

Conveyed: Same as in L8709 Pg. 156 Book: 7341 Page: 6



11 North Pearl Street Albany, New York 12207 (518) 427-6929 FAX:(518) 427-6965

GRANTOR/GRANTEE REPORT

Northrop Grumman Gold Property
Adjacent to Stewart Ave. & S. Oyster Bay Rd., Bethpage, Nassau County, NY
CHAIN ONE

CLIENT REFERENCE #:

LTR REFERENCE #: 961204

4.
Grantor: Grumman Aircraft Engineering Corporation, a Domestic Corporation
Instrument: Bargain & Sale Deed
Dated: 06-11-57
Grantee: Taco Building Corp., a Domestic Corporation
Recorded: 06-17-57
Conveyed: As described, copy attached
Book: 6224 Page: 416

End of Chain One (A)

Chain One (B)


5.
Grantor: Grumman Aircraft Engineering Corporation, a Domestic Corporation
Instrument: Bargain & Sale Deed
Dated: 03-25-59
Grantee: Taco Building Corp., a Domestic Corporation
Recorded: 04-02-59
Conveyed: As described, copy attached
Book: 6518 Page: 521

End of Chain One (B)

Chain One (C)

6.
Grantor: Grumman Aircraft Engineering Corporation, a Domestic Corporation
Instrument: Bargain & Sale Deed
Dated: 07-28-64
Grantee: Taco Building Corp., a Domestic Corporation
Recorded: 08-14-64
Conveyed: As described, copy attached
Book: 7305 Page: 400

End of Chain One (C)



11 North Pearl Street Albany, New York 12207 (518) 427-6929 FAX:(518) 427-6965

GRANTOR/GRANTEE REPORT

Northrop Grumman Gold Property
Adjacent to Stewart Ave. & S. Oyster Bay Rd., Bethpage, Nassau County, NY
CHAIN ONE

CLIENT REFERENCE #:

LTR REFERENCE #: 961204

Chain One (D)

7.

Grantor:	Paumanock Development Corporation, a New York Corporation	Instrument:	Bargain & Sale Deed
		Dated:	08-12-86
Grantee:	Grumman Aerospace Corporation, a New York Corporation	Recorded:	10-07-86
Conveyed:	As described, copy attached	Book: 9759	Page: 193

End of Chain One (D)

Chain One (E)

8.


Grantor:	Grumman Aerospace Corporation, a Domestic Corporation	Instrument:	Bargain & Sale Deed
		Dated:	11-01-73
Grantee:	Paumanock Development Corporation, a New York Corporation	Recorded:	12-06-73
Conveyed:	As described, copy attached	Book: 8622	Page: 356

End of Chain One (E)

Chain One (F)

9.

Grantor:	Tomona Realty Company, Inc.	Instrument:	Bargain & Sale Deed
		Dated:	07-14-41
Grantee:	Grumman Aircraft Engineering Corporation, a Domestic Corporation	Recorded:	07-18-41
Conveyed:	Old Lot 6	Book: 2388	Page: 338



11 North Pearl Street Albany, New York 12207 (518) 427-6929 FAX: (518) 427-6965

GRANTOR/GRANTEE REPORT

Northrop Grumman Gold Property
Adjacent to Stewart Ave. & S. Oyster Bay Rd., Bethpage, Nassau County, NY
CHAIN ONE

CLIENT REFERENCE #:

LTR REFERENCE #: 961204

10.

Grantor:	Edward S. Keough, Referee	Instrument:	Referee's Deed
		Dated:	11-23-35
Grantee:	Tomona Realty Company, Inc.	Recorded:	01-14-36
Conveyed:	46-G-6 and much more, foreclosing eight mtgs.	Book: 1865	Page: 110


11.

Grantor:	Tomona Realty Company, Inc.	Instrument:	Deed
		Dated:	05-28-26
Grantee:	Cripple Bush Realty Corporation	Recorded:	06-03-26
Conveyed:	46-G-6 and much more	Book: 1106	Page: 144

12.

Grantor:	Fairlawn Cemetery Society, a Domestic Corporation	Instrument:	Deed
		Dated:	05-22-17
Grantee:	Tomona Realty Company, Inc.	Recorded:	05-31-17
		Book: 475	Page: 32

END OF CHAIN ONE



11 North Pearl Street Albany, New York 12207 (518) 427-6929 FAX:(518) 427-6965

GRANTOR/GRANTEE REPORT

Northrop Grumman Gold Property
Adjacent to Stewart Ave. & S. Oyster Bay Rd., Bethpage, Nassau County, NY
CHAIN TWO

CLIENT REFERENCE #:

LTR REFERENCE #: 961204

Chain Two (A)

1.

Grantor:	Grumman Aircraft Engineering Corporation, a Domestic Corporation	Instrument:	
		Dated:	07-02-69
Grantee:	Grumman Aerospace Corporation, a Domestic Corporation	Recorded:	12-31-69
Conveyed:	As described, copy attached	Book: 8074	Page: 450

2.


Grantor:	Michael F. Looney, James G. Looney, John L. Looney, Mavita P. Looney	Instrument:	Bargain & Sale Deed
		Dated:	09-10-48
Grantee:	Grumman Aircraft Engineering Corporation, a Domestic Corporation	Recorded:	09-15-48
Conveyed:	Same as in L. 8074 Pg. 450	Book: 3671	Page: 327

End of Chain Two (A)

Chain Two (B)

3.

Grantor:	Irving R. Kingdon	Instrument:	Bargain & Sale Deed
		Dated:	12-18-86
Grantee:	Grumman Aerospace Corporation, a Domestic Corporation	Recorded:	02-24-87
Conveyed:	As described, copy attached	Book: 9792	Page: 519



11 North Pearl Street Albany, New York 12207 (518) 427-6929 FAX:(518) 427-6965

GRANTOR/GRANTEE REPORT

Northrop Grumman Gold Property
Adjacent to Stewart Ave. & S. Oyster Bay Rd., Bethpage, Nassau County, NY
CHAIN TWO

CLIENT REFERENCE #:

LTR REFERENCE #: 961204

4.


Grantor:	Kingdon Enterprises, Inc.	Instrument:	Deed
		Dated:	08-30-77
Grantee:	Irving R. Kingdon	Recorded:	09-02-77
Conveyed:	Same as in L 9792 Pg. 519	Book: 9061	Page: 67

5.

Grantor:	Irving R. Kingdon	Instrument:	Bargain & Sale Deed
		Dated:	08-30-77
Grantee:	Kingdon Enterprises, Inc.	Recorded:	08-31-77
Conveyed:	Same as in L 9792 Pg. 519	Book: 9060	Page: 177

6.

Grantor:	Kingdon Enterprises, Inc.	Instrument:	Deed
		Dated:	09-18-73
Grantee:	Irving R. Kingdon	Recorded:	09-27-73
Conveyed:	Same as in L 9792 Pg. 519	Book: 8598	Page: 1



11 North Pearl Street Albany, New York 12207 (518) 427-6929 FAX:(518) 427-6965

GRANTOR/GRANTEE REPORT

Northrop Grumman Gold Property
Adjacent to Stewart Ave. & S. Oyster Bay Rd., Bethpage, Nassau County, NY
CHAIN TWO

CLIENT REFERENCE #: LTR REFERENCE #: 961204

7.

Grantor: Irving R. Kingdon Instrument: Deed
Dated: 09-18-73
Grantee: Kingdon Enterprises Recorded: 09-21-73
Conveyed: Same as in L 9792 Pg. 143 Book: 8595 Page: 143

8.


Grantor: Murray A. Bruckman, Leonard
Marcus, as successor trustees for
Leslie Teicholz under agreement
of trust dated 5-29-56 & Murray
Bruckman & Leonard Marcus as
successor trustees for Eleanor,
Stephen & Peter Klien under
agreement of trust dated 5-29-56
Instrument: Deed
Dated: 04-30-59
Grantee: Irving R. Kingdon, d/b/a Industrial
Builders Co. Recorded: 05-13-59
Conveyed: Part of 46-N-51+64 Book: 6536 Page: 193

End of Chain Two (B)

Chain Two (C)

9.

Grantor: Oyster Bay Road Realty Corp. Instrument: Bargain & Sale Deed
Dated: 10-31-56
Grantee: Irving Abramson & David Osler,
trustees for Leslie Teicholz under
Agreement dated 5-29-56 & Irving
Abramon & David Osler, trustees
for Eleanor Klein, Stephen Klein, &
Peter Klein, under agreement
dated 5-29-56 Recorded: 01-02-57
Conveyed: Part of 46-N-Part of 12 Book: 6148 Page: 418



11 North Pearl Street Albany, New York 12207 (518) 427-6929 FAX:(518) 427-6965

GRANTOR/GRANTEE REPORT

Northrop Grumman Gold Property
Adjacent to Stewart Ave. & S. Oyster Bay Rd., Bethpage, Nassau County, NY
CHAIN TWO

CLIENT REFERENCE #:

LTR REFERENCE #: 961204

10.

Grantor:	Kalman Klein & David Teicholz	Instrument:	Warranty Deed
		Dated:	09-11-52
Grantee:	Oyster Bay Road Realty Corp.	Recorded:	01-28-53
Conveyed:	46-N Part of 12	Book: 5117	Page: 439

11.

Grantor:	Herman L. Zirk & Augusta W. Zirk, H/W	Instrument:	Bargain & Sale Deed
		Dated:	02-25-52
Grantee:	Kalman Klein & David Teicholz	Recorded:	02-28-52
Conveyed:	46-N-Part of 12	Book: 4803	Page: 298


12.

Grantor:	Margaret Miller	Instrument:	Bargain & Sale Deed
		Dated:	07-23-48
Grantee:	Herman L. Zirk & Augusta W. Zirk, H/W	Recorded:	08-03-48
Conveyed:	46-N-12	Book: 3641	Page: 434

Chain Two (C)

13.

Grantor:	Lakeville Merrick Corp.	Instrument:	Bargain & Sale Deed
		Dated:	05-12-59
Grantee:	Irving R. Kingdon, d/b/a Industrial Builders Co.	Recorded:	05-13-59
Conveyed:	As described, copy attached	Book: 6536	Page: 189



11 North Pearl Street Albany, New York 12207 (518) 427-6929 FAX (518) 427-6965

GRANTOR/GRANTEE REPORT

Northrop Grumman Gold Property
Adjacent to Stewart Ave. & S. Oyster Bay Rd., Bethpage, Nassau County, NY
CHAIN TWO

CLIENT REFERENCE #:

LTR REFERENCE #: 961204

14.

Grantor: Joe Lo Fano & Rose Lo Fano,
H/W

Instrument: Bargain & Sale Deed

Dated: 09-09-52


Grantee: Lakeville Merrick Corp.

Recorded: 09-12-52

Conveyed: 46-N-Part of 38

Book: 4982 Page: 505

END OF CHAIN TWO



11 North Pearl Street Albany, New York 12207 (518) 427-6929 FAX:(518) 427-6965

GRANTOR/GRANTEE REPORT

Northrop Grumman Gold Property
Adjacent to Stewart Ave. & S. Oyster Bay Rd., Bethpage, Nassau County, NY
CHAIN THREE

CLIENT REFERENCE #:

LTR REFERENCE #: 961204

Chain Three (A)

1.

Grantor:	Grumman Aircraft Engineering Corporation	Instrument:	Bargain & Sale Deed
		Dated:	07-02-69
Grantee:	Grumman Aerospace Corporation	Recorded:	12-21-69
Conveyed:	As described, copy attached	Book: 8074	Page: 433

END OF CHAIN THREE(A)

Chain Three (B)

2.

Grantor:	Grumman Aircraft Engineering Corporation	Instrument:	Bargain & Sale Deed
		Dated:	07-02-69
Grantee:	Grumman Aerospace Corporation	Recorded:	03-28-72
Conveyed:	As described, copy attached	Book: 8367	Page: 101

END OF CHAIN THREE (B)

Chain Three (C)

3.


Grantor:	Grumman Aircraft Engineering Corporation	Instrument:	Bargain & Sale Deed
		Dated:	07-02-69
Grantee:	Grumman Aerospace Corporation	Recorded:	12-21-69
Conveyed:	As described, copy attached	Book: 8074	Page: 433

END OF CHAIN THREE (C)

Chain Three (D)

4.

Grantor:	Eugene Calissi et al.	Instrument:	Bargain & Sale Deed
		Dated:	07-30-65
Grantee:	Grumman Aircraft Engineering Corporation	Recorded:	08-04-65
Conveyed:	P/O New lot 20	Book: 7412	Page: 607



11 North Pearl Street Albany, New York 12207 (518) 427-6929 FAX:(518) 427-6965

GRANTOR/GRANTEE REPORT

Northrop Grumman Gold Property
Adjacent to Stewart Ave. & S. Oyster Bay Rd., Bethpage, Nassau County, NY
CHAIN THREE

CLIENT REFERENCE #:

LTR REFERENCE #: 961204

5.

Grantor: Calissi Brothers, Inc. Instrument: Bargain & Sale Deed

Dated: 12-29-61

Grantee: Eugene Calissi, et al.

Recorded: 01-02-62

Conveyed: P/O New Lot 20

Book: 6962 Page: 506

6.

Grantor: Lawrence Calissi a/k/a Lawrence Calissi Instrument: Warranty Deed

Dated: 02-06-56

Grantee: Calissi Brothers, Inc.

Recorded: 03-06-56

Conveyed: P/O New Lot 20

Book: 5980 Page: 428

7.

Grantor: Gertrude Jaeger, widow Instrument: Warranty Deed

Dated: 03-25-43

Grantee: Lawrence Calissi

Recorded: 05-23-43

Conveyed: P/O New Lot 20

Book: 4152 Page: 569

8.

Grantor: Mindlin + Rosenman, Inc. Instrument: Quit Claim Deed

Dated: 09-01-26


Grantee: Flovio Corporation of Hewleh New York

Recorded: 09-21-26

Conveyed:

Book: 1135 Page: 431

END OF CHAIN THREE (D)



11 North Pearl Street Albany, New York 12207 (518) 427-6929 FAX:(518) 427-6965

GRANTOR/GRANTEE REPORT

Northrop Grumman Gold Property
Adjacent to Stewart Ave. & S. Oyster Bay Rd., Bethpage, Nassau County, NY
CHAIN THREE

CLIENT REFERENCE #:

LTR REFERENCE #: 961204

Chain Three (E)


9.

Grantor:	Lawrence Calissi	Instrument:	Warranty Deed
		Dated:	02-06-56
Grantee:	Calissi Brother, Inc.	Recorded:	03-08-56
Conveyed:	P/O/ New Lot #22	Book: 5982	Page: 246

10.

Grantor:	Eugene Calisi, et al.	Instrument:	Warranty Deed
		Dated:	08-24-48
Grantee:	Lawrence Calissi, Sr.	Recorded:	04-20-49
Conveyed:	P/O New Lot # 22	Book: 3817	Page: 586

END OF CHAIN THREE



11 North Pearl Street Albany, New York 12207 (518) 427-6929 FAX:(518) 427-6965


GRANTOR/GRANTEE REPORT

Northrop Grumman Gold Property
Adjacent to Stewart Ave. & S. Oyster Bay Rd., Bethpage, Nassau County, NY
CHAIN FOUR

CLIENT REFERENCE #:

LTR REFERENCE #: 961204

1.			
Grantor:	Grumman Aircraft Engineering Corporation	Instrument:	Bargain & Sale Deed
		Dated:	07-02-69
Grantee:	Grumman Aerospace Corporation	Recorded:	12-31-69
Conveyed:	As described, copy attached	Book: 8074	Page: 442
2.			
Grantor:	C.T.C. Construction Corp.	Instrument:	Bargain & Sale Deed
		Dated:	02-06-64
Grantee:	Fred Wirtz & Dorothy Wirtz	Recorded:	02-11-64
Conveyed:	sec 46-323-52	Book: 7250	Page: 80
3.			
Grantor:	Joseph Corsentino	Instrument:	Bargain & Sale Deed
		Dated:	10-07-63
Grantee:	C.T.C. Construction Corp.	Recorded:	10-29-63
Conveyed:	Sec 46-323-52	Book: 7220	Page: 154
4.			
Grantor:	Milly Czuchman	Instrument:	05-17-63
		Dated:	05-22-63
Grantee:	Joseph Corsentino	Recorded:	05-22-63
Conveyed:	Sec 46-323-52	Book: 7159	Page: 574



11 North Pearl Street Albany, New York 12207 (518) 427-6929 FAX:(518) 427-6965

GRANTOR/GRANTEE REPORT

Northrop Grumman Gold Property
Adjacent to Stewart Ave. & S. Oyster Bay Rd., Bethpage, Nassau County, NY
CHAIN FOUR

CLIENT REFERENCE #:

LTR REFERENCE #: 961204


5.

Grantor:	Grumman Aircraft Engineering Corporation	Instrument:	Bargain & Sale Deed
		Dated:	05-01-62
Grantee:	Milly Czuchman	Recorded:	05-10-62
Conveyed:	As described, copy attached	Book: 7010	Page: 372

6.

Grantor:	Frederick V. Goess	Instrument:	Executor's Deed
		Dated:	05-15-54
Grantee:	Grumman Aircraft Engineering Corporation	Recorded:	06-10-54
Conveyed:	As described, copy attached	Book: 5556	Page: 277

END OF CHAIN FOUR



11 North Pearl Street Albany, New York 12207 (518) 427-6929 FAX:(518) 427-6965

GRANTOR/GRANTEE REPORT

Northrop Grumman Gold Property
Adjacent to Stewart Ave. & S. Oyster Bay Rd., Bethpage, Nassau County, NY
CHAIN FIVE

CLIENT REFERENCE #:

LTR REFERENCE #: 961204

Chain Five (A)

1.

Grantor: Grumman Aircraft Engineering Corporation Instrument: Bargain & Sale Deed

Dated: 07-02-69

Grantee: Grumman Aerospace Corporation Recorded: 01-19-70

Conveyed: As described, copy attached Book: 8080 Page: 310

Grantor: Grumman Aircraft Engineering Corporation Instrument: Bargain & Sale Deed

Dated: 07-02-69

Grantee: Grumman Aerospace Corporation Recorded: 01-19-70

Conveyed: Sec. 46 BI 323 Lot 16A Book: 8080 Page: 128

Grantor: Grumman Aircraft Engineering Corporation Instrument: Bargain & Sale Deed

Dated: 07-02-69

Grantee: Grumman Aerospace Corporation Recorded: 01-19-70

Conveyed: Sec 46 BI 323 Lot 16a & 16B Book: 8080 Page: 123


Grantor: Grumman Aircraft Engineering Corporation Instrument: Bargain & Sale Deed

Dated: 07-02-69

Grantee: Grumman Aerospace Corporation Recorded: 01-19-70

Conveyed: Sec 46 BI 323 Lot 16 a & 16b Book: 8080 Page: 120

END OF CHAIN FIVE (A)



11 North Pearl Street Albany, New York 12207 (518) 427-6929 FAX:(518) 427-6965

GRANTOR/GRANTEE REPORT

Northrop Grumman Gold Property
Adjacent to Stewart Ave. & S. Oyster Bay Rd., Bethpage, Nassau County, NY
CHAIN FIVE

CLIENT REFERENCE #:

LTR REFERENCE #: 961204

Chain Five (B)

2.

Lessor:	Fortunato Sons, Inc.	Instrument:	Lease
		Dated:	08-31-81
Lessee:	Grumman Aerospace Corporation	Recorded:	
Conveyed:	As described, copy attached	Book: 9397	Page: 920

3.


Grantor:	Grumman Aerospace Corporation	Instrument:	Bargain & Sale Deed
		Dated:	08-01-69
Grantee:	John Pizzuti	Recorded:	11-05-__
Conveyed:	As described, copy attached	Book: 8994	Page: 234

END OF CHAIN FIVE (B)

Chain Five (C)

4.

Grantor:	Grumman Aircraft Engineering Corporation	Instrument:	Bargain & Sale Deed
		Dated:	07-02-69
Grantee:	Grumman Aerospace Corporation	Recorded:	12-31-69
Conveyed:	As described, copy attached	Book: 8074	Page: 440



11 North Pearl Street Albany, New York 12207 (518) 427-6929 FAX:(518) 427-6965

GRANTOR/GRANTEE REPORT

Northrop Grumman Gold Property
Adjacent to Stewart Ave. & S. Oyster Bay Rd., Bethpage, Nassau County, NY
CHAIN FIVE

CLIENT REFERENCE #:

LTR REFERENCE # 961204

5.
Grantor: United State of America Instrument: Quit Claim Deed
Dated: 07-01-47
Grantee: Grumman Aircraft Engineering Corporation Recorded: 01-21-48
Conveyed: Book: 3509 Page: 482

END OF CHAIN FIVE (C)

Chain Five (D)

6.
Grantor: Grumman Aircraft Engineering Corporation Instrument: Bargain & Sale Deed
Dated: 07-02-69
Grantee: Grumman Aerospace Corporation Recorded: 01-27-70
Conveyed: As described, copy attached Book: 8080 Page: 318


END OF CHAIN FIVE (D)

Chain Five (E)

7.
Grantor: Grumman Aircraft Engineering Corporation Instrument: Bargain & Sale Deed
Dated: 07-02-69
Grantee: Grumman Aerospace Corporation Recorded: 12-31-69
Conveyed: As described, copy attached Book: 8074 Page: 425

8.
Grantor: County of Nassau Instrument: Quit Claim Deed
Dated: 09-11-51
Grantee: Grumman Aircraft Engineering Corporation Recorded: 09-17-51
Conveyed: 46-323-78B & 78A Book: 4659 Page: 70

END OF CHAIN FIVE (E)



11 North Pearl Street Albany, New York 12207 (518) 427-6929 FAX:(518) 427-6965

GRANTOR/GRANTEE REPORT

Northrop Grumman Gold Property
Adjacent to Stewart Ave. & S. Oyster Bay Rd., Bathpage, Nassau County, NY
CHAIN FIVE

CLIENT REFERENCE #: LTR REFERENCE #: 961204

Chain Five (F)

9.

Grantor:	Grumman Aircraft Engineering Corporation	Instrument:	Deed
		Dated:	07-02-69
Grantee:	Grumman Aerospace Corporation	Recorded:	01-20-70
Conveyed:	As described, copy attached	Book: 8080	Page: 302

10.

Grantor:	Grumman Aircraft Engineering Corporation	Instrument:	Bargain & Sale Deed
		Dated:	07-02-69
Grantee:	Grumman Aerospace Corporation	Recorded:	12-31-69
Conveyed:	As described, copy attached	Book: 8074	Page: 425

11.


Grantor:	County of Nassau	Instrument:	Quit Claim Deed
		Dated:	09-11-51
Grantee:	Grumman Aircraft Engineering Corporation	Recorded:	09-17-51
Conveyed:	46-323-78B & 78A	Book: 4659	Page: 70

END OF CHAIN FIVE (F)

Chain Five (G)

12.

Grantor:	Grumman Aircraft Engineering Corporation	Instrument:	Bargain & Sale Deed
		Dated:	07-02-69
Grantee:	Grumman Aerospace Corporation	Recorded:	01-19-70
Conveyed:	As described, copy attached	Book: 8080	Page: 134



11 North Pearl Street Albany, New York 12207 (518) 427-6929 FAX: (518) 427-6965

GRANTOR/GRANTEE REPORT

Northrop Grumman Gold Property
Adjacent to Stewart Ave. & S Oyster Bay Rd., Bethpage, Nassau County, NY
CHAIN FIVE

CLIENT REFERENCE #:

LTR REFERENCE #: 961204

13.

Grantor: Grumman Aircraft Engineering Corporation Instrument: Bargain & Sale Deed

Dated: 07-02-69

Grantee: Grumman Aerospace Corporation Recorded: 01-19-70

Conveyed: As described, copy attached Book: 8080 Page: 132

14.


Grantor: Grumman Aircraft Engineering Corporation Instrument: Bargain & Sale Deed

Dated: 07-02-69

Grantee: Grumman Aerospace Corporation Recorded: 01-19-70

Conveyed: As described, copy attached Book: 8080 Page: 118

END OF CHAIN FIVE



11 North Pearl Street Albany, New York 12207 (518) 427-6929 FAX:(518) 427-6965

GRANTOR/GRANTEE REPORT

Northrop Grumman Gold Property
Adjacent to Stewart Ave. & S. Oyster Bay Rd., Bethpage, Nassau County, NY
CHAIN SIX

CLIENT REFERENCE #:

LTR REFERENCE #: 961204

Chain Six (A)

1.

Grantor:	Grumman Aircraft Engineering Corporation	Instrument:	Bargain & Sale Deed
		Dated:	07-02-69
Grantee:	Grumman Aerospace Corporation	Recorded:	01-19-70
Conveyed:	As described, copy attached	Book: 8080	Page: 118

END OF CHAIN SIX (A)

Chain Six (B)

2.

Grantor:	Grumman Aircraft Engineering Corporation	Instrument:	Bargain & Sale Deed
		Dated:	07-02-69
Grantee:	Grumman Aerospace Corporation	Recorded:	01-20-70
Conveyed:	As described, copy attached	Book: 8080	Page: 306

END OF CHAIN SIX (B)

Chain Six (C)

3.

Grantor:	Grumman Aircraft Engineering Corporation	Instrument:	Bargain & Sale Deed
		Dated:	07-02-69
Grantee:	Grumman Aerospace Corporation	Recorded:	01-19-70
Conveyed:	As described, copy attached	Book: 8080	Page: 126


END OF CHAIN SIX (C)

Chain Six (D)

4.

Grantor:	Tilo Roofing Co., Inc.	Instrument:	Bargain & Sale Deed
		Dated:	07-06-51
Grantee:	Grumman Aircraft Engineering Corporation	Recorded:	07-17-51
Conveyed:	As described, copy attached	Book: 4596	Page: 171

END OF CHAIN SIX (D)



11 North Pearl Street Albany, New York 12207 (518) 427-6929 FAX:(518) 427-6965

GRANTOR/GRANTEE REPORT

Northrop Grumman Gold Property
Adjacent to Stewart Ave. & S. Oyster Bay Rd., Bethpage, Nassau County, NY
CHAIN SIX

CLIENT REFERENCE #:

LTR REFERENCE #: 961204

Chain Six (E)

5.

Grantor:	Grumman Aircraft Engineering Corporation	Instrument:	Bargain & Sale Deed
		Dated:	07-02-69
Grantee:	Grumman Aerospace Corporation	Recorded:	01-19-70
Conveyed:	As described, copy attached	Book: 8080	Page: 115

END OF CHAIN SIX (E)

Chain Six (F)


6.

Lessor:	Grumman Aerospace Corporation	Instrument:	Lease
		Dated:	06-30-88
Lessee:	TBG Cogen Partners	Recorded:	08-09-88
Conveyed:	As described, copy attached	Book: 9931	Page: 286

7.

Grantor:	Grumman Aircraft Engineering Corporation	Instrument:	Bargain & Sale Deed
		Dated:	07-02-69
Grantee:	Grumman Aerospace Corporation	Recorded:	01-20-70
Conveyed:	As described, copy attached	Book: 8080	Page: 306

END OF CHAIN SIX



11 North Pearl Street Albany, New York 12207 (518) 427-6929 FAX:(518) 427-6965

GRANTOR/GRANTEE REPORT

Northrop Grumman Gold Property
Adjacent to Stewart Ave. & S. Oyster Bay Rd., Bethpage, Nassau County, NY
CHAIN SEVEN

CLIENT REFERENCE #:

LTR REFERENCE #: 961204

1.

Grantor:	Grumman Aircraft Engineering Corporation	Instrument:	Bargain & Sale Deed
		Dated:	07-02-69
Grantee:	Grumman Aerospace Corporation	Recorded:	01-19-70
Conveyed:	As described, copy attached	Book: 8080	Page: 115

2.

Grantor:	Grumman Aircraft Engineering Corporation	Instrument:	Bargain & Sale Deed
		Dated:	07-02-69
Grantee:	Grumman Aerospace Corporation	Recorded:	01-20-70
Conveyed:	As described, copy attached	Book: 8080	Page: 318


3.

Grantor:	United States Of America	Instrument:	Deed
		Dated:	05-31-50
Grantee:	Grumman Aircraft Engineering Corporation	Recorded:	08-17-50
Conveyed:	As described, copy attached	Book: 4244	Page: 534

4.

Grantor:	Stephen A. McGunnigle	Instrument:	Deed
		Dated:	11-18-43
Grantee:	Grumman Aircraft Engineering Corporation	Recorded:	11-22-43
Conveyed:		Book: 2664	Page: 47

END OF CHAIN SEVEN



11 North Pearl Street Albany, New York 12207 (518) 427-6929 FAX:(518) 427-6965

GRANTOR/GRANTEE REPORT

Northrop Grumman Gold Property
Adjacent to Stewart Ave. & S. Oyster Bay Rd., Bethpage, Nassau County, NY
CHAIN EIGHT

CLIENT REFERENCE #:

LTR REFERENCE #: 961204

Chain Eight (A)

1.

Grantor:	Grumman Aircraft Engineering Corporation	Instrument:	Bargain & Sale Deed
		Dated:	07-02-69
Grantee:	Grumman Aerospace Corporation	Recorded:	01-20-70
Conveyed:	As described, copy attached	Book: 8080	Page: 314

2.

Grantor:	Tilo Roofing Company, Inc.	Instrument:	Bargain & Sale Deed
		Dated:	07-06-51
Grantee:	Grumman Aircraft Engineering Corporation	Recorded:	07-17-51
Conveyed:	p/o 33	Book: 4596	Page: 171

END OF CHAIN EIGHT (A)


Chain Eight (B)

3.

Grantor:	Grumman Aircraft Engineering Corporation	Instrument:	Bargain & Sale Deed
		Dated:	07-02-69
Grantee:	Grumman Aerospace Corporation	Recorded:	12-31-69
Conveyed:	As described, copy attached	Book: 8074	Page: 436

4.

Grantor:	Pittsburgh Plate Glass Company	Instrument:	Warranty Deed
		Dated:	06-26-59
Grantee:	Grumman Aircraft Engineering Corporation	Recorded:	07-06-59
Conveyed:	As described, copy attached	Book: 6563	Page: 217



11 North Pearl Street Albany, New York 12207 (518) 427-6929 FAX:(518) 427-6965

GRANTOR/GRANTEE REPORT

Northrop Grumman Gold Property
Adjacent to Stewart Ave. & S. Oyster Bay Rd., Bethpage, Nassau County, NY
CHAIN EIGHT

CLIENT REFERENCE #:

LTR REFERENCE # 961204

5.

Grantor:	Tilo Roofing Company, Inc.	Instrument:	Warranty Deed
		Dated:	03-15-54
Grantee:	Pittsburgh Plate Glass Company	Recorded:	03-17-54
Conveyed:	46-504, 133 & 131	Book: 5498	Page: 499

6.

Grantor:	Grumman Aircraft Engineering Corp.	Instrument:	Warranty Deed
		Dated:	07-09-51
Grantee:	Tilo Roofing Company, Inc.	Recorded:	07-18-51
Conveyed:	p/o Lot 30	Book: 4597	Page: 141

END OF CHAIN EIGHT (B)

Chain Eight (C)

7.


Grantor:	Grumman Aircraft Engineering Corp.	Instrument:	Bargain & Sale Deed
		Dated:	07-02-69
Grantee:	Grumman Aerospace Corp.	Recorded:	12-31-69
Conveyed:	As described, copy attached	Book: 8074	Page: 436

END OF CHAIN EIGHT (C)

Chain Eight (D)

8.

Grantor:	Grumman Aircraft Engineering Corp.	Instrument:	Bargain & Sale Deed
		Dated:	07-02-69
Grantee:	Grumman Aerospace Corp.	Recorded:	12-31-69
	As described, copy attached	Book: 8074	Page: 429



11 North Pearl Street Albany, New York 12207 (518) 427-6929 FAX: (518) 427-6965

GRANTOR/GRANTEE REPORT

Northrop Grumman Gold Property
Adjacent to Stewart Ave. & S. Oyster Bay Rd., Bethpage, Nassau County, NY
CHAIN EIGHT

CLIENT REFERENCE #:

LTR REFERENCE #: 961204

9.

Grantor: Pittsburgh Plate Glass Company Instrument: Warranty Deed

Dated: 06-25-59

Grantee: Grumman Aircraft Engineering Corporation Recorded: 12-31-69

Conveyed: As described, copy attached Book: 6563 Page: 217

10.


Grantor: Tilo Roofing Company, Inc. Instrument: Warranty Deed

Dated: 03-15-54

Grantee: Pittsburgh Plate Glass Company Recorded: 03-17-51

Conveyed: 46-504, 133 & 131 Book: 5498 Page: 499

END OF CHAIN EIGHT



11 North Pearl Street Albany, New York 12207 (518) 427-6929 FAX:(518) 427-6965

GRANTOR/GRANTEE REPORT

Northrop Grumman Gold Property
Adjacent to Stewart Ave. & S. Oyster Bay Rd., Bethpage, Nassau County, NY
CHAIN NINE

CLIENT REFERENCE #: LTR REFERENCE #: 961204


1.
Grantor: Grumman Aircraft Engineering Corporation Instrument: Bargain & Sale Deed
Dated: 07-02-69
Grantee: Grumman Aerospace Corporation Recorded: 12-31-69
Conveyed: As described, copy attached Book: 8074 Page: 425

2.
Grantor: County of Nassau Instrument: Deed
Dated: 09-11-51
Grantee: Grumman Aircraft Engineering Corporation Recorded: 09-17-51
Conveyed: As described, copy attached Book: 4659 Page: 70

3.
Grantor: Grumman Aircraft Engineering Corporation Instrument: Bargain & Sale Deed
Dated: 07-02-69
Grantee: Grumman Aerospace Corporation Recorded: 01-19-70
Conveyed: As described, copy attached Book: 8080 Page: 118

4.
Grantor: Charles Van Nostrand Instrument: Warranty Deed
Dated: 04-28-50
Grantee: Grumman Aircraft Engineering Corporation Recorded: 05-02-50
Conveyed: As described, copy attached Book: 4131 Page: 448

END OF CHAIN NINE
END OF REPORT



11 North Pearl Street Albany, New York 12207 (518) 427-6929 FAX:(518) 427-6965

CURRENT DEED


Northrop Grumman Gold Property
Adjacent to Stewart Ave. & S. Oyster Bay Rd., Bethpage, Nassau County, NY

CLIENT REFERENCE #:


LTR REFERENCE #: 961204

See attached Tax Assessor's Report


CURRENT OWNER: Grumman Aerospace Corp.



11 North Pearl Street Albany, New York 12207 (518) 427-6929 FAX:(518) 427-6965



UNITED STATES OF AMERICA
LOT NOS. 8 & 9
NASSAU COUNTY, I.D.A.
LOT 61



SOUTH OYSTER BAY

**SUBJECT
PROPERTY**

N 156,200

N 192,000
E 2,137,800

E 2,143,000

SPECIAL DISTRICTS

TRW·REDI

PARCEL NUMBER BLDG UNIT
OWNER'S NAME
MAILING ADDRESS VRS N/S/NAME
PHONE NUMBER PHONE
PROPERTY LOCATION PHONE

TOWNSHIP
MUNICIPALITY
TAXPAYER NAME
MAILING ADDRESS

SCHOOL
DISTRICT

PROPERTY USE
BUILDING DATA
AND
EXTRA FEATURES

Nationwide 1-800-345-7334

44-504- -9131-0
ORUMMAN AEROSPACE CORP
50 OYSTER BAY RD
BETHPAGE NEW YORK 11714
\$ NEW RD

OYSTER BAY
2489-TOWN OF OYSTER BAY 017

719.14-MANUFACTURING

LOT GROUP-131,133
LOT SIZE- 11.60AC

Copyright 1995
All Rights Reserved

STATISTICAL INFO

V A L U E S
TOTAL-TV
LAND-LV
IMPROVEMENT-IV
COUNTY TAX-CT
SCHOOL TAX-ST
SALE PRICE-SP

8530,750TV
8316,810LV
8215,940IV
8149,461-39CT
8174,470-76ST

CARD NO - 1
SECT - 1
STY HGT - 1.0
NO FLRS - 1.0
RENT UNITS- 1
YR BUILT - 1945

USE: 522-LIGHT MANUFACTURING
TOT AREA-43569 SF
GF AREA-43569 SF
FLR HGT-14
CLASS-MSMRY/CONC MALL
EXT WALL-COMMON BRICK

EXTRA FEATURES:
110-INTERIOR FINISH
MEAS-43569
118-SPPINKLER
MEAS-76191 TYPE - MP4
243-MEZZANINE TYPE - LST
MEAS-7112
242-OFFICE FINISH TYPE - FOP
MEAS-6440
312-CANOPIY
MEAS-274 TYPE - TEF
313-GRADE/PLATFORM DOCK
MEAS-330 TYPE - SCC
117-HVAC
MEAS-63670
401-YARD PAVING
MEAS-181600 TYPE - BTP
410-CHAINLINK FENCING
MEAS-1910 TYPE - B06

USE: 522-LIGHT MANUFACTURING
TOT AREA-19481 SF
GF AREA-19481 SF
FLR HGT-26
CLASS-MSMRY/CONC MALL
EXT WALL-COMMON BRICK

USE: 528-MECHANICAL ROOM
TOT AREA-4100 SF
FLR HGT-13
CLASS-MSMRY/CONC MALL
EXT WALL-COMMON BRICK

USE: 522-LIGHT MANUFACTURING
TOT AREA-2609 SF
GF AREA-2609 SF
FLR HGT-13
CLASS-MSMRY/CONC MALL
EXT WALL-COMMON BRICK

CARD NO - 1
SECT - 2
STY HGT - 1.0
NO FLRS - 1.0
YR BUILT - 1945

CARD NO - 1
SECT - 3
STY HGT - 2.0
NO FLRS - 1.0
YR BUILT - 1945

CARD NO - 1
SECT - 4
STY HGT - 1.0
NO FLRS - 1.0
YR BUILT - 1945

TRW·REDI

Nationwide 1-800-345-7334

Nationwide 1-800-345-7334

Copyright 1995
All Rights Reserved

TRW·REDI

Nationwide 1-800-345-7334

PARCEL NUMBER BLDG UNIT
OWNER'S NAME
MAILING ADDRESS
PHONE NUMBER YRS W/SAME
PROPERTY LOCATION PHONE

TOWNSHIP
MUNICIPALITY
TAXPAYER NAME
MAILING ADDRESS

SCHOOL
DISTRICT

PROPERTY USE
BUILDING DATA
AND
EXTRA FEATURES

STATISTICAL INFO

Copyright 1995
All Rights Reserved

V A L U E S
TOTAL-TV
LAND-LV
IMPROVEMENT-TV
COUNTY TAX-CT
SCHOOL TAX-ST
SALE PRICE-SP

46-506-0131-0
GRUNMAN AEGOSPE CORP
S NEW RD

710-14-MANUFACTURING

USE: 525-INDUSTRIAL OFFICE
TOT AREA-17095 SF
GF AREA-17095 SF
FLR HGT-9
CLASS-WOOD FRAME CONC
EXT WALL-WOOD SIDING

USE: 525-INDUSTRIAL OFFICE
TOT AREA-500 SF
GF AREA-500 SF
FLR HGT-12
CLASS-MSHRY/CONC MALL
EXT WALL-COMMON BRICK

USE: 522-LIGHT MANUFACTURING
TOT AREA-5270 SF
GF AREA-5270 SF
FLR HGT-20
CLASS-MSHRY/CONC MALL
EXT WALL-METAL SIDING
BSMT-UTIL./STG USE

EXTRA FEATURES:

110-SPRINKLER TYPE - MFS
MEAS-12017
243-MEZZANINE TYPE - HMD
MEAS-3760
110-INTERIOR FINISH
MEAS-5270
312-CANOPY TYPE - TIU
MEAS-506

USE: 511-GENERAL WAREHOUSE
TOT AREA-619 SF
GF AREA-619 SF
FLR HGT-12
CLASS-MSHRY/CONC MALL
EXT WALL-METAL SIDING

USE: 522-LIGHT MANUFACTURING
TOT AREA-20638 SF
GF AREA-20638 SF
FLR HGT-12
CLASS-PRE EMG-STL FR
EXT WALL-METAL SIDING

EXTRA FEATURES:

110-SPRINKLER TYPE - MP6
MEAS-20297
117-MVAC
MEAS-10897

CONTINUED

CARD NO - 2
SECT - 1
STY HGT - 1.0
NO FLRS - 1.0
RENT UNITS - 1
YR BUILT - 1981

CARD NO - 3
SECT - 1
STY HGT - 1.0
NO FLRS - 1.0
RENT UNITS - 1
YR BUILT - 1945

CARD NO - 4
SECT - 1
STY HGT - 1.0
NO FLRS - 1.0
RENT UNITS - 1
YR BUILT - 1945

CARD NO - 4
SECT - 2
STY HGT - 1.0
NO FLRS - 1.0
RENT UNITS - 1
YR BUILT - 1945

CARD NO - 5
SECT - 1
STY HGT - 1.0
NO FLRS - 1.0
RENT UNITS - 1
YR BUILT - 1950

TRW·REDI

Nationwide 1-800-345-7334

TRW·REDI

Nationwide 1-800-345-7334

PARCEL NUMBER BLDG UNIT
OWNER'S NAME
MAILING ADDRESS YRS W/SAME
PHONE NUMBER LOCATION PHONE

TOWNSHIP MUNICIPALITY
MUNICIPALITY TAXPAYER NAME
MAILING ADDRESS

SCHOOL DISTRICT

PROPERTY USE
BUILDING DATA
AND
EXTRA FEATURES

STATISTICAL INFO

Copyright 1995
All Rights Reserved

V A L U E S
TOTAL-TV
LAMO-LV
IMPROVEMENT-IV
COUNTY TAX-CT
SCHOOL TAX-ST
SALE PRICE-SP

46-504-0131-0
GRUNMAN AEOSPACE CORP
S NEW RD

710.14-MANUFACTURING

TOT AREA-6645 SF
GF AREA-6645 SF
FLR HGT-12
CLASS-PRE ENG-STL FR
EXT WALL-METAL SIDING

EXTRA FEATURES:
118-SPRINKLER TYPE - MP6
MEAS-6645
117-HVAC
MEAS-6645

USE: 525-INDUSTRIAL OFFICE
TOT AREA-2070 SF
GF AREA-2070 SF
FLR HGT-12
CLASS-MENRY/CONC MALL
EXT WALL-METAL SIDING
BSMT-NOMINAL UTILITY

EXTRA FEATURES:
110-SPRINKLER TYPE - MP6
MEAS-5313

USE: 527-GENERAL INDUST. UTIL
TOT AREA-1175 SF
FLR HGT-10
CLASS-MENRY/CONC MALL
EXT WALL-METAL SIDING

USE: 515-GENERAL STORAGE
TOT AREA-960 SF
GF AREA-960 SF
FLR HGT-12
CLASS-WOOD FRAME CONC
EXT WALL-WOOD SIDING
BSMT-FNSH.-FL 1 QLT

USE: 723-STEAM GEN. PLANT
TOT AREA-1924 SF
GF AREA-1924 SF
FLR HGT-26
CLASS-MENRY/CONC MALL
EXT WALL-COMMON BRICK

USE: 522-LIGHT MANUFACTURING
TOT AREA-1544 SF
GF AREA-1544 SF
FLR HGT-30
CLASS-MENRY/CONC MALL
EXT WALL-CONCRETE BLOCK

---CONTINUED---

CARD NO - 6
SECT - 1
STY HGT - 1.0
NO FLRS - 1.0
RENT UNITS - 1
YR BUILT - 1968

CARD NO - 7
SECT - 1
STY HGT - 2.0
NO FLRS - 1.0
RENT UNITS - 1
YR BUILT - 1945

CARD NO - 7
SECT - 2
STY HGT - 2.0
NO FLRS - 1.0
YR BUILT - 1945

CARD NO - 6
SECT - 1
STY HGT - 1.0
NO FLRS - 1.0
RENT UNITS - 1
YR BUILT - 1945

CARD NO - 9
SECT - 1
STY HGT - 1.0
NO FLRS - 1.0
RENT UNITS - 1
YR BUILT - 1945

CARD NO - 10
SECT - 1
STY HGT - 1.0
NO FLRS - 1.0
RENT UNITS - 1
YR BUILT - 1971

018

MASSAU, N.Y.

TRW·REDI

Nationwide 1-800-345-7334

Copyright 1995
All Rights Reserved

TRW·REDI

Nationwide 1-800-345-7334

Copyright 1995
All Rights Reserved

PARCEL NUMBER	BLDG UNIT	TOWNSHIP MUNICIPALITY	SCHOOL DISTRICT	PROPERTY USE BUILDING DATA AND EXTRA FEATURES	STATISTICAL INFO	V A L U E S
46-0-0055-0	GRUMMAN AEROSPACE CORP SO OYSTER BAY RD BETHPAGE NEW YORK 11714 STEMART AVE	OYSTER BAY	021	710.14-MANUFACTURING		TOTAL-TV LAND-LV IMPROVEMENT-IV COUNTY TAX-CT SCHOOL TAX-ST SALE PRICE-SP \$5,600TV \$5,600LV \$1,402,24CT \$2,201,62ST
46-N-0020-0	GRUMMAN AEROSPACE CORP SOUTH OYSTER BAY RD BETHPAGE NEW YORK 11714 S OYSTER BAY RD	OYSTER BAY	017	710.54-MANUFACTURING		LIDR 8000-0290 \$6,050TV \$5,920LV \$1,300IV \$1,705,96CT \$1,900,86ST
46-N-0051-0	GRUMMAN AEROSPACE CORP SOUTH OYSTER BAY ROAD BETHPAGE NEW YORK 11714 OYSTER BAY RD	OYSTER BAY	017	710.14-MANUFACTURING USE: 310-GENERAL OFFICE TOT AREA-4320 SF GF AREA-4320 SF FLR HGT-11 CLASS-MSNRY/CONC WALL EXT WALL-FACE BRICK EXTRA FEATURES: 118-SPRINKLER TYPE - MP3 MEAS-4320 118-SPRINKLER TYPE - MP6 MEAS-35640 410-CHAINLINK FENCING MEAS-1200 601-YARD PAVING MEAS-90000 312-CANOPY TYPE - BTP MEAS-1000 500-UTILITY BUILDING TYPE - T1U MEAS-196 TYPE - F25		LIDR 0254-0274 \$153,020TV \$171,940LV \$162,600IV \$99,770-16CT \$116,314,79ST DATE 09-77 LIDR 9063-0067
				USE: 524-HEAVY MANUFACTURING TOT AREA-36000 SF GF AREA-35640 SF FLR HGT-10 CLASS-MSNRY/CONC WALL EXT WALL-FACE BRICK	CARD NO - 1 SECT - 1 STY HGT - 1.0 NO FLRS - 1.0 RENT UNITS- 1 YR BUILT - 1965	
				USE: 524-HEAVY MANUFACTURING TOT AREA-36000 SF GF AREA-36000 SF FLR HGT-24 CLASS-MSNRY/CONC WALL EXT WALL-STUCCO	CARD NO - 1 SECT - 2 STY HGT - 1.0 NO FLRS - 1.0 YR BUILT - 1965	
					CARD NO - 1 SECT - 3 STY HGT - 1.0 NO FLRS - 1.0 YR BUILT - 1973	

TRW·REDI

Nationwide 1-800-345-7334

Copyright 1995
All Rights Reserved

TRW-REDI

Nationwide 1-800-345-7334

Copyright 1995
All Rights Reserved

PARCEL NUMBER	BLDG	UNIT	TOWNSHIP	SCHOOL DISTRICT	PROPERTY USE	STATISTICAL INFO	V A L U E S
OWNER'S NAME			MUNICIPALITY		BUILDING DATA		TOTAL-TV
MAILING ADDRESS			TAXPAYER NAME		AND		LAMP-LV
#PHONE NUMBER	YRS W/SAME		MAILING ADDRESS		EXTRA FEATURES		IMPROVEMENT-LV
#PROPERTY LOCATION	PHONE						COUNTY TAX-CT
							SCHOOL TAX-ST
							SALE PRICE-SP
46-265-0065-0			OYSTER BAY	017	710.24-MANUFACTURING		\$192,000TV
GRUMMAN AEROSPACE CORP			2489-TOWN OF OYSTER BAY				\$64,200LV
SOUTH OYSTER BAY ROAD							\$44,000LV
BETHPAGE NEW YORK 11714							\$37,221.84CT
#900 S OYSTER BAY RD			LOT SIZE- 1.68AC				\$43,593.66ST
46-265-0020-0			OYSTER BAY	021	433.14-AUTO GARAGE/SHOP		\$1,190,000SP
GRUMMAN AEROSPACE CORP			2489-TOWN OF OYSTER BAY				DATE 02-84
500 CENTRAL PARK AVE							LIBR 9534-0439
BETHPAGE NEW YORK 11714							
#500 CENTRAL PARK AVE							
			LOT GROUP-20-22				
			LOT SIZE- 12.00 X 86.00				
			90.00 X 92.00				
			69.00 X 92.00				
			13.00 X 87.00				
46-323-0016-A			OYSTER BAY	021	710.14-MANUFACTURING		\$2,357,950TV
GRUMMAN AEROSPACE CORP			2489-TOWN OF OYSTER BAY				\$931,340LV
SOUTH OYSTER BAY RD							\$1,426,590IV
BETHPAGE NEW YORK 11714							\$585,101.71CT
			LOT SIZE- 58.21AC				\$926,768.67ST
46-323-0019-0			OYSTER BAY	021	710.14-MANUFACTURING		LIBR 8080-0128
GRUMMAN AEROSPACE CORP			2489-TOWN OF OYSTER BAY				\$1,183,550TV
SO OYSTER BAY RD							\$509,760LV
BETHPAGE NEW YORK 11714							\$672,790IV
# S OYSTER BAY RD							\$277,762.66CT
			LOT SIZE- 31.06AC				\$464,789.45ST
46-323-0076-A			OYSTER BAY	017	340.14-INDUSTRIAL-VACANT		LIBR 8074-0448
GRUMMAN AEROSPACE CORP			2489-TOWN OF OYSTER BAY				\$7,359TV
S OYSTER BAY ROAD							\$7,359LV
BETHPAGE NEW YORK 11714							\$2,055.94CT
# S OYSTER BAY RD							\$2,416.24ST
			LOT SIZE- 52.00 X 159.00				LIBR 8074-0425

R18

TRW·REDI

Nationwide 1-800-345-7334

Copyright 1995
All Rights Reserved

PACEL NUMBER	BLDG UNIT	TOWNSHIP MUNICIPALITY TAXPAYER NAME MAILING ADDRESS	SCHOOL DISTRICT	PROPERTY USE BUILDING DATA AND EXTRA FEATURES	STATISTICAL INFO	V A L U E S TOTAL-TV LAND-LV IMPROVEMENT-IV COUNTY TAX-CT SCHOOL TAX-ST SALE PRICE-SP
46-323-0223-0	GRUMMAN AEROSPACE CORP 1111 STEWART AVENUE BETHPAGE NEW YORK 11714 S OYSTER BAY RD	OYSTER BAY 2489-TOWN OF OYSTER BAY	021	718.14-MANUFACTURING		\$5,986,698TV \$509,928LV \$5,816,770IV \$487,688-CT \$777,891-ST \$777,891-SP
46-323-0224-0	GRUMMAN AEROSPACE CORP 1111 STEWART AVENUE BETHPAGE NEW YORK 11714 S OYSTER BAY RD	OYSTER BAY 2489-TOWN OF OYSTER BAY	021	330.14-COMMERCIAL-VACANT		\$100,480TV \$100,480LV \$26,715-CT \$42,834-SP
46-505-0061-0	GRUMMAN AEROSPACE CORP 50 OYSTER BAY RD BETHPAGE NEW YORK 11714 S OYSTER BAY RD	LOT SIZE- 6.78AC OYSTER BAY 2489-TOWN OF OYSTER BAY	017	349.14-INDUSTRIAL-VACANT		\$548TV \$548LV \$151-CT \$177-SP
46-505-0062-0	GRUMMAN AEROSPACE CORP SOUTH OYSTER BAY RD BETHPAGE NEW YORK 11714 S OYSTER BAY RD	LOT SIZE- 80.00 X 94.00 OYSTER BAY 2489-TOWN OF OYSTER BAY	017	349.14-INDUSTRIAL-VACANT		\$480TV \$480LV \$134-CT \$157-SP
46-505-0063-0	GRUMMAN AEROSPACE CORP SOUTH OYSTER BAY RD BETHPAGE NEW YORK 11714 S OYSTER BAY RD	LOT SIZE- 80.00 X 75.00 OYSTER BAY 2489-TOWN OF OYSTER BAY	021	340.14-INDUSTRIAL-VACANT		\$780TV \$780LV \$195-CT \$275-SP
46-505-0064-0	GRUMMAN AEROSPACE CORP SOUTH OYSTER BAY RD BETHPAGE NEW YORK 11714 S OYSTER BAY RD	LOT GROUP-63A-63B LOT SIZE- 140.00 X 60.00 OYSTER BAY 2489-TOWN OF OYSTER BAY	021	340.14-INDUSTRIAL-VACANT		\$600-0110 \$600TV \$600LV \$167-CT \$235-SP
46-627-0035-0	GRUMMAN AEROSPACE CORP 14 NO. ROBERT DAMM STREET BETHPAGE NEW YORK 11714 N ROBERT DAMM ST	LOT GROUP-64-66 LOT SIZE- 160.00 X 42.00 OYSTER BAY 2489-TOWN OF OYSTER BAY	021	210.01-SINGLE FAMILY RESID.		\$6,780TV \$6,780LV \$4,863IV \$1,361-CT \$1,958-SP

DWLG TYPE - 1 FAM
YR BUILT - 1963
STORIES - 1.0
NO ROOMS:
FLOOR 1 - 6
BATHS - 1.0
LIBR 0074-8442

FOUNDATION - CONCRETE WALLS
BSMT AREA - FULL BSMT
EXT WALLS - FRAME W/COM BRK
ROOF TYPE - HIP
ROOFING - ASPHALT SHINGLE
FLR FINISH - HARDWOOD
INT FINISH - WALL BOARD
HEAT & A/C - HOT WATER
FUEL TYPE - OIL

TRW·REDI

Nationwide 1-800-345-7334

PARCEL NUMBER BLDG UNIT
 OWNER'S NAME
 MAILING ADDRESS
 *PHONE NUMBER YRS W/SAME
 *PROPERTY LOCATION PHONE

TOWNSHIP MUNICIPALITY SCHOOL DISTRICT
 TAXPAYER NAME MAILING ADDRESS
 EXTRA FEATURES

PROPERTY USE BUILDING DATA
 AND EXTRA FEATURES

STATISTICAL INFO

COPYRIGHT 1995
 ALL RIGHTS RESERVED

V A L U E S
 TOTAL-TV
 LAND-TV
 IMPROVEMENT-TV
 COUNTY TAX-CT
 SCHOOL TAX-ST
 SALE PRICE-SP

46-323-0017-E GRUMMAN AEROSPACE CORPORATION 2489-TOWN OF OYSTER BAY 021 719.14-MANUFACTURING
 SO OYSTER BAY ROAD
 BETHPAGE NEW YORK 11714
 S OYSTER BAY RD
 LOT GROUP-17E
 LOT SIZE- 122.20AC

46-323-0077-0 GRUMMAN AEROSPACE CORPORATION 2489-TOWN OF OYSTER BAY 021 340.14-INDUSTRIAL-VACANT
 SOUTH OYSTER BAY ROAD
 BETHPAGE NEW YORK 11714
 *21 MAPLE AVE
 LOT SIZE- 1.06AC

46-323-0079-0 GRUMMAN AEROSPACE CORPORATION 2489-TOWN OF OYSTER BAY 021 340.14-INDUSTRIAL-VACANT
 SOUTH OYSTER BAY ROAD
 BETHPAGE NEW YORK 11714
 S OYSTER BAY RD

46-323-0062-0 GRUMMAN AIRC ENG CORP 2489-TOWN OF OYSTER BAY 021 340.14-INDUSTRIAL-VACANT
 SOUTH OYSTER BAY ROAD
 BETHPAGE NEW YORK 11714
 S OYSTER BAY RD

46-503-0003-0 GRUMMAN AIRC ENG CORP 2489-TOWN OF OYSTER BAY 021 350.14-COMMERCIAL-VACANT
 1111 STEWART AVENUE
 BETHPAGE NEW YORK 11714
 *1111 STEWART AVE

46-N-0046-0 GRUMMAN AIRCRAFT ENG CORP 2489-TOWN OF OYSTER BAY 017 564.14-OFFICE BLDG
 1111 STEWART AVENUE
 BETHPAGE NEW YORK 11714
 S OYSTER BAY RD
 LOT SIZE- 202.00 X 310.00
 LOT SIZE- 3.47AC

CARD MK - 1
 SECT - 1
 STY HGT - 1.0
 NO FLRS - 1.0
 YR BUILT - 1963
 YR RENOV - 1967

USE: 525-INDUSTRIAL OFFICE
 TOT AREA-25168 SF
 GF AREA-25168 SF
 FLR HGT-13
 CLASS-MSMRY/COMC MALL
 EXT WALL-STUCCO

EXTRA FEATURES:
 401-YARD PAVING
 MFAS-00500 TYPE - BTP
 410-CHAINLINK FENCING
 MEAS-1000 TYPE - 606

TRW·REDI

Nationwide 1-800-345-7334

TRW-REDI

Nationwide 1-800-345-7334

Copyright 1985
All Rights Reserved

PARCEL NUMBER	BLDG	UNIT	TOWNSHIP MUNICIPALITY TAXPAYER NAME MAILING ADDRESS	SCHOOL DISTRICT	PROPERTY USE BUILDING DATA AND EXTRA FEATURES	STATISTICAL INFO	V A L U E S TOTAL-TV LAND-LV IMPROVEMENT-TV COUNTY TAX-CT SCHOOL TAX-ST SALE PRICE-SP
46-0044-0	GRUMMAN AIRCRAFT ENG CORP	S OYSTER BAY RD			466.14-OFFICE BLDG	**CONTINUED** CARD NO - STY HGT - 1.0 NO FLRS - 1.0	\$215,440TV \$136,000LV
46-0016-C	GRUMMAN AIRCRAFT ENG CORP	MO 8 SOUTH OYSTER BAY ROAD BETHPAGE NEW YORK 11714	HEMPSTEAD 2089-TOWN OF HEMPSTEAD GRUMMAN AEROSPACE CORP 50 OYSTER BAY ROAD BETHPAGE, NY 11714	026	USE: 525-INDUSTRIAL OFFICE TOT AREA-225 SF OF AREA-225 SF FLR HGT-12 CLASS-PRE ENG-STL FR EXT WALL-METAL SIDING		\$101,270TV \$49,000LV \$55,670LV \$30,648-25CT \$41,174-34ST
46-0081-0	GRUMMAN AIRCRAFT ENG CORP	1 SHERIDAN AVE BETHPAGE NEW YORK 11714	LOT GROUP-16C LOT SIZE- 2.85AC	017	330.16-COMMERCIAL-VACANT		LIMB 0000-0120 \$2,250TV \$2,230LV \$29.37CT \$739.67ST
46-0086-0	GRUMMAN AIRCRAFT ENG CORP	SOUTH OYSTER BAY ROAD BETHPAGE NEW YORK 11714	LOT SIZE- 83.00 X 686.00	017	548.14-INDUSTRIAL-VACANT		\$11,650TV \$11,050LV \$3,798.71CT \$3,632.56ST
46-0087-0	GRUMMAN AIRCRAFT ENG CORP	SOUTH OYSTER BAY ROAD BETHPAGE NEW YORK 11714	LOT SIZE- 408.00 X 159.00	017	540.14-INDUSTRIAL-VACANT		\$4,650TV \$4,050LV \$1,369.70CT \$1,528.64ST
46-0130-0	GRUMMAN AIRCRAFT ENG CORP	OYSTER BAY RD BETHPAGE NEW YORK 11714	LOT SIZE- 61.00 X 92.00	017	710.14-MANUFACTURING	CARD NO - SECT - STY HGT - 1.0 NO FLRS - 1.0 RENT UNITS- YR BUILT - 1968	\$295,900TV \$275,150LV \$20,750TV \$62,769-15CT \$97,274-17ST

EXTRA FEATURES:
 401-YARD PAVING
 MEAS-126400 TYPE - BTP
 410-CHAINLINK FENCING
 MEAS-2060 TYPE - B06

TRW-REDI

Nationwide 1-800-345-7334

PARCEL NUMBER	BLDG UNIT	TOWNSHIP MUNICIPALITY TAXPAYER NAME MAILING ADDRESS	SCHOOL DISTRICT	PROPERTY USE BUILDING DATA AND EXTRA FEATURES	STATISTICAL INFO	Capital 1995 All Rights Reserved
46- N- -0023-0	GRUNMAN AIRCRAFT ENGINEERING CORP	2489-TOWN OF OYSTER BAY	017	468.74-BANK/OFFICE BLDG		V A L U E \$ TOTAL-TV LAND-TV IMPROVEMENT-TV COUNTY TAX-CT SCHOOL TAX-ST SALE PRICE-SP \$183,246TV \$181,806LV \$29,111.62CT \$33,939.12ST
46- N- -0071-0	GRUNMAN AROSPACE CORP	2489-TOWN OF OYSTER BAY	017	440.84-STORAGE/WAREHOUSE		LIBR 8874-8458 \$517,556TV \$242,980LV \$274,070LV \$145,938.75CT \$178,139.39ST
03-162- -0038-0	GRUNMAN LR	NORTH HEMPSTEAD 2237-PLANDOME MANOR ROSE M GRUNMAN 77 BAYVIEW RD PLANDOME NY 11030	006	311.14-RESIDENTIAL-VACANT		DATE 81-79 LIBR 8634-8256 PREV SALE: \$1,650,344SP DATE 81-74 \$2,888TV \$2,880LV \$579.94CT \$1,847.34ST
42-066- -0068-0	GRUNBERGER R R	HEMPSTEAD 2089-TOWN OF HEMPSTEAD ROBERT & RACHEL GRUNBERGER 17 ARDEN ROAD EAST ROCKAWAY, NY 11518	019	210.01-SINGLE FAMILY RESID.		DATE 81-79 LIBR 8634-8256 PREV SALE: \$1,650,344SP DATE 81-74 \$2,888TV \$2,880LV \$579.94CT \$1,847.34ST
45-367- -0011-0	GRUNO ANTHONY & LILLIAN	2489-TOWN OF OYSTER BAY	017	210.01-3/8BLE FAMILY RESID.		DATE 81-79 LIBR 8634-8256 PREV SALE: \$1,650,344SP DATE 81-74 \$2,888TV \$2,880LV \$579.94CT \$1,847.34ST

TRW·REDI

Nationwide 1-800-345-7334

Copyright 1995
All Rights Reserved

PARCEL NUMBER	BLDG	UNIT	TOWNSHIP	SCHOOL	PROPERTY USE	STATISTICAL INFO	V A L U E S
OWNER'S NAME			MUNICIPALITY	DISTRICT	BUILDING DATA		TOTAL-TV
MAILING ADDRESS			TAXPAYER NAME		AND		LAND-LV
*PHONE NUMBER	YRS	W/SAME	MAILING ADDRESS		EXTRA FEATURES		IMPROVEMENT-TV
*PROPERTY LOCATION	PHONE						COUNTY TAX-CT
							SCHOOL TAX-ST
							SALE PRICE-SP
46-584-	-0131-0				710.14-MANUFACTURING	**CONTINUED**	8530,750TV
GRUMMAN AEROSPACE CORP					USE: 522-LIGHT MANUFACTURING	CARD NO - 10	8514,010LV
S NEW RD					TOT AREA-623 SF	SECT - 12	
					GF AREA-623 SF	STY HGT - 1.0	
					FLR HGT-20	NO FLRS - 1.0	
					CLASS-MSHWY/CONC MALL	RENT UNITS- 1	
					EXT HALL-CONCRETE BLOCK	YR BUILT - 1965	
					USE: 511-GENERAL WAREHOUSE	CARD NO - 11	
					TOT AREA-1046 SF	SECT - 1	
					GF AREA-1046 SF	STY HGT - 1.0	
					FLR HGT-12	NO FLRS - 1.0	
					CLASS-PRE ENG-STL FR	RENT UNITS- 1	
					EXT HALL-METAL SIDING	YR BUILT - 1968	
					EXTRA FEATURES:		
					110-SPRINKLER		
					MEAS-1046		
					TYPE - WPS		
					USE: 515-GENERAL STORAGE	CARD NO - 12	
					TOT AREA-800 SF	SECT - 1	
					GF AREA-800 SF	STY HGT - 1.0	
					FLR HGT-10	NO FLRS - 1.0	
					CLASS-PRE ENG-STL FR	RENT UNITS- 1	
					EXT HALL-METAL SIDING	YR BUILT - 1966	
					EXTRA FEATURES:		
					117-HVAC		
					MEAS-800		
46-G-	-0816-0		OYSTER BAY	021	710.14-MANUFACTURING		\$500,850TV
GRUMMAN AEROSPACE CORP			2489-TOWN OF OYSTER BAY				\$26,110LV
SO OYSTER BAY RD							\$284,740LV
BETHPAGE NEW YORK 11714							\$15,364.04CT
S OYSTER BAY RD							\$143,689.28ST
							\$1,275,465SP
							DATE 08-74
							LIBR 8600-8298
46-G-	-0029-0		OYSTER BAY	021	464.14-OFFICE BLDG		\$55,750TV
GRUMMAN AEROSPACE CORP			2489-TOWN OF OYSTER BAY				\$47,340LV
SOUTH OYSTER BAY RD							\$0,390LV
BETHPAGE NEW YORK 11714							\$13,959.08CT
S OYSTER BAY RD							-21,911.98ST
							LIBR 8600-8296
46-G-	-0052-0		OYSTER BAY	021	463.14-BANK WITH OFFICES		\$145,850TV
GRUMMAN AEROSPACE CORP			2489-TOWN OF OYSTER BAY				\$28,648LV
1111 STEWART AVENUE							\$116,610LV
BETHPAGE NEW YORK 11714							\$25,025.74CT
11101 STEWART AVE							\$40,537.36ST
							LIBR 9759-0193

TRW·REDI

Nationwide 1-800-345-7334

Copyright 1995
All Rights Reserved

TRW·REDI

Nationwide 1-800-345-7334

Copyright 1995
All Rights Reserved

PARCEL NUMBER	BLDG UNIT	TOWNSHIP MUNICIPALITY TAXPAYER NAME MAILING ADDRESS	SCHOOL DISTRICT	PROPERTY USE BUILDING DATA AND EXTRA FEATURES	STATISTICAL INFO	V A L U E S TOTAL-TV LAND-TV IMPROVEMENT-TV COUNTY TAX-CT SCHOOL TAX-ST SALE PRICE-SP
46-323-0078-B GRUMMAN AEROSPACE CORP S OYSTER BAY ROAD BETHPAGE NEW YORK 11714 S OYSTER BAY RD		OYSTER BAY 2489-TOWN OF OYSTER BAY	021	340.14-INDUSTRIAL-VACANT		\$26,106TV \$26,106LV \$6,427.65CT \$10,250.246T LIDR 8974-0425
46-323-0084-A GRUMMAN AEROSPACE CORP SO OYSTER BAY RD BETHPAGE NEW YORK 11714 S OYSTER BAY RD		OYSTER BAY 2489-TOWN OF OYSTER BAY	017	340.14-INDUSTRIAL-VACANT		\$20,000TV \$20,000LV \$5,594.40CT \$8,574.065T LIDR 8080-0306
46-323-0084-B GRUMMAN AEROSPACE CORP S OYSTER BAY ROAD BETHPAGE NEW YORK 11714 S OYSTER BAY RD		OYSTER BAY 2489-TOWN OF OYSTER BAY	021	340.14-INDUSTRIAL-VACANT		\$90,300TV \$90,300LV \$19,775.40CT \$31,561.115T LIDR 8080-0306
46-323-0085-0 GRUMMAN AEROSPACE CORP S OYSTER BAY ROAD BETHPAGE NEW YORK 11714 S OYSTER BAY RD		OYSTER BAY 2489-TOWN OF OYSTER BAY	017	340.14-INDUSTRIAL-VACANT		\$36,000TV \$36,000LV \$10,869.92CT \$11,834.645T LIDR 8080-0126
46-323-0222-0 GRUMMAN AEROSPACE CORP 899 SOUTH OYSTER BAY ROAD BETHPAGE NEW YORK 11714 S OYSTER BAY RD		OYSTER BAY 2489-TOWN OF OYSTER BAY	021	815.04-ELECTRIC-GAS		\$3,312,340TV \$98,950LV \$3,221,390LV \$609,449.02CT \$1301,882.115T

USE: 310-GENERAL OFFICE
TOT AREA-1440 SF
GF AREA-1440 SF
FLR HGT-12
CLASS-PRE ENG-STL FR
EXT HALL-METAL PANELS

EXTRA FEATURES:
118-SPRINKLER TYPE - MP4
HEAS-2400

USE: 201-GENERAL UTILITY/STG
TOT AREA-960 SF
GF AREA-960 SF
FLR HGT-12
CLASS-PRE ENG-STL FR
EXT HALL-METAL PANELS

CARD NO - 2
SECT - 2
STY HGT - 1.0
NO FLRS - 1.0
RENT UNITS - 1
YR BUILT - 1992

CARD NO - 2
SECT - 2
STY HGT - 1.0
NO FLRS - 1.0
RENT UNITS - 1
YR BUILT - 1992

B19

MASSAU, N.Y.

TRW·REDI

Nationwide 1-800-345-7334

Copyright 1995
All Rights Reserved

0

0

0

101

APPENDIX C

ENVIRONMENTAL DATA RESOURCES, INC. (EDR) REPORT



**Environmental
Data
Resources, Inc.**


Creators of Toxicheck®

The EDR Area Study Report

**Study Area
Grumman GO CO Property
Bethpage, Long Island**

April 12, 1996

Inquiry number 114340



***The Source* For Environmental Risk Management Data**

3530 Post Road
Southport, Connecticut 06490

Nationwide Customer Service

Telephone: 1-800-352-0050
Fax: 1-800-231-6802

Thank you for your business.
Please contact EDR at 1-800-352-0050
with any questions or comments.

Disclaimer

This Report contains information obtained from a variety of public sources and EDR makes no representation or warranty regarding the accuracy, reliability, quality, or completeness of said information or the information contained in this report. The customer shall assume full responsibility for the use of this report.

No warranty of merchantability or of fitness for a particular purpose, expressed or implied, shall apply and EDR specifically disclaims the making of such warranties. In no event shall EDR be liable to anyone for special, incidental, consequential or exemplary damages.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

To maintain currency of the following federal and state databases, EDR contacts the appropriate governmental agency on a monthly or quarterly basis, as required.

Elapsed ASTM days: Provides confirmation that this EDR report meets or exceeds the 90-day updating requirement of the ASTM standard.

FEDERAL ASTM RECORDS:

CERCLIS: Comprehensive Environmental Response, Compensation, and Liability Information System

Source: EPA/NTIS

Telephone: 703-603-8904

CERCLIS contains data on potentially hazardous waste sites that have been reported to the USEPA by states, municipalities, private companies and private persons, pursuant to Section 103 of the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA). CERCLIS contains sites which are either proposed to or on the National Priorities List (NPL) and sites which are in the screening and assessment phase for possible inclusion on the NPL.

Date of Government Version: 11/30/95

Date Made Active at EDR: 02/26/96

Date of Data Arrival at EDR: 01/15/96

Elapsed ASTM days: 42

ERNS: Emergency Response Notification System

Source: EPA/NTIS

Telephone: 202-260-2342

ERNS: Emergency Response Notification System. ERNS records and stores information on reported releases of oil and hazardous substances.

Date of Government Version: 12/31/95

Date Made Active at EDR: 02/19/96

Date of Data Arrival at EDR: 01/26/96

Elapsed ASTM days: 24

NPL: National Priority List

Source: EPA

Telephone: 703-603-8852

NPL: National Priorities List (Superfund). The NPL is a subset of CERCLIS and identifies over 1,200 sites for priority cleanup under the Superfund Program. NPL sites may encompass relatively large areas. As such, it is EDR's policy to plot NPL sites greater than approximately 500 acres in size as areas (polygons). Sites smaller in size are point-geocoded at the site's address.

Date of Government Version: 09/01/95

Date Made Active at EDR: 10/25/95

Date of Data Arrival at EDR: 10/17/95

Elapsed ASTM days: 8

RCRIS: Resource Conservation and Recovery Information System

Source: EPA/NTIS

Telephone: 703-308-7907

RCRIS: Resource Conservation and Recovery Information System. RCRIS includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA).

Date of Government Version: 10/31/95

Date Made Active at EDR: 01/12/96

Date of Data Arrival at EDR: 12/15/95

Elapsed ASTM days: 28

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

FEDERAL NON-ASTM RECORDS:

CONSENT: Superfund (CERCLA) Consent Decrees

Source: EPA Regional Offices

Telephone: Varies

Major legal settlements that establish responsibility and standards for cleanup at NPL (Superfund) sites. Released periodically by United States District Courts after settlement by parties to litigation matters.

Date of Government Version: Varies

Date of Next Scheduled Update: 09/01/95

CORRACTS: Corrective Action Report

Source: EPA

Telephone: 703-308-7907

CORRACTS: CORRACTS identifies hazardous waste handlers with RCRA corrective action activity.

Date of Government Version: 04/10/95

Date of Next Scheduled Update: 06/17/96

FINDS: Facility Index System

Source: EPA/NTIS

Telephone: 800-908-2493

FINDS: Facility Index System. FINDS contains both facility information and "pointers" to other sources that contain more detail. These include: RCRIS, PCS (Permit Compliance System), AIRS (Aerometric Information Retrieval System), FATES (FIFRA [Federal Insecticide Fungicide Rodenticide Act] and TSCA Enforcement System, FTTS [FIFRA/TSCA Tracking System]), CERCLIS, DOCKET (Enforcement Docket used to manage and track information on civil judicial enforcement cases for all environmental statutes), FURS (Federal Underground Injection Control), FROS (Federal Reporting Data System), SIA (Surface Impoundments), CICIS (TSCA Chemicals in Commerce Information System), PADS, RCRA-J (medical waste transporters/disposers), TRIS and TSCA.

Date of Government Version: 09/30/95

Date of Next Scheduled Update: 07/08/96

HMIRS: Hazardous Materials Information Reporting System

Source: U.S. Department of Transportation

Telephone: 202-366-4555

HMIRS: Hazardous Materials Incident Report System. HMIRS contains hazardous material spill incidents reported to DOT.

Date of Government Version: 12/31/95

Date of Next Scheduled Update: 07/29/96

MLTS: Material Licensing Tracking System

Source: Nuclear Regulatory Commission

Telephone: 301-415-7169

MLTS is maintained by the Nuclear Regulatory Commission and contains a list of approximately 8,100 sites which possess or use radioactive materials and which are subject to NRC licensing requirements. To maintain currency, EDR contacts the Agency on a quarterly basis.

Date of Government Version: 08/01/95

Date of Next Scheduled Update: 07/15/96

NPL LIENS: Federal Superfund Liens

Source: EPA

Telephone: 205-564-4267

NPL LIENS: Federal Superfund Liens. Under the authority granted the USEPA by the Comprehensive Environmental Response, Compensation and Liability Act (CERCLA) of 1980, the USEPA has the authority to file liens against real property in order to recover remedial action expenditures or when the property owner receives notification of potential liability. USEPA compiles a listing of filed notices of Superfund Liens.

Date of Government Version: 10/15/91

Date of Next Scheduled Update: 05/27/96

PADS: PCB Activity Database System

Source: EPA

Telephone: 202-260-3992

PADS: PCB Activity Database. PADS identifies generators, transporters, commercial storers and/or brokers and disposers of PCB's who are required to notify the EPA of such activities.

Date of Government Version: 10/14/94

Date of Next Scheduled Update: 05/20/96

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

RAATS: RCRA Administrative Action Tracking System

Source: EPA

Telephone: 202-564-4104

RAATS: RCRA Administration Action Tracking System. RAATS contains records based on enforcement actions issued under RCRA pertaining to major violators and includes administrative and civil actions brought by the EPA.

Date of Government Version: 04/17/95

Date of Next Scheduled Update: 06/17/96

ROD: Records Of Decision

Source: NTIS

Telephone: 703-416-0703

Record of Decision. ROD documents mandate a permanent remedy at an NPL (Superfund) site containing technical and health information to aid in the cleanup.

Date of Government Version: 03/31/95

Date of Next Scheduled Update: 06/17/96

TRIS: Toxic Chemical Release Inventory System

Source: EPA/NTIS

Telephone: 202-260-2320

TRIS: Toxic Release Inventory System. TRIS identifies facilities which release toxic chemicals to the air, water and land in reportable quantities under SARA Title III Section 313.

Date of Government Version: 12/31/92

Date of Next Scheduled Update: 07/01/96

TSCA: Toxic Substances Control Act

Source: EPA/NTIS

Telephone: 202-260-1444

TSCA: Toxic Substances Control Act. TSCA identifies manufacturers and importers of chemical substances included on the TSCA Chemical Substance Inventory list. It includes data on the production volume of these substances by plant site. USEPA has no current plan to update and/or re-issue this database.

Date of Government Version: 01/31/95

Date of Next Scheduled Update: 06/17/96

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

STATE OF NEW YORK ASTM RECORDS:

LUST: Spills Information Database

Source: Department of Environmental Conservation
Telephone: 518-457-2462

LUST: Leaking Underground Storage Tank Incident Reports. LUST records contain an inventory of reported leaking underground storage tank incidents. Not all states maintain these records, and the information stored varies by state.

Date of Government Version: 09/30/95
Date Made Active at EDR: 12/20/95

Date of Data Arrival at EDR: 11/22/95
Elapsed ASTM days: 28

SHWS: Inactive Hazardous Waste Disposal Sites in New York State

Source: Department of Environmental Conservation
Telephone: 518-457-0747

SHWS: State Hazardous Waste Sites. State hazardous waste site records are the states' equivalent to CERCLIS. These sites may or may not already be listed on the federal CERCLIS list. Priority sites planned for cleanup using state funds (state equivalent of Superfund) are identified along with sites where cleanup will be paid for by potentially responsible parties. Available information varies by state.

Date of Government Version: 04/30/95
Date Made Active at EDR: 07/25/95

Date of Data Arrival at EDR: 06/19/95
Elapsed ASTM days: 36

SWF/LS: Facility Register

Source: Department of Environmental Conservation
Telephone: 518-457-2051

SWF/LS: Solid Waste Facilities/Landfill Sites. SWF/LS type records typically contain an inventory of solid waste disposal facilities or landfills in a particular state. Depending on the state, these may be active or inactive facilities or open dumps that failed to meet RCRA Section 2004 criteria for solid waste landfills or disposal sites.

Date of Government Version: 12/31/95
Date Made Active at EDR: 03/27/96

Date of Data Arrival at EDR: 03/01/96
Elapsed ASTM days: 26

UST: Petroleum Bulk Storage (PBS, CBS, MOSF) Database (UST)

Source: Department of Environmental Conservation
Telephone: 518-457-4351

UST: Registered Underground Storage Tanks. UST's are regulated under Subtitle I of the Resource Conservation and Recovery Act (RCRA) and must be registered with the state department responsible for administering the UST program. Available information varies by state program.

Date of Government Version: 09/30/95
Date Made Active at EDR: 12/20/95

Date of Data Arrival at EDR: 11/22/95
Elapsed ASTM days: 28

STATE OF NEW YORK NON-ASTM RECORDS:

AST: Petroleum Bulk Storage (AST)

Source: Department of Environmental Conservation
Telephone: 518-457-4351

AST: Registered Aboveground Storage Tanks.

Date of Government Version: 09/30/95

Date of Next Scheduled Update: 05/26/96

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

NEW YORK COUNTY RECORDS

CORTLAND COUNTY:

Cortland County UST Listing (AST)

Source: Cortland County Health Department
Telephone: 607-753-5035

Date of Government Version: 07/12/95

Date of Next Scheduled Update: 06/10/96

Cortland County UST Listing (UST)

Source: Cortland County Health Department
Telephone: 607-753-5035

Date of Government Version: 01/11/96

Date of Next Scheduled Update: N/A

NASSAU COUNTY:

NCPHO Article XI Database (AST)

Source: Nassau County Health Department
Telephone: 516-571-3314

Date of Government Version: 01/02/96

Date of Next Scheduled Update: 06/10/96

NCPHO Article XI Database (UST)

Source: Nassau County Health Department
Telephone: 516-571-3314

Date of Government Version: 01/02/96

Date of Next Scheduled Update: N/A

ROCKLAND COUNTY:

Petroleum Bulk Storage Database (AST)

Source: Rockland County Health Department
Telephone: 914-364-2605

Date of Government Version: 11/23/95

Date of Next Scheduled Update: 06/10/96

Petroleum Bulk Storage Database (UST)

Source: Rockland County Health Department
Telephone: 914-364-2605

Date of Government Version: 11/23/95

Date of Next Scheduled Update: N/A

SUFFOLK COUNTY:

Underground Storage Tank Database (AST)

Source: Suffolk County Department of Health Services
Telephone: 516-854-2521

Date of Government Version: 02/28/95

Date of Next Scheduled Update: 06/10/96

Underground Storage Tank Database (UST)

Source: Suffolk County Department of Health Services
Telephone: 516-854-2521

Date of Government Version: 02/28/95

Date of Next Scheduled Update: N/A

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Historical and Other Database(s)

Depending on the geographic area covered by this report, the data provided in these specialty databases may or may not be complete. For example, the existence of wetlands information data in a specific report does not mean that all wetlands in the area covered by the report are included. Moreover, the absence of any reported wetlands information does not necessarily mean that wetlands do not exist in the area covered by the report.

Former Manufactured Gas (Coal Gas) Sites: The existence and location of Coal Gas sites is provided exclusively to EDR by Real Property Scan, Inc. ©Copyright 1993 Real Property Scan, Inc. For a technical description of the types of hazards which may be found at such sites, contact your EDR customer service representative.

Disclaimer Provided by Real Property Scan, Inc.

The information contained in this report has predominantly been obtained from publicly available sources produced by entities other than Real Property Scan. While reasonable steps have been taken to insure the accuracy of this report, Real Property Scan does not guarantee the accuracy of this report. Any liability on the part of Real Property Scan is strictly limited to a refund of the amount paid. No claim is made for the actual existence of toxins at any site. This report does not constitute a legal opinion.

DELISTED NPL: Delisted NPL Sites

Source: EPA

Telephone: 703-603-8769

DELISTED NPL: The National Oil and Hazardous Substances Pollution Contingency Plan (NCP) establishes the criteria that the EPA uses to delete sites from the NPL. In accordance with 40 CFR 300.425.(e), sites may be deleted from the NPL where no further response is appropriate.

NFRAP: No Further Remedial Action Planned

Source: EPA/NTIS

Telephone: 703-416-0702

NFRAP: As of February 1995, CERCLIS sites designated "No Further Remedial Action Planned" (NFRAP) have been removed from CERCLIS. NFRAP sites may be sites where, following an initial investigation, no contamination was found, contamination was removed quickly without the need for the site to be placed on the NPL, or the contamination was not serious enough to require Federal Superfund action or NPL consideration. EPA has removed approximately 25,000 NFRAP sites to lift the unintended barriers to the redevelopment of these properties and has archived them as historical records so EPA does not needlessly repeat the investigations in the future. This policy change is part of the EPA's Brownfields Redevelopment Program to help cities, states, private investors and affected citizens to promote economic redevelopment of unproductive urban sites.

FRDS: Federal Reporting Data System

Source: EPA/Office of Drinking Water

Telephone: 202-260-2805

FRDS provides information regarding public water supplies and their compliance with monitoring requirements, maximum contaminant levels (MCL's), and other requirements of the Safe Drinking Water Act of 1986.

Area Radon Information: The National Radon Database has been developed by the U.S. Environmental Protection Agency (USEPA) and is a compilation of the EPA/State Residential Radon Survey and the National Residential Radon Survey. The study covers the years 1986 - 1992. Where necessary data has been supplemented by information collected at private sources such as universities and research institutions.

Oil/Gas Pipelines/Electrical Transmission Lines: This data was obtained by EDR from the USGS in 1994. It is referred to by USGS as GeoData Digital Line Graphs from 1:100,000-Scale Maps. It was extracted from the transportation category including some oil, but primarily gas pipelines and electrical transmission lines.

Sensitive Receptors: There are individuals who, due to their fragile immune systems, are deemed to be especially sensitive to environmental discharges. These typically include the elderly, the sick, and children. While the exact location of these sensitive receptors cannot be determined, EDR indicates those facilities, such as schools, hospitals, day care centers, and nursing homes, where sensitive receptors are likely to be located.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

USGS Water Wells: In November 1971 the United States Geological Survey (USGS) implemented a national water resource information tracking system. This database contains descriptive information on sites where the USGS collects or has collected data on surface water and/or groundwater. The groundwater data includes information on more than 900,000 wells, springs, and other sources of groundwater.

Flood Zone Data: This data, available in select counties across the country, was obtained by EDR in 1994 from the Federal Emergency Management Agency (FEMA). Data depicts 100-year and 500-year flood zones as defined by FEMA.

Epicenters: World earthquake epicenters, Richter 5 or greater
Source: Department of Commerce, National Oceanic and Atmospheric Administration

Water Dams: National Inventory of Dams
Source: Federal Emergency Management Agency
Telephone: 202-646-2801
WATER DAMS: National computer database of more than 74,000 dams maintained by the Federal Emergency Management Agency.

New York Public Water Wells
Source: New York Department of Health
Telephone: 518-458-6731

MAP FINDINGS SUMMARY

<u>Database</u>	<u>Total Plotted</u>
NPL	1
Delisted NPL	0
RCRIS-TSD	1
State Haz. Waste	2
CERCLIS	3
CERC-NFRAP	0
CORRACTS	2
State Landfill	0
LUST	97
UST	11
AST	25
RAATS	0
RCRIS Sm. Quan. Gen.	48
RCRIS Lg. Quan. Gen.	39
HMIRS	0
PADS	2
ERNS	1
FINDS	90
TRIS	1
NPL Liens	0
TSCA	0
MLTS	0
NY Spills	0
ROD	0
CONSENT	0
Coal Gas	0

* Sites may be listed in more than one database

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

Coal Gas Site Search: No site was found in a search of Real Property Scan's ENVIROHAZ database.

1	KENDALL RESIDENCE 33 WENDELL STREET PLAINVIEW, NY	LUST	S100492251 N/A
----------	--	-------------	---------------------------

LUST:

Facility ID: 9211165	Spill Date: 12/28/1992
First notified: REGIONAL OFFICE	Material class: PETROLEUM
Material spilled: #2 FUEL	Release QTY: 500.00 GALLONS
Water body affected: Not reported	Origin: PRIVATE DWELLING
Resource affected: GROUNDWATER	Notifier: OTHER
Basin of spill: 1700	Project ID: 0
Cleaner: SPILLER	Date Cleaned: Not reported
Initiated clean up: Not reported	Close Date: Not reported
Last inspection: Not reported	Investigator: RICE
UST Trust Fund: No	
Status: Not reported	Penalty: NO PENALTY
Quantity recovered: 0.00	
Cause: TANK FAILURE	
Emergency response: IT WAS NOT TAKEN	
Facility status: ACTIVE SPILL [ON GOING]	

2	NEGRON RESIDENCE 54 SUNRISE STREET PLAINVIEW, NY	LUST	S100666445 N/A
----------	---	-------------	---------------------------

LUST:

Facility ID: 9004238	Spill Date: 07/17/1990
First notified: REGIONAL OFFICE	Material class: PETROLEUM
Material spilled: #2 FUEL	Release QTY: 0.00 GALLONS
Water body affected: Not reported	Origin: PRIVATE DWELLING
Resource affected: ON LAND	Notifier: RESPONSIBLE PARTY
Basin of spill: 1700	Project ID: 0
Cleaner: SPILLER	Date Cleaned: 08/21/1990
Initiated clean up: Not reported	Close Date: 08/21/1990
Last inspection: Not reported	Investigator: LEUNG
UST Trust Fund: No	
Status: MEANS ITS BEEN RESOLVED	Penalty: NO PENALTY
Quantity recovered: 0.00	
Cause: OTHER	
Emergency response: IT WAS NOT TAKEN	
Facility status: COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]	

3	FERN PLACE ELEMENTARY SCHOOL ORCHARD STREET/FERN PLACE PLAINVIEW, NY 11803	FINDS RCRIS-LQG	1000305842 NYD980564165
----------	---	----------------------------	------------------------------------

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

FERN PLACE ELEMENTARY SCHOOL (Continued)

1000305842

RCRIS:

Owner: PLAINVIEW OLD BETHPAGE
(212) 555-1212

Contact: LAWRENCE HERZOG
(516) 937-6412

Waste	Quantity	Info Source
X001	.00000 (N)	Notification

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

4

**UNK
26 ANDOVER LN
HICKSVILLE, NY**

LUST

S100668107
N/A

LUST:

Facility ID:	8710473	Spill Date:	03/14/1988
First notified:	REGIONAL OFFICE	Material class:	PETROLEUM
Material spilled:	WASTE OIL	Release QTY:	1.00 GALLONS
Water body affected:	Not reported	Origin:	PASSENGER VEHICLE
Resource affected:	ON LAND	Notifier:	LOCAL AGENCY
Basin of spill:	1700	Project ID:	0
Cleaner:	NO ACTION TAKEN	Date Cleaned:	03/16/1988
Initiated clean up:	Not reported	Close Date:	03/16/1988
Last Inspection:	Not reported	Investigator:	Not reported
UST Trust Fund:	No	Penalty:	NO PENALTY
Status:	MEANS ITS BEEN RESOLVED		
Quantity recovered:	0.00		
Cause:	OTHER		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

5

**WRIGHT FUEL
789 OLD COUNTRY ROAD
PLAINVIEW, NY**

LUST

S100490835
N/A

LUST:

Facility ID:	9113197	Spill Date:	03/29/1992
First notified:	ANSWERING SERVICE	Material class:	PETROLEUM
Material spilled:	#2 FUEL	Release QTY:	8.00 GALLONS
Water body affected:	Not reported	Origin:	COMMINDUST
Resource affected:	ON LAND	Notifier:	RESPONSIBLE PARTY
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	04/16/1992
Initiated clean up:	Not reported	Close Date:	04/16/1992
Last Inspection:	Not reported	Investigator:	LUCE
UST Trust Fund:	No	Penalty:	NO PENALTY
Status:	MEANS ITS BEEN RESOLVED		
Quantity recovered:	0.00		
Cause:	TANK OVERFILL		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

MAP FINDINGS

Map ID Direction Distance	Site	Database(s)	EDR ID Number EPA ID Number
---------------------------------	------	-------------	--------------------------------

5	ACE SERVICE CENTER 791 OLD COUNTRY RD PLAINVIEW, NY	AST	A100043173 N/A
---	--	-----	---------------------------------

Nassau County AST:

Facility ID:	055919	Tank ID:	0002
Tank Location:	Indoors, Aboveground	Capacity (Gal):	275
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Other	Material Type:	Waste
Description:	WASTE OIL		
Leak Detect:	NONE	Containment:	NONE
Dispense Method:	Suction	Product Gauge:	No
Fill Type:	Gravity	Install Date:	1285
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported

6	SHEAR MARTIN DMD 777 OLD COUNTRY RD PLAINVIEW, NY 11803	RCRIS-SQG FINDS	1000555610 NYD986981504
---	--	----------------------------------	--

RCRIS:

Owner: MARTIN SHEAR DMD
(212) 555-1212

Contact: MARTIN SHEAR
(516) 937-0888

Waste	Quantity	Info Source	Waste	Quantity	Info Source
D000	.00000 (N)	Notification	D011	.00000 (N)	Notification

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

7	R & N CLEANERS DBA IZZY'S TLC 720 OLD COUNTRY ROAD PLAINVIEW, NY 11803	RCRIS-SQG FINDS	1000124839 NYD081368276
---	---	----------------------------------	--

RCRIS:

Owner: WEISFELNER, ISRAEL INC
(212) 555-1212

Contact: ISRAEL WEISFELNER
(516) 931-9163

Waste	Quantity	Info Source
F002	.00000 (N)	Notification

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

There are 1 compliance/violation record(s) reported at this site:

Evaluation	Date	Violations
NON-FINANCIAL RECORD REVIEW (NRR)	15-OCT-87	YES

7	TODD EVAN CLEANERS OF PLAINVIEW 720 OLD COUNTRY RD PLAINVIEW, NY 11803	FINDS RCRIS-LQG	1000183132 NYD982279853
---	---	----------------------------------	--

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

TODD EVAN CLEANERS OF PLAINVIEW (Continued)

1000183132

RCRIS:

Owner: UNKNOWN
(212) 555-1212

Contact: BENJAMIN MATROS
(516) 931-9163

Waste	Quantity	Info Source
F002	.00000 (N)	Notification

(P) = Pounds, (K) = Kilograms, (M) = Metric Tons, (T) = Tons, (N) = Not Reported

**8 BELLECLARE NURSERY
671 OLD COUNTRY RD
PLAINVIEW, NY**

UST

U001446888
N/A

Nassau County UST:

Facility ID:	055328	Tank ID:	0002
Tank Location:	Indoors, Belowground	Capacity:	00000550
Tank Status:	In Service	Tank Material:	STEEL
Piping Type:	Steel/Iron	Material Type:	Fresh/Product
Int Protection:	None		
Ext Protection:	PAINTED [e.g. asphaltic]		
Description:	OIL, FUEL #2		
Leak Detect:	OTHER	Containment:	Other
Dispense Method:	Suction	Product Gauge:	No
Fill Type:	Gravity	Install Date:	0673
Total Tanks:	1		

**9 COUNTRY CLEANERS
657 OLD COUNTRY ROAD
PLAINVIEW, NY 11803**

RCRIS-SQG
FINDS

1000322800
NYD981130875

RCRIS:

Owner: WON LEE
(516) 931-9747

Contact: WON LEE
(516) 931-9747

Waste	Quantity	Info Source
F002	.00000 (N)	Notification

(P) = Pounds, (K) = Kilograms, (M) = Metric Tons, (T) = Tons, (N) = Not Reported

**10 40 ISLAND ST
PLAINVIEW, NY**

ERNS

8704086
N/A

**11 LEE'S FRENCH CLEANERS
607 OLD COUNTRY ROAD
PLAINVIEW, NY 11803**

RCRIS-SQG
FINDS

1000137893
NYD982282808

MAP FINDINGS

Map ID Direction Distance	Site	Database(s)	EDR ID Number EPA ID Number
---------------------------------	------	-------------	--------------------------------

LEE'S FRENCH CLEANERS (Continued) **1000137893**

RCRIS:

Owner: LEE TAE KWON
(212) 555-1212

Contact: KWANG HO LEE
(516) 935-6120

Waste	Quantity	Info Source	Waste	Quantity	Info Source
F002	.00000 (N)	Notification	NONE	.00000 (N)	EPA Inspection

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

12	PLAINVIEW MANOR S/C., INC 587 OLD COUNTRY RD PLAINVIEW, NY	AST	A100043244 N/A
-----------	---	------------	---------------------------

Nassau County AST:

Facility ID:	056265	Tank ID:	0001
Tank Location:	Outdoors, Aboveground	Capacity (Gal):	275
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	PAINTED [e.g. asphaltic]	Material Type:	Waste
Piping Type:	Steel/Iron		
Description:	WASTE OIL	Containment:	NONE
Leak Detect:	NONE	Product Gauge:	No
Dispense Method:	Suction	Install Date:	1082
Fill Type:	Gravity	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		

13	OWNER RICHIE? 64 BARNUM AVENUE PLAINVIEW, NY	LUST	S101102812 N/A
-----------	---	-------------	---------------------------

LUST:

Facility ID:	9401539	Spill Date:	04/29/1994
First notified:	REGIONAL OFFICE	Material class:	PETROLEUM
Material spilled:	KEROSENE	Release QTY:	0.00 GALLONS
Water body affected:	Not reported	Origin:	PRIVATE DWELLING
Resource affected:	ON LAND	Notifier:	CITIZEN
Basin of spill:	1700	Project ID:	0
Cleaner:	NO ACTION TAKEN	Date Cleaned:	Not reported
Initiated clean up:	Not reported	Close Date:	Not reported
Last inspection:	Not reported	Investigator:	AUSTIN
UST Trust Fund:	No		
Status:	Not reported	Penalty:	NO PENALTY
Quantity recovered:	0.00		
Cause:	OTHER		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	ACTIVE SPILL [ON GOING]		

14	PLAZA FRENCH CLEANERS 524 OLD COUNTRY RD PLAINVIEW, NY 11803	FINDS RCRIS-LQG	1000442902 NYD986868396
-----------	---	----------------------------	------------------------------------

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

PLAZA FRENCH CLEANERS (Continued)

1000442902

RCRIS:

Owner: YOON HAKSUNG
(212) 555-1212

Contact: YOON HAKSUNG
(516) 932-5776

Waste	Quantity	Info Source
F002	.00000 (N)	Notification

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

15

**UNK
510 OLD COUNTRY ROAD
PLAINVIEW, NY**

LUST

S100666492
N/A

LUST:

Facility ID:	9006601	Spill Date:	09/15/1990
First notified:	ANSWERING SERVICE	Material class:	PETROLEUM
Material spilled:	#2 FUEL	Release QTY:	10.00 GALLONS
Water body affected:	Not reported	Origin:	NON-COMMNST
Resource affected:	IN SEWER	Notifier:	FIRE DEPARTMENT
Basin of spill:	1700	Project ID:	0
Cleaner:	OTHER AGENCY	Date Cleaned:	09/20/1990
Initiated clean up:	Not reported	Close Date:	09/20/1990
Last Inspection:	Not reported	Investigator:	LUCE
UST Trust Fund:	No	Penalty:	NO PENALTY
Status:	MEANS ITS BEEN RESOLVED		
Quantity recovered:	0.00		
Cause:	OTHER		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

16

**MERIT OYSTER BAY
496 PLAINVIEW RD
HICKSVILLE, NY 11801**

RCRIS-SQG

1001028353
NYR000005850

RCRIS:

Owner: MERIT OIL OF NEW YORK INC
(610) 527-7900

Contact: Not reported

Waste	Quantity	Info Source	Waste	Quantity	Info Source
D000	.00000 (N)	Notification	D001	.00000 (N)	Notification
D018	.00000 (N)	Notification			

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

16

**NORTHVILLE INDUSTRIES
496 PLAINVIEW RD
HICKSVILLE, NY**

LUST

S100493481
N/A

MAP FINDINGS

Map ID Direction Distance	Site	Database(s)	EDR ID Number EPA ID Number
---------------------------------	------	-------------	--------------------------------

NORTHVILLE INDUSTRIES (Continued)

S100493481

LUST:

Facility ID:	9201365	Spill Date:	05/04/1992
First notified:	C	Material class:	PETROLEUM
Material spilled:	UNKNOWN	Release QTY:	0.00 GALLONS
Water body affected:	Not reported	Origin:	GAS STATION
Resource affected:	ON LAND	Notifier:	RESPONSIBLE PARTY
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	03/06/1995
Initiated clean up:	Not reported	Close Date:	03/06/1995
Last Inspection:	Not reported	Investigator:	HAAS
UST Trust Fund:	No	Penalty:	NO PENALTY
Status:	MEANS ITS BEEN RESOLVED		
Quantity recovered:	0.00		
Cause:	TANK OVERFILL		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

16

**NORTHVILLE
496 PLAINVIEW RD
HICKSVILLE, NY**

LUST

**S100493642
N/A**

LUST:

Facility ID:	9203191	Spill Date:	06/15/1992
First notified:	REGIONAL OFFICE	Material class:	PETROLEUM
Material spilled:	#2 FUEL	Release QTY:	0.00 GALLONS
Water body affected:	Not reported	Origin:	GAS STATION
Resource affected:	GROUNDWATER	Notifier:	TANK TESTER
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	07/06/1992
Initiated clean up:	Not reported	Close Date:	07/06/1992
Last Inspection:	Not reported	Investigator:	T/T/F
UST Trust Fund:	No	Penalty:	NO PENALTY
Status:	MEANS ITS BEEN RESOLVED		
Quantity recovered:	0.00		
Cause:	TANK TEST FAILURE [BULK STORE. PRO.]		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

16

**NORTHVILLE S/S
496 PLAINVIEW RD
HICKSVILLE, NY**

LUST

**S100493669
N/A**

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

NORTHVILLE S/S (Continued)

S100493669

LUST:

Facility ID:	9203434	Spill Date:	06/22/1992
First notified:	REGIONAL OFFICE	Material class:	PETROLEUM
Material spilled:	#2 FUEL	Release QTY:	0.00 GALLONS
Water body affected:	Not reported	Origin:	COMMINDUST
Resource affected:	GROUNDWATER	Notifier:	TANK TESTER
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	07/06/1992
Initiated clean up:	Not reported	Close Date:	07/06/1992
Last Inspection:	Not reported	Investigator:	T/T/F
UST Trust Fund:	No		
Status:	MEANS ITS BEEN RESOLVED	Penalty:	NO PENALTY
Quantity recovered:	0.00		
Cause:	TANK TEST FAILURE [BULK STORE. PRO.]		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

16

**PLAINVIEW SHELL INC.
500 OLD COUNTRY RD
PLAINVIEW, NY**

UST

**U001854914
N/A**

Nassau County UST:

Facility ID:	041012	Tank ID:	0004
Tank Location:	Indoors, Belowground	Capacity:	0000550
Tank Status:	6	Tank Material:	STEEL
Piping Type:	Galvanized Steel	Material Type:	Waste
Int Protection:	None		
Ext Protection:	PAINTED [e.g. asphaltic]		
Description:	WASTE OIL		
Leak Detect:	OTHER	Containment:	Other
Dispense Method:	Gravity	Product Gauge:	No
Fill Type:	Gravity	Install Date:	0162
Total Tanks:	2		

Facility ID:	041012	Tank ID:	0005
Tank Location:	Indoors, Belowground	Capacity:	0000550
Tank Status:	6	Tank Material:	Fiberglass Reinforced Plastic
Piping Type:	Other	Material Type:	Fresh/Product
Int Protection:	None		
Ext Protection:	FIBERGLASS REINFORCED PLASTIC		
Description:	OIL, FUEL #2		
Leak Detect:	OTHER	Containment:	Other
Dispense Method:	Gravity	Product Gauge:	No
Fill Type:	Gravity	Install Date:	0162
Total Tanks:	2		

16

**EXXON CO USA #37149
499 E OLD COUNTRY RD
HICKSVILLE, NY 11801**

**RCRIS-SQG
FINDS
LUST**

**1000552335
NYD986947323**

MAP FINDINGS

Map ID Direction Distance	Site	Database(s)	EDR ID Number EPA ID Number
---------------------------------	------	-------------	--------------------------------

EXXON CO USA #37149 (Continued)

1000552335

RCRIS:

Owner: EXXON CO USA
(713) 656-7761

Contact: ALDA S POOL
(713) 656-7709

Waste	Quantity	Info Source	Waste	Quantity	Info Source
D000	.00000 (N)	Notification	D018	.00000 (N)	Notification

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

LUST:

Facility ID:	9203976	Spill Date:	07/06/1992
First notified:	REGIONAL OFFICE	Material class:	PETROLEUM
Material spilled:	GASOLINE	Release QTY:	0.00 GALLONS
Water body affected:	Not reported	Origin:	GAS STATION
Resource affected:	ON LAND	Notifier:	DEC
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	07/28/1992
Initiated clean up:	Not reported	Close Date:	07/28/1992
Last Inspection:	Not reported	Investigator:	DEROSA
UST Trust Fund:	Yes	Penalty:	NO PENALTY
Status:	MEANS ITS BEEN RESOLVED		
Quantity recovered:	0.00		
Cause:	OTHER		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

16

**S.S. PREMISES C/O SHELL OIL CO
500 OLD COUNTRY RD
PLAINVIEW, NY 11803**

**RCRIS-SQG FINDS 1000140682
NYD982178972**

RCRIS:

Owner: SHELL OIL COMPANY
(212) 555-1212

Contact: JOHN SPINELLE
(800) 431-5566

Waste	Quantity	Info Source	Waste	Quantity	Info Source
D000	.00000 (N)	Notification	K052	.00000 (N)	Notification
X001	.00000 (N)	Notification			

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

17

**WALTER'S AUTO GROUP
430 PLAINVIEW RD
HICKSVILLE, NY 11801**

**FINDS 1000401646
NYD982723256**

18

**RICH WELGER RESIDENCE
21 LANE AVENUE
PLAINVIEW, NY**

**LUST S101174173
N/A**

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

RICH WELGER RESIDENCE (Continued)

S101174173

LUST:

Facility ID:	9409041	Spill Date:	10/06/1994
First notified:	C	Material class:	PETROLEUM
Material spilled:	#2 FUEL	Release QTY:	1.00 GALLONS
Water body affected:	Not reported	Origin:	PRIVATE DWELLING
Resource affected:	ON LAND	Notifier:	OTHER
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	10/07/1994
Initiated clean up:	Not reported	Close Date:	10/07/1994
Last Inspection:	Not reported	Investigator:	NONE
UST Trust Fund:	No		
Status:	MEANS ITS BEEN RESOLVED	Penalty:	NO PENALTY
Quantity recovered:	0.00		
Cause:	OTHER		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

19

**OLSEN RESIDENCE
14 HEATHER LANE
PLAINVIEW, NY**

LUST

**S100147265
N/A**

LUST:

Facility ID:	8804158	Spill Date:	08/11/1988
First notified:	REGIONAL OFFICE	Material class:	PETROLEUM
Material spilled:	#2 FUEL	Release QTY:	70.00 GALLONS
Water body affected:	Not reported	Origin:	NON-COMM/INST
Resource affected:	ON LAND	Notifier:	RESPONSIBLE PARTY
Basin of spill:	1700	Project ID:	0
Cleaner:	OTHER AGENCY	Date Cleaned:	01/09/1989
Initiated clean up:	Not reported	Close Date:	01/09/1989
Last Inspection:	Not reported	Investigator:	HOFMANN
UST Trust Fund:	No		
Status:	MEANS ITS BEEN RESOLVED	Penalty:	NO PENALTY
Quantity recovered:	0.00		
Cause:	TANK FAILURE		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

20

**ALFRED MAURO RESIDENCE
285 PLAINVIEW RD
HICKSVILLE, NY**

LUST

**S100560476
N/A**

MAP FINDINGS

Map ID	Site	Database(s)	EDR ID Number
Direction			EPA ID Number
Distance			

ALFRED MAURO RESIDENCE (Continued)

S100560476

LUST:

Facility ID:	9306833	Spill Date:	09/03/1993
First notified:	C	Material class:	PETROLEUM
Material spilled:	#2 FUEL	Release QTY:	0.00 GALLONS
Water body affected:	Not reported	Origin:	PRIVATE DWELLING
Resource affected:	ON LAND	Notifier:	OTHER
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	11/29/1993
Initiated clean up:	Not reported	Close Date:	11/29/1993
Last Inspection:	Not reported	Investigator:	CAMPBELL
UST Trust Fund:	No	Penalty:	NO PENALTY
Status:	MEANS ITS BEEN RESOLVED		
Quantity recovered:	0.00		
Cause:	TANK FAILURE		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

21

**GETTY PETROLEUM
723 SOUTH OYSTER BAY ROAD
PLAINVIEW, NY**

LUST

S100172266
N/A

LUST:

Facility ID:	8710561	Spill Date:	03/17/1988
First notified:	REGIONAL OFFICE	Material class:	PETROLEUM
Material spilled:	GASOLINE	Release QTY:	0.00 GALLONS
Water body affected:	Not reported	Origin:	GAS STATION
Resource affected:	GROUNDWATER	Notifier:	TANK TESTER
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	04/20/1988
Initiated clean up:	Not reported	Close Date:	04/20/1988
Last Inspection:	Not reported	Investigator:	GOERTZ
UST Trust Fund:	Yes		
Status:	MEANS ITS BEEN RESOLVED	Penalty:	NO PENALTY
Quantity recovered:	0.00		
Cause:	TANK TEST FAILURE [BULK STORE. PRO.]		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

21

**GETTY PETROLEUM CORP
723 S OYSTER BAY RD
PLAINVIEW, NY 11803**

RCRIS-SQG
FINDS

1000871563
NY0000071282

RCRIS:

Owner: GETTY PETROLEUM CORP
(516) 338-6000

Contact: JOHN CATAPANO
(516) 488-2500

Waste	Quantity	Info Source	Waste	Quantity	Info Source
D000	.00000 (N)	Notification	D008	.00000 (N)	Notification

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

22 **JOHNS SOUTH BAY MOBIL**
755 S OYSTER BAY RD
BETHPAGE, NY 11714

FINDS 1000281333
RCRIS-LQG NYD981555360

RCRIS:

Owner: JOHN SOUTH BAY MOBIL
(516) 681-2068

Contact: JOHN PARISI
(516) 681-2068

Waste	Quantity	Info Source	Waste	Quantity	Info Source
D000	.00000 (N)	Notification	D001	.00000 (N)	Notification
D008	.00000 (N)	Notification			

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

22 **MOBIL S/S #17-KKJ**
755 S OYSTER BAY RD
BETHPAGE, NY

AST **A100042847**
N/A

Nassau County AST:

Facility ID:	041111	Tank ID:	0008
Tank Location:	Indoors, Aboveground	Capacity (Gal):	300
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	PAINTED [e.g. asphaltic]	Material Type:	Fresh/Product
Piping Type:	Steel/Iron		
Description:	OIL, MOTOR	Containment:	DOUBLE WALL TANK
Leak Detect:	ELECTRONIC	Product Gauge:	Yes
Dispense Method:	Suction	Install Date:	0892
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		

22 **MOBIL OIL**
755 SOUTH OYSTER BAY ROAD
BETHPAGE, NY

LUST **S100781305**
N/A

LUST:

Facility ID:	9309724	Spill Date:	11/11/1993
First notified:	ANSWERING SERVICE	Material class:	PETROLEUM
Material spilled:	GASOLINE	Release QTY:	0.00 GALLONS
Water body affected:	Not reported	Origin:	GAS STATION
Resource affected:	ON LAND	Notifier:	TANK TESTER
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	08/17/1994
Initiated clean up:	Not reported	Close Date:	08/17/1994
Last Inspection:	Not reported	Investigator:	T/T/F
UST Trust Fund:	Yes		
Status:	MEANS ITS BEEN RESOLVED	Penalty:	NO PENALTY
Quantity recovered:	0.00		
Cause:	TANK TEST FAILURE [BULK STORE. PRO.]		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

22 **MOBIL S/S #17-KKJ**
755 S OYSTER BAY RD
BETHPAGE, NY

UST **U001445843**
N/A

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

MOBIL S/S #17-KKJ (Continued)

U001445843

Nassau County UST:

Facility ID:	041111	Tank ID:	0006
Tank Location:	Indoors, Belowground	Capacity:	00001000
Tank Status:	In Service	Tank Material:	Fiberglass Reinforced Plastic
Piping Type:	Other	Material Type:	Fresh/Product
Int Protection:	Internal Lining		
Ext Protection:	FIBERGLASS REINFORCED PLASTIC		
Description:	OIL, FUEL #2		
Leak Detect:	ELECTRONIC	Containment:	Double Wall Tank
Dispense Method:	Suction	Product Gauge:	No
Fill Type:	Gravity	Install Date:	0490
Total Tanks:	2		

Facility ID:	041111	Tank ID:	0007
Tank Location:	Indoors, Belowground	Capacity:	00001000
Tank Status:	In Service	Tank Material:	Fiberglass Reinforced Plastic
Piping Type:	Double Walled Fiberglass	Material Type:	Waste
Int Protection:	Internal Lining		
Ext Protection:	FIBERGLASS REINFORCED PLASTIC		
Description:	WASTE OIL		
Leak Detect:	ELECTRONIC	Containment:	Double Wall Tank
Dispense Method:	Suction	Product Gauge:	No
Fill Type:	Gravity	Install Date:	0490
Total Tanks:	2		

23

**197 NEWBRIDGE S/S CORP - GULF
197 OLD COUNTRY RD
HICKSVILLE, NY 11801**

**RCRIS-SQG 1000457373
FINDS NYD986925238**

RCRIS:

Owner: CUMBERLAND FARMS INC
(212) 555-1212

Contact: RAYMOND FITZPATRICK
(516) 921-4300

Waste	Quantity	Info Source	Waste	Quantity	Info Source
D000	.00000 (N)	Notification	D001	.00000 (N)	Notification
D008	.00000 (N)	Notification			

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

24

**EPSTEINS RESIDENCE
46 KESWICK LANE
PLAINVIEW, NY**

**LUST S100151135
N/A**

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

EPSTEINS RESIDENCE (Continued)

S100151135

LUST:

Facility ID:	9006009	Spill Date:	08/30/1990
First notified:	ANSWERING SERVICE	Material class:	PETROLEUM
Material spilled:	#2 FUEL	Release QTY:	0.00 GALLONS
Water body affected:	Not reported	Origin:	PRIVATE DWELLING
Resource affected:	ON LAND	Notifier:	RESPONSIBLE PARTY
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	08/31/1990
Initiated clean up:	Not reported	Close Date:	08/31/1990
Last Inspection:	Not reported	Investigator:	NONE
UST Trust Fund:	No		
Status:	MEANS ITS BEEN RESOLVED	Penalty:	NO PENALTY
Quantity recovered:	0.00		
Cause:	TANK FAILURE		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

25

**LILCO HICKSVILLE OP. CENTER
175 E OLD COUNTRY ROAD
HICKVILLE, NY 11801**

**PADS
CERCLIS
FINDS
RCRIS-LQG
RCRIS-TSD
CORRACTS**

**1000178398
NYD006866008**

CERCLIS Classification Data:

Site Incident Category:	Not reported	Federal Facility:	NO
Ownership Status:	UNKNOWN	NPL Status:	NOT ON NPL
EPA Notes:	Not reported		

CERCLIS Assessment History:

Assessment:	DISCOVERY	Completed:	02/28/1989
Assessment:	PRELIMINARY ASSESSMENT	Completed:	03/31/1989

CERCLIS Site Status:

This site is currently under investigation by the government to assess the extent of further action

CERCLIS Alias Name(s):

LILCO HICKSVILLE OP. CENTER

CORRACTS Data:

Prioritization:	Low
Status:	RCRA Facility Investigation Completed, Corrective Action Process is Terminated

RCRIS:

Owner: LONG ISLAND LIGHTING COMPANY
(516) 933-4590

Contact: MILHOUS MADISON
(516) 391-6133

Waste	Quantity	Info Source	Waste	Quantity	Info Source
D000	.00000 (N)	Notification	D001	.00000 (N)	Notification
D002	.00000 (N)	Notification	D009	.00000 (N)	Notification
F001	.00000 (N)	Notification	F004	.00000 (N)	Notification
F005	.00000 (N)	Notification			

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

MAP FINDINGS

Map ID			EDR ID Number
Direction			EPA ID Number
Distance	Site	Database(s)	

LILCO HICKSVILLE OP. CENTER (Continued) 1000178398

There are 6 compliance/violation record(s) reported at this site:

Evaluation	Date	Violations
COMPLIANCE SCHEDULE EVALUATION (CSE)	07-JUN-95	YES
COMPLIANCE EVALUATION INSPECTION (CEI)	14-OCT-94	YES
COMPLIANCE EVALUATION INSPECTION (CEI)	17-DEC-93	YES
COMPLIANCE EVALUATION INSPECTION (CEI)	27-SEP-91	YES
NON-FINANCIAL RECORD REVIEW (NRR)	20-OCT-88	YES
NON-FINANCIAL RECORD REVIEW (NRR)	16-MAY-86	YES

Other Pertinent Environmental Activity Identified at Site:
 civil judicial and administrative enforcement cases against facility
 facility is a PCB generator, storer, transporter or permitted disposer

26	SLOMINS 92 E OLD COUNTRY RD HICKSVILLE, NY	LUST	S101340894 N/A
----	---	-------------	---------------------------------

LUST:

Facility ID: 9411611	Spill Date: 11/30/1994
First notified: C	Material class: PETROLEUM
Material spilled: #2 FUEL	Release QTY: 1.00 GALLONS
Water body affected: Not reported	Origin: PRIVATE DWELLING
Resource affected: ON LAND	Notifier: RESPONSIBLE PARTY
Basin of spill: 1700	Project ID: 0
Cleaner: SPILLER	Date Cleaned: 12/01/1994
Initiated clean up: Not reported	Close Date: 12/01/1994
Last Inspection: Not reported	Investigator: NONE
UST Trust Fund: No	
Status: MEANS ITS BEEN RESOLVED	Penalty: NO PENALTY
Quantity recovered: 0.00	
Cause: TANK OVERFILL	
Emergency response: IT WAS NOT TAKEN	
Facility status: COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]	

27	STRUCTURAL INDUSTRIES INC 96 NEW SOUTH RD HICKSVILLE, NY 11801	RCRIS-SQG FINDS UST LUST	1000554648 NYD986971216
----	---	---	--

RCRIS:
 Owner: STANLEY HIRSCH
 (516) 822-5200
 Contact: BARBARA MACCIO
 (516) 822-5200

Waste	Quantity	Info Source	Waste	Quantity	Info Source
D000	.00000 (N)	Notification	D001	.00000 (N)	Notification
D006	.00000 (N)	Notification	F003	.00000 (N)	Notification
F005	.00000 (N)	Notification			

(P) = Pounds, (K) = Kilograms, (M) = Metric Tons, (T) = Tons, (N) = Not Reported

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

STRUCTURAL INDUSTRIES INC (Continued)

1000554648

LUST:

Facility ID:	8906944	Spill Date:	10/15/1989
First notified:	REGIONAL OFFICE	Material class:	PETROLEUM
Material spilled:	UNKNOWN	Release QTY:	0.00 GALLONS
Water body affected:	Not reported	Origin:	COMMINDUST
Resource affected:	IN SEWER	Notifier:	FIRE DEPARTMENT
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	10/16/1989
Initiated clean up:	Not reported	Close Date:	10/16/1989
Last Inspection:	Not reported	Investigator:	HOFMANN
UST Trust Fund:	No		
Status:	MEANS ITS BEEN RESOLVED	Penalty:	NO PENALTY
Quantity recovered:	0.00		
Cause:	OTHER		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

Facility ID:	9306676	Spill Date:	08/31/1993
First notified:	C	Material class:	PETROLEUM
Material spilled:	#2 FUEL	Release QTY:	0.00 GALLONS
Water body affected:	Not reported	Origin:	COMMINDUST
Resource affected:	GROUNDWATER	Notifier:	TANK TESTER
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	03/02/1995
Initiated clean up:	Not reported	Close Date:	03/02/1995
Last Inspection:	Not reported	Investigator:	T/T/F
UST Trust Fund:	No		
Status:	MEANS ITS BEEN RESOLVED	Penalty:	NO PENALTY
Quantity recovered:	0.00		
Cause:	TANK TEST FAILURE [BULK STORE. PRO.]		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

Nassau County UST:

Facility ID:	056447	Tank ID:	0002
Tank Location:	Indoors, Belowground	Capacity:	00007500
Tank Status:	6	Tank Material:	STEEL
Piping Type:	Unknown	Material Type:	Fresh/Product
Int Protection:	Unknown		
Ext Protection:	UNKNOWN		
Description:	OIL, FUEL #2	Containment:	Other
Leak Detect:	OTHER	Product Gauge:	No
Dispense Method:	Suction	Install Date:	1255
Fill Type:	Gravity		
Total Tanks:	1		

28

**MERRY OLDS INC
777 SOUTH OYSTER BAY ROAD
BETHPAGE, NY 11714**

**FINDS 1000372483
RCRIS-LQG NYD065956922**

MAP FINDINGS

Map ID Direction Distance	Site	Database(s)	EDR ID Number EPA ID Number
---------------------------------	------	-------------	--------------------------------

MERRY OLDS INC (Continued) **1000372483**

RCRIS:
 Owner: JOSEPH FOX
 (212) 555-1212
 Contact: FRED GALLAGHER
 (516) 435-7948

Waste	Quantity	Info Source
D000	.00000 (N)	Notification

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

28	GRAND PRIX PERFORMANCE LT 777 S OYSTER BAY RD BETHPAGE, NY	AST	A100043319 N/A
-----------	---	------------	---------------------------------

Nassau County AST:

Facility ID:	056860	Tank ID:	0001
Tank Location:	Indoors, Aboveground	Capacity (Gal):	275
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	PAINTED [e.g. asphaltic]		
Piping Type:	Steel/Iron	Material Type:	Fresh/Product
Description:	OIL, MOTOR		
Leak Detect:	OTHER	Containment:	DIKING AND PAD
Dispense Method:	Suction	Product Gauge:	Yes
Fill Type:	Pumped	Install Date:	0795
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported

Facility ID:	056860	Tank ID:	0002
Tank Location:	Outdoors, Aboveground	Capacity (Gal):	240
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	PAINTED [e.g. asphaltic]		
Piping Type:	Steel/Iron	Material Type:	Waste
Description:	OIL, MOTOR		
Leak Detect:	OTHER	Containment:	DOUBLE WALL TANK
Dispense Method:	Suction	Product Gauge:	Yes
Fill Type:	Pumped	Install Date:	0795
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported

29	INLAND PLASTICS 120 NEW SOUTH RD HICKSVILLE, NY 11802	RCRIS-SQG FINDS	1000556202 NYD986987618
-----------	--	----------------------------------	--

29	SPEDALE PHOTOGRAPHERS 110 NEW SOUTH RD HICKSVILLE, NY 11801	RCRIS-SQG FINDS	1000184614 NYD982794570
-----------	--	----------------------------------	--

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

SPEDALE PHOTOGRAPHERS (Continued)

1000184614

RCRIS:

Owner: JULIUS SPEDALE
(212) 555-1212

Contact: JULIUS SPEDALE
(516) 681-0863

Waste	Quantity	Info Source
D001	.00000 (N)	Notification

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

30

**FRANKIE D'S SERV STA
1234 STEWART AVE
BETHPAGE, NY**

AST

A100043084
N/A

Nassau County AST:

Facility ID: 055584
Tank Location: Outdoors, Aboveground
Tank Status: In Service
Int Protection: None
Ext Protection: PAINTED [e.g. asphaltic]
Piping Type: Galvanized Steel
Description: OIL, FUEL #2
Leak Detect: OTHER
Dispense Method: Suction
Fill Type: Pumped
Data File: Petroleum Bulk Storage Facility

Tank ID: 0006
Capacity (Gal): 250
Tank Material: STEEL

Material Type: Fresh/Product

Containment: DOUBLE WALL TANK
Product Gauge: Yes
Install Date: 1292
Total Tanks: Not reported

31

**CORNICHE OF HICKSVILLE
285-4 S BROADWAY
HICKSVILLE, NY 11801**

RCRIS-SQG
FINDS

1000315603
NYD982717472

RCRIS:

Owner: HICKSVILLE CORNICHE INC
(212) 555-1212

Contact: HI EUN SHON
(516) 935-9525

Waste	Quantity	Info Source
F002	.00000 (N)	Notification

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

32

**HICKSVILLE FIRESTONE
300 S BROADWAY
HICKSVILLE, NY 11801**

FINDS
RCRIS-LQG
LUST
AST

1000272865
NYD012729554

MAP FINDINGS

Map ID Direction Distance	Site	Database(s)	EDR ID Number EPA ID Number
---------------------------------	------	-------------	--------------------------------

HICKSVILLE FIRESTONE (Continued) **1000272865**

RCRIS:
 Owner: CLIFF FRIETAG
 (212) 555-1212
 Contact: RICHARD ORELLI
 (516) 931-0170

Waste	Quantity	Info Source	Waste	Quantity	Info Source
D000	.00000 (N)	Notification	D008	.00000 (N)	Notification
NONE	.00000 (N)	EPA Inspection			

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

LUST:
 Facility ID: 9010583 Spill Date: 01/02/1991
 First notified: REGIONAL OFFICE Material class: PETROLEUM
 Material spilled: WASTE OIL Release QTY: 0.00 GALLONS
 Water body affected: Not reported Origin: COMM/INDUST
 Resource affected: GROUNDWATER Notifier: OTHER
 Basin of spill: 1700 Project ID: 0
 Cleaner: SPILLER Date Cleaned: 02/14/1992
 Initiated clean up: Not reported Close Date: 02/14/1992
 Last Inspection: Not reported Investigator: WALSH
 UST Trust Fund: Yes Penalty: NO PENALTY
 Status: MEANS ITS BEEN RESOLVED
 Quantity recovered: 0.00
 Cause: OTHER
 Emergency response: IT WAS NOT TAKEN
 Facility status: COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]

Nassau County AST:
 Facility ID: 055305 Tank ID: 0003
 Tank Location: Outdoors, Aboveground Capacity (Gal): 220
 Tank Status: In Service Tank Material: STEEL
 Int Protection: None
 Ext Protection: PAINTED [e.g. asphaltic]
 Piping Type: Steel/Iron Material Type: Waste
 Description: WASTE OIL
 Leak Detect: OTHER Containment: DIKING AND PAD
 Dispense Method: Suction Product Gauge: No
 Fill Type: Gravity Install Date: 0591
 Data File: Petroleum Bulk Storage Facility Total Tanks: Not reported

32	ABBEY RENT ALL 301 S BROADWAY HICKSVILLE, NY	LUST AST	S100668658 N/A
-----------	---	---------------------	---------------------------

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

ABBEY RENT ALL (Continued)

S100668658

LUST:

Facility ID:	8903512	Spill Date:	07/07/1989
First notified:	REGIONAL OFFICE	Material class:	PETROLEUM
Material spilled:	WASTE OIL	Release QTY:	0.00 GALLONS
Water body affected:	Not reported	Origin:	NON-COMMINST
Resource affected:	ON LAND	Notifier:	HEALTH DEPARTMENT
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	02/13/1990
Initiated clean up:	Not reported	Close Date:	02/13/1990
Last inspection:	Not reported	Investigator:	LEUNG
UST Trust Fund:	No		
Status:	MEANS ITS BEEN RESOLVED	Penalty:	NO PENALTY
Quantity recovered:	0.00		
Cause:	OTHER		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

Nassau County AST:

Facility ID:	055255	Tank ID:	0003
Tank Location:	Indoors, Aboveground	Capacity (Gal):	220
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	PAINTED [e.g. asphaltic]	Material Type:	Fresh/Product
Piping Type:	Steel/Iron		
Description:	OIL, FUEL #2	Containment:	DIKING AND PAD
Leak Detect:	OTHER	Product Gauge:	Yes
Dispense Method:	Suction	Install Date:	0394
Fill Type:	Gravity	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		

33

**COMMANDER
53 LAWNVIEW AVE
HICKSVILLE, NY**

LUST

**S101103113
N/A**

LUST:

Facility ID:	9403227	Spill Date:	06/06/1994
First notified:	C	Material class:	PETROLEUM
Material spilled:	WASTE OIL	Release QTY:	1.00 GALLONS
Water body affected:	Not reported	Origin:	PRIVATE DWELLING
Resource affected:	ON LAND	Notifier:	OTHER
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	06/07/1994
Initiated clean up:	Not reported	Close Date:	06/07/1994
Last inspection:	Not reported	Investigator:	NONE
UST Trust Fund:	No		
Status:	MEANS ITS BEEN RESOLVED	Penalty:	NO PENALTY
Quantity recovered:	0.00		
Cause:	OTHER		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

34

**TERRY SULLIVAN
355 S BROADWAY
HICKSVILLE, NY**

LUST

**S100147563
N/A**

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

TERRY SULLIVAN (Continued)

S100147563

LUST:

Facility ID:	8809382	Spill Date:	03/05/1989
First notified:	ANSWERING SERVICE	Material class:	PETROLEUM
Material spilled:	GASOLINE	Release QTY:	10.00 GALLONS
Water body affected:	Not reported	Origin:	PASSENGER VEHICLE
Resource affected:	ON LAND	Notifier:	FIRE DEPARTMENT
Basin of spill:	1700	Project ID:	0
Cleaner:	OTHER AGENCY	Date Cleaned:	03/06/1989
Initiated clean up:	Not reported	Close Date:	03/06/1989
Last inspection:	Not reported	Investigator:	NCFM
UST Trust Fund:	No	Penalty:	NO PENALTY
Status:	MEANS ITS BEEN RESOLVED		
Quantity recovered:	0.00		
Cause:	TANK FAILURE		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

34

**HIP - EAST NASSAU REGION
350 S BROADWAY
HICKSVILLE, NY 11801**

**RCRIS-SQG 1000790857
FINDS NYD987023462**

RCRIS:

Owner: HIP OF GREATER NEW YORK
(212) 630-5000

Contact: GEORGE MARLO
(516) 938-0100

Waste	Quantity	Info Source	Waste	Quantity	Info Source
D000	.00000 (N)	Notification	D002	.00000 (N)	Notification
D009	.00000 (N)	Notification			

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

34

**DR. CHTRUVANTY
350 S BROADWAY
HICKSVILLE, NY**

**LUST S100667550
N/A**

LUST:

Facility ID:	8806012	Spill Date:	10/15/1988
First notified:	REGIONAL OFFICE	Material class:	PETROLEUM
Material spilled:	GASOLINE	Release QTY:	4.00 GALLONS
Water body affected:	Not reported	Origin:	PASSENGER VEHICLE
Resource affected:	ON LAND	Notifier:	FIRE DEPARTMENT
Basin of spill:	1700	Project ID:	99222
Cleaner:	DEC - PIN PROJECT	Date Cleaned:	10/18/1988
Initiated clean up:	Not reported	Close Date:	10/18/1988
Last inspection:	Not reported	Investigator:	NONE
UST Trust Fund:	No	Penalty:	NO PENALTY
Status:	MEANS ITS BEEN RESOLVED		
Quantity recovered:	0.00		
Cause:	OTHER		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

MAP FINDINGS

Map ID Direction Distance	Site	Database(s)	EDR ID Number EPA ID Number
---------------------------------	------	-------------	--------------------------------

35	NARDA MICROWAVE CORP 75 COMMERCIAL ST HICKSVILLE, NY 11801	FINDS	1000789577 NYD987010386
----	---	-------	----------------------------

Other Pertinent Environmental Activity Identified at Site:
facility has active water discharge permits

36	IMPRESSIVE IMAGE INC 9 COMMERCIAL ST HICKSVILLE, NY 11801	FINDS RCRIS-LQG	1000553036 NYD986954451
----	--	--------------------	----------------------------

RCRIS:
Owner: ROBERT M RUSIE
(516) 931-0142

Contact: CELIA CERLINI
(516) 931-0142

Waste	Quantity	Info Source	Waste	Quantity	Info Source
D000	.00000 (N)	Notification	D001	.00000 (N)	Notification

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

36	BIDCO MANUFACTURING CORP 8 COMMERCIAL ST HICKSVILLE, NY 11801	RCRIS-SQG FINDS	1000790592 NYD987020773
----	--	--------------------	----------------------------

RCRIS:
Owner: BIDCO MANUFACTURING CORP
(516) 433-0740

Contact: HARVEY BIDNER
(516) 433-0740

Waste	Quantity	Info Source	Waste	Quantity	Info Source
D000	.00000 (N)	Notification	D011	.00000 (N)	Notification

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

36	MERCURY LIGHTING CORP 10 COMMERCIAL ST HICKSVILLE, NY 11801	RCRIS-SQG FINDS	1000981464 NY0001000082
----	--	--------------------	----------------------------

RCRIS:
Owner: MERCURY LIGHTING CORP
(215) 575-2390

Contact: KENNETH JONES
(215) 575-2390

Waste	Quantity	Info Source	Waste	Quantity	Info Source
D001	.00000 (N)	Notification	F001	.00000 (N)	Notification

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

36	AETNA PRODUCTS 11 COMMERCIAL ST HICKSVILLE, NY 11801	RCRIS-SQG FINDS	1000553354 NYD986957702
----	---	--------------------	----------------------------

MAP FINDINGS

Map ID Direction Distance	Site	Database(s)	EDR ID Number EPA ID Number
---------------------------------	------	-------------	--------------------------------

AETNA PRODUCTS (Continued)

1000553354

RCRIS:

Owner: FORE IMPROVEMENT CORP
(516) 935-8383

Contact: PAUL MEYER
(516) 938-8100

Waste	Quantity	Info Source	Waste	Quantity	Info Source
D000	.00000 (N)	Notification	D001	.00000 (N)	Notification
U226	.00000 (N)	Notification			

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

**37 DEXTER MAGNETIC MATERIALS DIV
400 KARIN LN
HICKSVILLE, NY 11801**

**RCRIS-SQG FINDS 1000552702
NYD986951077**

RCRIS:

Owner: DEXTER CORP
(408) 730-0611

Contact: ROY YOST
(516) 822-3311

Waste	Quantity	Info Source
D001	.00000 (N)	Notification

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

**38 BONANZA FABRIC CO
35 KARIN LN
HICKSVILLE, NY**

**LUST S100668624
N/A**

LUST:

Facility ID: 8800192	Spill Date: 04/06/1988
First notified: REGIONAL OFFICE	Material class: PETROLEUM
Material spilled: #2 FUEL	Release QTY: 0.00 GALLONS
Water body affected: Not reported	Origin: NON-COMMUNST
Resource affected: GROUNDWATER	Notifier: HEALTH DEPARTMENT
Basin of spill: 1700	Project ID: 0
Cleaner: OTHER AGENCY	Date Cleaned: 05/16/1988
Initiated clean up: Not reported	Close Date: 05/16/1988
Last inspection: Not reported	Investigator: NCDH
UST Trust Fund: No	
Status: MEANS ITS BEEN RESOLVED	Penalty: NO PENALTY
Quantity recovered: 0.00	
Cause: OTHER	
Emergency response: IT WAS NOT TAKEN	
Facility status: COMPLETED SPILL (SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED)	

**39 RESIDENCE
89 SILVBER AVE
BETHPAGE, NY**

**LUST S100560263
N/A**

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

RESIDENCE (Continued)

S100560263

LUST:

Facility ID:	9306397	Spill Date:	08/24/1993
First notified:	C	Material class:	PETROLEUM
Material spilled:	#2 FUEL	Release QTY:	6.00 GALLONS
Water body affected:	Not reported	Origin:	PRIVATE DWELLING
Resource affected:	ON LAND	Notifier:	AFFECTED PERSONS
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	08/26/1993
Initiated clean up:	Not reported	Close Date:	08/26/1993
Last Inspection:	Not reported	Investigator:	NONE
UST Trust Fund:	No	Penalty:	NO PENALTY
Status:	MEANS ITS BEEN RESOLVED		
Quantity recovered:	0.00		
Cause:	TANK FAILURE		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

40

**PAG INSULATION
44 FELICE CRESCENT
HICKSVILLE, NY 11801**

FINDS

**1000551083
NYD986920239**

Other Pertinent Environmental Activity Identified at Site:
facility has an emission permit under the Clean Air Act
civil judicial and administrative enforcement cases against facility

41

**THALL SVC STATION CORP.
400 S. BROADWAY
HICKSVILLE, NY 11801**

**FINDS
RCRIS-LQG**

**1000288210
NYD055950935**

RCRIS:

Owner: ROBERT L. THALL
(212) 555-1212

Contact: STEVEN THALL
(516) 433-3043

Waste	Quantity	Info Source
D000	.00000 (N)	Notification

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

41

**PACE FUEL CO
400 S BROADWAY
HICKSVILLE, NY**

LUST

**S100148922
N/A**

MAP FINDINGS

Map ID			EDR ID Number
Direction			EPA ID Number
Distance	Site	Database(s)	

PACE FUEL CO (Continued)

S100148922

LUST:

Facility ID: 8702695	Spill Date: 07/03/1987
First notified: REGIONAL OFFICE	Material class: PETROLEUM
Material spilled: GASOLINE	Release QTY: 25.00 GALLONS
Water body affected: Not reported	Origin: TANK TRUCK
Resource affected: ON LAND	Notifier: LOCAL AGENCY
Basin of spill: 17	Project ID: 0
Cleaner: SPILLER	Date Cleaned: 07/03/1987
Initiated clean up: Not reported	Close Date: 07/03/1987
Last Inspection: Not reported	Investigator: ACAMPORA
UST Trust Fund: No	Penalty: NO PENALTY
Status: MEANS ITS BEEN RESOLVED	
Quantity recovered: 0.00	
Cause: TANK OVERFILL	
Emergency response: IT WAS NOT TAKEN	
Facility status: COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]	

41

**SUNOCO-BOB THALL
400 SOUTH BROADWAY
HICKSVILLE, NY 11801**

**FINDS 1000332080
RCRIS-LQG NYD981492036**

RCRIS:

Owner: BOB THALL
(212) 555-1212

Contact: BOB THALL
(516) 433-3043

Waste	Quantity	Info Source	Waste	Quantity	Info Source
D000	.00000 (N)	Notification	D008	.00000 (N)	Notification

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

42

**GENERAL ELECTRIC SUPPLY CO.
848 S. OYSTER BAY ROAD
HICKSVILLE, NY 11801**

**RCRIS-LQG 1000212460
NYD060317831**

RCRIS:

Owner: GENERAL ELECTRIC
(212) 555-1212

Contact: JOSEPH HAYDEN
(516) 931-1890

Waste	Quantity	Info Source
D001	.00000 (N)	Notification

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

42

**GENERAL ELECTRIC COMPANY INC
848 S OYSTER BAY RD
HICKSVILLE, NY 11802**

**FINDS 1000788076
NYD060317831**

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

**43 R & J CLEANERS
447 S BROADWAY
HICKSVILLE, NY 11801**

**RCRIS-SQG 1000912055
FINDS NY0000385393**

RCRIS:
Owner: KUAN-CHIEH PENG
(516) 938-6187

Contact: KUAN-CHIEH PENG
(516) 939-0776

Waste	Quantity	Info Source	Waste	Quantity	Info Source
D007	.00000 (N)	Notification	D039	.00000 (N)	Notification
F002	.00000 (N)	Notification			

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

**44 LARRY NALLIA RESIDENCE
78 SPRUCE AVENUE
BETHPAGE, NY**

**LUST S100664934
N/A**

LUST:
 Facility ID: 9210656 Spill Date: 12/14/1992
 First notified: REGIONAL OFFICE Material class: PETROLEUM
 Material spilled: #2 FUEL Release QTY: 0.00 GALLONS
 Water body affected: Not reported Origin: PRIVATE DWELLING
 Resource affected: ON LAND Notifier: OTHER
 Basin of spill: 1700 Project ID: 0
 Cleaner: SPILLER Date Cleaned: 02/12/1993
 Initiated clean up: Not reported Close Date: 02/12/1993
 Last inspection: Not reported Investigator: GIBBONS
 UST Trust Fund: No
 Status: MEANS ITS BEEN RESOLVED Penalty: NO PENALTY
 Quantity recovered: 0.00
 Cause: OTHER
 Emergency response: IT WAS NOT TAKEN
 Facility status: COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]

**45 UNK CUSTOMER
502 S BROADWAY
HICKSVILLE, NY**

**LUST S100493879
N/A**

LUST:
 Facility ID: 9205657 Spill Date: 08/15/1992
 First notified: C Material class: PETROLEUM
 Material spilled: GASOLINE Release QTY: 4.00 GALLONS
 Water body affected: Not reported Origin: PASSENGER VEHICLE
 Resource affected: ON LAND Notifier: AFFECTED PERSONS
 Basin of spill: 1700 Project ID: 0
 Cleaner: OTHER AGENCY Date Cleaned: 08/17/1992
 Initiated clean up: Not reported Close Date: 08/17/1992
 Last inspection: Not reported Investigator: NONE
 UST Trust Fund: No
 Status: MEANS ITS BEEN RESOLVED Penalty: NO PENALTY
 Quantity recovered: 0.00
 Cause: TANK OVERFILL
 Emergency response: IT WAS NOT TAKEN
 Facility status: COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]

MAP FINDINGS

Map ID Direction Distance	Site	Database(s)	EDR ID Number EPA ID Number
---------------------------------	------	-------------	--------------------------------

45	GRAND PRIX PERFORMANCE LTD 500 S BROADWAY HICKSVILLE, NY 11801	RCRIS-SQG FINDS	1000791026 NYD987025251
----	---	----------------------------------	--

RCRIS:
 Owner: JOHN DEMONACO
 (516) 931-2942
 Contact: STEVE SCHERER
 (516) 822-1550

Waste	Quantity	Info Source	Waste	Quantity	Info Source
D001	.00000 (N)	Notification	D008	.00000 (N)	Notification
D018	.00000 (N)	Notification	D039	.00000 (N)	Notification

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

45	GRAND JEEP EAGLE DEALERSHIP 500 BROADWAY HICKSVILLE, NY 11801	FINDS RCRIS-LQG	1000791734 NYD987032521
----	--	----------------------------------	--

RCRIS:
 Owner: ANN DEMONACO
 (516) 931-2942
 Contact: ANN DEMONACO
 (516) 931-2942

Waste	Quantity	Info Source	Waste	Quantity	Info Source
D000	.00000 (N)	Notification	D006	.00000 (N)	Notification
D008	.00000 (N)	Notification	D009	.00000 (N)	Notification

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

45	HESS S/S 502 S BROADWAY HICKSVILLE, NY	LUST	S100493287 N/A
----	---	-------------	---------------------------------

LUST:

Facility ID: 9113034	Spill Date: 03/24/1992
First notified: ANSWERING SERVICE	Material class: PETROLEUM
Material spilled: #2 FUEL	Release QTY: 0.00 GALLONS
Water body affected: Not reported	Origin: GAS STATION
Resource affected: GROUNDWATER	Notifier: RESPONSIBLE PARTY
Basin of spill: 1700	Project ID: 0
Cleaner: SPILLER	Date Cleaned: 05/20/1992
Initiated clean up: Not reported	Close Date: 05/20/1992
Last Inspection: Not reported	Investigator: T/T/F
UST Trust Fund: No	Penalty: NO PENALTY
Status: MEANS ITS BEEN RESOLVED	
Quantity recovered: 0.00	
Cause: TANK TEST FAILURE [BULK STORE. PRO.]	
Emergency response: IT WAS NOT TAKEN	
Facility status: COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]	

45	HESS 502 S BROADWAY HICKSVILLE, NY	LUST	S101174774 N/A
----	---	-------------	---------------------------------

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

HESS (Continued)

S101174774

LUST:

Facility ID:	9404252	Spill Date:	06/27/1994
First notified:	C	Material class:	PETROLEUM
Material spilled:	GASOLINE	Release QTY:	0.00 GALLONS
Water body affected:	Not reported	Origin:	GAS STATION
Resource affected:	ON LAND	Notifier:	RESPONSIBLE PARTY
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	Not reported
Initiated clean up:	Not reported	Close Date:	Not reported
Last Inspection:	Not reported	Investigator:	RMS CAMPBELL
UST Trust Fund:	Yes	Penalty:	NO PENALTY
Status:	Not reported		
Quantity recovered:	0.00		
Cause:	TANK OVERFILL		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	ACTIVE SPILL [ON GOING]		

45

**AMERADA HESS STATION 32489
502 S BROADWAY
HICKSVILLE, NY 11801**

**RCRIS-SQG 1000789578
FINDS NYD987010394**

RCRIS:

Owner: AMERADA HESS CORP
(908) 750-6000

Contact: THOMAS WHITTAKER
(908) 750-6225

Waste	Quantity	Info Source	Waste	Quantity	Info Source
D000	.00000 (N)	Notification	D001	.00000 (N)	Notification
D018	.00000 (N)	Notification			

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

Other Pertinent Environmental Activity Identified at Site:
facility has active water discharge permits

45

**GRAND PRIX PERFORMANCE
500 S BROADWAY
HICKSVILLE, NY**

AST

**A100042981
N/A**

Nassau County AST:

Facility ID:	055208	Tank ID:	0004
Tank Location:	Indoors, Aboveground	Capacity (Gal):	240
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None	Material Type:	Fresh/Product
Ext Protection:	OTHER	Containment:	DIKING AND PAD
Piping Type:	Steel/Iron	Product Gauge:	Yes
Description:	OIL, MOTOR	Install Date:	0676
Leak Detect:	NONE	Total Tanks:	Not reported
Dispense Method:	Suction		
Fill Type:	Pumped		
Data File:	Petroleum Bulk Storage Facility		

MAP FINDINGS

Map ID Direction Distance	Site	Database(s)	EDR ID Number EPA ID Number
---------------------------------	------	-------------	--------------------------------

GRAND PRIX PERFORMANCE (Continued)

A100042981

Facility ID: 055208	Tank ID: 0005
Tank Location: Indoors, Aboveground	Capacity (Gal): 240
Tank Status: In Service	Tank Material: STEEL
Int Protection: None	
Ext Protection: PAINTED [e.g. asphaltic]	
Piping Type: Steel/Iron	Material Type: Waste
Description: WASTE OIL	
Leak Detect: OTHER	Containment: DIKING AND PAD
Dispense Method: Suction	Product Gauge: Yes
Fill Type: Gravity	Install Date: 0491
Data File: Petroleum Bulk Storage Facility	Total Tanks: Not reported

45 JOHN HENRYS CLEANERS 495-30 SOUTH BROADWAY HICKSVILLE, NY 11801	FINDS	1000305180
	RCRIS-LQG	NYD982182057

RCRIS:
 Owner: GROSSE HENRY
 (212) 555-1212
 Contact: HENRY GROSSE
 (516) 935-7650

Waste	Quantity	Info Source
F002	.00000 (N)	Notification

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

45 TRW MEDIAL ELECTRONIC CORP 485-29 S BROADWAY HICKSVILLE, NY 11801	FINDS	1000123895
	RCRIS-LQG	NYD986872984

RCRIS:
 Owner: DIVISION OF TRW
 (212) 555-1212
 Contact: NICK OSTER
 (516) 932-8700

Waste	Quantity	Info Source	Waste	Quantity	Info Source
D001	.00000 (N)	Notification	NONE	.00000 (N)	EPA Inspection

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

45 SALS AUTO BODY 477 S BROADWAY HICKSVILLE, NY 11801	RCRIS-SQG	1000373491
	FINDS	NYD986894939

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

SALS AUTO BODY (Continued)

1000373491

RCRIS:

Owner: LOU SEPLAVY
(212) 555-1212

Contact: DANIEL RYAN
(516) 681-6644

Waste	Quantity	Info Source	Waste	Quantity	Info Source
D001	.00000 (N)	Notification	F005	.00000 (N)	Notification

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

46

RONZONI FOODS CORPORATION
50 LUDY ST
HICKSVILLE, NY 11801

RCRIS-SQG 1000212440
FINDS NYD152084372

RCRIS:

Owner: PHILIP MORRIS
(212) 555-1212

Contact: ANTHONY BELVIGLIO
(516) 932-2700

Waste	Quantity	Info Source
D001	.00000 (N)	Notification

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

46

TRIPLE J.V.C. AUTO COLLISION, INC
55 LUDY ST
HICKSVILLE, NY 11801

RCRIS-SQG 1000347932
FINDS NYD982730178

RCRIS:

Owner: JOHN COTONA
(212) 555-1212

Contact: JOHN COTONA
(516) 939-0020

Waste	Quantity	Info Source	Waste	Quantity	Info Source
F003	.00000 (N)	Notification	F005	.00000 (N)	Notification

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

46

GRUMMAN AEROSPACE CORP
83 LUDY ST
HICKSVILLE, NY 11714

FINDS 1000300850
RCRIS-LQG NYD981182231

MAP FINDINGS

Map ID Direction Distance	Site	Database(s)	EDR ID Number EPA ID Number
---------------------------------	------	-------------	--------------------------------

GRUMMAN AEROSPACE CORP (Continued) 1000300850

RCRIS:
 Owner: INDUSTRIAL REALTY CO
 (212) 555-1212
 Contact: JOHN OHLMANN
 (516) 575-2385

Waste	Quantity	Info Source	Waste	Quantity	Info Source
D001	.00000 (N)	Notification	F001	.00000 (N)	Notification
F003	.00000 (N)	Notification	F005	.00000 (N)	Notification
NONE	.00000 (N)	EPA Inspection			

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

**47 HENRY SOLUK OWNER LUST
 30 FLORAL AVENUE S100491897
 BETHPAGE, NY N/A**

LUST:

Facility ID: 9208514	Spill Date: 10/23/1992
First notified: C	Material class: PETROLEUM
Material spilled: #2 FUEL	Release QTY: 200.00 GALLONS
Water body affected: Not reported	Origin: PRIVATE DWELLING
Resource affected: ON LAND	Notifier: OTHER
Basin of spill: 1700	Project ID: 0
Cleaner: SPILLER	Date Cleaned: 04/27/1994
Initiated clean up: Not reported	Close Date: 04/27/1994
Last Inspection: Not reported	Investigator: GIBBONS
UST Trust Fund: No	Penalty: NO PENALTY
Status: MEANS ITS BEEN RESOLVED	
Quantity recovered: 0.00	
Cause: TANK FAILURE	
Emergency response: IT WAS NOT TAKEN	
Facility status: COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]	

**48 SHELL OIL CO FINDS
 STEWART & FARMERS RCRIS-LQG
 BETHPAGE, NY 11714 LUST 1000552235
NYD986946309**

RCRIS:
 Owner: JOHN N LOONEY
 (212) 555-1212
 Contact: BROOKS PERLEE
 (516) 942-4121

Waste	Quantity	Info Source	Waste	Quantity	Info Source
D008	.00000 (N)	Notification	D027	.00000 (N)	Notification
F001	.00000 (N)	Notification	F002	.00000 (N)	Notification

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

SHELL OIL CO (Continued)

1000552235

LUST:

Facility ID:	8709242	Spill Date:	01/29/1988
First notified:	ANSWERING SERVICE	Material class:	PETROLEUM
Material spilled:	#2 FUEL	Release QTY:	0.00 GALLONS
Water body affected:	Not reported	Origin:	GAS STATION
Resource affected:	GROUNDWATER	Notifier:	TANK TESTER
Basin of spill:	17	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	04/06/1988
Initiated clean up:	Not reported	Close Date:	04/06/1988
Last Inspection:	Not reported	Investigator:	GOERTZ
UST Trust Fund:	No		
Status:	MEANS ITS BEEN RESOLVED	Penalty:	NO PENALTY
Quantity recovered:	0.00		
Cause:	TANK TEST FAILURE [BULK STORE. PRO.]		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

48

**SHELL GAS STATION
STEWART AVE / FARMERS AVE
BETHPAGE, NY**

LUST

S100781107
N/A

LUST:

Facility ID:	9308447	Spill Date:	10/12/1993
First notified:	ANSWERING SERVICE	Material class:	PETROLEUM
Material spilled:	GASOLINE	Release QTY:	0.00 GALLONS
Water body affected:	Not reported	Origin:	GAS STATION
Resource affected:	GROUNDWATER	Notifier:	TANK TESTER
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	Not reported
Initiated clean up:	Not reported	Close Date:	Not reported
Last Inspection:	Not reported	Investigator:	T/T/F
UST Trust Fund:	Yes		
Status:	Not reported	Penalty:	NO PENALTY
Quantity recovered:	0.00		
Cause:	TANK TEST FAILURE [BULK STORE. PRO.]		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	ACTIVE SPILL [ON GOING]		

48

**A & D SHELL
STEWART & FARMERS AVENUES
BETHPAGE, NY**

UST

U001854915
N/A

Nassau County UST:

Facility ID:	041021	Tank ID:	0004
Tank Location:	Indoors, Belowground	Capacity:	00000550
Tank Status:	In Service	Tank Material:	Fiberglass Reinforced Plastic
Piping Type:	Galvanized Steel	Material Type:	Waste
Int Protection:	None		
Ext Protection:	FIBERGLASS REINFORCED PLASTIC		
Description:	WASTE OIL		
Leak Detect:	OTHER	Containment:	Other
Dispense Method:	Gravity	Product Gauge:	No
Fill Type:	Gravity	Install Date:	0883
Total Tanks:	2		

MAP FINDINGS

Map ID Direction Distance	Site	Database(s)	EDR ID Number EPA ID Number
---------------------------------	------	-------------	--------------------------------

A & D SHELL (Continued)

U001854915

Facility ID:	041021	Tank ID:	0005
Tank Location:	Indoors, Belowground	Capacity:	00000550
Tank Status:	6	Tank Material:	STEEL
Piping Type:	Other	Material Type:	Fresh/Product
Int Protection:	None		
Ext Protection:	PAINTED [e.g. asphaltic]		
Description:	OIL, FUEL #2		
Leak Detect:	OTHER	Containment:	Other
Dispense Method:	Suction	Product Gauge:	No
Fill Type:	Pumped	Install Date:	0162
Total Tanks:	2		

49

**PLAZA PONTIAC
27 LUDY ST
HICKSVILLE, NY**

LUST

**S100669241
N/A**

LUST:

Facility ID:	9002820	Spill Date:	06/08/1990
First notified:	REGIONAL OFFICE	Material class:	PETROLEUM
Material spilled:	#2 FUEL	Release QTY:	0.00 GALLONS
Water body affected:	Not reported	Origin:	COMMINDUST
Resource affected:	ON LAND	Notifier:	HEALTH DEPARTMENT
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	07/11/1990
Initiated clean up:	Not reported	Close Date:	07/11/1990
Last Inspection:	Not reported	Investigator:	LEUNG
UST Trust Fund:	No		
Status:	MEANS ITS BEEN RESOLVED	Penalty:	NO PENALTY
Quantity recovered:	0.00		
Cause:	OTHER		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL (SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED)		

50

**BROADWAY PLAZA CLEANERS
532 S BROADWAY
HICKSVILLE, NY 11801**

**RCRIS-SQG
FINDS**

**1000145670
NYD094822673**

RCRIS:

Owner: BROADWAY PLAZA CLEANERS
(212) 555-1212

Contact: LUCKY CHOI
(516) 433-4707

Waste	Quantity	Info Source
F002	.00000 (N)	Notification

(P) = Pounds, (K) = Kilograms, (M) = Metric Tons, (T) = Tons, (N) = Not Reported

51

**LILCO
EVERGREEN / SPRUCE AVE
BETHPAGE, NY**

LUST

**S101508040
N/A**

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

LILCO (Continued)

S101508040

LUST:

Facility ID:	9415203	Spill Date:	02/20/1995
First notified:	C	Material class:	PETROLEUM
Material spilled:	NON-PCB OIL	Release QTY:	40.00 GALLONS
Water body affected:	Not reported	Origin:	COMMINDUST
Resource affected:	ON LAND	Notifier:	RESPONSIBLE PARTY
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	Not reported
Initiated clean up:	Not reported	Close Date:	Not reported
Last inspection:	Not reported	Investigator:	LAMANNO
UST Trust Fund:	No	Penalty:	NO PENALTY
Status:	Not reported		
Quantity recovered:	0.00		
Cause:	OTHER		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	ACTIVE SPILL [ON GOING]		

52

**COLONIAL TRANSPARENT PDTS CO
870 S OYSTER BAY RD
HICKSVILLE, NY 11801**

FINDS

**1000545961
NYD001339621**

Other Pertinent Environmental Activity Identified at Site:
facility has an emission permit under the Clean Air Act
civil judicial and administrative enforcement cases against facility

53

**RUCO POLYMER CORP. (HOOKER CHEM)
NEW SOUTH ROAD
HICKSVILLE, NY 11801**

SHWS

**S101008268
N/A**

MAP FINDINGS

Map ID			EPA ID Number
Direction			EPA ID Number
Distance	Site	Database(s)	

RUCO POLYMER CORP. (HOOKER CHEM) (Continued)

S101008268

SHWS:
 Facility ID: 130004 EPA ID: NYD002920312
 Owner: Ruco Polymer Corp.
 New South Road
 Hicksville, NY 11802
 Owner Telephone: Not reported
 Operator: Not reported
 Not reported
 Not reported
 Contact: Not reported Telephone Not reported
 Site Classification: Significant threat to the public health or environment - action required.
 Region: 1
 Site Type: Lagoon
 Acres: 15 User: Hooker Chemicals
 HW Started: 1946 HW Ended: late 70's
 HW Disposed: Plant #1 Ester Sump: Residual organics., 2 Ethylhexanol, alcohols, diethylene glycol., ethylene glycol, plasticizer, adipic acid., polyester, Plant #2 polymer solids, PCBs (BOO7) (FOO2)., Vinyl Chloride, trichloroethylene, vinyl acetate
 Units: Residuals from, drying beds
 Air Data: Unavailable Surf. Water Data: Unavailable
 Grnd. Water Data: Available Soil Data: Available
 Sediment Data: Unavailable
 Ground Water Standards Contravention: Yes
 Drinking Water Standards Contravention: No
 Surface Water Standards Contravention: No
 Air Standards Contravention: No
 Enforcement Status: Negotiation In Progress Legal Action: No
 State Action: No Fed Action: Yes
 Remedial Action: In Progress
 Rmdl Action Type: Off-site GW Invest.and on-site remedial design.
 Soil Type: Sand & Gravel
 Grnd Water Depth: 50 feet
 Assessment of Environmental Problems:
 Groundwater adjacent to site has been documented to contain vinylchloride. Three inactive lagoons were filled with waste and covered. Soil and groundwater have been found to be contaminated with vinylchloride and other chlorinated hydrocarbons.
 Assessment of Health Problems:
 The potential exposure to site contaminants is through off-site migration of contaminated groundwater. Bethpage Water District supply wells are located down-gradient of this site and the Grumman and Navysites (see site #130003a and 130003b). Samples of water from the wells at Bethpage Water District Plants 4 and 6 are contaminated. A water treatment system is in operation at Plant 6 and one is planned for Plant 4. Trichloroethene was detected for the first time and at concentrations below New York State drinking water standards in samples collected from the wells at Plant 4 in December 1992. A treatment facility is planned for Bethpage Water District Plant 5 in anticipation that contamination will reach this facility in the future. These, as well as all public water supply wells are monitored on a routine basis. In 1993, the US EPA issued a Record of Decision which describes the remedial efforts planned for the on-site contamination. Efforts to address concerns with off-site groundwater contamination are underway.

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

**53 RUCO POLYMER CORP.
NEW SOUTH ROAD
HICKSVILLE, NY 11801**

**CERCLIS 1000268848
RCRIS-SQG NYD002920312
NPL
TRIS
CORRACTS
LUST**

CERCLIS Classification Data:

Site Incident Category:	CHEMICAL PLANT	Federal Facility:	NO
Ownership Status:	PRIVATE	NPL Status:	CURRENTLY ON THE FINAL NPL
EPA Notes:	THE HOOKER/RUCO SITE IS AN ACTIVE PLASTICS MANUFACTURING FACILITY. RCRA: SMALL GENERATOR.		

CERCLIS Assessment History:

Assessment:	DISCOVERY	Completed:	11/01/1979
Assessment:	PRELIMINARY ASSESSMENT	Completed:	09/01/1984
Assessment:	SCREENING SITE INSPECTION	Completed:	10/01/1984
Assessment:	FINAL LISTING ON NPL	Completed:	06/10/1986
Assessment:	PROPOSAL TO NPL	Completed:	10/15/1984
Assessment:	RMVL INVESTIGATION AT NPL	Completed:	08/21/1990
Assessment:	RMVL INVESTIGATION AT NPL	Completed:	02/03/1993
Assessment:	COMBINED RI/FS	Completed:	09/21/1988
Assessment:	REMEDIAL COMMUNITY RELATIONS	Completed:	Not reported
Assessment:	RI/FS WORKPLAN APPROVAL BY HQ	Completed:	09/21/1988
Assessment:	RECORD OF DECISION	Completed:	01/28/1994
Assessment:	COMBINED RI/FS	Completed:	01/28/1994
Assessment:	ADMINISTRATIVE RECORD	Completed:	Not reported
Assessment:	MANAGEMENT ASSISTANCE	Completed:	Not reported
Assessment:	COMBINED RI/FS	Completed:	09/28/1990
Assessment:	RECORD OF DECISION	Completed:	09/28/1990
Assessment:	ADMINISTRATIVE RECORD	Completed:	Not reported
Assessment:	COMBINED RI/FS	Completed:	Not reported
Assessment:	RECORD OF DECISION	Completed:	Not reported

CERCLIS Site Status:

This site is currently under investigation by the government to assess the extent of further action

CERCLIS Alias Name(s):

RUCO POLYMER CORP
HOOKER CHEM /RUCO POLYMER

CORRACTS Data:

Prioritization: High
Status: Not reported

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

RUCO POLYMER CORP. (Continued)

1000268848

NPL:	
ID:	02NY052
Date Listed:	6/10/86 (FINAL)
EPA/ID:	NYD002920312
Haz. Rank Score:	41.60
Status:	LISTED ON NPL
Rank:	451
Group:	10
Ownership:	Private
Permit:	Air
Permit:	NPDES
Site Activities:	Chemical Process/Manuf.
Site Activities:	Incinerator
Site Activities:	Spill
Site Activities:	Tank, above ground
Site Activities:	Containers/Drums
Site Activities:	Surface impoundment
Site Activities:	Tank, below ground
Site Condition:	Contamination of Soil
Site Condition:	Contam. Ground Water
Waste Type:	Chlorinated Organics
Waste Type:	Solvents
Contaminant:	Media Affected:
VINYL CHLORIDE	Not reported
1,1,2-TRICHLOROETHYLENE (TCE)	Not reported
TETRACHLOROETHENE	Not reported
PHENOL	Not reported
1,2-TRANS-DICHLOROETHYLENE	Not reported
1,1,1-TRICHLOROETHANE	Not reported
VINYL ACETATE	Not reported
STYRENE	Not reported
BUTADIENE	Not reported
ADIPIC ACID	Not reported
METHANOL	Not reported
PHTHALIC ACID	Not reported
METHYL ETHYL KETONE	Not reported
PENTACHLOROPHENOL (PCP)	Not reported
ZINC SULFATE	Not reported
Distance to nearest Population:	Not reported
Population within a 1 Mile Radius:	Not reported
Population within a 2 Mile Radius:	Not reported
Population within a 4 Mile Radius:	Not reported
Vertical Distance to Aquifer:	21 Feet to 75 Feet
Ground Water Use:	Not Used as Drinking Water, Alternative Source Available
Distance to nearest Surface Water:	Not reported

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

RUCO POLYMER CORP. (Continued)

1000268848

RCRIS:

Owner: HOOKER CHEMICALS & PLASTICS CORPORATION
(516) 931-8100

Contact: PHILIP DEVRIES
(516) 931-8100

Waste	Quantity	Info Source	Waste	Quantity	Info Source
D000	.00000 (N)	Notification	D001	.00000 (N)	Notification
D002	.00000 (N)	Notification	F001	.00000 (N)	Notification
F003	.00000 (N)	Notification	F005	.00000 (N)	Notification
U002	.00000 (N)	Notification	U028	.00000 (N)	Notification
U044	.00000 (N)	Notification	U112	.00000 (N)	Notification
U122	.00000 (N)	Notification	U140	.00000 (N)	Notification
U147	.00000 (N)	Notification	U154	.00000 (N)	Notification
U159	.00000 (N)	Notification	U190	.00000 (N)	Notification
U196	.00000 (N)	Notification	U210	.00000 (N)	Notification
U213	.00000 (N)	Notification	U220	.00000 (N)	Notification
U223	.00000 (N)	Notification	U226	.00000 (N)	Notification
U239	.00000 (N)	Notification	D001	.00100 (P)	Part A
D002	.00100 (P)	Part A	F001	399.64800 (P)	Part A
F003	399.64800 (P)	Part A	F005	399.64800 (P)	Part A
U002	399.64800 (P)	Part A	U028	22.68000 (M)	Part A
U044	49.95600 (P)	Part A	U112	.00100 (P)	Part A
U122	.00100 (P)	Part A	U140	1.81400 (M)	Part A
U147	999.11900 (P)	Part A	U154	.00100 (P)	Part A
U159	399.64800 (P)	Part A	U190	999.11900 (P)	Part A
U196	399.64800 (P)	Part A	U210	399.64800 (P)	Part A
U213	399.64800 (P)	Part A	U220	.00100 (P)	Part A
U223	399.64800 (P)	Part A	U226	49.95600 (P)	Part A
U239	.00100 (P)	Part A			

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

LUST:

Facility ID:	8804415	Spill Date:	08/18/1988
First notified:	REGIONAL OFFICE	Material class:	PETROLEUM
Material spilled:	#2 FUEL	Release QTY:	0.00 GALLONS
Water body affected:	Not reported	Origin:	COMMINDUST
Resource affected:	GROUNDWATER	Notifier:	TANK TESTER
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	02/19/1992
initiated clean up:	Not reported	Close Date:	02/19/1992
Last inspection:	Not reported	Investigator:	GOERTZ
UST Trust Fund:	No	Penalty:	NO PENALTY
Status:	MEANS ITS BEEN RESOLVED		
Quantity recovered:	0.00		
Cause:	TANK TEST FAILURE [BULK STORE. PRO.]		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

54

SALVATI FOODS, INC.
595 S BROADWAY
HICKSVILLE, NY

UST

U002171762
N/A

MAP FINDINGS

Map ID		Database(s)	EDR ID Number
Direction			EPA ID Number
Distance	Site		

SALVATI FOODS, INC. (Continued)

U002171762

Nassau County UST:

Facility ID:	056844	Tank ID:	0001
Tank Location:	Indoors, Belowground	Capacity:	00005000
Tank Status:	In Service	Tank Material:	STEEL
Piping Type:	Steel/Iron	Material Type:	Fresh/Product
Int Protection:	None		
Ext Protection:	NONE		
Description:	OIL, FUEL #2		
Leak Detect:	OTHER	Containment:	Other
Dispense Method:	Gravity	Product Gauge:	Yes
Fill Type:	Gravity	Install Date:	0472
Total Tanks:	1		

**54 SHAMROCK AUTO CENTER INC
589 S BROADWAY
HICKSVILLE, NY 11801**

**RCRIS-SQG 1000553993
FINDS NYD986964310**

RCRIS:

Owner: SHAMROCK AUTO CENTER INC
(516) 931-3323

Contact: JOE DIGREGORIO
(516) 931-3323

Waste	Quantity	Info Source	Waste	Quantity	Info Source
D000	.00000 (N)	Notification	D001	.00000 (N)	Notification
D008	.00000 (N)	Notification			

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

**54 AMERADA HESS OIL
575 S BROADWAY
HICKSVILLE, NY 11801**

**RCRIS-SQG 1000352827
NYD982536146**

RCRIS:

Owner: AMERADA HESS OIL
(212) 555-1212

Contact: JOE AOMEIDA
(800) 336-1342

Waste	Quantity	Info Source
D001	.00000 (N)	Notification

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

**54 AMERADA HESS OIL
575 S BROADWAY
HICKSVILLE, NY 11801**

**FINDS 1000788600
NYD982536146**

**55 HICKSVILLE DEPT OF PUBLIC WORKS
NEW SOUTH RD & MORRIS ST
HICKSVILLE, NY 11801**

**FINDS 1000272870
RCRIS-LQG NYD982789737**

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

56 MCALOON RESIDENCE LUST S100667787
9 MINEOLA AVE N/A
HICKSVILLE, NY

LUST:

Facility ID:	9203887	Spill Date:	07/03/1992
First notified:	C	Material class:	PETROLEUM
Material spilled:	#2 FUEL	Release QTY:	1.00 GALLONS
Water body affected:	Not reported	Origin:	PRIVATE DWELLING
Resource affected:	ON LAND	Notifier:	RESPONSIBLE PARTY
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	07/03/1992
Initiated clean up:	Not reported	Close Date:	07/03/1992
Last Inspection:	Not reported	Investigator:	NONE
UST Trust Fund:	No	Penalty:	NO PENALTY
Status:	MEANS ITS BEEN RESOLVED		
Quantity recovered:	0.00		
Cause:	OTHER		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

57 GABRIELLI TRUCK SALES LTD AST A100043317
880 S OYSTER BAY RD N/A
HICKSVILLE, NY

Nassau County AST:

Facility ID:	056827	Tank ID:	0002
Tank Location:	Indoors, Aboveground	Capacity (Gal):	275
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	Unknown		
Ext Protection:	UNKNOWN	Material Type:	Waste
Piping Type:	Steel/Iron		
Description:	WASTE OIL	Containment:	NONE
Leak Detect:	NONE	Product Gauge:	No
Dispense Method:	Suction	Install Date:	1255
Fill Type:	Gravity	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		

57 MINEOLA MACK INC RCRIS-SQG 1000209178
880 S OYSTER BAY RD FINDS NYD012730743
HICKSVILLE, NY 11801 LUST

RCRIS:

Owner: AMEDEO GABRIELLI
(212) 555-1212
Contact: AMEDEO GABRIELLI
(516) 981-7915

Waste	Quantity	Info Source
D001	.00000 (N)	Notification

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

MINEOLA MACK INC (Continued)

1000209178

LUST:

Facility ID:	9304746	Spill Date:	07/15/1993
First notified:	REGIONAL OFFICE	Material class:	PETROLEUM
Material spilled:	DIESEL	Release QTY:	0.00 GALLONS
Water body affected:	Not reported	Origin:	COMM/INDUST
Resource affected:	ON LAND	Notifier:	OTHER
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	05/05/1994
Initiated clean up:	Not reported	Close Date:	05/05/1994
Last Inspection:	Not reported	Investigator:	CAMPBELL
UST Trust Fund:	No	Penalty:	NO PENALTY
Status:	MEANS ITS BEEN RESOLVED		
Quantity recovered:	0.00		
Cause:	OTHER		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

Facility ID:	9304764	Spill Date:	07/15/1993
First notified:	REGIONAL OFFICE	Material class:	PETROLEUM
Material spilled:	DIESEL	Release QTY:	0.00 GALLONS
Water body affected:	Not reported	Origin:	COMM/INDUST
Resource affected:	GROUNDWATER	Notifier:	HEALTH DEPARTMENT
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	04/29/1994
Initiated clean up:	Not reported	Close Date:	04/29/1994
Last Inspection:	Not reported	Investigator:	CAMPBELL
UST Trust Fund:	No	Penalty:	NO PENALTY
Status:	MEANS ITS BEEN RESOLVED		
Quantity recovered:	0.00		
Cause:	OTHER		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

58

**LINDA SCHWARZ
12 FARM LN
HICKSVILLE, NY**

LUST

S100148382
N/A

LUST:

Facility ID:	8911923	Spill Date:	03/13/1990
First notified:	C	Material class:	PETROLEUM
Material spilled:	#2 FUEL	Release QTY:	100.00 GALLONS
Water body affected:	Not reported	Origin:	PRIVATE DWELLING
Resource affected:	ON LAND	Notifier:	OTHER
Basin of spill:	1700	Project ID:	0
Cleaner:	OTHER AGENCY	Date Cleaned:	03/16/1990
Initiated clean up:	Not reported	Close Date:	03/16/1990
Last Inspection:	Not reported	Investigator:	NONE
UST Trust Fund:	No	Penalty:	NO PENALTY
Status:	MEANS ITS BEEN RESOLVED		
Quantity recovered:	0.00		
Cause:	TANK FAILURE		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

MAP FINDINGS

Map ID			EDR ID Number
Direction			EPA ID Number
Distance	Site	Database(s)	

59	WALTER HOFFMANN 22 LINDEN BLVD HICKSVILLE, NY	LUST	S100148916 N/A
----	--	------	-------------------

LUST:

Facility ID:	8702517	Spill Date:	06/28/1987
First notified:	REGIONAL OFFICE	Material class:	PETROLEUM
Material spilled:	#2 FUEL	Release QTY:	100.00 GALLONS
Water body affected:	Not reported	Origin:	PRIVATE DWELLING
Resource affected:	ON LAND	Notifier:	RESPONSIBLE PARTY
Basin of spill:	17	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	08/19/1987
Initiated clean up:	Not reported	Close Date:	08/19/1987
Last Inspection:	Not reported	Investigator:	WALEK
UST Trust Fund:	No	Penalty:	NO PENALTY
Status:	MEANS ITS BEEN RESOLVED		
Quantity recovered:	0.00		
Cause:	TANK FAILURE		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

60	BETHPAGE METRO 900 STEWART AVE BETHPAGE, NY	AST	A100043048 N/A
----	--	-----	-------------------

Nassau County AST:

Facility ID:	055456	Tank ID:	0001
Tank Location:	Outdoors, Aboveground	Capacity (Gal):	275
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	PAINTED [e.g. asphaltic]	Material Type:	Waste
Piping Type:	Galvanized Steel	Containment:	NONE
Description:	WASTE OIL	Product Gauge:	No
Leak Detect:	NONE	Install Date:	1085
Dispense Method:	Suction	Total Tanks:	Not reported
Fill Type:	Gravity		
Data File:	Petroleum Bulk Storage Facility		

60	METRO S/S 900 STEWART AVENUE BETHPAGE, NY	LUST	S100172052 N/A
----	--	------	-------------------

LUST:

Facility ID:	8708438	Spill Date:	12/31/1987
First notified:	REGIONAL OFFICE	Material class:	PETROLEUM
Material spilled:	GASOLINE	Release QTY:	0.00 GALLONS
Water body affected:	Not reported	Origin:	GAS STATION
Resource affected:	GROUNDWATER	Notifier:	OTHER
Basin of spill:	17	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	01/14/1988
Initiated clean up:	Not reported	Close Date:	01/14/1988
Last Inspection:	Not reported	Investigator:	GOERTZ
UST Trust Fund:	Yes	Penalty:	NO PENALTY
Status:	MEANS ITS BEEN RESOLVED		
Quantity recovered:	0.00		
Cause:	TANK TEST FAILURE [BULK STORE. PRO.]		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

MAP FINDINGS

Map ID Direction Distance	Site	Database(s)	EDR ID Number EPA ID Number
---------------------------------	------	-------------	--------------------------------

METRO S/S (Continued)

S100172052

Facility ID:	9506133	Spill Date:	08/17/1995
First notified:	REGIONAL OFFICE	Material class:	PETROLEUM
Material spilled:	GASOLINE	Release QTY:	0.00 GALLONS
Water body affected:	Not reported	Origin:	GAS STATION
Resource affected:	ON LAND	Notifier:	DEC
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	Not reported
Initiated clean up:	Not reported	Close Date:	Not reported
Last Inspection:	Not reported	Investigator:	MATTHEWS
UST Trust Fund:	No		
Status:	Not reported	Penalty:	NO PENALTY
Quantity recovered:	0.00		
Cause:	OTHER		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	ACTIVE SPILL [ON GOING]		

61

**SHUMSKI RESIDENCE
8 SILBER AVENUE
BETHPAGE, NY**

LUST

**S100148303
N/A**

LUST:

Facility ID:	8910897	Spill Date:	02/14/1990
First notified:	REGIONAL OFFICE	Material class:	PETROLEUM
Material spilled:	#2 FUEL	Release QTY:	0.00 GALLONS
Water body affected:	Not reported	Origin:	PRIVATE DWELLING
Resource affected:	GROUNDWATER	Notifier:	OTHER
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	10/30/1990
Initiated clean up:	Not reported	Close Date:	10/30/1990
Last Inspection:	Not reported	Investigator:	GOMEZ
UST Trust Fund:	No		
Status:	MEANS ITS BEEN RESOLVED	Penalty:	NO PENALTY
Quantity recovered:	0.00		
Cause:	TANK FAILURE		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

62

**HICKSVILLE WATER AUTHORIT
4 DEAN ST
HICKSVILLE, NY**

LUST

**S100150043
N/A**

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

HICKSVILLE WATER AUTHORITY (Continued)

S100150043

LUST:

Facility ID:	8805214	Spill Date:	09/16/1988
First notified:	REGIONAL OFFICE	Material class:	PETROLEUM
Material spilled:	#2 FUEL	Release QTY:	0.00 GALLONS
Water body affected:	Not reported	Origin:	COMMINDUST
Resource affected:	GROUNDWATER	Notifier:	TANK TESTER
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	10/24/1994
Initiated clean up:	Not reported	Close Date:	10/24/1994
Last inspection:	Not reported	Investigator:	T/T/F
UST Trust Fund:	No	Penalty:	NO PENALTY
Status:	MEANS ITS BEEN RESOLVED		
Quantity recovered:	0.00		
Cause:	TANK TEST FAILURE [BULK STORE. PRO.]		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

62

**HICKSVILLE W.D. PLANT 8
4 DEAN ST
HICKSVILLE, NY**

**UST
AST**

**U002097372
N/A**

Nassau County UST:

Facility ID:	001160	Tank ID:	0003
Tank Location:	Indoors, Belowground	Capacity:	00004000
Tank Status:	In Service	Tank Material:	Fiberglass Reinforced Plastic
Piping Type:	Steel/Iron	Material Type:	Fresh/Product
Int Protection:	Internal Lining		
Ext Protection:	FIBERGLASS REINFORCED PLASTIC		
Description:	SODIUM HYDROXIDE		
Leak Detect:	OTHER	Containment:	Other
Dispense Method:	Suction	Product Gauge:	Yes
Fill Type:	Pumped	Install Date:	0176
Total Tanks:	2		

Facility ID:	001160	Tank ID:	0004
Tank Location:	Indoors, Belowground	Capacity:	00004000
Tank Status:	In Service	Tank Material:	Fiberglass Reinforced Plastic
Piping Type:	Steel/Iron	Material Type:	Fresh/Product
Int Protection:	Internal Lining		
Ext Protection:	FIBERGLASS REINFORCED PLASTIC		
Description:	SODIUM HYDROXIDE		
Leak Detect:	OTHER	Containment:	Other
Dispense Method:	Suction	Product Gauge:	Yes
Fill Type:	Pumped	Install Date:	0176
Total Tanks:	2		

MAP FINDINGS

Map ID			EDR ID Number
Direction			EPA ID Number
Distance	Site	Database(s)	

HICKSVILLE W.D. PLANT 8 (Continued)

U002097372

Nassau County AST:			
Facility ID:	001160	Tank ID:	0006
Tank Location:	Indoors, Aboveground	Capacity (Gal):	300
Tank Status:	In Service	Tank Material:	PLASTIC
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Other	Material Type:	Fresh/Product
Description:	SODIUM HYPOCHLORITE		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Suction	Product Gauge:	No
Fill Type:	Pumped	Install Date:	0491
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported

**63 KING BEAR AUTO SERVICE CENTER
735 SOUTH BROADWAY
HICKSVILLE, NY 11801**

**FINDS 1000231520
RCRIS-LOG NYD981563513**

RCRIS:
Owner: SMD ENTERPRISES, INC.
(212) 555-1212

Contact: SY DIAMOND
(516) 931-9714

Waste	Quantity	Info Source
X001	.00000 (N)	Notification

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

**63 KING BEAR
735 S BROADWAY
HICKSVILLE, NY**

**AST A100043336
N/A**

Nassau County AST:			
Facility ID:	056949	Tank ID:	0001
Tank Location:	Indoors, Aboveground	Capacity (Gal):	240
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	PAINTED [e.g. asphaltic]	Material Type:	Fresh/Product
Piping Type:	Steel/Iron		
Description:	OIL, MOTOR	Containment:	DOUBLE WALL TANK
Leak Detect:	OTHER	Product Gauge:	Yes
Dispense Method:	Suction	Install Date:	0891
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:		Tank ID:	0002
Tank Location:	Indoors, Aboveground	Capacity (Gal):	240
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	PAINTED [e.g. asphaltic]	Material Type:	Fresh/Product
Piping Type:	Steel/Iron		
Description:	OIL, MOTOR	Containment:	DOUBLE WALL TANK
Leak Detect:	OTHER	Product Gauge:	Yes
Dispense Method:	Suction	Install Date:	0891
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		

MAP FINDINGS

Map ID	Direction	Distance	Site	Database(s)	EDR ID Number	EPA ID Number
--------	-----------	----------	------	-------------	---------------	---------------

64			NEW YORK TELEPHONE ROOM 300 920 SOUTH OYSTER BAY ROAD BETHPAGE, NY 11714	FINDS RCRIS-LQG	1000136892	NYD982185712
----	--	--	---	----------------------------	-------------------	---------------------

65			GRUMMAN AEROSPACE CORP. STEWART AVE. BETHPAGE, NY	UST AST	U001854670	N/A
----	--	--	--	--------------------	-------------------	------------

Nassau County UST:

Facility ID:	000001	Tank ID:	0372
Tank Location:	Indoors, Belowground	Capacity:	00010500
Tank Status:	In Service	Tank Material:	STEEL
Piping Type:	Other	Material Type:	Fresh/Product
Int Protection:	Internal Lining		
Ext Protection:	PAINTED [e.g. asphaltic]		
Description:	NITRIC & HYDROFLUORIC ACID MIX		
Leak Detect:	OTHER	Containment:	Diking
Dispense Method:	Suction	Product Gauge:	Yes
Fill Type:	Pumped	Install Date:	0169
Total Tanks:	18		

Facility ID:	000001	Tank ID:	1092
Tank Location:	Indoors, Belowground	Capacity:	00005000
Tank Status:	In Service	Tank Material:	STEEL
Piping Type:	Steel/Iron	Material Type:	Waste
Int Protection:	None		
Ext Protection:	NONE		
Description:	DYES/PIGMENTS, N.O.S.		
Leak Detect:	OTHER	Containment:	Other
Dispense Method:	Suction	Product Gauge:	Yes
Fill Type:	Pumped	Install Date:	0175
Total Tanks:	18		

Facility ID:	000001	Tank ID:	1093
Tank Location:	Indoors, Belowground	Capacity:	00005000
Tank Status:	In Service	Tank Material:	STEEL
Piping Type:	Steel/Iron	Material Type:	Waste
Int Protection:	None		
Ext Protection:	NONE		
Description:	DYES/PIGMENTS, N.O.S.		
Leak Detect:	OTHER	Containment:	Other
Dispense Method:	Suction	Product Gauge:	Yes
Fill Type:	Pumped	Install Date:	0175
Total Tanks:	18		

Facility ID:	000001	Tank ID:	1196
Tank Location:	Indoors, Belowground	Capacity:	00002000
Tank Status:	6	Tank Material:	OTHER
Piping Type:	Other	Material Type:	Waste
Int Protection:	None		
Ext Protection:	NONE		
Description:	ACIDS, NOS		
Leak Detect:	OTHER	Containment:	Other
Dispense Method:	Suction	Product Gauge:	Yes
Fill Type:	Pumped	Install Date:	0164
Total Tanks:	18		

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

GRUMMAN AEROSPACE CORP. (Continued)

U001854670

Facility ID:	000001	Tank ID:	1403
Tank Location:	Indoors, Belowground	Capacity:	00003000
Tank Status:	In Service	Tank Material:	Fiberglass Reinforced Plastic
Piping Type:	Galvanized Steel	Material Type:	Waste
Int Protection:	None		
Ext Protection:	NONE		
Description:	EMPTY/AUXILARY TANK		
Leak Detect:	OTHER	Containment:	Double Wall Tank
Dispense Method:	Suction	Product Gauge:	Yes
Fill Type:	Pumped	Install Date:	0185
Total Tanks:	18		

Facility ID:	000001	Tank ID:	1404
Tank Location:	Indoors, Belowground	Capacity:	00002500
Tank Status:	In Service	Tank Material:	Fiberglass Reinforced Plastic
Piping Type:	Galvanized Steel	Material Type:	Waste
Int Protection:	None		
Ext Protection:	NONE		
Description:	EMPTY/AUXILARY TANK		
Leak Detect:	OTHER	Containment:	Double Wall Tank
Dispense Method:	Suction	Product Gauge:	Yes
Fill Type:	Pumped	Install Date:	0185
Total Tanks:	18		

Facility ID:	000001	Tank ID:	2013
Tank Location:	Indoors, Belowground	Capacity:	00000550
Tank Status:	In Service	Tank Material:	Fiberglass Reinforced Plastic
Piping Type:	Wrapped Steel	Material Type:	Waste
Int Protection:	None		
Ext Protection:	NONE		
Description:	WASTE OIL		
Leak Detect:	OTHER	Containment:	Other
Dispense Method:	Suction	Product Gauge:	Yes
Fill Type:	Gravity	Install Date:	0182
Total Tanks:	18		

Facility ID:	000001	Tank ID:	9301
Tank Location:	Indoors, Belowground	Capacity:	00065000
Tank Status:	In Service	Tank Material:	CONCRETE
Piping Type:	Other	Material Type:	Waste
Int Protection:	None		
Ext Protection:	NONE		
Description:	TANK, WASTE TREATMENT		
Leak Detect:	OTHER	Containment:	Other
Dispense Method:	Suction	Product Gauge:	No
Fill Type:	Gravity	Install Date:	0172
Total Tanks:	18		


MAP FINDINGS

Map ID	Direction	Distance	Site	Database(s)	EDR ID Number	EPA ID Number
--------	-----------	----------	------	-------------	---------------	---------------

GRUMMAN AEROSPACE CORP. (Continued)

U001854670

Facility ID:	000001	Tank ID:	9302
Tank Location:	Indoors, Belowground	Capacity:	00040000
Tank Status:	In Service	Tank Material:	CONCRETE
Piping Type:	Other	Material Type:	Waste
Int Protection:	None		
Ext Protection:	NONE		
Description:	TANK, WASTE TREATMENT		
Leak Detect:	OTHER	Containment:	Other
Dispense Method:	Submersible	Product Gauge:	No
Fill Type:	Gravity	Install Date:	0172
Total Tanks:	18		
Facility ID:	000001	Tank ID:	9304
Tank Location:	Indoors, Belowground	Capacity:	00065000
Tank Status:	In Service	Tank Material:	CONCRETE
Piping Type:	Other	Material Type:	Waste
Int Protection:	None		
Ext Protection:	NONE		
Description:	TANK, WASTE TREATMENT		
Leak Detect:	OTHER	Containment:	Other
Dispense Method:	Submersible	Product Gauge:	No
Fill Type:	Gravity	Install Date:	0172
Total Tanks:	18		
Facility ID:	000001	Tank ID:	9305
Tank Location:	Indoors, Belowground	Capacity:	00103000
Tank Status:	In Service	Tank Material:	CONCRETE
Piping Type:	Other	Material Type:	Waste
Int Protection:	Other		
Ext Protection:	NONE		
Description:	TANK, WASTE TREATMENT		
Leak Detect:	OTHER	Containment:	Other
Dispense Method:	Gravity	Product Gauge:	No
Fill Type:	Gravity	Install Date:	0184
Total Tanks:	18		
Facility ID:	000001	Tank ID:	9306
Tank Location:	Indoors, Belowground	Capacity:	00011770
Tank Status:	In Service	Tank Material:	CONCRETE
Piping Type:	Other	Material Type:	Waste
Int Protection:	None		
Ext Protection:	NONE		
Description:	TANK, WASTE TREATMENT		
Leak Detect:	OTHER	Containment:	Other
Dispense Method:	Submersible	Product Gauge:	No
Fill Type:	Gravity	Install Date:	0184
Total Tanks:	18		



MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

GRUMMAN AEROSPACE CORP. (Continued)

U001854670

Facility ID:	000001	Tank ID:	9308
Tank Location:	Indoors, Belowground	Capacity:	00003300
Tank Status:	In Service	Tank Material:	Fiberglass Reinforced Plastic
Piping Type:	Other	Material Type:	Waste
Int Protection:	None		
Ext Protection:	NONE		
Description:	TANK, WASTE TREATMENT		
Leak Detect:	OTHER	Containment:	Other
Dispense Method:	Submersible	Product Gauge:	Yes
Fill Type:	Pumped	Install Date:	0184
Total Tanks:	18		
Facility ID:	000001	Tank ID:	9328
Tank Location:	Indoors, Belowground	Capacity:	00011800
Tank Status:	In Service	Tank Material:	CONCRETE
Piping Type:	Other	Material Type:	Waste
Int Protection:	None		
Ext Protection:	NONE		
Description:	INORGANICS, MISC		
Leak Detect:	OTHER	Containment:	Other
Dispense Method:	Submersible	Product Gauge:	No
Fill Type:	Gravity	Install Date:	0184
Total Tanks:	18		
Facility ID:	000001	Tank ID:	9331
Tank Location:	Indoors, Belowground	Capacity:	00011800
Tank Status:	In Service	Tank Material:	CONCRETE
Piping Type:	Other	Material Type:	Waste
Int Protection:	None		
Ext Protection:	NONE		
Description:	FLUORIDE		
Leak Detect:	OTHER	Containment:	Other
Dispense Method:	Submersible	Product Gauge:	Yes
Fill Type:	Pumped	Install Date:	0184
Total Tanks:	18		
Facility ID:	000001	Tank ID:	9337
Tank Location:	Indoors, Belowground	Capacity:	00010000
Tank Status:	In Service	Tank Material:	CONCRETE
Piping Type:	Steel/Iron	Material Type:	Waste
Int Protection:	Internal Lining		
Ext Protection:	NONE		
Description:	SLUDGE, NOS		
Leak Detect:	OTHER	Containment:	Other
Dispense Method:	Suction	Product Gauge:	No
Fill Type:	Pumped	Install Date:	1284
Total Tanks:	18		

MAP FINDINGS

Map ID Direction Distance	Site	Database(s)	EDR ID Number EPA ID Number
---------------------------------	------	-------------	--------------------------------

GRUMMAN AEROSPACE CORP. (Continued)

U001854670

Facility ID: 000001 Tank Location: Indoors, Belowground Tank Status: In Service Piping Type: Steel/Iron Int Protection: Internal Lining Ext Protection: NONE Description: SLUDGE, NOS Leak Detect: OTHER Dispense Method: Suction Fill Type: Pumped Total Tanks: 18	Tank ID: 9338 Capacity: 00010000 Tank Material: CONCRETE Material Type: Waste	Containment: Other Product Gauge: No Install Date: 1284
Facility ID: 000001 Tank Location: Indoors, Belowground Tank Status: In Service Piping Type: Double Walled Fiberglass Int Protection: None Ext Protection: CATHODIC PROTECTION Description: OIL, FUEL #2 Leak Detect: ELECTRONIC Dispense Method: Suction Fill Type: Gravity Total Tanks: 18	Tank ID: 9339 Capacity: 00010000 Tank Material: STEEL Material Type: Fresh/Product	Containment: Double Wall Tank Product Gauge: Yes Install Date: 0394
Nassau County AST: Facility ID: 000001 Tank Location: Indoors, Aboveground Tank Status: In Service Int Protection: None Ext Protection: NONE Piping Type: Other Description: RIDOLENE 53 Leak Detect: NONE Dispense Method: Suction Fill Type: Pumped Data File: Petroleum Bulk Storage Facility	Tank ID: 0047 Capacity (Gal): 1465 Tank Material: OTHER	Material Type: Fresh/Product Containment: DIKING AND PAD Product Gauge: Yes Install Date: 0173 Total Tanks: Not reported
Facility ID: 000001 Tank Location: Indoors, Aboveground Tank Status: In Service Int Protection: None Ext Protection: NONE Piping Type: Steel/Iron Description: RINSEWATER, ACID Leak Detect: NONE Dispense Method: Gravity Fill Type: Gravity Data File: Petroleum Bulk Storage Facility	Tank ID: 0131 Capacity (Gal): 760 Tank Material: STEEL	Material Type: Fresh/Product Containment: DIKING AND PAD Product Gauge: No Install Date: 0160 Total Tanks: Not reported

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

GRUMMAN AEROSPACE CORP. (Continued)

U001854670

Facility ID:	000001	Tank ID:	0139
Tank Location:	Indoors, Aboveground	Capacity (Gal):	400
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Steel/Iron	Material Type:	Fresh/Product
Description:	EMPTY/AUXILARY TANK		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Suction	Product Gauge:	No
Fill Type:	Pumped	Install Date:	0160
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	000001	Tank ID:	0140
Tank Location:	Indoors, Aboveground	Capacity (Gal):	160
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	Internal Lining		
Ext Protection:	PAINTED [e.g. asphaltic]	Material Type:	Fresh/Product
Piping Type:	Other		
Description:	EMPTY/AUXILARY TANK		
Leak Detect:	NONE	Containment:	NONE
Dispense Method:	Suction	Product Gauge:	No
Fill Type:	Pumped	Install Date:	0161
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	000001	Tank ID:	0141
Tank Location:	Indoors, Aboveground	Capacity (Gal):	670
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Steel/Iron		
Description:	CHROMIC ACID		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Suction	Product Gauge:	Yes
Fill Type:	Pumped	Install Date:	0161
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	000001	Tank ID:	0142
Tank Location:	Indoors, Aboveground	Capacity (Gal):	760
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Steel/Iron		
Description:	RINSEWATER, ACID		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Gravity	Product Gauge:	No
Fill Type:	Gravity	Install Date:	0160
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported

MAP FINDINGS

Map ID Direction Distance	Site	Database(s)	EDR ID Number EPA ID Number
---------------------------------	------	-------------	--------------------------------

GRUMMAN AEROSPACE CORP. (Continued)

U001854670

Facility ID:	000001	Tank ID:	0143
Tank Location:	Indoors, Aboveground	Capacity (Gal):	670
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	Internal Lining		
Ext Protection:	NONE		
Piping Type:	Other	Material Type:	Fresh/Product
Description:	SULPHURIC ACID		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Suction	Product Gauge:	Yes
Fill Type:	Pumped	Install Date:	0161
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	000001	Tank ID:	0144
Tank Location:	Indoors, Aboveground	Capacity (Gal):	760
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Steel/Iron	Material Type:	Fresh/Product
Description:	RINSEWATER, ACID		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Gravity	Product Gauge:	No
Fill Type:	Gravity	Install Date:	0160
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	000001	Tank ID:	0213
Tank Location:	Indoors, Aboveground	Capacity (Gal):	190
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	Internal Lining		
Ext Protection:	PAINTED [e.g. asphaltic]		
Piping Type:	Steel/Iron	Material Type:	Fresh/Product
Description:	EMPTY/AUXILARY TANK		
Leak Detect:	NONE	Containment:	NONE
Dispense Method:	Suction	Product Gauge:	No
Fill Type:	Pumped	Install Date:	0161
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	000001	Tank ID:	0214
Tank Location:	Indoors, Aboveground	Capacity (Gal):	250
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	Internal Lining		
Ext Protection:	PAINTED [e.g. asphaltic]		
Piping Type:	Steel/Iron	Material Type:	Fresh/Product
Description:	TANK, WATER RINSE		
Leak Detect:	NONE	Containment:	NONE
Dispense Method:	Gravity	Product Gauge:	No
Fill Type:	Pumped	Install Date:	0161
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

GRUMMAN AEROSPACE CORP. (Continued)

U001854670

Facility ID:	000001	Tank ID:	0215
Tank Location:	Indoors, Aboveground	Capacity (Gal):	350
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	PAINTED [e.g. asphaltic]	Material Type:	Fresh/Product
Piping Type:	Steel/Iron		
Description:	EMPTY/AUXILARY TANK	Containment:	NONE
Leak Detect:	NONE	Product Gauge:	No
Dispense Method:	Gravity	Install Date:	0161
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	0216
Tank Location:	Indoors, Aboveground	Capacity (Gal):	350
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	PAINTED [e.g. asphaltic]	Material Type:	Fresh/Product
Piping Type:	Steel/Iron		
Description:	EMPTY/AUXILARY TANK	Containment:	NONE
Leak Detect:	NONE	Product Gauge:	No
Dispense Method:	Suction	Install Date:	0161
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	0256
Tank Location:	Indoors, Aboveground	Capacity (Gal):	250
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Steel/Iron		
Description:	TRICHLOROETHYLENE	Containment:	DIKING AND PAD
Leak Detect:	NONE	Product Gauge:	No
Dispense Method:	Submersible	Install Date:	0186
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	0259
Tank Location:	Indoors, Aboveground	Capacity (Gal):	50
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Steel/Iron		
Description:	TRICHLOROETHANE, 1,1,1-	Containment:	NONE
Leak Detect:	NONE	Product Gauge:	No
Dispense Method:	Suction	Install Date:	0160
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

GRUMMAN AEROSPACE CORP. (Continued)

U001854670

Facility ID:	000001	Tank ID:	0261
Tank Location:	Indoors, Aboveground	Capacity (Gal):	760
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Steel/Iron	Material Type:	Fresh/Product
Description:	RINSEWATER, ACID		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Gravity	Product Gauge:	No
Fill Type:	Gravity	Install Date:	0160
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	000001	Tank ID:	0262
Tank Location:	Indoors, Aboveground	Capacity (Gal):	760
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Steel/Iron	Material Type:	Fresh/Product
Description:	RINSEWATER, ALKALINE		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Gravity	Product Gauge:	No
Fill Type:	Gravity	Install Date:	0160
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	000001	Tank ID:	0285
Tank Location:	Indoors, Aboveground	Capacity (Gal):	50
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Steel/Iron	Material Type:	Fresh/Product
Description:	TRICHLOROETHANE, 1,1,1-		
Leak Detect:	NONE	Containment:	NONE
Dispense Method:	Submersible	Product Gauge:	No
Fill Type:	Pumped	Install Date:	0160
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	000001	Tank ID:	0360
Tank Location:	Indoors, Aboveground	Capacity (Gal):	14000
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Steel/Iron	Material Type:	Fresh/Product
Description:	POTASSIUM HYDROXIDE & NITRATE		
Leak Detect:	ELECTRONIC	Containment:	DIKING AND PAD
Dispense Method:	Suction	Product Gauge:	Yes
Fill Type:	Pumped	Install Date:	0186
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

GRUMMAN AEROSPACE CORP. (Continued)

U001854670

Facility ID:	000001	Tank ID:	0361
Tank Location:	Indoors, Aboveground	Capacity (Gal):	10500
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Steel/Iron	Material Type:	Fresh/Product
Description:	RINSEWATER, ALKALINE		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Gravity	Product Gauge:	No
Fill Type:	Gravity	Install Date:	0169
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	000001	Tank ID:	0363
Tank Location:	Indoors, Aboveground	Capacity (Gal):	10500
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	Internal Lining		
Ext Protection:	NONE		
Piping Type:	Other	Material Type:	Fresh/Product
Description:	RINSEWATER, ACID		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Gravity	Product Gauge:	No
Fill Type:	Gravity	Install Date:	0169
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	000001	Tank ID:	0365
Tank Location:	Indoors, Aboveground	Capacity (Gal):	10500
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Steel/Iron	Material Type:	Fresh/Product
Description:	RINSEWATER, ALKALINE		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Gravity	Product Gauge:	No
Fill Type:	Gravity	Install Date:	0169
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	000001	Tank ID:	0366
Tank Location:	Indoors, Aboveground	Capacity (Gal):	10500
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Steel/Iron	Material Type:	Fresh/Product
Description:	RIDOLENE 73		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Suction	Product Gauge:	Yes
Fill Type:	Pumped	Install Date:	0169
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

GRUMMAN AEROSPACE CORP. (Continued)

U001854670

Facility ID:	000001	Tank ID:	0371
Tank Location:	Outdoors, Aboveground	Capacity (Gal):	10500
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	PAINTED [e.g. asphaltic]	Material Type:	Waste
Piping Type:	Steel/Iron		
Description:	ALKALINE SOLUTIONS, NOS	Containment:	DIKING AND PAD
Leak Detect:	NONE	Product Gauge:	Yes
Dispense Method:	Suction	Install Date:	0169
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	0384
Tank Location:	Indoors, Aboveground	Capacity (Gal):	115
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	PAINTED [e.g. asphaltic]	Material Type:	Fresh/Product
Piping Type:	Other		
Description:	SURFACTANTS	Containment:	NONE
Leak Detect:	NONE	Product Gauge:	No
Dispense Method:	Suction	Install Date:	0187
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	0388
Tank Location:	Indoors, Aboveground	Capacity (Gal):	1570
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Other		
Description:	ALODINE	Containment:	DIKING AND PAD
Leak Detect:	NONE	Product Gauge:	Yes
Dispense Method:	Suction	Install Date:	0173
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	0399
Tank Location:	Indoors, Aboveground	Capacity (Gal):	4418
Tank Status:	In Service	Tank Material:	Fiberglass Reinforced Plastic
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Steel/Iron		
Description:	SODIUM HYDROXIDE	Containment:	NONE
Leak Detect:	NONE	Product Gauge:	Yes
Dispense Method:	Suction	Install Date:	0180
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

GRUMMAN AEROSPACE CORP. (Continued)

U001854670

Facility ID:	000001	Tank ID:	0400
Tank Location:	Indoors, Aboveground	Capacity (Gal):	4418
Tank Status:	In Service	Tank Material:	Fiberglass Reinforced Plastic
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Steel/Iron	Material Type:	Fresh/Product
Description:	SODIUM HYDROXIDE		
Leak Detect:	NONE	Containment:	NONE
Dispense Method:	Suction	Product Gauge:	Yes
Fill Type:	Pumped	Install Date:	0180
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	000001	Tank ID:	0449
Tank Location:	Indoors, Aboveground	Capacity (Gal):	1570
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Other	Material Type:	Fresh/Product
Description:	RINSEWATER, ACID		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Gravity	Product Gauge:	No
Fill Type:	Gravity	Install Date:	0173
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	000001	Tank ID:	0451
Tank Location:	Indoors, Aboveground	Capacity (Gal):	12630
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Steel/Iron	Material Type:	Fresh/Product
Description:	TURCO MASKANT		
Leak Detect:	NONE	Containment:	VAULT
Dispense Method:	Suction	Product Gauge:	Yes
Fill Type:	Pumped	Install Date:	0172
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	000001	Tank ID:	0490
Tank Location:	Indoors, Aboveground	Capacity (Gal):	2700
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	Internal Lining		
Ext Protection:	NONE		
Piping Type:	Steel/Iron	Material Type:	Fresh/Product
Description:	ZYGLO PENETRANT		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Suction	Product Gauge:	Yes
Fill Type:	Pumped	Install Date:	0170
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

GRUMMAN AEROSPACE CORP. (Continued)

U001854670

Facility ID:	000001	Tank ID:	0491
Tank Location:	Indoors, Aboveground	Capacity (Gal):	2200
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	Internal Lining		
Ext Protection:	NONE		
Piping Type:	Steel/Iron	Material Type:	Fresh/Product
Description:	MAGNAFLUX		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Suction	Product Gauge:	Yes
Fill Type:	Pumped	Install Date:	0170
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	000001	Tank ID:	0493
Tank Location:	Indoors, Aboveground	Capacity (Gal):	6750
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	Internal Lining		
Ext Protection:	NONE		
Piping Type:	Steel/Iron	Material Type:	Fresh/Product
Description:	MAGNAFLUX		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Suction	Product Gauge:	Yes
Fill Type:	Pumped	Install Date:	0170
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	000001	Tank ID:	0503
Tank Location:	Indoors, Aboveground	Capacity (Gal):	115
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	PAINTED [e.g. asphaltic]		
Piping Type:	Other	Material Type:	Fresh/Product
Description:	ALKALINE SOLUTIONS, NOS		
Leak Detect:	NONE	Containment:	NONE
Dispense Method:	Suction	Product Gauge:	No
Fill Type:	Pumped	Install Date:	0187
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	000001	Tank ID:	0506
Tank Location:	Indoors, Aboveground	Capacity (Gal):	1300
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Steel/Iron	Material Type:	Fresh/Product
Description:	CHROME DEACTIVATING SOLUTION		
Leak Detect:	NONE	Containment:	NONE
Dispense Method:	Suction	Product Gauge:	No
Fill Type:	Pumped	Install Date:	0160
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

GRUMMAN AEROSPACE CORP. (Continued)

U001854670

Facility ID:	000001	Tank ID:	0508
Tank Location:	Indoors, Aboveground	Capacity (Gal):	1300
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Steel/Iron	Material Type:	Fresh/Product
Description:	CHROME DEACTIVATING SOLUTION		
Leak Detect:	NONE	Containment:	NONE
Dispense Method:	Submersible	Product Gauge:	No
Fill Type:	Pumped	Install Date:	0160
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	000001	Tank ID:	0594
Tank Location:	Indoors, Aboveground	Capacity (Gal):	3200
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	Internal Lining		
Ext Protection:	NONE		
Piping Type:	Steel/Iron	Material Type:	Fresh/Product
Description:	SODIUM NITRATE		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Suction	Product Gauge:	No
Fill Type:	Other	Install Date:	0177
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	000001	Tank ID:	0601
Tank Location:	Indoors, Aboveground	Capacity (Gal):	650
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Steel/Iron	Material Type:	Fresh/Product
Description:	BASIC DEACTIVATING SOLUTION		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Submersible	Product Gauge:	No
Fill Type:	Gravity	Install Date:	0168
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	000001	Tank ID:	0603
Tank Location:	Indoors, Aboveground	Capacity (Gal):	1300
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Steel/Iron	Material Type:	Fresh/Product
Description:	CHROME DEACTIVATING SOLUTION		
Leak Detect:	NONE	Containment:	NONE
Dispense Method:	Submersible	Product Gauge:	No
Fill Type:	Pumped	Install Date:	0160
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

GRUMMAN AEROSPACE CORP. (Continued)

U001854670

Facility ID:	000001	Tank ID:	0604
Tank Location:	Indoors, Aboveground	Capacity (Gal):	1300
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Steel/Iron	Material Type:	Fresh/Product
Description:	CHROME DEACTIVATING SOLUTION		
Leak Detect:	NONE	Containment:	NONE
Dispense Method:	Submersible	Product Gauge:	No
Fill Type:	Pumped	Install Date:	0160
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	000001	Tank ID:	0605
Tank Location:	Indoors, Aboveground	Capacity (Gal):	1300
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Steel/Iron	Material Type:	Fresh/Product
Description:	CHROME DEACTIVATING SOLUTION		
Leak Detect:	NONE	Containment:	NONE
Dispense Method:	Submersible	Product Gauge:	No
Fill Type:	Pumped	Install Date:	0160
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	000001	Tank ID:	0606
Tank Location:	Indoors, Aboveground	Capacity (Gal):	1300
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Steel/Iron	Material Type:	Fresh/Product
Description:	CHROME DEACTIVATING SOLUTION		
Leak Detect:	NONE	Containment:	NONE
Dispense Method:	Submersible	Product Gauge:	No
Fill Type:	Pumped	Install Date:	0160
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	000001	Tank ID:	0644
Tank Location:	Indoors, Aboveground	Capacity (Gal):	2350
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Other	Material Type:	Fresh/Product
Description:	NITRIC ACID & SODIUM SULFATE		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Suction	Product Gauge:	Yes
Fill Type:	Pumped	Install Date:	0161
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

GRUMMAN AEROSPACE CORP. (Continued)

U001854670

Facility ID:	000001	Tank ID:	0645
Tank Location:	Indoors, Aboveground	Capacity (Gal):	2350
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Steel/Iron	Material Type:	Fresh/Product
Description:	RINSEWATER, ACID		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Gravity	Product Gauge:	No
Fill Type:	Gravity	Install Date:	0160
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	000001	Tank ID:	0740
Tank Location:	Indoors, Aboveground	Capacity (Gal):	185
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	PAINTED [e.g. asphaltic]		
Piping Type:	Steel/Iron	Material Type:	Fresh/Product
Description:	PHOSPHORIC ACID		
Leak Detect:	NONE	Containment:	NONE
Dispense Method:	Suction	Product Gauge:	No
Fill Type:	Pumped	Install Date:	0161
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	000001	Tank ID:	0780
Tank Location:	Indoors, Aboveground	Capacity (Gal):	748
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Steel/Iron	Material Type:	Fresh/Product
Description:	CAUSTICS		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Suction	Product Gauge:	No
Fill Type:	Pumped	Install Date:	0173
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	000001	Tank ID:	0793
Tank Location:	Outdoors, Aboveground	Capacity (Gal):	3600
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Steel/Iron	Material Type:	Waste
Description:	PAINT, MISC		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Suction	Product Gauge:	Yes
Fill Type:	Pumped	Install Date:	0160
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

GRUMMAN AEROSPACE CORP. (Continued)

U001854670

Facility ID:	000001	Tank ID:	0794
Tank Location:	Outdoors, Aboveground	Capacity (Gal):	3500
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Steel/Iron	Material Type:	Waste
Description:	PAINT, MISC		
Leak Detect:	NONE	Containment:	NONE
Dispense Method:	Suction	Product Gauge:	Yes
Fill Type:	Pumped	Install Date:	0160
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	000001	Tank ID:	0815
Tank Location:	Outdoors, Aboveground	Capacity (Gal):	3600
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Steel/Iron	Material Type:	Waste
Description:	ALODINE		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Suction	Product Gauge:	Yes
Fill Type:	Pumped	Install Date:	0183
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	000001	Tank ID:	0930
Tank Location:	Indoors, Aboveground	Capacity (Gal):	50
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Other	Material Type:	Fresh/Product
Description:	FREON		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Submersible	Product Gauge:	No
Fill Type:	Pumped	Install Date:	0186
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	000001	Tank ID:	0939
Tank Location:	Indoors, Aboveground	Capacity (Gal):	1570
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Other	Material Type:	Fresh/Product
Description:	RINSEWATER, ALKALINE		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Gravity	Product Gauge:	No
Fill Type:	Gravity	Install Date:	0174
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

GRUMMAN AEROSPACE CORP. (Continued)

U001854670

Facility ID:	000001	Tank ID:	0941
Tank Location:	Indoors, Aboveground	Capacity (Gal):	500
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Steel/Iron	Material Type:	Fresh/Product
Description:	TRICHLOROETHANE, 1,1,1-		
Leak Detect:	NONE	Containment:	NONE
Dispense Method:	Suction	Product Gauge:	No
Fill Type:	Pumped	Install Date:	0162
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	000001	Tank ID:	0956
Tank Location:	Indoors, Aboveground	Capacity (Gal):	6100
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Steel/Iron	Material Type:	Fresh/Product
Description:	RIDOLENE 53		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Suction	Product Gauge:	Yes
Fill Type:	Pumped	Install Date:	0166
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	000001	Tank ID:	0957
Tank Location:	Indoors, Aboveground	Capacity (Gal):	6100
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Steel/Iron	Material Type:	Fresh/Product
Description:	RINSEWATER, ALKALINE		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Gravity	Product Gauge:	No
Fill Type:	Gravity	Install Date:	0172
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	000001	Tank ID:	0958
Tank Location:	Indoors, Aboveground	Capacity (Gal):	6100
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Other	Material Type:	Fresh/Product
Description:	ALODINE		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Suction	Product Gauge:	Yes
Fill Type:	Pumped	Install Date:	0166
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

GRUMMAN AEROSPACE CORP. (Continued)

U001854670

Facility ID:	000001	Tank ID:	0959
Tank Location:	Indoors, Aboveground	Capacity (Gal):	6100
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Steel/Iron	Material Type:	Fresh/Product
Description:	RINSEWATER, ACID		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Gravity	Product Gauge:	No
Fill Type:	Gravity	Install Date:	0172
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	000001	Tank ID:	1021
Tank Location:	Indoors, Aboveground	Capacity (Gal):	1465
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	Internal Lining		
Ext Protection:	NONE		
Piping Type:	Other	Material Type:	Fresh/Product
Description:	SULFURIC & OXALIC ACID MIX		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Suction	Product Gauge:	Yes
Fill Type:	Pumped	Install Date:	0174
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	000001	Tank ID:	1022
Tank Location:	Indoors, Aboveground	Capacity (Gal):	1465
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Other	Material Type:	Fresh/Product
Description:	RINSEWATER, ACID		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Gravity	Product Gauge:	No
Fill Type:	Gravity	Install Date:	0177
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	000001	Tank ID:	1023
Tank Location:	Indoors, Aboveground	Capacity (Gal):	1465
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Other	Material Type:	Fresh/Product
Description:	ALODINE		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Suction	Product Gauge:	Yes
Fill Type:	Pumped	Install Date:	0174
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

GRUMMAN AEROSPACE CORP. (Continued)

U001854670

Facility ID:	000001	Tank ID:	1024
Tank Location:	Indoors, Aboveground	Capacity (Gal):	1465
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Other	Material Type:	Fresh/Product
Description:	TANK, WATER RINSE		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Gravity	Product Gauge:	No
Fill Type:	Gravity	Install Date:	0177
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	000001	Tank ID:	1039
Tank Location:	Indoors, Aboveground	Capacity (Gal):	330
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Other	Material Type:	Fresh/Product
Description:	EMPTY/AUXILARY TANK		
Leak Detect:	NONE	Containment:	NONE
Dispense Method:	Suction	Product Gauge:	No
Fill Type:	Pumped	Install Date:	0179
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	000001	Tank ID:	1052
Tank Location:	Indoors, Aboveground	Capacity (Gal):	157
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	PAINTED [e.g. asphaltic]		
Piping Type:	Other	Material Type:	Fresh/Product
Description:	TANK, WATER RINSE		
Leak Detect:	NONE	Containment:	NONE
Dispense Method:	Suction	Product Gauge:	No
Fill Type:	Pumped	Install Date:	0173
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	000001	Tank ID:	1053
Tank Location:	Indoors, Aboveground	Capacity (Gal):	157
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	PAINTED [e.g. asphaltic]		
Piping Type:	Other	Material Type:	Fresh/Product
Description:	SURFACTANTS		
Leak Detect:	NONE	Containment:	NONE
Dispense Method:	Suction	Product Gauge:	No
Fill Type:	Pumped	Install Date:	0173
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported

MAP FINDINGS

Map ID	Direction	Distance	Site	Database(s)	EDR ID Number	EPA ID Number
--------	-----------	----------	------	-------------	---------------	---------------

GRUMMAN AEROSPACE CORP. (Continued)

U001854670

<p>Facility ID: 000001 Tank Location: Indoors, Aboveground Tank Status: In Service Int Protection: None Ext Protection: PAINTED [e.g. asphaltic] Piping Type: Other Description: TANK, WATER RINSE Leak Detect: NONE Dispense Method: Suction Fill Type: Pumped Data File: Petroleum Bulk Storage Facility</p>	<p>Tank ID: 1054 Capacity (Gal): 157 Tank Material: OTHER</p>	<p>Material Type: Fresh/Product Containment: NONE Product Gauge: No Install Date: 0173 Total Tanks: Not reported</p>
<p>Facility ID: 000001 Tank Location: Indoors, Aboveground Tank Status: In Service Int Protection: None Ext Protection: NONE Piping Type: Other Description: TRICHLOROETHANE, 1,1,1- Leak Detect: NONE Dispense Method: Suction Fill Type: Pumped Data File: Petroleum Bulk Storage Facility</p>	<p>Tank ID: 1055 Capacity (Gal): 157 Tank Material: OTHER</p>	<p>Material Type: Fresh/Product Containment: DIKING AND PAD Product Gauge: Yes Install Date: 0173 Total Tanks: Not reported</p>
<p>Facility ID: 000001 Tank Location: Indoors, Aboveground Tank Status: In Service Int Protection: Internal Lining Ext Protection: PAINTED [e.g. asphaltic] Piping Type: Other Description: NITRIC & HYDROFLUORIC ACID MIX Leak Detect: NONE Dispense Method: Suction Fill Type: Pumped Data File: Petroleum Bulk Storage Facility</p>	<p>Tank ID: 1056 Capacity (Gal): 45 Tank Material: STEEL</p>	<p>Material Type: Fresh/Product Containment: NONE Product Gauge: No Install Date: 0173 Total Tanks: Not reported</p>
<p>Facility ID: 000001 Tank Location: Indoors, Aboveground Tank Status: In Service Int Protection: None Ext Protection: PAINTED [e.g. asphaltic] Piping Type: Other Description: TANK, WATER RINSE Leak Detect: NONE Dispense Method: Suction Fill Type: Pumped Data File: Petroleum Bulk Storage Facility</p>	<p>Tank ID: 1057 Capacity (Gal): 23 Tank Material: OTHER</p>	<p>Material Type: Fresh/Product Containment: NONE Product Gauge: No Install Date: 0273 Total Tanks: Not reported</p>

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

GRUMMAN AEROSPACE CORP. (Continued)

U001854670

Facility ID:	000001	Tank ID:	1058
Tank Location:	Indoors, Aboveground	Capacity (Gal):	45
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	Internal Lining		
Ext Protection:	PAINTED [e.g. asphaltic]	Material Type:	Fresh/Product
Piping Type:	Other		
Description:	NITRIC & HYDROFLUORIC ACID MIX	Containment:	NONE
Leak Detect:	NONE	Product Gauge:	No
Dispense Method:	Suction	Install Date:	0173
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	1059
Tank Location:	Indoors, Aboveground	Capacity (Gal):	270
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Steel/Iron		
Description:	TANK, WATER RINSE	Containment:	NONE
Leak Detect:	NONE	Product Gauge:	No
Dispense Method:	Submersible	Install Date:	0170
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	1063
Tank Location:	Indoors, Aboveground	Capacity (Gal):	157
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	PAINTED [e.g. asphaltic]	Material Type:	Fresh/Product
Piping Type:	Other		
Description:	ISOPROPYL ALCOHOL	Containment:	NONE
Leak Detect:	NONE	Product Gauge:	No
Dispense Method:	Suction	Install Date:	0173
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	1068
Tank Location:	Indoors, Aboveground	Capacity (Gal):	1570
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Steel/Iron		
Description:	RIDOLENE 53	Containment:	DIKING AND PAD
Leak Detect:	NONE	Product Gauge:	Yes
Dispense Method:	Suction	Install Date:	0174
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

GRUMMAN AEROSPACE CORP. (Continued)

U001854670

Facility ID:	000001	Tank ID:	1069
Tank Location:	Indoors, Aboveground	Capacity (Gal):	1570
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Steel/Iron	Material Type:	Fresh/Product
Description:	RINSEWATER, ALKALINE		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Gravity	Product Gauge:	No
Fill Type:	Gravity	Install Date:	0174
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	000001	Tank ID:	1071
Tank Location:	Indoors, Aboveground	Capacity (Gal):	630
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Other	Material Type:	Waste
Description:	ACIDS, NOS		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Suction	Product Gauge:	Yes
Fill Type:	Pumped	Install Date:	0177
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	000001	Tank ID:	1104
Tank Location:	Indoors, Aboveground	Capacity (Gal):	185
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Other	Material Type:	Fresh/Product
Description:	TANK, WATER RINSE		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Suction	Product Gauge:	No
Fill Type:	Pumped	Install Date:	0176
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	000001	Tank ID:	1106
Tank Location:	Indoors, Aboveground	Capacity (Gal):	185
Tank Status:	In Service	Tank Material:	Fiberglass Reinforced Plastic
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Other	Material Type:	Fresh/Product
Description:	ALODINE		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Suction	Product Gauge:	No
Fill Type:	Pumped	Install Date:	0176
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

GRUMMAN AEROSPACE CORP. (Continued)

U001854670

Facility ID:	000001	Tank ID:	1107
Tank Location:	Indoors, Aboveground	Capacity (Gal):	185
Tank Status:	In Service	Tank Material:	Fiberglass Reinforced Plastic
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Other	Material Type:	Fresh/Product
Description:	TANK, WATER RINSE		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Suction	Product Gauge:	No
Fill Type:	Pumped	Install Date:	0176
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	000001	Tank ID:	1112
Tank Location:	Indoors, Aboveground	Capacity (Gal):	9975
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Other		
Description:	RINSEWATER, ACID	Containment:	DIKING AND PAD
Leak Detect:	NONE	Product Gauge:	No
Dispense Method:	Gravity	Install Date:	0177
Fill Type:	Gravity	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	1120
Tank Location:	Indoors, Aboveground	Capacity (Gal):	9743
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Steel/Iron		
Description:	SODIUM HYDROXIDE	Containment:	DIKING AND PAD
Leak Detect:	NONE	Product Gauge:	Yes
Dispense Method:	Suction	Install Date:	0179
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	1121
Tank Location:	Indoors, Aboveground	Capacity (Gal):	9743
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Steel/Iron		
Description:	SODIUM HYDROXIDE	Containment:	DIKING AND PAD
Leak Detect:	NONE	Product Gauge:	Yes
Dispense Method:	Suction	Install Date:	0179
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		

MAP FINDINGS

Map ID		EDR ID Number
Direction		EPA ID Number
Distance	Site	Database(s)

GRUMMAN AEROSPACE CORP. (Continued)

U001854670

Facility ID:	000001	Tank ID:	1122
Tank Location:	Indoors, Aboveground	Capacity (Gal):	18200
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Other	Material Type:	Fresh/Product
Description:	RINSEWATER, ALKALINE		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Gravity	Product Gauge:	No
Fill Type:	Gravity	Install Date:	0179
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	000001	Tank ID:	1123
Tank Location:	Indoors, Aboveground	Capacity (Gal):	9743
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Other	Material Type:	Fresh/Product
Description:	NITRIC ACID		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Suction	Product Gauge:	Yes
Fill Type:	Pumped	Install Date:	0179
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	000001	Tank ID:	1124
Tank Location:	Indoors, Aboveground	Capacity (Gal):	18200
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Other	Material Type:	Fresh/Product
Description:	RINSEWATER, ACID		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Gravity	Product Gauge:	No
Fill Type:	Gravity	Install Date:	0179
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	000001	Tank ID:	1125
Tank Location:	Indoors, Aboveground	Capacity (Gal):	9743
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Steel/Iron	Material Type:	Fresh/Product
Description:	SODIUM HYDROXIDE		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Suction	Product Gauge:	Yes
Fill Type:	Pumped	Install Date:	0179
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

GRUMMAN AEROSPACE CORP. (Continued)

U001854670

Facility ID: 000001 Tank ID: 1126
Tank Location: Indoors, Aboveground Capacity (Gal): 18200
Tank Status: In Service Tank Material: OTHER
Int Protection: None
Ext Protection: NONE
Piping Type: Other Material Type: Fresh/Product
Description: RINSEWATER, ALKALINE
Leak Detect: NONE Containment: DIKING AND PAD
Dispense Method: Gravity Product Gauge: No
Fill Type: Gravity Install Date: 0179
Data File: Petroleum Bulk Storage Facility Total Tanks: Not reported

Facility ID: 000001 Tank ID: 1127
Tank Location: Indoors, Aboveground Capacity (Gal): 9743
Tank Status: In Service Tank Material: OTHER
Int Protection: Internal Lining
Ext Protection: NONE
Piping Type: Other Material Type: Fresh/Product
Description: HYDROFLUORIC ACID
Leak Detect: NONE Containment: DIKING AND PAD
Dispense Method: Suction Product Gauge: Yes
Fill Type: Pumped Install Date: 0179
Data File: Petroleum Bulk Storage Facility Total Tanks: Not reported

Facility ID: 000001 Tank ID: 1128
Tank Location: Indoors, Aboveground Capacity (Gal): 18200
Tank Status: In Service Tank Material: OTHER
Int Protection: None
Ext Protection: NONE
Piping Type: Other Material Type: Fresh/Product
Description: RINSEWATER, ACID
Leak Detect: NONE Containment: DIKING AND PAD
Dispense Method: Gravity Product Gauge: No
Fill Type: Gravity Install Date: 0179
Data File: Petroleum Bulk Storage Facility Total Tanks: Not reported

Facility ID: 000001 Tank ID: 1129
Tank Location: Indoors, Aboveground Capacity (Gal): 9743
Tank Status: In Service Tank Material: OTHER
Int Protection: None
Ext Protection: NONE
Piping Type: Other Material Type: Fresh/Product
Description: NITRIC ACID
Leak Detect: NONE Containment: DIKING AND PAD
Dispense Method: Suction Product Gauge: Yes
Fill Type: Pumped Install Date: 0179
Data File: Petroleum Bulk Storage Facility Total Tanks: Not reported

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

GRUMMAN AEROSPACE CORP. (Continued)

U001854670

Facility ID:	000001	Tank ID:	1130
Tank Location:	Indoors, Aboveground	Capacity (Gal):	18200
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Other	Material Type:	Fresh/Product
Description:	RINSEWATER, ACID		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Gravity	Product Gauge:	No
Fill Type:	Gravity	Install Date:	0179
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	000001	Tank ID:	1131
Tank Location:	Outdoors, Aboveground	Capacity (Gal):	9743
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	PAINTED [e.g. asphaltic]		
Piping Type:	Other	Material Type:	Waste
Description:	SODIUM HYDROXIDE		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Suction	Product Gauge:	Yes
Fill Type:	Pumped	Install Date:	0179
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	000001	Tank ID:	1132
Tank Location:	Outdoors, Aboveground	Capacity (Gal):	9743
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Other	Material Type:	Waste
Description:	WATER, MISC. INDUSTRIAL WASTES		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Suction	Product Gauge:	Yes
Fill Type:	Pumped	Install Date:	0179
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	000001	Tank ID:	1133
Tank Location:	Outdoors, Aboveground	Capacity (Gal):	9743
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	Internal Lining		
Ext Protection:	PAINTED [e.g. asphaltic]		
Piping Type:	Other	Material Type:	Waste
Description:	NITRIC ACID		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Suction	Product Gauge:	Yes
Fill Type:	Pumped	Install Date:	0179
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

GRUMMAN AEROSPACE CORP. (Continued)

U001854670

Facility ID:	000001	Tank ID:	1134
Tank Location:	Outdoors, Aboveground	Capacity (Gal):	9743
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	PAINTED [e.g. asphaltic]	Material Type:	Waste
Piping Type:	Other		
Description:	NITRIC ACID	Containment:	DIKING AND PAD
Leak Detect:	NONE	Product Gauge:	Yes
Dispense Method:	Suction	Install Date:	0179
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	1137
Tank Location:	Indoors, Aboveground	Capacity (Gal):	7700
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Other		
Description:	TRICHLOROETHANE, 1,1,1-	Containment:	DIKING AND PAD
Leak Detect:	NONE	Product Gauge:	Yes
Dispense Method:	Suction	Install Date:	0180
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	1138
Tank Location:	Indoors, Aboveground	Capacity (Gal):	9200
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Other		
Description:	RIDOLENE 57	Containment:	DIKING AND PAD
Leak Detect:	NONE	Product Gauge:	Yes
Dispense Method:	Suction	Install Date:	0180
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	1139
Tank Location:	Indoors, Aboveground	Capacity (Gal):	17400
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Other		
Description:	RINSEWATER, ALKALINE	Containment:	DIKING AND PAD
Leak Detect:	NONE	Product Gauge:	No
Dispense Method:	Gravity	Install Date:	0180
Fill Type:	Gravity	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		

MAP FINDINGS

Map ID Direction Distance	Site	Database(s)	EDR ID Number EPA ID Number
---------------------------------	------	-------------	--------------------------------

GRUMMAN AEROSPACE CORP. (Continued)

U001854670

Facility ID:	000001	Tank ID:	1140
Tank Location:	Indoors, Aboveground	Capacity (Gal):	9200
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Other	Material Type:	Fresh/Product
Description:	SODIUM HYDROXIDE		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Suction	Product Gauge:	Yes
Fill Type:	Pumped	Install Date:	0180
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	000001	Tank ID:	1141
Tank Location:	Indoors, Aboveground	Capacity (Gal):	9200
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Other	Material Type:	Fresh/Product
Description:	ALODINE		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Suction	Product Gauge:	Yes
Fill Type:	Pumped	Install Date:	0180
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	000001	Tank ID:	1142
Tank Location:	Indoors, Aboveground	Capacity (Gal):	17400
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Other	Material Type:	Fresh/Product
Description:	RINSEWATER, ACID		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Gravity	Product Gauge:	No
Fill Type:	Gravity	Install Date:	0180
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	000001	Tank ID:	1144
Tank Location:	Indoors, Aboveground	Capacity (Gal):	9200
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Other	Material Type:	Fresh/Product
Description:	CHROMIC ACID		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Suction	Product Gauge:	Yes
Fill Type:	Pumped	Install Date:	0180
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

GRUMMAN AEROSPACE CORP. (Continued)

U001854670

Facility ID:	000001	Tank ID:	1145
Tank Location:	Indoors, Aboveground	Capacity (Gal):	17400
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Other	Material Type:	Fresh/Product
Description:	RINSEWATER, ACID		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Gravity	Product Gauge:	No
Fill Type:	Gravity	Install Date:	0180
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	000001	Tank ID:	1150
Tank Location:	Outdoors, Aboveground	Capacity (Gal):	9200
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Other	Material Type:	Waste
Description:	ACIDS, NOS		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Suction	Product Gauge:	Yes
Fill Type:	Pumped	Install Date:	0181
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	000001	Tank ID:	1151
Tank Location:	Outdoors, Aboveground	Capacity (Gal):	9200
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Other	Material Type:	Waste
Description:	ACIDS, NOS		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Suction	Product Gauge:	Yes
Fill Type:	Pumped	Install Date:	0181
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	000001	Tank ID:	1152
Tank Location:	Outdoors, Aboveground	Capacity (Gal):	9200
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Other	Material Type:	Waste
Description:	ACIDS, NOS		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Suction	Product Gauge:	Yes
Fill Type:	Pumped	Install Date:	0181
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported

MAP FINDINGS

Map ID Direction Distance	Site	Database(s)	EDR ID Number EPA ID Number
---------------------------------	------	-------------	--------------------------------

GRUMMAN AEROSPACE CORP. (Continued)

U001854670

Facility ID:	000001	Tank ID:	1156
Tank Location:	Indoors, Aboveground	Capacity (Gal):	517
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Other	Material Type:	Fresh/Product
Description:	EMPTY/AUXILARY TANK	Containment:	NONE
Leak Detect:	NONE	Product Gauge:	No
Dispense Method:	Suction	Install Date:	0179
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	1157
Tank Location:	Indoors, Aboveground	Capacity (Gal):	517
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Other	Material Type:	Fresh/Product
Description:	EMPTY/AUXILARY TANK	Containment:	NONE
Leak Detect:	NONE	Product Gauge:	No
Dispense Method:	Suction	Install Date:	0179
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	1184
Tank Location:	Outdoors, Aboveground	Capacity (Gal):	10300
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	Internal Lining		
Ext Protection:	PAINTED [e.g. asphaltic]	Material Type:	Waste
Piping Type:	Other	Containment:	DIKING AND PAD
Description:	NITRIC & HYDROFLUORIC ACID MIX	Product Gauge:	Yes
Leak Detect:	NONE	Install Date:	0181
Dispense Method:	Suction	Total Tanks:	Not reported
Fill Type:	Pumped		
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	1190
Tank Location:	Indoors, Aboveground	Capacity (Gal):	170
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Other	Containment:	DIKING AND PAD
Description:	NITRIC ACID	Product Gauge:	No
Leak Detect:	NONE	Install Date:	0176
Dispense Method:	Suction	Total Tanks:	Not reported
Fill Type:	Pumped		
Data File:	Petroleum Bulk Storage Facility		

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

GRUMMAN AEROSPACE CORP. (Continued)

U001854670

Facility ID:	000001	Tank ID:	1191
Tank Location:	Outdoors, Aboveground	Capacity (Gal):	1800
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Waste
Piping Type:	Other		
Description:	TRADE NAME, ORGANIC	Containment:	DIKING AND PAD
Leak Detect:	NONE	Product Gauge:	Yes
Dispense Method:	Suction	Install Date:	0181
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	1193
Tank Location:	Outdoors, Aboveground	Capacity (Gal):	3700
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	Internal Lining		
Ext Protection:	NONE	Material Type:	Waste
Piping Type:	Other		
Description:	ACIDS, NOS	Containment:	DIKING AND PAD
Leak Detect:	NONE	Product Gauge:	Yes
Dispense Method:	Suction	Install Date:	0182
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	1194
Tank Location:	Outdoors, Aboveground	Capacity (Gal):	3700
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	Internal Lining		
Ext Protection:	NONE	Material Type:	Waste
Piping Type:	Other		
Description:	ACIDS, NOS	Containment:	DIKING AND PAD
Leak Detect:	NONE	Product Gauge:	Yes
Dispense Method:	Suction	Install Date:	0182
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	1207
Tank Location:	Outdoors, Aboveground	Capacity (Gal):	10000
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	PAINTED [e.g. asphaltic]	Material Type:	Fresh/Product
Piping Type:	Steel/Iron		
Description:	TETRACHLOROETHYLENE	Containment:	DIKING AND PAD
Leak Detect:	NONE	Product Gauge:	Yes
Dispense Method:	Suction	Install Date:	0183
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		

MAP FINDINGS

Map ID	Direction	Distance	Site	Database(s)	EDR ID Number	EPA ID Number
--------	-----------	----------	------	-------------	---------------	---------------

GRUMMAN AEROSPACE CORP. (Continued)

U001854670

Facility ID:	000001	Tank ID:	1221
Tank Location:	Indoors, Aboveground	Capacity (Gal):	2500
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	PAINTED [e.g. asphaltic]		
Piping Type:	Steel/Iron	Material Type:	Fresh/Product
Description:	TRICHLOROETHYLENE		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Submersible	Product Gauge:	Yes
Fill Type:	Pumped	Install Date:	0185
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	000001	Tank ID:	1222
Tank Location:	Indoors, Aboveground	Capacity (Gal):	8800
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Other	Material Type:	Fresh/Product
Description:	RIDOLENE 57		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Suction	Product Gauge:	Yes
Fill Type:	Pumped	Install Date:	0185
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	000001	Tank ID:	1223
Tank Location:	Indoors, Aboveground	Capacity (Gal):	17400
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Other	Material Type:	Fresh/Product
Description:	TANK, WATER RINSE		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Suction	Product Gauge:	Yes
Fill Type:	Pumped	Install Date:	0185
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	000001	Tank ID:	1224
Tank Location:	Indoors, Aboveground	Capacity (Gal):	8800
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Other	Material Type:	Fresh/Product
Description:	NITRIC ACID		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Suction	Product Gauge:	Yes
Fill Type:	Pumped	Install Date:	0185
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

GRUMMAN AEROSPACE CORP. (Continued)

U001854670

Facility ID:	000001	Tank ID:	1225
Tank Location:	Indoors, Aboveground	Capacity (Gal):	8800
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Other	Containment:	DIKING AND PAD
Description:	NITRIC ACID	Product Gauge:	Yes
Leak Detect:	NONE	Install Date:	0185
Dispense Method:	Suction	Total Tanks:	Not reported
Fill Type:	Pumped		
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	1226
Tank Location:	Indoors, Aboveground	Capacity (Gal):	17400
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Other	Containment:	DIKING AND PAD
Description:	TANK, WATER RINSE	Product Gauge:	Yes
Leak Detect:	NONE	Install Date:	0185
Dispense Method:	Suction	Total Tanks:	Not reported
Fill Type:	Pumped		
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	1228
Tank Location:	Indoors, Aboveground	Capacity (Gal):	8800
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Other	Containment:	DIKING AND PAD
Description:	ALODINE	Product Gauge:	Yes
Leak Detect:	NONE	Install Date:	0185
Dispense Method:	Suction	Total Tanks:	Not reported
Fill Type:	Pumped		
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	1229
Tank Location:	Indoors, Aboveground	Capacity (Gal):	17400
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Other	Containment:	DIKING AND PAD
Description:	TANK, WATER RINSE	Product Gauge:	Yes
Leak Detect:	NONE	Install Date:	0185
Dispense Method:	Suction	Total Tanks:	Not reported
Fill Type:	Pumped		
Data File:	Petroleum Bulk Storage Facility		

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

GRUMMAN AEROSPACE CORP. (Continued)

U001854670

Facility ID:	000001	Tank ID:	1230
Tank Location:	Indoors, Aboveground	Capacity (Gal):	8800
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Other	Material Type:	Fresh/Product
Description:	SULPHURIC ACID		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Suction	Product Gauge:	Yes
Fill Type:	Pumped	Install Date:	0185
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	000001	Tank ID:	1231
Tank Location:	Indoors, Aboveground	Capacity (Gal):	17400
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Other	Material Type:	Fresh/Product
Description:	TANK, WATER RINSE		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Suction	Product Gauge:	Yes
Fill Type:	Pumped	Install Date:	0185
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	000001	Tank ID:	1232
Tank Location:	Indoors, Aboveground	Capacity (Gal):	8800
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Other	Material Type:	Fresh/Product
Description:	SODIUM DICHROMATE		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Suction	Product Gauge:	Yes
Fill Type:	Pumped	Install Date:	0185
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	000001	Tank ID:	1233
Tank Location:	Indoors, Aboveground	Capacity (Gal):	17400
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Other	Material Type:	Fresh/Product
Description:	TANK, WATER RINSE		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Suction	Product Gauge:	Yes
Fill Type:	Pumped	Install Date:	0185
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

GRUMMAN AEROSPACE CORP. (Continued)

U001854670

Facility ID:	000001	Tank ID:	1239
Tank Location:	Indoors, Aboveground	Capacity (Gal):	900
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Steel/Iron	Containment:	NONE
Description:	GLYCOL	Product Gauge:	Yes
Leak Detect:	NONE	Install Date:	0184
Dispense Method:	Suction	Total Tanks:	Not reported
Fill Type:	Pumped		
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	1251
Tank Location:	Indoors, Aboveground	Capacity (Gal):	365
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Steel/Iron	Containment:	DIKING AND PAD
Description:	TRICHLOROETHYLENE	Product Gauge:	No
Leak Detect:	NONE	Install Date:	0186
Dispense Method:	Submersible	Total Tanks:	Not reported
Fill Type:	Pumped		
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	1252
Tank Location:	Indoors, Aboveground	Capacity (Gal):	38430
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Other	Containment:	DIKING AND PAD
Description:	SILICATES, NOS	Product Gauge:	No
Leak Detect:	NONE	Install Date:	0185
Dispense Method:	Suction	Total Tanks:	Not reported
Fill Type:	Pumped		
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	1253
Tank Location:	Indoors, Aboveground	Capacity (Gal):	38430
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Other	Containment:	DIKING AND PAD
Description:	TANK, WATER RINSE	Product Gauge:	No
Leak Detect:	NONE	Install Date:	0185
Dispense Method:	Suction	Total Tanks:	Not reported
Fill Type:	Pumped		
Data File:	Petroleum Bulk Storage Facility		

MAP FINDINGS

Map ID Direction Distance	Site	Database(s)	EDR ID Number EPA ID Number
---------------------------------	------	-------------	--------------------------------

GRUMMAN AEROSPACE CORP. (Continued)

U001854670

Facility ID:	000001	Tank ID:	1254
Tank Location:	Outdoors, Aboveground	Capacity (Gal):	6000
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	PAINTED [e.g. asphaltic]	Material Type:	Fresh/Product
Piping Type:	Steel/Iron		
Description:	METHANOL	Containment:	DIKING AND PAD
Leak Detect:	NONE	Product Gauge:	Yes
Dispense Method:	Suction	Install Date:	0185
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	1263
Tank Location:	Indoors, Aboveground	Capacity (Gal):	1600
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Steel/Iron		
Description:	POTASSIUM NITRATE	Containment:	DIKING AND PAD
Leak Detect:	NONE	Product Gauge:	No
Dispense Method:	Gravity	Install Date:	0177
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	1264
Tank Location:	Indoors, Aboveground	Capacity (Gal):	2700
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Waste
Piping Type:	Steel/Iron		
Description:	SODIUM NITRITE	Containment:	DIKING AND PAD
Leak Detect:	NONE	Product Gauge:	No
Dispense Method:	Submersible	Install Date:	0160
Fill Type:	Other	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	1265
Tank Location:	Indoors, Aboveground	Capacity (Gal):	375
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Steel/Iron		
Description:	LEAD	Containment:	NONE
Leak Detect:	NONE	Product Gauge:	No
Dispense Method:	Gravity	Install Date:	0181
Fill Type:	Other	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

GRUMMAN AEROSPACE CORP. (Continued)

U001854670

Facility ID:	000001	Tank ID:	1266
Tank Location:	Indoors, Aboveground	Capacity (Gal):	250
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Steel/Iron		
Description:	ZINC	Containment:	NONE
Leak Detect:	NONE	Product Gauge:	No
Dispense Method:	Gravity	Install Date:	0181
Fill Type:	Other	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	1267
Tank Location:	Indoors, Aboveground	Capacity (Gal):	5300
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	PAINTED [e.g. asphaltic]	Material Type:	Fresh/Product
Piping Type:	Steel/Iron		
Description:	ETHYLENE GLYCOL	Containment:	DIKING AND PAD
Leak Detect:	NONE	Product Gauge:	No
Dispense Method:	Suction	Install Date:	0187
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	1272
Tank Location:	Indoors, Aboveground	Capacity (Gal):	700
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Other		
Description:	TETRACHLOROETHYLENE	Containment:	DIKING AND PAD
Leak Detect:	NONE	Product Gauge:	No
Dispense Method:	Suction	Install Date:	0185
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	1273
Tank Location:	Indoors, Aboveground	Capacity (Gal):	2958
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Other		
Description:	TANK, WATER RINSE	Containment:	DIKING AND PAD
Leak Detect:	NONE	Product Gauge:	No
Dispense Method:	Suction	Install Date:	0188
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		

MAP FINDINGS

Map ID Direction Distance	Site	Database(s)	EDR ID Number EPA ID Number
---------------------------------	------	-------------	--------------------------------

GRUMMAN AEROSPACE CORP. (Continued)

U001854670

Facility ID:	000001	Tank ID:	1274
Tank Location:	Indoors, Aboveground	Capacity (Gal):	1525
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	Internal Lining		
Ext Protection:	PAINTED [e.g. asphaltic]		
Piping Type:	Steel/Iron	Material Type:	Fresh/Product
Description:	ETHYLENE GLYCOL		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Suction	Product Gauge:	No
Fill Type:	Pumped	Install Date:	0188
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	000001	Tank ID:	1275
Tank Location:	Indoors, Aboveground	Capacity (Gal):	1525
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	Internal Lining		
Ext Protection:	PAINTED [e.g. asphaltic]		
Piping Type:	Steel/Iron	Material Type:	Fresh/Product
Description:	TANK, WATER RINSE		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Suction	Product Gauge:	No
Fill Type:	Pumped	Install Date:	0188
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	000001	Tank ID:	1276
Tank Location:	Indoors, Aboveground	Capacity (Gal):	1960
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Other	Material Type:	Fresh/Product
Description:	SODIUM NITRATE		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Suction	Product Gauge:	No
Fill Type:	Pumped	Install Date:	0188
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	000001	Tank ID:	1303
Tank Location:	Outdoors, Aboveground	Capacity (Gal):	600
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Steel/Iron	Material Type:	Fresh/Product
Description:	TRICHLOROETHANE, 1,1,1-		
Leak Detect:	NONE	Containment:	NONE
Dispense Method:	Suction	Product Gauge:	No
Fill Type:	Gravity	Install Date:	1255
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

GRUMMAN AEROSPACE CORP. (Continued)

U001854670

Facility ID:	000001	Tank ID:	1304
Tank Location:	Outdoors, Aboveground	Capacity (Gal):	500
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	PAINTED [e.g. asphaltic]	Material Type:	Fresh/Product
Piping Type:	Steel/Iron		
Description:	AMMONIA, ANHYDROUS	Containment:	NONE
Leak Detect:	NONE	Product Gauge:	Yes
Dispense Method:	Suction	Install Date:	0169
Fill Type:	Other	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	1345
Tank Location:	Indoors, Aboveground	Capacity (Gal):	30
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	PAINTED [e.g. asphaltic]	Material Type:	Fresh/Product
Piping Type:	Steel/Iron		
Description:	TRICHLOROETHYLENE	Containment:	OTHER
Leak Detect:	OTHER	Product Gauge:	No
Dispense Method:	Suction	Install Date:	0793
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	1346
Tank Location:	Indoors, Aboveground	Capacity (Gal):	14
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Not reported		
Description:	PHOTO DEVELOPER	Containment:	DIKING AND PAD
Leak Detect:	OTHER	Product Gauge:	No
Dispense Method:	Not reported	Install Date:	1294
Fill Type:	Other	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	1347
Tank Location:	Indoors, Aboveground	Capacity (Gal):	13
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Not reported		
Description:	URISCREEN-PEROXIDE & NA PERBORATE	Containment:	DIKING AND PAD
Leak Detect:	OTHER	Product Gauge:	No
Dispense Method:	Not reported	Install Date:	1294
Fill Type:	Other	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

GRUMMAN AEROSPACE CORP. (Continued)

U001854670

Facility ID:	000001	Tank ID:	1348
Tank Location:	Indoors, Aboveground	Capacity (Gal):	13
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Not reported	Material Type:	Fresh/Product
Description:	RINSEWATER, ACID		
Leak Detect:	OTHER	Containment:	DIKING AND PAD
Dispense Method:	Not reported	Product Gauge:	No
Fill Type:	Other	Install Date:	1294
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	000001	Tank ID:	1349
Tank Location:	Indoors, Aboveground	Capacity (Gal):	14
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Not reported	Material Type:	Fresh/Product
Description:	PHOTO DEVELOPER		
Leak Detect:	OTHER	Containment:	DIKING AND PAD
Dispense Method:	Not reported	Product Gauge:	No
Fill Type:	Other	Install Date:	1294
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	000001	Tank ID:	1350
Tank Location:	Indoors, Aboveground	Capacity (Gal):	13
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Not reported	Material Type:	Fresh/Product
Description:	URISCREEN-PEROXIDE & NA PERBORATE		
Leak Detect:	OTHER	Containment:	DIKING AND PAD
Dispense Method:	Not reported	Product Gauge:	No
Fill Type:	Other	Install Date:	1294
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	000001	Tank ID:	1351
Tank Location:	Indoors, Aboveground	Capacity (Gal):	13
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Not reported	Material Type:	Fresh/Product
Description:	RINSEWATER, ACID		
Leak Detect:	OTHER	Containment:	DIKING AND PAD
Dispense Method:	Not reported	Product Gauge:	No
Fill Type:	Other	Install Date:	1294
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

GRUMMAN AEROSPACE CORP. (Continued)

U001854670

Facility ID:	000001	Tank ID:	1352
Tank Location:	Indoors, Aboveground	Capacity (Gal):	13
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Not reported	Material Type:	Fresh/Product
Description:	PHOTO DEVELOPER	Containment:	DIKING AND PAD
Leak Detect:	OTHER	Product Gauge:	No
Dispense Method:	Not reported	Install Date:	1294
Fill Type:	Other	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	1353
Tank Location:	Indoors, Aboveground	Capacity (Gal):	13
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Not reported	Material Type:	Fresh/Product
Description:	URISCREEN-PEROXIDE & NA PERBORATE	Containment:	DIKING AND PAD
Leak Detect:	OTHER	Product Gauge:	No
Dispense Method:	Not reported	Install Date:	1294
Fill Type:	Other	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	1354
Tank Location:	Indoors, Aboveground	Capacity (Gal):	13
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Not reported	Material Type:	Fresh/Product
Description:	RINSEWATER, ACID	Containment:	DIKING AND PAD
Leak Detect:	OTHER	Product Gauge:	No
Dispense Method:	Not reported	Install Date:	1294
Fill Type:	Other	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	1355
Tank Location:	Indoors, Aboveground	Capacity (Gal):	13
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Not reported	Material Type:	Fresh/Product
Description:	PHOTO DEVELOPER	Containment:	DIKING AND PAD
Leak Detect:	OTHER	Product Gauge:	No
Dispense Method:	Not reported	Install Date:	1294
Fill Type:	Other	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

GRUMMAN AEROSPACE CORP. (Continued)

U001854670

Facility ID:	000001	Tank ID:	1356
Tank Location:	Indoors, Aboveground	Capacity (Gal):	13
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Not reported	Material Type:	Fresh/Product
Description:	URISCREEN-PEROXIDE & NA PERBORATE		
Leak Detect:	OTHER	Containment:	DIKING AND PAD
Dispense Method:	Not reported	Product Gauge:	No
Fill Type:	Other	Install Date:	1294
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	000001	Tank ID:	1357
Tank Location:	Indoors, Aboveground	Capacity (Gal):	13
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Not reported	Material Type:	Fresh/Product
Description:	RINSEWATER, ACID		
Leak Detect:	OTHER	Containment:	DIKING AND PAD
Dispense Method:	Not reported	Product Gauge:	No
Fill Type:	Other	Install Date:	1294
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	000001	Tank ID:	2004
Tank Location:	Indoors, Aboveground	Capacity (Gal):	275
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	PAINTED [e.g. asphaltic]		
Piping Type:	Steel/Iron	Material Type:	Fresh/Product
Description:	OIL, MOTOR		
Leak Detect:	NONE	Containment:	NONE
Dispense Method:	Suction	Product Gauge:	Yes
Fill Type:	Pumped	Install Date:	0168
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	000001	Tank ID:	2090
Tank Location:	Outdoors, Aboveground	Capacity (Gal):	517
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Other	Material Type:	Waste
Description:	PHOTO CHEMICALS, NOS		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Suction	Product Gauge:	Yes
Fill Type:	Pumped	Install Date:	0184
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

GRUMMAN AEROSPACE CORP. (Continued)

U001854670

Facility ID:	000001	Tank ID:	6006
Tank Location:	Indoors, Aboveground	Capacity (Gal):	175
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	PAINTED [e.g. asphaltic]		
Piping Type:	Other	Material Type:	Fresh/Product
Description:	ORGANICS, MISC		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Submersible	Product Gauge:	No
Fill Type:	Other	Install Date:	0184
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	000001	Tank ID:	6008
Tank Location:	Indoors, Aboveground	Capacity (Gal):	175
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	PAINTED [e.g. asphaltic]		
Piping Type:	Other	Material Type:	Fresh/Product
Description:	WASTEWATER TREATMENT CHEMICALS, NOS		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Submersible	Product Gauge:	No
Fill Type:	Other	Install Date:	0184
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	000001	Tank ID:	7002
Tank Location:	Indoors, Aboveground	Capacity (Gal):	4800
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Steel/Iron	Material Type:	Fresh/Product
Description:	EMPTY/AUXILIARY TANK		
Leak Detect:	NONE	Containment:	NONE
Dispense Method:	Suction	Product Gauge:	Yes
Fill Type:	Pumped	Install Date:	0160
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	000001	Tank ID:	9001
Tank Location:	Indoors, Aboveground	Capacity (Gal):	11000
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Other	Material Type:	Waste
Description:	WATER, MISC. INDUSTRIAL WASTES		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Gravity	Product Gauge:	No
Fill Type:	Pumped	Install Date:	0147
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

GRUMMAN AEROSPACE CORP. (Continued)

U001854670

Facility ID:	000001	Tank ID:	9002
Tank Location:	Indoors, Aboveground	Capacity (Gal):	11000
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Other	Material Type:	Waste
Description:	WATER, MISC. INDUSTRIAL WASTES		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Gravity	Product Gauge:	No
Fill Type:	Pumped	Install Date:	0147
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	000001	Tank ID:	9003
Tank Location:	Indoors, Aboveground	Capacity (Gal):	11000
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Other	Material Type:	Waste
Description:	WATER, MISC. INDUSTRIAL WASTES		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Gravity	Product Gauge:	No
Fill Type:	Pumped	Install Date:	0147
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	000001	Tank ID:	9004
Tank Location:	Indoors, Aboveground	Capacity (Gal):	11000
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Other	Material Type:	Waste
Description:	WATER, MISC. INDUSTRIAL WASTES		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Gravity	Product Gauge:	No
Fill Type:	Pumped	Install Date:	0147
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	000001	Tank ID:	9005
Tank Location:	Indoors, Aboveground	Capacity (Gal):	15000
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Other	Material Type:	Waste
Description:	WATER, MISC. INDUSTRIAL WASTES		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Gravity	Product Gauge:	No
Fill Type:	Pumped	Install Date:	0147
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

GRUMMAN AEROSPACE CORP. (Continued)

U001854670

Facility ID:	000001	Tank ID:	9006
Tank Location:	Indoors, Aboveground	Capacity (Gal):	15000
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Other	Material Type:	Waste
Description:	WATER, MISC. INDUSTRIAL WASTES		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Gravity	Product Gauge:	No
Fill Type:	Pumped	Install Date:	0170
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	000001	Tank ID:	9007
Tank Location:	Indoors, Aboveground	Capacity (Gal):	15000
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Other	Material Type:	Waste
Description:	WATER, MISC. INDUSTRIAL WASTES		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Gravity	Product Gauge:	No
Fill Type:	Pumped	Install Date:	0170
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	000001	Tank ID:	9008
Tank Location:	Indoors, Aboveground	Capacity (Gal):	15000
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Other	Material Type:	Waste
Description:	WATER, MISC. INDUSTRIAL WASTES		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Gravity	Product Gauge:	No
Fill Type:	Pumped	Install Date:	0170
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	000001	Tank ID:	9009
Tank Location:	Indoors, Aboveground	Capacity (Gal):	15000
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Other	Material Type:	Waste
Description:	WATER, MISC. INDUSTRIAL WASTES		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Gravity	Product Gauge:	No
Fill Type:	Pumped	Install Date:	0170
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported

MAP FINDINGS

Map ID Direction Distance	Site	Database(s)	EDR ID Number EPA ID Number
---------------------------------	------	-------------	--------------------------------

GRUMMAN AEROSPACE CORP. (Continued)

U001854670

Facility ID:	000001	Tank ID:	9010
Tank Location:	Indoors, Aboveground	Capacity (Gal):	4700
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	Internal Lining		
Ext Protection:	NONE		
Piping Type:	Other	Material Type:	Waste
Description:	SLUDGE WASTES, INORGANIC		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Suction	Product Gauge:	No
Fill Type:	Pumped	Install Date:	0177
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	000001	Tank ID:	9011
Tank Location:	Indoors, Aboveground	Capacity (Gal):	4700
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	Internal Lining		
Ext Protection:	NONE		
Piping Type:	Other	Material Type:	Waste
Description:	SLUDGE WASTES, INORGANIC		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Suction	Product Gauge:	No
Fill Type:	Pumped	Install Date:	0177
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	000001	Tank ID:	9012
Tank Location:	Indoors, Aboveground	Capacity (Gal):	2000
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	Internal Lining		
Ext Protection:	NONE		
Piping Type:	Other	Material Type:	Fresh/Product
Description:	INORGANICS, MISC		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Suction	Product Gauge:	No
Fill Type:	Other	Install Date:	0177
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	000001	Tank ID:	9013
Tank Location:	Indoors, Aboveground	Capacity (Gal):	300
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Other	Material Type:	Fresh/Product
Description:	CALCIUM CARBONATE		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Suction	Product Gauge:	No
Fill Type:	Other	Install Date:	0177
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

GRUMMAN AEROSPACE CORP. (Continued)

U001854670

Facility ID:	000001	Tank ID:	9014
Tank Location:	Indoors, Aboveground	Capacity (Gal):	300
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Other		
Description:	CALCIUM CARBONATE	Containment:	DIKING AND PAD
Leak Detect:	NONE	Product Gauge:	No
Dispense Method:	Suction	Install Date:	0177
Fill Type:	Other	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	9303
Tank Location:	Indoors, Aboveground	Capacity (Gal):	3800
Tank Status:	In Service	Tank Material:	CONCRETE
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Waste
Piping Type:	Other		
Description:	TANK, WASTE TREATMENT	Containment:	DIKING AND PAD
Leak Detect:	NONE	Product Gauge:	No
Dispense Method:	Suction	Install Date:	0143
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	9307
Tank Location:	Indoors, Aboveground	Capacity (Gal):	16000
Tank Status:	In Service	Tank Material:	Fiberglass Reinforced Plastic
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Waste
Piping Type:	Other		
Description:	TANK, WASTE TREATMENT	Containment:	DIKING AND PAD
Leak Detect:	NONE	Product Gauge:	Yes
Dispense Method:	Submersible	Install Date:	0184
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	9309
Tank Location:	Indoors, Aboveground	Capacity (Gal):	16000
Tank Status:	In Service	Tank Material:	Fiberglass Reinforced Plastic
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Waste
Piping Type:	Other		
Description:	TANK, WASTE TREATMENT	Containment:	DIKING AND PAD
Leak Detect:	NONE	Product Gauge:	Yes
Dispense Method:	Submersible	Install Date:	0184
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		

MAP FINDINGS

Map ID Direction Distance	Site	Database(s)	EDR ID Number EPA ID Number
---------------------------------	------	-------------	--------------------------------

GRUMMAN AEROSPACE CORP. (Continued)

U001854670

Facility ID:	000001	Tank ID:	9310
Tank Location:	Outdoors, Aboveground	Capacity (Gal):	20600
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	PAINTED [e.g. asphaltic]		
Piping Type:	Other	Material Type:	Waste
Description:	ACIDS, NOS		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Submersible	Product Gauge:	Yes
Fill Type:	Pumped	Install Date:	0184
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	000001	Tank ID:	9311
Tank Location:	Outdoors, Aboveground	Capacity (Gal):	12690
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	PAINTED [e.g. asphaltic]		
Piping Type:	Other	Material Type:	Waste
Description:	CHARACTERISTIC OF CORROSIVITY		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Submersible	Product Gauge:	Yes
Fill Type:	Pumped	Install Date:	0184
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	000001	Tank ID:	9312
Tank Location:	Indoors, Aboveground	Capacity (Gal):	16900
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Other	Material Type:	Waste
Description:	NITRIC ACID		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Submersible	Product Gauge:	Yes
Fill Type:	Pumped	Install Date:	0184
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	000001	Tank ID:	9313
Tank Location:	Outdoors, Aboveground	Capacity (Gal):	10000
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	PAINTED [e.g. asphaltic]		
Piping Type:	Other	Material Type:	Fresh/Product
Description:	SULPHURIC ACID		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Submersible	Product Gauge:	Yes
Fill Type:	Pumped	Install Date:	0184
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

GRUMMAN AEROSPACE CORP. (Continued)

U001854670

Facility ID:	000001	Tank ID:	9316
Tank Location:	Indoors, Aboveground	Capacity (Gal):	16000
Tank Status:	In Service	Tank Material:	Fiberglass Reinforced Plastic
Int Protection:	None		
Ext Protection:	PAINTED [e.g. asphaltic]	Material Type:	Waste
Piping Type:	Other		
Description:	ORGANICS, MISC	Containment:	DIKING AND PAD
Leak Detect:	NONE	Product Gauge:	Yes
Dispense Method:	Submersible	Install Date:	0184
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	9317
Tank Location:	Indoors, Aboveground	Capacity (Gal):	4000
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	CATHODIC PROTECTION	Material Type:	Waste
Piping Type:	Other		
Description:	WATER TANK	Containment:	DIKING AND PAD
Leak Detect:	NONE	Product Gauge:	No
Dispense Method:	Gravity	Install Date:	0184
Fill Type:	Gravity	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	9318
Tank Location:	Indoors, Aboveground	Capacity (Gal):	40
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Waste
Piping Type:	Other		
Description:	ORGANICS, MISC	Containment:	DIKING AND PAD
Leak Detect:	NONE	Product Gauge:	No
Dispense Method:	Gravity	Install Date:	0184
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	9320
Tank Location:	Outdoors, Aboveground	Capacity (Gal):	7000
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	PAINTED [e.g. asphaltic]	Material Type:	Fresh/Product
Piping Type:	Other		
Description:	HYDROGEN PEROXIDE	Containment:	DIKING AND PAD
Leak Detect:	NONE	Product Gauge:	Yes
Dispense Method:	Submersible	Install Date:	0184
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		

MAP FINDINGS

Map ID Direction Distance	Site	Database(s)	EDR ID Number EPA ID Number
---------------------------------	------	-------------	--------------------------------

GRUMMAN AEROSPACE CORP. (Continued)

U001854670

Facility ID: 000001 Tank Location: Indoors, Aboveground Tank Status: In Service Int Protection: None Ext Protection: NONE Piping Type: Other Description: AMMONIUM NITRATE Leak Detect: NONE Dispense Method: Suction Fill Type: Gravity Data File: Petroleum Bulk Storage Facility	Tank ID: 9322 Capacity (Gal): 2000 Tank Material: STEEL Material Type: Fresh/Product Containment: DIKING AND PAD Product Gauge: No Install Date: 0188 Total Tanks: Not reported
Facility ID: 000001 Tank Location: Indoors, Aboveground Tank Status: In Service Int Protection: None Ext Protection: NONE Piping Type: Other Description: ORGANICS, MISC Leak Detect: NONE Dispense Method: Suction Fill Type: Pumped Data File: Petroleum Bulk Storage Facility	Tank ID: 9323 Capacity (Gal): 980 Tank Material: STEEL Material Type: Waste Containment: DIKING AND PAD Product Gauge: No Install Date: 0184 Total Tanks: Not reported
Facility ID: 000001 Tank Location: Outdoors, Aboveground Tank Status: In Service Int Protection: None Ext Protection: PAINTED [e.g. asphaltic] Piping Type: Other Description: SODIUM HYDROXIDE Leak Detect: NONE Dispense Method: Submersible Fill Type: Pumped Data File: Petroleum Bulk Storage Facility	Tank ID: 9329 Capacity (Gal): 8000 Tank Material: Fiberglass Reinforced Plastic Material Type: Fresh/Product Containment: DIKING AND PAD Product Gauge: Yes Install Date: 0184 Total Tanks: Not reported
Facility ID: 000001 Tank Location: Outdoors, Aboveground Tank Status: In Service Int Protection: Internal Lining Ext Protection: PAINTED [e.g. asphaltic] Piping Type: Other Description: HYDROFLUORIC ACID Leak Detect: NONE Dispense Method: Submersible Fill Type: Pumped Data File: Petroleum Bulk Storage Facility	Tank ID: 9330 Capacity (Gal): 11800 Tank Material: STEEL Material Type: Fresh/Product Containment: DIKING AND PAD Product Gauge: Yes Install Date: 0184 Total Tanks: Not reported

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

GRUMMAN AEROSPACE CORP. (Continued)

U001854670

Facility ID:	000001	Tank ID:	9332
Tank Location:	Outdoors, Aboveground	Capacity (Gal):	5800
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	OTHER		
Piping Type:	Fiberglass	Material Type:	Waste
Description:	WATER TANK		
Leak Detect:	NONE	Containment:	NONE
Dispense Method:	Gravity	Product Gauge:	No
Fill Type:	Pumped	Install Date:	0184
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported

Facility ID:	000001	Tank ID:	9333
Tank Location:	Outdoors, Aboveground	Capacity (Gal):	5800
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	OTHER		
Piping Type:	Fiberglass	Material Type:	Waste
Description:	WATER TANK		
Leak Detect:	NONE	Containment:	NONE
Dispense Method:	Gravity	Product Gauge:	No
Fill Type:	Pumped	Install Date:	0184
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported

65

**GRUMMAN CORP OPERATIONS
STEWART AVENUE
BETHPAGE, NY**

LUST

**S101102368
N/A**

LUST:

Facility ID:	9402644	Spill Date:	03/16/1994
First notified:	REGIONAL OFFICE	Material class:	PETROLEUM
Material spilled:	#2 FUEL	Release QTY:	0.00 GALLONS
Water body affected:	Not reported	Origin:	COMMINDUST
Resource affected:	GROUNDWATER	Notifier:	HEALTH DEPARTMENT
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	10/02/1995
Initiated clean up:	Not reported	Close Date:	10/02/1995
Last inspection:	Not reported	Investigator:	T/T/F
UST Trust Fund:	No		
Status:	MEANS ITS BEEN RESOLVED	Penalty:	NO PENALTY
Quantity recovered:	0.00		
Cause:	TANK TEST FAILURE [BULK STORE. PRO.]		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

65

**GRUMMAN BETHPAGE
STEWART AVENUE
BETHPAGE, NY**

LUST

**S100666789
N/A**

MAP FINDINGS

Map ID Direction Distance	Site	Database(s)	EDR ID Number EPA ID Number
---------------------------------	------	-------------	--------------------------------

GRUMMAN BETHPAGE (Continued)

S100666789

LUST:		Spill Date:	03/17/1993
Facility ID:	9213848	Material class:	PETROLEUM
First notified:	REGIONAL OFFICE	Release QTY:	40.00 GALLONS
Material spilled:	DIESEL	Origin:	COMMINDUST
Water body affected:	Not reported	Notifier:	RESPONSIBLE PARTY
Resource affected:	ON LAND	Project ID:	0
Basin of spill:	1700	Date Cleaned:	Not reported
Cleaner:	SPILLER	Close Date:	Not reported
Initiated clean up:	Not reported	Investigator:	KISPERT DRO
Last Inspection:	Not reported	Penalty:	NO PENALTY
UST Trust Fund:	No		
Status:	Not reported		
Quantity recovered:	0.00		
Cause:	OTHER		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	ACTIVE SPILL [ON GOING]		

65

**GRUMMAN
STEWART AVE / SO OYSTER B
BETHPAGE, NY**

LUST

**S100781235
N/A**

LUST:		Spill Date:	11/01/1993
Facility ID:	9309349	Material class:	PETROLEUM
First notified:	REGIONAL OFFICE	Release QTY:	0.00 GALLONS
Material spilled:	GASOLINE	Origin:	COMMINDUST
Water body affected:	Not reported	Notifier:	DEC
Resource affected:	ON LAND	Project ID:	0
Basin of spill:	1700	Date Cleaned:	03/01/1994
Cleaner:	SPILLER	Close Date:	03/01/1994
Initiated clean up:	Not reported	Investigator:	PARISH
Last Inspection:	Not reported	Penalty:	NO PENALTY
UST Trust Fund:	No		
Status:	MEANS ITS BEEN RESOLVED		
Quantity recovered:	0.00		
Cause:	OTHER		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

65

**GRUMMAN AEROSPACE-BETHPAGE FACILITY
STEWART AVENUE
BETHPAGE, NY 11714**

SHWS

**S101008267
N/A**

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

GRUMMAN AEROSPACE-BETHPAGE FACILITY (Continued)

S101008267

SHWS:

Facility ID:	130003A	EPA ID:	NYD002047967
Owner:	Grumman Aerospace Corp Mail Stop B08-30 Bethpage, NY 11714		
Owner Telephone:	Not reported		
Operator:	Grumman Aerospace Corp Mail Stop B08-30 Bethpage, NY 11714		
Contact:	John Ohlman	Telephone	Not reported
Site Classification:	Significant threat to the public health or environment - action required.		
Region:	1		
Site Type:	Lagoon, Landfill		
Acres:	318	User:	Grumman Aerospace Corp.
HW Started:	1943	HW Ended:	present
HW Disposed:	Chromium sludge, Paint sludge, Metals, Chlorinated solvents		
Units:	unknown, unknown, unknown, unknown		
Air Data:	Unavailable	Surf. Water Data:	Unavailable
Gmd. Water Data:	Available	Soil Data:	Available
Sediment Data:	Available		
Ground Water Standards Contravention:	Yes		
Drinking Water Standards Contravention:	Yes		
Surface Water Standards Contravention:	No		
Air Standards Contravention:	No		
Enforcement Status:	Order Has Been Signed	Legal Action:	No
State Action:	Yes	Fed Action:	No
Remedial Action:	In Progress, Completed		
Rmdl Action Type:	RI-FS groundwater-OU II, and on-site soil-OU I		
Soil Type:	Sand		
Gmd Water Depth:	Approximately 55 feet		

Assessment of Environmental Problems:
Two of the municipal water supplies downgradient have been impacted and others are threatened.

Assessment of Health Problems:
On-site contamination of soil, surface water (leaching basins), and groundwater may provide routes of on-site exposure to humans. However, no exposures have been identified. Groundwater on-site is contaminated but it is not used as a potable water supply. Contamination was detected at Bethpage Water District Plants 6 and 4. A treatment system is in operation at Plant 6. Trichloroethene was detected for the first time at concentrations below New York State Drinking Water Standards in samples from Bethpage Water District Plant 4 during December 1992. Plans are being developed to install treatment for this facility and for the Bethpage Water District Plant 5. The treatment facility for Plant 5 is planned in anticipation that the contamination will eventually reach this facility. So far, no contamination has been found at Plant 5.

65

**NORTHROP GRUMMAN
SO OYSTER BAY ROAD
BETHPAGE, NY**

LUST

**S101340215
N/A**

MAP FINDINGS

Map ID Direction Distance	Site	Database(s)	EDR ID Number EPA ID Number
---------------------------------	------	-------------	--------------------------------

NORTHROP GRUMMAN (Continued)

S101340215

LUST:

Facility ID:	9413982	Spill Date:	01/18/1995
First notified:	REGIONAL OFFICE	Material class:	PETROLEUM
Material spilled:	GASOLINE	Release QTY:	0.00 GALLONS
Water body affected:	Not reported	Origin:	MAJOR FACILITY 400,000 GAL
Resource affected:	ON LAND	Notifier:	DEC
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	Not reported
Initiated clean up:	Not reported	Close Date:	Not reported
Last Inspection:	Not reported	Investigator:	MATTHEWS
UST Trust Fund:	No		
Status:	Not reported	Penalty:	NO PENALTY
Quantity recovered:	0.00		
Cause:	OTHER		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	ACTIVE SPILL [ON GOING]		

**65 GRUMMAN
PLANT #2 HANGER
BETHPAGE, NY**

LUST

**S100665943
N/A**


LUST:

Facility ID:	8909211	Spill Date:	12/19/1989
First notified:	REGIONAL OFFICE	Material class:	NONPETRO/NOHAZ
Material spilled:	Not Reported	Release QTY:	1.00 GALLONS
Water body affected:	Not reported	Origin:	NON-COMMINST
Resource affected:	IN SEWER	Notifier:	RESPONSIBLE PARTY
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	12/21/1989
Initiated clean up:	Not reported	Close Date:	12/21/1989
Last Inspection:	Not reported	Investigator:	NONE
UST Trust Fund:	No		
Status:	MEANS ITS BEEN RESOLVED	Penalty:	NO PENALTY
Quantity recovered:	0.00		
Cause:	OTHER		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

**65 GRUMMAN AEROSPACE
BUILDING 116-01-1
BETHPAGE, NY**

LUST

**S100173006
N/A**



MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

GRUMMAN AEROSPACE (Continued)

S100173006

LUST:

Facility ID:	8901526	Spill Date:	05/16/1989
First notified:	REGIONAL OFFICE	Material class:	PETROLEUM
Material spilled:	#2 FUEL	Release QTY:	0.00 GALLONS
Water body affected:	Not reported	Origin:	MAJOR FACILITY 400,000 GAL
Resource affected:	GROUNDWATER	Notifier:	TANK TESTER
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	05/01/1992
Initiated clean up:	Not reported	Close Date:	05/01/1992
Last Inspection:	Not reported	Investigator:	LEUNG
UST Trust Fund:	No		
Status:	MEANS ITS BEEN RESOLVED	Penalty:	NO PENALTY
Quantity recovered:	0.00		
Cause:	TANK TEST FAILURE [BULK STORE. PRO.]		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

65

**GRUMMAN AEROSPACE
BLDG 28
BETHPAGE, NY**

LUST

**S101173531
N/A**

LUST:

Facility ID:	9408269	Spill Date:	09/21/1994
First notified:	C	Material class:	PETROLEUM
Material spilled:	#2 FUEL	Release QTY:	0.00 GALLONS
Water body affected:	Not reported	Origin:	COMMINDUST
Resource affected:	GROUNDWATER	Notifier:	TANK TESTER
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	Not reported
Initiated clean up:	Not reported	Close Date:	Not reported
Last Inspection:	Not reported	Investigator:	T/T/F
UST Trust Fund:	No		
Status:	Not reported	Penalty:	NO PENALTY
Quantity recovered:	0.00		
Cause:	TANK TEST FAILURE [BULK STORE. PRO.]		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	ACTIVE SPILL [ON GOING]		

65

**GRUMMAN AEROSPACE
EAST END OF PLANT #3
BETHPAGE, NY**

LUST

**S100665775
N/A**

MAP FINDINGS

Map ID Direction Distance	Site	Database(s)	EDR ID Number EPA ID Number
---------------------------------	------	-------------	--------------------------------

GRUMMAN AEROSPACE (Continued)

S100665775

LUST:

Facility ID: 8807681	Spill Date: 12/20/1988
First notified: REGIONAL OFFICE	Material class: HAZARDOUS MATERIAL
Material spilled: Not Reported	Release QTY: 2.00 GALLONS
Water body affected: Not reported	Origin: TANK TRUCK
Resource affected: ON LAND	Notifier: RESPONSIBLE PARTY
Basin of spill: 1700	Project ID: 0
Cleaner: SPILLER	Date Cleaned: 12/30/1988
Initiated clean up: Not reported	Close Date: 12/30/1988
Last Inspection: Not reported	Investigator: GOERTZ
UST Trust Fund: No	Penalty: NO PENALTY
Status: MEANS ITS BEEN RESOLVED	
Quantity recovered: 0.00	
Cause: OTHER	
Emergency response: IT WAS NOT TAKEN	
Facility status: COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]	

65

**GRUMMAN AEROSPACE
GRUMMAN AEROSPACE PL #20
BETHPAGE, NY**

LUST

**S100559911
N/A**

LUST:

Facility ID: 9304043	Spill Date: 06/29/1993
First notified: REGIONAL OFFICE	Material class: PETROLEUM
Material spilled: DIESEL	Release QTY: 0.00 GALLONS
Water body affected: Not reported	Origin: COMM/INDUST
Resource affected: GROUNDWATER	Notifier: TANK TESTER
Basin of spill: 1700	Project ID: 0
Cleaner: SPILLER	Date Cleaned: Not reported
Initiated clean up: Not reported	Close Date: Not reported
Last Inspection: Not reported	Investigator: T/T/F TL MOSF
UST Trust Fund: Yes	Penalty: NO PENALTY
Status: Not reported	
Quantity recovered: 0.00	
Cause: TANK TEST FAILURE [BULK STORE. PRO.]	
Emergency response: IT WAS NOT TAKEN	
Facility status: ACTIVE SPILL [ON GOING]	

65

**GRUMMAN AEROSPACE
BLDG 115
BETHPAGE, NY**

LUST

**S100168920
N/A**

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

GRUMMAN AEROSPACE (Continued)

S100168920

LUST:

Facility ID:	8807239	Spill Date:	12/01/1988
First notified:	C	Material class:	PETROLEUM
Material spilled:	#2 FUEL	Release QTY:	0.00 GALLONS
Water body affected:	Not reported	Origin:	COMMINDUST
Resource affected:	GROUNDWATER	Notifier:	TANK TESTER
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	01/10/1989
Initiated clean up:	Not reported	Close Date:	01/10/1989
Last inspection:	Not reported	Investigator:	GOERTZ
UST Trust Fund:	No		
Status:	MEANS ITS BEEN RESOLVED	Penalty:	NO PENALTY
Quantity recovered:	0.00		
Cause:	TANK TEST FAILURE [BULK STORE. PRO.]		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

65

**GRUMMAN CORP
RTE 107
BETHPAGE, NY**

LUST

**S100666542
N/A**

LUST:

Facility ID:	9010127	Spill Date:	12/18/1990
First notified:	REGIONAL OFFICE	Material class:	HAZARDOUS MATERIAL
Material spilled:	Not Reported	Release QTY:	50.00 GALLONS
Water body affected:	Not reported	Origin:	COMMINDUST
Resource affected:	ON LAND	Notifier:	RESPONSIBLE PARTY
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	12/19/1990
Initiated clean up:	Not reported	Close Date:	12/19/1990
Last inspection:	Not reported	Investigator:	HOFMANN
UST Trust Fund:	No		
Status:	MEANS ITS BEEN RESOLVED	Penalty:	NO PENALTY
Quantity recovered:	0.00		
Cause:	OTHER		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

65

**GRUMMAN AEROSPACE
BUILDING #2 GRUMMAN
BETHPAGE, NY**

LUST

**S100171769
N/A**

MAP FINDINGS

Map ID Direction Distance	Site	Database(s)	EDR ID Number EPA ID Number
---------------------------------	------	-------------	--------------------------------

GRUMMAN AEROSPACE (Continued)

S100171769

LUST:		Spill Date:	08/19/1987
Facility ID:	8704145	Material class:	PETROLEUM
First notified:	REGIONAL OFFICE	Release QTY:	0.00 GALLONS
Material spilled:	#2 FUEL	Origin:	COMMINDUST
Water body affected:	Not reported	Notifier:	TANK TESTER
Resource affected:	GROUNWATER	Project ID:	0
Basin of spill:	17	Date Cleaned:	09/23/1987
Cleaner:	SPILLER	Close Date:	09/23/1987
Initiated clean up:	Not reported	Investigator:	O'NEILL
Last Inspection:	Not reported	Penalty:	NO PENALTY
UST Trust Fund:	No		
Status:	MEANS ITS BEEN RESOLVED		
Quantity recovered:	0.00		
Cause:	TANK TEST FAILURE [BULK STORE. PRO.]		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

**65 GRUMMAN AEROSPACE
SO OYSTER BAY RD BLDG #1
BETHPAGE, NY**

LUST

**S100664793
N/A**

LUST:		Spill Date:	09/22/1992
Facility ID:	9207215	Material class:	PETROLEUM
First notified:	C	Release QTY:	0.00 GALLONS
Material spilled:	Not Reported	Origin:	COMMINDUST
Water body affected:	Not reported	Notifier:	OTHER
Resource affected:	ON LAND	Project ID:	0
Basin of spill:	1700	Date Cleaned:	09/25/1992
Cleaner:	SPILLER	Close Date:	09/25/1992
Initiated clean up:	Not reported	Investigator:	PARISH
Last Inspection:	Not reported	Penalty:	NO PENALTY
UST Trust Fund:	No		
Status:	MEANS ITS BEEN RESOLVED		
Quantity recovered:	0.00		
Cause:	OTHER		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

**65 GRUMMAN BLDG #3
STEWART AVE
BETHPAGE, NY**

LUST

**S101173516
N/A**

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

GRUMMAN BLDG #3 (Continued)

S101173516

LUST:

Facility ID:	9406455	Spill Date:	08/11/1994
First notified:	C	Material class:	PETROLEUM
Material spilled:	DIESEL	Release QTY:	0.00 GALLONS
Water body affected:	Not reported	Origin:	COMMINDUST
Resource affected:	GROUNDWATER	Notifier:	TANK TESTER
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	Not reported
Initiated clean up:	Not reported	Close Date:	Not reported
Last Inspection:	Not reported	Investigator:	T/T/F
UST Trust Fund:	Yes	Penalty:	NO PENALTY
Status:	Not reported		
Quantity recovered:	0.00		
Cause:	TANK TEST FAILURE [BULK STORE. PRO.]		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	ACTIVE SPILL [ON GOING]		

65

**GRUMMAN AEROSPACE
BUILDING 04-01-1
BETHPAGE, NY**

LUST

S100169213
N/A

LUST:

Facility ID:	8901527	Spill Date:	05/12/1989
First notified:	REGIONAL OFFICE	Material class:	PETROLEUM
Material spilled:	#2 FUEL	Release QTY:	0.00 GALLONS
Water body affected:	Not reported	Origin:	MAJOR FACILITY 400,000 GAL
Resource affected:	GROUNDWATER	Notifier:	TANK TESTER
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	05/23/1989
Initiated clean up:	Not reported	Close Date:	05/23/1989
Last Inspection:	Not reported	Investigator:	LEUNG
UST Trust Fund:	No	Penalty:	NO PENALTY
Status:	MEANS ITS BEEN RESOLVED		
Quantity recovered:	0.00		
Cause:	TANK TEST FAILURE [BULK STORE. PRO.]		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

65

**GRUMMAN PLANT #20
STEWART AVE
BETHPAGE, NY**

LUST

S100491399
N/A

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

GRUMMAN PLANT #20 (Continued)

S100491399

LUST:

Facility ID:	9204511	Spill Date:	07/20/1992
First notified:	C	Material class:	PETROLEUM
Material spilled:	DIESEL	Release QTY:	0.00 GALLONS
Water body affected:	Not reported	Origin:	COMMINDUST
Resource affected:	GROUNDWATER	Notifier:	TANK TESTER
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	09/30/1992
Initiated clean up:	Not reported	Close Date:	09/30/1992
Last Inspection:	Not reported	Investigator:	T/T/F
UST Trust Fund:	Yes	Penalty:	NO PENALTY
Status:	MEANS ITS BEEN RESOLVED		
Quantity recovered:	0.00		
Cause:	TANK TEST FAILURE [BULK STORE. PRO.]		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

Facility ID:	9302603	Spill Date:	05/26/1993
First notified:	C	Material class:	PETROLEUM
Material spilled:	#2 FUEL	Release QTY:	0.00 GALLONS
Water body affected:	Not reported	Origin:	COMMINDUST
Resource affected:	GROUNDWATER	Notifier:	TANK TESTER
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	07/27/1993
Initiated clean up:	Not reported	Close Date:	07/27/1993
Last Inspection:	Not reported	Investigator:	T/T/F
UST Trust Fund:	No	Penalty:	NO PENALTY
Status:	MEANS ITS BEEN RESOLVED		
Quantity recovered:	0.00		
Cause:	TANK TEST FAILURE [BULK STORE. PRO.]		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

65

**GRUMMAN AEROSPACE
BUILDING #1
BETHPAGE, NY**

LUST

**S100171849
N/A**

LUST:

Facility ID:	8705197	Spill Date:	09/21/1987
First notified:	REGIONAL OFFICE	Material class:	PETROLEUM
Material spilled:	JET FUEL	Release QTY:	0.00 GALLONS
Water body affected:	Not reported	Origin:	COMMINDUST
Resource affected:	GROUNDWATER	Notifier:	TANK TESTER
Basin of spill:	17	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	10/14/1987
Initiated clean up:	Not reported	Close Date:	10/14/1987
Last Inspection:	Not reported	Investigator:	GOERTZ
UST Trust Fund:	Yes	Penalty:	NO PENALTY
Status:	MEANS ITS BEEN RESOLVED		
Quantity recovered:	0.00		
Cause:	TANK TEST FAILURE [BULK STORE. PRO.]		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

65 GRUMMAN AEROSPACE BLDG 111 BETHPAGE, NY LUST S100173439 N/A

LUST:

Facility ID:	9001711	Spill Date:	05/14/1990
First notified:	C	Material class:	PETROLEUM
Material spilled:	#2 FUEL	Release QTY:	0.00 GALLONS
Water body affected:	Not reported	Origin:	COMMINDUST
Resource affected:	ON LAND	Notifier:	TANK TESTER
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	09/10/1993
Initiated clean up:	Not reported	Close Date:	09/10/1993
Last Inspection:	Not reported	Investigator:	T/T/F
UST Trust Fund:	No		
Status:	MEANS ITS BEEN RESOLVED	Penalty:	NO PENALTY
Quantity recovered:	0.00		
Cause:	TANK TEST FAILURE [BULK STORE. PRO.]		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

65 GRUMMAN AEROSPACE GRUMMAN FACILITY BLDG 1 BETHPAGE, NY LUST S100171783 N/A

LUST:

Facility ID:	8704386	Spill Date:	08/26/1987
First notified:	REGIONAL OFFICE	Material class:	PETROLEUM
Material spilled:	JET FUEL	Release QTY:	0.00 GALLONS
Water body affected:	Not reported	Origin:	COMMINDUST
Resource affected:	GROUNDWATER	Notifier:	FIRE DEPARTMENT
Basin of spill:	17	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	10/14/1987
Initiated clean up:	Not reported	Close Date:	10/14/1987
Last Inspection:	Not reported	Investigator:	GOERTZ
UST Trust Fund:	Yes		
Status:	MEANS ITS BEEN RESOLVED	Penalty:	NO PENALTY
Quantity recovered:	0.00		
Cause:	TANK TEST FAILURE [BULK STORE. PRO.]		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

65 GRUMMAN PLANT #1 FUEL DEPOT BETHPAGE, NY LUST S100663921 N/A

MAP FINDINGS

Map ID Direction Distance	Site	Database(s)	EDR ID Number EPA ID Number
---------------------------------	------	-------------	--------------------------------

GRUMMAN (Continued)

S100663921

LUST:

Facility ID: 9106667	Spill Date: 09/16/1991
First notified: REGIONAL OFFICE	Material class: PETROLEUM
Material spilled: JET FUEL	Release QTY: 0.00 GALLONS
Water body affected: Not reported	Origin: COMMINDUST
Resource affected: GROUNDWATER	Notifier: DEC
Basin of spill: 1700	Project ID: 0
Cleaner: SPILLER	Date Cleaned: Not reported
Initiated clean up: Not reported	Close Date: Not reported
Last Inspection: Not reported	Investigator: LEUNG
UST Trust Fund: Yes	Penalty: NO PENALTY
Status: Not reported	
Quantity recovered: 0.00	
Cause: OTHER	
Emergency response: IT WAS NOT TAKEN	
Facility status: ACTIVE SPILL [ON GOING]	

65

**GRUMMAN INC
PLANT #3
BETHPAGE, NY**

LUST

**S100664811
N/A**

LUST:

Facility ID: 9207766	Spill Date: 10/05/1992
First notified: REGIONAL OFFICE	Material class: HAZARDOUS MATERIAL
Material spilled: Not Reported	Release QTY: 0.00 GALLONS
Water body affected: Not reported	Origin: COMMINDUST
Resource affected: ON LAND	Notifier: RESPONSIBLE PARTY
Basin of spill: 1700	Project ID: 0
Cleaner: SPILLER	Date Cleaned: Not reported
Initiated clean up: Not reported	Close Date: Not reported
Last Inspection: Not reported	Investigator: DECANDIA
UST Trust Fund: No	Penalty: NO PENALTY
Status: Not reported	
Quantity recovered: 0.00	
Cause: OTHER	
Emergency response: IT WAS NOT TAKEN	
Facility status: ACTIVE SPILL [ON GOING]	

65

**GRUMMAN
BLDG #15
BETHPAGE, NY**

LUST

**S100169240
N/A**

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

GRUMMAN (Continued)

S100169240

LUST:

Facility ID:	8901729	Spill Date:	05/19/1989
First notified:	ANSWERING SERVICE	Material class:	PETROLEUM
Material spilled:	UNKNOWN	Release QTY:	0.00 GALLONS
Water body affected:	Not reported	Origin:	COMM/INDUST
Resource affected:	GROUNDWATER	Notifier:	TANK TESTER
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	10/26/1990
Initiated clean up:	Not reported	Close Date:	10/26/1990
Last inspection:	Not reported	Investigator:	LEUNG
UST Trust Fund:	No	Penalty:	NO PENALTY
Status:	MEANS ITS BEEN RESOLVED		
Quantity recovered:	0.00		
Cause:	TANK TEST FAILURE [BULK STORE. PRO.]		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

65

**GRUMMAN
MULBERRY STREET BLDG 12
BETHPAGE, NY**

LUST

**S100664825
N/A**

LUST:

Facility ID:	9208152	Spill Date:	10/14/1992
First notified:	REGIONAL OFFICE	Material class:	PETROLEUM
Material spilled:	WASTE OIL	Release QTY:	3.00 GALLONS
Water body affected:	Not reported	Origin:	COMM/INDUST
Resource affected:	ON LAND	Notifier:	OTHER
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	10/26/1992
Initiated clean up:	Not reported	Close Date:	10/26/1992
Last inspection:	Not reported	Investigator:	KISPERT
UST Trust Fund:	No	Penalty:	NO PENALTY
Status:	MEANS ITS BEEN RESOLVED		
Quantity recovered:	0.00		
Cause:	OTHER		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

65

**GRUMMAN
PLANT #3
BETHPAGE, NY**

LUST

**S100664347
N/A**

MAP FINDINGS

Map ID Direction Distance	Site	Database(s)	EDR ID Number EPA ID Number
---------------------------------	------	-------------	--------------------------------

GRUMMAN (Continued) S100664347

LUST:

Facility ID: 9109773	Spill Date: 12/13/1991
First notified: REGIONAL OFFICE	Material class: HAZARDOUS MATERIAL
Material spilled: Not Reported	Release QTY: 10.00 POUNDS
Water body affected: Not reported	Origin: NON-COMMIINST
Resource affected: ON LAND	Notifier: RESPONSIBLE PARTY
Basin of spill: 1700	Project ID: 0
Cleaner: SPILLER	Date Cleaned: 12/18/1991
Initiated clean up: Not reported	Close Date: 12/18/1991
Last Inspection: Not reported	Investigator: KISPERT
UST Trust Fund: No	Penalty: NO PENALTY
Status: MEANS ITS BEEN RESOLVED	
Quantity recovered: 0.00	
Cause: OTHER	
Emergency response: IT WAS NOT TAKEN	
Facility status: COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]	

65	GRUMMAN WAREHOUSE #8 BETHPAGE, NY	LUST	S10066487 N/A
----	--	------	------------------

LUST:

Facility ID: 9006322	Spill Date: 09/07/1990
First notified: REGIONAL OFFICE	Material class: HAZARDOUS MATERIAL
Material spilled: Not Reported	Release QTY: 15.00 GALLONS
Water body affected: Not reported	Origin: COMMINDUST
Resource affected: ON LAND	Notifier: RESPONSIBLE PARTY
Basin of spill: 1700	Project ID: 0
Cleaner: SPILLER	Date Cleaned: 10/10/1990
Initiated clean up: Not reported	Close Date: 10/10/1990
Last Inspection: Not reported	Investigator: DEROSA
UST Trust Fund: No	Penalty: NO PENALTY
Status: MEANS ITS BEEN RESOLVED	
Quantity recovered: 0.00	
Cause: OTHER	
Emergency response: IT WAS NOT TAKEN	
Facility status: COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]	

65	GRUMMAN CORP STEWART AVE - WHSE #8 BETHPAGE, NY	LUST	S101658229 N/A
----	--	------	-------------------

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

GRUMMAN CORP (Continued)

S101658229

LUST:

Facility ID:	9506898	Spill Date:	09/06/1995
First notified:	ANSWERING SERVICE	Material class:	HAZARDOUS MATERIAL
Material spilled:	Not Reported	Release QTY:	36.00 GALLONS
Water body affected:	Not reported	Origin:	MAJOR FACILITY 400,000 GAL
Resource affected:	ON LAND	Notifier:	RESPONSIBLE PARTY
Basin of spill:	1700	Project ID:	0
Cleaner:	NO ACTION TAKEN	Date Cleaned:	Not reported
Initiated clean up:	Not reported	Close Date:	Not reported
Last Inspection:	Not reported	Investigator:	PARISH
UST Trust Fund:	No	Penalty:	NO PENALTY
Status:	Not reported		
Quantity recovered:	0.00		
Cause:	OTHER		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	ACTIVE SPILL [ON GOING]		

65

**GRUMMAN
BLDG #3
BETHPAGE, NY**

LUST

**S100174734
N/A**

LUST:

Facility ID:	9100456	Spill Date:	04/11/1991
First notified:	REGIONAL OFFICE	Material class:	PETROLEUM
Material spilled:	DIESEL	Release QTY:	20.00 GALLONS
Water body affected:	Not reported	Origin:	COMMINDUST
Resource affected:	ON LAND	Notifier:	RESPONSIBLE PARTY
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	06/10/1994
Initiated clean up:	Not reported	Close Date:	06/10/1994
Last Inspection:	Not reported	Investigator:	KISPERT
UST Trust Fund:	No	Penalty:	NO PENALTY
Status:	MEANS ITS BEEN RESOLVED		
Quantity recovered:	0.00		
Cause:	TANK OVERFILL		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

65

**GRUMMAN
GRUMMAN PLANT #17
BETHPAGE, NY**

LUST

**S100177076
N/A**

MAP FINDINGS

Map ID	Site	Database(s)	EDR ID Number
Direction			EPA ID Number
Distance			

GRUMMAN (Continued)

S100177076

LUST:

Facility ID:	9105709	Spill Date:	08/26/1991
First notified:	C	Material class:	PETROLEUM
Material spilled:	#2 FUEL	Release QTY:	0.00 GALLONS
Water body affected:	Not reported	Origin:	COMMINDUST
Resource affected:	GROUNDWATER	Notifier:	TANK TESTER
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	02/27/1995
Initiated clean up:	Not reported	Close Date:	02/27/1995
Last Inspection:	Not reported	Investigator:	T/T/F
UST Trust Fund:	No		
Status:	MEANS ITS BEEN RESOLVED	Penalty:	NO PENALTY
Quantity recovered:	0.00		
Cause:	TANK TEST FAILURE [BULK STORE. PRO.]		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

65

**GRUMMAN
STEWART AVENUE
BETHPAGE, NY**

LUST

**S101276355
N/A**

LUST:

Facility ID:	9302538	Spill Date:	05/25/1993
First notified:	C	Material class:	PETROLEUM
Material spilled:	#2 FUEL	Release QTY:	0.00 GALLONS
Water body affected:	Not reported	Origin:	NON-COMMINST
Resource affected:	GROUNDWATER	Notifier:	TANK TESTER
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	07/27/1993
Initiated clean up:	Not reported	Close Date:	07/27/1993
Last Inspection:	Not reported	Investigator:	T/T/F
UST Trust Fund:	No		
Status:	MEANS ITS BEEN RESOLVED	Penalty:	NO PENALTY
Quantity recovered:	0.00		
Cause:	TANK TEST FAILURE [BULK STORE. PRO.]		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

Facility ID:	9302825	Spill Date:	06/02/1993
First notified:	REGIONAL OFFICE	Material class:	PETROLEUM
Material spilled:	WASTE OIL	Release QTY:	0.00 GALLONS
Water body affected:	Not reported	Origin:	COMMINDUST
Resource affected:	GROUNDWATER	Notifier:	TANK TESTER
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	Not reported
Initiated clean up:	Not reported	Close Date:	Not reported
Last Inspection:	Not reported	Investigator:	RMS
UST Trust Fund:	No		
Status:	Not reported	Penalty:	NO PENALTY
Quantity recovered:	0.00		
Cause:	TANK TEST FAILURE [BULK STORE. PRO.]		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	ACTIVE SPILL [ON GOING]		

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

65 **NORTHROP GRUMMAN
PLANT #15
BETHPAGE, NY**

LUST

S101340024
N/A

LUST:

Facility ID:	9410499	Spill Date:	11/07/1994
First notified:	REGIONAL OFFICE	Material class:	PETROLEUM
Material spilled:	#2 FUEL	Release QTY:	0.00 GALLONS
Water body affected:	Not reported	Origin:	COMMINDUST
Resource affected:	ON LAND	Notifier:	HEALTH DEPARTMENT
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	Not reported
Initiated clean up:	Not reported	Close Date:	Not reported
Last Inspection:	Not reported	Investigator:	AUSTIN
UST Trust Fund:	No		
Status:	Not reported	Penalty:	NO PENALTY
Quantity recovered:	0.00		
Cause:	OTHER		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	ACTIVE SPILL [ON GOING]		

65 **NORTHROP GRUMMAN
STEWART AVENUE
BETHPAGE, NY**

LUST

S101658189
N/A

LUST:

Facility ID:	9506041	Spill Date:	08/16/1995
First notified:	C	Material class:	PETROLEUM
Material spilled:	#2 FUEL	Release QTY:	0.00 GALLONS
Water body affected:	Not reported	Origin:	COMMINDUST
Resource affected:	GROUNDWATER	Notifier:	TANK TESTER
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	Not reported
Initiated clean up:	Not reported	Close Date:	Not reported
Last Inspection:	Not reported	Investigator:	T/T/F
UST Trust Fund:	No		
Status:	Not reported	Penalty:	NO PENALTY
Quantity recovered:	0.00		
Cause:	TANK TEST FAILURE [BULK STORE. PRO.]		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	ACTIVE SPILL [ON GOING]		

65 **GRUMMAN AEROSPACE CORP
NEW SOUTH ROAD
BETHPAGE, NY 11714**

FINDS
RCRIS-LQG

1000300851
NYD981182249

RCRIS:

Owner: GRUMMAN AEROSPACE CORP
(212) 555-1212

Contact: JOHN OHLMANN
(516) 575-2385

Waste	Quantity	Info Source	Waste	Quantity	Info Source
D001	.00000 (N)	Notification	D002	.00000 (N)	Notification
F001	.00000 (N)	Notification	F002	.00000 (N)	Notification
F005	.00000 (N)	Notification			

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

MAP FINDINGS

Map ID Direction Distance	Site	Database(s)	EDR ID Number EPA ID Number
65	GRUMMAN AEROSPACE CORPORATION MAIL STOP:D08-GHQ BETHPAGE, NY 11714	AST	U001853042 N/A
	CBS AST: Facility ID: 1-000208 Telephone: (516) 575-4680 Owner: GRUMMAN AEROSPACE CORPORATION MAIL STOP:D08-GHQ BETHPAGE, NY 11714 (516) 575-4680 Facility Status: Active Tank ID: 10 Total AST's: 13 Tank Status: CLOSED-IN PLACE Tank Location: ABOVEGROUND Install Date: 12/70 Capacity (Gal): 4000 Tank Type: Steel/carbon steel Product Stored: LEADED GASOLINE Extnl Protection: PAINTED/ASPHALT COATING Intrnl Protection: NONE Tank Containment: NONE Pipe Type: GALVANIZED STEEL Pipe Location: Aboveground Pipe Internal: NONE Pipe External: PAINTED/ASPHALT COATING Pipe Containment: NONE Haz Percent: 100 Leak Detection: NONE Overfill Protection: Product Level Gauge Chemical: Not reported Tank Closed: 11/93 Data File: Not reported Case Number: 79016 Facility ID: 1-000208 Telephone: (516) 575-4680 Owner: GRUMMAN AEROSPACE CORPORATION MAIL STOP:D08-GHQ BETHPAGE, NY 11714 (516) 575-4680 Facility Status: Active Tank ID: 313 Total AST's: 13 Tank Status: IN SERVICE Tank Location: ABOVEGROUND Install Date: 12/84 Capacity (Gal): 5000 Tank Type: Stainless steel alloy Product Stored: LEADED GASOLINE Extnl Protection: JACKETED Intrnl Protection: NONE Tank Containment: VAULT Pipe Type: FIBERGLASS [FRP] Pipe Location: Aboveground Pipe Internal: NONE Pipe External: NONE Pipe Containment: VAULT Haz Percent: 93 Leak Detection: CONCRETE PAD W/CHANNELS Overfill Protection: High Level Alarm/Product Level Gauge Chemical: Not reported Tank Closed: Not reported Data File: Not reported Case Number: 8014957		

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

GRUMMAN AEROSPACE CORPORATION (Continued)

U001853042

Facility ID: 1-000208 Telephone: (516) 575-4680
 Owner: GRUMMAN AEROSPACE CORPORATION
 MAIL STOP:D08-GHQ
 BETHPAGE, NY 11714
 (516) 575-4680

Facility Status: Active
 Tank ID: 320 Total AST's: 13
 Tank Status: IN SERVICE
 Tank Location: ABOVEGROUND ON SADDLES LEGS, STILTS, RACK, OR CRADLE
 Install Date: 12/84 Capacity (Gal): 7000
 Tank Type: Other Product Stored: LEADED GASOLINE
 Extrnl Protection: NONE
 Intrnl Protection: NONE
 Tank Containment: VAULT
 Pipe Type: FIBERGLASS [FRP] Pipe Location: Aboveground
 Pipe Internal: NONE
 Pipe External: JACKETED
 Pipe Containment: VAULT Haz Percent: 50
 Leak Detection: CONCRETE PAD W/CHANNELS
 Overfill Protection: High Level Alarm/Product Level Gauge
 Chemical: Not reported
 Tank Closed: Not reported Data File: Not reported
 Case Number: 7722841

Facility ID: 1-000208 Telephone: (516) 575-4680
 Owner: GRUMMAN AEROSPACE CORPORATION
 MAIL STOP:D08-GHQ
 BETHPAGE, NY 11714
 (516) 575-4680

Facility Status: Active
 Tank ID: 329 Total AST's: 13
 Tank Status: IN SERVICE
 Tank Location: ABOVEGROUND
 Install Date: 12/84 Capacity (Gal): 8000
 Tank Type: Fiberglass reinforced plastic [FRP] Product Stored: LEADED GASOLINE
 Extrnl Protection: FIBERGLASS
 Intrnl Protection: NONE
 Tank Containment: VAULT
 Pipe Type: FIBERGLASS [FRP] Pipe Location: Aboveground
 Pipe Internal: NONE
 Pipe External: JACKETED
 Pipe Containment: VAULT Haz Percent: 50
 Leak Detection: CONCRETE PAD W/CHANNELS
 Overfill Protection: High Level Alarm/Product Level Gauge
 Chemical: Not reported
 Tank Closed: Not reported Data File: Not reported
 Case Number: 1310732

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

GRUMMAN AEROSPACE CORPORATION (Continued)

U001853042

Facility ID: 1-000208 Telephone: (516) 575-4680
 Owner: GRUMMAN AEROSPACE CORPORATION
 MAIL STOP:D08-GHQ
 BETHPAGE, NY 11714
 (516) 575-4680

Facility Status: Active
 Tank ID: 399 Total AST's: 13
 Tank Status: TEMPORARILY OUT OF SERVICE
 Tank Location: ABOVEGROUND ON SADDLES LEGS, STILTS, RACK, OR CRADLE
 Install Date: 09/80 Capacity (Gal): 4418
 Tank Type: Fiberglass reinforced plastic [FRP] Product Stored: LEADED GASOLINE
 Extrnl Protection: NONE
 Intrnl Protection: NONE
 Tank Containment: VAULT
 Pipe Type: STEEL/IRON Pipe Location: Aboveground
 Pipe Internal: NONE
 Pipe External: PAINTED/ASPHALT COATING
 Pipe Containment: VAULT Haz Percent: 50
 Leak Detection: CONCRETE PAD W/CHANNELS
 Overfill Protection: High Level Alarm/Product Level Gauge
 Chemical: Not reported
 Tank Closed: Not reported Data File: Not reported
 Case Number: 1310732

Facility ID: 1-000208 Telephone: (516) 575-4680
 Owner: GRUMMAN AEROSPACE CORPORATION
 MAIL STOP:D08-GHQ
 BETHPAGE, NY 11714
 (516) 575-4680

Facility Status: Active
 Tank ID: 400 Total AST's: 13
 Tank Status: TEMPORARILY OUT OF SERVICE
 Tank Location: ABOVEGROUND ON SADDLES LEGS, STILTS, RACK, OR CRADLE
 Install Date: 09/80 Capacity (Gal): 4418
 Tank Type: Fiberglass reinforced plastic [FRP] Product Stored: LEADED GASOLINE
 Extrnl Protection: NONE
 Intrnl Protection: NONE
 Tank Containment: VAULT
 Pipe Type: STEEL/IRON Pipe Location: Aboveground
 Pipe Internal: NONE
 Pipe External: PAINTED/ASPHALT COATING
 Pipe Containment: VAULT Haz Percent: 50
 Leak Detection: CONCRETE PAD W/CHANNELS
 Overfill Protection: High Level Alarm/Product Level Gauge
 Chemical: Not reported
 Tank Closed: Not reported Data File: Not reported
 Case Number: 1310732

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

GRUMMAN AEROSPACE CORPORATION (Continued)

U001853042

Facility ID: 1-000208 Telephone: (516) 575-4680
Owner: GRUMMAN AEROSPACE CORPORATION
MAIL STOP:D08-GHQ
BETHPAGE, NY 11714
(516) 575-4680
Facility Status: Active
Tank ID: 941 Total AST's: 13
Tank Status: TEMPORARILY OUT OF SERVICE
Tank Location: ABOVEGROUND ON SADDLES LEGS, STILTS, RACK, OR CRADLE
Install Date: 12/62 Capacity (Gal): 500
Tank Type: Steel/carbon steel Product Stored: LEADED GASOLINE
Extrnl Protection: PAINTED/ASPHALT COATING
Intrnl Protection: NONE
Tank Containment: VAULT
Pipe Type: FIBERGLASS [FRP] Pipe Location: Aboveground
Pipe Internal: NONE
Pipe External: NONE
Pipe Containment: VAULT Haz Percent: 100
Leak Detection: CONCRETE PAD W/CHANNELS
Overfill Protection: Product Level Gauge
Chemical: Not reported
Tank Closed: Not reported Data File: Not reported
Case Number: 71556

Facility ID: 1-000208 Telephone: (516) 575-4680
Owner: GRUMMAN AEROSPACE CORPORATION
MAIL STOP:D08-GHQ
BETHPAGE, NY 11714
(516) 575-4680
Facility Status: Active
Tank ID: 1207 Total AST's: 13
Tank Status: TEMPORARILY OUT OF SERVICE
Tank Location: ABOVEGROUND ON SADDLES LEGS, STILTS, RACK, OR CRADLE
Install Date: 09/83 Capacity (Gal): 10000
Tank Type: Steel/carbon steel Product Stored: LEADED GASOLINE
Extrnl Protection: PAINTED/ASPHALT COATING
Intrnl Protection: NONE
Tank Containment: VAULT
Pipe Type: STEEL/IRON Pipe Location: Aboveground
Pipe Internal: NONE
Pipe External: PAINTED/ASPHALT COATING
Pipe Containment: IMPERVIOUS UNDERLAYMENT Haz Percent: 100
Leak Detection: CONCRETE PAD W/CHANNELS
Overfill Protection: High Level Alarm
Chemical: Not reported
Tank Closed: Not reported Data File: Not reported
Case Number: 127184

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

GRUMMAN AEROSPACE CORPORATION (Continued)

U001853042

Facility ID: 1-000208 Telephone: (516) 575-4680
 Owner: GRUMMAN AEROSPACE CORPORATION
 MAIL STOP:D08-GHQ
 BETHPAGE, NY 11714
 (516) 575-4680

Facility Status: Active
 Tank ID: 1254 Total AST's: 13
 Tank Status: TEMPORARILY OUT OF SERVICE
 Tank Location: ABOVEGROUND ON SADDLES LEGS, STILTS, RACK, OR CRADLE
 Install Date: 12/85 Capacity (Gal): 6000
 Tank Type: Steel/carbon steel Product Stored: LEADED GASOLINE
 Extnl Protection: PAINTED/ASPHALT COATING
 Intrnl Protection: NONE
 Tank Containment: VAULT
 Pipe Type: STEEL/IRON Pipe Location: Aboveground
 Pipe Internal: NONE
 Pipe External: PAINTED/ASPHALT COATING
 Pipe Containment: IMPERVIOUS UNDERLAYMENT Haz Percent: 100
 Leak Detection: CONCRETE PAD W/CHANNELS
 Overfill Protection: High Level Alarm/Product Level Gauge
 Chemical: Not reported
 Tank Closed: Not reported Data File: Not reported
 Case Number: 67561

Facility ID: 1-000208 Telephone: (516) 575-4680
 Owner: GRUMMAN AEROSPACE CORPORATION
 MAIL STOP:D08-GHQ
 BETHPAGE, NY 11714
 (516) 575-4680

Facility Status: Active
 Tank ID: 1303 Total AST's: 13
 Tank Status: CLOSED-REMOVED
 Tank Location: ABOVEGROUND ON SADDLES LEGS, STILTS, RACK, OR CRADLE
 Install Date: 12/88 Capacity (Gal): 600
 Tank Type: Steel/carbon steel Product Stored: LEADED GASOLINE
 Extnl Protection: PAINTED/ASPHALT COATING
 Intrnl Protection: NONE
 Tank Containment: NONE
 Pipe Type: STEEL/IRON Pipe Location: Aboveground
 Pipe Internal: NONE
 Pipe External: PAINTED/ASPHALT COATING
 Pipe Containment: NONE Haz Percent: 100
 Leak Detection: NONE
 Overfill Protection: Product Level Gauge
 Chemical: Not reported
 Tank Closed: 04/94 Data File: Not reported
 Case Number: 79016

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

GRUMMAN AEROSPACE CORPORATION (Continued)

U001853042

Facility ID:	1-000208	Telephone:	(516) 575-4680
Owner:	GRUMMAN AEROSPACE CORPORATION MAIL STOP:D08-GHQ BETHPAGE, NY 11714 (516) 575-4680		
Facility Status:	Active	Total AST's:	13
Tank ID:	1271		
Tank Status:	TEMPORARILY OUT OF SERVICE		
Tank Location:	ABOVEGROUND ON SADDLES LEGS, STILTS, RACK, OR CRADLE		
Install Date:	09/87	Capacity (Gal):	10000
Tank Type:	Steel/carbon steel	Product Stored:	LEADED GASOLINE
Extrnl Protection:	PAINTED/ASPHALT COATING		
Intrnl Protection:	NONE		
Tank Containment:	VAULT		
Pipe Type:	STEEL/IRON	Pipe Location:	Aboveground
Pipe Internal:	NONE		
Pipe External:	PAINTED/ASPHALT COATING		
Pipe Containment:	IMPERVIOUS UNDERLAYMENT	Haz Percent:	100
Leak Detection:	CONCRETE PAD W/CHANNELS		
Overfill Protection:	High Level Alarm		
Chemical:	Not reported		
Tank Closed:	Not reported	Data File:	Not reported
Case Number:	79016		

Facility ID:	1-000208	Telephone:	(516) 575-4680
Owner:	GRUMMAN AEROSPACE CORPORATION MAIL STOP:D08-GHQ BETHPAGE, NY 11714 (516) 575-4680		
Facility Status:	Active	Total AST's:	13
Tank ID:	1304		
Tank Status:	IN SERVICE		
Tank Location:	ABOVEGROUND ON SADDLES LEGS, STILTS, RACK, OR CRADLE		
Install Date:	12/69	Capacity (Gal):	500
Tank Type:	Steel/carbon steel	Product Stored:	LEADED GASOLINE
Extrnl Protection:	PAINTED/ASPHALT COATING		
Intrnl Protection:	NONE		
Tank Containment:	NONE		
Pipe Type:	STEEL/IRON	Pipe Location:	Aboveground
Pipe Internal:	NONE		
Pipe External:	PAINTED/ASPHALT COATING		
Pipe Containment:	NONE	Haz Percent:	100
Leak Detection:	NONE		
Overfill Protection:	Product Level Gauge		
Chemical:	Not reported		
Tank Closed:	Not reported	Data File:	Not reported
Case Number:	7664417		

MAP FINDINGS

Map ID Direction Distance	Site	Database(s)	EDR ID Number EPA ID Number
---------------------------------	------	-------------	--------------------------------

GRUMMAN AEROSPACE CORPORATION (Continued)

U001853042

Facility ID:	1-000208	Telephone:	(516) 575-4680
Owner:	GRUMMAN AEROSPACE CORPORATION MAIL STOP:D08-GHQ BETHPAGE, NY 11714 (516) 575-4680		
Facility Status:	Active	Total AST's:	13
Tank ID:	7002		
Tank Status:	TEMPORARILY OUT OF SERVICE		
Tank Location:	ABOVEGROUND ON SADDLES LEGS, STILTS, RACK, OR CRADLE		
Install Date:	12/60	Capacity (Gal):	4800
Tank Type:	Steel/carbon steel	Product Stored:	LEADED GASOLINE
Extrnl Protection:	PAINTED/ASPHALT COATING		
Intrnl Protection:	NONE		
Tank Containment:	NONE		
Pipe Type:	FIBERGLASS (FRP)	Pipe Location:	Aboveground
Pipe Internal:	NONE		
Pipe External:	PAINTED/ASPHALT COATING		
Pipe Containment:	NONE		
Leak Detection:	NONE		
Overfill Protection:	Product Level Gauge		
Chemical:	Not reported		
Tank Closed:	Not reported		
Case Number:	76131	Data File:	Not reported

66	FESTANTE RESIDENCE 82 SYCAMORE AVENUE BETHPAGE, NY	LUST	S100491053 N/A
----	---	-------------	---------------------------

LUST:			
Facility ID:	9201264	Spill Date:	04/24/1992
First notified:	REGIONAL OFFICE	Material class:	PETROLEUM
Material spilled:	#2 FUEL	Release QTY:	5.00 GALLONS
Water body affected:	Not reported	Origin:	PRIVATE DWELLING
Resource affected:	ON LAND	Notifier:	OTHER
Basin of spill:	1700	Project ID:	0
Cleaner:	NO ACTION TAKEN	Date Cleaned:	06/24/1992
Initiated clean up:	Not reported	Close Date:	06/24/1992
Last Inspection:	Not reported	Investigator:	LUCE
UST Trust Fund:	No		
Status:	MEANS ITS BEEN RESOLVED	Penalty:	NO PENALTY
Quantity recovered:	0.00		
Cause:	TANK FAILURE		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

67	FAME TRUCKING INC 246 8 TH ST BETHPAGE, NY 11714	RCRIS-SQG FINDS	1000199036 NYD980646038
----	---	----------------------------	------------------------------------

68	SIMON D'SOUZA RESIDENCE 22 HUNTER ST HICKSVILLE, NY	LUST	S101103105 N/A
----	--	-------------	---------------------------

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

SIMON D'SOUZA RESIDENCE (Continued)

S101103105

LUST:

Facility ID:	9402184	Spill Date:	05/13/1993
First notified:	REGIONAL OFFICE	Material class:	PETROLEUM
Material spilled:	#2 FUEL	Release QTY:	0.00 GALLONS
Water body affected:	Not reported	Origin:	PRIVATE DWELLING
Resource affected:	ON LAND	Notifier:	CITIZEN
Basin of spill:	1700	Project ID:	0
Cleaner:	NO ACTION TAKEN	Date Cleaned:	Not reported
Initiated clean up:	Not reported	Close Date:	Not reported
Last Inspection:	Not reported	Investigator:	DECANDIA
UST Trust Fund:	No		
Status:	Not reported	Penalty:	NO PENALTY
Quantity recovered:	0.00		
Cause:	OTHER		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	ACTIVE SPILL [ON GOING]		

69

**NASSAU BLUE FLAME INC
3 WASHINGTON PKY
HICKSVILLE, NY**

AST

A100043234
N/A

Nassau County AST:

Facility ID:	056214	Tank ID:	0001
Tank Location:	Outdoors, Aboveground	Capacity (Gal):	275
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	OTHER	Material Type:	Fresh/Product
Piping Type:	Steel/Iron		
Description:	OIL, FUEL #2	Containment:	OTHER
Leak Detect:	NONE	Product Gauge:	No
Dispense Method:	Gravity	Install Date:	0584
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		

Facility ID:	056214	Tank ID:	0002
Tank Location:	Outdoors, Aboveground	Capacity (Gal):	275
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	OTHER	Material Type:	Waste
Piping Type:	Steel/Iron		
Description:	WASTE OIL	Containment:	OTHER
Leak Detect:	NONE	Product Gauge:	No
Dispense Method:	Suction	Install Date:	0584
Fill Type:	Gravity	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		

69

**BLUE FLAME
3 WASHINGTON PKY
HICKSVILLE, NY**

LUST

S100149723
N/A

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

BLUE FLAME (Continued)

S100149723

LUST:

Facility ID:	8704453	Spill Date:	08/28/1987
First notified:	REGIONAL OFFICE	Material class:	PETROLEUM
Material spilled:	#2 FUEL	Release QTY:	0.00 GALLONS
Water body affected:	Not reported	Origin:	COMM/INDUST
Resource affected:	GROUNDWATER	Notifier:	TANK TESTER
Basin of spill:	17	Project ID:	0
Cleaner:	OTHER AGENCY	Date Cleaned:	12/24/1990
Initiated clean up:	Not reported	Close Date:	12/24/1990
Last Inspection:	Not reported	Investigator:	ACAMPORA
UST Trust Fund:	No	Penalty:	NO PENALTY
Status:	MEANS ITS BEEN RESOLVED		
Quantity recovered:	0.00		
Cause:	TANK FAILURE		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

70

**BERTAN ASSOCIATES
121 NEW SOUTH RD
HICKSVILLE, NY**

LUST

**S101671532
N/A**

70

**MEENAN OIL
121 NEW SOUTH RD
HICKSVILLE, NY**

LUST

**S100174684
N/A**

LUST:

Facility ID:	9100043	Spill Date:	04/01/1991
First notified:	REGIONAL OFFICE	Material class:	PETROLEUM
Material spilled:	#2 FUEL	Release QTY:	10.00 GALLONS
Water body affected:	Not reported	Origin:	TANK TRUCK
Resource affected:	ON LAND	Notifier:	RESPONSIBLE PARTY
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	04/05/1991
Initiated clean up:	Not reported	Close Date:	04/05/1991
Last Inspection:	Not reported	Investigator:	ACAMPORA
UST Trust Fund:	No	Penalty:	NO PENALTY
Status:	MEANS ITS BEEN RESOLVED		
Quantity recovered:	0.00		
Cause:	TANK OVERFILL		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

70

**BERTAN ASSOCIATES INC
121 NEW SOUTH ROAD
HICKSVILLE, NY 11801**

**FINDS
RCRIS-LQG**

**1000396046
NYD980776405**

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

BERTAN ASSOCIATES INC (Continued)

1000396046

RCRIS:

Owner: Not reported

Contact: CHECK WALTER
(516) 433-3110

Waste	Quantity	Info Source	Waste	Quantity	Info Source
U159	.00000 (N)	Notification	U226	.00000 (N)	Notification

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

70

**SERVO CORPORATION OF AMERICA
111 NEW SOUTH ROAD
HICKSVILLE, NY 11801**

**CERCLIS
FINDS
RCRIS-LQG**

1000433406
NYD002418911

CERCLIS Classification Data:

Site Incident Category: Not reported

Federal Facility: NO

Ownership Status: OTHER

NPL Status: NOT ON NPL

EPA Notes: Not reported

CERCLIS Assessment History:

Assessment: DISCOVERY

Completed: 04/10/1980

Assessment: PRELIMINARY ASSESSMENT

Completed: 01/15/1987

Assessment: SCREENING SITE INSPECTION

Completed: 06/26/1991

CERCLIS Site Status:

This site is currently under investigation by the government to assess the extent of further action

RCRIS:

Owner: BLACKSTONE HENRY
(212) 555-1212

Contact: JOHN WILLENBROCK
(516) 938-9700

Waste	Quantity	Info Source	Waste	Quantity	Info Source
D002	.00000 (N)	Notification	F002	.00000 (N)	Notification
F017	.00000 (N)	Notification	K050	.00000 (N)	Notification

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

There are 1 compliance/violation record(s) reported at this site:

Evaluation	Date	Violations
COMPLIANCE EVALUATION INSPECTION (CEI)	22-AUG-86	YES

Other Pertinent Environmental Activity Identified at Site:

facility has active water discharge permits

70

**LONG ISLAND DEVELOPMENT
101 NEW SOUTH RD
HICKSVILLE, NY**

LUST

**S100667459
N/A**

MAP FINDINGS

Map ID Direction Distance	Site	Database(s)	EDR ID Number EPA ID Number
---------------------------------	------	-------------	--------------------------------

LONG ISLAND DEVELOPMENT (Continued)

S100667459

LUST:

Facility ID: 9108645	Spill Date: 11/13/1991
First notified: REGIONAL OFFICE	Material class: PETROLEUM
Material spilled: WASTE OIL	Release QTY: 0.00 GALLONS
Water body affected: Not reported	Origin: COMMINDUST
Resource affected: ON LAND	Notifier: HEALTH DEPARTMENT
Basin of spill: 1700	Project ID: 0
Cleaner: SPILLER	Date Cleaned: 11/18/1991
Initiated clean up: Not reported	Close Date: 11/18/1991
Last inspection: Not reported	Investigator: NCDH
UST Trust Fund: No	Penalty: NO PENALTY
Status: MEANS ITS BEEN RESOLVED	
Quantity recovered: 0.00	
Cause: OTHER	
Emergency response: IT WAS NOT TAKEN	
Facility status: COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]	

71	CORAL GRAPHIC SERVICES INC 840 S BROADWAY HICKSVILLE, NY 11801	FINDS	1001010739 NYR0001173137
----	---	-------	-----------------------------

71	CORAL GRAPHIC SERVICES INC 840 S BROADWAY HICKSVILLE, NY 11801	RCRIS-LQG	1000990164 NYR000001230
----	---	-----------	----------------------------

RCRIS:

Owner: FC PROPERTIES INC
(516) 576-2100

Contact: Not reported

Waste	Quantity	Info Source	Waste	Quantity	Info Source
D000	.00000 (N)	Notification	D001	.00000 (N)	Notification
D007	.00000 (N)	Notification	D010	.00000 (N)	Notification
D011	.00000 (N)	Notification	D027	.00000 (N)	Notification
F001	.00000 (N)	Notification	F002	.00000 (N)	Notification
F003	.00000 (N)	Notification	F005	.00000 (N)	Notification

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

72	BETHPAGE TRANSMISSION 870 BROADWAY HICKSVILLE, NY 11801	FINDS RCRIS-LQG	1000243979 NYD012728010
----	--	--------------------	----------------------------

RCRIS:

Owner: NICK & STEVEN FERRARO
(212) 555-1212

Contact: BARRY PIVNICK
(516) 681-5210

Waste	Quantity	Info Source
U220	.00000 (N)	Notification

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

72 **FIRESTONE SAVMOR AUTO SVC.**
870 SO. BROADWAY
HICKSVILLE, NY 11801

FINDS 1000222624
RCRIS-LQG NYD981489826

RCRIS:

Owner: RAY VILLAFANNA
(212) 555-1212

Contact: JOHN COVERAS
(516) 822-2857

Waste	Quantity	Info Source	Waste	Quantity	Info Source
D000	.00000 (N)	Notification	D008	.00000 (N)	Notification

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

72 **A. ERNIES AUTO BODY INC.**
870 SOUTH BROADWAY
HICKSVILLE, NY 11801

RCRIS-SQG 1000217113
FINDS NYD050594878

RCRIS:

Owner: ERNEST DEMARCO
(212) 555-1212

Contact: JOSEPH ZARRILLO
(516) 938-2929

Waste	Quantity	Info Source	Waste	Quantity	Info Source
D001	.00000 (N)	Notification	F003	.00000 (N)	Notification

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

72 **TRUE AUTO RESTORATIONS INC**
870 S BROADWAY - E SECTION
HICKSVILLE, NY 11801

RCRIS-SQG 1000553680
FINDS NYD986961076

RCRIS:

Owner: BOB MISTRETTA
(212) 555-1212

Contact: BOB MISTRETTA
(516) 822-1042

Waste	Quantity	Info Source	Waste	Quantity	Info Source
D001	.00000 (N)	Notification	D035	.00000 (N)	Notification
F003	.00000 (N)	Notification			

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

73 **ERM NORTHEAST**
335 NEW SOUTH RD
HICKSVILLE, NY

LUST S100494026
N/A

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

ERM NORTHEAST (Continued)

S100494026

LUST:

Facility ID:	9206957	Spill Date:	09/16/1992
First notified:	C	Material class:	PETROLEUM
Material spilled:	#2 FUEL	Release QTY:	0.00 GALLONS
Water body affected:	Not reported	Origin:	COMMINDUST
Resource affected:	GROUNDWATER	Notifier:	TANK TESTER
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	12/08/1993
Initiated clean up:	Not reported	Close Date:	12/08/1993
Last Inspection:	Not reported	Investigator:	T/T/F
UST Trust Fund:	No		
Status:	MEANS ITS BEEN RESOLVED	Penalty:	NO PENALTY
Quantity recovered:	0.00		
Cause:	TANK TEST FAILURE [BULK STORE. PRO.]		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

73

**VOIGT PROPERTY
335 NEW SOUTH RD
HICKSVILLE, NY 11801**

**FINDS 1000912299
RCRIS-LQG NY0000588467**

RCRIS:

Owner: VOIGT RELTY CO
(516) 673-0037

Contact: AL VALERIO
(516) 673-0037

Waste	Quantity	Info Source	Waste	Quantity	Info Source
D000	.00000 (N)	Notification	D008	.00000 (N)	Notification

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

73

**VACANT BUILDING
335 NEW SOUTH RD
HICKSVILLE, NY**

**AST A100043272
N/A**

Nassau County AST:

Facility ID:	056415	Tank ID:	0002
Tank Location:	Outdoors, Aboveground	Capacity (Gal):	4000
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	PAINTED [e.g. asphaltic]	Material Type:	Fresh/Product
Piping Type:	Steel/Iron	Containment:	DIKING AND PAD
Description:	OIL, FUEL #2	Product Gauge:	Yes
Leak Detect:	ELECTRONIC	Install Date:	0294
Dispense Method:	Suction	Total Tanks:	Not reported
Fill Type:	Pumped		
Data File:	Petroleum Bulk Storage Facility		

73

**COMMERCIAL BLDG. #2
327 NEW SOUTH RD
HICKSVILLE, NY**

**AST A100043125
N/A**

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

COMMERCIAL BLDG. #2 (Continued)

A100043125

Nassau County AST:

Facility ID:	055747	Tank ID:	0002
Tank Location:	Outdoors, Aboveground	Capacity (Gal):	1500
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	PAINTED [e.g. asphaltic]		
Piping Type:	Galvanized Steel	Material Type:	Fresh/Product
Description:	OIL, FUEL #2		
Leak Detect:	OTHER	Containment:	DOUBLE WALL TANK
Dispense Method:	Suction	Product Gauge:	Yes
Fill Type:	Pumped	Install Date:	1093
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported

73

CENTURY COLLISION, INC.
321 NEW SOUTH ROAD
HICKSVILLE, NY 11801

RCRIS-SQG 1000422539
FINDS NYD054994280

RCRIS:

Owner: Not reported

Contact: JERRY KELAHER
(516) 433-6290

Waste	Quantity	Info Source
D001	.00000 (N)	Notification

(P) = Pounds, (K) = Kilograms, (M) = Metric Tons, (T) = Tons, (N) = Not Reported

73

VARIETY PETROL (P&G FUEL)
317 NEW SOUTH RD
HICKSVILLE, NY

LUST S101508024
N/A

LUST:

Facility ID:	9414903	Spill Date:	02/13/1995
First notified:	REGIONAL OFFICE	Material class:	PETROLEUM
Material spilled:	#2 FUEL	Release QTY:	20.00 GALLONS
Water body affected:	Not reported	Origin:	TANK TRUCK
Resource affected:	ON LAND	Notifier:	FIRE DEPARTMENT
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	Not reported
Initiated clean up:	Not reported	Close Date:	Not reported
Last Inspection:	Not reported	Investigator:	ACAMPORA
UST Trust Fund:	No		
Status:	Not reported	Penalty:	NO PENALTY
Quantity recovered:	0.00		
Cause:	TANK OVERFILL		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	ACTIVE SPILL [ON GOING]		

74

JOHN GRACE & CO
34 WASHINGTON PKWY
HICKSVILLE, NY 11801

FINDS 1000789191
NYD986999365

Other Pertinent Environmental Activity Identified at Site:
civil judicial and administrative enforcement cases against facility

MAP FINDINGS

Map ID Direction Distance	Site	Database(s)	EDR ID Number EPA ID Number																		
75	BLUE FLAME 17 HAZEL ST HICKSVILLE, NY 11801 RCRIS: Owner: BLUE FLAME - THOMAS DUNN (212) 555-1212 Contact:STEPHEN TYREE (516) 249-3150 <table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left;">Waste</th> <th style="text-align: left;">Quantity</th> <th style="text-align: left;">Info Source</th> </tr> </thead> <tbody> <tr> <td>D001</td> <td>.00000 (N)</td> <td>Notification</td> </tr> </tbody> </table> <p style="font-size: small; margin-top: 5px;">(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported</p>	Waste	Quantity	Info Source	D001	.00000 (N)	Notification	FINDS RCRIS-LQG	1000196683 NYD981561004												
Waste	Quantity	Info Source																			
D001	.00000 (N)	Notification																			
76	NATIONAL METAL SPRAYING 40 JEFREY LN HICKSVILLE, NY 11801 Other Pertinent Environmental Activity Identified at Site: facility has an emission permit under the Clean Air Act	RCRIS-SQG FINDS	1000259721 NYD002049658																		
77	DC FEMIA AUTO COLLISION 44 WASHINGTON PKWY HICKSVILLE, NY 11801 RCRIS: Owner: UNKNOWN (212) 555-1212 Contact:SAL FEMIA (516) 681-6660 <table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left;">Waste</th> <th style="text-align: left;">Quantity</th> <th style="text-align: left;">Info Source</th> <th style="text-align: left;">Waste</th> <th style="text-align: left;">Quantity</th> <th style="text-align: left;">Info Source</th> </tr> </thead> <tbody> <tr> <td>D000</td> <td>.00000 (N)</td> <td>Notification</td> <td>D001</td> <td>.00000 (N)</td> <td>Notification</td> </tr> <tr> <td>F003</td> <td>.00000 (N)</td> <td>Notification</td> <td>F005</td> <td>.00000 (N)</td> <td>Notification</td> </tr> </tbody> </table> <p style="font-size: small; margin-top: 5px;">(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported</p>	Waste	Quantity	Info Source	Waste	Quantity	Info Source	D000	.00000 (N)	Notification	D001	.00000 (N)	Notification	F003	.00000 (N)	Notification	F005	.00000 (N)	Notification	RCRIS-SQG FINDS	1000228180 NYD982180606
Waste	Quantity	Info Source	Waste	Quantity	Info Source																
D000	.00000 (N)	Notification	D001	.00000 (N)	Notification																
F003	.00000 (N)	Notification	F005	.00000 (N)	Notification																
78	TBG COGEN PARTNERS 939 SOUTH BROADWAY HICKSVILLE, NY 11801	AST	U001853006 N/A																		

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

TBG COGEN PARTNERS (Continued)

U001853006

CBS AST:			
Facility ID:	1-000129	Telephone:	(516) 349-8340
Owner:	TBG COGEN PARTNERS 939 SOUTH BROADWAY HICKSVILLE, NY 11801-5032 (516) 349-8340		
Facility Status:	Active		
Tank ID:	11	Total AST's:	2
Tank Status:	IN SERVICE		
Tank Location:	ABOVEGROUND		
Install Date:	05/89	Capacity (Gal):	2000
Tank Type:	Steel/carbon steel	Product Stored:	LEADED GASOLINE
Extrnl Protection:	PAINTED/ASPHALT COATING		
Intrnl Protection:	NONE		
Tank Containment:	VAULT		
Pipe Type:	STEEL/IRON	Pipe Location:	Aboveground
Pipe Internal:	NONE		
Pipe External:	PAINTED/ASPHALT COATING		
Pipe Containment:	VAULT	Haz Percent:	93
Leak Detection:	OTHER		
Overfill Protection:	High Level Alarm/Product Level Gauge		
Chemical:	Not reported		
Tank Closed:	Not reported	Data File:	Not reported
Case Number:	1310732		
Facility ID:	1-000129	Telephone:	(516) 349-8340
Owner:	TBG COGEN PARTNERS 939 SOUTH BROADWAY HICKSVILLE, NY 11801-5032 (516) 349-8340		
Facility Status:	Active		
Tank ID:	12	Total AST's:	2
Tank Status:	IN SERVICE		
Tank Location:	ABOVEGROUND		
Install Date:	05/89	Capacity (Gal):	2000
Tank Type:	Steel/carbon steel	Product Stored:	LEADED GASOLINE
Extrnl Protection:	JACKETED		
Intrnl Protection:	NONE		
Tank Containment:	VAULT		
Pipe Type:	STEEL/IRON	Pipe Location:	Aboveground
Pipe Internal:	NONE		
Pipe External:	PAINTED/ASPHALT COATING		
Pipe Containment:	VAULT	Haz Percent:	50
Leak Detection:	OTHER		
Overfill Protection:	High Level Alarm/Product Level Gauge		
Chemical:	Not reported		
Tank Closed:	Not reported	Data File:	Not reported
Case Number:	7664939		

78

**TBG COGEN PARTNERS
939 S BROADWAY
HICKSVILLE, NY**

AST

**A100042589
N/A**

MAP FINDINGS

Map ID Direction Distance	Site	Database(s)	EDR ID Number EPA ID Number
---------------------------------	------	-------------	--------------------------------

TBG COGEN PARTNERS (Continued)

A100042589

Nassau County AST:

Facility ID: 001217	Tank ID: 0011
Tank Location: Outdoors, Aboveground	Capacity (Gal): 2000
Tank Status: In Service	Tank Material: STEEL
Int Protection: None	
Ext Protection: PAINTED [e.g. asphaltic]	Material Type: Fresh/Product
Piping Type: Other	
Description: SODIUM HYDROXIDE	Containment: DIKING AND PAD
Leak Detect: OTHER	Product Gauge: Yes
Dispense Method: Gravity	Install Date: 0492
Fill Type: Pumped	Total Tanks: Not reported
Data File: Petroleum Bulk Storage Facility	

Facility ID: 001217	Tank ID: 0012
Tank Location: Outdoors, Aboveground	Capacity (Gal): 2000
Tank Status: In Service	Tank Material: STEEL
Int Protection: None	
Ext Protection: PAINTED [e.g. asphaltic]	Material Type: Fresh/Product
Piping Type: Other	
Description: SULPHURIC ACID	Containment: DIKING AND PAD
Leak Detect: OTHER	Product Gauge: Yes
Dispense Method: Gravity	Install Date: 0492
Fill Type: Pumped	Total Tanks: Not reported
Data File: Petroleum Bulk Storage Facility	

Facility ID: 001217	Tank ID: 0051
Tank Location: Indoors, Aboveground	Capacity (Gal): 400
Tank Status: In Service	Tank Material: STEEL
Int Protection: None	
Ext Protection: NONE	Material Type: Fresh/Product
Piping Type: Steel/Iron	
Description: ERYTHORBIC ACID	Containment: DIKING AND PAD
Leak Detect: OTHER	Product Gauge: Yes
Dispense Method: Submersible	Install Date: 0492
Fill Type: Pumped	Total Tanks: Not reported
Data File: Petroleum Bulk Storage Facility	

Facility ID: 001217	Tank ID: 0052
Tank Location: Indoors, Aboveground	Capacity (Gal): 75
Tank Status: In Service	Tank Material: STEEL
Int Protection: None	
Ext Protection: NONE	Material Type: Fresh/Product
Piping Type: Steel/Iron	
Description: SODIUM HYDROXIDE	Containment: DIKING AND PAD
Leak Detect: OTHER	Product Gauge: Yes
Dispense Method: Submersible	Install Date: 0492
Fill Type: Pumped	Total Tanks: Not reported
Data File: Petroleum Bulk Storage Facility	

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

TBG COGEN PARTNERS (Continued)

A100042589

Facility ID:	001217	Tank ID:	0053
Tank Location:	Indoors, Aboveground	Capacity (Gal):	75
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Steel/Iron	Material Type:	Fresh/Product
Description:	SODIUM TRIPOLYPHOSPHATE		
Leak Detect:	OTHER	Containment:	DIKING AND PAD
Dispense Method:	Submersible	Product Gauge:	Yes
Fill Type:	Pumped	Install Date:	0492
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	001217	Tank ID:	0054
Tank Location:	Indoors, Aboveground	Capacity (Gal):	75
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Steel/Iron	Material Type:	Fresh/Product
Description:	SODIUM TRIPOLYPHOSPHATE		
Leak Detect:	OTHER	Containment:	DIKING AND PAD
Dispense Method:	Submersible	Product Gauge:	Yes
Fill Type:	Pumped	Install Date:	0492
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	001217	Tank ID:	0055
Tank Location:	Indoors, Aboveground	Capacity (Gal):	100
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Steel/Iron	Material Type:	Fresh/Product
Description:	SODIUM HYDROXIDE		
Leak Detect:	OTHER	Containment:	DIKING AND PAD
Dispense Method:	Submersible	Product Gauge:	Yes
Fill Type:	Pumped	Install Date:	0492
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	001217	Tank ID:	0073
Tank Location:	Indoors, Aboveground	Capacity (Gal):	300
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	FIBERGLASS REINFORCED PLASTIC		
Piping Type:	Steel/Iron	Material Type:	Waste
Description:	PCB CONTAMINATED MATERIALS		
Leak Detect:	OTHER	Containment:	DIKING AND PAD
Dispense Method:	Suction	Product Gauge:	Yes
Fill Type:	Pumped	Install Date:	0594
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported

78

T B G COGEN PARTNERS
939 S BROADWAY
HICKSVILLE, NY 11801

PADS 1000791459
RCRIS-SQG NYD987029691
FINDS

MAP FINDINGS

Map ID Direction Distance	Site	Database(s)	EDR ID Number EPA ID Number
T B G COGEN PARTNERS (Continued)			1000791459
RCRIS: Owner: TBG COGEN PARTNERS (516) 349-8340 Contact: ANTHONY LIGATO (516) 349-8340			
Waste	Quantity	Info Source	
X001	.00000 (N)	Notification	
(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported			
78	TBG COGEN PARTNERS 939 S BROADWAY HICKSVILLE, NY 11801	AST	U002261527 N/A
79	PHOTO WORKS 25 BLUMINGDALE ROAD HICKSVILLE, NY 11801	FINDS RCRIS-LQG	1000415373 NYD981488240
RCRIS: Owner: MORRIS NESSIN (212) 555-1212 Contact: MORRIS NESSIN (516) 933-6110			
Waste	Quantity	Info Source	
D000	.00000 (N)	Notification	
(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported			
80	C & D TYPE SETTERS INC 960 SOUTH BROADWAY HICKSVILLE, NY 11801	FINDS RCRIS-LQG	1000110027 NYD982186983
RCRIS: Owner: CHARLES SARGENT (212) 555-1212 Contact: CHARLES SARGENT (516) 822-8514			
Waste	Quantity	Info Source	
D000	.00000 (N)	Notification	
(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported			
81	YALE RADIATOR & AUTO REPAIR 37 BLOOMINGDALE RD HICKSVILLE, NY 11801	RCRIS-SQG FINDS	1000198265 NYD168346880
82	AVIS CAR RENTAL 980 SOUTH BROADWAY BETHPAGE, NY	LUST	S100147547 N/A

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

AVIS CAR RENTAL (Continued)

S100147547

LUST:

Facility ID:	8809010	Spill Date:	02/19/1989
First notified:	ANSWERING SERVICE	Material class:	PETROLEUM
Material spilled:	GASOLINE	Release QTY:	15.00 GALLONS
Water body affected:	Not reported	Origin:	PASSENGER VEHICLE
Resource affected:	ON LAND	Notifier:	FIRE DEPARTMENT
Basin of spill:	1700	Project ID:	0
Cleaner:	OTHER AGENCY	Date Cleaned:	02/21/1989
Initiated clean up:	Not reported	Close Date:	02/21/1989
Last Inspection:	Not reported	Investigator:	NCFM
UST Trust Fund:	No	Penalty:	NO PENALTY
Status:	MEANS ITS BEEN RESOLVED		
Quantity recovered:	0.00		
Cause:	TANK FAILURE		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

83

**AL ANDRIANO RESIDENCE
159 12TH STREET
BETHPAGE, NY**

LUST

**S100492507
N/A**

LUST:

Facility ID:	9213083	Spill Date:	02/23/1993
First notified:	C	Material class:	PETROLEUM
Material spilled:	#2 FUEL	Release QTY:	1.00 GALLONS
Water body affected:	Not reported	Origin:	PRIVATE DWELLING
Resource affected:	ON LAND	Notifier:	OTHER
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	02/24/1993
Initiated clean up:	Not reported	Close Date:	02/24/1993
Last Inspection:	Not reported	Investigator:	NONE
UST Trust Fund:	No	Penalty:	NO PENALTY
Status:	MEANS ITS BEEN RESOLVED		
Quantity recovered:	0.00		
Cause:	TANK FAILURE		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

84

**TEXACO U.S.A.-A DIV. OF TEXACO INC.
1000 SOUTH BROADWAY
HICKSVILLE, NY 11801**

**FINDS
RCRIS-LQG**

**1000144460
NYD000694448**

RCRIS:

Owner: TEXACO U.S.A.
(609) 667-3800

Contact: H E PHILLIPS
(609) 667-3800

Waste	Quantity	Info Source	Waste	Quantity	Info Source
D000	.00000 (N)	Notification	D001	.00000 (N)	Notification
D002	.00000 (N)	Notification	D008	.00000 (N)	Notification
D001	3.26500 (M)	Part A	D008	.00100 (P)	Part A

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

MAP FINDINGS

Map ID Direction Distance	Site	Database(s)	EDR ID Number EPA ID Number
---------------------------------	------	-------------	--------------------------------

85	BRADCO SUPPLY CORP. 85 BLOOMINGDALE RD HICKSVILLE, NY	UST AST	U001446670 N/A
----	--	--------------------	---------------------------

Nassau County UST:			
Facility ID:	054058	Tank ID:	0002
Tank Location:	Indoors, Belowground	Capacity:	00004000
Tank Status:	In Service	Tank Material:	Fiberglass Reinforced Plastic
Piping Type:	Other	Material Type:	Fresh/Product
Int Protection:	None		
Ext Protection:	FIBERGLASS REINFORCED PLASTIC		
Description:	OIL, FUEL #2		
Leak Detect:	ELECTRONIC	Containment:	Double Wall Tank
Dispense Method:	Suction	Product Gauge:	Yes
Fill Type:	Pumped	Install Date:	1089
Total Tanks:	1		
Nassau County AST:			
Facility ID:	054058	Tank ID:	0009
Tank Location:	Indoors, Aboveground	Capacity (Gal):	275
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	PAINTED [e.g. asphaltic]		
Piping Type:	Other	Material Type:	Fresh/Product
Description:	OIL, FUEL #2		
Leak Detect:	NONE	Containment:	NONE
Dispense Method:	Suction	Product Gauge:	No
Fill Type:	Pumped	Install Date:	1255
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported

86	NYNEX VEHICLE SHERMAN AVE/SO 6TH STREET BETHPAGE, NY	LUST	S101102415 N/A
----	---	-------------	---------------------------

LUST:			
Facility ID:	9314784	Spill Date:	03/17/1994
First notified:	C	Material class:	PETROLEUM
Material spilled:	GASOLINE	Release QTY:	0.00 GALLONS
Water body affected:	Not reported	Origin:	COMM VEHICLE
Resource affected:	ON LAND	Notifier:	RESPONSIBLE PARTY
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	03/18/1994
Initiated clean up:	Not reported	Close Date:	03/18/1994
Last Inspection:	Not reported	Investigator:	GIBBONS
UST Trust Fund:	No		
Status:	MEANS ITS BEEN RESOLVED	Penalty:	NO PENALTY
Quantity recovered:	0.00		
Cause:	TANK FAILURE		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

87	JAMOCO HEATING & COOLING CORP 105 BLOOMINGDALE RD HICKSVILLE, NY 11801	RCRIS-SQG	1000990295 NYR000002543
----	---	------------------	------------------------------------

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

JAMOCO HEATING & COOLING CORP (Continued)

1000990295

RCRIS:

Owner: JAMOCO HEATING & COOLING CORP
(516) 681-4400

Contact: Not reported

Waste	Quantity	Info Source	Waste	Quantity	Info Source
D001	.00000 (N)	Notification	D002	.00000 (N)	Notification
D003	.00000 (N)	Notification			

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

87 **JAMOCO HEATING & COOLING CORP**
105 BLOOMINGDALE RD
HICKSVILLE, NY 11801

FINDS

1001010741
NY0001173160

88 **JAMES BELL RESIDENCE**
127 SOUTH 1ST ST
BETHPAGE, NY

LUST

S101657999
N/A

LUST:

Facility ID:	9500753	Spill Date:	04/19/1995
First notified:	ANSWERING SERVICE	Material class:	PETROLEUM
Material spilled:	#2 FUEL	Release QTY:	0.00
Water body affected:	Not reported	Origin:	PRIVATE DWELLING
Resource affected:	ON LAND	Notifier:	OTHER
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	06/28/1995
Initiated clean up:	Not reported	Close Date:	06/28/1995
Last Inspection:	Not reported	Investigator:	AUSTIN
UST Trust Fund:	No	Penalty:	NO PENALTY
Status:	MEANS ITS BEEN RESOLVED		
Quantity recovered:	0.00		
Cause:	TANK FAILURE		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

89 **CASCADE WATER SERVICE., INC**
113 BLOOMINGDALE RD
HICKSVILLE, NY 11801

FINDS

1000961763
NY0000640433

90 **SUNOCO SVC STA**
125 BLOOMINGDALE RD
HICKSVILLE, NY 11801

FINDS
RCRIS-LQG

1000328704
NYD000698746

MAP FINDINGS

Map ID Direction Distance	Site	Database(s)	EDR ID Number EPA ID Number
---------------------------------	------	-------------	--------------------------------

SUNOCO SVC STA (Continued)

1000328704

RCRIS:

Owner: PIONEER GENERAL STORE INC
(212) 555-1212

Contact: GENERAL PIONEER
(212) 555-1212

Waste	Quantity	Info Source	Waste	Quantity	Info Source
D000	.00000 (N)	Notification	D001	.00000 (N)	Notification

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

**91 DYNAMIC PAINTING CORP
7 WILLIS CT
HICKSVILLE, NY 11801**

**RCRIS-SQG 1000790409
FINDS NYD987018934**

RCRIS:

Owner: OTNICAJ 7 REALTY CORP
(212) 555-1212

Contact: GLEN JACINTO
(516) 681-6696

Waste	Quantity	Info Source
D001	.00000 (N)	Notification

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

There are 1 compliance/violation record(s) reported at this site:

Evaluation	Date	Violations
COMPLIANCE EVALUATION INSPECTION (CEI)	15-AUG-93	YES

**92 AMERICAN LITHOTECH
631 HICKSVILLE ROAD
BETHPAGE, NY 11714**

**FINDS 1000358734
RCRIS-LQG NYD981489453**

RCRIS:

Owner: AMERICAN LITHOTECH, INC.
(212) 555-1212

Contact: DAVID LURIE
(516) 931-6300

Waste	Quantity	Info Source
D000	.00000 (N)	Notification

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

**93 RENAISSANCE DESIGN & BUILDING INC
91 ENGINEERS DR
HICKSVILLE, NY 11801**

**RCRIS-SQG 1000871522
FINDS NY0000062687**

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

RENAISSANCE DESIGN & BUILDING INC (Continued)

1000871522

RCRIS:

Owner: J DEALBUQUERQUE & D MAYER
(516) 932-8501

Contact: DIANA SHERRARD
(516) 932-8501

Waste	Quantity	Info Source	Waste	Quantity	Info Source
D001	.00000 (N)	Notification	D035	.00000 (N)	Notification
F003	.00000 (N)	Notification	F005	.00000 (N)	Notification

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

**94 HICKSVILLE POST OFFICE
260 ENGINEERS DR
HICKSVILLE, NY 11802**

**FINDS 1000272871
RCRIS-LQG NY9180090020**

RCRIS:

Owner: Not reported

Contact: JOHN DOLAN
(516) 933-2343

Waste	Quantity	Info Source
D001	.00000 (N)	Notification

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

**95 BOCES NASSAU TECH BETHPAGE AV
610 HICKSVILLE RD
BETHPAGE, NY 11714**

**RCRIS-SQG 1000221239
FINDS NYD136581915**

RCRIS:

Owner: GRUMMAN BETHPAGE CENTER
(212) 555-1212

Contact: JOHN GOLDEN
(516) 576-9180

Waste	Quantity	Info Source	Waste	Quantity	Info Source
NONE	.00000 (N)	Notification	NONE	.00000 (N)	EPA Inspection

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

**96 ERIKSEN AUTO OWNER
588 STEWART AVENUE
BETHPAGE, NY**

**LUST S100665688
N/A**

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

ERIKSEN AUTO OWNER (Continued)

S100665688

LUST:

Facility ID:	8808488	Spill Date:	01/25/1989
First notified:	REGIONAL OFFICE	Material class:	PETROLEUM
Material spilled:	GASOLINE	Release QTY:	5.00 GALLONS
Water body affected:	Not reported	Origin:	PASSENGER VEHICLE
Resource affected:	ON LAND	Notifier:	HEALTH DEPARTMENT
Basin of spill:	1700	Project ID:	99226
Cleaner:	DEC - PIN PROJECT	Date Cleaned:	01/26/1989
Initiated clean up:	Not reported	Close Date:	04/02/1991
Last Inspection:	Not reported	Investigator:	NCFM
UST Trust Fund:	No	Penalty:	NO PENALTY
Status:	MEANS ITS BEEN RESOLVED		
Quantity recovered:	0.00		
Cause:	OTHER		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

96

**SON-LEW LAUNDRY CTR INC
596 STEWART AVE
BETHPAGE, NY 11714**

**RCRIS-SQG 1000139057
FINDS NYD982538621**

RCRIS:

Owner: SON LEW LAUNDRY CENTER INC
(212) 555-1212

Contact: BLANCHE STALTARE
(516) 931-9636

<u>Waste</u>	<u>Quantity</u>	<u>Info Source</u>
--------------	-----------------	--------------------

F002	.00000 (N)	Notification
------	------------	--------------

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

97

**ABSOLUTE PHOTO INC
184 QUALITY PLAZA
HICKSVILLE, NY 11801**

**RCRIS-LQG 1000334058
NYD982743965**

RCRIS:

Owner: JOSPEH GIAMPAPA
(212) 555-1212

Contact: JOSEPH GIAMPAPA
(516) 822-5400

<u>Waste</u>	<u>Quantity</u>	<u>Info Source</u>	<u>Waste</u>	<u>Quantity</u>	<u>Info Source</u>
--------------	-----------------	--------------------	--------------	-----------------	--------------------

D000	.00000 (N)	Notification	D002	.00000 (N)	Notification
------	------------	--------------	------	------------	--------------

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

97

**ABSOLUTE GRAPHICS INC
184 QUALITY PLAZA
HICKSVILLE, NY 11801**

**RCRIS-SQG 1000334057
FINDS NYD982743304**

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

ABSOLUTE GRAPHICS INC (Continued)

1000334057

RCRIS:

Owner: JOHN MORGAN
(212) 555-1212

Contact: JOHN MORGAN
(516) 939-0250

Waste	Quantity	Info Source	Waste	Quantity	Info Source
D000	.00000 (N)	Notification	D002	.00000 (N)	Notification

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

**98 J.C. PRECISION AUTOMOTIVE
590 HICKSVILLE RD
BETHPAGE, NY**

AST

A100043081
N/A

Nassau County AST:

Facility ID:	055570	Tank ID:	0002
Tank Location:	Outdoors. Aboveground	Capacity (Gal):	275
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	Unknown		
Ext Protection:	UNKNOWN		
Piping Type:	Other	Material Type:	Waste
Description:	WASTE OIL		
Leak Detect:	NONE	Containment:	NONE
Dispense Method:	Suction	Product Gauge:	No
Fill Type:	Gravity	Install Date:	1284
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported

**99 PHOENIX LABORATORIES INC
175 LAUMAN LANE
HICKSVILLE, NY 11801**

RCRIS-SQG
FINDS

1000207954
NYD003998259

Other Pertinent Environmental Activity Identified at Site:
facility has an emission permit under the Clean Air Act

**99 PROGRESSIVE CIRCUITS INC
180-R LAUMAN LN
HICKSVILLE, NY 11801**

RCRIS-SQG
FINDS

1000236610
NYD986891521

RCRIS:

Owner: ZT ZS CORP
(212) 555-1212

Contact: JYOTI MEHTA
(516) 938-4456

Waste	Quantity	Info Source	Waste	Quantity	Info Source
D002	.00000 (N)	Notification	F006	.00000 (N)	Notification

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

**100 SLOMINS OIL CO
125 LAUMAN LN
HICKSVILLE, NY**

LUST

S100174751
N/A

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

SLOMINS OIL CO (Continued)

S100174751

LUST:

Facility ID:	9100704	Spill Date:	04/17/1991
First notified:	ANSWERING SERVICE	Material class:	PETROLEUM
Material spilled:	#2 FUEL	Release QTY:	0.00 GALLONS
Water body affected:	Not reported	Origin:	COMMINDUST
Resource affected:	GROUNDWATER	Notifier:	TANK TESTER
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	03/02/1992
Initiated clean up:	Not reported	Close Date:	03/02/1992
Last Inspection:	Not reported	Investigator:	DEROSA
UST Trust Fund:	No	Penalty:	NO PENALTY
Status:	MEANS ITS BEEN RESOLVED		
Quantity recovered:	0.00		
Cause:	TANK TEST FAILURE [BULK STORE. PRO.]		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

100

SLOMINS INC
125 LAUMAN LANE
HICKSVILLE, NY 11801

FINDS 1000300093
RCRIS-LQG NYD012869145
UST
LUST

LUST:

Facility ID:	8910541	Spill Date:	02/05/1990
First notified:	ANSWERING SERVICE	Material class:	PETROLEUM
Material spilled:	#2 FUEL	Release QTY:	5.00 GALLONS
Water body affected:	Not reported	Origin:	TANK TRUCK
Resource affected:	ON LAND	Notifier:	RESPONSIBLE PARTY
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	02/05/1990
Initiated clean up:	Not reported	Close Date:	02/05/1990
Last Inspection:	Not reported	Investigator:	NONE
UST Trust Fund:	No	Penalty:	NO PENALTY
Status:	MEANS ITS BEEN RESOLVED		
Quantity recovered:	0.00		
Cause:	TANK OVERFILL		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

Nassau County UST:

Facility ID:	055883	Tank ID:	0004
Tank Location:	Indoors, Belowground	Capacity:	00002000
Tank Status:	In Service	Tank Material:	STEEL
Piping Type:	Galvanized Steel	Material Type:	Waste
Int Protection:	None		
Ext Protection:	FIBERGLASS REINFORCED PLASTIC		
Description:	WASTE OIL		
Leak Detect:	OTHER	Containment:	Other
Dispense Method:	Suction	Product Gauge:	No
Fill Type:	Gravity	Install Date:	0685
Total Tanks:	3		

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

SLOMINS INC (Continued)

1000300093

Facility ID:	055883	Tank ID:	0005
Tank Location:	Indoors, Belowground	Capacity:	00001000
Tank Status:	In Service	Tank Material:	STEEL
Piping Type:	Galvanized Steel	Material Type:	Fresh/Product
Int Protection:	None		
Ext Protection:	FIBERGLASS REINFORCED PLASTIC		
Description:	OIL, FUEL #2		
Leak Detect:	OTHER	Containment:	Other
Dispense Method:	Suction	Product Gauge:	Yes
Fill Type:	Gravity	Install Date:	0685
Total Tanks:	3		

Facility ID:	055883	Tank ID:	0006
Tank Location:	Indoors, Belowground	Capacity:	00001000
Tank Status:	In Service	Tank Material:	STEEL
Piping Type:	Galvanized Steel	Material Type:	Fresh/Product
Int Protection:	None		
Ext Protection:	FIBERGLASS REINFORCED PLASTIC		
Description:	OIL, FUEL #2		
Leak Detect:	OTHER	Containment:	Other
Dispense Method:	Suction	Product Gauge:	Yes
Fill Type:	Gravity	Install Date:	0685
Total Tanks:	3		

101

**GRECO BROS. BULK TERMINAL
LAUMAN LA & HICKSVILLE RD.
HICKSVILLE, NY 11714**

AST

U001853917
N/A

MOSF AST:

Facility ID:	1-3100	Telephone:	(516) 681-1515
Facility Status:	ACTIVE FACILITY		
Owner:	GRECO BROS. FUEL CORP. P.O. BOX 208 239 BROADWAY BETHPAGE, NY 11714-		
Owner Tel:	(516) 938-5200		
Tank ID:	001	Tank Status:	IN SERVICE
Tank Location:	ABOVEGROUND	Capacity (Gal):	500000
Install Date:	10/55	Tank Internal:	EPOXY LINER
Tank Type:	Steel/carbon steel	Pipe Type:	STEEL/IRON
Product:	NOS 1,2, OR 4 FUEL OIL	Dispenser:	Suction
Tank External:	SACRIFICIAL ANODE		
Pipe Location:	Above/Underground Combination		
Pipe Internal:	NONE		
Pipe External:	NONE		
Second Contain:	CONCRETE DIKE/IMPERVIOUS UNDERLAYMENT		
Leak Detection:	GROUNDWATER WELL		
Overfill Protection:	High Level Alarm		
Test Date:	10/86	Date Closed:	Not reported
Dispensing Mthd:	Suction		
Data File:	Not reported		

102

**BETHPAGE PUBLIC LIBRARY
47 POWELL AVE
BETHPAGE, NY**

LUST

S100492543
N/A

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

BETHPAGE PUBLIC LIBRARY (Continued)

S100492543

LUST:

Facility ID:	9213367	Spill Date:	03/03/1993
First notified:	ANSWERING SERVICE	Material class:	PETROLEUM
Material spilled:	#2 FUEL	Release QTY:	0.00 GALLONS
Water body affected:	Not reported	Origin:	NON-COMMINST
Resource affected:	GROUNDWATER	Notifier:	TANK TESTER
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	08/11/1993
Initiated clean up:	Not reported	Close Date:	08/11/1993
Last Inspection:	Not reported	Investigator:	T/T/F
UST Trust Fund:	No	Penalty:	NO PENALTY
Status:	MEANS ITS BEEN RESOLVED		
Quantity recovered:	0.00		
Cause:	TANK TEST FAILURE [BULK STORE. PRO.]		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

102

**BETHPAGE PUBLIC LIBRARY
POWELL AVENUE
BETHPAGE, NY**

LUST

**S100149020
N/A**

LUST:

Facility ID:	8704151	Spill Date:	08/19/1987
First notified:	REGIONAL OFFICE	Material class:	PETROLEUM
Material spilled:	#2 FUEL	Release QTY:	0.00 GALLONS
Water body affected:	Not reported	Origin:	NON-COMMINST
Resource affected:	GROUNDWATER	Notifier:	TANK TESTER
Basin of spill:	17	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	10/03/1988
Initiated clean up:	Not reported	Close Date:	10/03/1988
Last Inspection:	Not reported	Investigator:	O'NEILL
UST Trust Fund:	No	Penalty:	NO PENALTY
Status:	MEANS ITS BEEN RESOLVED		
Quantity recovered:	0.00		
Cause:	TANK TEST FAILURE [BULK STORE. PRO.]		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

103

**BETHPAGE BEST CLEANERS
360 BROADWAY
BETHPAGE, NY 11714**

**RCRIS-SQG
FINDS**

**1000243983
NYD981086085**

RCRIS:

Owner: YOO HANG JEON
(516) 935-3333

Contact: YOO HANG JEON
(516) 935-3333

Waste	Quantity	Info Source
F002	.00000 (N)	Notification

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

**104 BETHPAGE SERVICE STATION
515 STEWART AVE
BETHPAGE, NY**

UST

**U001855327
N/A**

Nassau County UST:

Facility ID:	056695	Tank ID:	0004
Tank Location:	Indoors, Belowground	Capacity:	00001000
Tank Status:	In Service	Tank Material:	Fiberglass Reinforced Plastic
Piping Type:	Galvanized Steel	Material Type:	Fresh/Product
Int Protection:	None		
Ext Protection:	FIBERGLASS REINFORCED PLASTIC		
Description:	OIL, FUEL #2		
Leak Detect:	OTHER	Containment:	Other
Dispense Method:	Suction	Product Gauge:	No
Fill Type:	Gravity	Install Date:	0281
Total Tanks:	2		

Facility ID:	056695	Tank ID:	0005
Tank Location:	Indoors, Belowground	Capacity:	00000500
Tank Status:	In Service	Tank Material:	STEEL
Piping Type:	Galvanized Steel	Material Type:	Waste
Int Protection:	None		
Ext Protection:	FIBERGLASS REINFORCED PLASTIC		
Description:	WASTE OIL		
Leak Detect:	OTHER	Containment:	Other
Dispense Method:	Gravity	Product Gauge:	No
Fill Type:	Gravity	Install Date:	0281
Total Tanks:	2		

**105 UNK
3529 CORTNEY LANE
BETHPAGE, NY**

LUST

**S100173586
N/A**

LUST:

Facility ID:	9003089	Spill Date:	06/14/1990
First notified:	C	Material class:	PETROLEUM
Material spilled:	#2 FUEL	Release QTY:	0.00 GALLONS
Water body affected:	Not reported	Origin:	PRIVATE DWELLING
Resource affected:	ON LAND	Notifier:	AFFECTED PERSONS
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	12/17/1990
Initiated clean up:	Not reported	Close Date:	12/17/1990
Last inspection:	Not reported	Investigator:	HOFMANN
UST Trust Fund:	No		
Status:	MEANS ITS BEEN RESOLVED	Penalty:	NO PENALTY
Quantity recovered:	0.00		
Cause:	TANK OVERFILL		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

**106 SUNOCO
489 STEWART AVENUE
BETHPAGE, NY**

LUST

**S100169300
N/A**

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

SUNOCO (Continued)

S100169300

LUST:

Facility ID:	8902244	Spill Date:	06/02/1989
First notified:	REGIONAL OFFICE	Material class:	PETROLEUM
Material spilled:	WASTE OIL	Release QTY:	0.00 GALLONS
Water body affected:	Not reported	Origin:	GAS STATION
Resource affected:	ON LAND	Notifier:	DEC
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	06/09/1989
Initiated clean up:	Not reported	Close Date:	06/09/1989
Last Inspection:	Not reported	Investigator:	LEUNG
UST Trust Fund:	Yes	Penalty:	NO PENALTY
Status:	MEANS ITS BEEN RESOLVED		
Quantity recovered:	0.00		
Cause:	TANK FAILURE		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

106

**S & S SUNOCO SERVICE
489 STEWART AVE
BETHPAGE, NY 11714**

**FINDS 1000328751
RCRIS-LQG NYD000701599**

RCRIS:

Owner: LVF CONT
(212) 555-1212

Contact: L MANZO
(516) 931-9244

Waste	Quantity	Info Source	Waste	Quantity	Info Source
D000	.00000 (N)	Notification	D001	.00000 (N)	Notification

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

Other Pertinent Environmental Activity Identified at Site:
civil judicial and administrative enforcement cases against facility

106

**PAGE SERVICE STATION
497 STEWART AVE
BETHPAGE, NY**

**AST A100043090
N/A**

Nassau County AST:

Facility ID:	055611	Tank ID:	0002
Tank Location:	Indoors, Aboveground	Capacity (Gal):	250
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None	Material Type:	Waste
Ext Protection:	NONE	Containment:	NONE
Piping Type:	Other	Product Gauge:	No
Description:	WASTE OIL	Install Date:	1255
Leak Detect:	NONE	Total Tanks:	Not reported
Dispense Method:	Suction		
Fill Type:	Gravity		
Data File:	Petroleum Bulk Storage Facility		

107

**EASTERN EXTERMINATING CO INC
326 BROADWAY
BETHPAGE, NY 11714**

**FINDS 1000402157
RCRIS-LQG NYD049202088**

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

EASTERN EXTERMINATING CO INC (Continued)

1000402157

RCRIS:

Owner: Not reported

Contact: CHARLES KEATING
(517) 735-4142

Waste	Quantity	Info Source
-------	----------	-------------

P122	.00000 (N)	Notification
------	------------	--------------

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

107

UNK
339 BROADWAY / WASHINGTON
BETHPAGE, NY

LUST

S100491423
N/A

LUST:

Facility ID:	9204651	Spill Date:	07/22/1992
First notified:	ANSWERING SERVICE	Material class:	PETROLEUM
Material spilled:	#2 FUEL	Release QTY:	10.00 GALLONS
Water body affected:	Not reported	Origin:	TANK TRUCK
Resource affected:	ON LAND	Notifier:	FIRE DEPARTMENT
Basin of spill:	1700	Project ID:	0
Cleaner:	OTHER AGENCY	Date Cleaned:	09/20/1992
Initiated clean up:	Not reported	Close Date:	09/20/1992
Last Inspection:	Not reported	Investigator:	DECANDIA
UST Trust Fund:	No	Penalty:	NO PENALTY
Status:	MEANS ITS BEEN RESOLVED		
Quantity recovered:	0.00		
Cause:	TANK OVERFILL		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

108

GIFFORD OIL
24 HUNTER LANE
LEVITTOWN, NY

LUST

S100173351
N/A

LUST:

Facility ID:	9000830	Spill Date:	04/23/1990
First notified:	ANSWERING SERVICE	Material class:	PETROLEUM
Material spilled:	#2 FUEL	Release QTY:	1.00 GALLONS
Water body affected:	Not reported	Origin:	PRIVATE DWELLING
Resource affected:	ON LAND	Notifier:	AFFECTED PERSONS
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	04/27/1990
Initiated clean up:	Not reported	Close Date:	04/27/1990
Last Inspection:	Not reported	Investigator:	ANDERSON
UST Trust Fund:	No	Penalty:	NO PENALTY
Status:	MEANS ITS BEEN RESOLVED		
Quantity recovered:	0.00		
Cause:	TANK OVERFILL		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

MAP FINDINGS

Map ID Direction Distance	Site	Database(s)	EDR ID Number EPA ID Number
---------------------------------	------	-------------	--------------------------------

109	BETHPAGE AUTO BODY 309 BROADWAY BETHPAGE, NY 11714	FINDS RCRIS-LQG	1000243982 NYD981085764						
RCRIS: Owner: Not reported Contact: IRWIN LAZARUS (516) 822-5093									
<table border="0" style="width: 100%;"> <tr> <td style="text-align: left;">Waste</td> <td style="text-align: left;">Quantity</td> <td style="text-align: left;">Info Source</td> </tr> <tr> <td style="border-top: 1px solid black;">D001</td> <td style="border-top: 1px solid black;">.00000 (N)</td> <td style="border-top: 1px solid black;">Notification</td> </tr> </table>				Waste	Quantity	Info Source	D001	.00000 (N)	Notification
Waste	Quantity	Info Source							
D001	.00000 (N)	Notification							
(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported									

110	ZIMMER RESIDENCE 3609 FIDDLER LANE BETHPAGE, NY	LUST	S100148412 N/A
LUST: Facility ID: 8912328 First notified: REGIONAL OFFICE Material spilled: #2 FUEL Water body affected: Not reported Resource affected: ON LAND Basin of spill: 1700 Cleaner: SPILLER Initiated clean up: Not reported Last inspection: Not reported UST Trust Fund: No Status: MEANS ITS BEEN RESOLVED Quantity recovered: 0.00 Cause: TANK FAILURE Emergency response: IT WAS NOT TAKEN Facility status: COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]			
Spill Date: 03/26/1990 Material class: PETROLEUM Release QTY: 0.00 GALLONS Origin: PRIVATE DWELLING Notifier: HEALTH DEPARTMENT Project ID: 0 Date Cleaned: 03/29/1990 Close Date: 03/29/1990 Investigator: NONE Penalty: NO PENALTY			

111	TRANSMISSION TECHNICIANS 305 BROADWAY BETHPAGE, NY 11714	RCRIS-SQG FINDS	1000791672 NYD987031895						
RCRIS: Owner: TRANSMISSION TECHNICIANS INC (516) 938-8139 Contact: WALTER LAUT (516) 938-8139									
<table border="0" style="width: 100%;"> <tr> <td style="text-align: left;">Waste</td> <td style="text-align: left;">Quantity</td> <td style="text-align: left;">Info Source</td> </tr> <tr> <td style="border-top: 1px solid black;">D001</td> <td style="border-top: 1px solid black;">.00000 (N)</td> <td style="border-top: 1px solid black;">Notification</td> </tr> </table>				Waste	Quantity	Info Source	D001	.00000 (N)	Notification
Waste	Quantity	Info Source							
D001	.00000 (N)	Notification							
(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported									

112	LVF CONTRACTING STEWART AVE & LAFAYETTE AVE BETHPAGE, NY 11714	FINDS RCRIS-LQG	1000108433 NYD982742934
-----	---	----------------------------------	--

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

LVF CONTRACTING (Continued)

1000108433

RCRIS:

Owner: LVF CONTRACTING
(212) 555-1212

Contact: LENNY MANZO
(516) 546-3475

Waste	Quantity	Info Source
-------	----------	-------------

D001	.00000 (N)	Notification
------	------------	--------------

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

113

**KANOWSKY RESIDENCE
556 CENTRAL AVENUE
BETHPAGE, NY**

LUST

S100150512
N/A

LUST:

Facility ID:	9000164	Spill Date:	04/01/1990
First notified:	REGIONAL OFFICE	Material class:	PETROLEUM
Material spilled:	#2 FUEL	Release QTY:	0.00 GALLONS
Water body affected:	Not reported	Origin:	PRIVATE DWELLING
Resource affected:	GROUNDWATER	Notifier:	RESPONSIBLE PARTY
Basin of spill:	1700	Project ID:	90473
Cleaner:	DEC - PIN PROJECT	Date Cleaned:	01/28/1992
Initiated clean up:	Not reported	Close Date:	04/19/1993
Last Inspection:	Not reported	Investigator:	HAAS
UST Trust Fund:	No	Penalty:	NO PENALTY
Status:	MEANS ITS BEEN RESOLVED		
Quantity recovered:	0.00		
Cause:	TANK FAILURE		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

114

**EAGAL NEST
500 CENTRAL AVE
BETHPAGE, NY 11714**

RCRIS-SQG
FINDS

1000553989
NYD986964278

RCRIS:

Owner: EAGELS NEST MOTOR SPORT INC
(516) 822-9494

Contact: JOSEPH PARISI
(516) 877-9494

Waste	Quantity	Info Source
-------	----------	-------------

D000	.00000 (N)	Notification
------	------------	--------------

D008	.00000 (N)	Notification
------	------------	--------------

Waste	Quantity	Info Source
-------	----------	-------------

D001	.00000 (N)	Notification
------	------------	--------------

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

MAP FINDINGS

Map ID Direction Distance	Site	Database(s)	EDR ID Number EPA ID Number
---------------------------------	------	-------------	--------------------------------

EAGAL NEST (Continued)

1000553989

There are 1 compliance/violation record(s) reported at this site:

Evaluation	Date	Violations
NON-FINANCIAL RECORD REVIEW (NRR)	01-APR-94	YES

114

**EAGLES NEST
500 CENTRAL AVE
BETHPAGE, NY**

AST

**A100043255
N/A**

Nassau County AST:

Facility ID:	056330	Tank ID:	0002
Tank Location:	Indoors, Aboveground	Capacity (Gal):	250
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	OTHER		
Piping Type:	Steel/Iron	Material Type:	Fresh/Product
Description:	OIL, MOTOR		
Leak Detect:	OTHER	Containment:	NONE
Dispense Method:	Suction	Product Gauge:	No
Fill Type:	Gravity	Install Date:	1261
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported

ORPHAN SUMMARY

City	EDR ID	Site Name	Site Address	Zip	Database(s)	Facility ID
BETHPAGE	95275392	BARBEQUE WAREHOUSE			ERNS	
BETHPAGE	8705774	NORTHVILLE GAS STATION		11714	ERNS	8206489
BETHPAGE	S100491639	LILCO-LEWISTOWN SUBSTATION	RTE 107 WANTAGH AVENUE	11714	LUST	
BETHPAGE	1000178350	NYS DOT BIN 1037889	RT 107 N/O HEMPSTEAD TPK	11714	FINDS, RCRIS-LOG	
BETHPAGE	1000890357	NYS DOT BIN 1037859	RTE 135 OVER BROADWAY	11714	FINDS, RCRIS-LOG	
BETHPAGE	1000890356	NYS DOT BIN 1037860	RTE 135 OVER BOUNDARY AVE	11714	FINDS, RCRIS-LOG	
BETHPAGE	100056026	NYS DOT BIN 1037860	RTE 135 UNDER CENTRAL AVE	11714	FINDS, RCRIS-LOG	
BETHPAGE	1000556023	NYS DOT BIN 1037909	RTE 135 OVER HAYPATH RD	11714	FINDS, RCRIS-LOG	
BETHPAGE	S101657966	BETHPAGE STATE PARK	BETHPAGE STATE PARK	11714	LUST	8807183
BETHPAGE	S100664457	OGS/NYS	BETHPAGE STATE PARK	11714	LUST	8803698
BETHPAGE	S100664457	SEALIT	75 BLOOMINGDALE ROAD	11714	LUST	9113120
BETHPAGE	U002264560	JOHN F. KENNEDY J.H.S.	BROADWAY	11714	UST	
BETHPAGE	A100042904	BETHPAGE SCH BUS GARAGE	BROADWAY	11714	AST	
BETHPAGE	A100042542	BETHPAGE W.D. PLANT 5	BROADWAY	11714	AST	
BETHPAGE	U002264551	CENTRAL BLVD SCHOOL	BROADWAY	11714	UST	
BETHPAGE	1000164786	SUNBRITE LAUNDROMAT & DRY CLEAN	CENTRAL AVE.	11714	FINDS, RCRIS-LOG	8703585
BETHPAGE	1000243980	BETHPAGE U F S D	4025 CHEMPSTEAD TPK	11714	FINDS, RCRIS-LOG, LUST	
BETHPAGE	U002096875	MERIT PLAINEDGE	CHERRY AVE	11714	UST	
BETHPAGE	U001854934	MOBIL S/S #17-K1Y	4165 HEMPSTEAD TPKE	11714	UST	041128
BETHPAGE	S101508890	OCEAN PETROLEUM	4180 HEMPSTEAD TPKE	11714	LUST	9416174
BETHPAGE	1000553613	GAIL ROCK REALTY	HEMPSTEAD TPKE / RTE 107	11714	LUST	9007407
BETHPAGE	1000872165	MID-ISLAND HOSPITAL INC	4230 HEMPSTEAD TPKE	11714	RCRIS-LOG	
BETHPAGE	1000791793	ISLAND TREES AUTOMOTIVE LTD	4295 HEMPSTEAD TPK	11714	FINDS, RCRIS-LOG	
BETHPAGE	1000554868	EXXON SVC STA 36969	4190 HEMPSTEAD TPK	11714	FINDS, RCRIS-LOG	
BETHPAGE	1000457540	MOBIL OIL CORP SS #K1Y	3965 HEMPSTEAD TPK	11714	RCRIS-SQG, FINDS	
BETHPAGE	1000263758	JEFF LUBE	4180 HEMPSTEAD TPK	11714	RCRIS-SQG, FINDS	
BETHPAGE	1000211487	MERIT OIL CORP	4000 HEMPSTEAD TPK	11714	RCRIS-SQG, FINDS	8809104
BETHPAGE	1000144478	POWER TEST BETHPAGE	4165 HEMPSTEAD TPKE	11714	FINDS, RCRIS-LOG, LUST	
BETHPAGE	1000135312	TEXACO SVC STA	4101 HEMPSTEAD TPK	11714	FINDS, RCRIS-LOG	
BETHPAGE	1000549576	A & V MANSON SUPPLY INC	HEMPSTEAD TPK & STEWART	11714	FINDS, RCRIS-LOG	
BETHPAGE	S101508034	LONG ISLAND SWIMMING POOL SERV	4108 HEMPSTEAD TPK	11714	RCRIS-SQG, FINDS	
BETHPAGE	1000446478	SUN COMPANY INC	4040 HEMSTEAD LAKE PARK	11714	FINDS	9415006
BETHPAGE	1000244487	SAL MIKE REALTY	100 HICKSVILL ROAD	11714	LUST	
BETHPAGE	S100171097	BETHVIEW WHEEL ALIGNMENT, INC.	980 HICKSVILLE RD	11714	RCRIS-SQG, FINDS	
BETHPAGE	S100663909	MEENAN OIL	HICKSVILLE RD. & CENTRAL AVE.	11714	FINDS, RCRIS-LOG	
BETHPAGE	1000549423	APA TRANSPORT	30 HUB DRIVE	11714	LUST	8607347
BETHPAGE	S100665895	DOUGLAS CHEMICAL DIVISION DEIC	IMPERATIVE ROAD	11714	LUST	9106296
BETHPAGE	S100664230	UNK	1 LEXINGTON AVE	11714	FINDS	8906174
BETHPAGE	1000551074	MR.BAR-B-QUE	MANCHESTER DR/PLAINVIEW R	11714	LUST	8706872
BETHPAGE	S100169909	TBG COGENERATION	NIBBELANE / LEXINGTON AV	11714	FINDS	
BETHPAGE	1000148518	MOBIL OIL	NYS ROUTE 107	11714	LUST	8908752
BETHPAGE	U002096782	NAVAL WEAPONS INDUSTRIAL RESERVE PLANT	SO OYSTER BAY / STEWART A	11714	LUST	
BETHPAGE		BETHPAGE W.D. PLANT 6	SOUTH OYSTER BAY ROAD	11714	CERCLIS, FINDS	
BETHPAGE			PARK LANE	11714	UST	

ORPHAN SUMMARY

City	EDR ID	Site Name	Site Address	Zip	Database(s)	Facility ID
BETHPAGE	U001446275	CHARLES CAMPAGNE SCHOOL	PLAINVIEW RD.	11714	UST	052346
BETHPAGE	1000407948	NORTHERN ALLOYS INC	PLAINVIEW RD & MANCHESTER	11714	RCRIS-SQG, FINDS	
BETHPAGE	1001028645	NYS DOT BIN 1037880	POWELL AVE OVER RTE 135	11714	RCRIS-LQG	
BETHPAGE	S100666388	GRAND CARTING COMPANY	ROUND SWAMP ROAD	11714	LUST	9001430
BETHPAGE	S100664722	UNK	ROUND SWAMP ROAD	11714	LUST	9205621
BETHPAGE	S100781376	TIM HARBULAK PASS VEHICLE	S.O.B EXIT 9 SO BOUND	11714	LUST	9310169
BETHPAGE	U002096706	BETHPAGE WD PLANT 4	SOPHIA STREET	11714	UST, AST	
BETHPAGE	S100878944	MEENAN OIL	SOPHIA STREET	11714	LUST	9313893
BETHPAGE	U002264558	JOHN H. WEST SCHOOL	STEWART & BOUNDARY AVES.	11714	UST	
BETHPAGE	U002284557	NORTHEGGE SCHOOL	STEWART AVE.	11714	UST	9411984
BETHPAGE	S101340109	DIFAZIO ELECTRIC (G.C.)	STEWART AVE	11714	LUST	9409098
BETHPAGE	S101173538	TOWN OF OYSTER BAY	STEWART AVE	11714	LUST	
BETHPAGE	S100521004	NAVAL WEAPONS IND. RESERVE PLANT	STEWART AVENUE	11714	SHWS	
BETHPAGE	1000432425	SERVICE STATION	N/S STEWART & CHERRY AVES	11714	FINDS, RCRIS-LQG	
BETHPAGE	1000243981	BETHPAGE COMMUNITY PARK	STEWART AVE	11714	RCRIS-SQG, FINDS, UST, LUST	9110161
BETHPAGE	S101658135	PAUL SOHAYEKI RESIDENCE	37 STYMUS AVENUE	11714	LUST	9505164
BETHPAGE	S100149786	ESTEE LANDER	182 SWEAT HOLLOW RD.	11714	LUST	8707804
BETHPAGE	S100149789	ESTEE LAUDER	182 SWEET HOLLOW ROAD	11714	LUST	8707921
BETHPAGE	S100490592	ISLAND TRANSPORT CORP	SOUTH WAREHOUSE AT GRUMMA	11714	LUST	9105673
FARMINGDALE	1000243984	BETHPAGE STATE PARK	BETHPAGE PKY	11714	RCRIS-SQG, FINDS, LUST	8807195
FARMINGDALE	U000726342	FRG-AIR TRAFFIC CONTROL TOWER	REPUBLIC AIRPORT	11714	UST, AST	1-1280
GARDEN CITY	1000788293	MTA BUS GARGE (FORMERLY PUREX IND INC)	COMMERCIAL AVE (MITCHELL FIELD	11756	FINDS	
HICKSVILLE	9202672	15602 JACINTO PORT BLVD NO. B DOCK		11801	ERNS	
HICKSVILLE	9201947	1401 SHERIDAN AVE		11801	ERNS	
HICKSVILLE	1000335584	EXXON CO USA - HICKSVILLE	RTE 106 & 107	11801	FINDS, RCRIS-LQG	
HICKSVILLE	1000144487	TEXACO SERVICE STATION - 13-006-0196	RTE 107 & BETHPAGE RD	11801	FINDS, RCRIS-LQG	
HICKSVILLE	1000895926	MICRO CONTACTS INC.	62 ALPHA PLAZA	11801	TRIS, AST	
HICKSVILLE	1000365637	MICRO CONTACTS INC	62 ALPHA PLAZA	11801	FINDS, RCRIS-LQG	1-000167
HICKSVILLE	1000356865	ANDREWS-NUNNERY ENVELOPE AND PAPER CO.	74 ALPHA PLAZA	11801	FINDS, RCRIS-LQG	
HICKSVILLE	1000273024	STOKVIS MULTITON CORP.	51 ALPHA PLAZA	11801	FINDS, RCRIS-LQG	
HICKSVILLE	1000556708	NEWBAR SERVICE CENTER	1 BARTEL LANE	11801	RCRIS-SQG, FINDS	
HICKSVILLE	1000457675	HICKSVILLE WATER DIST	BETHPAGE & WOODBURY RDS - N 1000 FT	11801	FINDS, LUST	9007547
HICKSVILLE	1000412461	CONTINENTAL COLLISION	77B BLOOMINGDALE RD	11801	FINDS	
HICKSVILLE	1000791908	WHOLE SALE TIRE CO	358 B BROADWAY MALL	11801	FINDS	
HICKSVILLE	1000555555	M G M TOWING & AUTOMOTIVE	870 S BROADWAY - FRONT OF BLDG	11801	RCRIS-SQG, FINDS	
HICKSVILLE	1000335580	EXXON CO	BROADWAY & RTE 106	11801	RCRIS-SQG, FINDS	
HICKSVILLE	1000261466	ENVIRONMENTALLY SAFE TRANSPORT	23 CHARLOTT AVE	11801	RCRIS-SQG, FINDS	
HICKSVILLE	S100669239	GALILEO GALLAY LODGE	200 LEVITTOWN PKY	11801	LUST	9002638
HICKSVILLE	S100667442	USPO	106 LUDY ST	11801	LUST	9106495
HICKSVILLE	1000961116	NATL LUBRICATION SYSTEMS LTD	1300 MID ISLAND PLAZA	11801	FINDS	
HICKSVILLE	1000457676	HICKSVILLE WATER DISTRICT	NEWBRIDGE RD	11801	FINDS	
HICKSVILLE	1001010740	SUNRISE PROFESSIONAL SVC INC	73A OLD COUNTRY RD DELCO PLAZA	11801	FINDS	
HICKSVILLE	1000789398	GETTY SVC STA	178 OLD COUNTRY RD	11801	RCRIS-SQG, FINDS	
HICKSVILLE	1000788788	WESTERN AUTO REPAIR	67 OLD COUNTRY RD	11801	FINDS	
HICKSVILLE	1000381240	FRESH START CLEANERS	212 OLD COUNTRY ROAD	11801	FINDS, RCRIS-LQG	
HICKSVILLE	1000144528	TEXACO SVC STA	180 OLD COUNTRY RD	11801	FINDS, RCRIS-LQG	

ORPHAN SUMMARY

City	EDR ID	Site Name	Site Address	Zip	Database(s)	Facility ID
HICKSVILLE	1000140663	S.S. PREMISES C/O SHELL OIL CO.	500 OLD CO. RD & LEVITTOWN RD	11801	FINDS, RCRIS-LOG	9009085
HICKSVILLE	S100669283	GETTY S/S	400 S OYSTER BAY RD	11801	LUST	
HICKSVILLE	1000358704	AMERICAN DRIVE IN CLEANERS	418 S. OYSTER BAY ROAD	11801	FINDS, RCRIS-LOG	
HICKSVILLE	1000121900	OUR LADY OF MERCY CHURCH	500 SOUTH OYSTER BAY ROAD	11801	RCRIS-SQG, FINDS	
HICKSVILLE	1001010743	MERIT OYSTER BAY	496 PLAINVIEW RD	11801	FINDS	
HICKSVILLE	1000549569	LIFESPAN PRODS COMPANY INC	126 QUALITY PLAZA	11801	FINDS	
ISLAND PARK	95305650			11801	ERNS	
JERUSALEM	S101102772	KEUKA LAKE STATE PARK	ROUTE 54A CAMP COMFORT ST	11714	LUST	9400514
JERUSALEM	S101508514	KEUKA COLLEGE	KEUKA COLLEGE	11714	LUST	7780920
JERUSALEM	S101340786	KEUKA COLLEGE	KEUKA PARK KEUKA COLLEGE	11714	LUST	9413939
LEVITTOWN	S100664038	REGENT MANAGEMENT	S BERRY AVE / HEMPSTEAD	11756	LUST	9006368
LEVITTOWN	S100665847	UNK TRACTOR TRAILER	DIVISION AVE/HEMPSTEAD TP	11756	LUST	8803605
LEVITTOWN	S100666382	JEROME RESIDENCE	3156 EUSTIN ROAD	11756	LUST	9001020
LEVITTOWN	S100668366	AMOCO S/S	480 GARDNERS AVENUE	11756	LUST	8800317
LEVITTOWN	S100177165	GULF	HEMPSTEAD TPKE	11756	LUST	9300451
LEVITTOWN	S100151989	TSSJK MART	HEMPSTEAD TPKE / JERUSALE	11756	LUST	9102426
LEVITTOWN	S100149926	SCORE/DR. NICK'S	HEMPSTEAD TPKE / GARDENER	11756	LUST	9101167
LEVITTOWN	1000781011	GETTY SVC STA	3190/3200 HEMPSTEAD TPK	11756	LUST	8201143
LEVITTOWN	1000554497	KICK & HALLER INC	3730 HEMPSTEAD TPK	11756	RCRIS-SQG, FINDS	055549
LEVITTOWN	1000414767	GOTTLIEB MARC DDS	3000 HEMPSTEAD TPK	11756	RCRIS-SQG, FINDS	
LEVITTOWN	1000358736	AMERICAN CLEANERS	3601 HEMPSTEAD TPK SUITE 420	11756	FINDS, RCRIS-LOG	
LEVITTOWN	1000328771	SUNOCO SERVICE STATION	3601 HEMPSTEAD TPK	11756	FINDS, RCRIS-LOG	
LEVITTOWN	1000256075	LEVINE ANDREW M & ASSOC	4295 HEMPSTEAD TPK & DIV AVE	11756	RCRIS-SQG, FINDS	
LEVITTOWN	S100173023	NEW YORK TELEPHONE	2900 HEMPSTEAD TPK SUITE 111	11756	RCRIS-SQG, FINDS	
LEVITTOWN	1000267145	SALK SCHOOL	3313 HEMPSTEAD TPKE.	11756	LUST	8901985
LEVITTOWN	S100492019	PENASKY RESIDENCE	JERUSALEM & WANTAGH AVE	11756	FINDS, RCRIS-LOG	
LEVITTOWN	S100147448	MAJOR FUEL OIL CO	183 KINGFISHES ROAD	11756	LUST	9209374
LEVITTOWN	S101173985	MEENAN OIL	LAUREL LA / ORCHARD ST	11756	LUST	8807549
LEVITTOWN	S100177624	HOLIDAY MGT CORP	289 LOCKSMITH ROAD	11756	LUST	9408986
LEVITTOWN	S101173984	RELIANCE	LONGFELLOW AVENUE	11756	LUST	9112208
LEVITTOWN	S100168939	MEENAN OIL	178 MERDIAN ROAD	11756	LUST	9408919
LEVITTOWN	S100170794	GALLEI	36 OAK TREE LANE	11756	LUST	8807457
LEVITTOWN	S101508043	MEENAN OIL	8 PINE COVE DR.	11756	LUST	6603980
LEVITTOWN	S100174807	RELIANCE UTILITIES	17 SHELTA LANE	11756	LUST	9415247
LEVITTOWN	S100148673	CASTEL COAL & OIL CO.	10 SHERPARD LANE	11756	LUST	9101321
LEVITTOWN	S100666484	UFI INC	STOKES SCHOOL/CONDOR RD	11756	LUST	8607293
LEVITTOWN	1000300430	SUMMIT LANE SCHOOL	STRAIGHT LANE	11756	LUST	9006235
LEVITTOWN	1000385448	SMILE CLEANERS INC	SUMMIT LANE	11756	FINDS, RCRIS-LOG, UST	
LEVITTOWN	S101508022	UNK	6 E VILLAGE GREEN	11756	RCRIS-SQG, FINDS	
LEVITTOWN	S100665851	MURPHY RESIDENCE	181 WILLOWWOOD	11756	LUST	9414879
NEW YORK	95286043		26 WOODGREEN LANE	11801	ERNS	8903731
NORTHPORT	94222587	EDENS NECK RD & WATERSIDE AVE		11801	ERNS	
PERTH AMBOY	95309061			11801	ERNS	
PLAINEDGE	1000556022	NYSDOT BIN 108119	RTE 135 OVER RTE 24	11714	FINDS, RCRIS-LOG	9303176
PLAINEDGE	S100666937	LILCO	169 WILLIAM ST	11756	LUST	8902553
PLAINVIEW	S100664144	UNK	RTE 135/NO OF EXIT 11	11803	LUST	

ORPHAN SUMMARY

City	EDR ID	Site Name	Site Address	Zip	Database(s)	Facility ID
PLAINVIEW	S101658263	VEHICLE	RTE 495 WB / EXIT 42	11803	LUST	9507635
PLAINVIEW	S100865795	ENVIRONMENTAL DRILLING	AMES CT / COMMERCIAL DR	11803	LUST	8809881
PLAINVIEW	S100148353	CONSERVATIVE EXPRESS	105 AMFESCO DRIVE	11803	LUST	8709174
PLAINVIEW	1000258693	STRATFORD ROAD SCHOOL	BEDFORD RD-ESSEX RD	11803	FINDS, RCRIS-LQG	
PLAINVIEW	1000154773	HOWARD B MATTLIN MIDDLE SCHOOL	BRADFORD RD - ROUND TREE DR	11803	FINDS, RCRIS-LQG	
PLAINVIEW	S100664054	JLD BETHPAGE HIGH SCHOOL	CENTRAL PARK ROAD	11803	LUST	
PLAINVIEW	1000368827	CHERRY LANE LITHOGRAPHING CORP	30 COMMERCIAL CT	11803	FINDS, RCRIS-LQG	9007474
PLAINVIEW	S100664530	NYSDOT	DUFFY AVE NYSDOT YARD	11803	LUST	9200925
PLAINVIEW	1000364031	CHARLES AND RAYMOND SASSOON	137 EXPRESS ST SHOPPING CTR	11803	FINDS, RCRIS-LQG	
PLAINVIEW	S101340016	RELIANCE	138 GRACIE ST	11803	LUST	9410274
PLAINVIEW	S101658165	LINK	LIE E/B	11803	LUST	9505526
PLAINVIEW	1000553484	MOBIL OIL CORP SS #ABT	LIE & ROUND SWAMP RD	11803	RCRIS-SQG, FINDS	
PLAINVIEW	1000273053	PARKWAY ELEMENTARY SCHOOL	MANETTO HILL RD-CENTRAL PK RD	11803	FINDS, RCRIS-LQG	
PLAINVIEW	1001021557	MERGANTHALER LINOTYP	MERGANTHALER DR	11803	FINDS	
PLAINVIEW	1001021561	MERGANTHALER LINOTYPE CO	MERGANTHALER DRIVE	11803	FINDS	
PLAINVIEW	1000238698	MERGANTHALER LINOTYPE CO	14 MERGANTHALER DR	11803	FINDS, RCRIS-LQG, CERC-NFRAP	
PLAINVIEW	S100663820	SPACE AGE ENERGY	MILFORD AVENUE	11803	LUST	9100883
PLAINVIEW	1000168477	JOYCE ROAD ELEMENTARY	MITCHELL AVE/JOYCE ROAD	11803	FINDS, RCRIS-LQG	
PLAINVIEW	1000241638	MACHINE COMPONENTS CORPORATION	70 NEW ROAD	11803	FINDS, RCRIS-LQG	
PLAINVIEW	1000890160	J F K PREP INC 2	100 NEWTOWN RD SUITE C	11803	LUST	8909030
PLAINVIEW	1000352657	ULTRA-GRAPHICS INC	16-20 NEWTOWN PLAZA	11803	LUST	9209403
PLAINVIEW	1000300828	GRIMM & NORTON	64 NEWTOWN PLAZA	11803	LUST	9200426
PLAINVIEW	S100665941	ISLAND TRANSPORTATION	OLD CTRY RD/RD SWAMP ROAD	11803	LUST	9111978
PLAINVIEW	S100664874	JAMAICA ASH	OLD COUNTRY ROAD	11803	LUST	8706265
PLAINVIEW	S100490933	NCDPW	1535 OLD COUNTRY ROAD	11803	LUST	8607478
PLAINVIEW	S100177607	SHELL OIL	OLD COUNTRY ROAD	11803	LUST	
PLAINVIEW	S100171919	SHELL S/S	OLD COUNTRY ROAD	11803	LUST	
PLAINVIEW	S100148690	NY TELEPHONE CO.	OLD COUNTRY ROAD	11803	LUST	
PLAINVIEW	1000258691	PLAINVIEW SHELL, INC.	S. OYSTER BAY RD. & OL CTRY RD	11803	FINDS, RCRIS-LQG	9209688
PLAINVIEW	S100492056	SHELL S/S	PLAINVIEW / OLD CTRY ROAD	11803	LUST	
PLAINVIEW	1000145403	PASADENA DRIVE ELEMENTARY SCHOOL	PLAINVIEW / OLD CTRY ROAD	11803	LUST	8707415
PLAINVIEW	S100149233	PLAINVIEW FIRE DISTRICT	RICHARD COURT/BENMUR STREET	11803	FINDS, RCRIS-LQG	
PLAINVIEW	1000229340	PROFILE SEPARATION & PREP INC	ROUND SWAMP / OLD BETHPAG	11803	LUST	
PLAINVIEW	S101658198	OLD BETHPAGE SCHOOL	21 SHEER PLAZA	11803	FINDS, RCRIS-LQG	9506301
PLAINVIEW	S100667008	LA GREG A SANDOS	STADFORD ROAD SCHOOL	11803	LUST	9304939
PLAINVIEW	S100177523	PLAINVIEW COMM PARK	SUNNYSIDE BLVD EXIT 46	11803	LUST	9110559
PORT JEFFERSON	95300308		WASHINGTON BLVD	11801	ERNS	
PORT WASHINGTON	95291427			11801	ERNS	
STUART	1000698804	GRUMMAN AEROSPACE CORP #77	SR A1A 1 MI S OF STUART	11714	RCRIS-LQG, RCRIS-TSD, RAAATS, CORRACTS	
W BABYLON	1000328729	SUNOCO SVC STA	655 FARMINGDALE RD	11714	FINDS	
WHITESTONE	94215386	CONFIGURATION OF EAST RIVER IN LONG ISLAND SOUND / E OF WHITE		11801	ERNS	

EPA Waste Codes Addendum

Code	Description
D000	NOT DEFINED
D001	IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSKEY-MARTENS CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET, WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.
D002	A WASTE WHICH HAS A PH OF LESS THAN 2 OR GREATER THAN 12.5 IS CONSIDERED TO BE A CORROSIVE HAZARDOUS WASTE. SODIUM HYDROXIDE, A CAUSTIC SOLUTION WITH A HIGH PH, IS OFTEN USED BY INDUSTRIES TO CLEAN OR DEGREASE PARTS. HYDROCHLORIC ACID, A SOLUTION WITH A LOW PH, IS USED BY MANY INDUSTRIES TO CLEAN METAL PARTS PRIOR TO PAINTING. WHEN THESE CAUSTIC OR ACID SOLUTIONS BECOME CONTAMINATED AND MUST BE DISPOSED, THE WASTE WOULD BE A CORROSIVE HAZARDOUS WASTE.
D003	A MATERIAL IS CONSIDERED TO BE A REACTIVE HAZARDOUS WASTE IF IT IS NORMALLY UNSTABLE, REACTS VIOLENTLY WITH WATER, GENERATES TOXIC GASES WHEN EXPOSED TO WATER OR CORROSIVE MATERIALS, OR IF IT IS CAPABLE OF DETONATION OR EXPLOSION WHEN EXPOSED TO HEAT OR A FLAME. ONE EXAMPLE OF SUCH WASTE WOULD BY WASTE GUNPOWDER.
D006	CADMIUM
D007	CHROMIUM
D008	LEAD
D009	MERCURY
D010	SELENIUM
D011	SILVER
D018	BENZENE
D027	1,4-DICHLOROBENZENE
D035	METHYL ETHYL KETONE
D039	TETRACHLOROETHYLENE
F001	THE FOLLOWING SPENT HALOGENATED SOLVENTS USED IN DEGREASING: TETRACHLOROETHYLENE, TRICHLOROETHYLENE, METHYLENE CHLORIDE, 1,1,1-TRICHLOROETHANE, CARBON TETRACHLORIDE, AND CHLORINATED FLUOROCARBONS; ALL SPENT SOLVENT MIXTURES/BLENDS USED IN DEGREASING CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F002, F004, AND F005, AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.
F002	THE FOLLOWING SPENT HALOGENATED SOLVENTS: TETRACHLOROETHYLENE, METHYLENE

EPA Waste Codes Addendum


Code	Description
	CHLORIDE, TRICHLOROETHYLENE, 1,1,1-TRICHLOROETHANE, CHLOROBENZENE, 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE, ORTHO-DICHLOROBENZENE, TRICHLOROFUOROMETHANE, AND 1,1,2-TRICHLOROETHANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE LISTED IN F001, F004, OR F005, AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.
F003	THE FOLLOWING SPENT NON-HALOGENATED SOLVENTS: XYLENE, ACETONE, ETHYL ACETATE, ETHYL BENZENE, ETHYL ETHER, METHYL ISOBUTYL KETONE, N-BUTYL ALCOHOL, CYCLOHEXANONE, AND METHANOL; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONLY THE ABOVE SPENT NON-HALOGENATED SOLVENTS; AND ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONE OR MORE OF THE ABOVE NON-HALOGENATED SOLVENTS, AND, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THOSE SOLVENTS LISTED IN F001, F002, F004, AND F005, AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.
F004	THE FOLLOWING SPENT NON-HALOGENATED SOLVENTS: CRESOLS AND CRESYLIC ACID, AND NITROBENZENE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE NON-HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F002, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.
F005	THE FOLLOWING SPENT NON-HALOGENATED SOLVENTS: TOLUENE, METHYL ETHYL KETONE, CARBON DISULFIDE, ISOBUTANOL, PYRIDINE, BENZENE, 2-ETHOXYETHANOL, AND 2-NITROPROPANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE NON-HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F002, OR F004; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.
F006	WASTEWATER TREATMENT SLUDGES FROM ELECTROPLATING OPERATIONS EXCEPT FROM THE FOLLOWING PROCESSES: (1) SULFURIC ACID ANODIZING OF ALUMINUM; (2) TIN PLATING ON CARBON STEEL; (3) ZINC PLATING (SEGREGATED BASIS) ON CARBON STEEL; (4) ALUMINUM OR ZINC-ALUMINUM PLATING ON CARBON STEEL; (5) CLEANING/STRIPPING ASSOCIATED WITH TIN, ZINC AND ALUMINUM PLATING ON CARBON STEEL; AND (6) CHEMICAL ETCHING AND MILLING OF ALUMINUM.
F017	NOT DEFINED
K050	HEAT EXCHANGER BUNDLE CLEANING SLUDGE FROM THE PETROLEUM REFINING INDUSTRY
K052	TANK BOTTOMS (LEADED) FROM THE PETROLEUM REFINING INDUSTRY
NONE	NONE
P122	ZINC PHOSPHIDE ZN ₃ P ₂ , WHEN PRESENT AT CONCENTRATIONS GREATER THAN 10% (R,T)
U002	ACETONE (I)
U002	2-PROPANONE (I)

EPA Waste Codes Addendum

Code	Description
U028	1,2-BENZENEDICARBOXYLIC ACID, BIS(2-ETHYLHEXYL) ESTER
U028	DIETHYLHEXYL PHTHALATE
U044	CHLOROFORM
U044	METHANE, TRICHLORO-
U112	ACETIC ACID ETHYL ESTER (I)
U112	ETHYL ACETATE (I)
U122	FORMALDEHYDE
U140	ISOBUTYL ALCOHOL (I,T)
U140	1-PROPANOL, 2-METHYL- (I,T)
U147	2,5-FURANDIONE
U147	MALEIC ANHYDRIDE
U154	METHANOL (I)
U154	METHYL ALCOHOL (I)
U159	2-BUTANONE (I,T)
U159	METHYL ETHYL KETONE (MEK) (I,T)
U190	1,3-ISOBENZOFURANDIONE
U190	PHTHALIC ANHYDRIDE
U196	PYRIDINE
U210	ETHENE, TETRACHLORO-
U210	TETRACHLOROETHYLENE
U213	FURAN, TETRAHYDRO-(I)
U213	TETRAHYDROFURAN (I)
U220	BENZENE, METHYL-
U220	TOLUENE
U223	BENZENE, 1,3-DIISOCYANATOMETHYL- (R,T)
U223	TOLUENE DIISOCYANATE (R,T)
U226	ETHANE, 1,1,1-TRICHLORO-

EPA Waste Codes Addendum

Code	Description
U226	METHYL CHLOROFORM
U239	BENZENE, DIMETHYL- (I,T)
U239	XYLENE (I)
X001	WASTE OILS



Study Area For

Grumman GO CO Property Bethpage Long Island



EDR Environmental Data Resources, Inc.
 Creators of Toxiccheck
 1-800-352-0050

Legend

- | | | | | |
|--|-------------|---------------|-------------|-----------------|
| Listed Sites | Roads | Railroads | Powerlines | Superfund Sites |
| Earthquake Epicenters (Richter 5 or greater) | Major Roads | Contour Lines | Fault Lines | |
| Study Area Boundary | Waterways | Pipelines | Water | |





D

APPENDIX D
SUPPLEMENTAL INFORMATION

THOMAS S. GULOTTA
COUNTY EXECUTIVE



ABBY J. GREENBERG, M.D.
ACTING COMMISSIONER

COUNTY OF NASSAU
DEPARTMENT OF HEALTH
240 OLD COUNTRY ROAD
MINEOLA, N.Y. 11501-4250

July 8, 1994

Robert T. O'Hea, P.E.
Grumman Corporation
Mail Stop DO8-GHQ
Bethpage, N.Y. 11714

Re: CERTIFICATION OF ARTICLE XI PLANS
10,000 Gal. Below Fuel Oil Tank
Grumman Corporation
Building # 17, Tank # 9339
Bethpage, N.Y. 11714
NCHD Facility ID # 1

Dear Mr. O'Hea:

The certification submission of the above-referenced facility has been reviewed by this Department and found to be acceptable.

The facility will be issued a Permit to Operate under separate cover.

Please call me at 571-4930 if you have questions regarding this matter.

Sincerely,

A handwritten signature in cursive script that reads "Robert Weitzman".

Robert Weitzman
Public Health Engineer
Bureau of Environmental Engineering

RW:ld
Document # 2190J-43

Grumman Corporation

Bohannan New York 11794-6583

April 20, 1992
FDP - 698

New York State Department of Environmental Conservation
Region 1 - Headquarters
SUNY - Building 40
Stony Brook, New York 11794

Attention: Walter Parish

Subject: SOIL BORING LOG AND SPLIT SPOON SOIL SAMPLING RESULTS
FOR SPILL No. 91-05709 - TANK 17-22-1 FAILURE

Enclosures: 1) Split Spoon Soil Sample results for seven intervals
2) Soil Boring Log
3) Site Location Plan


Dear Mr. Parish:

Please find the above enclosures for your review of our site investigation to determine the extent of petroleum contamination in soil from spill no. 91-05709. Please note that the boring log indicates that gray clay was present at forty (40) feet. The soil boring was terminated at forty (40) feet due to this clay. No petroleum contamination was found below interval five.

Should you have any questions, you may contact me at (516) 575-2385 or J. Selva at (516) 575-8176.

Very truly yours

GRUMMAN CORPORATION



J. Ohlmann, P.E., Director
Corporate Environmental Technology
& Compliance
Mail Stop: D08-GHQ

JO:tla
TLA-554

bcc: (w/o enclosures)
D. Cassell

J. Cofman

(w/enclosures)

B. Andres

J. Selva

← THIS COPY FOR →

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (516) 422-5777 • FAX (516) 422-5770

LAB NO. C914035/1

11/19/91

Grumman Aerospace Corporation
Mail Station D08-GHQ
Bethpage, NY 11714

ATTN: John Ohlmann

PO# 30-28955

SOURCE OF SAMPLE: Bethpage, Soil Boring 17-03-1
COLLECTED BY: MPC DATE COL'D:11/06/91 RECEIVED:11/07/91

SAMPLE: Soil Sample, 7'

ANALYTICAL PARAMETERS

Benzene	ug/Kg	<5
Toluene	ug/Kg	<5
Ethyl Benzene	ug/Kg	<5
m + p Xylene	ug/Kg	<10
o Xylene	ug/Kg	<5


Petrol. Hydrocarbons mg/Kg 25

ANALYTICAL PARAMETERS

cc:John Selva/GAC, Jim Davey/MPC

REMARKS:

DIRECTOR



rn=

18532

NYSDOH ID# 10320

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (516) 422-5777 • FAX (516) 422-5770

LAB NO. C914035/2

11/19/91

Grumman Aerospace Corporation
Mail Station D08-GHQ
Bethpage, NY 11714
ATTN: John Ohlmann

PO# 30-28955

SOURCE OF SAMPLE: Bethpage, Soil Boring 17-03-1
COLLECTED BY: MPC DATE COL'D: 11/06/91 RECEIVED: 11/07/91

SAMPLE: Soil Sample, 9'-11'

ANALYTICAL PARAMETERS

Benzene	ug/Kg	<5
Toluene	ug/Kg	<5
Ethyl Benzene	ug/Kg	<5
m + p Xylene	ug/Kg	<10
o Xylene	ug/Kg	<5


Petrol. Hydrocarbons mg/Kg <10

ANALYTICAL PARAMETERS

cc: John Selva/GAC, Jim Davey/MPC

REMARKS:

DIRECTOR _____



rn# 18533

NYSDOH ID# 10320

ECOTEST LABORATORIES, INC.

ENVIRONMENTAL TESTING

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (516) 422-5777 • FAX (516) 422-5770
LAB NO. C914035/3 11/19/91

Grumman Aerospace Corporation
Mail Station D08-GHQ
Bethpage, NY 11714
ATTN: John Ohlmann PO# 30-28955

SOURCE OF SAMPLE: Bethpage, Soil Boring 17-03-1
COLLECTED BY: MPC DATE COL'D: 11/06/91 RECEIVED: 11/07/91

SAMPLE: Soil Sample, 14'-16'

ANALYTICAL PARAMETERS

Benzene	ug/Kg	<5
Toluene	ug/Kg	<5
Ethyl Benzene	ug/Kg	<5
m - p Xylene	ug/Kg	<10
o Xylene	ug/Kg	<5
Petrol. Hydrocarbons mg/Kg		170

ANALYTICAL PARAMETERS

cc: John Selva/GAC, Jim Davey/MPC

REMARKS:

DIRECTOR 

rn# 18534

NYSDOH ID# 10320

NYSDEC 056404

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (516) 422-5777 • FAX (516) 422-5770

LAB NO. C914035/4

11/19/91

Grumman Aerospace Corporation
Mail Station D08-GHQ
Bethpage, NY 11714

ATTN: John Ohlmann

PO# 30-28955

SOURCE OF SAMPLE: Bethpage, Soil Boring 17-03-1
COLLECTED BY: MPC DATE COL'D:11/06/91 RECEIVED:11/07/91

SAMPLE: Soil Sample, 20'-22'

ANALYTICAL PARAMETERS


Benzene	ug/Kg	<5
Toluene	ug/Kg	<5
Ethyl Benzene	ug/Kg	<5
m + p Xylene	ug/Kg	<10
o Xylene	ug/Kg	<5
Petrol. Hydrocarbons	mg/Kg	1100

ANALYTICAL PARAMETERS

cc:John Selva/GAC, Jim Davey/MPC

REMARKS:

DIRECTOR _____



rn=

18535

NYSDOH ID# 10320

ECOTEST LABORATORIES, INC.

ENVIRONMENTAL TESTING

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (516) 422-5777 • FAX (516) 422-5770

LAB NO. C914035/5

11/19/91

Grumman Aerospace Corporation
Mail Station D08-GHQ
Bethpage, NY 11714

ATTN: John Ohlmann

PO# 30-28955

SOURCE OF SAMPLE: Bethpage, Soil Boring 17-03-1

COLLECTED BY: MPC

DATE COL'D: 11/06/91 RECEIVED: 11/07/91

SAMPLE: Soil Sample, 25'-27'

ANALYTICAL PARAMETERS

Benzene	ug/Kg	<5
Toluene	ug/Kg	<5
Ethyl Benzene	ug/Kg	<5
m + p Xylene	ug/Kg	<10
o Xylene	ug/Kg	<5


ANALYTICAL PARAMETERS

Petrol. Hydrocarbons mg/Kg 11

cc: John Selva/GAC, Jim Davey/MPC

REMARKS:

DIRECTOR _____



rn*

18536

NYSDOH ID# 10320

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (516) 422-5777 • FAX (516) 422-5770

LAB NO. C914035/6

11/19/91

Grumman Aerospace Corporation
Mail Station D08-GHQ
Bethpage, NY 11714

ATTN: John Ohlmann

PO# 30-28955

SOURCE OF SAMPLE: Bethpage, Soil Boring 17-03-1
COLLECTED BY: MPC DATE COL'D: 11/06/91 RECEIVED: 11/07/91

SAMPLE: Soil Sample, 30'-32'

ANALYTICAL PARAMETERS

Benzene	ug/Kg	<5
Toluene	ug/Kg	<5
Ethyl Benzene	ug/Kg	<5
m + p Xylene	ug/Kg	<10
o Xylene	ug/Kg	<5


Petrol. Hydrocarbons mg/Kg <10

ANALYTICAL PARAMETERS

cc: John Selva/GAC, Jim Davey/MPC

REMARKS:

DIRECTOR _____



rn# 18537

NYSDOH ID# 10320

ECOTEST LABORATORIES, INC.

ENVIRONMENTAL TESTING

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (516) 422-5777 • FAX (516) 422-5770
LAB NO. C914035/7 11/19/91

Grumman Aerospace Corporation
Mail Station D08-GHQ
Bethpage, NY 11714
ATTN: John Ohlmann PO# 30-28955

SOURCE OF SAMPLE: Bethpage, Soil Boring 17-03-1
COLLECTED BY: MPC DATE COL'D: 11/06/91 RECEIVED: 11/07/91

SAMPLE: Soil Sample, 35'-37'

ANALYTICAL PARAMETERS
Benzene ug/Kg <5
Toluene ug/Kg <5
Ethyl Benzene ug/Kg <5
m + p Xylene ug/Kg <10
o Xylene ug/Kg <5

Petrol. Hydrocarbons mg/Kg <10

ANALYTICAL PARAMETERS

cc: John Selva/GAC, Jim Davey/MPC

REMARKS:

DIRECTOR _____


rn= 18538

NYSDOH ID# 10320

NYSDEC 056408

DRILLING / WELL LOG


Boring/Well _____ CLIENT Grumman Page 1 of 1
 Location Plant 3, Bethpage Date 6 Nov 91
 Total Depth Drilled 40' Type of Sample Split Spoon Interval 5'
 Casing Installed NONE Screen Installed NONE
 Drilling Method Auger Drilling Fluid Used NONE
 Drilling Contractor MPC Environmental Driller Gregor
 Prepared By Alex Gregor

Sample Depth OVA Reading
 From to (ppm) Sample Description

Vertical

1
2
3
4
5
6
7

Sample From	Sample to	OVA Reading (ppm)	Sample Description
8'	10'		Coarse Sand, Some Fine Gravel Petroleum Odor
13'	15'	-	- Same -
18'	20'		Finer Sand, Some Gravel Petroleum Odor
23'	25'		Redish Fine Sand Petroleum Odor
28'	30'		Fine Sand Decreased Petroleum Odor
32'	35'		Redish Fine Sand No Odor
37	40'		Fine Sands & Silt No Petroleum Odor Last 4" of Sample - Silt & Grey Clay



GRUMMAN AIRCRAFT CORP.
 SOIL BORING LOCATION PLAN
 STILL NO 91-05709
 APRIL 1992

NO SCALE

(4B)