



**PHASE I  
ENVIRONMENTAL  
SITE ASSESSMENT  
for the  
RECHARGE BASIN AREA**

**GOCO FACILITY  
BETHPAGE, NEW YORK**

Prepared for:

**NORTHROP GRUMMAN  
CORPORATION  
South Oyster Bay Road  
Bethpage, New York**

**March 1997**

**RADIAN**  
INTERNATIONAL LLC

**PHASE I ENVIRONMENTAL  
SITE ASSESSMENT  
for the  
RECHARGE BASIN AREA**

**GOCO FACILITY  
BETHPAGE, NEW YORK**

**Prepared for:  
NORTHROP GRUMMAN CORPORATION  
South Oyster Bay Road  
Bethpage, New York**

**Prepared by:  
Radian International LLC**

APR 16 1997  
NYSDEC

APR 16 1997

**March 1997**

DUR. OF HAZARDOUS  
WASTE & LAND USE  
DIVISION OF CONSERVATION  
& FORESTRY

## TABLE OF CONTENTS

<u>Section</u>	<u>Page</u>
<b>EXECUTIVE SUMMARY</b> .....	ES-1
<b>1.0 INTRODUCTION</b> .....	1-1
1.1 Document Organization .....	1-1
<b>2.0 SITE DESCRIPTION</b> .....	2-1
2.1 Site Setting.....	2-1
2.2 Regional Geology and Hydrogeology .....	2-1
2.3 Facility Overview and Description .....	2-3
2.4 Area Description .....	2-4
2.4.1 Above and Below Ground Petroleum Storage Tanks .....	2-5
2.4.2 Use of Chemicals and Raw Materials .....	2-5
2.4.3 Chemical Storage Areas.....	2-5
2.4.4 Waste Storage Areas .....	2-5
2.4.5 Waste Generation and Disposal Practices.....	2-6
2.5 PCB Containing Equipment.....	2-6
2.6 Water Systems, Surface Supply, Septic and Sanitary .....	2-6
<b>3.0 SITE HISTORY</b> .....	3-1
3.1 Aerial Photographs and Topographic Map Review.....	3-1
3.2 Recharge Basins.....	3-1
3.3 Sludge Drying Beds .....	3-2
3.4 Historic Underground and Above Ground Storage Tanks.....	3-2
<b>4.0 ENVIRONMENTAL RECORDS REVIEW</b> .....	4-1
4.1 Northrop Grumman Document Review.....	4-1
4.1.1 Previous Environmental Investigations .....	4-1
4.2 Local Regulatory Agencies.....	4-7
4.2.1 New York State Department of Environmental Conservation (NYSDEC).....	4-7
4.2.2 Nassau County Department of Health .....	4-8
4.2.3 Nassau County Fire Marshal.....	4-8
4.3 Property History Search.....	4-8
4.4 Standard Environmental Regulatory Agency Database Review.....	4-9
4.4.1 Federal ASTM Records .....	4-9
4.4.2 Federal Non-ASTM Records .....	4-11
4.4.3 State of New York ASTM Records .....	4-13

## TABLE OF CONTENTS, Continued

<b><u>Section</u></b>	<b><u>Page</u></b>
4.4.4 State of New York Non-ASTM Records .....	4-17
4.4.5 Summary of Agency Database Review .....	4-18
4.5 Documented Releases at Recharge Basin Area .....	4-19
<b>5.0 FINDINGS .....</b>	<b>5-1</b>
5.1 Summary of Findings.....	5-1
<b>6.0 RECOMMENDATIONS.....</b>	<b>6-1</b>
6.1 On-Site Recommendations .....	6-1
6.2 Off-Site Recommendations.....	6-1
6.3 Limitations of the Phase I Environmental Site Assessment .....	6-1
<b>7.0 REFERENCES.....</b>	<b>7-1</b>
<b>8.0 WARRANTY AND DISCLOSURE LIMITATIONS .....</b>	<b>8-1</b>

## LIST OF TABLES

<u>Table</u>		<u>Page</u>
3-1	Aerial Photograph Review .....	3-3
4-1	TCE Concentrations in Samples Collected at the Recharge Base Area .....	4-20
4-2	PCB and TCE Concentrations in Surface and Subsurface Soil Collection at the Recharge Basin Area.....	4-22
4-3	TCE Concentrations in Sediment and Surface Water Samples Collected at the Recharge Basin .....	4-23

## LIST OF FIGURES

<u>Figure</u>		
1	Vicinity Map - Recharge Basin Area.....	1-3
2	Hydraulic Head Values .....	2-7
3	Impacted Area of Groundwater Contamination.....	2-8
4	Site Plan for the Recharge Basin Area.....	2-9
5	Soil Gas Sampling Points at the Recharge Basin Area.....	4-24
6	Surface Soil Sampling Points at the Recharge Basin Area.....	4-25
7	Subsurface Soil Sampling Points at the Recharge Basin Area .....	4-26
8	Groundwater Sampling Points at the Recharge Basin Area .....	4-27
9	Surface Water and Sediment Sampling Points at the Recharge Basin Area.....	4-28



## EXECUTIVE SUMMARY

On March 25, 1996, Radian International LLC (Radian), formerly Dow Environmental Inc., initiated a Phase I Environmental Site Assessment (ESA) for Northrop Grumman Corporation (Northrop Grumman). Data gathering activities were conducted from September through October 1996.

### *Project Objectives*

The objective of this Phase I ESA is to provide a baseline environmental assessment of recognized environmental conditions at the Recharge Basin Area. This assessment was performed in general accordance with Radian's Proposal No. P96A-041 dated February 23, 1996 and the American Society for Testing and Materials (ASTM) Phase I Environmental Site Assessment Process E 1527-94. This assessment was performed to evaluate the presence or likely presence of hazardous substances or petroleum products that may indicate an existing or past release of hazardous substances or petroleum products into structures located in the Recharge Basin Area or into soil, groundwater or surface water at the site.

### *Summary of Findings*

The Recharge Basin Area is situated within the Government Owned, Contractor Operated (GOCO) section of the Northrop Grumman facility. It is located in the northeastern portion of the Northrop Grumman facility in the Town of Bethpage, New York. The Recharge Basin Area was originally designated as Site 8 in a 1986 Initial Assessment Study performed by the U.S. Navy at the Northrop Grumman Bethpage and Calverton, New York facilities. This designation was later changed to Site 2 when the Bethpage facility investigation was separated from the Calverton investigation. For the purposes of this report, the site will be referred to as the Recharge Basin Area. Currently, the Recharge Basin Area is utilized for the discharge/recharge of non-contact cooling water and stormwater runoff from Plant 3, Plant 10, and Plant 17. Historically, the site has been used for discharge/recharge of stormwater, non-contact cooling water, and non-chromated rinse water from Plant 3. In addition, the northwest portion of the Recharge Basin Area was previously used for dewatering of sludge generated by the Plant 2 Industrial Waste Treatment Plant (IWTP). Dewatering was performed in sludge drying beds which were taken out of use and backfilled in 1980.

Based on the results of Radian's Phase I ESA, there are no recognized environmental areas of concern (AOCs) at the Recharge Basin Area. This determination is based on information gathered during site reconnaissance, review of public agencies' databases and files, and review of available records and information supplied by Northrop Grumman personnel during interviews conducted by Radian.

Since 1986, the Recharge Basin Area has been investigated extensively by the U.S. Navy, including sampling of soil gas, soil, sediment, groundwater and surface water at the site. In 1995, a Record of Decision (ROD) for three sites including the Recharge Basin Area, was jointly accepted by the U.S. Navy and the New York State Department of Environmental Conservation (NYSDEC). Based on requirements outlined in the ROD, remediation of contaminated soil at the Recharge Basin Area was completed in May of 1996.

In addition, Northrop Grumman, in conjunction with the U.S. Navy and Occidental Chemical Corporation (OCC) is developing a Regional Groundwater Feasibility Study to address various plumes of groundwater contamination in the vicinity of the Northrop Grumman, GOCO and OCC facilities. This study is being developed with review and oversight by NYSDEC, the U.S. Environmental Protection Agency (EPA) and the New York State Department of Health (NYSDOH).

The findings of this report are based on ASTM and current industry standards.





## 1.0 INTRODUCTION

The purpose of this Phase I ESA is to provide a baseline environmental assessment of the Recharge Basin Area. This assessment was performed in general accordance with Radian's Proposal No. P96A-041 dated February 23, 1996 and the American Society for Testing and Materials (ASTM) Phase I Environmental Site Assessment Process E 1527-94.

The assessment included a regulatory agency database search, state, county and local agency file research, visual review of the adjacent and surrounding properties and facilities, interviews with facility employees, review of Northrop Grumman environmental records, and a visual inspection of the Recharge Basin Area.

The Recharge Basin Area is part of a larger property known as the Naval Weapons Industrial Reserve Plant (NWIRP). The NWIRP property is owned by the U.S. Navy and operated by Northrop Grumman. The NWIRP facility is also referred to as the Government Owned, Contractor Operated (GOCO) facility. The property is located in the northeast portion of the Northrop Grumman facility in the Town of Bethpage, New York. The Recharge Basin Area is currently used for discharge/recharge of stormwater runoff and non-contact cooling water from Plant 3. Figure 1 shows the location of the site at the Northrop Grumman facility.


### 1.1 Document Organization

Section 1.0 of this document provides the introduction and document organization. Section 2.0 provides a site description which includes the geology and hydrogeology of the area, and a description of the facility including results of the site reconnaissance and interviews. Section 3.0 provides the site history. Section 4.0 provides the regulatory compliance history, including previous investigations, state and local agency research and agency database reviews. Section 5.0 provides the findings of the Phase I ESA. Recommendations are included in Section 6.0.

Appendix A to this report contains historical aerial photographs used to review past and present operations at the Recharge Basin Area. Appendix B contains the results of a chain of title search performed for the Northrop Grumman facility. Appendix C contains the results of the Environmental Data Resources (EDR) search of public databases for information on potentially contaminated sites within a 1-mile radius of the Northrop Grumman facility.



SCALE 1:24000



REFERENCE:

U.S. Geological Survey  
 HUNTINGTON, NY  
 40073-G4-TF-024  
 1967  
 PHOTOREVISED 1979



QUADRANGLE LOCATION

**RADIAN**  
 INTERNATIONAL LLC

VICINITY MAP  
 RECHARGE BASIN AREA

Figure:

1

Client:  
 NORTHROP GRUMMAN CORP.

Proj No.: 2704-5003  
 Date: February 1997

2704300R

0

0

0

## 2.0 SITE DESCRIPTION

### 2.1 Site Setting

The Recharge Basin Area covers approximately 13 acres and is located within the 105-acre GOCO section of the Northrop Grumman facility. The area surrounding the site constitutes a mix of industrial, commercial and residential uses. According to a 1979 USGS map, the topography of the subject and adjacent properties is generally flat and is approximately 110 feet above mean sea level. The reported (1993) depth to groundwater at the property is approximately 68 feet below ground surface (bgs).

The area immediately north of the Recharge Basin Area contains Buildings 26 and 31, an asphalt paved road, and a wooded area. The Plant 3 IWTP is located directly west of the site, and Building 24 is located directly east of the site. The Plant 3 main building and a residential area are located south of the Recharge Basin Area.

### 2.2 Regional Geology and Hydrogeology

The Northrop Grumman site is located on Long Island, which is a relatively flat, featureless, glacial outwash plain. The site is underlain by approximately 1,000 feet of unconsolidated sediments that overlie crystalline bedrock. The unconsolidated sediments consist of four distinct geologic units that are in descending order: the Upper Glacial Formation, the Magothy Formation, the Raritan Clay Member of the Raritan Formation, and the Lloyd Sand Member of the Raritan Formation. The crystalline bedrock consists primarily of metamorphic and igneous rocks including schist, gneiss, and granite. The regional dip of the bedrock is to the south-southeast.

The Upper Glacial Formation, which is approximately 30 to 45-feet thick, consists mostly of coarse sand and gravels. The Upper Magothy Formation consists primarily of coarse sands to a depth of approximately 100 feet bgs, below which finer sands, silts and clays predominate.

The Northrop Grumman Bethpage facility, including the Recharge Basin Area, is located on the south side of a groundwater divide which roughly splits Long Island in half, in relation to groundwater flow. North of the divide, regional groundwater flows toward Long Island Sound,

while south of the divide, which includes the Northrop Grumman facility, groundwater flows in a southeasterly direction toward the Atlantic Ocean. Figure 2 shows the regional groundwater hydraulic head elevations for the area surrounding the Northrop Grumman facility. The Upper Glacial Formation, the Magothy Formation, and the Lloyd Sand Member (Raritan Formation) are regional aquifers. The principal aquifers of concern due to their shallow depths are the Glacial and Magothy aquifers. Although not the primary source of potable water for the area, the Upper Glacial aquifer is an important source of potable water in Nassau County. The glacial deposits are characterized by high primary porosity and permeability with the porosity reported to exceed 30 percent. The Magothy aquifer is the major source of public water in Nassau County. The Lloyd Sand Member is not widely utilized due to its greater depth.

The geologic and hydrogeologic information obtained from previous investigations indicates that the Upper Glacial and Upper Magothy aquifers in the area beneath the site are interconnected and may be considered a common aquifer. Groundwater in this aquifer occurs under unconfined conditions. The number and thickness of clay lenses increase with depth within the Upper Magothy, but the horizontally discontinuous nature of these units prevents any one of them from functioning as an aquitard or semi-confining unit.

Although the regional groundwater flow beneath the Recharge Basin Area, and the Northrop Grumman Bethpage facility as a whole is toward the southeast, it appears that localized flow in and around the Northrop Grumman site is subject to significant fluctuations as a result of on-site pumping and reinjection. The 14 production wells located within the Northrop Grumman facility (seven production wells are located within the GOCO facility) operate on an irregular schedule and in various combinations based on facility demand. Demand is typically greatest during the summer months. As a result, the influence of the wells on the local flow regime at any time is dependent on pumping rates and on which of the production wells are operating. Groundwater withdrawal rates (Geraghty & Miller, Inc. 1994) were approximately 3 to 11 million gallons per day (mgd) in 1994. Almost all production well water (and most storm water runoff) is discharged to the on-site recharge basins, including the three basins at the Recharge Basin Area.

During the Phase I and Phase II Remedial Investigations of the Northrop Grumman facility (Geraghty & Miller, Inc. 1992 and 1993), pumping effects were observed around Plant 15 in the vicinity of Northrop Grumman production well GP-13. Recharge effects were evident around the recharge basins at the Recharge Basin Area, the Plant 5 recharge basins, and to a lesser extent near the Plant 12 recharge basins. Mounding was also observed along the eastern border of the

Occidental Chemical Company (OCC)/ RUCO Polymer facility (near Plant 115) and is attributed to recharge occurring at the OCC/RUCO Polymer site.

Groundwater sampling conducted during the Phase I and Phase II Remedial Investigations indicated two plumes of contaminated groundwater (eastern and western) near the center of the Northrop Grumman facility. The eastern plume was determined to consist of TCE, PCE, 1,1,1-TCA, 1,2-DCE, 1,1-DCE and 1,1-DCA. The western plume primarily consists of TCE.

In addition to the two plumes identified in the central portion of the Northrop Grumman site, an area of contamination was also identified along the borders of the Northrop Grumman facility and the OCC/RUCO Polymer site. The concentrations detected did not indicate a discrete plume or plumes, and generally consist of TCE, PCE, 1,1,1-TCA, 1,1-DCE and vinyl chloride. In addition, analytical data gathered from Northrop Grumman production well GP-6 during the Remedial Investigations performed by Geraghty & Miller indicate that this area is also affected by the OCC/RUCO Polymer site. Figure 3 shows the approximate areal extent of groundwater contamination in the vicinity of the Northrop Grumman facility.

To the south of the Northrop Grumman facility, hydraulically downgradient contaminants are present in groundwater at varying depths. However, the concentrations of contaminants do not indicate that a discrete plume or plumes are present. The pumping and recharge of groundwater on the Northrop Grumman facility, as well as the pumping by the Bethpage Water District, is likely responsible for the observed contamination downgradient of the Northrop Grumman facility.

As a result of the effects of pumping and recharge in and around the Northrop Grumman facility, the groundwater at the Recharge Basin Area, which would normally be considered upgradient or lateral of Plant 3 and the OCC/RUCO Polymer site, may have been affected due to the alteration of groundwater flow.

### **2.3 Facility Overview and Description**

Site reconnaissance was performed on September 6, 1996, and October 23, 1996 to observe the condition of the property. In addition, a drive-by inspection of the adjacent properties was

conducted to note general land use surrounding the Recharge Basin Area. As of this report date, the owner and operator of the property was identified as follows:

- Site Owner/Operator Name: U.S. Navy/Northrop Grumman Corp.  
 Street Address: Stewart Avenue  
 City: Bethpage  
 State: New York
  
- Site Name: Recharge Basin Area  
 Street Address: South Oyster Bay Road  
 City: Bethpage  
 County: Nassau County  
 State: New York

Approximately 75 percent of the property is comprised of three distinct recharge basins. The remaining 25 percent is unpaved service roads, the unpaved location of the former sludge drying beds, stockpiled soil, and a road salt and sand storage building. The property is generally square in shape and is approximately 750 feet long by 750 feet wide. A distribution box used to control flow to the individual basins is located in the center of the site. Figure 4 shows the layout of the Recharge Basin Area.

The only structure at the Recharge Basin Area is a shed used to store salt and sand for road application during winter months. A brief description of the shed is provided below:

Structure No.	Structure Use/Name	Approximate Area (sq. ft.)
03-049	salt / sand storage	2,500

**2.4 Area Description**

The Recharge Basin Area is located within the northeastern quadrant of the GOCO facility. The area contains three recharge basins and a road salt/sand storage building. The recharge basins are each approximately 3 acres in size and are used for the discharge of stormwater runoff and non-contact cooling waters from Plant 3, Plant 10, Plant 17, and several other areas located in the northern portion of the Northrop Grumman Bethpage facility. Historically, non-chromated process wastewater from Plant 3 was also discharged to these basins.



#### **2.4.1 Above and Below Ground Petroleum Storage Tanks**

The following sources were reviewed to determine current and historical information on above and below ground tanks at the Recharge Basin Area:

- Spill Prevention, Control and Countermeasures (SPCC) Plans from 1979, 1985, 1988 and 1994;
- Tank tightness testing records;
- Tank release records; and
- Tank registration information.

Based on review of these sources, it was concluded that no above or below ground storage tanks are located at the site. In addition, no tanks have been previously located at the site.

#### **2.4.2 Use of Chemicals and Raw Materials**

The presence of chemicals within the Recharge Basin Area is reported to be limited primarily to the storage of road salt and road sand which is stored in Building 03-049, also commonly referred to as the Salt Storage Shed. During Radian's site reconnaissance, a pallet of nitrogen fertilizer was located in Building 03-049. However, there was no available information which was encountered during the file search and interview process that indicated Building 03-049 had been historically utilized for the storage of any chemicals or raw materials other than road salt or sand.

There are no reports to indicate that any type of chemicals or raw materials were used in or around the recharge basins themselves.

#### **2.4.3 Chemical Storage Areas**

Building 03-049 is located in the central portion of the Recharge Basin Area. This building is used for the storage of road salt and road sand.

#### **2.4.4 Waste Storage Areas**

Although no designated waste storage areas were present during Radian's site reconnaissance, several large piles of sand, asphalt and construction debris were observed on the north side of

Building 03-049. Several of the piles were overgrown with weeds and appeared to have been in place for an extended period of time.

#### **2.4.5 Waste Generation and Disposal Practices**


According to Northrop Grumman personnel, the only waste generated at the Recharge Basin Area was sediment which was periodically dredged from the three recharge basins. This dredged sediment was reportedly stored adjacent to Building 03-049 prior to being used as fill material at other portions of the Northrop Grumman facility. It is likely that the existing piles located on the north side of Building 03-049 are dredged sediment from the recharge basins.

#### **2.5 PCB Containing Equipment**


No PCB containing equipment was observed within the Recharge Basin Area at the time of Radian's site reconnaissance. There was no information available within Northrop Grumman records which would indicate PCB containing equipment had ever been historically used on the site.

#### **2.6 Water Systems, Surface Supply, Septic and Sanitary**

There are no surface waters located within the Recharge Basin Area aside from the three recharge basins themselves. Stormwater runoff that does not drain directly into one of the recharge basins infiltrates into site soils. There is no source of potable water on the site, and no water wells were observed. No septic or sewer systems were reported to exist on the site.



CLIENT: NORTHROP GRUMMAN CORP. BETHPAGE, LONG ISLAND, NY		DWG. TITLE: HYDRAULIC HEAD VALUES	
<b>RADIAN</b> <b>INTERNATIONAL</b> LLC FAIRFIELD, NEW JERSEY	DRAWN BY: BTD	DATE: FEB. 1997	FIGURE: 2
	PROJECT No.: 2704-1006	SCALE: AS SHOWN	FILE NUMBER: 2704120F




REFERENCE: GERAGHTY & MILLER, INC.  
 GENERALIZED AREAS OF IMPACTED GROUNDWATER


CLIENT:  
 NORTHRUP GRUMMAN CORP.  
 BETHPAGE, LONG ISLAND, NY



DWG. TITLE: IMPACTED AREA OF GROUNDWATER CONTAMINATION: GOCO FACILITY		DATE: FEB 1997	FIGURE: 3
DRAWN BY: BTD		SCALE: NONE	FILE NUMBER: 2704GW
PROJECT NO.: 002704			



CLIENT: NORTHROP GRUMMAN CORP. BETHPAGE, LONG ISLAND, NY	DWG. TITLE: SITE PLAN OF THE RECHARGE BASIN AREA
<b>RADIAN</b> INTERNATIONAL LLC FAIRFIELD, NEW JERSEY	DRAWN BY: BTD
	DATE: NOV 1996
	PROJECT No.: 2704-4003
	SCALE:
	FIGURE: 4
	FILE NUMBER: FAIROG.DWG



0

0

0

### 3.0 SITE HISTORY

This section presents the history of the Recharge Basin Area and surrounding properties. Information included in this section is based on aerial photographs, interviews with Northrop Grumman personnel, reviews of applicable Northrop Grumman files, and the findings of the site reconnaissance.

#### 3.1 Aerial Photographs and Topographic Map Review

Aerial photographs taken in ten different years from 1947 to 1993 were used to review the history of the Recharge Basin Area. Three of the photographs used for review were large prints located on-site at Northrop Grumman. Prints for eight additional years were obtained from an aerial photograph vendor, and are included in Appendix A to this report. Two photographs (one obtained by Radian and one from Northrop Grumman) were used for the 1978 interpretation. Photographs were observed using a high-powered hand lens.

The aerial photographs indicate that the two southern recharge basins have been in existence since prior to 1947, and that the third basin was constructed between 1962 and 1966. The sludge drying beds were also constructed between 1962 and 1966 and were removed from service and backfilled between 1978 and 1983. Records indicate that the sludge drying beds were closed in 1986. The salt storage shed (Building 03-049) was constructed between 1986 and 1993. Table 3-1 lists descriptions of each aerial photograph.

The topographic map (Huntington, NY Quadrangle, dated 1967, photo revised 1979) indicates that the Recharge Basin Area is bordered on the north side by Plant 31 and Plant 26. A parking lot is located west of the site (the Plant 3 IWTP is now located west of the site). Plant 24 is located east of the site. The Plant 3 main building and a residential area are located directly south of the Recharge Basin Area.

#### 3.2 Recharge Basins

Prior to 1984, the recharge basins received stormwater runoff, non-contact cooling water and non-chromated rinse waters from Plant 3. Since 1984, the recharge basins have received stormwater runoff and non-contact cooling water only. Since 1984, all contact wastewater from

Plant 3 has been treated in the Plant 3 IWTP, with effluent discharged to the Nassau County POTW. A 1976 environmental/energy survey of the activity (*Naval Facilities and Engineering Command*, referenced in the 1992 RI report prepared by Halliburton NUS Corp.) stated that approximately 1.85 million gallons per week of non-chromated production rinse waters from Plant 3 were discharged into the recharge basins. These waters were directly exposed to chemicals used in the industrial processing of aircraft components. From 1977 to 1992, approximately 14 million gallons per week of non-contact cooling water was discharged to the recharge basins (Halliburton NUS Corp., October 1993).

Rinse water received by the recharge basins was reported to have been discharged in accordance with a New York State Pollutant Discharge Elimination System (SPDES) discharge permit. Reportedly, no process tanks were ever discharged directly to the recharge basins.

It is reported that at several times in the past, chromium and cadmium waste streams entered the recharge basin. The Nassau County Department of Health performed sampling (1956) which detected levels of hexavalent chromium and cadmium in excess of allowable limits. Northrop Grumman was notified of this non-compliance and asked to reduce the concentration of hexavalent chromium and cadmium from the discharge water. It is reported that Northrop Grumman complied with the request.

### **3.3 Sludge Drying Beds**

Prior to 1980, wastewater treatment sludge from the Plant 2 IWTP was dewatered in sludge drying beds located adjacent to the recharge basins. Dewatered sludge was disposed off site in accordance with all applicable state and federal regulations. The drying beds were closed and backfilled in 1980. A 1995 ROD required remediation of PCB-contaminated soil in the area of the sludge drying beds. In 1996, soil remediation was completed in the area of the sludge drying beds, satisfying the requirements of the ROD. This remediation is described in Section 4.0 of this report.

### **3.4 Historic Underground and Above Ground Storage Tanks**

According to Northrop Grumman records, no storage tanks of any kind have ever been located at the Recharge Basin Area.



**TABLE 3-1**

**AERIAL PHOTOGRAPH REVIEW**

Date	Visual Appearance and Interpretation
1947	Two recharge basins are located at the site (the current southern basins). The west basin is wet and the east basin is dry in this photograph. The remainder of the site appears to be mostly open and vegetated with grass and trees. Plant 3 is present southwest of the site.
1953	There are no apparent changes from the 1947 photograph.
1962	There is no apparent change in site activities from the 1953 photograph. Homes have been constructed south of the site. Plant 14 has been constructed north of the site.
1966	The third (southern) recharge basin and the four sludge drying beds (northwest corner of the subject area) first appear on this photograph. Plant 24 has been constructed east of the site. Plant 31 has been constructed north of the site.
1969	(Photograph located in the building lobby at the Northrop Grumman Environmental Offices) There are no apparent changes from the 1966 photograph.
1976	The outdoor sanitary treatment facility has been installed along the western edge of the site.
1978	(Both the Radian photograph and the lobby photograph from Northrop Grumman) There are no apparent changes from the 1976 photograph.
1983	(This is the color photograph located in the library at the Northrop Grumman Environmental Offices) The sludge drying beds have now been filled in.
1986	The Plant 3 IWTP has been constructed west of the site.
1993	A small storage building has been installed in the center of the three recharge basins.
1996 Field Observations	At the time of Radian's site visit, the two northern basins contained water, and the southern basin was dry.

0

0

0

## 4.0 ENVIRONMENTAL RECORDS REVIEW

A review was performed of available standard environmental records. The records reviewed included previous investigations, regulatory agency databases, state and local agency files, chain of title, and other appropriate records.

### 4.1 Northrop Grumman Document Review

Various Northrop Grumman AutoCAD-generated plans and micro-film blueprints were reviewed to determine the layout of and structures at the Recharge Basin Area and to identify any modifications which may have been made. These drawings were examined to identify former drains, sinks, sumps, or dry wells which may have acted as conduits for the migration of contaminants. Files reviewed include:

- Historical maps and drawings for the Recharge Basin Area; and
- Environmental Library files at Northrop Grumman.

The results of this review are provided in Section 2.0 and 3.0 of this report. In addition, a review was performed of previous environmental investigations that have been conducted at the Northrop Grumman facility. Discussion of these investigations is provided in the following section. All reviewed reports are listed in Section 7.0.

#### 4.1.1 Previous Environmental Investigations

This section summarizes the results of environmental investigations previously conducted on or near the Northrop Grumman Bethpage facility by the U.S. Geological Survey (USGS), U.S. Navy and OCC/RUCO Polymer Corporation. Although not all of these investigations focused exclusively on the Recharge Basin Area, they did focus on the overall conditions found within the Northrop Grumman facility.

##### *USGS Study: Bethpage-Hicksville-Levittown Area*

Beginning in 1985, the USGS conducted an investigation of the hydrogeology and groundwater quality of the Bethpage-Hicksville-Levittown area in Nassau County, New York. The study

included the Northrop Grumman Bethpage facility (including the GOCO facility) and the OCC/RUCO Polymer Corporation site. The results of the study were summarized in three reports:

1. Geohydrology of the Bethpage-Hicksville-Levittown Area, Long Island, New York. Smolensky and Feldman, 1990: Summarizes the geology, groundwater elevations, and flow directions in east/central Nassau County.
2. Groundwater Quality in the Bethpage-Hicksville-Levittown Area, Long Island. Smolensky, et al. 1992: Summarizes groundwater quality in the east/central Nassau County.
3. Three Dimensional Advective Transport of Volatile Organic Compounds in Groundwater Beneath an Industrial/Residential Area of Nassau County, New York. Smolensky and Feldman, 1994: Summarizes the results of groundwater modeling activities.

In general, the first report (Smolensky and Feldman, 1990) describes a regional southward horizontal groundwater flow direction that is locally influenced by groundwater withdrawal and recharge beneath the Northrop Grumman facility.

The second report (Smolensky, et al., 1992) describes the presence of a VOC plume beneath and extending southward from the Northrop Grumman and OCC/RUCO Polymer sites. The plume was reported to be approximately 5,700 feet wide, 12,000 feet long, and more than 500 feet thick. The VOCs most frequently detected in the groundwater were trichloroethylene (TCE) and tetrachloroethene (PCE), with concentrations exceeding 1,000 µg/l. Figure 3, contained in Section 2.1.1 of this report shows the approximate location of this contaminant plume.

The third report (Smolensky and Feldman, 1994) documents the construction, calibration and use of a groundwater flow and particle tracking model covering the Bethpage-Hicksville-Levittown study area.

## ***U.S. Navy Investigations***

### **Initial Assessment Study**

In 1986, a report titled *Initial Assessment of NWIRP Bethpage, NY and NWIRP Calverton, NY* was submitted to the Naval Energy and Environmental Support Activity. This report detailed the results of an Initial Assessment Study which had been conducted at both the Northrop Grumman Bethpage and Calverton facilities. The study identified areas which were determined to be of environmental concern based upon past and present usage. The Recharge Basin Area was identified as Site 8 and was recommended for further investigation.

### **Phase I Remedial Investigation**

In May 1992, a Phase I Remedial Investigation of the NWIRP, Bethpage, New York was completed by Halliburton, NUS Corporation under the U.S. Navy Installation Restoration Program (IRP). This investigation included a soil gas survey, soil sampling, surface water and sediment sampling, monitoring well installation, and groundwater sampling. Three sites, the Recharge Basin Area, the former drum marshaling area (east of Plant 3), and the salvage area, were investigated.

The Phase I soil gas survey results for the Recharge Basin Area, the former drum marshaling area, and salvage area indicated potential solvent contamination. The results of the soil sampling program confirmed the presence of solvents at the former drum marshaling area, with detections of PCE and TCE at concentrations up to 4,800 µg/kg. In addition, soil sampling results revealed elevated concentrations of polychlorinated biphenyls (PCBs) up to 7,900 µg/kg, inorganics, and polynuclear aromatic hydrocarbons at the three sites, and pesticides at concentrations up to 440 µg/kg in the former drum marshaling area.

Soil gas samples were collected from 24 points in the Recharge Basin Area. Shallow (5 feet bgs) and deep (19 feet bgs) samples were collected from each point. Samples were analyzed for VOC concentrations. TCE was determined to be the contaminant of concern for this site. The highest TCE concentration observed in a shallow sample was 11 µg/l, and the highest TCE concentration observed in a deep sample was 2.2 µg/l. These samples were collected from two points located in the central portion of the Recharge Basin Area, as shown on Figure 5. Soil gas sampling results for TCE are summarized in Table 4-1.

Thirteen surface soil samples were collected and analyzed for VOCs from the Recharge Basin Area. The highest detected TCE concentration in a surface soil sample was 1.5 µg/kg. Locations of surface sampling points are shown on Figure 6. Surface soil sampling results for TCE and PCBs are provided in Table 4-2.

Subsurface soil samples were collected from eleven points in the Recharge Basin Area. Shallow (3 feet bgs) and deep (19 feet bgs) samples were collected from each point. Samples were analyzed for VOCs, SVOCs, and inorganic compounds. The highest TCE concentration detected was 32 µg/kg in a shallow sample. Figure 7 shows the subsurface soil sampling points at the Recharge Basin Area. Subsurface soil sampling results for TCE are summarized in Table 4-1.

VOCs were detected in groundwater samples from the Recharge Basin Area former drum marshaling area, and the salvage area. The groundwater near the former drum marshaling area contained concentrations of TCE (1,500 µg/l), PCE (7,700 µg/l), 1,1,1-TCA (10,000 µg/l), 1,1-DCA (880 µg/l), 1,1-DCE (250 µg/l) and 1,2-DCE (3,600 µg/l).

Ten temporary groundwater monitoring wells were installed and sampled at the Recharge Basin Area. Samples were analyzed for VOCs. The maximum TCE concentration detected was 9 µg/l from a well at the southern portion of the site. In addition to the temporary monitoring wells, five additional wells were sampled near the site. Two wells were considered upgradient and three were considered downgradient. The highest upgradient TCE concentration detected was 11 µg/l (intermediate groundwater). The highest downgradient TCE concentration detected was 16 µg/l (intermediate groundwater). Figure 8 shows the location of the groundwater sampling points at the Recharge Basin Area. Groundwater sampling results for TCE are summarized in Table 4-1.

Four sediment samples and two surface water samples were collected from the Recharge Basin Area. Samples were analyzed for VOCs. The highest detected TCE concentration in a sediment sample was 8 µg/kg. The highest TCE concentration in a surface water sample was 35 µg/l. Figure 9 shows the locations of sediment and surface water samples. Sediment and surface water sampling results for TCE are provided in Table 4-3.

## **Phase II Remedial Investigation**

In October 1993, a Phase II Remedial Investigation of the NWIRP, Bethpage, New York was completed by Halliburton, NUS Corporation. The investigation included a soil gas survey, soil sampling, monitoring well sampling and groundwater sampling. In addition to the sites investigated during the Phase I Remedial Investigation, Phase II also included an investigation of Plant 3, the well HN-24 area, and off-site areas to the east-southeast.

In general, the groundwater data collected during the Phase II Remedial Investigation found concentrations of VOCs at the former drum marshaling area, at Plant 3 and in off-site monitoring wells. The groundwater near the former marshaling area contained VOCs: TCE (340 µg/l), PCE (1,400 µg/l), 1,1,1-TCA (690 µg/l), 1,1-DCA (120 µg/l), and 1,2-DCE (220 µg/l). The groundwater near Plant 3 contained concentrations of TCE up to 12,000 µg/l.

Surface and subsurface soil samples were collected from ten points at the Recharge Basin Area. The samples were analyzed for PCBs. The highest detected concentration of PCBs was 33,000 µg/kg. Sample locations are shown on Figure 6. Soil sampling results for PCBs and TCE are listed in Table 4-2.

## **Record of Decision**

In May 1995, the U.S. Navy and NYSDEC entered into a Record of Decision (ROD) for three sites at the Northrop Grumman facility. One of these sites was Site 2 (formerly Site 8), the Recharge Basin Area. Based on the results of past investigations at the site, it was determined that remediation of soil contaminated with PCBs would be required at the Recharge Basin Area.

## **Post-Remedial Action Report**

In 1996, remediation of PCB-contaminated soil was conducted in the location of the former sludge drying beds at the Recharge Basin Area. All soil with PCB concentrations above 10 mg/kg was excavated and disposed off-site. Over 7,000 tons of soil were removed from the site. This remedial action was performed in compliance with the 1995 ROD.

### ***OCC/RUCO Polymer Corp. Investigation***

In August 1992, a Remedial Investigation which included a soil gas survey, an electromagnetic conductivity survey, OCC/RUCO recharge basin sediment and surface water sampling, shallow and deep soil sampling, and groundwater sampling was completed for the OCC/RUCO Polymer site. The data summarized below was gathered from the OCC/RUCO draft Remedial Investigation Report (Leggette, Brashears & Graham, Inc. 1990).

Soil samples collected during the remedial investigation contained the following maximum concentrations: TCE (7,600 µg/kg), PCE (57,000 µg/kg), ethylbenzene (950 µg/kg), toluene (390 µg/kg), PAHs (7,700 µg/kg), phenols (120,000 µg/kg), phthalates (120,000 µg/kg), and PCBs (2.1 mg/kg). The sediments from the OCC/RUCO recharge basins were found to contain toluene and 1,2-DCE at concentrations of 260 µg/kg and 76 µg/kg respectively. Also found in the OCC/RUCO recharge basin sediments were PAHs and phthalates at concentrations of 2,180 µg/kg and 9,580 µg/kg.

The groundwater sampling from on-site wells found the following VOCs: PCE (85 µg/l), TCE (14 µg/l) and vinyl chloride (560 µg/l).

### ***Northrop Grumman Phase I and Phase II Remedial Investigations***

In February 1991 and August 1992, respectively, Phase I and Phase II Remedial Investigations were performed by Geraghty & Miller, Inc. for Northrop Grumman at the Bethpage, New York facility.

The remedial investigations were performed for the entire Northrop Grumman Bethpage facility, excluding the GOCO facility. Therefore, the study area for this investigation did not include the Recharge Basin Area. The investigations included a soil gas survey, soil sampling, recharge basin water and sediment sampling, and groundwater sampling. Included below is a summary of the findings:

Groundwater beneath the Northrop Grumman facility, to a depth of approximately 460 feet bgs, occurs in two separate geologic units that are hydraulically connected and, in general, behave as one hydrogeologic unit. These units are the Upper Glacial and Magothy aquifers.



Groundwater predominantly flows regionally to the southeast across the site with a slight downward component, but is greatly influenced by the groundwater withdrawal that occurs at numerous sight production wells and the reinfiltration that occurs at the on-site recharge basins. Operation of these wells and the use of recharge basins has changed the flow patterns locally.

The results of the soil gas surveys indicated VOC contamination at six locations. Based on these results, soil and groundwater sampling locations were identified.

The soil sampling results indicated SVOCs in nine locations, VOCs in two locations, and metals in seven locations. All locations identified were above NYSDEC cleanup objectives.

The results of the recharge basin water sampling indicated that all parameters, with the exception of iron, were below 1991 NYSDEC cleanup objectives. The sediment samples indicated several metals and SVOCs were detected above 1991 NYSDEC cleanup objectives.

The results of the groundwater sampling indicated two plumes of groundwater contamination (eastern and western) near the center of the facility.

## **4.2 Local Regulatory Agencies**

In conducting this survey, state and local agencies were contacted for file searches regarding the Recharge Basin Area and the subsequent results are described in the following sections.

### **4.2.1 New York State Department of Environmental Conservation (NYSDEC)**

On July 25, 1996, Radian personnel reviewed the Northrop Grumman files at the NYSDEC, Stony Brook, New York regional office. Many of the documents and information had already been collected from Northrop Grumman's Environmental Library and reviewed. The information reviewed included:

- Annual NYSDEC RCRA Site Inspection Reports from 1987 to 1995.
- Additional spill event notification letters to NYSDEC.
- U.S. Navy RI/FS public meeting presentation materials.
- NYSDEC Notice of Violation Letter dated August 1, 1986 for SPDES Permit No. NY0096792.

- Additional information concerning sludge drying beds, container storage areas, and cyanide wastewater batch treatment unit located northeast of Plant 3.

The Grumman Aerospace Corporation (GAC) Bethpage facility was first listed on the state's Registry of Inactive Hazardous Waste Disposal Sites in 1983, as a Class 2a site. This designation was based on the existence of the sludge drying beds in the northwest portion of the Recharge Basin Area. In 1988, a Class 2 designation was assigned to the facility. In 1992, the Bethpage facility was separated into two sites, the NWIRP site and the Grumman Aerospace Bethpage facility. Through a consent order with the NYSDEC, an on-site and off-site Remedial Investigation/Feasibility Study (RI/FS) of the Bethpage facility was initiated. The first phase of the RI was submitted in January 1992 and a final RI was submitted in September 1994.

#### **4.2.2 Nassau County Department of Health**

On July 24, 1996, Radian personnel reviewed the Northrop Grumman files at the Nassau County Department of Health in Mineola, New York. The majority of the material reviewed had been previously reviewed at Northrop Grumman's Plant 1 Environmental Library. No documents were copied, but notes were taken on some of the U.S. Navy's environmental work to date.

#### **4.2.3 Nassau County Fire Marshal**

Radian sent two written requests for file review, but no response was ever received from the Nassau County Fire Marshal.

#### **4.3 Property History Search**

The property title search was performed by Land Title Research. Nine title chains were identified. The property is located on USA Lot 8. The current owner is the U.S. Navy. The chain of title and tax maps are provided in Appendix B.

#### **4.4 Standard Environmental Regulatory Agency Database Review**

An environmental agency's database review was conducted to identify properties that may pose a potential environmental impact to the property. Radian contracted Environmental Data Resources, Inc. (EDR) to perform an agency/regulatory database search of properties within a 1-mile radius of the property. The results of this database search are presented in a report dated April 12, 1996 (provided in Appendix C).

The following sections describe the results of the EDR database search. Only those properties listed in the database as being pertinent to the property or within the ASTM minimum search distance are provided in the text of this report. The other properties outside the ASTM search distance are included in the EDR report. EDR designates sequential site numbers for properties identified in the database report. These sites are identified geographically from north to south on the database map. For cross-reference, the EDR site number is referenced after the site listing in this report. The databases reviewed, their release dates by the agencies, and the results are presented in the following sections.

##### **4.4.1 Federal ASTM Records**

*National Priorities List (NPL) - September 1995:* The NPL is the USEPA's database of uncontrolled or abandoned hazardous waste sites identified for priority remedial actions under the Superfund program. A site must meet or surpass a predetermined hazard ranking system score to be placed on the NPL list, or meet three specific criteria set jointly by the U.S. Department of Health and Human Services and the USEPA in order to become an NPL site.

*One (1) site within a 1-mile radius (ASTM standard) of the property was listed on this database.*

RUCO Polymer Corp.  
New South Road  
Hicksville, NY 11801  
(EDR site #53)

According to the EDR report, this site (formerly known as Hooker Chemicals and Plastics Corporation) is considered a significant threat to public health or environment - action required. The site is currently under a remedial design. Groundwater on the adjacent site contains vinyl chloride. Efforts to address off-site groundwater concerns are underway.

According to EDR, the site had three lagoons that were used for waste disposal from 1947 through the late 1970s. The depth to groundwater is 50 feet. Soil and groundwater is contaminated with vinyl chloride and other chlorinated hydrocarbons. The property, the Northrop Grumman facility and the Bethpage Water District (BWD) supply wells are down gradient from the site. The groundwater at BWD Plants 4 and 6 is contaminated and is currently being remediated via a groundwater treatment facility. The BWD Plant 5 is planning a treatment facility in anticipation that the contaminated groundwater will reach the wells at this facility in the future.

*RUCO Assessment:* Groundwater and contaminant migration from this site presents a threat to the groundwater below the property.

***Comprehensive Environmental Response, Compensation, and Liability Information System (CERCLIS) - November 1995:*** CERCLIS contains data on potentially hazardous waste sites that have been reported to the USEPA by states, municipalities, private companies and private persons, pursuant to Section 103 of the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA). CERCLIS contains sites which are either proposed for or are already listed on the NPL and sites which are in the screening and assessment phase of possible inclusion on the NPL.

*Two (2) CERCLIS sites were found within a 2-mile radius of the property:*

Servo Corporation of America  
111 New South Road  
Hicksville, NY 11801  
(EDR site #70)

RUCO Polymer Corp.  
New South Road  
Hicksville, NY 11801  
(EDR site #53)

According to the EDR report, Servo Corporation of America is currently under investigation by the government to assess the extent of further action. The evaluation indicated a compliance violation. This site is located such that groundwater flow is lateral to the Recharge Basin Area.

*RUCO Assessment:* See assessment provided previously in NPL section.

#### 4.4.2 Federal Non-ASTM Records

**Superfund (CERCLA) Consent Decrees (CONSENT) - September 1995:** Major legal settlements that establish responsibility and standards of cleanup at NPL (Superfund) sites are released periodically by U.S. District Courts after settlement by the litigants.

*No sites were identified within a 1-mile radius of the property.*

**RCRA Corrective Action Sites (CORRACTS) - October 1995:** The USEPA maintains this database of RCRA facilities which are undergoing "corrective action". A "corrective action" order is issued when there has been a release of hazardous waste or constituents into the environment from a RCRA facility.

*Two (2) sites within a 1-mile radius of the property were identified.*

LILCO Hicksville Op. Center  
175 E. Old Country Road  
Hicksville, NY 11801  
(EDR site #25)

RUCO Polymer Corp.  
New South Road  
Hicksville, NY 11801  
(EDR site #53)

According to the EDR report, LILCO is currently under investigation by the government to assess the extent of further action. Prioritization is Low. A RCRA Facility Investigation has been completed, and the Corrective Action process is terminated. The evaluation indicated a compliance violation.

*RUCO Assessment:* See assessment provided previously in NPL Section

**Facility Index System (FINDS) - September 1995:** FINDS contains both facility information and "pointers" to other sources that contain more detail. These include:

- RCRIS;
- PCS (Permit Compliance System);
- AIRS (Aerometric Information Retrieval System);
- FATES (FIFRA [Federal Insecticide Fungicide Rodenticide Act] and TSCA Enforcement System);

- FTTS (FIFRA, TSCA Tracking System);
- CERCLIS, DOCKET (Enforcement Docket used to manage and track information on civil judicial enforcement cases for all environmental statutes); and
- TSCA Chemicals in Commerce Information System (CICIS), PADS, RCRA-J (medical waste transporters/disposers), TRIS and TSCA.

*Ninety (90) sites within a 1-mile radius of the property were identified. These sites are presented in the EDR report in Appendix C.*

*Assessment:* This database provides a list of facilities and does not provide soil or groundwater information for use in evaluating potential threat to property

***Hazardous Materials Information Reporting System (HMIRS) - December 1995:*** Hazardous Materials Incident Report System contains hazardous material spill incidents reported to DOT.

*No incidents were reported within a 1-mile radius of the property.*

***Material Licensing Tracking System (MLTS) - August 1995:*** MLTS is maintained by the Nuclear Regulatory Commission (NRC) and contains a list of approximately 8,100 sites which possess or use radioactive materials and which are subject to NRC licensing requirements.

*No sites within a 1-mile radius of the property were identified.*

***Federal Superfund Liens (NPL LIENS) - October 1991:*** Under the authority granted the USEPA by CERCLA of 1980, the USEPA has the authority to file liens against real property in order to recover remedial action expenditures or when the property owner receives notification of potential liability. USEPA compiles a listing of files notices of Superfund liens.

*No sites within a 1-mile radius of the property were identified.*

***PCB Activity Database System (PADS) - October 1994:*** PADS identifies generators, transporters, commercial storers and/or brokers and disposers of PCBs who are required to notify the USEPA of such activities.

*No sites within a 1-mile radius of the property were identified.*

**RCRA Administrative Action Tracking System (RAATS) - April 1995:** RAATS contains records based on enforcement actions issued under RCRA pertaining to major violators and includes administrative and civil actions brought by the USEPA.

*No sites within a 1-mile radius of the property were identified.*

**RCRIS, Small Quantity Generator - October 1995:** The USEPA's RCRA Information System identifies facilities which report generation, storage, transportation, treatment or disposal of hazardous waste. RCRA Small Quantity Generator tracks facilities which generate less than 1,000 kg/month of non-acutely hazardous waste.

*Forty-eight (48) sites within a 1-mile radius of the property were identified. These sites are presented in the EDR report in Appendix C.*

**Assessment:** This database provides a list of facilities and does not provide soil or groundwater information for use in evaluating potential threat to property.

**RCRIS, Large Quantity Generator - October 1995:** The USEPA's RCRA Information System identifies facilities which report generation, storage, transportation, treatment or disposal of hazardous waste. RCRA Large Quantity Generator tracks facilities which generate at least 1,000 kg/month of non-acutely hazardous waste or 1 kg/month of acutely hazardous waste.

*Thirty-nine (39) sites within a 1-mile radius of the property were identified. These sites are presented in the EDR report in Appendix C.*

**Assessment:** This database provides a list of facilities and does not provide soil or groundwater information for use in evaluating potential threat to property.

**Records of Decision (ROD) - March 1995:** ROD documents mandate a permanent remedy at an NPL (Superfund) site containing technical and health information to aid in the cleanup.

*No sites within a 1-mile radius of the property were identified.*

**Toxic Chemical Release Inventory System (TRIS) - December 1992:** TRIS identifies facilities which release toxic chemicals to the air, water and land in reportable quantities under SARA Title III Section 313.

*One (1) site within a 1-mile radius of the property was identified. This site is listed below.*

RUCO Polymer Corp.  
New South Road  
Hicksville, NY 11801  
(EDR site #53)

*RUCO Assessment:* See assessment provided previously in NPL Section.

**Toxic Substances Control Act (TSCA) - January 1995:** TSCA identifies manufacturers and importers of chemical substances included on the TSCA Chemical Substance Inventory list. It includes data on the production volume of these substances by plant site. USEPA has no current plan to update and/or re-issue this database.

*No sites within a 1-mile radius of the property were identified.*

#### **4.4.3 State of New York ASTM Records**

**Leaking Underground Storage Tank (LUST) Incidents Report - December 1995:** UST records contain an inventory of reported leaking underground storage tank incidents.

*Twenty-four (24) sites within a 2-mile radius are listed below:*

Getty Petroleum  
723 South Oyster Bay Road  
Plainview, NY 11803  
(EDR site #21) - note 1

Structural Industries Inc.  
96 New South Road  
Hicksville, NY 11801  
(EDR site #27) - note 1

Mobil S/S #17-KKJ  
755 S. Oyster Bay Road  
Bethpage, NY  
(EDR site #64) - note 3

Bonanza Fabric Co.  
35 Karin Lane  
Hicksville, NY  
(EDR site #38) - note 2



Henry Soluk, Owner  
30 Floral Ave.  
Bethpage, NY  
(EDR site #47) - note 2

Shell Oil Co.  
Stewart & Farmers  
Bethpage, NY 11714  
(EDR site #48) - note 2

LILCO  
Evergreen & Spruce Ave.  
Bethpage, NY  
(EDR site #51) - note 4

Gabrielli Truck Sales Ltd.  
880 S. Oyster Bay Road  
Hicksville, NY  
(EDR site #57) - note 2

Mineola Mack Inc.  
880 S. Oyster Bay Road  
Hicksville, NY 11801  
(EDR site #57) - note 2

Bethpage Metro  
900 Stewart Ave.  
Bethpage, NY  
(EDR site #60) - note 2

Metro S/S  
900 Stewart Ave.  
Bethpage, NY  
(EDR site #60) - note 2

Northrop Grumman Corp.  
Stewart Ave.  
Bethpage, NY  
(EDR site #65) details on following page.

Festante Residence  
82 Sycamore Ave.  
Bethpage, NY  
(EDR site #66) - note 3

Nassau Blue Flame Inc.  
3 Washington Pky.  
Hicksville, NY  
(EDR site #69) - note 3

Bertan Assoc.  
121 New South Road  
Hicksville, NY  
(EDR site #70) - note 3

Meenan Oil  
121 New South Road  
Hicksville, NY  
(EDR site #70) - note 3

Servco Corp. of America  
111 New South Road  
Hicksville, NY 11801  
(EDR site #70) - note 3

Long Island Development  
101 New South Road  
Hicksville, NY  
(EDR site #70) - note 3

ERM Northeast  
335 New South Road  
Hicksville, NY  
(EDR site #73) - note 3

Variety Petrol (P & G Fuel)  
317 New South Road  
Hicksville, NY  
(EDR site #73) - note 3

Avis Car Rental  
980 South Broadway  
Bethpage, NY  
(EDR site #82) - note 3

Al Adriano Residence  
159 12th Street  
Bethpage, NY  
(EDR site #83) - note 3

NYNEX Vehicle  
Sherman Ave. & S. 6th Street  
Bethpage, NY  
(EDR site #86) - note 3

James Bell Residence  
127 South 1st Street  
Bethpage, NY  
(EDR site #86) - note 3

**Description of Notes:**

note 1: Up-gradient location/ Status is resolved, spill has been cleaned up and closure completed.

note 2: Lateral-gradient location/ Status is resolved, spill has been cleaned up and closure completed.

note 3: Down-gradient location/ Status is resolved, spill has been cleaned up and closure completed.

note 4: Lateral-gradient location/ Active spill (ongoing).

*LUST Assessment:* Due to current status, distance from property, and groundwater flow direction, these sites do not appear to pose a threat to the property.

Details of Northrop Grumman (EDR site #65) are provided below:

Thirty-three (33) LUST sites are identified for site #65, Northrop Grumman. Of these sites, none are located at the Refuge Basin Area.

**State Hazardous Waste Sites (SHWS) - July 1995:** State hazardous waste site records are the states' equivalent to CERCLIS. These sites may or may not already be listed on the federal CERCLIS list. Priority sites planned for cleanup using state funds (state equivalent of Superfund) are identified along with sites where cleanup will be paid for by potentially responsible parties.

*Two (2) sites were found within a 2-mile radius of the property and are listed below:*

RUCO Polymer Corp.  
New South Road  
Hicksville, NY  
(EDR site #53)

Northrop Grumman Bethpage Facility  
Stewart Avenue  
Bethpage, NY  
(EDR Site #65)

*RUCO Assessment:* See assessment provided previously in NPL Section.

*Northrop Grumman Assessment:* See assessment provided previously in UST Section.

**Solid Waste Facilities/Landfill Sites (SWF/LS) - March 1996:** SWF/LS type records typically contain an inventory of solid waste disposal facilities or landfills in a particular state. Depending on the status, these may be active or inactive facilities or open dumps that failed to meet RCRA Section 2004 criteria for solid waste landfills or disposal sites.

*No sites within a 1-mile radius of the property were identified.*

**UST - Petroleum Bulk Storage (PBS, CBS, MOST) Database (UST) - December 1995:** USTs are regulated under Subtitle I of RCRA and must be registered with the state department responsible for administering the UST program.

*Five (5) sites listed are within 2-mile and are listed below:-*

Mobil Oil S/S  
755 S. Oyster Bay Road  
Bethpage, NY  
(EDR site #64)

Shell Oil Co.  
Stewart Ave. & Farmers St.  
Bethpage, NY  
(EDR site #48)

Structural Industries Inc.  
96 New South Road  
Hicksville, NY  
(EDR site #27)

Northrop Grumman Corp.  
Stewart Ave.  
Bethpage, NY  
(EDR site #65)

Frankie D's Serv. Sta.  
1234 Stewart Ave.  
Bethpage, NY  
(EDR site #30)

*Assessment:* This database provides a list of facilities and does not provide soil or groundwater information for use in evaluating potential threat to property.

#### **4.4.4 State of New York Non-ASTM Records**

***AST - Petroleum Bulk Storage (AST) - September 1995:***

*Nine (9) sites were found within a 1-mile radius of the property:*

Gabrielli Truck Sales Ltd.  
880 S. Oyster Bay Road  
Hicksville, NY  
(EDR site #57)

Bethpage Metro  
900 Stewart Ave.  
Bethpage, NY  
(EDR site #60)

King Bear  
735 S. Broadway  
Hicksville, NY  
(EDR site #63)

TBG Cogen Partners  
939 South Broadway  
Hicksville, NY  
(EDR site #78)

Northrop Grumman Corp.  
Stewart Ave.  
Bethpage, NY  
(EDR site #65)

Bradco Supply Corp.  
85 Bloomingdale Road  
Hicksville, NY  
(EDR site #85)  
Greco Bros. Bulk Terminal  
Lauman Lane & Hicksville Road  
Hicksville, NY  
(EDR site #101)

Nassau Blue Flame  
3 Washington Pky.  
Hicksville, NY  
(EDR site #69)

ERM Northeast  
335 New South Road  
Hicksville, NY  
(EDR site #73)

*Assessment:* This database provides a list of facilities and does not provide spill, soil and/or groundwater information for use in evaluating potential threat to property.

#### **4.4.5 Summary of Agency Database Review**

The Northrop Grumman facility is identified on the FDR database. The Northrop Grumman facility has been identified as having five LUST cases. Of the five sites identified, two are reported to still be active. None of these sites are located at the Recharge Basin Area.

The database search indicated that one NPL site (RUCO, EDR site #53) has the potential to impact the property through migration of contaminated groundwater. Except for one off-site LUST Case (LILCO, EDR site #51), the majority of the off-site LUST sites were located either lateral or downgradient and were resolved cases. The LILCO site, although identified as active, is not expected to have an impact on groundwater, since it is not located near the Recharge Basin Area.

#### **4.5 Documented Releases at Recharge Basin Area**

The resources listed below were reviewed to determine if any releases had occurred at the parcel of land that includes the recharge basins.

- A table listing toxic or hazardous material releases provided by Northrop Grumman personnel.
- Binders containing internal Northrop Grumman memoranda and correspondence with regulatory agencies relating to spills at the Bethpage facility.
- Interviews with site personnel.
- Information on file at NYSDEC's Stony Brook office.

According to the above referenced sources, there have been no documented releases of hazardous materials within the Recharge Basin Area.

TABLE 4-1

TCE CONCENTRATIONS IN SAMPLES  
COLLECTED AT THE RECHARGE BASIN AREA<sup>(1)</sup>

Sample Location	Shallow Soil Gas ( $\mu\text{g/l}$ ) <sup>(2)</sup>	Deep Soil Gas ( $\mu\text{g/l}$ ) <sup>(2)</sup>	Shallow Subsurface Soil ( $\mu\text{g/l}$ ) <sup>(3)</sup>	Deep Subsurface Soil ( $\mu\text{g/l}$ ) <sup>(3)</sup>	Temporary Well Groundwater ( $\mu\text{g/l}$ ) <sup>(3)</sup>	Shallow Groundwater ( $\mu\text{g/l}$ ) <sup>(3)</sup>	Intermediate Groundwater ( $\mu\text{g/l}$ ) <sup>(3)</sup>
202	ND	ND	ND	NA	ND	NA	NA
203	ND	ND	NA	NA	NA	NA	NA
204	ND	NA	1	NA	ND	NA	NA
205	NA	ND	ND	NA	7	NA	NA
206	2.2	0.32	3	NA	NA	NA	NA
207	0.21	ND	NA	NA	NA	NA	NA
208	0.54	ND	NA	NA	NA	NA	NA
209	ND	ND	ND	NA	9	NA	NA
210	ND	0.12	NA	NA	NA	NA	NA
211	ND	ND	NA	NA	NA	NA	NA
213	0.88	2.2	NA	NA	NA	NA	NA
214	ND	ND	NA	NA	NA	NA	NA
215	11	1.8	32	ND	8	NA	NA
217	0.12	1.8	6	NA	NA	NA	NA
218	ND	ND	ND	NA	9	NA	NA
219	ND	ND	ND	NA	ND	NA	NA
220	ND	ND	NA	NA	NA	NA	NA
221	ND	0.15	NA	NA	NA	NA	NA
222	ND	ND	NA	NA	NA	NA	NA

TABLE 4-1 (Continued)

TCE CONCENTRATIONS IN SAMPLES  
COLLECTED AT THE RECHARGE BASIN AREA

Sample Location	Shallow Soil Gas ( $\mu\text{g/l}$ ) <sup>(2)</sup>	Deep Soil Gas ( $\mu\text{g/l}$ ) <sup>(2)</sup>	Shallow Subsurface Soil ( $\mu\text{g/l}$ ) <sup>(3)</sup>	Deep Subsurface Soil ( $\mu\text{g/l}$ ) <sup>(3)</sup>	Temporary Well Groundwater ( $\mu\text{g/l}$ ) <sup>(3)</sup>	Shallow Groundwater ( $\mu\text{g/l}$ ) <sup>(3)</sup>	Intermediate Groundwater ( $\mu\text{g/l}$ ) <sup>(3)</sup>
225	ND	ND	ND	NA	ND	NA	NA
226	ND	ND	NA	NA	NA	NA	NA
227	ND	ND	ND	NA	ND	NA	NA
228	ND	ND	NA	NA	NA	NA	NA
229	ND	ND	ND	NA	ND	NA	NA
GM-7	NA	NA	NA	NA	NA	6	11
GM-8	NA	NA	NA	NA	NA	NA	6
HN-26	NA	NA	NA	NA	NA	13	16
HN-27	NA	NA	NA	NA	NA	16	13
HN-30	NA	NA	NA	NA	NA	NA	6

ND - Not detected

NA - Not analyzed

<sup>(1)</sup> Data was taken from the 1992 Final Remedial Investigation Report developed by Halliburton NUS.

<sup>(2)</sup> Detection limit is 0.10  $\mu\text{g/l}$

<sup>(3)</sup> Detection limit is 5.0  $\mu\text{g/l}$

TABLE 4-2

PCB AND TCE CONCENTRATIONS IN SURFACE AND SUBSURFACE SOIL  
 SAMPLES COLLECTED AT THE RECHARGE BASIN AREA

Sample Location	Surface TCE ( $\mu\text{g/l}$ ) <sup>(1)</sup>	Surface PCB ( $\mu\text{g/l}$ )	Shallow (3 ft.) PCB ( $\mu\text{g/l}$ )
1	ND	NA	280
2	ND	6,200	NA
3	ND	NA	NA
4	1.5	1,800	NA
5	ND	NA	NA
6	ND	NA	NA
7	ND	2,500	NA
8	ND	NA	NA
9	ND	2,200	NA
10	ND	NA	NA
11	ND	50	NA
12	ND	73	NA
13	ND	ND	NA
14	NA	NA	6,800
15	NA	NA	33,000

ND - Not detected

NA - Not analyzed


<sup>(1)</sup> Detection limit is 5.0  $\mu\text{g/l}$



**TABLE 4-3**


**TCE CONCENTRATIONS IN SEDIMENT AND SURFACE WATER SAMPLES  
COLLECTED AT THE RECHARGE BASIN AREA**


<b>Sample ID</b>	<b>Sediment (<math>\mu\text{g/l}</math>)</b>	<b>Surface Water (<math>\mu\text{g/l}</math>)</b>
SW-1	NA	35
SW-3	NA	7
SW-100	7	NA
SW-200	8	NA
SW-201	ND	NA
SW-202	4	NA



CLIENT: NORTHROP GRUMMAN CORP. BETHPAGE, LONG ISLAND, NY	DWG. TITLE: SOIL GAS SAMPLING POINTS AT THE RECHARGE BASIN AREA	
<b>RADIAN</b> INTERNATIONAL LLC	DRAWN BY: BTD	DATE: NOV 1996
	PROJECT No.: 2704-4003	SCALE:
		FIGURE: 5
		FILE NUMBER: FAIROH.DWG

NOTE: CONCENTRATIONS SHOWN ARE THE HIGHEST  
TCE CONCENTRATIONS ONLY  
SOURCE: HALLIBURTON NUS, FINAL REMEDIAL  
INVESTIGATION REPORT, 1992







**LEGEND**

7 ● SURFACE SOIL SAMPLING POINT

CLIENT: NORTHROP GRUMMAN CORP. BETHPAGE, LONG ISLAND, NY	DWG. TITLE: SURFACE SOIL SAMPLING POINTS AT THE RECHARGE BASIN AREA		
<b>RADIAN</b> INTERNATIONAL <small>LLP</small>	DRAWN BY: BTD	DATE: NOV 1996	FIGURE: 6
	PROJECT No.:	SCALE:	FILE NUMBER:
	2704-4003		FAIROI.DWG

NOTE: CONCENTRATIONS SHOWN ARE THE HIGHEST  
TCE AND PCB CONCENTRATIONS ONLY  
SOURCE: HALLIBURTON NUS. FINAL REMEDIAL  
INVESTIGATION REPORT, 1992





TCE - 6 ug/Kg (shallow)  
 RECHARGE BASIN  
 TCE - 32 ug/Kg (shallow)  
 TCE - ND (deep)


TANKS/  
 TREATMENT BUILDING  
 03-34

03-048  
 STORAGE SHED

BUILDING  
 24-01



FORMER STORAGE  
 DRYING BEDS

TANK



NOTE: CONCENTRATIONS SHOWN ARE THE HIGHEST  
 TCE CONCENTRATIONS ONLY  
 SOURCE: HALLIBURTON NUS, FINAL REMEDIAL  
 INVESTIGATION REPORT, 1992

CLIENT: NORTHROP GRUMMAN CORP. BETHPAGE, LONG ISLAND, NY	DWG. TITLE: SUBSURFACE SOIL SAMPLING POINTS AT THE RECHARGE BASIN AREA	
<b>RADIAN</b> INTERNATIONAL LLC	DRAWN BY: BTD	DATE: NOV 1996
	PROJECT No.: 2704-4003	SCALE: FIGURE: 7
		FILE NUMBER: FAIROJ.DWG





**LEGEND**

- 202 TEMPORARY GROUNDWATER MONITORING WELL
- ⊙ PERMANENT GROUNDWATER MONITORING WELL

DWG. TITLE: GROUNDWATER SAMPLING POINTS AT THE RECHARGE BASIN AREA	
CLIENT: NORTHROP GRUMMAN CORP. BETHPAGE, LONG ISLAND, NY	DRAWN BY: BTD
<b>RADIAN INTERNATIONAL LLC</b>	DATE: NOV 1996
PROJECT No.: 2704-4003	SCALE:
FIGURE: 8	FILE NUMBER: FAIROK.DWG

NOTE: CONCENTRATIONS SHOWN ARE THE HIGHEST TCE CONCENTRATIONS ONLY  
 SOURCE: HALLBURTON NUS, FINAL REMEDIAL INVESTIGATION REPORT, 1992






STUDY AREA BOUNDARY


**LEGEND**

- SW-3 SURFACE WATER SAMPLING POINT
- SD202 SEDIMENT SAMPLING POINT



CLIENT: NORTHROP GRUMMAN CORP. BETHPAGE, LONG ISLAND, NY	DWG. TITLE: SURFACE WATER AND SEDIMENT SAMPLING POINTS AT THE RECHARGE BASIN AREA		
	DRAWN BY: BITD	DATE: NOV 1996	FIGURE: 9
<b>RADIAN</b> INTERNATIONAL LLC	PROJECT No.:	SCALE:	FILE NUMBER:
	2704-4003		FAIRCL.DWG

NOTE: CONCENTRATIONS SHOWN ARE THE HIGHEST  
TCE CONCENTRATIONS ONLY  
SOURCE: HALLBURTON HUS. FINAL REMEDIAL  
INVESTIGATION REPORT, 1992



0

0

0

## 5.0 FINDINGS

This section presents the findings of the Phase I ESA. These findings are the result of research performed during development of the Phase I ESA and described in previous sections of this report.

### 5.1 Summary of Findings

Past and present site activities that could potentially result in contamination at the Recharge Basin Area were identified during the Phase I ESA. These included operation of the recharge basins and the previous operation of the sludge drying beds at the site. Because this site has been investigated extensively and remediated as required in a 1995 ROD, no further investigation at the Recharge Basin Area is warranted at this time.

In 1995, the U.S. Navy and NYSDEC jointly approved a ROD for three sites, including the Recharge Basin Area, at the Northrop Grumman Bethpage facility. This ROD required remediation of all soil at the Recharge Basin Area with PCB concentrations greater than 10 mg/kg, and ultimately placement of a permeable cover above certain portions of the site. From March through May of 1996, 7,239 tons of PCB contaminated soil was excavated at the Recharge Basin Area and disposed off-site. Confirmatory sampling indicated that PCB concentrations in the soil remaining at the site did not exceed 10 mg/kg.

### 5.2 Off-Site and On-Site Groundwater Contamination

Groundwater across South Oyster Bay Road to the west of the Recharge Basin Area has been impacted with volatile organic compounds (VOCs). According to a delisting petition sent to New York State (Dvirka and Bartilucci, September 1994), these VOCs were attributed to an off-site source, specifically, the NPL site: OCC/RUCO Polymer facility. These sources are potentially upgradient to the Recharge Basin Area according to the delisting petition. Another document reviewed (Geraghty & Miller Inc., December 1991) suggests that groundwater flow in the area of the Northrop Grumman facility is to the south, which would mean that groundwater from the OCC/RUCO site is flowing laterally or parallel to the Recharge Basin Area. Because pumping and recharge of groundwater at the Northrop Grumman facility may have altered



groundwater flow patterns, it is possible that contamination from the OCC/RUCO site will impact groundwater at the Recharge Basin Area.

Because Northrop Grumman, in conjunction with the U.S. Navy and OCC is developing a Feasibility Study for remediation of groundwater in the vicinity of the Northrop Grumman Bethpage facility, and because groundwater has been extensively investigated at the Recharge Basin Area, off-site groundwater is not considered an AOC at the Recharge Basin Area.

0

0

0

## 6.0 RECOMMENDATIONS

The following section describe recommendations that have been developed based on the findings of the Phase I ESA. These recommendations are intended to provide the data needed to conduct a Phase II investigation, if necessary.

As discussed in Section 5.0 of this report, significant previous investigations, development of a ROD and subsequent site remediation activities have been conducted at the Recharge Basin Area. Because of this, no additional sampling is recommended at this site.

### 6.1 On-Site Recommendations

No on-site sampling is recommended to further investigate the Recharge Basin Area.

### 6.2 Off-Site Recommendations

No off-site sampling is recommended to further investigate the Recharge Basin Area

### 6.3 Limitations of the Phase I Environmental Site Assessment

The conclusions of this Phase I ESA are based on the findings of a site reconnaissance, a review of public agencies' databases and files, a review of available records and information supplied by Northrop Grumman, and through interviews with Northrop Grumman employees conducted by Radian. Areas which were inaccessible (e.g., under flooring, within ceilings, behind walls) are not included and are not a part of this Phase I ESA.

0

0

0

## 7.0 REFERENCES

1. Initial Assessment Study of NWIRP Bethpage, New York. Rogers, Golden & Halpern. December 1986.
2. Final Remedial Investigation Work Plan. Halliburton NUS Corp. August 1991.
3. Data Report, Phase I Remedial Investigation Grumman Aerospace Corp., Bethpage, New York. Geraghty & Miller, Inc. January 1992.
4. Final Remedial Investigation (Phase I) Report for the Naval Weapons Industrial Reserve Plant, Bethpage, New York. Halliburton NUS Corp. May 1992.
5. Environmental Compliance Evaluation of Naval Weapons Industrial Reserve Plants, Bethpage and Calverton, New York. Naval Facilities Engineering Command. June 1992.
6. Phase II Remedial Investigation Report for Naval Weapons Industrial Reserve Plant, Bethpage, New York. Halliburton NUS Corp. October 1993.
7. Feasibility Study Report for Naval Weapons Industrial Reserve Plant, Bethpage, New York. Halibutron NUS Corp. March 1994.
8. New York State Site Registry Delisting Petition Site 10 (Plants 21, 28, 37, 114, 115 and 116) Hicksville, New York, Dvirka and Bartilucci. September 1994.
9. Record of Decision, Naval Weapons Industrial Reserve Plant, Bethpage, New York. Northern Division - Naval Facilities Engineering Command and NYSDEC. May 1995.
10. Post-Remedial Action Letter Report for Site 2, Phase I. C.F. Braun Engineering Corp. June 1996.
11. Draft Supplemental Feasibility Study, Grumman Corporation - Bethpage Facility, Naval Weapons Industrial Reserve Plant - Bethpage, RUCO Polymer (Hooker Chemical). NYSDEC. September 1996)

0

0

0

## 8.0 WARRANTY AND DISCLOSURE LIMITATIONS

Radian International LLC (Radian), warrants that this environmental assessment report was prepared in accordance with generally accepted professional standards and applicable environmental laws and regulations; was based solely upon the information made available to or gathered by Radian in the performance of the services described herein; and was conducted in accordance with the scope of work, schedule and budgetary constraints imposed by the client. Radian makes no other warranty, expressed or implied. The report is not to be construed as a guarantee or warranty as to the potential liabilities associated with environmental conditions or impacts at the site and Radian assumes no liability for conditions which did not come to its actual knowledge or for conditions which were not generally recognized as environmentally unacceptable at the time this report was prepared.

This report was prepared solely for the purpose of providing information to Northrop Grumman. Any reliance on this report, or any information contained therein, by any third party shall be at such party's sole risk. Radian shall have no liability to any third party in any manner whatsoever.

APPENDICES





O

O

O

A

**Appendix A**  
**AERIAL PHOTOGRAPHS**

RPF\078  
0305-03.doc



BTQ-2



CLIENT:

NORTHROP GRUMMAN CORP.  
BETHPAGE, LONG ISLAND, NY

DWG. TITLE:

AERIAL PHOTOGRAPH 1947

**RADIAN**  
**INTERNATIONAL** LLC

FAIRFIELD, NEW JERSEY

DRAWN BY:  
BTD

DATE:  
SEPT. 1996

FIGURE:  
A-1

PROJECT No.:  
2704-300

SCALE:  
UNKNOWN

FILE NUMBER:  
AP1947



CLIENT:

NORTHROP GRUMMAN CORP.  
BETHPAGE, LONG ISLAND, NY

**RADIAN**  
**INTERNATIONAL LLC**

FAIRFIELD, NEW JERSEY

DWG. TITLE:

AERIAL PHOTOGRAPH 12-2-53

DRAWN BY:  
BTD

DATE:  
SEPT. 1996

FIGURE:  
A-2

PROJECT No.:  
2704-300

SCALE:  
UNKNOWN

FILE NUMBER:  
AP12253



CLIENT:  
 NORTHROP GRUMMAN CORP.  
 BETHPAGE, LONG ISLAND, NY

DWG. TITLE:  
 AERIAL PHOTOGRAPH 4-10-62

**RADIAN**  
**INTERNATIONAL LLC**  
 FAIRFIELD, NEW JERSEY

DRAWN BY:  
 BTD

DATE:  
 SEPT. 1996

FIGURE:  
 A-3

PROJECT No.:  
 2704-300

SCALE:  
 1" = 1500'

FILE NUMBER:  
 AP41062



CLIENT:  
 NORTHROP GRUMMAN CORP.  
 BETHPAGE, LONG ISLAND, NY

DWG. TITLE:  
 AERIAL PHOTOGRAPH 3-8-66

**RADIAN**  
**INTERNATIONAL** LLC  
 FAIRFIELD, NEW JERSEY

DRAWN BY:  
 BTD


DATE:  
 SEPT. 1996

FIGURE:  
 A-4

PROJECT No.:  
 2704-300

SCALE:  
 UNKNOWN

FILE NUMBER:  
 AP3866



CLIENT:

NORTHROP GRUMMAN CORP.  
BETHPAGE, LONG ISLAND, NY

DWG. TITLE:

AERIAL PHOTOGRAPH 4-10-76

**RADIAN**  
**INTERNATIONAL** LLC

FAIRFIELD, NEW JERSEY

DRAWN BY:  
BTD

DATE:  
SEPT. 1996

FIGURE:  
A-5

PROJECT No.:  
2704-300

SCALE:  
1" = 800'

FILE NUMBER:  
AP41076



CLIENT:

NORTHROP GRUMMAN CORP.  
BETHPAGE, LONG ISLAND, NY

DWG. TITLE:

AERIAL PHOTOGRAPH 4-5-78

**RADIAN**  
**INTERNATIONAL** LLC

FAIRFIELD, NEW JERSEY

DRAWN BY:  
BTD

DATE:  
SEPT. 1996

FIGURE:  
A-6

PROJECT No.:  
2704-300

SCALE:  
1" = 1600'

FILE NUMBER:  
AP4578





CLIENT:

NORTHROP GRUMMAN CORP.  
BETHPAGE, LONG ISLAND, NY

DWG. TITLE:

AERIAL PHOTOGRAPH 3-21-86

**RADIAN**  
**INTERNATIONAL** LLC

FAIRFIELD, NEW JERSEY

DRAWN BY:  
BTD


DATE:  
SEPT. 1996

FIGURE:  
A-7

PROJECT No.:  
2704-300

SCALE:  
1" = 800'

FILE NUMBER:  
AP32186



CLIENT:  
 NORTHROP GRUMMAN CORP.  
 BETHPAGE, LONG ISLAND, NY

DWG. TITLE:  
 AERIAL PHOTOGRAPH 4-14-93

**RADIAN**  
**INTERNATIONAL** LLC  
 FAIRFIELD, NEW JERSEY

DRAWN BY:  
 BTD

DATE:  
 SEPT. 1996

FIGURE:  
 A-8

PROJECT No.:  
 2704-300

SCALE:  
 1" = 2000'

FILE NUMBER:  
 AP41493

O

O

O

B


**Appendix B**  
**CHAIN OF TITLE REPORT**

RPF078  
0305-03.doc

# Land Title Research


Suite 1200  
11 North Pearl Street  
Albany, New York 12207

PHONE (518) 427-6929  
FAX (518) 427-6965



May 31, 1996

Mr. Michael Huston  
Radian International  
710 Route 46 East, Suite 401  
Fairfield, NJ 07004



**Client Reference: EDR**  
**LTR Reference: 961204**

**Subject: Grumman**  
**Bethpage, NY**  
**Jurisdiction: Nassau County, NY**  
**Term of Search: Seventy Five years**  
**Record Owner: Grumman Aerospace Corp.**

A seventy five year property history search has been conducted on your behalf in the State of New York, County of Nassau for the subject listed above. Please find attached a Grantor/Grantee Report, supporting documents and additional information as requested

The information set forth in this report was compiled from public records and other sources maintained by third parties. Therefore, we can not be held responsible for error, omission or inaccurate information, although we have exercised reasonable care in its compilation.


## DOCUMENT COVER PAGE

Northrop Grumman Gold Property  
Adjacent to Stewart Ave. & S. Oyster Bay Rd., Bethpage, Nassau County, NY

CLIENT REFERENCE #

LTR REFERENCE # 961204

- GRANTOR/GRANTEE REPORT
- CURRENT DEED WITH RECORD OWNER
- HISTORICAL DEEDS AND LEASES
- TAX MAP



11 North Pearl Street Albany, New York 12207 (518) 427-6929 FAX:(518) 427-6965


**MAP**

Northrop Grumman Gold Property  
Adjacent to Stewart Ave & S. Oyster Bay Rd. Bethpage Nassau County NY



CLIENT REFERENCE #:

LTR REFERENCE # 961204

MAPS ATTACHED




11 North Pearl Street Albany, New York 12207 (518) 427-6929 FAX (518) 427-6965





HARRISON AVE. +  
ST.

N 167,950



+ CENTRAL PK. AVE. +  
E 2,141,550

N 167,550  
+ E 2,141,250

SPECIAL DISTRICTS		MUNICIPALITIES	
DIST	NAME	DIST	NAME
1	PUBLIC PARKING	6	TOWN OF
2	UNINCORP. CENTER BAY	7	SUBURBAN
3	UNINCORP. CENTER BAY	8	ROCKAWAY
4	UNINCORP. CENTER BAY	9	ROCKAWAY
5	UNINCORP. CENTER BAY	10	ROCKAWAY
6	UNINCORP. CENTER BAY	11	ROCKAWAY
7	UNINCORP. CENTER BAY	12	ROCKAWAY
8	UNINCORP. CENTER BAY	13	ROCKAWAY
9	UNINCORP. CENTER BAY	14	ROCKAWAY
10	UNINCORP. CENTER BAY	15	ROCKAWAY
11	UNINCORP. CENTER BAY	16	ROCKAWAY
12	UNINCORP. CENTER BAY	17	ROCKAWAY
13	UNINCORP. CENTER BAY	18	ROCKAWAY
14	UNINCORP. CENTER BAY	19	ROCKAWAY
15	UNINCORP. CENTER BAY	20	ROCKAWAY
16	UNINCORP. CENTER BAY	21	ROCKAWAY
17	UNINCORP. CENTER BAY	22	ROCKAWAY
18	UNINCORP. CENTER BAY		
19	UNINCORP. CENTER BAY		
20	UNINCORP. CENTER BAY		
21	UNINCORP. CENTER BAY		
22	UNINCORP. CENTER BAY		

NASSAU COUNTY  
LAND & TAX MAP  
DEPARTMENT OF ASSESSMENT  
AGE BLOWN  
CUSTOMER SERVICE






BLOOMINGDALE (NEW SOUTH RD.)

MUTRIS ST. RD.

MULBERRY ST.

SOMERSET AVE.




DETAIL "A"  
SCALE 1" = 80'

E 2,138,200



FOR ADJOINING AREA SEE MAP NO 19



11801

11803

11714

GRUMMAN AIRPORT

BETHPAGE

135

26

Y

Z

AA

FOR ADJOINING AREA SEE MAP NO 21

27

Y

Z

AA

B8

19

21

GRUNMAN CORP  
AIRPORT

20

BEY

AVENUE

B5

21

26

HEMPSTEAD

135

B4


22


LEVITTOWN

B3

2

1758





FOR ADJOINING AREA SEE MAP NO. 20





# GRANTOR/GRANTEE REPORT

Northrop Grumman Gold Property  
Adjacent to Stewart Ave. & S. Oyster Bay Rd., Bethpage, Nassau County, NY  
CHAIN ONE

CLIENT REFERENCE #:

LTR REFERENCE #: 961204

## Chain One (A)

1.

Grantor: BWS Realty Co., a Co-Partnership Instrument: Bargain & Sale Deed

Dated: 08-01-74

Grantee: Grumman Aerospace Corporation,  
a New York Corporation Recorded: 08-07-74

Conveyed: As described, copy attached Book: 8709 Page: 156

2.

Grantor: Grumman Aircraft Engineering  
Corporation, a Domestic  
Corporation Instrument: Bargain & Sale Deed

Dated: 07-02-69

Grantee: Grumman Aerospace Corporation,  
a Domestic Corporation Recorded: 01-20-70

Conveyed: As described, copy attached Book: 8080 Page: 298


3.

Grantor: Taco Building Corp. Instrument: Bargain & Sale Deed

Dated: 11-30-64

Grantee: BWS Realty Co., a co-partnership  
comprised of Morris Back, Samuel  
Wax, Harrison A. Streisfeld &  
Harry Back Recorded: 12-01-64

Conveyed: Same as in L8709 Pg. 156 Book: 7341 Page: 6



11 North Pearl Street Albany, New York 12207 (518) 427-6929 FAX: (518) 427-6965

# GRANTOR/GRANTEE REPORT

Northrop Grumman Gold Property  
Adjacent to Stewart Ave. & S. Oyster Bay Rd., Bethpage, Nassau County, NY  
CHAIN ONE

CLIENT REFERENCE #:

LTR REFERENCE #: 961204

4.

Grantor:	Grumman Aircraft Engineering Corporation, a Domestic Corporation	Instrument:	Bargain & Sale Deed
		Dated:	06-11-57
Grantee:	Taco Building Corp., a Domestic Corporation	Recorded:	06-17-57
Conveyed:	As described, copy attached	Book: 6224	Page: 416

End of Chain One (A)

Chain One (B)

5.

Grantor:	Grumman Aircraft Engineering Corporation, a Domestic Corporation	Instrument:	Bargain & Sale Deed
		Dated:	03-25-59
Grantee:	Taco Building Corp., a Domestic Corporation	Recorded:	04-02-59
Conveyed:	As described, copy attached	Book: 6518	Page: 521


End of Chain One (B)

Chain One (C)

6.

Grantor:	Grumman Aircraft Engineering Corporation, a Domestic Corporation	Instrument:	Bargain & Sale Deed
		Dated:	07-28-64
Grantee:	Taco Building Corp., a Domestic Corporation	Recorded:	08-14-64
Conveyed:	As described, copy attached	Book: 7305	Page: 400

End of Chain One (C)



11 North Pearl Street Albany, New York 12207 (518) 427-6929 FAX:(518) 427-6965

# GRANTOR/GRANTEE REPORT

Northrop Grumman Gold Property  
Adjacent to Stewart Ave. & S. Oyster Bay Rd., Bethpage, Nassau County, NY  
CHAIN ONE

CLIENT REFERENCE #:

LTR REFERENCE #: 961204

## Chain One (D)

7.

Grantor: Paumanock Development Corporation, a New York Corporation      Instrument: Bargain & Sale Deed

Dated: 08-12-86

Grantee: Grumman Aerospace Corporation, a New York Corporation      Recorded: 10-07-86

Conveyed: As described, copy attached      Book: 9759      Page: 193

End of Chain One (D)

## Chain One (E)

8.

Grantor: Grumman Aerospace Corporation, a Domestic Corporation      Instrument: Bargain & Sale Deed

Dated: 11-01-73

Grantee: Paumanock Development Corporation, a New York Corporation      Recorded: 12-06-73

Conveyed: As described, copy attached      Book: 8622      Page: 356

End of Chain One (E)

## Chain One (F)


9.

Grantor: Tomona Realty Company, Inc.      Instrument: Bargain & Sale Deed

Dated: 07-14-41

Grantee: Grumman Aircraft Engineering Corporation, a Domestic Corporation

Conveyed: Old Lot 6      Book: 2388      Page: 338



11 North Pearl Street Albany, New York 12207 (518) 427-6929 FAX:(518) 427-6965

# GRANTOR/GRANTEE REPORT

Northrop Grumman Gold Property  
Adjacent to Stewart Ave. & S. Oyster Bay Rd., Bethpage, Nassau County, NY  
CHAIN ONE

CLIENT REFERENCE #:

LTR REFERENCE #: 961204

10.

Grantor:	Edward S. Keough, Referee	Instrument:	Referee's Deed
		Dated:	11-23-35
Grantee:	Tomona Realty Company, Inc.	Recorded:	01-14-36
Conveyed:	46-G-6 and much more, foreclosing eight mtgs.	Book: 1865	Page: 110


11.

Grantor:	Tomona Realty Company, Inc.	Instrument:	Deed
		Dated:	05-28-26
Grantee:	Cripple Bush Realty Corporation	Recorded:	06-03-26
Conveyed:	46-G-6 and much more	Book: 1106	Page: 144

12.

Grantor:	Fairlawn Cemetery Society, a Domestic Corporation	Instrument:	Deed
		Dated:	05-22-17
Grantee:	Tomona Realty Company, Inc.	Recorded:	05-31-17
		Book: 475	Page: 32

END OF CHAIN ONE



11 North Pearl Street Albany, New York 12207 (518) 427-6929 FAX:(518) 427-6965

# GRANTOR/GRANTEE REPORT

Northrop Grumman Gold Property  
Adjacent to Stewart Ave. & S. Oyster Bay Rd., Bethpage, Nassau County, NY  
CHAIN TWO

CLIENT REFERENCE #:

LTR REFERENCE #: 961204

## Chain Two (A)


1.  
Grantor: Grumman Aircraft Engineering Corporation, a Domestic Corporation  
Instrument:  
Dated: 07-02-69  
Grantee: Grumman Aerospace Corporation, a Domestic Corporation  
Recorded: 12-31-69  
Conveyed: As described, copy attached  
Book: 8074 Page: 450

2.  
Grantor: Michael F. Looney, James G. Looney, John L. Looney, Mavita P. Looney  
Instrument: Bargain & Sale Deed  
Dated: 09-10-48  
Grantee: Grumman Aircraft Engineering Corporation, a Domestic Corporation  
Recorded: 09-15-48  
Conveyed: Same as in L. 8074 Pg. 450  
Book: 3671 Page: 327

End of Chain Two (A)

## Chain Two (B)

3.  
Grantor: Irving R. Kingdon  
Instrument: Bargain & Sale Deed  
Dated: 12-18-86  
Grantee: Grumman Aerospace Corporation, a Domestic Corporation  
Recorded: 02-24-87  
Conveyed: As described, copy attached  
Book: 9792 Page: 519



11 North Pearl Street Albany, New York 12207 (518) 427-6929 FAX:(518) 427-6965

# GRANTOR/GRANTEE REPORT

Northrop Grumman Gold Property  
Adjacent to Stewart Ave. & S. Oyster Bay Rd., Bethpage, Nassau County, NY  
CHAIN TWO

CLIENT REFERENCE #:

LTR REFERENCE #: 961204

4.


Grantor:	Kingdon Enterprises, Inc.	Instrument:	Deed
		Dated:	08-30-77
Grantee:	Irving R. Kingdon	Recorded:	09-02-77
Conveyed:	Same as in L 9792 Pg. 519	Book: 9061	Page: 67

5.

Grantor:	Irving R. Kingdon	Instrument:	Bargain & Sale Deed
		Dated:	08-30-77
Grantee:	Kingdon Enterprises, Inc.	Recorded:	08-31-77
Conveyed:	Same as in L 9792 Pg. 519	Book: 9060	Page: 177

6

Grantor:	Kingdon Enterprises, Inc.	Instrument:	Deed
		Dated:	09-18-73
Grantee:	Irving R. Kingdon	Recorded:	09-27-73
Conveyed:	Same as in L 9792 Pg. 519	Book: 8598	Page: 1



11 North Pearl Street Albany, New York 12207 (518) 427-6929 FAX:(518) 427-6965

# GRANTOR/GRANTEE REPORT

Northrop Grumman Gold Property  
Adjacent to Stewart Ave. & S. Oyster Bay Rd., Bethpage, Nassau County, NY  
CHAIN TWO

CLIENT REFERENCE #:

LTR REFERENCE #: 961204

7.

Grantor: Irving R. Kingdon

Instrument: Deed

Dated: 09-18-73

Grantee: Kingdon Enterprises

Recorded: 09-21-73

Conveyed: Same as in L 9792 Pg. 143

Book: 8595 Page: 143

8.

Grantor: Murray A. Bruckman, Leonard Marcus, as successor trustees for Leslie Teicholz under agreement of trust dated 5-29-56 & Murray Bruckman & Leonard Marcus as successor trustees for Eleanor, Stephen & Peter Kien under agreement of trust dated 5-29-56

Instrument: Deed

Dated: 04-30-59

Grantee: Irving R. Kingdon, d/b/a Industrial Builders Co.

Recorded: 05-13-59

Conveyed: Part of 46-N-51+64

Book: 6536 Page: 193

End of Chain Two (B)

Chain Two (C)

9.

Grantor: Oyster Bay Road Realty Corp.

Instrument: Bargain & Sale Deed


Dated: 10-31-56

Grantee: Irving Abramson & David Osler, trustees for Leslie Teicholz under Agreement dated 5-29-56 & Irving Abramson & David Osler, trustees for Eleanor Klein, Stephen Klein, & Peter Klein, under agreement dated 5-29-56

Recorded: 01-02-57

Conveyed: Part of 46-N-Part of 12

Book: 6148 Page: 418



11 North Pearl Street Albany, New York 12207 (518) 427-6929 FAX:(518) 427-6965

# GRANTOR/GRANTEE REPORT

Northrop Grumman Gold Property  
Adjacent to Stewart Ave. & S. Oyster Bay Rd., Bethpage, Nassau County, NY  
CHAIN TWO

CLIENT REFERENCE #:

LTR REFERENCE #: 961204

10.

Grantor:	Kalman Klein & David Teicholz	Instrument:	Warranty Deed
		Dated:	09-11-52
Grantee:	Oyster Bay Road Realty Corp.	Recorded:	01-28-53
Conveyed:	46-N Part of 12	Book: 5117	Page: 439

11.

Grantor:	Herman L. Zirk & Augusta W. Zirk, H/W	Instrument:	Bargain & Sale Deed
		Dated:	02-25-52
Grantee:	Kalman Klein & David Teicholz	Recorded:	02-28-52
Conveyed:	46-N-Part of 12	Book: 4803	Page: 298


12.

Grantor:	Margaret Miller	Instrument:	Bargain & Sale Deed
		Dated:	07-23-48
Grantee:	Herman L. Zirk & Augusta W. Zirk, H/W	Recorded:	08-03-48
Conveyed:	46-N-12	Book: 3641	Page: 434

Chain Two (C)

13.

Grantor:	Lakeville Merrick Corp.	Instrument:	Bargain & Sale Deed
		Dated:	05-12-59
Grantee:	Irving R. Kingdon, d/b/a Industrial Builders Co.	Recorded:	05-13-59
Conveyed:	As described, copy attached	Book: 6536	Page: 189



11 North Pearl Street Albany, New York 12207 (518) 427-6929 FAX: (518) 427-6965



# GRANTOR/GRANTEE REPORT

Northrop Grumman Gold Property  
Adjacent to Stewart Ave. & S. Oyster Bay Rd., Bethpage, Nassau County, NY  
CHAIN TWO

CLIENT REFERENCE #:

LTR REFERENCE #: 961204

14.

Grantor: Joe Lo Fano & Rose Lo Fano,  
H/W

Instrument: Bargain & Sale Deed

Dated: 09-09-52


Grantee: Lakeville Merrick Corp.

Recorded: 09-12-52

Conveyed: 46-N-Part of 38

Book: 4982 Page: 505

END OF CHAIN TWO



11 North Pearl Street Albany, New York 12207 (518) 427-6929 FAX:(518) 427-6965

# GRANTOR/GRANTEE REPORT

Northrop Grumman Gold Property  
Adjacent to Stewart Ave. & S. Oyster Bay Rd., Bethpage, Nassau County, NY  
CHAIN THREE

CLIENT REFERENCE #:

LTR REFERENCE #: 961204

## Chain Three (A)

1.

Grantor:	Grumman Aircraft Engineering Corporation	Instrument:	Bargain & Sale Deed
		Dated:	07-02-69
Grantee:	Grumman Aerospace Corporation	Recorded:	12-21-69
Conveyed:	As described, copy attached	Book: 8074	Page: 433

### END OF CHAIN THREE(A)

## Chain Three (B)

2.

Grantor:	Grumman Aircraft Engineering Corporation	Instrument:	Bargain & Sale Deed
		Dated:	07-02-69
Grantee:	Grumman Aerospace Corporation	Recorded:	03-28-72
Conveyed:	As described, copy attached	Book: 8367	Page: 101

### END OF CHAIN THREE (B)

## Chain Three (C)

3.


Grantor:	Grumman Aircraft Engineering Corporation	Instrument:	Bargain & Sale Deed
		Dated:	07-02-69
Grantee:	Grumman Aerospace Corporation	Recorded:	12-21-69
Conveyed:	As described, copy attached	Book: 8074	Page: 433

### END OF CHAIN THREE (C)

## Chain Three (D)

4.

Grantor:	Eugene Calissi et al.	Instrument:	Bargain & Sale Deed
		Dated:	07-30-65
Grantee:	Grumman Aircraft Engineering Corporation	Recorded:	08-04-65
Conveyed:	P/O New lot 20	Book: 7412	Page: 607



11 North Pearl Street Albany, New York 12207 (518) 427-6929 FAX:(518) 427-6965

# GRANTOR/GRANTEE REPORT

Northrop Grumman Gold Property  
Adjacent to Stewart Ave. & S. Oyster Bay Rd., Bethpage, Nassau County, NY  
CHAIN THREE

CLIENT REFERENCE #:

LTR REFERENCE #: 961204


5.  
Grantor: Calissi Brothers, Inc. Instrument: Bargain & Sale Deed  
Dated: 12-29-61  
Grantee: Eugene Calissi, et al. Recorded: 01-02-62  
Conveyed: P/O New Lot 20 Book: 6962 Page: 506

6.  
Grantor: Lawrence Calissi a/k/a Lawrence Calissi Instrument: Warranty Deed  
Dated: 02-06-56  
Grantee: Calissi Brothers, Inc. Recorded: 03-06-56  
Conveyed: P/O New Lot 20 Book: 5980 Page: 428

7.  
Grantor: Gertrude Jaeger, widow Instrument: Warranty Deed  
Dated: 03-25-43  
Grantee: Lawrence Calissi Recorded: 05-23-43  
Conveyed: P/O New Lot 20 Book: 4152 Page: 569

8.  
Grantor: Mindlin + Rosenman, Inc. Instrument: Quit Claim Deed  
Dated: 09-01-26  
Grantee: Flovio Corporation of Hewleh New York Recorded: 09-21-26  
Conveyed: Book: 1135 Page: 431

END OF CHAIN THREE (D)



11 North Pearl Street Albany, New York 12207 (518) 427-6929 FAX: (518) 427-6965

# GRANTOR/GRANTEE REPORT

Northrop Grumman Gold Property  
Adjacent to Stewart Ave. & S. Oyster Bay Rd., Bethpage, Nassau County, NY  
CHAIN THREE

CLIENT REFERENCE #:

LTR REFERENCE #: 961204

## Chain Three (E)


9.

Grantor:	Lawrence Calissi	Instrument:	Warranty Deed
		Dated:	02-06-56
Grantee:	Calissi Brother, Inc.	Recorded:	03-08-56
Conveyed:	P/O/ New Lot #22	Book: 5982	Page: 246

10.

Grantor:	Eugene Calisi, et al.	Instrument:	Warranty Deed
		Dated:	08-24-48
Grantee:	Lawrence Calissi, Sr.	Recorded:	04-20-49
Conveyed:	P/O New Lot # 22	Book: 3817	Page: 586

END OF CHAIN THREE



11 North Pearl Street Albany, New York 12207 (518) 427-6929 FAX:(518) 427-6965

# GRANTOR/GRANTEE REPORT

Northrop Grumman Gold Property  
Adjacent to Stewart Ave. & S. Oyster Bay Rd., Bethpage, Nassau County, NY  
CHAIN FOUR

CLIENT REFERENCE #:


LTR REFERENCE #: 961204

1.  
Grantor: Grumman Aircraft Engineering Corporation  
Instrument: Bargain & Sale Deed  
Dated: 07-02-69  
Grantee: Grumman Aerospace Corporation  
Recorded: 12-31-69  
Conveyed: As described, copy attached  
Book: 8074  
Page: 442

2.  
Grantor: C.T.C. Construction Corp.  
Instrument: Bargain & Sale Deed  
Dated: 02-06-64  
Grantee: Fred Wirtz & Dorothy Wirtz  
Recorded: 02-11-64  
Conveyed: sec 46-323-52  
Book: 7250  
Page: 80

3.  
Grantor: Joseph Corsentino  
Instrument: Bargain & Sale Deed  
Dated: 10-07-63  
Grantee: C.T.C. Construction Corp.  
Recorded: 10-29-63  
Conveyed: Sec 46-323-52  
Book: 7220  
Page: 154

4.  
Grantor: Milly Czuchman  
Instrument: 05-17-63  
Dated: 05-22-63  
Grantee: Joseph Corsentino  
Recorded: 05-22-63  
Conveyed: Sec 46-323-52  
Book: 7159  
Page: 574



11 North Pearl Street Albany, New York 12207 (518) 427-6929 FAX:(518) 427-6965

# GRANTOR/GRANTEE REPORT

Northrop Grumman Gold Property  
Adjacent to Stewart Ave. & S. Oyster Bay Rd., Bethpage, Nassau County, NY  
CHAIN FIVE

CLIENT REFERENCE #:

LTR REFERENCE #: 961204

Chain Five (A)

1.

Grantor: Grumman Aircraft Engineering Corporation      Instrument: Bargain & Sale Deed

Dated: 07-02-69

Grantee: Grumman Aerospace Corporation      Recorded: 01-19-70

Conveyed: As described, copy attached      Book: 8080      Page: 310

Grantor: Grumman Aircraft Engineering Corporation      Instrument: Bargain & Sale Deed

Dated: 07-02-69

Grantee: Grumman Aerospace Corporation      Recorded: 01-19-70

Conveyed: Sec. 46 BI 323 Lot 16A      Book: 8080      Page: 128

Grantor: Grumman Aircraft Engineering Corporation      Instrument: Bargain & Sale Deed

Dated: 07-02-69

Grantee: Grumman Aerospace Corporation      Recorded: 01-19-70

Conveyed: Sec 46 BI 323 Lot 16a & 16B      Book: 8080      Page: 123


Grantor: Grumman Aircraft Engineering Corporation      Instrument: Bargain & Sale Deed

Dated: 07-02-69

Grantee: Grumman Aerospace Corporation      Recorded: 01-19-70

Conveyed: Sec 46 BI 323 Lot 16 a & 16b      Book: 8080      Page: 120

END OF CHAIN FIVE (A)



11 North Pearl Street Albany, New York 12207 (518) 427-6929 FAX: (518) 427-6965

# GRANTOR/GRANTEE REPORT

Northrop Grumman Gold Property  
Adjacent to Stewart Ave. & S. Oyster Bay Rd., Bethpage, Nassau County, NY  
CHAIN FOUR

CLIENT REFERENCE #:

LTR REFERENCE #: 961204

5.

Grantor: Grumman Aircraft Engineering Corporation

Instrument: Bargain & Sale Deed

Dated: 05-01-62

Grantee: Milly Czuchman

Recorded: 05-10-62

Conveyed: As described, copy attached

Book: 7010 Page: 372

6.

Grantor: Frederick V. Goess

Instrument: Executor's Deed

Dated: 05-15-54


Grantee: Grumman Aircraft Engineering Corporation

Recorded: 06-10-54

Conveyed: As described, copy attached

Book: 5556 Page: 277

END OF CHAIN FOUR



11 North Pearl Street Albany, New York 12207 (518) 427-6929 FAX: (518) 427-6965

# GRANTOR/GRANTEE REPORT

Northrop Grumman Gold Property  
Adjacent to Stewart Ave. & S. Oyster Bay Rd., Bethpage, Nassau County, NY  
CHAIN FIVE

CLIENT REFERENCE #:

LTR REFERENCE #: 961204

## Chain Five (B)

2.

Lessor:	Fortunato Sons, Inc.	Instrument:	Lease
		Dated:	08-31-81
Lessee:	Grumman Aerospace Corporation	Recorded:	
Conveyed:	As described, copy attached	Book: 9397	Page: 920

3.


Grantor:	Grumman Aerospace Corporation	Instrument:	Bargain & Sale Deed
		Dated:	08-01-69
Grantee:	John Pizzuti	Recorded:	11-05-__
Conveyed:	As described, copy attached	Book: 8994	Page: 234

## END OF CHAIN FIVE (B)

## Chain Five (C)

4.

Grantor:	Grumman Aircraft Engineering Corporation	Instrument:	Bargain & Sale Deed
		Dated:	07-02-69
Grantee:	Grumman Aerospace Corporation	Recorded:	12-31-69
Conveyed:	As described, copy attached	Book: 8074	Page: 440



11 North Pearl Street Albany, New York 12207 (518) 427-6929 FAX (518) 427-6965



# GRANTOR/GRANTEE REPORT

Northrop Grumman Gold Property  
Adjacent to Stewart Ave. & S. Oyster Bay Rd., Bethpage, Nassau County, NY  
CHAIN FIVE

CLIENT REFERENCE #:

LTR REFERENCE #: 961204

5.  
Grantor: United State of America      Instrument: Quit Claim Deed  
Dated: 07-01-47  
Grantee: Grumman Aircraft Engineering      Recorded: 01-21-48  
Corporation  
Conveyed:      Book: 3509      Page: 482

END OF CHAIN FIVE (C)

Chain Five (D)

6.  
Grantor: Grumman Aircraft Engineering      Instrument: Bargain & Sale Deed  
Corporation      Dated: 07-02-69  
Grantee: Grumman Aerospace Corporation      Recorded: 01-27-70  
Conveyed: As described, copy attached      Book: 8080      Page: 318


END OF CHAIN FIVE (D)

Chain Five (E)

7.  
Grantor: Grumman Aircraft Engineering      Instrument: Bargain & Sale Deed  
Corporation      Dated: 07-02-69  
Grantee: Grumman Aerospace Corporation      Recorded: 12-31-69  
Conveyed: As described, copy attached      Book: 8074      Page: 425

8.  
Grantor: County of Nassau      Instrument: Quit Claim Deed  
Dated: 09-11-51  
Grantee: Grumman Aircraft Engineering      Recorded: 09-17-51  
Conveyed: 46-323-78B & 78A      Book: 4659      Page: 70

END OF CHAIN FIVE (E)



11 North Pearl Street Albany, New York 12207 (518) 427-6929 FAX: (518) 427-6965

# GRANTOR/GRANTEE REPORT

Northrop Grumman Gold Property  
Adjacent to Stewart Ave. & S. Oyster Bay Rd., Bethpage, Nassau County, NY  
CHAIN FIVE

CLIENT REFERENCE #: LTR REFERENCE #: 961204

Chain Five (F)

9.

Grantor:	Grumman Aircraft Engineering Corporation	Instrument:	Deed
		Dated:	07-02-69
Grantee:	Grumman Aerospace Corporation	Recorded:	01-20-70
Conveyed:	As described, copy attached	Book: 8080	Page: 302

10.

Grantor:	Grumman Aircraft Engineering Corporation	Instrument:	Bargain & Sale Deed
		Dated:	07-02-69
Grantee:	Grumman Aerospace Corporation	Recorded:	12-31-69
Conveyed:	As described, copy attached	Book: 8074	Page: 425

11.


Grantor:	County of Nassau	Instrument:	Quit Claim Deed
		Dated:	09-11-51
Grantee:	Grumman Aircraft Engineering Corporation	Recorded:	09-17-51
Conveyed:	46-323-78B & 78A	Book: 4659	Page: 70

END OF CHAIN FIVE (F)

Chain Five (G)

12.

Grantor:	Grumman Aircraft Engineering Corporation	Instrument:	Bargain & Sale Deed
		Dated:	07-02-69
Grantee:	Grumman Aerospace Corporation	Recorded:	01-19-70
Conveyed:	As described, copy attached	Book: 8080	Page: 134




11 North Pearl Street Albany, New York 12207 (518) 427-6929 FAX: (518) 427-6965

# GRANTOR/GRANTEE REPORT

Northrop Grumman Gold Property  
Adjacent to Stewart Ave. & S. Oyster Bay Rd., Bethpage, Nassau County, NY  
CHAIN FIVE

CLIENT REFERENCE #:	LTR REFERENCE #: 961204		
13.			
Grantor:	Grumman Aircraft Engineering Corporation	Instrument:	Bargain & Sale Deed
		Dated:	07-02-69
Grantee:	Grumman Aerospace Corporation	Recorded:	01-19-70
Conveyed:	As described, copy attached	Book: 8080	Page: 132
14.			
Grantor:	Grumman Aircraft Engineering Corporation	Instrument:	Bargain & Sale Deed
		Dated:	07-02-69
Grantee:	Grumman Aerospace Corporation	Recorded:	01-19-70
Conveyed:	As described, copy attached	Book: 8080	Page: 118

END OF CHAIN FIVE



11 North Pearl Street Albany, New York 12207 (518) 427-6929 FAX (518) 427-6965

# GRANTOR/GRANTEE REPORT

Northrop Grumman Gold Property  
Adjacent to Stewart Ave. & S. Oyster Bay Rd., Bethpage, Nassau County, NY  
CHAIN SIX

CLIENT REFERENCE #:

LTR REFERENCE #: 961204

Chain Six (A)

1.

Grantor:	Grumman Aircraft Engineering Corporation	Instrument:	Bargain & Sale Deed
		Dated:	07-02-69
Grantee:	Grumman Aerospace Corporation	Recorded:	01-19-70
Conveyed:	As described, copy attached	Book: 8080	Page: 118

END OF CHAIN SIX (A)

Chain Six (B)

2.

Grantor:	Grumman Aircraft Engineering Corporation	Instrument:	Bargain & Sale Deed
		Dated:	07-02-69
Grantee:	Grumman Aerospace Corporation	Recorded:	01-20-70
Conveyed:	As described, copy attached	Book: 8080	Page: 306

END OF CHAIN SIX (B)

Chain Six (C)

3.

Grantor:	Grumman Aircraft Engineering Corporation	Instrument:	Bargain & Sale Deed
		Dated:	07-02-69
Grantee:	Grumman Aerospace Corporation	Recorded:	01-19-70
Conveyed:	As described, copy attached	Book: 8080	Page: 126


END OF CHAIN SIX (C)

Chain Six (D)

4.

Grantor:	Tilo Roofing Co., Inc.	Instrument:	Bargain & Sale Deed
		Dated:	07-06-51
Grantee:	Grumman Aircraft Engineering Corporation	Recorded:	07-17-51
Conveyed:	As described, copy attached	Book: 4596	Page: 171

END OF CHAIN SIX (D)



11 North Pearl Street Albany, New York 12207 (518) 427-6929 FAX:(518) 427-6965

# GRANTOR/GRANTEE REPORT

Northrop Grumman Gold Property  
Adjacent to Stewart Ave. & S. Oyster Bay Rd., Bethpage, Nassau County, NY  
CHAIN SIX

CLIENT REFERENCE #:

LTR REFERENCE #: 961204

Chain Six (E)

5.

Grantor:	Grumman Aircraft Engineering Corporation	Instrument:	Bargain & Sale Deed
		Dated:	07-02-69
Grantee:	Grumman Aerospace Corporation	Recorded:	01-19-70
Conveyed:	As described, copy attached	Book: 8080	Page: 115

END OF CHAIN SIX (E)

Chain Six (F)


6.

Lessor:	Grumman Aerospace Corporation	Instrument:	Lease
		Dated:	06-30-88
Lessee:	TBG Cogen Partners	Recorded:	08-09-88
Conveyed:	As described, copy attached	Book: 9931	Page: 286

7.

Grantor:	Grumman Aircraft Engineering Corporation	Instrument:	Bargain & Sale Deed
		Dated:	07-02-69
Grantee:	Grumman Aerospace Corporation	Recorded:	01-20-70
Conveyed:	As described, copy attached	Book: 8080	Page: 306

END OF CHAIN SIX



11 North Pearl Street Albany, New York 12207 (518) 427-6929 FAX:(518) 427-6965

# GRANTOR/GRANTEE REPORT

Northrop Grumman Gold Property  
Adjacent to Stewart Ave. & S. Oyster Bay Rd., Bethpage, Nassau County, NY  
CHAIN SEVEN

CLIENT REFERENCE #:

LTR REFERENCE #: 961204

1.

Grantor:	Grumman Aircraft Engineering Corporation	Instrument:	Bargain & Sale Deed
		Dated:	07-02-69
Grantee:	Grumman Aerospace Corporation	Recorded:	01-19-70
Conveyed:	As described, copy attached	Book: 8080	Page: 115

2.

Grantor:	Grumman Aircraft Engineering Corporation	Instrument:	Bargain & Sale Deed
		Dated:	07-02-69
Grantee:	Grumman Aerospace Corporation	Recorded:	01-20-70
Conveyed:	As described, copy attached	Book: 8080	Page: 318


3.

Grantor:	United States Of America	Instrument:	Deed
		Dated:	05-31-50
Grantee:	Grumman Aircraft Engineering Corporation	Recorded:	08-17-50
Conveyed:	As described, copy attached	Book: 4244	Page: 534

4.

Grantor:	Stephen A. McGunnigle	Instrument:	Deed
		Dated:	11-18-43
Grantee:	Grumman Aircraft Engineering Corporation	Recorded:	11-22-43
Conveyed:		Book: 2664	Page: 47

END OF CHAIN SEVEN



11 North Pearl Street Albany, New York 12207 (518) 427-6929 FAX:(518) 427-6965

# GRANTOR/GRANTEE REPORT

Northrop Grumman Gold Property  
Adjacent to Stewart Ave. & S. Oyster Bay Rd., Bethpage, Nassau County, NY  
CHAIN EIGHT

CLIENT REFERENCE #:

LTR REFERENCE #: 961204

## Chain Eight (A)

1.

Grantor:	Grumman Aircraft Engineering Corporation	Instrument:	Bargain & Sale Deed
		Dated:	07-02-69
Grantee:	Grumman Aerospace Corporation	Recorded:	01-20-70
Conveyed:	As described, copy attached	Book: 8080	Page: 314

2.

Grantor:	Tilo Roofing Company, Inc.	Instrument:	Bargain & Sale Deed
		Dated:	07-06-51
Grantee:	Grumman Aircraft Engineering Corporation	Recorded:	07-17-51
Conveyed:	p/o 33	Book: 4596	Page: 171

END OF CHAIN EIGHT (A)


## Chain Eight (B)

3.

Grantor:	Grumman Aircraft Engineering Corporation	Instrument:	Bargain & Sale Deed
		Dated:	07-02-69
Grantee:	Grumman Aerospace Corporation	Recorded:	12-31-69
Conveyed:	As described, copy attached	Book: 8074	Page: 436

4.

Grantor:	Pittsburgh Plate Glass Company	Instrument:	Warranty Deed
		Dated:	06-26-59
Grantee:	Grumman Aircraft Engineering Corporation	Recorded:	07-06-59
Conveyed:	As described, copy attached	Book: 6563	Page: 217



11 North Pearl Street Albany, New York 12207 (518) 427-6929 FAX: (518) 427-6965

# GRANTOR/GRANTEE REPORT

Northrop Grumman Gold Property  
Adjacent to Stewart Ave. & S. Oyster Bay Rd., Bethpage, Nassau County, NY  
CHAIN EIGHT

CLIENT REFERENCE #:

LTR REFERENCE #: 961204

5.  
Grantor: Tilo Roofing Company, Inc. Instrument: Warranty Deed  
Dated: 03-15-54  
Grantee: Pittsburgh Plate Glass Company Recorded: 03-17-54  
Conveyed: 46-504, 133 & 131 Book: 5498 Page: 499

6.  
Grantor: Grumman Aircraft Engineering Corp. Instrument: Warranty Deed  
Dated: 07-09-51  
Grantee: Tilo Roofing Company, Inc. Recorded: 07-18-51  
Conveyed: p/o Lot 30 Book: 4597 Page: 141

## END OF CHAIN EIGHT (B)


Chain Eight (C)

7.  
Grantor: Grumman Aircraft Engineering Corp. Instrument: Bargain & Sale Deed  
Dated: 07-02-69  
Grantee: Grumman Aerospace Corp. Recorded: 12-31-69  
Conveyed: As described, copy attached Book: 8074 Page: 436

## END OF CHAIN EIGHT (C)

Chain Eight (D)

8.  
Grantor: Grumman Aircraft Engineering Corp. Instrument: Bargain & Sale Deed  
Dated: 07-02-69  
Grantee: Grumman Aerospace Corp. Recorded: 12-31-69  
As described, copy attached Book: 8074 Page: 429



11 North Pearl Street Albany, New York 12207 (518) 427-6929 FAX: (518) 427-6965



# GRANTOR/GRANTEE REPORT

Northrop Grumman Gold Property  
Adjacent to Stewart Ave. & S. Oyster Bay Rd., Bethpage, Nassau County, NY  
CHAIN EIGHT

CLIENT REFERENCE #:

LTR REFERENCE #: 961204


9.

Grantor:	Pittsburgh Plate Glass Company	Instrument:	Warranty Deed
		Dated:	06-25-59
Grantee:	Grumman Aircraft Engineering Corporation	Recorded:	12-31-69
Conveyed:	As described, copy attached	Book: 6563	Page: 217

10.

Grantor:	Tilo Roofing Company, Inc.	Instrument:	Warranty Deed
		Dated:	03-15-54
Grantee:	Pittsburgh Plate Glass Company	Recorded:	03-17-51
Conveyed:	46-504, 133 & 131	Book: 5498	Page: 499

END OF CHAIN EIGHT



11 North Pearl Street Albany, New York 12207 (518) 427-6929 FAX: (518) 427-6965

# GRANTOR/GRANTEE REPORT

Northrop Grumman Gold Property  
Adjacent to Stewart Ave. & S. Oyster Bay Rd., Bethpage, Nassau County, NY  
CHAIN NINE

CLIENT REFERENCE #:

LTR REFERENCE #: 961204

1.

Grantor:	Grumman Aircraft Engineering Corporation	Instrument:	Bargain & Sale Deed
		Dated:	07-02-69
Grantee:	Grumman Aerospace Corporation	Recorded:	12-31-69
Conveyed:	As described, copy attached	Book: 8074	Page: 425

2.

Grantor:	County of Nassau	Instrument:	Deed
		Dated:	09-11-51
Grantee:	Grumman Aircraft Engineering Corporation	Recorded:	09-17-51
Conveyed:	As described, copy attached	Book: 4659	Page: 70


3.

Grantor:	Grumman Aircraft Engineering Corporation	Instrument:	Bargain & Sale Deed
		Dated:	07-02-69
Grantee:	Grumman Aerospace Corporation	Recorded:	01-19-70
Conveyed:	As described, copy attached	Book: 8080	Page: 118

4.

Grantor:	Charles Van Nostrand	Instrument:	Warranty Deed
		Dated:	04-28-50
Grantee:	Grumman Aircraft Engineering Corporation	Recorded:	05-02-50
Conveyed:	As described, copy attached	Book: 4131	Page: 448

END OF CHAIN NINE  
END OF REPORT



11 North Pearl Street Albany, New York 12207 (518) 427-6929 FAX: (518) 427-6965

**CURRENT DEED**


Northrop Grumman Gold Property  
Adjacent to Stewart Ave. & S. Oyster Bay Rd., Bethpage, Nassau County, NY

CLIENT REFERENCE #:

LTR REFERENCE # 961204

See attached Tax Assessor's Report



CURRENT OWNER: Grumman Aerospace Corp.



11 North Pearl Street Albany, New York 12207 (518) 427-6929 FAX:(518) 427-6965

SCALE 1" = 100'

UNITED STATES OF AMERICA  
LOT NOS. 6 6 9  
MASSACHUSETTS  
LOT 61



E 2,143,000

N 192,000  
E 2,137,800

TRW·REDI

PARCEL NUMBER BLDG UNIT  
OWNER'S NAME  
MAILING ADDRESS VRS W/SAVE  
PHONE NUMBER  
PROPERTY LOCATION PHONE

Nationwide 1-800-345-7334

TOWNSHIP MUNICIPALITY SCHOOL DISTRICT  
TAXPAYER NAME MAILING ADDRESS

PROPERTY USE BUILDING DATA AND EXTRA FEATURES

Copyright 1995 All Rights Reserved

STATISTICAL INFO V A L U E S  
TOTAL-TV LAND-LV  
IMPROVEMENT-IV  
COUNTY TAX-CT  
SCHOOL TAX-ST  
SALE PRICE-SP

44-584-0131-0  
GRUBMAN AEROSPACE CORP  
50 OYSTER BAY RD  
BETHPAGE NEW YORK 11714  
S NEW RD

OYSTER BAY 2489-TOWN OF OYSTER BAY 017 710.14-MANUFACTURING

LOT GROUP-131,133  
LOT SIZE- 11.6AC

USE: 522-LIGHT MANUFACTURING  
TOT AREA-43589 SF  
GF AREA-43589 SF  
FLR HGT-14  
CLASS-MSMRY/CONC WALL  
EXT WALL-COMMON BRICK

EXTRA FEATURES:  
110-INTERIOR FINISH  
MEAS-43509

118-SPRINKLER TYPE - MP6  
MEAS-76191  
243-MEZZANINE TYPE - LST  
MEAS-7112  
242-OFFICE FINISH TYPE - FOP  
MEAS-6448  
312-CANOPY TYPE - TEF  
MEAS-276  
313-GRADE/PLATFORM DOCK TYPE - SOC  
MEAS-336  
117-HVAC  
MEAS-63070  
401-YARD PAVING  
MEAS-18160  
TYPE - RTP  
418-CHAINLINK FENCING  
MEAS-1910  
TYPE - B06

CARD NO - 1  
SECT - 1  
STY HGT - 1.0  
NO FLRS - 1.0  
RENT UNITS - 1  
YR BUILT - 1945

USE: 522-LIGHT MANUFACTURING  
TOT AREA-19461 SF  
GF AREA-19461 SF  
FLR HGT-26  
CLASS-MSMRY/CONC WALL  
EXT WALL-COMMON BRICK

USE: 520-MECHANICAL ROOM  
TOT AREA-4100 SF  
FLR HGT-13  
CLASS-MSMRY/CONC WALL  
EXT WALL-COMMON BRICK

USE: 522-LIGHT MANUFACTURING  
TOT AREA-2609 SF  
GF AREA-2609 SF  
FLR HGT-13  
CLASS-MSMRY/CONC WALL  
EXT WALL-COMMON BRICK

CARD NO - 1  
SECT - 2  
STY HGT - 1.0  
NO FLRS - 1.0  
YR BUILT - 1945

CARD NO - 1  
SECT - 2.0  
STY HGT - 2.0  
NO FLRS - 1.0  
YR BUILT - 1945

CARD NO - 1  
SECT - 4  
STY HGT - 1.0  
NO FLRS - 1.0  
YR BUILT - 1945

TRW·REDI

Nationwide 1-800-345-7334

TRW·REDI

Nationwide 1-800-345-7334

PARCEL NUMBER BLDG UNIT  
OWNER'S NAME  
MAILING ADDRESS  
PHONE NUMBER YRS W/SAME  
PROPERTY LOCATION PHONE

TOWNSHIP MUNICIPALITY  
MUNICIPALITY TAXPAYER NAME  
MAILING ADDRESS

SCHOOL DISTRICT

PROPERTY USE  
BUILDING DATA  
AND  
EXTRA FEATURES

46-504 - 0131-0  
BRUNNAN AEROSPACE CORP  
5 NEW RD

710-14-MANUFACTURING

USE: 525-INDUSTRIAL OFFICE  
TOT AREA-17995 SF  
OF AREA-17995 SF  
FLR HGT-9  
CLASS-WOOD FRAME CONC  
EXT WALL-WOOD SIDING

USE: 525-INDUSTRIAL OFFICE  
TOT AREA-500 SF  
OF AREA-500 SF  
FLR HGT-12  
CLASS-MSRY/CONC MALL  
EXT WALL-COMMON BRICK

USE: 522-LIGHT MANUFACTURING  
TOT AREA-5278 SF  
OF AREA-5278 SF  
FLR HGT-20  
CLASS-MSRY/CONC MALL  
EXT WALL-METAL SIDING  
BSMT-UTIL./STG USE

EXTRA FEATURES:

110-SPRINKLER TYPE - MPS  
MEAS-12017  
243-MEZZANINE TYPE - HMD  
MEAS-5788  
110-INTERIOR FINISH  
MEAS-5278  
312-CANOPY TYPE - TIU  
MEAS-508

USE: 511-GENERAL WAREHOUSE  
TOT AREA-419 SF  
OF AREA-419 SF  
FLR HGT-12  
CLASS-MSRY/CONC MALL  
EXT WALL-METAL SIDING

USE: 522-LIGHT MANUFACTURING  
TOT AREA-2038 SF  
OF AREA-2038 SF  
FLR HGT-12  
CLASS-PRE EMG-STL FR  
EXT WALL-METAL SIDING

EXTRA FEATURES:

110-SPRINKLER TYPE - MP6  
MEAS-20297  
117-HVAC  
MEAS-10097

STATISTICAL INFO

V A L U E S  
TOTAL-TV  
LAND-LV  
IMPROVEMENT-IV  
COUNTY TAX-CT  
SCHOOL TAX-ST  
SALE PRICE-SP

\*\*CONTINUED\*\*  
CARD NO - 2  
SECT - 1  
STY HGT - 1.0  
NO FLRS - 1.0  
RENT UNITS - 1  
YR BUILT - 1901

CARD NO - 3  
SECT - 1  
STY HGT - 1.0  
NO FLRS - 1.0  
RENT UNITS - 1  
YR BUILT - 1945

CARD NO - 4  
SECT - 1  
STY HGT - 1.0  
NO FLRS - 1.0  
RENT UNITS - 1  
YR BUILT - 1945

CARD NO - 4  
SECT - 2  
STY HGT - 1.0  
NO FLRS - 1.0  
RENT UNITS - 1  
YR BUILT - 1945

CARD NO - 5  
SECT - 1  
STY HGT - 1.0  
NO FLRS - 1.0  
RENT UNITS - 1  
YR BUILT - 1950

Copyright 1995  
All Rights Reserved

MASSAU, N.Y.

N18

TRW·REDI

Nationwide 1-800-345-7334

Copyright 1995  
All Rights Reserved

TRW·REDI

Nationwide 1-800-345-7334

PARCEL NUMBER BLDG UNIT  
OWNER'S NAME  
MAILING ADDRESS  
PHONE NUMBER YRS W/SAME  
PROPERTY LOCATION PHONE

TOWNSHIP  
MUNICIPALITY  
TAXPAYER NAME  
MAILING ADDRESS

SCHOOL  
DISTRICT

PROPERTY USE  
BUILDING DATA  
EXTRA FEATURES

STATISTICAL INFO  
V A L U E S  
TOTAL-TV  
LAMO-LV  
IMPROVEMENT-TX-CT  
COUNTY TAX-CT  
SCHOOL TAX-ST  
SALE PRICE-SP

Copyright 1995  
All Rights Reserved

40-504-0131-0  
ORUNMAN AEROSPACE CORP  
S NEW RD

710.14-MANUFACTURING

TOT AREA-6045 SF  
GF AREA-6045 SF  
FLR HGT-12  
CLASS-PRE ENG-STL FR  
EXT WALL-METAL SIDING

EXTRA FEATURES:  
110-SPRINKLER  
MEAS-6045 TYPE - MP6  
117-MVAC  
MEAS-6045

USE: 525-INDUSTRIAL OFFICE  
TOT AREA-2070 SF  
GF AREA-2070 SF  
FLR HGT-12  
CLASS-MSBRV/CONC WALL  
WALL-METAL SIDING  
EXT BSMT-NORMAL UTILITY

EXTRA FEATURES:  
110-SPRINKLER  
MEAS-5313 TYPE - MP6

USE: 527-GENERAL INDUST. UTIL  
TOT AREA-1175 SF  
FLR HGT-10  
CLASS-MSBRV/CONC WALL  
EXT WALL-METAL SIDING

USE: 515-GENERAL STORAGE  
TOT AREA-968 SF  
GF AREA-968 SF  
FLR HGT-12  
CLASS-WOOD FRAME CONC  
WALL-WOOD SIDING  
EXT BSMT-FNSH.-FL 1 QLT

USE: 723-STEAM GEN. PLANT  
TOT AREA-1924 SF  
GF AREA-1924 SF  
FLR HGT-26  
CLASS-MSBRV/CONC WALL  
EXT WALL-COMMON BRICK

USE: 522-LIGHT MANUFACTURING  
TOT AREA-1344 SF  
GF AREA-1344 SF  
FLR HGT-30  
CLASS-MSBRV/CONC WALL  
EXT WALL-CONCRETE BLOCK

CONTINUED  
CARD NO - 6  
SECT - 1  
STY HGT - 1.0  
NO FLRS - 1.0  
RENT UNITS - 1  
YR BUILT - 1960

CARD NO - 7  
SECT - 1  
STY HGT - 2.0  
NO FLRS - 1.0  
RENT UNITS - 1  
YR BUILT - 1945

CARD NO - 7  
SECT - 2  
STY HGT - 2.0  
NO FLRS - 1.0  
YR BUILT - 1945

CARD NO - 0  
SECT - 1  
STY HGT - 1.0  
NO FLRS - 1.0  
RENT UNITS - 1  
YR BUILT - 1945

CARD NO - 9  
SECT - 1  
STY HGT - 1.0  
NO FLRS - 1.0  
RENT UNITS - 1  
YR BUILT - 1945

CARD NO - 10  
SECT - 1  
STY HGT - 1.0  
NO FLRS - 1.0  
RENT UNITS - 1  
YR BUILT - 1971

TRW·REDI

Nationwide 1-800-345-7334

# TRW·REDI

Nationwide 1-800-345-7334

PARCEL NUMBER BLDG UNIT  
 OWNER'S NAME  
 MAILING ADDRESS  
 PHONE NUMBER YRS W/SAME  
 \*PROPERTY LOCATION PHONE

46- 0- -0055-0  
 GRUHAN AEROSPACE CORP  
 SO OYSTER BAY RD  
 BETHPAGE NEW YORK 11714  
 STEWART AVE

46- N- -0028-0  
 GRUHAN AEROSPACE CORP  
 SOUTH OYSTER BAY RD  
 BETHPAGE NEW YORK 11714  
 S OYSTER BAY RD

46- N- -0051-0  
 GRUHAN AEROSPACE CORP  
 SOUTH OYSTER BAY ROAD  
 BETHPAGE NEW YORK 11714  
 OYSTER BAY RD

TOWNSHIP MUNICIPALITY SCHOOL DISTRICT  
 TAXPAYER NAME MAILING ADDRESS

OYSTER BAY  
 2489-TOWN OF OYSTER BAY 021

LOT SIZE- 96.00 X 149.00  
 OYSTER BAY  
 2489-TOWN OF OYSTER BAY 017

LOT SIZE- 150.00 X 207.00  
 OYSTER BAY  
 2489-TOWN OF OYSTER BAY 017

PROPERTY USE  
 BUILDING DATA  
 AND  
 EXTRA FEATURES

710-14-MANUFACTURING

710-04-MANUFACTURING

710-14-MANUFACTURING

STATISTICAL INFO V A L U E S  
 IMPROVEMENTS LAND-LV  
 COUNTY TAX-CT SCHOOL TAX-ST  
 SALE PRICE-SP

15,680TV  
 85,680LV  
 \$1,492,24CT  
 \$2,201,02ST

LINE 0000-0290  
 86,850TV  
 85,920LV  
 \$1,795,90CT  
 \$1,900,00ST

DATE 09-77  
 LINE 0254-0274

353,820TV  
 \$171,340LV  
 \$162,400CT  
 899,778,10CT  
 \$116,314,79ST

USE: 510-GENERAL OFFICE  
 TOT AREA-4320 SF  
 GF AREA-4320 SF  
 FLR HGT-11  
 CLASS-MSMRY/CONC MALL  
 EXT WALL-FACE BRICK

EXTRA FEATURES:  
 110-SPRINKLER TYPE - MP3  
 MEAS-4520  
 110-SPRINKLER TYPE - MP6  
 MEAS-35640  
 410-CHAINLINK FENCING  
 MEAS-1200  
 601-YARD PAVING  
 MEAS-90000  
 312-CANOPY TYPE - BTP  
 MEAS-1000  
 500-UTILITY BUILDING  
 MEAS-196 TYPE - F25

USE: 524-HEAVY MANUFACTURING  
 TOT AREA-35640 SF  
 GF AREA-35640 SF  
 FLR HGT-10  
 CLASS-MSMRY/CONC MALL  
 EXT WALL-FACE BRICK

USE: 524-HEAVY MANUFACTURING  
 TOT AREA-36000 SF  
 GF AREA-36000 SF  
 FLR HGT-24  
 CLASS-MSMRY/CONC MALL  
 EXT WALL-STUCCO

CARD NO - 1  
 SECT - 1  
 STY HGT - 1.0  
 NO FLRS - 1.0  
 RENT UNITS - 1  
 YR BUILT - 1963

CARD NO - 1  
 SECT - 2  
 STY HGT - 1.0  
 NO FLRS - 1.0  
 YR BUILT - 1963

CARD NO - 1  
 SECT - 3  
 STY HGT - 1.0  
 NO FLRS - 1.0  
 YR BUILT - 1975

MASSAU, N.Y.

Q18

# TRW·REDI

Nationwide 1-800-345-7334



TRW-REDI

Nationwide 1-800-345-7334

PARCEL NUMBER BLDG UNIT  
 OWNER'S NAME  
 MAILING ADDRESS  
 PHONE NUMBER YRS W/SAME  
 PROPERTY LOCATION PHONE

46-0063-0  
 GRUMMAN AEROSPACE CORP  
 SOUTH OYSTER BAY ROAD  
 BETHPAGE NEW YORK 11714  
 S OYSTER BAY RD

46-0020-0  
 GRUMMAN AEROSPACE CORP  
 500 CENTRAL PARK AVE  
 BETHPAGE NEW YORK 11714  
 CENTRAL PARK AVE

46-0016-A  
 GRUMMAN AEROSPACE CORP  
 SOUTH OYSTER BAY RD  
 BETHPAGE NEW YORK 11714

46-0019-0  
 GRUMMAN AEROSPACE CORP  
 50 OYSTER BAY RD  
 BETHPAGE NEW YORK 11714  
 S OYSTER BAY RD

46-0070-A  
 GRUMMAN AEROSPACE CORP  
 S OYSTER BAY ROAD  
 BETHPAGE NEW YORK 11714  
 S OYSTER BAY RD

MUNICIPALITY TAXPAYER NAME MAILING ADDRESS  
 DISTRICT  
 SCHOOL DISTRICT  
 TOWNSHIP  
 OYSTER BAY  
 2409-TOWN OF OYSTER BAY  
 OYSTER BAY  
 2409-TOWN OF OYSTER BAY  
 LOT SIZE- 1.66AC  
 OYSTER BAY  
 2409-TOWN OF OYSTER BAY  
 LOT SIZE- 50.21AC  
 OYSTER BAY  
 2409-TOWN OF OYSTER BAY  
 LOT SIZE- 31.86AC  
 OYSTER BAY  
 2409-TOWN OF OYSTER BAY  
 LOT SIZE- 52.00 X 159.00

STATISTICAL INFO  
 V A L U E S  
 TOTAL-TV  
 LAND-TV  
 IMPROVEMENT-TV  
 COUNTY TAX-CT  
 SCHOOL TAX-ST  
 SALE PRICE-SP

81,190,000TP  
 DATE 02-84  
 LIBR 9534-0439  
 330,350TV  
 931,220LV  
 87,130LV  
 810,703.0ACT  
 815,073.00ST  
 LIBR 0074-0439

433.14-AUTO GARAGE/SHOP  
 USE: 231-AGENCY TYPE-SHOWROOM  
 TOT AREA-1600 SF  
 GF AREA-1600 SF  
 FLR HGT-15  
 CLASS-MSMRY/CONC WALL  
 EXT WALL-CONCRETE BLOCK  
 EXTRA FEATURES:  
 401-YARD PAVING  
 MEAS-6000  
 410-CHAINLINK FENCING  
 MEAS-300

710.14-MANUFACTURING  
 USE: 232-AGENCY TYPE-GARAGE  
 TOT AREA-5215 SF  
 GF AREA-5215 SF  
 FLR HGT-15  
 CLASS-MSMRY/CONC WALL  
 EXT WALL-CONCRETE BLOCK

710.14-MANUFACTURING  
 USE: 232-AGENCY TYPE-GARAGE  
 TOT AREA-5215 SF  
 GF AREA-5215 SF  
 FLR HGT-15  
 CLASS-MSMRY/CONC WALL  
 EXT WALL-CONCRETE BLOCK

710.14-INDUSTRIAL-VACANT

CARD NO - 1  
 SECT - 1  
 STY HGT - 1.0  
 NO FLRS - 1.0  
 RENT UNITS - 1  
 YR BUILT - 1926  
 LIBR 0074-0439

CARD NO - 1  
 SECT - 2  
 STY HGT - 1.0  
 NO FLRS - 1.0  
 RENT UNITS - 1  
 YR BUILT - 1934  
 LIBR 0080-0127

CARD NO - 1  
 SECT - 1  
 STY HGT - 1.0  
 NO FLRS - 1.0  
 RENT UNITS - 1  
 YR BUILT - 1956  
 LIBR 0076-044

TRW-REDI

Nationwide 1-800-345-7334

CITY OF MASSACHUSETTS  
AIR RIGHTS RESERVED

PARCEL NUMBER OWNER'S NAME MAILING ADDRESS PHONE NUMBER PROPERTY LOCATION	BLDG UNIT YRS W/SAME PHONE	TOWNSHIP MUNICIPALITY TAXPAYER NAME MAILING ADDRESS	SCHOOL DISTRICT	PROPERTY USE BUILDING DATA AND EXTRA FEATURES	STATISTICAL INFO V A L U E S TOTAL-TV LAND-LV IMPROVEMENT-LV COUNTY TAX-ST SCHOOL TAX-ST SALE PRICE-SP
48-323-0223-0 GRUMAN AEROSPACE CORP 1111 STEWART AVENUE BETHPAGE NEW YORK 11714 S OYSTER BAY RD		OYSTER BAY 2489-TOWN OF OYSTER BAY	021	718.16-MANUFACTURING	85,966.690TV 8599.928LV 85,916,779LV 8487,486.96CT 8777,891.01ST
48-323-0224-0 GRUMAN AEROSPACE CORP 1111 STEWART AVENUE BETHPAGE NEW YORK 11714 S OYSTER BAY RD		OYSTER BAY 2489-TOWN OF OYSTER BAY	021	338.16-COMMERCIAL-VACANT	8188.480TV 8188.480LV 826,715.37CT 842,836.96ST
48-505-0061-0 GRUMAN AEROSPACE CORP SO OYSTER BAY RD BETHPAGE NEW YORK 11714 S OYSTER BAY RD		OYSTER BAY 2489-TOWN OF OYSTER BAY	017	348.14-INDUSTRIAL-VACANT	8540TV 8549LV 8151.85CT 8177.52ST
48-505-0062-0 GRUMAN AEROSPACE CORP SOUTH OYSTER BAY RD BETHPAGE NEW YORK 11714 S OYSTER BAY RD		OYSTER BAY 2489-TOWN OF OYSTER BAY	017	340.14-INDUSTRIAL-VACANT	LIBR 8874-8425 8480TV 8489LV 8134.27CT 8157.86ST
48-505-0083-A GRUMAN AEROSPACE CORP SOUTH OYSTER BAY RD BETHPAGE NEW YORK 11714 S OYSTER BAY RD		LOT SIZE- 80.00 X 75.00 OYSTER BAY 2489-TOWN OF OYSTER BAY	021	340.14-INDUSTRIAL-VACANT	LIBR 8880-8118 8780TV 8780LV 8195.66CT 8275.13ST
48-505-0084-0 GRUMAN AEROSPACE CORP SO OYSTER BAY RD BETHPAGE NEW YORK 11714 S OYSTER BAY RD		LOT GROUP-63A-65B LOT SIZE- 140.00 X 60.00 OYSTER BAY 2489-TOWN OF OYSTER BAY	021	348.14-INDUSTRIAL-VACANT	LIBR 8880-8118 8480TV 8480LV 8167.65CT 8235.82ST
48-627-0035-0 GRUMAN AEROSPACE CORP 14 NO. ROBERT DAMM STREET BETHPAGE NEW YORK 11714 N ROBERT DAMM ST		LOT GROUP-66-66 LOT SIZE- 160.00 X 42.00 OYSTER BAY 2489-TOWN OF OYSTER BAY	021	210.01-SINGLE FAMILY RESID. FOUNDATION - CONCRETE WALLS BSMT AREA - FULL BSMT EXT WALLS - FRAME W/COM BRK ROOF TYPE - HIP ROOFING - ASPHALT SHINGLE FLR FINISH - HARDWOOD INT FINISH - WALL BOARD HEAT & A/C - HOT WATER FUEL TYPE - OIL	86,788TV 8635LV 84,965TV 81,361.81CT 81,958.83ST

TRW·REDI

Nationwide 1-800-345-7334

PARCEL NUMBER OWNER'S NAME MAILING ADDRESS PHONE NUMBER PROPERTY LOCATION	BLDG UNIT YRS W/SAME PHONE	TOWNSHIP MUNICIPALITY TAXPAYER NAME MAILING ADDRESS	SCHOOL DISTRICT	PROPERTY USE BUILDING DATA AND EXTRA FEATURES	STATISTICAL INFO	V A L U E S TOTAL-TV LAND-LV IMPROVEMENT-TV COUNTY TAX-CT SCHOOL TAX-ST SALE PRICE-SP
46-323-0017-0 GRUMMAN AIRCRAFT ENG CORP 50 OYSTER BAY ROAD BETHPAGE NEW YORK 11714 S OYSTER BAY RD		OYSTER BAY 2489-TOWN OF OYSTER BAY	021	710.14-MANUFACTURING		89,163,488TV 81,956,200LV 81,286,200LV 8704,445,0ACT 81242,556,66ST
46-323-0077-0 GRUMMAN AIRCRAFT ENG CORP 50 OYSTER BAY ROAD BETHPAGE NEW YORK 11714 S OYSTER BAY RD		OYSTER BAY 2489-TOWN OF OYSTER BAY	021	340.14-INDUSTRIAL-VACANT		DATE 11-76 LIR# 8994-8254 816,950TV 816,950LV 84,174,20ACT 86,642,03ST
46-323-0079-0 GRUMMAN AIRCRAFT ENG CORP SOUTH OYSTER BAY ROAD BETHPAGE NEW YORK 11714 S OYSTER BAY RD		OYSTER BAY 2489-TOWN OF OYSTER BAY	021	340.14-INDUSTRIAL-VACANT		LIR# 0000-0306 87,280TV 87,280LV 81,775,14CT 82,829,09ST
46-323-0082-0 GRUMMAN AIRCRAFT ENG CORP SOUTH OYSTER BAY ROAD BETHPAGE NEW YORK 11714 S OYSTER BAY RD		OYSTER BAY 2489-TOWN OF OYSTER BAY	021	340.14-INDUSTRIAL-VACANT		LIR# 0000-0134 81,450TV 81,450LV 837,89CT 8549,91ST
46-503-0005-0 GRUMMAN AIRCRAFT ENG CORP 1111 STEWART AVENUE BETHPAGE NEW YORK 11714 STEWART AVE		OYSTER BAY 2489-TOWN OF OYSTER BAY	021	350.14-COMMERCIAL-VACANT		834,900TV 234,980LV 80,594,82CT 813,717,16ST
46-N-0044-0 GRUMMAN AIRCRAFT ENG CORP 1111 STEWART AVENUE BETHPAGE NEW YORK 11714 S OYSTER BAY RD		OYSTER BAY 2489-TOWN OF OYSTER BAY	017	444.14-OFFICE BLDG USE: 525-INDUSTRIAL OFFICE TOT AREA-25168 SF OF AREA-25168 SF FLR HGT-13 CLASS-MSBRY/COMC MALL EXT WALL-STUCCO	CARD NO - 1 SECT - 1 STY HGT - 1.0 NO FLS - 1.0 YR BUILT - 1963 YR REMOV - 1967	LIR# 0000-0115 8215,468TV 6130,000LV 876,640LV 860,255,41CT 878,038,32ST

EXTRA FEATURES:  
401-YARD PAVING  
MFAS-00400 TYPE - RTP  
410-CHAINLINK FENCING  
MEAS-1000 TYPE - 606

TOW·REDI

Nationwide 1-800-345-7334

TRW-REDI

Nationwide 1-800-345-7334

COPYRIGHT 1985  
All Rights Reserved

PAYCEL NUMBER OWNER'S NAME MAILING ADDRESS PHONE NUMBER PROPERTY LOCATION	BLDG UNIT GRUMMAN AIRCRAFT ENG CORP S OYSTER BAY RD	TOWNSHIP MUNICIPALITY TAXPAYER NAME MAILING ADDRESS	SCHOOL DISTRICT	PROPERTY USE BUILDINGS DATA AND EXTRA FEATURES	STATISTICAL INFO	V A L U E S TOTAL-TV LAND-LV IMPROVEMENT-IV COUNTY TAX-CT SCHOOL TAX-ST SALE PRICE-SP
46-323-0044-0 GRUMMAN AIRCRAFT ENG CORP S OYSTER BAY RD				464.14-OFFICE BLDG USE: 525-INDUSTRIAL OFFICE TOT AREA-225 SF OF AREA-225 SF FLR HGT-12 GLASS-PRE ENG-STL FR EXT WALL-METAL SIDING	CONTINUING CARD NO - 1 SECT - 2 STY HGT - 1.0 NO FLRS - 1.0	\$215,460TV \$180,000LV
46-323-0016-C GRUMMAN AIRCRAFT ENG CORP NO 8 SOUTH OYSTER BAY ROAD BETHPAGE NEW YORK 11714		MEMPSTEAD 2089-TOWN OF MEMPSTEAD GRUMMAN AEROSPACE CORP 50 OYSTER BAY ROAD BETHPAGE, NY 11714	026	710.24-MANUFACTURING		\$101,270TV \$45,000LV \$35,070LV \$30,644.25CT \$41,174.36ST
46-323-0081-0 GRUMMAN AIRCRAFT ENG CORP 1 SHERIDAN AVE BETHPAGE NEW YORK 11714		LOT GROUP-16C LOT SIZE- 2.85AC OYSTER BAY 2489-TOWN OF OYSTER BAY	017	350.14-COMMERCIAL-VACANT		LINE 8000-0120 \$2,250TV \$2,250LV \$429.37CT \$739.67ST
46-323-0006-0 GRUMMAN AIRCRAFT ENG CORP SOUTH OYSTER BAY ROAD BETHPAGE NEW YORK 11714		LOT SIZE- 03.00 X 484.00 OYSTER BAY 2489-TOWN OF OYSTER BAY	017	348.14-INDUSTRIAL-VACANT		\$11,950TV \$11,850LV \$3,490.91CT \$3,632.56ST
46-323-0007-0 GRUMMAN AIRCRAFT ENG CORP SOUTH OYSTER BAY ROAD BETHPAGE NEW YORK 11714		LOT SIZE- 400.00 X 159.00 OYSTER BAY 2489-TOWN OF OYSTER BAY	017	540.14-INDUSTRIAL-VACANT		\$4,450TV \$4,450LV \$1,366.70CT \$1,522.64ST
46-504-0130-0 GRUMMAN AIRCRAFT ENG CORP OYSTER BAY RD BETHPAGE NEW YORK 11714		LOT SIZE- 61.00 X 92.00 OYSTER BAY 2489-TOWN OF OYSTER BAY	017	710.14-MANUFACTURING USE: 525-INDUSTRIAL OFFICE TOT AREA-1960 SF OF AREA-1960 SF FLR HGT-12 GLASS-MSMRY/CONC MALL EXT WALL-CONCRETE BLOCK	CARD NO - 1 SECT - 1 STY HGT - 1.0 NO FLRS - 1.0 RENT UNITS - 1 YR BUILT - 1960	\$275,900TV \$275,150LV \$70,750LV \$62,769.15CT \$97,274.17ST LINE 0000-0314

EXTRA FEATURES:  
401-YARD PAVING  
MEAS-126400 TYPE - RTP  
410-CHAINLINK FENCING  
MEAS-2040 TYPE - 806

**TRW-REDI**

Nationwide 1-800-345-7334

Copyright 1989  
All Rights Reserved

PARCEL NUMBER OWNER'S NAME MAILING ADDRESS PHONE NUMBER PROPERTY LOCATION	BLDG UNIT YRS W/SAME PHONE	TOWNSHIP MUNICIPALITY TAXPAYER NAME MAILING ADDRESS	SCHOOL DISTRICT	PROPERTY USE BUILDING DATA AND EXTRA FEATURES	STATISTICAL INFO	V A L U E \$ TOTAL-TV LAND-LV IMPROVEMENT-IV COUNTY TAX-CT SCHOOL TAX-ST SALE PRICE-SP
46-N-0825-0 GRUNMAN AIRCRAFT ENGINEERING CORP SOUTH OYSTER BAY ROAD BETHPAGE NEW YORK 11714 S OYSTER BAY RD		OYSTER BAY 2489-TOWN OF OYSTER BAY	017	468.74-BANK/OFFICE BLDG		LIBR 0074-0458 \$103,248TV \$181,000LV \$1,040IV \$29,111.62CT \$33,939.12ST
46-N-0071-0 GRUNMAN AROSPACE CORP SOUTH OYSTER BAY ROAD BETHPAGE NEW YORK 11714 S OYSTER BAY RD		OYSTER BAY 2489-TOWN OF OYSTER BAY	017	468.04-STORAGE/WAREHOUSE		LIBR 0074-0458 \$517,550TV \$243,000LV \$274,670IV \$145,928.75CT \$176,139.39ST
05-162-0030-0 GRUNMAN LR 77 BAYVIEW RD PLANDOME NEW YORK		NORTH HEMPSTEAD 2257-PLANDOME MANOR ROSE H GRUNMAN 77 BAYVIEW RD PLANDOME NY 11050	006	311.14-RESIDENTIAL-VACANT		DATE 01-79 LIBR 0434-0256 PREV SALE! \$1,050,366SP DATE 01-74
077 BAYVIEW RD		LOT SIZE- 6.27AC OYSTER BAY 2489-TOWN OF OYSTER BAY				\$2,000TV \$2,000LV \$377.79CT \$1,047.34ST
42-064-0068-0 GRUNBERGER R R 17 ARDEN RD EAST ROCKAWAY NEW YORK 11510		HEMPSTEAD 2089-TOWN OF HEMPSTEAD ROBERT & RACHEL GRUNBERGER 17 ARDEN ROAD EAST ROCKAWAY, NY 11510	019	210.01-SINGLE FAMILY RESID.		DLG TYPE - 1 FAM YR BUILT - 1959 STORIES - 1.8 NO ROOMS! BASEMENT - 1 FLOOR 1 - 5 B BATHS - 1.5
017 ARDEN RD		LOT SIZE- 60.00 X 100.00				LIBR 0300-0330
45-347-0011-0 GRUNG ANTHONY & LILLIAN 70 BOBWHITE LANE HICKSVILLE NEW YORK 11801 # 516-931-2665 #70 BOBWHITE LN		OYSTER BAY 2489-TOWN OF OYSTER BAY	017	210.01-SINGLE FAMILY RESID.		DLG TYPE - 1 FAM YR BUILT - 1948 NO ROOMS! FLOOR 1 - 4 FLOOR 2 - 2 B BATHS - 1.5 FIRE PL - 1
		LOT SIZE- 53.00 X 100.00				LIBR 5502-0434

**TRW·REDI**

Nationwide 1-800-345-7334

PARCEL NUMBER BLDG UNIT  
 OWNER'S NAME  
 MAILING ADDRESS  
 PHONE NUMBER YRS W/SAME  
 PROPERTY LOCATION PHONE

MUNICIPALITY  
 TAXPAYER NAME  
 MAILING ADDRESS

SCHOOL DISTRICT

PROPERTY USE  
 BUILDING DATA  
 AND  
 EXTRA FEATURES

STATISTICAL INFO

COPYRIGHT 1995  
 ALL RIGHTS RESERVED

V A L U E S  
 TOTAL-TV  
 LAND-LV  
 COUNTY TAX-CT  
 SCHOOL TAX-ST  
 SALE PRICE-SP

46-584-0131-0  
 GRUMMAN AEROSPACE CORP  
 S NEW RD

710.14-MANUFACTURING

USE: 522-LIGHT MANUFACTURING  
 TOT AREA-623 SF  
 OF AREA-623 SF  
 FLR HOT-20  
 CLASS-MENRY/CONC WALL  
 EXT WALL-CONCRETE BLOCK

#CONTIMED#  
 CARD NO - 10  
 SECT - 12  
 STY HOT - 1.0  
 NO FLRS - 1.0  
 RENT UNITS - 1  
 YR BUILT - 1985

USE: 511-GENERAL WAREHOUSE  
 TOT AREA-1044 SF  
 OF AREA-1044 SF  
 FLR HOT-12  
 CLASS-PRE ENO-STL FR  
 EXT WALL-METAL SIDING

CARD NO - 11  
 SECT - 11  
 STY HOT - 1.0  
 NO FLRS - 1.0  
 RENT UNITS - 1  
 YR BUILT - 1980

EXTRA FEATURES:  
 110-SPRINKLER TYPE - WPS  
 MEAS-1046

USE: 515-GENERAL STORAGE  
 TOT AREA-800 SF  
 OF AREA-800 SF  
 FLR HOT-10  
 CLASS-PRE ENO-STL FR  
 EXT WALL-METAL SIDING

CARD NO - 12  
 SECT - 11  
 STY HOT - 1.0  
 NO FLRS - 1.0  
 RENT UNITS - 1  
 YR BUILT - 1960

EXTRA FEATURES:  
 117-HVAC  
 MEAS-800

46-0-0016-0  
 GRUMMAN AEROSPACE CORP  
 SO OYSTER BAY RD  
 BETHPAGE, NEW YORK 11714  
 S OYSTER BAY RD

710.16-MANUFACTURING

OYSTER BAY  
 2489-TOWN OF OYSTER BAY 021  
 LOT GROUP-16,16  
 LOT SIZE- 5.12AC

USE: 515-GENERAL STORAGE  
 TOT AREA-800 SF  
 OF AREA-800 SF  
 FLR HOT-10  
 CLASS-PRE ENO-STL FR  
 EXT WALL-METAL SIDING

CARD NO - 12  
 SECT - 11  
 STY HOT - 1.0  
 NO FLRS - 1.0  
 RENT UNITS - 1  
 YR BUILT - 1960

LOT GROUP-16,16  
 LOT SIZE- 5.12AC

46-0-0029-0  
 GRUMMAN AEROSPACE CORP  
 SOUTH OYSTER BAY RD  
 BETHPAGE, NEW YORK 11714  
 S OYSTER BAY RD

664.16-OFFICE BLDG

OYSTER BAY  
 2489-TOWN OF OYSTER BAY 021

DATE 80-74  
 LIBR 8000-8290

USE: 515-GENERAL STORAGE  
 TOT AREA-800 SF  
 OF AREA-800 SF  
 FLR HOT-10  
 CLASS-PRE ENO-STL FR  
 EXT WALL-METAL SIDING

CARD NO - 12  
 SECT - 11  
 STY HOT - 1.0  
 NO FLRS - 1.0  
 RENT UNITS - 1  
 YR BUILT - 1960

LOT SIZE- 2.96AC

46-0-0052-0  
 GRUMMAN AEROSPACE CORP  
 1111 STEWART AVENUE  
 BETHPAGE, NEW YORK 11714  
 STEWART AVE

463.14-BANK WITH OFFICES

OYSTER BAY  
 2489-TOWN OF OYSTER BAY 021

DATE 80-74  
 LIBR 8000-8290

USE: 515-GENERAL STORAGE  
 TOT AREA-800 SF  
 OF AREA-800 SF  
 FLR HOT-10  
 CLASS-PRE ENO-STL FR  
 EXT WALL-METAL SIDING

CARD NO - 12  
 SECT - 11  
 STY HOT - 1.0  
 NO FLRS - 1.0  
 RENT UNITS - 1  
 YR BUILT - 1960

LOT SIZE- 200.00 X 304.00

46-0-0052-0  
 GRUMMAN AEROSPACE CORP  
 1111 STEWART AVENUE  
 BETHPAGE, NEW YORK 11714  
 STEWART AVE

P18

DATE 80-74  
 LIBR 8000-8290

MASSAU, N.Y.

**TRW·REDI**

Nationwide 1-800-345-7334

TRW·REDI

Nationwide 1-800-345-7334

Copyright 1985  
All Rights Reserved

PARCEL NUMBER OWNER'S NAME MAILING ADDRESS PHONE NUMBER PROPERTY LOCATION	BLDG UNIT YRS W/SAME PHONE	TOWNSHIP MUNICIPALITY TAXPAYER NAME MAILING ADDRESS	SCHOOL DISTRICT	PROPERTY USE BUILDING DATA AND EXTRA FEATURES	STATISTICAL INFO	V A L U E S TOTAL-TV LAND-LV IMPROVEMENT-IV COUNTY TAX-CT SCHOOL TAX-ST SALE PRICE-SP
46-323-0070-B GRUMMAN AEROSPACE CORP S OYSTER BAY ROAD BETHPAGE NEW YORK 11714 S OYSTER BAY RD		OYSTER BAY 2409-TOWN OF OYSTER BAY	021	340.14-INDUSTRIAL-VACANT		\$26,100TV \$26,100LV \$6,427.65CT \$10,250.34GT LIR 0074-0425
46-323-0004-A GRUMMAN AEROSPACE CORP SO OYSTER BAY RD BETHPAGE NEW YORK 11714 S OYSTER BAY RD		OYSTER BAY 2409-TOWN OF OYSTER BAY	017	340.14-INDUSTRIAL-VACANT		\$20,000TV \$20,000LV \$5,394.46CT \$6,574.00ST LIR 0080-0306
46-323-0004-B GRUMMAN AEROSPACE CORP S OYSTER BAY ROAD BETHPAGE NEW YORK 11714 S OYSTER BAY RD		OYSTER BAY 2409-TOWN OF OYSTER BAY	021	340.14-INDUSTRIAL-VACANT		\$00,000TV \$00,000LV \$19,775.46CT \$31,561.11ST LIR 0080-0306
46-323-0005-0 GRUMMAN AEROSPACE CORP OYSTER BAY ROAD BETHPAGE NEW YORK 11714 S OYSTER BAY RD		OYSTER BAY 2409-TOWN OF OYSTER BAY	017	340.14-INDUSTRIAL-VACANT		\$36,000TV \$36,000LV \$10,049.92CT \$11,434.64ST LIR 0000-0126
46-323-0222-0 GRUMMAN AEROSPACE CORP 699 SOUTH OYSTER BAY ROAD BETHPAGE NEW YORK 11714 S OYSTER BAY RD		OYSTER BAY 2409-TOWN OF OYSTER BAY	021	815.04-ELECTRIC-GAS		\$3,312,340TV \$90,950LV \$3,221,390IV \$609,449.02CT \$1301,062.11ST LIR 0000-0126

USE: 310-GENERAL OFFICE  
TOT AREA-1440 SF  
GF AREA-1440 SF  
FLR HGT-12  
CLASS-PRE ENG-STL FR  
EXT WALL-METAL PANELS

EXTRA FEATURES:  
110-SPRINKLER TYPE - MP4  
MEAS-2400

USE: 201-GENERAL UTILITY/STG  
TOT AREA-960 SF  
GF AREA-960 SF  
FLR HGT-12  
CLASS-PRE ENG-STL FR  
EXT WALL-METAL PANELS

CARD NO - 2  
SECT - 1  
STY HGT - 1.0  
NO FLRS - 1.0  
RENT UNITS - 1  
YR BUILT - 1992

CARD NO - 2  
SECT - 2  
STY HGT - 1.0  
NO FLRS - 1.0  
RENT UNITS - 1  
YR BUILT - 1992

NASSAU, N.Y.

B19

TR REDI

Nationwide

1 (N) - 345 - 7334

Copy All  
1995  
Reserved

0

0

0

0



**Appendix C**

**ENVIRONMENTAL DATA RESOURCES, INC. REPORT**

RPF\078  
0305-03.doc


NYSDEC 056540

**The EDR Area Study  
Report**

**Study Area  
Grumman GO CO Property  
Bethpage, Long Island**

**April 12, 1996**

**Inquiry number 114340**



**Environmental  
Data  
Resources, Inc.**

Creators of Toxichex<sup>®</sup>

***The Source*  
For Environmental  
Risk Management  
Data**

3530 Post Road  
Southport, Connecticut 06490

**Nationwide Customer Service**

Telephone: 1-800-352-0050  
Fax: 1-800-231-6802

***Thank you for your business.***  
Please contact EDR at 1-800-352-0050  
with any questions or comments.

**Disclaimer**

This Report contains information obtained from a variety of public sources and EDR makes no representation or warranty regarding the accuracy, reliability, quality, or completeness of said information or the information contained in this report. The customer shall assume full responsibility for the use of this report.

**No warranty of merchantability or of fitness for a particular purpose, expressed or implied, shall apply and EDR specifically disclaims the making of such warranties. In no event shall EDR be liable to anyone for special, incidental, consequential or exemplary damages.**

## GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

To maintain currency of the following federal and state databases, EDR contacts the appropriate governmental agency on a monthly or quarterly basis, as required.

**Elapsed ASTM days:** Provides confirmation that this EDR report meets or exceeds the 90-day updating requirement of the ASTM standard.

### FEDERAL ASTM RECORDS:

#### **CERCLIS: Comprehensive Environmental Response, Compensation, and Liability Information System**

Source: EPA/NTIS  
Telephone: 703-603-8904

CERCLIS: CERCLIS contains data on potentially hazardous waste sites that have been reported to the USEPA by states, municipalities, private companies and private persons, pursuant to Section 103 of the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA). CERCLIS contains sites which are either proposed to or on the National Priorities List (NPL) and sites which are in the screening and assessment phase for possible inclusion on the NPL.

Date of Government Version: 11/30/95  
Date Made Active at EDR: 02/26/96

Date of Data Arrival at EDR: 01/15/96  
Elapsed ASTM days: 42

#### **ERNS: Emergency Response Notification System**

Source: EPA/NTIS  
Telephone: 202-260-2342

ERNS: Emergency Response Notification System. ERNS records and stores information on reported releases of oil and hazardous substances.

Date of Government Version: 12/31/95  
Date Made Active at EDR: 02/19/96

Date of Data Arrival at EDR: 01/26/96  
Elapsed ASTM days: 24

#### **NPL: National Priority List**

Source: EPA  
Telephone: 703-603-8852

NPL: National Priorities List (Superfund). The NPL is a subset of CERCLIS and identifies over 1,200 sites for priority cleanup under the Superfund Program. NPL sites may encompass relatively large areas. As such, it is EDR's policy to plot NPL sites greater than approximately 500 acres in size as areas (polygons). Sites smaller in size are point-geocoded at the site's address.

Date of Government Version: 09/01/95  
Date Made Active at EDR: 10/25/95

Date of Data Arrival at EDR: 10/17/95  
Elapsed ASTM days: 8

#### **RCRIS: Resource Conservation and Recovery Information System**

Source: EPA/NTIS  
Telephone: 703-308-7907

RCRIS: Resource Conservation and Recovery Information System. RCRIS includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA).

Date of Government Version: 10/31/95  
Date Made Active at EDR: 01/12/96

Date of Data Arrival at EDR: 12/15/95  
Elapsed ASTM days: 28

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

## FEDERAL NON-ASTM RECORDS:

### CONSENT: Superfund (CERCLA) Consent Decrees

Source: EPA Regional Offices

Telephone: Varies

Major legal settlements that establish responsibility and standards for cleanup at NPL (Superfund) sites. Released periodically by United States District Courts after settlement by parties to litigation matters.

Date of Government Version: Varies

Date of Next Scheduled Update: 09/01/95

### CORRACTS: Corrective Action Report

Source: EPA

Telephone: 703-308-7907

CORRACTS: CORRACTS identifies hazardous waste handlers with RCRA corrective action activity.

Date of Government Version: 04/10/95

Date of Next Scheduled Update: 06/17/96

### FINDS: Facility Index System

Source: EPA/NTIS

Telephone: 800-908-2493

FINDS: Facility Index System. FINDS contains both facility information and "pointers" to other sources that contain more detail. These include: RCRIS, PCS (Permit Compliance System), AIRS (Aerometric Information Retrieval System), FATES (FIFRA [Federal Insecticide Fungicide Rodenticide Act] and TSCA Enforcement System, FTTS [FIFRA/TSCA Tracking System]), CERCLIS, DOCKET (Enforcement Docket used to manage and track information on civil judicial enforcement cases for all environmental statutes), FURS (Federal Underground Injection Control), FRDS (Federal Reporting Data System), SIA (Surface Impoundments), CIGIS (TSCA Chemicals in Commerce Information System), PADS, RCRA-J (medical waste transporters/disposers), TRIS and TSCA.

Date of Government Version: 09/30/95

Date of Next Scheduled Update: 07/08/96

### HMIRS: Hazardous Materials Information Reporting System

Source: U.S. Department of Transportation

Telephone: 202-366-4555

HMIRS: Hazardous Materials Incident Report System. HMIRS contains hazardous material spill incidents reported to DOT.

Date of Government Version: 12/31/95

Date of Next Scheduled Update: 07/29/96

### MLTS: Maternal Licensing Tracking System

Source: Nuclear Regulatory Commission

Telephone: 301-415-7169

MLTS is maintained by the Nuclear Regulatory Commission and contains a list of approximately 8,100 sites which possess or use radioactive materials and which are subject to NRC licensing requirements. To maintain currency, EDR contacts the Agency on a quarterly basis.

Date of Government Version: 08/01/95

Date of Next Scheduled Update: 07/15/96

### NPL LIENS: Federal Superfund Liens

Source: EPA

Telephone: 205-564-4267

NPL LIENS: Federal Superfund Liens. Under the authority granted the USEPA by the Comprehensive Environmental Response, Compensation and Liability Act (CERCLA) of 1980, the USEPA has the authority to file liens against real property in order to recover remedial action expenditures or when the property owner receives notification of potential liability. USEPA compiles a listing of filed notices of Superfund Liens.

Date of Government Version: 10/15/91

Date of Next Scheduled Update: 05/27/96

### PADS: PCB Activity Database System

Source: EPA

Telephone: 202-260-3992

PADS: PCB Activity Database. PADS identifies generators, transporters, commercial storers and/or brokers and disposers of PCB's who are required to notify the EPA of such activities.

Date of Government Version: 10/14/94

Date of Next Scheduled Update: 05/20/96

## GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

**RAATS: RCRA Administrative Action Tracking System**

Source: EPA

Telephone: 202-564-4104

RAATS: RCRA Administration Action Tracking System. RAATS contains records based on enforcement actions issued under RCRA pertaining to major violators and includes administrative and civil actions brought by the EPA.

Date of Government Version: 04/17/95

Date of Next Scheduled Update: 06/17/96

**ROD: Records Of Decision**

Source: NTIS

Telephone: 703-416-0703

Record of Decision. ROD documents mandate a permanent remedy at an NPL (Superfund) site containing technical and health information to aid in the cleanup.

Date of Government Version: 03/31/95

Date of Next Scheduled Update: 06/17/96

**TRIS: Toxic Chemical Release Inventory System**

Source: EPA/NTIS

Telephone: 202-260-2320

TRIS: Toxic Release Inventory System. TRIS identifies facilities which release toxic chemicals to the air, water and land in reportable quantities under SARA Title III Section 313.

Date of Government Version: 12/31/92

Date of Next Scheduled Update: 07/01/96

**TSCA: Toxic Substances Control Act**

Source: EPA/NTIS

Telephone: 202-260-1444

TSCA: Toxic Substances Control Act. TSCA identifies manufacturers and importers of chemical substances included on the TSCA Chemical Substance Inventory list. It includes data on the production volume of these substances by plant site. USEPA has no current plan to update and/or re-issue this database.

Date of Government Version: 01/31/95

Date of Next Scheduled Update: 06/17/96

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

## STATE OF NEW YORK ASTM RECORDS:

### LUST: Spills Information Database

Source: Department of Environmental Conservation  
Telephone: 518-457-2462

LUST: Leaking Underground Storage Tank Incident Reports. LUST records contain an inventory of reported leaking underground storage tank incidents. Not all states maintain these records, and the information stored varies by state.

Date of Government Version: 09/30/95  
Date Made Active at EDR: 12/20/95

Date of Data Arrival at EDR: 11/22/95  
Elapsed ASTM days: 28

### SHWS: Inactive Hazardous Waste Disposal Sites in New York State

Source: Department of Environmental Conservation  
Telephone: 518-457-0747

SHWS: State Hazardous Waste Sites. State hazardous waste site records are the states' equivalent to CERCLIS. These sites may or may not already be listed on the federal CERCLIS list. Priority sites planned for cleanup using state funds (state equivalent of Superfund) are identified along with sites where cleanup will be paid for by potentially responsible parties. Available information varies by state.

Date of Government Version: 04/30/95  
Date Made Active at EDR: 07/25/95

Date of Data Arrival at EDR: 06/19/95  
Elapsed ASTM days: 36

### SWF/LS: Facility Register

Source: Department of Environmental Conservation  
Telephone: 518-457-2051

SWF/LS: Solid Waste Facilities/Landfill Sites. SWF/LS type records typically contain an inventory of solid waste disposal facilities or landfills in a particular state. Depending on the state, these may be active or inactive facilities or open dumps that failed to meet RCRA Section 2004 criteria for solid waste landfills or disposal sites.

Date of Government Version: 12/31/95  
Date Made Active at EDR: 03/27/96

Date of Data Arrival at EDR: 03/01/96  
Elapsed ASTM days: 26

### UST: Petroleum Bulk Storage (PBS, CBS, MOSF) Database (UST)

Source: Department of Environmental Conservation  
Telephone: 518-457-4351

UST: Registered Underground Storage Tanks. UST's are regulated under Subtitle I of the Resource Conservation and Recovery Act (RCRA) and must be registered with the state department responsible for administering the UST program. Available information varies by state program.

Date of Government Version: 09/30/95  
Date Made Active at EDR: 12/20/95

Date of Data Arrival at EDR: 11/22/95  
Elapsed ASTM days: 28

## STATE OF NEW YORK NON-ASTM RECORDS:

### AST: Petroleum Bulk Storage (AST)

Source: Department of Environmental Conservation  
Telephone: 518-457-4351

AST: Registered Aboveground Storage Tanks.

Date of Government Version: 09/30/95

Date of Next Scheduled Update: 05/26/96

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

## NEW YORK COUNTY RECORDS

### CORTLAND COUNTY:

#### Cortland County UST Listing (AST)

Source: Cortland County Health Department  
Telephone: 607-753-5035

Date of Government Version: 07/12/95

Date of Next Scheduled Update: 06/10/96

#### Cortland County UST Listing (UST)

Source: Cortland County Health Department  
Telephone: 607-753-5035

Date of Government Version: 01/11/96

Date of Next Scheduled Update: N/A

### NASSAU COUNTY:

#### NCPHO Article XI Database (AST)

Source: Nassau County Health Department  
Telephone: 516-571-3314

Date of Government Version: 01/02/96

Date of Next Scheduled Update: 06/10/96

#### NCPHO Article XI Database (UST)

Source: Nassau County Health Department  
Telephone: 516-571-3314

Date of Government Version: 01/02/96

Date of Next Scheduled Update: N/A

### ROCKLAND COUNTY:

#### Petroleum Bulk Storage Database (AST)

Source: Rockland County Health Department  
Telephone: 914-364-2605

Date of Government Version: 11/23/95

Date of Next Scheduled Update: 06/10/96

#### Petroleum Bulk Storage Database (UST)

Source: Rockland County Health Department  
Telephone: 914-364-2605

Date of Government Version: 11/23/95

Date of Next Scheduled Update: N/A

### SUFFOLK COUNTY:

#### Underground Storage Tank Database (AST)

Source: Suffolk County Department of Health Services  
Telephone: 516-854-2521

Date of Government Version: 02/28/95

Date of Next Scheduled Update: 06/10/96

#### Underground Storage Tank Database (UST)

Source: Suffolk County Department of Health Services  
Telephone: 516-854-2521

Date of Government Version: 02/28/95

Date of Next Scheduled Update: N/A



## GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

### Historical and Other Database(s)

Depending on the geographic area covered by this report, the data provided in these specialty databases may or may not be complete. For example, the existence of wetlands information data in a specific report does not mean that all wetlands in the area covered by the report are included. Moreover, the absence of any reported wetlands information does not necessarily mean that wetlands do not exist in the area covered by the report.

**Former Manufactured Gas (Coal Gas) Sites:** The existence and location of Coal Gas sites is provided exclusively to EDR by Real Property Scan, Inc. ©Copyright 1993 Real Property Scan, Inc. For a technical description of the types of hazards which may be found at such sites, contact your EDR customer service representative.

### Disclaimer Provided by Real Property Scan, Inc.

The information contained in this report has predominantly been obtained from publicly available sources produced by entities other than Real Property Scan. While reasonable steps have been taken to insure the accuracy of this report, Real Property Scan does not guarantee the accuracy of this report. Any liability on the part of Real Property Scan is strictly limited to a refund of the amount paid. No claim is made for the actual existence of toxins at any site. This report does not constitute a legal opinion.

### DELISTED NPL: Delisted NPL Sites

Source: EPA

Telephone: 703-603-8769

DELISTED NPL: The National Oil and Hazardous Substances Pollution Contingency Plan (NCP) establishes the criteria that the EPA uses to delete sites from the NPL. In accordance with 40 CFR 300.425.(e), sites may be deleted from the NPL where no further response is appropriate.

### NFRAP: No Further Remedial Action Planned

Source: EPA/NTIS

Telephone: 703-416-0702

NFRAP: As of February 1995, CERCLIS sites designated "No Further Remedial Action Planned" (NFRAP) have been removed from CERCLIS. NFRAP sites may be sites where, following an initial investigation, no contamination was found, contamination was removed quickly without the need for the site to be placed on the NPL, or the contamination was not serious enough to require Federal Superfund action or NPL consideration. EPA has removed approximately 25,000 NFRAP sites to lift the unintended barriers to the redevelopment of these properties and has archived them as historical records so EPA does not needlessly repeat the investigations in the future. This policy change is part of the EPA's Brownfields Redevelopment Program to help cities, states, private investors and affected citizens to promote economic redevelopment of unproductive urban sites.

### FRDS: Federal Reporting Data System

Source: EPA/Office of Drinking Water

Telephone: 202-260-2805

FRDS provides information regarding public water supplies and their compliance with monitoring requirements, maximum contaminant levels (MCL's), and other requirements of the Safe Drinking Water Act of 1986.

**Area Radon Information:** The National Radon Database has been developed by the U.S. Environmental Protection Agency (USEPA) and is a compilation of the EPA/State Residential Radon Survey and the National Residential Radon Survey. The study covers the years 1986 - 1992. Where necessary data has been supplemented by information collected at private sources such as universities and research institutions.

**Oil/Gas Pipelines/Electrical Transmission Lines:** This data was obtained by EDR from the USGS in 1994. It is referred to by USGS as GeoData Digital Line Graphs from 1:100,000-Scale Maps. It was extracted from the transportation category including some oil, but primarily gas pipelines and electrical transmission lines.

**Sensitive Receptors:** There are individuals who, due to their fragile immune systems, are deemed to be especially sensitive to environmental discharges. These typically include the elderly, the sick, and children. While the exact location of these sensitive receptors cannot be determined, EDR indicates those facilities, such as schools, hospitals, day care centers, and nursing homes, where sensitive receptors are likely to be located.

## GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

**USGS Water Wells:** In November 1971 the United States Geological Survey (USGS) implemented a national water resource information tracking system. This database contains descriptive information on sites where the USGS collects or has collected data on surface water and/or groundwater. The groundwater data includes information on more than 900,000 wells, springs, and other sources of groundwater.

**Flood Zone Data:** This data, available in select counties across the country, was obtained by EDR in 1994 from the Federal Emergency Management Agency (FEMA). Data depicts 100-year and 500-year flood zones as defined by FEMA.

**Epicenters:** World earthquake epicenters, Richter 5 or greater

Source: Department of Commerce, National Oceanic and Atmospheric Administration

**Water Dams:** National Inventory of Dams

Source: Federal Emergency Management Agency

Telephone: 202-646-2801

**WATER DAMS:** National computer database of more than 74,000 dams maintained by the Federal Emergency Management Agency.

**New York Public Water Wells**

Source: New York Department of Health

Telephone: 518-458-6731

**MAP FINDINGS SUMMARY**

<u>Database</u>	<u>Total Plotted</u>
NPL	1
Delisted NPL	0
RCRIS-TSD	1
State Haz. Waste	2
CERCLIS	3
CERC-NFRAP	0
CORRACTS	2
State Landfill	0
LUST	97
UST	11
AST	25
RAATS	0
RCRIS Sm. Quan. Gen.	48
RCRIS Lg. Quan. Gen.	39
HMIRS	0
PADS	2
ERNS	1
FINDS	90
TRIS	1
NPL Liens	0
TSCA	0
MLTS	0
NY Spills	0
ROD	0
CONSENT	0
Coal Gas	0

\* Sites may be listed in more than one database

MAP FINDINGS

Map ID  
Direction  
Distance

Site

Database(s)

EDR ID Number  
EPA ID Number

**Coal Gas Site Search: No site was found in a search of Real Property Scan's ENVIROHAZ database.**

1	<b>KENDALL RESIDENCE</b> <b>33 WENDELL STREET</b> <b>PLAINVIEW, NY</b>	LUST	S100492251 N/A
---	--	------	-------------------

LUST:

Facility ID: 9211165  
 First notified: REGIONAL OFFICE  
 Material spilled: #2 FUEL  
 Water body affected: Not reported  
 Resource affected: GROUNDWATER  
 Basin of spill: 1700  
 Cleaner: SPILLER  
 Initiated clean up: Not reported  
 Last inspection: Not reported  
 UST Trust Fund: No  
 Status: Not reported  
 Quantity recovered: 0.00  
 Cause: TANK FAILURE  
 Emergency response: IT WAS NOT TAKEN  
 Facility status: ACTIVE SPILL (ON GOING)

Spill Date: 12/28/1992  
 Material class: PETROLEUM  
 Release QTY: 500.00 GALLONS  
 Origin: PRIVATE DWELLING  
 Notifier: OTHER  
 Project ID: 0  
 Date Cleaned: Not reported  
 Close Date: Not reported  
 Investigator: RICE  
 Penalty: NO PENALTY

2	<b>NEGRON RESIDENCE</b> <b>54 SUNRISE STREET</b> <b>PLAINVIEW, NY</b>	LUST	S100666445 N/A
---	---	------	-------------------

LUST:

Facility ID: 9004238  
 First notified: REGIONAL OFFICE  
 Material spilled: #2 FUEL  
 Water body affected: Not reported  
 Resource affected: ON LAND  
 Basin of spill: 1700  
 Cleaner: SPILLER  
 Initiated clean up: Not reported  
 Last inspection: Not reported  
 UST Trust Fund: No  
 Status: MEANS ITS BEEN RESOLVED  
 Quantity recovered: 0.00  
 Cause: OTHER  
 Emergency response: IT WAS NOT TAKEN  
 Facility status: COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]

Spill Date: 07/17/1990  
 Material class: PETROLEUM  
 Release QTY: 0.00 GALLONS  
 Origin: PRIVATE DWELLING  
 Notifier: RESPONSIBLE PARTY  
 Project ID: 0  
 Date Cleaned: 08/21/1990  
 Close Date: 08/21/1990  
 Investigator: LEUNG  
 Penalty: NO PENALTY

3	<b>FERN PLACE ELEMENTARY SCHOOL</b> <b>ORCHARD STREET/FERN PLACE</b> <b>PLAINVIEW, NY 11803</b>	FINDS RCRIS-LQG	1000305842 NYD980564165
---	---	--------------------	----------------------------

MAP FINDINGS

Map ID  
Direction  
Distance

Site

Database(s)

EDR ID Number  
EPA ID Number

**FERN PLACE ELEMENTARY SCHOOL (Continued)**

**1000305842**

**RCRIS:**

Owner: PLAINVIEW OLD BETHPAGE  
(212) 555-1212

Contact: LAWRENCE HERZOG  
(516) 937-6412

Waste	Quantity	Info Source
X001	.00000 (N)	Notification

X001 .00000 (N)

Notification

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

4

**UNK  
26 ANDOVER LN  
HICKSVILLE, NY**

**LUST**

**S100668107  
N/A**

**LUST:**

Facility ID:	8710473	Spill Date:	03/14/1988
First notified:	REGIONAL OFFICE	Material class:	PETROLEUM
Material spilled:	WASTE OIL	Release QTY:	1.00 GALLONS
Water body affected:	Not reported	Origin:	PASSENGER VEHICLE
Resource affected:	ON LAND	Notifier:	LOCAL AGENCY
Basin of spill:	1700	Project ID:	0
Cleaner:	NO ACTION TAKEN	Date Cleaned:	03/16/1988
Initiated clean up:	Not reported	Close Date:	03/16/1988
Last Inspection:	Not reported	Investigator:	Not reported
UST Trust Fund:	No	Penalty:	NO PENALTY
Status:	MEANS ITS BEEN RESOLVED		
Quantity recovered:	0.00		
Cause:	OTHER		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

5

**WRIGHT FUEL  
789 OLD COUNTRY ROAD  
PLAINVIEW, NY**

**LUST**

**S100490835  
N/A**

**LUST:**

Facility ID:	9113197	Spill Date:	03/29/1992
First notified:	ANSWERING SERVICE	Material class:	PETROLEUM
Material spilled:	#2 FUEL	Release QTY:	8.00 GALLONS
Water body affected:	Not reported	Origin:	COMMINDUST
Resource affected:	ON LAND	Notifier:	RESPONSIBLE PARTY
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	04/16/1992
Initiated clean up:	Not reported	Close Date:	04/16/1992
Last Inspection:	Not reported	Investigator:	LUCE
UST Trust Fund:	No	Penalty:	NO PENALTY
Status:	MEANS ITS BEEN RESOLVED		
Quantity recovered:	0.00		
Cause:	TANK OVERFILL		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

MAP FINDINGS

Map ID Direction Distance	Site	Database(s)	EDR ID Number EPA ID Number
---------------------------------	------	-------------	--------------------------------

<b>5</b>	<b>ACE SERVICE CENTER</b> <b>791 OLD COUNTRY RD</b> <b>PLAINVIEW, NY</b>	<b>AST</b>	<b>A100043173</b> <b>N/A</b>
----------	--	------------	---------------------------------

Nassau County AST:

Facility ID:	055919	Tank ID:	0002
Tank Location:	Indoors, Aboveground	Capacity (Gal):	275
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Other	Material Type:	Waste
Description:	WASTE OIL		
Leak Detect:	NONE	Containment:	NONE
Dispense Method:	Suction	Product Gauge:	No
Fill Type:	Gravity	Install Date:	1285
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported

<b>6</b>	<b>SHEAR MARTIN DMD</b> <b>777 OLD COUNTRY RD</b> <b>PLAINVIEW, NY 11803</b>	<b>RCRIS-SQG</b> <b>FINDS</b>	<b>1000555610</b> <b>NYD986981504</b>
----------	--	----------------------------------	--

RCRIS:  
 Owner: MARTIN SHEAR DMD  
 (212) 555-1212  
  
 Contact: MARTIN SHEAR  
 (516) 937-0888

Waste	Quantity	Info Source	Waste	Quantity	Info Source
D000	.00000 (N)	Notification	D011	.00000 (N)	Notification

(P) = Pounds, (K) = Kilograms, (M) = Metric Tons, (T) = Tons, (N) = Not Reported

<b>7</b>	<b>R &amp; N CLEANERS DBA IZZY'S TLC</b> <b>720 OLD COUNTRY ROAD</b> <b>PLAINVIEW, NY 11803</b>	<b>RCRIS-SQG</b> <b>FINDS</b>	<b>1000124839</b> <b>NYD081368276</b>
----------	---	----------------------------------	--

RCRIS:  
 Owner: WEISFELNER, ISRAEL INC  
 (212) 555-1212  
  
 Contact: ISRAEL WEISFELNER  
 (516) 931-9163

Waste	Quantity	Info Source
F002	.00000 (N)	Notification

(P) = Pounds, (K) = Kilograms, (M) = Metric Tons, (T) = Tons, (N) = Not Reported

There are 1 compliance/violation record(s) reported at this site:

Evaluation	Date	Violations
NON-FINANCIAL RECORD REVIEW (NRR)	15-OCT-87	YES

<b>7</b>	<b>TODD EVAN CLEANERS OF PLAINVIEW</b> <b>720 OLD COUNTRY RD</b> <b>PLAINVIEW, NY 11803</b>	<b>FINDS</b> <b>RCRIS-LQG</b>	<b>1000183132</b> <b>NYD982279853</b>
----------	---	----------------------------------	--

MAP FINDINGS

Map ID  
Direction  
Distance

Site

Database(s)

EDR ID Number  
EPA ID Number

**TODD EVAN CLEANERS OF PLAINVIEW (Continued)**

1000183132

RCRIS:

Owner: UNKNOWN  
(212) 555-1212

Contact: BENJAMIN MATROS  
(516) 931-9163

Waste	Quantity	Info Source
F002	.00000 (N)	Notification

(P) = Pounds, (K) = Kilograms, (M) = Metric Tons, (T) = Tons, (N) = Not Reported

8

**BELLECLARE NURSERY**  
671 OLD COUNTRY RD  
PLAINVIEW, NY

UST

U001446888  
N/A

Nassau County UST:

Facility ID:	055328	Tank ID:	0002
Tank Location:	Indoors, Belowground	Capacity:	00000550
Tank Status:	In Service	Tank Material:	STEEL
Piping Type:	Steel/Iron	Material Type:	Fresh/Product
Int Protection:	None		
Ext Protection:	PAINTED [e.g. asphaltic]	Containment:	Other
Description:	OIL, FUEL #2	Product Gauge:	No
Leak Detect:	OTHER	Install Date:	0673
Dispense Method:	Suction		
Fill Type:	Gravity		
Total Tanks:	1		

9

**COUNTRY CLEANERS**  
657 OLD COUNTRY ROAD  
PLAINVIEW, NY 11803

RCRIS-SQG  
FINDS

1000322800  
NYD981130875

RCRIS:

Owner: WON LEE  
(516) 931-9747

Contact: WON LEE  
(516) 931-9747

Waste	Quantity	Info Source
F002	.00000 (N)	Notification

(P) = Pounds, (K) = Kilograms, (M) = Metric Tons, (T) = Tons, (N) = Not Reported

10

**40 ISLAND ST**  
  
PLAINVIEW, NY

ERNS

8704086  
N/A

11

**LEE'S FRENCH CLEANERS**  
607 OLD COUNTRY ROAD  
PLAINVIEW, NY 11803

RCRIS-SQG  
FINDS

1000137893  
NYD982282805

MAP FINDINGS

Map ID Direction Distance	Site	Database(s)	EDR ID Number EPA ID Number
---------------------------------	------	-------------	--------------------------------

**LEE'S FRENCH CLEANERS (Continued)**

1000137893

**RCRIS:**

Owner: LEE TAE KWON  
(212) 555-1212

Contact: KWANG HO LEE  
(516) 935-6120

Waste	Quantity	Info Source	Waste	Quantity	Info Source
F002	.00000 (N)	Notification	NONE	.00000 (N)	EPA Inspection

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

**12 PLAINVIEW MANOR S/C., INC  
587 OLD COUNTRY RD  
PLAINVIEW, NY**

AST

A100043244  
N/A

**Nassau County AST:**

Facility ID: 056265	Tank ID: 0001
Tank Location: Outdoors, Aboveground	Capacity (Gal): 275
Tank Status: In Service	Tank Material: STEEL
Int Protection: None	
Ext Protection: PAINTED [e.g. asphaltic]	
Piping Type: Steel/Iron	Material Type: Waste
Description: WASTE OIL	
Leak Detect: NONE	Containment: NONE
Dispense Method: Suction	Product Gauge: No
Fill Type: Gravity	Install Date: 1082
Data File: Petroleum Bulk Storage Facility	Total Tanks: Not reported

**13 OWNER RICHIE?  
64 BARNUM AVENUE  
PLAINVIEW, NY**

LUST

S101102812  
N/A

**LUST:**

Facility ID: 9401539	Spill Date: 04/29/1994
First notified: REGIONAL OFFICE	Material class: PETROLEUM
Material spilled: KEROSENE	Release QTY: 0.00 GALLONS
Water body affected: Not reported	Origin: PRIVATE DWELLING
Resource affected: ON LAND	Notifier: CITIZEN
Basin of spill: 1700	Project ID: 0
Cleaner: NO ACTION TAKEN	Date Cleaned: Not reported
Initiated clean up: Not reported	Close Date: Not reported
Last Inspection: Not reported	Investigator: AUSTIN
UST Trust Fund: No	
Status: Not reported	Penalty: NO PENALTY
Quantity recovered: 0.00	
Cause: OTHER	
Emergency response: IT WAS NOT TAKEN	
Facility status: ACTIVE SPILL [ON GOING]	

**14 PLAZA FRENCH CLEANERS  
524 OLD COUNTRY RD  
PLAINVIEW, NY 11803**

FINDS  
RCRIS-LQG

1000442902  
NYD986868396



MAP FINDINGS

Map ID  
Direction  
Distance

Site

Database(s)

EDR ID Number  
EPA ID Number

**PLAZA FRENCH CLEANERS (Continued)**

1000442902

RCRIS:

Owner: YOON HAKSUNG  
(212) 555-1212

Contact: YOON HAKSUNG  
(516) 932-5776

Waste	Quantity	Info Source
F002	.00000 (N)	Notification

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

15

**UNK  
510 OLD COUNTRY ROAD  
PLAINVIEW, NY**

LUST

S100666492  
N/A

LUST:

Facility ID:	9006601	Spill Date:	09/15/1990
First notified:	ANSWERING SERVICE	Material class:	PETROLEUM
Material spilled:	#2 FUEL	Release QTY:	10.00 GALLONS
Water body affected:	Not reported	Origin:	NON-COMMNST
Resource affected:	IN SEWER	Notifier:	FIRE DEPARTMENT
Basin of spill:	1700	Project ID:	0
Cleaner:	OTHER AGENCY	Date Cleaned:	09/20/1990
Initiated clean up:	Not reported	Close Date:	09/20/1990
Last Inspection:	Not reported	Investigator:	LUCE
UST Trust Fund:	No	Penalty:	NO PENALTY
Status:	MEANS ITS BEEN RESOLVED		
Quantity recovered:	0.00		
Cause:	OTHER		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

16

**MERIT OYSTER BAY  
496 PLAINVIEW RD  
HICKSVILLE, NY 11801**

RCRIS-SQG

1001028353  
NYR000005850

RCRIS:

Owner: MERIT OIL OF NEW YORK INC  
(610) 527-7900

Contact: Not reported

Waste	Quantity	Info Source	Waste	Quantity	Info Source
D000	.00000 (N)	Notification	D001	.00000 (N)	Notification
D018	.00000 (N)	Notification			

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

16

**NORTHVILLE INDUSTRIES  
496 PLAINVIEW RD  
HICKSVILLE, NY**

LUST

S100493481  
N/A

MAP FINDINGS

Map ID  
Direction  
Distance

Site

Database(s)

EDR ID Number  
EPA ID Number

**NORTHVILLE INDUSTRIES (Continued)**

S100493481

**LUST:**

Facility ID:	9201365	Spill Date:	05/04/1992
First notified:	C	Material class:	PETROLEUM
Material spilled:	UNKNOWN	Release QTY:	0.00 GALLONS
Water body affected:	Not reported	Origin:	GAS STATION
Resource affected:	ON LAND	Notifier:	RESPONSIBLE PARTY
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	03/06/1995
Initiated clean up:	Not reported	Close Date:	03/06/1995
Last Inspection:	Not reported	Investigator:	HAAS
UST Trust Fund:	No	Penalty:	NO PENALTY
Status:	MEANS ITS BEEN RESOLVED		
Quantity recovered:	0.00		
Cause:	TANK OVERFILL		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

16

**NORTHVILLE  
496 PLAINVIEW RD  
HICKSVILLE, NY**

**LUST**

S100493642  
N/A

**LUST:**

Facility ID:	9203191	Spill Date:	06/15/1992
First notified:	REGIONAL OFFICE	Material class:	PETROLEUM
Material spilled:	#2 FUEL	Release QTY:	0.00 GALLONS
Water body affected:	Not reported	Origin:	GAS STATION
Resource affected:	GROUNDWATER	Notifier:	TANK TESTER
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	07/06/1992
Initiated clean up:	Not reported	Close Date:	07/06/1992
Last Inspection:	Not reported	Investigator:	T/T/F
UST Trust Fund:	No	Penalty:	NO PENALTY
Status:	MEANS ITS BEEN RESOLVED		
Quantity recovered:	0.00		
Cause:	TANK TEST FAILURE [BULK STORE. PRO.]		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

16

**NORTHVILLE S/S  
496 PLAINVIEW RD  
HICKSVILLE, NY**

**LUST**

S100493669  
N/A

MAP FINDINGS

Map ID  
Direction  
Distance

Site

Database(s)

EDR ID Number  
EPA ID Number

**NORTHVILLE S/S (Continued)**

S100493669

**LUST:**

Facility ID:	9203434	Spill Date:	06/22/1992
First notified:	REGIONAL OFFICE	Material class:	PETROLEUM
Material spilled:	#2 FUEL	Release QTY:	0.00 GALLONS
Water body affected:	Not reported	Origin:	COMM/INDUST
Resource affected:	GROUNDWATER	Notifier:	TANK TESTER
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	07/06/1992
Initiated clean up:	Not reported	Close Date:	07/06/1992
Last inspection:	Not reported	Investigator:	T/T/F
UST Trust Fund:	No		
Status:	MEANS ITS BEEN RESOLVED	Penalty:	NO PENALTY
Quantity recovered:	0.00		
Cause:	TANK TEST FAILURE [BULK STORE. PRO.]		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

16

**PLAINVIEW SHELL INC.  
500 OLD COUNTRY RD  
PLAINVIEW, NY**

UST

U001854914  
N/A

**Nassau County UST:**

Facility ID:	041012	Tank ID:	0004
Tank Location:	Indoors, Belowground	Capacity:	00000550
Tank Status:	6	Tank Material:	STEEL
Piping Type:	Galvanized Steel	Material Type:	Waste
Int Protection:	None		
Ext Protection:	PAINTED [e.g. asphaltic]		
Description:	WASTE OIL		
Leak Detect:	OTHER	Containment:	Other
Dispense Method:	Gravity	Product Gauge:	No
Fill Type:	Gravity	Install Date:	0162
Total Tanks:	2		
Facility ID:	041012	Tank ID:	0005
Tank Location:	Indoors, Belowground	Capacity:	00000550
Tank Status:	6	Tank Material:	Fiberglass Reinforced Plastic
Piping Type:	Other	Material Type:	Fresh/Product
Int Protection:	None		
Ext Protection:	FIBERGLASS REINFORCED PLASTIC		
Description:	OIL, FUEL #2		
Leak Detect:	OTHER	Containment:	Other
Dispense Method:	Gravity	Product Gauge:	No
Fill Type:	Gravity	Install Date:	0162
Total Tanks:	2		

16

**EXXON CO USA #37149  
499 E OLD COUNTRY RD  
HICKSVILLE, NY 11801**

RCRIS-SQG  
FINDS  
LUST

1000552335  
NYD986947323

**MAP FINDINGS**

Map ID  
Direction  
Distance

Site

Database(s)

EDR ID Number  
EPA ID Number

**EXXON CO USA #37149 (Continued)**

1000552335

**RCRIS:**

Owner: EXXON CO USA  
(713) 656-7761

Contact: ALDA S POOL  
(713) 656-7709

Waste	Quantity	Info Source	Waste	Quantity	Info Source
D000	.00000 (N)	Notification	D01B	.00000 (N)	Notification

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

**LUST:**

Facility ID:	9203976	Spill Date:	07/06/1992
First notified:	REGIONAL OFFICE	Material class:	PETROLEUM
Material spilled:	GASOLINE	Release QTY:	0.00 GALLONS
Water body affected:	Not reported	Origin:	GAS STATION
Resource affected:	ON LAND	Notifier:	DEC
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	07/28/1992
Initiated clean up:	Not reported	Close Date:	07/28/1992
Last Inspection:	Not reported	Investigator:	DEROSA
UST Trust Fund:	Yes	Penalty:	NO PENALTY
Status:	MEANS ITS BEEN RESOLVED		
Quantity recovered:	0.00		
Cause:	OTHER		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

16

**S.S. PREMISES C/O SHELL OIL CO  
500 OLD COUNTRY RD  
PLAINVIEW, NY 11803**

**RCRIS-SQG 1000140682  
FINDS NYD982178972**

**RCRIS:**

Owner: SHELL OIL COMPANY  
(212) 555-1212

Contact: JOHN SPINELLE  
(800) 431-5566

Waste	Quantity	Info Source	Waste	Quantity	Info Source
D000	.00000 (N)	Notification	K052	.00000 (N)	Notification
X001	.00000 (N)	Notification			

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

17

**WALTER'S AUTO GROUP  
430 PLAINVIEW RD  
HICKSVILLE, NY 11801**

**FINDS 1000401646  
NYD982723256**

18

**RICH WELGER RESIDENCE  
21 LANE AVENUE  
PLAINVIEW, NY**

**LUST S101174173  
N/A**

MAP FINDINGS

Map ID  
Direction  
Distance

Site

Database(s)

EDR ID Number  
EPA ID Number

**RICH WELGER RESIDENCE (Continued)**

S101174173

**LUST:**

Facility ID:	9409041	Spill Date:	10/06/1994
First notified:	C	Material class:	PETROLEUM
Material spilled:	#2 FUEL	Release QTY:	1.00 GALLONS
Water body affected:	Not reported	Origin:	PRIVATE DWELLING
Resource affected:	ON LAND	Notifier:	OTHER
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	10/07/1994
Initiated clean up:	Not reported	Close Date:	10/07/1994
Last inspection:	Not reported	Investigator:	NONE
UST Trust Fund:	No	Penalty:	NO PENALTY
Status:	MEANS ITS BEEN RESOLVED		
Quantity recovered:	0.00		
Cause:	OTHER		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

19

**OLSEN RESIDENCE  
14 HEATHER LANE  
PLAINVIEW, NY**

LUST

S100147265  
N/A

**LUST:**

Facility ID:	8804158	Spill Date:	08/11/1988
First notified:	REGIONAL OFFICE	Material class:	PETROLEUM
Material spilled:	#2 FUEL	Release QTY:	70.00 GALLONS
Water body affected:	Not reported	Origin:	NON-COMMINST
Resource affected:	ON LAND	Notifier:	RESPONSIBLE PARTY
Basin of spill:	1700	Project ID:	0
Cleaner:	OTHER AGENCY	Date Cleaned:	01/09/1989
Initiated clean up:	Not reported	Close Date:	01/09/1989
Last inspection:	Not reported	Investigator:	HOFMANN
UST Trust Fund:	No	Penalty:	NO PENALTY
Status:	MEANS ITS BEEN RESOLVED		
Quantity recovered:	0.00		
Cause:	TANK FAILURE		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

20

**ALFRED MAURO RESIDENCE  
285 PLAINVIEW RD  
HICKSVILLE, NY**

LUST

S100560476  
N/A

MAP FINDINGS

Map ID  
Direction  
Distance

Site

Database(s)

EDR ID Number  
EPA ID Number

**ALFRED MAURO RESIDENCE (Continued)**

S100560476

**LUST:**

Facility ID:	9306833	Spill Date:	09/03/1993
First notified:	C	Material class:	PETROLEUM
Material spilled:	#2 FUEL	Release QTY:	0.00 GALLONS
Water body affected:	Not reported	Origin:	PRIVATE DWELLING
Resource affected:	ON LAND	Notifier:	OTHER
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	11/29/1993
Initiated clean up:	Not reported	Close Date:	11/29/1993
Last Inspection:	Not reported	Investigator:	CAMPBELL
UST Trust Fund:	No	Penalty:	NO PENALTY
Status:	MEANS ITS BEEN RESOLVED		
Quantity recovered:	0.00		
Cause:	TANK FAILURE		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

21

**GETTY PETROLEUM  
723 SOUTH OYSTER BAY ROAD  
PLAINVIEW, NY**

LUST

S100172266  
N/A

**LUST:**

Facility ID:	8710561	Spill Date:	03/17/1988
First notified:	REGIONAL OFFICE	Material class:	PETROLEUM
Material spilled:	GASOLINE	Release QTY:	0.00 GALLONS
Water body affected:	Not reported	Origin:	GAS STATION
Resource affected:	GROUNDWATER	Notifier:	TANK TESTER
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	04/20/1988
Initiated clean up:	Not reported	Close Date:	04/20/1988
Last Inspection:	Not reported	Investigator:	GOERTZ
UST Trust Fund:	Yes	Penalty:	NO PENALTY
Status:	MEANS ITS BEEN RESOLVED		
Quantity recovered:	0.00		
Cause:	TANK TEST FAILURE [BULK STORE. PRO.]		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

21

**GETTY PETROLEUM CORP  
723 S OYSTER BAY RD  
PLAINVIEW, NY 11803**

RCRIS-SQG  
FINDS

1000871563  
NY0000071282

**RCRIS:**

Owner: GETTY PETROLEUM CORP  
(516) 338-6000

Contact: JOHN CATAPANO  
(516) 488-2500

Waste	Quantity	Info Source	Waste	Quantity	Info Source
D000	.00000 (N)	Notification	D008	.00000 (N)	Notification

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

MAP FINDINGS

Map ID Direction Distance	Site	Database(s)	EDR ID Number EPA ID Number
---------------------------------	------	-------------	--------------------------------

22	<b>JOHNS SOUTH BAY MOBIL</b> <b>755 S OYSTER BAY RD</b> <b>BETHPAGE, NY 11714</b>	<b>FINDS</b> <b>RCRIS-LQG</b>	<b>1000281333</b> <b>NYD981555360</b>
----	---	----------------------------------	--

RCRIS:  
 Owner: JOHN SOUTH BAY MOBIL  
 (516) 681-2068  
  
 Contact: JOHN PARISI  
 (516) 681-2068

Waste	Quantity	Info Source	Waste	Quantity	Info Source
D000	.00000 (N)	Notification	D001	.00000 (N)	Notification
D008	.00000 (N)	Notification			

(P) = Pounds . (K) = Kilograms . (M) = Metric Tons . (T) = Tons , (N) = Not Reported

22	<b>MOBIL S/S #17-KKJ</b> <b>755 S OYSTER BAY RD</b> <b>BETHPAGE, NY</b>	<b>AST</b>	<b>A100042847</b> <b>N/A</b>
----	---	------------	---------------------------------

Nassau County AST:  
 Facility ID: 041111 Tank ID: 0008  
 Tank Location: Indoors, Aboveground Capacity (Gal): 300  
 Tank Status: In Service Tank Material: STEEL  
 Int Protection: None  
 Ext Protection: PAINTED [e.g. asphaltic]  
 Piping Type: Steel/Iron Material Type: Fresh/Product  
 Description: OIL, MOTOR Containment: DOUBLE WALL TANK  
 Leak Detect: ELECTRONIC Product Gauge: Yes  
 Dispense Method: Suction Install Date: 0892  
 Fill Type: Pumped Total Tanks: Not reported  
 Data File: Petroleum Bulk Storage Facility

22	<b>MOBIL OIL</b> <b>755 SOUTH OYSTER BAY ROAD</b> <b>BETHPAGE, NY</b>	<b>LUST</b>	<b>S100781305</b> <b>N/A</b>
----	---	-------------	---------------------------------

LUST:  
 Facility ID: 9309724 Spill Date: 11/11/1993  
 First notified: ANSWERING SERVICE Material class: PETROLEUM  
 Material spilled: GASOLINE Release QTY: 0.00 GALLONS  
 Water body affected: Not reported Origin: GAS STATION  
 Resource affected: ON LAND Notifier: TANK TESTER  
 Basin of spill: 1700 Project ID: 0  
 Cleaner: SPILLER Date Cleaned: 08/17/1994  
 Initiated clean up: Not reported Close Date: 08/17/1994  
 Last inspection: Not reported Investigator: T/T/F  
 UST Trust Fund: Yes Penalty: NO PENALTY  
 Status: MEANS ITS BEEN RESOLVED  
 Quantity recovered: 0.00  
 Cause: TANK TEST FAILURE [BULK STORE. PRO.]  
 Emergency response: IT WAS NOT TAKEN  
 Facility status: COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]

22	<b>MOBIL S/S #17-KKJ</b> <b>755 S OYSTER BAY RD</b> <b>BETHPAGE, NY</b>	<b>UST</b>	<b>U001445843</b> <b>N/A</b>
----	---	------------	---------------------------------

MAP FINDINGS

Map ID  
Direction  
Distance

Site

Database(s)

EDR ID Number  
EPA ID Number

**MOBIL S/S #17-KKJ (Continued)**

U001445843

Nassau County UST:

Facility ID:	041111	Tank ID:	0006
Tank Location:	Indoors, Belowground	Capacity:	00001000
Tank Status:	In Service	Tank Material:	Fiberglass Reinforced Plastic
Piping Type:	Other	Material Type:	Fresh/Product
Int Protection:	Internal Lining		
Ext Protection:	FIBERGLASS REINFORCED PLASTIC		
Description:	OIL, FUEL #2		
Leak Detect:	ELECTRONIC	Containment:	Double Wall Tank
Dispense Method:	Suction	Product Gauge:	No
Fill Type:	Gravity	Install Date:	0490
Total Tanks:	2		

Facility ID:	041111	Tank ID:	0007
Tank Location:	Indoors, Belowground	Capacity:	00001000
Tank Status:	In Service	Tank Material:	Fiberglass Reinforced Plastic
Piping Type:	Double Walled Fiberglass	Material Type:	Waste
Int Protection:	Internal Lining		
Ext Protection:	FIBERGLASS REINFORCED PLASTIC		
Description:	WASTE OIL		
Leak Detect:	ELECTRONIC	Containment:	Double Wall Tank
Dispense Method:	Suction	Product Gauge:	No
Fill Type:	Gravity	Install Date:	0490
Total Tanks:	2		

23

197 NEWBRIDGE S/S CORP - GULF  
197 OLD COUNTRY RD  
HICKSVILLE, NY 11801

RCRIS-SQG 1000457373  
FINDS NYD986925238

RCRIS:

Owner: CUMBERLAND FARMS INC  
(212) 555-1212

Contact: RAYMOND FITZPATRICK  
(516) 921-4300

Waste	Quantity	Info Source	Waste	Quantity	Info Source
D000	.00000 (N)	Notification	D001	.00000 (N)	Notification
D008	.00000 (N)	Notification			

(P) = Pounds, (K) = Kilograms, (M) = Metric Tons, (T) = Tons, (N) = Not Reported

24

EPSTEINS RESIDENCE  
46 KESWICK LANE  
PLAINVIEW, NY

LUST S100151135  
N/A



MAP FINDINGS

Map ID  
Direction  
Distance

Site

Database(s)

EDR ID Number  
EPA ID Number

**EPSTEINS RESIDENCE (Continued)**

S100151135

**LUST:**

Facility ID:	9006009	Spill Date:	08/30/1990
First notified:	ANSWERING SERVICE	Material class:	PETROLEUM
Material spilled:	#2 FUEL	Release QTY:	0.00 GALLONS
Water body affected:	Not reported	Origin:	PRIVATE DWELLING
Resource affected:	ON LAND	Notifier:	RESPONSIBLE PARTY
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	08/31/1990
Initiated clean up:	Not reported	Close Date:	08/31/1990
Last Inspection:	Not reported	Investigator:	NONE
UST Trust Fund:	No	Penalty:	NO PENALTY
Status:	MEANS ITS BEEN RESOLVED		
Quantity recovered:	0.00		
Cause:	TANK FAILURE		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

25

**LILCO HICKSVILLE OP. CENTER**  
175 E OLD COUNTRY ROAD  
HICKVILLE, NY 11801

**PADS** 1000178398  
**CERCLIS** NYD006866008  
**FINDS**  
**RCRIS-LQG**  
**RCRIS-TSD**  
**CORRACTS**

**CERCLIS Classification Data:**

Site Incident Category:	Not reported	Federal Facility:	NO
Ownership Status:	UNKNOWN	NPL Status:	NOT ON NPL
EPA Notes:	Not reported		

**CERCLIS Assessment History:**

Assessment:	DISCOVERY	Completed:	02/28/1989
Assessment:	PRELIMINARY ASSESSMENT	Completed:	03/31/1989

**CERCLIS Site Status:**

This site is currently under investigation by the government to assess the extent of further action

**CERCLIS Alias Name(s):**

LILCO HICKSVILLE OP. CENTER

**CORRACTS Data:**

Prioritization: Low  
Status: RCRA Facility Investigation Completed, Corrective Action Process is Terminated

**RCRIS:**

Owner: LONG ISLAND LIGHTING COMPANY  
(516) 933-4590

Contact: MILHOUS MADISON  
(516) 391-6133

Waste	Quantity	Info Source	Waste	Quantity	Info Source
D000	.00000 (N)	Notification	D001	.00000 (N)	Notification
D002	.00000 (N)	Notification	D009	.00000 (N)	Notification
F001	.00000 (N)	Notification	F004	.00000 (N)	Notification
F005	.00000 (N)	Notification			

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

MAP FINDINGS

Map ID Direction Distance	Site	Database(s)	EDR ID Number EPA ID Number
---------------------------------	------	-------------	--------------------------------

**LILCO HICKSVILLE OP. CENTER (Continued)** 1000178398

There are 6 compliance/violation record(s) reported at this site:

Evaluation	Date	Violations
COMPLIANCE SCHEDULE EVALUATION (CSE)	07-JUN-95	YES
COMPLIANCE EVALUATION INSPECTION (CEI)	14-OCT-94	YES
COMPLIANCE EVALUATION INSPECTION (CEI)	17-DEC-93	YES
COMPLIANCE EVALUATION INSPECTION (CEI)	27-SEP-91	YES
NON-FINANCIAL RECORD REVIEW (NRR)	20-OCT-88	YES
NON-FINANCIAL RECORD REVIEW (NRR)	16-MAY-86	YES

Other Pertinent Environmental Activity Identified at Site:  
 civil judicial and administrative enforcement cases against facility  
 facility is a PCB generator, storer, transporter or permitted disposer

26	<b>SLOMINS</b> <b>92 E OLD COUNTRY RD</b> <b>HICKSVILLE, NY</b>	LUST	S101340894 N/A
----	---	------	-------------------

**LUST:**

Facility ID: 9411611	Spill Date: 11/30/1994
First notified: C	Material class: PETROLEUM
Material spilled: #2 FUEL	Release QTY: 1.00 GALLONS
Water body affected: Not reported	Origin: PRIVATE DWELLING
Resource affected: ON LAND	Notifier: RESPONSIBLE PARTY
Basin of spill: 1700	Project ID: 0
Cleaner: SPILLER	Date Cleaned: 12/01/1994
Initiated clean up: Not reported	Close Date: 12/01/1994
Last Inspection: Not reported	Investigator: NONE
UST Trust Fund: No	Penalty: NO PENALTY
Status: MEANS ITS BEEN RESOLVED	
Quantity recovered: 0.00	
Cause: TANK OVERFILL	
Emergency response: IT WAS NOT TAKEN	
Facility status: COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]	

27	<b>STRUCTURAL INDUSTRIES INC</b> <b>96 NEW SOUTH RD</b> <b>HICKSVILLE, NY 11801</b>	RCRIS-SQG FINDS UST LUST	1000554648 NYD986971216
----	---	-----------------------------------	----------------------------

**RCRIS:**  
 Owner: STANLEY HIRSCH  
 (516) 822-5200  
 Contact: BARBARA MACCIO  
 (516) 822-5200

Waste	Quantity	Info Source	Waste	Quantity	Info Source
D000	.00000 (N)	Notification	D001	.00000 (N)	Notification
D006	.00000 (N)	Notification	F003	.00000 (N)	Notification
F005	.00000 (N)	Notification			

(P) = Pounds, (K) = Kilograms, (M) = Metric Tons, (T) = Tons, (N) = Not Reported

MAP FINDINGS

Map ID  
Direction  
Distance

Site

Database(s)

EDR ID Number  
EPA ID Number

**STRUCTURAL INDUSTRIES INC (Continued)**

1000554648

**LUST:**

Facility ID:	8906944	Spill Date:	10/15/1989
First notified:	REGIONAL OFFICE	Material class:	PETROLEUM
Material spilled:	UNKNOWN	Release QTY:	0.00 GALLONS
Water body affected:	Not reported	Origin:	COMMUNDUST
Resource affected:	IN SEWER	Notifier:	FIRE DEPARTMENT
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	10/16/1989
Initiated clean up:	Not reported	Close Date:	10/16/1989
Last Inspection:	Not reported	Investigator:	HOFMANN
UST Trust Fund:	No	Penalty:	NO PENALTY
Status:	MEANS ITS BEEN RESOLVED		
Quantity recovered:	0.00		
Cause:	OTHER		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

Facility ID:	9306676	Spill Date:	08/31/1993
First notified:	C	Material class:	PETROLEUM
Material spilled:	#2 FUEL	Release QTY:	0.00 GALLONS
Water body affected:	Not reported	Origin:	COMMUNDUST
Resource affected:	GROUNDWATER	Notifier:	TANK TESTER
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	03/02/1995
Initiated clean up:	Not reported	Close Date:	03/02/1995
Last Inspection:	Not reported	Investigator:	T/T/F
UST Trust Fund:	No	Penalty:	NO PENALTY
Status:	MEANS ITS BEEN RESOLVED		
Quantity recovered:	0.00		
Cause:	TANK TEST FAILURE [BULK STORE. PRO.]		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

**Nassau County UST:**

Facility ID:	056447	Tank ID:	0002
Tank Location:	Indoors, Belowground	Capacity:	00007500
Tank Status:	6	Tank Material:	STEEL
Piping Type:	Unknown	Material Type:	Fresh/Product
Int Protection:	Unknown		
Ext Protection:	UNKNOWN		
Description:	OIL, FUEL #2		
Leak Detect:	OTHER	Containment:	Other
Dispense Method:	Suction	Product Gauge:	No
Fill Type:	Gravity	Install Date:	1255
Total Tanks:	1		

28

**MERRY OLDS INC**  
777 SOUTH OYSTER BAY ROAD  
BETHPAGE, NY 11714

**FINDS** 1000372483  
**RCRIS-LQG** NYD065956922

**MAP FINDINGS**

Map ID  
Direction  
Distance

Site

Database(s)

EDR ID Number  
EPA ID Number

**MERRY OLDS INC (Continued)**

1000372483

**RCRIS:**

Owner: JOSEPH FOX  
(212) 555-1212

Contact: FRED GALLAGHER  
(516) 435-7948

Waste	Quantity	Info Source
D000	.00000 (N)	Notification

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

28

**GRAND PRIX PERFORMANCE LT  
777 S OYSTER BAY RD  
BETHPAGE, NY**

AST

A100043319  
N/A

**Nassau County AST:**

Facility ID: 056860  
Tank Location: Indoors, Aboveground  
Tank Status: In Service  
Int Protection: None  
Ext Protection: PAINTED [e.g. asphaltic]  
Piping Type: Steel/Iron  
Description: OIL, MOTOR  
Leak Detect: OTHER  
Dispense Method: Suction  
Fill Type: Pumped  
Data File: Petroleum Bulk Storage Facility

Tank ID: 0001  
Capacity (Gal): 275  
Tank Material: STEEL

Material Type: Fresh/Product

Containment: DIKING AND PAD  
Product Gauge: Yes  
Install Date: 0795  
Total Tanks: Not reported

Facility ID: 056860  
Tank Location: Outdoors, Aboveground  
Tank Status: In Service  
Int Protection: None  
Ext Protection: PAINTED [e.g. asphaltic]  
Piping Type: Steel/Iron  
Description: OIL, MOTOR  
Leak Detect: OTHER  
Dispense Method: Suction  
Fill Type: Pumped  
Data File: Petroleum Bulk Storage Facility

Tank ID: 0002  
Capacity (Gal): 240  
Tank Material: STEEL

Material Type: Waste

Containment: DOUBLE WALL TANK  
Product Gauge: Yes  
Install Date: 0795  
Total Tanks: Not reported

29

**INLAND PLASTICS  
120 NEW SOUTH RD  
HICKSVILLE, NY 11802**

RCRIS-SQG  
FINDS

1000556202  
NYD986987618

29

**SPEDALE PHOTOGRAPHERS  
110 NEW SOUTH RD  
HICKSVILLE, NY 11801**

RCRIS-SQG  
FINDS

1000184614  
NYD982794570

**MAP FINDINGS**

Map ID  
Direction  
Distance

Site

Database(s)

EDR ID Number  
EPA ID Number

**SPEDALE PHOTOGRAPHERS (Continued)**

1000184614

RCRIS:

Owner: JULIUS SPEDALE  
(212) 555-1212

Contact: JULIUS SPEDALE  
(516) 681-0863

Waste	Quantity	Info Source
-------	----------	-------------

D001	.00000 (N)	Notification
------	------------	--------------

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

30

**FRANKIE D'S SERV STA**  
1234 STEWART AVE  
BETHPAGE, NY

AST

A100043084  
N/A

Nassau County AST:

Facility ID:	055584	Tank ID:	0006
Tank Location:	Outdoors, Aboveground	Capacity (Gal):	250
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	PAINTED [e.g. asphaltic]		
Piping Type:	Galvanized Steel	Material Type:	Fresh/Product
Description:	OIL, FUEL #2		
Leak Detect:	OTHER	Containment:	DOUBLE WALL TANK
Dispense Method:	Suction	Product Gauge:	Yes
Fill Type:	Pumped	Install Date:	1292
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported

31

**CORNICHE OF HICKSVILLE**  
285-4 S BROADWAY  
HICKSVILLE, NY 11801

RCRIS-SQG  
FINDS

1000315603  
NYD982717472

RCRIS:

Owner: HICKSVILLE CORNICHE INC  
(212) 555-1212

Contact: HI EUN SHON  
(516) 935-9525

Waste	Quantity	Info Source
-------	----------	-------------

F002	.00000 (N)	Notification
------	------------	--------------

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

32

**HICKSVILLE FIRESTONE**  
300 S BROADWAY  
HICKSVILLE, NY 11801

FINDS  
RCRIS-LQG  
LUST  
AST

1000272865  
NYD012729554

**MAP FINDINGS**

Map ID  
Direction  
Distance

Site

Database(s)

EDR ID Number  
EPA ID Number

**HICKSVILLE FIRESTONE (Continued)**

1000272865

**RCRIS:**

Owner: CLIFF FRIETAG  
(212) 555-1212

Contact: RICHARD ORELLI  
(516) 931-0170

Waste	Quantity	Info Source	Waste	Quantity	Info Source
D000	.00000 (N)	Notification	D008	.00000 (N)	Notification
NONE	.00000 (N)	EPA Inspection			

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

**LUST:**

Facility ID:	9010583	Spill Date:	01/02/1991
First notified:	REGIONAL OFFICE	Material class:	PETROLEUM
Material spilled:	WASTE OIL	Release QTY:	0.00 GALLONS
Water body affected:	Not reported	Origin:	COMM/INDUST
Resource affected:	GROUNDWATER	Notifier:	OTHER
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	02/14/1992
Initiated clean up:	Not reported	Close Date:	02/14/1992
Last Inspection:	Not reported	Investigator:	WALSH
UST Trust Fund:	Yes	Penalty:	NO PENALTY
Status:	MEANS ITS BEEN RESOLVED		
Quantity recovered:	0.00		
Cause:	OTHER		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

**Nassau County AST:**

Facility ID:	055305	Tank ID:	0003
Tank Location:	Outdoors, Aboveground	Capacity (Gal):	220
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	PAINTED [e.g. asphaltic]	Material Type:	Waste
Piping Type:	Steel/Iron	Containment:	DIKING AND PAD
Description:	WASTE OIL	Product Gauge:	No
Leak Detect:	OTHER	Install Date:	0591
Dispense Method:	Suction	Total Tanks:	Not reported
Fill Type:	Gravity		
Data File:	Petroleum Bulk Storage Facility		

32

**ABBEY RENT ALL  
301 S BROADWAY  
HICKSVILLE, NY**

**LUST  
AST**

**S100668658  
N/A**

MAP FINDINGS

Map ID  
Direction  
Distance

Site

Database(s)

EDR ID Number  
EPA ID Number

**ABBEY RENT ALL (Continued)**

S100668658

**LUST:**

Facility ID:	8903512	Spill Date:	07/07/1989
First notified:	REGIONAL OFFICE	Material class:	PETROLEUM
Material spilled:	WASTE OIL	Release QTY:	0.00 GALLONS
Water body affected:	Not reported	Origin:	NON-COMMINST
Resource affected:	ON LAND	Notifier:	HEALTH DEPARTMENT
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	02/13/1990
Initiated clean up:	Not reported	Close Date:	02/13/1990
Last Inspection:	Not reported	Investigator:	LEUNG
UST Trust Fund:	No	Penalty:	NO PENALTY
Status:	MEANS ITS BEEN RESOLVED		
Quantity recovered:	0.00		
Cause:	OTHER		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

**Nassau County AST:**

Facility ID:	055255	Tank ID:	0003
Tank Location:	Indoors, Aboveground	Capacity (Gal):	220
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	PAINTED [e.g. asphaltic]	Material Type:	Fresh/Product
Piping Type:	Steel/Iron		
Description:	OIL, FUEL #2	Containment:	DIKING AND PAD
Leak Detect:	OTHER	Product Gauge:	Yes
Dispense Method:	Suction	Install Date:	0394
Fill Type:	Gravity	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		

33

**COMMANDER  
53 LAWNVIEW AVE  
HICKSVILLE, NY**

LUST

S101103113  
N/A

**LUST:**

Facility ID:	9403227	Spill Date:	06/06/1994
First notified:	C	Material class:	PETROLEUM
Material spilled:	WASTE OIL	Release QTY:	1.00 GALLONS
Water body affected:	Not reported	Origin:	PRIVATE DWELLING
Resource affected:	ON LAND	Notifier:	OTHER
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	06/07/1994
Initiated clean up:	Not reported	Close Date:	06/07/1994
Last Inspection:	Not reported	Investigator:	NONE
UST Trust Fund:	No	Penalty:	NO PENALTY
Status:	MEANS ITS BEEN RESOLVED		
Quantity recovered:	0.00		
Cause:	OTHER		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

34

**TERRY SULLIVAN  
355 S BROADWAY  
HICKSVILLE, NY**

LUST

S100147563  
N/A

MAP FINDINGS

Map ID  
Direction  
Distance

Site

Database(s)

EDR ID Number  
EPA ID Number

**TERRY SULLIVAN (Continued)**

S100147563

**LUST:**

Facility ID:	8809382	Spill Date:	03/05/1989
First notified:	ANSWERING SERVICE	Material class:	PETROLEUM
Material spilled:	GASOLINE	Release QTY:	10.00 GALLONS
Water body affected:	Not reported	Origin:	PASSENGER VEHICLE
Resource affected:	ON LAND	Notifier:	FIRE DEPARTMENT
Basin of spill:	1700	Project ID:	0
Cleaner:	OTHER AGENCY	Date Cleaned:	03/06/1989
Initiated clean up:	Not reported	Close Date:	03/06/1989
Last Inspection:	Not reported	Investigator:	NCFM
UST Trust Fund:	No	Penalty:	NO PENALTY
Status:	MEANS ITS BEEN RESOLVED		
Quantity recovered:	0.00		
Cause:	TANK FAILURE		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

34

**HIP - EAST NASSAU REGION  
350 S BROADWAY  
HICKSVILLE, NY 11801**

**RCRIS-SQG 1000790857  
FINDS NYD987023462**

**RCRIS:**

Owner: HIP OF GREATER NEW YORK  
(212) 630-5000

Contact: GEORGE MARLO  
(516) 938-0100

Waste	Quantity	Info Source	Waste	Quantity	Info Source
D000	.00000 (N)	Notification	D002	.00000 (N)	Notification
D009	.00000 (N)	Notification			

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

34

**DR. CHTRUVANTY  
350 S BROADWAY  
HICKSVILLE, NY**

**LUST S100667550  
N/A**

**LUST:**

Facility ID:	8806012	Spill Date:	10/15/1988
First notified:	REGIONAL OFFICE	Material class:	PETROLEUM
Material spilled:	GASOLINE	Release QTY:	4.00 GALLONS
Water body affected:	Not reported	Origin:	PASSENGER VEHICLE
Resource affected:	ON LAND	Notifier:	FIRE DEPARTMENT
Basin of spill:	1700	Project ID:	99222
Cleaner:	DEC - PIN PROJECT	Date Cleaned:	10/18/1988
Initiated clean up:	Not reported	Close Date:	10/18/1988
Last Inspection:	Not reported	Investigator:	NONE
UST Trust Fund:	No	Penalty:	NO PENALTY
Status:	MEANS ITS BEEN RESOLVED		
Quantity recovered:	0.00		
Cause:	OTHER		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		



MAP FINDINGS

Map ID Direction Distance	Site	Database(s)	EDR ID Number EPA ID Number												
35	<b>NARDA MICROWAVE CORP</b> <b>75 COMMERCIAL ST</b> <b>HICKSVILLE, NY 11801</b>  Other Pertinent Environmental Activity Identified at Site: facility has active water discharge permits	FINDS	1000789577 NYD987010386												
36	<b>IMPRESSIVE IMAGE INC</b> <b>9 COMMERCIAL ST</b> <b>HICKSVILLE, NY 11801</b>  RCRIS: Owner: ROBERT M RUSIE (516) 931-0142  Contact: CELIA CERLINI (516) 931-0142  <table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left;">Waste</th> <th style="text-align: left;">Quantity</th> <th style="text-align: left;">Info Source</th> <th style="text-align: left;">Waste</th> <th style="text-align: left;">Quantity</th> <th style="text-align: left;">Info Source</th> </tr> </thead> <tbody> <tr> <td>D000</td> <td>.00000 (N)</td> <td>Notification</td> <td>D001</td> <td>.00000 (N)</td> <td>Notification</td> </tr> </tbody> </table> (P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported	Waste	Quantity	Info Source	Waste	Quantity	Info Source	D000	.00000 (N)	Notification	D001	.00000 (N)	Notification	FINDS RCRIS-LQG	1000553036 NYD986954451
Waste	Quantity	Info Source	Waste	Quantity	Info Source										
D000	.00000 (N)	Notification	D001	.00000 (N)	Notification										
36	<b>BIDCO MANUFACTURING CORP</b> <b>8 COMMERCIAL ST</b> <b>HICKSVILLE, NY 11801</b>  RCRIS: Owner: BIDCO MANUFACTURING CORP (516) 433-0740  Contact: HARVEY BIDNER (516) 433-0740  <table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left;">Waste</th> <th style="text-align: left;">Quantity</th> <th style="text-align: left;">Info Source</th> <th style="text-align: left;">Waste</th> <th style="text-align: left;">Quantity</th> <th style="text-align: left;">Info Source</th> </tr> </thead> <tbody> <tr> <td>D000</td> <td>.00000 (N)</td> <td>Notification</td> <td>D011</td> <td>.00000 (N)</td> <td>Notification</td> </tr> </tbody> </table> (P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported	Waste	Quantity	Info Source	Waste	Quantity	Info Source	D000	.00000 (N)	Notification	D011	.00000 (N)	Notification	RCRIS-SQG FINDS	1000790592 NYD987020773
Waste	Quantity	Info Source	Waste	Quantity	Info Source										
D000	.00000 (N)	Notification	D011	.00000 (N)	Notification										
36	<b>MERCURY LIGHTING CORP</b> <b>10 COMMERCIAL ST</b> <b>HICKSVILLE, NY 11801</b>  RCRIS: Owner: MERCURY LIGHTING CORP (215) 575-2390  Contact: KENNETH JONES (215) 575-2390  <table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left;">Waste</th> <th style="text-align: left;">Quantity</th> <th style="text-align: left;">Info Source</th> <th style="text-align: left;">Waste</th> <th style="text-align: left;">Quantity</th> <th style="text-align: left;">Info Source</th> </tr> </thead> <tbody> <tr> <td>D001</td> <td>.00000 (N)</td> <td>Notification</td> <td>F001</td> <td>.00000 (N)</td> <td>Notification</td> </tr> </tbody> </table> (P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported	Waste	Quantity	Info Source	Waste	Quantity	Info Source	D001	.00000 (N)	Notification	F001	.00000 (N)	Notification	RCRIS-SQG FINDS	1000981464 NY0001000082
Waste	Quantity	Info Source	Waste	Quantity	Info Source										
D001	.00000 (N)	Notification	F001	.00000 (N)	Notification										
36	<b>AETNA PRODUCTS</b> <b>11 COMMERCIAL ST</b> <b>HICKSVILLE, NY 11801</b>	RCRIS-SQG FINDS	1000553354 NYD986957702												

MAP FINDINGS

Map ID  
Direction  
Distance

Site

Database(s)

EDR ID Number  
EPA ID Number

**AETNA PRODUCTS (Continued)**

1000553354

**RCRIS:**

Owner: FORE IMPROVEMENT CORP  
(516) 935-8383

Contact: PAUL MEYER  
(516) 938-8100

Waste	Quantity	Info Source	Waste	Quantity	Info Source
D000	.00000 (N)	Notification	D001	.00000 (N)	Notification
U226	.00000 (N)	Notification			

(P) = Pounds, (K) = Kilograms, (M) = Metric Tons, (T) = Tons, (N) = Not Reported

37

**DEXTER MAGNETIC MATERIALS DIV**  
400 KARIN LN  
HICKSVILLE, NY 11801

**RCRIS-SQG**  
**FNDS**

1000552702  
NYD986951077

**RCRIS:**

Owner: DEXTER CORP  
(408) 730-0611

Contact: ROY YOST  
(516) 822-3311

Waste	Quantity	Info Source
D001	.00000 (N)	Notification

(P) = Pounds, (K) = Kilograms, (M) = Metric Tons, (T) = Tons, (N) = Not Reported

38

**BONANZA FABRIC CO**  
35 KARIN LN  
HICKSVILLE, NY

**LUST**

S100668624  
N/A

**LUST:**

Facility ID:	8800192	Spill Date:	04/06/1988
First notified:	REGIONAL OFFICE	Material class:	PETROLEUM
Material spilled:	#2 FUEL	Release QTY:	0.00 GALLONS
Water body affected:	Not reported	Origin:	NON-COMMUNIST
Resource affected:	GROUNDWATER	Notifier:	HEALTH DEPARTMENT
Basin of spill:	1700	Project ID:	0
Cleaner:	OTHER AGENCY	Date Cleaned:	05/16/1988
Initiated clean up:	Not reported	Close Date:	05/16/1988
Last Inspection:	Not reported	Investigator:	NCDH
UST Trust Fund:	No	Penalty:	NO PENALTY
Status:	MEANS ITS BEEN RESOLVED		
Quantity recovered:	0.00		
Cause:	OTHER		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

39

**RESIDENCE**  
89 SILVBER AVE  
BETHPAGE, NY

**LUST**

S100560263  
N/A

MAP FINDINGS

Map ID  
 Direction  
 Distance

Site

Database(s)

EDR ID Number  
 EPA ID Number

**RESIDENCE (Continued)**

S100560263

**LUST:**

Facility ID:	9306397	Spill Date:	08/24/1993
First notified:	C	Material class:	PETROLEUM
Material spilled:	#2 FUEL	Release QTY:	6.00 GALLONS
Water body affected:	Not reported	Origin:	PRIVATE DWELLING
Resource affected:	ON LAND	Notifier:	AFFECTED PERSONS
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	08/26/1993
Initiated clean up:	Not reported	Close Date:	08/26/1993
Last Inspection:	Not reported	Investigator:	NONE
UST Trust Fund:	No	Penalty:	NO PENALTY
Status:	MEANS ITS BEEN RESOLVED		
Quantity recovered:	0.00		
Cause:	TANK FAILURE		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

40

**PAG INSULATION**  
**44 FELICE CRESCENT**  
**HICKSVILLE, NY 11801**

FINDS

1000551083  
 NYD986920239

Other Pertinent Environmental Activity Identified at Site:  
 facility has an emission permit under the Clean Air Act  
 civil judicial and administrative enforcement cases against facility

41

**THALL SVC STATION CORP.**  
**400 S. BROADWAY**  
**HICKSVILLE, NY 11801**

FINDS  
 RCRIS-LQG

1000288210  
 NYD055950935

**RCRIS:**

Owner: ROBERT L. THALL  
 (212) 555-1212

Contact: STEVEN THALL  
 (516) 433-3043

Waste	Quantity	Info Source
D000	.00000 (N)	Notification

(P) = Pounds . (K) = Kilograms . (M) = Metric Tons . (T) = Tons . (N) = Not Reported

41

**PACE FUEL CO**  
**400 S BROADWAY**  
**HICKSVILLE, NY**

LUST

S100148922  
 N/A

**MAP FINDINGS**

Map ID  
Direction  
Distance

Site

Database(s)

EDR ID Number  
EPA ID Number

**PACE FUEL CO (Continued)**

**S100148922**

**LUST:**

Facility ID:	8702695	Spill Date:	07/03/1987
First notified:	REGIONAL OFFICE	Material class:	PETROLEUM
Material spilled:	GASOLINE	Release QTY:	25.00 GALLONS
Water body affected:	Not reported	Origin:	TANK TRUCK
Resource affected:	ON LAND	Notifier:	LOCAL AGENCY
Basin of spill:	17	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	07/03/1987
Initiated clean up:	Not reported	Close Date:	07/03/1987
Last Inspection:	Not reported	Investigator:	ACAMPORA
UST Trust Fund:	No	Penalty:	NO PENALTY
Status:	MEANS ITS BEEN RESOLVED		
Quantity recovered:	0.00		
Cause:	TANK OVERFILL		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

41

**SUNOCO-BOB THALL  
400 SOUTH BROADWAY  
HICKSVILLE, NY 11801**

**FINDS 1000332080  
RCRIS-LQG NYD981492036**

**RCRIS:**

Owner: BOB THALL  
(212) 555-1212

Contact: BOB THALL  
(516) 433-3043

Waste	Quantity	Info Source	Waste	Quantity	Info Source
D000	.00000 (N)	Notification	D008	.00000 (N)	Notification

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

42

**GENERAL ELECTRIC SUPPLY CO.  
848 S. OYSTER BAY ROAD  
HICKSVILLE, NY 11801**

**RCRIS-LQG 1000212460  
NYD060317831**

**RCRIS:**

Owner: GENERAL ELECTRIC  
(212) 555-1212

Contact: JOSEPH HAYDEN  
(516) 931-1890

Waste	Quantity	Info Source
D001	.00000 (N)	Notification

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

42

**GENERAL ELECTRIC COMPANY INC  
848 S OYSTER BAY RD  
HICKSVILLE, NY 11802**

**FINDS 1000788076  
NYD060317831**

**MAP FINDINGS**

Map ID	Direction	Distance	Site	Database(s)	EDR ID Number	EPA ID Number
--------	-----------	----------	------	-------------	---------------	---------------

43			<b>R &amp; J CLEANERS</b> 447 S BROADWAY HICKSVILLE, NY 11801	RCRIS-SQG FINDS	1000912055	NY0000385393
----	--	--	---	--------------------	------------	--------------

**RCRIS:**

Owner: KUAN-CHIEH PENG  
(516) 938-6187

Contact: KUAN-CHIEH PENG  
(516) 939-0776

Waste	Quantity	Info Source	Waste	Quantity	Info Source
D007	.00000 (N)	Notification	D039	.00000 (N)	Notification
F002	.00000 (N)	Notification			

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

44			<b>LARRY NALLIA RESIDENCE</b> 78 SPRUCE AVENUE BETHPAGE, NY	LUST	S100664934	N/A
----	--	--	---	------	------------	-----

**LUST:**

Facility ID:	9210656	Spill Date:	12/14/1992
First notified:	REGIONAL OFFICE	Material class:	PETROLEUM
Material spilled:	#2 FUEL	Release QTY:	0.00 GALLONS
Water body affected:	Not reported	Origin:	PRIVATE DWELLING
Resource affected:	ON LAND	Notifier:	OTHER
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	02/12/1993
Initiated clean up:	Not reported	Close Date:	02/12/1993
Last Inspection:	Not reported	Investigator:	GIBBONS
UST Trust Fund:	No	Penalty:	NO PENALTY
Status:	MEANS ITS BEEN RESOLVED		
Quantity recovered:	0.00		
Cause:	OTHER		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

45			<b>UNK CUSTOMER</b> 502 S BROADWAY HICKSVILLE, NY	LUST	S100493879	N/A
----	--	--	---	------	------------	-----

**LUST:**

Facility ID:	9205657	Spill Date:	08/15/1992
First notified:	C	Material class:	PETROLEUM
Material spilled:	GASOLINE	Release QTY:	4.00 GALLONS
Water body affected:	Not reported	Origin:	PASSENGER VEHICLE
Resource affected:	ON LAND	Notifier:	AFFECTED PERSONS
Basin of spill:	1700	Project ID:	0
Cleaner:	OTHER AGENCY	Date Cleaned:	08/17/1992
Initiated clean up:	Not reported	Close Date:	08/17/1992
Last Inspection:	Not reported	Investigator:	NONE
UST Trust Fund:	No	Penalty:	NO PENALTY
Status:	MEANS ITS BEEN RESOLVED		
Quantity recovered:	0.00		
Cause:	TANK OVERFILL		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

**MAP FINDINGS**

Map ID Direction Distance	Site	Database(s)	EDR ID Number EPA ID Number
---------------------------------	------	-------------	--------------------------------

45	<b>GRAND PRIX PERFORMANCE LTD</b> <b>500 S BROADWAY</b> <b>HICKSVILLE, NY 11801</b>	<b>RCRIS-SQG</b> <b>FINDS</b>	<b>1000791026</b> <b>NYD987025251</b>
----	---	----------------------------------	--

RCRIS:  
 Owner: JOHN DEMONACO  
 (516) 931-2942  
 Contact: STEVE SCHERER  
 (516) 822-1550

Waste	Quantity	Info Source	Waste	Quantity	Info Source
D001	.00000 (N)	Notification	D008	.00000 (N)	Notification
D018	.00000 (N)	Notification	D039	.00000 (N)	Notification

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

45	<b>GRAND JEEP EAGLE DEALERSHIP</b> <b>500 BROADWAY</b> <b>HICKSVILLE, NY 11801</b>	<b>FINDS</b> <b>RCRIS-LOG</b>	<b>1000791734</b> <b>NYD987032521</b>
----	--	----------------------------------	--

RCRIS:  
 Owner: ANN DEMONACO  
 (516) 931-2942  
 Contact: ANN DEMONACO  
 (516) 931-2942

Waste	Quantity	Info Source	Waste	Quantity	Info Source
D000	.00000 (N)	Notification	D006	.00000 (N)	Notification
D008	.00000 (N)	Notification	D009	.00000 (N)	Notification

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

45	<b>HESS S/S</b> <b>502 S BROADWAY</b> <b>HICKSVILLE, NY</b>	<b>LUST</b>	<b>S100493287</b> <b>N/A</b>
----	---	-------------	---------------------------------

LUST: Facility ID: 9113034 First notified: ANSWERING SERVICE Material spilled: #2 FUEL Water body affected: Not reported Resource affected: GROUNDWATER Basin of spill: 1700 Cleaner: SPILLER Initiated clean up: Not reported Last Inspection: Not reported UST Trust Fund: No Status: MEANS ITS BEEN RESOLVED Quantity recovered: 0.00 Cause: TANK TEST FAILURE [BULK STORE. PRO.] Emergency response: IT WAS NOT TAKEN Facility status: COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]	Spill Date: 03/24/1992 Material class: PETROLEUM Release QTY: 0.00 GALLONS Origin: GAS STATION Notifier: RESPONSIBLE PARTY Project ID: 0 Date Cleaned: 05/20/1992 Close Date: 05/20/1992 Investigator: T/T/F Penalty: NO PENALTY
--	---

45	<b>HESS</b> <b>502 S BROADWAY</b> <b>HICKSVILLE, NY</b>	<b>LUST</b>	<b>S101174774</b> <b>N/A</b>
----	---	-------------	---------------------------------

MAP FINDINGS

Map ID Direction Distance	Site	Database(s)	EDR ID Number EPA ID Number
---------------------------------	------	-------------	--------------------------------

**HESS (Continued)**

S101174774

**LUST:**

Facility ID: 9404252	Spill Date: 06/27/1994
First notified: C	Material class: PETROLEUM
Material spilled: GASOLINE	Release QTY: 0.00 GALLONS
Water body affected: Not reported	Origin: GAS STATION
Resource affected: ON LAND	Notifier: RESPONSIBLE PARTY
Basin of spill: 1700	Project ID: 0
Cleaner: SPILLER	Date Cleaned: Not reported
Initiated clean up: Not reported	Close Date: Not reported
Last Inspection: Not reported	Investigator: RMS CAMPBELL
UST Trust Fund: Yes	
Status: Not reported	Penalty: NO PENALTY
Quantity recovered: 0.00	
Cause: TANK OVERFILL	
Emergency response: IT WAS NOT TAKEN	
Facility status: ACTIVE SPILL (ON GOING)	

45

**AMERADA HESS STATION 32489**  
502 S BROADWAY  
HICKSVILLE, NY 11801

**RCRIS-SQG 1000789578**  
**FINDS NYD987010394**

**RCRIS:**

Owner: AMERADA HESS CORP  
(908) 750-6000

Contact: THOMAS WHITTAKER  
(908) 750-6225

Waste	Quantity	Info Source	Waste	Quantity	Info Source
D000	.00000 (N)	Notification	D001	.00000 (N)	Notification
D018	.00000 (N)	Notification			

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

Other Pertinent Environmental Activity Identified at Site:  
facility has active water discharge permits

45

**GRAND PRIX PERFORMANCE**  
500 S BROADWAY  
HICKSVILLE, NY

**AST A100042981**  
**N/A**

**Nassau County AST:**

Facility ID: 055208	Tank ID: 0004
Tank Location: Indoors, Aboveground	Capacity (Gal): 240
Tank Status: In Service	Tank Material: STEEL
Int Protection: None	
Ext Protection: OTHER	Material Type: Fresh/Product
Piping Type: Steel/Iron	
Description: OIL, MOTOR	Containment: DIKING AND PAD
Leak Detect: NONE	Product Gauge: Yes
Dispense Method: Suction	Install Date: 0676
Fill Type: Pumped	Total Tanks: Not reported
Data File: Petroleum Bulk Storage Facility	

MAP FINDINGS

Map ID  
Direction  
Distance

Site

Database(s)

EDR ID Number  
EPA ID Number

**GRAND PRIX PERFORMANCE (Continued)**

**A100042981**

Facility ID:	055208	Tank ID:	0005
Tank Location:	Indoors, Aboveground	Capacity (Gal):	240
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	PAINTED [e.g. asphaltic]	Material Type:	Waste
Piping Type:	Steel/Iron		
Description:	WASTE OIL	Containment:	DIKING AND PAD
Leak Detect:	OTHER	Product Gauge:	Yes
Dispense Method:	Suction	Install Date:	0491
Fill Type:	Gravity	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		

45

**JOHN HENRYS CLEANERS**  
495-30 SOUTH BROADWAY  
HICKSVILLE, NY 11801

**FINDS 1000305180**  
**RCRIS-LQG NYD982182057**

RCRIS:

Owner: GROSSE HENRY  
(212) 555-1212

Contact: HENRY GROSSE  
(516) 935-7650

Waste	Quantity	Info Source
F002	.00000 (N)	Notification

(P) = Pounds, (K) = Kilograms, (M) = Metric Tons, (T) = Tons, (N) = Not Reported

45

**TRW MEDIAL ELECTRONIC CORP**  
485-29 S BROADWAY  
HICKSVILLE, NY 11801

**FINDS 1000123895**  
**RCRIS-LQG NYD986872984**

RCRIS:

Owner: DIVISION OF TRW  
(212) 555-1212

Contact: NICK OSTER  
(516) 932-8700

Waste	Quantity	Info Source	Waste	Quantity	Info Source
D001	.00000 (N)	Notification	NONE	.00000 (N)	EPA Inspection

(P) = Pounds, (K) = Kilograms, (M) = Metric Tons, (T) = Tons, (N) = Not Reported

45

**SALS AUTO BODY**  
477 S BROADWAY  
HICKSVILLE, NY 11801

**RCRIS-SQG 1000373491**  
**FINDS NYD986894939**



MAP FINDINGS

Map ID  
Direction  
Distance

Site

Database(s)

EDR ID Number  
EPA ID Number

**SALS AUTO BODY (Continued)**

1000373491

RCRIS:

Owner: LOU SEPLAVY  
(212) 555-1212

Contact: DANIEL RYAN  
(516) 681-6644

Waste	Quantity	Info Source	Waste	Quantity	Info Source
D001	.00000 (N)	Notification	F005	.00000 (N)	Notification

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

46

**RONZONI FOODS CORPORATION**  
50 LUDY ST  
HICKSVILLE, NY 11801

RCRIS-SQG 1000212440  
FINDS NYD152084372

RCRIS:

Owner: PHILIP MORRIS  
(212) 555-1212

Contact: ANTHONY BELVIGLIO  
(516) 932-2700

Waste	Quantity	Info Source
D001	.00000 (N)	Notification

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

46

**TRIPLE J.V.C. AUTO COLLISION, INC**  
55 LUDY ST  
HICKSVILLE, NY 11801

RCRIS-SQG 1000347932  
FINDS NYD982730178

RCRIS:

Owner: JOHN COTONA  
(212) 555-1212

Contact: JOHN COTONA  
(516) 939-0020

Waste	Quantity	Info Source	Waste	Quantity	Info Source
F003	.00000 (N)	Notification	F005	.00000 (N)	Notification

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

46

**GRUMMAN AEROSPACE CORP**  
83 LUDY ST  
HICKSVILLE, NY 11714

FINDS 1000300850  
RCRIS-LQG NYD981182231

MAP FINDINGS

Map ID  
Direction  
Distance

Site

Database(s)

EDR ID Number  
EPA ID Number

**GRUMMAN AEROSPACE CORP (Continued)**

1000300850

RCRIS:

Owner: INDUSTRIAL REALTY CO  
(212) 555-1212

Contact: JOHN OHLMANN  
(516) 575-2385

Waste	Quantity	Info Source	Waste	Quantity	Info Source
D001	.00000 (N)	Notification	F001	.00000 (N)	Notification
F003	.00000 (N)	Notification	F005	.00000 (N)	Notification
NONE	.00000 (N)	EPA Inspection			

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

47

**HENRY SOLUK OWNER  
30 FLORAL AVENUE  
BETHPAGE, NY**

LUST

S100491897  
N/A

LUST:

Facility ID:	9208514	Spill Date:	10/23/1992
First notified:	C	Material class:	PETROLEUM
Material spilled:	#2 FUEL	Release QTY:	200.00 GALLONS
Water body affected:	Not reported	Origin:	PRIVATE DWELLING
Resource affected:	ON LAND	Notifier:	OTHER
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	04/27/1994
Initiated clean up:	Not reported	Close Date:	04/27/1994
Last Inspection:	Not reported	Investigator:	GIBBONS
UST Trust Fund:	No	Penalty:	NO PENALTY
Status:	MEANS ITS BEEN RESOLVED		
Quantity recovered:	0.00		
Cause:	TANK FAILURE		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

48

**SHELL OIL CO  
STEWART & FARMERS  
BETHPAGE, NY 11714**

FINDS  
RCRIS-LQG  
LUST

1000552235  
NYD986946309

RCRIS:

Owner: JOHN N LOONEY  
(212) 555-1212

Contact: BROOKS PERLEE  
(516) 942-4121

Waste	Quantity	Info Source	Waste	Quantity	Info Source
D008	.00000 (N)	Notification	D027	.00000 (N)	Notification
F001	.00000 (N)	Notification	F002	.00000 (N)	Notification

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

MAP FINDINGS

Map ID  
Direction  
Distance

Site

Database(s)

EDR ID Number  
EPA ID Number

**SHELL OIL CO (Continued)**

1090552235

**LUST:**

Facility ID:	8709242	Spill Date:	01/29/1988
First notified:	ANSWERING SERVICE	Material class:	PETROLEUM
Material spilled:	#2 FUEL	Release QTY:	0.00 GALLONS
Water body affected:	Not reported	Origin:	GAS STATION
Resource affected:	GROUNDWATER	Notifier:	TANK TESTER
Basin of spill:	17	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	04/06/1988
Initiated clean up:	Not reported	Close Date:	04/06/1988
Last Inspection:	Not reported	Investigator:	GOERTZ
UST Trust Fund:	No	Penalty:	NO PENALTY
Status:	MEANS ITS BEEN RESOLVED		
Quantity recovered:	0.00		
Cause:	TANK TEST FAILURE [BULK STORE. PRO.]		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

48

**SHELL GAS STATION  
STEWART AVE / FARMERS AVE  
BETHPAGE, NY**

LUST

S100781107  
N/A

**LUST:**

Facility ID:	9308447	Spill Date:	10/12/1993
First notified:	ANSWERING SERVICE	Material class:	PETROLEUM
Material spilled:	GASOLINE	Release QTY:	0.00 GALLONS
Water body affected:	Not reported	Origin:	GAS STATION
Resource affected:	GROUNDWATER	Notifier:	TANK TESTER
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	Not reported
Initiated clean up:	Not reported	Close Date:	Not reported
Last Inspection:	Not reported	Investigator:	T/T/F
UST Trust Fund:	Yes	Penalty:	NO PENALTY
Status:	Not reported		
Quantity recovered:	0.00		
Cause:	TANK TEST FAILURE [BULK STORE. PRO.]		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	ACTIVE SPILL [ON GOING]		

48

**A & D SHELL  
STEWART & FARMERS AVENUES  
BETHPAGE, NY**

UST

U001854915  
N/A

**Nassau County UST:**

Facility ID:	041021	Tank ID:	0004
Tank Location:	Indoors, Belowground	Capacity:	00000550
Tank Status:	In Service	Tank Material:	Fiberglass Reinforced Plastic
Piping Type:	Galvanized Steel	Material Type:	Waste
Int Protection:	None		
Ext Protection:	FIBERGLASS REINFORCED PLASTIC		
Description:	WASTE OIL	Containment:	Other
Leak Detect:	OTHER	Product Gauge:	No
Dispense Method:	Gravity	Install Date:	0883
Fill Type:	Gravity		
Total Tanks:	2		

**MAP FINDINGS**

Map ID  
Direction  
Distance

Site

Database(s)

EDR ID Number  
EPA ID Number

**A & D SHELL (Continued)**

U001854915

Facility ID:	041021	Tank ID:	0005
Tank Location:	Indoors, Belowground	Capacity:	00000550
Tank Status:	6	Tank Material:	STEEL
Piping Type:	Other	Material Type:	Fresh/Product
Int Protection:	None		
Ext Protection:	PAINTED [e.g. asphaltic]		
Description:	OIL, FUEL #2		
Leak Detect:	OTHER	Containment:	Other
Dispense Method:	Suction	Product Gauge:	No
Fill Type:	Pumped	Install Date:	0162
Total Tanks:	2		

49

**PLAZA PONTIAC  
27 LUDY ST  
HICKSVILLE, NY**

LUST

S100669241  
N/A

LUST:

Facility ID:	9002820	Spill Date:	06/08/1990
First notified:	REGIONAL OFFICE	Material class:	PETROLEUM
Material spilled:	#2 FUEL	Release QTY:	0.00 GALLONS
Water body affected:	Not reported	Origin:	COMMINDUST
Resource affected:	ON LAND	Notifier:	HEALTH DEPARTMENT
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	07/11/1990
Initiated clean up:	Not reported	Close Date:	07/11/1990
Last Inspection:	Not reported	Investigator:	LEUNG
UST Trust Fund:	No		
Status:	MEANS ITS BEEN RESOLVED	Penalty:	NO PENALTY
Quantity recovered:	0.00		
Cause:	OTHER		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

50

**BROADWAY PLAZA CLEANERS  
532 S BROADWAY  
HICKSVILLE, NY 11801**

RCRIS-SQG  
FINDS

1000145670  
NYD094822673

RCRIS:

Owner: BROADWAY PLAZA CLEANERS  
(212) 555-1212

Contact: LUCKY CHOI  
(516) 433-4707

Waste	Quantity	Info Source
F002	.00000 (N)	Notification

(P) = Pounds, (K) = Kilograms, (M) = Metric Tons, (T) = Tons, (N) = Not Reported

51

**LILCO  
EVERGREEN / SPRUCE AVE  
BETHPAGE, NY**

LUST

S101508040  
N/A

**MAP FINDINGS**

Map ID  
Direction  
Distance

Site

Database(s)

EDR ID Number  
EPA ID Number

**LILCO (Continued)**

S101508040

**LUST:**

Facility ID:	9415203	Spill Date:	02/20/1995
First notified:	C	Material class:	PETROLEUM
Material spilled:	NON-PCB OIL	Release QTY:	40.00 GALLONS
Water body affected:	Not reported	Origin:	COMMINDUST
Resource affected:	ON LAND	Notifier:	RESPONSIBLE PARTY
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	Not reported
Initiated clean up:	Not reported	Close Date:	Not reported
Last Inspection:	Not reported	Investigator:	LAMANNO
UST Trust Fund:	No	Penalty:	NO PENALTY
Status:	Not reported		
Quantity recovered:	0.00		
Cause:	OTHER		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	ACTIVE SPILL [ON GOING]		

52

**COLONIAL TRANSPARENT PDTS CO**  
870 S OYSTER BAY RD  
HICKSVILLE, NY 11801

FINDS

1000545961  
NYD001339621

Other Pertinent Environmental Activity Identified at Site:  
facility has an emission permit under the Clean Air Act  
civil judicial and administrative enforcement cases against facility

53

**RUCO POLYMER CORP. (HOOKER CHEM)**  
NEW SOUTH ROAD  
HICKSVILLE, NY 11801

SHWS

S101008268  
N/A

MAP FINDINGS

Map ID  
Direction  
Distance

Site

Database(s)

EDR ID Number  
EPA ID Number

**RUCO POLYMER CORP. (HOOKER CHEM) (Continued)**

S101008268

**SHWS:**

Facility ID:	130004	EPA ID:	NYD002920312
Owner:	Ruco Polymer Corp. New South Road Hicksville, NY 11802		
Owner Telephone:	Not reported		
Operator:	Not reported		
Contact:	Not reported	Telephone	Not reported
Site Classification:	Significant threat to the public health or environment - action required.		
Region:	1		
Site Type:	Lagoon		
Acres:	15	User:	Hooker Chemicals
HW Started:	1946	HW Ended:	late 70's
HW Disposed:	Plant #1 Ester Sump: Residual organics., 2 Ethylhexanol, alcohols, diethylene glycol., ethylene glycol, plasticizer, adipic acid., polyester, Plant #2 polymer solids, PCBs (BOO7) (FOO2)., Vinyl Chloride, trichloroethylene, vinyl acetate		
Units:	Residuals from, drying beds		
Air Data:	Unavailable	Surf. Water Data:	Unavailable
Grnd. Water Data:	Available	Soil Data:	Available
Sediment Data:	Unavailable		
Ground Water Standards Contravention:	Yes		
Drinking Water Standards Contravention:	No		
Surface Water Standards Contravention:	No		
Air Standards Contravention:	No		
Enforcement Status:	Negotiation In Progress	Legal Action:	No
State Action:	No	Fed Action:	Yes
Remedial Action:	In Progress		
Rmdl Action Type:	Off-site GW Invest.and on-site remedial design.		
Soil Type:	Sand & Gravel		
Grnd Water Depth:	50 feet		

**Assessment of Environmental Problems:**

Groundwater adjacent to site has been documented to contain vinylchloride. Three inactive lagoons were filled with waste and covered. Soil and groundwater have been found to be contaminated with vinylchloride and other chlorinated hydrocarbons.

**Assessment of Health Problems:**

The potential exposure to site contaminants is through off-site migration of contaminated groundwater. Bethpage Water District supplywells are located down-gradient of this site and the Grumman and Navysites (see site #130003a and 130003b). Samples of water from the wells at Bethpage Water District Plants 4 and 6 are contaminated. A watertreatment system is in operation at Plant 6 and one is planned for Plant 4. Trichloroethene was detected for the first time and at concentrations below New York State drinking water standards in samples collected from the wells at Plant 4 in December 1992. A treatment facility is planned for Bethpage Water District Plant 5 in anticipation that contamination will reach this facility in the future. These, as well as all public water supply wells are monitored on a routine basis. In 1993, the US EPA issued a Record of Decision which describes the remedial efforts planned for the on-site contamination. Efforts to address concerns with off-site groundwater contamination are underway.

MAP FINDINGS

Map ID	Direction	Distance	Site	Database(s)	EDR ID Number	EPA ID Number
--------	-----------	----------	------	-------------	---------------	---------------

53			<b>RUCO POLYMER CORP.</b> <b>NEW SOUTH ROAD</b> <b>HICKSVILLE, NY 11801</b>	<b>CERCLIS</b> <b>RCRIS-SQG</b> <b>NPL</b> <b>TRIS</b> <b>CORRACTS</b> <b>LUST</b>	<b>1000268848</b> <b>NYD002920312</b>	
----	--	--	---	---	--	--

**CERCLIS Classification Data:**

Site Incident Category: CHEMICAL PLANT	Federal Facility: NO
Ownership Status: PRIVATE	NPL Status: CURRENTLY ON THE FINAL NPL
EPA Notes: THE HOOKER/RUCO SITE IS AN ACTIVE PLASTICS MANUFACTURING FACILITY.	
RCRA: SMALL GENERATOR.	

**CERCLIS Assessment History:**

Assessment: DISCOVERY	Completed:	11/01/1979
Assessment: PRELIMINARY ASSESSMENT	Completed:	09/01/1984
Assessment: SCREENING SITE INSPECTION	Completed:	10/01/1984
Assessment: FINAL LISTING ON NPL	Completed:	06/10/1986
Assessment: PROPOSAL TO NPL	Completed:	10/15/1984
Assessment: RMLV INVESTIGATION AT NPL	Completed:	08/21/1990
Assessment: RMLV INVESTIGATION AT NPL	Completed:	02/03/1993
Assessment: COMBINED RI/FS	Completed:	09/21/1988
Assessment: REMEDIAL COMMUNITY RELATIONS	Completed:	Not reported
Assessment: RI/FS WORKPLAN APPROVAL BY HQ	Completed:	09/21/1988
Assessment: RECORD OF DECISION	Completed:	01/28/1994
Assessment: COMBINED RI/FS	Completed:	01/28/1994
Assessment: ADMINISTRATIVE RECORD	Completed:	Not reported
Assessment: MANAGEMENT ASSISTANCE	Completed:	Not reported
Assessment: COMBINED RI/FS	Completed:	09/28/1990
Assessment: RECORD OF DECISION	Completed:	09/28/1990
Assessment: ADMINISTRATIVE RECORD	Completed:	Not reported
Assessment: COMBINED RI/FS	Completed:	Not reported
Assessment: RECORD OF DECISION	Completed:	Not reported

**CERCLIS Site Status:**

This site is currently under investigation by the government to assess the extent of further action

**CERCLIS Alias Name(s):**

RUCO POLYMER CORP  
 HOOKER CHEM /RUCO POLYMER

**CORRACTS Data:**

Prioritization: High  
 Status: Not reported

MAP FINDINGS

Map ID  
Direction  
Distance

Site

Database(s)

EDR ID Number  
EPA ID Number

**RUCO POLYMER CORP. (Continued)**

1000268848

**NPL:**

ID:	02NY052
Date Listed:	6/10/86 (FINAL)
EPA/ID:	NYD002920312
Haz. Rank Score:	41.60
Status:	LISTED ON NPL
Rank:	451
Group:	10
Ownership:	Private
Permit:	Air
Permit:	NPDES
Site Activities:	Chemical Process/Manuf.
Site Activities:	Incinerator
Site Activities:	Spill
Site Activities:	Tank, above ground
Site Activities:	Containers/Drums
Site Activities:	Surface Impoundment
Site Activities:	Tank, below ground
Site Condition:	Contamination of Soil
Site Condition:	Contam. Ground Water
Waste Type:	Chlorinated Organics
Waste Type:	Solvents
Contaminant:	Media Affected:
VINYL CHLORIDE	Not reported
1,1,2-TRICHLOROETHYLENE (TCE)	Not reported
TETRACHLOROETHENE	Not reported
PHENOL	Not reported
1,2-TRANS-DICHLOROETHYLENE	Not reported
1,1,1-TRICHLOROETHANE	Not reported
VINYL ACETATE	Not reported
STYRENE	Not reported
BUTADIENE	Not reported
ADIPIC ACID	Not reported
METHANOL	Not reported
PHTHALIC ACID	Not reported
METHYL ETHYL KETONE	Not reported
PENTACHLOROPHENOL (PCP)	Not reported
ZINC SULFATE	Not reported
Distance to nearest Population:	Not reported
Population within a 1 Mile Radius:	Not reported
Population within a 2 Mile Radius:	Not reported
Population within a 4 Mile Radius:	Not reported
Vertical Distance to Aquifer:	21 Feet to 75 Feet
Ground Water Use:	Not Used as Drinking Water, Alternative Source Available
Distance to nearest Surface Water:	Not reported



MAP FINDINGS

Map ID  
Direction  
Distance

Site

Database(s)

EDR ID Number  
EPA ID Number

**RUCO POLYMER CORP. (Continued)**

**1000268848**

**RCRIS:**

Owner: HOOKER CHEMICALS & PLASTICS CORPORATION  
(516) 931-8100

Contact: PHILIP DEVRIES  
(516) 931-8100

Waste	Quantity	Info Source	Waste	Quantity	Info Source
D000	.00000 (N)	Notification	D001	.00000 (N)	Notification
D002	.00000 (N)	Notification	F001	.00000 (N)	Notification
F003	.00000 (N)	Notification	F005	.00000 (N)	Notification
U002	.00000 (N)	Notification	U028	.00000 (N)	Notification
U044	.00000 (N)	Notification	U112	.00000 (N)	Notification
U122	.00000 (N)	Notification	U140	.00000 (N)	Notification
U147	.00000 (N)	Notification	U154	.00000 (N)	Notification
U159	.00000 (N)	Notification	U190	.00000 (N)	Notification
U196	.00000 (N)	Notification	U210	.00000 (N)	Notification
U213	.00000 (N)	Notification	U220	.00000 (N)	Notification
U223	.00000 (N)	Notification	U226	.00000 (N)	Notification
U239	.00000 (N)	Notification	D001	.00100 (P)	Part A
D002	.00100 (P)	Part A	F001	399.64800 (P)	Part A
F003	399.64800 (P)	Part A	F005	399.64800 (P)	Part A
U002	399.64800 (P)	Part A	U028	22.68000 (M)	Part A
U044	49.95600 (P)	Part A	U112	.00100 (P)	Part A
U122	.00100 (P)	Part A	U140	1.81400 (M)	Part A
U147	999.11900 (P)	Part A	U154	.00100 (P)	Part A
U159	399.64800 (P)	Part A	U190	999.11900 (P)	Part A
U196	399.64800 (P)	Part A	U210	399.64800 (P)	Part A
U213	399.64800 (P)	Part A	U220	.00100 (P)	Part A
U223	399.64800 (P)	Part A	U226	49.95600 (P)	Part A
U239	.00100 (P)	Part A			

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

**LUST:**

Facility ID:	8804415	Spill Date:	08/18/1988
First notified:	REGIONAL OFFICE	Material class:	PETROLEUM
Material spilled:	#2 FUEL	Release QTY:	0.00 GALLONS
Water body affected:	Not reported	Origin:	COMMINDUST
Resource affected:	GROUNDWATER	Notifier:	TANK TESTER
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	02/19/1992
Initiated clean up:	Not reported	Close Date:	02/19/1992
Last Inspection:	Not reported	Investigator:	GOERTZ
UST Trust Fund:	No	Penalty:	NO PENALTY
Status:	MEANS ITS BEEN RESOLVED		
Quantity recovered:	0.00		
Cause:	TANK TEST FAILURE [BULK STORE. PRO.]		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

54

**SALVATI FOODS, INC.**  
595 S BROADWAY  
HICKSVILLE, NY

UST

U002171762  
N/A

MAP FINDINGS

Map ID Direction Distance	Site	Database(s)	EDR ID Number EPA ID Number
---------------------------------	------	-------------	--------------------------------

**SALVATI FOODS, INC. (Continued)**

U002171762

Nassau County UST:

Facility ID: 056844	Tank ID: 0001
Tank Location: Indoors, Belowground	Capacity: 00005000
Tank Status: In Service	Tank Material: STEEL
Piping Type: Steel/Iron	Material Type: Fresh/Product
Int Protection: None	
Ext Protection: NONE	
Description: OIL, FUEL #2	
Leak Detect: OTHER	Containment: Other
Dispense Method: Gravity	Product Gauge: Yes
Fill Type: Gravity	Install Date: 0472
Total Tanks: 1	

54 **SHAMROCK AUTO CENTER INC**  
589 S BROADWAY  
HICKSVILLE, NY 11801

RCRIS-SQG 1000553993  
FINDS NYD986964310

RCRIS:

Owner: SHAMROCK AUTO CENTER INC  
(516) 931-3323

Contact: JOE DIGREGORIO  
(516) 931-3323

Waste	Quantity	Info Source	Waste	Quantity	Info Source
D000	.00000 (N)	Notification	D001	.00000 (N)	Notification
D008	.00000 (N)	Notification			

(P) = Pounds, (K) = Kilograms, (M) = Metric Tons, (T) = Tons, (N) = Not Reported

54 **AMERADA HESS OIL**  
575 S BROADWAY  
HICKSVILLE, NY 11801

RCRIS-SQG 1000352827  
NYD982536146

RCRIS:

Owner: AMERADA HESS OIL  
(212) 555-1212

Contact: JOE AOMEIDA  
(800) 336-1342

Waste	Quantity	Info Source
D001	.00000 (N)	Notification

(P) = Pounds, (K) = Kilograms, (M) = Metric Tons, (T) = Tons, (N) = Not Reported

54 **AMERADA HESS OIL**  
575 S BROADWAY  
HICKSVILLE, NY 11801

FINDS 1000788600  
NYD982536146

55 **HICKSVILLE DEPT OF PUBLIC WORKS**  
NEW SOUTH RD & MORRIS ST  
HICKSVILLE, NY 11801

FINDS 1000272870  
RCRIS-LQG NYD982789737

**MAP FINDINGS**

Map ID	Direction	Distance	Site	Database(s)	EDR ID Number	EPA ID Number
--------	-----------	----------	------	-------------	---------------	---------------

56			<b>MCALOON RESIDENCE 9 MINEOLA AVE HICKSVILLE, NY</b>	LUST	S100667787	N/A
----	--	--	---	------	------------	-----

LUST:

Facility ID:	9203887	Spill Date:	07/03/1992
First notified:	C	Material class:	PETROLEUM
Material spilled:	#2 FUEL	Release QTY:	1.00 GALLONS
Water body affected:	Not reported	Origin:	PRIVATE DWELLING
Resource affected:	ON LAND	Notifier:	RESPONSIBLE PARTY
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	07/03/1992
Initiated clean up:	Not reported	Close Date:	07/03/1992
Last inspection:	Not reported	Investigator:	NONE
UST Trust Fund:	No	Penalty:	NO PENALTY
Status:	MEANS ITS BEEN RESOLVED		
Quantity recovered:	0.00		
Cause:	OTHER		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

57			<b>GABRIELLI TRUCK SALES LTD 880 S OYSTER BAY RD HICKSVILLE, NY</b>	AST	A100043317	N/A
----	--	--	---	-----	------------	-----

Nassau County AST:

Facility ID:	056827	Tank ID:	0002
Tank Location:	Indoors, Aboveground	Capacity (Gal):	275
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	Unknown		
Ext Protection:	UNKNOWN	Material Type:	Waste
Piping Type:	Steel/Iron	Containment:	NONE
Description:	WASTE OIL	Product Gauge:	No
Leak Detect:	NONE	Install Date:	1255
Dispense Method:	Suction	Total Tanks:	Not reported
Fill Type:	Gravity		
Data File:	Petroleum Bulk Storage Facility		

57			<b>MINEOLA MACK INC 880 S OYSTER BAY RD HICKSVILLE, NY 11801</b>	RCRIS-SQG FINDS LUST	1000209178 NYD012730743	
----	--	--	--	----------------------------	----------------------------	--

RCRIS:

Owner: AMEDEO GABRIELLI  
(212) 555-1212

Contact: AMEDEO GABRIELLI  
(516) 981-7915

Waste	Quantity	Info Source
D001	.00000 (N)	Notification

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

MAP FINDINGS

Map ID  
Direction  
Distance

Site

Database(s)

EDR ID Number  
EPA ID Number

**MINEOLA MACK INC (Continued)**

1000209178

LUST:

Facility ID:	9304746	Spill Date:	07/15/1993
First notified:	REGIONAL OFFICE	Material class:	PETROLEUM
Material spilled:	DIESEL	Release QTY:	0.00 GALLONS
Water body affected:	Not reported	Origin:	COMMINDUST
Resource affected:	ON LAND	Notifier:	OTHER
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	05/05/1994
Initiated clean up:	Not reported	Close Date:	05/05/1994
Last Inspection:	Not reported	Investigator:	CAMPBELL
UST Trust Fund:	No	Penalty:	NO PENALTY
Status:	MEANS ITS BEEN RESOLVED		
Quantity recovered:	0.00		
Cause:	OTHER		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

Facility ID:	9304764	Spill Date:	07/15/1993
First notified:	REGIONAL OFFICE	Material class:	PETROLEUM
Material spilled:	DIESEL	Release QTY:	0.00 GALLONS
Water body affected:	Not reported	Origin:	COMMINDUST
Resource affected:	GROUNDWATER	Notifier:	HEALTH DEPARTMENT
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	04/29/1994
Initiated clean up:	Not reported	Close Date:	04/29/1994
Last Inspection:	Not reported	Investigator:	CAMPBELL
UST Trust Fund:	No	Penalty:	NO PENALTY
Status:	MEANS ITS BEEN RESOLVED		
Quantity recovered:	0.00		
Cause:	OTHER		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

58

**LINDA SCHWARZ  
12 FARM LN  
HICKSVILLE, NY**

LUST

S100148382  
N/A

LUST:

Facility ID:	8911923	Spill Date:	03/13/1990
First notified:	C	Material class:	PETROLEUM
Material spilled:	#2 FUEL	Release QTY:	100.00 GALLONS
Water body affected:	Not reported	Origin:	PRIVATE DWELLING
Resource affected:	ON LAND	Notifier:	OTHER
Basin of spill:	1700	Project ID:	0
Cleaner:	OTHER AGENCY	Date Cleaned:	03/16/1990
Initiated clean up:	Not reported	Close Date:	03/16/1990
Last Inspection:	Not reported	Investigator:	NONE
UST Trust Fund:	No	Penalty:	NO PENALTY
Status:	MEANS ITS BEEN RESOLVED		
Quantity recovered:	0.00		
Cause:	TANK FAILURE		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

MAP FINDINGS

Map ID Direction Distance	Site	Database(s)	EDR ID Number EPA ID Number
---------------------------------	------	-------------	--------------------------------

59	<b>WALTER HOFFMANN</b> <b>22 LINDEN BLVD</b> <b>HICKSVILLE, NY</b>	LUST	S100148916 N/A
----	--	------	-------------------

LUST:			
Facility ID:	8702517	Spill Date:	06/28/1987
First notified:	REGIONAL OFFICE	Material class:	PETROLEUM
Material spilled:	#2 FUEL	Release QTY:	100.00 GALLONS
Water body affected:	Not reported	Origin:	PRIVATE DWELLING
Resource affected:	ON LAND	Notifier:	RESPONSIBLE PARTY
Basin of spill:	17	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	08/19/1987
Initiated clean up:	Not reported	Close Date:	08/19/1987
Last Inspection:	Not reported	Investigator:	WALEK
UST Trust Fund:	No	Penalty:	NO PENALTY
Status:	MEANS ITS BEEN RESOLVED		
Quantity recovered:	0.00		
Cause:	TANK FAILURE		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

60	<b>BETHPAGE METRO</b> <b>900 STEWART AVE</b> <b>BETHPAGE, NY</b>	AST	A100043048 N/A
----	--	-----	-------------------

Nassau County AST:			
Facility ID:	055456	Tank ID:	0001
Tank Location:	Outdoors, Aboveground	Capacity (Gal):	275
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	PAINTED [e.g asphaltic]	Material Type:	Waste
Piping Type:	Galvanized Steel		
Description:	WASTE OIL	Containment:	NONE
Leak Detect:	NONE	Product Gauge:	No
Dispense Method:	Suction	Install Date:	1085
Fill Type:	Gravity	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		

60	<b>METRO S/S</b> <b>900 STEWART AVENUE</b> <b>BETHPAGE, NY</b>	LUST	S100172052 N/A
----	--	------	-------------------

LUST:			
Facility ID:	8708438	Spill Date:	12/31/1987
First notified:	REGIONAL OFFICE	Material class:	PETROLEUM
Material spilled:	GASOLINE	Release QTY:	0.00 GALLONS
Water body affected:	Not reported	Origin:	GAS STATION
Resource affected:	GROUNDWATER	Notifier:	OTHER
Basin of spill:	17	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	01/14/1988
Initiated clean up:	Not reported	Close Date:	01/14/1988
Last Inspection:	Not reported	Investigator:	GOERTZ
UST Trust Fund:	Yes	Penalty:	NO PENALTY
Status:	MEANS ITS BEEN RESOLVED		
Quantity recovered:	0.00		
Cause:	TANK TEST FAILURE [BULK STORE. PRO.]		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

MAP FINDINGS

Map ID  
Direction  
Distance

Site

Database(s)

EDR ID Number  
EPA ID Number

**METRO S/S (Continued)**

S100172052

Facility ID:	9506133	Spill Date:	08/17/1995
First notified:	REGIONAL OFFICE	Material class:	PETROLEUM
Material spilled:	GASOLINE	Release QTY:	0.00 GALLONS
Water body affected:	Not reported	Origin:	GAS STATION
Resource affected:	ON LAND	Notifier:	DEC
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	Not reported
Initiated clean up:	Not reported	Close Date:	Not reported
Last Inspection:	Not reported	Investigator:	MATTHEWS
UST Trust Fund:	No	Penalty:	NO PENALTY
Status:	Not reported		
Quantity recovered:	0.00		
Cause:	OTHER		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	ACTIVE SPILL [ON GOING]		

61

**SHUMSKI RESIDENCE  
8 SILBER AVENUE  
BETHPAGE, NY**

LUST

S100148303  
N/A

LUST:

Facility ID:	8910897	Spill Date:	02/14/1990
First notified:	REGIONAL OFFICE	Material class:	PETROLEUM
Material spilled:	#2 FUEL	Release QTY:	0.00 GALLONS
Water body affected:	Not reported	Origin:	PRIVATE DWELLING
Resource affected:	GROUNDWATER	Notifier:	OTHER
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	10/30/1990
Initiated clean up:	Not reported	Close Date:	10/30/1990
Last Inspection:	Not reported	Investigator:	GOMEZ
UST Trust Fund:	No	Penalty:	NO PENALTY
Status:	MEANS ITS BEEN RESOLVED		
Quantity recovered:	0.00		
Cause:	TANK FAILURE		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

62

**HICKSVILLE WATER AUTHORIT  
4 DEAN ST  
HICKSVILLE, NY**

LUST

S100150043  
N/A

MAP FINDINGS

Map ID  
Direction  
Distance

Site

Database(s)

EDR ID Number  
EPA ID Number

**HICKSVILLE WATER AUTHORIT (Continued)**

S100150043

**LUST:**

Facility ID:	8805214	Spill Date:	09/16/1988
First notified:	REGIONAL OFFICE	Material class:	PETROLEUM
Material spilled:	#2 FUEL	Release QTY:	0.00 GALLONS
Water body affected:	Not reported	Origin:	COMM/INDUST
Resource affected:	GROUNDWATER	Notifier:	TANK TESTER
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	10/24/1994
Initiated clean up:	Not reported	Close Date:	10/24/1994
Last Inspection:	Not reported	Investigator:	T/T/F
UST Trust Fund:	No	Penalty:	NO PENALTY
Status:	MEANS ITS BEEN RESOLVED		
Quantity recovered:	0.00		
Cause:	TANK TEST FAILURE [BULK STORE. PRO.]		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

62

**HICKSVILLE W.D. PLANT 8  
4 DEAN ST  
HICKSVILLE, NY**

UST  
AST

U002097372  
N/A

**Nassau County UST:**

Facility ID:	001160	Tank ID:	0003
Tank Location:	Indoors, Belowground	Capacity:	00004000
Tank Status:	In Service	Tank Material:	Fiberglass Reinforced Plastic
Piping Type:	Steel/Iron	Material Type:	Fresh/Product
Int Protection:	Internal Lining		
Ext Protection:	FIBERGLASS REINFORCED PLASTIC		
Description:	SODIUM HYDROXIDE		
Leak Detect:	OTHER	Containment:	Other
Dispense Method:	Suction	Product Gauge:	Yes
Fill Type:	Pumped	Install Date:	0176
Total Tanks:	2		

Facility ID:	001160	Tank ID:	0004
Tank Location:	Indoors, Belowground	Capacity:	00004000
Tank Status:	In Service	Tank Material:	Fiberglass Reinforced Plastic
Piping Type:	Steel/Iron	Material Type:	Fresh/Product
Int Protection:	Internal Lining		
Ext Protection:	FIBERGLASS REINFORCED PLASTIC		
Description:	SODIUM HYDROXIDE		
Leak Detect:	OTHER	Containment:	Other
Dispense Method:	Suction	Product Gauge:	Yes
Fill Type:	Pumped	Install Date:	0176
Total Tanks:	2		

MAP FINDINGS

Map ID  
Direction  
Distance

Site

Database(s)

EDR ID Number  
EPA ID Number

**HICKSVILLE W.D. PLANT 8 (Continued)**

U002097372

Nassau County AST:

Facility ID:	001160	Tank ID:	0006
Tank Location:	Indoors, Aboveground	Capacity (Gal):	300
Tank Status:	In Service	Tank Material:	PLASTIC
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Other	Material Type:	Fresh/Product
Description:	SODIUM HYPOCHLORITE		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Suction	Product Gauge:	No
Fill Type:	Pumped	Install Date:	0491
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported

63

**KING BEAR AUTO SERVICE CENTER**  
735 SOUTH BROADWAY  
HICKSVILLE, NY 11801

**FINDS** 1000231520  
**RCRIS-LQG** NYD981563513

RCRIS:

Owner: SMD ENTERPRISES, INC.  
(212) 555-1212

Contact: SY DIAMOND  
(516) 931-9714

Waste	Quantity	Info Source
X001	.00000 (N)	Notification

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

63

**KING BEAR**  
735 S BROADWAY  
HICKSVILLE, NY

**AST** A100043336  
N/A

Nassau County AST:

Facility ID:	056949	Tank ID:	0001
Tank Location:	Indoors, Aboveground	Capacity (Gal):	240
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	PAINTED [e.g. asphaltic]	Material Type:	Fresh/Product
Piping Type:	Steel/Iron		
Description:	OIL, MOTOR	Containment:	DOUBLE WALL TANK
Leak Detect:	OTHER	Product Gauge:	Yes
Dispense Method:	Suction	Install Date:	0891
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		

Facility ID:	056949	Tank ID:	0002
Tank Location:	Indoors, Aboveground	Capacity (Gal):	240
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	PAINTED [e.g. asphaltic]	Material Type:	Fresh/Product
Piping Type:	Steel/Iron		
Description:	OIL, MOTOR	Containment:	DOUBLE WALL TANK
Leak Detect:	OTHER	Product Gauge:	Yes
Dispense Method:	Suction	Install Date:	0891
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		



MAP FINDINGS

Map ID Direction Distance	Site	Database(s)	EDR ID Number EPA ID Number
64	<b>NEW YORK TELEPHONE ROOM 300 920 SOUTH OYSTER BAY ROAD BETHPAGE, NY 11714</b>	<b>FINDS RCRIS-LQG</b>	<b>1000136892 NYD982185712</b>
65	<b>GRUMMAN AEROSPACE CORP. STEWART AVE. BETHPAGE, NY</b>	<b>UST AST</b>	<b>U001854670 N/A</b>
	Nassau County UST:		
	Facility ID: 000001	Tank ID: 0372	
	Tank Location: Indoors, Belowground	Capacity: 00010500	
	Tank Status: In Service	Tank Material: STEEL	
	Piping Type: Other	Material Type: Fresh/Product	
	Int Protection: Internal Lining		
	Ext Protection: PAINTED [e.g. asphaltic]		
	Description: NITRIC & HYDROFLUORIC ACID MIX		
	Leak Detect: OTHER	Containment: Diking	
	Dispense Method: Suction	Product Gauge: Yes	
	Fill Type: Pumped	Install Date: 0169	
	Total Tanks: 18		
	Facility ID: 000001	Tank ID: 1092	
	Tank Location: Indoors, Belowground	Capacity: 00005000	
	Tank Status: In Service	Tank Material: STEEL	
	Piping Type: Steel/Iron	Material Type: Waste	
	Int Protection: None		
	Ext Protection: NONE		
	Description: DYES/PIGMENTS, N.O.S.		
	Leak Detect: OTHER	Containment: Other	
	Dispense Method: Suction	Product Gauge: Yes	
	Fill Type: Pumped	Install Date: 0175	
	Total Tanks: 18		
	Facility ID: 000001	Tank ID: 1093	
	Tank Location: Indoors, Belowground	Capacity: 00005000	
	Tank Status: In Service	Tank Material: STEEL	
	Piping Type: Steel/Iron	Material Type: Waste	
	Int Protection: None		
	Ext Protection: NONE		
	Description: DYES/PIGMENTS, N.O.S.		
	Leak Detect: OTHER	Containment: Other	
	Dispense Method: Suction	Product Gauge: Yes	
	Fill Type: Pumped	Install Date: 0175	
	Total Tanks: 18		
	Facility ID: 000001	Tank ID: 1196	
	Tank Location: Indoors, Belowground	Capacity: 00002000	
	Tank Status: 6	Tank Material: OTHER	
	Piping Type: Other	Material Type: Waste	
	Int Protection: None		
	Ext Protection: NONE		
	Description: ACIDS, NOS		
	Leak Detect: OTHER	Containment: Other	
	Dispense Method: Suction	Product Gauge: Yes	
	Fill Type: Pumped	Install Date: 0164	
	Total Tanks: 18		

MAP FINDINGS

Map ID  
Direction  
Distance

Site

Database(s)

EDR ID Number  
EPA ID Number

**GRUMMAN AEROSPACE CORP. (Continued)**

**U001854670**

Facility ID:	000001	Tank ID:	1403
Tank Location:	Indoors, Belowground	Capacity:	00003000
Tank Status:	In Service	Tank Material:	Fiberglass Reinforced Plastic
Piping Type:	Galvanized Steel	Material Type:	Waste
Int Protection:	None		
Ext Protection:	NONE		
Description:	EMPTY/AUXILARY TANK	Containment:	Double Wall Tank
Leak Detect:	OTHER	Product Gauge:	Yes
Dispense Method:	Suction	Install Date:	0185
Fill Type:	Pumped		
Total Tanks:	18		
Facility ID:	000001	Tank ID:	1404
Tank Location:	Indoors, Belowground	Capacity:	00002500
Tank Status:	In Service	Tank Material:	Fiberglass Reinforced Plastic
Piping Type:	Galvanized Steel	Material Type:	Waste
Int Protection:	None		
Ext Protection:	NONE		
Description:	EMPTY/AUXILARY TANK	Containment:	Double Wall Tank
Leak Detect:	OTHER	Product Gauge:	Yes
Dispense Method:	Suction	Install Date:	0185
Fill Type:	Pumped		
Total Tanks:	18		
Facility ID:	000001	Tank ID:	2013
Tank Location:	Indoors, Belowground	Capacity:	00000550
Tank Status:	In Service	Tank Material:	Fiberglass Reinforced Plastic
Piping Type:	Wrapped Steel	Material Type:	Waste
Int Protection:	None		
Ext Protection:	NONE		
Description:	WASTE OIL	Containment:	Other
Leak Detect:	OTHER	Product Gauge:	Yes
Dispense Method:	Suction	Install Date:	0182
Fill Type:	Gravity		
Total Tanks:	18		
Facility ID:	000001	Tank ID:	9301
Tank Location:	Indoors, Belowground	Capacity:	00065000
Tank Status:	In Service	Tank Material:	CONCRETE
Piping Type:	Other	Material Type:	Waste
Int Protection:	None		
Ext Protection:	NONE		
Description:	TANK, WASTE TREATMENT	Containment:	Other
Leak Detect:	OTHER	Product Gauge:	No
Dispense Method:	Suction	Install Date:	0172
Fill Type:	Gravity		
Total Tanks:	18		

MAP FINDINGS

Map ID  
Direction  
Distance

Site

Database(s)

EDR ID Number  
EPA ID Number

GRUMMAN AEROSPACE CORP. (Continued)

U001854670

Facility ID:	000001	Tank ID:	9302
Tank Location:	Indoors, Belowground	Capacity:	00040000
Tank Status:	In Service	Tank Material:	CONCRETE
Piping Type:	Other	Material Type:	Waste
Int Protection:	None		
Ext Protection:	NONE		
Description:	TANK, WASTE TREATMENT		
Leak Detect:	OTHER	Containment:	Other
Dispense Method:	Submersible	Product Gauge:	No
Fill Type:	Gravity	Install Date:	0172
Total Tanks:	18		
Facility ID:	000001	Tank ID:	9304
Tank Location:	Indoors, Belowground	Capacity:	00065000
Tank Status:	In Service	Tank Material:	CONCRETE
Piping Type:	Other	Material Type:	Waste
Int Protection:	None		
Ext Protection:	NONE		
Description:	TANK, WASTE TREATMENT		
Leak Detect:	OTHER	Containment:	Other
Dispense Method:	Submersible	Product Gauge:	No
Fill Type:	Gravity	Install Date:	0172
Total Tanks:	18		
Facility ID:	000001	Tank ID:	9305
Tank Location:	Indoors, Belowground	Capacity:	00103000
Tank Status:	In Service	Tank Material:	CONCRETE
Piping Type:	Other	Material Type:	Waste
Int Protection:	Other		
Ext Protection:	NONE		
Description:	TANK, WASTE TREATMENT		
Leak Detect:	OTHER	Containment:	Other
Dispense Method:	Gravity	Product Gauge:	No
Fill Type:	Gravity	Install Date:	0184
Total Tanks:	18		
Facility ID:	000001	Tank ID:	9306
Tank Location:	Indoors, Belowground	Capacity:	00011770
Tank Status:	In Service	Tank Material:	CONCRETE
Piping Type:	Other	Material Type:	Waste
Int Protection:	None		
Ext Protection:	NONE		
Description:	TANK, WASTE TREATMENT		
Leak Detect:	OTHER	Containment:	Other
Dispense Method:	Submersible	Product Gauge:	No
Fill Type:	Gravity	Install Date:	0184
Total Tanks:	18		



MAP FINDINGS

Map ID  
Direction  
Distance

Site

Database(s)

EDR ID Number  
EPA ID Number

**GRUMMAN AEROSPACE CORP. (Continued)**

U001854670

Facility ID:	000001	Tank ID:	9308
Tank Location:	Indoors, Belowground	Capacity:	00003300
Tank Status:	In Service	Tank Material:	Fiberglass Reinforced Plastic
Piping Type:	Other	Material Type:	Waste
Int Protection:	None		
Ext Protection:	NONE		
Description:	TANK, WASTE TREATMENT		
Leak Detect:	OTHER	Containment:	Other
Dispense Method:	Submersible	Product Gauge:	Yes
Fill Type:	Pumped	Install Date:	0184
Total Tanks:	18		
Facility ID:	000001	Tank ID:	9328
Tank Location:	Indoors, Belowground	Capacity:	00011800
Tank Status:	In Service	Tank Material:	CONCRETE
Piping Type:	Other	Material Type:	Waste
Int Protection:	None		
Ext Protection:	NONE		
Description:	INORGANICS, MISC		
Leak Detect:	OTHER	Containment:	Other
Dispense Method:	Submersible	Product Gauge:	No
Fill Type:	Gravity	Install Date:	0184
Total Tanks:	18		
Facility ID:	000001	Tank ID:	9331
Tank Location:	Indoors, Belowground	Capacity:	00011800
Tank Status:	In Service	Tank Material:	CONCRETE
Piping Type:	Other	Material Type:	Waste
Int Protection:	None		
Ext Protection:	NONE		
Description:	FLUORIDE		
Leak Detect:	OTHER	Containment:	Other
Dispense Method:	Submersible	Product Gauge:	Yes
Fill Type:	Pumped	Install Date:	0184
Total Tanks:	18		
Facility ID:	000001	Tank ID:	9337
Tank Location:	Indoors, Belowground	Capacity:	00010000
Tank Status:	In Service	Tank Material:	CONCRETE
Piping Type:	Steel/Iron	Material Type:	Waste
Int Protection:	Internal Lining		
Ext Protection:	NONE		
Description:	SLUDGE, NOS		
Leak Detect:	OTHER	Containment:	Other
Dispense Method:	Suction	Product Gauge:	No
Fill Type:	Pumped	Install Date:	1284
Total Tanks:	18		

MAP FINDINGS

Map ID  
Direction  
Distance

Site

Database(s)

EDR ID Number  
EPA ID Number

**GRUMMAN AEROSPACE CORP. (Continued)**

U001854670

Facility ID:	000001	Tank ID:	9338
Tank Location:	Indoors, Belowground	Capacity:	00010000
Tank Status:	In Service	Tank Material:	CONCRETE
Piping Type:	Steel/Iron	Material Type:	Waste
Int Protection:	Internal Lining		
Ext Protection:	NONE		
Description:	SLUDGE, NOS		
Leak Detect:	OTHER	Containment:	Other
Dispense Method:	Suction	Product Gauge:	No
Fill Type:	Pumped	Install Date:	1284
Total Tanks:	18		
Facility ID:	000001	Tank ID:	9339
Tank Location:	Indoors, Belowground	Capacity:	00010000
Tank Status:	In Service	Tank Material:	STEEL
Piping Type:	Double Walled Fiberglass	Material Type:	Fresh/Product
Int Protection:	None		
Ext Protection:	CATHODIC PROTECTION		
Description:	OIL, FUEL #2		
Leak Detect:	ELECTRONIC	Containment:	Double Wall Tank
Dispense Method:	Suction	Product Gauge:	Yes
Fill Type:	Gravity	Install Date:	0394
Total Tanks:	18		
Nassau County AST:			
Facility ID:	000001	Tank ID:	0047
Tank Location:	Indoors, Aboveground	Capacity (Gal):	1465
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Other	Material Type:	Fresh/Product
Description:	RIDOLENE 53		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Suction	Product Gauge:	Yes
Fill Type:	Pumped	Install Date:	0173
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	000001	Tank ID:	0131
Tank Location:	Indoors, Aboveground	Capacity (Gal):	760
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Steel/Iron	Material Type:	Fresh/Product
Description:	RINSEWATER, ACID		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Gravity	Product Gauge:	No
Fill Type:	Gravity	Install Date:	0160
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported

MAP FINDINGS

Map ID  
Direction  
Distance

Site

Database(s)

EDR ID Number  
EPA ID Number

**GRUMMAN AEROSPACE CORP. (Continued)**

U001854670

Facility ID:	000001	Tank ID:	0139
Tank Location:	Indoors, Aboveground	Capacity (Gal):	400
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Steel/Iron	Material Type:	Fresh/Product
Description:	EMPTY/AUXILARY TANK		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Suction	Product Gauge:	No
Fill Type:	Pumped	Install Date:	0160
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	000001	Tank ID:	0140
Tank Location:	Indoors, Aboveground	Capacity (Gal):	160
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	Internal Lining		
Ext Protection:	PAINTED (e.g. asphaltic)		
Piping Type:	Other	Material Type:	Fresh/Product
Description:	EMPTY/AUXILARY TANK		
Leak Detect:	NONE	Containment:	NONE
Dispense Method:	Suction	Product Gauge:	No
Fill Type:	Pumped	Install Date:	0161
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	000001	Tank ID:	0141
Tank Location:	Indoors, Aboveground	Capacity (Gal):	670
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Steel/Iron	Material Type:	Fresh/Product
Description:	CHROMIC ACID		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Suction	Product Gauge:	Yes
Fill Type:	Pumped	Install Date:	0161
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	000001	Tank ID:	0142
Tank Location:	Indoors, Aboveground	Capacity (Gal):	760
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Steel/Iron	Material Type:	Fresh/Product
Description:	RINSEWATER, ACID		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Gravity	Product Gauge:	No
Fill Type:	Gravity	Install Date:	0160
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported

MAP FINDINGS

Map ID  
Direction  
Distance

Site

Database(s)

EDR ID Number  
EPA ID Number

**GRUMMAN AEROSPACE CORP. (Continued)**

U001854670

Facility ID:	000001	Tank ID:	0143
Tank Location:	Indoors, Aboveground	Capacity (Gal):	670
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	Internal Lining		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Other		
Description:	SULPHURIC ACID	Containment:	DIKING AND PAD
Leak Detect:	NONE	Product Gauge:	Yes
Dispense Method:	Suction	Install Date:	0161
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	0144
Tank Location:	Indoors, Aboveground	Capacity (Gal):	760
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Steel/Iron		
Description:	RINSEWATER, ACID	Containment:	DIKING AND PAD
Leak Detect:	NONE	Product Gauge:	No
Dispense Method:	Gravity	Install Date:	0160
Fill Type:	Gravity	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	0213
Tank Location:	Indoors, Aboveground	Capacity (Gal):	190
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	Internal Lining		
Ext Protection:	PAINTED [e.g. asphaltic]	Material Type:	Fresh/Product
Piping Type:	Steel/Iron		
Description:	EMPTY/AUXILARY TANK	Containment:	NONE
Leak Detect:	NONE	Product Gauge:	No
Dispense Method:	Suction	Install Date:	0161
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	0214
Tank Location:	Indoors, Aboveground	Capacity (Gal):	250
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	Internal Lining		
Ext Protection:	PAINTED [e.g. asphaltic]	Material Type:	Fresh/Product
Piping Type:	Steel/Iron		
Description:	TANK, WATER RINSE	Containment:	NONE
Leak Detect:	NONE	Product Gauge:	No
Dispense Method:	Gravity	Install Date:	0161
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		

MAP FINDINGS

Map ID  
Direction  
Distance

Site

Database(s)

EDR ID Number  
EPA ID Number

**GRUMMAN AEROSPACE CORP. (Continued)**

**U001854670**

Facility ID:	000001	Tank ID:	0215
Tank Location:	Indoors, Aboveground	Capacity (Gal):	350
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	PAINTED [e.g. asphaltic]	Material Type:	Fresh/Product
Piping Type:	Steel/Iron		
Description:	EMPTY/AUXILIARY TANK	Containment:	NONE
Leak Detect:	NONE	Product Gauge:	No
Dispense Method:	Gravity	Install Date:	0161
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	0216
Tank Location:	Indoors, Aboveground	Capacity (Gal):	350
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	PAINTED [e.g. asphaltic]	Material Type:	Fresh/Product
Piping Type:	Steel/Iron		
Description:	EMPTY/AUXILIARY TANK	Containment:	NONE
Leak Detect:	NONE	Product Gauge:	No
Dispense Method:	Suction	Install Date:	0161
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	0256
Tank Location:	Indoors, Aboveground	Capacity (Gal):	250
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Steel/Iron		
Description:	TRICHLOROETHYLENE	Containment:	DIKING AND PAD
Leak Detect:	NONE	Product Gauge:	No
Dispense Method:	Submersible	Install Date:	0186
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	0259
Tank Location:	Indoors, Aboveground	Capacity (Gal):	50
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Steel/Iron		
Description:	TRICHLOROETHANE, 1,1,1-	Containment:	NONE
Leak Detect:	NONE	Product Gauge:	No
Dispense Method:	Suction	Install Date:	0160
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		



MAP FINDINGS

Map ID  
Direction  
Distance

Site

Database(s)

EDR ID Number  
EPA ID Number

**GRUMMAN AEROSPACE CORP. (Continued)**

U001854670

Facility ID:	000001	Tank ID:	0261
Tank Location:	Indoors, Aboveground	Capacity (Gal):	760
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Steel/Iron		
Description:	RINSEWATER, ACID	Containment:	DIKING AND PAD
Leak Detect:	NONE	Product Gauge:	No
Dispense Method:	Gravity	Install Date:	0160
Fill Type:	Gravity	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	0262
Tank Location:	Indoors, Aboveground	Capacity (Gal):	760
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Steel/Iron		
Description:	RINSEWATER, ALKALINE	Containment:	DIKING AND PAD
Leak Detect:	NONE	Product Gauge:	No
Dispense Method:	Gravity	Install Date:	0160
Fill Type:	Gravity	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	0285
Tank Location:	Indoors, Aboveground	Capacity (Gal):	50
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Steel/Iron		
Description:	TRICHLOROETHANE, 1,1,1-	Containment:	NONE
Leak Detect:	NONE	Product Gauge:	No
Dispense Method:	Submersible	Install Date:	0160
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	0360
Tank Location:	Indoors, Aboveground	Capacity (Gal):	14000
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Steel/Iron		
Description:	POTASSIUM HYDROXIDE & NITRATE	Containment:	DIKING AND PAD
Leak Detect:	ELECTRONIC	Product Gauge:	Yes
Dispense Method:	Suction	Install Date:	0186
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		

MAP FINDINGS

Map ID  
Direction  
Distance

Site

Database(s)

EDR ID Number  
EPA ID Number

**GRUMMAN AEROSPACE CORP. (Continued)**

U001854670

Facility ID:	000001	Tank ID:	0361
Tank Location:	Indoors, Aboveground	Capacity (Gal):	10500
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Steel/Iron		
Description:	RINSEWATER, ALKALINE	Containment:	DIKING AND PAD
Leak Detect:	NONE	Product Gauge:	No
Dispense Method:	Gravity	Install Date:	0169
Fill Type:	Gravity	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	0363
Tank Location:	Indoors, Aboveground	Capacity (Gal):	10500
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	Internal Lining		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Other		
Description:	RINSEWATER, ACID	Containment:	DIKING AND PAD
Leak Detect:	NONE	Product Gauge:	No
Dispense Method:	Gravity	Install Date:	0169
Fill Type:	Gravity	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	0365
Tank Location:	Indoors, Aboveground	Capacity (Gal):	10500
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Steel/Iron		
Description:	RINSEWATER, ALKALINE	Containment:	DIKING AND PAD
Leak Detect:	NONE	Product Gauge:	No
Dispense Method:	Gravity	Install Date:	0169
Fill Type:	Gravity	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	0366
Tank Location:	Indoors, Aboveground	Capacity (Gal):	10500
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Steel/Iron		
Description:	RIDOLENE 73	Containment:	DIKING AND PAD
Leak Detect:	NONE	Product Gauge:	Yes
Dispense Method:	Suction	Install Date:	0169
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		

MAP FINDINGS

Map ID  
Direction  
Distance

Site

Database(s)

EDR ID Number  
EPA ID Number

**GRUMMAN AEROSPACE CORP. (Continued)**

**U001854670**

Facility ID:	000001	Tank ID:	0371
Tank Location:	Outdoors, Aboveground	Capacity (Gal):	10500
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	PAINTED [e.g. asphaltic]	Material Type:	Waste
Piping Type:	Steel/Iron	Containment:	DIKING AND PAD
Description:	ALKALINE SOLUTIONS, NOS	Product Gauge:	Yes
Leak Detect:	NONE	Install Date:	0169
Dispense Method:	Suction	Total Tanks:	Not reported
Fill Type:	Pumped		
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	0384
Tank Location:	Indoors, Aboveground	Capacity (Gal):	115
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	PAINTED [e.g. asphaltic]	Material Type:	Fresh/Product
Piping Type:	Other	Containment:	NONE
Description:	SURFACTANTS	Product Gauge:	No
Leak Detect:	NONE	Install Date:	0187
Dispense Method:	Suction	Total Tanks:	Not reported
Fill Type:	Pumped		
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	0388
Tank Location:	Indoors, Aboveground	Capacity (Gal):	1570
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Other	Containment:	DIKING AND PAD
Description:	ALODINE	Product Gauge:	Yes
Leak Detect:	NONE	Install Date:	0173
Dispense Method:	Suction	Total Tanks:	Not reported
Fill Type:	Pumped		
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	0399
Tank Location:	Indoors, Aboveground	Capacity (Gal):	4418
Tank Status:	In Service	Tank Material:	Fiberglass Reinforced Plastic
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Steel/Iron	Containment:	NONE
Description:	SODIUM HYDROXIDE	Product Gauge:	Yes
Leak Detect:	NONE	Install Date:	0180
Dispense Method:	Suction	Total Tanks:	Not reported
Fill Type:	Pumped		
Data File:	Petroleum Bulk Storage Facility		

MAP FINDINGS

Map ID  
Direction  
Distance

Site

Database(s)

EDR ID Number  
EPA ID Number

GRUMMAN AEROSPACE CORP. (Continued)

U001854670

Facility ID:	000001	Tank ID:	0400
Tank Location:	Indoors, Aboveground	Capacity (Gal):	4418
Tank Status:	In Service	Tank Material:	Fiberglass Reinforced Plastic
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Steel/Iron		
Description:	SODIUM HYDROXIDE	Containment:	NONE
Leak Detect:	NONE	Product Gauge:	Yes
Dispense Method:	Suction	Install Date:	0180
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	0449
Tank Location:	Indoors, Aboveground	Capacity (Gal):	1570
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Other		
Description:	RINSEWATER, ACID	Containment:	DIKING AND PAD
Leak Detect:	NONE	Product Gauge:	No
Dispense Method:	Gravity	Install Date:	0173
Fill Type:	Gravity	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	0451
Tank Location:	Indoors, Aboveground	Capacity (Gal):	12630
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Steel/Iron		
Description:	TURCO MASKANT	Containment:	VAULT
Leak Detect:	NONE	Product Gauge:	Yes
Dispense Method:	Suction	Install Date:	0172
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	0490
Tank Location:	Indoors, Aboveground	Capacity (Gal):	2700
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	Internal Lining		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Steel/Iron		
Description:	ZYGLO PENETRANT	Containment:	DIKING AND PAD
Leak Detect:	NONE	Product Gauge:	Yes
Dispense Method:	Suction	Install Date:	0170
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		

MAP FINDINGS

Map ID  
Direction  
Distance

Site

Database(s)

EDR ID Number  
EPA ID Number

GRUMMAN AEROSPACE CORP. (Continued)

U001854670

Facility ID:	000001	Tank ID:	0491
Tank Location:	Indoors, Aboveground	Capacity (Gal):	2200
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	Internal Lining		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Steel/Iron		
Description:	MAGNAFLUX	Containment:	DIKING AND PAD
Leak Detect:	NONE	Product Gauge:	Yes
Dispense Method:	Suction	Install Date:	0170
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	0493
Tank Location:	Indoors, Aboveground	Capacity (Gal):	6750
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	Internal Lining		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Steel/Iron		
Description:	MAGNAFLUX	Containment:	DIKING AND PAD
Leak Detect:	NONE	Product Gauge:	Yes
Dispense Method:	Suction	Install Date:	0170
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	0503
Tank Location:	Indoors, Aboveground	Capacity (Gal):	115
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	PAINTED [e.g. asphaltic]	Material Type:	Fresh/Product
Piping Type:	Other		
Description:	ALKALINE SOLUTIONS, NOS	Containment:	NONE
Leak Detect:	NONE	Product Gauge:	No
Dispense Method:	Suction	Install Date:	0187
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	0506
Tank Location:	Indoors, Aboveground	Capacity (Gal):	1300
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Steel/Iron		
Description:	CHROME DEACTIVATING SOLUTION	Containment:	NONE
Leak Detect:	NONE	Product Gauge:	No
Dispense Method:	Suction	Install Date:	0160
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		

MAP FINDINGS

Map ID  
Direction  
Distance

Site

Database(s)

EDR ID Number  
EPA ID Number

**GRUMMAN AEROSPACE CORP. (Continued)**

U001854670

Facility ID:	000001	Tank ID:	0508
Tank Location:	Indoors, Aboveground	Capacity (Gal):	1300
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Steel/Iron	Material Type:	Fresh/Product
Description:	CHROME DEACTIVATING SOLUTION		
Leak Detect:	NONE	Containment:	NONE
Dispense Method:	Submersible	Product Gauge:	No
Fill Type:	Pumped	Install Date:	0160
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	000001	Tank ID:	0594
Tank Location:	Indoors, Aboveground	Capacity (Gal):	3200
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	Internal Lining		
Ext Protection:	NONE		
Piping Type:	Steel/Iron	Material Type:	Fresh/Product
Description:	SODIUM NITRATE		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Suction	Product Gauge:	No
Fill Type:	Other	Install Date:	0177
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	000001	Tank ID:	0601
Tank Location:	Indoors, Aboveground	Capacity (Gal):	650
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Steel/Iron	Material Type:	Fresh/Product
Description:	BASIC DEACTIVATING SOLUTION		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Submersible	Product Gauge:	No
Fill Type:	Gravity	Install Date:	0168
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	000001	Tank ID:	0603
Tank Location:	Indoors, Aboveground	Capacity (Gal):	1300
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Steel/Iron	Material Type:	Fresh/Product
Description:	CHROME DEACTIVATING SOLUTION		
Leak Detect:	NONE	Containment:	NONE
Dispense Method:	Submersible	Product Gauge:	No
Fill Type:	Pumped	Install Date:	0160
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported

MAP FINDINGS

Map ID  
Direction  
Distance

Site

Database(s)

EDR ID Number  
EPA ID Number

GRUMMAN AEROSPACE CORP. (Continued)

U001854670

Facility ID:	000001	Tank ID:	0604
Tank Location:	Indoors, Aboveground	Capacity (Gal):	1300
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Steel/Iron		
Description:	CHROME DEACTIVATING SOLUTION	Containment:	NONE
Leak Detect:	NONE	Product Gauge:	No
Dispense Method:	Submersible	Install Date:	0160
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	0605
Tank Location:	Indoors, Aboveground	Capacity (Gal):	1300
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Steel/Iron		
Description:	CHROME DEACTIVATING SOLUTION	Containment:	NONE
Leak Detect:	NONE	Product Gauge:	No
Dispense Method:	Submersible	Install Date:	0160
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	0606
Tank Location:	Indoors, Aboveground	Capacity (Gal):	1300
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Steel/Iron		
Description:	CHROME DEACTIVATING SOLUTION	Containment:	NONE
Leak Detect:	NONE	Product Gauge:	No
Dispense Method:	Submersible	Install Date:	0160
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	0644
Tank Location:	Indoors, Aboveground	Capacity (Gal):	2350
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Other		
Description:	NITRIC ACID & SODIUM SULFATE	Containment:	DIKING AND PAD
Leak Detect:	NONE	Product Gauge:	Yes
Dispense Method:	Suction	Install Date:	0161
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		

MAP FINDINGS

Map ID  
Direction  
Distance

Site

Database(s)

EDR ID Number  
EPA ID Number

**GRUMMAN AEROSPACE CORP. (Continued)**

**U001854670**

Facility ID:	000001	Tank ID:	0645
Tank Location:	Indoors, Aboveground	Capacity (Gal):	2350
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Steel/Iron		
Description:	RINSEWATER, ACID	Containment:	DIKING AND PAD
Leak Detect:	NONE	Product Gauge:	No
Dispense Method:	Gravity	Install Date:	0160
Fill Type:	Gravity	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	0740
Tank Location:	Indoors, Aboveground	Capacity (Gal):	185
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	PAINTED [e.g. asphaltic]	Material Type:	Fresh/Product
Piping Type:	Steel/Iron		
Description:	PHOSPHORIC ACID	Containment:	NONE
Leak Detect:	NONE	Product Gauge:	No
Dispense Method:	Suction	Install Date:	0161
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	0780
Tank Location:	Indoors, Aboveground	Capacity (Gal):	748
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Steel/Iron		
Description:	CAUSTICS	Containment:	DIKING AND PAD
Leak Detect:	NONE	Product Gauge:	No
Dispense Method:	Suction	Install Date:	0173
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	0793
Tank Location:	Outdoors, Aboveground	Capacity (Gal):	3600
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Waste
Piping Type:	Steel/Iron		
Description:	PAINT, MISC	Containment:	DIKING AND PAD
Leak Detect:	NONE	Product Gauge:	Yes
Dispense Method:	Suction	Install Date:	0160
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		



MAP FINDINGS

Map ID  
Direction  
Distance

Site

Database(s)

EDR ID Number  
EPA ID Number

**GRUMMAN AEROSPACE CORP. (Continued)**

U001854670

Facility ID:	000001	Tank ID:	0794
Tank Location:	Outdoors, Aboveground	Capacity (Gal):	3500
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Waste
Piping Type:	Steel/Iron	Containment:	NONE
Description:	PAINT, MISC	Product Gauge:	Yes
Leak Detect:	NONE	Install Date:	0160
Dispense Method:	Suction	Total Tanks:	Not reported
Fill Type:	Pumped		
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	0815
Tank Location:	Outdoors, Aboveground	Capacity (Gal):	3600
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Waste
Piping Type:	Steel/Iron	Containment:	DIKING AND PAD
Description:	ALODINE	Product Gauge:	Yes
Leak Detect:	NONE	Install Date:	0183
Dispense Method:	Suction	Total Tanks:	Not reported
Fill Type:	Pumped		
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	0930
Tank Location:	Indoors, Aboveground	Capacity (Gal):	50
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Other	Containment:	DIKING AND PAD
Description:	FREON	Product Gauge:	No
Leak Detect:	NONE	Install Date:	0186
Dispense Method:	Submersible	Total Tanks:	Not reported
Fill Type:	Pumped		
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	0939
Tank Location:	Indoors, Aboveground	Capacity (Gal):	1570
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Other	Containment:	DIKING AND PAD
Description:	RINSEWATER, ALKALINE	Product Gauge:	No
Leak Detect:	NONE	Install Date:	0174
Dispense Method:	Gravity	Total Tanks:	Not reported
Fill Type:	Gravity		
Data File:	Petroleum Bulk Storage Facility		

MAP FINDINGS

Map ID  
Direction  
Distance

Site

Database(s)

EDR ID Number  
EPA ID Number

**GRUMMAN AEROSPACE CORP. (Continued)**

U001854670

Facility ID:	000001	Tank ID:	0941
Tank Location:	Indoors, Aboveground	Capacity (Gal):	500
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Steel/Iron	Material Type:	Fresh/Product
Description:	TRICHLOROETHANE, 1,1,1-		
Leak Detect:	NONE	Containment:	NONE
Dispense Method:	Suction	Product Gauge:	No
Fill Type:	Pumped	Install Date:	0162
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	000001	Tank ID:	0956
Tank Location:	Indoors, Aboveground	Capacity (Gal):	6100
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Steel/Iron	Material Type:	Fresh/Product
Description:	RIDOLENE 53		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Suction	Product Gauge:	Yes
Fill Type:	Pumped	Install Date:	0166
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	000001	Tank ID:	0957
Tank Location:	Indoors, Aboveground	Capacity (Gal):	6100
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Steel/Iron	Material Type:	Fresh/Product
Description:	RINSEWATER, ALKALINE		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Gravity	Product Gauge:	No
Fill Type:	Gravity	Install Date:	0172
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	000001	Tank ID:	0958
Tank Location:	Indoors, Aboveground	Capacity (Gal):	6100
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Other	Material Type:	Fresh/Product
Description:	ALODINE		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Suction	Product Gauge:	Yes
Fill Type:	Pumped	Install Date:	0166
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported

MAP FINDINGS

Map ID  
Direction  
Distance

Site

Database(s)

EDR ID Number  
EPA ID Number

**GRUMMAN AEROSPACE CORP. (Continued)**

**U001854670**

Facility ID:	000001	Tank ID:	0959
Tank Location:	Indoors, Aboveground	Capacity (Gal):	6100
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Steel/Iron	Material Type:	Fresh/Product
Description:	RINSEWATER, ACID		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Gravity	Product Gauge:	No
Fill Type:	Gravity	Install Date:	0172
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	000001	Tank ID:	1021
Tank Location:	Indoors, Aboveground	Capacity (Gal):	1465
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	Internal Lining		
Ext Protection:	NONE		
Piping Type:	Other	Material Type:	Fresh/Product
Description:	SULFURIC & OXALIC ACID MIX		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Suction	Product Gauge:	Yes
Fill Type:	Pumped	Install Date:	0174
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	000001	Tank ID:	1022
Tank Location:	Indoors, Aboveground	Capacity (Gal):	1465
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Other	Material Type:	Fresh/Product
Description:	RINSEWATER, ACID		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Gravity	Product Gauge:	No
Fill Type:	Gravity	Install Date:	0177
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	000001	Tank ID:	1023
Tank Location:	Indoors, Aboveground	Capacity (Gal):	1465
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Other	Material Type:	Fresh/Product
Description:	ALODINE		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Suction	Product Gauge:	Yes
Fill Type:	Pumped	Install Date:	0174
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported

MAP FINDINGS

Map ID  
Direction  
Distance

Site

Database(s)

EDR ID Number  
EPA ID Number

GRUMMAN AEROSPACE CORP. (Continued)

U001854670

Facility ID:	000001	Tank ID:	1024
Tank Location:	Indoors, Aboveground	Capacity (Gal):	1465
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Other	Material Type:	Fresh/Product
Description:	TANK, WATER RINSE		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Gravity	Product Gauge:	No
Fill Type:	Gravity	Install Date:	0177
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	000001	Tank ID:	1039
Tank Location:	Indoors, Aboveground	Capacity (Gal):	330
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Other	Material Type:	Fresh/Product
Description:	EMPTY/AUXILARY TANK		
Leak Detect:	NONE	Containment:	NONE
Dispense Method:	Suction	Product Gauge:	No
Fill Type:	Pumped	Install Date:	0179
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	000001	Tank ID:	1052
Tank Location:	Indoors, Aboveground	Capacity (Gal):	157
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	PAINTED [e.g. asphaltic]		
Piping Type:	Other	Material Type:	Fresh/Product
Description:	TANK, WATER RINSE		
Leak Detect:	NONE	Containment:	NONE
Dispense Method:	Suction	Product Gauge:	No
Fill Type:	Pumped	Install Date:	0173
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	000001	Tank ID:	1053
Tank Location:	Indoors, Aboveground	Capacity (Gal):	157
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	PAINTED [e.g. asphaltic]		
Piping Type:	Other	Material Type:	Fresh/Product
Description:	SURFACTANTS		
Leak Detect:	NONE	Containment:	NONE
Dispense Method:	Suction	Product Gauge:	No
Fill Type:	Pumped	Install Date:	0173
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported

MAP FINDINGS

Map ID  
Direction  
Distance

Site

Database(s)

EDR ID Number  
EPA ID Number

**GRUMMAN AEROSPACE CORP. (Continued)**

**U001854670**

Facility ID:	000001	Tank ID:	1054
Tank Location:	Indoors, Aboveground	Capacity (Gal):	157
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	PAINTED [e.g. asphaltic]	Material Type:	Fresh/Product
Piping Type:	Other		
Description:	TANK, WATER RINSE	Containment:	NONE
Leak Detect:	NONE	Product Gauge:	No
Dispense Method:	Suction	Install Date:	0173
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	1055
Tank Location:	Indoors, Aboveground	Capacity (Gal):	157
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Other		
Description:	TRICHLOROETHANE, 1,1,1-	Containment:	DIKING AND PAD
Leak Detect:	NONE	Product Gauge:	Yes
Dispense Method:	Suction	Install Date:	0173
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	1056
Tank Location:	Indoors, Aboveground	Capacity (Gal):	45
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	Internal Lining		
Ext Protection:	PAINTED [e.g. asphaltic]	Material Type:	Fresh/Product
Piping Type:	Other		
Description:	NITRIC & HYDROFLUORIC ACID MIX	Containment:	NONE
Leak Detect:	NONE	Product Gauge:	No
Dispense Method:	Suction	Install Date:	0173
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	1057
Tank Location:	Indoors, Aboveground	Capacity (Gal):	23
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	PAINTED [e.g. asphaltic]	Material Type:	Fresh/Product
Piping Type:	Other		
Description:	TANK, WATER RINSE	Containment:	NONE
Leak Detect:	NONE	Product Gauge:	No
Dispense Method:	Suction	Install Date:	0273
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		

MAP FINDINGS

Map ID  
Direction  
Distance

Site

Database(s)

EDR ID Number  
EPA ID Number

**GRUMMAN AEROSPACE CORP. (Continued)**

U001854670

Facility ID:	000001	Tank ID:	1058
Tank Location:	Indoors, Aboveground	Capacity (Gal):	45
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	Internal Lining		
Ext Protection:	PAINTED [e.g. asphaltic]	Material Type:	Fresh/Product
Piping Type:	Other		
Description:	NITRIC & HYDROFLUORIC ACID MIX	Containment:	NONE
Leak Detect:	NONE	Product Gauge:	No
Dispense Method:	Suction	Install Date:	0173
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	1059
Tank Location:	Indoors, Aboveground	Capacity (Gal):	270
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Steel/Iron		
Description:	TANK, WATER RINSE	Containment:	NONE
Leak Detect:	NONE	Product Gauge:	No
Dispense Method:	Submersible	Install Date:	0170
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	1063
Tank Location:	Indoors, Aboveground	Capacity (Gal):	157
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	PAINTED [e.g. asphaltic]	Material Type:	Fresh/Product
Piping Type:	Other		
Description:	ISOPROPYL ALCOHOL	Containment:	NONE
Leak Detect:	NONE	Product Gauge:	No
Dispense Method:	Suction	Install Date:	0173
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	1068
Tank Location:	Indoors, Aboveground	Capacity (Gal):	1570
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Steel/Iron		
Description:	RIDOLENE 53	Containment:	DIKING AND PAD
Leak Detect:	NONE	Product Gauge:	Yes
Dispense Method:	Suction	Install Date:	0174
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		

MAP FINDINGS

Map ID  
Direction  
Distance

Site

Database(s)

EDR ID Number  
EPA ID Number

**GRUMMAN AEROSPACE CORP. (Continued)**

**U001854670**

Facility ID:	000001	Tank ID:	1069
Tank Location:	Indoors, Aboveground	Capacity (Gal):	1570
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Steel/Iron		
Description:	RINSEWATER, ALKALINE	Containment:	DIKING AND PAD
Leak Detect:	NONE	Product Gauge:	No
Dispense Method:	Gravity	Install Date:	0174
Fill Type:	Gravity	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	1071
Tank Location:	Indoors, Aboveground	Capacity (Gal):	630
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Waste
Piping Type:	Other		
Description:	ACIDS, NOS	Containment:	DIKING AND PAD
Leak Detect:	NONE	Product Gauge:	Yes
Dispense Method:	Suction	Install Date:	0177
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	1104
Tank Location:	Indoors, Aboveground	Capacity (Gal):	185
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Other		
Description:	TANK, WATER RINSE	Containment:	DIKING AND PAD
Leak Detect:	NONE	Product Gauge:	No
Dispense Method:	Suction	Install Date:	0176
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	1106
Tank Location:	Indoors, Aboveground	Capacity (Gal):	185
Tank Status:	In Service	Tank Material:	Fiberglass Reinforced Plastic
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Other		
Description:	ALODINE	Containment:	DIKING AND PAD
Leak Detect:	NONE	Product Gauge:	No
Dispense Method:	Suction	Install Date:	0176
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		

MAP FINDINGS

Map ID  
Direction  
Distance

Site

Database(s)

EDR ID Number  
EPA ID Number

**GRUMMAN AEROSPACE CORP. (Continued)**

U001854670

Facility ID:	000001	Tank ID:	1107
Tank Location:	Indoors, Aboveground	Capacity (Gal):	185
Tank Status:	In Service	Tank Material:	Fiberglass Reinforced Plastic
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Other	Material Type:	Fresh/Product
Description:	TANK, WATER RINSE		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Suction	Product Gauge:	No
Fill Type:	Pumped	Install Date:	0176
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	000001	Tank ID:	1112
Tank Location:	Indoors, Aboveground	Capacity (Gal):	9975
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Other	Material Type:	Fresh/Product
Description:	RINSEWATER, ACID		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Gravity	Product Gauge:	No
Fill Type:	Gravity	Install Date:	0177
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	000001	Tank ID:	1120
Tank Location:	Indoors, Aboveground	Capacity (Gal):	9743
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Steel/Iron	Material Type:	Fresh/Product
Description:	SODIUM HYDROXIDE		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Suction	Product Gauge:	Yes
Fill Type:	Pumped	Install Date:	0179
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	000001	Tank ID:	1121
Tank Location:	Indoors, Aboveground	Capacity (Gal):	9743
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Steel/Iron	Material Type:	Fresh/Product
Description:	SODIUM HYDROXIDE		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Suction	Product Gauge:	Yes
Fill Type:	Pumped	Install Date:	0179
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported



MAP FINDINGS

Map ID  
Direction  
Distance

Site

Database(s)

EDR ID Number  
EPA ID Number

**GRUMMAN AEROSPACE CORP. (Continued)**

**U001854670**

Facility ID:	000001	Tank ID:	1122
Tank Location:	Indoors, Aboveground	Capacity (Gal):	18200
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Other		
Description:	RINSEWATER, ALKALINE	Containment:	DIKING AND PAD
Leak Detect:	NONE	Product Gauge:	No
Dispense Method:	Gravity	Install Date:	0179
Fill Type:	Gravity	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	1123
Tank Location:	Indoors, Aboveground	Capacity (Gal):	9743
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Other		
Description:	NITRIC ACID	Containment:	DIKING AND PAD
Leak Detect:	NONE	Product Gauge:	Yes
Dispense Method:	Suction	Install Date:	0179
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	1124
Tank Location:	Indoors, Aboveground	Capacity (Gal):	18200
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Other		
Description:	RINSEWATER, ACID	Containment:	DIKING AND PAD
Leak Detect:	NONE	Product Gauge:	No
Dispense Method:	Gravity	Install Date:	0179
Fill Type:	Gravity	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	1125
Tank Location:	Indoors, Aboveground	Capacity (Gal):	9743
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Steel/Iron		
Description:	SODIUM HYDROXIDE	Containment:	DIKING AND PAD
Leak Detect:	NONE	Product Gauge:	Yes
Dispense Method:	Suction	Install Date:	0179
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		

MAP FINDINGS

Map ID  
Direction  
Distance

Site

Database(s)

EDR ID Number  
EPA ID Number

**GRUMMAN AEROSPACE CORP. (Continued)**

U001854670

Facility ID:	000001	Tank ID:	1126
Tank Location:	Indoors, Aboveground	Capacity (Gal):	18200
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Other		
Description:	RINSEWATER, ALKALINE	Containment:	DIKING AND PAD
Leak Detect:	NONE	Product Gauge:	No
Dispense Method:	Gravity	Install Date:	0179
Fill Type:	Gravity	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	1127
Tank Location:	Indoors, Aboveground	Capacity (Gal):	9743
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	Internal Lining		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Other		
Description:	HYDROFLUORIC ACID	Containment:	DIKING AND PAD
Leak Detect:	NONE	Product Gauge:	Yes
Dispense Method:	Suction	Install Date:	0179
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	1128
Tank Location:	Indoors, Aboveground	Capacity (Gal):	18200
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Other		
Description:	RINSEWATER, ACID	Containment:	DIKING AND PAD
Leak Detect:	NONE	Product Gauge:	No
Dispense Method:	Gravity	Install Date:	0179
Fill Type:	Gravity	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	1129
Tank Location:	Indoors, Aboveground	Capacity (Gal):	9743
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Other		
Description:	NITRIC ACID	Containment:	DIKING AND PAD
Leak Detect:	NONE	Product Gauge:	Yes
Dispense Method:	Suction	Install Date:	0179
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		

MAP FINDINGS

Map ID  
Direction  
Distance

Site

Database(s)

EDR ID Number  
EPA ID Number

**GRUMMAN AEROSPACE CORP. (Continued)**

**U001854670**

Facility ID:	000001	Tank ID:	1130
Tank Location:	Indoors, Aboveground	Capacity (Gal):	18200
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Other	Material Type:	Fresh/Product
Description:	RINSEWATER, ACID		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Gravity	Product Gauge:	No
Fill Type:	Gravity	Install Date:	0179
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	000001	Tank ID:	1131
Tank Location:	Outdoors, Aboveground	Capacity (Gal):	9743
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	PAINTED [e.g. asphaltic]		
Piping Type:	Other	Material Type:	Waste
Description:	SODIUM HYDROXIDE		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Suction	Product Gauge:	Yes
Fill Type:	Pumped	Install Date:	0179
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	000001	Tank ID:	1132
Tank Location:	Outdoors, Aboveground	Capacity (Gal):	9743
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Other	Material Type:	Waste
Description:	WATER, MISC. INDUSTRIAL WASTES		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Suction	Product Gauge:	Yes
Fill Type:	Pumped	Install Date:	0179
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	000001	Tank ID:	1133
Tank Location:	Outdoors, Aboveground	Capacity (Gal):	9743
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	Internal Lining		
Ext Protection:	PAINTED [e.g. asphaltic]		
Piping Type:	Other	Material Type:	Waste
Description:	NITRIC ACID		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Suction	Product Gauge:	Yes
Fill Type:	Pumped	Install Date:	0179
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported

MAP FINDINGS

Map ID  
Direction  
Distance

Site

Database(s)

EDR ID Number  
EPA ID Number

**GRUMMAN AEROSPACE CORP. (Continued)**

U001854670

Facility ID:	000001	Tank ID:	1134
Tank Location:	Outdoors, Aboveground	Capacity (Gal):	9743
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	PAINTED [e.g. asphaltic]	Material Type:	Waste
Piping Type:	Other		
Description:	NITRIC ACID	Containment:	DIKING AND PAD
Leak Detect:	NONE	Product Gauge:	Yes
Dispense Method:	Suction	Install Date:	0179
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	1137
Tank Location:	Indoors, Aboveground	Capacity (Gal):	7700
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Other		
Description:	TRICHLOROETHANE, 1,1,1-	Containment:	DIKING AND PAD
Leak Detect:	NONE	Product Gauge:	Yes
Dispense Method:	Suction	Install Date:	0180
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	1138
Tank Location:	Indoors, Aboveground	Capacity (Gal):	9200
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Other		
Description:	RIDOLENE 57	Containment:	DIKING AND PAD
Leak Detect:	NONE	Product Gauge:	Yes
Dispense Method:	Suction	Install Date:	0180
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	1139
Tank Location:	Indoors, Aboveground	Capacity (Gal):	17400
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Other		
Description:	RINSEWATER, ALKALINE	Containment:	DIKING AND PAD
Leak Detect:	NONE	Product Gauge:	No
Dispense Method:	Gravity	Install Date:	0180
Fill Type:	Gravity	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		

**MAP FINDINGS**

Map ID  
Direction  
Distance

Site

Database(s)

EDR ID Number  
EPA ID Number

**GRUMMAN AEROSPACE CORP. (Continued)**

**U001854670**

Facility ID:	000001	Tank ID:	1140
Tank Location:	Indoors, Aboveground	Capacity (Gal):	9200
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Other	Material Type:	Fresh/Product
Description:	SODIUM HYDROXIDE		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Suction	Product Gauge:	Yes
Fill Type:	Pumped	Install Date:	0180
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	000001	Tank ID:	1141
Tank Location:	Indoors, Aboveground	Capacity (Gal):	9200
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Other	Material Type:	Fresh/Product
Description:	ALODINE		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Suction	Product Gauge:	Yes
Fill Type:	Pumped	Install Date:	0180
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	000001	Tank ID:	1142
Tank Location:	Indoors, Aboveground	Capacity (Gal):	17400
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Other	Material Type:	Fresh/Product
Description:	RINSEWATER, ACID		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Gravity	Product Gauge:	No
Fill Type:	Gravity	Install Date:	0180
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	000001	Tank ID:	1144
Tank Location:	Indoors, Aboveground	Capacity (Gal):	9200
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Other	Material Type:	Fresh/Product
Description:	CHROMIC ACID		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Suction	Product Gauge:	Yes
Fill Type:	Pumped	Install Date:	0180
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported

MAP FINDINGS

Map ID  
Direction  
Distance

Site

Database(s)

EDR ID Number  
EPA ID Number

**GRUMMAN AEROSPACE CORP. (Continued)**

**U001854670**

Facility ID:	000001	Tank ID:	1145
Tank Location:	Indoors, Aboveground	Capacity (Gal):	17400
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Other	Containment:	DIKING AND PAD
Description:	RINSEWATER, ACID	Product Gauge:	No
Leak Detect:	NONE	Install Date:	0180
Dispense Method:	Gravity	Total Tanks:	Not reported
Fill Type:	Gravity		
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	1150
Tank Location:	Outdoors, Aboveground	Capacity (Gal):	9200
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Waste
Piping Type:	Other	Containment:	DIKING AND PAD
Description:	ACIDS, NOS	Product Gauge:	Yes
Leak Detect:	NONE	Install Date:	0181
Dispense Method:	Suction	Total Tanks:	Not reported
Fill Type:	Pumped		
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	1151
Tank Location:	Outdoors, Aboveground	Capacity (Gal):	9200
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Waste
Piping Type:	Other	Containment:	DIKING AND PAD
Description:	ACIDS, NOS	Product Gauge:	Yes
Leak Detect:	NONE	Install Date:	0181
Dispense Method:	Suction	Total Tanks:	Not reported
Fill Type:	Pumped		
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	1152
Tank Location:	Outdoors, Aboveground	Capacity (Gal):	9200
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Waste
Piping Type:	Other	Containment:	DIKING AND PAD
Description:	ACIDS, NOS	Product Gauge:	Yes
Leak Detect:	NONE	Install Date:	0181
Dispense Method:	Suction	Total Tanks:	Not reported
Fill Type:	Pumped		
Data File:	Petroleum Bulk Storage Facility		

MAP FINDINGS

Map ID  
Direction  
Distance

Site

Database(s)

EDR ID Number  
EPA ID Number

**GRUMMAN AEROSPACE CORP. (Continued)**

U001854670

Facility ID:	000001	Tank ID:	1156
Tank Location:	Indoors, Aboveground	Capacity (Gal):	517
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Other	Containment:	NONE
Description:	EMPTY/AUXILARY TANK	Product Gauge:	No
Leak Detect:	NONE	Install Date:	0179
Dispense Method:	Suction	Total Tanks:	Not reported
Fill Type:	Pumped		
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	1157
Tank Location:	Indoors, Aboveground	Capacity (Gal):	517
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Other	Containment:	NONE
Description:	EMPTY/AUXILARY TANK	Product Gauge:	No
Leak Detect:	NONE	Install Date:	0179
Dispense Method:	Suction	Total Tanks:	Not reported
Fill Type:	Pumped		
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	1184
Tank Location:	Outdoors, Aboveground	Capacity (Gal):	10300
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	Internal Lining		
Ext Protection:	PAINTED [e.g. asphaltic]	Material Type:	Waste
Piping Type:	Other	Containment:	DIKING AND PAD
Description:	NITRIC & HYDROFLUORIC ACID MIX	Product Gauge:	Yes
Leak Detect:	NONE	Install Date:	0181
Dispense Method:	Suction	Total Tanks:	Not reported
Fill Type:	Pumped		
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	1190
Tank Location:	Indoors, Aboveground	Capacity (Gal):	170
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Other	Containment:	DIKING AND PAD
Description:	NITRIC ACID	Product Gauge:	No
Leak Detect:	NONE	Install Date:	0176
Dispense Method:	Suction	Total Tanks:	Not reported
Fill Type:	Pumped		
Data File:	Petroleum Bulk Storage Facility		

MAP FINDINGS

Map ID  
Direction  
Distance

Site

Database(s)

EDR ID Number  
EPA ID Number

**GRUMMAN AEROSPACE CORP. (Continued)**

U001854670

Facility ID:	000001	Tank ID:	1191
Tank Location:	Outdoors, Aboveground	Capacity (Gal):	1800
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Waste
Piping Type:	Other		
Description:	TRADE NAME, ORGANIC	Containment:	DIKING AND PAD
Leak Detect:	NONE	Product Gauge:	Yes
Dispense Method:	Suction	Install Date:	0181
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	1193
Tank Location:	Outdoors, Aboveground	Capacity (Gal):	3700
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	Internal Lining		
Ext Protection:	NONE	Material Type:	Waste
Piping Type:	Other		
Description:	ACIDS, NOS	Containment:	DIKING AND PAD
Leak Detect:	NONE	Product Gauge:	Yes
Dispense Method:	Suction	Install Date:	0182
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	1194
Tank Location:	Outdoors, Aboveground	Capacity (Gal):	3700
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	Internal Lining		
Ext Protection:	NONE	Material Type:	Waste
Piping Type:	Other		
Description:	ACIDS, NOS	Containment:	DIKING AND PAD
Leak Detect:	NONE	Product Gauge:	Yes
Dispense Method:	Suction	Install Date:	0182
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	1207
Tank Location:	Outdoors, Aboveground	Capacity (Gal):	10000
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	PAINTED [e.g. asphaltic]	Material Type:	Fresh/Product
Piping Type:	Steel/Iron		
Description:	TETRACHLOROETHYLENE	Containment:	DIKING AND PAD
Leak Detect:	NONE	Product Gauge:	Yes
Dispense Method:	Suction	Install Date:	0183
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		



MAP FINDINGS

Map ID  
Direction  
Distance

Site

Database(s)

EDR ID Number  
EPA ID Number

**GRUMMAN AEROSPACE CORP. (Continued)**

U001854670

Facility ID:	000001	Tank ID:	1221
Tank Location:	Indoors, Aboveground	Capacity (Gal):	2500
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	PAINTED [e.g. asphaltic]	Material Type:	Fresh/Product
Piping Type:	Steel/Iron		
Description:	TRICHLOROETHYLENE	Containment:	DIKING AND PAD
Leak Detect:	NONE	Product Gauge:	Yes
Dispense Method:	Submersible	Install Date:	0185
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	1222
Tank Location:	Indoors, Aboveground	Capacity (Gal):	8800
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Other		
Description:	RIDOLENE 57	Containment:	DIKING AND PAD
Leak Detect:	NONE	Product Gauge:	Yes
Dispense Method:	Suction	Install Date:	0185
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	1223
Tank Location:	Indoors, Aboveground	Capacity (Gal):	17400
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Other		
Description:	TANK, WATER RINSE	Containment:	DIKING AND PAD
Leak Detect:	NONE	Product Gauge:	Yes
Dispense Method:	Suction	Install Date:	0185
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	1224
Tank Location:	Indoors, Aboveground	Capacity (Gal):	8800
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Other		
Description:	NITRIC ACID	Containment:	DIKING AND PAD
Leak Detect:	NONE	Product Gauge:	Yes
Dispense Method:	Suction	Install Date:	0185
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		

MAP FINDINGS

Map ID  
Direction  
Distance

Site

Database(s)

EDR ID Number  
EPA ID Number

**GRUMMAN AEROSPACE CORP. (Continued)**

U001854670

Facility ID:	000001	Tank ID:	1225
Tank Location:	Indoors, Aboveground	Capacity (Gal):	8800
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Other	Material Type:	Fresh/Product
Description:	NITRIC ACID		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Suction	Product Gauge:	Yes
Fill Type:	Pumped	Install Date:	0185
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	000001	Tank ID:	1226
Tank Location:	Indoors, Aboveground	Capacity (Gal):	17400
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Other	Material Type:	Fresh/Product
Description:	TANK, WATER RINSE		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Suction	Product Gauge:	Yes
Fill Type:	Pumped	Install Date:	0185
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	000001	Tank ID:	1228
Tank Location:	Indoors, Aboveground	Capacity (Gal):	8800
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Other	Material Type:	Fresh/Product
Description:	ALODINE		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Suction	Product Gauge:	Yes
Fill Type:	Pumped	Install Date:	0185
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	000001	Tank ID:	1229
Tank Location:	Indoors, Aboveground	Capacity (Gal):	17400
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Other	Material Type:	Fresh/Product
Description:	TANK, WATER RINSE		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Suction	Product Gauge:	Yes
Fill Type:	Pumped	Install Date:	0185
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported

MAP FINDINGS

Map ID  
Direction  
Distance

Site

Database(s)

EDR ID Number  
EPA ID Number

**GRUMMAN AEROSPACE CORP. (Continued)**

U001854670

Facility ID:	000001	Tank ID:	1230
Tank Location:	Indoors, Aboveground	Capacity (Gal):	8800
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Other		
Description:	SULPHURIC ACID	Containment:	DIKING AND PAD
Leak Detect:	NONE	Product Gauge:	Yes
Dispense Method:	Suction	Install Date:	0185
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	1231
Tank Location:	Indoors, Aboveground	Capacity (Gal):	17400
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Other		
Description:	TANK, WATER RINSE	Containment:	DIKING AND PAD
Leak Detect:	NONE	Product Gauge:	Yes
Dispense Method:	Suction	Install Date:	0185
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	1232
Tank Location:	Indoors, Aboveground	Capacity (Gal):	8800
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Other		
Description:	SODIUM DICHROMATE	Containment:	DIKING AND PAD
Leak Detect:	NONE	Product Gauge:	Yes
Dispense Method:	Suction	Install Date:	0185
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	1233
Tank Location:	Indoors, Aboveground	Capacity (Gal):	17400
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Other		
Description:	TANK, WATER RINSE	Containment:	DIKING AND PAD
Leak Detect:	NONE	Product Gauge:	Yes
Dispense Method:	Suction	Install Date:	0185
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		

**MAP FINDINGS**

Map ID  
Direction  
Distance

Site

Database(s)

EDR ID Number  
EPA ID Number

**GRUMMAN AEROSPACE CORP. (Continued)**

U001854670

Facility ID:	000001	Tank ID:	1239
Tank Location:	Indoors, Aboveground	Capacity (Gal):	900
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Steel/Iron	Containment:	NONE
Description:	GLYCOL	Product Gauge:	Yes
Leak Detect:	NONE	Install Date:	0184
Dispense Method:	Suction	Total Tanks:	Not reported
Fill Type:	Pumped		
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	1251
Tank Location:	Indoors, Aboveground	Capacity (Gal):	365
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Steel/Iron	Containment:	DIKING AND PAD
Description:	TRICHLOROETHYLENE	Product Gauge:	No
Leak Detect:	NONE	Install Date:	0186
Dispense Method:	Submersible	Total Tanks:	Not reported
Fill Type:	Pumped		
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	1252
Tank Location:	Indoors, Aboveground	Capacity (Gal):	38430
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Other	Containment:	DIKING AND PAD
Description:	SILICATES, NOS	Product Gauge:	No
Leak Detect:	NONE	Install Date:	0185
Dispense Method:	Suction	Total Tanks:	Not reported
Fill Type:	Pumped		
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	1253
Tank Location:	Indoors, Aboveground	Capacity (Gal):	38430
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Other	Containment:	DIKING AND PAD
Description:	TANK, WATER RINSE	Product Gauge:	No
Leak Detect:	NONE	Install Date:	0185
Dispense Method:	Suction	Total Tanks:	Not reported
Fill Type:	Pumped		
Data File:	Petroleum Bulk Storage Facility		

MAP FINDINGS

Map ID  
Direction  
Distance

Site

Database(s)

EDR ID Number  
EPA ID Number

GRUMMAN AEROSPACE CORP. (Continued)

U001854670

Facility ID:	000001	Tank ID:	1254
Tank Location:	Outdoors, Aboveground	Capacity (Gal):	6000
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	PAINTED [e.g. asphaltic]	Material Type:	Fresh/Product
Piping Type:	Steel/Iron		
Description:	METHANOL	Containment:	DIKING AND PAD
Leak Detect:	NONE	Product Gauge:	Yes
Dispense Method:	Suction	Install Date:	0185
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	1263
Tank Location:	Indoors, Aboveground	Capacity (Gal):	1600
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Steel/Iron		
Description:	POTASSIUM NITRATE	Containment:	DIKING AND PAD
Leak Detect:	NONE	Product Gauge:	No
Dispense Method:	Gravity	Install Date:	0177
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	1264
Tank Location:	Indoors, Aboveground	Capacity (Gal):	2700
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Waste
Piping Type:	Steel/Iron		
Description:	SODIUM NITRITE	Containment:	DIKING AND PAD
Leak Detect:	NONE	Product Gauge:	No
Dispense Method:	Submersible	Install Date:	0160
Fill Type:	Other	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	1265
Tank Location:	Indoors, Aboveground	Capacity (Gal):	375
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Steel/Iron		
Description:	LEAD	Containment:	NONE
Leak Detect:	NONE	Product Gauge:	No
Dispense Method:	Gravity	Install Date:	0181
Fill Type:	Other	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		

MAP FINDINGS

Map ID  
Direction  
Distance

Site

Database(s)

EDR ID Number  
EPA ID Number

**GRUMMAN AEROSPACE CORP. (Continued)**

U001854670

Facility ID:	000001	Tank ID:	1266
Tank Location:	Indoors, Aboveground	Capacity (Gal):	250
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Steel/Iron		
Description:	ZINC	Containment:	NONE
Leak Detect:	NONE	Product Gauge:	No
Dispense Method:	Gravity	Install Date:	0181
Fill Type:	Other	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	1267
Tank Location:	Indoors, Aboveground	Capacity (Gal):	5300
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	PAINTED [e.g. asphaltic]	Material Type:	Fresh/Product
Piping Type:	Steel/Iron		
Description:	ETHYLENE GLYCOL	Containment:	DIKING AND PAD
Leak Detect:	NONE	Product Gauge:	No
Dispense Method:	Suction	Install Date:	0187
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	1272
Tank Location:	Indoors, Aboveground	Capacity (Gal):	700
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Other		
Description:	TETRACHLOROETHYLENE	Containment:	DIKING AND PAD
Leak Detect:	NONE	Product Gauge:	No
Dispense Method:	Suction	Install Date:	0185
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	1273
Tank Location:	Indoors, Aboveground	Capacity (Gal):	2958
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Other		
Description:	TANK, WATER RINSE	Containment:	DIKING AND PAD
Leak Detect:	NONE	Product Gauge:	No
Dispense Method:	Suction	Install Date:	0188
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		

MAP FINDINGS

Map ID  
Direction  
Distance

Site

Database(s)

EDR ID Number  
EPA ID Number

**GRUMMAN AEROSPACE CORP. (Continued)**

U001854670

Facility ID:	000001	Tank ID:	1274
Tank Location:	Indoors, Aboveground	Capacity (Gal):	1525
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	Internal Lining		
Ext Protection:	PAINTED [e.g. asphaltic]	Material Type:	Fresh/Product
Piping Type:	Steel/Iron		
Description:	ETHYLENE GLYCOL	Containment:	DIKING AND PAD
Leak Detect:	NONE	Product Gauge:	No
Dispense Method:	Suction	Install Date:	0188
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	1275
Tank Location:	Indoors, Aboveground	Capacity (Gal):	1525
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	Internal Lining		
Ext Protection:	PAINTED [e.g. asphaltic]	Material Type:	Fresh/Product
Piping Type:	Steel/Iron		
Description:	TANK, WATER RINSE	Containment:	DIKING AND PAD
Leak Detect:	NONE	Product Gauge:	No
Dispense Method:	Suction	Install Date:	0188
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	1276
Tank Location:	Indoors, Aboveground	Capacity (Gal):	1960
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Other		
Description:	SODIUM NITRATE	Containment:	DIKING AND PAD
Leak Detect:	NONE	Product Gauge:	No
Dispense Method:	Suction	Install Date:	0188
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	1303
Tank Location:	Outdoors, Aboveground	Capacity (Gal):	600
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Steel/Iron		
Description:	TRICHLOROETHANE, 1,1,1-	Containment:	NONE
Leak Detect:	NONE	Product Gauge:	No
Dispense Method:	Suction	Install Date:	1255
Fill Type:	Gravity	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		

MAP FINDINGS

Map ID  
Direction  
Distance

Site

Database(s)

EDR ID Number  
EPA ID Number

GRUMMAN AEROSPACE CORP. (Continued)

U001854670

Facility ID:	000001	Tank ID:	1304
Tank Location:	Outdoors, Aboveground	Capacity (Gal):	500
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	PAINTED [e.g. asphaltic]	Material Type:	Fresh/Product
Piping Type:	Steel/Iron		
Description:	AMMONIA, ANHYDROUS	Containment:	NONE
Leak Detect:	NONE	Product Gauge:	Yes
Dispense Method:	Suction	Install Date:	0169
Fill Type:	Other	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	1345
Tank Location:	Indoors, Aboveground	Capacity (Gal):	30
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	PAINTED [e.g. asphaltic]	Material Type:	Fresh/Product
Piping Type:	Steel/Iron		
Description:	TRICHLOROETHYLENE	Containment:	OTHER
Leak Detect:	OTHER	Product Gauge:	No
Dispense Method:	Suction	Install Date:	0793
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	1346
Tank Location:	Indoors, Aboveground	Capacity (Gal):	14
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Not reported		
Description:	PHOTO DEVELOPER	Containment:	DIKING AND PAD
Leak Detect:	OTHER	Product Gauge:	No
Dispense Method:	Not reported	Install Date:	1294
Fill Type:	Other	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	1347
Tank Location:	Indoors, Aboveground	Capacity (Gal):	13
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Not reported		
Description:	URISCREEN-PEROXIDE & NA PERBORATE	Containment:	DIKING AND PAD
Leak Detect:	OTHER	Product Gauge:	No
Dispense Method:	Not reported	Install Date:	1294
Fill Type:	Other	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		



MAP FINDINGS

Map ID  
Direction  
Distance

Site

Database(s)

EDR ID Number  
EPA ID Number

**GRUMMAN AEROSPACE CORP. (Continued)**

**U001854670**

Facility ID:	000001	Tank ID:	1348
Tank Location:	Indoors, Aboveground	Capacity (Gal):	13
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Not reported	Material Type:	Fresh/Product
Description:	RINSEWATER, ACID		
Leak Detect:	OTHER	Containment:	DIKING AND PAD
Dispense Method:	Not reported	Product Gauge:	No
Fill Type:	Other	Install Date:	1294
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	000001	Tank ID:	1349
Tank Location:	Indoors, Aboveground	Capacity (Gal):	14
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Not reported	Material Type:	Fresh/Product
Description:	PHOTO DEVELOPER		
Leak Detect:	OTHER	Containment:	DIKING AND PAD
Dispense Method:	Not reported	Product Gauge:	No
Fill Type:	Other	Install Date:	1294
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	000001	Tank ID:	1350
Tank Location:	Indoors, Aboveground	Capacity (Gal):	13
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Not reported	Material Type:	Fresh/Product
Description:	URISCREEN-PEROXIDE & NA PERBORATE		
Leak Detect:	OTHER	Containment:	DIKING AND PAD
Dispense Method:	Not reported	Product Gauge:	No
Fill Type:	Other	Install Date:	1294
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	000001	Tank ID:	1351
Tank Location:	Indoors, Aboveground	Capacity (Gal):	13
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Not reported	Material Type:	Fresh/Product
Description:	RINSEWATER, ACID		
Leak Detect:	OTHER	Containment:	DIKING AND PAD
Dispense Method:	Not reported	Product Gauge:	No
Fill Type:	Other	Install Date:	1294
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported

MAP FINDINGS

Map ID  
Direction  
Distance

Site

Database(s)

EDR ID Number  
EPA ID Number

**GRUMMAN AEROSPACE CORP. (Continued)**

**U001854670**

Facility ID:	000001	Tank ID:	1352
Tank Location:	Indoors, Aboveground	Capacity (Gal):	13
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Not reported	Material Type:	Fresh/Product
Description:	PHOTO DEVELOPER		
Leak Detect:	OTHER	Containment:	DIKING AND PAD
Dispense Method:	Not reported	Product Gauge:	No
Fill Type:	Other	Install Date:	1294
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	000001	Tank ID:	1353
Tank Location:	Indoors, Aboveground	Capacity (Gal):	13
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Not reported	Material Type:	Fresh/Product
Description:	URISCREEN-PEROXIDE & NA PERBORATE		
Leak Detect:	OTHER	Containment:	DIKING AND PAD
Dispense Method:	Not reported	Product Gauge:	No
Fill Type:	Other	Install Date:	1294
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	000001	Tank ID:	1354
Tank Location:	Indoors, Aboveground	Capacity (Gal):	13
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Not reported	Material Type:	Fresh/Product
Description:	RINSEWATER, ACID		
Leak Detect:	OTHER	Containment:	DIKING AND PAD
Dispense Method:	Not reported	Product Gauge:	No
Fill Type:	Other	Install Date:	1294
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	000001	Tank ID:	1355
Tank Location:	Indoors, Aboveground	Capacity (Gal):	13
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Not reported	Material Type:	Fresh/Product
Description:	PHOTO DEVELOPER		
Leak Detect:	OTHER	Containment:	DIKING AND PAD
Dispense Method:	Not reported	Product Gauge:	No
Fill Type:	Other	Install Date:	1294
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported

MAP FINDINGS

Map ID  
Direction  
Distance

Site

Database(s)

EDR ID Number  
EPA ID Number

**GRUMMAN AEROSPACE CORP. (Continued)**

U001854670

Facility ID:	000001	Tank ID:	1356
Tank Location:	Indoors, Aboveground	Capacity (Gal):	13
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Not reported	Material Type:	Fresh/Product
Description:	URISCREEN-PEROXIDE & NA PERBORATE		
Leak Detect:	OTHER	Containment:	DIKING AND PAD
Dispense Method:	Not reported	Product Gauge:	No
Fill Type:	Other	Install Date:	1294
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	000001	Tank ID:	1357
Tank Location:	Indoors, Aboveground	Capacity (Gal):	13
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Not reported	Material Type:	Fresh/Product
Description:	RINSEWATER, ACID		
Leak Detect:	OTHER	Containment:	DIKING AND PAD
Dispense Method:	Not reported	Product Gauge:	No
Fill Type:	Other	Install Date:	1294
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	000001	Tank ID:	2004
Tank Location:	Indoors, Aboveground	Capacity (Gal):	275
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	PAINTED [e.g. asphaltic]		
Piping Type:	Steel/Iron	Material Type:	Fresh/Product
Description:	OIL, MOTOR		
Leak Detect:	NONE	Containment:	NONE
Dispense Method:	Suction	Product Gauge:	Yes
Fill Type:	Pumped	Install Date:	0168
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	000001	Tank ID:	2090
Tank Location:	Outdoors, Aboveground	Capacity (Gal):	517
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Other	Material Type:	Waste
Description:	PHOTO CHEMICALS, NOS		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Suction	Product Gauge:	Yes
Fill Type:	Pumped	Install Date:	0184
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported

MAP FINDINGS

Map ID  
Direction  
Distance

Site

Database(s)

EDR ID Number  
EPA ID Number

**GRUMMAN AEROSPACE CORP. (Continued)**

U001854670

Facility ID:	000001	Tank ID:	6006
Tank Location:	Indoors, Aboveground	Capacity (Gal):	175
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	PAINTED [e.g. asphaltic]		
Piping Type:	Other	Material Type:	Fresh/Product
Description:	ORGANICS, MISC		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Submersible	Product Gauge:	No
Fill Type:	Other	Install Date:	0184
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	000001	Tank ID:	6008
Tank Location:	Indoors, Aboveground	Capacity (Gal):	175
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	PAINTED [e.g. asphaltic]		
Piping Type:	Other	Material Type:	Fresh/Product
Description:	WASTEWATER TREATMENT CHEMICALS, NOS		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Submersible	Product Gauge:	No
Fill Type:	Other	Install Date:	0184
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	000001	Tank ID:	7002
Tank Location:	Indoors, Aboveground	Capacity (Gal):	4800
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Steel/Iron	Material Type:	Fresh/Product
Description:	EMPTY/AUXILARY TANK		
Leak Detect:	NONE	Containment:	NONE
Dispense Method:	Suction	Product Gauge:	Yes
Fill Type:	Pumped	Install Date:	0160
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	000001	Tank ID:	9001
Tank Location:	Indoors, Aboveground	Capacity (Gal):	11000
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Other	Material Type:	Waste
Description:	WATER, MISC. INDUSTRIAL WASTES		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Gravity	Product Gauge:	No
Fill Type:	Pumped	Install Date:	0147
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported

MAP FINDINGS

Map ID  
Direction  
Distance

Site

Database(s)

EDR ID Number  
EPA ID Number

**GRUMMAN AEROSPACE CORP. (Continued)**

U001854670

Facility ID:	000001	Tank ID:	9002
Tank Location:	Indoors, Aboveground	Capacity (Gal):	11000
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Other	Material Type:	Waste
Description:	WATER, MISC. INDUSTRIAL WASTES		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Gravity	Product Gauge:	No
Fill Type:	Pumped	Install Date:	0147
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	000001	Tank ID:	9003
Tank Location:	Indoors, Aboveground	Capacity (Gal):	11000
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Other	Material Type:	Waste
Description:	WATER, MISC. INDUSTRIAL WASTES		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Gravity	Product Gauge:	No
Fill Type:	Pumped	Install Date:	0147
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	000001	Tank ID:	9004
Tank Location:	Indoors, Aboveground	Capacity (Gal):	11000
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Other	Material Type:	Waste
Description:	WATER, MISC. INDUSTRIAL WASTES		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Gravity	Product Gauge:	No
Fill Type:	Pumped	Install Date:	0147
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	000001	Tank ID:	9005
Tank Location:	Indoors, Aboveground	Capacity (Gal):	15000
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Other	Material Type:	Waste
Description:	WATER, MISC. INDUSTRIAL WASTES		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Gravity	Product Gauge:	No
Fill Type:	Pumped	Install Date:	0147
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported

MAP FINDINGS

Map ID  
Direction  
Distance

Site

Database(s)

EDR ID Number  
EPA ID Number

GRUMMAN AEROSPACE CORP. (Continued)

U001854670

Facility ID:	000001	Tank ID:	9006
Tank Location:	Indoors, Aboveground	Capacity (Gal):	15000
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Other	Material Type:	Waste
Description:	WATER, MISC. INDUSTRIAL WASTES		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Gravity	Product Gauge:	No
Fill Type:	Pumped	Install Date:	0170
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	000001	Tank ID:	9007
Tank Location:	Indoors, Aboveground	Capacity (Gal):	15000
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Other	Material Type:	Waste
Description:	WATER, MISC. INDUSTRIAL WASTES		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Gravity	Product Gauge:	No
Fill Type:	Pumped	Install Date:	0170
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	000001	Tank ID:	9008
Tank Location:	Indoors, Aboveground	Capacity (Gal):	15000
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Other	Material Type:	Waste
Description:	WATER, MISC. INDUSTRIAL WASTES		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Gravity	Product Gauge:	No
Fill Type:	Pumped	Install Date:	0170
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	000001	Tank ID:	9009
Tank Location:	Indoors, Aboveground	Capacity (Gal):	15000
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Other	Material Type:	Waste
Description:	WATER, MISC. INDUSTRIAL WASTES		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Gravity	Product Gauge:	No
Fill Type:	Pumped	Install Date:	0170
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported

MAP FINDINGS

Map ID  
Direction  
Distance

Site

Database(s)

EDR ID Number  
EPA ID Number

**GRUMMAN AEROSPACE CORP. (Continued)**

U001854670

Facility ID:	000001	Tank ID:	9010
Tank Location:	Indoors, Aboveground	Capacity (Gal):	4700
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	Internal Lining		
Ext Protection:	NONE	Material Type:	Waste
Piping Type:	Other	Containment:	DIKING AND PAD
Description:	SLUDGE WASTES, INORGANIC	Product Gauge:	No
Leak Detect:	NONE	Install Date:	0177
Dispense Method:	Suction	Total Tanks:	Not reported
Fill Type:	Pumped		
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	9011
Tank Location:	Indoors, Aboveground	Capacity (Gal):	4700
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	Internal Lining		
Ext Protection:	NONE	Material Type:	Waste
Piping Type:	Other	Containment:	DIKING AND PAD
Description:	SLUDGE WASTES, INORGANIC	Product Gauge:	No
Leak Detect:	NONE	Install Date:	0177
Dispense Method:	Suction	Total Tanks:	Not reported
Fill Type:	Pumped		
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	9012
Tank Location:	Indoors, Aboveground	Capacity (Gal):	2000
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	Internal Lining		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Other	Containment:	DIKING AND PAD
Description:	INORGANICS, MISC	Product Gauge:	No
Leak Detect:	NONE	Install Date:	0177
Dispense Method:	Suction	Total Tanks:	Not reported
Fill Type:	Other		
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	9013
Tank Location:	Indoors, Aboveground	Capacity (Gal):	300
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Other	Containment:	DIKING AND PAD
Description:	CALCIUM CARBONATE	Product Gauge:	No
Leak Detect:	NONE	Install Date:	0177
Dispense Method:	Suction	Total Tanks:	Not reported
Fill Type:	Other		
Data File:	Petroleum Bulk Storage Facility		

MAP FINDINGS

Map ID  
Direction  
Distance

Site

Database(s)

EDR ID Number  
EPA ID Number

**GRUMMAN AEROSPACE CORP. (Continued)**

U001854670

Facility ID:	000001	Tank ID:	9014
Tank Location:	Indoors, Aboveground	Capacity (Gal):	300
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Other		
Description:	CALCIUM CARBONATE	Containment:	DIKING AND PAD
Leak Detect:	NONE	Product Gauge:	No
Dispense Method:	Suction	Install Date:	0177
Fill Type:	Other	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	9303
Tank Location:	Indoors, Aboveground	Capacity (Gal):	3800
Tank Status:	In Service	Tank Material:	CONCRETE
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Waste
Piping Type:	Other		
Description:	TANK, WASTE TREATMENT	Containment:	DIKING AND PAD
Leak Detect:	NONE	Product Gauge:	No
Dispense Method:	Suction	Install Date:	0143
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	9307
Tank Location:	Indoors, Aboveground	Capacity (Gal):	16000
Tank Status:	In Service	Tank Material:	Fiberglass Reinforced Plastic
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Waste
Piping Type:	Other		
Description:	TANK, WASTE TREATMENT	Containment:	DIKING AND PAD
Leak Detect:	NONE	Product Gauge:	Yes
Dispense Method:	Submersible	Install Date:	0184
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	9309
Tank Location:	Indoors, Aboveground	Capacity (Gal):	16000
Tank Status:	In Service	Tank Material:	Fiberglass Reinforced Plastic
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Waste
Piping Type:	Other		
Description:	TANK, WASTE TREATMENT	Containment:	DIKING AND PAD
Leak Detect:	NONE	Product Gauge:	Yes
Dispense Method:	Submersible	Install Date:	0184
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		



**MAP FINDINGS**

Map ID  
Direction  
Distance

Site

Database(s)

EDR ID Number  
EPA ID Number

**GRUMMAN AEROSPACE CORP. (Continued)**

**U001854670**

Facility ID:	000001	Tank ID:	9310
Tank Location:	Outdoors, Aboveground	Capacity (Gal):	20600
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	PAINTED [e.g. asphaltic]		
Piping Type:	Other	Material Type:	Waste
Description:	ACIDS, NOS		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Submersible	Product Gauge:	Yes
Fill Type:	Pumped	Install Date:	0184
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	000001	Tank ID:	9311
Tank Location:	Outdoors, Aboveground	Capacity (Gal):	12690
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	PAINTED [e.g. asphaltic]		
Piping Type:	Other	Material Type:	Waste
Description:	CHARACTERISTIC OF CORROSIVITY		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Submersible	Product Gauge:	Yes
Fill Type:	Pumped	Install Date:	0184
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	000001	Tank ID:	9312
Tank Location:	Indoors, Aboveground	Capacity (Gal):	16900
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Other	Material Type:	Waste
Description:	NITRIC ACID		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Submersible	Product Gauge:	Yes
Fill Type:	Pumped	Install Date:	0184
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	000001	Tank ID:	9313
Tank Location:	Outdoors, Aboveground	Capacity (Gal):	10000
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	PAINTED [e.g. asphaltic]		
Piping Type:	Other	Material Type:	Fresh/Product
Description:	SULPHURIC ACID		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Submersible	Product Gauge:	Yes
Fill Type:	Pumped	Install Date:	0184
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported

MAP FINDINGS

Map ID  
Direction  
Distance

Site

Database(s)

EDR ID Number  
EPA ID Number

GRUMMAN AEROSPACE CORP. (Continued)

U001854670

Facility ID:	000001	Tank ID:	9316
Tank Location:	Indoors, Aboveground	Capacity (Gal):	16000
Tank Status:	In Service	Tank Material:	Fiberglass Reinforced Plastic
Int Protection:	None		
Ext Protection:	PAINTED [e.g. asphaltic]	Material Type:	Waste
Piping Type:	Other		
Description:	ORGANICS, MISC	Containment:	DIKING AND PAD
Leak Detect:	NONE	Product Gauge:	Yes
Dispense Method:	Submersible	Install Date:	0184
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	9317
Tank Location:	Indoors, Aboveground	Capacity (Gal):	4000
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	CATHODIC PROTECTION	Material Type:	Waste
Piping Type:	Other		
Description:	WATER TANK	Containment:	DIKING AND PAD
Leak Detect:	NONE	Product Gauge:	No
Dispense Method:	Gravity	Install Date:	0184
Fill Type:	Gravity	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	9318
Tank Location:	Indoors, Aboveground	Capacity (Gal):	40
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Waste
Piping Type:	Other		
Description:	ORGANICS, MISC	Containment:	DIKING AND PAD
Leak Detect:	NONE	Product Gauge:	No
Dispense Method:	Gravity	Install Date:	0184
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	9320
Tank Location:	Outdoors, Aboveground	Capacity (Gal):	7000
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	PAINTED [e.g. asphaltic]	Material Type:	Fresh/Product
Piping Type:	Other		
Description:	HYDROGEN PEROXIDE	Containment:	DIKING AND PAD
Leak Detect:	NONE	Product Gauge:	Yes
Dispense Method:	Submersible	Install Date:	0184
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		

MAP FINDINGS

Map ID				EDR ID Number
Direction	Site			EPA ID Number
Distance			Database(s)	

**GRUMMAN AEROSPACE CORP. (Continued)**

U001854670

Facility ID: 000001 Tank Location: Indoors, Aboveground Tank Status: In Service Int Protection: None Ext Protection: NONE Piping Type: Other Description: AMMONIUM NITRATE Leak Detect: NONE Dispense Method: Suction Fill Type: Gravity Data File: Petroleum Bulk Storage Facility	Tank ID: 9322 Capacity (Gal): 2000 Tank Material: STEEL	Material Type: Fresh/Product Containment: DIKING AND PAD Product Gauge: No Install Date: 0188 Total Tanks: Not reported
Facility ID: 000001 Tank Location: Indoors, Aboveground Tank Status: In Service Int Protection: None Ext Protection: NONE Piping Type: Other Description: ORGANICS, MISC Leak Detect: NONE Dispense Method: Suction Fill Type: Pumped Data File: Petroleum Bulk Storage Facility	Tank ID: 9323 Capacity (Gal): 980 Tank Material: STEEL	Material Type: Waste Containment: DIKING AND PAD Product Gauge: No Install Date: 0184 Total Tanks: Not reported
Facility ID: 000001 Tank Location: Outdoors, Aboveground Tank Status: In Service Int Protection: None Ext Protection: PAINTED [e.g. asphaltic] Piping Type: Other Description: SODIUM HYDROXIDE Leak Detect: NONE Dispense Method: Submersible Fill Type: Pumped Data File: Petroleum Bulk Storage Facility	Tank ID: 9329 Capacity (Gal): 8000 Tank Material: Fiberglass Reinforced Plastic	Material Type: Fresh/Product Containment: DIKING AND PAD Product Gauge: Yes Install Date: 0184 Total Tanks: Not reported
Facility ID: 000001 Tank Location: Outdoors, Aboveground Tank Status: In Service Int Protection: Internal Lining Ext Protection: PAINTED [e.g. asphaltic] Piping Type: Other Description: HYDROFLUORIC ACID Leak Detect: NONE Dispense Method: Submersible Fill Type: Pumped Data File: Petroleum Bulk Storage Facility	Tank ID: 9330 Capacity (Gal): 11800 Tank Material: STEEL	Material Type: Fresh/Product Containment: DIKING AND PAD Product Gauge: Yes Install Date: 0184 Total Tanks: Not reported

MAP FINDINGS

Map ID  
Direction  
Distance

Site

Database(s)

EDR ID Number  
EPA ID Number

**GRUMMAN AEROSPACE CORP. (Continued)**

U001854670

Facility ID:	000001	Tank ID:	9332
Tank Location:	Outdoors, Aboveground	Capacity (Gal):	5800
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	OTHER	Material Type:	Waste
Piping Type:	Fiberglass		
Description:	WATER TANK	Containment:	NONE
Leak Detect:	NONE	Product Gauge:	No
Dispense Method:	Gravity	Install Date:	0184
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		

Facility ID:	000001	Tank ID:	9333
Tank Location:	Outdoors, Aboveground	Capacity (Gal):	5800
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	OTHER	Material Type:	Waste
Piping Type:	Fiberglass		
Description:	WATER TANK	Containment:	NONE
Leak Detect:	NONE	Product Gauge:	No
Dispense Method:	Gravity	Install Date:	0184
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		

65

**GRUMMAN CORP OPERATIONS  
STEWART AVENUE  
BETHPAGE, NY**

LUST

S101102368  
N/A

LUST:

Facility ID:	9402644	Spill Date:	03/16/1994
First notified:	REGIONAL OFFICE	Material class:	PETROLEUM
Material spilled:	#2 FUEL	Release QTY:	0.00 GALLONS
Water body affected:	Not reported	Origin:	COMMINDUST
Resource affected:	GROUNDWATER	Notifier:	HEALTH DEPARTMENT
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	10/02/1995
Initiated clean up:	Not reported	Close Date:	10/02/1995
Last inspection:	Not reported	Investigator:	T/T/F
UST Trust Fund:	No		
Status:	MEANS ITS BEEN RESOLVED	Penalty:	NO PENALTY
Quantity recovered:	0.00		
Cause:	TANK TEST FAILURE [BULK STORE. PRO.]		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

65

**GRUMMAN BETHPAGE  
STEWART AVENUE  
BETHPAGE, NY**

LUST

S100666789  
N/A

MAP FINDINGS

Map ID  
Direction  
Distance

Site

Database(s)

EDR ID Number  
EPA ID Number

**GRUMMAN BETHPAGE (Continued)**

S100666789

**LUST:**

Facility ID:	9213848	Spill Date:	03/17/1993
First notified:	REGIONAL OFFICE	Material class:	PETROLEUM
Material spilled:	DIESEL	Release QTY:	40.00 GALLONS
Water body affected:	Not reported	Origin:	COMMINDUST
Resource affected:	ON LAND	Notifier:	RESPONSIBLE PARTY
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	Not reported
Initiated clean up:	Not reported	Close Date:	Not reported
Last Inspection:	Not reported	Investigator:	KISPERT DRO
UST Trust Fund:	No	Penalty:	NO PENALTY
Status:	Not reported		
Quantity recovered:	0.00		
Cause:	OTHER		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	ACTIVE SPILL [ON GOING]		

65

**GRUMMAN  
STEWART AVE / SO OYSTER B  
BETHPAGE, NY**

LUST

S100781235  
N/A

**LUST:**

Facility ID:	9309349	Spill Date:	11/01/1993
First notified:	REGIONAL OFFICE	Material class:	PETROLEUM
Material spilled:	GASOLINE	Release QTY:	0.00 GALLONS
Water body affected:	Not reported	Origin:	COMMINDUST
Resource affected:	ON LAND	Notifier:	DEC
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	03/01/1994
Initiated clean up:	Not reported	Close Date:	03/01/1994
Last Inspection:	Not reported	Investigator:	PARISH
UST Trust Fund:	No	Penalty:	NO PENALTY
Status:	MEANS ITS BEEN RESOLVED		
Quantity recovered:	0.00		
Cause:	OTHER		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

65

**GRUMMAN AEROSPACE-BETHPAGE FACILITY  
STEWART AVENUE  
BETHPAGE, NY 11714**

SHWS

S101008267  
N/A

**MAP FINDINGS**

Map ID  
Direction  
Distance

Site

Database(s)

EDR ID Number  
EPA ID Number

**GRUMMAN AEROSPACE-BETHPAGE FACILITY (Continued)**

S101008267

**SHWS:**

Facility ID:	130003A	EPA ID:	NYD002047967
Owner:	Grumman Aerospace Corp Mail Stop B08-30 Bethpage, NY 11714		
Owner Telephone:	Not reported		
Operator:	Grumman Aerospace Corp Mail Stop B08-30 Bethpage, NY 11714		
Contact:	John Dhlman	Telephone	Not reported
Site Classification:	Significant threat to the public health or environment - action required.		
Region:	1		
Site Type:	Lagoon, Landfill		
Acres:	318	User:	Grumman Aerospace Corp.
HW Started:	1943	HW Ended:	present
HW Disposed:	Chromium sludge, Paint sludge, Metals, Chlorinated solvents		
Units:	unknown, unknown, unknown, unknown		
Air Data:	Unavailable	Surf. Water Data:	Unavailable
Gmd. Water Data:	Available	Soil Data:	Available
Sediment Data:	Available		
Ground Water Standards Contravention:	Yes		
Drinking Water Standards Contravention:	Yes		
Surface Water Standards Contravention:	No		
Air Standards Contravention:	No		
Enforcement Status:	Order Has Been Signed	Legal Action:	No
State Action:	Yes	Fed Action:	No
Remedial Action:	In Progress, Completed		
Rmdl Action Type:	RI-FS groundwater-OU II, and on-site soil-OU I		
Soil Type:	Sand		
Grnd Water Depth:	Approximately 55 feet		

**Assessment of Environmental Problems:**

Two of the municipal water supplies downgradient have been impacted and others are threatened.

**Assessment of Health Problems:**

On-site contamination of soil, surface water (leaching basins), and groundwater may provide routes of on-site exposure to humans. However, no exposures have been identified. Groundwater on-site is contaminated but it is not used as a potable water supply. Contamination was detected at Bethpage Water District Plants 6 and 4. A treatment system is in operation at Plant 6. Trichloroethene was detected for the first time at concentrations below New York State Drinking Water Standards in samples from Bethpage Water District Plant 4 during December 1992. Plans are being developed to install treatment for this facility and for the Bethpage Water District Plant 5. The treatment facility for Plant 5 is planned in anticipation that the contamination will eventually reach this facility. So far, no contamination has been found at Plant 5.

65

**NORTHROP GRUMMAN  
SO OYSTER BAY ROAD  
BETHPAGE, NY**

LUST

S101340215  
N/A

MAP FINDINGS

Map ID  
Direction  
Distance

Site

Database(s)

EDR ID Number  
EPA ID Number

**NORTHROP GRUMMAN (Continued)**

S101340215

**LUST:**

Facility ID:	9413982	Spill Date:	01/18/1995
First notified:	REGIONAL OFFICE	Material class:	PETROLEUM
Material spilled:	GASOLINE	Release QTY:	0.00 GALLONS
Water body affected:	Not reported	Origin:	MAJOR FACILITY 400,000 GAL
Resource affected:	ON LAND	Notifier:	DEC
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	Not reported
Initiated clean up:	Not reported	Close Date:	Not reported
Last Inspection:	Not reported	Investigator:	MATTHEWS
UST Trust Fund:	No	Penalty:	NO PENALTY
Status:	Not reported		
Quantity recovered:	0.00		
Cause:	OTHER		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	ACTIVE SPILL [ON GOING]		

65

**GRUMMAN  
PLANT #2 HANGER  
BETHPAGE, NY**

LUST

S100665943  
N/A

**LUST:**


Facility ID:	8909211	Spill Date:	12/19/1989
First notified:	REGIONAL OFFICE	Material class:	NONPETRONONHAZ
Material spilled:	Not Reported	Release QTY:	1.00 GALLONS
Water body affected:	Not reported	Origin:	NON-COMMUNST
Resource affected:	IN SEWER	Notifier:	RESPONSIBLE PARTY
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	12/21/1989
Initiated clean up:	Not reported	Close Date:	12/21/1989
Last Inspection:	Not reported	Investigator:	NONE
UST Trust Fund:	No	Penalty:	NO PENALTY
Status:	MEANS ITS BEEN RESOLVED		
Quantity recovered:	0.00		
Cause:	OTHER		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

65

**GRUMMAN AEROSPACE  
BUILDING 116-01-1  
BETHPAGE, NY**

LUST

S100173006  
N/A



MAP FINDINGS

Map ID  
Direction  
Distance

Site

Database(s)

EDR ID Number  
EPA ID Number

**GRUMMAN AEROSPACE (Continued)**

S100173006

**LUST:**

Facility ID:	8901526	Spill Date:	05/16/1989
First notified:	REGIONAL OFFICE	Material class:	PETROLEUM
Material spilled:	#2 FUEL	Release QTY:	0.00 GALLONS
Water body affected:	Not reported	Origin:	MAJOR FACILITY 400,000 GAL
Resource affected:	GROUNDWATER	Notifier:	TANK TESTER
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	05/01/1992
Initiated clean up:	Not reported	Close Date:	05/01/1992
Last Inspection:	Not reported	Investigator:	LEUNG
UST Trust Fund:	No	Penalty:	NO PENALTY
Status:	MEANS ITS BEEN RESOLVED		
Quantity recovered:	0.00		
Cause:	TANK TEST FAILURE [BULK STORE. PRO.]		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

65

**GRUMMAN AEROSPACE  
BLDG 28  
BETHPAGE, NY**

**LUST**

S101173531  
N/A

**LUST:**

Facility ID:	9408269	Spill Date:	09/21/1994
First notified:	C	Material class:	PETROLEUM
Material spilled:	#2 FUEL	Release QTY:	0.00 GALLONS
Water body affected:	Not reported	Origin:	COMMINDUST
Resource affected:	GROUNDWATER	Notifier:	TANK TESTER
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	Not reported
Initiated clean up:	Not reported	Close Date:	Not reported
Last Inspection:	Not reported	Investigator:	T/T/F
UST Trust Fund:	No	Penalty:	NO PENALTY
Status:	Not reported		
Quantity recovered:	0.00		
Cause:	TANK TEST FAILURE [BULK STORE. PRO.]		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	ACTIVE SPILL [ON GOING]		

65

**GRUMMAN AEROSPACE  
EAST END OF PLANT #3  
BETHPAGE, NY**

**LUST**

S100665775  
N/A



MAP FINDINGS

Map ID  
Direction  
Distance

Site

Database(s)

EDR ID Number  
EPA ID Number

**GRUMMAN AEROSPACE (Continued)**

S100665775

LUST:

Facility ID:	8807681	Spill Date:	12/20/1988
First notified:	REGIONAL OFFICE	Material class:	HAZARDOUS MATERIAL
Material spilled:	Not Reported	Release QTY:	2.00 GALLONS
Water body affected:	Not reported	Origin:	TANK TRUCK
Resource affected:	ON LAND	Notifier:	RESPONSIBLE PARTY
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	12/30/1988
Initiated clean up:	Not reported	Close Date:	12/30/1988
Last Inspection:	Not reported	Investigator:	GOERTZ
UST Trust Fund:	No	Penalty:	NO PENALTY
Status:	MEANS ITS BEEN RESOLVED		
Quantity recovered:	0.00		
Cause:	OTHER		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

65

**GRUMMAN AEROSPACE  
GRUMMAN AEROSPACE PL #20  
BETHPAGE, NY**

LUST

S100559911  
N/A

LUST:

Facility ID:	9304043	Spill Date:	06/29/1993
First notified:	REGIONAL OFFICE	Material class:	PETROLEUM
Material spilled:	DIESEL	Release QTY:	0.00 GALLONS
Water body affected:	Not reported	Origin:	COMMINDUST
Resource affected:	GROUNDWATER	Notifier:	TANK TESTER
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	Not reported
Initiated clean up:	Not reported	Close Date:	Not reported
Last Inspection:	Not reported	Investigator:	T/T/F TL MOSF
UST Trust Fund:	Yes	Penalty:	NO PENALTY
Status:	Not reported		
Quantity recovered:	0.00		
Cause:	TANK TEST FAILURE [BULK STORE. PRO.]		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	ACTIVE SPILL [ON GOING]		

65

**GRUMMAN AEROSPACE  
BLDG 115  
BETHPAGE, NY**

LUST

S100168920  
N/A

MAP FINDINGS

Map ID  
Direction  
Distance

Site

Database(s)

EDR ID Number  
EPA ID Number

**GRUMMAN AEROSPACE (Continued)**

S100168920

**LUST:**

Facility ID:	8807239	Spill Date:	12/01/1988
First notified:	C	Material class:	PETROLEUM
Material spilled:	#2 FUEL	Release QTY:	0.00 GALLONS
Water body affected:	Not reported	Origin:	COMMINDUST
Resource affected:	GROUNDWATER	Notifier:	TANK TESTER
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	01/10/1989
Initiated clean up:	Not reported	Close Date:	01/10/1989
Last Inspection:	Not reported	Investigator:	GOERTZ
UST Trust Fund:	No	Penalty:	NO PENALTY
Status:	MEANS ITS BEEN RESOLVED		
Quantity recovered:	0.00		
Cause:	TANK TEST FAILURE [BULK STORE. PRO.]		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

65

**GRUMMAN CORP  
RTE 107  
BETHPAGE, NY**

LUST

S10066542  
N/A

**LUST:**

Facility ID:	9010127	Spill Date:	12/18/1990
First notified:	REGIONAL OFFICE	Material class:	HAZARDOUS MATERIAL
Material spilled:	Not Reported	Release QTY:	50.00 GALLONS
Water body affected:	Not reported	Origin:	COMMINDUST
Resource affected:	ON LAND	Notifier:	RESPONSIBLE PARTY
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	12/19/1990
Initiated clean up:	Not reported	Close Date:	12/19/1990
Last Inspection:	Not reported	Investigator:	HOFMANN
UST Trust Fund:	No	Penalty:	NO PENALTY
Status:	MEANS ITS BEEN RESOLVED		
Quantity recovered:	0.00		
Cause:	OTHER		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

65

**GRUMMAN AEROSPACE  
BUILDING #2 GRUMMAN  
BETHPAGE, NY**

LUST

S100171769  
N/A

MAP FINDINGS

Map ID  
Direction  
Distance

Site

Database(s)

EDR ID Number  
EPA ID Number

**GRUMMAN AEROSPACE (Continued)**

S100171769

**LUST:**

Facility ID:	8704145	Spill Date:	08/19/1987
First notified:	REGIONAL OFFICE	Material class:	PETROLEUM
Material spilled:	#2 FUEL	Release QTY:	0.00 GALLONS
Water body affected:	Not reported	Origin:	COMMINDUST
Resource affected:	GROUNDWATER	Notifier:	TANK TESTER
Basin of spill:	17	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	09/23/1987
Initiated clean up:	Not reported	Close Date:	09/23/1987
Last Inspection:	Not reported	Investigator:	O'NEILL
UST Trust Fund:	No	Penalty:	NO PENALTY
Status:	MEANS ITS BEEN RESOLVED		
Quantity recovered:	0.00		
Cause:	TANK TEST FAILURE [BULK STORE. PRO.]		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

65

**GRUMMAN AEROSPACE  
SO OYSTER BAY RD BLDG #1  
BETHPAGE, NY**

**LUST**

S100664793  
N/A

**LUST:**

Facility ID:	9207215	Spill Date:	09/22/1992
First notified:	C	Material class:	PETROLEUM
Material spilled:	Not Reported	Release QTY:	0.00 GALLONS
Water body affected:	Not reported	Origin:	COMMINDUST
Resource affected:	ON LAND	Notifier:	OTHER
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	09/25/1992
Initiated clean up:	Not reported	Close Date:	09/25/1992
Last Inspection:	Not reported	Investigator:	PARISH
UST Trust Fund:	No	Penalty:	NO PENALTY
Status:	MEANS ITS BEEN RESOLVED		
Quantity recovered:	0.00		
Cause:	OTHER		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

65

**GRUMMAN BLDG #3  
STEWART AVE  
BETHPAGE, NY**

**LUST**

S101173516  
N/A

MAP FINDINGS

Map ID  
Direction  
Distance

Site

Database(s)

EDR ID Number  
EPA ID Number

**GRUMMAN BLDG #3 (Continued)**

S101173516

**LUST:**

Facility ID:	9406455	Spill Date:	08/11/1994
First notified:	C	Material class:	PETROLEUM
Material spilled:	DIESEL	Release QTY:	0.00 GALLONS
Water body affected:	Not reported	Origin:	COMMINDUST
Resource affected:	GROUNDWATER	Notifier:	TANK TESTER
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	Not reported
Initiated clean up:	Not reported	Close Date:	Not reported
Last Inspection:	Not reported	Investigator:	T/T/F
UST Trust Fund:	Yes		
Status:	Not reported	Penalty:	NO PENALTY
Quantity recovered:	0.00		
Cause:	TANK TEST FAILURE [BULK STORE. PRO.]		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	ACTIVE SPILL [ON GOING]		

65

**GRUMMAN AEROSPACE  
BUILDING 04-01-1  
BETHPAGE, NY**

LUST

S100169213  
N/A

**LUST:**

Facility ID:	8901527	Spill Date:	05/12/1989
First notified:	REGIONAL OFFICE	Material class:	PETROLEUM
Material spilled:	#2 FUEL	Release QTY:	0.00 GALLONS
Water body affected:	Not reported	Origin:	MAJOR FACILITY 400,000 GAL
Resource affected:	GROUNDWATER	Notifier:	TANK TESTER
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	05/23/1989
Initiated clean up:	Not reported	Close Date:	05/23/1989
Last Inspection:	Not reported	Investigator:	LEUNG
UST Trust Fund:	No		
Status:	MEANS ITS BEEN RESOLVED	Penalty:	NO PENALTY
Quantity recovered:	0.00		
Cause:	TANK TEST FAILURE [BULK STORE. PRO.]		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

65

**GRUMMAN PLANT #20  
STEWART AVE  
BETHPAGE, NY**

LUST

S100491399  
N/A

MAP FINDINGS

Map ID  
Direction  
Distance

Site

Database(s)

EDR ID Number  
EPA ID Number

**GRUMMAN PLANT #20 (Continued)**

S100491399

**LUST:**

Facility ID:	9204511	Spill Date:	07/20/1992
First notified:	C	Material class:	PETROLEUM
Material spilled:	DIESEL	Release QTY:	0.00 GALLONS
Water body affected:	Not reported	Origin:	COMMINDUST
Resource affected:	GROUNDWATER	Notifier:	TANK TESTER
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	09/30/1992
Initiated clean up:	Not reported	Close Date:	09/30/1992
Last Inspection:	Not reported	Investigator:	T/T/F
UST Trust Fund:	Yes		
Status:	MEANS ITS BEEN RESOLVED	Penalty:	NO PENALTY
Quantity recovered:	0.00		
Cause:	TANK TEST FAILURE [BULK STORE. PRO.]		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

Facility ID:	9302603	Spill Date:	05/26/1993
First notified:	C	Material class:	PETROLEUM
Material spilled:	#2 FUEL	Release QTY:	0.00 GALLONS
Water body affected:	Not reported	Origin:	COMMINDUST
Resource affected:	GROUNDWATER	Notifier:	TANK TESTER
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	07/27/1993
Initiated clean up:	Not reported	Close Date:	07/27/1993
Last Inspection:	Not reported	Investigator:	T/T/F
UST Trust Fund:	No		
Status:	MEANS ITS BEEN RESOLVED	Penalty:	NO PENALTY
Quantity recovered:	0.00		
Cause:	TANK TEST FAILURE [BULK STORE. PRO.]		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

65

**GRUMMAN AEROSPACE  
BUILDING #1  
BETHPAGE, NY**

LUST

S100171849  
N/A

**LUST:**

Facility ID:	8705197	Spill Date:	09/21/1987
First notified:	REGIONAL OFFICE	Material class:	PETROLEUM
Material spilled:	JET FUEL	Release QTY:	0.00 GALLONS
Water body affected:	Not reported	Origin:	COMMINDUST
Resource affected:	GROUNDWATER	Notifier:	TANK TESTER
Basin of spill:	17	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	10/14/1987
Initiated clean up:	Not reported	Close Date:	10/14/1987
Last Inspection:	Not reported	Investigator:	GOERTZ
UST Trust Fund:	Yes		
Status:	MEANS ITS BEEN RESOLVED	Penalty:	NO PENALTY
Quantity recovered:	0.00		
Cause:	TANK TEST FAILURE [BULK STORE. PRO.]		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

MAP FINDINGS

Map ID			EDR ID Number
Direction	Site	Database(s)	EPA ID Number
Distance			

65	<b>GRUMMAN AEROSPACE BLDG 111 BETHPAGE, NY</b>	LUST	S100173439 N/A
----	--	------	-------------------

<b>LUST:</b>			
Facility ID:	9001711	Spill Date:	05/14/1990
First notified:	C	Material class:	PETROLEUM
Material spilled:	#2 FUEL	Release QTY:	0.00 GALLONS
Water body affected:	Not reported	Origin:	COMMINDUST
Resource affected:	ON LAND	Notifier:	TANK TESTER
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	09/10/1993
Initiated clean up:	Not reported	Close Date:	09/10/1993
Last Inspection:	Not reported	Investigator:	T/T/F
UST Trust Fund:	No		
Status:	MEANS ITS BEEN RESOLVED	Penalty:	NO PENALTY
Quantity recovered:	0.00		
Cause:	TANK TEST FAILURE [BULK STORE. PRO.]		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

65	<b>GRUMMAN AEROSPACE GRUMMAN FACILITY BLDG 1 BETHPAGE, NY</b>	LUST	S100171783 N/A
----	---	------	-------------------

<b>LUST:</b>			
Facility ID:	8704386	Spill Date:	08/26/1987
First notified:	REGIONAL OFFICE	Material class:	PETROLEUM
Material spilled:	JET FUEL	Release QTY:	0.00 GALLONS
Water body affected:	Not reported	Origin:	COMMINDUST
Resource affected:	GROUNDWATER	Notifier:	FIRE DEPARTMENT
Basin of spill:	17	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	10/14/1987
Initiated clean up:	Not reported	Close Date:	10/14/1987
Last Inspection:	Not reported	Investigator:	GOERTZ
UST Trust Fund:	Yes		
Status:	MEANS ITS BEEN RESOLVED	Penalty:	NO PENALTY
Quantity recovered:	0.00		
Cause:	TANK TEST FAILURE [BULK STORE. PRO.]		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

65	<b>GRUMMAN PLANT #1 FUEL DEPOT BETHPAGE, NY</b>	LUST	S100663921 N/A
----	---	------	-------------------

MAP FINDINGS

Map ID  
Direction  
Distance

Site

Database(s)

EDR ID Number  
EPA ID Number

**GRUMMAN (Continued)**

S100663921

LUST:

Facility ID:	9106667	Spill Date:	09/16/1991
First notified:	REGIONAL OFFICE	Material class:	PETROLEUM
Material spilled:	JET FUEL	Release QTY:	0.00 GALLONS
Water body affected:	Not reported	Origin:	COMMINDUST
Resource affected:	GROUNDWATER	Notifier:	DEC
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	Not reported
Initiated clean up:	Not reported	Close Date:	Not reported
Last Inspection:	Not reported	Investigator:	LEUNG
UST Trust Fund:	Yes	Penalty:	NO PENALTY
Status:	Not reported		
Quantity recovered:	0.00		
Cause:	OTHER		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	ACTIVE SPILL [ON GOING]		

65

**GRUMMAN INC  
PLANT #3  
BETHPAGE, NY**

LUST

S100664811  
N/A

LUST:

Facility ID:	9207766	Spill Date:	10/05/1992
First notified:	REGIONAL OFFICE	Material class:	HAZARDOUS MATERIAL
Material spilled:	Not Reported	Release QTY:	0.00 GALLONS
Water body affected:	Not reported	Origin:	COMMINDUST
Resource affected:	ON LAND	Notifier:	RESPONSIBLE PARTY
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	Not reported
Initiated clean up:	Not reported	Close Date:	Not reported
Last Inspection:	Not reported	Investigator:	DECANDIA
UST Trust Fund:	No	Penalty:	NO PENALTY
Status:	Not reported		
Quantity recovered:	0.00		
Cause:	OTHER		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	ACTIVE SPILL [ON GOING]		

65

**GRUMMAN  
BLDG #15  
BETHPAGE, NY**

LUST

S100169240  
N/A

MAP FINDINGS

Map ID  
Direction  
Distance

Site

Database(s)

EDR ID Number  
EPA ID Number

**GRUMMAN (Continued)**

**S100169240**

**LUST:**

Facility ID:	8901729	Spill Date:	05/19/1989
First notified:	ANSWERING SERVICE	Material class:	PETROLEUM
Material spilled:	UNKNOWN	Release QTY:	0.00 GALLONS
Water body affected:	Not reported	Origin:	COMMINDUST
Resource affected:	GROUNDWATER	Notifier:	TANK TESTER
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	10/26/1990
Initiated clean up:	Not reported	Close Date:	10/26/1990
Last Inspection:	Not reported	Investigator:	LEUNG
UST Trust Fund:	No		
Status:	MEANS ITS BEEN RESOLVED	Penalty:	NO PENALTY
Quantity recovered:	0.00		
Cause:	TANK TEST FAILURE [BULK STORE. PRO.]		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

65

**GRUMMAN  
MULBERRY STREET BLDG 12  
BETHPAGE, NY**

**LUST**

**S100664825  
N/A**

**LUST:**

Facility ID:	9208152	Spill Date:	10/14/1992
First notified:	REGIONAL OFFICE	Material class:	PETROLEUM
Material spilled:	WASTE OIL	Release QTY:	3.00 GALLONS
Water body affected:	Not reported	Origin:	COMMINDUST
Resource affected:	ON LAND	Notifier:	OTHER
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	10/26/1992
Initiated clean up:	Not reported	Close Date:	10/26/1992
Last Inspection:	Not reported	Investigator:	KISPERT
UST Trust Fund:	No		
Status:	MEANS ITS BEEN RESOLVED	Penalty:	NO PENALTY
Quantity recovered:	0.00		
Cause:	OTHER		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

65

**GRUMMAN  
PLANT #3  
BETHPAGE, NY**

**LUST**

**S100664347  
N/A**



MAP FINDINGS

Map ID			EDR ID Number
Direction	Site	Database(s)	EPA ID Number
Distance			

**GRUMMAN (Continued)**

**S100664347**

<b>LUST:</b>		<b>Spill Date:</b>	12/13/1991
<b>Facility ID:</b>	9109773	<b>Material class:</b>	HAZARDOUS MATERIAL
<b>First notified:</b>	REGIONAL OFFICE	<b>Release QTY:</b>	10.00 POUNDS
<b>Material spilled:</b>	Not Reported	<b>Origin:</b>	NON-COMMNST
<b>Water body affected:</b>	Not reported	<b>Notifier:</b>	RESPONSIBLE PARTY
<b>Resource affected:</b>	ON LAND	<b>Project ID:</b>	0
<b>Basin of spill:</b>	1700	<b>Date Cleaned:</b>	12/18/1991
<b>Cleaner:</b>	SPILLER	<b>Close Date:</b>	12/18/1991
<b>Initiated clean up:</b>	Not reported	<b>Investigator:</b>	KISPERT
<b>Last Inspection:</b>	Not reported	<b>Penalty:</b>	NO PENALTY
<b>UST Trust Fund:</b>	No		
<b>Status:</b>	MEANS ITS BEEN RESOLVED		
<b>Quantity recovered:</b>	0.00		
<b>Cause:</b>	OTHER		
<b>Emergency response:</b>	IT WAS NOT TAKEN		
<b>Facility status:</b>	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

65

**GRUMMAN  
WAREHOUSE #8  
BETHPAGE, NY**

**LUST**

**S100666487  
N/A**

<b>LUST:</b>		<b>Spill Date:</b>	09/07/1990
<b>Facility ID:</b>	9006322	<b>Material class:</b>	HAZARDOUS MATERIAL
<b>First notified:</b>	REGIONAL OFFICE	<b>Release QTY:</b>	15.00 GALLONS
<b>Material spilled:</b>	Not Reported	<b>Origin:</b>	COMMINDUST
<b>Water body affected:</b>	Not reported	<b>Notifier:</b>	RESPONSIBLE PARTY
<b>Resource affected:</b>	ON LAND	<b>Project ID:</b>	0
<b>Basin of spill:</b>	1700	<b>Date Cleaned:</b>	10/10/1990
<b>Cleaner:</b>	SPILLER	<b>Close Date:</b>	10/10/1990
<b>Initiated clean up:</b>	Not reported	<b>Investigator:</b>	DEROSA
<b>Last Inspection:</b>	Not reported	<b>Penalty:</b>	NO PENALTY
<b>UST Trust Fund:</b>	No		
<b>Status:</b>	MEANS ITS BEEN RESOLVED		
<b>Quantity recovered:</b>	0.00		
<b>Cause:</b>	OTHER		
<b>Emergency response:</b>	IT WAS NOT TAKEN		
<b>Facility status:</b>	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

65

**GRUMMAN CORP  
STEWART AVE - WHSE #8  
BETHPAGE, NY**

**LUST**

**S101658229  
N/A**

MAP FINDINGS

Map ID			EDR ID Number
Direction			EPA ID Number
Distance	Site	Database(s)	

**GRUMMAN CORP (Continued)**

S101658229

<b>LUST:</b>		<b>Spill Date:</b>	09/06/1995
<b>Facility ID:</b>	9506898	<b>Material class:</b>	HAZARDOUS MATERIAL
<b>First notified:</b>	ANSWERING SERVICE	<b>Release QTY:</b>	36.00 GALLONS
<b>Material spilled:</b>	Not Reported	<b>Origin:</b>	MAJOR FACILITY 400,000 GAL
<b>Water body affected:</b>	Not reported	<b>Notifier:</b>	RESPONSIBLE PARTY
<b>Resource affected:</b>	ON LAND	<b>Project ID:</b>	0
<b>Basin of spill:</b>	1700	<b>Date Cleaned:</b>	Not reported
<b>Cleaner:</b>	NO ACTION TAKEN	<b>Close Date:</b>	Not reported
<b>Initiated clean up:</b>	Not reported	<b>Investigator:</b>	PARISH
<b>Last Inspection:</b>	Not reported	<b>Penalty:</b>	NO PENALTY
<b>UST Trust Fund:</b>	No		
<b>Status:</b>	Not reported		
<b>Quantity recovered:</b>	0.00		
<b>Cause:</b>	OTHER		
<b>Emergency response:</b>	IT WAS NOT TAKEN		
<b>Facility status:</b>	ACTIVE SPILL [ON GOING]		

65

**GRUMMAN  
BLDG #3  
BETHPAGE, NY**

LUST

S100174734  
N/A

<b>LUST:</b>		<b>Spill Date:</b>	04/11/1991
<b>Facility ID:</b>	9100456	<b>Material class:</b>	PETROLEUM
<b>First notified:</b>	REGIONAL OFFICE	<b>Release QTY:</b>	20.00 GALLONS
<b>Material spilled:</b>	DIESEL	<b>Origin:</b>	COMMINDUST
<b>Water body affected:</b>	Not reported	<b>Notifier:</b>	RESPONSIBLE PARTY
<b>Resource affected:</b>	ON LAND	<b>Project ID:</b>	0
<b>Basin of spill:</b>	1700	<b>Date Cleaned:</b>	06/10/1994
<b>Cleaner:</b>	SPILLER	<b>Close Date:</b>	06/10/1994
<b>Initiated clean up:</b>	Not reported	<b>Investigator:</b>	KISPRT
<b>Last Inspection:</b>	Not reported	<b>Penalty:</b>	NO PENALTY
<b>UST Trust Fund:</b>	No		
<b>Status:</b>	MEANS ITS BEEN RESOLVED		
<b>Quantity recovered:</b>	0.00		
<b>Cause:</b>	TANK OVERFILL		
<b>Emergency response:</b>	IT WAS NOT TAKEN		
<b>Facility status:</b>	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

65

**GRUMMAN  
GRUMMAN PLANT #17  
BETHPAGE, NY**

LUST

S100177076  
N/A

MAP FINDINGS

Map ID  
Direction  
Distance

Site

Database(s)

EDR ID Number  
EPA ID Number

**GRUMMAN (Continued)**

S100177076

**LUST:**

Facility ID:	9105709	Spill Date:	08/26/1991
First notified:	C	Material class:	PETROLEUM
Material spilled:	#2 FUEL	Release QTY:	0.00 GALLONS
Water body affected:	Not reported	Origin:	COMM/INDUST
Resource affected:	GROUNDWATER	Notifier:	TANK TESTER
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	02/27/1995
Initiated clean up:	Not reported	Close Date:	02/27/1995
Last Inspection:	Not reported	Investigator:	T/T/F
UST Trust Fund:	No	Penalty:	NO PENALTY
Status:	MEANS ITS BEEN RESOLVED		
Quantity recovered:	0.00		
Cause:	TANK TEST FAILURE [BULK STORE. PRO.]		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

65

**GRUMMAN  
STEWART AVENUE  
BETHPAGE, NY**

LUST

S101276355  
N/A

**LUST:**

Facility ID:	9302538	Spill Date:	05/25/1993
First notified:	C	Material class:	PETROLEUM
Material spilled:	#2 FUEL	Release QTY:	0.00 GALLONS
Water body affected:	Not reported	Origin:	NON-COMM/INST
Resource affected:	GROUNDWATER	Notifier:	TANK TESTER
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	07/27/1993
Initiated clean up:	Not reported	Close Date:	07/27/1993
Last Inspection:	Not reported	Investigator:	T/T/F
UST Trust Fund:	No	Penalty:	NO PENALTY
Status:	MEANS ITS BEEN RESOLVED		
Quantity recovered:	0.00		
Cause:	TANK TEST FAILURE [BULK STORE. PRO.]		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

Facility ID:	9302825	Spill Date:	06/02/1993
First notified:	REGIONAL OFFICE	Material class:	PETROLEUM
Material spilled:	WASTE OIL	Release QTY:	0.00 GALLONS
Water body affected:	Not reported	Origin:	COMM/INDUST
Resource affected:	GROUNDWATER	Notifier:	TANK TESTER
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	Not reported
Initiated clean up:	Not reported	Close Date:	Not reported
Last Inspection:	Not reported	Investigator:	RMS
UST Trust Fund:	No	Penalty:	NO PENALTY
Status:	Not reported		
Quantity recovered:	0.00		
Cause:	TANK TEST FAILURE [BULK STORE. PRO.]		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	ACTIVE SPILL [ON GOING]		

MAP FINDINGS

Map ID Direction Distance	Site	Database(s)	EDR ID Number EPA ID Number
---------------------------------	------	-------------	--------------------------------

65	NORTHROP GRUMMAN PLANT #15 BETHPAGE, NY	LUST	S101340024 N/A
----	---	------	-------------------

**LUST:**

Facility ID:	9410499	Spill Date:	11/07/1994
First notified:	REGIONAL OFFICE	Material class:	PETROLEUM
Material spilled:	#2 FUEL	Release QTY:	0.00 GALLONS
Water body affected:	Not reported	Origin:	COMMINDUST
Resource affected:	ON LAND	Notifier:	HEALTH DEPARTMENT
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	Not reported
Initiated clean up:	Not reported	Close Date:	Not reported
Last Inspection:	Not reported	Investigator:	AUSTIN
UST Trust Fund:	No	Penalty:	NO PENALTY
Status:	Not reported		
Quantity recovered:	0.00		
Cause:	OTHER		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	ACTIVE SPILL (ON GOING)		

65	NORTHROP GRUMMAN STEWART AVENUE BETHPAGE, NY	LUST	S101658189 N/A
----	--	------	-------------------

**LUST:**

Facility ID:	9506041	Spill Date:	08/16/1995
First notified:	C	Material class:	PETROLEUM
Material spilled:	#2 FUEL	Release QTY:	0.00 GALLONS
Water body affected:	Not reported	Origin:	COMMINDUST
Resource affected:	GROUNDWATER	Notifier:	TANK TESTER
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	Not reported
Initiated clean up:	Not reported	Close Date:	Not reported
Last Inspection:	Not reported	Investigator:	T/T/F
UST Trust Fund:	No	Penalty:	NO PENALTY
Status:	Not reported		
Quantity recovered:	0.00		
Cause:	TANK TEST FAILURE [BULK STORE. PRO.]		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	ACTIVE SPILL (ON GOING)		

65	GRUMMAN AEROSPACE CORP NEW SOUTH ROAD BETHPAGE, NY 11714	FINDS RCRIS-LQG	1000300851 NYD981182249
----	--	--------------------	----------------------------

**RCRIS:**

Owner: GRUMMAN AEROSPACE CORP  
(212) 555-1212

Contact: JOHN OHLMANN  
(516) 575-2385

Waste	Quantity	Info Source	Waste	Quantity	Info Source
D001	.00000 (N)	Notification	D002	.00000 (N)	Notification
F001	.00000 (N)	Notification	F002	.00000 (N)	Notification
F005	.00000 (N)	Notification			

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

MAP FINDINGS

Map ID  
Direction  
Distance

Site

Database(s)

EDR ID Number  
EPA ID Number

65	<b>GRUMMAN AEROSPACE CORPORATION</b> <b>MAIL STOP:D08-GHQ</b> <b>BETHPAGE, NY 11714</b>	AST	U001853042 N/A
----	---	-----	-------------------

**CBS AST:**

Facility ID:	1-000208	Telephone:	(516) 575-4680
Owner:	GRUMMAN AEROSPACE CORPORATION MAIL STOP:D08-GHQ BETHPAGE, NY 11714 (516) 575-4680		

Facility Status:	Active	Total AST's:	13
Tank ID:	10		
Tank Status:	CLOSED-IN PLACE		
Tank Location:	ABOVEGROUND		
Install Date:	12/70	Capacity (Gal):	4000
Tank Type:	Steel/carbon steel	Product Stored:	LEADED GASOLINE
Extrnl Protection:	PAINTED/ASPHALT COATING		
Intrnl Protection:	NONE		
Tank Containment:	NONE		
Pipe Type:	GALVANIZED STEEL	Pipe Location:	Aboveground
Pipe Internal:	NONE		
Pipe External:	PAINTED/ASPHALT COATING		
Pipe Containment:	NONE	Haz Percent:	100
Leak Detection:	NONE		
Overfill Protection:	Product Level Gauge		
Chemical:	Not reported		
Tank Closed:	11/93	Data File:	Not reported
Case Number:	79016		

Facility ID:	1-000208	Telephone:	(516) 575-4680
Owner:	GRUMMAN AEROSPACE CORPORATION MAIL STOP:D08-GHQ BETHPAGE, NY 11714 (516) 575-4680		

Facility Status:	Active	Total AST's:	13
Tank ID:	313		
Tank Status:	IN SERVICE		
Tank Location:	ABOVEGROUND		
Install Date:	12/84	Capacity (Gal):	5000
Tank Type:	Stainless steel alloy	Product Stored:	LEADED GASOLINE
Extrnl Protection:	JACKETED		
Intrnl Protection:	NONE		
Tank Containment:	VAULT		
Pipe Type:	FIBERGLASS [FRP]	Pipe Location:	Aboveground
Pipe Internal:	NONE		
Pipe External:	NONE		
Pipe Containment:	VAULT	Haz Percent:	93
Leak Detection:	CONCRETE PAD W/CHANNELS		
Overfill Protection:	High Level Alarm/Product Level Gauge		
Chemical:	Not reported		
Tank Closed:	Not reported	Data File:	Not reported
Case Number:	8014957		

MAP FINDINGS

Map ID  
Direction  
Distance

Site

Database(s)

EDR ID Number  
EPA ID Number

**GRUMMAN AEROSPACE CORPORATION (Continued)**

U001853042

Facility ID: 1-000208 Telephone: (516) 575-4680  
 Owner: GRUMMAN AEROSPACE CORPORATION  
 MAIL STOP:D08-GHQ  
 BETHPAGE, NY 11714  
 (516) 575-4680

Facility Status: Active  
 Tank ID: 320 Total AST's: 13  
 Tank Status: IN SERVICE  
 Tank Location: ABOVEGROUND ON SADDLES LEGS, STILTS, RACK, OR CRADLE  
 Install Date: 12/84 Capacity (Gal): 7000  
 Tank Type: Other Product Stored: LEADED GASOLINE  
 Extnl Protection: NONE  
 Intrnl Protection: NONE  
 Tank Containment: VAULT  
 Pipe Type: FIBERGLASS [FRP] Pipe Location: Aboveground  
 Pipe Internal: NONE  
 Pipe External: JACKETED  
 Pipe Containment: VAULT Haz Percent: 50  
 Leak Detection: CONCRETE PAD W/CHANNELS  
 Overfill Protection: High Level Alarm/Product Level Gauge  
 Chemical: Not reported  
 Tank Closed: Not reported Data File: Not reported  
 Case Number: 7722841

Facility ID: 1-000208 Telephone: (516) 575-4680  
 Owner: GRUMMAN AEROSPACE CORPORATION  
 MAIL STOP:D08-GHQ  
 BETHPAGE, NY 11714  
 (516) 575-4680

Facility Status: Active  
 Tank ID: 329 Total AST's: 13  
 Tank Status: IN SERVICE  
 Tank Location: ABOVEGROUND  
 Install Date: 12/84 Capacity (Gal): 8000  
 Tank Type: Fiberglass reinforced plastic [FRP] Product Stored: LEADED GASOLINE  
 Extnl Protection: FIBERGLASS  
 Intrnl Protection: NONE  
 Tank Containment: VAULT  
 Pipe Type: FIBERGLASS [FRP] Pipe Location: Aboveground  
 Pipe Internal: NONE  
 Pipe External: JACKETED  
 Pipe Containment: VAULT Haz Percent: 50  
 Leak Detection: CONCRETE PAD W/CHANNELS  
 Overfill Protection: High Level Alarm/Product Level Gauge  
 Chemical: Not reported  
 Tank Closed: Not reported Data File: Not reported  
 Case Number: 1310732

MAP FINDINGS

Map ID  
Direction  
Distance

Site

Database(s)

EDR ID Number  
EPA ID Number

**GRUMMAN AEROSPACE CORPORATION (Continued)**

**U001853042**

Facility ID: 1-000208 Telephone: (516) 575-4680  
 Owner: GRUMMAN AEROSPACE CORPORATION  
 MAIL STOP:D08-GHQ  
 BETHPAGE, NY 11714  
 (516) 575-4680  
 Facility Status: Active  
 Tank ID: 399 Total AST's: 13  
 Tank Status: TEMPORARILY OUT OF SERVICE  
 Tank Location: ABOVEGROUND ON SADDLES LEGS, STILTS, RACK, OR CRADLE  
 Install Date: 09/80 Capacity (Gal): 4418  
 Tank Type: Fiberglass reinforced plastic [FRP] Product Stored: LEADED GASOLINE  
 Extnl Protection: NONE  
 Intrnl Protection: NONE  
 Tank Containment: VAULT  
 Pipe Type: STEEL/IRON Pipe Location: Aboveground  
 Pipe Internal: NONE  
 Pipe External: PAINTED/ASPHALT COATING  
 Pipe Containment: VAULT Haz Percent: 50  
 Leak Detection: CONCRETE PAD W/CHANNELS  
 Overfill Protection: High Level Alarm/Product Level Gauge  
 Chemical: Not reported  
 Tank Closed: Not reported Data File: Not reported  
 Case Number: 1310732

Facility ID: 1-000208 Telephone: (516) 575-4680  
 Owner: GRUMMAN AEROSPACE CORPORATION  
 MAIL STOP:D08-GHQ  
 BETHPAGE, NY 11714  
 (516) 575-4680  
 Facility Status: Active  
 Tank ID: 400 Total AST's: 13  
 Tank Status: TEMPORARILY OUT OF SERVICE  
 Tank Location: ABOVEGROUND ON SADDLES LEGS, STILTS, RACK, OR CRADLE  
 Install Date: 09/80 Capacity (Gal): 4418  
 Tank Type: Fiberglass reinforced plastic [FRP] Product Stored: LEADED GASOLINE  
 Extnl Protection: NONE  
 Intrnl Protection: NONE  
 Tank Containment: VAULT  
 Pipe Type: STEEL/IRON Pipe Location: Aboveground  
 Pipe Internal: NONE  
 Pipe External: PAINTED/ASPHALT COATING  
 Pipe Containment: VAULT Haz Percent: 50  
 Leak Detection: CONCRETE PAD W/CHANNELS  
 Overfill Protection: High Level Alarm/Product Level Gauge  
 Chemical: Not reported  
 Tank Closed: Not reported Data File: Not reported  
 Case Number: 1310732

MAP FINDINGS

Map ID  
Direction  
Distance

Site

Database(s)

EDR ID Number  
EPA ID Number

**GRUMMAN AEROSPACE CORPORATION (Continued)**

U001853042

Facility ID:	1-000208	Telephone:	(516) 575-4680
Owner:	GRUMMAN AEROSPACE CORPORATION MAIL STOP:D08-GHQ BETHPAGE, NY 11714 (516) 575-4680		
Facility Status:	Active	Total AST's:	13
Tank ID:	941		
Tank Status:	TEMPORARILY OUT OF SERVICE		
Tank Location:	ABOVEGROUND ON SADDLES LEGS, STILTS, RACK, OR CRADLE		
Install Date:	12/62	Capacity (Gal):	500
Tank Type:	Steel/carbon steel	Product Stored:	LEADED GASOLINE
Extrnl Protection:	PAINTED/ASPHALT COATING		
Intrnl Protection:	NONE		
Tank Containment:	VAULT		
Pipe Type:	FIBERGLASS [FRP]	Pipe Location:	Aboveground
Pipe Internal:	NONE		
Pipe External:	NONE		
Pipe Containment:	VAULT	Haz Percent:	100
Leak Detection:	CONCRETE PAD W/CHANNELS		
Overfill Protection:	Product Level Gauge		
Chemical:	Not reported		
Tank Closed:	Not reported	Data File:	Not reported
Case Number:	71556		

Facility ID:	1-000208	Telephone:	(516) 575-4680
Owner:	GRUMMAN AEROSPACE CORPORATION MAIL STOP:D08-GHQ BETHPAGE, NY 11714 (516) 575-4680		
Facility Status:	Active	Total AST's:	13
Tank ID:	1207		
Tank Status:	TEMPORARILY OUT OF SERVICE		
Tank Location:	ABOVEGROUND ON SADDLES LEGS, STILTS, RACK, OR CRADLE		
Install Date:	09/83	Capacity (Gal):	10000
Tank Type:	Steel/carbon steel	Product Stored:	LEADED GASOLINE
Extrnl Protection:	PAINTED/ASPHALT COATING		
Intrnl Protection:	NONE		
Tank Containment:	VAULT		
Pipe Type:	STEEL/IRON	Pipe Location:	Aboveground
Pipe Internal:	NONE		
Pipe External:	PAINTED/ASPHALT COATING		
Pipe Containment:	IMPERVIOUS UNDERLAYMENT	Haz Percent:	100
Leak Detection:	CONCRETE PAD W/CHANNELS		
Overfill Protection:	High Level Alarm		
Chemical:	Not reported		
Tank Closed:	Not reported	Data File:	Not reported
Case Number:	127184		



MAP FINDINGS

Map ID  
Direction  
Distance

Site

Database(s)

EDR ID Number  
EPA ID Number

**GRUMMAN AEROSPACE CORPORATION (Continued)**

U001853042

Facility ID: 1-000208 Telephone: (516) 575-4680  
 Owner: GRUMMAN AEROSPACE CORPORATION  
 MAIL STOP:D08-GHQ  
 BETHPAGE, NY 11714  
 (516) 575-4680

Facility Status: Active  
 Tank ID: 1254 Total AST's: 13  
 Tank Status: TEMPORARILY OUT OF SERVICE  
 Tank Location: ABOVEGROUND ON SADDLES LEGS, STILTS, RACK, OR CRADLE  
 Install Date: 12/85 Capacity (Gal): 6000  
 Tank Type: Steel/carbon steel Product Stored: LEADED GASOLINE  
 Extnl Protection: PAINTED/ASPHALT COATING  
 Intrnl Protection: NONE  
 Tank Containment: VAULT  
 Pipe Type: STEEL/IRON Pipe Location: Aboveground  
 Pipe Internal: NONE  
 Pipe External: PAINTED/ASPHALT COATING  
 Pipe Containment: IMPERVIOUS UNDERLAYMENT Haz Percent: 100  
 Leak Detection: CONCRETE PAD W/CHANNELS  
 Overfill Protection: High Level Alarm/Product Level Gauge  
 Chemical: Not reported  
 Tank Closed: Not reported Data File: Not reported  
 Case Number: 67561

Facility ID: 1-000208 Telephone: (516) 575-4680  
 Owner: GRUMMAN AEROSPACE CORPORATION  
 MAIL STOP:D08-GHQ  
 BETHPAGE, NY 11714  
 (516) 575-4680

Facility Status: Active  
 Tank ID: 1303 Total AST's: 13  
 Tank Status: CLOSED-REMOVED  
 Tank Location: ABOVEGROUND ON SADDLES LEGS, STILTS, RACK, OR CRADLE  
 Install Date: 12/88 Capacity (Gal): 600  
 Tank Type: Steel/carbon steel Product Stored: LEADED GASOLINE  
 Extnl Protection: PAINTED/ASPHALT COATING  
 Intrnl Protection: NONE  
 Tank Containment: NONE  
 Pipe Type: STEEL/IRON Pipe Location: Aboveground  
 Pipe Internal: NONE  
 Pipe External: PAINTED/ASPHALT COATING  
 Pipe Containment: NONE Haz Percent: 100  
 Leak Detection: NONE  
 Overfill Protection: Product Level Gauge  
 Chemical: Not reported  
 Tank Closed: 04/94 Data File: Not reported  
 Case Number: 79016

MAP FINDINGS

Map ID  
Direction  
Distance

Site

Database(s)

EDR ID Number  
EPA ID Number

**GRUMMAN AEROSPACE CORPORATION (Continued)**

**U001853042**

Facility ID: 1-000208 Telephone: (516) 575-4680  
 Owner: GRUMMAN AEROSPACE CORPORATION  
 MAIL STOP:D08-GHQ  
 BETHPAGE, NY 11714  
 (516) 575-4680

Facility Status: Active  
 Tank ID: 1271 Total AST's: 13  
 Tank Status: TEMPORARILY OUT OF SERVICE  
 Tank Location: ABOVEGROUND ON SADDLES LEGS, STILTS, RACK, OR CRADLE  
 Install Date: 09/87 Capacity (Gal): 10000  
 Tank Type: Steel/carbon steel Product Stored: LEADED GASOLINE  
 Extnl Protection: PAINTED/ASPHALT COATING  
 Intrnl Protection: NONE  
 Tank Containment: VAULT  
 Pipe Type: STEEL/IRON Pipe Location: Aboveground  
 Pipe Internal: NONE  
 Pipe External: PAINTED/ASPHALT COATING  
 Pipe Containment: IMPERVIOUS UNDERLAYMENT Haz Percent: 100  
 Leak Detection: CONCRETE PAD W/CHANNELS  
 Overfill Protection: High Level Alarm  
 Chemical: Not reported  
 Tank Closed: Not reported Data File: Not reported  
 Case Number: 79016

Facility ID: 1-000208 Telephone: (516) 575-4680  
 Owner: GRUMMAN AEROSPACE CORPORATION  
 MAIL STOP:D08-GHQ  
 BETHPAGE, NY 11714  
 (516) 575-4680

Facility Status: Active  
 Tank ID: 1304 Total AST's: 13  
 Tank Status: IN SERVICE  
 Tank Location: ABOVEGROUND ON SADDLES LEGS, STILTS, RACK, OR CRADLE  
 Install Date: 12/69 Capacity (Gal): 500  
 Tank Type: Steel/carbon steel Product Stored: LEADED GASOLINE  
 Extnl Protection: PAINTED/ASPHALT COATING  
 Intrnl Protection: NONE  
 Tank Containment: NONE  
 Pipe Type: STEEL/IRON Pipe Location: Aboveground  
 Pipe Internal: NONE  
 Pipe External: PAINTED/ASPHALT COATING  
 Pipe Containment: NONE Haz Percent: 100  
 Leak Detection: NONE  
 Overfill Protection: Product Level Gauge  
 Chemical: Not reported  
 Tank Closed: Not reported Data File: Not reported  
 Case Number: 7664417

MAP FINDINGS

Map ID Direction Distance	Site	Database(s)	EDR ID Number EPA ID Number
---------------------------------	------	-------------	--------------------------------

**GRUMMAN AEROSPACE CORPORATION (Continued)**

**U001853042**

Facility ID:	1-000208	Telephone:	(516) 575-4680
Owner:	GRUMMAN AEROSPACE CORPORATION MAIL STOP:D08-GHQ BETHPAGE, NY 11714 (516) 575-4680		
Facility Status:	Active	Total AST's:	13
Tank ID:	7002		
Tank Status:	TEMPORARILY OUT OF SERVICE		
Tank Location:	ABOVEGROUND ON SADDLES LEGS, STILTS, RACK, OR CRADLE		
Install Date:	12/60	Capacity (Gal):	4800
Tank Type:	Steel/carbon steel	Product Stored:	LEADED GASOLINE
Extrnl Protection:	PAINTED/ASPHALT COATING		
Intrnl Protection:	NONE		
Tank Containment:	NONE		
Pipe Type:	FIBERGLASS [FRP]	Pipe Location:	Aboveground
Pipe Internal:	NONE		
Pipe External:	PAINTED/ASPHALT COATING		
Pipe Containment:	NONE		
Leak Detection:	NONE		
Overfill Protection:	Product Level Gauge		
Chemical:	Not reported		
Tank Closed:	Not reported		
Case Number:	76131	Data File:	Not reported

66

**FESTANTE RESIDENCE  
82 SYCAMORE AVENUE  
BETHPAGE, NY**

**LUST**

**S100491053  
N/A**

**LUST:**

Facility ID:	9201264	Spill Date:	04/24/1992
First notified:	REGIONAL OFFICE	Material class:	PETROLEUM
Material spilled:	#2 FUEL	Release QTY:	5.00 GALLONS
Water body affected:	Not reported	Origin:	PRIVATE DWELLING
Resource affected:	ON LAND	Notifier:	OTHER
Basin of spill:	1700	Project ID:	0
Cleaner:	NO ACTION TAKEN	Date Cleaned:	06/24/1992
Initiated clean up:	Not reported	Close Date:	06/24/1992
Last Inspection:	Not reported	Investigator:	LUCE
UST Trust Fund:	No	Penalty:	NO PENALTY
Status:	MEANS ITS BEEN RESOLVED		
Quantity recovered:	0.00		
Cause:	TANK FAILURE		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

67

**FAME TRUCKING INC  
246 8 TH ST  
BETHPAGE, NY 11714**

**RCRIS-SQG  
FINDS**

**1000199036  
NYD980646038**

68

**SIMON D'SOUZA RESIDENCE  
22 HUNTER ST  
HICKSVILLE, NY**

**LUST**

**S101103105  
N/A**

MAP FINDINGS

Map ID  
Direction  
Distance

Site

Database(s)

EDR ID Number  
EPA ID Number

**SIMON D'SOUZA RESIDENCE (Continued)**

S101103105

**LUST:**

Facility ID:	9402184	Spill Date:	05/13/1993
First notified:	REGIONAL OFFICE	Material class:	PETROLEUM
Material spilled:	#2 FUEL	Release QTY:	0.00 GALLONS
Water body affected:	Not reported	Origin:	PRIVATE DWELLING
Resource affected:	ON LAND	Notifier:	CITIZEN
Basin of spill:	1700	Project ID:	0
Cleaner:	NO ACTION TAKEN	Date Cleaned:	Not reported
Initiated clean up:	Not reported	Close Date:	Not reported
Last Inspection:	Not reported	Investigator:	DECANDIA
UST Trust Fund:	No	Penalty:	NO PENALTY
Status:	Not reported		
Quantity recovered:	0.00		
Cause:	OTHER		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	ACTIVE SPILL [ON GOING]		

69

**NASSAU BLUE FLAME INC  
3 WASHINGTON PKY  
HICKSVILLE, NY**

AST

A100043234  
N/A

**Nassau County AST:**

Facility ID:	056214	Tank ID:	0001
Tank Location:	Outdoors, Aboveground	Capacity (Gal):	275
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	OTHER	Material Type:	Fresh/Product
Piping Type:	Steel/Iron	Containment:	OTHER
Description:	OIL, FUEL #2	Product Gauge:	No
Leak Detect:	NONE	Install Date:	0584
Dispense Method:	Gravity	Total Tanks:	Not reported
Fill Type:	Pumped		
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	056214	Tank ID:	0002
Tank Location:	Outdoors, Aboveground	Capacity (Gal):	275
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	OTHER	Material Type:	Waste
Piping Type:	Steel/Iron	Containment:	OTHER
Description:	WASTE OIL	Product Gauge:	No
Leak Detect:	NONE	Install Date:	0584
Dispense Method:	Suction	Total Tanks:	Not reported
Fill Type:	Gravity		
Data File:	Petroleum Bulk Storage Facility		

69

**BLUE FLAME  
3 WASHINGTON PKY  
HICKSVILLE, NY**

LUST

S100149723  
N/A

MAP FINDINGS

Map ID Direction Distance	Site	Database(s)	EDR ID Number EPA ID Number
---------------------------------	------	-------------	--------------------------------

**BLUE FLAME (Continued)**

S100149723

LUST:

Facility ID:	8704453	Spill Date:	08/28/1987
First notified:	REGIONAL OFFICE	Material class:	PETROLEUM
Material spilled:	#2 FUEL	Release QTY:	0.00 GALLONS
Water body affected:	Not reported	Origin:	COMMINDUST
Resource affected:	GROUNDWATER	Notifier:	TANK TESTER
Basin of spill:	17	Project ID:	0
Cleaner:	OTHER AGENCY	Date Cleaned:	12/24/1990
Initiated clean up:	Not reported	Close Date:	12/24/1990
Last inspection:	Not reported	Investigator:	ACAMPORA
UST Trust Fund:	No	Penalty:	NO PENALTY
Status:	MEANS ITS BEEN RESOLVED		
Quantity recovered:	0.00		
Cause:	TANK FAILURE		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

70	<b>BERTAN ASSOCIATES</b> 121 NEW SOUTH RD HICKSVILLE, NY	LUST	S101671532 N/A
----	--	------	-------------------

70	<b>MEENAN OIL</b> 121 NEW SOUTH RD HICKSVILLE, NY	LUST	S100174684 N/A
----	---	------	-------------------

LUST:

Facility ID:	9100043	Spill Date:	04/01/1991
First notified:	REGIONAL OFFICE	Material class:	PETROLEUM
Material spilled:	#2 FUEL	Release QTY:	10.00 GALLONS
Water body affected:	Not reported	Origin:	TANK TRUCK
Resource affected:	ON LAND	Notifier:	RESPONSIBLE PARTY
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	04/05/1991
Initiated clean up:	Not reported	Close Date:	04/05/1991
Last inspection:	Not reported	Investigator:	ACAMPORA
UST Trust Fund:	No	Penalty:	NO PENALTY
Status:	MEANS ITS BEEN RESOLVED		
Quantity recovered:	0.00		
Cause:	TANK OVERFILL		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

70	<b>BERTAN ASSOCIATES INC</b> 121 NEW SOUTH ROAD HICKSVILLE, NY 11801	FINDS RCRIS-LQG	1000396046 NYD980776405
----	--	--------------------	----------------------------

MAP FINDINGS

Map ID  
Direction  
Distance

Site

Database(s)

EDR ID Number  
EPA ID Number

**BERTAN ASSOCIATES INC (Continued)**

1000396046

RCRIS:

Owner: Not reported

Contact: CHECK WALTER  
(516) 433-3110

Waste	Quantity	Info Source	Waste	Quantity	Info Source
U159	.00000 (N)	Notification	U226	.00000 (N)	Notification

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

70

**SERVO CORPORATION OF AMERICA  
111 NEW SOUTH ROAD  
HICKSVILLE, NY 11801**

**CERCLIS  
FINDS  
RCRIS-LQG**

1000433406  
NYD002418911

CERCLIS Classification Data:

Site Incident Category: Not reported

Ownership Status: OTHER

EPA Notes: Not reported

Federal Facility: NO

NPL Status: NOT ON NPL

CERCLIS Assessment History:

Assessment: DISCOVERY

Assessment: PRELIMINARY ASSESSMENT

Assessment: SCREENING SITE INSPECTION

Completed: 04/10/1980

Completed: 01/15/1987

Completed: 06/26/1991

CERCLIS Site Status:

This site is currently under investigation by the government to assess the extent of further action

RCRIS:

Owner: BLACKSTONE HENRY  
(212) 555-1212

Contact: JOHN WILLENBROCK  
(516) 938-9700

Waste	Quantity	Info Source	Waste	Quantity	Info Source
D002	.00000 (N)	Notification	F002	.00000 (N)	Notification
F017	.00000 (N)	Notification	K050	.00000 (N)	Notification

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

There are 1 compliance/violation record(s) reported at this site:

Evaluation	Date	Violations
COMPLIANCE EVALUATION INSPECTION (CEI)	22-AUG-86	YES

Other Pertinent Environmental Activity Identified at Site:  
facility has active water discharge permits

70

**LONG ISLAND DEVELOPMENT  
101 NEW SOUTH RD  
HICKSVILLE, NY**

LUST

S100667459  
N/A

**MAP FINDINGS**

Map ID  
Direction  
Distance

Site

Database(s)

EDR ID Number  
EPA ID Number

**LONG ISLAND DEVELOPMENT (Continued)**

S100667459

**LUST:**

Facility ID:	9108645	Spill Date:	11/13/1991
First notified:	REGIONAL OFFICE	Material class:	PETROLEUM
Material spilled:	WASTE OIL	Release QTY:	0.00 GALLONS
Water body affected:	Not reported	Origin:	COMMINDUST
Resource affected:	ON LAND	Notifier:	HEALTH DEPARTMENT
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	11/18/1991
Initiated clean up:	Not reported	Close Date:	11/18/1991
Last inspection:	Not reported	Investigator:	NCDH
UST Trust Fund:	No	Penalty:	NO PENALTY
Status:	MEANS ITS BEEN RESOLVED		
Quantity recovered:	0.00		
Cause:	OTHER		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

71

**CORAL GRAPHIC SERVICES INC**  
840 S BROADWAY  
HICKSVILLE, NY 11801

FINDS

1001010739  
NY0001173137

71

**CORAL GRAPHIC SERVICES INC**  
840 S BROADWAY  
HICKSVILLE, NY 11801

RCRIS-LQG

1000990164  
NYR000001230

**RCRIS:**

Owner: FC PROPERTIES INC  
(516) 576-2100

Contact: Not reported

Waste	Quantity	Info Source	Waste	Quantity	Info Source
D000	.00000 (N)	Notification	D001	.00000 (N)	Notification
D007	.00000 (N)	Notification	D010	.00000 (N)	Notification
D011	.00000 (N)	Notification	D027	.00000 (N)	Notification
F001	.00000 (N)	Notification	F002	.00000 (N)	Notification
F003	.00000 (N)	Notification	F005	.00000 (N)	Notification

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

72

**BETHPAGE TRANSMISSION**  
870 BROADWAY  
HICKSVILLE, NY 11801

FINDS

1000243979  
RCRIS-LQG NYD012728010

**RCRIS:**

Owner: NICK & STEVEN FERRARO  
(212) 555-1212

Contact: BARRY PIVNICK  
(516) 681-5210

Waste	Quantity	Info Source
U220	.00000 (N)	Notification

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

**MAP FINDINGS**

Map ID  
Direction  
Distance

Site

Database(s)

EDR ID Number  
EPA ID Number

72 FIRESTONE SAVMOR AUTO SVC.  
870 SO. BROADWAY  
HICKSVILLE, NY 11801

FINDS 1000222624  
RCRIS-LQG NYD981489826

RCRIS:

Owner: RAY VILLAFANNA  
(212) 555-1212

Contact: JOHN COVERAS  
(516) 822-2857

Waste	Quantity	Info Source	Waste	Quantity	Info Source
D000	.00000 (N)	Notification	D008	.00000 (N)	Notification

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

72 A. ERNIES AUTO BODY INC.  
870 SOUTH BROADWAY  
HICKSVILLE, NY 11801

RCRIS-SQG 1000217113  
FINDS NYD050594878

RCRIS:

Owner: ERNEST DEMARCO  
(212) 555-1212

Contact: JOSEPH ZARRILLO  
(516) 938-2929

Waste	Quantity	Info Source	Waste	Quantity	Info Source
D001	.00000 (N)	Notification	F003	.00000 (N)	Notification

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

72 TRUE AUTO RESTORATIONS INC  
870 S BROADWAY - E SECTION  
HICKSVILLE, NY 11801

RCRIS-SQG 1000553680  
FINDS NYD986961076

RCRIS:

Owner: BOB MISTRETTO  
(212) 555-1212

Contact: BOB MISTRETTO  
(516) 822-1042

Waste	Quantity	Info Source	Waste	Quantity	Info Source
D001	.00000 (N)	Notification	D035	.00000 (N)	Notification
F003	.00000 (N)	Notification			

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

73 ERM NORTHEAST  
335 NEW SOUTH RD  
HICKSVILLE, NY

LUST S100494026  
N/A



MAP FINDINGS

Map ID  
Direction  
Distance

Site

Database(s)

EDR ID Number  
EPA ID Number

**ERM NORTHEAST (Continued)**

S100494026

**LUST:**

Facility ID:	9206957	Spill Date:	09/16/1992
First notified:	C	Material class:	PETROLEUM
Material spilled:	#2 FUEL	Release QTY:	0.00 GALLONS
Water body affected:	Not reported	Origin:	COMMINDUST
Resource affected:	GROUNDWATER	Notifier:	TANK TESTER
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	12/08/1993
Initiated clean up:	Not reported	Close Date:	12/08/1993
Last Inspection:	Not reported	Investigator:	T/T/F
UST Trust Fund:	No	Penalty:	NO PENALTY
Status:	MEANS ITS BEEN RESOLVED		
Quantity recovered:	0.00		
Cause:	TANK TEST FAILURE [BULK STORE. PRO.]		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

73

**VOIGT PROPERTY**  
335 NEW SOUTH RD  
HICKSVILLE, NY 11801

**FINDS** 1000912299  
**RCRIS-LQG** NY0000588467

**RCRIS:**

Owner: VOIGT RELTY CO  
(516) 673-0037

Contact: AL VALERIO  
(516) 673-0037

Waste	Quantity	Info Source	Waste	Quantity	Info Source
D000	.00000 (N)	Notification	D008	.00000 (N)	Notification

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

73

**VACANT BUILDING**  
335 NEW SOUTH RD  
HICKSVILLE, NY

**AST** A100043272  
N/A

**Nassau County AST:**

Facility ID:	056415	Tank ID:	0002
Tank Location:	Outdoors, Aboveground	Capacity (Gal):	4000
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	PAINTED [e.g. asphaltic]	Material Type:	Fresh/Product
Piping Type:	Steel/Iron		
Description:	OIL, FUEL #2	Containment:	DIKING AND PAD
Leak Detect:	ELECTRONIC	Product Gauge:	Yes
Dispense Method:	Suction	Install Date:	0294
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		

73

**COMMERCIAL BLDG. #2**  
327 NEW SOUTH RD  
HICKSVILLE, NY

**AST** A100043125  
N/A

MAP FINDINGS

Map ID  
Direction  
Distance

Site

Database(s)

EDR ID Number  
EPA ID Number

**COMMERCIAL BLDG. #2 (Continued)**

**A100043125**

Nassau County AST:		Tank ID:	0002
Facility ID:	055747	Capacity (Gal):	1500
Tank Location:	Outdoors, Aboveground	Tank Material:	STEEL
Tank Status:	In Service		
Int Protection:	None	Material Type:	Fresh/Product
Ext Protection:	PAINTED [e.g. asphaltic]	Containment:	DOUBLE WALL TANK
Piping Type:	Galvanized Steel	Product Gauge:	Yes
Description:	OIL, FUEL #2	Install Date:	1093
Leak Detect:	OTHER	Total Tanks:	Not reported
Dispense Method:	Suction		
Fill Type:	Pumped		
Data File:	Petroleum Bulk Storage Facility		

73

**CENTURY COLLISION, INC.**  
321 NEW SOUTH ROAD  
HICKSVILLE, NY 11801

RCRIS-SQG  
FINDS

1000422539  
NYD054994280

RCRIS:

Owner: Not reported

Contact: JERRY KELAHER  
(516) 433-6290

Waste	Quantity	Info Source
D001	.00000 (N)	Notification

(P) = Pounds, (K) = Kilograms, (M) = Metric Tons, (T) = Tons, (N) = Not Reported

73

**VARIETY PETROL (P&G FUEL)**  
317 NEW SOUTH RD  
HICKSVILLE, NY

LUST

S101508024  
N/A

LUST:

Facility ID:	9414903	Spill Date:	02/13/1995
First notified:	REGIONAL OFFICE	Material class:	PETROLEUM
Material spilled:	#2 FUEL	Release QTY:	20.00 GALLONS
Water body affected:	Not reported	Origin:	TANK TRUCK
Resource affected:	ON LAND	Notifier:	FIRE DEPARTMENT
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	Not reported
Initiated clean up:	Not reported	Close Date:	Not reported
Last inspection:	Not reported	Investigator:	ACAMPORA
UST Trust Fund:	No		
Status:	Not reported	Penalty:	NO PENALTY
Quantity recovered:	0.00		
Cause:	TANK OVERFILL		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	ACTIVE SPILL [ON GOING]		

74

**JOHN GRACE & CO**  
34 WASHINGTON PKWY  
HICKSVILLE, NY 11801

FINDS

1000789191  
NYD986999365

Other Pertinent Environmental Activity Identified at Site:  
civil judicial and administrative enforcement cases against facility

**MAP FINDINGS**

Map ID Direction Distance	Site	Database(s)	EDR ID Number EPA ID Number
---------------------------------	------	-------------	--------------------------------

75	<b>BLUE FLAME</b> <b>17 HAZEL ST</b> <b>HICKSVILLE, NY 11801</b>  RCRIS: Owner: BLUE FLAME - THOMAS DUNN (212) 555-1212  Contact: STEPHEN TYREE (516) 249-3150  <table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left;">Waste</th> <th style="text-align: left;">Quantity</th> <th style="text-align: left;">Info Source</th> </tr> </thead> <tbody> <tr> <td>D001</td> <td>.00000 (N)</td> <td>Notification</td> </tr> </tbody> </table> (P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported	Waste	Quantity	Info Source	D001	.00000 (N)	Notification	<b>FINDS</b> <b>RCRIS-LOG</b>	1000196683 NYD981561004
Waste	Quantity	Info Source							
D001	.00000 (N)	Notification							

76	<b>NATIONAL METAL SPRAYING</b> <b>40 JEFFRY LN</b> <b>HICKSVILLE, NY 11801</b>  Other Pertinent Environmental Activity Identified at Site: facility has an emission permit under the Clean Air Act	<b>RCRIS-SQG</b> <b>FINDS</b>	1000259721 NYD002049658
----	---	----------------------------------	----------------------------

77	<b>DC FEMIA AUTO COLLISION</b> <b>44 WASHINGTON PKWY</b> <b>HICKSVILLE, NY 11801</b>  RCRIS: Owner: UNKNOWN (212) 555-1212  Contact: SAL FEMIA (516) 681-6660  <table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left;">Waste</th> <th style="text-align: left;">Quantity</th> <th style="text-align: left;">Info Source</th> <th style="text-align: left;">Waste</th> <th style="text-align: left;">Quantity</th> <th style="text-align: left;">Info Source</th> </tr> </thead> <tbody> <tr> <td>D000</td> <td>.00000 (N)</td> <td>Notification</td> <td>D001</td> <td>.00000 (N)</td> <td>Notification</td> </tr> <tr> <td>F003</td> <td>.00000 (N)</td> <td>Notification</td> <td>F005</td> <td>.00000 (N)</td> <td>Notification</td> </tr> </tbody> </table> (P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported	Waste	Quantity	Info Source	Waste	Quantity	Info Source	D000	.00000 (N)	Notification	D001	.00000 (N)	Notification	F003	.00000 (N)	Notification	F005	.00000 (N)	Notification	<b>RCRIS-SQG</b> <b>FINDS</b>	1000228180 NYD982180606
Waste	Quantity	Info Source	Waste	Quantity	Info Source																
D000	.00000 (N)	Notification	D001	.00000 (N)	Notification																
F003	.00000 (N)	Notification	F005	.00000 (N)	Notification																

78	<b>TBG COGEN PARTNERS</b> <b>939 SOUTH BROADWAY</b> <b>HICKSVILLE, NY 11801</b>	<b>AST</b>	U001853006 N/A
----	---	------------	-------------------

MAP FINDINGS

Map ID  
Direction  
Distance

Site

Database(s)

EDR ID Number  
EPA ID Number

**TBG COGEN PARTNERS (Continued)**

U001853006

<b>CBS AST:</b>			
Facility ID:	1-000129	Telephone:	(516) 349-8340
Owner:	TBG COGEN PARTNERS 939 SOUTH BROADWAY HICKSVILLE, NY 11801-5032 (516) 349-8340		
Facility Status:	Active	Total AST's:	2
Tank ID:	11		
Tank Status:	IN SERVICE	Capacity (Gal):	2000
Tank Location:	ABOVEGROUND	Product Stored:	LEADED GASOLINE
Install Date:	05/89		
Tank Type:	Steel/carbon steel		
Extrnl Protection:	PAINTED/ASPHALT COATING		
Intrnl Protection:	NONE		
Tank Containment:	VAULT	Pipe Location:	Aboveground
Pipe Type:	STEEL/IRON		
Pipe Internal:	NONE	Haz Percent:	93
Pipe External:	PAINTED/ASPHALT COATING		
Pipe Containment:	VAULT		
Leak Detection:	OTHER	Data File:	Not reported
Overfill Protection:	High Level Alarm/Product Level Gauge		
Chemical:	Not reported		
Tank Closed:	Not reported		
Case Number:	1310732		
Facility ID:	1-000129	Telephone:	(516) 349-8340
Owner:	TBG COGEN PARTNERS 939 SOUTH BROADWAY HICKSVILLE, NY 11801-5032 (516) 349-8340		
Facility Status:	Active	Total AST's:	2
Tank ID:	12		
Tank Status:	IN SERVICE	Capacity (Gal):	2000
Tank Location:	ABOVEGROUND	Product Stored:	LEADED GASOLINE
Install Date:	05/89		
Tank Type:	Steel/carbon steel		
Extrnl Protection:	JACKETED		
Intrnl Protection:	NONE		
Tank Containment:	VAULT	Pipe Location:	Aboveground
Pipe Type:	STEEL/IRON		
Pipe Internal:	NONE	Haz Percent:	50
Pipe External:	PAINTED/ASPHALT COATING		
Pipe Containment:	VAULT		
Leak Detection:	OTHER	Data File:	Not reported
Overfill Protection:	High Level Alarm/Product Level Gauge		
Chemical:	Not reported		
Tank Closed:	Not reported		
Case Number:	7664939		

78

**TBG COGEN PARTNERS  
939 S BROADWAY  
HICKSVILLE, NY**

AST

A100042589  
N/A

MAP FINDINGS

Map ID  
Direction  
Distance

Site

Database(s)

EDR ID Number  
EPA ID Number

**TBG COGEN PARTNERS (Continued)**

**A100042589**

**Nassau County AST:**

Facility ID:	001217	Tank ID:	0011
Tank Location:	Outdoors, Aboveground	Capacity (Gal):	2000
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	PAINTED [e.g. asphaltic]	Material Type:	Fresh/Product
Piping Type:	Other		
Description:	SODIUM HYDROXIDE	Containment:	DIKING AND PAD
Leak Detect:	OTHER	Product Gauge:	Yes
Dispense Method:	Gravity	Install Date:	0492
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	001217	Tank ID:	0012
Tank Location:	Outdoors, Aboveground	Capacity (Gal):	2000
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	PAINTED [e.g. asphaltic]	Material Type:	Fresh/Product
Piping Type:	Other		
Description:	SULPHURIC ACID	Containment:	DIKING AND PAD
Leak Detect:	OTHER	Product Gauge:	Yes
Dispense Method:	Gravity	Install Date:	0492
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	001217	Tank ID:	0051
Tank Location:	Indoors, Aboveground	Capacity (Gal):	400
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Steel/Iron		
Description:	ERYTHORBIC ACID	Containment:	DIKING AND PAD
Leak Detect:	OTHER	Product Gauge:	Yes
Dispense Method:	Submersible	Install Date:	0492
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	001217	Tank ID:	0052
Tank Location:	Indoors, Aboveground	Capacity (Gal):	75
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Steel/Iron		
Description:	SODIUM HYDROXIDE	Containment:	DIKING AND PAD
Leak Detect:	OTHER	Product Gauge:	Yes
Dispense Method:	Submersible	Install Date:	0492
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		

**MAP FINDINGS**

Map ID  
Direction  
Distance

Site

Database(s)

EDR ID Number  
EPA ID Number

**TBG COGEN PARTNERS (Continued)**

**A100042589**

Facility ID:	001217	Tank ID:	0053
Tank Location:	Indoors, Aboveground	Capacity (Gal):	75
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Steel/Iron		
Description:	SODIUM TRIPOLYPHOSPHATE	Containment:	DIKING AND PAD
Leak Detect:	OTHER	Product Gauge:	Yes
Dispense Method:	Submersible	Install Date:	0492
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	001217	Tank ID:	0054
Tank Location:	Indoors, Aboveground	Capacity (Gal):	75
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Steel/Iron		
Description:	SODIUM TRIPOLYPHOSPHATE	Containment:	DIKING AND PAD
Leak Detect:	OTHER	Product Gauge:	Yes
Dispense Method:	Submersible	Install Date:	0492
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	001217	Tank ID:	0055
Tank Location:	Indoors, Aboveground	Capacity (Gal):	100
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Steel/Iron		
Description:	SODIUM HYDROXIDE	Containment:	DIKING AND PAD
Leak Detect:	OTHER	Product Gauge:	Yes
Dispense Method:	Submersible	Install Date:	0492
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	001217	Tank ID:	0073
Tank Location:	Indoors, Aboveground	Capacity (Gal):	300
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	FIBERGLASS REINFORCED PLASTIC	Material Type:	Waste
Piping Type:	Steel/Iron		
Description:	PCB CONTAMINATED MATERIALS	Containment:	DIKING AND PAD
Leak Detect:	OTHER	Product Gauge:	Yes
Dispense Method:	Suction	Install Date:	0594
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		

78

**T B G COGEN PARTNERS**  
939 S BROADWAY  
HICKSVILLE, NY 11801

**PADS** 1000791459  
**RCRIS-SQG** NYD987029691  
**FINDS**

MAP FINDINGS

Map ID  
Direction  
Distance

Site

Database(s)

EDR ID Number  
EPA ID Number

**T B G COGEN PARTNERS (Continued)**

1000791459

RCRIS:

Owner: TBG COGEN PARTNERS  
(516) 349-8340

Contact: ANTHONY LIGATO  
(516) 349-8340

Waste	Quantity	Info Source
X001	.00000 (N)	Notification

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

78

**TBG COGEN PARTNERS  
939 S BROADWAY  
HICKSVILLE, NY 11801**

AST

U002261527  
N/A

79

**PHOTO WORKS  
25 BLUMINGDALE ROAD  
HICKSVILLE, NY 11801**

FINDS  
RCRIS-LQG

1000415373  
NYD981488240

RCRIS:

Owner: MORRIS NESSIN  
(212) 555-1212

Contact: MORRIS NESSIN  
(516) 933-6110

Waste	Quantity	Info Source
D000	.00000 (N)	Notification

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

80

**C & D TYPE SETTERS INC  
960 SOUTH BROADWAY  
HICKSVILLE, NY 11801**

FINDS  
RCRIS-LQG

1000110027  
NYD982186983

RCRIS:

Owner: CHARLES SARGENT  
(212) 555-1212

Contact: CHARLES SARGENT  
(516) 822-8514

Waste	Quantity	Info Source
D000	.00000 (N)	Notification

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

81

**YALE RADIATOR & AUTO REPAIR  
37 BLOOMINGDALE RD  
HICKSVILLE, NY 11801**

RCRIS-SQG  
FINDS

1000198265  
NYD168346880

82

**AVIS CAR RENTAL  
940 SOUTH BROADWAY  
BETHPAGE, NY**

LUST

S100147547  
N/A

**MAP FINDINGS**

Map ID  
Direction  
Distance

Site

Database(s)

EDR ID Number  
EPA ID Number

**AVIS CAR RENTAL (Continued)**

**S100147547**

**LUST:**

Facility ID:	8809010	Spill Date:	02/19/1989
First notified:	ANSWERING SERVICE	Material class:	PETROLEUM
Material spilled:	GASOLINE	Release QTY:	15.00 GALLONS
Water body affected:	Not reported	Origin:	PASSENGER VEHICLE
Resource affected:	ON LAND	Notifier:	FIRE DEPARTMENT
Basin of spill:	1700	Project ID:	0
Cleaner:	OTHER AGENCY	Date Cleaned:	02/21/1989
Initiated clean up:	Not reported	Close Date:	02/21/1989
Last Inspection:	Not reported	Investigator:	NCFM
UST Trust Fund:	No		
Status:	MEANS ITS BEEN RESOLVED	Penalty:	NO PENALTY
Quantity recovered:	0.00		
Cause:	TANK FAILURE		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

83

**AL ANDRIANO RESIDENCE  
159 12TH STREET  
BETHPAGE, NY**

**LUST**

**S100492507  
N/A**

**LUST:**

Facility ID:	9213083	Spill Date:	02/23/1993
First notified:	C	Material class:	PETROLEUM
Material spilled:	#2 FUEL	Release QTY:	1.00 GALLONS
Water body affected:	Not reported	Origin:	PRIVATE DWELLING
Resource affected:	ON LAND	Notifier:	OTHER
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	02/24/1993
Initiated clean up:	Not reported	Close Date:	02/24/1993
Last Inspection:	Not reported	Investigator:	NONE
UST Trust Fund:	No		
Status:	MEANS ITS BEEN RESOLVED	Penalty:	NO PENALTY
Quantity recovered:	0.00		
Cause:	TANK FAILURE		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

84

**TEXACO U.S.A.-A DIV. OF TEXACO INC.  
1000 SOUTH BROADWAY  
HICKSVILLE, NY 11801**

**FINDS**

**1000144460**

**RCRIS-LQG**

**NYD000694448**

**RCRIS:**

Owner: TEXACO U.S.A.  
(609) 667-3800

Contact: H E PHILLIPS  
(609) 667-3800

Waste	Quantity	Info Source	Waste	Quantity	Info Source
D000	.00000 (N)	Notification	D001	.00000 (N)	Notification
D002	.00000 (N)	Notification	D008	.00000 (N)	Notification
D001	3.26500 (M)	Part A	D008	.00100 (P)	Part A

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported



MAP FINDINGS

Map ID Direction Distance	Site	Database(s)	EDR ID Number EPA ID Number
---------------------------------	------	-------------	--------------------------------

<b>85</b>	<b>BRADCO SUPPLY CORP. 85 BLOOMINGDALE RD HICKSVILLE, NY</b>	<b>UST AST</b>	<b>U001446670 N/A</b>
-----------	--	--------------------	---------------------------

Nassau County UST:

Facility ID:	054058	Tank ID:	0002
Tank Location:	Indoors, Belowground	Capacity:	00004000
Tank Status:	In Service	Tank Material:	Fiberglass Reinforced Plastic
Piping Type:	Other	Material Type:	Fresh/Product
Int Protection:	None		
Ext Protection:	FIBERGLASS REINFORCED PLASTIC		
Description:	OIL, FUEL #2		
Leak Detect:	ELECTRONIC	Containment:	Double Wall Tank
Dispense Method:	Suction	Product Gauge:	Yes
Fill Type:	Pumped	Install Date:	1089
Total Tanks:	1		

Nassau County AST:

Facility ID:	054058	Tank ID:	0009
Tank Location:	Indoors, Aboveground	Capacity (Gal):	275
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	PAINTED [e.g. asphaltic]	Material Type:	Fresh/Product
Piping Type:	Other		
Description:	OIL, FUEL #2		
Leak Detect:	NONE	Containment:	NONE
Dispense Method:	Suction	Product Gauge:	No
Fill Type:	Pumped	Install Date:	1255
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported

<b>86</b>	<b>NYNEX VEHICLE SHERMAN AVE/SO 6TH STREET BETHPAGE, NY</b>	<b>LUST</b>	<b>S101102415 N/A</b>
-----------	---	-------------	---------------------------

LUST:

Facility ID:	9314784	Spill Date:	03/17/1994
First notified:	C	Material class:	PETROLEUM
Material spilled:	GASOLINE	Release QTY:	0.00 GALLONS
Water body affected:	Not reported	Origin:	COMM VEHICLE
Resource affected:	ON LAND	Notifier:	RESPONSIBLE PARTY
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	03/18/1994
Initiated clean up:	Not reported	Close Date:	03/18/1994
Last Inspection:	Not reported	Investigator:	GIBBONS
UST Trust Fund:	No		
Status:	MEANS ITS BEEN RESOLVED	Penalty:	NO PENALTY
Quantity recovered:	0.00		
Cause:	TANK FAILURE		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

<b>87</b>	<b>JAMOCO HEATING &amp; COOLING CORP 105 BLOOMINGDALE RD HICKSVILLE, NY 11801</b>	<b>RCRIS-SQG</b>	<b>1000990295 NYR000002543</b>
-----------	---	------------------	------------------------------------

**MAP FINDINGS**

Map ID  
Direction  
Distance

Site

Database(s)

EDR ID Number  
EPA ID Number

**JAMOCO HEATING & COOLING CORP (Continued)**

1000990295

RCRIS:

Owner: JAMOCO HEATING & COOLING CORP  
(516) 681-4400

Contact: Not reported

Waste	Quantity	Info Source	Waste	Quantity	Info Source
D001	.00000 (N)	Notification	D002	.00000 (N)	Notification
D003	.00000 (N)	Notification			

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

87

**JAMOCO HEATING & COOLING CORP**  
105 BLOOMINGDALE RD  
HICKSVILLE, NY 11801

FINDS

1001010741  
NY0001173160

88

**JAMES BELL RESIDENCE**  
127 SOUTH 1ST ST  
BETHPAGE, NY

LUST

S101657999  
N/A

LUST:

Facility ID:	9500753	Spill Date:	04/19/1995
First notified:	ANSWERING SERVICE	Material class:	PETROLEUM
Material spilled:	#2 FUEL	Release QTY:	0.00
Water body affected:	Not reported	Origin:	PRIVATE DWELLING
Resource affected:	ON LAND	Notifier:	OTHER
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	06/28/1995
Initiated clean up:	Not reported	Close Date:	06/28/1995
Last Inspection:	Not reported	Investigator:	AUSTIN
UST Trust Fund:	No	Penalty:	NO PENALTY
Status:	MEANS ITS BEEN RESOLVED		
Quantity recovered:	0.00		
Cause:	TANK FAILURE		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

89

**CASCADE WATER SERVICE., INC**  
113 BLOOMINGDALE RD  
HICKSVILLE, NY 11801

FINDS

1000961763  
NY0000640433

90

**SUNOCO SVC STA**  
125 BLOOMINGDALE RD  
HICKSVILLE, NY 11801

FINDS  
RCRIS-LQG

1000328704  
NYD000698746

MAP FINDINGS

Map ID  
Direction  
Distance

EDR ID Number  
EPA ID Number

---

**SUNOCO SVC STA (Continued)**

1000328704

RCRIS:

Owner: PIONEER GENERAL STORE INC  
(212) 555-1212

Contact: GENERAL PIONEER  
(212) 555-1212

Waste	Quantity	Info Source	Waste	Quantity	Info Source
D000	.00000 (N)	Notification	D001	.00000 (N)	Notification

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

91

**DYNAMIC PAINTING CORP**  
7 WILLIS CT  
HICKSVILLE, NY 11801

RCRIS-SQG FINDS 1000790409  
NYD987018934

RCRIS:

Owner: OTNICAJ 7 REALTY CORP  
(212) 555-1212

Contact: GLEN JACINTO  
(516) 681-6696

Waste	Quantity	Info Source
D001	.00000 (N)	Notification

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

There are 1 compliance/violation record(s) reported at this site:

Evaluation	Date	Violations
COMPLIANCE EVALUATION INSPECTION (CEI)	15-AUG-93	YES

92

**AMERICAN LITHOTECH**  
631 HICKSVILLE ROAD  
BETHPAGE, NY 11714

FINDS 1000358734  
RCRIS-LQG NYD981489453

RCRIS:

Owner: AMERICAN LITHOTECH, INC.  
(212) 555-1212

Contact: DAVID LURIE  
(516) 931-6300

Waste	Quantity	Info Source
D000	.00000 (N)	Notification

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

93

**RENAISSANCE DESIGN & BUILDING INC**  
91 ENGINEERS DR  
HICKSVILLE, NY 11801

RCRIS-SQG FINDS 1000871522  
NY0000062587

**MAP FINDINGS**

Map ID  
Direction  
Distance

Site

Database(s)

EDR ID Number  
EPA ID Number

**RENAISSANCE DESIGN & BUILDING INC (Continued)**

1000871522

RCRIS:

Owner: J DEALBUQUERQUE & D MAYER  
(516) 932-8501

Contact: DIANA SHERRARD  
(516) 932-8501

Waste	Quantity	Info Source	Waste	Quantity	Info Source
D001	.00000 (N)	Notification	D035	.00000 (N)	Notification
F003	.00000 (N)	Notification	F005	.00000 (N)	Notification

(P) = Pounds, (K) = Kilograms, (M) = Metric Tons, (T) = Tons, (N) = Not Reported

**94 HICKSVILLE POST OFFICE  
260 ENGINEERS DR  
HICKSVILLE, NY 11802**

**FINDS 1000272871  
RCRIS-LQG NY9180090020**

RCRIS:

Owner: Not reported

Contact: JOHN DOLAN  
(516) 933-2343

Waste	Quantity	Info Source
D001	.00000 (N)	Notification

(P) = Pounds, (K) = Kilograms, (M) = Metric Tons, (T) = Tons, (N) = Not Reported

**95 BOCES NASSAU TECH BETHPAGE AV  
610 HICKSVILLE RD  
BETHPAGE, NY 11714**

**RCRIS-SQG 1000221239  
FINDS NYD136581915**

RCRIS:

Owner: GRUMMAN BETHPAGE CENTER  
(212) 555-1212

Contact: JOHN GOLDEN  
(516) 576-9180

Waste	Quantity	Info Source	Waste	Quantity	Info Source
NONE	.00000 (N)	Notification	NONE	.00000 (N)	EPA Inspection

(P) = Pounds, (K) = Kilograms, (M) = Metric Tons, (T) = Tons, (N) = Not Reported

**96 ERIKSEN AUTO OWNER  
588 STEWART AVENUE  
BETHPAGE, NY**

**LUST S100665688  
N/A**

MAP FINDINGS

Map ID  
Direction  
Distance

Site

Database(s)

EDR ID Number  
EPA ID Number

**ERIKSEN AUTO OWNER (Continued)**

S100665688

**LUST:**

Facility ID:	8808488	Spill Date:	01/25/1989
First notified:	REGIONAL OFFICE	Material class:	PETROLEUM
Material spilled:	GASOLINE	Release QTY:	5.00 GALLONS
Water body affected:	Not reported	Origin:	PASSENGER VEHICLE
Resource affected:	ON LAND	Notifier:	HEALTH DEPARTMENT
Basin of spill:	1700	Project ID:	99226
Cleaner:	DEC - PIN PROJECT	Date Cleaned:	01/26/1989
Initiated clean up:	Not reported	Close Date:	04/02/1991
Last Inspection:	Not reported	Investigator:	NCFM
UST Trust Fund:	No	Penalty:	NO PENALTY
Status:	MEANS ITS BEEN RESOLVED		
Quantity recovered:	0.00		
Cause:	OTHER		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

96

**SON-LEW LAUNDRY CTR INC**  
596 STEWART AVE  
BETHPAGE, NY 11714

**RCRIS-SQG** 1000139057  
**FINDS** NYD982538621

**RCRIS:**

Owner: SON LEW LAUNDRY CENTER INC  
(212) 555-1212

Contact: BLANCHE STALTARE  
(516) 931-9636

Waste	Quantity	Info Source
-------	----------	-------------

F002	.00000 (N)	Notification
------	------------	--------------

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

97

**ABSOLUTE PHOTO INC**  
184 QUALITY PLAZA  
HICKSVILLE, NY 11801

**RCRIS-LQG** 1000334058  
NYD982743965

**RCRIS:**

Owner: JOSPEH GIAMPAPA  
(212) 555-1212

Contact: JOSEPH GIAMPAPA  
(516) 822-5400

Waste	Quantity	Info Source
-------	----------	-------------

D000	.00000 (N)	Notification
------	------------	--------------

Waste	Quantity	Info Source
-------	----------	-------------

D002	.00000 (N)	Notification
------	------------	--------------

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

97

**ABSOLUTE GRAPHICS INC**  
184 QUALITY PLAZA  
HICKSVILLE, NY 11801

**RCRIS-SQG** 1000334057  
**FINDS** NYD982743304

**MAP FINDINGS**

Map ID  
Direction  
Distance

Site

Database(s)

EDR ID Number  
EPA ID Number

**ABSOLUTE GRAPHICS INC (Continued)**

1000334057

RCRIS:

Owner: JOHN MORGAN  
(212) 555-1212

Contact: JOHN MORGAN  
(516) 939-0250

Waste	Quantity	Info Source	Waste	Quantity	Info Source
D000	.00000 (N)	Notification	D002	.00000 (N)	Notification

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

98

**J.C. PRECISION AUTOMOTIVE  
590 HICKSVILLE RD  
BETHPAGE, NY**

AST

A100043081  
N/A

Nassau County AST:

Facility ID: 055570  
Tank Location: Outdoors, Aboveground  
Tank Status: In Service  
Int Protection: Unknown  
Ext Protection: UNKNOWN  
Piping Type: Other  
Description: WASTE OIL  
Leak Detect: NONE  
Dispense Method: Suction  
Fill Type: Gravity  
Data File: Petroleum Bulk Storage Facility

Tank ID: 0002  
Capacity (Gal): 275  
Tank Material: STEEL

Material Type: Waste

Containment: NONE  
Product Gauge: No  
Install Date: 12B4  
Total Tanks: Not reported

99

**PHOENIX LABORATORIES INC  
175 LAUMAN LANE  
HICKSVILLE, NY 11801**

RCRIS-SQG  
FINDS

1000207954  
NYD003998259

Other Pertinent Environmental Activity Identified at Site:  
facility has an emission permit under the Clean Air Act

99

**PROGRESSIVE CIRCUITS INC  
180-R LAUMAN LN  
HICKSVILLE, NY 11801**

RCRIS-SQG  
FINDS

1000236610  
NYD986891521

RCRIS:

Owner: ZT ZS CORP  
(212) 555-1212

Contact: JYOTI MEHTA  
(516) 938-4456

Waste	Quantity	Info Source	Waste	Quantity	Info Source
D002	.00000 (N)	Notification	F006	.00000 (N)	Notification

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

100

**SLOMINS OIL CO  
125 LAUMAN LN  
HICKSVILLE, NY**

LUST

S100174751  
N/A

MAP FINDINGS

Map ID  
 Direction  
 Distance

Site

Database(s)

EDR ID Number  
 EPA ID Number

**SLOMINS OIL CO (Continued)**

S100174751

**LUST:**

Facility ID:	9100704	Spill Date:	04/17/1991
First notified:	ANSWERING SERVICE	Material class:	PETROLEUM
Material spilled:	#2 FUEL	Release QTY:	0.00 GALLONS
Water body affected:	Not reported	Origin:	COMMINDUST
Resource affected:	GROUNDWATER	Notifier:	TANK TESTER
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	03/02/1992
Initiated clean up:	Not reported	Close Date:	03/02/1992
Last Inspection:	Not reported	Investigator:	DEROSA
UST Trust Fund:	No	Penalty:	NO PENALTY
Status:	MEANS ITS BEEN RESOLVED		
Quantity recovered:	0.00		
Cause:	TANK TEST FAILURE [BULK STORE. PRO.]		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

100

**SLOMINS INC**  
 125 LAUMAN LANE  
 HICKSVILLE, NY 11801

**FINDS** 1000300093  
**RCRIS-LQG** NYD012869145  
**UST**  
**LUST**

**LUST:**

Facility ID:	8910541	Spill Date:	02/05/1990
First notified:	ANSWERING SERVICE	Material class:	PETROLEUM
Material spilled:	#2 FUEL	Release QTY:	5.00 GALLONS
Water body affected:	Not reported	Origin:	TANK TRUCK
Resource affected:	ON LAND	Notifier:	RESPONSIBLE PARTY
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	02/05/1990
Initiated clean up:	Not reported	Close Date:	02/05/1990
Last Inspection:	Not reported	Investigator:	NONE
UST Trust Fund:	No	Penalty:	NO PENALTY
Status:	MEANS ITS BEEN RESOLVED		
Quantity recovered:	0.00		
Cause:	TANK OVERFILL		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

**Nassau County UST:**

Facility ID:	055883	Tank ID:	0004
Tank Location:	Indoors, Belowground	Capacity:	00002000
Tank Status:	In Service	Tank Material:	STEEL
Piping Type:	Galvanized Steel	Material Type:	Waste
Int Protection:	None		
Ext Protection:	FIBERGLASS REINFORCED PLASTIC		
Description:	WASTE OIL		
Leak Detect:	OTHER	Containment:	Other
Dispense Method:	Suction	Product Gauge:	No
Fill Type:	Gravity	Install Date:	0685
Total Tanks:	3		

MAP FINDINGS

Map ID  
Direction  
Distance

Site

Database(s)

EDR ID Number  
EPA ID Number

**SLOMINS INC (Continued)**

1000300093

Facility ID:	055883	Tank ID:	0005
Tank Location:	Indoors, Belowground	Capacity:	00001000
Tank Status:	In Service	Tank Material:	STEEL
Piping Type:	Galvanized Steel	Material Type:	Fresh/Product
Int Protection:	None		
Ext Protection:	FIBERGLASS REINFORCED PLASTIC		
Description:	OIL, FUEL #2		
Leak Detect:	OTHER	Containment:	Other
Dispense Method:	Suction	Product Gauge:	Yes
Fill Type:	Gravity	Install Date:	0685
Total Tanks:	3		

Facility ID:	055883	Tank ID:	0006
Tank Location:	Indoors, Belowground	Capacity:	00001000
Tank Status:	In Service	Tank Material:	STEEL
Piping Type:	Galvanized Steel	Material Type:	Fresh/Product
Int Protection:	None		
Ext Protection:	FIBERGLASS REINFORCED PLASTIC		
Description:	OIL, FUEL #2		
Leak Detect:	OTHER	Containment:	Other
Dispense Method:	Suction	Product Gauge:	Yes
Fill Type:	Gravity	Install Date:	0685
Total Tanks:	3		

101

**GRECO BROS. BULK TERMINAL  
LAUMAN LA & HICKSVILLE RD.  
HICKSVILLE, NY 11714**

AST

U001853917  
N/A

**MOSF AST:**

Facility ID:	1-3100	Telephone:	(516) 681-1515
Facility Status:	ACTIVE FACILITY		
Owner:	GRECO BROS. FUEL CORP. P.O. BOX 208 239 BROADWAY BETHPAGE, NY 11714-		
Owner Tel:	(516) 938-5200		
Tank ID:	001	Tank Status:	IN SERVICE
Tank Location:	ABOVEGROUND		
Install Date:	10/55	Capacity (Gal):	500000
Tank Type:	Steel/carbon steel	Tank Internal:	EPOXY LINER
Product:	NOS 1,2, OR 4 FUEL OIL		
Tank External:	SACRIFICIAL ANODE	Pipe Type:	STEEL/IRON
Pipe Location:	Above/Underground Combination	Dispenser:	Suction
Pipe Internal:	NONE		
Pipe External:	NONE		
Second Contain:	CONCRETE DIKE/IMPERVIOUS UNDERLAYMENT		
Leak Detection:	GROUNDWATER WELL		
Overfill Protection:	High Level Alarm		
Test Date:	10/86	Date Closed:	Not reported
Dispensing Mthd:	Suction		
Data File:	Not reported		

102

**BETHPAGE PUBLIC LIBRARY  
47 POWELL AVE  
BETHPAGE, NY**

LUST

S100492543  
N/A



MAP FINDINGS

Map ID  
Direction  
Distance

Site

Database(s)

EDR ID Number  
EPA ID Number

**BETHPAGE PUBLIC LIBRARY (Continued)**

S100492543

**LUST:**

Facility ID:	9213367	Spill Date:	03/03/1993
First notified:	ANSWERING SERVICE	Material class:	PETROLEUM
Material spilled:	#2 FUEL	Release QTY:	0.00 GALLONS
Water body affected:	Not reported	Origin:	NON-COMMUNST
Resource affected:	GROUNDWATER	Notifier:	TANK TESTER
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	08/11/1993
Initiated clean up:	Not reported	Close Date:	08/11/1993
Last Inspection:	Not reported	Investigator:	T/T/F
UST Trust Fund:	No	Penalty:	NO PENALTY
Status:	MEANS ITS BEEN RESOLVED		
Quantity recovered:	0.00		
Cause:	TANK TEST FAILURE [BULK STORE. PRO.]		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

102

**BETHPAGE PUBLIC LIBRARY  
POWELL AVENUE  
BETHPAGE, NY**

LUST

S100149020  
N/A

**LUST:**

Facility ID:	8704151	Spill Date:	08/19/1987
First notified:	REGIONAL OFFICE	Material class:	PETROLEUM
Material spilled:	#2 FUEL	Release QTY:	0.00 GALLONS
Water body affected:	Not reported	Origin:	NON-COMMUNST
Resource affected:	GROUNDWATER	Notifier:	TANK TESTER
Basin of spill:	17	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	10/03/1988
Initiated clean up:	Not reported	Close Date:	10/03/1988
Last Inspection:	Not reported	Investigator:	O'NEILL
UST Trust Fund:	No	Penalty:	NO PENALTY
Status:	MEANS ITS BEEN RESOLVED		
Quantity recovered:	0.00		
Cause:	TANK TEST FAILURE [BULK STORE. PRO.]		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

103

**BETHPAGE BEST CLEANERS  
360 BROADWAY  
BETHPAGE, NY 11714**

RCRIS-SQG  
FINDS

1000243983  
NYD981086085

**RCRIS:**

Owner: YOO HANG JEON  
(516) 935-3333

Contact: YOO HANG JEON  
(516) 935-3333

Waste	Quantity	Info Source
F002	.00000 (N)	Notification

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

MAP FINDINGS

Map ID Direction Distance	Site	Database(s)	EDR ID Number EPA ID Number
---------------------------------	------	-------------	--------------------------------

<b>104</b>	<b>BETHPAGE SERVICE STATION 515 STEWART AVE BETHPAGE, NY</b>	<b>UST</b>	<b>U001855327 N/A</b>
------------	--	------------	---------------------------

Nassau County UST:

Facility ID: 056695	Tank ID: 0004
Tank Location: Indoors, Belowground	Capacity: 00001000
Tank Status: In Service	Tank Material: Fiberglass Reinforced Plastic
Piping Type: Galvanized Steel	Material Type: Fresh/Product
Int Protection: None	
Ext Protection: FIBERGLASS REINFORCED PLASTIC	
Description: OIL, FUEL #2	
Leak Detect: OTHER	Containment: Other
Dispense Method: Suction	Product Gauge: No
Fill Type: Gravity	Install Date: 0281
Total Tanks: 2	

Facility ID: 056695	Tank ID: 0005
Tank Location: Indoors, Belowground	Capacity: 00000500
Tank Status: In Service	Tank Material: STEEL
Piping Type: Galvanized Steel	Material Type: Waste
Int Protection: None	
Ext Protection: FIBERGLASS REINFORCED PLASTIC	
Description: WASTE OIL	
Leak Detect: OTHER	Containment: Other
Dispense Method: Gravity	Product Gauge: No
Fill Type: Gravity	Install Date: 0281
Total Tanks: 2	

<b>105</b>	<b>UNK 3529 CORTNEY LANE BETHPAGE, NY</b>	<b>LUST</b>	<b>S100173586 N/A</b>
------------	---	-------------	---------------------------

LUST:

Facility ID: 9003089	Spill Date: 06/14/1990
First notified: C	Material class: PETROLEUM
Material spilled: #2 FUEL	Release QTY: 0.00 GALLONS
Water body affected: Not reported	Origin: PRIVATE DWELLING
Resource affected: ON LAND	Notifier: AFFECTED PERSONS
Basin of spill: 1700	Project ID: 0
Cleaner: SPILLER	Date Cleaned: 12/17/1990
Initiated clean up: Not reported	Close Date: 12/17/1990
Last inspection: Not reported	Investigator: HOFMANN
UST Trust Fund: No	
Status: MEANS ITS BEEN RESOLVED	Penalty: NO PENALTY
Quantity recovered: 0.00	
Cause: TANK OVERFILL	
Emergency response: IT WAS NOT TAKEN	
Facility status: COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]	

<b>106</b>	<b>SUNOCO 489 STEWART AVENUE BETHPAGE, NY</b>	<b>LUST</b>	<b>S100169300 N/A</b>
------------	---	-------------	---------------------------

MAP FINDINGS

Map ID  
Direction  
Distance

Site

Database(s)

EDR ID Number  
EPA ID Number

**SUNOCO (Continued)**

S100169300

**LUST:**

Facility ID:	8902244	Spill Date:	06/02/1989
First notified:	REGIONAL OFFICE	Material class:	PETROLEUM
Material spilled:	WASTE OIL	Release QTY:	0.00 GALLONS
Water body affected:	Not reported	Origin:	GAS STATION
Resource affected:	ON LAND	Notifier:	DEC
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	06/09/1989
Initiated clean up:	Not reported	Close Date:	06/09/1989
Last Inspection:	Not reported	Investigator:	LEUNG
UST Trust Fund:	Yes	Penalty:	NO PENALTY
Status:	MEANS ITS BEEN RESOLVED		
Quantity recovered:	0.00		
Cause:	TANK FAILURE		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

106

**S & S SUNOCO SERVICE  
489 STEWART AVE  
BETHPAGE, NY 11714**

**FINDS 1000328751  
RCRIS-LQG NYD000701599**

**RCRIS:**

Owner: LVF CONT  
(212) 555-1212

Contact: L MANZO  
(516) 931-9244

Waste	Quantity	Info Source	Waste	Quantity	Info Source
D000	.00000 (N)	Notification	D001	.00000 (N)	Notification

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

Other Pertinent Environmental Activity Identified at Site:  
civil judicial and administrative enforcement cases against facility

106

**PAGE SERVICE STATION  
497 STEWART AVE  
BETHPAGE, NY**

**AST A100043090  
N/A**

**Nassau County AST:**

Facility ID:	055611	Tank ID:	0002
Tank Location:	Indoors, Aboveground	Capacity (Gal):	250
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Other	Material Type:	Waste
Description:	WASTE OIL		
Leak Detect:	NONE	Containment:	NONE
Dispense Method:	Suction	Product Gauge:	No
Fill Type:	Gravity	Install Date:	1255
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported

107

**EASTERN EXTERMINATING CO INC  
326 BROADWAY  
BETHPAGE, NY 11714**

**FINDS 1000402157  
RCRIS-LQG NYD049202088**

MAP FINDINGS

Map ID  
Direction  
Distance

Site

Database(s)

EDR ID Number  
EPA ID Number

**EASTERN EXTERMINATING CO INC (Continued)**

1000402157

RCRIS:

Owner: Not reported

Contact: CHARLES KEATING  
(517) 735-4142

Waste	Quantity	Info Source
P122	.00000 (N)	Notification

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

107

**UNK**  
**339 BROADWAY / WASHINGTON**  
**BETHPAGE, NY**

LUST

S100491423  
N/A

LUST:

Facility ID:	9204651	Spill Date:	07/22/1992
First notified:	ANSWERING SERVICE	Material class:	PETROLEUM
Material spilled:	#2 FUEL	Release QTY:	10.00 GALLONS
Water body affected:	Not reported	Origin:	TANK TRUCK
Resource affected:	ON LAND	Notifier:	FIRE DEPARTMENT
Basin of spill:	1700	Project ID:	0
Cleaner:	OTHER AGENCY	Date Cleaned:	09/20/1992
Initiated clean up:	Not reported	Close Date:	09/20/1992
Last Inspection:	Not reported	Investigator:	DECANDIA
UST Trust Fund:	No	Penalty:	NO PENALTY
Status:	MEANS ITS BEEN RESOLVED		
Quantity recovered:	0.00		
Cause:	TANK OVERFILL		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

108

**GIFFORD OIL**  
**24 HUNTER LANE**  
**LEVITTOWN, NY**

LUST

S100173351  
N/A

LUST:

Facility ID:	9000830	Spill Date:	04/23/1990
First notified:	ANSWERING SERVICE	Material class:	PETROLEUM
Material spilled:	#2 FUEL	Release QTY:	1.00 GALLONS
Water body affected:	Not reported	Origin:	PRIVATE DWELLING
Resource affected:	ON LAND	Notifier:	AFFECTED PERSONS
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	04/27/1990
Initiated clean up:	Not reported	Close Date:	04/27/1990
Last Inspection:	Not reported	Investigator:	ANDERSON
UST Trust Fund:	No	Penalty:	NO PENALTY
Status:	MEANS ITS BEEN RESOLVED		
Quantity recovered:	0.00		
Cause:	TANK OVERFILL		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

MAP FINDINGS

Map ID Direction Distance	Site	Database(s)	EDR ID Number EPA ID Number
---------------------------------	------	-------------	--------------------------------

109	<b>BETHPAGE AUTO BODY</b> 309 BROADWAY BETHPAGE, NY 11714	FINDS RCRIS-LQG	1000243982 NYD981085764
-----	---	--------------------	----------------------------

RCRIS:

Owner: Not reported

Contact: IRWIN LAZARUS  
(516) 822-5093

Waste	Quantity	Info Source
-------	----------	-------------

D001	.00000 (N)	Notification
------	------------	--------------

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

110	<b>ZIMMER RESIDENCE</b> 3609 FIDDLER LANE BETHPAGE, NY	LUST	S100148412 N/A
-----	--	------	-------------------

LUST:

Facility ID: 8912328	Spill Date: 03/26/1990
First notified: REGIONAL OFFICE	Material class: PETROLEUM
Material spilled: #2 FUEL	Release QTY: 0.00 GALLONS
Water body affected: Not reported	Origin: PRIVATE DWELLING
Resource affected: ON LAND	Notifier: HEALTH DEPARTMENT
Basin of spill: 1700	Project ID: 0
Cleaner: SPILLER	Date Cleaned: 03/29/1990
Initiated clean up: Not reported	Close Date: 03/29/1990
Last inspection: Not reported	Investigator: NONE
UST Trust Fund: No	
Status: MEANS ITS BEEN RESOLVED	Penalty: NO PENALTY
Quantity recovered: 0.00	
Cause: TANK FAILURE	
Emergency response: IT WAS NOT TAKEN	
Facility status: COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]	

111	<b>TRANSMISSION TECHNICIANS</b> 305 BROADWAY BETHPAGE, NY 11714	RCRIS-SQG FINDS	1000791672 NYD987031895
-----	---	--------------------	----------------------------

RCRIS:

Owner: TRANSMISSION TECHNICIANS INC  
(516) 938-8139

Contact: WALTER LAUT  
(516) 938-8139

Waste	Quantity	Info Source
-------	----------	-------------

D001	.00000 (N)	Notification
------	------------	--------------

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

112	<b>LVF CONTRACTING</b> STEWART AVE & LAFAYETTE AVE BETHPAGE, NY 11714	FINDS RCRIS-LQG	1000108433 NYD982742934
-----	---	--------------------	----------------------------

**MAP FINDINGS**

Map ID  
Direction  
Distance

Site

Database(s)

EDR ID Number  
EPA ID Number

**LVF CONTRACTING (Continued)**

1000108433

RCRIS:

Owner: LVF CONTRACTING  
(212) 555-1212

Contact: LENNY MANZO  
(516) 546-3475

Waste	Quantity	Info Source
D001	.00000 (N)	Notification

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

113

**KANOWSKY RESIDENCE  
556 CENTRAL AVENUE  
BETHPAGE, NY**

LUST

S100150512  
N/A

LUST:

Facility ID:	9000164	Spill Date:	04/01/1990
First notified:	REGIONAL OFFICE	Material class:	PETROLEUM
Material spilled:	#2 FUEL	Release QTY:	0.00 GALLONS
Water body affected:	Not reported	Origin:	PRIVATE DWELLING
Resource affected:	GROUNDWATER	Notifier:	RESPONSIBLE PARTY
Basin of spill:	1700	Project ID:	90473
Cleaner:	DEC - PIN PROJECT	Date Cleaned:	01/28/1992
Initiated clean up:	Not reported	Close Date:	04/19/1993
Last Inspection:	Not reported	Investigator:	HAAS
UST Trust Fund:	No	Penalty:	NO PENALTY
Status:	MEANS ITS BEEN RESOLVED		
Quantity recovered:	0.00		
Cause:	TANK FAILURE		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

114

**EAGAL NEST  
500 CENTRAL AVE  
BETHPAGE, NY 11714**

RCRIS-SQG 1000553989  
FINDS NYD986964278

RCRIS:

Owner: EAGELS NEST MOTOR SPORT INC  
(516) 822-9494

Contact: JOSEPH PARISI  
(516) 877-9494

Waste	Quantity	Info Source	Waste	Quantity	Info Source
D000	.00000 (N)	Notification	D001	.00000 (N)	Notification
D008	.00000 (N)	Notification			

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

**MAP FINDINGS**

Map ID  
Direction  
Distance

Site

Database(s)

EDR ID Number  
EPA ID Number

**EAGAL NEST (Continued)**

**1000553989**

There are 1 compliance/violation record(s) reported at this site:

Evaluation	Date	Violations
NON-FINANCIAL RECORD REVIEW (NRR)	01-APR-94	YES

114

**EAGLES NEST  
500 CENTRAL AVE  
BETHPAGE, NY**

**AST**

**A100043255  
N/A**

**Nassau County AST:**

Facility ID:	056330	Tank ID:	0002
Tank Location:	Indoors, Aboveground	Capacity (Gal):	250
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	OTHER	Material Type:	Fresh/Product
Piping Type:	Steel/Iron		
Description:	OIL, MOTOR	Containment:	NONE
Leak Detect:	OTHER	Product Gauge:	No
Dispense Method:	Suction	Install Date:	1261
Fill Type:	Gravity	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		

City	EDR ID	Site Name	Site Address	Zip	Database(s)	Facility ID
BETHPAGE	95275392	BARBEQUE WAREHOUSE	RTE 107 WANTAGH AVENUE	11714	ERNS	9206489
BETHPAGE	8705774	NORTHVILLE GAS STATION	RT 107 N/O HEMPSTEAD TPK	11714	ERNS	
BETHPAGE	S100491639	LILCO-LEWITTOWN SUBSTATION	RTE 135 OVER BROADWAY	11714	FINDS, RCRIS-LOG	
BETHPAGE	1000178950	NYSDOT BIN 1037899	RTE 135 OVER BROADWAY	11714	FINDS, RCRIS-LOG	
BETHPAGE	1000890357	NYSDOT BIN 1037859	RTE 135 OVER BOUNDARY AVE	11714	FINDS, RCRIS-LOG	
BETHPAGE	1000890356	NYSDOT BIN 1037859	RTE 135 UNDER CENTRAL AVE	11714	FINDS, RCRIS-LOG	
BETHPAGE	1000556026	NYSDOT BIN 1037860	RTE 135 UNDER CENTRAL AVE	11714	FINDS, RCRIS-LOG	
BETHPAGE	1000556023	NYSDOT BIN 1037909	RTE 135 OVER HAYPATH RD	11714	FINDS, RCRIS-LOG	
BETHPAGE	S101657986	BETHPAGE STATE PARK	BETHPAGE STATE PARK	11714	FINDS, RCRIS-LOG	8807183
BETHPAGE	S100149985	OGS/NYS	BETHPAGE STATE PARK	11714	LUST	8803898
BETHPAGE	S100664457	SEALIT	75 BLOOMINGDALE ROAD	11714	LUST	9113120
BETHPAGE	U002264560	JOHN F. KENNEDY J.H.S.	BROADWAY	11714	UST	
BETHPAGE	A100042904	BETHPAGE SCHBUS GARAGE	BROADWAY	11714	AST	
BETHPAGE	A100042542	BETHPAGE W.D. PLANT 5	BROADWAY	11714	AST	
BETHPAGE	U002264561	CENTRAL BLVD SCHOOL	CENTRAL AVE.	11714	UST	
BETHPAGE	1000164786	SUNBRITE LAUNDROMAT & DRY CLEAN	4025 CHEMPSTEAD TPK	11714	FINDS, RCRIS-LOG	8703585
BETHPAGE	1000243990	BETHPAGE U F S D	CHERRY AVE	11714	UST	
BETHPAGE	U002096875	MERIT PLAINEDGE	4165 HEMPSTEAD TPKE	11714	UST	
BETHPAGE	U001854934	MOBIL S/S #17-K1Y	4180 HEMPSTEAD TPKE	11714	UST	041128
BETHPAGE	S101908890	OCEAN PETROLEUM	HEMPSTEAD TPKE / RTE 107	11714	UST	9416174
BETHPAGE	S100151295	GAIL ROCK REALTY	4230 HEMPSTEAD TPKE	11714	LUST	9007407
BETHPAGE	1000872165	MID-ISLAND HOSPITAL INC	4295 HEMPSTEAD TPK	11714	RCRIS-LOG	
BETHPAGE	1000791783	ISLAND TREES AUTOMOTIVE LTD	4190 HEMPSTEAD TPK	11714	FINDS, RCRIS-LOG	
BETHPAGE	1000554868	EXXON SVC STA 38959	3965 HEMPSTEAD TPK	11714	RCRIS-SQG, FINDS	
BETHPAGE	1000553613	MOBIL OIL CORP SS #K1Y	4180 HEMPSTEAD TPK	11714	RCRIS-SQG, FINDS	
BETHPAGE	1000457540	JIFFY LUBE	4000 HEMPSTEAD TPK	11714	RCRIS-SQG, FINDS	
BETHPAGE	1000263758	MERIT OIL CORP	4165 HEMPSTEAD TPKE	11714	FINDS, RCRIS-LOG, LUST	8809104
BETHPAGE	1000211487	POWER TEST BETHPAGE	4101 HEMPSTEAD TPK	11714	RCRIS-SQG, FINDS	
BETHPAGE	1000144478	TEXACO SVC STA	HEMPSTEAD TPK & STEWART	11714	FINDS, RCRIS-LOG	
BETHPAGE	1000135312	A & V MANSON SUPPLY INC	4108 HEMPSTEAD TPK	11714	RCRIS-SQG, FINDS	
BETHPAGE	1000549576	LONG ISLAND SWIMMING POOL SERV	4040 HEMPSTEAD LAKE PARK	11714	FINDS	
BETHPAGE	S101508034	SUN COMPANY INC	100 HICKSVILL ROAD	11714	LUST	9415008
BETHPAGE	1000446478	SAL MIKE REALTY	980 HICKSVILLE RD	11714	RCRIS-SQG, FINDS	
BETHPAGE	1000244487	BETHVIEW WHEEL ALIGNMENT, INC.	HICKSVILLE RD. & CENTRAL AVE.	11714	FINDS, RCRIS-LOG	8607347
BETHPAGE	S100171097	MEENAN OIL	30 HUB DRIVE	11714	LUST	9106298
BETHPAGE	S100663909	APA TRANSPORT	IMPERATIVE ROAD	11714	LUST	
BETHPAGE	1000549423	DOUGLAS CHEMICAL DIVISION DEIC	1 LEXINGTON AVE	11714	FINDS	
BETHPAGE	S100665895	UNK	MANCHESTER DR/PLAINVIEW R	11714	LUST	8906174
BETHPAGE	S100664230	MR.BAR-B-QUE	NIBBE LANE / LEXINGTON AV	11714	LUST	8706872
BETHPAGE	1000551074	TBG COGENERATION	NYS ROUTE 107	11714	FINDS	
BETHPAGE	S100189909	MOBIL OIL	SO OYSTER BAY / STEWART A	11714	LUST	8908752
BETHPAGE	1000148518	NAVAL WEAPONS INDUSTRIAL RESERVE PLANT	SOUTH OYSTER BAY ROAD	11714	CERCLIS, FINDS	
BETHPAGE	U002096782	BETHPAGE W.D. PLANT 6	PARK LANE	11714	UST	



ORPHAN SUMMARY

City	EDR ID	Site Name	Site Address	Zip	Database(s)	Facility ID
BETHPAGE	U001446275	CHARLES CAMPAGNE SCHOOL	PLAINVIEW RD.	11714	UST	052346
BETHPAGE	1000407948	NORTHERN ALLOYS INC	PLAINVIEW RD & MANCHESTER	11714	RCRIS-SQG, FINDS	
BETHPAGE	1001028645	NYSDOT BIN 1037880	POWELL AVE OVER RTE 135	11714	RCRIS-LOG	
BETHPAGE	S100666388	GRAND CARTING COMPANY	ROUND SWAMP ROAD	11714	LUST	9001430
BETHPAGE	S100664722	UNK	ROUND SWAMP ROAD	11714	LUST	9205621
BETHPAGE	S100781376	TIM HARBULAK PASS VEHICLE	S.O.B EXIT 9 SO BOUND	11714	LUST	9310169
BETHPAGE	U002098706	BETHPAGE WD PLANT 4	SOPHIA STREET	11714	UST, AST	
BETHPAGE	S100878944	MEENAN OIL	SOPHIA STREET	11714	LUST	9313853
BETHPAGE	U002284558	JOHN H. WEST SCHOOL	STEWART & BOUNDARY AVES.	11714	UST	
BETHPAGE	U002284557	NORTHEGE SCHOOL	STEWART AVE.	11714	UST	
BETHPAGE	S101340109	DIFAZIO ELECTRIC (G.C.)	STEWART AVE	11714	LUST	9411984
BETHPAGE	S101173536	TOWN OF OYSTER BAY	STEWART AVE	11714	LUST	9409098
BETHPAGE	S100521004	NAVAL WEAPONS IND. RESERVE PLANT	STEWART AVENUE	11714	SHWS	
BETHPAGE	1000432425	SERVICE STATION	N/S STEWART & CHERRY AVES	11714	FINDS, RCRIS-LOG	
BETHPAGE	1000243981	BETHPAGE COMMUNITY PARK	STEWART AVE	11714	RCRIS-SQG, FINDS, UST, LUST	
BETHPAGE	S101658135	PAUL SOHAYEGH RESIDENCE	37 STYMUS AVENUE	11714	LUST	9110181
BETHPAGE	S100149786	ESTEE LANDER	182 SWEAT HOLLOW RD.	11714	LUST	9505184
BETHPAGE	S100149789	ESTEE LAUDER	182 SWEAT HOLLOW ROAD	11714	LUST	8707804
BETHPAGE	S100490592	ISLAND TRANSPORT CORP	SOUTH WAREHOUSE AT GRUMMA	11714	LUST	8707921
FARMINGDALE	1000243984	BETHPAGE STATE PARK	BETHPAGE PKY	11714	LUST	9105673
FARMINGDALE	U000726342	FRG-AIR TRAFFIC CONTROL TOWER	REPUBLIC AIRPORT	11714	RCRIS-SQG, FINDS, LUST	8907195
GARDEN CITY	1000788293	MITA BUS GARGE (FORMERLY PUREX IND INC)	COMMERCIAL AVE (MITCHELL FIELD	11756	FINDS	1-1260
HICKSVILLE	9202672	15602 JACINTO PORT BLVD NO. B DOCK		11801	ERNS	
HICKSVILLE	9201947	1401 SHERIDAN AVE		11801	ERNS	
HICKSVILLE	1000335584	EXXON CO USA - HICKSVILLE	RTE 106 & 107	11801	FINDS, RCRIS-LOG	
HICKSVILLE	1000144487	TEXACO SERVICE STATION - 13-008-0198	RTE 107 & BETHPAGE RD	11801	FINDS, RCRIS-LOG	
HICKSVILLE	1000895928	MICRO CONTACTS INC.	62 ALPHA PLAZA	11801	TRIS, AST	
HICKSVILLE	1000365637	MICRO CONTACTS INC	62 ALPHA PLAZA	11801	FINDS, RCRIS-LOG	1-000187
HICKSVILLE	1000356885	ANDREWS-MUNNERY ENVELOPE AND PAPER CO.	74 ALPHA PLAZA	11801	RCRIS-SQG, FINDS	
HICKSVILLE	1000273024	STOKVIS MULTITON CORP.	51 ALPHA PLAZA	11801	FINDS, RCRIS-SQG, FINDS	
HICKSVILLE	1000558708	NEWBAR SERVICE CENTER	1 BARTEL LANE	11801	FINDS, LUST	9007547
HICKSVILLE	1000457875	HICKSVILLE WATER DIST	BETHPAGE & WOODBURY RDS - N 1000 FT	11801	RCRIS-SQG, FINDS	
HICKSVILLE	1000412481	CONTINENTAL COLLISION	778 BLOOMINGDALE RD	11801	FINDS	
HICKSVILLE	1000791908	WHOLE SALE TIRE CO	358 B BROADWAY MALL	11801	RCRIS-SQG, FINDS	
HICKSVILLE	1000555555	M G M TOWING & AUTOMOTIVE	870 S BROADWAY - FRONT OF BLDG	11801	RCRIS-SQG, FINDS	
HICKSVILLE	1000335580	EXXON CO	BROADWAY & RTE 106	11801	LUST	9002638
HICKSVILLE	1000261468	ENVIRONMENTALLY SAFE TRANSPORT	23 CHARLOTT AVENUE	11801	RCRIS-SQG, FINDS	
HICKSVILLE	S100669239	GALILEO GALLAY LODGE	209 LEVITTOWN PKY	11801	LUST	9106495
HICKSVILLE	S100667442	USPO	106 LUDY ST	11801	FINDS	
HICKSVILLE	1000961118	NATL LUBRICATION SYSTEMS LTD	1300 MID ISLAND PLAZA	11801	FINDS	
HICKSVILLE	1000457676	HICKSVILLE WATER DISTRICT	NEWBRIDGE RD	11801	FINDS	
HICKSVILLE	1001010740	SUNRISE PROFESSIONAL SVC INC	73A OLD COUNTRY RD DELCO PLAZA	11801	FINDS	
HICKSVILLE	1000788398	GETTY SVC STA	178 OLD COUNTRY RD	11801	RCRIS-SQG, FINDS	
HICKSVILLE	1000788788	WESTERN AUTO REPAIR	67 OLD COUNTRY RD	11801	FINDS	
HICKSVILLE	1000381240	FRESH START CLEANERS	212 OLD COUNTRY ROAD	11801	FINDS, RCRIS-LOG	
HICKSVILLE	1000144528	TEXACO SVC STA	180 OLD COUNTRY RD	11801	FINDS, RCRIS-LOG	

City	EDR ID	Site Name	Site Address	Zip	Database(s)	Facility ID
HICKSVILLE	1000140663	S. S. PREMISES C/O SHELL OIL CO.	500 OLD CO. RD & LEVITTOWN RD	11801	FINDS, RCRIS-LOG	9009085
HICKSVILLE	S100669283	GETTY SS	400 S OYSTER BAY RD	11801	LUST	
HICKSVILLE	1000358704	AMERICAN DRIVE IN CLEANERS	418 S OYSTER BAY ROAD	11801	FINDS, RCRIS-LOG	
HICKSVILLE	1000121900	OUR LADY OF MERCY CHURCH	500 SOUTH OYSTER BAY ROAD	11801	RCRIS-SQG, FINDS	
HICKSVILLE	1001010743	MERIT OYSTER BAY	496 PLAINVIEW RD	11801	FINDS	
HICKSVILLE	1000549569	LIFESPAN PRODS COMPANY INC	128 QUALITY PLAZA	11801	FINDS	
ISLAND PARK	95305650			11801	ERNS	
JERUSALEM	S101102772	KEUKA LAKE STATE PARK	ROUTE 54A CAMP COMFORT ST	11714	LUST	9400514
JERUSALEM	S101508514	KEUKA COLLEGE	KEUKA COLLEGE	11714	LUST	7780920
JERUSALEM	S101340786	KEUKA COLLEGE	KEUKA PARK KEUKA COLLEGE	11714	LUST	9413839
LEVITTOWN	S100664038	REGENT MANAGEMENT	S BERRY AVE / HEMPSTEAD	11756	LUST	9006368
LEVITTOWN	S100665847	UNK TRACTOR TRAILER	DIVISION AVE/HEMPSTEAD TP	11756	LUST	8903605
LEVITTOWN	S100666382	JEROME RESIDENCE	3156 EUSTIN ROAD	11756	LUST	9001020
LEVITTOWN	S100168366	RESIDENCE	480 GARDNERS AVENUE	11756	LUST	8900317
LEVITTOWN	S100666838	AMOCO S/S	HEMPSTEAD TPKE	11756	LUST	9300451
LEVITTOWN	S100177165	GULF	HEMPSTEAD TPKE / JERUSALEM	11756	LUST	9102426
LEVITTOWN	S100151999	TSS/K MART	HEMPSTEAD TPKE / GARDENER	11756	LUST	9101187
LEVITTOWN	S100149526	SCORE/DR NICK'S	HEMPSTEAD TPKE / GARDENER	11756	LUST	9201143
LEVITTOWN	1000791011	GETTY SVC STA	31903200 HEMPSTEAD TRK	11756	LUST	055549
LEVITTOWN	1000554497	KICK & HALLER INC	3730 HEMPSTEAD TRPK	11756	RCRIS-SQG, FINDS	
LEVITTOWN	1000414787	GOTTLIEB MARC DDS	3000 HEMPSTEAD TRPK	11756	RCRIS-SQG, FINDS	
LEVITTOWN	1000358736	AMERICAN CLEANERS	3601 HEMPSTEAD TRPK SUITE 420	11756	FINDS, RCRIS-LOG	
LEVITTOWN	1000328771	SUNOCO SERVICE STATION	3801 HEMPSTEAD TRPK	11756	FINDS, RCRIS-LOG	
LEVITTOWN	1000256075	LEVINE ANDREW M & ASSOC	4295 HEMPSTEAD TRPK & DIV AVE	11756	RCRIS-SQG, FINDS	
LEVITTOWN	S100173023	NEW YORK TELEPHONE	2900 HEMPSTEAD TRPK SUITE 111	11756	RCRIS-SQG, FINDS	
LEVITTOWN	1000267145	SALK SCHOOL	3313 HEMPSTEAD TPKE	11756	LUST	8901985
LEVITTOWN	S100492019	PENASKY RESIDENCE	JERUSALEM & WANTAGH AVE	11756	FINDS, RCRIS-LOG	9209374
LEVITTOWN	S100147448	MAJOR FUEL OIL CO	183 KINGFISHES ROAD	11756	LUST	8807549
LEVITTOWN	S101173985	MEENAN OIL	LAUREL LA / ORCHARD ST	11756	LUST	9408986
LEVITTOWN	S100177624	HOLIDAY MGT CORP	299 LOCKSMITH ROAD	11756	LUST	9112208
LEVITTOWN	S101173984	RELIANCE	LONGFELLOW AVENUE	11756	LUST	9408919
LEVITTOWN	S100168939	MEENAN OIL	178 MERIDIAN ROAD	11756	LUST	8807457
LEVITTOWN	S100170794	GALLEI	38 OAK TREE LANE	11756	LUST	8603880
LEVITTOWN	S101508043	MEENAN OIL	8 PINE COVE DR.	11756	LUST	9415247
LEVITTOWN	S100174807	RELIANCE UTILITIES	17 SHELTA LANE	11756	LUST	9101321
LEVITTOWN	S100148673	CASTEL COAL & OIL CO.	10 SHERPARD LANE	11756	LUST	8607293
LEVITTOWN	S100666484	UFI INC	STOKES SCHOOL/CONDOR RD	11756	LUST	9006235
LEVITTOWN	1000300430	SUMMIT LANE SCHOOL	STRAIGHT LANE	11756	LUST	
LEVITTOWN	1000385448	SMILE CLEANERS INC	SUMMIT LANE	11756	FINDS, RCRIS-LOG, UST	
LEVITTOWN	S101508022	UNK	8 E VILLAGE GREEN	11756	RCRIS-SQG, FINDS	
LEVITTOWN	S100665851	MURPHY RESIDENCE	181 WILLOWWOOD	11756	LUST	9414879
NEW YORK	95286043		28 WOODGREEN LANE	11756	LUST	8903731
NORTHPORT	94222587	EDENS NECK RD & WATERSIDE AVE		11801	ERNS	
PERTH AMBOY	95309061			11801	ERNS	
PLAINEDGE	1000556022	NYSDOT BIN 108119	RTE 135 OVER RTE 24	11714	FINDS, RCRIS-LOG	9303178
PLAINEDGE	S100666937	LILCO	169 WILLIAM ST	11756	LUST	8902553
PLAINVIEW	S100664144	UNK	RTE 135/NO OF EXIT 11	11803	LUST	

ORPHAN SUMMARY

City	EDR ID	Site Name	Site Address	Zip	Database(s)	Facility ID
PLAINVIEW	S101658283	VEHICLE	ATE 495 WB / EXIT 42	11803	LUST	9507635
PLAINVIEW	S100665795	ENVIRONMENTAL DRILLING	AMES CT / COMMERCIAL DR	11803	LUST	8608681
PLAINVIEW	S100148353	CONSERVATIVE EXPRESS	105 AMFESCO DRIVE	11803	LUST	8709174
PLAINVIEW	1000258693	STRATFORD ROAD SCHOOL	BEDFORD RD-ESSEX RD	11803	FINDS, RCRIS-LOG	
PLAINVIEW	1000154773	HOWARD B MATTLIN MIDDLE SCHOOL	BRADFORD RD - ROUND TREE DR	11803	FINDS, RCRIS-LOG	
PLAINVIEW	S100664054	ILD BETHPAGE HIGH SCHOOL	CENTRAL PARK ROAD	11803	LUST	9007474
PLAINVIEW	1000368827	CHERRY LANE LITHOGRAPHING CORP	30 COMMERCIAL CT	11803	FINDS, RCRIS-LOG	
PLAINVIEW	S100664530	NYSDOT	DUFFY AVE NYSDOT YARD	11803	LUST	9200825
PLAINVIEW	1000364031	CHARLES AND RAYMOND SASSOON	137 EXPRESS ST SHOPPING CTR	11803	FINDS, RCRIS-LOG	9410274
PLAINVIEW	S101340016	RELINANCE	138 GRACIE ST	11803	LUST	9505528
PLAINVIEW	S101858165	UNK	LIE E/B	11803	LUST	
PLAINVIEW	1000559494	MOBIL OIL CORP SS #ABT	LIE & ROUND SWAMP RD	11803	RCRIS-SQG, FINDS	
PLAINVIEW	1000273053	PARKWAY ELEMENTARY SCHOOL	MANETTO HILL RD-CENTRAL PK RD	11803	FINDS, RCRIS-LOG	
PLAINVIEW	1001021557	MERGANTHALER LINTOTYP	MERGANTHALER DR	11803	FINDS	
PLAINVIEW	1001021581	MERGANTHALER LINTOTYPE CO	MERGANTHALER DRIVE	11803	FINDS	
PLAINVIEW	1000233699	MERGANTHALER LINTOTYPE CO	14 MERGANTHALER DR	11803	FINDS, RCRIS-LOG, CERC-NFRAP	
PLAINVIEW	S100663820	SPACE AGE ENERGY	MILFORD AVENUE	11803	LUST	9100683
PLAINVIEW	1000168477	JOYCE ROAD ELEMENTARY	MITCHELL AVE/JOYCE ROAD	11803	FINDS, RCRIS-LOG	
PLAINVIEW	1000241838	MACHINE COMPONENTS CORPORATION	70 NEW ROAD	11803	FINDS, RCRIS-LOG	
PLAINVIEW	1000890180	J F K PREP INC 2	100 NEWTOWN RD SUITE C	11803	FINDS, RCRIS-LOG	
PLAINVIEW	1000352657	ULTRA-GRAPHICS INC	16-20 NEWTOWN PLAZA	11803	FINDS, RCRIS-LOG	
PLAINVIEW	1000300828	GRIMM & NORTON	84 NEWTOWN PLAZA	11803	RCRIS-SQG, FINDS	
PLAINVIEW	S100665941	ISLAND TRANSPORTATION	OLD CTRY RD/RD SWAMP ROAD	11803	LUST	8909030
PLAINVIEW	S100684874	JAMAICA ASH	OLD COUNTRY ROAD	11803	LUST	9209403
PLAINVIEW	S100490933	NCDPW	1535 OLD COUNTRY ROAD	11803	LUST	9200428
PLAINVIEW	S100177607	SHELL OIL	OLD COUNTRY ROAD	11803	LUST	9111978
PLAINVIEW	S100171919	SHELL S/S	OLD COUNTRY ROAD	11803	LUST	8708285
PLAINVIEW	S100148680	NY TELEPHONE CO.	OLD COUNTRY ROAD	11803	LUST	8607478
PLAINVIEW	1000258691	PLAINVIEW SHELL, INC.	OLD COUNTRY ROAD	11803	LUST	
PLAINVIEW	S100492058	SHELL S/S	S. OYSTER BAY RD. & OL CTRY RD	11803	FINDS, RCRIS-LOG	9208688
PLAINVIEW	1000145403	PASADENA DRIVE ELEMENTARY SCHOOL	PLAINVIEW / OLD CTRY ROAD	11803	LUST	
PLAINVIEW	S100148233	PLAINVIEW FIRE DISTRICT	RICHARD COURT/BENMUR STREET	11803	FINDS, RCRIS-LOG	8707415
PLAINVIEW	1000229340	PROFILE SEPARATION & PREP INC	ROUND SWAMP / OLD BETHPAG	11803	LUST	
PLAINVIEW	S101858188	OLD BETHPAGE SCHOOL	21 SHEER PLAZA	11803	FINDS, RCRIS-LOG	9508301
PLAINVIEW	S100667008	LA GREG A SANDOS	STADFORD ROAD SCHOOL	11803	LUST	9304839
PLAINVIEW	S100177523	PLAINVIEW COMM PARK	SUNNYSIDE BLVD EXIT 46	11803	LUST	9110558
PORT JEFFERSON	95300308		WASHINGTON BLVD	11801	ERNS	
PORT WASHINGTON	95291427			11801	ERNS	
STUART	1000698804	GRUMMAN AEROSPACE CORP #77	SR A1A 1 MI S OF STUART	11714	RCRIS-LOG, RCRIS-TSD, RAAATS, CORRACTS	
W BABYLON	1000328729	SUMOCO SVC STA	655 FARMINGDALE RD	11714	FINDS	
WHITESTONE	94216386	CONFIGURATION OF EAST RIVER IN LONG ISLAND SOUND / E OF WHITE		11801	ERNS	

## EPA Waste Codes Addendum

Code	Description
D000	NOT DEFINED
D001	IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSKEY-MARTENS CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET, WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.
D002	A WASTE WHICH HAS A PH OF LESS THAN 2 OR GREATER THAN 12.5 IS CONSIDERED TO BE A CORROSIVE HAZARDOUS WASTE. SODIUM HYDROXIDE, A CAUSTIC SOLUTION WITH A HIGH PH, IS OFTEN USED BY INDUSTRIES TO CLEAN OR DEGREASE PARTS. HYDROCHLORIC ACID, A SOLUTION WITH A LOW PH, IS USED BY MANY INDUSTRIES TO CLEAN METAL PARTS PRIOR TO PAINTING. WHEN THESE CAUSTIC OR ACID SOLUTIONS BECOME CONTAMINATED AND MUST BE DISPOSED, THE WASTE WOULD BE A CORROSIVE HAZARDOUS WASTE.
D003	A MATERIAL IS CONSIDERED TO BE A REACTIVE HAZARDOUS WASTE IF IT IS NORMALLY UNSTABLE, REACTS VIOLENTLY WITH WATER, GENERATES TOXIC GASES WHEN EXPOSED TO WATER OR CORROSIVE MATERIALS, OR IF IT IS CAPABLE OF DETONATION OR EXPLOSION WHEN EXPOSED TO HEAT OR A FLAME. ONE EXAMPLE OF SUCH WASTE WOULD BY WASTE GUNPOWDER.
D006	CADMIUM
D007	CHROMIUM
D008	LEAD
D009	MERCURY
D010	SELENIUM
D011	SILVER
D018	BENZENE
D027	1,4-DICHLOROBENZENE
D035	METHYL ETHYL KETONE
D039	TETRACHLOROETHYLENE
F001	THE FOLLOWING SPENT HALOGENATED SOLVENTS USED IN DEGREASING: TETRACHLOROETHYLENE, TRICHLOROETHYLENE, METHYLENE CHLORIDE, 1,1,1-TRICHLOROETHANE, CARBON TETRACHLORIDE, AND CHLORINATED FLUOROCARBONS; ALL SPENT SOLVENT MIXTURES/BLENDS USED IN DEGREASING CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F002, F004, AND F005, AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.
F002	THE FOLLOWING SPENT HALOGENATED SOLVENTS: TETRACHLOROETHYLENE, METHYLENE

## EPA Waste Codes Addendum


Code	Description
	CHLORIDE, TRICHLOROETHYLENE, 1,1,1-TRICHLOROETHANE, CHLOROBENZENE, 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE, ORTHO-DICHLOROBENZENE, TRICHLOROFUOROMETHANE, AND 1,1,2-TRICHLOROETHANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE LISTED IN F001, F004, OR F005, AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.
F003	THE FOLLOWING SPENT NON-HALOGENATED SOLVENTS: XYLENE, ACETONE, ETHYL ACETATE, ETHYL BENZENE, ETHYL ETHER, METHYL ISOBUTYL KETONE, N-BUTYL ALCOHOL, CYCLOHEXANONE, AND METHANOL; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONLY THE ABOVE SPENT NON-HALOGENATED SOLVENTS; AND ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONE OR MORE OF THE ABOVE NON-HALOGENATED SOLVENTS, AND, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THOSE SOLVENTS LISTED IN F001, F002, F004, AND F005, AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.
F004	THE FOLLOWING SPENT NON-HALOGENATED SOLVENTS: CRESOLS AND CRESYLIC ACID, AND NITROBENZENE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE NON-HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F002, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.
F005	THE FOLLOWING SPENT NON-HALOGENATED SOLVENTS: TOLUENE, METHYL ETHYL KETONE, CARBON DISULFIDE, ISOBUTANOL, PYRIDINE, BENZENE, 2-ETHOXYETHANOL, AND 2-NITROPROPANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE NON-HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F002, OR F004; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.
F006	WASTEWATER TREATMENT SLUDGES FROM ELECTROPLATING OPERATIONS EXCEPT FROM THE FOLLOWING PROCESSES: (1) SULFURIC ACID ANODIZING OF ALUMINUM; (2) TIN PLATING ON CARBON STEEL; (3) ZINC PLATING (SEGREGATED BASIS) ON CARBON STEEL; (4) ALUMINUM OR ZINC-ALUMINUM PLATING ON CARBON STEEL; (5) CLEANING/STRIPPING ASSOCIATED WITH TIN, ZINC AND ALUMINUM PLATING ON CARBON STEEL; AND (6) CHEMICAL ETCHING AND MILLING OF ALUMINUM.
F017	NOT DEFINED
K050	HEAT EXCHANGER BUNDLE CLEANING SLUDGE FROM THE PETROLEUM REFINING INDUSTRY
K052	TANK BOTTOMS (LEADED) FROM THE PETROLEUM REFINING INDUSTRY
NONE	NONE
P122	ZINC PHOSPHIDE ZN3P2, WHEN PRESENT AT CONCENTRATIONS GREATER THAN 10% (R,T)
U002	ACETONE (I)
U002	2-PROPANONE (I)

## EPA Waste Codes Addendum

Code	Description
U028	1,2-BENZENEDICARBOXYLIC ACID, BIS(2-ETHYLHEXYL) ESTER
U028	DIETHYLHEXYL PHTHALATE
U044	CHLOROFORM
U044	METHANE, TRICHLORO-
U112	ACETIC ACID ETHYL ESTER (I)
U112	ETHYL ACETATE (I)
U122	FORMALDEHYDE
U140	ISOBUTYL ALCOHOL (I,T)
U140	1-PROPANOL, 2-METHYL- (I,T)
U147	2,5-FURANDIONE
U147	MALEIC ANHYDRIDE
U154	METHANOL (I)
U154	METHYL ALCOHOL (I)
U159	2-BUTANONE (I,T)
U159	METHYL ETHYL KETONE (MEK) (I,T)
U190	1,3-ISOBENZOFURANDIONE
U190	PHTHALIC ANHYDRIDE
U196	PYRIDINE
U210	ETHENE, TETRACHLORO-
U210	TETRACHLOROETHYLENE
U213	FURAN, TETRAHYDRO-(I)
U213	TETRAHYDROFURAN (I)
U220	BENZENE, METHYL-
U220	TOLUENE
U223	BENZENE, 1,3-DIISOCYANATOMETHYL- (R,T)
U223	TOLUENE DIISOCYANATE (R,T)
U226	ETHANE, 1,1,1-TRICHLORO-

## EPA Waste Codes Addendum

Code	Description
U226	METHYL CHLOROFORM
U239	BENZENE, DIMETHYL- (I,T)
U239	XYLENE (I)
X001	WASTE OILS



Study Area For

# Grumman GO CO Property Bethpage Long Island

**EDR** Environmental  
Data  
Resources, Inc.  
Creators of Toxiccheck  
1-800-352-0050

## Legend

- |   |             |               |             |                 |
|---|-------------|---------------|-------------|-----------------|
| Listed Sites                                    | Roads       | Railroads     | Powerlines  | Superfund Sites |
| Earthquake Epicenters<br>(Richter 5 or greater) | Major Roads | Contour Lines | Fault Lines |                 |
| Study Area Boundary                             | Waterways   | Pipelines     | Water       |                 |

