



**PHASE I
ENVIRONMENTAL
SITE ASSESSMENT**

for the

**SALVAGE AREA,
PERMITTED DRUM STORAGE
FACILITY, AND INDUSTRIAL WASTE
TREATMENT PLANT**

**GOCO FACILITY
BETHPAGE, NEW YORK**

Prepared for:

**NORTHROP GRUMMAN
CORPORATION
South Oyster Bay Road
Bethpage, New York**

RADIAN
INTERNATIONAL LLC

March 6, 1997

**PHASE I
ENVIRONMENTAL
SITE ASSESSMENT
for the
SALVAGE AREA, PERMITTED DRUM
STORAGE FACILITY, AND INDUSTRIAL
WASTE TREATMENT PLANT**

**GOCO FACILITY
BETHPAGE, NEW YORK**

**Prepared for:
NORTHROP GRUMMAN CORPORATION
South Oyster Bay Road
Bethpage, New York**

**Prepared by:
Radian International LLC**

March 6, 1997

TABLE OF CONTENTS

<u>Section</u>	<u>Page</u>
EXECUTIVE SUMMARY	ES-1
1.0 INTRODUCTION	1-1
1.1 Document Organization	1-1
2.0 SITE DESCRIPTION	2-1
2.1 Site Setting	2-1
2.1.1 Regional Geology and Hydrogeology	2-1
2.2 Facility Overview.....	2-4
2.3 Building Descriptions	2-5
2.3.1 Permitted Drum Storage Facility	2-5
2.3.2 Industrial Waste Treatment Plant.....	2-6
2.3.3 Salvage Building and Surrounding Area	2-9
2.3.4 Heating and Cooling Systems.....	2-10
2.4 Use of Chemicals	2-10
2.4.1 Chemical Storage Areas.....	2-10
2.4.2 Waste Storage Areas	2-11
2.4.3 Waste Generated and Disposal Practices	2-11
2.5 Above and Below Ground Storage Tanks at the Salvage Yard and Treatment Building	2-11
2.6 Wastewater Discharges	2-12
2.7 PCB-Containing Equipment	2-13
2.8 Water Systems - Surface, Supply, Septic, and Sanitary.....	2-13
3.0 SITE HISTORY	3-1
3.1 Aerial Photographs and Topographic Map Review.....	3-1
3.2 Industrial Waste Treatment Facility.....	3-1
3.3 Salvage Facility.....	3-2
3.4 Permitted Drum Storage Facility	3-2
3.5 Historic Underground and Aboveground Storage Tanks.....	3-2
4.0 ENVIRONMENTAL RECORDS REVIEW	4-1
4.1 Northrop Grumman Document Review	4-1
4.1.1 Previous Environmental Investigations	4-1

TABLE OF CONTENTS (Continued)

<u>Section</u>	<u>Page</u>
4.2	Local Regulatory Agencies..... 4-7
4.2.1	New York State Department of Environmental Conservation (NYSDEC)..... 4-7
4.2.2	Nassau County Department of Health 4-8
4.2.3	Nassau County Fire Marshal..... 4-8
4.3	Property History Search..... 4-8
4.4	Standard Environmental Regulatory Agency Database Review..... 4-8
4.4.1	Federal ASTM Records 4-9
4.4.2	Federal Non-ASTM Records 4-10
4.4.3	State of New York ASTM Records 4-14
4.4.4	State of New York Non-ASTM Records..... 4-17
4.4.5	Summary of Agency Database Review 4-18
4.5	Documented Releases at the Salvage Yard and Treatment Building..... 4-18
5.0	FINDINGS..... 5-1
5.1	Indicators of Contamination 5-1
5.2	Potential Areas of Environmental Concern 5-1
5.3	Off-Site and On-Site Groundwater Contamination 5-2
6.0	RECOMMENDATIONS..... 6-1
6.1	On-Site Recommendations 6-1
6.2	Limitations of the Phase I Environmental Site Assessment 6-1
7.0	REFERENCES..... 7-1
8.0	WARRANTY AND DISCLOSURE LIMITATIONS 8-1

LIST OF TABLES

<u>Table</u>	<u>Page</u>
ES-1 Phase I Site Assessment - Salvage and Treatment Area, AOC Descriptions, Recommendations for Sampling and Phase II Approach	ES-3
2-1 Active Tank Inventory - Salvage and Treatment Area.....	2-14
3-1 Aerial Photograph Review	3-3
3-2 Historic Storage Tank Summary	3-5
4-1 TCE Concentrations in Samples Collected at the Salvage and Treatment Area	4-20
6-1 Summary of Recommendations for Phase II Site Assessment	6-2

LIST OF FIGURES

<u>Figure</u>	<u>Page</u>
1 Vicinity Map - Salvage and Treatment Area.....	1-2
2 Hydraulic Head Values	2-15
3 Impacted Area of Groundwater Contamination: GOCO Facility	2-16
4 Site Plan and Location of Storage Tanks, Salvage and Treatment Area	2-17
5 Permitted Drum Storage Area.....	2-18
6 Soil Gas Sampling Points at the Salvage and Treatment Area	4-23
7 Soil Sampling Results at the Salvage and Treatment Area.....	4-24
8 Groundwater Sampling Results at the Salvage and Treatment Area.....	4-25

LIST OF APPENDICES

Appendix

- A AERIAL PHOTOGRAPHS
- B CHAIN OF TITLE REPORT
- C ENVIRONMENTAL DATA RESOURCES, INC. (EDR) REPORT

EXECUTIVE SUMMARY

On March 25, 1996, Radian International LLC (Radian) formerly Dow Environmental Inc., initiated a Phase I Environmental Site Assessment (ESA) for Northrop Grumman Corporation (Northrop Grumman). Data gathering activities for the Salvage and Treatment Area were conducted from May through October 1996.

Project Objectives

The objective of this Phase I ESA is to provide a baseline environmental assessment of recognized environmental conditions at the site that includes a Salvage Facility, a permitted drum storage facility, and the Industrial Wastewater Treatment Plant (IWTP). This assessment was performed in general accordance with Radian's Proposal No P96A-041 dated February 23, 1996 and the American Society for Testing and Materials (ASTM) Phase I Environmental Site Assessment Process E 1527-94. This assessment was performed to evaluate the presence or likely presence of hazardous substances or petroleum products that may indicate an existing or past release of hazardous substances or petroleum products into structures located in the Salvage and Treatment Area or into soil, groundwater or surface water at the site.

Summary of Findings

The Salvage and Treatment Area is situated within the Government Owned, Contractor Operated (GOCO) section of the Northrop Grumman facility. It is located in the north-central portion of the Northrop Grumman facility in the Town of Bethpage, New York. This site was originally designated as Site 9 in a 1986 Initial Assessment Study performed by the U.S. Navy at the Northrop Grumman Bethpage and Calverton, New York facilities. This designation was later changed to Site 3 when the Bethpage facility investigation was separated from the Calverton investigation. For the purposes of this report, the site will be referred to as the Salvage and Treatment Area. The Salvage and Treatment Area has been the site of salvage operations and material storage for approximately 50 years. The IWTP was constructed at the site in 1984 and is used to treat process wastewater from Plant 3 at the Northrop Grumman facility. This facility used several treatment units that were previously part of a sanitary treatment plant that was installed in 1970. Drums are currently stored at the site in a New York Compilation of Rules and Regulations (NYCRR), Title 6, Chapter 373, permitted drum storage facility. Previously, drums

had been stored in another location at the Salvage and Treatment Area. This drum storage area was known as the drum marshaling area.

Based on the results of Radian's Phase I ESA, there are two potentially recognized environmental areas of concern (AOCs) at the Salvage and Treatment Area. Each of these sites is at the location of an underground storage tank that is no longer in service at the Salvage and Treatment Area. These AOCs were selected based on information gathered during a site reconnaissance, review of public agencies' databases and files, and review of available records and information supplied by Northrop Grumman during interviews conducted by Radian. A list of AOCs is provided in Table ES-1.

Since 1986, the Salvage and Treatment Area has been investigated extensively by the U.S. Navy, including sampling of soil gas, soil and groundwater at the site. In 1995, a Record of Decision (ROD) for sites including the Salvage and Treatment Area, was jointly accepted by the U.S. Navy and the New York State Department of Environmental Conservation (NYSDEC). Based on the ROD, no further site-specific remedial action is required at the Salvage and Treatment Area other than recommended investigations at the two AOCs.

In addition, Northrop Grumman, in conjunction with the U.S. Navy and Occident Chemical Corporation (OCC) is developing a Regional Groundwater Feasibility Study to address various plumes of groundwater contamination in the vicinity of the Northrop Grumman Bethpage facility. This study is being developed with review and oversight by NYSDEC, the N.Y. State Department of Health (NYSDOH) and the U.S. Environmental Protection Agency (EPA).

The findings of this report are based on ASTM and current industry standards.

Table ES-1

**Phase I Site Assessment - Salvage and Treatment Area
AOC Descriptions, Recommendations for Sampling,
and Phase II Approach**

AOC Number	AOC Description	Recommendation for Sampling Matrix	Phase II Recommendations
1	Underground Storage Tank 03-07-01 (old designation)	Yes, soil	Analyze for VOCs, TPHC and PCBs
2	Underground Storage Tank 03-28-01	Yes, soil	Analyze for VOCs, TPHC, and PCBs

0

0

0

1

1.0 INTRODUCTION

The purpose of this Phase I ESA is to provide a baseline environmental assessment for the Salvage and Treatment Area. This assessment was performed in general accordance with Radian's Proposal No P96A-041 dated February 23, 1996 and the American Society for Testing and Materials (ASTM) Phase I Environmental Site Assessment Process E 1527-94.



The assessment included a regulatory agency database search, state, county and local agency file research, visual reviews of the adjacent and surrounding properties and facilities, interviews with facility employees, review of Northrop Grumman environmental records, and a visual inspection of the property.

The Salvage and Treatment Area is part of a larger facility known as the Naval Weapons Industrial Reserve Plant (NWIRP). The NWIRP property is owned by the U.S. Navy and operated by Northrop Grumman. The NWIRP facility is also referred to as the Government Owned, Contractor Operated (GOCO) facility. The Salvage and Treatment Area is located in the north-central portion of the Northrop Grumman facility in the Town of Bethpage, Nassau County, New York. The Salvage and Treatment Area has been primarily used for salvage operations, drum storage, and wastewater treatment operations in support of aircraft manufacturing. The salvage operation includes metals recycling, wood recycling and storage of aircraft and aircraft parts. A Resource Conservation and Recovery Act (RCRA) and New York Compilation of Rules and Regulations (NYCRR), Title 6, Chapter 373 permitted drum storage facility is operated at the site. The IWTP treats industrial wastewater generated from Plant 3. Figure 1 shows the vicinity map for the Salvage and Treatment Area.


1.1 Document Organization

Section 1.0 of this document provides the introduction and document organization. Section 2.0 provides a site description which includes the geology and hydrogeology of the area, and a description of the facility including results of the site reconnaissance and interviews. Section 3.0 provides the site history. Section 4.0 provides the regulatory compliance history including previous investigations, the state and local agency research and agency database reviews. Section 5.0 provides the findings of the Phase I ESA. Recommendations are included in Section 6.0.

Appendix A to this report contains historical aerial photographs used to review past and present operations at the Salvage and Treatment Area. Appendix B contains the results of a chain of title search performed for the Northrop Grumman facility. Appendix C contains the results of the Environmental Data Resources (EDR) search of public databases for information on potentially contaminated sites within a 1-mile radius of the Northrop Grumman facility.



SCALE 1:24000



REFERENCE:

U.S. Geological Survey

HUNTINGTON, NY

40073-G4-TF-024

1967

PHOTOREVISED 1979



QUADRANGLE LOCATION

RADIAN
INTERNATIONAL LLC

VICINITY MAP
SALVAGE AND TREATMENT AREA

Client:
NORTHROP GRUMMAN CORP.

Proj No.: 2704-5003
Date: February 1997

Figure:

1

2704300S

0

0

0

2.0 SITE DESCRIPTION

2.1 Site Setting

The Salvage Area and Treatment Area is located within the GOCO section of the Northrop Grumman facility. The site is approximately 16 acres in size and is part of the larger 105 acre GOCO facility which is designated for manufacturing. The area surrounding the site constitutes a mix of industrial, commercial and residential uses. According to the USGS map, the topography of the Salvage and Treatment Area and adjacent properties is generally flat and is approximately 110 feet above mean sea level. There are no surface water bodies at the Salvage and Treatment Area. The closest water bodies are the three GOCO facility recharge basins located approximately one-eighth of a mile to the east. The reported (1993) depth to groundwater at the site is approximately 68 feet below ground surface (bgs).

The area immediately north of the Salvage and Treatment Area includes Plant 14 and its associated parking lot. East of the site are the GOCO recharge basins. South of the site is Plant 3. Plant 3 was used to manufacture aircraft and operated from the mid-1940s until 1993. West of the site are the Plant 17 North warehouses.

2.1.1 Regional Geology and Hydrogeology

The Northrop Grumman site is located on Long Island, which is a relatively flat, featureless, glacial outwash plain. The site is underlain by approximately 1,000 feet of unconsolidated sediments that overlie crystalline bedrock. The unconsolidated sediments consist of four distinct geologic units that are in descending order: the Upper Glacial Formation, the Magothy Formation, the Raritan Clay Member of the Raritan Formation, and the Lloyd Sand Member of the Raritan Formation. The crystalline bedrock consists primarily of metamorphic and igneous rocks including schist, gneiss, and granite. The regional dip of the bedrock is to the south-southeast.

The Upper Glacial Formation, which is approximately 30 to 45 feet thick, consists mostly of coarse sand and gravels. The Upper Magothy Formation consists primarily of coarse sands to a depth of approximately 100 feet bgs, below which finer sands, silts and clays predominate.

The Northrop Grumman Bethpage facility, including the Salvage and Treatment Area, is located on the south side of a groundwater divide which roughly splits Long Island in half, in relation to groundwater flow. North of the divide, regional groundwater flows toward Long Island Sound, while south of the divide, which includes the Northrop Grumman facility, groundwater flows in a southeasterly direction toward the Atlantic Ocean. Figure 2 shows the regional groundwater hydraulic head elevations for the area surrounding the Northrop Grumman facility. The Upper Glacial Formation, the Magothy Formation, and the Lloyd Sand Member (Raritan Formation) are regional aquifers. The principal aquifers of concern due to their shallow depths are the Glacial and Magothy aquifers. Although not the primary source of potable water for the area, the Upper Glacial aquifer is an important source of potable water in Nassau County. The glacial deposits are characterized by high primary porosity and permeability with the porosity reported to exceed 30 percent. The Magothy aquifer is the major source of public water in Nassau County. The Lloyd Sand Member is not widely utilized due to its greater depth.

The geologic and hydrogeologic information obtained from previous investigations indicates that the Upper Glacial and Upper Magothy aquifers in the area beneath the site are interconnected and may be considered a common aquifer. Groundwater in this aquifer occurs under unconfined conditions. The number and thickness of clay lenses increase with depth within the Upper Magothy, but the horizontally discontinuous nature of these units prevents any one of them from functioning as an aquitard or semi-confining unit.

Although the regional groundwater flow beneath the Salvage and Treatment Area, and the Northrop Grumman Bethpage facility as a whole, is toward the southeast, it appears that localized flow in and around the Northrop Grumman site is subject to significant fluctuations as a result of on-site pumping and reinjection. The 14 production wells located within the Northrop Grumman facility (seven production wells are located within the GOCO facility) operate on an irregular schedule and in various combinations based on facility demand. Demand is typically greatest during the summer months. As a result, the influence of the wells on the local flow regime at any time is dependent on pumping rates and on which of the production wells are operating. Groundwater withdrawal rates (Geraghty & Miller, Inc. 1994) were approximately 3 to 11 million gallons per day (mgd) in 1994. Almost all production well water (and most storm water runoff) is discharged to the on-site recharge basins.

During the Phase I and Phase II Remedial Investigations of the Northrop Grumman facility (Geraghty & Miller, Inc. 1992 and 1993), pumping effects were observed around Plant 15 in the

vicinity of Northrop Grumman production well GP-13. Recharge effects were evident around the Plant 3 recharge basins, Plant 5 recharge basins, and to a lesser extent near the Plant 12 recharge basins. Mounding was also observed along the eastern border of the Occidental Chemical Company (OCC)/ RUCO Polymer facility (near Plant 115) and is attributed to recharge occurring at the OCC/RUCO Polymer site.

Groundwater sampling conducted during the Phase I and Phase II Remedial Investigations indicated two plumes of contaminated groundwater (eastern and western) near the center of the Northrop Grumman facility. The eastern plume was determined to consist of TCE, PCE, 1,1,1-TCA, 1,2-DCE, 1,1-DCE and 1,1-DCA. The western plume primarily consists of TCE.

In addition to the two plumes identified in the central portion of the Northrop Grumman site, an area of contamination was also identified along the borders of the Northrop Grumman facility and the OCC/RUCO Polymer site. The concentrations detected did not indicate a discrete plume or plumes, and generally consist of TCE, PCE, 1,1,1-TCA, 1,1-DCE and vinyl chloride. In addition, analytical data gathered from Northrop Grumman production well GP-6 during the Remedial Investigations performed by Geraghty & Miller indicate that this area is also affected by the OCC/RUCO Polymer site. Figure 3 shows the approximate areal extent of groundwater contamination in the vicinity of the Northrop Grumman facility.

To the south of the Northrop Grumman facility, hydraulically downgradient contaminants are present in groundwater at varying depths. However, the concentrations of contaminants do not indicate that a discrete plume or plumes are present. The pumping and recharge of groundwater on the Northrop Grumman facility, as well as the pumping by the Bethpage Water District, is likely responsible for the observed contamination downgradient of the Northrop Grumman facility.

As a result of the effects of pumping and recharge in and around the Northrop Grumman facility, the groundwater at the Salvage and Treatment Area, which would normally be considered upgradient of Plant 3 and the OCC/RUCO Polymer site, may have been affected due to the alteration of groundwater flow.

2.2 Facility Overview

The site reconnaissance was performed in September and October 1996 to observe the condition of the Salvage and Treatment Area. In addition, a drive-by inspection of the adjacent properties was conducted to note general land use in the areas surrounding the Salvage and Treatment Area.

The current owner and operator of the property is as follows:

- Site Owner/Operator Name: United States Navy/Northrop Grumman Corp.
Address: South Oyster Bay Road
Bethpage, Long Island, New York

- Site Location (see Figure 1): Salvage and Treatment Area
Address: Stewart Ave, Bethpage
County: Nassau County
State: New York

Approximately 6 percent of the Salvage and Treatment Area is covered by buildings and approximately 12 percent of the site is wooded. The remaining 82 percent of the site is covered with concrete or asphalt pavement, bare soil, or grass lawn. The property is generally rectangular in shape, is approximately 960 feet by 730 feet and has two primary buildings, one covered RCRA-permitted drum storage structure and five smaller structures. The building numbers, sizes and uses are as follows:

Building No.	Structure Use/Name	Square Feet
03-07	New Salvage Building	6,670
03-34	IWTP Building	18,024
03-37	Permitted Drum Storage Pad	14,400
----	Spill Response Equipment Shed	~ 160
----	Screen House	~ 400
----	Clarifier Pump House	~ 100
03-08	Scrap Metal Storage Shed	~ 600
03-12	Well No. 15 Pumphouse	~ 150

2.3 Building Descriptions

The Salvage and Treatment Area includes two buildings, five sheds, and one covered RCRA-permitted drum storage structure. The following sections describe the buildings and other structures at the site. Figure 4 shows the layout of the Salvage and Treatment Area.

2.3.1 Permitted Drum Storage Facility

The permitted drum storage facility consists of a 120 foot by 120 foot bermed concrete pad that is covered by a metal roof. This drum storage structure is known as Building 03-37 on Northrop Grumman facility drawings and was constructed in 1982 . This facility is a hazardous waste storage area permitted under NYCRR, Title 6, Chapter 373. Wastes stored at the facility include:

- Halogenated solvents;
- Non-halogenated solvents;
- Photo wastes; and
- Petroleum, oils and lubricant wastes.

The facility is designed for a maximum storage capacity of 1,000 drums. The storage area consists of a 6-inch thick, seamless, reinforced concrete slab on grade with a 6-inch high concrete berm around it. The concrete pad is sloped to a trench that runs along the south edge of the storage area. The trench drains to a subsurface collection sump at the southeast corner of the concrete pad. It is reported that this sump is not connected to any drains or sewers. The combination of the berm and the collection trench serve as secondary containment for the permitted drum storage facility. An entrance/exit ramp crosses over the berm on the east side of the pad. The canopy over the concrete pad was installed in 1983. Prior to this, the area was uncovered. The concrete floor of the storage area was in good condition and no evidence of spills was observed. Figure 5 shows the layout of the permitted drum storage facility.

When appropriate, the permitted drum storage facility will be closed in accordance with RCRA permit requirements, therefore it will not be considered as an AOC for this assessment.

2.3.2 Industrial Waste Treatment Plant

The IWTP building (Building 03-34) is located just to the east of the permitted drum storage facility. The IWTP was constructed in 1984, and was designed to treat 250,000 gallons per day of process wastewater from Plant 3. The main treatment building is approximately 140 feet long and 90 feet wide. Plant 3 wastewater typically consists of the following waste streams:

- Sulfuric Acid;
- Alodine;
- Nitric Acid rinse water;
- Chromic Acid Anodize solution;
- Hydrofluoric Acid; and
- Oil and water waste.

In 1970, a sanitary treatment plant was constructed in the same general area of the current IWTP. Several treatment units from this sanitary plant (an equalization basin, a reduction basin, and a holding tank) were incorporated into the design of the IWTP.

The IWTP currently treats approximately 20,000 to 30,000 gpd of wastewater. Most of the wastewater currently received by the IWTP is generated by equipment decontamination in Plant 3.

The first floor of Building 03-34 contains process tanks, an office area, a laboratory, a dry chemical and drum storage area, a sludge storage room, a compressor room, a generator room, and associated process equipment such as pumps, and feed tanks. The following is a listing of the major process tanks on the first floor:

Tank No.	Description	Size in gal.
T-307	Batch Reaction Tanks (mostly for nitric acid treatment)	16,000
T-308	Batch Reaction Tanks (mostly for nitric acid treatment)	16,000
T-309	Batch Reaction Tanks (mostly for nitric acid treatment)	16,000
T-312	Waste Nitric Acid Holding Tank	20,000
T-316	Batch Reaction Tank, Petroleum Waste Treatment	16,000
T-317	Clarifier for oils	---
T-323	Carbonation tank	---
F-303	Iron feed tank	---

Tank No.	Description	Size in gal.
F-306	Polymer feed tank	---
F-308	Misc. Chemical feed tank	---
T-328	Sludge holding tank	11,000
T-331	Fluoride sludge tank	11,000
T-306	Mixed sludge tank	11,000

The second floor of Building 03-34 contains a chemical storage area, horizontal belt vacuum filter, rotary drum filter press, vacuum filter and conveyor belt system which delivers sludge to the sludge storage room on the first floor. Chemicals stored on the second floor include:

- Sodium Bicarbonate;
- Soda Ash;
- Hydrated Lime;
- Soda Ash (dense);
- Harborlite;
- Oxalic Acid; and
- Amerfloc Coagulant.

Outside and north of Building 03-34 are various holding tanks. The following tanks are located within secondary containment berms:

Tank No.	Description	Size in gal.
T-310	Nitric Acid Waste Tank	20,000
T-311	Misc. Waste Tank	20,000
T-330	Waste Hydrofluoric Acid	11,800
T-313	Sulfuric Acid Waste Tank	10,000
T-324	Sodium Hydroxide Tank	8,000
T-320	Hydrogen Peroxide	7,000

A lime storage silo is located east of the holding tanks. A small grease collection storage tank is located north of the treatment building. This tank is used to store cafeteria grease from the Northrop Grumman facility. An outside vendor regularly pumps this tank out for off-site recycling. Also observed north of the treatment plant was an old skid mounted process system (pumps and controls), spill response equipment storage shed, empty grease drums and 12 drums of purge water and drill cuttings. The drums of purge water and drill cuttings are being stored in this location temporarily until analytical results are received.

The following tanks and process equipment are located south of Building 03-34:

Item	Capacity
Clarifier	120,000 gallons
Equalization Basin	65,000 gallons
Reduction Basin	65,000 gallons
Holding Tank	40,000 gallons
Screen House	Not Applicable
Gravity Filters (2)	Not Applicable
Pump House for clarifier	Not Applicable
Flash Mix Tank	600 gallons

The equalization basin, reduction basin, and holding tank were all formerly part of the sanitary wastewater treatment plant.

Northrop Grumman performs annual inspections of the tanks at the IWTP. The tanks inspected include the clarifier, the equalization basin, the reduction basin, the holding tank, the flash mix tank and three sludge holding tanks located inside of Building 03-34. Inspections are performed by a registered professional engineer to certify that the tanks are in good condition and are not leaking. In addition, all underground pipelines at the IWTP are tightness tested each year. All inspections are performed in accordance with Nassau County Department of Health guidelines.

Wastewater is transported to the IWTP equalization basin by direct pipeline from Plant 3. Concentrated wastes are transported by tank trucks to outside holding tanks. The IWTP utilizes the following treatment processes:

- Fluoride and metal precipitation;
- Chromate reduction and precipitation;
- Neutralization; and
- Emulsified oil removal.

Treated wastewater is sent to the Cedar Creek POTW. The IWTP sludge is conditioned with lime and polymers before dewatering. Conditioned sludge is transferred to the treatment plant's vacuum filters and then transferred to the sludge storage room where it is stored in a rolloff container. Dewatered sludge is sent off-site for disposal. Good housekeeping practices and

extensive secondary containment have minimized the potential for releases to the environment from the IWTP. All floor drains in the IWTP are connected to the equalization tank so that any spills from within the treatment plant are captured and treated.

Observations at the IWTP indicated that housekeeping practices in this facility were generally good and that all secondary containment systems appeared to be functioning properly. Concrete floors within the IWTP all appeared to be in good condition, with no signs of cracks or other damage. Yearly inspections of concrete tanks at the IWTP have not indicated any past releases to the subsurface. Because this portion of the Salvage and Treatment Area has been investigated by the U.S. Navy and was recommended for no further remedial action in a 1995 ROD, this site is not considered an AOC for this assessment.

2.3.3 Salvage Building and Surrounding Area

The Salvage building (Building 03-07) is approximately 100 feet by 100 feet by 30 feet high. The building is constructed from a steel frame and sheet metal. The building was erected in 1983 and is used for recycling of metals, paper, and aircraft related equipment. The floor of the building is poured concrete and is in good condition. The floor plan of Building 03-07 is open except for an office, lunchroom, bathrooms and boiler room along the southern edge of the building.

Southwest of the Building 03-07 is a small metal shed (Building 03-08) that is used to store metal shavings (titanium turnings). This building has a grated floor drain trench for collecting spills. This trench is partially filled with what appears to be cutting fluids. The trench does not connect to any subsurface drain lines and is periodically pumped out and the collected liquid disposed off-site. A storm drain is located just north of the floor trench.

The area surrounding Building 03-07 is used for metal and wood scrap storage and the storage of scrap aircraft and aircraft parts. The northeast portion of the salvage area is wooded. The northwest portion is used for storage of scrap aircraft and aircraft parts. The southern portion of the salvage area consists of an old parking lot and a wood and scrap metal storage area. Two buildings were previously located in the southern portion of the salvage area and were used for temporary office space. One building was demolished in the 1986 and the other in 1993.

Since the early 1950's aluminum and titanium scrap metal and shavings were stored in the salvage area prior to off-site recycling. Scrap metal was transported to the salvage area and stored in metal bins with permeable bottoms. This allowed the cutting oils on the scrap metal and metal shavings to drip onto the ground or be washed off by rainfall. Northrop Grumman tested the soil in the salvage area in 1984 and reported oil contamination was limited to the top several inches of soil. (Final Remedial Investigation Report, Naval Weapons Industrial Reserve, Bethpage, New York, by Halliburton NUS, May, 1992.) In 1985, the U.S. Navy conducted a field inspection of the salvage area. The U.S. Navy Inspection indicated that only cutting oils impacted the surface soils. (Initial Assessment Study of NWIRP, Bethpage, New York and Calverton, New York, December 1986, Rogers, Golden & Halpern, Philadelphia, Pennsylvania.)

Because this area has been extensively investigated by the U.S. Navy since 1986 and has been recommended for no further remedial action, it is not considered an AOC for this assessment.

2.3.4 Heating and Cooling Systems

Both the salvage (03-07) and IWTP (03-34) buildings are heated by fuel-fired boilers. The IWTP building offices are cooled by a central air conditioning system. There is no air conditioning in the salvage building.

2.4 Use of Chemicals

Chemical usage at the Salvage and Treatment Area includes fuel oil for the boilers at both buildings 03-07 and 03-34 and treatment chemicals at the IWTP. Housekeeping practices appeared to be good in the IWTP, and chemicals are stored within secondary containment. In addition, all drains at the IWTP discharge back to the treatment system; therefore, releases to stormwater conveyance systems is unlikely. Other than boiler fuel, no chemicals are used at the salvage building.

2.4.1 Chemical Storage Areas

As described previously, treatment chemicals are stored at the IWTP. Storage areas include a first floor concrete platform on the south side of the building and additional storage on the second floor. The concrete floors in both of these areas appeared to be in good condition and no signs of significant staining were observed.

2.4.2 Waste Storage Areas

Drum storage at the permitted facility and scrap metal storage at Building 03-08 are described in previous sections of this report.

2.4.3 Waste Generated and Disposal Practices

Wastes are stored at the permitted drum storage facility described in Section 2.3.1. All wastes are disposed in accordance with applicable state and federal regulations.

2.5 Above and Below Ground Storage Tanks at the Salvage Yard and Treatment Building

This section includes information on above and below ground tanks that were used to store various petroleum products and other substances at the Salvage and Treatment Area. Information regarding storage tanks was gathered from spill prevention, control and countermeasures (SPCC) plans, underground storage tank tightness testing records, tank release records, tank registration documentation, and interviews with site personnel. SPCC plans from 1979, 1985, 1988, and 1994 were reviewed for this assessment.

Figure 4 shows the locations of all tanks that were reported to have been used at the Salvage and Treatment Area for petroleum product storage. Table 2-1 lists all of the tanks that are currently operating at the site and pertinent historical information for each tank.

According to the 1979 and 1985 SPCC Plans, an underground storage tank (UST) and two aboveground storage tanks (ASTs) were located adjacent to what appears to be the former Salvage Operations Building. This building was located in the southwest corner of the parking lot located directly north of Plant 3 and east of the North Warehouses, and has since been removed. These tanks No. 03-07-01 (UST) 03-07-2 (AST) and 03-07-3 (AST) were all used to store No. 2 fuel oil. The UST had a capacity of 2,000 gallons and was constructed from steel with an asphaltic coating. The two ASTs each had a capacity of 275 gallons and were constructed from steel. None of these tanks were referenced in the 1988 SPCC plan and are, therefore, assumed to have been removed or abandoned in place (UST only). No records were available describing the closure procedures conducted, if any, for these tanks. Visual inspection

of the area did not reveal indications of spills from overfilling or other types of surface releases from these tanks.

According to the 1979 SPCC Plan, one UST was located near the outdoor wastewater treatment units located directly south of the Treatment Building. This tank (No. 03-28-1) had a capacity of 550 gallons, was constructed of steel with an asphaltic coating, and was used to store diesel fuel.

The tank was not referenced in the 1985 SPCC plan and is therefore assumed to have either been removed or abandoned in-place. No records were available describing the closure procedures conducted, if any, for this tank. Visual inspection of the area did not reveal indications of spills from overfilling or other types of surface releases from this tank.

Three USTs at the IWTP were referenced for the first time in the 1985 SPCC plan. The following is a list of these tanks and pertinent information for each:

- Tank 03-34-2, 550 gallons, Fiberglass - used to store diesel fuel.
- Tank 03-34-3, 2,000 gallons, Fiberglass - used to store No. 2 fuel oil.
- Tank 03-34-4, 4,000 gallons, Fiberglass - used to store waste oil.

Tank 03-34-2 is still in use and was tightness tested on August 11, 1995 and found to be tight.

Tank 03-34-3 was removed after a documented release in January 1993. The release is described in Section 4.5 of this report.

Tank 03-34-4 is not currently in use, however, it has not been closed or removed.

One UST is currently located under the pavement directly south of the Building 03-07. This tank (No. 03-07-1) has a capacity of 4,000 gallons, is constructed of fiberglass, and is used to store No. 2 fuel oil. Visual inspection of the area did not reveal any indications of spills from overfilling or other types of surface releases from this tank. This tank passed a tightness test on July 16, 1996.

2.6 Wastewater Discharges

Treated wastewater from the IWTP is discharged to the Nassau County Publicly-Owned Treatment Works (POTW). No wastewater is generated from the salvage operation.

2.7 PCB-Containing Equipment

According to Northrup Grumman, all PCB-containing transformers at the Bethpage facility were removed in 1993 and 1994. Two transformers are currently located at the Salvage and Treatment Area. One supplies power to the Salvage Building and the other supplies power to the IWTP. Both are certified to be PCB free.

2.8 Water Systems - Surface, Supply, Septic, and Sanitary


There are no surface water bodies at the Salvage and Treatment Area. It appears that all stormwater from the site is discharged to the recharge basins located to the east. Drinking water is supplied to the site from the city supply system. In addition, well water is used in the IWTP for treatment. Sanitary wastes from the site discharge to the Nassau County POTW.

TABLE 2-1


ACTIVE TANK INVENTORY
SALVAGE AND TREATMENT AREA

Tank ID	Type of Tank (AST/UST)	Volume (gal.)	Contents	Material of Construction	Year Installed	Date of Most Recent Tightness Test	Status
03-07-01 (new)	UST	4,000	No.2 Oil	Fiberglass	1986	7/16/96	Active
03-34-02	UST	550	Diesel	Fiberglass	1982	8/11/95	Active
03-34-04	UST	4,000	Waste Oil	Fiberglass	1982	None ^(a)	Inactive, still in place
03-34-05(t)	AST	2,000	No.2 Oil	Steel	1993	NA	Active

^(a)Tank 03-34-04 is scheduled to have its first required tightness test in 1997.



CLIENT: NORTHROP GRUMMAN CORP. BETHPAGE, LONG ISLAND, NY		DWG. TITLE: HYDRAULIC HEAD VALUES	
RADIAN INTERNATIONAL LLC FAIRFIELD, NEW JERSEY	DRAWN BY: BTD	DATE: FEB. 1997	FIGURE: 2
	PROJECT No.: 2704-1006	SCALE: AS SHOWN	FILE NUMBER: 2704120F



REFERENCE: GERAGHTY & MILLER, INC.
 GENERALIZED AREAS OF IMPACTED GROUNDWATER

CLIENT:
 NORTHRUP GRUMMAN CORP.
 BETHPAGE, LONG ISLAND, NY

RADIAN
 INTERNATIONAL LLC
 FAIRFIELD, NEW JERSEY

DWG. TITLE:
 IMPACTED AREA OF GROUNDWATER
 CONTAMINATION: GOCO FACILITY

DRAWN BY:
 BTD


DATE:
 FEB 1997

FIGURE:
 3

PROJECT No.:
 002704


SCALE:
 NONE

FILE NUMBER:
 2704GW



NOTE: UST NO.03-34-3 WAS REMOVED AND REPLACED WITH AST 03-34-5 (T).

CLIENT: NORTHROP GRUMMAN CORP. BETHPAGE, LONG ISLAND, NY	DWG. TITLE: SITE PLAN AND LOCATIONS OF STORAGE TANKS, SALVAGE AND TREATMENT AREA
RADIAN INTERNATIONAL LLC	DRAWN BY: BTD
	DATE: NOV 1996
	PROJECT No.: 2704-4003
	SCALE: FIGURE: 4
	FILE NUMBER: FAIROB.DWG




WASTE STORAGE SCHEDULE


TYPE WASTE
 NON HALOGENATED SOLVENT (FLAMMABLE)
 OILS
 DESCALE SALT (SOLID) AND UNKNOWN'S
 HALOGENATED SOLVENTS

STORAGE GRID
 A,B - 1,2
 E,D,C - 1,2
 A,B - 4,5
 E,D,C - 4,5


MINIMUM AISLE SPACE = 5 FT

CENTER AISLE (A, B, C; D, E-3 FOR OPERATIONS-NO STORAGE

 SPILL CONTAINMENT AREA


 OFF-SITE WASTE ACCUMULATION AREA

MAXIMUM STORAGE = 1,000 DRUMS



NOTE:
 1. PLAN IS TAKEN FROM DVIRKA AND BARTILUCCI, WOODBURY, NY, DRAWING ENTITLED "BETHPAGE FACILITY MAIN DRUM MARSHALLING-GENERAL PLAN, DATED 7/78".
 2. AREAS ROUGHLY DELINEATED BY CONCRETE EXPANSION JOINTS, APPROX 20 FT X 20 FT.

CLIENT: NORTHRUP GRUMMAN CORP. BETHPAGE, LONG ISLAND, NY RADIAN INTERNATIONAL LLC	DWG. TITLE: PERMITTED DRUM STORAGE AREA	DRAWN BY: BTD	DATE: NOV 1996	FIGURE: 5
	PROJECT No.: 2704-4003	SCALE:	FILE NUMBER: FAIROC.DWG	



0

0

0

3.0 SITE HISTORY

This section presents the history of the Salvage and Treatment Area and surrounding properties. Information included in this section is based on aerial photographs, interviews with Northrop Grumman personnel, reviews of applicable Northrop Grumman files, and the findings of the site reconnaissance.

3.1 Aerial Photographs and Topographic Map Review

Aerial photographs taken in ten different years from 1947 to 1993 were used to review the history of the Salvage and Treatment Area. Three of the photographs used for review were large prints located on-site at Northrop Grumman. Prints for eight additional years were obtained from an aerial photograph vendor, and are included in Appendix A to this report. Two photographs (one obtained by Radian and one from Northrop Grumman) were used for the 1978 interpretation. Photographs were observed using a high-powered hand lens.

The photographs indicated that the site was mostly open fields as of 1947. One small building and some stored materials were observed in the southwest corner in the 1947 photograph. A large portion of the site was paved in the early 1950's, and has been used for vehicle parking since that time. Salvage and materials storage activities have been conducted at the site since the mid-1940s. Wastewater Treatment has been performed at the site since 1976. Drum storage was conducted at the site in one area from the early 1950s until 1969. Drum storage has been performed at a permitted facility at the site since 1982. Descriptions for each aerial photograph are provided in Table 3-1.

The topographic map (Huntington, NY Quadrangle, dated 1967, photo revised 1979) indicates that the Salvage and Treatment Area is bordered on the north side by a wooded area and Plant 14. The north warehouses (Plant 17) are located west of the site. Three recharge basins are located east of the site. The Plant 3 main building is located directly south of the Salvage and Treatment Area.

3.2 Industrial Waste Treatment Facility

The IWTP was constructed in 1984 to treat process wastewater from Plant 3. Several treatment units that were part of a sanitary treatment facility constructed at the site in 1970 were used in the

design of the IWTP. These units are located south of IWTP main treatment building (03-34) and include an equalization basin, a reduction basin, and a holding tank.

3.3 Salvage Facility

Salvage operations were conducted in the western portion of the Salvage and Treatment Area from the mid-1940s until 1966. In 1966, salvage operations were moved to their current location. The existing salvage building (Building 03-07) was constructed in 1983 and is still operational.

3.4 Permitted Drum Storage Facility

The permitted drum storage facility was constructed in 1982. In 1983, a roof canopy was added to the facility. The facility has been used for drum segregation and storage prior to off-site disposal since its construction.

Two office buildings had been temporarily located in one parking lot at the Salvage and Treatment Area. A small building was used from 1983 until 1992 when it was removed. A larger building was constructed in the early 1980s, and was removed in 1986.

3.5 Historic Underground and Aboveground Storage Tanks

Several above and below ground storage tanks have been used at the Salvage and Treatment Area since construction of the Northrop Grumman facility. Table 3-2 provides a list of tanks that have been closed at the Salvage and Treatment Area. Information regarding active USTs and ASTs is included in Section 2.5 of this report.

TABLE 3-1

AERIAL PHOTOGRAPH REVIEW

Date	Visual Appearance and Interpretation
1947	The current Salvage and Treatment Area appears to be mostly open fields vegetated with grass. There is a small building in the southwest corner of the site. There appears to be material storage operations occurring in the area north of this building. The storage area appears to include a strip along the western edge of the subject area.
1953	It appears that the southeast corner of the subject area is paved and being used for vehicle parking. Material storage operations are still being conducted along the west edge of the area.
1962	There are no apparent changes in site activities from the 1953 photograph.
1966	The paved vehicle parking area has been extended to the north edge of the subject area. Material storage activities are still being conducted on the west side of the area.
1969	(From the building lobby at the Northrop Grumman Environmental Offices) Some aircraft parts appear to be stored in the northeast corner of the subject area. All other activities appear to be similar to those shown on the 1966 photograph.
1976	It appears that some material storage or handling is occurring in the northeast corner of the area at the current location of the drum storage facility. A smaller rectangular area to the north of the northwest corner of the subject area has been cleared and appended to the subject area. This new area is being used for storage of materials.
1978	(Both the Radian photograph and the lobby photograph from Northrop Grumman) It appears that material storage operations have expanded to include the west end of the paved parking lot. The material storage and handling activities that were observed in 1976 in the northeast corner of the subject area have been discontinued.

TABLE 3-1 (CONTINUED)
AERIAL PHOTOGRAPH REVIEW

Date	Visual Appearance and Interpretation
1983	<p>(This is the color photograph located in the library at the Northrop Grumman Environmental Offices)</p> <p>The IWTP has been installed in the northeast corner of the subject area. According the 1986 Initial Assessment Study, this facility was installed in 1978. The covered drum storage facility currently located on-site first appears in this photograph. The appended area to the north of the subject area discussed in the 1978 photograph has been paved and aircraft parts are now stored here.</p> <p>A large building has been installed in the center of the southern end of the subject area (in the parking lot).</p>
1986	<p>The south end of the former material storage area (along the west edge of the site) has been paved and converted to a parking facility. A fence has been added that separates this parking area from the salvage operations to the north. The main salvage building currently located on the north side of the subject property first appears on this photograph.</p> <p>The small building in the southwest corner of the site has been removed leaving an unpaved area.</p>
1993	<p>The unpaved area left in the location of the former small building in the southwest corner of the site has now been paved to increase the parking lot size.</p>
1996 Field Observations	<p>The building that first appeared in the northern parking lot in the 1983 photograph has since been removed. An unpaved area with soil piles is all that remains now.</p>

TABLE 3-2

HISTORIC STORAGE TANK SUMMARY

Tank No.	UST/ AST	Capacity (gals)	Substance Stored	Construction Material	Date Installed	Status
03-07-01 (old)	UST	2,000	No.2 Fuel Oil	Steel w/ asphaltic coating	1943	Removed or abandoned
03-07-02	AST	275	No.2 Fuel Oil	Steel	1943	Removed
03-07-03	AST	275	No.2 Fuel Oil	Steel	1943	Removed
03-28-01	UST	550	Diesel Fuel	Steel w/ asphaltic coating	1975	Removed or abandoned
03-34-03	UST	2,000	No.2 Fuel Oil	Fiberglass	1982	Removed 1993

0

0

0

4.0 ENVIRONMENTAL RECORDS REVIEW

A records review was performed using available standard environmental records. The records reviewed included regulatory agency databases, state and local agency files, aerial photographs, chain of title and other appropriate records. Regional geologic and hydrogeologic conditions at this site were also evaluated.

4.1 Northrop Grumman Document Review

Various Northrop Grumman AutoCAD-generated plans and micro-film blueprints were reviewed for buildings and structures at the Salvage and Treatment Area. These files were reviewed to determine the original building configurations and to identify any modifications which may have been made. These drawings were examined to identify former drains, sinks, sumps, or dry wells which may have acted as conduits for the migration of contaminants. Files reviewed include:

- Engineering drawings for Salvage and Treatment Area
- Environmental Library files at Northrop Grumman

The results of this review are provided in Section 2.0 and 3.0 of this report. In addition, a review was performed of previous environmental investigations that have been conducted at the Northrop Grumman facility. Discussion of these investigations is provided in the following section. All reviewed reports are referenced in Section 7.0.

4.1.1 Previous Environmental Investigations

This section summarizes the results of environmental investigations previously conducted on or near the Northrop Grumman Bethpage facility by the U.S. Geological Survey (USGS), U.S. Navy and OCC/RUCO Polymer Corporation. Although not all of these investigations focused exclusively on the Salvage and Treatment Area, they did focus on the overall conditions found within the Northrop Grumman facility.

USGS Study: Bethpage-Hicksville-Levittown Area

Beginning in 1985, the USGS conducted an investigation of the hydrogeology and groundwater quality of the Bethpage-Hicksville-Levittown area in Nassau County, New York. The study

included the Northrop Grumman Bethpage facility (which included the GOCO facility) and the OCC/RUCO Polymer Corporation site. The results of the study were summarized in three reports:

1. Geohydrology of the Bethpage-Hicksville-Levittown Area, Long Island, New York. Smolensky and Feldman, 1990: Summarizes the geology, groundwater elevations, and flow directions in east/central Nassau County.
2. Groundwater Quality in the Bethpage-Hicksville-Levittown Area, Long Island. Smolensky, et al. 1992: Summarizes groundwater quality in the east/central Nassau County.
3. Three Dimensional Advective Transport of Volatile Organic Compounds in Groundwater Beneath an Industrial/Residential Area of Nassau County, New York. Smolensky and Feldman, 1994: Summarizes the results of groundwater modeling activities.

In general, the first report (Smolensky and Feldman, 1990) describes a regional southward horizontal groundwater flow direction that is locally influenced by groundwater withdrawal and recharge beneath the Northrop Grumman facility.

The second report (Smolensky, et al., 1992) describes the presence of a VOC plume beneath and extending southward from the Northrop Grumman and OCC/RUCO Polymer sites. The plume was reported to be approximately 5,700 feet wide, 12,000 feet long, and more than 500 feet thick. The VOCs most frequently detected in the groundwater were trichloroethylene (TCE) and tetrachloroethene (PCE), with concentrations exceeding 1,000 µg/l. Figure 3, contained in Section 2.1.1 of this report shows the approximate location of this contaminant plume.

The third report (Smolensky and Feldman, 1994) documents the construction, calibration and use of a groundwater flow and particle tracking model covering the Bethpage-Hicksville-Levittown study area.

U.S. Navy Investigations

In 1986, a report titled *Initial Assessment of NWIRP Bethpage, NY and NWIRP Calverton, NY* was submitted to the Naval Energy and Environmental Support Activity. This report detailed the results of an Initial Assessment Study which had been conducted at both the Northrop Grumman Bethpage and Calverton facilities. The study identified areas which were determined to be of environmental concern based upon past and present usage. The Salvage and Treatment Area was identified as Site 9 and was recommended for further investigation.

Phase I Remedial Investigation

In May 1992, a Phase I Remedial Investigation of the NWIRP, Bethpage, New York was completed by Halliburton, NUS Corporation under the U.S. Navy Installation Restoration Program (IRP). This investigation included a soil gas survey, soil sampling, surface water and sediment sampling, monitoring well installation, and groundwater sampling. Three sites (the Salvage and Treatment Area, the former drum marshaling area (east of Plant 3), and the recharge basins) were investigated.

The Phase I soil gas survey results for the Salvage and Treatment Area, the former drum marshaling area, and recharge basin area indicated potential solvent contamination. The results of the soil sampling program confirmed the presence of solvents at the former drum marshaling area, with detections of PCE and TCE at concentrations up to 4,800 µg/kg. In addition, soil sampling results revealed elevated concentrations of polychlorinated biphenyls (PCBs) up to 7,900 µg/kg, inorganics, and polynuclear aromatic hydrocarbons at the three sites, and pesticides at concentrations up to 440 µg/kg in the former drum marshaling area.

Soil gas samples were collected from 30 points in the Salvage and Treatment Area. Shallow (5 feet bgs) and deep (19 feet bgs) samples were collected from each point. Samples were analyzed for VOC concentrations. TCE was determined to be the contaminant of concern at this site. The highest TCE concentration observed in a shallow sample was 38 µg/l, and the highest TCE concentration observed in a deep sample was 47 µg/l. Both of these samples were collected from the same point in the central portion of the Salvage and Treatment Area, as shown on Figure 6. Soil gas sampling results for TCE are summarized in Table 4-1.

Soil samples were collected from nine points in the Salvage and Treatment Area. Shallow (3 feet bgs) and deep (19 feet bgs) samples were collected from each point. Samples were analyzed for VOCs, SVOCs, and inorganic compounds. The highest PCE concentration detected was 55 µg/kg in a deep sample collected from the northeast corner of the site. The highest TCE concentration detected was 9 µg/kg in a shallow sample. Figure 7 shows the soil sampling points at the Salvage and Treatment Area. Soil sampling results for TCE are summarized in Table 4-1.

VOCs were detected in groundwater samples from the former drum marshaling area, the salvage storage area, and the recharge basins. The groundwater near the former drum marshaling area contained concentrations of TCE (1,500 µg/l), PCE (7,700 µg/l), 1,1,1-TCA (10,000 µg/l), 1,1-DCA (880 µg/l), 1,1-DCE (250 µg/l) and 1,2-DCE (3,600 µg/l). The groundwater downgradient of the Salvage and Treatment Storage Area had concentrations of TCE up to 58,000 µg/l. This high level of TCE was later attributed to Plant 3, and not to the Salvage and Treatment Area.

Nine temporary groundwater monitoring wells were installed and sampled at the Salvage and Treatment Area. Samples were analyzed for VOCs. The maximum TCE concentration detected was 76 µg/l from a well at the southern portion of the site. In addition to the temporary monitoring wells, four additional wells were sampled near the site. Two wells were considered upgradient and two were considered downgradient. The highest upgradient TCE concentration detected was 11 µg/l (intermediate groundwater). The highest downgradient TCE concentration detected was 120 µg/l (shallow groundwater). Figure 8 shows the location of the groundwater sampling points at the Salvage and Treatment Area. Groundwater sampling results for TCE are summarized in Table 4-1.

Phase II Remedial Investigation

In October 1993, a Phase II Remedial Investigation of the NWIRP, Bethpage, New York was completed by Halliburton, NUS Corporation. The investigation included a soil gas survey, soil sampling, monitoring well sampling and groundwater sampling. In addition to the sites investigated during the Phase I Remedial Investigation, Phase II also included an investigation of Plant 3, the Well HN-24 area, and off-site areas to the east/southeast.

In general, the groundwater data collected during the Phase II Remedial Investigation found concentrations of VOCs at the former drum marshaling area, at Plant 3 and in off-site monitoring wells. The groundwater near the former marshaling area contained VOCs: TCE (340 µg/l), PCE

(1,400 µg/l), 1,1,1-TCA (690 µg/l), 1,1-DCA (120 µg/l), and 1,2-DCE (220 µg/l). The groundwater near Plant 3 contained concentrations of TCE up to 12,000 µg/l.

Record of Decision

In May 1995, the U.S. Navy and NYSDEC entered into a Record of Decision (ROD) for three sites at the Northrop Grumman facility. One of these sites was Site 3 (formerly Site 9), the Salvage and Treatment Area. Based on the results of past investigations at the site, it was determined that no further remedial activities would be required at the Salvage and Treatment Area. The ROD stated that the only constituent at the site requiring treatment was tetrachloroethene in soil, and that tetrachloroethene is expected to be treated as an incidental result of planned groundwater remediation at the Northrop Grumman facility.

OCC/RUCO Polymer Corp. Investigation

In August 1992, a Remedial Investigation which included a soil gas survey, an electromagnetic conductivity survey, OCC/RUCO recharge basin sediment and surface water sampling, shallow and deep soil sampling, and groundwater sampling was completed for the OCC/RUCO Polymer site. The data summarized below was gathered from the OCC/RUCO draft Remedial Investigation Report (Leggette, Brashears & Graham, Inc. 1990).

Soil samples collected during the remedial investigation contained the following maximum concentrations: TCE (7,600 µg/kg), PCE (57,000 µg/kg), ethylbenzene (950 µg/kg), toluene (390 µg/kg), PAHs (7,700 µg/kg), phenols (120,000 µg/kg), phthalates (120,000 µg/kg), and PCBs (2.1 mg/kg). The sediments from the OCC/RUCO recharge basins were found to contain toluene and 1,2-DCE at concentrations of 260 µg/kg and 76 µg/kg respectively. Also found in the OCC/RUCO recharge basin sediments were PAHs and phthalates at concentrations of 2,180 µg/kg and 9,580 µg/kg.

The groundwater sampling from on-site wells found the following VOCs: PCE (85 µg/l), TCE (14 µg/l) and vinyl chloride (560 µg/l).

Northrop Grumman Phase I and Phase II Remedial Investigations

In February 1991 and August 1992, respectively, Phase I and Phase II Remedial Investigations were performed by Geraghty & Miller, Inc. for Northrop Grumman at the Bethpage, New York facility.

The remedial investigations were performed for the entire Northrop Grumman Bethpage facility, excluding the GOCO facility. Therefore, the study area for this investigation did not include the Salvage and Treatment Area. The investigations included a soil gas survey, soil sampling, recharge basin water and sediment sampling, and groundwater sampling. Included below is a summary of the findings:

Groundwater beneath the Northrop Grumman facility, to a depth of approximately 460 feet bgs, occurs in two separate geologic units that are hydraulically connected and, in general, behave as one hydrogeologic unit. These units are the Upper Glacial and Magothy aquifers.

Groundwater predominantly flows regionally to the southeast across the site with a slight downward component, but is greatly influenced by the groundwater withdrawal that occurs at numerous sight production wells and the reinfiltration that occurs at the on-site recharge basins. Operation of these wells and the use of recharge basins has changed the flow patterns locally.

The results of the soil gas surveys indicated VOC contamination at six locations. Based on these results, soil and groundwater sampling locations were identified.

The soil sampling results indicated SVOCs in nine locations, VOCs in two locations, and metals in seven locations. All locations identified were above NYSDEC cleanup objectives.

The results of the recharge basin water sampling indicated that all parameters, with the exception of iron, were below 1991 NYSDEC cleanup objectives. The sediment samples indicated several metals and SVOCs were detected above 1991 NYSDEC cleanup objectives.

The results of the groundwater sampling indicated two plumes of groundwater contamination (eastern and western) near the center of the facility.

4.2 Local Regulatory Agencies

In conducting this survey, state and local agencies were contacted for file searches regarding the Salvage and Treatment Areas. The results of the regulatory agency records review are described below.

4.2.1 New York State Department of Environmental Conservation (NYSDEC)

Radian personnel reviewed the Northrop Grumman files at the NYSDEC, Stony Brook, New York regional office. Many of the documents and information had already been reviewed at Northrop Grumman's Environmental Library at Plant 1. The information reviewed included:

- Annual NYSDEC RCRA Site Inspection Reports from 1987 to 1995.
- Additional spill event notification letters to NYSDEC.
- U.S. Navy RI/FS public meeting presentation materials.
- NYSDEC Notice of Violation Letter dated August 1, 1986 for SPDES Permit No. NY0096792.
- Additional information concerning sludge drying beds, container storage area, and cyanide wastewater batch treatment unit located northeast of Plant 3.

The Grumman Aerospace Corporation (GAC) Bethpage facility was first listed on the state's Registry of Inactive Hazardous Waste Disposal Sites in 1983, as a Class 2a site. In 1988, a Class 2 designation was assigned to the facility. In 1992, the Bethpage facility was separated into two sites, the NWIRP site and the Grumman Aerospace Bethpage facility. Through a consent order with the NYSDEC an on-site and off-site Remedial Investigation/Feasibility Study (RI/FS) of the Bethpage facility was initiated. The first page of the RI was submitted in January 1992 and a final RI was submitted in September 1994.

4.2.2 Nassau County Department of Health

On July 24, 1996, Radian personnel reviewed the Northrop Grumman files at the Nassau County Department of Health in Mineola, New York. The majority of the material reviewed had been previously collected from Northrop Grumman and reviewed. No documents were copied, but notes were taken on some of the Navy's environmental work to date.

4.2.3 Nassau County Fire Marshal

Radian sent two (2) written requests for file review, but no response was ever received from the Nassau County Fire Marshal.

4.3 Property History Search

The property title search was performed by Land Title Research. Nine title chains were identified. The Salvage and Treatment Area is located on USA lot 8. The current owner is the U.S. Navy. The chain of title and tax maps are provided in Appendix B.

4.4 Standard Environmental Regulatory Agency Database Review

An environmental agency database review was conducted to identify properties that may pose a potential environmental impact to the property. Radian contracted Environmental Data Resources, Inc. (EDR) to perform an agency/regulatory database search of properties within a 1-mile radius of the property. The results of this database search are presented in a report dated April 12, 1996, which is provided in Appendix C.

The following sections describe the results of the EDR database search. Only those properties listed in the database as being pertinent to the property or within the ASTM minimum search distance are provided in the text of this report. The other properties outside the ASTM search distance are included in the EDR report. EDR designates sequential site numbers for properties identified in the database search. These sites are identified geographically from north to south on the database map. For cross-reference, the EDR site number is referenced after the site listing in this report. The databases reviewed, including release dates and search results, are presented in the following sections.

4.4.1 Federal ASTM Records

National Priorities List (NPL) - September 1995: The NPL is the USEPA's database of uncontrolled or abandoned hazardous waste sites identified for priority remedial actions under the Superfund program. A site must meet or surpass a predetermined hazard ranking system score to be placed on the NPL list, or meet three specific criteria set jointly by the U.S. Department of Health and Human Services and the USEPA in order to become an NPL site.

One site within a 1-mile radius (ASTM standard) of the property was listed on this database.

RUCO Polymer Corp.
New South Road
Hicksville, NY 11801
(EDR site # 53)

According to the EDR report, this site (formerly known as Hooker Chemicals and Plastics Corporation) is considered a significant threat to public health or environment - action required. The site is currently under a remedial design. Groundwater on the adjacent site contains vinyl chloride. Efforts to address off-site groundwater concerns are underway.

According to EDR, the RUCO site had three lagoons that were used for waste disposal from 1947 through the late 1970s. The depth to groundwater is 50 feet. Soil and groundwater is contaminated with vinyl chloride and other chlorinated hydrocarbons. The Salvage and Treatment Area, the Northrop Grumman facility and the Bethpage Water District (BWD) Supply Wells are downgradient from the RUCO site. The groundwater at BWD Plants 4 and 6 are contaminated. The BWD is currently operating a treatment facility to treat contaminated groundwater.

RUCO Assessment: Groundwater and contaminant migration from this site presents a threat to the groundwater below the property.

Comprehensive Environmental Response, Compensation, and Liability Information System (CERCLIS) - November 1995: CERCLIS contains data on potentially hazardous waste sites that have been reported to the USEPA by states, municipalities, private companies and private persons, pursuant to Section 103 of the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA). CERCLIS contains sites which are either proposed for or are currently listed on the NPL and sites which are in the screening and assessment phase for possible inclusion on the NPL.

Two CERCLIS sites listed below were found within 1-mile radius of the property (ASTM standard ½-half mile). *One site located with ½ mile of the property is listed below:*

RUCO Polymer Corp.
New South Road
Hicksville, NY 11801
(EDR site # 53)

RUCO Assessment: See assessment provided previously in NPL section.

4.4.2 Federal Non-ASTM Records

Superfund (CERCLA) Consent Decrees (CONSENT) - September 1995: Major legal settlements that establish responsibility and standards of cleanup at NPL (Superfund) sites are released periodically by U.S. District Courts after settlement by the litigants.

No sites were identified within a 1-mile radius of the property.

RCRA Corrective Action Sites (CORRACTS) - October 1995: The USEPA maintains this database of RCRA facilities which are undergoing “corrective action.” A “corrective action order” is issued when there has been a release of hazardous waste or constituents into the environment from a RCRA facility.

Two sites within a 1-mile radius of the property were identified.

LILCO Hicksville Op. Center
175 E. Old Country Road
Hicksville, NY 11801
(EDR site #25)

RUCO Polymer Corp.
New South Road
Hicksville, NY 11801
(EDR site # 53)

According to the EDR report, LILCO is currently under investigation by the government to assess the extent of further action. Prioritization is Low. A RCRA Facility Investigation has been completed, and the Corrective Action process is terminated. The evaluation indicated a compliance violation.

RUCO Assessment: See assessment provided previously in NPL Section

Facility Index System (FINDS) - September 1995: FINDS contains both facility information and "pointers" to other sources that contain more detail. These include:

- RCRIS;
- PCS (Permit Compliance System);
- AIRS (Aerometric Information Retrieval System);
- FATES (FIFRA [Federal Insecticide Fungicide Rodenticide Act] and TSCA Enforcement System);
- FTTS (FIFRA, TSCA Tracking System);
- CERCLIS, DOCKET (Enforcement Docket used to manage and track information on civil judicial enforcement cases for all environmental statutes); and
- TSCA Chemicals in Commerce Information System (CICIS), PADS, RCRA-J (medical waste transporters/disposers), TRIS and TSCA.

Ninety (90) sites within a 1-mile radius of the property were identified. These sites are presented in the EDR report in Appendix C.

Assessment: This database provides a list of facilities and does not provide soil or groundwater information for use in evaluating potential threat to property

Hazardous Materials Information Reporting System (HMIRS) - December 1995: Hazardous Materials Incident Report System contains hazardous material spill incidents reported to DOT.

No incidents were reported within a 1-mile radius of the property.

Material Licensing Tracking System (MLTS) - August 1995: MLTS is maintained by the Nuclear Regulatory Commission (NRC) and contains a list of approximately 8,100 sites which possess or use radioactive materials and which are subject to NRC licensing requirements.

No sites within a 1-mile radius of the property were identified.

Federal Superfund Liens (NPL LIENS) - October 1991: Under the authority granted the USEPA by CERCLA of 1980, the USEPA has the authority to file liens against real property in order to recover remedial action expenditures or when the property owner receives notification of potential liability. USEPA compiles a listing of files notices of Superfund liens.

No sites within a 1-mile radius of the property were identified.

PCB Activity Database System (PADS) - October 1994: PADS identifies generators, transporters, commercial storers and/or brokers and disposers of PCBs who are required to notify the USEPA of such activities.

No sites within a 1-mile radius of the property were identified.

RCRA Administrative Action Tracking System (RAATS) - April 1995: RAATS contains records based on enforcement actions issued under RCRA pertaining to major violators and includes administrative and civil actions brought by the USEPA.

No sites within a 1-mile radius of the property were identified.

RCRIS, Small Quantity Generator - October 1995: The USEPA's RCRA Information System identifies facilities which report generation, storage, transportation, treatment or disposal of hazardous waste. RCRA Small Quantity Generator tracks facilities which generate less than 1,000 kg/month of non-acutely hazardous waste.

Forty-eight (48) sites within a 1-mile radius of the property were identified. These sites are presented in the EDR report in Appendix C.

Assessment: This database provides a list of facilities and does not provide soil or groundwater information for use in evaluating potential threat to property.

RCRIS, Large Quantity Generator - October 1995: The USEPA's RCRA Information System identifies facilities which report generation, storage, transportation, treatment or disposal of hazardous waste. RCRA Large Quantity Generator tracks facilities which generate at least 1,000 kg/month of non-acutely hazardous waste or 1 kg/month of acutely hazardous waste.

Thirty-nine (39) sites within a 1-mile radius of the property were identified. These sites are presented in the EDR report in Appendix C.

Assessment: This database provides a list of facilities and does not provide soil or groundwater information for use in evaluating potential threat to property.

Records of Decision (ROD) - March 1995: ROD documents mandate a permanent remedy at an NPL (Superfund) site containing technical and health information to aid in the cleanup.

No sites within a 1-mile radius of the property were identified.

Toxic Chemical Release Inventory System (TRIS) - December 1992: TRIS identifies facilities which release toxic chemicals to the air, water and land in reportable quantities under SARA Title III Section 313.

One site within a 1-mile radius of the property was identified. This site is listed below.

RUCO Polymer Corp.
New South Road
Hicksville, NY 11801
(EDR site # 53)

RUCO Assessment: See assessment provided previously in NPL Section.

Toxic Substances Control Act (TSCA) - January 1995: TSCA identifies manufacturers and importers of chemical substances included on the TSCA Chemical Substance Inventory list. It includes data on the production volume of these substances by plant site. USEPA has no current plan to update and/or re-issue this database.

No sites within a 1-mile radius of the property were identified.

4.4.3 State of New York ASTM Records

Leaking Underground Storage Tank (LUST) Incidents Report - December 1995: UST records contain an inventory of reported leaking underground storage tank incidents.

Ninety-seven (97) sites were found within a 1-mile radius of the property (ASTM standard 1/2-mile). Twenty-four (24) sites within a 1/2-mile radius are listed below:

Getty Petroleum
723 South Oyster Bay Road
Plainview, NY 11803
(EDR site #21) - note 1

Mobil S/S #17-KKJ
755 S. Oyster Bay Road
Bethpage, NY
(EDR site #64) - note 3

Structural Industries Inc.
96 New South Road
Hicksville, NY 11801
(EDR site #27) - note 1

Bonanza Fabric Co.
35 Karin Lane
Hicksville, NY
(EDR site #38) - note 2

Henry Soluk, Owner
30 Floral Ave.
Bethpage, NY
(EDR site # 47) - note 2

Shell Oil Co.
Stewart & Farmers
Bethpage, NY 11714
(EDR site # 48) - note 2

LILCO
Evergreen & Spruce Ave.
Bethpage, NY
(EDR site # 51) - note 4

Gabrielli Truck Sales Ltd.
880 S. Oyster Bay Road
Hicksville, NY
(EDR site # 57) - note 2
Mineola Mack Inc.
880 S. Oyster Bay Road
Hicksville, NY 11801
(EDR site # 57) - note 2

Bethpage Metro
900 Stewart Ave.
Bethpage, NY
(EDR site # 60) - note 2

Metro S/S
900 Stewart Ave.
Bethpage, NY
(EDR site # 60) - note 2

Northrop Grumman
Stewart Ave.
Bethpage, NY
(EDR site #65) details on following page.

Festante Residence
82 Sycamore Ave.
Bethpage, NY
(EDR site # 66) - note 3

Nassau Blue Flame Inc.
3 Washington Pky.
Hicksville, NY
(EDR site # 69) - note 3

Bertan Assoc.
121 New South Road
Hicksville, NY
(EDR site # 70) - note 3

Meenan Oil
121 New South Road
Hicksville, NY
(EDR site # 70) - note 3

Servco Corp. of America
111 New South Road
Hicksville, NY 11801
(EDR site #70) - note 3

Long Island Development
101 New South Road
Hicksville, NY
(EDR site # 70) - note 3

ERM Northeast
335 New South Road
Hicksville, NY
(EDR site # 73) - note 3

Variety Petrol (P & G Fuel)
317 New South Road
Hicksville, NY
(EDR site # 73) - note 3

Avis Car Rental
980 South Broadway
Bethpage, NY
(EDR site # 82) -
note 3

l Adriano Residence
159 12th Street
Bethpage, NY
(EDR site # 83) - note 3

Nynex Vehicle
Sherman Ave. & S. 6th Street
Bethpage, NY
(EDR site # 86) - note 3

James Bell Residence
127 South 1st Street
Bethpage, NY
(EDR site # 86) - note 3

Description of Notes:

- Note 1: Upgradient location/Status is resolved, spill has been cleaned up and closure is complete.
- Note 2: Lateral-gradient location/Status is resolved, spill has been cleaned up and closure completed.
- Note 3: Downgradient location/ Status is resolved, spill has been cleaned up and closure is completed.
- Note 4: Lateral-gradient location/ Active spill (ongoing).

LUST Assessment: Due to current status, distance from property, and groundwater flow direction these sites do not appear to pose a threat to the property.

Details of Grumman Aerospace Corp. (EDR site #65) are provided below:

Thirty-three (33) LUST sites are identified for site #65, Northrop Grumman. Of these 33 sites, no sites are identified at the Salvage and Treatment Area.

State Hazardous Waste Sites (SHWS) - July 1995: State hazardous waste site records are the states' equivalent to CERCLIS. These sites may or may not already be listed on the federal CERCLIS list. Priority sites planned for cleanup using state funds (state equivalent of Superfund) are identified along with sites where cleanup will be paid for by potentially responsible parties.

Two (2) sites were found within a 1-mile radius of the property (ASTM standard ½-mile) and are listed below:

Polymer Corp.
New South Road
Hicksville, NY
(EDR site #53)

Northrop Grumman - Bethpage Facility
Stewart Avenue
Bethpage, NY
(EDR Site #65)

RUCO Assessment: See assessment provided previously in NPL Section.

Grumman Assessment: See assessment provided previously in UST Section.

Solid Waste Facilities/Landfill Sites (SWF/LS) - March 1996: SWF/LS type records typically contain an inventory of solid waste disposal facilities or landfills in a particular state. Depending on the status, these may be active or inactive facilities or open dumps that failed to meet RCRA Section 2004 criteria for solid waste landfills or disposal sites.

No sites within a 1-mile radius of the property were identified.

UST - Petroleum Bulk Storage (PBS, CBS, MOST) Database (UST) - December 1995: USTs are regulated under Subtitle I of RCRA and must be registered with the state department responsible for administering the UST program.

Five (5) sites were found within a 1-mile radius of the property (ASTM standard 1/2-mile). Five sites listed are within 1/2-mile and are listed below:

Mobil Oil S/S
755 S. Oyster Bay Road
Bethpage, NY
(EDR site # 64)

Shell Oil Co.
Stewart Ave. & Farmers St.
Bethpage, NY
(EDR site # 48)

Structural Industries Inc.
96 New South Road
Hicksville, NY
(EDR site #27)

Grumman Aerospace Corp.
Stewart Ave.
Bethpage, NY
(EDR site # 65)

Frankie D's Serv. Sta.
1234 Stewart Ave.
Bethpage, NY
(EDR site # 30)

Assessment: This database provides a list of facilities and does not provide soil or groundwater information for use in evaluating potential threat to property.

4.4.4 State of New York Non-ASTM Records

AST - Petroleum Bulk Storage (AST) - September 1995:

Nine (9) sites were found within a 1-mile radius of the property (ASTM standard 1/2-mile). Seven sites within a 1/2-mile radius are listed below:

Gabrielli Truck Sales Ltd.
880 S. Oyster Bay Road
Hicksville, NY
(EDR site # 57)

King Bear
735 S. Broadway
Hicksville, NY
(EDR site # 63)

Bethpage Metro
900 Stewart Ave.
Bethpage, NY
(EDR site # 60)

Grumman Aerospace Corp.
Stewart Ave.
Bethpage, NY
(EDR site # 65)

Nassau Blue Flame
3 Washington Pky.
Hicksville, NY
(EDR site # 69)

Bradco Supply Corp.
85 Bloomingdale Road
Hicksville, NY
(EDR site # 85)

ERM Northeast
335 New South Road
Hicksville, NY
(EDR site #73)

Greco Bros. Bulk Terminal
Lauman Lane & Hicksville Road
Hicksville, NY
(EDR site # 101)

TBG Cogen Partners
939 South Broadway
Hicksville, NY
(EDR site # 78)

Assessment: This database provides a list of facilities and does not provide spill, soil and/or groundwater information for use in evaluating potential threat to property.

4.4.5 Summary of Agency Database Review

The Northrop Grumman facility is identified on the EDR database. The database search indicated that one NPL site (RUCO, EDR site #53) has the potential to impact the property through migration of contaminated groundwater. The Northrop Grumman facility has been identified as having five LUST cases. Of the five sites identified, two of the sites are reported to be active. None of the five sites are located at the Salvage and Treatment Area. Except for one off-site LUST Case (LILCO, EDR site #51), the majority of the off-site LUST sites were located either lateral or downgradient of the Salvage and Treatment Area and were resolved cases. The LILCO site, although identified as active, is not considered a threat to contaminate groundwater at the site since it is not located near the Salvage and Treatment Area.

4.5 Documented Releases at the Salvage Yard and Treatment Building

The following paragraphs describe, in chronological order, releases that have been documented at the Salvage and Treatment Area. The information that was used to develop this section included:

- A table listing toxic or hazardous material releases, provided by Mr. John Selva of Northrop Grumman;

- Binders containing internal Northrop Grumman memoranda and correspondence with regulatory agencies relating to spills at the Bethpage facility;
- Interviews with site personnel; and
- Information on file at NYSDEC's Stony Brook office.

No information on releases that occurred prior to 1984 was discovered during site file reviews and interviews.

1. On November 2, 1984, a spill of waste acid (2 percent hydrofluoric acid, 25 percent nitric acid) occurred from a vacuum truck at the Treatment Building. Approximately 500 gallons of waste acid was released. This spill was documented in the files at NYSDEC's Stony Brook office.

Based on the available records, the waste acid release described above should not require additional investigation. Further investigation of this release would be difficult, since an exact location for the spill was not identified in the records.

2. On January 7, 1993, a release was observed from a UST (Tank 03-34-03) at the Treatment Building. The tank was damaged during excavation activities and was subsequently removed from the ground. After removal of the tank, 87 tons of visibly contaminated soil were removed and disposed off-site. The excavation was backfilled and the tank was replaced with a temporary above ground storage tank (AST). This spill was documented in Grumman field notes dated January 8, 1993 and on the release inventory provided by Northrop Grumman. This release was given a NYSDEC spill report number 92-11482.

The release from tank 03-34-3 was remediated by Northrop Grumman and documentation of the remediation was provided to NYSDEC. This site no longer appears on NYSDEC's list of active releases sites, and is therefore assumed to be closed according to NYSDEC officials.

TABLE 4-1

TCE CONCENTRATIONS IN SAMPLES COLLECTED AT THE SALVAGE AND TREATMENT AREA (1)

Sample Location	Shallow Soil Gas (µg/l) ⁽²⁾	Deep Soil Gas (µg/l) ⁽²⁾	Shallow Subsurface Soil (µg/l) ⁽³⁾	Deep Subsurface Soil (µg/l) ⁽³⁾	Temporary Well Groundwater (µg/l) ⁽³⁾	Shallow Groundwater (µg/l) ⁽³⁾	Intermediate Groundwater (µg/l) ⁽³⁾
303	ND	0.13	NA	NA	NA	NA	NA
304	12	4.8	ND	ND	9	NA	NA
305	0.21	1.3	NA	NA	NA	NA	NA
306	12	9.7	NA	NA	NA	NA	NA
307	10	9.2	ND	ND	12	NA	NA
308	0.52	0.87	NA	NA	NA	NA	NA
309	0.37	0.28	NA	NA	NA	NA	NA
310	ND	ND	NA	NA	NA	NA	NA
311	ND	2.2	NA	NA	NA	NA	NA
312	ND	ND	NA	NA	NA	NA	NA
313	2.7	1.0	NA	NA	NA	NA	NA
314	ND	ND	ND	NA	8	NA	NA
315	0.63	ND	NA	NA	NA	NA	NA

TABLE 4-1 (CONTINUED)

TCE CONCENTRATIONS IN SAMPLES COLLECTED AT THE SALVAGE AND TREATMENT AREA

Sample Location	Shallow Soil Gas ($\mu\text{g/l}$) ⁽²⁾	Deep Soil Gas ($\mu\text{g/l}$) ⁽²⁾	Shallow Subsurface Soil ($\mu\text{g/l}$) ⁽³⁾	Deep Subsurface Soil ($\mu\text{g/l}$) ⁽³⁾	Temporary Well Groundwater ($\mu\text{g/l}$) ⁽³⁾	Shallow Groundwater ($\mu\text{g/l}$) ⁽³⁾	Intermediate Groundwater ($\mu\text{g/l}$) ⁽³⁾
316	1.7	3.6	2	ND	12	NA	NA
317	1.8	0.88	NA	NA	NA	NA	NA
318	38	47	ND	ND	17	NA	NA
319	4.0	4.4	NA	NA	NA	NA	NA
320	0.23	0.95	NA	NA	NA	NA	NA
321	15	17	NA	NA	NA	NA	NA
322	0.28	0.35	NA	NA	NA	NA	NA
325	0.32	0.12	NA	NA	NA	NA	NA
326	ND	ND	NA	NA	NA	NA	NA
328	4.9	9.7	4	ND	76	NA	NA
329	ND	0.22	ND	NA	ND	NA	NA
334	17	13	9	ND	7	NA	NA

TABLE 4-1 (CONTINUED)

TCE CONCENTRATIONS IN SAMPLES COLLECTED AT THE SALVAGE AND TREATMENT AREA

Sample Location	Shallow Soil Gas ($\mu\text{g/l}$) ⁽²⁾	Deep Soil Gas ($\mu\text{g/l}$) ⁽²⁾	Shallow Subsurface Soil ($\mu\text{g/l}$) ⁽³⁾	Deep Subsurface Soil ($\mu\text{g/l}$) ⁽³⁾	Temporary Well Groundwater ($\mu\text{g/l}$) ⁽³⁾	Shallow Groundwater ($\mu\text{g/l}$) ⁽³⁾	Intermediate Groundwater ($\mu\text{g/l}$) ⁽³⁾
336	3.8	7.4	NA	NA	NA	NA	NA
338	13	17	ND	ND	12	NA	NA
340	0.16	0.18	NA	NA	NA	NA	NA
342	4.2	3.2	NA	NA	NA	NA	NA
343	4.4	1.5	NA	NA	NA	NA	NA
GM-7	NA	NA	NA	NA	NA	6	11
HN-25	NA	NA	NA	NA	NA	120	12
HN-26	NA	NA	NA	NA	NA	13	16


ND - Not detected

NA - Not analyzed


⁽¹⁾Data was taken from 1992 Final Remedial Investigation Report developed by Halliburton, NUS.

⁽²⁾ Detection limit is 0.10 $\mu\text{g/l}$

⁽³⁾ Detection limit is 5.0 $\mu\text{g/l}$




CLIENT:	NORTHROP GRUMMAN CORP. BETHPAGE, LONG ISLAND, NY
DWG. TITLE:	SOIL GAS SAMPLING POINTS AT THE SALVAGE AND TREATMENT AREA
DRAWN BY:	BTD
DATE:	NOV 1996
FIGURE:	6
PROJECT No.:	2704-4003
SCALE:	
FILE NUMBER:	FAIROD.DWG



LEGEND


● SOIL GAS SAMPLE POINT




NOTE: CONCENTRATIONS SHOWN ARE THE HIGHEST TCE AND PCE CONCENTRATIONS ONLY
 SOURCE: HALLIBURTON NUS. FINAL REMEDIAL INVESTIGATION REPORT, 1992

CLIENT: NORTHROP GRUMMAN CORP. BETHPAGE, LONG ISLAND, NY	DWG. TITLE: SOIL SAMPLING RESULTS AT THE SALVAGE AND TREATMENT AREA
RADIAN INTERNATIONAL LLC	DRAWN BY: BTD
	DATE: NOV 1996
	FIGURE: 7
	PROJECT No.: 2704-4003
	SCALE: FILE NUMBER: FAIROE.DWG

LEGEND
 ● SOIL SAMPLE POINT






NOTE: CONCENTRATIONS SHOWN ARE THE HIGHEST TCE CONCENTRATIONS ONLY
SOURCE: HALLIBURTON MUS. FINAL REMEDIAL INVESTIGATION REPORT, 1992

CLIENT: NORTHROP GRUMMAN CORP. BETHPAGE, LONG ISLAND, NY	DWG. TITLE: GROUNDWATER SAMPLING RESULTS AT THE SALVAGE AND TREATMENT AREA
RADIAN INTERNATIONAL LLC	DRAWN BY: BTD
	DATE: NOV 1996
	FIGURE: 8
	PROJECT No.: 2704-4003
	SCALE: FAIROF.DWG

LEGEND

- TEMPORARY GROUNDWATER MONITORING WELL
- ⚡ PERMANENT GROUNDWATER MONITORING WELL



0

0

0

5.0 FINDINGS

This section presents the findings of the Phase I ESA, and focuses on site features which warrant consideration as potential environmental AOCs.

5.1 Indicators of Contamination

The Salvage and Treatment Area has been used for salvage and material storage activities since the early 1940s. Wastewater treatment operations have been conducted at the site since 1970 (sanitary wastewater from 1970 to 1984, and industrial wastewater treatment from 1984 to the present). Past and present site activities that could potentially result in contamination at the site were identified during the Phase I ESA. These included underground storage tanks and historical and current chemical use or storage areas. However, the site has been extensively investigated by the U.S. Navy and has been recommended for no further remedial action as described in the 1995 ROD. In addition, the RCRA-permitted drum storage facility will ultimately be closed under RCRA closure requirements. Therefore, most areas of this site have been removed from consideration as potential AOCs. The only AOCs that have been identified at the Salvage and Treatment Area are two closed USTs without closure documentation.

5.2 Potential Areas of Environmental Concern

Review of Northrop Grumman records for USTs and ASTs identified three above ground tanks and six underground storage tanks that are currently or have previously been in use within the Salvage and Treatment Area. Two above ground storage tanks that were adjacent to the old salvage building have been removed. One above ground tank located at the IWTP is still active. Three USTs are still in service, and three have been taken out of service. The three active USTs are currently in a tightness testing program, and therefore are not likely sources of contamination.

No records of closure were available for two of the three USTs that were taken out of service. Therefore, it is possible that undocumented subsurface releases have occurred at these sites.

There is no method for determining the presence of subsurface releases during a Phase I site investigation. The following USTs have no records documenting removal or closure:

- UST 03-07-01 (old) - This tank was located adjacent to a building formerly located in the southwest corner of the Salvage and Treatment Area. This tank is identified as AOC 1.
- UST 03-28-01 - This tank was located adjacent to the outdoor treatment units on the east side of the Salvage and Treatment Area. This tank is identified as AOC 2.

Because of the potential for subsurface releases from underground storage tanks, and because no closure documentation exists, these two sites are recommended for further investigation. In addition, since no surface evidence of these tanks remains, both tanks will need to be located before sampling can be performed.

5.3 Off-Site and On-Site Groundwater Contamination

Groundwater across South Oyster Bay Road to the west of the Salvage and Treatment Area has been impacted with volatile organic compounds (VOCs). According to a delisting petition sent to New York State (Dvirka and Bartilucci, September 1994) these VOCs were attributed to off-site upgradient source, specifically, the NPL site: OCC/RUCO Polymer facility. These sources are potentially upgradient to the property according to the delisting petition. Another document reviewed (Geraghty & Miller Inc., December 1991) suggests that groundwater flow is to the south which would be lateral or parallel gradient to the property. Groundwater below the property may also be impacted with similar constituents and concentrations as attributed to off-site sources.

The Salvage and Treatment Area has been investigated extensively by the U.S. Navy, and is the subject of a 1995 ROD recommending no further investigation or remediation at the site. In addition to the ROD, Northrop Grumman, in conjunction with the U.S. Navy and OCC, is developing a Feasibility Study for remediation of groundwater in the vicinity of the Northrop Grumman, GOCO, and OCC facilities. Because of this and the investigations described previously, no further investigation of groundwater is recommended at the Salvage and Treatment Area.

TABLE 5-1

**PHASE I SITE ASSESSMENT - SALVAGE AND TREATMENT AREA
POTENTIAL ENVIRONMENTAL AREAS OF CONCERN**

AOC	DESCRIPTION	Information Sources ⁽¹⁾						
		1	2	3	4	5	6	7
1	UST 03-07-01 (old)	✓	✓		✓	✓	✓	
2	UST 03-28-01	✓	✓		✓	✓	✓	

⁽¹⁾ Information Sources:

- | | |
|----------------------------|---|
| 1. Site inspection | 5. Previous environmental investigation reports |
| 2. Interviews | 6. Facility maps & building plans |
| 3. Spill reports | 7. Materials sampling |
| 4. Tank inspection reports | |

0

0

0

6.0 RECOMMENDATIONS

The following recommendations have been developed based on the findings of the Phase I ESA. These recommendations are intended to provide the data needed to conduct a Phase II investigation, if necessary. Table 6-1 provides a summary of the recommended number of borings, linear feet of drilling, number of samples and sampling interval, and recommended analyses for each AOC.

6.1 On-Site Recommendations

Two potential areas of environmental concern were identified at the Salvage and Treatment Area.

AOC 1, UST 03-07-01 (old), located in the southwest portion of the Salvage and Treatment Area, should be addressed by collecting soil samples beneath the location of the tank. These samples should be analyzed for VOCs, TPHC, and PCBs.

AOC 2, UST 03-28-01, located on the east side of the Salvage and Treatment Area, should be addressed by collecting soil samples beneath the location of the tank. These samples should be analyzed for VOCs, TPHC, and PCBs.

6.2 Limitations of the Phase I Environmental Site Assessment

The conclusions of this Phase I ESA are based on the findings of a site reconnaissance, a review of public agencies' databases and files, a review of available records and information supplied by Northrop Grumman, and through interviews with Northrop Grumman employees conducted by Radian. Areas which were inaccessible (e.g., under flooring, within ceilings, behind walls) are not included and are not a part of this Phase I ESA.

Table 6-1
Summary of Recommendations for Phase II Site Assessment

AOC No.	AOC Description	No. of Borings (2)	No. of Coreings	Lineal Ft Drilling	No. of Soil Samples	Sampling Interval	No. of Water Samples	Principal Chemicals of Concern - Target Compounds	Recommended Analyses (1)							
									1	2	3	4	5	6	7	
1	UST 03-07-01 (old) (2,000 gallons)	2	N/A	20	4	0-10 ft ^{3,4,5} (continuous)	N/A	Fuel Oil		4/0				4/0	4/0	
2	UST 03-28-01 (550 gallons)	1	N/A	20	2	0-10 ft ^{3,4,5} (continuous)	N/A	Diesel Fuel		2/0				2/0	2/0	

N/A - Not Applicable

(1) Analyses are listed below.

(2) USTs less than 1,000 gallons will require 1 boring. USTs greater than or equal to 1,000 gallons will require 2 borings.

(3) For continuous soil sampling, a sample will be collected every two (2) feet.

(4) Samples from borings at the USTs will be collected below the BOTTOM OF THE TANK.

(5) First sample to be collected directly below the tank. Remaining samples to be screened by PID and highest reading sample analyzed.

1 - Priority Pollutant Metals (Method 6010)

2 - Volatile Organic Compounds (Method 8240)

3 - Semivolatile Organic Compounds (Method 8270)

4 - Cyanide (Method 335.1)

5 - Total Petroleum Hydrocarbons (Method 8015- Modified)

6 - Polychlorinated biphenyls (PCBs)

7 - Select Glycols (no method number)

0

0

0

7.0 REFERENCES

1. Initial Assessment Study of NWIRP Bethpage, New York. Rogers, Golden & Halpern. December 1986.
2. Final Remedial Investigation Work Plan. Halliburton NUS Environmental Corp. August 1991.
3. Data Report, Phase I Remedial Investigation Grumman Aerospace Corp., Bethpage, New York. Geraghty & Miller, Inc.. January 1992.
4. Final Remedial Investigation Report for Naval Weapons Industrial Reserve Plant, Bethpage, New York, May 1992
5. Environmental Compliance Evaluation of Naval Weapons Industrial Reserve Plants, Bethpage and Calverton, New York. Naval Facilities Engineering Command. June 1992.
6. Phase II Remedial Investigation Report for Naval Weapons Industrial Reserve Plant, Bethpage, New York. Halliburton NUS Corp., October 1993.
7. Feasibility Study Report for Naval Weapons Industrial Reserve Plant, Bethpage, New York. Halliburton NUS Corp. March 1994.
8. New York State Site Registry Delisting Petition Site 10 (Plants 21, 28, 37, 114, 115 and 116) Hicksville New York. Dvirka and Bartilucci, September 1994 .
9. Record of Decision, Naval Weapons Industrial Reserve Plant, Bethpage, New York. Northern Division - Naval Facilities Engineering Command and NYSDEC. May 1995.



8.0 WARRANTY AND DISCLOSURE LIMITATIONS

Radian International LLC, warrants that this environmental assessment report was prepared in accordance with generally accepted professional standards and applicable environmental laws and regulations; was based solely on the information made available to or gathered by Radian in the performance of the services described herein; and was conducted in accordance with the scope of work, schedule and budgetary constraints imposed by the client. Radian makes no other warranty, expressed or implied. The report is not to be construed as a guarantee or warranty as to the potential liabilities associated with environmental conditions or impacts at the site and Radian assumes no liability for conditions which did not come to its actual knowledge or for conditions which were not generally recognized as environmentally unacceptable at the time this report was prepared.

This report was prepared solely for the purpose of providing information to Northrop Grumman. Any reliance on this report, or any information contained therein, by any third party shall be at such party's sole risk. Radian shall have no liability to any third party in any manner whatsoever.

APPENDICES

0

0

0

A

Appendix A
AERIAL PHOTOGRAPHS



BTQ-2



CLIENT:
NORTHROP GRUMMAN CORP.
BETHPAGE, LONG ISLAND, NY

DWG. TITLE:
AERIAL PHOTOGRAPH 1947

RADIAN
INTERNATIONAL LLC
FAIRFIELD, NEW JERSEY

DRAWN BY:
BTD

DATE:
SEPT. 1996

FIGURE:
A-1

PROJECT No.:
2704-300

SCALE:
UNKNOWN

FILE NUMBER:
AP1947



CLIENT:
 NORTHROP GRUMMAN CORP.
 BETHPAGE, LONG ISLAND, NY

DWG. TITLE:
 AERIAL PHOTOGRAPH 12-2-53

RADIAN
INTERNATIONAL LLC
 FAIRFIELD, NEW JERSEY

DRAWN BY:
 BTD

DATE:
 SEPT. 1996

FIGURE:
 A-2

PROJECT No.:
 2704-300

SCALE:
 UNKNOWN

FILE NUMBER:
 AP12253



CLIENT:
 NORTHROP GRUMMAN CORP.
 BETHPAGE, LONG ISLAND, NY

DWG. TITLE:
 AERIAL PHOTOGRAPH 4-10-62

RADIAN
INTERNATIONAL LLC
 FAIRFIELD, NEW JERSEY

DRAWN BY:
 BTD


DATE:
 SEPT. 1996

FIGURE:
 A-3

PROJECT No.:
 2704-300

SCALE:
 1" = 1500'

FILE NUMBER:
 AP41062



CLIENT:
 NORTHROP GRUMMAN CORP.
 BETHPAGE, LONG ISLAND, NY

DWG. TITLE:
 AERIAL PHOTOGRAPH 3-8-66

RADIAN
INTERNATIONAL LLC
 FAIRFIELD, NEW JERSEY

DRAWN BY:
 BTD

DATE:
 SEPT. 1996

FIGURE:
 A-4

PROJECT No.:
 2704-300

SCALE:
 UNKNOWN

FILE NUMBER:
 AP3866



CLIENT:
 NORTHROP GRUMMAN CORP.
 BETHPAGE, LONG ISLAND, NY

DWG. TITLE:
 AERIAL PHOTOGRAPH 4-10-76

RADIAN
INTERNATIONAL LLC
 FAIRFIELD, NEW JERSEY

DRAWN BY:
 BTD

DATE:
 SEPT. 1996

FIGURE:
 A-5

PROJECT No.:
 2704-300

SCALE:
 1" = 800'

FILE NUMBER:
 AP41076



CLIENT:
 NORTHROP GRUMMAN CORP.
 BETHPAGE, LONG ISLAND, NY

DWG. TITLE:
 AERIAL PHOTOGRAPH 4-5-78

RADIAN
INTERNATIONAL LLC
 FAIRFIELD, NEW JERSEY

DRAWN BY:
 BTD

DATE:
 SEPT. 1996

FIGURE:
 A-6

PROJECT No.:
 2704-300

SCALE:
 1" = 1600'

FILE NUMBER:
 AP4578



CLIENT:
 NORTHROP GRUMMAN CORP.
 BETHPAGE, LONG ISLAND, NY

DWG. TITLE:
 AERIAL PHOTOGRAPH 3-21-86

RADIAN
INTERNATIONAL LLC
 FAIRFIELD, NEW JERSEY

DRAWN BY:
 BTD

DATE:
 SEPT. 1996

FIGURE:
 A-7

PROJECT No.:
 2704-300

SCALE:
 1" = 800'

FILE NUMBER:
 AP32186



CLIENT:
 NORTHROP GRUMMAN CORP.
 BETHPAGE, LONG ISLAND, NY

DWG. TITLE:
 AERIAL PHOTOGRAPH 4-14-93

RADIAN
INTERNATIONAL LLC
 FAIRFIELD, NEW JERSEY

DRAWN BY:
 BTD

DATE:
 SEPT. 1996

FIGURE:
 A-8

PROJECT No.:
 2704-300

SCALE:
 1" = 2000'

FILE NUMBER:
 AP41493

0

0

0


B

Appendix B
CHAIN OF TITLE REPORT

Land Title Research

Suite 1200
11 North Pearl Street
Albany, New York 12207

PHONE (518) 427-6929
FAX (518) 427-6965




May 31, 1996

Mr. Michael Huston
Radian International
710 Route 46 East, Suite 401
Fairfield, NJ 07004

Client Reference: EDR
LTR Reference: 961204

Subject: Grumman
Bethpage, NY
Jurisdiction: Nassau County, NY
Term of Search: Seventy Five years
Record Owner: Grumman Aerospace Corp.



A seventy five year property history search has been conducted on your behalf in the State of New York, County of Nassau for the subject listed above. Please find attached a Grantor/Grantee Report, supporting documents and additional information as requested.

The information set forth in this report was compiled from public records and other sources maintained by third parties. Therefore, we can not be held responsible for error, omission or inaccurate information, although we have exercised reasonable care in its compilation.


DOCUMENT COVER PAGE

Northrop Grumman Gold Property
Adjacent to Stewart Ave. & S. Oyster Bay Rd , Bethpage, Nassau County, NY

CLIENT REFERENCE #

LTR REFERENCE # 961204

- GRANTOR/GRANTEE REPORT
- CURRENT DEED WITH RECORD OWNER
- HISTORICAL DEEDS AND LEASES
- TAX MAP



11 North Pearl Street Albany, New York 12207 (518) 427-6929 FAX:(518) 427-6965


MAP

Northrop Grumman Gold Property
Adjacent to Stewart Ave & S. Oyster Bay Rd., Bethpage Nassau County NY




CLIENT REFERENCE #:


LTR REFERENCE # 961204

MAPS ATTACHED



11 North Pearl Street Albany, New York 12207 (518) 427-6929 FAX (518) 427-6965





N 167,950

N 187,530

E 2,141,550

**NASSAU COUNTY
LAND & TAX MAP
DEPARTMENT OF ASSESSMENT**


DIST. MUNICIPALITIES

ORANGE	TOWN OF
UNINCORP. CENTER BAY	NORTHAMPTON
UNINCORP. CENTER BAY	CITY OF
UNINCORP. CENTER BAY	ALBANY
UNINCORP. CENTER BAY	ALBANY
UNINCORP. CENTER BAY	ALBANY

SPECIAL DISTRICTS


PUBLIC PARKING	DIST.
UNINCORP. CENTER BAY	4
UNINCORP. CENTER BAY	4
UNINCORP. CENTER BAY	4
UNINCORP. CENTER BAY	4
UNINCORP. CENTER BAY	4

TOWN	DIST.
NASSAU COUNTY	3
NASSAU COUNTY	3
NASSAU COUNTY	3
NASSAU COUNTY	3
NASSAU COUNTY	3



SPECIAL DISTRICTS		MUNICIPALITIES	

UNITED STATES OF AMERICA
LOT NOS. 6 8 9
NASSAU COUNTY I.D.A.
LOT 61



E 2,143,000

N 196,200

N 192,000
E 2,137,800


RECORDING DISTRICT

BLOOMINGDALE (NEW SOUTH RD.)

WYTHRIS ST. RD.

SOMERSET AVE.

MULBERRY ST.




DETAIL "A"
SCALE 1" = 80'


E 2,138,200




FOR ADJOINING AREA SEE MAP NO 19



FOR ADJOINING AREA SEE MAP NO 21






FOR ADJOINING AREA SEE MAP NO. 20

W

X

Y

19



1:1000 MEASUREMENT AIR & SEA MAP NO. 20

18

GRANTOR/GRANTEE REPORT

Northrop Grumman Gold Property
Adjacent to Stewart Ave. & S. Oyster Bay Rd., Bethpage, Nassau County, NY
CHAIN ONE

CLIENT REFERENCE #:

LTR REFERENCE #: 961204

Chain One (A)

1.

Grantor: BWS Realty Co., a Co-Partnership Instrument: Bargain & Sale Deed

Dated: 08-01-74

Grantee: Grumman Aerospace Corporation, a New York Corporation Recorded: 08-07-74

Conveyed: As described, copy attached Book: 8709 Page: 156

2.

Grantor: Grumman Aircraft Engineering Corporation, a Domestic Corporation Instrument: Bargain & Sale Deed

Dated: 07-02-69

Grantee: Grumman Aerospace Corporation, a Domestic Corporation Recorded: 01-20-70

Conveyed: As described, copy attached Book: 8080 Page: 298


3.

Grantor: Taco Building Corp. Instrument: Bargain & Sale Deed

Dated: 11-30-64

Grantee: BWS Realty Co., a co-partnership comprised of Morris Back, Samuel Wax, Harrison A. Streisfeld & Harry Back Recorded: 12-01-64

Conveyed: Same as in L8709 Pg. 156 Book: 7341 Page: 6



11 North Pearl Street Albany, New York 12207 (518) 427-6929 FAX: (518) 427-6965

GRANTOR/GRANTEE REPORT

Northrop Grumman Gold Property
Adjacent to Stewart Ave. & S. Oyster Bay Rd., Bethpage, Nassau County, NY
CHAIN ONE

CLIENT REFERENCE #:

LTR REFERENCE #: 961204

4.

Grantor:	Grumman Aircraft Engineering Corporation, a Domestic Corporation	Instrument:	Bargain & Sale Deed
		Dated:	06-11-57
Grantee:	Taco Building Corp., a Domestic Corporation	Recorded:	06-17-57
Conveyed:	As described, copy attached	Book: 6224	Page: 416

End of Chain One (A)

Chain One (B)

5.

Grantor:	Grumman Aircraft Engineering Corporation, a Domestic Corporation	Instrument:	Bargain & Sale Deed
		Dated:	03-25-59
Grantee:	Taco Building Corp., a Domestic Corporation	Recorded:	04-02-59
Conveyed:	As described, copy attached	Book: 6518	Page: 521


End of Chain One (B)

Chain One (C)

6.

Grantor:	Grumman Aircraft Engineering Corporation, a Domestic Corporation	Instrument:	Bargain & Sale Deed
		Dated:	07-28-64
Grantee:	Taco Building Corp., a Domestic Corporation	Recorded:	08-14-64
Conveyed:	As described, copy attached	Book: 7305	Page: 400

End of Chain One (C)



11 North Pearl Street Albany, New York 12207 (518) 427-6929 FAX:(518) 427-6965

GRANTOR/GRANTEE REPORT

Northrop Grumman Gold Property
Adjacent to Stewart Ave. & S. Oyster Bay Rd., Bethpage, Nassau County, NY
CHAIN ONE

CLIENT REFERENCE #:

LTR REFERENCE #: 961204

Chain One (D)

7.

Grantor: Paumanock Development Corporation, a New York Corporation Instrument: Bargain & Sale Deed

Dated: 08-12-86

Grantee: Grumman Aerospace Corporation, a New York Corporation Recorded: 10-07-86

Conveyed: As described, copy attached Book: 9759 Page: 193

End of Chain One (D)

Chain One (E)

8.

Grantor: Grumman Aerospace Corporation, a Domestic Corporation Instrument: Bargain & Sale Deed

Dated: 11-01-73

Grantee: Paumanock Development Corporation, a New York Corporation Recorded: 12-06-73

Conveyed: As described, copy attached Book: 8622 Page: 356

End of Chain One (E)

Chain One (F)


9.

Grantor: Tomona Realty Company, Inc. Instrument: Bargain & Sale Deed

Dated: 07-14-41

Grantee: Grumman Aircraft Engineering Corporation, a Domestic Corporation

Conveyed: Old Lot 6 Book: 2388 Page: 338



11 North Pearl Street Albany, New York 12207 (518) 427-6929 FAX:(518) 427-6965

GRANTOR/GRANTEE REPORT

Northrop Grumman Gold Property
Adjacent to Stewart Ave. & S. Oyster Bay Rd., Bethpage, Nassau County, NY
CHAIN ONE

CLIENT REFERENCE #:

LTR REFERENCE #: 961204

10.

Grantor:	Edward S. Keough, Referee	Instrument:	Referee's Deed
		Dated:	11-23-35
Grantee:	Tomona Realty Company, Inc.	Recorded:	01-14-36
Conveyed:	46-G-6 and much more, foreclosing eight mtgs.	Book: 1865	Page: 110


11.

Grantor:	Tomona Realty Company, Inc.	Instrument:	Deed
		Dated:	05-28-26
Grantee:	Cripple Bush Realty Corporation	Recorded:	06-03-26
Conveyed:	46-G-6 and much more	Book: 1106	Page: 144

12.

Grantor:	Fairlawn Cemetery Society, a Domestic Corporation	Instrument:	Deed
		Dated:	05-22-17
Grantee:	Tomona Realty Company, Inc.	Recorded:	05-31-17
		Book: 475	Page: 32

END OF CHAIN ONE



11 North Pearl Street Albany, New York 12207 (518) 427-6929 FAX:(518) 427-6965

GRANTOR/GRANTEE REPORT

Northrop Grumman Gold Property
Adjacent to Stewart Ave. & S. Oyster Bay Rd., Bethpage, Nassau County, NY
CHAIN TWO

CLIENT REFERENCE #:

LTR REFERENCE #: 961204

Chain Two (A)

1.

Grantor:	Grumman Aircraft Engineering Corporation, a Domestic Corporation	Instrument:	
		Dated:	07-02-69
Grantee:	Grumman Aerospace Corporation, a Domestic Corporation	Recorded:	12-31-69
Conveyed:	As described, copy attached	Book: 8074	Page: 450

2.


Grantor:	Michael F. Looney, James G. Looney, John L. Looney, Mavita P. Looney	Instrument:	Bargain & Sale Deed
		Dated:	09-10-48
Grantee:	Grumman Aircraft Engineering Corporation, a Domestic Corporation	Recorded:	09-15-48
Conveyed:	Same as in L. 8074 Pg. 450	Book: 3671	Page: 327

End of Chain Two (A)

Chain Two (B)

3.

Grantor:	Irving R. Kingdon	Instrument:	Bargain & Sale Deed
		Dated:	12-18-86
Grantee:	Grumman Aerospace Corporation, a Domestic Corporation	Recorded:	02-24-87
Conveyed:	As described, copy attached	Book: 9792	Page: 519



11 North Pearl Street Albany, New York 12207 (518) 427-6929 FAX: (518) 427-6965

GRANTOR/GRANTEE REPORT

Northrop Grumman Gold Property
Adjacent to Stewart Ave. & S Oyster Bay Rd., Bethpage, Nassau County, NY
CHAIN TWO

CLIENT REFERENCE #:

LTR REFERENCE #: 961204

4.


Grantor:	Kingdon Enterprises, Inc.	Instrument:	Deed
		Dated:	08-30-77
Grantee:	Irving R. Kingdon	Recorded:	09-02-77
Conveyed:	Same as in L 9792 Pg. 519	Book: 9061	Page: 67

5.

Grantor:	Irving R. Kingdon	Instrument:	Bargain & Sale Deed
		Dated:	08-30-77
Grantee:	Kingdon Enterprises, Inc.	Recorded:	08-31-77
Conveyed:	Same as in L 9792 Pg. 519	Book: 9060	Page: 177

6.

Grantor:	Kingdon Enterprises, Inc.	Instrument:	Deed
		Dated:	09-18-73
Grantee:	Irving R. Kingdon	Recorded:	09-27-73
Conveyed:	Same as in L 9792 Pg. 519	Book: 8598	Page: 1



11 North Pearl Street Albany, New York 12207 (518) 427-6929 FAX:(518) 427-6965

GRANTOR/GRANTEE REPORT

Northrop Grumman Gold Property
Adjacent to Stewart Ave. & S. Oyster Bay Rd., Bethpage, Nassau County, NY
CHAIN TWO

CLIENT REFERENCE #:

LTR REFERENCE #: 961204

7.

Grantor: Irving R. Kingdon

Instrument: Deed

Dated: 09-18-73

Grantee: Kingdon Enterprises

Recorded: 09-21-73

Conveyed: Same as in L 9792 Pg. 143

Book: 8595 Page: 143

8.

Grantor: Murray A. Bruckman, Leonard
Marcus, as successor trustees for
Leslie Teicholz under agreement
of trust dated 5-29-56 & Murray
Bruckman & Leonard Marcus as
successor trustees for Eleanor,
Stephen & Peter Klien under
agreement of trust dated 5-29-56

Instrument: Deed

Dated: 04-30-59

Grantee: Irving R. Kingdon, d/b/a Industrial
Builders Co.

Recorded: 05-13-59

Conveyed: Part of 46-N-51+64

Book: 6536 Page: 193

End of Chain Two (B)

Chain Two (C)

9.

Grantor: Oyster Bay Road Realty Corp.

Instrument: Bargain & Sale Deed


Dated: 10-31-56

Grantee: Irving Abramson & David Osler,
trustees for Leslie Teicholz under
Agreement dated 5-29-56 & Irving
Abramson & David Osler, trustees
for Eleanor Klein, Stephen Klein, &
Peter Klein, under agreement
dated 5-29-56

Recorded: 01-02-57

Conveyed: Part of 46-N-Part of 12

Book: 6148 Page: 418



11 North Pearl Street Albany, New York 12207 (518) 427-6929 FAX: (518) 427-6965

GRANTOR/GRANTEE REPORT

Northrop Grumman Gold Property
Adjacent to Stewart Ave. & S. Oyster Bay Rd., Bethpage, Nassau County, NY
CHAIN TWO

CLIENT REFERENCE #:

LTR REFERENCE #: 961204

10.

Grantor:	Kalman Klein & David Teicholz	Instrument:	Warranty Deed
		Dated:	09-11-52
Grantee:	Oyster Bay Road Realty Corp.	Recorded:	01-28-53
Conveyed:	46-N Part of 12	Book: 5117	Page: 439

11.

Grantor:	Herman L. Zirk & Augusta W. Zirk, H/W	Instrument:	Bargain & Sale Deed
		Dated:	02-25-52
Grantee:	Kalman Klein & David Teicholz	Recorded:	02-28-52
Conveyed:	46-N-Part of 12	Book: 4803	Page: 298


12.

Grantor:	Margaret Miller	Instrument:	Bargain & Sale Deed
		Dated:	07-23-48
Grantee:	Herman L. Zirk & Augusta W. Zirk, H/W	Recorded:	08-03-48
Conveyed:	46-N-12	Book: 3641	Page: 434

Chain Two (C)

13.

Grantor:	Lakeville Merrick Corp.	Instrument:	Bargain & Sale Deed
		Dated:	05-12-59
Grantee:	Irving R. Kingdon, d/b/a Industrial Builders Co.	Recorded:	05-13-59
Conveyed:	As described, copy attached	Book: 6536	Page: 189



11 North Pearl Street Albany, New York 12207 (518) 427-6929 FAX: (518) 427-6965

GRANTOR/GRANTEE REPORT

Northrop Grumman Gold Property
Adjacent to Stewart Ave. & S. Oyster Bay Rd., Bethpage, Nassau County, NY
CHAIN TWO

CLIENT REFERENCE #:

LTR REFERENCE #: 961204

14.

Grantor: Joe Lo Fano & Rose Lo Fano,
H/W

Instrument: Bargain & Sale Deed

Dated: 09-09-52


Grantee: Lakeville Merrick Corp.

Recorded: 09-12-52

Conveyed: 46-N-Part of 38

Book: 4982 Page: 505

END OF CHAIN TWO



11 North Pearl Street Albany, New York 12207 (518) 427-6929 FAX:(518) 427-6965

GRANTOR/GRANTEE REPORT

Northrop Grumman Gold Property
Adjacent to Stewart Ave. & S. Oyster Bay Rd., Bethpage, Nassau County, NY
CHAIN THREE

CLIENT REFERENCE #:

LTR REFERENCE #: 961204

Chain Three (A)

1.

Grantor:	Grumman Aircraft Engineering Corporation	Instrument:	Bargain & Sale Deed
		Dated:	07-02-69
Grantee:	Grumman Aerospace Corporation	Recorded:	12-21-69
Conveyed:	As described, copy attached	Book: 8074	Page: 433

END OF CHAIN THREE(A)

Chain Three (B)

2.

Grantor:	Grumman Aircraft Engineering Corporation	Instrument:	Bargain & Sale Deed
		Dated:	07-02-69
Grantee:	Grumman Aerospace Corporation	Recorded:	03-28-72
Conveyed:	As described, copy attached	Book: 8367	Page: 101

END OF CHAIN THREE (B)

Chain Three (C)

3.


Grantor:	Grumman Aircraft Engineering Corporation	Instrument:	Bargain & Sale Deed
		Dated:	07-02-69
Grantee:	Grumman Aerospace Corporation	Recorded:	12-21-69
Conveyed:	As described, copy attached	Book: 8074	Page: 433

END OF CHAIN THREE (C)

Chain Three (D)

4.

Grantor:	Eugene Calissi et al.	Instrument:	Bargain & Sale Deed
		Dated:	07-30-65
Grantee:	Grumman Aircraft Engineering Corporation	Recorded:	08-04-65
Conveyed:	P/O New lot 20	Book: 7412	Page: 607



11 North Pearl Street Albany, New York 12207 (518) 427-6929 FAX:(518) 427-6965

GRANTOR/GRANTEE REPORT

Northrop Grumman Gold Property
Adjacent to Stewart Ave. & S. Oyster Bay Rd., Bethpage, Nassau County, NY
CHAIN THREE

CLIENT REFERENCE #:

LTR REFERENCE #: 961204


5.
Grantor: Calissi Brothers, Inc. Instrument: Bargain & Sale Deed
Dated: 12-29-61
Grantee: Eugene Calissi, et al. Recorded: 01-02-62
Conveyed: P/O New Lot 20 Book: 6962 Page: 506

6.
Grantor: Lawrence Calissi a/k/a Lawrence Calissi Instrument: Warranty Deed
Dated: 02-06-56
Grantee: Calissi Brothers, Inc. Recorded: 03-06-56
Conveyed: P/O New Lot 20 Book: 5980 Page: 428

7.
Grantor: Gertrude Jaeger, widow Instrument: Warranty Deed
Dated: 03-25-43
Grantee: Lawrence Calissi Recorded: 05-23-43
Conveyed: P/O New Lot 20 Book: 4152 Page: 569

8.
Grantor: Mindlin + Rosenman, Inc. Instrument: Quit Claim Deed
Dated: 09-01-26
Grantee: Flovio Corporation of Hewleh New York Recorded: 09-21-26
Conveyed: Book: 1135 Page: 431

END OF CHAIN THREE (D)



11 North Pearl Street Albany, New York 12207 (518) 427-6929 FAX: (518) 427-6965

GRANTOR/GRANTEE REPORT

Northrop Grumman Gold Property
Adjacent to Stewart Ave. & S. Oyster Bay Rd., Bethpage, Nassau County, NY
CHAIN THREE

CLIENT REFERENCE #:

LTR REFERENCE #: 961204

Chain Three (E)

9.

Grantor:	Lawrence Calissi	Instrument:	Warranty Deed
		Dated:	02-06-56
Grantee:	Calissi Brother, Inc.	Recorded:	03-08-56
Conveyed:	P/O/ New Lot #22	Book: 5982	Page: 246

10.

Grantor:	Eugene Calisi, et al.	Instrument:	Warranty Deed
		Dated:	08-24-48
Grantee:	Lawrence Calissi, Sr.	Recorded:	04-20-49
Conveyed:	P/O New Lot # 22	Book: 3817	Page: 586

END OF CHAIN THREE



11 North Pearl Street Albany, New York 12207 (518) 427-6929 FAX:(518) 427-6965

GRANTOR/GRANTEE REPORT

Northrop Grumman Gold Property
Adjacent to Stewart Ave. & S. Oyster Bay Rd., Bethpage, Nassau County, NY
CHAIN FOUR

CLIENT REFERENCE #:


LTR REFERENCE #: 961204

1.
Grantor: Grumman Aircraft Engineering Corporation Instrument: Bargain & Sale Deed
Dated: 07-02-69
Grantee: Grumman Aerospace Corporation Recorded: 12-31-69
Conveyed: As described, copy attached Book: 8074 Page: 442

2.
Grantor: C.T.C. Construction Corp. Instrument: Bargain & Sale Deed
Dated: 02-06-64
Grantee: Fred Wirtz & Dorothy Wirtz Recorded: 02-11-64
Conveyed: sec 46-323-52 Book: 7250 Page: 80

3.
Grantor: Joseph Corsentino Instrument: Bargain & Sale Deed
Dated: 10-07-63
Grantee: C.T.C. Construction Corp. Recorded: 10-29-63
Conveyed: Sec 46-323-52 Book: 7220 Page: 154

4.
Grantor: Milly Czuchman Instrument: 05-17-63
Dated: 05-22-63
Grantee: Joseph Corsentino Recorded: 05-22-63
Conveyed: Sec 46-323-52 Book: 7159 Page: 574



11 North Pearl Street Albany, New York 12207 (518) 427-6929 FAX:(518) 427-6965

GRANTOR/GRANTEE REPORT

Northrop Grumman Gold Property
Adjacent to Stewart Ave. & S. Oyster Bay Rd., Bethpage, Nassau County, NY
CHAIN FIVE

CLIENT REFERENCE #:

LTR REFERENCE #. 961204

Chain Five (A)

1.

Grantor: Grumman Aircraft Engineering Corporation Instrument: Bargain & Sale Deed

Dated: 07-02-69

Grantee: Grumman Aerospace Corporation Recorded: 01-19-70

Conveyed: As described, copy attached Book: 8080 Page: 310

Grantor: Grumman Aircraft Engineering Corporation Instrument: Bargain & Sale Deed

Dated: 07-02-69

Grantee: Grumman Aerospace Corporation Recorded: 01-19-70

Conveyed: Sec. 46 BI 323 Lot 16A Book: 8080 Page: 128

Grantor: Grumman Aircraft Engineering Corporation Instrument: Bargain & Sale Deed

Dated: 07-02-69

Grantee: Grumman Aerospace Corporation Recorded: 01-19-70

Conveyed: Sec 46 BI 323 Lot 16a & 16B Book: 8080 Page: 123


Grantor: Grumman Aircraft Engineering Corporation Instrument: Bargain & Sale Deed

Dated: 07-02-69

Grantee: Grumman Aerospace Corporation Recorded: 01-19-70

Conveyed: Sec 46 BI 323 Lot 16 a & 16b Book: 8080 Page: 120

END OF CHAIN FIVE (A)



11 North Pearl Street Albany, New York 12207 (518) 427-6929 FAX: (518) 427-6965

GRANTOR/GRANTEE REPORT

Northrop Grumman Gold Property
Adjacent to Stewart Ave. & S. Oyster Bay Rd., Bethpage, Nassau County, NY
CHAIN FOUR

CLIENT REFERENCE #:

LTR REFERENCE #: 961204

5.

Grantor: Grumman Aircraft Engineering Corporation

Instrument: Bargain & Sale Deed

Dated: 05-01-62

Grantee: Milly Czuchman

Recorded: 05-10-62

Conveyed: As described, copy attached

Book: 7010 Page: 372

6.

Grantor: Frederick V. Goess

Instrument: Executor's Deed

Dated: 05-15-54


Grantee: Grumman Aircraft Engineering Corporation

Recorded: 06-10-54

Conveyed: As described, copy attached

Book: 5556 Page: 277

END OF CHAIN FOUR



11 North Pearl Street Albany, New York 12207 (518) 427-6929 FAX:(518) 427-6965

GRANTOR/GRANTEE REPORT

Northrop Grumman Gold Property
Adjacent to Stewart Ave. & S. Oyster Bay Rd., Bethpage, Nassau County, NY
CHAIN FIVE

CLIENT REFERENCE #:

LTR REFERENCE #: 961204

Chain Five (B)

2.

Lessor:	Fortunato Sons, Inc.	Instrument:	Lease
		Dated:	08-31-81
Lessee:	Grumman Aerospace Corporation	Recorded:	
Conveyed:	As described, copy attached	Book: 9397	Page: 920

3.


Grantor:	Grumman Aerospace Corporation	Instrument:	Bargain & Sale Deed
		Dated:	08-01-69
Grantee:	John Pizzuti	Recorded:	11-05-__
Conveyed:	As described, copy attached	Book: 8994	Page: 234

END OF CHAIN FIVE (B)

Chain Five (C)

4.

Grantor:	Grumman Aircraft Engineering Corporation	Instrument:	Bargain & Sale Deed
		Dated:	07-02-69
Grantee:	Grumman Aerospace Corporation	Recorded:	12-31-69
Conveyed:	As described, copy attached	Book: 8074	Page: 440



11 North Pearl Street Albany, New York 12207 (518) 427-6929 FAX: (518) 427-6965

GRANTOR/GRANTEE REPORT

Northrop Grumman Gold Property
Adjacent to Stewart Ave. & S. Oyster Bay Rd., Bethpage, Nassau County, NY
CHAIN FIVE

CLIENT REFERENCE #:

LTR REFERENCE #: 961204

5.
Grantor: United State of America Instrument: Quit Claim Deed
Dated: 07-01-47
Grantee: Grumman Aircraft Engineering Corporation Recorded: 01-21-48
Conveyed: Book: 3509 Page: 482

END OF CHAIN FIVE (C)

Chain Five (D)

6.
Grantor: Grumman Aircraft Engineering Corporation Instrument: Bargain & Sale Deed
Dated: 07-02-69
Grantee: Grumman Aerospace Corporation Recorded: 01-27-70
Conveyed: As described, copy attached Book: 8080 Page: 318


END OF CHAIN FIVE (D)

Chain Five (E)

7.
Grantor: Grumman Aircraft Engineering Corporation Instrument: Bargain & Sale Deed
Dated: 07-02-69
Grantee: Grumman Aerospace Corporation Recorded: 12-31-69
Conveyed: As described, copy attached Book: 8074 Page: 425

8.
Grantor: County of Nassau Instrument: Quit Claim Deed
Dated: 09-11-51
Grantee: Grumman Aircraft Engineering Corporation Recorded: 09-17-51
Conveyed: 46-323-78B & 78A Book: 4659 Page: 70

END OF CHAIN FIVE (E)



11 North Pearl Street Albany, New York 12207 (518) 427-6929 FAX: (518) 427-6965

GRANTOR/GRANTEE REPORT

Northrop Grumman Gold Property
Adjacent to Stewart Ave. & S. Oyster Bay Rd., Bethpage, Nassau County, NY
CHAIN FIVE

CLIENT REFERENCE #: LTR REFERENCE #: 961204

Chain Five (F)

9.

Grantor:	Grumman Aircraft Engineering Corporation	Instrument:	Deed
		Dated:	07-02-69
Grantee:	Grumman Aerospace Corporation	Recorded:	01-20-70
Conveyed:	As described, copy attached	Book: 8080	Page: 302

10.

Grantor:	Grumman Aircraft Engineering Corporation	Instrument:	Bargain & Sale Deed
		Dated:	07-02-69
Grantee:	Grumman Aerospace Corporation	Recorded:	12-31-69
Conveyed:	As described, copy attached	Book: 8074	Page: 425

11.


Grantor:	County of Nassau	Instrument:	Quit Claim Deed
		Dated:	09-11-51
Grantee:	Grumman Aircraft Engineering Corporation	Recorded:	09-17-51
Conveyed:	46-323-78B & 78A	Book: 4659	Page: 70

END OF CHAIN FIVE (F)

Chain Five (G)

12.

Grantor:	Grumman Aircraft Engineering Corporation	Instrument:	Bargain & Sale Deed
		Dated:	07-02-69
Grantee:	Grumman Aerospace Corporation	Recorded:	01-19-70
Conveyed:	As described, copy attached	Book: 8080	Page: 134



11 North Pearl Street Albany, New York 12207 (518) 427-6929 FAX: (518) 427-6965

GRANTOR/GRANTEE REPORT

Northrop Grumman Gold Property
Adjacent to Stewart Ave. & S. Oyster Bay Rd., Bethpage, Nassau County, NY
CHAIN FIVE

CLIENT REFERENCE #:	LTR REFERENCE #: 961204		
13.			
Grantor:	Grumman Aircraft Engineering Corporation	Instrument:	Bargain & Sale Deed
		Dated:	07-02-69
Grantee:	Grumman Aerospace Corporation	Recorded:	01-19-70
Conveyed:	As described, copy attached	Book: 8080	Page: 132
14.			
Grantor:	Grumman Aircraft Engineering Corporation	Instrument:	Bargain & Sale Deed
		Dated:	07-02-69
Grantee:	Grumman Aerospace Corporation	Recorded:	01-19-70
Conveyed:	As described, copy attached	Book: 8080	Page: 118

END OF CHAIN FIVE



11 North Pearl Street Albany, New York 12207 (518) 427-6929 FAX: (518) 427-6965

GRANTOR/GRANTEE REPORT

Northrop Grumman Gold Property
Adjacent to Stewart Ave. & S. Oyster Bay Rd., Bethpage, Nassau County, NY
CHAIN SIX

CLIENT REFERENCE #:

LTR REFERENCE #: 961204

Chain Six (A)

1.

Grantor:	Grumman Aircraft Engineering Corporation	Instrument:	Bargain & Sale Deed
		Dated:	07-02-69
Grantee:	Grumman Aerospace Corporation	Recorded:	01-19-70
Conveyed:	As described, copy attached	Book: 8080	Page: 118

END OF CHAIN SIX (A)

Chain Six (B)

2.

Grantor:	Grumman Aircraft Engineering Corporation	Instrument:	Bargain & Sale Deed
		Dated:	07-02-69
Grantee:	Grumman Aerospace Corporation	Recorded:	01-20-70
Conveyed:	As described, copy attached	Book: 8080	Page: 306

END OF CHAIN SIX (B)

Chain Six (C)

3.

Grantor:	Grumman Aircraft Engineering Corporation	Instrument:	Bargain & Sale Deed
		Dated:	07-02-69
Grantee:	Grumman Aerospace Corporation	Recorded:	01-19-70
Conveyed:	As described, copy attached	Book: 8080	Page: 126


END OF CHAIN SIX (C)

Chain Six (D)

4.

Grantor:	Tilo Roofing Co., Inc.	Instrument:	Bargain & Sale Deed
		Dated:	07-06-51
Grantee:	Grumman Aircraft Engineering Corporation	Recorded:	07-17-51
Conveyed:	As described, copy attached	Book: 4596	Page: 171

END OF CHAIN SIX (D)



11 North Pearl Street Albany, New York 12207 (518) 427-6929 FAX:(518) 427-6965

GRANTOR/GRANTEE REPORT

Northrop Grumman Gold Property
Adjacent to Stewart Ave. & S. Oyster Bay Rd., Bethpage, Nassau County, NY
CHAIN SIX

CLIENT REFERENCE #:

LTR REFERENCE #: 961204

Chain Six (E)

5.

Grantor:	Grumman Aircraft Engineering Corporation	Instrument:	Bargain & Sale Deed
		Dated:	07-02-69
Grantee:	Grumman Aerospace Corporation	Recorded:	01-19-70
Conveyed:	As described, copy attached	Book: 8080	Page: 115

END OF CHAIN SIX (E)

Chain Six (F)


6.

Lessor:	Grumman Aerospace Corporation	Instrument:	Lease
		Dated:	06-30-88
Lessee:	TBG Cogen Partners	Recorded:	08-09-88
Conveyed:	As described, copy attached	Book: 9931	Page: 286

7.

Grantor:	Grumman Aircraft Engineering Corporation	Instrument:	Bargain & Sale Deed
		Dated:	07-02-69
Grantee:	Grumman Aerospace Corporation	Recorded:	01-20-70
Conveyed:	As described, copy attached	Book: 8080	Page: 306

END OF CHAIN SIX



11 North Pearl Street Albany, New York 12207 (518) 427-6929 FAX:(518) 427-6965

GRANTOR/GRANTEE REPORT

Northrop Grumman Gold Property
Adjacent to Stewart Ave. & S. Oyster Bay Rd., Bethpage, Nassau County, NY
CHAIN SEVEN

CLIENT REFERENCE #:

LTR REFERENCE #: 961204

1.

Grantor:	Grumman Aircraft Engineering Corporation	Instrument:	Bargain & Sale Deed
		Dated:	07-02-69
Grantee:	Grumman Aerospace Corporation	Recorded:	01-19-70
Conveyed:	As described, copy attached	Book: 8080	Page: 115

2.

Grantor:	Grumman Aircraft Engineering Corporation	Instrument:	Bargain & Sale Deed
		Dated:	07-02-69
Grantee:	Grumman Aerospace Corporation	Recorded:	01-20-70
Conveyed:	As described, copy attached	Book: 8080	Page: 318


3.

Grantor:	United States Of America	Instrument:	Deed
		Dated:	05-31-50
Grantee:	Grumman Aircraft Engineering Corporation	Recorded:	08-17-50
Conveyed:	As described, copy attached	Book: 4244	Page: 534

4.

Grantor:	Stephen A. McGunnigle	Instrument:	Deed
		Dated:	11-18-43
Grantee:	Grumman Aircraft Engineering Corporation	Recorded:	11-22-43
Conveyed:		Book: 2664	Page: 47

END OF CHAIN SEVEN



11 North Pearl Street Albany, New York 12207 (518) 427-6929 FAX:(518) 427-6965

GRANTOR/GRANTEE REPORT

Northrop Grumman Gold Property
Adjacent to Stewart Ave. & S. Oyster Bay Rd., Bethpage, Nassau County, NY
CHAIN EIGHT

CLIENT REFERENCE #:

LTR REFERENCE #: 961204

Chain Eight (A)

1.

Grantor:	Grumman Aircraft Engineering Corporation	Instrument:	Bargain & Sale Deed
		Dated:	07-02-69
Grantee:	Grumman Aerospace Corporation	Recorded:	01-20-70
Conveyed:	As described, copy attached	Book: 8080	Page: 314

2.

Grantor:	Tilo Roofing Company, Inc.	Instrument:	Bargain & Sale Deed
		Dated:	07-06-51
Grantee:	Grumman Aircraft Engineering Corporation	Recorded:	07-17-51
Conveyed:	p/o 33	Book: 4596	Page: 171

END OF CHAIN EIGHT (A)


Chain Eight (B)

3.

Grantor:	Grumman Aircraft Engineering Corporation	Instrument:	Bargain & Sale Deed
		Dated:	07-02-69
Grantee:	Grumman Aerospace Corporation	Recorded:	12-31-69
Conveyed:	As described, copy attached	Book: 8074	Page: 436

4.

Grantor:	Pittsburgh Plate Glass Company	Instrument:	Warranty Deed
		Dated:	06-26-59
Grantee:	Grumman Aircraft Engineering Corporation	Recorded:	07-06-59
Conveyed:	As described, copy attached	Book: 6563	Page: 217



11 North Pearl Street Albany, New York 12207 (518) 427-6929 FAX: (518) 427-6965

GRANTOR/GRANTEE REPORT

Northrop Grumman Gold Property
Adjacent to Stewart Ave. & S. Oyster Bay Rd., Bethpage, Nassau County, NY
CHAIN EIGHT

CLIENT REFERENCE #:

LTR REFERENCE #: 961204

5.

Grantor:	Tilo Roofing Company, Inc.	Instrument:	Warranty Deed
		Dated:	03-15-54
Grantee:	Pittsburgh Plate Glass Company	Recorded:	03-17-54
Conveyed:	46-504, 133 & 131	Book: 5498	Page: 499

6.

Grantor:	Grumman Aircraft Engineering Corp.	Instrument:	Warranty Deed
		Dated:	07-09-51
Grantee:	Tilo Roofing Company, Inc.	Recorded:	07-18-51
Conveyed:	p/o Lot 30	Book: 4597	Page: 141

END OF CHAIN EIGHT (B)

Chain Eight (C)

7.


Grantor:	Grumman Aircraft Engineering Corp.	Instrument:	Bargain & Sale Deed
		Dated:	07-02-69
Grantee:	Grumman Aerospace Corp.	Recorded:	12-31-69
Conveyed:	As described, copy attached	Book: 8074	Page: 436

END OF CHAIN EIGHT (C)

Chain Eight (D)

8.

Grantor:	Grumman Aircraft Engineering Corp.	Instrument:	Bargain & Sale Deed
		Dated:	07-02-69
Grantee:	Grumman Aerospace Corp.	Recorded:	12-31-69
	As described, copy attached	Book: 8074	Page: 429



11 North Pearl Street Albany, New York 12207 (518) 427-6929 FAX (518) 427-6965

GRANTOR/GRANTEE REPORT

Northrop Grumman Gold Property
Adjacent to Stewart Ave. & S. Oyster Bay Rd., Bethpage, Nassau County, NY
CHAIN EIGHT

CLIENT REFERENCE #:

LTR REFERENCE #: 961204

9.

Grantor: Pittsburgh Plate Glass Company Instrument: Warranty Deed

Dated: 06-25-59

Grantee: Grumman Aircraft Engineering Corporation Recorded: 12-31-69

Conveyed: As described, copy attached Book: 6563 Page: 217

10.


Grantor: Tilo Roofing Company, Inc. Instrument: Warranty Deed

Dated: 03-15-54

Grantee: Pittsburgh Plate Glass Company Recorded: 03-17-51

Conveyed: 46-504, 133 & 131 Book: 5498 Page: 499

END OF CHAIN EIGHT



11 North Pearl Street Albany, New York 12207 (518) 427-6929 FAX: (518) 427-6965

GRANTOR/GRANTEE REPORT

Northrop Grumman Gold Property
Adjacent to Stewart Ave & S. Oyster Bay Rd., Bethpage, Nassau County, NY
CHAIN NINE

CLIENT REFERENCE #:

LTR REFERENCE #: 961204

1.

Grantor:	Grumman Aircraft Engineering Corporation	Instrument:	Bargain & Sale Deed
		Dated:	07-02-69
Grantee:	Grumman Aerospace Corporation	Recorded:	12-31-69
Conveyed:	As described, copy attached	Book: 8074	Page: 425

2.

Grantor:	County of Nassau	Instrument:	Deed
		Dated:	09-11-51
Grantee:	Grumman Aircraft Engineering Corporation	Recorded:	09-17-51
Conveyed:	As described, copy attached	Book: 4659	Page: 70


3.

Grantor:	Grumman Aircraft Engineering Corporation	Instrument:	Bargain & Sale Deed
		Dated:	07-02-69
Grantee:	Grumman Aerospace Corporation	Recorded:	01-19-70
Conveyed:	As described, copy attached	Book: 8080	Page: 118

4.

Grantor:	Charles Van Nostrand	Instrument:	Warranty Deed
		Dated:	04-28-50
Grantee:	Grumman Aircraft Engineering Corporation	Recorded:	05-02-50
Conveyed:	As described, copy attached	Book: 4131	Page: 448

END OF CHAIN NINE
END OF REPORT



11 North Pearl Street Albany, New York 12207 (518) 427-6929 · FAX:(518) 427-6965

CURRENT DEED


Northrop Grumman Gold Property
Adjacent to Stewart Ave. & S. Oyster Bay Rd., Bethpage, Nassau County, NY

CLIENT REFERENCE #:

LTR REFERENCE # 951204

See attached Tax Assessor's Report



CURRENT OWNER: Grumman Aerospace Corp.



11 North Pearl Street Albany, New York 12207 (518) 427-6929 FAX:(518) 427-6965

SCALE 1" = 100'

UNITED STATES OF AMERICA
LOT NOS. 8 & 9
NASSAU COUNTY I.D.A.
LOT 61



E 2,143,000

N 192,000
E 2,137,800

TRW-REDI

PARCEL NUMBER BLDG UNIT
OWNER'S NAME
MAILING ADDRESS YRS W/SAME
PHONE NUMBER
PROPERTY LOCATION PHONE

46-594-0131-0
GRUNMAN AEDSPACE CORP
50 OYSTER BAY RD
BETHPAGE NEW YORK 11714
S NEW RD

Nationwide 1-800-345-7334

TOWNSHIP
MUNICIPALITY SCHOOL DISTRICT
TAXPAYER NAME
MAILING ADDRESS

OYSTER BAY 017
2489-TOWN OF OYSTER BAY

LOT GROUP-131,133
LOT SIZE- 11.66AC

STATISTICAL INFO

V A L U E S
TOTAL-TV
LAND-LV
IMPROVEMENT-LV
COUNTY TAX-CT
SCHOOL TAX-ST
SALE PRICE-SP

8530,730TV
8316,810LV
8215,940IV
8148,461.39CT
8174,478.76ST

USE: 522-LIGHT MANUFACTURING
TOT AREA-43569 SF
GF AREA-43569 SF
FLR HGT-14
CLASS-MSBRY/CONC WALL
EXT WALL-COMMON BRICK

EXTRA FEATURES:
118-INTERIOR FINISH
MEAS-43569
118-SPRINKLER
MEAS-76191
243-MEZZANINE TYPE - MP6
MEAS-7112
242-OFFICE FINISH TYPE - LST
MEAS-6448
312-CANOPY TYPE - POP
MEAS-274
313-GRADE/PLATFORM DOCK TYPE - JEF
MEAS-338
117-HVAC TYPE - SCC
MEAS-65078
401-YARD PAVING
MEAS-181600
418-CHAINLINK FENCING TYPE - BTP
MEAS-1910

CARD NO - 1
SECT - 1
STY HGT - 1.0
NO FLRS - 1.0
RENT UNITS - 1.1
YR BUILT - 1945

USE: 522-LIGHT MANUFACTURING
TOT AREA-19481 SF
GF AREA-19481 SF
FLR HGT-26
CLASS-MSBRY/CONC WALL
EXT WALL-COMMON BRICK

USE: 528-MECHANICAL ROOM
TOT AREA-4100 SF
FLR HGT-13
CLASS-MSBRY/CONC WALL
EXT WALL-COMMON BRICK

USE: 522-LIGHT MANUFACTURING
TOT AREA-2609 SF
GF AREA-2609 SF
FLR HGT-13
CLASS-MSBRY/CONC WALL
EXT WALL-COMMON BRICK

CARD NO - 1
SECT - 2
STY HGT - 1.0
NO FLRS - 1.0
YR BUILT - 1945

CARD NO - 1
SECT - 3
STY HGT - 2.0
NO FLRS - 1.0
YR BUILT - 1945

CARD NO - 1
SECT - 4
STY HGT - 1.0
NO FLRS - 1.0
YR BUILT - 1945

TRW-REDI

Nationwide 1-800-345-7334

TRW-REDI

Nationwide 1-800-345-7334

PARCEL NUMBER BLDG UNIT
OWNER'S NAME
MAILING ADDRESS
PHONE NUMBER YRS M/S/AVE
PROPERTY LOCATION PHONE

TOWNSHIP
MUNICIPALITY
TAXPAYER NAME
MAILING ADDRESS

SCHOOL
DISTRICT
PROPERTY USE
BUILDING DATA
AND
EXTRA FEATURES

1995
All Rights Reserved

STATISTICAL INFO

V A L U E \$

TOTAL-TV
LAND-LV
IMPROVEMENT-IV
COUNTY TAX-CT
SCHOOL TAX-ST
SALE PRICE-SP

46-504-0131-0
GRUNMAN AEROSPACE CORP
S MEN RD

710.14-MANUFACTURING

USE: 525-INDUSTRIAL OFFICE
TOT AREA-17895 SF
OF AREA-17895 SF
FLR HGT-9
CLASS-MOOD FRAME CONC
EXT WALL-WOOD SIDING

USE: 525-INDUSTRIAL OFFICE
TOT AREA-500 SF
OF AREA-500 SF
FLR HGT-12
CLASS-MSHRY/CONC WALL
EXT WALL-COMMON BRICK

USE: 522-LIGHT MANUFACTURING
TOT AREA-5278 SF
OF AREA-5278 SF
FLR HGT-20
CLASS-MSHRY/CONC WALL
EXT WALL-METAL SIDING
BSMT-UTIL./STG USE

EXTRA FEATURES:

110-SPRINKLER TYPE - NPS
MEAS-12917
243-REZZAMINE TYPE - HMD
MEAS-3780
110-INTERIOR FINISH
MEAS-5278
312-CANOPY
MEAS-508 TYPE - TIU

USE: 511-GENERAL WAREHOUSE
TOT AREA-619 SF
OF AREA-619 SF
FLR HGT-12
CLASS-MSHRY/CONC WALL
EXT WALL-METAL SIDING

USE: 522-LIGHT MANUFACTURING
TOT AREA-20836 SF
OF AREA-20836 SF
FLR HGT-12
CLASS-PRE ENG-STL FR
EXT WALL-METAL SIDING

EXTRA FEATURES:

110-SPRINKLER TYPE - WP6
MEAS-20297
117-MVAC
MEAS-10897

CONTINUED

CARD NO - 2
SECT - 1
STY HGT - 1.0
NO FLRS - 1.0
RENT UNITS - 1
YR BUILT - 1981

CARD NO - 3
SECT - 1
STY HGT - 1.0
NO FLRS - 1.0
RENT UNITS - 1
YR BUILT - 1945

CARD NO - 4
SECT - 1
STY HGT - 1.0
NO FLRS - 1.0
RENT UNITS - 1
YR BUILT - 1945

CARD NO - 6
SECT - 2
STY HGT - 1.0
NO FLRS - 1.0
RENT UNITS - 1
YR BUILT - 1945

CARD NO - 5
SECT - 1
STY HGT - 1.0
NO FLRS - 1.0
RENT UNITS - 1
YR BUILT - 1950

MASSAU, N.Y.

N18

TRW-REDI

Nationwide 1-800-345-7334

TRW-REDI

Nationwide 1-800-345-7334

PARCEL NUMBER BLDG UNIT
OWNER'S NAME
MAILING ADDRESS
PHONE NUMBER YRS H/SAME
PROPERTY LOCATION PHONE

TOWNSHIP
MUNICIPALITY
TAXPAYER NAME
MAILING ADDRESS

SCHOOL
DISTRICT

PROPERTY USE
BUILDING DATA
AND
EXTRA FEATURES

STATISTICAL INFO

Copyright 1995
All Rights Reserved
V A L U E S
TOTAL-TV
LAWD-LV
IMPROVEMENT-IV
COUNTY TAX-CT
SCHOOL TAX-ST
SALE PRICE-SP
\$559,750TV
\$316,010LV

46-504-0131-0
GRUNMAN AEROSPACE CORP
S NEW RD

710-14-MANUFACTURING

TOT AREA-6845 SF
GF AREA-6845 SF
FLR HGT-12
CLASS-PRE ENG-STL FR
EXT WALL-METAL SIDING

EXTRA FEATURES:
110-SPRINKLER
MEAS-6845 TYPE - WP6
117-MVAC
MEAS-6845

USE: 525-INDUSTRIAL OFFICE
TOT AREA-2070 SF
GF AREA-2070 SF
FLR HGT-12
CLASS-MSARY/CONC WALL
EXT WALL-METAL SIDING
BSMT-NORMAL UTILITY

EXTRA FEATURES:
110-SPRINKLER
MEAS-5313 TYPE - WP6

USE: 527-GENERAL INDUST. UTIL
TOT AREA-1173 SF
FLR HGT-10
CLASS-MSARY/CONC WALL
EXT WALL-METAL SIDING

USE: 515-GENERAL STORAGE
TOT AREA-960 SF
GF AREA-960 SF
FLR HGT-12
CLASS-WOOD FRAME CONC
EXT WALL-WOOD SIDING
BSMT-FNSH.-FL 1 QLT

USE: 723-STEAM GEN. PLANT
TOT AREA-1926 SF
GF AREA-1926 SF
FLR HGT-26
CLASS-MSARY/CONC WALL
EXT WALL-COMMON BRICK

USE: 522-LIGHT MANUFACTURING
TOT AREA-1546 SF
GF AREA-1546 SF
FLR HGT-30
CLASS-MSARY/CONC WALL
EXT WALL-CONCRETE BLOCK

---CONTINUED---
CARD NO - 1
SECT - 1
STY HGT - 1.0
NO FLRS - 1.0
RENT UNITS - 1
YR BUILT - 1968

CARD NO - 7
SECT - 1
STY HGT - 2.0
NO FLRS - 1.0
RENT UNITS - 1
YR BUILT - 1945

CARD NO - 7
SECT - 2
STY HGT - 2.0
NO FLRS - 1.0
YR BUILT - 1945

CARD NO - 6
SECT - 1
STY HGT - 1.0
NO FLRS - 1.0
RENT UNITS - 1
YR BUILT - 1945

CARD NO - 9
SECT - 1
STY HGT - 1.0
NO FLRS - 1.0
RENT UNITS - 1
YR BUILT - 1945

CARD NO - 10
SECT - 1
STY HGT - 1.0
NO FLRS - 1.0
RENT UNITS - 1
YR BUILT - 1971

MASSAU, N.Y.

018

TRW-REDI

Nationwide 1-800-345-7334

Copyright 1995
All Rights Reserved

STATISTICAL INFO
V A L U E S

TRW·REDI

Nationwide 1-800-345-7334

PARCEL NUMBER 8LDO UNIT
OWNER'S NAME
MAILING ADDRESS
PHONE NUMBER YRS W/SAME
PROPERTY LOCATION PHONE

TOWNSHIP
MUNICIPALITY
TAXPAYER NAME
MAILING ADDRESS

SCHOOL DISTRICT
PROPERTY USE
BUILDING DATA
AND
EXTRA FEATURES

STATISTICAL INFO
V A L U E S
TOTAL-TV
LAND-LV
IMPROVEMENTS
COUNTY TAX-CT
SCHOOL TAX-ST
SALE PRICE-SP

46- 0- -0055-0
GRUMMAN AEROSPACE CORP
50 OYSTER BAY RD
BETHPAGE NEW YORK 11714
STEWART AVE

OYSTER BAY
2489-TOWN OF OYSTER BAY
021
710-16-MANUFACTURING

LOT SIZE- 96.00 X 169.00
OYSTER BAY
2489-TOWN OF OYSTER BAY
017
710-04-MANUFACTURING

LOT SIZE- 150.00 X 207.00
OYSTER BAY
2489-TOWN OF OYSTER BAY
017
710-16-MANUFACTURING

46- N- -0020-0
GRUMMAN AEROSPACE CORP
SOUTH OYSTER BAY RD
BETHPAGE NEW YORK 11714
S OYSTER BAY RD

46- N- -0051-0
GRUMMAN AEROSPACE CORP
SOUTH OYSTER BAY ROAD
BETHPAGE NEW YORK 11714
OYSTER BAY RD

46- N- -0020-0
GRUMMAN AEROSPACE CORP
SOUTH OYSTER BAY RD
BETHPAGE NEW YORK 11714
S OYSTER BAY RD

46- N- -0051-0
GRUMMAN AEROSPACE CORP
SOUTH OYSTER BAY ROAD
BETHPAGE NEW YORK 11714
OYSTER BAY RD

46- N- -0051-0
GRUMMAN AEROSPACE CORP
SOUTH OYSTER BAY ROAD
BETHPAGE NEW YORK 11714
OYSTER BAY RD

46- N- -0051-0
GRUMMAN AEROSPACE CORP
SOUTH OYSTER BAY ROAD
BETHPAGE NEW YORK 11714
OYSTER BAY RD

STATISTICAL INFO
V A L U E S
TOTAL-TV
LAND-LV
IMPROVEMENTS
COUNTY TAX-CT
SCHOOL TAX-ST
SALE PRICE-SP

STATISTICAL INFO
V A L U E S
TOTAL-TV
LAND-LV
IMPROVEMENTS
COUNTY TAX-CT
SCHOOL TAX-ST
SALE PRICE-SP

STATISTICAL INFO
V A L U E S
TOTAL-TV
LAND-LV
IMPROVEMENTS
COUNTY TAX-CT
SCHOOL TAX-ST
SALE PRICE-SP

STATISTICAL INFO
V A L U E S
TOTAL-TV
LAND-LV
IMPROVEMENTS
COUNTY TAX-CT
SCHOOL TAX-ST
SALE PRICE-SP

STATISTICAL INFO
V A L U E S
TOTAL-TV
LAND-LV
IMPROVEMENTS
COUNTY TAX-CT
SCHOOL TAX-ST
SALE PRICE-SP

STATISTICAL INFO
V A L U E S
TOTAL-TV
LAND-LV
IMPROVEMENTS
COUNTY TAX-CT
SCHOOL TAX-ST
SALE PRICE-SP

STATISTICAL INFO
V A L U E S
TOTAL-TV
LAND-LV
IMPROVEMENTS
COUNTY TAX-CT
SCHOOL TAX-ST
SALE PRICE-SP

STATISTICAL INFO
V A L U E S
TOTAL-TV
LAND-LV
IMPROVEMENTS
COUNTY TAX-CT
SCHOOL TAX-ST
SALE PRICE-SP

STATISTICAL INFO
V A L U E S
TOTAL-TV
LAND-LV
IMPROVEMENTS
COUNTY TAX-CT
SCHOOL TAX-ST
SALE PRICE-SP

STATISTICAL INFO
V A L U E S
TOTAL-TV
LAND-LV
IMPROVEMENTS
COUNTY TAX-CT
SCHOOL TAX-ST
SALE PRICE-SP

STATISTICAL INFO
V A L U E S
TOTAL-TV
LAND-LV
IMPROVEMENTS
COUNTY TAX-CT
SCHOOL TAX-ST
SALE PRICE-SP

STATISTICAL INFO
V A L U E S
TOTAL-TV
LAND-LV
IMPROVEMENTS
COUNTY TAX-CT
SCHOOL TAX-ST
SALE PRICE-SP

STATISTICAL INFO
V A L U E S
TOTAL-TV
LAND-LV
IMPROVEMENTS
COUNTY TAX-CT
SCHOOL TAX-ST
SALE PRICE-SP

STATISTICAL INFO
V A L U E S
TOTAL-TV
LAND-LV
IMPROVEMENTS
COUNTY TAX-CT
SCHOOL TAX-ST
SALE PRICE-SP

STATISTICAL INFO
V A L U E S
TOTAL-TV
LAND-LV
IMPROVEMENTS
COUNTY TAX-CT
SCHOOL TAX-ST
SALE PRICE-SP

MASSAU, N.Y.

Q18

TRW·REDI

Nationwide 1-800-345-7334

TRW·REDI

Nationwide 1-800-345-7334

PARCEL NUMBER	BLDG UNIT	TOWNSHIP	SCHOOL DISTRICT	PROPERTY USE	STATISTICAL INFO	1985
OWNERS NAME	MUNICIPALITY	OYSTER BAY	DISTRICT	BUILDING DATA		ALL Rights Reserved
MAILING ADDRESS	TAXPAYER NAME	2489-TOWN OF OYSTER BAY	017	AND		
*PHONE NUMBER	MAILING ADDRESS	LOT SIZE-		EXTRA FEATURES		
*PROPERTY LOCATION	PHONE					
46-266-N-0063-0	GRUNMAN AEROSPACE CORP	LOT SIZE- 1.06AC		710.24-MANUFACTURING		
	SOUTH OYSTER BAY ROAD					
	BETHPAGE NEW YORK 11714					
*900	S OYSTER BAY RD					
46-266-0020-0	GRUNMAN AEROSPACE CORP	OYSTER BAY	021	433.14-AUTO GARAGE/SHOP	CARD NO - 1	\$1,190,000TP
	500 CENTRAL PARK AVE	2489-TOWN OF OYSTER BAY		USE: 231-AGENCY TYPE-SHOWROOM	SECT - 1	DATE 02-84
	BETHPAGE NEW YORK 11714			TOT AREA-1400 SF	STY HGT - 1	LIBR 9594-0439
*580	CENTRAL PARK AVE	LOT GROUP-25-22		OF AREA-1600 SF	NO FLRS - 1.0	230,350TV
		LOT SIZE- 12.00 X 06.00		FLR HGT-15	RENT UNITS - 1.0	\$31,220LV
		69.00 X 92.00		CLASS-MSMRY/CONC MALL	YR BUILT - 1926	\$7,130LV
		13.00 X 07.00		EXT MALL-CONCRETE BLOCK		\$19,707.00CT
				EXTRA FEATURES:		\$15,075.00ST
				401-YARD PAVING		
				MEAS-4000		
				TYPE - RTP		
				410-CHAIN LINK FENCING		
				MEAS-308		
				TYPE - B06		
46-323-0018-A	GRUNMAN AEROSPACE CORP	OYSTER BAY	021	710.14-MANUFACTURING	CARD NO - 1	\$2,357,950TV
	SOUTH OYSTER BAY RD	2489-TOWN OF OYSTER BAY		USE: 232-AGENCY TYPE-GARAGE	SECT - 2	\$931,340LV
	BETHPAGE NEW YORK 11714	LOT SIZE- 50.21AC		TOT AREA-5215 SF	STY HGT - 1.0	\$1,426,590LV
				OF AREA-5215 SF	NO FLRS - 1.0	\$505,101.71CT
				FLR HGT-15	YR BUILT - 1934	\$926,760.67ST
*46-323-0019-0	GRUNMAN AEROSPACE CORP	OYSTER BAY	021	710.14-MANUFACTURING		
	SO OYSTER BAY RD	2489-TOWN OF OYSTER BAY		USE: 231-AGENCY TYPE-SHOWROOM		
	BETHPAGE NEW YORK 11714			TOT AREA-5215 SF		
	S OYSTER BAY RD	LOT SIZE- 31.06AC		OF AREA-5215 SF		
				FLR HGT-15		
				CLASS-MSMRY/CONC MALL		
				EXT MALL-CONCRETE BLOCK		
46-323-0078-A	GRUNMAN AEROSPACE CORP	OYSTER BAY	017	340.14-INDUSTRIAL-VACANT		
	S OYSTER BAY ROAD	2489-TOWN OF OYSTER BAY				
	BETHPAGE NEW YORK 11714	LOT SIZE- 52.00 X 159.00				
*467	S OYSTER BAY RD					

TRW-REDI

Nationwide 1-800-345-7334

GRUHAM 1685
Air Rights Reserved

PARCEL NUMBER OWNER'S NAME MAILING ADDRESS PHONE NUMBER PROPERTY LOCATION	BLDG UNIT GRUHAM AEROSPACE CORP 1111 STEWART AVENUE BETHPAGE NEW YORK 11714 S OYSTER BAY RD	TOWNSHIP MUNICIPALITY TAXPAYER NAME MAILING ADDRESS	SCHOOL DISTRICT	PROPERTY USE BUILDING DATA AND EXTRA FEATURES	STATISTICAL INFO V A L U E S TOTAL-TV LAND-LV IMPROVEMENT-TV COUNTY TAX-CT SCHOOL TAX-ST SALE PRICE-SP
46-323-0223-0 GRUHAM AEROSPACE CORP 1111 STEWART AVENUE BETHPAGE NEW YORK 11714 S OYSTER BAY RD	2469-TOWN OF OYSTER BAY	021	718-14-MANUFACTURING	\$5,986,696TV \$507,926LV \$5,316,778TV \$487,488-9ACT \$777,891-01ST	
46-323-0224-0 GRUHAM AEROSPACE CORP 1111 STEWART AVENUE BETHPAGE NEW YORK 11714 S OYSTER BAY RD	2469-TOWN OF OYSTER BAY	021	338-14-COMMERCIAL-VACANT	\$189,486TV \$100,486LV \$26,715-37CT \$42,836-96ST	
46-505-0061-0 GRUHAM AEROSPACE CORP SO OYSTER BAY RD BETHPAGE NEW YORK 11714 S OYSTER BAY RD	2469-TOWN OF OYSTER BAY	017	348-14-INDUSTRIAL-VACANT	\$548TV \$548LV \$151-85CT \$177-53ST	
46-505-0062-0 GRUHAM AEROSPACE CORP SOUTH OYSTER BAY RD BETHPAGE NEW YORK 11714 S OYSTER BAY RD	2469-TOWN OF OYSTER BAY	017	348-14-INDUSTRIAL-VACANT	L1BR 0874-0425 \$488TV \$488LV \$134-27CT \$157-86ST	
46-505-0043-A GRUHAM AEROSPACE CORP SOUTH OYSTER BAY RD BETHPAGE NEW YORK 11714 S OYSTER BAY RD	2469-TOWN OF OYSTER BAY	021	340-14-INDUSTRIAL-VACANT	L1BR 0880-0110 \$786TV \$786LV \$175-64CT \$275-13ST	
46-505-0064-0 GRUHAM AEROSPACE CORP SO OYSTER BAY RD BETHPAGE NEW YORK 11714 S OYSTER BAY RD	2469-TOWN OF OYSTER BAY	021	348-14-INDUSTRIAL-VACANT	L1BR 0880-0110 \$688TV \$688LV \$167-64CT \$235-82ST	
46-627-0035-0 GRUHAM AEROSPACE CORP 14 NO. ROBERT DAMM STREET BETHPAGE NEW YORK 11714 N ROBERT DAMM ST	2469-TOWN OF OYSTER BAY	021	210-01-SINGLE FAMILY RESID. FOUNDATION - CONCRETE WALLS BSMT AREA - FULL BSMT EXT WALLS - FRAME W/COM BRK ROOF TYPE - HIP ROOFING - ASPHALT SHINGLE FLR FINISH - HARDWOOD INT FINISH - MALL BOARD HEAT & A/C - HOT WATER FUEL TYPE - OIL	DMLG TYPE - 1 FAM YR BUILT - 1963 STORIES - 1.0 NO ROOMS: FLOOR 1 - 6 # BATHS - 1.0 L1BR 0874-0425 \$4,788TV \$635LV \$4,651TV \$1,341-37CT \$1,358-63ST	

TOWNREDI

Nationwide 1-800-345-7334

PARCEL NUMBER OWNER'S NAME MAILING ADDRESS PHONE NUMBER PROPERTY LOCATION	BLDG UNIT MUNICIPALITY TAXPAYER NAME MAILING ADDRESS	SCHOOL DISTRICT	PROPERTY USE BUILDING DATA AND EXTRA FEATURES	STATISTICAL INFO	V A L U E S TOTAL-TV LAND-LV IMPROVEMENT-IV COUNTY TAX-CT SCHOOL TAX-ST SALE PRICE-SP	Copyright 1985 All Rights Reserved
46-323-0017-0 GRUMMAN AEROSPACE CORPORATION SO OYSTER BAY ROAD BETHPAGE NEW YORK 11714 S OYSTER BAY RD	OYSTER BAY OYSTER-TOWN OF OYSTER BAY	021	710.14-MANUFACTURING		83,101,400TV 81,955,200LV 81,206,200IV 8704,449.00CT 81242,554.00ST	
46-323-0077-0 GRUMMAN AEROSPACE CORPORATION SO OYSTER BAY ROAD BETHPAGE NEW YORK 11714 S OYSTER BAY RD	OYSTER BAY OYSTER-TOWN OF OYSTER BAY	021	340.14-INDUSTRIAL-VACANT		DATE 11-74 LIMR 0094-0254	
46-323-0079-0 GRUMMAN AEROSPACE CORPORATION SOUTH OYSTER BAY ROAD BETHPAGE NEW YORK 11714 S OYSTER BAY RD	OYSTER BAY OYSTER-TOWN OF OYSTER BAY	021	540.14-INDUSTRIAL-VACANT		816,950TV 816,950LV 84,174.20CT 86,662.00ST	
46-323-0002-0 GRUMMAN AIRC ENG CORP SOUTH OYSTER BAY ROAD BETHPAGE NEW YORK 11714 S OYSTER BAY RD	OYSTER BAY OYSTER-TOWN OF OYSTER BAY	021	340.14-INDUSTRIAL-VACANT		87,200TV 87,200LV 81,775.14CT 82,029.09ST	
46-503-0003-0 GRUMMAN AIRC ENG CORP 1111 STEWART AVENUE BETHPAGE NEW YORK 11714 S STEWART AVE	OYSTER BAY OYSTER-TOWN OF OYSTER BAY	021	330.14-COMMERCIAL-VACANT		81,450TV 81,450LV 837.89CT 8349.91ST	
46-N-0064-0 GRUMMAN AIRCRAFT ENG CORP 1111 STEWART AVENUE BETHPAGE NEW YORK 11714 S OYSTER BAY RD	OYSTER BAY OYSTER-TOWN OF OYSTER BAY	017	464.14-OFFICE BLDG	CARD MK' - 1 SECT - 1 STY HGT - 1.0 NO FLRS - 1.0 YR BUILT - 1963 YR RENOV - 1967	LIMR 0000-0115 8215,440TV 8130,000LV 876,640IV 840,756.41CT 870,638.32ST	
LOT SIZE- 122.20AC LOT SIZE- 1.06AC LOT SIZE- 120.00 X 70.00 LOT SIZE- 40.00 X 100.00 LOT SIZE- 202.00 X 310.00 LOT SIZE- 3.67AC				USE: 525-INDUSTRIAL OFFICE TOT AREA-25160 SF GF AREA-25160 SF FLR HGT-15 CLASG-MSBRY/COMC MALL EXT WALL-STUCCO EXTRA FEATURES: 401-YARD PAVING MEAS-00400 TYPE - BTP 610-CHAINLINK FENCING MEAS-1000 TYPE - 606		

TOWNREDI

Nationwide

1-800-345-7334

TRW-REDI

Nationwide 1-800-345-7334

City of Nassau
Air Rights Division
1995

PACCEL NUMBER	BLDG UNIT	TOWNSHIP MUNICIPALITY TAXPAYER NAME MAILING ADDRESS	SCHOOL DISTRICT	PROPERTY USE BUILDING DATA AND EXTRA FEATURES	STATISTICAL INFO	V A L U E S
46-N-0044-0	GRUMMAN AIRCRAFT ENG CORP S OYSTER BAY RD			464.14-OFFICE BLDG USE: 525-INDUSTRIAL OFFICE TOT AREA-225 SF OF AREA-225 SF FLR HGT-12 CLASS-PRE EMO-STL FR EXT WALL-METAL SIDING	#CONTINUED# CARD NO - 1 SECT - 2 STY HGT - 1.0 NO FLRS - 1.0	TOTAL-TV LAND-LV IMPROVEMENT-IV COUNTY TAX-CT SCHOOL TAX-ST SALE PRICE-SP \$215,460TV \$130,000LV
46-525-0016-C	GRUMMAN AIRCRAFT ENG CORP NO 8 SOUTH OYSTER BAY ROAD BETHPAGE NEW YORK 11714	HEMPSTEAD TOWN OF HEMPSTEAD GRUMMAN AEROSPACE CORP 50 OYSTER BAY ROAD BETHPAGE, NY 11714	026	718-24-MANUFACTURING		\$101,270TV \$45,000LV \$55,670TV \$30,048,25CT \$41,174,34ST LIRR 0000-0120
46-525-0081-0	GRUMMAN AIRCRAFT ENG CORP 1 SHERIDAN AVE BETHPAGE NEW YORK 11714	LOT GROUP-16C LOT SIZE- 2.65AC OYSTER BAY 2489-TOWN OF OYSTER BAY	017	538-14-COMMERCIAL-VACANT		\$2,250TV \$2,250LV \$29,37CT \$299,67ST
46-525-0086-0	GRUMMAN AIRCRAFT ENG CORP SOUTH OYSTERBAY ROAD BETHPAGE NEW YORK 11714	LOT SIZE- 65.00 X 684.00 OYSTER BAY 2489-TOWN OF OYSTER BAY	017	348-14-INDUSTRIAL-VACANT		\$11,850TV \$11,850LV \$3,798,91CT \$3,632,54ST
46-525-0087-0	GRUMMAN AIRCRAFT ENG CORP SOUTH OYSTER BAY ROAD BETHPAGE NEW YORK 11714	LOT SIZE- 400.00 X 159.00 OYSTER BAY 2489-TOWN OF OYSTER BAY	017	548-14-INDUSTRIAL-VACANT		\$4,450TV \$4,450LV \$1,368,79CT \$1,528,64ST
46-504-0130-0	GRUMMAN AIRCRAFT ENG CORP OYSTER BAY RD BETHPAGE NEW YORK 11714	LOT SIZE- 61.00 X 92.00 OYSTER BAY 2489-TOWN OF OYSTER BAY	017	719-14-MANUFACTURING	CARD NO - 1 SECT - 1 STY HGT - 1.0 NO FLRS - 1.0 RENT UNITS - 1 YR BUILT - 1968	\$295,900TV \$275,150LV \$28,750STV \$2,744,15CT \$9,274,15ST LIRR 0000-0514

EXTRA FEATURES:
401-YARD PAVING
MEAS-126600 TYPE - BTP
410-CHAINLINK FENCING
MEAS-2000 TYPE - B06

TRW·REDI

Nationwide 1-800-345-7334

Current 1985
All Rights Reserved

PARCEL NUMBER	BLDO UNIT	TOWNSHIP MUNICIPALITY TAXPAYER NAME MAILING ADDRESS	SCHOOL DISTRICT	PROPERTY USE BUILDING DATA AND EXTRA FEATURES	STATISTICAL INFO	V A L U E \$ TOTAL-TV LAND-TV IMPROVEMENT-TV COUNTY TAX-CT SCHOOL TAX-ST SALE PRICE-SP
46-N-0023-0	GRUMMAN AIRCRAFT ENGINEERING CORP SOUTH OYSTER BAY ROAD BETHPAGE NEW YORK 11714 S OYSTER BAY RD	OYSTER BAY 2489-TOWN OF OYSTER BAY	017	489.74-BANK/OFFICE BLDG		\$109,246TV \$181,680LV \$1,640TV \$29,111.42CT \$39,939.13ST
46-N-0071-0	GRUMMAN AROSPACE CORP SOUTH OYSTER BAY ROAD BETHPAGE NEW YORK 11714 S OYSTER BAY RD	OYSTER BAY 2489-TOWN OF OYSTER BAY	017	440.04-STORAGE/WAREHOUSE		LINE 0074-0450 \$517,550TV \$242,800LV \$274,670TV \$145,924.75CT \$170,139.39ST
83-102-0030-0	GRUMMAN LR 77 BAYVIEW RD PLANDOME NEW YORK	NORTH HEMPSTEAD 2237-PLANDOME MANOR ROSE H GRUMMAN 77 BAYVIEW RD PLANDOME NY 11030	006	311.16-RESIDENTIAL-VACANT		DATE 01-79 LIBR 0654-0234 PREV SALE! \$1,650,340SP DATE 01-74 \$2,000TV \$2,000LV \$379,94CT \$1,047,34ST
42-066-0060-0	GRUMMERGER R R 17 ARDEN RD EAST ROCKAWAY NEW YORK 11510	HEMPSTEAD 2089-TOWN OF HEMPSTEAD ROBERT & RACHEL GRUMBERGER 17 ARDEN ROAD EAST ROCKAWAY, NY 11510	019	210.91-SINGLE FAMILY RESID.		86,000TV \$646LV \$5,752TV \$1,099.44CT \$3,340.51ST
45-567-0011-0	GRUNO ANTHONY & LILLIAN 70 BOBWHITE LANE HICKSVILLE NEW YORK 11001 S 516-931-2665 BOBWHITE LN	OYSTER BAY 2489-TOWN OF OYSTER BAY	017	210.91-SINGLE FAMILY RESID.		LIBR 6380-0330 \$4,450TV \$3,755LV \$5,695TV \$1,354.04CT \$1,523.55ST

TRW:REDI

Nationwide 1-800-345-7334

PARCEL NUMBER BLDG UNIT
OWNER'S NAME
MAILING ADDRESS
PHONE NUMBER YRS N/SAME
PROPERTY LOCATION PHONE

TOWNSHIP
MUNICIPALITY
TAXPAYER NAME
MAILING ADDRESS

SCHOOL
DISTRICT

PROPERTY USE
BUILDING DATA
AND
EXTRA FEATURES

STATISTICAL INFO

Copyright 1995
All Rights Reserved

V A L U E S
TOTAL-TV
LAND-IV
IMPROVEMENT-IV
COUNTY TAX-CT
SCHOOL TAX-ST
SALE PRICE-SP

46-0-0131-0
GRUNMAN AEROSPACE CORP
S NEW RD

710.14-MANUFACTURING

USE: 522-LIGHT MANUFACTURING
TOT AREA-623 SF
GR AREA-623 SF
FLR HGT-20
CLASS-MSBRY/CONC WALL
EXT WALL-CONCRETE BLOCK

CONTINUED
CARD NO - 10
SECT - 12
STY HGT - 1.0
NO FLRS - 1.0
RENT UNITS - 1
YR BUILT - 1985

USE: 511-GENERAL WAREHOUSE
TOT AREA-1046 SF
GR AREA-1046 SF
FLR HGT-12
CLASS-PRE ENG-STL FR
EXT WALL-METAL SIDING

CARD NO - 11
SECT - 11
STY HGT - 1.0
NO FLRS - 1.0
RENT UNITS - 1
YR BUILT - 1980

EXTRA FEATURES:
110-SPRINKLER TYPE - MPS
MEAS-1046

USE: 515-GENERAL STORAGE
TOT AREA-600 SF
GR AREA-600 SF
FLR HGT-10
CLASS-PRE ENG-STL FR
EXT WALL-METAL SIDING

CARD NO - 12
SECT - 11
STY HGT - 1.0
NO FLRS - 1.0
RENT UNITS - 1
YR BUILT - 1960

EXTRA FEATURES:
117-HVAC
MEAS-080

46-0-0016-0
GRUNMAN AEROSPACE CORP
SO OYSTER BAY RD
BETHPAGE NEW YORK 11714
S OYSTER BAY RD

710.16-MANUFACTURING

LOT GROUP-16,16
LOT SIZE- 5.12AC

46-0-0029-0
GRUNMAN AEROSPACE CORP
SOUTH OYSTER BAY RD
BETHPAGE NEW YORK 11714
S OYSTER BAY RD

464.14-OFFICE BLDG

LOT SIZE- 2.96AC

46-0-0052-0
GRUNMAN AEROSPACE CORP
1111 STEWART AVENUE
BETHPAGE NEW YORK 11714
STEWART AVE

463.14-BANK WITH OFFICES

LOT SIZE- 200.00 X 304.00

MASSAU, N.Y.

P18

LIR 9759-0193

TRW:REDI

Nationwide 1-800-345-7334

TRW·REDI

Nationwide 1-800-345-7334

Copyright 1993
All Rights Reserved

PARCEL NUMBER OWNER'S NAME MAILING ADDRESS PROPERTY LOCATION	BLDG UNIT	TOWNSHIP MUNICIPALITY TAXPAYER NAME MAILING ADDRESS	SCHOOL DISTRICT	PROPERTY USE BUILDING DATA AND EXTRA FEATURES	STATISTICAL INFO V A L U E S TOTAL-TV LAND-LV IMPROVEMENT-LV COUNTY TAX-CT SCHOOL TAX-ST SALE PRICE-SP
46-323-0078-B GRUMMAN AEROSPACE CORP S OYSTER BAY ROAD BETHPAGE NEW YORK 11714 S OYSTER BAY RD		OYSTER BAY 2489-TOWN OF OYSTER BAY	021	340.14-INDUSTRIAL-VACANT	026,100TV 026,100LV 06,427.05CT 010,250.34GT LIBR 0074-0423
46-323-0004-A GRUMMAN AEROSPACE CORP 50 OYSTER BAY RD BETHPAGE NEW YORK 11714 S OYSTER BAY RD		OYSTER BAY 2489-TOWN OF OYSTER BAY	017	340.14-INDUSTRIAL-VACANT	020,000TV 020,000LV 05,594.40CT 06,574.00ST LIBR 0000-0306
46-323-0004-B GRUMMAN AEROSPACE CORP S OYSTER BAY ROAD BETHPAGE NEW YORK 11714 S OYSTER BAY RD		OYSTER BAY 2489-TOWN OF OYSTER BAY	021	340.14-INDUSTRIAL-VACANT	000,000TV 000,000LV 019,775.40CT 031,561.11ST LIBR 0000-0306
46-323-0005-0 GRUMMAN AEROSPACE CORP S OYSTER BAY ROAD BETHPAGE NEW YORK 11714 S OYSTER BAY RD		OYSTER BAY 2489-TOWN OF OYSTER BAY	017	340.14-INDUSTRIAL-VACANT	054,000TV 054,000LV 010,069.92CT 011,034.64ST LIBR 0000-0126
46-323-0222-0 GRUMMAN AEROSPACE CORP 699 SOUTH OYSTER BAY ROAD BETHPAGE NEW YORK 11714 S OYSTER BAY RD		OYSTER BAY 2489-TOWN OF OYSTER BAY	021	015.04-ELECTRIC-GAS	03,312,340TV 03,312,340LV 05,221,390LV 000,000.00CT 01301,002.11ST LIBR 0000-0126

USE: 310-GENERAL OFFICE
TOT AREA-1440 SF
OF AREA-1440 SF
FLR HGT-12
CLASS-PRE ENG-STL FR
EXT WALL-METAL PANELS

EXTRA FEATURES:
110-SPRINKLER TYPE - MP4
MEAS-2400

USE: 201-GENERAL UTILITY/STG
TOT AREA-960 SF
OF AREA-960 SF
FLR HGT-12
CLASS-PRE ENG-STL FR
EXT WALL-METAL PANELS

CARD NO - 2
SECT - 2
STY HGT - 1.0
NO FLRS - 1.0
RENT UNITS - 1
YR BUILT - 1992

CARD NO - 2
SECT - 2
STY HGT - 1.0
NO FLRS - 1.0
RENT UNITS - 1
YR BUILT - 1992

B19

MASSAU, N.Y.

TRW·REDI

Nationwide

1-800-345-7334

Copyright 1993
All Rights Reserved

0

0

0

c

Appendix C


ENVIRONMENTAL DATA RESOURCES, INC. (EDR) REPORT

**The EDR Area Study
Report**

**Study Area
Grumman GO CO Property
Bethpage, Long Island**

April 12, 1996

Inquiry number 114340



**Environmental
Data
Resources, Inc.**

Creators of Toxicheck[®]

***The Source*
For Environmental
Risk Management
Data**

**3530 Post Road
Southport, Connecticut 06490**

Nationwide Customer Service

**Telephone: 1-800-352-0050
Fax: 1-800-231-6802**

Thank you for your business.
Please contact EDR at 1-800-352-0050
with any questions or comments.

Disclaimer

This Report contains information obtained from a variety of public sources and EDR makes no representation or warranty regarding the accuracy, reliability, quality, or completeness of said information or the information contained in this report. The customer shall assume full responsibility for the use of this report.

No warranty of merchantability or of fitness for a particular purpose, expressed or implied, shall apply and EDR specifically disclaims the making of such warranties. In no event shall EDR be liable to anyone for special, incidental, consequential or exemplary damages.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

To maintain currency of the following federal and state databases, EDR contacts the appropriate governmental agency on a monthly or quarterly basis, as required.

Elapsed ASTM days: Provides confirmation that this EDR report meets or exceeds the 90-day updating requirement of the ASTM standard.

FEDERAL ASTM RECORDS:

CERCLIS: Comprehensive Environmental Response, Compensation, and Liability Information System

Source: EPA/NTIS
Telephone: 703-603-8904

CERCLIS: CERCLIS contains data on potentially hazardous waste sites that have been reported to the USEPA by states, municipalities, private companies and private persons, pursuant to Section 103 of the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA). CERCLIS contains sites which are either proposed to or on the National Priorities List (NPL) and sites which are in the screening and assessment phase for possible inclusion on the NPL.

Date of Government Version: 11/30/95
Date Made Active at EDR: 02/26/96

Date of Data Arrival at EDR: 01/15/96
Elapsed ASTM days: 42

ERNS: Emergency Response Notification System

Source: EPA/NTIS
Telephone: 202-260-2342

ERNS: Emergency Response Notification System. ERNS records and stores information on reported releases of oil and hazardous substances.

Date of Government Version: 12/31/95
Date Made Active at EDR: 02/19/96

Date of Data Arrival at EDR: 01/26/96
Elapsed ASTM days: 24

NPL: National Priority List

Source: EPA
Telephone: 703-603-8852

NPL: National Priorities List (Superfund). The NPL is a subset of CERCLIS and identifies over 1,200 sites for priority cleanup under the Superfund Program. NPL sites may encompass relatively large areas. As such, it is EDR's policy to plot NPL sites greater than approximately 500 acres in size as areas (polygons). Sites smaller in size are point-geocoded at the site's address.

Date of Government Version: 09/01/95
Date Made Active at EDR: 10/25/95

Date of Data Arrival at EDR: 10/17/95
Elapsed ASTM days: 8

RCRIS: Resource Conservation and Recovery Information System

Source: EPA/NTIS
Telephone: 703-308-7907

RCRIS: Resource Conservation and Recovery Information System. RCRIS includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA).

Date of Government Version: 10/31/95
Date Made Active at EDR: 01/12/96

Date of Data Arrival at EDR: 12/15/95
Elapsed ASTM days: 28

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

FEDERAL NON-ASTM RECORDS:

CONSENT: Superfund (CERCLA) Consent Decrees

Source: EPA Regional Offices
Telephone: Varies

Major legal settlements that establish responsibility and standards for cleanup at NPL (Superfund) sites. Released periodically by United States District Courts after settlement by parties to litigation matters.

Date of Government Version: Varies

Date of Next Scheduled Update: 09/01/95

CORRACTS: Corrective Action Report

Source: EPA
Telephone: 703-308-7907

CORRACTS: CORRACTS identifies hazardous waste handlers with RCRA corrective action activity.

Date of Government Version: 04/10/95

Date of Next Scheduled Update: 06/17/96

FINDS: Facility Index System

Source: EPA/NTIS
Telephone: 800-908-2493

FINDS: Facility Index System. FINDS contains both facility information and "pointers" to other sources that contain more detail. These include: RCRIS, PCS (Permit Compliance System), AIRS (Aerometric Information Retrieval System), FATES (FIFRA [Federal Insecticide Fungicide Rodenticide Act] and TSCA Enforcement System, FTTS [FIFRA/TSCA Tracking System]), CERCLIS, DOCKET (Enforcement Docket used to manage and track information on civil judicial enforcement cases for all environmental statutes), FURS (Federal Underground Injection Control), FRDS (Federal Reporting Data System), SIA (Surface Impoundments), CIGIS (TSCA Chemicals in Commerce Information System), PADS, RCRA-J (medical waste transporters/disposers), TRIS and TSCA.

Date of Government Version: 09/30/95

Date of Next Scheduled Update: 07/08/96

HMIRS: Hazardous Materials Information Reporting System

Source: U.S. Department of Transportation
Telephone: 202-366-4555

HMIRS: Hazardous Materials Incident Report System. HMIRS contains hazardous material spill incidents reported to DOT.

Date of Government Version: 12/31/95

Date of Next Scheduled Update: 07/29/96

MLTS: Material Licensing Tracking System

Source: Nuclear Regulatory Commission
Telephone: 301-415-7169

MLTS is maintained by the Nuclear Regulatory Commission and contains a list of approximately 8,100 sites which possess or use radioactive materials and which are subject to NRC licensing requirements. To maintain currency, EDF contacts the Agency on a quarterly basis.

Date of Government Version: 08/01/95

Date of Next Scheduled Update: 07/15/96

NPL LIENS: Federal Superfund Liens

Source: EPA
Telephone: 205-564-4267

NPL LIENS: Federal Superfund Liens. Under the authority granted the USEPA by the Comprehensive Environmental Response, Compensation and Liability Act (CERCLA) of 1980, the USEPA has the authority to file liens against real property in order to recover remedial action expenditures or when the property owner receives notification of potential liability. USEPA compiles a listing of filed notices of Superfund Liens.

Date of Government Version: 10/15/91

Date of Next Scheduled Update: 05/27/96

PADS: PCB Activity Database System

Source: EPA
Telephone: 202-260-3992

PADS: PCB Activity Database. PADS identifies generators, transporters, commercial storers and/or brokers and disposers of PCB's who are required to notify the EPA of such activities.

Date of Government Version: 10/14/94

Date of Next Scheduled Update: 05/20/96

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

RAATS: RCRA Administrative Action Tracking System

Source: EPA

Telephone: 202-564-4104

RAATS: RCRA Administration Action Tracking System. RAATS contains records based on enforcement actions issued under RCRA pertaining to major violators and includes administrative and civil actions brought by the EPA.

Date of Government Version: 04/17/95

Date of Next Scheduled Update: 06/17/96

ROD: Records Of Decision

Source: NTIS

Telephone: 703-416-0703

Record of Decision. ROD documents mandate a permanent remedy at an NPL (Superfund) site containing technical and health information to aid in the cleanup.

Date of Government Version: 03/31/95

Date of Next Scheduled Update: 06/17/96

TRIS: Toxic Chemical Release Inventory System

Source: EPA/NTIS

Telephone: 202-260-2320

TRIS: Toxic Release Inventory System. TRIS identifies facilities which release toxic chemicals to the air, water and land in reportable quantities under SARA Title III Section 313.

Date of Government Version: 12/31/92

Date of Next Scheduled Update: 07/01/96

TSCA: Toxic Substances Control Act

Source: EPA/NTIS

Telephone: 202-260-1444

TSCA: Toxic Substances Control Act. TSCA identifies manufacturers and importers of chemical substances included on the TSCA Chemical Substance Inventory list. It includes data on the production volume of these substances by plant site. USEPA has no current plan to update and/or re-issue this database.

Date of Government Version: 01/31/95

Date of Next Scheduled Update: 06/17/96

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

STATE OF NEW YORK ASTM RECORDS:

LUST: Spills Information Database

Source: Department of Environmental Conservation
Telephone: 518-457-2462

LUST: Leaking Underground Storage Tank Incident Reports. LUST records contain an inventory of reported leaking underground storage tank incidents. Not all states maintain these records, and the information stored varies by state.

Date of Government Version: 09/30/95
Date Made Active at EDR: 12/20/95

Date of Data Arrival at EDR: 11/22/95
Elapsed ASTM days: 28

SHWS: Inactive Hazardous Waste Disposal Sites in New York State

Source: Department of Environmental Conservation
Telephone: 518-457-0747

SHWS: State Hazardous Waste Sites. State hazardous waste site records are the states' equivalent to CERCLIS. These sites may or may not already be listed on the federal CERCLIS list. Priority sites planned for cleanup using state funds (state equivalent of Superfund) are identified along with sites where cleanup will be paid for by potentially responsible parties. Available information varies by state.

Date of Government Version: 04/30/95
Date Made Active at EDR: 07/25/95

Date of Data Arrival at EDR: 06/19/95
Elapsed ASTM days: 36

SWF/LS: Facility Register

Source: Department of Environmental Conservation
Telephone: 518-457-2051

SWF/LS: Solid Waste Facilities/Landfill Sites. SWF/LS type records typically contain an inventory of solid waste disposal facilities or landfills in a particular state. Depending on the state, these may be active or inactive facilities or open dumps that failed to meet RCRA Section 2004 criteria for solid waste landfills or disposal sites.

Date of Government Version: 12/31/95
Date Made Active at EDR: 03/27/96

Date of Data Arrival at EDR: 03/01/96
Elapsed ASTM days: 26

UST: Petroleum Bulk Storage (PBS, CBS, MOSF) Database (UST)

Source: Department of Environmental Conservation
Telephone: 518-457-4351

UST: Registered Underground Storage Tanks. UST's are regulated under Subtitle I of the Resource Conservation and Recovery Act (RCRA) and must be registered with the state department responsible for administering the UST program. Available information varies by state program.

Date of Government Version: 09/30/95
Date Made Active at EDR: 12/20/95

Date of Data Arrival at EDR: 11/22/95
Elapsed ASTM days: 28

STATE OF NEW YORK NON-ASTM RECORDS:

AST: Petroleum Bulk Storage (AST)

Source: Department of Environmental Conservation
Telephone: 518-457-4351

AST: Registered Aboveground Storage Tanks.

Date of Government Version: 09/30/95

Date of Next Scheduled Update: 05/26/96

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

NEW YORK COUNTY RECORDS

CORTLAND COUNTY:

Cortland County UST Listing (AST)

Source: Cortland County Health Department
Telephone: 607-753-5035

Date of Government Version: 07/12/95

Date of Next Scheduled Update: 06/10/96

Cortland County UST Listing (UST)

Source: Cortland County Health Department
Telephone: 607-753-5035

Date of Government Version: 01/11/96

Date of Next Scheduled Update: N/A

NASSAU COUNTY:

NCPHO Article XI Database (AST)

Source: Nassau County Health Department
Telephone: 516-571-3314

Date of Government Version: 01/02/96

Date of Next Scheduled Update: 06/10/96

NCPHO Article XI Database (UST)

Source: Nassau County Health Department
Telephone: 516-571-3314

Date of Government Version: 01/02/96

Date of Next Scheduled Update: N/A

ROCKLAND COUNTY:

Petroleum Bulk Storage Database (AST)

Source: Rockland County Health Department
Telephone: 914-364-2605

Date of Government Version: 11/23/95

Date of Next Scheduled Update: 06/10/96

Petroleum Bulk Storage Database (UST)

Source: Rockland County Health Department
Telephone: 914-364-2605

Date of Government Version: 11/23/95

Date of Next Scheduled Update: N/A

SUFFOLK COUNTY:

Underground Storage Tank Database (AST)

Source: Suffolk County Department of Health Services
Telephone: 516-854-2521

Date of Government Version: 02/28/95

Date of Next Scheduled Update: 05/10/96

Underground Storage Tank Database (UST)

Source: Suffolk County Department of Health Services
Telephone: 516-854-2521

Date of Government Version: 02/28/95

Date of Next Scheduled Update: N/A

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Historical and Other Database(s)

Depending on the geographic area covered by this report, the data provided in these specialty databases may or may not be complete. For example, the existence of wetlands information data in a specific report does not mean that all wetlands in the area covered by the report are included. Moreover, the absence of any reported wetlands information does not necessarily mean that wetlands do not exist in the area covered by the report.

Former Manufactured Gas (Coal Gas) Sites: The existence and location of Coal Gas sites is provided exclusively to EDR by Real Property Scan, Inc. ©Copyright 1993 Real Property Scan, Inc. For a technical description of the types of hazards which may be found at such sites, contact your EDR customer service representative.

Disclaimer Provided by Real Property Scan, Inc.

The information contained in this report has predominantly been obtained from publicly available sources produced by entities other than Real Property Scan. While reasonable steps have been taken to insure the accuracy of this report, Real Property Scan does not guarantee the accuracy of this report. Any liability on the part of Real Property Scan is strictly limited to a refund of the amount paid. No claim is made for the actual existence of toxins at any site. This report does not constitute a legal opinion.

DELISTED NPL: Delisted NPL Sites

Source: EPA

Telephone: 703-603-8769

DELISTED NPL: The National Oil and Hazardous Substances Pollution Contingency Plan (NCP) establishes the criteria that the EPA uses to delete sites from the NPL. In accordance with 40 CFR 300.425.(e), sites may be deleted from the NPL where no further response is appropriate.

NFRAP: No Further Remedial Action Planned

Source: EPA/NTIS

Telephone: 703-416-0702

NFRAP: As of February 1995, CERCLIS sites designated "No Further Remedial Action Planned" (NFRAP) have been removed from CERCLIS. NFRAP sites may be sites where, following an initial investigation, no contamination was found, contamination was removed quickly without the need for the site to be placed on the NPL, or the contamination was not serious enough to require Federal Superfund action or NPL consideration. EPA has removed approximately 25,000 NFRAP sites to lift the unintended barriers to the redevelopment of these properties and has archived them as historical records so EPA does not needlessly repeat the investigations in the future. This policy change is part of the EPA's Brownfields Redevelopment Program to help cities, states, private investors and affected citizens to promote economic redevelopment of unproductive urban sites.

FRDS: Federal Reporting Data System

Source: EPA/Office of Drinking Water

Telephone: 202-260-2805

FRDS provides information regarding public water supplies and their compliance with monitoring requirements, maximum contaminant levels (MCL's), and other requirements of the Safe Drinking Water Act of 1986.

Area Radon Information: The National Radon Database has been developed by the U.S. Environmental Protection Agency (USEPA) and is a compilation of the EPA/State Residential Radon Survey and the National Residential Radon Survey. The study covers the years 1986 - 1992. Where necessary data has been supplemented by information collected at private sources such as universities and research institutions.

Oil/Gas Pipelines/Electrical Transmission Lines: This data was obtained by EDR from the USGS in 1994. It is referred to by USGS as GeoData Digital Line Graphs from 1:100,000-Scale Maps. It was extracted from the transportation category including some oil, but primarily gas pipelines and electrical transmission lines.

Sensitive Receptors: There are individuals who, due to their fragile immune systems, are deemed to be especially sensitive to environmental discharges. These typically include the elderly, the sick, and children. While the exact location of these sensitive receptors cannot be determined, EDR indicates those facilities, such as schools, hospitals, day care centers, and nursing homes, where sensitive receptors are likely to be located.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

USGS Water Wells: In November 1971 the United States Geological Survey (USGS) implemented a national water resource information tracking system. This database contains descriptive information on sites where the USGS collects or has collected data on surface water and/or groundwater. The groundwater data includes information on more than 900,000 wells, springs, and other sources of groundwater.

Flood Zone Data: This data, available in select counties across the country, was obtained by EDR in 1994 from the Federal Emergency Management Agency (FEMA). Data depicts 100-year and 500-year flood zones as defined by FEMA.

Epicenters: World earthquake epicenters, Richter 5 or greater

Source: Department of Commerce, National Oceanic and Atmospheric Administration

Water Dams: National Inventory of Dams

Source: Federal Emergency Management Agency

Telephone: 202-646-2801

WATER DAMS: National computer database of more than 74,000 dams maintained by the Federal Emergency Management Agency.

New York Public Water Wells

Source: New York Department of Health

Telephone: 518-458-6731

MAP FINDINGS SUMMARY

<u>Database</u>	<u>Total Plotted</u>
NPL	1
Delisted NPL	0
RCRIS-TSD	1
State Haz. Waste	2
CERCLIS	3
CERC-NFRAP	0
CORRACTS	2
State Landfill	0
LUST	97
UST	11
AST	25
RAATS	0
RCRIS Sm. Quan. Gen.	48
RCRIS Lg. Quan. Gen.	39
HMIRS	0
PADS	2
ERNS	1
FINDS	90
TRIS	1
NPL Liens	0
TSCA	0
MLTS	0
NY Spills	0
ROD	0
CONSENT	0
Coal Gas	0

* Sites may be listed in more than one database

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

Coal Gas Site Search: No site was found in a search of Real Property Scan's ENVIROHAZ database.

1	KENDALL RESIDENCE 33 WENDELL STREET PLAINVIEW, NY	LUST	S100492251 N/A
---	--	------	-------------------

LUST:

Facility ID: 9211165 First notified: REGIONAL OFFICE Material spilled: #2 FUEL Water body affected: Not reported Resource affected: GROUNDWATER Basin of spill: 1700 Cleaner: SPILLER Initiated clean up: Not reported Last inspection: Not reported UST Trust Fund: No Status: Not reported Quantity recovered: 0.00 Cause: TANK FAILURE Emergency response: IT WAS NOT TAKEN Facility status: ACTIVE SPILL [ON GOING]	Spill Date: 12/28/1992 Material class: PETROLEUM Release QTY: 500.00 GALLONS Origin: PRIVATE DWELLING Notifier: OTHER Project ID: 0 Date Cleaned: Not reported Close Date: Not reported Investigator: RICE Penalty: NO PENALTY
---	---

2	NEGRON RESIDENCE 54 SUNRISE STREET PLAINVIEW, NY	LUST	S100666445 N/A
---	---	------	-------------------

LUST:

Facility ID: 9004238 First notified: REGIONAL OFFICE Material spilled: #2 FUEL Water body affected: Not reported Resource affected: ON LAND Basin of spill: 1700 Cleaner: SPILLER Initiated clean up: Not reported Last inspection: Not reported UST Trust Fund: No Status: MEANS ITS BEEN RESOLVED Quantity recovered: 0.00 Cause: OTHER Emergency response: IT WAS NOT TAKEN Facility status: COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]	Spill Date: 07/17/1990 Material class: PETROLEUM Release QTY: 0.00 GALLONS Origin: PRIVATE DWELLING Notifier: RESPONSIBLE PARTY Project ID: 0 Date Cleaned: 08/21/1990 Close Date: 08/21/1990 Investigator: LEUNG Penalty: NO PENALTY
--	--

3	FERN PLACE ELEMENTARY SCHOOL ORCHARD STREET/FERN PLACE PLAINVIEW, NY 11803	FINDS RCRIS-LQG	1000305842 NYD980564165
---	---	--------------------	----------------------------

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

FERN PLACE ELEMENTARY SCHOOL (Continued)

1000305842

RCRIS:

Owner: PLAINVIEW OLD BETHPAGE
(212) 555-1212

Contact: LAWRENCE HERZOG
(516) 937-6412

Waste	Quantity	Info Source
X001	.00000 (N)	Notification

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

4

**UNK
26 ANDOVER LN
HICKSVILLE, NY**

LUST

S100668107
N/A

LUST:

Facility ID:	8710473	Spill Date:	03/14/1988
First notified:	REGIONAL OFFICE	Material class:	PETROLEUM
Material spilled:	WASTE OIL	Release QTY:	1.00 GALLONS
Water body affected:	Not reported	Origin:	PASSENGER VEHICLE
Resource affected:	ON LAND	Notifier:	LOCAL AGENCY
Basin of spill:	1700	Project ID:	0
Cleaner:	NO ACTION TAKEN	Date Cleaned:	03/16/1988
Initiated clean up:	Not reported	Close Date:	03/16/1988
Last Inspection:	Not reported	Investigator:	Not reported
UST Trust Fund:	No	Penalty:	NO PENALTY
Status:	MEANS ITS BEEN RESOLVED		
Quantity recovered:	0.00		
Cause:	OTHER		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

5

**WRIGHT FUEL
789 OLD COUNTRY ROAD
PLAINVIEW, NY**

LUST

S100490835
N/A

LUST:

Facility ID:	9113197	Spill Date:	03/29/1992
First notified:	ANSWERING SERVICE	Material class:	PETROLEUM
Material spilled:	#2 FUEL	Release QTY:	8.00 GALLONS
Water body affected:	Not reported	Origin:	COMMINDUST
Resource affected:	ON LAND	Notifier:	RESPONSIBLE PARTY
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	04/16/1992
Initiated clean up:	Not reported	Close Date:	04/16/1992
Last Inspection:	Not reported	Investigator:	LUCE
UST Trust Fund:	No	Penalty:	NO PENALTY
Status:	MEANS ITS BEEN RESOLVED		
Quantity recovered:	0.00		
Cause:	TANK OVERFILL		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

MAP FINDINGS

Map ID Direction Distance	Site	Database(s)	EDR ID Number EPA ID Number
---------------------------------	------	-------------	--------------------------------

5	ACE SERVICE CENTER 791 OLD COUNTRY RD PLAINVIEW, NY Nassau County AST: Facility ID: 055919 Tank Location: Indoors, Aboveground Tank Status: In Service Int Protection: None Ext Protection: NONE Piping Type: Other Description: WASTE OIL Leak Detect: NONE Dispense Method: Suction Fill Type: Gravity Data File: Petroleum Bulk Storage Facility	AST	A100043173 N/A
	Tank ID: 0002 Capacity (Gal): 275 Tank Material: STEEL Material Type: Waste Containment: NONE Product Gauge: No Install Date: 1285 Total Tanks: Not reported		

6	SHEAR MARTIN DMD 777 OLD COUNTRY RD PLAINVIEW, NY 11803 RCRIS: Owner: MARTIN SHEAR DMD (212) 555-1212 Contact: MARTIN SHEAR (516) 937-0888	RCRIS-SQG FINDS	1000555610 NYD986981504												
	<table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left;">Waste</th> <th style="text-align: left;">Quantity</th> <th style="text-align: left;">Info Source</th> <th style="text-align: left;">Waste</th> <th style="text-align: left;">Quantity</th> <th style="text-align: left;">Info Source</th> </tr> </thead> <tbody> <tr> <td>D000</td> <td>.00000 (N)</td> <td>Notification</td> <td>D011</td> <td>.00000 (N)</td> <td>Notification</td> </tr> </tbody> </table> <p>(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported</p>	Waste	Quantity	Info Source	Waste	Quantity	Info Source	D000	.00000 (N)	Notification	D011	.00000 (N)	Notification		
Waste	Quantity	Info Source	Waste	Quantity	Info Source										
D000	.00000 (N)	Notification	D011	.00000 (N)	Notification										

7	R & N CLEANERS DBA IZZY'S TLC 720 OLD COUNTRY ROAD PLAINVIEW, NY 11803 RCRIS: Owner: WEISFELNER, ISRAEL INC (212) 555-1212 Contact: ISRAEL WEISFELNER (516) 931-9163	RCRIS-SQG FINDS	1000124839 NYD081368276						
	<table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left;">Waste</th> <th style="text-align: left;">Quantity</th> <th style="text-align: left;">Info Source</th> </tr> </thead> <tbody> <tr> <td>F002</td> <td>.00000 (N)</td> <td>Notification</td> </tr> </tbody> </table> <p>(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported</p>	Waste	Quantity	Info Source	F002	.00000 (N)	Notification		
Waste	Quantity	Info Source							
F002	.00000 (N)	Notification							

There are 1 compliance/violation record(s) reported at this site:

Evaluation	Date	Violations
NON-FINANCIAL RECORD REVIEW (NRR)	15-OCT-87	YES

7	TODD EVAN CLEANERS OF PLAINVIEW 720 OLD COUNTRY RD PLAINVIEW, NY 11803	FINDS RCRIS-LQG	1000183132 NYD982279853
----------	---	--------------------	----------------------------

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

TODD EVAN CLEANERS OF PLAINVIEW (Continued)

1000183132

RCRIS:

Owner: UNKNOWN
(212) 555-1212

Contact: BENJAMIN MATROS
(516) 931-9163

Waste	Quantity	Info Source
-------	----------	-------------

F002	.00000 (N)	Notification
------	------------	--------------

(P) = Pounds, (K) = Kilograms, (M) = Metric Tons, (T) = Tons, (N) = Not Reported

8

BELLECLARE NURSERY
671 OLD COUNTRY RD
PLAINVIEW, NY

UST

U001446888
N/A

Nassau County UST:

Facility ID:	055328	Tank ID:	0002
Tank Location:	Indoors, Belowground	Capacity:	00000550
Tank Status:	In Service	Tank Material:	STEEL
Piping Type:	Steel/Iron	Material Type:	Fresh/Product
Int Protection:	None		
Ext Protection:	PAINTED [e.g. asphaltic]		
Description:	OIL, FUEL #2		
Leak Detect:	OTHER	Containment:	Other
Dispense Method:	Suction	Product Gauge:	No
Fill Type:	Gravity	Install Date:	0673
Total Tanks:	1		

9

COUNTRY CLEANERS
657 OLD COUNTRY ROAD
PLAINVIEW, NY 11803

RCRIS-SQG
FINDS

1000322800
NYD981130875

RCRIS:

Owner: WON LEE
(516) 931-9747

Contact: WON LEE
(516) 931-9747

Waste	Quantity	Info Source
-------	----------	-------------

F002	.00000 (N)	Notification
------	------------	--------------

(P) = Pounds, (K) = Kilograms, (M) = Metric Tons, (T) = Tons, (N) = Not Reported

10

40 ISLAND ST

PLAINVIEW, NY

ERNS

8704086
N/A

11

LEE'S FRENCH CLEANERS
607 OLD COUNTRY ROAD
PLAINVIEW, NY 11803

RCRIS-SQG
FINDS

1000137893
NYD982282808

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

LEE'S FRENCH CLEANERS (Continued)

1000137893

RCRIS:

Owner: LEE TAE KWON
(212) 555-1212

Contact: KWANG HO LEE
(516) 935-6120

Waste	Quantity	Info Source	Waste	Quantity	Info Source
F002	.00000 (N)	Notification	NONE	.00000 (N)	EPA Inspection

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

**12 PLAINVIEW MANOR S/C., INC
587 OLD COUNTRY RD
PLAINVIEW, NY**

AST

A100043244
N/A

Nassau County AST:

Facility ID:	056265	Tank ID:	0001
Tank Location:	Outdoors, Aboveground	Capacity (Gal):	275
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	PAINTED [e.g. asphaltic]	Material Type:	Waste
Piping Type:	Steel/Iron		
Description:	WASTE OIL	Containment:	NONE
Leak Detect:	NONE	Product Gauge:	No
Dispense Method:	Suction	Install Date:	1082
Fill Type:	Gravity	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		

**13 OWNER RICHIE?
64 BARNUM AVENUE
PLAINVIEW, NY**

LUST

S101102812
N/A

LUST:

Facility ID:	9401539	Spill Date:	04/29/1994
First notified:	REGIONAL OFFICE	Material class:	PETROLEUM
Material spilled:	KEROSENE	Release QTY:	0.00 GALLONS
Water body affected:	Not reported	Origin:	PRIVATE DWELLING
Resource affected:	ON LAND	Notifier:	CITIZEN
Basin of spill:	1700	Project ID:	0
Cleaner:	NO ACTION TAKEN	Date Cleaned:	Not reported
Initiated clean up:	Not reported	Close Date:	Not reported
Last Inspection:	Not reported	Investigator:	AUSTIN
UST Trust Fund:	No		
Status:	Not reported	Penalty:	NO PENALTY
Quantity recovered:	0.00		
Cause:	OTHER		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	ACTIVE SPILL [ON GOING]		

**14 PLAZA FRENCH CLEANERS
524 OLD COUNTRY RD
PLAINVIEW, NY 11803**

FINDS
RCRIS-LQG

1000442902
NYD986868396

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

PLAZA FRENCH CLEANERS (Continued)

1000442902

RCRIS:

Owner: YOON HAKSUNG
(212) 555-1212

Contact: YOON HAKSUNG
(516) 932-5776

Waste	Quantity	Info Source
F002	.00000 (N)	Notification

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

15

UNK
510 OLD COUNTRY ROAD
PLAINVIEW, NY

LUST

S100666492
N/A

LUST:

Facility ID:	9006601	Spill Date:	09/15/1990
First notified:	ANSWERING SERVICE	Material class:	PETROLEUM
Material spilled:	#2 FUEL	Release QTY:	10.00 GALLONS
Water body affected:	Not reported	Origin:	NON-COMMUNST
Resource affected:	IN SEWER	Notifier:	FIRE DEPARTMENT
Basin of spill:	1700	Project ID:	0
Cleaner:	OTHER AGENCY	Date Cleaned:	09/20/1990
Initiated clean up:	Not reported	Close Date:	09/20/1990
Last inspection:	Not reported	Investigator:	LUCE
UST Trust Fund:	No	Penalty:	NO PENALTY
Status:	MEANS ITS BEEN RESOLVED		
Quantity recovered:	0.00		
Cause:	OTHER		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

16

MERIT OYSTER BAY
496 PLAINVIEW RD
HICKSVILLE, NY 11801

RCRIS-SQG

1001028353
NYR000005850

RCRIS:

Owner: MERIT OIL OF NEW YORK INC
(610) 527-7900

Contact: Not reported

Waste	Quantity	Info Source	Waste	Quantity	Info Source
D000	.00000 (N)	Notification	D001	.00000 (N)	Notification
D018	.00000 (N)	Notification			

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

16

NORTHVILLE INDUSTRIES
496 PLAINVIEW RD
HICKSVILLE, NY

LUST

S100493481
N/A

MAP FINDINGS

Map ID			EDR ID Number
Direction			EPA ID Number
Distance	Site	Database(s)	

NORTHVILLE INDUSTRIES (Continued)

S100493481

LUST:		Spill Date:	05/04/1992
Facility ID:	9201365	Material class:	PETROLEUM
First notified:	C	Release QTY:	0.00 GALLONS
Material spilled:	UNKNOWN	Origin:	GAS STATION
Water body affected:	Not reported	Notifier:	RESPONSIBLE PARTY
Resource affected:	ON LAND	Project ID:	0
Basin of spill:	1700	Date Cleaned:	03/06/1995
Cleaner:	SPILLER	Close Date:	03/06/1995
Initiated clean up:	Not reported	Investigator:	HAAS
Last inspection:	Not reported	Penalty:	NO PENALTY
UST Trust Fund:	No		
Status:	MEANS ITS BEEN RESOLVED		
Quantity recovered:	0.00		
Cause:	TANK OVERFILL		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

16	NORTHVILLE 496 PLAINVIEW RD HICKSVILLE, NY	LUST	S100493642 N/A
----	---	-------------	---------------------------

LUST:		Spill Date:	06/15/1992
Facility ID:	9203191	Material class:	PETROLEUM
First notified:	REGIONAL OFFICE	Release QTY:	0.00 GALLONS
Material spilled:	#2 FUEL	Origin:	GAS STATION
Water body affected:	Not reported	Notifier:	TANK TESTER
Resource affected:	GROUNDWATER	Project ID:	0
Basin of spill:	1700	Date Cleaned:	07/06/1992
Cleaner:	SPILLER	Close Date:	07/06/1992
Initiated clean up:	Not reported	Investigator:	T/T/F
Last inspection:	Not reported	Penalty:	NO PENALTY
UST Trust Fund:	No		
Status:	MEANS ITS BEEN RESOLVED		
Quantity recovered:	0.00		
Cause:	TANK TEST FAILURE [BULK STORE. PRO.]		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

16	NORTHVILLE S/S 496 PLAINVIEW RD HICKSVILLE, NY	LUST	S100493669 N/A
----	---	-------------	---------------------------

MAP FINDINGS

Map ID Direction Distance	Site	Database(s)	EDR ID Number EPA ID Number
---------------------------------	------	-------------	--------------------------------

NORTHVILLE S/S (Continued)

S100493669

LUST:

Facility ID:	9203434	Spill Date:	06/22/1992
First notified:	REGIONAL OFFICE	Material class:	PETROLEUM
Material spilled:	#2 FUEL	Release QTY:	0.00 GALLONS
Water body affected:	Not reported	Origin:	COMMINDUST
Resource affected:	GROUNDWATER	Notifier:	TANK TESTER
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	07/06/1992
Initiated clean up:	Not reported	Close Date:	07/06/1992
Last inspection:	Not reported	Investigator:	T/T/F
UST Trust Fund:	No		
Status:	MEANS ITS BEEN RESOLVED	Penalty:	NO PENALTY
Quantity recovered:	0.00		
Cause:	TANK TEST FAILURE [BULK STORE. PRO.]		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

16

**PLAINVIEW SHELL INC.
500 OLD COUNTRY RD
PLAINVIEW, NY**

UST

U001854914
N/A

Nassau County UST:

Facility ID:	041012	Tank ID:	0004
Tank Location:	Indoors, Belowground	Capacity:	00000550
Tank Status:	6	Tank Material:	STEEL
Piping Type:	Galvanized Steel	Material Type:	Waste
Int Protection:	None		
Ext Protection:	PAINTED [e.g. asphaltic]		
Description:	WASTE OIL		
Leak Detect:	OTHER	Containment:	Other
Dispense Method:	Gravity	Product Gauge:	No
Fill Type:	Gravity	Install Date:	0162
Total Tanks:	2		
Facility ID:	041012	Tank ID:	0005
Tank Location:	Indoors, Belowground	Capacity:	00000550
Tank Status:	6	Tank Material:	Fiberglass Reinforced Plastic
Piping Type:	Other	Material Type:	Fresh/Product
Int Protection:	None		
Ext Protection:	FIBERGLASS REINFORCED PLASTIC		
Description:	OIL, FUEL #2		
Leak Detect:	OTHER	Containment:	Other
Dispense Method:	Gravity	Product Gauge:	No
Fill Type:	Gravity	Install Date:	0162
Total Tanks:	2		

16

**EXXON CO USA #37149
499 E OLD COUNTRY RD
HICKSVILLE, NY 11801**

RCRIS-SQG
FINDS
LUST

1000552335
NYD986947323

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

EXXON CO USA #37149 (Continued)

1000552335

RCRIS:

Owner: EXXON CO USA
(713) 656-7761

Contact: ALDA S POOL
(713) 656-7709

Waste	Quantity	Info Source	Waste	Quantity	Info Source
D000	.00000 (N)	Notification	D018	.00000 (N)	Notification

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

LUST:

Facility ID:	9203976	Spill Date:	07/06/1992
First notified:	REGIONAL OFFICE	Material class:	PETROLEUM
Material spilled:	GASOLINE	Release QTY:	0.00 GALLONS
Water body affected:	Not reported	Origin:	GAS STATION
Resource affected:	ON LAND	Notifier:	DEC
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	07/28/1992
Initiated clean up:	Not reported	Close Date:	07/28/1992
Last Inspection:	Not reported	Investigator:	DEROSA
UST Trust Fund:	Yes	Penalty:	NO PENALTY
Status:	MEANS ITS BEEN RESOLVED		
Quantity recovered:	0.00		
Cause:	OTHER		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

16

S.S. PREMISES C/O SHELL OIL CO
500 OLD COUNTRY RD
PLAINVIEW, NY 11803

RCRIS-SQG FINDS 1000140682
NYD982178972

RCRIS:

Owner: SHELL OIL COMPANY
(212) 555-1212

Contact: JOHN SPINELLE
(800) 431-5566

Waste	Quantity	Info Source	Waste	Quantity	Info Source
D000	.00000 (N)	Notification	K052	.00000 (N)	Notification
X001	.00000 (N)	Notification			

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

17

WALTER'S AUTO GROUP
430 PLAINVIEW RD
HICKSVILLE, NY 11801

FINDS 1000401646
NYD982723256

18

RICH WELGER RESIDENCE
21 LANE AVENUE
PLAINVIEW, NY

LUST S101174173
N/A

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

RICH WELGER RESIDENCE (Continued)

S101174173

LUST:

Facility ID:	9409041	Spill Date:	10/06/1994
First notified:	C	Material class:	PETROLEUM
Material spilled:	#2 FUEL	Release QTY:	1.00 GALLONS
Water body affected:	Not reported	Origin:	PRIVATE DWELLING
Resource affected:	ON LAND	Notifier:	OTHER
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	10/07/1994
Initiated clean up:	Not reported	Close Date:	10/07/1994
Last Inspection:	Not reported	Investigator:	NONE
UST Trust Fund:	No	Penalty:	NO PENALTY
Status:	MEANS ITS BEEN RESOLVED		
Quantity recovered:	0.00		
Cause:	OTHER		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL (SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED)		

19

**OLSEN RESIDENCE
14 HEATHER LANE
PLAINVIEW, NY**

LUST

S100147265
N/A

LUST:

Facility ID:	8804158	Spill Date:	08/11/1988
First notified:	REGIONAL OFFICE	Material class:	PETROLEUM
Material spilled:	#2 FUEL	Release QTY:	70.00 GALLONS
Water body affected:	Not reported	Origin:	NON-COMMINST
Resource affected:	ON LAND	Notifier:	RESPONSIBLE PARTY
Basin of spill:	1700	Project ID:	0
Cleaner:	OTHER AGENCY	Date Cleaned:	01/09/1989
Initiated clean up:	Not reported	Close Date:	01/09/1989
Last Inspection:	Not reported	Investigator:	HOFMANN
UST Trust Fund:	No	Penalty:	NO PENALTY
Status:	MEANS ITS BEEN RESOLVED		
Quantity recovered:	0.00		
Cause:	TANK FAILURE		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL (SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED)		

20

**ALFRED MAURO RESIDENCE
285 PLAINVIEW RD
HICKSVILLE, NY**

LUST

S100560476
N/A

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

ALFRED MAURO RESIDENCE (Continued)

S100560476

LUST:

Facility ID:	9306833	Spill Date:	09/03/1993
First notified:	C	Material class:	PETROLEUM
Material spilled:	#2 FUEL	Release QTY:	0.00 GALLONS
Water body affected:	Not reported	Origin:	PRIVATE DWELLING
Resource affected:	ON LAND	Notifier:	OTHER
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	11/29/1993
Initiated clean up:	Not reported	Close Date:	11/29/1993
Last Inspection:	Not reported	Investigator:	CAMPBELL
UST Trust Fund:	No		
Status:	MEANS ITS BEEN RESOLVED	Penalty:	NO PENALTY
Quantity recovered:	0.00		
Cause:	TANK FAILURE		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

21

**GETTY PETROLEUM
723 SOUTH OYSTER BAY ROAD
PLAINVIEW, NY**

LUST

S100172266
N/A

LUST:

Facility ID:	8710561	Spill Date:	03/17/1988
First notified:	REGIONAL OFFICE	Material class:	PETROLEUM
Material spilled:	GASOLINE	Release QTY:	0.00 GALLONS
Water body affected:	Not reported	Origin:	GAS STATION
Resource affected:	GROUNDWATER	Notifier:	TANK TESTER
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	04/20/1988
Initiated clean up:	Not reported	Close Date:	04/20/1988
Last Inspection:	Not reported	Investigator:	GOERTZ
UST Trust Fund:	Yes		
Status:	MEANS ITS BEEN RESOLVED	Penalty:	NO PENALTY
Quantity recovered:	0.00		
Cause:	TANK TEST FAILURE [BULK STORE. PRO.]		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

21

**GETTY PETROLEUM CORP
723 S OYSTER BAY RD
PLAINVIEW, NY 11803**

RCRIS-SQG
FINDS

1000871563
NY0000071282

RCRIS:

Owner: GETTY PETROLEUM CORP
(516) 338-6000

Contact: JOHN CATAPANO
(516) 488-2500

Waste	Quantity	Info Source	Waste	Quantity	Info Source
D000	.00000 (N)	Notification	D008	.00000 (N)	Notification

(P) = Pounds, (K) = Kilograms, (M) = Metric Tons, (T) = Tons, (N) = Not Reported

MAP FINDINGS

Map ID Direction Distance	Site	Database(s)	EDR ID Number EPA ID Number
---------------------------------	------	-------------	--------------------------------

22	JOHNS SOUTH BAY MOBIL 755 S OYSTER BAY RD BETHPAGE, NY 11714	FINDS RCRIS-LQG	1000281333 NYD981555360
----	---	--------------------	----------------------------

RCRIS:
 Owner: JOHN SOUTH BAY MOBIL
 (516) 681-2068
 Contact: JOHN PARISI
 (516) 681-2068

Waste	Quantity	Info Source	Waste	Quantity	Info Source
D000	.00000 (N)	Notification	D001	.00000 (N)	Notification
D008	.00000 (N)	Notification			

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

22	MOBIL S/S #17-KKJ 755 S OYSTER BAY RD BETHPAGE, NY	AST	A100042847 N/A
----	---	-----	-------------------

Nassau County AST:

Facility ID: 041111	Tank ID: 0008
Tank Location: Indoors, Aboveground	Capacity (Gal): 300
Tank Status: In Service	Tank Material: STEEL
Int Protection: None	
Ext Protection: PAINTED [e.g. asphaltic]	
Piping Type: Steel/Iron	Material Type: Fresh/Product
Description: OIL, MOTOR	
Leak Detect: ELECTRONIC	Containment: DOUBLE WALL TANK
Dispense Method: Suction	Product Gauge: Yes
Fill Type: Pumped	Install Date: 0892
Data File: Petroleum Bulk Storage Facility	Total Tanks: Not reported

22	MOBIL OIL 755 SOUTH OYSTER BAY ROAD BETHPAGE, NY	LUST	S100781305 N/A
----	---	------	-------------------

LUST:

Facility ID: 9309724	Spill Date: 11/11/1993
First notified: ANSWERING SERVICE	Material class: PETROLEUM
Material spilled: GASOLINE	Release QTY: 0.00 GALLONS
Water body affected: Not reported	Origin: GAS STATION
Resource affected: ON LAND	Notifier: TANK TESTER
Basin of spill: 1700	Project ID: 0
Cleaner: SPILLER	Date Cleaned: 08/17/1994
Initiated clean up: Not reported	Close Date: 08/17/1994
Last inspection: Not reported	Investigator: T/T/F
UST Trust Fund: Yes	
Status: MEANS ITS BEEN RESOLVED	Penalty: NO PENALTY
Quantity recovered: 0.00	
Cause: TANK TEST FAILURE [BULK STORE. PRO.]	
Emergency response: IT WAS NOT TAKEN	
Facility status: COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]	

22	MOBIL S/S #17-KKJ 755 S OYSTER BAY RD BETHPAGE, NY	UST	U001445843 N/A
----	---	-----	-------------------

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

MOBIL S/S #17-KKJ (Continued)

U001445843

Nassau County UST:

Facility ID:	041111	Tank ID:	0006
Tank Location:	Indoors, Belowground	Capacity:	00001000
Tank Status:	In Service	Tank Material:	Fiberglass Reinforced Plastic
Piping Type:	Other	Material Type:	Fresh/Product
Int Protection:	Internal Lining		
Ext Protection:	FIBERGLASS REINFORCED PLASTIC		
Description:	OIL, FUEL #2		
Leak Detect:	ELECTRONIC	Containment:	Double Wall Tank
Dispense Method:	Suction	Product Gauge:	No
Fill Type:	Gravity	Install Date:	0490
Total Tanks:	2		

Facility ID:	041111	Tank ID:	0007
Tank Location:	Indoors, Belowground	Capacity:	00001000
Tank Status:	In Service	Tank Material:	Fiberglass Reinforced Plastic
Piping Type:	Double Walled Fiberglass	Material Type:	Waste
Int Protection:	Internal Lining		
Ext Protection:	FIBERGLASS REINFORCED PLASTIC		
Description:	WASTE OIL		
Leak Detect:	ELECTRONIC	Containment:	Double Wall Tank
Dispense Method:	Suction	Product Gauge:	No
Fill Type:	Gravity	Install Date:	0490
Total Tanks:	2		

23

197 NEWBRIDGE S/S CORP - GULF
197 OLD COUNTRY RD
HICKSVILLE, NY 11801

RCRIS-SQG 1000457373
FINDS NYD986925238

RCRIS:

Owner: CUMBERLAND FARMS INC
(212) 555-1212

Contact: RAYMOND FITZPATRICK
(516) 921-4300

Waste	Quantity	Info Source	Waste	Quantity	Info Source
D000	.00000 (N)	Notification	D001	.00000 (N)	Notification
D008	.00000 (N)	Notification			

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

24

EPSTEINS RESIDENCE
46 KESWICK LANE
PLAINVIEW, NY

LUST S100151135
N/A

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

EPSTEINS RESIDENCE (Continued)

S100151135

LUST:

Facility ID:	9006009	Spill Date:	08/30/1990
First notified:	ANSWERING SERVICE	Material class:	PETROLEUM
Material spilled:	#2 FUEL	Release QTY:	0.00 GALLONS
Water body affected:	Not reported	Origin:	PRIVATE DWELLING
Resource affected:	ON LAND	Notifier:	RESPONSIBLE PARTY
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	08/31/1990
Initiated clean up:	Not reported	Close Date:	08/31/1990
Last inspection:	Not reported	Investigator:	NONE
UST Trust Fund:	No	Penalty:	NO PENALTY
Status:	MEANS ITS BEEN RESOLVED		
Quantity recovered:	0.00		
Cause:	TANK FAILURE		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

25

LILCO HICKSVILLE OP. CENTER
175 E OLD COUNTRY ROAD
HICKVILLE, NY 11801

PADS 1000178398
CERCLIS NYD006866008
FINDS
RCRIS-LOG
RCRIS-TSD
CORRACTS

CERCLIS Classification Data:

Site Incident Category:	Not reported	Federal Facility:	NO
Ownership Status:	UNKNOWN	NPL Status:	NOT ON NPL
EPA Notes:	Not reported		

CERCLIS Assessment History:

Assessment:	DISCOVERY	Completed:	02/28/1989
Assessment:	PRELIMINARY ASSESSMENT	Completed:	03/31/1989

CERCLIS Site Status:

This site is currently under investigation by the government to assess the extent of further action

CERCLIS Alias Name(s):

LILCO HICKSVILLE OP. CENTER

CORRACTS Data:

Prioritization: Low
Status: RCRA Facility Investigation Completed, Corrective Action Process is Terminated

RCRIS:

Owner: LONG ISLAND LIGHTING COMPANY
(516) 933-4590

Contact: MILHOUS MADISON
(516) 391-6133

Waste	Quantity	Info Source	Waste	Quantity	Info Source
D000	.00000 (N)	Notification	D001	.00000 (N)	Notification
D002	.00000 (N)	Notification	D009	.00000 (N)	Notification
F001	.00000 (N)	Notification	F004	.00000 (N)	Notification
F005	.00000 (N)	Notification			

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

LILCO HICKSVILLE OP. CENTER (Continued)

1000178398

There are 6 compliance/violation record(s) reported at this site:

Evaluation	Date	Violations
COMPLIANCE SCHEDULE EVALUATION (CSE)	07-JUN-95	YES
COMPLIANCE EVALUATION INSPECTION (CEI)	14-OCT-94	YES
COMPLIANCE EVALUATION INSPECTION (CEI)	17-DEC-93	YES
COMPLIANCE EVALUATION INSPECTION (CEI)	27-SEP-91	YES
NON-FINANCIAL RECORD REVIEW (NRR)	20-OCT-88	YES
NON-FINANCIAL RECORD REVIEW (NRR)	16-MAY-86	YES

Other Pertinent Environmental Activity Identified at Site:
civil judicial and administrative enforcement cases against facility
facility is a PCB generator, storer, transporter or permitted disposer

26

**SLOMINS
92 E OLD COUNTRY RD
HICKSVILLE, NY**

LUST

S101340894
N/A

LUST:

Facility ID:	9411611	Spill Date:	11/30/1994
First notified:	C	Material class:	PETROLEUM
Material spilled:	#2 FUEL	Release QTY:	1.00 GALLONS
Water body affected:	Not reported	Origin:	PRIVATE DWELLING
Resource affected:	ON LAND	Notifier:	RESPONSIBLE PARTY
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	12/01/1994
Initiated clean up:	Not reported	Close Date:	12/01/1994
Last Inspection:	Not reported	Investigator:	NONE
UST Trust Fund:	No	Penalty:	NO PENALTY
Status:	MEANS ITS BEEN RESOLVED		
Quantity recovered:	0.00		
Cause:	TANK OVERFILL		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

27

**STRUCTURAL INDUSTRIES INC
96 NEW SOUTH RD
HICKSVILLE, NY 11801**

RCRIS-SQG 1000554648
FINDS NYD986971216
UST
LUST

RCRIS:

Owner: STANLEY HIRSCH
(516) 822-5200

Contact: BARBARA MACCIO
(516) 822-5200

Waste	Quantity	Info Source	Waste	Quantity	Info Source
D000	.00000 (N)	Notification	D001	.00000 (N)	Notification
D006	.00000 (N)	Notification	F003	.00000 (N)	Notification
F005	.00000 (N)	Notification			

(P) = Pounds, (K) = Kilograms, (M) = Metric Tons, (T) = Tons, (N) = Not Reported

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

STRUCTURAL INDUSTRIES INC (Continued)

1000554648

LUST:

Facility ID:	8906944	Spill Date:	10/15/1989
First notified:	REGIONAL OFFICE	Material class:	PETROLEUM
Material spilled:	UNKNOWN	Release QTY:	0.00 GALLONS
Water body affected:	Not reported	Origin:	COMMINDUST
Resource affected:	IN SEWER	Notifier:	FIRE DEPARTMENT
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	10/16/1989
Initiated clean up:	Not reported	Close Date:	10/16/1989
Last Inspection:	Not reported	Investigator:	HOFMANN
UST Trust Fund:	No	Penalty:	NO PENALTY
Status:	MEANS ITS BEEN RESOLVED		
Quantity recovered:	0.00		
Cause:	OTHER		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

Facility ID:	9306676	Spill Date:	08/31/1993
First notified:	C	Material class:	PETROLEUM
Material spilled:	#2 FUEL	Release QTY:	0.00 GALLONS
Water body affected:	Not reported	Origin:	COMMINDUST
Resource affected:	GROUNDWATER	Notifier:	TANK TESTER
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	03/02/1995
Initiated clean up:	Not reported	Close Date:	03/02/1995
Last Inspection:	Not reported	Investigator:	T/T/F
UST Trust Fund:	No	Penalty:	NO PENALTY
Status:	MEANS ITS BEEN RESOLVED		
Quantity recovered:	0.00		
Cause:	TANK TEST FAILURE [BULK STORE. PRO.]		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

Nassau County UST:

Facility ID:	056447	Tank ID:	0002
Tank Location:	Indoors, Belowground	Capacity:	00007500
Tank Status:	6	Tank Material:	STEEL
Piping Type:	Unknown	Material Type:	Fresh/Product
Int Protection:	Unknown		
Ext Protection:	UNKNOWN		
Description:	OIL, FUEL #2	Containment:	Other
Leak Detect:	OTHER	Product Gauge:	No
Dispense Method:	Suction	Install Date:	1255
Fill Type:	Gravity		
Total Tanks:	1		

28

MERRY OLDS INC
777 SOUTH OYSTER BAY ROAD
BETHPAGE, NY 11714

FINDS 1000372483
RCRIS-LQG NYD065956922

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

MERRY OLDS INC (Continued)

1000372483

RCRIS:

Owner: JOSEPH FOX
(212) 555-1212

Contact: FRED GALLAGHER
(516) 435-7948

Waste	Quantity	Info Source
D000	.00000 (N)	Notification

(P) = Pounds, (K) = Kilograms, (M) = Metric Tons, (T) = Tons, (N) = Not Reported

28

**GRAND PRIX PERFORMANCE LT
777 S OYSTER BAY RD
BETHPAGE, NY**

AST

A100043319
N/A

Nassau County AST:

Facility ID: 056860
Tank Location: Indoors, Aboveground
Tank Status: In Service
Int Protection: None
Ext Protection: PAINTED [e.g. asphaltic]
Piping Type: Steel/Iron
Description: OIL, MOTOR
Leak Detect: OTHER
Dispense Method: Suction
Fill Type: Pumped
Data File: Petroleum Bulk Storage Facility

Tank ID: 0001
Capacity (Gal): 275
Tank Material: STEEL

Material Type: Fresh/Product

Containment: DIKING AND PAD
Product Gauge: Yes
Install Date: 0795
Total Tanks: Not reported

Facility ID: 056860
Tank Location: Outdoors, Aboveground
Tank Status: In Service
Int Protection: None
Ext Protection: PAINTED [e.g. asphaltic]
Piping Type: Steel/Iron
Description: OIL, MOTOR
Leak Detect: OTHER
Dispense Method: Suction
Fill Type: Pumped
Data File: Petroleum Bulk Storage Facility

Tank ID: 0002
Capacity (Gal): 240
Tank Material: STEEL

Material Type: Waste
Containment: DOUBLE WALL TANK
Product Gauge: Yes
Install Date: 0795
Total Tanks: Not reported

29

**INLAND PLASTICS
120 NEW SOUTH RD
HICKSVILLE, NY 11802**

RCRIS-SQG
FINDS

1000556202
NYD986987618

29

**SPEDALE PHOTOGRAPHERS
110 NEW SOUTH RD
HICKSVILLE, NY 11801**

RCRIS-SQG
FINDS

1000184614
NYD982794570

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

SPEDALE PHOTOGRAPHERS (Continued)

1000184614

RCRIS:

Owner: JULIUS SPEDALE
(212) 555-1212

Contact: JULIUS SPEDALE
(516) 681-0863

Waste	Quantity	Info Source
D001	.00000 (N)	Notification

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

30

FRANKIE D'S SERV STA
1234 STEWART AVE
BETHPAGE, NY

AST

A100043084
N/A

Nassau County AST:

Facility ID:	055584	Tank ID:	0006
Tank Location:	Outdoors, Aboveground	Capacity (Gal):	250
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	PAINTED [e.g. asphaltic]	Material Type:	Fresh/Product
Piping Type:	Galvanized Steel		
Description:	OIL, FUEL #2	Containment:	DOUBLE WALL TANK
Leak Detect:	OTHER	Product Gauge:	Yes
Dispense Method:	Suction	Install Date:	1292
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		

31

CORNICHE OF HICKSVILLE
285-4 S BROADWAY
HICKSVILLE, NY 11801

RCRIS-SQG
FINDS

1000315603
NYD982717472

RCRIS:

Owner: HICKSVILLE CORNICHE INC
(212) 555-1212

Contact: HI EUN SHON
(516) 935-9525

Waste	Quantity	Info Source
F002	.00000 (N)	Notification

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

32

HICKSVILLE FIRESTONE
300 S BROADWAY
HICKSVILLE, NY 11801

FINDS
RCRIS-LQG
LUST
AST

1000272865
NYD012729554

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

HICKSVILLE FIRESTONE (Continued)

1000272865

RCRIS:

Owner: CLIFF FRIETAG
(212) 555-1212

Contact: RICHARD ORELLI
(516) 931-0170

Waste	Quantity	Info Source	Waste	Quantity	Info Source
D000	.00000 (N)	Notification	D008	.00000 (N)	Notification
NONE	.00000 (N)	EPA Inspection			

(P) = Pounds, (K) = Kilograms, (M) = Metric Tons, (T) = Tons, (N) = Not Reported

LUST:

Facility ID:	9010583	Spill Date:	01/02/1991
First notified:	REGIONAL OFFICE	Material class:	PETROLEUM
Material spilled:	WASTE OIL	Release QTY:	0.00 GALLONS
Water body affected:	Not reported	Origin:	COMMINDUST
Resource affected:	GROUNDWATER	Notifier:	OTHER
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	02/14/1992
Initiated clean up:	Not reported	Close Date:	02/14/1992
Last Inspection:	Not reported	Investigator:	WALSH
UST Trust Fund:	Yes	Penalty:	NO PENALTY
Status:	MEANS ITS BEEN RESOLVED		
Quantity recovered:	0.00		
Cause:	OTHER		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

Nassau County AST:

Facility ID:	055305	Tank ID:	0003
Tank Location:	Outdoors, Aboveground	Capacity (Gal):	220
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	PAINTED [e.g. asphaltic]	Material Type:	Waste
Piping Type:	Steel/Iron	Containment:	DIKING AND PAD
Description:	WASTE OIL	Product Gauge:	No
Leak Detect:	OTHER	Install Date:	0591
Dispense Method:	Suction	Total Tanks:	Not reported
Fill Type:	Gravity		
Data File:	Petroleum Bulk Storage Facility		

32

**ABBEY RENT ALL
301 S BROADWAY
HICKSVILLE, NY**

**LUST
AST**

**S100668658
N/A**

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

ABBEY RENT ALL (Continued)

S100668658

LUST:

Facility ID:	8903512	Spill Date:	07/07/1989
First notified:	REGIONAL OFFICE	Material class:	PETROLEUM
Material spilled:	WASTE OIL	Release QTY:	0.00 GALLONS
Water body affected:	Not reported	Origin:	NON-COMMNST
Resource affected:	ON LAND	Notifier:	HEALTH DEPARTMENT
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	02/13/1990
Initiated clean up:	Not reported	Close Date:	02/13/1990
Last Inspection:	Not reported	Investigator:	LEUNG
UST Trust Fund:	No	Penalty:	NO PENALTY
Status:	MEANS ITS BEEN RESOLVED		
Quantity recovered:	0.00		
Cause:	OTHER		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

Nassau County AST:

Facility ID:	055255	Tank ID:	0003
Tank Location:	Indoors, Aboveground	Capacity (Gal):	220
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	PAINTED [e.g. asphaltic]	Material Type:	Fresh/Product
Piping Type:	Steel/Iron		
Description:	OIL, FUEL #2	Containment:	DIKING AND PAD
Leak Detect:	OTHER	Product Gauge:	Yes
Dispense Method:	Suction	Install Date:	0394
Fill Type:	Gravity	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		

33

**COMMANDER
53 LAWNVIEW AVE
HICKSVILLE, NY**

LUST

S101103113
N/A

LUST:

Facility ID:	9403227	Spill Date:	06/06/1994
First notified:	C	Material class:	PETROLEUM
Material spilled:	WASTE OIL	Release QTY:	1.00 GALLONS
Water body affected:	Not reported	Origin:	PRIVATE DWELLING
Resource affected:	ON LAND	Notifier:	OTHER
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	06/07/1994
Initiated clean up:	Not reported	Close Date:	06/07/1994
Last Inspection:	Not reported	Investigator:	NONE
UST Trust Fund:	No	Penalty:	NO PENALTY
Status:	MEANS ITS BEEN RESOLVED		
Quantity recovered:	0.00		
Cause:	OTHER		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

34

**TERRY SULLIVAN
355 S BROADWAY
HICKSVILLE, NY**

LUST

S100147563
N/A

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

TERRY SULLIVAN (Continued)

S100147563

LUST:

Facility ID:	8809382	Spill Date:	03/05/1989
First notified:	ANSWERING SERVICE	Material class:	PETROLEUM
Material spilled:	GASOLINE	Release QTY:	10.00 GALLONS
Water body affected:	Not reported	Origin:	PASSENGER VEHICLE
Resource affected:	ON LAND	Notifier:	FIRE DEPARTMENT
Basin of spill:	1700	Project ID:	0
Cleaner:	OTHER AGENCY	Date Cleaned:	03/06/1989
Initiated clean up:	Not reported	Close Date:	03/06/1989
Last inspection:	Not reported	Investigator:	NCFM
UST Trust Fund:	No		
Status:	MEANS ITS BEEN RESOLVED	Penalty:	NO PENALTY
Quantity recovered:	0.00		
Cause:	TANK FAILURE		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

34

**HIP - EAST NASSAU REGION
350 S BROADWAY
HICKSVILLE, NY 11801**

RCRIS-SQG 1000790857
FINDS NYD987023462

RCRIS:

Owner: HIP OF GREATER NEW YORK
(212) 630-5000

Contact: GEORGE MARLO
(516) 938-0100

Waste	Quantity	Info Source	Waste	Quantity	Info Source
D000	.00000 (N)	Notification	D002	.00000 (N)	Notification
D009	.00000 (N)	Notification			

(P) = Pounds . (K) = Kilograms . (M) = Metric Tons . (T) = Tons . (N) = Not Reported

34

**DR. CHTRUVANTY
350 S BROADWAY
HICKSVILLE, NY**

LUST S100667550
N/A

LUST:

Facility ID:	8806012	Spill Date:	10/15/1988
First notified:	REGIONAL OFFICE	Material class:	PETROLEUM
Material spilled:	GASOLINE	Release QTY:	4.00 GALLONS
Water body affected:	Not reported	Origin:	PASSENGER VEHICLE
Resource affected:	ON LAND	Notifier:	FIRE DEPARTMENT
Basin of spill:	1700	Project ID:	99222
Cleaner:	DEC - PIN PROJECT	Date Cleaned:	10/18/1988
Initiated clean up:	Not reported	Close Date:	10/18/1988
Last inspection:	Not reported	Investigator:	NONE
UST Trust Fund:	No		
Status:	MEANS ITS BEEN RESOLVED	Penalty:	NO PENALTY
Quantity recovered:	0.00		
Cause:	OTHER		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

MAP FINDINGS

Map ID Direction Distance	Site	Database(s)	EDR ID Number EPA ID Number												
35	NARDA MICROWAVE CORP 75 COMMERCIAL ST HICKSVILLE, NY 11801 Other Pertinent Environmental Activity Identified at Site: facility has active water discharge permits	FINDS	1000789577 NYD987010386												
36	IMPRESSIVE IMAGE INC 9 COMMERCIAL ST HICKSVILLE, NY 11801 RCRIS: Owner: ROBERT M RUSIE (516) 931-0142 Contact: CELIA CERLINI (516) 931-0142 <table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left;">Waste</th> <th style="text-align: left;">Quantity</th> <th style="text-align: left;">Info Source</th> <th style="text-align: left;">Waste</th> <th style="text-align: left;">Quantity</th> <th style="text-align: left;">Info Source</th> </tr> </thead> <tbody> <tr> <td style="border-top: 1px solid black;">D000</td> <td style="border-top: 1px solid black;">.00000 (N)</td> <td style="border-top: 1px solid black;">Notification</td> <td style="border-top: 1px solid black;">D001</td> <td style="border-top: 1px solid black;">.00000 (N)</td> <td style="border-top: 1px solid black;">Notification</td> </tr> </tbody> </table> (P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported	Waste	Quantity	Info Source	Waste	Quantity	Info Source	D000	.00000 (N)	Notification	D001	.00000 (N)	Notification	FINDS RCRIS-LQG	1000553036 NYD986954451
Waste	Quantity	Info Source	Waste	Quantity	Info Source										
D000	.00000 (N)	Notification	D001	.00000 (N)	Notification										
36	BIDCO MANUFACTURING CORP 8 COMMERCIAL ST HICKSVILLE, NY 11801 RCRIS: Owner: BIDCO MANUFACTURING CORP (516) 433-0740 Contact: HARVEY BIDNER (516) 433-0740 <table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left;">Waste</th> <th style="text-align: left;">Quantity</th> <th style="text-align: left;">Info Source</th> <th style="text-align: left;">Waste</th> <th style="text-align: left;">Quantity</th> <th style="text-align: left;">Info Source</th> </tr> </thead> <tbody> <tr> <td style="border-top: 1px solid black;">D000</td> <td style="border-top: 1px solid black;">.00000 (N)</td> <td style="border-top: 1px solid black;">Notification</td> <td style="border-top: 1px solid black;">D011</td> <td style="border-top: 1px solid black;">.00000 (N)</td> <td style="border-top: 1px solid black;">Notification</td> </tr> </tbody> </table> (P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported	Waste	Quantity	Info Source	Waste	Quantity	Info Source	D000	.00000 (N)	Notification	D011	.00000 (N)	Notification	RCRIS-SQG FINDS	1000790592 NYD987020773
Waste	Quantity	Info Source	Waste	Quantity	Info Source										
D000	.00000 (N)	Notification	D011	.00000 (N)	Notification										
36	MERCURY LIGHTING CORP 10 COMMERCIAL ST HICKSVILLE, NY 11801 RCRIS: Owner: MERCURY LIGHTING CORP (215) 575-2390 Contact: KENNETH JONES (215) 575-2390 <table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left;">Waste</th> <th style="text-align: left;">Quantity</th> <th style="text-align: left;">Info Source</th> <th style="text-align: left;">Waste</th> <th style="text-align: left;">Quantity</th> <th style="text-align: left;">Info Source</th> </tr> </thead> <tbody> <tr> <td style="border-top: 1px solid black;">D001</td> <td style="border-top: 1px solid black;">.00000 (N)</td> <td style="border-top: 1px solid black;">Notification</td> <td style="border-top: 1px solid black;">F001</td> <td style="border-top: 1px solid black;">.00000 (N)</td> <td style="border-top: 1px solid black;">Notification</td> </tr> </tbody> </table> (P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported	Waste	Quantity	Info Source	Waste	Quantity	Info Source	D001	.00000 (N)	Notification	F001	.00000 (N)	Notification	RCRIS-SQG FINDS	1000981464 NY0001000082
Waste	Quantity	Info Source	Waste	Quantity	Info Source										
D001	.00000 (N)	Notification	F001	.00000 (N)	Notification										
36	AETNA PRODUCTS 11 COMMERCIAL ST HICKSVILLE, NY 11801	RCRIS-SQG FINDS	1000553354 NYD986957702												

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

AETNA PRODUCTS (Continued)

1000553354

RCRIS:

Owner: FORE IMPROVEMENT CORP
(516) 935-8383

Contact: PAUL MEYER
(516) 938-8100

Waste	Quantity	Info Source	Waste	Quantity	Info Source
D000	.00000 (N)	Notification	D001	.00000 (N)	Notification
U226	.00000 (N)	Notification			

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

37

DEXTER MAGNETIC MATERIALS DIV
400 KARIN LN
HICKSVILLE, NY 11801

RCRIS-SQG 1000552702
FINDS NYD986951077

RCRIS:

Owner: DEXTER CORP
(408) 730-0611

Contact: ROY YOST
(516) 822-3311

Waste	Quantity	Info Source
D001	.00000 (N)	Notification

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

38

BONANZA FABRIC CO
35 KARIN LN
HICKSVILLE, NY

LUST S100658624
N/A

LUST:

Facility ID:	8800192	Spill Date:	04/06/1988
First notified:	REGIONAL OFFICE	Material class:	PETROLEUM
Material spilled:	#2 FUEL	Release QTY:	0.00 GALLONS
Water body affected:	Not reported	Origin:	NON-COMMUNIST
Resource affected:	GROUNDWATER	Notifier:	HEALTH DEPARTMENT
Basin of spill:	1700	Project ID:	0
Cleaner:	OTHER AGENCY	Date Cleaned:	05/16/1988
Initiated clean up:	Not reported	Close Date:	05/16/1988
Last Inspection:	Not reported	Investigator:	NCDH
UST Trust Fund:	No	Penalty:	NO PENALTY
Status:	MEANS ITS BEEN RESOLVED		
Quantity recovered:	0.00		
Cause:	OTHER		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

39

RESIDENCE
89 SILVBER AVE
BETHPAGE, NY

LUST S100560263
N/A

MAP FINDINGS

Map ID
 Direction
 Distance

Site

Database(s)

EDR ID Number
 EPA ID Number

RESIDENCE (Continued)

S100560263

LUST:

Facility ID:	9306397	Spill Date:	08/24/1993
First notified:	C	Material class:	PETROLEUM
Material spilled:	#2 FUEL	Release QTY:	6.00 GALLONS
Water body affected:	Not reported	Origin:	PRIVATE DWELLING
Resource affected:	ON LAND	Notifier:	AFFECTED PERSONS
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	08/26/1993
Initiated clean up:	Not reported	Close Date:	08/26/1993
Last Inspection:	Not reported	Investigator:	NONE
UST Trust Fund:	No	Penalty:	NO PENALTY
Status:	MEANS ITS BEEN RESOLVED		
Quantity recovered:	0.00		
Cause:	TANK FAILURE		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

40

PAG INSULATION
44 FELICE CRESCENT
HICKSVILLE, NY 11801

FINDS

1000551083
 NYD986920239

Other Pertinent Environmental Activity Identified at Site:
 facility has an emission permit under the Clean Air Act
 civil judicial and administrative enforcement cases against facility

41

THALL SVC STATION CORP.
400 S. BROADWAY
HICKSVILLE, NY 11801

FINDS
 RCRIS-LQG

1000288210
 NYD055950935

RCRIS:

Owner: ROBERT L. THALL
 (212) 555-1212

Contact: STEVEN THALL
 (516) 433-3043

Waste	Quantity	Info Source
D000	.00000 (N)	Notification

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

41

PACE FUEL CO
400 S BROADWAY
HICKSVILLE, NY

LUST

S100148922
 N/A

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

PACE FUEL CO (Continued)

S100148922

LUST:

Facility ID:	8702695	Spill Date:	07/03/1987
First notified:	REGIONAL OFFICE	Material class:	PETROLEUM
Material spilled:	GASOLINE	Release QTY:	25.00 GALLONS
Water body affected:	Not reported	Origin:	TANK TRUCK
Resource affected:	ON LAND	Notifier:	LOCAL AGENCY
Basin of spill:	17	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	07/03/1987
Initiated clean up:	Not reported	Close Date:	07/03/1987
Last Inspection:	Not reported	Investigator:	ACAMPORA
UST Trust Fund:	No	Penalty:	NO PENALTY
Status:	MEANS ITS BEEN RESOLVED		
Quantity recovered:	0.00		
Cause:	TANK OVERFILL		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

41

**SUNOCO-BOB THALL
400 SOUTH BROADWAY
HICKSVILLE, NY 11801**

**FINDS 1000332080
RCRIS-LQG NYD981492036**

RCRIS:

Owner: BOB THALL
(212) 555-1212

Contact: BOB THALL
(516) 433-3043

Waste	Quantity	Info Source	Waste	Quantity	Info Source
D000	.00000 (N)	Notification	D008	.00000 (N)	Notification

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

42

**GENERAL ELECTRIC SUPPLY CO.
848 S. OYSTER BAY ROAD
HICKSVILLE, NY 11801**

**RCRIS-LQG 1000212460
NYD060317831**

RCRIS:

Owner: GENERAL ELECTRIC
(212) 555-1212

Contact: JOSEPH HAYDEN
(516) 931-1890

Waste	Quantity	Info Source
D001	.00000 (N)	Notification

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

42

**GENERAL ELECTRIC COMPANY INC
848 S OYSTER BAY RD
HICKSVILLE, NY 11802**

**FINDS 1000788076
NYD060317831**

MAP FINDINGS

Map ID	Direction	Distance	Site	Database(s)	EDR ID Number	EPA ID Number
--------	-----------	----------	------	-------------	---------------	---------------

43			R & J CLEANERS 447 S BROADWAY HICKSVILLE, NY 11801	RCRIS-SQG FINDS	1000912055	NY0000385393
----	--	--	---	----------------------------------	------------	--------------

RCRIS:

Owner: KUAN-CHIEH PENG
(516) 938-6187

Contact: KUAN-CHIEH PENG
(516) 939-0776

Waste	Quantity	Info Source	Waste	Quantity	Info Source
D007	.00000 (N)	Notification	D039	.00000 (N)	Notification
F002	.00000 (N)	Notification			

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

44			LARRY NALLIA RESIDENCE 78 SPRUCE AVENUE BETHPAGE, NY	LUST	S100664934	N/A
----	--	--	---	-------------	------------	-----

LUST:

Facility ID:	9210656	Spill Date:	12/14/1992
First notified:	REGIONAL OFFICE	Material class:	PETROLEUM
Material spilled:	#2 FUEL	Release QTY:	0.00 GALLONS
Water body affected:	Not reported	Origin:	PRIVATE DWELLING
Resource affected:	ON LAND	Notifier:	OTHER
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	02/12/1993
Initiated clean up:	Not reported	Close Date:	02/12/1993
Last Inspection:	Not reported	Investigator:	GIBBONS
UST Trust Fund:	No	Penalty:	NO PENALTY
Status:	MEANS ITS BEEN RESOLVED		
Quantity recovered:	0.00		
Cause:	OTHER		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

45			UNK CUSTOMER 502 S BROADWAY HICKSVILLE, NY	LUST	S100493879	N/A
----	--	--	---	-------------	------------	-----

LUST:

Facility ID:	9205657	Spill Date:	08/15/1992
First notified:	C	Material class:	PETROLEUM
Material spilled:	GASOLINE	Release QTY:	4.00 GALLONS
Water body affected:	Not reported	Origin:	PASSENGER VEHICLE
Resource affected:	ON LAND	Notifier:	AFFECTED PERSONS
Basin of spill:	1700	Project ID:	0
Cleaner:	OTHER AGENCY	Date Cleaned:	08/17/1992
Initiated clean up:	Not reported	Close Date:	08/17/1992
Last Inspection:	Not reported	Investigator:	NONE
UST Trust Fund:	No	Penalty:	NO PENALTY
Status:	MEANS ITS BEEN RESOLVED		
Quantity recovered:	0.00		
Cause:	TANK OVERFILL		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

MAP FINDINGS

Map ID Direction Distance	Site	Database(s)	EDR ID Number EPA ID Number
---------------------------------	------	-------------	--------------------------------

45	GRAND PRIX PERFORMANCE LTD 500 S BROADWAY HICKSVILLE, NY 11801	RCRIS-SQG FINDS	1000791026 NYD987025251
----	---	----------------------------------	--

RCRIS:
 Owner: JOHN DEMONACO
 (516) 931-2942
 Contact: STEVE SCHERER
 (516) 822-1550

Waste	Quantity	Info Source	Waste	Quantity	Info Source
D001	.00000 (N)	Notification	D008	.00000 (N)	Notification
D018	.00000 (N)	Notification	D039	.00000 (N)	Notification

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

45	GRAND JEEP EAGLE DEALERSHIP 500 BROADWAY HICKSVILLE, NY 11801	FINDS RCRIS-LOG	1000791734 NYD987032521
----	--	----------------------------------	--

RCRIS:
 Owner: ANN DEMONACO
 (516) 931-2942
 Contact: ANN DEMONACO
 (516) 931-2942

Waste	Quantity	Info Source	Waste	Quantity	Info Source
D000	.00000 (N)	Notification	D006	.00000 (N)	Notification
D008	.00000 (N)	Notification	D009	.00000 (N)	Notification

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

45	HESS S/S 502 S BROADWAY HICKSVILLE, NY	LUST	S100493287 N/A
----	---	-------------	---------------------------------

LUST: Facility ID: 9113034 First notified: ANSWERING SERVICE Material spilled: #2 FUEL Water body affected: Not reported Resource affected: GROUNDWATER Basin of spill: 1700 Cleaner: SPILLER Initiated clean up: Not reported Last Inspection: Not reported UST Trust Fund: No Status: MEANS ITS BEEN RESOLVED Quantity recovered: 0.00 Cause: TANK TEST FAILURE [BULK STORE. PRO.] Emergency response: IT WAS NOT TAKEN Facility status: COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]	Spill Date: 03/24/1992 Material class: PETROLEUM Release QTY: 0.00 GALLONS Origin: GAS STATION Notifier: RESPONSIBLE PARTY Project ID: 0 Date Cleaned: 05/20/1992 Close Date: 05/20/1992 Investigator: T/T/F Penalty: NO PENALTY
--	---

45	HESS 502 S BROADWAY HICKSVILLE, NY	LUST	S101174774 N/A
----	---	-------------	---------------------------------

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

HESS (Continued)

S101174774

LUST:

Facility ID:	9404252	Spill Date:	06/27/1994
First notified:	C	Material class:	PETROLEUM
Material spilled:	GASOLINE	Release QTY:	0.00 GALLONS
Water body affected:	Not reported	Origin:	GAS STATION
Resource affected:	ON LAND	Notifier:	RESPONSIBLE PARTY
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	Not reported
Initiated clean up:	Not reported	Close Date:	Not reported
Last Inspection:	Not reported	Investigator:	RMS CAMPBELL
UST Trust Fund:	Yes	Penalty:	NO PENALTY
Status:	Not reported		
Quantity recovered:	0.00		
Cause:	TANK OVERFILL		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	ACTIVE SPILL [ON GOING]		

45

AMERADA HESS STATION 32489
502 S BROADWAY
HICKSVILLE, NY 11801

RCRIS-SQG 1000789578
FINDS NYD987010394

RCRIS:

Owner: AMERADA HESS CORP
(908) 750-6000

Contact: THOMAS WHITTAKER
(908) 750-6225

Waste	Quantity	Info Source	Waste	Quantity	Info Source
D000	.00000 (N)	Notification	D001	.00000 (N)	Notification
D018	.00000 (N)	Notification			

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

Other Pertinent Environmental Activity Identified at Site:
facility has active water discharge permits

45

GRAND PRIX PERFORMANCE
500 S BROADWAY
HICKSVILLE, NY

AST

A100042981
N/A

Nassau County AST:

Facility ID:	055208	Tank ID:	0004
Tank Location:	Indoors, Aboveground	Capacity (Gal):	240
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	OTHER	Material Type:	Fresh/Product
Piping Type:	Steel/Iron		
Description:	OIL, MOTOR	Containment:	DIKING AND PAD
Leak Detect:	NONE	Product Gauge:	Yes
Dispense Method:	Suction	Install Date:	0676
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

GRAND PRIX PERFORMANCE (Continued)

A100042981

Facility ID:	055208	Tank ID:	0005
Tank Location:	Indoors, Aboveground	Capacity (Gal):	240
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	PAINTED [e.g. asphaltic]	Material Type:	Waste
Piping Type:	Steel/Iron		
Description:	WASTE OIL	Containment:	DIKING AND PAD
Leak Detect:	OTHER	Product Gauge:	Yes
Dispense Method:	Suction	Instal Date:	0491
Fill Type:	Gravity	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		

45 **JOHN HENRYS CLEANERS**
495-30 SOUTH BROADWAY
HICKSVILLE, NY 11801

FINDS 1000305180
RCRIS-LQG NYD982182057

RCRIS:
Owner: GROSSE HENRY
(212) 555-1212
Contact: HENRY GROSSE
(516) 935-7650

Waste	Quantity	Info Source
F002	.00000 (N)	Notification

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

45 **TRW MEDIAL ELECTRONIC CORP**
485-29 S BROADWAY
HICKSVILLE, NY 11801

FINDS 1000123895
RCRIS-LQG NYD986872984

RCRIS:
Owner: DIVISION OF TRW
(212) 555-1212
Contact: NICK OSTER
(516) 932-8700

Waste	Quantity	Info Source	Waste	Quantity	Info Source
D001	.00000 (N)	Notification	NONE	.00000 (N)	EPA Inspection

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

45 **SALS AUTO BODY**
477 S BROADWAY
HICKSVILLE, NY 11801

RCRIS-SQG 1000373491
FINDS NYD986894939

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

SALS AUTO BODY (Continued)

1000373491

RCRIS:

Owner: LOU SEPLAVY
(212) 555-1212

Contact: DANIEL RYAN
(516) 681-6644

Waste	Quantity	Info Source	Waste	Quantity	Info Source
D001	.00000 (N)	Notification	F005	.00000 (N)	Notification

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

46

RONZONI FOODS CORPORATION
50 LUDY ST
HICKSVILLE, NY 11801

RCRIS-SQG
FINDS

1000212440
NYD152084372

RCRIS:

Owner: PHILIP MORRIS
(212) 555-1212

Contact: ANTHONY BELVIGLIO
(516) 932-2700

Waste	Quantity	Info Source
D001	.00000 (N)	Notification

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

46

TRIPLE J.V.C. AUTO COLLISION, INC
55 LUDY ST
HICKSVILLE, NY 11801

RCRIS-SQG
FINDS

1000347932
NYD982730178

RCRIS:

Owner: JOHN COTONA
(212) 555-1212

Contact: JOHN COTONA
(516) 939-0020

Waste	Quantity	Info Source	Waste	Quantity	Info Source
F003	.00000 (N)	Notification	F005	.00000 (N)	Notification

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

46

GRUMMAN AEROSPACE CORP
83 LUDY ST
HICKSVILLE, NY 11714

FINDS
RCRIS-LQG

1000300850
NYD981182231

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

GRUMMAN AEROSPACE CORP (Continued)

1000300850

RCRIS:

Owner: INDUSTRIAL REALTY CO
(212) 555-1212

Contact: JOHN OHLMANN
(516) 575-2385

Waste	Quantity	Info Source	Waste	Quantity	Info Source
D001	.00000 (N)	Notification	F001	.00000 (N)	Notification
F003	.00000 (N)	Notification	F005	.00000 (N)	Notification
NONE	.00000 (N)	EPA Inspection			

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

47

**HENRY SOLUK OWNER
30 FLORAL AVENUE
BETHPAGE, NY**

LUST

S100491897
N/A

LUST:

Facility ID:	9208514	Spill Date:	10/23/1992
First notified:	C	Material class:	PETROLEUM
Material spilled:	#2 FUEL	Release QTY:	200.00 GALLONS
Water body affected:	Not reported	Origin:	PRIVATE DWELLING
Resource affected:	ON LAND	Notifier:	OTHER
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	04/27/1994
Initiated clean up:	Not reported	Close Date:	04/27/1994
Last Inspection:	Not reported	Investigator:	GIBBONS
UST Trust Fund:	No	Penalty:	NO PENALTY
Status:	MEANS ITS BEEN RESOLVED		
Quantity recovered:	0.00		
Cause:	TANK FAILURE		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

48

**SHELL OIL CO
STEWART & FARMERS
BETHPAGE, NY 11714**

FINDS

1000552235
RCRIS-LQG NYD986946309
LUST

RCRIS:

Owner: JOHN N LOONEY
(212) 555-1212

Contact: BROOKS PERLEE
(516) 942-4121

Waste	Quantity	Info Source	Waste	Quantity	Info Source
D008	.00000 (N)	Notification	D027	.00000 (N)	Notification
F001	.00000 (N)	Notification	F002	.00000 (N)	Notification

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

MAP FINDINGS

Map ID Direction Distance	Site	Database(s)	EDR ID Number EPA ID Number
---------------------------------	------	-------------	--------------------------------

SHELL OIL CO (Continued)

1000552235

LUST:		Spill Date:	01/29/1988
Facility ID:	8709242	Material class:	PETROLEUM
First notified:	ANSWERING SERVICE	Release QTY:	0.00 GALLONS
Material spilled:	#2 FUEL	Origin:	GAS STATION
Water body affected:	Not reported	Notifier:	TANK TESTER
Resource affected:	GROUNDWATER	Project ID:	0
Basin of spill:	17	Date Cleaned:	04/06/1988
Cleaner:	SPILLER	Close Date:	04/06/1988
Initiated clean up:	Not reported	Investigator:	GOERTZ
Last Inspection:	Not reported	Penalty:	NO PENALTY
UST Trust Fund:	No		
Status:	MEANS ITS BEEN RESOLVED		
Quantity recovered:	0.00		
Cause:	TANK TEST FAILURE [BULK STORE. PRO.]		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

48

**SHELL GAS STATION
STEWART AVE / FARMERS AVE
BETHPAGE, NY**

LUST

S100781107
N/A

LUST:		Spill Date:	10/12/1993
Facility ID:	9308447	Material class:	PETROLEUM
First notified:	ANSWERING SERVICE	Release QTY:	0.00 GALLONS
Material spilled:	GASOLINE	Origin:	GAS STATION
Water body affected:	Not reported	Notifier:	TANK TESTER
Resource affected:	GROUNDWATER	Project ID:	0
Basin of spill:	1700	Date Cleaned:	Not reported
Cleaner:	SPILLER	Close Date:	Not reported
Initiated clean up:	Not reported	Investigator:	T/T/F
Last Inspection:	Not reported	Penalty:	NO PENALTY
UST Trust Fund:	Yes		
Status:	Not reported		
Quantity recovered:	0.00		
Cause:	TANK TEST FAILURE [BULK STORE. PRO.]		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	ACTIVE SPILL [ON GOING]		

48

**A & D SHELL
STEWART & FARMERS AVENUES
BETHPAGE, NY**

UST

U001854915
N/A

Nassau County UST:		Tank ID:	0004
Facility ID:	041021	Capacity:	00000550
Tank Location:	Indoors, Belowground	Tank Material:	Fiberglass Reinforced Plastic
Tank Status:	In Service	Material Type:	Waste
Piping Type:	Galvanized Steel		
Int Protection:	None	Containment:	Other
Ext Protection:	FIBERGLASS REINFORCED PLASTIC	Product Gauge:	No
Description:	WASTE OIL	Install Date:	0883
Leak Detect:	OTHER		
Dispense Method:	Gravity		
Fill Type:	Gravity		
Total Tanks:	2		

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

A & D SHELL (Continued)

U001854915

Facility ID:	041021	Tank ID:	0005
Tank Location:	Indoors, Belowground	Capacity:	00000550
Tank Status:	6	Tank Material:	STEEL
Piping Type:	Other	Material Type:	Fresh/Product
Int Protection:	None		
Ext Protection:	PAINTED [e.g. asphaltic]		
Description:	OIL, FUEL #2		
Leak Detect:	OTHER	Containment:	Other
Dispense Method:	Suction	Product Gauge:	No
Fill Type:	Pumped	Install Date:	0162
Total Tanks:	2		

**49 PLAZA PONTIAC
27 LUDY ST
HICKSVILLE, NY**

LUST

S100669241
N/A

LUST:

Facility ID:	9002820	Spill Date:	06/08/1990
First notified:	REGIONAL OFFICE	Material class:	PETROLEUM
Material spilled:	#2 FUEL	Release QTY:	0.00 GALLONS
Water body affected:	Not reported	Origin:	COMM/INDUST
Resource affected:	ON LAND	Notifier:	HEALTH DEPARTMENT
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	07/11/1990
Initiated clean up:	Not reported	Close Date:	07/11/1990
Last Inspection:	Not reported	Investigator:	LEUNG
UST Trust Fund:	No		
Status:	MEANS ITS BEEN RESOLVED	Penalty:	NO PENALTY
Quantity recovered:	0.00		
Cause:	OTHER		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

**50 BROADWAY PLAZA CLEANERS
532 S BROADWAY
HICKSVILLE, NY 11801**

RCRIS-SQG
FINDS

1000145670
NYD094822673

RCRIS:

Owner: BROADWAY PLAZA CLEANERS
(212) 555-1212

Contact: LUCKY CHOI
(516) 433-4707

Waste	Quantity	Info Source
-------	----------	-------------

F002	.00000 (N)	Notification
------	------------	--------------

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

**51 LILCO
EVERGREEN / SPRUCE AVE
BETHPAGE, NY**

LUST

S101508040
N/A

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EOR ID Number
EPA ID Number

LILCO (Continued)

S101508040

LUST:

Facility ID:	9415203	Spill Date:	02/20/1995
First notified:	C	Material class:	PETROLEUM
Material spilled:	NON-PCB OIL	Release QTY:	40.00 GALLONS
Water body affected:	Not reported	Origin:	COMMINDUST
Resource affected:	ON LAND	Notifier:	RESPONSIBLE PARTY
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	Not reported
Initiated clean up:	Not reported	Close Date:	Not reported
Last Inspection:	Not reported	Investigator:	LAMANNO
UST Trust Fund:	No	Penalty:	NO PENALTY
Status:	Not reported		
Quantity recovered:	0.00		
Cause:	OTHER		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	ACTIVE SPILL [ON GOING]		

52

**COLONIAL TRANSPARENT PDTS CO
870 S OYSTER BAY RD
HICKSVILLE, NY 11801**

FINDS

**1000545961
NYD001339621**

Other Pertinent Environmental Activity Identified at Site:
facility has an emission permit under the Clean Air Act
civil judicial and administrative enforcement cases against facility

53

**RUCO POLYMER CORP. (HOOKER CHEM)
NEW SOUTH ROAD
HICKSVILLE, NY 11801**

SHWS

**S101008268
N/A**

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

RUCO POLYMER CORP. (HOOKER CHEM) (Continued)

S101008268

SHWS:

Facility ID:	130004	EPA ID:	NYD002920312
Owner:	Ruco Polymer Corp. New South Road Hicksville, NY 11802		
Owner Telephone:	Not reported		
Operator:	Not reported		
Contact:	Not reported	Telephone	Not reported
Site Classification:	Significant threat to the public health or environment - action required.		
Region:	1		
Site Type:	Lagoon		
Acres:	15	User:	Hooker Chemicals
HW Started:	1946	HW Ended:	late 70's
HW Disposed:	Plant #1 Ester Sump: Residual organics., 2 Ethylhexanol, alcohols, diethylene glycol., ethylene glycol, plasticizer, adipic acid., polyester, Plant #2 polymer solids, PCBs (BOO7) (FOO2)., Vinyl Chloride, trichloroethylene, vinyl acetate		
Units:	Residuals from, drying beds		
Air Data:	Unavailable	Surf. Water Data:	Unavailable
Gmd. Water Data:	Available	Soil Data:	Available
Sediment Data:	Unavailable		
Ground Water Standards Contravention:	Yes		
Drinking Water Standards Contravention:	No		
Surface Water Standards Contravention:	No		
Air Standards Contravention:	No		
Enforcement Status:	Negotiation In Progress	Legal Action:	No
State Action:	No	Fed Action:	Yes
Remedial Action:	In Progress		
Rmdl Action Type:	Off-site GW Invest.and on-site remedial design.		
Soil Type:	Sand & Gravel		
Gmd Water Depth:	50 feet		

Assessment of Environmental Problems:

Groundwater adjacent to site has been documented to contain vinylchloride. Three inactive lagoons were filled with waste and covered. Soil and groundwater have been found to be contaminated with vinylchloride and other chlorinated hydrocarbons.

Assessment of Health Problems:

The potential exposure to site contaminants is through off-sitemigration of contaminated groundwater. Bethpage Water District supplywells are located down-gradient of this site and the Grumman and Navysites (see site #130003a and 130003b). Samples of water from the wellsat Bethpage Water District Plants 4 and 6 are contaminated. A watertreatment system is in operation at Plant 6 and one is planned for Plant4. Trichloroethene was detected for the first time and atconcentrations below New York State drinking water standards in samplescollected from the wells at Plant 4 in December 1992. A treatmentfacility is planned for Bethpage Water District Plant 5 in anticipationthat contamination will reach this facility in the future. These, aswell as all public water supply wells are monitored on a routine basis.In 1993, the US EPA issued a Record of Decision which describes theremedial efforts planned for the on-site contamination. Efforts toaddress concerns with off-site groundwater contamination are underway.

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

53

**RUCO POLYMER CORP.
NEW SOUTH ROAD
HICKSVILLE, NY 11801**

**CERCLIS 1000268848
RCRIS-SQG NYD002920312
NPL
TRIS
CORRACTS
LUST**

CERCLIS Classification Data:

Site Incident Category:	CHEMICAL PLANT	Federal Facility:	NO
Ownership Status:	PRIVATE	NPL Status:	CURRENTLY ON THE FINAL NPL
EPA Notes:	THE HOOKER/RUCO SITE IS AN ACTIVE PLASTICS MANUFACTURING FACILITY. RCRA: SMALL GENERATOR.		

CERCLIS Assessment History:

Assessment:	DISCOVERY	Completed:	11/01/1979
Assessment:	PRELIMINARY ASSESSMENT	Completed:	09/01/1984
Assessment:	SCREENING SITE INSPECTION	Completed:	10/01/1984
Assessment:	FINAL LISTING ON NPL	Completed:	06/10/1986
Assessment:	PROPOSAL TO NPL	Completed:	10/15/1984
Assessment:	RMVL INVESTIGATION AT NPL	Completed:	08/21/1990
Assessment:	RMVL INVESTIGATION AT NPL	Completed:	02/03/1993
Assessment:	COMBINED RI/FS	Completed:	09/21/1988
Assessment:	REMEDIAL COMMUNITY RELATIONS	Completed:	Not reported
Assessment:	RI/FS WORKPLAN APPROVAL BY HQ	Completed:	09/21/1988
Assessment:	RECORD OF DECISION	Completed:	01/28/1994
Assessment:	COMBINED RI/FS	Completed:	01/28/1994
Assessment:	ADMINISTRATIVE RECORD	Completed:	Not reported
Assessment:	MANAGEMENT ASSISTANCE	Completed:	Not reported
Assessment:	COMBINED RI/FS	Completed:	09/28/1990
Assessment:	RECORD OF DECISION	Completed:	09/28/1990
Assessment:	ADMINISTRATIVE RECORD	Completed:	Not reported
Assessment:	COMBINED RI/FS	Completed:	Not reported
Assessment:	RECORD OF DECISION	Completed:	Not reported

CERCLIS Site Status:

This site is currently under investigation by the government to assess the extent of further action

CERCLIS Alias Name(s):

RUCO POLYMER CORP
HOOKER CHEM /RUCO POLYMER

CORRACTS Data:

Prioritization: High
Status: Not reported

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

RUCO POLYMER CORP. (Continued)

1000268848

NPL:

ID:	02NY052
Date Listed:	6/10/86 (FINAL)
EPAID:	NYD002920312
Haz. Rank Score:	41.60
Status:	LISTED ON NPL
Rank:	451
Group:	10
Ownership:	Private
Permit:	Air
Permit:	NPDES
Site Activities:	Chemical Process/Manuf.
Site Activities:	Incinerator
Site Activities:	Spill
Site Activities:	Tank, above ground
Site Activities:	Containers/Drums
Site Activities:	Surface Impoundment
Site Activities:	Tank, below ground
Site Condition:	Contamination of Soil
Site Condition:	Contam. Ground Water
Waste Type:	Chlorinated Organics
Waste Type:	Solvents
Contaminant:	Media Affected:
VINYL CHLORIDE	Not reported
1,1,2-TRICHLOROETHYLENE (TCE)	Not reported
TETRACHLOROETHENE	Not reported
PHENOL	Not reported
1,2-TRANS-DICHLOROETHYLENE	Not reported
1,1,1-TRICHLOROETHANE	Not reported
VINYL ACETATE	Not reported
STYRENE	Not reported
BUTADIENE	Not reported
ADIPIC ACID	Not reported
METHANOL	Not reported
PHTHALIC ACID	Not reported
METHYL ETHYL KETONE	Not reported
PENTACHLOROPHENOL (PCP)	Not reported
ZINC SULFATE	Not reported
Distance to nearest Population:	Not reported
Population within a 1 Mile Radius:	Not reported
Population within a 2 Mile Radius:	Not reported
Population within a 4 Mile Radius:	Not reported
Vertical Distance to Aquifer:	21 Feet to 75 Feet
Ground Water Use:	Not Used as Drinking Water, Alternative Source Available
Distance to nearest Surface Water:	Not reported

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

RUCO POLYMER CORP. (Continued)

1000268848

RCRIS:

Owner: HOOKER CHEMICALS & PLASTICS CORPORATION
(516) 931-8100

Contact: PHILIP DEVRIES
(516) 931-8100

Waste	Quantity	Info Source	Waste	Quantity	Info Source
D000	.00000 (N)	Notification	D001	.00000 (N)	Notification
D002	.00000 (N)	Notification	F001	.00000 (N)	Notification
F003	.00000 (N)	Notification	F005	.00000 (N)	Notification
U002	.00000 (N)	Notification	U028	.00000 (N)	Notification
U044	.00000 (N)	Notification	U112	.00000 (N)	Notification
U122	.00000 (N)	Notification	U140	.00000 (N)	Notification
U147	.00000 (N)	Notification	U154	.00000 (N)	Notification
U159	.00000 (N)	Notification	U190	.00000 (N)	Notification
U196	.00000 (N)	Notification	U210	.00000 (N)	Notification
U213	.00000 (N)	Notification	U220	.00000 (N)	Notification
U223	.00000 (N)	Notification	U226	.00000 (N)	Notification
U239	.00000 (N)	Notification	D001	.00100 (P)	Part A
D002	.00100 (P)	Part A	F001	399.64800 (P)	Part A
F003	399.64800 (P)	Part A	F005	399.64800 (P)	Part A
U002	399.64800 (P)	Part A	U028	22.68000 (M)	Part A
U044	49.95600 (P)	Part A	U112	.00100 (P)	Part A
U122	.00100 (P)	Part A	U140	1.81400 (M)	Part A
U147	999.11900 (P)	Part A	U154	.00100 (P)	Part A
U159	399.64800 (P)	Part A	U190	999.11900 (P)	Part A
U196	399.64800 (P)	Part A	U210	399.64800 (P)	Part A
U213	399.64800 (P)	Part A	U220	.00100 (P)	Part A
U223	399.64800 (P)	Part A	U226	49.95600 (P)	Part A
U239	.00100 (P)	Part A			

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

LUST:

Facility ID:	8804415	Spill Date:	08/18/1988
First notified:	REGIONAL OFFICE	Material class:	PETROLEUM
Material spilled:	#2 FUEL	Release QTY:	0.00 GALLONS
Water body affected:	Not reported	Origin:	COMMINDUST
Resource affected:	GROUNDWATER	Notifier:	TANK TESTER
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	02/19/1992
Initiated clean up:	Not reported	Close Date:	02/19/1992
Last Inspection:	Not reported	Investigator:	GOERTZ
UST Trust Fund:	No	Penalty:	NO PENALTY
Status:	MEANS ITS BEEN RESOLVED		
Quantity recovered:	0.00		
Cause:	TANK TEST FAILURE [BULK STORE. PRO.]		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

54

SALVATI FOODS, INC.
595 S BROADWAY
HICKSVILLE, NY

UST

U002171762
N/A

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

SALVATI FOODS, INC. (Continued)

U002171762

Nassau County UST:		Tank ID:	0001
Facility ID:	056844	Capacity:	00005000
Tank Location:	Indoors, Belowground	Tank Material:	STEEL
Tank Status:	In Service	Material Type:	Fresh/Product
Piping Type:	Steel/Iron		
Int Protection:	None		
Ext Protection:	NONE	Containment:	Other
Description:	OIL, FUEL #2	Product Gauge:	Yes
Leak Detect:	OTHER	Install Date:	0472
Dispense Method:	Gravity		
Fill Type:	Gravity		
Total Tanks:	1		

54

SHAMROCK AUTO CENTER INC
589 S BROADWAY
HICKSVILLE, NY 11801

RCRIS-SQG 1000553993
FINDS NYD986964310

RCRIS:
Owner: SHAMROCK AUTO CENTER INC
(516) 931-3323
Contact: JOE DIGREGORIO
(516) 931-3323

Waste	Quantity	Info Source	Waste	Quantity	Info Source
D000	.00000 (N)	Notification	D001	.00000 (N)	Notification
D008	.00000 (N)	Notification			

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

54

AMERADA HESS OIL
575 S BROADWAY
HICKSVILLE, NY 11801

RCRIS-SQG 1000352827
NYD982536146

RCRIS:
Owner: AMERADA HESS OIL
(212) 555-1212
Contact: JOE AOMEIDA
(800) 336-1342

Waste	Quantity	Info Source
D001	.00000 (N)	Notification

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

54

AMERADA HESS OIL
575 S BROADWAY
HICKSVILLE, NY 11801

FINDS 1000788600
NYD982536146

55

HICKSVILLE DEPT OF PUBLIC WORKS
NEW SOUTH RD & MORRIS ST
HICKSVILLE, NY 11801

FINDS 1000272870
RCRIS-LQG NYD982789737

MAP FINDINGS

Map ID	Direction	Distance	Site	Database(s)	EDR ID Number	EPA ID Number
--------	-----------	----------	------	-------------	---------------	---------------

56			MCALOON RESIDENCE 9 MINEOLA AVE HICKSVILLE, NY	LUST	S100667787	N/A
----	--	--	---	-------------	-------------------	------------

LUST:

Facility ID:	9203887	Spill Date:	07/03/1992
First notified:	C	Material class:	PETROLEUM
Material spilled:	#2 FUEL	Release QTY:	1.00 GALLONS
Water body affected:	Not reported	Origin:	PRIVATE DWELLING
Resource affected:	ON LAND	Notifier:	RESPONSIBLE PARTY
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	07/03/1992
Initiated clean up:	Not reported	Close Date:	07/03/1992
Last inspection:	Not reported	Investigator:	NONE
UST Trust Fund:	No	Penalty:	NO PENALTY
Status:	MEANS ITS BEEN RESOLVED		
Quantity recovered:	0.00		
Cause:	OTHER		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

57			GABRIELLI TRUCK SALES LTD 880 S OYSTER BAY RD HICKSVILLE, NY	AST	A100043317	N/A
----	--	--	---	------------	-------------------	------------

Nassau County AST:

Facility ID:	056827	Tank ID:	0002
Tank Location:	Indoors, Aboveground	Capacity (Gal):	275
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	Unknown		
Ext Protection:	UNKNOWN	Material Type:	Waste
Piping Type:	Steel/Iron	Containment:	NONE
Description:	WASTE OIL	Product Gauge:	No
Leak Detect:	NONE	Install Date:	1255
Dispense Method:	Suction	Total Tanks:	Not reported
Fill Type:	Gravity		
Data File:	Petroleum Bulk Storage Facility		

57			MINEOLA MACK INC 880 S OYSTER BAY RD HICKSVILLE, NY 11801	RCRIS-SQG FINDS LUST	1000209178 NYD012730743
----	--	--	--	-------------------------------------	------------------------------------

RCRIS:
Owner: AMEDEO GABRIELLI
 (212) 555-1212
Contact: AMEDEO GABRIELLI
 (516) 981-7915

Waste	Quantity	Info Source
D001	.00000 (N)	Notification

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

MINEOLA MACK INC (Continued)

1000209178

LUST:

Facility ID:	9304746	Spill Date:	07/15/1993
First notified:	REGIONAL OFFICE	Material class:	PETROLEUM
Material spilled:	DIESEL	Release QTY:	0.00 GALLONS
Water body affected:	Not reported	Origin:	COMMINDUST
Resource affected:	ON LAND	Notifier:	OTHER
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	05/05/1994
Initiated clean up:	Not reported	Close Date:	05/05/1994
Last Inspection:	Not reported	Investigator:	CAMPBELL
UST Trust Fund:	No	Penalty:	NO PENALTY
Status:	MEANS ITS BEEN RESOLVED		
Quantity recovered:	0.00		
Cause:	OTHER		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

Facility ID:	9304764	Spill Date:	07/15/1993
First notified:	REGIONAL OFFICE	Material class:	PETROLEUM
Material spilled:	DIESEL	Release QTY:	0.00 GALLONS
Water body affected:	Not reported	Origin:	COMMINDUST
Resource affected:	GROUNDWATER	Notifier:	HEALTH DEPARTMENT
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	04/29/1994
Initiated clean up:	Not reported	Close Date:	04/29/1994
Last Inspection:	Not reported	Investigator:	CAMPBELL
UST Trust Fund:	No	Penalty:	NO PENALTY
Status:	MEANS ITS BEEN RESOLVED		
Quantity recovered:	0.00		
Cause:	OTHER		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

58

LINDA SCHWARZ
12 FARM LN
HICKSVILLE, NY

LUST

S100148382
N/A

LUST:

Facility ID:	8911923	Spill Date:	03/13/1990
First notified:	C	Material class:	PETROLEUM
Material spilled:	#2 FUEL	Release QTY:	100.00 GALLONS
Water body affected:	Not reported	Origin:	PRIVATE DWELLING
Resource affected:	ON LAND	Notifier:	OTHER
Basin of spill:	1700	Project ID:	0
Cleaner:	OTHER AGENCY	Date Cleaned:	03/16/1990
Initiated clean up:	Not reported	Close Date:	03/16/1990
Last Inspection:	Not reported	Investigator:	NONE
UST Trust Fund:	No	Penalty:	NO PENALTY
Status:	MEANS ITS BEEN RESOLVED		
Quantity recovered:	0.00		
Cause:	TANK FAILURE		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

MAP FINDINGS

Map ID Direction Distance	Site	Database(s)	EDR ID Number EPA ID Number
---------------------------------	------	-------------	--------------------------------

59	WALTER HOFFMANN 22 LINDEN BLVD HICKSVILLE, NY	LUST	S100148916 N/A
----	--	------	-------------------

LUST:

Facility ID:	8702517	Spill Date:	06/28/1987
First notified:	REGIONAL OFFICE	Material class:	PETROLEUM
Material spilled:	#2 FUEL	Release QTY:	100.00 GALLONS
Water body affected:	Not reported	Origin:	PRIVATE DWELLING
Resource affected:	ON LAND	Notifier:	RESPONSIBLE PARTY
Basin of spill:	17	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	08/19/1987
Initiated clean up:	Not reported	Close Date:	08/19/1987
Last inspection:	Not reported	Investigator:	WALEK
UST Trust Fund:	No		
Status:	MEANS ITS BEEN RESOLVED	Penalty:	NO PENALTY
Quantity recovered:	0.00		
Cause:	TANK FAILURE		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

60	BETHPAGE METRO 900 STEWART AVE BETHPAGE, NY	AST	A100043048 N/A
----	--	-----	-------------------

Nassau County AST:

Facility ID:	055456	Tank ID:	0001
Tank Location:	Outdoors, Aboveground	Capacity (Gal):	275
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	PAINTED [e.g. asphaltic]	Material Type:	Waste
Piping Type:	Galvanized Steel		
Description:	WASTE OIL	Containment:	NONE
Leak Detect:	NONE	Product Gauge:	No
Dispense Method:	Suction	Install Date:	1085
Fill Type:	Gravity	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		

60	METRO S/S 900 STEWART AVENUE BETHPAGE, NY	LUST	S100172052 N/A
----	--	------	-------------------

LUST:

Facility ID:	8708438	Spill Date:	12/31/1987
First notified:	REGIONAL OFFICE	Material class:	PETROLEUM
Material spilled:	GASOLINE	Release QTY:	0.00 GALLONS
Water body affected:	Not reported	Origin:	GAS STATION
Resource affected:	GROUNDWATER	Notifier:	OTHER
Basin of spill:	17	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	01/14/1988
Initiated clean up:	Not reported	Close Date:	01/14/1988
Last inspection:	Not reported	Investigator:	GOERTZ
UST Trust Fund:	Yes		
Status:	MEANS ITS BEEN RESOLVED	Penalty:	NO PENALTY
Quantity recovered:	0.00		
Cause:	TANK TEST FAILURE [BULK STORE. PRO.]		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

METRO S/S (Continued)

S100172052

Facility ID:	9506133	Spill Date:	08/17/1995
First notified:	REGIONAL OFFICE	Material class:	PETROLEUM
Material spilled:	GASOLINE	Release QTY:	0.00 GALLONS
Water body affected:	Not reported	Origin:	GAS STATION
Resource affected:	ON LAND	Notifier:	DEC
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	Not reported
Initiated clean up:	Not reported	Close Date:	Not reported
Last Inspection:	Not reported	Investigator:	MATTHEWS
UST Trust Fund:	No	Penalty:	NO PENALTY
Status:	Not reported		
Quantity recovered:	0.00		
Cause:	OTHER		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	ACTIVE SPILL [ON GOING]		

61

**SHUMSKI RESIDENCE
8 SILBER AVENUE
BETHPAGE, NY**

LUST

S100148303
N/A

LUST:

Facility ID:	8910897	Spill Date:	02/14/1990
First notified:	REGIONAL OFFICE	Material class:	PETROLEUM
Material spilled:	#2 FUEL	Release QTY:	0.00 GALLONS
Water body affected:	Not reported	Origin:	PRIVATE DWELLING
Resource affected:	GROUNDWATER	Notifier:	OTHER
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	10/30/1990
Initiated clean up:	Not reported	Close Date:	10/30/1990
Last Inspection:	Not reported	Investigator:	GOMEZ
UST Trust Fund:	No	Penalty:	NO PENALTY
Status:	MEANS ITS BEEN RESOLVED		
Quantity recovered:	0.00		
Cause:	TANK FAILURE		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

62

**HICKSVILLE WATER AUTHORITY
4 DEAN ST
HICKSVILLE, NY**

LUST

S100150043
N/A

MAP FINDINGS

Map ID			EDR ID Number
Direction	Site	Database(s)	EPA ID Number
Distance			

HICKSVILLE WATER AUTHORIT (Continued)

S100150043

LUST:

Facility ID:	8805214	Spill Date:	09/16/1988
First notified:	REGIONAL OFFICE	Material class:	PETROLEUM
Material spilled:	#2 FUEL	Release QTY:	0.00 GALLONS
Water body affected:	Not reported	Origin:	COMMINDUST
Resource affected:	GROUNDWATER	Notifier:	TANK TESTER
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	10/24/1994
Initiated clean up:	Not reported	Close Date:	10/24/1994
Last Inspection:	Not reported	Investigator:	T/T/F
UST Trust Fund:	No	Penalty:	NO PENALTY
Status:	MEANS ITS BEEN RESOLVED		
Quantity recovered:	0.00		
Cause:	TANK TEST FAILURE [BULK STORE. PRO.]		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

62

**HICKSVILLE W.D. PLANT 8
4 DEAN ST
HICKSVILLE, NY**

**UST
AST**

U002097372
N/A

Nassau County UST:

Facility ID:	001160	Tank ID:	0003
Tank Location:	Indoors, Belowground	Capacity:	00004000
Tank Status:	In Service	Tank Material:	Fiberglass Reinforced Plastic
Piping Type:	Steel/Iron	Material Type:	Fresh/Product
Int Protection:	Internal Lining		
Ext Protection:	FIBERGLASS REINFORCED PLASTIC		
Description:	SODIUM HYDROXIDE		
Leak Detect:	OTHER	Containment:	Other
Dispense Method:	Suction	Product Gauge:	Yes
Fill Type:	Pumped	Install Date:	0176
Total Tanks:	2		

Facility ID:	001160	Tank ID:	0004
Tank Location:	Indoors, Belowground	Capacity:	00004000
Tank Status:	In Service	Tank Material:	Fiberglass Reinforced Plastic
Piping Type:	Steel/Iron	Material Type:	Fresh/Product
Int Protection:	Internal Lining		
Ext Protection:	FIBERGLASS REINFORCED PLASTIC		
Description:	SODIUM HYDROXIDE		
Leak Detect:	OTHER	Containment:	Other
Dispense Method:	Suction	Product Gauge:	Yes
Fill Type:	Pumped	Install Date:	0176
Total Tanks:	2		

MAP FINDINGS

Map ID Direction Distance	Site	Database(s)	EDR ID Number EPA ID Number
---------------------------------	------	-------------	--------------------------------

HICKSVILLE W.D. PLANT 8 (Continued)

U002097372

Nassau County AST:

Facility ID: 001160	Tank ID: 0006
Tank Location: Indoors, Aboveground	Capacity (Gal): 300
Tank Status: In Service	Tank Material: PLASTIC
Int Protection: None	
Ext Protection: NONE	
Piping Type: Other	Material Type: Fresh/Product
Description: SODIUM HYPOCHLORITE	
Leak Detect: NONE	Containment: DIKING AND PAD
Dispense Method: Suction	Product Gauge: No
Fill Type: Pumped	Install Date: 0491
Data File: Petroleum Bulk Storage Facility	Total Tanks: Not reported

**63 KING BEAR AUTO SERVICE CENTER
735 SOUTH BROADWAY
HICKSVILLE, NY 11801**

**FINDS 1000231520
RCRIS-LOG NYD981563513**

RCRIS:

Owner: SMD ENTERPRISES, INC.
(212) 555-1212

Contact: SY DIAMOND
(516) 931-9714

Waste	Quantity	Info Source
X001	.00000 (N)	Notification

(P) = Pounds, (K) = Kilograms, (M) = Metric Tons, (T) = Tons, (N) = Not Reported

**63 KING BEAR
735 S BROADWAY
HICKSVILLE, NY**

**AST A100043336
N/A**

Nassau County AST:

Facility ID: 056949	Tank ID: 0001
Tank Location: Indoors, Aboveground	Capacity (Gal): 240
Tank Status: In Service	Tank Material: STEEL
Int Protection: None	
Ext Protection: PAINTED [e.g. asphaltic]	
Piping Type: Steel/Iron	Material Type: Fresh/Product
Description: OIL, MOTOR	
Leak Detect: OTHER	Containment: DOUBLE WALL TANK
Dispense Method: Suction	Product Gauge: Yes
Fill Type: Pumped	Install Date: 0891
Data File: Petroleum Bulk Storage Facility	Total Tanks: Not reported

Facility ID: 056949	Tank ID: 0002
Tank Location: Indoors, Aboveground	Capacity (Gal): 240
Tank Status: In Service	Tank Material: STEEL
Int Protection: None	
Ext Protection: PAINTED [e.g. asphaltic]	
Piping Type: Steel/Iron	Material Type: Fresh/Product
Description: OIL, MOTOR	
Leak Detect: OTHER	Containment: DOUBLE WALL TANK
Dispense Method: Suction	Product Gauge: Yes
Fill Type: Pumped	Install Date: 0891
Data File: Petroleum Bulk Storage Facility	Total Tanks: Not reported

MAP FINDINGS

Map ID	Direction	Distance	Site	Database(s)	EDR ID Number	EPA ID Number																																												
64			NEW YORK TELEPHONE ROOM 300 920 SOUTH OYSTER BAY ROAD BETHPAGE, NY 11714	FINDS RCRIS-LQG	1000136892	NYD982185712																																												
65			GRUMMAN AEROSPACE CORP. STEWART AVE. BETHPAGE, NY	UST AST	U001854670	N/A																																												
Nassau County UST:																																																		
<table border="0" style="width: 100%;"> <tr> <td style="width: 30%;">Facility ID:</td> <td>000001</td> <td style="width: 30%;">Tank ID:</td> <td>0372</td> </tr> <tr> <td>Tank Location:</td> <td>Indoors, Belowground</td> <td>Capacity:</td> <td>00010500</td> </tr> <tr> <td>Tank Status:</td> <td>In Service</td> <td>Tank Material:</td> <td>STEEL</td> </tr> <tr> <td>Piping Type:</td> <td>Other</td> <td>Material Type:</td> <td>Fresh/Product</td> </tr> <tr> <td>Int Protection:</td> <td>Internal Lining</td> <td></td> <td></td> </tr> <tr> <td>Ext Protection:</td> <td>PAINTED [e.g. asphaltic]</td> <td></td> <td></td> </tr> <tr> <td>Description:</td> <td>NITRIC & HYDROFLUORIC ACID MIX</td> <td></td> <td></td> </tr> <tr> <td>Leak Detect:</td> <td>OTHER</td> <td>Containment:</td> <td>Diking</td> </tr> <tr> <td>Dispense Method:</td> <td>Suction</td> <td>Product Gauge:</td> <td>Yes</td> </tr> <tr> <td>Fill Type:</td> <td>Pumped</td> <td>Install Date:</td> <td>0169</td> </tr> <tr> <td>Total Tanks:</td> <td>18</td> <td></td> <td></td> </tr> </table>							Facility ID:	000001	Tank ID:	0372	Tank Location:	Indoors, Belowground	Capacity:	00010500	Tank Status:	In Service	Tank Material:	STEEL	Piping Type:	Other	Material Type:	Fresh/Product	Int Protection:	Internal Lining			Ext Protection:	PAINTED [e.g. asphaltic]			Description:	NITRIC & HYDROFLUORIC ACID MIX			Leak Detect:	OTHER	Containment:	Diking	Dispense Method:	Suction	Product Gauge:	Yes	Fill Type:	Pumped	Install Date:	0169	Total Tanks:	18		
Facility ID:	000001	Tank ID:	0372																																															
Tank Location:	Indoors, Belowground	Capacity:	00010500																																															
Tank Status:	In Service	Tank Material:	STEEL																																															
Piping Type:	Other	Material Type:	Fresh/Product																																															
Int Protection:	Internal Lining																																																	
Ext Protection:	PAINTED [e.g. asphaltic]																																																	
Description:	NITRIC & HYDROFLUORIC ACID MIX																																																	
Leak Detect:	OTHER	Containment:	Diking																																															
Dispense Method:	Suction	Product Gauge:	Yes																																															
Fill Type:	Pumped	Install Date:	0169																																															
Total Tanks:	18																																																	
<table border="0" style="width: 100%;"> <tr> <td style="width: 30%;">Facility ID:</td> <td>000001</td> <td style="width: 30%;">Tank ID:</td> <td>1092</td> </tr> <tr> <td>Tank Location:</td> <td>Indoors, Belowground</td> <td>Capacity:</td> <td>00005000</td> </tr> <tr> <td>Tank Status:</td> <td>In Service</td> <td>Tank Material:</td> <td>STEEL</td> </tr> <tr> <td>Piping Type:</td> <td>Steel/Iron</td> <td>Material Type:</td> <td>Waste</td> </tr> <tr> <td>Int Protection:</td> <td>None</td> <td></td> <td></td> </tr> <tr> <td>Ext Protection:</td> <td>NONE</td> <td></td> <td></td> </tr> <tr> <td>Description:</td> <td>DYES/PIGMENTS, N.O.S.</td> <td></td> <td></td> </tr> <tr> <td>Leak Detect:</td> <td>OTHER</td> <td>Containment:</td> <td>Other</td> </tr> <tr> <td>Dispense Method:</td> <td>Suction</td> <td>Product Gauge:</td> <td>Yes</td> </tr> <tr> <td>Fill Type:</td> <td>Pumped</td> <td>Install Date:</td> <td>0175</td> </tr> <tr> <td>Total Tanks:</td> <td>18</td> <td></td> <td></td> </tr> </table>							Facility ID:	000001	Tank ID:	1092	Tank Location:	Indoors, Belowground	Capacity:	00005000	Tank Status:	In Service	Tank Material:	STEEL	Piping Type:	Steel/Iron	Material Type:	Waste	Int Protection:	None			Ext Protection:	NONE			Description:	DYES/PIGMENTS, N.O.S.			Leak Detect:	OTHER	Containment:	Other	Dispense Method:	Suction	Product Gauge:	Yes	Fill Type:	Pumped	Install Date:	0175	Total Tanks:	18		
Facility ID:	000001	Tank ID:	1092																																															
Tank Location:	Indoors, Belowground	Capacity:	00005000																																															
Tank Status:	In Service	Tank Material:	STEEL																																															
Piping Type:	Steel/Iron	Material Type:	Waste																																															
Int Protection:	None																																																	
Ext Protection:	NONE																																																	
Description:	DYES/PIGMENTS, N.O.S.																																																	
Leak Detect:	OTHER	Containment:	Other																																															
Dispense Method:	Suction	Product Gauge:	Yes																																															
Fill Type:	Pumped	Install Date:	0175																																															
Total Tanks:	18																																																	
<table border="0" style="width: 100%;"> <tr> <td style="width: 30%;">Facility ID:</td> <td>000001</td> <td style="width: 30%;">Tank ID:</td> <td>1093</td> </tr> <tr> <td>Tank Location:</td> <td>Indoors, Belowground</td> <td>Capacity:</td> <td>00005000</td> </tr> <tr> <td>Tank Status:</td> <td>In Service</td> <td>Tank Material:</td> <td>STEEL</td> </tr> <tr> <td>Piping Type:</td> <td>Steel/Iron</td> <td>Material Type:</td> <td>Waste</td> </tr> <tr> <td>Int Protection:</td> <td>None</td> <td></td> <td></td> </tr> <tr> <td>Ext Protection:</td> <td>NONE</td> <td></td> <td></td> </tr> <tr> <td>Description:</td> <td>DYES/PIGMENTS, N.O.S.</td> <td></td> <td></td> </tr> <tr> <td>Leak Detect:</td> <td>OTHER</td> <td>Containment:</td> <td>Other</td> </tr> <tr> <td>Dispense Method:</td> <td>Suction</td> <td>Product Gauge:</td> <td>Yes</td> </tr> <tr> <td>Fill Type:</td> <td>Pumped</td> <td>Install Date:</td> <td>0175</td> </tr> <tr> <td>Total Tanks:</td> <td>18</td> <td></td> <td></td> </tr> </table>							Facility ID:	000001	Tank ID:	1093	Tank Location:	Indoors, Belowground	Capacity:	00005000	Tank Status:	In Service	Tank Material:	STEEL	Piping Type:	Steel/Iron	Material Type:	Waste	Int Protection:	None			Ext Protection:	NONE			Description:	DYES/PIGMENTS, N.O.S.			Leak Detect:	OTHER	Containment:	Other	Dispense Method:	Suction	Product Gauge:	Yes	Fill Type:	Pumped	Install Date:	0175	Total Tanks:	18		
Facility ID:	000001	Tank ID:	1093																																															
Tank Location:	Indoors, Belowground	Capacity:	00005000																																															
Tank Status:	In Service	Tank Material:	STEEL																																															
Piping Type:	Steel/Iron	Material Type:	Waste																																															
Int Protection:	None																																																	
Ext Protection:	NONE																																																	
Description:	DYES/PIGMENTS, N.O.S.																																																	
Leak Detect:	OTHER	Containment:	Other																																															
Dispense Method:	Suction	Product Gauge:	Yes																																															
Fill Type:	Pumped	Install Date:	0175																																															
Total Tanks:	18																																																	
<table border="0" style="width: 100%;"> <tr> <td style="width: 30%;">Facility ID:</td> <td>000001</td> <td style="width: 30%;">Tank ID:</td> <td>1196</td> </tr> <tr> <td>Tank Location:</td> <td>Indoors, Belowground</td> <td>Capacity:</td> <td>00002000</td> </tr> <tr> <td>Tank Status:</td> <td>6</td> <td>Tank Material:</td> <td>OTHER</td> </tr> <tr> <td>Piping Type:</td> <td>Other</td> <td>Material Type:</td> <td>Waste</td> </tr> <tr> <td>Int Protection:</td> <td>None</td> <td></td> <td></td> </tr> <tr> <td>Ext Protection:</td> <td>NONE</td> <td></td> <td></td> </tr> <tr> <td>Description:</td> <td>ACIDS, NOS</td> <td></td> <td></td> </tr> <tr> <td>Leak Detect:</td> <td>OTHER</td> <td>Containment:</td> <td>Other</td> </tr> <tr> <td>Dispense Method:</td> <td>Suction</td> <td>Product Gauge:</td> <td>Yes</td> </tr> <tr> <td>Fill Type:</td> <td>Pumped</td> <td>Install Date:</td> <td>0164</td> </tr> <tr> <td>Total Tanks:</td> <td>18</td> <td></td> <td></td> </tr> </table>							Facility ID:	000001	Tank ID:	1196	Tank Location:	Indoors, Belowground	Capacity:	00002000	Tank Status:	6	Tank Material:	OTHER	Piping Type:	Other	Material Type:	Waste	Int Protection:	None			Ext Protection:	NONE			Description:	ACIDS, NOS			Leak Detect:	OTHER	Containment:	Other	Dispense Method:	Suction	Product Gauge:	Yes	Fill Type:	Pumped	Install Date:	0164	Total Tanks:	18		
Facility ID:	000001	Tank ID:	1196																																															
Tank Location:	Indoors, Belowground	Capacity:	00002000																																															
Tank Status:	6	Tank Material:	OTHER																																															
Piping Type:	Other	Material Type:	Waste																																															
Int Protection:	None																																																	
Ext Protection:	NONE																																																	
Description:	ACIDS, NOS																																																	
Leak Detect:	OTHER	Containment:	Other																																															
Dispense Method:	Suction	Product Gauge:	Yes																																															
Fill Type:	Pumped	Install Date:	0164																																															
Total Tanks:	18																																																	

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

GRUMMAN AEROSPACE CORP. (Continued)

U001854670

<p>Facility ID: 000001 Tank Location: Indoors, Belowground Tank Status: In Service Piping Type: Galvanized Steel Int Protection: None Ext Protection: NONE Description: EMPTY/AUXILARY TANK Leak Detect: OTHER Dispense Method: Suction Fill Type: Pumped Total Tanks: 18</p>	<p>Tank ID: 1403 Capacity: 00003000 Tank Material: Fiberglass Reinforced Plastic Material Type: Waste</p>
<p>Facility ID: 000001 Tank Location: Indoors, Belowground Tank Status: In Service Piping Type: Galvanized Steel Int Protection: None Ext Protection: NONE Description: EMPTY/AUXILARY TANK Leak Detect: OTHER Dispense Method: Suction Fill Type: Pumped Total Tanks: 18</p>	<p>Containment: Double Wall Tank Product Gauge: Yes Install Date: 0185</p> <p>Tank ID: 1404 Capacity: 00002500 Tank Material: Fiberglass Reinforced Plastic Material Type: Waste</p>
<p>Facility ID: 000001 Tank Location: Indoors, Belowground Tank Status: In Service Piping Type: Wrapped Steel Int Protection: None Ext Protection: NONE Description: WASTE OIL Leak Detect: OTHER Dispense Method: Suction Fill Type: Gravity Total Tanks: 18</p>	<p>Containment: Double Wall Tank Product Gauge: Yes Install Date: 0185</p> <p>Tank ID: 2013 Capacity: 00000550 Tank Material: Fiberglass Reinforced Plastic Material Type: Waste</p>
<p>Facility ID: 000001 Tank Location: Indoors, Belowground Tank Status: In Service Piping Type: Other Int Protection: None Ext Protection: NONE Description: TANK, WASTE TREATMENT Leak Detect: OTHER Dispense Method: Suction Fill Type: Gravity Total Tanks: 18</p>	<p>Containment: Other Product Gauge: No Install Date: 0172</p> <p>Tank ID: 9301 Capacity: 00065000 Tank Material: CONCRETE Material Type: Waste</p>

MAP FINDINGS

Map ID
Direction
Distance

Site


Database(s)

EDR ID Number
EPA ID Number

GRUMMAN AEROSPACE CORP. (Continued)

U001854670

Facility ID:	000001	Tank ID:	9302
Tank Location:	Indoors, Belowground	Capacity:	00040000
Tank Status:	In Service	Tank Material:	CONCRETE
Piping Type:	Other	Material Type:	Waste
Int Protection:	None		
Ext Protection:	NONE		
Description:	TANK, WASTE TREATMENT		
Leak Detect:	OTHER	Containment:	Other
Dispense Method:	Submersible	Product Gauge:	No
Fill Type:	Gravity	Install Date:	0172
Total Tanks:	18		
Facility ID:	000001	Tank ID:	9304
Tank Location:	Indoors, Belowground	Capacity:	00065000
Tank Status:	In Service	Tank Material:	CONCRETE
Piping Type:	Other	Material Type:	Waste
Int Protection:	None		
Ext Protection:	NONE		
Description:	TANK, WASTE TREATMENT		
Leak Detect:	OTHER	Containment:	Other
Dispense Method:	Submersible	Product Gauge:	No
Fill Type:	Gravity	Install Date:	0172
Total Tanks:	18		
Facility ID:	000001	Tank ID:	9305
Tank Location:	Indoors, Belowground	Capacity:	00103000
Tank Status:	In Service	Tank Material:	CONCRETE
Piping Type:	Other	Material Type:	Waste
Int Protection:	Other		
Ext Protection:	NONE		
Description:	TANK, WASTE TREATMENT		
Leak Detect:	OTHER	Containment:	Other
Dispense Method:	Gravity	Product Gauge:	No
Fill Type:	Gravity	Install Date:	0184
Total Tanks:	18		
Facility ID:	000001	Tank ID:	9306
Tank Location:	Indoors, Belowground	Capacity:	00011770
Tank Status:	In Service	Tank Material:	CONCRETE
Piping Type:	Other	Material Type:	Waste
Int Protection:	None		
Ext Protection:	NONE		
Description:	TANK, WASTE TREATMENT		
Leak Detect:	OTHER	Containment:	Other
Dispense Method:	Submersible	Product Gauge:	No
Fill Type:	Gravity	Install Date:	0184
Total Tanks:	18		



MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

GRUMMAN AEROSPACE CORP. (Continued)

U001854670

Facility ID:	000001	Tank ID:	9308
Tank Location:	Indoors, Belowground	Capacity:	00003300
Tank Status:	In Service	Tank Material:	Fiberglass Reinforced Plastic
Piping Type:	Other	Material Type:	Waste
Int Protection:	None		
Ext Protection:	NONE		
Description:	TANK, WASTE TREATMENT		
Leak Detect:	OTHER	Containment:	Other
Dispense Method:	Submersible	Product Gauge:	Yes
Fill Type:	Pumped	Install Date:	0184
Total Tanks:	18		
Facility ID:	000001	Tank ID:	9328
Tank Location:	Indoors, Belowground	Capacity:	00011800
Tank Status:	In Service	Tank Material:	CONCRETE
Piping Type:	Other	Material Type:	Waste
Int Protection:	None		
Ext Protection:	NONE		
Description:	INORGANICS, MISC		
Leak Detect:	OTHER	Containment:	Other
Dispense Method:	Submersible	Product Gauge:	No
Fill Type:	Gravity	Install Date:	0184
Total Tanks:	18		
Facility ID:	000001	Tank ID:	9331
Tank Location:	Indoors, Belowground	Capacity:	00011800
Tank Status:	In Service	Tank Material:	CONCRETE
Piping Type:	Other	Material Type:	Waste
Int Protection:	None		
Ext Protection:	NONE		
Description:	FLUORIDE		
Leak Detect:	OTHER	Containment:	Other
Dispense Method:	Submersible	Product Gauge:	Yes
Fill Type:	Pumped	Install Date:	0184
Total Tanks:	18		
Facility ID:	000001	Tank ID:	9337
Tank Location:	Indoors, Belowground	Capacity:	00010000
Tank Status:	In Service	Tank Material:	CONCRETE
Piping Type:	Steel/Iron	Material Type:	Waste
Int Protection:	Internal Lining		
Ext Protection:	NONE		
Description:	SLUDGE, NOS		
Leak Detect:	OTHER	Containment:	Other
Dispense Method:	Suction	Product Gauge:	No
Fill Type:	Pumped	Install Date:	1284
Total Tanks:	18		

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

GRUMMAN AEROSPACE CORP. (Continued)

U001854670

Facility ID:	000001	Tank ID:	9338
Tank Location:	Indoors, Belowground	Capacity:	00010000
Tank Status:	In Service	Tank Material:	CONCRETE
Piping Type:	Steel/Iron	Material Type:	Waste
Int Protection:	Internal Lining		
Ext Protection:	NONE		
Description:	SLUDGE, NOS		
Leak Detect:	OTHER	Containment:	Other
Dispense Method:	Suction	Product Gauge:	No
Fill Type:	Pumped	Install Date:	1284
Total Tanks:	18		

Facility ID:	000001	Tank ID:	9339
Tank Location:	Indoors, Belowground	Capacity:	00010000
Tank Status:	In Service	Tank Material:	STEEL
Piping Type:	Double Walled Fiberglass	Material Type:	Fresh/Product
Int Protection:	None		
Ext Protection:	CATHODIC PROTECTION		
Description:	OIL, FUEL #2		
Leak Detect:	ELECTRONIC	Containment:	Double Wall Tank
Dispense Method:	Suction	Product Gauge:	Yes
Fill Type:	Gravity	Install Date:	0394
Total Tanks:	18		

Nassau County AST:

Facility ID:	000001	Tank ID:	0047
Tank Location:	Indoors, Aboveground	Capacity (Gal):	1465
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Other		
Description:	RIDOLENE 53		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Suction	Product Gauge:	Yes
Fill Type:	Pumped	Install Date:	0173
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported

Facility ID:	000001	Tank ID:	0131
Tank Location:	Indoors, Aboveground	Capacity (Gal):	760
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Steel/Iron		
Description:	RINSEWATER, ACID		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Gravity	Product Gauge:	No
Fill Type:	Gravity	Install Date:	0160
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

GRUMMAN AEROSPACE CORP. (Continued)

U001854670

Facility ID:	000001	Tank ID:	0139
Tank Location:	Indoors, Aboveground	Capacity (Gal):	400
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Steel/Iron		
Description:	EMPTY/AUXILARY TANK	Containment:	DIKING AND PAD
Leak Detect:	NONE	Product Gauge:	No
Dispense Method:	Suction	Install Date:	0160
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	0140
Tank Location:	Indoors, Aboveground	Capacity (Gal):	160
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	Internal Lining		
Ext Protection:	PAINTED [e.g. asphaltic]	Material Type:	Fresh/Product
Piping Type:	Other		
Description:	EMPTY/AUXILARY TANK	Containment:	NONE
Leak Detect:	NONE	Product Gauge:	No
Dispense Method:	Suction	Install Date:	0161
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	0141
Tank Location:	Indoors, Aboveground	Capacity (Gal):	670
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Steel/Iron		
Description:	CHROMIC ACID	Containment:	DIKING AND PAD
Leak Detect:	NONE	Product Gauge:	Yes
Dispense Method:	Suction	Install Date:	0161
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	0142
Tank Location:	Indoors, Aboveground	Capacity (Gal):	760
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Steel/Iron		
Description:	RINSEWATER, ACID	Containment:	DIKING AND PAD
Leak Detect:	NONE	Product Gauge:	No
Dispense Method:	Gravity	Install Date:	0160
Fill Type:	Gravity	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

GRUMMAN AEROSPACE CORP. (Continued)

U001854670

Facility ID:	000001	Tank ID:	0143
Tank Location:	Indoors, Aboveground	Capacity (Gal):	670
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	Internal Lining		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Other		
Description:	SULPHURIC ACID	Containment:	DIKING AND PAD
Leak Detect:	NONE	Product Gauge:	Yes
Dispense Method:	Suction	Install Date:	0161
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	0144
Tank Location:	Indoors, Aboveground	Capacity (Gal):	760
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Steel/Iron		
Description:	RINSEWATER, ACID	Containment:	DIKING AND PAD
Leak Detect:	NONE	Product Gauge:	No
Dispense Method:	Gravity	Install Date:	0160
Fill Type:	Gravity	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	0213
Tank Location:	Indoors, Aboveground	Capacity (Gal):	190
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	Internal Lining		
Ext Protection:	PAINTED [e.g. asphaltic]	Material Type:	Fresh/Product
Piping Type:	Steel/Iron		
Description:	EMPTY/AUXILIARY TANK	Containment:	NONE
Leak Detect:	NONE	Product Gauge:	No
Dispense Method:	Suction	Install Date:	0161
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	0214
Tank Location:	Indoors, Aboveground	Capacity (Gal):	250
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	Internal Lining		
Ext Protection:	PAINTED [e.g. asphaltic]	Material Type:	Fresh/Product
Piping Type:	Steel/Iron		
Description:	TANK, WATER RINSE	Containment:	NONE
Leak Detect:	NONE	Product Gauge:	No
Dispense Method:	Gravity	Install Date:	0161
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

GRUMMAN AEROSPACE CORP. (Continued)

U001854670

Facility ID:	000001	Tank ID:	0215
Tank Location:	Indoors, Aboveground	Capacity (Gal):	350
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	PAINTED [e.g. asphaltic]	Material Type:	Fresh/Product
Piping Type:	Steel/Iron		
Description:	EMPTY/AUXILARY TANK	Containment:	NONE
Leak Detect:	NONE	Product Gauge:	No
Dispense Method:	Gravity	Install Date:	0161
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	0216
Tank Location:	Indoors, Aboveground	Capacity (Gal):	350
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	PAINTED [e.g. asphaltic]	Material Type:	Fresh/Product
Piping Type:	Steel/Iron		
Description:	EMPTY/AUXILARY TANK	Containment:	NONE
Leak Detect:	NONE	Product Gauge:	No
Dispense Method:	Suction	Install Date:	0161
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	0256
Tank Location:	Indoors, Aboveground	Capacity (Gal):	250
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Steel/Iron		
Description:	TRICHLOROETHYLENE	Containment:	DIKING AND PAD
Leak Detect:	NONE	Product Gauge:	No
Dispense Method:	Submersible	Install Date:	0185
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	0259
Tank Location:	Indoors, Aboveground	Capacity (Gal):	50
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Steel/Iron		
Description:	TRICHLOROETHANE, 1,1,1-	Containment:	NONE
Leak Detect:	NONE	Product Gauge:	No
Dispense Method:	Suction	Install Date:	0160
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

GRUMMAN AEROSPACE CORP. (Continued)

U001854670

Facility ID:	000001	Tank ID:	0261
Tank Location:	Indoors, Aboveground	Capacity (Gal):	760
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Steel/Iron		
Description:	RINSEWATER, ACID	Containment:	DIKING AND PAD
Leak Detect:	NONE	Product Gauge:	No
Dispense Method:	Gravity	Install Date:	0160
Fill Type:	Gravity	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	0262
Tank Location:	Indoors, Aboveground	Capacity (Gal):	760
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Steel/Iron		
Description:	RINSEWATER, ALKALINE	Containment:	DIKING AND PAD
Leak Detect:	NONE	Product Gauge:	No
Dispense Method:	Gravity	Install Date:	0160
Fill Type:	Gravity	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	0285
Tank Location:	Indoors, Aboveground	Capacity (Gal):	50
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Steel/Iron		
Description:	TRICHLOROETHANE, 1,1,1-	Containment:	NONE
Leak Detect:	NONE	Product Gauge:	No
Dispense Method:	Submersible	Install Date:	0160
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	0360
Tank Location:	Indoors, Aboveground	Capacity (Gal):	14000
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Steel/Iron		
Description:	POTASSIUM HYDROXIDE & NITRATE	Containment:	DIKING AND PAD
Leak Detect:	ELECTRONIC	Product Gauge:	Yes
Dispense Method:	Suction	Install Date:	0186
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

GRUMMAN AEROSPACE CORP. (Continued)

U001854670

Facility ID:	000001	Tank ID:	0361
Tank Location:	Indoors, Aboveground	Capacity (Gal):	10500
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Steel/Iron	Material Type:	Fresh/Product
Description:	RINSEWATER, ALKALINE		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Gravity	Product Gauge:	No
Fill Type:	Gravity	Install Date:	0169
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	000001	Tank ID:	0363
Tank Location:	Indoors, Aboveground	Capacity (Gal):	10500
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	Internal Lining		
Ext Protection:	NONE		
Piping Type:	Other	Material Type:	Fresh/Product
Description:	RINSEWATER, ACID		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Gravity	Product Gauge:	No
Fill Type:	Gravity	Install Date:	0169
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	000001	Tank ID:	0365
Tank Location:	Indoors, Aboveground	Capacity (Gal):	10500
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Steel/Iron	Material Type:	Fresh/Product
Description:	RINSEWATER, ALKALINE		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Gravity	Product Gauge:	No
Fill Type:	Gravity	Install Date:	0169
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	000001	Tank ID:	0366
Tank Location:	Indoors, Aboveground	Capacity (Gal):	10500
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Steel/Iron	Material Type:	Fresh/Product
Description:	RIDOLENE 73		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Suction	Product Gauge:	Yes
Fill Type:	Pumped	Install Date:	0169
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EOR ID Number
EPA ID Number

GRUMMAN AEROSPACE CORP. (Continued)

U001854670

Facility ID:	000001	Tank ID:	0371
Tank Location:	Outdoors, Aboveground	Capacity (Gal):	10500
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	PAINTED [e.g. asphaltic]	Material Type:	Waste
Piping Type:	Steel/Iron		
Description:	ALKALINE SOLUTIONS, NOS	Containment:	DIKING AND PAD
Leak Detect:	NONE	Product Gauge:	Yes
Dispense Method:	Suction	Install Date:	0169
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	0384
Tank Location:	Indoors, Aboveground	Capacity (Gal):	115
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	PAINTED [e.g. asphaltic]	Material Type:	Fresh/Product
Piping Type:	Other		
Description:	SURFACTANTS	Containment:	NONE
Leak Detect:	NONE	Product Gauge:	No
Dispense Method:	Suction	Install Date:	0187
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	0388
Tank Location:	Indoors, Aboveground	Capacity (Gal):	1570
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Other		
Description:	ALODINE	Containment:	DIKING AND PAD
Leak Detect:	NONE	Product Gauge:	Yes
Dispense Method:	Suction	Install Date:	0173
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	0399
Tank Location:	Indoors, Aboveground	Capacity (Gal):	4418
Tank Status:	In Service	Tank Material:	Fiberglass Reinforced Plastic
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Steel/Iron		
Description:	SODIUM HYDROXIDE	Containment:	NONE
Leak Detect:	NONE	Product Gauge:	Yes
Dispense Method:	Suction	Install Date:	0180
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

GRUMMAN AEROSPACE CORP. (Continued)

U001854670

Facility ID:	000001	Tank ID:	0400
Tank Location:	Indoors, Aboveground	Capacity (Gal):	4418
Tank Status:	In Service	Tank Material:	Fiberglass Reinforced Plastic
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Steel/Iron	Material Type:	Fresh/Product
Description:	SODIUM HYDROXIDE		
Leak Detect:	NONE	Containment:	NONE
Dispense Method:	Suction	Product Gauge:	Yes
Fill Type:	Pumped	Install Date:	0180
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	000001	Tank ID:	0449
Tank Location:	Indoors, Aboveground	Capacity (Gal):	1570
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Other	Material Type:	Fresh/Product
Description:	RINSEWATER, ACID		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Gravity	Product Gauge:	No
Fill Type:	Gravity	Install Date:	0173
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	000001	Tank ID:	0451
Tank Location:	Indoors, Aboveground	Capacity (Gal):	12630
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Steel/Iron	Material Type:	Fresh/Product
Description:	TURCO MASKANT		
Leak Detect:	NONE	Containment:	VAULT
Dispense Method:	Suction	Product Gauge:	Yes
Fill Type:	Pumped	Install Date:	0172
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	000001	Tank ID:	0490
Tank Location:	Indoors, Aboveground	Capacity (Gal):	2700
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	Internal Lining		
Ext Protection:	NONE		
Piping Type:	Steel/Iron	Material Type:	Fresh/Product
Description:	ZYGLO PENETRANT		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Suction	Product Gauge:	Yes
Fill Type:	Pumped	Install Date:	0170
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

GRUMMAN AEROSPACE CORP. (Continued)

U001854670

Facility ID:	000001	Tank ID:	0491
Tank Location:	Indoors, Aboveground	Capacity (Gal):	2200
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	Internal Lining		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Steel/Iron		
Description:	MAGNAFLUX	Containment:	DIKING AND PAD
Leak Detect:	NONE	Product Gauge:	Yes
Dispense Method:	Suction	Install Date:	0170
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	0493
Tank Location:	Indoors, Aboveground	Capacity (Gal):	6750
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	Internal Lining		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Steel/Iron		
Description:	MAGNAFLUX	Containment:	DIKING AND PAD
Leak Detect:	NONE	Product Gauge:	Yes
Dispense Method:	Suction	Install Date:	0170
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	0503
Tank Location:	Indoors, Aboveground	Capacity (Gal):	115
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	PAINTED [e.g. asphaltic]	Material Type:	Fresh/Product
Piping Type:	Other		
Description:	ALKALINE SOLUTIONS, NOS	Containment:	NONE
Leak Detect:	NONE	Product Gauge:	No
Dispense Method:	Suction	Install Date:	0187
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	0506
Tank Location:	Indoors, Aboveground	Capacity (Gal):	1300
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Steel/Iron		
Description:	CHROME DEACTIVATING SOLUTION	Containment:	NONE
Leak Detect:	NONE	Product Gauge:	No
Dispense Method:	Suction	Install Date:	0160
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

GRUMMAN AEROSPACE CORP. (Continued)

U001854670

Facility ID:	000001	Tank ID:	0508
Tank Location:	Indoors, Aboveground	Capacity (Gal):	1300
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Steel/Iron	Material Type:	Fresh/Product
Description:	CHROME DEACTIVATING SOLUTION		
Leak Detect:	NONE	Containment:	NONE
Dispense Method:	Submersible	Product Gauge:	No
Fill Type:	Pumped	Install Date:	0160
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	000001	Tank ID:	0594
Tank Location:	Indoors, Aboveground	Capacity (Gal):	3200
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	Internal Lining		
Ext Protection:	NONE		
Piping Type:	Steel/Iron	Material Type:	Fresh/Product
Description:	SODIUM NITRATE		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Suction	Product Gauge:	No
Fill Type:	Other	Install Date:	0177
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	000001	Tank ID:	0601
Tank Location:	Indoors, Aboveground	Capacity (Gal):	650
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Steel/Iron	Material Type:	Fresh/Product
Description:	BASIC DEACTIVATING SOLUTION		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Submersible	Product Gauge:	No
Fill Type:	Gravity	Install Date:	0168
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	000001	Tank ID:	0603
Tank Location:	Indoors, Aboveground	Capacity (Gal):	1300
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Steel/Iron	Material Type:	Fresh/Product
Description:	CHROME DEACTIVATING SOLUTION		
Leak Detect:	NONE	Containment:	NONE
Dispense Method:	Submersible	Product Gauge:	No
Fill Type:	Pumped	Install Date:	0160
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

GRUMMAN AEROSPACE CORP. (Continued)

U001854670

Facility ID:	000001	Tank ID:	0604
Tank Location:	Indoors, Aboveground	Capacity (Gal):	1300
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Steel/Iron	Material Type:	Fresh/Product
Description:	CHROME DEACTIVATING SOLUTION		
Leak Detect:	NONE	Containment:	NONE
Dispense Method:	Submersible	Product Gauge:	No
Fill Type:	Pumped	Install Date:	0160
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	000001	Tank ID:	0605
Tank Location:	Indoors, Aboveground	Capacity (Gal):	1300
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Steel/Iron	Material Type:	Fresh/Product
Description:	CHROME DEACTIVATING SOLUTION		
Leak Detect:	NONE	Containment:	NONE
Dispense Method:	Submersible	Product Gauge:	No
Fill Type:	Pumped	Install Date:	0160
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	000001	Tank ID:	0606
Tank Location:	Indoors, Aboveground	Capacity (Gal):	1300
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Steel/Iron	Material Type:	Fresh/Product
Description:	CHROME DEACTIVATING SOLUTION		
Leak Detect:	NONE	Containment:	NONE
Dispense Method:	Submersible	Product Gauge:	No
Fill Type:	Pumped	Install Date:	0160
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	000001	Tank ID:	0644
Tank Location:	Indoors, Aboveground	Capacity (Gal):	2350
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Other	Material Type:	Fresh/Product
Description:	NITRIC ACID & SODIUM SULFATE		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Suction	Product Gauge:	Yes
Fill Type:	Pumped	Install Date:	0161
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

GRUMMAN AEROSPACE CORP. (Continued)

U001854670

Facility ID:	000001	Tank ID:	0645
Tank Location:	Indoors, Aboveground	Capacity (Gal):	2350
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Steel/Iron		
Description:	RINSEWATER, ACID	Containment:	DIKING AND PAD
Leak Detect:	NONE	Product Gauge:	No
Dispense Method:	Gravity	Install Date:	0160
Fill Type:	Gravity	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	0740
Tank Location:	Indoors, Aboveground	Capacity (Gal):	185
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	PAINTED [e.g. asphaltic]	Material Type:	Fresh/Product
Piping Type:	Steel/Iron		
Description:	PHOSPHORIC ACID	Containment:	NONE
Leak Detect:	NONE	Product Gauge:	No
Dispense Method:	Suction	Install Date:	0161
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	0780
Tank Location:	Indoors, Aboveground	Capacity (Gal):	748
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Steel/Iron		
Description:	CAUSTICS	Containment:	DIKING AND PAD
Leak Detect:	NONE	Product Gauge:	No
Dispense Method:	Suction	Install Date:	0173
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	0793
Tank Location:	Outdoors, Aboveground	Capacity (Gal):	3600
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Waste
Piping Type:	Steel/Iron		
Description:	PAINT, MISC	Containment:	DIKING AND PAD
Leak Detect:	NONE	Product Gauge:	Yes
Dispense Method:	Suction	Install Date:	0160
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

GRUMMAN AEROSPACE CORP. (Continued)

U001854670

Facility ID:	000001	Tank ID:	0794
Tank Location:	Outdoors, Aboveground	Capacity (Gal):	3500
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Waste
Piping Type:	Steel/Iron	Containment:	NONE
Description:	PAINT, MISC	Product Gauge:	Yes
Leak Detect:	NONE	Install Date:	0160
Dispense Method:	Suction	Total Tanks:	Not reported
Fill Type:	Pumped		
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	0815
Tank Location:	Outdoors, Aboveground	Capacity (Gal):	3600
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Waste
Piping Type:	Steel/Iron	Containment:	DIKING AND PAD
Description:	ALODINE	Product Gauge:	Yes
Leak Detect:	NONE	Install Date:	0183
Dispense Method:	Suction	Total Tanks:	Not reported
Fill Type:	Pumped		
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	0930
Tank Location:	Indoors, Aboveground	Capacity (Gal):	50
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Other	Containment:	DIKING AND PAD
Description:	FREON	Product Gauge:	No
Leak Detect:	NONE	Install Date:	0186
Dispense Method:	Submersible	Total Tanks:	Not reported
Fill Type:	Pumped		
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	0939
Tank Location:	Indoors, Aboveground	Capacity (Gal):	1570
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Other	Containment:	DIKING AND PAD
Description:	RINSEWATER, ALKALINE	Product Gauge:	No
Leak Detect:	NONE	Install Date:	0174
Dispense Method:	Gravity	Total Tanks:	Not reported
Fill Type:	Gravity		
Data File:	Petroleum Bulk Storage Facility		

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number



GRUMMAN AEROSPACE CORP. (Continued)

U001854670

Facility ID:	000001	Tank ID:	0941
Tank Location:	Indoors, Aboveground	Capacity (Gal):	500
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Steel/Iron	Material Type:	Fresh/Product
Description:	TRICHLOROETHANE, 1,1,1-		
Leak Detect:	NONE	Containment:	NONE
Dispense Method:	Suction	Product Gauge:	No
Fill Type:	Pumped	Install Date:	0162
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	000001	Tank ID:	0956
Tank Location:	Indoors, Aboveground	Capacity (Gal):	6100
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Steel/Iron	Material Type:	Fresh/Product
Description:	RIDOLENE 53		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Suction	Product Gauge:	Yes
Fill Type:	Pumped	Install Date:	0166
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	000001	Tank ID:	0957
Tank Location:	Indoors, Aboveground	Capacity (Gal):	6100
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Steel/Iron	Material Type:	Fresh/Product
Description:	RINSEWATER, ALKALINE		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Gravity	Product Gauge:	No
Fill Type:	Gravity	Install Date:	0172
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	000001	Tank ID:	0958
Tank Location:	Indoors, Aboveground	Capacity (Gal):	6100
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Other	Material Type:	Fresh/Product
Description:	ALODINE		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Suction	Product Gauge:	Yes
Fill Type:	Pumped	Install Date:	0166
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported



MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

GRUMMAN AEROSPACE CORP. (Continued)

U001854670

Facility ID:	000001	Tank ID:	0959
Tank Location:	Indoors, Aboveground	Capacity (Gal):	6100
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Steel/Iron	Containment:	DIKING AND PAD
Description:	RINSEWATER, ACID	Product Gauge:	No
Leak Detect:	NONE	Install Date:	0172
Dispense Method:	Gravity	Total Tanks:	Not reported
Fill Type:	Gravity		
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	1021
Tank Location:	Indoors, Aboveground	Capacity (Gal):	1465
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	Internal Lining		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Other	Containment:	DIKING AND PAD
Description:	SULFURIC & OXALIC ACID MIX	Product Gauge:	Yes
Leak Detect:	NONE	Install Date:	0174
Dispense Method:	Suction	Total Tanks:	Not reported
Fill Type:	Pumped		
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	1022
Tank Location:	Indoors, Aboveground	Capacity (Gal):	1465
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Other	Containment:	DIKING AND PAD
Description:	RINSEWATER, ACID	Product Gauge:	No
Leak Detect:	NONE	Install Date:	0177
Dispense Method:	Gravity	Total Tanks:	Not reported
Fill Type:	Gravity		
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	1023
Tank Location:	Indoors, Aboveground	Capacity (Gal):	1465
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Other	Containment:	DIKING AND PAD
Description:	ALODINE	Product Gauge:	Yes
Leak Detect:	NONE	Install Date:	0174
Dispense Method:	Suction	Total Tanks:	Not reported
Fill Type:	Pumped		
Data File:	Petroleum Bulk Storage Facility		

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

GRUMMAN AEROSPACE CORP. (Continued)

U001854670

Facility ID:	000001	Tank ID:	1024
Tank Location:	Indoors, Aboveground	Capacity (Gal):	1465
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Other		
Description:	TANK, WATER RINSE	Containment:	DIKING AND PAD
Leak Detect:	NONE	Product Gauge:	No
Dispense Method:	Gravity	Install Date:	0177
Fill Type:	Gravity	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	1039
Tank Location:	Indoors, Aboveground	Capacity (Gal):	330
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Other		
Description:	EMPTY/AUXILARY TANK	Containment:	NONE
Leak Detect:	NONE	Product Gauge:	No
Dispense Method:	Suction	Install Date:	0179
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	1052
Tank Location:	Indoors, Aboveground	Capacity (Gal):	157
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	PAINTED [e.g. asphaltic]	Material Type:	Fresh/Product
Piping Type:	Other		
Description:	TANK, WATER RINSE	Containment:	NONE
Leak Detect:	NONE	Product Gauge:	No
Dispense Method:	Suction	Install Date:	0173
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	1053
Tank Location:	Indoors, Aboveground	Capacity (Gal):	157
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	PAINTED [e.g. asphaltic]	Material Type:	Fresh/Product
Piping Type:	Other		
Description:	SURFACTANTS	Containment:	NONE
Leak Detect:	NONE	Product Gauge:	No
Dispense Method:	Suction	Install Date:	0173
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

GRUMMAN AEROSPACE CORP. (Continued)

U001854670

Facility ID:	000001	Tank ID:	1054
Tank Location:	Indoors, Aboveground	Capacity (Gal):	157
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	PAINTED [e.g. asphaltic]	Material Type:	Fresh/Product
Piping Type:	Other		
Description:	TANK, WATER RINSE	Containment:	NONE
Leak Detect:	NONE	Product Gauge:	No
Dispense Method:	Suction	Install Date:	0173
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	1055
Tank Location:	Indoors, Aboveground	Capacity (Gal):	157
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Other		
Description:	TRICHLOROETHANE, 1,1,1-	Containment:	DIKING AND PAD
Leak Detect:	NONE	Product Gauge:	Yes
Dispense Method:	Suction	Install Date:	0173
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	1056
Tank Location:	Indoors, Aboveground	Capacity (Gal):	45
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	Internal Lining		
Ext Protection:	PAINTED [e.g. asphaltic]	Material Type:	Fresh/Product
Piping Type:	Other		
Description:	NITRIC & HYDROFLUORIC ACID MIX	Containment:	NONE
Leak Detect:	NONE	Product Gauge:	No
Dispense Method:	Suction	Install Date:	0173
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	1057
Tank Location:	Indoors, Aboveground	Capacity (Gal):	23
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	PAINTED [e.g. asphaltic]	Material Type:	Fresh/Product
Piping Type:	Other		
Description:	TANK, WATER RINSE	Containment:	NONE
Leak Detect:	NONE	Product Gauge:	No
Dispense Method:	Suction	Install Date:	0273
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

GRUMMAN AEROSPACE CORP. (Continued)

U001854670

Facility ID:	000001	Tank ID:	1058
Tank Location:	Indoors, Aboveground	Capacity (Gal):	45
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	Internal Lining		
Ext Protection:	PAINTED [e.g. asphaltic]	Material Type:	Fresh/Product
Piping Type:	Other		
Description:	NITRIC & HYDROFLUORIC ACID MIX	Containment:	NONE
Leak Detect:	NONE	Product Gauge:	No
Dispense Method:	Suction	Install Date:	0173
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	1059
Tank Location:	Indoors, Aboveground	Capacity (Gal):	270
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Steel/Iron		
Description:	TANK, WATER RINSE	Containment:	NONE
Leak Detect:	NONE	Product Gauge:	No
Dispense Method:	Submersible	Install Date:	0170
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	1063
Tank Location:	Indoors, Aboveground	Capacity (Gal):	157
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	PAINTED [e.g. asphaltic]	Material Type:	Fresh/Product
Piping Type:	Other		
Description:	ISOPROPYL ALCOHOL	Containment:	NONE
Leak Detect:	NONE	Product Gauge:	No
Dispense Method:	Suction	Install Date:	0173
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	1068
Tank Location:	Indoors, Aboveground	Capacity (Gal):	1570
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Steel/Iron		
Description:	RIDOLENE 53	Containment:	DIKING AND PAD
Leak Detect:	NONE	Product Gauge:	Yes
Dispense Method:	Suction	Install Date:	0174
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

GRUMMAN AEROSPACE CORP. (Continued)

U001854670

Facility ID:	000001	Tank ID:	1069
Tank Location:	Indoors, Aboveground	Capacity (Gal):	1570
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Steel/Iron		
Description:	RINSEWATER, ALKALINE	Containment:	DIKING AND PAD
Leak Detect:	NONE	Product Gauge:	No
Dispense Method:	Gravity	Install Date:	0174
Fill Type:	Gravity	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	1071
Tank Location:	Indoors, Aboveground	Capacity (Gal):	630
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Waste
Piping Type:	Other		
Description:	ACIDS, NOS	Containment:	DIKING AND PAD
Leak Detect:	NONE	Product Gauge:	Yes
Dispense Method:	Suction	Install Date:	0177
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	1104
Tank Location:	Indoors, Aboveground	Capacity (Gal):	185
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Other		
Description:	TANK, WATER RINSE	Containment:	DIKING AND PAD
Leak Detect:	NONE	Product Gauge:	No
Dispense Method:	Suction	Install Date:	0176
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	1106
Tank Location:	Indoors, Aboveground	Capacity (Gal):	185
Tank Status:	In Service	Tank Material:	Fiberglass Reinforced Plastic
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Other		
Description:	ALODINE	Containment:	DIKING AND PAD
Leak Detect:	NONE	Product Gauge:	No
Dispense Method:	Suction	Install Date:	0176
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

GRUMMAN AEROSPACE CORP. (Continued)

U001854670

Facility ID:	000001	Tank ID:	1107
Tank Location:	Indoors, Aboveground	Capacity (Gal):	185
Tank Status:	In Service	Tank Material:	Fiberglass Reinforced Plastic
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Other		
Description:	TANK, WATER RINSE	Containment:	DIKING AND PAD
Leak Detect:	NONE	Product Gauge:	No
Dispense Method:	Suction	Install Date:	0176
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	1112
Tank Location:	Indoors, Aboveground	Capacity (Gal):	9975
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Other		
Description:	RINSEWATER, ACID	Containment:	DIKING AND PAD
Leak Detect:	NONE	Product Gauge:	No
Dispense Method:	Gravity	Install Date:	0177
Fill Type:	Gravity	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	1120
Tank Location:	Indoors, Aboveground	Capacity (Gal):	9743
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Steel/Iron		
Description:	SODIUM HYDROXIDE	Containment:	DIKING AND PAD
Leak Detect:	NONE	Product Gauge:	Yes
Dispense Method:	Suction	Install Date:	0179
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	1121
Tank Location:	Indoors, Aboveground	Capacity (Gal):	9743
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Steel/Iron		
Description:	SODIUM HYDROXIDE	Containment:	DIKING AND PAD
Leak Detect:	NONE	Product Gauge:	Yes
Dispense Method:	Suction	Install Date:	0179
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

GRUMMAN AEROSPACE CORP. (Continued)

U001854670

Facility ID:	000001	Tank ID:	1122
Tank Location:	Indoors, Aboveground	Capacity (Gal):	18200
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Other		
Description:	RINSEWATER, ALKALINE	Containment:	DIKING AND PAD
Leak Detect:	NONE	Product Gauge:	No
Dispense Method:	Gravity	Install Date:	0179
Fill Type:	Gravity	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	1123
Tank Location:	Indoors, Aboveground	Capacity (Gal):	9743
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Other		
Description:	NITRIC ACID	Containment:	DIKING AND PAD
Leak Detect:	NONE	Product Gauge:	Yes
Dispense Method:	Suction	Install Date:	0179
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	1124
Tank Location:	Indoors, Aboveground	Capacity (Gal):	18200
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Other		
Description:	RINSEWATER, ACID	Containment:	DIKING AND PAD
Leak Detect:	NONE	Product Gauge:	No
Dispense Method:	Gravity	Install Date:	0179
Fill Type:	Gravity	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	1125
Tank Location:	Indoors, Aboveground	Capacity (Gal):	9743
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Steel/Iron		
Description:	SODIUM HYDROXIDE	Containment:	DIKING AND PAD
Leak Detect:	NONE	Product Gauge:	Yes
Dispense Method:	Suction	Install Date:	0179
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number



GRUMMAN AEROSPACE CORP. (Continued)

U001854670

Facility ID:	000001	Tank ID:	1126
Tank Location:	Indoors, Aboveground	Capacity (Gal):	18200
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Other	Material Type:	Fresh/Product
Description:	RINSEWATER, ALKALINE		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Gravity	Product Gauge:	No
Fill Type:	Gravity	Install Date:	0179
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	000001	Tank ID:	1127
Tank Location:	Indoors, Aboveground	Capacity (Gal):	9743
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	Internal Lining		
Ext Protection:	NONE		
Piping Type:	Other	Material Type:	Fresh/Product
Description:	HYDROFLUORIC ACID		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Suction	Product Gauge:	Yes
Fill Type:	Pumped	Install Date:	0179
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	000001	Tank ID:	1128
Tank Location:	Indoors, Aboveground	Capacity (Gal):	18200
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Other	Material Type:	Fresh/Product
Description:	RINSEWATER, ACID		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Gravity	Product Gauge:	No
Fill Type:	Gravity	Install Date:	0179
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	000001	Tank ID:	1129
Tank Location:	Indoors, Aboveground	Capacity (Gal):	9743
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Other	Material Type:	Fresh/Product
Description:	NITRIC ACID		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Suction	Product Gauge:	Yes
Fill Type:	Pumped	Install Date:	0179
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported



MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

GRUMMAN AEROSPACE CORP. (Continued)

U001854670

Facility ID:	000001	Tank ID:	1130
Tank Location:	Indoors, Aboveground	Capacity (Gal):	18200
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Other	Material Type:	Fresh/Product
Description:	RINSEWATER, ACID		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Gravity	Product Gauge:	No
Fill Type:	Gravity	Install Date:	0179
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	000001	Tank ID:	1131
Tank Location:	Outdoors, Aboveground	Capacity (Gal):	9743
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	PAINTED [e.g. asphaltic]		
Piping Type:	Other	Material Type:	Waste
Description:	SODIUM HYDROXIDE		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Suction	Product Gauge:	Yes
Fill Type:	Pumped	Install Date:	0179
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	000001	Tank ID:	1132
Tank Location:	Outdoors, Aboveground	Capacity (Gal):	9743
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Other	Material Type:	Waste
Description:	WATER, MISC. INDUSTRIAL WASTES		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Suction	Product Gauge:	Yes
Fill Type:	Pumped	Install Date:	0179
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	000001	Tank ID:	1133
Tank Location:	Outdoors, Aboveground	Capacity (Gal):	9743
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	Internal Lining		
Ext Protection:	PAINTED [e.g. asphaltic]		
Piping Type:	Other	Material Type:	Waste
Description:	NITRIC ACID		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Suction	Product Gauge:	Yes
Fill Type:	Pumped	Install Date:	0179
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

GRUMMAN AEROSPACE CORP. (Continued)

U001854670

Facility ID:	000001	Tank ID:	1134
Tank Location:	Outdoors, Aboveground	Capacity (Gal):	9743
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	PAINTED [e.g. asphaltic]	Material Type:	Waste
Piping Type:	Other		
Description:	NITRIC ACID	Containment:	DIKING AND PAD
Leak Detect:	NONE	Product Gauge:	Yes
Dispense Method:	Suction	Install Date:	0179
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	1137
Tank Location:	Indoors, Aboveground	Capacity (Gal):	7700
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Other		
Description:	TRICHLOROETHANE, 1,1,1-	Containment:	DIKING AND PAD
Leak Detect:	NONE	Product Gauge:	Yes
Dispense Method:	Suction	Install Date:	0180
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	1138
Tank Location:	Indoors, Aboveground	Capacity (Gal):	9200
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Other		
Description:	RIDOLENE 57	Containment:	DIKING AND PAD
Leak Detect:	NONE	Product Gauge:	Yes
Dispense Method:	Suction	Install Date:	0180
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	1139
Tank Location:	Indoors, Aboveground	Capacity (Gal):	17400
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Other		
Description:	RINSEWATER, ALKALINE	Containment:	DIKING AND PAD
Leak Detect:	NONE	Product Gauge:	No
Dispense Method:	Gravity	Install Date:	0180
Fill Type:	Gravity	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

GRUMMAN AEROSPACE CORP. (Continued)

U001854670

Facility ID:	000001	Tank ID:	1140
Tank Location:	Indoors, Aboveground	Capacity (Gal):	9200
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Other		
Description:	SODIUM HYDROXIDE	Containment:	DIKING AND PAD
Leak Detect:	NONE	Product Gauge:	Yes
Dispense Method:	Suction	Install Date:	0180
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	1141
Tank Location:	Indoors, Aboveground	Capacity (Gal):	9200
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Other		
Description:	ALODINE	Containment:	DIKING AND PAD
Leak Detect:	NONE	Product Gauge:	Yes
Dispense Method:	Suction	Install Date:	0180
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	1142
Tank Location:	Indoors, Aboveground	Capacity (Gal):	17400
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Other		
Description:	RINSEWATER, ACID	Containment:	DIKING AND PAD
Leak Detect:	NONE	Product Gauge:	No
Dispense Method:	Gravity	Install Date:	0180
Fill Type:	Gravity	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	1144
Tank Location:	Indoors, Aboveground	Capacity (Gal):	9200
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Other		
Description:	CHROMIC ACID	Containment:	DIKING AND PAD
Leak Detect:	NONE	Product Gauge:	Yes
Dispense Method:	Suction	Install Date:	0180
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

GRUMMAN AEROSPACE CORP. (Continued)

U001854670

Facility ID:	000001	Tank ID:	1145
Tank Location:	Indoors, Aboveground	Capacity (Gal):	17400
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Other		
Description:	RINSEWATER, ACID	Containment:	DIKING AND PAD
Leak Detect:	NONE	Product Gauge:	No
Dispense Method:	Gravity	Install Date:	0180
Fill Type:	Gravity	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	1150
Tank Location:	Outdoors, Aboveground	Capacity (Gal):	9200
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Waste
Piping Type:	Other		
Description:	ACIDS, NOS	Containment:	DIKING AND PAD
Leak Detect:	NONE	Product Gauge:	Yes
Dispense Method:	Suction	Install Date:	0181
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	1151
Tank Location:	Outdoors, Aboveground	Capacity (Gal):	9200
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Waste
Piping Type:	Other		
Description:	ACIDS, NOS	Containment:	DIKING AND PAD
Leak Detect:	NONE	Product Gauge:	Yes
Dispense Method:	Suction	Install Date:	0181
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	1152
Tank Location:	Outdoors, Aboveground	Capacity (Gal):	9200
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Waste
Piping Type:	Other		
Description:	ACIDS, NOS	Containment:	DIKING AND PAD
Leak Detect:	NONE	Product Gauge:	Yes
Dispense Method:	Suction	Install Date:	0181
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

GRUMMAN AEROSPACE CORP. (Continued)

U001854670

Facility ID:	000001	Tank ID:	1156
Tank Location:	Indoors, Aboveground	Capacity (Gal):	517
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Other	Material Type:	Fresh/Product
Description:	EMPTY/AUXILARY TANK		
Leak Detect:	NONE	Containment:	NONE
Dispense Method:	Suction	Product Gauge:	No
Fill Type:	Pumped	Install Date:	0179
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	000001	Tank ID:	1157
Tank Location:	Indoors, Aboveground	Capacity (Gal):	517
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Other	Material Type:	Fresh/Product
Description:	EMPTY/AUXILARY TANK		
Leak Detect:	NONE	Containment:	NONE
Dispense Method:	Suction	Product Gauge:	No
Fill Type:	Pumped	Install Date:	0179
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	000001	Tank ID:	1184
Tank Location:	Outdoors, Aboveground	Capacity (Gal):	10300
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	Internal Lining		
Ext Protection:	PAINTED (e.g. asphaltic)		
Piping Type:	Other	Material Type:	Waste
Description:	NITRIC & HYDROFLUORIC ACID MIX		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Suction	Product Gauge:	Yes
Fill Type:	Pumped	Install Date:	0181
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	000001	Tank ID:	1190
Tank Location:	Indoors, Aboveground	Capacity (Gal):	170
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Other	Material Type:	Fresh/Product
Description:	NITRIC ACID		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Suction	Product Gauge:	No
Fill Type:	Pumped	Install Date:	0176
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

GRUMMAN AEROSPACE CORP. (Continued)

U001854670

Facility ID:	000001	Tank ID:	1191
Tank Location:	Outdoors, Aboveground	Capacity (Gal):	1800
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Waste
Piping Type:	Other		
Description:	TRADE NAME, ORGANIC	Containment:	DIKING AND PAD
Leak Detect:	NONE	Product Gauge:	Yes
Dispense Method:	Suction	Install Date:	0181
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	1193
Tank Location:	Outdoors, Aboveground	Capacity (Gal):	3700
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	Internal Lining		
Ext Protection:	NONE	Material Type:	Waste
Piping Type:	Other		
Description:	ACIDS, NOS	Containment:	DIKING AND PAD
Leak Detect:	NONE	Product Gauge:	Yes
Dispense Method:	Suction	Install Date:	0182
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	1194
Tank Location:	Outdoors, Aboveground	Capacity (Gal):	3700
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	Internal Lining		
Ext Protection:	NONE	Material Type:	Waste
Piping Type:	Other		
Description:	ACIDS, NOS	Containment:	DIKING AND PAD
Leak Detect:	NONE	Product Gauge:	Yes
Dispense Method:	Suction	Install Date:	0182
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	1207
Tank Location:	Outdoors, Aboveground	Capacity (Gal):	10000
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	PAINTED [e.g. asphaltic]	Material Type:	Fresh/Product
Piping Type:	Steel/Iron		
Description:	TETRACHLOROETHYLENE	Containment:	DIKING AND PAD
Leak Detect:	NONE	Product Gauge:	Yes
Dispense Method:	Suction	Install Date:	0183
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

GRUMMAN AEROSPACE CORP. (Continued)

U001854670

Facility ID:	000001	Tank ID:	1221
Tank Location:	Indoors, Aboveground	Capacity (Gal):	2500
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	PAINTED (e.g. asphaltic)	Material Type:	Fresh/Product
Piping Type:	Steel/Iron		
Description:	TRICHLOROETHYLENE	Containment:	DIKING AND PAD
Leak Detect:	NONE	Product Gauge:	Yes
Dispense Method:	Submersible	Install Date:	0185
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	1222
Tank Location:	Indoors, Aboveground	Capacity (Gal):	8800
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Other		
Description:	RIDOLENE 57	Containment:	DIKING AND PAD
Leak Detect:	NONE	Product Gauge:	Yes
Dispense Method:	Suction	Install Date:	0185
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	1223
Tank Location:	Indoors, Aboveground	Capacity (Gal):	17400
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Other		
Description:	TANK, WATER RINSE	Containment:	DIKING AND PAD
Leak Detect:	NONE	Product Gauge:	Yes
Dispense Method:	Suction	Install Date:	0185
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	1224
Tank Location:	Indoors, Aboveground	Capacity (Gal):	8800
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Other		
Description:	NITRIC ACID	Containment:	DIKING AND PAD
Leak Detect:	NONE	Product Gauge:	Yes
Dispense Method:	Suction	Install Date:	0185
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number



GRUMMAN AEROSPACE CORP. (Continued)

U001854670

Facility ID:	000001	Tank ID:	1225
Tank Location:	Indoors, Aboveground	Capacity (Gal):	8800
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Other	Material Type:	Fresh/Product
Description:	NITRIC ACID		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Suction	Product Gauge:	Yes
Fill Type:	Pumped	Install Date:	0185
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	000001	Tank ID:	1226
Tank Location:	Indoors, Aboveground	Capacity (Gal):	17400
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Other	Material Type:	Fresh/Product
Description:	TANK, WATER RINSE		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Suction	Product Gauge:	Yes
Fill Type:	Pumped	Install Date:	0185
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	000001	Tank ID:	1228
Tank Location:	Indoors, Aboveground	Capacity (Gal):	8800
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Other	Material Type:	Fresh/Product
Description:	ALODINE		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Suction	Product Gauge:	Yes
Fill Type:	Pumped	Install Date:	0185
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	000001	Tank ID:	1229
Tank Location:	Indoors, Aboveground	Capacity (Gal):	17400
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Other	Material Type:	Fresh/Product
Description:	TANK, WATER RINSE		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Suction	Product Gauge:	Yes
Fill Type:	Pumped	Install Date:	0185
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported



MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

GRUMMAN AEROSPACE CORP. (Continued)

U001854670

Facility ID:	000001	Tank ID:	1230
Tank Location:	Indoors, Aboveground	Capacity (Gal):	8800
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Other	Containment:	DIKING AND PAD
Description:	SULPHURIC ACID	Product Gauge:	Yes
Leak Detect:	NONE	Install Date:	0185
Dispense Method:	Suction	Total Tanks:	Not reported
Fill Type:	Pumped		
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	1231
Tank Location:	Indoors, Aboveground	Capacity (Gal):	17400
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Other	Containment:	DIKING AND PAD
Description:	TANK, WATER RINSE	Product Gauge:	Yes
Leak Detect:	NONE	Install Date:	0185
Dispense Method:	Suction	Total Tanks:	Not reported
Fill Type:	Pumped		
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	1232
Tank Location:	Indoors, Aboveground	Capacity (Gal):	8800
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Other	Containment:	DIKING AND PAD
Description:	SODIUM DICHROMATE	Product Gauge:	Yes
Leak Detect:	NONE	Install Date:	0185
Dispense Method:	Suction	Total Tanks:	Not reported
Fill Type:	Pumped		
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	1233
Tank Location:	Indoors, Aboveground	Capacity (Gal):	17400
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Other	Containment:	DIKING AND PAD
Description:	TANK, WATER RINSE	Product Gauge:	Yes
Leak Detect:	NONE	Install Date:	0185
Dispense Method:	Suction	Total Tanks:	Not reported
Fill Type:	Pumped		
Data File:	Petroleum Bulk Storage Facility		

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

GRUMMAN AEROSPACE CORP. (Continued)

U001854670

Facility ID:	000001	Tank ID:	1239
Tank Location:	Indoors, Aboveground	Capacity (Gal):	900
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Steel/Iron	Material Type:	Fresh/Product
Description:	GLYCOL		
Leak Detect:	NONE	Containment:	NONE
Dispense Method:	Suction	Product Gauge:	Yes
Fill Type:	Pumped	Install Date:	0184
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	000001	Tank ID:	1251
Tank Location:	Indoors, Aboveground	Capacity (Gal):	365
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Steel/Iron	Material Type:	Fresh/Product
Description:	TRICHLOROETHYLENE		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Submersible	Product Gauge:	No
Fill Type:	Pumped	Install Date:	0186
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	000001	Tank ID:	1252
Tank Location:	Indoors, Aboveground	Capacity (Gal):	38430
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Other	Material Type:	Fresh/Product
Description:	SILICATES, NOS		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Suction	Product Gauge:	No
Fill Type:	Pumped	Install Date:	0185
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	000001	Tank ID:	1253
Tank Location:	Indoors, Aboveground	Capacity (Gal):	38430
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Other	Material Type:	Fresh/Product
Description:	TANK, WATER RINSE		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Suction	Product Gauge:	No
Fill Type:	Pumped	Install Date:	0185
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

GRUMMAN AEROSPACE CORP. (Continued)

U001854670

Facility ID:	000001	Tank ID:	1254
Tank Location:	Outdoors, Aboveground	Capacity (Gal):	6000
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	PAINTED [e.g. asphaltic]	Material Type:	Fresh/Product
Piping Type:	Steel/Iron		
Description:	METHANOL	Containment:	DIKING AND PAD
Leak Detect:	NONE	Product Gauge:	Yes
Dispense Method:	Suction	Install Date:	0185
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	1263
Tank Location:	Indoors, Aboveground	Capacity (Gal):	1600
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Steel/Iron		
Description:	POTASSIUM NITRATE	Containment:	DIKING AND PAD
Leak Detect:	NONE	Product Gauge:	No
Dispense Method:	Gravity	Install Date:	0177
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	1264
Tank Location:	Indoors, Aboveground	Capacity (Gal):	2700
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Waste
Piping Type:	Steel/Iron		
Description:	SODIUM NITRITE	Containment:	DIKING AND PAD
Leak Detect:	NONE	Product Gauge:	No
Dispense Method:	Submersible	Install Date:	0160
Fill Type:	Other	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	1265
Tank Location:	Indoors, Aboveground	Capacity (Gal):	375
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Steel/Iron		
Description:	LEAD	Containment:	NONE
Leak Detect:	NONE	Product Gauge:	No
Dispense Method:	Gravity	Install Date:	0181
Fill Type:	Other	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

GRUMMAN AEROSPACE CORP. (Continued)

U001854670

Facility ID:	000001	Tank ID:	1266
Tank Location:	Indoors, Aboveground	Capacity (Gal):	250
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Steel/Iron		
Description:	ZINC	Containment:	NONE
Leak Detect:	NONE	Product Gauge:	No
Dispense Method:	Gravity	Install Date:	0181
Fill Type:	Other	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	1267
Tank Location:	Indoors, Aboveground	Capacity (Gal):	5300
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	PAINTED [e.g. asphaltic]	Material Type:	Fresh/Product
Piping Type:	Steel/Iron		
Description:	ETHYLENE GLYCOL	Containment:	DIKING AND PAD
Leak Detect:	NONE	Product Gauge:	No
Dispense Method:	Suction	Install Date:	0187
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	1272
Tank Location:	Indoors, Aboveground	Capacity (Gal):	700
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Other		
Description:	TETRACHLOROETHYLENE	Containment:	DIKING AND PAD
Leak Detect:	NONE	Product Gauge:	No
Dispense Method:	Suction	Install Date:	0185
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	1273
Tank Location:	Indoors, Aboveground	Capacity (Gal):	2958
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Other		
Description:	TANK, WATER RINSE	Containment:	DIKING AND PAD
Leak Detect:	NONE	Product Gauge:	No
Dispense Method:	Suction	Install Date:	0188
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

GRUMMAN AEROSPACE CORP. (Continued)

U001854670

Facility ID:	000001	Tank ID:	1274
Tank Location:	Indoors, Aboveground	Capacity (Gal):	1525
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	Internal Lining		
Ext Protection:	PAINTED [e.g. asphaltic]	Material Type:	Fresh/Product
Piping Type:	Steel/Iron		
Description:	ETHYLENE GLYCOL	Containment:	DIKING AND PAD
Leak Detect:	NONE	Product Gauge:	No
Dispense Method:	Suction	Install Date:	0188
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	1275
Tank Location:	Indoors, Aboveground	Capacity (Gal):	1525
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	Internal Lining		
Ext Protection:	PAINTED [e.g. asphaltic]	Material Type:	Fresh/Product
Piping Type:	Steel/Iron		
Description:	TANK, WATER RINSE	Containment:	DIKING AND PAD
Leak Detect:	NONE	Product Gauge:	No
Dispense Method:	Suction	Install Date:	0188
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	1276
Tank Location:	Indoors, Aboveground	Capacity (Gal):	1960
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Other		
Description:	SODIUM NITRATE	Containment:	DIKING AND PAD
Leak Detect:	NONE	Product Gauge:	No
Dispense Method:	Suction	Install Date:	0188
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	1303
Tank Location:	Outdoors, Aboveground	Capacity (Gal):	600
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Steel/Iron		
Description:	TRICHLOROETHANE, 1,1,1-	Containment:	NONE
Leak Detect:	NONE	Product Gauge:	No
Dispense Method:	Suction	Install Date:	1255
Fill Type:	Gravity	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

GRUMMAN AEROSPACE CORP. (Continued)

U001854670

Facility ID:	000001	Tank ID:	1304
Tank Location:	Outdoors, Aboveground	Capacity (Gal):	500
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	PAINTED [e.g. asphaltic]	Material Type:	Fresh/Product
Piping Type:	Steel/Iron		
Description:	AMMONIA, ANHYDROUS	Containment:	NONE
Leak Detect:	NONE	Product Gauge:	Yes
Dispense Method:	Suction	Install Date:	0169
Fill Type:	Other	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	1345
Tank Location:	Indoors, Aboveground	Capacity (Gal):	30
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	PAINTED [e.g. asphaltic]	Material Type:	Fresh/Product
Piping Type:	Steel/Iron		
Description:	TRICHLOROETHYLENE	Containment:	OTHER
Leak Detect:	OTHER	Product Gauge:	No
Dispense Method:	Suction	Install Date:	0793
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	1346
Tank Location:	Indoors, Aboveground	Capacity (Gal):	14
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Not reported		
Description:	PHOTO DEVELOPER	Containment:	DIKING AND PAD
Leak Detect:	OTHER	Product Gauge:	No
Dispense Method:	Not reported	Install Date:	1294
Fill Type:	Other	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	1347
Tank Location:	Indoors, Aboveground	Capacity (Gal):	13
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Not reported		
Description:	URISCREEN-PEROXIDE & NA PERBORATE	Containment:	DIKING AND PAD
Leak Detect:	OTHER	Product Gauge:	No
Dispense Method:	Not reported	Install Date:	1294
Fill Type:	Other	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

GRUMMAN AEROSPACE CORP. (Continued)

U001854670

Facility ID:	000001	Tank ID:	1348
Tank Location:	Indoors, Aboveground	Capacity (Gal):	13
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Not reported	Containment:	DIKING AND PAD
Description:	RINSEWATER, ACID	Product Gauge:	No
Leak Detect:	OTHER	Install Date:	1294
Dispense Method:	Not reported	Total Tanks:	Not reported
Fill Type:	Other		
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	1349
Tank Location:	Indoors, Aboveground	Capacity (Gal):	14
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Not reported	Containment:	DIKING AND PAD
Description:	PHOTO DEVELOPER	Product Gauge:	No
Leak Detect:	OTHER	Install Date:	1294
Dispense Method:	Not reported	Total Tanks:	Not reported
Fill Type:	Other		
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	1350
Tank Location:	Indoors, Aboveground	Capacity (Gal):	13
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Not reported	Containment:	DIKING AND PAD
Description:	URISCREEN-PEROXIDE & NA PERBORATE	Product Gauge:	No
Leak Detect:	OTHER	Install Date:	1294
Dispense Method:	Not reported	Total Tanks:	Not reported
Fill Type:	Other		
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	1351
Tank Location:	Indoors, Aboveground	Capacity (Gal):	13
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Not reported	Containment:	DIKING AND PAD
Description:	RINSEWATER, ACID	Product Gauge:	No
Leak Detect:	OTHER	Install Date:	1294
Dispense Method:	Not reported	Total Tanks:	Not reported
Fill Type:	Other		
Data File:	Petroleum Bulk Storage Facility		

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

GRUMMAN AEROSPACE CORP. (Continued)

U001854670

Facility ID:	000001	Tank ID:	1352
Tank Location:	Indoors, Aboveground	Capacity (Gal):	13
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Not reported		
Description:	PHOTO DEVELOPER	Containment:	DIKING AND PAD
Leak Detect:	OTHER	Product Gauge:	No
Dispense Method:	Not reported	Install Date:	1294
Fill Type:	Other	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	1353
Tank Location:	Indoors, Aboveground	Capacity (Gal):	13
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Not reported		
Description:	URISCREEN-PEROXIDE & NA PERBORATE	Containment:	DIKING AND PAD
Leak Detect:	OTHER	Product Gauge:	No
Dispense Method:	Not reported	Install Date:	1294
Fill Type:	Other	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	1354
Tank Location:	Indoors, Aboveground	Capacity (Gal):	13
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Not reported		
Description:	RINSEWATER, ACID	Containment:	DIKING AND PAD
Leak Detect:	OTHER	Product Gauge:	No
Dispense Method:	Not reported	Install Date:	1294
Fill Type:	Other	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	1355
Tank Location:	Indoors, Aboveground	Capacity (Gal):	13
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Not reported		
Description:	PHOTO DEVELOPER	Containment:	DIKING AND PAD
Leak Detect:	OTHER	Product Gauge:	No
Dispense Method:	Not reported	Install Date:	1294
Fill Type:	Other	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

GRUMMAN AEROSPACE CORP. (Continued)

U001854670

Facility ID:	000001	Tank ID:	1356
Tank Location:	Indoors, Aboveground	Capacity (Gal):	13
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Not reported	Material Type:	Fresh/Product
Description:	URISCREEN-PEROXIDE & NA PERBORATE	Containment:	DIKING AND PAD
Leak Detect:	OTHER	Product Gauge:	No
Dispense Method:	Not reported	Install Date:	1294
Fill Type:	Other	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	1357
Tank Location:	Indoors, Aboveground	Capacity (Gal):	13
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Not reported	Material Type:	Fresh/Product
Description:	RINSEWATER, ACID	Containment:	DIKING AND PAD
Leak Detect:	OTHER	Product Gauge:	No
Dispense Method:	Not reported	Install Date:	1294
Fill Type:	Other	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	2004
Tank Location:	Indoors, Aboveground	Capacity (Gal):	275
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	PAINTED [e.g. asphaltic]	Material Type:	Fresh/Product
Piping Type:	Steel/Iron	Containment:	NONE
Description:	OIL, MOTOR	Product Gauge:	Yes
Leak Detect:	NONE	Install Date:	0168
Dispense Method:	Suction	Total Tanks:	Not reported
Fill Type:	Pumped		
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	2090
Tank Location:	Outdoors, Aboveground	Capacity (Gal):	517
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Waste
Piping Type:	Other	Containment:	DIKING AND PAD
Description:	PHOTO CHEMICALS, NOS	Product Gauge:	Yes
Leak Detect:	NONE	Install Date:	0184
Dispense Method:	Suction	Total Tanks:	Not reported
Fill Type:	Pumped		
Data File:	Petroleum Bulk Storage Facility		

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

GRUMMAN AEROSPACE CORP. (Continued)

U001854670

Facility ID:	000001	Tank ID:	6006
Tank Location:	Indoors, Aboveground	Capacity (Gal):	175
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	PAINTED [e.g. asphaltic]		
Piping Type:	Other	Material Type:	Fresh/Product
Description:	ORGANICS, MISC		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Submersible	Product Gauge:	No
Fill Type:	Other	Install Date:	0184
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	000001	Tank ID:	6008
Tank Location:	Indoors, Aboveground	Capacity (Gal):	175
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	PAINTED [e.g. asphaltic]		
Piping Type:	Other	Material Type:	Fresh/Product
Description:	WASTEWATER TREATMENT CHEMICALS, NOS		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Submersible	Product Gauge:	No
Fill Type:	Other	Install Date:	0184
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	000001	Tank ID:	7002
Tank Location:	Indoors, Aboveground	Capacity (Gal):	4800
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Steel/Iron	Material Type:	Fresh/Product
Description:	EMPTY/AUXILARY TANK		
Leak Detect:	NONE	Containment:	NONE
Dispense Method:	Suction	Product Gauge:	Yes
Fill Type:	Pumped	Install Date:	0160
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	000001	Tank ID:	9001
Tank Location:	Indoors, Aboveground	Capacity (Gal):	11000
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Other	Material Type:	Waste
Description:	WATER, MISC. INDUSTRIAL WASTES		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Gravity	Product Gauge:	No
Fill Type:	Pumped	Install Date:	0147
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

GRUMMAN AEROSPACE CORP. (Continued)

U001854670

Facility ID:	000001	Tank ID:	9002
Tank Location:	Indoors, Aboveground	Capacity (Gal):	11000
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Other	Material Type:	Waste
Description:	WATER, MISC. INDUSTRIAL WASTES		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Gravity	Product Gauge:	No
Fill Type:	Pumped	Install Date:	0147
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	000001	Tank ID:	9003
Tank Location:	Indoors, Aboveground	Capacity (Gal):	11000
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Other	Material Type:	Waste
Description:	WATER, MISC. INDUSTRIAL WASTES		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Gravity	Product Gauge:	No
Fill Type:	Pumped	Install Date:	0147
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	000001	Tank ID:	9004
Tank Location:	Indoors, Aboveground	Capacity (Gal):	11000
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Other	Material Type:	Waste
Description:	WATER, MISC. INDUSTRIAL WASTES		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Gravity	Product Gauge:	No
Fill Type:	Pumped	Install Date:	0147
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	000001	Tank ID:	9005
Tank Location:	Indoors, Aboveground	Capacity (Gal):	15000
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Other	Material Type:	Waste
Description:	WATER, MISC. INDUSTRIAL WASTES		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Gravity	Product Gauge:	No
Fill Type:	Pumped	Install Date:	0147
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

GRUMMAN AEROSPACE CORP. (Continued)

U001854670

Facility ID:	000001	Tank ID:	9006
Tank Location:	Indoors, Aboveground	Capacity (Gal):	15000
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Other	Material Type:	Waste
Description:	WATER, MISC. INDUSTRIAL WASTES		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Gravity	Product Gauge:	No
Fill Type:	Pumped	Install Date:	0170
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	000001	Tank ID:	9007
Tank Location:	Indoors, Aboveground	Capacity (Gal):	15000
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Other	Material Type:	Waste
Description:	WATER, MISC. INDUSTRIAL WASTES		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Gravity	Product Gauge:	No
Fill Type:	Pumped	Install Date:	0170
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	000001	Tank ID:	9008
Tank Location:	Indoors, Aboveground	Capacity (Gal):	15000
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Other	Material Type:	Waste
Description:	WATER, MISC. INDUSTRIAL WASTES		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Gravity	Product Gauge:	No
Fill Type:	Pumped	Install Date:	0170
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported
Facility ID:	000001	Tank ID:	9009
Tank Location:	Indoors, Aboveground	Capacity (Gal):	15000
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Other	Material Type:	Waste
Description:	WATER, MISC. INDUSTRIAL WASTES		
Leak Detect:	NONE	Containment:	DIKING AND PAD
Dispense Method:	Gravity	Product Gauge:	No
Fill Type:	Pumped	Install Date:	0170
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

GRUMMAN AEROSPACE CORP. (Continued)

U001854670

Facility ID:	000001	Tank ID:	9010
Tank Location:	Indoors, Aboveground	Capacity (Gal):	4700
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	Internal Lining		
Ext Protection:	NONE	Material Type:	Waste
Piping Type:	Other		
Description:	SLUDGE WASTES, INORGANIC	Containment:	DIKING AND PAD
Leak Detect:	NONE	Product Gauge:	No
Dispense Method:	Suction	Install Date:	0177
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	9011
Tank Location:	Indoors, Aboveground	Capacity (Gal):	4700
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	Internal Lining		
Ext Protection:	NONE	Material Type:	Waste
Piping Type:	Other		
Description:	SLUDGE WASTES, INORGANIC	Containment:	DIKING AND PAD
Leak Detect:	NONE	Product Gauge:	No
Dispense Method:	Suction	Install Date:	0177
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	9012
Tank Location:	Indoors, Aboveground	Capacity (Gal):	2000
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	Internal Lining		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Other		
Description:	INORGANICS, MISC	Containment:	DIKING AND PAD
Leak Detect:	NONE	Product Gauge:	No
Dispense Method:	Suction	Install Date:	0177
Fill Type:	Other	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	9013
Tank Location:	Indoors, Aboveground	Capacity (Gal):	300
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Other		
Description:	CALCIUM CARBONATE	Containment:	DIKING AND PAD
Leak Detect:	NONE	Product Gauge:	No
Dispense Method:	Suction	Install Date:	0177
Fill Type:	Other	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

GRUMMAN AEROSPACE CORP. (Continued)

U001854670

Facility ID:	000001	Tank ID:	9014
Tank Location:	Indoors, Aboveground	Capacity (Gal):	300
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Other	Containment:	DIKING AND PAD
Description:	CALCIUM CARBONATE	Product Gauge:	No
Leak Detect:	NONE	Install Date:	0177
Dispense Method:	Suction	Total Tanks:	Not reported
Fill Type:	Other		
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	9303
Tank Location:	Indoors, Aboveground	Capacity (Gal):	3800
Tank Status:	In Service	Tank Material:	CONCRETE
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Waste
Piping Type:	Other	Containment:	DIKING AND PAD
Description:	TANK, WASTE TREATMENT	Product Gauge:	No
Leak Detect:	NONE	Install Date:	0143
Dispense Method:	Suction	Total Tanks:	Not reported
Fill Type:	Pumped		
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	9307
Tank Location:	Indoors, Aboveground	Capacity (Gal):	16000
Tank Status:	In Service	Tank Material:	Fiberglass Reinforced Plastic
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Waste
Piping Type:	Other	Containment:	DIKING AND PAD
Description:	TANK, WASTE TREATMENT	Product Gauge:	Yes
Leak Detect:	NONE	Install Date:	0184
Dispense Method:	Submersible	Total Tanks:	Not reported
Fill Type:	Pumped		
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	9309
Tank Location:	Indoors, Aboveground	Capacity (Gal):	16000
Tank Status:	In Service	Tank Material:	Fiberglass Reinforced Plastic
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Waste
Piping Type:	Other	Containment:	DIKING AND PAD
Description:	TANK, WASTE TREATMENT	Product Gauge:	Yes
Leak Detect:	NONE	Install Date:	0184
Dispense Method:	Submersible	Total Tanks:	Not reported
Fill Type:	Pumped		
Data File:	Petroleum Bulk Storage Facility		

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

GRUMMAN AEROSPACE CORP. (Continued)

U001854670

Facility ID:	000001	Tank ID:	9310
Tank Location:	Outdoors, Aboveground	Capacity (Gal):	20600
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	PAINTED [e.g. asphaltic]	Material Type:	Waste
Piping Type:	Other		
Description:	ACIDS, NOS	Containment:	DIKING AND PAD
Leak Detect:	NONE	Product Gauge:	Yes
Dispense Method:	Submersible	Install Date:	0184
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	9311
Tank Location:	Outdoors, Aboveground	Capacity (Gal):	12690
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	PAINTED [e.g. asphaltic]	Material Type:	Waste
Piping Type:	Other		
Description:	CHARACTERISTIC OF CORROSIVITY	Containment:	DIKING AND PAD
Leak Detect:	NONE	Product Gauge:	Yes
Dispense Method:	Submersible	Install Date:	0184
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	9312
Tank Location:	Indoors, Aboveground	Capacity (Gal):	16900
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Waste
Piping Type:	Other		
Description:	NITRIC ACID	Containment:	DIKING AND PAD
Leak Detect:	NONE	Product Gauge:	Yes
Dispense Method:	Submersible	Install Date:	0184
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	9313
Tank Location:	Outdoors, Aboveground	Capacity (Gal):	10000
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	PAINTED [e.g. asphaltic]	Material Type:	Fresh/Product
Piping Type:	Other		
Description:	SULPHURIC ACID	Containment:	DIKING AND PAD
Leak Detect:	NONE	Product Gauge:	Yes
Dispense Method:	Submersible	Install Date:	0184
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

GRUMMAN AEROSPACE CORP. (Continued)

U001854670

Facility ID:	000001	Tank ID:	9316
Tank Location:	Indoors, Aboveground	Capacity (Gal):	16000
Tank Status:	In Service	Tank Material:	Fiberglass Reinforced Plastic
Int Protection:	None		
Ext Protection:	PAINTED [e.g. asphaltic]	Material Type:	Waste
Piping Type:	Other		
Description:	ORGANICS, MISC	Containment:	DIKING AND PAD
Leak Detect:	NONE	Product Gauge:	Yes
Dispense Method:	Submersible	Install Date:	0184
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	9317
Tank Location:	Indoors, Aboveground	Capacity (Gal):	4000
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	CATHODIC PROTECTION	Material Type:	Waste
Piping Type:	Other		
Description:	WATER TANK	Containment:	DIKING AND PAD
Leak Detect:	NONE	Product Gauge:	No
Dispense Method:	Gravity	Install Date:	0184
Fill Type:	Gravity	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	9318
Tank Location:	Indoors, Aboveground	Capacity (Gal):	40
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Waste
Piping Type:	Other		
Description:	ORGANICS, MISC	Containment:	DIKING AND PAD
Leak Detect:	NONE	Product Gauge:	No
Dispense Method:	Gravity	Install Date:	0184
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	9320
Tank Location:	Outdoors, Aboveground	Capacity (Gal):	7000
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	PAINTED [e.g. asphaltic]	Material Type:	Fresh/Product
Piping Type:	Other		
Description:	HYDROGEN PEROXIDE	Containment:	DIKING AND PAD
Leak Detect:	NONE	Product Gauge:	Yes
Dispense Method:	Submersible	Install Date:	0184
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

GRUMMAN AEROSPACE CORP. (Continued)

U001854670

Facility ID:	000001	Tank ID:	9322
Tank Location:	Indoors, Aboveground	Capacity (Gal):	2000
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Other		
Description:	AMMONIUM NITRATE	Containment:	DIKING AND PAD
Leak Detect:	NONE	Product Gauge:	No
Dispense Method:	Suction	Install Date:	0188
Fill Type:	Gravity	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	9323
Tank Location:	Indoors, Aboveground	Capacity (Gal):	980
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Waste
Piping Type:	Other		
Description:	ORGANICS, MISC	Containment:	DIKING AND PAD
Leak Detect:	NONE	Product Gauge:	No
Dispense Method:	Suction	Install Date:	0184
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	9329
Tank Location:	Outdoors, Aboveground	Capacity (Gal):	8000
Tank Status:	In Service	Tank Material:	Fiberglass Reinforced Plastic
Int Protection:	None		
Ext Protection:	PAINTED (e.g. asphaltic)	Material Type:	Fresh/Product
Piping Type:	Other		
Description:	SODIUM HYDROXIDE	Containment:	DIKING AND PAD
Leak Detect:	NONE	Product Gauge:	Yes
Dispense Method:	Submersible	Install Date:	0184
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	000001	Tank ID:	9330
Tank Location:	Outdoors, Aboveground	Capacity (Gal):	11800
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	Internal Lining		
Ext Protection:	PAINTED (e.g. asphaltic)	Material Type:	Fresh/Product
Piping Type:	Other		
Description:	HYDROFLUORIC ACID	Containment:	DIKING AND PAD
Leak Detect:	NONE	Product Gauge:	Yes
Dispense Method:	Submersible	Install Date:	0184
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

GRUMMAN AEROSPACE CORP. (Continued)

U001854670

Facility ID:	000001	Tank ID:	9332
Tank Location:	Outdoors, Aboveground	Capacity (Gal):	5800
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	OTHER		
Piping Type:	Fiberglass	Material Type:	Waste
Description:	WATER TANK		
Leak Detect:	NONE	Containment:	NONE
Dispense Method:	Gravity	Product Gauge:	No
Fill Type:	Pumped	Install Date:	0184
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported

Facility ID:	000001	Tank ID:	9333
Tank Location:	Outdoors, Aboveground	Capacity (Gal):	5800
Tank Status:	In Service	Tank Material:	OTHER
Int Protection:	None		
Ext Protection:	OTHER		
Piping Type:	Fiberglass	Material Type:	Waste
Description:	WATER TANK		
Leak Detect:	NONE	Containment:	NONE
Dispense Method:	Gravity	Product Gauge:	No
Fill Type:	Pumped	Install Date:	0184
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported

65

**GRUMMAN CORP OPERATIONS
STEWART AVENUE
BETHPAGE, NY**

LUST

**S101102368
N/A**

LUST:

Facility ID:	9402644	Spill Date:	03/16/1994
First notified:	REGIONAL OFFICE	Material class:	PETROLEUM
Material spilled:	#2 FUEL	Release QTY:	0.00 GALLONS
Water body affected:	Not reported	Origin:	COMMINDUST
Resource affected:	GROUNDWATER	Notifier:	HEALTH DEPARTMENT
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	10/02/1995
Initiated clean up:	Not reported	Close Date:	10/02/1995
Last inspection:	Not reported	Investigator:	T/T/F
UST Trust Fund:	No		
Status:	MEANS ITS BEEN RESOLVED	Penalty:	NO PENALTY
Quantity recovered:	0.00		
Cause:	TANK TEST FAILURE [BULK STORE. PRO.]		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

65

**GRUMMAN BETHPAGE
STEWART AVENUE
BETHPAGE, NY**

LUST

**S100666789
N/A**

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

GRUMMAN BETHPAGE (Continued)

S100666789

LUST:

Facility ID:	9213848	Spill Date:	03/17/1993
First notified:	REGIONAL OFFICE	Material class:	PETROLEUM
Material spilled:	DIESEL	Release QTY:	40.00 GALLONS
Water body affected:	Not reported	Origin:	COMMINDUST
Resource affected:	ON LAND	Notifier:	RESPONSIBLE PARTY
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	Not reported
Initiated clean up:	Not reported	Close Date:	Not reported
Last Inspection:	Not reported	Investigator:	KISPERT DRO
UST Trust Fund:	No		
Status:	Not reported	Penalty:	NO PENALTY
Quantity recovered:	0.00		
Cause:	OTHER		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	ACTIVE SPILL [ON GOING]		

65

**GRUMMAN
STEWART AVE / SO OYSTER B
BETHPAGE, NY**

LUST

S100781235
N/A

LUST:

Facility ID:	9309349	Spill Date:	11/01/1993
First notified:	REGIONAL OFFICE	Material class:	PETROLEUM
Material spilled:	GASOLINE	Release QTY:	0.00 GALLONS
Water body affected:	Not reported	Origin:	COMMINDUST
Resource affected:	ON LAND	Notifier:	DEC
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	03/01/1994
Initiated clean up:	Not reported	Close Date:	03/01/1994
Last Inspection:	Not reported	Investigator:	PARISH
UST Trust Fund:	No		
Status:	MEANS ITS BEEN RESOLVED	Penalty:	NO PENALTY
Quantity recovered:	0.00		
Cause:	OTHER		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

65

**GRUMMAN AEROSPACE-BETHPAGE FACILITY
STEWART AVENUE
BETHPAGE, NY 11714**

SHWS

S101008267
N/A

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

GRUMMAN AEROSPACE-BETHPAGE FACILITY (Continued)

S101008267

SHWS:
 Facility ID: 130003A EPA ID: NYD002047967
 Owner: Grumman Aerospace Corp
 Mail Stop B08-30
 Bethpage, NY 11714
 Owner Telephone: Not reported
 Operator: Grumman Aerospace Corp
 Mail Stop B08-30
 Bethpage, NY 11714
 Contact: John Ohlman Telephone: Not reported
 Site Classification: Significant threat to the public health or environment - action required.
 Region: 1
 Site Type: Lagoon, Landfill
 Acres: 318 User: Grumman Aerospace Corp.
 HW Started: 1943 HW Ended: present
 HW Disposed: Chromium sludge, Paint sludge, Metals, Chlorinated solvents
 Units: unknown, unknown, unknown, unknown
 Air Data: Unavailable Surf. Water Data: Unavailable
 Gmd. Water Data: Available Soil Data: Available
 Sediment Data: Available
 Ground Water Standards Contravention: Yes
 Drinking Water Standards Contravention: Yes
 Surface Water Standards Contravention: No
 Air Standards Contravention: No
 Enforcement Status: Order Has Been Signed Legal Action: No
 State Action: Yes Fed Action: No
 Remedial Action: In Progress, Completed
 Rmdl Action Type: RI-FS groundwater-OU II, and on-site soil-OU I
 Soil Type: Sand
 Gmd Water Depth: Approximately 55 feet
 Assessment of Environmental Problems:
 Two of the municipal water supplies downgradient have been impacted and others are threatened.
 Assessment of Health Problems:
 On-site contamination of soil, surface water (leaching basins), and groundwater may provide routes of on-site exposure to humans. However, no exposures have been identified. Groundwater on-site is contaminated but it is not used as a potable water supply. Contamination was detected at Bethpage Water District Plants 6 and 4. A treatment system is in operation at Plant 6. Trichloroethene was detected for the first time at concentrations below New York State Drinking Water Standards in samples from Bethpage Water District Plant 4 during December 1992. Plans are being developed to install treatment for this facility and for the Bethpage Water District Plant 5. The treatment facility for Plant 5 is planned in anticipation that the contamination will eventually reach this facility. So far, no contamination has been found at Plant 5.

65

**NORTHROP GRUMMAN
 SO OYSTER BAY ROAD
 BETHPAGE, NY**

LUST

S101340215
 N/A

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

NORTHROP GRUMMAN (Continued)

S101340215

LUST:

Facility ID:	9413982	Spill Date:	01/18/1995
First notified:	REGIONAL OFFICE	Material class:	PETROLEUM
Material spilled:	GASOLINE	Release QTY:	0.00 GALLONS
Water body affected:	Not reported	Origin:	MAJOR FACILITY 400,000 GAL
Resource affected:	ON LAND	Notifier:	DEC
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	Not reported
Initiated clean up:	Not reported	Close Date:	Not reported
Last Inspection:	Not reported	Investigator:	MATTHEWS
UST Trust Fund:	No		
Status:	Not reported	Penalty:	NO PENALTY
Quantity recovered:	0.00		
Cause:	OTHER		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	ACTIVE SPILL [ON GOING]		

65

**GRUMMAN
PLANT #2 HANGER
BETHPAGE, NY**

LUST

S100665943
N/A

LUST:


Facility ID:	8909211	Spill Date:	12/19/1989
First notified:	REGIONAL OFFICE	Material class:	NONPETRONONHAZ
Material spilled:	Not Reported	Release QTY:	1.00 GALLONS
Water body affected:	Not reported	Origin:	NON-COMMNST
Resource affected:	IN SEWER	Notifier:	RESPONSIBLE PARTY
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	12/21/1989
Initiated clean up:	Not reported	Close Date:	12/21/1989
Last Inspection:	Not reported	Investigator:	NONE
UST Trust Fund:	No		
Status:	MEANS ITS BEEN RESOLVED	Penalty:	NO PENALTY
Quantity recovered:	0.00		
Cause:	OTHER		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

65

**GRUMMAN AEROSPACE
BUILDING 116-01-1
BETHPAGE, NY**

LUST

S100173006
N/A



MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

GRUMMAN AEROSPACE (Continued)

S100173006

LUST:

Facility ID:	8901526	Spill Date:	05/16/1989
First notified:	REGIONAL OFFICE	Material class:	PETROLEUM
Material spilled:	#2 FUEL	Release QTY:	0.00 GALLONS
Water body affected:	Not reported	Origin:	MAJOR FACILITY 400,000 GAL
Resource affected:	GROUNDWATER	Notifier:	TANK TESTER
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	05/01/1992
Initiated clean up:	Not reported	Close Date:	05/01/1992
Last Inspection:	Not reported	Investigator:	LEUNG
UST Trust Fund:	No	Penalty:	NO PENALTY
Status:	MEANS ITS BEEN RESOLVED		
Quantity recovered:	0.00		
Cause:	TANK TEST FAILURE [BULK STORE. PRO.]		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

65

**GRUMMAN AEROSPACE
BLDG 28
BETHPAGE, NY**

LUST

S101173531
N/A

LUST:

Facility ID:	9408269	Spill Date:	09/21/1994
First notified:	C	Material class:	PETROLEUM
Material spilled:	#2 FUEL	Release QTY:	0.00 GALLONS
Water body affected:	Not reported	Origin:	COMMINDUST
Resource affected:	GROUNDWATER	Notifier:	TANK TESTER
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	Not reported
Initiated clean up:	Not reported	Close Date:	Not reported
Last Inspection:	Not reported	Investigator:	T/T/F
UST Trust Fund:	No	Penalty:	NO PENALTY
Status:	Not reported		
Quantity recovered:	0.00		
Cause:	TANK TEST FAILURE [BULK STORE. PRO.]		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	ACTIVE SPILL [ON GOING]		

65

**GRUMMAN AEROSPACE
EAST END OF PLANT #3
BETHPAGE, NY**

LUST

S100665775
N/A

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

GRUMMAN AEROSPACE (Continued)

S100665775

LUST:

Facility ID:	8807681	Spill Date:	12/20/1988
First notified:	REGIONAL OFFICE	Material class:	HAZARDOUS MATERIAL
Material spilled:	Not Reported	Release QTY:	2.00 GALLONS
Water body affected:	Not reported	Origin:	TANK TRUCK
Resource affected:	ON LAND	Notifier:	RESPONSIBLE PARTY
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	12/30/1988
Initiated clean up:	Not reported	Close Date:	12/30/1988
Last Inspection:	Not reported	Investigator:	GOERTZ
UST Trust Fund:	No	Penalty:	NO PENALTY
Status:	MEANS ITS BEEN RESOLVED		
Quantity recovered:	0.00		
Cause:	OTHER		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

65

**GRUMMAN AEROSPACE
GRUMMAN AEROSPACE PL #20
BETHPAGE, NY**

LUST

S100559911
N/A

LUST:

Facility ID:	9304043	Spill Date:	06/29/1993
First notified:	REGIONAL OFFICE	Material class:	PETROLEUM
Material spilled:	DIESEL	Release QTY:	0.00 GALLONS
Water body affected:	Not reported	Origin:	COMMINDUST
Resource affected:	GROUNDWATER	Notifier:	TANK TESTER
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	Not reported
Initiated clean up:	Not reported	Close Date:	Not reported
Last Inspection:	Not reported	Investigator:	T/T/F TL MOSF
UST Trust Fund:	Yes	Penalty:	NO PENALTY
Status:	Not reported		
Quantity recovered:	0.00		
Cause:	TANK TEST FAILURE [BULK STORE. PRO.]		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	ACTIVE SPILL [ON GOING]		

65

**GRUMMAN AEROSPACE
BLDG 115
BETHPAGE, NY**

LUST

S100168920
N/A

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

GRUMMAN AEROSPACE (Continued)

S100168920

LUST:

Facility ID:	8807239	Spill Date:	12/01/1988
First notified:	C	Material class:	PETROLEUM
Material spilled:	#2 FUEL	Release QTY:	0.00 GALLONS
Water body affected:	Not reported	Origin:	COMMINDUST
Resource affected:	GROUNDWATER	Notifier:	TANK TESTER
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	01/10/1989
Initiated clean up:	Not reported	Close Date:	01/10/1989
Last inspection:	Not reported	Investigator:	GOERTZ
UST Trust Fund:	No	Penalty:	NO PENALTY
Status:	MEANS ITS BEEN RESOLVED		
Quantity recovered:	0.00		
Cause:	TANK TEST FAILURE [BULK STORE. PRO.]		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

65

**GRUMMAN CORP
RTE 107
BETHPAGE, NY**

LUST

S100666542
N/A

LUST:

Facility ID:	9010127	Spill Date:	12/18/1990
First notified:	REGIONAL OFFICE	Material class:	HAZARDOUS MATERIAL
Material spilled:	Not Reported	Release QTY:	50.00 GALLONS
Water body affected:	Not reported	Origin:	COMMINDUST
Resource affected:	ON LAND	Notifier:	RESPONSIBLE PARTY
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	12/19/1990
Initiated clean up:	Not reported	Close Date:	12/19/1990
Last inspection:	Not reported	Investigator:	HOFMANN
UST Trust Fund:	No	Penalty:	NO PENALTY
Status:	MEANS ITS BEEN RESOLVED		
Quantity recovered:	0.00		
Cause:	OTHER		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

65

**GRUMMAN AEROSPACE
BUILDING #2 GRUMMAN
BETHPAGE, NY**

LUST

S100171769
N/A

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

GRUMMAN AEROSPACE (Continued)

S100171769

LUST:

Facility ID:	8704145	Spill Date:	08/19/1987
First notified:	REGIONAL OFFICE	Material class:	PETROLEUM
Material spilled:	#2 FUEL	Release QTY:	0.00 GALLONS
Water body affected:	Not reported	Origin:	COMMINDUST
Resource affected:	GROUNDWATER	Notifier:	TANK TESTER
Basin of spill:	17	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	09/23/1987
Initiated clean up:	Not reported	Close Date:	09/23/1987
Last Inspection:	Not reported	Investigator:	O'NEILL
UST Trust Fund:	No		
Status:	MEANS ITS BEEN RESOLVED	Penalty:	NO PENALTY
Quantity recovered:	0.00		
Cause:	TANK TEST FAILURE [BULK STORE. PRO.]		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

65

**GRUMMAN AEROSPACE
SO OYSTER BAY RD BLDG #1
BETHPAGE, NY**

LUST

S100664793
N/A

LUST:

Facility ID:	9207215	Spill Date:	09/22/1992
First notified:	C	Material class:	PETROLEUM
Material spilled:	Not Reported	Release QTY:	0.00 GALLONS
Water body affected:	Not reported	Origin:	COMMINDUST
Resource affected:	ON LAND	Notifier:	OTHER
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	09/25/1992
Initiated clean up:	Not reported	Close Date:	09/25/1992
Last Inspection:	Not reported	Investigator:	PARISH
UST Trust Fund:	No		
Status:	MEANS ITS BEEN RESOLVED	Penalty:	NO PENALTY
Quantity recovered:	0.00		
Cause:	OTHER		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

65

**GRUMMAN BLDG #3
STEWART AVE
BETHPAGE, NY**

LUST

S101173516
N/A

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

GRUMMAN BLDG #3 (Continued)

S101173516

LUST:

Facility ID:	9406455	Spill Date:	08/11/1994
First notified:	C	Material class:	PETROLEUM
Material spilled:	DIESEL	Release QTY:	0.00 GALLONS
Water body affected:	Not reported	Origin:	COMMINDUST
Resource affected:	GROUNDWATER	Notifier:	TANK TESTER
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	Not reported
Initiated clean up:	Not reported	Close Date:	Not reported
Last inspection:	Not reported	Investigator:	T/T/F
UST Trust Fund:	Yes	Penalty:	NO PENALTY
Status:	Not reported		
Quantity recovered:	0.00		
Cause:	TANK TEST FAILURE [BULK STORE. PRO.]		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	ACTIVE SPILL [ON GOING]		

65

**GRUMMAN AEROSPACE
BUILDING 04-01-1
BETHPAGE, NY**

LUST

S100169213
N/A

LUST:

Facility ID:	8901527	Spill Date:	05/12/1989
First notified:	REGIONAL OFFICE	Material class:	PETROLEUM
Material spilled:	#2 FUEL	Release QTY:	0.00 GALLONS
Water body affected:	Not reported	Origin:	MAJOR FACILITY 400,000 GAL
Resource affected:	GROUNDWATER	Notifier:	TANK TESTER
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	05/23/1989
Initiated clean up:	Not reported	Close Date:	05/23/1989
Last inspection:	Not reported	Investigator:	LEUNG
UST Trust Fund:	No	Penalty:	NO PENALTY
Status:	MEANS ITS BEEN RESOLVED		
Quantity recovered:	0.00		
Cause:	TANK TEST FAILURE [BULK STORE. PRO.]		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

65

**GRUMMAN PLANT #20
STEWART AVE
BETHPAGE, NY**

LUST

S100491399
N/A

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

GRUMMAN PLANT #20 (Continued)

S100491399

LUST:

Facility ID:	9204511	Spill Date:	07/20/1992
First notified:	C	Material class:	PETROLEUM
Material spilled:	DIESEL	Release QTY:	0.00 GALLONS
Water body affected:	Not reported	Origin:	COMMINDUST
Resource affected:	GROUNDWATER	Notifier:	TANK TESTER
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	09/30/1992
Initiated clean up:	Not reported	Close Date:	09/30/1992
Last Inspection:	Not reported	Investigator:	T/T/F
UST Trust Fund:	Yes	Penalty:	NO PENALTY
Status:	MEANS ITS BEEN RESOLVED		
Quantity recovered:	0.00		
Cause:	TANK TEST FAILURE [BULK STORE. PRO.]		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

Facility ID:	9302603	Spill Date:	05/26/1993
First notified:	C	Material class:	PETROLEUM
Material spilled:	#2 FUEL	Release QTY:	0.00 GALLONS
Water body affected:	Not reported	Origin:	COMMINDUST
Resource affected:	GROUNDWATER	Notifier:	TANK TESTER
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	07/27/1993
Initiated clean up:	Not reported	Close Date:	07/27/1993
Last Inspection:	Not reported	Investigator:	T/T/F
UST Trust Fund:	No	Penalty:	NO PENALTY
Status:	MEANS ITS BEEN RESOLVED		
Quantity recovered:	0.00		
Cause:	TANK TEST FAILURE [BULK STORE. PRO.]		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

65

**GRUMMAN AEROSPACE
BUILDING #1
BETHPAGE, NY**

LUST

S100171849
N/A

LUST:

Facility ID:	8705197	Spill Date:	09/21/1987
First notified:	REGIONAL OFFICE	Material class:	PETROLEUM
Material spilled:	JET FUEL	Release QTY:	0.00 GALLONS
Water body affected:	Not reported	Origin:	COMMINDUST
Resource affected:	GROUNDWATER	Notifier:	TANK TESTER
Basin of spill:	17	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	10/14/1987
Initiated clean up:	Not reported	Close Date:	10/14/1987
Last Inspection:	Not reported	Investigator:	GOERTZ
UST Trust Fund:	Yes	Penalty:	NO PENALTY
Status:	MEANS ITS BEEN RESOLVED		
Quantity recovered:	0.00		
Cause:	TANK TEST FAILURE [BULK STORE. PRO.]		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

MAP FINDINGS

Map ID			EDR ID Number
Direction			EPA ID Number
Distance	Site	Database(s)	

65	GRUMMAN AEROSPACE BLDG 111 BETHPAGE, NY	LUST	S100173439 N/A
----	--	------	-------------------

LUST:

Facility ID:	9001711	Spill Date:	05/14/1990
First notified:	C	Material class:	PETROLEUM
Material spilled:	#2 FUEL	Release QTY:	0.00 GALLONS
Water body affected:	Not reported	Origin:	COMMINDUST
Resource affected:	ON LAND	Notifier:	TANK TESTER
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	09/10/1993
Initiated clean up:	Not reported	Close Date:	09/10/1993
Last Inspection:	Not reported	Investigator:	T/T/F
UST Trust Fund:	No		
Status:	MEANS ITS BEEN RESOLVED	Penalty:	NO PENALTY
Quantity recovered:	0.00		
Cause:	TANK TEST FAILURE [BULK STORE. PRO.]		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

65	GRUMMAN AEROSPACE GRUMMAN FACILITY BLDG 1 BETHPAGE, NY	LUST	S100171783 N/A
----	---	------	-------------------

LUST:

Facility ID:	8704386	Spill Date:	08/26/1987
First notified:	REGIONAL OFFICE	Material class:	PETROLEUM
Material spilled:	JET FUEL	Release QTY:	0.00 GALLONS
Water body affected:	Not reported	Origin:	COMMINDUST
Resource affected:	GROUNDWATER	Notifier:	FIRE DEPARTMENT
Basin of spill:	17	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	10/14/1987
Initiated clean up:	Not reported	Close Date:	10/14/1987
Last Inspection:	Not reported	Investigator:	GOERTZ
UST Trust Fund:	Yes		
Status:	MEANS ITS BEEN RESOLVED	Penalty:	NO PENALTY
Quantity recovered:	0.00		
Cause:	TANK TEST FAILURE [BULK STORE. PRO.]		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

65	GRUMMAN PLANT #1 FUEL DEPOT BETHPAGE, NY	LUST	S100663921 N/A
----	---	------	-------------------

MAP FINDINGS

Map ID
 Direction
 Distance

Site

Database(s)

EDR ID Number
 EPA ID Number

GRUMMAN (Continued)

S100663921

LUST:

Facility ID:	9106667	Spill Date:	09/16/1991
First notified:	REGIONAL OFFICE	Material class:	PETROLEUM
Material spilled:	JET FUEL	Release QTY:	0.00 GALLONS
Water body affected:	Not reported	Origin:	COMMINDUST
Resource affected:	GROUNDWATER	Notifier:	DEC
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	Not reported
Initiated clean up:	Not reported	Close Date:	Not reported
Last Inspection:	Not reported	Investigator:	LEUNG
UST Trust Fund:	Yes	Penalty:	NO PENALTY
Status:	Not reported		
Quantity recovered:	0.00		
Cause:	OTHER		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	ACTIVE SPILL [ON GOING]		

65

**GRUMMAN INC
 PLANT #3
 BETHPAGE, NY**

LUST

**S100664811
 N/A**

LUST:

Facility ID:	9207766	Spill Date:	10/05/1992
First notified:	REGIONAL OFFICE	Material class:	HAZARDOUS MATERIAL
Material spilled:	Not Reported	Release QTY:	0.00 GALLONS
Water body affected:	Not reported	Origin:	COMMINDUST
Resource affected:	ON LAND	Notifier:	RESPONSIBLE PARTY
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	Not reported
Initiated clean up:	Not reported	Close Date:	Not reported
Last Inspection:	Not reported	Investigator:	DECANDIA
UST Trust Fund:	No	Penalty:	NO PENALTY
Status:	Not reported		
Quantity recovered:	0.00		
Cause:	OTHER		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	ACTIVE SPILL [ON GOING]		

65

**GRUMMAN
 BLDG #15
 BETHPAGE, NY**

LUST

**S100169240
 N/A**

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

GRUMMAN (Continued)

S100169240

LUST:

Facility ID:	8901729	Spill Date:	05/19/1989
First notified:	ANSWERING SERVICE	Material class:	PETROLEUM
Material spilled:	UNKNOWN	Release QTY:	0.00 GALLONS
Water body affected:	Not reported	Origin:	COMMINDUST
Resource affected:	GROUNDWATER	Notifier:	TANK TESTER
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	10/26/1990
Initiated clean up:	Not reported	Close Date:	10/26/1990
Last Inspection:	Not reported	Investigator:	LEUNG
UST Trust Fund:	No		
Status:	MEANS ITS BEEN RESOLVED	Penalty:	NO PENALTY
Quantity recovered:	0.00		
Cause:	TANK TEST FAILURE [BULK STORE. PRO.]		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

65

**GRUMMAN
MULBERRY STREET BLDG 12
BETHPAGE, NY**

LUST

**S100664825
N/A**

LUST:

Facility ID:	9208152	Spill Date:	10/14/1992
First notified:	REGIONAL OFFICE	Material class:	PETROLEUM
Material spilled:	WASTE OIL	Release QTY:	3.00 GALLONS
Water body affected:	Not reported	Origin:	COMMINDUST
Resource affected:	ON LAND	Notifier:	OTHER
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	10/26/1992
Initiated clean up:	Not reported	Close Date:	10/26/1992
Last Inspection:	Not reported	Investigator:	KISPERT
UST Trust Fund:	No		
Status:	MEANS ITS BEEN RESOLVED	Penalty:	NO PENALTY
Quantity recovered:	0.00		
Cause:	OTHER		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

65

**GRUMMAN
PLANT #3
BETHPAGE, NY**

LUST

**S100664347
N/A**

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

GRUMMAN (Continued)

S100664347

LUST:

Facility ID:	9109773	Spill Date:	12/13/1991
First notified:	REGIONAL OFFICE	Material class:	HAZARDOUS MATERIAL
Material spilled:	Not Reported	Release QTY:	10.00 POUNDS
Water body affected:	Not reported	Origin:	NON-COMMINST
Resource affected:	ON LAND	Notifier:	RESPONSIBLE PARTY
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	12/18/1991
Initiated clean up:	Not reported	Close Date:	12/18/1991
Last Inspection:	Not reported	Investigator:	KISPERT
UST Trust Fund:	No		
Status:	MEANS ITS BEEN RESOLVED	Penalty:	NO PENALTY
Quantity recovered:	0.00		
Cause:	OTHER		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

65

**GRUMMAN
WAREHOUSE #8
BETHPAGE, NY**

LUST

**S10066487
N/A**

LUST:

Facility ID:	9006322	Spill Date:	09/07/1990
First notified:	REGIONAL OFFICE	Material class:	HAZARDOUS MATERIAL
Material spilled:	Not Reported	Release QTY:	15.00 GALLONS
Water body affected:	Not reported	Origin:	COMMINDUST
Resource affected:	ON LAND	Notifier:	RESPONSIBLE PARTY
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	10/10/1990
Initiated clean up:	Not reported	Close Date:	10/10/1990
Last Inspection:	Not reported	Investigator:	DEROSA
UST Trust Fund:	No		
Status:	MEANS ITS BEEN RESOLVED	Penalty:	NO PENALTY
Quantity recovered:	0.00		
Cause:	OTHER		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

65

**GRUMMAN CORP
STEWART AVE - WHSE #8
BETHPAGE, NY**

LUST

**S101658229
N/A**

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

GRUMMAN CORP (Continued)

S101658229

LUST:

Facility ID:	9506898	Spill Date:	09/06/1995
First notified:	ANSWERING SERVICE	Material class:	HAZARDOUS MATERIAL
Material spilled:	Not Reported	Release QTY:	36.00 GALLONS
Water body affected:	Not reported	Origin:	MAJOR FACILITY 400,000 GAL
Resource affected:	ON LAND	Notifier:	RESPONSIBLE PARTY
Basin of spill:	1700	Project ID:	0
Cleaner:	NO ACTION TAKEN	Date Cleaned:	Not reported
Initiated clean up:	Not reported	Close Date:	Not reported
Last Inspection:	Not reported	Investigator:	PARISH
UST Trust Fund:	No	Penalty:	NO PENALTY
Status:	Not reported		
Quantity recovered:	0.00		
Cause:	OTHER		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	ACTIVE SPILL [ON GOING]		

65

**GRUMMAN
BLDG #3
BETHPAGE, NY**

LUST

S100174734
N/A

LUST:

Facility ID:	9100456	Spill Date:	04/11/1991
First notified:	REGIONAL OFFICE	Material class:	PETROLEUM
Material spilled:	DIESEL	Release QTY:	20.00 GALLONS
Water body affected:	Not reported	Origin:	COMMINDUST
Resource affected:	ON LAND	Notifier:	RESPONSIBLE PARTY
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	06/10/1994
Initiated clean up:	Not reported	Close Date:	06/10/1994
Last Inspection:	Not reported	Investigator:	KISPRT
UST Trust Fund:	No	Penalty:	NO PENALTY
Status:	MEANS ITS BEEN RESOLVED		
Quantity recovered:	0.00		
Cause:	TANK OVERFILL		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

65

**GRUMMAN
GRUMMAN PLANT #17
BETHPAGE, NY**

LUST

S100177076
N/A

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

GRUMMAN (Continued)

S100177076

LUST:

Facility ID:	9105709	Spill Date:	08/26/1991
First notified:	C	Material class:	PETROLEUM
Material spilled:	#2 FUEL	Release QTY:	0.00 GALLONS
Water body affected:	Not reported	Origin:	COMM/INDUST
Resource affected:	GROUNDWATER	Notifier:	TANK TESTER
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	02/27/1995
Initiated clean up:	Not reported	Close Date:	02/27/1995
Last Inspection:	Not reported	Investigator:	T/T/F
UST Trust Fund:	No		
Status:	MEANS ITS BEEN RESOLVED	Penalty:	NO PENALTY
Quantity recovered:	0.00		
Cause:	TANK TEST FAILURE [BULK STORE. PRO.]		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

65

**GRUMMAN
STEWART AVENUE
BETHPAGE, NY**

LUST

**S101276355
N/A**

LUST:

Facility ID:	9302538	Spill Date:	05/25/1993
First notified:	C	Material class:	PETROLEUM
Material spilled:	#2 FUEL	Release QTY:	0.00 GALLONS
Water body affected:	Not reported	Origin:	NON-COMM/INST
Resource affected:	GROUNDWATER	Notifier:	TANK TESTER
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	07/27/1993
Initiated clean up:	Not reported	Close Date:	07/27/1993
Last Inspection:	Not reported	Investigator:	T/T/F
UST Trust Fund:	No		
Status:	MEANS ITS BEEN RESOLVED	Penalty:	NO PENALTY
Quantity recovered:	0.00		
Cause:	TANK TEST FAILURE [BULK STORE. PRO.]		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

Facility ID:	9302825	Spill Date:	06/02/1993
First notified:	REGIONAL OFFICE	Material class:	PETROLEUM
Material spilled:	WASTE OIL	Release QTY:	0.00 GALLONS
Water body affected:	Not reported	Origin:	COMM/INDUST
Resource affected:	GROUNDWATER	Notifier:	TANK TESTER
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	Not reported
Initiated clean up:	Not reported	Close Date:	Not reported
Last Inspection:	Not reported	Investigator:	RMS
UST Trust Fund:	No		
Status:	Not reported	Penalty:	NO PENALTY
Quantity recovered:	0.00		
Cause:	TANK TEST FAILURE [BULK STORE. PRO.]		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	ACTIVE SPILL [ON GOING]		

MAP FINDINGS

Map ID		Database(s)	EDR ID Number
Direction			EPA ID Number
Distance	Site		

65	NORTHROP GRUMMAN PLANT #15 BETHPAGE, NY	LUST	S101340024 N/A
-----------	--	-------------	---------------------------

LUST:

Facility ID:	9410499	Spill Date:	11/07/1994
First notified:	REGIONAL OFFICE	Material class:	PETROLEUM
Material spilled:	#2 FUEL	Release QTY:	0.00 GALLONS
Water body affected:	Not reported	Origin:	COMMINDUST
Resource affected:	ON LAND	Notifier:	HEALTH DEPARTMENT
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	Not reported
Initiated clean up:	Not reported	Close Date:	Not reported
Last Inspection:	Not reported	Investigator:	AUSTIN
UST Trust Fund:	No	Penalty:	NO PENALTY
Status:	Not reported		
Quantity recovered:	0.00		
Cause:	OTHER		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	ACTIVE SPILL [ON GOING]		

65	NORTHROP GRUMMAN STEWART AVENUE BETHPAGE, NY	LUST	S101658189 N/A
-----------	---	-------------	---------------------------

LUST:

Facility ID:	9506041	Spill Date:	08/16/1995
First notified:	C	Material class:	PETROLEUM
Material spilled:	#2 FUEL	Release QTY:	0.00 GALLONS
Water body affected:	Not reported	Origin:	COMMINDUST
Resource affected:	GROUNDWATER	Notifier:	TANK TESTER
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	Not reported
Initiated clean up:	Not reported	Close Date:	Not reported
Last Inspection:	Not reported	Investigator:	T/T/F
UST Trust Fund:	No	Penalty:	NO PENALTY
Status:	Not reported		
Quantity recovered:	0.00		
Cause:	TANK TEST FAILURE [BULK STORE PRO.]		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	ACTIVE SPILL [ON GOING]		

65	GRUMMAN AEROSPACE CORP NEW SOUTH ROAD BETHPAGE, NY 11714	FINDS RCRIS-LQG	1000300851 NYD981182249
-----------	---	----------------------------	------------------------------------

RCRIS:

Owner: GRUMMAN AEROSPACE CORP
(212) 555-1212

Contact: JOHN OHLMANN
(516) 575-2385

Waste	Quantity	Info Source	Waste	Quantity	Info Source
D001	.00000 (N)	Notification	D002	.00000 (N)	Notification
F001	.00000 (N)	Notification	F002	.00000 (N)	Notification
F005	.00000 (N)	Notification			

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

MAP FINDINGS

Map ID Direction Distance	Site	Database(s)	EDR ID Number EPA ID Number
---------------------------------	------	-------------	--------------------------------

65	GRUMMAN AEROSPACE CORPORATION MAIL STOP:D08-GHQ BETHPAGE, NY 11714	AST	U001853042 N/A
----	---	-----	-------------------

CBS AST:

Facility ID:	1-000208	Telephone:	(516) 575-4680
Owner:	GRUMMAN AEROSPACE CORPORATION MAIL STOP:D08-GHQ BETHPAGE, NY 11714 (516) 575-4680		
Facility Status:	Active	Total AST's:	13
Tank ID:	10		
Tank Status:	CLOSED-IN PLACE		
Tank Location:	ABOVEGROUND		
Install Date:	12/70	Capacity (Gal):	4000
Tank Type:	Steel/carbon steel	Product Stored:	LEADED GASOLINE
Extrnl Protection:	PAINTED/ASPHALT COATING		
Intrnl Protection:	NONE		
Tank Containment:	NONE		
Pipe Type:	GALVANIZED STEEL	Pipe Location:	Aboveground
Pipe Internal:	NONE		
Pipe External:	PAINTED/ASPHALT COATING		
Pipe Containment:	NONE	Haz Percent:	100
Leak Detection:	NONE		
Overfill Protection:	Product Level Gauge		
Chemical:	Not reported	Data File:	Not reported
Tank Closed:	11/93		
Case Number:	79016		

Facility ID:	1-000208	Telephone:	(516) 575-4680
Owner:	GRUMMAN AEROSPACE CORPORATION MAIL STOP:D08-GHQ BETHPAGE, NY 11714 (516) 575-4680		
Facility Status:	Active	Total AST's:	13
Tank ID:	313		
Tank Status:	IN SERVICE		
Tank Location:	ABOVEGROUND		
Install Date:	12/84	Capacity (Gal):	5000
Tank Type:	Stainless steel alloy	Product Stored:	LEADED GASOLINE
Extrnl Protection:	JACKETED		
Intrnl Protection:	NONE		
Tank Containment:	VAULT		
Pipe Type:	FIBERGLASS [FRP]	Pipe Location:	Aboveground
Pipe Internal:	NONE		
Pipe External:	NONE		
Pipe Containment:	VAULT	Haz Percent:	93
Leak Detection:	CONCRETE PAD W/CHANNELS		
Overfill Protection:	High Level Alarm/Product Level Gauge		
Chemical:	Not reported	Data File:	Not reported
Tank Closed:	Not reported		
Case Number:	8014957		

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

GRUMMAN AEROSPACE CORPORATION (Continued)

U001853042

Facility ID:	1-000208	Telephone:	(516) 575-4680
Owner:	GRUMMAN AEROSPACE CORPORATION MAIL STOP:D08-GHQ BETHPAGE, NY 11714 (516) 575-4680		
Facility Status:	Active		
Tank ID:	320	Total AST's:	13
Tank Status:	IN SERVICE		
Tank Location:	ABOVEGROUND ON SADDLES LEGS, STILTS, RACK, OR CRADLE		
Install Date:	12/84	Capacity (Gal):	7000
Tank Type:	Other	Product Stored:	LEADED GASOLINE
Extrnl Protection:	NONE		
Intrnl Protection:	NONE		
Tank Containment:	VAULT		
Pipe Type:	FIBERGLASS [FRP]	Pipe Location:	Aboveground
Pipe Internal:	NONE		
Pipe External:	JACKETED		
Pipe Containment:	VAULT	Haz Percent:	50
Leak Detection:	CONCRETE PAD W/CHANNELS		
Overfill Protection:	High Level Alarm/Product Level Gauge		
Chemical:	Not reported		
Tank Closed:	Not reported	Data File:	Not reported
Case Number:	7722841		

Facility ID:	1-000208	Telephone:	(516) 575-4680
Owner:	GRUMMAN AEROSPACE CORPORATION MAIL STOP:D08-GHQ BETHPAGE, NY 11714 (516) 575-4680		
Facility Status:	Active		
Tank ID:	329	Total AST's:	13
Tank Status:	IN SERVICE		
Tank Location:	ABOVEGROUND		
Install Date:	12/84	Capacity (Gal):	8000
Tank Type:	Fiberglass reinforced plastic [FRP]	Product Stored:	LEADED GASOLINE
Extrnl Protection:	FIBERGLASS		
Intrnl Protection:	NONE		
Tank Containment:	VAULT		
Pipe Type:	FIBERGLASS [FRP]	Pipe Location:	Aboveground
Pipe Internal:	NONE		
Pipe External:	JACKETED		
Pipe Containment:	VAULT	Haz Percent:	50
Leak Detection:	CONCRETE PAD W/CHANNELS		
Overfill Protection:	High Level Alarm/Product Level Gauge		
Chemical:	Not reported		
Tank Closed:	Not reported	Data File:	Not reported
Case Number:	1310732		

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

GRUMMAN AEROSPACE CORPORATION (Continued)

U001853042

Facility ID: 1-000208 Telephone: (516) 575-4680
 Owner: GRUMMAN AEROSPACE CORPORATION
 MAIL STOP:D08-GHQ
 BETHPAGE, NY 11714
 (516) 575-4680

Facility Status: Active
 Tank ID: 399 Total AST's: 13
 Tank Status: TEMPORARILY OUT OF SERVICE
 Tank Location: ABOVEGROUND ON SADDLES LEGS, STILTS, RACK, OR CRADLE
 Install Date: 09/80 Capacity (Gal): 4418
 Tank Type: Fiberglass reinforced plastic [FRP] Product Stored: LEADED GASOLINE
 Extnl Protection: NONE
 Intrnl Protection: NONE
 Tank Containment: VAULT
 Pipe Type: STEEL/IRON Pipe Location: Aboveground
 Pipe Internal: NONE
 Pipe External: PAINTED/ASPHALT COATING
 Pipe Containment: VAULT Haz Percent: 50
 Leak Detection: CONCRETE PAD W/CHANNELS
 Overfill Protection: High Level Alarm/Product Level Gauge
 Chemical: Not reported
 Tank Closed: Not reported Data File: Not reported
 Case Number: 1310732

Facility ID: 1-000208 Telephone: (516) 575-4680
 Owner: GRUMMAN AEROSPACE CORPORATION
 MAIL STOP:D08-GHQ
 BETHPAGE, NY 11714
 (516) 575-4680

Facility Status: Active
 Tank ID: 400 Total AST's: 13
 Tank Status: TEMPORARILY OUT OF SERVICE
 Tank Location: ABOVEGROUND ON SADDLES LEGS, STILTS, RACK, OR CRADLE
 Install Date: 09/80 Capacity (Gal): 4418
 Tank Type: Fiberglass reinforced plastic [FRP] Product Stored: LEADED GASOLINE
 Extnl Protection: NONE
 Intrnl Protection: NONE
 Tank Containment: VAULT
 Pipe Type: STEEL/IRON Pipe Location: Aboveground
 Pipe Internal: NONE
 Pipe External: PAINTED/ASPHALT COATING
 Pipe Containment: VAULT Haz Percent: 50
 Leak Detection: CONCRETE PAD W/CHANNELS
 Overfill Protection: High Level Alarm/Product Level Gauge
 Chemical: Not reported
 Tank Closed: Not reported Data File: Not reported
 Case Number: 1310732

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

GRUMMAN AEROSPACE CORPORATION (Continued)

U001853042

Facility ID:	1-000208	Telephone:	(516) 575-4680
Owner:	GRUMMAN AEROSPACE CORPORATION MAIL STOP:D08-GHQ BETHPAGE, NY 11714 (516) 575-4680		
Facility Status:	Active		
Tank ID:	941	Total AST's:	13
Tank Status:	TEMPORARILY OUT OF SERVICE		
Tank Location:	ABOVEGROUND ON SADDLES LEGS, STILTS, RACK, OR CRADLE		
Install Date:	12/62	Capacity (Gal):	500
Tank Type:	Steel/carbon steel	Product Stored:	LEADED GASOLINE
Extrnl Protection:	PAINTED/ASPHALT COATING		
Intrnl Protection:	NONE		
Tank Containment:	VAULT		
Pipe Type:	FIBERGLASS [FRP]	Pipe Location:	Aboveground
Pipe Internal:	NONE		
Pipe External:	NONE		
Pipe Containment:	VAULT	Haz Percent:	100
Leak Detection:	CONCRETE PAD W/CHANNELS		
Overfill Protection:	Product Level Gauge		
Chemical:	Not reported		
Tank Closed:	Not reported	Data File:	Not reported
Case Number:	71556		

Facility ID:	1-000208	Telephone:	(516) 575-4680
Owner:	GRUMMAN AEROSPACE CORPORATION MAIL STOP:D08-GHQ BETHPAGE, NY 11714 (516) 575-4680		
Facility Status:	Active		
Tank ID:	1207	Total AST's:	13
Tank Status:	TEMPORARILY OUT OF SERVICE		
Tank Location:	ABOVEGROUND ON SADDLES LEGS, STILTS, RACK, OR CRADLE		
Install Date:	09/83	Capacity (Gal):	10000
Tank Type:	Steel/carbon steel	Product Stored:	LEADED GASOLINE
Extrnl Protection:	PAINTED/ASPHALT COATING		
Intrnl Protection:	NONE		
Tank Containment:	VAULT		
Pipe Type:	STEEL/IRON	Pipe Location:	Aboveground
Pipe Internal:	NONE		
Pipe External:	PAINTED/ASPHALT COATING		
Pipe Containment:	IMPERVIOUS UNDERLAYMENT	Haz Percent:	100
Leak Detection:	CONCRETE PAD W/CHANNELS		
Overfill Protection:	High Level Alarm		
Chemical:	Not reported		
Tank Closed:	Not reported	Data File:	Not reported
Case Number:	127184		

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

GRUMMAN AEROSPACE CORPORATION (Continued)

U001853042

Facility ID:	1-000208	Telephone:	(516) 575-4680
Owner:	GRUMMAN AEROSPACE CORPORATION MAIL STOP:D08-GHQ BETHPAGE, NY 11714 (516) 575-4680		
Facility Status:	Active		
Tank ID:	1254	Total AST's:	13
Tank Status:	TEMPORARILY OUT OF SERVICE		
Tank Location:	ABOVEGROUND ON SADDLES LEGS, STILTS, RACK, OR CRADLE		
Install Date:	12/85	Capacity (Gal):	6000
Tank Type:	Steel/carbon steel	Product Stored:	LEADED GASOLINE
Extrnl Protection:	PAINTED/ASPHALT COATING		
Intnl Protection:	NONE		
Tank Containment:	VAULT		
Pipe Type:	STEEL/IRON	Pipe Location:	Aboveground
Pipe Internal:	NONE		
Pipe External:	PAINTED/ASPHALT COATING		
Pipe Containment:	IMPERVIOUS UNDERLAYMENT	Haz Percent:	100
Leak Detection:	CONCRETE PAD W/CHANNELS		
Overfill Protection:	High Level Alarm/Product Level Gauge		
Chemical:	Not reported		
Tank Closed:	Not reported	Data File:	Not reported
Case Number:	67561		

Facility ID:	1-000208	Telephone:	(516) 575-4680
Owner:	GRUMMAN AEROSPACE CORPORATION MAIL STOP:D08-GHQ BETHPAGE, NY 11714 (516) 575-4680		
Facility Status:	Active		
Tank ID:	1303	Total AST's:	13
Tank Status:	CLOSED-REMOVED		
Tank Location:	ABOVEGROUND ON SADDLES LEGS, STILTS, RACK, OR CRADLE		
Install Date:	12/88	Capacity (Gal):	600
Tank Type:	Steel/carbon steel	Product Stored:	LEADED GASOLINE
Extrnl Protection:	PAINTED/ASPHALT COATING		
Intnl Protection:	NONE		
Tank Containment:	NONE		
Pipe Type:	STEEL/IRON	Pipe Location:	Aboveground
Pipe Internal:	NONE		
Pipe External:	PAINTED/ASPHALT COATING		
Pipe Containment:	NONE	Haz Percent:	100
Leak Detection:	NONE		
Overfill Protection:	Product Level Gauge		
Chemical:	Not reported		
Tank Closed:	04/94	Data File:	Not reported
Case Number:	79016		

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

GRUMMAN AEROSPACE CORPORATION (Continued)

U001853042

Facility ID: 1-000208 Telephone: (516) 575-4680
 Owner: GRUMMAN AEROSPACE CORPORATION
 MAIL STOP:D08-GHQ
 BETHPAGE, NY 11714
 (516) 575-4680
 Facility Status: Active
 Tank ID: 1271 Total AST's: 13
 Tank Status: TEMPORARILY OUT OF SERVICE
 Tank Location: ABOVEGROUND ON SADDLES LEGS, STILTS, RACK, OR CRADLE
 Install Date: 09/87 Capacity (Gal): 10000
 Tank Type: Steel/carbon steel Product Stored: LEADED GASOLINE
 Extnl Protection: PAINTED/ASPHALT COATING
 Intrnl Protection: NONE
 Tank Containment: VAULT
 Pipe Type: STEEL/IRON Pipe Location: Aboveground
 Pipe Internal: NONE
 Pipe External: PAINTED/ASPHALT COATING
 Pipe Containment: IMPERVIOUS UNDERLAYMENT Haz Percent: 100
 Leak Detection: CONCRETE PAD W/CHANNELS
 Overfill Protection: High Level Alarm
 Chemical: Not reported
 Tank Closed: Not reported Data File: Not reported
 Case Number: 79016

Facility ID: 1-000208 Telephone: (516) 575-4680
 Owner: GRUMMAN AEROSPACE CORPORATION
 MAIL STOP:D08-GHQ
 BETHPAGE, NY 11714
 (516) 575-4680
 Facility Status: Active
 Tank ID: 1304 Total AST's: 13
 Tank Status: IN SERVICE
 Tank Location: ABOVEGROUND ON SADDLES LEGS, STILTS, RACK, OR CRADLE
 Install Date: 12/69 Capacity (Gal): 500
 Tank Type: Steel/carbon steel Product Stored: LEADED GASOLINE
 Extnl Protection: PAINTED/ASPHALT COATING
 Intrnl Protection: NONE
 Tank Containment: NONE
 Pipe Type: STEEL/IRON Pipe Location: Aboveground
 Pipe Internal: NONE
 Pipe External: PAINTED/ASPHALT COATING
 Pipe Containment: NONE Haz Percent: 100
 Leak Detection: NONE
 Overfill Protection: Product Level Gauge
 Chemical: Not reported
 Tank Closed: Not reported Data File: Not reported
 Case Number: 7664417

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

GRUMMAN AEROSPACE CORPORATION (Continued)

U001853042

Facility ID:	1-000208	Telephone:	(516) 575-4680
Owner:	GRUMMAN AEROSPACE CORPORATION MAIL STOP:D08-GHQ BETHPAGE, NY 11714 (516) 575-4680		
Facility Status:	Active		
Tank ID:	7002	Total AST's:	13
Tank Status:	TEMPORARILY OUT OF SERVICE		
Tank Location:	ABOVEGROUND ON SADDLES LEGS, STILTS, RACK, OR CRADLE		
Install Date:	12/60	Capacity (Gal):	4800
Tank Type:	Steel/carbon steel	Product Stored:	LEADED GASOLINE
Extrnl Protection:	PAINTED/ASPHALT COATING		
Intrnl Protection:	NONE		
Tank Containment:	NONE		
Pipe Type:	FIBERGLASS (FRP)	Pipe Location:	Aboveground
Pipe Internal:	NONE		
Pipe External:	PAINTED/ASPHALT COATING		
Pipe Containment:	NONE		
Leak Detection:	NONE		
Overfill Protection:	Product Level Gauge	Haz Percent:	100
Chemical:	Not reported		
Tank Closed:	Not reported	Data File:	Not reported
Case Number:	76131		

66

**FESTANTE RESIDENCE
82 SYCAMORE AVENUE
BETHPAGE, NY**

LUST

**S100491053
N/A**

LUST:

Facility ID:	9201264	Spill Date:	04/24/1992
First notified:	REGIONAL OFFICE	Material class:	PETROLEUM
Material spilled:	#2 FUEL	Release QTY:	5.00 GALLONS
Water body affected:	Not reported	Origin:	PRIVATE DWELLING
Resource affected:	ON LAND	Notifier:	OTHER
Basin of spill:	1700	Project ID:	0
Cleaner:	NO ACTION TAKEN	Date Cleaned:	06/24/1992
Initiated clean up:	Not reported	Close Date:	06/24/1992
Last Inspection:	Not reported	Investigator:	LUCE
UST Trust Fund:	No		
Status:	MEANS ITS BEEN RESOLVED	Penalty:	NO PENALTY
Quantity recovered:	0.00		
Cause:	TANK FAILURE		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

67

**FAME TRUCKING INC
246 8 TH ST
BETHPAGE, NY 11714**

**RCRIS-SQG
FINDS**

**1000199036
NYD980646038**

68

**SIMON D'SOUZA RESIDENCE
22 HUNTER ST
HICKSVILLE, NY**

LUST

**S101103105
N/A**

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

SIMON D'SOUZA RESIDENCE (Continued)

S101103105

LUST:

Facility ID:	9402184	Spill Date:	05/13/1993
First notified:	REGIONAL OFFICE	Material class:	PETROLEUM
Material spilled:	#2 FUEL	Release QTY:	0.00 GALLONS
Water body affected:	Not reported	Origin:	PRIVATE DWELLING
Resource affected:	ON LAND	Notifier:	CITIZEN
Basin of spill:	1700	Project ID:	0
Cleaner:	NO ACTION TAKEN	Date Cleaned:	Not reported
Initiated clean up:	Not reported	Close Date:	Not reported
Last inspection:	Not reported	Investigator:	DECANDIA
UST Trust Fund:	No	Penalty:	NO PENALTY
Status:	Not reported		
Quantity recovered:	0.00		
Cause:	OTHER		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	ACTIVE SPILL [ON GOING]		

69

**NASSAU BLUE FLAME INC
3 WASHINGTON PKY
HICKSVILLE, NY**

AST

**A100043234
N/A**

Nassau County AST:

Facility ID:	056214	Tank ID:	0001
Tank Location:	Outdoors, Aboveground	Capacity (Gal):	275
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	OTHER	Material Type:	Fresh/Product
Piping Type:	Steel/Iron	Containment:	OTHER
Description:	OIL, FUEL #2	Product Gauge:	No
Leak Detect:	NONE	Install Date:	0584
Dispense Method:	Gravity	Total Tanks:	Not reported
Fill Type:	Pumped		
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	056214	Tank ID:	0002
Tank Location:	Outdoors, Aboveground	Capacity (Gal):	275
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	OTHER	Material Type:	Waste
Piping Type:	Steel/Iron	Containment:	OTHER
Description:	WASTE OIL	Product Gauge:	No
Leak Detect:	NONE	Install Date:	0584
Dispense Method:	Suction	Total Tanks:	Not reported
Fill Type:	Gravity		
Data File:	Petroleum Bulk Storage Facility		

69

**BLUE FLAME
3 WASHINGTON PKY
HICKSVILLE, NY**

LUST

**S100149723
N/A**

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

BLUE FLAME (Continued)

S100149723

LUST:

Facility ID:	8704453	Spill Date:	08/28/1987
First notified:	REGIONAL OFFICE	Material class:	PETROLEUM
Material spilled:	#2 FUEL	Release QTY:	0.00 GALLONS
Water body affected:	Not reported	Origin:	COMM/INDUST
Resource affected:	GROUNDWATER	Notifier:	TANK TESTER
Basin of spill:	17	Project ID:	0
Cleaner:	OTHER AGENCY	Date Cleaned:	12/24/1990
Initiated clean up:	Not reported	Close Date:	12/24/1990
Last Inspection:	Not reported	Investigator:	ACAMPORA
UST Trust Fund:	No	Penalty:	NO PENALTY
Status:	MEANS ITS BEEN RESOLVED		
Quantity recovered:	0.00		
Cause:	TANK FAILURE		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

70

BERTAN ASSOCIATES
121 NEW SOUTH RD
HICKSVILLE, NY

LUST

S101671532
N/A

70

MEENAN OIL
121 NEW SOUTH RD
HICKSVILLE, NY

LUST

S100174684
N/A

LUST:

Facility ID:	9100043	Spill Date:	04/01/1991
First notified:	REGIONAL OFFICE	Material class:	PETROLEUM
Material spilled:	#2 FUEL	Release QTY:	10.00 GALLONS
Water body affected:	Not reported	Origin:	TANK TRUCK
Resource affected:	ON LAND	Notifier:	RESPONSIBLE PARTY
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	04/05/1991
Initiated clean up:	Not reported	Close Date:	04/05/1991
Last Inspection:	Not reported	Investigator:	ACAMPORA
UST Trust Fund:	No	Penalty:	NO PENALTY
Status:	MEANS ITS BEEN RESOLVED		
Quantity recovered:	0.00		
Cause:	TANK OVERFILL		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

70

BERTAN ASSOCIATES INC
121 NEW SOUTH ROAD
HICKSVILLE, NY 11801

FINDS
RCRIS-LQG

1000396046
NYD980776405

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

BERTAN ASSOCIATES INC (Continued)

1000396046

RCRIS:

Owner: Not reported

Contact: CHECK WALTER
(516) 433-3110

Waste	Quantity	Info Source	Waste	Quantity	Info Source
U159	.00000 (N)	Notification	U226	.00000 (N)	Notification

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

70

SERVO CORPORATION OF AMERICA
111 NEW SOUTH ROAD
HICKSVILLE, NY 11801

CERCLIS
FINDS
RCRIS-LQG

1000433406
NYD002418911

CERCLIS Classification Data:

Site Incident Category: Not reported

Ownership Status: OTHER

EPA Notes: Not reported

Federal Facility: NO

NPL Status: NOT ON NPL

CERCLIS Assessment History:

Assessment: DISCOVERY

Assessment: PRELIMINARY ASSESSMENT

Assessment: SCREENING SITE INSPECTION

Completed: 04/10/1980

Completed: 01/15/1987

Completed: 06/26/1991

CERCLIS Site Status:

This site is currently under investigation by the government to assess the extent of further action

RCRIS:

Owner: BLACKSTONE HENRY
(212) 555-1212

Contact: JOHN WILLENBROCK
(516) 938-9700

Waste	Quantity	Info Source	Waste	Quantity	Info Source
D002	.00000 (N)	Notification	F002	.00000 (N)	Notification
F017	.00000 (N)	Notification	K050	.00000 (N)	Notification

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

There are 1 compliance/violation record(s) reported at this site:

Evaluation	Date	Violations
COMPLIANCE EVALUATION INSPECTION (CEI)	22-AUG-86	YES

Other Pertinent Environmental Activity Identified at Site:
facility has active water discharge permits

70

LONG ISLAND DEVELOPMENT
101 NEW SOUTH RD
HICKSVILLE, NY

LUST

S100667459
N/A

MAP FINDINGS

Map ID				EDR ID Number
Direction				EPA ID Number
Distance	Site		Database(s)	

LONG ISLAND DEVELOPMENT (Continued)

S100667459

LUST:

Facility ID:	9108645	Spill Date:	11/13/1991
First notified:	REGIONAL OFFICE	Material class:	PETROLEUM
Material spilled:	WASTE OIL	Release QTY:	0.00 GALLONS
Water body affected:	Not reported	Origin:	COMMINDUST
Resource affected:	ON LAND	Notifier:	HEALTH DEPARTMENT
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	11/18/1991
Initiated clean up:	Not reported	Close Date:	11/18/1991
Last inspection:	Not reported	Investigator:	NCDH
UST Trust Fund:	No		
Status:	MEANS ITS BEEN RESOLVED	Penalty:	NO PENALTY
Quantity recovered:	0.00		
Cause:	OTHER		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

71	CORAL GRAPHIC SERVICES INC 840 S BROADWAY HICKSVILLE, NY 11801	FINDS	1001010739 NYR0001173137
----	---	--------------	------------------------------------

71	CORAL GRAPHIC SERVICES INC 840 S BROADWAY HICKSVILLE, NY 11801	RCRIS-LQG	1000990164 NYR000001230
----	---	------------------	-----------------------------------

RCRIS:

Owner: FC PROPERTIES INC
(516) 576-2100

Contact: Not reported

Waste	Quantity	Info Source	Waste	Quantity	Info Source
D000	.00000 (N)	Notification	D001	.00000 (N)	Notification
D007	.00000 (N)	Notification	D010	.00000 (N)	Notification
D011	.00000 (N)	Notification	D027	.00000 (N)	Notification
F001	.00000 (N)	Notification	F002	.00000 (N)	Notification
F003	.00000 (N)	Notification	F005	.00000 (N)	Notification

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

72	BETHPAGE TRANSMISSION 870 BROADWAY HICKSVILLE, NY 11801	FINDS	1000243979
		RCRIS-LQG	NYD012728010

RCRIS:

Owner: NICK & STEVEN FERRARO
(212) 555-1212

Contact: BARRY PIVNICK
(516) 681-5210

Waste	Quantity	Info Source
U220	.00000 (N)	Notification

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

72 FIRESTONE SAVMOR AUTO SVC.
870 SO. BROADWAY
HICKSVILLE, NY 11801

FINDS 1000222624
RCRIS-LQG NYD981489826

RCRIS:

Owner: RAY VILLAFANNA
(212) 555-1212

Contact: JOHN COVERAS
(516) 822-2857

Waste	Quantity	Info Source	Waste	Quantity	Info Source
D000	.00000 (N)	Notification	D008	.00000 (N)	Notification

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

72 A. ERNIES AUTO BODY INC.
870 SOUTH BROADWAY
HICKSVILLE, NY 11801

RCRIS-SQG 1000217113
FINDS NYD050594878

RCRIS:

Owner: ERNEST DEMARCO
(212) 555-1212

Contact: JOSEPH ZARRILLO
(516) 938-2929

Waste	Quantity	Info Source	Waste	Quantity	Info Source
D001	.00000 (N)	Notification	F003	.00000 (N)	Notification

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

72 TRUE AUTO RESTORATIONS INC
870 S BROADWAY - E SECTION
HICKSVILLE, NY 11801

RCRIS-SQG 1000553680
FINDS NYD986961076

RCRIS:

Owner: BOB MISTRETTE
(212) 555-1212

Contact: BOB MISTRETTE
(516) 822-1042

Waste	Quantity	Info Source	Waste	Quantity	Info Source
D001	.00000 (N)	Notification	D035	.00000 (N)	Notification
F003	.00000 (N)	Notification			

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

73 ERM NORTHEAST
335 NEW SOUTH RD
HICKSVILLE, NY

LUST S100494026
N/A

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

ERM NORTHEAST (Continued)

S100494026

LUST:

Facility ID:	9206957	Spill Date:	09/16/1992
First notified:	C	Material class:	PETROLEUM
Material spilled:	#2 FUEL	Release QTY:	0.00 GALLONS
Water body affected:	Not reported	Origin:	COMMINDUST
Resource affected:	GROUNDWATER	Notifier:	TANK TESTER
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	12/08/1993
Initiated clean up:	Not reported	Close Date:	12/08/1993
Last inspection:	Not reported	Investigator:	T/T/F
UST Trust Fund:	No	Penalty:	NO PENALTY
Status:	MEANS ITS BEEN RESOLVED		
Quantity recovered:	0.00		
Cause:	TANK TEST FAILURE [BULK STORE. PRO.]		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

73

VOIGT PROPERTY
335 NEW SOUTH RD
HICKSVILLE, NY 11801

FINDS 1000912299
RCRIS-LQG NY0000588467

RCRIS:

Owner: VOIGT RELTY CO
(516) 673-0037

Contact: AL VALERIO
(516) 673-0037

Waste	Quantity	Info Source	Waste	Quantity	Info Source
D000	.00000 (N)	Notification	D008	.00000 (N)	Notification

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

73

VACANT BUILDING
335 NEW SOUTH RD
HICKSVILLE, NY

AST A100043272
N/A

Nassau County AST:

Facility ID:	056415	Tank ID:	0002
Tank Location:	Outdoors, Aboveground	Capacity (Gal):	4000
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None	Material Type:	Fresh/Product
Ext Protection:	PAINTED [e.g. asphaltic]	Containment:	DIKING AND PAD
Piping Type:	Steel/Iron	Product Gauge:	Yes
Description:	OIL, FUEL #2	Install Date:	0294
Leak Detect:	ELECTRONIC	Total Tanks:	Not reported
Dispense Method:	Suction		
Fill Type:	Pumped		
Data File:	Petroleum Bulk Storage Facility		

73

COMMERCIAL BLDG. #2
327 NEW SOUTH RD
HICKSVILLE, NY

AST A100043125
N/A

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

COMMERCIAL BLDG. #2 (Continued)

A100043125

Nassau County AST:

Facility ID:	055747	Tank ID:	0002
Tank Location:	Outdoors, Aboveground	Capacity (Gal):	1500
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	PAINTED [e.g. asphaltic]		
Piping Type:	Galvanized Steel	Material Type:	Fresh/Product
Description:	OIL, FUEL #2		
Leak Detect:	OTHER	Containment:	DOUBLE WALL TANK
Dispense Method:	Suction	Product Gauge:	Yes
Fill Type:	Pumped	Install Date:	1093
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported

73

CENTURY COLLISION, INC.
321 NEW SOUTH ROAD
HICKSVILLE, NY 11801

**RCRIS-SQG
FINDS**

**1000422539
NYD054994280**

RCRIS:

Owner: Not reported

Contact: JERRY KELAHER
(516) 433-6290

Waste	Quantity	Info Source
D001	00000 (N)	Notification

(P) = Pounds, (K) = Kilograms, (M) = Metric Tons, (T) = Tons, (N) = Not Reported

73

VARIETY PETROL (P&G FUEL)
317 NEW SOUTH RD
HICKSVILLE, NY

LUST

**S101508024
N/A**

LUST:

Facility ID:	9414903	Spill Date:	02/13/1995
First notified:	REGIONAL OFFICE	Material class:	PETROLEUM
Material spilled:	#2 FUEL	Release QTY:	20.00 GALLONS
Water body affected:	Not reported	Origin:	TANK TRUCK
Resource affected:	ON LAND	Notifier:	FIRE DEPARTMENT
Basin of spill:	1700	Project ID:	0
Cleaner:	SPELLER	Date Cleaned:	Not reported
Initiated clean up:	Not reported	Close Date:	Not reported
Last inspection:	Not reported	Investigator:	ACAMPORA
UST Trust Fund:	No		
Status:	Not reported	Penalty:	NO PENALTY
Quantity recovered:	0.00		
Cause:	TANK OVERFILL		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	ACTIVE SPILL [ON GOING]		

74

JOHN GRACE & CO
34 WASHINGTON PKWY
HICKSVILLE, NY 11801

FINDS

**1000789191
NYD986999365**

Other Pertinent Environmental Activity Identified at Site:
civil judicial and administrative enforcement cases against facility

MAP FINDINGS

Map ID Direction Distance	Site	Database(s)	EDR ID Number EPA ID Number																					
75	BLUE FLAME 17 HAZEL ST HICKSVILLE, NY 11801 RCRIS: Owner: BLUE FLAME - THOMAS DUNN (212) 555-1212 Contact: STEPHEN TYREE (516) 249-3150 <table border="0" style="width: 100%;"> <tr> <td style="width: 15%;">Waste</td> <td style="width: 25%;">Quantity</td> <td style="width: 20%;">Info Source</td> <td style="width: 40%;"></td> </tr> <tr> <td>D001</td> <td>.00000 (N)</td> <td>Notification</td> <td></td> </tr> </table> <p style="font-size: small;">(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported</p>	Waste	Quantity	Info Source		D001	.00000 (N)	Notification		FINDS RCRIS-LQG	1000196683 NYD981561004													
Waste	Quantity	Info Source																						
D001	.00000 (N)	Notification																						
76	NATIONAL METAL SPRAYING 40 JEFREY LN HICKSVILLE, NY 11801 Other Pertinent Environmental Activity Identified at Site: facility has an emission permit under the Clean Air Act	RCRIS-SQG FINDS	1000259721 NYD002049658																					
77	DC FEMIA AUTO COLLISION 44 WASHINGTON PKWY HICKSVILLE, NY 11801 RCRIS: Owner: UNKNOWN (212) 555-1212 Contact: SAL FEMIA (516) 681-6660 <table border="0" style="width: 100%;"> <tr> <td style="width: 15%;">Waste</td> <td style="width: 25%;">Quantity</td> <td style="width: 20%;">Info Source</td> <td style="width: 15%;"></td> <td style="width: 15%;">Waste</td> <td style="width: 25%;">Quantity</td> <td style="width: 20%;">Info Source</td> </tr> <tr> <td>D000</td> <td>.00000 (N)</td> <td>Notification</td> <td></td> <td>D001</td> <td>.00000 (N)</td> <td>Notification</td> </tr> <tr> <td>F003</td> <td>.00000 (N)</td> <td>Notification</td> <td></td> <td>F005</td> <td>.00000 (N)</td> <td>Notification</td> </tr> </table> <p style="font-size: small;">(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported</p>	Waste	Quantity	Info Source		Waste	Quantity	Info Source	D000	.00000 (N)	Notification		D001	.00000 (N)	Notification	F003	.00000 (N)	Notification		F005	.00000 (N)	Notification	RCRIS-SQG FINDS	1000228180 NYD982180606
Waste	Quantity	Info Source		Waste	Quantity	Info Source																		
D000	.00000 (N)	Notification		D001	.00000 (N)	Notification																		
F003	.00000 (N)	Notification		F005	.00000 (N)	Notification																		
78	TBG COGEN PARTNERS 939 SOUTH BROADWAY HICKSVILLE, NY 11801	AST	U001853006 N/A																					

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

TBG COGEN PARTNERS (Continued)

U001853006

<p>CBS AST: Facility ID: 1-000129 Owner: TBG COGEN PARTNERS 939 SOUTH BROADWAY HICKSVILLE, NY 11801-5032 (516) 349-8340</p> <p>Facility Status: Active Tank ID: 11 Tank Status: IN SERVICE Tank Location: ABOVEGROUND Install Date: 05/89 Tank Type: Steel/carbon steel Extnl Protection: PAINTED/ASPHALT COATING Intrnl Protection: NONE Tank Containment: VAULT Pipe Type: STEEL/IRON Pipe Internal: NONE Pipe External: PAINTED/ASPHALT COATING Pipe Containment: VAULT Leak Detection: OTHER Overfill Protection: High Level Alarm/Product Level Gauge Chemical: Not reported Tank Closed: Not reported Case Number: 1310732</p> <p>Facility ID: 1-000129 Owner: TBG COGEN PARTNERS 939 SOUTH BROADWAY HICKSVILLE, NY 11801-5032 (516) 349-8340</p> <p>Facility Status: Active Tank ID: 12 Tank Status: IN SERVICE Tank Location: ABOVEGROUND Install Date: 05/89 Tank Type: Steel/carbon steel Extnl Protection: JACKETED Intrnl Protection: NONE Tank Containment: VAULT Pipe Type: STEEL/IRON Pipe Internal: NONE Pipe External: PAINTED/ASPHALT COATING Pipe Containment: VAULT Leak Detection: OTHER Overfill Protection: High Level Alarm/Product Level Gauge Chemical: Not reported Tank Closed: Not reported Case Number: 7664939</p>	<p>Telephone: (516) 349-8340</p> <p>Total AST's: 2</p> <p>Capacity (Gal): 2000 Product Stored: LEADED GASOLINE</p> <p>Pipe Location: Aboveground</p> <p>Haz Percent: 93</p> <p>Data File: Not reported</p> <p>Telephone: (516) 349-8340</p> <p>Total AST's: 2</p> <p>Capacity (Gal): 2000 Product Stored: LEADED GASOLINE</p> <p>Pipe Location: Aboveground</p> <p>Haz Percent: 50</p> <p>Data File: Not reported</p>
---	---

78

**TBG COGEN PARTNERS
 939 S BROADWAY
 HICKSVILLE, NY**

AST

**A100042589
 N/A**

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

TBG COGEN PARTNERS (Continued)

A100042589

Nassau County AST:

Facility ID:	001217	Tank ID:	0011
Tank Location:	Outdoors, Aboveground	Capacity (Gal):	2000
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	PAINTED [e.g. asphaltic]	Material Type:	Fresh/Product
Piping Type:	Other		
Description:	SODIUM HYDROXIDE	Containment:	DIKING AND PAD
Leak Detect:	OTHER	Product Gauge:	Yes
Dispense Method:	Gravity	Install Date:	0492
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	001217	Tank ID:	0012
Tank Location:	Outdoors, Aboveground	Capacity (Gal):	2000
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	PAINTED [e.g. asphaltic]	Material Type:	Fresh/Product
Piping Type:	Other		
Description:	SULPHURIC ACID	Containment:	DIKING AND PAD
Leak Detect:	OTHER	Product Gauge:	Yes
Dispense Method:	Gravity	Install Date:	0492
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	001217	Tank ID:	0051
Tank Location:	Indoors, Aboveground	Capacity (Gal):	400
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Steel/Iron		
Description:	ERYTHORBIC ACID	Containment:	DIKING AND PAD
Leak Detect:	OTHER	Product Gauge:	Yes
Dispense Method:	Submersible	Install Date:	0492
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	001217	Tank ID:	0052
Tank Location:	Indoors, Aboveground	Capacity (Gal):	75
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Steel/Iron		
Description:	SODIUM HYDROXIDE	Containment:	DIKING AND PAD
Leak Detect:	OTHER	Product Gauge:	Yes
Dispense Method:	Submersible	Install Date:	0492
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

TBG COGEN PARTNERS (Continued)

A100042589

Facility ID:	001217	Tank ID:	0053
Tank Location:	Indoors, Aboveground	Capacity (Gal):	75
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Steel/Iron		
Description:	SODIUM TRIPOLYPHOSPHATE	Containment:	DIKING AND PAD
Leak Detect:	OTHER	Product Gauge:	Yes
Dispense Method:	Submersible	Install Date:	0492
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	001217	Tank ID:	0054
Tank Location:	Indoors, Aboveground	Capacity (Gal):	75
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Steel/Iron		
Description:	SODIUM TRIPOLYPHOSPHATE	Containment:	DIKING AND PAD
Leak Detect:	OTHER	Product Gauge:	Yes
Dispense Method:	Submersible	Install Date:	0492
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	001217	Tank ID:	0055
Tank Location:	Indoors, Aboveground	Capacity (Gal):	100
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	NONE	Material Type:	Fresh/Product
Piping Type:	Steel/Iron		
Description:	SODIUM HYDROXIDE	Containment:	DIKING AND PAD
Leak Detect:	OTHER	Product Gauge:	Yes
Dispense Method:	Submersible	Install Date:	0492
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		
Facility ID:	001217	Tank ID:	0073
Tank Location:	Indoors, Aboveground	Capacity (Gal):	300
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	FIBERGLASS REINFORCED PLASTIC	Material Type:	Waste
Piping Type:	Steel/Iron		
Description:	PCB CONTAMINATED MATERIALS	Containment:	DIKING AND PAD
Leak Detect:	OTHER	Product Gauge:	Yes
Dispense Method:	Suction	Install Date:	0594
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		

78

**T B G COGEN PARTNERS
939 S BROADWAY
HICKSVILLE, NY 11801**

**PADS 1000791459
RCRIS-SQG NYD987029691
FINDS**

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

T B G COGEN PARTNERS (Continued)

1000791459

RCRIS:

Owner: TBG COGEN PARTNERS
(516) 349-8340

Contact: ANTHONY LIGATO
(516) 349-8340

Waste	Quantity	Info Source
-------	----------	-------------

X001	.00000 (N)	Notification
------	------------	--------------

(P) = Pounds, (K) = Kilograms, (M) = Metric Tons, (T) = Tons, (N) = Not Reported

78 **TBG COGEN PARTNERS**
939 S BROADWAY
HICKSVILLE, NY 11801

AST

U002261527
N/A

79 **PHOTO WORKS**
25 BLUMINGDALE ROAD
HICKSVILLE, NY 11801

FINDS
RCRIS-LQG

1000415373
NYD981488240

RCRIS:

Owner: MORRIS NESSIN
(212) 555-1212

Contact: MORRIS NESSIN
(516) 933-6110

Waste	Quantity	Info Source
-------	----------	-------------

D000	.00000 (N)	Notification
------	------------	--------------

(P) = Pounds, (K) = Kilograms, (M) = Metric Tons, (T) = Tons, (N) = Not Reported

80 **C & D TYPE SETTERS INC**
960 SOUTH BROADWAY
HICKSVILLE, NY 11801

FINDS
RCRIS-LQG

1000110027
NYD982186983

RCRIS:

Owner: CHARLES SARGENT
(212) 555-1212

Contact: CHARLES SARGENT
(516) 822-8514

Waste	Quantity	Info Source
-------	----------	-------------

D000	.00000 (N)	Notification
------	------------	--------------

(P) = Pounds, (K) = Kilograms, (M) = Metric Tons, (T) = Tons, (N) = Not Reported

81 **YALE RADIATOR & AUTO REPAIR**
37 BLOOMINGDALE RD
HICKSVILLE, NY 11801

RCRIS-SQG
FINDS

1000198265
NYD168346880

82 **AVIS CAR RENTAL**
980 SOUTH BROADWAY
BETHPAGE, NY

LUST

S100147547
N/A

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

AVIS CAR RENTAL (Continued)

S100147547

LUST:

Facility ID:	8809010	Spill Date:	02/19/1989
First notified:	ANSWERING SERVICE	Material class:	PETROLEUM
Material spilled:	GASOLINE	Release QTY:	15.00 GALLONS
Water body affected:	Not reported	Origin:	PASSENGER VEHICLE
Resource affected:	ON LAND	Notifier:	FIRE DEPARTMENT
Basin of spill:	1700	Project ID:	0
Cleaner:	OTHER AGENCY	Date Cleaned:	02/21/1989
Initiated clean up:	Not reported	Close Date:	02/21/1989
Last Inspection:	Not reported	Investigator:	NCFM
UST Trust Fund:	No	Penalty:	NO PENALTY
Status:	MEANS ITS BEEN RESOLVED		
Quantity recovered:	0.00		
Cause:	TANK FAILURE		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

83

**AL ANDRIANO RESIDENCE
159 12TH STREET
BETHPAGE, NY**

LUST

**S100492507
N/A**

LUST:

Facility ID:	9213083	Spill Date:	02/23/1993
First notified:	C	Material class:	PETROLEUM
Material spilled:	#2 FUEL	Release QTY:	1.00 GALLONS
Water body affected:	Not reported	Origin:	PRIVATE DWELLING
Resource affected:	ON LAND	Notifier:	OTHER
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	02/24/1993
Initiated clean up:	Not reported	Close Date:	02/24/1993
Last Inspection:	Not reported	Investigator:	NONE
UST Trust Fund:	No	Penalty:	NO PENALTY
Status:	MEANS ITS BEEN RESOLVED		
Quantity recovered:	0.00		
Cause:	TANK FAILURE		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

84

**TEXACO U.S.A.-A DIV. OF TEXACO INC.
1000 SOUTH BROADWAY
HICKSVILLE, NY 11801**

FINDS

**1000144460
RCRIS-LQG NYD000694448**

RCRIS:

Owner: TEXACO U.S.A.
(609) 667-3800

Contact: H E PHILLIPS
(609) 667-3800

Waste	Quantity	Info Source	Waste	Quantity	Info Source
D000	.00000 (N)	Notification	D001	.00000 (N)	Notification
D002	.00000 (N)	Notification	D008	.00000 (N)	Notification
D001	3.26500 (M)	Part A	D008	.00100 (P)	Part A

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

MAP FINDINGS

Map ID Direction Distance	Site	Database(s)	EDR ID Number EPA ID Number
---------------------------------	------	-------------	--------------------------------

85	BRADCO SUPPLY CORP. 85 BLOOMINGDALE RD HICKSVILLE, NY	UST AST	U001446670 N/A
----	--	--------------------------	---------------------------------

Nassau County UST:

Facility ID:	054058	Tank ID:	0002
Tank Location:	Indoors, Belowground	Capacity:	00004000
Tank Status:	In Service	Tank Material:	Fiberglass Reinforced Plastic
Piping Type:	Other	Material Type:	Fresh/Product
Int Protection:	None		
Ext Protection:	FIBERGLASS REINFORCED PLASTIC		
Description:	OIL, FUEL #2		
Leak Detect:	ELECTRONIC	Containment:	Double Wall Tank
Dispense Method:	Suction	Product Gauge:	Yes
Fill Type:	Pumped	Install Date:	1089
Total Tanks:	1		

Nassau County AST:

Facility ID:	054058	Tank ID:	0009
Tank Location:	Indoors, Aboveground	Capacity (Gal):	275
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	PAINTED [e.g. asphaltic]	Material Type:	Fresh/Product
Piping Type:	Other		
Description:	OIL, FUEL #2	Containment:	NONE
Leak Detect:	NONE	Product Gauge:	No
Dispense Method:	Suction	Install Date:	1255
Fill Type:	Pumped	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		

86	NYNEX VEHICLE SHERMAN AVE/SO 6TH STREET BETHPAGE, NY	LUST	S101102415 N/A
----	---	-------------	---------------------------------

LUST:

Facility ID:	9314784	Spill Date:	03/17/1994
First notified:	C	Material class:	PETROLEUM
Material spilled:	GASOLINE	Release QTY:	0.00 GALLONS
Water body affected:	Not reported	Origin:	COMM VEHICLE
Resource affected:	ON LAND	Notifier:	RESPONSIBLE PARTY
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	03/18/1994
Initiated clean up:	Not reported	Close Date:	03/18/1994
Last Inspection:	Not reported	Investigator:	GIBBONS
UST Trust Fund:	No	Penalty:	NO PENALTY
Status:	MEANS ITS BEEN RESOLVED		
Quantity recovered:	0.00		
Cause:	TANK FAILURE		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

87	JAMOCO HEATING & COOLING CORP 105 BLOOMINGDALE RD HICKSVILLE, NY 11801	RCRIS-SQG	1000990295 NYR000002543
----	---	------------------	--

MAP FINDINGS

Map ID
Direction
Distance

Site Database(s) EDR ID Number
EPA ID Number

JAMOCO HEATING & COOLING CORP (Continued)

1000990295

RCRIS:

Owner: JAMOCO HEATING & COOLING CORP
(516) 681-4400

Contact: Not reported

Waste	Quantity	Info Source	Waste	Quantity	Info Source
D001	.00000 (N)	Notification	D002	.00000 (N)	Notification
D003	.00000 (N)	Notification			

(P) = Pounds, (K) = Kilograms, (M) = Metric Tons, (T) = Tons, (N) = Not Reported

87 JAMOCO HEATING & COOLING CORP FINDS 1001010741
105 BLOOMINGDALE RD NY0001173160
HICKSVILLE, NY 11801

88 JAMES BELL RESIDENCE LUST S101657999
127 SOUTH 1ST ST N/A
BETHPAGE, NY

LUST:

Facility ID:	9500753	Spill Date:	04/19/1995
First notified:	ANSWERING SERVICE	Material class:	PETROLEUM
Material spilled:	#2 FUEL	Release QTY:	0.00
Water body affected:	Not reported	Origin:	PRIVATE DWELLING
Resource affected:	ON LAND	Notifier:	OTHER
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	06/28/1995
Initiated clean up:	Not reported	Close Date:	06/28/1995
Last Inspection:	Not reported	Investigator:	AUSTIN
UST Trust Fund:	No	Penalty:	NO PENALTY
Status:	MEANS ITS BEEN RESOLVED		
Quantity recovered:	0.00		
Cause:	TANK FAILURE		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

89 CASCADE WATER SERVICE., INC FINDS 1000961763
113 BLOOMINGDALE RD NY0000640433
HICKSVILLE, NY 11801

90 SUNOCO SVC STA FINDS 1000328704
125 BLOOMINGDALE RD RCRIS-LQG NY0000698746
HICKSVILLE, NY 11801

MAP FINDINGS

Map ID
Direction
Distance

EDR ID Number
EPA ID Number

SUNOCO SVC STA (Continued) 1000328704

RCRIS:
Owner: PIONEER GENERAL STORE INC
(212) 555-1212

Contact: GENERAL PIONEER
(212) 555-1212

Waste	Quantity	Info Source	Waste	Quantity	Info Source
D000	.00000 (N)	Notification	D001	.00000 (N)	Notification

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

91 DYNAMIC PAINTING CORP **RCRIS-SQG** 1000790409
7 WILLIS CT **FINDS** NYD987018934
HICKSVILLE, NY 11801

RCRIS:
Owner: OTNICAJ 7 REALTY CORP
(212) 555-1212

Contact: GLEN JACINTO
(516) 681-6696

Waste	Quantity	Info Source
D001	.00000 (N)	Notification

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

There are 1 compliance/violation record(s) reported at this site:

Evaluation	Date	Violations
COMPLIANCE EVALUATION INSPECTION (CEI)	15-AUG-93	YES

92 AMERICAN LITHOTECH **FINDS** 1000358734
631 HICKSVILLE ROAD **RCRIS-LQG** NYD981489453
BETHPAGE, NY 11714

RCRIS:
Owner: AMERICAN LITHOTECH, INC.
(212) 555-1212

Contact: DAVID LURIE
(516) 931-6300

Waste	Quantity	Info Source
D000	.00000 (N)	Notification

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

93 RENAISSANCE DESIGN & BUILDING INC **RCRIS-SQG** 1000871522
91 ENGINEERS DR **FINDS** NY0000062687
HICKSVILLE, NY 11801

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

RENAISSANCE DESIGN & BUILDING INC (Continued)

1000871522

RCRIS:

Owner: J DEALBUQUERQUE & D MAYER
(516) 932-8501

Contact: DIANA SHERRARD
(516) 932-8501

Waste	Quantity	Info Source	Waste	Quantity	Info Source
D001	.00000 (N)	Notification	D035	.00000 (N)	Notification
F003	.00000 (N)	Notification	F005	.00000 (N)	Notification

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

94

**HICKSVILLE POST OFFICE
260 ENGINEERS DR
HICKSVILLE, NY 11802**

**FINDS 1000272871
RCRIS-LQG NY9180090020**

RCRIS:

Owner: Not reported

Contact: JOHN DOLAN
(516) 933-2343

Waste	Quantity	Info Source
D001	.00000 (N)	Notification

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

95

**BOCES NASSAU TECH BETHPAGE AV
610 HICKSVILLE RD
BETHPAGE, NY 11714**

**RCRIS-SQG 1000221239
FINDS NYD136581915**

RCRIS:

Owner: GRUMMAN BETHPAGE CENTER
(212) 555-1212

Contact: JOHN GOLDEN
(516) 576-9180

Waste	Quantity	Info Source	Waste	Quantity	Info Source
NONE	.00000 (N)	Notification	NONE	.00000 (N)	EPA Inspection

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

96

**ERIKSEN AUTO OWNER
588 STEWART AVENUE
BETHPAGE, NY**

**LUST S100665688
N/A**

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

ERIKSEN AUTO OWNER (Continued)

S100665688

LUST:

Facility ID:	8808488	Spill Date:	01/25/1989
First notified:	REGIONAL OFFICE	Material class:	PETROLEUM
Material spilled:	GASOLINE	Release QTY:	5.00 GALLONS
Water body affected:	Not reported	Origin:	PASSENGER VEHICLE
Resource affected:	ON LAND	Notifier:	HEALTH DEPARTMENT
Basin of spill:	1700	Project ID:	99226
Cleaner:	DEC - PIN PROJECT	Date Cleaned:	01/26/1989
Initiated clean up:	Not reported	Close Date:	04/02/1991
Last inspection:	Not reported	Investigator:	NCFM
UST Trust Fund:	No	Penalty:	NO PENALTY
Status:	MEANS ITS BEEN RESOLVED		
Quantity recovered:	0.00		
Cause:	OTHER		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

96

**SON-LEW LAUNDRY CTR INC
596 STEWART AVE
BETHPAGE, NY 11714**

**RCRIS-SQG 1000139057
FINDS NYD982538621**

RCRIS:

Owner: SON LEW LAUNDRY CENTER INC
(212) 555-1212

Contact: BLANCHE STALTARE
(516) 931-9636

Waste	Quantity	Info Source
F002	.00000 (N)	Notification

(P) = Pounds, (K) = Kilograms, (M) = Metric Tons, (T) = Tons, (N) = Not Reported

97

**ABSOLUTE PHOTO INC
184 QUALITY PLAZA
HICKSVILLE, NY 11801**

**RCRIS-LOG 1000334058
NYD982743965**

RCRIS:

Owner: JOSEPH GIAMPAPA
(212) 555-1212

Contact: JOSEPH GIAMPAPA
(516) 822-5400

Waste	Quantity	Info Source	Waste	Quantity	Info Source
D000	.00000 (N)	Notification	D002	.00000 (N)	Notification

(P) = Pounds, (K) = Kilograms, (M) = Metric Tons, (T) = Tons, (N) = Not Reported

97

**ABSOLUTE GRAPHICS INC
184 QUALITY PLAZA
HICKSVILLE, NY 11801**

**RCRIS-SQG 1000334057
FINDS NYD982743904**

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

ABSOLUTE GRAPHICS INC (Continued)

1000334057

RCRIS:

Owner: JOHN MORGAN
(212) 555-1212

Contact: JOHN MORGAN
(516) 939-0250

Waste	Quantity	Info Source	Waste	Quantity	Info Source
D000	.00000 (N)	Notification	D002	.00000 (N)	Notification

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

98

**J.C. PRECISION AUTOMOTIVE
590 HICKSVILLE RD
BETHPAGE, NY**

AST

A100043081
N/A

Nassau County AST:

Facility ID:	055570	Tank ID:	0002
Tank Location:	Outdoors, Aboveground	Capacity (Gal):	275
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	Unknown	Material Type:	Waste
Ext Protection:	UNKNOWN	Containment:	NONE
Piping Type:	Other	Product Gauge:	No
Description:	WASTE OIL	Install Date:	1284
Leak Detect:	NONE	Total Tanks:	Not reported
Dispense Method:	Suction		
Fill Type:	Gravity		
Data File:	Petroleum Bulk Storage Facility		

99

**PHOENIX LABORATORIES INC
175 LAUMAN LANE
HICKSVILLE, NY 11801**

RCRIS-SQG
FINDS

1000207954
NYD003998259

Other Pertinent Environmental Activity Identified at Site:
facility has an emission permit under the Clean Air Act

99

**PROGRESSIVE CIRCUITS INC
180-R LAUMAN LN
HICKSVILLE, NY 11801**

RCRIS-SQG
FINDS

1000236610
NYD986891521

RCRIS:

Owner: ZT ZS CORP
(212) 555-1212

Contact: JYOTI MEHTA
(516) 938-4456

Waste	Quantity	Info Source	Waste	Quantity	Info Source
D002	.00000 (N)	Notification	F006	.00000 (N)	Notification

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

100

**SLOMINS OIL CO
125 LAUMAN LN
HICKSVILLE, NY**

LUST

S100174751
N/A

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

SLOMINS OIL CO (Continued)

S100174751

LUST:

Facility ID:	9100704	Spill Date:	04/17/1991
First notified:	ANSWERING SERVICE	Material class:	PETROLEUM
Material spilled:	#2 FUEL	Release QTY:	0.00 GALLONS
Water body affected:	Not reported	Origin:	COMMINDUST
Resource affected:	GROUNDWATER	Notifier:	TANK TESTER
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	03/02/1992
Initiated clean up:	Not reported	Close Date:	03/02/1992
Last Inspection:	Not reported	Investigator:	DEROSA
UST Trust Fund:	No	Penalty:	NO PENALTY
Status:	MEANS ITS BEEN RESOLVED		
Quantity recovered:	0.00		
Cause:	TANK TEST FAILURE [BULK STORE. PRO.]		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

100

SLOMINS INC
125 LAUMAN LANE
HICKSVILLE, NY 11801

FINDS 1000300093
RCRIS-LQG NYD012869145
UST
LUST

LUST:

Facility ID:	8910541	Spill Date:	02/05/1990
First notified:	ANSWERING SERVICE	Material class:	PETROLEUM
Material spilled:	#2 FUEL	Release QTY:	5.00 GALLONS
Water body affected:	Not reported	Origin:	TANK TRUCK
Resource affected:	ON LAND	Notifier:	RESPONSIBLE PARTY
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	02/05/1990
Initiated clean up:	Not reported	Close Date:	02/05/1990
Last Inspection:	Not reported	Investigator:	NONE
UST Trust Fund:	No	Penalty:	NO PENALTY
Status:	MEANS ITS BEEN RESOLVED		
Quantity recovered:	0.00		
Cause:	TANK OVERFILL		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

Nassau County UST:

Facility ID:	055883	Tank ID:	0004
Tank Location:	Indoors, Belowground	Capacity:	00002000
Tank Status:	In Service	Tank Material:	STEEL
Piping Type:	Galvanized Steel	Material Type:	Waste
Int Protection:	None		
Ext Protection:	FIBERGLASS REINFORCED PLASTIC		
Description:	WASTE OIL		
Leak Detect:	OTHER	Containment:	Other
Dispense Method:	Suction	Product Gauge:	No
Fill Type:	Gravity	Install Date:	0685
Total Tanks:	3		

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

SLOMINS INC (Continued)

1000300093

Facility ID:	055883	Tank ID:	0005
Tank Location:	Indoors, Belowground	Capacity:	00001000
Tank Status:	In Service	Tank Material:	STEEL
Piping Type:	Galvanized Steel	Material Type:	Fresh/Product
Int Protection:	None		
Ext Protection:	FIBERGLASS REINFORCED PLASTIC		
Description:	OIL, FUEL #2		
Leak Detect:	OTHER	Containment:	Other
Dispense Method:	Suction	Product Gauge:	Yes
Fill Type:	Gravity	Install Date:	0685
Total Tanks:	3		

Facility ID:	055883	Tank ID:	0006
Tank Location:	Indoors, Belowground	Capacity:	00001000
Tank Status:	In Service	Tank Material:	STEEL
Piping Type:	Galvanized Steel	Material Type:	Fresh/Product
Int Protection:	None		
Ext Protection:	FIBERGLASS REINFORCED PLASTIC		
Description:	OIL, FUEL #2		
Leak Detect:	OTHER	Containment:	Other
Dispense Method:	Suction	Product Gauge:	Yes
Fill Type:	Gravity	Install Date:	0685
Total Tanks:	3		

101

**GRECO BROS. BULK TERMINAL
LAUMAN LA & HICKSVILLE RD.
HICKSVILLE, NY 11714**

AST

U001853917
N/A

MOSF AST:

Facility ID:	1-3100	Telephone:	(516) 681-1515
Facility Status:	ACTIVE FACILITY		
Owner:	GRECO BROS. FUEL CORP. P.O. BOX 208 239 BROADWAY BETHPAGE, NY 11714-		
Owner Tel:	(516) 938-5200		
Tank ID:	001	Tank Status:	IN SERVICE
Tank Location:	ABOVEGROUND	Capacity (Gal):	500000
Install Date:	10/55	Tank Internal:	EPOXY LINER
Tank Type:	Steel/carbon steel	Pipe Type:	STEEL/IRON
Product:	NOS 1,2, OR 4 FUEL OIL	Dispenser:	Suction
Tank External:	SACRIFICIAL ANODE		
Pipe Location:	Above/Underground Combination		
Pipe Internal:	NONE		
Pipe External:	NONE		
Second Contain:	CONCRETE DIKE/IMPERVIOUS UNDERLAYMENT		
Leak Detection:	GROUNDWATER WELL		
Overfill Protection:	High Level Alarm		
Test Date:	10/86	Date Closed:	Not reported
Dispensing Mthd:	Suction		
Data File:	Not reported		

102

**BETHPAGE PUBLIC LIBRARY
47 POWELL AVE
BETHPAGE, NY**

LUST

S100492543
N/A

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

BETHPAGE PUBLIC LIBRARY (Continued)

S100492543

LUST:

Facility ID:	9213367	Spill Date:	03/03/1993
First notified:	ANSWERING SERVICE	Material class:	PETROLEUM
Material spilled:	#2 FUEL	Release QTY:	0.00 GALLONS
Water body affected:	Not reported	Origin:	NON-COMMUNST
Resource affected:	GROUNDWATER	Notifier:	TANK TESTER
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	08/11/1993
Initiated clean up:	Not reported	Close Date:	08/11/1993
Last Inspection:	Not reported	Investigator:	T/T/F
UST Trust Fund:	No	Penalty:	NO PENALTY
Status:	MEANS ITS BEEN RESOLVED		
Quantity recovered:	0.00		
Cause:	TANK TEST FAILURE [BULK STORE. PRO.]		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

102

**BETHPAGE PUBLIC LIBRARY
POWELL AVENUE
BETHPAGE, NY**

LUST

S100149020
N/A

LUST:

Facility ID:	8704151	Spill Date:	08/19/1987
First notified:	REGIONAL OFFICE	Material class:	PETROLEUM
Material spilled:	#2 FUEL	Release QTY:	0.00 GALLONS
Water body affected:	Not reported	Origin:	NON-COMMUNST
Resource affected:	GROUNDWATER	Notifier:	TANK TESTER
Basin of spill:	17	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	10/03/1988
Initiated clean up:	Not reported	Close Date:	10/03/1988
Last Inspection:	Not reported	Investigator:	O'NEILL
UST Trust Fund:	No	Penalty:	NO PENALTY
Status:	MEANS ITS BEEN RESOLVED		
Quantity recovered:	0.00		
Cause:	TANK TEST FAILURE [BULK STORE. PRO.]		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

103

**BETHPAGE BEST CLEANERS
360 BROADWAY
BETHPAGE, NY 11714**

RCRIS-SQG
FINDS

1000243983
NYD981086085

RCRIS:

Owner: YOO HANG JEON
(516) 935-3333

Contact: YOO HANG JEON
(516) 935-3333

Waste	Quantity	Info Source
F002	.00000 (N)	Notification

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

MAP FINDINGS

Map ID Direction Distance	Site	Database(s)	EDR ID Number EPA ID Number
---------------------------------	------	-------------	--------------------------------

104	BETHPAGE SERVICE STATION 515 STEWART AVE BETHPAGE, NY	UST	U001855327 N/A
------------	--	------------	---------------------------------

Nassau County UST:

Facility ID: 056695	Tank ID: 0004
Tank Location: Indoors, Belowground	Capacity: 00001000
Tank Status: In Service	Tank Material: Fiberglass Reinforced Plastic
Piping Type: Galvanized Steel	Material Type: Fresh/Product
Int Protection: None	
Ext Protection: FIBERGLASS REINFORCED PLASTIC	
Description: OIL, FUEL #2	
Leak Detect: OTHER	Containment: Other
Dispense Method: Suction	Product Gauge: No
Fill Type: Gravity	Install Date: 0281
Total Tanks: 2	

Facility ID: 056695	Tank ID: 0005
Tank Location: Indoors, Belowground	Capacity: 00000500
Tank Status: In Service	Tank Material: STEEL
Piping Type: Galvanized Steel	Material Type: Waste
Int Protection: None	
Ext Protection: FIBERGLASS REINFORCED PLASTIC	
Description: WASTE OIL	
Leak Detect: OTHER	Containment: Other
Dispense Method: Gravity	Product Gauge: No
Fill Type: Gravity	Install Date: 0281
Total Tanks: 2	

105	UNK 3529 CORTNEY LANE BETHPAGE, NY	LUST	S100173586 N/A
------------	---	-------------	---------------------------------

LUST:

Facility ID: 9003089	Spill Date: 06/14/1990
First notified: C	Material class: PETROLEUM
Material spilled: #2 FUEL	Release QTY: 0.00 GALLONS
Water body affected: Not reported	Origin: PRIVATE DWELLING
Resource affected: ON LAND	Notifier: AFFECTED PERSONS
Basin of spill: 1700	Project ID: 0
Cleaner: SPILLER	Date Cleaned: 12/17/1990
Initiated clean up: Not reported	Close Date: 12/17/1990
Last inspection: Not reported	Investigator: HOFMANN
UST Trust Fund: No	
Status: MEANS ITS BEEN RESOLVED	Penalty: NO PENALTY
Quantity recovered: 0.00	
Cause: TANK OVERFILL	
Emergency response: IT WAS NOT TAKEN	
Facility status: COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]	

106	SUNOCO 489 STEWART AVENUE BETHPAGE, NY	LUST	S100169300 N/A
------------	---	-------------	---------------------------------

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

SUNOCO (Continued)

S100169300

LUST:

Facility ID:	8902244	Spill Date:	06/02/1989
First notified:	REGIONAL OFFICE	Material class:	PETROLEUM
Material spilled:	WASTE OIL	Release QTY:	0.00 GALLONS
Water body affected:	Not reported	Origin:	GAS STATION
Resource affected:	ON LAND	Notifier:	DEC
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	06/09/1989
Initiated clean up:	Not reported	Close Date:	06/09/1989
Last Inspection:	Not reported	Investigator:	LEUNG
UST Trust Fund:	Yes	Penalty:	NO PENALTY
Status:	MEANS ITS BEEN RESOLVED		
Quantity recovered:	0.00		
Cause:	TANK FAILURE		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

106

S & S SUNOCO SERVICE
489 STEWART AVE
BETHPAGE, NY 11714

FINDS 1000328751
RCRIS-LQG NYD000701599

RCRIS:

Owner: LVF CONT
(212) 555-1212

Contact: L MANZO
(516) 931-9244

Waste	Quantity	Info Source	Waste	Quantity	Info Source
D000	.00000 (N)	Notification	D001	.00000 (N)	Notification

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

Other Pertinent Environmental Activity Identified at Site:
civil judicial and administrative enforcement cases against facility

106

PAGE SERVICE STATION
497 STEWART AVE
BETHPAGE, NY

AST A100043090
N/A

Nassau County AST:

Facility ID:	055611	Tank ID:	0002
Tank Location:	Indoors, Aboveground	Capacity (Gal):	250
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Other	Material Type:	Waste
Description:	WASTE OIL		
Leak Detect:	NONE	Containment:	NONE
Dispense Method:	Suction	Product Gauge:	No
Fill Type:	Gravity	Install Date:	1255
Data File:	Petroleum Bulk Storage Facility	Total Tanks:	Not reported

107

EASTERN EXTERMINATING CO INC
326 BROADWAY
BETHPAGE, NY 11714

FINDS 1000402157
RCRIS-LQG NYD049202088

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

EASTERN EXTERMINATING CO INC (Continued)

1000402157

RCRIS:

Owner: Not reported

Contact: CHARLES KEATING
(517) 735-4142

Waste	Quantity	Info Source
P122	.00000 (N)	Notification

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

107

UNK
339 BROADWAY / WASHINGTON
BETHPAGE, NY

LUST

S100491423
N/A

LUST:

Facility ID:	9204651	Spill Date:	07/22/1992
First notified:	ANSWERING SERVICE	Material class:	PETROLEUM
Material spilled:	#2 FUEL	Release QTY:	10.00 GALLONS
Water body affected:	Not reported	Origin:	TANK TRUCK
Resource affected:	ON LAND	Notifier:	FIRE DEPARTMENT
Basin of spill:	1700	Project ID:	0
Cleaner:	OTHER AGENCY	Date Cleaned:	09/20/1992
Initiated clean up:	Not reported	Close Date:	09/20/1992
Last Inspection:	Not reported	Investigator:	DECANDIA
UST Trust Fund:	No	Penalty:	NO PENALTY
Status:	MEANS ITS BEEN RESOLVED		
Quantity recovered:	0.00		
Cause:	TANK OVERFILL		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

108

GIFFORD OIL
24 HUNTER LANE
LEVITTOWN, NY

LUST

S100173351
N/A

LUST:

Facility ID:	9000830	Spill Date:	04/23/1990
First notified:	ANSWERING SERVICE	Material class:	PETROLEUM
Material spilled:	#2 FUEL	Release QTY:	1.00 GALLONS
Water body affected:	Not reported	Origin:	PRIVATE DWELLING
Resource affected:	ON LAND	Notifier:	AFFECTED PERSONS
Basin of spill:	1700	Project ID:	0
Cleaner:	SPILLER	Date Cleaned:	04/27/1990
Initiated clean up:	Not reported	Close Date:	04/27/1990
Last Inspection:	Not reported	Investigator:	ANDERSON
UST Trust Fund:	No	Penalty:	NO PENALTY
Status:	MEANS ITS BEEN RESOLVED		
Quantity recovered:	0.00		
Cause:	TANK OVERFILL		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

MAP FINDINGS

Map ID Direction Distance	Site	Database(s)	EDR ID Number EPA ID Number																																																												
109	BETHPAGE AUTO BODY 309 BROADWAY BETHPAGE, NY 11714	FINDS RCRIS-LQG	1000243982 NYD981085764																																																												
	RCRIS: Owner: Not reported Contact: IRWIN LAZARUS (516) 822-5093																																																														
	<table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left; border-bottom: 1px solid black;">Waste</th> <th style="text-align: left; border-bottom: 1px solid black;">Quantity</th> <th style="text-align: left; border-bottom: 1px solid black;">Info Source</th> </tr> </thead> <tbody> <tr> <td style="border-bottom: 1px solid black;">D001</td> <td style="border-bottom: 1px solid black;">.00000 (N)</td> <td style="border-bottom: 1px solid black;">Notification</td> </tr> </tbody> </table>	Waste	Quantity	Info Source	D001	.00000 (N)	Notification																																																								
Waste	Quantity	Info Source																																																													
D001	.00000 (N)	Notification																																																													
	(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported																																																														
110	ZIMMER RESIDENCE 3609 FIDDLER LANE BETHPAGE, NY	LUST	S100148412 N/A																																																												
	LUST: <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 33%;">Facility ID:</td> <td style="width: 33%;">8912328</td> <td style="width: 33%;">Spill Date:</td> <td style="width: 33%;">03/26/1990</td> </tr> <tr> <td>First notified:</td> <td>REGIONAL OFFICE</td> <td>Material class:</td> <td>PETROLEUM</td> </tr> <tr> <td>Material spilled:</td> <td>#2 FUEL</td> <td>Release QTY:</td> <td>0.00 GALLONS</td> </tr> <tr> <td>Water body affected:</td> <td>Not reported</td> <td>Origin:</td> <td>PRIVATE DWELLING</td> </tr> <tr> <td>Resource affected:</td> <td>ON LAND</td> <td>Notifier:</td> <td>HEALTH DEPARTMENT</td> </tr> <tr> <td>Basin of spill:</td> <td>1700</td> <td>Project ID:</td> <td>0</td> </tr> <tr> <td>Cleaner:</td> <td>SPILLER</td> <td>Date Cleaned:</td> <td>03/29/1990</td> </tr> <tr> <td>Initiated clean up:</td> <td>Not reported</td> <td>Close Date:</td> <td>03/29/1990</td> </tr> <tr> <td>Last inspection:</td> <td>Not reported</td> <td>Investigator:</td> <td>NONE</td> </tr> <tr> <td>UST Trust Fund:</td> <td>No</td> <td>Penalty:</td> <td>NO PENALTY</td> </tr> <tr> <td>Status:</td> <td>MEANS ITS BEEN RESOLVED</td> <td></td> <td></td> </tr> <tr> <td>Quantity recovered:</td> <td>0.00</td> <td></td> <td></td> </tr> <tr> <td>Cause:</td> <td>TANK FAILURE</td> <td></td> <td></td> </tr> <tr> <td>Emergency response:</td> <td>IT WAS NOT TAKEN</td> <td></td> <td></td> </tr> <tr> <td>Facility status:</td> <td colspan="3">COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]</td> </tr> </table>			Facility ID:	8912328	Spill Date:	03/26/1990	First notified:	REGIONAL OFFICE	Material class:	PETROLEUM	Material spilled:	#2 FUEL	Release QTY:	0.00 GALLONS	Water body affected:	Not reported	Origin:	PRIVATE DWELLING	Resource affected:	ON LAND	Notifier:	HEALTH DEPARTMENT	Basin of spill:	1700	Project ID:	0	Cleaner:	SPILLER	Date Cleaned:	03/29/1990	Initiated clean up:	Not reported	Close Date:	03/29/1990	Last inspection:	Not reported	Investigator:	NONE	UST Trust Fund:	No	Penalty:	NO PENALTY	Status:	MEANS ITS BEEN RESOLVED			Quantity recovered:	0.00			Cause:	TANK FAILURE			Emergency response:	IT WAS NOT TAKEN			Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		
Facility ID:	8912328	Spill Date:	03/26/1990																																																												
First notified:	REGIONAL OFFICE	Material class:	PETROLEUM																																																												
Material spilled:	#2 FUEL	Release QTY:	0.00 GALLONS																																																												
Water body affected:	Not reported	Origin:	PRIVATE DWELLING																																																												
Resource affected:	ON LAND	Notifier:	HEALTH DEPARTMENT																																																												
Basin of spill:	1700	Project ID:	0																																																												
Cleaner:	SPILLER	Date Cleaned:	03/29/1990																																																												
Initiated clean up:	Not reported	Close Date:	03/29/1990																																																												
Last inspection:	Not reported	Investigator:	NONE																																																												
UST Trust Fund:	No	Penalty:	NO PENALTY																																																												
Status:	MEANS ITS BEEN RESOLVED																																																														
Quantity recovered:	0.00																																																														
Cause:	TANK FAILURE																																																														
Emergency response:	IT WAS NOT TAKEN																																																														
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]																																																														
111	TRANSMISSION TECHNICIANS 305 BROADWAY BETHPAGE, NY 11714	RCRIS-SQG FINDS	1000791672 NYD987031895																																																												
	RCRIS: Owner: TRANSMISSION TECHNICIANS INC (516) 938-8139 Contact: WALTER LAUT (516) 938-8139																																																														
	<table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left; border-bottom: 1px solid black;">Waste</th> <th style="text-align: left; border-bottom: 1px solid black;">Quantity</th> <th style="text-align: left; border-bottom: 1px solid black;">Info Source</th> </tr> </thead> <tbody> <tr> <td style="border-bottom: 1px solid black;">D001</td> <td style="border-bottom: 1px solid black;">.00000 (N)</td> <td style="border-bottom: 1px solid black;">Notification</td> </tr> </tbody> </table>	Waste	Quantity	Info Source	D001	.00000 (N)	Notification																																																								
Waste	Quantity	Info Source																																																													
D001	.00000 (N)	Notification																																																													
	(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported																																																														
112	LVF CONTRACTING STEWART AVE & LAFAYETTE AVE BETHPAGE, NY 11714	FINDS RCRIS-LQG	1000108433 NYD982742934																																																												

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

LVF CONTRACTING (Continued)

1000108433

RCRIS:

Owner: LVF CONTRACTING
(212) 555-1212

Contact: LENNY MANZO
(516) 546-3475

Waste	Quantity	Info Source
D001	.00000 (N)	Notification

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

113

**KANOWSKY RESIDENCE
556 CENTRAL AVENUE
BETHPAGE, NY**

LUST

S100150512
N/A

LUST:

Facility ID:	9000164	Spill Date:	04/01/1990
First notified:	REGIONAL OFFICE	Material class:	PETROLEUM
Material spilled:	#2 FUEL	Release QTY:	0.00 GALLONS
Water body affected:	Not reported	Origin:	PRIVATE DWELLING
Resource affected:	GROUNDWATER	Notifier:	RESPONSIBLE PARTY
Basin of spill:	1700	Project ID:	90473
Cleaner:	DEC - PIN PROJECT	Date Cleaned:	01/28/1992
Initiated clean up:	Not reported	Close Date:	04/19/1993
Last Inspection:	Not reported	Investigator:	HAAS
UST Trust Fund:	No	Penalty:	NO PENALTY
Status:	MEANS ITS BEEN RESOLVED		
Quantity recovered:	0.00		
Cause:	TANK FAILURE		
Emergency response:	IT WAS NOT TAKEN		
Facility status:	COMPLETED SPILL [SPILL IS CLEANED UP AND ALL PAPERWORK IS COMPLETED]		

114

**EAGAL NEST
500 CENTRAL AVE
BETHPAGE, NY 11714**

RCRIS-SQG
FINDS

1000553989
NYD986964278

RCRIS:

Owner: EAGELS NEST MOTOR SPORT INC
(516) 822-9494

Contact: JOSEPH PARISI
(516) 877-9494

Waste	Quantity	Info Source	Waste	Quantity	Info Source
D000	.00000 (N)	Notification	D001	.00000 (N)	Notification
D008	.00000 (N)	Notification			

(P) = Pounds , (K) = Kilograms , (M) = Metric Tons , (T) = Tons , (N) = Not Reported

MAP FINDINGS

Map ID
Direction
Distance

Site

Database(s)

EDR ID Number
EPA ID Number

EAGAL NEST (Continued)

1000553989

There are 1 compliance/violation record(s) reported at this site:

Evaluation	Date	Violations
NON-FINANCIAL RECORD REVIEW (NRR)	01-APR-94	YES

114

**EAGLES NEST
500 CENTRAL AVE
BETHPAGE, NY**

AST

A100043255
N/A

Nassau County AST:

Facility ID:	056330	Tank ID:	0002
Tank Location:	Indoors, Aboveground	Capacity (Gal):	250
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	OTHER	Material Type:	Fresh/Product
Piping Type:	Steel/Iron		
Description:	OIL, MOTOR	Containment:	NONE
Leak Detect:	OTHER	Product Gauge:	No
Dispense Method:	Suction	Install Date:	1261
Fill Type:	Gravity	Total Tanks:	Not reported
Data File:	Petroleum Bulk Storage Facility		

City	EDR ID	Site Name	Site Address	Zip	Database(s)	Facility ID
BETHPAGE	95275392	BARBEQUE WAREHOUSE			ERNS	
BETHPAGE	8705774	NORTHVILLE GAS STATION		11714	LUST	9206489
BETHPAGE	S100491639	LILCO-LEWITTOWN SUBSTATION	RTE 107 WANTAGH AVENUE	11714	FINDS, RCRIS-LOG	
BETHPAGE	1000178350		RT 107 NO HEMPSTEAD TPK	11714	FINDS, RCRIS-LOG	
BETHPAGE	1000890357	NYSOOT BIN 1037899	RTE 135 OVER BROADWAY	11714	FINDS, RCRIS-LOG	
BETHPAGE	1000890356	NYSOOT BIN 1037859	RTE 135 OVER BOUNDARY AVE	11714	FINDS, RCRIS-LOG	
BETHPAGE	1000556028	NYSOOT BIN 1037880	RTE 135 UNDER CENTRAL AVE	11714	FINDS, RCRIS-LOG	
BETHPAGE	1000556023	NYSOOT BIN 1037909	RTE 135 OVER HAYPATH RD	11714	FINDS, RCRIS-LOG	
BETHPAGE	S101657866	BETHPAGE STATE PARK	BETHPAGE STATE PARK	11714	LUST	8807183
BETHPAGE	S100149885	OGS/NYS	BETHPAGE STATE PARK	11714	LUST	8903698
BETHPAGE	S100684457	SEALIT	75 BLOOMINGDALE ROAD	11714	LUST	9113120
BETHPAGE	U002284560	JOHN F. KENNEDY J.H.S.	BROADWAY	11714	UST	
BETHPAGE	A100042904	BETHPAGE SCH BUS GARAGE	BROADWAY	11714	AST	
BETHPAGE	A100042542	BETHPAGE W.D. PLANT 5	BROADWAY	11714	AST	
BETHPAGE	U002284561	CENTRAL BLVD SCHOOL	BROADWAY	11714	UST	
BETHPAGE	1000164786	SUNBRITE LAUNDROMAT & DRY CLEAN	4025 CHEMPSTEAD TNPK	11714	FINDS, RCRIS-LOG	
BETHPAGE	1000243980	BETHPAGE U F S D	CHEERY AVE	11714	FINDS, RCRIS-LOG, LUST	8703585
BETHPAGE	U002096875	MERIT PLAINEDGE	4185 HEMPSTEAD TPKE	11714	UST	
BETHPAGE	U001854924	MOBIL S/S #17-K1Y	4180 HEMPSTEAD TPKE	11714	UST	041128
BETHPAGE	S101508890	OCEAN PETROLEUM	HEMPSTEAD TPKE / RTE 107	11714	LUST	9416174
BETHPAGE	S100151295	GAIL ROCK REALTY	4230 HEMPSTEAD TPKE	11714	LUST	9007407
BETHPAGE	1000872165	MID-ISLAND HOSPITAL INC	4295 HEMPSTEAD TNPK	11714	RCRIS-LOG	
BETHPAGE	1000791783	ISLAND TREES AUTOMOTIVE LTD	4180 HEMPSTEAD TNPK	11714	FINDS, RCRIS-LOG	
BETHPAGE	1000554868	EXXON SVC STA 38959	3985 HEMPSTEAD TNPK	11714	RCRIS-SQG, FINDS	
BETHPAGE	1000553613	MOBIL OIL CORP SS #K1Y	4180 HEMPSTEAD TNPK	11714	RCRIS-SQG, FINDS	
BETHPAGE	1000457540	JIFFY LUBE	4000 HEMPSTEAD TNPK	11714	RCRIS-SQG, FINDS	
BETHPAGE	1000283758	MERIT OIL CORP	4185 HEMPSTEAD TPKE	11714	FINDS, RCRIS-LOG, LUST	8809104
BETHPAGE	1000211487	POWER TEST BETHPAGE	4101 HEMPSTEAD TNPK	11714	RCRIS-SQG, FINDS	
BETHPAGE	1000144478	TEXACO SVC STA	HEMPSTEAD TNPK & STEWART	11714	FINDS, RCRIS-LOG	
BETHPAGE	1000135312	A & V MANSON SUPPLY INC	HEMPSTEAD TNPK	11714	RCRIS-SQG, FINDS	
BETHPAGE	1000549576	LONG ISLAND SWIMMING POOL SERV	4108 HEMPSTEAD TNPK	11714	FINDS	
BETHPAGE	S101508034	SUN COMPANY INC	4040 HEMPSTEAD LAKE PARK	11714	LUST	9415006
BETHPAGE	1000446478	SAL MIKE REALTY	100 HICKSVILLE ROAD	11714	LUST	
BETHPAGE	1000244487	BETHVIEW WHEEL ALIGNMENT, INC.	980 HICKSVILLE RD	11714	RCRIS-SQG, FINDS	
BETHPAGE	S100171037	MEENAN OIL	HICKSVILLE RD. & CENTRAL AVE.	11714	FINDS, RCRIS-LOG	
BETHPAGE	S100663909	APA TRANSPORT	30 HUB DRIVE	11714	LUST	8607347
BETHPAGE	1000549423	DOUGLAS CHEMICAL DIVISION DEIC	IMPERATIVE ROAD	11714	LUST	9106286
BETHPAGE	S100665895	UNK	1 LEXTINGTON AVE	11714	FINDS	
BETHPAGE	S100664230	MR.BAR-B-QUE	MANCHESTER DR/PLAINVIEW R	11714	LUST	8906174
BETHPAGE	1000551074	TBG COGENERATION	NIBBE LANE / LEXINGTON AV	11714	LUST	8706872
BETHPAGE	S100169809	MOBIL OIL	NYS ROUTE 107	11714	FINDS	
BETHPAGE	1000148518	NAVAL WEAPONS INDUSTRIAL RESERVE PLANT	SO OYSTER BAY / STEWART A	11714	LUST	8808752
BETHPAGE	U002096782	BETHPAGE W.D. PLANT 6	SOUTH OYSTER BAY ROAD PARK LANE	11714	CERCLIS, FINDS	

ORPHAN SUMMARY

City	EDR ID	Site Name	Site Address	Zip	Database(s)	Facility ID
BETHPAGE	U001446275	CHARLES CAMPAGNE SCHOOL	PLAINVIEW RD.	11714	UST	052346
BETHPAGE	1000407948	NORTHERN ALLOYS INC	PLAINVIEW RD & MANCHESTER	11714	RCRIS-SQG, FINDS	
BETHPAGE	1001028645	NYSOOT BIN 1037890	POWELL AVE OVER RTE 135	11714	RCRIS-SQG	
BETHPAGE	S100666398	GRAND CARTING COMPANY	ROUND SWAMP ROAD	11714	LUST	9001430
BETHPAGE	S100664722	UNK	ROUND SWAMP ROAD	11714	LUST	9205621
BETHPAGE	S100781376	TIM HARBULAK PASS VEHICLE	S O B EXIT 9 SO BOUND	11714	LUST	9310169
BETHPAGE	U002096706	BETHPAGE WD PLANT 4	SOPHIA STREET	11714	UST, AST	
BETHPAGE	S100878944	MEENAN OIL	SOPHIA STREET	11714	LUST	
BETHPAGE	U002284558	JOHN H. WEST SCHOOL	STEWART & BOUNDARY AVES.	11714	UST	
BETHPAGE	U002284557	NORTHEGE SCHOOL	STEWART AVE.	11714	UST	
BETHPAGE	S101340109	DIFAZIO ELECTRIC (G.C.)	STEWART AVE	11714	LUST	
BETHPAGE	S101173536	TOWN OF OYSTER BAY	STEWART AVE	11714	LUST	
BETHPAGE	S100521004	NAVAL WEAPONS IND. RESERVE PLANT	STEWART AVENUE	11714	SHWS	
BETHPAGE	1000432425	SERVICE STATION	N/S STEWART & CHERRY AVES	11714	FINDS, RCRIS-LOG	
BETHPAGE	1000243981	BETHPAGE COMMUNITY PARK	STEWART AVE	11714	RCRIS-SQG, FINDS, UST, LUST	9110161
BETHPAGE	S101658135	PAUL SOHAYEGH RESIDENCE	37 STYMUS AVENUE	11714	LUST	9505164
BETHPAGE	S100149786	ESTEE LANDER	182 SWEAT HOLLOW RD.	11714	LUST	8707804
BETHPAGE	S100149789	ESTEE LAUDER	182 SWEET HOLLOW ROAD	11714	LUST	8707921
BETHPAGE	S100490592	ISLAND TRANSPORT CORP	SOUTH WAREHOUSE AT GRUMMA	11714	LUST	9105673
FARMINGDALE	1000243984	BETHPAGE STATE PARK	BETHPAGE PKY	11714	RCRIS-SQG, FINDS, LUST	9807195
FARMINGDALE	U000726342	FRG-AIR TRAFFIC CONTROL TOWER	REPUBLIC AIRPORT	11714	UST, AST	1-1280
GARDEN CITY	1000789293	MTA BUS GARAGE (FORMERLY PUREX IND INC)	COMMERCIAL AVE (MITCHELL FIELD	11756	FINDS	
HICKSVILLE	9202672	15602 JACINTO PORT BLVD NO. B DOCK		11801	ERNS	
HICKSVILLE	9201947	1401 SHERIDAN AVE		11801	ERNS	
HICKSVILLE	1000335584	EXXON CO USA - HICKSVILLE	RTE 106 & 107	11801	FINDS, RCRIS-LOG	
HICKSVILLE	1000144487	TEXACO SERVICE STATION - 13-008-0196	RTE 107 & BETHPAGE RD	11801	FINDS, RCRIS-LOG	
HICKSVILLE	1000895928	MICRO CONTACTS INC.	62 ALPHA PLAZA	11801	TRIS, AST	
HICKSVILLE	1000385637	MICRO CONTACTS INC	82 ALPHA PLAZA	11801	FINDS, RCRIS-LOG	1-000167
HICKSVILLE	1000356865	ANDREWS-NUNNERY ENVELOPE AND PAPER CO.	74 ALPHA PLAZA	11801	RCRIS-SQG, FINDS	
HICKSVILLE	1000273024	STOKVIS MULTITON CORP.	51 ALPHA PLAZA	11801	FINDS, RCRIS-LOG	
HICKSVILLE	1000556708	NEWBAR SERVICE CENTER	1 BARTEL LANE	11801	RCRIS-SQG, FINDS	
HICKSVILLE	1000457675	HICKSVILLE WATER DIST	BETHPAGE & WOODBURY RDS - N 1000 FT	11801	FINDS, LUST	9007547
HICKSVILLE	1000412461	CONTINENTAL COLLISION	77B BLOOMINGDALE RD	11801	RCRIS-SQG, FINDS	
HICKSVILLE	1000791908	WHOLE SALE TIRE CO	358 B BROADWAY MALL	11801	FINDS	
HICKSVILLE	1000555555	M G M TOWING & AUTOMOTIVE	870 S BROADWAY - FRONT OF BLDG	11801	RCRIS-SQG, FINDS	
HICKSVILLE	1000335580	EXXON CO	BROADWAY & RTE 106	11801	RCRIS-SQG, FINDS	
HICKSVILLE	1000281466	ENVIRONMENTALLY SAFE TRANSPORT	23 CHARLOTT AVE	11801	RCRIS-SQG, FINDS	
HICKSVILLE	S100669239	GALILEO GALLAY LODGE	200 LEVITTOWN PKY	11801	LUST	9002639
HICKSVILLE	S100667442	USPO	106 LUDY ST	11801	LUST	9106495
HICKSVILLE	1000961116	NATL LUBRICATION SYSTEMS LTD	1300 MID ISLAND PLAZA	11801	FINDS	
HICKSVILLE	1000457676	HICKSVILLE WATER DISTRICT	NEWBRIDGE RD	11801	FINDS	
HICKSVILLE	1001010740	SUNRISE PROFESSIONAL SVC INC	73A OLD COUNTRY RD DELCO PLAZA	11801	FINDS	
HICKSVILLE	1000789398	GETTY SVC STA	178 OLD COUNTRY RD	11801	RCRIS-SQG, FINDS	
HICKSVILLE	1000789768	WESTERN AUTO REPAIR	67 OLD COUNTRY RD	11801	FINDS	
HICKSVILLE	1000381240	FRESH START CLEANERS	212 OLD COUNTRY ROAD	11801	FINDS, RCRIS-LOG	
HICKSVILLE	1000144528	TEXACO SVC STA	180 OLD COUNTRY RD	11801	FINDS, RCRIS-LOG	

City	EDR ID	Site Name	Site Address	Zip	Database(s)	Facility ID
HICKSVILLE	1000140663	S.S. PREMISES C/O SHELL OIL CO.	500 OLD CO. RD & LEVITTOWN RD	11801	FINDS, RCRIS-LOG	9008085
HICKSVILLE	S100669283	GETTY S/S	400 S OYSTER BAY RD	11801	LUST	
HICKSVILLE	1000358704	AMERICAN DRIVE IN CLEANERS	418 S. OYSTER BAY ROAD	11801	FINDS, RCRIS-LOG	
HICKSVILLE	1000121900	OUR LADY OF MERCY CHURCH	500 SOUTH OYSTER BAY ROAD	11801	RCRIS-SQG, FINDS	
HICKSVILLE	1001010743	MERIT OYSTER BAY	498 PLAINVIEW RD	11801	FINDS	
HICKSVILLE	1000549569	LIFESPAN PRODS COMPANY INC	126 QUALITY PLAZA	11801	FINDS	
ISLAND PARK	953095650			11801	ERNS	
JERUSALEM	S101102772	KEUKA LAKE STATE PARK	ROUTE 54A CAMP COMFORT ST	11714	LUST	9400514
JERUSALEM	S101508514	KEUKA COLLEGE	KEUKA COLLEGE	11714	LUST	7780920
JERUSALEM	S101340786	KEUKA COLLEGE	KEUKA PARK KEUKA COLLEGE	11714	LUST	9413838
LEVITTOWN	S100664038	REGENT MANAGEMENT	S BERRY AVE / HEMPSTEAD	11756	LUST	9006368
LEVITTOWN	S100665847	UNK TRACTOR TRAILER	DIVISION AVE/HEMPSTEAD TP	11756	LUST	8903605
LEVITTOWN	S100666382	JEROME RESIDENCE	3156 EUSTIN ROAD	11756	LUST	9001020
LEVITTOWN	S100168366	RESIDENCE	480 GARDINERS AVENUE	11756	LUST	8600317
LEVITTOWN	S100666838	AMOCO S/S	HEMPSTEAD TPKE	11756	LUST	9300461
LEVITTOWN	S100177165	GULF	HEMPSTEAD TPKE / JERUSALEM	11756	LUST	9102426
LEVITTOWN	S100151999	TSSK MART	HEMPSTEAD TPKE / GARDENER	11756	LUST	9101187
LEVITTOWN	S100149526	SCORE/DR. NICK'S	HEMPSTEAD TPKE / GARDENER	11756	LUST	9101187
LEVITTOWN	1000791011	GETTY SVC STA	3190/3200 HEMPSTEAD TPK	11756	LUST	8201143
LEVITTOWN	1000554497	KICK & HALLER INC	3730 HEMPSTEAD TPK	11756	LUST	055549
LEVITTOWN	1000414787	GOTTLIEB MARC DDS	3000 HEMPSTEAD TPK	11756	RCRIS-SQG, FINDS	
LEVITTOWN	1000358738	AMERICAN CLEANERS	3601 HEMPSTEAD TPK SUITE 420	11756	RCRIS-SQG, FINDS	
LEVITTOWN	1000328771	SUNOCO SERVICE STATION	3801 HEMPSTEAD TPK	11756	FINDS, RCRIS-LOG	
LEVITTOWN	1000256075	LEVINE ANDREW M & ASSOC	4295 HEMPSTEAD TPK & DIV AVE	11756	FINDS, RCRIS-LOG	
LEVITTOWN	1000173023	NEW YORK TELEPHONE	2900 HEMPSTEAD TPK SUITE 111	11756	RCRIS-SQG, FINDS	
LEVITTOWN	1000267145	SALK SCHOOL	3133 HEMPSTEAD TPKE	11756	LUST	
LEVITTOWN	S100492019	PENASKY RESIDENCE	JERUSALEM & WANTAGH AVE	11756	FINDS, RCRIS-LOG	8901985
LEVITTOWN	S100147448	MAJOR FUEL OIL CO	183 KINGFISHES ROAD	11756	LUST	9209374
LEVITTOWN	S101173985	MEENAN OIL	LAUREL LA / ORCHARD ST	11756	LUST	8607549
LEVITTOWN	S100177624	HOLIDAY MGT CORP	299 LOCKSMITH ROAD	11756	LUST	9408986
LEVITTOWN	S101173984	RELIANCE	LONGFELLOW AVENUE	11756	LUST	9112208
LEVITTOWN	S100168939	MEENAN OIL	178 MERIDIAN ROAD	11756	LUST	9408919
LEVITTOWN	S100170794	GALLEI	36 OAK TREE LANE	11756	LUST	8607457
LEVITTOWN	S101508043	MEENAN OIL	8 PINE COVE DR.	11756	LUST	8603880
LEVITTOWN	S100174807	RELIANCE UTILITIES	17 SHELTA LANE	11756	LUST	9415247
LEVITTOWN	S100148673	CASTEL COAL & OIL CO.	10 SHERPARD LANE	11756	LUST	9101321
LEVITTOWN	S100666484	UFI INC	STOKES SCHOOLCONDOR RD	11756	LUST	8607293
LEVITTOWN	1000300430	SUMMIT LANE SCHOOL	STRAIGHT LANE	11756	LUST	9006235
LEVITTOWN	1000385448	SMILE CLEANERS INC	SUMMIT LANE	11756	FINDS, RCRIS-LOG, UST	
LEVITTOWN	S101508022	UNK	6 E VILLAGE GREEN	11756	RCRIS-SQG, FINDS	
LEVITTOWN	S100665851	MURPHY RESIDENCE	181 WILLOWWOOD	11756	LUST	
NEW YORK	95286043		26 WOODGREEN LANE	11801	ERNS	9414879
NORTH AMBOY	94222587	EDENS NECK RD & WATERSIDE AVE		11756	LUST	8903731
PLAINEDGE	1000556022	NYSDOT BIN 108119	RTE 135 OVER RTE 24	11801	ERNS	
PLAINEDGE	S100666937	LILCO	169 WILLIAM ST	11714	FINDS, RCRIS-LOG	9303178
PLAINVIEW	S100664144	UNK	RTE 135/NO OF EXIT 11	11756	LUST	8902553

ORPHAN SUMMARY

City	EDR ID	Site Name	Site Address	Zip	Database(s)	Facility ID
PLAINVIEW	S101658263	VEHICLE	RTE 495 WB / EXIT 42	11803	LUST	9507635
PLAINVIEW	S100665795	ENVIRONMENTAL DRILLING	AMES CT / COMMERCIAL DR	11803	LUST	8809881
PLAINVIEW	S100149353	CONSERVATIVE EXPRESS	105 AMFESCO DRIVE	11803	LUST	8709174
PLAINVIEW	1000256693	STRAITFORD ROAD SCHOOL	BEDFORD RD-ESSEX RD	11803	FINDS, RCRIS-LOG	
PLAINVIEW	1000154773	HOWARD B MATTLIN MIDDLE SCHOOL	BRADFORD RD - ROUND TREE DR	11803	FINDS, RCRIS-LOG	
PLAINVIEW	S100664054	JLD BETHPAGE HIGH SCHOOL	CENTRAL PARK ROAD	11803	LUST	9007474
PLAINVIEW	1000366827	CHERRY LANE LITHOGRAPHING CORP	30 COMMERCIAL CT	11803	FINDS, RCRIS-LOG	
PLAINVIEW	S100664530	NYSDOT	DUFFY AVE NYSDOT YARD	11803	LUST	9200825
PLAINVIEW	10003664031	CHARLES AND RAYMOND SASSOON	137 EXPRESS ST SHOPPING CTR	11803	FINDS, RCRIS-LOG	9410274
PLAINVIEW	S101340016	RELIANCE	138 GRACIE ST	11803	LUST	9505526
PLAINVIEW	S101658165	UNK	LIE E/B	11803	LUST	
PLAINVIEW	1000553494	MOBIL OIL CORP SS #ABT	LIE & ROUND SWAMP RD	11803	RCRIS-SQG, FINDS	
PLAINVIEW	1000273053	PARKWAY ELEMENTARY SCHOOL	MANETTO HILL RD-CENTRAL PK RD	11803	FINDS, RCRIS-LOG	
PLAINVIEW	1001021587	MERGENTHALER LINTOTYP	MERGENTHALER DR	11803	FINDS, RCRIS-LOG	
PLAINVIEW	1000233699	MERGENTHALER LINTOTYPE CO	MERGENTHALER DRIVE	11803	FINDS	
PLAINVIEW	S100663820	SPACE AGE ENERGY	14 MERGENTHALER DR	11803	FINDS, RCRIS-LOG, CERC-NFRAP	9100683
PLAINVIEW	1000168477	JOYCE ROAD ELEMENTARY	MILFORD AVENUE	11803	LUST	
PLAINVIEW	1000241638	MACHINE COMPONENTS CORPORATION	MITCHELL AVE/JOYCE ROAD	11803	FINDS, RCRIS-LOG	
PLAINVIEW	1000890180	J F K PREP INC 2	70 NEW ROAD	11803	FINDS, RCRIS-LOG	
PLAINVIEW	1000352657	ULTRA-GRAPHICS INC	100 NEWTOWN RD SUITE C	11803	FINDS, RCRIS-LOG	
PLAINVIEW	1000300828	GRIMM & NORTON	16-20 NEWTOWN PLAZA	11803	RCRIS-SQG, FINDS	
PLAINVIEW	S100665941	ISLAND TRANSPORTATION	64 NEWTOWN PLAZA	11803	FINDS, RCRIS-LOG	
PLAINVIEW	S100664874	JAMAICA ASH	OLD CTRY RD/RD SWAMP ROAD	11803	LUST	8509030
PLAINVIEW	S100490933	NCDPW	OLD COUNTRY ROAD	11803	LUST	9209403
PLAINVIEW	S100177807	SHELL OIL	1535 OLD COUNTRY ROAD	11803	LUST	9200426
PLAINVIEW	S100171919	SHELL S/S	OLD COUNTRY ROAD	11803	LUST	9111978
PLAINVIEW	S100148890	NY TELEPHONE CO.	OLD COUNTRY ROAD	11803	LUST	8706265
PLAINVIEW	1000258691	PLAINVIEW SHELL, INC	OLD COUNTRY ROAD	11803	LUST	8607478
PLAINVIEW	S100492056	SHELL S/S	S. OYSTER BAY RD. & OL CTRY RD	11803	FINDS, RCRIS-LOG	9209686
PLAINVIEW	1000145403	PASADENA DRIVE ELEMENTARY SCHOOL	PLAINVIEW / OLD CTRY ROAD	11803	LUST	8707415
PLAINVIEW	1000229340	PROFILE SEPARATION & PREP INC	RICHARD COURT/BENMUR STREET	11803	FINDS, RCRIS-LOG	
PLAINVIEW	S101658198	OLD BETHPAGE SCHOOL	ROUND SWAMP / OLD BETHPAG	11803	LUST	9506301
PLAINVIEW	S100667008	LA GREG A SANDOS	21 SHEER PLAZA	11803	LUST	9304939
PLAINVIEW	S100177523	PLAINVIEW COMM PARK	STADFORD ROAD SCHOOL	11803	LUST	9110558
PORT JEFFERSON	85300308		SUNNYSIDE BLVD EXIT 48	11801	ERNS	
PORT WASHINGTON	95291427		WASHINGTON BLVD	11801	ERNS	
STUART	1000698804	GRUMMAN AEROSPACE CORP #77	SR A1A 1 MI S OF STUART	11714	RCRIS-LOG, RCRIS-TSD, RAATS, CORRACTS	
W BABYLON	1000328729	SUNOCO SVC STA	655 FARMINGDALE RD	11714	FINDS	
WHITESTONE	94215386	CONFIGURATION OF EAST RIVER IN LONG ISLAND SOUND E OF WHITE		11801	ERNS	

EPA Waste Codes Addendum

Code	Description
D000	NOT DEFINED
D001	IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSKEY-MARTENS CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET, WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.
D002	A WASTE WHICH HAS A PH OF LESS THAN 2 OR GREATER THAN 12.5 IS CONSIDERED TO BE A CORROSIVE HAZARDOUS WASTE. SODIUM HYDROXIDE, A CAUSTIC SOLUTION WITH A HIGH PH, IS OFTEN USED BY INDUSTRIES TO CLEAN OR DEGREASE PARTS. HYDROCHLORIC ACID, A SOLUTION WITH A LOW PH, IS USED BY MANY INDUSTRIES TO CLEAN METAL PARTS PRIOR TO PAINTING. WHEN THESE CAUSTIC OR ACID SOLUTIONS BECOME CONTAMINATED AND MUST BE DISPOSED, THE WASTE WOULD BE A CORROSIVE HAZARDOUS WASTE.
D003	A MATERIAL IS CONSIDERED TO BE A REACTIVE HAZARDOUS WASTE IF IT IS NORMALLY UNSTABLE, REACTS VIOLENTLY WITH WATER, GENERATES TOXIC GASES WHEN EXPOSED TO WATER OR CORROSIVE MATERIALS, OR IF IT IS CAPABLE OF DETONATION OR EXPLOSION WHEN EXPOSED TO HEAT OR A FLAME. ONE EXAMPLE OF SUCH WASTE WOULD BY WASTE GUNPOWDER.
D006	CADMIUM
D007	CHROMIUM
D008	LEAD
D009	MERCURY
D010	SELENIUM
D011	SILVER
D018	BENZENE
D027	1,4-DICHLOROBENZENE
D035	METHYL ETHYL KETONE
D039	TETRACHLOROETHYLENE
F001	THE FOLLOWING SPENT HALOGENATED SOLVENTS USED IN DEGREASING: TETRACHLOROETHYLENE, TRICHLOROETHYLENE, METHYLENE CHLORIDE, 1,1,1-TRICHLOROETHANE, CARBON TETRACHLORIDE, AND CHLORINATED FLUOROCARBONS; ALL SPENT SOLVENT MIXTURES/BLENDS USED IN DEGREASING CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F002, F004, AND F005, AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.
F002	THE FOLLOWING SPENT HALOGENATED SOLVENTS: TETRACHLOROETHYLENE, METHYLENE

EPA Waste Codes Addendum


Code	Description
	CHLORIDE, TRICHLOROETHYLENE, 1,1,1-TRICHLOROETHANE, CHLOROENZENE, 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE, ORTHO-DICHLOROENZENE, TRICHLOROFUOROMETHANE, AND 1,1,2-TRICHLOROETHANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE LISTED IN F001, F004, OR F005, AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.
F003	THE FOLLOWING SPENT NON-HALOGENATED SOLVENTS: XYLENE, ACETONE, ETHYL ACETATE, ETHYL BENZENE, ETHYL ETHER, METHYL ISOBUTYL KETONE, N-BUTYL ALCOHOL, CYCLOHEXANONE, AND METHANOL; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONLY THE ABOVE SPENT NON-HALOGENATED SOLVENTS; AND ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONE OR MORE OF THE ABOVE NON-HALOGENATED SOLVENTS, AND, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THOSE SOLVENTS LISTED IN F001, F002, F004, AND F005, AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.
F004	THE FOLLOWING SPENT NON-HALOGENATED SOLVENTS: CRESOLS AND CRESYLIC ACID, AND NITROBENZENE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE NON-HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F002, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.
F005	THE FOLLOWING SPENT NON-HALOGENATED SOLVENTS: TOLUENE, METHYL ETHYL KETONE, CARBON DISULFIDE, ISOBUTANOL, PYRIDINE, BENZENE, 2-ETHOXYETHANOL, AND 2-NITROPROPANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE NON-HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F002, OR F004; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.
F006	WASTEWATER TREATMENT SLUDGES FROM ELECTROPLATING OPERATIONS EXCEPT FROM THE FOLLOWING PROCESSES: (1) SULFURIC ACID ANODIZING OF ALUMINUM; (2) TIN PLATING ON CARBON STEEL; (3) ZINC PLATING (SEGREGATED BASIS) ON CARBON STEEL; (4) ALUMINUM OR ZINC-ALUMINUM PLATING ON CARBON STEEL; (5) CLEANING/STRIPPING ASSOCIATED WITH TIN, ZINC AND ALUMINUM PLATING ON CARBON STEEL; AND (6) CHEMICAL ETCHING AND MILLING OF ALUMINUM.
F017	NOT DEFINED
K050	HEAT EXCHANGER BUNDLE CLEANING SLUDGE FROM THE PETROLEUM REFINING INDUSTRY
K052	TANK BOTTOMS (LEADED) FROM THE PETROLEUM REFINING INDUSTRY
NONE	NONE
P122	ZINC PHOSPHIDE ZN ₃ P ₂ , WHEN PRESENT AT CONCENTRATIONS GREATER THAN 10% (R,T)
U002	ACETONE (I)
U002	2-PROPANONE (I)

EPA Waste Codes Addendum

Code	Description
U028	1,2-BENZENEDICARBOXYLIC ACID, BIS(2-ETHYLHEXYL) ESTER
U028	DIETHYLHEXYL PHTHALATE
U044	CHLOROFORM
U044	METHANE, TRICHLORO-
U112	ACETIC ACID ETHYL ESTER (I)
U112	ETHYL ACETATE (I)
U122	FORMALDEHYDE
U140	ISOBUTYL ALCOHOL (I,T)
U140	1-PROPANOL, 2-METHYL- (I,T)
U147	2,5-FURANDIONE
U147	MALEIC ANHYDRIDE
U154	METHANOL (I)
U154	METHYL ALCOHOL (I)
U159	2-BUTANONE (I,T)
U159	METHYL ETHYL KETONE (MEK) (I,T)
U190	1,3-ISOBENZOFURANDIONE
U190	PHTHALIC ANHYDRIDE
U196	PYRIDINE
U210	ETHENE, TETRACHLORO-
U210	TETRACHLOROETHYLENE
U213	FURAN, TETRAHYDRO-(I)
U213	TETRAHYDROFURAN (I)
U220	BENZENE, METHYL-
U220	TOLUENE
U223	BENZENE, 1,3-DIISOCYANATOMETHYL- (R,T)
U223	TOLUENE DIISOCYANATE (R,T)
U226	ETHANE, 1,1,1-TRICHLORO-

EPA Waste Codes Addendum

Code	Description
U226	METHYL CHLOROFORM
U239	BENZENE, DIMETHYL- (I,T)
U239	XYLENE (I)
X001	WASTE OILS



Study Area For
Grumman GO CO Property Bethpage Long Island

EDR Environmental
 Data
 Resources, Inc.
 Creators of Toxcheck
 1-800-352-0050



Legend

- | | | | | |
|---|-------------|---------------|-------------|-----------------|
| Listed Sites | Roads | Railroads | Powerlines | Superfund Sites |
| Earthquake Epicenters
(Richter 5 or greater) | Major Roads | Contour Lines | Fault Lines | |
| Study Area Boundary | Waterways | Pipelines | Water | |

