

NORTHROP GRUMMAN

BETHPAGE FACILITY

PHASE I SITE ASSESSMENT UPDATE PARCEL J/PLANT 18

MAY 1999



Dvirka and Bartilucci
CONSULTING ENGINEERS
A DIVISION OF WILLIAM F. COSULICH ASSOCIATES, P.C.

NGINS000119163



**Dvirka
and
Bartilucci**
CONSULTING ENGINEERS

330 Crossways Park Drive, Woodbury, New York, 11797-2015
516-364-9890 • 718-460-3634 • Fax: 516-364-9045
e-mail: db-eng@worldnet.att.net

May 13, 1999

John Cofman, P.E., Lead Engineer
Environmental Technology and Compliance
Northrop Grumman Corporation
Mail Stop: D08-001
Bethpage, NY 11714-3582

Re: Phase I Site Assessment Update
Parcel J/Plant 18
Hicksville, NY
D&B No. 1568-02


Dear Mr. Cofman:

Enclosed please find six copies of the document entitled,

*"Phase I Site Assessment Update
Parcel J/Plant 18
Hicksville, New York"*

If you have any questions and/or comments, please do not hesitate to contact Mr. Errol Kitt or me at (516) 364-9892.

Very truly yours,


Richard M. Walka
Vice President

RMW/ASP/ld
cc: D. Bennett (NGC)
E. Kitt (D&B)
♦1568/RMW99-07.LTR

A DIVISION OF WILLIAM F. COSULICH ASSOCIATES, P.C.

NGINS000119164

NORTHROP GRUMMAN CORPORATION

PHASE I SITE ASSESSMENT UPDATE

**PARCEL J/PLANT 18
BETHPAGE, NEW YORK**

PREPARED BY:

**DVIRKA AND BARTILUCCI
CONSULTING ENGINEERS
WOODBURY, NEW YORK**

MAY 1999

**NORTHROP GRUMMAN CORPORATION
 PHASE I SITE ASSESSMENT UPDATE
 PARCEL J/PLANT 18
 BETHPAGE, NEW YORK**

TABLE OF CONTENTS

<u>Section</u>	<u>Title</u>	<u>Page</u>
1.0	INTRODUCTION	1-1
2.0	SITE DESCRIPTION	2-1
2.1	Site Setting	2-1
2.2	Site Inspection/Reconnaissance	2-4
3.0	SITE HISTORY	3-1
3.1	Former Uses and Summary of Prior Assessment	3-1
	3.1.1 Aerial Photograph Review	3-1
	3.1.2 Former Uses	3-2
	3.1.3 Drawing Review	3-2
	3.1.4 Summary of Prior Assessments	3-3
3.2	Present Uses	3-4
4.0	REGULATORY COMPLIANCE HISTORY	4-1
4.1	Local Agency File Search	4-1
4.2	State and Federal Environmental Database Search Review	4-1
5.0	FINDINGS AND CONCLUSIONS	5-1
5.1	On-site Indicators of Contamination	5-1
5.2	Potential Areas of Environmental Concern	5-1
5.3	Potential Off-site Sources of Contamination	5-3
6.0	RECOMMENDATIONS	6-1

TABLE OF CONTENTS (continued)

List of Appendices

Delisting Petition Approval LetterA
Aerial Photographs.....B
Environmental Data Base SearchC
Supplemental InformationD
ReferencesE

List of Figures

2-1 Site Location Map 2-2
2-2 Site Plan 2-3

Section 1

1.0 INTRODUCTION

This document presents the findings of an update to a previously completed Phase I Site Assessment undertaken for the Northrop Grumman Corporation (NGC) property known as Parcel J, located east of the intersection formed by the Long Island Rail Road (LIRR) and South Oyster Bay Road Extension in Bethpage, New York. The information presented in this report is based upon a site inspection, a review of previously unavailable information (i.e., NGC design drawings), interviews with representatives of NGC, previous site assessment and investigation activities, and a review and evaluation of state and federal record sources (i.e., state and federal environmental database search). As mentioned above, this Phase I Site Assessment is an update to a prior Phase I Site Assessment completed by Dvirka and Bartilucci Consulting Engineers (D&B) in November 1995, and has been completed in an effort to meet the applicable requirements of the American Society for Testing Materials (ASTM) Standard E1527-97 entitled, "Standard Practice for Environmental Site Assessments: Phase I Environmental Site Assessment Process."

Section 2 of this document presents a description of the site and surrounding areas. An evaluation of the historical uses of the site and surrounding areas is presented in Section 3. The regulatory compliance history of the site and surrounding areas is presented in Section 4. Section 5 presents the findings of the Phase I Site Assessment and identifies potential areas of environmental concern. Recommendations for further investigation activities are provided in Section 6.

In an effort to document the review of historical information sources, aerial photographs dated 1955 through 1988 are presented in Appendix B. To document the review of standard environmental record sources, a computer environmental database search is presented in Appendix C. Supplemental information documenting the review of available files is presented in Appendix D. References are listed in Appendix E.

Section 2

2.0 SITE DESCRIPTION

This section presents an overview of the general environmental setting of the property and describes the observations made during the site inspections conducted in March 1993, October 1995 and March 1999.

2.1 Site Setting


Parcel J is located east of the intersection formed by the Long Island Rail Road (LIRR) and South Oyster Bay Road Extension in Bethpage, New York (refer to Figure 2-1). The site is approximately 6.6 acres, predominantly landscaped with grass (refer to Figure 2-2). According to the Town of Oyster Bay Tax Assessor's Office, there is no formal address corresponding to site, however, the site is legally designated as Section 46, Block N, Lots 23 and 20.

According to the Town of Oyster Bay Tax Assessor's Office, the site is currently owned by NGC, formerly known as Grumman Aerospace Corporation (GAC). Under the Zoning Ordinance of the Town of Oyster Bay, the site is located in an Industrial Zone, designated as Zone "H" and is surrounded by commercial development, with areas of medium to high density residential development existing no closer than approximately 1,300 feet from the site boundaries.

The site contains two baseball diamonds with batting cages located in the southeast and southwest corners of the property. A flagpole is located on the northern portion of the site. The site boundary is approximately 1,150 feet along South Oyster Bay Road. The site is accessed from South Oyster Bay Road through a chain-linked, double swing gate.

The site is generally level with good drainage. The Soil Conservation Service classifies the majority of the site as Udipsaments (nearly level). Udipsaments are defined as manmade fills or borrow areas, most of which are grass-covered with slopes of 0 to 3 percent, which consists of very deep soils that are excessively drained to well-drained.

DIR: 1568 FILE: 1568-1A (T.MCC/4-8-99)




NORTHROP GRUMMAN CORPORATION
 BETHPAGE, NEW YORK
 PARCEL J/PLANT 18 - PHASE I SITE ASSESSMENT

SITE LOCATION MAP



Dvirka and Bartilucci
 Consulting Engineers
 A Division of William F. Cosulich Associates, P.C.

FIGURE 2-1



LEGEND:

- x—x— FENCE LINE
- ⊙ GROUNDWATER MONITORING WELL

NORTHROP GRUMMAN CORPORATION
 BETHPAGE, NEW YORK
 PARCEL J/PLANT 18 - PHASE I SITE ASSESSMENT

SITE PLAN

db Dvirka and Bartilucci
 Consulting Engineers
 A Division of William F. Cosulich Associates, P.C.

Based on measurements obtained from monitoring wells installed on site as part of prior assessments and investigation activities, depth to groundwater is approximately 60 feet below grade.

2.2 Site Inspection/Reconnaissance

In support of the March 1993 New York State Site Registry Delisting Petition (hereafter referred to as "1993 Delisting Petition"), the Parcel J site was inspected in May 1992. The site inspection revealed that the only structure on site was a small guard booth located on the northeastern portion of the property with the majority of the site consisting of ballfields. Areas of stressed vegetation were not observed during the site inspection activities.

The site was reinspected on October 17, 1995 in support of a Phase I Site Assessment. The inspection revealed that Aquifer Drilling and Testing (ADT), a company under contract to the Hooker Chemical/Ruco Polymer Corporation, was installing a shallow and deep well cluster on the northern portion of the site. The work was apparently part of an ongoing investigation to further delineate the extent of downgradient plume migration associated with the Hooker Chemical/Ruco Polymer Site, which is located approximately 600 feet to the northwest (upgradient) of the site. Other than the installation of the aforementioned monitoring wells, site conditions did not appear to have changed significantly since the preparation of the Delisting Petition.

The site was reinspected on March 25, 1999 in support of this Phase I Site Assessment update. During the site inspection, eight manholes with solid covers were observed along the eastern perimeter of the site. Based upon a review of NGC Quadrangle maps, these manholes contain telephone and electric lines. In addition, a cluster of eight manholes with solid covers and two manholes with grated covers were observed in the southeast corner of the site. Based upon a review of NGC Quadrangle maps, the manholes with solid covers contain telephone and electric lines and the manholes with grated covers contain catch basins that are connected to storm water drainage lines located off-site.

In addition, two (2) metal plates were noted along the southeast perimeter of the site. Based upon a review of NGC Quadrangle maps, these plates contain telephone lines. Also, a baseball field with batting cage, a rusted 55-gallon drum being utilized as a trash bin and, a wooden storage bin were noted in this area. Also, several 1-foot square concrete spectator bleacher footings were noted approximately 20 feet northeast of the batting cage.

As shown on Figure 2-2, two monitoring wells were observed in the southwest corner of the site at the intersection of the Long Island Railroad and South Oyster Bay Road during the March 25, 1999 site inspection. However, only one of these monitoring wells was identified as "MW-1".

During the March 25, 1999 site inspection, a solid cover manhole was observed southeast of Monitoring Well MW-1. Based upon a review of NGC Quadrangle maps, this manhole contains a water line. A second baseball field with metal batting cage was noted approximately 70 feet northeast of Monitoring Well MW-1. In addition, several 1-foot square concrete bleacher footings were evident approximately 20 feet southeast of the batting cage.

As shown on Figure 2-2, two unmarked monitoring wells along with Monitoring Well P-4 were observed in the northern portion of the site. In addition, based upon a review of NGC Quadrangle maps, a guard booth was previously located in the vicinity of these wells. A concrete pad was noted during the March 25, 1999 site inspection activities conducted in this area. Also, a second concrete pad with a perimeter gravel trench, was noted adjacent to the foundation of the former guard booth.

A grated manhole cover and dry well (identified on Figure 2-2 as Dry Well #1) were observed approximately 50 feet northwest of Monitoring Well P-4. No liquid was noted in the dry well during the March 25, 1999 site inspection and the depth of the dry well was determined to be approximately 14 feet below ground surface (bgs). Also, based upon a review of NGC Quadrangle maps, and previously unavailable NGC design drawings, this dry well is connected to a second dry well located approximately 80 feet north of Dry Well #1. The second dry well could not be located during the March 25, 1999 site inspection and, therefore, it is assumed to be

backfilled. In addition, based upon a review of the design drawings, both dry wells were located in the former Plant 18 parking area and may have received discharges from the Plant 18 facility.

Two manholes with solid covers were noted in the northwestern portion of the site during the March 25, 1999 site inspection. Based upon a review of NGC Quadrangle maps, these manholes were identified as "filled" leaching pools associated with the former Plant 18 Septic System. In addition, a 5-foot by 15-foot rectangular parcel of stressed vegetation was noted east of these leaching pools. Based upon a review of NGC Quadrangle maps and previously unavailable NGC design drawings, this area appears to be the approximate location of the former Plant 18 Septic System.

Two manholes with solid covers were also noted in the northwest corner of the site during the March 25, 1999 site inspection. Based upon a review of NGC Quadrangle maps, these manholes are associated with the storm water conveyance system located along South Oyster Bay Road. In addition, as shown on Figure 2-2, two monitoring wells and a flagpole were noted in the northern corner of the site during the March 25, 1999 site inspection.

Section 3

3.0 SITE HISTORY

This section describes the history and development of the Parcel J site and surrounding areas. The information presented in this section was obtained from prior assessments and investigation activities.

3.1 Former Uses and Summary of Prior Assessments

3.1.1 Aerial Photograph Review

Aerial photographs covering the site were reviewed as part of the 1993 Delisting Petition and are included as Appendix B of this report. Noteworthy findings are provided below.

A review of the earliest available aerial photograph of the site taken in 1950 (refer to Appendix B) reveals that with the exception of the southern corner of the property, the site was entirely undeveloped at this time. The southern portion of the site appears to contain an unidentified structure situated adjacent to the LIRR. Based on a review of the available aerial photographs, this structure was removed by 1955 and the majority of the site was occupied by parking lots, ball fields and GAC's Plant 18, which was located in the northern portion of the site and originally utilized as a personnel building and later for security purposes such as a visitor staging.

The site remained relatively unchanged from 1955 to 1957. However, as indicated on the 1962 aerial photograph, the on-site structure referred to as Plant 18 was extended to the west. In addition, the 1969 aerial photograph revealed that the parking lot associated with Plant 18 was also extended to the west.

The site remained relatively unchanged from 1969 to 1972, while the 1988 aerial photograph revealed a new structure located to the southwest of Plant 18. Interviews with NGC personnel indicated that this structure was also utilized for security purposes. According to the 1993 Delisting Petition, Plant 18, its adjacent structure and parking lot, were removed from the

site. Correspondence from GAC to the New York State Department of Environmental Conservation (NYSDEC) related to the demolition of Plant 18 is provided in Appendix D. The site is currently utilized by NGC personnel for company baseball and soccer clubs. Presently, there are no existing dwellings located on-site.

3.1.2 Former Uses

Plant 18, formerly part of Site 9, was located on the northern portion of the site and was constructed circa 1950. It was originally utilized as a personnel building and later for security purposes including visitor badging. The majority of the site is currently occupied by ballfields. Plant 18, a parking lot, and another (unidentified) structure that was located southwest of the former Plant 18 building, were demolished in 1990.

3.1.3 Drawing Review

Approximately 35 NGC design drawings of the Parcel J property were available for review. A preliminary review of these drawings was conducted in order to “screen” those drawings containing the most important and pertinent information to conduct a detailed review. Based upon a detailed review of approximately ten drawings, noteworthy observations from three of these drawings are provided below.

Guard Headquarters & Reception Center/Plot Plan – Circa 1964

This plan identifies the Plant 18 septic tank system located northwest of the Guard Headquarters in the northern portion of the Site 9 property.

Guard Headquarters & Reception Center/Floor Plan & Schedule – 1/23/64

This plan identifies a boiler room and vault located in the southwest portion of the Plant 18 Reception Center. Two bathrooms are located in the central southwest portion of the

Reception Center. This plan also identifies one bathroom and one janitor's closet in the southeast corner of the Plant 18 Guard Headquarters.

Plant 18-New Extension (Security)/General Site Plan – 9/9/81

This plan identifies the location of a new 8,000-gallon fiberglass fuel oil UST located south of Plant 18. The plan also identifies a 3,000-gallon fuel oil UST, two dry wells and a septic tank system with two leaching pools. A new and existing water meter pit are also shown on this plan and are located approximately 50 feet northwest of the Plant 18 septic tank system and leaching pools. According to the drawing, the new pit is connected to water and sprinkler lines, while the existing pit is connected to a sprinkler line.

3.1.4 Summary of Prior Assessments

A Phase I and Phase II Site Assessment was undertaken in support of a 1993 Delisting Petition. The Phase I program included a review of agency and NGC files which revealed no records pertaining to any chemical and/or fuel spills on-site. The site assessment found that there were no on-site storage tanks and that the only previously existing storage tank which was located on-site (Tank #18-0-1) passed system tightness tests performed on May 9, 1989 and August 10, 1989 prior to its removal on August 24, 1990. The tank removal was inspected by the Nassau County Department of Health (NCDOH) and it was determined that there was no contamination. The site assessment concluded that based on the site history and a visual inspection performed on May 29, 1992, it did not appear that the site had been subjected to any chemical and/or fuel spills or releases.

The Phase II field program included advancing two soil borings, the installation of one monitoring well, sampling of soil and groundwater, and ambient air monitoring. Soil samples were analyzed for volatile organics, total petroleum hydrocarbons, metals and PCBs. Groundwater samples were analyzed for volatile organics and metals. The findings of the field program indicated that with the exception of mercury, none of the targeted compounds were detected above the referenced standards/guidelines. Mercury was detected at concentrations

slightly exceeding the referenced cleanup objective in the two soil samples obtained from the soil borings.

In addition, a groundwater sample was collected at Monitoring Well P-4 and analyzed for mercury during the Phase II field program. The results indicate that mercury was detected below groundwater drinking standards. However, at the request of the NYSDEC, three additional monitoring wells were installed on-site and sampled to further evaluate the presence of mercury. The results of the sampling program indicate that mercury was detected in unfiltered groundwater samples from the monitoring wells at concentrations below groundwater drinking standards. Because the groundwater samples could not be obtained at a turbidity of less than 50 NTUs, these samples were filtered to remove soil particles prior to laboratory analysis. Mercury was not detected above method detection limits in any of the filtered groundwater samples.

Based upon a review of the results from the additional groundwater sampling activities, the NYSDEC approved the Delisting Petition as shown in a letter dated August 18, 1994 included in Appendix D.

3.2 Present Uses

Parcel J is approximately 6.6 acres, predominantly landscaped with grass. The site is currently utilized by NGC personnel for company baseball and soccer clubs. Presently, there are no existing dwellings located on-site.

Section 4

4.0 REGULATORY COMPLIANCE HISTORY

This section presents a discussion of the regulatory compliance history of the site and surrounding areas. Local agency file search information that is presented in this section is based upon previous site assessment and investigation activities.

4.1 Local Agency File Search

As part of the previous site assessment and investigation activities, an investigation and evaluation of local agency records was undertaken to identify any potential environmental concerns on-site. According to interviews with NGC representatives and a review of available local, state, and federal regulatory agency records (Town of Oyster Bay Municipality, NCDOH, and GAC files), no records pertaining to existing on-site storage tanks, violations or any information relative to any violations of environmental regulations and reported releases of oil and/or hazardous materials were identified with respect to the site.

4.2 State and Federal Environmental Database Search Review

An updated computer environmental database search of state and federal record sources for the site and surrounding areas was undertaken in accordance with the ASTM minimum search distance criteria for this Phase I Site Assessment update .

This section presents a summary of the information provided in the environmental database report. A detailed report is presented in Appendix C. Databases summarized below include the following:

<u>Database</u>	<u>Search Distance</u>
• National Priorities List (NPL)	1 1/4 mile
• Delisted NPL Sites	1 1/4 mile

<u>Database</u>	<u>Search Distance</u>
• Resource Conservation and Recovery Act (RCRA) Corrective Actions (CORRACTS)/TSD Facilities List	1 1/4 mile
• State Inactive Hazardous Waste Disposal Sites (SHWS)	1 1/4 mile
• NPL Record of Decision (ROD)	1 mile
• Superfund (CERCLA) Consent Decrees (CONSENT)	1 mile
• Resource Conservation and Recovery Information System (RCRIS) Hazardous Waste Treatment, Storage and Disposal Facilities (RCRIS - TSD)	3/4 mile
• Comprehensive Environmental Response, Compensation, and Liability Information System (CERCLIS) Sites/CERCLIS - No Further Remedial Action Planned (CERCLIS-NFRAP) Sites	3/4 mile
• Leaking Underground Storage Tanks (LUST)	3/4 mile
• Spills Information (SPILLS)	3/4 mile
• Solid Waste Facilities/Landfill Sites (SWF/LF)	3/4 mile
• RCRA Administrative Action Tracking System (RAATS)	1/2 mile
• Toxic Chemical Release Inventory System Database (TRIS)	1/2 mile
• State Registered Above and Underground Storage Tanks (ASTs and USTs)	1/2 mile
• Emergency Response Notification System (ERNS), Reported Releases of Oil and Hazardous Substances	1/2 mile
• RCRIS Hazardous Waste - Large Quantity Generators (RCRIS-LQG)	1/2 mile
• RCRIS Hazardous Waste - Small Quantity Generators (RCRIS-SQG)	1/2 mile
• Material Licensing Tracking System (MTLS)	Target Property
• Federal Superfund Liens (NPL Liens)	Target Property

<u>Database</u>	<u>Search Distance</u>
• Hazardous Materials Information Reporting System (HMIRS)	Target Property
• Toxic Substances Control Act (TSCA)	Target Property
• PCB Activity Database System (PADS)	Target Property
• Facility Index Database System (FINDS)	Target Property
• Chemical Bulk Storage (CBS) Database ASTs and USTs	1/4 mile
• Major Oil Storage Facility (MOSF) Database ASTs and USTs	1/2 mile
• Hazardous Substance Waste Disposal Site Inventory (HSWDS)	1/2 mile

A summary of the information on each of the sites identified in the environmental database search is presented below by database category. It should be noted that the database report also contains information on sites that could not be accurately mapped due to poor or inadequate address information. These sites are listed in an “orphan summary” in the back of the database report, with database information provided in the “detailed orphan listing” section. The majority of orphans are Grumman listings not assigned to a specific building or location. This information is also included below by database category.

National Priorities List (NPL)

The USEPA’s NPL database lists uncontrolled or abandoned hazardous waste sites that have been identified for priority remedial action under the federal Superfund program. The latest government version of this database is dated January 1999.

Ruco Polymer Corp.: The database report has identified the Ruco Polymer facility (a.k.a. Hooker Chemical) as an NPL site, with a preliminary assessment and screening site inspection completed in 1984. The site has been on the federal Superfund list since 1984 and remains an

“active” plastics manufacturing facility. The site has been the subject of monitoring and investigations intended to identify the extent of contamination resulting from previous waste disposal practices. Based upon information obtained from representatives of the USEPA, two operable units requiring remedial action were originally identified at the Ruco Polymer site.

Operable Unit 1 has necessitated the remediation of soil and groundwater contaminated by VOCs used in the various manufacturing processes employed by the facilities on-site. Based upon communication with the USEPA, the RI report was approved on December 7, 1992. The associated Feasibility Study was subsequently completed and a Record of Decision on a Proposed Remedial Action Plan was signed on January 28, 1994. Based upon communications with the USEPA in March 1997, a unilateral administrative order has been issued and a draft Work Plan is currently being reviewed by the USEPA.

Operable Unit 2 pertain to a relatively small area of soil contaminated by PCBs resulting from releases of the heat transfer fluid Therminol. The migration of PCBs resulted from on-site runoff and on-site truck traffic. However, the extent of contaminated soil was contained entirely on the Ruco Polymer site. No off-site contamination from Operable Unit 2 was identified. Remedial action involving Operable Unit 2 has been completed.

According to the USEPA, a third operable unit which involves the investigation of groundwater quality off-site is now in the RI/FS stage. The RI/FS work includes installation and sampling of monitoring wells, groundwater elevation measurements and modeling work. Until the USEPA releases all details regarding Operable Units 1 and 3, and the ongoing investigation is complete, it is not possible to fully characterize the extent of potential off-site impacts from the Ruco Polymer Corporation site.

According to the database report, the Ruco Polymer Corporation site is less than 1 1/4 mile northwest of Parcel J. Based upon a review of groundwater contour maps (see Appendix D), groundwater flow direction in the vicinity of the Ruco Polymer and Parcel J varies on a seasonal basis. The predominant direction of groundwater flow is to the southeast. However, on a localized basis, groundwater mounding from recharge basins and the effects of

groundwater withdrawal by nearby production wells causes seasonal shifts in flow direction. In general, based upon review of water table contour maps, Parcel J appears to be downgradient with respect to the direction of groundwater flow from the Ruco Polymer site for at least a portion of the year.

The Ruco Polymer/Hooker Chemical site was also identified on several other databases as described below.

Delisted NPL Sites

Sites that are listed on the NPL database may be deleted by the USEPA where it has been determined that no further response is appropriate. The database report does not provide the date of the government version of this database.

No mapped sites were identified on the Delisted NPL sites database within the search distance of 1 1/4 mile.

Resource Conservation and Recovery Act (RCRA) Corrective Actions (CORRACTS)/TSD Facilities List

The USEPA maintains this database of RCRA facilities which are undergoing "corrective action." A "corrective action order" is issued pursuant to RCRA section 3008(h) when there has been a release of hazardous waste or constituents into the environment from a RCRA facility. Corrective actions may be required beyond the facility's boundary and can be required regardless of when the release occurred, even if it pre-dates RCRA. The latest government version of this database is December 1998.

Ruco Polymer Corporation: The CORRACTS database lists the Ruco Polymer Corporation site as having a "high" priority status. The database indicates that a RCRA Facility Assessment was completed.

LILCO Hicksville Shoreham NUC: The CORRACTS database lists the LILCO Hicksville Shoreham NUC site as having a “low” priority status. The database indicates that a RCRA Facility Assessment was completed. In addition, the LILCO Hicksville Shoreham NUC site is located between 1 and 2 miles northwest and upgradient of the Parcel J site.

Grumman Aerospace Corporation: In the orphan section of the database report, the GAC #77 facility in Stuart, Florida, is identified on the CORRACTS database, with a “high” prioritization status. The database indicates the status is: “RCRA Facility Assessment completed, Determination of Need for a RCRA Facility Investigation, RFI Imposition, RFI Workplan Approved, RCRA Facility Investigation Approved, CMS Workplan Approved, Corrective Measures Study Approved, Date for Remedy Selection (CM Imposed), Corrective Measure Design Approved.”

Based on a review of the orphan listing in the database report, the GAC #77 facility is located greater than the 1 1/4-mile search distance.

The database report also indicates that GAC (NGC) is a Large Quantity Generator and Transporter. As a generator of hazardous waste in Nassau County, NGC is not only subject to the regulatory requirements of the NYSDEC’s Hazardous Waste Management Program, but must also adhere to the very stringent management standards and design criteria addressing the overall management and storage of hazardous waste over a sole source aquifer, as administered by the NCDH. Overall, these include secondary containment structures for any designated storage areas along with stringent record keeping and administrative controls including the use of manifests for tracking the transportation and disposal of waste.

Additional information on the GAC facility is provided with the other databases it has been identified on, as described below.

State Inactive Hazardous Waste Disposal Sites (SHWS)

This database is the New York State Registry of Inactive Hazardous Waste Disposal Sites and is provided by the NYSDEC. The latest government version of this database is dated April 1998.

Grumman Aerospace - Bethpage Facility: The database report identifies the Grumman Aerospace - Bethpage Facility on the SHWS database. The site classification is "Significant threat to the public health or environment - action required." Hazardous waste disposed is listed as chromium sludge, paint sludge, metals and chlorinated solvents. The site type is listed as "Lagoon, Landfill." The data base reports states "Yes" for contravention of groundwater and drinking water standards. Under description is states: "Two source areas have been identified on-site. A PCE release at Plant 15 was remediated in 1996 by soil vapor extraction. A release from a TCE storage tank adjacent to Plant 2 is being remediated by soil vapor extraction. These actions were initiated as Interim Remedial Measures (IRMs). A Record of Decision (ROD) for remediating on-site source areas (Operable Unit 1) was issued by the NYSDEC in March 1995." The facility's remedial action is listed as "In Progress-Complete." The database report also indicates that the IRM remedies were the selected remedies for the Grumman Aerospace-Bethpage Facility. A Feasibility Study (FS) for developing a remedy for the groundwater resources (Operable Unit 2) is underway. Remedial alternatives are being developed and evaluated for addressing groundwater contamination emanating from this site and the Naval Weapons Industrial Reserve Plant (NWIRP), Bethpage, and RUCO Polymer Corp. sites. According to the database report, a ROD was reportedly issued for Operable Unit 2 in June 1998.

Naval Weapons Industrial Reserve Plant: The database report identifies the NWIRP on the SHWS database. The site classification is "Significant threat to the public health or environment - action required." Hazardous waste disposed is listed as "trichloroethylene (F001), tetrachloroethene (PCE or "perc." F002), 1,1,1-trichloroethane, cyanide (F007), lead (D008)." The site type is listed as "Lagoon, Landfill." The database reports states "Yes" for contravention of groundwater and drinking water standards. Under description it states: "...Three source areas have been identified at the site and will be targeted for remediation. PCBs have been found in

surface soils at levels up to 1,300 ppm. Groundwater standards have been contravened... A Remedial Investigation/Feasibility Study (RI/FS) has been completed and a Record of Decision (ROD) for addressing on-site source areas was issued in May 1995. There are four components to the remedy: 1) soil vapor extraction/air sparging to remediate VOC-contaminated soils, 2) excavation and off-site treatment/disposal of PCB-contaminated soils, 3) excavation and treatment of arsenic-contaminated soils, 4) a Navy funded treatment system at the Bethpage Water District's Plant 5." The facility's remedial action is listed as "In Design, In Progress." The database report also indicates that "The Navy is working with Grumman on the groundwater remedy." In addition, "The PCB removal work in Site 2 was completed in June 1996. Design-phase sampling in Site 1 found PCBs at a much greater depth than originally found. As a result, the Navy is expected to propose a ROD amendment in 1998. The design of the Soil Vapor Extraction System is complete, and construction began in March 1998.

Based on a review of the orphan listings in the database report, one other facility was identified on the SHWS database. This facility was identified as the Ruco Polymer Corp. (Hooker Chemical) located on New South Road. Ruco Polymer Corp. is located upgradient, approximately 700 feet northwest of the Parcel J site.

NPL Record of Decision (ROD)

NPL ROD documents mandate permanent remedies at Superfund sites and contain technical and health information utilized to assist in the cleanup. The latest government version of this database is dated March 1995.

Ruco Polymer Corporation: The Ruco Polymer Corporation site was listed on the ROD database with the ROD dated 1994.

Superfund (CERCLA) Consent Decrees (CONSENT)

Consent Decrees are legal settlements which set responsibility and standards for cleanup at NPL sites.

No CONSENT sites were identified within the search distance of 1 mile.

Resource Conservation and Recovery Information System (RCRIS)
Hazardous Waste Treatment, Storage and Disposal Facilities (RCRIS-TSD)

The USEPA's RCRA program identifies and tracks hazardous waste from the point of generation to the point of disposal. The RCRIS-TSD database is comprised of facilities which report storage, treatment or disposal of hazardous waste. The latest government version of this database is dated October 1998. According to the database report, the Ruco Polymer Corporation was identified as a TSD facility within the search distance of 3/4 mile.

In addition, in the orphan section of the report, Grumman Aerospace Corporation (GAC) #77 was identified as RCRIS-TSD facility. However, as previously stated, the GAC #77 is located greater than the 3/4-mile search distance.

Comprehensive Environmental Response, Compensation and Liability Information System (CERCLIS)/CERCLIS-NFRAP Sites

According to the database report, the CERCLIS database contains sites which are either on the NPL, or are being screened and assessed for their potential inclusion on the NPL list. The database report also contains information on an associated CERCLIS database called No Further Remedial Action Planned (NFRAP). This database contains a listing of former CERCLIS sites for which an initial investigation was performed and either no contamination was found, or the contamination was removed quickly, or the "contamination was not serious enough to require Superfund action or NPL consideration." In addition to the target property, the following sites were listed in the database report.

Grumman Aerospace Corporation: The database report identifies GAC on the CERCLIS-NFRAP database. The facility's NPL status is listed as "not on NPL."

Ruco Polymer Corporation: The database report identifies the Ruco Polymer Corporation on the CERCLIS database. Its CERCLIS site status is listed as "Not reported." Its NPL status is "Listed on NPL."

Servo Corporation: The database report identifies the Servo Corporation on the CERCLIS database. The CERCLIS site status is listed as "not reported".

Although not listed in the database report, it is known that the NWIRP is also a CERCLIS site. A previous database search indicated that its NPL status is "not a proposed, current or deleted NPL site," and a site description indicated that "there are potential hazardous waste areas at this site; such as wastes generated primarily from aircraft productions."

No other facilities within the search distance of 3/4 mile were identified on the CERCLIS and CERCLIS-NFRAP databases, respectively.

Leaking Underground Storage Tanks (LUST)

According to the database report, the LUST database is a compilation of reported leaking underground storage tank incidents provided by the NYSDEC. However, it should be noted that a facility's listing on the LUST database does not necessarily imply that a release has been documented, but rather that investigation/monitoring is continuing on "case open" sites, as discussed below. The latest government version of this database is dated October 1998. Facilities in Nassau County that have reported tank test failure and/or spills are subject to not only the federal and state requirements for upgrading underground storage tank systems, but are also required to adhere to the stringent design, inventory control and reporting requirements of the NCDH. These additional requirements are in place to protect the sole source aquifer resources of the County. Overall, these include the design and implementation of secondary containment structures, leak detection, cathodic protection and rigorous inventory control and tank testing programs.

The LUST database includes information on the remedial status of the investigation, if applicable. According to a representative of the NYSDEC Region 1 Spill Unit, when a LUST site investigation has a "Spill Closed Date," the NYSDEC has ended its investigation, and remediation of the spill (if any) has been performed to the maximum extent possible. Based upon this information, those sites with past releases having a "Spill Closed Date" are not expected to be potential off-site sources of contamination. Therefore, only incidents that are still "case open" (i.e., no spill closed date) and that are also either on site or upgradient of the Parcel J property with respect to the direction of groundwater flow are discussed in detail.

Variety Petrol (P&G Fuel), 317 New South Road, Hicksville, New York

- Database Information
 - Spill Number: 9414903
 - Spill Date: 2/13/95
 - Material Class: petroleum
 - Spill Cause: tank overfill
 - Resource Affected: on land

Hyaid Corp., 6 Commercial Street, Hicksville, New York

- Database Information
 - Spill Number: 9706509
 - Spill Date: 8/29/97
 - Material Class: petroleum
 - Spill Cause: other
 - Resource Affected: on land

Spills Information (SPILLS)

This database is a compilation of state spill sites provided by the NYSDEC. The latest government version of this database is dated July 1998.

As with the LUST database, past releases with a "Spill Closed Date" are not expected to be potential off-site sources of contamination. Therefore, only spills that do not have a closed date and that are also either on site or upgradient to the Parcel J property with respect to the direction of groundwater flow are discussed.

According to the database report, 89 sites were identified in the SPILLS database. However, all of these sites have a "Spill Closed Date" and are therefore not expected to be potential sources of contamination.

Based on a review of the orphan listing in the database report, six sites were identified on the SPILLS database. However, as previously discussed, these sites could not be accurately mapped due to poor or inadequate address information.

Solid Waste Facilities/Landfill Sites (SWF/LF)

The SWF/LF database is a compilation of solid waste disposal facilities or landfills provided by the NYSDEC. The latest government version of this database is dated June 1998. According to the database report, no SWF/LF sites are located within the 3/4-mile search distance.

RCRA Administrative Action Tracking System (RAATS)

As stated previously, the RCRA program identifies and tracks hazardous waste from the point of generation to the point of disposal. The RCRA facilities database is comprised of facilities which report generation, storage, transportation, treatment or disposal of hazardous waste. The RAATS database contains records on enforcement actions taken against major RCRA violators and includes administrative and civil actions brought by EPA. According to the preparers of the database report, data entry in the RAATS database was discontinued in September 1995 due to a decrease in agency resources.

No sites within the 1/2-mile search distance were identified in the database report.

In the orphan section of the database report, only Grumman Aerospace Corporation #77 in Stuart, Florida, was identified on the RAATS database.

Toxic Chemical Release Inventory System (TRIS)

Section 313 of the Emergency Planning and Community Right-to-Know Act (EPCRA or SARA Title III) of 1986, requires the USEPA to establish an inventory of toxic chemical emissions from certain facilities. Facilities subject to this reporting are required to complete a Toxic Chemical Release Form (Form R) for specified chemicals. The latest government version of this database is dated December 1995.

According to the database report, facilities subject to the reporting requirements of EPCRA that were identified outside of the search distance of 1/2 mile include the Ruco Polymer facility which has previously been identified on the TRIS database.

In the orphan section of the database report, only Grumman Aerospace Corporation #77 in Stuart, Florida, was identified on the TRIS database.

State Registered Above and Underground Storage Tanks (ASTs and USTs)

Databases from two government agencies are utilized in the database report to identify sites that contain aboveground and underground storage tanks (ASTs and USTs). The NCDH maintains an Article XI "In Service" Tank Database of ASTs and USTs. The latest government version of that database is dated October 1998. In addition, the NYSDEC's Petroleum Bulk Storage Program maintains information on petroleum bulk storage tanks, as well as hazardous substance bulk storage tanks and major petroleum storage facilities. The latest government version of that database is dated October 1998. Facilities with USTs that are located in Nassau County are subject not only to the federal and state requirements for underground storage tank systems but are also required to adhere to the stringent design, inventory control and reporting requirements of the NCDH. These additional requirements are in place to protect the sole source

aquifer resources of the County. Overall, these requirements include the design and implementation of secondary containment structures, leak detection, cathodic protection and rigorous inventory control and tank testing programs.

According to the database report, within a 1/2 mile search radius of the Parcel J property, there are seven mapped sites with registered ASTs or USTs. However, it should be noted that a facility's listing on the UST/AST database does not imply that any violation or releases have taken place.

Emergency Response Notification System (ERNS)

ERNS is a national database containing information on reported releases of oil and hazardous substances. Spill information is reported to a variety of governmental agencies including the USEPA, the Coast Guard, the National Response Center and the Department of Transportation. The latest government version of this database is dated December 1998.

According to the database report, there are two sites identified in the ERNS database within the 1/2-mile search distance. One of these sites is located northwest of and upgradient to the Parcel J property at 26 Mineola Avenue., Hicksville, New York.

RCRIS Hazardous Waste - Large and Small Quantity Generators (RCRIS-LOG and RCRIS-SQG)

The USEPA's RCRA program identifies and tracks hazardous waste from the point of generation to the point of disposal. Facilities which report generation, storage, transportation, treatment or disposal of hazardous waste are identified on the RCRA facilities database. The latest government version of this database is dated October 1998. Facilities are identified as Large Quantity Generators if they generate at least 1,000 kg per month of nonacutely hazardous waste (or 1 kg per month of acutely hazardous waste). Facilities which generate less than 1,000 kg per month of nonacutely hazardous waste and greater than 100 kg are identified as RCRA Small Quantity Generators.

It should be noted that generators of hazardous waste in Nassau County are not only subject to the regulatory requirements of the NYSDEC's Hazardous Waste Management Program, but must also adhere to the very stringent management standards and design criteria addressing the overall management and storage of hazardous waste over a sole source aquifer as administered by the NCDH. Overall, these include secondary containment structures for any designated storage areas along with stringent record keeping and administrative controls including the use of manifests for tracking the transportation and disposal of waste.

The database report indicates that there are nine RCRIS Small Quantity Generators and 13 RCRIS Large Quantity Generators within the 1/2 mile search distance. It is important to note that the inclusion of a facility on this database does not imply that there have been any violations or releases.

Material Licensing Tracking System (MTLS)

The MTLS database is maintained by the Nuclear Regulatory Commission and contains a listing of sites which possess or use radioactive materials. The latest government version of this database is dated December 1998. According to the database report, there are no sites identified on the MTLS database.

Federal Superfund Liens (NPL Liens)

The NPL liens database is comprised of real property which the EPA has filed liens against in order to recover costs associated with remedial actions or when the property owner receives notification of potential liability. The latest government version of this database is dated October 1991. According to the database report, there are no sites identified on the NPL Liens database.

Hazardous Material Information Reporting System (HMIRS)

The HMIRS database is a compilation of hazardous material spill incidents that are reported to the U.S. Department of Transportation. The latest government version of this database is dated December 1997. According to the database report, there are no sites identified on the HMIRS database.

Toxic Substances Control Act (TSCA)

The TSCA database is a federal database of manufacturers and importers of specific chemical substances listed on the TSCA Chemical Substance Inventory List. The latest government version of this database is dated December 1998. According to the database report, there are no sites identified on the TSCA database within the 1/4-mile search distance.

PCB Activity Database System (PADS)

This database compiled by the EPA identifies generators, transporters, commercial storers and/or brokers and disposers of PCBs who are required to notify the EPA of these activities. The latest government version of this database is dated September 1997. According to the database report, there are no sites identified on the PADS database.

Facility Index Database System (FINDS)

The FINDS database contains information on a facility and may provide information or other databases that a facility may be located on. The latest government version of this database is dated September 1997. According to the database report, there are no sites identified on the FINDS database.

Section 5

5.0 FINDINGS AND CONCLUSIONS

This section presents the findings and conclusions of the Phase I Site Assessment.

5.1 On-site Indicators of Contamination

No indicators of contamination were noted during the site inspection conducted in March 1999.

5.2 Potential Areas of Environmental Concern

Based upon the results of file reviews, a review of NGC Quadrangle maps, previously unavailable NGC design drawings, the site inspection conducted in March 1999 and interviews with NGC representatives, four potential on-site areas of environmental concern (AOCs) have been identified as part of this Phase I Site Assessment update. These AOCs include:

- Dry Wells in Vicinity of Monitoring Well P-4
- Location of 8,000-Gallon Fuel Oil UST
- Concrete Pad Adjacent to Former Guard Booth
- Former Plant 18 Septic System

Dry Wells in Vicinity of Monitoring Well P-4

As discussed in Section 2, during the March 1999 site inspection, a dry well (identified on Figure 2-2 as Dry Well #1) was observed approximately 50 feet northwest of existing on-site Monitoring Well P-4. In addition, based upon a review of NGC Quadrangle maps and previously unavailable NGC design drawings, it was determined that Dry Well #1 was connected to a second dry well located approximately 80 feet north of Dry Well #1. The second dry well could not be located during the March 1999 site inspection and, therefore, it is assumed to have been backfilled. In addition, based upon a review of the design drawings, both dry wells were

located in the former Plant 18 parking area and may have received discharges from the Plant 18 facility. It should also be noted that NGC design drawings indicate a floor drain located in the boiler room (along with roof drainage pipes throughout Plant 18) that discharge to both these dry wells. Therefore, further investigation is warranted at the dry wells in the Vicinity of Monitoring Well P-4, to determine if they had been impacted by discharges from the former Plant 18 facility.

Location of 8,000-Gallon Fuel Oil UST

Based upon a review of previously unavailable NGC design drawings, an 8,000-gallon fuel oil underground storage tank (UST), associated with the former Plant 18 facility, was identified approximately 60 feet northeast of Dry Well #1. However, based upon discussions with NGC personnel and first hand communication between NGC personnel and individuals who were formerly responsible for the management of tanks at the NGC Bethpage Complex, this 8,000-gallon fuel oil UST was never installed. Furthermore, according to NGC, there are no records of this UST on file at NGC. In addition, no visible pad, vent, fill pipes, etc. were noted during the site inspection. As a result, further investigation is not warranted with respect to the Location of 8,000-Gallon Fuel Oil UST.

Concrete Pad Adjacent to Former Guard Booth

During the March 1999 site inspection, a concrete pad was noted in the northern portion of the Parcel J site. Based upon a review of NGC Quadrangle maps, this concrete pad was identified as a former guard booth. In addition, a second concrete pad with a perimeter gravel trench was identified adjacent to the former guard booth. Based upon a review of the Naval Weapons Industrial Reserve Plant Plan for the Prevention and Containment of Petroleum Discharges report prepared by Dvirka and Bartilucci Consulting Engineers in December 1988, this concrete pad and surrounding gravel trench was identified as a former transformer pad containing three oil-filled transformers (refer to Appendix D). However, based upon discussions with NGC personnel, these oil-filled transformers did not contain PCBs. As a result, further investigation is not warranted with respect to the Concrete Pad Adjacent to Former Guard Booth.

Former Plant 18 Septic System

As discussed in Section 2, two solid manhole covers were noted in the northwestern portion of the Parcel J site during the March 1999 site inspection. Based upon a review of NGC Quadrangle maps and previously unavailable NGC construction drawings, these manhole covers were identified as "filled" leaching pools associated with the former Plant 18 Septic System and may have received sanitary discharges from the Plant 18 facility. However, based upon historical administrative operations which occurred at the Plant 18 facility, discharges to the former Plant 18 Septic System from the Plant 18 facility were sanitary in nature and not likely to contain any constituents of concern. Therefore, further investigation is not warranted at the Former Plant 18 Septic System.

5.3 Potential Off-site Sources of Contamination

As discussed in Sections 3 and 4, groundwater quality in the vicinity of the Parcel J site and surrounding industrial areas is a documented area of environmental concern.

The findings of a United States Geological Survey (USGS) hydrogeological and groundwater quality study conducted between 1985 and 1987 indicated a plume of groundwater contamination primarily consisting of several VOCs (TCE, PCE, 1,1,1-TCA, 1,2-DCE, 1,1-DCA and vinyl chloride) was present beneath and extended southward from the Ruco Polymer, Navy Weapons Reserve Plant (NWIRP/Plant 3), and Grumman (NGC) Bethpage Facility sites.

Based upon a review of water table elevations and groundwater contour maps (refer to Appendix D), the predominant direction of groundwater flow in the vicinity of the Parcel J site is southeast. It should be noted that recharge basins and the effects of groundwater withdrawal by nearby production and/or treatment wells cause seasonal shifts in flow direction. However, based upon a review of the water table elevations and groundwater contour maps, it appears that the Parcel J site is located downgradient of the Ruco Polymer site.

Although groundwater degradation remains an environmental concern, previous and ongoing investigations have documented the source of this contamination to be from off-site, upgradient sources. Furthermore, ongoing investigations are expected to further delineate the existing groundwater contamination. In particular, the NYSDEC and USEPA are involved in the active oversight of the remedial investigations, feasibility studies and remediation of all operable units, including groundwater plumes associated with adjacent properties.

Section 6

6.0 RECOMMENDATIONS

As discussed in Section 5, two dry wells in the vicinity of monitoring well P-4 were identified during the March 1999 site inspection and by a review of NGC Quadrangle maps and design drawings. Based upon a review of the design drawings, both dry wells were located in the former Plant 18 parking area and may have received discharges from the Plant 18 boiler room. Therefore, it is recommended that these two dry wells be investigated to determine if they had been impacted by discharges from the former Plant 18 facility.

It is recommended that a soil boring be advanced through the center of Dry Well #1. Since it was determined, during the March 1999 site inspection, that the depth of Dry Well #1 is approximately 14 feet below grade, the soil boring should be advanced from a depth of 14 to 24 feet below grade. Two soil samples should be collected for laboratory analysis; one located at the bottom of the dry well (14 to 16 feet) and the other should be selected based upon visual characterization and field instrumentation measurements. The two soil samples should be analyzed for Resource Conservation and Recovery Act (RCRA) metals by Methods 6010 and 7471, volatile organic compounds (Method 8260) including those listed in the NYSDEC Spill Technology and Remediation Series (STARS) Memo No. 1 "Petroleum-Contaminated Soil Guidance Policy", semivolatile organic compounds (Method 8270) including those listed in STARS, and STARS Table 2 semivolatile organic compounds by the toxicity characteristic leachate procedure (TCLP).


It is also recommended that a soil boring be advanced through the former location of the dry well located approximately 80 feet north of Dry Well #1. Since the invert of the this dry well is unknown, it is proposed that the soil boring be advanced from a depth of 8 to 22 feet below grade. Two soil samples should be collected for laboratory analysis; one located at the bottom of the dry well (determined in the field based on visual observations) and the other should be selected based upon visual characterization and field instrumentation measurements. The two soil samples should be analyzed for RCRA metals by Methods 6010 and 7471, volatile organic compounds (Method 8260) including those listed in STARS, semivolatile organic compounds

(Method 8270) including those listed in STARS, and STARS Table 2 semivolatile organic compounds by TCLP.

Appendix A

APPENDIX A

DELISTING PETITION APPROVAL LETTER



Langdon Marsh
Commissioner

AUG 18 1994

Mr. John Ohlmann
Director
Corporate Environmental Technology & Compliance
Grumman Aerospace Corp.
Mail Stop: D08-GHQ
Bethpage, New York 11714-3580

Re: Petition to modify portion of
Grumman Aerospace Corporation
Site No. 130003A, Site 9 (Plant 18),
Hicksville, New York 11801


Dear Mr. Ohlmann:

Commissioner Marsh has asked me to respond to your petition of March 12, 1993 requesting that the boundary of the subject site be modified (portion of) to exclude Site 9 (Plant 18), at Hicksville, New York in the Registry of Inactive Hazardous Waste Disposal Sites in New York State (The Registry). This petition was originally denied (see enclosed letter dated September 29, 1993 and the original petition letter dated March 12, 1993).

Upon review of additional information that you have provided, we agree that Site 9 (Plant 18) can, indeed, be removed from consideration as part of Site No. 130003A. This letter is official notification that the Registry database has been modified to reflect this.

If we may be of further assistance regarding this matter, please contact Mr. John Barnes of my staff at (518) 457-3395.

Sincerely,



Michael J. O'Toole, Jr.
Director

Division of Hazardous Waste Remediation

Enclosure

cc: Langdon Marsh

J.OHLMANN

AUG 26 1994

Director Corporate Environ


NGINS000119209

Appendix B





APPENDIX B


AERIAL PHOTOGRAPHS




4/11/50











4/11/69



4/18/72




3/08/88

Appendix C



APPENDIX C

ENVIRONMENTAL DATA BASE SEARCH



The EDR-Radius Map with GeoCheck[®]

**Northrop Grumman Corp Parcel J
South Oyster Bay Road
Hicksville, NY 11801**

Inquiry Number: 348558.1s

March 16, 1999

The Source For Environmental Risk Management Data

3530 Post Road
Southport, Connecticut 06490

Nationwide Customer Service

Telephone: 1-800-352-0050
Fax: 1-800-231-6802
Internet: www.edrnet.com

TABLE OF CONTENTS

<u>SECTION</u>	<u>PAGE</u>
Executive Summary	ES1
Topographic Map	2
GeoCheck Summary	3
Overview Map	5
Detail Map	6
Map Summary - All Sites	7
Map Summary - Sites with higher or the same elevation as the Target Property	8
Map Findings	9
Orphan Summary	156
 <u>APPENDICES</u>	
GeoCheck Version 2.1	A1
EPA Waste Codes	A7
Government Records Searched / Data Currency Tracking Addendum	A12

Thank you for your business.
Please contact EDR at 1-800-352-0050
with any questions or comments.

Disclaimer and Other Information

This Report contains information obtained from a variety of public and other sources and Environmental Data Resources, Inc. (EDR) makes no representation or warranty regarding the accuracy, reliability, quality, suitability, or completeness of said information or the information contained in this report. The customer shall assume full responsibility for the use of this report.

NO WARRANTY OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE, EXPRESSED OR IMPLIED, SHALL APPLY AND EDR SPECIFICALLY DISCLAIMS THE MAKING OF SUCH WARRANTIES. IN NO EVENT SHALL EDR BE LIABLE TO ANYONE FOR SPECIAL, INCIDENTAL, CONSEQUENTIAL OR EXEMPLARY DAMAGES. COPYRIGHT (C) 1998 BY ENVIRONMENTAL DATA RESOURCES, INC. ALL RIGHTS RESERVED.

Unless otherwise indicated, all trademarks used herein are the property of Environmental Data Resources, Inc. or its affiliates.

EXECUTIVE SUMMARY

A search of available environmental records was conducted by Environmental Data Resources, Inc. (EDR). The report meets the government records search requirements of ASTM Standard Practice for Environmental Site Assessments, E 1527-97. Search distances are per ASTM standard or custom distances requested by the user.

The address of the subject property for which the search was intended is:

SOUTH OYSTER BAY ROAD
HICKSVILLE, NY 11801

No mapped sites were found in EDR's search of available ("reasonably ascertainable ") government records either on the subject property or within the ASTM E 1527-97 search radius around the subject property for the following Databases:

Delisted NPL:	NPL Deletions
CERC-NFRAP:	Comprehensive Environmental Response, Compensation, and Liability Information System
SWF/LF:	Facility Register
RAATS:	RCRA Administrative Action Tracking System
HMIRS:	Hazardous Materials Information Reporting System
PADS:	PCB Activity Database System
FINDS:	Facility Index System
NPL Lien:	NPL Liens
TSCA:	Toxic Substances Control Act
MLTS:	Material Licensing Tracking System
CBS UST:	Chemical Bulk Storage (CBS) Database
CBS AST:	Chemical Bulk Storage (CBS) Database
MOSF UST:	Major Oil Storage Facilities Database
MOSF AST:	Major Oil Storage Facilities Database
HSWDS:	Hazardous Substance Waste Disposal Site Inventory
VCP:	Voluntary Cleanup Agreement
CONSENT:	Superfund (CERCLA) Consent Decrees
Coal Gas:	Former Manufactured gas (Coal Gas) Sites.

Unmapped (orphan) sites are not considered in the foregoing analysis.

Search Results:

Search results for the subject property and the search radius, are listed below:

Subject Property:

The subject property was not listed in any of the databases searched by EDR.

EXECUTIVE SUMMARY

Surrounding Properties:

Elevations have been determined from the USGS 1 degree Digital Elevation Model and should be evaluated on a relative (not an absolute) basis. Relative elevation information between sites of close proximity should be field verified. EDR's definition of a site with an elevation equal to the subject property includes a tolerance of -10 feet. Sites with an elevation equal to or higher than the subject property have been differentiated below from sites with an elevation lower than the subject property (by more than 10 feet). Page numbers and map identification numbers refer to the EDR Radius Map report where detailed data on individual sites can be reviewed.

Sites listed in *bold italics* are in multiple databases.

NPL: Also known as Superfund, the National Priority List database is a subset of CERCLIS and identifies over 1,200 sites for priority cleanup under the Superfund program. The source of this database is the U.S. EPA.

A review of the NPL list, as provided by EDR, and dated 01/19/1999 has revealed that there is 1 NPL site within approximately 1.25 miles of the subject property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
<i>RUCO POLYMER CORP</i>	<i>NEW SOUTH RD</i>	<i>0 - 1/8 WNW 0</i>		<i>9</i>

RCRIS: The Resource Conservation and Recovery Act database includes selected information on sites that generate, store, treat, or dispose of hazardous waste as defined by the Act. The source of this database is the U.S. EPA.

A review of the RCRIS-TSD list, as provided by EDR, and dated 10/01/1998 has revealed that there is 1 RCRIS-TSD site within approximately 0.75 miles of the subject property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
<i>RUCO POLYMER CORP</i>	<i>NEW SOUTH RD</i>	<i>0 - 1/8 WNW 0</i>		<i>9</i>

SHWS: The State Hazardous Waste Sites records are the states' equivalent to CERCLIS. These sites may or may not already be listed on the federal CERCLIS list. Priority sites planned for cleanup using state funds (state equivalent of Superfund) are identified along with sites where cleanup will be paid for by potentially responsible parties. The data come from the Department of Environmental Conservation's Inactive Hazardous waste Disposal Sites in New York State.

A review of the SHWS list, as provided by EDR, has revealed that there are 2 SHWS sites within approximately 1.25 miles of the subject property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
NAVAL WEAPONS IND. RESERVE PLA	STEWART AVENUE	1/8 - 1/4 ESE	C13	23
<i>GRUMMAN AEROSPACE-BETHPAGE FAC</i>	<i>STEWART AVENUE</i>	<i>1/2 - 1 N</i>	<i>AD141</i>	<i>124</i>

CERCLIS: The Comprehensive Environmental Response, Compensation and Liability Information System contains data on potentially hazardous waste sites that have been reported to the USEPA by states, municipalities, private companies and private persons, pursuant to Section 103 of the Comprehensive Environmental Response, Compensation and Liability Act (CERCLA). CERCLIS contains sites which are either proposed to or on the National Priorities List (NPL) and sites which are in the screening and assessment phase for possible inclusion on the NPL.

A review of the CERCLIS list, as provided by EDR, and dated 11/10/1998 has revealed that there are 3 CERCLIS sites within approximately 0.75 miles of the subject property.

EXECUTIVE SUMMARY

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
RUCO POLYMER CORP	NEW SOUTH RD	0 - 1/8 WNW 0		9
SERVO CORP	111 NEW S RD	1/4 - 1/2NW L57		48
GRUMMAN AEROSPACE CORP	S OYSTER BAY & STEWART	1/2 - 1 ENE S76		60

CORRACTS: CORRACTS is a list of handlers with RCRA Corrective Action Activity. This report shows which nationally-defined corrective action core events have occurred for every handler that has had corrective action activity.

A review of the CORRACTS list, as provided by EDR, and dated 12/01/1998 has revealed that there are 3 CORRACTS sites within approximately 1.25 miles of the subject property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
RUCO POLYMER CORP	NEW SOUTH RD	0 - 1/8 WNW 0		9
LILCO HICKSVILLE SHOREHAM NUC	175 E OLD COUNTRY RD	1 - 2 NW 174		149

<u>Lower Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
GRUMMAN AEROSPACE CORP	S OYSTER BAY RD	1 - 2 SE 175		151

LUST: The Leaking Underground Storage Tank Incident Reports contain an inventory of reported leaking underground storage tank incidents. The data come from the Department of Environmental Conservation's Spills Information Database.

A review of the LUST list, as provided by EDR, and dated 10/01/1998 has revealed that there are 61 LUST sites within approximately 0.75 miles of the subject property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
RUCO POLYMER CORP	NEW SOUTH RD	0 - 1/8 WNW 0		9
MINEOLA MACK INC	880 S OYSTER BAY RD	1/8 - 1/4SW A5		17
GRUMMAN	GRUMMAN PLANT #17	1/8 - 1/4E B7		19
GRUMMAN	BLDG #15	1/8 - 1/4E B8		19
GRUMMAN	WAREHOUSE #8	1/8 - 1/4NNE 9		20
GRUMMAN	PLANT #3	1/8 - 1/4ESE C11		21
GRUMMAN INC	PLANT #3	1/8 - 1/4ESE C12		22
GRUMMAN	MULBERRY STREET BLDG 12	1/8 - 1/4SW D14		24
BLUE FLAME	3 WASHINGTON PKWY	1/4 - 1/2SW D18		26
GRUMMAN	BLDG #3	1/4 - 1/2ESE 19		28
NORTHROP GRUMMAN CORP	B12 NEW SOUTH STREET	1/4 - 1/2WSW 20		28
NORTHROP GRUMMAN	PLANT #15	1/4 - 1/2N 24		30
ERM NORTHEAST	335 NEW SOUTH RD	1/4 - 1/2WNW I31		34
PUBLIC ELECTRIC	794 BROADWAY	1/4 - 1/2SW J41		38
VARIETY PETROL (P&G FUEL)	317 NEW SOUTH RD	1/4 - 1/2WNW I42		39
RUCO POLYEMER	BLDG 1 NEW SOUTH ROAD	1/4 - 1/2NW L50		44
AVIS CAR RENTAL	980 SOUTH BROADWAY	1/4 - 1/2SSW N54		46
FLYNN RESIDENCE	11 BIRCHWOOD LN	1/4 - 1/2WSW 68		55
APA TRANSPORTATION	IMPERATORE DRIVE	1/4 - 1/2ENE 70		56
GRUMMAN AEROSPACE CORPORA	NEW SOUTH ROAD	1/2 - 1 ENE S77		61
NORTHROP GRUMMAN CORP	MAIL STOP D08-001 PLANT	1/2 - 1 ENE S78		61
GRUMMAN CORP	RTE 107	1/2 - 1 ENE S79		62
GRUMMAN PLANT 11	83 LUDY ST	1/2 - 1 ENE S80		63
NORTHROP GRUMMAN	SO OYSTER BAY ROAD	1/2 - 1 ENE S81		64
BONANZA FABRIC CO	35 KARIN LN	1/2 - 1 NW T82		65

EXECUTIVE SUMMARY

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
MCALOON RESIDENCE	9 MINEOLA AVE	1/2 - 1 WNW	84	66
MOBIL OIL	755 S OYSTER BAY RD	1/2 - 1 N	86	68
BRADCO SUPPLY CORP.	85 BLOOMINGDALE RD	1/2 - 1 SSW	V94	87
SEALIT	75 BLOOMINGDALE ROAD	1/2 - 1 SSW	V96	89
STRUCTURAL INDUSTRIES INC.	96 NEW SOUTH RD.	1/2 - 1 NW	97	90
PLAZA PONTIAC	27 LUDY ST	1/2 - 1 WNW	103	95
GRUMMAN AEROSPACE	BLDG 111	1/2 - 1 NE	X105	96
GRUMMAN AEROSPACE	GRUMMAN AEROSPACE PL #2	1/2 - 1 NE	X106	97
GRUMMAN AEROSPACE	BLDG 28	1/2 - 1 NE	X107	98
GRUMMAN AEROSPACE	GRUMMAN FACILITY BLDG 1	1/2 - 1 NE	X108	99
GRUMMAN AEROSPACE	BUILDING 116-01-1	1/2 - 1 NE	X109	99
GRUMMAN BLDG #3	STEWART AVENUE	1/2 - 1 NE	X110	100
GRUMMAN AEROSPACE	BUILDING 04-01-1	1/2 - 1 NE	X111	101
GRUMMAN AEROSPACE	BUILDING #1	1/2 - 1 NE	X112	101
GRUMMAN AEROSPACE	BLDG 115	1/2 - 1 NE	X113	102
GRUMMAN PLANT #20	STEWART AVE	1/2 - 1 NE	X114	103
GRUMMAN AEROSPACE	BUILDING #2 GRUMMAN	1/2 - 1 NE	X115	106
HYAID CORP	6 COMMERCIAL ST	1/2 - 1 NW	Z119	108
WALTER HOFFMANN	22 LINDEN BLVD	1/2 - 1 W	AA120	109
CASCADE WATER PLANT	113 BLOOMINGDALE RD	1/2 - 1 SSW	124	112
LINDA SCHWARZ	12 FARM LN	1/2 - 1 W	AA129	115
GETTY PETROLEUM CORP	723 S OYSTER BAY RD	1/2 - 1 N	AD132	117
GRUMMAN CORP OPERATIONS	STEWART AVENUE	1/2 - 1 N	AD139	122
GRUMMAN AEROSPACE-BETHPAGE FAC	STEWART AVENUE	1/2 - 1 N	AD141	124
UNK CUSTOMER	502 S BROADWAY	1/2 - 1 WNW	AE143	127
HESS S/S	502 S BROADWAY	1/2 - 1 WNW	AE144	128
HESS	502 S BROADWAY	1/2 - 1 WNW	AE145	129
USPO	106 LUDY ST	1/2 - 1 WNW	AE146	129
HICKSVILLE POST OFFICE	109 LUDY ST	1/2 - 1 WNW	AE147	130
MOBIL OIL	SO OYSTER BAY / STEWA	1/2 - 1 N	AD148	131
BUILDING	122 NEW SOUTH RD	1/2 - 1 NNW	AH157	137
BETHPAGE COMMUNITY PARK	STEWART AVE	1/2 - 1 E	158	138
ROBERT PLAN INC/EAGLE INS	999 STEWART AVE	1/2 - 1 ENE	AJ163	141
Not reported	27 ESSEX RD	1/2 - 1 NNE	172	148
<u>Lower Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
AL ANDRIANO RESIDENCE	159 12TH ST	1/2 - 1 SE	83	66
ISLAND TRANSPORT CORP	SOUTH WAREHOUSE AT GRUM	1/2 - 1 SE	AC137	120

UST: The Underground Storage Tank database contains registered USTs. USTs are regulated under Subtitle I of the Resource Conservation and Recovery Act (RCRA). The data come from the Department of Environmental Conservation's Petroleum Bulk Storage (PBS) Database

A review of the UST list, as provided by EDR, and dated 10/01/1998 has revealed that there is 1 UST site within approximately 0.5 miles of the subject property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
CENT NASSAU GUIDANCE&CONS	950 S OYSTER BAY RD	1/4 - 1/2 SSW	40	38

EXECUTIVE SUMMARY

AST: The Aboveground Storage Tank database contains registered ASTs. The data come from the Department of Environmental Conservation's Petroleum Bulk Storage (PBS) Database.

A review of the AST list, as provided by EDR, and dated 10/01/1998 has revealed that there are 6 AST sites within approximately 0.5 miles of the subject property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
GABRIELLI TRUCK SALES LTD	880 S OYSTER BAY RD	1/8 - 1/4 SW	A6	18
INTERSTATE BRANDS CORP.	890 S OYSTER BAY RD	1/8 - 1/4 SSW	10	21
NASSAU BLUE FLAME INC	3 WASHINGTON PKWY	1/4 - 1/2 SW	D17	26
COMMERCIAL BLDG. #2	327 NEW SOUTH RD	1/4 - 1/2 WNW	I33	35
KING BEAR AUTO SERVICE CENTER	735 S BROADWAY	1/4 - 1/2 W	61	51
GRAND PRIX PERFORMANCE LT	777 S OYSTER BAY RD	1/4 - 1/2 N	P64	53

RCRIS: The Resource Conservation and Recovery Act database includes selected information on sites that generate, store, treat, or dispose of hazardous waste as defined by the Act. The source of this database is the U.S. EPA.

A review of the RCRIS-SQG list, as provided by EDR, and dated 10/01/1998 has revealed that there are 11 RCRIS-SQG sites within approximately 0.5 miles of the subject property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
RUCO POLYMER CORP	NEW SOUTH RD	0 - 1/8 WNW	0	9
MINEOLA MACK INC	880 S OYSTER BAY RD	1/8 - 1/4 SW	A5	17
STEEL-LOS III	945 S OYSTER BAY RD	1/4 - 1/2 SSW	E21	29
DC FEMIA AUTO COLLISION	44 WASHINGTON PKWY	1/4 - 1/2 SW	G26	31
PRIDE UTILITIES INC	70 WASHINGTON PKWY	1/4 - 1/2 SSW	28	32
TRUE AUTO RESTORATIONS INC	870 S BROADWAY - E SECT	1/4 - 1/2 SW	J34	36
A ERNIES AUTO BODY INC	870 S BROADWAY	1/4 - 1/2 SW	J36	36
CENTURY COLLISION INC	321 NEW SOUTH RD	1/4 - 1/2 WNW	I38	37
MERRY OLDS INC	777 S OYSTER BAY RD	1/4 - 1/2 N	P63	52
GRAND PRIX PERFORMANCE	777 S OYSTER BAY RD	1/4 - 1/2 N	P65	53
YALE RADIATOR & AUTO REPAIR	37 BLOOMINGDALE RD	1/4 - 1/2 SW	Q67	54

RCRIS: The Resource Conservation and Recovery Act database includes selected information on sites that generate, store, treat, or dispose of hazardous waste as defined by the Act. The source of this database is the U.S. EPA.

A review of the RCRIS-LQG list, as provided by EDR, and dated 10/01/1998 has revealed that there are 15 RCRIS-LQG sites within approximately 0.5 miles of the subject property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
GENERAL ELECTRIC SUPPLY CO	848 S OYSTER BAY RD	0 - 1/8 WSW	1	15
NEW YORK TELEPHONE CO	920 S OYSTER BAY RD ROO	1/8 - 1/4 N	2	15
BLUE FLAME	17 HAZEL ST	1/4 - 1/2 SSW	E15	25
VOIGT PROPERTY	335 NEW S RD	1/4 - 1/2 WNW	F23	30
JOHN GRACE & CO	34 WASHINGTON PKWY	1/4 - 1/2 SW	G25	31
HICKSVILLE DEPT OF PUBLIC WORK	NEW S RD & MORRIS ST	1/4 - 1/2 WNW	F27	32
FIRESTONE SAYMOR AUTO SERVICE	870 S BROADWAY	1/4 - 1/2 SW	J35	36
BETHPAGE TRANSMISSION	870 BROADWAY	1/4 - 1/2 SW	J37	37
CORAL GRAPHIC SERVICES INC	840 S BROADWAY	1/4 - 1/2 WSW	J39	37
OCCIDENTAL CHEMICAL CORP	1 NEW SOUTH RD	1/4 - 1/2 NW	L49	44
C & D TYPE SETTERS INC	960 S BROADWAY	1/4 - 1/2 SW	K51	45
SERVO CORP	111 NEW S RD	1/4 - 1/2 NW	L57	48

EXECUTIVE SUMMARY

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
TEXACO USA A DIVISION OF TEXAC	1000 S BROADWAY	1/4 - 1/2 SSW	N59	50
KING BEAR AUTO SERVICE CENTER	735 S BROADWAY	1/4 - 1/2 W	61	51
PHOTO WORKS	25 BLUMINGDALE RD	1/4 - 1/2 SW	K62	52

ERNS: The Emergency Response Notification System records and stores information on reported releases of oil and hazardous substances. The source of this database is the U.S. EPA.

A review of the ERNS list, as provided by EDR, and dated 12/31/1998 has revealed that there are 2 ERNS sites within approximately 0.5 miles of the subject property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
939 SOUTH BROADWAY	939 SOUTH BROADWAY	1/4 - 1/2 SW	K43	40
26 MINEOLA AVE	26 MINEOLA AVE	1/4 - 1/2 WNW	69	56

TRIS: The Toxic Chemical Release Inventory System identifies facilities that release toxic chemicals to the air, water, and land in reportable quantities under SARA Title III, Section 313. The source of this database is the U.S. EPA.

A review of the TRIS list, as provided by EDR, and dated 12/31/1995 has revealed that there is 1 TRIS site within approximately 0.5 miles of the subject property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
RUCO POLYMER CORP	NEW SOUTH RD	0 - 1/8 WNW	0	9

SPILLS: The Spills Information Database from The Department of Environmental Conservation.

A review of the NY Spills list, as provided by EDR, has revealed that there are 89 NY Spills sites within approximately 0.75 miles of the subject property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
LILCO	870 S OYSTER BAY RD	1/8 - 1/4 SW	A3	15
ELECTROFREEZE???????????	MADISON / MULBERRY ST	1/8 - 1/4 SW	A4	16
GRUMMAN	PLANT #3	1/8 - 1/4 ESE	C11	21
GRUMMAN INC	PLANT #3	1/8 - 1/4 ESE	C12	22
C&K PETROLEUM	17 HAZEL ST	1/4 - 1/2 SSW	E16	25
BLUE FLAME	3 WASHINGTON PKWY	1/4 - 1/2 SW	D18	26
WERNER TRUCK CO	39 JEFREY LN	1/4 - 1/2 SSW	E22	29
PARISI RESIDENCE	6 FERNEY ST	1/4 - 1/2 W	H29	33
KIRK WALKER	RTE 107 / NEW SOUTH R	1/4 - 1/2 SW	G30	33
LILCO	25 FERNEY ST	1/4 - 1/2 WNW	H32	35
VARIETY PETROL (P&G FUEL)	317 NEW SOUTH RD	1/4 - 1/2 WNW	I42	39
RUCO PLASTICS	NEW S RD/RUCO	1/4 - 1/2 NW	L44	40
RUCO POLYMER CORPORATION	NEW SOUTH RD / COMMER	1/4 - 1/2 NW	L45	41
LILCO	1 NEW SOUTH RD	1/4 - 1/2 NW	L46	42
RUCO PLANT	NEW SOUTH ROAD	1/4 - 1/2 NW	L47	42
ROCO POLYMER CORP	NEW SOUTH ROAD	1/4 - 1/2 NW	L48	43
GRUMMAN	PLANT 20 GRUMMAN	1/4 - 1/2 N	M52	45
GRUMMAN AEROSPACE	SO OYSTER BAY ROAD BLDG	1/4 - 1/2 N	M53	46
GRUMMAN AEROSPACE	PLANT #14	1/4 - 1/2 NNE	O55	47
GRUMMAN CORP	PLANT #14	1/4 - 1/2 NNE	O56	48

EXECUTIVE SUMMARY

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
FOREST CHEM INDUSTRIES	70 COMMERCE PL	1/4 - 1/2NW	L58	49
LILCO	60 COMMERCE PL	1/4 - 1/2NW	L60	50
MR.NEVANHOFF	37 BLOOMINGDALE RD	1/4 - 1/2SW	Q66	53
YALE RADIATOR & AUTO REPAIR	37 BLOOMINGDALE RD	1/4 - 1/2SW	Q67	54
DAVID ENGELHART PASS VEH	RTE 107 / SO OYSTER B	1/4 - 1/2S	R72	57
DAMINO RESIDENCE	25 WOODBINE DR	1/4 - 1/2SW	73	58
HICKSVILLE MALL	BROADWAY / HICKSVILLE	1/2 - 1 S	R75	59
GRUMMAN CORP	RTE 107	1/2 - 1 ENE	S79	62
NORTHROP GRUMMAN	SO OYSTER BAY ROAD	1/2 - 1 ENE	S81	64
LILCO	21 CHATHAM CT	1/2 - 1 W	85	67
VAGELAS INC	COMMERCIAL / NEW SOUT	1/2 - 1 NW	T87	68
RUCO POLYMER CORP.	NEW SOUTH ROAD	1/2 - 1 NW	T88	69
ZIMMER RESIDENCE	33 TUDOR RD	1/2 - 1 NNW	89	77
FORMER HQ FOR GRUMMAN COR	STEWART AVE - BLDG #111	1/2 - 1 NNE	92	86
BRACO SUPPLY CO	85 BLOOMINGDALE RD	1/2 - 1 SSW	V93	87
RYDER TRUCK RENTAL	71 BLOOMINGDALE RD	1/2 - 1 SSW	V95	88
STRUCTURAL INDUSTRIES INC.	96 NEW SOUTH RD.	1/2 - 1 NW	97	90
HESS GAS STATION #32267	575 S BROADWAY	1/2 - 1 WNW	W98	91
ITC AT HESS S/S	575 S BROADWAY	1/2 - 1 WNW	W99	92
UNK VEHICLES	BALSAM PL / STEWART A	1/2 - 1 NE	101	93
NORMAN GULF RESIDENCE	3 WOODBINE DR	1/2 - 1 WSW	102	94
NORTHROP GRUMMON FACILTY	1111 STEWART AVE	1/2 - 1 NE	X104	95
GRUMMAN AEROSPACE	GRUMMAN AEROSPACE PL #2	1/2 - 1 NE	X106	97
UNK	47 LINDEN BLVD	1/2 - 1 W	116	106
AETNA PRODS INCORP	11 COMMERCIAL ST	1/2 - 1 NW	Z118	108
ALBERT RESIDENCE	22 ALBERT RD	1/2 - 1 SSW	121	110
FRANK CONGOLOSI	64 LINDEN BLVD	1/2 - 1 WSW	122	110
RESIDENCE	30 MEADOW LN	1/2 - 1 NNW	123	111
LILCO	536-S BROADWAY	1/2 - 1 WNW	AB125	112
PERILLO OIL	7 CEDAR AVE	1/2 - 1 NE	128	114
LILCO	520 S BROADWAY	1/2 - 1 WNW	AB130	116
KENNEDY RESIDENCE	29 FIELD AVE	1/2 - 1 N	134	118
SANDRA RAFFO RESIDENCE	9 COTTAGE BLVD	1/2 - 1 W	136	120
RUPOLO RESIDENCE	48 GARDEN BLVD	1/2 - 1 WSW	138	121
BEHROUZ BEHZADPOUR	600 S OYSTER BAY RD	1/2 - 1 N	AD140	123
GRUMMAN AEROSPACE-BETHPAGE FAC	STEWART AVENUE	1/2 - 1 N	AD141	124
GRAND PRIX AUTO	500 S BROADWAY	1/2 - 1 WNW	AE142	127
CHARLES THURNBUCKLER	85 BERKSHIRE RD	1/2 - 1 NNE	151	133
MCGINNIS RESIDENCE	7 LINDEN BLVD	1/2 - 1 WNW	AG152	134
LOUIS SOLLICITO RESIDENCE	61 GARDEN BLVD	1/2 - 1 WSW	153	134
PALMERI RESIDENCE	1A LINDEN BLVD	1/2 - 1 WNW	AG154	135
BLUE FLAME OIL	53 CHESHIRE RD	1/2 - 1 NNE	155	136
CAMPBELL RESIDENCE	14 GEORGE AVE	1/2 - 1 W	159	138
Not reported	120 NEW SOUTH RD	1/2 - 1 NNW	AH160	139
LILCO	103 LEE AVE	1/2 - 1 W	AI161	140
COUNTRY DELI	1000 STEWART AVE	1/2 - 1 ENE	AJ162	140
COMPANIA RESIDENCE	118 LEE AVE	1/2 - 1 W	AI164	142
UNK	BROADWAY / BOEHME	1/2 - 1 WNW	165	143
ROYS TOWING SERVICE	777 S OYSTER BAY RD	1/2 - 1 N	166	144
RESIDENCE	30 CEDAR AVE	1/2 - 1 NE	168	145
GRUMMAN AEROSPACE	FINAL PAINT HANGER-PLAN	1/2 - 1 ENE	AK169	146
GRUMMAN CORP	PLANT 30,BETHPAGE COMPL	1/2 - 1 ENE	AK170	146
GRUMMAN CORP	STEWART AVE BLDG 30	1/2 - 1 ENE	AK171	147
MICHEL PATTI RESIDENCE	128 LEE AVE	1/2 - 1 W	173	148
<u>Lower Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
EDWARD COLEMAN	252 11TH ST	1/4 - 1/2ESE	71	56

EXECUTIVE SUMMARY

<u>Lower Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
RESIDENCE	205 SYCAMORE AVE	1/4 - 1/2 E	74	58
TBG COGEN PARTNERS	939 S BROADWAY	1/2 - 1 S	U90	78
TBG CO GEN PARTNERS	939 S BROADWAY	1/2 - 1 S	U91	85
LILCO	9TH ST NEAR MAPLE	1/2 - 1 ESE	100	93
MCMANUS RESIDENCE	159 10TH ST	1/2 - 1 SE	Y117	107
MASI RESIDENCE	265 N 7TH ST	1/2 - 1 E	126	113
RELIANCE	167 9TH ST	1/2 - 1 SE	Y127	114
GRUMMAN AEROSPACE	SCALE HANGER PLANT #4	1/2 - 1 SE	AC131	116
DRIVER:WAYNE T COX	625 HICKSVILLE RD	1/2 - 1 S	133	118
UNK	127 ENGINEERS DR	1/2 - 1 S	135	119
PEKO LEASING CO	265 N 6TH ST	1/2 - 1 E	AF149	131
ROMANO RESIDENCE	160 SYCAMORE AVE	1/2 - 1 E	AF150	132
SANZ RESIDENCE	75 MEADE AVE	1/2 - 1 SE	156	136
COMMERCIAL PROPERTY	595 HICKSVILLE RD	1/2 - 1 S	167	144

RODS: Record of Decision. ROD documents mandate a permanent remedy at an NPL (Superfund) site containing technical and health information to aid the cleanup.

A review of the ROD list, as provided by EDR, has revealed that there is 1 ROD site within approximately 1 mile of the subject property.


<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
RUCO POLYMER CORP	NEW SOUTH RD	0 - 1/8 WNW 0		9

EXECUTIVE SUMMARY

Due to poor or inadequate address information, the following sites were not mapped:

<u>Site Name</u>	<u>Database(s)</u>
GRUMMAN AEROSPACE CORP #77	FINDS,RCRIS-LQG,TRIS RCRIS-TSD,RAATS,CORRACTS SHWS
RUCO POLYMER CORP.(HOOKER CHEM) 288 GRUMMAN ROAD WEST ALL AMERICAN PETROLEUM NORTHROP GRUMMAN GRUMMAN TOWN OF OYSTER BAY NCDPW HAZ WASTE THOMAS MEEHAN RESIDENCE BROADWAY MALL LILCO GRECO BROS PLANT 12/EAST TARTAN OIL NASS CO HD PUBLIC JOHN F. KENNEDY J.H.S. NORTHRUP GRUMMAN RUCO POLYMER CORPORATION BETHPAGE W.D. PLANT 5 NORTHRUP GRUMMAN RUCO POLYMER CORPORATION NORTHROP GRUMMAN CORP NORTHROP GRUMMAN CORP NORTHROP GRUMMAN CORP NORTHROP GRUMMAN CORP GRUMMAN AEROSPACE NORTHROP GRUMMAN CORPORATION GRUMMAN AEROSPACE CORPORATION GRUMMAN AEROSPACE CORP.	LUST LUST,NY Spills LUST,NY Spills LUST,NY Spills LUST LUST,NY Spills LUST UST,LUST LUST,NY Spills LUST LUST LUST LUST UST UST UST AST AST AST RCRIS-LQG RCRIS-LQG RCRIS-LQG RCRIS-LQG NY Spills CBS AST CBS AST MOSF UST,MOSF AST

OVERVIEW MAP - 348558.1s - Dvirka & Bartilucci Cons. Eng.




- ☆ Target Property
- ▲ Sites at elevations higher than or equal to the target property
- ◆ Sites at elevations lower than the target property
- ▲ Coal Gasification Sites (if requested)
- ▨ National Priority List Sites
- ▩ Landfill Sites

- Power transmission lines
- Oil & Gas pipelines
- ▨ 100-year flood zone
- ▩ 500-year flood zone
- ▩ Wetlands per National Wetlands Inventory (1994)




TARGET PROPERTY: ADDRESS: CITY/STATE/ZIP: LAT/LONG:	Northrop Grumman Corp Parcel J South Oyster Bay Road Hicksville NY 11801 40.7546 / 73.5005	CUSTOMER: CONTACT: INQUIRY #: DATE:	Dvirka & Bartilucci Cons. Eng. Mark Rauber 348558.1s March 16, 1999 4:51 pm
--	---	--	--

TOPOGRAPHIC MAP - 348558.1s - Dvirka & Bartilucci Cons. Eng.



- Major Roads
- Contour Lines
- Waterways
- Earthquake epicenter, Richter 5 or greater
- Closest Federal Well in quadrant
- Closest State Well in quadrant
- Closest Public Water Supply Well

(HD) Closest Hydrogeological Data



TARGET PROPERTY: Northrop Grumman Corp Parcel J
ADDRESS: South Oyster Bay Road
CITY/STATE/ZIP: Hicksville NY 11801
LAT/LONG: 40.7546 / 73.5005

CUSTOMER: Dvirka & Bartilucci Cons. Eng.
CONTACT: Mark Rauber
INQUIRY #: 348558.1s
DATE: March 16, 1999 4:57 pm

GEOCHECK VERSION 2.1 SUMMARY

TARGET PROPERTY COORDINATES

Latitude (North): 40.754639 - 40° 45' 16.7"
 Longitude (West): 73.500450 - 73° 30' 1.6"
 Universal Transverse Mercator: Zone 18
 UTM X (Meters): 626586.5
 UTM Y (Meters): 4512390.5

USGS TOPOGRAPHIC MAP ASSOCIATED WITH THIS SITE

Target Property: 2440073-G5 HICKSVILLE, NY

GEOLOGIC AGE IDENTIFICATION†

Geologic Code: Qp
 Era: Cenozoic
 System: Quaternary
 Series: Pleistocene

ROCK STRATIGRAPHIC UNIT†

Category: Stratified Sequence

GROUNDWATER FLOW INFORMATION

Groundwater flow direction for a particular site is best determined by a qualified environmental professional using site-specific well data. If such data is not reasonably ascertainable, it may be necessary to rely on other sources of information, including well data collected on nearby properties, regional groundwater flow information (from deep aquifers), or surface topography.‡

AQUIFLOW™** Search Radius: 2.000 Miles

<u>MAP ID</u>	<u>DISTANCE FROM TP</u>	<u>DIRECTION FROM TP</u>	<u>GENERAL DIRECTION GROUNDWATER FLOW</u>
Not Reported			

General Topographic Gradient at Target Property: General SE
 General Hydrogeologic Gradient at Target Property: No hydrogeologic data available.
 Site-Specific Hydrogeological Data*:
 Search Radius: 2.0 miles
 Status: Not found

FEDERAL DATABASE WELL INFORMATION

<u>WELL QUADRANT</u>	<u>DISTANCE FROM TP</u>	<u>LITHOLOGY</u>	<u>DEPTH TO WATER TABLE</u>
Northern	1/2 - 1 Mile	Not Reported	Not Reported
Eastern	1/2 - 1 Mile	Not Reported	Not Reported
Southern	1/8 - 1/4 Mile	Sand	60 ft.
Western	0 - 1/8 Mile	Not Reported	Not Reported

STATE DATABASE WELL INFORMATION

<u>WELL QUADRANT</u>	<u>DISTANCE FROM TP</u>
Northern	1 - 2 Miles
Eastern	1 - 2 Miles

† Source: P.G. Schruben, R.E. Arndt and W.J. Bawiec, Geology of the Conterminous U.S. at 1:2,500,000 Scale - A digital representation of the 1974 P.B. King and H.M. Beikman Map, USGS Digital Data Series DDS - 11 (1994).
 ‡ U.S. EPA Ground Water Handbook, Vol I: Ground Water and Contamination, Office of Research and development EPA/625/6-90/016a, Chapter 4, page 78, September 1990.
 ** EDR AQUIFLOW™ information System of hydrogeologically determined groundwater flow directions at specific locations. See the data pages at the end of this report for a complete description.

GEOCHECK VERSION 2.1 SUMMARY

STATE DATABASE WELL INFORMATION

<u>WELL QUADRANT</u>	<u>DISTANCE FROM TP</u>
Southern	1 - 2 Miles
Western	1/2 - 1 Mile

PUBLIC WATER SUPPLY SYSTEM INFORMATION

Searched by Nearest PWS.

NOTE: PWS System location is not always the same as well location.

PWS Name: HICKSVILLE WATER DISTRICT
4 DEAN STREET
HICKSVILLE, NY 11802

Location Relative to TP: 1/2 - 1 Mile West

PWS currently has or has had major violation(s): No

AREA RADON INFORMATION

State Radon Information for Zip Code: 11801

Number of sites tested: 7

<u>Average (pCi/L)</u>	<u>Geometric Mean (pCi/L)</u>	<u>Geometric Std Dev.</u>	<u>Maximum (pCi/L)</u>
1.4	1.1	2.1	2.7

EPA Radon Zone for NASSAU County: 3



Note: Zone 1 indoor average level > 4 pCi/L.
: Zone 2 indoor average level >= 2 pCi/L and <= 4 pCi/L.
: Zone 3 indoor average level < 2 pCi/L.

NASSAU COUNTY, NY

Number of sites tested: 226

<u>Area</u>	<u>Average Activity</u>	<u>% <4 pCi/L</u>	<u>% 4-20 pCi/L</u>	<u>% >20 pCi/L</u>
Living Area	0.640 pCi/L	98%	2%	0%
Basement	1.100 pCi/L	98%	2%	0%

DETAIL MAP - 348558.1s - Dvirka & Bartilucci Cons. Eng.



- ★ Target Property
- ▲ Sites at elevations higher than or equal to the target property
- ◆ Sites at elevations lower than the target property
- ▲ Coal Gasification Sites (if requested)
- ⚡ Sensitive Receptors
- ☒ National Priority List Sites
- ☒ Landfill Sites

- ⚡ Power transmission lines
- ⚡ Oil & Gas pipelines
- ▨ 100-year flood zone
- ▨ 500-year flood zone
- ▨ Wetlands per National Wetlands Inventory (1994)



TARGET PROPERTY: ADDRESS: CITY/STATE/ZIP: LAT/LONG:	Northrop Grumman Corp Parcel J South Oyster Bay Road Hicksville NY 11801 40.7546 / 73.5005	CUSTOMER: CONTACT: INQUIRY #: DATE:	Dvirka & Bartilucci Cons. Eng. Mark Rauber 348558.1s March 16, 1999 4:55 pm
--	---	--	--

**MAP FINDINGS SUMMARY SHOWING
ALL SITES**

<u>Database</u>	<u>Target Property</u>	<u>Search Distance (Miles)</u>	<u>< 1/8</u>	<u>1/8 - 1/4</u>	<u>1/4 - 1/2</u>	<u>1/2 - 1</u>	<u>> 1</u>	<u>Total Plotted</u>
NPL		1.250	1	0	0	0	0	1
Delisted NPL		1.250	0	0	0	0	0	0
RCRIS-TSD		0.750	1	0	0	0	NR	1
State Haz. Waste		1.250	0	1	0	1	0	2
CERCLIS		0.750	1	0	1	1	NR	3
CERC-NFRAP		0.750	0	0	0	0	NR	0
CORRACTS		1.250	1	0	0	0	2	3
State Landfill		0.750	0	0	0	0	NR	0
LUST		0.750	1	7	11	42	NR	61
UST		0.500	0	0	1	NR	NR	1
AST		0.500	0	2	4	NR	NR	6
RAATS		0.500	0	0	0	NR	NR	0
RCRIS Sm. Quan. Gen.		0.500	1	1	9	NR	NR	11
RCRIS Lg. Quan. Gen.		0.500	1	1	13	NR	NR	15
HMIRS	TP		NR	NR	NR	NR	NR	0
PADS	TP		NR	NR	NR	NR	NR	0
ERNS		0.500	0	0	2	NR	NR	2
FINDS	TP		NR	NR	NR	NR	NR	0
TRIS		0.500	1	0	0	NR	NR	1
NPL Liens	TP		NR	NR	NR	NR	NR	0
TSCA	TP		NR	NR	NR	NR	NR	0
MLTS	TP		NR	NR	NR	NR	NR	0
NY Spills		0.750	0	4	24	61	NR	89
CBS UST		0.250	0	0	NR	NR	NR	0
CBS AST		0.250	0	0	NR	NR	NR	0
MOSF UST		0.500	0	0	0	NR	NR	0
MOSF AST		0.500	0	0	0	NR	NR	0
HSWDS		0.500	0	0	0	NR	NR	0
VCP	TP		NR	NR	NR	NR	NR	0
ROD		1.000	1	0	0	0	NR	1
CONSENT		1.000	0	0	0	0	NR	0
Coal Gas		1.000	0	0	0	0	NR	0

TP = Target Property

NR = Not Requested at this Search Distance

* Sites may be listed in more than one database

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

Database(s) EDR ID Number
 EPA ID Number

Coal Gas Site Search: No site was found in a search of Real Property Scan's ENVIROHAZ database.

NPL
 Region
 WNW
 < 1/8
 645

**RUCO POLYMER CORP
 NEW SOUTH RD
 HICKSVILLE, NY 11801**

**CERCLIS 1000268848
 RCRIS-SQG NYD002920312
 NPL
 TRIS
 RCRIS-TSD
 CORRACTS
 ROD
 LUST**

CERCLIS Classification Data:

Site Incident Category: Not reported	Federal Facility: Not a Federal Facility
Ownership Status: Private	NPL Status: Currently on the Final NPL
Contact: MICHELE BRICE-ROBINSON	Contact Tel: (212) 637-3300
Contact: EUGENE DOMINACH	Contact Tel: (908) 321-6666
Contact: HONORA DROHAN	Contact Tel: (212) 637-4355
Contact: GLADYS LEYNES	Contact Tel: (212) 637-3301
Contact: KEVIN LYNCH	Contact Tel: (212) 637-4287
Contact: KEVIN LYNCH(2)	Contact Tel: (212) 637-4287
Contact: Syed Quadri	Contact Tel: (212) 637-4233
Contact: LINDA ROSS	Contact Tel: (212) 637-4271
Contact: MARK SAVEDOFF	Contact Tel: (732) 321-4341
Contact: MARK SAVEDOFF	Contact Tel: (908) 321-4341

Site Description:

The 14-acre, triangular-shaped chemical manufacturing Hooker Chemical/Ruco Polymer site (Hooker/Ruco) is located in Hicksville, Township of Oyster Bay, Nassau County, New York, approximately 25 miles east of New York City. There are major facilities, small industries, commercial operations, utilities, and transportation corridors and stormwater management basins in the area. Residential neighborhoods are in close proximity to, and surround the industrial area. The Hooker/Ruco Site is physical ly bounded by the Long Island Railroad (LIRR) tracks to the southwest, New South Road to the west, Commerce Street to the north and the Grumman facility to the east and south. Plant 1, located in the south/central portion on the facility, is the lar gest structure, comprising approximately 44,800 square feet. The northern portion of Plant 1 contains a small laboratory. Three major aquifers underlay the site. They are called the unconfined Upper Glacial aquifer; the semi-confined Magothy aquifer; and the confined Lloyd Sand aquifer. The total thickness of these three aquifers beneath the site is approximately 1,200 feet. The two aquifers of environmental concern for this site are the Upper Glacial and the Magothy, since the Lloyd Sand is a deep aquifer (1000 feet) and not hydrogeologically connected to the above aquifers. Two active tracks of the LIRR parallel the facility's 940-foot southwestern property boundary. The facility is bounded on the 270-foot western boundary by New South Road. Operations at the site began in 1945 and included natural latex storage, concentration and compounding. Five years later the company began producing small volumes of plasticizers. In 1956, a polyvinyl chloride plant was built and operated under the name of Insular Chemical Corporation. In 1965, the company was purchased by the Hooker Chemical Company and was known and operated as the Ruco Division. Since 1946, the facility was used for the production of various polymers, including polyvinyl chloride (PVC), styrene/butadiene latex, vinyl chloride/vinyl acetate copolymer, and polyurethane, as well as ester plasticizers. This facility is currently active, and manufactures

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

EDR ID Number
EPA ID Number
Database(s)

RUCO POLYMER CORP (Continued)

1000268848

such products as polyester, polyols and powder coating resins. During site operations between 1956 and 1975, industrial processed wastewater and stormwater runoff from the facility was discharged to six onsite recharge basins or sumps. This wastewater contained, among other things, vinyl chloride, tri chloroethylene, barium and cadmium soap, vinyl acetate, organic acids, and styrene condensate. Drums containing various chemicals were also stored onsite where occasional spills would occur. As a result of these releases, groundwater beneath and downgradient from the site has been contaminated. Limited areas of residual soils contamination exist above levels that would be considered protective of groundwater quality. From 1975 to 1991, a concrete settling basin was used to store ester waste prior to being incinerated onsite. Ester wastes are presently stored in an onsite, above ground tank. From 1946 to 1978, the pilot plant used a heat transfer fluid called Therminol, which contained PCBs. During the operation of the facility, there was a release of PCBs to the soil adjacent to the pilot plant. Some of this contaminated soil was spread to surrounding areas by surface water run-off, sediment transport, and truck traffic. In 1989, an underground fuel oil storage tank adjacent to Plant 1 was removed, and the soils surrounding the tank were excavated, sampled, and found to be contaminated with PCBs. These excavated soils were covered with plastic sheeting, pending the remediation of the other PCB-contaminated soils on the site.

Operations at the site began in 1945 and included natural latex storage, concentration and compounding. Five years later the company began producing small volumes of plasticizers. In 1956, a polyvinyl chloride plant was built and operated under the name of Insular Chemical Corporation. In 1965, the company was purchased by the Hooker Chemical Company and was known and operated as the Ruco Division. Since 1946, the facility was used for the production of various polymers, including polyvinyl chloride (PVC), styrene/butadiene latex, vinyl chloride/vinyl acetate copolymer, and polyurethane, as well as ester plasticizers. This facility is currently active, and manufactures such products as polyester, polyols and powder coating resins. During site operations between 1956 and 1975, industrial processed wastewater and stormwater runoff from the facility was discharged to six onsite recharge basins or sumps. This wastewater contained, among other things, vinyl chloride, trichloroethylene, barium and cadmium soap, vinyl acetate, organic acids, and styrene condensate. Drums containing various chemicals were also stored onsite where occasional spills would occur. As a result of these releases, groundwater beneath and downgradient from the site has been contaminated. Limited areas of residual soils contamination exist above levels that would be considered protective of groundwater quality. From 1975 to 1991 a concrete settling basin was used to store ester waste prior to being incinerated onsite. Ester wastes are presently stored in an onsite, above ground tank. From 1946 to 1978, the pilot plant used a heat transfer fluid called Therminol, which contained PCBs. During the operation of the facility, there was a release of PCBs to the soil adjacent to the pilot plant. Some of this contaminated soil was spread to surrounding areas by surface water run-off, sediment transport, and truck traffic.

In 1989, an underground fuel oil storage tank adjacent to Plant 1 covers the majority of the Ruco property; soil and groundwater contamination from previous disposal activities. OU2 addressed the PCB-contaminated soils and a third area of concern is the contaminated

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
 EPA ID Number

RUCO POLYMER CORP (Continued)

1000268848

groundwater, downgradient of the Ruco property boundary. OCC proposed to perform an early action to remediate the PCB-contaminated areas separately in 1989. A draft Consent Decree was sent to OCC and Ruco Polymer on December 20, 1990. A Good Faith Offer to perform the RD/RA and to enter into a Consent Decree was received from OCC on February 27, 1991. OCC formally rejected EPA's offer to enter into a Consent Decree in a letter dated June 5, 1991. A Unilateral Administrative Order was signed by the RA on June 27, 1991. Notices of Intent to Comply with the order were submitted by both OCC and Ruco Polymer (both dated July 16, 1991) and were received by EPA on July 17, 1991. The RD/RA Work Plan Outline was received on May 13, 1991, followed by the RD/RA Work Plan (Remedial Design) in July, 1991. Notice from OCC for Final Inspection was received on July 22, 1992. An inspection visit was made on September 3, 1992 at which time all restoration was completed. Occidental's Remedial Action Report was received on October 19, 1992 and final approval was issued on March 12, 1993. Four areas of OU2's PCB-contaminated soil surrounding the pilot plant were addressed. They were the direct spill area; transport related area; the previously excavated soils; and the impacted recharge basin (sump three). removed, and the soils surrounding the tank were excavated, sampled, and found to be contaminated with PCBs. These excavated soils were covered with plastic sheeting, pending the remediation of the other PCB-contaminated soils on the site. A site background report was prepared in 1981. Results of this study were presented in the "Report of Groundwater & Soils Investigation at the Former Ruco Division Plant Site, Hicksville, New York," dated August 1984. These initial investigations led to the site being placed on the NPI in 1984. In March 1985, four additional borings were drilled and sampled in the Therminol spill area, and in May 1985, a second round of groundwater samples were obtained. From 1986 through September 1988, several sampling programs were undertaken to further define the extent of PCBs in the shallow soils around the pilot plant, and in soils excavated during the underground storage tank removal. The results were presented in progress reports dated January 1987, July 1987, December 1987, February 1988 and June 1988. In July 1988, EPA sent OCC a request for information on the site. Negotiations by NYSDEC and EPA failed to reach a settlement with the PRPs (Occidental Chemical and Ruco Polymer) to conduct the RI/FS. In September 1988, after the work plan was finalized, Occidental agreed to perform the work. OCC entered into an Administrative Order on Consent with EPA in September 1988. In September 1989, RI/FS field work commenced and was completed in February 1990 with a draft RI Report submitted in April 1990. Portions of the RI Report pertaining to the PCB contaminated areas were approved to expedite the remediation of those areas. The final, complete RI report was approved in December 1992. An FS outline for OU1 was submitted December 18, 1992 containing the preliminary groundwater and soils treatment alternatives. The Revised FS Report was received on July 18, 1993 and the Final FS Report was approved in August 1993. OU1 for this site

CERCLIS Assessment History:

Assessment:	DISCOVERY	Completed:	19791101
Assessment:	PRELIMINARY ASSESSMENT	Completed:	19840901
Assessment:	SITE INSPECTION	Completed:	19841001
Assessment:	PROPOSAL TO NPL	Completed:	19841015
Assessment:	FINAL LISTING ON NPL	Completed:	19860610

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation

MAP FINDINGS

Database(s) EDR ID Number
 EPA ID Number

RUCO POLYMER CORP (Continued)

1000268848

Assessment:	ADMIN ORDER ON CONSENT	Completed:	19880921
Assessment:	RI/FS WORKPLAN APPROVAL BY HQ	Completed:	19880921
Assessment:	NPL RP SEARCH	Completed:	19880921
Assessment:	COMBINED RI/FS	Completed:	19880921
Assessment:	RI/FS NEGOTIATIONS	Completed:	19880921
Assessment:	REMOVAL ASSESSMENT	Completed:	19900821
Assessment:	PRP RI/FS	Completed:	19900928
Assessment:	RECORD OF DECISION	Completed:	19900928
Assessment:	PREPARATION OF COST DOCM PKGE	Completed:	19910306
Assessment:	RD/RA NEGOTIATIONS	Completed:	19910627
Assessment:	RD/RA NEGOTIATIONS	Completed:	19910627
Assessment:	UNILATERAL ADMIN ORDER	Completed:	19910627
Assessment:	PRP RD	Completed:	19920428
Assessment:	HUMAN HEALTH RISK ASSESSMENT	Completed:	19921001
Assessment:	REMOVAL ASSESSMENT	Completed:	19930203
Assessment:	PRP RA	Completed:	19930312
Assessment:	PRP RI/FS	Completed:	19940128
Assessment:	RECORD OF DECISION	Completed:	19940128
Assessment:	UNILATERAL ADMIN ORDER	Completed:	19940630
Assessment:	ADMIN/VOLUNTARY COST RECOVERY	Completed:	19941228
Assessment:	CONSENT AGREEMENT (ADMINISTRATIVE)	Completed:	19950929
Assessment:	CONSENT DECREE	Completed:	19950929
Assessment:	ADMINISTRATIVE RECORDS	Completed:	Not reported
Assessment:	RECORD OF DECISION	Completed:	Not reported
Assessment:	MANAGEMENT ASSISTANCE	Completed:	Not reported
Assessment:	REMEDIAL COMMUNITY RELATIONS	Completed:	Not reported
Assessment:	PRP RI/FS	Completed:	Not reported
Assessment:	PRP RD	Completed:	Not reported

CERCLIS Site Status:

Not reported

CERCLIS Alias Name(s):

RUCO POLYMER CORP
 HOOKER CHEM /RUCO POLYMER
 HOOKER RUCO

CORRACTS Data:

Prioritization: High
 Status: RCRA Facility Assessment Completed, Referred to a Non-RCRA Authority

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

RUCO POLYMER CORP (Continued)

Database(s) EDR ID Number
EPA ID Number

1000268848

NPL:

ID:	02NY052
Date Listed:	6/10/86 (FINAL)
EPA/ID:	NYD002920312
Haz. Rank Score:	41.60
Status:	LISTED ON NPL
Rank:	451
Group:	10
Ownership:	Private
Permit:	Air
Permit:	NPDES
Site Activities:	Chemical Process/Manuf.
Site Activities:	Incinerator
Site Activities:	Spill
Site Activities:	Tank, above ground
Site Activities:	Containers/Drums
Site Activities:	Surface Impoundment
Site Activities:	Tank, below ground
Site Condition:	Contamination of Soil
Site Condition:	Contam. Ground Water
Waste Type:	Chlorinated Organics
Waste Type:	Solvents
Contaminant:	Media Affected:
VINYL CHLORIDE	Not reported
1,1,2-TRICHLOROETHYLENE (TCE)	Not reported
TETRACHLOROETHENE	Not reported
PHENOL	Not reported
1,2-TRANS-DICHLOROETHYLENE	Not reported
1,1,1-TRICHLOROETHANE	Not reported
VINYL ACETATE	Not reported
STYRENE	Not reported
BUTADIENE	Not reported
ADIPIC ACID	Not reported
METHANOL	Not reported
PHTHALIC ACID	Not reported
METHYL ETHYL KETONE	Not reported
PENTACHLOROPHENOL (PCP)	Not reported
ZINC SULFATE	Not reported
Distance to nearest Population:	Not reported
Population within a 1 Mile Radius:	Not reported
Population within a 2 Mile Radius:	Not reported
Population within a 4 Mile Radius:	Not reported
Vertical Distance to Aquifer:	21 Feet to 75 Feet
Ground Water Use:	Not Used as Drinking Water, Alternative Source Available
Distance to nearest Surface Water:	Not reported

ROD:

Full-text of USEPA Record of Decision(s) is available from EDR.

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
 EPA ID Number

RUCO POLYMER CORP (Continued)

1000268848

RCRIS:

Owner: HOOKER CHEMICALS & PLASTICS CORP
 (516) 931-8100
 Contact: PHILIP DEVRIES
 (516) 931-8100
 Record Date: 08/14/1980
 Classification: Small Quantity Generator, TSDf

BIENNIAL REPORTS:

Last Biennial Reporting Year: 1995

Waste	Quantity (Lbs)	Waste	Quantity (Lbs)
D001	54978.60	D002	55.00
D007	55.00	D028	44651.38
D035	63263.89	D038	16680.57
F003	51740.62	F005	54089.57

Used Oil Recyc: No

TSDf Activities: Not reported

Violation Status: Violation information exist

There are 7 violation record(s) reported at this site:

<u>Evaluation</u>	<u>Area of Violation</u>	<u>Date of Compliance</u>
Compliance Evaluation Inspection (CEI)	Generator-Land Ban Requirements	08/15/1996
Compliance Evaluation Inspection (CEI)	Generator-All Requirements	08/15/1996
Compliance Evaluation Inspection (CEI)	Generator-All Requirements	04/03/1992
Compliance Evaluation Inspection (CEI)	Generator-All Requirements	01/04/1990
Compliance Evaluation Inspection (CEI)	Generator-All Requirements	01/04/1990
Non-Financial Record Review	Generator-All Requirements	03/10/1988
Non-Financial Record Review	Generator-All Requirements	09/20/1984

NY MANIFEST

Additional detail is available in NY MANIFEST. Please contact your EDR Account Executive for more information.

LUST:

Spill Number: 8804415	Region of Spill: 1
Facility Contact: Not reported	Facility Tele: Not reported
Investigator: GOERTZ	SWIS: 28
Caller Name: DAVE DESEY	Caller Agency: TANK SPEC INC
Caller Phone: (516) 759-9318	Caller Extension: Not reported
Notifier Name: Not reported	Notifier Agency: Not reported
Notifier Phone: Not reported	Notifier Extension: Not reported
Spiller Contact: Not reported	Spiller Phone: (516) 931-8104
Spiller: RUCO POLYMER	
Spiller Address: NEW SOUTH ROAD HICKSVILLE, NY	
Spill Class: Not reported	Resource Affected: Groundwater
Spill Closed Dt: 02/19/1992	Spill Source: Other Commercial/Industrial
Spill Cause: Tank Test Failure	PBS Number: Not reported
Water Affected: Not reported	Reported to Dept: 08/18/1988 16:47
Spill Notifier: Tank Tester	
Spill Date: 08/18/1988 15:00	
Cleanup Ceased: 02/19/1992	
Last Inspection: Not reported	
Cleanup Meets Standard: True	

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

RUCO POLYMER CORP (Continued)

Database(s) EDR ID Number
EPA ID Number

1000268848

Recommended Penalty: No Penalty
Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: False
Spill Record Last Update: 02/21/1992
Is Updated: False
Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 08/19/1988
Date Region Sent Summary to Central Office: Not reported

1
WSW
< 1/8
458
Higher

GENERAL ELECTRIC SUPPLY CO
848 S OYSTER BAY RD
HICKSVILLE, NY 11801

FINDS 1000212460
RCRIS-LQG NYD060317831

RCRIS:
Owner: GENERAL ELECTRIC
(212) 555-1212
Contact: JOSEPH HAYDEN
(516) 931-1890
Record Date: 10/04/1988
Classification: Large Quantity Generator
Used Oil Recyc: No
Violation Status: No violations found

2
North
1/8-1/4
678
Higher

NEW YORK TELEPHONE CO
920 S OYSTER BAY RD ROOM 300
BETHPAGE, NY 11714

FINDS 1000136892
RCRIS-LQG NYD982185712

RCRIS:
Owner: NEW YORK TELEPHONE CO
(212) 555-1212
Contact: JACK OBRIEN
(914) 789-6141
Record Date: 05/28/1987
Classification: Large Quantity Generator
Used Oil Recyc: No
Violation Status: No violations found

A3
SW
1/8-1/4
770
Higher

LILCO
870 S OYSTER BAY RD
HICKSVILLE, NY

NY Spills S102140575
N/A

SPILLS:
Spill Number: 9503219 Region of Spill: 1

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

LILCO (Continued)

S102140575

Facility Contact: Not reported Facility Tele: Not reported
Investigator: SCHULZ
Caller Name: MIKE TUCKER Caller Agency: LILCO
Caller Phone: (516) 391-6406 Caller Extension: Not reported
Notifier Name: Not reported Notifier Agency: Not reported
Notifier Phone: Not reported Notifier Extension: Not reported
Spiller Contact: Not reported Spiller Phone: Not reported
SWIS: 28
Spiller: LILCO
Address: Not reported
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 08/13/1996
Spill Cause: Equipment Failure Resource Affected: On Land
Water Affected: Not reported Spill Source: Other Commercial/Industrial
Spill Notifier: Responsible Party PBS Number: Not reported
Spill Date: 06/14/1995 19:30 Reported to Dept: 06/14/1995 20:49
Cleanup Ceased: Not reported
Last Inspection: Not reported
Cleanup Meets Standard: True
Recommended Penalty: No Penalty
Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: False
Spill Record Last Update: 08/14/1996
Is Updated: False
Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 06/16/1995
Date Region Sent Report To Central Office: Not reported

A4
SW
1/8-1/4
897
Higher

ELECTROFREEZE??????????
MADISON / MULBERRY ST
BETHPAGE, NY

NY Spills S102091145
N/A

SPILLS:

Spill Number: 8501750 Region of Spill: 1
Facility Contact: Not reported Facility Tele: Not reported
Investigator: DOT
Caller Name: JOE DEFRANCO Caller Agency: NCHD
Caller Phone: (516) 535-2404 Caller Extension: Not reported
Notifier Name: Not reported Notifier Agency: Not reported
Notifier Phone: Not reported Notifier Extension: Not reported
Spiller Contact: Not reported Spiller Phone: Not reported
SWIS: 28
Spiller: ELECTROFREEZE??????????
Address: Not reported
Spill Class: Not reported
Spill Closed Dt: 11/25/1985
Spill Cause: Deliberate Resource Affected: In Sewer
Water Affected: Not reported Spill Source: Unknown
Spill Notifier: Health Department PBS Number: Not reported
Spill Date: 08/12/1985 10:00 Reported to Dept: 08/16/1985 09:15
Cleanup Ceased: 11/25/1985
Last Inspection: Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

ELECTROFREEZE???????? (Continued)

S102091145

Cleanup Meets Standard: True
Recommended Penalty: No Penalty
Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: False
Spill Record Last Update: 05/09/1993
Is Updated: False
Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 06/17/1986
Date Region Sent Report To Central Office: 07/11/1991

**A5
SW
1/8-1/4
905
Higher**

**MINEOLA MACK INC
880 S OYSTER BAY RD
HICKSVILLE, NY 11801**

**RCRIS-SQG 1000209178
FINDS NYD012730743
LUST**

RCRIS:

Owner: AMEDEO GABRIELLI
(212) 555-1212

Contact: AMEDEO GABRIELLI
(516) 981-7915

Record Date: 05/19/1988
Classification: Small Quantity Generator
Used Oil Recyc: No
Violation Status: No violations found

LUST:

Spill Number: 9304746	Region of Spill: 1
Facility Contact: Not reported	Facility Tele: Not reported
Investigator: CAMPBELL	SWIS: 28
Caller Name: MIKE ELLETTO	Caller Agency: YELLOWSTONE
Caller Phone: (516) 547-7104	Caller Extension: Not reported
Notifier Name: Not reported	Notifier Agency: Not reported
Notifier Phone: Not reported	Notifier Extension: Not reported
Spiller Contact: Not reported	Spiller Phone: Not reported
Spiller: MINEOLA MACK	
Spiller Address: Not reported	
Spill Class: Known release that creates potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.	
Spill Closed Dt: 05/05/1994	Resource Affected: On Land
Spill Cause: Other	Spill Source: Other Commercial/Industrial
Water Affected: Not reported	PBS Number: Not reported
Spill Notifier: Other	Reported to Dept: 07/15/1993 12:20
Spill Date: 07/15/1993 12:10	
Cleanup Ceased: 05/05/1994	
Last Inspection: Not reported	
Cleanup Meets Standard: True	
Recommended Penalty: No Penalty	
Spiller Cleanup Date: Not reported	
Enforcement Date: Not reported	
Investigation Complete: Not reported	
UST Involvement: False	
Spill Record Last Update: 05/05/1994	

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
 EPA ID Number

MINEOLA MACK INC (Continued)

1000209178

Is Updated: False
 Corrective Action Plan Submitted: Not reported
 Date Spill Entered In Computer Data File: 07/16/1993
 Date Region Sent Summary to Central Office: Not reported

Spill Number:	9304764	Region of Spill:	1
Facility Contact:	Not reported	Facility Tele:	Not reported
Investigator:	CAMPBELL	SWIS:	28
Caller Name:	ALAN BRUSSELS	Caller Agency:	NCDH
Caller Phone:	(516) 571-3314	Caller Extension:	Not reported
Notifier Name:	Not reported	Notifier Agency:	Not reported
Notifier Phone:	Not reported	Notifier Extension:	Not reported
Spiller Contact:	Not reported	Spiller Phone:	Not reported
Spiller:	MINEOLA MACK		
Spiller Address:	Not reported		

Spill Class: Known release that creates potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.

Spill Closed Dt:	04/29/1994	Resource Affected:	Groundwater
Spill Cause:	Other	Spill Source:	Other Commercial/Industrial
Water Affected:	Not reported	PBS Number:	Not reported
Spill Notifier:	Health Department	Reported to Dept:	07/15/1993 14:00
Spill Date:	07/15/1993 14:00		
Cleanup Ceased:	04/29/1994		
Last Inspection:	Not reported		
Cleanup Meets Standard:	True		
Recommended Penalty:	No Penalty		
Spiller Cleanup Date:	Not reported		
Enforcement Date:	Not reported		
Investigation Complete:	Not reported		
UST Involvement:	False		
Spill Record Last Update:	05/05/1994		
Is Updated:	False		
Corrective Action Plan Submitted:	Not reported		
Date Spill Entered In Computer Data File:	07/16/1993		
Date Region Sent Summary to Central Office:	Not reported		

A6
 SW
 1/8-1/4
 905
 Higher

GABRIELLI TRUCK SALES LTD
880 S OYSTER BAY RD
HICKSVILLE, NY

AST

A100101797
 N/A

Nassau County AST:

Facility ID:	056827	Tank ID:	0002
Tank Location:	Indoors, Aboveground	Capacity (Gal):	275
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	PAINTED [e.g. asphaltic]	Material Type:	Waste
Piping Type:	Steel/Iron		
Description:	WASTE OIL	Containment:	OTHER
Leak Detect:	OTHER	Product Gauge:	Yes
Dispense Method:	Suction	Install Date:	12/55
Fill Type:	Gravity		
Total Tanks:	1		

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation

Site

Database(s)

EDR ID Number
 EPA ID Number

B7
 East
 1/8-1/4
 998
 Higher

GRUMMAN
GRUMMAN PLANT #17
BETHPAGE, NY

LUST

S100177076
 N/A

LUST:

Spill Number:	9105709	Region of Spill:	1
Facility Contact:	Not reported	Facility Tele:	Not reported
Investigator:	T/T/F	SWIS:	28
Caller Name:	GINA COSTINI	Caller Agency:	TYREE
Caller Phone:	(516) 249-3150	Caller Extension:	Not reported
Notifier Name:	Not reported	Notifier Agency:	Not reported
Notifier Phone:	Not reported	Notifier Extension:	Not reported
Spiller Contact:	Not reported	Spiller Phone:	(516) 575-8176
Spiller:	GRUMMAN		
Spiller Address:	Not reported		
	Not reported		
Spill Class:	Known release that creates potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.		
Spill Closed Dt:	02/27/1995		
Spill Cause:	Tank Test Failure	Resource Affected:	Groundwater
Water Affected:	Not reported	Spill Source:	Other Commercial/Industrial
Spill Notifier:	Tank Tester	PBS Number:	Not reported
Spill Date:	08/26/1991 13:30	Reported to Dept:	08/26/1991 15:23
Cleanup Ceased:	02/27/1995		
Last Inspection:	Not reported		
Cleanup Meets Standard:	True		
Recommended Penalty:	No Penalty		
Spiller Cleanup Date:	Not reported		
Enforcement Date:	Not reported		
Investigation Complete:	Not reported		
UST Involvement:	False		
Spill Record Last Update:	02/27/1995		
Is Updated:	False		
Corrective Action Plan Submitted:		Not reported	
Date Spill Entered In Computer Data File:		08/28/1991	
Date Region Sent Summary to Central Office:		Not reported	

B8
 East
 1/8-1/4
 998
 Higher

GRUMMAN
BLDG #15
BETHPAGE, NY

LUST

S100169240
 N/A

LUST:

Spill Number:	8901729	Region of Spill:	1
Facility Contact:	Not reported	Facility Tele:	Not reported
Investigator:	LEUNG	SWIS:	28
Caller Name:	TERRENCE NEILLY	Caller Agency:	GENERAL UTILITIES
Caller Phone:	(516) 349-8989	Caller Extension:	Not reported
Notifier Name:	Not reported	Notifier Agency:	Not reported
Notifier Phone:	Not reported	Notifier Extension:	Not reported
Spiller Contact:	Not reported	Spiller Phone:	(516) 575-8176
Spiller:	GRUMMAN		
Spiller Address:	Not reported		
	Not reported		
Spill Class:	Not reported		
Spill Closed Dt:	10/26/1990		
Spill Cause:	Tank Test Failure	Resource Affected:	Groundwater
Water Affected:	Not reported	Spill Source:	Other Commercial/Industrial

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

GRUMMAN (Continued)

S100169240

Spill Notifier: Tank Tester
Spill Date: 05/19/1989 17:00
Cleanup Ceased: 10/26/1990
Last Inspection: Not reported
Cleanup Meets Standard: True
Recommended Penalty: No Penalty
Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: False
Spill Record Last Update: 10/29/1990
Is Updated: False
Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 05/22/1989
Date Region Sent Summary to Central Office: Not reported

PBS Number: Not reported
Reported to Dept: 05/19/1989 18:12

9
NNE
1/8-1/4
1024
Higher

GRUMMAN
WAREHOUSE #8
BETHPAGE, NY

LUST

S102668967
N/A

LUST:

Spill Number: 9006322
Facility Contact: Not reported
Investigator: DEROSA
Caller Name: JOHN OHLMANN
Caller Phone: (516) 575-2385
Notifier Name: Not reported
Notifier Phone: Not reported
Spiller Contact: Not reported
Spiller: GRUMMAN
Spiller Address: Not reported
Not reported
Spill Class: Not reported
Spill Closed Dt: 10/10/1990
Spill Cause: Other
Water Affected: Not reported
Spill Notifier: Responsible Party
Spill Date: 09/07/1990 11:00
Cleanup Ceased: 10/10/1990
Last Inspection: Not reported
Cleanup Meets Standard: True
Recommended Penalty: No Penalty
Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: False
Spill Record Last Update: 10/12/1990
Is Updated: False
Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 09/11/1990
Date Region Sent Summary to Central Office: Not reported

Region of Spill: 1
Facility Tele: Not reported
SWIS: 28
Caller Agency: GRUMMAN
Caller Extension: Not reported
Notifier Agency: Not reported
Notifier Extension: Not reported
Spiller Phone: Not reported

Resource Affected: On Land
Spill Source: Other Commercial/Industrial
PBS Number: Not reported
Reported to Dept: 09/07/1990 15:30

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation

Site

Database(s)

EDR ID Number
 EPA ID Number

10
 SSW
 1/8-1/4
 1047
 Higher

INTERSTATE BRANDS CORP.
890 S OYSTER BAY RD
HICKSVILLE, NY

AST

A100106452
 N/A

C11
 ESE
 1/8-1/4
 1070
 Higher

GRUMMAN
PLANT #3
BETHPAGE, NY

LUST
 NY Spills

S102092503
 N/A

LUST:

Spill Number: 9109773	Region of Spill: 1
Facility Contact: Not reported	Facility Tele: Not reported
Investigator: KISPERT	SWIS: 28
Caller Name: JOHN OHLMANN	Caller Agency: GRUMMAN
Caller Phone: (516) 575-2385	Caller Extension: Not reported
Notifier Name: Not reported	Notifier Agency: Not reported
Notifier Phone: Not reported	Notifier Extension: Not reported
Spiller Contact: Not reported	Spiller Phone: Not reported
Spiller: GRUMMAN	
Spiller Address: Not reported	
Spill Class: Not reported	
Spill Closed Dt: 12/18/1991	
Spill Cause: Other	Resource Affected: On Land
Water Affected: Not reported	Spill Source: Other Non Commercial/Industrial
Spill Notifier: Responsible Party	PBS Number: Not reported
Spill Date: 12/13/1991 08:00	Reported to Dept: 12/13/1991 09:10
Cleanup Ceased: 12/18/1991	
Last Inspection: Not reported	
Cleanup Meets Standard: True	
Recommended Penalty: No Penalty	
Spiller Cleanup Date: Not reported	
Enforcement Date: Not reported	
Investigation Complete: Not reported	
UST Involvement: False	
Spill Record Last Update: 12/19/1991	
Is Updated: False	
Corrective Action Plan Submitted: Not reported	
Date Spill Entered In Computer Data File: 12/13/1991	
Date Region Sent Summary to Central Office: Not reported	

SPILLS:

Spill Number: 9206477	Region of Spill: 1
Facility Contact: Not reported	Facility Tele: Not reported
Investigator: KISPERT	
Caller Name: JOHN OHLMANN	Caller Agency: GRUMMAN
Caller Phone: (516) 575-2385	Caller Extension: Not reported
Notifier Name: Not reported	Notifier Agency: Not reported
Notifier Phone: Not reported	Notifier Extension: Not reported
Spiller Contact: Not reported	Spiller Phone: Not reported
SWIS: 28	
Spiller: GRUMMAN AERO	
Address: Not reported	
Spill Class: Known release that creates potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.	
Spill Closed Dt: 09/08/1992	
Spill Cause: Human Error	Resource Affected: On Land

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

GRUMMAN (Continued)

S102092503

Water Affected: Not reported
Spill Notifier: Other
Spill Date: 09/03/1992 12:00
Cleanup Ceased: 09/08/1992
Last Inspection: Not reported
Cleanup Meets Standard: True
Recommended Penalty: No Penalty
Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: False
Spill Record Last Update: 09/10/1992
Is Updated: False
Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 09/04/1992
Date Region Sent Report To Central Office: Not reported

Spill Source: Other Commercial/Industrial
PBS Number: Not reported
Reported to Dept: 09/03/1992 14:20

C12
ESE
1/8-1/4
1070
Higher

GRUMMAN INC
PLANT #3
BETHPAGE, NY

LUST
NY Spills

S102096318
N/A

LUST:

Spill Number: 9207766
Facility Contact: Not reported
Investigator: DECANDIA
Caller Name: JOHN OHLMANN
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Phone: Not reported
Spiller Contact: Not reported
Spiller: GRUMMAN INC
Spiller Address: Not reported
Not reported

Region of Spill: 1
Facility Tele: Not reported
SWIS: 28
Caller Agency: GRUMMAN
Caller Extension: Not reported
Notifier Agency: Not reported
Notifier Extension: Not reported
Spiller Phone: Not reported

Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 07/18/1997
Spill Cause: Other
Water Affected: Not reported
Spill Notifier: Responsible Party
Spill Date: 10/05/1992 10:45
Cleanup Ceased: Not reported
Last Inspection: Not reported
Cleanup Meets Standard: True
Recommended Penalty: No Penalty
Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: False
Spill Record Last Update: 07/21/1997
Is Updated: False
Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 10/06/1992
Date Region Sent Summary to Central Office: Not reported

Resource Affected: On Land
Spill Source: Other Commercial/Industrial
PBS Number: Not reported
Reported to Dept: 10/05/1992 12:00

SPILLS:

Spill Number: 9707350
Facility Contact: JOHN SELVA
Region of Spill: 1
Facility Tele: (516) 575-8176

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
 EPA ID Number

GRUMMAN INC (Continued)

S102096318

Investigator:	PARISH	Caller Agency:	NORTHROP GRUMMIN CORP
Caller Name:	JOHN SELVA	Caller Extension:	Not reported
Caller Phone:	(516) 575-8176	Notifier Agency:	NORTHROP GRUMMIN CORP
Notifier Name:	JOHN SELVA	Notifier Extension:	Not reported
Notifier Phone:	(516) 575-8176	Spiller Phone:	(516) 575-8176
Spiller Contact:	JOHN SELVA		
SWIS:	28		
Spiller:	NORTHROP GRUMMAN CORP		
Address:	PLANT #3		
	BETHPAGE, NY		
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.		
Spill Closed Dt:	02/23/1998	Resource Affected:	On Land
Spill Cause:	Equipment Failure	Spill Source:	Other Commercial/Industrial
Water Affected:	Not reported	PBS Number:	Not reported
Spill Notifier:	Responsible Party	Reported to Dept:	09/22/1997 15:25
Spill Date:	09/22/1997 12:00		
Cleanup Ceased:	Not reported		
Last Inspection:	Not reported		
Cleanup Meets Standard:	True		
Recommended Penalty:	No Penalty		
Spiller Cleanup Date:	Not reported		
Enforcement Date:	Not reported		
Investigation Complete:	Not reported		
UST Involvement:	False		
Spill Record Last Update:	02/25/1998		
Is Updated:	False		
Corrective Action Plan Submitted:	Not reported		
Date Spill Entered In Computer Data File:	09/22/1997		
Date Region Sent Report To Central Office:	Not reported		

This is the most recent NY SPILLS record for this site.
 The NY SPILLS database contains 3 additional records for this site.
 Please contact your EDR Account Executive for more information.

**C13
 ESE
 1/8-1/4
 1084
 Higher**

**NAVAL WEAPONS IND. RESERVE PLANT
 STEWART AVENUE
 BETHPAGE, NY 11714**

SHWS

**S100521004
 N/A**

SHWS:

Facility ID:	130003B	EPA ID:	NYD602047967
Region:	1	Site Type:	Lagoon Landfill
Acres:	105	User:	Grumman Aerospace - US Navy
Owner:	U.S.Navy		
	Grumman Corp., Stewart Ave		
	Bethpage, NY 11714		
Operator:	Multiple Site Operators		
	Not reported		
	Not reported		
Lat/Long:	40 45' 16" / 73 29' 40"		
Classification:	SIGNIFICANT THREAT TO THE PUBLIC HEALTH OR ENVIRONMENT - ACTION REQUIRED.		
Hazardous Waste Disposed:	1943-1987		
Analytical Data Available:	Groundwater Soil Sediment		
Applicable Standards Exceeded:	Groundwater Drinking Water		
Geotechnical Info. Soil/Rock Type:	Sand		
Depth to Groundwater:	Approximately 55 feet		

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

NAVAL WEAPONS IND. RESERVE PLANT (Continued)

S100521004

Legal Action Type: State MOU with DOD Federal MOU with
Remedial Action: In Design In Progress
Nature of Action: Final on-site soils remedy
Enforcement Status: Order Signed
Hazardous Waste:

Trichloroethylene (F001) - unknown,
Tetrachlorethene ((PCE or "perc." 002) - unknown, 1,1,1-Trichloroethane
- unknown, Cyanide(F007) - unk
nown, AArsenic (D003) - unknown

Site Description:

This site was formerly part of the Grumman Aerospace-Bethpage Facility, site 130003, which has now been split into two sites, 130003A and 130003B. The site boundaries are, to the west South Oyster Bay Road, to the northeast Stewart Avenue, and to the south the Long Island Railroad and Sycamore Avenue. Hazardous wastes are stored in tanks and drums at various locations on site. The disposal of chemicals via leaks from septic systems, tanks, etc. has occurred on site. Three source areas have been identified at the site and will be targeted for remediation. PCBs have been found in surface soils at levels up to 1300 ppm. Groundwater standards have been contravened at the site with the highest value noted at 58 pp of Trichloroethylene (TCE). A Remedial Investigation/Feasibility Study (RI/FS) has been completed for this site, and a Record of Decision (ROD) for addressing on-site source areas was issued in May of 1995. There are four components to the remedy: 1) soil vapor extraction/air sparging to remediate VOC-contaminated soils. 2) excavation and off-site treatment/disposal of PCB-contaminated soils. 3) excavation and treatment/disposal of arsenic contaminated soils. 4) a Navy funded treatment system at the Bethpage Water District's Plant # 5. The remedial design has begun. The Navy is working with Grumman on the groundwater remedy. The PCB removal work in Site 2 was completed in June 1996. Design-phase sampling in Site 1 found PCBs at a much greater depth than originally found. As a result, the Navy is expected to propose a ROD amendment in 1998. The design of the Soil Vapor Extraction System is complete, and construction began in March 1998.

Assessment of Environmental Problems:

Two municipal downgradient water supplies have been impacted, and others are being threatened.

Assessment of Health Problems:

Groundwater on-site is contaminated but it is not used as a potable water supply. A groundwater pump and treat system implemented at the adjoining Grumman site (#130003A) is expected to reduce concentrations of contaminants originating from both sites. Off-site groundwater contamination has affected several public water supply wells. Water from these wells is treated to remove contaminants prior to distribution in the public water supply system. As changes in site use are proposed, exposure assessments will be conducted to ensure the protection of public health.

D14
SW
1/8-1/4
1241
Higher

GRUMMAN
MULBERRY STREET BLDG 12
BETHPAGE, NY

LUST

S102669600
N/A

LUST:

Spill Number: 9208152
Facility Contact: Not reported
Investigator: KISPRT

Region of Spill: 1
Facility Tele: Not reported
SWIS: 28

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
 EPA ID Number

GRUMMAN (Continued)

S102669600

Caller Name:	JOHN COFMAN	Caller Agency:	GRUMMAN
Caller Phone:	(516) 575-4680	Caller Extension:	Not reported
Notifier Name:	Not reported	Notifier Agency:	Not reported
Notifier Phone:	Not reported	Notifier Extension:	Not reported
Spiller Contact:	Not reported	Spiller Phone:	Not reported
Spiller:	GRUMMAN		
Spiller Address:	Not reported		
	Not reported		
Spill Class:	Possible release with minimal potential for fire or hazard or Known release with no damage. DEC Response. Willing Responsible Party. Corrective action taken.		
Spill Closed Dt:	10/26/1992		
Spill Cause:	Other	Resource Affected:	On Land
Water Affected:	Not reported	Spill Source:	Other Commercial/Industrial
Spill Notifier:	Other	PBS Number:	Not reported
Spill Date:	10/14/1992 15:10	Reported to Dept:	10/14/1992 15:30
Cleanup Ceased:	10/26/1992		
Last Inspection:	Not reported		
Cleanup Meets Standard:	True		
Recommended Penalty:	No Penalty		
Spiller Cleanup Date:	Not reported		
Enforcement Date:	Not reported		
Investigation Complete:	Not reported		
UST Involvement:	False		
Spill Record Last Update:	10/29/1992		
Is Updated:	False		
Corrective Action Plan Submitted:	Not reported		
Date Spill Entered In Computer Data File:	10/16/1992		
Date Region Sent Summary to Central Office:	Not reported		

E15
 SSW
 1/4-1/2
 1384
 Higher

BLUE FLAME
17 HAZEL ST
HICKSVILLE, NY 11801

FINDS 1000196683
RCRIS-LQG NYD981561004

RCRIS:
 Owner: BLUE FLAME - THOMAS DUNN
 (212) 555-1212
 Contact: STEPHEN TYREE
 (516) 249-3150
 Record Date: 09/30/1986
 Classification: Large Quantity Generator
 Used Oil Recyc: No
 Violation Status: No violations found

E16
 SSW
 1/4-1/2
 1384
 Higher

C&K PETROLEUM
17 HAZEL ST
HICKSVILLE, NY

NY Spills S102136889
N/A

SPILLS:
 Spill Number: 8603321
 Facility Contact: Not reported
 Region of Spill: 1
 Facility Tele: Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

C&K PETROLEUM (Continued)

S102136889

Investigator:	NCHD	Caller Agency:	Not reported
Caller Name:	Not reported	Caller Extension:	Not reported
Caller Phone:	Not reported	Notifier Agency:	Not reported
Notifier Name:	Not reported	Notifier Extension:	Not reported
Notifier Phone:	Not reported	Spiller Phone:	Not reported
Spiller Contact:	Not reported		
SWIS:	28		
Spiller:	C&K PETROLEUM		
Address:	Not reported		
	Not reported		
Spill Class:	Not reported		
Spill Closed Dt:	11/28/1986	Resource Affected:	On Land
Spill Cause:	Equipment Failure	Spill Source:	Tank Truck
Water Affected:	Not reported	PBS Number:	Not reported
Spill Notifier:	Affected Persons	Reported to Dept:	08/19/1986 14:50
Spill Date:	08/19/1986 11:45		
Cleanup Ceased:	11/28/1986		
Last Inspection:	Not reported		
Cleanup Meets Standard:	True		
Recommended Penalty:	No Penalty		
Spiller Cleanup Date:	Not reported		
Enforcement Date:	Not reported		
Investigation Complete:	Not reported		
UST Involvement:	False		
Spill Record Last Update:	11/13/1995		
Is Updated:	False		
Corrective Action Plan Submitted:	Not reported		
Date Spill Entered In Computer Data File:	08/25/1986		
Date Region Sent Report To Central Office:	Not reported		

D17
SW
1/4-1/2
1393
Higher

**NASSAU BLUE FLAME INC
3 WASHINGTON PKWY
HICKSVILLE, NY**

AST

**A100101721
N/A**

Nassau County AST:			
Facility ID:	056214	Tank ID:	0002
Tank Location:	Outdoors, Aboveground	Capacity (Gal):	275
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	OTHER	Material Type:	Waste
Piping Type:	Steel/Iron		
Description:	WASTE OIL	Containment:	NONE
Leak Detect:	NONE	Product Gauge:	No
Dispense Method:	Suction	Install Date:	05/84
Fill Type:	Gravity		
Total Tanks:	1		

D18
SW
1/4-1/2
1393
Higher

**BLUE FLAME
3 WASHINGTON PKWY
HICKSVILLE, NY**

**LUST
NY Spills**

**S100149723
N/A**

LUST:			
Spill Number:	8704453	Region of Spill:	1
Facility Contact:	Not reported	Facility Tele:	Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

BLUE FLAME (Continued)

S100149723

Investigator: ACAMPORA
Caller Name: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Phone: Not reported
Spiller Contact: Not reported
Spiller: BLUE FLAME
Spiller Address: 3 WASHINGTON PARKWAY
HICKSVILLE, NY 11801
Spill Class: Not reported
Spill Closed Dt: 12/24/1990
Spill Cause: Tank Failure
Water Affected: Not reported
Spill Notifier: Tank Tester
Spill Date: 08/28/1987 12:00
Cleanup Ceased: 12/24/1990
Last Inspection: Not reported
Cleanup Meets Standard: True
Recommended Penalty: No Penalty
Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: False
Spill Record Last Update: 12/27/1990
Is Updated: False
Corrective Action Plan Submitted: Not reported
Date Spill Entered in Computer Data File: 09/01/1987
Date Region Sent Summary to Central Office: Not reported

SWIS: 28
Caller Agency: Not reported
Caller Extension: Not reported
Notifier Agency: Not reported
Notifier Extension: Not reported
Spiller Phone: (516) 931-6700
Resource Affected: Groundwater
Spill Source: Other Commercial/Industrial
PBS Number: Not reported
Reported to Dept: 08/28/1987 12:00

SPILLS:

Spill Number: 9710798
Facility Contact: TOM DUNN
Investigator: PARISH
Caller Name: TOM DUNN
Caller Phone: (516) 931-6700
Notifier Name: DOUGLAS SCHMIEDER
Notifier Phone: (516) 283-7501
Spiller Contact: Not reported
SWIS: 28
Spiller: BLUE FLAME OIL COMPANY
Address: 3 WASHINGTON PARKWAY
HICKSVILLE, NY
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 04/02/1998
Spill Cause: Housekeeping
Water Affected: Not reported
Spill Notifier: Other
Spill Date: 12/17/1997 15:10
Cleanup Ceased: Not reported
Last Inspection: Not reported
Cleanup Meets Standard: True
Recommended Penalty: No Penalty
Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: False
Spill Record Last Update: 04/03/1998

Region of Spill: 1
Facility Tele: (516) 931-6700
Caller Agency: BLUE FLAME
Caller Extension: Not reported
Notifier Agency: CONTRACTOR
Notifier Extension: Not reported
Spiller Phone: Not reported
Resource Affected: On Land
Spill Source: Non Major Facility > 1,100 gallons
PBS Number: Not reported
Reported to Dept: 12/23/1997 09:30

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

EDR ID Number
EPA ID Number

Database(s)

BLUE FLAME (Continued)

S100149723

Is Updated: False
Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 12/23/1997
Date Region Sent Report To Central Office: Not reported

19
ESE
1/4-1/2
1421
Same

**GRUMMAN
BLDG #3
BETHPAGE, NY**

LUST

S102669168
N/A

LUST:

Spill Number:	9100456	Region of Spill:	1
Facility Contact:	Not reported	Facility Tele:	Not reported
Investigator:	KISPERT	SWIS:	28
Caller Name:	BOB AGEE	Caller Agency:	GRUMMAN
Caller Phone:	(516) 575-2385	Caller Extension:	Not reported
Notifier Name:	Not reported	Notifier Agency:	Not reported
Notifier Phone:	Not reported	Notifier Extension:	Not reported
Spiller Contact:	Not reported	Spiller Phone:	(516) 575-2385
Spiller:	GRUMMAN		
Spiller Address:	Not reported		
	Not reported		
Spill Class:	Possible release with minimal potential for fire or hazard or Known release with no damage. DEC Response. Willing Responsible Party. Corrective action taken.		
Spill Closed Dt:	06/10/1994	Resource Affected:	On Land
Spill Cause:	Tank Overfill	Spill Source:	Other Commercial/Industrial
Water Affected:	Not reported	PBS Number:	Not reported
Spill Notifier:	Responsible Party	Reported to Dept:	04/11/1991 09:35
Spill Date:	04/11/1991 08:00		
Cleanup Ceased:	06/10/1994		
Last Inspection:	Not reported		
Cleanup Meets Standard:	True		
Recommended Penalty:	No Penalty		
Spiller Cleanup Date:	Not reported		
Enforcement Date:	Not reported		
Investigation Complete:	Not reported		
UST Involvement:	False		
Spill Record Last Update:	06/13/1994		
Is Updated:	False		
Corrective Action Plan Submitted:	Not reported		
Date Spill Entered In Computer Data File:	04/15/1991		
Date Region Sent Summary to Central Office:	Not reported		

20
WSW
1/4-1/2
1449
Higher

**NORTHROP GRUMMAN CORP
B12 NEW SOUTH STREET
BETHPAGE, NY**

LUST

S102232614
N/A

LUST:

Spill Number:	9602153	Region of Spill:	1
Facility Contact:	RON PATEK	Facility Tele:	(000) 000-0000
Investigator:	T/T/F	SWIS:	28
Caller Name:	FRED LAUHARN	Caller Agency:	DRY AS A BONE TANK TESTIN
Caller Phone:	(516) 678-5115	Caller Extension:	Not reported
Notifier Name:	FRED LAUHARN	Notifier Agency:	DRY AS A BONE INC

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

NORTHROP GRUMMAN CORP (Continued)

S102232614

Notifier Phone: (516) 678-5115 Notifier Extension: Not reported
Spiller Contact: RON PATEK Spiller Phone: (000) 000-0000
Spiller: NORTHROP GRUMMAN CORP
Spiller Address: B12 NEW SOUTH STREET
BETHPAGE
Spill Class: Known release that creates potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 07/25/1996
Spill Cause: Tank Test Failure Resource Affected: On Land
Water Affected: Not reported Spill Source: Other Commercial/Industrial
Spill Notifier: Tank Tester PBS Number: 0-00000
Spill Date: 05/14/1996 17:04 Reported to Dept: 05/14/1996 18:07
Cleanup Ceased: Not reported
Last Inspection: Not reported
Cleanup Meets Standard: True
Recommended Penalty: No Penalty
Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: False
Spill Record Last Update: 07/25/1996
Is Updated: False
Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 05/14/1996
Date Region Sent Summary to Central Office: Not reported

E21
SSW
1/4-1/2
1478
Higher

STEEL-LOS III
945 S OYSTER BAY RD
BETHPAGE, NY 11714

RCRIS-SQG 1001203071
NYR000043992

RCRIS:
Owner: STEEL-LOS III
(516) 576-3165
Contact: JOSEPH LOSTRITTO
(516) 567-3165
Record Date: 08/22/1997
Classification: Small Quantity Generator
Used Oil Recyc: No
Violation Status: No violations found

E22
SSW
1/4-1/2
1502
Higher

WERNER TRUCK CO
39 JEFERY LN
HICKSVILLE, NY

NY Spills S102136403
N/A

SPILLS:
Spill Number: 9207242 Region of Spill: 1
Facility Contact: Not reported Facility Tele: Not reported
Investigator: LEUNG
Caller Name: JOANN CONTE Caller Agency: FLEET SERVICE
Caller Phone: (516) 694-3117 Caller Extension: Not reported
Notifier Name: Not reported Notifier Agency: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation

Site

Database(s)

EDR ID Number
 EPA ID Number

WERNER TRUCK CO (Continued)

S102136403

Notifier Phone:	Not reported	Notifier Extension:	Not reported
Spiller Contact:	Not reported	Spiller Phone:	Not reported
SWIS:	28		
Spiller:	WERNER TRUCK CO		
Address:	Not reported		
	Not reported		
Spill Class:	Known release that creates potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.		
Spill Closed Dt:	09/23/1992		
Spill Cause:	Equipment Failure	Resource Affected:	In Sewer
Water Affected:	Not reported	Spill Source:	Commercial Vehicle
Spill Notifier:	Responsible Party	PBS Number:	Not reported
Spill Date:	09/23/1992 00:01	Reported to Dept:	09/23/1992 01:08
Cleanup Ceased:	09/23/1992		
Last Inspection:	Not reported		
Cleanup Meets Standard:	True		
Recommended Penalty:	No Penalty		
Spiller Cleanup Date:	Not reported		
Enforcement Date:	Not reported		
Investigation Complete:	Not reported		
UST Involvement:	False		
Spill Record Last Update:	10/01/1992		
Is Updated:	False		
Corrective Action Plan Submitted:	Not reported		
Date Spill Entered In Computer Data File:	09/23/1992		
Date Region Sent Report To Central Office:	Not reported		

F23
 WNW
 1/4-1/2
 1563
 Higher

VOIGT PROPERTY
335 NEW S RD
HICKSVILLE, NY 11801

FINDS 1000912299
RCRIS-LQG NY0000588467

RCRIS:

Owner:	VOIGT RELTY CO (516) 673-0037
Contact:	AL VALERIO (516) 673-0037
Record Date:	08/15/1994
Classification:	Large Quantity Generator, Hazardous Waste Transporter
Used Oil Recyc:	No
Violation Status:	No violations found

24
 North
 1/4-1/2
 1598
 Higher

NORTHROP GRUMMAN
PLANT #15
BETHPAGE, NY

LUST S102670346
 N/A

LUST:

Spill Number:	9410499	Region of Spill:	1
Facility Contact:	Not reported	Facility Tele:	Not reported
Investigator:	AUSTIN	SWIS:	28
Caller Name:	ALAN BRUSSELS	Caller Agency:	NCDH
Caller Phone:	(516) 575-8033	Caller Extension:	Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

NORTHROP GRUMMAN (Continued)

S102670346

Notifier Name:	Not reported	Notifier Agency:	Not reported
Notifier Phone:	Not reported	Notifier Extension:	Not reported
Spiller Contact:	Not reported	Spiller Phone:	(516) 575-8033
Spiller:	NORTHROP GRUMMAN		
Spiller Address:	Not reported		
	Not reported		
Spill Class:	Known release that creates potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.		
Spill Closed Dt:	Not reported		
Spill Cause:	Other	Resource Affected:	On Land
Water Affected:	Not reported	Spill Source:	Other Commercial/Industrial
Spill Notifier:	Health Department	PBS Number:	Not reported
Spill Date:	11/07/1994 12:00	Reported to Dept:	11/07/1994 13:45
Cleanup Ceased:	Not reported		
Last Inspection:	Not reported		
Cleanup Meets Standard:	False		
Recommended Penalty:	No Penalty		
Spiller Cleanup Date:	Not reported		
Enforcement Date:	Not reported		
Investigation Complete:	Not reported		
UST Involvement:	False		
Spill Record Last Update:	11/08/1994		
Is Updated:	False		
Corrective Action Plan Submitted:	Not reported		
Date Spill Entered In Computer Data File:	11/07/1994		
Date Region Sent Summary to Central Office:	Not reported		

G25
SW
1/4-1/2
1621
Higher

JOHN GRACE & CO
34 WASHINGTON PKWY
HICKSVILLE, NY 11801

FINDS 1000789191
RCRIS-LQG NYD986999365

RCRIS:

Owner: STARBARE II PARTNERS LP
(201) 228-8675

Contact: MICHAEL CARPINO
(201) 228-8675

Record Date: 05/17/1996

Classification: Large Quantity Generator

Used Oil Recyc: No

Violation Status: No violations found

NY MANIFEST

Additional detail is available in NY MANIFEST. Please contact your EDR Account Executive for more information.

FINDS:

Other Pertinent Environmental Activity Identified at Site:
- Civil judicial and administrative enforcement case against facility (under DOCKET)

G26
SW
1/4-1/2
1704
Higher

DC FEMIA AUTO COLLISION
44 WASHINGTON PKWY
HICKSVILLE, NY 11801

RCRIS-SQG 1000228180
FINDS NYD982180606

MAP FINDINGS

Map ID
Direction
Distance
Distance (ft.)
Elevation

Site

Database(s)

EDR ID Number
EPA ID Number

DC FEMIA AUTO COLLISION (Continued)

1000228180

RCRIS:

Owner: UNKNOWN
(212) 555-1212

Contact: SAL FEMIA
(516) 681-6660

Record Date: 04/27/1987

Classification: Small Quantity Generator

Used Oil Recyc: No

Violation Status: No violations found

**F27
WNW
1/4-1/2
1737
Higher**

**HICKSVILLE DEPT OF PUBLIC WORKS
NEW S RD & MORRIS ST
HICKSVILLE, NY 11801**

**FINDS 1000272870
RCRIS-LQG NYD982789737**

RCRIS:

Owner: DEPT OF PUBLIC WORKS
(212) 555-1212

Contact: ERIC SWENSON
(516) 921-7347

Record Date: 09/22/1989

Classification: Large Quantity Generator

Used Oil Recyc: No

Violation Status: No violations found

**28
SSW
1/4-1/2
1779
Higher**

**PRIDE UTILITIES INC
70 WASHINGTON PKWY
HICKSVILLE, NY 11801**

**RCRIS-SQG 1001079917
NYR000016246**

RCRIS:

Owner: ALFRED WREG
(516) 467-3728

Contact: ROBERT WREG
(516) 681-6663

Record Date: 11/15/1995

Classification: Small Quantity Generator

Used Oil Recyc: No

Violation Status: No violations found

NY MANIFEST

Additional detail is available in NY MANIFEST. Please contact your EDR Account Executive for more information.

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation

MAP FINDINGS

Database(s) EDR ID Number
 EPA ID Number

H29
West
1/4-1/2
1800
Higher

PARISI RESIDENCE
6 FERNEY ST
HICKSVILLE, NY

NY Spills **S102140148**
N/A

SPILLS:

Spill Number:	9412094	Region of Spill:	1
Facility Contact:	Not reported	Facility Tele:	Not reported
Investigator:	NONE		
Caller Name:	RAYMOND PARISI	Caller Agency:	CUSTOMER
Caller Phone:	(516) 931-8515	Caller Extension:	Not reported
Notifier Name:	Not reported	Notifier Agency:	Not reported
Notifier Phone:	Not reported	Notifier Extension:	Not reported
Spiller Contact:	Not reported	Spiller Phone:	Not reported
SWIS:	28		
Spiller:	PARISI RESIDENCE		
Address:	Not reported		
	Not reported		
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.		
Spill Closed Dt:	12/12/1994		
Spill Cause:	Equipment Failure	Resource Affected:	On Land
Water Affected:	Not reported	Spill Source:	Private Dwelling
Spill Notifier:	Responsible Party	PBS Number:	Not reported
Spill Date:	12/09/1994 17:00	Reported to Dept:	12/09/1994 17:30
Cleanup Ceased:	12/12/1994		
Last Inspection:	Not reported		
Cleanup Meets Standard:	True		
Recommended Penalty:	No Penalty		
Spiller Cleanup Date:	Not reported		
Enforcement Date:	Not reported		
Investigation Complete:	Not reported		
UST Involvement:	False		
Spill Record Last Update:	Not reported		
Is Updated:	False		
Corrective Action Plan Submitted:	Not reported		
Date Spill Entered In Computer Data File:	12/12/1994		
Date Region Sent Report To Central Office:	Not reported		

G30
SW
1/4-1/2
1817
Higher

KIRK WALKER
RTE 107 / NEW SOUTH ROAD
HICKSVILLE, NY

NY Spills **S102138291**
N/A

SPILLS:

Spill Number:	9001081	Region of Spill:	1
Facility Contact:	Not reported	Facility Tele:	Not reported
Investigator:	LEUNG		
Caller Name:	MR. STEIN	Caller Agency:	NCFM
Caller Phone:	(516) 566-5873	Caller Extension:	Not reported
Notifier Name:	Not reported	Notifier Agency:	Not reported
Notifier Phone:	Not reported	Notifier Extension:	Not reported
Spiller Contact:	Not reported	Spiller Phone:	Not reported
SWIS:	28		
Spiller:	KIRK WALKER		
Address:	197 SOUTH OCEAN AVENUE		
	Not reported		
Spill Class:	Not reported		
Spill Closed Dt:	05/01/1990		

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
 EPA ID Number

KIRK WALKER (Continued)

S102138291

Spill Cause:	Equipment Failure	Resource Affected:	On Land
Water Affected:	Not reported	Spill Source:	Commercial Vehicle
Spill Notifier:	Fire Department	PBS Number:	Not reported
Spill Date:	04/29/1990 08:00	Reported to Dept:	04/30/1990 08:53
Cleanup Ceased:	05/01/1990		
Last Inspection:	Not reported		
Cleanup Meets Standard:	True		
Recommended Penalty:	No Penalty		
Spiller Cleanup Date:	Not reported		
Enforcement Date:	Not reported		
Investigation Complete:	Not reported		
UST Involvement:	False		
Spill Record Last Update:	02/24/1997		
Is Updated:	False		
Corrective Action Plan Submitted:	Not reported		
Date Spill Entered In Computer Data File:	05/01/1990		
Date Region Sent Report To Central Office:	Not reported		

I31
 WNW
 1/4-1/2
 1819
 Higher

ERM NORTHEAST
335 NEW SOUTH RD
HICKSVILLE, NY

LUST

S100494026
N/A

LUST:

Spill Number:	9206957	Region of Spill:	1
Facility Contact:	Not reported	Facility Tele:	Not reported
Investigator:	T/T/F	SWIS:	28
Caller Name:	GINA BENDETTI	Caller Agency:	TYREE
Caller Phone:	(516) 249-3150	Caller Extension:	Not reported
Notifier Name:	Not reported	Notifier Agency:	Not reported
Notifier Phone:	Not reported	Notifier Extension:	Not reported
Spiller Contact:	Not reported	Spiller Phone:	(516) 921-4300
Spiller:	ERM NORTHEAST		
Spiller Address:	175 FROELICH FARM BLVD WOODBURY, NY		
Spill Class:	No spill occurred. (Not Possible)	Resource Affected:	Groundwater
Spill Closed Dt:	12/08/1993	Spill Source:	Other Commercial/Industrial
Spill Cause:	Tank Test Failure	PBS Number:	Not reported
Water Affected:	Not reported	Reported to Dept:	09/16/1992 15:20
Spill Notifier:	Tank Tester		
Spill Date:	09/16/1992 14:00		
Cleanup Ceased:	12/08/1993		
Last Inspection:	Not reported		
Cleanup Meets Standard:	True		
Recommended Penalty:	No Penalty		
Spiller Cleanup Date:	Not reported		
Enforcement Date:	Not reported		
Investigation Complete:	Not reported		
UST Involvement:	False		
Spill Record Last Update:	12/09/1993		
Is Updated:	False		
Corrective Action Plan Submitted:	Not reported		
Date Spill Entered In Computer Data File:	09/18/1992		
Date Region Sent Summary to Central Office:	Not reported		

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation

Site

Database(s) EDR ID Number
 EPA ID Number

H32
WNW
1/4-1/2
1844
Higher

LILCO
25 FERNEY ST
HICKSVILLE, NY

NY Spills **S102137573**
N/A

SPILLS:

Spill Number: 8802428	Region of Spill: 1
Facility Contact: Not reported	Facility Tele: (516) 420-6058
Investigator: WALEK	
Caller Name: RICK SCHMITZ	Caller Agency: LILCO
Caller Phone: (516) 420-6058	Caller Extension: Not reported
Notifier Name: Not reported	Notifier Agency: Not reported
Notifier Phone: Not reported	Notifier Extension: Not reported
Spiller Contact: Not reported	Spiller Phone: Not reported
SWIS: 28	
Spiller: LILCO	
Address: 175 E.O.C ROAD HICKSVILLE, NY	
Spill Class: Not reported	Resource Affected: On Land
Spill Closed Dt: 06/22/1988	Spill Source: Other Commercial/Industrial
Spill Cause: Equipment Failure	PBS Number: Not reported
Water Affected: Not reported	Reported to Dept: 06/16/1988 16:25
Spill Notifier: Responsible Party	
Spill Date: 06/15/1988 15:36	
Cleanup Ceased: 06/22/1988	
Last Inspection: Not reported	
Cleanup Meets Standard: True	
Recommended Penalty: No Penalty	
Spiller Cleanup Date: Not reported	
Enforcement Date: Not reported	
Investigation Complete: Not reported	
UST Involvement: False	
Spill Record Last Update: 06/28/1988	
Is Updated: False	
Corrective Action Plan Submitted: Not reported	
Date Spill Entered In Computer Data File: 06/24/1988	
Date Region Sent Report To Central Office: Not reported	

I33
WNW
1/4-1/2
1866
Higher

COMMERCIAL BLDG. #2
327 NEW SOUTH RD
HICKSVILLE, NY

AST **A100101621**
N/A

Nassau County AST:

Facility ID: 055747	Tank ID: 0002
Tank Location: Outdoors, Aboveground	Capacity (Gal): 1500
Tank Status: In Service	Tank Material: STEEL
Int Protection: None	
Ext Protection: PAINTED [e.g. asphaltic]	Material Type: Fresh/Product
Piping Type: Galvanized Steel	
Description: OIL, FUEL #2	Containment: DOUBLE WALL TANK
Leak Detect: OTHER	Product Gauge: Yes
Dispense Method: Suction	Install Date: 10/93
Fill Type: Pumped	
Total Tanks: 1	

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation

Site

Database(s) EDR ID Number
 EPA ID Number

J34
SW
 1/4-1/2
 1909
 Higher

TRUE AUTO RESTORATIONS INC
870 S BROADWAY - E SECTION
HICKSVILLE, NY 11801

RCRIS-SQG **1000553680**
FINDS **NYD986961076**

RCRIS:
 Owner: BOB MISTRETТА
 (212) 555-1212

 Contact: BOB MISTRETТА
 (516) 822-1042

 Record Date: 06/10/1991
 Classification: Small Quantity Generator
 Used Oil Recyc: No
 Violation Status: No violations found

J35
SW
 1/4-1/2
 1909
 Higher

FIRESTONE SAVMOR AUTO SERVICE
870 S BROADWAY
HICKSVILLE, NY 11801

FINDS **1000222624**
RCRIS-LQG **NYD981489826**

RCRIS:
 Owner: RAY VILLAFANNA
 (212) 555-1212

 Contact: JOHN COVERAS
 (516) 822-2857

 Record Date: 06/09/1986
 Classification: Large Quantity Generator
 Used Oil Recyc: No
 Violation Status: No violations found

J36
SW
 1/4-1/2
 1909
 Higher

A ERNIES AUTO BODY INC
870 S BROADWAY
HICKSVILLE, NY 11801

RCRIS-SQG **1000217113**
FINDS **NYD050594878**

RCRIS:
 Owner: ERNEST DEMARCO
 (212) 555-1212

 Contact: JOSEPH ZARRILLO
 (516) 938-2929

 Record Date: 05/27/1987
 Classification: Small Quantity Generator

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation

Site

Database(s)

EDR ID Number
 EPA ID Number

A ERNIES AUTO BODY INC (Continued)

1000217113

Used Oil Recyc: No
 Violation Status: No violations found

NY MANIFEST

Additional detail is available in NY MANIFEST. Please contact your EDR Account Executive for more information.

J37
 SW
 1/4-1/2
 1909
 Higher

BETHPAGE TRANSMISSION
870 BROADWAY
HICKSVILLE, NY 11801

FINDS 1000243979
RCRIS-LQG NYD012728010

RCRIS:

Owner: NICK & STEVEN FERRARO
 (212) 555-1212
 Contact: BARRY PIVNICK
 (516) 681-5210
 Record Date: 07/22/1987
 Classification: Large Quantity Generator
 Used Oil Recyc: No
 Violation Status: No violations found

I38
 WNW
 1/4-1/2
 1917
 Higher

CENTURY COLLISION INC
321 NEW SOUTH RD
HICKSVILLE, NY 11801

RCRIS-SQG 1000422539
FINDS NYD054994280

RCRIS:

Owner: Not reported
 Contact: JERRY KELAHER
 (516) 433-6290
 Record Date: 10/21/1985
 Classification: Small Quantity Generator
 Used Oil Recyc: No
 Violation Status: No violations found

NY MANIFEST

Additional detail is available in NY MANIFEST. Please contact your EDR Account Executive for more information.

J39
 WSW
 1/4-1/2
 1918
 Higher

CORAL GRAPHIC SERVICES INC
840 S BROADWAY
HICKSVILLE, NY 11801

RCRIS-LQG 1000990164
NYR000001230

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

CORAL GRAPHIC SERVICES INC (Continued)

EDR ID Number
EPA ID Number

Database(s)

1000990164

RCRIS:

Owner: FC PROPERTIES INC
(516) 576-2100
Contact: WILLIAM CURRAN
(516) 576-2100
Record Date: 03/03/1995
Classification: Large Quantity Generator

BIENNIAL REPORTS:

Last Biennial Reporting Year: 1995

Waste	Quantity (Lbs)
F002	17400.00

Used Oil Recyc: No

Violation Status: No violations found

40
SSW
1/4-1/2
1924
Higher

**CENT NASSAU GUIDANCE&CONS
950 S OYSTER BAY RD
HICKSVILLE, NY**

UST

U003377547
N/A

Nassau County UST:

Facility ID:	057602	Tank ID:	0001
Tank Location:	Indoors, Belowground	Capacity:	00004000
Tank Status:	6	Tank Material:	STEEL
Piping Type:	Steel/Iron	Material Type:	Fresh/Product
Int Protection:	None		
Ext Protection:	NONE		
Description:	OIL, FUEL #2	Containment:	OTHER
Leak Detect:	OTHER	Product Gauge:	Yes
Dispense Method:	Suction	Install Date:	1264
Fill Type:	Gravity		

J41
SW
1/4-1/2
1933
Higher

**PUBLIC ELECTRIC
794 BROADWAY
HICKSVILLE, NY**

LUST

S102669985
N/A

LUST:

Spill Number:	9310919	Region of Spill:	1
Facility Contact:	Not reported	Facility Tele:	Not reported
Investigator:	CAMPBELL	SWIS:	28
Caller Name:	ROBIN RHODE	Caller Agency:	NCDH
Caller Phone:	Not reported	Caller Extension:	Not reported
Notifier Name:	Not reported	Notifier Agency:	Not reported
Notifier Phone:	Not reported	Notifier Extension:	Not reported
Spiller Contact:	Not reported	Spiller Phone:	Not reported
Spiller:	PUBLIC ELECTRIC		
Spiller Address:	Not reported		
	Not reported		
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.		
Spill Closed Dt:	04/22/1994		

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
 EPA ID Number

PUBLIC ELECTRIC (Continued)

S102669985

Spill Cause: Other	Resource Affected: Groundwater
Water Affected: Not reported	Spill Source: Other Non Commercial/Industrial
Spill Notifier: Health Department	PBS Number: Not reported
Spill Date: 12/08/1993 12:00	Reported to Dept: 12/08/1993 14:00
Cleanup Ceased: 04/22/1994	
Last Inspection: Not reported	
Cleanup Meets Standard: True	
Recommended Penalty: No Penalty	
Spiller Cleanup Date: Not reported	
Enforcement Date: Not reported	
Investigation Complete: Not reported	
UST Involvement: False	
Spill Record Last Update: 04/25/1994	
Is Updated: False	
Corrective Action Plan Submitted: Not reported	
Date Spill Entered In Computer Data File: 12/09/1993	
Date Region Sent Summary to Central Office: Not reported	

142
 WNW
 1/4-1/2
 1935
 Higher

VARIETY PETROL (P&G FUEL)
317 NEW SOUTH RD
HICKSVILLE, NY

LUST **S102138537**
NY Spills **N/A**

LUST:

Spill Number: 9414903	Region of Spill: 1
Facility Contact: Not reported	Facility Tele: Not reported
Investigator: ACAMPORA	SWIS: 28
Caller Name: FM GUERIN	Caller Agency: NCFM
Caller Phone: (516) 359-1917	Caller Extension: Not reported
Notifier Name: Not reported	Notifier Agency: Not reported
Notifier Phone: Not reported	Notifier Extension: Not reported
Spiller Contact: Not reported	Spiller Phone: Not reported
Spiller: VARIETY PETROL	
Spiller Address: 40 GRANNY ROAD	
FARMINGVILLE	
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.	
Unknown Responsible Party. Corrective action taken. (ISR)	
Spill Closed Dt: Not reported	
Spill Cause: Tank Overfill	Resource Affected: On Land
Water Affected: Not reported	Spill Source: Tank Truck
Spill Notifier: Fire Department	PBS Number: Not reported
Spill Date: 02/13/1995 10:00	Reported to Dept: 02/13/1995 11:00
Cleanup Ceased: Not reported	
Last Inspection: Not reported	
Cleanup Meets Standard: False	
Recommended Penalty: No Penalty	
Spiller Cleanup Date: Not reported	
Enforcement Date: Not reported	
Investigation Complete: Not reported	
UST Involvement: False	
Spill Record Last Update: 02/14/1995	
Is Updated: False	
Corrective Action Plan Submitted: Not reported	
Date Spill Entered In Computer Data File: 02/13/1995	
Date Region Sent Summary to Central Office: Not reported	

SPILLS:

Spill Number: 9007279	Region of Spill: 1
-----------------------	--------------------

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation

MAP FINDINGS

VARIETY PETROL (P&G FUEL) (Continued)

EDR ID Number
 EPA ID Number

Database(s)

Facility Contact: Not reported
 Investigator: HOFMANN
 Caller Name: BOB RASTELLI
 Caller Phone: (516) 575-7833
 Notifier Name: Not reported
 Notifier Phone: Not reported
 Spiller Contact: Not reported
 SWIS: 28
 Spiller: SID HARVEY
 Address: 317 NEW SOUTH ROAD
 HICKSVILLE, NY
 Spill Class: Not reported
 Spill Closed Dt: 10/09/1990
 Spill Cause: Deliberate
 Water Affected: Not reported
 Spill Notifier: Citizen
 Spill Date: 10/02/1990 07:20
 Cleanup Ceased: 10/09/1990
 Last Inspection: Not reported
 Cleanup Meets Standard: True
 Recommended Penalty: No Penalty
 Spiller Cleanup Date: Not reported
 Enforcement Date: Not reported
 Investigation Complete: Not reported
 UST Involvement: False
 Spill Record Last Update: 10/10/1990
 Is Updated: False
 Corrective Action Plan Submitted: Not reported
 Date Spill Entered In Computer Data File: 10/04/1990
 Date Region Sent Report To Central Office: Not reported

S102138537

Facility Tele: Not reported

Caller Agency: CONFIDENTIAL

Caller Extension: Not reported

Notifier Agency: Not reported

Notifier Extension: Not reported

Spiller Phone: Not reported

Resource Affected: In Sewer

Spill Source: Other Commercial/Industrial

PBS Number: Not reported

Reported to Dept: 10/03/1990 09:57

K43
 SW
 1/4-1/2
 1992
 Higher

939 SOUTH BROADWAY
 939 SOUTH BROADWAY
 HICKSVILLE, NY 11801

ERNS

92280491
 N/A

L44
 NW
 1/4-1/2
 2027
 Higher

RUCO PLASTICS
 NEW S RD/RUCO
 HICKSVILLE, NY

NY Spills

S102137210
 N/A

SPILLS:

Spill Number: 8701375
 Facility Contact: Not reported
 Investigator: Not reported
 Caller Name: Not reported
 Caller Phone: Not reported
 Notifier Name: Not reported
 Notifier Phone: Not reported
 Spiller Contact: Not reported
 SWIS: 28
 Spiller: RUCO PLASTICS
 Address: NEW S.RD
 HICKSVILLE, NY
 Spill Class: Not reported
 Spill Closed Dt: 08/28/1987

Region of Spill: 1

Facility Tele: Not reported

Caller Agency: Not reported

Caller Extension: Not reported

Notifier Agency: Not reported

Notifier Extension: Not reported

Spiller Phone: Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

RUCO PLASTICS (Continued)

S102137210

Spill Cause:	Unknown	Resource Affected:	Air
Water Affected:	Not reported	Spill Source:	Unknown
Spill Notifier:	Federal Government	PBS Number:	Not reported
Spill Date:	05/19/1987 12:30	Reported to Dept:	05/19/1987 13:18
Cleanup Ceased:	08/28/1987		
Last Inspection:	Not reported		
Cleanup Meets Standard:	True		
Recommended Penalty:	No Penalty		
Spiller Cleanup Date:	Not reported		
Enforcement Date:	Not reported		
Investigation Complete:	Not reported		
UST Involvement:	False		
Spill Record Last Update:	09/03/1987		
Is Updated:	False		
Corrective Action Plan Submitted:	Not reported		
Date Spill Entered In Computer Data File:	05/21/1987		
Date Region Sent Report To Central Office:	Not reported		

L45
NW
1/4-1/2
2027
Higher

**RUCO POLYMER CORPORATION
NEW SOUTH RD / COMMERCE P
HICKSVILLE, NY**

NY Spills **S102236572**
N/A

SPILLS:

Spill Number:	9512704	Region of Spill:	1
Facility Contact:	GARLAND FLOYD	Facility Tele:	(800) 662-2746
Investigator:	LAMANNO		
Caller Name:	STEPHEN BATES	Caller Agency:	RUCO POLYMER CORPORATION
Caller Phone:	(516) 931-8104	Caller Extension:	Not reported
Notifier Name:	Not reported	Notifier Agency:	Not reported
Notifier Phone:	Not reported	Notifier Extension:	Not reported
Spiller Contact:	Not reported	Spiller Phone:	Not reported
SWIS:	28		
Spiller:	LIQUID CARGO		
Address:	470 SCHUYLER AVENUE KEARNY, NJ 07032		
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.		
Spill Closed Dt:	05/21/1997		
Spill Cause:	Equipment Failure	Resource Affected:	On Land
Water Affected:	Not reported	Spill Source:	Commercial Vehicle
Spill Notifier:	Affected Persons	PBS Number:	Not reported
Spill Date:	01/12/1996 08:30	Reported to Dept:	01/12/1996 09:12
Cleanup Ceased:	Not reported		
Last Inspection:	Not reported		
Cleanup Meets Standard:	True		
Recommended Penalty:	No Penalty		
Spiller Cleanup Date:	Not reported		
Enforcement Date:	Not reported		
Investigation Complete:	Not reported		
UST Involvement:	False		
Spill Record Last Update:	05/22/1997		
Is Updated:	False		
Corrective Action Plan Submitted:	Not reported		
Date Spill Entered In Computer Data File:	01/12/1996		
Date Region Sent Report To Central Office:	Not reported		

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

Database(s) EDR ID Number
 EPA ID Number

L46 LILCO
NW 1 NEW SOUTH RD
1/4-1/2 HICKSVILLE, NY
2027
Higher

NY Spills S102401789
N/A

SPILLS:

Spill Number: 9607856	Region of Spill: 1
Facility Contact: Not reported	Facility Tele: () -
Investigator: UNASSIGNED	
Caller Name: MR WEBLEY	Caller Agency: LILCO
Caller Phone: (516) 545-4007	Caller Extension: Not reported
Notifier Name: MR KLAUMP	Notifier Agency: LILCO
Notifier Phone: (516) 545-4964	Notifier Extension: Not reported
Spiller Contact: Not reported	Spiller Phone: Not reported
SWIS: 28	
Spiller: LILCO	
Address: Not reported	
	NY
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.	
Spill Closed Dt: 07/25/1997	
Spill Cause: Equipment Failure	Resource Affected: On Land
Water Affected: Not reported	Spill Source: Other Non Commercial/Industrial
Spill Notifier: Responsible Party	PBS Number: Not reported
Spill Date: 09/23/1996 11:30	Reported to Dept: 09/23/1996 15:05
Cleanup Ceased: Not reported	
Last Inspection: Not reported	
Cleanup Meets Standard: True	
Recommended Penalty: No Penalty	
Spiller Cleanup Date: Not reported	
Enforcement Date: Not reported	
Investigation Complete: Not reported	
UST Involvement: False	
Spill Record Last Update: 07/28/1997	
Is Updated: False	
Corrective Action Plan Submitted: Not reported	
Date Spill Entered In Computer Data File: 09/23/1996	
Date Region Sent Report To Central Office: Not reported	

L47 RUCO PLANT
NW NEW SOUTH ROAD
1/4-1/2 HICKSVILLE, NY
2027
Higher

NY Spills S102139761
N/A

SPILLS:

Spill Number: 9405464	Region of Spill: 1
Facility Contact: Not reported	Facility Tele: Not reported
Investigator: MATTHEWS	
Caller Name: STEVE BATES	Caller Agency: RUCO POLYMER
Caller Phone: (516) 931-8104	Caller Extension: Not reported
Notifier Name: Not reported	Notifier Agency: Not reported
Notifier Phone: Not reported	Notifier Extension: Not reported
Spiller Contact: Not reported	Spiller Phone: Not reported
SWIS: 28	
Spiller: RUCO PLANT	
Address: Not reported	
	Not reported
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Unable/unwilling Responsible Party. Corrective action taken. (ISR)	

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
 EPA ID Number

RUCO PLANT (Continued)

S102139761

Spill Closed Dt: 02/23/1995	Resource Affected: On Land
Spill Cause: Equipment Failure	Spill Source: Other Commercial/Industrial
Water Affected: Not reported	PBS Number: Not reported
Spill Notifier: Responsible Party	Reported to Dept: 07/21/1994 16:92
Spill Date: 07/21/1994 15:50	
Cleanup Ceased: 02/23/1995	
Last Inspection: Not reported	
Cleanup Meets Standard: True	
Recommended Penalty: No Penalty	
Spiller Cleanup Date: Not reported	
Enforcement Date: Not reported	
Investigation Complete: Not reported	
UST Involvement: False	
Spill Record Last Update: 02/24/1995	
Is Updated: False	
Corrective Action Plan Submitted: Not reported	
Date Spill Entered In Computer Data File: 07/25/1994	
Date Region Sent Report To Central Office: Not reported	

L48
 NW
 1/4-1/2
 2027
 Higher

**ROCO POLYMER CORP
 NEW SOUTH ROAD
 HICKSVILLE, NY**

**NY Spills S102139472
 N/A**

SPILLS:

Spill Number: 9315273	Region of Spill: 1
Facility Contact: Not reported	Facility Tele: (516) 931-8104
Investigator: NONE	
Caller Name: TOM LIPTMAN	Caller Agency: NCES
Caller Phone: (516) 573-7530	Caller Extension: Not reported
Notifier Name: Not reported	Notifier Agency: Not reported
Notifier Phone: Not reported	Notifier Extension: Not reported
Spiller Contact: Not reported	Spiller Phone: Not reported
SWIS: 28	
Spiller: ROCO POLYMER CORP	
Address: Not reported	
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.	
Spill Closed Dt: 04/01/1994	Resource Affected: Air
Spill Cause: Housekeeping	Spill Source: Other Commercial/Industrial
Water Affected: Not reported	PBS Number: Not reported
Spill Notifier: Local Agency	Reported to Dept: 03/27/1994 16:48
Spill Date: 03/27/1994 06:53	
Cleanup Ceased: 04/01/1994	
Last Inspection: Not reported	
Cleanup Meets Standard: True	
Recommended Penalty: No Penalty	
Spiller Cleanup Date: Not reported	
Enforcement Date: Not reported	
Investigation Complete: Not reported	
UST Involvement: False	
Spill Record Last Update: 04/04/1994	
Is Updated: False	
Corrective Action Plan Submitted: Not reported	
Date Spill Entered In Computer Data File: 03/29/1994	
Date Region Sent Report To Central Office: Not reported	

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation

Site

Database(s) EDR ID Number
 EPA ID Number

L49
NW
1/4-1/2
2027
Higher

OCCIDENTAL CHEMICAL CORP
1 NEW SOUTH RD
HICKSVILLE, NY 11802

FINDS **1000247991**
RCRIS-LQG **NYD982280976**

RCRIS:

Owner: RUCO POLYMER CORP
 (212) 555-1212

Contact: A WESTON
 (716) 286-3607

Record Date: 12/28/1987

Classification: Large Quantity Generator

Used Oil Recyc: No

Violation Status: No violations found

FINDS:

Other Pertinent Environmental Activity Identified at Site:
 - Facility has an active water discharge permit (under PCS)
 - Facility is monitored or permitted for air emissions under the Clean Air Act (under AFS/AIRS)
 - Civil judicial and administrative enforcement case against facility (under DOCKET)

L50
NW
1/4-1/2
2027
Higher

RUCO POLYEMER
BLDG 1 NEW SOUTH ROAD
HICKSVILLE, NY

LUST **S102668394**
N/A

LUST:

Spill Number: 8803416	Region of Spill: 1
Facility Contact: Not reported	Facility Tele: Not reported
Investigator: MIRZA	SWIS: 28
Caller Name: DR.BRADLEY HARRISON	Caller Agency: RUCO
Caller Phone: (516) 931-8104	Caller Extension: Not reported
Notifier Name: Not reported	Notifier Agency: Not reported
Notifier Phone: Not reported	Notifier Extension: Not reported
Spiller Contact: Not reported	Spiller Phone: (516) 931-8104
Spiller: RUCO POLYEMER	
Spiller Address: Not reported	
Spill Class: Not reported	
Spill Closed Dt: 01/09/1989	
Spill Cause: Other	Resource Affected: On Land
Water Affected: Not reported	Spill Source: Other Commercial/Industrial
Spill Notifier: Responsible Party	PBS Number: Not reported
Spill Date: 07/20/1988 12:00	Reported to Dept: 07/20/1988 12:30
Cleanup Ceased: 01/09/1989	
Last Inspection: Not reported	
Cleanup Meets Standard: True	
Recommended Penalty: No Penalty	
Spiller Cleanup Date: Not reported	
Enforcement Date: Not reported	
Investigation Complete: Not reported	
UST Involvement: False	
Spill Record Last Update: 01/10/1989	
Is Updated: False	
Corrective Action Plan Submitted: Not reported	
Date Spill Entered in Computer Data File: 07/21/1988	

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation

Site

Database(s)

EDR ID Number
 EPA ID Number

RUCO POLYEMER (Continued)

S102668394

Date Region Sent Summary to Central Office: Not reported

K51
 SW
 1/4-1/2
 2049
 Higher

C & D TYPE SETTERS INC
960 S BROADWAY
HICKSVILLE, NY 11801

FINDS 1000110027
RCRIS-LQG NYD982186983

RCRIS:
 Owner: CHARLES SARGENT
 (212) 555-1212

 Contact: CHARLES SARGENT
 (516) 822-8514

 Record Date: 05/20/1987
 Classification: Large Quantity Generator
 Used Oil Recyc: No
 Violation Status: No violations found

M52
 North
 1/4-1/2
 2102
 Higher

GRUMMAN
PLANT 20 GRUMMAN
BETHPAGE, NY

NY Spills S102099261
 N/A

SPILLS:
 Spill Number: 9315562
 Facility Contact: Not reported
 Investigator: KISPERT
 Caller Name: JOHN SELVA
 Caller Phone: (516) 575-8176
 Notifier Name: Not reported
 Notifier Phone: Not reported
 Spiller Contact: Not reported
 SWIS: 28
 Spiller: GRUMMAN
 Address: Not reported
 Not reported
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
 Willing Responsible Party. Corrective action taken.
 Spill Closed Dt: 07/11/1994
 Spill Cause: Human Error
 Water Affected: Not reported
 Spill Notifier: Responsible Party
 Spill Date: 03/31/1994 14:45
 Cleanup Ceased: 07/11/1994
 Last Inspection: Not reported
 Cleanup Meets Standard: True
 Recommended Penalty: No Penalty
 Spiller Cleanup Date: Not reported
 Enforcement Date: Not reported
 Investigation Complete: Not reported
 UST Involvement: False
 Spill Record Last Update: 07/12/1994
 Is Updated: False
 Corrective Action Plan Submitted: Not reported

Region of Spill: 1
 Facility Tele: Not reported

 Caller Agency: GRUMMAN
 Caller Extension: Not reported
 Notifier Agency: Not reported
 Notifier Extension: Not reported
 Spiller Phone: Not reported

 Resource Affected: On Land
 Spill Source: Other Commercial/Industrial
 PBS Number: Not reported
 Reported to Dept: 03/31/1994 15:10

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation

Site

Database(s)

EDR ID Number
 EPA ID Number

GRUMMAN (Continued)

S102099261

Date Spill Entered In Computer Data File: 04/01/1994
 Date Region Sent Report To Central Office: Not reported

M53
 North
 1/4-1/2
 2102
 Higher

GRUMMAN AEROSPACE
SO OYSTER BAY ROAD BLDG20
BETHPAGE, NY

NY Spills

S102097943
N/A

SPILLS:

Spill Number:	9302356	Region of Spill:	1
Facility Contact:	Not reported	Facility Tele:	(516) 575-8176
Investigator:	DECANDIA		
Caller Name:	JOHN SELVA	Caller Agency:	GRUMMAN
Caller Phone:	(516) 575-8176	Caller Extension:	Not reported
Notifier Name:	Not reported	Notifier Agency:	Not reported
Notifier Phone:	Not reported	Notifier Extension:	Not reported
Spiller Contact:	Not reported	Spiller Phone:	Not reported
SWIS:	28		
Spiller:	GRUMMAN AEROSPACE		
Address:	SO OYSTER BAY ROAD BETHPAGE, NY		
Spill Class:	Possible release with minimal potential for fire or hazard or Known release with no damage. DEC Response. Willing Responsible Party. Corrective action taken.		
Spill Closed Dt:	12/31/1993		
Spill Cause:	Human Error	Resource Affected:	On Land
Water Affected:	Not reported	Spill Source:	Other Commercial/Industrial
Spill Notifier:	Responsible Party	PBS Number:	Not reported
Spill Date:	05/20/1993 09:00	Reported to Dept:	05/20/1993 10:09
Cleanup Ceased:	12/31/1993		
Last Inspection:	Not reported		
Cleanup Meets Standard:	True		
Recommended Penalty:	No Penalty		
Spiller Cleanup Date:	Not reported		
Enforcement Date:	Not reported		
Investigation Complete:	Not reported		
UST Involvement:	False		
Spill Record Last Update:	01/04/1994		
Is Updated:	False		
Corrective Action Plan Submitted:	Not reported		
Date Spill Entered In Computer Data File:	05/21/1993		
Date Region Sent Report To Central Office:	Not reported		

N54
SSW
 1/4-1/2
 2114
 Higher

AVIS CAR RENTAL
980 SOUTH BROADWAY
BETHPAGE, NY

LUST

S100147547
N/A

LUST:

Spill Number:	8809010	Region of Spill:	1
Facility Contact:	Not reported	Facility Tele:	Not reported
Investigator:	NCFM	SWIS:	28
Caller Name:	SUPERVISOR CHARLES PARKER	Caller Agency:	NC FIRE COMM
Caller Phone:	(516) 742-3191	Caller Extension:	Not reported
Notifier Name:	Not reported	Notifier Agency:	Not reported
Notifier Phone:	Not reported	Notifier Extension:	Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

AVIS CAR RENTAL (Continued)

S100147547

Spiller Contact: Not reported Spiller Phone: (516) 933-7727
Spiller: AVIS CAR RENTAL
Spiller Address: Not reported
Not reported
Spill Class: Not reported
Spill Closed Dt: 02/21/1989
Spill Cause: Tank Failure Resource Affected: On Land
Water Affected: Not reported Spill Source: Passenger Vehicle
Spill Notifier: Fire Department PBS Number: Not reported
Spill Date: 02/19/1989 14:03 Reported to Dept: 02/19/1989 15:15
Cleanup Ceased: 02/21/1989
Last Inspection: Not reported
Cleanup Meets Standard: True
Recommended Penalty: No Penalty
Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: False
Spill Record Last Update: Not reported
Is Updated: False
Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 02/21/1989
Date Region Sent Summary to Central Office: Not reported

O55
NNE
1/4-1/2
2152
Higher

GRUMMAN AEROSPACE
PLANT #14
BETHPAGE, NY

NY Spills S102092009
N/A

SPILLS:

Spill Number: 9201433 Region of Spill: 1
Facility Contact: Not reported Facility Tele: Not reported
Investigator: KISPERT
Caller Name: JOHN OHLMANN Caller Agency: GRUMMAN AERO
Caller Phone: (516) 575-2385 Caller Extension: Not reported
Notifier Name: Not reported Notifier Agency: Not reported
Notifier Phone: Not reported Notifier Extension: Not reported
Spiller Contact: Not reported Spiller Phone: Not reported
SWIS: 28
Spiller: GRUMMAN AEROSPACE
Address: Not reported
Not reported
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 05/15/1992
Spill Cause: Equipment Failure Resource Affected: In Sewer
Water Affected: Not reported Spill Source: Other Commercial/Industrial
Spill Notifier: Responsible Party PBS Number: Not reported
Spill Date: 05/05/1992 14:30 Reported to Dept: 05/05/1992 15:05
Cleanup Ceased: 05/15/1992
Last Inspection: Not reported
Cleanup Meets Standard: True
Recommended Penalty: No Penalty
Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: False
Spill Record Last Update: 11/10/1992

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

GRUMMAN AEROSPACE (Continued)

Database(s) **S102092009**
EDR ID Number
EPA ID Number

Is Updated: False
Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 05/07/1992
Date Region Sent Report To Central Office: Not reported

**O56
NNE
1/4-1/2
2152
Higher**

**GRUMMAN CORP
PLANT #14
BETHPAGE, NY**

**NY Spills S102098304
N/A**

SPILLS:

Spill Number:	9306232	Region of Spill:	1
Facility Contact:	Not reported	Facility Tele:	Not reported
Investigator:	LEUNG		
Caller Name:	JOHN	Caller Agency:	GRUMMAN
Caller Phone:	(516) 575-4680	Caller Extension:	Not reported
Notifier Name:	Not reported	Notifier Agency:	Not reported
Notifier Phone:	Not reported	Notifier Extension:	Not reported
Spiller Contact:	Not reported	Spiller Phone:	Not reported
SWIS:	28		
Spiller:	GRUMMAN CORP		
Address:	Not reported		
	Not reported		
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.		
Spill Closed Dt:	02/27/1995	Resource Affected:	On Land
Spill Cause:	Human Error	Spill Source:	Other Commercial/Industrial
Water Affected:	Not reported	PBS Number:	Not reported
Spill Notifier:	Responsible Party	Reported to Dept:	08/20/1993 14:30
Spill Date:	08/20/1993 11:30		
Cleanup Ceased:	02/27/1995		
Last Inspection:	Not reported		
Cleanup Meets Standard:	True		
Recommended Penalty:	No Penalty		
Spiller Cleanup Date:	Not reported		
Enforcement Date:	Not reported		
Investigation Complete:	Not reported		
UST Involvement:	False		
Spill Record Last Update:	02/27/1995		
Is Updated:	False		
Corrective Action Plan Submitted:	Not reported		
Date Spill Entered In Computer Data File:	08/23/1993		
Date Region Sent Report To Central Office:	Not reported		

**L57
NW
1/4-1/2
2161
Higher**

**SERVO CORP
111 NEW S RD
HICKSVILLE, NY 11801**

**CERCLIS 1000433406
FINDS NYD002418911
RCRIS-LQG**

CERCLIS Classification Data:

Site Incident Category:	Not reported	Federal Facility:	Not a Federal Facility
Ownership Status:	Other	NPL Status:	Not on the NPL
Contact:	MICHELE BRICE-ROBINSON	Contact Tel:	(212) 637-3300
Contact:	EUGENE DOMINACH	Contact Tel:	(908) 321-6666
Contact:	HONORA DROHAN	Contact Tel:	(212) 637-4355

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation

MAP FINDINGS

EDR ID Number
 EPA ID Number

SERVO CORP (Continued)

1000433406

Contact:	GLADYS LEYNES	Contact Tel:	(212) 637-3301
Contact:	MARK SAVEDOFF	Contact Tel:	(732) 321-4341
Contact:	MARK SAVEDOFF	Contact Tel:	(908) 321-4341
CERCLIS Assessment History:			
Assessment:	DISCOVERY	Completed:	19800410
Assessment:	PRELIMINARY ASSESSMENT	Completed:	19870115
Assessment:	SITE INSPECTION	Completed:	19910626

CERCLIS Site Status:
 High

RCRIS:

Owner: BLACKSTONE HENRY
 (212) 555-1212

Contact: JOHN WILLENBROCK
 (516) 938-9700

Record Date: 08/18/1980

Classification: Large Quantity Generator

BIENNIAL REPORTS:

Last Biennial Reporting Year: 1995

<u>Waste</u>	<u>Quantity (Lbs)</u>	<u>Waste</u>	<u>Quantity (Lbs)</u>
D001	640.00	D002	3979.00
D011	40.00	F001	1452.00
F002	676.00	F003	1819.00
F005	770.00	P106	24.00
U002	208.00	U223	40.00

Used Oil Recyc: No

Violation Status: Violation information exist

There are 4 violation record(s) reported at this site:

<u>Evaluation</u>	<u>Area of Violation</u>	<u>Date of Compliance</u>
Compliance Evaluation Inspection (CEI)	Generator-All Requirements	01/21/1992
Compliance Evaluation Inspection (CEI)	Generator-All Requirements	01/28/1988
	Generator-Land Ban Requirements	01/21/1992
Compliance Evaluation Inspection (CEI)	Generator-All Requirements	10/02/1987

NY MANIFEST

Additional detail is available in NY MANIFEST. Please contact your EDR Account Executive for more information.

FINDS:

Other Pertinent Environmental Activity Identified at Site:
 - Facility has an active water discharge permit (under PCS)

L58
 NW
 1/4-1/2
 2169
 Higher

FOREST CHEM INDUSTRIES
70 COMMERCE PL
HICKSVILLE, NY

NY Spills

S102138015
 N/A

SPILLS:

Spill Number:	8906770	Region of Spill:	1
Facility Contact:	Not reported	Facility Tele:	(516) 681-5900
Investigator:	HOFMANN		
Caller Name:	JOHN HOFMANN	Caller Agency:	DEC
Caller Phone:	(516) 751-7900	Caller Extension:	Not reported
Notifier Name:	Not reported	Notifier Agency:	Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

EDR ID Number
EPA ID Number

FOREST CHEM INDUSTRIES (Continued)

S102138015

Notifier Phone: Not reported
Spiller Contact: Not reported
SWIS: 28
Spiller: FOREST CHEM INDUSTRIES
Address: 70 COMMERCE PLACE
 HICKSVILLE, NY 11801
Spill Class: Not reported
Spill Closed Dt: 12/17/1990
Spill Cause: Deliberate
Water Affected: Not reported
Spill Notifier: DEC
Spill Date: 10/10/1989 11:45
Cleanup Ceased: 12/17/1990
Last Inspection: Not reported
Cleanup Meets Standard: True
Recommended Penalty: No Penalty
Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: False
Spill Record Last Update: 12/20/1990
Is Updated: False
Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 10/11/1989
Date Region Sent Report To Central Office: Not reported

Notifier Extension: Not reported
Spiller Phone: Not reported
Resource Affected: Groundwater
Spill Source: Other Commercial/Industrial
PBS Number: Not reported
Reported to Dept: 10/10/1989 16:00

N59
SSW
1/4-1/2
2183
Higher

TEXACO USA A DIVISION OF TEXACO INC
1000 S BROADWAY
HICKSVILLE, NY 11801

FINDS 1000144460
RCRIS-LQG NYD000694448

RCRIS:
Owner: TEXACO USA
 (609) 667-3800
Contact: H E PHILLIPS
 (609) 667-3800
Record Date: 08/18/1980
Classification: Large Quantity Generator, Hazardous Waste Transporter
Used Oil Recyc: No
Violation Status: No violations found

L60
NW
1/4-1/2
2184
Higher

LILCO
60 COMMERCE PL
HICKSVILLE, NY

NY Spills S102135997
N/A

SPILLS:
Spill Number: 9110773
Facility Contact: Not reported
Investigator: LEUNG
Caller Name: MIKE LAURO
Caller Phone: (516) 391-6142
Notifier Name: Not reported

Region of Spill: 1
Facility Tele: Not reported
Caller Agency: LILCO
Caller Extension: Not reported
Notifier Agency: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

Database(s) EDR ID Number
 EPA ID Number

LILCO (Continued)

S102135997

Notifier Phone: Not reported	Notifier Extension: Not reported
Spiller Contact: Not reported	Spiller Phone: Not reported
SWIS: 28	
Spiller: LILCO	
Address: Not reported	
Spill Class: Not reported	
Spill Closed Dt: 01/21/1992	
Spill Cause: Equipment Failure	Resource Affected: On Land
Water Affected: Not reported	Spill Source: Other Commercial/Industrial
Spill Notifier: Responsible Party	PBS Number: Not reported
Spill Date: 01/15/1992 16:00	Reported to Dept: 01/15/1992 16:35
Cleanup Ceased: 01/21/1992	
Last Inspection: Not reported	
Cleanup Meets Standard: True	
Recommended Penalty: No Penalty	
Spiller Cleanup Date: Not reported	
Enforcement Date: Not reported	
Investigation Complete: Not reported	
UST Involvement: False	
Spill Record Last Update: 01/22/1992	
Is Updated: False	
Corrective Action Plan Submitted: Not reported	
Date Spill Entered In Computer Data File: 01/16/1992	
Date Region Sent Report To Central Office: Not reported	

61
 West
 1/4-1/2
 2194
 Higher

KING BEAR AUTO SERVICE CENTER
735 S BROADWAY
HICKSVILLE, NY 11801

FINDS 1000231520
RCRIS-LQG NYD981563513
AST

RCRIS:
 Owner: S M D ENTERPRISES INC
 (212) 555-1212
 Contact: SY DIAMOND
 (516) 931-9714
 Record Date: 10/20/1986
 Classification: Large Quantity Generator
 Used Oil Recyc: No
 Violation Status: No violations found

Nassau County AST:

Facility ID: 056949	Tank ID: 0001
Tank Location: Indoors, Aboveground	Capacity (Gal): 240
Tank Status: In Service	Tank Material: STEEL
Int Protection: None	
Ext Protection: PAINTED [e.g. asphaltic]	
Piping Type: Steel/Iron	Material Type: Fresh/Product
Description: OIL, MOTOR	
Leak Detect: OTHER	Containment: DOUBLE WALL TANK
Dispense Method: Suction	Product Gauge: Yes
Fill Type: Pumped	Install Date: 08/91
Total Tanks: 2	

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

Database(s) EDR ID Number
 EPA ID Number

KING BEAR AUTO SERVICE CENTER (Continued)

1000231520

Facility ID:	056949	Tank ID:	0002
Tank Location:	Indoors, Aboveground	Capacity (Gal):	240
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	PAINTED [e.g. asphaltic]	Material Type:	Fresh/Product
Piping Type:	Steel/Iron		
Description:	OIL, MOTOR	Containment:	DOUBLE WALL TANK
Leak Detect:	OTHER	Product Gauge:	Yes
Dispense Method:	Suction	Install Date:	08/91
Fill Type:	Pumped		
Total Tanks:	2		

**K62
 SW
 1/4-1/2
 2214
 Higher**

**PHOTO WORKS
 25 BLUMINGDALE RD
 HICKSVILLE, NY 11801**

**FINDS 1000415373
 RCRIS-LQG NYD981488240**

RCRIS:
 Owner: MORRIS NESSIN
 (212) 555-1212

 Contact: MORRIS NESSIN
 (516) 933-6110

 Record Date: 06/09/1986
 Classification: Large Quantity Generator
 Used Oil Recyc: No
 Violation Status: No violations found

**P63
 North
 1/4-1/2
 2275
 Higher**

**MERRY OLDS INC
 777 S OYSTER BAY RD
 BETHPAGE, NY 11714**

**RCRIS-SQG 1000372483
 FINDS NYD065956922**

RCRIS:
 Owner: REP CORP
 (516) 938-8888

 Contact: RICHARD PARISI
 (516) 827-3300

 Record Date: 03/25/1996
 Classification: Small Quantity Generator
 Used Oil Recyc: No
 Violation Status: No violations found

NY MANIFEST
 Additional detail is available in NY MANIFEST. Please contact your EDR Account Executive for more information.

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation

Site

Database(s) EDR ID Number
 EPA ID Number

P64
 North
 1/4-1/2
 2275
 Higher

GRAND PRIX PERFORMANCE LT
777 S OYSTER BAY RD
BETHPAGE, NY

AST **A100101801**
N/A

Nassau County AST:

Facility ID:	056860	Tank ID:	0001
Tank Location:	Indoors, Aboveground	Capacity (Gal):	275
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	PAINTED [e.g. asphaltic]	Material Type:	Fresh/Product
Piping Type:	Steel/Iron		
Description:	OIL, MOTOR	Containment:	DIKING AND PAD
Leak Detect:	OTHER	Product Gauge:	Yes
Dispense Method:	Suction	Install Date:	07/95
Fill Type:	Pumped		
Total Tanks:	2		

Facility ID:	056860	Tank ID:	0002
Tank Location:	Outdoors, Aboveground	Capacity (Gal):	240
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	PAINTED [e.g. asphaltic]	Material Type:	Waste
Piping Type:	Steel/Iron		
Description:	OIL, MOTOR	Containment:	DOUBLE WALL TANK
Leak Detect:	OTHER	Product Gauge:	Yes
Dispense Method:	Suction	Install Date:	07/95
Fill Type:	Pumped		
Total Tanks:	2		

P65
 North
 1/4-1/2
 2275
 Higher

GRAND PRIX PERFORMANCE
777 S OYSTER BAY RD
BETHPAGE, NY 11714

RCRIS-SQG **1001119704**
NYR000029942

RCRIS:

Owner: R & J REALTY
 (516) 938-8888

Contact: STEVE SCHERER
 (516) 822-1550

Record Date: 09/20/1996

Classification: Small Quantity Generator

Used Oil Recyc: No

Violation Status: No violations found

NY MANIFEST

Additional detail is available in NY MANIFEST. Please contact your EDR Account Executive for more information.

Q66
 SW
 1/4-1/2
 2341
 Higher

MR.NEVANHOFF
37 BLOOMINGDALE RD
HICKSVILLE, NY

NY Spills **S102137989**
N/A

SPILLS:

Spill Number: 8906100 Region of Spill: 1

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

MR.NEVANHOFF (Continued)

S102137989

Facility Contact:	Not reported	Facility Tele:	Not reported
Investigator:	NCFM	Caller Agency:	NCFM
Caller Name:	INSPECTOR TUSA	Caller Extension:	Not reported
Caller Phone:	(516) 521-3751	Notifier Agency:	Not reported
Notifier Name:	Not reported	Notifier Extension:	Not reported
Notifier Phone:	Not reported	Spiller Phone:	Not reported
Spiller Contact:	Not reported		
SWIS:	28		
Spiller:	MR. NEVANHOFF		
Address:	36 PEACH TREE LANE HICKSVILLE, NY		
Spill Class:	Not reported	Resource Affected:	On Land
Spill Closed Dt:	09/20/1989	Spill Source:	Passenger Vehicle
Spill Cause:	Equipment Failure	PBS Number:	Not reported
Water Affected:	Not reported	Reported to Dept:	09/20/1989 18:50
Spill Notifier:	Fire Department		
Spill Date:	09/20/1989 17:40		
Cleanup Ceased:	09/20/1989		
Last Inspection:	Not reported		
Cleanup Meets Standard:	True		
Recommended Penalty:	No Penalty		
Spiller Cleanup Date:	Not reported		
Enforcement Date:	Not reported		
Investigation Complete:	Not reported		
UST Involvement:	False		
Spill Record Last Update:	Not reported		
Is Updated:	False		
Corrective Action Plan Submitted:	Not reported		
Date Spill Entered in Computer Data File:	09/22/1989		
Date Region Sent Report To Central Office:	Not reported		

**Q67
SW
1/4-1/2
2341
Higher**

**YALE RADIATOR & AUTO REPAIR
37 BLOOMINGDALE RD
HICKSVILLE, NY 11801**

**RCRIS-SQG 1000198265
FINDS NYD168346880
NY Spills**

RCRIS:
Owner: RICHARD BERNSTEIN
(212) 555-1212

Contact: RICHARD BERNSTEIN
(516) 935-0090

Record Date: 09/12/1989
Classification: Small Quantity Generator

Used Oil Recyc: No

Violation Status: No violations found

SPILLS:
Spill Number: 8903964
Facility Contact: Not reported
Investigator: NCDH
Caller Name: ALEX PANKOFF
Caller Phone: (516) 922-5800
Notifier Name: Not reported
Notifier Phone: Not reported
Spiller Contact: Not reported

Region of Spill: 1
Facility Tele: Not reported

Caller Agency: TOWN OF OYSTER BAY
Caller Extension: Not reported
Notifier Agency: Not reported
Notifier Extension: Not reported
Spiller Phone: Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

YALE RADIATOR & AUTO REPAIR (Continued)

1000198265

SWIS: 28
Spiller: YALE RADIATOR
Address: 37 BLOOMINGDALE ROAD
HICKSVILLE, NY
Spill Class: Not reported
Spill Closed Dt: 03/01/1990
Spill Cause: Deliberate
Water Affected: Not reported
Spill Notifier: Local Agency
Spill Date: 07/21/1989 06:00
Cleanup Ceased: 03/01/1990
Last Inspection: Not reported
Cleanup Meets Standard: True
Recommended Penalty: No Penalty
Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: False
Spill Record Last Update: 03/01/1990
Is Updated: False
Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 07/24/1989
Date Region Sent Report To Central Office: Not reported

Resource Affected: On Land
Spill Source: Other Commercial/Industrial
PBS Number: Not reported
Reported to Dept: 07/21/1989 08:47

68
WSW
1/4-1/2
2372
Higher

**FLYNN RESIDENCE
11 BIRCHWOOD LN
HICKSVILLE, NY**

LUST

S102233093
N/A

LUST:

Spill Number: 9514958
Facility Contact: PATRICK FLYNN
Investigator: NONE
Caller Name: PATRICK FLYNN
Caller Phone: (516) 938-2484
Notifier Name: RELIANCE WRITE FUEL
Notifier Phone: Not reported
Spiller Contact: PATRICK FLYNN
Spiller: FLYNN RESIDENCE
Spiller Address: 11 BIRCHWOOD LANE
HICKSVILLE, NY 11801
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 02/22/1996
Spill Cause: Tank Failure
Water Affected: Not reported
Spill Notifier: Responsible Party
Spill Date: 02/21/1996 18:00
Cleanup Ceased: Not reported
Last Inspection: Not reported
Cleanup Meets Standard: True
Recommended Penalty: No Penalty
Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: False
Spill Record Last Update: 02/23/1996
Is Updated: False

Region of Spill: 1
Facility Tele: (516) 938-2484
SWIS: 28
Caller Agency: HOMEOWNER
Caller Extension: Not reported
Notifier Agency: Not reported
Notifier Extension: Not reported
Spiller Phone: (516) 938-2484

Resource Affected: On Land
Spill Source: Private Dwelling
PBS Number: Not reported
Reported to Dept: 02/21/1996 22:53

MAP FINDINGS

Map ID			EDR ID Number
Direction			EPA ID Number
Distance			
Distance (ft.)			
Elevation	Site	Database(s)	

FLYNN RESIDENCE (Continued)

S102233093

Corrective Action Plan Submitted: Not reported
 Date Spill Entered In Computer Data File: 02/21/1996
 Date Region Sent Summary to Central Office: Not reported

69
WNW
1/4-1/2
2398
Higher

26 MINEOLA AVE
26 MINEOLA AVE
HICKSVILLE, NY 11801

ERNS

98431706
N/A

70
ENE
1/4-1/2
2397
Higher

APA TRANSPORTATION
IMPERATORE DRIVE
OLD BETHPAGE, NY

LUST

S100149285
N/A

LUST:

Spill Number: 8708257	Region of Spill: 1
Facility Contact: Not reported	Facility Tele: Not reported
Investigator: GOERTZ	SWIS: 28
Caller Name: AL	Caller Agency: F&N
Caller Phone: (516) 586-4900	Caller Extension: Not reported
Notifier Name: Not reported	Notifier Agency: Not reported
Notifier Phone: Not reported	Notifier Extension: Not reported
Spiller Contact: Not reported	Spiller Phone: (516) 429-2628
Spiller: APA TRANSPORTATION	
Spiller Address: IMPERATORE DRIVE OLD BETHPAGE, NY	
Spill Class: Not reported	
Spill Closed Dt: 03/02/1988	
Spill Cause: Tank Test Failure	Resource Affected: Groundwater
Water Affected: Not reported	Spill Source: Other Non Commercial/Industrial
Spill Notifier: Tank Tester	PBS Number: Not reported
Spill Date: 12/23/1987 13:30	Reported to Dept: 12/23/1987 13:45
Cleanup Ceased: 03/02/1988	
Last Inspection: Not reported	
Cleanup Meets Standard: True	
Recommended Penalty: No Penalty	
Spiller Cleanup Date: Not reported	
Enforcement Date: Not reported	
Investigation Complete: Not reported	
UST Involvement: False	
Spill Record Last Update: 11/16/1989	
Is Updated: False	
Corrective Action Plan Submitted: Not reported	
Date Spill Entered In Computer Data File: 12/28/1987	
Date Region Sent Summary to Central Office: Not reported	

71
ESE
1/4-1/2
2436
Lower

EDWARD COLEMAN
252 11TH ST
BETHPAGE, NY

NY Spills

S102099382
N/A

SPILLS:

Spill Number: 9401130	Region of Spill: 1
Facility Contact: Not reported	Facility Tele: (516) 735-4919

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

EDWARD COLEMAN (Continued)

S102099382

Investigator: NONE
Caller Name: INSPECTOR HARE
Caller Phone: (516) 566-5293
Notifier Name: Not reported
Notifier Phone: Not reported
Spiller Contact: Not reported
SWIS: 28
Spiller: EDWARD COLEMAN
Address: 43 MEADOW LANE
LEVITTOWN
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 04/25/1994
Spill Cause: Equipment Failure
Water Affected: Not reported
Spill Notifier: Fire Department
Spill Date: 04/23/1994 13:30
Cleanup Ceased: 04/25/1994
Last Inspection: Not reported
Cleanup Meets Standard: True
Recommended Penalty: No Penalty
Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: False
Spill Record Last Update: Not reported
Is Updated: False
Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 04/26/1994
Date Region Sent Report To Central Office: Not reported
Caller Agency: NCFM
Caller Extension: Not reported
Notifier Agency: Not reported
Notifier Extension: Not reported
Spiller Phone: Not reported
Resource Affected: On Land
Spill Source: Passenger Vehicle
PBS Number: Not reported
Reported to Dept: 04/23/1994 16:39

R72
South
1/4-1/2
2600
Same

DAVID ENGELHART PASS VEH
RTE 107 / SO OYSTER BAY R
BETHPAGE, NY

NY Spills

S102098543
N/A

SPILLS:

Spill Number: 9308945
Facility Contact: Not reported
Investigator: NONE
Caller Name: MR DELASSAY
Caller Phone: (516) 566-5293
Notifier Name: Not reported
Notifier Phone: Not reported
Spiller Contact: Not reported
SWIS: 28
Spiller: DAVID ENGELHART
Address: 128 LINON ROAD
WOLCOTT, CONN
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 10/25/1993
Spill Cause: Traffic Accident
Water Affected: Not reported
Spill Notifier: Fire Department
Spill Date: 10/24/1993 01:30
Cleanup Ceased: 10/25/1993
Last Inspection: Not reported
Region of Spill: 1
Facility Tele: Not reported
Caller Agency: NCFM
Caller Extension: Not reported
Notifier Agency: Not reported
Notifier Extension: Not reported
Spiller Phone: Not reported
Resource Affected: On Land
Spill Source: Passenger Vehicle
PBS Number: Not reported
Reported to Dept: 10/24/1993 03:00

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

DAVID ENGELHART PASS VEH (Continued)

S102098543

Cleanup Meets Standard: True
Recommended Penalty: No Penalty
Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: False
Spill Record Last Update: 10/27/1993
Is Updated: False
Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 10/25/1993
Date Region Sent Report To Central Office: Not reported

**73
SW
1/4-1/2
2606
Higher**

**DAMINO RESIDENCE
25 WOODBINE DR
HICKSVILLE, NY**

NY Spills

**S102446283
N/A**

SPILLS:

Spill Number:	9610199	Region of Spill:	1
Facility Contact:	CHRISTOPHER DAMINO	Facility Tele:	(516) 681-3469
Investigator:	GIBBONS		
Caller Name:	CHRISTOPHER DAMINO	Caller Agency:	RESIDENT
Caller Phone:	(516) 681-3469	Caller Extension:	Not reported
Notifier Name:	SAME	Notifier Agency:	Not reported
Notifier Phone:	Not reported	Notifier Extension:	Not reported
Spiller Contact:	CHRISTOPHER DAMINO	Spiller Phone:	(516) 681-3469
SWIS:	28		
Spiller:	DAMINO RESIDENCE		
Address:	25 WOODBINE DRIVE SOUTH HICKSVILLE, NY 11801		
Spill Class:	Known release that creates potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.		
Spill Closed Dt:	09/09/1997		
Spill Cause:	Unknown	Resource Affected:	On Land
Water Affected:	Not reported	Spill Source:	Private Dwelling
Spill Notifier:	Responsible Party	PBS Number:	Not reported
Spill Date:	11/14/1996 20:00	Reported to Dept:	11/15/1996 02:30
Cleanup Ceased:	Not reported		
Last Inspection:	Not reported		
Cleanup Meets Standard:	True		
Recommended Penalty:	No Penalty		
Spiller Cleanup Date:	Not reported		
Enforcement Date:	Not reported		
Investigation Complete:	Not reported		
UST Involvement:	False		
Spill Record Last Update:	09/10/1997		
Is Updated:	False		
Corrective Action Plan Submitted:	Not reported		
Date Spill Entered In Computer Data File:	11/15/1996		
Date Region Sent Report To Central Office:	Not reported		

**74
East
1/4-1/2
2622
Lower**

**RESIDENCE
205 SYCAMORE AVE
BETHPAGE, NY**

NY Spills

**S102102259
N/A**

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

RESIDENCE (Continued)

S102102259

SPILLS:

Spill Number:	9506069	Region of Spill:	1
Facility Contact:	Not reported	Facility Tele:	Not reported
Investigator:	NONE		
Caller Name:	KIMBERLY ABRAMS	Caller Agency:	RELIANCE
Caller Phone:	(516) 338-1178	Caller Extension:	Not reported
Notifier Name:	Not reported	Notifier Agency:	Not reported
Notifier Phone:	Not reported	Notifier Extension:	Not reported
Spiller Contact:	Not reported	Spiller Phone:	Not reported
SWIS:	28		
Spiller:	RESIDENCE		
Address:	Not reported		
	Not reported		
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.		
Spill Closed Dt:	08/18/1995		
Spill Cause:	Equipment Failure	Resource Affected:	On Land
Water Affected:	Not reported	Spill Source:	Private Dwelling
Spill Notifier:	Responsible Party	PBS Number:	Not reported
Spill Date:	08/17/1995 09:00	Reported to Dept:	08/17/1995 09:14
Cleanup Ceased:	08/18/1995		
Last Inspection:	Not reported		
Cleanup Meets Standard:	True		
Recommended Penalty:	No Penalty		
Spiller Cleanup Date:	Not reported		
Enforcement Date:	Not reported		
Investigation Complete:	Not reported		
UST Involvement:	False		
Spill Record Last Update:	08/21/1995		
Is Updated:	False		
Corrective Action Plan Submitted:	Not reported		
Date Spill Entered In Computer Data File:	08/18/1995		
Date Region Sent Report To Central Office:	Not reported		

R75
South
1/2-1
2675
Same

HICKSVILLE MALL
BROADWAY / HICKSVILLE
HICKSVILLE, NY

NY Spills

S102662039
N/A

SPILLS:

Spill Number:	9703749	Region of Spill:	1
Facility Contact:	MIKE DURANTE	Facility Tele:	(000) 000-0000
Investigator:	PARISH		
Caller Name:	INSPECTOR MCGRATH	Caller Agency:	NCFM
Caller Phone:	(516) 521-2046	Caller Extension:	Not reported
Notifier Name:	HICKSVILLE FIRE DEPT	Notifier Agency:	FD
Notifier Phone:	(000) 000-0000	Notifier Extension:	Not reported
Spiller Contact:	INSPECTOR MCGRATH	Spiller Phone:	(516) 521-2046
SWIS:	28		
Spiller:	MIKE DURANTE		
Address:	155 HOFFMAN STREET		
	FRANKLIN SQUARE, NY		
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.		
Spill Closed Dt:	07/22/1997		
Spill Cause:	Traffic Accident	Resource Affected:	On Land
Water Affected:	Not reported	Spill Source:	Commercial Vehicle

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
 EPA ID Number

HICKSVILLE MALL (Continued)

S102662039

Spill Notifier: Fire Department
 Spill Date: 06/26/1997 12:51
 Cleanup Ceased: Not reported
 Last Inspection: Not reported
 Cleanup Meets Standard: True
 Recommended Penalty: No Penalty
 Spiller Cleanup Date: Not reported
 Enforcement Date: Not reported
 Investigation Complete: Not reported
 UST Involvement: False
 Spill Record Last Update: 07/23/1997
 Is Updated: False
 Corrective Action Plan Submitted: Not reported
 Date Spill Entered In Computer Data File: 06/26/1997
 Date Region Sent Report To Central Office: Not reported

PBS Number: Not reported
 Reported to Dept: 06/26/1997 13:41

**S76
 ENE
 1/2-1
 2674
 Higher**

**GRUMMAN AEROSPACE CORP
 S OYSTER BAY & STEWART
 BETHPAGE, NY 11714**

**CERCLIS
 FINDS**

**1000148518
 NY2170022162**

CERCLIS Classification Data:

Site Incident Category:	Not reported	Federal Facility:	Federal Facility
Ownership Status:	Federally Owned	NPL Status:	Not on the NPL
Contact:	MICHELE BRICE-ROBINSON	Contact Tel:	(212) 637-3300
Contact:	EUGENE DOMINACH	Contact Tel:	(908) 321-6666
Contact:	HONORA DROHAN	Contact Tel:	(212) 637-4355
Contact:	ALIDA KARAS	Contact Tel:	(212) 637-4328
Contact:	GLADYS LEYNES	Contact Tel:	(212) 637-3301
Contact:	MARK SAVEDOFF	Contact Tel:	(732) 321-4341
Contact:	MARK SAVEDOFF	Contact Tel:	(908) 321-4341
Contact:	HELEN SHANNON	Contact Tel:	(212) 637-4323
Contact:	BOB WING	Contact Tel:	(212) 637-4332
Site Description:	THERE ARE POTENTIAL HAZARDOUS WASTE AREAS AT THIS SITE; SUCH AS WASTES GENERATED PERMARILY FROM AIRCRAFT PRODUCTIONS. THERE ARE POTENTIAL HAZARDOUS WASTE AREAS AT THIS SITE; SUCH AS WASTES GENERATED PERMARILY FROM AIRCRAFT PRODUCTIONS.		

CERCLIS Assessment History:

Assessment:	DISCOVERY	Completed:	19870217
Assessment:	PRELIMINARY ASSESSMENT	Completed:	19881229
Assessment:	SITE INSPECTION	Completed:	19920930
Assessment:	HRS PACKAGE	Completed:	19950523
Assessment:	IAG NEGOTIATIONS	Completed:	Not reported

CERCLIS Site Status:

Not reported

FINDS:

Other Pertinent Environmental Activity Identified at Site:

- Facility has an active water discharge permit (under PCS)
- Facility is monitored or permitted for air emissions under the Clean Air Act (under AFS/AIRS)
- Civil judicial and administrative enforcement case against facility (under DOCKET)
- Federal facility has submitted specific environmental project budget plans (under FFIS)
- Facility is a PCB generator, storer, transporter or permitted disposer (under PADS)

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

S77
ENE
1/2-1
2674
Higher

GRUMMAN AEROSPACE CORPORA
NEW SOUTH ROAD
BETHPAGE, NY

LUST **S102232574**
N/A

LUST:

Spill Number: 9511211 Region of Spill: 1
Facility Contact: RON PATOC Facility Tele: (516) 575-7833
Investigator: RBC WELL SWIS: 28
Caller Name: STEVE BRANCIFORTE Caller Agency: NDE ENVIRONMENTAL
Caller Phone: (800) 964-7311 Caller Extension: Not reported
Notifier Name: STEVE BRANCIFORTE Notifier Agency: NDE ENVIRONMENTAL
Notifier Phone: (800) 964-7311 Notifier Extension: Not reported
Spiller Contact: RON PATOC Spiller Phone: (516) 575-7833
Spiller: GRUMMAN AEROSPACE CORPORA
Spiller Address: NEW SOUTH ROAD
BETHPAGE, NY 11714
Spill Class: Known release that creates potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: Not reported
Spill Cause: Tank Test Failure Resource Affected: On Land
Water Affected: Not reported Spill Source: Other Commercial/Industrial
Spill Notifier: Tank Tester PBS Number: Not reported
Spill Date: 12/06/1995 12:25 Reported to Dept: 12/06/1995 12:25
Cleanup Ceased: Not reported
Last Inspection: Not reported
Cleanup Meets Standard: False
Recommended Penalty: No Penalty
Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: False
Spill Record Last Update: 07/30/1997
Is Updated: False
Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 12/06/1995
Date Region Sent Summary to Central Office: Not reported

S78
ENE
1/2-1
2674
Higher

NORTHROP GRUMMAN CORP
MAIL STOP D08-001 PLANT 3
BETHPAGE, NY

LUST **S102960097**
N/A

LUST:

Spill Number: 9709123 Region of Spill: 1
Facility Contact: JOHN SELVA Facility Tele: (516) 575-8176
Investigator: PARISH SWIS: 28
Caller Name: JOHN SELVA Caller Agency: NORTHROP GRUMMIN CORP
Caller Phone: (516) 575-8176 Caller Extension: Not reported
Notifier Name: JOE SUSCO Notifier Agency: NORTHROP GRUMMIN CORP
Notifier Phone: (516) 575-8176 Notifier Extension: Not reported
Spiller Contact: JOHN SELVA Spiller Phone: (516) 575-8176
Spiller: NORTHROP GRUMMAN CORP
Spiller Address: STEWART AVENUE
BETHPAGE, NY
Spill Class: Known release that creates potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: Not reported
Spill Cause: Tank Failure Resource Affected: On Land

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

NORTHROP GRUMMAN CORP (Continued)

S102960097

Water Affected:	Not reported	Spill Source:	Other Commercial/Industrial
Spill Notifier:	Responsible Party	PBS Number:	Not reported
Spill Date:	11/05/1997 10:30	Reported to Dept:	11/05/1997 11:18
Cleanup Ceased:	Not reported		
Last Inspection:	Not reported		
Cleanup Meets Standard:	False		
Recommended Penalty:	No Penalty		
Spiller Cleanup Date:	Not reported		
Enforcement Date:	Not reported		
Investigation Complete:	Not reported		
UST Involvement:	False		
Spill Record Last Update:	11/06/1997		
Is Updated:	False		
Corrective Action Plan Submitted:	Not reported		
Date Spill Entered In Computer Data File:	11/05/1997		
Date Region Sent Summary to Central Office:	Not reported		

**S79
ENE
1/2-1
2679
Higher**

**GRUMMAN CORP
RTE 107
BETHPAGE, NY**

**LUST
NY Spills**

**S102089959
N/A**

LUST:

Spill Number:	9010127	Region of Spill:	1
Facility Contact:	Not reported	Facility Tele:	Not reported
Investigator:	HOFMANN	SWIS:	28
Caller Name:	JOHN OHLMANN	Caller Agency:	GRUMMAN
Caller Phone:	(516) 575-2385	Caller Extension:	Not reported
Notifier Name:	Not reported	Notifier Agency:	Not reported
Notifier Phone:	Not reported	Notifier Extension:	Not reported
Spiller Contact:	Not reported	Spiller Phone:	(516) 575-2385
Spiller:	GRUMMAN CORP		
Spiller Address:	Not reported		
	Not reported		
Spill Class:	Not reported	Resource Affected:	On Land
Spill Closed Dt:	12/19/1990	Spill Source:	Other Commercial/Industrial
Spill Cause:	Other	PBS Number:	Not reported
Water Affected:	Not reported	Reported to Dept:	12/18/1990 11:00
Spill Notifier:	Responsible Party		
Spill Date:	12/18/1990 10:45		
Cleanup Ceased:	12/19/1990		
Last Inspection:	Not reported		
Cleanup Meets Standard:	True		
Recommended Penalty:	No Penalty		
Spiller Cleanup Date:	Not reported		
Enforcement Date:	Not reported		
Investigation Complete:	Not reported		
UST Involvement:	False		
Spill Record Last Update:	12/20/1990		
Is Updated:	False		
Corrective Action Plan Submitted:	Not reported		
Date Spill Entered In Computer Data File:	12/19/1990		
Date Region Sent Summary to Central Office:	Not reported		

SPILLS:

Spill Number:	9101655	Region of Spill:	1
Facility Contact:	Not reported	Facility Tele:	(516) 292-1057
Investigator:	NONE		

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

GRUMMAN CORP (Continued)

S102089959

Caller Name:	OFFICER MASTRIANO	Caller Agency:	NC HAZ MAT
Caller Phone:	(516) 566-5200	Caller Extension:	Not reported
Notifier Name:	Not reported	Notifier Agency:	Not reported
Notifier Phone:	Not reported	Notifier Extension:	Not reported
Spiller Contact:	Not reported	Spiller Phone:	Not reported
SWIS:	28		
Spiller:	DAVID KEELS		
Address:	317 SOUTH FRANKLIN ST HEMPSTEAD, NY		
Spill Class:	Not reported	Resource Affected:	On Land
Spill Closed Dt:	05/13/1991	Spill Source:	Passenger Vehicle
Spill Cause:	Equipment Failure	PBS Number:	Not reported
Water Affected:	Not reported	Reported to Dept:	05/10/1991 18:21
Spill Notifier:	Fire Department		
Spill Date:	05/10/1991 17:30		
Cleanup Ceased:	05/13/1991		
Last Inspection:	Not reported		
Cleanup Meets Standard:	True		
Recommended Penalty:	No Penalty		
Spiller Cleanup Date:	Not reported		
Enforcement Date:	Not reported		
Investigation Complete:	Not reported		
UST Involvement:	False		
Spill Record Last Update:	Not reported		
Is Updated:	False		
Corrective Action Plan Submitted:	Not reported		
Date Spill Entered In Computer Data File:	05/13/1991		
Date Region Sent Report To Central Office:	Not reported		

S80
ENE
1/2-1
2679
Higher

GRUMMAN PLANT 11
83 LUDY ST
HICKSVILLE, NY

LUST

S102669470
N/A

LUST:

Spill Number:	9200757	Region of Spill:	1
Facility Contact:	Not reported	Facility Tele:	Not reported
Investigator:	RICE	SWIS:	28
Caller Name:	JOHN OHLMANN	Caller Agency:	GRUMMAN
Caller Phone:	(516) 575-2385	Caller Extension:	Not reported
Notifier Name:	Not reported	Notifier Agency:	Not reported
Notifier Phone:	Not reported	Notifier Extension:	Not reported
Spiller Contact:	Not reported	Spiller Phone:	Not reported
Spiller:	GRUMMAN PLANT 11		
Spiller Address:	Not reported		
	Not reported		
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.		
Spill Closed Dt:	11/05/1992	Resource Affected:	On Land
Spill Cause:	Tank Overfill	Spill Source:	Other Commercial/Industrial
Water Affected:	Not reported	PBS Number:	Not reported
Spill Notifier:	Responsible Party	Reported to Dept:	04/20/1992 16:02
Spill Date:	04/20/1992 15:30		
Cleanup Ceased:	11/05/1992		
Last Inspection:	Not reported		
Cleanup Meets Standard:	True		
Recommended Penalty:	No Penalty		
Spiller Cleanup Date:	Not reported		

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

GRUMMAN PLANT 11 (Continued)

S102669470

Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: False
Spill Record Last Update: 11/09/1992
Is Updated: False
Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 04/22/1992
Date Region Sent Summary to Central Office: Not reported

**S81
ENE
1/2-1
2679
Higher**

**NORTHROP GRUMMAN
SO OYSTER BAY ROAD
BETHPAGE, NY**

**LUST
NY Spills**

**S102096610
N/A**

LUST:

Spill Number: 9413982	Region of Spill: 1
Facility Contact: Not reported	Facility Tele: Not reported
Investigator: MATTHEWS	SWIS: 28
Caller Name: BRIAN MATTHEWS	Caller Agency: DEC
Caller Phone: (516) 444-0331	Caller Extension: Not reported
Notifier Name: Not reported	Notifier Agency: Not reported
Notifier Phone: Not reported	Notifier Extension: Not reported
Spiller Contact: Not reported	Spiller Phone: (516) 575-8176
Spiller: NORTHROP GRUMMAN	
Spiller Address: Not reported	
Spill Class: Known release that creates potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.	
Spill Closed Dt: Not reported	
Spill Cause: Other	Resource Affected: On Land
Water Affected: Not reported	Spill Source: Major Facility 400,000 gallons
Spill Notifier: DEC	PBS Number: Not reported
Spill Date: 01/18/1995 09:00	Reported to Dept: 01/18/1995 09:00
Cleanup Ceased: Not reported	
Last Inspection: Not reported	
Cleanup Meets Standard: False	
Recommended Penalty: No Penalty	
Spiller Cleanup Date: Not reported	
Enforcement Date: Not reported	
Investigation Complete: Not reported	
UST Involvement: False	
Spill Record Last Update: Not reported	
Is Updated: False	
Corrective Action Plan Submitted: Not reported	
Date Spill Entered In Computer Data File: 01/23/1995	
Date Region Sent Summary to Central Office: Not reported	

SPILLS:

Spill Number: 9000535	Region of Spill: 1
Facility Contact: Not reported	Facility Tele: Not reported
Investigator: MANCILLA	
Caller Name: JOHN OHLMANN	Caller Agency: GRUMMAN
Caller Phone: (516) 575-2385	Caller Extension: Not reported
Notifier Name: Not reported	Notifier Agency: Not reported
Notifier Phone: Not reported	Notifier Extension: Not reported
Spiller Contact: Not reported	Spiller Phone: Not reported
SWIS: 28	
Spiller: GRUMMAN CORP	

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

NORTHROP GRUMMAN (Continued)

S102096610

Address Not reported
BETHPAGE, NY 11714
Spill Class: Not reported
Spill Closed Dt: 04/20/1990
Spill Cause: Equipment Failure
Resource Affected: On Land
Water Affected: Not reported
Spill Source: Other Commercial/Industrial
Spill Notifier: Responsible Party
PBS Number: Not reported
Spill Date: 04/17/1990 07:20
Reported to Dept: 04/17/1990 08:15
Cleanup Ceased: 04/20/1990
Last Inspection: Not reported
Cleanup Meets Standard: True
Recommended Penalty: No Penalty
Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: False
Spill Record Last Update: 07/02/1990
Is Updated: False
Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 04/20/1990
Date Region Sent Report To Central Office: Not reported

T82
NW
1/2-1
2681
Higher

BONANZA FABRIC CO
35 KARIN LN
HICKSVILLE, NY

LUST

S102668355
N/A

LUST:

Spill Number: 8800192
Region of Spill: 1
Facility Contact: Not reported
Facility Tele: Not reported
Investigator: NCDH
SWIS: 28
Caller Name: JOHN ECHLER
Caller Agency: NCDH
Caller Phone: (516) 535-2405
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller: BONANZA FABRIC CO
Spiller Address: 35 KARIN LANE
HICKSVILLE, NY
Spill Class: Not reported
Spill Closed Dt: 05/16/1988
Spill Cause: Other
Resource Affected: Groundwater
Water Affected: Not reported
Spill Source: Other Non Commercial/Industrial
Spill Notifier: Health Department
PBS Number: Not reported
Spill Date: 04/06/1988 15:00
Reported to Dept: 04/06/1988 15:45
Cleanup Ceased: 05/16/1988
Last Inspection: Not reported
Cleanup Meets Standard: True
Recommended Penalty: No Penalty
Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: False
Spill Record Last Update: 05/17/1988
Is Updated: False
Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 04/08/1988
Date Region Sent Summary to Central Office: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation

Site

Database(s)

EDR ID Number
 EPA ID Number

83
 SE
 1/2-1
 2733
 Lower

AL ANDRIANO RESIDENCE
 159 12TH ST
 BETHPAGE, NY

LUST

S100492507
 N/A

LUST:

Spill Number:	9213083	Region of Spill:	1
Facility Contact:	Not reported	Facility Tele:	Not reported
Investigator:	NONE	SWIS:	28
Caller Name:	LORI REUTZEL	Caller Agency:	GIFFORDS
Caller Phone:	(516) 576-3000	Caller Extension:	Not reported
Notifier Name:	Not reported	Notifier Agency:	Not reported
Notifier Phone:	Not reported	Notifier Extension:	Not reported
Spiller Contact:	Not reported	Spiller Phone:	Not reported
Spiller:	AL ANDRIANO RESIDENCE		
Spiller Address:	Not reported		
	Not reported		
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.		
Spill Closed Dt:	02/24/1993		
Spill Cause:	Tank Failure	Resource Affected:	On Land
Water Affected:	Not reported	Spill Source:	Private Dwelling
Spill Notifier:	Other	PBS Number:	Not reported
Spill Date:	02/23/1993 12:15	Reported to Dept:	02/23/1993 14:24
Cleanup Ceased:	02/24/1993		
Last Inspection:	Not reported		
Cleanup Meets Standard:	True		
Recommended Penalty:	No Penalty		
Spiller Cleanup Date:	Not reported		
Enforcement Date:	Not reported		
Investigation Complete:	Not reported		
UST Involvement:	False		
Spill Record Last Update:	02/24/1993		
Is Updated:	False		
Corrective Action Plan Submitted:	Not reported		
Date Spill Entered In Computer Data File:	02/24/1993		
Date Region Sent Summary to Central Office:	Not reported		

84
 WNW
 1/2-1
 2771
 Higher

MCALOON RESIDENCE
 9 MINEOLA AVE
 HICKSVILLE, NY

LUST

S102669527
 N/A

LUST:

Spill Number:	9203887	Region of Spill:	1
Facility Contact:	Not reported	Facility Tele:	Not reported
Investigator:	NONE	SWIS:	28
Caller Name:	CHRIS ENGLISH	Caller Agency:	GIFFORDS ENERGY
Caller Phone:	(516) 576-3000	Caller Extension:	Not reported
Notifier Name:	Not reported	Notifier Agency:	Not reported
Notifier Phone:	Not reported	Notifier Extension:	Not reported
Spiller Contact:	Not reported	Spiller Phone:	Not reported
Spiller:	MCALOON RESIDENCE		
Spiller Address:	Not reported		
	Not reported		
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.		
Spill Closed Dt:	07/03/1992		
Spill Cause:	Other	Resource Affected:	On Land

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
 EPA ID Number

MCALOON RESIDENCE (Continued)

S102669527

Water Affected:	Not reported	Spill Source:	Private Dwelling
Spill Notifier:	Responsible Party	PBS Number:	Not reported
Spill Date:	07/03/1992 10:37	Reported to Dept:	07/03/1992 11:32
Cleanup Ceased:	07/03/1992		
Last Inspection:	Not reported		
Cleanup Meets Standard:	True		
Recommended Penalty:	No Penalty		
Spiller Cleanup Date:	Not reported		
Enforcement Date:	Not reported		
Investigation Complete:	Not reported		
UST Involvement:	False		
Spill Record Last Update:	Not reported		
Is Updated:	False		
Corrective Action Plan Submitted:	Not reported		
Date Spill Entered In Computer Data File:	07/06/1992		
Date Region Sent Summary to Central Office:	Not reported		

85
 West
 1/2-1
 2775
 Higher

LILCO
21 CHATHAM CT
HICKSVILLE, NY

NY Spills S102139085
N/A

SPILLS:

Spill Number:	9306865	Region of Spill:	1
Facility Contact:	Not reported	Facility Tele:	Not reported
Investigator:	NONE		
Caller Name:	ADAM YAZLONSKY	Caller Agency:	LILCO
Caller Phone:	(516) 842-9075	Caller Extension:	Not reported
Notifier Name:	Not reported	Notifier Agency:	Not reported
Notifier Phone:	Not reported	Notifier Extension:	Not reported
Spiller Contact:	Not reported	Spiller Phone:	Not reported
SWIS:	28		
Spiller:	LILCO		
Address:	Not reported		
	Not reported		
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.		
Spill Closed Dt:	09/03/1993		
Spill Cause:	Equipment Failure	Resource Affected:	On Land
Water Affected:	Not reported	Spill Source:	Other Commercial/Industrial
Spill Notifier:	Responsible Party	PBS Number:	Not reported
Spill Date:	09/03/1993 16:45	Reported to Dept:	09/03/1993 19:38
Cleanup Ceased:	09/03/1993		
Last Inspection:	Not reported		
Cleanup Meets Standard:	True		
Recommended Penalty:	No Penalty		
Spiller Cleanup Date:	Not reported		
Enforcement Date:	Not reported		
Investigation Complete:	Not reported		
UST Involvement:	False		
Spill Record Last Update:	Not reported		
Is Updated:	False		
Corrective Action Plan Submitted:	Not reported		
Date Spill Entered In Computer Data File:	09/09/1993		
Date Region Sent Report To Central Office:	Not reported		

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation

Site

Database(s)

EDR ID Number
 EPA ID Number

86
 North
 1/2-1
 2791
 Higher

MOBIL OIL
755 S OYSTER BAY RD
BETHPAGE, NY

LUST

S100781305
 N/A

LUST:

Spill Number:	9309724	Region of Spill:	1
Facility Contact:	Not reported	Facility Tele:	Not reported
Investigator:	T/T/F	SWIS:	28
Caller Name:	CHUCK PEZANO	Caller Agency:	CROMPCO
Caller Phone:	(215) 646-3161	Caller Extension:	Not reported
Notifier Name:	Not reported	Notifier Agency:	Not reported
Notifier Phone:	Not reported	Notifier Extension:	Not reported
Spiller Contact:	Not reported	Spiller Phone:	(703) 846-5714
Spiller:	MOBIL OIL CORP		
Spiller Address:	Not reported		
	Not reported		
Spill Class:	No spill occurred. (Not Possible)	Resource Affected:	On Land
Spill Closed Dt:	08/17/1994	Spill Source:	Gas Station
Spill Cause:	Tank Test Failure	PBS Number:	Not reported
Water Affected:	Not reported	Reported to Dept:	11/11/1993 09:54
Spill Notifier:	Tank Tester		
Spill Date:	11/11/1993 08:30		
Cleanup Ceased:	08/17/1994		
Last Inspection:	Not reported		
Cleanup Meets Standard:	True		
Recommended Penalty:	No Penalty		
Spiller Cleanup Date:	Not reported		
Enforcement Date:	Not reported		
Investigation Complete:	Not reported		
UST Involvement:	True		
Spill Record Last Update:	08/18/1994		
Is Updated:	False		
Corrective Action Plan Submitted:	Not reported		
Date Spill Entered in Computer Data File:	11/12/1993		
Date Region Sent Summary to Central Office:	Not reported		

T87
 NW
 1/2-1
 2826
 Higher

VAGELAS INC
COMMERCIAL / NEW SOUTH RD
HICKSVILLE, NY

NY Spills

S102136875
 N/A

SPILLS:

Spill Number:	8603033	Region of Spill:	1
Facility Contact:	Not reported	Facility Tele:	Not reported
Investigator:	Not reported	Caller Agency:	Not reported
Caller Name:	Not reported	Caller Extension:	Not reported
Caller Phone:	Not reported	Notifier Agency:	Not reported
Notifier Name:	Not reported	Notifier Extension:	Not reported
Notifier Phone:	Not reported	Spiller Phone:	Not reported
Spiller Contact:	Not reported		
SWIS:	28		
Spiller:	VAGELAS INC		
Address:	25 BUCKINGHAM PLACE		
	MANHASSET, NY		
Spill Class:	Not reported	Resource Affected:	On Land
Spill Closed Dt:	05/04/1987	Spill Source:	Commercial Vehicle
Spill Cause:	Traffic Accident		
Water Affected:	Not reported		

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

VAGELAS INC (Continued)

S102136875

Spill Notifier: Health Department
Spill Date: 08/06/1986 02:30
Cleanup Ceased: 05/04/1987
Last Inspection: Not reported
Cleanup Meets Standard: True
Recommended Penalty: No Penalty
Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: False
Spill Record Last Update: 11/13/1995
Is Updated: False
Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 08/12/1986
Date Region Sent Report To Central Office: Not reported

T88
NW
1/2-1
2882
Higher

RUCO POLYMER CORP.
NEW SOUTH ROAD
HICKSVILLE, NY 11802

CBS AST
NY Spills S101008268
N/A

SPILLS:

Spill Number: 9607043
Facility Contact: ADAM YABLONSKY
Investigator: UNASSIGNED
Caller Name: ADAM YABLONSKY
Caller Phone: (516) 391-6171
Notifier Name: BOB LOTTEN
Notifier Phone: (516) 545-4016
Spiller Contact: ADAM YABLONSKY
SWIS: 28
Spiller: LILCO
Address: 445 BROADHOLLOW ROAD
MELVILLE, NY
Spill Class: Possible release with minimal potential for fire or hazard or Known release with no damage. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 07/25/1997
Spill Cause: Traffic Accident
Water Affected: Not reported
Spill Notifier: Responsible Party
Spill Date: 09/04/1996 05:20
Cleanup Ceased: Not reported
Last Inspection: Not reported
Cleanup Meets Standard: True
Recommended Penalty: No Penalty
Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: False
Spill Record Last Update: 07/28/1997
Is Updated: False
Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 09/04/1996
Date Region Sent Report To Central Office: Not reported

Region of Spill: 1
Facility Tele: (516) 391-6590
Caller Agency: LILCO
Caller Extension: Not reported
Notifier Agency: LILCO
Notifier Extension: Not reported
Spiller Phone: (516) 391-6171

Resource Affected: On Land
Spill Source: Commercial Vehicle
PBS Number: Not reported
Reported to Dept: 09/04/1996 06:17

CBS AST:

CBS Number: 1-000064

Telephone: (516) 931-8104

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
 EPA ID Number

RUCO POLYMER CORP. (Continued)

S101008268

Owner:	RUCO POLYMER CORP. NEW SOUTH ROAD HICKSVILLE, NY 11802 (516) 931-8104		
Facility Status:	Active	Total Tanks	9
Tank ID:	SL1-2		
Tank Status:	In Service		
Tank Error Status:	No Missing Data		
Tank Location:	Aboveground		
Install Date:	12/75		
Capacity (Gal):	30000		
Tank Type:	Other		
Substance:	Single Hazardous Substance on DEC List		
Extrnl Protection:	Painted/Asphalt Coating		
Intrnl Protection:	None		
Tank Containment:	None		
Pipe Type:	OTHER	Pipe Location:	Aboveground
Pipe Internal:	None		
Pipe External:	None		
Pipe Containment:	None	Haz Percent:	100
Leak Detection:	None		
Overfill Protection:	Not reported		
Chemical:	Not reported		
Acutely Hazardous:	Not reported	Tank Closed:	Not reported
Federal ID:	Not reported	PBS Number:	Not reported
MOSF Number:	Not reported	CAS Number:	124049
SPDES Number:	0-104388	ICS Number:	1-167347
SWIS Code:	2824	Lat/Long:	40145128 / 73130116
Facility Type:	Manufacturing		
Operator:	RUCO POLYMER CORP.	Facility Town:	OYSTER BAY
Emrgncy Contact:	STEPHEN P. BATES	Emrgncy Phone:	(516) 262-0131
Certified Date:	19970519	Expiration Date:	19990512
Owner type:	Corporate/Commercial		
Owner Sub Type:	Not reported		
Mail Name:	RUCO POLYMER CORP.		
Mail Contact:	STEPHEN P. BATES NEW SOUTH ROAD HICKSVILLE, NY 11802 (516) 931-8104		
Mail Phone:	(516) 931-8104		
Tank Secret:	False	Date Entered:	05/12/1989 08:32:24
Last Test:	Not reported	Due Date:	Not reported
DEC Reportable Quantities:	Not reported		
Air Reportable Quantities:	Not reported		
CBS Number:	1-000064	Telephone:	(516) 931-8104
Owner:	RUCO POLYMER CORP. NEW SOUTH ROAD HICKSVILLE, NY 11802 (516) 931-8104		
Facility Status:	Active	Total Tanks	9
Tank ID:	SL3-1		
Tank Status:	Closed-In Place		
Tank Error Status:	No Missing Data		
Tank Location:	Aboveground		
Install Date:	03/65		
Capacity (Gal):	33750		
Tank Type:	Other		

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation

MAP FINDINGS

RUCO POLYMER CORP. (Continued)

EDR ID Number
 EPA ID Number

Database(s)

S101008268

Substance:	Single Hazardous Substance on DEC List		
Extrnl Protection:	Painted/Asphalt Coating		
Intrnl Protection:	Epoxy Liner		
Tank Containment:	None		
Pipe Type:	OTHER	Pipe Location:	Aboveground
Pipe Internal:	None		
Pipe External:	None		
Pipe Containment:	None	Haz Percent:	100
Leak Detection:	None		
Overfill Protection:	Not reported		
Chemical:	Not reported		
Acutely Hazardous:	Not reported	Tank Closed:	00/00
Federal ID:	Not reported	PBS Number:	Not reported
MOSF Number:	Not reported	CAS Number:	124049
SPDES Number:	0-104388	ICS Number:	1-167347
SWIS Code:	2824	Lat/Long:	40I45I28 / 73I30I16
Facility Type:	Manufacturing		
Operator:	RUCO POLYMER CORP.	Facility Town:	OYSTER BAY
Emrgncy Contact:	STEPHEN P. BATES	Emrgncy Phone:	(516) 262-0131
Certified Date:	19970519	Expiration Date:	19990512
Owner type:	Corporate/Commercial		
Owner Sub Type:	Not reported		
Mail Name:	RUCO POLYMER CORP.		
Mail Contact:	STEPHEN P. BATES NEW SOUTH ROAD HICKSVILLE, NY 11802		
Mail Phone:	(516) 931-8104		
Tank Secret:	False	Date Entered:	05/12/1989 08:31:53
Last Test:	Not reported	Due Date:	Not reported
DEC Reportable Quantities:	Not reported		
Air Reportable Quantities:	Not reported		
CBS Number:	1-000064	Telephone:	(516) 931-8104
Owner:	RUCO POLYMER CORP. NEW SOUTH ROAD HICKSVILLE, NY 11802 (516) 931-8104		
Facility Status:	Active		
Tank ID:	SL3-2	Total Tanks	9
Tank Status:	In Service		
Tank Error Status:	No Missing Data		
Tank Location:	Aboveground		
Install Date:	03/65		
Capacity (Gal):	33750		
Tank Type:	Other		
Substance:	Single Hazardous Substance on DEC List		
Extrnl Protection:	Painted/Asphalt Coating		
Intrnl Protection:	Epoxy Liner		
Tank Containment:	None		
Pipe Type:	OTHER	Pipe Location:	Aboveground
Pipe Internal:	None		
Pipe External:	None		
Pipe Containment:	None	Haz Percent:	100
Leak Detection:	None		
Overfill Protection:	Not reported		
Chemical:	Not reported		
Acutely Hazardous:	Not reported	Tank Closed:	Not reported

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
 EPA ID Number

RUCO POLYMER CORP. (Continued)

S101008268

Federal ID:	Not reported	PBS Number:	Not reported
MOSF Number:	Not reported	CAS Number:	124049
SPDES Number:	0-104388	ICS Number:	1-167347
SWIS Code:	2824	Lat/Long:	40I45I28 / 73I30I16
Facility Type:	Manufacturing	Facility Town:	OYSTER BAY
Operator:	RUCO POLYMER CORP.	Emrgncy Phone:	(516) 262-0131
Emrgncy Contact:	STEPHEN P. BATES	Expiration Date:	19990512
Certified Date:	19970519		
Owner type:	Corporate/Commercial		
Owner Sub Type:	Not reported		
Mail Name:	RUCO POLYMER CORP.		
Mail Contact:	STEPHEN P. BATES NEW SOUTH ROAD HICKSVILLE, NY 11802		
Mail Phone:	(516) 931-8104	Date Entered:	05/12/1989 08:32:56
Tank Secret:	False	Due Date:	Not reported
Last Test:	Not reported		
DEC Reportable Quantities:	Not reported		
Air Reportable Quantities:	Not reported		
CBS Number:	1-000064	Telephone:	(516) 931-8104
Owner:	RUCO POLYMER CORP. NEW SOUTH ROAD HICKSVILLE, NY 11802 (516) 931-8104		
Facility Status:	Active	Total Tanks	9
Tank ID:	35A		
Tank Status:	Temp. Out of Service		
Tank Error Status:	No Missing Data		
Tank Location:	Aboveground on crib, rack or cradle		
Install Date:	05/59		
Capacity (Gal):	8000		
Tank Type:	Steel/carbon steel		
Substance:	Single Hazardous Substance on DEC List		
Extrnl Protection:	Painted/Asphalt Coating		
Intrnl Protection:	None		
Tank Containment:	Diking	Pipe Location:	Aboveground
Pipe Type:	STEEL/IRON		
Pipe Internal:	None		
Pipe External:	None		
Pipe Containment:	None	Haz Percent:	100
Leak Detection:	None		
Overfill Protection:	Not reported		
Chemical:	Not reported	Tank Closed:	Not reported
Acutely Hazardous:	Not reported	PBS Number:	Not reported
Federal ID:	Not reported	CAS Number:	78933
MOSF Number:	Not reported	ICS Number:	1-167347
SPDES Number:	0-104388	Lat/Long:	40I45I28 / 73I30I16
SWIS Code:	2824		
Facility Type:	Manufacturing	Facility Town:	OYSTER BAY
Operator:	RUCO POLYMER CORP.	Emrgncy Phone:	(516) 262-0131
Emrgncy Contact:	STEPHEN P. BATES	Expiration Date:	19990512
Certified Date:	19970519		
Owner type:	Corporate/Commercial		
Owner Sub Type:	Not reported		
Mail Name:	RUCO POLYMER CORP.		
Mail Contact:	STEPHEN P. BATES		

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
 EPA ID Number

RUCO POLYMER CORP. (Continued)

S101008268

	NEW SOUTH ROAD HICKSVILLE, NY 11802		
Mail Phone:	(516) 931-8104	Date Entered:	05/12/1989 08:33:34
Tank Secret:	False	Due Date:	Not reported
Last Test:	Not reported		
DEC Reportable Quantities:	Not reported		
Air Reportable Quantities:	Not reported		
CBS Number:	1-000064	Telephone:	(516) 931-8104
Owner:	RUCO POLYMER CORP. NEW SOUTH ROAD HICKSVILLE, NY 11802 (516) 931-8104		
Facility Status:	Active	Total Tanks	9
Tank ID:	37		
Tank Status:	In Service		
Tank Error Status:	No Missing Data		
Tank Location:	Aboveground		
Install Date:	12/83		
Capacity (Gal):	12000		
Tank Type:	Stainless steel alloy		
Substance:	Single Hazardous Substance on DEC List		
Extrnl Protection:	Other		
Intrnl Protection:	None		
Tank Containment:	Diking		
Pipe Type:	STAINLESS STEEL ALLOY	Pipe Location:	Aboveground
Pipe Internal:	None		
Pipe External:	Wrapped (Piping)	Haz Percent:	60
Pipe Containment:	None		
Leak Detection:	None		
Overfill Protection:	Not reported		
Chemical:	Not reported	Tank Closed:	Not reported
Acutely Hazardous:	Not reported	PBS Number:	Not reported
Federal ID:	Not reported	CAS Number:	100425
MOSF Number:	Not reported	ICS Number:	1-167347
SPDES Number:	0-104388	Lat/Long:	40145128 / 73130116
SWIS Code:	2824		
Facility Type:	Manufacturing	Facility Town:	OYSTER BAY
Operator:	RUCO POLYMER CORP.	Emrgncy Phone:	(516) 262-0131
Emrgncy Contact:	STEPHEN P. BATES	Expiration Date:	19990512
Certified Date:	19970519		
Owner type:	Corporate/Commercial		
Owner Sub Type:	Not reported		
Mail Name:	RUCO POLYMER CORP.		
Mail Contact:	STEPHEN P. BATES NEW SOUTH ROAD HICKSVILLE, NY 11802		
Mail Phone:	(516) 931-8104	Date Entered:	05/12/1989 08:34:10
Tank Secret:	False	Due Date:	Not reported
Last Test:	Not reported		
DEC Reportable Quantities:	Not reported		
Air Reportable Quantities:	Not reported		
CBS Number:	1-000064	Telephone:	(516) 931-8104
Owner:	RUCO POLYMER CORP. NEW SOUTH ROAD HICKSVILLE, NY 11802		

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation

MAP FINDINGS

Database(s)
 EDR ID Number
 EPA ID Number

RUCO POLYMER CORP. (Continued)

S101008268

Facility Status:	(516) 931-8104		
Tank ID:	36	Total Tanks	9
Tank Status:	In Service		
Tank Error Status:	No Missing Data		
Tank Location:	Aboveground on crib, rack or cradle		
Install Date:	05/59		
Capacity (Gal):	15000		
Tank Type:	Steel/carbon steel		
Substance:	Single Hazardous Substance on DEC List		
Extrnl Protection:	Painted/Asphalt Coating		
Intrnl Protection:	None		
Tank Containment:	Diking		
Pipe Type:	STEEL/IRON	Pipe Location:	Aboveground
Pipe Internal:	None		
Pipe External:	None		
Pipe Containment:	None	Haz Percent:	100
Leak Detection:	None		
Overfill Protection:	Not reported		
Chemical:	Not reported		
Acutely Hazardous:	Not reported	Tank Closed:	Not reported
Federal ID:	Not reported	PBS Number:	Not reported
MOSF Number:	Not reported	CAS Number:	108883
SPDES Number:	0-104388	ICS Number:	1-167347
SWIS Code:	2824	Lat/Long:	40 45 28 / 73 30 16
Facility Type:	Manufacturing		
Operator:	RUCO POLYMER CORP.	Facility Town:	OYSTER BAY
Emrgncy Contact:	STEPHEN P. BATES	Emrgncy Phone:	(516) 262-0131
Certified Date:	19970519	Expiration Date:	19990512
Owner type:	Corporate/Commercial		
Owner Sub Type:	Not reported		
Mail Name:	RUCO POLYMER CORP.		
Mail Contact:	STEPHEN P. BATES		
	NEW SOUTH ROAD		
	HICKSVILLE, NY 11802		
Mail Phone:	(516) 931-8104		
Tank Secret:	False	Date Entered:	05/12/1989 08:35:03
Last Test:	Not reported	Due Date:	Not reported
DEC Reportable Quantities:	Not reported		
Air Reportable Quantities:	Not reported		
CBS Number:	1-000064	Telephone:	(516) 931-8104
Owner:	RUCO POLYMER CORP.		
	NEW SOUTH ROAD		
	HICKSVILLE, NY 11802		
	(516) 931-8104		
Facility Status:	Active		
Tank ID:	SL3-3	Total Tanks	9
Tank Status:	In Service		
Tank Error Status:	No Missing Data		
Tank Location:	Aboveground		
Install Date:	03/65		
Capacity (Gal):	33750		
Tank Type:	Other		
Substance:	Single Hazardous Substance on DEC List		
Extrnl Protection:	Painted/Asphalt Coating		
Intrnl Protection:	Epoxy Liner		

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
 EPA ID Number

RUCO POLYMER CORP. (Continued)

S101008268

Tank Containment:	None	Pipe Location:	Aboveground
Pipe Type:	OTHER		
Pipe Internal:	None		
Pipe External:	None		
Pipe Containment:	None	Haz Percent:	100
Leak Detection:	None		
Overfill Protection:	Not reported		
Chemical:	Not reported	Tank Closed:	Not reported
Acutely Hazardous:	Not reported	PBS Number:	Not reported
Federal ID:	Not reported	CAS Number:	124049
MOSF Number:	Not reported	ICS Number:	1-167347
SPDES Number:	0-104388	Lat/Long:	40I45I28 / 73I30I16
SWIS Code:	2824		
Facility Type:	Manufacturing	Facility Town:	OYSTER BAY
Operator:	RUCO POLYMER CORP.	Emrgncy Phone:	(516) 262-0131
Emrgncy Contact:	STEPHEN P. BATES	Expiration Date:	19990512
Certified Date:	19970519		
Owner type:	Corporate/Commercial		
Owner Sub Type:	Not reported		
Mail Name:	RUCO POLYMER CORP.		
Mail Contact:	STEPHEN P. BATES		
	NEW SOUTH ROAD		
	HICKSVILLE, NY 11802		
Mail Phone:	(516) 931-8104		
Tank Secret:	False	Date Entered:	05/10/1993 09:05:09
Last Test:	Not reported	Due Date:	Not reported
DEC Reportable Quantities:	Not reported		
Air Reportable Quantities:	Not reported		
CBS Number:	1-000064	Telephone:	(516) 931-8104
Owner:	RUCO POLYMER CORP.		
	NEW SOUTH ROAD		
	HICKSVILLE, NY 11802		
	(516) 931-8104		
Facility Status:	Active		
Tank ID:	SL3-5	Total Tanks	9
Tank Status:	In Service		
Tank Error Status:	No Missing Data		
Tank Location:	Aboveground		
Install Date:	03/65		
Capacity (Gal):	33750		
Tank Type:	Steel/carbon steel		
Substance:	Single Hazardous Substance on DEC List		
Extrnl Protection:	Painted/Asphalt Coating		
Intrnl Protection:	Epoxy Liner		
Tank Containment:	None	Pipe Location:	Aboveground
Pipe Type:	OTHER		
Pipe Internal:	None		
Pipe External:	None		
Pipe Containment:	None	Haz Percent:	100
Leak Detection:	None		
Overfill Protection:	Not reported		
Chemical:	Not reported	Tank Closed:	Not reported
Acutely Hazardous:	Not reported	PBS Number:	Not reported
Federal ID:	Not reported	CAS Number:	124049
MOSF Number:	Not reported	ICS Number:	1-167347
SPDES Number:	0-104388		

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
 EPA ID Number

RUCO POLYMER CORP. (Continued)

S101008268

SWIS Code:	2824	Lat/Long:	40145128 / 73130116
Facility Type:	Manufacturing	Facility Town:	OYSTER BAY
Operator:	RUCO POLYMER CORP.	Emrgncy Phone:	(516) 262-0131
Emrgncy Contact:	STEPHEN P. BATES	Expiration Date:	19990512
Certified Date:	19970519		
Owner type:	Corporate/Commercial		
Owner Sub Type:	Not reported		
Mail Name:	RUCO POLYMER CORP.		
Mail Contact:	STEPHEN P. BATES		
	NEW SOUTH ROAD		
	HICKSVILLE, NY 11802		
Mail Phone:	(516) 931-8104	Date Entered:	05/10/1993 09:05:29
Tank Secret:	False	Due Date:	Not reported
Last Test:	Not reported		
DEC Reportable Quantities:	Not reported		
Air Reportable Quantities:	Not reported		
CBS Number:	1-000064	Telephone:	(516) 931-8104
Owner:	RUCO POLYMER CORP.		
	NEW SOUTH ROAD		
	HICKSVILLE, NY 11802		
	(516) 931-8104		
Facility Status:	Active	Total Tanks	9
Tank ID:	33		
Tank Status:	In Service		
Tank Error Status:	No Missing Data		
Tank Location:	Aboveground on crib, rack or cradle		
Install Date:	05/59		
Capacity (Gal):	25000		
Tank Type:	Steel/carbon steel		
Substance:	Single Hazardous Substance on DEC List		
Extrnl Protection:	Painted/Asphalt Coating		
Intrnl Protection:	None		
Tank Containment:	Vault (w/access)	Pipe Location:	Aboveground
Pipe Type:	STAINLESS STEEL ALLOY		
Pipe Internal:	None		
Pipe External:	None	Haz Percent:	100
Pipe Containment:	None		
Leak Detection:	None		
Overfill Protection:	Not reported		
Chemical:	Not reported	Tank Closed:	Not reported
Acutely Hazardous:	Not reported	PBS Number:	Not reported
Federal ID:	Not reported	CAS Number:	107211
MOSF Number:	Not reported	ICS Number:	1-167347
SPDES Number:	0-104388	Lat/Long:	40145128 / 73130116
SWIS Code:	2824		
Facility Type:	Manufacturing	Facility Town:	OYSTER BAY
Operator:	RUCO POLYMER CORP.	Emrgncy Phone:	(516) 262-0131
Emrgncy Contact:	STEPHEN P. BATES	Expiration Date:	19990512
Certified Date:	19970519		
Owner type:	Corporate/Commercial		
Owner Sub Type:	Not reported		
Mail Name:	RUCO POLYMER CORP.		
Mail Contact:	STEPHEN P. BATES		
	NEW SOUTH ROAD		
	HICKSVILLE, NY 11802		
Mail Phone:	(516) 931-8104		

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
 EPA ID Number

RUCO POLYMER CORP. (Continued)

S101008268

Tank Secret:	False	Date Entered:	05/12/1995 08:00:30
Last Test:	Not reported	Due Date:	Not reported
DEC Reportable Quantities:	Not reported		
Air Reportable Quantities:	Not reported		
CBS Number:	1-000064	Telephone:	(516) 931-8104
Owner:	RUCO POLYMER CORP. NEW SOUTH ROAD HICKSVILLE, NY 11802 (516) 931-8104		
Facility Status:	Active	Total Tanks	9
Tank ID:	32		
Tank Status:	In Service		
Tank Error Status:	No Missing Data		
Tank Location:	Aboveground on crib, rack or cradle		
Install Date:	05/95		
Capacity (Gal):	20000		
Tank Type:	Steel/carbon steel		
Substance:	Single Hazardous Substance on DEC List		
Extrnl Protection:	Painted/Asphalt Coating		
Intrnl Protection:	None		
Tank Containment:	Vault (w/access)	Pipe Location:	Aboveground
Pipe Type:	STAINLESS STEEL ALLOY		
Pipe Internal:	None		
Pipe External:	None	Haz Percent:	100
Pipe Containment:	None		
Leak Detection:	None		
Overfill Protection:	Not reported		
Chemical:	Not reported	Tank Closed:	Not reported
Acutely Hazardous:	Not reported	PBS Number:	Not reported
Federal ID:	Not reported	CAS Number:	107211
MOSF Number:	Not reported	ICS Number:	1-167347
SPDES Number:	0-104388	Lat/Long:	40I45I28 / 73I30I16
SWIS Code:	2824		
Facility Type:	Manufacturing	Facility Town:	OYSTER BAY
Operator:	RUCO POLYMER CORP.	Emrgncy Phone:	(516) 262-0131
Emrgncy Contact:	STEPHEN P. BATES	Expiration Date:	19990512
Certified Date:	19970519		
Owner type:	Corporate/Commercial		
Owner Sub Type:	Not reported		
Mail Name:	RUCO POLYMER CORP.		
Mail Contact:	STEPHEN P. BATES NEW SOUTH ROAD HICKSVILLE, NY 11802		
Mail Phone:	(516) 931-8104	Date Entered:	09/12/1995 08:23:10
Tank Secret:	False	Due Date:	Not reported
Last Test:	Not reported		
DEC Reportable Quantities:	Not reported		
Air Reportable Quantities:	Not reported		

89
 NNW
 1/2-1
 2899
 Higher

ZIMMER RESIDENCE
33 TUDOR RD
HICKSVILLE, NY

NY Spills S102136207
N/A

SPILLS:

Spill Number:	9202686	Region of Spill:	1
Facility Contact:	Not reported	Facility Tele:	(516) 935-0210

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

ZIMMER RESIDENCE (Continued)

S102136207

Investigator: NONE
Caller Name: RICH PEARSON
Caller Phone: (516) 576-3000
Notifier Name: Not reported
Notifier Phone: Not reported
Spiller Contact: Not reported
SWIS: 28
Spiller: ZIMMER RES
Address: Not reported
Not reported
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 06/05/1992
Spill Cause: Equipment Failure
Water Affected: Not reported
Spill Notifier: Other
Spill Date: 06/04/1992 10:40
Cleanup Ceased: 06/05/1992
Last Inspection: Not reported
Cleanup Meets Standard: True
Recommended Penalty: No Penalty
Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: False
Spill Record Last Update: Not reported
Is Updated: False
Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 06/08/1992
Date Region Sent Report To Central Office: Not reported
Caller Agency: GIFFORDS OIL
Caller Extension: Not reported
Notifier Agency: Not reported
Notifier Extension: Not reported
Spiller Phone: Not reported
Resource Affected: On Land
Spill Source: Private Dwelling
PBS Number: Not reported
Reported to Dept: 06/04/1992 17:03

U90
South
1/2-1
2937
Lower

TBG COGEN PARTNERS
939 S BROADWAY
HICKSVILLE, NY 11801

CBS AST S102137719
MOSF AST N/A
NY Spills
AST

SPILLS:

Spill Number: 8807458
Facility Contact: Not reported
Investigator: MIRZA
Caller Name: DAVID COLLINS
Caller Phone: (516) 349-0418
Notifier Name: Not reported
Notifier Phone: Not reported
Spiller Contact: Not reported
SWIS: 28
Spiller: GENERAL ELECTRIC
Address: Not reported
Not reported
Spill Class: Not reported
Spill Closed Dt: 12/31/1988
Spill Cause: Equipment Failure
Water Affected: Not reported
Spill Notifier: Responsible Party
Spill Date: 12/09/1988 10:30
Cleanup Ceased: 12/31/1988
Last Inspection: Not reported
Cleanup Meets Standard: True
Region of Spill: 1
Facility Tele: Not reported
Caller Agency: GENERAL ELECTRIC
Caller Extension: Not reported
Notifier Agency: Not reported
Notifier Extension: Not reported
Spiller Phone: Not reported
Resource Affected: On Land
Spill Source: Other Commercial/Industrial
PBS Number: Not reported
Reported to Dept: 12/09/1988 10:55

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
 EPA ID Number

TBG COGEN PARTNERS (Continued)

S102137719

Recommended Penalty: No Penalty
 Spiller Cleanup Date: Not reported
 Enforcement Date: Not reported
 Investigation Complete: Not reported
 UST Involvement: False
 Spill Record Last Update: 01/03/1989
 Is Updated: False
 Corrective Action Plan Submitted: Not reported
 Date Spill Entered In Computer Data File: 12/13/1988
 Date Region Sent Report To Central Office: Not reported

CBS AST:

CBS Number: 1-000129 Telephone: (516) 349-8340
 Owner: TBG COGEN PARTNERS
 939 SOUTH BROADWAY
 HICKSVILLE, NY 11801
 (516) 349-8340

Facility Status: Active
 Tank ID: 11 Total Tanks 2

Tank Status: In Service
 Tank Error Status: No Missing Data
 Tank Location: Aboveground
 Install Date: 05/89
 Capacity (Gal): 2000
 Tank Type: Steel/carbon steel
 Substance: Single Hazardous Substance on DEC List

Extrnl Protection: Painted/Asphalt Coating
 Intrnl Protection: None
 Tank Containment: Diking
 Pipe Type: STEEL/IRON Pipe Location: Aboveground

Pipe Internal: None
 Pipe External: Painted/Asphalt Coating
 Pipe Containment: Diking Haz Percent: 93
 Leak Detection: Other
 Overfill Protection: 4/4

Chemical: Not reported
 Acutely Hazardous: Not reported Tank Closed: Not reported
 Federal ID: Not reported PBS Number: Not reported
 MOSF Number: 1-3280 CAS Number: 1310732
 SPDES Number: Not reported ICS Number: 1-700334
 SWIS Code: 2824 Lat/Long: 40|44|49 / 73|29|58

Facility Type: Other
 Operator: TODD NASS Facility Town: OYSTER BAY
 Emrgncy Contact: TODD NASS Emrgncy Phone: (516) 349-8340
 Certified Date: 19970410 Expiration Date: 19990627

Owner type: Corporate/Commercial
 Owner Sub Type: Not reported
 Mail Name: TBG COGEN PARTNERS
 Mail Contact: JOHN SASSO
 939 SOUTH BROADWAY
 HICKSVILLE, NY 11801

Mail Phone: (516) 349-8340
 Tank Secret: False Date Entered: 06/27/1989 10:00:23
 Last Test: Not reported Due Date: Not reported
 DEC Reportable Quantities: Not reported
 Air Reportable Quantities: Not reported

CBS Number: 1-000129 Telephone: (516) 349-8340

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
 EPA ID Number

TBG COGEN PARTNERS (Continued)

S102137719

Owner:	TBG COGEN PARTNERS 939 SOUTH BROADWAY HICKSVILLE, NY 11801 (516) 349-8340		
Facility Status:	Active	Total Tanks	2
Tank ID:	12		
Tank Status:	In Service		
Tank Error Status:	No Missing Data		
Tank Location:	Aboveground		
Install Date:	05/89		
Capacity (Gal):	2000		
Tank Type:	Steel/carbon steel		
Substance:	Single Hazardous Substance on DEC List		
Extrnl Protection:	Jacketed		
Intrnl Protection:	None		
Tank Containment:	Diking	Pipe Location:	Aboveground
Pipe Type:	STEEL/IRON		
Pipe Internal:	None		
Pipe External:	Painted/Asphalt Coating	Haz Percent:	50
Pipe Containment:	Diking		
Leak Detection:	Other		
Overfill Protection:	4/4		
Chemical:	Not reported	Tank Closed:	Not reported
Acutely Hazardous:	Not reported	PBS Number:	Not reported
Federal ID:	Not reported	CAS Number:	7664939
MOSF Number:	1-3280	ICS Number:	1-700334
SPDES Number:	Not reported	Lat/Long:	40144149 / 73129158
SWIS Code:	2824		
Facility Type:	Other	Facility Town:	OYSTER BAY
Operator:	TODD NASS	Emrgncy Phone:	(516) 349-8340
Emrgncy Contact:	TODD NASS	Expiration Date:	19990627
Certified Date:	19970410		
Owner type:	Corporate/Commercial		
Owner Sub Type:	Not reported		
Mail Name:	TBG COGEN PARTNERS		
Mail Contact:	JOHN SASSO 939 SOUTH BROADWAY HICKSVILLE, NY 11801 (516) 349-8340		
Mail Phone:	(516) 349-8340	Date Entered:	06/27/1989 10:00:03
Tank Secret:	False	Due Date:	Not reported
Last Test:	Not reported		
DEC Reportable Quantities:	Not reported		
Air Reportable Quantities:	Not reported		
MOSF AST:		Telephone:	(516) 349-8340
MOSF Number:	1-3280		
Facility Type:	Other		
Facility Status:	ACTIVE FACILITY		
Owner:	TBG COGEN PARTNERS 939 S BROADWAY HICKSVILLE, NY 11801 (516) 349-8340		
Owner Tel:	(516) 349-8340	Tank ID:	7AG
Owner Type:	Corporate/Commercial	Daily Throughput	0 Gal(s)
Tank Status:	In Service		
Total Tanks:	7AG	Total Capacity:	500000
Tank Location:	Aboveground on crib, rack or cradle		
Install Date:	12/88		
Tank Type:	Steel/carbon steel		

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation

MAP FINDINGS

Database(s)
 EDR ID Number
 EPA ID Number

TBG COGEN PARTNERS (Continued)

S102137719

Tank External:	10		
Tank Internal:	None		
Product:	Nos. 1, 2, or 4 Fuel Oil	Capacity (gal):	500000
Status of Data:	Complete		
Pipe Location:	Aboveground	Pipe Type:	STEEL/IRON
Pipe Internal:	None	Dispenser:	Suction
Pipe External:	10		
Second Contain:	Prefabricated Steel Dike		
Leak Detection:	35		
Overfill Protection:	24		
Test Date:	11/97	Date Closed:	Not reported
Dispensing Mthd:	Suction		
SWIS Code:	28	Facility Town:	OYSTER BAY
Mailing Name:	TBG COGEN PARTNERS 939 S BROADWAY HICKSVILLE, NY 11801		
Mailing Contact:	JOHN SASSO		
Mailing Phone:	(516) 349-8340		
Legal Agent:	TBG COGEN PARTNERS 939 S BROADWAY HICKSVILLE, NY 11801		
Date Legal Agent Filed with Secretary of State:	Not reported		
Name of Emergency Contact:	JOHN SASSO		
Emergency Contact Telephone:	(516) 349-8340		
Chemical Bulk Storage Number:	1-000129		
Pollution Discharge Elimination System Num:	0-096792		
License Status:	License Issued		
Date License Application Received:	02/25/1998		
Date License Issued:	03/31/1998		
Date License Expires or Expired:	03/31/1903		
Product Transfer Operation:	Tank Truck		
Operator Name:	JOHN SASSO		
Lat/Long:	40 44 49 / 73 29 58		
CBS AST:			
CBS Number:	1-000129	Telephone:	(516) 349-8340
Owner:	TBG COGEN PARTNERS 939 SOUTH BROADWAY HICKSVILLE, NY 11801 (516) 349-8340		
Facility Status:	Active		
Tank ID:	11	Total Tanks	2
Tank Status:	In Service		
Tank Error Status:	No Missing Data		
Tank Location:	Aboveground		
Install Date:	05/89		
Capacity (Gal):	2000		
Tank Type:	Steel/carbon steel		
Substance:	Single Hazardous Substance on DEC List		
Extrnl Protection:	Painted/Asphalt Coating		
Intrnl Protection:	None		
Tank Containment:	Diking		
Pipe Type:	STEEL/IRON	Pipe Location:	Aboveground
Pipe Internal:	None		
Pipe External:	Painted/Asphalt Coating		
Pipe Containment:	Diking	Haz Percent:	93
Leak Detection:	Other		
Overfill Protection:	4/4		

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation

MAP FINDINGS

TBG COGEN PARTNERS (Continued)

EDR ID Number
 EPA ID Number

Database(s)

S102137719

Chemical:	Not reported	Tank Closed:	Not reported
Acutely Hazardous:	Not reported	PBS Number:	Not reported
Federal ID:	Not reported	CAS Number:	1310732
MOSF Number:	1-3280	ICS Number:	1-700334
SPDES Number:	Not reported	Lat/Long:	40144149 / 73129158
SWIS Code:	2824	Facility Town:	OYSTER BAY
Facility Type:	Other	Emrgncy Phone:	(516) 349-8340
Operator:	TODD NASS	Expiration Date:	19990627
Emrgncy Contact:	TODD NASS		
Certified Date:	19970410		
Owner type:	Corporate/Commercial		
Owner Sub Type:	Not reported		
Mail Name:	TBG COGEN PARTNERS		
Mail Contact:	JOHN SASSO		
	939 SOUTH BROADWAY		
	HICKSVILLE, NY 11801		
Mail Phone:	(516) 349-8340	Date Entered:	06/27/1989 10:00:23
Tank Secret:	False	Due Date:	Not reported
Last Test:	Not reported		
DEC Reportable Quantities:	Not reported		
Air Reportable Quantities:	Not reported		
		Telephone:	(516) 349-8340
CBS Number:	1-000129		
Owner:	TBG COGEN PARTNERS		
	939 SOUTH BROADWAY		
	HICKSVILLE, NY 11801		
	(516) 349-8340		
Facility Status:	Active	Total Tanks	2
Tank ID:	12		
Tank Status:	In Service		
Tank Error Status:	No Missing Data		
Tank Location:	Aboveground		
Install Date:	05/89		
Capacity (Gal):	2000		
Tank Type:	Steel/carbon steel		
Substance:	Single Hazardous Substance on DEC List		
Extrnl Protection:	Jacketed		
Intrnl Protection:	None		
Tank Containment:	Diking	Pipe Location:	Aboveground
Pipe Type:	STEEL/IRON		
Pipe Internal:	None		
Pipe External:	Painted/Asphalt Coating		
Pipe Containment:	Diking	Haz Percent:	50
Leak Detection:	Other		
Overfill Protection:	4/4		
Chemical:	Not reported	Tank Closed:	Not reported
Acutely Hazardous:	Not reported	PBS Number:	Not reported
Federal ID:	Not reported	CAS Number:	7664939
MOSF Number:	1-3280	ICS Number:	1-700334
SPDES Number:	Not reported	Lat/Long:	40144149 / 73129158
SWIS Code:	2824	Facility Town:	OYSTER BAY
Facility Type:	Other	Emrgncy Phone:	(516) 349-8340
Operator:	TODD NASS	Expiration Date:	19990627
Emrgncy Contact:	TODD NASS		
Certified Date:	19970410		
Owner type:	Corporate/Commercial		
Owner Sub Type:	Not reported		

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

TBG COGEN PARTNERS (Continued)

S102137719

Mail Name: TBG COGEN PARTNERS
Mail Contact: JOHN SASSO
939 SOUTH BROADWAY
HICKSVILLE, NY 11801
Mail Phone: (516) 349-8340
Tank Secret: False
Last Test: Not reported
DEC Reportable Quantities: Not reported
Air Reportable Quantities: Not reported

Date Entered: 06/27/1989 10:00:03
Due Date: Not reported

MOSF AST:

MOSF Number: 1-3280
Facility Type: Other
Facility Status: ACTIVE FACILITY
Owner: TBG COGEN PARTNERS
939 S BROADWAY
HICKSVILLE, NY 11801

Telephone: (516) 349-8340

Owner Tel: (516) 349-8340
Owner Type: Corporate/Commercial

Tank Status: In Service
Total Tanks: 7AG
Tank Location: Aboveground on crib, rack or cradle
Install Date: 12/88
Tank Type: Steel/carbon steel
Tank External: 10
Tank Internal: None

Tank ID: 7AG
Daily Throughput 0 Gal(s)

Product: Nos. 1, 2, or 4 Fuel Oil
Status of Data: Complete
Pipe Location: Aboveground
Pipe Internal: None
Pipe External: 10
Second Contain: Prefabricated Steel Dike

Total Capacity: 500000

Leak Detection: 35
Overfill Protection: 24
Test Date: 11/97
Dispensing Mthd: Suction
SWIS Code: 28

Capacity (gal): 500000

Pipe Type: STEEL/IRON
Dispenser: Suction

Mailing Name: TBG COGEN PARTNERS
939 S BROADWAY
HICKSVILLE, NY 11801
Mailing Contact: JOHN SASSO
Mailing Phone: (516) 349-8340
Legal Agent: TBG COGEN PARTNERS
939 S BROADWAY
HICKSVILLE, NY 11801

Date Closed: Not reported

Facility Town: OYSTER BAY

Date Legal Agent Filed with Secretary of State: Not reported
Name of Emergency Contact: JOHN SASSO
Emergency Contact Telephone: (516) 349-8340
Chemical Bulk Storage Number: 1-000129
Pollution Discharge Elimination System Num: 0-096792
License Status: License Issued
Date License Application Received: 02/25/1998
Date License Issued: 03/31/1998
Date License Expires or Expired: 03/31/1903
Product Transfer Operation: Tank Truck
Operator Name: JOHN SASSO
Lat/Long: 40|44|49 / 73|29|58

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
 EPA ID Number

TBG COGEN PARTNERS (Continued)

S102137719

Nassau County AST:

Facility ID: 001217
 Tank Location: Outdoors, Aboveground
 Tank Status: In Service
 Int Protection: None
 Ext Protection: PAINTED [e.g. asphaltic]
 Piping Type: Other
 Description: SODIUM HYDROXIDE
 Leak Detect: OTHER
 Dispense Method: Gravity
 Fill Type: Pumped
 Total Tanks: 8

Tank ID: 0011
 Capacity (Gal): 2000
 Tank Material: STEEL

Material Type: Fresh/Product
 Containment: DIKING AND PAD
 Product Gauge: Yes
 Install Date: 04/92

Facility ID: 001217
 Tank Location: Outdoors, Aboveground
 Tank Status: In Service
 Int Protection: None
 Ext Protection: PAINTED [e.g. asphaltic]
 Piping Type: Other
 Description: SULPHURIC ACID
 Leak Detect: OTHER
 Dispense Method: Gravity
 Fill Type: Pumped
 Total Tanks: 8

Tank ID: 0012
 Capacity (Gal): 2000
 Tank Material: STEEL

Material Type: Fresh/Product
 Containment: DIKING AND PAD
 Product Gauge: Yes
 Install Date: 04/92

Facility ID: 001217
 Tank Location: Indoors, Aboveground
 Tank Status: In Service
 Int Protection: None
 Ext Protection: NONE
 Piping Type: Steel/Iron
 Description: ERYTHORBIC ACID
 Leak Detect: OTHER
 Dispense Method: Submersible
 Fill Type: Pumped
 Total Tanks: 8

Tank ID: 0051
 Capacity (Gal): 400
 Tank Material: STEEL

Material Type: Fresh/Product
 Containment: DIKING AND PAD
 Product Gauge: Yes
 Install Date: 04/92

Facility ID: 001217
 Tank Location: Indoors, Aboveground
 Tank Status: In Service
 Int Protection: None
 Ext Protection: NONE
 Piping Type: Steel/Iron
 Description: SODIUM HYDROXIDE
 Leak Detect: OTHER
 Dispense Method: Submersible
 Fill Type: Pumped
 Total Tanks: 8

Tank ID: 0052
 Capacity (Gal): 75
 Tank Material: STEEL

Material Type: Fresh/Product
 Containment: DIKING AND PAD
 Product Gauge: Yes
 Install Date: 04/92

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
 EPA ID Number

TBG COGEN PARTNERS (Continued)

S102137719

Facility ID:	001217	Tank ID:	0053
Tank Location:	Indoors, Aboveground	Capacity (Gal):	75
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Steel/Iron	Material Type:	Fresh/Product
Description:	SODIUM TRIPOLYPHOSPHATE		
Leak Detect:	OTHER	Containment:	DIKING AND PAD
Dispense Method:	Submersible	Product Gauge:	Yes
Fill Type:	Pumped	Install Date:	04/92
Total Tanks:	8		
Facility ID:	001217	Tank ID:	0054
Tank Location:	Indoors, Aboveground	Capacity (Gal):	75
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Steel/Iron	Material Type:	Fresh/Product
Description:	SODIUM TRIPOLYPHOSPHATE		
Leak Detect:	OTHER	Containment:	DIKING AND PAD
Dispense Method:	Submersible	Product Gauge:	Yes
Fill Type:	Pumped	Install Date:	04/92
Total Tanks:	8		
Facility ID:	001217	Tank ID:	0055
Tank Location:	Indoors, Aboveground	Capacity (Gal):	100
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	NONE		
Piping Type:	Steel/Iron	Material Type:	Fresh/Product
Description:	SODIUM HYDROXIDE		
Leak Detect:	OTHER	Containment:	DIKING AND PAD
Dispense Method:	Submersible	Product Gauge:	Yes
Fill Type:	Pumped	Install Date:	04/92
Total Tanks:	8		
Facility ID:	001217	Tank ID:	0073
Tank Location:	Indoors, Aboveground	Capacity (Gal):	300
Tank Status:	In Service	Tank Material:	STEEL
Int Protection:	None		
Ext Protection:	FIBERGLASS REINFORCED PLASTIC		
Piping Type:	Steel/Iron	Material Type:	Waste
Description:	PCB CONTAMINATED MATERIALS		
Leak Detect:	OTHER	Containment:	DIKING AND PAD
Dispense Method:	Suction	Product Gauge:	Yes
Fill Type:	Pumped	Install Date:	05/94
Total Tanks:	8		

U91
 South
 1/2-1
 2937
 Lower

TBG CO GEN PARTNERS
939 S BROADWAY
HICKSVILLE, NY

NY Spills

S102136332
N/A

SPILLS:

Spill Number: 9205267
 Facility Contact: Not reported
 Investigator: CAMPBELL

Region of Spill: 1
 Facility Tele: Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

TBG CO GEN PARTNERS (Continued)

S102136332

Caller Name: ANTHONY LIGATO
Caller Phone: (516) 349-8340
Notifier Name: Not reported
Notifier Phone: Not reported
Spiller Contact: Not reported
SWIS: 28
Spiller: TBG CO GEN PARTNERS
Address: 939 SO BROADWAY
HICKSVILLE, NY
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 03/18/1993
Spill Cause: Equipment Failure
Water Affected: Not reported
Spill Notifier: Responsible Party
Spill Date: 08/07/1992 07:30
Cleanup Ceased: 03/18/1993
Last Inspection: Not reported
Cleanup Meets Standard: True
Recommended Penalty: No Penalty
Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: False
Spill Record Last Update: 03/19/1993
Is Updated: False
Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 08/10/1992
Date Region Sent Report To Central Office: Not reported
Caller Agency: TBG
Caller Extension: Not reported
Notifier Agency: Not reported
Notifier Extension: Not reported
Spiller Phone: Not reported
Resource Affected: On Land
Spill Source: Other Commercial/Industrial
PBS Number: Not reported
Reported to Dept: 08/07/1992 11:30

92
NNE
1/2-1
2942
Higher

**FORMER HQ FOR GRUMMAN COR
STEWART AVE - BLDG #111
BETHPAGE, NY**

**NY Spills S102446226
N/A**

SPILLS:

Spill Number: 9609499
Facility Contact: JOHN OHLMANN
Investigator: PARISH
Caller Name: JOHN OHLMANN
Caller Phone: (516) 575-2385
Notifier Name: JOHN OHLMANN
Notifier Phone: (516) 575-2385
Spiller Contact: JOHN OHLMANN
SWIS: 28
Spiller: FORMER HQ FOR GRUMMAN COR
Address: STEWART AVE - BLDG #111
BETHPAGE, NY
Spill Class: Known release that creates potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 08/28/1997
Spill Cause: Equipment Failure
Water Affected: Not reported
Spill Notifier: Responsible Party
Spill Date: 10/19/1996 12:00
Cleanup Ceased: Not reported
Last Inspection: Not reported
Cleanup Meets Standard: True
Region of Spill: 1
Facility Tele: (516) 575-2385
Caller Agency: NORTHUP GRUMMAN CORP
Caller Extension: Not reported
Notifier Agency: NORTHUP GRUMMAN CORP
Notifier Extension: Not reported
Spiller Phone: (516) 575-2385
Resource Affected: Groundwater
Spill Source: Other Commercial/Industrial
PBS Number: Not reported
Reported to Dept: 10/29/1996 09:00

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

FORMER HQ FOR GRUMMAN COR (Continued)

S102446226

Recommended Penalty: No Penalty
Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: False
Spill Record Last Update: 08/29/1997
Is Updated: False
Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 10/29/1996
Date Region Sent Report To Central Office: Not reported

**V93
SSW
1/2-1
2958
Higher**

**BRACO SUPPLY CO
85 BLOOMINGDALE RD
HICKSVILLE, NY**

NY Spills

**S102139767
N/A**

SPILLS:

Spill Number: 9405569 Region of Spill: 1
Facility Contact: Not reported Facility Tele: (908) 382-3400
Investigator: DEROSA
Caller Name: DOUG SCHRIMPF Caller Agency: DIRECT ENV
Caller Phone: (516) 253-0900 Caller Extension: Not reported
Notifier Name: Not reported Notifier Agency: Not reported
Notifier Phone: Not reported Notifier Extension: Not reported
Spiller Contact: Not reported Spiller Phone: Not reported
SWIS: 28
Spiller: BRACO SUPPLY CO
Address: 13 PRODUCTION WAY
AVENEL, NJ
Spill Class: Known release that creates potential for fire or hazard. DEC Response.
Unknown Responsible Party. Corrective action taken. (ISR)
Spill Closed Dt: 09/19/1994
Spill Cause: Equipment Failure Resource Affected: Groundwater
Water Affected: Not reported Spill Source: Other Commercial/Industrial
Spill Notifier: Other PBS Number: Not reported
Spill Date: 07/11/1994 12:00 Reported to Dept: 07/25/1994 10:59
Cleanup Ceased: 09/19/1994
Last Inspection: Not reported
Cleanup Meets Standard: True
Recommended Penalty: No Penalty
Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: False
Spill Record Last Update: 09/20/1994
Is Updated: False
Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 07/26/1994
Date Region Sent Report To Central Office: Not reported

**V94
SSW
1/2-1
2958
Higher**

**BRADCO SUPPLY CORP.
85 BLOOMINGDALE RD
HICKSVILLE, NY**

**UST
LUST**

**U003377280
N/A**

LUST:

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

MAP FINDINGS

Database(s)
 EDR ID Number
 EPA ID Number

BRADCO SUPPLY CORP. (Continued)

U003377280

Spill Number:	9602166	Region of Spill:	1
Facility Contact:	Not reported	Facility Tele:	Not reported
Investigator:	RKS	SWIS:	28
Caller Name:	KEN DRAKE	Caller Agency:	GROUNDWATER & ENV SERVICE
Caller Phone:	(908) 919-0100	Caller Extension:	Not reported
Notifier Name:	KEN DRAKE	Notifier Agency:	GROUNDWATER & ENV SERVICE
Notifier Phone:	(908) 919-0100	Notifier Extension:	Not reported
Spiller Contact:	MIKE WEINBERGER	Spiller Phone:	(908) 382-3400
Spiller:	BRADCO		
Spiller Address:	13 PRODUCTION WAY, BOX 67 AVENEL, NY 07001		
Spill Class:	Known release that creates potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.		
Spill Closed Dt:	06/17/1996		
Spill Cause:	Other	Resource Affected:	On Land
Water Affected:	Not reported	Spill Source:	Other Commercial/Industrial
Spill Notifier:	Other	PBS Number:	Not reported
Spill Date:	05/09/1996 12:00	Reported to Dept:	05/14/1996 16:15
Cleanup Ceased:	Not reported		
Last Inspection:	Not reported		
Cleanup Meets Standard:	True		
Recommended Penalty:	No Penalty		
Spiller Cleanup Date:	Not reported		
Enforcement Date:	Not reported		
Investigation Complete:	Not reported		
UST Involvement:	False		
Spill Record Last Update:	06/18/1996		
Is Updated:	False		
Corrective Action Plan Submitted:	Not reported		
Date Spill Entered In Computer Data File:	05/15/1996		
Date Region Sent Summary to Central Office:	Not reported		

Nassau County UST:

Facility ID:	054058	Tank ID:	0002
Tank Location:	Indoors, Belowground	Capacity:	00004000
Tank Status:	In Service	Tank Material:	Fiberglass Reinforced Plastic
Piping Type:	Other	Material Type:	Fresh/Product
Int Protection:	None		
Ext Protection:	FIBERGLASS REINFORCED PLASTIC		
Description:	OIL, FUEL #2		
Leak Detect:	ELECTRONIC	Containment:	DOUBLE WALL TANK
Dispense Method:	Suction	Product Gauge:	Yes
Fill Type:	Pumped	Install Date:	1089

V95
 SSW
 1/2-1
 2966
 Higher

**RYDER TRUCK RENTAL
 71 BLOOMINGDALE RD
 BETHPAGE, NY**

**NY Spills S102094802
 N/A**

SPILLS:

Spill Number:	8710747	Region of Spill:	1
Facility Contact:	Not reported	Facility Tele:	Not reported
Investigator:	GOERTZ		
Caller Name:	R.MAGEE	Caller Agency:	NCFM
Caller Phone:	(516) 566-5818	Caller Extension:	Not reported
Notifier Name:	Not reported	Notifier Agency:	Not reported
Notifier Phone:	Not reported	Notifier Extension:	Not reported
Spiller Contact:	Not reported	Spiller Phone:	Not reported

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
 EPA ID Number

RYDER TRUCK RENTAL (Continued)

S102094802

SWIS: 28
 Spiller: RYDER TRUCK RENTAL
 Address: Not reported
 Spill Class: Not reported
 Spill Closed Dt: 03/25/1988
 Spill Cause: Equipment Failure
 Water Affected: Not reported
 Spill Notifier: Fire Department
 Spill Date: 03/24/1988 14:00
 Cleanup Ceased: 03/25/1988
 Last Inspection: Not reported
 Cleanup Meets Standard: True
 Recommended Penalty: No Penalty
 Spiller Cleanup Date: Not reported
 Enforcement Date: Not reported
 Investigation Complete: Not reported
 UST Involvement: False
 Spill Record Last Update: 03/28/1988
 Is Updated: False
 Corrective Action Plan Submitted: Not reported
 Date Spill Entered In Computer Data File: 03/25/1988
 Date Region Sent Report To Central Office: Not reported

Resource Affected: In Sewer
 Spill Source: Commercial Vehicle
 PBS Number: Not reported
 Reported to Dept: 03/14/1988 14:11

V96
 SSW
 1/2-1
 3017
 Higher

**SEALIT
 75 BLOOMINGDALE ROAD
 BETHPAGE, NY**

LUST

**S102669452
 N/A**

LUST:

Spill Number: 9113120
 Facility Contact: Not reported
 Investigator: DEROSA
 Caller Name: BOB BUESMAN
 Caller Phone: (516) 521-2046
 Notifier Name: Not reported
 Notifier Phone: Not reported
 Spiller Contact: Not reported
 Spiller: SEALIT
 Spiller Address: Not reported
 Spill Class: Known release that creates a file or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
 Spill Closed Dt: 01/14/1993
 Spill Cause: Other
 Water Affected: Not reported
 Spill Notifier: Fire Department
 Spill Date: 03/26/1992 12:00
 Cleanup Ceased: 01/14/1993
 Last Inspection: Not reported
 Cleanup Meets Standard: True
 Recommended Penalty: No Penalty
 Spiller Cleanup Date: Not reported
 Enforcement Date: Not reported
 Investigation Complete: Not reported
 UST Involvement: False
 Spill Record Last Update: 01/15/1993
 Is Updated: False

Region of Spill: 1
 Facility Tele: Not reported
 SWIS: 28
 Caller Agency: NCFM
 Caller Extension: Not reported
 Notifier Agency: Not reported
 Notifier Extension: Not reported
 Spiller Phone: Not reported

Resource Affected: On Land
 Spill Source: Other Commercial/Industrial
 PBS Number: Not reported
 Reported to Dept: 03/26/1992 12:00

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

SEALIT (Continued)

S102669452

Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 03/31/1992
Date Region Sent Summary to Central Office: Not reported

97
NW
1/2-1
3018
Higher

STRUCTURAL INDUSTRIES INC.
96 NEW SOUTH RD.
HICKSVILLE, NY 11801

TRIS
LUST
NY Spills

1001198646
NY0986971216

LUST:

Spill Number: 9306676 Region of Spill: 1
Facility Contact: Not reported Facility Tele: Not reported
Investigator: T/T/F SWIS: 28
Caller Name: SCOTT SCHUCK Caller Agency: F&N
Caller Phone: (516) 586-4900 Caller Extension: Not reported
Notifier Name: Not reported Notifier Agency: Not reported
Notifier Phone: Not reported Notifier Extension: Not reported
Spiller Contact: Not reported Spiller Phone: (516) 822-5200
Spiller: STRUCTURAL INDUSTRIES
Spiller Address: Not reported
Spill Class: Known release that creates potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 03/02/1995
Spill Cause: Tank Test Failure Resource Affected: Groundwater
Water Affected: Not reported Spill Source: Other Commercial/Industrial
Spill Notifier: Tank Tester PBS Number: Not reported
Spill Date: 08/31/1993 14:30 Reported to Dept: 08/31/1993 14:41
Cleanup Ceased: 03/02/1995
Last Inspection: Not reported
Cleanup Meets Standard: True
Recommended Penalty: No Penalty
Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: False
Spill Record Last Update: 03/02/1995
Is Updated: False
Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 09/01/1993
Date Region Sent Summary to Central Office: Not reported

Spill Number: 8906944 Region of Spill: 1
Facility Contact: Not reported Facility Tele: Not reported
Investigator: HOFMANN SWIS: 28
Caller Name: RICH MAGEE Caller Agency: NCFM
Caller Phone: (516) 566-5818 Caller Extension: Not reported
Notifier Name: Not reported Notifier Agency: Not reported
Notifier Phone: Not reported Notifier Extension: Not reported
Spiller Contact: Not reported Spiller Phone: (516) 822-5200
Spiller: STRUCTURAL INDUSTRIES
Spiller Address: Not reported
Spill Class: Not reported
Spill Closed Dt: 10/16/1989 Resource Affected: In Sewer
Spill Cause: Other Spill Source: Other Commercial/Industrial
Water Affected: Not reported PBS Number: Not reported
Spill Notifier: Fire Department.

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

EDR ID Number
EPA ID Number
Database(s)

STRUCTURAL INDUSTRIES INC. (Continued)

1001198646

Spill Date: 10/15/1989 21:00
Reported to Dept: 10/16/1989 09:20
Cleanup Ceased: 10/16/1989
Last Inspection: Not reported
Cleanup Meets Standard: True
Recommended Penalty: No Penalty
Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: False
Spill Record Last Update: 10/19/1989
Is Updated: False
Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 10/17/1989
Date Region Sent Summary to Central Office: Not reported

SPILLS:

Spill Number: 9713080
Facility Contact: Not reported
Investigator: FORD
Caller Name: REFUSED
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Phone: Not reported
Spiller Contact: Not reported
SWIS: 28
Spiller: STRUCTURAL INDUSTRIES
Address: 96 NEW SOUTH ROAD
HICKSVILLE, NY
Region of Spill: 1
Facility Tele: Not reported
Caller Agency: Not reported
Caller Extension: Not reported
Notifier Agency: Not reported
Notifier Extension: Not reported
Spiller Phone: Not reported
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 05/01/1998
Spill Cause: Unknown
Water Affected: Not reported
Spill Notifier: Citizen
Spill Date: 02/19/1998 12:00
Cleanup Ceased: Not reported
Last Inspection: Not reported
Cleanup Meets Standard: True
Recommended Penalty: No Penalty
Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: False
Spill Record Last Update: 05/04/1998
Is Updated: False
Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 02/23/1998
Date Region Sent Report To Central Office: Not reported
Resource Affected: On Land
Spill Source: Other Commercial/Industrial
PBS Number: Not reported
Reported to Dept: 02/23/1998 15:28

W98
WNW
1/2-1
3066
Higher

HESS GAS STATION #32267
575 S BROADWAY
HICKSVILLE, NY

NY Spills

S103482525
N/A

SPILLS:

Spill Number: 9804251
Facility Contact: Not reported
Investigator: AUSTIN
Region of Spill: 1
Facility Tele: Not reported

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
 EPA ID Number

HESS GAS STATION #32267 (Continued)

S103482525

Caller Name:	PETER HAID	Caller Agency:	AMERADA HESS CORPORATION
Caller Phone:	(732) 750-6555	Caller Extension:	Not reported
Notifier Name:	JOHN SEMPEY	Notifier Agency:	AMERADA HESS CORPORATION
Notifier Phone:	(732) 750-6000	Notifier Extension:	Not reported
Spiller Contact:	Not reported	Spiller Phone:	(516) 433-2565
SWIS:	28		
Spiller:	HESS		
Address:	Not reported		
	Not reported		
Spill Class:	Known release that creates potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.		
Spill Closed Dt:	07/16/1998		
Spill Cause:	Traffic Accident	Resource Affected:	On Land
Water Affected:	Not reported	Spill Source:	Gas Station.
Spill Notifier:	Affected Persons	PBS Number:	Not reported
Spill Date:	07/05/1998 12:00	Reported to Dept:	07/05/1998 13:50
Cleanup Ceased:	Not reported		
Last Inspection:	Not reported		
Cleanup Meets Standard:	True		
Recommended Penalty:	No Penalty		
Spiller Cleanup Date:	Not reported		
Enforcement Date:	Not reported		
Investigation Complete:	Not reported		
UST Involvement:	False		
Spill Record Last Update:	07/17/1998		
Is Updated:	False		
Corrective Action Plan Submitted:	Not reported		
Date Spill Entered In Computer Data File:	07/05/1998		
Date Region Sent Report To Central Office:	Not reported.		

W99
 WNW
 1/2-1
 3066
 Higher

**ITC AT HESS S/S
 575 S BROADWAY
 HICKSVILLE, NY**

**NY Spills S102138138
 N/A**

SPILLS:

Spill Number:	8910047	Region of Spill:	1
Facility Contact:	Not reported	Facility Tele:	Not reported
Investigator:	MANCILLA		
Caller Name:	JOE ALMEIDA	Caller Agency:	HESS
Caller Phone:	Not reported	Caller Extension:	Not reported
Notifier Name:	Not reported	Notifier Agency:	Not reported
Notifier Phone:	Not reported	Notifier Extension:	Not reported
Spiller Contact:	Not reported	Spiller Phone:	Not reported
SWIS:	28		
Spiller:	ITC AT HESS S/S		
Address:	299 EDISON AVENUE WEST BABYLON, NY		
Spill Class:	Not reported		
Spill Closed Dt:	03/01/1990	Resource Affected:	On Land
Spill Cause:	Equipment Failure	Spill Source:	Gas Station
Water Affected:	Not reported	PBS Number:	Not reported
Spill Notifier:	Responsible Party	Reported to Dept:	01/19/1990 14:20
Spill Date:	01/19/1990 14:00		
Cleanup Ceased:	03/01/1990		
Last Inspection:	Not reported		
Cleanup Meets Standard:	True		
Recommended Penalty:	No Penalty		

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

EDR ID Number
EPA ID Number

Database(s)

ITC AT HESS S/S (Continued)

S102138138

Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: True
Spill Record Last Update: 03/01/1990
Is Updated: False
Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 01/23/1990
Date Region Sent Report To Central Office: Not reported

100
ESE
1/2-1
3075
Lower

**LILCO
9TH ST NEAR MAPLE
BETHPAGE, NY**

NY Spills

**S102097272
N/A**

SPILLS:

Spill Number: 9008393	Region of Spill: 1
Facility Contact: Not reported	Facility Tele: Not reported
Investigator: NONE	
Caller Name: DAVID BERGER	Caller Agency: LILCO
Caller Phone: (516) 420-6144	Caller Extension: Not reported
Notifier Name: Not reported	Notifier Agency: Not reported
Notifier Phone: Not reported	Notifier Extension: Not reported
Spiller Contact: Not reported	Spiller Phone: Not reported
SWIS: 28	
Spiller: LILCO	
Address: 175 OLD COUNTRY ROAD HICKSVILLE, NY	
Spill Class: Not reported	
Spill Closed Dt: 11/01/1990	
Spill Cause: Equipment Failure	Resource Affected: On Land
Water Affected: Not reported	Spill Source: Other Commercial/Industrial
Spill Notifier: Responsible Party	PBS Number: Not reported
Spill Date: 10/31/1990 19:45	Reported to Dept: 10/31/1990 19:50
Cleanup Ceased: 11/01/1990	
Last Inspection: Not reported	
Cleanup Meets Standard: True	
Recommended Penalty: No Penalty	
Spiller Cleanup Date: Not reported	
Enforcement Date: Not reported	
Investigation Complete: Not reported	
UST Involvement: False	
Spill Record Last Update: Not reported	
Is Updated: False	
Corrective Action Plan Submitted: Not reported	
Date Spill Entered In Computer Data File: 11/02/1990	
Date Region Sent Report To Central Office: Not reported	

101
NE
1/2-1
3119
Higher

**UNK VEHICLES
BALSAM PL / STEWART AVE
BETHPAGE, NY**

NY Spills

**S102566580
N/A**

SPILLS:

Spill Number: 9109921	Region of Spill: 1
Facility Contact: Not reported	Facility Tele: Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

UNK VEHICLES (Continued)

S102566580

Investigator: DEROSA
Caller Name: WILLIAM POWELL
Caller Phone: (516) 573-3333
Notifier Name: Not reported
Notifier Phone: Not reported
Spiller Contact: Not reported
SWIS: 28
Spiller: UNK VEHICLES
Address: Not reported
Not reported
Spill Class: Not reported
Spill Closed Dt: 12/19/1991
Spill Cause: Traffic Accident
Water Affected: Not reported
Spill Notifier: Police Department
Spill Date: 12/18/1991 04:20
Cleanup Ceased: 12/19/1991
Last Inspection: Not reported
Cleanup Meets Standard: True
Recommended Penalty: No Penalty
Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: False
Spill Record Last Update: 12/23/1991
Is Updated: False
Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 12/19/1991
Date Region Sent Report To Central Office: Not reported

Caller Agency: NCPD
Caller Extension: Not reported
Notifier Agency: Not reported
Notifier Extension: Not reported
Spiller Phone: Not reported

Resource Affected: In Sewer
Spill Source: Passenger Vehicle
PBS Number: Not reported
Reported to Dept: 12/18/1991 05:47

102
WSW
1/2-1
3132
Higher

NORMAN GULF RESIDENCE
3 WOODBINE DR
HICKSVILLE, NY

NY Spills
S102140061
N/A

SPILLS:

Spill Number: 9410615
Facility Contact: Not reported
Investigator: NONE
Caller Name: MIKE EMANUELO
Caller Phone: (516) 338-1110
Notifier Name: Not reported
Notifier Phone: Not reported
Spiller Contact: Not reported
SWIS: 28
Spiller: NORMAN GULF RESIDENCE
Address: Not reported
Not reported
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 11/09/1994
Spill Cause: Equipment Failure
Water Affected: Not reported
Spill Notifier: Affected Persons
Spill Date: 11/09/1994 15:18
Cleanup Ceased: 11/09/1994
Last Inspection: Not reported
Cleanup Meets Standard: True

Region of Spill: 1
Facility Tele: Not reported

Caller Agency: RELIANCE
Caller Extension: Not reported
Notifier Agency: Not reported
Notifier Extension: Not reported
Spiller Phone: Not reported

Resource Affected: On Land
Spill Source: Private Dwelling
PBS Number: Not reported
Reported to Dept: 11/09/1994 15:19

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

NORMAN GULF RESIDENCE (Continued)

EDR ID Number
EPA ID Number

S102140061

Recommended Penalty: No Penalty
Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: False
Spill Record Last Update: Not reported
Is Updated: False
Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 11/10/1994
Date Region Sent Report To Central Office: Not reported

103
WNW
1/2-1
3180
Higher

**PLAZA PONTIAC
27 LUDY ST
HICKSVILLE, NY**

LUST

S102668873
N/A

LUST:

Spill Number: 9002820
Facility Contact: Not reported
Investigator: LEUNG
Caller Name: TOM MCCLOSKEY
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Phone: Not reported
Spiller Contact: Not reported
Spiller: PLAZA PONTIAC
Spiller Address: Not reported
Not reported
Spill Class: Not reported
Spill Closed Dt: 07/11/1990
Spill Cause: Other
Water Affected: Not reported
Spill Notifier: Health Department
Spill Date: 06/08/1990 14:30
Cleanup Ceased: 07/11/1990
Last Inspection: Not reported
Cleanup Meets Standard: True
Recommended Penalty: No Penalty
Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: False
Spill Record Last Update: 07/12/1990
Is Updated: False
Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 06/13/1990
Date Region Sent Summary to Central Office: Not reported

Region of Spill: 1
Facility Tele: Not reported
SWIS: 28
Caller Agency: NCDH
Caller Extension: Not reported
Notifier Agency: Not reported
Notifier Extension: Not reported
Spiller Phone: Not reported

Resource Affected: On Land
Spill Source: Other Commercial/Industrial
PBS Number: Not reported
Reported to Dept: 06/11/1990 16:25

X104
NE
1/2-1
3189
Higher

**NORTHROP GRUMMON FACILITY
1111 STEWART AVE
BETHPAGE, NY**

NY Spills

S102400817
N/A

SPILLS:

Spill Number: 9707624
Facility Contact: Not reported
Region of Spill: 1
Facility Tele: (718) 545-0000

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

NORTHROP GRUMMON FACILITY (Continued)

S102400817

Investigator: DECANDIA
Caller Name: INSP GOLDEN
Caller Phone: (516) 659-1917
Notifier Name: CHIEF HERN
Notifier Phone: Not reported
Spiller Contact: INSP GOLDEN
SWIS: 28
Spiller: AIA ENVIRONMENTAL
Address: 20-29 38TH STREET
ASTORIA, NY
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: Not reported
Spill Cause: Human Error
Water Affected: UNKNOWN
Spill Notifier: Local Agency
Spill Date: 09/28/1997 17:57
Cleanup Ceased: Not reported
Last Inspection: Not reported
Cleanup Meets Standard: False
Recommended Penalty: No Penalty
Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: False
Spill Record Last Update: 11/04/1997
Is Updated: False
Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 09/28/1997
Date Region Sent Report To Central Office: Not reported

Caller Agency: NASSAU CTY FIRE MARSHALL
Caller Extension: Not reported
Notifier Agency: BETHPAGE PD
Notifier Extension: Not reported
Spiller Phone: (516) 659-1917

Resource Affected: Surface Water
Spill Source: Other Commercial/Industrial
PBS Number: Not reported
Reported to Dept: 09/28/1997 18:57

This is the most recent NY SPILLS record for this site.
The NY SPILLS database contains 1 additional record for this site.
Please contact your EDR Account Executive for more information.

X105
NE
1/2-1
3196
Higher

**GRUMMAN AEROSPACE
BLDG 111
BETHPAGE, NY**

LUST

**S100173439
N/A**

LUST:

Spill Number: 9001711
Facility Contact: Not reported
Investigator: T/T/F
Caller Name: LORI JODICE
Caller Phone: (516) 249-3150
Notifier Name: Not reported
Notifier Phone: Not reported
Spiller Contact: Not reported
Spiller: GRUMMAN AEROSPACE
Spiller Address: BLDG 111
BETHPAGE, NY
Spill Class: No spill occurred. (Not Possible)
Spill Closed Dt: 09/10/1993
Spill Cause: Tank Test Failure
Water Affected: Not reported
Spill Notifier: Tank Tester
Spill Date: 05/14/1990 13:30

Region of Spill: 1
Facility Tele: Not reported
SWIS: 28
Caller Agency: TYREE
Caller Extension: Not reported
Notifier Agency: Not reported
Notifier Extension: Not reported
Spiller Phone: (516) 575-8176

Resource Affected: On Land
Spill Source: Other Commercial/Industrial
PBS Number: Not reported
Reported to Dept: 05/14/1990 13:43

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

GRUMMAN AEROSPACE (Continued)

S100173439

Cleanup Ceased: 09/10/1993
Last Inspection: Not reported
Cleanup Meets Standard: True
Recommended Penalty: No Penalty
Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: False
Spill Record Last Update: 09/14/1993
Is Updated: False
Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 05/15/1990
Date Region Sent Summary to Central Office: Not reported

X106
NE
1/2-1
3196
Higher

GRUMMAN AEROSPACE
GRUMMAN AEROSPACE PL #20
BETHPAGE, NY

LUST
NY Spills

S100559911
N/A

LUST:

Spill Number: 9304043 Region of Spill: 1
Facility Contact: Not reported Facility Tele: Not reported
Investigator: T/T/F TL MOSF SWIS: 28
Caller Name: SCOTT Caller Agency: F&N
Caller Phone: Not reported Caller Extension: Not reported
Notifier Name: Not reported Notifier Agency: Not reported
Notifier Phone: Not reported Notifier Extension: Not reported
Spiller Contact: Not reported Spiller Phone: Not reported
Spiller: GRUMMAN AEROSPACE
Spiller Address: Not reported
Not reported
Spill Class: Known release that creates potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 04/15/1996
Spill Cause: Tank Test Failure Resource Affected: Groundwater
Water Affected: Not reported Spill Source: Other Commercial/Industrial
Spill Notifier: Tank Tester PBS Number: Not reported
Spill Date: 06/29/1993 13:30 Reported to Dept: 06/29/1993 14:06
Cleanup Ceased: Not reported
Last Inspection: Not reported
Cleanup Meets Standard: True
Recommended Penalty: No Penalty
Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: True
Spill Record Last Update: 04/15/1996
Is Updated: False
Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 07/01/1993
Date Region Sent Summary to Central Office: Not reported

SPILLS:

Spill Number: 8909233 Region of Spill: 1
Facility Contact: Not reported Facility Tele: Not reported
Investigator: ANDERSON
Caller Name: Not reported Caller Agency: Not reported
Caller Phone: Not reported Caller Extension: Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

GRUMMAN AEROSPACE (Continued)

S100559911

Notifier Name:	Not reported	Notifier Agency:	Not reported
Notifier Phone:	Not reported	Notifier Extension:	Not reported
Spiller Contact:	Not reported	Spiller Phone:	Not reported
SWIS:	28		
Spiller:	GRUMMAN AEROSPACE		
Address:	PLANT #2 RTE 107 BETHPAGE, NY		
Spill Class:	Not reported	Resource Affected:	On Land
Spill Closed Dt:	12/28/1989	Spill Source:	Other Non Commercial/Industrial
Spill Cause:	Unknown	PBS Number:	Not reported
Water Affected:	Not reported	Reported to Dept:	12/20/1989 13:30
Spill Notifier:	DEC		
Spill Date:	12/20/1989 13:30		
Cleanup Ceased:	12/28/1989		
Last Inspection:	Not reported		
Cleanup Meets Standard:	True		
Recommended Penalty:	No Penalty		
Spiller Cleanup Date:	Not reported		
Enforcement Date:	Not reported		
Investigation Complete:	Not reported		
UST Involvement:	False		
Spill Record Last Update:	01/02/1990		
Is Updated:	False		
Corrective Action Plan Submitted:	Not reported		
Date Spill Entered In Computer Data File:	12/21/1989		
Date Region Sent Report To Central Office:	Not reported		

This is the most recent NY SPILLS record for this site.
The NY SPILLS database contains 1 additional record for this site.
Please contact your EDR Account Executive for more information.

X107
NE
1/2-1
3196
Higher

**GRUMMAN AEROSPACE
BLDG 28
BETHPAGE, NY**

LUST

**S101173531
N/A**

LUST:

Spill Number:	9408269	Region of Spill:	1
Facility Contact:	Not reported	Facility Tele:	Not reported
Investigator:	T/T/F	SWIS:	28
Caller Name:	TON DYKSTRA	Caller Agency:	TYREE
Caller Phone:	(516) 249-3150	Caller Extension:	Not reported
Notifier Name:	Not reported	Notifier Agency:	Not reported
Notifier Phone:	Not reported	Notifier Extension:	Not reported
Spiller Contact:	Not reported	Spiller Phone:	(516) 575-1529
Spiller:	GRUMMAN AEROSPACE		
Spiller Address:	MAIL STOP DO8-6HQ BETHPAGE, NY 11714		
Spill Class:	Known release that creates potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.		
Spill Closed Dt:	04/15/1996	Resource Affected:	Groundwater
Spill Cause:	Tank Test Failure	Spill Source:	Other Commercial/Industrial
Water Affected:	Not reported	PBS Number:	Not reported
Spill Notifier:	Tank Tester	Reported to Dept:	09/21/1994 16:27
Spill Date:	09/21/1994 16:00		
Cleanup Ceased:	Not reported		
Last Inspection:	Not reported		
Cleanup Meets Standard:	True		

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

GRUMMAN AEROSPACE (Continued)

S101173531

Recommended Penalty: No Penalty
Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: False
Spill Record Last Update: 04/17/1996
Is Updated: False
Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 09/23/1994
Date Region Sent Summary to Central Office: Not reported

X108
NE
1/2-1
3196
Higher

**GRUMMAN AEROSPACE
GRUMMAN FACILITY BLDG 1
BETHPAGE, NY**

LUST

S100171783
N/A

LUST:

Spill Number: 8704386	Region of Spill: 1
Facility Contact: Not reported	Facility Tele: Not reported
Investigator: GOERTZ	SWIS: 28
Caller Name: Not reported	Caller Agency: Not reported
Caller Phone: Not reported	Caller Extension: Not reported
Notifier Name: Not reported	Notifier Agency: Not reported
Notifier Phone: Not reported	Notifier Extension: Not reported
Spiller Contact: Not reported	Spiller Phone: (516) 575-8176
Spiller: GRUMMAN AEROSPACE	
Spiller Address: Not reported	
	HICKSVILLE, NY 11802
Spill Class: Not reported	
Spill Closed Dt: 10/14/1987	
Spill Cause: Tank Test Failure	Resource Affected: Groundwater
Water Affected: Not reported	Spill Source: Other Commercial/Industrial
Spill Notifier: Fire Department	PBS Number: Not reported
Spill Date: 08/26/1987 16:00	Reported to Dept: 08/27/1987 07:40
Cleanup Ceased: 10/14/1987	
Last Inspection: Not reported	
Cleanup Meets Standard: True	
Recommended Penalty: No Penalty	
Spiller Cleanup Date: Not reported	
Enforcement Date: Not reported	
Investigation Complete: Not reported	
UST Involvement: True	
Spill Record Last Update: 10/14/1987	
Is Updated: False	
Corrective Action Plan Submitted: Not reported	
Date Spill Entered In Computer Data File: 08/31/1987	
Date Region Sent Summary to Central Office: Not reported	

X109
NE
1/2-1
3196
Higher

**GRUMMAN AEROSPACE
BUILDING 116-01-1
BETHPAGE, NY**

LUST

S100173006
N/A

LUST:

Spill Number: 8901526	Region of Spill: 1
Facility Contact: Not reported	Facility Tele: Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

GRUMMAN AEROSPACE (Continued)

S100173006

Investigator: LEUNG	SWIS: 28
Caller Name: MIKE TORREL	Caller Agency: GEN UTILITIES
Caller Phone: (516) 349-8989	Caller Extension: Not reported
Notifier Name: Not reported	Notifier Agency: Not reported
Notifier Phone: Not reported	Notifier Extension: Not reported
Spiller Contact: Not reported	Spiller Phone: (516) 575-8176
Spiller: GRUMMAN AEROSPACE	
Spiller Address: MAIL STOP B08 BETHPAGE, NY	
Spill Class: Known release that creates potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.	
Spill Closed Dt: 05/01/1992	
Spill Cause: Tank Test Failure	Resource Affected: Groundwater
Water Affected: Not reported	Spill Source: Major Facility 400,000 gallons
Spill Notifier: Tank Tester	PBS Number: Not reported
Spill Date: 05/16/1989 12:00	Reported to Dept: 05/16/1989 09:55
Cleanup Ceased: 05/01/1992	
Last Inspection: Not reported	
Cleanup Meets Standard: True	
Recommended Penalty: No Penalty	
Spiller Cleanup Date: Not reported	
Enforcement Date: Not reported	
Investigation Complete: Not reported	
UST Involvement: False	
Spill Record Last Update: 11/05/1992	
Is Updated: False	
Corrective Action Plan Submitted: Not reported	
Date Spill Entered In Computer Data File: 05/17/1989	
Date Region Sent Summary to Central Office: Not reported	

X110
NE
1/2-1
3196
Higher

**GRUMMAN BLDG #3
STEWART AVENUE
BETHPAGE, NY**

LUST

**S101173516
N/A**

LUST:

Spill Number: 9406455	Region of Spill: 1
Facility Contact: Not reported	Facility Tele: Not reported
Investigator: T/T/F	SWIS: 28
Caller Name: GINA BENDETTI	Caller Agency: TYREE
Caller Phone: (516) 249-3150	Caller Extension: Not reported
Notifier Name: Not reported	Notifier Agency: Not reported
Notifier Phone: Not reported	Notifier Extension: Not reported
Spiller Contact: Not reported	Spiller Phone: (516) 575-1529
Spiller: GRUMMAN AEROSPACE CORP	
Spiller Address: MAIL STOP DO8-GHQ BETHPAGE, NY	
Spill Class: Known release that creates potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.	
Spill Closed Dt: 12/04/1995	
Spill Cause: Tank Test Failure	Resource Affected: Groundwater
Water Affected: Not reported	Spill Source: Other Commercial/Industrial
Spill Notifier: Tank Tester	PBS Number: Not reported
Spill Date: 08/11/1994 15:30	Reported to Dept: 08/11/1994 16:23
Cleanup Ceased: Not reported	
Last Inspection: Not reported	
Cleanup Meets Standard: True	
Recommended Penalty: No Penalty	

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

GRUMMAN BLDG #3 (Continued)

S101173516

Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: True
Spill Record Last Update: 12/05/1995
Is Updated: False
Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 08/12/1994
Date Region Sent Summary to Central Office: Not reported

X111
NE
1/2-1
3196
Higher

**GRUMMAN AEROSPACE
BUILDING 04-01-1
BETHPAGE, NY**

LUST

S100169213
N/A

LUST:

Spill Number: 8901527	Region of Spill: 1
Facility Contact: Not reported	Facility Tele: Not reported
Investigator: LEUNG	SWIS: 28
Caller Name: MIKE TORREL	Caller Agency: GEN UTILITIES
Caller Phone: (516) 349-8989	Caller Extension: Not reported
Notifier Name: Not reported	Notifier Agency: Not reported
Notifier Phone: Not reported	Notifier Extension: Not reported
Spiller Contact: Not reported	Spiller Phone: (516) 575-8176
Spiller: GRUMMAN AEROSPACE	
Spiller Address: MAIL STOP B08 BETHPAGE, NY	
Spill Class: Not reported	
Spill Closed Dt: 05/23/1989	
Spill Cause: Tank Test Failure	Resource Affected: Groundwater
Water Affected: Not reported	Spill Source: Major Facility 400,000 gallons
Spill Notifier: Tank Tester	PBS Number: Not reported
Spill Date: 05/12/1989 12:00	Reported to Dept: 05/16/1989 09:55
Cleanup Ceased: 05/23/1989	
Last Inspection: Not reported	
Cleanup Meets Standard: True	
Recommended Penalty: No Penalty	
Spiller Cleanup Date: Not reported	
Enforcement Date: Not reported	
Investigation Complete: Not reported	
UST Involvement: False	
Spill Record Last Update: 05/24/1989	
Is Updated: False	
Corrective Action Plan Submitted: Not reported	
Date Spill Entered In Computer Data File: 05/17/1989	
Date Region Sent Summary to Central Office: Not reported	

X112
NE
1/2-1
3196
Higher

**GRUMMAN AEROSPACE
BUILDING #1
BETHPAGE, NY**

LUST

S100171849
N/A

LUST:

Spill Number: 8705197	Region of Spill: 1
Facility Contact: Not reported	Facility Tele: Not reported
Investigator: GOERTZ	SWIS: 28

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

Database(s) EDR ID Number
 EPA ID Number

GRUMMAN AEROSPACE (Continued)

S100171849

Caller Name: Not reported Caller Phone: Not reported Notifier Name: Not reported Notifier Phone: Not reported Spiller Contact: Not reported Spiller: GRUMMAN AEROSPACE Spiller Address: Not reported BETHPAGE, NY Spill Class: Not reported Spill Closed Dt: 10/14/1987 Spill Cause: Tank Test Failure Water Affected: Not reported Spill Notifier: Tank Tester Spill Date: 09/21/1987 16:30 Cleanup Ceased: 10/14/1987 Last Inspection: Not reported Cleanup Meets Standard: True Recommended Penalty: No Penalty Spiller Cleanup Date: Not reported Enforcement Date: Not reported Investigation Complete: Not reported UST Involvement: True Spill Record Last Update: 10/14/1987 Is Updated: False Corrective Action Plan Submitted: Not reported Date Spill Entered In Computer Data File: 09/25/1987 Date Region Sent Summary to Central Office: Not reported	Caller Agency: Not reported Caller Extension: Not reported Notifier Agency: Not reported Notifier Extension: Not reported Spiller Phone: (516) 575-0387 Resource Affected: Groundwater Spill Source: Other Commercial/Industrial PBS Number: Not reported Reported to Dept: 09/22/1987 08:45
---	--

**X113
 NE
 1/2-1
 3196
 Higher**

**GRUMMAN AEROSPACE
 BLDG 115
 BETHPAGE, NY**

LUST

**S100168920
 N/A**

LUST:

Spill Number: 8807239 Facility Contact: Not reported Investigator: GOERTZ Caller Name: SCOTT SCHUCK Caller Phone: (516) 586-4900 Notifier Name: Not reported Notifier Phone: Not reported Spiller Contact: Not reported Spiller: GRUMMAN AEROSPACE Spiller Address: Not reported Not reported Spill Class: Not reported Spill Closed Dt: 01/10/1989 Spill Cause: Tank Test Failure Water Affected: Not reported Spill Notifier: Tank Tester Spill Date: 12/01/1988 16:30 Cleanup Ceased: 01/10/1989 Last Inspection: Not reported Cleanup Meets Standard: True Recommended Penalty: No Penalty Spiller Cleanup Date: Not reported Enforcement Date: Not reported Investigation Complete: Not reported	Region of Spill: 1 Facility Tele: Not reported SWIS: 28 Caller Agency: F&N Caller Extension: Not reported Notifier Agency: Not reported Notifier Extension: Not reported Spiller Phone: (516) 575-8176 Resource Affected: Groundwater Spill Source: Other Commercial/Industrial PBS Number: Not reported Reported to Dept: 12/02/1988 08:75
--	--

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation

MAP FINDINGS

GRUMMAN AEROSPACE (Continued)

EDR ID Number
 EPA ID Number

Database(s)

UST Involvement: False
 Spill Record Last Update: 01/11/1989
 Is Updated: False
 Corrective Action Plan Submitted: Not reported
 Date Spill Entered In Computer Data File: 12/05/1988
 Date Region Sent Summary to Central Office: Not reported

S100168920

X114
 NE
 1/2-1
 3196
 Higher

**GRUMMAN PLANT #20
 STEWART AVE
 BETHPAGE, NY**

LUST

S100491399
 N/A

LUST:

Spill Number: 9204511	Region of Spill: 1
Facility Contact: Not reported	Facility Tele: Not reported
Investigator: T/T/F	SWIS: 28
Caller Name: GINA BENDETTI	Caller Agency: TYREE
Caller Phone: (516) 249-3150	Caller Extension: Not reported
Notifier Name: Not reported	Notifier Agency: Not reported
Notifier Phone: Not reported	Notifier Extension: Not reported
Spiller Contact: Not reported	Spiller Phone: (516) 575-1529
Spiller: GRUMMAN	
Spiller Address: Not reported	
Spill Class: Known release that creates potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.	
Spill Closed Dt: 09/30/1992	
Spill Cause: Tank Test Failure	Resource Affected: Groundwater
Water Affected: Not reported	Spill Source: Other Commercial/Industrial
Spill Notifier: Tank Tester	PBS Number: Not reported
Spill Date: 07/20/1992 13:15	Reported to Dept: 07/20/1992 13:24
Cleanup Ceased: 09/30/1992	
Last Inspection: Not reported	
Cleanup Meets Standard: True	
Recommended Penalty: No Penalty	
Spiller Cleanup Date: Not reported	
Enforcement Date: Not reported	
Investigation Complete: Not reported	
UST Involvement: True	
Spill Record Last Update: 10/01/1992	
Is Updated: False	
Corrective Action Plan Submitted: Not reported	
Date Spill Entered In Computer Data File: 07/21/1992	
Date Region Sent Summary to Central Office: Not reported	

Spill Number: 9302603	Region of Spill: 1
Facility Contact: Not reported	Facility Tele: Not reported
Investigator: T/T/F	SWIS: 28
Caller Name: SCOTT MATZEN	Caller Agency: F&N
Caller Phone: (516) 586-4900	Caller Extension: Not reported
Notifier Name: Not reported	Notifier Agency: Not reported
Notifier Phone: Not reported	Notifier Extension: Not reported
Spiller Contact: Not reported	Spiller Phone: Not reported
Spiller: GRUMMAN PLANT #12	
Spiller Address: Not reported	
Spill Class: No spill occurred. (Not Possible)	
Spill Closed Dt: 07/27/1993	

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

GRUMMAN PLANT #20 (Continued)

S100491399

Spill Cause: Tank Test Failure
Water Affected: Not reported
Spill Notifier: Tank Tester
Spill Date: 05/26/1993 11:45
Cleanup Ceased: 07/27/1993
Last Inspection: Not reported
Cleanup Meets Standard: True
Recommended Penalty: No Penalty
Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: False
Spill Record Last Update: 07/28/1993
Is Updated: False
Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 05/27/1993
Date Region Sent Summary to Central Office: Not reported

Resource Affected: Groundwater
Spill Source: Other Commercial/Industrial
PBS Number: Not reported
Reported to Dept: 05/26/1993 13:04

Spill Number: 9309349
Facility Contact: Not reported
Investigator: PARISH
Caller Name: KEVIN KISPERT
Caller Phone: (516) 444-0320
Notifier Name: Not reported
Notifier Phone: Not reported
Spiller Contact: Not reported
Spiller: GRUMMAN
Spiller Address: Not reported
Not reported

Region of Spill: 1
Facility Tele: Not reported
SWIS: 28
Caller Agency: DEC
Caller Extension: Not reported
Notifier Agency: Not reported
Notifier Extension: Not reported
Spiller Phone: (516) 575-8176

Spill Class: Known release that creates potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 03/01/1994
Spill Cause: Other
Water Affected: Not reported
Spill Notifier: DEC
Spill Date: 11/01/1993 13:00
Cleanup Ceased: 03/01/1994
Last Inspection: Not reported
Cleanup Meets Standard: True
Recommended Penalty: No Penalty
Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: False
Spill Record Last Update: 03/02/1994
Is Updated: False
Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 11/03/1993
Date Region Sent Summary to Central Office: Not reported

Resource Affected: On Land
Spill Source: Other Commercial/Industrial
PBS Number: Not reported
Reported to Dept: 11/01/1993 13:15

Spill Number: 9411984
Facility Contact: Not reported
Investigator: NONE
Caller Name: JOHN OHLMAN
Caller Phone: (516) 575-2385
Notifier Name: Not reported
Notifier Phone: Not reported

Region of Spill: 1
Facility Tele: Not reported
SWIS: 28
Caller Agency: NORTHROP/GRUMMAN
Caller Extension: Not reported
Notifier Agency: Not reported
Notifier Extension: Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

GRUMMAN PLANT #20 (Continued)

S100491399

Spiller Contact: Not reported Spiller Phone: (516) 667-2200
Spiller: DIFAZIO ELECTRIC (G.C.)
Spiller Address: Not reported
Not reported
Spill Class: Possible release with minimal potential for fire or hazard or Known
release with no damage. DEC Response. Willing Responsible Party.
Corrective action taken.
Spill Closed Dt: 12/08/1994
Spill Cause: Other Resource Affected: On Land
Water Affected: Not reported Spill Source: Other Commercial/Industrial
Spill Notifier: Responsible Party PBS Number: Not reported
Spill Date: 12/08/1994 08:00 Reported to Dept: 12/08/1994 08:40
Cleanup Ceased: 12/08/1994
Last Inspection: Not reported
Cleanup Meets Standard: True
Recommended Penalty: No Penalty
Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: False
Spill Record Last Update: 12/12/1994
Is Updated: False
Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 12/09/1994
Date Region Sent Summary to Central Office: Not reported

Spill Number: 9603860 Region of Spill: 1
Facility Contact: JOHN SELVA Facility Tele: (516) 575-8176
Investigator: LAMANNO SWIS: 28
Caller Name: JOHN UHLMAN Caller Agency: GRUMMAN
Caller Phone: (516) 575-2385 Caller Extension: Not reported
Notifier Name: JOHN INGENITO Notifier Agency: GRUMMAN
Notifier Phone: (516) 575-2029 Notifier Extension: Not reported
Spiller Contact: Not reported Spiller Phone: Not reported
Spiller: GRUMMAN
Spiller Address: Not reported

Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Unable/unwilling Responsible Party. Corrective action taken. (ISR)
Spill Closed Dt: 04/08/1997
Spill Cause: Other Resource Affected: In Sewer
Water Affected: Not reported Spill Source: Other Commercial/Industrial
Spill Notifier: Responsible Party PBS Number: Not reported
Spill Date: 06/19/1996 12:00 Reported to Dept: 06/20/1996 16:06
Cleanup Ceased: Not reported
Last Inspection: Not reported
Cleanup Meets Standard: True
Recommended Penalty: No Penalty
Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: False
Spill Record Last Update: 11/04/1997
Is Updated: False
Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 06/20/1996
Date Region Sent Summary to Central Office: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation

Site

Database(s) EDR ID Number
 EPA ID Number

X115
NE
1/2-1
3196
Higher

GRUMMAN AEROSPACE
BUILDING #2 GRUMMAN
BETHPAGE, NY

LUST

S100171769
N/A

LUST:

Spill Number:	8704145	Region of Spill:	1
Facility Contact:	Not reported	Facility Tele:	Not reported
Investigator:	O'NEILL	SWIS:	28
Caller Name:	Not reported	Caller Agency:	Not reported
Caller Phone:	Not reported	Caller Extension:	Not reported
Notifier Name:	Not reported	Notifier Agency:	Not reported
Notifier Phone:	Not reported	Notifier Extension:	Not reported
Spiller Contact:	Not reported	Spiller Phone:	(516) 575-8176
Spiller:	GRUMMAN AEROSPACE		
Spiller Address:	Not reported		
	BETHPAGE, NY		
Spill Class:	Not reported	Resource Affected:	Groundwater
Spill Closed Dt:	09/23/1987	Spill Source:	Other Commercial/Industrial
Spill Cause:	Tank Test Failure	PBS Number:	Not reported
Water Affected:	Not reported	Reported to Dept:	08/19/1987 13:45
Spill Notifier:	Tank Tester		
Spill Date:	08/19/1987 12:00		
Cleanup Ceased:	09/23/1987		
Last Inspection:	Not reported		
Cleanup Meets Standard:	True		
Recommended Penalty:	No Penalty		
Spiller Cleanup Date:	Not reported		
Enforcement Date:	Not reported		
Investigation Complete:	Not reported		
UST Involvement:	False		
Spill Record Last Update:	09/24/1987		
Is Updated:	False		
Corrective Action Plan Submitted:	Not reported		
Date Spill Entered In Computer Data File:	08/25/1987		
Date Region Sent Summary to Central Office:	Not reported		

116
West
1/2-1
3205
Higher

UNK
47 LINDEN BLVD
HICKSVILLE, NY

NY Spills

S102568052
N/A

SPILLS:

Spill Number:	8705000	Region of Spill:	1
Facility Contact:	Not reported	Facility Tele:	Not reported
Investigator:	PARISH	Caller Agency:	NASS CTY FIRE MARSHALL
Caller Name:	TOM TROUSDELL	Caller Extension:	Not reported
Caller Phone:	(516) 566-5277	Notifier Agency:	Not reported
Notifier Name:	Not reported	Notifier Extension:	Not reported
Notifier Phone:	Not reported	Spiller Phone:	Not reported
Spiller Contact:	Not reported		
SWIS:	28		
Spiller:	UNK		
Address:	Not reported		
	Not reported		
Spill Class:	Not reported	Resource Affected:	On Land
Spill Closed Dt:	09/24/1987	Spill Source:	Unknown
Spill Cause:	Abandoned Drums		
Water Affected:	Not reported		

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

UNK (Continued)

EDR ID Number
EPA ID Number

Database(s)

Site

S102568052

Spill Notifier: Fire Department
Spill Date: 09/15/1987 19:30
Cleanup Ceased: 09/24/1987
Last Inspection: 09/16/1987
Cleanup Meets Standard: True
Recommended Penalty: No Penalty
Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: False
Spill Record Last Update: 03/11/1992
Is Updated: False
Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 09/16/1987
Date Region Sent Report To Central Office: 03/09/1992

PBS Number: Not reported
Reported to Dept: 09/15/1987 20:10

Y117
SE
1/2-1
3207
Lower

MCMANUS RESIDENCE
159 10TH ST
BETHPAGE, NY

NY Spills

S102236138
N/A

SPILLS:

Spill Number: 9510371
Facility Contact: MCMANUS RESIDENCE
Investigator: NONE
Caller Name: ROBIN STIFFA
Caller Phone: (516) 576-3000
Notifier Name: SERVICE TECH
Notifier Phone: Not reported
Spiller Contact: MCMANUS RESIDENCE
SWIS: 28
Spiller: MCMANUS RESIDENCE
Address: 159 10TH STREET
BETHPAGE

Region of Spill: 1
Facility Tele: (516) 931-7209
Caller Agency: GIFFORDS OIL CO
Caller Extension: Not reported
Notifier Agency: Not reported
Notifier Extension: Not reported
Spiller Phone: (516) 931-7209

Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 11/17/1995
Spill Cause: Unknown
Water Affected: Not reported
Spill Notifier: Other
Spill Date: 11/17/1995 13:45
Cleanup Ceased: Not reported
Last Inspection: Not reported
Cleanup Meets Standard: True
Recommended Penalty: No Penalty
Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: False
Spill Record Last Update: 11/20/1995
Is Updated: False
Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 11/17/1995
Date Region Sent Report To Central Office: Not reported

Resource Affected: On Land
Spill Source: Private Dwelling
PBS Number: Not reported
Reported to Dept: 11/17/1995 14:48

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation

Site

Database(s)

EDR ID Number
 EPA ID Number

Z118
NW
1/2-1
3269
Higher

AETNA PRODS INCORP
11 COMMERCIAL ST
HICKSVILLE, NY

NY Spills

S102135295
N/A

SPILLS:

Spill Number: 9101556	Region of Spill: 1
Facility Contact: Not reported	Facility Tele: Not reported
Investigator: NONE	
Caller Name: OFFICER DALTON	Caller Agency: NC EMS
Caller Phone: (516) 573-3333	Caller Extension: Not reported
Notifier Name: Not reported	Notifier Agency: Not reported
Notifier Phone: Not reported	Notifier Extension: Not reported
Spiller Contact: Not reported	Spiller Phone: Not reported
SWIS: 28	
Spiller: AETNA PRODS INCORP	
Address: 11 COMMERCIAL STREET HICKSVILLE, NY	
Spill Class: Not reported	
Spill Closed Dt: 05/09/1991	
Spill Cause: Deliberate	Resource Affected: On Land
Water Affected: Not reported	Spill Source: Other Commercial/Industrial
Spill Notifier: Other	PBS Number: Not reported
Spill Date: 05/08/1991 12:00	Reported to Dept: 05/08/1991 14:20
Cleanup Ceased: 05/09/1991	
Last Inspection: Not reported	
Cleanup Meets Standard: True	
Recommended Penalty: No Penalty	
Spiller Cleanup Date: Not reported	
Enforcement Date: Not reported	
Investigation Complete: Not reported	
UST Involvement: False	
Spill Record Last Update: 05/13/1991	
Is Updated: False	
Corrective Action Plan Submitted: Not reported	
Date Spill Entered In Computer Data File: 05/09/1991	
Date Region Sent Report To Central Office: Not reported	

Z119
NW
1/2-1
3290
Higher

HYAID CORP
6 COMMERCIAL ST
HICKSVILLE, NY

LUST

S102662352
N/A

LUST:

Spill Number: 9706509	Region of Spill: 1
Facility Contact: RICHARD PEARSON	Facility Tele: (516) 576-3037
Investigator: UNASSIGNED	SWIS: 28
Caller Name: RICHARD PEARSON	Caller Agency: PETRO FUEL CO
Caller Phone: (516) 349-4130	Caller Extension: Not reported
Notifier Name: HYAID CORP	Notifier Agency: CUSTOMER
Notifier Phone: (516) 433-3800	Notifier Extension: Not reported
Spiller Contact: Not reported	Spiller Phone: (516) 576-3037
Spiller: HYAID CORP	
Spiller Address: 6 COMMERCIAL STREET HICKSVILLE, NY 11801	
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.	
Spill Closed Dt: Not reported	
Spill Cause: Other	Resource Affected: On Land

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

HYAID CORP (Continued)

S102662352

Water Affected:	Not reported	Spill Source:	Other Non Commercial/Industrial
Spill Notifier:	Other	PBS Number:	Not reported
Spill Date:	08/29/1997 12:00	Reported to Dept:	08/29/1997 12:05
Cleanup Ceased:	Not reported		
Last Inspection:	Not reported		
Cleanup Meets Standard:	False		
Recommended Penalty:	No Penalty		
Spiller Cleanup Date:	Not reported		
Enforcement Date:	Not reported		
Investigation Complete:	Not reported		
UST Involvement:	False		
Spill Record Last Update:	09/02/1997		
Is Updated:	False		
Corrective Action Plan Submitted:	Not reported		
Date Spill Entered In Computer Data File:	08/29/1997		
Date Region Sent Summary to Central Office:	Not reported		

AA120
West
1/2-1
3292
Higher

WALTER HOFFMANN
22 LINDEN BLVD
HICKSVILLE, NY

LUST

S100148916
N/A

LUST:

Spill Number:	8702517	Region of Spill:	1
Facility Contact:	Not reported	Facility Tele:	Not reported
Investigator:	WALEK	SWIS:	28
Caller Name:	Not reported	Caller Agency:	Not reported
Caller Phone:	Not reported	Caller Extension:	Not reported
Notifier Name:	Not reported	Notifier Agency:	Not reported
Notifier Phone:	Not reported	Notifier Extension:	Not reported
Spiller Contact:	Not reported	Spiller Phone:	(516) 935-0546
Spiller:	WALTER HOFFMANN		
Spiller Address:	Not reported		
	Not reported		
Spill Class:	Not reported	Resource Affected:	On Land
Spill Closed Dt:	08/19/1987	Spill Source:	Private Dwelling
Spill Cause:	Tank Failure	PBS Number:	Not reported
Water Affected:	Not reported	Reported to Dept:	06/29/1987 08:45
Spill Notifier:	Responsible Party		
Spill Date:	06/28/1987 12:00		
Cleanup Ceased:	08/19/1987		
Last Inspection:	Not reported		
Cleanup Meets Standard:	True		
Recommended Penalty:	No Penalty		
Spiller Cleanup Date:	Not reported		
Enforcement Date:	Not reported		
Investigation Complete:	Not reported		
UST Involvement:	False		
Spill Record Last Update:	08/19/1987		
Is Updated:	False		
Corrective Action Plan Submitted:	Not reported		
Date Spill Entered In Computer Data File:	07/01/1987		
Date Region Sent Summary to Central Office:	Not reported		

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation

MAP FINDINGS

Site _____ Database(s) _____ EDR ID Number
 EPA ID Number

121
 SSW
 1/2-1
 3301
 Higher

ALBERT RESIDENCE
22 ALBERT RD
HICKSVILLE, NY

NY Spills

S102136904
 N/A

SPILLS:

Spill Number:	8603611	Region of Spill:	1
Facility Contact:	Not reported	Facility Tele:	Not reported
Investigator:	Not reported		
Caller Name:	Not reported	Caller Agency:	Not reported
Caller Phone:	Not reported	Caller Extension:	Not reported
Notifier Name:	Not reported	Notifier Agency:	Not reported
Notifier Phone:	Not reported	Notifier Extension:	Not reported
Spiller Contact:	Not reported	Spiller Phone:	Not reported
SWIS:	28		
Spiller:	ALBERT RESIDENCE		
Address:	22 ALBERT ROAD HICKSVILLE, NY		
Spill Class:	Not reported	Resource Affected:	On Land
Spill Closed Dt:	05/04/1987	Spill Source:	Private Dwelling
Spill Cause:	Equipment Failure	PBS Number:	Not reported
Water Affected:	Not reported	Reported to Dept:	09/02/1986 13:00
Spill Notifier:	Citizen		
Spill Date:	09/02/1986		
Cleanup Ceased:	05/04/1987		
Last Inspection:	Not reported		
Cleanup Meets Standard:	True		
Recommended Penalty:	No Penalty		
Spiller Cleanup Date:	Not reported		
Enforcement Date:	Not reported		
Investigation Complete:	Not reported		
UST Involvement:	False		
Spill Record Last Update:	11/14/1995		
Is Updated:	False		
Corrective Action Plan Submitted:	Not reported		
Date Spill Entered In Computer Data File:	09/16/1986		
Date Region Sent Report To Central Office:	Not reported		

122
 WSW
 1/2-1
 3303
 Higher

FRANK CONGOLOSI
64 LINDEN BLVD
HICKSVILLE, NY

NY Spills

S102138461
 N/A

SPILLS:

Spill Number:	9005468	Region of Spill:	1
Facility Contact:	Not reported	Facility Tele:	(516) 822-1430
Investigator:	LUCE		
Caller Name:	JULIE FARRARA	Caller Agency:	MILRO
Caller Phone:	(516) 486-5155	Caller Extension:	Not reported
Notifier Name:	Not reported	Notifier Agency:	Not reported
Notifier Phone:	Not reported	Notifier Extension:	Not reported
Spiller Contact:	Not reported	Spiller Phone:	Not reported
SWIS:	28		
Spiller:	FRANK CONGOLOSI		
Address:	64 LINDEN BLVD HICKSVILLE, NY		
Spill Class:	Not reported	Resource Affected:	On Land
Spill Closed Dt:	09/14/1990		
Spill Cause:	Equipment Failure		

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

Database(s) EDR ID Number
 EPA ID Number

FRANK CONGOLOSI (Continued)

S102138461

Water Affected: Not reported	Spill Source: Private Dwelling
Spill Notifier: Responsible Party	PBS Number: Not reported
Spill Date: 08/16/1990 12:00	Reported to Dept: 08/17/1990 10:54
Cleanup Ceased: 09/14/1990	
Last Inspection: Not reported	
Cleanup Meets Standard: True	
Recommended Penalty: No Penalty	
Spiller Cleanup Date: Not reported	
Enforcement Date: Not reported	
Investigation Complete: Not reported	
UST Involvement: False	
Spill Record Last Update: 09/14/1990	
Is Updated: False	
Corrective Action Plan Submitted: Not reported	
Date Spill Entered In Computer Data File: 08/22/1990	
Date Region Sent Report To Central Office: Not reported	

123
 NNW
 1/2-1
 3308
 Higher

**RESIDENCE
 30 MEADOW LN
 HICKSVILLE, NY**

**NY Spills S102139196
 N/A**

SPILLS:

Spill Number: 9309555	Region of Spill: 1
Facility Contact: Not reported	Facility Tele: (516) 338-1110
Investigator: NONE	
Caller Name: LINDA TUCKER	Caller Agency: RELIANCE
Caller Phone: (516) 338-1110	Caller Extension: Not reported
Notifier Name: Not reported	Notifier Agency: Not reported
Notifier Phone: Not reported	Notifier Extension: Not reported
Spiller Contact: Not reported	Spiller Phone: Not reported
SWIS: 28	
Spiller: RESIDENCE	
Address: Not reported	
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.	
Spill Closed Dt: 11/09/1993	
Spill Cause: Equipment Failure	Resource Affected: On Land
Water Affected: Not reported	Spill Source: Private Dwelling
Spill Notifier: Responsible Party	PBS Number: Not reported
Spill Date: 11/06/1993 19:05	Reported to Dept: 11/06/1993 21:16
Cleanup Ceased: 11/09/1993	
Last Inspection: Not reported	
Cleanup Meets Standard: True	
Recommended Penalty: No Penalty	
Spiller Cleanup Date: Not reported	
Enforcement Date: Not reported	
Investigation Complete: Not reported	
UST Involvement: False	
Spill Record Last Update: 11/09/1993	
Is Updated: False	
Corrective Action Plan Submitted: Not reported	
Date Spill Entered In Computer Data File: 11/09/1993	
Date Region Sent Report To Central Office: Not reported	

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation

Site

Database(s)

EDR ID Number
 EPA ID Number

124
 SSW
 1/2-1
 3336
 Higher

CASCADE WATER PLANT
113 BLOOMINGDALE RD
HICKSVILLE, NY

LUST

S102661710
 N/A

LUST:

Spill Number: 9613999	Region of Spill: 1
Facility Contact: N/A	Facility Tele: Not reported
Investigator: UNASSIGNED	SWIS: 28
Caller Name: CITIZEN	Caller Agency: Not reported
Caller Phone: Not reported	Caller Extension: Not reported
Notifier Name: Not reported	Notifier Agency: Not reported
Notifier Phone: Not reported	Notifier Extension: Not reported
Spiller Contact: SAME	Spiller Phone: Not reported
Spiller: CASCADE WATER PLANT	
Spiller Address: 113 BLOOMINGDALE AVENUE HICKSVILLE, NY 11801	
Spill Class: Possible release with minimal potential for fire or hazard or Known release with no damage. DEC Response. Willing Responsible Party. Corrective action taken.	
Spill Closed Dt: Not reported	Resource Affected: On Land
Spill Cause: Other	Spill Source: Other Commercial/Industrial
Water Affected: Not reported	PBS Number: Not reported
Spill Notifier: Citizen	Reported to Dept: 02/28/1997 20:32
Spill Date: 02/28/1997 15:00	
Cleanup Ceased: Not reported	
Last Inspection: Not reported	
Cleanup Meets Standard: False	
Recommended Penalty: No Penalty	
Spiller Cleanup Date: Not reported	
Enforcement Date: Not reported	
Investigation Complete: Not reported	
UST Involvement: False	
Spill Record Last Update: 03/04/1997	
Is Updated: False	
Corrective Action Plan Submitted: Not reported	
Date Spill Entered In Computer Data File: 02/28/1997	
Date Region Sent Summary to Central Office: Not reported	

AB125
 WNW
 1/2-1
 3342
 Higher

LILCO
536 S BROADWAY
HICKSVILLE, NY

NY Spills

S102138546
 N/A

SPILLS:

Spill Number: 9007641	Region of Spill: 1
Facility Contact: Not reported	Facility Tele: Not reported
Investigator: NONE	
Caller Name: RICH SCHMITZ	Caller Agency: LILCO
Caller Phone: (516) 420-6143	Caller Extension: Not reported
Notifier Name: Not reported	Notifier Agency: Not reported
Notifier Phone: Not reported	Notifier Extension: Not reported
Spiller Contact: Not reported	Spiller Phone: Not reported
SWIS: 28	
Spiller: LILCO	
Address: Not reported	
Spill Class: Not reported	
Spill Closed Dt: 10/15/1990	

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

LILCO (Continued)

S102138546

Spill Cause: Equipment Failure
Water Affected: Not reported
Spill Notifier: Responsible Party
Spill Date: 10/12/1990 13:00
Cleanup Ceased: 10/15/1990
Last Inspection: Not reported
Cleanup Meets Standard: True
Recommended Penalty: No Penalty
Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: False
Spill Record Last Update: 10/17/1990
Is Updated: False
Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 10/15/1990
Date Region Sent Report To Central Office: Not reported

Resource Affected: On Land
Spill Source: Other Commercial/Industrial
PBS Number: Not reported
Reported to Dept: 10/12/1990 14:45

126
East
1/2-1
3345
Lower

MASI RESIDENCE
265 N 7TH ST
BETHPAGE, NY

NY Spills S102095177
N/A

SPILLS:

Spill Number: 8803978
Facility Contact: Not reported
Investigator: WALEK
Caller Name: HELEN O'KEEFE
Caller Phone: (516) 486-5050
Notifier Name: Not reported
Notifier Phone: Not reported
Spiller Contact: Not reported
SWIS: 28
Spiller: MASI RESIDENCE
Address: 265 7TH STREET
BETHPAGE, NY

Spill Class: Not reported
Spill Closed Dt: 11/25/1988
Spill Cause: Vandalism
Water Affected: Not reported
Spill Notifier: Local Agency
Spill Date: 08/04/1988 16:00
Cleanup Ceased: 11/25/1988
Last Inspection: Not reported
Cleanup Meets Standard: True
Recommended Penalty: No Penalty
Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: False
Spill Record Last Update: 11/30/1988
Is Updated: False
Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 08/08/1988
Date Region Sent Report To Central Office: Not reported

Region of Spill: 1
Facility Tele: (516) 932-8607
Caller Agency: CMI
Caller Extension: Not reported
Notifier Agency: Not reported
Notifier Extension: Not reported
Spiller Phone: Not reported

Resource Affected: On Land
Spill Source: Private Dwelling
PBS Number: Not reported
Reported to Dept: 08/05/1988 10:54

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation

MAP FINDINGS

Site _____ Database(s) _____ EDR ID Number
 EPA ID Number _____

Y127
SE
1/2-1
3400
Lower

RELIANCE
167 9TH ST
BETHPAGE, NY

NY Spills **S102102389**
 N/A

SPILLS:

Spill Number:	9507289	Region of Spill:	1
Facility Contact:	Not reported	Facility Tele:	Not reported
Investigator:	NONE		
Caller Name:	BERNARD DEPACE	Caller Agency:	RESIDENCE
Caller Phone:	(516) 822-2491	Caller Extension:	Not reported
Notifier Name:	Not reported	Notifier Agency:	Not reported
Notifier Phone:	Not reported	Notifier Extension:	Not reported
Spiller Contact:	Not reported	Spiller Phone:	Not reported
SWIS:	28		
Spiller:	RELIANCE		
Address:	Not reported		
	Not reported		
Spill Class:	Possible release with minimal potential for fire or hazard or Known release with no damage. DEC Response. Willing Responsible Party. Corrective action taken.		
Spill Closed Dt:	09/14/1995		
Spill Cause:	Equipment Failure	Resource Affected:	On Land
Water Affected:	Not reported	Spill Source:	Private Dwelling
Spill Notifier:	Affected Persons	PBS Number:	Not reported
Spill Date:	09/14/1995 10:20	Reported to Dept:	09/14/1995 10:28
Cleanup Ceased:	09/14/1995		
Last Inspection:	Not reported		
Cleanup Meets Standard:	True		
Recommended Penalty:	No Penalty		
Spiller Cleanup Date:	Not reported		
Enforcement Date:	Not reported		
Investigation Complete:	Not reported		
UST Involvement:	False		
Spill Record Last Update:	Not reported		
Is Updated:	False		
Corrective Action Plan Submitted:	Not reported		
Date Spill Entered In Computer Data File:	09/15/1995		
Date Region Sent Report To Central Office:	Not reported		

128
NE
1/2-1
3417
Higher

PERILLO OIL
7 CEDAR AVE
BETHPAGE, NY

NY Spills **S102099056**
 N/A

SPILLS:

Spill Number:	9313512	Region of Spill:	1
Facility Contact:	Not reported	Facility Tele:	Not reported
Investigator:	NONE		
Caller Name:	CHUCK TYREE	Caller Agency:	PERILLO OIL
Caller Phone:	(516) 249-4141	Caller Extension:	Not reported
Notifier Name:	Not reported	Notifier Agency:	Not reported
Notifier Phone:	Not reported	Notifier Extension:	Not reported
Spiller Contact:	Not reported	Spiller Phone:	Not reported
SWIS:	28		
Spiller:	PERILLO OIL		
Address:	9 MURRAY ST		
	FARMINGDALE		

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

PERILLO OIL (Continued)

S102099056

Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 02/18/1994
Spill Cause: Human Error Resource Affected: On Land
Water Affected: Not reported Spill Source: Private Dwelling
Spill Notifier: Other PBS Number: Not reported
Spill Date: 02/17/1994 11:15 Reported to Dept: 02/17/1994 11:21
Cleanup Ceased: 02/18/1994
Last Inspection: Not reported
Cleanup Meets Standard: True
Recommended Penalty: No Penalty
Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: False
Spill Record Last Update: 02/22/1994
Is Updated: False
Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 02/18/1994
Date Region Sent Report To Central Office: Not reported

**AA129
West
1/2-1
3446
Higher**

**LINDA SCHWARZ
12 FARM LN
HICKSVILLE, NY**

LUST

**S100148382
N/A**

LUST:

Spill Number: 8911923 Region of Spill: 1
Facility Contact: Not reported Facility Tele: Not reported
Investigator: NONE SWIS: 28
Caller Name: HELEN O'KEEFE Caller Agency: MILRO SERVICES
Caller Phone: (516) 486-5155 Caller Extension: Not reported
Notifier Name: Not reported Notifier Agency: Not reported
Notifier Phone: Not reported Notifier Extension: Not reported
Spiller Contact: Not reported Spiller Phone: (516) 433-7632
Spiller: LINDA SCHWARZ
Spiller Address: Not reported
Not reported
Spill Class: Not reported
Spill Closed Dt: 03/16/1990 Resource Affected: On Land
Spill Cause: Tank Failure Spill Source: Private Dwelling
Water Affected: Not reported PBS Number: Not reported
Spill Notifier: Other Reported to Dept: 03/16/1990 11:50
Spill Date: 03/13/1990 12:00
Cleanup Ceased: 03/16/1990
Last Inspection: Not reported
Cleanup Meets Standard: True
Recommended Penalty: No Penalty
Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: False
Spill Record Last Update: Not reported
Is Updated: False
Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 03/19/1990
Date Region Sent Summary to Central Office: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation

Site

Database(s)

EDR ID Number
 EPA ID Number

AB130
WNW
1/2-1
3458
Higher

LILCO
520 S BROADWAY
HICKSVILLE, NY

NY Spills

S102137392
N/A

SPILLS:

Spill Number:	8709472	Region of Spill:	1
Facility Contact:	Not reported	Facility Tele:	(516) 420-6138
Investigator:	Not reported	Caller Agency:	Not reported
Caller Name:	Not reported	Caller Extension:	Not reported
Caller Phone:	Not reported	Notifier Agency:	Not reported
Notifier Name:	Not reported	Notifier Extension:	Not reported
Notifier Phone:	Not reported	Spiller Phone:	Not reported
Spiller Contact:	Not reported		
SWIS:	28		
Spiller:	LILCO		
Address:	175 EAST OLD COUNTRY ROAD HICKSVILLE, NY		
Spill Class:	Not reported	Resource Affected:	On Land
Spill Closed Dt:	02/09/1988	Spill Source:	Other Non Commercial/Industrial
Spill Cause:	Equipment Failure	PBS Number:	Not reported
Water Affected:	Not reported	Reported to Dept:	02/08/1988 10:32
Spill Notifier:	Responsible Party		
Spill Date:	02/07/1988 12:00		
Cleanup Ceased:	02/09/1988		
Last Inspection:	Not reported		
Cleanup Meets Standard:	True		
Recommended Penalty:	No Penalty		
Spiller Cleanup Date:	Not reported		
Enforcement Date:	Not reported		
Investigation Complete:	Not reported		
UST Involvement:	False		
Spill Record Last Update:	02/10/1988		
Is Updated:	False		
Corrective Action Plan Submitted:	Not reported		
Date Spill Entered In Computer Data File:	02/08/1988		
Date Region Sent Report To Central Office:	Not reported		

AC131
SE
1/2-1
3464
Lower

GRUMMAN AEROSPACE
SCALE HANGER PLANT #4
BETHPAGE, NY

NY Spills

S102098604
N/A

SPILLS:

Spill Number:	9309624	Region of Spill:	1
Facility Contact:	Not reported	Facility Tele:	Not reported
Investigator:	KISPERT	Caller Agency:	GRUMMAN
Caller Name:	JOHN SELVA	Caller Extension:	Not reported
Caller Phone:	(516) 575-8176	Notifier Agency:	Not reported
Notifier Name:	Not reported	Notifier Extension:	Not reported
Notifier Phone:	Not reported	Spiller Phone:	Not reported
Spiller Contact:	Not reported		
SWIS:	28		
Spiller:	GRUMMAN AEROSPACE		
Address:	Not reported Not reported		
Spill Class:	Known release that creates potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.		
Spill Closed Dt:	09/02/1994		

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
 EPA ID Number

GRUMMAN AEROSPACE (Continued)

S102098604

Spill Cause:	Housekeeping	Resource Affected:	On Land
Water Affected:	Not reported	Spill Source:	Other Commercial/Industrial
Spill Notifier:	Responsible Party	PBS Number:	Not reported
Spill Date:	11/08/1993 14:30	Reported to Dept:	11/09/1993 11:15
Cleanup Ceased:	09/02/1994		
Last Inspection:	Not reported		
Cleanup Meets Standard:	True		
Recommended Penalty:	No Penalty		
Spiller Cleanup Date:	Not reported		
Enforcement Date:	Not reported		
Investigation Complete:	Not reported		
UST Involvement:	False		
Spill Record Last Update:	09/06/1994		
Is Updated:	False		
Corrective Action Plan Submitted:	Not reported		
Date Spill Entered In Computer Data File:	11/09/1993		
Date Region Sent Report To Central Office:	Not reported		

AD132
 North
 1/2-1
 3494
 Higher

GETTY PETROLEUM CORP
723 S OYSTER BAY RD
PLAINVIEW, NY 11803

RCRIS-SQG 1000871563
FINDS NY0000071282
LUST

RCRIS:

Owner: GETTY PETROLEUM CORP
 (516) 338-6000

Contact: JOHN CATAPANO
 (516) 488-2500

Record Date: 12/06/1993

Classification: Small Quantity Generator

Used Oil Recyc: No

Violation Status: No violations found

LUST:

Spill Number:	8710561	Region of Spill:	1
Facility Contact:	Not reported	Facility Tele:	Not reported
Investigator:	GOERTZ	SWIS:	28
Caller Name:	MATT	Caller Agency:	TYREE
Caller Phone:	(516) 249-3150	Caller Extension:	Not reported
Notifier Name:	Not reported	Notifier Agency:	Not reported
Notifier Phone:	Not reported	Notifier Extension:	Not reported
Spiller Contact:	Not reported	Spiller Phone:	(718) 729-6500
Spiller:	GETTY PETROLEUM		
Spiller Address:	30-23 GREENPOINT AVENUE LONG ISLAND CITY, NY		
Spill Class:	Not reported	Resource Affected:	Groundwater
Spill Closed Dt:	04/20/1988	Spill Source:	Gas Station
Spill Cause:	Tank Test Failure	PBS Number:	Not reported
Water Affected:	Not reported	Reported to Dept:	03/17/1988 15:55
Spill Notifier:	Tank Tester		
Spill Date:	03/17/1988 15:45		
Cleanup Ceased:	04/20/1988		
Last Inspection:	Not reported		
Cleanup Meets Standard:	True		
Recommended Penalty:	No Penalty		

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation

Site

Database(s)

EDR ID Number
 EPA ID Number

GETTY PETROLEUM CORP (Continued)

1000871563

Spiller Cleanup Date: Not reported
 Enforcement Date: Not reported
 Investigation Complete: Not reported
 UST Involvement: True
 Spill Record Last Update: 04/20/1988
 Is Updated: False
 Corrective Action Plan Submitted: Not reported
 Date Spill Entered In Computer Data File: 03/18/1988
 Date Region Sent Summary to Central Office: Not reported

133
 South
 1/2-1
 3526
 Lower

**DRIVER:WAYNE T COX
 625 HICKSVILLE RD
 BETHPAGE, NY**

NY Spills

S102098046
 N/A

SPILLS:

Spill Number: 9303560	Region of Spill: 1
Facility Contact: Not reported	Facility Tele: Not reported
Investigator: KISPERT	
Caller Name: BOB HARE	Caller Agency: NCFM
Caller Phone: (516) 566-5293	Caller Extension: Not reported
Notifier Name: Not reported	Notifier Agency: Not reported
Notifier Phone: Not reported	Notifier Extension: Not reported
Spiller Contact: Not reported	Spiller Phone: Not reported
SWIS: 28	
Spiller: DRIVER: WAYNE T COX	
Address: Not reported	
Spill Class: Possible release with minimal potential for fire or hazard or Known release with no damage. DEC Response. Willing Responsible Party. Corrective action taken.	
Spill Closed Dt: 06/10/1994	
Spill Cause: Traffic Accident	Resource Affected: In Sewer
Water Affected: Not reported	Spill Source: Passenger Vehicle
Spill Notifier: Fire Department	PBS Number: Not reported
Spill Date: 06/18/1993 07:30	Reported to Dept: 06/18/1993 10:15
Cleanup Ceased: 06/10/1994	
Last Inspection: Not reported	
Cleanup Meets Standard: True	
Recommended Penalty: No Penalty	
Spiller Cleanup Date: Not reported	
Enforcement Date: Not reported	
Investigation Complete: Not reported	
UST Involvement: False	
Spill Record Last Update: 06/13/1994	
Is Updated: False	
Corrective Action Plan Submitted: Not reported	
Date Spill Entered In Computer Data File: 06/21/1993	
Date Region Sent Report To Central Office: Not reported	

134
 North
 1/2-1
 3547
 Higher

**KENNEDY RESIDENCE
 29 FIELD AVE
 HICKSVILLE, NY**

NY Spills

S102140439
 N/A

SPILLS:

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

Database(s)
EDR ID Number
EPA ID Number

KENNEDY RESIDENCE (Continued)

S102140439

Spill Number: 9500019
Facility Contact: Not reported
Investigator: SCHULZ
Caller Name: KEVIN KENNEDY
Caller Phone: (516) 932-3148
Notifier Name: Not reported
Notifier Phone: Not reported
Spiller Contact: Not reported
SWIS: 28
Spiller: KENNEDY RESIDENCE
Address: Not reported
Not reported
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 05/02/1995
Spill Cause: Equipment Failure
Water Affected: Not reported
Spill Notifier: Responsible Party
Spill Date: 04/02/1995 13:00
Cleanup Ceased: 05/02/1995
Last Inspection: Not reported
Cleanup Meets Standard: True
Recommended Penalty: No Penalty
Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: False
Spill Record Last Update: 05/03/1995
Is Updated: False
Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 04/04/1995
Date Region Sent Report To Central Office: Not reported

Region of Spill: 1
Facility Tele: Not reported
Caller Agency: HOMEOWNER
Caller Extension: Not reported
Notifier Agency: Not reported
Notifier Extension: Not reported
Spiller Phone: Not reported
Resource Affected: On Land
Spill Source: Private Dwelling
PBS Number: Not reported
Reported to Dept: 04/02/1995 15:12

135
South
1/2-1
3564
Lower

UNK
127 ENGINEERS DR
HICKSVILLE, NY

NY Spills

S102567854
N/A

SPILLS:

Spill Number: 8504134
Facility Contact: Not reported
Investigator: DOT
Caller Name: RICHARD MAGEE
Caller Phone: (516) 535-7939
Notifier Name: Not reported
Notifier Phone: Not reported
Spiller Contact: Not reported
SWIS: 28
Spiller: UNK
Address: Not reported
Not reported
Spill Class: Not reported
Spill Closed Dt: 02/22/1988
Spill Cause: Abandoned Drums
Water Affected: Not reported
Spill Notifier: Fire Department
Spill Date: 02/24/1986 12:00
Cleanup Ceased: 02/22/1988

Region of Spill: 1
Facility Tele: Not reported
Caller Agency: NCFM
Caller Extension: Not reported
Notifier Agency: Not reported
Notifier Extension: Not reported
Spiller Phone: Not reported
Resource Affected: In Sewer
Spill Source: Unknown
PBS Number: Not reported
Reported to Dept: 02/24/1986 12:00

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

Database(s) EDR ID Number
 EPA ID Number

UNK (Continued)

S102567854

Last Inspection: Not reported
 Cleanup Meets Standard: True
 Recommended Penalty: No Penalty
 Spiller Cleanup Date: Not reported
 Enforcement Date: Not reported
 Investigation Complete: Not reported
 UST Involvement: False
 Spill Record Last Update: 11/08/1995
 Is Updated: False
 Corrective Action Plan Submitted: Not reported
 Date Spill Entered In Computer Data File: 06/18/1986
 Date Region Sent Report To Central Office: 02/22/1989

**136
 West
 1/2-1
 3564
 Higher**

**SANDRA RAFFO RESIDENCE
 9 COTTAGE BLVD
 HICKSVILLE, NY**

**NY Spills S102237455
 N/A**

SPILLS:

Spill Number: 9600635	Region of Spill: 1
Facility Contact: SANDRA	Facility Tele: Not reported
Investigator: NONE	
Caller Name: SANDRA RAFFFO	Caller Agency: CITIZEN
Caller Phone: (516) 931-1378	Caller Extension: Not reported
Notifier Name: SANDRA RAFFFO	Notifier Agency: CITIZEN
Notifier Phone: (516) 931-1378	Notifier Extension: Not reported
Spiller Contact: SANDRA	Spiller Phone: Not reported
SWIS: 28	
Spiller: SANDRA RAFFO RESIDENCE	
Address: 9 COTTAGE BLVD HICKSVILLE	
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.	
Spill Closed Dt: 04/15/1996	
Spill Cause: Equipment Failure	Resource Affected: On Land
Water Affected: Not reported	Spill Source: Private Dwelling
Spill Notifier: Responsible Party	PBS Number: Not reported
Spill Date: 04/13/1996 08:02	Reported to Dept: 04/13/1996 08:00
Cleanup Ceased: Not reported	
Last Inspection: Not reported	
Cleanup Meets Standard: True	
Recommended Penalty: No Penalty	
Spiller Cleanup Date: Not reported	
Enforcement Date: Not reported	
Investigation Complete: Not reported	
UST Involvement: False	
Spill Record Last Update: 04/16/1996	
Is Updated: False	
Corrective Action Plan Submitted: Not reported	
Date Spill Entered In Computer Data File: 04/13/1996	
Date Region Sent Report To Central Office: Not reported	

**AC137
 SE
 1/2-1
 3565
 Lower**

**ISLAND TRANSPORT CORP
 SOUTH WAREHOUSE AT GRUMMA
 BETHPAGE, NY**

**LUST S102669280
 N/A**

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

ISLAND TRANSPORT CORP (Continued)

S102669280

LUST:

Spill Number:	9105673	Region of Spill:	1
Facility Contact:	Not reported	Facility Tele:	Not reported
Investigator:	PARISH	SWIS:	28
Caller Name:	JOHN OHLMANN	Caller Agency:	GRUMMAN
Caller Phone:	(516) 575-2385	Caller Extension:	Not reported
Notifier Name:	Not reported	Notifier Agency:	Not reported
Notifier Phone:	Not reported	Notifier Extension:	Not reported
Spiller Contact:	Not reported	Spiller Phone:	Not reported
Spiller:	ISLAND TRANSPORT CORP		
Spiller Address:	Not reported		
	Not reported		
Spill Class:	Not reported	Resource Affected:	On Land
Spill Closed Dt:	10/03/1991	Spill Source:	Tank Truck
Spill Cause:	Tank Overfill	PBS Number:	Not reported
Water Affected:	Not reported	Reported to Dept:	08/26/1991 09:10
Spill Notifier:	Affected Persons		
Spill Date:	08/26/1991 08:00		
Cleanup Ceased:	10/03/1991		
Last Inspection:	Not reported		
Cleanup Meets Standard:	True		
Recommended Penalty:	No Penalty		
Spiller Cleanup Date:	Not reported		
Enforcement Date:	Not reported		
Investigation Complete:	Not reported		
UST Involvement:	False		
Spill Record Last Update:	10/07/1991		
Is Updated:	False		
Corrective Action Plan Submitted:	Not reported		
Date Spill Entered In Computer Data File:	08/28/1991		
Date Region Sent Summary to Central Office:	Not reported		

138
WSW
1/2-1
3574
Higher

RUPOLO RESIDENCE
48 GARDEN BLVD
HICKSVILLE, NY

NY Spills

S102138692
N/A

SPILLS:

Spill Number:	9011818	Region of Spill:	1
Facility Contact:	Not reported	Facility Tele:	Not reported
Investigator:	NONE		
Caller Name:	SANDY SCHAEN	Caller Agency:	GIFFORD OIL
Caller Phone:	(516) 576-3038	Caller Extension:	Not reported
Notifier Name:	Not reported	Notifier Agency:	Not reported
Notifier Phone:	Not reported	Notifier Extension:	Not reported
Spiller Contact:	Not reported	Spiller Phone:	Not reported
SWIS:	28		
Spiller:	RUPOLO RESIDENCE		
Address:	Not reported		
	Not reported		
Spill Class:	Not reported	Resource Affected:	On Land
Spill Closed Dt:	02/12/1991	Spill Source:	Private Dwelling
Spill Cause:	Equipment Failure	PBS Number:	Not reported
Water Affected:	Not reported	Reported to Dept:	02/11/1991 11:36
Spill Notifier:	Other		
Spill Date:	02/11/1991 08:30		
Cleanup Ceased:	02/12/1991		

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

RUPOLO RESIDENCE (Continued)

S102138692

Last Inspection: Not reported
Cleanup Meets Standard: True
Recommended Penalty: No Penalty
Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: False
Spill Record Last Update: 02/13/1991
Is Updated: False
Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 02/12/1991
Date Region Sent Report To Central Office: Not reported

AD139
North
1/2-1
3587
Higher

**GRUMMAN CORP OPERATIONS
STEWART AVENUE
BETHPAGE, NY**

LUST

S101102368
N/A

LUST:

Spill Number:	9402644	Region of Spill:	1
Facility Contact:	Not reported	Facility Tele:	Not reported
Investigator:	T/T/F	SWIS:	28
Caller Name:	ROBIN RHODE	Caller Agency:	NCDH
Caller Phone:	(516) 571-5060	Caller Extension:	Not reported
Notifier Name:	Not reported	Notifier Agency:	Not reported
Notifier Phone:	Not reported	Notifier Extension:	Not reported
Spiller Contact:	Not reported	Spiller Phone:	(516) 575-1529
Spiller:	GRUMMAN CORP OPERATIONS		
Spiller Address:	MAIL STOP DO8-6HQ BETHPAGE		
Spill Class:	Known release that creates potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.		
Spill Closed Dt:	10/02/1995	Resource Affected:	Groundwater
Spill Cause:	Tank Test Failure	Spill Source:	Other Commercial/Industrial
Water Affected:	Not reported	PBS Number:	Not reported
Spill Notifier:	Health Department	Reported to Dept:	05/24/1994 10:00
Spill Date:	03/16/1994 12:00		
Cleanup Ceased:	10/02/1995		
Last Inspection:	Not reported		
Cleanup Meets Standard:	True		
Recommended Penalty:	No Penalty		
Spiller Cleanup Date:	Not reported		
Enforcement Date:	Not reported		
Investigation Complete:	Not reported		
UST Involvement:	False		
Spill Record Last Update:	10/02/1995		
Is Updated:	False		
Corrective Action Plan Submitted:	Not reported		
Date Spill Entered In Computer Data File:	05/25/1994		
Date Region Sent Summary to Central Office:	Not reported		
Spill Number:	9506898	Region of Spill:	1
Facility Contact:	Not reported	Facility Tele:	Not reported
Investigator:	PARISH	SWIS:	28
Caller Name:	JOHN SELVA	Caller Agency:	GRUMMAN CORP
Caller Phone:	(516) 575-8176	Caller Extension:	Not reported
Notifier Name:	Not reported	Notifier Agency:	Not reported
Notifier Phone:	Not reported	Notifier Extension:	Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

GRUMMAN CORP OPERATIONS (Continued)

S101102368

Spiller Contact: Not reported Spiller Phone: (516) 575-8176
Spiller: GRUMMAN CORP
Spiller Address: STEWART AVENUE
BETHPAGE, NY
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Unknown Responsible Party. Corrective action taken. (ISR)
Spill Closed Dt: 08/19/1997
Spill Cause: Other Resource Affected: On Land
Water Affected: Not reported Spill Source: Major Facility 400,000 gallons
Spill Notifier: Responsible Party PBS Number: Not reported
Spill Date: 09/06/1995 11:00 Reported to Dept: 09/06/1995 13:12
Cleanup Ceased: Not reported
Last Inspection: Not reported
Cleanup Meets Standard: True
Recommended Penalty: No Penalty
Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: False
Spill Record Last Update: 08/21/1997
Is Updated: False
Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 09/07/1995
Date Region Sent Summary to Central Office: Not reported

AD140
North
1/2-1
3587
Higher

BEHROUZ BEHZADPOUR
600 S OYSTER BAY RD
HICKSVILLE, NY

NY Spills

S102140198
N/A

SPILLS:

Spill Number: 9412916 Region of Spill: 1
Facility Contact: Not reported Facility Tele: (516) 364-0922
Investigator: CAMPBELL
Caller Name: OFFICER MORAN Caller Agency: NCDP
Caller Phone: (516) 573-6200 Caller Extension: Not reported
Notifier Name: Not reported Notifier Agency: Not reported
Notifier Phone: Not reported Notifier Extension: Not reported
Spiller Contact: Not reported Spiller Phone: Not reported
SWIS: 28
Spiller: BEHROUZ BEHZADPOUR
Address: 17 VILLAGE DRIVE
JERICHO
Spill Class: Known release that creates potential for fire or hazard. DEC Response.
Unable/unwilling Responsible Party. Corrective action taken. (ISR)
Spill Closed Dt: 02/03/1995
Spill Cause: Vandalism Resource Affected: In Sewer
Water Affected: Not reported Spill Source: Commercial Vehicle
Spill Notifier: DEC PBS Number: Not reported
Spill Date: 12/28/1994 10:10 Reported to Dept: 12/28/1994 12:07
Cleanup Ceased: 02/03/1995
Last Inspection: Not reported
Cleanup Meets Standard: True
Recommended Penalty: No Penalty
Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: False

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation

MAP FINDINGS

BEHROUZ BEHZADPOUR (Continued)

EDR ID Number
 EPA ID Number

Database(s)

Spill Record Last Update: 02/06/1995
 Is Updated: False
 Corrective Action Plan Submitted: Not reported
 Date Spill Entered In Computer Data File: 12/29/1994
 Date Region Sent Report To Central Office: Not reported

S102140198

AD141
 North
 1/2-1
 3587
 Higher

GRUMMAN AEROSPACE-BETHPAGE FACILITY
STEWART AVENUE
BETHPAGE, NY 11714

SHWS
 LUST
 NY Spills

S101008267
 N/A

SHWS:

Facility ID:	130003A	EPA ID:	NYD002047967
Region:	1	Site Type:	Lagoon Landfill
Acres:	35	User:	Grumman Aerospace Corp.
Owner:	Multiple Site Owners Not reported Not reported		
Operator:	Multiple Site Operators Not reported Not reported		
Lat/Long:	40 45' 14" / 73 29' 55"		
Classification:	SIGNIFICANT THREAT TO THE PUBLIC HEALTH OR ENVIRONMENT - ACTION REQUIRED.		
Hazardous Waste Disposed:	1943-present		
Analytical Data Available:	Groundwater Soil Sediment		
Applicable Standards Exceeded:	Groundwater Drinking Water		
Geotechnical Info. Soil/Rock Type:	Sand		
Depth to Groundwater:	Approximately 55 feet		
Legal Action Type:	State Consent Order DEE		
Remedial Action:	In Progress Complete		
Nature of Action:	RI-FS groundwater-OU II; and on-site soi		
Enforcement Status:	Order Signed		
Hazardous Waste:	Chromium sludge - unknown Paint sludge-unknown Metals-unknown Chlorinated solvents-unknown		

Site Description:

Grumman has been operating at this facility since the early 1930's. Prior to 1949, chromium-laden wastes were disposed of in basins on site. This practice was stopped after chromium was detected in a public supply well located south of the Grumman plant. In 1976, water pumped from some of the production wells was found to contain volatile organic compounds. In 1986, the Nassau County Health Department, in conjunction with the United States Geological Survey, began an investigation of the groundwater resources in the vicinity of the Grumman plant. During this study, a groundwater plume estimated to be 1500 acres in size was studied. This plume is emanating from this site and the NWIRP-Bethpage (Site # 130003B) and the RUCO Polymer (Hooker Chemical)(Site # 130004) inactive hazardous waste disposal sites. In 1989, Grumman signed a consent order with the NYSDEC in which they agreed to conduct a Remedial Investigation/Feasibility Study (RI/FS) at this site. The Remedial Investigation (RI) was completed in 1994. Two on-site source areas were identified. A PCE release at Plant 15 was remediated in 1996 via soil vapor extraction. A release from a TCE storage tank adjacent to Plant 2 is being remediated via soil vapor extraction. These actions were initiated as interim Remedial Measures (IRMs). A Record of

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
 EPA ID Number

GRUMMAN AEROSPACE-BETHPAGE FACILITY (Continued)

S101008267

Decision (ROD) for remediating on-site source areas (Operable Unit 1) was issued by the NYSDEC in March 1995. The IRM remedies were the selected remedies for this site. A Feasibility Study (FS) for developing a remedy for the groundwater resources (Operable Unit 2) is underway. Remedial alternatives are being developed and evaluated for addressing groundwater contamination emanating from this site and the NWIRP-Bethpage and RUCOPolymer Corp. sites. It is anticipated that a ROD will be issued for this operable unit in June 1998. In the meantime, a groundwater IRM is being implemented in order to provide better protection to public water supply wells located to the south of the site. A pump-and-treat-system went on line in November 1997.

Assessment of Environmental Problems:

Two of the municipal water supplies downgradient have been impacted and others are threatened.

Assessment of Health Problems:

Groundwater on-site is contaminated but it is not used as a potable water supply. A groundwater pump and treat system has been implemented on-site to reduce contaminant concentrations in the groundwater. Off-site groundwater contamination has affected several public water supply wells. Water from these wells is treated to remove contaminants prior to distribution in the public water supply system. Petitions to delist portions of the site are anticipated as changes in site use are proposed. As each petition is reviewed, an exposure assessment will be conducted to ensure the protection of public health.

LUST:

Spill Number:	9213848	Region of Spill:	1
Facility Contact:	Not reported	Facility Tele:	Not reported
Investigator:	KISPERT DRO	SWIS:	28
Caller Name:	JOHN SELVA	Caller Agency:	GRUMMAN
Caller Phone:	(516) 575-8176	Caller Extension:	Not reported
Notifier Name:	Not reported	Notifier Agency:	Not reported
Notifier Phone:	Not reported	Notifier Extension:	Not reported
Spiller Contact:	Not reported	Spiller Phone:	Not reported
Spiller:	GRUMMAN BETHPAGE		
Spiller Address:	PLANT #5 BETHPAGE		
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.		
Spill Closed Dt:	02/19/1997	Resource Affected:	On Land
Spill Cause:	Other	Spill Source:	Other Commercial/Industrial
Water Affected:	Not reported	PBS Number:	Not reported
Spill Notifier:	Responsible Party	Reported to Dept:	03/17/1993 14:55
Spill Date:	03/17/1993 14:00		
Cleanup Ceased:	Not reported		
Last Inspection:	Not reported		
Cleanup Meets Standard:	True		
Recommended Penalty:	No Penalty		
Spiller Cleanup Date:	Not reported		
Enforcement Date:	Not reported		
Investigation Complete:	Not reported		
UST Involvement:	False		
Spill Record Last Update:	02/20/1997		
Is Updated:	False		
Corrective Action Plan Submitted:	Not reported		
Date Spill Entered In Computer Data File:	03/18/1993		
Date Region Sent Summary to Central Office:	Not reported		

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

GRUMMAN AEROSPACE-BETHPAGE FACILITY (Continued)

EDR ID Number
EPA ID Number

Database(s)

S101008267

Spill Number: 9606777
Facility Contact: JOHN SELZA
Investigator: UNASSIGNED
Caller Name: JOHN SELZA
Caller Phone: (516) 575-8176
Notifier Name: EMPLOYEE
Notifier Phone: Not reported
Spiller Contact: JOHN SELZA
Spiller: NORTHROP-GRUMMAN CORP
Spiller Address: STEWART AVENUE
BETHPAGE, NY
Spill Class: Known release that creates potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: Not reported
Spill Cause: Other
Water Affected: Not reported
Spill Notifier: Responsible Party
Spill Date: 08/27/1996 11:30
Cleanup Ceased: Not reported
Last Inspection: Not reported
Cleanup Meets Standard: False
Recommended Penalty: No Penalty
Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: False
Spill Record Last Update: 11/04/1997
Is Updated: False
Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 08/27/1996
Date Region Sent Summary to Central Office: Not reported

Region of Spill: 1
Facility Tele: (516) 575-8176
SWIS: 28
Caller Agency: NORTHROP-GRUMMAN CORP.
Caller Extension: Not reported
Notifier Agency: Not reported
Notifier Extension: Not reported
Spiller Phone: (516) 575-8176
Resource Affected: On Land
Spill Source: Other Commercial/Industrial
PBS Number: Not reported
Reported to Dept: 08/27/1996 15:00

SPILLS:

Spill Number: 9609522
Facility Contact: JOHN
Investigator: UNASSIGNED
Caller Name: JOHN SELDA
Caller Phone: (516) 575-8176
Notifier Name: EMP
Notifier Phone: Not reported
Spiller Contact: JOHN SELZA
SWIS: 28
Spiller: WESTBURY PAPER STOCK CORP
Address: 619 DICKINS STREET
WESTBURY, NY
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: Not reported
Spill Cause: Equipment Failure
Water Affected: Not reported
Spill Notifier: Affected Persons
Spill Date: 10/30/1996 07:45
Cleanup Ceased: Not reported
Last Inspection: Not reported
Cleanup Meets Standard: False
Recommended Penalty: No Penalty
Spiller Cleanup Date: Not reported
Enforcement Date: Not reported

Region of Spill: 1
Facility Tele: (516) 333-2211
Caller Agency: NORTHROP GRUMMON CORP
Caller Extension: Not reported
Notifier Agency: Not reported
Notifier Extension: Not reported
Spiller Phone: (516) 575-8176
Resource Affected: On Land
Spill Source: Commercial Vehicle
PBS Number: Not reported
Reported to Dept: 10/30/1996 08:23

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
 EPA ID Number

GRUMMAN AEROSPACE-BETHPAGE FACILITY (Continued)

S101008267

Investigation Complete: Not reported
 UST Involvement: False
 Spill Record Last Update: 11/01/1996
 Is Updated: False
 Corrective Action Plan Submitted: Not reported
 Date Spill Entered In Computer Data File: 10/30/1996
 Date Region Sent Report To Central Office: Not reported

This is the most recent NY SPILLS record for this site.
 The NY SPILLS database contains 1 additional record for this site.
 Please contact your EDR Account Executive for more information.

**AE142
 WNW
 1/2-1
 3590
 Higher**

**GRAND PRIX AUTO
 500 S BROADWAY
 HICKSVILLE, NY**

**NY Spills S102135423
 N/A**

SPILLS:

Spill Number: 9105540	Region of Spill: 1
Facility Contact: Not reported	Facility Tele: Not reported
Investigator: LUCE	
Caller Name: ANDREA REISS	Caller Agency: TOWN OYSTER BAY
Caller Phone: (516) 928-7347	Caller Extension: Not reported
Notifier Name: Not reported	Notifier Agency: Not reported
Notifier Phone: Not reported	Notifier Extension: Not reported
Spiller Contact: Not reported	Spiller Phone: Not reported
SWIS: 28	
Spiller: GRAND PRIX AUTO	
Address: Not reported	
Spill Class: Not reported	
Spill Closed Dt: 11/12/1991	
Spill Cause: Deliberate	Resource Affected: On Land
Water Affected: Not reported	Spill Source: Other Commercial/Industrial
Spill Notifier: Citizen	PBS Number: Not reported
Spill Date: 08/09/1991 12:00	Reported to Dept: 08/22/1991 10:12
Cleanup Ceased: 11/12/1991	
Last Inspection: Not reported	
Cleanup Meets Standard: True	
Recommended Penalty: No Penalty	
Spiller Cleanup Date: Not reported	
Enforcement Date: Not reported	
Investigation Complete: Not reported	
UST Involvement: False	
Spill Record Last Update: 11/13/1991	
Is Updated: False	
Corrective Action Plan Submitted: Not reported	
Date Spill Entered In Computer Data File: 08/26/1991	
Date Region Sent Report To Central Office: Not reported	

**AE143
 WNW
 1/2-1
 3590
 Higher**

**UNK CUSTOMER
 502 S BROADWAY
 HICKSVILLE, NY**

**LUST S102669555
 N/A**

LUST:

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
 EPA ID Number

UNK CUSTOMER (Continued)

S102669555

Spill Number: 9205657 Region of Spill: 1
 Facility Contact: Not reported Facility Tele: Not reported
 Investigator: NONE SWIS: 28
 Caller Name: ROBERT SPEDDING Caller Agency: HESS
 Caller Phone: (908) 750-6828 Caller Extension: Not reported
 Notifier Name: Not reported Notifier Agency: Not reported
 Notifier Phone: Not reported Notifier Extension: Not reported
 Spiller Contact: Not reported Spiller Phone: Not reported
 Spiller: UNK CUSTOMER
 Spiller Address: Not reported
 Spill Class: Possible release with minimal potential for fire or hazard or Known release with no damage. DEC Response. Willing Responsible Party. Corrective action taken.
 Spill Closed Dt: 08/17/1992
 Spill Cause: Tank Overfill Resource Affected: On Land
 Water Affected: Not reported Spill Source: Passenger Vehicle
 Spill Notifier: Affected Persons PBS Number: Not reported
 Spill Date: 08/15/1992 18:00 Reported to Dept: 08/17/1992 11:39
 Cleanup Ceased: 08/17/1992
 Last Inspection: Not reported
 Cleanup Meets Standard: True
 Recommended Penalty: No Penalty
 Spiller Cleanup Date: Not reported
 Enforcement Date: Not reported
 Investigation Complete: Not reported
 UST Involvement: False
 Spill Record Last Update: 11/10/1992
 Is Updated: False
 Corrective Action Plan Submitted: Not reported
 Date Spill Entered In Computer Data File: 08/24/1992
 Date Region Sent Summary to Central Office: Not reported

AE144
 WNW
 1/2-1
 3590
 Higher

**HESS S/S
 502 S BROADWAY
 HICKSVILLE, NY**

LUST

**S100493287
 N/A**

LUST:

Spill Number: 9113034 Region of Spill: 1
 Facility Contact: Not reported Facility Tele: Not reported
 Investigator: T/T/F SWIS: 28
 Caller Name: CHUCK PADANO Caller Agency: KAMPCO
 Caller Phone: (215) 646-3161 Caller Extension: Not reported
 Notifier Name: Not reported Notifier Agency: Not reported
 Notifier Phone: Not reported Notifier Extension: Not reported
 Spiller Contact: Not reported Spiller Phone: (800) 336-1342
 Spiller: HESS S/S
 Spiller Address: Not reported
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
 Spill Closed Dt: 05/20/1992
 Spill Cause: Tank Test Failure Resource Affected: Groundwater
 Water Affected: Not reported Spill Source: Gas Station
 Spill Notifier: Responsible Party PBS Number: Not reported
 Spill Date: 03/24/1992 16:30 Reported to Dept: 03/24/1992 16:55
 Cleanup Ceased: 05/20/1992

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation

MAP FINDINGS

Database(s)
 EDR ID Number
 EPA ID Number

HESS S/S (Continued)

S100493287

Last Inspection: Not reported
 Cleanup Meets Standard: True
 Recommended Penalty: No Penalty
 Spiller Cleanup Date: Not reported
 Enforcement Date: Not reported
 Investigation Complete: Not reported
 UST Involvement: False
 Spill Record Last Update: 11/09/1992
 Is Updated: False
 Corrective Action Plan Submitted: Not reported
 Date Spill Entered In Computer Data File: 03/25/1992
 Date Region Sent Summary to Central Office: Not reported

**AE145
 WNW
 1/2-1
 3590
 Higher**

**HESS
 502 S BROADWAY
 HICKSVILLE, NY**

LUST

**S102661336
 N/A**

LUST:

Spill Number:	9404252	Region of Spill:	1
Facility Contact:	Not reported	Facility Tele:	Not reported
Investigator:	RMS CAMPBELL WELL	SWIS:	28
Caller Name:	DAWN JOHNSON	Caller Agency:	HESS
Caller Phone:	(908) 750-7068	Caller Extension:	Not reported
Notifier Name:	Not reported	Notifier Agency:	Not reported
Notifier Phone:	Not reported	Notifier Extension:	Not reported
Spiller Contact:	Not reported	Spiller Phone:	Not reported
Spiller:	HESS STATION #32489		
Spiller Address:	Not reported		
	Not reported		
Spill Class:	Known release that creates potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.		
Spill Closed Dt:	12/06/1995		
Spill Cause:	Tank Overfill	Resource Affected:	On Land
Water Affected:	Not reported	Spill Source:	Gas Station
Spill Notifier:	Responsible Party	PBS Number:	Not reported
Spill Date:	06/27/1994 11:00	Reported to Dept:	06/27/1994 11:26
Cleanup Ceased:	Not reported		
Last Inspection:	Not reported		
Cleanup Meets Standard:	True		
Recommended Penalty:	No Penalty		
Spiller Cleanup Date:	Not reported		
Enforcement Date:	Not reported		
Investigation Complete:	Not reported		
UST Involvement:	True		
Spill Record Last Update:	07/29/1997		
Is Updated:	False		
Corrective Action Plan Submitted:	Not reported		
Date Spill Entered In Computer Data File:	06/27/1994		
Date Region Sent Summary to Central Office:	Not reported		

**AE146
 WNW
 1/2-1
 3590
 Higher**

**USPO
 106 LUDY ST
 HICKSVILLE, NY**

LUST

**S102661145
 N/A**

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

USPO (Continued)

S102661145

LUST:

Spill Number: 9106495 Region of Spill: 1
Facility Contact: Not reported Facility Tele: Not reported
Investigator: LEUNG WELL SWIS: 28
Caller Name: BILL SCHECHTER Caller Agency: NCDH
Caller Phone: (516) 535-3314 Caller Extension: Not reported
Notifier Name: Not reported Notifier Agency: Not reported
Notifier Phone: Not reported Notifier Extension: Not reported
Spiller Contact: Not reported Spiller Phone: Not reported
Spiller: USPO
Spiller Address: 106 LUDY STREET
HICKSVILLE, NY
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 03/08/1993
Spill Cause: Other Resource Affected: On Land
Water Affected: Not reported Spill Source: Other Non Commercial/Industrial
Spill Notifier: Health Department PBS Number: Not reported
Spill Date: 09/16/1991 15:00 Reported to Dept: 09/16/1991 15:34
Cleanup Ceased: 03/08/1993
Last Inspection: Not reported
Cleanup Meets Standard: True
Recommended Penalty: No Penalty
Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: False
Spill Record Last Update: 07/22/1997
Is Updated: False
Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 09/17/1991
Date Region Sent Summary to Central Office: Not reported

AE147
WNW
1/2-1
3590
Higher

HICKSVILLE POST OFFICE
109 LUDY ST
HICKSVILLE, NY

LUST

S102232601
N/A

LUST:

Spill Number: 9515845 Region of Spill: 1
Facility Contact: BRIAN RUFFLEY Facility Tele: (516) 433-9188
Investigator: T/T/F SWIS: 28
Caller Name: STEVE BRANCIFORTE Caller Agency: NEC
Caller Phone: (516) 433-2675 Caller Extension: Not reported
Notifier Name: SAME Notifier Agency: Not reported
Notifier Phone: Not reported Notifier Extension: Not reported
Spiller Contact: BRIAN RUFFLEY Spiller Phone: (516) 433-9188
Spiller: HICKSVILLE POST OFFICE
Spiller Address: 109 LUDY STREET
HICKSVILLE, NY 11802
Spill Class: Known release that creates potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 06/18/1996
Spill Cause: Tank Test Failure Resource Affected: On Land
Water Affected: Not reported Spill Source: Other Commercial/Industrial
Spill Notifier: Tank Tester PBS Number: Not reported
Spill Date: 03/11/1996 16:00 Reported to Dept: 03/11/1996 17:01

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

Database(s) EDR ID Number
 EPA ID Number

HICKSVILLE POST OFFICE (Continued)

S102232601

Cleanup Ceased: Not reported
 Last Inspection: Not reported
 Cleanup Meets Standard: True
 Recommended Penalty: No Penalty
 Spiller Cleanup Date: Not reported
 Enforcement Date: Not reported
 Investigation Complete: Not reported
 UST Involvement: False
 Spill Record Last Update: 06/20/1996
 Is Updated: False
 Corrective Action Plan Submitted: Not reported
 Date Spill Entered In Computer Data File: 03/11/1996
 Date Region Sent Summary to Central Office: Not reported

AD148
 North
 1/2-1
 3591
 Higher

MOBIL OIL
SO OYSTER BAY / STEWART A
BETHPAGE, NY

LUST

S100169909
 N/A

LUST:

Spill Number: 8908752 Facility Contact: Not reported Investigator: LEUNG Caller Name: DOUG SCHRIMPS Caller Phone: (516) 261-1590 Notifier Name: Not reported Notifier Phone: Not reported Spiller Contact: Not reported Spiller: MOBIL OIL Spiller Address: Not reported Not reported Spill Class: Not reported Spill Closed Dt: 09/07/1990 Spill Cause: Tank Test Failure Water Affected: Not reported Spill Notifier: Tank Tester Spill Date: 12/05/1989 11:30 Cleanup Ceased: 09/07/1990 Last Inspection: Not reported Cleanup Meets Standard: True Recommended Penalty: No Penalty Spiller Cleanup Date: Not reported Enforcement Date: Not reported Investigation Complete: Not reported UST Involvement: False Spill Record Last Update: 09/11/1990 Is Updated: False Corrective Action Plan Submitted: Not reported Date Spill Entered In Computer Data File: 12/06/1989 Date Region Sent Summary to Central Office: Not reported	Region of Spill: 1 Facility Tele: Not reported SWIS: 28 Caller Agency: ISLAND PUMP AND TANK Caller Extension: Not reported Notifier Agency: Not reported Notifier Extension: Not reported Spiller Phone: Not reported Resource Affected: Groundwater Spill Source: Gas Station PBS Number: Not reported Reported to Dept: 12/05/1989 13:40
---	---

AF149
 East
 1/2-1
 3591
 Lower

PEKO LEASING CO
265 N 6TH ST
BETHPAGE, NY

NY Spills

S102098245
 N/A

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
 EPA ID Number

PEKO LEASING CO (Continued)

S102098245

SPILLS:

Spill Number:	9305619	Region of Spill:	1
Facility Contact:	Not reported	Facility Tele:	Not reported
Investigator:	CAMPBELL		
Caller Name:	ROBERT DELVIORE	Caller Agency:	NCFM
Caller Phone:	(516) 566-5293	Caller Extension:	Not reported
Notifier Name:	Not reported	Notifier Agency:	Not reported
Notifier Phone:	Not reported	Notifier Extension:	Not reported
Spiller Contact:	Not reported	Spiller Phone:	Not reported
SWIS:	28		
Spiller:	PEKO LEASING CO		
Address:	505 DEER PARK AVE DIX HILLS		
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.		
Spill Closed Dt:	11/29/1993		
Spill Cause:	Equipment Failure	Resource Affected:	On Land
Water Affected:	Not reported	Spill Source:	Commercial Vehicle
Spill Notifier:	Fire Department	PBS Number:	Not reported
Spill Date:	08/05/1993 18:50	Reported to Dept:	08/05/1993 20:57
Cleanup Ceased:	11/29/1993		
Last Inspection:	Not reported		
Cleanup Meets Standard:	True		
Recommended Penalty:	No Penalty		
Spiller Cleanup Date:	Not reported		
Enforcement Date:	Not reported		
Investigation Complete:	Not reported		
UST Involvement:	False		
Spill Record Last Update:	11/30/1993		
Is Updated:	False		
Corrective Action Plan Submitted:	Not reported		
Date Spill Entered In Computer Data File:	08/10/1993		
Date Region Sent Report To Central Office:	Not reported		

**AF150
 East
 1/2-1
 3595
 Lower**

**ROMANO RESIDENCE
 160 SYCAMORE AVE
 BETHPAGE, NY**

NY Spills

**S102092903
 N/A**

SPILLS:

Spill Number:	9210428	Region of Spill:	1
Facility Contact:	Not reported	Facility Tele:	Not reported
Investigator:	NONE		
Caller Name:	JULIE FERRARA	Caller Agency:	MILRO
Caller Phone:	(516) 486-5155	Caller Extension:	Not reported
Notifier Name:	Not reported	Notifier Agency:	Not reported
Notifier Phone:	Not reported	Notifier Extension:	Not reported
Spiller Contact:	Not reported	Spiller Phone:	Not reported
SWIS:	28		
Spiller:	ROMANO RESIDENCE		
Address:	Not reported Not reported		
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.		
Spill Closed Dt:	12/10/1992		
Spill Cause:	Equipment Failure	Resource Affected:	Groundwater
Water Affected:	Not reported	Spill Source:	Private Dwelling

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

EDR ID Number
EPA ID Number

Database(s)

ROMANO RESIDENCE (Continued)

S102092903

Spill Notifier: Other
Spill Date: 11/29/1992 12:00
Cleanup Ceased: 12/10/1992
Last Inspection: Not reported
Cleanup Meets Standard: True
Recommended Penalty: No Penalty
Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: False
Spill Record Last Update: Not reported
Is Updated: False
Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 12/14/1992
Date Region Sent Report To Central Office: Not reported
PBS Number: Not reported
Reported to Dept: 12/09/1992 16:04

151
NNE
1/2-1
3618
Higher

**CHARLES THURNBUCKLER
85 BERKSHIRE RD
BETHPAGE, NY**

NY Spills

S102097093
N/A

SPILLS:

Spill Number: 9006011
Facility Contact: Not reported
Investigator: NONE
Caller Name: HARRY LYNK
Caller Phone: (516) 576-3000
Notifier Name: Not reported
Notifier Phone: Not reported
Spiller Contact: Not reported
SWIS: 28
Spiller: CHARLES THURNBUCKLER
Address: Not reported
Spill Class: Not reported
Spill Closed Dt: 08/31/1990
Spill Cause: Equipment Failure
Water Affected: Not reported
Spill Notifier: Responsible Party
Spill Date: 08/30/1990 20:50
Cleanup Ceased: 08/31/1990
Last Inspection: Not reported
Cleanup Meets Standard: True
Recommended Penalty: No Penalty
Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: False
Spill Record Last Update: Not reported
Is Updated: False
Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 09/04/1990
Date Region Sent Report To Central Office: Not reported
Region of Spill: 1
Facility Tele: Not reported
Caller Agency: GIFFORD OIL
Caller Extension: Not reported
Notifier Agency: Not reported
Notifier Extension: Not reported
Spiller Phone: Not reported
Resource Affected: On Land
Spill Source: Private Dwelling
PBS Number: Not reported
Reported to Dept: 08/30/1990 23:00

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation

Database(s)
 EDR ID Number
 EPA ID Number

AG152
WNW
1/2-1
3635
Higher

MCGINNIS RESIDENCE
7 LINDEN BLVD
HICKSVILLE, NY

NY Spills **S102236713**
 N/A

SPILLS:

Spill Number: 9513478	Region of Spill: 1
Facility Contact: MR MCGINNIS	Facility Tele: (516) 576-6512
Investigator: DECANDIA	
Caller Name: JIM SHANLEY	Caller Agency: GIFFORDS ENERGY
Caller Phone: (516) 576-3000	Caller Extension: Not reported
Notifier Name: MCGINNIS	Notifier Agency: CUSTOMER
Notifier Phone: (516) 681-6512	Notifier Extension: Not reported
Spiller Contact: MR MCGINNIS	Spiller Phone: (516) 576-6512
SWIS: 28	
Spiller: MCGINNIS RESIDENCE	
Address: 7 LINDEN BLVD HICKVILLE, NY	
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Unable/unwilling Responsible Party. Corrective action taken. (ISR)	
Spill Closed Dt: Not reported	
Spill Cause: Human Error	Resource Affected: On Land
Water Affected: Not reported	Spill Source: Private Dwelling
Spill Notifier: Other	PBS Number: Not reported
Spill Date: 01/24/1996 16:57	Reported to Dept: 01/24/1996 18:32
Cleanup Ceased: Not reported	
Last Inspection: Not reported	
Cleanup Meets Standard: False	
Recommended Penalty: No Penalty	
Spiller Cleanup Date: Not reported	
Enforcement Date: Not reported	
Investigation Complete: Not reported	
UST Involvement: False	
Spill Record Last Update: 01/26/1996	
Is Updated: False	
Corrective Action Plan Submitted: Not reported	
Date Spill Entered In Computer Data File: 01/24/1996	
Date Region Sent Report To Central Office: Not reported	

153
WSW
1/2-1
3682
Higher

LOUIS SOLLICITO RESIDENCE
61 GARDEN BLVD
HICKSVILLE, NY

NY Spills **S102236920**
 N/A

SPILLS:

Spill Number: 9514662	Region of Spill: 1
Facility Contact: LOUIS SOLLICITO	Facility Tele: (516) 937-3474
Investigator: NONE	
Caller Name: LOUIS SOLLICITO	Caller Agency: Not reported
Caller Phone: (516) 937-3474	Caller Extension: Not reported
Notifier Name: LOUIS SOLLICITO	Notifier Agency: Not reported
Notifier Phone: (516) 937-3474	Notifier Extension: Not reported
Spiller Contact: LOUIS SOLLICITO	Spiller Phone: (516) 937-3474
SWIS: 28	
Spiller: LOUIS SOLLICITO RESIDENCE	
Address: 61 GARDEN BOULEVARD HICKSVILLE, NY 11801	
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Unable/unwilling Responsible Party. Corrective action taken. (ISR)	

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

Database(s) EDR ID Number
 EPA ID Number

LOUIS SOLLICITO RESIDENCE (Continued)

S102236920

Spill Closed Dt: 02/16/1996	Resource Affected: On Land
Spill Cause: Equipment Failure	Spill Source: Private Dwelling
Water Affected: Not reported	PBS Number: Not reported
Spill Notifier: Responsible Party	Reported to Dept: 02/15/1996 17:40
Spill Date: 02/15/1996 17:00	
Cleanup Ceased: Not reported	
Last Inspection: Not reported	
Cleanup Meets Standard: True	
Recommended Penalty: No Penalty	
Spiller Cleanup Date: Not reported	
Enforcement Date: Not reported	
Investigation Complete: Not reported	
UST Involvement: False	
Spill Record Last Update: 02/21/1996	
Is Updated: False	
Corrective Action Plan Submitted: Not reported	
Date Spill Entered In Computer Data File: 02/15/1996	
Date Region Sent Report To Central Office: Not reported	

**AG154
 WNW
 1/2-1
 3697
 Higher**

**PALMERI RESIDENCE
 1A LINDEN BLVD
 HICKSVILLE, NY**

NY Spills

**S102135481
 N/A**

SPILLS:

Spill Number: 9106882	Region of Spill: 1
Facility Contact: Not reported	Facility Tele: Not reported
Investigator: NONE	
Caller Name: SAL DITTA	Caller Agency: GIFFORDS OIL CO
Caller Phone: (516) 576-3000	Caller Extension: Not reported
Notifier Name: Not reported	Notifier Agency: Not reported
Notifier Phone: Not reported	Notifier Extension: Not reported
Spiller Contact: Not reported	Spiller Phone: Not reported
SWIS: 28	
Spiller: PALMERI RESIDENCE	
Address: 1A LINDEN BLVD HICKSVILLE, NY	
Spill Class: Not reported	
Spill Closed Dt: 09/30/1991	Resource Affected: On Land
Spill Cause: Equipment Failure	Spill Source: Private Dwelling
Water Affected: Not reported	PBS Number: Not reported
Spill Notifier: Other	Reported to Dept: 09/26/1991 12:47
Spill Date: 09/26/1991 11:00	
Cleanup Ceased: 09/30/1991	
Last Inspection: Not reported	
Cleanup Meets Standard: True	
Recommended Penalty: No Penalty	
Spiller Cleanup Date: Not reported	
Enforcement Date: Not reported	
Investigation Complete: Not reported	
UST Involvement: False	
Spill Record Last Update: 10/02/1991	
Is Updated: False	
Corrective Action Plan Submitted: Not reported	
Date Spill Entered In Computer Data File: 09/27/1991	
Date Region Sent Report To Central Office: Not reported	

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation

Site

Database(s)

EDR ID Number
 EPA ID Number

155
 NNE
 1/2-1
 3702
 Higher

BLUE FLAME OIL
53 CHESHIRE RD
BETHPAGE, NY

NY Spills

S102095036
 N/A

SPILLS:

Spill Number:	8802451	Region of Spill:	1
Facility Contact:	Not reported	Facility Tele:	(516) 931-6700
Investigator:	WALEK		
Caller Name:	PAT MOUNT	Caller Agency:	NCDH
Caller Phone:	(516) 535-2404	Caller Extension:	Not reported
Notifier Name:	Not reported	Notifier Agency:	Not reported
Notifier Phone:	Not reported	Notifier Extension:	Not reported
Spiller Contact:	Not reported	Spiller Phone:	Not reported
SWIS:	28		
Spiller:	BLUE FLAME OIL		
Address:	Not reported		
	Not reported		
Spill Class:	Not reported		
Spill Closed Dt:	06/20/1988		
Spill Cause:	Unknown	Resource Affected:	In Sewer
Water Affected:	Not reported	Spill Source:	Tank Truck
Spill Notifier:	Health Department	PBS Number:	Not reported
Spill Date:	06/17/1988 10:00	Reported to Dept:	06/17/1988 12:00
Cleanup Ceased:	06/20/1988		
Last Inspection:	Not reported		
Cleanup Meets Standard:	True		
Recommended Penalty:	No Penalty		
Spiller Cleanup Date:	Not reported		
Enforcement Date:	Not reported		
Investigation Complete:	Not reported		
UST Involvement:	False		
Spill Record Last Update:	06/28/1988		
Is Updated:	False		
Corrective Action Plan Submitted:	Not reported		
Date Spill Entered In Computer Data File:	06/24/1988		
Date Region Sent Report To Central Office:	Not reported		

156
 SE
 1/2-1
 3713
 Lower

SANZ RESIDENCE
75 MEADE AVE
BETHPAGE, NY

NY Spills

S102092047
 N/A

SPILLS:

Spill Number:	9201916	Region of Spill:	1
Facility Contact:	Not reported	Facility Tele:	Not reported
Investigator:	LUCE		
Caller Name:	LEONARD SANZ	Caller Agency:	CITIZEN
Caller Phone:	(516) 681-0779	Caller Extension:	Not reported
Notifier Name:	Not reported	Notifier Agency:	Not reported
Notifier Phone:	Not reported	Notifier Extension:	Not reported
Spiller Contact:	Not reported	Spiller Phone:	Not reported
SWIS:	28		
Spiller:	SANZ RESIDENCE		
Address:	Not reported		
	Not reported		
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.		
Spill Closed Dt:	06/24/1992		

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

SANZ RESIDENCE (Continued)

EDR ID Number
EPA ID Number

Database(s)

S102092047

Spill Cause:	Equipment Failure	Resource Affected:	On Land
Water Affected:	Not reported	Spill Source:	Private Dwelling
Spill Notifier:	Responsible Party	PBS Number:	Not reported
Spill Date:	05/15/1992 19:30	Reported to Dept:	05/15/1992 20:32
Cleanup Ceased:	06/24/1992		
Last Inspection:	Not reported		
Cleanup Meets Standard:	True		
Recommended Penalty:	No Penalty		
Spiller Cleanup Date:	Not reported		
Enforcement Date:	Not reported		
Investigation Complete:	Not reported		
UST Involvement:	False		
Spill Record Last Update:	11/10/1992		
Is Updated:	False		
Corrective Action Plan Submitted:	Not reported		
Date Spill Entered In Computer Data File:	05/19/1992		
Date Region Sent Report To Central Office:	Not reported		

**AH157
NNW
1/2-1
3759
Higher**

**BUILDING
122 NEW SOUTH RD
HICKSVILLE, NY**

LUST

**S102661713
N/A**

LUST:

Spill Number:	9614113	Region of Spill:	1
Facility Contact:	N/A	Facility Tele:	Not reported
Investigator:	LAMANNO	SWIS:	28
Caller Name:	A.LAMANNO	Caller Agency:	NYSDEC
Caller Phone:	(516) 444-0338	Caller Extension:	Not reported
Notifier Name:	SAME	Notifier Agency:	Not reported
Notifier Phone:	Not reported	Notifier Extension:	Not reported
Spiller Contact:	N/A	Spiller Phone:	Not reported
Spiller:	BUILDING		
Spiller Address:	122 NEW SOUTH ROAD HICKSVILLE, NY -		
Spill Class:	Known release that creates potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.		
Spill Closed Dt:	07/02/1997		
Spill Cause:	Other	Resource Affected:	On Land
Water Affected:	Not reported	Spill Source:	Other Commercial/Industrial
Spill Notifier:	Local Agency	PBS Number:	Not reported
Spill Date:	03/03/1997 10:00	Reported to Dept:	03/03/1997 10:30
Cleanup Ceased:	Not reported		
Last Inspection:	Not reported		
Cleanup Meets Standard:	True		
Recommended Penalty:	No Penalty		
Spiller Cleanup Date:	Not reported		
Enforcement Date:	Not reported		
Investigation Complete:	Not reported		
UST Involvement:	False		
Spill Record Last Update:	07/03/1997		
Is Updated:	False		
Corrective Action Plan Submitted:	Not reported		
Date Spill Entered In Computer Data File:	03/04/1997		
Date Region Sent Summary to Central Office:	Not reported		

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation

Site

Database(s)

EDR ID Number
 EPA ID Number

158
 East
 1/2-1
 3794
 Higher

BETHPAGE COMMUNITY PARK
STEWART AVE
BETHPAGE, NY 11714

RCRIS-SQG
FINDS
LUST

1000243981
NYD980785612

RCRIS:

Owner: Not reported
 Contact: FRANK ANTETOMASO
 (516) 921-7347
 Record Date: 01/17/1985
 Classification: Not reported
 Used Oil Recyc: No
 Violation Status: No violations found

LUST:

Spill Number: 9110161	Region of Spill: 1
Facility Contact: Not reported	Facility Tele: Not reported
Investigator: T/T/F	SWIS: 28
Caller Name: PAT VOLINO	Caller Agency: A. VOLINO & SONS
Caller Phone: (516) 634-0414	Caller Extension: Not reported
Notifier Name: Not reported	Notifier Agency: Not reported
Notifier Phone: Not reported	Notifier Extension: Not reported
Spiller Contact: Not reported	Spiller Phone: (516) 349-1010
Spiller: BETHPAGE COMM PARK	
Spiller Address: Not reported	
Spill Class: Known release that creates potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.	
Spill Closed Dt: 04/16/1992	
Spill Cause: Tank Test Failure	Resource Affected: Groundwater
Water Affected: Not reported	Spill Source: Other Non Commercial/Industrial
Spill Notifier: Tank Tester	PBS Number: Not reported
Spill Date: 12/26/1991 16:00	Reported to Dept: 12/26/1991 21:59
Cleanup Ceased: 04/16/1992	
Last Inspection: Not reported	
Cleanup Meets Standard: True	
Recommended Penalty: No Penalty	
Spiller Cleanup Date: Not reported	
Enforcement Date: Not reported	
Investigation Complete: Not reported	
UST Involvement: False	
Spill Record Last Update: 11/09/1992	
Is Updated: False	
Corrective Action Plan Submitted: Not reported	
Date Spill Entered In Computer Data File: 12/30/1991	
Date Region Sent Summary to Central Office: Not reported	

159
 West
 1/2-1
 3797
 Higher

CAMPBELL RESIDENCE
14 GEORGE AVE
HICKSVILLE, NY

NY Spills

S102139852
N/A

SPILLS:

Spill Number: 9407193	Region of Spill: 1
Facility Contact: Not reported	Facility Tele: Not reported
Investigator: NONE	

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

Database(s) EDR ID Number
 EPA ID Number

CAMPBELL RESIDENCE (Continued)

S102139852

Caller Name: HOWARD DOSCH Caller Phone: (516) 922-7000 Notifier Name: Not reported Notifier Phone: Not reported Spiller Contact: Not reported SWIS: 28 Spiller: CAMPBELL RESIDENCE Address: Not reported Not reported Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken. Spill Closed Dt: 08/30/1994 Spill Cause: Equipment Failure Water Affected: Not reported Spill Notifier: Other Spill Date: 08/26/1994 18:28 Cleanup Ceased: 08/30/1994 Last Inspection: Not reported Cleanup Meets Standard: True Recommended Penalty: No Penalty Spiller Cleanup Date: Not reported Enforcement Date: Not reported Investigation Complete: Not reported UST Involvement: False Spill Record Last Update: 08/31/1994 Is Updated: False Corrective Action Plan Submitted: Not reported Date Spill Entered In Computer Data File: 08/30/1994 Date Region Sent Report To Central Office: Not reported	Caller Agency: COMMANDER Caller Extension: Not reported Notifier Agency: Not reported Notifier Extension: Not reported Spiller Phone: Not reported Resource Affected: On Land Spill Source: Private Dwelling PBS Number: Not reported Reported to Dept: 08/26/1994 21:39
---	--

AH160
 NNW
 1/2-1
 3800
 Higher

120 NEW SOUTH RD
 HICKSVILLE, NY

NY Spills S102136785
 N/A

SPILLS:

Spill Number: 8601554 Facility Contact: Not reported Investigator: Not reported Caller Name: Not reported Caller Phone: Not reported Notifier Name: Not reported Notifier Phone: Not reported Spiller Contact: Not reported SWIS: 28 Spiller: INLAND PLASTICS Address: Not reported Not reported Spill Class: Not reported Spill Closed Dt: 05/19/1987 Spill Cause: Deliberate Water Affected: Not reported Spill Notifier: Fire Department Spill Date: 06/04/1986 16:30 Cleanup Ceased: 05/19/1987 Last Inspection: Not reported Cleanup Meets Standard: True Recommended Penalty: No Penalty	Region of Spill: 1 Facility Tele: Not reported Caller Agency: Not reported Caller Extension: Not reported Notifier Agency: Not reported Notifier Extension: Not reported Spiller Phone: Not reported Resource Affected: On Land Spill Source: Other Commercial/Industrial PBS Number: Not reported Reported to Dept: 06/04/1986 16:30
---	---

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

(Continued)

S102136785

Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: False
Spill Record Last Update: 11/10/1995
Is Updated: False
Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 06/13/1986
Date Region Sent Report To Central Office: Not reported

AI161
West
1/2-1
3810
Higher

LILCO
103 LEE AVE
HICKSVILLE, NY

NY Spills

S102138598
N/A

SPILLS:

Spill Number: 9009335	Region of Spill: 1
Facility Contact: Not reported	Facility Tele: (516) 420-6142
Investigator: NONE	
Caller Name: MIKE LAURO	Caller Agency: LILCO
Caller Phone: (516) 420-6142	Caller Extension: Not reported
Notifier Name: Not reported	Notifier Agency: Not reported
Notifier Phone: Not reported	Notifier Extension: Not reported
Spiller Contact: Not reported	Spiller Phone: Not reported
SWIS: 28	
Spiller: LILCO	
Address: Not reported	
Spill Class: Not reported	
Spill Closed Dt: 11/28/1990	
Spill Cause: Equipment Failure	Resource Affected: On Land
Water Affected: Not reported	Spill Source: Other Commercial/Industrial
Spill Notifier: Responsible Party	PBS Number: Not reported
Spill Date: 11/27/1990 10:43	Reported to Dept: 11/27/1990 14:45
Cleanup Ceased: 11/28/1990	
Last Inspection: Not reported	
Cleanup Meets Standard: True	
Recommended Penalty: No Penalty	
Spiller Cleanup Date: Not reported	
Enforcement Date: Not reported	
Investigation Complete: Not reported	
UST Involvement: False	
Spill Record Last Update: Not reported	
Is Updated: False	
Corrective Action Plan Submitted: Not reported	
Date Spill Entered In Computer Data File: 11/30/1990	
Date Region Sent Report To Central Office: Not reported	

AJ162
ENE
1/2-1
3823
Higher

COUNTRY DELI
1000 STEWART AVE
BETHPAGE, NY

NY Spills

S102559139
N/A

SPILLS:

Spill Number: 9614525	Region of Spill: 1
Facility Contact: JOE MCHALE	Facility Tele: (000) 000-0000

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

COUNTRY DELI (Continued)

S102559139

Investigator: UNASSIGNED
Caller Name: ANONYMOUS
Caller Phone: (000) 000-0000
Notifier Name: ANONYMOUS
Notifier Phone: (000) 000-0000
Spiller Contact: JOE MCHALE
SWIS: 28
Spiller: COUNTRY DELI
Address: 1000 STEWART AVENUE
BETHPAGE
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: Not reported
Spill Cause: Deliberate
Water Affected: Not reported
Spill Notifier: Citizen
Spill Date: 01/01/1997 12:00
Cleanup Ceased: Not reported
Last Inspection: Not reported
Cleanup Meets Standard: False
Recommended Penalty: No Penalty
Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: False
Spill Record Last Update: 03/20/1997
Is Updated: False
Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 03/17/1997
Date Region Sent Report To Central Office: Not reported
Resource Affected: On Land
Spill Source: Other Commercial/Industrial
PBS Number: Not reported
Reported to Dept: 03/17/1997 09:55

AJ163
ENE
1/2-1
3831
Higher

ROBERT PLAN INC/EAGLE INS
999 STEWART AVE
BETHPAGE, NY

LUST

S102447932
N/A

LUST:

Spill Number: 9609565
Facility Contact: JOHN DEVINO
Investigator: T/T/F
Caller Name: JOHN LEDDY
Caller Phone: (516) 321-4670
Notifier Name: JOHN LEDDY
Notifier Phone: (516) 321-4670
Spiller Contact: JOHN DEVINO
Spiller: EAGLE INSURANCE COMPANY
Spiller Address: 999 STEWART AVENUE
BETHPAGE, NY
Spill Class: Known release that creates potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 12/05/1996
Spill Cause: Tank Test Failure
Water Affected: Not reported
Spill Notifier: Tank Tester
Spill Date: 10/30/1996 11:00
Cleanup Ceased: Not reported
Last Inspection: Not reported
Cleanup Meets Standard: True
Region of Spill: 1
Facility Tele: (516) 393-6965
SWIS: 28
Caller Agency: PROTEST ENTERPRISES
Caller Extension: Not reported
Notifier Agency: PROTEST ENTERPRISES
Notifier Extension: Not reported
Spiller Phone: (516) 393-6965
Resource Affected: Groundwater
Spill Source: Other Commercial/Industrial
PBS Number: Not reported
Reported to Dept: 10/30/1996 16:04

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

ROBERT PLAN INC/EAGLE INS (Continued)

EDR ID Number
EPA ID Number

Database(s)

S102447932

Recommended Penalty: No Penalty
Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: True
Spill Record Last Update: 05/19/1998
Is Updated: False
Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 10/30/1996
Date Region Sent Summary to Central Office: Not reported

Spill Number: 9708921
Facility Contact: JOHN LOPEZ
Investigator: RAYMOND
Caller Name: DAVID RAYMOND
Caller Phone: (516) 444-0320
Notifier Name: Not reported
Notifier Phone: Not reported
Spiller Contact: JOHN LOPEZ
Spiller: ROBERT PLAN INC
Spiller Address: 999 STEWART AVENUE
BETHPAGE, NY 11714

Region of Spill: 1
Facility Tele: (516) 393-6966
SWIS: 28
Caller Agency: DEC SPILLS
Caller Extension: Not reported
Notifier Agency: Not reported
Notifier Extension: Not reported
Spiller Phone: (516) 393-6966

Spill Class: Known release that creates potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 05/29/1998
Spill Cause: Tank Failure
Water Affected: Not reported
Spill Notifier: DEC
Spill Date: 10/30/1997 10:30
Cleanup Ceased: Not reported
Last Inspection: 11/03/1997
Cleanup Meets Standard: True
Recommended Penalty: No Penalty
Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: True
Spill Record Last Update: 06/04/1998
Is Updated: False
Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 10/30/1997
Date Region Sent Summary to Central Office: Not reported

Resource Affected: Groundwater
Spill Source: Other Commercial/Industrial
PBS Number: Not reported
Reported to Dept: 10/30/1997 10:30

AI164
West
1/2-1
3835
Higher

COMPANIA RESIDENCE
118 LEE AVE
HICKSVILLE, NY

NY Spills

S102139225
N/A

SPILLS:

Spill Number: 9310149
Facility Contact: Not reported
Investigator: NONE
Caller Name: JOE PELOGREENO
Caller Phone: (516) 576-3000
Notifier Name: Not reported
Notifier Phone: Not reported
Spiller Contact: Not reported
SWIS: 28

Region of Spill: 1
Facility Tele: Not reported
Caller Agency: GIFFORDS
Caller Extension: Not reported
Notifier Agency: Not reported
Notifier Extension: Not reported
Spiller Phone: Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

COMPANIA RESIDENCE (Continued)

EDR ID Number
EPA ID Number

Database(s)

S102139225

Spiller: COMPANIA RESIDENCE
Address: Not reported
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 11/22/1993
Spill Cause: Equipment Failure
Water Affected: Not reported
Spill Notifier: Other
Spill Date: 11/19/1993 23:59
Cleanup Ceased: 11/22/1993
Last Inspection: Not reported
Cleanup Meets Standard: True
Recommended Penalty: No Penalty
Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: False
Spill Record Last Update: Not reported
Is Updated: False
Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 11/22/1993
Date Region Sent Report To Central Office: Not reported

Resource Affected: On Land
Spill Source: Private Dwelling
PBS Number: Not reported
Reported to Dept: 11/20/1993 01:30

165
WNW
1/2-1
3853
Higher

UNK
BROADWAY / BOEHME
HICKSVILLE, NY

NY Spills

S102567842
N/A

SPILLS:

Spill Number: 8401561
Facility Contact: Not reported
Investigator: DOT (Jacklitsch)
Caller Name: TED HORISHNY
Caller Phone: (516) 566-5815
Notifier Name: Not reported
Notifier Phone: Not reported
Spiller Contact: Not reported
SWIS: 28
Spiller: UNK
Address: Not reported
Spill Class: Not reported
Spill Closed Dt: 09/10/1984
Spill Cause: Traffic Accident
Water Affected: Not reported
Spill Notifier: Local Agency
Spill Date: 09/08/1984 14:00
Cleanup Ceased: 09/10/1984
Last Inspection: Not reported
Cleanup Meets Standard: True
Recommended Penalty: No Penalty
Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: False
Spill Record Last Update: 08/07/1991
Is Updated: False

Region of Spill: 1
Facility Tele: Not reported
Caller Agency: NASSAU CTY FIRE MARSHALL
Caller Extension: Not reported
Notifier Agency: Not reported
Notifier Extension: Not reported
Spiller Phone: Not reported

Resource Affected: In Sewer
Spill Source: Passenger Vehicle
PBS Number: Not reported
Reported to Dept: 09/10/1984 13:24

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation

MAP FINDINGS

UNK (Continued)

Corrective Action Plan Submitted: Not reported
 Date Spill Entered In Computer Data File: 06/25/1990
 Date Region Sent Report To Central Office: 02/08/1990

Database(s)
 EDR ID Number
 EPA ID Number

S102567842

166
 North
 1/2-1
 3861
 Higher

**ROYS TOWING SERVICE
 777 S OYSTER BAY RD
 BETHPAGE, NY**

NY Spills
 S102093175
 N/A

SPILLS:

Spill Number:	9212733	Region of Spill:	1
Facility Contact:	Not reported	Facility Tele:	(516) 932-2685
Investigator:	CAMPBELL		
Caller Name:	INSP ROBERT HARE	Caller Agency:	NCFM
Caller Phone:	(516) 566-5293	Caller Extension:	Not reported
Notifier Name:	Not reported	Notifier Agency:	Not reported
Notifier Phone:	Not reported	Notifier Extension:	Not reported
Spiller Contact:	Not reported	Spiller Phone:	Not reported
SWIS:	28		
Spiller:	ROYS TOWING SERVICE		
Address:	3160 HORSEBLOCK ROAD MEDFORD, NY		
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.		
Spill Closed Dt:	Not reported		
Spill Cause:	Traffic Accident	Resource Affected:	On Land
Water Affected:	Not reported	Spill Source:	Commercial Vehicle
Spill Notifier:	Fire Department	PBS Number:	Not reported
Spill Date:	02/10/1993 19:00	Reported to Dept:	02/10/1993 21:00
Cleanup Ceased:	Not reported		
Last Inspection:	Not reported		
Cleanup Meets Standard:	False		
Recommended Penalty:	No Penalty		
Spiller Cleanup Date:	Not reported		
Enforcement Date:	Not reported		
Investigation Complete:	Not reported		
UST Involvement:	False		
Spill Record Last Update:	Not reported		
Is Updated:	False		
Corrective Action Plan Submitted:	Not reported		
Date Spill Entered In Computer Data File:	02/12/1993		
Date Region Sent Report To Central Office:	Not reported		

167
 South
 1/2-1
 3881
 Lower

**COMMERCIAL PROPERTY
 595 HICKSVILLE RD
 BETHPAGE, NY**

NY Spills
 S102961280
 N/A

SPILLS:

Spill Number:	9709761	Region of Spill:	1
Facility Contact:	BRUCE LEIBOWITZ	Facility Tele:	Not reported
Investigator:	DARCANGELO		
Caller Name:	ANONYMOUS	Caller Agency:	Not reported
Caller Phone:	Not reported	Caller Extension:	Not reported
Notifier Name:	Not reported	Notifier Agency:	Not reported
Notifier Phone:	Not reported	Notifier Extension:	Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

COMMERCIAL PROPERTY (Continued)

S102961280

Spiller Contact: Not reported Spiller Phone: Not reported
SWIS: 28
Spiller: SALVATI FOODS
Address: 595 HICKSVILLE ROAD
BETHPAGE, NY
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Unknown Responsible Party. Corrective action taken. (ISR)
Spill Closed Dt: 11/25/1997
Spill Cause: Unknown Resource Affected: On Land
Water Affected: Not reported Spill Source: Unknown
Spill Notifier: Citizen PBS Number: Not reported
Spill Date: 11/14/1997 12:00 Reported to Dept: 11/21/1997 11:10
Cleanup Ceased: Not reported
Last Inspection: Not reported
Cleanup Meets Standard: True
Recommended Penalty: No Penalty
Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: False
Spill Record Last Update: 11/26/1997
Is Updated: False
Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 11/21/1997
Date Region Sent Report To Central Office: Not reported

168
NE
1/2-1
3883
Higher

RESIDENCE
30 CEDAR AVE
BETHPAGE, NY

NY Spills

S102098836
N/A

SPILLS:

Spill Number: 9311747 Region of Spill: 1
Facility Contact: Not reported Facility Tele: Not reported
Investigator: LAMANNO
Caller Name: JIM CRAWFORD Caller Agency: RELIANCE
Caller Phone: (516) 475-4770 Caller Extension: Not reported
Notifier Name: Not reported Notifier Agency: Not reported
Notifier Phone: Not reported Notifier Extension: Not reported
Spiller Contact: Not reported Spiller Phone: Not reported
SWIS: 28
Spiller: RELIANCE FUEL OIL
Address: Not reported
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 03/19/1997
Spill Cause: Equipment Failure Resource Affected: On Land
Water Affected: Not reported Spill Source: Private Dwelling
Spill Notifier: Other PBS Number: Not reported
Spill Date: 12/31/1993 08:07 Reported to Dept: 01/03/1994 14:06
Cleanup Ceased: Not reported
Last Inspection: Not reported
Cleanup Meets Standard: True
Recommended Penalty: No Penalty
Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

Site : Database(s) EDR ID Number
EPA ID Number

RESIDENCE (Continued)

S102098836

UST Involvement: False
Spill Record Last Update: 03/20/1997
Is Updated: False
Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 01/04/1994
Date Region Sent Report To Central Office: Not reported

AK169
ENE
1/2-1
3923
Higher

**GRUMMAN AEROSPACE
FINAL PAINT HANGER-PLANT2
BETHPAGE, NY**

NY Spills

S102096326
N/A

SPILLS:

Spill Number: 8909492	Region of Spill: 1
Facility Contact: Not reported	Facility Tele: Not reported
Investigator: NONE	
Caller Name: JOHN OHLMANN	Caller Agency: GRUMMAN AEROSPACE
Caller Phone: (516) 575-2385	Caller Extension: Not reported
Notifier Name: Not reported	Notifier Agency: Not reported
Notifier Phone: Not reported	Notifier Extension: Not reported
Spiller Contact: Not reported	Spiller Phone: Not reported
SWIS: 28	
Spiller: GRUMMAN AEROSPACE	
Address: Not reported	
Spill Class: Not reported	
Spill Closed Dt: 01/02/1990	
Spill Cause: Equipment Failure	Resource Affected: In Sewer
Water Affected: Not reported	Spill Source: Other Commercial/Industrial
Spill Notifier: Responsible Party	PBS Number: Not reported
Spill Date: 01/02/1990 11:30	Reported to Dept: 01/02/1990 11:50
Cleanup Ceased: 01/02/1990	
Last Inspection: Not reported	
Cleanup Meets Standard: True	
Recommended Penalty: No Penalty	
Spiller Cleanup Date: Not reported	
Enforcement Date: Not reported	
Investigation Complete: Not reported	
UST Involvement: False	
Spill Record Last Update: Not reported	
Is Updated: False	
Corrective Action Plan Submitted: Not reported	
Date Spill Entered In Computer Data File: 01/03/1990	
Date Region Sent Report To Central Office: Not reported	

AK170
ENE
1/2-1
3924
Higher

**GRUMMAN CORP
PLANT 30,BETHPAGE COMPLEX
BETHPAGE, NY**

NY Spills

S102100147
N/A

SPILLS:

Spill Number: 9407147	Region of Spill: 1
Facility Contact: Not reported	Facility Tele: Not reported
Investigator: NONE	
Caller Name: JOHN SELVA	Caller Agency: GRUMMAN
Caller Phone: (516) 575-8176	Caller Extension: Not reported

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation

MAP FINDINGS

Database(s) EDR ID Number
 EPA ID Number

GRUMMAN CORP (Continued)

S102100147

Notifier Name:	Not reported	Notifier Agency:	Not reported
Notifier Phone:	Not reported	Notifier Extension:	Not reported
Spiller Contact:	Not reported	Spiller Phone:	Not reported
SWIS:	28		
Spiller:	GRUMMAN CORP		
Address:	Not reported		
	Not reported		
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.		
Spill Closed Dt:	08/29/1994		
Spill Cause:	Equipment Failure	Resource Affected:	In Sewer
Water Affected:	Not reported	Spill Source:	Other Commercial/Industrial
Spill Notifier:	Responsible Party	PBS Number:	Not reported
Spill Date:	08/26/1994 10:00	Reported to Dept:	08/26/1994 12:07
Cleanup Ceased:	08/29/1994		
Last Inspection:	Not reported		
Cleanup Meets Standard:	True		
Recommended Penalty:	No Penalty		
Spiller Cleanup Date:	Not reported		
Enforcement Date:	Not reported		
Investigation Complete:	Not reported		
UST Involvement:	False		
Spill Record Last Update:	08/30/1994		
Is Updated:	False		
Corrective Action Plan Submitted:	Not reported		
Date Spill Entered In Computer Data File:	08/29/1994		
Date Region Sent Report To Central Office:	Not reported		

**AK171
 ENE
 1/2-1
 3924
 Higher**

**GRUMMAN CORP
 STEWART AVE BLDG 30
 BETHPAGE, NY**

NY Spills

**S102089920
 N/A**

SPILLS:

Spill Number:	9100911	Region of Spill:	1
Facility Contact:	Not reported	Facility Tele:	(516) 575-2385
Investigator:	WALSH		
Caller Name:	BOB AGEE	Caller Agency:	GRUMMAN
Caller Phone:	(516) 575-6196	Caller Extension:	Not reported
Notifier Name:	Not reported	Notifier Agency:	Not reported
Notifier Phone:	Not reported	Notifier Extension:	Not reported
Spiller Contact:	Not reported	Spiller Phone:	Not reported
SWIS:	28		
Spiller:	GRUMMAN CORP		
Address:	Not reported		
	Not reported		
Spill Class:	Not reported	Resource Affected:	On Land
Spill Closed Dt:	06/17/1991	Spill Source:	Other Commercial/Industrial
Spill Cause:	Equipment Failure	PBS Number:	Not reported
Water Affected:	Not reported	Reported to Dept:	04/23/1991 09:00
Spill Notifier:	Responsible Party		
Spill Date:	04/23/1991 08:30		
Cleanup Ceased:	06/17/1991		
Last Inspection:	Not reported		
Cleanup Meets Standard:	True		
Recommended Penalty:	No Penalty		
Spiller Cleanup Date:	Not reported		
Enforcement Date:	Not reported		

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

GRUMMAN CORP (Continued)

Investigation Complete: Not reported
UST Involvement: False
Spill Record Last Update: 06/17/1991
Is Updated: False
Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 04/24/1991
Date Region Sent Report To Central Office: Not reported

Database(s)
EPA ID Number

EPA ID Number
S102089920

172
NNE
1/2-1
3937
Higher

27 ESSEX RD
BETHPAGE, NY

LUST

S103478685
N/A

LUST:

Spill Number: 9700528
Facility Contact: NASSAU POLICE
Investigator: NONE
Caller Name: SGT DRESSINGHAM
Caller Phone: (516) 573-8240
Notifier Name: 911 CALL
Notifier Phone: Not reported
Spiller Contact: Not reported
Spiller: UNK
Spiller Address: Not reported
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 04/11/1997
Spill Cause: Tank Overfill
Water Affected: Not reported
Spill Notifier: Police Department
Spill Date: 04/11/1997 10:00
Cleanup Ceased: Not reported
Last Inspection: Not reported
Cleanup Meets Standard: True
Recommended Penalty: No Penalty
Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: False
Spill Record Last Update: 04/15/1997
Is Updated: False
Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 04/11/1997
Date Region Sent Summary to Central Office: Not reported

Region of Spill: 1
Facility Tele: Not reported
SWIS: 28
Caller Agency: NASSAU CTY POLICE
Caller Extension: Not reported
Notifier Agency: Not reported
Notifier Extension: Not reported
Spiller Phone: Not reported

Resource Affected: On Land
Spill Source: Commercial Vehicle
PBS Number: Not reported
Reported to Dept: 04/11/1997 11:50

173
West
1/2-1
3958
Higher

MICHEL PATTI RESIDENCE
128 LEE AVE
HICKSVILLE, NY

NY Spills

S102140351
N/A

SPILLS:

Spill Number: 9415353
Facility Contact: Not reported
Investigator: NONE
Caller Name: KEN WRENN

Region of Spill: 1
Facility Tele: Not reported
Caller Agency: RELIANCE

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

MICHEL PATTI RESIDENCE (Continued)

S102140351

Caller Phone: (516) 338-1180
Notifier Name: Not reported
Notifier Phone: Not reported
Spiller Contact: Not reported
SWIS: 28
Spiller: MICHEL PATTI RESIDENCE
Address: Not reported
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 02/24/1995
Spill Cause: Equipment Failure
Water Affected: Not reported
Spill Notifier: Other
Spill Date: 02/23/1995 09:00
Cleanup Ceased: 02/24/1995
Last Inspection: Not reported
Cleanup Meets Standard: True
Recommended Penalty: No Penalty
Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: False
Spill Record Last Update: Not reported
Is Updated: False
Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 02/24/1995
Date Region Sent Report To Central Office: Not reported

Caller Extension: Not reported
Notifier Agency: Not reported
Notifier Extension: Not reported
Spiller Phone: Not reported
Resource Affected: On Land
Spill Source: Private Dwelling
PBS Number: Not reported
Reported to Dept: 02/23/1995 09:33

174
NW
> 1
5324
Higher

LILCO HICKSVILLE SHOREHAM NUC
175 E OLD COUNTRY RD
HICKSVILLE, NY 11801

PADS 1000178398
FINDS NYD006866008
RCRIS-LQG
RCRIS-TSD
CORRACTS
CERC-NFRAP

CERCLIS-NFRAP Classification Data:
Site Incident Category: Not reported
Ownership Status: Unknown
Federal Facility: Not reported
NPL Status: Not on the NPL

CERCLIS-NFRAP Assessment History:
Assessment: DISCOVERY
Assessment: PRELIMINARY ASSESSMENT
Completed: 19890228
Completed: 19890331

CERCLIS-NFRAP Alias Name(s):
LILCO HICKSVILLE OP. CENTER

CORRACTS Data:
Prioritization: Low
Status: RCRA Facility Assessment Completed

RCRIS Corrective Action Summary:
Effective Date: 12/31/1992
Legal Authority: RCRA 3004(u) or equivalent

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

NEW YORK COUNTY RECORDS

CORTLAND COUNTY:

Cortland County UST Listing (AST)

Source: Cortland County Health Department
Telephone: 607-753-5035

Date of Government Version: 12/14/98
Database Release Frequency: Quarterly

Date of Last EDR Contact: 12/03/98
Date of Next Scheduled EDR Contact: 03/08/99

Cortland County UST Listing (UST)

Source: Cortland County Health Department
Telephone: 607-753-5035

Date of Government Version: 12/14/98
Database Release Frequency: Quarterly

Date of Last EDR Contact: 12/03/98
Date of Next Scheduled EDR Contact: 03/08/99

NASSAU COUNTY:

Registered Tank Database

Source: Nassau County Health Department
Telephone: 516-571-3314

Date of Government Version: 10/09/98
Database Release Frequency: Quarterly

Date of Last EDR Contact: 01/04/98
Date of Next Scheduled EDR Contact: 04/05/99

Registered Tank Database

Source: Nassau County Health Department
Telephone: 516-571-3314

Date of Government Version: 10/09/98
Database Release Frequency: Quarterly

Date of Last EDR Contact: 01/04/99
Date of Next Scheduled EDR Contact: 04/05/99

ROCKLAND COUNTY:

Petroleum Bulk Storage Database (AST)

Source: Rockland County Health Department
Telephone: 914-364-2605

Date of Government Version: 10/01/98
Database Release Frequency: Quarterly

Date of Last EDR Contact: 01/11/99
Date of Next Scheduled EDR Contact: 04/12/99

Petroleum Bulk Storage Database (UST)

Source: Rockland County Health Department
Telephone: 914-364-2605

Date of Government Version: 01/07/99
Database Release Frequency: Quarterly

Date of Last EDR Contact: 01/11/99
Date of Next Scheduled EDR Contact: 04/12/99

SUFFOLK COUNTY:

Underground Storage Tank Database (AST)

Source: Suffolk County Department of Health Services
Telephone: 516-854-2521

Date of Government Version: 03/01/98
Database Release Frequency: Annually

Date of Last EDR Contact: 12/09/98
Date of Next Scheduled EDR Contact: 03/08/99

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Underground Storage Tank Database (UST)

Source: Suffolk County Department of Health Services
Telephone: 516-854-2521

Date of Government Version: 03/01/98
Database Release Frequency: Annually

Date of Last EDR Contact: 12/09/98
Date of Next Scheduled EDR Contact: 03/08/99

Historical and Other Database(s)

Depending on the geographic area covered by this report, the data provided in these specialty databases may or may not be complete. For example, the existence of wetlands information data in a specific report does not mean that all wetlands in the area covered by the report are included. Moreover, the absence of any reported wetlands information does not necessarily mean that wetlands do not exist in the area covered by the report.

Former Manufactured Gas (Coal Gas) Sites: The existence and location of Coal Gas sites is provided exclusively to EDR by Real Property Scan, Inc. ©Copyright 1993 Real Property Scan, Inc. For a technical description of the types of hazards which may be found at such sites, contact your EDR customer service representative.

Disclaimer Provided by Real Property Scan, Inc.

The information contained in this report has predominantly been obtained from publicly available sources produced by entities other than Real Property Scan. While reasonable steps have been taken to insure the accuracy of this report, Real Property Scan does not guarantee the accuracy of this report. Any liability on the part of Real Property Scan is strictly limited to a refund of the amount paid. No claim is made for the actual existence of toxins at any site. This report does not constitute a legal opinion.

DELISTED NPL: NPL Deletions

Source: EPA
Telephone: 703-603-8769

The National Oil and Hazardous Substances Pollution Contingency Plan (NCP) establishes the criteria that the EPA uses to delete sites from the NPL. In accordance with 40 CFR 300.425.(e), sites may be deleted from the NPL where no further response is appropriate.

Date of Government Version: 01/19/99
Date Made Active at EDR: 02/19/99
Database Release Frequency: Semi-Annually

Date of Data Arrival at EDR: 02/08/99
Elapsed ASTM days: 11
Date of Last EDR Contact: 02/08/99

NFRAP: No Further Remedial Action Planned

Source: EPA
Telephone: 703-413-0223

As of February 1995, CERCLIS sites designated "No Further Remedial Action Planned" (NFRAP) have been removed from CERCLIS. NFRAP sites may be sites where, following an initial investigation, no contamination was found, contamination was removed quickly without the need for the site to be placed on the NPL, or the contamination was not serious enough to require Federal Superfund action or NPL consideration. EPA has removed approximately 25,000 NFRAP sites to lift the unintended barriers to the redevelopment of these properties and has archived them as historical records so EPA does not needlessly repeat the investigations in the future. This policy change is part of the EPA's Brownfields Redevelopment Program to help cities, states, private investors and affected citizens to promote economic redevelopment of unproductive urban sites.

Date of Government Version: 11/10/98
Date Made Active at EDR: 01/29/99
Database Release Frequency: Quarterly

Date of Data Arrival at EDR: 12/29/98
Elapsed ASTM days: 31
Date of Last EDR Contact: 03/03/99

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

PWS: Public Water Systems

Source: EPA/Office of Drinking Water

Telephone: 202-260-2805

Public Water System data from the Federal Reporting Data System. A PWS is any water system which provides water to at least 25 people for at least 60 days annually. PWSs provide water from wells, rivers and other sources.

PWS ENF: Public Water Systems Violation and Enforcement Data

Source: EPA/Office of Drinking Water

Telephone: 202-260-2805

Violation and Enforcement data for Public Water Systems from the Safe Drinking Water Information System (SWDIS) after August 1995. Prior to August 1995, the data came from the Federal Reporting Data System (FRDS).

Area Radon Information: The National Radon Database has been developed by the U.S. Environmental Protection Agency (USEPA) and is a compilation of the EPA/State Residential Radon Survey and the National Residential Radon Survey. The study covers the years 1986 - 1992. Where necessary data has been supplemented by information collected at private sources such as universities and research institutions.

EPA Radon Zones: Sections 307 & 309 of IRAA directed EPA to list and identify areas of U.S. with the potential for elevated indoor radon levels.

Oil/Gas Pipelines/Electrical Transmission Lines: This data was obtained by EDR from the USGS in 1994. It is referred to by USGS as GeoData Digital Line Graphs from 1:100,000-Scale Maps. It was extracted from the transportation category including some oil, but primarily gas pipelines and electrical transmission lines.

Sensitive Receptors: There are individuals deemed sensitive receptors due to their fragile immune systems and special sensitivity to environmental discharges. These sensitive receptors typically include the elderly, the sick, and children. While the location of all sensitive receptors cannot be determined, EDR indicates those buildings and facilities - schools, daycares, hospitals, medical centers, and nursing homes - where individuals who are sensitive receptors are likely to be located.

USGS Water Wells: In November 1971 the United States Geological Survey (USGS) implemented a national water resource information tracking system. This database contains descriptive information on sites where the USGS collects or has collected data on surface water and/or groundwater. The groundwater data includes information on more than 900,000 wells, springs, and other sources of groundwater.

Flood Zone Data: This data, available in select counties across the country, was obtained by EDR in 1996 from the Federal Emergency Management Agency (FEMA). Data depicts 100-year and 500-year flood zones as defined by FEMA.

NWI: National Wetlands Inventory. This data, available in select counties across the country, was obtained by EDR in March 1997 from the U.S. Fish and Wildlife Service.

Epicenters: World earthquake epicenters, Richter 5 or greater
Source: Department of Commerce, National Oceanic and Atmospheric Administration

Water Dams: National Inventory of Dams

Source: Federal Emergency Management Agency

Telephone: 202-646-2801

National computer database of more than 74,000 dams maintained by the Federal Emergency Management Agency.

New York Public Water Wells

Source: New York Department of Health

Telephone: 518-458-6731

New York Facility and Manifest Data

Source: NYSDEC

Telephone: 518-457-6585

Facility and manifest data. Manifest is a document that lists and tracks hazardous waste from the generator through transporters to a treatment, storage, and disposal facility.

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
 EPA ID Number

LILCO HICKSVILLE SHOREHAM NUC (Continued)

1000178398

RCRIS:

Owner: MARKETSPAN CORPORATE SERVICES
 (516) 755-6650

Contact: ROBERT TEETZ
 (516) 391-6133

Record Date: 08/18/1980

Classification: Large Quantity Generator, TSD, Hazardous Waste Transporter

BIENNIAL REPORTS:

Last Biennial Reporting Year: 1995

Waste	Quantity (Lbs)	Waste	Quantity (Lbs)
D001	23297.90	D002	55.00
D006	6223.90	D007	5570.00
D008	32615.90	D009	14134.00
D010	1349.00	D011	1349.00
D018	17373.90	D022	300.00
D027	462.00	D035	5603.90
D037	200.00	D039	1419.90
F001	0.00	F002	14720.00
F003	21080.00	F005	9960.00
F027	200.00	U080	80.00
U226	80.00		

Used Oil Recyc: No

TSDF Activities: Not reported

Violation Status: Violation information exist, high priority violator

There are 14 violation record(s) reported at this site:

<u>Evaluation</u>	<u>Area of Violation</u>	<u>Date of Compliance</u>
Other Evaluation	Generator-All Requirements	02/07/1996
Compliance Schedule Evaluation (CSE)	TSD-Closure/Post Closure Requirements	06/07/1995
	TSD-Other Requirements	06/07/1995
Compliance Evaluation Inspection (CEI)	TSD-Closure/Post Closure Requirements	06/07/1995
	TSD-Other Requirements	06/07/1995
Compliance Evaluation Inspection (CEI)	TSD-Other Requirements	08/15/1994
	TSD-Other Requirements	08/15/1994
Compliance Evaluation Inspection (CEI)	TSD-Other Requirements	11/15/1993
Compliance Evaluation Inspection (CEI)	TSD-Other Requirements	05/18/1993
Compliance Evaluation Inspection (CEI)	TSD-Other Requirements	05/18/1993
Non-Financial Record Review	Generator-All Requirements	10/22/1988
Financial Record Review (FRR)	TSD-Financial Responsibility Requirements	08/24/1988
Financial Record Review (FRR)	TSD-Financial Responsibility Requirements	08/24/1988
Compliance Evaluation Inspection (CEI)	TSD-Other Requirements	10/21/1987
Non-Financial Record Review	Generator-All Requirements	05/18/1986
Compliance Evaluation Inspection (CEI)	TSD-Other Requirements	09/29/1986

NY MANIFEST

Additional detail is available in NY MANIFEST. Please contact your EDR Account Executive for more information.

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation

MAP FINDINGS

Database(s)
 EDR ID Number
 EPA ID Number

LILCO HICKSVILLE SHOREHAM NUC (Continued)

1000178398

FINDS:

Other Pertinent Environmental Activity Identified at Site:

- Facility is monitored or permitted for air emissions under the Clean Air Act (under AFS/AIRS)
- Civil judicial and administrative enforcement case against facility (under DOCKET)
- Facility is a PCB generator, storer, transporter or permitted disposer (under PADS)

175
 SE
 > 1
 5512
 Lower

**GRUMMAN AEROSPACE CORP
 S OYSTER BAY RD
 BETHPAGE, NY 11714**

**PADS 1000300847
 RCRIS-LQG NYD002047967
 RCRIS-TSD
 CORRACTS
 CERC-NFRAP
 LUST**

CERCLIS-NFRAP Classification Data:

Site Incident Category: Not reported
 Ownership Status: Other
 Federal Facility: Not reported
 NPL Status: Not on the NPL

CERCLIS-NFRAP Assessment History:

Assessment: DISCOVERY
 Assessment: PRELIMINARY ASSESSMENT
 Completed: 19791201
 Completed: 19800101

CERCLIS-NFRAP Alias Name(s):

GRUMMAN AEROSPACE
 GRUMMAN A/C-NAVWEPS IND RESERVE PLANT
 GRUMMAN AEROSPACE CORP

CORRACTS Data:

Prioritization: High
 Status: RCRA Facility Assessment Completed, Determination of Need for a RCRA Facility Investigation, RFI Imposition, RFI Workplan Approved, RCRA Facility Investigation Approved, CMS Workplan Approved, Corrective Measure Study Approved, Corrective Measures Investigation Workplan Approved, Stabilization Measures Implemented

RCRIS Corrective Action Summary:

Effective Date: 03/25/1992
 Legal Authority: RCRA 3004(u) or equivalent
 Effective Date: 05/11/1992
 Legal Authority: RCRA 3004(u) or equivalent

RCRIS:

Owner: NORTHROP GRUMMAN CORP
 (516) 575-4680
 Contact: JOHN COFMAN
 (516) 575-4680
 Record Date: 12/24/1996
 Classification: Large Quantity Generator, TSD, Hazardous Waste Transporter

BIENNIAL REPORTS:

Last Biennial Reporting Year: 1995

<u>Waste</u>	<u>Quantity (Lbs)</u>	<u>Waste</u>	<u>Quantity (Lbs)</u>
D001	464033.00	D002	80444847.00
D003	5105.00	D004	70310.00
D005	53560.00	D006	494992.00
D007	88750617.00	D008	321000.00
D009	5365.00	D010	12200.00
D011	44170.00	D014	15.00
D016	235.00	D017	160.00
D018	209430.00	D020	160.00

Map ID
 Direction
 Distance
 Distance (ft.)
 Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
 EPA ID Number

GRUMMAN AEROSPACE CORP (Continued)

1000300847

D021	159290.00	D022	370727.00
D026	10750.00	D028	390551.00
D029	372771.00	D035	303377.00
D037	10620.00	D038	10615.00
D039	256431.00	D040	45850.00
F001	215190.00	F002	624052.00
F003	470708.00	F005	539188.00
F006	55460.00	F019	144740.00
F027	180.00	P050	900.00
P105	60.00	P106	10.00
U002	20275.00	U011	300.00
U031	20275.00	U037	20275.00
U077	10600.00	U080	54045.00
U122	500.00	U134	53555.00
U188	60.00	U196	15.00
U210	1600.00	U222	60.00
U226	700.00	U228	1600.00
U239	20275.00	U271	900.00
U359	20275.00		

Used Oil Recyc: No

TSDF Activities: Not reported

Violation Status: Violation information exist

There are 4 violation record(s) reported at this site:

<u>Evaluation</u>	<u>Area of Violation</u>	<u>Date of Compliance</u>
Compliance Evaluation Inspection (CEI)	TSD-Other Requirements	02/05/1997
Compliance Evaluation Inspection (CEI)	TSD-Land Ban Requirements	02/22/1993
Compliance Evaluation Inspection (CEI)	TSD-Other Requirements	09/25/1991
Compliance Evaluation Inspection (CEI)	TSD-Other Requirements	09/08/1989

NY MANIFEST

Additional detail is available in NY MANIFEST. Please contact your EDR Account Executive for more information.

LUST:

Spill Number: 8901927	Region of Spill: 1
Facility Contact: Not reported	Facility Tele: Not reported
Investigator: LEUNG	SWIS: 28
Caller Name: DAN NEILEY	Caller Agency: GEN. UTILITIES
Caller Phone: (516) 349-8989	Caller Extension: Not reported
Notifier Name: Not reported	Notifier Agency: Not reported
Notifier Phone: Not reported	Notifier Extension: Not reported
Spiller Contact: Not reported	Spiller Phone: Not reported
Spiller: GRUMMAN	
Spiller Address: Not reported	
Not reported	
Spill Class: Not reported	Resource Affected: Groundwater
Spill Closed Dt: 06/09/1989	Spill Source: Other Commercial/Industrial
Spill Cause: Tank Test Failure	PBS Number: Not reported
Water Affected: Not reported	Reported to Dept: 05/25/1989 14:10
Spill Notifier: Tank Tester	
Spill Date: 05/25/1989 12:00	
Cleanup Ceased: 06/09/1989	
Last Inspection: Not reported	
Cleanup Meets Standard: True	
Recommended Penalty: No Penalty	

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

GRUMMAN AEROSPACE CORP (Continued)

1000300847

Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: True
Spill Record Last Update: 06/12/1989
Is Updated: False
Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 05/29/1989
Date Region Sent Summary to Central Office: Not reported

Spill Number:	9304538	Region of Spill:	1
Facility Contact:	Not reported	Facility Tele:	Not reported
Investigator:	GIBBONS	SWIS:	28
Caller Name:	JOHN SELVA	Caller Agency:	GRUMMAN
Caller Phone:	(516) 575-8176	Caller Extension:	Not reported
Notifier Name:	Not reported	Notifier Agency:	Not reported
Notifier Phone:	Not reported	Notifier Extension:	Not reported
Spiller Contact:	Not reported	Spiller Phone:	Not reported
Spiller:	GRUMMAN AERO		
Spiller Address:	Not reported		
	Not reported		

Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.

Spill Closed Dt:	07/27/1993	Resource Affected:	Groundwater
Spill Cause:	Tank Test Failure	Spill Source:	Other Commercial/Industrial
Water Affected:	Not reported	PBS Number:	Not reported
Spill Notifier:	Affected Persons	Reported to Dept:	07/12/1993 09:25
Spill Date:	07/12/1993 08:00		
Cleanup Ceased:	07/27/1993		
Last Inspection:	Not reported		
Cleanup Meets Standard:	True		
Recommended Penalty:	No Penalty		
Spiller Cleanup Date:	Not reported		
Enforcement Date:	Not reported		
Investigation Complete:	Not reported		
UST Involvement:	True		
Spill Record Last Update:	07/28/1993		
Is Updated:	False		
Corrective Action Plan Submitted:	Not reported		
Date Spill Entered In Computer Data File:	07/15/1993		
Date Region Sent Summary to Central Office:	Not reported		

Spill Number:	9703880	Region of Spill:	1
Facility Contact:	Not reported	Facility Tele:	Not reported
Investigator:	T/T/F	SWIS:	28
Caller Name:	TOM LAVIN	Caller Agency:	CROMPCO
Caller Phone:	(800) 646-3161	Caller Extension:	Not reported
Notifier Name:	NICK CAVALIER	Notifier Agency:	CROMPCO
Notifier Phone:	(800) 646-3161	Notifier Extension:	Not reported
Spiller Contact:	Not reported	Spiller Phone:	Not reported
Spiller:	GRUMMAN AIRPORT		
Spiller Address:	OYSTER BAY ROAD		
	BETHPAGE, NY		
Spill Class:	Known release that creates potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.		
Spill Closed Dt:	Not reported	Resource Affected:	On Land
Spill Cause:	Tank Test Failure		

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

GRUMMAN AEROSPACE CORP (Continued)

1000300847

Water Affected: Not reported
Spill Notifier: Other
Spill Date: 06/30/1997 13:30
Cleanup Ceased: Not reported
Last Inspection: Not reported
Cleanup Meets Standard: False
Recommended Penalty: No Penalty
Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: False
Spill Record Last Update: 07/01/1997
Is Updated: False
Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 06/30/1997
Date Region Sent Summary to Central Office: Not reported

Spill Source: Other Commercial/Industrial
PBS Number: Not reported
Reported to Dept: 06/30/1997 13:41

Spill Number: 9703903
Facility Contact: Not reported
Investigator: T/T/F
Caller Name: TOM LAVIN
Caller Phone: (610) 278-7203
Notifier Name: TOM LAVIN
Notifier Phone: (610) 278-7203
Spiller Contact: Not reported
Spiller: GRUMMAN AEROSPACE
Spiller Address: Not reported
Not reported

Region of Spill: 1
Facility Tele: Not reported
SWIS: 28
Caller Agency: CROMPCO
Caller Extension: Not reported
Notifier Agency: CROMPCO
Notifier Extension: Not reported
Spiller Phone: Not reported

Spill Class: Known release that creates potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.

Spill Closed Dt: Not reported
Spill Cause: Tank Test Failure
Water Affected: Not reported
Spill Notifier: Tank Tester
Spill Date: 06/30/1997 16:45
Cleanup Ceased: Not reported
Last Inspection: Not reported
Cleanup Meets Standard: False
Recommended Penalty: No Penalty
Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: False
Spill Record Last Update: 07/02/1997
Is Updated: False
Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 06/30/1997
Date Region Sent Summary to Central Office: Not reported

Resource Affected: On Land
Spill Source: Other Commercial/Industrial
PBS Number: Not reported
Reported to Dept: 06/30/1997 16:56

Spill Number: 9100585
Facility Contact: Not reported
Investigator: PARISH WELL
Caller Name: JOHN AULMAN
Caller Phone: (516) 575-2385
Notifier Name: Not reported
Notifier Phone: Not reported
Spiller Contact: Not reported

Region of Spill: 1
Facility Tele: Not reported
SWIS: 28
Caller Agency: GRUMMAN
Caller Extension: Not reported
Notifier Agency: Not reported
Notifier Extension: Not reported
Spiller Phone: Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

GRUMMAN AEROSPACE CORP (Continued)

EDR ID Number
EPA ID Number

Database(s)

Site

1000300847

Spiller: GRUMMAN
Spiller Address: Not reported
Not reported
Spill Class: Known release that creates potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 04/06/1998
Spill Cause: Tank Failure
Water Affected: Not reported
Spill Notifier: Responsible Party
Spill Date: 04/16/1991 09:00
Cleanup Ceased: Not reported
Last Inspection: Not reported
Cleanup Meets Standard: True
Recommended Penalty: No Penalty
Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: False
Spill Record Last Update: 04/07/1998
Is Updated: False
Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 04/17/1991
Date Region Sent Summary to Central Office: Not reported

Resource Affected: Groundwater
Spill Source: Other Commercial/Industrial
PBS Number: Not reported
Reported to Dept: 04/16/1991 09:35

ORPHAN SUMMARY

City	EDR ID	Site Name	Site Address	Zip	Database(s)	Facility ID
BETHPAGE	U003377159	JOHN F. KENNEDY J.H.S.	BROADWAY	11714	UST	052343
BETHPAGE	A100100982	BETHPAGE W.D. PLANT 5	BROADWAY	11714	AST	001045
BETHPAGE	1001229287	NORTHROP GRUMMAN CORP	CHERRY AVE EXTENSION 100 FT	11714	RCRIS-LQG	
BETHPAGE	1001229290	NORTHROP GRUMMAN CORP	N GRUMMAN RD	11714	RCRIS-LQG	
BETHPAGE	1001229289	NORTHROP GRUMMAN CORP	N GRUMMAN RD	11714	RCRIS-LQG	
BETHPAGE	1001229288	NORTHROP GRUMMAN CORP	N GRUMMAN RD	11714	RCRIS-LQG	
BETHPAGE	S103479006		288 GRUMMAN ROAD WEST	11714	LUST	9805356
BETHPAGE	S102639077	NORTHROP GRUMMAN CORPORATION	MAIL STOP:D08-GHQ	11714	CBS AST	1-000208
BETHPAGE	S102633346	GRUMMAN AEROSPACE CORP.	MAIL STOP D08-001	11714	MOSF UST, MOSF AST	1-1280
BETHPAGE	S102638754	GRUMMAN AEROSPACE CORPORATION	S. OYSTER BAY ROAD	11714	CBS AST	1-000156
BETHPAGE	S102096437	ALL AMERICAN PETROLEUM	ROUND SWAMP ROAD	11714	LUST, NY Spills	8909144
BETHPAGE	U003376493	NORTHROP GRUMMAN	STEWART AVE.	11714	UST	000001
BETHPAGE	U001854670	NORTHROP GRUMMAN	STEWART AVE.	11714	AST	
BETHPAGE	S101658189	NORTHROP GRUMMAN	STEWART AVENUE	11714	LUST, NY Spills	9506041
BETHPAGE	S101276355	GRUMMAN	STEWART AVENUE	11714	LUST, NY Spills	9004904
BETHPAGE	S101173536	TOWN OF OYSTER BAY	STEWART AVENUE	11714	LUST	9409098
BETHPAGE	S102094332	NCDPW HAZ WASTE	WINDING ROAD	11714	LUST, NY Spills	8703005
HICKSVILLE	S102668875	THOMAS MEEHAN RESIDENCE	29 ALBERT AVENUE	11714	LUST	9002850
HICKSVILLE	U003377500	BROADWAY MALL	358B BROADWAY MALL	11801	UST, LUST	057360
HICKSVILLE	S102138191	LILCO	BROADWAY RTE 107		LUST, NY Spills	8710376
HICKSVILLE	S102668787	GRECO BROS	980 HICKSVILLE ROAD		LUST	8911350
HICKSVILLE	U003376501	RUCO POLYMER CORPORATION	NEW SOUTH RD.		UST	000314
HICKSVILLE	U001741305	RUCO POLYMER CORPORATION	NEW SOUTH RD.		AST	
HICKSVILLE	S103350668	RUCO POLYMER CORP.(HOOKER CHEM)	NEW SOUTH ROAD	11801	SHWS	130004
HICKSVILLE	S102555894	PLANT 12/EAST	SOUTH OYSTER BAY ROAD EXT		LUST	9613310
HICKSVILLE	S100493994	TARTAN OIL	SOUTH OYSTER BAY ROAD		LUST	9206696
HICKSVILLE	S102236492	GRUMMAN AEROSPACE	STEWART AVENUE		NY Spills	9512131
HICKSVILLE	S100177584	NASS CO HD PUBLIC	WORKS HWY GARAGE		LUST	9111633
STUART	1000698804	GRUMMAN AEROSPACE CORP #77	SR A1A 1 MI S OF STUART	11714	FINDS, RCRIS-LQG, TRIS, RCRIS-TSD, RAATS, CORRACTS	

GEOCHECK VERSION 2.1 ADDENDUM FEDERAL DATABASE WELL INFORMATION

Well Closest to Target Property (Northern Quadrant)

BASIC WELL DATA

Site ID:	404546073293701	Distance from TP:	1/2 - 1 Mile
Site Type:	Single well, other than collector or Ranney type		
Year Constructed:	1986	County:	Nassau
Altitude:	1.00 ft.	State:	New York
Well Depth:	76.00 ft.	Topographic Setting:	Not Reported
Depth to Water Table:	Not Reported	Prim. Use of Site:	Observation
Date Measured:	Not Reported	Prim. Use of Water:	Other

LITHOLOGIC DATA

Not Reported

WATER LEVEL VARIABILITY

Not Reported

**GEOCHECK VERSION 2.1
FEDERAL DATABASE WELL INFORMATION**

Well Closest to Target Property (Eastern Quadrant)

BASIC WELL DATA

Site ID:	404539073291401	Distance from TP:	1/2 - 1 Mile
Site Type:	Single well, other than collector or Ranney type		
Year Constructed:	Not Reported	County:	Nassau
Altitude:	1.00 ft.	State:	New York
Well Depth:	76.00 ft.	Topographic Setting:	Not Reported
Depth to Water Table:	Not Reported	Prim. Use of Site:	Observation
Date Measured:	Not Reported	Prim. Use of Water:	Not Reported

LITHOLOGIC DATA

Not Reported

WATER LEVEL VARIABILITY

Not Reported

**GEOCHECK VERSION 2.1
FEDERAL DATABASE WELL INFORMATION**

Well Closest to Target Property (Southern Quadrant)

BASIC WELL DATA

Site ID:	404507073301101	Distance from TP:	1/8 - 1/4 Mile
Site Type:	Single well, other than collector or Ranney type		
Year Constructed:	1959	County:	Nassau
Altitude:	125.00 ft.	State:	New York
Well Depth:	136.00 ft.	Topographic Setting:	Flat surface
Depth to Water Table:	60.00 ft.	Prim. Use of Site:	Withdrawal of water
Date Measured:	06011959	Prim. Use of Water:	Commercial

LITHOLOGIC DATA

Geologic Age ID (Era/System/Series):	Mesozoic-Cretaceous-Upper
Principal Lithology of Unit:	Sand
Further Description:	COARSE GRAINED

WATER LEVEL VARIABILITY

Not Reported

GEOCHECK VERSION 2.1
FEDERAL DATABASE WELL INFORMATION

Well Closest to Target Property (Western Quadrant)

BASIC WELL DATA

Site ID:	404517073300901	Distance from TP:	0 - 1/8 Mile
Site Type:	Single well, other than collector or Ranney type	County:	Nassau
Year Constructed:	1959	State:	New York
Altitude:	125.00 ft.	Topographic Setting:	Not Reported
Well Depth:	136.00 ft.	Prim. Use of Site:	Withdrawal of water
Depth to Water Table:	Not Reported	Prim. Use of Water:	Commercial
Date Measured:	Not Reported		

LITHOLOGIC DATA

Geologic Age ID (Era/System/Series):	Unknown
Principal Lithology of Unit:	Not Reported
Further Description:	Not Reported

WATER LEVEL VARIABILITY

Not Reported

GEOCHECK VERSION 2.1

STATE DATABASE WELL INFORMATION

Water Well Information:

Well Within 1 - 2 Miles of Target Property (Northern Quadrant)

Public Water Supply #:	2902845	Source ID:	004
PW Supply Name:	PLAINVIEW WATER DISTRICT		
Source Name:	N 4097 DISTRICT NO 3-1		
Source Description:	Groundwater		
Availability/Utilization:	Permanent Utilization	Source Type:	Source Record
Latitude:	404631	Longitude:	-732939
Source Prod Capacity:	1728000 Million Gals/Day	Fed ID of Seller:	Not Reported
Watershed Basin:	17	Watershed Sub-basin:	00
Treatment Plant ID:	012	Date of rec Last Update:	Not Reported
Water Type:	Not Reported	Record Tag:	Existing Record

Well Within 1 - 2 Miles of Target Property (Eastern Quadrant)

Public Water Supply #:	2902817	Source ID:	002
PW Supply Name:	BETHPAGE WATER DISTRICT		
Source Name:	N 8767 WELL NO.7A		
Source Description:	Groundwater		
Availability/Utilization:	Permanent Utilization	Source Type:	Source Record
Latitude:	404532	Longitude:	-732848
Source Prod Capacity:	1728000 Million Gals/Day	Fed ID of Seller:	Not Reported
Watershed Basin:	17	Watershed Sub-basin:	01
Treatment Plant ID:	010	Date of rec Last Update:	Not Reported
Water Type:	Not Reported	Record Tag:	Existing Record

Well Within 1 - 2 Miles of Target Property (Southern Quadrant)

Public Water Supply #:	2902832	Source ID:	008
PW Supply Name:	LEVITTOWN WATER DISTRICT		
Source Name:	N 4451 WELL #10 (NOT USED)		
Source Description:	Groundwater		
Availability/Utilization:	Permanent Utilization	Source Type:	Source Record
Latitude:	404429	Longitude:	-733053
Source Prod Capacity:	0	Fed ID of Seller:	Not Reported
Watershed Basin:	17	Watershed Sub-basin:	00
Treatment Plant ID:	013	Date of rec Last Update:	Not Reported
Water Type:	Not Reported	Record Tag:	Existing Record

Well Within 1/2 - 1 Mile of Target Property (Western Quadrant)

Public Water Supply #:	2902829	Source ID:	017
PW Supply Name:	HICKSVILLE WATER DISTRICT		
Source Name:	N 8778 WELL # 9-1		
Source Description:	Groundwater		
Availability/Utilization:	Permanent Utilization	Source Type:	Source Record
Latitude:	404537	Longitude:	-733046
Source Prod Capacity:	1872000 Million Gals/Day	Fed ID of Seller:	Not Reported
Watershed Basin:	17	Watershed Sub-basin:	00
Treatment Plant ID:	021	Date of rec Last Update:	Not Reported
Water Type:	Not Reported	Record Tag:	Existing Record

GEOCHECK VERSION 2.1
PUBLIC WATER SUPPLY SYSTEM INFORMATION

Searched by Nearest PWS.

PWS SUMMARY:

PWS ID: NY0002829 PWS Status: Active Distance from TP: 1/2 - 1 Mile
Date Initiated: Not Reported Date Deactivated: Not Reported Dir relative to TP: West
PWS Name: HICKSVILLE WATER DISTRICT
4 DEAN STREET
HICKSVILLE, NY 11802

Addressee / Facility: System Owner/Responsible Party
CUSICK GILBERT E
4 DEAN STREET
HICKSVILLE, NY 11801

Facility Latitude:	40 44 41	Facility Longitude:	073 32 09
Facility Latitude:	40 44 46	Facility Longitude:	073 30 57
Facility Latitude:	40 44 55	Facility Longitude:	073 32 03
Facility Latitude:	40 44 55	Facility Longitude:	073 32 49
Facility Latitude:	40 45 21	Facility Longitude:	073 31 02
Facility Latitude:	40 45 37	Facility Longitude:	073 30 46
Facility Latitude:	40 46 05	Facility Longitude:	073 31 43
Facility Latitude:	40 46 26	Facility Longitude:	073 32 31
Facility Latitude:	40 46 39	Facility Longitude:	073 31 11
Facility Latitude:	40 47 06	Facility Longitude:	073 30 52
City Served:	OYSTER BAY (T)		
Treatment Class:	Not Reported	Population Served:	Not Reported

PWS currently has or has had major violation(s): No

EPA Waste Codes Addendum

Code	Description
D001	IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSKEY-MARTENS CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET, WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.
D002	A WASTE WHICH HAS A PH OF LESS THAN 2 OR GREATER THAN 12.5 IS CONSIDERED TO BE A CORROSIVE HAZARDOUS WASTE. SODIUM HYDROXIDE, A CAUSTIC SOLUTION WITH A HIGH PH, IS OFTEN USED BY INDUSTRIES TO CLEAN OR DEGREASE PARTS. HYDROCHLORIC ACID, A SOLUTION WITH A LOW PH, IS USED BY MANY INDUSTRIES TO CLEAN METAL PARTS PRIOR TO PAINTING. WHEN THESE CAUSTIC OR ACID SOLUTIONS BECOME CONTAMINATED AND MUST BE DISPOSED, THE WASTE WOULD BE A CORROSIVE HAZARDOUS WASTE.
D003	A MATERIAL IS CONSIDERED TO BE A REACTIVE HAZARDOUS WASTE IF IT IS NORMALLY UNSTABLE, REACTS VIOLENTLY WITH WATER, GENERATES TOXIC GASES WHEN EXPOSED TO WATER OR CORROSIVE MATERIALS, OR IF IT IS CAPABLE OF DETONATION OR EXPLOSION WHEN EXPOSED TO HEAT OR A FLAME. ONE EXAMPLE OF SUCH WASTE WOULD BY WASTE GUNPOWDER.
D004	ARSENIC
D005	BARIUM
D006	CADMIUM
D007	CHROMIUM
D008	LEAD
D009	MERCURY
D010	SELENIUM
D011	SILVER
D014	METHOXYCHLOR
D016	2,4-D
D017	2,4,5-TP (SILVEX)
D018	BENZENE
D020	CHLORDANE
D021	CHLOROBENZENE
D022	CHLOROFORM
D026	CRESOL

EPA Waste Codes Addendum

Code	Description
D027	1,4-DICHLOROBENZENE
D028	1,2-DICHLOROETHANE
D029	1,1-DICHLOROETHYLENE
D035	METHYL ETHYL KETONE
D037	PENTRACHLOROPHENOL
D038	PYRIDINE
D039	TETRACHLOROETHYLENE
D040	TRICHLOROETHYLENE
F001	THE FOLLOWING SPENT HALOGENATED SOLVENTS USED IN DEGREASING: TETRACHLOROETHYLENE, TRICHLOROETHYLENE, METHYLENE CHLORIDE, 1,1,1-TRICHLOROETHANE, CARBON TETRACHLORIDE, AND CHLORINATED FLUOROCARBONS; ALL SPENT SOLVENT MIXTURES/BLENDS USED IN DEGREASING CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F002, F004, AND F005, AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.
F002	THE FOLLOWING SPENT HALOGENATED SOLVENTS: TETRACHLOROETHYLENE, METHYLENE CHLORIDE, TRICHLOROETHYLENE, 1,1,1-TRICHLOROETHANE, CHLOROBENZENE, 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE, ORTHO-DICHLOROBENZENE, TRICHLOROFLUOROMETHANE, AND 1,1,2-TRICHLOROETHANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE LISTED IN F001, F004, OR F005, AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.
F003	THE FOLLOWING SPENT NON-HALOGENATED SOLVENTS: XYLENE, ACETONE, ETHYL ACETATE, ETHYL BENZENE, ETHYL ETHER, METHYL ISOBUTYL KETONE, N-BUTYL ALCOHOL, CYCLOHEXANONE, AND METHANOL; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONLY THE ABOVE SPENT NON-HALOGENATED SOLVENTS; AND ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONE OR MORE OF THE ABOVE NON-HALOGENATED SOLVENTS, AND, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THOSE SOLVENTS LISTED IN F001, F002, F004, AND F005, AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.
F005	THE FOLLOWING SPENT NON-HALOGENATED SOLVENTS: TOLUENE, METHYL ETHYL KETONE, CARBON DISULFIDE, ISOBUTANOL, PYRIDINE, BENZENE, 2-ETHOXYETHANOL, AND 2-NITROPROPANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE NON-HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F002, OR F004; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.
F006	WASTEWATER TREATMENT SLUDGES FROM ELECTROPLATING OPERATIONS EXCEPT FROM THE

EPA Waste Codes Addendum

Code	Description
	FOLLOWING PROCESSES: (1) SULFURIC ACID ANODIZING OF ALUMINUM; (2) TIN PLATING ON CARBON STEEL; (3) ZINC PLATING (SEGREGATED BASIS) ON CARBON STEEL; (4) ALUMINUM OR ZINC-ALUMINUM PLATING ON CARBON STEEL; (5) CLEANING/STRIPPING ASSOCIATED WITH TIN, ZINC AND ALUMINUM PLATING ON CARBON STEEL; AND (6) CHEMICAL ETCHING AND MILLING OF ALUMINUM.
F019	WASTEWATER TREATMENT SLUDGES FROM THE CHEMICAL CONVERSION COATING OF ALUMINUM EXCEPT FROM ZIRCONIUM PHOSPHATING IN ALUMINUM CAN WASHING WHEN SUCH PHOSPHATING IS AN EXCLUSIVE CONVERSION COATING PROCESS.
F027	DISCARDED UNUSED FORMULATIONS CONTAINING TRI-, TETRA-, OR PENTACHLOROPHENOL OR DISCARDED UNUSED FORMULATIONS CONTAINING COMPOUNDS DERIVED FROM THESE CHLOROPHENOLS. (THIS LISTING DOES NOT INCLUDE FORMULATIONS CONTAINING HEXACHLOROPHENE SYTHESIZED FROM PREPURIFIED 2,4,5-TRICHLOROPHENOL AS THE SOLE COMPONENT).
F027	ACETIC ACID, (2,4,5-TRICHLOROPHENOXY)-
F027	PENTACHLOROPHENOL
F027	PHENOL, PENTACHLORO-
F027	PHENOL, 2,3,4,6-TETRACHLORO-
F027	PHENOL, 2,4,5-TRICHLORO-
F027	PHENOL, 2,4,6-TRICHLORO-
F027	PROPANOIC ACID, 2-(2,4,5-TRICHLOROPHENOXY)-
F027	SILVEX (2,4,5-TP)
F027	2,4,5-T
F027	2,3,4,6-TETRACHLOROPHENOL
F027	2,4,5-TRICHLOROPHENOL
F027	2,4,6-TRICHLOROPHENOL
P050	ENDOSULFAN
P050	6,9-METHANO-2,4,3-BENZODIOXATHIEPIN, 6,7,8,9,10,10-HEXACHLORO-1,5,5A,6,9,9A-HEXAHYDRO- , 3-OXIDE
P105	SODIUM AZIDE
P106	SODIUM CYANIDE
P106	SODIUM CYANIDE NA(CN)
U002	ACETONE (l)
U002	2-PROPANONE (l)

EPA Waste Codes Addendum

Code	Description
U011	AMITROLE
U011	1H-1,2,4-TRIAZOL-3-AMINE
U031	1-BUTANOL (I)
U031	N-BUTYL ALCOHOL (I)
U037	BENZENE, CHLORO-
U037	CHLOROBENZENE
U077	ETHANE, 1,2-DICHLORO-
U077	ETHYLENE DICHLORIDE
U080	METHANE, DICHLORO-
U080	METHYLENE CHLORIDE
U122	FORMALDEHYDE
U134	HYDROFLUORIC ACID (C,T)
U134	HYDROGEN FLUORIDE (C,T)
U188	PHENOL
U196	PYRIDINE
U210	ETHENE, TETRACHLORO-
U210	TETRACHLOROETHYLENE
U222	BENZENAMINE, 2-METHYL-, HYDROCHLORIDE
U222	O-TOLUIDINE HYDROCHLORIDE
U223	BENZENE, 1,3-DIISOCYANATOMETHYL- (R,T)
U223	TOLUENE DIISOCYANATE (R,T)
U226	ETHANE, 1,1,1-TRICHLORO-
U226	METHYL CHLOROFORM
U228	ETHENE, TRICHLORO-
U228	TRICHLOROETHYLENE
U239	BENZENE, DIMETHYL- (I,T)
U239	XYLENE (I)

EPA Waste Codes Addendum

Code	Description
U359	ETHANOL, 2-ETHOXY-
U359	ETHYLENE GLYCOL MONOETHYL ETHER

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

To maintain currency of the following federal and state databases, EDR contacts the appropriate governmental agency on a monthly or quarterly basis, as required.

Elapsed ASTM days: Provides confirmation that this EDR report meets or exceeds the 90-day updating requirement of the ASTM standard.

FEDERAL ASTM RECORDS:

CERCLIS: Comprehensive Environmental Response, Compensation, and Liability Information System

Source: EPA

Telephone: 703-413-0223

CERCLIS contains data on potentially hazardous waste sites that have been reported to the USEPA by states, municipalities, private companies and private persons, pursuant to Section 103 of the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA). CERCLIS contains sites which are either proposed to or on the National Priorities List (NPL) and sites which are in the screening and assessment phase for possible inclusion on the NPL.

Date of Government Version: 11/10/98

Date Made Active at EDR: 01/29/99

Database Release Frequency: Quarterly

Date of Data Arrival at EDR: 12/29/98

Elapsed ASTM days: 31

Date of Last EDR Contact: 03/03/99

ERNS: Emergency Response Notification System

Source: EPA/NTIS

Telephone: 202-260-2342

Emergency Response Notification System. ERNS records and stores information on reported releases of oil and hazardous substances.

Date of Government Version: 12/31/98

Date Made Active at EDR: 01/18/99

Database Release Frequency: Quarterly

Date of Data Arrival at EDR: 01/13/99

Elapsed ASTM days: 5

Date of Last EDR Contact: 01/04/99

NPL: National Priority List

Source: EPA

Telephone: 703-603-8852

National Priorities List (Superfund). The NPL is a subset of CERCLIS and identifies over 1,200 sites for priority cleanup under the Superfund Program. NPL sites may encompass relatively large areas. As such, EDR provides polygon coverage for over 1,000 NPL site boundaries produced by EPA's Environmental Photographic Interpretation Center (EPIC).

Date of Government Version: 01/19/99

Date Made Active at EDR: 02/19/99

Database Release Frequency: Semi-Annually

Date of Data Arrival at EDR: 02/08/99

Elapsed ASTM days: 11

Date of Last EDR Contact: 02/08/99

RCRIS: Resource Conservation and Recovery Information System

Source: EPA/NTIS

Telephone: 800-424-9346

Resource Conservation and Recovery Information System. RCRIS includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA).

Date of Government Version: 10/01/98

Date Made Active at EDR: 01/29/99

Database Release Frequency: Semi-Annually

Date of Data Arrival at EDR: 12/28/98

Elapsed ASTM days: 32

Date of Last EDR Contact: 01/25/99

CORRACTS: Corrective Action Report

Source: EPA

Telephone: 800-424-9346

CORRACTS identifies hazardous waste handlers with RCRA corrective action activity.

Date of Government Version: 12/01/98

Date Made Active at EDR: 01/29/99

Database Release Frequency: Semi-Annually

Date of Data Arrival at EDR: 12/28/98

Elapsed ASTM days: 32

Date of Last EDR Contact: 12/22/98

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

FEDERAL NON-ASTM RECORDS:

BRS: Biennial Reporting System

Source: EPA/NTIS

Telephone: 800-424-9346

The Biennial Reporting System is a national system administered by the EPA that collects data on the generation and management of hazardous waste. BRS captures detailed data from two groups: Large Quantity Generators (LQG) and Treatment, Storage, and Disposal Facilities.

Date of Government Version: 12/31/95

Database Release Frequency: Biennially

Date of Last EDR Contact: 12/21/98

Date of Next Scheduled EDR Contact: 03/22/99

CONSENT: Superfund (CERCLA) Consent Decrees

Source: EPA Regional Offices

Telephone: Varies

Major legal settlements that establish responsibility and standards for cleanup at NPL (Superfund) sites. Released periodically by United States District Courts after settlement by parties to litigation matters.

Date of Government Version: Varies

Database Release Frequency: Varies

Date of Last EDR Contact: Varies

Date of Next Scheduled EDR Contact: N/A

FINDS: Facility Index System

Source: EPA/NTIS

Telephone: 703-908-2493

Facility Index System. FINDS contains both facility information and 'pointers' to other sources that contain more detail. EDR includes the following FINDS databases in this report: PCS (Permit Compliance System), AIRS (Aerometric Information Retrieval System), DOCKET (Enforcement Docket used to manage and track information on civil judicial enforcement cases for all environmental statutes), FURS (Federal Underground Injection Control), C-DOCKET (Criminal Docket System used to track criminal enforcement actions for all environmental statutes), FFIS (Federal Facilities Information System), STATE (State Environmental Laws and Statutes), and PADS (PCB Activity Data System).

Date of Government Version: 09/30/97

Database Release Frequency: Quarterly

Date of Last EDR Contact: 12/23/98

Date of Next Scheduled EDR Contact: 03/29/99

HMIRS: Hazardous Materials Information Reporting System

Source: U.S. Department of Transportation

Telephone: 202-366-4526

Hazardous Materials Incident Report System. HMIRS contains hazardous material spill incidents reported to DOT.

Date of Government Version: 12/31/97

Database Release Frequency: Annually

Date of Last EDR Contact: 03/02/99

Date of Next Scheduled EDR Contact: 04/26/99

MLTS: Material Licensing Tracking System

Source: Nuclear Regulatory Commission

Telephone: 301-415-7169

MLTS is maintained by the Nuclear Regulatory Commission and contains a list of approximately 8,100 sites which possess or use radioactive materials and which are subject to NRC licensing requirements. To maintain currency, EDR contacts the Agency on a quarterly basis.

Date of Government Version: 12/08/98

Database Release Frequency: Quarterly

Date of Last EDR Contact: 03/02/99

Date of Next Scheduled EDR Contact: 05/31/99

NPL LIENS: Federal Superfund Liens

Source: EPA

Telephone: 205-564-4267

Federal Superfund Liens. Under the authority granted the USEPA by the Comprehensive Environmental Response, Compensation and Liability Act (CERCLA) of 1980, the USEPA has the authority to file liens against real property in order to recover remedial action expenditures or when the property owner receives notification of potential liability. USEPA compiles a listing of filed notices of Superfund Liens.

Date of Government Version: 10/15/91

Database Release Frequency: No Update Planned

Date of Last EDR Contact: 02/22/98

Date of Next Scheduled EDR Contact: 05/24/99

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

PADS: PCB Activity Database System

Source: EPA

Telephone: 202-260-3936

PCB Activity Database. PADS identifies generators, transporters, commercial storers and/or brokers and disposers of PCB's who are required to notify the EPA of such activities.

Date of Government Version: 09/22/97

Database Release Frequency: Semi-Annually

Date of Last EDR Contact: 03/05/99

Date of Next Scheduled EDR Contact: 05/17/99

RAATS: RCRA Administrative Action Tracking System

Source: EPA

Telephone: 202-564-4104

RCRA Administration Action Tracking System. RAATS contains records based on enforcement actions issued under RCRA pertaining to major violators and includes administrative and civil actions brought by the EPA. For administration actions after September 30, 1995, data entry in the RAATS database was discontinued. EPA will retain a copy of the database for historical records. It was necessary to terminate RAATS because a decrease in agency resources made it impossible to continue to update the information contained in the database.

Date of Government Version: 04/17/95

Database Release Frequency: No Update Planned

Date of Last EDR Contact: 12/15/98

Date of Next Scheduled EDR Contact: 03/15/99

ROD: Records Of Decision

Source: NTIS

Telephone: 703-416-0223

Record of Decision. ROD documents mandate a permanent remedy at an NPL (Superfund) site containing technical and health information to aid in the cleanup.

Date of Government Version: 03/31/95

Database Release Frequency: Annually

Date of Last EDR Contact: 02/16/99

Date of Next Scheduled EDR Contact: 04/19/99

TRIS: Toxic Chemical Release Inventory System

Source: EPA/NTIS

Telephone: 202-260-1531

Toxic Release Inventory System. TRIS identifies facilities which release toxic chemicals to the air, water and land in reportable quantities under SARA Title III Section 313.

Date of Government Version: 12/31/95

Database Release Frequency: Annually

Date of Last EDR Contact: 12/28/98

Date of Next Scheduled EDR Contact: 03/29/99

TSCA: Toxic Substances Control Act

Source: EPA

Telephone: 202-260-1444

Toxic Substances Control Act. TSCA identifies manufacturers and importers of chemical substances included on the TSCA Chemical Substance Inventory list. It includes data on the production volume of these substances by plant site.

Date of Government Version: 12/31/94

Database Release Frequency: Every 4 Years

Date of Last EDR Contact: 01/25/99

Date of Next Scheduled EDR Contact: 04/26/99

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

STATE OF NEW YORK ASTM RECORDS:

LUST: Spills Information Database

Source: Department of Environmental Conservation
Telephone: 518-457-2462

Leaking Underground Storage Tank Incident Reports. LUST records contain an inventory of reported leaking underground storage tank incidents. Not all states maintain these records, and the information stored varies by state.

Date of Government Version: 10/01/98
Date Made Active at EDR: 01/27/99
Database Release Frequency: Quarterly

Date of Data Arrival at EDR: 12/17/98
Elapsed ASTM days: 41
Date of Last EDR Contact: 02/02/99

SHWS: Inactive Hazardous Waste Disposal Sites in New York State

Source: Department of Environmental Conservation
Telephone: 518-457-0747

State Hazardous Waste Sites. State hazardous waste site records are the states' equivalent to CERCLIS. These sites may or may not already be listed on the federal CERCLIS list. Priority sites planned for cleanup using state funds (state equivalent of Superfund) are identified along with sites where cleanup will be paid for by potentially responsible parties. Available information varies by state.

Date of Government Version: 04/01/98
Date Made Active at EDR: 12/24/98
Database Release Frequency: Annually

Date of Data Arrival at EDR: 12/01/98
Elapsed ASTM days: 23
Date of Last EDR Contact: 12/21/98

LF: Facility Register

Source: Department of Environmental Conservation
Telephone: 518-457-2051

Solid Waste Facilities/Landfill Sites. SWF/LF type records typically contain an inventory of solid waste disposal facilities or landfills in a particular state. Depending on the state, these may be active or inactive facilities or open dumps that failed to meet RCRA Subtitle D Section 4004 criteria for solid waste landfills or disposal sites.

Date of Government Version: 06/30/98
Date Made Active at EDR: 11/19/98
Database Release Frequency: Semi-Annually

Date of Data Arrival at EDR: 09/01/98
Elapsed ASTM days: 79
Date of Last EDR Contact: 02/08/99

UST: Petroleum Bulk Storage (PBS) Database

Source: Department of Environmental Conservation
Telephone: 518-457-4351

Facilities that have petroleum storage capacities in excess of 1,100 gallons and less than 400,000 gallons.

Date of Government Version: 10/01/98
Date Made Active at EDR: 01/19/99
Database Release Frequency: Quarterly

Date of Data Arrival at EDR: 12/17/98
Elapsed ASTM days: 33
Date of Last EDR Contact: 02/02/99

CBS UST: Chemical Bulk Storage Database

Source: NYSDEC
Telephone: 518-457-4351

Facilities that store regulated hazardous substances in underground tanks of any size

Date of Government Version: 10/01/98
Date Made Active at EDR: 01/21/99
Database Release Frequency: Quarterly

Date of Data Arrival at EDR: 12/17/98
Elapsed ASTM days: 35
Date of Last EDR Contact: 02/02/99

MOSF UST: Major Oil Storage Facilities Database

Source: NYSDEC
Telephone: 518-457-4351

Facilities that may be onshore facilities or vessels, with petroleum storage capacities of 400,000 gallons or greater.

Date of Government Version: 10/01/98
Date Made Active at EDR: 01/21/99
Database Release Frequency: Quarterly

Date of Data Arrival at EDR: 12/17/98
Elapsed ASTM days: 35
Date of Last EDR Contact: 02/02/99

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

STATE OF NEW YORK NON-ASTM RECORDS:

AST: Petroleum Bulk Storage (AST)

Source: Department of Environmental Conservation
Telephone: 518-457-4351
Registered Aboveground Storage Tanks.

Date of Government Version: 10/01/98
Database Release Frequency: Quarterly

Date of Last EDR Contact: 02/02/99
Date of Next Scheduled EDR Contact: 05/03/99

CBS AST: Chemical Bulk Storage Database

Source: NYSDEC
Telephone: 518-457-4351
Facilities that store regulated hazardous substances in aboveground tanks with capacities of 185 gallons or greater, and/or in underground tanks of any size.

Date of Government Version: 10/01/98
Database Release Frequency: Quarterly

Date of Last EDR Contact: 02/02/99
Date of Next Scheduled EDR Contact: 05/03/99

MOSF AST: Major Oil Storage Facilities Database

Source: NYSDEC
Telephone: 518-457-4351
Facilities that may be onshore facilities or vessels, with petroleum storage capacities of 400,000 gallons or greater.

Date of Government Version: 10/01/98
Database Release Frequency: Quarterly

Date of Last EDR Contact: 02/02/99
Date of Next Scheduled EDR Contact: 05/03/99

HSWDS: Hazardous Substance Waste Disposal Site Inventory

Source: Department of Environmental Conservation
Telephone: 518-457-0639
The list includes any known or suspected hazardous substance waste disposal sites. Also included are sites delisted from the Registry of Inactive Hazardous Waste Disposal Sites and non-registry sites which U.S. EPA Preliminary Assessment (PA) reports or Site Investigation (SI) reports were prepared.

Date of Government Version: 09/01/97
Database Release Frequency: N/A

Date of Last EDR Contact: 12/09/98
Date of Next Scheduled EDR Contact: 03/08/99

SPILLS: Spills Information Database

Source: Department of Environmental Conservation
Telephone: 518-457-2462
Data collected on spills reported to NYSDEC as required by one or more of the following: Article 12 of the Navigation Law, 6 NYCRR Section 613.8 (from PBS regs), or 6 NYCRR Section 595.2 (from CBS regs). It includes spills active as of April 1, 1986, as well as spills occurring since this date.

Date of Government Version: 10/01/98
Database Release Frequency: Quarterly

Date of Last EDR Contact: 02/02/99
Date of Next Scheduled EDR Contact: 05/03/99

Appendix D

APPENDIX D

SUPPLEMENTAL INFORMATION

Table A-1 (continued)

**GRUMMAN AEROSPACE CORPORATION
BETHPAGE COMPLEX
EXISTING FLAMMABLE AND COMBUSTIBLE STORAGE TANKS**

<u>Tank No.</u>	<u>Location/Use</u>	<u>Contents</u>	<u>Gallons Buried</u>	<u>Gallons Above Ground</u>	<u>Material of Construction</u>	<u>Age of Tank (Yr) As of 1988</u>
15-01-3	Engineering Building - Boiler	2 Diesel	—	275	Steel	4
15-01-4	Engineering Building - Generator	2 Diesel	—	275	Steel	10
16-01-1	Plant 16 - Boiler	2	3,000	—	Steel-Asphalt Coating	14
17-20-1	Dravo - Boiler	2	15,000	—	Steel-Asphalt Coating	44
17-22-1	Fire Pump House - Boiler	2 Diesel	2,500	—	Steel-Asphalt Coating	44
17-22-2	Fire Pump House - Pump	2 Diesel	—	275	Steel	1
18-01-1	Guard Headquarters - Boiler	2	3,000	—	Steel-Asphalt Coating	37
20-01-1	Fuel Depot - Fueling	Gasoline	4,000	—	Fiberglass	11
20-01-2	Fuel Depot - Fueling	Gasoline	6,000	—	Fiberglass	11
20-01-3	Fuel Depot - Fueling	Gasoline	6,000	—	Fiberglass	11
20-01-4	Fuel Depot - Fueling	Premium	4,000	—	Steel-Asphalt Coating	13
20-01-5	Fuel Depot - Boiler	2	5,000	—	Steel-Asphalt Coating	45
20-01-6	Fuel Depot - Steam Jenny	2	—	275	Steel	45
20-01-7	Fuel Depot - Waste Oil Storage	Misc. Oil	550	—	Steel-Asphalt Coating	20
20-01-8	Fuel Depot - Waste Oil Storage	Misc. Oil	—	275	Steel	20
20-01-9	Fuel Depot - Waste Oil Storage	Misc. Oil	550	—	Steel-Asphalt Coating	20
20-01-10	Fuel Depot - Generator	Diesel	550	—	Steel-Asphalt Coating	24
20-01-11	Fuel Depot - Fueling	Gasoline	20,000	—	Fiberglass	9
20-01-12	Fuel Depot - Fueling	Premium	20,000	—	Fiberglass	9
20-01-13	Fuel Depot - Fueling	Diesel	10,000	—	Fiberglass	9
20-01-14	Fuel Depot - Boiler	2	6,000	—	Fiberglass	9
20-01-15	Fuel Depot	2	1,000	—	Fiberglass	3
20-01-16	Fuel Depot	Motor Oil	550	—	Fiberglass	3
20-01-17	Fuel Depot	Waste Oil	1,000	—	Fiberglass	3
20-01-18	Fuel Depot - Boiler	2	6,000	—	Fiberglass	9
20-01-19	Fuel Depot - Waste Oil Storage	Misc. Oil	550	—	Steel-Asphalt Coating	20

SPCC TANK NO. 18-01-1
 FUEL TYPE № 2.
 CAPACITY 3000
 LOCATION PLT 18.

PART 1

COG. ENG. Joseph Solari WITNESS AT SITE _____

CONTRACTOR General Utilities FOREMAN Terry

TYPE OF TEST _____

DATE OF TEST 1 see comments - (5-9-89) START TIME _____
 2 _____
 3 _____

TEST RESULT 1 _____ GALS./HR. _____
 2 _____
 3 _____

PASS OR FAIL 1 _____ TIME _____
 2 _____
 3 _____

NAVY NOTIFICATION DATE 1 _____ TIME _____
 2 _____
 3 _____

COUNTY NOTIFICATION DATE 1 _____ TIME _____
 2 _____
 3 _____

FIRE MARSHALL NOTIFICATION DATE 1 _____ TIME _____
 2 _____
 3 _____


COMMENTS: Excavated Remote Fill and Followed Line under Bldg.
TANK APPEARS TO BE UNDER Bldg. Will Dredge OUT TO TTY AND
Locate with Ronnie BROWN. Fred Durham Toned Area.
TANK IS UNDER Bldg HOWEVER END MAY BE UNDER DOOR APRON
 0065N - Excavated Found TANK IN COURT YARD. Repaired
AND TESTED PASSED.

GENERAL UTILITIES, INC.

FUEL OIL - HEATING
AIR CONDITIONING
SECURITY SYSTEMS

100 FAIRCHILD AVENUE, PLAINVIEW, N.Y. 11803
Central Nassau: 349-8989
Nassau: 922-5722 • Suffolk: 549-3900

Home Heating : 800-346-WARM
Air Conditioning: 800-346-COOL
Security Systems: 800-346-SAFE



Nassau County Health Department
240 Old Country Road
Mineola, NY 11501

To whom it may concern,

Enclosed are the test results from:

Job name: GRUENMAN PLANT #18

18-01-1

Tests Date(s): 10-AUG-85

Thank you,

A handwritten signature in black ink, appearing to read "Mike Terrell". The signature is written in a cursive, flowing style.

Mike Terrell
Tank Department

MT:jma



GENERAL UTILITIES, INC.

100 FAIRCHILD AVENUE, PLAINVIEW, N.Y. 11803
Central Nassau: 349-4989
Nassau: 922-5772 • Suffolk: 549-3900

DATA CHART FOR TANK SYSTEM TIGHTNESS TEST (EZY CHEK)

SYSTEM TEST


TANK ONLY

F.M. CONF.

Time (Military)	Reading No.	PRODUCT MONITORING ON LLR			TEMPERATURE COMPENSATION A			TEMPERATURE COMPENSATION B			NET VOL. CHANGE	
		Start	End	+Gain -Loss	Start	End	+Gain -Loss	Start	End	+Gain -Loss	Expansion -Contraction	LLR
11:50	0	89										
11:56	1	89	87	-2								
12:02	2	87	84	-3								
12:08	3	88	87	-1								
12:14	4	87	86	-1								
12:20	5	90	89	-1								
12:26	6	89	87	-2								
12:32	7	91	90	-1								
12:38	8	90	89	-1								
12:44	9	89	86	-3								
12:50	10	86	84	-2								
12:56	11	90	88	-2								
13:02	12	88	87	-1								
13:08	13	91	90	-1								
13:14	14	90	88	-2								
13:20	15	91	90	-1								
13:26	16	90	88	-2								
13:32	17	88	86	-2								
13:38	18	91	90	-1								
13:44	19	90	89	-1								
13:50	20	92	92	0								

Send Report to:
Client GRUMMAN PLT 18
Address 50 OTSIEE BAY RD
City, State BETH PAGE N.Y.
Phone ()
Attn:

- A. Tank Bot. to Grade 100
- B. Tank Top to Grade 36
- C. Tank Diameter 64
- D. Test Level above grade 30
- E. Depth of water in tank 11
- F. Depth for taking sample 68
- G. Temp. Probe depth (connector) 38
- H. Test level to Tank Bot. 130
- I. Groundwater above tank bottom 0
- J. Product Pressure per 1" height 0.3/PSI



Test Pressure Formula
 $130 \times 0.036 = 4.03$
 NET TEST PRESSURE

CERTIFICATION This is to certify that this tank system was tested on date shown. Those indicated "Tight" meet the criteria established by the National Fire Protection Association Pamphlet 329

Tank No. 18-01-1
Tight YAS
Leakage Indicated 7.001
Technician Daniel C. Nally GCF-250
Date Tested 8/10/89

DATA CHART FOR TANK SYSTEM TIGHTNESS TEST (EZY CHEK)


CLIENT NAME OF SUPPLIER, OWNER OR DEALER: GRAMMAN PLANT 18
 ADDRESS (NO. & STREET): 50 OF STARS BAY RD.
 CITY AND STATE: BALTHAZAR N.Y.

DATE OF TEST: 8/10/87
 WEATHER: SUNNY, HOT

TEMPERATURE: 85

TANK INFORMATION
 CAPACITY (NOMINAL): 3000 GALS.
 CAPACITY (CHART): 3004 GALS.
 DIMENSIONS: DIAMETER: 64 LENGTH: 2
 SIZE OF FILL OR TEST OPENING: 2"
 TOP OFF TIME: 8/5/87
 NUMBER OF GALLONS ADDED TO START TEST: 18-01-1
 TANK NO.: 18-01-1
 INCHES OF WATER - BEFORE TEST: 1.05
 AFTER TEST: 27.33
 TANK LAYOUT: Tank partially EXPOSED
 PLT: 18-01-1

CONTENTS (PRODUCT): #2 OIL
 TANK MATERIAL: STEEL
 APPROX. AGE: 5
 PUMP SYSTEM (TYPE): SUCKTION



TEST CALIBRATION
 SIZE OF CAL. BAR OR MIL'S ADDED: .05
 INCHES OF WATER - BEFORE TEST: 27.33
 AFTER TEST: .0082
 FACTOR A: 27.33
 FACTOR B: .0082

LINE MOVEMENT

1	10	65	27	LINES
2	10	63	27	LINES
3	10	63	27	LINES
TOTAL				27.33

END OF TEST CALIBRATION
 SIZE OF CAL. BAR OR MIL'S ADDED: .05
 INCHES OF WATER - BEFORE TEST: 26.66
 AFTER TEST: .0087
 FACTOR A: 26.66
 FACTOR B: .0087

LINE MOVEMENT

1	10	59	26	LINES
2	10	57	27	LINES
3	10	55	28	LINES
TOTAL				26.66

MEASURED API SPECIFIC GRAVITY: 34
 PRODUCT TEMPERATURE: 77.0
 API SPECIFIC GRAVITY @ 60° F: 33.8
 COEFFICIENT OF EXPANSION: .00045424
 TOTAL CAPACITY (GAL): 3004
 VOL. CHANGE: .00045424 x 3004 = 1.3653 (FACTOR B)

REAR OF BLDG. 18
 TANK COVERED WITH WHITE TARP
 LINES DISCONNECTED AND BLED OFF THROUGH GATE VALVES
 GAUGE LINE RAISED ABOVE TEST LEVEL

PRODUCT LINE TESTING


Time (Military)	Reading No.	PRODUCT MONITORING ON LL		Product +Gain -Loss
		Start	End	

SYSTEM

Serial Number	Number

TECHNICIAN(S): [Signature]
 # GC-250
 DATE: 8/10/87

6 HD# 209 H 89 to 7



Article XI Facility
Nassau County Department of Health

- Tank Only
- System Retest
- Install.
- Periodic
- New Installation Test

Date of Job 8/10/89 Time _____
 Date Received 8/8/89 Time _____
 Contractor Ed Morales, Merrick Spill# _____
 Telephone # 344-8989 Facility ID# 00001
 Confirmation# 209488T07

Establishment Name El Humano
 Address ~~_____~~ 50. Ocean Bay Rd.
 Town North page Telephone _____
 Cross Street: _____
 No. of Tanks 1 Type of Test _____

Tank #	1801				
System Test					
Tank Test					
Size	3 1/2" (2" oil)				
Product					
Leak Rate					
Pass/Fail	7.001				
Fee	PASS				
Fee Paid					
Retest Needed					

Tank Removal					
Tank #					
Visible Hole					
# Holes					
Size					
Location					
Photo					

Excavation: Clean Contaminated Soil Free floating oil

Soil Removed (Y/N) Amount

Installation: Tank size Approved plans Yes No

Notes: Not Attended

Inspector D. Harris Supervisor

Employee Number 116 Date 8/11/89 Continued on Reverse Side
 1 - Piping 2 - Tank Computer Entry
 3 - Fitting 4 - Other Data Book Entry

Grumman Corporation

Bechtage, New York 1214-3533

bcc: D. Cassell

August 17, 1990
EOP-276

New York State
Dept. of Environmental Conservation
50 Wolf Road
Albany, New York 12233

B. Andres
J. Cofman
M. Marlek
P. Siegel
G. Smith
G. Turney
R. Yezek

Attention: Mr. Thomas Jorling
Commissioner

Subject: Grumman Aerospace Bechtage Facility, DEC Site No. 130003

Dear Commissioner Jorling:

This letter is to serve as notification of an intended change of use at our facility. The entire 500 acre Bechtage Site (Grumman 300 acres, Navy 100 acres) is operated by Grumman and is listed on the New York State Registry pursuant to ECL-627-1303 and has a No. 2 classification.

We plan to demolish our Plant 13 Building (5,360 square feet wood and masonry construction) on September 13, 1990. The building was constructed in 1950 and has always been used as our security headquarters and to process visitors. The building is located (see attached Site Plan) at our South Oyster Bay Road entrance. Our security people are now headquartered in a building located on Stewart Avenue. As part of our overall Redirection Plan, Plant 13 is now vacant and scheduled to be demolished on 9/13/90.


Grumman has an approved RI/FS plan and we are finalizing signing of a consent order to do the RI/FS. After careful review, Grumman has concluded that the demolition of Plant 13 will not interfere with the RI/FS.

While Grumman does not interpret E.C.L. 67-1317 to require notification for a building demolition as a change of use, we nonetheless wish to advise you of our planned action. In the event that you conclude ECL-1317 requires notification, Grumman would request that you review the change of use promptly since the scheduled demolition date of 9/13/90 is critical to our manpower schedule.

If I can be of further assistance or if any additional information is needed please call me on (516) 573-1383. Thank you for your attention in this matter.

Very truly yours,

GRUMMAN CORPORATION



J. Odemann, Director
Corporate Environmental Protection
Mail Stop 308-30

JO:lmn
EacL
0670N

cc: John Barnes, NYSDEC
Alice McCarty, NYSDEC

NGINS000119414

GENERAL PLAN
GRUMMAN CORPORATION
BETHPAGE, L.I.N.Y.



1/2" = 1'-0"
SCALE
SEE EXPLANATION OF SYMBOLS
ON SHEET 100-100-100-100-100-100

BLDG 18

EXCESS PROPERTY REPORT

Read instructions on reverse side before completing form.

DISPOSITION COORDINATOR


CASE NO.

126089

*un - form
Fitness, are
Removal Reso*

OWNERSHIP		PROPERTY CLASSIFICATION		INDUSTRIAL		OFFICE FURN.		OTHER-EXPLAIN	
<input type="checkbox"/> GOVERNMENT	<input checked="" type="checkbox"/> GRUMAN	<input type="checkbox"/> SPECIAL TOOLS	<input type="checkbox"/> TEST EQUIPMENT	<input type="checkbox"/> FIXED ASSET	<input type="checkbox"/> PLANT EQUIP.	<input type="checkbox"/> MATERIAL	<input type="checkbox"/> HARDWARE	<input type="checkbox"/> OFFICE FURN. & EQUIP.	<input type="checkbox"/> OTHER-EXPLAIN
SOURCE		PURCHASED		JOB ORDER NO.		IF PART OF SYSTEM, LIST NOMENCLATURE AND PART NO.			
FUNCTION/USE		PURCHASED		TAG NUMBER		QUANTITY		ACQUISITION	
ITEM NO.		DESCRIPTION		YEAR		UNIT COST		OWNER CODE	
1	Fuel oil Supply Tank (Bu. Co.)				S				
<p>REASON FOR EXCESS (Be specific and continue in REMARKS if necessary)</p> <p><i>BUILDING IS REMOVED</i></p>									
<p>CONDITION CODE - USE COMBINATION OF LETTER AND NUMBER TO DESCRIBE ACTUAL PHYSICAL CONDITION. REPORTED BY: <i>Tom Selva Act 8 5501/A 58176 8/24/60</i></p> <p>NEW - USED - RECONDITIONED - USED - REPAIRS REQUIRED - USED - ALONE IF CONSIDERED SCRAP</p> <p>1 - EXCELLENT 2 - GOOD 3 - FAIR 4 - POOR</p>									
<p>DISPOSITION AUTHORIZATION</p> <p><input checked="" type="checkbox"/> PROPERTY ADMINISTRATOR</p> <p>NAME (PRINT & SIGN): <i>JOE D. CAVALLUZZO</i></p> <p>NO. X53756 - MSB22-030</p>									
<p>REMARKS</p> <p><i>REMOVED BY CONTRACTOR - 8-24-60 AND SCRAPED</i></p>									
<p>DATE EPR RECD. PROP. DISP.</p>									

Geraghty & Miller
Water Table Elevations
April 30, 1993





ROBIN M. RHODE
SANITARIAN

8-24-90.

NYSSAU COUNTY
DEPT. OF HEALTH

240 OLD COUNTRY RD.
MINEOLA, NY 11501

TANK 1B+01-1.

Removed BY Rice Tank Cleaning Corp.
NO PROBLEMS. BA

- BACKFILLED EXCAVATION WITH CLEAN FILL. (AL DENNEY).
- STOCKPILED ASPHALT.
- SCRAPED BY RICE

• INSPECTED BY NYSSAU COUNTY DEPT OF HEALTH
— NO CONTAMINATION — ROBIN RHODE.

Field Investigation
Article XI Facility
Nassau County Department of Health

- Initial System Test
- Tank Remo
- Tank Only
- Installat
- System Retest
- Periodic
- New Installation Test

Date of Job 8-24-90 Time _____
 Date Received 8-17-90 Time _____
 Contractor Rice
 Telephone # _____

Facility ID# 00031
 Confirmation# 236490 R06
 Spill# _____

Establishment Name Hummer Plant #18
 Address _____
 Town Bethpage Telephone # _____
 Cross Street: _____
 No. of Tanks 1 Type of Test _____

Tank #							
System Test							
Tank Test							
Size							
Product							
Leak Rate							
Pass/Fail							
Fee							
Fee Paid							
Retest Needed							

Tank Removal							
Tank #	<u>1801</u>						
Visible Hole	<u>NO</u>						
# Holes	<u>NONE</u>						
Size	<u>85 #10</u>						
Location	<u>---</u>						
Photo	<u>NO</u>						

Excavation: Clean Contaminated Soil Free floating oil
 Soil Removed (Y/N) NO Amount _____

Installation: Tank size _____ Approved plans Yes No

Notes: 8/27/90 - Tank cleaned by Rice
due to be removed to be installed

Inspector R. Rhode Supervisor _____

Employee Number 178 Date 8/27/90

- Continued on Reverse Side
- Computer Entry
- Data Book Entry

1 - Piping 2 - Tank
 3 - Fitting 4 - Other

NAVAL WEAPONS INDUSTRIAL RESERVE PLANT, DOD #464

**GRUMMAN AEROSPACE CORPORATION
BETHPAGE, NEW YORK**

**PLAN FOR THE PREVENTION AND CONTAINMENT
OF
PETROLEUM DISCHARGES**

REVISION 3

**Revised By
Dvirka and Bartilucci
Consulting Engineers
December 1988**

0721E


NGINS000119420

Table A-4 (continued)

**GRUMMAN AEROSPACE CORPORATION
BETHPAGE COMPLEX
INVENTORY OF OIL-FILLED TRANSFORMERS AND OTHER ELECTRICAL EQUIPMENT AND POTENTIAL SPILL HAZARDS**

<u>I.D. Number</u>	<u>Location (Plant)</u>	<u>KVA Rating</u>	<u>Oil Capacity (Gal.)</u>	<u>Type of Secondary Containment</u>	<u>Type of Failure</u>	<u>Rate of Flow (GPM)</u>	<u>Direction of Flow</u>
16	1	200	102	Curbed; Stone fill bottom	Rupture	4	To Ground Within Curb
		200	102	Curbed; Stone fill bottom	Rupture	4	To Ground Within Curb
		200	102	Curbed; Stone fill bottom	Rupture	4	To Ground Within Curb
		750	261	Curbed; Stone fill bottom	Rupture	11	To Ground Within Curb
17	Runway 33	25	8(E)	Stone fill bottom	Rupture	1	To Ground
18	Runway 33	25	8(E)	Stone fill bottom	Rupture	1	To Ground
19	37	500	183	None	Rupture	8	To Ground
20	21	500	200(E)	Curbed; Stone fill bottom	Rupture	9	To Ground Within Curb
21	28	75	35(E)	None(1)	Rupture	1	To Ground
		75	35(E)	None(1)	Rupture	1	To Ground
		75	35(E)	None(1)	Rupture	1	To Ground
21A	28	225	150(E)	None	Rupture	6	To Ground
22	18	75	35(E)	None(1)	Rupture	2	To Ground
		75	35(E)	None(1)	Rupture	2	To Ground
		75	35(E)	None(1)	Rupture	2	To Ground
27	15	NA (Switch)	216	Concrete Well; Stone fill bottom	Rupture	9	To Ground Within Concrete Well
29	3	1,500	465	Curbed; Stone fill bottom	Rupture	20	To Ground
		1,500	400(PCB)	Curbed; Stone fill bottom	Rupture	16	To Ground
30	Well 15	225	150(E)	Stone fill bottom	Rupture	6	To Ground
		NA (Switch)	120(E)	Concrete well, Stone fill bottom	Rupture	5	To Ground Within Concrete Well

Geraghty & Miller
Water Table Elevations
August 18, 1993



Appendix E

APPENDIX E

REFERENCES

REFERENCES

Dvirka and Bartilucci Consulting Engineers, Phase I Site Assessment, Grumman Aerospace Corporation, Bethpage, New York, November 1995.

Dvirka and Bartilucci Consulting Engineers, New York State Site Registry Delisting Petition Buildings 30 and 35, Bethpage, New York, June 1994.

Dvirka and Bartilucci Consulting Engineers, New York State Site Registry Delisting Petition Parking Lot Adjacent to Bethpage Fire Department, Bethpage, New York, March 1992.

Dvirka and Bartilucci Consulting Engineers, Groundwater Protection Plan, Bethpage Facility, Bethpage, New York, March 1995.

Dvirka and Bartilucci Consulting Engineers, NWIRP Plan for the Prevention and Containment of Petroleum Discharge, Rev. 3, Bethpage, New York, December 1988.

Geraghty and Miller, Water Table Elevation and Contour Maps: April 1993, August 1993.

LKB Aerial Photographs: April 11, 1950; January 3, 1955; January 24, 1957; March 23, 1962; April 11, 1969; April 30, 1972; and March 8, 1988.

United States Department of Agriculture, Soil Conservation Service, Soil Survey of Nassau County, New York, February 1987.

Vista Information Solutions Report ID: 089252-001, November 14, 1995.

Environmental Data Resources, Inc., Inquiry Number: 348558.1s, March 16, 1999.