

East of RW-2 - South of Plant 4
1-30-003A-0V2

ECOTEST LABORATORIES, INC.

ENVIRONMENTAL TESTING

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777 • FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO:213892.03

08/01/01

Tetra Tech Nus, Inc.
Foster Plaza VII, 661 Anderson Dr.
Pittsburgh, PA 15220-2745
ATTN: David Brayack

PO#00-0504-DB

SOURCE OF SAMPLE: NWIRP, Bethpage Site, #N4037
COLLECTED BY: Client DATE COL'D:07/25/01 RECEIVED:07/27/01

SAMPLE: Water sample, BP-VPB-51-461462, 1710

ANALYTICAL PARAMETERS		
Chloromethane	ug/L	<1
Vinyl Chloride	ug/L	<1
Chloroethane	ug/L	<1
Methylene Chloride	ug/L	<1
Acetone	ug/L	<10
Carbon disulfide	ug/L	<1
1,1 Dichloroethene	ug/L	<1
1,1 Dichloroethane	ug/L	3
1,2 Dichloroethene	ug/L	17
Chloroform	ug/L	2
1,2 Dichloroethane	ug/L	<1
2-Butanone	ug/L	<10
111 Trichloroethane	ug/L	<1
Carbon Tetrachloride	ug/L	<1
Bromodichloromethane	ug/L	<1
1,2 Dichloropropane	ug/L	<1
112 Trichloroethane	ug/L	2
Benzene	ug/L	<1
Bromoform	ug/L	<1
4-Methyl-2-Pentanone	ug/L	<10
2-Hexanone	ug/L	<10
Tetrachloroethene	ug/L	<1
Toluene	ug/L	<1
1122Tetrachloroethan	ug/L	<1
Chlorobenzene	ug/L	<1

ANALYTICAL PARAMETERS		
Ethyl Benzene	ug/L	<1
Styrene	ug/L	<1
o Xylene	ug/L	<1
m + p Xylene	ug/L	<2
Xylene	ug/L	<3
Bromomethane	ug/L	<1
ter. ButylMethylEther	ug/L	<1
Freon 113	ug/L	<1
Trichlorofluomethane	ug/L	<1
Dichlordifluomethane	ug/L	<1
c-1,3Dichloropropene	ug/L	<1
t-1,3Dichloropropene	ug/L	<1
Trichloroethene	ug/L	25

cc:

REMARKS:

DIRECTOR



ECOTEST LABORATORIES, INC.

ENVIRONMENTAL TESTING

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777 • FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO:213818.08

07/30/01

Tetra Tech Nus, Inc.
Foster Plaza VII, 661 Anderson Dr.
Pittsburgh, PA 15220-2745

ATTN: David Brayack

PO#00-0504-DB

SOURCE OF SAMPLE: NWIRP, Bethpage Site, #N4037
COLLECTED BY: Client DATE COL'D:07/24/01 RECEIVED:07/25/01

SAMPLE: Water sample, BP-VPB-51-381382, 1402

ANALYTICAL PARAMETERS		
Chloromethane	ug/L	<1
Vinyl Chloride	ug/L	<1
Chloroethane	ug/L	<1
Methylene Chloride	ug/L	<1
Acetone	ug/L	<10
Carbon disulfide	ug/L	<1
1,1 Dichloroethene	ug/L	<1
1,1 Dichloroethane	ug/L	<1
1,2 Dichloroethene	ug/L	<1
Chloroform	ug/L	<1
1,2 Dichloroethane	ug/L	<1
2-Butanone	ug/L	<10
111 Trichloroethane	ug/L	<1
Carbon Tetrachloride	ug/L	<1
Bromodichloromethane	ug/L	<1
1,2 Dichloropropane	ug/L	<1
112 Trichloroethane	ug/L	<1
Benzene	ug/L	<1
Bromoform	ug/L	<1
4-Methyl-2-Pentanone	ug/L	<10
2-Hexanone	ug/L	<10
Tetrachloroethene	ug/L	2
Toluene	ug/L	4
1122Tetrachloroethan	ug/L	<1
Chlorobenzene	ug/L	<1

ANALYTICAL PARAMETERS		
Ethyl Benzene	ug/L	<1
Styrene	ug/L	<1
o Xylene	ug/L	<1
m + p Xylene	ug/L	<2
Xylene	ug/L	<3
Bromomethane	ug/L	<1
ter. ButylMethylEther	ug/L	<1
Freon 113	ug/L	<1
Trichlorofluomethane	ug/L	<1
Dichlordifluomethane	ug/L	<1
c-1,3Dichloropropene	ug/L	<1
t-1,3Dichloropropene	ug/L	<1
Trichloroethene	ug/L	<1

cc:

REMARKS:

DIRECTOR



377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777 • FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO:213818.07

07/30/01

Tetra Tech Nus, Inc.
Foster Plaza VII, 661 Anderson Dr.
Pittsburgh, PA 15220-2745

ATTN: David Brayack

PO#00-0504-DB

SOURCE OF SAMPLE: NWIRP, Bethpage Site, #N4037

COLLECTED BY: Client

DATE COL'D:07/24/01 RECEIVED:07/25/01

SAMPLE: Water sample, BP-VPB-51-361362, 1152

ANALYTICAL PARAMETERS		
Chloromethane	ug/L	<1
Vinyl Chloride	ug/L	<1
Chloroethane	ug/L	<1
Methylene Chloride	ug/L	<1
Acetone	ug/L	12
Carbon disulfide	ug/L	<1
1,1 Dichloroethene	ug/L	<1
1,1 Dichloroethane	ug/L	<1
1,2 Dichloroethene	ug/L	<1
Chloroform	ug/L	<1
1,2 Dichloroethane	ug/L	<1
2-Butanone	ug/L	<10
111 Trichloroethane	ug/L	<1
Carbon Tetrachloride	ug/L	<1
Bromodichloromethane	ug/L	<1
1,2 Dichloropropane	ug/L	<1
112 Trichloroethane	ug/L	<1
Benzene	ug/L	<1
Bromoform	ug/L	<1
4-Methyl-2-Pentanone	ug/L	<10
2-Hexanone	ug/L	<10
Tetrachloroethene	ug/L	3
Toluene	ug/L	3
1122Tetrachloroethan	ug/L	<1
Chlorobenzene	ug/L	<1

ANALYTICAL PARAMETERS		
Ethyl Benzene	ug/L	<1
Styrene	ug/L	<1
o Xylene	ug/L	<1
m + p Xylene	ug/L	<2
Xylene	ug/L	<3
Bromomethane	ug/L	<1
ter. ButylMethylEther	ug/L	<1
Freon 113	ug/L	<1
Trichlorofluomethane	ug/L	<1
Dichlorodifluomethane	ug/L	<1
c-1,3Dichloropropene	ug/L	<1
t-1,3Dichloropropene	ug/L	<1
Trichloroethene	ug/L	1

cc:

REMARKS:

DIRECTOR



ECOTEST LABORATORIES, INC.

ENVIRONMENTAL TESTING

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777 • FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO:213818.06

07/30/01

Tetra Tech Nus, Inc.
Foster Plaza VII, 661 Anderson Dr.
Pittsburgh, PA 15220-2745
ATTN: David Brayack

PO#00-0504-DB

SOURCE OF SAMPLE: NWIRP, Bethpage Site, #N4037
COLLECTED BY: Client DATE COL'D:07/24/01 RECEIVED:07/25/01

SAMPLE: Water sample, BP-VPB-51-341342, 1005

ANALYTICAL PARAMETERS

Chloromethane	ug/L	<1
Vinyl Chloride	ug/L	<1
Chloroethane	ug/L	<1
Methylene Chloride	ug/L	<1
Acetone	ug/L	<10
Carbon disulfide	ug/L	<1
1,1 Dichloroethene	ug/L	<1
1,1 Dichloroethane	ug/L	<1
1,2 Dichloroethene	ug/L	7
Chloroform	ug/L	<1
1,2 Dichloroethane	ug/L	<1
2-Butanone	ug/L	<10
111 Trichloroethane	ug/L	<1
Carbon Tetrachloride	ug/L	<1
Bromodichloromethane	ug/L	<1
1,2 Dichloropropane	ug/L	<1
112 Trichloroethane	ug/L	<1
Benzene	ug/L	<1
Bromoform	ug/L	<1
4-Methyl-2-Pentanone	ug/L	<10
2-Hexanone	ug/L	<10
Tetrachloroethene	ug/L	12
Toluene	ug/L	2
1122Tetrachloroethan	ug/L	<1
Chlorobenzene	ug/L	<1


ANALYTICAL PARAMETERS

Ethyl Benzene	ug/L	<1
Styrene	ug/L	<1
o Xylene	ug/L	<1
m + p Xylene	ug/L	<2
Xylene	ug/L	<3
Bromomethane	ug/L	<1
ter. ButylMethylEther	ug/L	<1
Freon 113	ug/L	<1
Trichlorofluomethane	ug/L	<1
Dichlordifluomethane	ug/L	<1
c-1,3Dichloropropene	ug/L	<1
t-1,3Dichloropropene	ug/L	<1
Trichloroethene	ug/L	13

cc:

REMARKS:

DIRECTOR



ECOTEST LABORATORIES, INC.

ENVIRONMENTAL TESTING

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777 • FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO:213818.04

07/30/01

Tetra Tech Nus, Inc.
Foster Plaza VII, 661 Anderson Dr.
Pittsburgh, PA 15220-2745
ATTN: David Brayack

PO#00-0504-DB

SOURCE OF SAMPLE: NWIRP, Bethpage Site, #N4037
COLLECTED BY: Client DATE COL'D:07/23/01 RECEIVED:07/25/01

SAMPLE: Water sample, BP-VPB-51-321322, 1623


ANALYTICAL PARAMETERS		
Chloromethane	ug/L	<1
Vinyl Chloride	ug/L	<1
Chloroethane	ug/L	<1
Methylene Chloride	ug/L	<1
Acetone	ug/L	<10
Carbon disulfide	ug/L	<1
1,1 Dichloroethene	ug/L	2
1,1 Dichloroethane	ug/L	4
1,2 Dichloroethene	ug/L	<1
Chloroform	ug/L	1
1,2 Dichloroethane	ug/L	<1
2-Butanone	ug/L	<10
111 Trichloroethane	ug/L	2
Carbon Tetrachloride	ug/L	<1
Bromodichloromethane	ug/L	<1
1,2 Dichloropropane	ug/L	<1
112 Trichloroethane	ug/L	<1
Benzene	ug/L	<1
Bromoform	ug/L	<1
4-Methyl-2-Pentanone	ug/L	<10
2-Hexanone	ug/L	<10
Tetrachloroethene	ug/L	150
Toluene	ug/L	<1
1122Tetrachloroethan	ug/L	<1
Chlorobenzene	ug/L	<1

ANALYTICAL PARAMETERS		
Ethyl Benzene	ug/L	<1
Styrene	ug/L	<1
o Xylene	ug/L	<1
m + p Xylene	ug/L	<2
Xylene	ug/L	<3
Bromomethane	ug/L	<1
ter. ButylMethylEther	ug/L	<1
Freon 113	ug/L	<1
Trichlorofluomethane	ug/L	<1
Dichlordifluomethane	ug/L	<1
c-1,3Dichloropropene	ug/L	<1
t-1,3Dichloropropene	ug/L	<1
Trichloroethene	ug/L	83

cc:

REMARKS:

DIRECTOR



ECOTEST LABORATORIES, INC.

ENVIRONMENTAL TESTING

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777 • FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO:213818.03

07/30/01

Tetra Tech Nus, Inc.
Foster Plaza VII, 661 Anderson Dr.
Pittsburgh, PA 15220-2745

ATTN: David Brayack

PO#00-0504-DB

SOURCE OF SAMPLE: NWIRP, Bethpage Site, #N4037

COLLECTED BY: Client

DATE COL'D:07/23/01 RECEIVED:07/25/01

SAMPLE: Water sample, BP-VPB-51-301302, 1435


ANALYTICAL PARAMETERS		
Chloromethane	ug/L	<1
Vinyl Chloride	ug/L	<1
Chloroethane	ug/L	<1
Methylene Chloride	ug/L	<1
Acetone	ug/L	<10
Carbon disulfide	ug/L	<1
1,1 Dichloroethene	ug/L	<1
1,1 Dichloroethane	ug/L	1
1,2 Dichloroethene	ug/L	49
Chloroform	ug/L	1
1,2 Dichloroethane	ug/L	<1
2-Butanone	ug/L	<10
111 Trichloroethane	ug/L	<1
Carbon Tetrachloride	ug/L	<1
Bromodichloromethane	ug/L	<1
1,2 Dichloropropane	ug/L	<1
112 Trichloroethane	ug/L	<1
Benzene	ug/L	<1
Bromoform	ug/L	<1
4-Methyl-2-Pentanone	ug/L	<10
2-Hexanone	ug/L	<10
Tetrachloroethene	ug/L	220
Toluene	ug/L	<1
1122Tetrachloroethan	ug/L	<1
Chlorobenzene	ug/L	<1

ANALYTICAL PARAMETERS		
Ethyl Benzene	ug/L	<1
Styrene	ug/L	<1
o Xylene	ug/L	<1
m + p Xylene	ug/L	<2
Xylene	ug/L	<3
Bromomethane	ug/L	<1
ter. ButylMethylEther	ug/L	<1
Freon 113	ug/L	<1
Trichlorofluomethane	ug/L	<1
Dichlordifluomethane	ug/L	<1
c-1,3Dichloropropene	ug/L	<1
t-1,3Dichloropropene	ug/L	<1
Trichloroethene	ug/L	110

cc:

REMARKS:

DIRECTOR



377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777 • FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO:213818.02

07/30/01

Tetra Tech Nus, Inc.
Foster Plaza VII, 661 Anderson Dr.
Pittsburgh, PA 15220-2745

ATTN: David Brayack

PO#00-0504-DB

SOURCE OF SAMPLE: NWIRP, Bethpage Site, #N4037
COLLECTED BY: Client DATE COL'D:07/23/01 RECEIVED:07/25/01

SAMPLE: Water sample, BP-VPB-51-282283, 1235

ANALYTICAL PARAMETERS		
Chloromethane	ug/L	<1
Vinyl Chloride	ug/L	<1
Chloroethane	ug/L	<1
Methylene Chloride	ug/L	<1
Acetone	ug/L	<10
Carbon disulfide	ug/L	<1
1,1 Dichloroethene	ug/L	<1
1,1 Dichloroethane	ug/L	<1
1,2 Dichloroethene	ug/L	<1
Chloroform	ug/L	<1
1,2 Dichloroethane	ug/L	<1
2-Butanone	ug/L	<10
111 Trichloroethane	ug/L	<1
Carbon Tetrachloride	ug/L	<1
Bromodichloromethane	ug/L	<1
1,2 Dichloropropane	ug/L	<1
112 Trichloroethane	ug/L	<1
Benzene	ug/L	<1
Bromoform	ug/L	<1
4-Methyl-2-Pentanone	ug/L	<10
2-Hexanone	ug/L	<10
Tetrachloroethene	ug/L	2
Toluene	ug/L	2
1122Tetrachloroethan	ug/L	<1
Chlorobenzene	ug/L	<1

ANALYTICAL PARAMETERS		
Ethyl Benzene	ug/L	<1
Styrene	ug/L	<1
o Xylene	ug/L	<1
m + p Xylene	ug/L	<2
Xylene	ug/L	<3
Bromomethane	ug/L	<1
ter. ButylMethylEther	ug/L	<1
Freon 113	ug/L	<1
Trichlorofluomethane	ug/L	<1
Dichlorodifluomethane	ug/L	<1
c-1,3Dichloropropene	ug/L	<1
t-1,3Dichloropropene	ug/L	<1
Trichloroethene	ug/L	<1

cc:

REMARKS:

DIRECTOR



377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777 • FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO:213820.02

07/30/01

Tetra Tech Nus, Inc.
Foster Plaza VII, 661 Anderson Dr.
Pittsburgh, PA 15220-2745
ATTN: David Brayack

PO#00-0504-DB

SOURCE OF SAMPLE: NWIRP, Bethpage Site, #N4037
COLLECTED BY: Client DATE COL'D:07/19/01 RECEIVED:07/20/01

SAMPLE: Water sample, BP-VPB-51-241242*, 1705

ANALYTICAL PARAMETERS			ANALYTICAL PARAMETERS		
Chloromethane	ug/L	<20	Ethyl Benzene	ug/L	<20
Vinyl Chloride	ug/L	300	Styrene	ug/L	<20
Chloroethane	ug/L	<20	o Xylene	ug/L	<20
Methylene Chloride	ug/L	<20	m + p Xylene	ug/L	<40
Acetone	ug/L	<200	Xylene	ug/L	<60
Carbon disulfide	ug/L	<20	Bromomethane	ug/L	<20
1,1 Dichloroethene	ug/L	<20	ter. ButylMethylEther	ug/L	<20
1,1 Dichloroethane	ug/L	<20	Freon 113	ug/L	<20
1,2 Dichloroethene	ug/L	970	Trichlorofluomethane	ug/L	<20
Chloroform	ug/L	<20	Dichlordifluomethane	ug/L	<20
1,2 Dichloroethane	ug/L	<20	c-1,3Dichloropropene	ug/L	<20
2-Butanone	ug/L	<200	t-1,3Dichloropropene	ug/L	<20
111 Trichloroethane	ug/L	<20	Trichloroethene	ug/L	830
Carbon Tetrachloride	ug/L	<20			
Bromodichloromethane	ug/L	<20			
1,2 Dichloropropane	ug/L	<20			
112 Trichloroethane	ug/L	<20			
Benzene	ug/L	<20			
Bromoform	ug/L	<20			
4-Methyl-2-Pentanone	ug/L	<200			
2-Hexanone	ug/L	<200			
Tetrachloroethene	ug/L	910			
Toluene	ug/L	<20			
1122Tetrachloroethan	ug/L	<20			
Chlorobenzene	ug/L	<20			

cc:

REMARKS: * Sample was reanalyzed at client's request, Lab #213738.09.

DIRECTOR 

ECOTEST LABORATORIES, INC.

ENVIRONMENTAL TESTING

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777 • FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO:213738.09

08/06/01

Tetra Tech Nus, Inc.
Foster Plaza VII, 661 Anderson Dr.
Pittsburgh, PA 15220-2745
ATTN: David Brayack

PO#00-0504-DB

SOURCE OF SAMPLE: NWIRP, Bethpage Site, #N4037
COLLECTED BY: Client DATE COL'D:07/19/01 RECEIVED:07/20/01

SAMPLE: Water sample, BP-VPB-51-241242, 1705

ANALYTICAL PARAMETERS		
Chloromethane	ug/L	<1
Vinyl Chloride	ug/L	300
Chloroethane	ug/L	<1
Methylene Chloride	ug/L	<1
Acetone	ug/L	<10
Carbon disulfide	ug/L	<1
1,1 Dichloroethene	ug/L	9
1,1 Dichloroethane	ug/L	4
1,2 Dichloroethene	ug/L	1100
Chloroform	ug/L	<1
1,2 Dichloroethane	ug/L	<1
2-Butanone	ug/L	<10
111 Trichloroethane	ug/L	<1
Carbon Tetrachloride	ug/L	<1
Bromodichloromethane	ug/L	<1
1,2 Dichloropropane	ug/L	<1
112 Trichloroethane	ug/L	<1
Benzene	ug/L	<1
Bromoform	ug/L	<1
4-Methyl-2-Pentanone	ug/L	<10
2-Hexanone	ug/L	<10
Tetrachloroethene	ug/L	900
Toluene	ug/L	<1
1122Tetrachloroethan	ug/L	<1
Chlorobenzene	ug/L	1

ANALYTICAL PARAMETERS		
Ethyl Benzene	ug/L	<1
Styrene	ug/L	<1
o Xylene	ug/L	<1
m + p Xylene	ug/L	<2
Xylene	ug/L	<3
Bromomethane	ug/L	<1
ter. ButylMethylEther	ug/L	<1
Freon 113	ug/L	<1
Trichlorofluomethane	ug/L	<1
Dichlordifluomethane	ug/L	<1
c-1,3Dichloropropene	ug/L	<1
t-1,3Dichloropropene	ug/L	<1
Trichloroethene	ug/L	830

cc:

REMARKS:

DIRECTOR



377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777 • FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO:213820.01

07/30/01

Tetra Tech Nus, Inc.
Foster Plaza VII, 661 Anderson Dr.
Pittsburgh, PA 15220-2745

ATTN: David Brayack

PO#00-0504-DB

SOURCE OF SAMPLE: NWIRP, Bethpage Site, #N4037

COLLECTED BY: Client

DATE COL'D:07/19/01

RECEIVED:07/20/01

SAMPLE: Water sample, BP-VPB-51-222223*, 1525

ANALYTICAL PARAMETERS

Chloromethane	ug/L	<20
Vinyl Chloride	ug/L	<20
Chloroethane	ug/L	<20
Methylene Chloride	ug/L	<20
Acetone	ug/L	<200
Carbon disulfide	ug/L	<20
1,1 Dichloroethene	ug/L	<20
1,1 Dichloroethane	ug/L	<20
1,2 Dichloroethene	ug/L	30
Chloroform	ug/L	<20
1,2 Dichloroethane	ug/L	<20
2-Butanone	ug/L	<200
111 Trichloroethane	ug/L	<20
Carbon Tetrachloride	ug/L	<20
Bromodichloromethane	ug/L	<20
1,2 Dichloropropane	ug/L	<20
112 Trichloroethane	ug/L	<20
Benzene	ug/L	<20
Bromoform	ug/L	<20
4-Methyl-2-Pentanone	ug/L	<200
2-Hexanone	ug/L	<200
Tetrachloroethene	ug/L	700
Toluene	ug/L	<20
1122Tetrachloroethan	ug/L	<20
Chlorobenzene	ug/L	<20

ANALYTICAL PARAMETERS

Ethyl Benzene	ug/L	<20
Styrene	ug/L	<20
o Xylene	ug/L	<20
m + p Xylene	ug/L	<40
Xylene	ug/L	<60
Bromomethane	ug/L	<20
ter. ButylMethylEther	ug/L	<20
Freon 113	ug/L	<20
Trichlorofluomethane	ug/L	<20
Dichlorodifluomethane	ug/L	<20
c-1,3Dichloropropene	ug/L	<20
t-1,3Dichloropropene	ug/L	<20
Trichloroethene	ug/L	35

cc:

REMARKS: * Sample was reanalyzed at client's request, Lab #213738.08.

DIRECTOR



ECOTEST LABORATORIES, INC.

ENVIRONMENTAL TESTING

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777 • FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO:213738.08

08/06/01

Tetra Tech Nus, Inc.
Foster Plaza VII, 661 Anderson Dr.
Pittsburgh, PA 15220-2745

ATTN: David Brayack

PO#00-0504-DB

SOURCE OF SAMPLE: NWIRP, Bethpage Site, #N4037

COLLECTED BY: Client

DATE COL'D:07/19/01 RECEIVED:07/20/01

SAMPLE: Water sample, BP-VPB-51-222223, 1525

ANALYTICAL PARAMETERS		
Chloromethane	ug/L	<1
Vinyl Chloride	ug/L	2
Chloroethane	ug/L	<1
Methylene Chloride	ug/L	<1
Acetone	ug/L	<10
Carbon disulfide	ug/L	<1
1,1 Dichloroethene	ug/L	10
1,1 Dichloroethane	ug/L	2
1,2 Dichloroethene	ug/L	30
Chloroform	ug/L	<1
1,2 Dichloroethane	ug/L	<1
2-Butanone	ug/L	<10
111 Trichloroethane	ug/L	15
Carbon Tetrachloride	ug/L	<1
Bromodichloromethane	ug/L	<1
1,2 Dichloropropane	ug/L	<1
112 Trichloroethane	ug/L	<1
Benzene	ug/L	<1
Bromoform	ug/L	<1
4-Methyl-2-Pentanone	ug/L	<10
2-Hexanone	ug/L	<10
Tetrachloroethene	ug/L	790
Toluene	ug/L	<1
1122Tetrachloroethan	ug/L	<1
Chlorobenzene	ug/L	2

ANALYTICAL PARAMETERS		
Ethyl Benzene	ug/L	<1
Styrene	ug/L	<1
o Xylene	ug/L	<1
m + p Xylene	ug/L	<2
Xylene	ug/L	<3
Bromomethane	ug/L	<1
ter. ButylMethylEther	ug/L	<1
Freon 113	ug/L	<1
Trichlorofluomethane	ug/L	<1
Dichlordifluomethane	ug/L	<1
c-1,3Dichloropropene	ug/L	<1
t-1,3Dichloropropene	ug/L	<1
Trichloroethene	ug/L	30

cc:

REMARKS:

DIRECTOR



ECOTEST LABORATORIES, INC.

ENVIRONMENTAL TESTING

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777 • FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO:213738.07

08/06/01

Tetra Tech Nus, Inc.
Foster Plaza VII, 661 Anderson Dr.
Pittsburgh, PA 15220-2745

ATTN: David Brayack

PO#00-0504-DB

SOURCE OF SAMPLE: NWIRP, Bethpage Site, #N4037

COLLECTED BY: Client

DATE COL'D:07/19/01 RECEIVED:07/20/01

SAMPLE: Water sample, BP-VPB-51-DM200, 1010

ANALYTICAL PARAMETERS

Chloromethane	ug/L	<1
Vinyl Chloride	ug/L	<1
Chloroethane	ug/L	<1
Methylene Chloride	ug/L	<1
Acetone	ug/L	18
Carbon disulfide	ug/L	<1
1,1 Dichloroethene	ug/L	<1
1,1 Dichloroethane	ug/L	<1
1,2 Dichloroethene	ug/L	<1
Chloroform	ug/L	<1
1,2 Dichloroethane	ug/L	<1
2-Butanone	ug/L	<10
111 Trichloroethane	ug/L	<1
Carbon Tetrachloride	ug/L	<1
Bromodichloromethane	ug/L	<1
1,2 Dichloropropane	ug/L	<1
112 Trichloroethane	ug/L	<1
Benzene	ug/L	<1
Bromoform	ug/L	<1
4-Methyl-2-Pentanone	ug/L	<10
2-Hexanone	ug/L	<10
Tetrachloroethene	ug/L	<1
Toluene	ug/L	1
1122Tetrachloroethan	ug/L	<1
Chlorobenzene	ug/L	<1

ANALYTICAL PARAMETERS

Ethyl Benzene	ug/L	<1
Styrene	ug/L	<1
o Xylene	ug/L	<1
m + p Xylene	ug/L	<2
Xylene	ug/L	<3
Bromomethane	ug/L	<1
ter. ButylMethylEther	ug/L	<1
Freon 113	ug/L	<1
Trichlorofluomethane	ug/L	<1
Dichlordifluomethane	ug/L	<1
c-1,3Dichloropropene	ug/L	<1
t-1,3Dichloropropene	ug/L	<1
Trichloroethene	ug/L	<1

cc:

REMARKS:

DIRECTOR

