

Copies:

John Cofman - Northrop Grumman Corporation
Larry Leskovjan - Northrop Grumman Corporation
James Colter - U.S. Navy Northern Division
Frank Flood - Massapequa Water District
John Lovejoy - Nassau County Department of Health
Trevor Wescott - New York State Department of Health
Matt Snyder - New York Water Service
Anthony J. Sabino - Attorney at Law
William Bier - South Farmingdale Water District
David Brayack - TetraTech NUS, Inc.
Arnold Palleschi - Town of Hempstead Water District
Kevin Lumpe - Steel Equities
Lois Louisolo - Bethpage Public Library
Water Parrish - New York State Department of Environmental Conservation
Andrew Musgrave - Bethpage Water District

Table 1. Concentrations of Volatile Organic Compounds Detected in Monitoring Wells and OU2 Groundwater Remedial Wells, Fourth Quarter 2004, Northrop Grumman Corporation, Bethpage, New York.

CONSTITUENT (Units in ug/L)	SITE:	MW-03R	10631	GM-15S	GM-15I	GM-15D	GM-15D2	GM-17S	GM-17I
	SAMPLE ID:	MW-3R	N-10631	GM-15S	GM-15I	GM-15D	GM-15D2	GM-17SR	GM-17I
	DATE:	1/10/2005	1/11/2005	1/7/2005	1/7/2005	1/7/2005	1/7/2005	1/10/2005	1/10/2005
Chloromethane	<5	<5	<5	<5	<5	<5	<5	<5	<5
Bromomethane	<5	<5	<5	<5	<5	<5	<5	<5	<5
Vinyl chloride	<2	<2	<2	<2	<2	<2	<2	<2	<2
Chloroethane	<5	<5	<5	<5	<5	<5	<5	<5	<5
Methylene chloride	<5	<5	<5	<5	<5	<5	<5	<5	<5
Acetone	<10	<10	<10	<10	<10	<10	<10	<10	<10
Carbon disulfide	<5	<5	<5	<5	<5	<5	<5	<5	<5
1,1-Dichloroethene	<5	<5	<5	<5	2 J	0.8 J	<5	<5	<5
1,1-Dichloroethane	<5	<5	<5	<5	4 J	<5	<5	<5	<5
cis-1,2-Dichloroethene	<5	<5	<5	<5	0.7 J	0.6 J	<5	<5	<5
trans-1,2-Dichloroethene	<5	<5	<5	<5	<5	<5	<5	<5	<5
Chloroform	<5	<5	<5	<5	<5	<5	<5	<5	<5
1,2-Dichloroethane	<5	<5	<5	<5	<5	<5	<5	<5	<5
2-Butanone	<10	<10	<10	<10	<10	<10	<10	<10	<10
1,1,1-Trichloroethane	<5	<5	<5	<5	<5	<5	<5	<5	<5
Carbon tetrachloride	<5	<5	<5	<5	<5	<5	<5	<5	<5
Bromodichloromethane	<5	<5	<5	<5	<5	<5	<5	<5	<5
1,2-Dichloropropane	<5	<5	<5	<5	<5	<5	<5	<5	<5
cis-1,3-Dichloropropene	<5	<5	<5	<5	<5	<5	<5	<5	<5
Trichloroethene	0.6 J	0.8 J	2 J	5 J	4 J	11	<5	<5	<5
Dibromochloromethane	<5	<5	<5	<5	<5	<5	<5	<5	<5
1,1,2-Trichloroethane	<5	<5	<5	<5	<5	<5	<5	<5	<5
Benzene	<0.7	<0.7	<0.7	<0.7	<0.7	<0.7	<0.7	<0.7	<0.7
trans-1,3-Dichloropropene	<5	<5	<5	<5	<5	<5	<5	<5	<5
Bromoform	<5	<5	<5	<5	<5	<5	<5	<5	<5
4-Methyl-2-pentanone	<10	<10	<10	<10	<10	<10	<10	<10	<10
2-Hexanone	<10	<10	<10	<10	<10	<10	<10	<10	<10
Tetrachloroethene	<5	<5	<5	<5	4 J	16	<5	<5	<5
1,1,2,2-Tetrachloroethane	<5	<5	<5	<5	<5	<5	<5	<5	<5
Toluene	<5	<5	<5	<5	<5	<5	<5	<5	<5
Chlorobenzene	<5	<5	<5	<5	<5	<5	<5	<5	<5
Ethylbenzene	<5	<5	<5	<5	<5	<5	<5	<5	<5
Styrene	<5	<5	<5	<5	<5	<5	<5	<5	<5
Xylene (total)	<5	<5	<5	<5	<5	<5	<5	<5	<5
Vinyl Acetate	<5	<5	<5	<5	<5	<5	<5	<5	<5
Freon 113	<5	<5	<5	<5	<5	1 J	<5	<5	<5
Total VOCs	0.6	0.8	2	5	14.7	29.4	0	0	0

(1) Wells GM-39D_A and GM-39D_B are screened in the upper and basal portions of the Deep zone, respectively.

ug/L Micrograms per liter

J Estimated Value

D Constituent Identified at a Secondary Dilution

Bold Constituent detected

Table 1. Concentrations of Volatile Organic Compounds Detected in Monitoring Wells and OU2 Groundwater Remedial Wells, Fourth Quarter 2004, Northrop Grumman Corporation, Bethpage, New York.

CONSTITUENT (Units in ug/L)	SITE:	GM-17D	GM-18I	GM-18D	GM-20I	GM-20D	GM-21S	GM-21I	GM-21D
	SAMPLE ID:	GM-17D	GM-18I	GM-18D	GM-20I	GM-20D	GM-21S	GM-21I	GM-21D
	DATE:	1/10/2005	1/17/2005	12/29/2004	12/30/2004	12/30/2004	1/10/2005	1/13/2005	12/30/2004
Chloromethane	<5	<5	<5	<5	<5	<5	<5	<5	<5
Bromomethane	<5	<5	<5	<5	<5	<5	<5	<5	<5
Vinyl chloride	<2	<2	<2	<2	<2	<2	<2	<2	<2
Chloroethane	<5	<5	<5	<5	<5	<5	<5	<5	<5
Methylene chloride	<5	<5	<5	<5	<5	<5	<5	<5	<5
Acetone	<10	<10	<10	<10	<10	<10	<10	<10	<10
Carbon disulfide	<5	<5	<5	<5	<5	<5	<5	<5	<5
1,1-Dichloroethene	<5	<5	<5	<5	<5	<5	<5	<5	<5
1,1-Dichloroethane	<5	<5	<5	<5	<5	<5	<5	<5	<5
cis-1,2-Dichloroethene	<5	<5	<5	<5	<5	<5	<5	<5	<5
trans-1,2-Dichloroethene	<5	<5	<5	<5	<5	<5	<5	<5	<5
Chloroform	<5	<5	<5	<5	<5	<5	<5	<5	<5
1,2-Dichloroethane	<5	<5	<5	<5	<5	<5	<5	<5	<5
2-Butanone	<10	<10	<10	<10	<10	<10	<10	<10	<10
1,1,1-Trichloroethane	<5	<5	<5	<5	<5	<5	<5	<5	<5
Carbon tetrachloride	<5	<5	<5	<5	<5	<5	<5	<5	<5
Bromodichloromethane	<5	<5	<5	<5	<5	<5	<5	<5	<5
1,2-Dichloropropane	<5	<5	<5	<5	<5	<5	<5	<5	<5
cis-1,3-Dichloropropene	<5	<5	<5	<5	<5	<5	<5	<5	<5
Trichloroethene	<5	2 J	6	0.7 J	<5	<5	<5	<5	0.8 J
Dibromochloromethane	<5	<5	<5	<5	<5	<5	<5	<5	<5
1,1,2-Trichloroethane	<5	<5	<5	<5	<5	<5	<5	<5	<5
Benzene	<0.7	<0.7	<0.7	<0.7	<0.7	<0.7	<0.7	<0.7	<0.7
trans-1,3-Dichloropropene	<5	<5	<5	<5	<5	<5	<5	<5	<5
Bromoform	<5	<5	<5	<5	<5	<5	<5	<5	<5
4-Methyl-2-pentanone	<10	<10	<10	<10	<10	<10	<10	<10	<10
2-Hexanone	<10	<10	<10	<10	<10	<10	<10	<10	<10
Tetrachloroethene	<5	<5	0.6 J	<5	<5	<5	<5	<5	<5
1,1,2,2-Tetrachloroethane	<5	<5	<5	<5	<5	<5	<5	<5	<5
Toluene	<5	<5	<5	<5	<5	<5	<5	<5	<5
Chlorobenzene	<5	<5	<5	<5	<5	<5	<5	<5	<5
Ethylbenzene	<5	<5	<5	<5	<5	<5	<5	<5	<5
Styrene	<5	<5	<5	<5	<5	<5	<5	<5	<5
Xylene (total)	<5	<5	<5	<5	<5	<5	<5	<5	<5
Vinyl Acetate	<5	<5	<5	<5	<5	<5	<5	<5	<5
Freon 113	0.7 J	<5	<5	<5	<5	<5	<5	<5	<5
Total VOCs	0.7	2	6.6	0.7	0	0	0	0	0.8

(1) Wells GM-39D_A and GM-39D_B are screened in the upper and basal portions of the Deep zone, respectively.
 ug/L Micrograms per liter
 J Estimated Value
 D Constituent Identified at a Secondary Dilution
Bold Constituent detected

Table 1. Concentrations of Volatile Organic Compounds Detected in Monitoring Wells and OU2 Groundwater Remedial Wells, Fourth Quarter 2004, Northrop Grumman Corporation, Bethpage, New York.

CONSTITUENT (Units in ug/L)	SITE:	GM-33D2	GM-34D	GM-34D2	GM-35D2	GM-39D _A ⁽¹⁾	GM-39D _B ⁽¹⁾	GM-73D	GM-73D2
	SAMPLE ID:	GM-33D2	GM-34D	GM-34D2	GM-35D2	GM-39D	GM-39D2	GM-73D	GM-742D2
	DATE:	1/11/2005	1/12/2005	1/12/2005	1/14/2005	12/29/2004	12/29/2004	1/13/2005	1/13/2005
Chloromethane	<5	<5	<5	<5	<5	<5	<5	<5	<5
Bromomethane	<5	<5	<5	<5	<5	<5	<5	<5	<5
Vinyl chloride	<2	<2	<2	<2	<2	<2	<2	<2	<2
Chloroethane	<5	<5	<5	<5	<5	<5	<5	<5	<5
Methylene chloride	<5	<5	<5	<5	<5	<5	<5	<5	<5
Acetone	<10	<10	<10	<10	<10	<10	<10	<10	<10
Carbon disulfide	<5	<5	<5	<5	<5	<5	<5	<5	<5
1,1-Dichloroethene	<5	4 J	4 J	1 J	<5	<5	<5	<5	0.8 J
1,1-Dichloroethane	<5	1 J	<5	<5	<5	<5	<5	<5	<5
cis-1,2-Dichloroethene	0.8 J	7	16	3 J	<5	<5	<5	<5	0.8 J
trans-1,2-Dichloroethene	<5	<5	<5	<5	<5	<5	<5	<5	<5
Chloroform	<5	0.6 J	<5	<5	<5	<5	<5	<5	<5
1,2-Dichloroethane	<5	<5	<5	<5	<5	<5	<5	<5	<5
2-Butanone	<10	<10	<10	<10	<10	<10	<10	<10	<10
1,1,1-Trichloroethane	<5	<5	<5	<5	<5	<5	<5	<5	<5
Carbon tetrachloride	<5	<5	<5	<5	<5	<5	<5	<5	<5
Bromodichloromethane	<5	<5	<5	<5	<5	<5	<5	<5	<5
1,2-Dichloropropane	<5	<5	<5	<5	<5	<5	<5	<5	<5
cis-1,3-Dichloropropene	<5	<5	<5	<5	<5	<5	<5	<5	<5
Trichloroethene	65	410 D	150	290 D	9	46	84	340 D	
Dibromochloromethane	<5	<5	<5	<5	<5	<5	<5	<5	<5
1,1,2-Trichloroethane	<5	<5	<5	<5	<5	<5	<5	<5	<5
Benzene	<0.7	<0.7	<0.7	<0.7	<0.7	<0.7	<0.7	<0.7	<0.7
trans-1,3-Dichloropropene	<5	<5	<5	<5	<5	<5	<5	<5	<5
Bromoform	<5	<5	<5	<5	<5	<5	<5	<5	<5
4-Methyl-2-pentanone	<10	<10	<10	<10	<10	<10	<10	<10	<10
2-Hexanone	<10	<10	<10	<10	<10	<10	<10	<10	<10
Tetrachloroethene	6	6	7	7	<5	<5	0.7 J	1 J	
1,1,2,2-Tetrachloroethane	<5	<5	<5	<5	<5	<5	<5	<5	<5
Toluene	<5	<5	<5	<5	<5	<5	<5	<5	<5
Chlorobenzene	<5	<5	<5	<5	<5	<5	<5	<5	<5
Ethylbenzene	<5	<5	<5	<5	<5	<5	<5	<5	<5
Styrene	<5	<5	<5	<5	<5	<5	<5	<5	<5
Xylene (total)	<5	0.6 J	<5	<5	<5	<5	<5	<5	<5
Vinyl Acetate	<5	<5	<5	<5	<5	<5	<5	<5	<5
Freon 113	9	29	7	8	<5	<5	<5	<5	<5
Total VOCs	80.8	458.2	184	309	9	46	84.7	342.6	

⁽¹⁾ Wells GM-39D_A and GM-39D_B are screened in the upper and basal portions of the Deep zone, respectively.

ug/L Micrograms per liter

J Estimated Value

D Constituent Identified at a Secondary Dilution

Bold Constituent detected

Table 1. Concentrations of Volatile Organic Compounds Detected in Monitoring Wells and OU2 Groundwater Remedial Wells, Fourth Quarter 2004, Northrop Grumman Corporation, Bethpage, New York.

CONSTITUENT (Units in ug/L)	SITE: SAMPLE ID: DATE:	GM-74I GM-74I 1/12/2005	GM-74D GM-74D 1/13/2005	GM-74D2 GM-74D2 1/13/2005	GM-75D2 GM-75D2 1/11/2005	GM-78S GM-78S 12/28/2004	GM-78I GM-78I 1/12/2005	GM-79I GM-79I 12/28/2004	GM-79D GM-79D 12/28/2004
Chloromethane		<5	<5	<5	<5	<5	<5	<5	<5
Bromomethane		<5	<5	<5	<5	<5	<5	<5	<5
Vinyl chloride		<2	<2	<2	<2	<2	<2	<2	<2
Chloroethane		<5	<5	<5	<5	<5	<5	<5	<5
Methylene chloride		<5	<5	<5	<5	<5	<5	<5	<5
Acetone		<10	<10	<10	<10	<10	<10	<10	<10
Carbon disulfide		<5	<5	<5	<5	<5	<5	<5	<5
1,1-Dichloroethene		<5	<5	<5	6	<5	<5	<5	<5
1,1-Dichloroethane		<5	<5	<5	1 J	<5	<5	<5	<5
cis-1,2-Dichloroethene		<5	<5	<5	1 J	<5	<5	<5	0.8 J
trans-1,2-Dichloroethene		<5	<5	<5	<5	<5	<5	<5	<5
Chloroform		<5	<5	<5	<5	<5	<5	<5	<5
1,2-Dichloroethane		<5	<5	<5	<5	<5	<5	<5	<5
2-Butanone		<10	<10	<10	<10	<10	<10	<10	<10
1,1,1-Trichloroethane		<5	<5	<5	2 J	<5	<5	<5	<5
Carbon tetrachloride		<5	<5	<5	<5	<5	<5	<5	<5
Bromodichloromethane		<5	<5	<5	<5	<5	<5	<5	<5
1,2-Dichloropropane		<5	<5	<5	<5	<5	<5	<5	<5
cis-1,3-Dichloropropene		<5	<5	<5	<5	<5	<5	<5	<5
Trichloroethene		<5	3 J	8	410 D	0.7 J	2 J	<5	62
Dibromochloromethane		<5	<5	<5	<5	<5	<5	<5	<5
1,1,2-Trichloroethane		<5	<5	<5	<5	<5	<5	<5	<5
Benzene		<0.7	<0.7	<0.7	<0.7	<0.7	<0.7	<0.7	<0.7
trans-1,3-Dichloropropene		<5	<5	<5	<5	<5	<5	<5	<5
Bromoform		<5	<5	<5	<5	<5	<5	<5	<5
4-Methyl-2-pentanone		<10	<10	<10	<10	<10	<10	<10	<10
2-Hexanone		<10	<10	<10	<10	<10	<10	<10	<10
Tetrachloroethene		<5	0.5 J	7	6	<5	<5	<5	2 J
1,1,2,2-Tetrachloroethane		<5	<5	<5	<5	<5	<5	<5	<5
Toluene		<5	<5	<5	<5	<5	<5	<5	<5
Chlorobenzene		<5	<5	<5	<5	<5	<5	<5	<5
Ethylbenzene		<5	<5	<5	<5	<5	<5	<5	<5
Styrene		<5	<5	<5	<5	<5	<5	<5	<5
Xylene (total)		<5	<5	<5	<5	<5	<5	<5	<5
Vinyl Acetate		<5	<5	<5	<5	<5	<5	<5	<5
Freon 113		<5	<5	<5	2 J	<5	<5	<5	1 J
Total VOCs		0	3.5	15	428	0.7	2	0	65.8

(1) Wells GM-39D_A and GM-39D_B are screened in the upper and basal portions of the Deep zone, respectively.

ug/L Micrograms per liter

J Estimated Value

D Constituent Identified at a Secondary Dilution

Bold Constituent detected

Table 1. Concentrations of Volatile Organic Compounds Detected in Monitoring Wells and OU2 Groundwater Remedial Wells, Fourth Quarter 2004, Northrop Grumman Corporation, Bethpage, New York.

CONSTITUENT (Units in ug/L)	SITE:	GP-1	ONCT-1	ONCT-2	ONCT-3
	SAMPLE ID:	GP-1	ONCT-1	ONCT-2	ONCT-3
	DATE:	2/18/2005	2/18/2005	2/18/2005	2/18/2005
Chloromethane		<5	<5	<5	<5
Bromomethane		<5	<5	<5	<5
Vinyl chloride		<2	<2	<2	<2
Chloroethane		<5	<5	<5	<5
Methylene chloride		<5	<5	<5	<5
Acetone		<10	<10	<10	<10
Carbon disulfide		<5	<5	<5	<5
1,1-Dichloroethene		5 J	3 J	4 J	1 J
1,1-Dichloroethane		2 J	<5	1 J	1 J
cis-1,2-Dichloroethene		8	3 J	1 J	17
trans-1,2-Dichloroethene		<5	<5	<5	<5
Chloroform		<5	<5	<5	0.9 J
1,2-Dichloroethane		<5	<5	<5	<5
2-Butanone		<10	<10	<10	<10
1,1,1-Trichloroethane		<5	<5	<5	<5
Carbon tetrachloride		<5	<5	<5	<5
Bromodichloromethane		<5	<5	<5	<5
1,2-Dichloropropane		1 J	<5	<5	<5
cis-1,3-Dichloropropene		<5	<5	<5	<5
Trichloroethene		400 D	570 D	140	79
Dibromochloromethane		<5	<5	<5	<5
1,1,2-Trichloroethane		<5	<5	<5	<5
Benzene		<0.7	<0.7	<0.7	<0.7
trans-1,3-Dichloropropene		<5	<5	<5	<5
Bromoform		<5	<5	<5	<5
4-Methyl-2-pentanone		<10	<10	<10	<10
2-Hexanone		<10	<10	<10	<10
Tetrachloroethene		110	13	8	8
1,1,2,2-Tetrachloroethane		<5	<5	<5	<5
Toluene		<5	<5	<5	<5
Chlorobenzene		<5	<5	<5	<5
Ethylbenzene		<5	<5	<5	<5
Styrene		<5	<5	<5	<5
Xylene (total)		<5	<5	<5	<5
Vinyl Acetate		<5	<5	<5	<5
Freon 113		10	10	2 J	0.7 J
Total VOCs		536	599	156	107.6

(1) Wells GM-39D_A and GM-39D_B are screened in the upper and basal portions of the Deep zone, respectively.
 ug/L Micrograms per liter
 J Estimated Value
 D Constituent Identified at a Secondary Dilution
Bold Constituent detected

ARCADIS

Table 2. Concentrations of Total and Dissolved Cadmium and Chromium Detected in Groundwater, Fourth Quarter 2004, Northrop Grumman Corporation, Bethpage, New York.

CONSTITUENT (Units in ug/L)	SITE:	MW-03R	MW-04	MW-05	MW-06	10631	GM-15S	GM-17S	GM-78S	GM-78I
SAMPLE ID:	PLT1	MW-04	PLT1	MW-05	PLT1	MW-06	GM-15S	GM-17SR	GM-78S	GM-78I
DATE:	1/10/2005	1/7/2005	1/7/2005	1/7/2005	1/7/2005	1/11/2005	1/7/2005	1/10/2005	12/28/2004	1/12/2005
Cadmium										
Cadmium (Dissolved)	25.4	--	--	--	--	4.4 B	--	<10	<10	<10
	24.6	--	--	--	--	4.3 B	--	<10	--	--
Chromium										
Chromium (Dissolved)	38.9	5.6 B	1190	281		34.9	394	<10	3.7 B	<10
	38.5	--	--	--	--	26.4	--	<10	--	--

ug/L
 B
 IDL
 CRDL
Bold
 --

Micrograms per liter
 Detected between the IDL and the CRDL
 Instrument Detection Limit
 Contract-required detection limit
 Constituent detected above IDL
 Not analyzed

ARCADIS

Table 3. Concentrations of Site-Related Volatile Organic Compounds Detected in Outpost Wells, Fourth Quarter 2004, Northrop Grumman Corporation, Bethpage, New York. ⁽¹⁾

CONSTITUENT (Units in ug/L)	SITE:		OW 1-1		OW 1-2		OW 1-3		OW 2-1 ⁽²⁾		OW 2-2		OW 3-1		OW 3-2		OW 4-1		OW 4-2	
	SAMPLE ID:	DATE:	BPOW 1-1	1/4/2005	BPOW 1-2	1/4/2005	BPOW 1-3	1/4/2005	BPOW 2-1	1/3/2005	BPOW 2-2	1/3/2005	BPOW 3-1	1/5/2005	BPOW 3-2	1/5/2005	BPOW 4-1	1/6/2005	BPOW 4-2	1/6/2005
Chlorobenzene			<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
1,1-Dichloroethene			5.2	<0.50	<0.50	3.2	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
1,1-Dichloroethane			2.3	<0.50	<0.50	1.4	<0.50	1.4	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
trans-1,2-Dichloroethene			<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
cis-1,2-Dichloroethene			<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
Chloroform			<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
1,2-Dichloroethane			<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	2.1	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
1,1,1-Trichloroethane			7.6	<0.50	<0.50	<0.50	<0.50	5.3	0.6	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
Carbon tetrachloride			<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
Trichloroethene			3.2	<0.50	<0.50	1.1	<0.50	1.1	2	0.66	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
1,1,2-Trichloroethane			<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
Tetrachloroethene			<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	0.9	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
Freon-113			<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
1,1,1,2,2-Tetrachloroethane			<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
Total Site-Related VOCs⁽¹⁾:			18.3	0	0	11	7	0.66	0	0	0	0	0	0	0	0	0	0	0	0

⁽¹⁾ Site-related VOCs were established in the Public Water Supply Contingency Plan.

⁽²⁾ Benzene and Methyl tert-butyl ether (MTBE), which are not site-related VOCs, were detected in Outpost Well OW 2-1 on 1/3/05 at 66 ug/L and 7.6 ug/L, respectively.

ug/L
Micrograms per liter
Constituent detected