

H2M LABS, INC.

575 Broad Hollow Road, Melville NY 11747
(631) 694-3040 . FAX: (631) 420-8436 NYSDOHID# 10478

LABORATORY RESULTS

Town of Oyster Bay

Lab No. : **0610644-001**

Sample Information...

Type : Soil

Attn To :

Origin:

Client ID. : K-9 (2-4')

Collected 10/4/2006 4:30:00 PM

Received 10/4/2006 5:00:00 PM

Collected By KC

Copies To Original


CC

<u>Parameter(s)</u>	<u>Results</u>	<u>Qualifier</u>	<u>D.F.</u>	<u>Units</u>	<u>Method Number</u>	<u>Analyzed</u>
Aroclor 1016	< 370		10	µg/Kg-dry	SW8082	10/13/2006 6:44 AM
Aroclor 1221	< 740		10	µg/Kg-dry	SW8082	10/13/2006 6:44 AM
Aroclor 1232	< 370		10	µg/Kg-dry	SW8082	10/13/2006 6:44 AM
Aroclor 1242	5700		10	µg/Kg-dry	SW8082	10/13/2006 6:44 AM
Aroclor 1248	< 370		10	µg/Kg-dry	SW8082	10/13/2006 6:44 AM
Aroclor 1254	< 370		10	µg/Kg-dry	SW8082	10/13/2006 6:44 AM
Aroclor 1260	< 370		10	µg/Kg-dry	SW8082	10/13/2006 6:44 AM
Percent Moisture	9.8		1	wt%	D2216	10/09/2006 11:20 AM

Qualifiers: E - Value above quantitation range
D - Results for Dilution

D.F. = Dilution Factor

Date Reported : 10/13/2006



Laboratory Manager

H2M LABS, INC.

575 Broad Hollow Road, Melville NY 11747
(631) 694-3040 . FAX: (631) 420-8436 NYSDOH ID# 10478

LABORATORY RESULTS

Town of Oyster Bay

Lab No. : **0610391-001A**

Sample Information...

Type : Soil

Attn To :

Origin:

Client ID. : A-1(0-2')

Collected 9/27/2006 1:20:00 PM

Received 9/27/2006 4:31:00 PM

Collected By : VG03

Copy : Original

CC


Parameter(s)	Results	Qualifier	D.F.	Units	Method Number	Analyzed
alpha-BHC	< 1.9		1	µg/Kg-dry	SW8081	10/06/2006 8:35 PM
beta-BHC	< 1.9		1	µg/Kg-dry	SW8081	10/06/2006 8:35 PM
delta-BHC	< 1.9		1	µg/Kg-dry	SW8081	10/06/2006 8:35 PM
gamma-BHC	< 1.9		1	µg/Kg-dry	SW8081	10/06/2006 8:35 PM
Heptachlor	< 1.9		1	µg/Kg-dry	SW8081	10/06/2006 8:35 PM
Aldrin	< 1.9		1	µg/Kg-dry	SW8081	10/06/2006 8:35 PM
Heptachlor epoxide	< 1.9		1	µg/Kg-dry	SW8081	10/06/2006 8:35 PM
Endosulfan I	< 1.9		1	µg/Kg-dry	SW8081	10/06/2006 8:35 PM
Dieldrin	< 3.7		1	µg/Kg-dry	SW8081	10/06/2006 8:35 PM
4,4'-DDE	94	D	5	µg/Kg-dry	SW8081	10/10/2006 4:06 AM
Endrin	< 3.7		1	µg/Kg-dry	SW8081	10/06/2006 8:35 PM
Endosulfan II	< 3.7		1	µg/Kg-dry	SW8081	10/06/2006 8:35 PM
4,4'-DDD	5.0		1	µg/Kg-dry	SW8081	10/06/2006 8:35 PM
Endosulfan sulfate	< 3.7		1	µg/Kg-dry	SW8081	10/06/2006 8:35 PM
4,4'-DDT	130	D	5	µg/Kg-dry	SW8081	10/10/2006 4:06 AM
Methoxychlor	< 19		1	µg/Kg-dry	SW8081	10/06/2006 8:35 PM
Endrin ketone	< 3.7		1	µg/Kg-dry	SW8081	10/06/2006 8:35 PM
Endrin aldehyde	< 3.7		1	µg/Kg-dry	SW8081	10/06/2006 8:35 PM
alpha-Chlordane	< 1.9		1	µg/Kg-dry	SW8081	10/06/2006 8:35 PM
gamma-Chlordane	< 1.9		1	µg/Kg-dry	SW8081	10/06/2006 8:35 PM
Toxaphene	< 190		1	µg/Kg-dry	SW8081	10/06/2006 8:35 PM
Percent Moisture	11.2		1	wt%	D2216	09/29/2006 3:00 PM

Qualifiers: E - Value above quantitation range

D - Results for Dilution

D.F. = Dilution Factor

Date Reported : 10/11/2006



Laboratory Manager

H2M LABS, INC.

575 Broad Hollow Road, Melville NY 11747
(631) 694-3040. FAX: (631) 420-8436 NYSDOH ID# 10478

LABORATORY RESULTS

Town of Oyster Bay

Lab No. : **0610391-002A**

Sample Information...

Type : Soil

Attn To :

Origin:

Client ID. : A-2(4-6')

Collected 9/27/2006 1:30:00 PM

Received 9/27/2006 4:31:00 PM

Collected By : VG03

Copy : Original

CC

Parameter(s)	Results	Qualifier	D.F.	Units	Method Number	Analyzed
alpha-BHC	< 1.8		1	µg/Kg-dry	SW8081	10/06/2006 9:06 PM
beta-BHC	< 1.8		1	µg/Kg-dry	SW8081	10/06/2006 9:06 PM
delta-BHC	< 1.8		1	µg/Kg-dry	SW8081	10/06/2006 9:06 PM
gamma-BHC	< 1.8		1	µg/Kg-dry	SW8081	10/06/2006 9:06 PM
Heptachlor	< 1.8		1	µg/Kg-dry	SW8081	10/06/2006 9:06 PM
Aldrin	< 1.8		1	µg/Kg-dry	SW8081	10/06/2006 9:06 PM
Heptachlor epoxide	< 1.8		1	µg/Kg-dry	SW8081	10/06/2006 9:06 PM
Endosulfan I	< 1.8		1	µg/Kg-dry	SW8081	10/06/2006 9:06 PM
Dieldrin	< 3.5		1	µg/Kg-dry	SW8081	10/06/2006 9:06 PM
4,4'-DDE	24		1	µg/Kg-dry	SW8081	10/06/2006 9:06 PM
Endrin	< 3.5		1	µg/Kg-dry	SW8081	10/06/2006 9:06 PM
Endosulfan II	< 3.5		1	µg/Kg-dry	SW8081	10/06/2006 9:06 PM
4,4'-DDD	< 3.5		1	µg/Kg-dry	SW8081	10/06/2006 9:06 PM
Endosulfan sulfate	< 3.5		1	µg/Kg-dry	SW8081	10/06/2006 9:06 PM
4,4'-DDT	35		1	µg/Kg-dry	SW8081	10/06/2006 9:06 PM
Methoxychlor	< 18		1	µg/Kg-dry	SW8081	10/06/2006 9:06 PM
Endrin ketone	< 3.5		1	µg/Kg-dry	SW8081	10/06/2006 9:06 PM
Endrin aldehyde	< 3.5		1	µg/Kg-dry	SW8081	10/06/2006 9:06 PM
alpha-Chlordane	< 1.8		1	µg/Kg-dry	SW8081	10/06/2006 9:06 PM
gamma-Chlordane	< 1.8		1	µg/Kg-dry	SW8081	10/06/2006 9:06 PM
Toxaphene	< 180		1	µg/Kg-dry	SW8081	10/06/2006 9:06 PM
Percent Moisture	6.3		1	wt%	D2216	09/29/2006 3:01 PM


Qualifiers: E - Value above quantitation range

D - Results for Dilution

D.F. = Dilution Factor

Date Reported : 10/11/2006

Page 2 of 37



Laboratory Manager

H2M LABS, INC.

575 Broad Hollow Road, Melville NY 11747
(631) 694-3040. FAX: (631) 420-8436 NYSDOH ID# 10478

LABORATORY RESULTS

Town of Oyster Bay

Lab No. : **0610391-003A**

Sample Information...

Type : Soil

Attn To :

Origin:

Client ID. : A-4(0-2')

Collected 9/27/2006 1:40:00 PM

Received 9/27/2006 4:31:00 PM

Collected By : VG03

Copy : Original

CC

Parameter(s)	Results	Qualifier	D.F.	Units	Method Number	Analyzed
alpha-BHC	< 1.8		1	µg/Kg-dry	SW8081	10/06/2006 9:36 PM
beta-BHC	< 1.8		1	µg/Kg-dry	SW8081	10/06/2006 9:36 PM
delta-BHC	< 1.8		1	µg/Kg-dry	SW8081	10/06/2006 9:36 PM
gamma-BHC	< 1.8		1	µg/Kg-dry	SW8081	10/06/2006 9:36 PM
Heptachlor	< 1.8		1	µg/Kg-dry	SW8081	10/06/2006 9:36 PM
Aldrin	< 1.8		1	µg/Kg-dry	SW8081	10/06/2006 9:36 PM
Heptachlor epoxide	< 1.8		1	µg/Kg-dry	SW8081	10/06/2006 9:36 PM
Endosulfan I	< 1.8		1	µg/Kg-dry	SW8081	10/06/2006 9:36 PM
Dieldrin	< 3.6		1	µg/Kg-dry	SW8081	10/06/2006 9:36 PM
4,4'-DDE	23		1	µg/Kg-dry	SW8081	10/06/2006 9:36 PM
Endrin	< 3.6		1	µg/Kg-dry	SW8081	10/06/2006 9:36 PM
Endosulfan II	< 3.6		1	µg/Kg-dry	SW8081	10/06/2006 9:36 PM
4,4'-DDD	< 3.6		1	µg/Kg-dry	SW8081	10/06/2006 9:36 PM
Endosulfan sulfate	< 3.6		1	µg/Kg-dry	SW8081	10/06/2006 9:36 PM
4,4'-DDT	32		1	µg/Kg-dry	SW8081	10/06/2006 9:36 PM
Methoxychlor	< 18		1	µg/Kg-dry	SW8081	10/06/2006 9:36 PM
Endrin ketone	< 3.6		1	µg/Kg-dry	SW8081	10/06/2006 9:36 PM
Endrin aldehyde	< 3.6		1	µg/Kg-dry	SW8081	10/06/2006 9:36 PM
alpha-Chlordane	< 1.8		1	µg/Kg-dry	SW8081	10/06/2006 9:36 PM
gamma-Chlordane	< 1.8		1	µg/Kg-dry	SW8081	10/06/2006 9:36 PM
Toxaphene	< 180		1	µg/Kg-dry	SW8081	10/06/2006 9:36 PM
Percent Moisture	7.9		1	wt%	D2216	09/29/2006 3:02 PM


Qualifiers: E - Value above quantitation range

D - Results for Dilution

D.F. = Dilution Factor

Date Reported : 10/11/2006

Page 3 of 37



Laboratory Manager

H2M LABS, INC.

575 Broad Hollow Road, Melville NY 11747
(631) 694-3040 . FAX: (631) 420-8436 NYSDOH ID# 10478

LABORATORY RESULTS

Town of Oyster Bay

Lab No. : **0610391-004A**

Sample Information...

Type : Soil

Attn To :

Origin:

Client ID. : A-5(0-2')

Collected 9/27/2006 1:50:00 PM

Received 9/27/2006 4:31:00 PM

Collected By : VG03

Copy : Original

CC

Parameter(s)	Results	Qualifier	D.F.	Units	Method Number	Analyzed
alpha-BHC	< 1.9		1	µg/Kg-dry	SW8081	10/06/2006 10:07 PM
beta-BHC	< 1.9		1	µg/Kg-dry	SW8081	10/06/2006 10:07 PM
delta-BHC	< 1.9		1	µg/Kg-dry	SW8081	10/06/2006 10:07 PM
gamma-BHC	< 1.9		1	µg/Kg-dry	SW8081	10/06/2006 10:07 PM
Heptachlor	< 1.9		1	µg/Kg-dry	SW8081	10/06/2006 10:07 PM
Aldrin	< 1.9		1	µg/Kg-dry	SW8081	10/06/2006 10:07 PM
Heptachlor epoxide	< 1.9		1	µg/Kg-dry	SW8081	10/06/2006 10:07 PM
Endosulfan I	< 1.9		1	µg/Kg-dry	SW8081	10/06/2006 10:07 PM
Dieldrin	< 3.7		1	µg/Kg-dry	SW8081	10/06/2006 10:07 PM
4,4'-DDE	58		1	µg/Kg-dry	SW8081	10/06/2006 10:07 PM
Endrin	< 3.7		1	µg/Kg-dry	SW8081	10/06/2006 10:07 PM
Endosulfan II	< 3.7		1	µg/Kg-dry	SW8081	10/06/2006 10:07 PM
4,4'-DDD	14		1	µg/Kg-dry	SW8081	10/06/2006 10:07 PM
Endosulfan sulfate	< 3.7		1	µg/Kg-dry	SW8081	10/06/2006 10:07 PM
4,4'-DDT	130	D	5	µg/Kg-dry	SW8081	10/10/2006 4:37 AM
Methoxychlor	< 19		1	µg/Kg-dry	SW8081	10/06/2006 10:07 PM
Endrin ketone	< 3.7		1	µg/Kg-dry	SW8081	10/06/2006 10:07 PM
Endrin aldehyde	5.0		1	µg/Kg-dry	SW8081	10/06/2006 10:07 PM
alpha-Chlordane	4.0		1	µg/Kg-dry	SW8081	10/06/2006 10:07 PM
gamma-Chlordane	3.7		1	µg/Kg-dry	SW8081	10/06/2006 10:07 PM
Toxaphene	< 190		1	µg/Kg-dry	SW8081	10/06/2006 10:07 PM
Percent Moisture	10.5		1	wt%	D2216	09/29/2006 3:03 PM

Qualifiers: E - Value above quantitation range


D - Results for Dilution

D.F. = Dilution Factor

Date Reported : 10/11/2006

Page 4 of 37

Laboratory Manager



H2M LABS, INC.

575 Broad Hollow Road, Melville NY 11747
(631) 694-3040. FAX: (631) 420-8436 NYSDOH ID# 10478

LABORATORY RESULTS

Town of Oyster Bay

Lab No. : **0610391-005A**

Sample Information...

Type : Soil

Attn To :

Client ID. : A-6(2-4')

Origin:

Collected 9/27/2006 2:00:00 PM

Received 9/27/2006 4:31:00 PM

Collected By : VG03

Copy : Original

CC


Parameter(s)	Results	Qualifier	D.F.	Units	Method Number	Analyzed
alpha-BHC	< 1.8		1	µg/Kg-dry	SW8081	10/06/2006 10:38 PM
beta-BHC	< 1.8		1	µg/Kg-dry	SW8081	10/06/2006 10:38 PM
delta-BHC	< 1.8		1	µg/Kg-dry	SW8081	10/06/2006 10:38 PM
gamma-BHC	< 1.8		1	µg/Kg-dry	SW8081	10/06/2006 10:38 PM
Heptachlor	< 1.8		1	µg/Kg-dry	SW8081	10/06/2006 10:38 PM
Aldrin	< 1.8		1	µg/Kg-dry	SW8081	10/06/2006 10:38 PM
Heptachlor epoxide	< 1.8		1	µg/Kg-dry	SW8081	10/06/2006 10:38 PM
Endosulfan I	< 1.8		1	µg/Kg-dry	SW8081	10/06/2006 10:38 PM
Dieldrin	< 3.5		1	µg/Kg-dry	SW8081	10/06/2006 10:38 PM
4,4'-DDE	< 3.5		1	µg/Kg-dry	SW8081	10/06/2006 10:38 PM
Endrin	< 3.5		1	µg/Kg-dry	SW8081	10/06/2006 10:38 PM
Endosulfan II	< 3.5		1	µg/Kg-dry	SW8081	10/06/2006 10:38 PM
4,4'-DDD	< 3.5		1	µg/Kg-dry	SW8081	10/06/2006 10:38 PM
Endosulfan sulfate	< 3.5		1	µg/Kg-dry	SW8081	10/06/2006 10:38 PM
4,4'-DDT	< 3.5		1	µg/Kg-dry	SW8081	10/06/2006 10:38 PM
Methoxychlor	< 18		1	µg/Kg-dry	SW8081	10/06/2006 10:38 PM
Endrin ketone	< 3.5		1	µg/Kg-dry	SW8081	10/06/2006 10:38 PM
Endrin aldehyde	< 3.5		1	µg/Kg-dry	SW8081	10/06/2006 10:38 PM
alpha-Chlordane	< 1.8		1	µg/Kg-dry	SW8081	10/06/2006 10:38 PM
gamma-Chlordane	< 1.8		1	µg/Kg-dry	SW8081	10/06/2006 10:38 PM
Toxaphene	< 180		1	µg/Kg-dry	SW8081	10/06/2006 10:38 PM
Percent Moisture	6.2		1	wt%	D2216	09/29/2006 3:04 PM

Qualifiers: E - Value above quantitation range

D - Results for Dilution

D.F. = Dilution Factor

Date Reported : 10/11/2006



Laboratory Manager

H2M LABS, INC.

575 Broad Hollow Road, Melville NY 11747
(631) 694-3040. FAX: (631) 420-8436 NYSDOH ID# 10478

LABORATORY RESULTS

Town of Oyster Bay

Lab No. : **0610391-006A**

Sample Information...

Type : Soil

Attn To :

Origin:

Client ID. : A-8(0-2')

Collected 9/27/2006 2:10:00 PM

Received 9/27/2006 4:31:00 PM

Collected By : VG03

Copy : Original

CC

Parameter(s)	Results	Qualifier	D.F.	Units	Method Number	Analyzed
alpha-BHC	< 1.9		1	µg/Kg-dry	SW8081	10/06/2006 11:08 PM
beta-BHC	< 1.9		1	µg/Kg-dry	SW8081	10/06/2006 11:08 PM
delta-BHC	< 1.9		1	µg/Kg-dry	SW8081	10/06/2006 11:08 PM
gamma-BHC	< 1.9		1	µg/Kg-dry	SW8081	10/06/2006 11:08 PM
Heptachlor	< 1.9		1	µg/Kg-dry	SW8081	10/06/2006 11:08 PM
Aldrin	< 1.9		1	µg/Kg-dry	SW8081	10/06/2006 11:08 PM
Heptachlor epoxide	< 1.9		1	µg/Kg-dry	SW8081	10/06/2006 11:08 PM
Endosulfan I	< 1.9		1	µg/Kg-dry	SW8081	10/06/2006 11:08 PM
Dieldrin	< 3.7		1	µg/Kg-dry	SW8081	10/06/2006 11:08 PM
4,4'-DDE	3.8		1	µg/Kg-dry	SW8081	10/06/2006 11:08 PM
Endrin	< 3.7		1	µg/Kg-dry	SW8081	10/06/2006 11:08 PM
Endosulfan II	< 3.7		1	µg/Kg-dry	SW8081	10/06/2006 11:08 PM
4,4'-DDD	< 3.7		1	µg/Kg-dry	SW8081	10/06/2006 11:08 PM
Endosulfan sulfate	< 3.7		1	µg/Kg-dry	SW8081	10/06/2006 11:08 PM
4,4'-DDT	< 3.7		1	µg/Kg-dry	SW8081	10/06/2006 11:08 PM
Methoxychlor	< 19		1	µg/Kg-dry	SW8081	10/06/2006 11:08 PM
Endrin ketone	< 3.7		1	µg/Kg-dry	SW8081	10/06/2006 11:08 PM
Endrin aldehyde	< 3.7		1	µg/Kg-dry	SW8081	10/06/2006 11:08 PM
alpha-Chlordane	< 1.9		1	µg/Kg-dry	SW8081	10/06/2006 11:08 PM
gamma-Chlordane	< 1.9		1	µg/Kg-dry	SW8081	10/06/2006 11:08 PM
Toxaphene	< 190		1	µg/Kg-dry	SW8081	10/06/2006 11:08 PM
Percent Moisture	11.2		1	wt%	D2216	09/29/2006 3:05 PM

Qualifiers: E - Value above quantitation range


D - Results for Dilution

D.F. = Dilution Factor

Date Reported : 10/11/2006

Page 6 of 37

Laboratory Manager



H2M LABS, INC.

575 Broad Hollow Road, Melville NY 11747
(631) 694-3040 . FAX: (631) 420-8436 NYSDOH ID# 10478

LABORATORY RESULTS

Town of Oyster Bay

Lab No. : **0610391-007A**

Sample Information...

Type : Soil

Attn To :

Client ID. : A-9(0-2')

Origin:

Collected 9/27/2006 2:20:00 PM

Received 9/27/2006 4:31:00 PM

Collected By : VG03

Copy : Original

CC

Parameter(s)	Results	Qualifier	D.F.	Units	Method Number	Analyzed
alpha-BHC	< 1.8		1	µg/Kg-dry	SW8081	10/06/2006 11:39 PM
beta-BHC	< 1.8		1	µg/Kg-dry	SW8081	10/06/2006 11:39 PM
delta-BHC	< 1.8		1	µg/Kg-dry	SW8081	10/06/2006 11:39 PM
gamma-BHC	< 1.8		1	µg/Kg-dry	SW8081	10/06/2006 11:39 PM
Heptachlor	< 1.8		1	µg/Kg-dry	SW8081	10/06/2006 11:39 PM
Aldrin	< 1.8		1	µg/Kg-dry	SW8081	10/06/2006 11:39 PM
Heptachlor epoxide	< 1.8		1	µg/Kg-dry	SW8081	10/06/2006 11:39 PM
Endosulfan I	< 1.8		1	µg/Kg-dry	SW8081	10/06/2006 11:39 PM
Dieldrin	< 3.5		1	µg/Kg-dry	SW8081	10/06/2006 11:39 PM
4,4'-DDE	5.2		1	µg/Kg-dry	SW8081	10/06/2006 11:39 PM
Endrin	< 3.5		1	µg/Kg-dry	SW8081	10/06/2006 11:39 PM
Endosulfan II	< 3.5		1	µg/Kg-dry	SW8081	10/06/2006 11:39 PM
4,4'-DDD	< 3.5		1	µg/Kg-dry	SW8081	10/06/2006 11:39 PM
Endosulfan sulfate	< 3.5		1	µg/Kg-dry	SW8081	10/06/2006 11:39 PM
4,4'-DDT	10		1	µg/Kg-dry	SW8081	10/06/2006 11:39 PM
Methoxychlor	< 18		1	µg/Kg-dry	SW8081	10/06/2006 11:39 PM
Endrin ketone	< 3.5		1	µg/Kg-dry	SW8081	10/06/2006 11:39 PM
Endrin aldehyde	< 3.5		1	µg/Kg-dry	SW8081	10/06/2006 11:39 PM
alpha-Chlordane	< 1.8		1	µg/Kg-dry	SW8081	10/06/2006 11:39 PM
gamma-Chlordane	2.6		1	µg/Kg-dry	SW8081	10/06/2006 11:39 PM
Toxaphene	< 180		1	µg/Kg-dry	SW8081	10/06/2006 11:39 PM
Percent Moisture	6.0		1	wt%	D2216	09/29/2006 3:06 PM

Qualifiers: E - Value above quantitation range


D - Results for Dilution

D.F. = Dilution Factor

Date Reported : 10/11/2006

Page 7 of 37

Laboratory Manager



H2M LABS, INC.

575 Broad Hollow Road, Melville NY 11747
(631) 694-3040 . FAX: (631) 420-8436 NYSDOH ID# 10478

LABORATORY RESULTS

Town of Oyster Bay

Lab No. : **0610391-008A**

Sample Information...

Type : Soil

Attn To :

Client ID. : A-10(8-10')

Origin:

Collected 9/27/2006 2:30:00 PM

Received 9/27/2006 4:31:00 PM

Collected By : VG03

Copy : Original

CC

<u>Parameter(s)</u>	<u>Results</u>	<u>Qualifier</u>	<u>D.F.</u>	<u>Units</u>	<u>Method Number</u>	<u>Analyzed</u>
alpha-BHC	< 1.7		1	µg/Kg-dry	SW8081	10/07/2006 12:09 AM
beta-BHC	< 1.7		1	µg/Kg-dry	SW8081	10/07/2006 12:09 AM
delta-BHC	< 1.7		1	µg/Kg-dry	SW8081	10/07/2006 12:09 AM
gamma-BHC	< 1.7		1	µg/Kg-dry	SW8081	10/07/2006 12:09 AM
Heptachlor	< 1.7		1	µg/Kg-dry	SW8081	10/07/2006 12:09 AM
Aldrin	< 1.7		1	µg/Kg-dry	SW8081	10/07/2006 12:09 AM
Heptachlor epoxide	< 1.7		1	µg/Kg-dry	SW8081	10/07/2006 12:09 AM
Endosulfan I	< 1.7		1	µg/Kg-dry	SW8081	10/07/2006 12:09 AM
Dieldrin	< 3.4		1	µg/Kg-dry	SW8081	10/07/2006 12:09 AM
4,4'-DDE	< 3.4		1	µg/Kg-dry	SW8081	10/07/2006 12:09 AM
Endrin	< 3.4		1	µg/Kg-dry	SW8081	10/07/2006 12:09 AM
Endosulfan II	< 3.4		1	µg/Kg-dry	SW8081	10/07/2006 12:09 AM
4,4'-DDD	< 3.4		1	µg/Kg-dry	SW8081	10/07/2006 12:09 AM
Endosulfan sulfate	< 3.4		1	µg/Kg-dry	SW8081	10/07/2006 12:09 AM
4,4'-DDT	< 3.4		1	µg/Kg-dry	SW8081	10/07/2006 12:09 AM
Methoxychlor	< 17		1	µg/Kg-dry	SW8081	10/07/2006 12:09 AM
Endrin ketone	< 3.4		1	µg/Kg-dry	SW8081	10/07/2006 12:09 AM
Endrin aldehyde	< 3.4		1	µg/Kg-dry	SW8081	10/07/2006 12:09 AM
alpha-Chlordane	< 1.7		1	µg/Kg-dry	SW8081	10/07/2006 12:09 AM
gamma-Chlordane	< 1.7		1	µg/Kg-dry	SW8081	10/07/2006 12:09 AM
Toxaphene	< 170		1	µg/Kg-dry	SW8081	10/07/2006 12:09 AM
Percent Moisture	2.1		1	wt%	D2216	09/29/2006 3:07 PM

Qualifiers: E - Value above quantitation range


D - Results for Dilution

D.F. = Dilution Factor

Date Reported : 10/11/2006

Page 8 of 37

Laboratory Manager



H2M LABS, INC.

575 Broad Hollow Road, Melville NY 11747
(631) 694-3040 . FAX: (631) 420-8436 NYSDOHID# 10478

LABORATORY RESULTS

Town of Oyster Bay

Lab No. : **0610391-009A**

Sample Information...

Type : Soil

Attn To :

Client ID. : B-8(0-2')

Origin:

Collected 9/27/2006 2:40:00 PM

Received 9/27/2006 4:31:00 PM

Collected By : VG03

Copy : Original

CC

<u>Parameter(s)</u>	<u>Results</u>	<u>Qualifier</u>	<u>D.F.</u>	<u>Units</u>	<u>Method Number</u>	<u>Analyzed</u>
alpha-BHC	< 1.9		1	µg/Kg-dry	SW8081	10/07/2006 12:40 AM
beta-BHC	< 1.9		1	µg/Kg-dry	SW8081	10/07/2006 12:40 AM
delta-BHC	< 1.9		1	µg/Kg-dry	SW8081	10/07/2006 12:40 AM
gamma-BHC	< 1.9		1	µg/Kg-dry	SW8081	10/07/2006 12:40 AM
Heptachlor	< 1.9		1	µg/Kg-dry	SW8081	10/07/2006 12:40 AM
Aldrin	< 1.9		1	µg/Kg-dry	SW8081	10/07/2006 12:40 AM
Heptachlor epoxide	2.1		1	µg/Kg-dry	SW8081	10/07/2006 12:40 AM
Endosulfan I	< 1.9		1	µg/Kg-dry	SW8081	10/07/2006 12:40 AM
Dieldrin	< 3.6		1	µg/Kg-dry	SW8081	10/07/2006 12:40 AM
4,4'-DDE	100	D	5	µg/Kg-dry	SW8081	10/10/2006 5:08 AM
Endrin	< 3.6		1	µg/Kg-dry	SW8081	10/07/2006 12:40 AM
Endosulfan II	< 3.6		1	µg/Kg-dry	SW8081	10/07/2006 12:40 AM
4,4'-DDD	52		1	µg/Kg-dry	SW8081	10/07/2006 12:40 AM
Endosulfan sulfate	< 3.6		1	µg/Kg-dry	SW8081	10/07/2006 12:40 AM
4,4'-DDT	26		1	µg/Kg-dry	SW8081	10/07/2006 12:40 AM
Methoxychlor	< 19		1	µg/Kg-dry	SW8081	10/07/2006 12:40 AM
Endrin ketone	< 3.6		1	µg/Kg-dry	SW8081	10/07/2006 12:40 AM
Endrin aldehyde	< 3.6		1	µg/Kg-dry	SW8081	10/07/2006 12:40 AM
alpha-Chlordane	< 1.9		1	µg/Kg-dry	SW8081	10/07/2006 12:40 AM
gamma-Chlordane	< 1.9		1	µg/Kg-dry	SW8081	10/07/2006 12:40 AM
Toxaphene	< 190		1	µg/Kg-dry	SW8081	10/07/2006 12:40 AM
Percent Moisture	8.3		1	wt%	D2216	09/29/2006 3:08 PM


Qualifiers: E - Value above quantitation range

D - Results for Dilution

D.F. = Dilution Factor

Date Reported : 10/11/2006

Laboratory Manager



H2M LABS, INC.

575 Broad Hollow Road, Melville NY 11747
(631) 694-3040 . FAX: (631) 420-8436 NYSDOH ID# 10478

LABORATORY RESULTS

Town of Oyster Bay

Lab No. : **0610391-010A**

Sample Information...

Type : Soil

Attn To :

Client ID. : B-9(0-2')

Origin:

Collected 9/27/2006 2:50:00 PM

Received 9/27/2006 4:31:00 PM

Collected By : VG03

Copy : **Original**

CC

<u>Parameter(s)</u>	<u>Results</u>	<u>Qualifier</u>	<u>D.F.</u>	<u>Units</u>	<u>Method Number</u>	<u>Analyzed</u>
alpha-BHC	< 1.8		1	µg/Kg-dry	SW8081	10/07/2006 1:11 AM
beta-BHC	< 1.8		1	µg/Kg-dry	SW8081	10/07/2006 1:11 AM
delta-BHC	< 1.8		1	µg/Kg-dry	SW8081	10/07/2006 1:11 AM
gamma-BHC	< 1.8		1	µg/Kg-dry	SW8081	10/07/2006 1:11 AM
Heptachlor	< 1.8		1	µg/Kg-dry	SW8081	10/07/2006 1:11 AM
Aldrin	< 1.8		1	µg/Kg-dry	SW8081	10/07/2006 1:11 AM
Heptachlor epoxide	< 1.8		1	µg/Kg-dry	SW8081	10/07/2006 1:11 AM
Endosulfan I	< 1.8		1	µg/Kg-dry	SW8081	10/07/2006 1:11 AM
Dieldrin	< 3.4		1	µg/Kg-dry	SW8081	10/07/2006 1:11 AM
4,4'-DDE	< 3.4		1	µg/Kg-dry	SW8081	10/07/2006 1:11 AM
Endrin	< 3.4		1	µg/Kg-dry	SW8081	10/07/2006 1:11 AM
Endosulfan II	< 3.4		1	µg/Kg-dry	SW8081	10/07/2006 1:11 AM
4,4'-DDD	< 3.4		1	µg/Kg-dry	SW8081	10/07/2006 1:11 AM
Endosulfan sulfate	< 3.4		1	µg/Kg-dry	SW8081	10/07/2006 1:11 AM
4,4'-DDT	6.4		1	µg/Kg-dry	SW8081	10/07/2006 1:11 AM
Methoxychlor	< 18		1	µg/Kg-dry	SW8081	10/07/2006 1:11 AM
Endrin ketone	< 3.4		1	µg/Kg-dry	SW8081	10/07/2006 1:11 AM
Endrin aldehyde	8.4		1	µg/Kg-dry	SW8081	10/07/2006 1:11 AM
alpha-Chlordane	4.5		1	µg/Kg-dry	SW8081	10/07/2006 1:11 AM
gamma-Chlordane	5.4		1	µg/Kg-dry	SW8081	10/07/2006 1:11 AM
Toxaphene	< 180		1	µg/Kg-dry	SW8081	10/07/2006 1:11 AM
Percent Moisture	4.0		1	wt%	D2216	09/29/2006 3:09 PM

Qualifiers: E - Value above quantitation range


D - Results for Dilution

D.F. = Dilution Factor

Date Reported : 10/11/2006

Page 10 of 37

Laboratory Manager



H2M LABS, INC.

575 Broad Hollow Road, Melville NY 11747
(631) 694-3040. FAX: (631) 420-8436 NYSDOH ID# 10478

LABORATORY RESULTS

Town of Oyster Bay

Lab No. : **0610391-011A**

Sample Information...

Type : Soil

Attn To :

Client ID. : B-11(0-2')

Origin:

Collected 9/27/2006 11:20:00 AM

Received 9/27/2006 4:31:00 PM

Collected By : VG03

Copy : Original

CC

<u>Parameter(s)</u>	<u>Results</u>	<u>Qualifier</u>	<u>D.F.</u>	<u>Units</u>	<u>Method Number</u>	<u>Analyzed</u>
alpha-BHC	< 1.9		1	µg/Kg-dry	SW8081	10/07/2006 1:41 AM
beta-BHC	< 1.9		1	µg/Kg-dry	SW8081	10/07/2006 1:41 AM
delta-BHC	< 1.9		1	µg/Kg-dry	SW8081	10/07/2006 1:41 AM
gamma-BHC	< 1.9		1	µg/Kg-dry	SW8081	10/07/2006 1:41 AM
Heptachlor	< 1.9		1	µg/Kg-dry	SW8081	10/07/2006 1:41 AM
Aldrin	< 1.9		1	µg/Kg-dry	SW8081	10/07/2006 1:41 AM
Heptachlor epoxide	< 1.9		1	µg/Kg-dry	SW8081	10/07/2006 1:41 AM
Endosulfan I	< 1.9		1	µg/Kg-dry	SW8081	10/07/2006 1:41 AM
Dieldrin	< 3.6		1	µg/Kg-dry	SW8081	10/07/2006 1:41 AM
4,4'-DDE	< 3.6		1	µg/Kg-dry	SW8081	10/07/2006 1:41 AM
Endrin	< 3.6		1	µg/Kg-dry	SW8081	10/07/2006 1:41 AM
Endosulfan II	< 3.6		1	µg/Kg-dry	SW8081	10/07/2006 1:41 AM
4,4'-DDD	< 3.6		1	µg/Kg-dry	SW8081	10/07/2006 1:41 AM
Endosulfan sulfate	< 3.6		1	µg/Kg-dry	SW8081	10/07/2006 1:41 AM
4,4'-DDT	< 3.6		1	µg/Kg-dry	SW8081	10/07/2006 1:41 AM
Methoxychlor	< 19		1	µg/Kg-dry	SW8081	10/07/2006 1:41 AM
Endrin ketone	< 3.6		1	µg/Kg-dry	SW8081	10/07/2006 1:41 AM
Endrin aldehyde	< 3.6		1	µg/Kg-dry	SW8081	10/07/2006 1:41 AM
alpha-Chlordane	< 1.9		1	µg/Kg-dry	SW8081	10/07/2006 1:41 AM
gamma-Chlordane	< 1.9		1	µg/Kg-dry	SW8081	10/07/2006 1:41 AM
Toxaphene	< 190		1	µg/Kg-dry	SW8081	10/07/2006 1:41 AM
Percent Moisture	9.1		1	wt%	D2216	09/29/2006 3:11 PM


Qualifiers: E - Value above quantitation range

D - Results for Dilution

D.F. = Dilution Factor

Date Reported : 10/11/2006

Laboratory Manager



H2M LABS, INC.

575 Broad Hollow Road, Melville NY 11747
(631) 694-3040 . FAX: (631) 420-8436 NYSDOH ID# 10478

LABORATORY RESULTS

Town of Oyster Bay

Lab No. : **0610391-012A**

Sample Information...

Type : Soil

Attn To :

Client ID. : B-10(4-6')

Origin:

Collected 9/27/2006 11:30:00 AM

Received 9/27/2006 4:31:00 PM

Collected By : VG03

Copy : Original

CC

<u>Parameter(s)</u>	<u>Results</u>	<u>Qualifier</u>	<u>D.F.</u>	<u>Units</u>	<u>Method Number</u>	<u>Analyzed</u>
alpha-BHC	< 1.9		1	µg/Kg-dry	SW8081	10/07/2006 2:12 AM
beta-BHC	3.1		1	µg/Kg-dry	SW8081	10/07/2006 2:12 AM
delta-BHC	< 1.9		1	µg/Kg-dry	SW8081	10/07/2006 2:12 AM
gamma-BHC	< 1.9		1	µg/Kg-dry	SW8081	10/07/2006 2:12 AM
Heptachlor	7.4		1	µg/Kg-dry	SW8081	10/07/2006 2:12 AM
Aldrin	< 1.9		1	µg/Kg-dry	SW8081	10/07/2006 2:12 AM
Heptachlor epoxide	< 1.9		1	µg/Kg-dry	SW8081	10/07/2006 2:12 AM
Endosulfan I	< 1.9		1	µg/Kg-dry	SW8081	10/07/2006 2:12 AM
Dieldrin	< 3.6		1	µg/Kg-dry	SW8081	10/07/2006 2:12 AM
4,4'-DDE	5.9		1	µg/Kg-dry	SW8081	10/07/2006 2:12 AM
Endrin	< 3.6		1	µg/Kg-dry	SW8081	10/07/2006 2:12 AM
Endosulfan II	< 3.6		1	µg/Kg-dry	SW8081	10/07/2006 2:12 AM
4,4'-DDD	< 3.6		1	µg/Kg-dry	SW8081	10/07/2006 2:12 AM
Endosulfan sulfate	< 3.6		1	µg/Kg-dry	SW8081	10/07/2006 2:12 AM
4,4'-DDT	11		1	µg/Kg-dry	SW8081	10/07/2006 2:12 AM
Methoxychlor	< 19		1	µg/Kg-dry	SW8081	10/07/2006 2:12 AM
Endrin ketone	< 3.6		1	µg/Kg-dry	SW8081	10/07/2006 2:12 AM
Endrin aldehyde	< 3.6		1	µg/Kg-dry	SW8081	10/07/2006 2:12 AM
alpha-Chlordane	< 1.9		1	µg/Kg-dry	SW8081	10/07/2006 2:12 AM
gamma-Chlordane	4.6		1	µg/Kg-dry	SW8081	10/07/2006 2:12 AM
Toxaphene	< 190		1	µg/Kg-dry	SW8081	10/07/2006 2:12 AM
Percent Moisture	8.7		1	wt%	D2216	09/29/2006 3:12 PM


Qualifiers: E - Value above quantitation range

D - Results for Dilution

D.F. = Dilution Factor

Date Reported : 10/11/2006

Laboratory Manager



H2M LABS, INC.

575 Broad Hollow Road, Melville NY 11747
(631) 694-3040. FAX: (631) 420-8436 NYSDOH ID# 10478

LABORATORY RESULTS

Town of Oyster Bay

Lab No. : **0610391-013A**

Sample Information...

Type : Soil

Attn To :

Origin:

Client ID. : B-7(2-4')

Collected 9/27/2006 11:40:00 AM

Received 9/27/2006 4:31:00 PM

Collected By : VG03

Copy : Original

CC

Parameter(s)	Results	Qualifier	D.F.	Units	Method Number	Analyzed
alpha-BHC	< 1.8		1	µg/Kg-dry	SW8081	10/07/2006 2:43 AM
beta-BHC	< 1.8		1	µg/Kg-dry	SW8081	10/07/2006 2:43 AM
delta-BHC	< 1.8		1	µg/Kg-dry	SW8081	10/07/2006 2:43 AM
gamma-BHC	< 1.8		1	µg/Kg-dry	SW8081	10/07/2006 2:43 AM
Heptachlor	< 1.8		1	µg/Kg-dry	SW8081	10/07/2006 2:43 AM
Aldrin	< 1.8		1	µg/Kg-dry	SW8081	10/07/2006 2:43 AM
Heptachlor epoxide	< 1.8		1	µg/Kg-dry	SW8081	10/07/2006 2:43 AM
Endosulfan I	< 1.8		1	µg/Kg-dry	SW8081	10/07/2006 2:43 AM
Dieldrin	< 3.5		1	µg/Kg-dry	SW8081	10/07/2006 2:43 AM
4,4'-DDE	< 3.5		1	µg/Kg-dry	SW8081	10/07/2006 2:43 AM
Endrin	< 3.5		1	µg/Kg-dry	SW8081	10/07/2006 2:43 AM
Endosulfan II	< 3.5		1	µg/Kg-dry	SW8081	10/07/2006 2:43 AM
4,4'-DDD	< 3.5		1	µg/Kg-dry	SW8081	10/07/2006 2:43 AM
Endosulfan sulfate	< 3.5		1	µg/Kg-dry	SW8081	10/07/2006 2:43 AM
4,4'-DDT	< 3.5		1	µg/Kg-dry	SW8081	10/07/2006 2:43 AM
Methoxychlor	< 18		1	µg/Kg-dry	SW8081	10/07/2006 2:43 AM
Endrin ketone	< 3.5		1	µg/Kg-dry	SW8081	10/07/2006 2:43 AM
Endrin aldehyde	< 3.5		1	µg/Kg-dry	SW8081	10/07/2006 2:43 AM
alpha-Chlordane	< 1.8		1	µg/Kg-dry	SW8081	10/07/2006 2:43 AM
gamma-Chlordane	< 1.8		1	µg/Kg-dry	SW8081	10/07/2006 2:43 AM
Toxaphene	< 180		1	µg/Kg-dry	SW8081	10/07/2006 2:43 AM
Percent Moisture	6.4		1	wt%	D2216	09/29/2006 3:13 PM


Qualifiers: E - Value above quantitation range

D - Results for Dilution

D.F. = Dilution Factor

Date Reported : 10/11/2006

Laboratory Manager



H2M LABS, INC.

575 Broad Hollow Road, Melville NY 11747
(631) 694-3040 . FAX: (631) 420-8436 NYSDOH ID# 10478

LABORATORY RESULTS

Town of Oyster Bay

Lab No. : **0610391-014A**

Sample Information...

Type : Soil

Attn To :

Client ID. : B-6(6-8')

Origin:

Collected 9/27/2006 11:50:00 AM

Received 9/27/2006 4:31:00 PM

Collected By : VG03

Copy : Original

CC

<u>Parameter(s)</u>	<u>Results</u>	<u>Qualifier</u>	<u>D.F.</u>	<u>Units</u>	<u>Method Number</u>	<u>Analyzed</u>
alpha-BHC	< 1.8		1	µg/Kg-dry	SW8081	10/07/2006 3:13 AM
beta-BHC	< 1.8		1	µg/Kg-dry	SW8081	10/07/2006 3:13 AM
delta-BHC	< 1.8		1	µg/Kg-dry	SW8081	10/07/2006 3:13 AM
gamma-BHC	< 1.8		1	µg/Kg-dry	SW8081	10/07/2006 3:13 AM
Heptachlor	< 1.8		1	µg/Kg-dry	SW8081	10/07/2006 3:13 AM
Aldrin	< 1.8		1	µg/Kg-dry	SW8081	10/07/2006 3:13 AM
Heptachlor epoxide	< 1.8		1	µg/Kg-dry	SW8081	10/07/2006 3:13 AM
Endosulfan I	< 1.8		1	µg/Kg-dry	SW8081	10/07/2006 3:13 AM
Dieldrin	< 3.5		1	µg/Kg-dry	SW8081	10/07/2006 3:13 AM
4,4'-DDE	< 3.5		1	µg/Kg-dry	SW8081	10/07/2006 3:13 AM
Endrin	< 3.5		1	µg/Kg-dry	SW8081	10/07/2006 3:13 AM
Endosulfan II	< 3.5		1	µg/Kg-dry	SW8081	10/07/2006 3:13 AM
4,4'-DDD	< 3.5		1	µg/Kg-dry	SW8081	10/07/2006 3:13 AM
Endosulfan sulfate	< 3.5		1	µg/Kg-dry	SW8081	10/07/2006 3:13 AM
4,4'-DDT	< 3.5		1	µg/Kg-dry	SW8081	10/07/2006 3:13 AM
Methoxychlor	< 18		1	µg/Kg-dry	SW8081	10/07/2006 3:13 AM
Endrin ketone	< 3.5		1	µg/Kg-dry	SW8081	10/07/2006 3:13 AM
Endrin aldehyde	< 3.5		1	µg/Kg-dry	SW8081	10/07/2006 3:13 AM
alpha-Chlordane	< 1.8		1	µg/Kg-dry	SW8081	10/07/2006 3:13 AM
gamma-Chlordane	< 1.8		1	µg/Kg-dry	SW8081	10/07/2006 3:13 AM
Toxaphene	< 180		1	µg/Kg-dry	SW8081	10/07/2006 3:13 AM
Percent Moisture	4.9		1	wt%	D2216	09/29/2006 3:14 PM


Qualifiers: E - Value above quantitation range

D - Results for Dilution

D.F. = Dilution Factor

Date Reported : 10/11/2006

Laboratory Manager



H2M LABS, INC.

575 Broad Hollow Road, Melville NY 11747
(631) 694-3040 . FAX: (631) 420-8436 NYSDOH ID# 10478

LABORATORY RESULTS

Town of Oyster Bay

Lab No. : **0610391-015A**

Sample Information...

Type : Soil

Attn To :

Client ID. : B-5(0-2')

Origin:

Collected 9/27/2006 12:00:00 PM

Received 9/27/2006 4:31:00 PM

Collected By : VG03

Copy : Original

CC

<u>Parameter(s)</u>	<u>Results</u>	<u>Qualifier</u>	<u>D.F.</u>	<u>Units</u>	<u>Method Number</u>	<u>Analyzed</u>
alpha-BHC	< 1.8		1	µg/Kg-dry	SW8081	10/07/2006 3:44 AM
beta-BHC	< 1.8		1	µg/Kg-dry	SW8081	10/07/2006 3:44 AM
delta-BHC	< 1.8		1	µg/Kg-dry	SW8081	10/07/2006 3:44 AM
gamma-BHC	< 1.8		1	µg/Kg-dry	SW8081	10/07/2006 3:44 AM
Heptachlor	< 1.8		1	µg/Kg-dry	SW8081	10/07/2006 3:44 AM
Aldrin	< 1.8		1	µg/Kg-dry	SW8081	10/07/2006 3:44 AM
Heptachlor epoxide	< 1.8		1	µg/Kg-dry	SW8081	10/07/2006 3:44 AM
Endosulfan I	< 1.8		1	µg/Kg-dry	SW8081	10/07/2006 3:44 AM
Dieldrin	< 3.6		1	µg/Kg-dry	SW8081	10/07/2006 3:44 AM
4,4'-DDE	110	D	5	µg/Kg-dry	SW8081	10/10/2006 5:38 AM
Endrin	< 3.6		1	µg/Kg-dry	SW8081	10/07/2006 3:44 AM
Endosulfan II	< 3.6		1	µg/Kg-dry	SW8081	10/07/2006 3:44 AM
4,4'-DDD	10		1	µg/Kg-dry	SW8081	10/07/2006 3:44 AM
Endosulfan sulfate	< 3.6		1	µg/Kg-dry	SW8081	10/07/2006 3:44 AM
4,4'-DDT	92	D	5	µg/Kg-dry	SW8081	10/10/2006 5:38 AM
Methoxychlor	< 18		1	µg/Kg-dry	SW8081	10/07/2006 3:44 AM
Endrin ketone	< 3.6		1	µg/Kg-dry	SW8081	10/07/2006 3:44 AM
Endrin aldehyde	< 3.6		1	µg/Kg-dry	SW8081	10/07/2006 3:44 AM
alpha-Chlordane	< 1.8		1	µg/Kg-dry	SW8081	10/07/2006 3:44 AM
gamma-Chlordane	< 1.8		1	µg/Kg-dry	SW8081	10/07/2006 3:44 AM
Toxaphene	< 180		1	µg/Kg-dry	SW8081	10/07/2006 3:44 AM
Percent Moisture	7.4		1	wt%	D2216	09/29/2006 3:15 PM


Qualifiers: E - Value above quantitation range

D - Results for Dilution

D.F. = Dilution Factor

Date Reported : 10/11/2006

Laboratory Manager



H2M LABS, INC.

575 Broad Hollow Road, Melville NY 11747
(631) 694-3040 . FAX: (631) 420-8436 NYSDOH ID# 10478

LABORATORY RESULTS

Town of Oyster Bay

Lab No. : **0610391-016A**

Sample Information...

Type : Soil

Attn To :

Client ID. : B-4(2-4')

Origin:

Collected 9/27/2006 12:30:00 PM

Received 9/27/2006 4:31:00 PM

Collected By : VG03

Copy : Original

CC

<u>Parameter(s)</u>	<u>Results</u>	<u>Qualifier</u>	<u>D.F.</u>	<u>Units</u>	<u>Method Number</u>	<u>Analyzed</u>
alpha-BHC	< 2.0		1	µg/Kg-dry	SW8081	10/07/2006 4:15 AM
beta-BHC	< 2.0		1	µg/Kg-dry	SW8081	10/07/2006 4:15 AM
delta-BHC	< 2.0		1	µg/Kg-dry	SW8081	10/07/2006 4:15 AM
gamma-BHC	< 2.0		1	µg/Kg-dry	SW8081	10/07/2006 4:15 AM
Heptachlor	< 2.0		1	µg/Kg-dry	SW8081	10/07/2006 4:15 AM
Aldrin	< 2.0		1	µg/Kg-dry	SW8081	10/07/2006 4:15 AM
Heptachlor epoxide	< 2.0		1	µg/Kg-dry	SW8081	10/07/2006 4:15 AM
Endosulfan I	< 2.0		1	µg/Kg-dry	SW8081	10/07/2006 4:15 AM
Dieldrin	< 3.9		1	µg/Kg-dry	SW8081	10/07/2006 4:15 AM
4,4'-DDE	4.2		1	µg/Kg-dry	SW8081	10/07/2006 4:15 AM
Endrin	< 3.9		1	µg/Kg-dry	SW8081	10/07/2006 4:15 AM
Endosulfan II	< 3.9		1	µg/Kg-dry	SW8081	10/07/2006 4:15 AM
4,4'-DDD	< 3.9		1	µg/Kg-dry	SW8081	10/07/2006 4:15 AM
Endosulfan sulfate	< 3.9		1	µg/Kg-dry	SW8081	10/07/2006 4:15 AM
4,4'-DDT	< 3.9		1	µg/Kg-dry	SW8081	10/07/2006 4:15 AM
Methoxychlor	< 20		1	µg/Kg-dry	SW8081	10/07/2006 4:15 AM
Endrin ketone	< 3.9		1	µg/Kg-dry	SW8081	10/07/2006 4:15 AM
Endrin aldehyde	< 3.9		1	µg/Kg-dry	SW8081	10/07/2006 4:15 AM
alpha-Chlordane	< 2.0		1	µg/Kg-dry	SW8081	10/07/2006 4:15 AM
gamma-Chlordane	< 2.0		1	µg/Kg-dry	SW8081	10/07/2006 4:15 AM
Toxaphene	< 200		1	µg/Kg-dry	SW8081	10/07/2006 4:15 AM
Percent Moisture	14.4		1	wt%	D2216	09/29/2006 3:16 PM


Qualifiers: E - Value above quantitation range

D - Results for Dilution

D.F. = Dilution Factor

Date Reported : 10/11/2006

Page 16 of 37



Laboratory Manager

H2M LABS, INC.

575 Broad Hollow Road, Melville NY 11747
(631) 694-3040. FAX: (631) 420-8436 NYSDOH ID# 10478

LABORATORY RESULTS

Town of Oyster Bay

Lab No. : **0610391-017A**

Sample Information...

Type : Soil

Attn To :

Client ID. : B-3(0-2')

Origin:

Collected 9/27/2006 12:40:00 PM

Received 9/27/2006 4:31:00 PM

Collected By : VG03

Copy : Original

CC

<u>Parameter(s)</u>	<u>Results</u>	<u>Qualifier</u>	<u>D.F.</u>	<u>Units</u>	<u>Method Number</u>	<u>Analyzed</u>
alpha-BHC	< 1.9		1	µg/Kg-dry	SW8081	10/07/2006 4:45 AM
beta-BHC	< 1.9		1	µg/Kg-dry	SW8081	10/07/2006 4:45 AM
delta-BHC	< 1.9		1	µg/Kg-dry	SW8081	10/07/2006 4:45 AM
gamma-BHC	< 1.9		1	µg/Kg-dry	SW8081	10/07/2006 4:45 AM
Heptachlor	< 1.9		1	µg/Kg-dry	SW8081	10/07/2006 4:45 AM
Aldrin	< 1.9		1	µg/Kg-dry	SW8081	10/07/2006 4:45 AM
Heptachlor epoxide	< 1.9		1	µg/Kg-dry	SW8081	10/07/2006 4:45 AM
Endosulfan I	< 1.9		1	µg/Kg-dry	SW8081	10/07/2006 4:45 AM
Dieldrin	< 3.7		1	µg/Kg-dry	SW8081	10/07/2006 4:45 AM
4,4'-DDE	5.6		1	µg/Kg-dry	SW8081	10/07/2006 4:45 AM
Endrin	< 3.7		1	µg/Kg-dry	SW8081	10/07/2006 4:45 AM
Endosulfan II	< 3.7		1	µg/Kg-dry	SW8081	10/07/2006 4:45 AM
4,4'-DDD	< 3.7		1	µg/Kg-dry	SW8081	10/07/2006 4:45 AM
Endosulfan sulfate	< 3.7		1	µg/Kg-dry	SW8081	10/07/2006 4:45 AM
4,4'-DDT	< 3.7		1	µg/Kg-dry	SW8081	10/07/2006 4:45 AM
Methoxychlor	< 19		1	µg/Kg-dry	SW8081	10/07/2006 4:45 AM
Endrin ketone	< 3.7		1	µg/Kg-dry	SW8081	10/07/2006 4:45 AM
Endrin aldehyde	< 3.7		1	µg/Kg-dry	SW8081	10/07/2006 4:45 AM
alpha-Chlordane	< 1.9		1	µg/Kg-dry	SW8081	10/07/2006 4:45 AM
gamma-Chlordane	< 1.9		1	µg/Kg-dry	SW8081	10/07/2006 4:45 AM
Toxaphene	< 190		1	µg/Kg-dry	SW8081	10/07/2006 4:45 AM
Percent Moisture	9.8		1	wt%	D2216	09/29/2006 3:17 PM


Qualifiers: E - Value above quantitation range

D - Results for Dilution

D.F. = Dilution Factor

Date Reported : 10/11/2006

Laboratory Manager



H2M LABS, INC.

575 Broad Hollow Road, Melville NY 11747
(631)694-3040 . FAX: (631) 420-8436 NYSDOH ID# 10478

LABORATORY RESULTS

Sample Information...

Town of Oyster Bay

Lab No. : **0610391-018A**

Type : Soil

Attn To :

Client ID. : C-1(0-2')

Origin:

Collected 9/27/2006 12:50:00 PM

Received 9/27/2006 4:31:00 PM

Collected By : VG03

Copy : **Original**

CC

<u>Parameter(s)</u>	<u>Results</u>	<u>Qualifier</u>	<u>D.F.</u>	<u>Units</u>	<u>Method Number</u>	<u>Analyzed</u>
alpha-BHC	< 1.8		1	µg/Kg-dry	SW8081	10/07/2006 5:16 AM
beta-BHC	< 1.8		1	µg/Kg-dry	SW8081	10/07/2006 5:16 AM
delta-BHC	< 1.8		1	µg/Kg-dry	SW8081	10/07/2006 5:16 AM
gamma-BHC	< 1.8		1	µg/Kg-dry	SW8081	10/07/2006 5:16 AM
Heptachlor	< 1.8		1	µg/Kg-dry	SW8081	10/07/2006 5:16 AM
Aldrin	< 1.8		1	µg/Kg-dry	SW8081	10/07/2006 5:16 AM
Heptachlor epoxide	< 1.8		1	µg/Kg-dry	SW8081	10/07/2006 5:16 AM
Endosulfan I	< 1.8		1	µg/Kg-dry	SW8081	10/07/2006 5:16 AM
Dieldrin	< 3.6		1	µg/Kg-dry	SW8081	10/07/2006 5:16 AM
4,4'-DDE	37		1	µg/Kg-dry	SW8081	10/07/2006 5:16 AM
Endrin	< 3.6		1	µg/Kg-dry	SW8081	10/07/2006 5:16 AM
Endosulfan II	< 3.6		1	µg/Kg-dry	SW8081	10/07/2006 5:16 AM
4,4'-DDD	< 3.6		1	µg/Kg-dry	SW8081	10/07/2006 5:16 AM
Endosulfan sulfate	< 3.6		1	µg/Kg-dry	SW8081	10/07/2006 5:16 AM
4,4'-DDT	14		1	µg/Kg-dry	SW8081	10/07/2006 5:16 AM
Methoxychlor	< 18		1	µg/Kg-dry	SW8081	10/07/2006 5:16 AM
Endrin ketone	< 3.6		1	µg/Kg-dry	SW8081	10/07/2006 5:16 AM
Endrin aldehyde	< 3.6		1	µg/Kg-dry	SW8081	10/07/2006 5:16 AM
alpha-Chlordane	< 1.8		1	µg/Kg-dry	SW8081	10/07/2006 5:16 AM
gamma-Chlordane	3.0		1	µg/Kg-dry	SW8081	10/07/2006 5:16 AM
Toxaphene	< 180		1	µg/Kg-dry	SW8081	10/07/2006 5:16 AM
Percent Moisture	7.6		1	wt%	D2216	09/29/2006 3:18 PM


Qualifiers: E - Value above quantitation range

D - Results for Dilution

D.F. = Dilution Factor

Date Reported : 10/11/2006

Laboratory Manager



H2M LABS, INC.

575 Broad Hollow Road, Melville NY 11747
(631) 694-3040. FAX: (631) 420-8436 NYSDOHID# 10478

LABORATORY RESULTS

Town of Oyster Bay

Lab No. : **0610391-019A**

Sample Information...

Type : Soil

Attn To :

Client ID. : C-2(4-6')

Origin:

Collected 9/27/2006 1:00:00 PM

Received 9/27/2006 4:31:00 PM

Collected By : VG03

Copy : Original

CC

Parameter(s)	Results	Qualifier	D.F.	Units	Method Number	Analyzed
alpha-BHC	< 1.7		1	µg/Kg-dry	SW8081	10/07/2006 5:47 AM
beta-BHC	< 1.7		1	µg/Kg-dry	SW8081	10/07/2006 5:47 AM
delta-BHC	< 1.7		1	µg/Kg-dry	SW8081	10/07/2006 5:47 AM
gamma-BHC	< 1.7		1	µg/Kg-dry	SW8081	10/07/2006 5:47 AM
Heptachlor	< 1.7		1	µg/Kg-dry	SW8081	10/07/2006 5:47 AM
Aldrin	< 1.7		1	µg/Kg-dry	SW8081	10/07/2006 5:47 AM
Heptachlor epoxide	< 1.7		1	µg/Kg-dry	SW8081	10/07/2006 5:47 AM
Endosulfan I	< 1.7		1	µg/Kg-dry	SW8081	10/07/2006 5:47 AM
Dieldrin	< 3.4		1	µg/Kg-dry	SW8081	10/07/2006 5:47 AM
4,4'-DDE	< 3.4		1	µg/Kg-dry	SW8081	10/07/2006 5:47 AM
Endrin	< 3.4		1	µg/Kg-dry	SW8081	10/07/2006 5:47 AM
Endosulfan II	< 3.4		1	µg/Kg-dry	SW8081	10/07/2006 5:47 AM
4,4'-DDD	< 3.4		1	µg/Kg-dry	SW8081	10/07/2006 5:47 AM
Endosulfan sulfate	< 3.4		1	µg/Kg-dry	SW8081	10/07/2006 5:47 AM
4,4'-DDT	< 3.4		1	µg/Kg-dry	SW8081	10/07/2006 5:47 AM
Methoxychlor	< 17		1	µg/Kg-dry	SW8081	10/07/2006 5:47 AM
Endrin ketone	< 3.4		1	µg/Kg-dry	SW8081	10/07/2006 5:47 AM
Endrin aldehyde	< 3.4		1	µg/Kg-dry	SW8081	10/07/2006 5:47 AM
alpha-Chlordane	< 1.7		1	µg/Kg-dry	SW8081	10/07/2006 5:47 AM
gamma-Chlordane	< 1.7		1	µg/Kg-dry	SW8081	10/07/2006 5:47 AM
Toxaphene	< 170		1	µg/Kg-dry	SW8081	10/07/2006 5:47 AM
Percent Moisture	2.6		1	wt%	D2216	09/29/2006 3:20 PM


Qualifiers: E - Value above quantitation range

D - Results for Dilution

D.F. = Dilution Factor

Date Reported : 10/11/2006

Page 19 of 37



Laboratory Manager

H2M LABS, INC.

575 Broad Hollow Road, Melville NY 11747
(631) 694-3040. FAX: (631) 420-8436 NYSDOH ID# 10478

LABORATORY RESULTS

Town of Oyster Bay

Lab No. : **0610391-020A**

Sample Information...

Type : Soil

Attn To :

Client ID. : C-4(6')

Origin:

Collected 9/27/2006 1:10:00 PM

Received 9/27/2006 4:31:00 PM

Collected By : VG03

Copy : Original

CC

<u>Parameter(s)</u>	<u>Results</u>	<u>Qualifier</u>	<u>D.F.</u>	<u>Units</u>	<u>Method Number</u>	<u>Analyzed</u>
alpha-BHC	< 1.9		1	µg/Kg-dry	SW8081	10/10/2006 12:17 PM
beta-BHC	< 1.9		1	µg/Kg-dry	SW8081	10/10/2006 12:17 PM
delta-BHC	< 1.9		1	µg/Kg-dry	SW8081	10/10/2006 12:17 PM
gamma-BHC	< 1.9		1	µg/Kg-dry	SW8081	10/10/2006 12:17 PM
Heptachlor	2.2		1	µg/Kg-dry	SW8081	10/10/2006 12:17 PM
Aldrin	< 1.9		1	µg/Kg-dry	SW8081	10/10/2006 12:17 PM
Heptachlor epoxide	< 1.9		1	µg/Kg-dry	SW8081	10/10/2006 12:17 PM
Endosulfan I	< 1.9		1	µg/Kg-dry	SW8081	10/10/2006 12:17 PM
Dieldrin	< 3.7		1	µg/Kg-dry	SW8081	10/10/2006 12:17 PM
4,4'-DDE	4.0		1	µg/Kg-dry	SW8081	10/10/2006 12:17 PM
Endrin	< 3.7		1	µg/Kg-dry	SW8081	10/10/2006 12:17 PM
Endosulfan II	< 3.7		1	µg/Kg-dry	SW8081	10/10/2006 12:17 PM
4,4'-DDD	< 3.7		1	µg/Kg-dry	SW8081	10/10/2006 12:17 PM
Endosulfan sulfate	< 3.7		1	µg/Kg-dry	SW8081	10/10/2006 12:17 PM
4,4'-DDT	< 3.7		1	µg/Kg-dry	SW8081	10/10/2006 12:17 PM
Methoxychlor	< 19		1	µg/Kg-dry	SW8081	10/10/2006 12:17 PM
Endrin ketone	< 3.7		1	µg/Kg-dry	SW8081	10/10/2006 12:17 PM
Endrin aldehyde	< 3.7		1	µg/Kg-dry	SW8081	10/10/2006 12:17 PM
alpha-Chlordane	< 1.9		1	µg/Kg-dry	SW8081	10/10/2006 12:17 PM
gamma-Chlordane	< 1.9		1	µg/Kg-dry	SW8081	10/10/2006 12:17 PM
Toxaphene	< 190		1	µg/Kg-dry	SW8081	10/10/2006 12:17 PM
Percent Moisture	9.7		1	wt%	D2216	09/29/2006 3:21 PM

Qualifiers: E - Value above quantitation range


D - Results for Dilution

D.F. = Dilution Factor

Date Reported : 10/11/2006

Page 20 of 37

Laboratory Manager



H2M LABS, INC.

575 Broad Hollow Road, Melville NY 11747
(631) 694-3040 . FAX: (631) 420-8436 NYSDOH ID# 10478

LABORATORY RESULTS

Town of Oyster Bay

Lab No. : **0610391-021A**

Sample Information...

Type : Soil

Attn To :

Origin:

Client ID. : C-6(0-2')

Collected 9/27/2006 9:30:00 AM

Received 9/27/2006 4:31:00 PM

Collected By : VG03

Copy : Original

CC


Parameter(s)	Results	Qualifier	D.F.	Units	Method Number	Analyzed
alpha-BHC	< 1.8		1	µg/Kg-dry	SW8081	10/07/2006 3:45 PM
beta-BHC	< 1.8		1	µg/Kg-dry	SW8081	10/07/2006 3:45 PM
delta-BHC	< 1.8		1	µg/Kg-dry	SW8081	10/07/2006 3:45 PM
gamma-BHC	< 1.8		1	µg/Kg-dry	SW8081	10/07/2006 3:45 PM
Heptachlor	< 1.8		1	µg/Kg-dry	SW8081	10/07/2006 3:45 PM
Aldrin	< 1.8		1	µg/Kg-dry	SW8081	10/07/2006 3:45 PM
Heptachlor epoxide	< 1.8		1	µg/Kg-dry	SW8081	10/07/2006 3:45 PM
Endosulfan I	< 1.8		1	µg/Kg-dry	SW8081	10/07/2006 3:45 PM
Dieldrin	< 3.5		1	µg/Kg-dry	SW8081	10/07/2006 3:45 PM
4,4'-DDE	3.6		1	µg/Kg-dry	SW8081	10/07/2006 3:45 PM
Endrin	< 3.5		1	µg/Kg-dry	SW8081	10/07/2006 3:45 PM
Endosulfan II	< 3.5		1	µg/Kg-dry	SW8081	10/07/2006 3:45 PM
4,4'-DDD	< 3.5		1	µg/Kg-dry	SW8081	10/07/2006 3:45 PM
Endosulfan sulfate	< 3.5		1	µg/Kg-dry	SW8081	10/07/2006 3:45 PM
4,4'-DDT	4.7		1	µg/Kg-dry	SW8081	10/07/2006 3:45 PM
Methoxychlor	< 18		1	µg/Kg-dry	SW8081	10/07/2006 3:45 PM
Endrin ketone	< 3.5		1	µg/Kg-dry	SW8081	10/07/2006 3:45 PM
Endrin aldehyde	< 3.5		1	µg/Kg-dry	SW8081	10/07/2006 3:45 PM
alpha-Chlordane	< 1.8		1	µg/Kg-dry	SW8081	10/07/2006 3:45 PM
gamma-Chlordane	2.4		1	µg/Kg-dry	SW8081	10/07/2006 3:45 PM
Toxaphene	< 180		1	µg/Kg-dry	SW8081	10/07/2006 3:45 PM
Percent Moisture	4.8		1	wt%	D2216	09/29/2006 3:22 PM

Qualifiers: E - Value above quantitation range

D - Results for Dilution

D.F. = Dilution Factor

Date Reported : 10/11/2006



H2M LABS, INC.

575 Broad Hollow Road, Melville NY 11747
(631) 694-3040 . FAX: (631) 420-8436 NYSDOH ID# 10478

LABORATORY RESULTS

Town of Oyster Bay

Lab No. : **0610391-022A**

Sample Information...

Type : Soil

Attn To :

Client ID. : C-7(6-8')

Origin:

Collected 9/27/2006 9:40:00 AM

Received 9/27/2006 4:31:00 PM

Collected By : VG03

Copy : **Original**

CC

<u>Parameter(s)</u>	<u>Results</u>	<u>Qualifier</u>	<u>D.F.</u>	<u>Units</u>	<u>Method Number</u>	<u>Analyzed</u>
alpha-BHC	< 1.9		1	µg/Kg-dry	SW8081	10/07/2006 4:15 PM
beta-BHC	< 1.9		1	µg/Kg-dry	SW8081	10/07/2006 4:15 PM
delta-BHC	< 1.9		1	µg/Kg-dry	SW8081	10/07/2006 4:15 PM
gamma-BHC	< 1.9		1	µg/Kg-dry	SW8081	10/07/2006 4:15 PM
Heptachlor	4.1		1	µg/Kg-dry	SW8081	10/07/2006 4:15 PM
Aldrin	< 1.9		1	µg/Kg-dry	SW8081	10/07/2006 4:15 PM
Heptachlor epoxide	< 1.9		1	µg/Kg-dry	SW8081	10/07/2006 4:15 PM
Endosulfan I	< 1.9		1	µg/Kg-dry	SW8081	10/07/2006 4:15 PM
Dieldrin	< 3.7		1	µg/Kg-dry	SW8081	10/07/2006 4:15 PM
4,4'-DDE	8.8		1	µg/Kg-dry	SW8081	10/07/2006 4:15 PM
Endrin	< 3.7		1	µg/Kg-dry	SW8081	10/07/2006 4:15 PM
Endosulfan II	< 3.7		1	µg/Kg-dry	SW8081	10/07/2006 4:15 PM
4,4'-DDD	< 3.7		1	µg/Kg-dry	SW8081	10/07/2006 4:15 PM
Endosulfan sulfate	< 3.7		1	µg/Kg-dry	SW8081	10/07/2006 4:15 PM
4,4'-DDT	13		1	µg/Kg-dry	SW8081	10/07/2006 4:15 PM
Methoxychlor	< 19		1	µg/Kg-dry	SW8081	10/07/2006 4:15 PM
Endrin ketone	< 3.7		1	µg/Kg-dry	SW8081	10/07/2006 4:15 PM
Endrin aldehyde	< 3.7		1	µg/Kg-dry	SW8081	10/07/2006 4:15 PM
alpha-Chlordane	< 1.9		1	µg/Kg-dry	SW8081	10/07/2006 4:15 PM
gamma-Chlordane	3.2		1	µg/Kg-dry	SW8081	10/07/2006 4:15 PM
Toxaphene	< 190		1	µg/Kg-dry	SW8081	10/07/2006 4:15 PM
Percent Moisture	10		1	wt%	D2216	09/29/2006 3:23 PM


Qualifiers: E - Value above quantitation range

D - Results for Dilution

D.F. = Dilution Factor

Date Reported : 10/11/2006

Page 22 of 37



Laboratory Manager

H2M LABS, INC.

575 Broad Hollow Road, Melville NY 11747
(631) 694-3040. FAX: (631) 420-8436 NYSDOH ID# 10478

LABORATORY RESULTS

Town of Oyster Bay

Lab No. : **0610391-023A**

Sample Information...

Type : Soil

Attn To :

Client ID. : D-6(4-6')

Origin:

Collected 9/27/2006 9:50:00 AM

Received 9/27/2006 4:31:00 PM

Collected By : VG03

Copy : Original

CC

Parameter(s)	Results	Qualifier	D.F.	Units	Method Number	Analyzed
alpha-BHC	< 1.8		1	µg/Kg-dry	SW8081	10/07/2006 4:46 PM
beta-BHC	< 1.8		1	µg/Kg-dry	SW8081	10/07/2006 4:46 PM
delta-BHC	< 1.8		1	µg/Kg-dry	SW8081	10/07/2006 4:46 PM
gamma-BHC	< 1.8		1	µg/Kg-dry	SW8081	10/07/2006 4:46 PM
Heptachlor	< 1.8		1	µg/Kg-dry	SW8081	10/07/2006 4:46 PM
Aldrin	< 1.8		1	µg/Kg-dry	SW8081	10/07/2006 4:46 PM
Heptachlor epoxide	< 1.8		1	µg/Kg-dry	SW8081	10/07/2006 4:46 PM
Endosulfan I	< 1.8		1	µg/Kg-dry	SW8081	10/07/2006 4:46 PM
Dieldrin	< 3.5		1	µg/Kg-dry	SW8081	10/07/2006 4:46 PM
4,4'-DDE	96	D	5	µg/Kg-dry	SW8081	10/10/2006 6:09 AM
Endrin	< 3.5		1	µg/Kg-dry	SW8081	10/07/2006 4:46 PM
Endosulfan II	< 3.5		1	µg/Kg-dry	SW8081	10/07/2006 4:46 PM
4,4'-DDD	9.0		1	µg/Kg-dry	SW8081	10/07/2006 4:46 PM
Endosulfan sulfate	< 3.5		1	µg/Kg-dry	SW8081	10/07/2006 4:46 PM
4,4'-DDT	180	D	5	µg/Kg-dry	SW8081	10/10/2006 6:09 AM
Methoxychlor	< 18		1	µg/Kg-dry	SW8081	10/07/2006 4:46 PM
Endrin ketone	< 3.5		1	µg/Kg-dry	SW8081	10/07/2006 4:46 PM
Endrin aldehyde	< 3.5		1	µg/Kg-dry	SW8081	10/07/2006 4:46 PM
alpha-Chlordane	2.8		1	µg/Kg-dry	SW8081	10/07/2006 4:46 PM
gamma-Chlordane	3.9		1	µg/Kg-dry	SW8081	10/07/2006 4:46 PM
Toxaphene	< 180		1	µg/Kg-dry	SW8081	10/07/2006 4:46 PM
Percent Moisture	4.6		1	wt%	D2216	09/29/2006 3:24 PM


Qualifiers: E - Value above quantitation range

D - Results for Dilution

D.F. = Dilution Factor

Date Reported : 10/11/2006

Page 23 of 37



Laboratory Manager

H2M LABS, INC.

575 Broad Hollow Road, Melville NY 11747
(631) 694-3040 . FAX: (631) 420-8436 NYSDOH ID# 10478

LABORATORY RESULTS

Town of Oyster Bay

Lab No. : **0610391-024A**

Sample Information...

Type : Soil

Attn To :

Client ID. : D-5(0-2')

Origin:

Collected 9/27/2006 10:10:00 AM

Received 9/27/2006 4:31:00 PM

Collected By : VG03

Copy : Original

CC


Parameter(s)	Results	Qualifier	D.F.	Units	Method Number	Analyzed
alpha-BHC	< 1.8		1	µg/Kg-dry	SW8081	10/07/2006 5:16 PM
beta-BHC	< 1.8		1	µg/Kg-dry	SW8081	10/07/2006 5:16 PM
delta-BHC	< 1.8		1	µg/Kg-dry	SW8081	10/07/2006 5:16 PM
gamma-BHC	2.9		1	µg/Kg-dry	SW8081	10/07/2006 5:16 PM
Heptachlor	5.8		1	µg/Kg-dry	SW8081	10/07/2006 5:16 PM
Aldrin	< 1.8		1	µg/Kg-dry	SW8081	10/07/2006 5:16 PM
Heptachlor epoxide	< 1.8		1	µg/Kg-dry	SW8081	10/07/2006 5:16 PM
Endosulfan I	< 1.8		1	µg/Kg-dry	SW8081	10/07/2006 5:16 PM
Dieldrin	4.0		1	µg/Kg-dry	SW8081	10/07/2006 5:16 PM
4,4'-DDE	12		1	µg/Kg-dry	SW8081	10/07/2006 5:16 PM
Endrin	< 3.4		1	µg/Kg-dry	SW8081	10/07/2006 5:16 PM
Endosulfan II	< 3.4		1	µg/Kg-dry	SW8081	10/07/2006 5:16 PM
4,4'-DDD	10		1	µg/Kg-dry	SW8081	10/07/2006 5:16 PM
Endosulfan sulfate	< 3.4		1	µg/Kg-dry	SW8081	10/07/2006 5:16 PM
4,4'-DDT	14		1	µg/Kg-dry	SW8081	10/07/2006 5:16 PM
Methoxychlor	< 18		1	µg/Kg-dry	SW8081	10/07/2006 5:16 PM
Endrin ketone	< 3.4		1	µg/Kg-dry	SW8081	10/07/2006 5:16 PM
Endrin aldehyde	< 3.4		1	µg/Kg-dry	SW8081	10/07/2006 5:16 PM
alpha-Chlordane	< 1.8		1	µg/Kg-dry	SW8081	10/07/2006 5:16 PM
gamma-Chlordane	5.4		1	µg/Kg-dry	SW8081	10/07/2006 5:16 PM
Toxaphene	< 180		1	µg/Kg-dry	SW8081	10/07/2006 5:16 PM
Percent Moisture	2.9		1	wt%	D2216	09/29/2006 3:25 PM

Qualifiers: E - Value above quantitation range

D - Results for Dilution

D.F. = Dilution Factor

Date Reported : 10/11/2006



H2M LABS, INC.

575 Broad Hollow Road, Melville NY 11747
(631) 694-3040 . FAX: (631) 420-8436 NYSDOH ID# 10478

LABORATORY RESULTS

Town of Oyster Bay

Lab No. : **0610391-025A**

Sample Information...

Type : Soil

Attn To :

Client ID. : D-4(2-4')

Origin:

Collected 9/27/2006 10:20:00 AM

Received 9/27/2006 4:31:00 PM

Collected By : VG03

Copy : Original

CC

<u>Parameter(s)</u>	<u>Results</u>	<u>Qualifier</u>	<u>D.F.</u>	<u>Units</u>	<u>Method Number</u>	<u>Analyzed</u>
alpha-BHC	< 1.8		1	µg/Kg-dry	SW8081	10/10/2006 10:45 AM
beta-BHC	< 1.8		1	µg/Kg-dry	SW8081	10/10/2006 10:45 AM
delta-BHC	< 1.8		1	µg/Kg-dry	SW8081	10/10/2006 10:45 AM
gamma-BHC	< 1.8		1	µg/Kg-dry	SW8081	10/10/2006 10:45 AM
Heptachlor	< 1.8		1	µg/Kg-dry	SW8081	10/10/2006 10:45 AM
Aldrin	< 1.8		1	µg/Kg-dry	SW8081	10/10/2006 10:45 AM
Heptachlor epoxide	< 1.8		1	µg/Kg-dry	SW8081	10/10/2006 10:45 AM
Endosulfan I	< 1.8		1	µg/Kg-dry	SW8081	10/10/2006 10:45 AM
Dieldrin	< 3.5		1	µg/Kg-dry	SW8081	10/10/2006 10:45 AM
4,4'-DDE	4.9		1	µg/Kg-dry	SW8081	10/10/2006 10:45 AM
Endrin	< 3.5		1	µg/Kg-dry	SW8081	10/10/2006 10:45 AM
Endosulfan II	< 3.5		1	µg/Kg-dry	SW8081	10/10/2006 10:45 AM
4,4'-DDD	< 3.5		1	µg/Kg-dry	SW8081	10/10/2006 10:45 AM
Endosulfan sulfate	< 3.5		1	µg/Kg-dry	SW8081	10/10/2006 10:45 AM
4,4'-DDT	< 3.5		1	µg/Kg-dry	SW8081	10/10/2006 10:45 AM
Methoxychlor	< 18		1	µg/Kg-dry	SW8081	10/10/2006 10:45 AM
Endrin ketone	< 3.5		1	µg/Kg-dry	SW8081	10/10/2006 10:45 AM
Endrin aldehyde	< 3.5		1	µg/Kg-dry	SW8081	10/10/2006 10:45 AM
alpha-Chlordane	< 1.8		1	µg/Kg-dry	SW8081	10/10/2006 10:45 AM
gamma-Chlordane	< 1.8		1	µg/Kg-dry	SW8081	10/10/2006 10:45 AM
Toxaphene	< 180		1	µg/Kg-dry	SW8081	10/10/2006 10:45 AM
Percent Moisture	6.3		1	wt%	D2216	09/29/2006 3:26 PM

Qualifiers: E - Value above quantitation range


D - Results for Dilution

D.F. = Dilution Factor

Date Reported : 10/11/2006

Page 25 of 37

Laboratory Manager



H2M LABS, INC.

575 Broad Hollow Road, Melville NY 11747
(631) 694-3040. FAX: (631) 420-8436 NYSDOH ID# 10478

LABORATORY RESULTS

Sample Information...

Town of Oyster Bay

Lab No. : **0610391-026A**

Type : Soil

Attn To :

Client ID. : D-3(0-2')

Origin:

Collected 9/27/2006 10:30:00 AM

Received 9/27/2006 4:31:00 PM

Collected By : VG03

Copy : Original

CC

Parameter(s)	Results	Qualifier	D.F.	Units	Method Number	Analyzed
alpha-BHC	< 1.8		1	µg/Kg-dry	SW8081	10/07/2006 6:18 PM
beta-BHC	< 1.8		1	µg/Kg-dry	SW8081	10/07/2006 6:18 PM
delta-BHC	< 1.8		1	µg/Kg-dry	SW8081	10/07/2006 6:18 PM
gamma-BHC	< 1.8		1	µg/Kg-dry	SW8081	10/07/2006 6:18 PM
Heptachlor	2.2		1	µg/Kg-dry	SW8081	10/07/2006 6:18 PM
Aldrin	< 1.8		1	µg/Kg-dry	SW8081	10/07/2006 6:18 PM
Heptachlor epoxide	< 1.8		1	µg/Kg-dry	SW8081	10/07/2006 6:18 PM
Endosulfan I	< 1.8		1	µg/Kg-dry	SW8081	10/07/2006 6:18 PM
Dieldrin	< 3.5		1	µg/Kg-dry	SW8081	10/07/2006 6:18 PM
4,4'-DDE	26		1	µg/Kg-dry	SW8081	10/07/2006 6:18 PM
Endrin	< 3.5		1	µg/Kg-dry	SW8081	10/07/2006 6:18 PM
Endosulfan II	< 3.5		1	µg/Kg-dry	SW8081	10/07/2006 6:18 PM
4,4'-DDD	< 3.5		1	µg/Kg-dry	SW8081	10/07/2006 6:18 PM
Endosulfan sulfate	< 3.5		1	µg/Kg-dry	SW8081	10/07/2006 6:18 PM
4,4'-DDT	33		1	µg/Kg-dry	SW8081	10/07/2006 6:18 PM
Methoxychlor	< 18		1	µg/Kg-dry	SW8081	10/07/2006 6:18 PM
Endrin ketone	< 3.5		1	µg/Kg-dry	SW8081	10/07/2006 6:18 PM
Endrin aldehyde	< 3.5		1	µg/Kg-dry	SW8081	10/07/2006 6:18 PM
alpha-Chlordane	2.2		1	µg/Kg-dry	SW8081	10/07/2006 6:18 PM
gamma-Chlordane	1.8		1	µg/Kg-dry	SW8081	10/07/2006 6:18 PM
Toxaphene	< 180		1	µg/Kg-dry	SW8081	10/07/2006 6:18 PM
Percent Moisture	4.6		1	wt%	D2216	09/29/2006 3:27 PM


Qualifiers: E - Value above quantitation range

D - Results for Dilution

D.F. = Dilution Factor

Date Reported : 10/11/2006

Page 26 of 37



Laboratory Manager

H2M LABS, INC.

575 Broad Hollow Road, Melville NY 11747
(631) 694-3040 . FAX: (631) 420-8436 NYSDOH ID# 10478

LABORATORY RESULTS

Town of Oyster Bay

Lab No. : **0610391-027A**

Sample Information...

Type : Soil

Attn To :

Client ID. : D-2(4-6')

Origin:

Collected 9/27/2006 10:40:00 AM

Received 9/27/2006 4:31:00 PM

Collected By : VG03

Copy : Original

CC

<u>Parameter(s)</u>	<u>Results</u>	<u>Qualifier</u>	<u>D.F.</u>	<u>Units</u>	<u>Method Number</u>	<u>Analyzed</u>
alpha-BHC	< 1.8		1	µg/Kg-dry	SW8081	10/07/2006 6:44 PM
beta-BHC	< 1.8		1	µg/Kg-dry	SW8081	10/07/2006 6:44 PM
delta-BHC	< 1.8		1	µg/Kg-dry	SW8081	10/07/2006 6:44 PM
gamma-BHC	< 1.8		1	µg/Kg-dry	SW8081	10/07/2006 6:44 PM
Heptachlor	< 1.8		1	µg/Kg-dry	SW8081	10/07/2006 6:44 PM
Aldrin	< 1.8		1	µg/Kg-dry	SW8081	10/07/2006 6:44 PM
Heptachlor epoxide	< 1.8		1	µg/Kg-dry	SW8081	10/07/2006 6:44 PM
Endosulfan I	< 1.8		1	µg/Kg-dry	SW8081	10/07/2006 6:44 PM
Dieldrin	< 3.5		1	µg/Kg-dry	SW8081	10/07/2006 6:44 PM
4,4'-DDE	8.0		1	µg/Kg-dry	SW8081	10/07/2006 6:44 PM
Endrin	< 3.5		1	µg/Kg-dry	SW8081	10/07/2006 6:44 PM
Endosulfan II	< 3.5		1	µg/Kg-dry	SW8081	10/07/2006 6:44 PM
4,4'-DDD	< 3.5		1	µg/Kg-dry	SW8081	10/07/2006 6:44 PM
Endosulfan sulfate	< 3.5		1	µg/Kg-dry	SW8081	10/07/2006 6:44 PM
4,4'-DDT	8.3		1	µg/Kg-dry	SW8081	10/07/2006 6:44 PM
Methoxychlor	< 18		1	µg/Kg-dry	SW8081	10/07/2006 6:44 PM
Endrin ketone	< 3.5		1	µg/Kg-dry	SW8081	10/07/2006 6:44 PM
Endrin aldehyde	< 3.5		1	µg/Kg-dry	SW8081	10/07/2006 6:44 PM
alpha-Chlordane	< 1.8		1	µg/Kg-dry	SW8081	10/07/2006 6:44 PM
gamma-Chlordane	< 1.8		1	µg/Kg-dry	SW8081	10/07/2006 6:44 PM
Toxaphene	< 180		1	µg/Kg-dry	SW8081	10/07/2006 6:44 PM
Percent Moisture	5.1		1	wt%	D2216	09/29/2006 3:28 PM


Qualifiers: E - Value above quantitation range

D - Results for Dilution

D.F. = Dilution Factor

Date Reported : 10/11/2006

Page 27 of 37



Laboratory Manager

H2M LABS, INC.

575 Broad Hollow Road, Melville NY 11747
(631) 694-3040. FAX: (631) 420-8436 NYSDOH ID# 10478

LABORATORY RESULTS

Town of Oyster Bay

Lab No. : **0610391-028A**

Sample Information...

Type : Soil

Attn To :

Client ID. : E-2(4-6')

Origin:

Collected 9/27/2006 10:50:00 AM

Received 9/27/2006 4:31:00 PM

Collected By : VG03

Copy : Original

CC

Parameter(s)	Results	Qualifier	D.F.	Units	Method Number	Analyzed
alpha-BHC	< 1.8		1	µg/Kg-dry	SW8081	10/10/2006 11:15 AM
beta-BHC	2.3		1	µg/Kg-dry	SW8081	10/10/2006 11:15 AM
delta-BHC	< 1.8		1	µg/Kg-dry	SW8081	10/10/2006 11:15 AM
gamma-BHC	6.3		1	µg/Kg-dry	SW8081	10/10/2006 11:15 AM
Heptachlor	< 1.8		1	µg/Kg-dry	SW8081	10/10/2006 11:15 AM
Aldrin	< 1.8		1	µg/Kg-dry	SW8081	10/10/2006 11:15 AM
Heptachlor epoxide	< 1.8		1	µg/Kg-dry	SW8081	10/10/2006 11:15 AM
Endosulfan I	< 1.8		1	µg/Kg-dry	SW8081	10/10/2006 11:15 AM
Dieldrin	5.0		1	µg/Kg-dry	SW8081	10/10/2006 11:15 AM
4,4'-DDE	55		1	µg/Kg-dry	SW8081	10/10/2006 11:15 AM
Endrin	< 3.6		1	µg/Kg-dry	SW8081	10/10/2006 11:15 AM
Endosulfan II	< 3.6		1	µg/Kg-dry	SW8081	10/10/2006 11:15 AM
4,4'-DDD	48		1	µg/Kg-dry	SW8081	10/10/2006 11:15 AM
Endosulfan sulfate	< 3.6		1	µg/Kg-dry	SW8081	10/10/2006 11:15 AM
4,4'-DDT	33		1	µg/Kg-dry	SW8081	10/10/2006 11:15 AM
Methoxychlor	< 18		1	µg/Kg-dry	SW8081	10/10/2006 11:15 AM
Endrin ketone	< 3.6		1	µg/Kg-dry	SW8081	10/10/2006 11:15 AM
Endrin aldehyde	< 3.6		1	µg/Kg-dry	SW8081	10/10/2006 11:15 AM
alpha-Chlordane	< 1.8		1	µg/Kg-dry	SW8081	10/10/2006 11:15 AM
gamma-Chlordane	3.6		1	µg/Kg-dry	SW8081	10/10/2006 11:15 AM
Toxaphene	< 180		1	µg/Kg-dry	SW8081	10/10/2006 11:15 AM
Percent Moisture	7.2		1	wt%	D2216	09/29/2006 3:30 PM


Qualifiers: E - Value above quantitation range

D - Results for Dilution

D.F. = Dilution Factor

Date Reported : 10/11/2006

Page 28 of 37



Laboratory Manager

H2M LABS, INC.

575 Broad Hollow Road, Melville NY 11747
(631) 694-3040. FAX: (631) 420-8436 NYSDOH ID# 10478

LABORATORY RESULTS

Town of Oyster Bay

Lab No. : **0610391-029A**

Sample Information...

Type : Soil

Attn To :

Client ID. : E-3(0-2')

Origin:

Collected 9/27/2006 11:00:00 AM

Received 9/27/2006 4:31:00 PM

Collected By : VG03

Copy : Original

CC

Parameter(s)	Results	Qualifier	D.F.	Units	Method Number	Analyzed
alpha-BHC	< 1.9		1	µg/Kg-dry	SW8081	10/10/2006 11:46 AM
beta-BHC	< 1.9		1	µg/Kg-dry	SW8081	10/10/2006 11:46 AM
delta-BHC	< 1.9		1	µg/Kg-dry	SW8081	10/10/2006 11:46 AM
gamma-BHC	< 1.9		1	µg/Kg-dry	SW8081	10/10/2006 11:46 AM
Heptachlor	3.9		1	µg/Kg-dry	SW8081	10/10/2006 11:46 AM
Aldrin	< 1.9		1	µg/Kg-dry	SW8081	10/10/2006 11:46 AM
Heptachlor epoxide	< 1.9		1	µg/Kg-dry	SW8081	10/10/2006 11:46 AM
Endosulfan I	< 1.9		1	µg/Kg-dry	SW8081	10/10/2006 11:46 AM
Dieldrin	< 3.8		1	µg/Kg-dry	SW8081	10/10/2006 11:46 AM
4,4'-DDE	21		1	µg/Kg-dry	SW8081	10/10/2006 11:46 AM
Endrin	< 3.8		1	µg/Kg-dry	SW8081	10/10/2006 11:46 AM
Endosulfan II	< 3.8		1	µg/Kg-dry	SW8081	10/10/2006 11:46 AM
4,4'-DDD	< 3.8		1	µg/Kg-dry	SW8081	10/10/2006 11:46 AM
Endosulfan sulfate	< 3.8		1	µg/Kg-dry	SW8081	10/10/2006 11:46 AM
4,4'-DDT	22		1	µg/Kg-dry	SW8081	10/10/2006 11:46 AM
Methoxychlor	< 19		1	µg/Kg-dry	SW8081	10/10/2006 11:46 AM
Endrin ketone	< 3.8		1	µg/Kg-dry	SW8081	10/10/2006 11:46 AM
Endrin aldehyde	< 3.8		1	µg/Kg-dry	SW8081	10/10/2006 11:46 AM
alpha-Chlordane	< 1.9		1	µg/Kg-dry	SW8081	10/10/2006 11:46 AM
gamma-Chlordane	7.8		1	µg/Kg-dry	SW8081	10/10/2006 11:46 AM
Toxaphene	< 190		1	µg/Kg-dry	SW8081	10/10/2006 11:46 AM
Percent Moisture	12.3		1	wt%	D2216	09/29/2006 3:31 PM

Qualifiers: E - Value above quantitation range


D - Results for Dilution

D.F. = Dilution Factor

Date Reported : 10/11/2006

Page 29 of 37

Laboratory Manager



H2M LABS, INC.

575 Broad Hollow Road, Melville NY 11747
(631)694-3040 .FAX: (631) 420-8436 NYSDOHID# 10478

LABORATORY RESULTS

Town of Oyster Bay

Lab No. : **0610391-030A**

Sample Information...

Type : Soil

Attn To :

Client ID. : E-4(2-4')

Origin:

Collected 9/27/2006 11:10:00 AM

Received 9/27/2006 4:31:00 PM

Collected By : VG03

Copy : Original

CC

Parameter(s)	Results	Qualifier	D.F.	Units	Method Number	Analyzed
alpha-BHC	< 1.9		1	µg/Kg-dry	SW8081	10/07/2006 8:15 PM
beta-BHC	< 1.9		1	µg/Kg-dry	SW8081	10/07/2006 8:15 PM
delta-BHC	< 1.9		1	µg/Kg-dry	SW8081	10/07/2006 8:15 PM
gamma-BHC	< 1.9		1	µg/Kg-dry	SW8081	10/07/2006 8:15 PM
Heptachlor	< 1.9		1	µg/Kg-dry	SW8081	10/07/2006 8:15 PM
Aldrin	< 1.9		1	µg/Kg-dry	SW8081	10/07/2006 8:15 PM
Heptachlor epoxide	< 1.9		1	µg/Kg-dry	SW8081	10/07/2006 8:15 PM
Endosulfan I	< 1.9		1	µg/Kg-dry	SW8081	10/07/2006 8:15 PM
Dieldrin	< 3.6		1	µg/Kg-dry	SW8081	10/07/2006 8:15 PM
4,4'-DDE	12		1	µg/Kg-dry	SW8081	10/07/2006 8:15 PM
Endrin	< 3.6		1	µg/Kg-dry	SW8081	10/07/2006 8:15 PM
Endosulfan II	< 3.6		1	µg/Kg-dry	SW8081	10/07/2006 8:15 PM
4,4'-DDD	< 3.6		1	µg/Kg-dry	SW8081	10/07/2006 8:15 PM
Endosulfan sulfate	< 3.6		1	µg/Kg-dry	SW8081	10/07/2006 8:15 PM
4,4'-DDT	11		1	µg/Kg-dry	SW8081	10/07/2006 8:15 PM
Methoxychlor	< 19		1	µg/Kg-dry	SW8081	10/07/2006 8:15 PM
Endrin ketone	< 3.6		1	µg/Kg-dry	SW8081	10/07/2006 8:15 PM
Endrin aldehyde	< 3.6		1	µg/Kg-dry	SW8081	10/07/2006 8:15 PM
alpha-Chlordane	< 1.9		1	µg/Kg-dry	SW8081	10/07/2006 8:15 PM
gamma-Chlordane	3.2		1	µg/Kg-dry	SW8081	10/07/2006 8:15 PM
Toxaphene	< 190		1	µg/Kg-dry	SW8081	10/07/2006 8:15 PM
Percent Moisture	8.7		1	wt%	D2216	09/29/2006 3:32 PM


Qualifiers: E - Value above quantitation range

D - Results for Dilution

D.F. = Dilution Factor

Date Reported : 10/11/2006

Laboratory Manager



H2M LABS, INC.

575 Broad Hollow Road, Melville NY 11747
(631) 694-3040 . FAX: (631) 420-8436 NYSDOH ID# 10478

LABORATORY RESULTS

Sample Information...

Town of Oyster Bay

Lab No. : **0610391-031A**

Type : Soil

Origin:

Attn To :

Client ID. : E-5(4-6')

Collected 9/27/2006 3:00:00 PM

Received 9/27/2006 4:31:00 PM

Collected By : VG03

Copy : **Original**

CC

<u>Parameter(s)</u>	<u>Results</u>	<u>Qualifier</u>	<u>D.F.</u>	<u>Units</u>	<u>Method Number</u>	<u>Analyzed</u>
alpha-BHC	< 1.8		1	µg/Kg-dry	SW8081	10/07/2006 8:46 PM
beta-BHC	< 1.8		1	µg/Kg-dry	SW8081	10/07/2006 8:46 PM
delta-BHC	< 1.8		1	µg/Kg-dry	SW8081	10/07/2006 8:46 PM
gamma-BHC	5.8		1	µg/Kg-dry	SW8081	10/07/2006 8:46 PM
Heptachlor	22		1	µg/Kg-dry	SW8081	10/07/2006 8:46 PM
Aldrin	< 1.8		1	µg/Kg-dry	SW8081	10/07/2006 8:46 PM
Heptachlor epoxide	< 1.8		1	µg/Kg-dry	SW8081	10/07/2006 8:46 PM
Endosulfan I	< 1.8		1	µg/Kg-dry	SW8081	10/07/2006 8:46 PM
Dieldrin	< 3.5		1	µg/Kg-dry	SW8081	10/07/2006 8:46 PM
4,4'-DDE	10		1	µg/Kg-dry	SW8081	10/07/2006 8:46 PM
Endrin	< 3.5		1	µg/Kg-dry	SW8081	10/07/2006 8:46 PM
Endosulfan II	< 3.5		1	µg/Kg-dry	SW8081	10/07/2006 8:46 PM
4,4'-DDD	4.6		1	µg/Kg-dry	SW8081	10/07/2006 8:46 PM
Endosulfan sulfate	< 3.5		1	µg/Kg-dry	SW8081	10/07/2006 8:46 PM
4,4'-DDT	9.1		1	µg/Kg-dry	SW8081	10/07/2006 8:46 PM
Methoxychlor	< 18		1	µg/Kg-dry	SW8081	10/07/2006 8:46 PM
Endrin ketone	< 3.5		1	µg/Kg-dry	SW8081	10/07/2006 8:46 PM
Endrin aldehyde	< 3.5		1	µg/Kg-dry	SW8081	10/07/2006 8:46 PM
alpha-Chlordane	< 1.8		1	µg/Kg-dry	SW8081	10/07/2006 8:46 PM
gamma-Chlordane	3.0		1	µg/Kg-dry	SW8081	10/07/2006 8:46 PM
Toxaphene	< 180		1	µg/Kg-dry	SW8081	10/07/2006 8:46 PM
Percent Moisture	5.4		1	wt%	D2216	09/29/2006 3:33 PM


Qualifiers: E - Value above quantitation range

D - Results for Dilution

D.F. = Dilution Factor

Date Reported : 10/11/2006

Page 31 of 37



Laboratory Manager

H2M LABS, INC.

575 Broad Hollow Road, Melville NY 11747
(631) 694-3040 . FAX: (631) 420-8436 NYSDOH ID# 10478

LABORATORY RESULTS

Town of Oyster Bay

Lab No. : **0610391-032A**

Sample Information...

Type : Soil

Attn To :

Client ID. : E-6(0-2')

Origin:

Collected 9/27/2006 3:10:00 PM

Received 9/27/2006 4:31:00 PM

Collected By : VG03

Copy : Original

CC

<u>Parameter(s)</u>	<u>Results</u>	<u>Qualifier</u>	<u>D.F.</u>	<u>Units</u>	<u>Method Number</u>	<u>Analyzed</u>
alpha-BHC	< 1.9		1	µg/Kg-dry	SW8081	10/07/2006 9:17 PM
beta-BHC	< 1.9		1	µg/Kg-dry	SW8081	10/07/2006 9:17 PM
delta-BHC	< 1.9		1	µg/Kg-dry	SW8081	10/07/2006 9:17 PM
gamma-BHC	< 1.9		1	µg/Kg-dry	SW8081	10/07/2006 9:17 PM
Heptachlor	< 1.9		1	µg/Kg-dry	SW8081	10/07/2006 9:17 PM
Aldrin	< 1.9		1	µg/Kg-dry	SW8081	10/07/2006 9:17 PM
Heptachlor epoxide	< 1.9		1	µg/Kg-dry	SW8081	10/07/2006 9:17 PM
Endosulfan I	< 1.9		1	µg/Kg-dry	SW8081	10/07/2006 9:17 PM
Dieldrin	< 3.7		1	µg/Kg-dry	SW8081	10/07/2006 9:17 PM
4,4'-DDE	22		1	µg/Kg-dry	SW8081	10/07/2006 9:17 PM
Endrin	< 3.7		1	µg/Kg-dry	SW8081	10/07/2006 9:17 PM
Endosulfan II	< 3.7		1	µg/Kg-dry	SW8081	10/07/2006 9:17 PM
4,4'-DDD	< 3.7		1	µg/Kg-dry	SW8081	10/07/2006 9:17 PM
Endosulfan sulfate	< 3.7		1	µg/Kg-dry	SW8081	10/07/2006 9:17 PM
4,4'-DDT	32		1	µg/Kg-dry	SW8081	10/07/2006 9:17 PM
Methoxychlor	< 19		1	µg/Kg-dry	SW8081	10/07/2006 9:17 PM
Endrin ketone	< 3.7		1	µg/Kg-dry	SW8081	10/07/2006 9:17 PM
Endrin aldehyde	< 3.7		1	µg/Kg-dry	SW8081	10/07/2006 9:17 PM
alpha-Chlordane	2.3		1	µg/Kg-dry	SW8081	10/07/2006 9:17 PM
gamma-Chlordane	3.6		1	µg/Kg-dry	SW8081	10/07/2006 9:17 PM
Toxaphene	< 190		1	µg/Kg-dry	SW8081	10/07/2006 9:17 PM
Percent Moisture	10.8		1	wt%	D2216	09/29/2006 3:34 PM


Qualifiers: E - Value above quantitation range

D - Results for Dilution

D.F. = Dilution Factor

Date Reported : 10/11/2006

Laboratory Manager



H2M LABS, INC.

575 Broad Hollow Road, Melville NY 11747
(631) 694-3040. FAX: (631) 420-8436 NYSDOH ID# 10478

LABORATORY RESULTS

Sample Information...

Town of Oyster Bay

Lab No. : **0610391-033A**

Type : Soil

Origin:

Attn To :

Client ID. : F-5(0-2')

Collected 9/27/2006 3:20:00 PM

Received 9/27/2006 4:31:00 PM

Collected By : VG03

Copy : Original

CC


<u>Parameter(s)</u>	<u>Results</u>	<u>Qualifier</u>	<u>D.F.</u>	<u>Units</u>	<u>Method Number</u>	<u>Analyzed</u>
alpha-BHC	< 1.9		1	µg/Kg-dry	SW8081	10/07/2006 9:47 PM
beta-BHC	< 1.9		1	µg/Kg-dry	SW8081	10/07/2006 9:47 PM
delta-BHC	< 1.9		1	µg/Kg-dry	SW8081	10/07/2006 9:47 PM
gamma-BHC	< 1.9		1	µg/Kg-dry	SW8081	10/07/2006 9:47 PM
Heptachlor	< 1.9		1	µg/Kg-dry	SW8081	10/07/2006 9:47 PM
Aldrin	< 1.9		1	µg/Kg-dry	SW8081	10/07/2006 9:47 PM
Heptachlor epoxide	< 1.9		1	µg/Kg-dry	SW8081	10/07/2006 9:47 PM
Endosulfan I	< 1.9		1	µg/Kg-dry	SW8081	10/07/2006 9:47 PM
Dieldrin	< 3.6		1	µg/Kg-dry	SW8081	10/07/2006 9:47 PM
4,4'-DDE	< 3.6		1	µg/Kg-dry	SW8081	10/07/2006 9:47 PM
Endrin	< 3.6		1	µg/Kg-dry	SW8081	10/07/2006 9:47 PM
Endosulfan II	< 3.6		1	µg/Kg-dry	SW8081	10/07/2006 9:47 PM
4,4'-DDD	< 3.6		1	µg/Kg-dry	SW8081	10/07/2006 9:47 PM
Endosulfan sulfate	< 3.6		1	µg/Kg-dry	SW8081	10/07/2006 9:47 PM
4,4'-DDT	< 3.6		1	µg/Kg-dry	SW8081	10/07/2006 9:47 PM
Methoxychlor	< 19		1	µg/Kg-dry	SW8081	10/07/2006 9:47 PM
Endrin ketone	< 3.6		1	µg/Kg-dry	SW8081	10/07/2006 9:47 PM
Endrin aldehyde	< 3.6		1	µg/Kg-dry	SW8081	10/07/2006 9:47 PM
alpha-Chlordane	< 1.9		1	µg/Kg-dry	SW8081	10/07/2006 9:47 PM
gamma-Chlordane	< 1.9		1	µg/Kg-dry	SW8081	10/07/2006 9:47 PM
Toxaphene	< 190		1	µg/Kg-dry	SW8081	10/07/2006 9:47 PM
Percent Moisture	8.6		1	wt%	D2216	09/29/2006 3:35 PM

Qualifiers: E - Value above quantitation range

D - Results for Dilution

D.F. = Dilution Factor

Date Reported : 10/11/2006



Laboratory Manager

H2M LABS, INC.

575 Broad Hollow Road, Melville NY 11747
(631) 694-3040, FAX: (631) 420-8436 NYSDOH ID# 10478

LABORATORY RESULTS

Sample Information...

Town of Oyster Bay

Lab No. : **0610391-034A**

Type : Soil

Origin:

Attn To :

Client ID. : F-6(2-4')

Collected 9/27/2006 3:30:00 PM

Received 9/27/2006 4:31:00 PM

Collected By : VG03

Copy : **Original**

CC

<u>Parameter(s)</u>	<u>Results</u>	<u>Qualifier</u>	<u>D.F.</u>	<u>Units</u>	<u>Method Number</u>	<u>Analyzed</u>
alpha-BHC	< 1.9		1	µg/Kg-dry	SW8081	10/07/2006 10:18 PM
beta-BHC	< 1.9		1	µg/Kg-dry	SW8081	10/07/2006 10:18 PM
delta-BHC	< 1.9		1	µg/Kg-dry	SW8081	10/07/2006 10:18 PM
gamma-BHC	< 1.9		1	µg/Kg-dry	SW8081	10/07/2006 10:18 PM
Heptachlor	< 1.9		1	µg/Kg-dry	SW8081	10/07/2006 10:18 PM
Aldrin	< 1.9		1	µg/Kg-dry	SW8081	10/07/2006 10:18 PM
Heptachlor epoxide	< 1.9		1	µg/Kg-dry	SW8081	10/07/2006 10:18 PM
Endosulfan I	< 1.9		1	µg/Kg-dry	SW8081	10/07/2006 10:18 PM
Dieldrin	< 3.8		1	µg/Kg-dry	SW8081	10/07/2006 10:18 PM
4,4'-DDE	< 3.8		1	µg/Kg-dry	SW8081	10/07/2006 10:18 PM
Endrin	< 3.8		1	µg/Kg-dry	SW8081	10/07/2006 10:18 PM
Endosulfan II	< 3.8		1	µg/Kg-dry	SW8081	10/07/2006 10:18 PM
4,4'-DDD	< 3.8		1	µg/Kg-dry	SW8081	10/07/2006 10:18 PM
Endosulfan sulfate	< 3.8		1	µg/Kg-dry	SW8081	10/07/2006 10:18 PM
4,4'-DDT	< 3.8		1	µg/Kg-dry	SW8081	10/07/2006 10:18 PM
Methoxychlor	< 19		1	µg/Kg-dry	SW8081	10/07/2006 10:18 PM
Endrin ketone	< 3.8		1	µg/Kg-dry	SW8081	10/07/2006 10:18 PM
Endrin aldehyde	< 3.8		1	µg/Kg-dry	SW8081	10/07/2006 10:18 PM
alpha-Chlordane	< 1.9		1	µg/Kg-dry	SW8081	10/07/2006 10:18 PM
gamma-Chlordane	< 1.9		1	µg/Kg-dry	SW8081	10/07/2006 10:18 PM
Toxaphene	< 190		1	µg/Kg-dry	SW8081	10/07/2006 10:18 PM
Percent Moisture	12.0		1	wt%	D2216	09/29/2006 3:36 PM


Qualifiers: E - Value above quantitation range

D - Results for Dilution

D.F. = Dilution Factor

Date Reported : 10/11/2006

Page 34 of 37



Laboratory Manager

H2M LABS, INC.

575 Broad Hollow Road, Melville NY 11747
(631) 694-3040 . FAX: (631) 420-8436 NYSDOH ID# 10478

LABORATORY RESULTS

Sample Information...

Town of Oyster Bay

Lab No. : **0610391-035A**

Type : Soil

Origin:

Attn To :

Client ID. : F-7(0-2')

Collected 9/27/2006 3:40:00 PM

Received 9/27/2006 4:31:00 PM

Collected By : VG03

Copy : Original

CC


Parameter(s)	Results	Qualifier	D.F.	Units	Method Number	Analyzed
alpha-BHC	< 1.9		1	µg/Kg-dry	SW8081	10/07/2006 10:49 PM
beta-BHC	< 1.9		1	µg/Kg-dry	SW8081	10/07/2006 10:49 PM
delta-BHC	< 1.9		1	µg/Kg-dry	SW8081	10/07/2006 10:49 PM
gamma-BHC	< 1.9		1	µg/Kg-dry	SW8081	10/07/2006 10:49 PM
Heptachlor	< 1.9		1	µg/Kg-dry	SW8081	10/07/2006 10:49 PM
Aldrin	< 1.9		1	µg/Kg-dry	SW8081	10/07/2006 10:49 PM
Heptachlor epoxide	< 1.9		1	µg/Kg-dry	SW8081	10/07/2006 10:49 PM
Endosulfan I	< 1.9		1	µg/Kg-dry	SW8081	10/07/2006 10:49 PM
Dieldrin	< 3.7		1	µg/Kg-dry	SW8081	10/07/2006 10:49 PM
4,4'-DDE	16		1	µg/Kg-dry	SW8081	10/07/2006 10:49 PM
Endrin	< 3.7		1	µg/Kg-dry	SW8081	10/07/2006 10:49 PM
Endosulfan II	< 3.7		1	µg/Kg-dry	SW8081	10/07/2006 10:49 PM
4,4'-DDD	8.8		1	µg/Kg-dry	SW8081	10/07/2006 10:49 PM
Endosulfan sulfate	< 3.7		1	µg/Kg-dry	SW8081	10/07/2006 10:49 PM
4,4'-DDT	9.0		1	µg/Kg-dry	SW8081	10/07/2006 10:49 PM
Methoxychlor	< 19		1	µg/Kg-dry	SW8081	10/07/2006 10:49 PM
Endrin ketone	< 3.7		1	µg/Kg-dry	SW8081	10/07/2006 10:49 PM
Endrin aldehyde	< 3.7		1	µg/Kg-dry	SW8081	10/07/2006 10:49 PM
alpha-Chlordane	< 1.9		1	µg/Kg-dry	SW8081	10/07/2006 10:49 PM
gamma-Chlordane	< 1.9		1	µg/Kg-dry	SW8081	10/07/2006 10:49 PM
Toxaphene	< 190		1	µg/Kg-dry	SW8081	10/07/2006 10:49 PM
Percent Moisture	10.6		1	wt%	D2216	09/29/2006 3:37 PM

Qualifiers: E - Value above quantitation range

D - Results for Dilution

D.F. = Dilution Factor

Date Reported : 10/11/2006



Laboratory Manager

H2M LABS, INC.

575 Broad Hollow Road, Melville NY 11747
(631) 694-3040, FAX: (631) 420-8436 NYSDOH ID# 10478

LABORATORY RESULTS

Sample Information...

Town of Oyster Bay

Lab No. : **0610391-036A**

Type : Soil

Origin:

Attn To :

Client ID. : F-8(2-4')

Collected 9/27/2006 3:50:00 PM

Received 9/27/2006 4:31:00 PM

Collected By : VG03

Copy : Original

CC

<u>Parameter(s)</u>	<u>Results</u>	<u>Qualifier</u>	<u>D.F.</u>	<u>Units</u>	<u>Method Number</u>	<u>Analyzed</u>
alpha-BHC	< 1.9		1	µg/Kg-dry	SW8081	10/07/2006 11:19 PM
beta-BHC	< 1.9		1	µg/Kg-dry	SW8081	10/07/2006 11:19 PM
delta-BHC	< 1.9		1	µg/Kg-dry	SW8081	10/07/2006 11:19 PM
gamma-BHC	< 1.9		1	µg/Kg-dry	SW8081	10/07/2006 11:19 PM
Heptachlor	< 1.9		1	µg/Kg-dry	SW8081	10/07/2006 11:19 PM
Aldrin	< 1.9		1	µg/Kg-dry	SW8081	10/07/2006 11:19 PM
Heptachlor epoxide	< 1.9		1	µg/Kg-dry	SW8081	10/07/2006 11:19 PM
Endosulfan I	< 1.9		1	µg/Kg-dry	SW8081	10/07/2006 11:19 PM
Dieldrin	< 3.7		1	µg/Kg-dry	SW8081	10/07/2006 11:19 PM
4,4'-DDE	< 3.7		1	µg/Kg-dry	SW8081	10/07/2006 11:19 PM
Endrin	< 3.7		1	µg/Kg-dry	SW8081	10/07/2006 11:19 PM
Endosulfan II	< 3.7		1	µg/Kg-dry	SW8081	10/07/2006 11:19 PM
4,4'-DDD	< 3.7		1	µg/Kg-dry	SW8081	10/07/2006 11:19 PM
Endosulfan sulfate	< 3.7		1	µg/Kg-dry	SW8081	10/07/2006 11:19 PM
4,4'-DDT	< 3.7		1	µg/Kg-dry	SW8081	10/07/2006 11:19 PM
Methoxychlor	< 19		1	µg/Kg-dry	SW8081	10/07/2006 11:19 PM
Endrin ketone	< 3.7		1	µg/Kg-dry	SW8081	10/07/2006 11:19 PM
Endrin aldehyde	< 3.7		1	µg/Kg-dry	SW8081	10/07/2006 11:19 PM
alpha-Chlordane	< 1.9		1	µg/Kg-dry	SW8081	10/07/2006 11:19 PM
gamma-Chlordane	< 1.9		1	µg/Kg-dry	SW8081	10/07/2006 11:19 PM
Toxaphene	< 190		1	µg/Kg-dry	SW8081	10/07/2006 11:19 PM
Percent Moisture	10.9		1	wt%	D2216	09/29/2006 3:38 PM


Qualifiers: E - Value above quantitation range

D - Results for Dilution

D.F. = Dilution Factor

Date Reported : 10/11/2006

Page 36 of 37



Laboratory Manager

H2M LABS, INC.

575 Broad Hollow Road, Melville NY 11747
(631) 694-3040 . FAX: (631) 420-8436 NYSDOH ID# 10478

LABORATORY RESULTS

Town of Oyster Bay

Lab No. : **0610391-037A**

Sample Information...

Type : Soil

Origin:

Attn To :

Client ID. : G-7(0-2')

Collected 9/27/2006 4:00:00 PM

Received 9/27/2006 4:31:00 PM

Collected By : VG03

Copy : Original

CC

<u>Parameter(s)</u>	<u>Results</u>	<u>Qualifier</u>	<u>D.F.</u>	<u>Units</u>	<u>Method Number</u>	<u>Analyzed</u>
alpha-BHC	< 1.7		1	µg/Kg-dry	SW8081	10/07/2006 11:50 PM
beta-BHC	< 1.7		1	µg/Kg-dry	SW8081	10/07/2006 11:50 PM
delta-BHC	< 1.7		1	µg/Kg-dry	SW8081	10/07/2006 11:50 PM
gamma-BHC	< 1.7		1	µg/Kg-dry	SW8081	10/07/2006 11:50 PM
Heptachlor	< 1.7		1	µg/Kg-dry	SW8081	10/07/2006 11:50 PM
Aldrin	< 1.7		1	µg/Kg-dry	SW8081	10/07/2006 11:50 PM
Heptachlor epoxide	< 1.7		1	µg/Kg-dry	SW8081	10/07/2006 11:50 PM
Endosulfan I	< 1.7		1	µg/Kg-dry	SW8081	10/07/2006 11:50 PM
Dieldrin	< 3.4		1	µg/Kg-dry	SW8081	10/07/2006 11:50 PM
4,4'-DDE	24		1	µg/Kg-dry	SW8081	10/07/2006 11:50 PM
Endrin	< 3.4		1	µg/Kg-dry	SW8081	10/07/2006 11:50 PM
Endosulfan II	< 3.4		1	µg/Kg-dry	SW8081	10/07/2006 11:50 PM
4,4'-DDD	< 3.4		1	µg/Kg-dry	SW8081	10/07/2006 11:50 PM
Endosulfan sulfate	< 3.4		1	µg/Kg-dry	SW8081	10/07/2006 11:50 PM
4,4'-DDT	32		1	µg/Kg-dry	SW8081	10/07/2006 11:50 PM
Methoxychlor	< 17		1	µg/Kg-dry	SW8081	10/07/2006 11:50 PM
Endrin ketone	< 3.4		1	µg/Kg-dry	SW8081	10/07/2006 11:50 PM
Endrin aldehyde	< 3.4		1	µg/Kg-dry	SW8081	10/07/2006 11:50 PM
alpha-Chlordane	2.2		1	µg/Kg-dry	SW8081	10/07/2006 11:50 PM
gamma-Chlordane	2.9		1	µg/Kg-dry	SW8081	10/07/2006 11:50 PM
Toxaphene	< 170		1	µg/Kg-dry	SW8081	10/07/2006 11:50 PM
Percent Moisture	2.8		1	wt%	D2216	09/29/2006 3:39 PM


Qualifiers: E - Value above quantitation range

D - Results for Dilution

D.F. = Dilution Factor

Date Reported : 10/11/2006

Page 37 of 37



Laboratory Manager

H2M LABS, INC.

575 Broad Hollow Road, Melville NY 11747
(631) 694-3040 . FAX: (631) 420-8436 NYSDOH ID# 10478

LABORATORY RESULTS

Sample Information...

Type : Soil

Town of Oyster Bay

Lab No. : 0610444-001A

Origin:

Attn To :

Client ID. : H-1(0-2')

Collected 9/28/2006 9:40:00 AM

Received 9/28/2006 4:15:00 PM

Collected By : Client

Copy : Original

CC

<u>Parameter(s)</u>	<u>Results</u>	<u>Qualifier</u>	<u>D.F.</u>	<u>Units</u>	<u>Method Number</u>	<u>Analyzed</u>
alpha-BHC	< 1.9		1	µg/Kg-dry	SW8081	10/10/2006 1:48 PM
beta-BHC	2.1		1	µg/Kg-dry	SW8081	10/10/2006 1:48 PM
delta-BHC	3.5		1	µg/Kg-dry	SW8081	10/10/2006 1:48 PM
gamma-BHC	3.1		1	µg/Kg-dry	SW8081	10/10/2006 1:48 PM
Heptachlor	7.7		1	µg/Kg-dry	SW8081	10/10/2006 1:48 PM
Aldrin	< 1.9		1	µg/Kg-dry	SW8081	10/10/2006 1:48 PM
Heptachlor epoxide	7.4		1	µg/Kg-dry	SW8081	10/10/2006 1:48 PM
Endosulfan I	2.3		1	µg/Kg-dry	SW8081	10/10/2006 1:48 PM
Dieldrin	5.1		1	µg/Kg-dry	SW8081	10/10/2006 1:48 PM
4,4'-DDE	120	D	5	µg/Kg-dry	SW8081	10/10/2006 6:39 AM
Endrin	< 3.6		1	µg/Kg-dry	SW8081	10/10/2006 1:48 PM
Endosulfan II	< 3.6		1	µg/Kg-dry	SW8081	10/10/2006 1:48 PM
4,4'-DDD	13		1	µg/Kg-dry	SW8081	10/10/2006 1:48 PM
Endosulfan sulfate	< 3.6		1	µg/Kg-dry	SW8081	10/10/2006 1:48 PM
4,4'-DDT	230	D	5	µg/Kg-dry	SW8081	10/10/2006 6:39 AM
Methoxychlor	< 19		1	µg/Kg-dry	SW8081	10/10/2006 1:48 PM
Endrin ketone	< 3.6		1	µg/Kg-dry	SW8081	10/10/2006 1:48 PM
Endrin aldehyde	< 3.6		1	µg/Kg-dry	SW8081	10/10/2006 1:48 PM
alpha-Chlordane	11		1	µg/Kg-dry	SW8081	10/10/2006 1:48 PM
gamma-Chlordane	11		1	µg/Kg-dry	SW8081	10/10/2006 1:48 PM
Toxaphene	< 190		1	µg/Kg-dry	SW8081	10/10/2006 1:48 PM
Percent Moisture	8.2		1	wt%	D2216	10/03/2006 12:30 PM


Qualifiers: E - Value above quantitation range

D - Results for Dilution

D.F. = Dilution Factor

Date Reported : 10/12/2006

Page 1 of 20



Laboratory Manager

H2M LABS, INC.

575 Broad Hollow Road, Melville NY 11747
(631) 694-3040 . FAX: (631) 420-8436 NYSDOH ID# 10478

LABORATORY RESULTS

Town of Oyster Bay

Lab No. : **0610444-002A**

Sample Information...

Type : Soil

Attn To :

Client ID. : H-2(2-4')

Origin:

Collected 9/28/2006 9:50:00 AM

Received 9/28/2006 4:15:00 PM

Collected By : Client

Copy : Original

CC


Parameter(s)	Results	Qualifier	D.F.	Units	Method Number	Analyzed
alpha-BHC	< 1.8		1	µg/Kg-dry	SW8081	10/10/2006 2:19 PM
beta-BHC	2.9		1	µg/Kg-dry	SW8081	10/10/2006 2:19 PM
delta-BHC	< 1.8		1	µg/Kg-dry	SW8081	10/10/2006 2:19 PM
gamma-BHC	< 1.8		1	µg/Kg-dry	SW8081	10/10/2006 2:19 PM
Heptachlor	< 1.8		1	µg/Kg-dry	SW8081	10/10/2006 2:19 PM
Aldrin	< 1.8		1	µg/Kg-dry	SW8081	10/10/2006 2:19 PM
Heptachlor epoxide	< 1.8		1	µg/Kg-dry	SW8081	10/10/2006 2:19 PM
Endosulfan I	< 1.8		1	µg/Kg-dry	SW8081	10/10/2006 2:19 PM
Dieldrin	< 3.4		1	µg/Kg-dry	SW8081	10/10/2006 2:19 PM
4,4'-DDE	< 3.4		1	µg/Kg-dry	SW8081	10/10/2006 2:19 PM
Endrin	< 3.4		1	µg/Kg-dry	SW8081	10/10/2006 2:19 PM
Endosulfan II	< 3.4		1	µg/Kg-dry	SW8081	10/10/2006 2:19 PM
Endosulfan sulfate	< 3.4		1	µg/Kg-dry	SW8081	10/10/2006 2:19 PM
4,4'-DDT	< 3.4		1	µg/Kg-dry	SW8081	10/10/2006 2:19 PM
Methoxychlor	< 18		1	µg/Kg-dry	SW8081	10/10/2006 2:19 PM
Endrin ketone	< 3.4		1	µg/Kg-dry	SW8081	10/10/2006 2:19 PM
Endrin aldehyde	< 3.4		1	µg/Kg-dry	SW8081	10/10/2006 2:19 PM
alpha-Chlordane	< 1.8		1	µg/Kg-dry	SW8081	10/10/2006 2:19 PM
gamma-Chlordane	4.3		1	µg/Kg-dry	SW8081	10/10/2006 2:19 PM
Toxaphene	< 180		1	µg/Kg-dry	SW8081	10/10/2006 2:19 PM
Percent Moisture	3.9		1	wt%	D2216	10/03/2006 12:31 PM

Qualifiers: E - Value above quantitation range

D - Results for Dilution

D.F. = Dilution Factor

Date Reported : 10/12/2006



Laboratory Manager

H2M LABS, INC.

575 Broad Hollow Road, Melville NY 11747
(631) 694-3040 . FAX: (631) 420-8436 NYSDOHID# 10478

LABORATORY RESULTS

Town of Oyster Bay

Lab No. : **0610444-003A**

Sample Information...

Type : Soil

Attn To :

Origin:

Client ID. : G-2(4-6')

Collected 9/28/2006 10:00:00 AM

Received 9/28/2006 4:15:00 PM

Collected By : Client

Copy : Original

CC


<u>Parameter(s)</u>	<u>Results</u>	<u>Qualifier</u>	<u>D.F.</u>	<u>Units</u>	<u>Method Number</u>	<u>Analyzed</u>
alpha-BHC	< 1.8		1	µg/Kg-dry	SW8081	10/10/2006 2:50 PM
beta-BHC	< 1.8		1	µg/Kg-dry	SW8081	10/10/2006 2:50 PM
delta-BHC	< 1.8		1	µg/Kg-dry	SW8081	10/10/2006 2:50 PM
gamma-BHC	< 1.8		1	µg/Kg-dry	SW8081	10/10/2006 2:50 PM
Heptachlor	< 1.8		1	µg/Kg-dry	SW8081	10/10/2006 2:50 PM
Aldrin	< 1.8		1	µg/Kg-dry	SW8081	10/10/2006 2:50 PM
Heptachlor epoxide	< 1.8		1	µg/Kg-dry	SW8081	10/10/2006 2:50 PM
Endosulfan I	< 1.8		1	µg/Kg-dry	SW8081	10/10/2006 2:50 PM
Dieldrin	< 3.4		1	µg/Kg-dry	SW8081	10/10/2006 2:50 PM
4,4'-DDE	< 3.4		1	µg/Kg-dry	SW8081	10/10/2006 2:50 PM
Endrin	< 3.4		1	µg/Kg-dry	SW8081	10/10/2006 2:50 PM
Endosulfan II	< 3.4		1	µg/Kg-dry	SW8081	10/10/2006 2:50 PM
4,4'-DDD	< 3.4		1	µg/Kg-dry	SW8081	10/10/2006 2:50 PM
Endosulfan sulfate	< 3.4		1	µg/Kg-dry	SW8081	10/10/2006 2:50 PM
4,4'-DDT	9.3		1	µg/Kg-dry	SW8081	10/10/2006 2:50 PM
Methoxychlor	< 18		1	µg/Kg-dry	SW8081	10/10/2006 2:50 PM
Endrin ketone	< 3.4		1	µg/Kg-dry	SW8081	10/10/2006 2:50 PM
Endrin aldehyde	< 3.4		1	µg/Kg-dry	SW8081	10/10/2006 2:50 PM
alpha-Chlordane	< 1.8		1	µg/Kg-dry	SW8081	10/10/2006 2:50 PM
gamma-Chlordane	< 1.8		1	µg/Kg-dry	SW8081	10/10/2006 2:50 PM
Toxaphene	< 180		1	µg/Kg-dry	SW8081	10/10/2006 2:50 PM
Percent Moisture	3.8		1	wt%	D2216	10/03/2006 12:32 PM

Qualifiers: E - Value above quantitation range

D - Results for Dilution

D.F. = Dilution Factor

Date Reported : 10/12/2006



Laboratory Manager

H2M LABS, INC.

575 Broad Hollow Road, Melville NY 11747
(631) 694-3040 . FAX: (631) 420-8436 NYSDOH ID# 10478

LABORATORY RESULTS

Town of Oyster Bay

Lab No. : **0610444-004A**

Sample Information...

Type : Soil

Attn To :

Origin:

Client ID. : F-2(0-2')

Collected 9/28/2006 10:10:00 AM

Received 9/28/2006 4:15:00 PM

Collected By : Client

Copy : Original

CC

Parameter(s)	Results	Qualifier	D.F.	Units	Method Number	Analyzed
alpha-BHC	< 1.9		1	µg/Kg-dry	SW8081	10/10/2006 3:20 PM
beta-BHC	< 1.9		1	µg/Kg-dry	SW8081	10/10/2006 3:20 PM
delta-BHC	< 1.9		1	µg/Kg-dry	SW8081	10/10/2006 3:20 PM
gamma-BHC	< 1.9		1	µg/Kg-dry	SW8081	10/10/2006 3:20 PM
Heptachlor	< 1.9		1	µg/Kg-dry	SW8081	10/10/2006 3:20 PM
Aldrin	< 1.9		1	µg/Kg-dry	SW8081	10/10/2006 3:20 PM
Heptachlor epoxide	< 1.9		1	µg/Kg-dry	SW8081	10/10/2006 3:20 PM
Endosulfan I	< 1.9		1	µg/Kg-dry	SW8081	10/10/2006 3:20 PM
Dieldrin	< 3.8		1	µg/Kg-dry	SW8081	10/10/2006 3:20 PM
4,4'-DDE	< 3.8		1	µg/Kg-dry	SW8081	10/10/2006 3:20 PM
Endrin	< 3.8		1	µg/Kg-dry	SW8081	10/10/2006 3:20 PM
Endosulfan II	< 3.8		1	µg/Kg-dry	SW8081	10/10/2006 3:20 PM
4,4'-DDD	< 3.8		1	µg/Kg-dry	SW8081	10/10/2006 3:20 PM
Endosulfan sulfate	< 3.8		1	µg/Kg-dry	SW8081	10/10/2006 3:20 PM
4,4'-DDT	< 3.8		1	µg/Kg-dry	SW8081	10/10/2006 3:20 PM
Methoxychlor	< 19		1	µg/Kg-dry	SW8081	10/10/2006 3:20 PM
Endrin ketone	< 3.8		1	µg/Kg-dry	SW8081	10/10/2006 3:20 PM
Endrin aldehyde	< 3.8		1	µg/Kg-dry	SW8081	10/10/2006 3:20 PM
alpha-Chlordane	< 1.9		1	µg/Kg-dry	SW8081	10/10/2006 3:20 PM
gamma-Chlordane	< 1.9		1	µg/Kg-dry	SW8081	10/10/2006 3:20 PM
Toxaphene	< 190		1	µg/Kg-dry	SW8081	10/10/2006 3:20 PM
Percent Moisture	12.8		1	wt%	D2216	10/03/2006 12:33 PM


Qualifiers: E - Value above quantitation range

D - Results for Dilution

D.F. = Dilution Factor

Date Reported : 10/12/2006

Laboratory Manager



H2M LABS, INC.

575 Broad Hollow Road, Melville NY 11747
(631) 694-3040 . FAX: (631) 420-8436 NYSDOH ID# 10478

LABORATORY RESULTS

Sample Information...

Town of Oyster Bay

Lab No. : **0610444-005A**

Type : Soil

Origin:

Attn To :

Client ID. : F-3(2-4')

Collected 9/28/2006 10:20:00 AM

Received 9/28/2006 4:15:00 PM

Collected By : Client

Copy : Original

CC

Parameter(s)	Results	Qualifier	D.F.	Units	Method Number	Analyzed
alpha-BHC	< 1.9		1	µg/Kg-dry	SW8081	10/10/2006 3:51 PM
beta-BHC	< 1.9		1	µg/Kg-dry	SW8081	10/10/2006 3:51 PM
delta-BHC	< 1.9		1	µg/Kg-dry	SW8081	10/10/2006 3:51 PM
gamma-BHC	< 1.9		1	µg/Kg-dry	SW8081	10/10/2006 3:51 PM
Heptachlor	< 1.9		1	µg/Kg-dry	SW8081	10/10/2006 3:51 PM
Aldrin	< 1.9		1	µg/Kg-dry	SW8081	10/10/2006 3:51 PM
Heptachlor epoxide	< 1.9		1	µg/Kg-dry	SW8081	10/10/2006 3:51 PM
Endosulfan I	< 1.9		1	µg/Kg-dry	SW8081	10/10/2006 3:51 PM
Dieldrin	< 3.6		1	µg/Kg-dry	SW8081	10/10/2006 3:51 PM
4,4'-DDE	< 3.6		1	µg/Kg-dry	SW8081	10/10/2006 3:51 PM
Endrin	< 3.6		1	µg/Kg-dry	SW8081	10/10/2006 3:51 PM
Endosulfan II	< 3.6		1	µg/Kg-dry	SW8081	10/10/2006 3:51 PM
4,4'-DDD	< 3.6		1	µg/Kg-dry	SW8081	10/10/2006 3:51 PM
Endosulfan sulfate	< 3.6		1	µg/Kg-dry	SW8081	10/10/2006 3:51 PM
4,4'-DDT	< 3.6		1	µg/Kg-dry	SW8081	10/10/2006 3:51 PM
Methoxychlor	< 19		1	µg/Kg-dry	SW8081	10/10/2006 3:51 PM
Endrin ketone	< 3.6		1	µg/Kg-dry	SW8081	10/10/2006 3:51 PM
Endrin aldehyde	< 3.6		1	µg/Kg-dry	SW8081	10/10/2006 3:51 PM
alpha-Chlordane	< 1.9		1	µg/Kg-dry	SW8081	10/10/2006 3:51 PM
gamma-Chlordane	< 1.9		1	µg/Kg-dry	SW8081	10/10/2006 3:51 PM
Toxaphene	< 190		1	µg/Kg-dry	SW8081	10/10/2006 3:51 PM
Percent Moisture	8.4		1	wt%	D2216	10/03/2006 12:34 PM


Qualifiers: E - Value above quantitation range

D - Results for Dilution

D.F. = Dilution Factor

Date Reported : 10/12/2006

Page 5 of 20



Laboratory Manager

H2M LABS, INC.

575 Broad Hollow Road, Melville NY 11747
(631) 694-3040. FAX: (631) 420-8436 NYSDOH ID# 10478

LABORATORY RESULTS

Town of Oyster Bay

Lab No. : **0610444-006A**

Sample Information...

Type : Soil

Attn To :

Client ID. : H-3(0-2')

Origin:

Collected 9/28/2006 10:30:00 AM

Received 9/28/2006 4:15:00 PM

Collected By : Client

Copy : Original

CC

Parameter(s)	Results	Qualifier	D.F.	Units	Method Number	Analyzed
alpha-BHC	< 1.8		1	µg/Kg-dry	SW8081	10/10/2006 4:22 PM
beta-BHC	< 1.8		1	µg/Kg-dry	SW8081	10/10/2006 4:22 PM
delta-BHC	< 1.8		1	µg/Kg-dry	SW8081	10/10/2006 4:22 PM
gamma-BHC	< 1.8		1	µg/Kg-dry	SW8081	10/10/2006 4:22 PM
Heptachlor	< 1.8		1	µg/Kg-dry	SW8081	10/10/2006 4:22 PM
Aldrin	< 1.8		1	µg/Kg-dry	SW8081	10/10/2006 4:22 PM
Heptachlor epoxide	< 1.8		1	µg/Kg-dry	SW8081	10/10/2006 4:22 PM
Endosulfan I	< 1.8		1	µg/Kg-dry	SW8081	10/10/2006 4:22 PM
Dieldrin	< 3.5		1	µg/Kg-dry	SW8081	10/10/2006 4:22 PM
4,4'-DDE	< 3.5		1	µg/Kg-dry	SW8081	10/10/2006 4:22 PM
Endrin	< 3.5		1	µg/Kg-dry	SW8081	10/10/2006 4:22 PM
Endosulfan II	< 3.5		1	µg/Kg-dry	SW8081	10/10/2006 4:22 PM
4,4'-DDD	< 3.5		1	µg/Kg-dry	SW8081	10/10/2006 4:22 PM
Endosulfan sulfate	< 3.5		1	µg/Kg-dry	SW8081	10/10/2006 4:22 PM
4,4'-DDT	5.0		1	µg/Kg-dry	SW8081	10/10/2006 4:22 PM
Methoxychlor	< 18		1	µg/Kg-dry	SW8081	10/10/2006 4:22 PM
Endrin ketone	< 3.5		1	µg/Kg-dry	SW8081	10/10/2006 4:22 PM
Endrin aldehyde	< 3.5		1	µg/Kg-dry	SW8081	10/10/2006 4:22 PM
alpha-Chlordane	< 1.8		1	µg/Kg-dry	SW8081	10/10/2006 4:22 PM
gamma-Chlordane	4.1		1	µg/Kg-dry	SW8081	10/10/2006 4:22 PM
Toxaphene	< 180		1	µg/Kg-dry	SW8081	10/10/2006 4:22 PM
Percent Moisture	6.4		1	wt%	D2216	10/03/2006 12:35 PM


Qualifiers: E - Value above quantitation range

D - Results for Dilution

D.F. = Dilution Factor

Date Reported : 10/12/2006

Page 6 of 20



Laboratory Manager

H2M LABS, INC.

575 Broad Hollow Road, Melville NY 11747
(631) 694-3040 . FAX: (631) 420-8436 NYSDOH ID# 10478

LABORATORY RESULTS

Town of Oyster Bay

Lab No. : **0610444-007A**

Sample Information...

Type : Soil

Attn To :

Origin:

Client ID. : I-3(4-6')

Collected 9/28/2006 10:40:00 AM

Received 9/28/2006 4:15:00 PM

Collected By : Client

Copy : Original

CC

Parameter(s)	Results	Qualifier	D.F.	Units	Method Number	Analyzed
alpha-BHC	< 1.9		1	µg/Kg-dry	SW8081	10/10/2006 4:52 PM
beta-BHC	< 1.9		1	µg/Kg-dry	SW8081	10/10/2006 4:52 PM
delta-BHC	< 1.9		1	µg/Kg-dry	SW8081	10/10/2006 4:52 PM
gamma-BHC	< 1.9		1	µg/Kg-dry	SW8081	10/10/2006 4:52 PM
Heptachlor	< 1.9		1	µg/Kg-dry	SW8081	10/10/2006 4:52 PM
Aldrin	< 1.9		1	µg/Kg-dry	SW8081	10/10/2006 4:52 PM
Heptachlor epoxide	2.0		1	µg/Kg-dry	SW8081	10/10/2006 4:52 PM
Endosulfan I	< 1.9		1	µg/Kg-dry	SW8081	10/10/2006 4:52 PM
Dieldrin	< 3.6		1	µg/Kg-dry	SW8081	10/10/2006 4:52 PM
4,4'-DDE	3.7		1	µg/Kg-dry	SW8081	10/10/2006 4:52 PM
Endrin	< 3.6		1	µg/Kg-dry	SW8081	10/10/2006 4:52 PM
Endosulfan II	< 3.6		1	µg/Kg-dry	SW8081	10/10/2006 4:52 PM
4,4'-DDD	< 3.6		1	µg/Kg-dry	SW8081	10/10/2006 4:52 PM
Endosulfan sulfate	< 3.6		1	µg/Kg-dry	SW8081	10/10/2006 4:52 PM
4,4'-DDT	37		1	µg/Kg-dry	SW8081	10/10/2006 4:52 PM
Methoxychlor	< 19		1	µg/Kg-dry	SW8081	10/10/2006 4:52 PM
Endrin ketone	5.3		1	µg/Kg-dry	SW8081	10/10/2006 4:52 PM
Endrin aldehyde	18		1	µg/Kg-dry	SW8081	10/10/2006 4:52 PM
alpha-Chlordane	< 1.9		1	µg/Kg-dry	SW8081	10/10/2006 4:52 PM
gamma-Chlordane	5.3		1	µg/Kg-dry	SW8081	10/10/2006 4:52 PM
Toxaphene	< 190		1	µg/Kg-dry	SW8081	10/10/2006 4:52 PM
Percent Moisture	8.9		1	wt%	D2216	10/03/2006 12:36 PM


Qualifiers: E - Value above quantitation range

D - Results for Dilution

D.F. = Dilution Factor

Date Reported : 10/12/2006

Laboratory Manager



H2M LABS, INC.

575 Broad Hollow Road, Melville NY 11747
(631) 694-3040 . FAX: (631) 420-8436 NYSDOH ID# 10478

LABORATORY RESULTS

Town of Oyster Bay

Lab No. : **0610444-008A**

Sample Information...

Type : Soil

Attn To :

Origin:

Client ID. : J-3(0-2")

Collected 9/28/2006 10:50:00 AM

Received 9/28/2006 4:15:00 PM

Collected By : Client

Copy : **Original**

CC


Parameter(s)	Results	Qualifier	D.F.	Units	Method Number	Analyzed
alpha-BHC	< 1.8		1	µg/Kg-dry	SW8081	10/10/2006 5:23 PM
beta-BHC	8.5		1	µg/Kg-dry	SW8081	10/10/2006 5:23 PM
delta-BHC	< 1.8		1	µg/Kg-dry	SW8081	10/10/2006 5:23 PM
gamma-BHC	2.9		1	µg/Kg-dry	SW8081	10/10/2006 5:23 PM
Heptachlor	7.4		1	µg/Kg-dry	SW8081	10/10/2006 5:23 PM
Aldrin	< 1.8		1	µg/Kg-dry	SW8081	10/10/2006 5:23 PM
Heptachlor epoxide	< 1.8		1	µg/Kg-dry	SW8081	10/10/2006 5:23 PM
Endosulfan I	< 1.8		1	µg/Kg-dry	SW8081	10/10/2006 5:23 PM
Dieldrin	5.9		1	µg/Kg-dry	SW8081	10/10/2006 5:23 PM
4,4'-DDE	11		1	µg/Kg-dry	SW8081	10/10/2006 5:23 PM
Endrin	< 3.5		1	µg/Kg-dry	SW8081	10/10/2006 5:23 PM
Endosulfan II	< 3.5		1	µg/Kg-dry	SW8081	10/10/2006 5:23 PM
4,4'-DDD	< 3.5		1	µg/Kg-dry	SW8081	10/10/2006 5:23 PM
Endosulfan sulfate	< 3.5		1	µg/Kg-dry	SW8081	10/10/2006 5:23 PM
4,4'-DDT	38		1	µg/Kg-dry	SW8081	10/10/2006 5:23 PM
Methoxychlor	< 18		1	µg/Kg-dry	SW8081	10/10/2006 5:23 PM
Endrin ketone	6.0		1	µg/Kg-dry	SW8081	10/10/2006 5:23 PM
Endrin aldehyde	11		1	µg/Kg-dry	SW8081	10/10/2006 5:23 PM
alpha-Chlordane	1.8		1	µg/Kg-dry	SW8081	10/10/2006 5:23 PM
gamma-Chlordane	9.3		1	µg/Kg-dry	SW8081	10/10/2006 5:23 PM
Toxaphene	< 180		1	µg/Kg-dry	SW8081	10/10/2006 5:23 PM
Percent Moisture	7.0		1	wt%	D2216	10/03/2006 12:37 PM

Qualifiers: E - Value above quantitation range

D - Results for Dilution

D.F. = Dilution Factor

Date Reported : 10/12/2006



H2M LABS, INC.

575 Broad Hollow Road, Melville NY 11747
(631) 694-3040 . FAX: (631) 420-8436 NYSDOHID# 10478

LABORATORY RESULTS

Town of Oyster Bay

Lab No. : **0610444-009A**

Sample Information...

Type : Soil

Attn To :

Client ID. : J-2(6-8')

Origin:

Collected 9/28/2006 11:00:00 AM

Received 9/28/2006 4:15:00 PM

Collected By : Client

Copy : Original

CC


Parameter(s)	Results	Qualifier	D.F.	Units	Method Number	Analyzed
alpha-BHC	4.3		1	µg/Kg-dry	SW8081	10/10/2006 5:54 PM
beta-BHC	20		1	µg/Kg-dry	SW8081	10/10/2006 5:54 PM
delta-BHC	< 1.9		1	µg/Kg-dry	SW8081	10/10/2006 5:54 PM
gamma-BHC	51	D	5	µg/Kg-dry	SW8081	10/10/2006 7:10 AM
Heptachlor	< 1.9		1	µg/Kg-dry	SW8081	10/10/2006 5:54 PM
Aldrin	< 1.9		1	µg/Kg-dry	SW8081	10/10/2006 5:54 PM
Heptachlor epoxide	< 1.9		1	µg/Kg-dry	SW8081	10/10/2006 5:54 PM
Endosulfan I	11		1	µg/Kg-dry	SW8081	10/10/2006 5:54 PM
Dieldrin	5.2		1	µg/Kg-dry	SW8081	10/10/2006 5:54 PM
4,4'-DDE	9.8		1	µg/Kg-dry	SW8081	10/10/2006 5:54 PM
Endrin	4.5		1	µg/Kg-dry	SW8081	10/10/2006 5:54 PM
Endosulfan II	< 3.6		1	µg/Kg-dry	SW8081	10/10/2006 5:54 PM
4,4'-DDD	25		1	µg/Kg-dry	SW8081	10/10/2006 5:54 PM
Endosulfan sulfate	< 3.6		1	µg/Kg-dry	SW8081	10/10/2006 5:54 PM
4,4'-DDT	120	D	5	µg/Kg-dry	SW8081	10/10/2006 7:10 AM
Methoxychlor	< 19		1	µg/Kg-dry	SW8081	10/10/2006 5:54 PM
Endrin ketone	5.8		1	µg/Kg-dry	SW8081	10/10/2006 5:54 PM
Endrin aldehyde	110	D	5	µg/Kg-dry	SW8081	10/10/2006 7:10 AM
alpha-Chlordane	< 1.9		1	µg/Kg-dry	SW8081	10/10/2006 5:54 PM
gamma-Chlordane	41	D	5	µg/Kg-dry	SW8081	10/10/2006 7:10 AM
Toxaphene	< 190		1	µg/Kg-dry	SW8081	10/10/2006 5:54 PM
Percent Moisture	8.7		1	wt%	D2216	10/03/2006 12:38 PM

Qualifiers: E - Value above quantitation range

D - Results for Dilution

D.F. = Dilution Factor

Date Reported : 10/12/2006



H2M LABS, INC.

575 Broad Hollow Road, Melville NY 11747
(631) 694-3040 . FAX: (631) 420-8436 NYSDOH ID# 10478

LABORATORY RESULTS

Town of Oyster Bay

Lab No. : **0610444-010A**

Sample Information...

Type : Soil

Attn To :

Origin:

Client ID. : K-3(2-4')

Collected 9/28/2006 11:10:00 AM

Received 9/28/2006 4:15:00 PM

Collected By : Client

Copy : Original

CC

Parameter(s)	Results	Qualifier	D.F.	Units	Method Number	Analyzed
alpha-BHC	< 1.9		1	µg/Kg-dry	SW8081	10/10/2006 6:24 PM
beta-BHC	21		1	µg/Kg-dry	SW8081	10/10/2006 6:24 PM
delta-BHC	< 1.9		1	µg/Kg-dry	SW8081	10/10/2006 6:24 PM
gamma-BHC	12		1	µg/Kg-dry	SW8081	10/10/2006 6:24 PM
Heptachlor	22		1	µg/Kg-dry	SW8081	10/10/2006 6:24 PM
Aldrin	< 1.9		1	µg/Kg-dry	SW8081	10/10/2006 6:24 PM
Heptachlor epoxide	< 1.9		1	µg/Kg-dry	SW8081	10/10/2006 6:24 PM
Endosulfan I	< 1.9		1	µg/Kg-dry	SW8081	10/10/2006 6:24 PM
Dieldrin	6.1		1	µg/Kg-dry	SW8081	10/10/2006 6:24 PM
4,4'-DDE	8.3		1	µg/Kg-dry	SW8081	10/10/2006 6:24 PM
Endrin	4.8		1	µg/Kg-dry	SW8081	10/10/2006 6:24 PM
Endosulfan II	< 3.7		1	µg/Kg-dry	SW8081	10/10/2006 6:24 PM
4,4'-DDD	4.0		1	µg/Kg-dry	SW8081	10/10/2006 6:24 PM
Endosulfan sulfate	< 3.7		1	µg/Kg-dry	SW8081	10/10/2006 6:24 PM
4,4'-DDT	26		1	µg/Kg-dry	SW8081	10/10/2006 6:24 PM
Methoxychlor	< 19		1	µg/Kg-dry	SW8081	10/10/2006 6:24 PM
Endrin ketone	19		1	µg/Kg-dry	SW8081	10/10/2006 6:24 PM
Endrin aldehyde	20		1	µg/Kg-dry	SW8081	10/10/2006 6:24 PM
alpha-Chlordane	3.4		1	µg/Kg-dry	SW8081	10/10/2006 6:24 PM
gamma-Chlordane	8.1		1	µg/Kg-dry	SW8081	10/10/2006 6:24 PM
Toxaphene	< 190		1	µg/Kg-dry	SW8081	10/10/2006 6:24 PM
Percent Moisture	9.9		1	wt%	D2216	10/03/2006 12:39 PM


Qualifiers: E - Value above quantitation range

D - Results for Dilution

D.F. = Dilution Factor

Date Reported : 10/12/2006

Page 10 of 20



Laboratory Manager

H2M LABS, INC.

575 Broad Hollow Road, Melville NY 11747
(631) 694-3040 . FAX: (631) 420-8436 NYSDOH ID# 10478

LABORATORY RESULTS

Sample Information...

Type : Soil

Town of Oyster Bay

Lab No. : **0610444-011A**

Origin:

Attn To :

Client ID. : M-3(0-2')

Collected 9/28/2006 11:20:00 AM

Received 9/28/2006 4:15:00 PM

Collected By : Client

Copy : Original

CC

Parameter(s)	Results	Qualifier	D.F.	Units	Method Number	Analyzed
alpha-BHC	< 1.9		1	µg/Kg-dry	SW8081	10/10/2006 6:55 PM
beta-BHC	5.7		1	µg/Kg-dry	SW8081	10/10/2006 6:55 PM
delta-BHC	< 1.9		1	µg/Kg-dry	SW8081	10/10/2006 6:55 PM
gamma-BHC	8.6		1	µg/Kg-dry	SW8081	10/10/2006 6:55 PM
Heptachlor	19		1	µg/Kg-dry	SW8081	10/10/2006 6:55 PM
Aldrin	< 1.9		1	µg/Kg-dry	SW8081	10/10/2006 6:55 PM
Heptachlor epoxide	< 1.9		1	µg/Kg-dry	SW8081	10/10/2006 6:55 PM
Endosulfan I	2.3		1	µg/Kg-dry	SW8081	10/10/2006 6:55 PM
Dieldrin	6.1		1	µg/Kg-dry	SW8081	10/10/2006 6:55 PM
4,4'-DDE	39		1	µg/Kg-dry	SW8081	10/10/2006 6:55 PM
Endrin	< 3.7		1	µg/Kg-dry	SW8081	10/10/2006 6:55 PM
Endosulfan II	< 3.7		1	µg/Kg-dry	SW8081	10/10/2006 6:55 PM
4,4'-DDD	8.0		1	µg/Kg-dry	SW8081	10/10/2006 6:55 PM
Endosulfan sulfate	< 3.7		1	µg/Kg-dry	SW8081	10/10/2006 6:55 PM
4,4'-DDT	51		1	µg/Kg-dry	SW8081	10/10/2006 6:55 PM
Methoxychlor	< 19		1	µg/Kg-dry	SW8081	10/10/2006 6:55 PM
Endrin ketone	< 3.7		1	µg/Kg-dry	SW8081	10/10/2006 6:55 PM
Endrin aldehyde	6.1		1	µg/Kg-dry	SW8081	10/10/2006 6:55 PM
alpha-Chlordane	4.3		1	µg/Kg-dry	SW8081	10/10/2006 6:55 PM
gamma-Chlordane	7.0		1	µg/Kg-dry	SW8081	10/10/2006 6:55 PM
Toxaphene	< 190		1	µg/Kg-dry	SW8081	10/10/2006 6:55 PM
Percent Moisture	10.3		1	wt%	D2216	10/03/2006 12:41 PM


Qualifiers: E - Value above quantitation range

D - Results for Dilution

D.F. = Dilution Factor

Date Reported : 10/12/2006

Laboratory Manager



H2M LABS, INC.

575 Broad Hollow Road, Melville NY 11747
(631) 694-3040 . FAX: (631) 420-8436 NYSDOH ID# 10478

LABORATORY RESULTS

Sample Information...

Town of Oyster Bay

Lab No. : **0610444-012A**

Type : Soil

Origin:

Attn To :

Client ID. : N-3(0-2')

Collected 9/28/2006 11:30:00 AM

Received 9/28/2006 4:15:00 PM

Collected By : Client

Copy : Original

CC

Parameter(s)	Results	Qualifier	D.F.	Units	Method Number	Analyzed
alpha-BHC	< 1.9		1	µg/Kg-dry	SW8081	10/10/2006 7:26 PM
beta-BHC	4.7		1	µg/Kg-dry	SW8081	10/10/2006 7:26 PM
delta-BHC	< 1.9		1	µg/Kg-dry	SW8081	10/10/2006 7:26 PM
gamma-BHC	5.8		1	µg/Kg-dry	SW8081	10/10/2006 7:26 PM
Heptachlor	24		1	µg/Kg-dry	SW8081	10/10/2006 7:26 PM
Aldrin	< 1.9		1	µg/Kg-dry	SW8081	10/10/2006 7:26 PM
Heptachlor epoxide	< 1.9		1	µg/Kg-dry	SW8081	10/10/2006 7:26 PM
Endosulfan I	3.3		1	µg/Kg-dry	SW8081	10/10/2006 7:26 PM
Dieldrin	5.9		1	µg/Kg-dry	SW8081	10/10/2006 7:26 PM
4,4'-DDE	7.8		1	µg/Kg-dry	SW8081	10/10/2006 7:26 PM
Endrin	4.8		1	µg/Kg-dry	SW8081	10/10/2006 7:26 PM
Endosulfan II	< 3.6		1	µg/Kg-dry	SW8081	10/10/2006 7:26 PM
4,4'-DDD	5.5		1	µg/Kg-dry	SW8081	10/10/2006 7:26 PM
Endosulfan sulfate	< 3.6		1	µg/Kg-dry	SW8081	10/10/2006 7:26 PM
4,4'-DDT	19		1	µg/Kg-dry	SW8081	10/10/2006 7:26 PM
Methoxychlor	< 19		1	µg/Kg-dry	SW8081	10/10/2006 7:26 PM
Endrin ketone	< 3.6		1	µg/Kg-dry	SW8081	10/10/2006 7:26 PM
Endrin aldehyde	7.2		1	µg/Kg-dry	SW8081	10/10/2006 7:26 PM
alpha-Chlordane	3.0		1	µg/Kg-dry	SW8081	10/10/2006 7:26 PM
gamma-Chlordane	4.3		1	µg/Kg-dry	SW8081	10/10/2006 7:26 PM
Toxaphene	< 190		1	µg/Kg-dry	SW8081	10/10/2006 7:26 PM
Percent Moisture	8.4		1	wt%	D2216	10/03/2006 12:42 PM


Qualifiers: E - Value above quantitation range

D - Results for Dilution

D.F. = Dilution Factor

Date Reported : 10/12/2006

Laboratory Manager



H2M LABS, INC.

575 Broad Hollow Road, Melville NY 11747
(631) 694-3040 . FAX: (631) 420-8436 NYSDOH ID# 10478

LABORATORY RESULTS

Town of Oyster Bay

Lab No. : **0610444-013A**

Sample Information...

Type : Soil

Attn To :

Origin:

Client ID. : H-4(2-4')

Collected 9/28/2006 11:40:00 AM

Received 9/28/2006 4:15:00 PM

Collected By : Client

Copy : Original

CC


Parameter(s)	Results	Qualifier	D.F.	Units	Method Number	Analyzed
alpha-BHC	< 1.8		1	µg/Kg-dry	SW8081	10/10/2006 10:30 PM
beta-BHC	< 1.8		1	µg/Kg-dry	SW8081	10/10/2006 10:30 PM
delta-BHC	< 1.8		1	µg/Kg-dry	SW8081	10/10/2006 10:30 PM
gamma-BHC	< 1.8		1	µg/Kg-dry	SW8081	10/10/2006 10:30 PM
Heptachlor	2.0		1	µg/Kg-dry	SW8081	10/10/2006 10:30 PM
Aldrin	< 1.8		1	µg/Kg-dry	SW8081	10/10/2006 10:30 PM
Heptachlor epoxide	< 1.8		1	µg/Kg-dry	SW8081	10/10/2006 10:30 PM
Endosulfan I	< 1.8		1	µg/Kg-dry	SW8081	10/10/2006 10:30 PM
Dieldrin	< 3.4		1	µg/Kg-dry	SW8081	10/10/2006 10:30 PM
4,4'-DDE	< 3.4		1	µg/Kg-dry	SW8081	10/10/2006 10:30 PM
Endrin	< 3.4		1	µg/Kg-dry	SW8081	10/10/2006 10:30 PM
Endosulfan II	< 3.4		1	µg/Kg-dry	SW8081	10/10/2006 10:30 PM
4,4'-DDD	< 3.4		1	µg/Kg-dry	SW8081	10/10/2006 10:30 PM
Endosulfan sulfate	< 3.4		1	µg/Kg-dry	SW8081	10/10/2006 10:30 PM
4,4'-DDT	13		1	µg/Kg-dry	SW8081	10/10/2006 10:30 PM
Methoxychlor	< 18		1	µg/Kg-dry	SW8081	10/10/2006 10:30 PM
Endrin ketone	< 3.4		1	µg/Kg-dry	SW8081	10/10/2006 10:30 PM
Endrin aldehyde	8.9		1	µg/Kg-dry	SW8081	10/10/2006 10:30 PM
alpha-Chlordane	< 1.8		1	µg/Kg-dry	SW8081	10/10/2006 10:30 PM
gamma-Chlordane	2.7		1	µg/Kg-dry	SW8081	10/10/2006 10:30 PM
Toxaphene	< 180		1	µg/Kg-dry	SW8081	10/10/2006 10:30 PM
Percent Moisture	2.9		1	wt%	D2216	10/03/2006 12:43 PM

Qualifiers: E - Value above quantitation range

D - Results for Dilution

D.F. = Dilution Factor

Date Reported : 10/12/2006



Laboratory Manager

H2M LABS, INC.

575 Broad Hollow Road, Melville NY 11747
(631) 694-3040 . FAX: (631) 420-8436 NYSDOH ID# 10478

LABORATORY RESULTS

Town of Oyster Bay

Lab No. : **0610444-014A**

Sample Information...

Type : Soil

Attn To :

Origin:

Client ID. : I-4(2-4')

Collected 9/28/2006 11:50:00 AM

Received 9/28/2006 4:15:00 PM

Collected By : Client

Copy : Original

CC


Parameter(s)	Results	Qualifier	D.F.	Units	Method Number	Analyzed
alpha-BHC	< 1.8		1	µg/Kg-dry	SW8081	10/10/2006 11:00 PM
beta-BHC	< 1.8		1	µg/Kg-dry	SW8081	10/10/2006 11:00 PM
delta-BHC	< 1.8		1	µg/Kg-dry	SW8081	10/10/2006 11:00 PM
gamma-BHC	< 1.8		1	µg/Kg-dry	SW8081	10/10/2006 11:00 PM
Heptachlor	< 1.8		1	µg/Kg-dry	SW8081	10/10/2006 11:00 PM
Aldrin	< 1.8		1	µg/Kg-dry	SW8081	10/10/2006 11:00 PM
Heptachlor epoxide	< 1.8		1	µg/Kg-dry	SW8081	10/10/2006 11:00 PM
Endosulfan I	< 1.8		1	µg/Kg-dry	SW8081	10/10/2006 11:00 PM
Dieldrin	< 3.4		1	µg/Kg-dry	SW8081	10/10/2006 11:00 PM
4,4'-DDE	< 3.4		1	µg/Kg-dry	SW8081	10/10/2006 11:00 PM
Endrin	< 3.4		1	µg/Kg-dry	SW8081	10/10/2006 11:00 PM
Endosulfan II	< 3.4		1	µg/Kg-dry	SW8081	10/10/2006 11:00 PM
4,4'-DDD	< 3.4		1	µg/Kg-dry	SW8081	10/10/2006 11:00 PM
Endosulfan sulfate	< 3.4		1	µg/Kg-dry	SW8081	10/10/2006 11:00 PM
4,4'-DDT	< 3.4		1	µg/Kg-dry	SW8081	10/10/2006 11:00 PM
Methoxychlor	< 18		1	µg/Kg-dry	SW8081	10/10/2006 11:00 PM
Endrin ketone	< 3.4		1	µg/Kg-dry	SW8081	10/10/2006 11:00 PM
Endrin aldehyde	< 3.4		1	µg/Kg-dry	SW8081	10/10/2006 11:00 PM
alpha-Chlordane	< 1.8		1	µg/Kg-dry	SW8081	10/10/2006 11:00 PM
gamma-Chlordane	< 1.8		1	µg/Kg-dry	SW8081	10/10/2006 11:00 PM
Toxaphene	< 180		1	µg/Kg-dry	SW8081	10/10/2006 11:00 PM
Percent Moisture	3.4		1	wt%	D2216	10/03/2006 12:44 PM

Qualifiers: E - Value above quantitation range

D - Results for Dilution

D.F. = Dilution Factor

Date Reported : 10/12/2006



H2M LABS, INC.

575 Broad Hollow Road, Melville NY 11747
(631) 694-3040 . FAX: (631) 420-8436 NYSDOH ID# 10478

LABORATORY RESULTS

Town of Oyster Bay

Lab No. : **0610444-015A**

Sample Information...

Type : Soil

Attn To :

Client ID. : J-4(2-4')

Origin:

Collected 9/28/2006 12:00:00 PM

Received 9/28/2006 4:15:00 PM

Collected By : Client

Copy : Original

CC

Parameter(s)	Results	Qualifier	D.F.	Units	Method Number	Analyzed
alpha-BHC	< 1.8		1	µg/Kg-dry	SW8081	10/10/2006 11:31 PM
beta-BHC	< 1.8		1	µg/Kg-dry	SW8081	10/10/2006 11:31 PM
delta-BHC	< 1.8		1	µg/Kg-dry	SW8081	10/10/2006 11:31 PM
gamma-BHC	< 1.8		1	µg/Kg-dry	SW8081	10/10/2006 11:31 PM
Heptachlor	< 1.8		1	µg/Kg-dry	SW8081	10/10/2006 11:31 PM
Aldrin	< 1.8		1	µg/Kg-dry	SW8081	10/10/2006 11:31 PM
Heptachlor epoxide	< 1.8		1	µg/Kg-dry	SW8081	10/10/2006 11:31 PM
Endosulfan I	< 1.8		1	µg/Kg-dry	SW8081	10/10/2006 11:31 PM
Dieldrin	< 3.5		1	µg/Kg-dry	SW8081	10/10/2006 11:31 PM
4,4'-DDE	< 3.5		1	µg/Kg-dry	SW8081	10/10/2006 11:31 PM
Endrin	< 3.5		1	µg/Kg-dry	SW8081	10/10/2006 11:31 PM
Endosulfan II	< 3.5		1	µg/Kg-dry	SW8081	10/10/2006 11:31 PM
4,4'-DDD	< 3.5		1	µg/Kg-dry	SW8081	10/10/2006 11:31 PM
Endosulfan sulfate	< 3.5		1	µg/Kg-dry	SW8081	10/10/2006 11:31 PM
4,4'-DDT	7.4		1	µg/Kg-dry	SW8081	10/10/2006 11:31 PM
Methoxychlor	< 18		1	µg/Kg-dry	SW8081	10/10/2006 11:31 PM
Endrin ketone	< 3.5		1	µg/Kg-dry	SW8081	10/10/2006 11:31 PM
Endrin aldehyde	< 3.5		1	µg/Kg-dry	SW8081	10/10/2006 11:31 PM
alpha-Chlordane	< 1.8		1	µg/Kg-dry	SW8081	10/10/2006 11:31 PM
gamma-Chlordane	< 1.8		1	µg/Kg-dry	SW8081	10/10/2006 11:31 PM
Toxaphene	< 180		1	µg/Kg-dry	SW8081	10/10/2006 11:31 PM
Percent Moisture	4.6		1	wt%	D2216	10/03/2006 12:45 PM


Qualifiers: E - Value above quantitation range

D - Results for Dilution

D.F. = Dilution Factor

Date Reported : 10/12/2006

Laboratory Manager



H2M LABS, INC.

575 Broad Hollow Road, Melville NY 11747
(631) 694-3040 . FAX: (631) 420-8436 NYSDOH ID# 10478

LABORATORY RESULTS

Town of Oyster Bay

Lab No. : **0610444-016A**

Sample Information...

Type : Soil

Attn To :

Origin:

Client ID. : K-4(0-2')

Collected 9/28/2006 12:40:00 PM

Received 9/28/2006 4:15:00 PM

Collected By : Client

Copy : Original

CC


Parameter(s)	Results	Qualifier	D.F.	Units	Method Number	Analyzed
alpha-BHC	< 1.8		1	µg/Kg-dry	SW8081	10/11/2006 12:01 AM
beta-BHC	8.8		1	µg/Kg-dry	SW8081	10/11/2006 12:01 AM
delta-BHC	< 1.8		1	µg/Kg-dry	SW8081	10/11/2006 12:01 AM
gamma-BHC	8.7		1	µg/Kg-dry	SW8081	10/11/2006 12:01 AM
Heptachlor	< 1.8		1	µg/Kg-dry	SW8081	10/11/2006 12:01 AM
Aldrin	< 1.8		1	µg/Kg-dry	SW8081	10/11/2006 12:01 AM
Heptachlor epoxide	< 1.8		1	µg/Kg-dry	SW8081	10/11/2006 12:01 AM
Endosulfan I	1.9		1	µg/Kg-dry	SW8081	10/11/2006 12:01 AM
Dieldrin	5.0		1	µg/Kg-dry	SW8081	10/11/2006 12:01 AM
4,4'-DDE	4.4		1	µg/Kg-dry	SW8081	10/11/2006 12:01 AM
Endrin	< 3.5		1	µg/Kg-dry	SW8081	10/11/2006 12:01 AM
Endosulfan II	< 3.5		1	µg/Kg-dry	SW8081	10/11/2006 12:01 AM
4,4'-DDD	5.2		1	µg/Kg-dry	SW8081	10/11/2006 12:01 AM
Endosulfan sulfate	< 3.5		1	µg/Kg-dry	SW8081	10/11/2006 12:01 AM
4,4'-DDT	14		1	µg/Kg-dry	SW8081	10/11/2006 12:01 AM
Methoxychlor	< 18		1	µg/Kg-dry	SW8081	10/11/2006 12:01 AM
Endrin ketone	4.5		1	µg/Kg-dry	SW8081	10/11/2006 12:01 AM
Endrin aldehyde	6.4		1	µg/Kg-dry	SW8081	10/11/2006 12:01 AM
alpha-Chlordane	< 1.8		1	µg/Kg-dry	SW8081	10/11/2006 12:01 AM
gamma-Chlordane	9.5		1	µg/Kg-dry	SW8081	10/11/2006 12:01 AM
Toxaphene	< 180		1	µg/Kg-dry	SW8081	10/11/2006 12:01 AM
Percent Moisture	6.2		1	wt%	D2216	10/03/2006 12:46 PM

Qualifiers: E - Value above quantitation range

D - Results for Dilution

D.F. = Dilution Factor

Date Reported : 10/12/2006



H2M LABS, INC.

575 Broad Hollow Road, Melville NY 11747
(631) 694-3040 . FAX: (631) 420-8436 NYSDOH ID# 10478

LABORATORY RESULTS

Sample Information...

Town of Oyster Bay

Lab No. : **0610444-017A**

Type : Soil

Origin:

Attn To :

Client ID. : L-4(0-2')

Collected 9/28/2006 12:50:00 PM

Received 9/28/2006 4:15:00 PM

Collected By : Client

Copy : Original

CC

Parameter(s)	Results	Qualifier	D.F.	Units	Method Number	Analyzed
alpha-BHC	< 1.8		1	µg/Kg-dry	SW8081	10/11/2006 12:32 AM
beta-BHC	2.1		1	µg/Kg-dry	SW8081	10/11/2006 12:32 AM
delta-BHC	< 1.8		1	µg/Kg-dry	SW8081	10/11/2006 12:32 AM
gamma-BHC	< 1.8		1	µg/Kg-dry	SW8081	10/11/2006 12:32 AM
Heptachlor	< 1.8		1	µg/Kg-dry	SW8081	10/11/2006 12:32 AM
Aldrin	< 1.8		1	µg/Kg-dry	SW8081	10/11/2006 12:32 AM
Heptachlor epoxide	< 1.8		1	µg/Kg-dry	SW8081	10/11/2006 12:32 AM
Endosulfan I	< 1.8		1	µg/Kg-dry	SW8081	10/11/2006 12:32 AM
Dieldrin	< 3.5		1	µg/Kg-dry	SW8081	10/11/2006 12:32 AM
4,4'-DDE	< 3.5		1	µg/Kg-dry	SW8081	10/11/2006 12:32 AM
Endrin	< 3.5		1	µg/Kg-dry	SW8081	10/11/2006 12:32 AM
Endosulfan II	< 3.5		1	µg/Kg-dry	SW8081	10/11/2006 12:32 AM
4,4'-DDD	< 3.5		1	µg/Kg-dry	SW8081	10/11/2006 12:32 AM
Endosulfan sulfate	< 3.5		1	µg/Kg-dry	SW8081	10/11/2006 12:32 AM
4,4'-DDT	< 3.5		1	µg/Kg-dry	SW8081	10/11/2006 12:32 AM
Methoxychlor	< 18		1	µg/Kg-dry	SW8081	10/11/2006 12:32 AM
Endrin ketone	< 3.5		1	µg/Kg-dry	SW8081	10/11/2006 12:32 AM
Endrin aldehyde	< 3.5		1	µg/Kg-dry	SW8081	10/11/2006 12:32 AM
alpha-Chlordane	< 1.8		1	µg/Kg-dry	SW8081	10/11/2006 12:32 AM
gamma-Chlordane	2.3		1	µg/Kg-dry	SW8081	10/11/2006 12:32 AM
Toxaphene	< 180		1	µg/Kg-dry	SW8081	10/11/2006 12:32 AM
Percent Moisture	5.1		1	wt%	D2216	10/03/2006 12:47 PM


Qualifiers: E - Value above quantitation range

D - Results for Dilution

D.F. = Dilution Factor

Date Reported : 10/12/2006

Laboratory Manager



H2M LABS, INC.

575 Broad Hollow Road, Melville NY 11747
(631) 694-3040 . FAX: (631) 420-8436 NYSDOHID# 10478

LABORATORY RESULTS

Town of Oyster Bay

Lab No. : **0610444-018A**

Sample Information...

Type : Soil

Attn To :

Origin:

Client ID. : M-4(2-4')

Collected 9/28/2006 1:01:00 AM

Received 9/28/2006 4:15:00 PM

Collected By : Client

Copy : Original

CC


Parameter(s)	Results	Qualifier	D.F.	Units	Method Number	Analyzed
alpha-BHC	< 1.9		1	µg/Kg-dry	SW8081	10/11/2006 1:03 AM
beta-BHC	< 1.9		1	µg/Kg-dry	SW8081	10/11/2006 1:03 AM
delta-BHC	< 1.9		1	µg/Kg-dry	SW8081	10/11/2006 1:03 AM
gamma-BHC	< 1.9		1	µg/Kg-dry	SW8081	10/11/2006 1:03 AM
Heptachlor	6.0		1	µg/Kg-dry	SW8081	10/11/2006 1:03 AM
Aldrin	< 1.9		1	µg/Kg-dry	SW8081	10/11/2006 1:03 AM
Heptachlor epoxide	< 1.9		1	µg/Kg-dry	SW8081	10/11/2006 1:03 AM
Endosulfan I	< 1.9		1	µg/Kg-dry	SW8081	10/11/2006 1:03 AM
Dieldrin	< 3.7		1	µg/Kg-dry	SW8081	10/11/2006 1:03 AM
4,4'-DDE	< 3.7		1	µg/Kg-dry	SW8081	10/11/2006 1:03 AM
Endrin	< 3.7		1	µg/Kg-dry	SW8081	10/11/2006 1:03 AM
Endosulfan II	< 3.7		1	µg/Kg-dry	SW8081	10/11/2006 1:03 AM
4,4'-DDD	< 3.7		1	µg/Kg-dry	SW8081	10/11/2006 1:03 AM
Endosulfan sulfate	< 3.7		1	µg/Kg-dry	SW8081	10/11/2006 1:03 AM
4,4'-DDT	< 3.7		1	µg/Kg-dry	SW8081	10/11/2006 1:03 AM
Methoxychlor	< 19		1	µg/Kg-dry	SW8081	10/11/2006 1:03 AM
Endrin ketone	< 3.7		1	µg/Kg-dry	SW8081	10/11/2006 1:03 AM
Endrin aldehyde	< 3.7		1	µg/Kg-dry	SW8081	10/11/2006 1:03 AM
alpha-Chlordane	< 1.9		1	µg/Kg-dry	SW8081	10/11/2006 1:03 AM
gamma-Chlordane	3.0		1	µg/Kg-dry	SW8081	10/11/2006 1:03 AM
Toxaphene	< 190		1	µg/Kg-dry	SW8081	10/11/2006 1:03 AM
Percent Moisture	10.1		1	wt%	D2216	10/03/2006 12:48 PM

Qualifiers: E - Value above quantitation range

D - Results for Dilution

D.F. = Dilution Factor

Date Reported : 10/12/2006



H2M LABS, INC.

575 Broad Hollow Road, Melville NY 11747
(631) 694-3040 . FAX: (631) 420-8436 NYSDOH ID# 10478

LABORATORY RESULTS

Town of Oyster Bay

Lab No. : **0610444-019A**

Sample Information...

Type : Soil

Attn To :

Origin:

Client ID. : N-4(2-4')

Collected 9/28/2006 1:10:00 AM

Received 9/28/2006 4:15:00 PM

Collected By : Client

Copy : Original

CC

Parameter(s)	Results	Qualifier	D.F.	Units	Method Number	Analyzed
alpha-BHC	< 1.7		1	µg/Kg-dry	SW8081	10/11/2006 1:33 AM
beta-BHC	< 1.7		1	µg/Kg-dry	SW8081	10/11/2006 1:33 AM
delta-BHC	< 1.7		1	µg/Kg-dry	SW8081	10/11/2006 1:33 AM
gamma-BHC	< 1.7		1	µg/Kg-dry	SW8081	10/11/2006 1:33 AM
Heptachlor	< 1.7		1	µg/Kg-dry	SW8081	10/11/2006 1:33 AM
Aldrin	< 1.7		1	µg/Kg-dry	SW8081	10/11/2006 1:33 AM
Heptachlor epoxide	< 1.7		1	µg/Kg-dry	SW8081	10/11/2006 1:33 AM
Endosulfan I	< 1.7		1	µg/Kg-dry	SW8081	10/11/2006 1:33 AM
Dieldrin	< 3.4		1	µg/Kg-dry	SW8081	10/11/2006 1:33 AM
4,4'-DDE	< 3.4		1	µg/Kg-dry	SW8081	10/11/2006 1:33 AM
Endrin	< 3.4		1	µg/Kg-dry	SW8081	10/11/2006 1:33 AM
Endosulfan II	< 3.4		1	µg/Kg-dry	SW8081	10/11/2006 1:33 AM
4,4'-DDD	< 3.4		1	µg/Kg-dry	SW8081	10/11/2006 1:33 AM
Endosulfan sulfate	< 3.4		1	µg/Kg-dry	SW8081	10/11/2006 1:33 AM
4,4'-DDT	< 3.4		1	µg/Kg-dry	SW8081	10/11/2006 1:33 AM
Methoxychlor	< 17		1	µg/Kg-dry	SW8081	10/11/2006 1:33 AM
Endrin ketone	< 3.4		1	µg/Kg-dry	SW8081	10/11/2006 1:33 AM
Endrin aldehyde	< 3.4		1	µg/Kg-dry	SW8081	10/11/2006 1:33 AM
alpha-Chlordane	< 1.7		1	µg/Kg-dry	SW8081	10/11/2006 1:33 AM
gamma-Chlordane	< 1.7		1	µg/Kg-dry	SW8081	10/11/2006 1:33 AM
Toxaphene	< 170		1	µg/Kg-dry	SW8081	10/11/2006 1:33 AM
Percent Moisture	2.5		1	wt%	D2216	10/03/2006 12:49 PM


Qualifiers: E - Value above quantitation range

D - Results for Dilution

D.F. = Dilution Factor

Date Reported : 10/12/2006

Laboratory Manager



H2M LABS, INC.

575 Broad Hollow Road, Melville NY 11747
(631)694-3040 . FAX: (631) 420-8436 NYSDOH ID# 10478

LABORATORY RESULTS

Town of Oyster Bay

Lab No. : **0610444-020A**

Sample Information...

Type : Soil

Attn To :

Client ID. : M-5(0-2)

Origin:

Collected 9/28/2006 1:20:00 AM

Received 9/28/2006 4:15:00 PM

Collected By : Client

Copy : Original

CC

Parameter(s)	Results	Qualifier	D.F.	Units	Method Number	Analyzed
alpha-BHC	< 1.9		1	µg/Kg-dry	SW8081	10/11/2006 2:04 AM
beta-BHC	11		1	µg/Kg-dry	SW8081	10/11/2006 2:04 AM
delta-BHC	< 1.9		1	µg/Kg-dry	SW8081	10/11/2006 2:04 AM
gamma-BHC	< 1.9		1	µg/Kg-dry	SW8081	10/11/2006 2:04 AM
Heptachlor	< 1.9		1	µg/Kg-dry	SW8081	10/11/2006 2:04 AM
Aldrin	2.7		1	µg/Kg-dry	SW8081	10/11/2006 2:04 AM
Heptachlor epoxide	< 1.9		1	µg/Kg-dry	SW8081	10/11/2006 2:04 AM
Endosulfan I	8.5		1	µg/Kg-dry	SW8081	10/11/2006 2:04 AM
Dieldrin	10		1	µg/Kg-dry	SW8081	10/11/2006 2:04 AM
4,4'-DDE	17		1	µg/Kg-dry	SW8081	10/11/2006 2:04 AM
Endrin	8.6		1	µg/Kg-dry	SW8081	10/11/2006 2:04 AM
Endosulfan II	< 3.6		1	µg/Kg-dry	SW8081	10/11/2006 2:04 AM
4,4'-DDD	5.3		1	µg/Kg-dry	SW8081	10/11/2006 2:04 AM
Endosulfan sulfate	< 3.6		1	µg/Kg-dry	SW8081	10/11/2006 2:04 AM
4,4'-DDT	30		1	µg/Kg-dry	SW8081	10/11/2006 2:04 AM
Methoxychlor	< 19		1	µg/Kg-dry	SW8081	10/11/2006 2:04 AM
Endrin ketone	9.9		1	µg/Kg-dry	SW8081	10/11/2006 2:04 AM
Endrin aldehyde	9.3		1	µg/Kg-dry	SW8081	10/11/2006 2:04 AM
alpha-Chlordane	5.5		1	µg/Kg-dry	SW8081	10/11/2006 2:04 AM
gamma-Chlordane	11		1	µg/Kg-dry	SW8081	10/11/2006 2:04 AM
Toxaphene	< 190		1	µg/Kg-dry	SW8081	10/11/2006 2:04 AM
Percent Moisture	9.0		1	wt%	D2216	10/03/2006 12:50 PM


Qualifiers: E - Value above quantitation range

D - Results for Dilution

D.F. = Dilution Factor

Date Reported : 10/12/2006

Laboratory Manager



H2M LABS, INC.

575 Broad Hollow Road, Melville NY 11747
(631) 694-3040 . FAX: (631) 420-8436 NYSDOH ID# 10478

LABORATORY RESULTS

Town of Oyster Bay

Lab No. : **0610584-001A**

Sample Information...

Type : Soil

Attn To :

Origin:

Client ID. : C-12 (0-2')

Collected 10/3/2006 12:56:00 PM

Received 10/3/2006 5:10:00 PM

Collected By : ???

Copy : Original

CC


<u>Parameter(s)</u>	<u>Results</u>	<u>Qualifier</u>	<u>D.F.</u>	<u>Units</u>	<u>Method Number</u>	<u>Analyzed</u>
Aroclor 1016	< 34		1	µg/Kg-dry	SW8082	10/08/2006 4:25 AM
Aroclor 1221	< 69		1	µg/Kg-dry	SW8082	10/08/2006 4:25 AM
Aroclor 1232	< 34		1	µg/Kg-dry	SW8082	10/08/2006 4:25 AM
Aroclor 1242	990	D	5	µg/Kg-dry	SW8082	10/13/2006 2:08 AM
Aroclor 1248	< 34		1	µg/Kg-dry	SW8082	10/08/2006 4:25 AM
Aroclor 1254	< 34		1	µg/Kg-dry	SW8082	10/08/2006 4:25 AM
Aroclor 1260	< 34		1	µg/Kg-dry	SW8082	10/08/2006 4:25 AM
Percent Moisture	2.4		1	wt%	D2216	10/05/2006 1:31 PM

Qualifiers: E - Value above quantitation range

D - Results for Dilution

D.F. = Dilution Factor

Date Reported : 10/17/2006



Laboratory Manager

H2M LABS, INC.

575 Broad Hollow Road, Melville NY 11747
(631) 694-3040 . FAX: (631) 420-8436 NYSDOH ID# 10478

LABORATORY RESULTS

Town of Oyster Bay

Lab No. : 0610584-002A

Sample Information...

Type : Soil

Attn To :

Origin:

Client ID. : D-12 (2-4')

Collected 10/3/2006 1:05:00 PM

Received 10/3/2006 5:10:00 PM

Collected By : Client

Copy : Original

CC

<u>Parameter(s)</u>	<u>Results</u>	<u>Qualifier</u>	<u>D.F.</u>	<u>Units</u>	<u>Method Number</u>	<u>Analyzed</u>
alpha-BHC	< 1.7		1	µg/Kg-dry	SW8081	10/11/2006 11:45 AM
beta-BHC	< 1.7		1	µg/Kg-dry	SW8081	10/11/2006 11:45 AM
delta-BHC	< 1.7		1	µg/Kg-dry	SW8081	10/11/2006 11:45 AM
gamma-BHC	< 1.7		1	µg/Kg-dry	SW8081	10/11/2006 11:45 AM
Heptachlor	< 1.7		1	µg/Kg-dry	SW8081	10/11/2006 11:45 AM
Aldrin	< 1.7		1	µg/Kg-dry	SW8081	10/11/2006 11:45 AM
Heptachlor epoxide	< 1.7		1	µg/Kg-dry	SW8081	10/11/2006 11:45 AM
Endosulfan I	< 1.7		1	µg/Kg-dry	SW8081	10/11/2006 11:45 AM
Dieldrin	< 3.4		1	µg/Kg-dry	SW8081	10/11/2006 11:45 AM
4,4'-DDE	< 3.4		1	µg/Kg-dry	SW8081	10/11/2006 11:45 AM
Endrin	< 3.4		1	µg/Kg-dry	SW8081	10/11/2006 11:45 AM
Endosulfan II	< 3.4		1	µg/Kg-dry	SW8081	10/11/2006 11:45 AM
4,4'-DDD	< 3.4		1	µg/Kg-dry	SW8081	10/11/2006 11:45 AM
Endosulfan sulfate	< 3.4		1	µg/Kg-dry	SW8081	10/11/2006 11:45 AM
4,4'-DDT	4.1		1	µg/Kg-dry	SW8081	10/11/2006 11:45 AM
Methoxychlor	< 17		1	µg/Kg-dry	SW8081	10/11/2006 11:45 AM
Endrin ketone	< 3.4		1	µg/Kg-dry	SW8081	10/11/2006 11:45 AM
Endrin aldehyde	< 3.4		1	µg/Kg-dry	SW8081	10/11/2006 11:45 AM
alpha-Chlordane	< 1.7		1	µg/Kg-dry	SW8081	10/11/2006 11:45 AM
gamma-Chlordane	< 1.7		1	µg/Kg-dry	SW8081	10/11/2006 11:45 AM
Toxaphene	< 170		1	µg/Kg-dry	SW8081	10/11/2006 11:45 AM
Percent Moisture	2.8		1	wt%	D2216	10/05/2006 1:32 PM


Qualifiers: E - Value above quantitation range

D - Results for Dilution

D.F. = Dilution Factor

Date Reported : 10/17/2006

Page 2 of 41



Laboratory Manager

H2M LABS, INC.

575 Broad Hollow Road, Melville NY 11747
(631) 694-3040 . FAX: (631) 420-8436 NYSDOH ID# 10478

LABORATORY RESULTS

Town of Oyster Bay

Lab No. : **0610584-003A**

Sample Information...

Type : Soil

Attn To :

Origin:

Client ID. : E-12 (4-6')

Collected 10/3/2006 1:14:00 PM

Received 10/3/2006 5:10:00 PM

Collected By : Client

Copy : Original

CC

Parameter(s)	Results	Qualifier	D.F.	Units	Method Number	Analyzed
alpha-BHC	< 1.7		1	µg/Kg-dry	SW8081	10/11/2006 12:18 PM
beta-BHC	< 1.7		1	µg/Kg-dry	SW8081	10/11/2006 12:18 PM
delta-BHC	< 1.7		1	µg/Kg-dry	SW8081	10/11/2006 12:18 PM
gamma-BHC	< 1.7		1	µg/Kg-dry	SW8081	10/11/2006 12:18 PM
Heptachlor	< 1.7		1	µg/Kg-dry	SW8081	10/11/2006 12:18 PM
Aldrin	< 1.7		1	µg/Kg-dry	SW8081	10/11/2006 12:18 PM
Heptachlor epoxide	< 1.7		1	µg/Kg-dry	SW8081	10/11/2006 12:18 PM
Endosulfan I	< 1.7		1	µg/Kg-dry	SW8081	10/11/2006 12:18 PM
Dieldrin	< 3.4		1	µg/Kg-dry	SW8081	10/11/2006 12:18 PM
4,4'-DDE	< 3.4		1	µg/Kg-dry	SW8081	10/11/2006 12:18 PM
Endrin	< 3.4		1	µg/Kg-dry	SW8081	10/11/2006 12:18 PM
Endosulfan II	< 3.4		1	µg/Kg-dry	SW8081	10/11/2006 12:18 PM
4,4'-DDD	< 3.4		1	µg/Kg-dry	SW8081	10/11/2006 12:18 PM
Endosulfan sulfate	< 3.4		1	µg/Kg-dry	SW8081	10/11/2006 12:18 PM
4,4'-DDT	4.4		1	µg/Kg-dry	SW8081	10/11/2006 12:18 PM
Methoxychlor	< 17		1	µg/Kg-dry	SW8081	10/11/2006 12:18 PM
Endrin ketone	< 3.4		1	µg/Kg-dry	SW8081	10/11/2006 12:18 PM
Endrin aldehyde	< 3.4		1	µg/Kg-dry	SW8081	10/11/2006 12:18 PM
alpha-Chlordane	< 1.7		1	µg/Kg-dry	SW8081	10/11/2006 12:18 PM
gamma-Chlordane	< 1.7		1	µg/Kg-dry	SW8081	10/11/2006 12:18 PM
Toxaphene	< 170		1	µg/Kg-dry	SW8081	10/11/2006 12:18 PM
Percent Moisture	2.0		1	wt%	D2216	10/05/2006 1:33 PM


Qualifiers: E - Value above quantitation range

D - Results for Dilution

D.F. = Dilution Factor

Date Reported : 10/17/2006

Laboratory Manager



H2M LABS, INC.

575 Broad Hollow Road, Melville NY 11747
(631) 694-3040 . FAX: (631) 420-8436 NYSDOH ID# 10478

LABORATORY RESULTS

Town of Oyster Bay

Lab No. : **0610584-004A**

Sample Information...

Type : Soil

Attn To :

Origin:

Client ID. : E-11 (0-2')

Collected 10/3/2006 1:19:00 PM

Received 10/3/2006 5:10:00 PM

Collected By : Client

Copy : **Original**

CC

Parameter(s)	Results	Qualifier	D.F.	Units	Method Number	Analyzed
alpha-BHC	< 1.7		1	µg/Kg-dry	SW8081	10/11/2006 12:10 AM
beta-BHC	< 1.7		1	µg/Kg-dry	SW8081	10/11/2006 12:10 AM
delta-BHC	< 1.7		1	µg/Kg-dry	SW8081	10/11/2006 12:10 AM
gamma-BHC	< 1.7		1	µg/Kg-dry	SW8081	10/11/2006 12:10 AM
Heptachlor	< 1.7		1	µg/Kg-dry	SW8081	10/11/2006 12:10 AM
Aldrin	< 1.7		1	µg/Kg-dry	SW8081	10/11/2006 12:10 AM
Heptachlor epoxide	< 1.7		1	µg/Kg-dry	SW8081	10/11/2006 12:10 AM
Endosulfan I	< 1.7		1	µg/Kg-dry	SW8081	10/11/2006 12:10 AM
Dieldrin	< 3.3		1	µg/Kg-dry	SW8081	10/11/2006 12:10 AM
4,4'-DDE	< 3.3		1	µg/Kg-dry	SW8081	10/11/2006 12:10 AM
Endrin	< 3.3		1	µg/Kg-dry	SW8081	10/11/2006 12:10 AM
Endosulfan II	< 3.3		1	µg/Kg-dry	SW8081	10/11/2006 12:10 AM
4,4'-DDD	< 3.3		1	µg/Kg-dry	SW8081	10/11/2006 12:10 AM
Endosulfan sulfate	< 3.3		1	µg/Kg-dry	SW8081	10/11/2006 12:10 AM
4,4'-DDT	< 3.3		1	µg/Kg-dry	SW8081	10/11/2006 12:10 AM
Methoxychlor	< 17		1	µg/Kg-dry	SW8081	10/11/2006 12:10 AM
Endrin ketone	< 3.3		1	µg/Kg-dry	SW8081	10/11/2006 12:10 AM
Endrin aldehyde	< 3.3		1	µg/Kg-dry	SW8081	10/11/2006 12:10 AM
alpha-Chlordane	< 1.7		1	µg/Kg-dry	SW8081	10/11/2006 12:10 AM
gamma-Chlordane	< 1.7		1	µg/Kg-dry	SW8081	10/11/2006 12:10 AM
Toxaphene	< 170		1	µg/Kg-dry	SW8081	10/11/2006 12:10 AM
Percent Moisture	1.4		1	wt%	D2216	10/05/2006 1:34 PM


Qualifiers: E - Value above quantitation range

D - Results for Dilution

D.F. = Dilution Factor

Date Reported : 10/17/2006

Laboratory Manager



H2M LABS, INC.

575 Broad Hollow Road, Melville NY 11747
(631) 694-3040 . FAX: (631) 420-8436 NYSDOH ID# 10478

LABORATORY RESULTS

Town of Oyster Bay

Lab No. : **0610584-005A**

Sample Information...

Type : Soil

Attn To :

Client ID. : F-11 (0-2')

Origin:

Collected 10/3/2006 1:25:00 PM

Received 10/3/2006 5:10:00 PM

Collected By : Client

Copy : Original

CC


<u>Parameter(s)</u>	<u>Results</u>	<u>Qualifier</u>	<u>D.F.</u>	<u>Units</u>	<u>Method Number</u>	<u>Analyzed</u>
alpha-BHC	< 1.8		1	µg/Kg-dry	SW8081	10/11/2006 3:36 PM
beta-BHC	< 1.8		1	µg/Kg-dry	SW8081	10/11/2006 3:36 PM
delta-BHC	< 1.8		1	µg/Kg-dry	SW8081	10/11/2006 3:36 PM
gamma-BHC	< 1.8		1	µg/Kg-dry	SW8081	10/11/2006 3:36 PM
Heptachlor	< 1.8		1	µg/Kg-dry	SW8081	10/11/2006 3:36 PM
Aldrin	< 1.8		1	µg/Kg-dry	SW8081	10/11/2006 3:36 PM
Heptachlor epoxide	< 1.8		1	µg/Kg-dry	SW8081	10/11/2006 3:36 PM
Endosulfan I	< 1.8		1	µg/Kg-dry	SW8081	10/11/2006 3:36 PM
Dieldrin	< 3.4		1	µg/Kg-dry	SW8081	10/11/2006 3:36 PM
4,4'-DDE	< 3.4		1	µg/Kg-dry	SW8081	10/11/2006 3:36 PM
Endrin	< 3.4		1	µg/Kg-dry	SW8081	10/11/2006 3:36 PM
Endosulfan II	< 3.4		1	µg/Kg-dry	SW8081	10/11/2006 3:36 PM
4,4'-DDD	< 3.4		1	µg/Kg-dry	SW8081	10/11/2006 3:36 PM
Endosulfan sulfate	< 3.4		1	µg/Kg-dry	SW8081	10/11/2006 3:36 PM
4,4'-DDT	< 3.4		1	µg/Kg-dry	SW8081	10/11/2006 3:36 PM
Methoxychlor	< 18		1	µg/Kg-dry	SW8081	10/11/2006 3:36 PM
Endrin ketone	< 3.4		1	µg/Kg-dry	SW8081	10/11/2006 3:36 PM
Endrin aldehyde	< 3.4		1	µg/Kg-dry	SW8081	10/11/2006 3:36 PM
alpha-Chlordane	< 1.8		1	µg/Kg-dry	SW8081	10/11/2006 3:36 PM
gamma-Chlordane	< 1.8		1	µg/Kg-dry	SW8081	10/11/2006 3:36 PM
Toxaphene	< 180		1	µg/Kg-dry	SW8081	10/11/2006 3:36 PM
Percent Moisture	2.9		1	wt%	D2216	10/05/2006 1:35 PM

Qualifiers: E - Value above quantitation range

D - Results for Dilution

D.F. = Dilution Factor

Date Reported : 10/17/2006



H2M LABS, INC.

575 Broad Hollow Road, Melville NY 11747
(631) 694-3040 . FAX: (631) 420-8436 NYSDOH ID# 10478

LABORATORY RESULTS

Town of Oyster Bay

Lab No. : 0610584-006A

Sample Information...

Type : Soil

Attn To :

Origin:

Client ID. : F-13 (2-4)

Collected 10/3/2006 1:31:00 PM

Received 10/3/2006 5:10:00 PM

Collected By : Client

Copy : Original

CC


<u>Parameter(s)</u>	<u>Results</u>	<u>Qualifier</u>	<u>D.F.</u>	<u>Units</u>	<u>Method Number</u>	<u>Analyzed</u>
alpha-BHC	< 1.7		1	µg/Kg-dry	SW8081	10/11/2006 12:43 AM
beta-BHC	< 1.7		1	µg/Kg-dry	SW8081	10/11/2006 12:43 AM
delta-BHC	< 1.7		1	µg/Kg-dry	SW8081	10/11/2006 12:43 AM
gamma-BHC	< 1.7		1	µg/Kg-dry	SW8081	10/11/2006 12:43 AM
Heptachlor	< 1.7		1	µg/Kg-dry	SW8081	10/11/2006 12:43 AM
Aldrin	< 1.7		1	µg/Kg-dry	SW8081	10/11/2006 12:43 AM
Heptachlor epoxide	< 1.7		1	µg/Kg-dry	SW8081	10/11/2006 12:43 AM
Endosulfan I	< 1.7		1	µg/Kg-dry	SW8081	10/11/2006 12:43 AM
Dieldrin	< 3.4		1	µg/Kg-dry	SW8081	10/11/2006 12:43 AM
4,4'-DDE	< 3.4		1	µg/Kg-dry	SW8081	10/11/2006 12:43 AM
Endrin	< 3.4		1	µg/Kg-dry	SW8081	10/11/2006 12:43 AM
Endosulfan II	< 3.4		1	µg/Kg-dry	SW8081	10/11/2006 12:43 AM
4,4'-DDD	< 3.4		1	µg/Kg-dry	SW8081	10/11/2006 12:43 AM
Endosulfan sulfate	< 3.4		1	µg/Kg-dry	SW8081	10/11/2006 12:43 AM
4,4'-DDT	< 3.4		1	µg/Kg-dry	SW8081	10/11/2006 12:43 AM
Methoxychlor	< 17		1	µg/Kg-dry	SW8081	10/11/2006 12:43 AM
Endrin ketone	< 3.4		1	µg/Kg-dry	SW8081	10/11/2006 12:43 AM
Endrin aldehyde	< 3.4		1	µg/Kg-dry	SW8081	10/11/2006 12:43 AM
alpha-Chlordane	< 1.7		1	µg/Kg-dry	SW8081	10/11/2006 12:43 AM
gamma-Chlordane	< 1.7		1	µg/Kg-dry	SW8081	10/11/2006 12:43 AM
Toxaphene	< 170		1	µg/Kg-dry	SW8081	10/11/2006 12:43 AM
Percent Moisture	2.4		1	wt%	D2216	10/05/2006 1:36 PM

Qualifiers: E - Value above quantitation range

D - Results for Dilution

D.F. = Dilution Factor

Date Reported : 10/17/2006



H2M LABS, INC.

575 Broad Hollow Road, Melville NY 11747
(631) 694-3040 . FAX: (631) 420-8436 NYSDOH ID# 10478

LABORATORY RESULTS

Town of Oyster Bay

Lab No. : **0610584-007A**

Sample Information...

Type : Soil

Attn To :

Client ID. : G-14 (0-2')

Origin:

Collected 10/3/2006 1:37:00 PM

Received 10/3/2006 5:10:00 PM

Collected By : Client

Copy : Original

CC

<u>Parameter(s)</u>	<u>Results</u>	<u>Qualifier</u>	<u>D.F.</u>	<u>Units</u>	<u>Method Number</u>	<u>Analyzed</u>
alpha-BHC	< 1.8		1	µg/Kg-dry	SW8081	10/11/2006 1:16 AM
beta-BHC	< 1.8		1	µg/Kg-dry	SW8081	10/11/2006 1:16 AM
delta-BHC	< 1.8		1	µg/Kg-dry	SW8081	10/11/2006 1:16 AM
gamma-BHC	< 1.8		1	µg/Kg-dry	SW8081	10/11/2006 1:16 AM
Heptachlor	< 1.8		1	µg/Kg-dry	SW8081	10/11/2006 1:16 AM
Aldrin	< 1.8		1	µg/Kg-dry	SW8081	10/11/2006 1:16 AM
Heptachlor epoxide	< 1.8		1	µg/Kg-dry	SW8081	10/11/2006 1:16 AM
Endosulfan I	< 1.8		1	µg/Kg-dry	SW8081	10/11/2006 1:16 AM
Dieldrin	< 3.4		1	µg/Kg-dry	SW8081	10/11/2006 1:16 AM
4,4'-DDE	< 3.4		1	µg/Kg-dry	SW8081	10/11/2006 1:16 AM
Endrin	< 3.4		1	µg/Kg-dry	SW8081	10/11/2006 1:16 AM
Endosulfan II	< 3.4		1	µg/Kg-dry	SW8081	10/11/2006 1:16 AM
4,4'-DDD	< 3.4		1	µg/Kg-dry	SW8081	10/11/2006 1:16 AM
Endosulfan sulfate	< 3.4		1	µg/Kg-dry	SW8081	10/11/2006 1:16 AM
4,4'-DDT	6.9		1	µg/Kg-dry	SW8081	10/11/2006 1:16 AM
Methoxychlor	< 18		1	µg/Kg-dry	SW8081	10/11/2006 1:16 AM
Endrin ketone	< 3.4		1	µg/Kg-dry	SW8081	10/11/2006 1:16 AM
Endrin aldehyde	< 3.4		1	µg/Kg-dry	SW8081	10/11/2006 1:16 AM
alpha-Chlordane	< 1.8		1	µg/Kg-dry	SW8081	10/11/2006 1:16 AM
gamma-Chlordane	< 1.8		1	µg/Kg-dry	SW8081	10/11/2006 1:16 AM
Toxaphene	< 180		1	µg/Kg-dry	SW8081	10/11/2006 1:16 AM
Percent Moisture	3.5		1	wt%	D2216	10/05/2006 1:37 PM


Qualifiers: E - Value above quantitation range

D - Results for Dilution

D.F. = Dilution Factor

Date Reported : 10/17/2006

Page 7 of 41



Laboratory Manager

H2M LABS, INC.

575 Broad Hollow Road, Melville NY 11747
(631) 694-3040 . FAX: (631) 420-8436 NYSDOH ID# 10478

LABORATORY RESULTS

Town of Oyster Bay

Lab No. : **0610584-008A**

Sample Information...

Type : Soil

Attn To :

Origin:

Client ID. : I-13 (0-2')

Collected 10/3/2006 1:48:00 PM

Received 10/3/2006 5:10:00 PM

Collected By : Client

Copy : **Original**

CC

<u>Parameter(s)</u>	<u>Results</u>	<u>Qualifier</u>	<u>D.F.</u>	<u>Units</u>	<u>Method Number</u>	<u>Analyzed</u>
alpha-BHC	< 1.7		1	µg/Kg-dry	SW8081	10/11/2006 2:22 AM
beta-BHC	< 1.7		1	µg/Kg-dry	SW8081	10/11/2006 2:22 AM
delta-BHC	< 1.7		1	µg/Kg-dry	SW8081	10/11/2006 2:22 AM
gamma-BHC	< 1.7		1	µg/Kg-dry	SW8081	10/11/2006 2:22 AM
Heptachlor	< 1.7		1	µg/Kg-dry	SW8081	10/11/2006 2:22 AM
Aldrin	< 1.7		1	µg/Kg-dry	SW8081	10/11/2006 2:22 AM
Heptachlor epoxide	< 1.7		1	µg/Kg-dry	SW8081	10/11/2006 2:22 AM
Endosulfan I	< 1.7		1	µg/Kg-dry	SW8081	10/11/2006 2:22 AM
Dieldrin	< 3.4		1	µg/Kg-dry	SW8081	10/11/2006 2:22 AM
4,4'-DDE	< 3.4		1	µg/Kg-dry	SW8081	10/11/2006 2:22 AM
Endrin	< 3.4		1	µg/Kg-dry	SW8081	10/11/2006 2:22 AM
Endosulfan II	< 3.4		1	µg/Kg-dry	SW8081	10/11/2006 2:22 AM
4,4'-DDD	< 3.4		1	µg/Kg-dry	SW8081	10/11/2006 2:22 AM
Endosulfan sulfate	< 3.4		1	µg/Kg-dry	SW8081	10/11/2006 2:22 AM
4,4'-DDT	< 3.4		1	µg/Kg-dry	SW8081	10/11/2006 2:22 AM
Methoxychlor	< 17		1	µg/Kg-dry	SW8081	10/11/2006 2:22 AM
Endrin ketone	< 3.4		1	µg/Kg-dry	SW8081	10/11/2006 2:22 AM
Endrin aldehyde	< 3.4		1	µg/Kg-dry	SW8081	10/11/2006 2:22 AM
alpha-Chlordane	< 1.7		1	µg/Kg-dry	SW8081	10/11/2006 2:22 AM
gamma-Chlordane	< 1.7		1	µg/Kg-dry	SW8081	10/11/2006 2:22 AM
Toxaphene	< 170		1	µg/Kg-dry	SW8081	10/11/2006 2:22 AM
Percent Moisture	2.7		1	wt%	D2216	10/05/2006 1:39 PM

Qualifiers: E - Value above quantitation range


D - Results for Dilution

D.F. = Dilution Factor

Date Reported : 10/17/2006

Page 8 of 41

Laboratory Manager



H2M LABS, INC.

575 Broad Hollow Road, Melville NY 11747
(631) 694-3040. FAX: (631) 420-8436 NYSDOH ID# 10478

LABORATORY RESULTS

Town of Oyster Bay

Lab No. : **0610584-009A**

Sample Information...

Type : Soil

Attn To :

Origin:

Client ID. : H-1 (8-10')

Collected 10/3/2006 2:11:00 PM

Received 10/3/2006 5:10:00 PM

Collected By : Client

Copy : Original

CC

Parameter(s)	Results	Qualifier	D.F.	Units	Method Number	Analyzed
alpha-BHC	< 1.7		1	µg/Kg-dry	SW8081	10/11/2006 2:55 AM
beta-BHC	< 1.7		1	µg/Kg-dry	SW8081	10/11/2006 2:55 AM
delta-BHC	< 1.7		1	µg/Kg-dry	SW8081	10/11/2006 2:55 AM
gamma-BHC	< 1.7		1	µg/Kg-dry	SW8081	10/11/2006 2:55 AM
Heptachlor	< 1.7		1	µg/Kg-dry	SW8081	10/11/2006 2:55 AM
Aldrin	< 1.7		1	µg/Kg-dry	SW8081	10/11/2006 2:55 AM
Heptachlor epoxide	< 1.7		1	µg/Kg-dry	SW8081	10/11/2006 2:55 AM
Endosulfan I	< 1.7		1	µg/Kg-dry	SW8081	10/11/2006 2:55 AM
Dieldrin	< 3.4		1	µg/Kg-dry	SW8081	10/11/2006 2:55 AM
4,4'-DDE	< 3.4		1	µg/Kg-dry	SW8081	10/11/2006 2:55 AM
Endrin	< 3.4		1	µg/Kg-dry	SW8081	10/11/2006 2:55 AM
Endosulfan II	< 3.4		1	µg/Kg-dry	SW8081	10/11/2006 2:55 AM
4,4'-DDD	< 3.4		1	µg/Kg-dry	SW8081	10/11/2006 2:55 AM
Endosulfan sulfate	< 3.4		1	µg/Kg-dry	SW8081	10/11/2006 2:55 AM
4,4'-DDT	< 3.4		1	µg/Kg-dry	SW8081	10/11/2006 2:55 AM
Methoxychlor	< 17		1	µg/Kg-dry	SW8081	10/11/2006 2:55 AM
Endrin ketone	< 3.4		1	µg/Kg-dry	SW8081	10/11/2006 2:55 AM
Endrin aldehyde	< 3.4		1	µg/Kg-dry	SW8081	10/11/2006 2:55 AM
alpha-Chlordane	< 1.7		1	µg/Kg-dry	SW8081	10/11/2006 2:55 AM
gamma-Chlordane	< 1.7		1	µg/Kg-dry	SW8081	10/11/2006 2:55 AM
Toxaphene	< 170		1	µg/Kg-dry	SW8081	10/11/2006 2:55 AM
Percent Moisture	2.3		1	wt%	D2216	10/05/2006 1:40 PM


Qualifiers: E - Value above quantitation range

D - Results for Dilution

D.F. = Dilution Factor

Date Reported : 10/17/2006

Laboratory Manager



H2M LABS, INC.

575 Broad Hollow Road, Melville NY 11747
(631) 694-3040 . FAX: (631) 420-8436 NYSDOH ID# 10478

LABORATORY RESULTS

Town of Oyster Bay

Lab No. : **0610584-010A**

Sample Information...

Type : Soil

Attn To :

Client ID. : H-1 (16-18')

Origin:

Collected 10/3/2006 2:15:00 PM

Received 10/3/2006 5:10:00 PM

Collected By : Client

Copy : Original

CC

<u>Parameter(s)</u>	<u>Results</u>	<u>Qualifier</u>	<u>D.F.</u>	<u>Units</u>	<u>Method Number</u>	<u>Analyzed</u>
alpha-BHC	< 1.7		1	µg/Kg-dry	SW8081	10/11/2006 3:28 AM
beta-BHC	< 1.7		1	µg/Kg-dry	SW8081	10/11/2006 3:28 AM
delta-BHC	< 1.7		1	µg/Kg-dry	SW8081	10/11/2006 3:28 AM
gamma-BHC	< 1.7		1	µg/Kg-dry	SW8081	10/11/2006 3:28 AM
Heptachlor	< 1.7		1	µg/Kg-dry	SW8081	10/11/2006 3:28 AM
Aldrin	< 1.7		1	µg/Kg-dry	SW8081	10/11/2006 3:28 AM
Heptachlor epoxide	< 1.7		1	µg/Kg-dry	SW8081	10/11/2006 3:28 AM
Endosulfan I	< 1.7		1	µg/Kg-dry	SW8081	10/11/2006 3:28 AM
Dieldrin	< 3.4		1	µg/Kg-dry	SW8081	10/11/2006 3:28 AM
4,4'-DDE	< 3.4		1	µg/Kg-dry	SW8081	10/11/2006 3:28 AM
Endrin	< 3.4		1	µg/Kg-dry	SW8081	10/11/2006 3:28 AM
Endosulfan II	< 3.4		1	µg/Kg-dry	SW8081	10/11/2006 3:28 AM
4,4'-DDD	< 3.4		1	µg/Kg-dry	SW8081	10/11/2006 3:28 AM
Endosulfan sulfate	< 3.4		1	µg/Kg-dry	SW8081	10/11/2006 3:28 AM
4,4'-DDT	< 3.4		1	µg/Kg-dry	SW8081	10/11/2006 3:28 AM
Methoxychlor	< 17		1	µg/Kg-dry	SW8081	10/11/2006 3:28 AM
Endrin ketone	< 3.4		1	µg/Kg-dry	SW8081	10/11/2006 3:28 AM
Endrin aldehyde	< 3.4		1	µg/Kg-dry	SW8081	10/11/2006 3:28 AM
alpha-Chlordane	< 1.7		1	µg/Kg-dry	SW8081	10/11/2006 3:28 AM
gamma-Chlordane	< 1.7		1	µg/Kg-dry	SW8081	10/11/2006 3:28 AM
Toxaphene	< 170		1	µg/Kg-dry	SW8081	10/11/2006 3:28 AM
Percent Moisture	2.1		1	wt%	D2216	10/05/2006 1:41 PM

Qualifiers: E - Value above quantitation range


D - Results for Dilution

D.F. = Dilution Factor

Date Reported : 10/17/2006

Page 10 of 41

Laboratory Manager



H2M LABS, INC.

575 Broad Hollow Road, Melville NY 11747
(631) 694-3040 . FAX: (631) 420-8436 NYSDOH ID# 10478

LABORATORY RESULTS

Town of Oyster Bay

Lab No. : **0610584-011A**

Sample Information...

Type : Soil

Attn To :

Origin:

Client ID. : M-7 (2-4')

Collected 10/3/2006 9:50:00 AM

Received 10/3/2006 5:10:00 PM

Collected By : Client

Copy : Original

CC


<u>Parameter(s)</u>	<u>Results</u>	<u>Qualifier</u>	<u>D.F.</u>	<u>Units</u>	<u>Method Number</u>	<u>Analyzed</u>
alpha-BHC	< 2.0		1	µg/Kg-dry	SW8081	10/11/2006 4:02 AM
beta-BHC	< 2.0		1	µg/Kg-dry	SW8081	10/11/2006 4:02 AM
delta-BHC	< 2.0		1	µg/Kg-dry	SW8081	10/11/2006 4:02 AM
gamma-BHC	< 2.0		1	µg/Kg-dry	SW8081	10/11/2006 4:02 AM
Heptachlor	< 2.0		1	µg/Kg-dry	SW8081	10/11/2006 4:02 AM
Aldrin	< 2.0		1	µg/Kg-dry	SW8081	10/11/2006 4:02 AM
Heptachlor epoxide	< 2.0		1	µg/Kg-dry	SW8081	10/11/2006 4:02 AM
Endosulfan I	< 2.0		1	µg/Kg-dry	SW8081	10/11/2006 4:02 AM
Dieldrin	< 3.8		1	µg/Kg-dry	SW8081	10/11/2006 4:02 AM
4,4'-DDE	< 3.8		1	µg/Kg-dry	SW8081	10/11/2006 4:02 AM
Endrin	< 3.8		1	µg/Kg-dry	SW8081	10/11/2006 4:02 AM
Endosulfan II	< 3.8		1	µg/Kg-dry	SW8081	10/11/2006 4:02 AM
4,4'-DDD	< 3.8		1	µg/Kg-dry	SW8081	10/11/2006 4:02 AM
Endosulfan sulfate	< 3.8		1	µg/Kg-dry	SW8081	10/11/2006 4:02 AM
4,4'-DDT	< 3.8		1	µg/Kg-dry	SW8081	10/11/2006 4:02 AM
Methoxychlor	< 20		1	µg/Kg-dry	SW8081	10/11/2006 4:02 AM
Endrin ketone	< 3.8		1	µg/Kg-dry	SW8081	10/11/2006 4:02 AM
Endrin aldehyde	< 3.8		1	µg/Kg-dry	SW8081	10/11/2006 4:02 AM
alpha-Chlordane	< 2.0		1	µg/Kg-dry	SW8081	10/11/2006 4:02 AM
gamma-Chlordane	< 2.0		1	µg/Kg-dry	SW8081	10/11/2006 4:02 AM
Toxaphene	< 200		1	µg/Kg-dry	SW8081	10/11/2006 4:02 AM
Percent Moisture	13.9		1	wt%	D2216	10/05/2006 1:42 PM

Qualifiers: E - Value above quantitation range

D - Results for Dilution

D.F. = Dilution Factor

Date Reported : 10/17/2006



Laboratory Manager

H2M LABS, INC.

575 Broad Hollow Road, Melville NY 11747
(631) 694-3040 . FAX: (631) 420-8436 NYSDOH ID# 10478

LABORATORY RESULTS

Town of Oyster Bay

Lab No. : **0610584-012A**

Sample Information...

Type : Soil

Attn To :

Origin:

Client ID. : N-8 (8-10')

Collected 10/3/2006 10:30:00 AM

Received 10/3/2006 5:10:00 PM

Collected By : Client

Copy : Original

CC

<u>Parameter(s)</u>	<u>Results</u>	<u>Qualifier</u>	<u>D.F.</u>	<u>Units</u>	<u>Method Number</u>	<u>Analyzed</u>
alpha-BHC	< 1.7		1	µg/Kg-dry	SW8081	10/11/2006 7:20 AM
beta-BHC	< 1.7		1	µg/Kg-dry	SW8081	10/11/2006 7:20 AM
delta-BHC	< 1.7		1	µg/Kg-dry	SW8081	10/11/2006 7:20 AM
gamma-BHC	< 1.7		1	µg/Kg-dry	SW8081	10/11/2006 7:20 AM
Heptachlor	< 1.7		1	µg/Kg-dry	SW8081	10/11/2006 7:20 AM
Aldrin	< 1.7		1	µg/Kg-dry	SW8081	10/11/2006 7:20 AM
Heptachlor epoxide	< 1.7		1	µg/Kg-dry	SW8081	10/11/2006 7:20 AM
Endosulfan I	< 1.7		1	µg/Kg-dry	SW8081	10/11/2006 7:20 AM
Dieldrin	< 3.4		1	µg/Kg-dry	SW8081	10/11/2006 7:20 AM
4,4'-DDE	< 3.4		1	µg/Kg-dry	SW8081	10/11/2006 7:20 AM
Endrin	< 3.4		1	µg/Kg-dry	SW8081	10/11/2006 7:20 AM
Endosulfan II	< 3.4		1	µg/Kg-dry	SW8081	10/11/2006 7:20 AM
4,4'-DDD	< 3.4		1	µg/Kg-dry	SW8081	10/11/2006 7:20 AM
Endosulfan sulfate	< 3.4		1	µg/Kg-dry	SW8081	10/11/2006 7:20 AM
4,4'-DDT	< 3.4		1	µg/Kg-dry	SW8081	10/11/2006 7:20 AM
Methoxychlor	< 17		1	µg/Kg-dry	SW8081	10/11/2006 7:20 AM
Endrin ketone	< 3.4		1	µg/Kg-dry	SW8081	10/11/2006 7:20 AM
Endrin aldehyde	< 3.4		1	µg/Kg-dry	SW8081	10/11/2006 7:20 AM
alpha-Chlordane	< 1.7		1	µg/Kg-dry	SW8081	10/11/2006 7:20 AM
gamma-Chlordane	< 1.7		1	µg/Kg-dry	SW8081	10/11/2006 7:20 AM
Toxaphene	< 170		1	µg/Kg-dry	SW8081	10/11/2006 7:20 AM
Percent Moisture	2.7		1	wt%	D2216	10/05/2006 1:43 PM


Qualifiers: E - Value above quantitation range

D - Results for Dilution

D.F. = Dilution Factor

Date Reported : 10/17/2006

Laboratory Manager



H2M LABS, INC.

575 Broad Hollow Road, Melville NY 11747
(631) 694-3040 . FAX: (631) 420-8436 NYSDOH ID# 10478

LABORATORY RESULTS

Town of Oyster Bay

Lab No. : **0610584-013A**

Sample Information...

Type : Soil

Attn To :

Origin:

Client ID. : M-8 (0-2')

Collected 10/3/2006 10:39:00 AM

Received 10/3/2006 5:10:00 PM

Collected By : Client

Copy : Original

CC


<u>Parameter(s)</u>	<u>Results</u>	<u>Qualifier</u>	<u>D.F.</u>	<u>Units</u>	<u>Method Number</u>	<u>Analyzed</u>
alpha-BHC	< 1.9		1	µg/Kg-dry	SW8081	10/11/2006 5:08 AM
beta-BHC	< 1.9		1	µg/Kg-dry	SW8081	10/11/2006 5:08 AM
delta-BHC	< 1.9		1	µg/Kg-dry	SW8081	10/11/2006 5:08 AM
gamma-BHC	< 1.9		1	µg/Kg-dry	SW8081	10/11/2006 5:08 AM
Heptachlor	< 1.9		1	µg/Kg-dry	SW8081	10/11/2006 5:08 AM
Aldrin	< 1.9		1	µg/Kg-dry	SW8081	10/11/2006 5:08 AM
Heptachlor epoxide	< 1.9		1	µg/Kg-dry	SW8081	10/11/2006 5:08 AM
Endosulfan I	< 1.9		1	µg/Kg-dry	SW8081	10/11/2006 5:08 AM
Dieldrin	< 3.6		1	µg/Kg-dry	SW8081	10/11/2006 5:08 AM
4,4'-DDE	< 3.6		1	µg/Kg-dry	SW8081	10/11/2006 5:08 AM
Endrin	< 3.6		1	µg/Kg-dry	SW8081	10/11/2006 5:08 AM
Endosulfan II	< 3.6		1	µg/Kg-dry	SW8081	10/11/2006 5:08 AM
4,4'-DDD	< 3.6		1	µg/Kg-dry	SW8081	10/11/2006 5:08 AM
Endosulfan sulfate	< 3.6		1	µg/Kg-dry	SW8081	10/11/2006 5:08 AM
4,4'-DDT	< 3.6		1	µg/Kg-dry	SW8081	10/11/2006 5:08 AM
Methoxychlor	< 19		1	µg/Kg-dry	SW8081	10/11/2006 5:08 AM
Endrin ketone	< 3.6		1	µg/Kg-dry	SW8081	10/11/2006 5:08 AM
Endrin aldehyde	< 3.6		1	µg/Kg-dry	SW8081	10/11/2006 5:08 AM
alpha-Chlordane	< 1.9		1	µg/Kg-dry	SW8081	10/11/2006 5:08 AM
gamma-Chlordane	< 1.9		1	µg/Kg-dry	SW8081	10/11/2006 5:08 AM
Toxaphene	< 190		1	µg/Kg-dry	SW8081	10/11/2006 5:08 AM
Percent Moisture	9.0		1	wt%	D2216	10/05/2006 1:44 PM

Qualifiers: E - Value above quantitation range

D - Results for Dilution

D.F. = Dilution Factor

Date Reported : 10/17/2006



Laboratory Manager

H2M LABS, INC.

575 Broad Hollow Road, Melville NY 11747
(631) 694-3040 . FAX: (631) 420-8436 NYSDOH ID# 10478

LABORATORY RESULTS

Town of Oyster Bay

Lab No. : **0610584-014A**

Sample Information...

Type : Soil

Attn To :

Origin:

Client ID. : L-8 (0-2')

Collected 10/3/2006 11:01:00 AM

Received 10/3/2006 5:10:00 PM

Collected By : Client

Copy : Original

CC


<u>Parameter(s)</u>	<u>Results</u>	<u>Qualifier</u>	<u>D.F.</u>	<u>Units</u>	<u>Method Number</u>	<u>Analyzed</u>
alpha-BHC	< 1.8		1	µg/Kg-dry	SW8081	10/11/2006 5:41 AM
beta-BHC	< 1.8		1	µg/Kg-dry	SW8081	10/11/2006 5:41 AM
delta-BHC	< 1.8		1	µg/Kg-dry	SW8081	10/11/2006 5:41 AM
gamma-BHC	< 1.8		1	µg/Kg-dry	SW8081	10/11/2006 5:41 AM
Heptachlor	< 1.8		1	µg/Kg-dry	SW8081	10/11/2006 5:41 AM
Aldrin	< 1.8		1	µg/Kg-dry	SW8081	10/11/2006 5:41 AM
Heptachlor epoxide	< 1.8		1	µg/Kg-dry	SW8081	10/11/2006 5:41 AM
Endosulfan I	< 1.8		1	µg/Kg-dry	SW8081	10/11/2006 5:41 AM
Dieldrin	< 3.5		1	µg/Kg-dry	SW8081	10/11/2006 5:41 AM
4,4'-DDE	< 3.5		1	µg/Kg-dry	SW8081	10/11/2006 5:41 AM
Endrin	< 3.5		1	µg/Kg-dry	SW8081	10/11/2006 5:41 AM
Endosulfan II	< 3.5		1	µg/Kg-dry	SW8081	10/11/2006 5:41 AM
4,4'-DDD	< 3.5		1	µg/Kg-dry	SW8081	10/11/2006 5:41 AM
Endosulfan sulfate	< 3.5		1	µg/Kg-dry	SW8081	10/11/2006 5:41 AM
4,4'-DDT	< 3.5		1	µg/Kg-dry	SW8081	10/11/2006 5:41 AM
Methoxychlor	< 18		1	µg/Kg-dry	SW8081	10/11/2006 5:41 AM
Endrin ketone	< 3.5		1	µg/Kg-dry	SW8081	10/11/2006 5:41 AM
Endrin aldehyde	< 3.5		1	µg/Kg-dry	SW8081	10/11/2006 5:41 AM
alpha-Chlordane	< 1.8		1	µg/Kg-dry	SW8081	10/11/2006 5:41 AM
gamma-Chlordane	< 1.8		1	µg/Kg-dry	SW8081	10/11/2006 5:41 AM
Toxaphene	< 180		1	µg/Kg-dry	SW8081	10/11/2006 5:41 AM
Percent Moisture	4.5		1	wt%	D2216	10/05/2006 1:45 PM

Qualifiers: E - Value above quantitation range

D - Results for Dilution

D.F. = Dilution Factor

Date Reported : 10/17/2006



H2M LABS, INC.

575 Broad Hollow Road, Melville NY 11747
(631) 694-3040 . FAX: (631) 420-8436 NYSDOH ID# 10478

LABORATORY RESULTS

Town of Oyster Bay

Lab No. : **0610584-015A**

Sample Information...

Type : Soil

Attn To :

Client ID. : K-8 (8-10')

Origin:

Collected 10/3/2006 11:12:00 AM

Received 10/3/2006 5:10:00 PM

Collected By : Client

Copy : Original

CC

<u>Parameter(s)</u>	<u>Results</u>	<u>Qualifier</u>	<u>D.F.</u>	<u>Units</u>	<u>Method Number</u>	<u>Analyzed</u>
alpha-BHC	< 1.9		1	µg/Kg-dry	SW8081	10/13/2006 11:13 PM
beta-BHC	< 1.9		1	µg/Kg-dry	SW8081	10/13/2006 11:13 PM
delta-BHC	< 1.9		1	µg/Kg-dry	SW8081	10/13/2006 11:13 PM
gamma-BHC	< 1.9		1	µg/Kg-dry	SW8081	10/13/2006 11:13 PM
Heptachlor	< 1.9		1	µg/Kg-dry	SW8081	10/13/2006 11:13 PM
Aldrin	< 1.9		1	µg/Kg-dry	SW8081	10/13/2006 11:13 PM
Heptachlor epoxide	< 1.9		1	µg/Kg-dry	SW8081	10/13/2006 11:13 PM
Endosulfan I	< 1.9		1	µg/Kg-dry	SW8081	10/13/2006 11:13 PM
Dieldrin	< 3.6		1	µg/Kg-dry	SW8081	10/13/2006 11:13 PM
4,4'-DDE	< 3.6		1	µg/Kg-dry	SW8081	10/13/2006 11:13 PM
Endrin	< 3.6		1	µg/Kg-dry	SW8081	10/13/2006 11:13 PM
Endosulfan II	18		1	µg/Kg-dry	SW8081	10/13/2006 11:13 PM
4,4'-DDD	5.7		1	µg/Kg-dry	SW8081	10/13/2006 11:13 PM
Endosulfan sulfate	< 3.6		1	µg/Kg-dry	SW8081	10/13/2006 11:13 PM
4,4'-DDT	49		1	µg/Kg-dry	SW8081	10/13/2006 11:13 PM
Methoxychlor	< 19		1	µg/Kg-dry	SW8081	10/13/2006 11:13 PM
Endrin ketone	< 3.6		1	µg/Kg-dry	SW8081	10/13/2006 11:13 PM
Endrin aldehyde	< 3.6		1	µg/Kg-dry	SW8081	10/13/2006 11:13 PM
alpha-Chlordane	< 1.9		1	µg/Kg-dry	SW8081	10/13/2006 11:13 PM
gamma-Chlordane	< 1.9		1	µg/Kg-dry	SW8081	10/13/2006 11:13 PM
Toxaphene	< 190		1	µg/Kg-dry	SW8081	10/13/2006 11:13 PM
Percent Moisture	9.0		1	wt%	D2216	10/05/2006 1:46 PM

Qualifiers: E - Value above quantitation range


D - Results for Dilution

D.F. = Dilution Factor

Date Reported : 10/17/2006

Page 15 of 41

Laboratory Manager



H2M LABS, INC.

575 Broad Hollow Road, Melville NY 11747
(631) 694-3040 . FAX: (631) 420-8436 NYSDOH ID# 10478

LABORATORY RESULTS

Town of Oyster Bay

Lab No. : **0610584-016A**

Sample Information...

Type : Soil

Attn To :

Origin:

Client ID. : J-8 (0-2')

Collected 10/3/2006 11:18:00 AM

Received 10/3/2006 5:10:00 PM

Collected By : Client

Copy : Original

CC

Parameter(s)	Results	Qualifier	D.F.	Units	Method Number	Analyzed
alpha-BHC	< 1.8		1	µg/Kg-dry	SW8081	10/13/2006 11:46 PM
beta-BHC	< 1.8		1	µg/Kg-dry	SW8081	10/13/2006 11:46 PM
delta-BHC	< 1.8		1	µg/Kg-dry	SW8081	10/13/2006 11:46 PM
gamma-BHC	< 1.8		1	µg/Kg-dry	SW8081	10/13/2006 11:46 PM
Heptachlor	4.0		1	µg/Kg-dry	SW8081	10/13/2006 11:46 PM
Aldrin	< 1.8		1	µg/Kg-dry	SW8081	10/13/2006 11:46 PM
Heptachlor epoxide	< 1.8		1	µg/Kg-dry	SW8081	10/13/2006 11:46 PM
Endosulfan I	< 1.8		1	µg/Kg-dry	SW8081	10/13/2006 11:46 PM
Dieldrin	< 3.5		1	µg/Kg-dry	SW8081	10/13/2006 11:46 PM
4,4'-DDE	< 3.5		1	µg/Kg-dry	SW8081	10/13/2006 11:46 PM
Endrin	< 3.5		1	µg/Kg-dry	SW8081	10/13/2006 11:46 PM
Endosulfan II	< 3.5		1	µg/Kg-dry	SW8081	10/13/2006 11:46 PM
4,4'-DDD	5.7		1	µg/Kg-dry	SW8081	10/13/2006 11:46 PM
Endosulfan sulfate	< 3.5		1	µg/Kg-dry	SW8081	10/13/2006 11:46 PM
4,4'-DDT	< 3.5		1	µg/Kg-dry	SW8081	10/13/2006 11:46 PM
Methoxychlor	< 18		1	µg/Kg-dry	SW8081	10/13/2006 11:46 PM
Endrin ketone	< 3.5		1	µg/Kg-dry	SW8081	10/13/2006 11:46 PM
Endrin aldehyde	< 3.5		1	µg/Kg-dry	SW8081	10/13/2006 11:46 PM
alpha-Chlordane	< 1.8		1	µg/Kg-dry	SW8081	10/13/2006 11:46 PM
gamma-Chlordane	2.9		1	µg/Kg-dry	SW8081	10/13/2006 11:46 PM
Toxaphene	< 180		1	µg/Kg-dry	SW8081	10/13/2006 11:46 PM
Percent Moisture	6.8		1	wt%	D2216	10/05/2006 1:47 PM

Qualifiers: E - Value above quantitation range


D - Results for Dilution

D.F. = Dilution Factor

Date Reported : 10/17/2006

Page 16 of 41

Laboratory Manager



H2M LABS, INC.

575 Broad Hollow Road, Melville NY 11747
(631) 694-3040 . FAX: (631) 420-8436 NYSDOH ID# 10478

LABORATORY RESULTS

Town of Oyster Bay

Lab No. : **0610584-017A**

Sample Information...

Type : Soil

Attn To :

Client ID. : I-8 (6-8')

Origin:

Collected 10/3/2006 11:35:00 AM

Received 10/3/2006 5:10:00 PM

Collected By : Client

Copy : Original

CC

Parameter(s)	Results	Qualifier	D.F.	Units	Method Number	Analyzed
alpha-BHC	< 2.3		1	µg/Kg-dry	SW8081	10/14/2006 12:52 AM
beta-BHC	26		1	µg/Kg-dry	SW8081	10/14/2006 12:52 AM
delta-BHC	< 2.3		1	µg/Kg-dry	SW8081	10/14/2006 12:52 AM
gamma-BHC	< 2.3		1	µg/Kg-dry	SW8081	10/14/2006 12:52 AM
Heptachlor	< 2.3		1	µg/Kg-dry	SW8081	10/14/2006 12:52 AM
Aldrin	< 2.3		1	µg/Kg-dry	SW8081	10/14/2006 12:52 AM
Heptachlor epoxide	< 2.3		1	µg/Kg-dry	SW8081	10/14/2006 12:52 AM
Endosulfan I	< 2.3		1	µg/Kg-dry	SW8081	10/14/2006 12:52 AM
Dieldrin	< 4.4		1	µg/Kg-dry	SW8081	10/14/2006 12:52 AM
4,4'-DDE	20		1	µg/Kg-dry	SW8081	10/14/2006 12:52 AM
Endrin	< 4.4		1	µg/Kg-dry	SW8081	10/14/2006 12:52 AM
Endosulfan II	6.5		1	µg/Kg-dry	SW8081	10/14/2006 12:52 AM
4,4'-DDD	29		1	µg/Kg-dry	SW8081	10/14/2006 12:52 AM
Endosulfan sulfate	< 4.4		1	µg/Kg-dry	SW8081	10/14/2006 12:52 AM
4,4'-DDT	34		1	µg/Kg-dry	SW8081	10/14/2006 12:52 AM
Methoxychlor	< 23		1	µg/Kg-dry	SW8081	10/14/2006 12:52 AM
Endrin ketone	< 4.4		1	µg/Kg-dry	SW8081	10/14/2006 12:52 AM
Endrin aldehyde	< 4.4		1	µg/Kg-dry	SW8081	10/14/2006 12:52 AM
alpha-Chlordane	14		1	µg/Kg-dry	SW8081	10/14/2006 12:52 AM
gamma-Chlordane	23		1	µg/Kg-dry	SW8081	10/14/2006 12:52 AM
Toxaphene	< 230		1	µg/Kg-dry	SW8081	10/14/2006 12:52 AM
Percent Moisture	24.5		1	wt%	D2216	10/05/2006 1:48 PM


Qualifiers: E - Value above quantitation range

D - Results for Dilution

D.F. = Dilution Factor

Date Reported : 10/17/2006

Laboratory Manager



H2M LABS, INC.

575 Broad Hollow Road, Melville NY 11747
(631) 694-3040 . FAX: (631) 420-8436 NYSDOH ID# 10478

LABORATORY RESULTS

Town of Oyster Bay

Lab No. : **0610584-018A**

Sample Information...

Type : Soil

Attn To :

Origin:

Client ID. : H-8 (2-4')

Collected 10/3/2006 11:41:00 AM

Received 10/3/2006 5:10:00 PM

Collected By : Client

Copy : Original

CC

Parameter(s)	Results	Qualifier	D.F.	Units	Method Number	Analyzed
alpha-BHC	< 1.7		1	µg/Kg-dry	SW8081	10/11/2006 6:14 AM
beta-BHC	< 1.7		1	µg/Kg-dry	SW8081	10/11/2006 6:14 AM
delta-BHC	< 1.7		1	µg/Kg-dry	SW8081	10/11/2006 6:14 AM
gamma-BHC	< 1.7		1	µg/Kg-dry	SW8081	10/11/2006 6:14 AM
Heptachlor	< 1.7		1	µg/Kg-dry	SW8081	10/11/2006 6:14 AM
Aldrin	< 1.7		1	µg/Kg-dry	SW8081	10/11/2006 6:14 AM
Heptachlor epoxide	< 1.7		1	µg/Kg-dry	SW8081	10/11/2006 6:14 AM
Endosulfan I	< 1.7		1	µg/Kg-dry	SW8081	10/11/2006 6:14 AM
Dieldrin	< 3.4		1	µg/Kg-dry	SW8081	10/11/2006 6:14 AM
4,4'-DDE	< 3.4		1	µg/Kg-dry	SW8081	10/11/2006 6:14 AM
Endrin	< 3.4		1	µg/Kg-dry	SW8081	10/11/2006 6:14 AM
Endosulfan II	< 3.4		1	µg/Kg-dry	SW8081	10/11/2006 6:14 AM
4,4'-DDD	< 3.4		1	µg/Kg-dry	SW8081	10/11/2006 6:14 AM
Endosulfan sulfate	< 3.4		1	µg/Kg-dry	SW8081	10/11/2006 6:14 AM
4,4'-DDT	< 3.4		1	µg/Kg-dry	SW8081	10/11/2006 6:14 AM
Methoxychlor	< 17		1	µg/Kg-dry	SW8081	10/11/2006 6:14 AM
Endrin ketone	< 3.4		1	µg/Kg-dry	SW8081	10/11/2006 6:14 AM
Endrin aldehyde	< 3.4		1	µg/Kg-dry	SW8081	10/11/2006 6:14 AM
alpha-Chlordane	< 1.7		1	µg/Kg-dry	SW8081	10/11/2006 6:14 AM
gamma-Chlordane	< 1.7		1	µg/Kg-dry	SW8081	10/11/2006 6:14 AM
Toxaphene	< 170		1	µg/Kg-dry	SW8081	10/11/2006 6:14 AM
Percent Moisture	2.7		1	wt%	D2216	10/05/2006 1:50 PM


Qualifiers: E - Value above quantitation range

D - Results for Dilution

D.F. = Dilution Factor

Date Reported : 10/17/2006

Laboratory Manager



H2M LABS, INC.

575 Broad Hollow Road, Melville NY 11747
(631) 694-3040. FAX: (631) 420-8436 NYSDOH ID# 10478

LABORATORY RESULTS

Town of Oyster Bay

Lab No. : **0610584-019A**

Sample Information...

Type : Soil

Attn To :

Client ID. : J-9 (2-4')

Origin:

Collected 10/3/2006 11:55:00 AM

Received 10/3/2006 5:10:00 PM

Collected By : Client

Copy : Original

CC

<u>Parameter(s)</u>	<u>Results</u>	<u>Qualifier</u>	<u>D.F.</u>	<u>Units</u>	<u>Method Number</u>	<u>Analyzed</u>
alpha-BHC	< 1.8		1	µg/Kg-dry	SW8081	10/11/2006 6:47 AM
beta-BHC	< 1.8		1	µg/Kg-dry	SW8081	10/11/2006 6:47 AM
delta-BHC	< 1.8		1	µg/Kg-dry	SW8081	10/11/2006 6:47 AM
gamma-BHC	< 1.8		1	µg/Kg-dry	SW8081	10/11/2006 6:47 AM
Heptachlor	< 1.8		1	µg/Kg-dry	SW8081	10/11/2006 6:47 AM
Aldrin	< 1.8		1	µg/Kg-dry	SW8081	10/11/2006 6:47 AM
Heptachlor epoxide	< 1.8		1	µg/Kg-dry	SW8081	10/11/2006 6:47 AM
Endosulfan I	< 1.8		1	µg/Kg-dry	SW8081	10/11/2006 6:47 AM
Dieldrin	< 3.4		1	µg/Kg-dry	SW8081	10/11/2006 6:47 AM
4,4'-DDE	< 3.4		1	µg/Kg-dry	SW8081	10/11/2006 6:47 AM
Endrin	< 3.4		1	µg/Kg-dry	SW8081	10/11/2006 6:47 AM
Endosulfan II	< 3.4		1	µg/Kg-dry	SW8081	10/11/2006 6:47 AM
4,4'-DDD	< 3.4		1	µg/Kg-dry	SW8081	10/11/2006 6:47 AM
Endosulfan sulfate	< 3.4		1	µg/Kg-dry	SW8081	10/11/2006 6:47 AM
4,4'-DDT	< 3.4		1	µg/Kg-dry	SW8081	10/11/2006 6:47 AM
Methoxychlor	< 18		1	µg/Kg-dry	SW8081	10/11/2006 6:47 AM
Endrin ketone	< 3.4		1	µg/Kg-dry	SW8081	10/11/2006 6:47 AM
Endrin aldehyde	< 3.4		1	µg/Kg-dry	SW8081	10/11/2006 6:47 AM
alpha-Chlordane	< 1.8		1	µg/Kg-dry	SW8081	10/11/2006 6:47 AM
gamma-Chlordane	< 1.8		1	µg/Kg-dry	SW8081	10/11/2006 6:47 AM
Toxaphene	< 180		1	µg/Kg-dry	SW8081	10/11/2006 6:47 AM
Percent Moisture	3.3		1	wt%	D2216	10/05/2006 1:51 PM


Qualifiers: E - Value above quantitation range

D - Results for Dilution

D.F. = Dilution Factor

Date Reported : 10/17/2006

Laboratory Manager



H2M LABS, INC.

575 Broad Hollow Road, Melville NY 11747
(631) 694-3040 . FAX: (631) 420-8436 NYSDOH ID# 10478

LABORATORY RESULTS

Town of Oyster Bay

Lab No. : **0610584-020A**

Sample Information...

Type : Soil

Attn To :

Origin:

Client ID. : K-9 (4-6')

Collected 10/3/2006 12:03:00 PM

Received 10/3/2006 5:10:00 PM

Collected By : Client

Copy : Original

CC

Parameter(s)	Results	Qualifier	D.F.	Units	Method Number	Analyzed
alpha-BHC	< 1.7		1	µg/Kg-dry	SW8081	10/11/2006 10:38 AM
beta-BHC	< 1.7		1	µg/Kg-dry	SW8081	10/11/2006 10:38 AM
delta-BHC	< 1.7		1	µg/Kg-dry	SW8081	10/11/2006 10:38 AM
gamma-BHC	< 1.7		1	µg/Kg-dry	SW8081	10/11/2006 10:38 AM
Heptachlor	< 1.7		1	µg/Kg-dry	SW8081	10/11/2006 10:38 AM
Aldrin	< 1.7		1	µg/Kg-dry	SW8081	10/11/2006 10:38 AM
Heptachlor epoxide	< 1.7		1	µg/Kg-dry	SW8081	10/11/2006 10:38 AM
Endosulfan I	< 1.7		1	µg/Kg-dry	SW8081	10/11/2006 10:38 AM
Dieldrin	< 3.4		1	µg/Kg-dry	SW8081	10/11/2006 10:38 AM
4,4'-DDE	< 3.4		1	µg/Kg-dry	SW8081	10/11/2006 10:38 AM
Endrin	< 3.4		1	µg/Kg-dry	SW8081	10/11/2006 10:38 AM
Endosulfan II	< 3.4		1	µg/Kg-dry	SW8081	10/11/2006 10:38 AM
4,4'-DDD	< 3.4		1	µg/Kg-dry	SW8081	10/11/2006 10:38 AM
Endosulfan sulfate	< 3.4		1	µg/Kg-dry	SW8081	10/11/2006 10:38 AM
4,4'-DDT	< 3.4		1	µg/Kg-dry	SW8081	10/11/2006 10:38 AM
Methoxychlor	< 17		1	µg/Kg-dry	SW8081	10/11/2006 10:38 AM
Endrin ketone	< 3.4		1	µg/Kg-dry	SW8081	10/11/2006 10:38 AM
Endrin aldehyde	< 3.4		1	µg/Kg-dry	SW8081	10/11/2006 10:38 AM
alpha-Chlordane	< 1.7		1	µg/Kg-dry	SW8081	10/11/2006 10:38 AM
gamma-Chlordane	< 1.7		1	µg/Kg-dry	SW8081	10/11/2006 10:38 AM
Toxaphene	< 170		1	µg/Kg-dry	SW8081	10/11/2006 10:38 AM
Percent Moisture	2.7		1	wt%	D2216	10/05/2006 1:52 PM


Qualifiers: E - Value above quantitation range

D - Results for Dilution

D.F. = Dilution Factor

Date Reported : 10/17/2006

Laboratory Manager



H2M LABS, INC.

575 Broad Hollow Road, Melville NY 11747
(631) 694-3040 . FAX: (631) 420-8436 NYSDOH ID# 10478

LABORATORY RESULTS

Town of Oyster Bay

Lab No. : **0610584-021A**

Sample Information...

Type : Soil

Attn To :

Client ID. : K-5 (2-4')

Origin:

Collected 10/3/2006 8:27:00 AM

Received 10/3/2006 5:10:00 PM

Collected By : Client

Copy : Original

CC


Parameter(s)	Results	Qualifier	D.F.	Units	Method Number	Analyzed
alpha-BHC	< 1.8		1	µg/Kg-dry	SW8081	10/11/2006 11:11 AM
beta-BHC	< 1.8		1	µg/Kg-dry	SW8081	10/11/2006 11:11 AM
delta-BHC	< 1.8		1	µg/Kg-dry	SW8081	10/11/2006 11:11 AM
gamma-BHC	< 1.8		1	µg/Kg-dry	SW8081	10/11/2006 11:11 AM
Heptachlor	< 1.8		1	µg/Kg-dry	SW8081	10/11/2006 11:11 AM
Aldrin	< 1.8		1	µg/Kg-dry	SW8081	10/11/2006 11:11 AM
Heptachlor epoxide	< 1.8		1	µg/Kg-dry	SW8081	10/11/2006 11:11 AM
Endosulfan I	< 1.8		1	µg/Kg-dry	SW8081	10/11/2006 11:11 AM
Dieldrin	< 3.5		1	µg/Kg-dry	SW8081	10/11/2006 11:11 AM
4,4'-DDE	< 3.5		1	µg/Kg-dry	SW8081	10/11/2006 11:11 AM
Endrin	< 3.5		1	µg/Kg-dry	SW8081	10/11/2006 11:11 AM
Endosulfan II	< 3.5		1	µg/Kg-dry	SW8081	10/11/2006 11:11 AM
4,4'-DDD	< 3.5		1	µg/Kg-dry	SW8081	10/11/2006 11:11 AM
Endosulfan sulfate	< 3.5		1	µg/Kg-dry	SW8081	10/11/2006 11:11 AM
4,4'-DDT	< 3.5		1	µg/Kg-dry	SW8081	10/11/2006 11:11 AM
Methoxychlor	< 18		1	µg/Kg-dry	SW8081	10/11/2006 11:11 AM
Endrin ketone	< 3.5		1	µg/Kg-dry	SW8081	10/11/2006 11:11 AM
Endrin aldehyde	< 3.5		1	µg/Kg-dry	SW8081	10/11/2006 11:11 AM
alpha-Chlordane	< 1.8		1	µg/Kg-dry	SW8081	10/11/2006 11:11 AM
gamma-Chlordane	< 1.8		1	µg/Kg-dry	SW8081	10/11/2006 11:11 AM
Toxaphene	< 180		1	µg/Kg-dry	SW8081	10/11/2006 11:11 AM
Percent Moisture	7.0		1	wt%	D2216	10/05/2006 1:53 PM

Qualifiers: E - Value above quantitation range

D - Results for Dilution

D.F. = Dilution Factor

Date Reported : 10/17/2006



H2M LABS, INC.

575 Broad Hollow Road, Melville NY 11747
(631) 694-3040 . FAX: (631) 420-8436 NYSDOH ID# 10478

LABORATORY RESULTS

Town of Oyster Bay

Lab No. : **0610584-022A**

Sample Information...

Type : Soil

Attn To :

Client ID. : N-5 (4-6')

Origin:

Collected 10/3/2006 8:37:00 AM

Received 10/3/2006 5:10:00 PM

Collected By : Client

Copy : Original

CC

Parameter(s)	Results	Qualifier	D.F.	Units	Method Number	Analyzed
alpha-BHC	< 1.7		1	µg/Kg-dry	SW8081	10/12/2006 2:12 AM
beta-BHC	< 1.7		1	µg/Kg-dry	SW8081	10/12/2006 2:12 AM
delta-BHC	< 1.7		1	µg/Kg-dry	SW8081	10/12/2006 2:12 AM
gamma-BHC	< 1.7		1	µg/Kg-dry	SW8081	10/12/2006 2:12 AM
Heptachlor	< 1.7		1	µg/Kg-dry	SW8081	10/12/2006 2:12 AM
Aldrin	< 1.7		1	µg/Kg-dry	SW8081	10/12/2006 2:12 AM
Heptachlor epoxide	< 1.7		1	µg/Kg-dry	SW8081	10/12/2006 2:12 AM
Endosulfan I	< 1.7		1	µg/Kg-dry	SW8081	10/12/2006 2:12 AM
Dieldrin	< 3.4		1	µg/Kg-dry	SW8081	10/12/2006 2:12 AM
4,4'-DDE	< 3.4		1	µg/Kg-dry	SW8081	10/12/2006 2:12 AM
Endrin	< 3.4		1	µg/Kg-dry	SW8081	10/12/2006 2:12 AM
Endosulfan II	< 3.4		1	µg/Kg-dry	SW8081	10/12/2006 2:12 AM
4,4'-DDD	< 3.4		1	µg/Kg-dry	SW8081	10/12/2006 2:12 AM
Endosulfan sulfate	< 3.4		1	µg/Kg-dry	SW8081	10/12/2006 2:12 AM
4,4'-DDT	< 3.4		1	µg/Kg-dry	SW8081	10/12/2006 2:12 AM
Methoxychlor	< 17		1	µg/Kg-dry	SW8081	10/12/2006 2:12 AM
Endrin ketone	< 3.4		1	µg/Kg-dry	SW8081	10/12/2006 2:12 AM
Endrin aldehyde	< 3.4		1	µg/Kg-dry	SW8081	10/12/2006 2:12 AM
alpha-Chlordane	< 1.7		1	µg/Kg-dry	SW8081	10/12/2006 2:12 AM
gamma-Chlordane	< 1.7		1	µg/Kg-dry	SW8081	10/12/2006 2:12 AM
Toxaphene	< 170		1	µg/Kg-dry	SW8081	10/12/2006 2:12 AM
Percent Moisture	2.7		1	wt%	D2216	10/05/2006 1:54 PM

Qualifiers: E - Value above quantitation range


D - Results for Dilution

D.F. = Dilution Factor

Date Reported : 10/17/2006

Page 22 of 41

Laboratory Manager



H2M LABS, INC.

575 Broad Hollow Road, Melville NY 11747
(631) 694-3040 . FAX: (631) 420-8436 NYSDOH ID# 10478

LABORATORY RESULTS

Town of Oyster Bay

Lab No. : **0610584-023A**

Sample Information...

Type : Soil

Attn To :

Origin:

Client ID. : K-6 (4-6')

Collected 10/3/2006 8:50:00 AM

Received 10/3/2006 5:10:00 PM

Collected By : Client

Copy : Original

CC


Parameter(s)	Results	Qualifier	D.F.	Units	Method Number	Analyzed
alpha-BHC	< 1.8		1	µg/Kg-dry	SW8081	10/12/2006 11:40 AM
beta-BHC	< 1.8		1	µg/Kg-dry	SW8081	10/12/2006 11:40 AM
delta-BHC	< 1.8		1	µg/Kg-dry	SW8081	10/12/2006 11:40 AM
gamma-BHC	< 1.8		1	µg/Kg-dry	SW8081	10/12/2006 11:40 AM
Heptachlor	< 1.8		1	µg/Kg-dry	SW8081	10/12/2006 11:40 AM
Aldrin	< 1.8		1	µg/Kg-dry	SW8081	10/12/2006 11:40 AM
Heptachlor epoxide	< 1.8		1	µg/Kg-dry	SW8081	10/12/2006 11:40 AM
Endosulfan I	< 1.8		1	µg/Kg-dry	SW8081	10/12/2006 11:40 AM
Dieldrin	< 3.5		1	µg/Kg-dry	SW8081	10/12/2006 11:40 AM
4,4'-DDE	< 3.5		1	µg/Kg-dry	SW8081	10/12/2006 11:40 AM
Endrin	< 3.5		1	µg/Kg-dry	SW8081	10/12/2006 11:40 AM
Endosulfan II	< 3.5		1	µg/Kg-dry	SW8081	10/12/2006 11:40 AM
4,4'-DDD	< 3.5		1	µg/Kg-dry	SW8081	10/12/2006 11:40 AM
Endosulfan sulfate	< 3.5		1	µg/Kg-dry	SW8081	10/12/2006 11:40 AM
4,4'-DDT	< 3.5		1	µg/Kg-dry	SW8081	10/12/2006 11:40 AM
Methoxychlor	< 18		1	µg/Kg-dry	SW8081	10/12/2006 11:40 AM
Endrin ketone	< 3.5		1	µg/Kg-dry	SW8081	10/12/2006 11:40 AM
Endrin aldehyde	< 3.5		1	µg/Kg-dry	SW8081	10/12/2006 11:40 AM
alpha-Chlordane	< 1.8		1	µg/Kg-dry	SW8081	10/12/2006 11:40 AM
gamma-Chlordane	2.9		1	µg/Kg-dry	SW8081	10/12/2006 11:40 AM
Toxaphene	< 180		1	µg/Kg-dry	SW8081	10/12/2006 11:40 AM
Percent Moisture	4.8		1	wt%	D2216	10/09/2006 11:00 AM

Qualifiers: E - Value above quantitation range

D - Results for Dilution

D.F. = Dilution Factor

Date Reported : 10/17/2006



Laboratory Manager

H2M LABS, INC.

575 Broad Hollow Road, Melville NY 11747
(631) 694-3040 . FAX: (631) 420-8436 NYSDOH ID# 10478

LABORATORY RESULTS

Town of Oyster Bay

Lab No. : **0610584-024A**

Sample Information...

Type : Soil

Attn To :

Client ID. : J-6 (2-4')

Origin:

Collected 10/3/2006 8:56:00 AM

Received 10/3/2006 5:10:00 PM

Collected By : Client

Copy : Original

CC


Parameter(s)	Results	Qualifier	D.F.	Units	Method Number	Analyzed
alpha-BHC	< 2.3		1	µg/Kg-dry	SW8081	10/12/2006 8:22 AM
beta-BHC	< 2.3		1	µg/Kg-dry	SW8081	10/12/2006 8:22 AM
delta-BHC	< 2.3		1	µg/Kg-dry	SW8081	10/12/2006 8:22 AM
gamma-BHC	< 2.3		1	µg/Kg-dry	SW8081	10/12/2006 8:22 AM
Heptachlor	< 2.3		1	µg/Kg-dry	SW8081	10/12/2006 8:22 AM
Aldrin	< 2.3		1	µg/Kg-dry	SW8081	10/12/2006 8:22 AM
Heptachlor epoxide	< 2.3		1	µg/Kg-dry	SW8081	10/12/2006 8:22 AM
Endosulfan I	< 2.3		1	µg/Kg-dry	SW8081	10/12/2006 8:22 AM
Dieldrin	< 4.5		1	µg/Kg-dry	SW8081	10/12/2006 8:22 AM
4,4'-DDE	< 4.5		1	µg/Kg-dry	SW8081	10/12/2006 8:22 AM
Endrin	< 4.5		1	µg/Kg-dry	SW8081	10/12/2006 8:22 AM
Endosulfan II	< 4.5		1	µg/Kg-dry	SW8081	10/12/2006 8:22 AM
4,4'-DDD	< 4.5		1	µg/Kg-dry	SW8081	10/12/2006 8:22 AM
Endosulfan sulfate	< 4.5		1	µg/Kg-dry	SW8081	10/12/2006 8:22 AM
4,4'-DDT	< 4.5		1	µg/Kg-dry	SW8081	10/12/2006 8:22 AM
Methoxychlor	< 23		1	µg/Kg-dry	SW8081	10/12/2006 8:22 AM
Endrin ketone	< 4.5		1	µg/Kg-dry	SW8081	10/12/2006 8:22 AM
Endrin aldehyde	< 4.5		1	µg/Kg-dry	SW8081	10/12/2006 8:22 AM
alpha-Chlordane	< 2.3		1	µg/Kg-dry	SW8081	10/12/2006 8:22 AM
gamma-Chlordane	< 2.3		1	µg/Kg-dry	SW8081	10/12/2006 8:22 AM
Toxaphene	< 230		1	µg/Kg-dry	SW8081	10/12/2006 8:22 AM
Percent Moisture	26.2		1	wt%	D2216	10/09/2006 11:01 AM

Qualifiers: E - Value above quantitation range

D - Results for Dilution

D.F. = Dilution Factor

Date Reported : 10/17/2006



H2M LABS, INC.

575 Broad Hollow Road, Melville NY 11747
(631) 694-3040. FAX: (631) 420-8436 NYSDOH ID# 10478

LABORATORY RESULTS

Town of Oyster Bay

Lab No. : **0610584-025A**

Sample Information...

Type : Soil

Attn To :

Origin:

Client ID. : I-6 (2-4')

Collected 10/3/2006 9:02:00 AM

Received 10/3/2006 5:10:00 PM

Collected By : Client

Copy : Original


CC

Parameter(s)	Results	Qualifier	D.F.	Units	Method Number	Analyzed
alpha-BHC	< 1.8		1	µg/Kg-dry	SW8081	10/12/2006 1:39 AM
beta-BHC	< 1.8		1	µg/Kg-dry	SW8081	10/12/2006 1:39 AM
delta-BHC	< 1.8		1	µg/Kg-dry	SW8081	10/12/2006 1:39 AM
gamma-BHC	< 1.8		1	µg/Kg-dry	SW8081	10/12/2006 1:39 AM
Heptachlor	< 1.8		1	µg/Kg-dry	SW8081	10/12/2006 1:39 AM
Aldrin	< 1.8		1	µg/Kg-dry	SW8081	10/12/2006 1:39 AM
Heptachlor epoxide	< 1.8		1	µg/Kg-dry	SW8081	10/12/2006 1:39 AM
Endosulfan I	< 1.8		1	µg/Kg-dry	SW8081	10/12/2006 1:39 AM
Dieldrin	< 3.5		1	µg/Kg-dry	SW8081	10/12/2006 1:39 AM
4,4'-DDE	< 3.5		1	µg/Kg-dry	SW8081	10/12/2006 1:39 AM
Endrin	< 3.5		1	µg/Kg-dry	SW8081	10/12/2006 1:39 AM
Endosulfan II	< 3.5		1	µg/Kg-dry	SW8081	10/12/2006 1:39 AM
4,4'-DDD	< 3.5		1	µg/Kg-dry	SW8081	10/12/2006 1:39 AM
Endosulfan sulfate	< 3.5		1	µg/Kg-dry	SW8081	10/12/2006 1:39 AM
4,4'-DDT	< 3.5		1	µg/Kg-dry	SW8081	10/12/2006 1:39 AM
Methoxychlor	< 18		1	µg/Kg-dry	SW8081	10/12/2006 1:39 AM
Endrin ketone	< 3.5		1	µg/Kg-dry	SW8081	10/12/2006 1:39 AM
Endrin aldehyde	< 3.5		1	µg/Kg-dry	SW8081	10/12/2006 1:39 AM
alpha-Chlordane	< 1.8		1	µg/Kg-dry	SW8081	10/12/2006 1:39 AM
gamma-Chlordane	< 1.8		1	µg/Kg-dry	SW8081	10/12/2006 1:39 AM
Toxaphene	< 180		1	µg/Kg-dry	SW8081	10/12/2006 1:39 AM
Percent Moisture	5.7		1	wt%	D2216	10/09/2006 11:02 AM

Qualifiers: E - Value above quantitation range
D - Results for Dilution

D.F. = Dilution Factor

Date Reported : 10/17/2006



Laboratory Manager

H2M LABS, INC.

575 Broad Hollow Road, Melville NY 11747
(631) 694-3040. FAX: (631) 420-8436 NYSDOH ID# 10478

LABORATORY RESULTS

Town of Oyster Bay

Lab No. : **0610584-026A**

Sample Information...

Type : Soil

Attn To :

Client ID. : G-6 (2-4')

Origin:

Collected 10/3/2006 9:11:00 AM

Received 10/3/2006 5:10:00 PM

Collected By : Client

Copy : Original


CC

Parameter(s)	Results	Qualifier	D.F.	Units	Method Number	Analyzed
alpha-BHC	< 2.0		1	µg/Kg-dry	SW8081	10/12/2006 9:28 AM
beta-BHC	< 2.0		1	µg/Kg-dry	SW8081	10/12/2006 9:28 AM
delta-BHC	< 2.0		1	µg/Kg-dry	SW8081	10/12/2006 9:28 AM
gamma-BHC	< 2.0		1	µg/Kg-dry	SW8081	10/12/2006 9:28 AM
Heptachlor	< 2.0		1	µg/Kg-dry	SW8081	10/12/2006 9:28 AM
Aldrin	< 2.0		1	µg/Kg-dry	SW8081	10/12/2006 9:28 AM
Heptachlor epoxide	< 2.0		1	µg/Kg-dry	SW8081	10/12/2006 9:28 AM
Endosulfan I	< 2.0		1	µg/Kg-dry	SW8081	10/12/2006 9:28 AM
Dieldrin	< 3.8		1	µg/Kg-dry	SW8081	10/12/2006 9:28 AM
4,4'-DDE	12		1	µg/Kg-dry	SW8081	10/12/2006 9:28 AM
Endrin	23		1	µg/Kg-dry	SW8081	10/12/2006 9:28 AM
Endosulfan II	< 3.8		1	µg/Kg-dry	SW8081	10/12/2006 9:28 AM
4,4'-DDD	53		1	µg/Kg-dry	SW8081	10/12/2006 9:28 AM
Endosulfan sulfate	< 3.8		1	µg/Kg-dry	SW8081	10/12/2006 9:28 AM
4,4'-DDT	17		1	µg/Kg-dry	SW8081	10/12/2006 9:28 AM
Methoxychlor	< 20		1	µg/Kg-dry	SW8081	10/12/2006 9:28 AM
Endrin ketone	< 3.8		1	µg/Kg-dry	SW8081	10/12/2006 9:28 AM
Endrin aldehyde	< 3.8		1	µg/Kg-dry	SW8081	10/12/2006 9:28 AM
alpha-Chlordane	< 2.0		1	µg/Kg-dry	SW8081	10/12/2006 9:28 AM
gamma-Chlordane	300	D	10	µg/Kg-dry	SW8081	10/13/2006 9:00 PM
Toxaphene	< 200		1	µg/Kg-dry	SW8081	10/12/2006 9:28 AM
Percent Moisture	13.1		1	wt%	D2216	10/09/2006 11:03 AM

Qualifiers: E - Value above quantitation range
D - Results for Dilution

D.F. = Dilution Factor

Date Reported : 10/17/2006



Laboratory Manager

H2M LABS, INC.

575 Broad Hollow Road, Melville NY 11747
(631) 694-3040 . FAX: (631) 420-8436 NYSDOH ID# 10478

LABORATORY RESULTS

Town of Oyster Bay

Lab No. : **0610584-027A**

Sample Information...

Type : Soil

Attn To :

Origin:

Client ID. : H-7 (0-2')

Collected 10/3/2006 9:18:00 AM

Received 10/3/2006 5:10:00 PM

Collected By : Client

Copy : Original

CC

Parameter(s)	Results	Qualifier	D.F.	Units	Method Number	Analyzed
alpha-BHC	< 1.7		1	µg/Kg-dry	SW8081	10/12/2006 1:06 AM
beta-BHC	< 1.7		1	µg/Kg-dry	SW8081	10/12/2006 1:06 AM
delta-BHC	< 1.7		1	µg/Kg-dry	SW8081	10/12/2006 1:06 AM
gamma-BHC	< 1.7		1	µg/Kg-dry	SW8081	10/12/2006 1:06 AM
Heptachlor	< 1.7		1	µg/Kg-dry	SW8081	10/12/2006 1:06 AM
Aldrin	< 1.7		1	µg/Kg-dry	SW8081	10/12/2006 1:06 AM
Heptachlor epoxide	< 1.7		1	µg/Kg-dry	SW8081	10/12/2006 1:06 AM
Endosulfan I	< 1.7		1	µg/Kg-dry	SW8081	10/12/2006 1:06 AM
Dieldrin	< 3.4		1	µg/Kg-dry	SW8081	10/12/2006 1:06 AM
4,4'-DDE	< 3.4		1	µg/Kg-dry	SW8081	10/12/2006 1:06 AM
Endrin	< 3.4		1	µg/Kg-dry	SW8081	10/12/2006 1:06 AM
Endosulfan II	< 3.4		1	µg/Kg-dry	SW8081	10/12/2006 1:06 AM
4,4'-DDD	< 3.4		1	µg/Kg-dry	SW8081	10/12/2006 1:06 AM
Endosulfan sulfate	< 3.4		1	µg/Kg-dry	SW8081	10/12/2006 1:06 AM
4,4'-DDT	< 3.4		1	µg/Kg-dry	SW8081	10/12/2006 1:06 AM
Methoxychlor	< 17		1	µg/Kg-dry	SW8081	10/12/2006 1:06 AM
Endrin ketone	< 3.4		1	µg/Kg-dry	SW8081	10/12/2006 1:06 AM
Endrin aldehyde	< 3.4		1	µg/Kg-dry	SW8081	10/12/2006 1:06 AM
alpha-Chlordane	< 1.7		1	µg/Kg-dry	SW8081	10/12/2006 1:06 AM
gamma-Chlordane	< 1.7		1	µg/Kg-dry	SW8081	10/12/2006 1:06 AM
Toxaphene	< 170		1	µg/Kg-dry	SW8081	10/12/2006 1:06 AM
Percent Moisture	2.0		1	wt%	D2216	10/09/2006 11:04 AM


Qualifiers: E - Value above quantitation range

D - Results for Dilution

D.F. = Dilution Factor

Date Reported : 10/17/2006

Laboratory Manager



H2M LABS, INC.

575 Broad Hollow Road, Melville NY 11747
(631) 694-3040 . FAX: (631) 420-8436 NYSDOH ID# 10478

LABORATORY RESULTS

Town of Oyster Bay

Lab No. : **0610584-028A**

Sample Information...

Type : Soil

Attn To :

Client ID. : I-7 (4-6')

Origin:

Collected 10/3/2006 9:24:00 AM

Received 10/3/2006 5:10:00 PM

Collected By : Client

Copy : Original

CC


Parameter(s)	Results	Qualifier	D.F.	Units	Method Number	Analyzed
alpha-BHC	< 1.7		1	µg/Kg-dry	SW8081	10/12/2006 12:00 AM
beta-BHC	< 1.7		1	µg/Kg-dry	SW8081	10/12/2006 12:00 AM
delta-BHC	< 1.7		1	µg/Kg-dry	SW8081	10/12/2006 12:00 AM
gamma-BHC	< 1.7		1	µg/Kg-dry	SW8081	10/12/2006 12:00 AM
Heptachlor	< 1.7		1	µg/Kg-dry	SW8081	10/12/2006 12:00 AM
Aldrin	< 1.7		1	µg/Kg-dry	SW8081	10/12/2006 12:00 AM
Heptachlor epoxide	< 1.7		1	µg/Kg-dry	SW8081	10/12/2006 12:00 AM
Endosulfan I	< 1.7		1	µg/Kg-dry	SW8081	10/12/2006 12:00 AM
Dieldrin	< 3.4		1	µg/Kg-dry	SW8081	10/12/2006 12:00 AM
4,4'-DDE	< 3.4		1	µg/Kg-dry	SW8081	10/12/2006 12:00 AM
Endrin	< 3.4		1	µg/Kg-dry	SW8081	10/12/2006 12:00 AM
Endosulfan II	< 3.4		1	µg/Kg-dry	SW8081	10/12/2006 12:00 AM
4,4'-DDD	< 3.4		1	µg/Kg-dry	SW8081	10/12/2006 12:00 AM
Endosulfan sulfate	< 3.4		1	µg/Kg-dry	SW8081	10/12/2006 12:00 AM
4,4'-DDT	< 3.4		1	µg/Kg-dry	SW8081	10/12/2006 12:00 AM
Methoxychlor	< 17		1	µg/Kg-dry	SW8081	10/12/2006 12:00 AM
Endrin ketone	< 3.4		1	µg/Kg-dry	SW8081	10/12/2006 12:00 AM
Endrin aldehyde	< 3.4		1	µg/Kg-dry	SW8081	10/12/2006 12:00 AM
alpha-Chlordane	< 1.7		1	µg/Kg-dry	SW8081	10/12/2006 12:00 AM
gamma-Chlordane	< 1.7		1	µg/Kg-dry	SW8081	10/12/2006 12:00 AM
Toxaphene	< 170		1	µg/Kg-dry	SW8081	10/12/2006 12:00 AM
Percent Moisture	2.5		1	wt%	D2216	10/09/2006 11:05 AM

Qualifiers: E - Value above quantitation range

D - Results for Dilution

D.F. = Dilution Factor

Date Reported : 10/17/2006



H2M LABS, INC.

575 Broad Hollow Road, Melville NY 11747
(631) 694-3040 . FAX: (631) 420-8436 NYSDOH ID# 10478

LABORATORY RESULTS

Town of Oyster Bay

Lab No. : **0610584-029A**

Sample Information...

Type : Soil

Attn To :

Origin:

Client ID. : J-7 (4-6')

Collected 10/3/2006 9:32:00 AM

Received 10/3/2006 5:10:00 PM

Collected By : Client

Copy : Original

CC

Parameter(s)	Results	Qualifier	D.F.	Units	Method Number	Analyzed
alpha-BHC	< 1.7		1	µg/Kg-dry	SW8081	10/11/2006 11:27 PM
beta-BHC	< 1.7		1	µg/Kg-dry	SW8081	10/11/2006 11:27 PM
delta-BHC	< 1.7		1	µg/Kg-dry	SW8081	10/11/2006 11:27 PM
gamma-BHC	< 1.7		1	µg/Kg-dry	SW8081	10/11/2006 11:27 PM
Heptachlor	< 1.7		1	µg/Kg-dry	SW8081	10/11/2006 11:27 PM
Aldrin	< 1.7		1	µg/Kg-dry	SW8081	10/11/2006 11:27 PM
Heptachlor epoxide	< 1.7		1	µg/Kg-dry	SW8081	10/11/2006 11:27 PM
Endosulfan I	< 1.7		1	µg/Kg-dry	SW8081	10/11/2006 11:27 PM
Dieldrin	< 3.4		1	µg/Kg-dry	SW8081	10/11/2006 11:27 PM
4,4'-DDE	< 3.4		1	µg/Kg-dry	SW8081	10/11/2006 11:27 PM
Endrin	< 3.4		1	µg/Kg-dry	SW8081	10/11/2006 11:27 PM
Endosulfan II	< 3.4		1	µg/Kg-dry	SW8081	10/11/2006 11:27 PM
4,4'-DDD	< 3.4		1	µg/Kg-dry	SW8081	10/11/2006 11:27 PM
Endosulfan sulfate	< 3.4		1	µg/Kg-dry	SW8081	10/11/2006 11:27 PM
4,4'-DDT	< 3.4		1	µg/Kg-dry	SW8081	10/11/2006 11:27 PM
Methoxychlor	< 17		1	µg/Kg-dry	SW8081	10/11/2006 11:27 PM
Endrin ketone	< 3.4		1	µg/Kg-dry	SW8081	10/11/2006 11:27 PM
Endrin aldehyde	< 3.4		1	µg/Kg-dry	SW8081	10/11/2006 11:27 PM
alpha-Chlordane	< 1.7		1	µg/Kg-dry	SW8081	10/11/2006 11:27 PM
gamma-Chlordane	< 1.7		1	µg/Kg-dry	SW8081	10/11/2006 11:27 PM
Toxaphene	< 170		1	µg/Kg-dry	SW8081	10/11/2006 11:27 PM
Percent Moisture	2.7		1	wt%	D2216	10/09/2006 11:06 AM


Qualifiers: E - Value above quantitation range

D - Results for Dilution

D.F. = Dilution Factor

Date Reported : 10/17/2006

Laboratory Manager



H2M LABS, INC.

575 Broad Hollow Road, Melville NY 11747
(631) 694-3040 . FAX: (631) 420-8436 NYSDOHID# 10478

LABORATORY RESULTS

Town of Oyster Bay

Lab No. : **0610584-030A**

Sample Information...

Type : Soil

Attn To :

Client ID. : L-7 (2-4')

Origin:

Collected 10/3/2006 9:43:00 AM

Received 10/3/2006 5:10:00 PM

Collected By : Client

Copy : **Original**

CC

<u>Parameter(s)</u>	<u>Results</u>	<u>Qualifier</u>	<u>D.F.</u>	<u>Units</u>	<u>Method Number</u>	<u>Analyzed</u>
alpha-BHC	< 1.8		1	µg/Kg-dry	SW8081	10/11/2006 10:54 PM
beta-BHC	< 1.8		1	µg/Kg-dry	SW8081	10/11/2006 10:54 PM
delta-BHC	< 1.8		1	µg/Kg-dry	SW8081	10/11/2006 10:54 PM
gamma-BHC	< 1.8		1	µg/Kg-dry	SW8081	10/11/2006 10:54 PM
Heptachlor	< 1.8		1	µg/Kg-dry	SW8081	10/11/2006 10:54 PM
Aldrin	< 1.8		1	µg/Kg-dry	SW8081	10/11/2006 10:54 PM
Heptachlor epoxide	< 1.8		1	µg/Kg-dry	SW8081	10/11/2006 10:54 PM
Endosulfan I	< 1.8		1	µg/Kg-dry	SW8081	10/11/2006 10:54 PM
Dieldrin	< 3.6		1	µg/Kg-dry	SW8081	10/11/2006 10:54 PM
4,4'-DDE	< 3.6		1	µg/Kg-dry	SW8081	10/11/2006 10:54 PM
Endrin	< 3.6		1	µg/Kg-dry	SW8081	10/11/2006 10:54 PM
Endosulfan II	< 3.6		1	µg/Kg-dry	SW8081	10/11/2006 10:54 PM
4,4'-DDD	< 3.6		1	µg/Kg-dry	SW8081	10/11/2006 10:54 PM
Endosulfan sulfate	< 3.6		1	µg/Kg-dry	SW8081	10/11/2006 10:54 PM
4,4'-DDT	< 3.6		1	µg/Kg-dry	SW8081	10/11/2006 10:54 PM
Methoxychlor	< 18		1	µg/Kg-dry	SW8081	10/11/2006 10:54 PM
Endrin ketone	< 3.6		1	µg/Kg-dry	SW8081	10/11/2006 10:54 PM
Endrin aldehyde	< 3.6		1	µg/Kg-dry	SW8081	10/11/2006 10:54 PM
alpha-Chlordane	< 1.8		1	µg/Kg-dry	SW8081	10/11/2006 10:54 PM
gamma-Chlordane	< 1.8		1	µg/Kg-dry	SW8081	10/11/2006 10:54 PM
Toxaphene	< 180		1	µg/Kg-dry	SW8081	10/11/2006 10:54 PM
Percent Moisture	7.7		1	wt%	D2216	10/09/2006 11:07 AM


Qualifiers: E - Value above quantitation range

D - Results for Dilution

D.F. = Dilution Factor

Date Reported : 10/17/2006

Laboratory Manager



H2M LABS, INC.

575 Broad Hollow Road, Melville NY 11747
(631) 694-3040 . FAX: (631) 420-8436 NYSDOH ID# 10478

LABORATORY RESULTS

Town of Oyster Bay

Lab No. : **0610584-031A**

Sample Information...

Type : Soil

Attn To :

Origin:

Client ID. : F-1 (4-6')

Collected 10/3/2006 2:35:00 PM

Received 10/3/2006 5:10:00 PM

Collected By : Client

Copy : **Original**

CC

Parameter(s)	Results	Qualifier	D.F.	Units	Method Number	Analyzed
alpha-BHC	< 1.8		1	µg/Kg-dry	SW8081	10/12/2006 5:31 AM
beta-BHC	< 1.8		1	µg/Kg-dry	SW8081	10/12/2006 5:31 AM
delta-BHC	< 1.8		1	µg/Kg-dry	SW8081	10/12/2006 5:31 AM
gamma-BHC	< 1.8		1	µg/Kg-dry	SW8081	10/12/2006 5:31 AM
Heptachlor	< 1.8		1	µg/Kg-dry	SW8081	10/12/2006 5:31 AM
Aldrin	< 1.8		1	µg/Kg-dry	SW8081	10/12/2006 5:31 AM
Heptachlor epoxide	< 1.8		1	µg/Kg-dry	SW8081	10/12/2006 5:31 AM
Endosulfan I	< 1.8		1	µg/Kg-dry	SW8081	10/12/2006 5:31 AM
Dieldrin	< 3.6		1	µg/Kg-dry	SW8081	10/12/2006 5:31 AM
4,4'-DDE	10		1	µg/Kg-dry	SW8081	10/12/2006 5:31 AM
Endrin	< 3.6		1	µg/Kg-dry	SW8081	10/12/2006 5:31 AM
Endosulfan II	< 3.6		1	µg/Kg-dry	SW8081	10/12/2006 5:31 AM
4,4'-DDD	< 3.6		1	µg/Kg-dry	SW8081	10/12/2006 5:31 AM
Endosulfan sulfate	< 3.6		1	µg/Kg-dry	SW8081	10/12/2006 5:31 AM
4,4'-DDT	18		1	µg/Kg-dry	SW8081	10/12/2006 5:31 AM
Methoxychlor	< 18		1	µg/Kg-dry	SW8081	10/12/2006 5:31 AM
Endrin ketone	< 3.6		1	µg/Kg-dry	SW8081	10/12/2006 5:31 AM
Endrin aldehyde	< 3.6		1	µg/Kg-dry	SW8081	10/12/2006 5:31 AM
alpha-Chlordane	< 1.8		1	µg/Kg-dry	SW8081	10/12/2006 5:31 AM
gamma-Chlordane	< 1.8		1	µg/Kg-dry	SW8081	10/12/2006 5:31 AM
Toxaphene	< 180		1	µg/Kg-dry	SW8081	10/12/2006 5:31 AM
Percent Moisture	7.6		1	wt%	D2216	10/09/2006 11:08 AM


Qualifiers: E - Value above quantitation range

D - Results for Dilution

D.F. = Dilution Factor

Date Reported : 10/17/2006

Laboratory Manager



H2M LABS, INC.

575 Broad Hollow Road, Melville NY 11747
(631) 694-3040 . FAX: (631) 420-8436 NYSDOH ID# 10478

LABORATORY RESULTS

Town of Oyster Bay

Lab No. : **0610584-032A**

Sample Information...

Type : Soil

Attn To :

Origin:

Client ID. : G-1 (2-4')

Collected 10/3/2006 2:33:00 PM

Received 10/3/2006 5:10:00 PM

Collected By : Client

Copy : Original


CC

<u>Parameter(s)</u>	<u>Results</u>	<u>Qualifier</u>	<u>D.F.</u>	<u>Units</u>	<u>Method Number</u>	<u>Analyzed</u>
alpha-BHC	< 1.8		1	µg/Kg-dry	SW8081	10/13/2006 8:27 PM
beta-BHC	3.0		1	µg/Kg-dry	SW8081	10/13/2006 8:27 PM
delta-BHC	11		1	µg/Kg-dry	SW8081	10/13/2006 8:27 PM
gamma-BHC	23		1	µg/Kg-dry	SW8081	10/13/2006 8:27 PM
Heptachlor	18	D	5	µg/Kg-dry	SW8081	10/16/2006 3:21 PM
Aldrin	< 1.8		1	µg/Kg-dry	SW8081	10/13/2006 8:27 PM
Heptachlor epoxide	8.3		1	µg/Kg-dry	SW8081	10/13/2006 8:27 PM
Endosulfan I	< 1.8		1	µg/Kg-dry	SW8081	10/13/2006 8:27 PM
Dieldrin	16		1	µg/Kg-dry	SW8081	10/13/2006 8:27 PM
4,4'-DDE	36		1	µg/Kg-dry	SW8081	10/13/2006 8:27 PM
Endrin	< 3.6		1	µg/Kg-dry	SW8081	10/13/2006 8:27 PM
Endosulfan II	< 3.6		1	µg/Kg-dry	SW8081	10/13/2006 8:27 PM
4,4'-DDD	39		1	µg/Kg-dry	SW8081	10/13/2006 8:27 PM
Endosulfan sulfate	< 3.6		1	µg/Kg-dry	SW8081	10/13/2006 8:27 PM
4,4'-DDT	48		1	µg/Kg-dry	SW8081	10/13/2006 8:27 PM
Methoxychlor	< 18		1	µg/Kg-dry	SW8081	10/13/2006 8:27 PM
Endrin ketone	< 3.6		1	µg/Kg-dry	SW8081	10/13/2006 8:27 PM
Endrin aldehyde	8.0		1	µg/Kg-dry	SW8081	10/13/2006 8:27 PM
alpha-Chlordane	7	JD	5	µg/Kg-dry	SW8081	10/16/2006 3:21 PM
gamma-Chlordane	84	D	5	µg/Kg-dry	SW8081	10/16/2006 3:21 PM
Toxaphene	< 180		1	µg/Kg-dry	SW8081	10/13/2006 8:27 PM
Percent Moisture	7.6		1	wt%	D2216	10/09/2006 11:09 AM

Qualifiers: E - Value above quantitation range
D - Results for Dilution

D.F. = Dilution Factor

Date Reported : 10/17/2006



Laboratory Manager

H2M LABS, INC.

575 Broad Hollow Road, Melville NY 11747
(631) 694-3040 . FAX: (631) 420-8436 NYSDOH ID# 10478

LABORATORY RESULTS

Town of Oyster Bay

Lab No. : **0610584-033A**

Sample Information...

Type : Soil

Attn To :

Origin:

Client ID. : F-3 (10-12')

Collected 10/3/2006 2:57:00 PM

Received 10/3/2006 5:10:00 PM

Collected By : Client

Copy : Original

CC

<u>Parameter(s)</u>	<u>Results</u>	<u>Qualifier</u>	<u>D.F.</u>	<u>Units</u>	<u>Method Number</u>	<u>Analyzed</u>
alpha-BHC	< 1.8		1	µg/Kg-dry	SW8081	10/12/2006 4:58 AM
beta-BHC	< 1.8		1	µg/Kg-dry	SW8081	10/12/2006 4:58 AM
delta-BHC	< 1.8		1	µg/Kg-dry	SW8081	10/12/2006 4:58 AM
gamma-BHC	< 1.8		1	µg/Kg-dry	SW8081	10/12/2006 4:58 AM
Heptachlor	< 1.8		1	µg/Kg-dry	SW8081	10/12/2006 4:58 AM
Aldrin	< 1.8		1	µg/Kg-dry	SW8081	10/12/2006 4:58 AM
Heptachlor epoxide	< 1.8		1	µg/Kg-dry	SW8081	10/12/2006 4:58 AM
Endosulfan I	< 1.8		1	µg/Kg-dry	SW8081	10/12/2006 4:58 AM
Dieldrin	< 3.4		1	µg/Kg-dry	SW8081	10/12/2006 4:58 AM
4,4'-DDE	< 3.4		1	µg/Kg-dry	SW8081	10/12/2006 4:58 AM
Endrin	< 3.4		1	µg/Kg-dry	SW8081	10/12/2006 4:58 AM
Endosulfan II	< 3.4		1	µg/Kg-dry	SW8081	10/12/2006 4:58 AM
4,4'-DDD	< 3.4		1	µg/Kg-dry	SW8081	10/12/2006 4:58 AM
Endosulfan sulfate	< 3.4		1	µg/Kg-dry	SW8081	10/12/2006 4:58 AM
4,4'-DDT	< 3.4		1	µg/Kg-dry	SW8081	10/12/2006 4:58 AM
Methoxychlor	< 18		1	µg/Kg-dry	SW8081	10/12/2006 4:58 AM
Endrin ketone	< 3.4		1	µg/Kg-dry	SW8081	10/12/2006 4:58 AM
Endrin aldehyde	< 3.4		1	µg/Kg-dry	SW8081	10/12/2006 4:58 AM
alpha-Chlordane	< 1.8		1	µg/Kg-dry	SW8081	10/12/2006 4:58 AM
gamma-Chlordane	< 1.8		1	µg/Kg-dry	SW8081	10/12/2006 4:58 AM
Toxaphene	< 180		1	µg/Kg-dry	SW8081	10/12/2006 4:58 AM
Percent Moisture	2.9		1	wt%	D2216	10/09/2006 11:11 AM


Qualifiers: E - Value above quantitation range

D - Results for Dilution

D.F. = Dilution Factor

Date Reported : 10/17/2006

Laboratory Manager



H2M LABS, INC.

575 Broad Hollow Road, Melville NY 11747
(631) 694-3040 . FAX: (631) 420-8436 NYSDOHID# 10478

LABORATORY RESULTS

Town of Oyster Bay

Lab No. : **0610584-034A**

Sample Information...

Type : Soil

Attn To :

Client ID. : B-10 (0-2')

Origin:

Collected 10/3/2006 4:40:00 PM

Received 10/3/2006 5:10:00 PM

Collected By : Client

Copy : Original

CC


<u>Parameter(s)</u>	<u>Results</u>	<u>Qualifier</u>	<u>D.F.</u>	<u>Units</u>	<u>Method Number</u>	<u>Analyzed</u>
Aroclor 1016	< 35		1	µg/Kg-dry	SW8082	10/08/2006 5:27 AM
Aroclor 1221	< 70		1	µg/Kg-dry	SW8082	10/08/2006 5:27 AM
Aroclor 1232	< 35		1	µg/Kg-dry	SW8082	10/08/2006 5:27 AM
Aroclor 1242	12000	D	25	µg/Kg-dry	SW8082	10/13/2006 3:40 AM
Aroclor 1248	< 35		1	µg/Kg-dry	SW8082	10/08/2006 5:27 AM
Aroclor 1254	< 35		1	µg/Kg-dry	SW8082	10/08/2006 5:27 AM
Aroclor 1260	< 35		1	µg/Kg-dry	SW8082	10/08/2006 5:27 AM
Percent Moisture	4.8		1	wt%	D2216	10/09/2006 11:12 AM

Qualifiers: E - Value above quantitation range

D - Results for Dilution

D.F. = Dilution Factor

Date Reported : 10/17/2006



Laboratory Manager

H2M LABS, INC.

575 Broad Hollow Road, Melville NY 11747
(631) 694-3040 . FAX: (631) 420-8436 NYSDOH ID# 10478

LABORATORY RESULTS

Town of Oyster Bay

Lab No. : **0610584-036A**

Sample Information...

Type : Soil

Attn To :

Origin:

Client ID. : M-4 (0-2')

Collected 10/3/2006 3:14:00 PM

Received 10/3/2006 5:10:00 PM

Collected By : Client

Copy : **Original**

CC


<u>Parameter(s)</u>	<u>Results</u>	<u>Qualifier</u>	<u>D.F.</u>	<u>Units</u>	<u>Method Number</u>	<u>Analyzed</u>
Aroclor 1016	< 35		1	µg/Kg-dry	SW8082	10/08/2006 5:57 AM
Aroclor 1221	< 71		1	µg/Kg-dry	SW8082	10/08/2006 5:57 AM
Aroclor 1232	< 35		1	µg/Kg-dry	SW8082	10/08/2006 5:57 AM
Aroclor 1242	1000	D	5	µg/Kg-dry	SW8082	10/13/2006 4:11 AM
Aroclor 1248	< 35		1	µg/Kg-dry	SW8082	10/08/2006 5:57 AM
Aroclor 1254	< 35		1	µg/Kg-dry	SW8082	10/08/2006 5:57 AM
Aroclor 1260	< 35		1	µg/Kg-dry	SW8082	10/08/2006 5:57 AM
Percent Moisture	5.3		1	wt%	D2216	10/09/2006 11:13 AM

Qualifiers: E - Value above quantitation range

D - Results for Dilution

D.F. = Dilution Factor

Date Reported : 10/17/2006



Laboratory Manager

H2M LABS, INC.

575 Broad Hollow Road, Melville NY 11747
(631) 694-3040 . FAX: (631) 420-8436 NYSDOH ID# 10478

LABORATORY RESULTS

Town of Oyster Bay

Lab No. : **0610584-037A**

Sample Information...

Type : Soil

Attn To :

Origin:

Client ID. : D-4 (8-10')

Collected 10/3/2006 3:56:00 PM

Received 10/3/2006 5:10:00 PM

Collected By : Client

Copy : **Original**

CC

<u>Parameter(s)</u>	<u>Results</u>	<u>Qualifier</u>	<u>D.F.</u>	<u>Units</u>	<u>Method Number</u>	<u>Analyzed</u>
Aroclor 1016	< 35		1	µg/Kg-dry	SW8082	10/13/2006 4:41 AM
Aroclor 1221	< 72		1	µg/Kg-dry	SW8082	10/13/2006 4:41 AM
Aroclor 1232	< 35		1	µg/Kg-dry	SW8082	10/13/2006 4:41 AM
Aroclor 1242	480		1	µg/Kg-dry	SW8082	10/13/2006 4:41 AM
Aroclor 1248	< 35		1	µg/Kg-dry	SW8082	10/13/2006 4:41 AM
Aroclor 1254	< 35		1	µg/Kg-dry	SW8082	10/13/2006 4:41 AM
Aroclor 1260	< 35		1	µg/Kg-dry	SW8082	10/13/2006 4:41 AM
Percent Moisture	6.4		1	wt%	D2216	10/09/2006 11:14 AM


Qualifiers: E - Value above quantitation range

D - Results for Dilution

D.F. = Dilution Factor

Date Reported : 10/17/2006

Laboratory Manager



H2M LABS, INC.

575 Broad Hollow Road, Melville NY 11747
(631) 694-3040 . FAX: (631) 420-8436 NYSDOH ID# 10478

LABORATORY RESULTS

Town of Oyster Bay

Lab No. : **0610584-038A**

Sample Information...

Type : Soil

Origin:

Attn To :

Client ID. : E-5 (2-4')

Collected 10/3/2006 4:10:00 PM

Received 10/3/2006 5:10:00 PM

Collected By : Client

Copy : **Original**

CC


<u>Parameter(s)</u>	<u>Results</u>	<u>Qualifier</u>	<u>D.F.</u>	<u>Units</u>	<u>Method Number</u>	<u>Analyzed</u>
Aroclor 1016	< 35		1	µg/Kg-dry	SW8082	10/08/2006 6:59 AM
Aroclor 1221	< 71		1	µg/Kg-dry	SW8082	10/08/2006 6:59 AM
Aroclor 1232	< 35		1	µg/Kg-dry	SW8082	10/08/2006 6:59 AM
Aroclor 1242	4000	D	10	µg/Kg-dry	SW8082	10/13/2006 5:42 AM
Aroclor 1248	< 35		1	µg/Kg-dry	SW8082	10/08/2006 6:59 AM
Aroclor 1254	< 35		1	µg/Kg-dry	SW8082	10/08/2006 6:59 AM
Aroclor 1260	< 35		1	µg/Kg-dry	SW8082	10/08/2006 6:59 AM
Percent Moisture	5.7		1	wt%	D2216	10/09/2006 11:15 AM

Qualifiers: E - Value above quantitation range

D - Results for Dilution

D.F. = Dilution Factor

Date Reported : 10/17/2006



Laboratory Manager

H2M LABS, INC.

575 Broad Hollow Road, Melville NY 11747
(631) 694-3040 . FAX: (631) 420-8436 NYSDOH ID# 10478

LABORATORY RESULTS

Town of Oyster Bay

Lab No. : **0610584-039A**

Sample Information...

Type : Soil

Attn To :

Origin:

Client ID. : G-8 (4-6')

Collected 10/3/2006 4:28:00 PM

Received 10/3/2006 5:10:00 PM

Collected By : Client

Copy : Original

CC

<u>Parameter(s)</u>	<u>Results</u>	<u>Qualifier</u>	<u>D.F.</u>	<u>Units</u>	<u>Method Number</u>	<u>Analyzed</u>
alpha-BHC	< 2.1		1	µg/Kg-dry	SW8081	10/14/2006 12:19 AM
beta-BHC	< 2.1		1	µg/Kg-dry	SW8081	10/14/2006 12:19 AM
delta-BHC	< 2.1		1	µg/Kg-dry	SW8081	10/14/2006 12:19 AM
gamma-BHC	< 2.1		1	µg/Kg-dry	SW8081	10/14/2006 12:19 AM
Heptachlor	6.4		1	µg/Kg-dry	SW8081	10/14/2006 12:19 AM
Aldrin	< 2.1		1	µg/Kg-dry	SW8081	10/14/2006 12:19 AM
Heptachlor epoxide	< 2.1		1	µg/Kg-dry	SW8081	10/14/2006 12:19 AM
Endosulfan I	< 2.1		1	µg/Kg-dry	SW8081	10/14/2006 12:19 AM
Dieldrin	< 4.1		1	µg/Kg-dry	SW8081	10/14/2006 12:19 AM
4,4'-DDE	9.1		1	µg/Kg-dry	SW8081	10/14/2006 12:19 AM
Endrin	< 4.1		1	µg/Kg-dry	SW8081	10/14/2006 12:19 AM
Endosulfan II	5.0		1	µg/Kg-dry	SW8081	10/14/2006 12:19 AM
4,4'-DDD	8.3		1	µg/Kg-dry	SW8081	10/14/2006 12:19 AM
Endosulfan sulfate	< 4.1		1	µg/Kg-dry	SW8081	10/14/2006 12:19 AM
4,4'-DDT	18		1	µg/Kg-dry	SW8081	10/14/2006 12:19 AM
Methoxychlor	< 21		1	µg/Kg-dry	SW8081	10/14/2006 12:19 AM
Endrin ketone	< 4.1		1	µg/Kg-dry	SW8081	10/14/2006 12:19 AM
Endrin aldehyde	7.9		1	µg/Kg-dry	SW8081	10/14/2006 12:19 AM
alpha-Chlordane	5.4		1	µg/Kg-dry	SW8081	10/14/2006 12:19 AM
gamma-Chlordane	< 2.1		1	µg/Kg-dry	SW8081	10/14/2006 12:19 AM
Toxaphene	< 210		1	µg/Kg-dry	SW8081	10/14/2006 12:19 AM
Percent Moisture	20.4		1	wt%	D2216	10/09/2006 11:16 AM


Qualifiers: E - Value above quantitation range

D - Results for Dilution

D.F. = Dilution Factor

Date Reported : 10/17/2006

Laboratory Manager



H2M LABS, INC.

575 Broad Hollow Road, Melville NY 11747
(631) 694-3040 . FAX: (631) 420-8436 NYSDOH ID# 10478

LABORATORY RESULTS

Town of Oyster Bay

Lab No. : **0610584-040A**

Sample Information...

Type : Soil

Attn To :

Origin:

Client ID. : C-4 (4-6')

Collected 10/3/2006 3:45:00 PM

Received 10/3/2006 5:10:00 PM

Collected By : Client

Copy : Original

CC

<u>Parameter(s)</u>	<u>Results</u>	<u>Qualifier</u>	<u>D.F.</u>	<u>Units</u>	<u>Method Number</u>	<u>Analyzed</u>
Aroclor 1016	< 36		1	µg/Kg-dry	SW8082	10/08/2006 7:29 AM
Aroclor 1221	< 73		1	µg/Kg-dry	SW8082	10/08/2006 7:29 AM
Aroclor 1232	< 36		1	µg/Kg-dry	SW8082	10/08/2006 7:29 AM
Aroclor 1242	3800	D	10	µg/Kg-dry	SW8082	10/13/2006 6:13 AM
Aroclor 1248	< 36		1	µg/Kg-dry	SW8082	10/08/2006 7:29 AM
Aroclor 1254	< 36		1	µg/Kg-dry	SW8082	10/08/2006 7:29 AM
Aroclor 1260	< 36		1	µg/Kg-dry	SW8082	10/08/2006 7:29 AM
Percent Moisture	8.5		1	wt%	D2216	10/09/2006 11:17 AM


Qualifiers: E - Value above quantitation range

D - Results for Dilution

D.F. = Dilution Factor

Date Reported : 10/17/2006

Laboratory Manager



H2M LABS, INC.

575 Broad Hollow Road, Melville NY 11747
(631) 694-3040 . FAX: (631) 420-8436 NYSDOH ID# 10478

LABORATORY RESULTS

Town of Oyster Bay

Lab No. : **0610584-041A**

Sample Information...

Type : Soil

Attn To :

Client ID. : B-2 (0-2')

Origin:

Collected 10/3/2006 4:09:00 PM

Received 10/3/2006 5:10:00 PM

Collected By : Client

Copy : Original

CC


<u>Parameter(s)</u>	<u>Results</u>	<u>Qualifier</u>	<u>D.F.</u>	<u>Units</u>	<u>Method Number</u>	<u>Analyzed</u>
alpha-BHC	< 1.8		1	µg/Kg-dry	SW8081	10/11/2006 10:21 PM
beta-BHC	< 1.8		1	µg/Kg-dry	SW8081	10/11/2006 10:21 PM
delta-BHC	< 1.8		1	µg/Kg-dry	SW8081	10/11/2006 10:21 PM
gamma-BHC	< 1.8		1	µg/Kg-dry	SW8081	10/11/2006 10:21 PM
Heptachlor	< 1.8		1	µg/Kg-dry	SW8081	10/11/2006 10:21 PM
Aldrin	< 1.8		1	µg/Kg-dry	SW8081	10/11/2006 10:21 PM
Heptachlor epoxide	< 1.8		1	µg/Kg-dry	SW8081	10/11/2006 10:21 PM
Endosulfan I	< 1.8		1	µg/Kg-dry	SW8081	10/11/2006 10:21 PM
Dieldrin	< 3.4		1	µg/Kg-dry	SW8081	10/11/2006 10:21 PM
4,4'-DDE	< 3.4		1	µg/Kg-dry	SW8081	10/11/2006 10:21 PM
Endrin	< 3.4		1	µg/Kg-dry	SW8081	10/11/2006 10:21 PM
Endosulfan II	< 3.4		1	µg/Kg-dry	SW8081	10/11/2006 10:21 PM
4,4'-DDD	< 3.4		1	µg/Kg-dry	SW8081	10/11/2006 10:21 PM
Endosulfan sulfate	< 3.4		1	µg/Kg-dry	SW8081	10/11/2006 10:21 PM
4,4'-DDT	< 3.4		1	µg/Kg-dry	SW8081	10/11/2006 10:21 PM
Methoxychlor	< 18		1	µg/Kg-dry	SW8081	10/11/2006 10:21 PM
Endrin ketone	< 3.4		1	µg/Kg-dry	SW8081	10/11/2006 10:21 PM
Endrin aldehyde	< 3.4		1	µg/Kg-dry	SW8081	10/11/2006 10:21 PM
alpha-Chlordane	< 1.8		1	µg/Kg-dry	SW8081	10/11/2006 10:21 PM
gamma-Chlordane	< 1.8		1	µg/Kg-dry	SW8081	10/11/2006 10:21 PM
Toxaphene	< 180		1	µg/Kg-dry	SW8081	10/11/2006 10:21 PM
Percent Moisture	3.8		1	wt%	D2216	10/09/2006 11:18 AM

Qualifiers: E - Value above quantitation range

D - Results for Dilution

D.F. = Dilution Factor

Date Reported : 10/17/2006



Laboratory Manager

H2M LABS, INC.

575 Broad Hollow Road, Melville NY 11747
(631) 694-3040 . FAX: (631) 420-8436 NYSDOH ID# 10478

LABORATORY RESULTS

Town of Oyster Bay

Lab No. : **0610584-042A**

Sample Information...

Type : Soil

Attn To :

Origin:

Client ID. : B-1 (4-6')

Collected 10/3/2006 4:17:00 PM

Received 10/3/2006 5:10:00 PM

Collected By : Client

Copy : Original

CC

<u>Parameter(s)</u>	<u>Results</u>	<u>Qualifier</u>	<u>D.F.</u>	<u>Units</u>	<u>Method Number</u>	<u>Analyzed</u>
alpha-BHC	< 1.9		1	µg/Kg-dry	SW8081	10/11/2006 9:48 PM
beta-BHC	< 1.9		1	µg/Kg-dry	SW8081	10/11/2006 9:48 PM
delta-BHC	< 1.9		1	µg/Kg-dry	SW8081	10/11/2006 9:48 PM
gamma-BHC	< 1.9		1	µg/Kg-dry	SW8081	10/11/2006 9:48 PM
Heptachlor	< 1.9		1	µg/Kg-dry	SW8081	10/11/2006 9:48 PM
Aldrin	< 1.9		1	µg/Kg-dry	SW8081	10/11/2006 9:48 PM
Heptachlor epoxide	< 1.9		1	µg/Kg-dry	SW8081	10/11/2006 9:48 PM
Endosulfan I	< 1.9		1	µg/Kg-dry	SW8081	10/11/2006 9:48 PM
Dieldrin	< 3.6		1	µg/Kg-dry	SW8081	10/11/2006 9:48 PM
4,4'-DDE	< 3.6		1	µg/Kg-dry	SW8081	10/11/2006 9:48 PM
Endrin	< 3.6		1	µg/Kg-dry	SW8081	10/11/2006 9:48 PM
Endosulfan II	< 3.6		1	µg/Kg-dry	SW8081	10/11/2006 9:48 PM
4,4'-DDD	< 3.6		1	µg/Kg-dry	SW8081	10/11/2006 9:48 PM
Endosulfan sulfate	< 3.6		1	µg/Kg-dry	SW8081	10/11/2006 9:48 PM
4,4'-DDT	< 3.6		1	µg/Kg-dry	SW8081	10/11/2006 9:48 PM
Methoxychlor	< 19		1	µg/Kg-dry	SW8081	10/11/2006 9:48 PM
Endrin ketone	< 3.6		1	µg/Kg-dry	SW8081	10/11/2006 9:48 PM
Endrin aldehyde	< 3.6		1	µg/Kg-dry	SW8081	10/11/2006 9:48 PM
alpha-Chlordane	< 1.9		1	µg/Kg-dry	SW8081	10/11/2006 9:48 PM
gamma-Chlordane	< 1.9		1	µg/Kg-dry	SW8081	10/11/2006 9:48 PM
Toxaphene	< 190		1	µg/Kg-dry	SW8081	10/11/2006 9:48 PM
Percent Moisture	8.3		1	wt%	D2216	10/09/2006 11:19 AM

Qualifiers: E - Value above quantitation range


D - Results for Dilution

D.F. = Dilution Factor

Date Reported : 10/17/2006

Page 41 of 41

Laboratory Manager



H2M LABS, INC.

575 Broad Hollow Road, Melville NY 11747
(631) 694-3040 . FAX: (631) 420-8436 NYSDOH ID # 10478

LABORATORY RESULTS

Sample Information...

Town of Oyster Bay

Lab No. : **0610445-001A**

Type : Soil

Origin:

Attn To :

Client ID. : C-8(2-4)

Collected 9/28/2006 8:00:00 AM

Received 9/28/2006 4:15:00 PM

Collected By : Client

Copy : **Original**

CC

Parameter(s)	Results	Qualifier	D.F.	Units	Method Number	Analyzed
alpha-BHC	< 1.9		1	µg/Kg-dry	SW8081	10/12/2006 10:08 PM
beta-BHC	< 1.9		1	µg/Kg-dry	SW8081	10/12/2006 10:08 PM
delta-BHC	< 1.9		1	µg/Kg-dry	SW8081	10/12/2006 10:08 PM
gamma-BHC	2.7		1	µg/Kg-dry	SW8081	10/12/2006 10:08 PM
Heptachlor	6.4		1	µg/Kg-dry	SW8081	10/12/2006 10:08 PM
Aldrin	< 1.9		1	µg/Kg-dry	SW8081	10/12/2006 10:08 PM
Heptachlor epoxide	< 1.9		1	µg/Kg-dry	SW8081	10/12/2006 10:08 PM
Endosulfan I	< 1.9		1	µg/Kg-dry	SW8081	10/12/2006 10:08 PM
Dieldrin	9.7		1	µg/Kg-dry	SW8081	10/12/2006 10:08 PM
4,4'-DDE	150	D	20	µg/Kg-dry	SW8081	10/13/2006 10:06 PM
Endrin	< 3.7		1	µg/Kg-dry	SW8081	10/12/2006 10:08 PM
Endosulfan II	< 3.7		1	µg/Kg-dry	SW8081	10/12/2006 10:08 PM
4,4'-DDD	150	D	20	µg/Kg-dry	SW8081	10/13/2006 10:06 PM
Endosulfan sulfate	< 3.7		1	µg/Kg-dry	SW8081	10/12/2006 10:08 PM
4,4'-DDT	23		1	µg/Kg-dry	SW8081	10/12/2006 10:08 PM
Methoxychlor	< 19		1	µg/Kg-dry	SW8081	10/12/2006 10:08 PM
Endrin ketone	< 3.7		1	µg/Kg-dry	SW8081	10/12/2006 10:08 PM
Endrin aldehyde	< 3.7		1	µg/Kg-dry	SW8081	10/12/2006 10:08 PM
alpha-Chlordane	< 1.9		1	µg/Kg-dry	SW8081	10/12/2006 10:08 PM
gamma-Chlordane	9.5		1	µg/Kg-dry	SW8081	10/12/2006 10:08 PM
Toxaphene	< 190		1	µg/Kg-dry	SW8081	10/12/2006 10:08 PM
Percent Moisture	11.2		1	wt%	D2216	10/03/2006 12:52 PM

Qualifiers: E - Value above quantitation range


D - Results for Dilution

D.F. = Dilution Factor

Date Reported : 10/17/2006

Page 1 of 16

Laboratory Manager



H2M LABS, INC.

575 Broad Hollow Road, Melville NY 11747
(631) 694-3040. FAX: (631) 420-8436 NYSDOH ID# 10478

LABORATORY RESULTS

Town of Oyster Bay

Lab No. : **0610445-002A**

Sample Information...

Type : Soil

Attn To :

Client ID. : D-7(0-2)

Origin:

Collected 9/28/2006 8:10:00 AM

Received 9/28/2006 4:15:00 PM

Collected By : Client

Copy : Original

CC


Parameter(s)	Results	Qualifier	D.F.	Units	Method Number	Analyzed
alpha-BHC	< 1.8		1	µg/Kg-dry	SW8081	10/13/2006 1:27 AM
beta-BHC	< 1.8		1	µg/Kg-dry	SW8081	10/13/2006 1:27 AM
delta-BHC	< 1.8		1	µg/Kg-dry	SW8081	10/13/2006 1:27 AM
gamma-BHC	< 1.8		1	µg/Kg-dry	SW8081	10/13/2006 1:27 AM
Heptachlor	5.2		1	µg/Kg-dry	SW8081	10/13/2006 1:27 AM
Aldrin	< 1.8		1	µg/Kg-dry	SW8081	10/13/2006 1:27 AM
Heptachlor epoxide	< 1.8		1	µg/Kg-dry	SW8081	10/13/2006 1:27 AM
Endosulfan I	< 1.8		1	µg/Kg-dry	SW8081	10/13/2006 1:27 AM
Dieldrin	< 3.5		1	µg/Kg-dry	SW8081	10/13/2006 1:27 AM
4,4'-DDE	5.9		1	µg/Kg-dry	SW8081	10/13/2006 1:27 AM
Endrin	< 3.5		1	µg/Kg-dry	SW8081	10/13/2006 1:27 AM
Endosulfan II	< 3.5		1	µg/Kg-dry	SW8081	10/13/2006 1:27 AM
4,4'-DDD	3.8		1	µg/Kg-dry	SW8081	10/13/2006 1:27 AM
Endosulfan sulfate	< 3.5		1	µg/Kg-dry	SW8081	10/13/2006 1:27 AM
4,4'-DDT	6.7		1	µg/Kg-dry	SW8081	10/13/2006 1:27 AM
Methoxychlor	< 18		1	µg/Kg-dry	SW8081	10/13/2006 1:27 AM
Endrin ketone	< 3.5		1	µg/Kg-dry	SW8081	10/13/2006 1:27 AM
Endrin aldehyde	< 3.5		1	µg/Kg-dry	SW8081	10/13/2006 1:27 AM
alpha-Chlordane	2.4		1	µg/Kg-dry	SW8081	10/13/2006 1:27 AM
gamma-Chlordane	< 1.8		1	µg/Kg-dry	SW8081	10/13/2006 1:27 AM
Toxaphene	< 180		1	µg/Kg-dry	SW8081	10/13/2006 1:27 AM
Percent Moisture	6.0		1	wt%	D2216	10/03/2006 12:53 PM

Qualifiers: E - Value above quantitation range

D - Results for Dilution

D.F. = Dilution Factor

Date Reported : 10/17/2006



Laboratory Manager

H2M LABS, INC.

575 Broad Hollow Road, Melville NY 11747
(631) 694-3040 . FAX: (631) 420-8436 NYSDOH ID# 10478

LABORATORY RESULTS

Town of Oyster Bay

Lab No. : **0610445-003A**

Sample Information...

Type : Soil

Attn To :

Origin:

Client ID. : D-8(6-8')

Collected 9/28/2006 8:20:00 AM

Received 9/28/2006 4:15:00 PM

Collected By : Client

Copy : Original

CC


Parameter(s)	Results	Qualifier	D.F.	Units	Method Number	Analyzed
alpha-BHC	< 1.9		1	µg/Kg-dry	SW8081	10/13/2006 3:06 AM
beta-BHC	< 1.9		1	µg/Kg-dry	SW8081	10/13/2006 3:06 AM
delta-BHC	< 1.9		1	µg/Kg-dry	SW8081	10/13/2006 3:06 AM
gamma-BHC	< 1.9		1	µg/Kg-dry	SW8081	10/13/2006 3:06 AM
Heptachlor	2.5		1	µg/Kg-dry	SW8081	10/13/2006 3:06 AM
Aldrin	< 1.9		1	µg/Kg-dry	SW8081	10/13/2006 3:06 AM
Heptachlor epoxide	< 1.9		1	µg/Kg-dry	SW8081	10/13/2006 3:06 AM
Endosulfan I	< 1.9		1	µg/Kg-dry	SW8081	10/13/2006 3:06 AM
Dieldrin	< 3.8		1	µg/Kg-dry	SW8081	10/13/2006 3:06 AM
4,4'-DDE	< 3.8		1	µg/Kg-dry	SW8081	10/13/2006 3:06 AM
Endrin	< 3.8		1	µg/Kg-dry	SW8081	10/13/2006 3:06 AM
Endosulfan II	< 3.8		1	µg/Kg-dry	SW8081	10/13/2006 3:06 AM
4,4'-DDD	4.6		1	µg/Kg-dry	SW8081	10/13/2006 3:06 AM
Endosulfan sulfate	< 3.8		1	µg/Kg-dry	SW8081	10/13/2006 3:06 AM
4,4'-DDT	< 3.8		1	µg/Kg-dry	SW8081	10/13/2006 3:06 AM
Methoxychlor	< 19		1	µg/Kg-dry	SW8081	10/13/2006 3:06 AM
Endrin ketone	< 3.8		1	µg/Kg-dry	SW8081	10/13/2006 3:06 AM
Endrin aldehyde	< 3.8		1	µg/Kg-dry	SW8081	10/13/2006 3:06 AM
alpha-Chlordane	< 1.9		1	µg/Kg-dry	SW8081	10/13/2006 3:06 AM
gamma-Chlordane	< 1.9		1	µg/Kg-dry	SW8081	10/13/2006 3:06 AM
Toxaphene	< 190		1	µg/Kg-dry	SW8081	10/13/2006 3:06 AM
Percent Moisture	12.7		1	wt%	D2216	10/03/2006 12:54 PM

Qualifiers: E - Value above quantitation range

D - Results for Dilution

D.F. = Dilution Factor

Date Reported : 10/17/2006



H2M LABS, INC.

575 Broad Hollow Road, Melville NY 11747
(631) 694-3040 . FAX: (631) 420-8436 NYSDOH ID# 10478

LABORATORY RESULTS

Town of Oyster Bay

Lab No. : **0610445-004A**

Sample Information...

Type : Soil

Attn To :

Client ID. : C-12(2-4')

Origin:

Collected 9/28/2006 8:30:00 AM

Received 9/28/2006 4:15:00 PM

Collected By : Client

Copy : **Original**

CC


<u>Parameter(s)</u>	<u>Results</u>	<u>Qualifier</u>	<u>D.F.</u>	<u>Units</u>	<u>Method Number</u>	<u>Analyzed</u>
alpha-BHC	< 1.7		1	µg/Kg-dry	SW8081	10/12/2006 5:11 PM
beta-BHC	< 1.7		1	µg/Kg-dry	SW8081	10/12/2006 5:11 PM
delta-BHC	< 1.7		1	µg/Kg-dry	SW8081	10/12/2006 5:11 PM
gamma-BHC	< 1.7		1	µg/Kg-dry	SW8081	10/12/2006 5:11 PM
Heptachlor	< 1.7		1	µg/Kg-dry	SW8081	10/12/2006 5:11 PM
Aldrin	< 1.7		1	µg/Kg-dry	SW8081	10/12/2006 5:11 PM
Heptachlor epoxide	< 1.7		1	µg/Kg-dry	SW8081	10/12/2006 5:11 PM
Endosulfan I	< 1.7		1	µg/Kg-dry	SW8081	10/12/2006 5:11 PM
Dieldrin	< 3.4		1	µg/Kg-dry	SW8081	10/12/2006 5:11 PM
4,4'-DDE	< 3.4		1	µg/Kg-dry	SW8081	10/12/2006 5:11 PM
Endrin	< 3.4		1	µg/Kg-dry	SW8081	10/12/2006 5:11 PM
Endosulfan II	< 3.4		1	µg/Kg-dry	SW8081	10/12/2006 5:11 PM
4,4'-DDD	< 3.4		1	µg/Kg-dry	SW8081	10/12/2006 5:11 PM
Endosulfan sulfate	< 3.4		1	µg/Kg-dry	SW8081	10/12/2006 5:11 PM
4,4'-DDT	< 3.4		1	µg/Kg-dry	SW8081	10/12/2006 5:11 PM
Methoxychlor	< 17		1	µg/Kg-dry	SW8081	10/12/2006 5:11 PM
Endrin ketone	< 3.4		1	µg/Kg-dry	SW8081	10/12/2006 5:11 PM
Endrin aldehyde	< 3.4		1	µg/Kg-dry	SW8081	10/12/2006 5:11 PM
alpha-Chlordane	< 1.7		1	µg/Kg-dry	SW8081	10/12/2006 5:11 PM
gamma-Chlordane	< 1.7		1	µg/Kg-dry	SW8081	10/12/2006 5:11 PM
Toxaphene	< 170		1	µg/Kg-dry	SW8081	10/12/2006 5:11 PM
Percent Moisture	2.8		1	wt%	D2216	10/03/2006 12:55 PM

Qualifiers: E - Value above quantitation range

D - Results for Dilution

D.F. = Dilution Factor

Date Reported : 10/17/2006



H2M LABS, INC.

575 Broad Hollow Road, Melville NY 11747
(631) 694-3040 . FAX: (631) 420-8436 NYSDOH ID# 10478

LABORATORY RESULTS

Town of Oyster Bay

Lab No. : **0610445-005A**

Sample Information...

Type : Soil

Attn To :

Client ID. : E-13(2-4')

Origin:

Collected 9/28/2006 8:40:00 AM

Received 9/28/2006 4:15:00 PM

Collected By : Client

Copy : **Original**

CC

Parameter(s)	Results	Qualifier	D.F.	Units	Method Number	Analyzed
alpha-BHC	< 1.7		1	µg/Kg-dry	SW8081	10/12/2006 5:44 PM
beta-BHC	< 1.7		1	µg/Kg-dry	SW8081	10/12/2006 5:44 PM
delta-BHC	< 1.7		1	µg/Kg-dry	SW8081	10/12/2006 5:44 PM
gamma-BHC	< 1.7		1	µg/Kg-dry	SW8081	10/12/2006 5:44 PM
Heptachlor	< 1.7		1	µg/Kg-dry	SW8081	10/12/2006 5:44 PM
Aldrin	< 1.7		1	µg/Kg-dry	SW8081	10/12/2006 5:44 PM
Heptachlor epoxide	< 1.7		1	µg/Kg-dry	SW8081	10/12/2006 5:44 PM
Endosulfan I	< 1.7		1	µg/Kg-dry	SW8081	10/12/2006 5:44 PM
Dieldrin	< 3.4		1	µg/Kg-dry	SW8081	10/12/2006 5:44 PM
4,4'-DDE	< 3.4		1	µg/Kg-dry	SW8081	10/12/2006 5:44 PM
Endrin	< 3.4		1	µg/Kg-dry	SW8081	10/12/2006 5:44 PM
Endosulfan II	< 3.4		1	µg/Kg-dry	SW8081	10/12/2006 5:44 PM
4,4'-DDD	< 3.4		1	µg/Kg-dry	SW8081	10/12/2006 5:44 PM
Endosulfan sulfate	< 3.4		1	µg/Kg-dry	SW8081	10/12/2006 5:44 PM
4,4'-DDT	< 3.4		1	µg/Kg-dry	SW8081	10/12/2006 5:44 PM
Methoxychlor	< 17		1	µg/Kg-dry	SW8081	10/12/2006 5:44 PM
Endrin ketone	< 3.4		1	µg/Kg-dry	SW8081	10/12/2006 5:44 PM
Endrin aldehyde	< 3.4		1	µg/Kg-dry	SW8081	10/12/2006 5:44 PM
alpha-Chlordane	< 1.7		1	µg/Kg-dry	SW8081	10/12/2006 5:44 PM
gamma-Chlordane	< 1.7		1	µg/Kg-dry	SW8081	10/12/2006 5:44 PM
Toxaphene	< 170		1	µg/Kg-dry	SW8081	10/12/2006 5:44 PM
Percent Moisture	2.2		1	wt%	D2216	10/03/2006 12:56 PM


Qualifiers: E - Value above quantitation range

D - Results for Dilution

D.F. = Dilution Factor

Date Reported : 10/17/2006

Page 5 of 16



Laboratory Manager

H2M LABS, INC.

575 Broad Hollow Road, Melville NY 11747
(631)694-3040 . FAX: (631) 420-8436 NYSDOH ID# 10478

LABORATORY RESULTS

Town of Oyster Bay

Lab No. : **0610445-006A**

Sample Information...

Type : Soil

Attn To :

Client ID. : E-7(6-8')

Origin:

Collected 9/28/2006 8:50:00 AM

Received 9/28/2006 4:15:00 PM

Collected By : Client

Copy : Original

CC

Parameter(s)	Results	Qualifier	D.F.	Units	Method Number	Analyzed
alpha-BHC	< 1.7		1	µg/Kg-dry	SW8081	10/12/2006 6:17 PM
beta-BHC	< 1.7		1	µg/Kg-dry	SW8081	10/12/2006 6:17 PM
delta-BHC	< 1.7		1	µg/Kg-dry	SW8081	10/12/2006 6:17 PM
gamma-BHC	< 1.7		1	µg/Kg-dry	SW8081	10/12/2006 6:17 PM
Heptachlor	< 1.7		1	µg/Kg-dry	SW8081	10/12/2006 6:17 PM
Aldrin	< 1.7		1	µg/Kg-dry	SW8081	10/12/2006 6:17 PM
Heptachlor epoxide	< 1.7		1	µg/Kg-dry	SW8081	10/12/2006 6:17 PM
Endosulfan I	< 1.7		1	µg/Kg-dry	SW8081	10/12/2006 6:17 PM
Dieldrin	< 3.4		1	µg/Kg-dry	SW8081	10/12/2006 6:17 PM
4,4'-DDE	< 3.4		1	µg/Kg-dry	SW8081	10/12/2006 6:17 PM
Endrin	< 3.4		1	µg/Kg-dry	SW8081	10/12/2006 6:17 PM
Endosulfan II	< 3.4		1	µg/Kg-dry	SW8081	10/12/2006 6:17 PM
4,4'-DDD	< 3.4		1	µg/Kg-dry	SW8081	10/12/2006 6:17 PM
Endosulfan sulfate	< 3.4		1	µg/Kg-dry	SW8081	10/12/2006 6:17 PM
4,4'-DDT	< 3.4		1	µg/Kg-dry	SW8081	10/12/2006 6:17 PM
Methoxychlor	< 17		1	µg/Kg-dry	SW8081	10/12/2006 6:17 PM
Endrin ketone	< 3.4		1	µg/Kg-dry	SW8081	10/12/2006 6:17 PM
Endrin aldehyde	< 3.4		1	µg/Kg-dry	SW8081	10/12/2006 6:17 PM
alpha-Chlordane	< 1.7		1	µg/Kg-dry	SW8081	10/12/2006 6:17 PM
gamma-Chlordane	< 1.7		1	µg/Kg-dry	SW8081	10/12/2006 6:17 PM
Toxaphene	< 170		1	µg/Kg-dry	SW8081	10/12/2006 6:17 PM
Percent Moisture	1.9		1	wt%	D2216	10/03/2006 12:57 PM

Qualifiers: E - Value above quantitation range


D - Results for Dilution

D.F. = Dilution Factor

Date Reported : 10/17/2006

Page 6 of 16

Laboratory Manager



H2M LABS, INC.

575 Broad Hollow Road, Melville NY 11747
(631) 694-3040 . FAX: (631) 420-8436 NYSDOH ID# 10478

LABORATORY RESULTS

Town of Oyster Bay

Lab No. : **0610445-007A**

Sample Information...

Type : Soil

Attn To :

Origin:

Client ID. : F-4(8-10')

Collected 9/28/2006 9:00:00 AM

Received 9/28/2006 4:15:00 PM

Collected By : Client

Copy : Original

CC

Parameter(s)	Results	Qualifier	D.F.	Units	Method Number	Analyzed
alpha-BHC	< 1.8		1	µg/Kg-dry	SW8081	10/12/2006 6:50 PM
beta-BHC	< 1.8		1	µg/Kg-dry	SW8081	10/12/2006 6:50 PM
delta-BHC	< 1.8		1	µg/Kg-dry	SW8081	10/12/2006 6:50 PM
gamma-BHC	< 1.8		1	µg/Kg-dry	SW8081	10/12/2006 6:50 PM
Heptachlor	< 1.8		1	µg/Kg-dry	SW8081	10/12/2006 6:50 PM
Aldrin	< 1.8		1	µg/Kg-dry	SW8081	10/12/2006 6:50 PM
Heptachlor epoxide	< 1.8		1	µg/Kg-dry	SW8081	10/12/2006 6:50 PM
Endosulfan I	< 1.8		1	µg/Kg-dry	SW8081	10/12/2006 6:50 PM
Dieldrin	< 3.4		1	µg/Kg-dry	SW8081	10/12/2006 6:50 PM
4,4'-DDE	< 3.4		1	µg/Kg-dry	SW8081	10/12/2006 6:50 PM
Endrin	< 3.4		1	µg/Kg-dry	SW8081	10/12/2006 6:50 PM
Endosulfan II	< 3.4		1	µg/Kg-dry	SW8081	10/12/2006 6:50 PM
4,4'-DDD	< 3.4		1	µg/Kg-dry	SW8081	10/12/2006 6:50 PM
Endosulfan sulfate	< 3.4		1	µg/Kg-dry	SW8081	10/12/2006 6:50 PM
4,4'-DDT	< 3.4		1	µg/Kg-dry	SW8081	10/12/2006 6:50 PM
Methoxychlor	< 18		1	µg/Kg-dry	SW8081	10/12/2006 6:50 PM
Endrin ketone	< 3.4		1	µg/Kg-dry	SW8081	10/12/2006 6:50 PM
Endrin aldehyde	< 3.4		1	µg/Kg-dry	SW8081	10/12/2006 6:50 PM
alpha-Chlordane	< 1.8		1	µg/Kg-dry	SW8081	10/12/2006 6:50 PM
gamma-Chlordane	< 1.8		1	µg/Kg-dry	SW8081	10/12/2006 6:50 PM
Toxaphene	< 180		1	µg/Kg-dry	SW8081	10/12/2006 6:50 PM
Percent Moisture	3.2		1	wt%	D2216	10/03/2006 12:58 PM


Qualifiers: E - Value above quantitation range

D - Results for Dilution

D.F. = Dilution Factor

Date Reported : 10/17/2006

Laboratory Manager



H2M LABS, INC.

575 Broad Hollow Road, Melville NY 11747
(631) 694-3040 . FAX: (631) 420-8436 NYSDOH ID# 10478

LABORATORY RESULTS

Sample Information...

Town of Oyster Bay

Lab No. : **0610445-008A**

Type : Soil

Attn To :

Client ID. : C-3(8-10')

Origin:

Collected 9/28/2006 9:10:00 AM

Received 9/28/2006 4:15:00 PM

Collected By : Client

Copy : Original

CC

<u>Parameter(s)</u>	<u>Results</u>	<u>Qualifier</u>	<u>D.F.</u>	<u>Units</u>	<u>Method Number</u>	<u>Analyzed</u>
alpha-BHC	< 1.7		1	µg/Kg-dry	SW8081	10/12/2006 7:56 PM
beta-BHC	< 1.7		1	µg/Kg-dry	SW8081	10/12/2006 7:56 PM
delta-BHC	< 1.7		1	µg/Kg-dry	SW8081	10/12/2006 7:56 PM
gamma-BHC	< 1.7		1	µg/Kg-dry	SW8081	10/12/2006 7:56 PM
Heptachlor	< 1.7		1	µg/Kg-dry	SW8081	10/12/2006 7:56 PM
Aldrin	< 1.7		1	µg/Kg-dry	SW8081	10/12/2006 7:56 PM
Heptachlor epoxide	< 1.7		1	µg/Kg-dry	SW8081	10/12/2006 7:56 PM
Endosulfan I	< 1.7		1	µg/Kg-dry	SW8081	10/12/2006 7:56 PM
Dieldrin	< 3.4		1	µg/Kg-dry	SW8081	10/12/2006 7:56 PM
4,4'-DDE	< 3.4		1	µg/Kg-dry	SW8081	10/12/2006 7:56 PM
Endrin	< 3.4		1	µg/Kg-dry	SW8081	10/12/2006 7:56 PM
Endosulfan II	< 3.4		1	µg/Kg-dry	SW8081	10/12/2006 7:56 PM
4,4'-DDD	< 3.4		1	µg/Kg-dry	SW8081	10/12/2006 7:56 PM
Endosulfan sulfate	< 3.4		1	µg/Kg-dry	SW8081	10/12/2006 7:56 PM
4,4'-DDT	< 3.4		1	µg/Kg-dry	SW8081	10/12/2006 7:56 PM
Methoxychlor	< 17		1	µg/Kg-dry	SW8081	10/12/2006 7:56 PM
Endrin ketone	< 3.4		1	µg/Kg-dry	SW8081	10/12/2006 7:56 PM
Endrin aldehyde	< 3.4		1	µg/Kg-dry	SW8081	10/12/2006 7:56 PM
alpha-Chlordane	< 1.7		1	µg/Kg-dry	SW8081	10/12/2006 7:56 PM
gamma-Chlordane	< 1.7		1	µg/Kg-dry	SW8081	10/12/2006 7:56 PM
Toxaphene	< 170		1	µg/Kg-dry	SW8081	10/12/2006 7:56 PM
Percent Moisture	1.9		1	wt%	D2216	10/03/2006 12:59 PM

Qualifiers: E - Value above quantitation range


D - Results for Dilution

D.F. = Dilution Factor

Date Reported : 10/17/2006

Page 8 of 16

Laboratory Manager



H2M LABS, INC.

575 Broad Hollow Road, Melville NY 11747
(631) 694-3040 . FAX: (631) 420-8436 NYSDOH ID# 10478

LABORATORY RESULTS

Sample Information...

Town of Oyster Bay

Lab No. : 0610445-009A

Type : Soil

Attn To :

Client ID. : D-1(0-2')

Origin:

Collected 9/28/2006 9:20:00 AM

Received 9/28/2006 4:15:00 PM

Collected By : Client

Copy : Original

CC

Parameter(s)	Results	Qualifier	D.F.	Units	Method Number	Analyzed
alpha-BHC	< 1.9		1	µg/Kg-dry	SW8081	10/12/2006 9:02 PM
beta-BHC	< 1.9		1	µg/Kg-dry	SW8081	10/12/2006 9:02 PM
delta-BHC	< 1.9		1	µg/Kg-dry	SW8081	10/12/2006 9:02 PM
gamma-BHC	< 1.9		1	µg/Kg-dry	SW8081	10/12/2006 9:02 PM
Heptachlor	< 1.9		1	µg/Kg-dry	SW8081	10/12/2006 9:02 PM
Aldrin	< 1.9		1	µg/Kg-dry	SW8081	10/12/2006 9:02 PM
Heptachlor epoxide	< 1.9		1	µg/Kg-dry	SW8081	10/12/2006 9:02 PM
Endosulfan I	< 1.9		1	µg/Kg-dry	SW8081	10/12/2006 9:02 PM
Dieldrin	< 3.6		1	µg/Kg-dry	SW8081	10/12/2006 9:02 PM
4,4'-DDE	98	D	10	µg/Kg-dry	SW8081	10/13/2006 9:33 PM
Endrin	< 3.6		1	µg/Kg-dry	SW8081	10/12/2006 9:02 PM
Endosulfan II	< 3.6		1	µg/Kg-dry	SW8081	10/12/2006 9:02 PM
4,4'-DDD	18		1	µg/Kg-dry	SW8081	10/12/2006 9:02 PM
Endosulfan sulfate	< 3.6		1	µg/Kg-dry	SW8081	10/12/2006 9:02 PM
4,4'-DDT	35		1	µg/Kg-dry	SW8081	10/12/2006 9:02 PM
Methoxychlor	< 19		1	µg/Kg-dry	SW8081	10/12/2006 9:02 PM
Endrin ketone	< 3.6		1	µg/Kg-dry	SW8081	10/12/2006 9:02 PM
Endrin aldehyde	< 3.6		1	µg/Kg-dry	SW8081	10/12/2006 9:02 PM
alpha-Chlordane	< 1.9		1	µg/Kg-dry	SW8081	10/12/2006 9:02 PM
gamma-Chlordane	< 1.9		1	µg/Kg-dry	SW8081	10/12/2006 9:02 PM
Toxaphene	< 190		1	µg/Kg-dry	SW8081	10/12/2006 9:02 PM
Percent Moisture	8.8		1	wt%	D2216	10/03/2006 1:00 PM

Qualifiers: E - Value above quantitation range


D - Results for Dilution

D.F. = Dilution Factor

Date Reported : 10/17/2006

Page 9 of 16

Laboratory Manager



H2M LABS, INC.

575 Broad Hollow Road, Melville NY 11747
(631) 694-3040 FAX: (631) 420-8436 NYSDOH ID# 10478

LABORATORY RESULTS

Town of Oyster Bay

Lab No. : **0610445-010A**

Sample Information...

Type : Soil

Attn To :

Client ID. : E-1(0-2')

Origin:

Collected 9/28/2006 9:30:00 AM

Received 9/28/2006 4:15:00 PM

Collected By : Client

Copy : Original

CC

Parameter(s)	Results	Qualifier	D.F.	Units	Method Number	Analyzed
alpha-BHC	< 1.7		1	µg/Kg-dry	SW8081	10/12/2006 8:29 PM
beta-BHC	< 1.7		1	µg/Kg-dry	SW8081	10/12/2006 8:29 PM
delta-BHC	< 1.7		1	µg/Kg-dry	SW8081	10/12/2006 8:29 PM
gamma-BHC	< 1.7		1	µg/Kg-dry	SW8081	10/12/2006 8:29 PM
Heptachlor	< 1.7		1	µg/Kg-dry	SW8081	10/12/2006 8:29 PM
Aldrin	< 1.7		1	µg/Kg-dry	SW8081	10/12/2006 8:29 PM
Heptachlor epoxide	< 1.7		1	µg/Kg-dry	SW8081	10/12/2006 8:29 PM
Endosulfan I	< 1.7		1	µg/Kg-dry	SW8081	10/12/2006 8:29 PM
Dieldrin	< 3.4		1	µg/Kg-dry	SW8081	10/12/2006 8:29 PM
4,4'-DDE	< 3.4		1	µg/Kg-dry	SW8081	10/12/2006 8:29 PM
Endrin	< 3.4		1	µg/Kg-dry	SW8081	10/12/2006 8:29 PM
Endosulfan II	< 3.4		1	µg/Kg-dry	SW8081	10/12/2006 8:29 PM
4,4'-DDD	< 3.4		1	µg/Kg-dry	SW8081	10/12/2006 8:29 PM
Endosulfan sulfate	< 3.4		1	µg/Kg-dry	SW8081	10/12/2006 8:29 PM
4,4'-DDT	< 3.4		1	µg/Kg-dry	SW8081	10/12/2006 8:29 PM
Methoxychlor	< 17		1	µg/Kg-dry	SW8081	10/12/2006 8:29 PM
Endrin ketone	< 3.4		1	µg/Kg-dry	SW8081	10/12/2006 8:29 PM
Endrin aldehyde	< 3.4		1	µg/Kg-dry	SW8081	10/12/2006 8:29 PM
alpha-Chlordane	< 1.7		1	µg/Kg-dry	SW8081	10/12/2006 8:29 PM
gamma-Chlordane	< 1.7		1	µg/Kg-dry	SW8081	10/12/2006 8:29 PM
Toxaphene	< 170		1	µg/Kg-dry	SW8081	10/12/2006 8:29 PM
Percent Moisture	2.4		1	wt%	D2216	10/03/2006 1:01 PM


Qualifiers: E - Value above quantitation range

D - Results for Dilution

D.F. = Dilution Factor

Date Reported : 10/17/2006

Laboratory Manager



H2M LABS, INC.

575 Broad Hollow Road, Melville NY 11747
(631) 694-3040, FAX: (631) 420-8436 NYSDOH ID# 10478

LABORATORY RESULTS

Sample Information...

Town of Oyster Bay

Lab No. : 0610445-011A

Type : Soil

Origin:

Attn To :

Client ID. : J-5(0-2')

Collected 9/28/2006 1:30:00 AM

Received 9/28/2006 4:15:00 PM

Collected By : Client

Copy : Original

CC

<u>Parameter(s)</u>	<u>Results</u>	<u>Qualifier</u>	<u>D.F.</u>	<u>Units</u>	<u>Method Number</u>	<u>Analyzed</u>
alpha-BHC	< 1.8		1	µg/Kg-dry	SW8081	10/12/2006 9:35 PM
beta-BHC	< 1.8		1	µg/Kg-dry	SW8081	10/12/2006 9:35 PM
delta-BHC	< 1.8		1	µg/Kg-dry	SW8081	10/12/2006 9:35 PM
gamma-BHC	< 1.8		1	µg/Kg-dry	SW8081	10/12/2006 9:35 PM
Heptachlor	< 1.8		1	µg/Kg-dry	SW8081	10/12/2006 9:35 PM
Aldrin	< 1.8		1	µg/Kg-dry	SW8081	10/12/2006 9:35 PM
Heptachlor epoxide	< 1.8		1	µg/Kg-dry	SW8081	10/12/2006 9:35 PM
Endosulfan I	< 1.8		1	µg/Kg-dry	SW8081	10/12/2006 9:35 PM
Dieldrin	< 3.5		1	µg/Kg-dry	SW8081	10/12/2006 9:35 PM
4,4'-DDE	< 3.5		1	µg/Kg-dry	SW8081	10/12/2006 9:35 PM
Endrin	< 3.5		1	µg/Kg-dry	SW8081	10/12/2006 9:35 PM
Endosulfan II	< 3.5		1	µg/Kg-dry	SW8081	10/12/2006 9:35 PM
4,4'-DDD	< 3.5		1	µg/Kg-dry	SW8081	10/12/2006 9:35 PM
Endosulfan sulfate	< 3.5		1	µg/Kg-dry	SW8081	10/12/2006 9:35 PM
4,4'-DDT	5.0		1	µg/Kg-dry	SW8081	10/12/2006 9:35 PM
Methoxychlor	< 18		1	µg/Kg-dry	SW8081	10/12/2006 9:35 PM
Endrin ketone	< 3.5		1	µg/Kg-dry	SW8081	10/12/2006 9:35 PM
Endrin aldehyde	< 3.5		1	µg/Kg-dry	SW8081	10/12/2006 9:35 PM
alpha-Chlordane	< 1.8		1	µg/Kg-dry	SW8081	10/12/2006 9:35 PM
gamma-Chlordane	< 1.8		1	µg/Kg-dry	SW8081	10/12/2006 9:35 PM
Toxaphene	< 180		1	µg/Kg-dry	SW8081	10/12/2006 9:35 PM
Percent Moisture	5.5		1	wt%	D2216	10/03/2006 1:03 PM


Qualifiers: E - Value above quantitation range

D - Results for Dilution

D.F. = Dilution Factor

Date Reported : 10/17/2006

Page 11 of 16



Laboratory Manager

H2M LABS, INC.

575 Broad Hollow Road, Melville NY 11747
(631) 694-3040. FAX: (631) 420-8436 NYSDOH ID# 10478

LABORATORY RESULTS

Town of Oyster Bay

Lab No. : **0610445-012A**

Sample Information...

Type : Soil

Attn To :

Client ID. : I-5(0-2')

Origin:

Collected 9/28/2006 1:40:00 AM

Received 9/28/2006 4:15:00 PM

Collected By : Client

Copy : Original

CC

<u>Parameter(s)</u>	<u>Results</u>	<u>Qualifier</u>	<u>D.F.</u>	<u>Units</u>	<u>Method Number</u>	<u>Analyzed</u>
alpha-BHC	< 1.9		1	µg/Kg-dry	SW8081	10/13/2006 3:39 AM
beta-BHC	< 1.9		1	µg/Kg-dry	SW8081	10/13/2006 3:39 AM
delta-BHC	9.7		1	µg/Kg-dry	SW8081	10/13/2006 3:39 AM
gamma-BHC	10		1	µg/Kg-dry	SW8081	10/13/2006 3:39 AM
Heptachlor	16	D	2	µg/Kg-dry	SW8081	10/16/2006 2:48 PM
Aldrin	< 1.9		1	µg/Kg-dry	SW8081	10/13/2006 3:39 AM
Heptachlor epoxide	< 1.9		1	µg/Kg-dry	SW8081	10/13/2006 3:39 AM
Endosulfan I	< 1.9		1	µg/Kg-dry	SW8081	10/13/2006 3:39 AM
Dieldrin	< 3.6		1	µg/Kg-dry	SW8081	10/13/2006 3:39 AM
4,4'-DDE	< 3.6		1	µg/Kg-dry	SW8081	10/13/2006 3:39 AM
Endrin	< 3.6		1	µg/Kg-dry	SW8081	10/13/2006 3:39 AM
Endosulfan II	< 3.6		1	µg/Kg-dry	SW8081	10/13/2006 3:39 AM
4,4'-DDD	< 3.6		1	µg/Kg-dry	SW8081	10/13/2006 3:39 AM
Endosulfan sulfate	< 3.6		1	µg/Kg-dry	SW8081	10/13/2006 3:39 AM
4,4'-DDT	12		1	µg/Kg-dry	SW8081	10/13/2006 3:39 AM
Methoxychlor	< 19		1	µg/Kg-dry	SW8081	10/13/2006 3:39 AM
Endrin ketone	< 3.6		1	µg/Kg-dry	SW8081	10/13/2006 3:39 AM
Endrin aldehyde	< 3.6		1	µg/Kg-dry	SW8081	10/13/2006 3:39 AM
alpha-Chlordane	< 1.9		1	µg/Kg-dry	SW8081	10/13/2006 3:39 AM
gamma-Chlordane	< 1.9		1	µg/Kg-dry	SW8081	10/13/2006 3:39 AM
Toxaphene	< 190		1	µg/Kg-dry	SW8081	10/13/2006 3:39 AM
Percent Moisture	9.4		1	wt%	D2216	10/03/2006 1:04 PM

Qualifiers: E - Value above quantitation range


D - Results for Dilution

D.F. = Dilution Factor

Date Reported : 10/17/2006

Page 12 of 16

Laboratory Manager



H2M LABS, INC.

575 Broad Hollow Road, Melville NY 11747
(631)694-3040 . FAX: (631) 420-8436 NYSDOH ID# 10478

LABORATORY RESULTS

Town of Oyster Bay

Lab No. : **0610445-013A**

Sample Information...

Type : Soil

Attn To :

Client ID. : K-7(0-2')

Origin:

Collected 9/28/2006 1:50:00 AM

Received 9/28/2006 4:15:00 PM

Collected By : Client

Copy : Original

CC


Parameter(s)	Results	Qualifier	D.F.	Units	Method Number	Analyzed
alpha-BHC	< 1.8		1	µg/Kg-dry	SW8081	10/13/2006 5:18 AM
beta-BHC	< 1.8		1	µg/Kg-dry	SW8081	10/13/2006 5:18 AM
delta-BHC	< 1.8		1	µg/Kg-dry	SW8081	10/13/2006 5:18 AM
gamma-BHC	24		1	µg/Kg-dry	SW8081	10/13/2006 5:18 AM
Heptachlor	150	D	10	µg/Kg-dry	SW8081	10/13/2006 10:40 PM
Aldrin	< 1.8		1	µg/Kg-dry	SW8081	10/13/2006 5:18 AM
Heptachlor epoxide	< 1.8		1	µg/Kg-dry	SW8081	10/13/2006 5:18 AM
Endosulfan I	< 1.8		1	µg/Kg-dry	SW8081	10/13/2006 5:18 AM
Dieldrin	5.3		1	µg/Kg-dry	SW8081	10/13/2006 5:18 AM
4,4'-DDE	< 3.4		1	µg/Kg-dry	SW8081	10/13/2006 5:18 AM
Endrin	24		1	µg/Kg-dry	SW8081	10/13/2006 5:18 AM
Endosulfan II	< 3.4		1	µg/Kg-dry	SW8081	10/13/2006 5:18 AM
4,4'-DDD	12		1	µg/Kg-dry	SW8081	10/13/2006 5:18 AM
Endosulfan sulfate	< 3.4		1	µg/Kg-dry	SW8081	10/13/2006 5:18 AM
4,4'-DDT	< 3.4		1	µg/Kg-dry	SW8081	10/13/2006 5:18 AM
Methoxychlor	< 18		1	µg/Kg-dry	SW8081	10/13/2006 5:18 AM
Endrin ketone	< 3.4		1	µg/Kg-dry	SW8081	10/13/2006 5:18 AM
Endrin aldehyde	< 3.4		1	µg/Kg-dry	SW8081	10/13/2006 5:18 AM
alpha-Chlordane	6.4		1	µg/Kg-dry	SW8081	10/13/2006 5:18 AM
gamma-Chlordane	< 1.8		1	µg/Kg-dry	SW8081	10/13/2006 5:18 AM
Toxaphene	< 180		1	µg/Kg-dry	SW8081	10/13/2006 5:18 AM
Percent Moisture	3.3		1	wt%	D2216	10/03/2006 1:05 PM

Qualifiers: E - Value above quantitation range

D - Results for Dilution

D.F. = Dilution Factor

Date Reported : 10/17/2006



H2M LABS, INC.

575 Broad Hollow Road, Melville NY 11747
(631) 694-3040 .FAX: (631) 420-8436 NYSDOH ID#10478

LABORATORY RESULTS

Town of Oyster Bay

Lab No. : **0610445-014A**

Sample Information...

Type : Soil

Origin:

Attn To :

Client ID. : N-7(0-2')

Collected 9/28/2006 2:00:00 AM

Received 9/28/2006 4:15:00 PM

Collected By : Client

Copy : Original

CC

<u>Parameter(s)</u>	<u>Results</u>	<u>Qualifier</u>	<u>D.F.</u>	<u>Units</u>	<u>Method Number</u>	<u>Analyzed</u>
alpha-BHC	< 1.7		1	µg/Kg-dry	SW8081	10/13/2006 4:12 AM
beta-BHC	< 1.7		1	µg/Kg-dry	SW8081	10/13/2006 4:12 AM
delta-BHC	< 1.7		1	µg/Kg-dry	SW8081	10/13/2006 4:12 AM
gamma-BHC	< 1.7		1	µg/Kg-dry	SW8081	10/13/2006 4:12 AM
Heptachlor	11		1	µg/Kg-dry	SW8081	10/13/2006 4:12 AM
Aldrin	< 1.7		1	µg/Kg-dry	SW8081	10/13/2006 4:12 AM
Heptachlor epoxide	< 1.7		1	µg/Kg-dry	SW8081	10/13/2006 4:12 AM
Endosulfan I	< 1.7		1	µg/Kg-dry	SW8081	10/13/2006 4:12 AM
Dieldrin	< 3.4		1	µg/Kg-dry	SW8081	10/13/2006 4:12 AM
4,4'-DDE	< 3.4		1	µg/Kg-dry	SW8081	10/13/2006 4:12 AM
Endrin	< 3.4		1	µg/Kg-dry	SW8081	10/13/2006 4:12 AM
Endosulfan II	< 3.4		1	µg/Kg-dry	SW8081	10/13/2006 4:12 AM
4,4'-DDD	< 3.4		1	µg/Kg-dry	SW8081	10/13/2006 4:12 AM
Endosulfan sulfate	< 3.4		1	µg/Kg-dry	SW8081	10/13/2006 4:12 AM
4,4'-DDT	9.2		1	µg/Kg-dry	SW8081	10/13/2006 4:12 AM
Methoxychlor	< 17		1	µg/Kg-dry	SW8081	10/13/2006 4:12 AM
Endrin ketone	5.4		1	µg/Kg-dry	SW8081	10/13/2006 4:12 AM
Endrin aldehyde	< 3.4		1	µg/Kg-dry	SW8081	10/13/2006 4:12 AM
alpha-Chlordane	< 1.7		1	µg/Kg-dry	SW8081	10/13/2006 4:12 AM
gamma-Chlordane	< 1.7		1	µg/Kg-dry	SW8081	10/13/2006 4:12 AM
Toxaphene	< 170		1	µg/Kg-dry	SW8081	10/13/2006 4:12 AM
Percent Moisture	2.4		1	wt%	D2216	10/03/2006 1:06 PM

Qualifiers: E - Value above quantitation range


D - Results for Dilution

D.F. = Dilution Factor

Date Reported : 10/17/2006

Page 14 of 16

Laboratory Manager



H2M LABS, INC.

575 Broad Hollow Road, Melville NY 11747
(631)694-3040 . FAX: (631) 420-8436 NYSDOH ID# 10478

LABORATORY RESULTS

Town of Oyster Bay

Lab No. : **0610445-015A**

Sample Information...

Type : Soil

Attn To :

Client ID. : N-6(0-2')

Origin:

Collected 9/28/2006 2:10:00 AM

Received 9/28/2006 4:15:00 PM

Collected By : Client

Copy : Original

CC


<u>Parameter(s)</u>	<u>Results</u>	<u>Qualifier</u>	<u>D.F.</u>	<u>Units</u>	<u>Method Number</u>	<u>Analyzed</u>
alpha-BHC	< 1.9		1	µg/Kg-dry	SW8081	10/13/2006 2:00 AM
beta-BHC	< 1.9		1	µg/Kg-dry	SW8081	10/13/2006 2:00 AM
delta-BHC	< 1.9		1	µg/Kg-dry	SW8081	10/13/2006 2:00 AM
gamma-BHC	< 1.9		1	µg/Kg-dry	SW8081	10/13/2006 2:00 AM
Heptachlor	7.7		1	µg/Kg-dry	SW8081	10/13/2006 2:00 AM
Aldrin	< 1.9		1	µg/Kg-dry	SW8081	10/13/2006 2:00 AM
Heptachlor epoxide	< 1.9		1	µg/Kg-dry	SW8081	10/13/2006 2:00 AM
Endosulfan I	< 1.9		1	µg/Kg-dry	SW8081	10/13/2006 2:00 AM
Dieldrin	< 3.7		1	µg/Kg-dry	SW8081	10/13/2006 2:00 AM
4,4'-DDE	48		1	µg/Kg-dry	SW8081	10/13/2006 2:00 AM
Endrin	< 3.7		1	µg/Kg-dry	SW8081	10/13/2006 2:00 AM
Endosulfan II	5.5		1	µg/Kg-dry	SW8081	10/13/2006 2:00 AM
4,4'-DDD	< 3.7		1	µg/Kg-dry	SW8081	10/13/2006 2:00 AM
Endosulfan sulfate	< 3.7		1	µg/Kg-dry	SW8081	10/13/2006 2:00 AM
4,4'-DDT	16		1	µg/Kg-dry	SW8081	10/13/2006 2:00 AM
Methoxychlor	< 19		1	µg/Kg-dry	SW8081	10/13/2006 2:00 AM
Endrin ketone	< 3.7		1	µg/Kg-dry	SW8081	10/13/2006 2:00 AM
Endrin aldehyde	< 3.7		1	µg/Kg-dry	SW8081	10/13/2006 2:00 AM
alpha-Chlordane	< 1.9		1	µg/Kg-dry	SW8081	10/13/2006 2:00 AM
gamma-Chlordane	< 1.9		1	µg/Kg-dry	SW8081	10/13/2006 2:00 AM
Toxaphene	< 190		1	µg/Kg-dry	SW8081	10/13/2006 2:00 AM
Percent Moisture	10.8		1	wt%	D2216	10/03/2006 1:07 PM

Qualifiers: E - Value above quantitation range

D - Results for Dilution

D.F. = Dilution Factor

Date Reported : 10/17/2006



H2M LABS, INC.

575 Broad Hollow Road, Melville NY 11747
(631) 694-3040. FAX: (631) 420-8436 NYSDOH ID# 10478

LABORATORY RESULTS

Town of Oyster Bay

Lab No. : **0610445-016A**

Sample Information...

Type : Soil

Attn To :

Client ID. : M-6(0-2')

Origin:

Collected 9/28/2006 2:20:00 AM

Received 9/28/2006 4:15:00 PM

Collected By : Client

Copy : Original

CC

Parameter(s)	Results	Qualifier	D.F.	Units	Method Number	Analyzed
alpha-BHC	< 1.9		1	µg/Kg-dry	SW8081	10/13/2006 2:33 AM
beta-BHC	< 1.9		1	µg/Kg-dry	SW8081	10/13/2006 2:33 AM
delta-BHC	< 1.9		1	µg/Kg-dry	SW8081	10/13/2006 2:33 AM
gamma-BHC	< 1.9		1	µg/Kg-dry	SW8081	10/13/2006 2:33 AM
Heptachlor	6.6		1	µg/Kg-dry	SW8081	10/13/2006 2:33 AM
Aldrin	< 1.9		1	µg/Kg-dry	SW8081	10/13/2006 2:33 AM
Heptachlor epoxide	< 1.9		1	µg/Kg-dry	SW8081	10/13/2006 2:33 AM
Endosulfan I	< 1.9		1	µg/Kg-dry	SW8081	10/13/2006 2:33 AM
Dieldrin	< 3.6		1	µg/Kg-dry	SW8081	10/13/2006 2:33 AM
4,4'-DDE	7.0		1	µg/Kg-dry	SW8081	10/13/2006 2:33 AM
Endrin	< 3.6		1	µg/Kg-dry	SW8081	10/13/2006 2:33 AM
Endosulfan II	< 3.6		1	µg/Kg-dry	SW8081	10/13/2006 2:33 AM
4,4'-DDD	3.8		1	µg/Kg-dry	SW8081	10/13/2006 2:33 AM
Endosulfan sulfate	< 3.6		1	µg/Kg-dry	SW8081	10/13/2006 2:33 AM
4,4'-DDT	4.1		1	µg/Kg-dry	SW8081	10/13/2006 2:33 AM
Methoxychlor	< 19		1	µg/Kg-dry	SW8081	10/13/2006 2:33 AM
Endrin ketone	< 3.6		1	µg/Kg-dry	SW8081	10/13/2006 2:33 AM
Endrin aldehyde	< 3.6		1	µg/Kg-dry	SW8081	10/13/2006 2:33 AM
alpha-Chlordane	< 1.9		1	µg/Kg-dry	SW8081	10/13/2006 2:33 AM
gamma-Chlordane	< 1.9		1	µg/Kg-dry	SW8081	10/13/2006 2:33 AM
Toxaphene	< 190		1	µg/Kg-dry	SW8081	10/13/2006 2:33 AM
Percent Moisture	8.4		1	wt%	D2216	10/03/2006 1:08 PM

Qualifiers: E - Value above quantitation range

D - Results for Dilution

D.F. = Dilution Factor

Date Reported : 10/17/2006

Page 16 of 16

Laboratory Manager

