


Holzmacher, McLendon & Murrell, P.C. ▴ H2M Associates, Inc.
H2M Labs, Inc. ▴ H2M Architects & Engineers, Inc.

575 Broad Hollow Road, Melville, New York 11747

631.756.8000 / Fax: 631.694.4122

www.h2m.com

April 10, 2007



Steven M. Scharf, P.E.
Project Engineer
Division of Environmental Remediation
New York State Department of Environmental Conservation
625 Broadway
Albany, New York 12233 7015

Re: Town of Oyster Bay
Interim Remedial Measure at Bethpage Community Park
Interim Status Report – April 2007
H2M Project No. TOBY 04-02

Dear Mr. Scharf:

On behalf of the Town of Oyster Bay, Holzmacher, McLendon & Murrell, P.C. (H2M) is pleased to provide herein a status report on the Interim Remedial Measure for the Bethpage Community Park pursuant to Section III of the Order on Consent (Index # W1-0018-02-03).

Tasks Initiated or Completed

Tasks recently initiated or completed include the following:

- Soil remediation activity has continued and is currently underway.
- Backfilling of remediated areas is ongoing as weather permits.
- Approximately 138,000 tons of impacted soils have been excavated and disposed of off site to date.
- Approximately 9,500 tons of historical debris has been removed and disposed of off-site to date.
- Project progress meetings have been held bi-weekly at the subject site. Meeting minutes are generated and distributed. The project is currently on schedule. Excavation activity is expected to be completed by early to mid May 2007. Backfilling operations are anticipated to be completed by the end of May.
- H2M has sampled and submitted a request to the Department, dated 3-28-07, to utilize clean fill from 110 Sand Company. Approval to use this material was received from NYSDEC in an April 5, 2007 letter.

Mr. Steven M. Scharf
Interim Remedial Measure – Bethpage Community Park
Status Report
April 10, 2007
Page 2

- H2M has sampled select waste materials excavated at the site including a blue-tinted silty material excavated from Contract Area 1 (i.e., western side of IRM area near recharge basin and baseball field), a yellow-cake material collected from a suspected paint rag, which was excavated from a debris area in the southeastern portion of the IRM area, and a light-blue solid material that has been periodically interspersed throughout the central and southern portions of the IRM area. Copies of the analytical sampling results are attached.
- A project pre-construction meeting was held between the Town and the contractors selected to construct the new ice skating rink. H2M and BlueWater attended the meeting for coordination purposes.

Tasks to be Completed During the Next Reporting Period

Tasks expected to be initiated or completed during the next reporting period include the following:

- Responses from NYSDEC are expected on various documents submittal during recent reporting periods including: An updated Project Management Plan providing details on how historical debris is to be managed; a proposed scope of work for additional remediation in the “B-43 Area”; a March 6, 2007 letter addressing Freon in soil vapor; and a March 26, 2007 letter requesting some flexibility regarding excavation near the IRM boundary.
- Continued removal and off-site disposal of contaminated soils.
- Continued backfilling of remediated areas.
- Continued removal of historical debris.
- Bi-weekly project progress meetings at the job site.
- Additional excavation work in the “B-43 Area” assuming Work Plan approval by NYSDEC.

Mr. Steven M. Scharf
Interim Remedial Measure – Bethpage Community Park
Status Report
April 10, 2007
Page 3


Schedule

Project progress meetings are expected to be conducted every other Wednesday at the project site.

If you should have any questions or concerns, please contact me at (631) 756-8000 extension 1623.

Very truly yours,

HOLZMACHER, McLENDON & MURRELL, P.C.



Philip J. Schade, P.E.

cc: James Byrne, P.E., Commissioner of Public Works/Town of Oyster Bay
Richard Betz, Commissioner of Parks/Town of Oyster Bay
Phyllis Barry, Public Information Officer/Town of Oyster Bay
Theodore Firetog, Esq.
Gary Litwin/NYSDOH
Peter Scully/NYSDEC
Rosalie Rusinko, Esq./NYSDEC
John Molloy, P.E./H2M
Richard Humann, P.E./H2M

H2M LABS, INC.

575 Broad Hollow Road, Melville NY 11747
(631) 694-3040 . FAX: (631) 420-8436 NYSDOH ID# 10478

LABORATORY RESULTS

Town of Oyster Bay

Lab No. : **0703041-001A**

Sample Information...

Type : Soil

Attn To :

Client ID. : CAI-BLUE SILT

Origin:

Collected 3/1/2007 1:30:00 PM

Received 3/1/2007 3:30:00 PM

Collected By : Client

Copy : PRL

CC


Parameter(s)	Results	Qualifier	D.F.	Units	Method Number	Analyzed
Aroclor 1016	< 120		1	µg/Kg-dry	SW8082	03/06/2007 5:31 PM
Aroclor 1221	< 240		1	µg/Kg-dry	SW8082	03/06/2007 5:31 PM
Aroclor 1232	< 120		1	µg/Kg-dry	SW8082	03/06/2007 5:31 PM
Aroclor 1242	3600	D	5	µg/Kg-dry	SW8082	03/09/2007 12:42 AM
Aroclor 1248	< 120		1	µg/Kg-dry	SW8082	03/06/2007 5:31 PM
Aroclor 1254	6500	D	5	µg/Kg-dry	SW8082	03/09/2007 12:42 AM
Aroclor 1260	950		1	µg/Kg-dry	SW8082	03/06/2007 5:31 PM
Barium	280		1	mg/Kg-dry	SW6010A	03/05/2007 2:53 PM
Cadmium	431		1	mg/Kg-dry	SW6010A	03/05/2007 2:53 PM
Chromium	96100		10	mg/Kg-dry	SW6010A	03/05/2007 2:42 PM
Copper	1660		1	mg/Kg-dry	SW6010A	03/05/2007 2:53 PM
Nickel	209		1	mg/Kg-dry	SW6010A	03/05/2007 2:53 PM
Zinc	9190		10	mg/Kg-dry	SW6010A	03/05/2007 2:42 PM
Arsenic	< 3.61		1	mg/Kg-dry	SW6010A	03/05/2007 2:53 PM
Lead	758		1	mg/Kg-dry	SW6010A	03/05/2007 2:53 PM
Selenium	< 1.81		1	mg/Kg-dry	SW6010A	03/05/2007 2:53 PM
Silver	< 3.61		1	mg/Kg-dry	SW6010A	03/05/2007 2:53 PM
Mercury	3.28		1	mg/Kg-dry	SW7471	03/05/2007 2:00 PM
Chloromethane	< 36		1	µg/Kg-dry	SW8260B	03/05/2007 11:53 PM
Vinyl chloride	< 36		1	µg/Kg-dry	SW8260B	03/05/2007 11:53 PM
Bromomethane	< 36		1	µg/Kg-dry	SW8260B	03/05/2007 11:53 PM
Chloroethane	< 36		1	µg/Kg-dry	SW8260B	03/05/2007 11:53 PM
1,1-Dichloroethane	< 36		1	µg/Kg-dry	SW8260B	03/05/2007 11:53 PM
1,2-Dichloroethane (total)	< 36		1	µg/Kg-dry	SW8260B	03/05/2007 11:53 PM
Acetone	91		1	µg/Kg-dry	SW8260B	03/05/2007 11:53 PM
Carbon disulfide	< 36		1	µg/Kg-dry	SW8260B	03/05/2007 11:53 PM
Methylene chloride	< 36		1	µg/Kg-dry	SW8260B	03/05/2007 11:53 PM
1,1-Dichloroethane	< 36		1	µg/Kg-dry	SW8260B	03/05/2007 11:53 PM
2-Butanone	< 36		1	µg/Kg-dry	SW8260B	03/05/2007 11:53 PM
Chloroform	< 36		1	µg/Kg-dry	SW8260B	03/05/2007 11:53 PM
1,1,1-Trichloroethane	< 36		1	µg/Kg-dry	SW8260B	03/05/2007 11:53 PM
Carbon tetrachloride	< 36		1	µg/Kg-dry	SW8260B	03/05/2007 11:53 PM
Benzene	< 36		1	µg/Kg-dry	SW8260B	03/05/2007 11:53 PM
1,2-Dichloroethane	< 36		1	µg/Kg-dry	SW8260B	03/05/2007 11:53 PM
Trichloroethane	< 36		1	µg/Kg-dry	SW8260B	03/05/2007 11:53 PM
1,2-Dichloropropane	< 36		1	µg/Kg-dry	SW8260B	03/05/2007 11:53 PM
Bromodichloromethane	< 36		1	µg/Kg-dry	SW8260B	03/05/2007 11:53 PM
cis-1,3-Dichloropropene	< 36		1	µg/Kg-dry	SW8260B	03/05/2007 11:53 PM

Qualifiers: E - Value above quantitation range

D - Results for Dilution

D.F. = Dilution Factor

Date Reported : 3/13/2007



Laboratory Manager

H2M LABS, INC.

575 Broad Hollow Road, Melville NY 11747
(631) 694-3040 . FAX: (631) 420-8436 NYSDOHID# 10478

LABORATORY RESULTS

Town of Oyster Bay

Lab No. : **0703041-001A**

Sample Information...

Type : Soil

Attn To :

Client ID. : CAI-BLUE SILT

Origin:

Collected 3/1/2007 1:30:00 PM

Received 3/1/2007 3:30:00 PM

Collected By : Client

Copy : PRL

CC


Parameter(s)	Results	Qualifier	D.F.	Units	Method Number	Analyzed
4-Methyl-2-pentanone	< 36		1	µg/Kg-dry	SW8260B	03/05/2007 11:53 PM
Toluene	< 36		1	µg/Kg-dry	SW8260B	03/05/2007 11:53 PM
trans-1,3-Dichloropropene	< 36		1	µg/Kg-dry	SW8260B	03/05/2007 11:53 PM
1,1,2-Trichloroethane	< 36		1	µg/Kg-dry	SW8260B	03/05/2007 11:53 PM
Tetrachloroethene	< 36		1	µg/Kg-dry	SW8260B	03/05/2007 11:53 PM
2-Hexanone	< 36		1	µg/Kg-dry	SW8260B	03/05/2007 11:53 PM
Dibromochloromethane	< 36		1	µg/Kg-dry	SW8260B	03/05/2007 11:53 PM
Chlorobenzene	< 36		1	µg/Kg-dry	SW8260B	03/05/2007 11:53 PM
Ethylbenzene	< 36		1	µg/Kg-dry	SW8260B	03/05/2007 11:53 PM
Xylene (total)	140		1	µg/Kg-dry	SW8260B	03/05/2007 11:53 PM
Styrene	< 36		1	µg/Kg-dry	SW8260B	03/05/2007 11:53 PM
Bromoform	< 36		1	µg/Kg-dry	SW8260B	03/05/2007 11:53 PM
1,1,2,2-Tetrachloroethane	< 36		1	µg/Kg-dry	SW8260B	03/05/2007 11:53 PM
Reactive Cyanide	< 100		1	mg/Kg	SW7.3.3.2	03/07/2007 11:19 AM
Ignitability	>60		1	°C	SW1010	03/06/2007 4:40 PM
Percent Moisture	72.3		1	wt%	D2216	03/05/2007 4:06 PM
Reactive Sulfide	< 100		1	mg/Kg	SW7.3.4.2	03/12/2007 5:04 PM

Qualifiers: E - Value above quantitation range

D - Results for Dilution

D.F. = Dilution Factor

Date Reported : 3/13/2007



Laboratory Manager

H2M LABS, INC.

575 Broad Hollow Road, Melville NY 11747
(631) 694-3040 . FAX: (631) 420-8436 NYSDOH ID# 10478

LABORATORY RESULTS

Town of Oyster Bay

Lab No. : 0703041-002A

Sample Information...

Type : Soil

Attn To :

Client ID. : YELLOW CAKE

Origin:

Collected 3/1/2007 1:40:00 PM

Received 3/1/2007 3:30:00 PM

Collected By : Client

Copy : PRL

CC


Parameter(s)	Results	Qualifier	D.F.	Units	Method Number	Analyzed
Aroclor 1016	< 41		1	µg/Kg-dry	SW8082	03/06/2007 5:03 PM
Aroclor 1221	< 84		1	µg/Kg-dry	SW8082	03/06/2007 5:03 PM
Aroclor 1232	< 41		1	µg/Kg-dry	SW8082	03/06/2007 5:03 PM
Aroclor 1242	700	D	2	µg/Kg-dry	SW8082	03/09/2007 12:12 AM
Aroclor 1248	< 41		1	µg/Kg-dry	SW8082	03/06/2007 5:03 PM
Aroclor 1254	290		1	µg/Kg-dry	SW8082	03/06/2007 5:03 PM
Aroclor 1260	72		1	µg/Kg-dry	SW8082	03/06/2007 5:03 PM
Barium	43.1		1	mg/Kg-dry	SW6010A	03/05/2007 3:38 PM
Cadmium	101		1	mg/Kg-dry	SW6010A	03/05/2007 3:38 PM
Chromium	117000		50	mg/Kg-dry	SW6010A	03/05/2007 3:05 PM
Copper	93.3		1	mg/Kg-dry	SW6010A	03/05/2007 3:38 PM
Nickel	114		1	mg/Kg-dry	SW6010A	03/05/2007 3:38 PM
Zinc	246000		200	mg/Kg-dry	SW6010A	03/06/2007 4:55 PM
Arsenic	7.43		1	mg/Kg-dry	SW6010A	03/05/2007 3:38 PM
Lead	2890		1	mg/Kg-dry	SW6010A	03/05/2007 3:38 PM
Selenium	< 31.3		50	mg/Kg-dry	SW6010A	03/05/2007 3:05 PM
Silver	< 1.25		1	mg/Kg-dry	SW6010A	03/05/2007 3:38 PM
Mercury	0.61		1	mg/Kg-dry	SW7471	03/05/2007 2:05 PM
Chloromethane	< 13		1	µg/Kg-dry	SW8260B	03/06/2007 12:24 AM
Vinyl chloride	< 13		1	µg/Kg-dry	SW8260B	03/06/2007 12:24 AM
Bromomethane	< 13		1	µg/Kg-dry	SW8260B	03/06/2007 12:24 AM
Chloroethane	< 13		1	µg/Kg-dry	SW8260B	03/06/2007 12:24 AM
1,1-Dichloroethane	< 13		1	µg/Kg-dry	SW8260B	03/06/2007 12:24 AM
1,2-Dichloroethane (total)	< 13		1	µg/Kg-dry	SW8260B	03/06/2007 12:24 AM
Acetone	< 13		1	µg/Kg-dry	SW8260B	03/06/2007 12:24 AM
Carbon disulfide	< 13		1	µg/Kg-dry	SW8260B	03/06/2007 12:24 AM
Methylene chloride	< 13		1	µg/Kg-dry	SW8260B	03/06/2007 12:24 AM
1,1-Dichloroethane	< 13		1	µg/Kg-dry	SW8260B	03/06/2007 12:24 AM
2-Butanone	< 13		1	µg/Kg-dry	SW8260B	03/06/2007 12:24 AM
Chloroform	< 13		1	µg/Kg-dry	SW8260B	03/06/2007 12:24 AM
1,1,1-Trichloroethane	< 13		1	µg/Kg-dry	SW8260B	03/06/2007 12:24 AM
Carbon tetrachloride	< 13		1	µg/Kg-dry	SW8260B	03/06/2007 12:24 AM
Benzene	< 13		1	µg/Kg-dry	SW8260B	03/06/2007 12:24 AM
1,2-Dichloroethane	< 13		1	µg/Kg-dry	SW8260B	03/06/2007 12:24 AM
Trichloroethane	< 13		1	µg/Kg-dry	SW8260B	03/06/2007 12:24 AM
1,2-Dichloropropane	< 13		1	µg/Kg-dry	SW8260B	03/06/2007 12:24 AM
Bromodichloromethane	< 13		1	µg/Kg-dry	SW8260B	03/06/2007 12:24 AM
cis-1,3-Dichloropropene	< 13		1	µg/Kg-dry	SW8260B	03/06/2007 12:24 AM

Qualifiers: E - Value above quantitation range

D - Results for Dilution

D.F. = Dilution Factor

Date Reported : 3/13/2007



Laboratory Manager

H2M LABS, INC.

575 Broad Hollow Road, Melville NY 11747
(631) 694-3040 . FAX: (631) 420-8436 NYSDOH ID# 10478

LABORATORY RESULTS

Town of Oyster Bay

Lab No. : 0703041-002A

Sample Information...

Type : Soil

Attn To :

Client ID. : YELLOW CAKE

Origin:

Collected 3/1/2007 1:40:00 PM

Received 3/1/2007 3:30:00 PM

Collected By : Client

Copy : PRL

CC


Parameter(s)	Results	Qualifier	D.F.	Units	Method Number	Analyzed
4-Methyl-2-pentanone	< 13		1	µg/Kg-dry	SW8260B	03/06/2007 12:24 AM
Toluene	< 13		1	µg/Kg-dry	SW8260B	03/06/2007 12:24 AM
trans-1,3-Dichloropropene	< 13		1	µg/Kg-dry	SW8260B	03/06/2007 12:24 AM
1,1,2-Trichloroethane	< 13		1	µg/Kg-dry	SW8260B	03/06/2007 12:24 AM
Tetrachloroethene	< 13		1	µg/Kg-dry	SW8260B	03/06/2007 12:24 AM
2-Hexanone	< 13		1	µg/Kg-dry	SW8260B	03/06/2007 12:24 AM
Dibromochloromethane	< 13		1	µg/Kg-dry	SW8260B	03/06/2007 12:24 AM
Chlorobenzene	< 13		1	µg/Kg-dry	SW8260B	03/06/2007 12:24 AM
Ethylbenzene	< 13		1	µg/Kg-dry	SW8260B	03/06/2007 12:24 AM
Xylene (total)	< 13		1	µg/Kg-dry	SW8260B	03/06/2007 12:24 AM
Styrene	< 13		1	µg/Kg-dry	SW8260B	03/06/2007 12:24 AM
Bromoform	< 13		1	µg/Kg-dry	SW8260B	03/06/2007 12:24 AM
1,1,2,2-Tetrachloroethane	< 13		1	µg/Kg-dry	SW8260B	03/06/2007 12:24 AM
Reactive Cyanide	< 100		1	mg/Kg	SW7.3.3.2	03/07/2007 11:26 AM
Ignitability	>60		1	°C	SW1010	03/06/2007 4:45 PM
Percent Moisture	20.2		1	wt%	D2216	03/05/2007 4:07 PM
Reactive Sulfide	< 100		1	mg/Kg	SW7.3.4.2	03/12/2007 5:06 PM

Qualifiers: E - Value above quantitation range

D - Results for Dilution

D.F. = Dilution Factor

Date Reported : 3/13/2007



Laboratory Manager

H2M LABS, INC.

575 Broad Hollow Road, Melville NY 11747
(631) 694-3040. FAX: (631) 420-8436 NYSDOH ID# 10478

LABORATORY RESULTS

Town of Oyster Bay

Lab No. : 0703041-003A

Sample Information...

Type : Soil

Attn To :

Client ID. : LT. BLUE SOLID

Origin:

Collected 3/1/2007 1:50:00 PM

Received 3/1/2007 3:30:00 PM

Collected By : Client

Copy : PRL

CC


Parameter(s)	Results	Qualifier	D.F.	Units	Method Number	Analyzed
Aroclor 1016	< 48		1	µg/Kg-dry	SW8082	03/07/2007 3:30 AM
Aroclor 1221	< 97		1	µg/Kg-dry	SW8082	03/07/2007 3:30 AM
Aroclor 1232	< 48		1	µg/Kg-dry	SW8082	03/07/2007 3:30 AM
Aroclor 1242	< 48		1	µg/Kg-dry	SW8082	03/07/2007 3:30 AM
Aroclor 1248	< 48		1	µg/Kg-dry	SW8082	03/07/2007 3:30 AM
Aroclor 1254	< 48		1	µg/Kg-dry	SW8082	03/07/2007 3:30 AM
Aroclor 1260	< 48		1	µg/Kg-dry	SW8082	03/07/2007 3:30 AM
Barium	< 28.9		1	mg/Kg-dry	SW6010A	03/05/2007 4:47 PM
Cadmium	< 0.72		1	mg/Kg-dry	SW6010A	03/05/2007 4:47 PM
Chromium	47.1		1	mg/Kg-dry	SW6010A	03/05/2007 4:47 PM
Copper	7.43		1	mg/Kg-dry	SW6010A	03/05/2007 4:47 PM
Nickel	< 5.77		1	mg/Kg-dry	SW6010A	03/05/2007 4:47 PM
Zinc	25.1		1	mg/Kg-dry	SW6010A	03/05/2007 4:47 PM
Arsenic	< 1.44		1	mg/Kg-dry	SW6010A	03/05/2007 4:47 PM
Lead	2.24		1	mg/Kg-dry	SW6010A	03/05/2007 4:47 PM
Selenium	< 0.72		1	mg/Kg-dry	SW6010A	03/05/2007 4:47 PM
Silver	< 1.44		1	mg/Kg-dry	SW6010A	03/05/2007 4:47 PM
Mercury	< 0.29		1	mg/Kg-dry	SW7471	03/05/2007 2:07 PM
Chloromethane	< 14		1	µg/Kg-dry	SW8260B	03/06/2007 12:55 AM
Vinyl chloride	< 14		1	µg/Kg-dry	SW8260B	03/06/2007 12:55 AM
Bromomethane	< 14		1	µg/Kg-dry	SW8260B	03/06/2007 12:55 AM
Chloroethane	< 14		1	µg/Kg-dry	SW8260B	03/06/2007 12:55 AM
1,1-Dichloroethane	< 14		1	µg/Kg-dry	SW8260B	03/06/2007 12:55 AM
1,2-Dichloroethane (total)	< 14		1	µg/Kg-dry	SW8260B	03/06/2007 12:55 AM
Acetone	< 14		1	µg/Kg-dry	SW8260B	03/06/2007 12:55 AM
Carbon disulfide	< 14		1	µg/Kg-dry	SW8260B	03/06/2007 12:55 AM
Methylene chloride	< 14		1	µg/Kg-dry	SW8260B	03/06/2007 12:55 AM
1,1-Dichloroethane	< 14		1	µg/Kg-dry	SW8260B	03/06/2007 12:55 AM
2-Butanone	< 14		1	µg/Kg-dry	SW8260B	03/06/2007 12:55 AM
Chloroform	< 14		1	µg/Kg-dry	SW8260B	03/06/2007 12:55 AM
1,1,1-Trichloroethane	< 14		1	µg/Kg-dry	SW8260B	03/06/2007 12:55 AM
Carbon tetrachloride	< 14		1	µg/Kg-dry	SW8260B	03/06/2007 12:55 AM
Benzene	< 14		1	µg/Kg-dry	SW8260B	03/06/2007 12:55 AM
1,2-Dichloroethane	< 14		1	µg/Kg-dry	SW8260B	03/06/2007 12:55 AM
Trichloroethane	< 14		1	µg/Kg-dry	SW8260B	03/06/2007 12:55 AM
1,2-Dichloropropane	< 14		1	µg/Kg-dry	SW8260B	03/06/2007 12:55 AM
Bromodichloromethane	< 14		1	µg/Kg-dry	SW8260B	03/06/2007 12:55 AM
cis-1,3-Dichloropropene	< 14		1	µg/Kg-dry	SW8260B	03/06/2007 12:55 AM

Qualifiers: E - Value above quantitation range

D - Results for Dilution

D.F. = Dilution Factor

Date Reported : 3/13/2007



Laboratory Manager

H2M LABS, INC.

575 Broad Hollow Road, Melville NY 11747
(631) 694-3040 . FAX: (631) 420-8436 NYSDOHID# 10478

LABORATORY RESULTS

Town of Oyster Bay

Lab No. : **0703041-003A**

Sample Information...

Type : Soil

Attn To :

Client ID. : LT. BLUE SOLID

Origin:

Collected 3/1/2007 1:50:00 PM

Received 3/1/2007 3:30:00 PM

Collected By : Client

Copy : PRL

CC

<u>Parameter(s)</u>	<u>Results</u>	<u>Qualifier</u>	<u>D.F.</u>	<u>Units</u>	<u>Method Number</u>	<u>Analyzed</u>
4-Methyl-2-pentanone	< 14		1	µg/Kg-dry	SW8260B	03/06/2007 12:55 AM
Toluene	< 14		1	µg/Kg-dry	SW8260B	03/06/2007 12:55 AM
trans-1,3-Dichloropropene	< 14		1	µg/Kg-dry	SW8260B	03/06/2007 12:55 AM
1,1,2-Trichloroethane	< 14		1	µg/Kg-dry	SW8260B	03/06/2007 12:55 AM
Tetrachloroethene	< 14		1	µg/Kg-dry	SW8260B	03/06/2007 12:55 AM
2-Hexanone	< 14		1	µg/Kg-dry	SW8260B	03/06/2007 12:55 AM
Dibromochloromethane	< 14		1	µg/Kg-dry	SW8260B	03/06/2007 12:55 AM
Chlorobenzene	< 14		1	µg/Kg-dry	SW8260B	03/06/2007 12:55 AM
Ethylbenzene	< 14		1	µg/Kg-dry	SW8260B	03/06/2007 12:55 AM
Xylene (total)	< 14		1	µg/Kg-dry	SW8260B	03/06/2007 12:55 AM
Styrene	< 14		1	µg/Kg-dry	SW8260B	03/06/2007 12:55 AM
Bromoform	< 14		1	µg/Kg-dry	SW8260B	03/06/2007 12:55 AM
1,1,2,2-Tetrachloroethane	< 14		1	µg/Kg-dry	SW8260B	03/06/2007 12:55 AM
Reactive Cyanide	< 100		1	mg/Kg	SW7.3.3.2	03/07/2007 11:33 AM
Ignitability	>60		1	°C	SW1010	03/06/2007 4:50 PM
Percent Moisture	30.7		1	wt%	D2216	03/05/2007 4:08 PM
Reactive Sulfide	< 100		1	mg/Kg	SW7.3.4.2	03/12/2007 5:08 PM


Qualifiers: E - Value above quantitation range

D - Results for Dilution

D.F. = Dilution Factor

Date Reported : 3/13/2007

Page 6 of 6



Laboratory Manager