


2009 Annual Groundwater Monitoring Report

Operable Unit 2
Northrop Grumman Systems Corporation
Bethpage, New York
NYSDEC Site #s 1-30-0003A & B

March 29, 2010



David E. Stern
Senior Hydrogeologist



Carlo San Giovanni
Project Manager



Michael F. Wolfert
Hydrogeologist/Project Director

**2009 Annual Groundwater
Monitoring Report**

Operable Unit 2
Northrop Grumman Systems
Corporation,
Bethpage, New York
NYSDEC Site #s 1-30-0003A&B

Prepared for:
Northrop Grumman Systems Corporation

Prepared by:
ARCADIS of New York, Inc.
Two Huntington Quadrangle
Suite 1S10
Melville
New York 11747
Tel 631.249.7600
Fax 631.249.7610

Our Ref.:
NY001496.0410.00004

Date:
March 29, 2010

This document is intended only for the use of the individual or entity for which it was prepared and may contain information that is privileged, confidential and exempt from disclosure under applicable law. Any dissemination, distribution or copying of this document is strictly prohibited.

1. Introduction	1
2. Monitoring Program	1
3. Remedial System Performance Monitoring	2
3.1 Water Quality, Treatment Efficiencies, and Mass Removal	3
3.2 Remedial System Pumpage and Discharge	4
3.3 Troubleshooting/Maintenance Activities	5
4. Groundwater Flow	5
5. Groundwater Quality	5
5.1 Volatile Organic Compounds	6
5.1.1 Shallow Zone	6
5.1.2 Intermediate Zone	7
5.1.3 Deep Zone	7
5.1.4 Deep2 Zone and Remedial Wells	8
5.2 Outpost Monitoring	10
5.3 Vinyl Chloride Monomer	10
5.4 Cadmium and Chromium	10
5.5 Tentatively Identified Compounds	11
5.6 QA/QC Samples and Data Validation	11
6. Annual Groundwater Model Update Evaluation	11
7. Summary and Conclusions	12
8. Recommendations	14
9. References	15

Tables

Table 1 Operational Summary for the On-Site Portion of the Operable Unit 2 Groundwater Remedy, Fourth Quarter 2009, Year 2009, and Period of Record, Northrop Grumman Systems Corporation, Bethpage, New York.

Table 2 Water-Level Measurement Data, March 27, 2009, Operable Unit 2, Northrop Grumman Systems Corporation, Bethpage, New York.

Table 3 Water-Level Measurement Data and Remedial Well Specific Capacities, August 4, 2009, Operable Unit 2, Northrop Grumman Systems Corporation, Bethpage, New York.

Table 4 Comparison of August 4, 2009 Vertical Hydraulic Gradients to Model-Predicted Gradients, Operable Unit 2, Northrop Grumman Systems Corporation, Bethpage, New York.

Table 5 Concentrations of Volatile Organic Compounds Detected In Intermediate Monitoring Wells, Fourth Quarter 2009, Operable Unit 2, Northrop Grumman Systems Corporation, Bethpage, New York.

Table 6 Concentrations of Volatile Organic Compounds Detected In Deep Monitoring Wells, Fourth Quarter 2009, Operable Unit 2, Northrop Grumman Systems Corporation, Bethpage, New York.

Table 7 Concentrations of Volatile Organic Compounds Detected In Deep2 Monitoring Wells and Groundwater Remedial Wells and Treatment Systems, Fourth Quarter 2009, Operable Unit 2, Northrop Grumman Systems Corporation, Bethpage, New York.

Table 8 Concentrations of Site-Related Volatile Organic Compounds Detected In Outpost Wells, Fourth Quarter 2009, Operable Unit 2, Northrop Grumman Systems Corporation, Bethpage, New York.

Table 9 Concentrations of Tentatively Identified Compounds (TICs) Detected in Groundwater Samples in Year 2009, Operable Unit 2, Northrop Grumman Systems Corporation, Bethpage, New York.

Table 10 Concentrations of Volatile Organic Compounds Detected in Blank Samples, Fourth Quarter 2009, Operable Unit 2, Northrop Grumman Systems Corporation, Bethpage, New York.

Figures

Figure 1 Locations of On-Site Groundwater Remedy and Wells, Operable Unit 2, Northrop Grumman Systems Corporation, Bethpage, New York.

Figure 2 Water-Table Configuration and Horizontal Groundwater Flow Direction in the Shallow Zone, March 27, 2009, Northrop Grumman Systems Corporation, Bethpage, New York.

Figure 3 Potentiometric Surface Elevation and Horizontal Groundwater Flow Direction in the Intermediate Zone, March 27, 2009, Northrop Grumman Systems Corporation, Bethpage, New York.

Figure 4 Potentiometric Surface Elevation and Horizontal Groundwater Flow Direction in the Deep2 Zone, March 27, 2009, Northrop Grumman Systems Corporation, Bethpage, New York.

Figure 5 Total Volatile Organic Compound Concentrations (Southern and Southwestern Site Boundary) in OU2 Remedial Wells and On-Site Monitoring Wells GM-33D2 and GM-73D2, Northrop Grumman Systems Corporation, Bethpage, New York.

Figure 6 Total Volatile Organic Compound Concentrations (Southeastern Site Boundary) in On-Site Deep and Deep2 Monitoring Wells and OU2 Remedial Wells 18 and 19, Northrop Grumman Systems Corporation, Bethpage, New York.

Figure 7 Total Volatile Organic Compound Concentrations in On-Site Intermediate and Deep Monitoring Wells, Northrop Grumman Systems Corporation, Bethpage, New York.

Figure 8 Total Volatile Organic Compound Concentrations in Off-Site Deep Monitoring Wells (Southeast of the Site), Northrop Grumman Systems Corporation, Bethpage, New York.

Figure 9 Total Volatile Organic Compound Concentrations in Off-Site Deep2 Monitoring Wells (Southeast of the Site), Northrop Grumman Systems Corporation, Bethpage, New York.

Figure 10 Total Volatile Organic Compound Concentrations in Off-Site Deep and Deep2 Monitoring Wells (South of the Site), Northrop Grumman Systems Corporation, Bethpage, New York.

Figure 11 Total Volatile Organic Compound Concentrations in GM-38 Area (Off-Site) Deep and Deep2 Monitoring Wells, Northrop Grumman Systems Corporation, Bethpage, New York.

Figure 12 Total Cadmium Concentrations in Monitoring Wells Near Former Plant 2, Northrop Grumman Systems Corporation, Bethpage, New York.

Figure 13 Total Chromium Concentrations in Monitoring Wells Near Former Plant 2, Northrop Grumman Systems Corporation, Bethpage, New York.

Figure 14 Total Chromium Concentrations in Monitoring Wells Near Former Plant 1, Northrop Grumman Systems Corporation, Bethpage, New York.

Appendices

- A Groundwater Sampling Logs and Chain of Custody Records

1. Introduction

This groundwater monitoring report was prepared to document the operation, maintenance, and monitoring (OM&M) activities for the Operable Unit 2 (OU2) groundwater remedy at the Northrop Grumman Systems Corporation (Northrop Grumman) Bethpage, New York facility. These activities are currently being conducted by Northrop Grumman, in accordance with the New York State Department of Environmental Conservation (NYSDEC)-approved OU2 Groundwater Monitoring Plan (ARCADIS Geraghty & Miller, Inc. 2001), as modified in June 2006 (ARCADIS G&M, Inc. 2006) and the Public Water Supply Contingency Plan (PWSCP) (ARCADIS G&M Inc. 2003a) collectively to meet the remedial objectives set forth in the March 2001 OU2 Record of Decision (ROD) (NYSDEC 2001).

This report describes the performance and effectiveness monitoring of the on-site portion of the OU2 groundwater remedy for the period from September 30, 2009 through January 4, 2010, which is referred to in this report as the Fourth Quarter 2009 report period, or the current period. This report also constitutes the 2009 Annual Report, and compares the current data to Year 2009 data and to longer-term data trends, as applicable.

The monitoring program, as well as the findings, conclusions, and recommendations will be re-evaluated, as additional data become available. The complete description of the on-site portion of the OU2 groundwater remedy, the monitoring program, and rationale/basis for collection and evaluation of data can be found in the NYSDEC-approved OU2 Groundwater Monitoring Plan (ARCADIS Geraghty & Miller, Inc. 2001), as modified in June 2006 (ARCADIS G&M, Inc. 2006) and the PWSCP (ARCADIS G&M Inc. 2003a).

2. Monitoring Program

The results obtained from monitoring activities conducted during this reporting period are provided in Tables 1 through 10 and are described and discussed in the following report sections: Remedial System Operational Performance (Section 3), Groundwater Flow (Section 4), and Groundwater Quality (Section 5).

Except as described in Tables 1 through 10 and in Sections 3, 4, and 5 of this report, the procedures, methodologies, and monitoring network utilized for the subject period are consistent with procedures and methodologies used previously (ARCADIS Geraghty & Miller, Inc. 2001; ARCADIS G&M, Inc. 2003a). The complete description

of the procedures to collect groundwater samples from outpost wells and evaluate and document the results is provided in the PWSCP (ARCADIS G&M, Inc. 2003a).

The locations of the Northrop Grumman site, the OU2 on-site groundwater remedy, the neighboring properties (i.e., the former Naval Weapons Industrial Reserve Plant [NWIRP] and former Occidental Chemical Corporation [OCC]/RUCO Polymer Corporation sites), and existing wells utilized in the monitoring programs are shown on Figure 1. Appendix A of this report contains the field documentation for monitoring activities performed during 2009 by ARCADIS (i.e., groundwater sampling logs and chain-of-custody records).

3. Remedial System Performance Monitoring

This report section summarizes the routine performance monitoring conducted during the Fourth Quarter 2009 and Year 2009 for the on-site portion of the OU2 groundwater remedy, which included the following:

(1) remedial well water quality monitoring, remedial treatment systems effluent water quality monitoring, remedial treatment systems efficiency monitoring, and determination of volatile organic compound (VOC) mass removal, and

(2) monitoring of remedial well pumpage and remedial treatment systems treated effluent discharge to on-site recharge basins.

Also summarized in this report section are the remedial treatment system and remedial well troubleshooting as well as non-routine maintenance activities performed by ARCADIS and Northrop Grumman during the Fourth Quarter 2009.

As stated in previous reports, the on-site remedial wells and remedial treatment systems will be referred to by names that are consistent with Northrop Grumman nomenclature, as summarized in the following table. All monitoring activities will utilize the revised nomenclature.

Former Nomenclature	Revised Nomenclature
Remedial Wells	
GP-1	Well 1
GP-3	Well 3
ONCT-1	Well 17
ONCT-2	Well 18
ONCT-3	Well 19
Remedial Treatment Systems	
GP-1	Tower 96
ONCT	Tower 102

3.1 Water Quality, Treatment Efficiencies, and Mass Removal

Tables 1 and 7 provide the total VOC (TVOC) concentrations detected in the remedial wells. Table 1 provides remedial well TVOC concentrations and treatment efficiencies for the Tower 96 and Tower 102 remedial treatment system air strippers for the current period, VOC mass removed by the remedial wells for the current period and Year 2009, and cumulative TVOC mass removed since Tower 102 remedial system startup.

TVOC concentrations from the remedial wells ranged from 117 micrograms per liter (µg/L) (Well 18) to 2,707 µg/L (Well 3) this period. The discussion of water quality data and trends for the remedial wells is provided in Section 5.1.4 of this report.

A total of approximately 3,196 pounds of VOCs were removed from the aquifer by the remedial wells and treated during the current period. For Year 2009, approximately 12,967 lbs of VOC mass were removed from the aquifer and treated by the OU2 remedial systems. Since full-time startup of the Tower 102 remedial system in November 1998, approximately 146,911 lbs of VOCs have been removed from the aquifer and treated by the Tower 96 and Tower 102 remedial systems.

Northrop Grumman’s State Pollutant Discharge Elimination System (SPDES) discharge monitoring results (Permit No. NY0096792) are representative of treated water quality and are used in calculating remedial system treatment efficiency and determining the quality of water returned to the aquifer. SPDES discharge monitoring data are documented on a monthly basis by Northrop Grumman to NYSDEC under separate cover in Discharge Monitoring Reports (DMRs). Northrop Grumman Outfalls 006 and 005, respectively, represent the termini of the Tower 102 and Tower 96 systems effluent water (i.e., inlets to the South Recharge Basins and West Recharge

Basins), respectively. Based on VOC concentrations in the remedial wells and the SPDES discharge this period, the efficiencies of the Tower 96 and Tower 102 remedial treatment systems for the current period were calculated to be greater than 99.9 percent and 99.9 percent, respectively.

3.2 Remedial System Pumpage and Discharge

Table 1 summarizes the remedial well pumpage (with comparison to design criteria) for the current period and Year 2009. For the current period, Remedial Wells 1, 3, 17, 18, and 19 collectively pumped approximately 531 million gallons (MG) of groundwater, which is equivalent to slightly greater than 100 percent of the design remedial well pumpage volume (525 MG). For Year 2009, the remedial system pumped approximately 2,022 MG, equivalent to greater than 99 percent of the total design remedial well pumpage volume (2,030 MG).

Based on measurements collected by ARCADIS, the South Recharge Basins collectively received the treated effluent discharge from the Tower 102 remedial treatment system along with incidental stormwater runoff and contribution from the Tower 96 remedial system for a total average of approximately 2,982 gpm, equivalent to 412.2 MG, during the current period.

As discussed in previous reports, a portion of the treated water from the Tower 96 remedial treatment system is provided on demand to the Calpine Energy facility for consumptive use. The demand rate is controlled by a "Cla-Val" located within a subsurface transmission pipeline between Tower 96 and the Calpine Energy facility. Based on raw water consumption information provided by Calpine Energy to Northrop Grumman the weighted average facility demand by Calpine for this period was 208 gpm, indicating that the West Recharge Basins received an average discharge rate from the Tower 96 remedial system of approximately 687 gpm this period, equivalent to 95 MG.

Based on water-level and pumping data presented in Table 3, with the exception of Well 18 which could not be measured this period, OU2 remedial well specific capacities remain above the minimum required to sustain the design pumping rates, as such no maintenance was needed on remedial wells this period.

3.3 Troubleshooting/Maintenance Activities

Only minor short-term repairs, testing of new component systems, and temporary power outages were noted pertaining to the on-site portion of the OU2 Groundwater Remedy in 2009, no non-routine shut down activities took place.

4. Groundwater Flow

Hydraulic monitoring was performed semi-annually in Year 2009, on March 27 and August 4, 2009. Tables 2 and 3 provide the spring and fall water-level measurement data from the semi-annual events, respectively. Table 4 provides the comparison of vertical hydraulic gradients (calculated from August 2009 water-level measurements) to model-predicted gradients for key monitoring well pairs. Figures 2, 3, and 4 depict groundwater elevations and flow directions in the shallow (water table), intermediate, and deep2 zones, respectively.

Based on the hydraulic monitoring results obtained from the 2009 semi-annual events, groundwater flow conditions are consistent with prior years during which the OU2 remedial system was determined to be providing hydraulic containment of VOCs in groundwater on the Northrop Grumman and NWIRP sites. Specifically, the data indicate vertical hydraulic gradients in the shallow-intermediate wells pairs are oriented downward and are close to or greater than model predicted values (Table 4). As shown on Figures 2 and 3, mounding of the water table and potentiometric surface exists in the shallow and intermediate zones, respectively, extending beneath the South Recharge Basins and across the Northrop Grumman site southern boundary. Downward vertical gradients were also present in the intermediate-deep and deep-deep2 well pairs, supporting the conclusion that groundwater is flowing in a predominantly vertical direction in the deep zone along the Northrop Grumman site southern boundary. Data obtained in Year 2009 indicates that the combination of shallow recharge at the South Recharge Basins coupled with pumpage of the remedial wells in the D2 zone forms a hydraulic barrier to groundwater flow that is preventing the off-site migration of VOC-impacted groundwater. The capture zone formed by the combined pumpage of OU2 remedial wells extended approximately 600 feet downgradient of Well 17 (Figure 4).

5. Groundwater Quality

This report section describes the analytical results of the various groundwater quality monitoring activities for the Fourth Quarter 2009 that are specified in the NYSDEC-

approved Groundwater Monitoring Plan (ARCADIS G&M, Inc., 2001; ARCADIS G&M, Inc. 2006) and the PWSCP (ARCADIS G&M Inc., 2003b). Analytical results are summarized in Tables 5 through 10.

5.1 Volatile Organic Compounds

The evaluation of VOC concentrations is presented herein in consideration of the following factors: (1) proximity to the hydraulic barrier formed by the on-site portion of the OU2 groundwater remedy (i.e., upgradient, along the Northrop Grumman site southern boundary, and downgradient of the hydraulic barrier), (2) hydrogeologic zone (i.e., shallow, intermediate, deep, and D2 zones), and (3) NYSDEC Standards, Criteria, and Guidance (SCGs) Values.

Tables 5 through 10 provide the complete analytical results of samples collected for VOC analysis from monitoring wells, remedial wells, outpost wells, and remedial treatment systems for this period. Time-concentration graphs depicting the long-term VOC concentration trends are shown on Figures 5 through 11.

5.1.1 Shallow Zone

The analytical results of monitoring in the shallow zone in 2009 are provided in prior reports (ARCADIS of New York, Inc. 2009a; b, and c) and these data are incorporated herein by reference. Shallow wells sampled during the Third Quarter 2009 (GM-15S, GM-21S, GM-78S, HN-40S, and HN-42S) exhibited no detections of VOCs with one exception. Trichloroethene (TCE) has been detected in well GM-15S in both the First and Third Quarters at concentrations above NYSDEC SCGs. This monitoring well is within the capture zone of the remedial wells; therefore, groundwater in this area is hydraulically contained and over time will be extracted and treated.

Wells located near or immediately downgradient of the Northrop Grumman site southern boundary (GM-21S and GM-78S) continue to exhibit results similar to data collected since the start up of the OU2 Groundwater Remedy in November 1998, confirming that the operation of the on-site portion of the OU2 groundwater remedy has formed an effective hydraulic barrier that prevents the off-site migration of VOC-impacted groundwater in the shallow zone.

5.1.2 Intermediate Zone

Analytical data for intermediate monitoring wells are provided in Table 5. Intermediate wells sampled during this period (GM-20I, GM-21I, and GM-79I) are located immediately downgradient of the Northrop Grumman site southern boundary.

Laboratory results indicated no detections of VOCs along the Northrop Grumman site southern boundary during this period or Year 2009. These analytical results confirm that the operation of the on-site portion of the OU2 groundwater remedy has formed an effective hydraulic barrier that prevents the off-site migration of VOC-impacted groundwater in the intermediate zone.

5.1.3 Deep Zone

Groundwater monitoring data from the deep zone for the Fourth Quarter 2009 is summarized in Table 6 and key data trends are shown in Figures 6, 7, 8, 10, and 11. Data trend graphs include key wells with detectable concentrations of VOCs that were sampled in Year 2009.

Well GM-13D (most recently sampled in the Third Quarter 2009 [(ARCADIS of New York, Inc. 2009c)], located upgradient of the OU2 Groundwater Remedy, continued to exhibit a downward trend in TVOC concentrations with a decrease in TVOC concentrations of 84 percent since year 2000 (Figure 7).

Well GM-74D, located upgradient of the remedial wells, did not exhibit detections in the Year 2009. The other four deep monitoring wells (i.e., GM-39D_A, GM-39D_B, and GM-73D) located on-site, along the Northrop Grumman site southern boundary, and upgradient of the remedial wells (Figure 1), exhibited SCG exceedances in the Year 2009. These monitoring wells are within the capture zone of the remedial wells; therefore, groundwater in this area is hydraulically contained and over time will be extracted and treated.

Groundwater quality data from wells immediately downgradient of the Northrop Grumman site (Wells GM-20D and GM-21D) exhibited no VOC detections during this period and Year 2009. Well GM-79D continues to exhibit a downward trend (Figure 8).

Wells located further downgradient of the hydraulic barrier exhibited TVOC concentrations consistent with the expected concentrations in the portions of the groundwater VOC plume not actively remediated. The deep well located at the GM-

75D2 Area (Well GM-34D) historically exhibited VOCs exceeding SCGs and VOC concentrations that have exhibited a decrease trend since December 2006 (Figure 10). Well GM-34D is located south of Well GM-75D2 (Figure 1 – see Section 5.1.4 for additional detail). The Navy completed drilling of vertical profile borings as part of an additional investigation of the GM75D2 Area. The report has been submitted separately to NYSDEC.

In the GM-38 Area, southeast of the Site, Well GM-38D continues to exhibit VOC concentrations consistent with the long-term trend (Figure 11). The Navy completed construction of the GM-38 Area Groundwater Remedy and system startup occurred in September 2009. Refer to reports prepared by the Navy for additional details on the OM&M of the GM-38 Groundwater Remedy.

Groundwater quality data continues to support the conclusion that the expected bifurcation of the VOC plume is occurring along the Northrop Grumman site southern boundary, as shown by no detections in wells located within the capture zone immediately off site. SCG exceedances continue to persist in wells screened in the portion of the groundwater VOC plume not actively remediated.

In general, the water quality data from the deep wells sampled during the current period and Year 2009 continue to support the interpretation of the hydraulic data and confirm that the operation of the on-site portion of the OU2 groundwater remedy has formed an effective hydraulic barrier that prevents the off-site migration of VOC-impacted groundwater in the deep zone.

5.1.4 Deep2 Zone and Remedial Wells

Groundwater monitoring data from the D2 zone are summarized in Table 7 and data trends are presented on Figures 5, 6, 9, 10, and 11. The data trend graphs presented in this report include key wells with detectable concentrations of VOCs that were sampled this period.

Well GM-33D2 (Figure 5), located along the southwestern boundary of the Northrop Grumman site, exhibited three VOCs (Freon 113, TCE, and tetrachloroethene) that exceeded SCGs in this period, with similar exceedances detected the first three quarters of Year 2009. The trend in TVOC concentrations in Well GM-33D2 remains downward, consistent with the long-term trend. Well GM-73D2 (Figure 5) exhibits a stable trend with VOC concentrations at or close to 100 ug/l. The other Northrop Grumman site boundary D2 wells (GM-15D2 and GM-74D2 – Figure 6) continue to

exhibit stable VOC concentrations less than 50 µg/L. Wells GM-15D2, GM-33D2, GM-73D2, and GM-74D2 are located within the capture zone of the remedial wells (which are screened in the D2 zone) and therefore groundwater in this area is hydraulically contained and over time will be extracted and treated by the on-site portion of the OU2 groundwater remedy.

For the GM-75D2 Area, off-site Wells GM-34D2, GM-35D2 and GM-75D2 had one or more SCG exceedances each during this period, with TVOC concentrations of 229 µg/L, 215 µg/L and 117 µg/L, respectively. These data are consistent with concentrations expected in the off-site portion of the VOC plume not actively remediated. TVOC concentrations in Well GM-75D2 (Figure 10) have shown a decreasing trend since the Year 2002. The data indicate that TVOC concentrations in Well GM-35D2 (Figure 10) exhibit a slight downward trend since 2002. Section 5.1.3 of this report provides information on Navy activity in the GM-75D2 Area.

The GM-38 Area monitoring results during Year 2009 were provided in prior reports (ARCADIS of New York, Inc. 2009 a; b, c). TVOC concentrations in Well GM-38D2 have decreased since Year 2002 (Figure 11). Section 5.1.3 of this report provides information on Navy activity in the GM-38 Area.

The other off-site D2 zone monitoring wells continue to exhibit stable to decreasing TVOC concentration trends.

For the remedial wells, TVOC concentrations ranged from 117.4 µg/L (Well 18) to 2,707 µg/L (Well 3). With the exception of Well 19, the remedial wells exhibit overall stable to decreasing trends since mid-2006. Well 3 continues to exhibit the highest TVOC concentrations. Refer to Section 3 of this report for a discussion of remedial well performance and VOC mass removed. Well 19 has exhibited an increase trend for the period of record.

In general, the water quality data from the D2 wells sampled during the current period and Year 2009 continue to support the interpretation of the hydraulic data and confirm that the operation of the on-site portion of the OU2 groundwater remedy has formed an effective hydraulic barrier that prevents the off-site migration of VOC-impacted groundwater in the D2 zone.

5.2 Outpost Monitoring

The results of the current outpost well monitoring round are provided in Table 8. The complete description of the procedures to collect groundwater samples from the outpost wells and evaluate and document the results is provided in the PWSCP (ARCADIS G&M, Inc., 2003b).

VOCs were not detected in Outpost Wells OW1-2, OW3-1, OW3-2, and OW4-2 during this period and the period of record. Outpost Wells OW1-1 and OW1-3, exhibited detections of site-related VOCs below their respective SCGs, but above the TVOC outpost trigger values this period. Wells OW2-1 and OW2-2 were not monitored during Year 2009 due to on-going Navy activities related to detections of benzene and MTBE. Freon 113 was detected in Well 4-1 but at a concentration less than its respective SCG and trigger value. As no new exceedances of outpost trigger values occurred in Year 2009, the requirements for notification/reporting of the initial trigger value exceedances, as outlined in the PWSCP (ARCADIS G&M, Inc., 2003b), have already been met.

Based on information provided by Aqua New York, TCE was detected in two public supply wells in the Aqua New York Seaman's Neck Road well field (downgradient of Outpost Wells 3-1 and 3-2). Specifically TCE was detected in Supply Well 3S at 0.64 µg/L in September 2006 and in Supply Well 4S at 0.5 µg/L in February 2007. A field investigation to delineate TCE in groundwater near the Aqua New York Seaman's Neck Road well field was completed by the Navy. The report of findings has been submitted to the NSYDEC by the Navy.

5.3 Vinyl Chloride Monomer

Vinyl chloride monomer (VCM) was detected in Well 3 during this period and the Year 2009, but was not detected in the other remedial wells or monitoring wells sampled this period. Implementation of remediation of groundwater to address VCM upgradient (northwest) of Well 3 is currently underway by Occidental Chemical Corporation (OCC) under USEPA oversight.

5.4 Cadmium and Chromium

Cadmium and chromium analytical results for Year 2009 are provided in prior reports (ARCADIS of New York, Inc. 2009a and 2009c). Trend analyses of cadmium trends are shown on Figure 12. While chromium in wells monitored are provided on Figures

13 and 14. No cadmium exceedances were detected in Wells N-10631, GM-78S and GM-78I, downgradient of former Northrop Grumman Plant 2 in 2009.

Chromium concentrations for the wells near former Northrop Grumman Plant 2 (MW-01GF and MW-02GF) continued to be below the SCG (Figure 13), with one exception. Well MW-02GF did have a detection of chromium that exceeded the SCG in the First Quarter; however the concentration decreased to below SCG (22 µg/L) in the Third Quarter, to a concentration consistent with the long-term trend.

Since 2006, the chromium concentration trends in the wells near former Northrop Grumman Plant 1 have been stable to decreasing over time. Notably, the Cr concentration in Well MW-05 has decreased by a factor of three since late 2005 (Figure 14).

5.5 Tentatively Identified Compounds

Tentatively Identified Compounds (TICs) detected during Year 2009 are provided in Table 9. One TIC was detected in four of the rinsate samples collected during Year 2009. A review of the cumulative TIC data shows no discernable trends in concentrations or consistency in TIC detections.

5.6 QA/QC Samples and Data Validation

The results of analysis of QA/QC (field blank and trip blank) samples from the current period are provided in Table 10.

ARCADIS performed validation of all groundwater quality data collected (including TICs) by following the contract laboratory program national functional guidelines for organic and inorganic data review (USEPA 1999). The quality of the data is considered acceptable with the qualifications indicated on Tables 5 through 10.

6. Annual Groundwater Model Update Evaluation

Currently, ARCADIS is updating information such as public water purveyors' well pumpage and water quality data on a regional scale, as well as water quality data collected by ARCADIS and Northrop Grumman from the current groundwater monitoring network (including monitoring well and vertical profile boring data) within the regional model. A comparison of these data with data currently incorporated in both

the conceptual site model and the numerical groundwater model will be performed and evaluated in 2010.

7. Summary and Conclusions

1. The following data indicate that the OU2 groundwater remedy continues to meet remedial performance goals for Year 2009.
 - a. During the current period, the OU2 remedial wells pumped 525 MG, or slightly greater than 100 percent of the design volume of groundwater, while the recharge basins received a collective total of 507 MG of treated groundwater, or 165 percent of the design value. For the Year 2009, the OU2 remedial wells pumped 2,022 MG, or slightly greater than 99 percent of the design volume of groundwater, while the recharge basins received approximately 1,753 MG of treated groundwater, or 147 percent of the design value.
 - b. Based on data presented in prior reports, OU2 remedial well specific capacities remain above the minimum required to sustain the design pumping rates.
 - c. Approximately 3,196 lbs of VOCs were removed from the aquifer and treated by the on-site portion of the OU2 groundwater remedy during the current period. In Year 2009, approximately 12,967 lbs of VOCs were removed from the aquifer and treated, and approximately 146,911 lbs of VOCs were removed and treated since full-time system startup in November 1998.
 - d. The treatment efficiencies of both groundwater treatment systems remain above 99 percent for the current period.
2. The following data indicate that the OU2 groundwater remedy continues to meet remedial effectiveness goals for Year 2009.
 - a. The hydraulic data indicate that hydraulic containment continues in a manner consistent with previous years.
 - b. Water quality data from wells immediately downgradient of the hydraulic barrier show no or trace VOC concentrations or decreasing VOC concentration trends. Groundwater quality data indicates that bifurcation of the VOC plume is continuing in the deep and D2 zones south of the hydraulic barrier.

3. Other significant findings and conclusions with respect to groundwater for Year 2009 are summarized as follows:
 - a. Based on data for Year 2009, in the shallow, intermediate, and deep zones, the majority of wells located along the Northrop Grumman site perimeter showed trace or non-detectable concentrations of VOCs.
 - b. The majority of D2 wells located along and immediately downgradient of the Northrop Grumman site southern boundary exhibit stable or decreasing concentrations of VOCs. Such wells are located within the capture zone of the remedial wells. Wells located in areas not actively remediated (further downgradient of the Northrop Grumman site) exhibit concentrations indicative of expected VOC plume heterogeneity. The Navy completed drilling of vertical profile borings as part of an additional investigation of groundwater in the GM-75D2 Area and has submitted a report to NYSDEC. The Navy has completed the construction of the Groundwater Remedy in the GM-38 Area and system startup occurred in September 2009.
 - c. Site-related VOCs were detected in Outpost Wells OW1-1, OW1-3 and OW4-1. The remaining outpost wells currently monitored exhibited no VOC detections. Aqua New York Seaman's Neck Road well field (downgradient of Wells OW3-1 and OW3-2) has exhibited trace TCE concentrations in the two supply wells. These detections were investigated concurrent to the GM-75D2 Area by the Navy and the GM-75D2 Area report has been submitted to the NYSDEC.
 - d. The Cd/Cr analytical results from groundwater monitoring wells around and downgradient of former Plant 2 indicated Cd below the SCG. Cr concentrations continue to be below the SCG. Based on these data, the requirements to terminate post-closure Cd/Cr monitoring of former Plant 2 have been met.
 - e. Cr concentrations near former Plant 1 continue to exhibit stable to declining trends.

8. Recommendations

Based on the results included in this report, ARCADIS recommends the following:

1. The groundwater monitoring of wells at former Plant 2 for Cd/Cr can be discontinued.
2. The current model should be evaluated in 2010, per the provisions in the PWSCP.

9. References

ARCADIS of New York, Inc. 2009a. Results for First Quarter 2009 Monitoring, Operable Unit 2, Northrop Grumman Systems Corporation, Bethpage, New York.

ARCADIS of New York. 2009b. Results for Second Quarter 2009 Monitoring, Operable Unit 2, Northrop Grumman Systems Corporation, Bethpage, New York.

ARCADIS of New York. 2009c. Results for Third Quarter 2009 Monitoring, Operable Unit 2, Northrop Grumman Systems Corporation, Bethpage, New York.

ARCADIS G&M, Inc. 2006. Petition for Recommended Modifications to the Operable Unit 2 Groundwater Monitoring Plan, Northrop Grumman Corporation, Bethpage, New York. June 2006.

ARCADIS G&M, Inc. 2003a. Public Water Supply Contingency Plan, Naval Facilities Engineering Command. July 22, 2003.

ARCADIS G&M, Inc. 2003b. 2002 Annual Groundwater Monitoring Report, Northrop Grumman Corporation, Bethpage, New York. August 14, 2003.

ARCADIS Geraghty & Miller, Inc. 2001. Operable Unit 2 Groundwater Monitoring Plan. Northrop Grumman Corporation, Bethpage, New York. May 11, 2001.

U.S. Environmental Protection Agency (USEPA). 1999. Contract Laboratory Program National Functional Guidelines for Organic Data Review. October 1999.

Table 1. Operational Summary for the On-Site Portion of the Operable Unit 2 Groundwater Remedy, Fourth Quarter 2009, Year 2009, and Period of Record, Northrop Grumman Systems Corporation, Bethpage, New York.

Identification	Design Pumping/ Recharge Rate (gpm)	4th Quarter		4th Quarter		4th Quarter		Annual 2009 Total Design Pumpage/ Recharge (MG)	Cumulative Year-to-Date Actual Total Pumpage (MG)	Current TCE Concentration (ug/L)	Current TVOC Concentration (ug/L)	4th Quarter 2009		Annual 2009		Cumulative VOC Mass Removed (lbs)
		Actual Average Pumping/Recharge Rate (gpm)	Design Total Pumpage/Recharge (MG)	Actual Total Pumpage/ Recharge (MG)	Percent of Total Design Pumpage/ Recharge	Percent of Total Design Pumpage/ Recharge	VOC Mass Removed (lbs)					VOC Mass Removed (lbs)				
Remedial Wells																
Groundwater Removed from Aquifer																
Well 1	800	830	110.6	113.1	102%	427.4	438	102%	438	370	480	452	1,768	31,153		
Well 3	700	710	96.8	97.5	101%	374.0	376	101%	376	2,400	2,707	2,198	9,010	61,986		
Well 17	1,000	1,007	138.2	137.8	100%	534.2	528	98%	528	210	247	283	1,183	45,462		
Well 18	600	634	82.9	86.8	105%	320.5	325	101%	325	95	117	85	332	4,528		
Well 19	700	706	96.8	95.6	99%	374.0	357	95%	357	190	223	178	674.0	3,792		
Rounded Totals:	3,800	3,887	525	531	101%	2,030	2,022	100%	2,022	--	--	3,196	12,967	146,911		
Recharge Basins (a)																
Treated Water Recharged to Aquifer (h)																
West Recharge Basins	0	687	0	95.0	--	0	517.0	--	517.0	--	--	--	--	--		
South Recharge Basins	2,231	2,982	308.4	412.2	134%	1,191.9	1,235.6	104%	1,235.6	--	--	--	--	--		
Rounded Totals:	2,231	3,669	308	507.2	165%	1,192	1,753	147%	1,753	--	--	--	--	--		
Treated Water Sent to Calpine																
Calpine Demand	100-400	208	14-56	28.8	--	56-224	134 (b)	--	134 (b)	--	--	--	--	--		
Treatment Efficiencies																
Average SPDES Outfall TVOC Concentrations Fourth Quarter 2009 (ug/L) (f)																
Tower 96 System Efficiency (e) :		>99.9 %	--	<0.5	--	--	--	--	--	--	--	--	--	--		
Tower 102 System Efficiency (e) :		>99.9 %	--	<0.5	--	--	--	--	--	--	--	--	--	--		

see footnotes on last page

Table 1. Operational Summary for the On-Site Portion of the Operable Unit 2 Groundwater Remedy, Fourth Quarter 2009, Year 2009, and Period of Record, Northrop Grumman Systems Corporation, Bethpage, New York.

- (a) - Design remedial well pumping rates based on computer modeling (ARCADIS G&M, Inc. 2003c). Acceptable design recharge rates based on computer modeling (ARCADIS G&M, Inc. 2004b). Design pumping and recharge rates were modified in April, 2005. Recharge includes remedial well pumpage (minus Calpine demand, Oxy biosparge system demand, incidental irrigation use, and pipe loss), plus incidental runoff from precipitation. Current average recharge rates have been determined using the entire 96-day span of time as opposed to current average pumping rates, which account for varying amounts of downtime, as indicated below.
- (b) - OU2 wells were operational during the Fourth Quarter 2009, at the following percentages: Well-1 (98.6%), Well-3 (99.3%); Well-17 (99%), Well-18 (99%), and Well-19 (98%). The Actual Average Pumping Rates and rate of treated water sent to Calpine are for when the wells are pumping. "Cumulative" represents data obtained since system startup in November 2008.
- (c) - The TVOC concentration for each well was calculated based on Fourth Quarter 2009 groundwater monitoring data (Table 7).
- (d) - TVOC mass removed is based on the TVOC data given above and the following formula:

$$1 - \left[\frac{\text{TVOC concentration in ug/L} \times (\text{gallons pumped}) \times (3.785 \text{ L/gal}) \times (1 \times 10^{-6} \text{ g/ug}) \times (2.2 \times 10^{-3} \text{ lb/g})}{\text{Average SPDES TVOC Concentration at Outfall} \times (Q_{\text{Well 1}} + Q_{\text{Well 2}} \text{ etc.})} \right]$$

Air Stripping Efficiency calculated from values above and in Table 2 using the following formula:

- (e) -When non-detectable levels of VOCs are found in the effluent, a value of zero is used to estimate the efficiency of the air stripper.
- (f) -Towers 102 and 96 outfalls are identified as Outfalls 005 and 006, respectively (commonly known as the South Recharge Basins and Plant 5 Recharge Basins, respectively). Complete SPDES reporting provided to NYSDEC by NGC under separate cover.

- (g) -Cumulative Year-to-Date Actual Total Pumpage for Treated Water to Calpine includes adjustment from 37 MG to 59.2 MG in Quarter 3 2009 based on revised totalizer readings obtained from NGC.
- (h) -Cumulative Year-to-Date Actual Total Pumpage for Treated Water to West recharge basins includes adjustment from 145.2 MG to 124.8 MG in Quarter 3 2009 due to based on revised totalizer readings (obtained from NGC) for Calpine consumption, see note (g).

--	Not Available or Not Applicable	lb/g	pounds per gram
TVOC	Total Volatile Organic Compounds	lbs	pounds
g/ug	grams per microgram	MG	Million Gallons
gpm	gallons per minute	ug/L	micrograms per liter
L/gal	Liters per gallon	OU2	Operable Unit 2
SPDES	State Pollutant Discharge Elimination System	Q	Pumping Rate
NGC	Northrop Grumman Corporation	NYSDEC	New York State Department of Environmental Conservation

Table 2. Water-Level Measurement Data, March 27, 2009, Operable Unit 2, Northrop Grumman Systems Corporation, Bethpage, New York.

Well Identification	Measuring Point Elevation (ft msl)	Depth to Water (ft bmp)	Water-Level Elevation (ft msl)
Shallow Wells			
FW-03	124.30	53.60	70.70
N-9921	94.23	30.17	64.06
N-10597	109.85	39.18	70.67
N-10600	102.41	36.78	65.63
N-10631	103.47	35.99	67.48
N-10633	103.80	37.00	66.80
N-10634	101.20	37.66	63.54
N-10821	91.58	32.02	59.56
GM-15S	109.44	42.50	66.94
GM-16SR	115.86	45.18	70.68
GM-17SR	115.79	42.75	73.04
GM-18S	107.60	38.70	68.90
GM-19S	109.86	40.15	69.71
GM-21S	105.81	33.18	72.63
GM-78S	104.94	38.75	66.19
GM-79S (N-10628)	100.88	37.75	63.13
HN-24S	120.32	49.70	70.62
HN-40S	116.35	46.61	69.74
HN-42S	120.32	48.82	71.50
MW-3R	101.45	32.22	69.23
Intermediate Wells			
N-10624	93.61	29.71	63.90
GM-15I	109.25	42.30	66.95
GM-16I	115.81	45.32	70.49
GM-17I	115.83	43.07	72.76
GM-18I	109.03	39.98	69.05
GM-19I	109.86	41.05	68.81
GM-20I	103.88	33.95	69.93
GM-21I	105.72	35.53	70.19
GM-74I	107.42	37.55	69.87
GM-78I	105.06	39.05	66.01
GM-79I	100.88	38.05	62.83
HN-24I	125.80	53.12	72.68
HN-40I	115.91	46.44	69.47
HN-42I	119.61	48.15	71.46

See notes on last page

Table 2. Water-Level Measurement Data, March 27, 2009, Operable Unit 2, Northrop Grumman Systems Corporation, Bethpage, New York.

Well Identification	Measuring Point Elevation (ft msl)	Depth to Water (ft bmp)	Water-Level Elevation (ft msl)
Deep Wells			
N-10627	71.19	12.30	58.89
GM-13D	93.70	30.25	63.45
GM-15D	91.63	32.75	58.88
GM-17D	91.75	35.55	56.20
GM-18D	103.92	35.98	67.94
GM-20D	102.23	36.51	65.72
GM-21D	97.26	36.65	60.61
GM-34D	101.25	39.25	62.00
GM-36D	102.08	39.46	62.62
GM-37D	105.66	40.68	64.98
GM-38D	104.87	41.77	63.10
GM-39D _A ⁽¹⁾	108.88	42.85	66.03
GM-39D _B ⁽¹⁾	107.43	42.93	64.50
GM-73D	113.97	43.70	70.27
GM-74D	115.11	44.52	70.59
GM-79D	109.84	44.70	65.14
HN-29D	115.68	47.20	68.48
Deep2 Wells			
GM-15D2	109.78	47.25	62.53
GM-33D2	106.85	47.31	59.54
GM-34D2	71.19	13.97	57.22
GM-35D2	96.28	37.45	58.83
GM-36D2	91.60	34.68	56.92
GM-37D2	97.17	37.14	60.03
GM-38D2	91.56	37.20	54.36
GM-70D2	99.58	38.80	60.78
GM-71D2	98.45	38.92	59.53
GM-73D2	104.62	43.85	60.77
GM-74D2	107.36	49.50	57.86
GM-75D2	93.63	33.41	60.22
Well 1 ⁽²⁾	116.78	77.00	39.78
Well 3 ⁽³⁾	117.78	115.00	2.78
Well 17 ⁽⁴⁾	104.10	55.00	49.10
Well 18 ⁽⁵⁾	110.00	--	--
Well 19	108.70	63.55	45.15

See notes on last page

Table 2. Water-Level Measurement Data, March 27, 2009, Operable Unit 2, Northrop Grumman Systems Corporation, Bethpage, New York.

Well Identification	Measuring Point Elevation (ft msl)	Depth to Water (ft bmp)	Water-Level Elevation (ft msl)
Outpost Wells			
BPOW1-1	73.65	27.45	46.20
BPOW1-2	73.54	27.98	45.56
BPOW1-3	73.37	27.95	45.42
BPOW2-1	60.06	--	--
BPOW2-2	59.96	--	--
BPOW3-1	63.19	24.48	39.51
BPOW3-2	63.72	25.79	37.93
BPOW4-1	67.34	23.68	43.66
BPOW4-2	67.18	23.50	43.68

(1) Wells GM-39_A and GM-39_B are screened at the approximate midpoint and basal portion of the deep zone, respectively.

(2) Water level was measured by inflating airline set at 119 ft bmp (gauge at wellhead) and subtracting the reading on the gauge from 120 to obtain the depth to water in ft bmp.

(3) Water level was measured by inflating an airline set at 150 ft bmp (gauge at well head) and subtracting the reading on the gauge from 150 to obtain the depth to water in ft bmp.

(4) Water level was measured by inflating airline set at 110 ft bmp (gauge at wellhead) and subtracting the reading on the gauge from 110 to obtain the depth to water in ft bmp.

(5) A replacement pump (submersible-type) was installed in Well 18 in December 2008. A new port to measure water levels is currently being installed. When the port is installed, measurements will be collected on the current semi-annual schedule.

ft msl feet relative to mean sea level

ft bmp feet below measuring point

-- Not Measured

Table 3. Water-Level Measurement Data and Remedial Well Specific Capacities, August 4, 2009, Operable Unit 2, Northrop Grumman Systems Corporation, Bethpage, New York.

Well Identification	Measuring Point		
	Elevation (ft msl)	Depth to Water (ft bmp)	Water-Level Elevation (ft msl)
Shallow Wells			
FW-03	124.30	52.89	71.41
N-9921	94.23	29.63	64.60
N-10597	109.85	37.41	72.44
N-10600	102.41	36.03	66.38
N-10631	103.47	35.54	67.93
N-10633	103.80	36.88	66.92
N-10634	101.20	37.19	64.01
N-10821	91.58	32.21	59.37
GM-15S	109.44	42.19	67.25
GM-16SR	115.86	44.61	71.25
GM-17SR	115.79	42.67	73.12
GM-18S	107.60	38.08	69.52
GM-19S	109.86	39.83	70.03
GM-21S	105.81	33.56	72.25
GM-78S	104.94	38.19	66.75
GM-79S (N-10628)	100.88	37.37	63.51
HN-24S	120.32	48.89	71.43
HN-40S	116.35	46.20	70.15
HN-42S	120.32	48.51	71.81
MW-3R	101.45	31.75	69.70
Intermediate Wells			
N-10624	93.61	29.25	64.36
GM-15I	109.25	42.03	67.22
GM-16I	115.81	44.75	71.06
GM-17I	115.83	42.99	72.84
GM-18I	109.03	39.43	69.60
GM-19I	109.86	40.71	69.15
GM-20I	103.88	33.82	70.06
GM-21I	105.72	35.57	70.15
GM-74I	107.42	37.48	69.94
GM-78I	105.06	38.46	66.60
GM-79I	100.88	37.88	63.00
HN-24I	125.80	52.43	73.37
HN-40I	115.91	46.00	69.91
HN-42I	119.61	47.83	71.78

See notes on last page

Table 3. Water-Level Measurement Data and Remedial Well Specific Capacities, August 4, 2009, Operable Unit 2, Northrop Grumman Systems Corporation, Bethpage, New York.

Well Identification	Measuring Point		
	Elevation (ft msl)	Depth to Water (ft bmp)	Water-Level Elevation (ft msl)
Deep Wells			
N-10627	93.70	29.75	63.95
GM-13D	113.97	43.21	70.76
GM-15D	109.84	44.56	65.28
GM-17D	115.68	46.61	69.07
GM-18D	108.88	42.39	66.49
GM-20D	103.92	35.86	68.06
GM-21D	105.66	40.52	65.14
GM-34D	71.19	11.96	59.23
GM-36D	91.63	32.86	58.77
GM-37D	97.26	37.01	60.25
GM-38D	91.75	36.61	55.14
GM-39D _A ⁽¹⁾	102.23	36.11	66.12
GM-39D _B ⁽¹⁾	102.08	39.02	63.06
GM-73D	104.87	41.34	63.53
GM-74D	107.43	42.67	64.76
GM-79D	101.25	39.28	61.97
HN-29D	115.11	43.98	71.13
Deep2 Wells			
GM-15D2	109.78	47.23	62.55
GM-33D2	106.85	46.72	60.13
GM-34D2	71.19	13.90	57.29
GM-35D2	96.28	37.74	58.54
GM-36D2	91.60	35.89	55.71
GM-37D2	97.17	37.98	59.19
GM-38D2	91.56	39.83	51.73
GM-70D2	99.58	38.79	60.79
GM-71D2	98.45	39.72	58.73
GM-73D2	104.62	43.39	61.23
GM-74D2	107.36	49.12	58.24
GM-75D2	93.63	32.84	60.79
Well 1 ⁽²⁾	116.78	70.00	46.78
Well 3 ⁽³⁾	117.78	125.00	-7.22
Well 17 ⁽⁴⁾	104.10	59.00	45.10
Well 18 ⁽⁵⁾	110.00	--	--
Well 19	108.70	63.68	45.02

See notes on last page

Table 3. Water-Level Measurement Data and Remedial Well Specific Capacities, August 4, 2009, Operable Unit 2, Northrop Grumman Systems Corporation, Bethpage, New York.

Well Identification	Measuring Point		
	Elevation (ft msl)	Depth to Water (ft bmp)	Water-Level Elevation (ft msl)
Outpost Wells			
BPOW1-1	73.65	27.10	46.55
BPOW1-2	73.54	28.04	45.50
BPOW1-3	73.37	28.05	45.32
BPOW2-1	60.06	--	--
BPOW2-2	59.96	--	--
BPOW3-1	63.19	24.93	38.26
BPOW3-2	63.72	26.40	37.32
BPOW4-1	67.34	24.28	43.06
BPOW4-2	67.18	23.91	43.27

Remedial Well Specific Capacities ⁽⁶⁾					
Well ID	Pumping Depth to	Static Depth to Water (ft	Drawdown (s) (ft)	Third Quarter 2008 Pumping Rate	Specific Capacity
	Water (ft bls)	bls) ⁽⁷⁾		(Q)(gpm) ⁽⁸⁾	(Q/s)(gpm/ft)
Well 1	70.00	55.75	14.25	836	58.67
Well 3	125.00	55.40	69.60	705	10.13
Well 17	59.00	44.12	14.88	1029	69.15
Well 18	NA	50.15	--	629	--
Well 19	63.68	49.13	14.55	721	49.55

(1) Wells GM-39_A and GM-39_B are screened at the approximate midpoint and basal portion of the deep zone, respectively.

(2) Water level was measured by inflating airline set at 119 ft bmp (gauge at wellhead) and subtracting the reading on the gauge from 120 to obtain the depth to water in ft bmp.

(3) Water level was measured by inflating an airline set at 150 ft bmp (gauge at well head) and subtracting the reading on the gauge from 150 to obtain the depth to water in ft bmp.

(4) Water level was measured by inflating airline set at 110 ft bmp (gauge at wellhead) and subtracting the reading on the gauge from 110 to obtain the depth to water in ft bmp.

(5) A replacement pump (submersible-type) was installed in Well 18 in December 2008. A new port to measure water levels is currently being installed. When the port is installed, measurements will be collected on the current semi-annual schedule.

(6) Specific capacity values are qualitative in nature, due to fluctuations in static water levels. Sharp declines in specific capacity could indicate the need for well redevelopment.

(7) For Wells 17, 18, and 19 baseline static depth to water measurements were collected in 1997 prior to OU2 system start-up; baseline pumping depth to water and rate measurements (not shown) used with baseline static depth to water measurements to calculate baseline specific capacities, were collected in 1999 during OU2 system operation. For Well 1, baseline static depth to water and specific capacity measurements were collected in 2001, during pump replacement.

For Well 3, baseline static depth to water and specific capacity measurements were collected in March-April 2005, during re-development activities.

(8) Pumping rate determined at time of pumping depth to water measurement.

ft msl feet relative to mean sea level

ft bmp feet below measuring point

-- Not Measured

Table 4. Comparison of August 2009 Vertical Hydraulic Gradients to Model-Predicted Gradients, Operable Unit 2, Northrop Grumman Systems Corporation, Bethpage, New York.

Well Pair ID	Well Screen Midpoint Elevation (ft msl)	Water-Level Elevation (ft msl)	Vertical Gradient ⁽²⁾ (ft/ft) * 10 ⁻³	Model-Predicted, OU2 Steady-State Vertical Gradient (ft/ft) * 10 ⁻³	Increase Compared to Model-Predicted, Steady-State Vertical Gradient
Shallow-Intermediate Wells					
GM-15S	34.53	67.25			
GM-15I	9.29	67.22	1.19	4.20	-3.01
GM-16SR	66.77	71.25			
GM-16I	-24.19	71.06	2.09	1.11	0.98
GM-17SR	50.79	73.12			
GM-17I	5.83	72.84	6.23	4.50	1.73
GM-19S	59.36	70.03			
GM-19I	-25.14	69.15	10.41	2.44	7.97
GM-21S	40.81	72.25			
GM-21I	-29.28	70.15	29.96	18.44	11.52
GM-78S	39.94	66.75			
GM-78I	5.56	66.60	4.36	8.73	-4.37
GM-79S	35.88	63.51			
GM-79I	-73.91	63.00	4.65	0.91	3.74
Intermediate-Deep Wells					
GM-15I	9.29	67.22			
GM-15D	-227.34	65.28	8.20	6.52	1.68
GM-17I	5.83	72.84			
GM-17D	-172.32	69.07	21.16	7.86	13.30
GM-18I	9.03	69.60			
GM-18D	-186.12	66.49	15.94	7.74	8.20
GM-20I	3.88	70.06			
GM-20D	-117.08	68.06	16.53	18.22	-1.69
GM-21I	-29.28	70.15			
GM-21D	-177.34	65.14	33.84	43.97	-10.13
GM-74I	8.42	69.94			
GM-74D	-192.57	64.76	25.77	20.17	5.60
GM-79I	-73.91	63.00			
GM-79D	-183.75	61.97	9.38	15.48	-6.10

See notes on last page

Table 4. Comparison of August 2009 Vertical Hydraulic Gradients to Model-Predicted Gradients, Operable Unit 2, Northrop Grumman Systems Corporation, Bethpage, New York.

Well Pair ID	Well Screen Midpoint Elevation (ft msl)	Water-Level Elevation (ft msl)	Vertical Gradient ⁽²⁾ (ft/ft) * 10 ⁻³	Model-Predicted, OU2 Steady-State Vertical Gradient (ft/ft) * 10 ⁻³	Increase Compared to Model-Predicted, Steady-State Vertical Gradient
Deep-Deep 2 Wells					
GM-15D	-227.34	65.28			
GM-15D2	-436.41	62.55	13.06	14.19	-1.13
GM-18D	-186.12	66.49			
GM-33D2	-403.15	60.13	29.30	12.30	17.00
GM-34D	-242.81	59.23			
GM-34D2	-443.81	57.29	9.65	2.33	7.32
GM-36D	-117.37	58.77			
GM-36D2	-443.40	55.71	9.39	2.75	6.64
GM-37D	-154.74	60.25			
GM-37D2	-282.83	59.19	8.28	3.88	4.40
GM-38D	-238.25	55.14			
GM-38D2	-393.44	51.73	21.97	6.08	15.89
GM-39D _A ⁽¹⁾	-169.77	66.12			
GM-39D _B ⁽¹⁾	-312.92	63.06	21.38	13.46	7.92
GM-73D	-301.13	63.53			
GM-73D2	-437.38	61.23	16.88	18.78	-1.90
GM-74D	-192.57	64.76			
GM-74D2	-444.64	58.24	25.87	28.26	-2.39
N-10627	-198.80	63.95			
GM-75D2	-421.37	60.79	14.20	2.25	11.95

Notes

⁽¹⁾ Wells GM-39D_A and GM-39D_B are screened at the approximate midpoint and basal portion of the deep zone, respectively.

⁽²⁾ Vertical hydraulic gradients are calculated as follows:

$$\frac{(\text{Water-Level Elevation}_1 - \text{Water-Level Elevation}_2)}{(\text{Screen Midpoint Elevation}_1 - \text{Screen Midpoint Elevation}_2)}$$

₁ - Shallower well of pairing

₂ - Deeper well of pairing

A positive "+" gradient value indicates a downward hydraulic gradient.

A negative "-" gradient value indicates an upward hydraulic gradient.

ft msl feet relative to mean sea level



Table 5. Concentration of Volatile Organic Compounds Detected in Intermediate Monitoring Wells, Fourth Quarter 2009, Operable Unit 2, Northrop Grumman Systems Corporation, Bethpage, New York.

CONSTITUENT (Units in ug/L)	NYSDEC Standards Criteria ⁽¹⁾ and Guidance Values (ug/l)	Well:	GM-20I	GM-21I	GM-79I
		Sample ID: Date:	GM-20I 11/12/2009	GM-21I 11/13/2009	GM-79I 11/5/2009
1,1,1-Trichloroethane	5		< 5	< 5	< 5
1,1,2,2-Tetrachloroethane	5		< 5	< 5	< 5
1,1,2-Trichloroethane	5		< 5	< 5	< 5
1,1-Dichloroethane	5		< 5	< 5	< 5
1,1-Dichloroethene	5		< 5	< 5	< 5
1,2-Dichloroethane	5		< 5	< 5	< 5
1,2-Dichloropropane	5		< 5	< 5	< 5
2-Butanone	50		< 50	< 50	< 50
2-Hexanone	50		< 50	< 50	< 50
4-methyl-2-pentanone	50		< 50	< 50	< 50
Acetone	50		< 50	< 50	< 50
Benzene	0.7		< 0.7	< 0.7	< 0.7
Bromodichloromethane	50		< 5	< 5	< 5
Bromoform	50		< 5	< 5	< 5
Bromomethane	5		< 5	< 5	< 5
Carbon Disulfide	50		< 5	< 5	< 5
Carbon tetrachloride	5		< 5	< 5	< 5
Chlorobenzene	5		< 5	< 5	< 5
Chloroethane	5		< 5	< 5	< 5
Chloroform	7		< 5	< 5	< 5
Chloromethane	5		< 5	< 5	< 5
cis-1,2-dichloroethene	5		< 5	< 5	< 5
cis-1,3-dichloropropene	5		< 5	< 5	< 5
Dibromochloromethane	5		< 5	< 5	< 5
Ethylbenzene	5		< 5	< 5	< 5
Methylene Chloride	5		< 5	< 5	< 5
Styrene	5		< 5	< 5	< 5
Tetrachloroethene	5		< 5	< 5	< 5
Toluene	5		< 5	< 5	< 5
trans-1,2-dichloroethene	5		< 5	< 5	< 5
trans-1,3-dichloropropene	5		< 5	< 5	< 5
Trichloroethylene	5		< 5	< 5	< 5
Trichlorotrifluoroethane (Freon 113)	5		< 5	< 5	< 5
Vinyl Chloride	2		< 2	< 2	< 2
Xylene-o	5		< 5	< 5	< 5
Xylenes - m,p	5		< 5	< 5	< 5
Total VOCs			0	0	0

⁽¹⁾ Standards, Criteria, and Guidance (SCG) values based on documents referenced in the Groundwater Feasibility Study Report (ARCADIS Geraghty & Miller, Inc. 2000) that are based on the NYSDEC TOGs (NYSDEC 1998); most stringent value listed.

NYSDEC New York State Department of Environmental Conservation

TOGs Technical and Operational Guidance Series

ug/L Micrograms per liter

VOCs Volatile Organic Compounds



Table 6. Concentration of Volatile Organic Compounds Detected in Deep Monitoring Wells, Fourth Quarter 2009, Operable Unit 2, Northrop Grumman Systems Corporation, Bethpage, New York.

CONSTITUENT (Units in ug/L)	NYSDEC Standards Criteria ⁽¹⁾ and Guidance Values (ug/l)	Well:	GM-20D	GM-21D	GM-34D	GM-79D
		Sample ID: Date:	GM-20D 11/12/2009	GM-21D 11/13/2009	GM-34D 11/5/2009	GM-79D 11/5/2009
1,1,1-Trichloroethane	5	< 5	< 5	< 25	< 5	
1,1,2,2-Tetrachloroethane	5	< 5	< 5	< 25	< 5	
1,1,2-Trichloroethane	5	< 5	< 5	< 25	< 5	
1,1-Dichloroethane	5	< 5	< 5	< 25	< 5	
1,1-Dichloroethene	5	< 5	< 5	8.4 J	< 5	
1,2-Dichloroethane	5	< 5	< 5	< 25	< 5	
1,2-Dichloropropane	5	< 5	< 5	< 25	< 5	
2-Butanone	50	< 50	< 50	< 250	< 50	
2-Hexanone	50	< 50	< 50	< 250	< 50	
4-methyl-2-pentanone	50	< 50	< 50	< 250	< 50	
Acetone	50	< 50	< 50	< 250	< 50 B	
Benzene	0.7	< 0.7	< 0.7	< 3.5	< 0.7	
Bromodichloromethane	50	< 5	< 5	< 25	< 5	
Bromoform	50	< 5	< 5	< 25	< 5	
Bromomethane	5	< 5	< 5	< 25	< 5	
Carbon Disulfide	50	< 5	< 5	< 25	< 5	
Carbon tetrachloride	5	< 5	< 5	< 25	< 5	
Chlorobenzene	5	< 5	< 5	< 25	< 5	
Chloroethane	5	< 5	< 5	< 25	< 5	
Chloroform	7	< 5	< 5	< 25	< 5	
Chloromethane	5	< 5	< 5	< 25	< 5	
cis-1,2-dichloroethene	5	< 5	< 5	7.1 J	0.34 J	
cis-1,3-dichloropropene	5	< 5	< 5	< 25	< 5	
Dibromochloromethane	5	< 5	< 5	< 25	< 5	
Ethylbenzene	5	< 5	< 5	< 25	< 5	
Methylene Chloride	5	< 5	< 5	< 25	< 5	
Styrene	5	< 5	< 5	< 25	< 5	
Tetrachloroethene	5	< 5	< 5	6 J	0.86 J	
Toluene	5	< 5	< 5	< 25	< 5	
trans-1,2-dichloroethene	5	< 5	< 5	< 25	< 5	
trans-1,3-dichloropropene	5	< 5	< 5	< 25	< 5	
Trichloroethylene	5	< 5	0.67 J	490	33	
Trichlorotrifluoroethane (Freon 113)	5	< 5	< 5	10 J	0.49 J	
Vinyl Chloride	2	< 2	< 2	< 10	< 2	
Xylene-o	5	< 5	< 5	< 25	< 5	
Xylenes - m,p	5	< 5	< 5	< 25	< 5	
Total VOCs		0	0.67	521.5	34.69	

(1) Standards, Criteria, and Guidance (SCG) values based on documents referenced in the Groundwater Feasibility Study Report (ARCADIS Geraghty & Miller, Inc. 2000) that are based on the NYSDEC TOGs (NYSDEC 1998); most stringent value listed.

Bold Constituent detected

8.4 J Constituent exceeds SCG value

NYSDEC New York State Department of Environmental Conservation

TOGs Technical and Operational Guidance Series

ug/L Micrograms per liter

VOCs Volatile Organic Compounds

J Value is estimated

B Compound detected in associated blank sample

Table 7. Concentration of Volatile Organic Compounds Detected in Deep2 Monitoring Wells, and Groundwater Remedial Wells and Treatment Systems, Fourth Quarter 2008, Operable Unit 2, Northrop Grumman Systems Corporation, Bethpage, New York.

CONSTITUENT (Units in ug/L)	NYSDEC Standards Criteria ⁽¹⁾ and Guidance Values (ug/l)	Well: GM-33D2	GM-34D2	GM-35D2	GM-75D2	WELL 17	WELL 18
		Sample ID: GM-33D2	GM-34D2	GM-35D2	GM-75D2	WELL 17	WELL 18
		Date: 11/6/2009	11/5/2009	11/16/2009	11/6/2009	11/9/2009	11/9/2009
1,1,1-Trichloroethane	5	< 5	< 10	< 5	< 5	< 10	1.5 J
1,1,2,2-Tetrachloroethane	5	< 5	< 10	< 5	< 5	< 10	< 5
1,1,2-Trichloroethane	5	< 5	< 10	< 5	< 5	< 10	< 5
1,1-Dichloroethane	5	< 5	< 10	< 5	< 5	0.86 J	1.1 J
1,1-Dichloroethene	5	< 5	1.8 J	0.62 J	1 J	2 J	4.3 J
1,2-Dichloroethane	5	< 5	< 10	< 5	< 5	< 10	< 5
1,2-Dichloropropane	5	< 5	< 10	< 5	< 5	< 10	< 5
2-Butanone	50	< 50	< 100	< 50	< 50	< 100	< 50
2-Hexanone	50	< 50	< 100	< 50	< 50	< 100	< 50
4-methyl-2-pentanone	50	< 50	< 100	< 50	< 50	< 100	< 50
Acetone	50	< 50	< 100 B	< 50	2.6 J	< 100	< 50
Benzene	0.7	< 0.7	< 1.4	< 0.7	< 0.7	< 1.4	< 0.7
Bromodichloromethane	50	< 5	< 10	< 5	< 5	< 10	< 5
Bromoform	50	< 5	< 10	< 5	< 5	< 10	< 5
Bromomethane	5	< 5	< 10	< 5	< 5	< 10	< 5
Carbon Disulfide	50	< 5	< 10	< 5	< 5	< 10	< 5
Carbon tetrachloride	5	< 5	< 10	< 5	< 5	< 10	< 5
Chlorobenzene	5	< 5	< 10	< 5	< 5	< 10	< 5
Chloroethane	5	< 5	< 10	< 5	< 5	< 10	< 5
Chloroform	7	< 5	< 10	< 5	< 5	< 10	< 5
Chloromethane	5	< 5	< 10	< 5	< 5	< 10	< 5
cis-1,2-dichloroethene	5	0.58 J	8.4 J	1.4 J	< 5	3.4 J	1.8 J
cis-1,3-dichloropropene	5	< 5	< 10	< 5	< 5	< 10	< 5
Dibromochloromethane	5	< 5	< 10	< 5	< 5	< 10	< 5
Ethylbenzene	5	< 5	< 10	< 5	< 5	< 10	< 5
Methylene Chloride	5	< 5	< 10	< 5	< 5	< 10	< 5
Styrene	5	< 5	< 10	< 5	< 5	< 10	< 5
Tetrachloroethene	5	9.6	7.1 J	8.5	3.1 J	23	12
Toluene	5	< 5	< 10	< 5	< 5	< 10	< 5
trans-1,2-dichloroethene	5	< 5	< 10	< 5	< 5	< 10	< 5
trans-1,3-dichloropropene	5	< 5	< 10	< 5	< 5	< 10	< 5
Trichloroethylene	5	48	210	200	110	210	95
Trichlorotrifluoroethane (Freon 113)	5	23	2.6 J	3.7 J	0.77 J	7.5 J	1.7 J
Vinyl Chloride	2	< 2	< 4	< 2	< 2	< 4	< 2
Xylene-o	5	< 5	< 10	< 5	< 5	< 10	< 5
Xylenes - m,p	5	< 5	< 10	< 5	< 5	< 10	< 5
Total VOCs		81.18	229.9	214.86	117.47	246.76	117.4

See last page for notes

Table 7. Concentration of Volatile Organic Compounds Detected in Deep2 Monitoring Wells, and Groundwater Remedial Wells and Treatment Systems, Fourth Quarter 2008, Operable Unit 2, Northrop Grumman Systems Corporation, Bethpage, New York.

CONSTITUENT (Units in ug/L)	NYSDEC Standards Criteria ⁽¹⁾ and Guidance Values (ug/l)	Well: WELL 19	102 EFFLUENT	WELL 1	WELL 3	96 EFFLUENT
		Sample ID: WELL 19	102 EFFLUENT	WELL 1	WELL 3	96 EFFLUENT
		Date: 11/9/2009	11/9/2009	11/9/2009	11/9/2009	11/9/2009
1,1,1-Trichloroethane	5	0.66 J	< 5	0.88 J	< 100	< 5
1,1,2,2-Tetrachloroethane	5	< 5	< 5	< 13	< 100	< 5
1,1,2-Trichloroethane	5	< 5	< 5	< 13	< 100	< 5
1,1-Dichloroethane	5	0.92 J	< 5	1.1 J	< 100	< 5
1,1-Dichloroethene	5	1.4 J	< 5	2.5 J	12 J	< 5
1,2-Dichloroethane	5	0.67 J	< 5	< 13	< 100	< 5
1,2-Dichloropropane	5	< 5	< 5	4.7 J	< 100	< 5
2-Butanone	50	< 50	< 50	< 130	< 1000	< 50
2-Hexanone	50	< 50	< 50	< 130	< 1000	< 50
4-methyl-2-pentanone	50	< 50	< 50	< 130	< 1000	< 50
Acetone	50	< 50	< 50	< 130	< 1000	< 50
Benzene	0.7	< 0.7	< 0.7	< 1.8	< 14	< 0.7
Bromodichloromethane	50	< 5	< 5	< 13	< 100	< 5
Bromoform	50	< 5	< 5	< 13	< 100	< 5
Bromomethane	5	< 5	< 5	< 13	< 100	< 5
Carbon Disulfide	50	< 5	< 5	< 13	< 100	< 5
Carbon tetrachloride	5	< 5	< 5	< 13	< 100	< 5
Chlorobenzene	5	< 5	< 5	< 13	< 100	< 5
Chloroethane	5	< 5	< 5	< 13	< 100	< 5
Chloroform	7	0.68 J	< 5	< 13	< 100	< 5
Chloromethane	5	< 5	< 5	< 13	< 100	< 5
cis-1,2-dichloroethene	5	19	< 5	4.3 J	13 J	< 5
cis-1,3-dichloropropene	5	< 5	< 5	< 13	< 100	< 5
Dibromochloromethane	5	< 5	< 5	< 13	< 100	< 5
Ethylbenzene	5	< 5	< 5	< 13	< 100	< 5
Methylene Chloride	5	< 5	< 5	< 13	< 100	< 5
Styrene	5	< 5	< 5	< 13	< 100	< 5
Tetrachloroethene	5	7.9	< 5	92	71 J	< 5
Toluene	5	< 5	< 5	< 13	< 100	< 5
trans-1,2-dichloroethene	5	0.41 J	< 5	< 13	< 100	< 5
trans-1,3-dichloropropene	5	< 5	< 5	< 13	< 100	< 5
Trichloroethylene	5	190	1 J	370	2400	2.2 J
Trichlorotrifluoroethane (Freon 113)	5	0.84 J	< 5	4.4 J	11 J	< 5
Vinyl Chloride	2	< 2	< 2	< 5	200	< 2
Xylene-o	5	< 5	< 5	< 13	< 100	< 5
Xylenes - m,p	5	< 5	< 5	< 13	< 100	< 5
Total VOCs		222.86	1	479.88	2707	2.2

⁽¹⁾ Standards, Criteria, and Guidance (SCG) values based on documents referenced in the Groundwater Feasibility Study Report (ARCADIS Geraghty & Miller, Inc. 2000) that are based on the NYSDEC TOGs (NYSDEC 1998); most stringent value listed.

Bold Constituent detected
 Constituent exceeds SCG value

NYSDEC New York State Department of Environmental Conservation

TOGs Technical and Operational Guidance Series

ug/L Micrograms per liter

VOCs Volatile Organic Compounds

J Value is estimated

B Compound detected in associated blank sample



Table 8. Concentrations of Site-Related Volatile Organic Compounds Detected in Outpost Wells, Fourth Quarter 2009, Operable Unit 2, Northrop Grumman Systems Corporation, Bethpage, New York.

CONSTITUENT (Units in ug/L)	NYSDEC												
	Standards Criteria and Guidance Values ⁽¹⁾ (ug/L)	Well:		BPOW 1-1		BPOW 1-2		BPOW 1-3		BPOW 3-1		BPOW 4-1	
		Sample ID:	Date:	BPOW 1-1	BPOW 1-2	BPOW 1-3	BPOW 1-3 (REP)	BPOW 3-1	BPOW 3-2	BPOW 4-1	BPOW 4-2		
1,1,1-Trichloroethane	5		0.81	< 0.5	2.1	2.2	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	
1,1,2,2-Tetrachloroethane	5		< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	
1,1,2-Trichloroethane	5		< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	
1,1-Dichloroethane	5		0.34 J	< 0.5	0.81	0.86	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	
1,1-Dichloroethene	5		0.48 J	< 0.5	1.5	1.6	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	
1,2-Dichloroethane	5		< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	
Carbon Tetrachloride	5		< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	
Chlorobenzene	5		< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	
Chloroform	7		< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	
cis-1,2-Dichloroethene	5		< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	
Trichlorofluoroethane (Freon 113)	5		< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	0.55	< 0.5	
Tetrachloroethene	5		< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	
trans-1,2-Dichloroethene	5		< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	
Trichloroethylene	5		1.3	< 0.5	0.72	0.73	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	
Total Site-Related VOCs⁽²⁾:			2.93	0	5.13⁽³⁾	5.39⁽³⁾	0	0	0	0.55	0	0	
TVOC Trigger Value⁽⁴⁾:			0.6	0.6	0.6	0.6	0.6	1.5	1.5	1.5	1.5	1.5	

Note: Outpost wells OW2-1 and OW2-2 were not sampled by Northrop Grumman this round, due to ongoing Navy activities.

⁽¹⁾ Standards Criteria and Guidance (SCGs) values based on the Groundwater Feasibility Study Report (ARCADIS Geraherty & Miller, Inc. 2000) are based on they NYSDEC TOGs (NYSDEC 1998); most stringent values listed.

⁽²⁾ Site-related VOCs were established in the Public Water Supply Contingency Plan (PWSCP) (ARCADIS G&M, Inc. 2003).

⁽³⁾ The TVOC Trigger Value for Cluster 1 was initially exceeded on April 23, 2004; confirmatory sampling and reporting was conducted as per the PWSCP (ARCADIS G&M, Inc. 2003).

⁽⁴⁾ TVOC Trigger Values were established in the PWSCP (ARCADIS G&M, Inc. 2003).

NYSDEC New York State Department of Environmental Conservation

TOGs Technical and Operational Guidance Series

ug/L Micrograms per liter

Bold Constituent detected

VOC Volatile organic compounds

TVOC Total volatile organic compounds



Table 9. Concentration of Tentatively Identified Compounds (TICs) Detected in Groundwater Samples in Year 2009
Operable Unit 2, Northrop Grumman Systems Corporation, Bethpage, New York.

Well Identification (units in ug/L)	Constituent: Sample Date	Hexanal
FB081409	8/14/2009	9 JN
FB081709	8/17/2009	5.8 JN
FB081909	8/19/2009	6.6 JN
FB082009	8/20/2009	5.5 JN

Notes

TICs are identified based on the review of mass spectrometry results via a comprehensive library search of all organic compounds
 ug/L Micrograms per liter
 N Presumptive evidence of this constituent. Calibration was not ran for this constituent; therefore the results should be used for qualitative purposes only.
 J Estimated value

Table 10. Concentrations of Volatile Organic Compounds Detected in Blank Samples, Fourth Quarter 2009, Operable Unit 2, Northrop Grumman Systems Corporation, Bethpage, New York.

Constituent (units in ug/L)	Well ID:	Field Blank ⁽¹⁾	Trip Blank ⁽¹⁾	Trip Blank ⁽¹⁾	Trip Blank ⁽¹⁾	Trip Blank ⁽¹⁾
	Sample ID: Sample Date:	FB110509 11/5/2009	TB 11-16-09 11/16/2009	TB110509 11/5/2009	TB110609 11/6/2009	TB111009 11/9/2009
1,1,1,2-Tetrachloroethane		--	--	--	--	--
1,1,1-Trichloroethane		< 5 U	< 5 U	< 5 U	< 5 U	< 5 U
1,1,2,2-Tetrachloroethane		< 5 U	< 5 U	< 5 U	< 5 U	< 5 U
1,1,2-Trichloroethane		< 5 U	< 5 U	< 5 U	< 5 U	< 5 U
1,1-Dichloroethane		< 5 U	< 5 U	< 5 U	< 5 U	< 5 U
1,1-Dichloroethene		< 5 U	< 5 U	< 5 U	< 5 U	< 5 U
1,1-Dichloropropene		--	--	--	--	--
1,2,3-Trichlorobenzene		--	--	--	--	--
1,2,3-Trichloropropane		--	--	--	--	--
1,2,4,Trichlorobenzene		--	--	--	--	--
1,2,4-Trimethylbenzene		--	--	--	--	--
1,2-Dibromo-3-Chloropropane		--	--	--	--	--
1,2-Dibromoethane		--	--	--	--	--
1,2-Dichlorobenzene		--	--	--	--	--
1,2-Dichloroethane		< 5 U	< 5 U	< 5 U	< 5 U	< 5 U
1,2-Dichloropropane		< 5 U	< 5 U	< 5 U	< 5 U	< 5 U
1,3,5-Trimethylbenzene		--	--	--	--	--
1,3-Dichloropropane		--	--	--	--	--
1,3-Dichlorobenzene		--	--	--	--	--
1,4-Dichlorobenzene		--	--	--	--	--
2,2-Dichloropropane		--	--	--	--	--
2-Butanone		< 50 U	< 50 U	< 50 U	< 50 U	< 50 U
2-Chlorotoluene		--	--	--	--	--
2-Hexanone		< 50 U	< 50 U	< 50 U	< 50 U	< 50 U
2-Phenylbutane		--	--	--	--	--
4-Chlorotoluene		--	--	--	--	--
4-Isopropyltoluene		--	--	--	--	--
4-methyl-2-pentanone		< 50 U	< 50 U	< 50 U	< 50 U	< 50 U
Acetone		2.4 J	< 50 U	2.1 J	< 50 U	1.5 J
Benzene		< 0.7 U	< 0.7 U	< 0.7 U	< 0.7 U	< 0.7 U
Bromobenzene		--	--	--	--	--
Bromodichloromethane		< 5 U	< 5 U	< 5 U	< 5 U	< 5 U
Bromoform		< 5 U	< 5 U	< 5 U	< 5 U	< 5 U
Bromomethane		< 5 U	< 5 U	< 5 U	< 5 U	< 5 U
Carbon Disulfide		< 5 U	< 5 U	< 5 U	< 5 U	< 5 U
Carbon tetrachloride		< 5 U	< 5 U	< 5 U	< 5 U	< 5 U
Chlorobenzene		< 5 U	< 5 U	< 5 U	< 5 U	< 5 U
Chlorobromomethane		--	--	--	--	--
Chlorodifluoromethane (Freon 22)		< 5 U	< 5 U	< 5 U	< 5 U	< 5 U
Chloroethane		< 5 U	< 5 U	< 5 U	< 5 U	< 5 U
Chloroform		< 5 U	< 5 U	< 5 U	< 5 U	< 5 U
Chloromethane		< 5 U	< 5 U	< 5 U	< 5 U	< 5 U
cis-1,2-dichloroethene		< 5 U	< 5 U	< 5 U	< 5 U	< 5 U
cis-1,3-dichloropropene		< 5 U	< 5 U	< 5 U	< 5 U	< 5 U
Dibromochloromethane		< 5 U	< 5 U	< 5 U	< 5 U	< 5 U
Dibromomethane		--	--	--	--	--
Dichlorodifluoromethane (Freon 12)		< 5 U	< 5 U	< 5 U	< 5 U	< 5 U
Ethylbenzene		< 5 U	< 5 U	< 5 U	< 5 U	< 5 U
Hexachloro-1,3-butadiene		--	--	--	--	--
Isopropylbenzene		--	--	--	--	--
Methyl tert-Butyl Ether		--	--	--	--	--
Methylene Chloride		< 5 U	< 5 U	< 5 U	< 5 U	< 5 U
Naphthalene		--	--	--	--	--
n-Butylbenzene		--	--	--	--	--
n-Propylbenzene		--	--	--	--	--
Styrene		< 5 U	< 5 U	< 5 U	< 5 U	< 5 U

Notes on last page

Table 10. Concentrations of Volatile Organic Compounds Detected in Blank Samples, Fourth Quarter 2009, Operable Unit 2, Northrop Grumman Systems Corporation, Bethpage, New York.

Constituent (units in ug/L)	Well ID:	Field Blank ⁽¹⁾	Trip Blank ⁽¹⁾	Trip Blank ⁽¹⁾	Trip Blank ⁽¹⁾	Trip Blank ⁽¹⁾
	Sample ID: Sample Date:	FB110509 11/5/2009	TB 11-16-09 11/16/2009	TB110509 11/5/2009	TB110609 11/6/2009	TB111009 11/9/2009
Tert-butyl Alcohol		--	--	--	--	--
tert-Butylbenzene		--	--	--	--	--
Tetrachloroethene		< 5 U	< 5 U	< 5 U	< 5 U	< 5 U
Toluene		2.1 J	< 5 U	< 5 U	< 5 U	< 5 U
trans-1,2-dichloroethene		< 5 U	< 5 U	< 5 U	< 5 U	< 5 U
trans-1,3-dichloropropene		< 5 U	< 5 U	< 5 U	< 5 U	< 5 U
Trichloroethylene		< 5 U	< 5 U	< 5 U	< 5 U	< 5 U
Trichlorofluoromethane		--	--	--	--	--
Trichlorotrifluoroethane (Freon 113)		< 5 U	< 5 U	< 5 U	< 5 U	< 5 U
Vinyl Chloride		< 2 U	< 2 U	< 2 U	< 2 U	< 2 U
Xylene-o		< 5 U	< 5 U	< 5 U	< 5 U	< 5 U
Xylenes - m,p		0.48 J	< 5 U	< 5 U	< 5 U	< 5 U
Total VOCs		4.98	0	2.1	0	1.5

Notes on last page

Table 10. Concentrations of Volatile Organic Compounds Detected in Blank Samples, Fourth Quarter 2009, Operable Unit 2, Northrop Grumman Systems Corporation, Bethpage, New York.

Constituent (units in ug/L)	Well ID:	Trip Blank ⁽¹⁾	Trip Blank ⁽¹⁾	Trip Blank ⁽²⁾	Trip Blank ⁽²⁾
	Sample ID: Sample Date:	TB11-12-09 11/12/2009	TB11-13-09 11/13/2009	TB-1 111009 11/9/2009	TB111109 11/11/2009
1,1,1,2-Tetrachloroethane		--	--	< 0.5 U	< 0.5 U
1,1,1-Trichloroethane		< 5 U	< 5 U	< 0.5 U	< 0.5 U
1,1,2,2-Tetrachloroethane		< 5 U	< 5 U	< 0.5 U	< 0.5 U
1,1,2-Trichloroethane		< 5 U	< 5 U	< 0.5 U	< 0.5 U
1,1-Dichloroethane		< 5 U	< 5 U	< 0.5 U	< 0.5 U
1,1-Dichloroethene		< 5 U	< 5 U	< 0.5 U	< 0.5 U
1,1-Dichloropropene		--	--	< 0.5 U	< 0.5 U
1,2,3-Trichlorobenzene		--	--	< 0.5 U	< 0.5 U
1,2,3-Trichloropropane		--	--	< 0.5 U	< 0.5 U
1,2,4,Trichlorobenzene		--	--	< 0.5 U	< 0.5 U
1,2,4-Trimethylbenzene		--	--	< 0.5 U	< 0.5 U
1,2-Dibromo-3-Chloropropane		--	--	< 0.5 U	< 0.5 U
1,2-Dibromoethane		--	--	< 0.5 U	< 0.5 U
1,2-Dichlorobenzene		--	--	< 0.5 U	< 0.5 U
1,2-Dichloroethane		< 5 U	< 5 U	< 0.5 U	< 0.5 U
1,2-Dichloropropane		< 5 U	< 5 U	< 0.5 U	< 0.5 U
1,3,5-Trimethylbenzene		--	--	< 0.5 U	< 0.5 U
1,3-Dichloropropane		--	--	< 0.5 U	< 0.5 U
1,3-Dichlorobenzene		--	--	< 0.5 U	< 0.5 U
1,4-Dichlorobenzene		--	--	< 0.5 U	< 0.5 U
2,2-Dichloropropane		--	--	< 0.5 U	< 0.5 U
2-Butanone		< 50 U	< 50 U	--	--
2-Chlorotoluene		--	--	< 0.5 U	< 0.5 U
2-Hexanone		< 50 U	< 50 U	--	--
2-Phenylbutane		--	--	< 0.5 U	< 0.5 U
4-Chlorotoluene		--	--	< 0.5 U	< 0.5 U
4-Isopropyltoluene		--	--	< 0.5 U	< 0.5 U
4-methyl-2-pentanone		< 50 U	< 50 U	--	--
Acetone		< 50 U	< 50 U	--	--
Benzene		< 0.7 U	< 0.7 U	< 0.5 U	< 0.5 U
Bromobenzene		--	--	< 0.5 U	< 0.5 U
Bromodichloromethane		< 5 U	< 5 U	< 0.5 U	< 0.5 U
Bromoform		< 5 U	< 5 U	< 0.5 U	< 0.5 U
Bromomethane		< 5 U	< 5 U	< 0.5 U	< 0.5 U
Carbon Disulfide		< 5 U	< 5 U	--	--
Carbon tetrachloride		< 5 U	< 5 U	< 0.5 U	< 0.5 U
Chlorobenzene		< 5 U	< 5 U	< 0.5 U	< 0.5 U
Chlorobromomethane		--	--	< 0.5 U	< 0.5 U
Chlorodifluoromethane (Freon 22)		< 5 U	< 5 U	--	--
Chloroethane		< 5 U	< 5 U	< 0.5 U	< 0.5 U
Chloroform		< 5 U	< 5 U	< 0.5 U	< 0.5 U
Chloromethane		< 5 U	< 5 U	< 0.5 U	< 0.5 U
cis-1,2-dichloroethene		< 5 U	< 5 U	< 0.5 U	< 0.5 U
cis-1,3-dichloropropene		< 5 U	< 5 U	< 0.5 U	< 0.5 U
Dibromochloromethane		< 5 U	< 5 U	< 0.5 U	< 0.5 U
Dibromomethane		--	--	< 0.5 U	< 0.5 U
Dichlorodifluoromethane (Freon 12)		< 5 U	< 5 U	< 0.5 U	< 0.5 U
Ethylbenzene		< 5 U	< 5 U	< 0.5 U	< 0.5 U
Hexachloro-1,3-butadiene		--	--	< 0.5 U	< 0.5 U
Isopropylbenzene		--	--	< 0.5 U	< 0.5 U
Methyl tert-Butyl Ether		--	--	< 0.5 U	< 0.5 U
Methylene Chloride		< 5 U	< 5 U	< 0.5 U	< 0.5 U
Naphthalene		--	--	< 0.5 U	< 0.5 U
n-Butylbenzene		--	--	< 0.5 U	< 0.5 U
n-Propylbenzene		--	--	< 0.5 U	< 0.5 U
Styrene		< 5 U	< 5 U	< 0.5 U	< 0.5 U

Notes on last page

Table 10. Concentrations of Volatile Organic Compounds Detected in Blank Samples, Fourth Quarter 2009, Operable Unit 2, Northrop Grumman Systems Corporation, Bethpage, New York.


Constituent (units in ug/L)	Well ID:	Trip Blank ⁽¹⁾	Trip Blank ⁽¹⁾	Trip Blank ⁽²⁾	Trip Blank ⁽²⁾
	Sample ID: Sample Date:	TB11-12-09 11/12/2009	TB11-13-09 11/13/2009	TB-1 111009 11/9/2009	TB111109 11/11/2009
Tert-butyl Alcohol		--	--	< 20 U	< 20 U
tert-Butylbenzene		--	--	< 0.5 U	< 0.5 U
Tetrachloroethene		< 5 U	< 5 U	< 0.5 U	< 0.5 U
Toluene		< 5 U	< 5 U	< 0.5 U	< 0.5 U
trans-1,2-dichloroethene		< 5 U	< 5 U	< 0.5 U	< 0.5 U
trans-1,3-dichloropropene		< 5 U	< 5 U	< 0.5 U	< 0.5 U
Trichloroethylene		< 5 U	< 5 U	< 0.5 U	< 0.5 U
Trichlorofluoromethane		--	--	< 0.5 U	< 0.5 U
Trichlorotrifluoroethane (Freon 113)		< 5 U	< 5 U	< 0.5 U	< 0.5 U
Vinyl Chloride		< 2 U	< 2 U	< 0.5 U	< 0.5 U
Xylene-o		< 5 U	< 5 U	< 0.5 U	< 0.5 U
Xylenes - m,p		< 5 U	< 5 U	< 1 U	< 1 U
Total VOCs		0	0	0	0

Notes

- ⁽¹⁾ Sample analysis by CLP Method OLM 4.2.
- ⁽²⁾ Sample analysis by USEPA Method 524.2.


Bold constituent detected

- CLP Contract Laboratory Procedure
- USEPA United States Environmental Protection Agency
- Not Analyzed
- ug/L Micrograms per liter
- VOCs Volatile organic compounds
- J Estimated value



EXPLANATION:

- PROPERTY BOUNDARY OF THE FORMER GRUMMAN AEROSPACE SITE
- - - PROPERTY BOUNDARY OF THE FORMER U.S. NAVY SITE
- +++++ LONG ISLAND RAILROAD
- ▨ DENOTES NORTHROP GRUMMAN OWNED PROPERTY (AS OF 2003)
- ▩ DENOTES FORMER U.S. NAVY OWNED PROPERTY
- ▭ RECHARGE BASIN
- ⊕ WATER TOWER
- ⊕ OBSERVATION/MONITORING WELL
- ▲ INDUSTRIAL WELL
- PUBLIC SUPPLY WELL
- ⊙ IRRIGATION WELL
- ⊙ NORTHROP GRUMMAN OR NAVY PRODUCTION WELL
- ⊙ ABANDONED WELL
- ⊙ COMPLETED OU-2 VERTICAL PROFILE BORING
- ⊙ COMPLETED OU-3 VERTICAL PROFILE BORING
- LINE OF EQUAL POTENTIOMETRIC SURFACE ELEVATION IN FEET RELATIVE TO MEAN SEA LEVEL (DASHED WHERE INFERRER)
- 66 WATER-LEVEL ELEVATION IN FEET RELATIVE TO MEAN SEA LEVEL
- 68-19 HORIZONTAL COMPONENT OF GROUNDWATER FLOW
- OU-2 OPERABLE UNIT 2
- OU-3 OPERABLE UNIT 3




NOTES:

1. NORTHROP GRUMMAN REMEDIAL WELLS 1, 3, 17, 19 AND 19 SCREENED IN DEEP 2 ZONE.
2. BETHPAGE WATER DISTRICT WELL 3876 SCREENED IN DEEP ZONE.
3. BETHPAGE WATER DISTRICT WELLS 6915, 6916 AND 8941 SCREENED IN DEEP 2 ZONE.


NORTHROP GRUMMAN SYSTEMS CORPORATION
OPERABLE UNIT 2

POTENTIOMETRIC SURFACE ELEVATION AND DIRECTION IN THE INTERMEDIATE ZONE, AUGUST 4, 2009




EXPLANATION:

- — — — — PROPERTY BOUNDARY OF THE FORMER GRUMMAN AEROSPACE SITE
- - - - - PROPERTY BOUNDARY OF THE FORMER U.S. NAVY SITE
- +++++ LONG ISLAND RAILROAD
- DENOTES NORTHROP GRUMMAN OWNED PROPERTY (AS OF 2003)
- ▨ DENOTES FORMER U.S. NAVY OWNED PROPERTY
- ▩ RECHARGE BASIN
- ⊕ OBSERVATION/MONITORING WELL
- ▲ INDUSTRIAL WELL
- PUBLIC SUPPLY WELL
- * IRRIGATION WELL
- ⊙ NORTHROP GRUMMAN OR NAVY PRODUCTION WELL
- ⊗ ABANDONED WELL
- COMPLETED OU-2
- VERTICAL PROFILE BORING
- ◌ COMPLETED OU-3
- ◌ VERTICAL PROFILE BORING
- LINE OF EQUAL POTENTIOMETRIC SURFACE ELEVATION IN FEET RELATIVE TO MEAN SEA LEVEL, DENOTES DECREASE IN WATER-LEVEL ELEVATION
- LINE OF EQUAL POTENTIOMETRIC SURFACE ELEVATION IN FEET RELATIVE TO MEAN SEA LEVEL (DASHED WHERE INFERRED)
- WATER-LEVEL ELEVATION IN FEET RELATIVE TO MEAN SEA LEVEL
- (61.73) ANOMALOUS MEASUREMENT
- (AM) HORIZONTAL COMPONENT OF GROUNDWATER FLOW
- OPERABLE UNIT 2
- OPERABLE UNIT 3



NOTES:

1. NORTHROP GRUMMAN REMEDIAL WELLS 1, 3, 17, 18 AND 19 SCREENED IN DEEP ZONE.
2. BETHPAGE WATER DISTRICT WELL 3876 SCREENED IN DEEP ZONE.
3. BETHPAGE WATER DISTRICT WELLS 6915, 6916 AND 8941 SCREENED IN DEEP ZONE.



Total Volatile Organic Compound Concentrations (Southern and Southwestern Site Boundary) in OU2 Remedial Wells and On-Site Monitoring Wells GM-33D2 and GM-73D2 Northrop Grumman Systems Corporation, Bethpage, New York




FIGURE 5

**Total Volatile Organic Compound Concentrations
(Southeastern Site Boundary) in On-Site Deep and Deep2
Monitoring Wells and OU2 Remedial Wells 18 and 19
Northrop Grumman Systems Corporation, Bethpage, New York**




FIGURE 6

**Total Volatile Organic Compound Concentrations in
On-Site Intermediate and Deep Monitoring Wells
Northrop Grumman Systems Corporation, Bethpage, New York**




FIGURE 7

**Total Volatile Organic Compound Concentrations in
Off-Site Deep Monitoring Wells (Southeast of the Site)
Northrop Grumman Systems Corporation, Bethpage, New York**




FIGURE 8



**Total Volatile Organic Compound Concentrations in
Off-Site Deep2 Monitoring Wells (Southeast of the Site)
Northrop Grumman Systems Corporation, Bethpage, New York**




FIGURE 9



**Total Volatile Organic Compound Concentrations in
Off-Site Deep and Deep2 Monitoring Wells (South of the Site)
Northrop Grumman Systems Corporation, Bethpage, New York**




FIGURE 10

**Total Volatile Organic Compound Concentrations in
GM-38 Area (Off-Site) Deep and Deep2 Monitoring Wells
Northrop Grumman System Corporation, Bethpage, New York**




FIGURE 11

**Total Cadmium Concentrations in Monitoring Wells
Near Former Plant 2
Northrop Grumman Systems Corporation, Bethpage, New York**




FIGURE 12



**Total Chromium Concentrations in Monitoring Wells
Near Former Plant 2
Northrop Grumman Systems Corporation, Bethpage, New York**




FIGURE 13



**Total Chromium Concentrations in Monitoring Wells
Near Former Plant 1
Northrop Grumman Systems Corporation, Bethpage, New York**




FIGURE 14



ARCADIS

Appendix A

Groundwater Sampling Logs and
Chain of Custody Records

Water Sampling Log

Project NO RENEW GRUMMAN Project No. NY 001464.0409.00002
 Site Location BETH PAGE NY Date 2-26-09
 Well No. FW-03 Replicate No. _____ Weather _____
 Sampling Personnel GW xpo Sampling Time: Begin 2:40 pm End 2:49 pm

Purge Data

Measuring Point (describe) _____
 Sounded Well Depth (ft bmp) 64.00
 Depth to Water (ft bmp) 53.27
 Depth to Packer (ft bmp) _____
 Water Column in Well (ft) 9.73
 Casing Diameter 2" (0.16)
 Gallons in Well 1.56
 Gallons Purged 23
 Prior to Sampling 4.58
 Pump Intake _____
 Setting (ft bmp) _____
 Packer Pressure (psi) _____
 Pumping Rate (gpm) Q=5 @ 3 min
 Evacuation Method 30" 2" (PDP) DHO
 Sampling Method 30V
 Purge Time Begin 2:40 pm End 2:49 pm

Field Parameters

Color BROWN TINT
 Odor NONE
 Appearance SLIGHTLY TURBID

	1	1V	2V	3V
pH (s.u.)	6.80	6.72	6.86	6.82
Conductivity (mS/cm) or (µmhos/cm) ¹⁾	185.2	182.1	165.2	145.0
Temperature (°C)				14.1
DO (mg/L)				
ORP (mV)				
Turbidity (NTU)				150
Time	2:40	2:43	2:46	2:49
DTW (ft bmp)				

 Remarks: _____

Parameter	Container	No.	Preservative
<u>See LOC</u>	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____

PID Reading _____

Well Casing Volumes				
Gal./Ft.	1 ^{1/4} " = 0.06	2" = 0.16	3" = 0.37	4" = 0.65
	1 ^{1/2} " = 0.09	2-1/2" = 0.26	3-1/2" = 0.50	6" = 1.47

1) Circle one unit type



Water Sampling Log

Project NGC Project No. NY 001464.000 P.0002
 Site Location Bethpage, NY Date 03-03-09
 Well No. BP01-1 Replicate No. REP03-03-09 Weather clear
 Sampling Personnel Pat Proanski, Sunny Xu Sampling Time: Begin 17:18 End 17:59

Purge Data

Measuring Point (describe) TOC
 Sounded Well Depth (ft bmp) 241
 Depth to Water (ft bmp) 27.09
 Depth to Packer (ft bmp) 169
 Water Column in Well (ft) 72
 Casing Diameter 4" (10.65)
 Gallons in Well 46.8
 Gallons Purged x 3
 Prior to Sampling 140
 Pump Intake
 Setting (ft bmp) _____
 Packer Pressure (psi) 111
 Pumping Rate (gpm) _____
 Evacuation Method _____
 Sampling Method _____
 Purge Time Begin 17:18 End 17:59

Field Parameters

Color: colorless
 Odor: odorless
 Appearance: clear

	1	1V	2V	3V
pH (s.u.)	<u>6.26</u>	<u>5.69</u>	<u>5.77</u>	<u>5.76</u>
Conductivity (mS/cm) or (umhos/cm) ¹⁾	<u>64.0</u>	<u>96.8</u>	<u>99.3</u>	<u>99.5</u>
Temperature (°C)	<u>9.8</u>	<u>9.3</u>	<u>9.3</u>	<u>9.4</u>
DO (mg/L)				
ORP (mV)				
Turbidity (NTU)	<u>2.0</u>	<u>3.6</u>	<u>3.0</u>	<u>2.2</u>
DTW (ft bmp)		<u>27.28</u>	<u>27.32</u>	<u>27.30</u>

Remarks:

(169 - 27.09) x 0.43 + 50 = 111 psi

Parameter	Container	No.	Preservative
<u>See COC</u>			

PID Reading _____

Well Casing Volumes

Gal./Ft.	1 ^{1/4} " = 0.06	2" = 0.16	3" = 0.37	4" = 0.65
	1 ^{1/2} " = 0.09	2-1/2" = 0.26	3-1/2" = 0.50	6" = 1.47

1) Circle one unit type

Water Sampling Log

Project NORTHROP-BRUMMAN Project No. N4001464.0409.00002
 Site Location _____ Date 3-4-09
 Well No. BPO10 E3 Replicate No. _____ Weather _____
 Sampling Personnel Gary Williams Sampling Time: Begin _____ End _____

Purge Data

Measuring Point (describe) TDC
 Sounded Well Depth (ft bmp) 419
 Depth to Water (ft bmp) 3035 28.10
 Depth to Packer (ft bmp) 344
 Water Column in Well (ft) 75
 Casing Diameter 4(.65)
 Gallons in Well 48.75
 Gallons Purged
 Prior to Sampling 146.25
 Pump Intake
 Setting (ft bmp) _____
 Packer Pressure (psi) 161.87
 Pumping Rate (gpm) _____
 Evacuation Method _____
 Sampling Method _____
 Purge Time Begin _____ End _____

Field Parameters

Color Colorless
 Odor none
 Appearance clear

	1	1V	2V	3V
pH (s.u.)	6.33	5.67	4.33	4.74
Conductivity (mS/cm) or (µmhos/cm) ¹⁾	156.4	97.9	85.3	82.6
Temperature (°C)	9.6	9.4	9.5	9.9
DO (mg/L)				
ORP (mV)				
Turbidity (NTU)				
Time				
DTW (ft bmp)				

Remarks: 344 - 28.10 = 136.13 x .43 315.90 x .43 + 25 = 161.87

Parameter	Container	No.	Preservative
<u>See DOC</u>			

PID Reading _____

Well Casing Volumes				
Gal./Ft.	1 ^{1/4} " = 0.06	2" = 0.16	3" = 0.37	4" = 0.65
	1 ^{1/2} " = 0.09	2-1/2" = 0.26	3-1/2" = 0.50	6" = 1.47

1) Circle one unit type

Water Sampling Log

 Project NORWARD-BROWMAN Project No. NY001464.0409.00002
 Site Location BETHPAGE NY Date 3-6-09
 Well No. BPOW3-1 Replicate No. _____ Weather _____

 Sampling Personnel GW XC Sampling Time: Begin _____ End _____

Purge Data
Field Parameters

 Measuring Point (describe) _____
 Sounded Well Depth (ft bmp) 516
 Depth to Water (ft bmp) 24.21
 Depth to Packer (ft bmp) 414
 Water Column in Well (ft) 102
 Casing Diameter 4" (0.65)
 Gallons in Well 66.3
 Gallons Purged x 3
 Prior to Sampling 198
 Pump Intake _____
 Setting (ft bmp) _____
 Packer Pressure (psi) 220 PSI
 Pumping Rate (gpm) _____
 Evacuation Method _____
 Sampling Method _____
 Purge Time Begin _____ End _____

 Color COLORED
 Odor NONE
 Appearance CLEAR

	1	1V	2V	3V
pH (s.u.)	4.77	4.75	4.71	4.73
Conductivity (mS/cm) or (µmhos/cm) ¹⁾	95.0	88.3	88.3	88.9
Temperature (°C)	13.3	11.9	11.3	12.4
DO (mg/L)				
ORP (mV)				
Turbidity (NTU)				15
Time				
DTW (ft bmp)				

 Remarks: 414 - 24 = 380 x .43 + 50 = 220 PSI - PACKER PRESSURE


Parameter	Container	No.	Preservative
<u>See GC</u>	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____

PID Reading _____

Well Casing Volumes

Gal./Ft.	1 ^{1/4} " = 0.06	2" = 0.16	3" = 0.37	4" = 0.65
	1 ^{1/2} " = 0.09	2- ^{1/2} " = 0.26	3- ^{1/2} " = 0.50	6" = 1.47

1) Circle one unit type

Water Sampling Log

Project NORTHROP-GRUMMAN Project No. NY001464.0409.000002
 Site Location _____ Date 3-6-09
 Well No. BPOW 3-2 Replicate No. (MS/MSO) + REP030609 Weather _____
 Sampling Personnel Gary Williams Sampling Time: Begin _____ End _____

Purge Data

Measuring Point (describe) TDC
 Sounded Well Depth (ft bmp) _____
 Depth to Water (ft bmp) 25.52
 Depth to Packer (ft bmp) 647.503
 Water Column in Well (ft) 503.144
 Casing Diameter 4 (0.65)
 Gallons in Well 93.6
 Gallons Purged r 3
 Prior to Sampling 280
 Pump Intake _____
 Setting (ft bmp) _____
 Packer Pressure (psi) 260 PSI
 Pumping Rate (gpm) _____
 Evacuation Method _____
 Sampling Method _____
 Purge Time Begin _____ End _____

Field Parameters

Color Colorless
 Odor None
 Appearance Clean

	1	1V	2V	3V
pH (s.u.)	5.43	5.47	5.49	5.50
Conductivity (mS/cm) of (µmhos/cm) ¹⁾	117.1	118.7	80.0	60.6
Temperature (°C)	11.6	11.3	10.9	10.9
DO (mg/L)				
ORP (mV)				
Turbidity (NTU)				14.0
Time				
DTW (ft bmp)				

Remarks:

503 - 25 = 478 (43) + 50 = 2260 PSI

Parameter	Container	No.	Preservative
<u>See WQ</u>			

PID Reading _____

Well Casing Volumes

Gal./Ft.	1 ^{1/4"} = 0.06	2" = 0.16	3" = 0.37	4" = 0.65
	1 ^{1/2"} = 0.09	2-1/2" = 0.26	3-1/2" = 0.50	6" = 1.47

1) Circle one unit type

Water Sampling Log

Project Northrop Grumman Project No. NY001464_0609_0002
 Site Location Bethpage, NY Date 03-13-2009
 Well No. BPOW 4-1 Replicate No. _____ Weather clear
 Sampling Personnel Gary Williams / Sunny Xu Sampling Time: Begin _____ End _____

Purge Data

Measuring Point (describe) TOC
 Sounded Well Depth (ft bmp) stand pipe / screen 62 / 192
 Depth to Water (ft bmp) ~~62~~ ~~652~~
 Depth to Packer (ft bmp) 103 652
 Water Column in Well (ft) 149 40
 Casing Diameter 4 2
 Gallons in Well 96.85 x 3 6.4 x 3
 Gallons Purged 290 19.2
 Prior to Sampling 3.09
 Pump Intake
 Setting (ft bmp) _____
 Packer Pressure (psi) 2.55 PSI
 Pumping Rate (gpm) _____
 Evacuation Method _____
 Sampling Method _____
 Purge Time Begin _____ End _____

Field Parameters

Color Colorless
 Odor None
 Appearance clear

	1	1V	2V	3V
pH (s.u.)	<u>6.50</u>	<u>5.15</u>	<u>5.00</u>	<u>4.88</u>
Conductivity (mS/cm) or (µmhos/cm)	<u>81.4</u>	<u>78.5</u>	<u>60.8</u>	<u>47.4</u>
Temperature (°C)	<u>11.5</u>	<u>10.4</u>	<u>11.4</u>	<u>11.9</u>
DO (mg/L)				
ORP (mV)				
Turbidity (NTU)				
Time				
DTW (ft bmp)				

 Remarks: _____

Parameter	Container	No.	Preservative
<u>see COC</u>	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____

PID Reading _____

Well Casing Volumes

Gal./Ft.	1 ^{1/4} " = 0.06	2" = 0.16	3" = 0.37	4" = 0.65
	1 ^{1/2} " = 0.09	2- ¹ / ₂ " = 0.26	3- ¹ / ₂ " = 0.50	6" = 1.47

1) Circle one unit type

Water Sampling Log

Project Northrop Grumman Project No. NY001464.0409.0000 2
 Site Location Bethpage, NY Date 03-16-09
 Well No. BPOW 4-2 Replicate No. _____ Weather clear
 Sampling Personnel Gary Williams / Sunny Xu. Sampling Time: Begin 11:30 End 4:45

Purge Data

Measuring Point (describe) T0C
 Sounded Well Depth (ft bmp) 764
 Depth to Water (ft bmp) 27.09
 Depth to Packer (ft bmp) 503
 Water Column in Well (ft) 261
 Casing Diameter 4" (0.65)
 Gallons in Well 169.65
 Gallons Purged
 Prior to Sampling 509
 Pump Intake
 Setting (ft bmp) _____
 Packer Pressure (psi) 256
 Pumping Rate (gpm) _____
 Evacuation Method _____
 Sampling Method _____
 Purge Time Begin 11:30 End 4:30

Field Parameters

Color Colorless
 Odor None
 Appearance clear

	I	1V	2V	3V
pH (s.u.)	<u>5.82</u>	<u>4.72</u>	<u>4.51</u>	<u>4.53</u>
Conductivity (mS/cm) or (µmhos/cm)	<u>121.4</u>	<u>106.6</u>	<u>88.2</u>	<u>80.7</u>
Temperature (°C)	<u>14.0</u>	<u>12.2</u>	<u>13.1</u>	<u>12.7</u>
DO (mg/L)				
ORP (mV)				
Turbidity (NTU)				
Time				
DTW (ft bmp)			<u>23.72</u>	<u>23.73</u>

Remarks: (503 - 25.09) x 0.43 + 50 = 256 psi.

Parameter	Container	No.	Preservative
<u>See WOC</u>			

PID Reading _____

Well Casing Volumes			
Gal./Ft.	1 ^{1/4"} = 0.06	2" = 0.16	3" = 0.37
	1 ^{1/2"} = 0.09	2-1/2" = 0.26	3-1/2" = 0.50
			6" = 1.47

1) Circle one unit type



Low-Flow Groundwater Sampling Log

Project NGC
 Project Number NY001464.0A09.00002 Site Location Bethpage NY Well ID EM-13D
 Date 02-26-09 Sampled By Gary Williams / Sunny Xu
 Sampling Time 18:13 Recorded By Sunny Xu
 Weather _____ Coded Replicate No. REP 02-26-09 MS/MSD

Instrument Identification
 Water Quality Meter(s) _____ Serial # _____
 Casing Material _____ Purge Method _____
 Casing Diameter 6" Screen Interval (ft bmp) Top 200 Bottom 210
 Sounded Depth (ft bmp) _____ Pump Intake Depth (ft bmp) _____
 Depth to Water (ft bmp) 43.40 Purge Time Start 17:13 Finish 18:13

Field Parameter Measurements During Purging

Time	Minutes Elapsed	Flow Rate (mL/min)	Volume Purged	Temp (°C)	pH (s.u.)	Conductivity (umhos or mS/cm) ¹⁾	ORP (mV)	DO (mg/L)	Turbidity (NTU)	Depth to Water (ft bmp)
17:13	0			9.3	6.82	100.2	116	48.3		43.40
17:18	5			11.8	5.91	91.3	127	7.9		
17:23	10			12.6	5.86	90	127	4.8		43.45
17:28	15			12.7	5.86	90.4	126	4.6		
17:33	20			12.7	5.86	90.7	128	4.7		43.45
17:38	25			12.8	5.84	90.7	129	4.6		
17:43	30			12.8	5.84	90.7	124	5.4		43.45
17:48	35			12.8	5.83	90.9	131	5.3		
17:53	40			12.7	5.84	91.1	132	5.2		43.45
17:58	45			12.8	5.83	91.1	132	5.2		
18:03	50			12.8	5.83	91.1	132	5.2		43.45
18:08	55			12.8	5.83	91.2	133	5.3		
18:13	60			12.8	5.83	91.2	133	5.2		43.45

Collected Sample Condition Color colorless Odor odorless Appearance clear
 Parameter See DOC Container _____ No. _____ Preservative _____

PID Reading _____
 Comments _____

1) Circle one unit type

Water Sampling Log

 Project NORTHROP-BROWN MAN Project No. N9001464.0409.0002
 Site Location BETHPAGE NH Date 2-27-09
 Well No. GM-155R Replicate No. _____ Weather _____
 Sampling Personnel GW XX Sampling Time: Begin 3:15 End 3:55
Purge Data

 Measuring Point (describe) _____
 Sounded Well Depth (ft bmp) 80
 Depth to Water (ft bmp) 42.05
 Depth to Packer (ft bmp) _____
 Water Column in Well (ft) 37.95
 Casing Diameter 4 (0.65)
 Gallons in Well 24.66
 Gallons Purged 75
 Prior to Sampling _____
 Pump Intake _____
 Setting (ft bmp) _____
 Packer Pressure (psi) _____
 Pumping Rate (gpm) Q=2.5 | V=10ml
 Evacuation Method _____
 Sampling Method _____
 Purge Time Begin 3:25 End 3:55
Field Parameters

 Color COLORLESS
 Odor NONE
 Appearance CLEAR

	1	1V	2V	3V
pH (s.u.)	<u>6.13</u>	<u>5.90</u>	<u>5.82</u>	<u>5.80</u>
Conductivity (mS/cm) or (µmhos/cm) ¹⁾	<u>405</u>	<u>154.6</u>	<u>121.3</u>	<u>117.1</u>
Temperature (°C)	<u>13.6</u>	<u>14.2</u>	<u>14.1</u>	<u>14.1</u>
DO (mg/L)				
ORP (mV)				
Turbidity (NTU)				<u>2.8</u>
Time	<u>3:25</u>	<u>3:35</u>	<u>3:45</u>	<u>3:55</u>
DTW (ft bmp)				

 Remarks: _____

Parameter	Container	No.	Preservative
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____

PID Reading _____

Well Casing Volumes				
Gal./Ft.	1 ^{1/4"} = 0.06	2" = 0.16	3" = 0.37	4" = 0.65
	1 ^{1/2"} = 0.09	2-1/2" = 0.26	3-1/2" = 0.50	6" = 1.47

1) Circle one unit type

Water Sampling Log

 Project N-Grimmer 002 Project No. NY001492.0409.00002
 Site Location Bethpage, NY Date 3/31/09
 Well No. GM-15 I Replicate No. NA Weather clear 50's F
 Sampling Personnel Prezorski Sampling Time: Begin 17:00 End 19:21

Purge Data		Field Parameters				
Measuring Point (describe)	<u>TOC</u>	Color	<u>colorless</u>	<u>colorless</u>	<u>colorless</u>	<u>colorless</u>
Sounded Well Depth (ft bmp)	<u>105</u>	Odor	<u>None</u>	<u>None</u>	<u>None</u>	<u>None</u>
Depth to Water (ft bmp)	<u>41.92</u>	Appearance	<u>clear</u>	<u>clear</u>	<u>clear</u>	<u>clear</u>
Depth to Packer (ft bmp)	<u>94</u>					
Water Column in Well (ft)	<u>11</u>					
Casing Diameter	<u>4" (0.65)</u>	pH (s.u.)	<u>6.08</u>	<u>5.75</u>	<u>5.72</u>	<u>5.64</u>
Gallons in Well	<u>7.15</u>	Conductivity	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>
Gallons Purged	<u>43</u>	(mS/cm) or	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>
Prior to Sampling	<u>22</u>	(µmhos/cm) ¹⁾	<u>132.2</u>	<u>137.0</u>	<u>134.6</u>	<u>136.4</u>
Pump Intake		Temperature (°C)	<u>17.4</u>	<u>16.8</u>	<u>16.6</u>	<u>16.3</u>
Setting (ft bmp)		DO (mg/L)	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>
Packer Pressure (psi)	<u>75</u>	ORP (mV)	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>
Pumping Rate (gpm)		Turbidity (NTU)	<u>—</u>	<u>7.25</u>	<u>8.47</u>	<u>6.63</u>
Evacuation Method	<u>Dedicated bladder/pack</u>	Time	<u>17:35</u>	<u>17:57</u>	<u>19:21</u>	
Sampling Method		DIW (ft bmp)	<u>—</u>	<u>6 x 2</u>	<u>2 x 2</u>	<u>2 x 2</u>
Purge Time	Begin <u>17:12</u> End <u>—</u>					

 Remarks: PSI = 94 - 41.92 x .43 + 50 = 75 PSI rounded up
~~* Due to power outage well 19 not running~~

Parameter	Container	No.	Preservative
<u>See COC</u>			

PID Reading _____

Well Casing Volumes				
Gal./Ft.	1 ^{1/4"} = 0.06	2" = 0.16	3" = 0.37	4" = 0.65
	1 ^{1/2"} = 0.09	2-1/2" = 0.26	3-1/2" = 0.50	6" = 1.47

1) Circle one unit type



Low-Flow Groundwater Sampling Log

Project NORTHROP-GRUMMAN
 Project Number NY001469.0409.00002 Site Location BETHPAGE NY Well ID GM-15D
 Date 2-27-09 Sampled By Gary Williams
 Sampling Time 3:30 pm Recorded By Gary Williams
 Weather _____ Coded Replicate No. N/A

Instrument Identification
 Water Quality Meter(s) _____ Serial # _____
 Casing Material _____ Purge Method _____
 Casing Diameter 4" Screen Interval (ft bmp) Top 332 Bottom 342
 Sounded Depth (ft bmp) _____ Pump Intake Depth (ft bmp) _____
 Depth to Water (ft bmp) 44.22 Purge Time Start 2:30 pm Finish 3:30 pm

Field Parameter Measurements During Purging

Time	Minutes Elapsed	Flow Rate (mL/min)	Volume Purged	Temp (°C)	pH (s.u.)	Conductivity (µmhos or mS/cm) 1)	ORP (mV)	DO (mg/L)	Turbidity (NTU)	Depth to Water (ft bmp)
2:30		450		13.4	5.35	71.4	165	10.42		44.22
2:35				13.3	5.16	81.7	167	10.41		
2:40			14.1	4.93	98.5	176	10.42			
2:45			14.1	4.91	98.5	177	10.43			
2:50			14.1	4.93	98.3	174	10.45			
2:55			14.0	4.94	98.5	173	10.57			
3:00			14.0	4.92	98.7	173	10.58			
3:05			14.0	4.93	98.7	173	10.47		44.22	
3:10			13.9	4.93	98.8	173	10.49			
3:15			13.9	4.93	98.8	173	10.53			
3:20			13.8	4.93	99.0	173	10.54			
3:25			14.0	4.90	99.0	177	10.13	50		
3:30			14.0	4.93	99.1	177	9.98	8.4	44.22	

Collected Sample Condition Color colorless Odor none Appearance clear
 Parameter see COC Container _____ No. _____ Preservative _____

PID Reading _____
 Comments _____

1) Circle one unit type



Infrastructure, environment, facilities

Low-Flow Groundwater Sampling Log

Project NORTHROP - GRUMMAN
 Project Number N400144.0409.0002 Site Location BETHPAGE NY Well ID GM-15D-2
 Date 2-27-09 Sampled By GW Gary Williams
 Sampling Time 2:10 pm Recorded By GW
 Weather _____ Coded Replicate No. _____

Instrument Identification

Water Quality Meter(s) _____ Serial # _____

Casing Material _____ Purge Method LOWFLOW
 Casing Diameter 4" Screen Interval (ft bmp) Top 536 Bottom 556
 Sounded Depth (ft bmp) _____ Pump Intake Depth (ft bmp) _____
 Depth to Water (ft bmp) 46.78 Purge Time Start 1:10 pm Finish 2:10 pm

PTOES
 25W
 26TH
 27F

Field Parameter Measurements During Purging

Time	Minutes Elapsed	Flow Rate (mL/min)	Volume Purged	Temp (°C)	pH (s.u.)	Conductivity (umhos or µS/cm)	ORP (mV)	DO (mg/L)	Turbidity (NTU)	Depth to Water (ft bmp)
1:10		450		13.3	5.29	120.1	163	8.02		46.78
1:15		↓		13.4	5.28	115.7	162	8.27		
1:20			13.4	5.30	108.2	163	8.38			
1:25			13.6	5.27	88.1	160	9.02		46.79	
1:30			13.7	5.26	82.6	161	9.30			
1:35			13.7	5.25	79.4	156	9.65			
1:40			13.7	5.24	74.7	158	9.96			
1:45			13.9	5.25	71.9	163	10.21			
1:50			13.9	5.24	71.7	163	10.23			
1:55			13.9	5.23	70.3	160	10.35		46.75	
2:00			13.9	5.25	68.6	167	10.45			
2:05			13.9	5.26	68.6	166	10.45			
2:10			13.9	5.25	68.5	166	10.45			

Collected Sample Condition Color COLORLESS Odor NONE Appearance CLEAR
 Parameter See COC Container _____ No. _____ Preservative _____

PID Reading _____
 Comments _____

1) Circle one unit type



Low-Flow Groundwater Sampling Log

Project NORTHROP - GRUMMAN
 Project Number NYS01464.0409.00003 Site Location BETHPAGE NY Well ID GM-17E
 Date 2-17-09 Sampled By GW
 Sampling Time 5:25 PM Recorded By GW
 Weather CLEAR 40° Coded Replicate No. _____

Instrument Identification

Water Quality Meter(s) _____ Serial # _____
 Casing Material _____ Purge Method LOWFLOW
 Casing Diameter 4" Screen Interval (ft bmp) Top 100 Bottom 120
 Sounded Depth (ft bmp) _____ Pump Intake Depth (ft bmp) _____
 Depth to Water (ft bmp) 42.69 Purge Time Start 4:40 PM Finish 5:25 PM

Field Parameter Measurements During Purging

Time	Minutes Elapsed	Flow Rate (mL/min)	Volume Purged	Temp (°C)	pH (s.u.)	Conductivity (umhos or mS/cm) ¹⁾	ORP (mV)	DO (mg/L)	Turbidity (NTU)	Depth to Water (ft bmp)
4:40		450		7.5	6.00	86.1	144	8.89		42.69
4:45		↓		8.3	6.20	86.0	139	8.93		
4:50			8.4	6.22	86.2	137	8.79			
4:55			8.4	6.24	85.9	135	8.79			
5:00			8.4	6.24	85.8	134	8.78		42.72	
5:05			8.3	6.24	85.4	133	8.86			
5:10			8.2	6.24	85.4	133	8.79			
5:15			8.2	6.24	85.0	133	8.91			
5:20			8.1	6.24	85.0	132	8.96			
5:25			8.1	6.25	84.6	132	8.92			

Collected Sample Condition _____ Color COLORLESS Odor NONE Appearance CLEAR
 Parameter _____ Container _____ No. _____ Preservative _____

PID Reading —

Comments _____

1) Circle one unit type



Low-Flow Groundwater Sampling Log

Project NORTHEOP-GRUMMAN
 Project Number N4001441.0409.00002 Site Location BETHPAGE Well ID GM-17D
 Date 2-17-09 Sampled By GW
 Sampling Time 4:30 pm Recorded By GW
 Weather ☉ CLEAR 40° Coded Replicate No. _____

Instrument Identification

Water Quality Meter(s) _____ Serial # _____

Casing Material _____ Purge Method LOW FLOW
 Casing Diameter 4" Screen Interval (ft bmp) Top 278 Bottom 298
 Sounded Depth (ft bmp) _____ Pump Intake Depth (ft bmp) _____
 Depth to Water (ft bmp) 46.72 Purge Time Start 3:30 pm Finish 4:30 pm

Field Parameter Measurements During Purging

Time	Minutes Elapsed	Flow Rate (mL/min)	Volume Purged	Temp (°C)	pH (s.u.)	Conductivity (umhos or mS/cm) ¹⁾	ORP (mV)	DO (mg/L)	Turbidity (NTU)	Depth to Water (ft bmp)
3:30		450		8.8	5.28	148.8	107	8.48		46.72
3:35				9.4	5.34	136.5	88	6.94		
3:40				9.7	5.32	132.5	95	6.67		46.75
3:45				9.9	5.34	124.7	108	6.82		
3:50				9.9	5.35	121.6	117	7.04		
3:55				10.1	5.34	118.5	127	6.91		
4:00				10.1	5.35	115.4	138	6.86		46.73
4:05				9.9	5.34	113.6	139	6.99		
4:10				9.9	5.36	111.2	141	6.97		
4:15				9.9	5.34	110.4	142	7.00		
4:20				9.7	5.36	108.7	146	7.01		
4:25				9.6	5.35	105.6	147	7.03		
4:30				9.7	5.35	100.1	149	7.04	10	

Collected Sample Condition _____ Color Colorless Odor None Appearance CLEAR
 Parameter _____ Container _____ No. _____ Preservative _____

PID Reading —

Comments _____

1) Circle one unit type

Water Sampling Log

Project N-Grummer 012 Project No. NY001492.0409.0002
 Site Location Bethpage, NY Date 3/31/09
 Well No. GM-18 I Replicate No. NA Weather 60°F clear
 Sampling Personnel Prezorski Sampling Time: Begin 1513 End 1515

Purge Data

Measuring Point (describe) TOC
 Sounded Well Depth (ft bmp) 105
 Depth to Water (ft bmp) 39.43
 Depth to Packer (ft bmp) 94
 Water Column in Well (ft) 11
 Casing Diameter 4" (0.65)
 Gallons in Well 7.15
 Gallons Purged x3
 Prior to Sampling 22
 Pump Intake
 Setting (ft bmp) _____
 Packer Pressure (psi) 75
 Pumping Rate (gpm) _____
 Evacuation Method Dedicated bladder pump
 Sampling Method _____
 Purge Time Begin 1409 End 1511

Field Parameters

	1	1V	2V	3V
Color	colorless	colorless	colorless	colorless
Odor	None	None	None	None
Appearance	clear with black specks	clear	clear	clear
pH (s.u.)	5.59	5.66	5.54	5.67
Conductivity (mS/cm) or (µmhos/cm)	229	254	256	257
Temperature (°C)	18.0	19.3	19.6	20.6
DO (mg/L)	—	—	—	—
ORP (mV)	—	—	—	—
Turbidity (NTU)	8.98	6.73	5.40	9.71
Time	—	1432	1452	1511
DTW (ft bmp)	—	425	425	425

Remarks: PSI = 94 - DTW x .43 + 50 = 75
(39.43)

Dropped well key down well 425ml per pulse

Parameter	Container	No.	Preservative
<u>See TOC</u>	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____

PID Reading _____

Well Casing Volumes

Gal./Ft.	1 ^{1/4} " = 0.06	2" = 0.16	3" = 0.37	<u>4" = 0.65</u>
	1 ^{1/2} " = 0.09	2-1/2" = 0.26	3-1/2" = 0.50	6" = 1.47

1) Circle one unit type



Low-Flow Groundwater Sampling Log

Project: Grammar 012
 Project Number: NY 00 149210409.000 Site Location: Bethpage, NY Well ID: GM-180
 Date: 4/1/09 Sampled By: GW
 Sampling Time: _____ Recorded By: GW
 Weather: 40% Light Rain Coded Replicate No.: NA

Instrument Identification

Water Quality Meter(s): _____ Serial #: _____
 Casing Material: _____ Purge Method: Low Flow / ~~Per~~ Dedicated bladder
 Casing Diameter: _____ Screen Interval (ft bmp): Top _____ Bottom _____
 Sounded Depth (ft bmp): _____ Pump Intake Depth (ft bmp): _____
 Depth to Water (ft bmp): _____ Purge Time: Start _____ Finish _____

Field Parameter Measurements During Purging

Time	Minutes Elapsed	Flow Rate (mL/min)	Volume Purged	Temp (°C)	pH (s.u.)	Conductivity (umhos or mS/cm) ¹⁾	ORP (mV)	DO (mg/L)	Turbidity (NTU)	Depth to Water (ft bmp)
1850				12.7	8.31	282	141	6.39		
1855				12.8	8.27	162.5	136	6.51		42.70
1900				12.9	7.89	136.6	104	6.67		
1905				12.8	7.10	113.2	102	6.99		42.69
1910				12.9	6.61	108.8	109	6.91		
1915				12.9	6.47	102.1	114	7.05		42.69
1920				12.6	6.59	100.0	125	6.99		
19:25				12.6	5.85	99.3	127	7.08		
19:30				12.2	5.65	97.1	146	7.02		
19:35				12.1	5.65	97.0	145	6.86		42.69
19:40				12.3	5.59	96.0	136	6.63		
19:45				12.3	5.59	96.0	136	6.72		
19:50				12.3	5.59	96	136	6.72		42.68

Collected Sample Condition: _____ Color: COLORLESS Odor: NOSE Appearance: CLEAR
 Parameter: _____ Container: _____ No.: _____ Preservative: _____

PID Reading: _____

Comments: _____

1) Circle one unit type

Water Sampling Log

Project NORTHROP-GRUMMAN Project No. NY 001497.0009.00002
 Site Location BETHPAGE Date 3-21-09
 Well No. GM-20E Replicate No. _____ Weather _____
 Sampling Personnel Gary Williams Sampling Time: Begin 4:45 End 4:55

Purge Data		Field Parameters			
Measuring Point (describe)	<u>TOC</u>	Color	<u>Colorless</u>		
Sounded Well Depth (ft bmp)	<u>105</u>	Odor	<u>none</u>		
Depth to Water (ft bmp)	_____	Appearance	<u>clear</u>		
Depth to Packer (ft bmp)	<u>94</u>				
Water Column in Well (ft)	<u>11</u>				
Casing Diameter	<u>4 (0.65)</u>	pH (s.u.)	<u>11.06</u>	<u>11.36</u>	<u>11.21</u>
Gallons in Well	<u>7.15</u>	Conductivity			
Gallons Purged	<u>x 3</u>	(mS/cm) or			
Prior to Sampling	<u>21.45</u>	(µmhos/cm) ¹⁾	<u>1119</u>	<u>101</u>	<u>128.3</u>
Pump Intake		Temperature (°C)	<u>10.6</u>	<u>10.8</u>	<u>11.6</u>
Setting (ft bmp)	_____	DO (mg/L)			
Packer Pressure (psi)	<u>80PSE</u>	ORP (mV)			
Pumping Rate (gpm)	_____	Turbidity (NTU)			<u>4.4</u>
Evacuation Method	_____	Time			
Sampling Method	_____	DTW (ft bmp)			
Purge Time	Begin <u>4:45</u> End <u>4:55</u>				

Remarks: 94 - 32.82 x .43 + 50 = 2 80PSE
5 GAL PADS IIII

Parameter	Container	No.	Preservative
<u>See TOC</u>	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____

PID Reading _____

Well Casing Volumes				
Gal./Ft.	1 ^{1/4"} = 0.06	2" = 0.16	3" = 0.37	4" = 0.65
	1 ^{1/2"} = 0.09	2-1/2" = 0.26	3-1/2" = 0.50	6" = 1.47

1) Circle one unit type

Water Sampling Log

Project NORTHROP-GRIFFITH Project No. NY 0014920609.00002
 Site Location _____ Date 3-21-09
 Well No. GM-200 Replicate No. _____ Weather _____
 Sampling Personnel GW Sampling Time: Begin 2:30 pm End 3:00 pm

Purge Data

Measuring Point (describe) TOC
 Sounded Well Depth (ft bmp) 226
 Depth to Water (ft bmp) ~~225~~ 36.15
 Depth to Packer (ft bmp) 215
 Water Column in Well (ft) 11
 Casing Diameter 4 (0.65)
 Gallons in Well 7.15
 Gallons Purged x 3
 Prior to Sampling 21.45
 Pump Intake _____
 Setting (ft bmp) _____
 Packer Pressure (psi) 130 PSI
 Pumping Rate (gpm) _____
 Evacuation Method _____
 Sampling Method _____
 Purge Time Begin 2:30 pm End 3:00 pm

Field Parameters

Color Colorless
 Odor none
 Appearance clear

	1	1V	2V	3V
pH (s.u.)	7.38	7.26	7.30	6.66
Conductivity (mS/cm) or (µmhos/cm) ¹⁾	196.7	87.2	75.2	68.4
Temperature (°C)	9.4	11.3	16.3	11.7
DO (mg/L)				
ORP (mV)				
Turbidity (NTU)				.80
Time				
DTW (ft bmp)				

Remarks:

215 - 36.15 x .43 + 50 = ~ 130 PSI
5 GAL PADS 11/1 1/2

Parameter	Container	No.	Preservative
<u>See COC</u>	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____

PID Reading _____

Well Casing Volumes			
Gal./Ft.	1 ^{1/4} " = 0.06	2" = 0.16	3" = 0.37
	1 ^{1/2} " = 0.09	2-1/2" = 0.26	3-1/2" = 0.50
			6" = 1.47

1) Circle one unit type

Water Sampling Log

Project N-Gumman 002 Project No. NY001492.0409.00002
 Site Location Bethpage, NY Date 3/29/09
 Well No. GM-215 Replicate No. NA Weather _____
 Sampling Personnel Williams/Probst Sampling Time: Begin 1537 End 1550

Purge Data	Field Parameters			
	1	1V	2V	3V
Measuring Point (describe) <u>TOC</u>	Color <u>Brown</u>	<u>colorless</u>	<u>colorless</u>	<u>colorless</u>
Sounded Well Depth (ft bmp) <u>67.0</u>	Odor <u>None</u>	<u>None</u>	<u>None</u>	<u>None</u>
Depth to Water (ft bmp) <u>32.88</u>	Appearance <u>Turbid</u>	<u>clear</u>	<u>clear</u>	<u>clear</u>
Depth to Packer (ft bmp) _____				
Water Column in Well (ft) <u>546.3412</u>	pH (s.u.) <u>7.09</u>	<u>7.31</u>	<u>7.01</u>	<u>7.40</u>
Casing Diameter <u>2" (0.16)</u>	Conductivity _____	_____	_____	_____
Gallons in Well <u>5.46</u>	(mS/cm) or _____	_____	_____	_____
Gallons Purged _____	(µmhos/cm) ¹⁾ <u>129.6</u>	<u>129.2</u>	<u>93.7</u>	<u>176.9</u>
Pump Intake _____	Temperature (°C) <u>9.90</u>	<u>10.6</u>	<u>8.8</u>	<u>9.4</u>
Setting (ft bmp) _____	DO (mg/L) _____	_____	_____	_____
Packer Pressure (psi) _____	ORP (mV) _____	_____	_____	_____
Pumping Rate (gpm) <u>2</u>	Turbidity (NTU) _____	_____	_____	_____
Evacuation Method <u>3 w/v Red-Flow pump</u>	Time <u>1537</u>	<u>1540</u>	<u>1543</u>	<u>1546</u>
Sampling Method <u>Red-Flow pump</u>	DTW (ft bmp) _____	_____	_____	_____
Purge Time Begin <u>1537</u> End <u>1546</u>				

Remarks: Q = 2 T = 8.5 1V = 3

Parameter	Container	No.	Preservative
<u>see coc</u>	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____

PID Reading Rainy

Well Casing Volumes				
Gal./Ft.	1 ^{1/4} " = 0.06	<u>2" = 0.16</u>	3" = 0.37	4" = 0.65
	1 ^{1/2} " = 0.09	2- ¹ / ₂ " = 0.26	3- ¹ / ₂ " = 0.50	6" = 1.47

1) Circle one unit type

Water Sampling Log

Project NDP-TRIP-GRUMMAN Project No. Ny 001492.0409.00002
 Site Location _____ Date 3-4-09
 Well No. Gm-2/E Replicate No. _____ Weather _____
 Sampling Personnel Williams Sampling Time: Begin 5:00 End _____

Purge Data	Field Parameters
Measuring Point (describe) _____	Color <u>COLORLESS</u>
Sounded Well Depth (ft bmp) <u>140</u>	Odor <u>NOV</u>
Depth to Water (ft bmp) _____	Appearance <u>CLEAR</u>
Depth to Packer (ft bmp) <u>129</u>	
Water Column in Well (ft) <u>11</u>	
Casing Diameter <u>4 (0.65)</u>	pH (s.u.)
Gallons in Well <u>7.15</u>	
Gallons Purged	
Prior to Sampling <u>21.45</u>	
Pump Intake	
Setting (ft bmp) _____	
Packer Pressure (psi) <u>90</u>	
Pumping Rate (gpm) _____	
Evacuation Method _____	
Sampling Method _____	
Purge Time Begin _____ End _____	

	1	1V	2V	3V
pH (s.u.)	10.05	10.21	10.13	10.04
Conductivity (mS/cm) or (µmhos/cm) ¹⁾	98.3	102.0	98.2	95.6
Temperature (°C)	10.5	10.9	11.8	11.0
DO (mg/L)				
ORP (mV)				
Turbidity (NTU)				
Time				
DTW (ft bmp)				

Remarks: 56 GAL PABLS IIII

Parameter	Container	No.	Preservative

PID Reading _____

Well Casing Volumes				
Gal./Ft.	1 ^{1/4} " = 0.06	2" = 0.16	3" = 0.37	4" = 0.65
	1 ^{1/2} " = 0.09	2-1/2" = 0.26	3-1/2" = 0.50	6" = 1.47

1) Circle one unit type

Low-Flow Groundwater Sampling Log

Project Number: NY 201464.0409. aw2 Task: _____ Well ID: GM-33D2
 Date: 03-17-09 Sampled By: Gary Williams / Sunny Xu
 Sampling Time: 17:06 Recorded By: Sunny Xu
 Weather: Sunny Coded Replicate No.: _____

Instrument Identification
 Water Quality Meter(s): _____ Serial #: _____

Purging Information

Casing Material: _____ Purge Method: _____
 Casing Diameter: 4" Screen Interval (ft bmp): Top 50 Bottom 520
 Sounded Depth (ft bmp): _____ Pump Intake Depth (ft bmp): _____
 Depth to Water (ft bmp): 46.99 Purge time Start: 16:04 PM Finish: 17:04

Field Parameter Measurements Taken During Purging

Time	Minutes Elapsed	Rate (mL/min)	Volume Purged	Temp (°C)	pH (SI Units)	Spec. Cond. $\mu S/cm$ (mS/cm)	ORP (mV)	DO (mg/L)	Turbidity (NTU)	Depth to Water (ft bmp)	Comments
16:04		450		11.6	7.27	80.0	59	7.34		46.99	
16:09	5			12.1	7.22	80.4	63	6.38			
16:14	10			12.6	7.22	77.6	66	6.15		47.00	
16:19	15			12.7	7.12	76.1	70	5.92			
16:24	20			12.7	7.05	75.0	74	5.87			
16:29	25			12.6	7.00	74.6	77	5.85		47.00	
16:34	30			12.6	6.96	74.0	81	5.82			
16:39	35			12.6	6.92	73.7	83	5.92		47.00	
16:44	40			12.5	6.93	73.3	87	5.93			
16:49	45			12.5	6.95	73.2	88	5.93		47.00	
16:54	50			12.5	6.97	73.0	90	5.94			
16:59	55			12.5	6.97	73.0	92	6.00		47.00	
17:04	60			12.5	6.80	72.8	97	6.09	2.2		

Sample Condition Color: Colorless Odor: NONE Appearance: CLEAR
 Sample Collection Parameter: See CQC Container: _____ No. _____ Preservative: _____

PID Reading _____
 Comments _____



Low-Flow Groundwater Sampling Log

Project Northrop Grumman
 Project Number NY021164-0409.00002 Site Location Bethpage, NY Well ID GM-34D
 Date 02-25-09 Sampled By Gary Williams / Sunny Xu
 Sampling Time 2:35 pm Recorded By _____
 Weather cloudy Coded Replicate No. _____

Instrument Identification
 Water Quality Meter(s) _____ Serial # _____

Casing Material _____ Purge Method _____
 Casing Diameter 2" Screen Interval (ft bmp) Top 309 Bottom 319
 Sounded Depth (ft bmp) _____ Pump Intake Depth (ft bmp) _____
 Depth to Water (ft bmp) 10.94 Purge Time Start 1:35 pm Finish 2:35 pm

Field Parameter Measurements During Purging

Time	Minutes Elapsed	Flow Rate (mL/min)	Volume Purged	Temp (°C)	pH (s.u.)	Conductivity (umhos or μ S/cm)	ORP (mV)	DO (mg/L)	Turbidity (NTU)	Depth to Water (ft bmp)
1:35				11.0	7.12	167.9	179	13.14		10.94
1:40				11.6	7.53	140.6	162	13.08		
1:45				12.1	7.85	127.3	146	13.02		11.08
1:50				12.4	8.54	123.0	127	12.92		
1:55				12.4	9.97	123.6	120	12.65		11.02
2:00				12.3	9.70	129.6	52	12.32		
2:05				12.2	9.04	130.5	71	12.04		11.02
2:10				12.5	8.21	127.9	87	12.82		
2:15				12.5	7.85	124.9	88	11.66		11.02
2:20				12.5	7.51	122.1	84	11.41		
2:25				12.4	7.33	119.4	81	11.10		11.02
2:30				12.4	7.21	117.4	76	10.86		
2:35				12.5	7.13	115.7	73	10.67		11.02

Collected Sample Condition Color _____ Odor _____ Appearance _____
 Parameter Container No. Preservative

PID Reading _____

Comments _____

1) Circle one unit type



Low-Flow Groundwater Sampling Log

Project NGC
 Project Number N1001464.0409.0002 Site Location Bethpage, NY Well ID GM-34 D2
 Date 02-25-09 Sampled By Gary Williams / Sunny Xu
 Sampling Time 16:05 Recorded By Sunny Xu
 Weather cloudy Coded Replicate No. N/A

Instrument Identification
 Water Quality Meter(s) _____ Serial # _____
 Casing Material _____ Purge Method _____
 Casing Diameter 4" Screen Interval (ft bmp) Top 510 Bottom 520
 Sounded Depth (ft bmp) _____ Pump Intake Depth (ft bmp) _____
 Depth to Water (ft bmp) 13.51 Purge Time Start 15:05 Finish 16:05

Field Parameter Measurements During Purging

Time	Minutes Elapsed	Flow Rate (mL/min)	Volume Purged	Temp (°C)	pH (s.u.)	Conductivity (umhos or mS/cm) ¹⁾	ORP (mV)	DO (mg/L)	Turbidity (NTU)	Depth to Water (ft bmp)
15:05	0			9.2	7.66	97.2	92	10.64		13.51
15:10	5			10.4	7.57	77.8	75	10.90		
15:15	10			10.6	7.59	73.5	72	11.02		13.51
15:20	15			10.7	7.63	72.9	67	11.06		
15:25	20			11.0	7.63	72.4	65	11.18		13.51
15:30	25			10.9	7.67	72.3	61	11.13		
15:35	30			10.3	7.71	71.7	59	11.16		13.53
15:40	35			10.4	7.71	70.5	56	11.00		
15:45	40			10.6	7.53	70.8	55	11.01		13.51
15:50	45			10.6	7.52	74.0	46	11.10		
15:55	50			10.5	6.86	74.3	51	11.08		13.51
16:00	55			10.2	6.66	72.8	64	10.96		
16:05	60			10.2	6.63	72.5	69	10.94		13.51

Collected Sample Condition Color colorless Odor odorless Appearance clear
 Parameter Container No. Preservative

PID Reading _____
 Comments _____

1) Circle one unit type

Water Sampling Log

Project NORTHROP-GRUMMAN Project No. NY001492.0409.00002
 Site Location _____ Date 3-23-09
 Well No. GM 35D-2 Replicate No. _____ Weather _____
 Sampling Personnel GW Sampling Time: Begin 12:00 End 13:00

Purge Data

Measuring Point (describe) TDC
 Sounded Well Depth (ft bmp) _____
 Depth to Water (ft bmp) 530
 Depth to Packer (ft bmp) 507
 Water Column in Well (ft) 23
 Casing Diameter 4" (0.65)
 Gallons in Well 14.95
 Gallons Purged x 3
 Prior to Sampling 45
 Pump Intake _____
 Setting (ft bmp) _____
 Packer Pressure (psi) 250
 Pumping Rate (gpm) _____
 Evacuation Method _____
 Sampling Method _____
 Purge Time Begin 12:05 End 13:00

Field Parameters

Color Colorless
 Odor none
 Appearance clear

	1	1V	2V	3V
pH (s.u.)	<u>7.09</u>	<u>7.09</u>	<u>6.99</u>	<u>6.98</u>
Conductivity (mS/cm) or (µmhos/cm) ¹⁾	<u>1333</u>	<u>127.9</u>	<u>125</u>	<u>1248</u>
Temperature (°C)	<u>15.6</u>	<u>15.6</u>	<u>15.1</u>	<u>15.0</u>
DO (mg/L)				
ORP (mV)				
Turbidity (NTU)				
Time				
DTW (ft bmp)				

Remarks:

5 GAL PAILS IN IN

Parameter	Container	No.	Preservative
<u>See COC</u>			

PID Reading _____

Well Casing Volumes

Gal./Ft.	1 ^{1/4} " = 0.06	2" = 0.16	3" = 0.37	4" = 0.65
	1 ^{1/2} " = 0.09	2-1/2" = 0.26	3-1/2" = 0.50	6" = 1.47

1) Circle one unit type

Water Sampling Log

Project NO RTAROP-GRINMAN Project No. NY 001492.0609.00002
 Site Location Bethpage, NY Date 3-29-09
 Well No. GM-360 Replicate No. _____ Weather _____

Sampling Personnel Gary Williams Sampling Time: Begin 10:50 End 11:20

Purge Data	Field Parameters																																				
Measuring Point (describe) <u>TOC</u>	Color <u>COLORLESS</u>																																				
Sounded Well Depth (ft bmp) <u>214</u>	Odor <u>NOSE</u>																																				
Depth to Water (ft bmp) _____	Appearance <u>CLEAR</u>																																				
Depth to Packer (ft bmp) <u>202</u>																																					
Water Column in Well (ft) <u>12</u>																																					
Casing Diameter <u>4(0.65)</u>	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 25%;">1</th> <th style="width: 25%;">1V</th> <th style="width: 25%;">2V</th> <th style="width: 25%;">3V</th> </tr> </thead> <tbody> <tr> <td>pH (s.u.) <u>6.71</u></td> <td><u>5.68</u></td> <td><u>5.52</u></td> <td><u>5.69</u></td> </tr> <tr> <td>Conductivity (mS/cm) or (µmhos/cm)¹⁾ <u>99.8</u></td> <td><u>99.1</u></td> <td><u>91.3</u></td> <td><u>87.5</u></td> </tr> <tr> <td>Temperature (°C) <u>14.5</u></td> <td><u>12.7</u></td> <td><u>12.6</u></td> <td><u>13.2</u></td> </tr> <tr> <td>DO (mg/L) _____</td> <td></td> <td></td> <td></td> </tr> <tr> <td>ORP (mV) _____</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Turbidity (NTU) _____</td> <td></td> <td></td> <td><u>.80</u></td> </tr> <tr> <td>Time _____</td> <td></td> <td></td> <td></td> </tr> <tr> <td>DTW (ft bmp) _____</td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	1	1V	2V	3V	pH (s.u.) <u>6.71</u>	<u>5.68</u>	<u>5.52</u>	<u>5.69</u>	Conductivity (mS/cm) or (µmhos/cm) ¹⁾ <u>99.8</u>	<u>99.1</u>	<u>91.3</u>	<u>87.5</u>	Temperature (°C) <u>14.5</u>	<u>12.7</u>	<u>12.6</u>	<u>13.2</u>	DO (mg/L) _____				ORP (mV) _____				Turbidity (NTU) _____			<u>.80</u>	Time _____				DTW (ft bmp) _____			
1	1V	2V	3V																																		
pH (s.u.) <u>6.71</u>	<u>5.68</u>	<u>5.52</u>	<u>5.69</u>																																		
Conductivity (mS/cm) or (µmhos/cm) ¹⁾ <u>99.8</u>	<u>99.1</u>	<u>91.3</u>	<u>87.5</u>																																		
Temperature (°C) <u>14.5</u>	<u>12.7</u>	<u>12.6</u>	<u>13.2</u>																																		
DO (mg/L) _____																																					
ORP (mV) _____																																					
Turbidity (NTU) _____			<u>.80</u>																																		
Time _____																																					
DTW (ft bmp) _____																																					
Gallons in Well <u>7.8</u>																																					
Gallons Purged <u>x 3</u>																																					
Prior to Sampling <u>24</u>																																					
Pump Intake _____																																					
Setting (ft bmp) _____																																					
Packer Pressure (psi) <u>125 PSE</u>																																					
Pumping Rate (gpm) _____																																					
Evacuation Method _____																																					
Sampling Method _____																																					
Purge Time Begin <u>11:00</u> End <u>11:20</u>																																					

Remarks: 202- v13 +50 = 125 PSE
5 GAL PADS !!

Parameter	Container	No.	Preservative
<u>SEE CDC</u>	_____	_____	_____
_____	_____	_____	_____

PID Reading 0.0

Well Casing Volumes				
Gal./Ft.	1 ^{1/4"} = 0.06	2" = 0.16	3" = 0.37	4" = 0.65
	1 ^{1/2"} = 0.09	2- ^{1/2"} = 0.26	3- ^{1/2"} = 0.50	6" = 1.47

1) Circle one unit type

Water Sampling Log

Project NORTAROP GRUMMAN Project No. Ny/001492.0009.00002
 Site Location BETHPAGE NH Date 2-24-09
 Well No. GM36D-2 Replicate No. _____ Weather _____

Sampling Personnel Gary Williams Sampling Time: Begin _____ End _____

Purge Data	Field Parameters
Measuring Point (describe) <u>TDL</u>	Color _____
Sounded Well Depth (ft bmp) <u>540</u>	Odor _____
Depth to Water (ft bmp) <u>36.68</u>	Appearance _____
Depth to Packer (ft bmp) <u>518</u>	
Water Column in Well (ft) <u>22</u>	
Casing Diameter <u>9 (0.65)</u>	pH (s.u.)
Gallons in Well <u>14.3</u>	Conductivity
Gallons Purged <u>x3</u>	(mS/cm) or
Prior to Sampling <u>43</u>	(µmhos/cm) ¹⁾
Pump Intake	Temperature (°C)
Setting (ft bmp) _____	<u>13.0</u> <u>13.1</u> <u>13.5</u> <u>13.6</u>
Packer Pressure (psi) <u>261</u>	DO (mg/L) _____
Pumping Rate (gpm) _____	ORP (mV) _____
Evacuation Method <u>DEDICATED BLADDER</u>	Turbidity (NTU) _____
Sampling Method <u>3WV</u>	Time _____
Purge Time Begin _____ End _____	DTW (ft bmp) _____

Remarks: 518 - 36.58 x .43 + SD = 261 PSF
5 GAL PAKETS

Parameter	Container	No.	Preservative
<u>See COC</u>	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____

PID Reading _____

Well Casing Volumes				
Gal./Ft.	1 ^{1/4} " = 0.06	2" = 0.16	3" = 0.37	4" = 0.65
	1 ^{1/2} " = 0.09	2-1/2" = 0.26	3-1/2" = 0.50	6" = 1.47

1) Circle one unit type

Water Sampling Log

Project N-Grimmer 002 Project No. NY 001492.0409.0002
 Site Location Bethpage, NY Date 3/30/09
 Well No. GM-37D Replicate No. MS/MSD Weather windy, cloudy approx 40°F
 Sampling Personnel P. (Zorster) Sampling Time: Begin 1434 End 1443

Purge Data		Field Parameters				
Measuring Point (describe)	<u>TOC</u>	Color	<u>colorless</u>	<u>colorless</u>	<u>colorless</u>	<u>colorless</u>
Sounded Well Depth (ft bmp)	<u>26.2</u>	Odor	<u>none</u>	<u>none</u>	<u>none</u>	<u>none</u>
Depth to Water (ft bmp)	<u>36.43</u>	Appearance	<u>clear</u>	<u>clear</u>	<u>clear</u>	<u>clear</u>
Depth to Packer (ft bmp)	<u>240</u>					
Water Column in Well (ft)	<u>22</u>		1	1V	2V	3V
Casing Diameter	<u>4" (0.65)</u>	pH (s.u.)	<u>5.61</u>	<u>5.16</u>	<u>4.97</u>	<u>4.75</u>
Gallons in Well	<u>143</u>	Conductivity				
Gallons-Purged	<u>x3</u>	(mS/cm) or				
Prior to Sampling	<u>43</u>	(µmhos/cm) ¹⁾	<u>207</u>	<u>204</u>	<u>196</u>	<u>195</u>
Pump Intake		Temperature (°C)	<u>17.3</u>	<u>16.1</u>	<u>16.1</u>	<u>17.10</u>
Setting (ft bmp)		DO (mg/L)				
Packer Pressure (psi)	<u>138</u>	ORP (mV)				
Pumping Rate (gpm)		Turbidity (NTU)		<u>2.37</u>	<u>0.33</u>	<u>.70</u>
Evacuation Method	<u>Dedicated bladder/pack</u>	Time		<u>1320</u>		<u>1430</u>
Sampling Method		5 gal (est) BTW (ft bmp)		<u>✓</u>	<u>✓</u>	<u>✓</u>
Purge Time	Begin <u>12:35</u> End <u>1430</u>					

Remarks: 240 - 36.43 x .43 + 50 = 138 Roundup PSI
Split sample with Bethpage water District
450ml per gauge

Parameter	Container	No.	Preservative
<u>See CUC</u>			

PID Reading _____

Well Casing Volumes

Gal./Ft.	1 ^{1/4} " = 0.06	2" = 0.16	3" = 0.37	4" = 0.65
	1 ^{1/2} " = 0.09	2-1/2" = 0.26	3-1/2" = 0.50	6" = 1.47

1) Circle one unit type

Water Sampling Log

 Project NORTHROP-GRUMMAN Project No. NS4001492.0409.00002
 Site Location _____ Date 3-28-09
 Well No. GM-370-2 Replicate No. _____ Weather CLEAR 50°

 Sampling Personnel Gary Williams Sampling Time: Begin 11:00 End 12:15

Purge Data	Field Parameters																																													
Measuring Point (describe) <u>TOC</u>	Color <u>Colorless</u>																																													
Sounded Well Depth (ft bmp) <u>390</u>	Odor <u>none</u>																																													
Depth to Water (ft bmp) _____	Appearance <u>clear</u>																																													
Depth to Packer (ft bmp) <u>367</u>																																														
Water Column in Well (ft) <u>23</u>																																														
Casing Diameter <u>4 (0.65)</u>	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 25%;"></td> <td style="width: 25%; text-align: center;">1</td> <td style="width: 25%; text-align: center;">1V</td> <td style="width: 25%; text-align: center;">2V</td> <td style="width: 25%; text-align: center;">3V</td> </tr> <tr> <td>pH (s.u.)</td> <td style="text-align: center;">5.03</td> <td style="text-align: center;">4.52</td> <td style="text-align: center;">4.22</td> <td style="text-align: center;">4.15</td> </tr> <tr> <td>Conductivity</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>(mS/cm) or</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>(µmhos/cm) ¹⁾</td> <td style="text-align: center;">153.5</td> <td style="text-align: center;">143.6</td> <td style="text-align: center;">141.5</td> <td style="text-align: center;">141.9</td> </tr> <tr> <td>Temperature (°C)</td> <td style="text-align: center;">16.2</td> <td style="text-align: center;">16.4</td> <td style="text-align: center;">16.2</td> <td style="text-align: center;">16.5</td> </tr> <tr> <td>DO (mg/L)</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>ORP (mV)</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Turbidity (NTU)</td> <td></td> <td></td> <td></td> <td style="text-align: center;">6.6</td> </tr> </table>		1	1V	2V	3V	pH (s.u.)	5.03	4.52	4.22	4.15	Conductivity					(mS/cm) or					(µmhos/cm) ¹⁾	153.5	143.6	141.5	141.9	Temperature (°C)	16.2	16.4	16.2	16.5	DO (mg/L)					ORP (mV)					Turbidity (NTU)				6.6
	1	1V	2V	3V																																										
pH (s.u.)	5.03	4.52	4.22	4.15																																										
Conductivity																																														
(mS/cm) or																																														
(µmhos/cm) ¹⁾	153.5	143.6	141.5	141.9																																										
Temperature (°C)	16.2	16.4	16.2	16.5																																										
DO (mg/L)																																														
ORP (mV)																																														
Turbidity (NTU)				6.6																																										
Gallons in Well <u>1495</u>																																														
Gallons Purged <u>3</u>																																														
Prior to Sampling <u>45</u>																																														
Pump Intake																																														
Setting (ft bmp) _____																																														
Packer Pressure (psi) <u>190</u>																																														
Pumping Rate (gpm) _____																																														
Evacuation Method _____																																														
Sampling Method _____																																														
Purge Time Begin <u>12:05</u> End <u>12:15</u>	Time _____																																													
	DTW (ft bmp) _____																																													

 Remarks: 5 GAL PAELS ~~XXXX~~

Parameter	Container	No.	Preservative
<u>See Cox</u>	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____

PID Reading _____

Well Casing Volumes				
Gal./Ft.	1 ^{1/4"} = 0.06	2" = 0.16	3" = 0.37	4" = 0.65
	1 ^{1/2"} = 0.09	2-1/2" = 0.26	3-1/2" = 0.50	6" = 1.47

1) Circle one unit type

Low-Flow Groundwater Sampling Log

Project Number: NY0014920401.08002 Task: _____ Well ID: GM-3802
 Date: 8-22-09 Sampled By: GW
 Sampling Time: _____ Recorded By: BW
 Weather: _____ Coded Replicate No.: _____

Instrument Identification

Water Quality Meter(s): _____ Serial #: _____

Purging Information

Casing Material: _____ Purge Method: LOW FLOW
 Casing Diameter: 4" Screen Interval (ft bmp): Top 475' Bottom 495'
 Sounded Depth (ft bmp): _____ Pump Intake Depth (ft bmp): _____
 Depth to Water (ft bmp): 37.36 Purge time Start: 3:10 pm Finish: 4:10 pm

Field Parameter Measurements Taken During Purging

Time	Minutes Elapsed	Rate (mL/min)	Volume Purged	Temp (°C)	pH (SI Units)	Spec. Cond. (µS/cm) ^(µS/cm)	ORP (mV)	DO (mg/L)	Turbidity (NTU)	Depth to Water (ft bmp)	Comments
3:10		450		13.2	6.81		192	6.47		37.36	
3:15				12.4	6.48	146.5	192	5.01		5	
3:20				12.4	6.47	146.0	191	4.99			
3:25				12.3	6.35	146.2	189	2.35		37.39	
3:30				12.3	6.34	146.0	188	2.26			
3:35				12.3	6.32	145.0	189	2.05			
3:40				12.3	6.32	143.4	181	1.99			
3:45				12.3	6.32	143.2	181	2.02			
3:50				12.3	6.32	143.1	180	2.05		37.43	
3:55											
4:00											
4:05											
4:10											

Sample Condition Color: Colorless Odor: None Appearance: Clear
 Sample Collection Parameter: See COC Container: _____ No. _____ Preservative: _____

PID Reading: _____
 Comments: REPLACED COUPLERS WITH NEW STYLE SAMPLE TUBING

Low-Flow Groundwater Sampling Log

Project Number: NY 100 1464, 0409, row 2 Task: _____ Well ID: GM-39A
 Date: 03-16-09 Sampled By: Gary Williams / Sunny Xu
 Sampling Time: 19:22 Recorded By: Gary Williams / Sunny Xu
 Weather: cloudy Coded Replicate No.: _____

Instrument Identification
 Water Quality Meter(s): _____ Serial #: _____

Purging Information
 Casing Material: _____ Purge Method: _____
 Casing Diameter: 4" Screen Interval (ft bmp): Top 262 Bottom 282
 Sounded Depth (ft bmp): _____ Pump Intake Depth (ft bmp): _____
 Depth to Water (ft bmp): 36.32 Purge time Start: 18:20 Finish: 19:20

Field Parameter Measurements Taken During Purging

Time	Minutes Elapsed	Rate (mL/min)	Volume Purged	Temp (°C)	pH (SI Units)	Spec. Cond. (µmhos/cm)	ORP (mV)	DO (mg/L)	Turbidity (NTU)	Depth to Water (ft bmp)	Comments
18:20		4.0		10.6	6.08	72.2	145	7.30		36.32	
18:25				11.5	6.08	72.2	146	6.79			
18:30				12.4	5.94	71.4	149	6.79		36.39	
18:35				12.6	5.92	70.9	148	6.67			
18:40				12.6	5.92	70.7	150	6.83			
18:45				12.6	5.91	70.7	152	6.71			
18:50				12.6	5.91	70.6	153	6.71		36.36	
18:55				12.6	5.91	70.7	154	6.74			
19:00				12.6	5.91	70.6	154	6.70			
19:05				12.6	5.91	70.7	156	6.77			
19:10				12.6	5.91	70.6	157	6.77			
19:15				12.6	5.91	70.7	157	6.73		36.34	
19:20	60			12.6	5.92	70.6	159	6.83			

Sample Condition Color: Colorless Odor: none Appearance: clear

Sample Collection Parameter: see COC Container: _____ No. _____ Preservative: _____

PID Reading _____
 Comments _____

Low-Flow Groundwater Sampling Log

Project Number: NY 10464.0409.00002 Task: _____ Well ID: GM-39 D2
 Date: 03-16-09 Sampled By: Gary Williams / Sunny Xu
 Sampling Time: 18:17 PM Recorded By: Sunny Xu
 Weather: cloudy Coded Replicate No.: _____

Instrument Identification
 Water Quality Meter(s): _____ Serial #: _____

Purging Information
 Casing Material: _____ Purge Method: low flow
 Casing Diameter: 6" Screen Interval (ft bmp): Top 410 Bottom 420
 Sounded Depth (ft bmp): _____ Pump Intake Depth (ft bmp): _____
 Depth to Water (ft bmp): 39.25 Purge time Start: 17:15 pm Finish: 18:15 PM

Field Parameter Measurements Taken During Purging

Time	Minutes Elapsed	Rate (mL/min)	Volume Purged	Temp (°C)	pH (SI Units)	Spec. Cond. $\mu\text{mhos/cm}$ (mS/cm)	ORP (mV)	DO (mg/L)	Turbidity (NTU)	Depth to Water (ft bmp)	Comments
17:15		450		12.8	5.82	73.5	68	8.25		39.25	
17:20	5			12.1	5.80	73.9	84	8.10			
17:25	10			12.2	5.71	73.6	101	7.67		39.25	
17:30	15			12.2	5.67	73.3	108	7.37			
17:35	20			12.0	5.67	73.2	115	6.39		39.24	
17:40	25			12.0	5.66	73.2	125	6.30			
17:45	30			11.9	5.64	73.3	130	6.24		39.25	
17:50	35			11.9	5.64	73.2	135	6.23			
17:55	40			12.0	5.62	73.0	138	6.17		39.25	
18:00	45			12.0	5.62	73.0	143	6.19			
18:05	50			12.0	5.62	73.0	144	6.14		39.25	
18:10	55			12.0	5.61	73.0	150	6.14			
18:15	60			11.9	5.61	73.0	152	6.22		39.25	

Sample Condition Color: Colorless Odor: none Appearance: clear
 Sample Collection Parameter: See COC Container: _____ No. _____ Preservative: _____

PID Reading _____
 Comments _____

Water Sampling Log

Project N-Grammer 012 Project No. NY001492.0409.0000
 Site Location Bethpage, NY Date 3/30/09
 Well No. GM-7002 Replicate No. NA Weather Windy, cloudy / upper 40s F
 Sampling Personnel Przyroski Sampling Time: Begin 1702 End 1705

Purge Data		Field Parameters				
Measuring Point (describe)	<u>TOC</u>	Color	<u>colorless</u>	<u>colorless</u>	<u>colorless</u>	<u>colorless</u>
Sounded Well Depth (ft bmp)	<u>330</u>	Odor	<u>None</u>	<u>None</u>	<u>None</u>	<u>None</u>
Depth to Water (ft bmp)	<u>38.32</u>	Appearance	<u>clear</u>	<u>clear</u>	<u>clear</u>	<u>clear</u>
Depth to Packer (ft bmp)	<u>308</u>					
Water Column in Well (ft)	<u>22</u>					
Casing Diameter	<u>4" (0.65)</u>	pH (s.u.)	<u>5.32</u>	<u>4.85</u>	<u>5.19</u>	<u>5.27</u>
Gallons in Well	<u>14.3</u>	Conductivity	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>
Gallons Purged	<u>73</u>	(mS/cm) or				
Prior to Sampling	<u>43</u>	(µmhos/cm) ¹⁾	<u>105.9</u>	<u>98.5</u>	<u>98.7</u>	<u>98.5</u>
Pump Intake		Temperature (°C)	<u>15.4</u>	<u>15.9</u>	<u>15.7</u>	<u>15.8</u>
Setting (ft bmp)		DO (mg/L)	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>
Packer Pressure (psi)	<u>166</u>	ORP (mV)	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>
Pumping Rate (gpm)		Turbidity (NTU)	<u>.54</u>	<u>.61</u>	<u>.43</u>	<u>.22</u>
Evacuation Method	<u>Dedicated Bladder/Packer</u>	Time	<u>15:4</u>	<u>—</u>	<u>16:34</u>	<u>17:01</u>
Sampling Method		BTW (ft bmp)	<u>—</u>	<u>0.1</u>	<u>0.2</u>	<u>0.3</u>
Purge Time	Begin <u>1540</u> End <u>1701</u>					

Remarks: Arts in well
308 - 38.32 x .43 + 50 = 166 PSI

(Split sample with Bethpage water district) 550 ml per pack.

Parameter	Container	No.	Preservative
<u>See TOC</u>			

PID Reading _____

Well Casing Volumes				
Gal./Ft.	1 ^{1/4} " = 0.06	2" = 0.16	3" = 0.37	4" = 0.65
	1 ^{1/2} " = 0.09	2- ^{1/2} " = 0.26	3- ^{1/2} " = 0.50	6" = 1.47

1) Circle one unit type

Water Sampling Log

Project N-Grimmon 002 Project No. NY001492.0409.00002
 Site Location Bethpage, NY Date 3/31/09
 Well No. GM-71D2 Replicate No. Rep033109 Weather clear 50°F
 Sampling Personnel Prozorcki Sampling Time: Begin 1300 End 1306

Purge Data	Field Parameters
Measuring Point (describe) <u>TOC</u>	Color <u>colorless</u> <u>colorless</u> <u>colorless</u> <u>colorless</u>
Sounded Well Depth (ft bmp) <u>464</u>	Odor <u>None</u> <u>None</u> <u>None</u> <u>None</u>
Depth to Water (ft bmp) <u>38.02</u>	Appearance <u>clear</u> <u>clear</u> <u>clear</u> <u>clear</u>
Depth to Packer (ft bmp) <u>442</u>	
Water Column in Well (ft) <u>22</u>	1 1V 2V 3V
Casing Diameter <u>4" (0.65)</u>	pH (s.u.) <u>5.10</u> <u>5.11</u> <u>5.08</u> <u>5.01</u>
Gallons in Well <u>14.3</u>	Conductivity
Gallons Purged <u>x 3</u>	(mS/cm) or
Prior to Sampling <u>43</u>	(µmhos/cm) <u>275</u> <u>165.9</u> <u>163.3</u> <u>161.8</u>
Pump Intake	Temperature (°C) <u>14.2</u> <u>15.2</u> <u>15.2</u> <u>15.2</u>
Setting (ft bmp) _____	DO (mg/L) _____
Packer Pressure (psi) <u>225</u>	ORP (mV) _____
Pumping Rate (gpm) _____	Turbidity (NTU) <u>.09</u> <u>.35</u> <u>.46</u> <u>0.17</u>
Evacuation Method <u>adjusted bladder pack</u>	Purge Time
Sampling Method _____	Begin <u>11:28</u> End <u>12:58</u> Time _____
Purge Time	<u>5 gal container</u>
	BTW (ft bmp) _____

Remarks: 442 - 38.02 x .43 + 50 = 225 rounded PSI

500 ml per pulse
(split sample with Bethpage water) of
district

Parameter	Container	No.	Preservative
<u>See LOC</u>	_____	_____	_____
_____	_____	_____	_____

PID Reading _____

Well Casing Volumes				
Gal./Ft.	1 ^{1/4"} = 0.06	2" = 0.16	3" = 0.37	<u>4" = 0.65</u>
	1 ^{1/2"} = 0.09	2- ^{1/2"} = 0.26	3- ^{1/2"} = 0.50	6" = 1.47

1) Circle one unit type



Low-Flow Groundwater Sampling Log

Project NORTHROP-GRUMMAN
 Project Number NY201464.0409.00002 Site Location BETHPAGE NY Well ID GM-730
 Date 2-18-09 Sampled By GW
 Sampling Time 4:25 PM Recorded By GW
 Weather RAIN 33° Coded Replicate No. MS/MSD

Instrument Identification

Water Quality Meter(s) _____ Serial # _____
 Casing Material _____ Purge Method LOWFLOW
 Casing Diameter 4" Screen Interval (ft bmp) Top 401 Bottom 411
 Sounded Depth (ft bmp) _____ Pump Intake Depth (ft bmp) _____
 Depth to Water (ft bmp) 41.15 Purge Time Start 3:25 PM Finish 4:25 PM

Field Parameter Measurements During Purging

Time	Minutes Elapsed	Flow Rate (mL/min)	Volume Purged	Temp (°C)	pH (s.u.)	Conductivity (umhos or mS/cm) ¹⁾	ORP (mV)	DO (mg/L)	Turbidity (NTU)	Depth to Water (ft bmp)
3:25		450		7.0	5.06	71.2	205	8.12		41.15
3:30		↓		8.4	5.07	71.2	206	7.33		
3:35			8.2	5.07	71.9	210	7.25			
3:40			8.1	5.08	71.9	210	7.23			
3:45			7.9	5.08	72.2	211	7.25		41.15	
3:50			7.9	5.08	72.3	209	7.21			
3:55			7.9	5.08	72.6	212	7.30			
4:00			7.9	5.07	72.5	213	7.27			
4:05			8.0	5.07	72.3	212	7.40		41.15	
4:10			8.0	5.07	72.3	213	7.39			
4:15			7.9	5.07	72.6	215	7.25			
4:20			8.0	5.07	72.4	217	7.33			
4:25			7.9	5.07	72.4	219		9.6	41.15	

Collected Sample Condition Color _____ Odor _____ Appearance _____
 Parameter Container No. Preservative

PID Reading _____

Comments _____

1) Circle one unit type



Low-Flow Groundwater Sampling Log

Project NORTHROP-GRUMMAN
 Project Number NY 001464.0409.00002 Site Location BETHPAGE NY Well ID GM-73D-2
 Date 2-18-09 Sampled By GW
 Sampling Time 3:15 pm Recorded By GW
 Weather 5 to 8W / RAIN 33° Coded Replicate No. REP-2-18-09

Instrument Identification
 Water Quality Meter(s) _____ Serial # _____
 Casing Material _____ Purge Method LOW FLOW
 Casing Diameter _____ Screen Interval (ft bmp) Top 532 Bottom 552
 Sounded Depth (ft bmp) _____ Pump Intake Depth (ft bmp) _____
 Depth to Water (ft bmp) 43.08 Purge Time Start 2:15 pm Finish 3:15 pm

Field Parameter Measurements During Purging

Time	Minutes Elapsed	Flow Rate (mL/min)	Volume Purged	Temp (°C)	pH (s.u.)	Conductivity (umhos or mS/cm) 1)	ORP (mV)	DO (mg/L)	Turbidity (NTU)	Depth to Water (ft bmp)
2:15		450		6.8	5.28	70.0	182	10.48		43.08
2:20		↓		7.0	5.23	69.7	188	9.37		
2:25			7.4	5.21	69.9	190	7.33			
2:30			7.6	5.16	70.4	194	6.99			
2:35			7.8	5.15	70.8	190	6.98		43.12	
2:40			8.1	5.13	71.0	198	7.19			
2:45			8.2	5.13	71.2	200	7.12			
2:50			8.3	5.13	71.4	202	7.25			
2:55			8.4	5.13	71.2	196	7.00			
3:00			8.4	5.13	71.4	197	7.23			
3:05			8.5	5.13	71.3	203	7.16			
3:10			8.4	5.13	71.4	204	7.26			
3:15			8.3	5.13	71.4	205	7.32	8.7		

Collected Sample Condition Color _____ Odor _____ Appearance _____
 Parameter Container No. Preservative

PID Reading —

Comments _____

1) Circle one unit type



Low-Flow Groundwater Sampling Log

Project NORTHROP-GRUMMAN
 Project Number NY0014640109.0002 Site Location BETHPAGE Well ID GM-74I
 Date 2-18-09 Sampled By GW
 Sampling Time _____ Recorded By GW
 Weather Clear 32° Coded Replicate No. _____

Instrument Identification

Water Quality Meter(s) _____ Serial # _____
 Casing Material _____ Purge Method LOW FLOW
 Casing Diameter 4" Screen Interval (ft bmp) Top 94 Bottom 114
 Sounded Depth (ft bmp) _____ Pump Intake Depth (ft bmp) _____
 Depth to Water (ft bmp) 37.43 Purge Time Start 10:10 Finish 10:55

Field Parameter Measurements During Purging

Time	Minutes Elapsed	Flow Rate (mL/min)	Volume Purged	Temp (°C)	pH (s.u.)	Conductivity (umhos or mS/cm) 1)	ORP (mV)	DO (mg/L)	Turbidity (NTU)	Depth to Water (ft bmp)
10:10		450		8.2	6.58	134.6	171	—		37.43
10:15		↓		8.1	5.80	105.5	160	8.62		
10:20			8.6	5.76	96.1	151	8.61			
10:25			8.8	5.73	94.8	149	8.52		37.48	
10:30			9.0	5.73	83.8	143	8.46			
10:35			9.0	5.73	82.7	141	8.33			
10:40			9.1	5.73	80.6	139	8.32		37.47	
10:45			9.3	5.73	78.5	137	8.36			
10:50			9.3	5.73	77.6	137	8.33			
10:55			9.5	5.74	76.3	137	8.35	9.9		

Collected Sample Condition Color COLORLESS Odor NONE Appearance CLEAR
 Parameter Container No. Preservative

PID Reading -

Comments _____

1) Circle one unit type



Low-Flow Groundwater Sampling Log

Project NORTHROP-GRUMMAN
 Project Number NY001464.0409.00002 Site Location RESTHAGE Well ID GM-74D
 Date 2-18-09 Sampled By EW
 Sampling Time 12:05 Recorded By EW
 Weather Raining Coded Replicate No. _____

Instrument Identification
 Water Quality Meter(s) _____ Serial # _____
 Casing Material _____ Purge Method _____
 Casing Diameter 4" Screen Interval (ft bmp) Top 295 Bottom 305
 Sounded Depth (ft bmp) _____ Pump Intake Depth (ft bmp) _____
 Depth to Water (ft bmp) 42.27 Purge Time Start 11:05 Finish 12:05

Field Parameter Measurements During Purging

Time	Minutes Elapsed	Flow Rate (mL/min)	Volume Purged	Temp (°C)	pH (s.u.)	Conductivity (umhos or mS/cm) ¹⁾	ORP (mV)	DO (mg/L)	Turbidity (NTU)	Depth to Water (ft bmp)
11:05		450		8.1	5.21	70.8	148	8.51		42.27
11:10				8.8	4.87	70.7	172	5.81		
11:15				9.2	4.89	70.8	177	5.75		
11:20				9.4	4.89	69.7	182	5.66		42.27
11:25				9.5	4.87	69.2	185	5.79		
11:30				9.6	4.86	69.1	187	5.80		
11:35				9.6	4.86	68.7	191	5.81		
11:40				9.6	4.86	68.1	193	5.89		42.25
11:45				9.5	4.87	68.2	196	5.88		
11:50				9.5	4.87	68.1	197	5.91		
11:55				9.5	4.89	67.9	199	5.91		
12:00				9.5	4.89	67.9	200	5.87		
12:05				9.7	4.87	67.6	203	6.08	9.6	42.26

Collected Sample Condition Color COLORLESS Odor NONE Appearance CLEAR
 Parameter Container No. Preservative
SEE CDC _____

PID Reading _____
 Comments _____

1) Circle one unit type



Low-Flow Groundwater Sampling Log

Project NORTHROP - GRUMMAN
 Project Number NY001464.D409.00002 Site Location BETHPAGE NY Well ID GM-740-2
 Date 2-18-09 Sampled By GW
 Sampling Time 1:15 PM Recorded By GW
 Weather OVERCAST 35° Coded Replicate No. _____

Instrument Identification
 Water Quality Meter(s) _____ Serial # _____
 Casing Material _____ Purge Method LOW FLOW
 Casing Diameter 4" Screen Interval (ft bmp) Top 542 Bottom 562
 Sounded Depth (ft bmp) _____ Pump Intake Depth (ft bmp) _____
 Depth to Water (ft bmp) 48.42 Purge Time Start 12:15 Finish 1:15 PM

Field Parameter Measurements During Purging

Time	Minutes Elapsed	Flow Rate (mL/min)	Volume Purged	Temp (°C)	pH (s.u.)	Conductivity (umhos or mS/cm) ¹⁾	ORP (mV)	DO (mg/L)	Turbidity (NTU)	Depth to Water (ft bmp)
12:15		450	X	8.3	4.68	67.3	209	7.81		48.42
12:20				8.5	5.13	67.1	193	3.90		
12:25				9.0	5.18	67.1	189	2.09		
12:30				9.1	5.26	66.1	185	1.79		
12:35				9.2	5.26	65.5	183	2.42		48.42
12:40				9.3	5.21	64.9	184	3.03		
12:45				9.3	5.17	63.8	185	3.29		
12:50				9.3	5.15	63.5	185	3.28		
12:55				9.3	5.14	63.3	186	3.34		48.42
1:00				9.3	5.12	63.0	188	3.51		
1:05				9.3	5.12	63.2	189	3.51		
1:10				9.3	5.12	63.4	189	3.49		
1:15									9.7	48.42

Collected Sample Condition Color COLORLESS Odor NONE Appearance CLEAR
 Parameter Container No. Preservative

PID Reading —

Comments _____

1) Circle one unit type

Water Sampling Log

Project NORTHROP - GRUMMAN Project No. NY001464.0409.00002
 Site Location BETHPAGE NY Date 2-24-09
 Well No. GM-78 Replicate No. _____ Weather _____

Sampling Personnel Gary Williams Sampling Time: Begin 1:00 End 1:34

Purge Data Measuring Point (describe) <u>TOC</u> Sounded Well Depth (ft bmp) <u>70.00</u> Depth to Water (ft bmp) <u>38.28</u> Depth to Packer (ft bmp) <u>3</u> Water Column in Well (ft) <u>31.72</u> Casing Diameter _____ Gallons in Well <u>20.61</u> Gallons Purged Prior to Sampling <u>62</u> Pump Intake Setting (ft bmp) _____ Packer Pressure (psi) _____ Pumping Rate (gpm) <u>Q=2.5 IV=8 m³</u> Evacuation Method _____ Sampling Method _____ Purge Time Begin <u>1:10</u> End _____	Field Parameters Color <u>Colorless</u> Odor <u>none</u> Appearance <u>clear</u> <table border="1" style="width: 100%; border-collapse: collapse; text-align: center;"> <thead> <tr> <th></th> <th>1</th> <th>1V</th> <th>2V</th> <th>3V</th> </tr> </thead> <tbody> <tr> <td>pH (s.u.)</td> <td>6.08</td> <td>5.95</td> <td>5.97</td> <td>5.95</td> </tr> <tr> <td>Conductivity (mS/cm) or (µmhos/cm)¹⁾</td> <td>187.1</td> <td>195.0</td> <td>189.2</td> <td>187.5</td> </tr> <tr> <td>Temperature (°C)</td> <td>13.5</td> <td>13.8</td> <td>13.9</td> <td>14.0</td> </tr> <tr> <td>DO (mg/L)</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>ORP (mV)</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Turbidity (NTU)</td> <td></td> <td></td> <td></td> <td>1.7</td> </tr> <tr> <td>Time</td> <td>1:10</td> <td>1:18</td> <td>1:26</td> <td>1:34</td> </tr> <tr> <td>DTW (ft bmp)</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>		1	1V	2V	3V	pH (s.u.)	6.08	5.95	5.97	5.95	Conductivity (mS/cm) or (µmhos/cm) ¹⁾	187.1	195.0	189.2	187.5	Temperature (°C)	13.5	13.8	13.9	14.0	DO (mg/L)					ORP (mV)					Turbidity (NTU)				1.7	Time	1:10	1:18	1:26	1:34	DTW (ft bmp)				
	1	1V	2V	3V																																										
pH (s.u.)	6.08	5.95	5.97	5.95																																										
Conductivity (mS/cm) or (µmhos/cm) ¹⁾	187.1	195.0	189.2	187.5																																										
Temperature (°C)	13.5	13.8	13.9	14.0																																										
DO (mg/L)																																														
ORP (mV)																																														
Turbidity (NTU)				1.7																																										
Time	1:10	1:18	1:26	1:34																																										
DTW (ft bmp)																																														

Remarks: _____

Parameter	Container	No.	Preservative
<u>See COC</u>	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____

PID Reading _____

Well Casing Volumes				
Gal./Ft.	1 ^{1/4"} = 0.06	2" = 0.16	3" = 0.37	4" = 0.65
	1 ^{1/2"} = 0.09	2- ¹ / ₂ " = 0.26	3- ¹ / ₂ " = 0.50	6" = 1.47

1) Circle one unit type



Low-Flow Groundwater Sampling Log

Project Northrop Avonman
 Project Number NY021464.048.0002 Site Location Bethpage, NY Well ID GM-78 I ~~105~~
 Date 02-24-09 Sampled By G.W. X. X.
 Sampling Time 12:45 PM Recorded By Sunny Xu
 Weather _____ Coded Replicate No. _____

Instrument Identification
 Water Quality Meter(s) _____ Serial # _____
 Casing Material _____ Purge Method _____
 Casing Diameter 4" Screen Interval (ft bmp) Top 90 Bottom 110
 Sounded Depth (ft bmp) _____ Pump Intake Depth (ft bmp) _____
 Depth to Water (ft bmp) 38.58 Purge Time Start 12:00 PM Finish 12:45 PM

Field Parameter Measurements During Purging

Time	Minutes Elapsed	Flow Rate (mL/min)	Volume Purged	Temp (°C)	pH (s.u.)	Conductivity (umhos or mS/cm) ¹⁾	ORP (mV)	DO (mg/L)	Turbidity (NTU)	Depth to Water (ft bmp)
12:00		400		10.5	5.98	165.6	128	8.89		38.58
12:05	5			10.0	5.98	164.2	121	9.00		
12:10	10			10.6	6.02	157.2	117	9.15		38.58
12:15	15			11.0	6.05	158.4	116	8.82		
12:20	20			11.3	6.05	159.0	116	9.04		38.58
12:25	25			11.2	6.06	157.8	119	9.04		
12:30	30			11.3	6.08	158.3	119	8.90		38.58
12:35	35			11.6	6.06	159.3	119	8.64		
12:40	40			12.1	6.07	157.6	121	8.71		38.58
12:45	45			12.0	6.08	156.3	122	8.87		

Collected Sample Condition Color colorless Odor odorless Appearance clear
 Parameter Container _____ No. _____ Preservative _____

PID Reading _____
 Comments _____

1) Circle one unit type

Water Sampling Log

Project N-Grover 002 Project No. NY 0014 P2.0409.0002
 Site Location Bethpage, NY Date 3/29/09
 Well No. MW-16F Replicate No. NA Weather _____

Sampling Personnel Williams/Perzoni Sampling Time: Begin 14:28 End 14:49

Purge Data	Field Parameters			
	1	1V	2V	3V
Measuring Point (describe) <u>TOC</u>	Color <u>colorless</u>	<u>colorless</u>	<u>colorless</u>	<u>colorless</u>
Sounded Well Depth (ft bmp) <u>58</u>	Odor <u>None</u>	<u>None</u>	<u>None</u>	<u>None</u>
Depth to Water (ft bmp) <u>42.00</u>	Appearance <u>clear</u>	<u>clear</u>	<u>clear</u>	<u>clear</u>
Depth to Packer (ft bmp) <u>/</u>				
Water Column in Well (ft) <u>16</u>	pH (s.u.) <u>6.91</u>	<u>6.83</u>	<u>6.70</u>	<u>6.44</u>
Casing Diameter <u>4" (0.65) PVC</u>	Conductivity (mS/cm) or (µmhos/cm) ¹⁾	<u>—</u>	<u>—</u>	<u>—</u>
Gallons in Well <u>10.04</u>				
Gallons Purged <u>x3</u>				
Prior to Sampling <u>31.2</u>				
Pump Intake	Temperature (°C) <u>14.3</u>	<u>14.0</u>	<u>14.4</u>	<u>14.8</u>
Setting (ft bmp) _____				
Packer Pressure (psi) _____	DO (mg/L) _____			
Pumping Rate (gpm) <u>2</u>	ORP (mV) _____			
Evacuation Method <u>Rediflow pump</u>	Turbidity (NTU) <u>—</u>	<u>4.5</u>	<u>3.7</u>	<u>2.2</u>
Sampling Method _____	Time <u>14:28</u>	<u>14:34</u>	<u>14:40</u>	<u>14:46</u>
Purge Time Begin <u>14:28</u> End <u>14:46</u>	DTW (ft bmp) _____			

Remarks: Q=2 t=15.6 1V=6

Parameter	Container	No.	Preservative
<u>See COC</u>	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____

PID Reading Rainy

Well Casing Volumes

Gal./Ft.	1 ^{1/4} " = 0.06	2" = 0.16	3" = 0.37	<u>4" = 0.65</u>
	1 ^{1/2} " = 0.09	2-1/2" = 0.26	3-1/2" = 0.50	6" = 1.47

1) Circle one unit type

Water Sampling Log

Project N-Grumman OU 2 Project No. NY001482.0409.0002
 Site Location Bethpage, NY Date 3/29/09
 Well No. MW-2GF Replicate No. N/A Weather _____
 Sampling Personnel Williams/Przost Sampling Time: Begin 13:49 End 14:11

Purge Data	Field Parameters			
	1	1V	2V	3V
Measuring Point (describe) <u>TOC</u>	Color <u>colorless</u>	<u>colorless</u>	<u>colorless</u>	<u>colorless</u>
Sounded Well Depth (ft bmp) <u>59</u>	Odor <u>None</u>	<u>None</u>	<u>None</u>	<u>None</u>
Depth to Water (ft bmp) <u>41.77</u>	Appearance <u>clear</u>	<u>clear</u>	<u>clear</u>	<u>clear</u>
Depth to Packer (ft bmp) <u>—</u>				
Water Column in Well (ft) <u>17.23</u>	pH (s.u.) <u>6.62</u>	<u>6.61</u>	<u>6.82</u>	<u>6.81</u>
Casing Diameter <u>4" (0.65)</u>	Conductivity			
Gallons in Well <u>11.2</u>	(µS/cm) or			
Gallons Purged <u>33</u>	(µmhos/cm) ¹⁾ <u>399</u>	<u>404</u>	<u>155.6</u>	<u>300</u>
Prior to Sampling <u>34</u>				
Pump Intake	Temperature (°C) <u>13.6</u>	<u>13.7</u>	<u>14.7</u>	<u>14.5</u>
Setting (ft bmp) _____				
Packer Pressure (psi) _____	DO (mg/L) <u>—</u>	<u>—</u>		
Pumping Rate (gpm) <u>2</u>	ORP (mV) <u>—</u>	<u>—</u>		
Evacuation Method <u>3 well volume</u>	Turbidity (NTU) <u>50</u>	<u>17</u>	<u>8.9</u>	<u>5.2</u>
Sampling Method <u>Red-flu pump</u>	Time <u>1349</u>	<u>1355</u>	<u>1401</u>	<u>1407</u>
Purge Time Begin <u>1349</u> End <u>1407</u>	DTW (ft bmp)			

Remarks: Q = 2 + = 17 1V = 6

Parameter	Container	No.	Preservative
<u>See COC</u>			

PID Reading Rainlog

Well Casing Volumes				
Gal./Ft.	1 ^{1/4} " = 0.06	2" = 0.16	3" = 0.37	<u>4" = 0.65</u>
	1 ^{1/2} " = 0.09	2-1/2" = 0.26	3-1/2" = 0.50	6" = 1.47

1) Circle one unit type

Water Sampling Log

Project ND 08110P-6RUMMAN Project No. NDY 001464.0409.00002
 Site Location BETHPAGE Date 2-24-09
 Well No. PT MW-04 Replicate No. Weather
 Sampling Personnel Gary Williams Sampling Time: Begin 5:53 pm End 6:05 pm

Purge Data

Measuring Point (describe) TOC
 Sounded Well Depth (ft bmp) 56.5
 Depth to Water (ft bmp) 41.36
 Depth to Packer (ft bmp)
 Water Column in Well (ft) 15.14
 Casing Diameter 2.016
 Gallons in Well 2.42
 Gallons Purged 7.5
 Prior to Sampling
 Pump Intake
 Setting (ft bmp)
 Packer Pressure (psi)
 Pumping Rate (gpm) Q=1 P=7.5 W=2.5
 Evacuation Method
 Sampling Method
 Purge Time Begin 5:53 pm End 6:05 pm

Field Parameters

Color Colorless
 Odor none
 Appearance clear

	1	1V	2V	3V
pH (s.u.)	6.19	6.23	6.11	6.14
Conductivity (mS/cm) or (µmhos/cm) ¹⁾	148.9	147.4	146.1	
Temperature (°C)	10.3	12.1	12.1	
DO (mg/L)				
ORP (mV)				
Turbidity (NTU)		1.4	1.3	0.75
Time	5:53	5:55.5	5:58	6:05
DTW (ft bmp)				

 Remarks:

Parameter	Container	No.	Preservative
<u>See COC</u>	<u> </u>	<u> </u>	<u> </u>
<u> </u>	<u> </u>	<u> </u>	<u> </u>
<u> </u>	<u> </u>	<u> </u>	<u> </u>

 PID Reading

Well Casing Volumes				
Gal./Ft.	1 ^{1/4"} = 0.06	2" = 0.16	3" = 0.37	4" = 0.65
	1 ^{1/2"} = 0.09	2-1/2" = 0.26	3-1/2" = 0.50	6" = 1.47

1) Circle one unit type

Water Sampling Log

Project NORCTHROP - GRUMMAN Project No. NYDD 1464.0409.0000
 Site Location RUSTHAGEN NY Date 2-24-09
 Well No. PT/MW-05 Replicate No. _____ Weather CLEAR 35°
 Sampling Personnel GW NJ Sampling Time: Begin 4:05 End 4:55

Purge Data

Measuring Point (describe) 70C
 Sounded Well Depth (ft bmp) 58.00
 Depth to Water (ft bmp) 42.05
 Depth to Packer (ft bmp) _____
 Water Column in Well (ft) 15.95
 Casing Diameter 2" (0.16)
 Gallons in Well 2.52
 Gallons Purged x 3
 Prior to Sampling 7.50
 Pump Intake _____
 Setting (ft bmp) _____
 Packer Pressure (psi) _____
 Pumping Rate (gpm) Q=56pm / 0=5
 Evacuation Method _____
 Sampling Method _____
 Purge Time Begin 4:15 End 4:50

Field Parameters

Color Colorless
 Odor none
 Appearance clear

	1	1V	2V	3V
pH (s.u.)	5.98	6.15	6.17	6.16
Conductivity (µS/cm) or (µmhos/cm) ¹⁾	114.1	115.9	114.8	115.0
Temperature (°C)	13.4	13.9	13.7	13.2
DO (mg/L)				
ORP (mV)				
Turbidity (NTU)	22	12	4.8	2.1
Time	4:26	4:31	4:36	4:41
DTW (ft bmp)				

 Remarks: _____

Parameter	Container	No.	Preservative
<u>See LOC</u>	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____

PID Reading _____

Well Casing Volumes				
Gal./Ft.	1 ^{1/4"} = 0.06	2" = 0.16	3" = 0.37	4" = 0.65
	1 ^{1/2"} = 0.09	2- ¹ / _{2"} = 0.26	3- ¹ / _{2"} = 0.50	6" = 1.47

1) Circle one unit type

Water Sampling Log

Project ASD ETRAD - (ORUMMAN) Project No. NY001464040900002
 Site Location BETHPAGE NY Date 2-24-09
 Well No. PT1 MW-06 Replicate No. _____ Weather _____
 Sampling Personnel Gary William Sampling Time: Begin 5:00 pm End 5:30 pm

Purge Data	Field Parameters
Measuring Point (describe) _____	Color <u>Colorless</u>
Sounded Well Depth (ft bmp) <u>62.00</u>	Odor <u>None</u>
Depth to Water (ft bmp) <u>42.16</u>	Appearance <u>Clear</u>
Depth to Packer (ft bmp) _____	
Water Column in Well (ft) <u>9.84</u>	
Casing Diameter _____	
Gallons in Well <u>1.57</u>	
Gallons Purged <u>4.71</u>	
Prior to Sampling _____	
Pump Intake _____	
Setting (ft bmp) _____	
Packer Pressure (psi) _____	
Pumping Rate (gpm) <u>Q=5.5 gpm T=30 U=10</u>	
Evacuation Method _____	
Sampling Method _____	
Purge Time Begin <u>5:00 pm</u> End <u>5:30 pm</u>	

	1	1V	2V	3V
pH (s.u.)	<u>3.99</u>	<u>5.99</u>	<u>5.97</u>	<u>6.00</u>
Conductivity (mS/cm) or (µmhos/cm) ¹	<u>111.9</u>	<u>113.8</u>	<u>112.6</u>	<u>112.2</u>
Temperature (°C)	<u>12.1</u>	<u>11.9</u>	<u>12.3</u>	<u>12.4</u>
DO (mg/L)				
ORP (mV)				
Turbidity (NTU)	<u>>200</u>	<u>250</u>	<u>19</u>	<u>7.0</u>
Time	<u>5:00</u>	<u>5:10</u>	<u>5:20</u>	<u>5:30</u>
DTW (ft bmp)				

Remarks: _____

Parameter	Container	No.	Preservative
<u>See DOC.</u>	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____

PID Reading _____

Well Casing Volumes					
Gal./Ft.	1 ^{1/4} " = 0.06	2" = 0.16	3" = 0.37	4" = 0.65	
	1 ^{1/2} " = 0.09	2-1/2" = 0.26	3-1/2" = 0.50	6" = 1.47	

1) Circle one unit type



Low-Flow Groundwater Sampling Log

Project NGC
 Project Number NY001464.0409.0002 Site Location Bethpage, NY Well ID HN-24 I
 Date 02-26-09 Sampled By Gary Williams / Sunny Xu
 Sampling Time 16:09 Recorded By Sunny Xu
 Weather _____ Coded Replicate No. _____

Instrument Identification _____ Serial # _____
 Water Quality Meter(s) _____
 Casing Material _____ Purge Method _____
 Casing Diameter 4" Screen Interval (ft bmp) Top 148 Bottom 158
 Sounded Depth (ft bmp) _____ Pump Intake Depth (ft bmp) _____
 Depth to Water (ft bmp) 53.04 Purge Time Start 15:24 Finish 16:09

Field Parameter Measurements During Purging

Time	Minutes Elapsed	Flow Rate (mL/min)	Volume Purged	Temp (°C)	pH (s.u.)	Conductivity (umhos or mS/cm) ¹⁾	ORP (mV)	DO (mg/L)	Turbidity (NTU)	Depth to Water (ft bmp)
15:24	0	500		10.5	5.89	137.4	153	76.0		53.04
15:29	5			11.5	5.77	146.2	130	69.0		
15:34	10			11.4	5.76	143.4	126	67.0		52.81
15:39	15			11.5	5.68	141.2	125	66.0		
15:44	20			11.5	5.68	140.7	134	65.7		52.81
15:49	25			11.4	5.68	140.4	130	65.5		
15:54	30			11.4	5.68	140.1	129	65.8		52.83
15:59	35			11.9	5.68	139.9	132	65.8		
16:04	40			11.8	5.70	139.7	130	65.6		52.83
16:09	45			12.1	5.68	139.9	137	65.4		

Collected Sample Condition _____ Color Colorless Odor odorless Appearance clear
 Parameter See DOC Container _____ No. _____ Preservative _____

PID Reading _____
 Comments _____

Water Sampling Log

Project NORTHROP-GRUMMAN Project No. NY001464.0409.0002
 Site Location BETHRAGE A1 Date 2-23-09
 Well No. HW 408 Replicate No. _____ Weather _____
 Sampling Personnel GW JO Sampling Time: Begin 3:07 PM End 3:31 PM

Purge Data

Measuring Point (describe) _____
 Sounded Well Depth (ft bmp) 59.00
 Depth to Water (ft bmp) 46.13
 Depth to Packer (ft bmp) _____
 Water Column in Well (ft) 12.87
 Casing Diameter 4 (0.65)
 Gallons in Well 8.37
 Gallons Purged x 3
 Prior to Sampling 2.5 GAL
 Pump Intake _____
 Setting (ft bmp) _____
 Packer Pressure (psi) _____
 Pumping Rate (gpm) Q=1 T=2.5 IU=8
 Evacuation Method _____
 Sampling Method _____
 Purge Time Begin 3:07 PM End 3:31 PM

Field Parameters

Color colorless
 Odor none
 Appearance clear

	1	1V	2V	3V
pH (s.u.)	5.41	5.46	5.52	5.40
Conductivity (mS/cm) or (µmhos/cm) ¹⁾	141.5	123.8	119.8	116.5
Temperature (°C)	13.3	13.6	13.7	14.2
DO (mg/L)				
ORP (mV)				
Turbidity (NTU)				2.5
Time	3:07	3:15	3:23	3:31
DTW (ft bmp)				

 Remarks: _____

Parameter	Container	No.	Preservative

PID Reading _____

Well Casing Volumes

Gal./Ft.	1 ^{1/4} " = 0.06	2" = 0.16	3" = 0.37	4" = 0.65
	1 ^{1/2} " = 0.09	2-1/2" = 0.26	3-1/2" = 0.50	6" = 1.47

1) Circle one unit type



Low-Flow Groundwater Sampling Log

Project NGC
 Project Number Bethpage, NY Site Location NY 001464.0409.00002 Well ID HN-40 I
 Date 02-23-09 Sampled By G.W. X. X.
 Sampling Time 16:35 Recorded By X. X.
 Weather _____ Coded Replicate No. _____

Instrument Identification _____ Serial # _____
 Water Quality Meter(s) _____
 Casing Material _____ Purge Method _____
 Casing Diameter 4" Screen Interval (ft bmp) Top 108 Bottom 115
 Sounded Depth (ft bmp) _____ Pump Intake Depth (ft bmp) _____
 Depth to Water (ft bmp) 45.92 Purge Time _____ Start 15:50 Finish 16:35

Field Parameter Measurements During Purging

Time	Minutes Elapsed	Flow Rate (mL/min)	Volume Purged	Temp (°C)	pH (s.u.)	Conductivity (µmhos or µS/cm) 1)	ORP (mV)	DO (mg/L)	Turbidity (NTU)	Depth to Water (ft bmp)
15:50	0	500		11.6	7.22	149.8	150	8.67		45.92
15:55	5			12.1	6.46	148.7	160	9.11		
16:00	10			13.0	5.62	144.6	161	8.46		46.01
16:05	15			13.5	5.45	140.6	156	8.33		
16:10	20			13.9	5.43	137.9	152	8.31		45.94
16:15	25			14.1	5.38	135.5	162	8.17		
16:20	30			14.3	5.36	133.6	161	8.48		45.94
16:25	35			14.2	5.36	132.8	170	8.78		
16:30	40			14.2	5.34	132.1	171	8.58		45.96
16:35	45			14.3	5.35	131.3	175	8.55		

Collected Sample Condition Color colorless Odor odorless Appearance clear
 Parameter Container No. Preservative

PID Reading _____
 Comments _____

1) Circle one unit type



Infrastructure, environment, facilities

Water Sampling Log

Project NORSTAROP - GRUMMAN Project No. NY 001464.0409.00002
 Site Location BETAPAGE NY Date 8-23-09
 Well No. HW-425 Replicate No. _____ Weather _____

Sampling Personnel GSX Sampling Time: Begin 2:10 PM End 2:34 PM

Purge Data

Measuring Point (describe) _____
 Sounded Well Depth (ft bmp) 60.00
 Depth to Water (ft bmp) ~~48.33~~ 48.33
 Depth to Packer (ft bmp) _____
 Water Column in Well (ft) ~~16.67~~ 11.67
 Casing Diameter 4 (0.65)
 Gallons in Well 7.67
 Gallons Purged 3
 Prior to Sampling 23.01
 Pump Intake _____
 Setting (ft bmp) _____
 Packer Pressure (psi) _____
 Pumping Rate (gpm) Q=1 T=23 V=3
 Evacuation Method Reactive Pump 8
 Sampling Method 3WV
 Purge Time Begin 2:10 End 2:34

Field Parameters

Color Colorless
 Odor none
 Appearance clear

	1	1V	2V	3V
pH (s.u.)	7.42	6.21	5.78	5.55
Conductivity (µmhos/cm) ¹⁾	468 468	474 474	458	453
Temperature (°C)	13.6	14.0	14.4	13.8
DO (mg/L)				
ORP (mV)				
Turbidity (NTU)				1.03
Time	2:10	2:18	2:26	2:34
DTW (ft bmp)				

Remarks:

Parameter	Container	No.	Preservative
_____	_____	_____	_____
_____	_____	_____	_____

PID Reading _____

Well Casing Volumes				
Gal./Ft.	1 ^{1/4} " = 0.06	2" = 0.16	3" = 0.37	4" = 0.65
	1 ^{1/2} " = 0.09	2-1/2" = 0.26	3-1/2" = 0.50	6" = 1.47

1) Circle one unit type



Low-Flow Groundwater Sampling Log

Project Ny 001464 0409.00002
 Project Number W-2PH100-120.71140 Site Location _____ Well ID HW-242I
 Date 2-23-09 Sampled By GW XX
 Sampling Time 1:50 pm Recorded By XX
 Weather _____ Coded Replicate No. _____

Instrument Identification
 Water Quality Meter(s) _____ Serial # _____
 Casing Material _____ Purge Method Low flow
 Casing Diameter 4" Screen Interval (ft bmp) Top 100 Bottom 110
 Sounded Depth (ft bmp) _____ Pump Intake Depth (ft bmp) _____
 Depth to Water (ft bmp) 42.8 47.80 Purge Time Start 1:05 pm Finish 1:50 pm

Field Parameter Measurements During Purging

Time	Minutes Elapsed	Flow Rate (mL/min)	Volume Purged	Temp (°C)	pH (s.u.)	Conductivity (umhos or mS/cm)	ORP (mV)	DO (mg/L)	Turbidity (NTU)	Depth to Water (ft bmp)
<u>1:05 pm</u>		<u>400</u>		<u>9.9</u>	<u>12.22</u>	<u>494</u>	<u>139</u>	<u>7.25</u>		<u>47.80</u>
<u>1:10</u>				<u>10.4</u>	<u>12.25</u>	<u>470</u>	<u>137</u>	<u>7.22</u>		
<u>1:15</u>				<u>10.8</u>	<u>12.31</u>	<u>426</u>	<u>133</u>	<u>7.16</u>		<u>47.82</u>
<u>1:20</u>				<u>11.3</u>	<u>12.31</u>	<u>403</u>	<u>127</u>	<u>7.32</u>		
<u>1:25</u>				<u>11.8</u>	<u>12.31</u>	<u>400</u>	<u>121</u>	<u>7.29</u>		<u>47.84</u>
<u>1:30</u>				<u>11.9</u>	<u>12.30</u>	<u>404</u>	<u>120</u>	<u>7.22</u>		
<u>1:35</u>				<u>11.9</u>	<u>12.30</u>	<u>412</u>	<u>115</u>	<u>7.23</u>		<u>47.83</u>
<u>1:40</u>				<u>11.7</u>	<u>12.30</u>	<u>420</u>	<u>112</u>	<u>7.21</u>		
<u>1:45</u>				<u>11.8</u>	<u>12.30</u>	<u>439</u>	<u>110</u>	<u>7.31</u>		<u>47.84</u>
<u>1:50</u>				<u>11.9</u>	<u>12.29</u>	<u>442</u>	<u>108</u>	<u>7.23</u>		

Collected Sample Condition Color colorless Odor odorless Appearance clear
 Parameter Container No. Preservative

PID Reading _____
 Comments _____

1) Circle one unit type

Water Sampling Log

Project NGC Project No. NY001464.0409.ans 2
 Site Location Bethpage, NY Date 03-17-09
 Well No. N-10631 Replicate No. _____ Weather Sunny
 Sampling Personnel Gary Williams / Sunny Xu Sampling Time: Begin 14:50 End 15:00

Purge Data

Measuring Point (describe) _____
 Sounded Well Depth (ft bmp) 67.00
 Depth to Water (ft bmp) 35.95
 Depth to Packer (ft bmp) 41.05
 Water Column in Well (ft) 41.05
 Casing Diameter 2" (0.16)
 Gallons in Well 6.56
 Gallons Purged _____
 Prior to Sampling 21
 Pump Intake _____
 Setting (ft bmp) _____
 Packer Pressure (psi) _____
 Pumping Rate (gpm) _____
 Evacuation Method _____
 Sampling Method _____
 Purge Time Begin _____ End _____

Field Parameters

Color Colorless
 Odor none
 Appearance clear

	1	1V	2V	3V
pH (s.u.)	9.15	9.12	8.34	8.11
Conductivity (<u>µmhos/cm</u>) or (mS/cm)	664	188.2	114.2	106.2
Temperature (°C)	14.6	14.1	14.0	13.9
DO (mg/L)				
ORP (mV)				
Turbidity (NTU)				8.2
Time				
DTW (ft bmp)				

 Remarks: _____

Parameter	Container	No.	Preservative
<u>See COC</u>	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____

PID Reading _____

Well Casing Volumes

Gal./Ft.	1 ^{1/4} " = 0.06	2" = 0.16	3" = 0.37	4" = 0.65
	1 ^{1/2} " = 0.09	2- ¹ / ₂ " = 0.26	3- ¹ / ₂ " = 0.50	6" = 1.47

1) Circle one unit type

Low-Flow Groundwater Sampling Log

Project Number: N York 464.0409.0002 Task: _____ Well ID: N-10627
 Date: 03-17-09 Sampled By: Gary Williams / Sunny Xu
 Sampling Time: 13:37 Recorded By: Sunny Xu
 Weather: clear Coded Replicate No.: _____

Instrument Identification
 Water Quality Meter(s): _____ Serial #: _____

Purging Information
 Casing Material: _____ Purge Method: _____
 Casing Diameter: 4" Screen Interval (ft bmp): Top 290 Bottom 295
 Sounded Depth (ft bmp): _____ Pump Intake Depth (ft bmp): _____
 Depth to Water (ft bmp): 30.88 Purge time Start: 12:35 Finish: 13:35

Field Parameter Measurements Taken During Purging

Time	Minutes Elapsed	Rate (mL/min)	Volume Purged	Temp (°C)	pH (SI Units)	Spec. Cond. $\mu\text{mhos/cm}$ (mS/cm)	ORP (mV)	DO (mg/L)	Turbidity (NTU)	Depth to Water (ft bmp)	Comments
12:35				12.4	8.57	86.5	120	4.25		31.15	
12:40	5			13.1	9.79	90.2	114	2.31			
12:45	10			13.5	10.10	96.2	116	1.62		31.52	
12:50	15			14.0	10.26	102.0	99	1.29			
12:55	20			14.2	10.42	111.4	65	1.12		31.72	
13:00	25			14.2	10.49	119.8	25	1.09			
13:05	30			14.3	10.49	126.9	-25	1.09		31.85	
13:10	35			14.4	10.50	132.3	-38	1.11			
13:15	40			14.4	10.52	134.9	-50	1.13		31.87	
13:20	45			14.4	10.52	138.3	-60	1.17			
13:25	50			14.6	10.52	138.3	-66	1.21		31.90	
13:30	55			14.7	10.52	140.0	-79	1.15			
13:35	60			14.7	10.53	140.8	-85	1.21		31.90	

Sample Condition Color: Colorless Odor: none Appearance: clear
 Sample Collection Parameter: See COL Container: _____ No. _____ Preservative: _____

PID Reading _____
 Comments _____



Laboratory Task Order No./P.O. No. _____

CHAIN-OF-CUSTODY RECORD Page _____ of _____

Project Number/Name NYDO H4. 0409. 00002
 Project Location BETH PAGE NY
 Laboratory COLUMBIA ANALYTICAL SERV
 Project Manager MIKE WOLFE
 Sampler(s)/Affiliation G.W.

ANALYSIS / METHOD / SIZE
40 ML G.M. 4.2 (K)
2000 RSR

Sample ID/Location	Matrix	Date/Time Sampled	Lab ID	Remarks	Total
Gm-17E	L	2-17-09	33M		33
Gm-17D	L	2-17-09	33M		33
TB2-1718-09	L	2-17-09	33M		33
Gm-74I	L	2-18-09	33M		33
Gm-74D	L		33M		33
Gm-74D-2	L		33M		33
Gm-73D-2	L		33M		33
Gm-73D	L		33M		33
REP-2-18-09	L		33M		33
Total No. of Bottles/Containers					33

Sample Matrix: L = Liquid; S = Solid; A = Air

Relinquished by: D. HU Organization: ARCADIS Date: 2/18/09 Time: 6:00 Seal Intact? Yes No N/A
 Received by: _____ Organization: _____ Date: / / Time: / / Seal Intact? Yes No N/A
 Relinquished by: _____ Organization: _____ Date: / / Time: / / Seal Intact? Yes No N/A
 Received by: _____ Organization: _____ Date: / / Time: / / Seal Intact? Yes No N/A

Special Instructions/Remarks
PLEASE USE THIS SAMPLE FOR AN MS/MS - QA/QC SAMPLE
REPORT TO MELISSA REYNOL

Method: In Person Common Carrier Lab Courier Other _____ SPECIFY _____
 AG-05-1201



Laboratory Task Order No./P.O. No. 96+102

CHAIN-OF-CUSTODY RECORD

Page 1 of 1


Project Number/Name NY06144-0709-00002

Project Location BETHPAGE NY

Laboratory COLUMBIA ANALYTICAL

Project Manager CARLOS BLOOMING

Sampler(s)/Affiliation 1) MICHAEL PANICOS



Sample ID/Location	Matrix	Date/Time Sampled	Lab ID	Remarks	Total
TOWER 102 INF	A	2/23/09 1015		START VAC - 29.50 END VAC - 5.0	1
TOWER 102 EFF		1025			
TOWER 102 EFF		1025		START VAC - 29.50 END - 5.0	1
TOWER 96 INF		1900		START VAC - 29.50 END - 5.0	1
TOWER 96 MID TRAIN		1905		START VAC - 29.50 END - 5.0	1
TOWER 96 TOTAL EFF.		1910		START VAC - 29.50 END - 5.0	1
				Total No. of Bottles/Containers	6

Sample Matrix: L = Liquid; S = Solid; A = Air

Relinquished by: Mike Panicos Organization: ARCADIS Date: 2/23/09 Time: _____ Seal Intact? Yes No N/A

Received by: _____ Organization: _____ Date: _____ Time: _____ Seal Intact? Yes No N/A

Relinquished by: _____ Organization: _____ Date: _____ Time: _____ Seal Intact? Yes No N/A

Received by: _____ Organization: _____ Date: _____ Time: _____ Seal Intact? Yes No N/A

Special Instructions/Remarks: ATTN: MIKE PERAY - Environment / unsecured samples

Delivery Method: In Person Common Carrier FEDEX Lab Courier Other _____ SPECIFY _____



CHAIN-OF-CUSTODY RECORD

Laboratory Task Order No./P.O. No. 102

Page 1 of 2

Project Number/Name NY006464 0769 0006 2
 Project Location BETHPAGE NY
 Laboratory COLUMBIA ANALYTICAL
 Project Manager CARLO SPALIVANU
 Sampler(s)/Affiliation DMC VOPS / DMV 12

Sample ID/Location	Matrix	Date/Time Sampled	ANALYSIS / METHOD / SIZE				Remarks	Total
			DMV 12	Grav B	STD. TRT.	UNPRESERVED		
TOWER 102 EFF.	L	0830	X	X	X			
TOWER 102 EFF. MS		0830	X	X	X			
TOWER 102 EFF. MS		0830	X	X	X			
TOWER 102 INF.		0820	X	X	X			
TOWER 102 INF. N.G.		0820	X	X	X			
TOWER 102 EFF. N.G.		0830	X	X	X			
WELL - 19		0840	X	X	X			
WELL - 19 N.G.		0840	X	X	X			
WELL 18		0851	X	X	X			
WELL 18 N.G.		0854	X	X	X			
WELL 17		0905	X	X	X			
WELL 17 N.G.		0905	X	X	X			
TOWER 96 INF.		0915	X	X	X			
TOWER 96 EFF.		0920	X	X	X			
WELL - 1		0928	X	X	X			
Total No. of Bottles/Containers							40	

Sample Matrix: Liquid; Solid; Air

Relinquished by: _____ Date: ____/____/____ Time: ____

Received by: _____ Date: ____/____/____ Time: ____

Relinquished by: _____ Date: ____/____/____ Time: ____

Received by: _____ Date: ____/____/____ Time: ____

Organization: _____

Organization: _____

Organization: _____

Organization: _____

Seal Intact? Yes No N/A

Seal Intact? Yes No N/A

Special Instructions/Remarks:
 ATTN: MIKE PERRY. UNPRESERVED BOTTLES ARE MARKED N.G. FOR THE CLIENT, THEY ARE ALSO YELLOW CAPS. SOME OF THESE AS YOU KNOW WOULD.


Delivery Method: In Person Common Carrier Lab Courier Other



CHAIN-OF-CUSTODY RECORD

Laboratory Task Order No./P.O. No. 16-c 10-2

Project Number/Name N1001964-0409-0002
 Project Location BETHPAGE NY
 Laboratory COLUMBIA ANALYTICAL
 Project Manager CARLOS SANCHEZ
 Sampler(s)/Affiliation MCCARTHY/ARCADIS



Sample ID/Location	Matrix	Date/Time Sampled	Lab ID	1/8 ML VOLS	Q.M.V.N.	GRAB	STD. TR	PRES. TECH	CN PRESERVED	Remarks	Total
WELL 3	L	7/29/09 0955		3	X	X	X	X	X		
TRIP BLANKS	L			3	X	X	X	X	X		
TEMP. BOTTLE	L			3	X	X	X	X	X		

Sample Matrix: L = Liquid, S = Solid, A = Air
 Relinquished by: [Signature] Date 8/23/09 Time _____ Seal Intact? Yes No N/A
 Received by: [Signature] Date / / Time _____
 Requisitioned by: _____ Date / / Time _____ Seal Intact? Yes No N/A
 Received by: _____ Date / / Time _____

Organization: ARCADIS
 Special Instructions/Remarks: ATTN: MIKE PERKIN 49 TOTAL BOTTLES + 1 TEMP. BLANK. RESULTS TO MELISSA
REHANDLE RT VULCANITY OFFICE.



CHAIN-OF-CUSTODY RECORD

Laboratory Task Order No./P.O. No. _____ of _____


Project Number/Name NY 001464 0409.00002

Project Location BETHPAGE NY

Laboratory TEST AMERICA

Project Manager MIKE WOLFERT

Sampler(s)/Affiliation G.W. XX



Sample ID/Location	Matrix	Date/Time Sampled	Lab ID	Remarks	Total
HW-42S	L	2-23-09	3		M
HW-42E	L		M		M
HW-40S	L		M		M
HW-40E	L		M		M
TB 2-23-09			M		M
TB 2-23-09			M		M

Sample Matrix: L = Liquid; S = Solid; A = Air
 Relinquished by: J. H. H. Organization: ARCADIS Date: 2/23/09 Time: 5:00 Seal Intact? Yes No N/A
 Received by: _____ Organization: _____ Date: / / Time: Seal Intact? Yes No N/A
 Relinquished by: _____ Organization: _____ Date: / / Time: Seal Intact? Yes No N/A
 Received by: _____ Organization: _____ Date: / / Time: Seal Intact? Yes No N/A

Special Instructions/Remarks: REPORT TO MERSSA RENTOL

Delivery Method: In Person Common Carrier Lab Courier Other _____



Laboratory Task Order No./P.O. No. _____

CHAIN-OF-CUSTODY RECORD

Page 1 of 1

Project Number/Name ALC N'VILLE 04/09 0002

Project Location Bethpage, NY

Laboratory Test America

Project Manager Mike Differt

Sampler(s)/Affiliation Gary Williams / Sunny XN

Sample ID/Location	Matrix	Date/Time Sampled	Lab ID	ANALYSIS / METHOD / SIZE					Remarks	Total
				40ml VOC DMK 2.2	250ml DMK 2.2	Total Col'd	250ml Plastic	Disolved Col'd		
GM-78 S	W			3	1					5
GM-78 I	W			3	1					5
PT-1 MW-04	W				1					2
PT-1 MW-05	W				1					2
PT-1 MW-06	W				1					3
FB02-24-09	W			3	1					4
TB02-24-09	W			3	1					3
GM-15SR	W			3	1					5

Sample Matrix: L = Liquid; S = Solid; A = Air

Relinquished by: Gary Williams Organization: ARCADIS Date: 02/26/09 Time: 8:00 Seal Intact? Yes No N/A

Received by: _____ Organization: _____ Date: 1/1 Time: _____

Relinquished by: _____ Organization: _____ Date: 1/1 Time: _____ Seal Intact? Yes No N/A

Received by: _____ Organization: _____ Date: 1/1 Time: _____

Special Instructions/Remarks: Report to Melissa Reinell

Total No. of Bottles/Containers: 23

Delivery Method: In Person Common Carrier Lab Courier Other FedEx

SPECIFY _____ SPECIFY _____



CHAIN-OF-CUSTODY RECORD

Laboratory Task Order No./P.O. No. NY 101464 049-0002

Project Number/Name NAC NY 101464 049-0002

Project Location Bethpage, NY

Laboratory Forrest Analytical

Project Manager Mike Wolff

Sampler(s)/Affiliation Berry Williams / Sunny Xu

- ANALYSIS / METHOD / SIZE

VOC (M+V) 2000 mg

Sample ID/Location	Matrix	Date/Time Sampled	Lab ID	Remarks	Total
<u>GM-34 D</u>	<u>L</u>	<u>02-25-09</u>	<u>3</u>		<u>3</u>
<u>GM-34 Dz</u>	<u>L</u>	<u>02-25-09</u>	<u>3</u>		<u>3</u>
<u>TB 02-25-09</u>	<u>L</u>	<u>02-25-09</u>	<u>3</u>		<u>3</u>
<u>FB 02-25-09</u>	<u>L</u>	<u>02-25-09</u>	<u>3</u>		<u>3</u>

Sample Matrix: L = Liquid; S = Solid; A = Air

Relinquished by: Gary Williams Organization: ARCADIS

Date: 02/25/09 Time: 17:30

Seal Intact? Yes No N/A

Received by: _____ Organization: _____

Date: / / Time: _____

Seal Intact? Yes No N/A

Relinquished by: _____ Organization: _____

Date: / / Time: _____

Seal Intact? Yes No N/A

Received by: _____ Organization: _____

Date: / / Time: _____

Seal Intact? Yes No N/A

Special Instructions/Remarks: Report to Melissa Realdi 2 weeks 7A1

Delivery Method: In Person Common Carrier Lab Courier Other Field

Total No. of Bottles/Containers: 12



Laboratory Task Order No./P.O. No. _____

CHAIN-OF-CUSTODY RECORD

Page _____ of _____

Project Number/Name NY 001464.0409.00002

Project Location BETHPAGE NY.

Laboratory COLUMBIA ANALYTICAL SERVICES

Project Manager MICHELLE WOLFERT

Sampler(s)/Affiliation G.W./ARCADIS

ANALYSIS / METHOD / SIZE

40ml from
Locom 4.2 2007
AP

Sample ID/Location	Matrix	Date/Time Sampled	Lab ID	Remarks	Total
GM-15D-2	L	2-27-09	3		3
GM-15D	L	✓	3		3
TB-2-27-09	L	✓	3		3

Sample Matrix: L = Liquid; S = Solid; A = Air

Relinquished by: S. HU Organization: ARCADIS Date: 2/27/09 Time: 5:00 Seal Intact? Yes No N/A

Received by: _____ Organization: _____ Date: / / Time: _____ Seal Intact? Yes No N/A

Relinquished by: _____ Organization: _____ Date: / / Time: _____ Seal Intact? Yes No N/A

Received by: _____ Organization: _____ Date: / / Time: _____ Seal Intact? Yes No N/A

Special Instructions/Remarks: REPORT TO MESSIA REMDC


Delivery Method: In Person Common Carrier EX Lab Courier Other _____

SPECIFY



CHAIN-OF-CUSTODY RECORD

Laboratory Task Order No./P.O. No. NBC outpost vep's
Project Number/Name NBC NY00164, 0609, 0002
Project Location Delhousie, NY
Laboratory Columbia Analytical Services
Project Manager Mike Wolfart
Sampler(s)/Affiliation Pat Reardon / Sunny Xu



Sample ID/Location	Matrix	Date/Time Sampled	Lab ID	Analysis / Method / Size	Remarks	Total
BP010 1-1	L	03-03-09	3			3
BP010 1-2	L		3		Note	3
7B03-03-09	L		3		Analysis	3
REP 03-03-09	L		3		VOC 524.2	3

Sample Matrix: L = Liquid, S = Solid, A = Air	Total No. of Bottles/Containers	<u>12</u>	
Relinquished by: <u>Sunny Xu</u>	Organization: <u>Arcadis</u>	Date: <u>03/03/09</u> Time: <u>13:00</u>	Seal Intact? Yes No N/A
Received by: _____	Organization: _____	Date: <u>1/1</u> Time: _____	Yes No N/A
Relinquished by: _____	Organization: _____	Date: <u>1/1</u> Time: _____	Seal Intact? Yes No N/A
Received by: _____	Organization: _____	Date: <u>1/1</u> Time: _____	Yes No N/A

Special Instructions/Remarks: Report to Melissa Reard1. 2 weeks TA7

Delivery Method: In Person Common Carrier FedEx Lab Courier Other FedEx



CHAIN-OF-CUSTODY RECORD

Laboratory Task Order No./P.O. No. _____ Page _____ of _____


Project Number/Name NY 001469.0109.00002

Project Location BETHPAGE NY

Laboratory V COLUMBIA ANALYTICAL SERV

Project Manager MIKE WOLFERT

Sampler(s)/Affiliation G.W XX



Sample ID/Location	Matrix	Date/Time Sampled	Lab ID	Remarks	Total
<u>SP0w1-3</u>	<u>L</u>	<u>3-4-09</u>	<u>3</u>		<u>3</u>
<u>TB 3-4-09</u>	<u>✓</u>	<u>3-4-09</u>	<u>3</u>		<u>3</u>
Total No. of Bottles/ Containers					<u>6</u>

Sample Matrix: L = Liquid; S = Solid; A = Air

Relinquished by: G. BLO Date: 3/4/09 Time: 5:50 Seal Intact? Yes No N/A

Received by: _____ Organization: ARCADIS Date: / / Time: / / Seal Intact? Yes No N/A

Relinquished by: _____ Organization: _____ Date: / / Time: / /

Received by: _____ Organization: _____ Date: / / Time: / /

Special Instructions/Remarks: REPORT TO MELISSA KERNOL

Delivery Method: In Person Common Carrier Lab Courier Other

SPECIFY



CHAIN-OF-CUSTODY RECORD

Laboratory Task Order No./P.O. No. _____ Page 1 of 1

Project Number/Name AY 06164 0409 0002 NBC

Project Location Bellevue, WA

Laboratory Environmental Analytical Services

Project Manager Mike Boltz

Sampler(s)/Affiliation Bong Williams / Sunny Xu

ANALYSIS / METHOD / SIZE

VOC (24.2)
VOC (10.0)

Sample ID/Location	Matrix	Date/Time Sampled	Lab ID	Remarks	Total
<u>RP0103-1</u>	<u>L</u>	<u>03-06-09</u>			<u>3</u>
<u>RP0103-2</u>	<u>L</u>	<u>/</u>		<u>MS / MSD</u>	<u>9</u>
<u>TB050609</u>	<u>L</u>	<u>/</u>			<u>3</u>
<u>REPO0609</u>	<u>L</u>	<u>/</u>			<u>3</u>

Sample Matrix: L = Liquid; S = Solid; A = Air Total No. of Bottles/Containers 18

Relinquished by: Gary Williams Organization: ARCADIS Date: 03/06/09 Time: 12:30

Received by: _____ Organization: _____ Date: ___/___/___ Time: _____ Seal Intact? Yes No N/A

Relinquished by: _____ Organization: _____ Date: ___/___/___ Time: _____ Seal Intact? Yes No N/A

Received by: _____ Organization: _____ Date: ___/___/___ Time: _____ Seal Intact? Yes No N/A

Special Instructions/Remarks: 2 weeks TAT; Report to Melissa Reinold

Delivery Method: In Person Common Carrier Lab Courier Other



Laboratory Task Order No./P.O. No. _____

CHAIN-OF-CUSTODY RECORD

Page 1 of 1

Project Number/Name: NY 091464-04-09 1000 2
 Project Location: Bethpage, NY
 Laboratory: Columbia Analytical Services
 Project Manager: Mike Wolfert
 Sampler(s)/Affiliation: Gary Williams / Sunny XIA

Sample ID/Location	Matrix	Date/Time Sampled	Lab ID	ANALYSIS / METHOD / SIZE	Remarks	Total
TB031309	L	03-13-09	2			3
BP024-1	L	03-13-09	3			3

Sample Matrix: L = Liquid; S = Solid; A = Air
 Relinquished by: Sunny Xia Organization: ARCADIS Date: 3/13/09 Time: 19:30 Seal Intact? Yes No N/A
 Received by: _____ Organization: _____ Date: / / Time: _____ Seal Intact? Yes No N/A
 Relinquished by: _____ Organization: _____ Date: / / Time: _____ Seal Intact? Yes No N/A
 Received by: _____ Organization: _____ Date: / / Time: _____ Seal Intact? Yes No N/A
 Special Instructions/Remarks: 2 weeks TAF report to NYS



CHAIN-OF-CUSTODY RECORD

Laboratory Task Order No./P.O. No. _____ Page 1 of 1

Project Number/Name MGC N100464, 0409, 0002
 Project Location Bethpage NY
 Laboratory Columbia Analytical Services
 Project Manager Mike Wolfert
 Sampler(s)/Affiliation Garry Williams / Sunny Xn

ANALYSIS / METHOD / SIZE
Asmt 422
VOC (24.2)
422 (24.2)
VOC (24.2)

Sample ID/Location	Matrix	Date/Time Sampled	Lab ID	Remarks	Total
<u>DP010 4-2</u>	<u>L</u>	<u>03-16-09</u>	<u>3</u>		<u>3</u>
<u>TPO 31609</u>	<u>L</u>	<u>03-16-09</u>	<u>3</u>		<u>3</u>
<u>GM-39D-2</u>	<u>L</u>	<u>03-16-09</u>	<u>3</u>		<u>3</u>
<u>GM-39D</u>	<u>L</u>	<u>03-16-09</u>	<u>3</u>		<u>3</u>
<u>GM-39D</u>	<u>L</u>	<u>03-16-09</u>	<u>3</u>		<u>3</u>


Sample Matrix: L = Liquid; S = Solid; A = Air
 Relinquished by: Sunny Xn Organization: Arcadis Date: 3/16/09 Time: 6:15 Seal Intact? Yes No N/A
 Received by: _____ Organization: _____ Date: / / Time: Seal Intact? Yes No N/A
 Relinquished by: _____ Organization: _____ Date: / / Time: Seal Intact? Yes No N/A
 Received by: _____ Organization: _____ Date: / / Time: Seal Intact? Yes No N/A

Special Instructions/Remarks: 2 weeks TAT. Report to Melissa Pineda
TRIP BLANKMADE WITH LAB SUPPLIED FB WATER
 Delivery Method: In Person Common Carrier Lab Courier Other
 Total No. of Bottles/Containers: 9



CHAIN-OF-CUSTODY RECORD

Project Number/Name NY 001464 0409.0002
 Project Location BETH PAGE NY
 Laboratory COLUMBIA ANALYTICAL SER
 Project Manager MIKE WOLFE
 Sampler(s)/Affiliation G. WILKINS



Sample ID/Location	Matrix	Date/Time Sampled	Lab ID	Remarks	Total
GM-7E	L	3-20-09	S		3
GM-PAD	↓	↓	S		3
GM-2LD	↓	↓	S		3
TB 3-20-09	↓	↓	S		3

Sample Matrix: L = Liquid; S = Solid; A = Air

Relinquished by: SHAW Organization: AHL CROSS Date: 3 120 09 Time: 6:25 Seal Intact? Yes No N/A

Received by: _____ Organization: _____ Date: / / Time: Seal Intact? Yes No N/A

Relinquished by: _____ Organization: _____ Date: / / Time: Seal Intact? Yes No N/A

Received by: _____ Organization: _____ Date: / / Time: Seal Intact? Yes No N/A

Special Instructions/Remarks: REPORT TO MESSIA KETROL



Laboratory Task Order No./P.O. No. NY 0014920409.00002

CHAIN-OF-CUSTODY RECORD Page of

Project Location NY 0014920409.00002

Project Manager MIKE WOFFER

Sampler(s)/Affiliation G.W.

Laboratory COLUMBIA ANALYTICAL SERVICES

*HCM1 DETRACORMS
VOC CLKW 423008*

Sample ID/Location	Matrix	Date/Time Sampled	Lab ID	Remarks	Total
GM-20E	L	3-21-09	4		3
GM-20D	✓	3-21-09	✓		3
GM-38D	✓	3-22-09	✓		3
GM-38D-Z	✓	3-22-09	✓		3
GM-350-Z	✓	3-23-09	✓		3

Sample Matrix: L = Liquid; S = Solid; A = Air
 Total No. of Bottles/Containers 15

Relinquished by: [Signature] Date 3/23/09 Time 3:30 Seal Intact? Yes No N/A
 Received by: [Signature] Date Time Seal Intact? Yes No N/A
 Relinquished by: Date Time Seal Intact? Yes No N/A
 Received by: Date Time Seal Intact? Yes No N/A

Special Instructions/Remarks: REFOG TO MELISSA PERNOZ

Delivery Method: In Person Common Carrier Lab Courier Other



Laboratory Task Order No./P.O. No. _____ of _____

CHAIN-OF-CUSTODY RECORD Page _____ of _____

Project Number/Name NY 001492009.00002

Project Location BETHPAGE N.Y.

Laboratory COLUMBIA ANALYTICAL SERVICES

Project Manager _____

Sampler(s)/Affiliation ELU

ANALYSIS / METHOD / SIZE			
<i>HOWI DETAIL 20090122</i>			
<i>TOP 12 INCH</i>			

Sample ID/Location	Matrix	Date/Time Sampled	Lab ID	Remarks	Total	
GM-360	L	3/24/09	3		3	
GM-3602	L		3		3	
TR3-2409	L		3		3	
Sample Matrix: L = Liquid; S = Solid; A = Air					Total No. of Bottles/Containers	9

Relinquished by: [Signature] Organization: AICALASS Date 3/24/09 Time 4:00

Received by: _____ Date _____ Time _____ Seal Intact? Yes No N/A

Relinquished by: _____ Organization: _____ Date _____ Time _____ Seal Intact? Yes No N/A

Received by: _____ Organization: _____ Date _____ Time _____ Seal Intact? Yes No N/A

Special Instructions/Remarks: REFER TO MELISSA KENDRICK

Delivery Method: In Person Common Carrier FEDEX Lab Courier Other _____

Water Sampling Log

Project N-Grumma 002 Project No. NY001492.0409.00002
 Site Location Bethpage, NY Date 5/19/09
 Well No. BROW 1-1 Replicate No. NA Weather clear 70af
 Sampling Personnel Williams / Prezant Sampling Time: Begin _____ End 1301

Purge Data

Measuring Point (describe) TOC
 Sounded Well Depth (ft bmp) 241
 Depth to Water (ft bmp) 27.22
 Depth to Packer (ft bmp) 169
 Water Column in Well (ft) 72
 Casing Diameter 4" (0.65)
 Gallons in Well 46.8
 Gallons Purged x3
 Prior to Sampling 140
 Pump Intake
 Setting (ft bmp) _____
 Packer Pressure (psi) 111
 Pumping Rate (gpm) _____
 Evacuation Method dedicated submersible pump
 Sampling Method 3wv packer
 Purge Time Begin 12:40 End _____

Field Parameters

	1	1V	2V	3V
Color <u>colorless</u>	colorless	colorless	colorless	colorless
Odor <u>none</u>	none	none	none	none
Appearance <u>clear</u>	clear	clear	clear	clear
pH (s.u.)	5.75	5.30	5.13	5.05
Conductivity (mS/cm) or (µmhos/cm) ¹⁾	473	123.3	110.6	106.1
Temperature (°C)	15.8	12.8	12.8	12.7
DO (mg/L)	-	-	-	-
ORP (mV)	-	-	-	-
Turbidity (NTU)	-	-	-	26
DTW (ft bmp)				

Remarks:

169 - 0TWX.43+50 = PSI

Parameter	Container	No.	Preservative
<u>See col</u>			

 PID Reading Oppn of wellhead
Well Casing Volumes

Gal./Ft.	1 ^{1/4} " = 0.06	2" = 0.16	3" = 0.37	4" = 0.65
	1 ^{1/2} " = 0.09	2-1/2" = 0.26	3-1/2" = 0.50	6" = 1.47

1) Circle one unit type

Water Sampling Log

Project N-Grumma 002 Project No. NY001492, 0409, 00002
 Site Location Bethpage, NY Date 5/19/09
 Well No. BPOW 1-2 Replicate No. NA Weather clear 70°F
 Sampling Personnel Williams / Prozorcki Sampling Time: Begin _____ End 1456

Purge Data	Field Parameters
Measuring Point (describe) <u>TOC</u>	Color <u>colorless</u> <u>colorless</u> <u>colorless</u> <u>colorless</u>
Sounded Well Depth (ft bmp) <u>335</u>	Odor <u>none</u> <u>none</u> <u>none</u> <u>none</u>
Depth to Water (ft bmp) <u>29.38</u>	Appearance <u>clear</u> <u>clear</u> <u>clear</u> <u>clear</u>
Depth to Packer (ft bmp) <u>294</u>	
Water Column in Well (ft) <u>41</u>	
Casing Diameter <u>4" (0.65)</u>	pH (s.u.) <u>5.67</u> <u>5.66</u> <u>5.28</u> <u>5.00</u>
Gallons in Well <u>26.65</u>	Conductivity
Gallons Purged <u>x3</u>	(mS/cm) or
Prior to Sampling <u>80.0</u>	(µmhos/cm) ¹⁾ <u>57.9</u> <u>65.7</u> <u>64.9</u> <u>65.0</u>
Pump Intake	Temperature (°C) <u>16.3</u> <u>13.5</u> <u>11.8</u> <u>11.3</u>
Setting (ft bmp)	
Packer Pressure (psi) <u>165</u>	DO (mg/L)
Pumping Rate (gpm)	ORP (mV)
Evacuation Method <u>dedicated submersible pump/packer</u>	Turbidity (NTU) <u>25</u> ^{pp}
Sampling Method <u>3 WV</u>	Time
Purge Time Begin <u>1442</u> End _____	DTW (ft bmp)

Remarks: 294 - DTW x .43 + 50 = PSI

Parameter	Container	No.	Preservative
<u>see COC</u>	_____	_____	_____
_____	_____	_____	_____

PID Reading Oxygen wellhead

Well Casing Volumes				
Gal./Ft.	1 ^{1/4"} = 0.06	2" = 0.16	3" = 0.37	4" = 0.65
	1 ^{1/2"} = 0.09	2-1/2" = 0.26	3-1/2" = 0.50	6" = 1.47

1) Circle one unit type

Water Sampling Log

Project N-Grisman NJ2 Project No. NY001492,0409,00002
 Site Location Bethpage, NY Date 5-19-09
 Well No. BPOW 1-3 Replicate No. MS/MSD Weather clear 70°F
 Sampling Personnel Williams / Prezostki Sampling Time: Begin _____ End 1637

Purge Data	Field Parameters				
		1	1V	2V	3V
Measuring Point (describe) <u>TOC</u>	Color	<u>colorless</u>	<u>colorless</u>	<u>colorless</u>	<u>colorless</u>
Sounded Well Depth (ft bmp) <u>419</u>	Odor	<u>none</u>	<u>none</u>	<u>none</u>	<u>none</u>
Depth to Water (ft bmp) <u>29.70</u>	Appearance	<u>clear</u>	<u>clear</u>	<u>clear</u>	<u>clear</u>
Depth to Packer (ft bmp) <u>344</u>					
Water Column in Well (ft) <u>75</u>	pH (s.u.)	<u>4.43</u>	<u>4.38</u>	<u>4.40</u>	<u>4.37</u>
Casing Diameter <u>4" (0.65)</u>	Conductivity				
Gallons in Well <u>48.75</u>	(mS/cm) or				
Gallons Purged <u>x3</u>	(µmhos/cm) ¹⁾	<u>82.1</u>	<u>104.1</u>	<u>91.3</u>	<u>87.3</u>
Prior to Sampling <u>146.25</u>	Temperature (°C)	<u>14.8</u>	<u>12.1</u>	<u>11.3</u>	<u>12.6</u>
Pump Intake	DO (mg/L)				
Setting (ft bmp) _____	ORP (mV)				
Packer Pressure (psi) <u>185</u>	Turbidity (NTU)				<u>27</u>
Pumping Rate (gpm) _____	Time				
Evacuation Method <u>dedicated submersible pump/packer</u>	DTW (ft bmp)				
Sampling Method <u>3WV</u>					
Purge Time Begin <u>1600</u> End _____					

Remarks: 344
~~419~~ - DTW x .43 + 50 = PSI

Missing 1/4" plug

Parameter	Container	No.	Preservative
<u>See COL</u>			

PID Reading open drilled

Well Casing Volumes					
Gal./Ft.	1 ^{1/4} " = 0.06	2" = 0.16	3" = 0.37	4" = 0.65	
	1 ^{1/2} " = 0.09	2-1/2" = 0.26	3-1/2" = 0.50	6" = 1.47	

1) Circle one unit type

Water Sampling Log

Project Northrop Greenham Project No. N Y 1492.0409.0002
 Site Location Bethpage, NY Date 5-20-09
 Well No. BPOW 3-1 Replicate No. N/A Weather Sunny 80°F
 Sampling Personnel Pat Prewarski / Sunny Xu Sampling Time: Begin 17:44 End _____

Purge Data		Field Parameters				
Measuring Point (describe)	<u>TOC</u>	Color	<u>Colorless</u>	<u>Colorless</u>	<u>Colorless</u>	<u>Colorless</u>
Sounded Well Depth (ft bmp)	<u>516</u>	Odor	<u>mild</u>	<u>Mild</u>	<u>Mild</u>	<u>Mild</u>
Depth to Water (ft bmp)	<u>25.28</u>	Appearance	<u>clear</u>	<u>clear</u>	<u>clear</u>	<u>clear</u>
Depth to Packer (ft bmp)	<u>414</u>					
Water Column in Well (ft)	<u>102</u>					
Casing Diameter	<u>4" (0.65)</u>	pH (s.u.)	<u>4.40</u>	<u>4.07</u>	<u>4.08</u>	<u>4.07</u>
Gallons in Well	<u>66.3</u>	Conductivity				
Gallons Purged	<u>43</u>	(mS/cm) or				
Prior to Sampling	<u>199</u>	(µmhos/cm)	<u>82.2</u>	<u>92.3</u>	<u>93.8</u>	<u>94.2</u>
Pump Intake		Temperature (°C)	<u>15.4</u>	<u>13.9</u>	<u>12.2</u>	<u>12.2</u>
Setting (ft bmp)		DO (mg/L)				
Packer Pressure (psi)	<u>220</u>	ORP (mV)				
Pumping Rate (gpm)	<u>3 well volume</u>	Turbidity (NTU)				
Evacuation Method	<u>dedicated submersible pump/probe</u>	Time	<u>17:44</u>			<u>18:20</u>
Sampling Method	<u>3 well volume</u>	DTW (ft bmp)				
Purge Time	Begin <u>17:44</u> End <u>18:20</u>					

Remarks: 414 - 25.28 x 43 + 50 = 220 rounded up
Missing wellhead N₂ connection
Parameters every 6 ft pd

Parameter	Container	No.	Preservative
<u>see TOC</u>			

PID Reading 0 ppm at wellhead

Well Casing Volumes				
Gal./Ft.	1 ^{1/4} " = 0.06	2" = 0.16	3" = 0.37	4" = 0.65
	1 ^{1/2} " = 0.09	2-1/2" = 0.26	3-1/2" = 0.50	6" = 1.47

1) Circle one unit type

Water Sampling Log

Project Hortwop. Arumman. DU-2 Project No. NYW1492-0909-00002
 Site Location Beethpage, NY Date 5/20/09
 Well No. BPOW 3-2 Replicate No. N/A Weather gdp clear
 Sampling Personnel Prezostki, Xu Sampling Time: Begin 15:21 End _____

Purge Data	Field Parameters			
	1	1V	2V	3V
Measuring Point (describe) <u>TUC</u>	Color	<u>Colorless</u>	<u>Colorless</u>	<u>---</u>
Sounded Well Depth (ft bmp) <u>647</u>	Odor	<u>none</u>	<u>none</u>	<u>---</u>
Depth to Water (ft bmp) <u>26.79</u>	Appearance	<u>clear</u>	<u>clear</u>	<u>---</u>
Depth to Packer (ft bmp) <u>503</u>				
Water Column in Well (ft) <u>144</u>	pH (s.u.)	<u>5.45</u>	<u>4.83</u>	<u>4.80</u>
Casing Diameter <u>4" (0.65)</u>	Conductivity			
Gallons in Well <u>93.6</u>	(mS/cm) or			
Gallons Purged <u>x3</u>	(μ mhos/cm) ¹⁾	<u>861</u>	<u>106.7</u>	<u>92.5</u>
Prior to Sampling <u>280</u>	Temperature (°C)	<u>15.4</u>	<u>10.4</u>	<u>14.3</u>
Pump Intake	DO (mg/L)			
Setting (ft bmp) _____	ORP (mV)			
Packer Pressure (psi) <u>255</u>	Turbidity (NTU)			<u>12</u>
Pumping Rate (gpm) _____	Time	<u>15:21</u>	<u>15:38</u>	<u>15:50</u>
Evacuation Method <u>3 well volume</u>	DTW (ft bmp)			
Sampling Method <u>Dedicated Submersible Pump/packer</u>				
Purge Time Begin <u>15:21</u> End <u>16:46</u>				

Remarks: $(503 - 26.79) \times .43 + 50 = 255$ psi
Every 94 gal = parameter

Parameter	Container	No.	Preservative
<u>See COC</u>			

PID Reading Opposite well head

Well Casing Volumes			
Gal./Ft.	1 1/4" = 0.06	2" = 0.16	3" = 0.37
	1 1/2" = 0.09	2-1/2" = 0.26	3-1/2" = 0.50
			4" = 0.65
			6" = 1.47

1) Circle one unit type

Water Sampling Log

Project Northrop Grumman Project No. NY001492.0409.002
 Site Location Bethpages NY Date 5-21-09
 Well No. B70W 4-1 Replicate No. _____ Weather Sunny 76°F
 Sampling Personnel Emily Williams / Sunny Xu Sampling Time: Begin 12:35 End _____

Purge Data		Field Parameters				
Measuring Point (describe)	<u>TOC - screen</u>	Color	<u>colorless</u>	<u>colorless</u>	<u>colorless</u>	<u>colorless</u>
Sounded Well Depth (ft bmp)	<u>652</u> <u>692</u>	Odor	<u>none</u>	<u>none</u>	<u>none</u>	<u>none</u>
Depth to Water (ft bmp)	<u>403</u> <u>442</u>	Appearance	<u>clear</u>	<u>clear</u>	<u>clear</u>	<u>clear</u>
Depth to Packer (ft bmp)	<u>503</u> <u>652</u>					
Water Column in Well (ft)	<u>149</u> <u>40</u>					
Casing Diameter	<u>4" (0.64)</u> <u>2" (0.16)</u>	pH (s.u.)	<u>5.86</u>	<u>4.96</u>	<u>5.17</u>	<u>5.15</u>
Gallons in Well	<u>96.85</u> <u>6.4</u>	Conductivity				
Gallons Purged	<u>x3</u> <u>x3</u>	(<u>ms/cm</u>) or				
Prior to Sampling	<u>209 + 19.2</u>	(<u>µmhos/cm</u>)	<u>73.2</u>	<u>87.4</u>	<u>54.5</u>	<u>48.8</u>
Pump Intake	<u>= 309</u>	Temperature (°C)	<u>15.4</u>	<u>12.9</u>	<u>17.0</u>	<u>14.7</u>
Setting (ft bmp)	_____	DO (mg/L)				
Packer Pressure (psi)	<u>255</u>	ORP (mV)				
Pumping Rate (gpm)	_____	Turbidity (NTU)				
Evacuation Method	_____	Time	<u>12:35</u>			<u>15:00</u>
Sampling Method	_____	DTW (ft bmp)	<u>26.95</u>			
Purge Time	Begin _____ End _____					

Remarks: _____

Parameter	Container	No.	Preservative
<u>see col.</u>	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____

PID Reading _____

Well Casing Volumes				
Gal./Ft.	1 ^{1/4} " = 0.06	2" = 0.16	3" = 0.37	4" = 0.65
	1 ^{1/2} " = 0.09	2-1/2" = 0.26	3-1/2" = 0.50	6" = 1.47

Circle one unit type

Water Sampling Log

Project Northrop Grumman SW-2 outpost Project No. NY 001492.0409.0000 2
 Site Location Bethpage, NY Date 5-21-07
 Well No. BPOW 4-2 Replicate No. _____ Weather Sunny (76F)
 Sampling Personnel Erin Williams / Sunny Xu Sampling Time: Begin _____ End _____

Purge Data

Measuring Point (describe) 70C
 Sounded Well Depth (ft bmp) 764
 Depth to Water (ft bmp) ~~764~~
 Depth to Packer (ft bmp) 503
 Water Column in Well (ft) 261
 Casing Diameter 4" (0.65)
 Gallons in Well 169.65
 Gallons Purged x 3
 Prior to Sampling 509
 Pump Intake _____
 Setting (ft bmp) _____
 Packer Pressure (psi) 215
 Pumping Rate (gpm) _____
 Evacuation Method _____
 Sampling Method _____
 Purge Time Begin _____ End _____

Field Parameters

	1	1V	2V	3V
Color	Colorless	Colorless	Colorless	Colorless
Odor	none	none	none	none
Appearance	clear	clear	clear	clear
pH (s.u.)	4.40	4.30	4.41	4.36
Conductivity (mS/cm) or (µmhos/cm) ¹⁾	78.6	99.5	93.3	85.0
Temperature (°C)	16.2	14.5	14.1	13.5
DO (mg/L)				
ORP (mV)				
Turbidity (NTU)				
Time	15:30	16:37	17:02	17:57
DTW (ft bmp)	26.13			

 Remarks: _____

Parameter	Container	No.	Preservative
<u>See 70C</u>	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____

PID Reading _____

Well Casing Volumes				
Gal./Ft.	1 ^{1/4} " = 0.06	2" = 0.16	3" = 0.37	4" = 0.65
	1 ^{1/2} " = 0.09	2-1/2" = 0.26	3-1/2" = 0.50	6" = 1.47

1) Circle one unit type

Water Sampling Log

Project N Grammar 002 Project No. NY0014920409.00002
 Site Location Bethpage, NY Date 5/22/09
 Well No. GM-20 I Replicate No. NA Weather 80°F Partly cloudy
 Sampling Personnel Prezosti Sampling Time: Begin _____ End 1746

Purge Data		Field Parameters				
Measuring Point (describe)	<u>TOC</u>	Color	<u>colorless</u>	<u>colorless</u>	<u>colorless</u>	<u>colorless</u>
Sounded Well Depth (ft bmp)	<u>105</u>	Odor	<u>none</u>	<u>none</u>	<u>none</u>	<u>none</u>
Depth to Water (ft bmp)	<u>34.63</u>	Appearance	<u>clear</u>	<u>clear</u>	<u>clear</u>	<u>clear</u>
Depth to Packer (ft bmp)	<u>94</u>					
Water Column in Well (ft)	<u>11</u>					
Casing Diameter	<u>4" (0.65)</u>	pH (s.u.)	<u>11.75</u>	<u>11.88</u>	<u>11.80</u>	<u>11.77</u>
Gallons in Well	<u>7.15</u>	Conductivity				
Gallons Purged	<u>+3</u>	(mS/cm) or				
Prior to Sampling	<u>22</u>	(µmhos/cm)	<u>126.4</u>	<u>152.2</u>	<u>156.4</u>	<u>158.1</u>
Pump Intake		Temperature (°C)	<u>13.1</u>	<u>12.8</u>	<u>11.9</u>	<u>12.1</u>
Setting (ft bmp)		DO (mg/L)				
Packer Pressure (psi)	<u>80 (rounded up)</u>	ORP (mV)				
Pumping Rate (gpm)	<u>1 Liter/minute</u>	Turbidity (NTU)	<u>—</u>	<u>—</u>	<u>—</u>	<u>23</u>
Evacuation Method	<u>dedicated bladder/pack</u>	Time		<u>1650</u>	<u>1716</u>	
Sampling Method	<u>3W Volume</u>	DTW (ft bmp)		<u>1/2</u>	<u>1/2</u>	<u>1/2</u>
Purge Time	Begin <u>1608</u> End _____					

Remarks: 94 - DTW x .43 + 50 = PSI
94 - 34.63 x .43 + 50 = 75.6
(Purge rate adjusted to 1 Liter/minute (well wizard control box))
Rate lowered prior to sampling

Parameter	Container	No.	Preservative
<u>See COC</u>			

PID Reading Open

Well Casing Volumes				
Gal./Ft.	1 ^{1/4} " = 0.06	2" = 0.16	3" = 0.37	<u>4" = 0.65</u>
	1 ^{1/2} " = 0.09	2-1/2" = 0.26	3-1/2" = 0.50	6" = 1.47

1) Circle one unit type

Water Sampling Log

Project N-Grunna out Project No. NY001492.0409.0002
 Site Location Bethpage, NY Date 5/22/09
 Well No. GM-20D Replicate No. NA Weather Breezy 80°F Partly cloudy
 Sampling Personnel APROTKI Sampling Time: Begin 1559 End 1603

Purge Data		Field Parameters				
Measuring Point (describe)	<u>TOC</u>	Color	<u>colorless</u>	<u>colorless</u>	<u>colorless</u>	<u>colorless</u>
Sounded Well Depth (ft bmp)	<u>226</u>	Odor	<u>None</u>	<u>None</u>	<u>None</u>	<u>None</u>
Depth to Water (ft bmp)	<u>36.42</u>	Appearance	<u>clear</u>	<u>clear</u>	<u>clear</u>	<u>clear</u>
Depth to Packer (ft bmp)	<u>215</u>					
Water Column in Well (ft)	<u>11</u>					
Casing Diameter	<u>4" (0.65)</u>	pH (s.u.)	<u>6.62</u>	<u>6.56</u>	<u>6.71</u>	<u>6.80</u>
Gallons in Well	<u>7.15</u>	Conductivity				
Gallons Purged	<u>22</u>	(mS/cm) or				
Prior to Sampling		(µmhos/cm) ¹⁾	<u>96.3</u>	<u>89.8</u>	<u>74.1</u>	<u>71.9</u>
Pump Intake		Temperature (°C)	<u>14.7</u>	<u>14.2</u>	<u>14.3</u>	<u>14.5</u>
Setting (ft bmp)		DO (mg/L)				
Packer Pressure (psi)	<u>130</u>	ORP (mV)				
Pumping Rate (gpm) ml/minute	<u>1450 ml/minute</u>	Turbidity (NTU)	<u>—</u>	<u>—</u>	<u>—</u>	<u>14</u>
Evacuation Method	<u>Dedicated bladder/packer</u>	Time		<u>1509</u>	<u>1529</u>	<u>1549</u>
Sampling Method	<u>3 well volume</u>	DTW (ft bmp)		<u>42</u>	<u>42</u>	<u>42</u>
Purge Time	Begin <u>1435</u> End <u>1550</u>					

Remarks: 215 - 36.42 x .43 + 50 = 130 psi = 130 psi rounded
Adjusted pump rate to 1450 ml/minute (well worn control box).
(Packer pressure = depth to packer - DTW x .43 + 50) ¹⁾ Rate lowered prior to sampling.

Parameter	Container	No.	Preservative
<u>See COC</u>		<u>5 gal containers</u>	

PID Reading 0 ppm

Well Casing Volumes				
Gal./Ft.	<u>1 1/4" = 0.06</u>	<u>2" = 0.16</u>	<u>3" = 0.37</u>	<u>4" = 0.65</u>
	<u>1 1/2" = 0.09</u>	<u>2-1/2" = 0.26</u>	<u>3-1/2" = 0.50</u>	<u>6" = 1.47</u>

1) Circle one unit type

Water Sampling Log

Project NORTHROP-GRUMMAN Project No. NY00493.0809.00002
 Site Location BETHPAGE NY Date 5-17-09
 Well No. Com-21E Replicate No. _____ Weather _____
 Sampling Personnel GW Sampling Time: Begin 3:00 End 4:15

Purge Data
Field Parameters

Measuring Point (describe) _____
 Sounded Well Depth (ft bmp) _____
 Depth to Water (ft bmp) _____
 Depth to Packer (ft bmp) _____
 Water Column in Well (ft) 11
 Casing Diameter (.65) x 3 = 1
 Gallons in Well 2257.715
 Gallons Purged 22
 Prior to Sampling _____
 Pump Intake _____
 Setting (ft bmp) _____
 Packer Pressure (psi) 110 PSE
 Pumping Rate (gpm) _____
 Evacuation Method _____
 Sampling Method _____
 Purge Time Begin _____ End _____

Color Colorless
 Odor None
 Appearance Clear

	1	1V	2V	3V
pH (s.u.)	8.28	6.21	6.91	6.32
Conductivity (ms/cm) or (μ mhos/cm) ¹⁾	137.0	198.7	169.5	172.5
Temperature (°C)	13.5	14.7	13.7	13.3
DO (mg/L)				
ORP (mV)				
Turbidity (NTU)				<20
Time				
DTW (ft bmp)				

Remarks:

SGAL PAILS
1111/2

Parameter	Container	No.	Preservative
<u>SEE CDC</u>	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____

 PID Reading —
Well Casing Volumes

Gal./Ft.	1 ^{1/4} " = 0.06	2" = 0.16	3" = 0.37	4" = 0.65
	1 ^{1/2} " = 0.09	2-1/2" = 0.26	3-1/2" = 0.50	6" = 1.47

1) Circle one unit type



Low-Flow Groundwater Sampling Log

Project NORWALK-BREMMAW
 Project Number NY001493.0801.00002 Site Location _____ Well ID GM-21D
 Date 5-17-09 Sampled By GW
 Sampling Time _____ Recorded By GW
 Weather _____ Coded Replicate No. _____

Instrument Identification

Water Quality Meter(s) _____ Serial # _____
 Casing Material Pvc Purge Method LOW FLOW
 Casing Diameter 4 Screen Interval (ft bmp) Top _____ Bottom _____
 Sounded Depth (ft bmp) _____ Pump Intake Depth (ft bmp) _____
 Depth to Water (ft bmp) 40.89 Purge Time Start _____ Finish _____

Field Parameter Measurements During Purging

Time	Minutes Elapsed	Flow Rate (mL/min)	Volume Purged	Temp (°C)	pH (s.u.)	Conductivity (umhos or mS/cm) ¹⁾	ORP (mV)	DO (mg/L)	Turbidity (NTU)	Depth to Water (ft bmp)
1:15				16.1	5.21	117.5	109	6.48		40.89
1:20				15.6	5.50	103.7	98	5.42		
1:25				15.6	4.55	104.5	98	5.40		
1:30				15.4	4.48	105.7	120	5.63		
1:35				15.5	4.52	106.0	110	5.59		40.86
1:40				15.4	4.68	106.0	135	5.96		
1:45				14.9	4.70	106.0	119	5.94		40.92
1:50				14.7	4.82	107.3	120	6.05		
1:55				14.7	4.78	107.3	121	5.99		
2:00				14.7	4.83	107.5	121	5.91		
2:05				14.7	4.83	107.5	121	5.95		
2:10				14.7	4.83	107.6	123	6.10		40.90
2:15				14.83	4.87	107.6	123	6.15		

Collected Sample Condition Color COLORED Odor NONE Appearance CLEAR
 Parameter Container No. Preservative

PID Reading 1

Comments _____

1) Circle one unit type



Infrastructure, environment, facilities

Low-Flow Groundwater Sampling Log

Project N-Grammer 02
 Project Number N4001487, 0409.0002 Site Location Bethpage, NY Well ID GM-3302
 Date 5/18/09 Sampled By Willians
 Sampling Time 1538 Recorded By Prezorsti
 Weather Cloudy 70°F Coded Replicate No. Rep 051809

Instrument Identification
 Water Quality Meter(s) See Instrument Calibration Form Serial #
 Casing Material PVC Purge Method Dedicated Bladder pump/Low Flow
 Casing Diameter 4" Screen Interval (ft bmp) Top 500 Bottom 520
 Sounded Depth (ft bmp) 520 Pump Intake Depth (ft bmp)
 Depth to Water (ft bmp) 47.32 Purge Time Start 1428 Finish 1535

Field Parameter Measurements During Purging

Time	Minutes Elapsed	Flow Rate (mL/min)	Volume Purged	Temp (°C)	pH (s.u.)	Conductivity (µmhos or mS/cm) ¹⁾	ORP (mV)	DO (mg/L)	Turbidity (NTU)	Depth to Water (ft bmp)
1430				17.5	5.91	69.2	121	6.86		
1435				17.6	5.92	69.7	120	6.32		47.28
1440				17.6	5.93	74.9	119	6.72		
1445				17.4	5.94	70.8	121	6.17		47.33
1450				17.5	5.92	71.3	121	5.77		
1455				18.0	5.92	68.5	121	6.08		
1500				18.7	5.92	75.4	122	5.64		47.37
1505				19.4	5.93	69.1	122	5.78		
1510				20.5	5.93	67.8	121	6.08		47.28
1515				20.7	5.93	67.7	121	5.94		
1520				20.7	5.95	68.7	121	6.04		47.34
1525				21.3	5.99	68.80	125	5.49		
1530				20.1	5.98	70.40	124	5.88		47.29
1535				18.8	5.83	68.80	128	6.16	21	

Collected Sample Condition Color colorless Odor None Appearance clear

Parameter See COC Container No. Preservative

PID Reading Opposite wellhead

Comments

1) Circle one unit type



Low-Flow Groundwater Sampling Log

Project Northrop Grumman GM-34D
 Project Number NY 001492.04=9.0 ⁶⁰⁰² Site Location Bethpage, NY Well ID ~~GM-34D~~
 Date 5-15-09 Sampled By Gary Williams / Sunny Xu
 Sampling Time _____ Recorded By Sunny Xu
 Weather Sunny / 70°F Coded Replicate No. _____

Instrument Identification
 Water Quality Meter(s) _____ Serial # _____
 Casing Material _____ Purge Method _____
 Casing Diameter 2" Screen Interval (ft bmp) Top _____ Bottom _____
 Sounded Depth (ft bmp) _____ Pump Intake Depth (ft bmp) _____
 Depth to Water (ft bmp) 12.29 Purge Time Start _____ Finish _____

Field Parameter Measurements During Purging

Time	Minutes Elapsed	Flow Rate (mL/min)	Volume Purged	Temp (°C)	pH (s.u.)	Conductivity (umhos or mS/cm) ¹⁾	ORP (mV)	DO (mg/L)	Turbidity (NTU)	Depth to Water (ft bmp)
11:10	5	400		22.8	6.88	99.5	132	2.28		12.29
11:15	10			22.6	6.97	190.8	102	2.95		
11:20	15			22.3	7.15	191.7	85	2.37		12.40
11:25	20			22.8	7.34	189.8	69	1.95		
11:30	25			22.7	7.56	188.3	65	1.76		12.46
11:35	30			21.9	7.74	186.4	55	1.71		
11:40	35			21.2	7.80	184.9	49	1.64		12.38
11:45	40			20.6	7.87	183.8	46	1.64		
11:50	45			20.4	7.93	183.5	40	1.68		12.40
11:55	50			20.0	8.02	182.0	39	1.68		

Collected Sample Condition Color Colorless Odor none Appearance clear
 Parameter see coc Container _____ No. _____ Preservative _____

PID Reading _____
 Comments _____

1) Circle one unit type



Low-Flow Groundwater Sampling Log

Project: Northrop Grumman
 Project Number: N1501492.0629.0002 Site Location: Reston, VA Well ID: GA-34D2
 Date: 5-15-09 Sampled By: Gary Williams / Sunny Xu
 Sampling Time: _____ Recorded By: Sunny Xu
 Weather: Sunny / 70°F Coded Replicate No.: N/A

Instrument Identification
 Water Quality Meter(s): _____ Serial #: _____
 Casing Material: _____ Purge Method: rounded bladder
 Casing Diameter: 4" Screen Interval (ft bmp): Top _____ Bottom _____
 Sounded Depth (ft bmp): _____ Pump Intake Depth (ft bmp): _____
 Depth to Water (ft bmp): 14.08 Purge Time: Start _____ Finish _____

Field Parameter Measurements During Purging

Time	Minutes Elapsed	Flow Rate (mL/min)	Volume Purged	Temp (°C)	pH (s.u.)	Conductivity (umhos or mS/cm) ¹⁾	ORP (mV)	DO (mg/L)	Turbidity (NTU)	Depth to Water (ft bmp)
12:15		400		22.3	9.00	156.0	54	2.63		14.08
12:20	5			21.5	8.88	141.2	45	2.02		
12:25	10		20.1	8.62	119.3	33	1.06		14.08	
12:30	15		19.4	8.50	112.5	22	0.61			
12:35	20		19.2	8.34	110.0	19	0.45		14.08	
12:40	25		19.1	8.22	108.7	38	0.37			
12:45	30		19.2	8.14	108.5	22	0.37		14.08	
12:50	35		19.3	8.11	108.2	20	0.37			
12:55	40		19.4	8.06	108.0	18	0.37		14.08	
13:00	45		19.4	7.99	107.8	15	0.36			

Collected Sample Condition: Color Colorless Odor none Appearance clear
 Parameter: See COC - Container: _____ No.: _____ Preservative: _____

PID Reading: _____
 Comments: _____



Infrastructure, environment, facilities

Water Sampling Log

Project N4001492.0409.00002 Project No. N020420.2.620mmq2

Site Location BETHPAGE NY. Date 5-26-09

Well No. GM-350-2 Replicate No. _____ Weather _____

Sampling Personnel B-W Sampling Time: Begin 1:00 End 3:10

Purge Data

Measuring Point (describe) _____

Sounded Well Depth (ft bmp) 530

Depth to Water (ft bmp) _____

Depth to Packer (ft bmp) 508

Water Column in Well (ft) 22

Casing Diameter 4 (0.65)

Gallons in Well 143

Gallons Purged 43

Prior to Sampling _____

Pump Intake _____

Setting (ft bmp) _____

Packer Pressure (psi) 250

Pumping Rate (gpm) _____

Evacuation Method _____

Sampling Method 3WV

Purge Time Begin 1:05 End 3:05

Field Parameters

Color COLORELESS

Odor NONE

Appearance CLEAR

	1	1V	2V	3V
pH (s.u.)	6.25	5.89	5.55	5.57
Conductivity (µmhos/cm) ¹⁾	161.4	96.4	83.3	82.2
Temperature (°C)	14.3	14.6	14.1	13.5
DO (mg/L)				
ORP (mV)				
Turbidity (NTU)				
Time				3:05
DTW (ft bmp)				

Remarks: 56m PAKS N111
PRESSURE 530-38 = 492 x .43 + 25 = 250 PSI

Parameter	Container	No.	Preservative
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____

PID Reading _____

Well Casing Volumes				
Gal./Ft.	1 ^{1/4} " = 0.06	2" = 0.16	3" = 0.37	4" = 0.65
	1 ^{1/2} " = 0.09	2-1/2" = 0.26	3-1/2" = 0.50	6" = 1.47

1) Circle one unit type



Infrastructure, environment, facilities

Low-Flow Groundwater Sampling Log

Project: N-Grummen U02
 Project Number: NY 0014602-0409.0002 Site Location: Bethpage, NY Well ID: GM-75D2
 Date: 5/18/09 Sampled By: Williams
 Sampling Time: 1351 Recorded By: Prezorski
 Weather: Hazy 70°F Coded Replicate No.: NA

Instrument Identification
 Water Quality Meter(s): See Instrument calibration form Serial #: _____
 Casing Material: PVC Purge Method: dedicated bladder / low flow
 Casing Diameter: 4" Screen Interval (ft bmp): Top 50.5 Bottom 52.5
 Sounded Depth (ft bmp): 52.5 Pump Intake Depth (ft bmp): _____
 Depth to Water (ft bmp): 33.29 Purge Time: Start 12:42pm Finish 1350

Field Parameter Measurements During Purging

Time	Minutes Elapsed	Flow Rate (mL/min)	Volume Purged	Temp (°C)	pH (s.u.)	Conductivity (µmhos or mS/cm) 1)	ORP (mV)	DO (mg/L)	Turbidity (NTU)	Depth to Water (ft bmp)
12:45				15.0	5.61	150.1	120	7.07		
12:50				14.6	5.31	120.6	106	5.49		33.22
12:55				14.7	5.27	114.6	106	5.42		
13:00				14.5	5.23	103.0	109	5.46		33.22
13:05				14.2	5.18	98.3	111	6.31		
13:10				14.3	5.18	93.5	114	5.53		33.25
13:15				14.9	5.19	90.3	116	5.66		
13:20				15.4	5.16	87.4	117	5.64		33.26
13:25				15.8	5.15	86.2	118	5.14		
13:30				16.1	5.17	85.6	120	5.24		33.26
13:35				16.1	5.18	84.4	120	5.31		
13:40				15.6	5.15	83.0	121	5.81		33.24
13:45				15.6	5.12	82.9	120	5.35		
13:50				15.7	5.17	82.5	121	5.56	23	33.25

Collected Sample Condition: Color colorless Odor: none Appearance: clear
 Parameter: see coc Container: _____ No.: _____ Preservative: _____

PID Reading: 0 ppm at wellhead
 Comments: _____

1) Circle one unit type



Infrastructure, environment, facilities

Low-Flow Groundwater Sampling Log

Project Nathrop Gorman
 Project Number NY 001492, 0809, 0002 Site Location Bedpage, NY Well ID GM-79I
 Date 5-14-09 Sampled By Gary Williams / Sunny Xu
 Sampling Time _____ Recorded By Sunny Xu
 Weather Cloudy Coded Replicate No. N/A

Instrument Identification

Water Quality Meter(s) _____ Serial # _____
 Casing Material PVC Purge Method _____
 Casing Diameter 4" Screen Interval (ft bmp) Top _____ Bottom _____
 Sounded Depth (ft bmp) _____ Pump Intake Depth (ft bmp) _____
 Depth to Water (ft bmp) 38.20 Purge Time Start _____ Finish _____

Field Parameter Measurements During Purging

Time	Minutes Elapsed	Flow Rate (mL/min)	Volume Purged	Temp (°C)	pH (s.u.)	Conductivity (umhos or mS/cm) ¹⁾	ORP (mV)	DO (mg/L)	Turbidity (NTU)	Depth to Water (ft bmp)
14:25		400		19.3	5.20	113.9	148	5.42		38.20
14:30	5			18.7	5.23	117.6	140	6.20		
14:35	10			17.4	5.29	112.5	141	6.33		38.22
14:40	15			17.0	5.30	111.7	140	6.50		
14:45	20			16.7	5.25	111.2	140	6.38		38.22
14:50	25			16.7	5.25	111.3	140	6.42		
14:55	30			16.7	5.32	111.3	140	6.42		38.22
15:00	35			16.7	5.31	111.4	140	6.40		
15:05	40			16.7	5.31	111.2	141	6.40		38.22
15:10	45			16.7	5.28	110.9	141	6.39		

Collected Sample Condition Color Colorless Odor none Appearance clear
 Parameter see coc Container _____ No. _____ Preservative _____

PID Reading _____

Comments _____

1) Circle one unit type



Low-Flow Groundwater Sampling Log

Project NY001492.0409.0002
 Project Number Northrop Grumman Site Location Bethpage, NY Well ID GM-79D
 Date 5-14-09 Sampled By Gary Williams / Sunny Xu
 Sampling Time _____ Recorded By Sunny Xu
 Weather cloudy Coded Replicate No. N/A

Instrument Identification _____ Serial # _____
 Water Quality Meter(s) _____
 Casing Material PVC Purge Method Dedicated bladder
 Casing Diameter 4" Screen Interval (ft bmp) Top _____ Bottom _____
 Sounded Depth (ft bmp) _____ Pump Intake Depth (ft bmp) _____
 Depth to Water (ft bmp) 39.52 Purge Time Start _____ Finish _____

Field Parameter Measurements During Purging

Time	Minutes Elapsed	Flow Rate (mL/min)	Volume Purged	Temp (°C)	pH (s.u.)	Conductivity (umhos or µS/cm)	ORP (mV)	DO (mg/L)	Turbidity (NTU)	Depth to Water (ft bmp)
13:17		400		19.4	6.22	136.5	83	7.61		39.52
13:22	5			19.3	5.82	130.0	92	6.45		
13:27	10			19.2	5.22	125.2	103	4.30		39.52
13:32	15			19.0	5.41	123.1	106	3.65		
13:37	20			18.9	5.32	124.8	113	3.73		39.52
13:42	25			18.8	5.26	121.0	121	3.87		
13:47	30			18.8	5.22	120.0	124	4.09		39.52
13:52	35			18.6	5.20	118.7	126	4.21		
13:57	40			18.4	5.18	117.2	129	4.33		39.52
14:02	45			18.4	5.15	115.9	131	4.41		
14:07	50			18.3	5.11	115.8	134	4.50		39.52
14:12	55			18.2	5.15	115.6	134	4.50		
14:17	60			18.2	5.14	115.4	136	4.49		39.52

Collected Sample Condition _____ Color colorless Odor none Appearance clear
 Parameter see OOC Container _____ No. _____ Preservative _____

PID Reading _____
 Comments _____

1) Circle one unit type




Laboratory Task Order No./P.O. No. SYSTEMS

CHAIN-OF-CUSTODY RECORD

Page 1 of 1

Project Number/Name NY 001492-6489-000022
 Project Location BETHPAGE NY
 Laboratory COLUMBIA ANALYTICAL
 Project Manager CARLO SAN GIOVANNI
 Sampler(s)/Affiliation MECHANICAL SERVICES



Sample ID/Location	Matrix	Date/Time Sampled	Lab ID	ANALYSIS / METHOD / SIZE	Remarks	Total
96 INTERVENT	A	5/26/11 11:45		K612 SLC 00058	START TIME 9:00-5	1
96 MEDIA TRAIN		11/51		K637 SLC 00065	START TIME 9:00-5	1
96 TOPLE EFF.		11/53		K754 SLC 00072	START TIME 9:00-5	1
102 INTAF		1606		K666 SLC 00092	START TIME 9:00-5	1
102 EFF		1610		K674 SLC 00115	START TIME 9:00-5	1

Sample Matrix: L = Liquid; S = Solid; A = Air

Relinquished by: [Signature] Organization: ARCADIS Date: 5/18/11 Time: 1630 Seal Intact? Yes No N/A

Received by: _____ Organization: _____ Date: _____ Time: _____ Seal Intact? Yes No N/A

Relinquished by: _____ Organization: _____ Date: _____ Time: _____ Seal Intact? Yes No N/A

Received by: _____ Organization: _____ Date: _____ Time: _____ Seal Intact? Yes No N/A

Special Instructions/Remarks: AT+P, MAKE PEARL TUBES TO MELISSA PERMAL AT OUR MELVILLE OFFICE.
TRUCK K 713 S200000Y VOID - THERE WAS A LEAK ON P2 EFF.

Delivery Method: In Person Common Carrier FEDEX - EX Lab Courier Other _____ SPECIFY _____



CHAIN-OF-CUSTODY RECORD

NGC
96+102

Laboratory Task Order No./P.O. No. SI 5/18/05


Project Number/Name NY001442-0409-00002

Project Location BETHPAGE, NY

Laboratory COLUMBIA ANALYTICAL

Project Manager CARLO SAN GIOVANNI

Sampler(s)/Affiliation P. McCAFFREY/ALWAYS



Sample ID/Location	Matrix	Date/Time Sampled	Lab ID	NO ML JOBS	NO PRESENCE	NO ML JOBS	NO PRESENCE	ANALYSIS / METHOD / SIZE	Remarks	Total
WELL-19		5/18/05		3	X	X	X	STD 1.5		
WELL-18		0824		3	X	X	X			
WELL-17		0836		3	X	X	X			
102 INF.		0925		3	X	X	X			
102 EFF. MS/MSD		0937		9	X	X	X		102 EFF. MS/MSD	
WELL-1		0877		3	X	X	X			
WELL-3		0911		3	X	X	X			
96 INF.		0855		3	X	X	X			
96 EFF.		0900		3	X	X	X			
REP 051809				3	X	X	X			
WELL-19 NG		0808		2	X	X	X			
WELL-18 NG		0821		2	X	X	X			
WELL-17 NG		0834		2	X	X	X			
102 INF. NG		0925		2	X	X	X			
102 EFF. NG		0937		2	X	X	X			

REPORT WELL 19

Sample Matrix: L = Liquid; S = Solid; A = Air

Relinquished by: [Signature] Organization: ARCADIS Date: 5/18/05 Time: 1315 Seal Intact? Yes No N/A

Received by: _____ Organization: _____ Date: / / Time: _____ Seal Intact? Yes No N/A

Relinquished by: _____ Organization: _____ Date: / / Time: _____ Seal Intact? Yes No N/A

Received by: _____ Organization: _____ Date: / / Time: _____ Seal Intact? Yes No N/A

Special Instructions/Remarks: ATTN: ANNE PERRY. RESULTS TO ANALYST REINSL AT OUR MELVILLE OFFICE



Laboratory Task Order No./P.O. No. _____

CHAIN-OF-CUSTODY RECORD

Page _____ of _____

Project Number/Name NY001492-0409.00002
 Project Location BETHPAGE NY
 Laboratory COLUMBIA ANALYTICAL SERVO
 Project Manager MIKE WOLFE
 Sampler(s)/Affiliation G.W. ALCOBS

Sample ID/Location	Matrix	Date/Time Sampled	Lab ID	ANALYSIS / METHOD / SIZE	Remarks	Total	Seal Intact? Yes No N/A
GM-35DZ	L	5-26-09	3			3	
TB 5-26-09	"	"	3			3	
Sample Matrix: L = Liquid; S = Solid; A = Air						Total No. of Bottles/ Containers	<u>6</u>
Relinquished by: <u>S.A.W.</u>		Organization: <u>ARCADIS</u>		Date: <u>5/26/09</u>	Time: <u>500</u>	Seal Intact? Yes No N/A	
Received by: _____		Organization: _____		Date: / /	Time: _____	Seal Intact? Yes No N/A	
Relinquished by: _____		Organization: _____		Date: / /	Time: _____	Seal Intact? Yes No N/A	
Received by: _____		Organization: _____		Date: / /	Time: _____	Seal Intact? Yes No N/A	
Special Instructions/Remarks: <u>REFER TO MASSA REMOL</u>							

HDM BENCH (K1)
 VOC CMND 12
 ADDRESS

Delivery Method: In Person Common Carrier FED EX Lab Courier Other _____

SPECIFY _____ SPECIFY _____

Water Sampling Log

Project Northrop Grumman Project No. NY001492.0409.0002
 Site Location Bethpage, NY Date 8-6-09
 Well No. BPOW 1-1 Replicate No. NA Weather cloudy 80°F
 Sampling Personnel Pat Proszki / Sunny Xu Sampling Time: Begin 1528 End 1531

Purge Data

Measuring Point (describe) TOC
 Sounded Well Depth (ft bmp) 241
 Depth to Water (ft bmp) 27.17
 Depth to Packer (ft bmp) 169
 Water Column in Well (ft) 72
 Casing Diameter 4" (0.65)
 Gallons in Well 46.8
 Gallons Purged x3
 Prior to Sampling 140
 Pump Intake
 Setting (ft bmp) _____
 Packer Pressure (psi) (169-27.17) x 0.43 + 50 = 111 psi
 Pumping Rate (gpm) _____
 Evacuation Method deducted submersible pump/packer
 Sampling Method 3 well volume
 Purge Time Begin 15:01 End 1528

Field Parameters

	Colorless	Colorless	Colorless	Colorless
	1	1V	2V	3V
Color	Colorless	Colorless	Colorless	Colorless
Odor	none	none	none	none
Appearance	clear	clear	clear	clear
pH (s.u.)	5.35	5.30	5.26	5.61
Conductivity (µmhos/cm)	94.6	92.5	92.2	92.1
Temperature (°C)	15.6	12.9	12.9	13.0
DO (mg/L)	—	—	—	—
ORP (mV)	—	—	—	—
Turbidity (NTU)	—	—	—	8.2
Time	15:01	15:11	15:16	15:24
DTW (ft bmp)	27.63	27.65	27.66	27.38

Remarks:

115 PSI rounded up
2 pumping rate lowered

Parameter	Container	No.	Preservative
<u>See COC</u>	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____

PID Reading _____

Well Casing Volumes

Gal./Ft.	1 1/4" = 0.06	2" = 0.16	3" = 0.37	4" = 0.65	6" = 1.47
	1 1/2" = 0.09	2-1/2" = 0.26	3-1/2" = 0.50		

1) Circle one unit type

Water Sampling Log

Project Northrop Grumman Project No. NY001492-0409.0002
 Site Location Beethpage, NY Date 8-6-09
 Well No. BPOW 1-2 Replicate No. MS/MSD Weather Rain: 80%F
 Sampling Personnel Pct Anzowski / Sunny Xu Sampling Time: Begin 12:26 End 12:29

Purge Data

Measuring Point (describe) TOC
 Sounded Well Depth (ft bmp) 28.42 ←
 Depth to Water (ft bmp) 33.5 ←
 Depth to Packer (ft bmp) 29.4
 Water Column in Well (ft) 4.1
 Casing Diameter 4" (0.65)
 Gallons in Well 26.65
 Gallons Purged 80
 Prior to Sampling
 Pump Intake
 Setting (ft bmp)
 Packer Pressure (psi) (29.4 - 28.42) x 2.43 + 50 = 170 psi
 Pumping Rate (gpm)
 Evacuation Method
 Sampling Method dedicated submersible pump/packer
 Purge Time Begin 12:12 End 12:26

Field Parameters

	Colorless	Colorless	colorless	colorless
Color	none	none	none	none
Odor	clean	clean	clean	clean
Appearance				
	1	1V	2V	3V
pH (s.u.)	5.64	5.74	5.45	5.19
Conductivity				
(mS/cm) or (µmhos/cm)	55.5	60.5	61.8	63.7
Temperature (°C)	14.0	13.4	11.9	11.9
DO (mg/L)				
ORP (mV)				
Turbidity (NTU)				4.6
Time	12:12	12:17	12:20	12:25
DTW (ft bmp)	28.42	30.54	30.52	29.32

Remarks:

$P5I = 29.4 - 28.42 \times 2.43 + 50 = 170$ rounded up

↑ pumping rate lowered

Parameter	Container	No.	Preservative
<u>see CSC</u>			

PID Reading

Well Casing Volumes
 Gal./Ft. 1^{1/4}" = 0.06 2" = 0.16 3" = 0.37 4" = 0.65
 1^{1/2}" = 0.09 2-1/2" = 0.26 3-1/2" = 0.50 6" = 1.47

1) Circle one unit type

Water Sampling Log

 Project Northrop Grumman Project No. NY001492.0409.0002
 Site Location Bethpage, NY Date 8-6-09
 Well No. BPOW 1-3 Replicate No. RZ9080609 Weather part cloudy / shower
 Sampling Personnel Pat Prozanski / Sunny Xu Sampling Time: Begin ~~RZ9080609~~ End 1357
Purge Data

 Measuring Point (describe) TOC
 Sounded Well Depth (ft bmp) 419
 Depth to Water (ft bmp) 28.29
 Depth to Packer (ft bmp) 344
 Water Column in Well (ft) 75
 Casing Diameter 4" (0.65)
 Gallons in Well 48.75
 Gallons Purged x3
 Prior to Sampling 146.25
Field Parameters

	1	1V	2V	3V
Color	Colorless	Colorless	light brown	light brown
Odor	none	none	none	none
Appearance	clear	clear	turbid	turbid
pH (s.u.)	4.48	4.54	4.53	4.60
Conductivity (mS/cm) or (umhos/cm) ¹⁾	79.7	122.5	117.4	109.9
Temperature (°C)	14.5	12.7	11.0	11.6
DO (mg/L)	—	—	—	—
ORP (mV)	—	—	—	—
Turbidity (NTU)	—	—	—	380
Time	13:28	13:37	13:44	13:52
DTW (ft bmp)	30.44	30.44	30.18	27.98

Pump Intake

 Setting (ft bmp) _____
 Packer Pressure (psi) (344 - 28.29) x 0.43 + 50 = 185 PSI
 Pumping Rate (gpm) _____
 Evacuation Method dedicated submersible pump/packer
 Sampling Method see 3 well volume
 Purge Time Begin 13:28 End 13:52

 Remarks: missing screw plug ↑ allowed
PSI = 344 - 28.29 x 0.43 + 50 = 185

Parameter	Container	No.	Preservative
<u>see CDC</u>	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____

PID Reading

Well Casing Volumes				
Gal./Ft.	1 1/4" = 0.06	2" = 0.16	3" = 0.37	4" = 0.65
	1 1/2" = 0.09	2-1/2" = 0.26	3-1/2" = 0.50	6" = 1.47

1) Circle one unit type

Water Sampling Log

Project Northrop Grumman 002 Project No. NY001492.0409.0002
 Site Location Bethpage, NY Date 8-6-09
 Well No. BPO123-1 Replicate No. N/A Weather Sunny / 93°F
 Sampling Personnel Pat Benzler (Sunny) Xu Sampling Time: Begin 10:43 End 10:44

Purge Data

Measuring Point (describe) 70C
 Sounded Well Depth (ft bmp) 516
 Depth to Water (ft bmp) 25.75
 Depth to Packer (ft bmp) 414
 Water Column in Well (ft) 102
 Casing Diameter 4" (0.65)
 Gallons in Well 66.3
 Gallons Purged 43
 Prior to Sampling 198.9
 Pump Intake
 Setting (ft bmp) _____
 Packer Pressure (psi) (414 - 25.75) x 0.43 = 107.57 = 110 PSI
 Pumping Rate (gpm) _____
 Evacuation Method deducted submersible pump/packer
 Sampling Method 3 well volume
 Purge Time Begin 9:59 AM End 10:42 AM
10:05 AM

Field Parameters

	1	1V	2V	3V
Color	colorless	colorless	colorless	colorless
Odor	slight	slight	slight	slight
Appearance	clear	clear	clear	clear
pH (s.u.)	4.88	4.29	4.31	4.33
Conductivity (µmhos/cm)	111.5	98.6	91.8	89.3
Temperature (°C)	14.0	12.4	12.0	12.0
DO (mg/L)	—	—	—	—
ORP (mV)	—	—	—	—
Turbidity (NTU)	—	—	—	3.4
Time	10:05	10:17	10:27	10:42
DTW (ft bmp)				

Remarks:

$PSI = 414 - 25.75 \times 0.43 + 50 = 220$ rounded up
 (packer) (DTW)

Parameter	Container	No.	Preservative
<u>see COC</u>			

PID Reading
Well Casing Volumes

Gal./Ft.	1 ^{1/4} " = 0.06	2" = 0.16	3" = 0.37	4" = 0.65
	1 ^{1/2} " = 0.09	2-1/2" = 0.26	3-1/2" = 0.50	6" = 1.47

1) Circle one unit type

Water Sampling Log

Project Northrop. Gramman 002 Project No. NY001492.0409.0004
 Site Location Bethpage, NY Date 8-5-09
 Well No. BPOU 3-2 Replicate No. HA Weather Sunny / 90F
 Sampling Personnel Pact Prezanski / Sunny X6 Sampling Time: Begin ~~15:30~~ 5:30 End _____

Purge Data

Measuring Point (describe) 70C
 Sounded Well Depth (ft bmp) 647
 Depth to Water (ft bmp) 26.75
 Depth to Packer (ft bmp) 503
 Water Column in Well (ft) 144
 Casing Diameter 4" (0.65)
 Gallons in Well 93.6
 Gallons Purged X3
 Prior to Sampling 280.
 Pump Intake
 Setting (ft bmp) _____
 Packer Pressure (psi) 255
 Pumping Rate (gpm) _____
 Evacuation Method Dedicated Submersible Pump
 Sampling Method 3 Well Volume
 Purge Time Begin 15:30 End _____

Field Parameters

Color Colorless →
 Odor Slight →
 Appearance clear →

	1	1V	2V	3V
pH (s.u.)	<u>6.56</u>	<u>5.22</u>	<u>5.18</u>	<u>5.07</u>
Conductivity (mS/cm) or (µmhos/cm) ¹⁾	<u>-</u>	<u>-</u>	<u>-</u>	<u>-</u>
	<u>122.9</u>	<u>100.6</u>	<u>73.1</u>	<u>60.9</u>
Temperature (°C)	<u>18.7</u>	<u>16.6</u>	<u>14.8</u>	<u>14.3</u>
DO (mg/L)	<u>-</u>	<u>-</u>	<u>-</u>	<u>-</u>
ORP (mV)	<u>-</u>	<u>-</u>	<u>-</u>	<u>-</u>
Turbidity (NTU)	<u>-</u>	<u>-</u>	<u>-</u>	<u>50</u>
DTW (ft bmp)		<u>27.22</u>	<u>27.22</u>	<u>26.88</u>

Remarks:

503
 $255 - 26.75 \times 43 + 50 = 255 \text{ psi}$
 $\text{packer} - \text{DTW} \times 43 + 50 = \text{psi}$

Parameter	Container	No.	Preservative
<u>See COC</u>	_____	_____	_____
_____	_____	_____	_____

PID Reading

Well Casing Volumes				
Gal./Ft.	1 ^{1/4} " = 0.06	2" = 0.16	3" = 0.37	4" = 0.65
	1 ^{1/2} " = 0.09	2-1/2" = 0.26	3-1/2" = 0.50	6" = 1.47

1) Circle one unit type

Water Sampling Log

 Project N-Grumman 002 Project No. NY001492.0409.00002
 Site Location Bethpage, NY Date 8/7/09
 Well No. BPOW 4-1 Replicate No. NA Weather clear 80°F
 Sampling Personnel Precurski/Williams Sampling Time: Begin 12:33 End 12:35

Purge Data		Field Parameters				
Measuring Point (describe)	<u>standpipe TOC screen</u>	Color	<u>colorless</u>	<u>colorless</u>	<u>colorless</u>	<u>colorless</u>
Sounded Well Depth (ft bmp)	<u>652</u> <u>692</u>	Odor	<u>none</u>	<u>none</u>	<u>none</u>	<u>none</u>
Depth to Water (ft bmp)	<u>27.29</u>	Appearance	<u>clear</u>	<u>clear</u>	<u>clear</u>	<u>clear</u>
Depth to Packer (ft bmp)	<u>503</u> <u>652</u>					
Water Column in Well (ft)	<u>149</u> <u>40</u>					
Casing Diameter	<u>4" (0.65)</u> <u>2" (0.16)</u>	pH (s.u.)	<u>7.35</u>	<u>4.91</u>	<u>4.98</u>	<u>5.12</u>
Gallons in Well	<u>96.85</u> <u>64</u>	Conductivity	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>
Gallons Purged	<u>x3</u> <u>x3</u>	(µS/cm) or				
Prior to Sampling	<u>290</u> <u>19.2</u>	(µmhos/cm) ¹¹	<u>159.6</u>	<u>77.5</u>	<u>55.4</u>	<u>45.9</u>
Pump Intake		Temperature (°C)	<u>20.4</u>	<u>12.2</u>	<u>12.3</u>	<u>12.6</u>
Setting (ft bmp)	<u>255</u>	DO (mg/L)	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>
Packer Pressure (psi)	<u>255</u>	ORP (mV)	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>
Pumping Rate (gpm)	<u>—</u>	Turbidity (NTU)	<u>—</u>	<u>—</u>	<u>—</u>	<u>8.4</u>
Evacuation Method	<u>dedicated submersible pump/packer</u>	Time	<u>10:35</u>	<u>10:58</u>	<u>11:17</u>	<u>12:33</u>
Sampling Method	<u>3 well volume</u>	DTW (ft bmp)	<u>—</u>	<u>26.44</u>	<u>26.19</u>	<u>25.05</u>
Purge Time	Begin <u>10:35</u> End <u>12:33</u>					
	<u>AM</u>					

 Remarks: ^ pump rate low and

Parameter	Container	No.	Preservative
<u>See COC</u>			

PID Reading _____

Well Casing Volumes			
Gal./Ft.	1 ^{1/4} " = 0.06	2" = 0.16	3" = 0.37
	1 ^{1/2} " = 0.09	2-1/2" = 0.26	3-1/2" = 0.50
			4" = 0.65
			6" = 1.47

1) Circle one unit type

Water Sampling Log

Project N-Grummon 002 Project No. NY001492.0409.00002
 Site Location Bethpage, NY Date 8/7/09
 Well No. BPOL5 4-2 Replicate No. NA Weather Breezy clear 80°F
 Sampling Personnel Proraski/Williams Sampling Time: Begin 1535 End 1537

Purge Data	Field Parameters			
	1	1V	2V	3V
Measuring Point (describe)	TOC			
Sounded Well Depth (ft bmp)	764			
Depth to Water (ft bmp)	25.19			
Depth to Packer (ft bmp)	503			
Water Column in Well (ft)	261			
Casing Diameter	4" (0.65)			
Gallons in Well	169.65			
Gallons Purged	x3 509			
Prior to Sampling				
Pump Intake				
Setting (ft bmp)				
Packer Pressure (psi)	255			
Pumping Rate (gpm)				
Evacuation Method	Dedicated packer/pump			
Sampling Method	3 well volume			
Purge Time	Begin 12:46 End 1535			
	Color	Color	Color	Color
	Odor	Odor	Odor	Odor
	Appearance	Appearance	Appearance	Appearance
	pH (s.u.)	pH (s.u.)	pH (s.u.)	pH (s.u.)
	Conductivity	Conductivity	Conductivity	Conductivity
	Temperature (°C)	Temperature (°C)	Temperature (°C)	Temperature (°C)
	DO (mg/L)	DO (mg/L)	DO (mg/L)	DO (mg/L)
	ORP (mV)	ORP (mV)	ORP (mV)	ORP (mV)
	Turbidity (NTU)	Turbidity (NTU)	Turbidity (NTU)	Turbidity (NTU)
	Time	Time	Time	Time
	DTW (ft bmp)	DTW (ft bmp)	DTW (ft bmp)	DTW (ft bmp)

Remarks: $PSI = 503 - 25.19 \times .43 + 50 = 255$
 Parameters every 170 gal ↑ pump rate lowered

Parameter	Container	No.	Preservative
<u>see Cox</u>			

PID Reading _____

Well Casing Volumes			
Gal./Ft.	1 1/4" = 0.06	2" = 0.16	3" = 0.37
	1 1/2" = 0.09	2-1/2" = 0.26	3-1/2" = 0.50
			6" = 1.47

1) Circle one unit type



Low-Flow Groundwater Sampling Log

Project N-Grumma 012
 Project Number NY 061493.0409.00002 Site Location Bethpage, NY Well ID GM-13D
 Date 9/14/09 Sampled By Prezorski, Williams
 Sampling Time 1633 Recorded By Prezorski
 Weather clear 80°F Coded Replicate No. MS/MSD

Instrument Identification
 Water Quality Meter(s) See calibration log Serial # _____
 Casing Material PVC Purge Method Redstart Bladder (Low Flow)
 Casing Diameter 4" Screen Interval (ft bmp) Top 200 Bottom 210
 Sounded Depth (ft bmp) 210 Pump Intake Depth (ft bmp) _____
 Depth to Water (ft bmp) 43.71 Purge Time Start 12:20 Finish see below

Field Parameter Measurements During Purging

Time	Minutes Elapsed	Flow Rate (mL/min)	Volume Purged	Temp (°C)	pH (s.u.)	Conductivity (umhos or mS/cm) ¹⁾	ORP (mV)	DO (mg/L)	Turbidity (NTU)	Depth to Water (ft bmp)	
12:20	0	330	—	24.5	6.05	317	101	2.55	—	—	
12:25	5	↓	—	23.7	6.04	335	120	1.10	—	43.72	
12:30	10	—	—	22.3	5.58	340	136	0.76	—	—	
12:35	15	—	—	Compressor stopped working							—
Waiting for compressor repair. 2nd compressor not starting											
16:10	—	330	—	23.9	5.84	127.8	178	2.37	—	—	
16:15	—	↓	—	23.3	5.75	129.8	183	1.48	—	43.74	
16:20	—	—	—	22.3	5.71	129.8	189	0.96	—	—	
16:25	—	—	—	21.0	5.71	130.3	195	0.57	—	43.74	
16:30	—	—	—	20.7	5.67	127.6	194	0.52	450	—	

Collected Sample Condition
 Color colorless Odor none Appearance clear
 Parameter see coc Container _____ No. _____ Preservative _____

PID Reading Open
 Comments Repaired 2nd Grumma compressor not running well. Sample taken at 1633

1) Circle one unit type

Water Sampling Log

Project NORTHROP-BLOOMFIELD Project No. NY001492.0409.00002
 Site Location Bethpage, NY Date 8-14-09
 Well No. GM-15 SR Replicate No. NA Weather humid, hot / 86°F

Sampling Personnel Grady Williams / Sunny Xu Sampling Time: Begin ~~7:52~~ 06:20 End ~~16:20~~ 16:20

Purge Data		Field Parameters				
Measuring Point (describe)	<u>TQ</u>	Color	<u>Colorless</u>	<u>Colorless</u>	<u>Colorless</u>	<u>Colorless</u>
Sounded Well Depth (ft bmp)	<u>80.00</u>	Odor	<u>none</u>	<u>none</u>	<u>none</u>	<u>none</u>
Depth to Water (ft bmp)	<u>42.41</u>	Appearance	<u>clear</u>	<u>clear</u>	<u>clear</u>	<u>clear</u>
Depth to Packer (ft bmp)	<u> </u>		<u>cloudy</u>			
Water Column in Well (ft)	<u>37.59</u>					
Casing Diameter	<u>4" (0.65)</u>	pH (s.u.)	<u>5.94</u>	<u>7.25</u>	<u>6.35</u>	<u>6.05</u>
Gallons in Well	<u>24.43</u>	Conductivity				
Gallons Purged	<u>X</u>	(mS/cm) or				
Prior to Sampling	<u>275 Gal</u>	(µmhos/cm) ¹⁾	<u>116.5</u>	<u>107.2</u>	<u>108.4</u>	<u>109.6</u>
Pump Intake		Temperature (°C)	<u>18.4</u>	<u>16.2</u>	<u>16.7</u>	<u>16.8</u>
Setting (ft bmp)	<u>75</u>					
Packer Pressure (psi)	<u> </u>	DO (mg/L)				
Pumping Rate (gpm)	<u> </u>	ORP (mV)				
Evacuation Method	<u>Redi-flow</u>	Turbidity (NTU)		<u>7.9</u>	<u>6.0</u>	
Sampling Method	<u> </u>	Time	<u>17:42</u>	<u>16:01</u>	<u>16:40</u>	<u>16:20</u>
Purge Time	Begin <u>17:42</u> End <u>16:20</u>	DTW (ft bmp)				

Remarks: _____

Parameter	Container	No.	Preservative
<u>see CWC</u>			

PID Reading _____

Well Casing Volumes				
Gal./Ft.	1 ^{1/4} " = 0.06	2" = 0.16	3" = 0.37	4" = 0.65
	1 ^{1/2} " = 0.09	2-1/2" = 0.26	3-1/2" = 0.50	6" = 1.47

1) Circle one unit type

Water Sampling Log

Project N-Grammar 002 Project No. NY001492.0409.0002
 Site Location Bethpage, NY Date 8/27/09
 Well No. GM-15 I Replicate No. NA Weather Clear 78°F
 Sampling Personnel Prezorski Sampling Time: Begin 1830 End 1834

Purge Data	Field Parameters			
	1	1V	2V	3V
Measuring Point (describe)	TOC			
Sounded Well Depth (ft bmp)	105			
Depth to Water (ft bmp)	42.59			
Depth to Packer (ft bmp)	94			
Water Column in Well (ft)	11			
Casing Diameter	4" (0.65)			
Gallons in Well	7.15			
Gallons Purged	x3			
Prior to Sampling	22			
Pump Intake				
Setting (ft bmp)	/			
Packer Pressure (psi)	75			
Pumping Rate (gpm)	Actual 1150 ml/min / set 1738 ml/min			
Evacuation Method	Dedicated bladder/packer			
Sampling Method	3 well volume			
Purge Time	Begin 1719 End 1828			
	Color	Color	Color	Color
	Odor	Odor	Odor	Odor
	Appearance	Appearance	Appearance	Appearance
	pH (s.u.)	pH (s.u.)	pH (s.u.)	pH (s.u.)
	Conductivity (mS/cm) or (µmhos/cm) ¹⁾	Conductivity (mS/cm) or (µmhos/cm) ¹⁾	Conductivity (mS/cm) or (µmhos/cm) ¹⁾	Conductivity (mS/cm) or (µmhos/cm) ¹⁾
	Temperature (°C)	Temperature (°C)	Temperature (°C)	Temperature (°C)
	DO (mg/L)	DO (mg/L)	DO (mg/L)	DO (mg/L)
	ORP (mV)	ORP (mV)	ORP (mV)	ORP (mV)
	Turbidity (NTU)	Turbidity (NTU)	Turbidity (NTU)	Turbidity (NTU)
	Time	Time	Time	Time
	DTW (ft bmp)	DTW (ft bmp)	DTW (ft bmp)	DTW (ft bmp)

Remarks: Purged with Grammar well wizard control box. Rate lowered prior to sampling.
94 - 42.59 x .43 + 50 = PSI = 75 rounded up
Well 19 running. 5 gal container

Parameter	Container	No.	Preservative
<u>Sec COC</u>			

PID Reading 0 ppm

Well Casing Volumes				
Gal./Ft.	1 ^{1/4} " = 0.06	2" = 0.16	3" = 0.37	4" = 0.65
	1 ^{1/2} " = 0.09	2-1/2" = 0.26	3-1/2" = 0.50	6" = 1.47

1) Circle one unit type



Low-Flow Groundwater Sampling Log

Project: Northrop Grumman ou-2
 Project Number: N7001492.0409.0002 Site Location: Bethpage, NY Well ID: GM-15D
 Date: 8-14-09 Sampled By: Gary Williams / Sunny Xu
 Sampling Time: 15:10 Recorded By: Sunny Xu
 Weather: humid / 86°F Coded Replicate No.: NA

Instrument Identification: _____
 Water Quality Meter(s): see calibration log Serial #: _____
 Casing Material: PVC Purge Method: Dedicated 2" of bladder pump
 Casing Diameter: 4" Screen Interval (ft bmp): Top 332 Bottom 342
 Sounded Depth (ft bmp): 342 Pump Intake Depth (ft bmp): 337
 Depth to Water (ft bmp): 44.84 Purge Time: Start 14:10 Finish 15:10

Field Parameter Measurements During Purging

Time	Minutes Elapsed	Flow Rate (mL/min)	Volume Purged	Temp (°C)	pH (s.u.)	Conductivity (µmhos or µS/cm) 1)	ORP (mV)	DO (mg/L)	Turbidity (NTU)	Depth to Water (ft bmp)
14:10				28.9	5.26	70.6	201	7.00		44.84
14:15	5			27.7	5.22	84.3	204	6.26		
14:20	10			24.6	5.05	91.3	221	3.38		44.89
14:25	15			22.8	4.95	93.4	228	2.39		
14:30	20			22.3	4.90	93.9	235	4.96		44.89
14:35	25			22.0	4.90	94.3	239	5.59		
14:40	30			21.9	4.89	94.4	243	6.46		44.89
14:45	35			21.9	4.91	94.3	245	17.02*		
14:50	40			21.9	4.90	94.1	248	16.80*		44.89
14:55	45			21.8	4.96	93.8	243	18.53*		
15:00	50			21.8	4.91	94.2	246	23.28*		44.89
15:05	55			21.8	4.91	94.1	249	21.60*		
15:10	60			21.9	4.91	94.0	249	26.63*		44.89

Collected Sample Condition: Color Colorless Odor none Appearance clear
 Parameter: see OOC Container: _____ No.: _____ Preservative: _____

PID Reading: _____
 Comments: * DO meter not functioning due to high temp.

1) Circle one unit type



Low-Flow Groundwater Sampling Log

Project: NORTHERP 6 RUMMAN
 Project Number: NYP001492.0409.0002 Site Location: BETHPAGE NY Well ID: GM-150-2
 Date: 8-14-09 Sampled By: EW XO
 Sampling Time: 13:40 Recorded By: EW XO
 Weather: humid / 86°F Coded Replicate No.: REP 081409 / MS/MSD

Instrument Identification: See Calibration form Serial #: _____
 Water Quality Meter(s): _____
 Casing Material: PVC Purge Method: Dedicated bladder
 Casing Diameter: 4" Screen Interval (ft bmp): Top 536 Bottom 556
 Sounded Depth (ft bmp): 556 Pump Intake Depth (ft bmp): 546
 Depth to Water (ft bmp): 47.58 Purge Time: Start 12:40 Finish 13:40

Field Parameter Measurements During Purging

Time	Minutes Elapsed	Flow Rate (mL/min)	Volume Purged	Temp (°C)	pH (s.u.)	Conductivity (umhos or mScm) ¹⁾	ORP (mV)	DO (mg/L)	Turbidity (NTU)	Depth to Water (ft bmp)
12:40				27.1	5.02	101.2	118	6.25		47.58
12:45				24.7	5.12	69.0	142	4.65		
12:50				23.6	5.11	66.7	169	2.14		47.58
12:55				23.4	5.08	66.5	188	1.83		
13:00				23.3	5.10	66.4	192	3.10		47.58
13:05				23.2	5.10	66.6	195	4.39		
13:10				23.4	5.12	66.6	194	5.79		
13:15				23.0 23.0	5.12	65.9	198	5.94		
13:20				23.0	5.12	65.9	201	6.34		47.58
13:25				23.0	5.14	65.7	202	6.30		
13:30				22.7	5.14	65.2	206	6.25		47.58
13:35				22.6	5.15	65.0	212	6.22		
13:40				22.6	5.13	65.0	214	6.19	1.8	47.58

Collected Sample Condition: Color Colorless Odor none Appearance clear
 Parameter: See CCL Container: _____ No.: _____ Preservative: _____

PID Reading: _____
 Comments: _____

1) Circle one unit type



Low-Flow Groundwater Sampling Log

Project NORTHROP-GRUMMAN
 Project Number NY0014920409.00002 Site Location BETHPAGE NY Well ID GM-1701
 Date 8-12-09 Sampled By GW Gary Williams
 Sampling Time 1220 pm Recorded By GW Gary Williams
 Weather OVERCAST 83° Coded Replicate No. NA

Instrument Identification

Water Quality Meter(s) _____ Serial # _____
 Casing Material PVC Purge Method dedicated bladder
 Casing Diameter 4" Screen Interval (ft bmp) Top 100 Bottom 120
 Sounded Depth (ft bmp) 120 Pump Intake Depth (ft bmp) 110
 Depth to Water (ft bmp) 43.46 Purge Time Start 12:35 Finish 1:20 pm

Field Parameter Measurements During Purging

Time	Minutes Elapsed	Flow Rate (mL/min)	Volume Purged	Temp (°C)	pH (s.u.)	Conductivity (umhos or mS/cm) ¹⁾	ORP (mV)	DO (mg/L)	Turbidity (NTU)	Depth to Water (ft bmp)
12:35				26.0	5.68	648	173	10.25		43.46
12:40				24.9	5.77	622	155	8.79		
12:45				24.8	5.74	624	148	8.83		
12:50				24.5	5.81	618	144	8.92		
12:55				24.1	5.79	614	157	9.05		43.48
1:00				23.9	6.32	616	127	9.08		
1:05				23.6	6.36	620	121	9.38		
1:10				23.5	6.36	620	118	9.83		
1:15				23.3	6.39	623	111	9.78		43.49
1:20				22.9	6.41	623	95	9.86	3.3	
1:25										
1:30										
1:35										

Collected Sample Condition Color COLORLESS Odor NEAR Appearance CLEAR
 Parameter See DOC Container _____ No. _____ Preservative _____

PID Reading RADIOLUC

Comments _____

1) Circle one unit type



Infrastructure, environment, facilities

Low-Flow Groundwater Sampling Log

Project NORTHROP-GRUMMAN
 Project Number NY001492.0409.0002 Site Location BETHPAGE NY Well ID GM-170
 Date 8-12-09 Sampled By GW Gary Williams
 Sampling Time 2:45 pm Recorded By GW Gary Williams
 Weather RAINY 75° Coded Replicate No. N/A

Instrument Identification

Water Quality Meter(s) _____ Serial # _____
 Casing Material PVC Purge Method deducted bladder
 Casing Diameter 4" Screen Interval (ft bmp) Top 278 Bottom 298
 Sounded Depth (ft bmp) 298 Pump Intake Depth (ft bmp) 288
 Depth to Water (ft bmp) 4690 Purge Time Start 1:45 pm Finish 2:45 pm

Field Parameter Measurements During Purging

Time	Minutes Elapsed	Flow Rate (mL/min)	Volume Purged	Temp (°C)	pH (s.u.)	Conductivity (umhos or mS/cm) ¹⁾	ORP (mV)	DO (mg/L)	Turbidity (NTU)	Depth to Water (ft bmp)
1:45				24.0	6.56	184.7	147	10.90		46.90
1:50				22.8	6.56	186.9	135	9.23		
1:55				22.4	6.56	173.3	147	10.43		
2:00				22.4	6.58	172.9	141	9.80		
2:05				22.3	6.57	173.3	138	9.94		
2:10				22.2	6.64	173.7	144	10.18		
2:15				22.2	6.65	173.5	143	9.88		46.89
2:20				22.1	6.63	173.8	139	10.83		
2:25				22.1	6.64	173.8	137	10.33		
2:30				21.9	6.69	174.0	149	10.55		
2:35				21.7	6.71	173.9	186	10.43		
2:40				21.7	6.71	173.8	187	10.44		
2:45				21.8	6.71	173.4	186	10.35	2.7	46.90

Collected Sample Condition Color COLORLESS Odor NONE Appearance CLEAR
 Parameter See col Container _____ No. _____ Preservative _____

PID Reading RAINY

Comments _____

1) Circle one unit type

Water Sampling Log

Project N-Grumman 002 Project No. NY001492.0409.00002
 Site Location Bethpage, NY Date 8/24/09
 Well No. GM-18I Replicate No. NA Weather clear 85°F
 Sampling Personnel Prezorski Sampling Time: Begin 1407 End 1412

Purge Data	Field Parameters			
	1	1V	2V	3V
Measuring Point (describe)	TOC			
Sounded Well Depth (ft bmp)	105			
Depth to Water (ft bmp)	39.96			
Depth to Packer (ft bmp)	94			
Water Column in Well (ft)	11			
Casing Diameter	4" (0.65)			
Gallons in Well	7.15			
Gallons Purged	x3			
Prior to Sampling	22			
Pump Intake	/			
Setting (ft bmp)	/			
Packer Pressure (psi)	80 Rounded			
Pumping Rate (gpm)	880 ml/min, 970 ml/min			
Evacuation Method	deducted pump/packer			
Sampling Method	3 well volume			
Purge Time	Begin	End		
	12:46 pm	1405		
			Color	Color
			Odor	Odor
			Appearance	Appearance
			pH (s.u.)	pH (s.u.)
			Conductivity	Conductivity
			(mS/cm) or	(mS/cm) or
			(µmhos/cm)	(µmhos/cm)
			Temperature (°C)	Temperature (°C)
			DO (mg/L)	DO (mg/L)
			ORP (mV)	ORP (mV)
			Turbidity (NTU)	Turbidity (NTU)
			Time	Time
			DTW (ft bmp)	DTW (ft bmp)

Remarks: 94 - 39.96 x .43 + 50 = 75 psi
At 1319: 1500 ml/min. Rate lowered prior to sampling
1 = 5 gal container

Parameter	Container	No.	Preservative
<u>See col</u>			

PID Reading 0 ppm

Well Casing Volumes	
Gal./Ft. 1 ^{1/4} " = 0.06	2" = 0.16
1 ^{1/2} " = 0.09	2-1/2" = 0.26
	3" = 0.37
	3-1/2" = 0.50
	4" = 0.65
	6" = 1.47

1) Circle one unit type



Low-Flow Groundwater Sampling Log

Project Northrop Annuman OU-2
 Project Number NY 081492.0409.0002 Site Location Bethpage, NY Well ID GM-18D
 Date 8-13-09 Sampled By Gary Williams
 Sampling Time 5:40 pm Recorded By Gary Williams
 Weather _____ Coded Replicate No. NA

Instrument Identification _____
 Water Quality Meter(s) See calibration sheet Serial # _____
 Casing Material PVC Purge Method Dedicated bladder
 Casing Diameter 4" Screen Interval (ft bmp) Top 290 Bottom 300
 Sounded Depth (ft bmp) 300 Pump Intake Depth (ft bmp) 295
 Depth to Water (ft bmp) 42.60 Purge Time Start 4:40 pm Finish 5:40 pm

Field Parameter Measurements During Purging

Time	Minutes Elapsed	Flow Rate (mL/min)	Volume Purged	Temp (°C)	pH (s.u.)	Conductivity (umhos or mS/cm) ¹⁾	ORP (mV)	DO (mg/L)	Turbidity (NTU)	Depth to Water (ft bmp)
4:40		450		24.4	6.49	140.9	165	7.09		42.60
4:45				23.3	5.94	142.3	154	7.28		
4:50				22.1	5.71	143.7	153	9.11		
4:55				22.0	5.73	143.8	154	9.50		42.62
5:00				21.6	5.65	144.0	153	9.64		
5:05				21.3	5.63	144.2	165	10.10		
5:10				21.3	5.57	144.3	170	10.34		
5:15				21.3	5.57	144.4	164	10.24		
5:20				21.3	5.57	144.3	162	10.30		
5:25				21.3	5.57	144.4	163	10.23		
5:30				21.3	5.57	144.4	163	10.57		
5:35				21.3	5.55	144.2	163	10.57	3.0	42.62
5:40				21.3	5.55	144.2	163	10.53	↓	

Collected Sample Condition _____ Color Colorless Odor None Appearance Clear
 Parameter See CQC Container _____ No. _____ Preservative _____

PID Reading _____
 Comments _____

1) Circle one unit type

Water Sampling Log

Project N-Grammer 012 Project No. NY0014920109.00002
 Site Location Bethpage, NY Date 8/28/09
 Well No. GM-20 I Replicate No. NA Weather overcast 71°F
Light Rain
 Sampling Personnel Prezorski Sampling Time: Begin 1341 End 1345

Purge Data		Field Parameters				
Measuring Point (describe)	<u>TOC</u>	Color	<u>colorless</u>	<u>colorless</u>	<u>colorless</u>	<u>colorless</u>
Sounded Well Depth (ft bmp)	<u>105</u>	Odor	<u>NONE</u>	<u>NONE</u>	<u>NONE</u>	<u>NONE</u>
Depth to Water (ft bmp)	<u>34.75</u>	Appearance	<u>clear</u>	<u>clear</u>	<u>clear</u>	<u>clear</u>
Depth to Packer (ft bmp)	<u>94</u>					
Water Column in Well (ft)	<u>11</u>					
Casing Diameter	<u>4" (0.65)</u>	pH (s.u.)	<u>9.39</u>	<u>9.10</u>	<u>10.81</u>	<u>11.03</u>
Gallons in Well	<u>7.15</u>	Conductivity				
Gallons Purged	<u>x3</u>	(mS/cm) or				
Prior to Sampling	<u>22</u>	(µmhos/cm) ¹⁾	<u>349</u>	<u>157.1</u>	<u>110.0</u>	<u>106.4</u>
Pump Intake		Temperature (°C)	<u>16.1</u>	<u>14.4</u>	<u>14.1</u>	<u>13.8</u>
Setting (ft bmp)	<u>80 Rounded up</u>	DO (mg/L)				
Packer Pressure (psi)	<u>80 Rounded up</u>	ORP (mV)		<u>1/2</u>	<u>1/2</u>	<u>1/2</u>
Pumping Rate (gpm)	<u>Start @ 20 gpm / 12:23</u> <u>11:20 when pump</u>	Turbidity (NTU)				<u>220</u>
Evacuation Method	<u>Dedicated bladder/packer</u>	Time	<u>12:11</u>	<u>12:47</u>	<u>13:11</u>	<u>13:46</u>
Sampling Method	<u>3 well volume</u>	DTW (ft bmp)	<u>34.18</u>	<u>34.18</u>	<u>33.94</u>	<u>33.94</u>
Purge Time	Begin <u>12:11</u> End <u>13:40</u>					

Remarks: PSI = 94 - 34.75 x .43 + 50 = 76
Purged with wellhead control box. Red Low read prior to sample
1 = 5 gal container

Parameter	Container	No.	Preservative
<u>See COC</u>			

PID Reading Rain, ↑ Humidity

Well Casing Volumes

Gal./Ft.	1 1/4" = 0.06	2" = 0.16	3" = 0.37	<u>4" = 0.65</u>
	1 1/2" = 0.09	2 1/2" = 0.26	3 1/2" = 0.50	6" = 1.47

1) Circle one unit type

Water Sampling Log

Project N-Grumma 002 Project No. NY001492.0409.0000 2
 Site Location Bohappage, NY Date 8/28/09
 Well No. GM-200 Replicate No. NA Weather overcast 70°F
 Sampling Personnel Prezorka Sampling Time: Begin 1700 End 1704

Purge Data	Field Parameters	Colorless			
		Colorless	Colorless	Colorless	Colorless
Measuring Point (describe)	Color	Colorless	Colorless	Colorless	Colorless
Sounded Well Depth (ft bmp)	Odor	NONE	NONE	NONE	NONE
Depth to Water (ft bmp)	Appearance	clear	clear	clear	clear
Depth to Packer (ft bmp)					
Water Column in Well (ft)					
Casing Diameter	pH (s.u.)	10.22	9.16	8.49	7.94
Gallons in Well	Conductivity				
Gallons Purged	(mS/cm) or				
Prior to Sampling	(µmhos/cm) ¹⁾	92.6	91.5	90.3	89.7
Pump Intake	Temperature (°C)	14.6	14.5	14.2	14.1
Setting (ft bmp)	5 gal container		1/2	1/2	1/2
Packer Pressure (psi)	DO (mg/L)				
Pumping Rate (gpm)	ORP (mV)				
Evacuation Method	Turbidity (NTU)				220
Sampling Method	Time	1525	1556	1628	1700
Purge Time	DTW (ft bmp)	34.99	32.81	27.30	23.69

Remarks: PII = 215 - 36.65 x .43 + 50 = 130 rounded up
Purged with wellhead control box. Rate lowered prior to sampling.
1 = 5 gal container

N₂ Gas holding steady.

Parameter	Container	No.	Preservative
<u>see COC</u>			

PID Reading ↑ humidity

Well Casing Volumes

Gal./Ft.	1 ^{1/4} " = 0.06	2" = 0.16	3" = 0.37	4" = 0.65
	1 ^{1/2} " = 0.09	2-1/2" = 0.26	3-1/2" = 0.50	6" = 1.47

1) Circle one unit type

Water Sampling Log

Project Northrop Grumman Project No. N7001492.04 of 09.0002
 Site Location Bethpage, NY Date 8-19-09
 Well No. GM-215 Replicate No. NA Weather 14:49 90°F
 Sampling Personnel Gary Williams / Sunny Xu Sampling Time: Begin 14:49 End 14:50

Purge Data
Field Parameters

Measuring Point (describe)	<u>TOC</u>	Color	<u>brown</u>	<u>colorless</u>	<u>colorless</u>	<u>colorless</u>
Sounded Well Depth (ft bmp)	<u>67</u>	Odor	<u>none</u>	<u>none</u>	<u>none</u>	<u>none</u>
Depth to Water (ft bmp)	<u>34.29</u>	Appearance	<u>turbid</u>	<u>clear</u>	<u>clear</u>	<u>clear</u>
Depth to Packer (ft bmp)	<u> </u>					
Water Column in Well (ft)	<u>32.71</u>					
Casing Diameter	<u>2" (0.16)</u>	pH (s.u.)	<u>8.52</u>	<u>6.91</u>	<u>6.49</u>	<u>6.50</u>
Gallons in Well	<u>5.3</u>	Conductivity				
Gallons Purged	<u>x 3</u>	(mS/cm) or				
Prior to Sampling	<u>16</u>	(µmhos/cm)	<u>315</u>	<u>96.4</u>	<u>83.7</u>	<u>78.6</u>
Pump Intake		Temperature (°C)	<u>24.6</u>	<u>20.0</u>	<u>19.7</u>	<u>19.6</u>
Setting (ft bmp)	<u>65</u>	DO (mg/L)				
Packer Pressure (psi)	<u> </u>	ORP (mV)				
Pumping Rate (gpm)	<u>Q=1 +=16 10=5</u>	Turbidity (NTU)				<u>15</u>
Evacuation Method	<u>Redi-flow</u>	Time				
Sampling Method	<u>3wv</u>	DTW (ft bmp)	<u>14:33</u>	<u>14:38</u>	<u>14:43</u>	<u>14:48</u>
Purge Time	Begin <u>14:33</u> End <u>14:48</u>					

Remarks:

Parameter	Container	No.	Preservative
<u>see COC</u>			

PID Reading

Well Casing Volumes

Gal./Ft.	<u>1 1/4" = 0.06</u>	<u>2" = 0.16</u>	<u>3" = 0.37</u>	<u>4" = 0.65</u>
	<u>1 1/2" = 0.09</u>	<u>2-1/2" = 0.26</u>	<u>3-1/2" = 0.50</u>	<u>6" = 1.47</u>

1) Circle one unit type

Water Sampling Log

Project NORTHROP-GRUMMAN Project No. NY001492.0409.00002
 Site Location BETHPAGE NY Date 8-13-09
 Well No. GM-21F Replicate No. NA Weather OVERCAST 75°
 Sampling Personnel GW Gany Williams Sampling Time: Begin _____ End _____

Purge Data
Field Parameters

Measuring Point (describe)	<u>10' SCREEN</u>	Color	<u>colorless</u>	<u>colorless</u>	<u>colorless</u>	<u>colorless</u>
Sounded Well Depth (ft bmp)	<u>140</u>	Odor	<u>none</u>	<u>none</u>	<u>none</u>	<u>none</u>
Depth to Water (ft bmp)	<u>35.10</u>	Appearance	<u>clear</u>	<u>clear</u>	<u>clear</u>	<u>clear</u>
Depth to Packer (ft bmp)	<u>128</u>					
Water Column in Well (ft)	<u>92.00</u> <u>12.00</u>					
Casing Diameter	<u>4 (0.65)</u>	pH (s.u.)	<u>6.76</u>	<u>8.58</u>	<u>8.87</u>	<u>9.32</u>
Gallons in Well	<u>7.8</u>	Conductivity				
Gallons Purged		(mS/cm) or				
Prior to Sampling	<u>22.5</u>	(µmhos/cm) ¹⁾	<u>176.5</u>	<u>128.7</u>	<u>125.4</u>	<u>121.7</u>
Pump Intake		Temperature (°C)	<u>19.3</u>	<u>18.2</u>	<u>18.8</u>	<u>19.2</u>
Setting (ft bmp)	<u>135</u>					
Packer Pressure (psi)	<u>90 PSI</u>	DO (mg/L)				
Pumping Rate (gpm)		ORP (mV)				
Evacuation Method	<u>dedicated bladder / 3w. below packer</u>					
Sampling Method		Turbidity (NTU)				<u>< 20</u>
Purge Time	Begin <u>2:05</u> End _____	Time				
		DTW (ft bmp)				

Remarks:

$128.35 = 92 \times .43 + 25 = 90 \text{ PSI}$
5 GAL PACKS 111

Parameter	Container	No.	Preservative
<u>see col</u>			

PID Reading _____

Well Casing Volumes

Gal./Ft.	1 1/4" = 0.06	2" = 0.16	3" = 0.37	4" = 0.65
	1 1/2" = 0.09	2-1/2" = 0.26	3-1/2" = 0.50	6" = 1.47

1) Circle one unit type



Low-Flow Groundwater Sampling Log

Project NORTHROP - GRUMMAN
 Project Number NY001492.0409.00002 Site Location BETHPAGE NY Well ID GM-210
 Date 8-12-09 Sampled By GW Gary Williams
 Sampling Time 4:50 pm. Recorded By GW Gary Williams
 Weather RAINY 75° Coded Replicate No. N/A

Instrument Identification
 Water Quality Meter(s) _____ Serial # _____
 Casing Material PVC Purge Method _____
 Casing Diameter 4" Screen Interval (ft bmp) Top 278 Bottom 288.
 Sounded Depth (ft bmp) 288. Pump Intake Depth (ft bmp) 283.
 Depth to Water (ft bmp) 40.76 Purge Time Start 3:50 Finish 4:50 pm.

Field Parameter Measurements During Purging

Time	Minutes Elapsed	Flow Rate (mL/min)	Volume Purged	Temp (°C)	pH (s.u.)	Conductivity (umhos or mS/cm) ¹⁾	ORP (mV)	DO (mg/L)	Turbidity (NTU)	Depth to Water (ft bmp)
3:50				22.5	6.32	121.2	180	10.25		40.76
3:55				21.7	6.09	122.9	179	8.08		
4:00				21.2	6.04	124.4	177	7.63		
4:05				21.0	6.13	125.5	176	7.61		
4:10				20.9	6.10	126.8	175	7.62		40.86
4:15				20.8	6.10	128.9	227	7.65		
4:20				20.8	5.45	129.0	218	7.57		
4:25				20.8	5.46	129.0	217	7.71		
4:30				20.8	5.41	129.1	214	7.56		
4:35				20.8	5.36	129.0	211	7.73		
4:40				20.7	5.36	129.5	201	7.83		40.77
4:45				20.6	5.32	129.7	200	7.66	2.4	
4:50										

Collected Sample Condition Color COLORLESS Odor NONE Appearance CLEAR
 Parameter See col Container _____ No. _____ Preservative _____

PID Reading _____
 Comments _____

1) Circle one unit type



Low-Flow Groundwater Sampling Log

Project Northrop Grumman
 Project Number NYW1492.0409.0002 Site Location Bethpage, NY Well ID GM-33D2
 Date 8-18-09 Sampled By Gary Williams / Sunny Xu
 Sampling Time 1320 Recorded By Sunny Xu
 Weather Hot 91°F Coded Replicate No. NA

Instrument Identification

Water Quality Meter(s) See calibration log Serial # _____
 Casing Material PVC Purge Method dedicated bladder pump
 Casing Diameter 4" Screen Interval (ft bmp) Top 500 Bottom 520
 Sounded Depth (ft bmp) 520 Pump Intake Depth (ft bmp) 510
 Depth to Water (ft bmp) 47.24 Purge Time Start 12210 Finish 13210

Field Parameter Measurements During Purging

Time	Minutes Elapsed	Flow Rate (mL/min)	Volume Purged	Temp (°C)	pH (s.u.)	Conductivity (umhos or mS/cm) ¹⁾	ORP (mV)	DO (mg/L)	Turbidity (NTU)	Depth to Water (ft bmp)
12:10		450		28.2	5.38	66.8	123	6.23		47.28
12:15	5			24.1	5.79	65.2	127	4.94		
12:20	10			23.1	5.67	64.5	126	4.88		47.28
12:25	15			22.5	5.53	63.9	128	4.98		
12:30	20			22.2	5.55	63.7	128	5.03		47.27
12:35	25			22.0	5.58	63.5	133	5.10		
12:40	30			21.7	6.00	63.2	132	5.18		47.27
12:45	35			21.7	6.01	63.2	136	5.18		
12:50	40			21.2	6.05	63.0	135	5.28		47.30
12:55	45			21.0	6.08	62.9	132	5.27		
13:00	50			20.9	6.10	62.9	130	5.30		
13:05	55			20.6	6.14	62.9	127	5.38		
13:10	60	✓		20.7	6.18	63.0	127	5.44		

Collected Sample Condition Color Colorless Odor None Appearance clear
 Parameter See a/c Container _____ No. _____ Preservative _____

PID Reading _____
 Comments _____

1) Circle one unit type



Infrastructure, environment, facilities

Low-Flow Groundwater Sampling Log

Project: Northrop Gun man 012
 Project Number: NY001692.0409.0002 Site Location: Deshpage, NY Well ID: GM-34D
 Date: 8/13/09 Sampled By: Dan Prezacki / Sunny Xu
 Sampling Time: 1705 Recorded By: Sunny Xu
 Weather: Sunny 76°F Coded Replicate No.: NA

Instrument Identification
 Water Quality Meter(s): see calibration log Serial #: _____
 Casing Material: steel Purge Method: dedicated - bladder/low flow
 Casing Diameter: 2 1/2 Screen Interval (ft bmp): Top 309 Bottom 319
 Sounded Depth (ft bmp): 319 Pump Intake Depth (ft bmp): _____
 Depth to Water (ft bmp): 12.41 Purge Time: Start 16:00 Finish 17:05

Field Parameter Measurements During Purging

Time	Minutes Elapsed	Flow Rate (mL/min)	Volume Purged	Temp (°C)	pH (s.u.)	Conductivity (µmhos or mS/cm) ¹⁾	ORP (mV)	DO (mg/L)	Turbidity (NTU)	Depth to Water (ft bmp)
16:00	0	350	—	22.5	6.44	76.4	33	3.55	—	12.41
16:05	5	—	—	21.7	6.68	79.0	-2	3.21	—	—
16:10	10	—	—	21.1	7.45	84.3	-46	2.38	—	12.23
16:15	15	—	—	20.9	7.97	89.3	-58	2.07	—	—
16:20	20	—	—	19.5	8.49	96.1	-74	1.12	—	12.41
16:25	25	—	—	18.4	8.78	98.1	-114	0.42	—	—
16:30	30	—	—	17.7	9.30	98.0	-177	0.36	—	12.28
16:35	35	—	—	17.2	9.87	95.6	-213	0.22	—	—
16:40	40	—	—	17.5	10.10	98.0	-234	0.20	—	12.27
16:45	45	—	—	17.1	10.24	102.0	-245	0.21	—	—
16:50	50	—	—	17.3	10.20	111.2	-229	0.29	—	12.27
16:55	55	—	—	17.2	10.17	117.3	-212	0.33	—	—
17:00	60	—	—	17.1	10.04	118.5	-197	0.37	—	12.42
17:05	65	—	—	17.0	9.89	119.8	-188	0.35	9.8	—

Collected Sample Condition: Color none Odor slight Appearance clear
 Parameter: see COC Container: _____ No.: _____ Preservative: _____

PID Reading: 0 ppm

Comments: _____

1) Circle one unit type



Infrastructure, environment, facilities

Low-Flow Groundwater Sampling Log

Project Northrop Grumman 002
 Project Number NY001492.0409.0002 Site Location Bethpage, NY Well ID GM-3402
 Date 8/31/09 Sampled By Pet Brzostek / Sunny Xu
 Sampling Time 15:30 Recorded By Sunny Xu
 Weather Sunny 76°F Coded Replicate No. NA

Instrument Identification
 Water Quality Meter(s) Sa calibration 1g Serial #
 Casing Material steel Purge Method non-dedicated bladder/low flow
 Casing Diameter 4" Screen Interval (ft bmp) Top 510 Bottom 520
 Sounded Depth (ft bmp) 520 Pump Intake Depth (ft bmp)
 Depth to Water (ft bmp) 14.30 Purge Time Start 14:30 Finish 15:30

Field Parameter Measurements During Purging

Time	Minutes Elapsed	Flow Rate (mL/min)	Volume Purged	Temp (°C)	pH (s.u.)	Conductivity (umhos or mS/cm) ¹⁾	ORP (mV)	DO (mg/L)	Turbidity (NTU)	Depth to Water (ft bmp)
14:30	0	3.0	—	24.0	5.47	80.1	102	1.91	—	—
14:35	5	—	—	22.9	5.70	73.7	44	1.46	—	—
14:40	10	—	—	21.9	5.86	71.5	12	0.73	—	14.29
14:45	15	—	—	20.1	6.02	70.1	-17	0.48	—	—
14:50	20	—	—	19.2	6.12	68.9	-34	0.42	—	14.20
14:55	25	—	—	18.2	6.13	68.2	-45	0.39	—	—
15:00	30	—	—	18.5	6.28	67.7	-52	0.40	—	14.19
15:05	35	—	—	18.5	6.27	67.5	-55	0.39	—	—
15:10	40	—	—	18.6	6.40	66.8	-62	0.38	—	14.27
15:15	45	—	—	19.5	6.45	66.5	-53	0.43	—	—
15:20	50	—	—	19.7	6.49	69.3	-24	0.95	—	14.27
15:25	55	—	—	19.9	6.43	72.0	-21	1.52	—	—
15:30	60	—	—	19.4	6.39	71.9	-19	1.64	<50	14.27
15:35	65	—	—	—	—	—	—	—	—	—

Collected Sample Condition Color none Odor slight Appearance clear
 Parameter see LOC Container No. Preservative

PID Reading 0.00
 Comments

1) Circle one unit type

Water Sampling Log

Project N-Grumman 902 Project No. N4001492.0409.00002
 Site Location Bethpage, NY Date 9/27/09
 Well No. GM-35D2 Replicate No. Rep082709 Weather clear 80°F
 Sampling Personnel Prezosti Sampling Time: Begin 1512 End 1521

Purge Data	Field Parameters			
	1	1V	2V	3V
Measuring Point (describe)	TOC			
Sounded Well Depth (ft bmp)	530			
Depth to Water (ft bmp)	38.31			
Depth to Packer (ft bmp)	507			
Water Column in Well (ft)	23			
Casing Diameter	4" (0.65)			
Gallons in Well	14.95			
Gallons Purged	x3			
Prior to Sampling	45			
Pump Intake	/			
Setting (ft bmp)	/			
Packer Pressure (psi)	255			
Pumping Rate (gpm)	1430 ml/min / 1490 ^{at 151} gpm			
Evacuation Method	reduced pump/pack			
Sampling Method	3 well volume			
Purge Time	Begin	End	1510	
	1307	1510		
	1307	1350	1431	1510
	38.40	38.36	38.32	38.33
	15.8	15.4	15.3	17.0
	-	-	-	-
	-	111	111	111
	-	-	-	220
	158.5	178.8	121.2	117.6
	7.84	8.05	7.54	8.05
	-	-	-	-
	colorless	colorless	colorless	colorless
	none	none	none	none
	clear	clear	clear	clear

Remarks: 507 - 38.31 x .43 + 50 = 255 rounded up

split sample with Bethpage with District (H₂O vac vial, filled)
purged with Grumman well w/ hand control box. Rate to well and
from to sample

Parameter	Container	No.	Preservative
<u>See COC</u>			

PID Reading 0 ppm

Well Casing Volumes			
Gal./Ft.	1 ^{1/4} " = 0.06	2" = 0.16	3" = 0.37
	1 ^{1/2} " = 0.09	2-1/2" = 0.26	3-1/2" = 0.50
			4" = 0.65
			6" = 1.47

1) Circle one unit type

Low-Flow Groundwater Sampling Log

Project N-Gramma 02
 Project Number NY001492.0/09.0002 Site Location Bethpage, NY Well ID GM-38D2
 Date 9/3/09 Sampled By Prezorski
 Sampling Time 1507 Recorded By Prezorski
 Weather Clear 80F Coded Replicate No. NA

Instrument Identification
 Water Quality Meter(s) See calibration log Serial # _____
 Casing Material PVC Purge Method Dedicated Slotted / Low Flow
 Casing Diameter 4" / 4.95 Screen Interval (ft bmp) Top 475 Bottom 495
 Sounded Depth (ft bmp) 495 Pump Intake Depth (ft bmp) _____
 Depth to Water (ft bmp) 40.95 Purge Time Start 1405 Finish 1505

Field Parameter Measurements During Purging

Time	Minutes Elapsed	Flow Rate (mL/min)	Volume Purged	Temp (°C)	pH (s.u.)	Conductivity (umhos or mS/cm)	ORP (mV)	DO (mg/L)	Turbidity (NTU)	Depth to Water (ft bmp)
1405	0	320	—	20.7	5.41	118.4	109	8.50		—
1410	5		—	18.6	6.04	134.7	74	5.27		40.92
1415	10		—	18.1	6.17	135.0	72	5.32		—
1420	15		—	17.7	6.27	133.9	70	5.57		40.90
1425	20		—	17.5	6.36	132.5	69	5.77		—
1430	25		—	17.4	6.46	127.1	73	5.76		40.91
1435	30		—	17.4	6.45	125.2	73	5.55		—
1440	35		—	17.3	6.45	120.9	78	5.44		40.91
1445	40		—	17.3	6.34	117.4	89	5.23		—
1450	45		—	17.3	6.37	117.3	91	5.34		40.91
1455	50		—	17.3	6.25	118.9	105	5.02		—
1500	55		—	17.3	6.23	120.6	103	4.78		40.93
1505	60		—	17.3	6.22	122.5	102	4.52	220	—

Collected Sample Condition Color colorless Odor none Appearance clear
 Parameter See CAC Container _____ No. _____ Preservative _____

PID Reading 0 ppm
 Comments split sample with Bethpage Water District (CH₂M Yearly Amber vial filled - HCL preserved)

1) Circle one unit type



Low-Flow Groundwater Sampling Log

Project NORTHROP-GRUMMAN
 Project Number NY1001492.0409.0002 Site Location Beethpage, NY Well ID Gm-39A (EM-3'D)
 Date 8-11-09 Sampled By Gary Williams
 Sampling Time 3:20 pm Recorded By Gary Williams
 Weather _____ Coded Replicate No. NA

Instrument Identification
 Water Quality Meter(s) _____ Serial # _____
 Casing Material PVC Purge Method dedicated bladder
 Casing Diameter 4" Screen Interval (ft bmp) Top 262 Bottom 282
 Sounded Depth (ft bmp) 282 Pump Intake Depth (ft bmp) 272
 Depth to Water (ft bmp) 3635 Purge Time Start 2:20 pm Finish 3:20 pm

Field Parameter Measurements During Purging

Time	Minutes Elapsed	Flow Rate (mL/min)	Volume Purged	Temp (°C)	pH (s.u.)	Conductivity (umhos or mS/cm) ¹⁾	ORP (mV)	DO (mg/L)	Turbidity (NTU)	Depth to Water (ft bmp)
2:20				26.7	5.57	118.0	206	11.36		36.35
2:25				22.3	5.48	119.6	225	11.90		
2:30				21.6	5.48	119.5	225	11.98		
2:35				21.5	5.51	119.8	224	12.69		36.35
2:40				21.4	5.50	119.6	226	12.83		
2:45				21.3	5.50	120.2	228	12.27		
2:50				21.3	5.50	120.2	229	12.26		
2:55				21.2	5.50	120.5	230	12.38		
3:00				21.2	5.48	120.8	231	12.55		
3:05				21.2	5.48	121.0	233	12.84		36.36
3:10				21.2	5.49	121.0	234	12.52		
3:15				21.2	5.49	121.7	232	12.67		
3:20				21.2	5.49	121.9	234	12.44	4.5	36.3

Collected Sample Condition Color Colorless Odor None Appearance Clear
 Parameter See GPC Container _____ No. _____ Preservative _____

PID Reading _____
 Comments _____

1) Circle one unit type



Low-Flow Groundwater Sampling Log

Project NORTHROP - GRUMMAN
 Project Number NY0001492-0409-00002 Site Location DETRAPAGE NY Well ID GM-390B
 Date 8-11-09 Sampled By GW
 Sampling Time 4:35 PM Recorded By GW
 Weather OVERCAST 85° Coded Replicate No. N/A

Instrument Identification

Water Quality Meter(s) _____ Serial # _____
 Casing Material PVC Purge Method _____
 Casing Diameter 4" Screen Interval (ft bmp) Top 410 Bottom 420
 Sounded Depth (ft bmp) 420 Pump Intake Depth (ft bmp) 415
 Depth to Water (ft bmp) 39.20 Purge Time Start 3:35 pm Finish 4:35 pm.

Field Parameter Measurements During Purging

Time	Minutes Elapsed	Flow Rate (mL/min)	Volume Purged	Temp (°C)	pH (s.u.)	Conductivity (umhos or mS/cm) ¹⁾	ORP (mV)	DO (mg/L)	Turbidity (NTU)	Depth to Water (ft bmp)
3:35				23.5	5.29	118.3	243	11.88		39.20
3:40				24.7	5.30	118.7	242	11.24		
3:45				21.9	5.33	118.2	243	12.19		
3:50				21.0	5.23	118.7	256	12.36		
3:55				26.0	5.21	119.2	258	17.22		39.32
4:00				20.8	5.20	119.4	264	11.93		
4:05				20.8	5.18	119.7	263	12.46		
4:10				20.9	5.20	119.3	265	12.55		
4:15				20.9	5.20	119.6	265	12.30		
4:20				20.9	5.20	119.4	267	12.60		39.23
4:25				20.8	5.18	119.5	267	12.21		
4:30				20.9	5.20	119.4	266	12.54		
4:35				20.9	5.20	119.7	267	12.52	7.7	39.24

Collected Sample Condition _____ Color COLORLESS Odor NONE Appearance CLEAN
 Parameter see col Container _____ No. _____ Preservative _____

PID Reading RAIDING

Comments _____

1) Circle one unit type



Low-Flow Groundwater Sampling Log

Project: INDUSTRIAL - ORW. MAIN
 Project Number: NY60492.0409.0002 Site Location: Beethpage, NY Well ID: 6M-73D
 Date: 8-11-09 Sampled By: GW Gary Williams
 Sampling Time: 1:10 pm Recorded By: GW Gary Williams
 Weather: Cloudy 88° Coded Replicate No.: NA

Instrument Identification

Water Quality Meter(s): _____ Serial #: _____
 Casing Material: PVC Purge Method: Dedicated bladder
 Casing Diameter: 4" Screen Interval (ft bmp): Top 401 Bottom 411
 Sounded Depth (ft bmp): 411 Pump Intake Depth (ft bmp): 406
 Depth to Water (ft bmp): 41.57 Purge Time: Start 12:10 pm Finish 1:10 pm

Field Parameter Measurements During Purging

Time	Minutes Elapsed	Flow Rate (mL/min)	Volume Purged	Temp (°C)	pH (s.u.)	Conductivity (umhos or mS/cm) ¹⁾	ORP (mV)	DO (mg/L)	Turbidity (NTU)	Depth to Water (ft bmp)
12:10				26.6	5.03	130.4	238	9.02		41.57
12:15				26.5	5.04	130.4	240	9.28		
12:20				25.3	5.01	150.5	243	9.56		
12:25				24.6	5.04	150.5	248	10.23		
12:30				24.6	5.04	150.5	254	10.83		
12:35				24.7	5.04	150.5	252	10.62		41.56
12:40				24.7	5.07	0.15	255	10.68		
12:45				24.8	5.07	0.15	256	10.89		
12:50				24.9	5.07	0.15	257	10.68		41.59
12:55				24.9	5.08	0.15	259	10.81		
1:00				24.7	5.04	134.9	265	11.42		
1:05				24.2	5.05	135.2	259	10.72		
1:10				24.7	5.06	136.3	262	11.55	3.2	41.65

Collected Sample Condition: Color COLORLESS Odor NONE Appearance CLEAR
 Parameter: See DOC Container: _____ No.: _____ Preservative: _____

PID Reading: _____

Comments: _____

1) Circle one unit type



Low-Flow Groundwater Sampling Log

Project NO RETROP - GRUMMAN
 Project Number NY 1001492.0409.0002 Site Location BETHPAGE Well ID GM-730-2
 Date 8-11-09 Sampled By FW
 Sampling Time 11:35 Recorded By _____
 Weather _____ Coded Replicate No. _____

Instrument Identification

Water Quality Meter(s) _____ Serial # _____
 Casing Material PVC Purge Method dedicated bladder
 Casing Diameter 4" Screen Interval (ft bmp) Top 532 Bottom 552
 Sounded Depth (ft bmp) 552 Pump Intake Depth (ft bmp) 542
 Depth to Water (ft bmp) 40.67 Purge Time Start 10:35 Finish 11:35

Field Parameter Measurements During Purging

Time	Minutes Elapsed	Flow Rate (mL/min)	Volume Purged	Temp (°C)	pH (s.u.)	Conductivity (umhos or mS/cm) ¹⁾	ORP (mV)	DO (mg/L)	Turbidity (NTU)	Depth to Water (ft bmp)
10:35		450		26.0	4.91	—	209	8.60		40.67
10:40				24.9	4.91	—	204	8.35		
10:45				24.8	4.67	155.8	204	7.45		
10:50				24.5	4.59	158.1	216	7.59		40.53
10:55				24.3	4.57	159.6	228	8.10		
11:00				24.6	4.52	157.7	236	9.24		
11:05				24.5	4.52	157.5	241	10.27		
11:10				24.3	4.54	157.0	242	10.83		40.61
11:15				24.1	4.55	157.5	243	9.87	10.14	
11:20				24.0	4.59	156.6	244	8.90		
11:25				23.7	4.66	157.0	247	8.08		
11:30				23.7	4.68	157.3	247	8.24		
11:35				23.7	4.77	158.3	250	8.30	3.4	40.68

Collected Sample Condition Color COLORLESS Odor NONE Appearance CLEAR
 Parameter See ADC Container _____ No. _____ Preservative _____

PID Reading _____

Comments _____

1) Circle one unit type



Low-Flow Groundwater Sampling Log

Project: NORTHROP-GRUMMAN
 Project Number: N4601492.0409.000002 Site Location: BETHRAKE Well ID: GM-74E
 Date: 8-10-09 Sampled By: Gary Williams
 Sampling Time: 3:00 pm Recorded By: Gary Williams
 Weather: _____ Coded Replicate No.: NA

Instrument Identification
 Water Quality Meter(s) _____ Serial # _____
 Casing Material: PVC Purge Method: dedicated bladder
 Casing Diameter: 4" Screen Interval (ft bmp): Top 94 Bottom 114
 Sounded Depth (ft bmp): 114 Pump Intake Depth (ft bmp): 104
 Depth to Water (ft bmp): 37.65 Purge Time: Start 2:15 pm Finish 3:00 pm

Field Parameter Measurements During Purging

Time	Minutes Elapsed	Flow Rate (mL/min)	Volume Purged	Temp (°C)	pH (s.u.)	Conductivity (umhos or mS/cm) ¹⁾	ORP (mV)	DO (mg/L)	Turbidity (NTU)	Depth to Water (ft bmp)
2:15		450		26.4	6.33	112.6	79	8.80		37.65
2:20				25.6	6.54	111.6	78	8.50		
2:25				25.1	6.52	110.5	86	9.03		
2:30				27.6	6.63	109.6	90	10.01		
2:35				24.0	6.89	106.9	110	9.80		
2:40				23.8	6.98	107.2	114	9.90		37.71
2:45				23.8	6.99	106.6	118	10.15		
2:50				23.8	7.02	106.9	123	10.79		37.68
2:55				23.7	7.08	106.4	119	11.77		
3:00				23.7	7.08	106.6	119	11.69	2.8	37.68

Collected Sample Condition: Color COLORLESS Odor NONE Appearance CLEAR
 Parameter: See APC Container: _____ No.: _____ Preservative: _____

PID Reading _____

Comments _____

1) Circle one unit type



Low-Flow Groundwater Sampling Log

Project NORTHROP- BRUMMAID
 Project Number NY001492.0409.0002 Site Location Bethpage, NY Well ID GM-74D
 Date 8-10-09 Sampled By Gary Williams
 Sampling Time 4:10 pm Recorded By Gary Williams
 Weather _____ Coded Replicate No. NA

Instrument Identification
 Water Quality Meter(s) See Calibration List Serial # _____
 Casing Material PVC Purge Method dedicated bladder
 Casing Diameter 4" Screen Interval (ft bmp) Top 295 Bottom 305
 Sounded Depth (ft bmp) 305 Pump Intake Depth (ft bmp) 300
 Depth to Water (ft bmp) 42.76 Purge Time Start 3:10 pm Finish 4:10 pm

Field Parameter Measurements During Purging

Time	Minutes Elapsed	Flow Rate (mL/min)	Volume Purged	Temp (°C)	pH (s.u.)	Conductivity (umhos or mS/cm) ¹⁾	ORP (mV)	DO (mg/L)	Turbidity (NTU)	Depth to Water (ft bmp)
3:10				30.3	7.04	107.1	128	15.14		42.76
3:15				28.4	7.03	105.6	165	16.0		
3:20				—	—	—	—	—		
3:25				—	—	—	—	—		
3:30				—	—	—	—	—		
3:35				—	—	—	—	—		
3:40				25.2	7.03		216	21.37*		
3:45				25.4	7.00		210	29.85		42.80
3:50				24.8	6.91		210	34.75		
3:55				24.7			210	34.83		
4:00				24.5	6.89		215	35.73		
4:05				24.6	6.89		215	35.26		42.82
4:10				24.5	6.87		221	36.11	3.4	

Collected Sample Condition Color Colorless Odor none Appearance Clean
 Parameter See DOC Container _____ No. _____ Preservative _____

PID Reading _____
 Comments * DO PROBE NOT WORKING CORRECTLY

1) Circle one unit type



Low-Flow Groundwater Sampling Log

Project NORTROP CLUMMAN
 Project Number N4001492-D109.00002 Site Location Beethpage, NY Well ID GM-74D-2
 Date 8-10-09 Sampled By GW Gary Williams
 Sampling Time 4:15 pm Recorded By GW Gary Williams
 Weather _____ Coded Replicate No. N/A.

Instrument Identification

Water Quality Meter(s) _____ Serial # _____
 Casing Material PVC Purge Method _____
 Casing Diameter 4" Screen Interval (ft bmp) Top 542 Bottom 562
 Sounded Depth (ft bmp) 562 Pump Intake Depth (ft bmp) 552
 Depth to Water (ft bmp) _____ Purge Time Start 4:15 pm Finish 5:15 pm.

Field Parameter Measurements During Purging

Time	Minutes Elapsed	Flow Rate (mL/min)	Volume Purged	Temp (°C)	pH (s.u.)	Conductivity (umhos or mS/cm) ¹⁾	ORP (mV)	DO (mg/L)	Turbidity (NTU)	Depth to Water (ft bmp)
4:15				30.5			192			
4:30				24.6	6.94	94.5		2.03		
4:35				24.3	6.94	98.4	236	3.11		
4:40				24.3	6.94	95.8	234	3.23		
4:45				24.1	6.91	95.8	232	3.48		
4:50				24.0	6.83	93.0	235	3.80		49.17
4:55				24.0	6.83	90.4	239	3.96		
5:00				24.0	6.78	89.4	239	3.78		
5:05				23.7	6.82	89.7	242	3.44		
5:10				23.4	6.84	89.7	262	3.85		
5:15				23.9	6.83	89.5	249	3.92	1.8	49.36

Collected Sample Condition Color Colorless Odor None Appearance Clear
 Parameter Container _____ No. _____ Preservative _____

PID Reading _____

Comments RECALIBRATED O.D. METER

1) Circle one unit type



Low-Flow Groundwater Sampling Log

Project N-Grammer 002
 Project Number NY001492, 0409, 0002 Site Location Bethpage, NY Well ID GM-75D2
 Date 8/2/09 Sampled By Williams / Przeworski
 Sampling Time 1403 Recorded By Przeworski
 Weather 90°F clear Coded Replicate No. NA

Instrument Identification
 Water Quality Meter(s) see calibration log Serial #
 Casing Material PVC Purge Method dedicated bladder / low flow
 Casing Diameter 4" Screen Interval (ft bmp) Top 505 Bottom 525
 Sounded Depth (ft bmp) 525 Pump Intake Depth (ft bmp)
 Depth to Water (ft bmp) 33.54 Purge Time Start 1300 Finish 1400

Field Parameter Measurements During Purging

Time	Minutes Elapsed	Flow Rate (mL/min)	Volume Purged	Temp (°C)	pH (s.u.)	Conductivity (µmhos or mS/cm) 1)	ORP (mV)	DO (mg/L)	Turbidity (NTU)	Depth to Water (ft bmp)
1300	0	380	—	28.2	5.67	68.9	498	5.70	—	—
1305	5	↓	—	24.9	5.26	78.3	116	4.91	—	33.55
1310	10	↓	—	24.2	5.26	80.8	100	5.92	—	—
1315	15	↓	—	23.9	5.25	83.1	74	6.34	—	33.55
1320	20	↓	—	23.5	5.18	90.9	56	5.59	—	—
1325	25	↓	—	23.5	5.20	92.5	54	5.86	—	33.55
1330	30	↓	—	23.5	5.18	95.4	55	6.54	—	—
1335	35	↓	—	23.4	5.15	96.9	57	5.72	—	33.55
1340	40	↓	—	23.3	5.14	97.6	59	5.14	—	—
1345	45	↓	—	23.4	5.14	98.1	62	5.05	—	33.55
1350	50	↓	—	23.4	5.06	99.6	60	5.70	—	—
1355	55	↓	—	23.4	5.09	100.3	66	6.62	—	33.55
1400	60	↓	—	23.4	5.01	101.1	67	6.53	4.1	—

Collected Sample Condition Color colorless Odor None Appearance clear
 Parameter see coc Container _____ No. _____ Preservative _____

PID Reading
 Comments New bladder installed on pump

1) Circle one unit type

Water Sampling Log

Project Northrop Grumman Project No. NY 1492-0409-0002
 Site Location Bethpage, NY Date 8-17-09
 Well No. GM-78.5 Replicate No. NA Weather Hot 90F
 Sampling Personnel Gary Williams / Sunny Xu Sampling Time: Begin 16:49 End 16:52

Purge Data

Measuring Point (describe) TOC
 Sounded Well Depth (ft bmp) 30
 Depth to Water (ft bmp) 38.49
 Depth to Packer (ft bmp) _____
 Water Column in Well (ft) 31.51
 Casing Diameter 4(0.65)
 Gallons in Well 20.55
 Gallons Purged X3
 Prior to Sampling 61.5
 Pump Intake _____
 Setting (ft bmp) 75
 Packer Pressure (psi) _____
 Pumping Rate (gpm) Q=1.25 t=41 IV=14 min
 Evacuation Method Radi-flow
 Sampling Method 3WU / low-flow grab
 Purge Time Begin 16:07 End 16:49

Field Parameters

	Colorless	Colorless	Colorless	Colorless
Color	Colorless	Colorless	Colorless	Colorless
Odor	none	none	none	none
Appearance	clear	clear	clear	clear
	1	1V	2V	3V
pH (s.u.)	6.38	6.05	6.02	6.06
Conductivity				
(mS/cm) or				
(umhos/cm) ¹⁾	126.2	129.0	126.7	123.7
Temperature (°C)	21.1	16.5	16.6	17.1
DO (mg/L)				
ORP (mV)				
Turbidity (NTU)	7.5	12		7.2
Time	↑			
DTW (ft bmp)	16:07	16:21	16:35	16:49

Remarks: _____

Parameter	Container	No.	Preservative
<u>See TOC</u>	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____

PID Reading _____

Well Casing Volumes

Gal./Ft.	1 ^{1/4} " = 0.06	2" = 0.16	3" = 0.37	4" = 0.65
	1 ^{1/2} " = 0.09	2-1/2" = 0.26	3-1/2" = 0.50	6" = 1.47

1) Circle one unit type



Low-Flow Groundwater Sampling Log

Project Northrop Grumman
 Project Number HT 001492.0409.ans 2 Site Location Bethpage, NY Well ID GM-78I
 Date 8-17-09 Sampled By Gary Williamson Sunny Xc.
 Sampling Time 15:45 Recorded By Sunny Xc.
 Weather 18-77 / 60-77 95°F Coded Replicate No. NA.

Instrument Identification
 Water Quality Meter(s) See calibration sheet Serial # _____
 Casing Material PVC Purge Method Recirc-flow
 Casing Diameter 4" Screen Interval (ft bmp) Top 90 Bottom 110
 Sounded Depth (ft bmp) 110. Pump Intake Depth (ft bmp) 100
 Depth to Water (ft bmp) 38.77 Purge Time Start 15:00 Finish 15:45

Field Parameter Measurements During Purging

Time	Minutes Elapsed	Flow Rate (mL/min)	Volume Purged	Temp (°C)	pH (s.u.)	Conductivity (umhos or mS/cm) ⁻¹	ORP (mV)	DO (mg/L)	Turbidity (NTU)	Depth to Water (ft bmp)
15:00		4.0		27.6	6.35	125.2	182	10.23		38.77
15:05	5	↓		17.6	6.11	102.3	161	6.49		
15:10	10		22.4	5.98	105.1	156	5.49		38.77	
15:15	15		22.5	5.98	105.3	158	5.99			
15:20	20		23.0	5.99	105.5	158	6.28		38.77	
15:25	25		22.2	5.99	106.2	159	6.69			
15:30	30		21.7	6.00	107.0	160	6.88		38.77	
15:35	35		21.0	6.02	106.9	161	6.75			
15:40	40		20.9	6.03	106.8	162	6.67		38.77	
15:45	45		21.3	6.03	106.8	164	6.72	2.2		

Collected Sample Condition Color Colorless Odor none Appearance clean
 Parameter see COC. Container _____ No. _____ Preservative _____

PID Reading _____
 Comments _____



Low-Flow Groundwater Sampling Log

Project: Northrop Grumman SU-2 EM-79I
 Project Number: NY 201492-0409-0002 Site Location: Bethpage, NY Well ID: ~~EM-79I~~ 50
 Date: 8-17-09 Sampled By: Cary Williams / Sunny Xu
 Sampling Time: 13:03 Recorded By: Sunny Xu
 Weather: Hot, 90°F Coded Replicate No.: NA

Instrument Identification

Water Quality Meter(s): 900 calibration sheet Serial #: _____
 Casing Material: PVC Purge Method: dedripped bladder
 Casing Diameter: 4" Screen Interval (ft bmp): Top 170 Bottom 180
 Sounded Depth (ft bmp): 180 Pump Intake Depth (ft bmp): 175
 Depth to Water (ft bmp): 38.25 Purge Time: Start 12:18 Finish 13:03

Field Parameter Measurements During Purging

Time	Minutes Elapsed	Flow Rate (mL/min)	Volume Purged	Temp (°C)	pH (s.u.)	Conductivity (µmhos or mS/cm) ¹	ORP (mV)	DO (mg/L)	Turbidity (NTU)	Depth to Water (ft bmp)
12:18		450		24	5.25	73.2	169	26		38.25
12:23	5	↓		21.5	5.34	69.5	164			
12:28	10		19.8	5.39	68.2	165			38.27	
12:33	15		19.8	5.39	68.4	172				
12:38	20		19.8	5.37	68.6	192			38.28	
12:43	25		19.7	5.37	68.0	194				
12:48	30		19.4	5.39	67.5	196			38.28	
12:53	35		19.6	5.39	67.4	201				
12:58	40		18.1	5.38	67.3	204			38.37	
13:03	45		18.1	5.36	67.6	208		4.9		

Collected Sample Condition: _____ Color: colorless Odor: none Appearance: clear
 Parameter: 900 CXC Container: _____ No.: _____ Preservative: _____

PID Reading: _____

Comments: _____

1) Circle one unit type



Low-Flow Groundwater Sampling Log

Project Northrop Grumman
 Project Number N/00292 OK 09.0002 Site Location Bethpage, NY Well ID GM-79D
 Date 2-17-09 Sampled By Gary Williams / Sunny Xu
 Sampling Time Start 9:00F Recorded By Sunny Xu
 Weather 14:20 Coded Replicate No. N/A

Instrument Identification

Water Quality Meter(s) See calibration sheet Serial # _____
 Casing Material PVC Purge Method ~~Aspirate~~ dedicated bladder
 Casing Diameter 4" Screen Interval (ft bmp) Top 280 Bottom 290
 Sounded Depth (ft bmp) 290 Pump Intake Depth (ft bmp) 285
 Depth to Water (ft bmp) 39.88 Purge Time Start 13:20 Finish 14:20

Field Parameter Measurements During Purging

Time	Minutes Elapsed	Flow Rate (mL/min)	Volume Purged	Temp (°C)	pH (s.u.)	Conductivity (umhos or mS/cm) 1)	ORP (mV)	DO (mg/L)	Turbidity (NTU)	Depth to Water (ft bmp)
13:20		450		26.3	5.48	78.0	176	7.42		39.88
13:25	5			25.8	5.42	75.5	192	6.3K		
13:30	10			25.5	5.35	73.0	205	5.17		39.83
13:35	15			25.3	5.27	72.3	216	4.13		
13:40	20			25.2	5.25	71.7	222	3.97		39.84
13:45	25			24.8	5.23	70.4	227	4.09		
13:50	30			24.8	5.22	70.0	230	4.31		39.84
13:55	35			24.6	5.22	69.5	234	4.54		
14:00	40			24.4	5.20	69.2	236	4.76		39.84
14:05	45			24.3	5.20	68.7	236	4.86		
14:10	50			24.1	5.20	68.3	239	4.80		39.82
14:15	55			23.7	5.20	67.9	241	4.88		
14:20	60			23.4	5.20	67.5	243	4.91	3.1	39.82

Collected Sample Condition Color Colorless Odor None Appearance Clear
 Parameter See COC Container _____ No. _____ Preservative _____

PID Reading _____

Comments _____

1) Circle one unit type

Water Sampling Log

Project N-Grumman 002 Project No. NY001492.0409.0002
 Site Location Bethpage, NY Date 8/3/09
 Well No. MW-1 GF Replicate No. NA Weather Partly cloudy 76°F
 Sampling Personnel Xu Prezorski Sampling Time: Begin 18:13 End 18:15

Purge Data		Field Parameters				
Measuring Point (describe)	<u>TOC</u>	Color	<u>Colorless</u>	<u>Colorless</u>	<u>Colorless</u>	<u>Colorless</u>
Sounded Well Depth (ft bmp)	<u>58</u>	Odor	<u>None</u>	<u>None</u>	<u>None</u>	<u>None</u>
Depth to Water (ft bmp)	<u>42.02</u>	Appearance	<u>Clear</u>	<u>Clear</u>	<u>Clear</u>	<u>Clear</u>
Depth to Packer (ft bmp)	<u>/</u>					
Water Column in Well (ft)	<u>15.98</u>					
Casing Diameter	<u>4" (0.65)</u>	pH (s.u.)	<u>9.22</u>	<u>8.84</u>	<u>8.56</u>	<u>8.30</u>
Gallons in Well	<u>10.4</u>	Conductivity	<u>-</u>	<u>-</u>	<u>-</u>	<u>-</u>
Gallons Purged	<u>x3</u>	(mS/cm) or				
Prior to Sampling	<u>32</u>	(µmhos/cm) ¹⁾	<u>101.2</u>	<u>102.4</u>	<u>103.8</u>	<u>104.9</u>
Pump Intake		Temperature (°C)	<u>15.4</u>	<u>15.1</u>	<u>15.1</u>	<u>15.1</u>
Setting (ft bmp)	<u>Mid-screen</u>	DO (mg/L)	<u>-</u>	<u>-</u>	<u>-</u>	<u>-</u>
Packer Pressure (psi)	<u>/</u>	ORP (mV)	<u>-</u>	<u>-</u>	<u>-</u>	<u>-</u>
Pumping Rate (gpm)	<u>2</u>	Turbidity (NTU)	<u><5.0</u>	<u><5.0</u>	<u>8.2</u>	<u>5.1</u>
Evacuation Method	<u>Redflow pump</u>	Time	<u>1755</u>	<u>1801</u>	<u>1807</u>	<u>1813</u>
Sampling Method	<u>3 well volume</u>	DTW (ft bmp)	<u>-</u>	<u>-</u>	<u>-</u>	<u>-</u>
Purge Time	Begin <u>1755</u> End <u>18:13</u>					
Remarks:	<u>Q=2 + = 216 1V=6</u>					

Parameter	Container	No.	Preservative
<u>See LOC</u>			

PID Reading 0ppm

Well Casing Volumes

Gal./Ft.	1 ^{1/4} " = 0.06	2" = 0.16	3" = 0.37	<u>4" = 0.65</u>
	1 ^{1/2} " = 0.09	2-1/2" = 0.26	3-1/2" = 0.50	6" = 1.47

1) Circle one unit type

MW-2GF

Water Sampling Log

Project Northrop Grumman DU-2 Project No. NY001492.0409.00002
 Site Location NY001492.0409.00002 Bethpage NY Date 8/31/09
 Well No. MW-2GF Replicate No. NA Weather Partly cloudy 76°F
 Sampling Personnel Prorosti/Xu Sampling Time: Begin 1859 End 1902

Purge Data	Field Parameters			
	Color	Color	Color	Color
Measuring Point (describe) <u>TOC</u>	<u>none</u>	<u>none</u>	<u>none</u>	<u>none</u>
Sounded Well Depth (ft bmp) <u>59</u>	<u>clear</u>	<u>clear</u>	<u>clear</u>	<u>clear</u>
Depth to Water (ft bmp) <u>42.02</u>				
Depth to Packer (ft bmp) <u>✓</u>				
Water Column in Well (ft) <u>16.98</u>	1	1V	2V	3V
Casing Diameter <u>4" (0.65)</u>	pH (s.u.) <u>7.21</u>	<u>7.14</u>	<u>7.15</u>	<u>7.10</u>
Gallons in Well <u>11</u>	Conductivity			
Gallons Purged <u>x3</u>	(mS/cm) or			
Prior to Sampling <u>33</u>	(µmhos/cm) <u>171.7</u>	<u>172.1</u>	<u>170.0</u>	<u>167.5</u>
Pump Intake	Temperature (°C) <u>14.5</u>	<u>14.3</u>	<u>14.3</u>	<u>14.3</u>
Setting (ft bmp) <u>Mid screen</u>	DO (mg/L)			
Packer Pressure (psi) <u>✓</u>	ORP (mV)			
Pumping Rate (gpm) <u>2</u>	Turbidity (NTU)	<u>11</u>	<u>10</u>	<u>13</u>
Evacuation Method <u>Red-Flow Pump</u>	Time	<u>1841</u>	<u>1847</u>	<u>1853</u>
Sampling Method <u>3 well volume</u>	DTW (ft bmp)			
Purge Time Begin <u>1841</u> End <u>1859</u>				
Remarks: <u>Q=2 t=16.5 1V=6</u>				

Parameter	Container	No.	Preservative
<u>See COC</u>			

PID Reading open MW-2GF

Well Casing Volumes			
Gal./Ft.	1 ^{1/4} " = 0.06	2" = 0.16	3" = 0.37
	1 ^{1/2} " = 0.09	2-1/2" = 0.26	3-1/2" = 0.50
			4" = 0.65
			6" = 1.47

1) Circle one unit type



Low-Flow Groundwater Sampling Log

Project N-Grumman 002
 Project Number NY001492.0409.0002 Site Location Bethpage, NY Well ID HN-24J
 Date 8/25/09 Sampled By Prezorki/Williams
 Sampling Time 1553 Recorded By Prezorki
 Weather Partly cloudy 85°F Coded Replicate No. NA

Instrument Identification
 Water Quality Meter(s) See calibration log Serial # _____
 Casing Material PVC Purge Method Low Flow / RediFlow Pump
 Casing Diameter 44 Screen Interval (ft bmp) Top 148 Bottom 158
 Sounded Depth (ft bmp) 158 Pump Intake Depth (ft bmp) 153
 Depth to Water (ft bmp) 52.83 Purge Time Start 1506 Finish 1551

Field Parameter Measurements During Purging

Time	Minutes Elapsed	Flow Rate (mL/min)	Volume Purged	Temp (°C)	pH (s.u.)	Conductivity (umhos or mS/cm) 1)	ORP (mV)	DO (mg/L)	Turbidity (NTU)	Depth to Water (ft bmp)
1506	0	1000	—	21.6	6.00	347	174	6.10		
1511	5	1000	—	19.0	5.75	343	185	5.48		m-seal stuck
1516	10	570	—	19.0	5.59	337	201	4.98		
1521	15	570	—	19.2	5.59	336	204	4.81		52.56
1526	20	↓	—	21.2	5.55	194.8	208	4.72		
1531	25	↓	—	21.6	5.58	191.4	214	4.90		52.62
1536	30	↓	—	21.0	5.58	188.3	217	4.79		
1541	35	↓	—	20.7	5.56	185.3	221	4.75		52.62
1546	40	↓	—	20.8	5.54	181.6	222	4.36		
1551	45	↓	—	21.4	5.54	180.2	225	4.45	9.5	52.63

Collected Sample Condition Color colorless Odor NONE Appearance clear
 Parameter See COC Container _____ No. _____ Preservative _____

PID Reading 0ppm

Comments _____

1) Circle one unit type

8/25/09

Water Sampling Log

Project N-Grammer OVR Project No. NY001492.0409.00002
 Site Location Bethpage NY Date 8/24/09
 Well No. HW-405 Replicate No. NA Weather clear 85°F
 Sampling Personnel Williams / Prorowski Sampling Time: Begin 1743 End 1746

Purge Data	Field Parameters			
	1	1V	2V	3V
Measuring Point (describe) <u>TOC</u>	Color <u>colorless</u>	<u>colorless</u>	<u>colorless</u>	<u>colorless</u>
Sounded Well Depth (ft bmp) <u>59</u>	Odor <u>none</u>	<u>none</u>	<u>none</u>	<u>none</u>
Depth to Water (ft bmp) <u>46.50</u>	Appearance <u>clear</u>	<u>clear</u>	<u>clear</u>	<u>clear</u>
Depth to Packer (ft bmp) <u>/</u>				
Water Column in Well (ft) <u>12.5</u>	pH (s.u.) <u>5.41</u>	<u>5.37</u>	<u>5.36</u>	<u>5.36</u>
Casing Diameter <u>4" (0.65)</u>	Conductivity (mS/cm) or (µmhos/cm) <u>94.8</u>	<u>88.2</u>	<u>84.8</u>	<u>83.5</u>
Gallons in Well <u>8.125</u>	Temperature (°C) <u>18.2</u>	<u>16.3</u>	<u>16.1</u>	<u>16.0</u>
Gallons Purged <u>x3</u>	DO (mg/L) <u>-</u>	<u>-</u>	<u>-</u>	<u>-</u>
Prior to Sampling <u>25</u>	ORP (mV) <u>-</u>	<u>-</u>	<u>-</u>	<u>-</u>
Pump Intake <u>2" RedFlow Pump</u>	Turbidity (NTU) <u>-</u>	<u>-</u>	<u>-</u>	<u>2.157</u>
Setting (ft bmp) <u>≈ 4' off bottom</u>	Time <u>1715</u>	<u>1724</u>	<u>1733</u>	<u>1742</u>
Packer Pressure (psi) <u>/</u>	DTW (ft bmp) <u>-</u>	<u>46.58</u>	<u>46.57</u>	<u>46.57</u>
Pumping Rate (gpm) <u>1</u>				
Evacuation Method <u>3 well volume</u>				
Sampling Method <u>3 well volume</u>				
Purge Time Begin <u>1715</u> End <u>1742</u>				

Remarks: Q=1 t=25 LV=9

Parameter	Container	No.	Preservative
<u>see COC</u>			

PID Reading 0 ppm

Well Casing Volumes				
Gal./Ft.	1 ^{1/4} " = 0.06	2" = 0.16	3" = 0.37	<u>4" = 0.65</u>
	1 ^{1/2} " = 0.09	2-1/2" = 0.26	3-1/2" = 0.50	6" = 1.47

1) Circle one unit type



Infrastructure, environment, facilities

Low-Flow Groundwater Sampling Log

Project N-Grammer 002
 Project Number NY001492.0409.0002 Site Location Bethpage, NY Well ID HN-401
 Date 8/24/09 Sampled By Prezorski / Williams
 Sampling Time 1653 Recorded By Prezorski
 Weather clear 85°F Coded Replicate No. N/A

Instrument Identification
 Water Quality Meter(s) su calibration log Serial # _____
 Casing Material PVC Purge Method RediFlow Pump / Low flow
 Casing Diameter 4" Screen Interval (ft bmp) Top 108 Bottom 118
 Sounded Depth (ft bmp) 48 Pump Intake Depth (ft bmp) 43
 Depth to Water (ft bmp) 46.34 Purge Time Start 1549-1552 Finish 1650
cat rate

Field Parameter Measurements During Purging

Time	Minutes Elapsed	Flow Rate (mL/min)	Volume Purged	Temp (°C)	pH (s.u.)	Conductivity (umhos or mS/cm) ¹	ORP (mV)	DO (mg/L)	Turbidity (NTU)	Depth to Water (ft bmp)
1550			—	cat rate		—	—	—		—
1555	3	1200	—	16.7	5.85	119.0	131	7.87		—
1600	8		—	16.5	5.49	119.2	141	8.35		46.38
1605	13	1200	—	16.5	5.40	120.4	152	8.35		—
1610	18		—	16.9	5.36	120.9	159	8.10		46.37
1615	23	490	—	17.3	5.34	121.0	172	8.23		—
1620	28		—	19.0	5.34	122.0	180	7.89		46.37
1625	33		—	18.8	5.34	121.5	186	7.35		—
1630	38		—	18.8	5.35	121.3	190	7.25		46.35
1635	43		—	19.0	5.33	121.2	193	7.20		—
1640	48		—	18.8	5.33	120.7	197	7.05		46.35
1645	53		—	18.8	5.33	120.9	201	7.07		—
1650	58	↓	—	18.8	5.32	120.6	202	7.04	4.2	46.35

Collected Sample Condition Color colorless Odor none Appearance clear
 Parameter see COC Container _____ No. _____ Preservative _____

PID Reading _____

Comments _____

1) Circle one unit type



Low-Flow Groundwater Sampling Log

Project Northrop Grumman ou-2
 Project Number NY001492.0409.002 Site Location Bethpage, NY Well ID HN-42I
 Date 8-20-09 Sampled By Gary Williams / Sunny Xu
 Sampling Time 15:30 Recorded By Sunny Xu
 Weather Hot 90°F Coded Replicate No. N/A

Instrument Identification
 Water Quality Meter(s) See Calibration sheet Serial # _____
 Casing Material PVC Purge Method Redi-flow
 Casing Diameter 4" Screen Interval (ft bmp) Top 100 Bottom 110
 Sounded Depth (ft bmp) 110' Pump Intake Depth (ft bmp) 105
 Depth to Water (ft bmp) 48.11 Purge Time Start 14:15 Finish 15:30

Field Parameter Measurements During Purging

Time	Minutes Elapsed	Flow Rate (mL/min)	Volume Purged	Temp (°C)	pH (s.u.)	Conductivity (umhos or mS/cm) ¹⁾	ORP (mV)	DO (mg/L)	Turbidity (NTU)	Depth to Water (ft bmp)
14:45		450		18.6	12.33	492	42	6.24		48.11
14:50	5	↓		17.9	12.37	456	86	5.35		
14:55	10		18.1	12.37	426	-119	5.26		48.20	
15:00	15		19.3	12.35	568	-155	6.01			
15:05	20		19.3	12.35	566	-162	4.48		48.24	
15:10	25		19.2	12.35	563	-161	4.84			
15:15	30		18.8	12.37	566	-160	5.34		48.24	
15:20	35		19.0	12.37	565	-158	5.17			
15:25	40		19.3	12.35	565	-156	5.06		48.21	
15:30	45		19.3	12.35	565	-155	5.04			

Collected Sample Condition Color Colorless Odor None Appearance Clear
 Parameter See COC Container _____ No. _____ Preservative _____

PID Reading _____
 Comments _____

1) Circle one unit type

Water Sampling Log

Project Northrop Grumman Project No. NTW0920809-002
 Site Location Bethpage, NY Date 8-9-09
 Well No. PLT1MW-06 Replicate No. NA Weather FLT. 92°F
 Sampling Personnel Gary Williams Sampling Time: Begin 16:25 End 16:26

Purge Data		Field Parameters				
Measuring Point (describe)	<u>700</u>	Color	<u>brown</u>	<u>colorless</u>	<u>colorless</u>	<u>Colorless</u>
Sounded Well Depth (ft bmp)	<u>62</u>	Odor	<u>none</u>	<u>none</u>	<u>none</u>	<u>none</u>
Depth to Water (ft bmp)	<u>42.65</u>	Appearance	<u>turbid</u>	<u>cloudy</u>	<u>clear</u>	<u>clear</u>
Depth to Packer (ft bmp)	<u> </u>					
Water Column in Well (ft)	<u>19.35</u>					
Casing Diameter	<u>2" (0.16)</u>	pH (s.u.)	<u>6.36</u>	<u>5.97</u>	<u>5.93</u>	<u>5.93</u>
Gallons in Well	<u>3</u>	Conductivity				
Gallons Purged	<u>x3</u>	(mS/cm) or			<u>102.0</u>	
Prior to Sampling	<u>9</u>	(µmhos/cm)	<u>109.6</u>	<u>102.8</u>	<u>5.1</u>	<u>102.6</u>
Pump Intake		Temperature (°C)	<u>19.3</u>	<u>17.1</u>	<u>16.7</u>	<u>17.4</u>
Setting (ft bmp)	<u>55</u>	DO (mg/L)				
Packer Pressure (psi)	<u> </u>	ORP (mV)				
Pumping Rate (gpm)	<u>Q=1 + 2 9 IV=3</u>	Turbidity (NTU)	<u>>200</u>	<u>>200</u>	<u>60</u>	<u>45</u>
Evacuation Method	<u>Redi-flow</u>	Time	<u>16:16</u>	<u>16:19</u>	<u>16:20</u>	<u>16:25</u>
Sampling Method		DTW (ft bmp)				
Purge Time	Begin <u>16:16</u> End <u>16:25</u>					

Remarks: _____

Parameter	Container	No.	Preservative
<u>COC</u>			

PID Reading _____

Well Casing Volumes			
Gal./Ft.	1 ^{1/4} " = 0.06	2" = 0.16	3" = 0.37
	1 ^{1/2} " = 0.09	2-1/2" = 0.26	3-1/2" = 0.50
			4" = 0.65
			6" = 1.47

1) Circle one unit type

Low-Flow Groundwater Sampling Log

Project N-Gummer 02
 Project Number N1001492.0409.0002 Site Location Bathpage, NY Well ID N-10624
 Date 8/21/09 Sampled By Williams / Prerowski
 Sampling Time 1622 Recorded By Prerowski
 Weather cloudy Breezy 90°F Coded Replicate No. NA

Instrument Identification
 Water Quality Meter(s) See calibration log Serial #
 Casing Material Steel 2" Purge Method Non-dedicated bladder / Low Flow
 Casing Diameter 2" Screen Interval (ft bmp) Top 190 Bottom 194
 Sounded Depth (ft bmp) NM Pump Intake Depth (ft bmp)
 Depth to Water (ft bmp) 23.72 Purge Time Start 1518 Finish 1620

Field Parameter Measurements During Purging

Time	Minutes Elapsed	Flow Rate (mL/min)	Volume Purged	Temp (°C)	pH (s.u.)	Conductivity (µmhos or mS/cm) ¹⁾	ORP (mV)	DO (mg/L)	Turbidity (NTU)	Depth to Water (ft bmp)
1520	2	500	—	30.3	6.45	98.2	101	3.29		—
1525	7		—	26.6	6.95	92.5	-23	1.52		35.69
1530	12	500	—	24.9	7.21	91.5	-79	0.65		—
1535	17	500	—	25.1	7.36	92.3	-169	0.14		42.21
1540	22		—	24.7	7.54	91.7	-194	0.19		—
1545	27		—	24.5	7.56	91.4	-188	0.25		44.82
1550	32		—	23.9	7.57	90.7	-184	0.24		—
1555	37		—	24.3	7.61	90.7	-178	0.26		48.95
1600	42		—	24.7	7.62	90.8	-172	0.28		—
1605	47		—	25.4	7.63	90.8	-165	0.32		48.34
1610	52	100	—	25.9	7.63	90.9	-163	0.26		—
1615	57	100	—	27.1	7.63	91.6	-153	0.30		—
1620	62	100	—	27.7	7.64	91.7	-149	0.30	30	48.81

Collected Sample Condition Color colorless Odor none Appearance clear
 Parameter See COC Container No. Preservative

PID Reading
 Comments Silty, closed at 1540.
new tubing + screen installed.
slow drawdown on well during purge.

1) Circle one unit type



Low-Flow Groundwater Sampling Log

Project Northrop Emission
 Project Number NY000492.0609.0002 Site Location Bethpage, NY Well ID N-10627
 Date 8-18-09 Sampled By Gray Williams / Senny Xu
 Sampling Time 15:00 Recorded By Senny Xu
 Weather Hot 82F Coded Replicate No. NA

Instrument Identification

Water Quality Meter(s) _____ Serial # A
 Casing Material PVC Purge Method non-dedicated bladder
 Casing Diameter 4" Screen Interval (ft bmp) Top 290 Bottom 295
 Sounded Depth (ft bmp) 295 Pump Intake Depth (ft bmp) 293
 Depth to Water (ft bmp) 30.09 Purge Time Start 14:40 Finish 15:40

Field Parameter Measurements During Purging

Time	Minutes Elapsed	Flow Rate (mL/min)	Volume Purged	Temp (°C)	pH (s.u.)	Conductivity (µmhos or mS/cm) ¹⁾	ORP (mV)	DO (mg/L)	Turbidity (NTU)	Depth to Water (ft bmp)
14:40				23.2	5.52	78.2	-51	7.00		30.09
14:45	5			26.7	5.65	78.4	-72	6.00		
14:50	10			28.0	6.78	80.9	-178	3.66		31.10
14:55	15			28.0	8.07	86.7	399	2.49		
15:00	20			27.3	9.76	97.1	402	1.60		31.16
15:05	25			27.1	10.26	106.7	430	0.73		
15:10	30			27.2	10.38	109.8	433	0.48		31.29
15:15	35			27.2	10.46	112.8	437	0.40		
15:20	40			27.0	10.40	117.8	448	0.37		31.27
15:25	45			27.0	10.26	117.7	-81	0.34		
15:30	50			26.8	10.48	113.5	-349	0.35		31.27
15:35	55			27.1	10.44	115.2	-362	0.32		
15:40	60			26.9	10.42	116.0	-364	0.34		

Collected Sample Condition Color colorless Odor none Appearance clear
 Parameter See VOC Container _____ No. _____ Preservative _____

PID Reading _____

Comments _____

1) Circle one unit type

Water Sampling Log

Project Northrop Grumman Project No. NY 001492-0409.002
 Site Location Bethpage, NY Date 8-18-09
 Well No. N-10631 Replicate No. NA Weather Hot, 92°F
 Sampling Personnel Gary Williams / Sunny Xu Sampling Time: Begin 16:52 End 16:54

Purge Data		Field Parameters				
Measuring Point (describe)	<u>TOC</u>	Color	<u>brown</u>	<u>dark</u>	<u>dark</u>	<u>none</u>
Sounded Well Depth (ft bmp)	<u>67</u>	Odor	<u>strong</u>	<u>strong</u>	<u>strong</u>	<u>wild</u>
Depth to Water (ft bmp)	<u>35.98</u>	Appearance	<u>turbid</u>	<u>stinky</u>	<u>turbid</u>	<u>clear</u>
Depth to Packer (ft bmp)	<u> </u>		<u>stinky</u>			
Water Column in Well (ft)	<u>21.12</u>		<u>1</u>	<u>1V</u>	<u>2V</u>	<u>3V</u>
Casing Diameter	<u>2" (0.16)</u>	pH (s.u.)	<u>8.56</u>	<u>8.22</u>	<u>7.87</u>	<u>7.93</u>
Gallons in Well	<u>3.4</u>	Conductivity				
Gallons Purged	<u>x3</u>	(ms/cm) or		<u>105.6</u>	<u>0</u>	
Prior to Sampling	<u>10.2</u>	(<u>µmhos/cm</u>)	<u>92.9</u>	<u>54</u>	<u>106.1</u>	<u>128.4</u>
Pump Intake		Temperature (°C)	<u>20.6</u>	<u>17.4</u>	<u>17.6</u>	<u>16.8</u>
Setting (ft bmp)	<u>85</u>	DO (mg/L)				
Packer Pressure (psi)	<u> </u>	ORP (mV)				
Pumping Rate (gpm)	<u>Q=10 10=3</u>	Turbidity (NTU)		<u>>200</u>	<u>18</u>	<u>20</u>
Evacuation Method	<u>Redi-flow</u>	Time				
Sampling Method	<u>2WV / low-flow sampling</u>	DTW (ft bmp)	<u>16:41</u>	<u>16:44</u>	<u>16:47</u>	<u>16:50</u>
Purge Time	Begin <u>16:41</u> End <u>16:51</u>					

Remarks: _____

Parameter	Container	No.	Preservative
<u>see loc.</u>	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____

PID Reading _____

Well Casing Volumes				
Gal./Ft.	<u>1 1/4" = 0.06</u>	<u>2" = 0.16</u>	<u>3" = 0.37</u>	<u>4" = 0.65</u>
	<u>1 1/2" = 0.09</u>	<u>2-1/2" = 0.26</u>	<u>3-1/2" = 0.50</u>	<u>6" = 1.47</u>

1) Circle one unit type



CHAIN-OF-CUSTODY RECORD

Laboratory Task Order No./P.O. No. 002 of 1 Page

Project Number/Name ARC Newburg aug 02

Project Location Bethpage, NY

Laboratory Columbia Analytical Services

Project Manager Mike Wilfeast

Sampler(s)/Affiliation Post Research/Sunny XN

Sample ID/Location	Matrix	Date/Time Sampled	Lab ID	ANALYSIS / METHOD / SIZE	Remarks	Total
TB080609	L	8-6-09	M			3
REP080609	L		M			3
BP003-1	L		M			3
BP001-2	L		9*		MIS/MSD	4
BP001-3	L		M			3
BP001-4	L	8-6-09	M			3

Sample Matrix: L = Liquid; S = Solid; A = Air

Relinquished by: Xuan Xu Organization: ARCADIS Date: 8/6/09 Time: 18:00 Seal Intact? Yes No N/A

Received by: _____ Organization: _____ Date: _____ Time: _____ Seal Intact? Yes No N/A

Relinquished by: _____ Organization: _____ Date: _____ Time: _____ Seal Intact? Yes No N/A

Received by: _____ Organization: _____ Date: _____ Time: _____ Seal Intact? Yes No N/A

Special Instructions/Remarks: 2 more S-TAL Report to Melissa Bernal

Please use for MS/MSD as QA/QC sample

Delivery Method: In Person Common Carrier Lab Courier Other

SPECIFY _____




Laboratory Task Order No./P.O. No. 1662 / 002

CHAIN-OF-CUSTODY RECORD

Page 1 of 1

Project Number/Name MO01493.0409.00002
 Project Location BETHPAGE NY
 Laboratory COLUMBIA ANALYTICAL
 Project Manager CRUDO SAN GIOVANNI
 Sampler(s)/Affiliation D. McLAFFERTY / ARCADIS



Sample ID/Location	Matrix	Date/Time Sampled	Lab ID	ANALYSIS / METHOD / SIZE	Remarks	Total
T 96 INF.	A	8/10/09 1428		30 SEC	INT. VAC. 2.2E ND-5	1
T 96 MID TRAIN		1433		30 SEC	INT. VAC. 2.2E ND-5	1
T 96 TOTAL EFF.		1438		30 SEC	INT. VAC. 2.2E ND-5	1
T 102 INF.		8/11/09 0439		30 SEC	INT. VAC. 2.2E ND-5	1
T 102 EFF		0644		30 SEC	INT. VAC. 2.2E ND-5	1
					Also returning T102 unused Summa	
					Total No. of Bottles/Containers	5

Sample Matrix: L = Liquid; S = Solid; A = Air

Relinquished by: AL. McLAFFERTY Organization: ARCADIS Date: 8/11/09 Time: _____ Seal Intact? Yes No N/A
 Received by: _____ Organization: _____ Date: _____ Time: _____ Seal Intact? Yes No N/A
 Relinquished by: _____ Organization: _____ Date: _____ Time: _____ Seal Intact? Yes No N/A
 Received by: _____ Organization: _____ Date: _____ Time: _____ Seal Intact? Yes No N/A

Special Instructions/Remarks: ATTN: MIKE PENNY

Delivery Method: In Person Common Carrier FED EX Lab Courier Other _____
 SPECIFY _____



Laboratory Task Order No./P.O. No. 1192-0109-00002

CHAIN-OF-CUSTODY RECORD

Page 1 of 1


Project Number/Name NO 001192-0109-00002

Project Location BETHLEHEM, PA

Laboratory COLUMBIA ANALYTICAL

Project Manager CARLO SAN GIOVANNI

Sampler(s)/Affiliation DMSCAFFERTY/PA/PA/PA



Sample ID/Location	Matrix	Date/Time Sampled	Lab ID	Remarks	Total
REP 100809	L	8/10/09			
T102 INF.		1630			
T102 EFF.		1624			
WELL 19 INF.		1200			
WELL 18		1527		MS/MS OFF WELL 19	
WELL 17		1565		REP OFF WELL 17	
T96 INF.		1384			
T96 EFF.		1316			
WELL 1		1450			
WELL 3		1555			
TEMP BLANK					
TEMP. BOTTLE					

Sample Matrix: L = Liquid; S = Solid; A = Air
 Reinquished by: [Signature] Organization: PARADIS Date: 8/10/09 Time: 1815
 Received by: _____ Organization: _____ Date: _____ Time: _____
 Relinquished by: _____ Organization: _____ Date: _____ Time: _____
 Received by: _____ Organization: _____ Date: _____ Time: _____

Special Instructions/Remarks: HATTN. MAKE PERM
 Total No. of Bottles/Containers: 3740
 Seal Intact? Yes No N/A
 Seal Intact? Yes No N/A



CHAIN-OF-CUSTODY RECORD

Laboratory Task Order No./P.O. No. 001-2 Page 1 of 1

Project Number/Name ARC NYC001492-009-0002

Project Location Bethpage, NY

Laboratory Columbia Analytical Services

Project Manager Mike Wolfert

Sampler(s)/Affiliation Gary Dillman/Sunny Xs

Total (N/A) 2004SP
 Total Bottle w/ Col Bar
 Preserved G/Ed
 Date Printed
 Total Bottle w/ Col Bar
 Total Bottle w/ Col Bar
 Total Bottle w/ Col Bar

Sample ID/Location	Matrix	Date/Time Sampled	Lab ID	Remarks	Total
REP081409	L	8-14-09	3		3
TB081409	L	8-14-09	3		3
GM-15D2	L	8-14-09	9 ^x	SA/SC MS/MSD	9
GM-15D	L	8-14-09	3		3
FB081409	L	8-14-09	3		4
GW-15SR	L	8-14-09	3		5

Sample Matrix: L = Liquid; S = Solid; A = Air
 Total No. of Bottles/Containers: 27

Relinquished by: Sunny Xs Organization: ARCADIS Date: 8/14/09 Time: _____
 Received by: _____ Date: 1/1/17 Time: _____

Relinquished by: _____ Organization: _____ Date: 1/1/17 Time: _____
 Received by: _____ Organization: _____ Date: 1/1/17 Time: _____

Special Instructions/Remarks: X Please use for SA/SC MS/MSD report to Melissa Reindl; 2 weeks JAT

Delivery Method: In Person Common Carrier Lab Courier Other _____
 SPECIFY: FEDEX



CHAIN-OF-CUSTODY RECORD

Laboratory Task Order No./P.O. No. 611-2


Project Number/Name ARC 11001492, 0609, 0000

Project Location Pittsford, NY

Laboratory Columbia Analytical Services

Project Manager Mike Wolfart

Sampler(s)/Affiliation Geary Oilwks / Sunny Xc



Sample ID/Location	Matrix	Date/Time Sampled	Lab ID	Remarks	Total
TB081709	L	8-17-09			3
FB081709					3
GM-78I					3
GM-78S					3
GM-79I					3
GM-79D					3

Sample Matrix: L = Liquid; S = Solid; A = Air

Relinquished by: Sunny Xc Organization: Arcadis Date: 8/17/09 Time: 18:30

Received by: _____ Organization: _____ Date: _____ Time: _____

Relinquished by: _____ Organization: _____ Date: _____ Time: _____

Received by: _____ Organization: _____ Date: _____ Time: _____

Special Instructions/Remarks: _____

Total No. of Bottles/Containers 23

Method: In Person Common Carrier Lab Courier Other



CHAIN-OF-CUSTODY RECORD

Page 1 of 1

Laboratory Task Order No./P.O. No. DM-2

Project Number/Name NBC NY00142.0009.0002

Project Location Bethpage, NY

Laboratory Columbia Analytical Services

Project Manager Mike Wolfert

Sampler(s)/Affiliation Greg Williams / Sunny Xc

ANALYSIS / METHOD / SIZE
Total G/L/D Total Bottle with PNO Dissolved Cr/Co Filtered

Sample ID/Location	Matrix	Date/Time Sampled	Lab ID	Remarks	Total
TB081809	L	8-18-09			3
FB081809	L				2
N-10631	L				5
N-10627	L				3
GM-33DZ	t				3
GM-33DZ	L				3

Sample Matrix: L = Liquid; S = Solid; A = Air

Relinquished by: Sunny Xc Organization: Arcadis Date: 8/18/09 Time: 18:30 Seal Intact? Yes No N/A

Received by: _____ Organization: _____ Date: _____ Time: _____

Relinquished by: _____ Organization: _____ Date: _____ Time: _____ Seal Intact? Yes No N/A

Received by: _____ Organization: _____ Date: _____ Time: _____

Special Instructions/Remarks: _____

Total No. of Bottles/Containers: 20

Delivery Method: In Person Common Carrier Fed Ex Lab Courier Other

SPECIFY

Water Sampling Log

Project Northrup Grumman 042 Project No. NY001492.0409.00002
 Site Location Bethpage, NY Date November 11, 2009
 Well No. BPOW 1-1 Replicate No. — Weather cloudy
 Sampling Personnel Williams/Sevmes Sampling Time: Begin 11:05 End 11:08

Purge Data
Field Parameters

Measuring Point (describe) TOC
 Sounded Well Depth (ft bmp) ~~28.6~~ 241
 Depth to Water (ft bmp) 28.63
 Depth to Packer (ft bmp) 169
 Water Column in Well (ft) 212
 Casing Diameter 4" (.65)
 Gallons in Well (below packer) 46.8 / 132.8 (Total)
 Gallons Purged 140
 Prior to Sampling 140
 Pump Intake
 Setting (ft bmp) _____
 Packer Pressure (psi) 120
 Pumping Rate (gpm) _____
 Evacuation Method dedicated facility
 Sampling Method 3 volumes
 Purge Time Begin 10:38 End 11:08

Color clear
 Odor none
 Appearance clear

	1	1V	2V	3V
pH (s.u.)	5.04	4.96	4.92	4.92
Conductivity (mS/cm) or (µmhos/cm) ¹⁾	230	209	218	213
Temperature (°C)	13.1	14.0	12.9	12.9
DO (mg/L)	—	—	—	—
ORP (mV)	—	—	—	—
Turbidity (NTU)	—	—	—	220
Time	10:40	10:48	10:57	11:05
DTW (ft bmp)		29.12		

Remarks: _____

Parameter	Container	No.	Preservative
<u>NO2 below 522.2</u>	<u>40 ml VWR</u>	<u>3</u>	<u>HCl</u>
_____	_____	_____	_____
_____	_____	_____	_____

 PID Reading 0.0

Well Casing Volumes				
Gal./Ft.	1 ^{1/4} " = 0.06	2" = 0.16	3" = 0.37	4" = 0.65
	1 ^{1/2} " = 0.09	2-1/2" = 0.26	3-1/2" = 0.50	6" = 1.47

1) Circle one unit type

Water Sampling Log

Project Northrop Grumman Sys. Corp. 042 Project No. NY001492, 0409.00002
 Site Location Bethpage, NY Date 11/11/09
 Well No. BPOW 1-2 Replicate No. — Weather cloudy 50°
 Sampling Personnel William Oertling Sampling Time: Begin 12:58 End 13:00

Purge Data

Measuring Point (describe) 70c
 Sounded Well Depth (ft bmp) 335
 Depth to Water (ft bmp) 29.08
 Depth to Packer (ft bmp) 294
 Water Column in Well (ft) 41
 Casing Diameter 4"
 Gallons in Well 26.65
 Gallons Purged 80
 Prior to Sampling 80
 Pump Intake
 Setting (ft bmp) _____
 Packer Pressure (psi) 180 psi
 Pumping Rate (gpm) _____
 Evacuation Method dedicated sub. pump
 Sampling Method 3 volume
 Purge Time Begin 12:45 End 13:00

Field Parameters

Color None
 Odor None
 Appearance Clear

	1	1V	2V	3V
pH (s.u.)	4.61	4.73	4.67	4.65
Conductivity (mS/cm) or (µmhos/cm) ¹⁾	111.1	99.7	97.9	95.8
Temperature (°C)	13.1	14.0	14.0	13.9
DO (mg/L)	—	—	—	—
ORP (mV)	—	—	—	—
Turbidity (NTU)	—	—	—	0.20
Time	12:45	12:48	12:52	12:58
DTW (ft bmp)	29.15			

Remarks:

stick up valve + tubing from BPOW 4-1 decomed and used for BPOW 1-1, 1-2, + 1-3

Parameter	Container	No.	Preservative
<u>70c 524.2</u>	<u>40ml VOA</u>	<u>3</u>	<u>HCl</u>

PID Reading 0.0

Well Casing Volumes

Gal./Ft.	1 ^{1/4} " = 0.06	2" = 0.16	3" = 0.37	4" = 0.65
	1 ^{1/2} " = 0.09	2-1/2" = 0.26	3-1/2" = 0.50	6" = 1.47

1) Circle one unit type

Water Sampling Log

Project NORTHROP-GRUMMAN 042 Project No. NYDO 1492.0409.00002
 Site Location BETHPAGE NY Date 11-11-09
 Well No. BROWL-3 Replicate No. REP 11-11-09 Weather cloudy 50
+ MS/MSD
 Sampling Personnel Williams/Joe-thing Sampling Time: Begin 13:45 End 13:50

Purge Data		Field Parameters				
Measuring Point (describe)	<u>DOC</u>	Color	<u>light yellow/green</u>			
Sounded Well Depth (ft bmp)	<u>419</u>	Odor	<u>slight odor</u>			
Depth to Water (ft bmp)		Appearance	<u>murky</u>			
Depth to Packer (ft bmp)	<u>344</u>					
Water Column in Well (ft)	<u>75</u>					
Casing Diameter	<u>(0.65) 4"</u>	pH (s.u.)	<u>4.23</u>	<u>4.33</u>	<u>4.24</u>	<u>4.10</u>
Gallons in Well	<u>48.75</u>	Conductivity				
Gallons Purged	<u>x 3</u>	(mc/cm) or				
Prior to Sampling	<u>146.25</u>	(μ mhos/cm) ¹⁾	<u>239</u>	<u>180.2</u>	<u>161.6</u>	<u>155.5</u>
Pump Intake		Temperature (°C)	<u>13.4</u>	<u>13.4</u>	<u>13.0</u>	<u>12.7</u>
Setting (ft bmp)		DO (mg/L)	-	-	-	-
Packer Pressure (psi)	<u>185 psi</u>	ORP (mV)	-	-	-	-
Pumping Rate (gpm)	<u>~ 5 gpm</u>	Turbidity (NTU)	-	-	-	-
Evacuation Method	<u>DEDICATED SUBPUMP</u>	Time	-	-	-	-
Sampling Method	<u>3 volume</u>	Time	-	-	-	-
Purge Time	Begin <u>13:12</u> End <u>13:50</u>	Time	-	-	-	-
		Time	<u>13:14</u>	<u>13:20</u>	<u>13:27</u>	<u>13:40</u>

Remarks: 344-32 x .43 + 50 = 185 PSI

Parameter	Container	No.	Preservative
<u>TWC 521.2</u>	<u>Yowl VOA</u>	<u>3</u>	<u>HCl</u>

PID Reading 0.0

Well Casing Volumes				
Gal./Ft.	1 ^{1/4} " = 0.06	2" = 0.16	3" = 0.37	4" = 0.65
	1 ^{1/2} " = 0.09	2-1/2" = 0.26	3-1/2" = 0.50	6" = 1.47

1) Circle one unit type

Water Sampling Log

Project NY001492.0409.00002 Project No. Northrop Grumman 042
 Site Location Bethpage, NY Date 11/9/09
 Well No. BPOW-3-1 Replicate No. — Weather cloudy 60°

Sampling Personnel G. Williams / J. Deething Sampling Time: Begin 16:00 End 16:04

Purge Data		Field Parameters				
Measuring Point (describe)	<u>TOC</u>	Color	<u>clear</u>	<u>clear</u>	<u>clear</u>	<u>clear</u>
Sounded Well Depth (ft bmp)	<u>516</u>	Odor	<u>Yes</u>	<u>Yes</u>	<u>slight</u>	<u>slight</u>
Depth to Water (ft bmp)	<u>N/A (Blockage in well)</u>	Appearance	<u>clear</u>	<u>clear</u>	<u>clear</u>	<u>clear</u>
Depth to Packer (ft bmp)	<u>414</u>					
Water Column in Well (ft)	<u>102 (below packer)</u>					
Casing Diameter	<u>4"</u>	pH (s.u.)	<u>3.74</u>	<u>3.83</u>	<u>3.89</u>	<u>3.92</u>
Gallons in Well (based on volume in well)	<u>66.3 (below packer)</u>	Conductivity				
Gallons Purged		(mS/cm) or (µmhos/cm) ¹⁾	<u>318</u>	<u>195.3</u>	<u>182.7</u>	<u>180.7</u>
Prior to Sampling	<u>199 (3 volumes well)</u>		<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>
Pump Intake		Temperature (°C)	<u>12.7</u>	<u>14.2</u>	<u>13.7</u>	<u>13.6</u>
Setting (ft bmp)		DO (mg/L)	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>
Packer Pressure (psi)	<u>220</u>	ORP (mV)	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>
Pumping Rate (gpm)	<u>5 gpm</u>	Turbidity (NTU)	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>
Evacuation Method	<u>packer / dedicated bladder pump</u>	Time	<u>15:18</u>	<u>15:30</u>	<u>15:45</u>	<u>16:00</u>
Sampling Method	<u>3 volume</u>	DTW (ft bmp)	<u>N/S</u>			
Purge Time	Begin <u>15:18</u> End <u>16:04</u>					

Remarks: shared N₂ fitting with BPOW-3-2

Parameter	Container	No.	Preservative
<u>TVOC J282</u>	<u>YOUN / VOA</u>	<u>3</u>	<u>HCl</u>

PID Reading _____

Well Casing Volumes				
Gal./Ft.	1 ^{1/4} " = 0.06	2" = 0.16	3" = 0.37	4" = 0.65
	1 ^{1/2} " = 0.09	2-1/2" = 0.26	3-1/2" = 0.50	6" = 1.47

1) Circle one unit type

Water Sampling Log

 Project Northrup business 093 Project No. NY001492.0409.00002
 Site Location Bethpage, NY Date 11/9/09
 Well No. BPOW 3-2 Replicate No. — Weather cloudy 50°
 Sampling Personnel William J. Oertling Sampling Time: Begin 17:50 End 17:58
Purge Data

 Measuring Point (describe) TOC
 Sounded Well Depth (ft bmp) 647
 Depth to Water (ft bmp) 27.42
 Depth to Packer (ft bmp) 503
 Water Column in Well (ft) 144
 Casing Diameter 4"
 Gallons in Well 94
 Gallons Purged
 Prior to Sampling 280
 Pump Intake
 Setting (ft bmp) _____
 Packer Pressure (psi) 254
 Pumping Rate (gpm) 5
 Evacuation Method deducted bladder pump
 Sampling Method 3 volume
 Purge Time Begin 17:10 End _____

Field Parameters

 Color clear
 Odor Yes
 Appearance clear

	1	1V	2V	3V
pH (s.u.)	<u>5.29</u>	<u>4.65</u>	<u>4.67</u>	<u>4.75</u>
Conductivity (mS/cm) or (µmhos/cm) ¹⁾	<u>100.6</u>	<u>124.3</u>	<u>107.1</u>	<u>102.9</u>
Temperature (°C)	<u>15.7</u>	<u>14.1</u>	<u>13.7</u>	<u>13.3</u>
DO (mg/L)	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>
ORP (mV)	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>
Turbidity (NTU)	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>
Time	<u>17:10</u>	<u>17:27</u>	<u>17:43</u>	<u>17:55</u>
DTW (ft bmp)	<u>27.55</u>	<u>27.57</u>	<u>27.60</u>	<u>27.82</u>

Remarks:

shares N₂ fitting with BPOW 3-1

Parameter	Container	No.	Preservative
<u>TOC 524.2</u>	<u>40ml VIA</u>	<u>3</u>	<u>HCl</u>
_____	_____	_____	_____
_____	_____	_____	_____

PID Reading _____

Well Casing Volumes			
Gal./Ft.	1 ^{1/4} " = 0.06	2" = 0.16	3" = 0.37
	1 ^{1/2} " = 0.09	2-1/2" = 0.26	3-1/2" = 0.50
			4" = 0.65
			6" = 1.47

1) Circle one unit type

Water Sampling Log

Project NORTHROP-GRUMMAN Project No. NY 001492.0409.0002
 Site Location BETHPAGE NY Date 11-10-09
 Well No. BPOW 4-1 Replicate No. — Weather cloudy 55
 Sampling Personnel W. Huns / Centing Sampling Time: Begin 16:20 End 16:22

Purge Data

Measuring Point (describe) TOC
 Sounded Well Depth (ft bmp) 652 | 692
 Depth to ~~Water~~ Packer (ft bmp) 503 | 652
 Depth to Packer (ft bmp) —
 Water Column in Well (ft) 149 | 40
 Casing Diameter 4" (O.D.S) | 2" (O.D.B)
 Gallons in Well 290 | 103 | 6.4 x 3
 Gallons Purged 3/0
 Prior to Sampling —
 Pump Intake —
 Setting (ft bmp) —
 Packer Pressure (psi) —
 Pumping Rate (gpm) 7.3
 Evacuation Method led. sub. pump
 Sampling Method 3 volume
 Purge Time Begin 15:00 End 16:22

Field Parameters

Color COULLESS
 Odor None
 Appearance CLEAR
 pH (s.u.)

1	1V	2V	3V
4.96	4.58	4.63	4.77

 Conductivity (mS/cm) or (µmhos/cm) ¹⁾

74.2	113.6	75.7	77.8
------	-------	------	------

 Temperature (°C)

14.4	13.7	13.7	13.5
------	------	------	------

 DO (mg/L) —
 ORP (mV) —
 Turbidity (NTU) — <20
 Time

15:00	15:30	15:55	16:20
-------	-------	-------	-------

 DTW (ft bmp) —

Remarks: _____

Parameter	Container	No.	Preservative
<u>TOC 524.2</u>	<u>90-1 VOA</u>	<u>3</u>	<u>HCl</u>

PID Reading _____

Well Casing Volumes

Gal./Ft.	1 ^{1/4} " = 0.06	2" = 0.16	3" = 0.37	4" = 0.65
	1 ^{1/2} " = 0.09	2-1/2" = 0.26	3-1/2" = 0.50	6" = 1.47

1) Circle one unit type

Water Sampling Log

Project Northrop Grumman Systems Corp Project No. NY001492.0409.00002
 Site Location Bethpage NY Date 11/10/09
 Well No. BP2W 4-2 Replicate No. — Weather cloudy 55
 Sampling Personnel Williams/Oerthing Sampling Time: Begin 14:24 End 14:26

Purge Data		Field Parameters				
Measuring Point (describe)	<u>TOC</u>	Color	<u>none</u>			
Sounded Well Depth (ft bmp)	<u>764</u>	Odor	<u>none</u>			
Depth to Water (ft bmp)	_____	Appearance	<u>clear</u>			
Depth to Packer (ft bmp)	_____					
Water Column in Well (ft)	_____					
Casing Diameter	<u>4"</u>	pH (s.u.)	<u>4.00</u>	<u>3.72</u>	<u>3.67</u>	<u>3.60</u>
Gallons in Well	<u>170</u>	Conductivity				
Gallons Purged		(mS/cm) or	<u>133.0</u>	<u>187.8</u>	<u>136.6</u>	<u>111.3</u>
Prior to Sampling	<u>510</u>	(µmhos/cm) ¹⁾				
Pump Intake		Temperature (°C)	<u>16.6</u>	<u>14.9</u>	<u>15.1</u>	<u>15.1</u>
Setting (ft bmp)	_____	DO (mg/L)	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>
Packer Pressure (psi)	<u>254</u>	ORP (mV)	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>
Pumping Rate (gpm)	<u>6 gpm</u>	Turbidity (NTU)	<u>—</u>	<u>—</u>	<u>—</u>	<u>220</u>
Evacuation Method	<u>dedicated bladder pump</u>	Time	<u>12:05</u>	<u>12:30</u>	<u>13:00</u>	<u>14:24</u>
Sampling Method	<u>3 volume</u>	DTW (ft bmp)				
Purge Time	Begin <u>12:05</u> End <u>14:26</u>					

Remarks: 3:15 off

Parameter	Container	No.	Preservative
<u>TOC</u>	<u>40m(VIA)</u>	<u>3</u>	<u>HCl</u>
_____	_____	_____	_____
_____	_____	_____	_____

PID Reading _____

Well Casing Volumes				
Gal./Ft.	1 ^{1/4} " = 0.06	2" = 0.16	3" = 0.37	4" = 0.65
	1 ^{1/2} " = 0.09	2-1/2" = 0.26	3-1/2" = 0.50	6" = 1.47

1) Circle one unit type

Water Sampling Log

Project NORTROP-GRUMMAN Project No. N400492.0409.00002
 Site Location BETHPAGE NY Date 11-12-09
 Well No. GM-205 Replicate No. _____ Weather RAZUWLG

Sampling Personnel GW Sampling Time: Begin 2:00 End _____

Purge Data

Measuring Point (describe) TOC
 Sounded Well Depth (ft bmp) 105
 Depth to Water (ft bmp) 94
 Depth to Packer (ft bmp) _____
 Water Column in Well (ft) 11
 Casing Diameter 4 (0.65)
 Gallons in Well 7.15
 Gallons Purged x 3
 Prior to Sampling 21.45
 Pump Intake _____
 Setting (ft bmp) _____
 Packer Pressure (psi) _____
 Pumping Rate (gpm) _____
 Evacuation Method _____
 Sampling Method _____
 Purge Time Begin _____ End _____

Field Parameters

Color _____
 Odor _____
 Appearance _____

	1	1V	2V	3V
pH (s.u.)	9.72	9.73	9.85	9.93
Conductivity (mS/cm) or (µmhos/cm) ¹⁾	1405	1465	1482	1481
Temperature (°C)	17.6	17.6	17.3	15.3
DO (mg/L)				
ORP (mV)				
Turbidity (NTU)				
Time	14:15	14:42	14:57	15:35
DTW (ft bmp)				

Remarks: 94-35 x .43 + SD = 80 PSE 560 PALS 111 1/2

Parameter	Container	No.	Preservative

PID Reading _____

Well Casing Volumes

1 ^{1/4} " = 0.06	2" = 0.16	3" = 0.37	4" = 0.65
1 ^{1/2} " = 0.09	2-1/2" = 0.26	3-1/2" = 0.50	6" = 1.47

_____ ne unit type

Water Sampling Log

Project NORTHROP-GRUMMAN Project No. NY 001492.0409105002
 Site Location BETHPAGE NY Date 11-12-09
 Well No. GM-20D Replicate No. _____ Weather _____
 Sampling Personnel GW Sampling Time: Begin _____ End _____

Purge Data

Measuring Point (describe) TDC
 Sounded Well Depth (ft bmp) 226
 Depth to Water (ft bmp) _____
 Depth to Packer (ft bmp) 215
 Water Column in Well (ft) 11
 Casing Diameter 4 (0.65)
 Gallons in Well 7.15
 Gallons Purged x 3
 Prior to Sampling 21.45
 Pump Intake _____
 Setting (ft bmp) _____
 Packer Pressure (psi) _____
 Pumping Rate (gpm) _____
 Evacuation Method _____
 Sampling Method _____
 Purge Time Begin _____ End _____

Field Parameters

Color _____
 Odor _____
 Appearance _____

	1	1V	2V	3V
pH (s.u.)	6.88	5.69	5.57	5.72
Conductivity (mS/cm) or (µmhos/cm) ¹⁾	130.2	119.6	117.0	117.8
Temperature (°C)	16.3	15.6	15.5	15.0
DO (mg/L)				
ORP (mV)				
Turbidity (NTU)				
Time				
DTW (ft bmp)				1.59

Remarks: _____

Parameter	Container	No.	Preservative

PID Reading _____

Well Casing Volumes

Gal./Ft.	1 ^{1/4"} = 0.06	2" = 0.16	3" = 0.37	4" = 0.65
	1 ^{1/2"} = 0.09	2- ¹ / ₂ " = 0.26	3- ¹ / ₂ " = 0.50	6" = 1.47

1) Circle one unit type

Water Sampling Log

Project NDP RTRP-6 LUMMAN Project No. NY001492.0409.00002
 Site Location BETHPAGE NY Date 11-13-09
 Well No. GM-215 Replicate No. _____ Weather _____

Sampling Personnel _____ Sampling Time: Begin 10:00 End _____

Purge Data

Measuring Point (describe) TDC
 Sounded Well Depth (ft bmp) 140
 Depth to Water (ft bmp) 36.26
 Depth to Packer (ft bmp) 129
 Water Column in Well (ft) 11
 Casing Diameter 4 (0.65)
 Gallons in Well 7.15
 Gallons Purged x3
 Prior to Sampling 2645
 Pump Intake _____
 Setting (ft bmp) _____
 Packer Pressure (psi) _____
 Pumping Rate (gpm) _____
 Evacuation Method _____
 Sampling Method _____
 Purge Time Begin _____ End _____

Field Parameters

Color	_____			
Odor	_____			
Appearance	_____			
	1	1V	2V	3V
pH (s.u.)	7.43	8.150	8.72	8.161
Conductivity (mS/cm) or (µmhos/cm) ¹⁾	143.2	139.4	137.9	137.9
Temperature (°C)	15.8	16.2	16.3	16.3
DO (mg/L)	_____			
ORP (mV)	_____			
Turbidity (NTU)	_____			
Time	10:30	11:13	11:35	12:00
DTW (ft bmp)	36.26			

 Remarks: _____

Parameter	Container	No.	Preservative
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____

PID Reading _____

Well Casing Volumes				
Gal./Ft.	1 ^{1/4"} = 0.06	2" = 0.16	3" = 0.37	4" = 0.65
	1 ^{1/2"} = 0.09	2-1/2" = 0.26	3-1/2" = 0.50	6" = 1.47

1) Circle one unit type



Infrastructure, environment, facilities

Low-Flow Groundwater Sampling Log

Project NORTHROP-62 UMMAN
 Project Number NY 00 1492.0409.0002 Site Location BETHPAGE NY Well ID GM-21D
 Date 11-13-09 Sampled By GW
 Sampling Time _____ Recorded By GW
 Weather Rainy windy Coded Replicate No. _____

Instrument Identification

Water Quality Meter(s) _____ Serial # _____
 Casing Material _____ Purge Method _____
 Casing Diameter _____ Screen Interval (ft bmp) Top _____ Bottom _____
 Sounded Depth (ft bmp) _____ Pump Intake Depth (ft bmp) _____
 Depth to Water (ft bmp) 41.48 Purge Time _____ Start _____ Finish _____

Field Parameter Measurements During Purging

Time	Minutes Elapsed	Flow Rate (mL/min)	Volume Purged	Temp (°C)	pH (s.u.)	Conductivity (umhos or cmhos) ¹⁾	ORP (mV)	DO (mg/L)	Turbidity (NTU)	Depth to Water (ft bmp)
1:40				15.4	5.33	111.0	202	8.79		41.48
1:45				15.2	5.25	116.8	210	9.64		41.47
1:50				15.2	5.24	112.0	219	9.30		
1:55				15.2	5.24	112.8	217	9.09		
2:00				15.2	5.21	116.1	214	9.51		
2:05				15.2	5.17	116.3	212	9.75		41.49
2:10				15.3	5.14	116.6	233	9.84		
2:15				15.2	5.16	117.0	217	9.76		
2:20				15.2	5.12	116.9	214	9.73		
2:25				15.2	5.09	117.1	192	9.60		41.49
2:30				15.2	5.10	117.1	192	9.65		
2:35				15.2	5.03	116.8	216 216	9.48		
2:40				15.2	5.07	116.5	214	9.60		41.49

Collected Sample Condition Color Colorless Odor None Appearance Clear
 Parameter Container No. Preservative

PID Reading _____

Comments _____

1) Circle one unit type



Low-Flow Groundwater Sampling Log

Project Northrop Grumman Systems Corporation
 Project Number NY0014920409.00002 Site Location Bethpage, NY Well ID GM-3302
 Date 11/6/09 Sampled By Gary Williams + Jerome Oertling
 Sampling Time 11:45 Recorded By Jerome Oertling
 Weather Sunny 48° Coded Replicate No. _____

Instrument Identification

Water Quality Meter(s) oakton pH/cond., ORP, Y1220, laminar 2020 Serial # (Grey Van)
 Casing Material PVC Purge Method low flow / dedicated bladder
 Casing Diameter 4" Screen Interval (ft bmp) Top 500 Bottom 520
 Sounded Depth (ft bmp) 520 Pump Intake Depth (ft bmp) 510
 Depth to Water (ft bmp) 46.87 Purge Time Start 10:40 Finish _____

Field Parameter Measurements During Purging

Time	Minutes Elapsed	Flow Rate (mL/min)	Volume Purged	Temp (°C)	pH (s.u.)	Conductivity (µmhos or mS/cm) ¹⁾	ORP (mV)	DO (mg/L)	Turbidity (NTU)	Depth to Water (ft bmp)
10:40	0	450		13.3	5.26	136.2	70	9.70		
10:45	5			13.9	5.22	124.9	65	9.03		
10:50	10			14.6	5.13	118.7	50	8.29		
10:55	15			14.6	5.13	114.5	58	9.04	5.0	47.62
11:00	20			14.4	5.16	113.0	44	8.56		
11:05	25			14.4	5.13	112.3	47	9.58		
11:10	30			14.3	5.15	112.1	49	8.95		
11:15	35			14.2	5.17	111.8	45	9.00		
11:20	40			14.1	5.19	111.4	49	9.02	4.8	47.66
11:25	45			13.7	5.20	111.4	41	9.21		
11:30	50			13.5	5.22	111.4	43	9.20		
11:35	55			13.5	5.21	111.1	39	9.21		
11:40	60			13.4	5.21	111.4	38	9.22		

Collected Sample Condition _____ Color none Odor none Appearance clear
 Parameter PVOC Container 40ml vial No. 3 Preservative HCl

PID Reading 0.0

Comments _____

1) Circle one unit type



Low-Flow Groundwater Sampling Log

Project Northrop Grumman Systems Corporation 042
 Project Number NY001492.0409.00002 Site Location Bethpage, NY Well ID GM-34D
 Date 11/5/09 Sampled By Gary Williams + Jerome Oertling
 Sampling Time 12:10 Recorded By Jerome Oertling
 Weather cloudy 50° Coded Replicate No. REP110509

Instrument Identification
 Water Quality Meter(s) oakton pH, ind, ORP, YSI DO, vantho zero Serial # (gray van)
 Casing Material steel Purge Method low flow / bladder (deducted)
 Casing Diameter 2" Screen Interval (ft bmp) Top 309 Bottom 319
 Sounded Depth (ft bmp) 319 Pump Intake Depth (ft bmp) 314
 Depth to Water (ft bmp) 12.86 Purge Time Start 11:05 Finish 12:15

Field Parameter Measurements During Purging

Time	Minutes Elapsed	Flow Rate (mL/min)	Volume Purged	Temp (°C)	pH (s.u.)	Conductivity (umhos or ns/cm) ¹⁾	ORP (mV)	DO (mg/L)	Turbidity (NTU)	Depth to Water (ft bmp)
11:05	0	400		15.2	7.32	241	150	8.24		
11:10	5			15.2	7.34	235	120	5.78		
11:15	10			15.3	7.35	240	110	2.80		13.02
11:20	15			15.7	7.72	238	-57	1.63		
11:25	20			15.9	7.77	238	-145	1.07	6.8	
11:30	25			15.9	7.79	239	-146	1.10		
11:35	30			15.9	7.83	236	-155	1.07		13.01
11:40	35			16.2	7.90	234	-169	1.05		
11:45	40			16.1	7.91	234	-172	1.01		
11:50	45			15.9	9.13	197.4	-203	1.18		
11:55	50			15.9	9.14	196.2	-205	1.13		
12:00	55			16.0	9.11	230	-205	1.19	8.0	
12:05	60			16.1	9.11	229	-204	1.15		
12:10	65			16.1	9.10	226	-204	1.11		

Collected Sample Condition Color clear Odor none Appearance clear
 Parameter TVOC Container 40-1 LVA No. 3 Preservative HCl

PID Reading 0.0

Comments _____

1) Circle one unit type



Infrastructure, environment, facilities

Low-Flow Groundwater Sampling Log

Project Northrop Grumman Systems Corporation 042
 Project Number N7001492.0909.0000 Site Location Bethpage, NY Well ID GM-3402
 Date 11/5/09 Sampled By Gary Williams + Jerome Dentling
 Sampling Time 13:30 Recorded By Jerome Dentling
 Weather partly cloudy 50 Coded Replicate No. —

Instrument Identification

Water Quality Meter(s) oakton pH, cond, ORP, YSI DO, Lantz 2020 Serial # grey van
 Casing Material steel Purge Method low flow, bladder (not dedicated)
 Casing Diameter 4" Screen Interval (ft bmp) Top 510 Bottom 520
 Sounded Depth (ft bmp) 520 Pump Intake Depth (ft bmp) 515
 Depth to Water (ft bmp) 14.53 Purge Time Start 12:25 Finish 13:33

Field Parameter Measurements During Purging

Time	Minutes Elapsed	Flow Rate (mL/min)	Volume Purged	Temp (°C)	pH (s.u.)	Conductivity (µmhos or mS/cm)	ORP (mV)	DO (mg/L)	Turbidity (NTU)	Depth to Water (ft bmp)
12:25	0	350		14.9	8.12	164.2	-130	3.82		
12:30	5			14.8	8.27	165.4	-133	3.34		
12:35	10			14.8	8.33	161.5	-139	2.86		
12:40	15			15.9	8.02	137.6	-156	1.60		
12:45	20			16.6	7.79	126.2	-166	1.07		
12:50	25			16.3	7.60	120.2	-172	0.63	7.8	14.56
12:55	30			16.1	7.58	120.0	-170	0.62		
13:00	35			15.8	7.54	119.3	-168	0.61		
13:05	40			15.7	7.54	118.9	-164	0.59		
13:10	45			15.7	7.52	118.6	-162	0.60		
13:15	50			15.6	7.53	117.2	-159	0.65		
13:20	55			15.7	7.24	115.7	-150	0.64		
13:25	60			15.8	7.22	117.8	-151	0.83	6-5	

Collected Sample Condition Color none Odor none Appearance clear
 Parameter TUOC Container 40ml VOA No. 3 Preservative HCl

PID Reading _____
 Comments _____

1) Circle one unit type

Water Sampling Log

 Project NY STATE TROP. BRUMMAJ Project No. NY 001492.0409.00002
 Site Location BETH PAULS Date 11-16-09
 Well No. GM-35D-2 Replicate No. _____ Weather _____
 Sampling Personnel GW Sampling Time: Begin 2:30 End _____

Purge Data
Field Parameters

 Measuring Point (describe) TDC
 Sounded Well Depth (ft bmp) 530
~~Depth to Water (ft bmp)~~ _____
 Depth to Packer (ft bmp) 507
 Water Column in Well (ft) 23
 Casing Diameter 4" (0.65)
 Gallons in Well 1495
 Gallons Purged x 3
 Prior to Sampling 45.
 Pump Intake _____
 Setting (ft bmp) _____
 Packer Pressure (psi) _____
 Pumping Rate (gpm) _____
 Evacuation Method _____
 Sampling Method _____
 Purge Time Begin 2:45 End 5:10

 Color COLORLESS
 Odor SLIGHT
 Appearance # CLEAR

	1	1V	2V	3V
pH (s.u.)	<u>6.01</u>	<u>5.00</u>	<u>5.29</u>	<u>5.45</u>
Conductivity (mS/cm) or (µmhos/cm) ¹⁾	<u>193.1</u>	<u>136.3</u>	<u>137.7</u>	<u>137.8</u>
Temperature (°C)	<u>18.3</u>	<u>17.0</u>	<u>15.9</u>	<u>15.4</u>
DO (mg/L)				
ORP (mV)				
Turbidity (NTU)				
Time	<u>2:45</u>	<u>3:51</u>	<u>4:35</u>	<u>5:03</u>
DTW (ft bmp)				

Remarks:

~~11/11~~ (5 GAL PAULS) REPLACED N₂ CYLINDER
 507 - 341 x .434 SD = 250 PSI BOUGHT REPLACEMENT PARTS
 FOR REGULATOR / COOLER

Parameter	Container	No.	Preservative
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____

PID Reading _____

Well Casing Volumes

Gal./Ft.	1 ^{1/4} " = 0.06	2" = 0.16	3" = 0.37	4" = 0.65
	1 ^{1/2} " = 0.09	2-1/2" = 0.26	3-1/2" = 0.50	6" = 1.47

1) Circle one unit type



Infrastructure, environment, facilities

Low-Flow Groundwater Sampling Log

Project Northrop Grumman Systems Corporation
 Project Number NY001492-040900002 Site Location Bethpage NY Well ID GM-75D2
 Date 11/6/09 Sampled By Gary Williams + Jerome Oertling
 Sampling Time 1350 Recorded By Jerome Oertling
 Weather windy, partly sunny 40° Coded Replicate No. _____

Instrument Identification

Water Quality Meter(s) oakton pH, cond ORP, YSI DO, lauder 2020 Serial # (Grey Van)
 Casing Material PVC Purge Method low flow / dedicated bladder
 Casing Diameter 4" Screen Interval (ft bmp) Top 505 Bottom 525
 Sounded Depth (ft bmp) 525 Pump Intake Depth (ft bmp) 515
 Depth to Water (ft bmp) 33.83 Purge Time Start 1250 Finish 1355

Field Parameter Measurements During Purging

Time	Minutes Elapsed	Flow Rate (mL/min)	Volume Purged	Temp (°C)	pH (s.u.)	Conductivity (umhos or mS/cm) 1)	ORP (mV)	DO (mg/L)	Turbidity (NTU)	Depth to Water (ft bmp)
12:50	0	400		13.5	5.28	124.1	107	15.88		
12:55	5			13.1	5.18	126.3	118	13.74		33.84
13:00	10			13.1	4.99	132.3	125	10.90		
13:05	15			13.4	4.94	136.7	130	9.30		
13:10	20			13.4	4.95	137.2	131	9.47		
13:15	25			13.5	4.96	138.1	139	9.89		
13:20	30			13.1	4.90	137.3	140	9.68		
13:25	35			13.2	4.97	136.6	146	9.31		
13:30	40			13.2	4.98	136.7	149	9.39		
13:35	45			13.3	4.92	136.4	156	9.29	3.9	
13:40	50			13.2	4.97	136.8	156	9.44		33.86
13:45	55			13.1	4.98	136.2	158	9.68		
13:50	60			13.0	4.95	136.4	160	9.62		

Collected Sample Condition Color none Odor none Appearance clear
 Parameter TVOC Container 40ml VVA No. 3 Preservative HCl

PID Reading 0.0

Comments _____

1) Circle one unit type



Low-Flow Groundwater Sampling Log

Project Northrup Grumman Systems Corporation O&M
 Project Number NY001492.0409.00002 Site Location Pelham, NY Well ID GM-79I
 Date 11/5/09 Sampled By Gay Williams Jesse Oetting
 Sampling Time 15:40 Recorded By Jesse Oetting
 Weather partly sunny 50 Coded Replicate No. ---

Instrument Identification

Water Quality Meter(s) oath pH, cond, ORP, YSI DO, Lanthanum Serial # (grey vial)

Casing Material PVC Purge Method Low Flow / Dedicated Bladder
 Casing Diameter 4" Screen Interval (ft bmp) Top 170 Bottom 180
 Sounded Depth (ft bmp) 180 Pump Intake Depth (ft bmp) 175
 Depth to Water (ft bmp) 38.25 Purge Time Start 14:55 Finish ---

Field Parameter Measurements During Purging

Time	Minutes Elapsed	Flow Rate (mL/min)	Volume Purged (L)	Temp (°C)	pH (s.u.)	Conductivity (umhos or mS/cm) ¹⁾	ORP (mV)	DO (mg/L)	Turbidity (NTU)	Depth to Water (ft bmp)
14:55	0	400		14.6	6.10	74.8	10	9.85	11	
15:00	5			14.6	6.00	73.8	11	8.57		38.95
15:05	10			14.9	5.95	79.6	15	7.90		
15:10	15			15.1	5.88	90.7	22	10.22		
15:15	20			15.2	5.88	95.6	30	10.80		
15:20	25			15.2	5.83	100.2	31	9.87		
15:25	30			15.1	5.81	103.5	31	9.44	7.0	38.95
15:30	35			15.1	5.81	105.1	32	9.27		
15:35	40			15.0	5.66	116.8	41	11.22		
15:40	45	↓	20	15.1	5.64	119.0	42	9.49		
15:45	50			15.1	5.72	120.5	43	9.46		

Collected Sample Condition _____ Color none Odor none Appearance clear
 Parameter pH Container 40ml VOA No. 3 Preservative HCl

PID Reading 0.0

Comments _____

1) Circle one unit type



Low-Flow Groundwater Sampling Log

Project Northrup Grumman Systems Corporation 042
 Project Number NY001492.0409.00002 Site Location Bethpage, NY Well ID GM-79D
 Date 11/5/09 Sampled By Gary Williams, Jerome Oertling
 Sampling Time 17:00 Recorded By Jerome Oertling
 Weather cloudy 50. Coded Replicate No. M5/MSP

Instrument Identification
 Water Quality Meter(s) oakton pH, cond, ORP, YSI DO, Turbidity 2120 Serial # (Greg Van)
 Casing Material PVC Purge Method low flow / deaired bladder
 Casing Diameter 4" Screen Interval (ft bmp) Top 280 Bottom 290
 Sounded Depth (ft bmp) 290 Pump Intake Depth (ft bmp) 285
 Depth to Water (ft bmp) 40.26 Purge Time Start 16:00 Finish 17:05

Field Parameter Measurements During Purging

Time	Minutes Elapsed	Flow Rate (mL/min)	Volume Purged	Temp (°C)	pH (s.u.)	Conductivity (umhos or mS/cm) 1)	ORP (mV)	DO (mg/L)	Turbidity (NTU)	Depth to Water (ft bmp)
16:00	0	400		14.8	5.87	82.1	52	15.47		
16:05	5			14.8	5.73	86.8	55	12.06		
16:10	10			14.6	5.55	102.2	62	10.70	7.0	
16:15	15			14.4	5.53	108.4	64	8.01		
16:20	20			14.3	5.47	115.1	69	6.16		
16:25	25			14.2	5.46	117.3	72	5.91		40.20
16:30	30			14.2	5.45	120.6	75	5.87	6.8	
16:35	35			14.2	5.39	123.6	80	6.20		
16:40	40			14.1	5.39	124.9	89	7.35		
16:45	45			14.1	5.37	126.5	96	7.10		
16:50	50			14.1	5.38	126.6	98	7.00	5.0	
16:55	55			14.1	5.38	127.6	105	7.85		
17:00	60			14.1	5.35	127.6	109	7.81		40.08
17:05	65			14.1	5.34	127.5	108	7.79		

Collected Sample Condition
 Color none Odor none Appearance clear
 Parameter TUOC Container 40ml VOA No. 3 Preservative HA

PID Reading 0.0

Comments _____


1) Circle one unit type



CHAIN-OF-CUSTODY RECORD

Laboratory Task Order No./P.O. No. N6C 042

Project Number/Name MP001492.0409.00002
 Project Location Bethpage, NY
 Laboratory Columbia Analytical
 Project Manager Carlo San Giovanni
 Sampler(s)/Affiliation Carlo San Giovanni / J. O. Hing



Sample ID/Location	Matrix	Date/Time Sampled	Lab ID	ANALYSIS / METHOD / SIZE	Remarks	Total
TB110509	L	11/5/09	M		2 wack TAT	3
FB110509	L		M			3
REP110509	L		M			3
GM-34D	L		M			3
GM-34D2	L		M			3
GM-79I	L		M			3
GM-79D	L		9*	* USE FOR MS/MSD		9
Total No. of Bottles/Containers						27

Sample Matrix: L = Liquid; S = Solid; A = Air

Relinquished by: Krone Oethly Organization: ARCADIS Date: 11/5/09 Time: 18:40 Seal Intact? Yes No N/A

Received by: _____ Organization: _____ Date: _____ Time: _____ Seal Intact? _____

Relinquished by: _____ Organization: _____ Date: _____ Time: _____ Seal Intact? _____

Received by: _____ Organization: _____ Date: _____ Time: _____ Seal Intact? _____

Special Instructions/Remarks: Report to Madison Reindl




Project Number/Name N1001492.0407.00002

Project Location Bechtel, NY

Laboratory Columbia Analytical

Project Manager Carla San Giacomo

Sampler(s)/Affiliation G. W. Hans / B. DeHing



Sample ID/Location	Matrix	Date/Time Sampled	Lab ID	Analysis / METHOD / SIZE	Remarks	Total
TB110609	L	11/6/09	3		2 weeks TAT	3
GM-75D2	L	↓	3		↓	3
GM-33D2	L	↓	3			3
Total No. of Bottles/Containers						9

Sample Matrix: L = Liquid; S = Solid; A = Air

Relinquished by: Carla San Giacomo Organization: ARCADIS Date: 11/06/09 Time: 15:00 Seal Intact? Yes No N/A

Received by: _____ Organization: _____ Date: / / Time: _____

Relinquished by: _____ Organization: _____ Date: / / Time: _____ Seal Intact? Yes No N/A

Received by: _____ Organization: _____ Date: / / Time: _____

Special Instructions/Remarks: Report to Melissa Bendi

Delivery Method: In Person Common Carrier Fed Ex Lab Courier Other



2216

Laboratory Task Order No. P.O. No. 52162

CHAIN-OF-CUSTODY RECORD

Page 1 of 1


Project Number/Name MB01420409-0002

Project Location BERKRAH NY

Laboratory COLUMBIA ANALYTICAL

Project Manager CARLO SAN GIUSEPPE

Sampler(s)/Affiliation D. MONTIENI / JAMES



Sample ID/Location	Matrix	Date/Time Sampled	Lab ID	Remarks	Total
102 INF	L	11/19/09 0515			
102 EFF		0518			
102 EFF MS		0719			
102 EFF MS D		0920			
WELL 19		1040			
96 INF		1148			
96 EFF		1150			
REP 110909				REPORT WELL 19	
WELL 17		1357			
WELL 18		1358			
WELL 1		1358			
WELL 3		1403			
TPT BLANK					
13 ml					

Sample Matrix: Liquid, Solid, A = Air

Relinquished by: [Signature] Date 11/09/09 Time 1400 Seal Intact? Yes No N/A

Received by: [Signature] Date 11/09/09 Time 1400 Seal Intact? Yes No N/A

Relinquished by: [Signature] Date 11/09/09 Time 1400 Seal Intact? Yes No N/A

Received by: [Signature] Date 11/09/09 Time 1400 Seal Intact? Yes No N/A

Special Instructions/Remarks: ATTN: MIKE PERU

Organization: ARCADIS

Delivery Method: In Person Common Carrier Fed. Ex. Lab Courier Other



2825

CHAIN-OF-CUSTODY RECORD

Page 1 of 1

Laboratory Task Order No./P.O. No. 961102

Project Number/Name AM001492-0109-00002

Project Location BETH PAGE, NY

Laboratory COLUMBIA ANALYTICAL

Project Manager CARLO SAN GIOVANNI

Sampler(s)/Affiliation DICKINSON/MS-SPS

MGC

032

Sample ID/Location	Matrix	Date/Time Sampled	Lab ID	Analysis / Method / Size	Remarks	Total
102 INF.	A	11/16/01		S/C 00150	INTU01-293 END-7	1
102 EFF.		1020		S/C 00146	INTV01-293 END-7	1
96 INF.		1301		S/C 00151	INTU01-293 END-7	1
96 MID TAP IN		1305		S/C 00148	INTU01-293 END-7	1
96 TOTAL EFF.		1310		S/C 00138	INTU01-293 END-7	1

OT SUMMS
70-15
GFB
M.T.P.T.
CAN #1

Sample Matrix: L = Liquid; S = Solid; A = Air

Relinquished by: AL MCELROY Organization: ARCADIS Date: 11/15/05 Time: 1330 Seal Intact? Yes No N/A

Received by: _____ Organization: _____ Date: ____ Time: _____ Seal Intact? Yes No N/A

Relinquished by: _____ Organization: _____ Date: ____ Time: _____ Seal Intact? Yes No N/A


Received by: _____ Organization: _____ Date: ____ Time: _____ Seal Intact? Yes No N/A

Special Instructions/Remarks: NOTE: PAUCE PERKY

Total No. of Bottles/Containers: 5



Project Number/Name NY201492.0809.00002
Project Location Bethpage, NY
Laboratory Columbia Analytical
Project Manager Carlo Sen Giovanni
Sampler(s)/Affiliation G. Williams/J. DeThuy



Sample ID/Location	Matrix	Date/Time Sampled	Lab ID	ANALYSIS / METHOD / SIZE	Remarks	Total
TB111009	L	-	3		<u>2 weeks TAT</u>	<u>3</u>
BPOW 3-1	L	<u>11/9/09</u>	3			<u>3</u>
BPOW 3-2	L	<u>11/9/09</u>	3			<u>3</u>
BPOW 4-1	L	<u>11/10/09</u>	3			<u>3</u>
BPOW 4-2	L	<u>11/10/09</u>	3		<u>↓</u>	<u>3</u>
					Total No. of Bottles/Containers	<u>15</u>

Sample Matrix: L = Liquid; S = Solid; A = Air

Relinquished by: Jerome DeThuy Organization: ARCADIS Date: 11/10/09 Time: 17:40 Seal Intact? (Yes) No N/A

Received by: _____ Organization: _____ Date: ___/___/___ Time: _____ Seal Intact? Yes No N/A

Relinquished by: _____ Organization: _____ Date: ___/___/___ Time: _____ Seal Intact? Yes No N/A

Received by: _____ Organization: _____ Date: ___/___/___ Time: _____ Seal Intact? Yes No N/A


Special Instructions/Remarks: Report to Melissa Rendt

Delivery Method: In Person Common Carrier Fed Ex Lab Courier Other

SPECIFY



Project Number/Name V00119209090002
 Project Location Bethpage, NY
 Laboratory Columbia Analytical
 Project Manager Carl S. Giovanni
 Sampler(s)/Affiliation Williams/Ortho



Sample ID/Location	Matrix	Date/Time Sampled	Lab ID	Remarks	Total
TB111109	L	11/11/09	3	2 Wech TAP	3
REP 11-1109	L	↓	3		3
BPOW 1-1	L	↓	3		3
BPOW 1-2	L	↓	3		3
BPOW 1-3	L	↓	9*	* WLF FOR MS/MSD	9

Sample Matrix: L = Liquid; S = Solid; A = Air

Relinquished by: Jessie Ortho Organization: ARCADIS Date: 11/11/09 Time: 15:45 Seal Intact? Yes
 Received by: _____ Date: _____ Date: _____ Time: _____ Seal Intact? N/A

Relinquished by: _____ Organization: _____ Date: _____ Date: _____ Time: _____ Seal Intact? _____
 Received by: _____ Organization: _____ Date: _____ Date: _____ Time: _____ Seal Intact? N/A

Special Instructions/Remarks: Report to M/L/LR Reindl

