

**MARCH 2012 LETTER WORK PLAN ADDENDUM  
TT-102D/TT-102D2 (VPB-133)  
PRE-DESIGN FIELD INVESTIGATION  
OU 2 OFF-SITE GROUNDWATER INVESTIGATION  
NAVAL WEAPONS INDUSTRIAL RESERVE PLANT (NWIRP)  
BETHPAGE, NEW YORK**

This Letter Work Plan Addendum has been prepared by Tetra Tech, Inc. (Tetra Tech) for the Naval Facilities Engineering Command Mid-Atlantic under Contract Task Order (CTO) WE62 of the Comprehensive Long-Term Environmental Action Navy (CLEAN) contract number N62470-08-D-1001. This Work Plan is a supplement to the 2010 Letter Work Plan, Pre-Design Field Investigation, OU 2 Off-Site Groundwater Investigation, NWIRP Bethpage, New York (Tetra Tech NUS, 2010) and VPB-133 Work Plan Addendum – December 2011 (Tetra Tech NUS, 2011). This groundwater investigation is being conducted off site of the Naval Weapons Industrial Reserve Plant (NWIRP) Bethpage, Long Island, New York (Figure 1). Regional groundwater flow is south southeast, but is locally affected by the operation of recharge basins and public water supply wells.

This work plan finalizes monitoring well construction requirements for proposed monitoring wells TT-102D and TT-102D2. These wells are to be installed in the area of vertical profile boring (VPB)-133 (Figure 2) and will be used to assess groundwater conditions north of Massapequa Water District supply wells MWD-6442 and MWD-6443. The monitoring well screen intervals were determined from soil boring lithology and groundwater analytical data collected during the installation of VPB-133 and well screen intervals of Massapequa Water District supply wells MWD-6442 and MWD-6443. A cross section illustrating the anticipated screen intervals of the proposed monitoring wells is presented in Figures 3. Table 1 provides the proposed wells and screen intervals. The monitoring wells will be installed using mud rotary drilling methods and be constructed of 4-inch diameter, schedule 80 National Sanitation Foundation (NSF)-grade Polyvinyl Chloride (PVC) well casing and screen. Additional details providing the requirements for monitoring well drilling, monitoring development, sampling pump installation, investigation derived waste (IDW) handling, and reporting are provided in the VPB-133 Work Plan Addendum – December 2011.

## REFERENCES

Tetra Tech NUS, Inc. 2010. 2010 Letter Work Plan, Pre-Design Field Investigation, OU 2 Off-Site Groundwater Investigation, NWIRP Bethpage, New York. September.

Tetra Tech NUS, Inc., 2011. VPB-133 Work Plan Addendum – December 2011, OU-2 Off-Site Groundwater Investigation, NWIRP Bethpage, New York. December.

## TABLE

**TABLE 1**  
**MONITORING WELLS TT-102D AND 102D2**  
**CONSTRUCTION DETAILS**  
**OU 2 OFF-SITE GROUNDWATER INVESTIGATION**  
**NWIRP BETHPAGE, NEW YORK**  
Page (1 of 1)

| <b>Monitoring Well Designation</b> | <b>Screen Interval (ft bgs) <sup>(1)</sup></b> | <b>Total Well Depth (ft bgs) <sup>(1)</sup></b> | <b>Height Gravel Pack (ft bgs) <sup>(2)</sup></b> | <b>Height Fine Sand (ft bgs) <sup>(2)</sup></b> | <b>Purpose</b>   |
|------------------------------------|--|---|---|---|--|
| TT-102D                            | 560 to 600                                     | 605   | 535   | 520   | Monitor groundwater north of Massapequa Water District Supply Well N-06442 (531 to 618 ft bgs)   |
| TT-102D2                           | 740 to 770                                     | 775   | 715   | 700   | Monitor groundwater north of Massapequa Water District Supply Well N-06443 (770 to 850 ft bgs), proposed screen depth correspondance to a gravel zone. |



bgs - below ground surface

ft - feet

<sup>(1)</sup> Based on the local USGS quad sheet, ground surface is assumed to be 30 feet above mean sea level. Depth presented are based on lithology and groundwater data collected from vertical profile boring (VPB) - 133 and screen intervals from Massapequa Water District water supply wells MWD-6442 and MWD-6443.

<sup>(2)</sup> Height of gravel pack and fine sand layer are determined by total well depth. Details are provided in Section 2.2 of the VPB-133 Work Plan Addendum – December 2011, OU-2 Off-Site Groundwater Investigation, NWIRP Bethpage, New York.

## FIGURES




|                |         |
|----------------|---------|
| DRAWN BY       | DATE    |
| MF             | 12/8/05 |
| CHECKED BY     | DATE    |
| REVISD BY      | DATE    |
| SCALE AS NOTED |         |



GENERAL LOCATION MAP  
ESD  
NWIRP BETHPAGE  
BETHPAGE, NEW YORK


|                         |           |
|-------------------------|-----------|
| CONTRACT NO.<br>9845    |           |
| OWNER NO.<br>0002       |           |
| APPROVED BY             | DATE      |
| DRAWING NO.<br>FIGURE 1 | REV.<br>0 |



**VPB-133  
TT-102D/TT-102D2**

**Legend**

- Proposed Monitoring Well
- Monitoring Well
- Water Supply Well
- Vertical Profile Boring



TETRATECH

**VPB-133/TT-102D/TT-102D2  
CROSS SECTION AND LOCATION MAP  
BETHPAGE GROUNDWATER PLUME  
NEW YORK**

|            |           |       |          |
|------------|-----------|-------|----------|
| FILE       | 112G00622 | SCALE | AS NOTED |
| FIGURE NO. | 2         | REV   | DATE     |
|            |           |       | 3/23/12  |

