



575 Broad Hollow Rd. , Melville, NY 11747  
 TEL: (631) 694-3040 FAX: (631) 420-8436  
 NYSDOH ID#10478

**Sample Information:**

Type : Groundwater  
 Origin: Raw Well  
 Special

**LABORATORY RESULTS**

Results for the samples and analytes requested

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests requested.

**MASSAPEQUA W.D.**  
**84 GRAND AVE.**  
**MASSAPEQUA, NY 11758**

**Lab No. : 1306G68-001**  
**Client Sample ID. : Monitoring Well 102T2D2**

**Attn To : Stan Carey**

**Monitoring Well 102T2D2**

Federal ID : 2902837

Collected : 06/27/2013 3:00 PM Point No:

Received : 06/28/2013 10:30 AM Location:

Collected By : Client

Analytical Method: E524.2 : POC

Analyst: KG

Parameter(s)	Results	Qualifier	D.F.	Units	Limit	Analyzed:	Container:
1,1,1,2-Tetrachloroethane	< 0.5		1	µg/L	5	07/02/2013 12:34 PM	Container-01 of 02
1,1,1-Trichloroethane	< 0.5		1	µg/L	5	07/02/2013 12:34 PM	Container-01 of 02
1,1,2,2-Tetrachloroethane	< 0.5		1	µg/L	5	07/02/2013 12:34 PM	Container-01 of 02
1,1,2-Trichloroethane	< 0.5		1	µg/L	5	07/02/2013 12:34 PM	Container-01 of 02
1,1-Dichloroethane	< 0.5		1	µg/L	5	07/02/2013 12:34 PM	Container-01 of 02
1,1-Dichloroethene	< 0.5		1	µg/L	5	07/02/2013 12:34 PM	Container-01 of 02
1,1-Dichloropropene	< 0.5		1	µg/L	5	07/02/2013 12:34 PM	Container-01 of 02
1,2,3-Trichlorobenzene	< 0.5		1	µg/L	5	07/02/2013 12:34 PM	Container-01 of 02
1,2,3-Trichloropropane	< 0.5		1	µg/L	5	07/02/2013 12:34 PM	Container-01 of 02
1,2,4-Trichlorobenzene	< 0.5		1	µg/L	5	07/02/2013 12:34 PM	Container-01 of 02
1,2,4-Trimethylbenzene	< 0.5		1	µg/L	5	07/02/2013 12:34 PM	Container-01 of 02
1,2-Dichlorobenzene	< 0.5		1	µg/L	5	07/02/2013 12:34 PM	Container-01 of 02
1,2-Dichloroethane	< 0.5		1	µg/L	5	07/02/2013 12:34 PM	Container-01 of 02
1,2-Dichloropropane	< 0.5		1	µg/L	5	07/02/2013 12:34 PM	Container-01 of 02
1,3,5-Trimethylbenzene	< 0.5		1	µg/L	5	07/02/2013 12:34 PM	Container-01 of 02
1,3-Dichlorobenzene	< 0.5		1	µg/L	5	07/02/2013 12:34 PM	Container-01 of 02
1,3-Dichloropropane	< 0.5		1	µg/L	5	07/02/2013 12:34 PM	Container-01 of 02
1,4-Dichlorobenzene	< 0.5		1	µg/L	5	07/02/2013 12:34 PM	Container-01 of 02
2,2-Dichloropropane	< 0.5		1	µg/L	5	07/02/2013 12:34 PM	Container-01 of 02
2/4-Chlorotoluene	< 0.5		1	µg/L	5	07/02/2013 12:34 PM	Container-01 of 02
4-Isopropyltoluene	< 0.5		1	µg/L	5	07/02/2013 12:34 PM	Container-01 of 02
Benzene	< 0.5		1	µg/L	5	07/02/2013 12:34 PM	Container-01 of 02
Bromobenzene	< 0.5		1	µg/L	5	07/02/2013 12:34 PM	Container-01 of 02
Bromochloromethane	< 0.5		1	µg/L	5	07/02/2013 12:34 PM	Container-01 of 02
Bromodichloromethane	< 0.5		1	µg/L	5	07/02/2013 12:34 PM	Container-01 of 02
Bromoform	< 0.5		1	µg/L	5	07/02/2013 12:34 PM	Container-01 of 02
Bromomethane	< 0.5		1	µg/L	5	07/02/2013 12:34 PM	Container-01 of 02
Carbon tetrachloride	< 0.5		1	µg/L	5	07/02/2013 12:34 PM	Container-01 of 02
Chlorobenzene	< 0.5		1	µg/L	5	07/02/2013 12:34 PM	Container-01 of 02
Chloroethane	< 0.5		1	µg/L	5	07/02/2013 12:34 PM	Container-01 of 02
Chloroform	< 0.5		1	µg/L	5	07/02/2013 12:34 PM	Container-01 of 02
Chloromethane	< 0.5		1	µg/L	5	07/02/2013 12:34 PM	Container-01 of 02

Qualifiers: E = Value above quantitation range  
 B = Found in Blank  
 D.F. = Dilution Factor D = Results for Dilution  
 H = Received/analyzed outside of analytical holding time  
 + = ELAP / NELAC does not offer certification for this analyte  
 c = Calibration acceptability criteria exceeded for this analyte  
 r = Reporting limit > MDL and < LOQ  
 J = Estimated value - below calibration range  
 s = Recovery exceeded control limits for this analyte  
 N = Indicates presumptive evidence of compound  
 Result(s) reported meet(s) NYS Regulatory Limit(s).  
 Result(s) flagged with \* Exceed NYS Regulatory Limit(s). Limit noted.

Laboratory Manager

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



575 Broad Hollow Rd., Melville, NY 11747  
 TEL: (631) 694-3040 FAX: (631) 420-8436  
 NYSDOH ID#10478

**LABORATORY RESULTS**

Results for the samples and analytes requested

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests requested.

**Sample Information:**

Type : Groundwater  
 Origin: Raw Well  
 Special

**MASSAPEQUA W.D.  
 84 GRAND AVE.  
 MASSAPEQUA, NY 11758**

**Lab No. : 1306G68-001  
 Client Sample ID. : Monitoring Well 102T2D2**

**Attn To :** Stan Carey  
 Federal ID : 2902837  
 Collected : 06/27/2013 3:00 PM Point No:  
 Received : 06/28/2013 10:30 AM Location:  
 Collected By : Client

**Monitoring Well 102T2D2**

Parameter(s)	Results	Qualifier	D.F.	Units	Limit	Analyzed:	Analyst: KG Container:
Analytical Method: E524.2 : POC							
cis-1,2-Dichloroethene	< 0.5		1	µg/L	5	07/02/2013 12:34 PM	Container-01 of 02
cis-1,3-Dichloropropene	< 0.5		1	µg/L	5	07/02/2013 12:34 PM	Container-01 of 02
Dibromochloromethane	< 0.5		1	µg/L		07/02/2013 12:34 PM	Container-01 of 02
Dibromomethane	< 0.5		1	µg/L	5	07/02/2013 12:34 PM	Container-01 of 02
Dichlorodifluoromethane	< 0.5		1	µg/L	5	07/02/2013 12:34 PM	Container-01 of 02
Ethylbenzene	< 0.5		1	µg/L	5	07/02/2013 12:34 PM	Container-01 of 02
Hexachlorobutadiene	< 0.5		1	µg/L	5	07/02/2013 12:34 PM	Container-01 of 02
Isopropylbenzene	< 0.5		1	µg/L	5	07/02/2013 12:34 PM	Container-01 of 02
m,p-Xylene	< 0.5		1	µg/L	5	07/02/2013 12:34 PM	Container-01 of 02
Methyl tert-butyl ether	< 0.5		1	µg/L	10	07/02/2013 12:34 PM	Container-01 of 02
Methylene chloride	< 0.5		1	µg/L	5	07/02/2013 12:34 PM	Container-01 of 02
n-Butylbenzene	< 0.5		1	µg/L	5	07/02/2013 12:34 PM	Container-01 of 02
n-Propylbenzene	< 0.5		1	µg/L	5	07/02/2013 12:34 PM	Container-01 of 02
o-Xylene	< 0.5		1	µg/L	5	07/02/2013 12:34 PM	Container-01 of 02
sec-Butylbenzene	< 0.5		1	µg/L	5	07/02/2013 12:34 PM	Container-01 of 02
Styrene	< 0.5		1	µg/L	5	07/02/2013 12:34 PM	Container-01 of 02
tert-Butylbenzene	< 0.5		1	µg/L	5	07/02/2013 12:34 PM	Container-01 of 02
Tetrachloroethene	< 0.5		1	µg/L	5	07/02/2013 12:34 PM	Container-01 of 02
Toluene	< 0.5		1	µg/L	5	07/02/2013 12:34 PM	Container-01 of 02
Total Trihalomethanes	< 2.0		1	µg/L	80	07/02/2013 12:34 PM	Container-01 of 02
trans-1,2-Dichloroethene	< 0.5		1	µg/L	5	07/02/2013 12:34 PM	Container-01 of 02
trans-1,3-Dichloropropene	< 0.5		1	µg/L	5	07/02/2013 12:34 PM	Container-01 of 02
Trichloroethene	0.5		1	µg/L	5	07/02/2013 12:34 PM	Container-01 of 02
Trichlorofluoromethane	< 0.5		1	µg/L	5	07/02/2013 12:34 PM	Container-01 of 02
Vinyl chloride	< 0.5		1	µg/L	2	07/02/2013 12:34 PM	Container-01 of 02
Surr: 1,2-Dichlorobenzene-d4	102		1	%REC	Limit 70-130	07/02/2013 12:34 PM	Container-01 of 02
Surr: 4-Bromofluorobenzene	106		1	%REC	Limit 70-130	07/02/2013 12:34 PM	Container-01 of 02
TIC: TIC	none	+	1	µg/L		07/02/2013 12:34 PM	Container-01 of 02

Qualifiers: E = Value above quantitation range  
 B = Found in Blank  
 D.F. = Dilution Factor D = Results for Dilution  
 H = Received/analyzed outside of analytical holding time  
 + = ELAP / NELAC does not offer certification for this analyte  
 c = Calibration acceptability criteria exceeded for this analyte  
 r = Reporting limit > MDL and < LOQ  
 J = Estimated value - below calibration range  
 s = Recovery exceeded control limits for this analyte  
 N = Indicates presumptive evidence of compound  
 Result(s) reported meet(s) NYS Regulatory Limit(s).  
 Result(s) flagged with \* Exceed NYS Regulatory Limit(s). Limit noted.

Laboratory Manager

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.

**Sample Information:**

Type : Groundwater  
 Origin: Raw Well  
 Special

**LABORATORY RESULTS**

Results for the samples and analytes requested

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests requested.

**MASSAPEQUA W.D.**  
**84 GRAND AVE.**  
**MASSAPEQUA, NY 11758**

**Lab No. : 1306G68-002**  
**Client Sample ID. : Monitoring Well TT-102D1**

**Attn To : Stan Carey**

**Monitoring Well TT-102D1**

Federal ID : 2902837

Collected : 06/27/2013 6:21 PM Point No:

Received : 06/28/2013 10:30 AM Location:


Collected By : Client

Analytical Method: E524.2 : POC

Analyst: KG

Parameter(s)	Results	Qualifier	D.F.	Units	Limit	Analyzed:	Container:
1,1,1,2-Tetrachloroethane	< 0.5		1	µg/L	5	07/02/2013 1:01 PM	Container-01 of 03
1,1,1-Trichloroethane	< 0.5		1	µg/L	5	07/02/2013 1:01 PM	Container-01 of 03
1,1,2,2-Tetrachloroethane	< 0.5		1	µg/L	5	07/02/2013 1:01 PM	Container-01 of 03
1,1,2-Trichloroethane	< 0.5		1	µg/L	5	07/02/2013 1:01 PM	Container-01 of 03
1,1-Dichloroethane	< 0.5		1	µg/L	5	07/02/2013 1:01 PM	Container-01 of 03
1,1-Dichloroethene	< 0.5		1	µg/L	5	07/02/2013 1:01 PM	Container-01 of 03
1,1-Dichloropropene	< 0.5		1	µg/L	5	07/02/2013 1:01 PM	Container-01 of 03
1,2,3-Trichlorobenzene	< 0.5		1	µg/L	5	07/02/2013 1:01 PM	Container-01 of 03
1,2,3-Trichloropropane	< 0.5		1	µg/L	5	07/02/2013 1:01 PM	Container-01 of 03
1,2,4-Trichlorobenzene	< 0.5		1	µg/L	5	07/02/2013 1:01 PM	Container-01 of 03
1,2,4-Trimethylbenzene	< 0.5		1	µg/L	5	07/02/2013 1:01 PM	Container-01 of 03
1,2-Dichlorobenzene	< 0.5		1	µg/L	5	07/02/2013 1:01 PM	Container-01 of 03
1,2-Dichloroethane	< 0.5		1	µg/L	5	07/02/2013 1:01 PM	Container-01 of 03
1,2-Dichloropropane	< 0.5		1	µg/L	5	07/02/2013 1:01 PM	Container-01 of 03
1,3,5-Trimethylbenzene	< 0.5		1	µg/L	5	07/02/2013 1:01 PM	Container-01 of 03
1,3-Dichlorobenzene	< 0.5		1	µg/L	5	07/02/2013 1:01 PM	Container-01 of 03
1,3-Dichloropropane	< 0.5		1	µg/L	5	07/02/2013 1:01 PM	Container-01 of 03
1,4-Dichlorobenzene	< 0.5		1	µg/L	5	07/02/2013 1:01 PM	Container-01 of 03
2,2-Dichloropropane	< 0.5		1	µg/L	5	07/02/2013 1:01 PM	Container-01 of 03
2/4-Chlorotoluene	< 0.5		1	µg/L	5	07/02/2013 1:01 PM	Container-01 of 03
4-Isopropyltoluene	< 0.5		1	µg/L	5	07/02/2013 1:01 PM	Container-01 of 03
Benzene	< 0.5		1	µg/L	5	07/02/2013 1:01 PM	Container-01 of 03
Bromobenzene	< 0.5		1	µg/L	5	07/02/2013 1:01 PM	Container-01 of 03
Bromochloromethane	< 0.5		1	µg/L	5	07/02/2013 1:01 PM	Container-01 of 03
Bromodichloromethane	< 0.5		1	µg/L	5	07/02/2013 1:01 PM	Container-01 of 03
Bromoform	< 0.5		1	µg/L	5	07/02/2013 1:01 PM	Container-01 of 03
Bromomethane	< 0.5		1	µg/L	5	07/02/2013 1:01 PM	Container-01 of 03
Carbon tetrachloride	< 0.5		1	µg/L	5	07/02/2013 1:01 PM	Container-01 of 03
Chlorobenzene	< 0.5		1	µg/L	5	07/02/2013 1:01 PM	Container-01 of 03
Chloroethane	< 0.5		1	µg/L	5	07/02/2013 1:01 PM	Container-01 of 03
Chloroform	< 0.5		1	µg/L	5	07/02/2013 1:01 PM	Container-01 of 03
Chloromethane	< 0.5		1	µg/L	5	07/02/2013 1:01 PM	Container-01 of 03

Qualifiers: E = Value above quantitation range  
 B = Found in Blank  
 D.F. = Dilution Factor D = Results for Dilution  
 H = Received/analyzed outside of analytical holding time  
 + = ELAP / NELAC does not offer certification for this analyte  
 c = Calibration acceptability criteria exceeded for this analyte  
 r = Reporting limit > MDL and < LOQ  
 J = Estimated value - below calibration range  
 s = Recovery exceeded control limits for this analyte  
 N = Indicates presumptive evidence of compound  
 Result(s) reported meet(s) NYS Regulatory Limit(s).  
 Result(s) flagged with \* Exceed NYS Regulatory Limit(s). Limit noted.



Laboratory Manager

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



575 Broad Hollow Rd., Melville, NY 11747  
 TEL: (631) 694-3040 FAX: (631) 420-8436  
 NYSDOH ID#10478

**LABORATORY RESULTS**

Results for the samples and analytes requested

The lab is not directly responsible for the integrity of the sample before receipt at the lab and is responsible only for the certified tests requested.

**Sample Information:**

Type : Groundwater  
 Origin: Raw Well  
 Special

**MASSAPEQUA W.D.**  
**84 GRAND AVE.**  
**MASSAPEQUA, NY 11758**

**Lab No. : 1306G68-002**  
**Client Sample ID. : Monitoring Well TT-102D1**

**Attn To :** Stan Carey  
 Federal ID : 2902837  
 Collected : 06/27/2013 6:21 PM Point No:  
 Received : 06/28/2013 10:30 AM Location:  
 Collected By : Client

**Monitoring Well TT-102D1**

Parameter(s)	Results	Qualifier	D.F.	Units	Limit	Analyzed:	Analyst: KG Container:
Analytical Method: E524.2 : POC							
cis-1,2-Dichloroethene	< 0.5		1	µg/L	5	07/02/2013 1:01 PM	Container-01 of 03
cis-1,3-Dichloropropene	< 0.5		1	µg/L	5	07/02/2013 1:01 PM	Container-01 of 03
Dibromochloromethane	< 0.5		1	µg/L		07/02/2013 1:01 PM	Container-01 of 03
Dibromomethane	< 0.5		1	µg/L	5	07/02/2013 1:01 PM	Container-01 of 03
Dichlorodifluoromethane	< 0.5		1	µg/L	5	07/02/2013 1:01 PM	Container-01 of 03
Ethylbenzene	< 0.5		1	µg/L	5	07/02/2013 1:01 PM	Container-01 of 03
Hexachlorobutadiene	< 0.5		1	µg/L	5	07/02/2013 1:01 PM	Container-01 of 03
Isopropylbenzene	< 0.5		1	µg/L	5	07/02/2013 1:01 PM	Container-01 of 03
m,p-Xylene	< 0.5		1	µg/L	5	07/02/2013 1:01 PM	Container-01 of 03
Methyl tert-butyl ether	< 0.5		1	µg/L	10	07/02/2013 1:01 PM	Container-01 of 03
Methylene chloride	< 0.5		1	µg/L	5	07/02/2013 1:01 PM	Container-01 of 03
n-Butylbenzene	< 0.5		1	µg/L	5	07/02/2013 1:01 PM	Container-01 of 03
n-Propylbenzene	< 0.5		1	µg/L	5	07/02/2013 1:01 PM	Container-01 of 03
o-Xylene	< 0.5		1	µg/L	5	07/02/2013 1:01 PM	Container-01 of 03
sec-Butylbenzene	< 0.5		1	µg/L	5	07/02/2013 1:01 PM	Container-01 of 03
Styrene	< 0.5		1	µg/L	5	07/02/2013 1:01 PM	Container-01 of 03
tert-Butylbenzene	< 0.5		1	µg/L	5	07/02/2013 1:01 PM	Container-01 of 03
Tetrachloroethene	< 0.5		1	µg/L	5	07/02/2013 1:01 PM	Container-01 of 03
Toluene	< 0.5		1	µg/L	5	07/02/2013 1:01 PM	Container-01 of 03
Total Trihalomethanes	< 2.0		1	µg/L	80	07/02/2013 1:01 PM	Container-01 of 03
trans-1,2-Dichloroethene	< 0.5		1	µg/L	5	07/02/2013 1:01 PM	Container-01 of 03
trans-1,3-Dichloropropene	< 0.5		1	µg/L	5	07/02/2013 1:01 PM	Container-01 of 03
Trichloroethene	< 0.5		1	µg/L	5	07/02/2013 1:01 PM	Container-01 of 03
Trichlorofluoromethane	< 0.5		1	µg/L	5	07/02/2013 1:01 PM	Container-01 of 03
Vinyl chloride	< 0.5		1	µg/L	2	07/02/2013 1:01 PM	Container-01 of 03
Surr: 1,2-Dichlorobenzene-d4	102		1	%REC	Limit 70-130	07/02/2013 1:01 PM	Container-01 of 03
Surr: 4-Bromofluorobenzene	109		1	%REC	Limit 70-130	07/02/2013 1:01 PM	Container-01 of 03
TIC: TIC	none	+	1	µg/L		07/02/2013 1:01 PM	Container-01 of 03

Qualifiers: E = Value above quantitation range  
 B = Found in Blank  
 D.F. = Dilution Factor D = Results for Dilution  
 H = Received/analyzed outside of analytical holding time  
 + = ELAP / NELAC does not offer certification for this analyte  
 c = Calibration acceptability criteria exceeded for this analyte  
 r = Reporting limit > MDL and < LOQ  
 J = Estimated value - below calibration range  
 s = Recovery exceeded control limits for this analyte  
 N = Indicates presumptive evidence of compound  
 Result(s) reported meet(s) NYS Regulatory Limit(s).  
 Result(s) flagged with \* Exceed NYS Regulatory Limit(s). Limit noted.

Laboratory Manager

Test results meet the requirements of NELAC unless otherwise noted.

This report shall not be reproduced except in full, without the written approval of the laboratory.



H2M LABS INC  
 575 Broad Hollow Rd.  
 Melville, NY 11747  
 TEL: (631) 694-3040 FAX: (631) 420-8436  
 Website: [www.h2mlabs.com](http://www.h2mlabs.com)

# Sample Receipt Checklist

Client Name: **MASS**

Date and Time Received: **6/28/2013 10:30:00 AM**

Work Order Number: **1306G68**


RcptNo: **1**

Received by: **JoshLaedke**

Completed by:



Reviewed by:



Completed Date: 6/28/2013 6:32:12 PM

Reviewed Date: 6/30/2013 12:19:23 PM

Carrier name: Client

Chain of custody present?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>		
Chain of custody signed when relinquished and received?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>		
Chain of custody agrees with sample labels?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>		
Are matrices correctly identified on Chain of custody?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>		
Is it clear what analyses were requested?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>		
Custody seals intact on sample bottles?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	Not Present	<input checked="" type="checkbox"/>
Samples in proper container/bottle?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>		
Were correct preservatives used and noted?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	NA	<input type="checkbox"/>
Preservative added to bottles:				
Sample Condition?	Intact <input checked="" type="checkbox"/>	Broken <input type="checkbox"/>	Leaking	<input type="checkbox"/>
Sufficient sample volume for indicated test?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>		
Were container labels complete (ID, Pres, Date)?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>		
All samples received within holding time?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>		
Was an attempt made to cool the samples?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	NA	<input type="checkbox"/>
All samples received at a temp. of > 0° C to 6.0° C?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	NA	<input type="checkbox"/>
Response when temperature is outside of range:				
Sample Temp. taken and recorded upon receipt?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	To 0.3°	
Water - Were bubbles absent in VOC vials?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	No Vials	<input type="checkbox"/>
Water - Was there Chlorine Present?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	NA	<input checked="" type="checkbox"/>
Water - pH acceptable upon receipt?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	No Water	<input type="checkbox"/>
Are Samples considered acceptable?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>		
Custody Seals present?	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>		
Airbill or Sticker?	Air Bill <input type="checkbox"/>	Sticker <input type="checkbox"/>	Not Present	<input checked="" type="checkbox"/>

Airbill No:

Case Number:

SDG:

SAS:

Any No response should be detailed in the comments section below, if applicable.

Client Contacted?  Yes  No      Person Contacted:

Contact Mode:  Phone:  Fax:  Email:  In Person:

Client Instructions:

Date Contacted:      Contacted By:

Regarding:

Comments:

CorrectiveAction: