

**Quarterly Operation, Maintenance,
and Monitoring Report for the
Bethpage Park Groundwater
Containment System**

March 2014

Operable Unit 3 (Former Grumman Settling Ponds)
Bethpage, New York

NYSDEC ID # 1-30-003A



Ahren Tatro
Environmental Engineering Specialist

Paul Martorano, PE 088403
Project Engineer

Christopher Engler, PE 069748
Principal Engineer

Michael F. Wolfert
Hydrogeologist/Project Director

**Quarterly Operation,
Maintenance, and Monitoring
Report for the Bethpage Park
Groundwater Containment
System**

March 2014

Operable Unit 3 (Former
Grumman Settling Ponds)
Bethpage, New York

NYSDEC ID# 1-30-003A

Prepared for:
Northrop Grumman Systems Corporation

Prepared by:
ARCADIS of New York, Inc.
Two Huntington Quadrangle
Suite 1S10
Melville
New York 11747
Tel 631 249 7600
Fax 631 249 7610

Our Ref.:
NY001496.1114.OMMI4

Date:
May 30, 2014

*This document is intended only for the use
of the individual or entity for which it was
prepared and may contain information that
is privileged, confidential and exempt from
disclosure under applicable law. Any
dissemination, distribution or copying of
this document is strictly prohibited.*

1. Introduction	1
2. Bethpage Park Groundwater Containment System Objectives	2
3. Bethpage Park Groundwater Containment System Description	2
4. Operation and Maintenance Activities	4
5. Treatment System Compliance and Performance Monitoring	6
5.1 System Monitoring Activities	6
5.2 Summary of OM&M Results and Conclusions	7
5.2.1 System Operation and Effectiveness	7
5.2.2 Regulatory Status of Discharges	9
5.2.2.1 Air Discharge	9
5.2.2.2 Water Discharge	9
6. Environmental Effectiveness Monitoring	10
6.1 Hydraulic Monitoring	10
6.1.1 Activities	10
6.1.2 Results	10
6.2 Groundwater Quality Monitoring	11
6.2.1 Activities	11
6.2.2 Results	11
7. Recommendations	12
8. References	14

Tables

Table 1	Operational Summary, Bethpage Park Groundwater Containment System, Operable Unit 3 (Former Grumman Settling Ponds), Bethpage, New York.
Table 2	Summary of Influent Water Sample Analytical Results, Bethpage Park Groundwater Containment System, Operable Unit 3 (Former Grumman Settling Ponds), Bethpage, New York.
Table 3	Summary of Effluent Water Sample Analytical Results, Bethpage Park Groundwater Containment System, Operable Unit 3 (Former Grumman Settling Ponds), Bethpage, New York.
Table 4	Summary of Influent Vapor Sample Analytical Results, Bethpage Park Groundwater Containment System, Operable Unit 3 (Former Grumman Settling Ponds), Bethpage, New York.
Table 5	Summary of Effluent Vapor Sample Analytical Results, Bethpage Park Groundwater Containment System, Operable Unit 3 (Former Grumman Settling Ponds), Bethpage, New York.
Table 6	Summary of System Parameters, Bethpage Park Groundwater Containment System, Operable Unit 3 (Former Grumman Settling Ponds), Bethpage, New York.
Table 7	Summary of Groundwater Recovered, VOC Mass Recovered, and VOC Mass Recovery Rates, Bethpage Park Groundwater Containment System, Operable Unit 3 (Former Grumman Settling Ponds), Bethpage, New York.
Table 8	Summary of Air Emissions Model Output, Bethpage Park Groundwater Containment System, Operable Unit 3 (Former Grumman Settling Ponds), Bethpage, New York.
Table 9	Concentrations of Volatile Organic Compounds in Groundwater Samples Collected from Remedial Wells, Bethpage Park Groundwater Containment System, Operable Unit 3 (Former Grumman Settling Ponds), Bethpage, New York.
Table 10	Concentrations of Metals in Groundwater Samples Collected from Remedial Wells, Bethpage Park Groundwater Containment System, Operable Unit 3 (Former Grumman Settling Ponds), Bethpage, New York.
Table 11	Summary of Water-Level Elevations, Bethpage Park Groundwater Containment System, Operable Unit 3 (Former Grumman Settling Ponds), Bethpage, New York.
Table 12	Summary of Calculated Vertical Hydraulic Gradients, Bethpage Park Groundwater Containment System, Operable Unit 3 (Former Grumman Settling Ponds), Bethpage, New York.

Table 13 Concentrations of Volatile Organic Compounds in Groundwater Samples Collected from Monitoring Wells, Bethpage Park Groundwater Containment System, Operable Unit 3 (Former Grumman Settling Ponds), Bethpage, New York.

Table 14 Concentrations of Metals in Groundwater Samples Collected from Monitoring Wells, Bethpage Park Groundwater Containment System, Operable Unit 3 (Former Grumman Settling Ponds), Bethpage, New York.

Figures

Figure 1 Site Location , Bethpage Park Groundwater Containment System, Operable Unit 3 (Former Grumman Settling Ponds), Bethpage, New York.

Figure 2 Site and Groundwater Containment System, Bethpage Park Groundwater Containment System, Operable Unit 3 (Former Grumman Settling Ponds), Bethpage, New York.

Figure 3 Groundwater Treatment System Process Schematic, Process Flow Diagram, and Monitoring Locations, Bethpage Park Groundwater Containment System, Operable Unit 3 (Former Grumman Settling Ponds), Bethpage, New York.

Figure 4 Groundwater Monitoring Network and Configuration of the Shallow Potentiometric Surface and Groundwater Flow Directions First Quarter 2014, Bethpage Park Groundwater Containment System, Operable Unit 3 (Former Grumman Settling Ponds), Bethpage, New York.

Figure 5 Cumulative Total, Project, and Non-Project VOC Mass Removed Through March 2014, Bethpage Park Groundwater Containment System, Operable Unit 3 (Former Grumman Settling Ponds), Bethpage, New York.

Figure 6A Remedial Well Total VOC Concentrations Through March 2014, Bethpage Park Groundwater Containment System, Operable Unit 3 (Former Grumman Settling Ponds), Bethpage, New York.

Figure 6B Remedial Well Project VOC Concentrations Through March 2014, Bethpage Park Groundwater Containment System, Operable Unit 3 (Former Grumman Settling Ponds), Bethpage, New York.

Figure 6C Remedial Well Non-Project VOC Concentrations Through March 2014, Bethpage Park Groundwater Containment System, Operable Unit 3 (Former Grumman Settling Ponds), Bethpage, New York.

Figure 7 Influent Total, Project, and Non-Project VOC Concentrations Through March 2014, Bethpage Park Groundwater Containment System, Operable Unit 3 (Former Grumman Settling Ponds), Bethpage, New York.

- Figure 8A Total VOC Mass Recovery Rates Through March 2014, Bethpage Park Groundwater Containment System, Operable Unit 3 (Former Grumman Settling Ponds), Bethpage, New York.
- Figure 8B Project VOC Mass Recovery Rates Through March 2014, Bethpage Park Groundwater Containment System, Operable Unit 3 (Former Grumman Settling Ponds), Bethpage, New York.
- Figure 8C Non-Project VOC Mass Recovery Rates Through March 2014, Bethpage Park Groundwater Containment System, Operable Unit 3 (Former Grumman Settling Ponds), Bethpage, New York.
- Figure 9 Cross Section D-D' Showing TVOCs in Groundwater and Direction of Vertical Groundwater Flow First Quarter 2014, Bethpage Park Groundwater Containment System, Operable Unit 3 (Former Grumman Settling Ponds), Bethpage, New York

Appendices

- A Well Construction Information and Environmental Effectiveness Monitoring Program
- B Compliance and Performance Program Elements and Water Sample Analytical Results
- C Vapor Sample Analytical Results
- D Air Discharge Quality Evaluation



March 2014

1. Introduction

Pursuant to the Administrative Order on Consent (AOC) Index # W1-0018-04-01 (NYSDEC 2005) and the Operable Unit 3 (OU3) Record of Decision (ROD) (NYSDEC 2013), ARCADIS of New York, Inc. (ARCADIS), on behalf of Northrop Grumman Systems Corporation (Northrop Grumman), has prepared this OU3 Bethpage Park Groundwater Containment System (BPGWCS) Quarterly Operation, Maintenance, and Monitoring (OM&M) Report for submittal to the New York State Department of Environmental Conservation (NYSDEC). The present-day Bethpage Community Park property (Park) and the Former Grumman Plant 24 Access Road, which the NYSDEC has termed the “Former Grumman Settling Ponds Area” and designated as OU3, are referred to herein as the Site Area. A Site Area Location map is provided as Figure 1.

The BPGWCS has been operational since July 21, 2009. This quarterly OM&M report summarizes the OM&M activities performed during the first quarter of 2014 (i.e., January 1 through March 31, 2014 [the “reporting period”]). During this reporting period, Remedial System and Environmental Effectiveness Monitoring Programs were conducted in accordance with the NYSDEC-approved OU3 Interim Groundwater Interim Remedial Measure (IRM) OM&M Manual (OM&M Manual) (ARCADIS 2009) and the remedial well maintenance program described in the 2011 Annual Report (ARCADIS 2012).

As discussed in the OU3 Site Area Remedial Investigation Report (Site Area RI) (ARCADIS 2011), Northrop Grumman does not take responsibility for certain compounds (e.g., Freon 12 and Freon 22) present in the Site Area groundwater. Throughout this report, a distinction is made between the “Project” and “Non-Project” Volatile Organic Compounds (VOCs), defined as follows:

- “Project VOCs:” VOCs that may be related to former Northrop Grumman historical activities. For this report, Project VOCs include 1,1,1-trichloroethane; 1,1-dichloroethane; 1,2-dichloroethane; 1,1-dichloroethene; tetrachloroethene; trichloroethene; vinyl chloride; cis-1,2-dichloroethene; trans-1,2-dichloroethene; benzene; toluene; and total xylenes.
- “Non-Project VOCs:” VOCs, such as Freon 12 and Freon 22 that are understood to be unrelated to former Northrop Grumman activities but have been detected in the Site Area groundwater. As noted in the Site Area RI (ARCADIS 2011), a sub-plume of Freon 22 has been identified originating from the area of the Town of Oyster Bay’s (Town’s) former ice rink (shown on Figure 2). Based on Town

information (Zervos 2007), Freon 22 was used by the Town and released to the environment.

2. Bethpage Park Groundwater Containment System Objectives

The remedial action objectives (RAOs) for the BPGWCS are as follows:

- Mitigate the off-site migration of project-related, dissolved-phase VOCs. Specifically, the BPGWCS addresses:
 - Groundwater that has total volatile organic compound (TVOC) concentrations greater than 5 micrograms per liter ($\mu\text{g/L}$) in the upper 20 feet of the surficial aquifer across the 1,200-foot wide lateral extent of the Site Area southern boundary.
 - Groundwater below the upper 20 feet of the surficial aquifer that has TVOC concentrations greater than 50 $\mu\text{g/L}$ across the 1,200-foot wide lateral extent of the Site Area southern boundary.
- Comply with applicable NYSDEC standards, criteria, and guidance values (SCGs) for treated water and air emissions.

A secondary benefit of the BPGWCS is the creation of a clean-water front atop the downgradient groundwater, which minimizes the potential for vapor intrusion downgradient of the Site Area.

3. Bethpage Park Groundwater Containment System Description

The BPGWCS consists of:

- A “pump-and-treat system” where groundwater is:
 - Extracted along the Plant 24 Access Road via four remedial wells
 - Conveyed to a treatment plant at McKay Field via four underground pipelines
 - Treated via air stripping to reduce concentrations of Project and Non-Project VOCs



March 2014

- Filtered to remove oxidized metals
- Returned to the aquifer via a discharge pipeline routed to a recharge basin located on the adjacent former Bethpage Navy Weapons Industrial Reserve Plant (NWIRP) property
- A vapor phase treatment system that reduces concentrations of Project VOCs in the air stripper off-gas prior to discharge to the atmosphere
- A groundwater monitoring network that is periodically monitored to assess the environmental effectiveness of the BPGWCS

The major components of the BPGWCS are:

- Four remedial wells (RW-1, RW-2, RW-3, and RW-4) with design pumping rates of 30 gallons per minute (gpm), 75 gpm, 75 gpm, and 30 gpm, respectively; for a total design influent flow rate of 210 gpm
- One low-profile air stripper to remove VOCs from the extracted groundwater prior to discharge to the recharge basins
- Two bag filter units configured so that one is “operational” and the other is in “standby” mode. The system control logic automatically switches from the “operational” filter unit to the “standby” filter unit when the bag filter is full to prevent a system shutdown and the spent filters are then replaced.
- Four emission control units (ECUs), two containing vapor phase granular activated carbon (VPGAC) and two containing potassium permanganate-impregnated zeolite (PPZ). The VPGAC ECUs treat the Project VOCs in the air stripper off-gas, except for vinyl chloride, which is treated by the PPZ ECUs.
- The groundwater monitoring network, consisting of 35 monitoring locations including 17 groundwater monitoring wells, 4 remedial wells, and 14 piezometers

Additional information is provided in the OM&M Manual (ARCADIS 2009). The layout of the BPGWCS is shown on Figure 2, and a schematic drawing is provided on Figure 3. The groundwater sampling locations that form the groundwater monitoring network are shown on Figure 4. Construction details for the monitoring wells and piezometers are provided in Appendix A.

4. Operation and Maintenance Activities

The BPGWCS operated continuously, at either full or reduced flow, during the reporting period with the exception of shutdown periods for routine maintenance and alarm conditions. BPGWCS operation and maintenance (O&M) activities conducted during the reporting period are described below and summarized in Table 1:

- The BPGWCS operated at full or reduced capacity 88 out of 90 days (98% uptime).
- The remedial wells operated at average flow rates of 31 gpm (RW-1), 56 gpm (RW-2), 61 gpm (RW-3) and 31 gpm (RW-4). The observed average flow rates for RW-2 and RW-3 were lower than their 75 gpm design flow rate because of 25-26 days of downtime in January caused by motor overloads/failures. New motors were installed in RW-2 and RW-3 and, prior to installing the motors, the high density polyethylene drop pipes in the wells were shortened to raise the motors 5 to 6 feet above the well screens. Raising the motors above the well screens increases flow past the motor, and improves cooling of the motor to help prevent future motor failures. After reinstalling the pumps and motors, remedial wells RW-2 and RW-3 operated at average flow rates of 78 gpm and 83 gpm, respectively, through the remainder of the reporting period.
- The remedial wells operated at reduced instantaneous flow rates (between 89% and 99% of design) during portions of the reporting period due to iron buildup in the pumps, influent pipelines, and valves. The reduced flow rates were corrected by adjusting the manifold globe valves.
- The system was monitored through either site visits or remotely by wireless computer link-up.
- The Supervisory Control and Data Acquisition (SCADA) system operated as designed, and when conditions warranted (see below), shut the system down automatically and instantaneously, and notified plant operators of system advisories and alarms.
- Intentional system shutdowns were as follows (see Table 1 for more information):
 - Remedial Wells RW-2 and RW-3 pump and motor replacement (January 30, 2014)



March 2014

- Preventative maintenance and installation of new bag filter influent gate valves (February 12, 2014)
- System alarm testing (February 21, 2014)
- System shutdowns due to alarm conditions were as follows (see Table 1 for more information):
 - Motor overload at Remedial Well RW-2 (January 5, 2014): Problem: Motor failure; Solution: The pump and motor were replaced and then installed approximately 5 to 6 feet above the screen.
 - Motor overload at Remedial Well RW-3 (January 6, 2014): Problem: Motor failure; Solution: The pump and motor were replaced and then installed approximately 5 to 6 feet above the screen.
 - Air stripper high level (January 7, 2014): Problem: Low building temperatures led to freezing in the air stripper sump and damage of the transfer pump; Solution: Temporary heaters were used to heat the building and additional insulation was installed around the roll-up doors. The damaged transfer pump was replaced with a spare and sent off-site for repair.
 - Building sump high level (January 8, 2014): Problem: A hose to the bag filter differential pressure switch leaked; Solution: The hose was replaced, and the building sump was pumped down.
 - Air stripper high level (January 27, 2014): Problem: The air stripper sump water level increased faster than it could be pumped down; Solution: The sump was pumped down and the operation of the air stripper sump level sensor was verified.
 - RW-3 low pressure (March 27, 2014): Problem: The manifold pressure declined due to iron buildup in the pump, influent pipeline, and valve; Solution: The manifold valve was opened and the flow rate was decreased.



March 2014

5. Treatment System Compliance and Performance Monitoring

5.1 System Monitoring Activities

The following compliance and performance monitoring events were performed during this reporting period (see Appendix B, Table B-1 for a summary of the compliance and performance monitoring program requirements):

- Four sampling events to collect required water samples and air samples
- Thirteen weekly site visits to monitor and record key system operational parameters

The system operation and monitoring results are summarized in the following tables, graphs, and appendices:

- An Operational Summary, including monitoring events, system operational days, and noteworthy site activities (Table 1)
- Summary of Influent and Effluent Water Sample Analytical Results (Tables 2 and 3, respectively). Table 3 also provides the BPGWCS treatment system removal efficiency. Complete validated Water Sample Analytical Result Summaries for each sampling event are included in Appendix B.
- Summary of Influent and Effluent Vapor Sample Analytical Results (Tables 4 and 5, respectively). Table 5 also provides the BPGWCS treatment system removal efficiency. Complete, validated Vapor Sample Analytical Results, for each sample event, are included in Appendix C.
- System Parameters including flow rates, line pressures, and temperatures (Table 6).
- Summaries of Groundwater Recovered, VOC Mass Recovered, and VOC Recovery Rates (Table 7). Table 7 provides a breakdown of these parameters by Remedial Well and System and also breaks down the VOC Mass Recovered and VOC Recovery Rates into Project, Non-Project, and Total VOCs.
- Air Discharge Quality Evaluation and Compliance Table (Appendix D and Table 8, respectively)



March 2014

- Concentrations of VOCs and Metals in Remedial Well Groundwater Samples (Tables 9 and 10, respectively)
- Cumulative Total, Project, and Non-Project VOC Mass Removed (Figure 5)
- Remedial Well Total, Project, and Non-Project VOC Concentrations (Figures 6A, 6B, and 6C, respectively)
- Influent Total, Project, and Non-Project VOC Concentrations (Figure 7)
- Total, Project, and Non-Project VOC Mass Recovery Rates (Figures 8A, 8B, and 8C, respectively)

5.2 Summary of OM&M Results and Conclusions

5.2.1 System Operation and Effectiveness

BPGWCS OM&M reporting period results and conclusions are summarized below:

- Total volume of groundwater recovered and treated (Table 7):
 - First quarter 2014: 22 million gallons
 - Cumulative total since system startup: 484 million gallons
- Total VOC mass recovered (Table 7 and Figure 5):
 - First quarter 2014: 26 pounds (lbs) of VOCs.
 - Cumulative total since system startup: 1,996 lbs of VOCs.
- VOC mass recovered and mass removal rates (Table 7 and Figures 8A, 8B, and 8C):
 - The majority of VOCs recovered during this reporting period were Project VOCs (76% or 20 lbs).
 - The majority of Project VOCs are recovered by RW-2 (97%) and RW-3 (2.8%).

March 2014

- The majority of the Non-Project VOCs are recovered by RW-3 (51%) and RW-4 (43%).
- Treatment system influent concentrations (Table 2 and Figures 6A, 6B, 6C and 7):
 - Project VOC influent concentrations (ranging from 1.8 to 83 µg/L) during the reporting period are consistent with the range of values detected throughout 2013, but are well below the peak concentration observed in 2013 (206 µg/L). Project VOC influent concentrations have generally decreased since 2010. The project VOC total influent concentration from January 20, 2014 (1.8 µg/L) is atypical of the influent water quality and is due to collecting the influent sample while Remedial Wells RW-2 and RW-3 were offline.
 - Non-Project VOC influent concentrations (ranging from 23 to 55 µg/L) during the reporting period are consistent with the range of values detected throughout 2013, and are below the peak concentration observed in 2013 (86 µg/L). Non-Project VOC influent concentrations have generally decreased since 2010.
 - Mercury has not been detected in an influent sample since system startup.
- Concentrations of individual Project VOCs in Remedial Wells RW-1, RW-3, and RW-4 (Table 9) during this reporting period were not detected above applicable SCGs. Similar to the total influent concentrations, Project VOC remedial well concentrations have generally decreased since 2010.
- Metals concentrations in the remedial wells during this reporting period (Table 10) are consistent with historical metals concentrations.
- The air stripper, air stripper off-gas treatment system, and bag filter system performed within acceptable operating ranges for this reporting period, as indicated by:
 - The air stripper VOC removal efficiency was greater than 99.9 percent for Project and Non-Project VOCs (Table 3).
 - Both the water and air discharges comply with applicable SCGs and discharge limits (Tables 3, 5, and 8).

March 2014

5.2.2 Regulatory Status of Discharges

5.2.2.1 Air Discharge

To determine the compliance status of air discharge from the BPGWCS treatment system, the system's effluent vapor concentrations were compared to NYSDEC Division of Air Resources Air Guide-1 (DAR-1) Model Short-term Guideline Concentrations (SGCs [NYSDEC 2010]; Table 5) and the effluent vapor laboratory results were compared to a site-specific modeled annual maximum allowable stack concentration (MASC). The annual MASC was calculated during each monitoring event for individual compounds using the output from the U.S. Environmental Protection Agency (USEPA) SCREEN3 Model in conjunction with the NYSDEC DAR-1 Annual Guideline Concentrations (AGCs). A scaling factor was calculated using the SCREEN3 model with site-specific physical layout information (e.g., building dimensions, stack height, terrain) and operating data (e.g., air flow rate, temperature) inputs for each monitoring event. The scaling factor was then used to adjust (scale) the NYSDEC DAR-1 AGC to a site-specific MASC. A summary of the instantaneous percent (i.e., not time-weighted) of the site-specific annual MASC for Project VOCs, Freon 12, and Freon 22 is provided in Table 8. A summary of the cumulative annual percent (i.e., time-weighted) of the site-specific MASC for detected compounds is also provided in Table 8. A summary of the model inputs, outputs, and backup calculations is provided in Appendix D.

The BPGWCS air effluent met NYSDEC requirements throughout the reporting period, as indicated by the following:

- The measured concentrations of individual VOCs in the vapor effluent did not exceed applicable SGCs (Table 5).
- The measured concentration of individual VOCs in the vapor effluent did not exceed their applicable, instantaneous MASCs, as calculated using the USEPA SCREEN 3 Model (Table 8). Similarly, the time-weighted rolling averages for the individual Project VOCs, Freon 12, and Freon 22 are below their respective MASCs.

5.2.2.2 Water Discharge

The BPGWCS treated water effluent met NYSDEC regulatory requirements during the reporting period (Table 3 and Appendix B), as indicated by the following:

March 2014

- The measured concentration of individual VOCs in the treated water effluent were below applicable discharge limits, per the interim State Pollutant Discharge Elimination System (SPDES) equivalency permit.
- The measured concentration of total iron and total mercury in the treated water effluent were below applicable discharge limits, per the interim SPDES equivalency permit. In addition, total mercury continues to be non-detect and has not been detected in any treated water effluent samples since system startup.

6. Environmental Effectiveness Monitoring

BPGWCS environmental effectiveness (i.e., hydraulic monitoring and groundwater quality monitoring) activities and results for this reporting period are discussed below.

6.1 Hydraulic Monitoring

6.1.1 Activities

In accordance with the OM&M Manual requirements and methodologies (ARCADIS 2009), a quarterly round of groundwater hydraulic monitoring was performed during the reporting period. Specifically, depth-to-water measurements were made on March 7, 2014 at the 33 locations forming the approved monitoring well network (Table 11 and Figure 4). Water-level data were mapped and vertical hydraulic gradients were calculated as part of the evaluation of the hydraulic performance of the BPGWCS (Table 12).

6.1.2 Results

Figure 4 provides the configuration of the shallow potentiometric surface and the inferred horizontal groundwater flow directions on March 7, 2014 at the Site Area. The water table was several feet lower in the first quarter of 2014 compared to the first quarter of 2013. Figure 4 indicates that groundwater through the Park is moving toward the remedial wells.

Vertical hydraulic gradients were also evaluated. The vertical hydraulic gradient is a measure of the potential for vertical groundwater flow between two vertically separated, closely spaced observation points (i.e., clustered or nested observation wells). The magnitude of the gradient indicates the steepness of the gradient, and the sign of the gradient indicates the direction of potential vertical flow (i.e., a positive vertical gradient

March 2014

indicates upward flow, while a negative vertical gradient indicates downward groundwater flow). The gradient does not provide information with respect to the rate of groundwater movement, which is affected by the hydraulic conductivity of the aquifer material through which the water is moving. Table 12 provides a summary of calculated vertical groundwater hydraulic gradients at key well pairs located along the Site Area southern boundary during the March 7, 2014 hydraulic groundwater monitoring event. The vertical hydraulic gradients generally indicate that shallow groundwater is moving downward and deeper groundwater is being drawn upward towards the remedial well screened intervals.

Figure 9 provides a cross-sectional view of vertical groundwater flow (based on groundwater levels measured on March 7, 2014), combined with a cross-section of Project VOC concentrations in groundwater above 5 µg/L (based on results from the May-June 2013 groundwater sampling round). Figure 9 indicates that groundwater containing Project VOCs above 5 µg/L is being drawn toward the remedial well screens of RW-1 through RW-4, which is consistent with the vertical groundwater hydraulic gradient observations.

Figure 9, in combination with Figure 4, indicate that the BPGWCS provides effective vertical and horizontal hydraulic control of groundwater containing Project VOC concentrations above 5 µg/L; therefore, the BPGWCS satisfies its remedial action objective.

6.2 Groundwater Quality Monitoring

6.2.1 Activities

Consistent with the OM&M Manual (ARCADIS 2009), groundwater quality monitoring was not required during this reporting period.

6.2.2 Results

Historical groundwater quality data are summarized on the following tables:

- Table 13 summarizes the results of laboratory analysis of VOCs in groundwater samples collected from the groundwater network wells to date.
- Table 14 summarizes the results of laboratory analysis of metals in groundwater samples collected from the groundwater network wells to date.

When an appropriate amount of data has been collected, trend graphs will be developed for selected wells.

6.3 Environmental Effectiveness Monitoring Conclusions

Collectively, Figures 4 and 9 indicate that the BPGWCS is operating as designed, that the expected associated capture zone has developed, and that off-site migration of groundwater containing Project VOC concentrations greater than 5 µg/L is being prevented.

7. Recommendations

- Remove mercury from the SPDES equivalency monitoring program because mercury has not been detected in any system effluent water samples analyzed for mercury.
- Evaluate the feasibility of installing three-phase motor protection devices, such as a Franklin Electric SubMonitor, to better protect the submersible motors and help prevent future failures of Remedial Wells RW-2 and RW-3.
- Install additional insulation/improved door seals within the areas of the building roll-up door and assess the status of the building heaters, to prevent future low temperature conditions within the treatment system building.
- Continue operating, maintaining, and monitoring the system in accordance with the OM&M Manual (ARCADIS 2009) including the current quarterly preventive maintenance program performed at Remedial Wells RW-2 and RW-3 to remove iron buildup in the wells and pipelines.
- Based on the consistent operation of the BPGWCS since July 2009, the current quarterly reporting frequency should be reduced to annual. Consistent with the NYSDEC-approved OU3 Groundwater IRM OM&M Manual (ARCADIS 2009), an annual report will be prepared to summarize system operation, performance, and monitoring data; this annual report will be prepared and submitted under the supervision of a licensed, professional engineer. Additionally, pertinent data collected for the BPGWCS will be submitted to the NYSDEC as part of the semi-annual progress reports currently completed in accordance with Section III of AOC Index #W1-0018-04-01. Upon receipt of NYSDEC approval of this



**Quarterly Operation,
Maintenance, and
Monitoring Report
Bethpage Park
Groundwater Containment
System**

March 2014

recommendation, the OU3 Groundwater IRM OM&M Manual (ARCADIS 2009) will be updated to reflect this change.



March 2014

8. References

ARCADIS of New York, Inc. (ARCADIS). 2009. Interim Operation, Maintenance, and Monitoring Manual, Northrop Grumman Groundwater Interim Remedial Measure, Operable Unit 3 (Former Grumman Settling Ponds), Bethpage, New York. December 2009.

ARCADIS U.S. Inc. (ARCADIS). 2011. Remedial Investigation Report (Site Area). Operable Unit 3 – Former Grumman Settling Ponds, Bethpage, New York. NYSDEC Site #1-30-003A. February 8, 2011.

ARCADIS U.S. Inc. (ARCADIS). 2012. Operation, Maintenance, and Monitoring Report for the Groundwater Interim Remedial Measure, 2011 Annual Summary Report. Operable Unit 3 – Former Grumman Settling Ponds, Bethpage, New York. NYSDEC Site # 1-30-003A. March 23, 2012.

ARCADIS U.S. Inc. (ARCADIS). 2014. Bethpage Park Containment System - Pre-Design Hydraulic Effectiveness Evaluation Work Plan. Operable Unit 3 – Former Grumman Settling Ponds, Bethpage, New York. February 11, 2014.

New York State Department of Environmental Conservation (NYSDEC). 2005. Order on Consent, Index # W1-0018-04-01, Site # 1-30-003A, July 4, 2005.

NYSDEC. 2009. Interim State Pollution Discharge Elimination System (SPDES) Letter, March 19, 2009.

NYSDEC. 2010. DAR-1 AGC/SGC Tables, Revised October 18, 2010.

NYSDEC. 2012. Re: Northrop Grumman-Bethpage, Nassau County, Oyster Bay (T), NYSDEC Site No. 1-30-003A-OU3, August 1, 2012.

NYSDEC. 2013. Record of Decision, Northrop Grumman – Bethpage Facility, Operable Unit Number: 03, State Superfund Project, Bethpage, Nassau County, Site No. 130003A, March 29, 2013.

Zervos, Theodore. 2007. Deposition of Theodore Zervos in the matter Town of Oyster Bay v. Northrop Grumman Systems Corporation et al. Case No. 05-CV-1945 (TCP)(AKT). January 22, 2007.



Tables

Table 1. Operational Summary, Bethpage Park Groundwater Containment System, Operable Unit 3 (Former Grumman Settling Ponds), Bethpage, New York.

MONTH	DAY																															Days Operational (1)
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
2009 Total																																160
2010 Total																																352
2011 Total																																351
2012 Total																																353
2013 Total																																354
Jan-14	b	(2)	(3)	(4)b	(5)	###															(6)	(7)bbbb	b	29								
Feb-14	b	b				b				(8)	b	###/*	(9)b				b	28														
Mar-14	b				(10)###**				b	b	b				b	(11)b	b	b	31													
1Q 2014																																88
2014 Total																																88
TOTAL																																1,658

Legend:

- Indicates system online for at least the majority of the day.
- Indicates system operated with reduced flow rates.
- Indicates system off-line for at least the majority of the day.
- # Indicates water compliance samples were collected.
- ## Indicates water performance samples were collected.
- ** Indicates vapor compliance samples were collected.
- * Indicates vapor performance samples were collected.
- b Indicates filter bag unit changed over.
- K Indicates PPZ change-out.
- C Indicates carbon change-out.

Acronyms\Key:

- BF Bag Filter
- gpm gallons per minute
- PPZ potassium permanganate-impregnated zeolite

Table 1. Operational Summary, Bethpage Park Groundwater Containment System, Operable Unit 3 (Former Grumman Settling Ponds), Bethpage, New York.

Notes:

- (1) Days in which the system was operational for the majority of the day are counted as one day.

First Quarter 2014

- (2) The system shut down at 1:15 am on January 5, 2014 due to a motor overload at Remedial Well RW-2. The motor was unable to be restarted at RW-2 and the system was restarted without RW-2 at 10:30 am on January 5, 2014. The system was offline for approximately 9 hours.
- (3) The system shut down at 2:40 am on January 6, 2014 due to a motor overload at Remedial Well RW-3. The motor was unable to be restarted at RW-3 and the system was restarted without RW-2 and RW-3 at 10:00 am on January 6, 2014. The system was offline for approximately 6.5 hours.
- (4) The system shut down at 5:20 am on January 7, 2014 due to an air stripper high sump level. The building temperature was just above freezing with ambient temperatures in the single digits. A system restart was attempted at 6:42 am but the system continued to shutdown. The system was left offline and temporary heaters were used to raise the building temperature. At 4:57 pm, the building was sufficiently heated and a system restart was attempted. It was noted that the transfer pump P-400 was only discharging 30 gpm at 60 Hertz. The system continued to shutdown and it was determined that the transfer pump would need to be replaced. The transfer pump was replaced with a spare pump and the system was restarted at 4:00 pm on January 8, 2014. The system was offline for approximately 34.5 hours.
- (5) The system shut down at 9:42 pm on January 8, 2014 due to a building sump high level. The system was left offline overnight. On the following day, it was determined that a hose to the bag filter differential pressure switch leaked and lead to the building sump high level. The water was pumped down, the hose repaired and the system was restarted without RW-2 and RW-3 at 9:15 am on January 9, 2014. The system was offline for approximately 11.5 hours.
- (6) The system shut down at 1:01 am on January 27, 2014 due to an air stripper high sump level. The system was restarted without RW-2 and RW-3 at 8:27 am on the same day. The system was offline for approximately 7.5 hours.
- (7) The system was shut down at 3:45 pm on January 30, 2014 to modify the HDPE drop pipe and install new pumps and motors at Remedial Wells RW-2 and RW-3. The system was restarted and shut down multiple times due to rapid bag filter changes. The system was restarted at 6:36 pm on the same day and was offline for approximately 3 hours.
- (8) The system was shut down at 11:13 am on February 12, 2014 for preventative maintenance and to install new bag filter influent gate valves. The system was restarted at 5:45 pm on the same day and was offline for approximately 6.5 hours.
- (9) The system was shut down at 1:09 pm on February 21, 2014 for alarm testing and was restarted at 4:46 pm on the same day. The system was offline for approximately 3.5 hours.
- (10) Sample VSP-5 was retaken on March 10, 2014 due to operator error on February 18, 2014.
- (11) The system shut down at 11:49 am on March 27, 2014 due to a low manifold pressure at Remedial Well RW-3. The system was restarted at 2:16 pm on the same day and was offline for approximately 2.5 hours.

Table 2. Summary of Influent Water Sample Analytical Results, Bethpage Park Groundwater Containment System, Operable Unit 3 (Former Grumman Settling Ponds), Bethpage, New York. ⁽¹⁾

Compound ⁽²⁾	04/01/13 (µg/L)	05/06/13 (µg/L)	06/06/13 (µg/L)	07/01/13 (µg/L)	08/05/13 (µg/L)	09/03/13 (µg/L)	10/07/13 (µg/L)	11/14/13 (µg/L)	12/09/13 (µg/L)	01/20/14 (µg/L)	02/18/14 (µg/L)	03/10/14 (µg/L)
Project VOCs												
1,1,1 - Trichloroethane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,1 - Dichloroethane	0.59	0.50	0.51	0.46	0.41	0.41	0.41	0.45	0.30	0.30	0.36	0.37
1,2 - Dichloroethane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,1 - Dichloroethene	0.29	0.22	0.23	0.24	0.23	0.20	ND	ND	0.20	ND	ND	0.26
Tetrachloroethene	0.44	0.29	0.35	0.35	0.27	0.33	0.34	0.35	0.34	0.48	0.24	0.22
Trichloroethene	5.4	5.1	5.6	5.3	5.7	4.8	5.3	4.8	4.2	0.66	4.0	4.0
Vinyl Chloride	27	25	27	22	25	22	29	23	21	ND	24	22
cis 1,2-Dichloroethene	51	45	45	31	33	30	30	26	26	0.31	30	23
trans 1,2-Dichloroethene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Benzene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Toluene	28	25	39	22	20	21	24	22	22	ND	22	24
Xylenes	2.9	2.7	3.1	1.7	2.1	2.3	2.9	2.5	2.5	ND	2.5	2.5
Subtotal Project VOCs	116	104	121	83	87	81	92	79	77	1.8	83	76
Non-Project VOCs												
Dichlorodifluoromethane (Freon 12)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Chlorodifluoromethane (Freon 22)	55	48	40	44	41	35	35	30	37	55	23	24
Subtotal Non-Project VOCs	55	48	40	44	41	35	35	30	37	55	23	24
Total VOCs ⁽³⁾	171	152	161	127	128	116	127	109	114	57	106	100
Inorganics												
Total Iron	310	750	1,010	520	1,030	350	710	570	240	660	270	5,020
Total Mercury	NA	NA	NA	NA	NA	NA	NA	ND	NA	NA	NA	NA
pH ⁽⁴⁾	5.6	5.5	5.6	5.6	6.6	5.4	5.4	5.5	5.3	5.3	5.5	5.9

See notes on last page.

Table 2. Summary of Influent Water Sample Analytical Results, Bethpage Park Groundwater Containment System, Operable Unit 3 (Former Grumman Settling Ponds), Bethpage, New York. ⁽¹⁾

Notes:

- (1) Water samples collected by ARCADIS on the dates shown and submitted to ALS Environmental for VOC analyses per NYSDEC ASP 2005, Method OLM 4.3, for iron analyses per USEPA Method 6010C and for mercury analyses per USEPA Method 7470A. The VOC analyte list is provided in the DRAFT Groundwater IRM OM&M Manual (ARCADIS 2009). Influent water samples were collected from Water Sampling Port-5 (WSP-5); refer to Figure 3 of this OM&M Report for the schematic location of WSP-5. Data in this table corresponds to approximately the past year of system operation.
- (2) Only VOCs associated with the interim SPDES equivalency program, plus Toluene, Benzene, Xylenes, non-project related Freon 12 and Freon 22, Mercury and Iron are included in this table. Complete VOC and inorganic data summary tables, including VOC TICs, are provided in Appendix B. Laboratory data qualifiers are included in the Appendix B tables.
- (3) "Total VOCs" represents the sum of individual concentrations of the compounds detected. The values used in calculations referenced in this report have been rounded to the nearest whole number.
- (4) Influent pH samples collected and measured in the field by ARCADIS personnel on the dates listed using an Oakton Model 300 pH/conductivity meter. pH units are standard units.

Acronyms\Key:

- 700** Bold data indicates that the analyte was detected at or above its reporting limit.
- 16 Data that is not bold indicates analyte detected but below its reporting limit; the value is estimated.
- ASP Analytical Services Protocol
- IRM Interim remedial measure.
- NA Not analyzed.
- ND Analyte not detected at, or above its laboratory quantification limit.
- NYSDEC New York State Department of Environmental Conservation.
- OM&M Operation, maintenance and monitoring.
- SPDES State Pollutant Discharge Elimination System
- TICs Tentatively identified compounds.
- USEPA United States Environmental Protection Agency.
- VOC Volatile organic compound.
- µg/L Micrograms per liter.

Table 3. Summary of Effluent Water Sample Analytical Results, Bethpage Park Groundwater Containment System, Operable Unit 3 (Former Grumman Settling Ponds), Bethpage, New York. ⁽¹⁾

Compound ⁽²⁾	Discharge	04/01/13	05/06/13	06/06/13	07/01/13	08/06/13	09/03/13	10/07/13	11/14/13	12/09/13	01/20/14	02/18/14	03/10/14
	Limit ⁽³⁾												
	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)
Project VOCs													
1,1,1 - Trichloroethane	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,1 - Dichloroethane	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2 - Dichloroethane	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,1 - Dichloroethene	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Tetrachloroethene	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Trichloroethene	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Vinyl Chloride	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
cis 1,2-Dichloroethene	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
trans 1,2-Dichloroethene	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Benzene	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Toluene	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Xylenes	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Subtotal Project VOCs	--	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Non-Project VOCs													
Dichlorodifluoromethane (Freon 12)	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Chlorodifluoromethane (Freon 22)	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Subtotal Non-Project VOCs	--	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total VOCs ⁽⁴⁾	--	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Treatment Efficiency ⁽⁵⁾	--	> 99.9%	> 99.9%	> 99.9%	> 99.9%	> 99.9%	> 99.9%	> 99.9%	> 99.9%	> 99.9%	> 99.9%	> 99.9%	> 99.9%
Inorganics													
Total Iron	600	270	270	310	220	390	350	540	360	270	430	250	330
Total Mercury	250	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
pH ⁽⁶⁾	5.5 - 8.5	6.9	6.3	6.4	5.9	5.7	6.7	6.8	6.5	6.6	5.5	6.3	6.8

See notes on last page.

Table 3. Summary of Effluent Water Sample Analytical Results, Bethpage Park Groundwater Containment System, Operable Unit 3 (Former Grumman Settling Ponds), Bethpage, New York. ⁽¹⁾

Notes:

- (1) Water samples collected by ARCADIS on the dates shown and submitted to ALS Environmental for VOC analyses per NYSDEC ASP 2005, Method OLM 4.3, for iron analyses per USEPA Method 6010C and for mercury analyses per USEPA Method 7470A. The VOC analyte list is provided in the DRAFT Groundwater IRM OM&M Manual (ARCADIS 2009). Effluent water samples were collected from Water Sampling Port-7 (WSP-7); refer to Figure 3 of this OM&M Report for the location of WSP-7. Data in this table corresponds to approximately the past year of system operation.
- (2) Only VOCs associated with the interim SPDES equivalency program, including Toluene, Benzene, Xylenes, non-project related Freon 12 and Freon 22, Mercury and Iron are included in this table. Complete VOC and inorganic data summary tables, including VOC TICs, are provided in Appendix B. Laboratory data qualifiers are included in the Appendix B tables.
- (3) Discharge limits per the interim SPDES equivalency program or Division of Water Technical and Operational Guidance Series (TOGS 1.1.1) Quality Standards and Guidance Values and Groundwater Effluent Limitations, if the compound is not part of the interim SPDES equivalency program.
- (4) "Total VOCs" represents the sum of individual concentrations of compounds detected. The values used in calculations referenced in this report have been rounded to the nearest whole number.
- (5) Treatment efficiency was calculated by dividing the difference between the influent and effluent total VOC concentrations by the influent total VOC concentration.
- (6) Effluent pH samples collected and measured in the field by ARCADIS personnel on the dates listed using an Oakton Model 300 pH/conductivity meter. pH units are standard units.

Acronyms/Key:

- 700** Bold data indicates that the analyte was detected at or above its reporting limit.
- 16 Data that is not bold indicates analyte detected but below its reporting limit; the value is estimated.
- ASP Analytical Services Protocol.
- IRM Interim remedial measure.
- ND Analyte not detected at, or above its laboratory quantification limit.
- NYSDEC New York State Department of Environmental Conservation.
- OM&M Operation, maintenance, and monitoring.
- SPDES State Pollutant Discharge Elimination System
- TICs Tentatively identified compounds.
- USEPA United States Environmental Protection Agency.
- VOC Volatile organic compound.
- µg/L Micrograms per liter.
- Not applicable.

Table 4. Summary of Influent Vapor Sample Analytical Results, Bethpage Park Groundwater Containment System, Operable Unit 3 (Former Grumman Settling Ponds), Bethpage, New York. ⁽¹⁾

Compound ⁽²⁾	4/1/2013 ⁽⁴⁾ (µg/m ³)	7/1/2013 (µg/m ³)	11/14/2013 (µg/m ³)	2/18/2014 (µg/m ³)
Project VOCs				
1,1,1 - Trichloroethane	2.2	ND	1.0	0.95
1,1 - Dichloroethane	8.6	6.8	5.4	5.8
1,2 - Dichloroethane	0.67	ND	ND	ND
1,1 - Dichloroethene	3.9	3.2	2.0	3.1
Tetrachloroethene	4.7	4.3	3.6	4.2
Trichloroethene	97	78	66	62
Vinyl Chloride	340	290	320	360
cis 1,2-Dichloroethene	880	570	470	530
trans 1,2-Dichloroethene	0.87	ND	ND	ND
Benzene	1.3	ND	1.9	1.1
Toluene	510	380	370	400
Xylenes	58	41	41	51
Subtotal Project VOCs	1,907	1,373	1,281	1,418
Non-Project VOCs				
Dichlorodifluoromethane (Freon 12)	2.7	2.6	2.4	2.6
Chlorodifluoromethane (Freon 22)	560	540	400	290
Subtotal Non-Project VOCs	563	543	402	293
Total VOCs ⁽³⁾	2,470	1,916	1,683	1,711

See notes on last page.

Table 4. Summary of Influent Vapor Sample Analytical Results, Bethpage Park Groundwater Containment System, Operable Unit 3 (Former Grumman Settling Ponds), Bethpage, New York. ⁽¹⁾

Notes:

- (1) Vapor samples collected by ARCADIS on the dates shown and submitted to ALS Environmental for VOC analyses per Modified USEPA Method T0-15. A VOC analyte list is provided in the DRAFT Groundwater IRM OM&M Manual (ARCADIS 2009). Influent samples were collected at Vapor Sampling Port-1 (VSP-1); refer to Figure 3 of this OM&M Report for the location of VSP-1. Data in this table corresponds to approximately the past year of system operation.
- (2) Only VOCs that are associated with the interim SPDES equivalency program, Toluene, Benzene, Xylenes, and non-project related Freon 12 and Freon 22 are included in this table. Complete VOC summary tables, including VOC TICs, are provided in Appendix C. Laboratory data qualifiers are included in the Appendix C tables.
- (3) "Total VOCs" represents the sum of individual concentrations of compounds detected. The values used in calculations referenced in this report have been rounded to the nearest whole number.
- (4) The data for the April 2013 influent sample is "estimated" because the summa cannister's vacuum was lower than laboratory protocols allow for proper quantification.

Acronyms\Key:

700	Bold data indicates that the analyte was detected at or above its reporting limit.
16	Data that is not bold indicates analyte detected but below its reporting limit; the value is estimated.
IRM	Interim remedial measure.
ND	Analyte not detected at or above its laboratory reporting limit.
OM&M	Operation, maintenance, and monitoring.
SPDES	State Pollutant Discharge Elimination System
TICs	Tentatively identified compounds.
USEPA	United States Environmental Protection Agency.
VOC	Volatile organic compound.
µg/m ³	Micrograms per cubic meter.

Table 5. Summary of Effluent Vapor Sample Analytical Results, Bethpage Park Groundwater Containment System, Operable Unit 3 (Former Grumman Settling Ponds), Bethpage, New York. ⁽¹⁾

Compound ⁽²⁾	Discharge Limit ⁽³⁾ (µg/m ³)	4/1/2013 (µg/m ³)	7/1/2013 (µg/m ³)	11/14/2013 (µg/m ³)	3/10/2014 ⁽⁹⁾ (µg/m ³)
Project VOCs					
1,1,1 - Trichloroethane	9,000	ND	ND	ND	ND
1,1 - Dichloroethane	NS	4.1	1.6	1.4	5.7
1,2 - Dichloroethane	NS	ND	ND	ND	ND
1,1 - Dichloroethene	380 ⁽⁴⁾	5.3	ND	ND	0.77
Tetrachloroethene	1,000	ND	ND	ND	ND
Trichloroethene	14,000	3.8	2.0	ND	2.3
Vinyl Chloride	180,000	42	50	2.6	14
cis 1,2-Dichloroethene	190,000 ⁽⁵⁾	43	25	4.6	58
trans 1,2-Dichloroethene	NS	ND	ND	ND	ND
Benzene	1,300	2.3	1.7	0.91	ND
Toluene	37,000	49	20	19	33
Xylenes	4,300	4.4	ND	ND	2.5
Subtotal Project VOCs	NA	154	100	29	116
Non-Project VOCs					
Dichlorodifluoromethane (Freon 12)	NS	2.8	2.7	2.5	2.8
Chlorodifluoromethane (Freon 22)	NS	560	520	400	110
Subtotal Non-Project VOCs	NA	563	523	403	113
Total VOCs ⁽⁶⁾	NA	717	623	431	229
Treatment Efficiency (Total VOCs) ⁽⁷⁾	NA	71.0%	67.5%	74.4%	86.6%
Treatment Efficiency (Project VOCs) ⁽⁸⁾	NA	91.9%	92.7%	97.8%	91.8%

See notes on last page.

Table 5. Summary of Effluent Vapor Sample Analytical Results, Bethpage Park Groundwater Containment System, Operable Unit 3 (Former Grumman Settling Ponds), Bethpage, New York. ⁽¹⁾

Notes:

- (1) Vapor samples collected by ARCADIS on the dates shown and submitted to ALS Environmental for VOC analyses per Modified USEPA Method T0-15. A VOC analyte list is provided in the DRAFT Groundwater IRM OM&M Manual (ARCADIS 2009). Effluent samples were collected at Vapor Sampling Port-5 (VSP-5); refer to Figure 3 of this OM&M Report for the location of VSP-5. Data in this tables corresponds to approximately the past year of system operation.
- (2) Only VOCs that are associated with the interim SPDES equivalency program, Toluene, Benzene, Xylenes, and non-project related Freon 12 and Freon 22 are included in this table. Complete VOC summary tables, including VOC TICs, are provided in Appendix C. Laboratory data qualifiers are included in the Appendix C tables.
- (3) Discharge limit is compound-specific SGC per the NYSDEC DAR-1 AGC/SGC tables revised October 18, 2010.
- (4) An SGC was not provided in the DAR-1 AGC/SGC Tables, dated October 18, 2010. An interim SGC was developed based on guidance of the New York State DAR-1 Guidelines for the Control of Toxic Ambient Air Contaminants, 1991 edition. Specifically for 1,1- dichloroethene, which is not defined as provided in Section IV.A.2.b.1 a high-toxicity compound, the Interim SGC = (smaller of Time Weighted Average [TWA] - Threshold Limit Value or TWA - Recommended Exposure Limit)/4.2. or $1,600 \mu\text{g}/\text{m}^3 / 4.2 = \text{approximately } 380 \mu\text{g}/\text{m}^3$. An interim SGC was developed for this compound because it has a moderate toxicity rating, as specified in the DAR-1 AGC/SGC Tables, dated October 18, 2010.
- (5) An SGC was not provided in the DAR-1 AGC/SGC Tables, dated October 18, 2010. An interim SGC was developed based on guidance provided in Section IV.A.2.b.1 of the New York State DAR-1 Guidelines for the Control of Toxic Ambient Air Contaminants, 1991 edition. Specifically for cis-1,2 dichloroethene, which is not defined as a high-toxicity compound, the interim SGC = (smaller of Time Weighted Average [TWA] - Threshold Limit Value or TWA - Recommended Exposure Limit)/4.2 or $790,000 \mu\text{g}/\text{m}^3 / 4.2 = \text{approximately } 190,000 \mu\text{g}/\text{m}^3$. An interim SGC was developed for this compound because it has a moderate toxicity rating, as specified in the DAR-1 AGC/SGC Tables, dated October 18, 2010.
- (6) "Total VOCs" represents the sum of individual concentrations of all compounds detected. The values used in calculations referenced in this report have been rounded to the nearest whole number.
- (7) Treatment efficiency was calculated by dividing the difference between the influent and effluent Total VOC concentrations by the influent Total VOC concentration. Treatment efficiency is only calculated when there is a corresponding influent sample.
- (8) Treatment efficiency was calculated by dividing the difference between the influent and effluent total Project VOC concentrations by the influent total Project VOC concentration. Treatment efficiency is only calculated when there is a corresponding influent sample.
- (9) Sample VSP-5 was retaken on March 10, 2014 due to operator error on February 18, 2014.

Acronyms/Key:

700	Bold data indicates that the analyte was detected at or above its reporting limit.
16	Data that is not bold indicates analyte detected but below its reporting limit; the value is estimated.
AGC	Annual guideline concentration.
DAR-1	Division of Air Resources Air Guidance-1
IRM	Interim remedial measure.
NA	Not applicable.
ND	Analyte not detected at or above its laboratory reporting limit.
NS	Guideline concentrations not specified in the NYSDEC DAR-1 AGC/SGC tables revised September 10, 2007. An interim SGC was not developed for these compounds because they have low toxicity ratings in the NYSDEC DAR-1 AGC/SGC tables revised October 18, 2010.
NYSDEC	New York State Department of Environmental Conservation.
OM&M	Operation, maintenance, and monitoring.
SGC	Short-term Guidance Concentration
SPDES	State Pollutant Discharge Elimination System
TICs	Tentatively identified compounds.
USEPA	United States Environmental Protection Agency.
VOC	Volatile organic compound.
$\mu\text{g}/\text{m}^3$	Micrograms per cubic meter.

Table 6. Summary of System Parameters, Bethpage Park Groundwater Containment System, Operable Unit 3 (Former Grumman Settling Ponds), Bethpage, New York.

Date ⁽¹⁾	Water Flow Rates						Water Pressures ⁽²⁾					Air Flow Rate ⁽²⁾	Air Pressures ⁽⁵⁾				Air Temp. ⁽⁵⁾	
	Remedial Well ⁽²⁾				Combined Influent ⁽³⁾	Effluent ⁽²⁾	Remedial Well Effluent ⁽⁴⁾				Effluent		ECU Influent					Effluent
	RW-1 (gpm)	RW-2 (gpm)	RW-3 (gpm)	RW-4 (gpm)			RW-1 (psi)	RW-2 (psi)	RW-3 (psi)	RW-4 (psi)		Effluent (psi)	Effluent (scfm)	GAC-501 (iwc)	GAC-502 (iwc)	PPZ-601 (iwc)	PPZ-602 (iwc)	
04/01/13	32.3	70.2	65.7	32.4	200	205	57	37	37	56	7.5	1,899	7	2.25	0.0	1.5	0.0	528
05/06/13	31.7	66.1	60.8	32.3	191	190	57	33	33	56	7 ⁽⁶⁾	1,864	6.6	2.5	0.9	2.0	0.0	536
06/06/13	31.4	76.9	78.6	30.9	218	221	57	27	51	57	8	1,811	4.4	5.0	1.7	0.5	0.0	530
07/01/13	31.2	74.9	82.6	31.3	220	229	58	20	37	57	9	2,003	5.5	6.5	2.0	1.0	0.0	534
08/05/13	33.6	82.5	81.2	31.6	229	248	56	24	38	57	9	2,029	9.0	10.0	6.5	5.0	0.0	532
09/03/13	31.3	78.4	79.4	31.3	220	250	58	22	37	57	10	1,998	9.0	10.0	6.0	4.5	0.0	540
10/07/13	34.0	75.0	78.5	31.8	220	246	55	20	37	56	9	1,868	8.4	9.0	5.5	4.5	0.0	536
11/14/13	30.4	81.2	76.5	30.3	218	259	57	26	42	57	8.5 ⁽⁷⁾	1,970	8.5 ⁽⁷⁾	9.5 ⁽⁷⁾	6.0 ⁽⁷⁾	4.5 ⁽⁷⁾	0.0 ⁽⁷⁾	530 ⁽⁷⁾
12/09/13	30.8	78.0	77.0	30.3	216	251	57	24	40	57	9	1,941	8.5	9.5	5.5	4.5	0.0	530
01/20/14	30.3	0.0	0.0	30.2	60	71	58	0.0	0.0	57	6	2,070	9.5	10.8	6.5	5.0	0.0	527
02/18/14	30.9	83.0	84.4	29.6	228	239	57	50	47	57	9	2,013	6.5	7.7	6.0	4.5	0.0	514
03/10/14	30.6	74.9	84.8	30.4	221	252	57	59	41	56	8	1,974	6.5	7.5	5.8	4.4	0.0	531

See notes on last page.

Table 6. Summary of System Parameters, Bethpage Park Groundwater Containment System, Operable Unit 3 (Former Grumman Settling Ponds), Bethpage, New York.

Notes:

- (1) Operational data collected by ARCADIS on days noted. Parameters listed were typically recorded during compliance monitoring events. Data in this table correspond to approximately the past year of system operation.
- (2) Instantaneous parameters obtained from the SCADA HMI: Water Flow Rate, Water Pressure, Air Flow Rate.
- (3) Combined influent water-flow rate is the sum of individual well flow rates via the SCADA System.
- (4) Remedial Well effluent pressure readings measured at the influent manifold within the treatment system building.
- (5) Instantaneous values from field-mounted instruments
- (6) System effluent pressure not recorded on day of sampling on May 6, 2013, the average of the next two site visits in May was used.
- (7) Values collected on November 11, 2013 during weekly site visit. No values collected on day of sampling.

Acronyms\Key:

ECU	Emission control unit.
gpm	Gallons per minute.
HMI	Human-machine interface.
iwc	Inches of water column.
psi	Pounds per square inch.
°R	Degrees Rankine.
SCADA	Supervisory Control and Data Acquisition
scfm	Standard cubic feet per minute.
Temp.	Temperature.

Table 7. Summary of Groundwater Recovered, VOC Mass Recovered, and VOC Mass Recovery Rates, Bethpage Park Groundwater Containment System, Operable Unit 3 (Former Grumman Settling Ponds), Bethpage, New York.

Operating Period ⁽¹⁾	Volume of Groundwater Recovered (x1,000 gal) ⁽²⁾					VOC Mass Recovered (lbs) ⁽³⁾															VOC Mass Recovery Rate (lbs/day) ⁽⁴⁾																			
						Total VOCs ⁽⁵⁾					Project VOCs ⁽⁶⁾					Non-Project VOCs ⁽⁷⁾					Total VOCs ⁽⁵⁾					Project VOCs ⁽⁶⁾					Non-Project VOCs ⁽⁷⁾									
	RW-1	RW-2	RW-3	RW-4	Total	RW-1	RW-2	RW-3	RW-4	Total	RW-1	RW-2	RW-3	RW-4	Total	RW-1	RW-2	RW-3	RW-4	Total	RW-1	RW-2	RW-3	RW-4	Total	RW-1	RW-2	RW-3	RW-4	Total	RW-1	RW-2	RW-3	RW-4	Total	RW-1	RW-2	RW-3	RW-4	Total
System Pilot Test, Shakedown and Startup Totals ⁽⁸⁾																																								
	137	270	251	150	808	NA	NA	NA	NA	1.1	NA	NA	NA	NA	1.0	NA	NA	NA	NA	0.1	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
2009 Totals																																								
07/21/09 - 12/30/09	6,592	13,838	16,445	6,574	43,449	0.17	275	53	14	342	0.17	273	19	0.20	293	<0.01	0.56	35	13	48	<0.01	1.7	0.33	0.086	2.1	<0.01	1.7	0.12	<0.01	1.8	<0.01	<0.01	0.22	0.080	0.30					
2010 Totals																																								
12/30/09 - 01/05/11	15,726	35,127	38,160	15,689	104,702	0.56	172	412	89	672	0.56	171	28	0.10	200	<0.01	0.17	383	89	469	<0.01	0.46	1.1	0.24	1.8	<0.01	0.46	0.075	<0.01	0.54	<0.01	<0.01	1.0	0.24	1.3					
2011 Totals																																								
01/05/11 - 01/09/12	15,218	36,570	37,682	15,196	104,666	0.36	167	271	78	516	0.36	167	35	0.09	203	<0.01	1.1	236	78	314	<0.01	0.45	0.73	0.21	1.4	<0.01	0.45	0.095	<0.01	0.55	<0.01	<0.01	0.64	0.21	0.85					
2012 Totals																																								
01/09/12 - 01/07/13	15,260	35,178	36,111	15,336	101,885	0.28	114	113	40	267	0.25	113	12	0.39	126	<0.01	1.5	101	40	141	<0.01	0.31	0.31	0.11	0.73	<0.01	0.31	0.032	<0.01	0.35	<0.01	<0.01	0.28	0.11	0.39					
2013 Totals																																								
01/07/13 - 01/06/14	15,968	37,514	36,622	16,036	106,140	0.14	111	41	18	171	0.14	110	4.3	0.36	113	<0.01	1.6	37	18	57	<0.01	0.30	0.11	0.050	0.47	<0.01	0.30	0.012	<0.01	0.31	<0.01	<0.01	0.10	0.049	0.16					
January 2014 through March 2014 Totals																																								
01/06/14 - 02/01/14	1,090	176	197	1,090	2,553	<0.01	0.50	0.095	0.77	1.4	<0.01	0.50	0.014	0.021	0.54	<0.01	<0.01	0.080	0.75	0.83	<0.01	0.019	<0.01	0.030	0.054	<0.01	0.019	<0.01	<0.01	0.021	<0.01	<0.01	<0.01	0.029	0.032					
02/01/14 - 03/01/14	1,270	3,174	3,390	1,270	9,104	<0.01	9.1	1.6	0.90	12	<0.01	8.9	0.25	0.024	9.2	<0.01	0.16	1.4	0.87	2.4	<0.01	0.33	0.057	0.032	0.43	<0.01	0.32	<0.01	<0.01	0.33	<0.01	<0.01	0.050	0.031	0.086					
03/01/14 - 04/01/14	1,421	3,553	3,850	1,421	10,245	<0.01	10	1.8	1.0	13	<0.01	10	0.28	0.027	10	<0.01	0.18	1.6	0.98	2.8	<0.01	0.32	0.058	0.032	0.42	<0.01	0.32	<0.01	<0.01	0.32	<0.01	<0.01	0.052	0.032	0.090					
Subtotal Jan - Mar 2013 ⁽¹⁰⁾	3,781	6,903	7,437	3,781	21,902	<0.01	20	3.5	2.7	26	<0.01	19	0.54	0.072	20	<0.01	0.34	3.1	2.6	6.0	<0.01	0.24	0.041	0.031	0.31	<0.01	0.22	<0.01	<0.01	0.24	<0.01	<0.01	0.036	0.031	0.071					
2014 Totals ⁽¹⁰⁾	3,781	6,903	7,437	3,781	21,902	<0.01	20	3.5	2.7	26	<0.01	19	0.54	0.072	20	<0.01	0.34	3.1	2.6	6.0	<0.01	0.24	0.041	0.031	0.31	<0.01	0.22	<0.01	<0.01	0.24	<0.01	<0.01	0.036	0.031	0.071					
Total ⁽¹¹⁾	72,682	165,400	172,708	72,762	483,552	1.5	859	894	242	1,996	1.5	853	98	1.2	956	<0.01	5.3	795	241	1,035	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA					

See notes on next page.

Table 7. Summary of Groundwater Recovered, VOC Mass Recovered, and VOC Mass Recovery Rates, Bethpage Park Groundwater Containment System, Operable Unit 3 (Former Grumman Settling Ponds), Bethpage, New York.

Notes:

- (1) Represents operating period between consecutive monitoring events.
- (2) Volume of groundwater recovered is based on individual local well totalized flow readings. Listed value is the difference between totalized flow values recorded between consecutive monitoring events. The total groundwater recovered during a given operating period is the sum of the individual well flow totals. Values shown are rounded to the nearest gallon, but should only be considered accurate to two significant figures to account for error associated with field measurements.
- (3) Mass recovered per well was calculated by multiplying the Total VOC concentration from the most recent sampling event by the number of gallons extracted during the reporting period. The total amount recovered during a given operating period is the sum of masses recovered from each of the individual wells. Values less than ten pounds are presented using two significant figures and values greater than ten pounds have been rounded to the nearest whole number; however, these values should only be considered accurate to two significant figures to account for error associated with field measurements and analytical data.
- (4) Mass recovery rates were calculated by dividing the total mass recovered for each well and for the system by the number of days in the respective operating period. Values are presented using two significant figures.
- (5) "Total VOCs" represents the sum of individual concentrations of the VOCs detected.
- (6) "Project VOCs" represents the sum of individual compound concentrations of 1,1,1-trichloroethane; 1,1-dichloroethane; 1,2-dichloroethane; 1,1-dichloroethene; tetrachloroethene; trichloroethylene; vinyl chloride; cis-1,2-dichloroethene; trans-1,2-dichloroethene; benzene; toluene; and xylenes-o,m, and p.
- (7) "Non-Project VOCs" represents the difference between Total VOCs and Project VOCs.
- (8) Values based on operational data recorded prior to system startup on July 21, 2009.
- (9) Starting with the January 2013 site visit the totalized water flow readings are recorded from the SCADA HMI.
- (10) The volume of groundwater recovered and mass recovered calculations represent the operational period between January 6, 2014 and April 1, 2014.
- (11) "Total" refers to the amounts removed by the Operable Unit 3 Bethpage Park Groundwater Containment System.

Acronyms/Key:

IRM	Interim Remedial Measure.
gal	Gallons.
HMI	Human-machine interface.
lbs	Pounds.
lbs/day	Pounds per day.
NA	Not applicable.
SCADA	Supervisory Control and Data Acquisition
VOC	Volatile organic compound.
<	Less than.

Table 8. Summary of Air Emissions Model Output, Bethpage Park Groundwater Containment System, Operable Unit 3 (Former Grumman Settling Ponds), Bethpage, New York.

Compound ⁽¹⁾	AGC ⁽²⁾ ($\mu\text{g}/\text{m}^3$)	Percent of MASC Per Event ⁽³⁾				Percent AGC ⁽⁴⁾
		4/1/13	7/1/13	11/14/13	3/10/2014 ⁽⁵⁾	
1,1 - Dichloroethane	0.63	0.10%	0.04%	0.03%	0.14%	0.07%
1,1 - Dichloroethene	70	0.00%	0.00%	0.00%	0.00%	0.00%
Acetone	30,000	0.00%	0.00%	0.00%	0.00%	0.00%
Carbon Disulfide	700	0.00%	0.00%	0.00%	0.00%	0.00%
Chloroform	0.043	1.76%	0.99%	1.04%	6.45%	2.70%
Ethylbenzene	1,000	0.00%	0.00%	0.00%	0.00%	0.00%
Xylenes (o)	100	0.00%	0.00%	0.00%	0.00%	0.00%
Xylenes (m,p)	100	0.00%	0.00%	0.00%	0.00%	0.00%
Trichloroethene	0.5	0.12%	0.06%	0.00%	0.00%	0.03%
Vinyl Chloride	0.11	5.91%	6.88%	0.36%	1.96%	3.09%
cis 1,2 Dichloroethene	63	0.01%	0.01%	0.00%	0.01%	0.01%
trans 1,2 Dichloroethene	63	0.00%	0.00%	0.00%	0.00%	0.00%
Benzene	0.13	0.27%	0.20%	0.11%	0.00%	0.12%
Toluene	5,000	0.00%	0.00%	0.00%	0.00%	0.00%
Trichlorofluoromethane (Freon 11)	5,000	0.00%	0.00%	0.00%	0.00%	0.00%
Dichlorodifluoromethane (Freon 12)	12,000	0.00%	0.00%	0.00%	0.00%	0.00%
Chlorodifluoromethane (Freon 22)	50,000	0.00%	0.00%	0.00%	0.00%	0.00%

See notes on last page

Table 8. Summary of Air Emissions Model Output, Bethpage Park Groundwater Containment System, Operable Unit 3 (Former Grumman Settling Ponds), Bethpage, New York.

Notes:

- (1) Only VOCs that were detected in the effluent vapor sample (VSP-5) over the past year of system operation are included in this table.
- (2) Compound-specific AGC values per the NYSDEC DAR-1 AGC/SGC tables, revised October 18, 2010. NYSDEC DAR-1 AGCs were scaled using the results of a site-specific annual USEPA SCREEN 3 model to calculate the annual MASC per monitoring event.
- (3) Percent of AGC (or Percent MASC) was calculated by dividing the actual effluent concentration by the site-specific annual MASC. Detailed calculations are included in Appendix D.
- (4) Percent AGC is the 12-month average at the end of the reporting period. The Percent AGC was calculated by time-weighting the "Percent MASCs" for the individual sampling events over the past year. MASCs are typically calculated once per quarter, thus the MASCs for each month within a quarter are assumed to be the same.
- (5) Sample VSP-5 was retaken on March 10, 2014 due to operator error on February 18, 2014.

Acronyms/Key:

AGC	Annual Guideline Concentration.
DAR-1	Division of Air Resources Air Guidance-1.
MASC	Maximum allowable stack concentration.
NYSDEC	New York State Department of Environmental Conservation.
SGC	Short-term Guideline Concentration.
USEPA	U.S. Environmental Protection Agency
VOC	Volatile organic compound
$\mu\text{g}/\text{m}^3$	micrograms per cubic meter

Table 9. Concentrations of Volatile Organic Compounds in Groundwater Samples Collected from Remedial Wells, Bethpage Park Groundwater Containment System, Operable Unit 3 (Former Grumman Settling Ponds), Bethpage, New York. (1)

COMPOUND (µg/L)	Sample Location:	RW-1	RW-1	RW-1	RW-1	RW-1	RW-1
	Sample Date:	7/29/2009	8/12/2009	9/10/2009	11/10/2009	12/2/2009	2/2/2010
	NYSDEC SCGs						
1,1,1-Trichloroethane	5	< 5	< 5	< 5	< 5	< 5	< 5
1,1,2,2-Tetrachloroethane	5	< 5	< 5	< 5	< 5	< 5	< 5
1,1,2-Trichloroethane	1	< 5	< 5	< 5	< 5	< 5	< 5
1,1-Dichloroethane	5	< 5	< 5	< 5	< 5	< 5	< 5
1,1-Dichloroethene	5	< 5	< 5	< 5	< 5	< 5	< 5
1,2-Dichloroethane	0.6	< 5	< 5	< 5	< 5	< 5	< 5
1,2-Dichloropropane	1	< 5	< 5	< 5	< 5	< 5	< 5
2-Butanone	NE	6.5 J	< 50	< 50	< 50	< 50	< 50
2-Hexanone	50	< 50	< 50	< 50	< 50	< 50	< 50
4-methyl-2-pentanone	50	< 50	< 50	< 50	< 50	< 50	< 50
Acetone	NE	3.5 J	< 50	2.9 J	1.5 J	< 50	< 50
Benzene	1	< 0.7	< 0.7	< 0.7	< 0.7	< 0.7	< 0.7
Bromodichloromethane	50	< 5	< 5	< 5	< 5	< 5	< 5
Bromoform	50	< 5	< 5	< 5	< 5	< 5	< 5
Bromomethane	5	< 5	< 5	< 5	< 5	< 5 R	< 5
Carbon Disulfide	60	< 5	< 5	< 5	< 5	< 5	< 5
Carbon tetrachloride	5	< 5	< 5	< 5	< 5	< 5	< 5
Chlorobenzene	5	< 5	< 5	< 5	< 5	< 5	< 5
Chlorodifluoromethane (Freon 22)	NE	< 5	< 5	< 5	< 5	< 5	< 5
Chloroethane	5	< 5	< 5	< 5	< 5	< 5	< 5
Chloroform	7	3.0 J	2.4 J	1.9 J	1.4 J	1.3 J	0.8 J
Chloromethane	5	< 5	< 5	< 5	< 5	< 5 R	< 5
cis-1,2-dichloroethene	5	1.5 J	1.5 J	1.4 J	1.5 J	1.7 J	1.5 J
cis-1,3-dichloropropene	0.4	< 5	< 5	< 5	< 5	< 5	< 5
Dibromochloromethane	50	< 5	< 5	< 5	< 5	< 5	< 5
Dichlorodifluoromethane (Freon 12)	5	< 5	< 5	< 5	< 5	< 5	< 5
Ethylbenzene	5	< 5	< 5	< 5	< 5	< 5	< 5
Methyl tert-Butyl Ether	5	--	--	--	--	--	< 5
Methylene Chloride	5	< 5	< 5	< 5	< 5	< 5	< 5
Styrene	5	< 5	< 5	< 5	< 5	< 5	< 5
Tetrachloroethene	5	< 5	< 5	< 5	< 5	< 5	< 5
Toluene	5	< 5	< 5	< 5	< 5	< 5	< 5
trans-1,2-dichloroethene	5	< 5	< 5	< 5	< 5	< 5	< 5
trans-1,3-dichloropropene	0.4	< 5	< 5	< 5	< 5	< 5	< 5
Trichloroethylene	5	1.3 J	1.7 J	1.5 J	1.8 J	2 J	2 J
Trichlorofluoromethane (CFC-11)	5	--	--	--	--	--	< 5
Trichlorotrifluoroethane (Freon 113)	5	< 5	< 5	< 5	< 5	< 5	< 5
Vinyl Chloride	2	< 2	< 2	< 2	< 2	< 2	< 2
Xylene-o	5	< 5	< 5	< 5	< 5	< 5	< 5
Xylenes - m,p	5	< 5	< 5	< 5	< 5	< 5	< 5
Total VOCs ⁽²⁾		15.8	5.6	7.7	6.2	5.0	4.3
Project VOCs ⁽³⁾		2.8	3.2	2.9	3.3	3.7	3.5

See notes on last page.

Table 9. Concentrations of Volatile Organic Compounds in Groundwater Samples Collected from Remedial Wells, Bethpage Park Groundwater Containment System, Operable Unit 3 (Former Grumman Settling Ponds), Bethpage, New York. (1)

COMPOUND (µg/L)	Sample Location: Sample Date:	RW-1 4/12/2010	RW-1 7/20/2010	RW-1 10/4/2010	RW-1 1/10/2011	RW-1 4/8/2011	RW-1 7/8/2011
	NYSDEC SCGs						
1,1,1-Trichloroethane	5	< 5	< 5	< 5	< 5	< 5	< 5
1,1,2,2-Tetrachloroethane	5	< 5	< 5	< 5	< 5	< 5	< 5
1,1,2-Trichloroethane	1	< 5	< 5	< 5	< 5	< 5	< 5
1,1-Dichloroethane	5	< 5	< 5	< 5	< 5	< 5	< 5
1,1-Dichloroethene	5	< 5	< 5	< 5	< 5	< 5	< 5
1,2-Dichloroethane	0.6	< 5	< 5	< 5	< 5	< 5	< 5
1,2-Dichloropropane	1	< 5	< 5	< 5	< 5	< 5	< 5
2-Butanone	NE	< 50	< 50	< 50	< 50	< 50	< 50
2-Hexanone	50	< 50	< 50	< 50	< 50	< 50	< 50
4-methyl-2-pentanone	50	< 50	< 50	< 50	< 50	< 50	< 50
Acetone	NE	< 50	< 50	< 50	< 50	< 50	< 50
Benzene	1	< 0.7	< 0.7	< 0.7	< 0.7	< 0.7	< 0.7
Bromodichloromethane	50	< 5	< 5	< 5	< 5	< 5	< 5
Bromoform	50	< 5	< 5	< 5	< 5	< 5	< 5
Bromomethane	5	< 5	< 5	< 5	< 5	< 5	< 5
Carbon Disulfide	60	< 5	< 5	< 5	< 5	< 5	< 5
Carbon tetrachloride	5	< 5	< 5	< 5	< 5	< 5	< 5
Chlorobenzene	5	< 5	< 5	< 5	< 5	< 5	< 5
Chlorodifluoromethane (Freon 22)	NE	< 5	< 5	< 5	< 5	< 5	< 5
Chloroethane	5	< 5	< 5	< 5	< 5	< 5	< 5
Chloroform	7	0.42 J	0.36 J	0.31 J	< 5	< 5	< 5
Chloromethane	5	< 5	< 5	< 5	< 5	< 5	< 5
cis-1,2-dichloroethene	5	1.5 J	2.0 J	1.3 J	1.3 J	0.81 J	0.78 J
cis-1,3-dichloropropene	0.4	< 5	< 5	< 5	< 5	< 5	< 5
Dibromochloromethane	50	< 5	< 5	< 5	< 5	< 5	< 5
Dichlorodifluoromethane (Freon 12)	5	< 5	< 5	< 5	< 5	< 5	< 5
Ethylbenzene	5	< 5	< 5	< 5	< 5	< 5	< 5
Methyl tert-Butyl Ether	5	< 5	< 5	< 5	< 5	< 5	< 5
Methylene Chloride	5	< 5	< 5	< 5	< 5	< 5	< 5
Styrene	5	< 5	< 5	< 5	< 5	< 5	< 5
Tetrachloroethene	5	< 5	< 5	< 5	< 5	< 5	< 5
Toluene	5	< 5	< 5	< 5	< 5	< 5	< 5
trans-1,2-dichloroethene	5	< 5	< 5	< 5	< 5	< 5	< 5
trans-1,3-dichloropropene	0.4	< 5	< 5	< 5	< 5	< 5	< 5
Trichloroethylene	5	2.4 J	3.4 J	3 J	2.4 J	1.9 J	1.8 J
Trichlorofluoromethane (CFC-11)	5	< 5	< 5	< 5	< 5	< 5	< 5
Trichlorotrifluoroethane (Freon 113)	5	< 5	< 5	< 5	< 5	< 5	< 5
Vinyl Chloride	2	< 2	< 2	< 2	< 2	< 2	< 2
Xylene-o	5	< 5	< 5	< 5	< 5	< 5	< 5
Xylenes - m,p	5	< 5	< 5	< 5	< 5	< 5	< 5
Total VOCs ⁽²⁾		4.3	5.8	4.6	3.7	2.7	2.6
Project VOCs ⁽³⁾		3.9	5.4	4.3	3.7	2.7	2.6

See notes on last page.

Table 9. Concentrations of Volatile Organic Compounds in Groundwater Samples Collected from Remedial Wells, Bethpage Park Groundwater Containment System, Operable Unit 3 (Former Grumman Settling Ponds), Bethpage, New York. (1)

COMPOUND (µg/L)	Sample Location:	RW-1	RW-1	RW-1	RW-1	RW-1	RW-1
	Sample Date:	10/3/2011	1/9/2012	4/3/2012	7/2/2012	10/1/2012	1/7/2013
	NYSDEC						
	<u>SCGs</u>						
1,1,1-Trichloroethane	5	< 5	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U
1,1,2,2-Tetrachloroethane	5	< 5	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U
1,1,2-Trichloroethane	1	< 5	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U
1,1-Dichloroethane	5	< 5	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U
1,1-Dichloroethene	5	< 5	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U
1,2-Dichloroethane	0.6	< 5	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U
1,2-Dichloropropane	1	< 5	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U
2-Butanone	NE	< 50	< 50 U	< 50 U	< 50 U	< 50 U	< 50 U
2-Hexanone	50	< 50	< 50 U	< 50 U	< 50 U	< 50 U	< 50 U
4-methyl-2-pentanone	50	< 50	< 50 U	< 50 U	< 50 U	< 50 U	< 50 U
Acetone	NE	< 50	< 50 U	< 50 U	< 50 U	< 50 U	< 50 U
Benzene	1	< 0.7	< 0.7 U	< 0.7 U	< 0.7 U	< 0.7 U	< 0.7 U
Bromodichloromethane	50	< 5	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U
Bromoform	50	< 5	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U
Bromomethane	5	< 5	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U
Carbon Disulfide	60	< 5	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U
Carbon tetrachloride	5	< 5	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U
Chlorobenzene	5	< 5	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U
Chlorodifluoromethane (Freon 22)	NE	< 5	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U
Chloroethane	5	< 5	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U
Chloroform	7	< 5	0.22 J	0.21 J	0.23 J	< 5 U	< 5 U
Chloromethane	5	< 5	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U
cis-1,2-dichloroethene	5	0.94 J	0.95 J	0.65 J	0.58 J	0.37 J	0.34 J
cis-1,3-dichloropropene	0.4	< 5	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U
Dibromochloromethane	50	< 5	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U
Dichlorodifluoromethane (Freon 12)	5	< 5	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U
Ethylbenzene	5	< 5	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U
Methyl tert-Butyl Ether	5	< 5	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U
Methylene Chloride	5	< 5	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U
Styrene	5	< 5	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U
Tetrachloroethene	5	< 5	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U
Toluene	5	< 5	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U
trans-1,2-dichloroethene	5	< 5	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U
trans-1,3-dichloropropene	0.4	< 5	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U
Trichloroethylene	5	1.8 J	1.8 J	1.7 J	1.4 J	0.95 J	0.86 J
Trichlorofluoromethane (CFC-11)	5	< 5	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U
Trichlorotrifluoroethane (Freon 113)	5	< 5	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U
Vinyl Chloride	2	< 2	< 2 U	< 2 U	< 2 U	< 2 U	< 2 U
Xylene-o	5	< 5	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U
Xylenes - m,p	5	< 5	< 5 U	< 5 U	< 5 U	< 5 U	< 5 U
Total VOCs ⁽²⁾		2.7	3.0	2.6	2.2	1.3	1.2
Project VOCs ⁽³⁾		2.7	2.8	2.4	2.0	1.3	1.2

See notes on last page.

Table 9. Concentrations of Volatile Organic Compounds in Groundwater Samples Collected from Remedial Wells, Bethpage Park Groundwater Containment System, Operable Unit 3 (Former Grumman Settling Ponds), Bethpage, New York. (1)

COMPOUND (µg/L)	Sample Location:	RW-1	RW-1	RW-1	RW-1
	Sample Date:	4/1/2013	7/1/2013	11/14/2013	2/18/2014
	NYSDEC SCGs				
1,1,1-Trichloroethane	5	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U
1,1,2,2-Tetrachloroethane	5	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U
1,1,2-Trichloroethane	1	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U
1,1-Dichloroethane	5	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U
1,1-Dichloroethene	5	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U
1,2-Dichloroethane	0.6	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U
1,2-Dichloropropane	1	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U
2-Butanone	NE	< 50 U	< 50 U	< 50 U	< 50 U
2-Hexanone	50	< 50 U	< 50 U	< 50 U	< 50 U
4-methyl-2-pentanone	50	< 50 U	< 50 U	< 50 U	< 50 U
Acetone	NE	< 50 U	< 50 U	< 50 U	< 50 U
Benzene	1	< 0.70 U	< 0.70 U	< 0.70 U	< 0.70 U
Bromodichloromethane	50	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U
Bromoform	50	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U
Bromomethane	5	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U
Carbon Disulfide	60	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U
Carbon tetrachloride	5	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U
Chlorobenzene	5	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U
Chlorodifluoromethane (Freon 22)	NE	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U
Chloroethane	5	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U
Chloroform	7	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U
Chloromethane	5	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U
cis-1,2-dichloroethene	5	0.40 J	0.24 J	0.25 J	< 5.0 U
cis-1,3-dichloropropene	0.4	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U
Dibromochloromethane	50	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U
Dichlorodifluoromethane (Freon 12)	5	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U
Ethylbenzene	5	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U
Methyl tert-Butyl Ether	5	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U
Methylene Chloride	5	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U
Styrene	5	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U
Tetrachloroethene	5	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U
Toluene	5	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U
trans-1,2-dichloroethene	5	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U
trans-1,3-dichloropropene	0.4	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U
Trichloroethylene	5	0.70 J	0.77 J	0.77 J	0.67 J
Trichlorofluoromethane (CFC-11)	5	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U
Trichlorotrifluoroethane (Freon 113)	5	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U
Vinyl Chloride	2	< 2.0 U	< 2.0 U	< 2.0 U	< 2.0 U
Xylene-o	5	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U
Xylenes - m,p	5	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U
Total VOCs ⁽²⁾		1.1	1.0	1.0	0.67
Project VOCs ⁽³⁾		1.1	1.0	1.0	0.67

See notes on last page.

Table 9. Concentrations of Volatile Organic Compounds in Groundwater Samples Collected from Remedial Wells, Bethpage Park Groundwater Containment System, Operable Unit 3 (Former Grumman Settling Ponds), Bethpage, New York. (1)

COMPOUND (µg/L)	Sample Location: Sample Date:	RW-2 7/29/2009	RW-2 8/12/2009	RW-2 9/10/2009	RW-2 11/10/2009	RW-2 12/2/2009	RW-2 2/2/2010
	NYSDEC SCGs						
1,1,1-Trichloroethane	5	< 100	< 100	< 50	< 25	< 25	< 25
1,1,2,2-Tetrachloroethane	5	< 100	< 100	< 50	< 25	< 25	< 25
1,1,2-Trichloroethane	1	< 100	< 100	< 50	< 25	< 25	< 25
1,1-Dichloroethane	5	9.2 J	8.8 J	6.4 J	5.2 J	5.3 J	3.5 J
1,1-Dichloroethene	5	< 100	< 100	< 50	2.9 J	3.1 J	< 25
1,2-Dichloroethane	0.6	< 100	< 100	< 50	< 25	< 25	< 25
1,2-Dichloropropane	1	< 100	< 100	< 50	< 25	< 25	< 25
2-Butanone	NE	< 1000	< 1000	< 500	< 250	< 250	< 250
2-Hexanone	50	< 1000	< 1000	< 500	< 250	< 250	< 250
4-methyl-2-pentanone	50	< 1000	< 1000	< 500	< 250	< 250	< 250
Acetone	NE	< 1000	< 1000	< 500	< 250	< 250	< 250
Benzene	1	< 14	< 14	< 7	< 3.5	< 3.5	< 3.5
Bromodichloromethane	50	< 100	< 100	< 50	< 25	< 25	< 25
Bromoform	50	< 100	< 100	< 50	< 25	< 25	< 25
Bromomethane	5	< 100	< 100	< 50	< 25	< 25 R	< 25
Carbon Disulfide	60	< 100	< 100	< 50	< 25	< 25	< 25
Carbon tetrachloride	5	< 100	< 100	< 50	< 25	< 25	< 25
Chlorobenzene	5	< 100	< 100	< 50	< 25	< 25	< 25
Chlorodifluoromethane (Freon 22)	NE	< 100	< 100	4 J	3.5 J	3.3 J	< 25
Chloroethane	5	< 100	< 100	< 50	< 25	< 25	< 25
Chloroform	7	< 100	< 100	3.4 J	3 J	2.3 J	2 J
Chloromethane	5	< 100	< 100	< 50	< 25	< 25 R	< 25
cis-1,2-dichloroethene	5	2,600	2,300	1,300	930	880	590
cis-1,3-dichloropropene	0.4	< 100	< 100	< 50	< 25	< 25	< 25
Dibromochloromethane	50	< 100	< 100	< 50	< 25	< 25	< 25
Dichlorodifluoromethane (Freon 12)	5	< 100	< 100	< 50	< 25	< 25	< 25
Ethylbenzene	5	13 J	7.2 J	4.8 J	6.4 J	5.1 J	1.8 J
Methyl tert-Butyl Ether	5	--	--	--	--	--	< 25
Methylene Chloride	5	< 100	< 100	< 50	< 25	< 25	< 25
Styrene	5	< 100	< 100	< 50	< 25	< 25	< 25
Tetrachloroethene	5	< 100	< 100	< 50	< 25	< 25	< 25
Toluene	5	520	170	190	200	150	49
trans-1,2-dichloroethene	5	12 J	21 J	32 J	6.2 J	2.1 J	49
trans-1,3-dichloropropene	0.4	< 100	< 100	< 50	< 25	< 25	< 25
Trichloroethylene	5	46 J	30 J	52	59	63	46
Trichlorofluoromethane (CFC-11)	5	--	--	--	--	--	< 25
Trichlorotrifluoroethane (Freon 113)	5	< 100	< 100	< 50	< 25	< 25	< 25
Vinyl Chloride	2	630	670	370	210	210	83
Xylene-o	5	14 J	9.4 J	5.4 J	6 J	4.9 J	< 25
Xylenes - m,p	5	27 J	9.2 J	7.9 J	11 J	9 J	< 25
Total VOCs ⁽²⁾		3,871	3,226	1,976	1,443	1,338	824
Project VOCs ⁽³⁾		3,849	3,210	1,957	1,430	1,327	821

See notes on last page.

Table 9. Concentrations of Volatile Organic Compounds in Groundwater Samples Collected from Remedial Wells, Bethpage Park Groundwater Containment System, Operable Unit 3 (Former Grumman Settling Ponds), Bethpage, New York. (1)

COMPOUND (µg/L)	Sample Location: Sample Date:	RW-2 2/2/2010	RW-2 4/12/2010	RW-2 (dup) 4/12/2010	RW-2 7/20/2010	RW-2 10/4/2010	RW-2 1/10/2011
	NYSDEC SCGs						
1,1,1-Trichloroethane	5	< 25	< 13	< 13	< 13	< 13	0.78 J
1,1,2,2-Tetrachloroethane	5	< 25	< 13	< 13	< 13	< 13	< 13
1,1,2-Trichloroethane	1	< 25	< 13	< 13	< 13	< 13	< 13
1,1-Dichloroethane	5	3.9 J	3.2 J	3.6 J	2.3 J	2.2 J	3.5 J
1,1-Dichloroethene	5	< 25	3 J	3 J	2.1 J	2.2 J	4.9 J
1,2-Dichloroethane	0.6	< 25	< 13	< 13	< 13	< 13	< 13
1,2-Dichloropropane	1	< 25	< 13	< 13	< 13	< 13	< 13
2-Butanone	NE	< 250	< 130	< 130	< 130	< 130	< 130
2-Hexanone	50	< 250	< 130	< 130	< 130	< 130	< 130
4-methyl-2-pentanone	50	< 250	< 130	< 130	< 130	< 130	< 130
Acetone	NE	< 250	< 130	< 130	< 130	< 130 B	< 130 B
Benzene	1	< 3.5	< 1.8	< 1.8	< 1.8	< 1.8	< 1.8
Bromodichloromethane	50	< 25	< 13	< 13	< 13	< 13	< 13
Bromoform	50	< 25	< 13	< 13	< 13	< 13	< 13
Bromomethane	5	< 25	< 13	< 13	< 13	< 13	< 13
Carbon Disulfide	60	< 25	< 13	< 13	< 13	< 13	< 13
Carbon tetrachloride	5	< 25	< 13	< 13	< 13	< 13	< 13
Chlorobenzene	5	< 25	< 13	< 13	< 13	< 13	< 13
Chlorodifluoromethane (Freon 22)	NE	2.6 J	1.7 J	1.7 J	1.1 J	1 J	1.4 J
Chloroethane	5	< 25	< 13	< 13	< 13	< 13	< 13
Chloroform	7	1.7 J	1.5 J	1.6 J	1.4 J	1.9 J	1.9 J
Chloromethane	5	< 25	< 13	< 13	< 13	< 13	< 13
cis-1,2-dichloroethene	5	590	480	440 D	310	270	460
cis-1,3-dichloropropene	0.4	< 25	< 13	< 13	< 13	< 13	< 13
Dibromochloromethane	50	< 25	< 13	< 13	< 13	< 13	< 13
Dichlorodifluoromethane (Freon 12)	5	< 25	< 13	< 13	< 13	< 13	< 13
Ethylbenzene	5	1.5 J	2.2 J	2.1 J	1.7 J	1.5 J	2.6 J
Methyl tert-Butyl Ether	5	< 25	< 13	< 13	< 13	< 13	< 13
Methylene Chloride	5	1.2 J	< 13	< 13	< 13	< 13	< 13
Styrene	5	< 25	< 13	< 13	< 13	< 13	< 13
Tetrachloroethene	5	< 25	< 13	< 13	< 13	< 13	< 13
Toluene	5	52	71	73	35	25	62
trans-1,2-dichloroethene	5	31	< 13	3.4 J	0.95 J	< 13	< 13
trans-1,3-dichloropropene	0.4	< 25	< 13	< 13	< 13	< 13	< 13
Trichloroethylene	5	44	43	45	35	36	51
Trichlorofluoromethane (CFC-11)	5	< 13	< 13	< 13	< 13	< 13	< 13
Trichlorotrifluoroethane (Freon 113)	5	< 25	< 13	< 13	< 13	< 13	< 13
Vinyl Chloride	2	93	94	96	54	45	87
Xylene-o	5	1.3 J	2.2 J	2.3 J	1.3 J	0.9 J	2.6 J
Xylenes - m,p	5	1.9 J	3.5 J	3.4 J	2.4 J	1.9 J	3.8 J
Total VOCs ⁽²⁾		824	705	675	447	388	681
Project VOCs ⁽³⁾		817	699	670	443	383	676

See notes on last page.

Table 9. Concentrations of Volatile Organic Compounds in Groundwater Samples Collected from Remedial Wells, Bethpage Park Groundwater Containment System, Operable Unit 3 (Former Grumman Settling Ponds), Bethpage, New York. (1)

COMPOUND (µg/L)	Sample Location: Sample Date:	RW-2 6/8/2011	RW-2 7/8/2011	RW-2 10/3/2011	RW-2 1/9/2012	RW-2 4/3/2012	RW-2 (dup.) 4/3/2012
	NYSDEC SCGs						
1,1,1-Trichloroethane	5	1.1 J	0.93 J	0.73 J	< 13 U	0.52 J	< 10 U
1,1,2,2-Tetrachloroethane	5	< 5	< 13	< 13 U	< 13 U	< 10 U	< 10 U
1,1,2-Trichloroethane	1	< 5	< 13	< 13 U	< 13 U	< 10 U	< 10 U
1,1-Dichloroethane	5	3.1 J	2.4 J	2.0 J	1.7 J	1.4 J	1.6 J
1,1-Dichloroethene	5	2.8 J	2.7 J	1.7 J	0.98 J	0.92 J	0.84 J
1,2-Dichloroethane	0.6	< 5	< 13	< 13 U	< 13 U	< 10 U	< 10 U
1,2-Dichloropropane	1	0.38 J	< 13	< 13 U	< 13 U	< 10 U	< 10 U
2-Butanone	NE	< 50	< 130	< 130 U	< 130 U	< 100 U	< 100 U
2-Hexanone	50	< 50	< 130	< 130 U	< 130 U	< 100 U	< 100 U
4-methyl-2-pentanone	50	< 50	< 130	< 130 U	< 130 U	< 100 U	< 100 U
Acetone	NE	< 50	< 130	< 130 UB	3.4 J	< 100 U	1.5 J
Benzene	1	< 0.7	< 1.8	< 1.8 U	< 1.8 U	< 1.4 U	< 1.4 U
Bromodichloromethane	50	< 5	< 13	< 13 U	< 13 U	< 10 U	< 10 U
Bromoform	50	< 5	< 13	< 13 U	< 13 U	< 10 U	< 10 U
Bromomethane	5	< 5	< 13	< 13 U	< 13 U	< 10 U	< 10 U
Carbon Disulfide	60	< 5	< 13	< 13 U	< 13 U	< 10 U	< 10 U
Carbon tetrachloride	5	< 5	< 13	< 13 U	< 13 U	< 10 U	< 10 U
Chlorobenzene	5	< 5	< 13	< 13 U	< 13 U	< 10 U	< 10 U
Chlorodifluoromethane (Freon 22)	NE	0.98 J	1.3 J	0.60 J	0.95 J	0.64 J	0.48 J
Chloroethane	5	< 5	< 13	< 13 U	< 13 U	< 10 U	< 10 U
Chloroform	7	1.3 J	1.3 J	1.1 J	1.4 J	1 J	1.1 J
Chloromethane	5	< 5	< 13	< 13 U	< 13 U	< 10 U	< 10 U
cis-1,2-dichloroethene	5	300 D	320	280	260	220	220
cis-1,3-dichloropropene	0.4	< 5	< 13	< 13 U	< 13 U	< 10 U	< 10 U
Dibromochloromethane	50	< 5	< 13	< 13 U	< 13 U	< 10 U	< 10 U
Dichlorodifluoromethane (Freon 12)	5	< 5	< 13	< 13 U	< 13 U	< 10 U	< 10 U
Ethylbenzene	5	1.7 J	2.4 J	2.5 J	2.4 J	1.5 J	1.6 J
Methyl tert-Butyl Ether	5	< 5	< 13	< 13 U	< 13 U	< 10 U	< 10 U
Methylene Chloride	5	< 5	< 13	< 13 U	< 13 U	< 10 U	< 10 U
Styrene	5	< 5	< 13	< 13 U	< 13 U	< 10 U	< 10 U
Tetrachloroethene	5	0.43 J	< 13	0.58 J	< 13 U	< 10 U	< 10 U
Toluene	5	62	81	72	81	60	61
trans-1,2-dichloroethene	5	0.42 J	< 13	0.63 J	< 13 U	0.46 J	< 10 U
trans-1,3-dichloropropene	0.4	< 5	< 13	< 13 U	< 13 U	< 10 U	< 10 U
Trichloroethylene	5	30	25	25	23	18	18
Trichlorofluoromethane (CFC-11)	5	< 5 U	< 13	< 13 U	< 13 U	< 10 U	< 10 U
Trichlorotrifluoroethane (Freon 113)	5	< 5	< 13	< 13 U	< 13 U	< 10 U	< 10 U
Vinyl Chloride	2	88	67	55	59	54	54
Xylene-o	5	2.6 J	2.6 J	2.6 J	2.6 J	2.2 J	2.3 J
Xylenes - m,p	5	4.5 J	4.6 J	4.2 J	4.7 J	3.6 J	4.1 J
Total VOCs ⁽²⁾		499	511	449	441	364	367
Project VOCs ⁽³⁾		495	506	444	433	361	362

See notes on last page.

Table 9. Concentrations of Volatile Organic Compounds in Groundwater Samples Collected from Remedial Wells, Bethpage Park Groundwater Containment System, Operable Unit 3 (Former Grumman Settling Ponds), Bethpage, New York. (1)

COMPOUND (µg/L)	Sample Location: Sample Date:	RW-2 7/2/2012	RW-2 10/1/2012	RW-2 1/7/2013	RW-2 4/1/2013	RW-2 (dup.) 4/1/2013	RW-2 7/1/2013
	NYSDEC SCGs						
1,1,1-Trichloroethane	5	0.46 J	0.51 J	0.41 J	0.39 J	0.37 J	0.27 J
1,1,2,2-Tetrachloroethane	5	< 5 U	< 5 U	< 5 U	< 5.0 U	< 5.0 U	< 5.0 U
1,1,2-Trichloroethane	1	< 5 U	< 5 U	< 5 U	< 5.0 U	< 5.0 U	< 5.0 U
1,1-Dichloroethane	5	1.5 J	1.6 J	1.6 J	1.8 J	2.0 J	1.5 J
1,1-Dichloroethene	5	1.2 J	1 J	0.82 J	0.85 J	0.83 J	0.77 J
1,2-Dichloroethane	0.6	< 5 U	< 5 U	< 5 U	< 5.0 U	< 5.0 U	< 5.0 U
1,2-Dichloropropane	1	< 5 U	0.28 J	< 5 U	< 5.0 U	0.47 J	< 5.0 U
2-Butanone	NE	< 50 U	< 50 U	< 50 U	< 50 U	< 50 U	< 50 U
2-Hexanone	50	< 50 U	< 50 U	< 50 U	< 50 U	< 50 U	< 50 U
4-methyl-2-pentanone	50	< 50 U	< 50 U	< 50 U	< 50 U	< 50 U	< 50 U
Acetone	NE	< 50 U	< 50 U	< 50 U	< 50 U	< 50 U	< 50 U
Benzene	1	< 0.7 U	< 0.7 U	< 0.7 U	< 0.70 U	< 0.70 U	< 0.70 U
Bromodichloromethane	50	< 5 U	< 5 U	< 5 U	< 5.0 U	< 5.0 U	< 5.0 U
Bromoform	50	< 5 U	< 5 U	< 5 U	< 5.0 U	< 5.0 U	< 5.0 U
Bromomethane	5	< 5 U	< 5 U	< 5 U	< 5.0 U	< 5.0 U	< 5.0 U
Carbon Disulfide	60	< 5 U	< 5 U	< 5 U	< 5.0 U	< 5.0 U	< 5.0 U
Carbon tetrachloride	5	< 5 U	< 5 U	< 5 U	< 5.0 U	< 5.0 U	< 5.0 U
Chlorobenzene	5	0.22 J	< 5 U	< 5 U	< 5.0 U	< 5.0 U	< 5.0 U
Chlorodifluoromethane (Freon 22)	NE	0.44 J	0.4 J	0.33 J	< 5.0 U	< 5.0 U	< 5.0 U
Chloroethane	5	< 5 U	< 5 U	< 5 U	< 5.0 U	< 5.0 U	< 5.0 U
Chloroform	7	1.4 J	1.9 J	2.1 J	2.2 J	2.3 J	2.2 J
Chloromethane	5	< 5 U	< 5 U	< 5 U	< 5.0 U	< 5.0 U	< 5.0 U
cis-1,2-dichloroethene	5	200	200	160	170 D	180 D	140
cis-1,3-dichloropropene	0.4	< 5 U	< 5 U	< 5 U	< 5.0 U	< 5.0 U	< 5.0 U
Dibromochloromethane	50	< 5 U	< 5 U	< 5 U	< 5.0 U	< 5.0 U	< 5.0 U
Dichlorodifluoromethane (Freon 12)	5	< 5 U	< 5 U	< 5 U	< 5.0 U	< 5.0 U	< 5.0 U
Ethylbenzene	5	2.8 J	3.3 J	2.3 J	3.6 J	3.7 J	3.1 J
Methyl tert-Butyl Ether	5	< 5 U	< 5 U	< 5 U	< 5.0 U	< 5.0 U	< 5.0 U
Methylene Chloride	5	< 5 U	< 5 U	< 5 U	< 5.0 U	< 5.0 U	< 5.0 U
Styrene	5	< 5 U	< 5 U	< 5 U	< 5.0 U	< 5.0 U	< 5.0 U
Tetrachloroethene	5	0.4 J	0.36 J	0.38 J	0.34 J	0.36 J	0.33 J
Toluene	5	73	96	82	110	110	95
trans-1,2-dichloroethene	5	0.87 J	0.26 J	< 5 U	0.26 J	< 5.0 U	< 5.0 U
trans-1,3-dichloropropene	0.4	< 5 U	< 5 U	< 5 U	< 5.0 U	< 5.0 U	< 5.0 U
Trichloroethylene	5	20	20	18	16	16	17
Trichlorofluoromethane (CFC-11)	5	< 5 U	< 5 U	< 5 U	< 5.0 U	< 5.0 U	< 5.0 U
Trichlorotrifluoroethane (Freon 113)	5	< 5 U	< 5 U	< 5 U	< 5.0 U	< 5.0 U	< 5.0 U
Vinyl Chloride	2	44	61	75	110	110	100
Xylene-o	5	2.6 J	2.7 J	3.2 J	4.1 J	4.5 J	3.1 J
Xylenes - m,p	5	4.5 J	5.8	5.3	8.6	8.9	5.6
Total VOCs ⁽²⁾		353	395	351	428	439	369
Project VOCs ⁽³⁾		349	374	347	422	433	364

See notes on last page.

Table 9. Concentrations of Volatile Organic Compounds in Groundwater Samples Collected from Remedial Wells, Bethpage Park Groundwater Containment System, Operable Unit 3 (Former Grumman Settling Ponds), Bethpage, New York. (1)

COMPOUND (µg/L)	Sample Location:	RW-2	RW-2
	Sample Date:	11/14/2013	2/18/2014
	NYSDEC		
	<u>SCGs</u>		
1,1,1-Trichloroethane	5	< 5.0 U	< 5.0 U
1,1,2,2-Tetrachloroethane	5	< 5.0 U	< 5.0 U
1,1,2-Trichloroethane	1	< 5.0 U	< 5.0 U
1,1-Dichloroethane	5	1.0 J	1.1 J
1,1-Dichloroethene	5	0.54 J	0.79 J
1,2-Dichloroethane	0.6	< 5.0 U	< 5.0 U
1,2-Dichloropropane	1	< 5.0 U	< 5.0 U
2-Butanone	NE	< 50 U	< 50 U
2-Hexanone	50	< 50 U	< 50 U
4-methyl-2-pentanone	50	< 50 U	< 50 U
Acetone	NE	< 50 U	< 50 U
Benzene	1	< 0.70 U	< 0.70 U
Bromodichloromethane	50	< 5.0 U	< 5.0 U
Bromoform	50	< 5.0 U	< 5.0 U
Bromomethane	5	< 5.0 U	< 5.0 U
Carbon Disulfide	60	< 5.0 U	< 5.0 U
Carbon tetrachloride	5	< 5.0 U	< 5.0 U
Chlorobenzene	5	< 5.0 U	< 5.0 U
Chlorodifluoromethane (Freon 22)	NE	< 5.0 U	< 5.0 U
Chloroethane	5	< 5.0 U	< 5.0 U
Chloroform	7	2.0 J	2.2 J
Chloromethane	5	< 5.0 U	< 5.0 U
cis-1,2-dichloroethene	5	100	130
cis-1,3-dichloropropene	0.4	< 5.0 U	< 5.0 U
Dibromochloromethane	50	< 5.0 U	< 5.0 U
Dichlorodifluoromethane (Freon 12)	5	< 5.0 U	< 5.0 U
Ethylbenzene	5	2.9 J	4.0 J
Methyl tert-Butyl Ether	5	< 5.0 U	< 5.0 U
Methylene Chloride	5	< 5.0 U	< 5.0 U
Styrene	5	< 5.0 U	< 5.0 U
Tetrachloroethene	5	0.25 J	0.25 J
Toluene	5	84	85
trans-1,2-dichloroethene	5	< 5.0 U	< 5.0 U
trans-1,3-dichloropropene	0.4	< 5.0 U	< 5.0 U
Trichloroethylene	5	13	11
Trichlorofluoromethane (CFC-11)	5	< 5.0 U	< 5.0 U
Trichlorotrifluoroethane (Freon 113)	5	< 5.0 U	< 5.0 U
Vinyl Chloride	2	88	99
Xylene-o	5	3.1 J	4.0 J
Xylenes - m,p	5	6.8	6.8
Total VOCs ⁽²⁾		302	344
Project VOCs ⁽³⁾		297	338

See notes on last page.

Table 9. Concentrations of Volatile Organic Compounds in Groundwater Samples Collected from Remedial Wells, Bethpage Park Groundwater Containment System, Operable Unit 3 (Former Grumman Settling Ponds), Bethpage, New York. (1)

COMPOUND (µg/L)	Sample Location:	RW-3	RW-3	RW-3	RW-3	RW-3	RW-3
	Sample Date:	7/29/2009	8/12/2009	9/10/2009	11/10/2009	12/2/2009	2/2/2010
	NYSDEC SCGs						
1,1,1-Trichloroethane	5	< 5	< 5	< 5	< 5	< 13	< 25
1,1,2,2-Tetrachloroethane	5	< 5	< 5	< 5	< 5	< 13	< 25
1,1,2-Trichloroethane	1	< 5	< 5	< 5	< 5	< 13	< 25
1,1-Dichloroethane	5	2.4 J	2.1 J	1.9 J	1.4 J	1.3 J	< 25
1,1-Dichloroethene	5	< 5	0.35 J	0.41 J	0.53 J	< 13	< 25
1,2-Dichloroethane	0.6	< 5	< 5	< 5	< 5	< 13	< 25
1,2-Dichloropropane	1	< 5	< 5	< 5	< 5	< 13	< 25
2-Butanone	NE	< 50	< 50	< 50	< 50	< 130	< 250
2-Hexanone	50	< 50	< 50	< 50	< 50	< 130	< 250
4-methyl-2-pentanone	50	< 50	< 50	< 50	< 50	< 130	< 250
Acetone	NE	< 50	< 50	2 J	3.1 J	< 130	< 250
Benzene	1	< 0.7	< 0.7	< 0.7	< 0.7	< 1.8	< 3.5
Bromodichloromethane	50	0.35 J	< 5	< 5	< 5	< 13	< 25
Bromoform	50	< 5	< 5	< 5	< 5	< 13	< 25
Bromomethane	5	< 5	< 5	< 5	< 5	< 13	< 25
Carbon Disulfide	60	< 5	< 5	< 5	< 5	< 13	< 25
Carbon tetrachloride	5	< 5	< 5	< 5	< 5	< 13	< 25
Chlorobenzene	5	< 5	< 5	< 5	< 5	< 13	< 25
Chlorodifluoromethane (Freon 22)	NE	2.1 J	8.5	93	490 D	660 D	1,300 D
Chloroethane	5	< 5	< 5	< 5	< 5	< 13	< 25
Chloroform	7	2.1 J	2.3 J	2.9 J	5.9	6 J	4.3 J
Chloromethane	5	< 5	< 5	< 5	< 5	< 13 R	< 25
cis-1,2-dichloroethene	5	130	120	130	85	72	68
cis-1,3-dichloropropene	0.4	< 5	< 5	< 5	< 5	< 13	< 25
Dibromochloromethane	50	< 5	< 5	< 5	< 5	< 13	< 25
Dichlorodifluoromethane (Freon 12)	5	< 5	< 5	< 5	< 5	< 13	< 25
Ethylbenzene	5	< 5	< 5	< 5	< 5	< 13	< 25
Methyl tert-Butyl Ether	5	--	--	--	--	--	< 25
Methylene Chloride	5	< 5	< 5	< 5	< 5	< 13	< 25
Styrene	5	< 5	< 5	< 5	< 5	< 13	< 25
Tetrachloroethene	5	0.81 J	0.56 J	0.83 J	0.54 J	< 13	< 25
Toluene	5	< 5	< 5	< 5	< 5	< 13	< 25
trans-1,2-dichloroethene	5	0.68 J	0.54 J	0.59 J	0.52 J	< 13	7.2 J
trans-1,3-dichloropropene	0.4	< 5	< 5	< 5	< 5	< 13	< 25
Trichloroethylene	5	37	34	29	24	22	19 J
Trichlorofluoromethane (CFC-11)	5	--	--	--	--	--	< 25
Trichlorotrifluoroethane (Freon 113)	5	< 5	< 5	< 5	< 5	< 13	< 25
Vinyl Chloride	2	< 2	< 2	0.47 J	0.42 J	< 5	< 10
Xylene-o	5	< 5	< 5	< 5	< 5	< 13	< 25
Xylenes - m,p	5	< 5	< 5	< 5	< 5	< 13	< 25
Total VOCs ⁽²⁾		175	168	261	611	761	1,399
Project VOCs ⁽³⁾		171	158	163	112	95	94

See notes on last page.

Table 9. Concentrations of Volatile Organic Compounds in Groundwater Samples Collected from Remedial Wells, Bethpage Park Groundwater Containment System, Operable Unit 3 (Former Grumman Settling Ponds), Bethpage, New York. (1)

COMPOUND (µg/L)	Sample Location: Sample Date:	RW-3 4/12/2010	RW-3 7/20/2010	RW-3 10/4/2010	RW-3 1/10/2011	RW-3 4/8/2011	RW-3 7/8/2011
	NYSDEC						
	SCGs						
1,1,1-Trichloroethane	5	< 25	< 50	< 25	< 25	< 25	< 25
1,1,2,2-Tetrachloroethane	5	< 25	< 50	< 25	< 25	< 25	< 25
1,1,2-Trichloroethane	1	< 25	< 50	< 25	< 25	< 25	< 25
1,1-Dichloroethane	5	< 25	< 50	< 25	< 25	< 25	< 25
1,1-Dichloroethene	5	< 25	< 50	< 25	< 25	< 25	< 25
1,2-Dichloroethane	0.6	< 25	< 50	< 25	< 25	< 25	< 25
1,2-Dichloropropane	1	< 25	< 50	< 25	< 25	< 25	< 25
2-Butanone	NE	< 250	< 500	< 250	< 250	< 250	< 250
2-Hexanone	50	< 250	< 500	< 250	< 250	< 250	< 250
4-methyl-2-pentanone	50	< 250	< 500	< 250	< 250	< 250	< 250
Acetone	NE	< 250	< 500	< 250	< 250 B	< 250	< 250
Benzene	1	< 3.5	< 7	< 3.5	< 3.5	< 3.5	< 3.5
Bromodichloromethane	50	< 25	< 50	< 25	< 25	< 25	< 25
Bromoform	50	< 25	< 50	< 25	< 25	< 25	< 25
Bromomethane	5	< 25	< 50	< 25	< 25	< 25	< 25
Carbon Disulfide	60	< 25	< 50	< 25	< 25	< 25	< 25
Carbon tetrachloride	5	< 25	< 50	< 25	< 25	< 25	< 25
Chlorobenzene	5	< 25	< 50	< 25	< 25	< 25	< 25
Chlorodifluoromethane (Freon 22)	NE	1,300 D	1400	880	890	900	670
Chloroethane	5	< 25	< 50	< 25	< 25	< 25	< 25
Chloroform	7	3.2 J	< 50	6.6 J	5.8 J	4.0 J	2.5 J
Chloromethane	5	< 25	< 50	< 25	< 25	< 25	< 25
cis-1,2-dichloroethene	5	70	64	64	74	93	110
cis-1,3-dichloropropene	0.4	< 25	< 50	< 25	< 25	< 25	< 25
Dibromochloromethane	50	< 25	< 50	< 25	< 25	< 25	< 25
Dichlorodifluoromethane (Freon 12)	5	< 25	< 50	< 25	< 25	< 25	< 25
Ethylbenzene	5	< 25	< 50	< 25	< 25	< 25	< 25
Methyl tert-Butyl Ether	5	< 25	< 50	< 25	< 25	< 25	< 25
Methylene Chloride	5	< 25	< 50	< 25	< 25	< 25	< 25
Styrene	5	< 25	< 50	< 25	< 25	< 25	< 25
Tetrachloroethene	5	< 25	< 50	< 25	< 25	< 25	< 25
Toluene	5	< 25	< 50	< 25	< 25	< 25	< 25
trans-1,2-dichloroethene	5	< 25	4.8 J	6.7 J	3.9 J	6.5 J	< 25
trans-1,3-dichloropropene	0.4	< 25	< 50	< 25	< 25	< 25	< 25
Trichloroethylene	5	17 J	14 J	12 J	10 J	6.8 J	7.7 J
Trichlorofluoromethane (CFC-11)	5	< 25	< 50	< 25	< 25	< 25	< 25
Trichlorotrifluoroethane (Freon 113)	5	< 25	< 50	< 25	< 25	< 25	< 25
Vinyl Chloride	2	< 10	< 20	2.6 J	5.1 J	11	9.9 J
Xylene-o	5	< 25	< 50	< 25	< 25	< 25	< 25
Xylenes - m,p	5	< 25	< 50	< 25	< 25	< 25	< 25
Total VOCs ⁽²⁾		1,390	1,483	972	989	1,021	800
Project VOCs ⁽³⁾		87	83	85	93	117	128

See notes on last page.

Table 9. Concentrations of Volatile Organic Compounds in Groundwater Samples Collected from Remedial Wells, Bethpage Park Groundwater Containment System, Operable Unit 3 (Former Grumman Settling Ponds), Bethpage, New York. (1)

COMPOUND (µg/L)	Sample Location: Sample Date:	RW-3 10/3/2011	RW-3 1/9/2012	RW-3 4/3/2012	RW-3 7/2/2012	RW-3 10/1/2012	RW-3 1/7/2013
	NYSDEC SCGs						
1,1,1-Trichloroethane	5	< 25 U	< 13 U	< 13 U	< 10 U	< 10 U	< 5 U
1,1,2,2-Tetrachloroethane	5	< 25 U	< 13 U	< 13 U	< 10 U	< 10 U	< 5 U
1,1,2-Trichloroethane	1	< 25 U	< 13 U	< 13 U	< 10 U	< 10 U	< 5 U
1,1-Dichloroethane	5	< 25 U	< 13 U	< 13 U	< 10 U	< 10 U	0.21 J
1,1-Dichloroethene	5	< 25 U	< 13 U	< 13 U	< 10 U	< 10 U	< 5 U
1,2-Dichloroethane	0.6	< 25 U	< 13 U	< 13 U	< 10 U	< 10 U	< 5 U
1,2-Dichloropropane	1	< 25 U	< 13 U	< 13 U	< 10 U	< 10 U	< 5 U
2-Butanone	NE	< 250 U	< 130 U	< 130 U	< 100 U	< 100 U	< 50 U
2-Hexanone	50	< 250 U	< 130 U	< 130 U	< 100 U	< 100 U	< 50 U
4-methyl-2-pentanone	50	< 250 U	< 130 U	< 130 U	< 100 U	< 100 U	< 50 U
Acetone	NE	< 250 U	< 130 U	< 130 U	< 100 UB	< 100 U	< 50 U
Benzene	1	< 3.5 U	< 1.8 U	< 1.8 U	< 1.4 U	< 1.4 U	< 0.7 U
Bromodichloromethane	50	< 25 U	< 13 U	< 13 U	< 10 U	< 10 U	< 5 U
Bromoform	50	< 25 U	< 13 U	< 13 U	< 10 U	< 10 U	< 5 U
Bromomethane	5	< 25 U	< 13 U	< 13 U	< 10 U	< 10 U	< 5 U
Carbon Disulfide	60	< 25 U	< 13 U	< 13 U	< 10 U	< 10 U	< 5 U
Carbon tetrachloride	5	< 25 U	< 13 U	< 13 U	< 10 U	< 10 U	< 5 U
Chlorobenzene	5	< 25 U	< 13 U	< 13 U	< 10 U	< 10 U	< 5 U
Chlorodifluoromethane (Freon 22)	NE	540	390	460	270	230	190
Chloroethane	5	< 25 U	< 13 U	< 13 U	< 10 U	< 10 U	< 5 U
Chloroform	7	5.5 J	6.9 J	3.4 J	2.9 J	5.3 J	4.9 J
Chloromethane	5	< 25 U	< 13 U	< 13 U	< 10 U	< 10 U	< 5 U
cis-1,2-dichloroethene	5	92	55	33	22	17	12
cis-1,3-dichloropropene	0.4	< 25 U	< 13 U	< 13 U	< 10 U	< 10 U	< 5 U
Dibromochloromethane	50	< 25 U	< 13 U	< 13 U	< 10 U	< 10 U	< 5 U
Dichlorodifluoromethane (Freon 12)	5	< 25 U	< 13 U	< 13 U	< 10 U	< 10 U	< 5 U
Ethylbenzene	5	< 25 U	< 13 U	< 13 U	< 10 U	< 10 U	< 5 U
Methyl tert-Butyl Ether	5	< 25 U	< 13 U	< 13 U	< 10 U	< 10 U	< 5 U
Methylene Chloride	5	< 25 U	< 13 U	< 13 U	< 10 U	< 10 U	< 5 U
Styrene	5	< 25 U	< 13 U	< 13 U	< 10 U	< 10 U	< 5 U
Tetrachloroethene	5	< 25 U	< 13 U	< 13 U	< 10 U	< 10 U	0.33 J
Toluene	5	< 25 U	< 13 U	< 13 U	< 10 U	< 10 U	< 5 U
trans-1,2-dichloroethene	5	1.8 J	< 13 U	< 13 U	< 10 U	< 10 U	< 5 U
trans-1,3-dichloropropene	0.4	< 25 U	< 13 U	< 13 U	< 10 U	< 10 U	< 5 U
Trichloroethylene	5	7.5 J	6.7 J	6 J	6.5 J	5.3 J	5.1
Trichlorofluoromethane (CFC-11)	5	< 25 U	< 13 U	< 13 U	< 10 U	< 10 U	< 5 U
Trichlorotrifluoroethane (Freon 113)	5	< 25 U	< 13 U	< 13 U	< 10 U	< 10 U	< 5 U
Vinyl Chloride	2	7.1 J	2.8 J	1.2 J	0.8 J	0.48 J	0.25 J
Xylene-o	5	< 25 U	< 13 U	< 13 U	< 10 U	< 10 U	< 5 U
Xylenes - m,p	5	< 25 U	< 13 U	< 13 U	< 10 U	< 10 U	< 5 U
Total VOCs ⁽²⁾		654	461	504	302	258	213
Project VOCs ⁽³⁾		108	65	40	29	23	18

See notes on last page.

Table 9. Concentrations of Volatile Organic Compounds in Groundwater Samples Collected from Remedial Wells, Bethpage Park Groundwater Containment System, Operable Unit 3 (Former Grumman Settling Ponds), Bethpage, New York. (1)

COMPOUND (µg/L)	Sample Location:	RW-3	RW-3	RW-3	RW-3
	Sample Date:	4/1/2013	7/1/2013	11/14/2013	2/18/2014
	NYSDEC SCGs				
1,1,1-Trichloroethane	5	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U
1,1,2,2-Tetrachloroethane	5	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U
1,1,2-Trichloroethane	1	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U
1,1-Dichloroethane	5	< 5.0 U	0.21 J	0.23 J	< 5.0 U
1,1-Dichloroethene	5	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U
1,2-Dichloroethane	0.6	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U
1,2-Dichloropropane	1	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U
2-Butanone	NE	< 50 U	< 50 U	< 50 U	< 50 U
2-Hexanone	50	< 50 U	< 50 U	< 50 U	< 50 U
4-methyl-2-pentanone	50	< 50 U	< 50 U	< 50 U	< 50 U
Acetone	NE	< 50 U	< 50 U	< 50 U	< 50 U
Benzene	1	< 0.70 U	< 0.70 U	< 0.70 U	< 0.70 U
Bromodichloromethane	50	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U
Bromoform	50	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U
Bromomethane	5	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U
Carbon Disulfide	60	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U
Carbon tetrachloride	5	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U
Chlorobenzene	5	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U
Chlorodifluoromethane (Freon 22)	NE	130	98	61	45
Chloroethane	5	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U
Chloroform	7	3.5 J	3.6 J	2.5 J	3.8 J
Chloromethane	5	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U
cis-1,2-dichloroethene	5	9.4	7.7	6.1	4.9 J
cis-1,3-dichloropropene	0.4	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U
Dibromochloromethane	50	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U
Dichlorodifluoromethane (Freon 12)	5	< 5.0 U	< 5.0 U	0.33 J	< 5.0 U
Ethylbenzene	5	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U
Methyl tert-Butyl Ether	5	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U
Methylene Chloride	5	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U
Styrene	5	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U
Tetrachloroethene	5	0.29 J	0.38 J	0.28 J	0.30 J
Toluene	5	< 5.0 U	< 5.0 U	0.31 J	< 5.0 U
trans-1,2-dichloroethene	5	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U
trans-1,3-dichloropropene	0.4	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U
Trichloroethylene	5	4.3 J	4.5 J	3.9 J	3.6 J
Trichlorofluoromethane (CFC-11)	5	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U
Trichlorotrifluoroethane (Freon 113)	5	< 5.0 U	0.30 J	< 5.0 U	0.34 J
Vinyl Chloride	2	0.24 J	< 2.0 U	< 2.0 U	< 2.0 U
Xylene-o	5	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U
Xylenes - m,p	5	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U
Total VOCs ⁽²⁾		148	115	75	58
Project VOCs ⁽³⁾		14	13	11	8.8

See notes on last page.

Table 9. Concentrations of Volatile Organic Compounds in Groundwater Samples Collected from Remedial Wells, Bethpage Park Groundwater Containment System, Operable Unit 3 (Former Grumman Settling Ponds), Bethpage, New York. (1)

COMPOUND (µg/L)	Sample Location:	RW-4	RW-4	RW-4	RW-4	RW-4	RW-4
	Sample Date:	7/29/2009	8/12/2009	9/10/2009	11/10/2009	12/2/2009	2/2/2010
	NYSDEC SCGs						
1,1,1-Trichloroethane	5	< 5	< 5	< 5	< 5	< 10	< 10
1,1,2,2-Tetrachloroethane	5	< 5	< 5	< 5	< 5	< 10	< 10
1,1,2-Trichloroethane	1	< 5	< 5	< 5	< 5	< 10	< 10
1,1-Dichloroethane	5	0.42 J	0.38 J	0.47 J	0.52 J	< 10	0.6 J
1,1-Dichloroethene	5	< 5	< 5	< 5	< 5	< 10	< 10
1,2-Dichloroethane	0.6	< 5	< 5	< 5	< 5	< 10	< 10
1,2-Dichloropropane	1	< 5	< 5	< 5	< 5	< 10	< 10
2-Butanone	NE	< 50	< 50	< 50	< 50	< 100	< 100
2-Hexanone	50	< 50	< 50	< 50	< 50	< 100	< 100
4-methyl-2-pentanone	50	< 50	< 50	< 50	< 50	< 100	< 100
Acetone	NE	< 50	< 50	< 50	3.5 J	< 100	< 100
Benzene	1	< 0.7	< 0.7	< 0.7	< 0.7	< 1.4	< 1.4
Bromodichloromethane	50	< 5	< 5	< 5	< 5	< 10	< 10
Bromoform	50	< 5	< 5	< 5	< 5	< 10	< 10
Bromomethane	5	< 5	< 5	< 5	< 5	< 10 R	< 10
Carbon Disulfide	60	< 5	< 5	< 5	< 5	< 10	< 10
Carbon tetrachloride	5	< 5	< 5	< 5	< 5	< 10	< 10
Chlorobenzene	5	< 5	< 5	< 5	< 5	< 10	< 10
Chlorodifluoromethane (Freon 22)	NE	140	200	330 D	230 D	290	440 D
Chloroethane	5	< 5	< 5	< 5	< 5	< 10	< 10
Chloroform	7	1 J	0.88 J	0.78 J	0.95 J	0.88 J	0.72 J
Chloromethane	5	< 5	< 5	< 5	< 5	< 10 R	< 10
cis-1,2-dichloroethene	5	1.5 J	1.7 J	1.9 J	1.9 J	2.2 J	1.8 J
cis-1,3-dichloropropene	0.4	< 5	< 5	< 5	< 5	< 10	< 10
Dibromochloromethane	50	< 5	< 5	< 5	< 5	< 10	< 10
Dichlorodifluoromethane (Freon 12)	5	< 5	< 5	< 5	< 5	< 10	< 10
Ethylbenzene	5	< 5	< 5	< 5	< 5	< 10	< 10
Methyl tert-Butyl Ether	5	--	--	--	--	--	< 10
Methylene Chloride	5	< 5	< 5	< 5	< 5	< 10	< 10
Styrene	5	< 5	< 5	< 5	< 5	< 10	< 10
Tetrachloroethene	5	0.44 J	0.44 J	0.44 J	0.48 J	< 10	0.64 J
Toluene	5	< 5	< 5	< 5	< 5	< 10	< 10
trans-1,2-dichloroethene	5	< 5	< 5	< 5	< 5	< 10	< 10
trans-1,3-dichloropropene	0.4	< 5	< 5	< 5	< 5	< 10	< 10
Trichloroethylene	5	1.1 J	1.2 J	1.6 J	1.9 J	1.8 J	1.4 J
Trichlorofluoromethane (CFC-11)	5	--	--	--	--	--	< 10
Trichlorotrifluoroethane (Freon 113)	5	< 5	< 5	< 5	< 5	< 10	< 10
Vinyl Chloride	2	< 2	< 2	< 2	< 2	< 4	< 4
Xylene-o	5	< 5	< 5	< 5	< 5	< 10	< 10
Xylenes - m,p	5	< 5	< 5	< 5	< 5	< 10	< 10
Total VOCs ⁽²⁾		144	205	335	239	295	445
Project VOCs ⁽³⁾		3.5	3.7	4.4	4.8	4.0	4.4

See notes on last page.

Table 9. Concentrations of Volatile Organic Compounds in Groundwater Samples Collected from Remedial Wells, Bethpage Park Groundwater Containment System, Operable Unit 3 (Former Grumman Settling Ponds), Bethpage, New York. (1)

COMPOUND (µg/L)	Sample Location:	RW-4	RW-4	RW-4	RW-4	RW-4	RW-4
	Sample Date:	4/12/2010	7/20/2010	10/4/2010	1/10/2011	4/8/2011	7/8/2011
	NYSDEC						
	<u>SCGs</u>						
1,1,1-Trichloroethane	5	< 13	< 25	< 25	< 25	< 25	< 25
1,1,2,2-Tetrachloroethane	5	< 13	< 25	< 25	< 25	< 25	< 25
1,1,2-Trichloroethane	1	< 13	< 25	< 25	< 25	< 25	< 25
1,1-Dichloroethane	5	< 13	< 25	< 25	< 25	< 25	< 25
1,1-Dichloroethene	5	< 13	< 25	< 25	< 25	< 25	< 25
1,2-Dichloroethane	0.6	< 13	< 25	< 25	< 25	< 25	< 25
1,2-Dichloropropane	1	< 13	< 25	< 25	< 25	< 25	< 25
2-Butanone	NE	< 130	< 250	< 250	< 250	< 250	< 250
2-Hexanone	50	< 130	< 250	< 250	< 250	< 250	< 250
4-methyl-2-pentanone	50	< 130	< 250	< 250	< 250	< 250	< 250
Acetone	NE	< 130	< 250	< 250	< 250	< 250	< 250
Benzene	1	< 1.8	< 3.5	< 3.5	< 3.5	< 3.5	< 3.5
Bromodichloromethane	50	< 13	< 25	< 25	< 25	< 25	< 25
Bromoform	50	< 13	< 25	< 25	< 25	< 25	< 25
Bromomethane	5	< 13	< 25	< 25	< 25	< 25	< 25
Carbon Disulfide	60	< 13	< 25	< 25	< 25	< 25	< 25
Carbon tetrachloride	5	< 13	< 25	< 25	< 25	< 25	< 25
Chlorobenzene	5	< 13	< 25	< 25	< 25	< 25	< 25
Chlorodifluoromethane (Freon 22)	NE	560 D	840	850	820	650	520
Chloroethane	5	< 13	< 25	< 25	< 25	< 25	< 25
Chloroform	7	0.8 J	< 25	< 25	< 25	< 25	< 25
Chloromethane	5	< 13	< 25	< 25	< 25	< 25	< 25
cis-1,2-dichloroethene	5	1.5 J	< 25	< 25	< 25	< 25	< 25
cis-1,3-dichloropropene	0.4	< 13	< 25	< 25	< 25	< 25	< 25
Dibromochloromethane	50	< 13	< 25	< 25	< 25	< 25	< 25
Dichlorodifluoromethane (Freon 12)	5	< 13	< 25	< 25	< 25	< 25	< 25
Ethylbenzene	5	< 13	< 25	< 25	< 25	< 25	< 25
Methyl tert-Butyl Ether	5	< 13	< 25	< 25	< 25	< 25	< 25
Methylene Chloride	5	< 13	< 25	< 25	< 25	< 25	< 25
Styrene	5	< 13	< 25	< 25	< 25	< 25	< 25
Tetrachloroethene	5	0.9 J	< 25	< 25	< 25	< 25	< 25
Toluene	5	< 13	< 25	< 25	< 25	< 25	< 25
trans-1,2-dichloroethene	5	< 13	< 25	< 25	< 25	< 25	< 25
trans-1,3-dichloropropene	0.4	< 13	< 25	< 25	< 25	< 25	< 25
Trichloroethylene	5	1.4 J	< 25	< 25	< 25	< 25	< 25
Trichlorofluoromethane (CFC-11)	5	< 13	< 25	< 25	< 25	< 25	< 25
Trichlorotrifluoroethane (Freon 113)	5	< 13	< 25	< 25	< 25	< 25	< 25
Vinyl Chloride	2	< 5	< 10	< 10	< 10	< 10	< 10
Xylene-o	5	< 13	< 25	< 25	< 25	< 25	< 25
Xylenes - m,p	5	< 13	< 25	< 25	< 25	< 25	< 25
Total VOCs ⁽²⁾		565	840	850	820	650	520
Project VOCs ⁽³⁾		3.8	0.0	0.0	0.0	0.0	0.0

See notes on last page.

Table 9. Concentrations of Volatile Organic Compounds in Groundwater Samples Collected from Remedial Wells, Bethpage Park Groundwater Containment System, Operable Unit 3 (Former Grumman Settling Ponds), Bethpage, New York. (1)

COMPOUND (µg/L)	Sample Location: Sample Date:	RW-4 4/1/2013	RW-4 7/1/2013	RW-4 11/14/2013	RW-4 2/18/2014
	NYSDEC SCGs				
1,1,1-Trichloroethane	5	< 5.0 U	< 5.0 U	0.23 J	< 5.0 U
1,1,2,2-Tetrachloroethane	5	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U
1,1,2-Trichloroethane	1	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U
1,1-Dichloroethane	5	0.52 J	0.45 J	0.38 J	0.38 J
1,1-Dichloroethene	5	0.22 J	< 5.0 U	0.25 J	0.23 J
1,2-Dichloroethane	0.6	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U
1,2-Dichloropropane	1	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U
2-Butanone	NE	< 50 U	< 50 U	< 50 U	< 50 U
2-Hexanone	50	< 50 U	< 50 U	< 50 U	< 50 U
4-methyl-2-pentanone	50	< 50 U	< 50 U	< 50 U	< 50 U
Acetone	NE	< 50 U	< 50 U	< 50 U	< 50 U
Benzene	1	< 0.70 U	< 0.70 U	< 0.70 U	< 0.70 U
Bromodichloromethane	50	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U
Bromoform	50	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U
Bromomethane	5	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U
Carbon Disulfide	60	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U
Carbon tetrachloride	5	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U
Chlorobenzene	5	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U
Chlorodifluoromethane (Freon 22)	NE	140	110	100	82
Chloroethane	5	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U
Chloroform	7	0.25 J	0.36 J	0.37 J	0.39 J
Chloromethane	5	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U
cis-1,2-dichloroethene	5	0.29 J	< 5.0 U	0.22 J	0.20 J
cis-1,3-dichloropropene	0.4	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U
Dibromochloromethane	50	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U
Dichlorodifluoromethane (Freon 12)	5	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U
Ethylbenzene	5	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U
Methyl tert-Butyl Ether	5	< 5.0 U	0.30 J	0.24 J	0.24 J
Methylene Chloride	5	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U
Styrene	5	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U
Tetrachloroethene	5	1.3 J	1.1 J	1.1 J	0.79 J
Toluene	5	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U
trans-1,2-dichloroethene	5	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U
trans-1,3-dichloropropene	0.4	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U
Trichloroethylene	5	0.75 J	0.67 J	0.76 J	0.67 J
Trichlorofluoromethane (CFC-11)	5	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U
Trichlorotrifluoroethane (Freon 113)	5	0.33 J	0.39 J	0.29 J	< 5.0 U
Vinyl Chloride	2	< 2.0 U	< 2.0 U	< 2.0 U	< 2.0 U
Xylene-o	5	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U
Xylenes - m,p	5	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U
Total VOCs ⁽²⁾		144	113	104	85
Project VOCs ⁽³⁾		3.1	2.2	2.9	2.3

See notes on last page.

Table 9. Concentrations of Volatile Organic Compounds in Groundwater Samples Collected from Remedial Wells, Bethpage Park Groundwater Containment System, Operable Unit 3 (Former Grumman Settling Ponds), Bethpage, New York. ⁽¹⁾

Notes:

- (1) Water samples collected by ARCADIS on the dates shown and submitted to Columbia Analytical Services, Inc. through December 2012 and to ALS Environmental from January 2013 through the current reporting period for VOC analysis using NYSDEC ASP 2005 Method OLM4.3. Results validated following protocols specified in Sampling and Analysis Plan in the December 2009 DRAFT OM&M Manual (ARCADIS 2009).
- (2) "Total VOCs" represents the sum of individual concentrations of the VOCs detected.
- (3) "Project VOCs" represents the sum of individual compound concentrations of 1,1,1-trichloroethane; 1,1-dichloroethane; 1,2-dichloroethane; 1,1-dichloroethene; tetrachloroethene; trichloroethene; vinyl chloride; cis-1,2-dichloroethene; trans-1,2-dichloroethene; benzene; toluene; and xylenes-o,m, and p.

Acronyms\Key:

Indicates an exceedance of an SCG.

Bold value indicates a detection.

- ASP Analytical services protocol.
- NYSDEC New York State Department of Environmental Conservation.
- SCGs Standards, criteria, and guidance values.
- VOC Volatile organic compound.
- µg/L Micrograms per liter.
- Not analyzed.
- NE Not established.
- B Compound detected in associated blank sample.
- D Compound identified from secondary dilution.
- J Compound detected but below its reporting limit; the value is estimated.
- R Concentration for the compound was rejected.
- UB Compound considered non-detect due to associated blank contamination.
- < 5; <5 U Compound not detected above its laboratory quantification limit.

Table 10. Concentrations of Metals in Groundwater Samples Collected from Remedial Wells, Bethpage Park Groundwater Containment System, Operable Unit 3 (Former Grumman Settling Ponds), Bethpage, New York. ⁽¹⁾

COMPOUND (µg/L)	Sample Location: Sample Date:	RW-1	RW-1	RW-1	RW-1	RW-1	RW-1	RW-1	RW-1	RW-1	RW-1	
		4/21/2009	7/29/2009	8/12/2009	9/10/2009	11/10/2009	12/2/2009	10/4/2010	2/10/2011	10/3/2011	11/11/2011	
		NYSDEC SCGs										
Total Cadmium	5	< 5	--	--	--	--	--	< 5	--	--	< 5	
Dissolved Cadmium	5	< 5	--	--	--	--	--	< 5	--	--	< 5	
Total Chromium	50	24.3	--	--	--	--	--	27	--	--	23	
Dissolved Chromium	50	20.2	--	--	--	--	--	27	--	--	24	
Total Iron	300	< 100	< 100	< 100	< 100	< 100	< 100	< 100	< 100	< 100	--	
Dissolved Iron	300	< 100	--	--	--	--	--	< 100	< 100	< 100	--	
Total Manganese	300	23.6	--	--	--	--	--	12	--	--	--	
Dissolved Manganese	300	22.4	--	--	--	--	--	11	--	--	--	
Total Mercury	0.7	< 0.2	--	--	--	--	--	--	--	--	--	
Dissolved Mercury	0.7	< 0.2	--	--	--	--	--	--	--	--	--	

See notes on last page.

Table 10. Concentrations of Metals in Groundwater Samples Collected from Remedial Wells, Bethpage Park Groundwater Containment System, Operable Unit 3 (Former Grumman Settling Ponds), Bethpage, New York. ⁽¹⁾

COMPOUND (µg/L)	Sample Location:	RW-1 ⁽²⁾	RW-1	RW-1	RW-1	RW-1	RW-1
	Sample Date:	10/1/2012	1/7/2013	4/1/2013	7/1/2013	11/14/2013	2/18/2014
	NYSDEC SCGs						
Total Cadmium	5	< 5	--	--	--	< 5.0	--
Dissolved Cadmium	5	< 5	--	--	--	< 5.0	--
Total Chromium	50	23	--	--	--	28	--
Dissolved Chromium	50	23	--	--	--	32	--
Total Iron	300	< 100	--	--	--	< 100	--
Dissolved Iron	300	< 100	--	--	--	< 100	--
Total Manganese	300	--	--	--	--	--	--
Dissolved Manganese	300	--	--	--	--	--	--
Total Mercury	0.7	--	--	--	--	< 0.20	--
Dissolved Mercury	0.7	--	--	--	--	--	--

See notes on last page.

Table 10. Concentrations of Metals in Groundwater Samples Collected from Remedial Wells, Bethpage Park Groundwater Containment System, Operable Unit 3 (Former Grumman Settling Ponds), Bethpage, New York. ⁽¹⁾

COMPOUND (µg/L)	Sample Location: Sample Date:	RW-2	RW-2	RW-2	RW-2	RW-2	RW-2	RW-2	RW-2	RW-2	RW-2	
		4/21/2009	7/29/2009	8/12/2009	9/10/2009	10/9/2009	11/10/2009	12/2/2009	1/11/2010	2/2/2010	3/10/2010	
		NYSDEC SCGs										
Total Cadmium	5	< 5	--	--	--	--	--	--	--	--	--	--
Dissolved Cadmium	5	< 5	--	--	--	--	--	--	--	--	--	--
Total Chromium	50	< 10	--	--	--	--	--	--	--	--	--	--
Dissolved Chromium	50	< 10	--	--	--	--	--	--	--	--	--	--
Total Iron	300	2,330	5,950	4,870	3,550	3,800	2,040	1,260	1,140	1,000	2,550	
Dissolved Iron	300	781	--	--	--	--	--	--	--	--	--	
Total Manganese	300	241	--	--	--	--	--	--	--	--	--	
Dissolved Manganese	300	248	--	--	--	--	--	--	--	--	--	
Total Mercury	0.7	< 0.2	--	--	--	--	--	--	--	--	--	
Dissolved Mercury	0.7	< 0.2	--	--	--	--	--	--	--	--	--	

See notes on last page.

Table 10. Concentrations of Metals in Groundwater Samples Collected from Remedial Wells, Bethpage Park Groundwater Containment System, Operable Unit 3 (Former Grumman Settling Ponds), Bethpage, New York. ⁽¹⁾

COMPOUND (µg/L)	Sample Location: Sample Date:	RW-2 4/12/2010	RW-2 7/20/2010	RW-2 10/4/2010	RW-2 12/6/2010	RW-2 2/10/2011	RW-2 2/10/2011	RW-2 3/7/2011	RW-2 5/2/2011	RW-2 6/8/2011	RW-2 7/8/2011
	NYSDEC SCGs										
Total Cadmium	5	--	--	< 5	--	--	--	--	--	--	--
Dissolved Cadmium	5	--	--	< 5	--	--	--	--	--	--	--
Total Chromium	50	--	--	< 10	--	--	--	--	--	--	--
Dissolved Chromium	50	--	--	< 10	--	--	--	--	--	--	--
Total Iron	300	880	1,180	710	590	970	970	850	890	830	3,110
Dissolved Iron	300	--	--	380	270	550	550	530	710	670	670
Total Manganese	300	--	--	187	--	--	--	--	--	--	--
Dissolved Manganese	300	--	--	192	--	--	--	--	--	--	--
Total Mercury	0.7	--	--	--	--	--	--	--	--	--	--
Dissolved Mercury	0.7	--	--	--	--	--	--	--	--	--	--

See notes on last page.

Table 10. Concentrations of Metals in Groundwater Samples Collected from Remedial Wells, Bethpage Park Groundwater Containment System, Operable Unit 3 (Former Grumman Settling Ponds), Bethpage, New York. ⁽¹⁾

COMPOUND (µg/L)	Sample Location: Sample Date:	RW-2 8/1/2011	RW-2 9/6/2011	RW-2 10/3/2011	RW-2 11/11/2011	RW-2 12/19/2011	RW-2 1/9/2012	RW-2 2/6/2012	RW-2 3/8/2012	RW-2 4/3/2012	RW-2 5/7/2012
	NYSDEC SCGs										
Total Cadmium	5	--	--	--	< 5	--	--	--	--	--	< 5
Dissolved Cadmium	5	--	--	--	< 5	--	--	--	--	--	< 5
Total Chromium	50	--	--	--	< 10	--	--	--	--	--	< 10
Dissolved Chromium	50	--	--	--	< 10	--	--	--	--	--	< 10
Total Iron	300	840	830	1,640	750	930	870	960	990	930	970
Dissolved Iron	300	670	650	640	540	750	700	640	640	830	730
Total Manganese	300	--	--	--	--	--	--	--	--	--	--
Dissolved Manganese	300	--	--	--	--	--	--	--	--	--	--
Total Mercury	0.7	--	--	--	--	--	--	--	--	--	--
Dissolved Mercury	0.7	--	--	--	--	--	--	--	--	--	--

See notes on last page.

Table 10. Concentrations of Metals in Groundwater Samples Collected from Remedial Wells, Bethpage Park Groundwater Containment System, Operable Unit 3 (Former Grumman Settling Ponds), Bethpage, New York. ⁽¹⁾

COMPOUND (µg/L)	Sample Location: Sample Date:	RW-2 6/5/2012	RW-2 7/2/2012	RW-2 8/7/2012	RW-2 9/4/2012	RW-2 10/1/2012	RW-2 11/12/2012	RW-2 12/3/2012	RW-2 1/7/2013	RW-2 2/4/2013	RW-2 ⁽³⁾ 3/4/2013
	NYSDEC SCGs										
Total Cadmium	5	--	--	--	--	< 5	--	--	--	--	--
Dissolved Cadmium	5	--	--	--	--	< 5	--	--	--	--	--
Total Chromium	50	--	--	--	--	< 10	--	--	--	--	--
Dissolved Chromium	50	--	--	--	--	< 10	--	--	--	--	--
Total Iron	300	800	940	1,850	950	1,020	750	670	600	640	1,950
Dissolved Iron	300	690	840	780	810	780	610	540	560	520	1,920
Total Manganese	300	--	--	--	--	--	--	--	--	--	--
Dissolved Manganese	300	--	--	--	--	--	--	--	--	--	--
Total Mercury	0.7	--	--	--	--	--	--	--	--	--	--
Dissolved Mercury	0.7	--	--	--	--	--	--	--	--	--	--

See notes on last page.

Table 10. Concentrations of Metals in Groundwater Samples Collected from Remedial Wells, Bethpage Park Groundwater Containment System, Operable Unit 3 (Former Grumman Settling Ponds), Bethpage, New York. ⁽¹⁾

COMPOUND (µg/L)	Sample Location: Sample Date:	RW-2 4/1/2013	RW-2 5/6/2013	RW-2 6/6/2013	RW-2 7/1/2013	RW-2 11/14/2013	RW-2 2/18/2014
	NYSDEC SCGs						
Total Cadmium	5	--	--	--	--	< 5.0	--
Dissolved Cadmium	5	--	--	--	--	< 5.0	--
Total Chromium	50	--	--	--	--	< 10	--
Dissolved Chromium	50	--	--	--	--	< 10	--
Total Iron	300	1,070	700	990	1,200	1,540	890
Dissolved Iron	300	720	600	740	650	850	680
Total Manganese	300	--	--	--	--	--	--
Dissolved Manganese	300	--	--	--	--	--	--
Total Mercury	0.7	--	--	--	--	< 0.20	--
Dissolved Mercury	0.7	--	--	--	--	--	--

See notes on last page.

Table 10. Concentrations of Metals in Groundwater Samples Collected from Remedial Wells, Bethpage Park Groundwater Containment System, Operable Unit 3 (Former Grumman Settling Ponds), Bethpage, New York. ⁽¹⁾

COMPOUND (µg/L)	Sample Location: Sample Date:	RW-3	RW-3	RW-3	RW-3	RW-3	RW-3	RW-3	RW-3	RW-3	RW-3	
		4/22/2009	7/29/2009	9/10/2009	11/10/2009	12/2/2009	3/10/2010	4/12/2010	7/20/2010	10/4/2010	12/6/2010	
		NYSDEC SCGs										
Total Cadmium	5	< 5	--	--	--	--	--	--	--	--	< 5	--
Dissolved Cadmium	5	< 5	--	--	--	--	--	--	--	--	< 5	--
Total Chromium	50	22.6	--	--	--	--	--	--	--	--	< 10	--
Dissolved Chromium	50	< 10	--	--	--	--	--	--	--	--	< 10	--
Total Iron	300	246	< 100	< 100	< 100	< 100	200	470	890	350	340	
Dissolved Iron	300	< 100	--	--	--	--	--	--	--	< 100	150	
Total Manganese	300	< 10	--	--	--	--	--	--	--	--	35	--
Dissolved Manganese	300	< 10	--	--	--	--	--	--	--	--	34	--
Total Mercury	0.7	< 0.2	--	--	--	--	--	--	--	--	--	--
Dissolved Mercury	0.7	< 0.2	--	--	--	--	--	--	--	--	--	--

See notes on last page.

Table 10. Concentrations of Metals in Groundwater Samples Collected from Remedial Wells, Bethpage Park Groundwater Containment System, Operable Unit 3 (Former Grumman Settling Ponds), Bethpage, New York. ⁽¹⁾

COMPOUND (µg/L)	Sample Location: Sample Date:	RW-3	RW-3	RW-3	RW-3	RW-3	RW-3	RW-3	RW-3	RW-3	RW-3	
		3/7/2011	4/8/2011	5/2/2011	6/8/2011	7/8/2011	8/1/2011	9/6/2011	10/3/2011	11/11/2011	12/19/2011	
	NYSDEC SCGs											
Total Cadmium	5	--	--	--	--	--	--	--	--	--	< 5	--
Dissolved Cadmium	5	--	--	--	--	--	--	--	--	--	< 5	--
Total Chromium	50	--	--	--	--	--	--	--	--	--	< 10	--
Dissolved Chromium	50	--	--	--	--	--	--	--	--	--	< 10	--
Total Iron	300	530	480	480	570	450	450	370	460	460	460	280
Dissolved Iron	300	200	200	130	140	120	120	< 100	110	< 100	200	200
Total Manganese	300	--	--	--	--	--	--	--	--	--	--	--
Dissolved Manganese	300	--	--	--	--	--	--	--	--	--	--	--
Total Mercury	0.7	--	--	--	--	--	--	--	--	--	--	--
Dissolved Mercury	0.7	--	--	--	--	--	--	--	--	--	--	--

See notes on last page.

Table 10. Concentrations of Metals in Groundwater Samples Collected from Remedial Wells, Bethpage Park Groundwater Containment System, Operable Unit 3 (Former Grumman Settling Ponds), Bethpage, New York. ⁽¹⁾

COMPOUND (µg/L)	Sample Location: Sample Date:	RW-3 1/9/2012	RW-3 2/6/2012	RW-3 3/8/2012	RW-3 4/3/2012	RW-3 5/7/2012	RW-3 6/5/2012	RW-3 7/2/2012	RW-3 8/7/2012	RW-3 9/4/2012	RW-3 10/1/2012
	NYSDEC SCGs										
Total Cadmium	5	--	--	--	--	< 5	--	--	--	--	< 5
Dissolved Cadmium	5	--	--	--	--	< 5	--	--	--	--	< 5
Total Chromium	50	--	--	--	--	< 10	--	--	--	--	< 10
Dissolved Chromium	50	--	--	--	--	< 10	--	--	--	--	< 10
Total Iron	300	500	410	980	310	400	140	250	310	140	280
Dissolved Iron	300	110	100	130	110	< 100	120	110	120	< 100	< 100
Total Manganese	300	--	--	--	--	--	--	--	--	--	--
Dissolved Manganese	300	--	--	--	--	--	--	--	--	--	--
Total Mercury	0.7	--	--	--	--	--	--	--	--	--	--
Dissolved Mercury	0.7	--	--	--	--	--	--	--	--	--	--

See notes on last page.

Table 10. Concentrations of Metals in Groundwater Samples Collected from Remedial Wells, Bethpage Park Groundwater Containment System, Operable Unit 3 (Former Grumman Settling Ponds), Bethpage, New York. ⁽¹⁾

COMPOUND (µg/L)	Sample Location: Sample Date:	RW-3	RW-3	RW-3	RW-3	RW-3	RW-3	RW-3	RW-3	RW-3	RW-3
		11/12/2012	12/3/2012	1/7/2013	2/4/2013	3/4/2013	4/1/2013	5/6/2013	6/6/2013	7/1/2013	11/14/2013
	NYSDEC SCGs										
Total Cadmium	5	--	--	--	--	--	--	--	--	--	< 5.0
Dissolved Cadmium	5	--	--	--	--	--	--	--	--	--	< 5.0
Total Chromium	50	--	--	--	--	--	--	--	--	--	< 10
Dissolved Chromium	50	--	--	--	--	--	--	--	--	--	< 10
Total Iron	300	220	210	< 100	290	130	230	330	280	180	280
Dissolved Iron	300	100	< 100	< 100	110	130	110	< 100	140	<100	150
Total Manganese	300	--	--	--	--	--	--	--	--	--	--
Dissolved Manganese	300	--	--	--	--	--	--	--	--	--	--
Total Mercury	0.7	--	--	--	--	--	--	--	--	--	< 0.20
Dissolved Mercury	0.7	--	--	--	--	--	--	--	--	--	--

See notes on last page.

Table 10. Concentrations of Metals in Groundwater Samples Collected from Remedial Wells, Bethpage Park Groundwater Containment System, Operable Unit 3 (Former Grumman Settling Ponds), Bethpage, New York. ⁽¹⁾

COMPOUND (µg/L)	Sample Location: RW-3	
	Sample Date: 2/18/2014	
	NYSDEC SCGs	
Total Cadmium	5	--
Dissolved Cadmium	5	--
Total Chromium	50	--
Dissolved Chromium	50	--
Total Iron	300	170
Dissolved Iron	300	<100
Total Manganese	300	--
Dissolved Manganese	300	--
Total Mercury	0.7	--
Dissolved Mercury	0.7	--

See notes on last page.

Table 10. Concentrations of Metals in Groundwater Samples Collected from Remedial Wells, Bethpage Park Groundwater Containment System, Operable Unit 3 (Former Grumman Settling Ponds), Bethpage, New York. ⁽¹⁾

COMPOUND (µg/L)	Sample Location: Sample Date:	RW-4 4/22/2009	RW-4 7/29/2009	RW-4 8/12/2009	RW-4 9/10/2009	RW-4 11/10/2009	RW-4 12/2/2009	RW-4 10/4/2010	RW-4 10/3/2011	RW-4 11/11/2011	RW-4 ⁽²⁾ 10/1/2012
	NYSDEC SCGs										
Total Cadmium	5	< 5	--	--	--	--	--	< 5	--	< 5	< 5
Dissolved Cadmium	5	< 5	--	--	--	--	--	< 5	--	< 5	< 5
Total Chromium	50	< 10	--	--	--	--	--	< 10	--	< 10	< 10
Dissolved Chromium	50	< 10	--	--	--	--	--	< 10	--	< 10	< 10
Total Iron	300	< 100	< 100	< 100	< 100	< 100	< 100	< 100	< 100	< 100	< 100
Dissolved Iron	300	< 100	--	--	--	--	--	< 100	< 100	< 100	< 100
Total Manganese	300	10.4	--	--	--	--	--	28	--	--	--
Dissolved Manganese	300	< 10	--	--	--	--	--	29	--	--	--
Total Mercury	0.7	< 0.2	--	--	--	--	--	--	--	--	--
Dissolved Mercury	0.7	< 0.2	--	--	--	--	--	--	--	--	--

See notes on last page.

Table 10. Concentrations of Metals in Groundwater Samples Collected from Remedial Wells, Bethpage Park Groundwater Containment System, Operable Unit 3 (Former Grumman Settling Ponds), Bethpage, New York. ⁽¹⁾

COMPOUND (µg/L)	Sample Location: Sample Date:	RW-4 1/7/2013	RW-4 4/1/2013	RW-4 7/1/2013	RW-4 11/14/2013	RW-4 2/18/2014
	NYSDEC SCGs					
Total Cadmium	5	--	--	--	< 5.0	--
Dissolved Cadmium	5	--	--	--	< 5.0	--
Total Chromium	50	--	--	--	< 10	--
Dissolved Chromium	50	--	--	--	< 10	--
Total Iron	300	--	--	--	< 100	--
Dissolved Iron	300	--	--	--	< 100	--
Total Manganese	300	--	--	--	--	--
Dissolved Manganese	300	--	--	--	--	--
Total Mercury	0.7	--	--	--	< 0.20	--
Dissolved Mercury	0.7	--	--	--	--	--

Notes:

- (1) Water samples collected by ARCADIS on the dates shown and submitted to Columbia Analytical Services, Inc. through December 2012 and to ALS Environmental from December 2012 through current for metals analysis using USEPA Method 6010 and for mercury analyses using USEPA Method 7470. Results validated following protocols specified in Sampling and Analysis Plan in the December 2009 DRAFT OM&M Manual (ARCADIS 2009).
- (2) Beginning January 2012 metals analyses for recovery wells RW-1 and RW-4 are included with annual recovery well sampling performed in October of each year.
- (3) Elevated RW-2 iron concentrations are believed attributed to multiple system shutdowns and re-starts due to a fouled pressure switch on March 2 and March 3, 2013. Turbulence dislodged accumulated iron deposits at the remedial well piping.

Acronyms/Key:

 	Indicates an exceedance of an SCG.	SCGs	Standards, criteria, and guidance values.
700	Bold data indicates that the analyte was detected at or above its reporting limit.	µg/L	Micrograms per liter.
NYSDEC	New York State Department of Environmental Conservation.	--	Not analyzed.
ASP	Analytical services protocol.	< 5	Compound not detected above its laboratory quantification limit.
USEPA	U.S. Environmental Protection Agency		

Table 11. Summary of Water-Level Elevations, Bethpage Park Groundwater Containment System, Operable Unit 3 (Former Grumman Settling Ponds), Bethpage, New York.

Well Identification	Well Casing Elevation (ft msl)	Event Date	Baseline (1) 5/8/2009 (ft msl)	1Q2010 02/04/10 (ft msl)	2Q2010 04/23/10 (ft msl)	3Q2010 08/26/10 (ft msl)	4Q2010 12/10/10 (ft msl)	1Q2011 02/04/11 (ft msl)	2Q2011 05/20/11 (ft msl)	3Q2011 08/09/11 (ft msl)	4Q2011 10/26/11 (ft msl)	1Q2012 01/25/12 (ft msl)	2Q2012 05/02/12 (ft msl)	3Q2012 08/17/12 (ft msl)	4Q2012 10/05/12 (ft msl)	1Q2013 02/13/13 (ft msl)	2Q2013 05/13/13 (ft msl)	3Q2013 08/13/13 (ft msl)	4Q2013 11/01/13 (ft msl)	1Q2014 03/07/14 (ft msl)
Recovery Wells																				
RW-1	125.18		69.75	70.67	74.38	72.52	71.11	70.96	72.13	70.44	72.72	73.15	72.12	71.71	71.21	70.35	70.89	71.62	69.31	68.08
RW-2	124.48		72.27	61.80	64.88	63.44	61.35	67.99	66.31	64.18	65.11	69.05	69.81	65.3	63.7	62.66	63.33	61.35	60.23	58.2
RW-3	122.84		69.40	67.64	71.4	69.44*	68.13	67.74	68.88	67.64	69.70	70.75	71.74	74.35 ⁽²⁾	68.06	68.01	68.73	72.29	67.11	64.49
RW-4	121.25		69.25	70.35	74.02	71.93	70.56	67.06	71.37	69.95	72.13	72.71	71.61	70.88	70.67	69.7	70.37	71.2	68.7	67.38
Monitoring Wells																				
B24MW-2	126.96		74.31	74.13	76.16	75.86	75.65	74.96	76.06	74.35	76.00	76.28	75.57	75.76	74.63	74.85	74.32	73.81	72.88	72.65
B24MW-3	127.11		72.63	72.16	75.87	74.10	72.89	72.40	74.04	72.27	74.44	74.63	73.67	73.62	72.69	72.2	72.41	73.14	68.24	69.82
B30MW-1	128.33		73.55	73.00	76.54	74.96	73.86	73.38	74.75	73.25	75.41	75.54	74.66	NM	73.66	73.11	73.28	73.97	72.26	70.73
BCPMW-1	125.73		73.16	72.67	76.26	74.66	73.43	72.94	74.75	72.94	75.05	75.23	74.29	74.22	73.27	NM	73.09	73.51	71.66	70.27
BCPMW-2	126.39		72.55	71.83	75.52	73.69	72.55	72.03	73.64	71.94	74.16	74.33	73.29	73.17	72.39	71.82	72.09	72.66	70.77	69.51
BCPMW-3	124.94		72.46	71.59	75.24	73.40	72.27	71.74	73.25	71.64	73.94	74.05	73.06	72.85	72.14	71.56	71.79	72.44	70.57	69.25
BCPMW-4-1	128.76		72.30	71.33	75.05	73.13	72.02	71.56	73.08	71.46	73.70	73.78	72.81	72.59	71.89	71.41	71.56	72.32	70.3	69.01
BCPMW-4-2	129.15		72.58	71.36	75.07	73.16	72.08	71.56	73.06	71.51	73.74	73.83	72.83	72.61	71.92	71.42	71.58	72.31	70.32	69.03
BCPMW-4-3	129.19		72.32	71.46	75.16	73.26	72.14	71.73	73.19	71.55	73.84	73.96	72.94	72.71	71.97	71.53	71.67	72.43	70.4	69.16
BCPMW-5-1	129.37		72.79	72.14	75.66	73.94	72.72	72.74	73.81	72.14	74.46	74.77	73.67	73.34	72.62	72.06	72.19	72.87	71.01	69.78
BCPMW-6-1	126.01		72.12	71.26	74.91	72.96	71.91	71.49	72.77	71.45	73.58	73.67	72.66	72.32	71.73	71.12	71.32	72.15	70.15	68.79
BCPMW-6-2	125.16		71.74	70.96	74.64	72.60	71.59	71.17	72.49	71.01	73.26	73.37	72.30	71.97	71.39	70.84	71.01	71.84	69.83	68.49
BCPMW-7-1	124.81		72.00	71.33	74.99	72.99	71.97	71.51	72.78	71.53	73.62	73.71	72.71	72.31	71.77	71.2	71.33	72.26	70.21	68.82
MW-200-1	123.49		72.16	71.37	75.07	73.14	72.08	71.72	72.98	71.52	73.69	73.83	72.76	72.59	71.91	71.34	71.53	72.31	70.37	69.06
MW-201-1	121.69		72.04	71.10	74.84	72.87	71.79	71.33	72.69	71.25	73.48	73.55	72.53	72.28	71.65	71.09	71.28	72.05	70.08	68.75
MW-202-1	119.27		71.90	71.13	74.83	72.82	71.77	71.32	72.66	71.21	73.46	73.57	73.51	72.23	71.6	70.98	71.23	--	70.06	68.75
MW-203-1	118.25		71.83	71.10	74.75	72.77	71.75	71.30	72.61	70.20	73.43	73.52	72.49	72.13	71.56	71.02	71.17	72.01	70.01	68.7
Piezometers																				
PZ-1a	128.82		72.56	71.15	74.87	72.94	71.85	71.33	72.76	71.31	73.54	73.62	72.63	72.42	71.72	71.23	71.39	NM ⁽³⁾	NM ⁽³⁾	NM ⁽³⁾
PZ-1b	128.92		72.47	71.09	74.78	72.88	71.82	71.28	72.70	71.24	73.47	73.55	72.56	72.36	71.64	71.16	71.35	72.06	70.34	68.77
PZ-1c	128.96		72.47	71.48	75.15	73.23	72.13	71.74	73.16	71.56	73.83	73.9	72.90	72.68	71.94	71.46	71.63	72.39	70.39	69.12
PZ-2a	128.36		72.47	71.09	74.82	72.87	71.81	71.34	72.74	71.30	73.45	73.57	72.57	72.32	71.64	71.14	71.32	72.06	70.08	68.73
PZ-2b	128.37		72.43	71.08	74.77	72.86	71.78	71.30	72.68	71.27	73.45	73.55	72.54	72.28	71.61	71.13	71.29	72.05	70.08	68.71
PZ-2c	128.55		72.41	71.40	75.05	73.15	72.05	71.68	73.05	71.52	73.74	73.87	72.82	72.55	71.88	71.38	71.55	72.34	70.33	69.02
PZ-3	124.99		72.52	70.94	74.69	72.71	71.65	70.93	72.55	71.08	73.28	73.4	72.35	72.16	71.44	71.06	71.18	71.92	69.95	68.61
PZ-4	125.31		72.50	71.07	74.81	72.83	71.78	71.45	72.64	71.32	73.42	73.52	72.54	72.32	71.63	71.18	71.33	72.05	70.09	68.76
PZ-5a	129.07		72.50	71.94	75.61	73.79	72.59	72.17	73.70	71.98	74.27	74.39	73.40	73.25	72.45	71.94	72.16	72.84	70.85	69.62
PZ-5b	129.06		72.50	71.84	75.53	73.69	72.51	72.08	73.67	71.88	74.16	74.29	73.29	73.15	72.35	71.85	72.08	72.73	70.72	69.51
PZ-6a	125.67		72.50	71.03	74.73	72.84	71.70	71.24	72.56	71.24	73.37	73.46	72.43	72.13	71.5	70.95	71.17	71.91	69.94	68.53
PZ-6b	125.74		72.50	70.93	74.7	72.65	71.58	71.11	72.46	71.14	73.28	73.37	72.34	72.05	71.43	70.88	71.11	71.81	69.86	68.44
PZ-7a	125.10		72.50	71.32	75.02	73.00	72.00	71.54	72.80	71.58	73.67	73.7	72.72	72.36	71.78	71.2	71.35	72.26	70.26	68.84
PZ-7b	125.06		72.50	71.21	74.85	72.83	71.83	71.37	72.68	71.26	73.45	73.53	72.51	72.13	71.54	71.05	71.16	71.54	70.07	68.68

Notes:
 (1) Baseline readings were taken prior to system startup, which occurred on July 21, 2009.
 (2) Measurement collected is believed to be anomalous.
 (3) Well casing is broken and blockage exists at around 2ft below top of casing.
 *: RW-3 water level measurement collected on September 9, 2010.

Acronyms/Key:
 ft msl feet relative to mean sea level
 NM not measured

Table 12. Summary of Calculated Vertical Groundwater Hydraulic Gradients, Bethpage Park Groundwater Containment System, Operable Unit 3 (Former Grumman Settling Ponds), Bethpage, New York.

Observation Well Pairing			10/5/2012			2/13/2013			5/13/2013		
Shallow	Deep	Vertical Distance Between Screens (ft)	Observed Head		Vertical Hydraulic Gradient (1) (ft/ft)	Observed Head		Vertical Hydraulic Gradient (1) (ft/ft)	Observed Head		Vertical Hydraulic Gradient (1) (ft/ft)
			Shallow (ft msl)	Deep (ft msl)		Shallow (ft msl)	Deep (ft msl)		Shallow (ft msl)	Deep (ft msl)	
PZ-1A	PZ-1B	20	71.72	71.64	-0.004	71.23	71.16	-0.0035	71.39	71.35	-0.002
PZ-1B	PZ-1C	50	71.64	71.94	0.006	71.16	71.46	0.006	71.35	71.63	0.0056
PZ-2A	PZ-2B	20	71.64	71.61	-0.0015	71.14	71.13	-0.0005	71.32	71.29	-0.0015
PZ-2B	PZ-2C	50	71.61	71.88	0.0054	71.13	71.38	0.005	71.29	71.55	0.0052
PZ-5A	PZ-5B	45	72.45	72.35	-0.0022	71.94	71.85	-0.002	72.16	72.08	-0.0018
PZ-6A	PZ-6B	25	71.50	71.43	-0.0028	70.95	70.88	-0.0028	71.17	71.11	-0.0024
PZ-7A	PZ-7B	48	71.78	71.54	-0.005	71.20	71.05	-0.0031	71.35	71.16	-0.004
BCPMW-4-1	BCPMW-4-2	21	71.89	71.92	0.0014	71.41	71.42	0.0005	71.56	71.58	0.001
BCPMW-4-2	BCPMW-4-3	44	71.92	71.97	0.0011	71.42	71.53	0.0025	71.58	71.67	0.002
BCPMW-6-1	BCPMW-6-2	44.5	71.73	71.39	-0.0072	71.12	70.84	-0.0076	71.32	71.01	-0.007

- Notes:**
- (1) Positive groundwater hydraulic gradient indicates a vertically upward gradient and a negative groundwater hydraulic gradient indicates vertically downward gradient.
 - (2) Well casing is broken and blockage exists at around 2ft below top of casing.

Acronyms/Key:

- ft msl feet relative to mean sea level
- ft/ft feet per foot
- NM not measured
- not applicable

Table 12. Summary of Calculated Vertical Groundwater Hydraulic Gradients, Bethpage Park Groundwater Containment System, Operable Unit 3 (Former Grumman Settling Ponds), Bethpage, New York.

Observation Well Pairing			8/13/2013			11/1/2013			3/7/2014		
Shallow	Deep	Vertical Distance Between Screens (ft)	Observed Head		Vertical Hydraulic Gradient (1) (ft/ft)	Observed Head		Vertical Hydraulic Gradient (1) (ft/ft)	Observed Head		Vertical Hydraulic Gradient (1) (ft/ft)
			Shallow (ft msl)	Deep (ft msl)		Shallow (ft msl)	Deep (ft msl)		Shallow (ft msl)	Deep (ft msl)	
PZ-1A	PZ-1B	20	NM ⁽²⁾	72.06	--	NM ⁽²⁾	70.34	--	NM ⁽²⁾	68.77	--
PZ-1B	PZ-1C	50	72.06	72.39	0.0066	70.34	70.39	0.001	68.77	69.12	0.007
PZ-2A	PZ-2B	20	72.06	72.05	-0.0005	70.08	70.08	0	68.73	68.71	-0.001
PZ-2B	PZ-2C	50	72.05	72.34	0.0058	70.08	70.33	0.005	68.71	69.02	0.0062
PZ-5A	PZ-5B	45	72.84	72.73	-0.0024	70.85	70.72	-0.0029	69.62	69.51	-0.0024
PZ-6A	PZ-6B	25	71.91	71.81	-0.004	69.94	69.86	-0.0032	68.53	68.44	-0.0036
PZ-7A	PZ-7B	48	72.26	71.54	-0.015	70.26	70.07	-0.004	68.84	68.68	-0.0033
BCPMW-4-1	BCPMW-4-2	21	72.32	72.31	-0.0005	70.30	70.32	0.001	69.01	69.03	0.001
BCPMW-4-2	BCPMW-4-3	44	72.31	72.43	0.0027	70.32	70.40	0.0018	69.03	69.16	0.003
BCPMW-6-1	BCPMW-6-2	44.5	72.15	71.84	-0.007	70.15	69.83	-0.0072	68.79	68.49	-0.0067

- Notes:**
- (1) Positive groundwater hydraulic gradient indicates a vertically upward gradient and a negative groundwater hydraulic gradient indicates vertically downward gradient.
 - (2) Well casing is broken and blockage exists at around 2ft below top of casing.

Acronyms/Key:

- ft msl feet relative to mean sea level
- ft/ft feet per foot
- NM not measured
- not applicable

Table 13. Concentrations of Volatile Organic Compounds in Groundwater Samples Collected from Monitoring Wells, Bethpage Park Groundwater Containment System, Operable Unit 3 (Former Grumman Settling Ponds), Bethpage, New York. ^(1,2)

Constituent in µg/L	Sample Location:	B24MW-2	B24MW-2	B24MW-2	B24MW-2	B24MW-2
	Sample Date:	4/23/2009	10/4/2010	10/27/2011	10/3/2012	6/13/2013
NYSDEC						
<u>SCGs</u>						
1,1,1-Trichloroethane	5	< 5	< 5	< 5	< 5	< 5.0 J
1,1,2,2-Tetrachloroethane	5	< 5	< 5	< 5	< 5	< 5.0 J
1,1,2-Trichloroethane	1	< 5	< 5	< 5	< 5	< 5.0 J
1,1-Dichloroethane	5	< 5	< 5	< 5	< 5	< 5.0 J
1,1-Dichloroethene	5	< 5	< 5	< 5	< 5	< 5.0 J
1,2-Dichloroethane	0.6	< 5	< 5	< 5	< 5	< 5.0 J
1,2-Dichloropropane	1	< 5	< 5	< 5	< 5	< 5.0 J
2-Butanone	NE	< 50	< 50	< 50	< 50	< 50 J
2-Hexanone	50	< 50	< 50	< 50	< 50	< 50 J
4-Methyl-2-Pentanone	50	< 50	< 50	< 50	< 50	< 50 J
Acetone	NE	< 50 B	< 50	< 50 B	< 50	< 50 J
Benzene	1	< 0.7	< 0.7	< 0.7	< 0.7	< 0.70 J
Bromodichloromethane	50	< 5	< 5	< 5	< 5	< 5.0 J
Bromoform	50	< 5	< 5	< 5	< 5	< 5.0 J
Bromomethane	5	< 5	< 5	< 5	< 5	< 5.0 J
Carbon Disulfide	60	< 5	< 5	< 5	< 5	< 5.0 J
Carbon Tetrachloride	5	< 5	< 5	< 5	< 5	< 5.0 J
Chlorobenzene	5	< 5	< 5	< 5	< 5	< 5.0 J
Chlorodifluoromethane (Freon 22)	NE	< 5	< 5	< 5	0.41 J	< 5.0 J
Chloroethane	5	< 5	< 5	< 5	< 5	< 5.0 J
Chloroform	7	< 5	0.3 J	< 5	1.3 J	0.21 J
Chloromethane	5	< 5	< 5	< 5	< 5	< 5.0 J
cis-1,2-Dichloroethene	5	< 5	< 5	< 5	1.9 J	0.23 J
cis-1,3-Dichloropropene	0.4	< 5	< 5	< 5	< 5	< 5.0 J
Chlorodibromomethane	50	< 5	< 5	< 5	< 5	< 5.0 J
CFC-12	5	< 5	< 5	< 5	< 5	< 5.0 J
Ethylbenzene	5	< 5	< 5	< 5	< 5	< 5.0 J
Methyl-Tert-Butylether	5	--	< 5	--	0.45 J	0.21 J
Methylene Chloride	5	< 5	< 5	< 5	< 5	< 5.0 J
Styrene (Monomer)	5	< 5	< 5	< 5	< 5	< 5.0 J
Tetrachloroethene	5	< 5	< 5	< 5	< 5	< 5.0 J
Toluene	5	< 5	< 5	< 5	< 5	< 5.0 J
trans-1,2-Dichloroethene	5	< 5	< 5	< 5	< 5	< 5.0 J
trans-1,3-Dichloropropene	0.4	< 5	< 5	< 5	< 5	< 5.0 J
Trichloroethene	5	3.7 J	4.4 J	3.2 J	25	4.3 J
Trichlorotrifluoroethane (Freon 113)	5	< 5	< 5	< 5	< 5	< 5.0 J
Vinyl Chloride	2	< 2	< 2	< 2	< 2	< 2.0 J
o-Xylene	5	< 5	< 5	< 5	< 5	< 5.0 J
m,p-Xylene	5	< 5	< 5	< 5	< 5	< 5.0 J
Total VOCs ⁽³⁾		3.7	4.7	3.2	29	5.0
Project VOCs ⁽⁴⁾		3.7	4.4	3.2	27	4.5

See notes on last page.

Table 13. Concentrations of Volatile Organic Compounds in Groundwater Samples Collected from Monitoring Wells, Bethpage Park Groundwater Containment System, Operable Unit 3 (Former Grumman Settling Ponds), Bethpage, New York. ^(1,2)

Constituent in µg/L	Sample Location:	B24MW-3	B24MW-3	B24MW-3	B24MW-3	B24MW-3
	Sample Date:	4/20/2009	10/6/2010	10/27/2011	10/4/2012	6/13/2013
NYSDEC						
SCGs						
1,1,1-Trichloroethane	5	0.62 J	< 5	< 5	< 5	< 5.0 J
1,1,2,2-Tetrachloroethane	5	< 5	< 5	< 5	< 5	< 5.0 J
1,1,2-Trichloroethane	1	< 5	< 5	< 5	< 5	< 5.0 J
1,1-Dichloroethane	5	< 5	< 5	< 5	< 5	< 5.0 J
1,1-Dichloroethene	5	< 5	< 5	< 5	< 5	< 5.0 J
1,2-Dichloroethane	0.6	< 5	< 5	< 5	< 5	< 5.0 J
1,2-Dichloropropane	1	< 5	< 5	< 5	< 5	< 5.0 J
2-Butanone	NE	< 50	< 50	< 50	< 50	< 50 J
2-Hexanone	50	< 50 J	< 50	< 50	< 50	< 50 J
4-methyl-2-pentanone	50	< 50 J	< 50	< 50	< 50	< 50 J
Acetone	NE	< 50	< 50	< 50	< 50	< 50 J
Benzene	1	< 0.7	< 0.7	< 0.7	< 0.7	< 0.70 J
Bromodichloromethane	50	< 5	< 5	< 5	< 5	< 5.0 J
Bromoform	50	< 5	< 5	< 5	< 5	< 5.0 J
Bromomethane	5	< 5	< 5	< 5	< 5	< 5.0 J
Carbon Disulfide	60	< 5	< 5	< 5	< 5	< 5.0 J
Carbon tetrachloride	5	< 5	< 5	< 5	< 5	< 5.0 J
Chlorobenzene	5	< 5	< 5	< 5	< 5	< 5.0 J
Chlorodifluoromethane (Freon 22)	NE	< 5	< 5	< 5	< 5	< 5.0 J
Chloroethane	5	< 5	< 5	< 5	< 5	< 5.0 J
Chloroform	7	< 5	< 5	0.32 J	0.38 J	1.3 J
Chloromethane	5	< 5	< 5	< 5	< 5	< 5.0 J
cis-1,2-dichloroethene	5	10	1.2 J	0.4 J	0.62 J	< 5.0 J
cis-1,3-dichloropropene	0.4	< 5	< 5	< 5	< 5	< 5.0 J
Dibromochloromethane	50	< 5	< 5	< 5	< 5	< 5.0 J
Dichlorodifluoromethane (Freon 12)	5	< 5	< 5	< 5	< 5	< 5.0 J
Ethylbenzene	5	< 5	< 5	< 5	< 5	< 5.0 J
Methyl tert-Butyl Ether	5	--	< 5	--	< 5	< 5.0 J
Methylene Chloride	5	< 5	< 5	< 5	< 5	< 5.0 J
Styrene	5	< 5	< 5	< 5	< 5	< 5.0 J
Tetrachloroethene	5	0.51 J	< 5	< 5	< 5	< 5.0 J
Toluene	5	< 5	< 5	< 5	< 5	< 5.0 J
trans-1,2-dichloroethene	5	< 5	< 5	< 5	< 5	< 5.0 J
trans-1,3-dichloropropene	0.4	< 5	< 5	< 5	< 5	< 5.0 J
Trichloroethene	5	45	5.9	1.4 J	1 J	0.44 J
Trichlorotrifluoroethane (Freon 113)	5	< 5	< 5	< 5	< 5	< 5.0 J
Vinyl Chloride	2	< 2	< 2	< 2	< 2	< 2.0 J
Xylene-o	5	< 5	< 5	< 5	< 5	< 5.0 J
Xylenes - m,p	5	< 5	< 5	< 5	< 5	< 5.0 J
Total VOCs ⁽³⁾		56	7.1	2.1	2.0	1.7
Project VOCs ⁽⁴⁾		56	7.1	1.8	1.6	0.4

See notes on last page.

Table 13. Concentrations of Volatile Organic Compounds in Groundwater Samples Collected from Monitoring Wells, Bethpage Park Groundwater Containment System, Operable Unit 3 (Former Grumman Settling Ponds), Bethpage, New York. ^(1,2)

Constituent in µg/L	Sample Location: Sample Date:	B30MW-1 4/23/2009	B30MW-1 10/4/2010	B30MW-1 10/27/2011	B30MW-1 10/3/2012	B30MW-1 6/14/2013
NYSDEC						
<u>SCGs</u>						
1,1,1-Trichloroethane	5	< 5	< 5	< 5	< 5	< 5.0
1,1,2,2-Tetrachloroethane	5	< 5	< 5	< 5	< 5	< 5.0
1,1,2-Trichloroethane	1	< 5	< 5	< 5	< 5	< 5.0
1,1-Dichloroethane	5	< 5	< 5	< 5	< 5	< 5.0
1,1-Dichloroethene	5	< 5	< 5	< 5	< 5	< 5.0
1,2-Dichloroethane	0.6	< 5	< 5	< 5	< 5	< 5.0
1,2-Dichloropropane	1	< 5	< 5	< 5	< 5	< 5.0
2-Butanone	NE	< 50	< 50	< 50	< 50	< 50
2-Hexanone	50	< 50	< 50	< 50	< 50	< 50
4-methyl-2-pentanone	50	< 50	< 50	< 50	< 50	< 50
Acetone	NE	< 50 B	< 50 B	< 50	< 50	< 50
Benzene	1	< 0.7	< 0.7	< 0.7	< 0.7	< 0.70
Bromodichloromethane	50	< 5	< 5	< 5	< 5	< 5.0
Bromoform	50	< 5	< 5	< 5	< 5	< 5.0
Bromomethane	5	< 5	< 5	< 5	< 5	< 5.0
Carbon Disulfide	60	< 5	< 5	< 5	< 5	< 5.0
Carbon tetrachloride	5	< 5	< 5	< 5	< 5	< 5.0
Chlorobenzene	5	< 5	< 5	< 5	< 5	< 5.0
Chlorodifluoromethane (Freon 22)	NE	< 5	< 5	< 5	< 5	< 5.0
Chloroethane	5	< 5	< 5	< 5	< 5	< 5.0
Chloroform	7	< 5	< 5	< 5	< 5	< 5.0
Chloromethane	5	< 5	< 5	< 5	< 5	< 5.0
cis-1,2-dichloroethene	5	< 5	< 5	< 5	< 5	< 5.0
cis-1,3-dichloropropene	0.4	< 5	< 5	< 5	< 5	< 5.0
Dibromochloromethane	50	< 5	< 5	< 5	< 5	< 5.0
Dichlorodifluoromethane (Freon 12)	5	< 5	< 5	< 5	< 5	< 5.0
Ethylbenzene	5	< 5	< 5	< 5	< 5	< 5.0
Methyl tert-Butyl Ether	5	--	< 5	--	< 5	< 5.0
Methylene Chloride	5	< 5	< 5	< 5	< 5	< 5.0
Styrene	5	< 5	< 5	< 5	< 5	< 5.0
Tetrachloroethene	5	< 5	< 5	< 5	< 5	< 5.0
Toluene	5	< 5	< 5	< 5	< 5	< 5.0
trans-1,2-dichloroethene	5	< 5	< 5	< 5	< 5	< 5.0
trans-1,3-dichloropropene	0.4	< 5	< 5	< 5	< 5	< 5.0
Trichloroethene	5	< 5	< 5	< 5	< 5	< 5.0
Trichlorotrifluoroethane (Freon 113)	5	< 5	< 5	< 5	< 5	< 5.0
Vinyl Chloride	2	< 2	< 2	< 2	< 2	< 2.0
Xylene-o	5	< 5	< 5	< 5	< 5	< 5.0
Xylenes - m,p	5	< 5	< 5	< 5	< 5	< 5.0
Total VOCs ⁽³⁾		0	0	0	0	0
Project VOCs ⁽⁴⁾		0	0	0	0	0

See notes on last page.

Table 13. Concentrations of Volatile Organic Compounds in Groundwater Samples Collected from Monitoring Wells, Bethpage Park Groundwater Containment System, Operable Unit 3 (Former Grumman Settling Ponds), Bethpage, New York. ^(1,2)

Constituent in µg/L	Sample Location:	BCPMW-1	BCPMW-2	BCPMW-3
	Sample Date:	4/28/2009	4/28/2009	4/29/2009
NYSDEC				
SCGs				
1,1,1-Trichloroethane	5	< 5	< 10	< 25
1,1,2,2-Tetrachloroethane	5	< 5	< 10	< 25
1,1,2-Trichloroethane	1	< 5	< 10	< 25
1,1-Dichloroethane	5	0.37 J	8 J	9.6 J
1,1-Dichloroethene	5	< 5	3.8 J	43
1,2-Dichloroethane	0.6	< 5	0.68 J	< 25
1,2-Dichloropropane	1	< 5	< 10	< 25
2-Butanone	NE	< 50	< 100	< 250
2-Hexanone	50	< 50	< 100	< 250
4-methyl-2-pentanone	50	< 50	< 100	< 250
Acetone	NE	< 50 B	< 100	< 250
Benzene	1	< 0.7	< 1.4	< 3.5
Bromodichloromethane	50	< 5	< 10	< 25
Bromoform	50	< 5	< 10	< 25
Bromomethane	5	< 5	< 10	< 25
Carbon Disulfide	60	< 5	< 10	< 25
Carbon tetrachloride	5	< 5	< 10	< 25
Chlorobenzene	5	< 5	< 10	< 25
Chlorodifluoromethane (Freon 22)	NE	< 5	< 10	< 25
Chloroethane	5	< 5	< 10	< 25
Chloroform	7	0.88 J	< 10	< 25
Chloromethane	5	< 5	< 10	< 25
cis-1,2-dichloroethene	5	22	310	900
cis-1,3-dichloropropene	0.4	< 5	< 10	< 25
Dibromochloromethane	50	< 5	< 10	< 25
Dichlorodifluoromethane (Freon 12)	5	< 5	< 10	< 25
Ethylbenzene	5	< 5	< 10	< 25 B
Methyl tert-Butyl Ether	5	--	--	--
Methylene Chloride	5	0.52 J	< 10	< 25
Styrene	5	< 5	< 10	< 25
Tetrachloroethene	5	< 5	1.5 J	< 25
Toluene	5	0.33 J	< 10	< 25 B
trans-1,2-dichloroethene	5	0.44 J	2.4 J	8.9 J
trans-1,3-dichloropropene	0.4	< 5	< 10	< 25
Trichloroethene	5	190	180	470
Trichlorotrifluoroethane (Freon 113)	5	< 5	< 10	< 25
Vinyl Chloride	2	< 2	4.1	300
Xylene-o	5	< 5	< 10	< 25 B
Xylenes - m,p	5	< 5	< 10	< 25 B
Total VOCs ⁽³⁾		220	510	1,700
Project VOCs ⁽⁴⁾		210	510	1,700

See notes on last page.

Table 13. Concentrations of Volatile Organic Compounds in Groundwater Samples Collected from Monitoring Wells, Bethpage Park Groundwater Containment System, Operable Unit 3 (Former Grumman Settling Ponds), Bethpage, New York. ^(1,2)

Constituent in µg/L	Sample Location:	BCPMW-4-1	BCPMW-4-1	BCPMW-4-1	BCPMW-4-1	BCPMW-4-1
		Sample Date:	4/17/2009	12/1/2009	10/4/2010	10/28/2011
NYSDEC						
SCGs						
1,1,1-Trichloroethane	5	< 25	2.4 J	14 J	10 J	29
1,1,2,2-Tetrachloroethane	5	< 25	< 5	< 25	< 25	< 25
1,1,2-Trichloroethane	1	< 25	0.38 J	< 25	< 25	1.7 J
1,1-Dichloroethane	5	6.5 J	46	38	18 J	39
1,1-Dichloroethene	5	1.8 J	14	21 J	13 J	24 J
1,2-Dichloroethane	0.6	< 25	0.65 J	< 25	2.1 J	4.8 J
1,2-Dichloropropane	1	< 25	4.7 J	3.8 J	1.9 J	5.1 J
2-Butanone	NE	< 250	< 50	< 250	< 250	< 250
2-Hexanone	50	< 250 J	< 50	< 250	< 250	< 250
4-Methyl-2-Pentanone	50	< 250 J	< 50	< 250	< 250	< 250
Acetone	NE	< 250 J	< 50	< 250	< 250B	< 250
Benzene	1	< 3.5	0.44 J	< 3.5	< 3.5	< 3.5
Bromodichloromethane	50	< 25	< 5	< 25	< 25	< 25
Bromoform	50	< 25	< 5	< 25	< 25	< 25
Bromomethane	5	< 25	R	< 25	< 25	< 25
Carbon Disulfide	60	< 25	< 5	< 25	< 25	< 25
Carbon Tetrachloride	5	< 25	< 5	< 25	< 25	< 25
Chlorobenzene	5	< 25	< 5	< 25	< 25	< 25
Chlorodifluoromethane (Freon 22)	NE	17 J	6.2	4.3 J	2.5 J	< 25
Chloroethane	5	< 25	2.4 J	4.1 J	< 25	1.6 J
Chloroform	7	< 25	< 5	< 25	< 25	< 25
Chloromethane	5	< 25	R	< 25	< 25	< 25
cis-1,2-Dichloroethene	5	1800 D	750 D	510	500	840
cis-1,3-Dichloropropene	0.4	< 25	< 5	< 25	< 25	< 25
Chlorodibromomethane	50	< 25	< 5	< 25	< 25	< 25
CFC-12	5	< 25	< 5	< 25	< 25	< 25
Ethylbenzene	5	< 25	< 5	< 25	< 25	< 25
Methyl-Tert-Butylether	5	--	--	< 25	< 25	< 25
Methylene Chloride	5	< 25	< 5	< 25	< 25 B	< 25
Styrene (Monomer)	5	< 25	< 5	< 25	< 25	< 25
Tetrachloroethene	5	< 25	0.64 J	< 25	< 25	< 25
Toluene	5	< 25	< 5	< 25	< 25	< 25
trans-1,2-Dichloroethene	5	110	2.5 J	3.9 J	1.3 J	2.2 J
trans-1,3-Dichloropropene	0.4	< 25	< 5	< 25	< 25	< 25
Trichloroethene	5	22 J	170	45	43	110
Trichlorotrifluoroethane (Freon 113)	5	< 25	< 5	< 25	< 25	< 25
Vinyl Chloride	2	180	540 D	220	32	420
o-Xylene	5	< 25	8	< 25	< 25	< 25
m,p-Xylene	5	< 25	< 5	< 25	< 25	< 25
Total VOCs ⁽³⁾		2,100	1,500	860	620	1,500
Project VOCs ⁽⁴⁾		2,100	1,500	850	620	1,500

See notes on last page.

Table 13. Concentrations of Volatile Organic Compounds in Groundwater Samples Collected from Monitoring Wells, Bethpage Park Groundwater Containment System, Operable Unit 3 (Former Grumman Settling Ponds), Bethpage, New York. ^(1,2)

Sample Location: <i>BCPMW-4-1</i>		
Constituent in µg/L	Sample Date:	<i>6/5/2013</i>
NYSDEC		
SCGs		
1,1,1-Trichloroethane	5	5.1
1,1,2,2-Tetrachloroethane	5	< 5.0
1,1,2-Trichloroethane	1	0.24 J
1,1-Dichloroethane	5	7.4
1,1-Dichloroethene	5	4.1 J
1,2-Dichloroethane	0.6	0.95 J
1,2-Dichloropropane	1	0.95 J
2-Butanone	NE	< 50
2-Hexanone	50	< 50
4-Methyl-2-Pentanone	50	< 50
Acetone	NE	< 50
Benzene	1	< 0.70
Bromodichloromethane	50	< 5.0
Bromoform	50	< 5.0
Bromomethane	5	< 5.0
Carbon Disulfide	60	< 5.0
Carbon Tetrachloride	5	< 5.0
Chlorobenzene	5	< 5.0
Chlorodifluoromethane (Freon 22)	NE	1.1 J
Chloroethane	5	0.46 J
Chloroform	7	< 5.0
Chloromethane	5	< 5.0
cis-1,2-Dichloroethene	5	310 D
cis-1,3-Dichloropropene	0.4	< 5.0
Chlorodibromomethane	50	< 5.0
CFC-12	5	< 5.0
Ethylbenzene	5	< 5.0
Methyl-Tert-Butylether	5	< 5.0
Methylene Chloride	5	< 5.0
Styrene (Monomer)	5	< 5.0
Tetrachloroethene	5	0.37 J
Toluene	5	< 5.0
trans-1,2-Dichloroethene	5	0.78 J
trans-1,3-Dichloropropene	0.4	< 5.0
Trichloroethene	5	16
Trichlorotrifluoroethane (Freon 113)	5	< 5.0
Vinyl Chloride	2	47
o-Xylene	5	< 5.0
m,p-Xylene	5	< 5.0
Total VOCs ⁽³⁾		390
Project VOCs ⁽⁴⁾		390

See notes on last page.

Table 13. Concentrations of Volatile Organic Compounds in Groundwater Samples Collected from Monitoring Wells, Bethpage Park Groundwater Containment System, Operable Unit 3 (Former Grumman Settling Ponds), Bethpage, New York. ^(1,2)

Constituent in µg/L	Sample Location:	BCPMW-4-2	BCPMW-4-2	BCPMW-4-2	BCPMW-4-2	BCPMW-4-2
	Sample Date:	4/17/2009	12/4/2009	10/7/2010	10/28/2011	10/3/2012
NYSDEC						
SCGs						
1,1,1-Trichloroethane	5	< 250	< 10	< 5	0.33 J	0.23 J
1,1,2,2-Tetrachloroethane	5	< 250	< 10	< 5	< 5	< 5
1,1,2-Trichloroethane	1	< 250	< 10	< 5	< 5	< 5
1,1-Dichloroethane	5	57 J	8.7 J	7.3	2.6 J	1.4 J
1,1-Dichloroethene	5	34 J	2.7 J	1.9 J	1.1 J	0.8 J
1,2-Dichloroethane	0.6	< 250	< 10	0.91 J	0.85 J	0.45 J
1,2-Dichloropropane	1	< 250	< 10	0.9 J	0.39 J	< 5
2-Butanone	NE	< 2500	< 100	< 50	< 50	< 50
2-Hexanone	50	< 2500 J	< 100	< 50	< 50	< 50
4-methyl-2-pentanone	50	< 2500 J	< 100	< 50	< 50	< 50
Acetone	NE	< 2500 J	< 100	< 50 B	< 50	< 50
Benzene	1	< 35	< 1.4	< 0.7	< 0.7 U	< 0.7
Bromodichloromethane	50	< 250	< 10	< 5	< 5	< 5
Bromoform	50	< 250	< 10	< 5	< 5	< 5
Bromomethane	5	< 250	< 10	< 5	< 5	< 5
Carbon Disulfide	60	< 250	< 10	< 5	< 5	< 5
Carbon tetrachloride	5	< 250	< 10	< 5	< 5	< 5
Chlorobenzene	5	< 250	< 10	< 5	< 5	< 5
Chlorodifluoromethane (Freon 22)	NE	< 250	0.8 J	< 5	< 5	< 5
Chloroethane	5	< 250	1.1 J	0.79 J	< 5	< 5
Chloroform	7	< 250	< 10	0.96 J	0.62 J	0.54 J
Chloromethane	5	< 250	R	< 5	< 5	< 5
cis-1,2-dichloroethene	5	18000 D	270	99	59	70
cis-1,3-dichloropropene	0.4	< 250	< 10	< 5	< 5	< 5
Dibromochloromethane	50	< 250	< 10	< 5	< 5	< 5
Dichlorodifluoromethane (Freon 12)	5	< 250	< 10	< 5	< 5	< 5
Ethylbenzene	5	62 J	0.78 J	< 5	< 5	< 5
Methyl tert-Butyl Ether	5	--	--	0.35 J	0.28 J	0.29 J
Methylene Chloride	5	< 250	< 10	< 5	< 5	< 5
Styrene	5	< 250	< 10	< 5	< 5	< 5
Tetrachloroethene	5	< 250	0.82 J	0.73 J	0.59 J	0.91 J
Toluene	5	2400	< 10 B	< 5	< 5	< 5
trans-1,2-dichloroethene	5	< 250	1.3 J	0.65 J	0.41 J	0.5 J
trans-1,3-dichloropropene	0.4	< 250	< 10	< 5	< 5	< 5
Trichloroethene	5	< 250	310	66	50	68
Trichlorotrifluoroethane (Freon 113)	5	< 250	< 10	< 5	< 5	< 5
Vinyl Chloride	2	6300	58	54	20	9.5
Xylene-o	5	110 J	< 10 B	< 5	< 5	< 5
Xylenes - m,p	5	190 J	< 10 B	< 5	< 5	< 5
Total VOCs ⁽³⁾		27,000	660	230	140	150
Project VOCs ⁽⁴⁾		27,000	650	230	130	150

See notes on last page.

Table 13. Concentrations of Volatile Organic Compounds in Groundwater Samples Collected from Monitoring Wells, Bethpage Park Groundwater Containment System, Operable Unit 3 (Former Grumman Settling Ponds), Bethpage, New York. ^(1,2)

Sample Location: <i>BCPMW-4-2</i>		
Constituent in µg/L	Sample Date:	<i>6/5/2013</i>
	NYSDEC	
	<u>SCGs</u>	
1,1,1-Trichloroethane	5	0.22 J
1,1,2,2-Tetrachloroethane	5	< 5.0
1,1,2-Trichloroethane	1	< 5.0
1,1-Dichloroethane	5	1.5 J
1,1-Dichloroethene	5	0.49 J
1,2-Dichloroethane	0.6	0.52 J
1,2-Dichloropropane	1	< 5.0
2-Butanone	NE	< 50
2-Hexanone	50	< 50
4-methyl-2-pentanone	50	< 50
Acetone	NE	1.8 J
Benzene	1	< 0.70
Bromodichloromethane	50	< 5.0
Bromoform	50	< 5.0
Bromomethane	5	< 5.0
Carbon Disulfide	60	< 5.0
Carbon tetrachloride	5	< 5.0
Chlorobenzene	5	< 5.0
Chlorodifluoromethane (Freon 22)	NE	< 5.0
Chloroethane	5	< 5.0
Chloroform	7	3.3 J
Chloromethane	5	< 5.0
cis-1,2-dichloroethene	5	47
cis-1,3-dichloropropene	0.4	< 5.0
Dibromochloromethane	50	< 5.0
Dichlorodifluoromethane (Freon 12)	5	< 5.0
Ethylbenzene	5	< 5.0
Methyl tert-Butyl Ether	5	0.26 J
Methylene Chloride	5	< 5.0
Styrene	5	< 5.0
Tetrachloroethene	5	0.63 J
Toluene	5	< 5.0
trans-1,2-dichloroethene	5	0.40 J
trans-1,3-dichloropropene	0.4	< 5.0
Trichloroethene	5	56
Trichlorotrifluoroethane (Freon 113)	5	< 5.0
Vinyl Chloride	2	9.7
Xylene-o	5	< 5.0
Xylenes - m,p	5	< 5.0
Total VOCs ⁽³⁾		120
Project VOCs ⁽⁴⁾		120

See notes on last page.

Table 13. Concentrations of Volatile Organic Compounds in Groundwater Samples Collected from Monitoring Wells, Bethpage Park Groundwater Containment System, Operable Unit 3 (Former Grumman Settling Ponds), Bethpage, New York. ^(1,2)

Constituent in µg/L	Sample Location:	BCPMW-4-3	BCPMW-4-3	BCPMW-4-3	BCPMW-4-3	BCPMW-4-3
	Sample Date:	4/17/2009	12/1/2009	10/7/2010	10/28/2011	10/3/2012
	NYSDEC					
	<u>SCGs</u>					
1,1,1-Trichloroethane	5	< 5	< 5	< 5	< 5	< 5
1,1,2,2-Tetrachloroethane	5	< 5	< 5	< 5	< 5	< 5
1,1,2-Trichloroethane	1	< 5	< 5	< 5	< 5	< 5
1,1-Dichloroethane	5	< 5	< 5	< 5	< 5	< 5
1,1-Dichloroethene	5	< 5	< 5	< 5	< 5	< 5
1,2-Dichloroethane	0.6	< 5	< 5	< 5	< 5	< 5
1,2-Dichloropropane	1	< 5	< 5	< 5	< 5	< 5
2-Butanone	NE	< 50	< 50	< 50	< 50	< 50
2-Hexanone	50	< 50 J	< 50	< 50	< 50	< 50
4-methyl-2-pentanone	50	< 50 J	< 50	< 50	< 50	< 50
Acetone	NE	< 50 J	< 50	< 50	< 50	< 50
Benzene	1	< 0.7	< 0.7	< 0.7	< 0.7	< 0.7
Bromodichloromethane	50	< 5	< 5	< 5	< 5	< 5
Bromoform	50	< 5	< 5	< 5	< 5	< 5
Bromomethane	5	< 5	< 5	< 5	< 5	< 5
Carbon Disulfide	60	< 5	< 5	< 5	< 5	< 5
Carbon tetrachloride	5	< 5	< 5	< 5	< 5	< 5
Chlorobenzene	5	< 5	< 5	< 5	< 5	< 5
Chlorodifluoromethane (Freon 22)	NE	< 5	< 5	< 5	< 5	< 5
Chloroethane	5	< 5	< 5	< 5	< 5	< 5
Chloroform	7	0.53 J	0.32 J	< 5	< 5	0.2 J
Chloromethane	5	< 5	R	< 5	< 5	< 5
cis-1,2-dichloroethene	5	0.37 J	< 5	< 5	< 5	< 5
cis-1,3-dichloropropene	0.4	< 5	< 5	< 5	< 5	< 5
Dibromochloromethane	50	< 5	< 5	< 5	< 5	< 5
Dichlorodifluoromethane (Freon 12)	5	< 5	< 5	< 5	< 5	< 5
Ethylbenzene	5	< 5	< 5	< 5	< 5	< 5
Methyl tert-Butyl Ether	5	--	--	< 5	< 5	< 5
Methylene Chloride	5	< 5	< 5	< 5	< 5	< 5
Styrene	5	< 5	< 5	< 5	< 5	< 5
Tetrachloroethene	5	< 5	< 5	< 5	0.27 J	0.3 J
Toluene	5	< 5	< 5	< 5	< 5	< 5
trans-1,2-dichloroethene	5	< 5	< 5	< 5	< 5	< 5
trans-1,3-dichloropropene	0.4	< 5	< 5	< 5	< 5	< 5
Trichloroethene	5	0.56 J	0.51 J	0.41 J	0.74 J	0.84 J
Trichlorotrifluoroethane (Freon 113)	5	< 5	< 5	< 5	0.38 J	< 5
Vinyl Chloride	2	< 2	< 2	< 2	< 2	< 2
Xylene-o	5	< 5	< 5	< 5	< 5	< 5
Xylenes - m,p	5	< 5	< 5	< 5	< 5	< 5
Total VOCs ⁽³⁾		1.5	0.83	0.41	1.4	1.3
Project VOCs ⁽⁴⁾		0.93	0.51	0.41	1.0	1.1

See notes on last page.

Table 13. Concentrations of Volatile Organic Compounds in Groundwater Samples Collected from Monitoring Wells, Bethpage Park Groundwater Containment System, Operable Unit 3 (Former Grumman Settling Ponds), Bethpage, New York. ^(1,2)

Constituent in µg/L	Sample Location: <i>BCPMW-4-3 (REP)</i>		<i>BCPMW-4-3</i>
	Sample Date:	<i>6/5/2013</i>	<i>6/5/2013</i>
	NYSDEC		
	<u>SCGs</u>		
1,1,1-Trichloroethane	5	< 5.0	< 5.0
1,1,2,2-Tetrachloroethane	5	< 5.0	< 5.0
1,1,2-Trichloroethane	1	< 5.0	< 5.0
1,1-Dichloroethane	5	< 5.0	< 5.0
1,1-Dichloroethene	5	< 5.0	< 5.0
1,2-Dichloroethane	0.6	< 5.0	< 5.0
1,2-Dichloropropane	1	< 5.0	< 5.0
2-Butanone	NE	< 5.0	< 5.0
2-Hexanone	50	< 5.0	< 5.0
4-Methyl-2-Pentanone	50	< 5.0	< 5.0
Acetone	NE	< 5.0	< 5.0
Benzene	1	< 0.70	< 0.70
Bromodichloromethane	50	< 5.0	< 5.0
Bromoform	50	< 5.0	< 5.0
Bromomethane	5	< 5.0	< 5.0
Carbon Disulfide	60	< 5.0	< 5.0
Carbon Tetrachloride	5	< 5.0	< 5.0
Chlorobenzene	5	< 5.0	< 5.0
Chlorodifluoromethane (Freon 22)	NE	< 5.0	< 5.0
Chloroethane	5	< 5.0	< 5.0
Chloroform	7	0.97 J	1.1 J
Chloromethane	5	< 5.0	< 5.0
cis-1,2-Dichloroethene	5	< 5.0	< 5.0
cis-1,3-Dichloropropene	0.4	< 5.0	< 5.0
Chlorodibromomethane	50	< 5.0	< 5.0
CFC-12	5	< 5.0	< 5.0
Ethylbenzene	5	< 5.0	< 5.0
Methyl-Tert-Butylether	5	< 5.0	< 5.0
Methylene Chloride	5	< 5.0	< 5.0
Styrene (Monomer)	5	< 5.0	< 5.0
Tetrachloroethene	5	< 5.0	< 5.0
Toluene	5	< 5.0	< 5.0
trans-1,2-Dichloroethene	5	< 5.0	< 5.0
trans-1,3-Dichloropropene	0.4	< 5.0	< 5.0
Trichloroethene	5	0.34 J	0.39 J
Trichlorotrifluoroethane (Freon 113)	5	< 5.0	< 5.0
Vinyl Chloride	2	< 2.0	< 2.0
o-Xylene	5	< 5.0	< 5.0
m,p-Xylene	5	< 5.0	< 5.0
Total VOCs ⁽³⁾		1.3	1.5
Project VOCs ⁽⁴⁾		0.34	0.39

See notes on last page.

Table 13. Concentrations of Volatile Organic Compounds in Groundwater Samples Collected from Monitoring Wells, Bethpage Park Groundwater Containment System, Operable Unit 3 (Former Grumman Settling Ponds), Bethpage, New York. ^(1,2)

Sample Location: BCPMW-5-1	
Constituent in µg/L	Sample Date: 4/23/2009
	NYSDEC
	<u>SCGs</u>
1,1,1-Trichloroethane	5 < 100
1,1,2,2-Tetrachloroethane	5 < 100
1,1,2-Trichloroethane	1 < 100
1,1-Dichloroethane	5 < 100
1,1-Dichloroethene	5 21 J
1,2-Dichloroethane	0.6 < 100
1,2-Dichloropropane	1 < 100
2-Butanone	NE < 1000
2-Hexanone	50 < 1000
4-Methyl-2-Pentanone	50 < 1000
Acetone	NE < 1000
Benzene	1 < 14
Bromodichloromethane	50 < 100
Bromoform	50 < 100
Bromomethane	5 < 100
Carbon Disulfide	60 < 100
Carbon Tetrachloride	5 < 100
Chlorobenzene	5 < 100
Chlorodifluoromethane (Freon 22)	NE < 100
Chloroethane	5 < 100
Chloroform	7 < 100
Chloromethane	5 < 100
cis-1,2-Dichloroethene	5 960
cis-1,3-Dichloropropene	0.4 < 100
Chlorodibromomethane	50 < 100
CFC-12	5 < 100
Ethylbenzene	5 48 J
Methyl-Tert-Butylether	5 --
Methylene Chloride	5 < 100
Styrene (Monomer)	5 < 100
Tetrachloroethene	5 < 100
Toluene	5 2700
trans-1,2-Dichloroethene	5 < 100
trans-1,3-Dichloropropene	0.4 < 100
Trichloroethene	5 220
Trichlorotrifluoroethane (Freon 113)	5 < 100
Vinyl Chloride	2 330
o-Xylene	5 40 J
m,p-Xylene	5 110
Total VOCs ⁽³⁾	4,400
Project VOCs ⁽⁴⁾	4,400

See notes on last page.

Table 13. Concentrations of Volatile Organic Compounds in Groundwater Samples Collected from Monitoring Wells, Bethpage Park Groundwater Containment System, Operable Unit 3 (Former Grumman Settling Ponds), Bethpage, New York. ^(1,2)

Constituent in µg/L	Sample Location:	BCPMW-6-1	BCPMW-6-1	BCPMW-6-1	BCPMW-6-1
	Sample Date:	4/20/2009	12/4/2009	10/6/2010	10/31/2011
	NYSDEC				
	<u>SCGs</u>				
1,1,1-Trichloroethane	5	< 5	< 5	< 100	< 250
1,1,2,2-Tetrachloroethane	5	< 5	< 5	< 100	< 250
1,1,2-Trichloroethane	1	< 5	< 5	< 100	< 250
1,1-Dichloroethane	5	0.3 J	< 5	< 100	< 250
1,1-Dichloroethene	5	< 5	< 5	< 100	< 250
1,2-Dichloroethane	0.6	< 5	< 5	< 100	< 250
1,2-Dichloropropane	1	< 5	< 5	< 100	< 250
2-Butanone	NE	< 50	< 50	< 1000	< 2500
2-Hexanone	50	< 50 J	< 50	< 1000	< 2500
4-Methyl-2-Pentanone	50	< 50 J	< 50	< 1000	< 2500
Acetone	NE	< 50 J	< 50	< 1000	< 2500
Benzene	1	< 0.7	< 0.7	< 14	< 35
Bromodichloromethane	50	< 5	< 5	< 100	< 250
Bromoform	50	< 5	< 5	< 100	< 250
Bromomethane	5	< 5	R	< 100	< 250
Carbon Disulfide	60	< 5	< 5	< 100	< 250
Carbon Tetrachloride	5	< 5	< 5	< 100	< 250
Chlorobenzene	5	< 5	< 5	< 100	< 250
Chlorodifluoromethane (Freon 22)	NE	4500 D	1700 EJ	10000 D	7100
Chloroethane	5	< 5	< 5	< 100	< 250
Chloroform	7	1.7 J	0.32 J	< 100	< 250
Chloromethane	5	< 5	R	< 100	< 250
cis-1,2-Dichloroethene	5	21	1.7 J	< 100	< 250
cis-1,3-Dichloropropene	0.4	< 5	< 5	< 100	< 250
Chlorodibromomethane	50	< 5	< 5	< 100	< 250
CFC-12	5	< 5	< 5	< 100	< 250
Ethylbenzene	5	< 5	< 5	< 100	< 250
Methyl-Tert-Butylether	5	--	--	<100	< 250
Methylene Chloride	5	< 5	< 5	< 100	< 250
Styrene (Monomer)	5	< 5	< 5	< 100	< 250
Tetrachloroethene	5	0.34 J	< 5	< 100	< 250
Toluene	5	< 5	< 5	< 100	< 250
trans-1,2-Dichloroethene	5	< 5	< 5	< 100	< 250
trans-1,3-Dichloropropene	0.4	< 5	< 5	< 100	< 250
Trichloroethene	5	4.9 J	1.6 J	< 100	< 250
Trichlorotrifluoroethane (Freon 113)	5	< 5	< 5	< 100	< 250
Vinyl Chloride	2	< 2	< 2	< 40	< 100
o-Xylene	5	< 5	< 5	< 100	< 250
m,p-Xylene	5	< 5	< 5	< 100	< 250
Total VOCs ⁽³⁾		4,500	1,700	10,000	7,100
Project VOCs ⁽⁴⁾		27	2.3	0	0

See notes on last page.

Table 13. Concentrations of Volatile Organic Compounds in Groundwater Samples Collected from Monitoring Wells, Bethpage Park Groundwater Containment System, Operable Unit 3 (Former Grumman Settling Ponds), Bethpage, New York. ^(1,2)

Constituent in µg/L	Sample Location:	BCPMW-6-1	BCPMW-6-1
	Sample Date:	10/3/2012	6/7/2013
	NYSDEC		
	<u>SCGs</u>		
1,1,1-Trichloroethane	5	< 100	< 13
1,1,2,2-Tetrachloroethane	5	< 100	< 13
1,1,2-Trichloroethane	1	< 100	< 13
1,1-Dichloroethane	5	< 100	< 13
1,1-Dichloroethene	5	< 100	< 13
1,2-Dichloroethane	0.6	< 100	< 13
1,2-Dichloropropane	1	< 100	< 13
2-Butanone	NE	< 1000	< 130
2-Hexanone	50	< 1000	< 130
4-Methyl-2-Pentanone	50	< 1000	< 130
Acetone	NE	< 1000	< 130
Benzene	1	< 14	< 1.8
Bromodichloromethane	50	< 100	< 13
Bromoform	50	< 100	< 13
Bromomethane	5	< 100	< 13
Carbon Disulfide	60	< 100	< 13
Carbon Tetrachloride	5	< 100	< 13
Chlorobenzene	5	< 100	< 13
Chlorodifluoromethane (Freon 22)	NE	2100	400
Chloroethane	5	< 100	< 13
Chloroform	7	< 100	< 13
Chloromethane	5	< 100	< 13
cis-1,2-Dichloroethene	5	< 100	< 13
cis-1,3-Dichloropropene	0.4	< 100	< 13
Chlorodibromomethane	50	< 100	< 13
CFC-12	5	< 100	< 13
Ethylbenzene	5	< 100	< 13
Methyl-Tert-Butylether	5	< 100	< 13
Methylene Chloride	5	< 100	< 13
Styrene (Monomer)	5	< 100	< 13
Tetrachloroethene	5	< 100	< 13
Toluene	5	< 100	< 13
trans-1,2-Dichloroethene	5	< 100	< 13
trans-1,3-Dichloropropene	0.4	< 100	< 13
Trichloroethene	5	< 100	< 13
Trichlorotrifluoroethane (Freon 113)	5	< 100	< 13
Vinyl Chloride	2	< 40	< 5.0
o-Xylene	5	< 100	< 13
m,p-Xylene	5	< 100	< 13
Total VOCs ⁽³⁾		2,100	400
Project VOCs ⁽⁴⁾		0	0

See notes on last page.

Table 13. Concentrations of Volatile Organic Compounds in Groundwater Samples Collected from Monitoring Wells, Bethpage Park Groundwater Containment System, Operable Unit 3 (Former Grumman Settling Ponds), Bethpage, New York. ^(1,2)

Constituent in µg/L	Sample Location:	BCPMW-6-2	BCPMW-6-2	BCPMW-6-2	BCPMW-6-2	BCPMW-6-2
	Sample Date:	5/8/2009	12/4/2009	10/6/2010	10/31/2011	10/3/2012
	NYSDEC					
	<u>SCGs</u>					
1,1,1-Trichloroethane	5	< 5	0.78 J	< 5	< 5	< 5
1,1,2,2-Tetrachloroethane	5	< 5	< 5	< 5	< 5	< 5
1,1,2-Trichloroethane	1	< 5	< 5	< 5	< 5	< 5
1,1-Dichloroethane	5	0.37 J	0.65 J	0.47 J	0.41 J	0.23 J
1,1-Dichloroethene	5	< 5	0.44 J	< 5	0.3 J	< 5
1,2-Dichloroethane	0.6	< 5	< 5	< 5	< 5	< 5
1,2-Dichloropropane	1	< 5	< 5	< 5	< 5	< 5
2-Butanone	NE	< 50	< 50	< 50	< 50	< 50
2-Hexanone	50	< 50	< 50	< 50	< 50	< 50
4-Methyl-2-Pentanone	50	< 50	< 50	< 50	< 50	< 50
Acetone	NE	< 50	< 50	< 50	< 50	< 50
Benzene	1	< 0.7	< 0.7	< 0.7	< 0.7	< 0.7
Bromodichloromethane	50	< 5	< 5	< 5	< 5	< 5
Bromoform	50	< 5	< 5	< 5	< 5	< 5
Bromomethane	5	< 5	R	< 5	< 5	< 5
Carbon Disulfide	60	< 5	< 5	< 5	< 5	< 5
Carbon Tetrachloride	5	< 5	< 5	< 5	< 5	< 5
Chlorobenzene	5	< 5	< 5	< 5	< 5	< 5
Chlorodifluoromethane (Freon 22)	NE	< 5	< 5	< 5	< 5	0.64 J
Chloroethane	5	< 5	< 5	< 5	< 5	< 5
Chloroform	7	0.53 J	< 5	0.41 J	0.3 J	0.38 J
Chloromethane	5	< 5	R	< 5	< 5	< 5
cis-1,2-Dichloroethene	5	< 5	< 5	< 5	< 5	< 5
cis-1,3-Dichloropropene	0.4	< 5	< 5	< 5	< 5	< 5
Chlorodibromomethane	50	< 5	< 5	< 5	< 5	< 5
CFC-12	5	< 5	< 5	< 5	< 5	< 5
Ethylbenzene	5	< 5	< 5	< 5	< 5	< 5
Methyl-Tert-Butylether	5	--	--	< 5	0.33 J	0.24 J
Methylene Chloride	5	< 5	< 5	< 5	< 5	< 5
Styrene (Monomer)	5	< 5	< 5	< 5	< 5	< 5
Tetrachloroethene	5	< 5	0.79 J	2.1 J	1.8 J	1.6 J
Toluene	5	< 5	< 5	< 5	< 5	< 5
trans-1,2-Dichloroethene	5	< 5	< 5	< 5	< 5	< 5
trans-1,3-Dichloropropene	0.4	< 5	< 5	< 5	< 5	< 5
Trichloroethene	5	< 5	0.45 J	< 5	< 5	< 5
Trichlorotrifluoroethane (Freon 113)	5	< 5	< 5	< 5	< 5	< 5
Vinyl Chloride	2	< 2	< 2	< 2	< 2	< 2
o-Xylene	5	< 5	< 5	< 5	< 5	< 5
m,p-Xylene	5	< 5	< 5	< 5	< 5	< 5
Total VOCs ⁽³⁾		0.90	3.1	3.0	3.1	3.1
Project VOCs ⁽⁴⁾		0.37	3.1	2.6	2.5	1.8

See notes on last page.

Table 13. Concentrations of Volatile Organic Compounds in Groundwater Samples Collected from Monitoring Wells, Bethpage Park Groundwater Containment System, Operable Unit 3 (Former Grumman Settling Ponds), Bethpage, New York. ^(1,2)

Sample Location: <i>BCPMW-6-2</i>		
Constituent in µg/L	Sample Date:	<i>6/5/2013</i>
	NYSDEC	
	<u>SCGs</u>	
1,1,1-Trichloroethane	5	< 5.0
1,1,2,2-Tetrachloroethane	5	< 5.0
1,1,2-Trichloroethane	1	< 5.0
1,1-Dichloroethane	5	0.31 J
1,1-Dichloroethene	5	< 5.0 J
1,2-Dichloroethane	0.6	< 5.0
1,2-Dichloropropane	1	< 5.0
2-Butanone	NE	< 50
2-Hexanone	50	< 50
4-Methyl-2-Pentanone	50	< 50
Acetone	NE	< 50
Benzene	1	< 0.70 J
Bromodichloromethane	50	< 5.0
Bromoform	50	< 5.0
Bromomethane	5	< 5.0
Carbon Disulfide	60	< 5.0
Carbon Tetrachloride	5	< 5.0
Chlorobenzene	5	< 5.0 J
Chlorodifluoromethane (Freon 22)	NE	< 5.0
Chloroethane	5	< 5.0
Chloroform	7	0.93 J
Chloromethane	5	< 5.0
cis-1,2-Dichloroethene	5	< 5.0
cis-1,3-Dichloropropene	0.4	< 5.0
Chlorodibromomethane	50	< 5.0
CFC-12	5	< 5.0
Ethylbenzene	5	< 5.0
Methyl-Tert-Butylether	5	0.36 J
Methylene Chloride	5	< 5.0
Styrene (Monomer)	5	< 5.0
Tetrachloroethene	5	1.3 J
Toluene	5	< 5.0 J
trans-1,2-Dichloroethene	5	< 5.0
trans-1,3-Dichloropropene	0.4	< 5.0
Trichloroethene	5	< 5.0 J
Trichlorotrifluoroethane (Freon 113)	5	< 5.0
Vinyl Chloride	2	< 2.0
o-Xylene	5	< 5.0
m,p-Xylene	5	< 5.0
Total VOCs ⁽³⁾		2.9
Project VOCs ⁽⁴⁾		1.6

See notes on last page.

Table 13. Concentrations of Volatile Organic Compounds in Groundwater Samples Collected from Monitoring Wells, Bethpage Park Groundwater Containment System, Operable Unit 3 (Former Grumman Settling Ponds), Bethpage, New York. ^(1,2)

Constituent in µg/L	Sample Location:	BCPMW-7-1	BCPMW-7-1	BCPMW-7-1	BCPMW-7-1	BCPMW-7-1
	Sample Date:	4/20/2009	12/1/2009	10/7/2010	11/1/2011	10/4/2012
	NYSDEC					
	<u>SCGs</u>					
1,1,1-Trichloroethane	5	< 5	< 5	< 5	< 5	< 5
1,1,2,2-Tetrachloroethane	5	< 5	< 5	< 5	< 5	< 5
1,1,2-Trichloroethane	1	< 5	< 5	< 5	< 5	< 5
1,1-Dichloroethane	5	< 5	< 5	< 5	< 5	< 5
1,1-Dichloroethene	5	< 5	< 5	< 5	< 5	< 5
1,2-Dichloroethane	0.6	< 5	< 5	< 5	< 5	< 5
1,2-Dichloropropane	1	< 5	< 5	< 5	< 5	< 5
2-Butanone	NE	< 50	< 50	< 50	< 50	< 50
2-Hexanone	50	< 50 J	< 50	< 50	< 50	< 50
4-Methyl-2-Pentanone	50	< 50 J	< 50	< 50	< 50	< 50
Acetone	NE	< 50	< 50	< 50	< 50	< 50
Benzene	1	< 0.7	< 0.7	< 0.7	< 0.7	< 0.7
Bromodichloromethane	50	< 5	< 5	< 5	< 5	< 5
Bromoform	50	< 5	< 5	< 5	< 5	< 5
Bromomethane	5	< 5	R	< 5	< 5	< 5
Carbon Disulfide	60	< 5	< 5	< 5	< 5	< 5
Carbon Tetrachloride	5	< 5	< 5	< 5	< 5	< 5
Chlorobenzene	5	< 5	< 5	< 5	< 5	< 5
Chlorodifluoromethane (Freon 22)	NE	2.6 J	1.5 J	5.2	9.2	3.6 J
Chloroethane	5	< 5	< 5	< 5	< 5	< 5
Chloroform	7	< 5	< 5	< 5	< 5	0.37 J
Chloromethane	5	< 5	R	< 5	< 5	< 5
cis-1,2-Dichloroethene	5	< 5	< 5	< 5	< 5	< 5
cis-1,3-Dichloropropene	0.4	< 5	< 5	< 5	< 5	< 5
Chlorodibromomethane	50	< 5	< 5	< 5	< 5	< 5
CFC-12	5	< 5	< 5	< 5	< 5	< 5
Ethylbenzene	5	< 5	< 5	< 5	< 5	< 5
Methyl-Tert-Butylether	5	--	--	< 5	0.22 J	0.26 J
Methylene Chloride	5	< 5	< 5	< 5	< 5	< 5
Styrene (Monomer)	5	< 5	< 5	< 5	< 5	< 5
Tetrachloroethene	5	< 5	< 5	< 5	< 5	< 5
Toluene	5	< 5	< 5	< 5	< 5	< 5
trans-1,2-Dichloroethene	5	< 5	< 5	< 5	< 5	< 5
trans-1,3-Dichloropropene	0.4	< 5	< 5	< 5	< 5	< 5
Trichloroethene	5	< 5	< 5	< 5	< 5	< 5
Trichlorotrifluoroethane (Freon 113)	5	< 5	< 5	< 5	< 5	< 5
Vinyl Chloride	2	< 2	< 2	< 2	< 2	< 2
o-Xylene	5	< 5	< 5	< 5	< 5	< 5
m,p-Xylene	5	< 5	< 5	< 5	< 5	< 5
Total VOCs ⁽³⁾		2.6	1.5	5.2	9.4	4.2
Project VOCs ⁽⁴⁾		0.0	0.0	0.0	0.2	0.0

See notes on last page.

Table 13. Concentrations of Volatile Organic Compounds in Groundwater Samples Collected from Monitoring Wells, Bethpage Park Groundwater Containment System, Operable Unit 3 (Former Grumman Settling Ponds), Bethpage, New York. ^(1,2)

Sample Location: <i>BCPMW-7-1</i>		
Constituent in µg/L	Sample Date:	<i>6/7/2013</i>
	NYSDEC	
	<u>SCGs</u>	
1,1,1-Trichloroethane	5	< 5.0
1,1,2,2-Tetrachloroethane	5	< 5.0
1,1,2-Trichloroethane	1	< 5.0
1,1-Dichloroethane	5	< 5.0
1,1-Dichloroethene	5	< 5.0
1,2-Dichloroethane	0.6	< 5.0
1,2-Dichloropropane	1	< 5.0
2-Butanone	NE	< 50
2-Hexanone	50	< 50
4-methyl-2-pentanone	50	< 50
Acetone	NE	< 50
Benzene	1	< 0.70
Bromodichloromethane	50	< 5.0
Bromoform	50	< 5.0
Bromomethane	5	< 5.0
Carbon Disulfide	60	< 5.0
Carbon tetrachloride	5	< 5.0
Chlorobenzene	5	< 5.0
Chlorodifluoromethane (Freon 22)	NE	2.5 J
Chloroethane	5	< 5.0
Chloroform	7	0.29 J
Chloromethane	5	< 5.0
cis-1,2-dichloroethene	5	< 5.0
cis-1,3-dichloropropene	0.4	< 5.0
Dibromochloromethane	50	< 5.0
Dichlorodifluoromethane (Freon 12)	5	< 5.0
Ethylbenzene	5	< 5.0
Methyl tert-Butyl Ether	5	0.22 J
Methylene Chloride	5	< 5.0
Styrene	5	< 5.0
Tetrachloroethene	5	< 5.0
Toluene	5	< 5.0
trans-1,2-dichloroethene	5	< 5.0
trans-1,3-dichloropropene	0.4	< 5.0
Trichloroethene	5	< 5.0
Trichlorotrifluoroethane (Freon 113)	5	< 5.0
Vinyl Chloride	2	< 2.0
Xylene-o	5	< 5.0
Xylenes - m,p	5	< 5.0
Total VOCs ⁽³⁾		3.0
Project VOCs ⁽⁴⁾		0

See notes on last page.

Table 13. Concentrations of Volatile Organic Compounds in Groundwater Samples Collected from Monitoring Wells, Bethpage Park Groundwater Containment System, Operable Unit 3 (Former Grumman Settling Ponds), Bethpage, New York. ^(1,2)

Constituent in µg/L	Sample Location:	MW-200-1	MW-200-1	MW-200-1	MW-200-1	MW-200-1
	Sample Date:	4/29/2009	12/2/2009	10/5/2010	11/3/2011	10/4/2012
NYSDEC						
SCGs						
1,1,1-Trichloroethane	5	< 5	< 5	< 5	< 5	< 5
1,1,2,2-Tetrachloroethane	5	< 5	< 5	< 5	< 5	< 5
1,1,2-Trichloroethane	1	< 5	< 5	< 5	< 5	< 5
1,1-Dichloroethane	5	0.79 J	< 5	< 5	< 5	< 5
1,1-Dichloroethene	5	< 5	< 5	< 5	< 5	< 5
1,2-Dichloroethane	0.6	< 5	< 5	< 5	< 5	< 5
1,2-Dichloropropane	1	< 5	< 5	< 5	< 5	< 5
2-Butanone	NE	< 50	< 50	< 50	< 50	< 50
2-Hexanone	50	< 50	< 50	< 50	< 50	< 50
4-methyl-2-pentanone	50	< 50	< 50	< 50	< 50	< 50
Acetone	NE	< 50 B	< 50	< 50	< 50	< 50
Benzene	1	< 0.7	< 0.7	< 0.7	< 0.7	< 0.7
Bromodichloromethane	50	< 5	< 5	< 5	< 5	< 5
Bromoform	50	< 5	< 5	< 5	< 5	< 5
Bromomethane	5	< 5	R	< 5	< 5	< 5
Carbon Disulfide	60	< 5	< 5	< 5	< 5	< 5
Carbon tetrachloride	5	< 5	< 5	< 5	< 5	< 5
Chlorobenzene	5	< 5	< 5	< 5	< 5	< 5
Chlorodifluoromethane (Freon 22)	NE	< 5	< 5	< 5	< 5	< 5
Chloroethane	5	< 5	< 5	< 5	< 5	< 5
Chloroform	7	2.3 J	2.3 J	0.5 J	0.21 J	< 5
Chloromethane	5	< 5	R	< 5	< 5	< 5
cis-1,2-dichloroethene	5	38	5.7	3.5 J	11	1.5 J
cis-1,3-dichloropropene	0.4	< 5	< 5	< 5	< 5	< 5
Dibromochloromethane	50	< 5	< 5	< 5	< 5	< 5
Dichlorodifluoromethane (Freon 12)	5	< 5	< 5	< 5	< 5	< 5
Ethylbenzene	5	< 5	< 5	< 5	< 5	< 5
Methyl tert-Butyl Ether	5	--	--	< 5	< 5	< 5
Methylene Chloride	5	< 5	< 5	< 5	< 5	< 5
Styrene	5	< 5	< 5	< 5	< 5	< 5
Tetrachloroethene	5	0.54 J	< 5	< 5	0.43 J	< 5
Toluene	5	< 5	< 5	< 5	< 5	< 5
trans-1,2-dichloroethene	5	0.3 J	< 5	< 5	< 5	< 5
trans-1,3-dichloropropene	0.4	< 5	< 5	< 5	< 5	< 5
Trichloroethene	5	34	12	7	20	3.8 J
Trichlorotrifluoroethane (Freon 113)	5	< 5	< 5	< 5	< 5	< 5
Vinyl Chloride	2	< 2	< 2	< 2	< 2	< 2
Xylene-o	5	< 5	< 5	< 5	< 5	< 5
Xylenes - m,p	5	< 5	< 5	< 5	< 5	< 5
Total VOCs ⁽³⁾		76	20	11	32	5.3
Project VOCs ⁽⁴⁾		74	18	11	31	5.3

See notes on last page.

Table 13. Concentrations of Volatile Organic Compounds in Groundwater Samples Collected from Monitoring Wells, Bethpage Park Groundwater Containment System, Operable Unit 3 (Former Grumman Settling Ponds), Bethpage, New York. ^(1,2)

Sample Location: <i>MW-200-1</i>		
Constituent in µg/L	Sample Date: <i>5/31/2013</i>	
	NYSDEC	
	<u>SCGs</u>	
1,1,1-Trichloroethane	5	< 5.0
1,1,2,2-Tetrachloroethane	5	< 5.0
1,1,2-Trichloroethane	1	< 5.0
1,1-Dichloroethane	5	< 5.0
1,1-Dichloroethene	5	< 5.0
1,2-Dichloroethane	0.6	< 5.0
1,2-Dichloropropane	1	< 5.0
2-Butanone	NE	< 50
2-Hexanone	50	< 50
4-methyl-2-pentanone	50	< 50
Acetone	NE	< 50
Benzene	1	< 0.70
Bromodichloromethane	50	< 5.0
Bromoform	50	< 5.0
Bromomethane	5	< 5.0
Carbon Disulfide	60	< 5.0
Carbon tetrachloride	5	< 5.0
Chlorobenzene	5	< 5.0
Chlorodifluoromethane (Freon 22)	NE	< 5.0
Chloroethane	5	< 5.0
Chloroform	7	< 5.0
Chloromethane	5	< 5.0
cis-1,2-dichloroethene	5	0.41 J
cis-1,3-dichloropropene	0.4	< 5.0
Dibromochloromethane	50	< 5.0
Dichlorodifluoromethane (Freon 12)	5	< 5.0
Ethylbenzene	5	< 5.0
Methyl tert-Butyl Ether	5	< 5.0
Methylene Chloride	5	< 5.0
Styrene	5	< 5.0
Tetrachloroethene	5	< 5.0
Toluene	5	< 5.0
trans-1,2-dichloroethene	5	< 5.0
trans-1,3-dichloropropene	0.4	< 5.0
Trichloroethene	5	1.3 J
Trichlorotrifluoroethane (Freon 113)	5	< 5.0
Vinyl Chloride	2	< 2.0
Xylene-o	5	< 5.0
Xylenes - m,p	5	< 5.0
Total VOCs ⁽³⁾		1.7
Project VOCs ⁽⁴⁾		1.7

See notes on last page.

Table 13. Concentrations of Volatile Organic Compounds in Groundwater Samples Collected from Monitoring Wells, Bethpage Park Groundwater Containment System, Operable Unit 3 (Former Grumman Settling Ponds), Bethpage, New York. ^(1,2)

Constituent in µg/L	Sample Location:	MW-201-1	MW-201-1	MW-201-1	MW-201-1	MW-201-1
	Sample Date:	5/1/2009	12/2/2009	10/5/2010	11/3/2011	10/4/2012
NYSDEC						
SCGs						
1,1,1-Trichloroethane	5	5.5 J	3.3 J	< 50	< 5	< 5
1,1,2,2-Tetrachloroethane	5	< 25	< 50	< 50	< 5	< 5
1,1,2-Trichloroethane	1	< 25	< 50	< 50	< 5	< 5
1,1-Dichloroethane	5	10 J	9 J	14 J	0.51 J	1.2 J
1,1-Dichloroethene	5	7.9 J	8.1 J	6.9 J	0.21 J	0.65 J
1,2-Dichloroethane	0.6	< 25	< 50	< 50	< 5	< 5
1,2-Dichloropropane	1	< 25	< 50	< 50	< 5	< 5
2-Butanone	NE	< 250	< 500	< 500	< 50	< 50
2-Hexanone	50	< 250	< 500	< 500	< 50	< 50
4-methyl-2-pentanone	50	< 250	< 500	< 500	< 50	< 50
Acetone	NE	< 250 B	< 500	< 500	< 50	< 50
Benzene	1	< 3.5	< 7	< 7	< 0.7	< 0.7
Bromodichloromethane	50	< 25	< 50	< 50	< 5	< 5
Bromoform	50	< 25	< 50	< 50	< 5	< 5
Bromomethane	5	< 25	< 50	< 50	< 5	< 5
Carbon Disulfide	60	< 25	< 50	< 50	< 5	< 5
Carbon tetrachloride	5	< 25	< 50	< 50	< 5	< 5
Chlorobenzene	5	< 25	< 50	< 50	< 5	< 5
Chlorodifluoromethane (Freon 22)	NE	< 25	< 50	< 50	< 5	< 5
Chloroethane	5	< 25	< 50	< 50	< 5	< 5
Chloroform	7	< 25	< 50	4.2 J	3.2 J	2.9 J
Chloromethane	5	< 25	R	< 50	< 5	< 5
cis-1,2-dichloroethene	5	970 D	1300	3900 D	61	180 D
cis-1,3-dichloropropene	0.4	< 25	< 50	< 50	< 5	< 5
Dibromochloromethane	50	< 25	< 50	< 50	< 5	< 5
Dichlorodifluoromethane (Freon 12)	5	< 25	< 50	< 50	< 5	< 5
Ethylbenzene	5	< 25	< 50	< 50	< 5	< 5
Methyl tert-Butyl Ether	5	--	--	<50	0.75 J	0.22 J
Methylene Chloride	5	< 25	< 50	< 50	< 5	< 5
Styrene	5	< 25	< 50	< 50	< 5	< 5
Tetrachloroethene	5	< 25	< 50	< 50	0.24 J	0.24 J
Toluene	5	< 25	< 50	< 50	< 5 J	< 5
trans-1,2-dichloroethene	5	2.7 J	3.5 J	6.7 J	< 5	0.59 J
trans-1,3-dichloropropene	0.4	< 25	< 50	< 50	< 5	< 5
Trichloroethene	5	160	230	72	20	20
Trichlorotrifluoroethane (Freon 113)	5	< 25	< 50	< 50 U	< 5	< 5
Vinyl Chloride	2	< 10	38	820	< 2 U	13
Xylene-o	5	< 25	< 50	7.2 J	< 5	< 5
Xylenes - m,p	5	< 25	< 50	< 50	< 5	< 5
Total VOCs ⁽³⁾		1,200	1,600	4,800	86	220
Project VOCs ⁽⁴⁾		1,200	1,600	4,800	82	220

See notes on last page.

Table 13. Concentrations of Volatile Organic Compounds in Groundwater Samples Collected from Monitoring Wells, Bethpage Park Groundwater Containment System, Operable Unit 3 (Former Grumman Settling Ponds), Bethpage, New York. ^(1,2)

Sample Location: MW-201-1		
Constituent in µg/L	Sample Date: 5/31/2013	
	NYSDEC	
	<u>SCGs</u>	
1,1,1-Trichloroethane	5	< 5.0
1,1,2,2-Tetrachloroethane	5	< 5.0
1,1,2-Trichloroethane	1	< 5.0
1,1-Dichloroethane	5	< 5.0
1,1-Dichloroethene	5	< 5.0
1,2-Dichloroethane	0.6	< 5.0
1,2-Dichloropropane	1	< 5.0
2-Butanone	NE	< 50
2-Hexanone	50	< 50
4-methyl-2-pentanone	50	< 50
Acetone	NE	< 50
Benzene	1	< 0.70
Bromodichloromethane	50	< 5.0
Bromoform	50	< 5.0
Bromomethane	5	< 5.0
Carbon Disulfide	60	< 5.0
Carbon tetrachloride	5	< 5.0
Chlorobenzene	5	< 5.0
Chlorodifluoromethane (Freon 22)	NE	< 5.0
Chloroethane	5	< 5.0
Chloroform	7	0.49 J
Chloromethane	5	< 5.0
cis-1,2-dichloroethene	5	7.9
cis-1,3-dichloropropene	0.4	< 5.0
Dibromochloromethane	50	< 5.0
Dichlorodifluoromethane (Freon 12)	5	< 5.0
Ethylbenzene	5	< 5.0
Methyl tert-Butyl Ether	5	< 5.0
Methylene Chloride	5	< 5.0
Styrene	5	< 5.0
Tetrachloroethene	5	< 5.0
Toluene	5	< 5.0
trans-1,2-dichloroethene	5	< 5.0
trans-1,3-dichloropropene	0.4	< 5.0
Trichloroethene	5	13
Trichlorotrifluoroethane (Freon 113)	5	< 5.0
Vinyl Chloride	2	< 2.0
Xylene-o	5	< 5.0
Xylenes - m,p	5	< 5.0
Total VOCs ⁽³⁾		21
Project VOCs ⁽⁴⁾		21

See notes on last page.

Table 13. Concentrations of Volatile Organic Compounds in Groundwater Samples Collected from Monitoring Wells, Bethpage Park Groundwater Containment System, Operable Unit 3 (Former Grumman Settling Ponds), Bethpage, New York. ^(1,2)

Constituent in µg/L	Sample Location:	MW-202-1	MW-202-1	MW-202-1	MW-202-1	MW-202-1
	Sample Date:	5/1/2009	12/2/2009	10/6/2010	11/3/2011	10/4/2012
	NYSDEC					
	<u>SCGs</u>					
1,1,1-Trichloroethane	5	< 5	< 5	< 5	0.32 J	0.74 J
1,1,2,2-Tetrachloroethane	5	< 5	< 5	< 5	< 5	< 5
1,1,2-Trichloroethane	1	< 5	< 5	< 5	< 5	< 5
1,1-Dichloroethane	5	< 5	< 5	< 5	0.86 J	2.1 J
1,1-Dichloroethene	5	< 5	< 5	< 5	0.72 J	1.9 J
1,2-Dichloroethane	0.6	< 5	< 5	< 5	< 5	< 5
1,2-Dichloropropane	1	< 5	< 5	< 5	< 5	< 5
2-Butanone	NE	< 50	< 50	< 50	< 50	< 50
2-Hexanone	50	< 50	< 50	< 50	< 50	< 50
4-methyl-2-pentanone	50	< 50	< 50	< 50	< 50	< 50
Acetone	NE	< 50	< 50	< 50	< 50	< 50
Benzene	1	< 0.7	< 0.7	< 0.7	< 0.7	< 0.7
Bromodichloromethane	50	< 5	< 5	< 5	< 5	< 5
Bromoform	50	< 5	< 5	< 5	< 5	< 5
Bromomethane	5	< 5	< 5	< 5	< 5	< 5
Carbon Disulfide	60	< 5	< 5	< 5	< 5	< 5
Carbon tetrachloride	5	< 5	< 5	< 5	< 5	< 5
Chlorobenzene	5	< 5	< 5	< 5	< 5	< 5
Chlorodifluoromethane (Freon 22)	NE	< 5	< 5	0.61 J	0.21 J	< 5
Chloroethane	5	< 5	< 5	< 5	< 5	< 5
Chloroform	7	6.2	6.7	0.93 J	< 5	< 5
Chloromethane	5	< 5	< 5	< 5	< 5	< 5
cis-1,2-dichloroethene	5	0.64 J	0.58 J	< 5	< 5	0.4 J
cis-1,3-dichloropropene	0.4	< 5	< 5	< 5	< 5	< 5
Dibromochloromethane	50	< 5	< 5	< 5	< 5	< 5
Dichlorodifluoromethane (Freon 12)	5	< 5	< 5	< 5	< 5	< 5
Ethylbenzene	5	< 5	< 5	< 5	< 5	< 5
Methyl tert-Butyl Ether	5	--	--	< 5	0.37 J	< 5
Methylene Chloride	5	< 5	< 5	< 5	< 5	< 5
Styrene	5	< 5	< 5	< 5	< 5	< 5
Tetrachloroethene	5	< 5	< 5	0.48 J	0.92 J	1.7 J
Toluene	5	< 5	< 5	< 5	< 5	< 5
trans-1,2-dichloroethene	5	< 5	< 5	< 5	< 5	< 5
trans-1,3-dichloropropene	0.4	< 5	< 5	< 5	< 5	< 5
Trichloroethene	5	7.5	9.3	2.4 J	0.78 J	1.2 J
Trichlorotrifluoroethane (Freon 113)	5	< 5	< 5	0.43 J	0.44 J	0.76 J
Vinyl Chloride	2	< 2	< 2	< 2	< 2	< 2
Xylene-o	5	< 5	< 5	< 5	< 5	< 5
Xylenes - m,p	5	< 5	< 5	< 5	< 5	< 5
Total VOCs ⁽³⁾		14	17	4.9	4.6	8.8
Project VOCs ⁽⁴⁾		8.1	9.9	2.9	3.6	8.0

See notes on last page.

Table 13. Concentrations of Volatile Organic Compounds in Groundwater Samples Collected from Monitoring Wells, Bethpage Park Groundwater Containment System, Operable Unit 3 (Former Grumman Settling Ponds), Bethpage, New York. ^(1,2)

Sample Location: MW-202-1		
Constituent in µg/L	Sample Date: 5/30/2013	
	NYSDEC	
	<u>SCGs</u>	
1,1,1-Trichloroethane	5	0.93 J
1,1,2,2-Tetrachloroethane	5	< 5.0
1,1,2-Trichloroethane	1	< 5.0
1,1-Dichloroethane	5	3.0 J
1,1-Dichloroethene	5	2.3 J
1,2-Dichloroethane	0.6	< 5.0
1,2-Dichloropropane	1	< 5.0
2-Butanone	NE	< 50
2-Hexanone	50	< 50
4-methyl-2-pentanone	50	< 50
Acetone	NE	< 50
Benzene	1	< 0.70
Bromodichloromethane	50	< 5.0
Bromoform	50	< 5.0
Bromomethane	5	< 5.0
Carbon Disulfide	60	< 5.0
Carbon tetrachloride	5	< 5.0
Chlorobenzene	5	< 5.0
Chlorodifluoromethane (Freon 22)	NE	< 5.0
Chloroethane	5	< 5.0
Chloroform	7	< 5.0
Chloromethane	5	< 5.0
cis-1,2-dichloroethene	5	0.63 J
cis-1,3-dichloropropene	0.4	< 5.0
Dibromochloromethane	50	< 5.0
Dichlorodifluoromethane (Freon 12)	5	< 5.0
Ethylbenzene	5	< 5.0
Methyl tert-Butyl Ether	5	< 5.0
Methylene Chloride	5	< 5.0
Styrene	5	< 5.0
Tetrachloroethene	5	2.8 J
Toluene	5	< 5.0
trans-1,2-dichloroethene	5	< 5.0
trans-1,3-dichloropropene	0.4	< 5.0
Trichloroethene	5	1.6 J
Trichlorotrifluoroethane (Freon 113)	5	1.4 J
Vinyl Chloride	2	< 2.0
Xylene-o	5	< 5.0
Xylenes - m,p	5	< 5.0
Total VOCs ⁽³⁾		13
Project VOCs ⁽⁴⁾		11

See notes on last page.

Table 13. Concentrations of Volatile Organic Compounds in Groundwater Samples Collected from Monitoring Wells, Bethpage Park Groundwater Containment System, Operable Unit 3 (Former Grumman Settling Ponds), Bethpage, New York. ^(1,2)

Constituent in µg/L	Sample Location:	MW-203-1	MW-203-1	MW-203-1	MW-203-1	MW-203-1
	Sample Date:	5/1/2009	12/2/2009	10/5/2010	11/1/2011	10/3/2012
NYSDEC						
<u>SCGs</u>						
1,1,1-Trichloroethane	5	< 5	< 5	< 5	< 5	0.26 J
1,1,2,2-Tetrachloroethane	5	< 5	< 5	< 5	< 5	< 5
1,1,2-Trichloroethane	1	< 5	< 5	< 5	< 5	< 5
1,1-Dichloroethane	5	< 5	< 5	< 5	0.32 J	1 J
1,1-Dichloroethene	5	< 5	< 5	< 5	< 5	0.44 J
1,2-Dichloroethane	0.6	< 5	< 5	< 5	< 5	< 5
1,2-Dichloropropane	1	< 5	< 5	< 5	< 5	< 5
2-Butanone	NE	< 50	< 50	< 50	< 50	< 50
2-Hexanone	50	< 50	< 50	< 50	< 50	< 50
4-methyl-2-pentanone	50	< 50	< 50	< 50	< 50	< 50
Acetone	NE	< 50 B	< 50	< 50 B	< 50	< 50
Benzene	1	< 0.7	< 0.7	< 0.7	< 0.7	< 0.7
Bromodichloromethane	50	< 5	< 5	< 5	< 5	< 5
Bromoform	50	< 5	< 5	< 5	< 5	< 5
Bromomethane	5	< 5	< 5	< 5	< 5	< 5
Carbon Disulfide	60	< 5	< 5	< 5	< 5	< 5
Carbon tetrachloride	5	< 5	< 5	< 5	< 5	< 5
Chlorobenzene	5	< 5	< 5	< 5	< 5	< 5
Chlorodifluoromethane (Freon 22)	NE	73	17	29	8.9	3.6 J
Chloroethane	5	< 5	< 5	< 5	< 5	< 5
Chloroform	7	7.9	2.6 J	1.5 J	0.68 J	0.36 J
Chloromethane	5	< 5	< 5	< 5	< 5	< 5
cis-1,2-dichloroethene	5	1.6 J	0.83 J	0.97 J	1.4 J	0.62 J
cis-1,3-dichloropropene	0.4	< 5	< 5	< 5	< 5	< 5
Dibromochloromethane	50	< 5	< 5	< 5	< 5	< 5
Dichlorodifluoromethane (Freon 12)	5	< 5	< 5	< 5	< 5	< 5
Ethylbenzene	5	< 5	< 5	< 5	< 5	< 5
Methyl tert-Butyl Ether	5	--	--	0.88 J	0.41 J	0.21 J
Methylene Chloride	5	< 5	< 5	< 5	< 5	< 5
Styrene	5	< 5	< 5	< 5	< 5	< 5
Tetrachloroethene	5	< 5	< 5	< 5	0.35 J	0.59 J
Toluene	5	< 5	< 5	< 5	< 5	< 5
trans-1,2-dichloroethene	5	< 5	< 5	< 5	< 5	< 5
trans-1,3-dichloropropene	0.4	< 5	< 5	< 5	< 5	< 5
Trichloroethene	5	1.3 J	0.7 J	1.6 J	2.9 J	1.8 J
Trichlorotrifluoroethane (Freon 113)	5	< 5	< 5	< 5	< 5	1.1 J
Vinyl Chloride	2	< 2	< 2	< 2	< 2	< 2
Xylene-o	5	< 5	< 5	< 5	< 5	< 5
Xylenes - m,p	5	< 5	< 5	< 5	< 5	< 5
Total VOCs ⁽³⁾		84	21	34	15	10
Project VOCs ⁽⁴⁾		2.9	1.5	2.6	5	4.7

See notes on last page.

Table 13. Concentrations of Volatile Organic Compounds in Groundwater Samples Collected from Monitoring Wells, Bethpage Park Groundwater Containment System, Operable Unit 3 (Former Grumman Settling Ponds), Bethpage, New York. ^(1,2)

Constituent in µg/L	Sample Location: <i>MW-203-1 (REP)</i>		<i>MW-203-1</i>
	Sample Date: <i>5/31/2013</i>	<i>5/31/2013</i>	<i>5/31/2013</i>
	NYSDEC		
	<u>SCGs</u>		
1,1,1-Trichloroethane	5	< 5.0	0.25 J
1,1,2,2-Tetrachloroethane	5	< 5.0	< 5.0
1,1,2-Trichloroethane	1	< 5.0	< 5.0
1,1-Dichloroethane	5	0.98 J	1.1 J
1,1-Dichloroethene	5	0.47 J	0.46 J
1,2-Dichloroethane	0.6	< 5.0	< 5.0
1,2-Dichloropropane	1	< 5.0	< 5.0
2-Butanone	NE	< 50	< 50
2-Hexanone	50	< 50	< 50
4-methyl-2-pentanone	50	< 50	< 50
Acetone	NE	< 50	< 50
Benzene	1	< 0.70	< 0.70
Bromodichloromethane	50	< 5.0	< 5.0
Bromoform	50	< 5.0	< 5.0
Bromomethane	5	< 5.0	< 5.0
Carbon Disulfide	60	< 5.0	< 5.0
Carbon tetrachloride	5	< 5.0	< 5.0
Chlorobenzene	5	< 5.0	< 5.0
Chlorodifluoromethane (Freon 22)	NE	3.5 J	3.2 J
Chloroethane	5	< 5.0	< 5.0
Chloroform	7	0.28 J	0.27 J
Chloromethane	5	< 5.0	< 5.0
cis-1,2-dichloroethene	5	0.39 J	0.24 J
cis-1,3-dichloropropene	0.4	< 5.0	< 5.0
Dibromochloromethane	50	< 5.0	< 5.0
Dichlorodifluoromethane (Freon 12)	5	< 5.0	< 5.0
Ethylbenzene	5	< 5.0	< 5.0
Methyl tert-Butyl Ether	5	0.24 J	0.24 J
Methylene Chloride	5	< 5.0	< 5.0
Styrene	5	< 5.0	< 5.0
Tetrachloroethene	5	0.93 J	1.1 J
Toluene	5	< 5.0	< 5.0
trans-1,2-dichloroethene	5	< 5.0	< 5.0
trans-1,3-dichloropropene	0.4	< 5.0	< 5.0
Trichloroethene	5	2.5 J	2.7 J
Trichlorotrifluoroethane (Freon 113)	5	1.1 J	1.4 J
Vinyl Chloride	2	< 2.0	< 2.0
Xylene-o	5	< 5.0	< 5.0
Xylenes - m,p	5	< 5.0	< 5.0
Total VOCs ⁽³⁾		10	11
Project VOCs ⁽⁴⁾		5.3	5.9

See notes on last page.

Table 13. Concentrations of Volatile Organic Compounds in Groundwater Samples Collected from Monitoring Wells, Bethpage Park Groundwater Containment System, Operable Unit 3 (Former Grumman Settling Ponds), Bethpage, New York. ^(1,2)

Notes:

- (1) Results validated following protocols specified in Sampling and Analysis Plan in the December 2009 DRAFT OM&M Manual (ARCADIS 2009).
- (2) Samples analyzed for the TCL VOCs using NYSDEC ASP 2005 Method OLM4.3.
- (3) "Total VOCs" represents the sum of individual concentrations of the VOCs detected. Results are rounded to two significant figures.
- (4) "Project VOCs" represents the sum of individual compound concentrations of 1,1,1-trichloroethane; 1,1-dichloroethane; 1,2-dichloroethane; 1,1-dichloroethene; tetrachloroethene; trichloroethene; vinyl chloride; cis-1,2-dichloroethene; trans-1,2-dichloroethene; benzene; toluene; and xylenes-o,m, and p.

Acronyms\Key:

Indicates an exceedance of an SCG.

Bold value indicates a detection.

Italicized samples collected in 2013.

- RI/FS Remedial Investigation/Feasibility Study.
- NYSDEC New York State Department of Environmental Conservation.
- TCL Target compound list.
- VOC Volatile Organic Compound.
- ASP Analytical services protocol.
- SCGs Standards, criteria, and guidance values.
- µg/L Micrograms per liter.
- NE Not established.
- E Concentration for the compound exceeded the calibration range.
- J Compound detected but below its reporting limit; the value is estimated.
- D Compound identified from secondary dilution.
- R Concentration for the compound was rejected.
- B Compound detected in associated blank sample.
- < 5 Compound not detected above its laboratory quantification limit.

Table 14. Concentrations of Metals in Groundwater Samples Collected from Monitoring Wells, Bethpage Park Groundwater Containment System, Operable Unit 3 (Former Grumman Settling Ponds), Bethpage, New York. ^(1,2)

Constituent in µg/L	Sample Location: B24MW-2	B24MW-3	BCPMW-1	BCPMW-2	BCPMW-3	BCPMW-4-1	BCPMW-4-1	BCPMW-4-1	
	Sample Date: 4/23/2009	4/20/2009	4/28/2009	4/28/2009	4/29/2009	4/17/2009	10/4/2010	10/28/2011	
	NYSDEC SCGs								
Cadmium, Total	5	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 5
Cadmium, Dissolved	5	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 5
Chromium, Total	50	40.3	28.2	20.8	< 10	< 10	22.7	43	25
Chromium, Dissolved	50	< 10	10.6	< 10	< 10	< 10	12.8	41	22
Iron (total)	300	--	597	--	< 100	2,080	103	--	--
Iron (dissolved)	300	--	< 100	--	< 100	1,760	< 100	--	--
Manganese (total)	300	--	16.9	--	12.7	51.4	11.2	--	--
Manganese (dissolved)	300	--	13.7	--	11.3	49.2	< 10	--	--

See notes on last page.

Table 14. Concentrations of Metals in Groundwater Samples Collected from Monitoring Wells, Bethpage Park Groundwater Containment System, Operable Unit 3 (Former Grumman Settling Ponds), Bethpage, New York. ^(1,2)

COMPOUND (µg/L)	Sample Location: BCPMW-4-1 BCPMW-4-1 BCPMW-4-1 BCPMW-4-2 BCPMW-4-2 BCPMW-4-2 BCPMW-4-2 BCPMW-4-2 BCPMW-4-2									
	Sample Date: 10/3/2012	10/4/2012	6/5/2013	4/17/2009	10/7/2010	10/28/2011	10/3/2012	10/4/2012	6/5/2013	
	NYSDEC SCGs									
Cadmium (total)	5	< 5	--	< 5.0	< 5	< 5	< 5	< 5	--	< 5.0
Cadmium (dissolved)	5	--	< 5	< 5.0	< 5	--	< 5	--	< 5	< 5.0
Chromium (total)	50	32	--	16.1	10.6	< 10	< 10	< 10	--	< 10
Chromium (dissolved)	50	--	26	13.1	< 10	--	< 10	--	< 10	< 10
Iron (total)	300	--	--	--	4,630	--	--	--	--	--
Iron (dissolved)	300	--	--	--	4,080	--	--	--	--	--
Manganese (total)	300	--	--	--	228	--	--	--	--	--
Manganese (dissolved)	300	--	--	--	217	--	--	--	--	--

See notes on last page.

Table 14. Concentrations of Metals in Groundwater Samples Collected from Monitoring Wells, Bethpage Park Groundwater Containment System, Operable Unit 3 (Former Grumman Settling Ponds), Bethpage, New York. ^(1,2)

COMPOUND (µg/L)	Sample Location:	BCPMW-4-3	BCPMW-4-3	BCPMW-4-3	BCPMW-4-3	BCPMW-4-3	BCPMW-4-3 (REP)	BCPMW-4-3
	Sample Date:	4/17/2009	10/7/2010	10/28/2011	10/3/2012	10/4/2012	6/5/2013	6/5/2013
	NYSDEC <u>SCGs</u>							
Cadmium (total)	5	< 5	< 5	< 5	< 5	--	< 5.0	< 5.0
Cadmium (dissolved)	5	< 5	< 5	< 5	--	< 5	< 5.0	< 5.0
Chromium (total)	50	< 10	< 10	< 10	< 10	--	< 10	< 10
Chromium (dissolved)	50	< 10	< 10	< 10	--	< 10	< 10	< 10
Iron (total)	300	< 100	--	--	--	--	--	--
Iron (dissolved)	300	< 100	--	--	--	--	--	--
Manganese (total)	300	< 10	--	--	--	--	--	--
Manganese (dissolved)	300	< 10	--	--	--	--	--	--

See notes on last page.

Table 14. Concentrations of Metals in Groundwater Samples Collected from Monitoring Wells, Bethpage Park Groundwater Containment System, Operable Unit 3 (Former Grumman Settling Ponds), Bethpage, New York. ^(1,2)

COMPOUND (µg/L)	Sample Location:	BCPMW-5-1	BCPMW-6-1	BCPMW-6-1	BCPMW-6-1	BCPMW-6-1	BCPMW-6-1	BCPMW-6-1	BCPMW-6-2
	Sample Date:	4/23/2009	4/20/2009	10/6/2010	10/31/2011	10/3/2012	10/4/2012	6/7/2013	5/8/2009
	NYSDEC <u>SCGs</u>								
Cadmium (total)	5	< 5	< 5	< 5	< 5	< 5	--	< 5.0	< 5
Cadmium (dissolved)	5	< 5	< 5	< 5	< 5	--	< 5	< 5.0	< 5
Chromium (total)	50	< 10	< 10	< 10	14	< 10	--	< 10	10.3
Chromium (dissolved)	50	< 10	< 10	< 10	< 10	--	< 10	< 10	< 10
Iron (total)	300	7,420	< 100	--	--	--	--	--	--
Iron (dissolved)	300	6,370	< 100	--	--	--	--	--	--
Manganese (total)	300	145	< 10	--	--	--	--	--	--
Manganese (dissolved)	300	131	< 10	--	--	--	--	--	--

See notes on last page.

Table 14. Concentrations of Metals in Groundwater Samples Collected from Monitoring Wells, Bethpage Park Groundwater Containment System, Operable Unit 3 (Former Grumman Settling Ponds), Bethpage, New York. ^(1,2)

COMPOUND (µg/L)	Sample Location: BCPMW-6-2 BCPMW-6-2 BCPMW-6-2 BCPMW-6-2 BCPMW-6-2 BCPMW-7-1 BCPMW-7-1 BCPMW-7-1 BCPMW-7-1									
	Sample Date: 10/6/2010	10/31/2011	10/3/2012	10/4/2012	6/5/2013	4/20/2009	10/7/2010	11/1/2011	10/4/2012	
	NYSDEC <u>SCGs</u>									
Cadmium (total)	5	<5	<5	< 5	--	< 5.0	< 5	< 5	< 5	< 5
Cadmium (dissolved)	5	<5	<5		< 5	< 5.0	< 5	< 5	< 5	< 5
Chromium (total)	50	<10	<10	< 10	--	< 10	< 10	< 10	< 10	< 10
Chromium (dissolved)	50	<10	<10		< 10	< 10	< 10	< 10	< 10	< 10
Iron (total)	300	--	--	--	--	--	< 100	--	--	--
Iron (dissolved)	300	--	--	--	--	--	< 100	--	--	--
Manganese (total)	300	--	--	--	--	--	106	--	--	--
Manganese (dissolved)	300	--	--	--	--	--	94.8	--	--	--

See notes on last page.

Table 14. Concentrations of Metals in Groundwater Samples Collected from Monitoring Wells, Bethpage Park Groundwater Containment System, Operable Unit 3 (Former Grumman Settling Ponds), Bethpage, New York. ^(1,2)

COMPOUND (µg/L)	Sample Location: <i>BCPMW-7-1</i>		MW-200-1	MW-200-1	MW-200-1	MW-200-1 ⁽³⁾	MW-200-1	MW-200-1	MW-201-1	MW-201-1
	Sample Date: <i>6/7/2013</i>		4/29/2009	10/5/2010	11/3/2011	10/4/2012	4/15/2013	5/31/2013	5/1/2009	10/5/2010
	NYSDEC SCGs									
Cadmium (total)	5	< 5.0	< 5	< 5	< 5	< 5	--	< 5	< 5	< 5
Cadmium (dissolved)	5	< 5.0	< 5	< 5	< 5	< 5	--	< 5	< 5	< 5
Chromium (total)	50	< 10	< 10	14	48	1,130	86	15.7	< 10	< 10
Chromium (dissolved)	50	< 10	< 10	< 10	13	320	21	< 10	< 10	< 10
Iron (total)	300	--	--	--	--	--	--	--	--	--
Iron (dissolved)	300	--	--	--	--	--	--	--	--	--
Manganese (total)	300	--	--	--	--	--	--	--	--	--
Manganese (dissolved)	300	--	--	--	--	--	--	--	--	--

See notes on last page.

Table 14. Concentrations of Metals in Groundwater Samples Collected from Monitoring Wells, Bethpage Park Groundwater Containment System, Operable Unit 3 (Former Grumman Settling Ponds), Bethpage, New York. ^(1,2)

COMPOUND (µg/L)	Sample Location: MW-201-1 MW-201-1 ⁽³⁾ MW-201-1 MW-201-1 MW-202-1 MW-202-1 MW-202-1 MW-202-1 ⁽³⁾ MW-202-1 MW-202-1 MW-202-1											
	Sample Date: 11/3/2011 10/4/2012 4/16/2013 5/31/2013 5/1/2009 10/6/2010 11/3/2011 10/4/2012 4/16/2013 5/30/2013											
	NYSDEC SCGs											
Cadmium (total)	5	< 5	< 5	--	< 5	< 5	< 5	< 5	< 5	--	< 5	
Cadmium (dissolved)	5	< 5	< 5	--	< 5	< 5	< 5	< 5	< 5	--	< 5	
Chromium (total)	50	< 10	159	28	< 10	16.5	15	23	263 J	19	34.3	
Chromium (dissolved)	50	< 10	42	17	< 10	< 10	< 10	< 10	22	< 10	< 10	
Iron (total)	300	--	--	--	--	--	--	--	--	--	--	
Iron (dissolved)	300	--	--	--	--	--	--	--	--	--	--	
Manganese (total)	300	--	--	--	--	--	--	--	--	--	--	
Manganese (dissolved)	300	--	--	--	--	--	--	--	--	--	--	

See notes on last page.

Table 14. Concentrations of Metals in Groundwater Samples Collected from Monitoring Wells, Bethpage Park Groundwater Containment System, Operable Unit 3 (Former Grumman Settling Ponds), Bethpage, New York. ^(1,2)

COMPOUND (µg/L)	Sample Location:	MW-203-1	MW-203-1	MW-203-1	MW-203-1 ⁽³⁾	MW-203-1	MW-203-1	MW-203-1(REP)	MW-203-1
	Sample Date:	5/1/2009	10/5/2010	11/1/2011	10/3/2012	10/4/2012	4/16/2013	5/31/2013	5/31/2013
	NYSDEC SCGs								
Cadmium (total)	5	< 5	< 5	< 5	< 5	--	--	< 5	< 5
Cadmium (dissolved)	5	< 5	< 5	< 5	--	< 5	--	< 5	< 5
Chromium (total)	50	31.5	31	37	1,600	--	155	38.2	29.5
Chromium (dissolved)	50	< 10	< 10	< 10	--	84	< 10	< 10	< 10
Iron (total)	300	--	--	--	--	--	--	--	--
Iron (dissolved)	300	--	--	--	--	--	--	--	--
Manganese (total)	300	--	--	--	--	--	--	--	--
Manganese (dissolved)	300	--	--	--	--	--	--	--	--

Notes:

- (1) Results validated following protocols specified in Sampling and Analysis Plan in the December 2009 DRAFT OM&M Manual (ARCADIS 2009).
- (2) Samples analyzed for the metals using USEPA Method 6010.
- (3) Samples collected with HydraSleeve™ no purge method, all other samples collected by purge (3-Volume) method.

Acronyms\Key:

 Indicates an exceedance of an SCG.

Bold value indicates a detection.


Italicized samples collected in 2013.

- RI/FS Remedial Investigation/Feasibility Study.
- NYSDEC New York State Department of Environmental Conservation.
- USEPA U.S. Environmental Protection Agency
- SCGs Standards, criteria, and guidance values.
- µg/L Micrograms per liter.
- Not analyzed.
- < 5 Compound not detected above its laboratory quantification limit.



Figures

CITY:SYRACUSE,NY DIV:GROUP:ENV DB:A.SANCHEZ LD: PIC:(Opt) PM:(Read) TM:(Opt) LYR:(Opt)ONH*-OFF*-REF*
 G:\ENV\CAD\STRACUSE\ACT\1001496\0312\G\M\H\DOUG\NY1496_B01.dwg LAYOUT: BETHPAGE PARK SAVED: 3/27/2014 4:16 PM ACADVER: 18 IS (LMS TECH) PAGESETUP: --- PLOTSTYLETABLE: --- PLOTTED: 3/27/2014 4:31 PM BY: SANCHEZ, ADRIAN



**SITE
AREA**


SOURCE:
 USGS 7.5 MIN. AMITYVILLE UADRANGLE, AMITYVILLE, N.Y., 1994, FREEPORT UADRANGLE, FREEPORT, N.Y., 1994,
 HICKSVILLE UADRANGLE, HICKSVILLE, N.Y., 1967, PHOTOREVISED 1979, HUNTINGTON, N.Y., 1967, PHOTOREVISED 1979



BETHPAGE PARK GROUNDWATER CONTAINMENT SYSTEM OPERABLE UNIT 3 (FORMER GRUMMAN SETTLING PONDS) BETHPAGE, NEW YORK	
SITE LOCATION	
	FIGURE 1

IMAGES: PROJECTNAME: ---
 AMITYVILLE.TIF
 FREEPORT.TIF
 HICKSVILLE.TIF
 HUNTINGTON.TIF

CITY:MELVILLE DIV:GROUP:ENR1 DB:ALS ID: PIC: PMCSG TM: LYRON=OFF=REF*
 G:\ENVCAD\SYRACUSE\ACT\NY001498\0312\GMMH\03\NY1498_B02.dwg LAYOUT: 2. SAVED: 3/27/2014 4:27 PM ACADVER: 18 IS (LMS TECH) PAGES: 18 PAGES: 18 PLOT: 3/27/2014 4:31 PM BY: SANCHEZ, ADRIAN
 XREFS: IMAGES: PROJECTNAME: NY001464.1807.00003



- LEGEND:**
- NORTHROP GRUMMAN PROPERTY LINE
 - X- FENCE
 - BITUMINOUS PAVEMENT
 - INFLUENT PIPELINE AND ELECTRICAL CONDUITS
 - EFFLUENT PIPELINE
 - EXISTING NORTHROP GRUMMAN STORMWATER PIPELINE
 - RW-4 REMEDIAL WELL
 - NWIRP NAVAL WEAPONS INDUSTRIAL RESERVE PLANT (NOW OWNED BY NASSAU COUNTY)




BETHPAGE PARK GROUNDWATER CONTAINMENT SYSTEM
 OPERABLE UNIT 3
 (FORMER GRUMMAN SETTLING PONDS)
 BETHPAGE, NEW YORK

**SITE AND
 GROUNDWATER CONTAINMENT SYSTEM**



FIGURE
2



Notes:

VOC = Volatile organic compound.

lbs = Pounds.

TVOCs = Sum of VOCs detected.

Project VOCs = Sum of 1,1,1-trichloroethane; 1,1-dichloroethane; 1,2-dichloroethane; 1,1-dichloroethene; tetrachloroethene; trichloroethene; vinyl chloride; cis-1,2-dichloroethene; trans-1,2-dichloroethene; benzene; toluene; and total xylenes.

Non-Project VOCs = Sum of VOCs that are not Project VOCs.

BETHPAGE PARK GROUNDWATER
CONTAINMENT SYSTEM, OPERABLE UNIT 3
(FORMER GRUMMAN SETTLING PONDS)
BETHPAGE, NEW YORK

**CUMULATIVE TOTAL, PROJECT,
AND NON-PROJECT VOC MASS
REMOVED THROUGH
MARCH 2014**





FIGURE
5



Notes:

VOC = Volatile organic compound.

µg/L = Micrograms per liter.


TVOCs = Sum of VOCs detected.

BETHPAGE PARK GROUNDWATER
CONTAINMENT SYSTEM, OPERABLE UNIT 3
(FORMER GRUMMAN SETTLING PONDS)
BETHPAGE, NEW YORK

**REMEDIAL WELL TVOC
CONCENTRATIONS THROUGH
MARCH 2014**



FIGURE
6A



Notes:

VOC = Volatile organic compound.

µg/L = Micrograms per liter.

TVOCs = Sum of VOCs detected.


Project VOCs = Sum of 1,1,1-trichloroethane; 1,1-dichloroethane; 1,2-dichloroethane; 1,1-dichloroethene; tetrachloroethene; trichloroethene; vinyl chloride; cis-1,2-dichloroethene; trans-1,2-dichloroethene; benzene; toluene and total xylenes.

BETHPAGE PARK GROUNDWATER
CONTAINMENT SYSTEM, OPERABLE UNIT 3
(FORMER GRUMMAN SETTLING PONDS)
BETHPAGE, NEW YORK

**REMEDIAL WELL PROJECT VOC
CONCENTRATIONS THROUGH
MARCH 2014**



FIGURE
6B



Notes:

VOC = Volatile organic compound.

µg/L = Micrograms per liter.

TVOCs = Sum of VOCs detected.


Non-Project VOCs = Sum of TVOCs that are not Project VOCs.

BETHPAGE PARK GROUNDWATER
CONTAINMENT SYSTEM, OPERABLE UNIT 3
(FORMER GRUMMAN SETTLING PONDS)
BETHPAGE, NEW YORK

**REMEDIAL WELL NON-PROJECT
VOC CONCENTRATIONS THROUGH
MARCH 2014**



**FIGURE
6C**



Notes:

VOC = Volatile organic compound.

µg/L = Micrograms per liter.


TVOCs = Sum of VOCs detected.

Project VOCs = Sum of 1,1,1-trichloroethane; 1,1-dichloroethane; 1,2-dichloroethane; 1,1-dichloroethene; tetrachloroethene; trichloroethene; vinyl chloride; cis-1,2-dichloroethene; trans-1,2-dichloroethene; benzene; toluene; and total xylenes.


Non-Project VOCs = Sum of VOCs that are not Project VOCs.

BETHPAGE PARK GROUNDWATER
CONTAINMENT SYSTEM, OPERABLE UNIT 3
(FORMER GRUMMAN SETTLING PONDS)
BETHPAGE, NEW YORK

**INFLUENT TOTAL, PROJECT,
AND NON-PROJECT
VOC CONCENTRATIONS
THROUGH MARCH 2014**



**FIGURE
7**



Notes:

VOC = Volatile organic compound.

lbs/day = Pounds per day.


TVOCs = Sum of VOCs detected.

BETHPAGE PARK GROUNDWATER
CONTAINMENT SYSTEM, OPERABLE UNIT 3
(FORMER GRUMMAN SETTLING PONDS)
BETHPAGE, NEW YORK

**TVOC MASS RECOVERY RATES
THROUGH
MARCH 2014**



FIGURE
8A



Notes:

VOC = Volatile organic compound.

lbs/day = Pounds per day.

Project VOCs = Sum of 1,1,1-trichloroethane; 1,1-dichloroethane; 1,2-dichloroethane; 1,1-dichloroethene; tetrachloroethene; trichloroethene; vinyl chloride; cis-1,2-dichloroethene; trans-1,2-dichloroethene; benzene; toluene; and total xylenes


Time (Months)

BETHPAGE PARK GROUNDWATER
CONTAINMENT SYSTEM, OPERABLE UNIT 3
(FORMER GRUMMAN SETTLING PONDS)
BETHPAGE, NEW YORK

**PROJECT VOC MASS RECOVERY
RATES THROUGH
MARCH 2014**



FIGURE
8B



Notes:

VOC = Volatile organic compound.

lbs/day = Pounds per day.

Non-Project VOCs = Sum of VOCs that are not Project VOCs.

BETHPAGE PARK GROUNDWATER
CONTAINMENT SYSTEM, OPERABLE UNIT 3
(FORMER GRUMMAN SETTLING PONDS)
BETHPAGE, NEW YORK

**NON-PROJECT VOC MASS
RECOVERY RATES THROUGH
MARCH 2014**



FIGURE
8C



Appendix A

Well Construction Information and
Environmental Effectiveness
Monitoring Program

Table A-1. Well Construction Information and Environmental Effectiveness Monitoring Program, Bethpage Park Groundwater Containment System, Operable Unit 3 (Former Grumman Settling Ponds), Northrop Grumman Systems Corporation, Bethpage, New York. ^(1,2)

Well ID	Well Diameter (inches)	Depth to Screen		Screen Length (ft)	Well Depth (ft)	Well Materials	Water Levels ⁽³⁾	MONITORING ACTIVITY		
		Top (ft bls)	Bottom (ft bls)					WATER QUALITY ⁽⁴⁾		
								VOC	Cd/Cr	Fe/Mn
Monitoring Wells										
BCPMW-1	2	50	65	15	65	Sch. 40 PVC	Quarterly	Baseline	Baseline	--
BCPMW-2	2	60	75	15	75	Sch. 40 PVC	Quarterly	Baseline	Baseline	Baseline
BCPMW-3	2	59	74	15	74	Sch. 40 PVC	Quarterly	Baseline	Baseline	Baseline
BCPMW-4-1	4	45	65	20	70	Sch. 40 PVC	Quarterly	Baseline/Semiannual ⁽⁵⁾	Baseline/Annual	Baseline
BCPMW-4-2	4	68.5	83.5	15	88.5	Sch. 40 PVC	Quarterly	Baseline/Semiannual ⁽⁵⁾	Baseline/Annual	Baseline
BCPMW-4-3	4	115	125	10	130	Sch. 40 PVC	Quarterly	Baseline/Semiannual ⁽⁵⁾	Baseline/Annual	Baseline
BCPMW-5-1	4	50	65	15	70	Sch. 80 PVC/ SS	Quarterly	Baseline	Baseline	Baseline
BCPMW-6-1	4	88.5	98.5	10	103.5	Sch. 40 PVC	Quarterly	Baseline/Semiannual ⁽⁵⁾	Baseline/Annual	--
BCPMW-6-2	4	133	143	10	148	Sch. 40 PVC	Quarterly	Baseline/Semiannual ⁽⁵⁾	Baseline/Annual	--
BCPMW-7-1	4	90	100	10	105	Sch. 40 PVC	Quarterly	Baseline/Semiannual ⁽⁵⁾	Baseline/Annual	--
B24MW-2	2	54	74	20	74	PVC	Quarterly	Baseline/Annual	Baseline	--
B24MW-3	2	55	70	15	70	PVC	Quarterly	Baseline/Annual	Baseline	--
B30MW-1	2	57	72	15	72	PVC	Quarterly	Baseline/Annual	Baseline	--
MW-200-1	4	85	95	10	100	Sch. 40 PVC/ SS	Quarterly	Baseline/Semiannual ⁽⁵⁾	Baseline/Annual	--
MW-201-1	4	70	80	10	85	Sch. 40 PVC/ SS	Quarterly	Baseline/Semiannual ⁽⁵⁾	Baseline/Annual	--
MW-202-1	4	125	135	10	140	Sch. 40 PVC/ SS	Quarterly	Baseline/Semiannual ⁽⁵⁾	Baseline/Annual	--
MW-203-1	4	103	113	10	118	Sch. 40 PVC/ SS	Quarterly	Baseline/Semiannual ⁽⁵⁾	Baseline/Annual	--
Remedial Wells ⁽⁶⁾										
RW-01	8	108	128	20	134	Sch. 80 PVC/SS	Quarterly	Baseline/Quarterly	Baseline/Annual	--
RW-02	6	84	104	20	104	Steel/SS	Quarterly	Baseline/Quarterly	Baseline/Annual	--
RW-03	8	84	104	20	107	Sch. 80 PVC/SS	Quarterly	Baseline/Quarterly	Baseline/Annual	--
RW-04	8	110	130	20	133	Sch. 80 PVC/SS	Quarterly	Baseline/Quarterly	Baseline/Annual	--

See notes on last page.

Table A-1. Well Construction Information and Environmental Effectiveness Monitoring Program, Bethpage Park Groundwater Containment System, Operable Unit 3 (Former Grumman Settling Ponds), Northrop Grumman Systems Corporation, Bethpage, New York. ^(1,2)

Well ID	Well Diameter (inches)	Depth to Screen		Screen Length (ft)	Well Depth (ft)	Well Materials	Water Levels ⁽³⁾	MONITORING ACTIVITY		
		Top (ft bls)	Bottom (ft bls)					WATER QUALITY ⁽⁴⁾		
								VOC	Cd/Cr	Fe/Mn
Piezometers										
PZ-01a	2	60	65	5	68	Sch. 40 PVC	Quarterly	--	--	--
PZ-01b	1	80	85	5	88	Sch. 40 PVC	Quarterly	--	--	--
PZ-01c	1	130	135	5	138	Sch. 40 PVC	Quarterly	--	--	--
PZ-02a	2	60	65	5	68	Sch. 40 PVC	Quarterly	--	--	--
PZ-02b	1	80	85	5	85	Sch. 40 PVC	Quarterly	--	--	--
PZ-02c	1	130	135	5	138	Sch. 40 PVC	Quarterly	--	--	--
PZ-03	1	80	85	5	88	Sch. 40 PVC	Quarterly	--	--	--
PZ-04	1	80	85	5	88	Sch. 40 PVC	Quarterly	--	--	--
PZ-05a	2	65	70	5	74	Sch. 40 PVC	Quarterly	--	--	--
PZ-05b	1	110	115	5	117	Sch. 40 PVC	Quarterly	--	--	--
PZ-06a	2	65	70	5	72	Sch. 40 PVC	Quarterly	--	--	--
PZ-06b	1	90	95	5	97	Sch. 40 PVC	Quarterly	--	--	--
PZ-07a	2	65	70	5	72	Sch. 40 PVC	Quarterly	--	--	--
PZ-07b	1	113	118	5	120	Sch. 40 PVC	Quarterly	--	--	--

Notes:

- (1) Water samples will be collected and analyzed in accordance with the method and procedures described in the Sampling and Analysis Plan (SAP).
- (2) Approximate locations of the wells and piezometers in the OU-3 Groundwater Interim Remedial Measure Monitoring Program are shown in Figure 1.
- (3) Water levels will be measured in all wells/piezometers during the baseline monitoring event. Water levels will be measured in accordance with the procedures presented in the SAP.
- (4) VOC: VOCs, per Table D-3 in the Quality Assurance Project Plan (QAPP), using NYSDEC ASP 2000 Method OLM 4.3.
Cd/Cr: Cadmium and Chromium using USEPA Method 6010.
Fe/Mn: Iron and Manganese using USEPA Method 6010, both total and dissolved.
- (5) Semiannual wells will be monitored annually after Year 1.
- (6) Some of the analyses listed here are also covered in the Remedial System Sampling Program (Table B-1) and some of the analyses and/or frequencies may be modified based on review of short-term and/or long-term testing results. (e.g. the Cd/Cr sampling frequency was changed from quarterly to annually in 2011).

Acronyms\Key:

Sch. 80 PVC	Schedule 80 polyvinyl chloride.
Sch. 40 PVC	schedule 40 polyvinyl chloride.
SS	Stainless steel.
Steel	Low carbon steel.
ft	Feet.
ft ms	Feet relative to mean sea level.
ft bls	Feet below land surface.
--	Not applicable.
VOC	Volatile organic compound.



Appendix B

Compliance and Performance
Program and Water Sample
Analytical Results

Table B-1. Compliance and Performance Program Elements, Bethpage Park Groundwater Containment System, Operable Unit 3 (Former Grumman Settling Ponds), Northrop Grumman Systems Corporation, Bethpage, New York.

Sample Location/Instrument ⁽¹⁾	Parameter (Method) ⁽²⁾	Frequency			SCADA Data Acquisition
		Short-Term ⁽³⁾ (first month)	(five month period following first month)	Long-Term ⁽⁴⁾	
<i>Water Samples</i> ⁽⁵⁾					
Remedial Well 1 (WSP-1)	VOCs (NYSDEC 2005 OLM 4.3)	Bi-Weekly	Quarterly	Quarterly	NA
	Iron (USEPA 6010C)	Bi-Weekly	Annually	Annually	NA
	Cadmium and Chromium (USEPA 6010C) ⁽¹¹⁾	---	Annually	Annually	NA
Remedial Well 2 (WSP-2)	VOCs (NYSDEC 2005 OLM 4.3)	Bi-Weekly	Quarterly	Quarterly	NA
	Iron (USEPA 6010C)	Bi-Weekly	Annually	Annually	NA
	Cadmium and Chromium (USEPA 6010C) ⁽¹¹⁾	---	Annually	Annually	NA
Remedial Well 3 (WSP-3)	VOCs (NYSDEC 2005 OLM 4.3)	Bi-Weekly	Quarterly	Quarterly	NA
	Iron (USEPA 6010C)	Bi-Weekly	Annually	Annually	NA
	Cadmium and Chromium (USEPA 6010C) ⁽¹¹⁾	---	Annually	Annually	NA
Remedial Well 4 (WSP-4)	VOCs (NYSDEC 2005 OLM 4.3)	Bi-Weekly	Quarterly	Quarterly	NA
	Iron (USEPA 6010C)	Bi-Weekly	Annually	Annually	NA
	Cadmium and Chromium (USEPA 6010C) ⁽¹¹⁾	---	Annually	Annually	NA
Air Stripper Influent (WSP-5)	VOCs (NYSDEC 2005 OLM 4.3)	1-hr ⁽⁶⁾ ; Days 1, 3, & Weekly	Monthly	Quarterly	NA
	Iron (USEPA 6010C)	1-hr ⁽⁶⁾ ; Days 1, 3, & Weekly	Monthly	Quarterly	NA
Air Stripper Effluent (WSP-6)	Iron (USEPA 6010C)	1-hr ⁽⁶⁾ ; As Needed	As Needed	As Needed	NA
Plant Effluent (WSP-7)	VOCs (NYSDEC 2005 OLM 4.3)	1-hr ⁽⁶⁾; Days 1, 3, & Weekly	Monthly	Monthly	NA
	Iron (USEPA 6010C)	1-hr ⁽⁶⁾; Days 1, 3, & Weekly	Monthly	Monthly	NA
	Mercury (USEPA 7470A) ⁽⁷⁾	1-hr ⁽⁶⁾; Days 1, 3, & Weekly	Monthly	Monthly	NA
	pH (field) ⁽⁸⁾	1-hr ⁽⁶⁾; Days 1, 3, & Weekly	Monthly	Monthly	NA
	Cadmium and Chromium (USEPA 6010C) ⁽¹¹⁾	---	Quarterly	Quarterly	NA
<i>Air Samples</i> ^{(9) (10)}					
Air Stripper Effluent/ECU-1 Influent (VSP-1)	VOCs (TO-15 Modified)	Monthly	Monthly	Quarterly	NA
ECU-1 Effluent/ECU-2 Influent (VSP-2)	VOCs (TO-15 Modified)	As Needed	As Needed	As Needed	NA
ECU-2 Effluent/ECU-3 Influent (VSP-3)	VOCs (TO-15 Modified)	As Needed	As Needed	As Needed	NA
ECU-3 Effluent/ECU-4 Influent (VSP-4)	VOCs (TO-15 Modified)	As Needed	As Needed	As Needed	NA
Total Effluent (VSP-5)	VOCs (TO-15 Modified)	Monthly	Monthly	Quarterly	NA

See notes on last page.

Table B-1. Compliance and Performance Program Elements, Bethpage Park Groundwater Containment System, Operable Unit 3 (Former Grumman Settling Ponds), Northrop Grumman Systems Corporation, Bethpage, New York.

Sample Location/Instrument ⁽¹⁾	Parameter (Method) ⁽²⁾	Frequency			SCADA Data Acquisition
		Short-Term ⁽³⁾ (first month)	(five month period following first month)	Long-Term ⁽⁴⁾	
<u>Water Flow Measurements</u>					
Remedial Well RW-1 (FT - 110)	Flow rate (gpm + total gal.)	(Daily -1st week) Weekly	Weekly	Weekly	Continuously
Remedial Well RW-2 (FT - 120)	Flow rate (gpm + total gal.)	(Daily -1st week) Weekly	Weekly	Weekly	Continuously
Remedial Well RW-3 (FT - 130)	Flow rate (gpm + total gal.)	(Daily -1st week) Weekly	Weekly	Weekly	Continuously
Remedial Well RW-4 (FT - 140)	Flow rate (gpm + total gal.)	(Daily -1st week) Weekly	Weekly	Weekly	Continuously
Combined Influent (FR - 200)	Flow rate (gpm + total gal.)	(Daily -1st week) Weekly	Weekly	Weekly	Continuously
System Effluent (FT-700)	Flow rate (gpm + total gal.)	(Daily -1st week) Weekly	Weekly	Weekly	Continuously
<u>Air Flow Measurements</u>					
Air Stripper Effluent (FT-500)	Flow rate (SCFM)	(Daily -1st week) Weekly	Weekly	Weekly	Continuously
<u>Water Pressure Measurements</u>					
Remedial Well RW-1 (PT - 110)	Pressure (i.w.g.)	(Daily -1st week) Weekly	Weekly	Weekly	Continuously
Remedial Well RW-2 (PT - 120)	Pressure (i.w.g.)	(Daily -1st week) Weekly	Weekly	Weekly	Continuously
Remedial Well RW-3 (PT - 130)	Pressure (i.w.g.)	(Daily -1st week) Weekly	Weekly	Weekly	Continuously
Remedial Well RW-4 (PT - 140)	Pressure (i.w.g.)	(Daily -1st week) Weekly	Weekly	Weekly	Continuously
Air Stripper Effluent (PT-700)	Pressure (i.w.g.)	(Daily -1st week) Weekly	Weekly	Weekly	Continuously
<u>Air Temperature & Relatively Humidity Measurements</u>					
Air Stripper Effluent (TT-500)	Temperature	Weekly	Weekly	Weekly	Continuously
ECU Mid-Train (TI-503)	Temperature	Weekly	Weekly	Weekly	NA
Effluent (TI-603)	Temperature	Weekly	Weekly	Weekly	NA

See notes on last page.

Table B-1. Compliance and Performance Program Elements, Bethpage Park Groundwater Containment System, Operable Unit 3 (Former Grumman Settling Ponds), Northrop Grumman Systems Corporation, Bethpage, New York.

Sample Location/Instrument ⁽¹⁾	Parameter (Method) ⁽²⁾	Frequency				SCADA Data Acquisition
		Short-Term ⁽³⁾ (first month)	(five month period following first month)	Long-Term ⁽⁴⁾		
<u>Air Pressure Measurements</u>						
Air Stripper Effluent (PT-500)	Pressure (i.w.g.)	(Daily -1st week) Weekly	Monthly	Quarterly	Continuously	
ECU #1 Influent (PI-501)	Pressure (i.w.g.)	(Daily -1st week) Weekly	Monthly	Quarterly	NA	
ECU #2 Influent (PI-502)	Pressure (i.w.g.)	(Daily -1st week) Weekly	Monthly	Quarterly	NA	
ECU #3 Influent (PI-601)	Pressure (i.w.g.)	(Daily -1st week) Weekly	Monthly	Quarterly	NA	
ECU #4 Influent (PI-602)	Pressure (i.w.g.)	(Daily -1st week) Weekly	Monthly	Quarterly	NA	
System Effluent (PI-603)	Pressure (i.w.g.)	(Daily -1st week) Weekly	Monthly	Quarterly	NA	

See notes on last page.

Table B-1. Compliance and Performance Program Elements, Bethpage Park Groundwater Containment System, Operable Unit 3 (Former Grumman Settling Ponds), Northrop Grumman Systems Corporation, Bethpage, New York.

Notes:

- (1) Refer to Figure 3 of this Operation, Maintenance, & Monitoring (OM&M) Report and Appendix E of the Groundwater IRM OM&M Manual (OM&M Manual (ARCADIS 2009)) for a diagram showing referenced sample locations and measurement points.
- (2) Parameters/methods may be modified based on review of short-term and/or long-term testing results. Parameters shown in **Bold** indicate parameters that require NYSDEC notification/approval prior to change in monitoring schedule.
- (3) Short-term schedule is tentative. Modification may be required/recommended based on the results of start-up and performance testing.
- (4) Long-term schedule is tentative. Modification may be required/recommended based on the results of short-term testing or water quality trends.
- (5) Water samples will be collected in accordance with the methods described in the Sampling and Analysis Plan, which is included as Appendix A of the OM&M Manual (ARCADIS 2009). Samples will be analyzed in accordance with the methods and procedures described in the Sampling and Analysis Plan.
- (6) Per NYSDEC request, a 1-hr pilot test was performed during system shake-down. The 1-hr pilot test samples were also analyzed for Mercury (Hg).
- (7) Per the interim treated effluent (water) discharge criteria provided in the NYSDEC letter dated March 19, 2009, select samples were analyzed for Mercury (Hg).
- (8) As authorized by the NYSDEC, the pH monitoring frequency was reduced from weekly to monthly beginning on February 8, 2010.
- (9) Air samples collected and analyzed in accordance with methods described in the Sampling and Analysis Plan, which is included as Appendix A of the OM&M Manual (ARCADIS 2009).
- (10) Additional air samples will be collected to help calculate media usage rates and to help determine media changeout frequencies.
- (11) Cadmium and Chromium analyses are part of the Environmental Effectiveness Monitoring Program (Table A-1) and the original discharge permit application. They are included here for consistency.

Acronyms\Key:

NA	Not Applicable.
---	Not Required
ECU	Emissions control unit.
VOCs	Volatile organic compounds (refer Tables D-3 and D-5 in the Quality Assurance Project Plan (QAPP) (Appendix D of the OM&M Manual (ARCADIS 2009)) for the analyte lists for aqueous and air samples, respectively).
gal.	Gallons.
gpm	Gallons per minute.
i.w.g.	Inches water gauge.
NYSDEC	New York State Department of Environmental Conservation.
EPA	U.S. Environmental Protection Agency.
SCADA	Supervisory Control And Data Acquisition.
OM&M	Operation, maintenance and monitoring.

Table B-2. Water Sample Analytical Results -January 20, 2014, Bethpage Park Groundwater Containment System, Operable Unit 3
 (Former Grumman Settling Ponds), Bethpage, New York. ^(1,2,3)

COMPOUND (ug/L)	Sample ID: Sample Location: Sample Date:	WSP-05 Influent 1/20/2014	WSP-07 Effluent 1/20/2014
<u>Volatile Organic Compounds</u>			
1,1,1-Trichloroethane		< 5.0 U	< 5.0 U
1,1,2,2-Tetrachloroethane		< 5.0 U	< 5.0 U
1,1,2-trichloro-1,2,2-trifluoroethane		< 5.0 U	< 5.0 U
1,1,2-Trichloroethane		< 5.0 U	< 5.0 U
1,1-Dichloroethane		0.30 J	< 5.0
1,1-Dichloroethene		< 5.0 U	< 5.0 U
1,2-Dichloroethane		< 5.0 U	< 5.0 U
1,2-Dichloropropane		< 5.0 U	< 5.0 U
2-Butanone		< 50 U	< 50 U
4-Methyl-2-Pentanone		< 50 U	< 50 U
Acetone		< 50 U	< 50 U
Benzene		< 0.70 U	< 0.70 U
Bromodichloromethane		< 5.0 U	< 5.0 U
Bromomethane		< 5.0 U	< 5.0 U
Carbon Disulfide		< 5.0 U	< 5.0 U
Carbon Tetrachloride		< 5.0 U	< 5.0 U
CFC-11		< 5.0 U	< 5.0 U
CFC-12		< 5.0 U	< 5.0 U
Chlorobenzene		< 5.0 U	< 5.0 U
Chlorodibromomethane		< 5.0 U	< 5.0 U
Chlorodifluoromethane		55	< 5.0 U
Chloroethane		< 5.0 U	< 5.0 U
Chloroform		0.34 J	< 5.0 U
Chloromethane		< 5.0 U	< 5.0 U
cis-1,2-Dichloroethene		0.31 J	< 5.0 U
cis-1,3-Dichloropropene		< 5.0 U	< 5.0 U
Dichloromethane		< 5.0 U	< 5.0 U
Ethylbenzene		< 5.0 U	< 5.0 U
m,p-Xylene		< 5.0 U	< 5.0 U
Methyl N-Butyl Ketone		< 50 U	< 50 U
Methyl-Tert-Butylether		< 5.0 U	< 5.0 U
o-Xylene		< 5.0 U	< 5.0 U
Styrene (Monomer)		< 5.0 U	< 5.0 U
Tetrachloroethene		0.48 J	< 5.0 U
Toluene		< 5.0 U	< 5.0 U
trans-1,2-Dichloroethene		< 5.0 U	< 5.0 U
trans-1,3-Dichloropropene		< 5.0 U	< 5.0 U
Tribromomethane		< 5.0 U	< 5.0 U
Trichloroethene		0.66 J	< 5.0 U
Vinyl Chloride		< 2.0 U	< 2.0 U
Subtotal VOCs ⁽⁴⁾		57	ND
Tentatively Identified Compounds		ND	ND
Subtotal TICs ⁽⁵⁾		0	0
Total VOCs ⁽⁶⁾		57	ND

See notes on last page.

Table B-2. Water Sample Analytical Results -January 20, 2014, Bethpage Park Groundwater Containment System, Operable Unit 3 (Former Grumman Settling Ponds), Bethpage, New York. ^(1,2,3)

COMPOUND (ug/L)	Sample ID: Sample Location: Sample Date:	WSP-05 Influent 1/20/2014	WSP-07 Effluent 1/20/2014
Metals			
Cadmium (Dissolved)		--	--
Cadmium (Total)		--	--
Chromium (Dissolved)		--	--
Chromium (Total)		--	--
Iron (Dissolved)		< 100 U	< 100 U
Iron (Total)		660	430
Manganese (Dissolved)		--	--
Manganese (Total)		--	--
Mercury (Dissolved)		--	--
Mercury (Total)		--	< 0.20 U

Notes:

- (1) Samples collected by ARCADIS on the dates shown and submitted to ALS Environmental for VOC analyses using New York State Department of Environmental Conservation ASP 2005 Method OLM 4.3 and metals using USEPA Method 6010C, except for mercury, which was analyzed using USEPA Method 7470A.
- (2) Refer to Figure 3 of this OM&M Report for schematic sample locations.
- (3) Results validated following protocols specified in the Sampling and Analysis Plan (Appendix A) of the Groundwater OM&M Manual (ARCADIS 2009).
- (4) "Subtotal VOCs" represents the sum of individual concentrations of VOCs detected. Values shown have been rounded to the nearest whole number.
- (5) "Subtotal TICs" represents the sum of individual TICs detected. Values shown have been rounded to the nearest whole number.
- (6) "Total VOCs" represent the sum of VOCs and TICs detected. Values shown have been rounded to the nearest whole number.

Acronyms\Key:

Bold value indicates a detection.

- D Compound reported from the diluted analyses as the concentration in the initial analysis was outside the calibration range.
- dup. Duplicate.
- J Estimated value.
- ND TIC not detected.
- OM&M Operation, maintenance and monitoring.
- TIC Tentatively identified compound.
- USEPA United States Environmental Protection Agency.
- VOC Volatile organic compound.
- ug/L Micrograms per liter.
- Not analyzed.
- < 5 U Compound not detected above its laboratory quantification limit.

Table B-3. Water Sample Analytical Results - February 18, 2014, Bethpage Park Groundwater Containment System, Operable Unit 3 (Former Grumman Settling Ponds), Bethpage, New York. ^(1,2,3)

COMPOUND (ug/L)	Sample ID: Sample Location: Sample Date:	WSP-01 RW-1 2/18/2014	WSP-02 RW-2 2/18/2014	WSP-02 Dup. RW-2 2/18/2014	WSP-03 RW-3 2/18/2014	WSP-04 RW-4 2/18/2014	WSP-05 Influent 2/18/2014	WSP-07 Effluent 2/18/2014
<u>Volatile Organic Compounds</u>								
1,1,1-Trichloroethane		< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U
1,1,2,2-Tetrachloroethane		< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U
1,1,2-trichloro-1,2,2-trifluoroethane		< 5.0 U	< 5.0 U	< 5.0 U	0.34 J	< 5.0 U	< 5.0 U	< 5.0 U
1,1,2-Trichloroethane		< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U
1,1-Dichloroethane		< 5.0 U	1.1 J	1.2 J	< 5.0 U	0.38 J	0.36 J	< 5.0 U
1,1-Dichloroethene		< 5.0 U	0.79 J	0.76 J	< 5.0 U	0.23 J	< 5.0 U	< 5.0 U
1,2-Dichloroethane		< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U
1,2-Dichloropropane		< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U
2-Butanone		< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U
4-Methyl-2-Pentanone		< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U
Acetone		< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U
Benzene		< 0.70 U	< 0.70 U	< 0.70 U	< 0.70 U	< 0.70 U	< 0.70 U	< 0.70 U
Bromodichloromethane		< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U
Bromomethane		< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U
Carbon Disulfide		< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U
Carbon Tetrachloride		< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U
CFC-11		< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U
CFC-12		< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U
Chlorobenzene		< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U
Chlorodibromomethane		< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U
Chlorodifluoromethane		< 5.0 U	< 5.0 U	< 5.0 U	45	82	23	< 5.0 U
Chloroethane		< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U
Chloroform		< 5.0 U	2.2 J	2.2 J	3.8 J	0.39 J	1.8 J	< 5.0 U
Chloromethane		< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U
cis-1,2-Dichloroethene		< 5.0 U	130	130	4.9 J	0.20 J	30	< 5.0 U
cis-1,3-Dichloropropene		< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U
Dichloromethane		< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U
Ethylbenzene		< 5.0 U	4.0 J	4.3 J	< 5.0 U	< 5.0 U	0.94 J	< 5.0 U
m,p-Xylene		< 5.0 U	6.8	6.8	< 5.0 U	< 5.0 U	1.6 J	< 5.0 U
Methyl N-Butyl Ketone		< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U
Methyl-Tert-Butylether		< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	0.24 J	< 5.0 U	< 5.0 U
o-Xylene		< 5.0 U	4.0 J	4.0 J	< 5.0 U	< 5.0 U	0.88 J	< 5.0 U
Styrene (Monomer)		< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U
Tetrachloroethene		< 5.0 U	0.25 J	0.23 J	0.30 J	0.79 J	0.24 J	< 5.0 U
Toluene		< 5.0 U	85	88	< 5.0 U	< 5.0 U	22	< 5.0 U
trans-1,2-Dichloroethene		< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U
trans-1,3-Dichloropropene		< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U
Tribromomethane		< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U
Trichloroethene		0.67 J	11	11	3.6 J	0.67 J	4.0 J	< 5.0 U
Vinyl Chloride		< 2.0 U	99	99	< 2.0 U	< 2.0 U	24	< 2.0 U
Subtotal VOCs ⁽⁴⁾		0.67	344	347	58	85	109	ND
Tentatively Identified Compounds		ND	ND	ND	ND	ND	ND	ND
Subtotal TICs ⁽⁵⁾		0	0	0	0	0	0	0
Total VOCs ⁽⁶⁾		0.67	344	347	58	85	109	0

See notes on last page.

Table B-3. Water Sample Analytical Results - February 18, 2014, Bethpage Park Groundwater Containment System, Operable Unit 3 (Former Grumman Settling Ponds), Bethpage, New York. ^(1,2,3)

COMPOUND (ug/L)	Sample ID: Sample Location: Sample Date:	WSP-01 RW-1 2/18/2014	WSP-02 RW-2 2/18/2014	WSP-02 Dup. RW-2 2/18/2014	WSP-03 RW-3 2/18/2014	WSP-04 RW-4 2/18/2014	WSP-05 Influent 2/18/2014	WSP-07 Effluent 2/18/2014
Metals								
Cadmium (Dissolved)		--	--	--	--	--	--	< 5.0 U
Cadmium (Total)		--	--	--	--	--	--	< 5.0 U
Chromium (Dissolved)		--	--	--	--	--	--	< 10 U
Chromium (Total)		--	--	--	--	--	--	< 10 U
Iron (Dissolved)		--	680	--	< 100 U	--	180	160
Iron (Total)		--	890	--	170	--	270	250
Manganese (Dissolved)		--	--	--	--	--	--	--
Manganese (Total)		--	--	--	--	--	--	--
Mercury (Dissolved)		--	--	--	--	--	--	--
Mercury (Total)		--	--	--	--	--	--	< 0.20 UJ

Notes:

- (1) Samples collected by ARCADIS on the dates shown and submitted to ALS Environmental for VOC analyses using New York State Department of Environmental Conservation ASP 2005 Method OLM 4.3 and metals using USEPA Method 6010C, except for mercury, which was analyzed using USEPA Method 7470A.
- (2) Refer to Figure 3 of this OM&M Report for schematic sample locations.
- (3) 2009).
- (4) "Subtotal VOCs" represents the sum of individual concentrations of VOCs detected. Values shown have been rounded to the nearest whole number.
- (5) "Subtotal TICs" represents the sum of individual TICs detected. Values shown have been rounded to the nearest whole number.
- (6) "Total VOCs" represent the sum of VOCs and TICs detected. Values shown have been rounded to the nearest whole number.

Acronyms\Key:

Bold value indicates a detection.

- D Compound reported from the diluted analyses as the concentration in the initial analysis was outside the calibration range.
- dup. Duplicate.
- J Estimated value.
- ND TIC not detected.
- OM&M Operation, maintenance and monitoring.
- TIC Tentatively identified compound.
- USEPA United States Environmental Protection Agency.
- VOC Volatile organic compound.
- ug/L Micrograms per liter.
- Not analyzed.
- < 5 U Compound not detected above its laboratory quantification limit.
- <0.20 UJ Compound not detected above its laboratory quantification limit. However, its laboratory quantification limit is approximate and may or may not represent its actual laboratory quantification limit.

Table B-4. Water Sample Analytical Results - March 10, 2014, Bethpage Park Groundwater Containment System, Operable Unit 3
 (Former Grumman Settling Ponds), Bethpage, New York. ^(1,2,3)

COMPOUND (ug/L)	Sample ID: Sample Location: Sample Date:	WSP-05 Influent 3/10/2014	WSP-07 Effluent 3/10/2014
<u>Volatile Organic Compounds</u>			
1,1,1-Trichloroethane		< 5.0 U	< 5.0 U
1,1,1,2,2-Tetrachloroethane		< 5.0 U	< 5.0 U
1,1,2-trichloro-1,2,2-trifluoroethane		< 5.0 U	< 5.0 U
1,1,2-Trichloroethane		< 5.0 U	< 5.0 U
1,1-Dichloroethane		0.37 J	< 5.0 U
1,1-Dichloroethene		0.26 J	< 5.0 U
1,2-Dichloroethane		< 5.0 U	< 5.0 U
1,2-Dichloropropane		< 5.0 U	< 5.0 U
2-Butanone		< 50 U	< 50 U
4-Methyl-2-Pentanone		< 50 U	< 50 U
Acetone		< 50 U	< 50 U
Benzene		< 0.70 U	< 0.70 U
Bromodichloromethane		< 5.0 U	< 5.0 U
Bromomethane		< 5.0 U	< 5.0 U
Carbon Disulfide		< 5.0 U	< 5.0 U
Carbon Tetrachloride		< 5.0 U	< 5.0 U
CFC-11		< 5.0 U	< 5.0 U
CFC-12		< 5.0 U	< 5.0 U
Chlorobenzene		< 5.0 U	< 5.0 U
Chlorodibromomethane		< 5.0 U	< 5.0 U
Chlorodifluoromethane		24	< 5.0 U
Chloroethane		< 5.0 U	< 5.0 U
Chloroform		1.7 J	< 5.0 U
Chloromethane		< 5.0 U	< 5.0 U
cis-1,2-Dichloroethene		23	< 5.0 U
cis-1,3-Dichloropropene		< 5.0 U	< 5.0 U
Dichloromethane		< 5.0 U	< 5.0 U
Ethylbenzene		0.93 J	< 5.0 U
m,p-Xylene		1.6 J	< 5.0 U
Methyl N-Butyl Ketone		< 50 U	< 50 U
Methyl-Tert-Butylether		< 5.0 U	< 5.0 U
o-Xylene		0.86 J	< 5.0 U
Styrene (Monomer)		< 5.0 U	< 5.0 U
Tetrachloroethene		0.22 J	< 5.0 U
Toluene		24	< 5.0 U
trans-1,2-Dichloroethene		< 5.0 U	< 5.0 U
trans-1,3-Dichloropropene		< 5.0 U	< 5.0 U
Tribromomethane		< 5.0 U	< 5.0 U
Trichloroethene		4.0 J	< 5.0 U
Vinyl Chloride		22	< 2.0 U
Subtotal VOCs ⁽⁴⁾		103	ND
Tentatively Identified Compounds		ND	ND
Subtotal TICs ⁽⁵⁾		0	0
Total VOCs ⁽⁶⁾		103	ND

See notes on last page.

Table B-4. Water Sample Analytical Results - March 10, 2014, Bethpage Park Groundwater Containment System, Operable Unit 3 (Former Grumman Settling Ponds), Bethpage, New York. ^(1,2,3)

COMPOUND (ug/L)	Sample ID: Sample Location: Sample Date:	WSP-05 Influent 3/10/2014	WSP-07 Effluent 3/10/2014
Metals			
Cadmium (Dissolved)		--	--
Cadmium (Total)		--	--
Chromium (Dissolved)		--	--
Chromium (Total)		--	--
Iron (Dissolved)		160	150
Iron (Total)		5,020	330
Manganese (Dissolved)		--	--
Manganese (Total)		--	--
Mercury (Dissolved)		--	--
Mercury (Total)		--	< 0.20 U

Notes:

- (1) Samples collected by ARCADIS on the dates shown and submitted to ALS Environmental for VOC analyses using New York State Department of Environmental Conservation ASP 2005 Method OLM 4.3 and metals using USEPA Method 6010C, except for mercury, which was analyzed using USEPA Method 7470A.
- (2) Refer to Figure 3 of this OM&M Report for schematic sample locations.
- (3) Results validated following protocols specified in the Sampling and Analysis Plan (Appendix A) of the Groundwater OM&M Manual (ARCADIS 2009).
- (4) "Subtotal VOCs" represents the sum of individual concentrations of VOCs detected. Values shown have been rounded to the nearest whole number.
- (5) "Subtotal TICs" represents the sum of individual TICs detected. Values shown have been rounded to the nearest whole number.
- (6) "Total VOCs" represent the sum of VOCs and TICs detected. Values shown have been rounded to the nearest whole number.

Acronyms\Key:

Bold value indicates a detection.

- D Compound reported from the diluted analyses as the concentration in the initial analysis was outside the calibration range.
- dup. Duplicate.
- J Estimated value.
- ND TIC not detected.
- OM&M Operation, maintenance and monitoring.
- TIC Tentatively identified compound.
- USEPA United States Environmental Protection Agency.
- VOC Volatile organic compound.
- ug/L Micrograms per liter.
- Not analyzed.
- < 5 U Compound not detected above its laboratory quantification limit.



Appendix C

Vapor Sample Analytical Results

Table C-1. Vapor Sample Analytical Results - February 18, 2014, Bethpage Park Groundwater Containment System, Operable Unit 3 (Former Grumman Settling Ponds), Bethpage, New York. ^(1,2,3)

COMPOUND (ug/m ³)	Location ID: Sample Location: Sample Date:	VSP-1 Influent 2/18/2014	VSP-4 ⁽⁵⁾ PPZ Mid-Train ⁽⁵⁾ 2/18/2014	VSP-5 ⁽⁶⁾ Effluent ⁽⁶⁾ 3/24/2014
<u>Volatile Organic Compounds</u>				
1,1,1-Trichloroethane		1.0	< 1.9 U	< 0.75 U
1,1,2,2-Tetrachloroethane		< 0.73 U	< 1.9 U	< 0.75 U
1,1,2-trichloro-1,2,2-trifluoroethane		2.8	< 1.9 U	1.2
1,1,2-Trichloroethane		< 0.73 U	< 1.9 U	< 0.75 U
1,1-Dichloroethane		5.8	6.3	5.7
1,1-Dichloroethene		3.1	< 1.9 U	0.77
1,2-Dichloroethane		< 0.73 U	< 1.9 U	< 0.75 U
1,2-Dichloropropane		0.76	< 1.9 U	< 0.75 U
1,3-Butadiene		< 0.73 U	< 1.9 U	< 0.75 U
1-Chloro-1,1-difluoroethane		< 0.73 U	< 1.9 U	< 0.75 U
2-Butanone		10	19	< 7.5 U
4-Methyl-2-Pentanone		< 0.73 U	< 1.9 U	< 0.75 U
Acetone		26	100	32
Benzene		1.1	< 1.9 U	< 0.75 U
Bromodichloromethane		< 0.73 U	< 1.9 U	< 0.75 U
Bromomethane		< 0.73 U	< 1.9 U	< 0.75 U
Carbon Disulfide		53	110	< 7.5 U
Carbon Tetrachloride		< 0.73 U	< 1.9 U	< 0.75 U
CFC-11		1.5	< 1.9 U	1.5
CFC-12		2.6	2.4	2.8
Chlorobenzene		< 0.73 U	< 1.9 U	< 0.75 U
Chlorodibromomethane		< 0.73 U	< 1.9 U	< 0.75 U
Chlorodifluoromethane		290 D	260	110
Chloroethane		< 0.73 U	< 1.9 U	< 0.75 U
Chloroform		27	17	18
Chloromethane		< 0.73 U	< 1.9 U	< 0.75 U
cis-1,2-Dichloroethene		530 D	360	58
cis-1,3-Dichloropropene		< 0.73 U	< 1.9 U	< 0.75 U
Dichloromethane		< 0.73 U	< 1.9 U	< 0.75 U
Ethylbenzene		20	< 1.9 U	0.94
m,p-Xylene		32	< 3.8 U	1.7
Methyl N-Butyl Ketone		< 0.73 U	< 1.9 U	< 0.75 U
Methyl-Tert-Butylether		< 0.73 U	< 1.9 U	< 0.75 U
o-Xylene		19	< 1.9 U	0.83
Styrene (Monomer)		< 0.73 U	< 1.9 U	< 0.75 U
Tetrachloroethene		4.2	< 1.9 U	< 0.75 U
Toluene		400 D	37	33
trans-1,2-Dichloroethene		< 0.73 U	< 1.9 U	< 0.75 U
trans-1,3-Dichloropropene		< 0.73 U	< 1.9 U	< 0.75 U
Tribromomethane		< 0.73 U	< 1.9 U	< 0.75 U
Trichloroethene		62	4.9	2.3
Vinyl Chloride		360 D	180	14
Total VOCs		1,852	1,097	283

See notes on last page.

Table C-1. Vapor Sample Analytical Results - February 18, 2014, Bethpage Park Groundwater Containment System, Operable Unit 3 (Former Grumman Settling Ponds), Bethpage, New York. ^(1,2,3)

COMPOUND (ug/m ³)	Location ID: Sample Location: Sample Date:	VSP-1 Influent 2/18/2014	VSP-4 ⁽⁵⁾ PPZ Mid-Train ⁽⁵⁾ 2/18/2014	VSP-5 ⁽⁶⁾ Effluent ⁽⁶⁾ 3/24/2014
<u>Tentatively Identified Compounds</u>				
2-Hydroxypropylmethacrylate		3.9 JN	--	--
2-Methylpropanal		3.5 JN	--	--
2-Methyl-trans-Decalin		--	33 JN	--
Acetaldehyde		7.9 JN	36 JN	--
Acetaldehyde + Isobutane		--	--	21 JN
Acetic Acid		18 JN	--	--
Acetophenone		36 JN	33 JN	--
alpha-Cumyl Alcohol		83 JN	31 JN	--
alpha-Methylstyrene		11 JN	--	--
C ₄ H ₈ Alkene		3.5 JN	--	--
C ₁₁ H ₂₀ Compound		--	--	4.1 JN
C ₁₂ H ₂₆ Branched Alkane		--	33 JN	3.5 JN
C ₁₂ H ₂₆ Branched Alkane		--	17 JN	--
C ₁₂ H ₂₆ Branched Alkane		--	18 JN	--
C ₁₂ H ₂₆ Branched Alkane		--	55 JN	--
C ₁₂ H ₂₆ Branched Alkane		--	24 JN	--
C ₁₂ H ₂₆ Branched Alkane		--	41 JN	--
C ₁₂ H ₂₆ Branched Alkane		--	31 JN	--
C ₁₃ H ₂₈ Branched Alkane		--	24 JN	--
Camphor		10 JN	--	--
Hexamethylcyclotrisiloxane		230 JN	15 JN	40 JN
Isobutene		3.7 JN	--	--
Isopentane		--	--	--
Methylcyclohexane		5.5 JN	--	--
Methyl styrene (alpha)		--	--	--
N-Butanal		3.6 JN	--	4.7 JN
N-Butane		--	--	3.4 JN
N-Undecane		--	28 JN	2.9 JN
P-Isopropyltoluene		5.9 JN	--	--
Pentylcyclohexane		--	24 JN	--
Propane		5.0 JN	--	--
Propylene Glycol		4.6 JN	--	--
Trimethylsilanol		31 JN	16 JN	4.4 JN
Unidentified Compound		7.9 JN	14 JN	7.7 JN
Unidentified Compound		35 JN	27 JN	38 JN
Unidentified Compound		3.7 JN	15 JN	4.8 JN
Unidentified Compound		--	41 JN	--
Unidentified Siloxane		--	--	24 JN

See notes on last page.

Table C-1. Vapor Sample Analytical Results - February 18, 2014, Bethpage Park Groundwater Containment System, Operable Unit 3 (Former Grumman Settling Ponds), Bethpage, New York. ^(1,2,3)

Notes:

- (1) Samples collected by ARCADIS on the dates shown and submitted to ALS Environmental for VOC analyses per Modified USEPA Method TO-15.
- (2) Refer to Figure 3 of this OM&M Report for schematic sample locations.
- (3) Results validated following protocols specified in the Sampling and Analysis Plan (Appendix A) of the Groundwater OM&M (ARCADIS 2009).
- (4) "Total VOCs" represents the sum of individual concentrations of VOCs detected. Values shown have been rounded to the nearest whole number.
- (5) The PPZ Mid-Train and Effluent sample locations were inadvertently mislabeled in the field as VSP-5 and VSP-4, respectively. The lab report has been corrected.
- (6) Due to the incorrect sample location taken on February 18, 2014, the PPZ Effluent sample was taken on March 24, 2014.

Acronyms\Key:

Bold value indicates a detection.

D	Concentration is based on a diluted sample analysis.
JN	Compound tentatively identified, concentration is estimated.
OM&M	Operation, maintenance and monitoring.
NYSDEC	New York State Department of Environmental Conservation.
TIC	Tentatively identified compound.
USEPA	United States Environmental Protection Agency.
VOC	Volatile organic compound.
ug/m ³	Micrograms per cubic meter.
< 1.5 U	Compound not detected above its laboratory quantification limit.
--	TIC not detected.



Appendix D

Air Discharge Quality Evaluation

Table D-1. Annual Summary of SCREEN3 Model Input and Outputs, Bethpage Park Groundwater Containment System, Operable Unit 3 (Former Grumman Settling Ponds), Bethpage, New York.

Parameters	Date Sampled:	04/01/13	07/01/13	11/14/13
SCREEN3 Model Input				
Source Type		Point	Point	Point
Emission Rate (g/s)		1	1	1
Stack Height (ft)		13.5	13.5	13.5
Stack Height (m)		4.1	4.1	4.1
Stack Inside Diameter (m)		0.36	0.36	0.36
Air Flow Rate (scfm) ^{(1),(9)}		1,899	2,003	1,970
Air Flow Rate (acfm @ stack temp) ⁽²⁾		1,891	2,017	1,969
Stack Gas Exit Temperature (K) ⁽¹⁾		293	296	294
Ambient Air Temperature (K) ⁽³⁾		281	295	281
Receptor Height (m) ⁽⁴⁾		1.5	1.5	1.5
Urban/Rural		Urban	Urban	Urban
Building Height (m)		2.6	2.6	2.6
Min Horizontal Bldg Dim (m)		7.9	7.9	7.9
Max Horizontal Bldg Dim (m)		9.8	9.8	9.8
Consider Bldg Downwash?		Yes	Yes	Yes
Simple/Complex Terrain Above Stack		Simple	Simple	Simple
Simple/Complex Terrain Above Stack Base		Simple	Simple	Simple
Meteorology		Full	Full	Full
Automated Distances Array		Yes	Yes	Yes
Terrain Height Above Stack Base		0	0	0
SCREEN3 Model Output				
1-HR Max Concentration at Receptor Height ($\mu\text{g}/\text{m}^3$) ⁽⁵⁾		2,169	1,988	2,067
Annualization Factor ⁽⁶⁾		0.08	0.08	0.08
Average Annual Concentration at Receptor Height ($\mu\text{g}/\text{m}^3$) ⁽⁷⁾		174	159	165
Distance To Max Concentration (m) ⁽⁸⁾		8	8	8

See notes on last page.

Table D-1. Annual Summary of SCREEN3 Model Input and Outputs, Bethpage Park Groundwater Containment System, Operable Unit 3 (Former Grumman Settling Ponds), Bethpage, New York.

Notes:

- (1) The stack air flow rate (in scfm) and temperature were measured using inline instrumentation. Values were measured at the blower effluent location.
- (2) The stack air flow rate at the stack temperature (in acfm) was calculated by dividing the stack air flow rate in scfm by the ratio of the standard temperature to the actual stack gas exit temperature in degrees Rankine.
- (3) The ambient temperature was recorded from the weather.newsday.com and/or weather underground (www.wunderground.com) websites for Islip, New York. The mean actual temperature from the website(s) was used in model calculation.
- (4) The receptor height corresponds to the average inhalation level.
- (5) SCREEN3 calculated constituent concentration at listed conditions at the specified inhalation level.
- (6) A USEPA time averaging conversion factor of 1/0.08 was used to convert the 1-hour maximum concentration output to an annual average.
- (7) Average annual constituent concentration at the receptor height was calculated by multiplying the one hour maximum concentration by the annualization factor.
- (8) SCREEN3 calculated distance to the 1-hour maximum concentration.
- (9) Beginning with the January 2013 site visit the air flow rate in scfm is obtained from SCADA HMI.
- (10) Sample VSP-5 was retaken on March 10, 2014 due to operator error on February 18, 2014.

Acronyms/Key:

$\mu\text{g}/\text{m}^3$	Micrograms per cubic meter.
acfm	Actual cubic feet per minute.
ft	Feet.
g/s	Grams per second.
K	Kelvin.
m	Meters.
scfm	Standard cubic feet per minute.
USEPA	United States Environmental Protection Agency.

Table D-2. Annual Summary of Maximum Allowable Stack Concentration Calculations, Bethpage Park Groundwater Containment System, Operable Unit 3 (Former Grumman Settling Ponds), Bethpage, New York.

Compound	Actual Effluent Concentrations ⁽¹⁾ (µg/m ³)			
	04/01/13	07/01/13	11/14/13	3/10/2014 ⁽⁵⁾
1,1,1 - Trichloroethane	0	0	0	0
1,1 - Dichloroethane	4.1	1.6	1.4	5.7
1,2 - Dichloroethane	0	0	0	0
1,1 - Dichloroethene	5.3	0	0	0.77
Acetone	44	97	15	32
Carbon Disulfide	0	0	8.9	0
Chloroform	4.9	2.8	2.9	18
Ethylbenzene	1	0	0	0.94
Xylenes (o)	1.5	0	0	0.83
Xylenes (m,p)	2.9	0	0	1.7
Tetrachloroethene	0	0	0	0
Trichloroethene	3.8	2	0	0
Vinyl Chloride	42	50	2.6	14
cis 1,2-Dichloroethene	43	25	4.6	58
trans 1,2 Dichloroethene	0	0	0	0
Benzene	2.3	1.7	0.91	0
Toluene	49	20	19	33
Trichlorofluoromethane (Freon 11)	1.9	0	1.8	1.5
Dichlorodifluoromethane (Freon 12)	2.8	2.7	2.5	2.8
Chlorodifluoromethane (Freon 22)	560	520	400	110

See notes on last page.

Table D-2. Annual Summary of Maximum Allowable Stack Concentration Calculations, Bethpage Park Groundwater Containment System, Operable Unit 3 (Former Grumman Settling Ponds), Bethpage, New York.

Compound	AGC ⁽²⁾	MASC ⁽³⁾ (µg/m ³)			
	(µg/m ³)	04/01/13	07/01/13	11/14/13	3/10/2014 ⁽⁵⁾
1,1,1 - Trichloroethane	5,000	3.23E+07	3.30E+07	3.25E+07	3.24E+07
1,1 - Dichloroethane	0.63	4.07E+03	4.16E+03	4.10E+03	4.09E+03
1,2 - Dichloroethane	0.038	2.45E+02	2.51E+02	2.47E+02	2.47E+02
1,1 - Dichloroethene	70	4.52E+05	4.62E+05	4.55E+05	4.54E+05
Acetone	30,000	1.94E+08	1.98E+08	1.95E+08	1.95E+08
Carbon Disulfide	700	4.52E+06	4.62E+06	4.55E+06	4.54E+06
Chloroform	0.043	2.78E+02	2.84E+02	2.80E+02	2.79E+02
Ethylbenzene	1,000	6.46E+06	6.61E+06	6.51E+06	6.49E+06
Xylenes (o)	100	6.46E+05	6.61E+05	6.51E+05	6.49E+05
Xylenes (m,p)	100	6.46E+05	6.61E+05	6.51E+05	6.49E+05
Tetrachloroethene	1	6.46E+03	6.61E+03	6.51E+03	6.49E+03
Trichloroethene	0.5	3.23E+03	3.30E+03	3.25E+03	3.24E+03
Vinyl Chloride	0.11	7.10E+02	7.27E+02	7.16E+02	7.14E+02
cis 1,2 Dichloroethene	63	4.07E+05	4.16E+05	4.10E+05	4.09E+05
trans 1,2 Dichloroethene	63	4.07E+05	4.16E+05	4.10E+05	4.09E+05
Benzene	0.13	8.40E+02	8.59E+02	8.46E+02	8.43E+02
Toluene	5,000	3.23E+07	3.30E+07	3.25E+07	3.24E+07
Trichlorofluoromethane (Freon 11)	5,000	3.23E+07	3.30E+07	3.25E+07	3.24E+07
Dichlorodifluoromethane (Freon 12)	12,000	7.75E+07	7.93E+07	7.81E+07	7.78E+07
Chlorodifluoromethane (Freon 22)	50,000	3.23E+08	3.30E+08	3.25E+08	3.24E+08

See notes on last page.

Table D-2. Annual Summary of Maximum Allowable Stack Concentration Calculations, Bethpage Park Groundwater Containment System, Operable Unit 3 (Former Grumman Settling Ponds), Bethpage, New York.

Compound	Percent of MASC ⁽⁴⁾			
	04/01/13	07/01/13	11/14/13	3/10/2014 ⁽⁵⁾
1,1,1 - Trichloroethane	0.00%	0.00%	0.00%	0.00%
1,1 - Dichloroethane	0.10%	0.04%	0.03%	0.14%
1,2 - Dichloroethane	0.00%	0.00%	0.00%	0.00%
1,1 - Dichloroethene	0.00%	0.00%	0.00%	0.00%
Acetone	0.00%	0.00%	0.00%	0.00%
Carbon Disulfide	0.00%	0.00%	0.00%	0.00%
Chloroform	1.76%	0.99%	1.04%	6.45%
Ethylbenzene	0.00%	0.00%	0.00%	0.00%
Xylenes (o)	0.00%	0.00%	0.00%	0.00%
Xylenes (m,p)	0.00%	0.00%	0.00%	0.00%
Tetrachloroethene	0.00%	0.00%	0.00%	0.00%
Trichloroethene	0.12%	0.06%	0.00%	0.00%
Vinyl Chloride	5.91%	6.88%	0.36%	1.96%
cis 1,2 Dichloroethene	0.01%	0.01%	0.00%	0.01%
trans 1,2 Dichloroethene	0.00%	0.00%	0.00%	0.00%
Benzene	0.27%	0.20%	0.11%	0.00%
Toluene	0.00%	0.00%	0.00%	0.00%
Trichlorofluoromethane (Freon 11)	0.00%	0.00%	0.00%	0.00%
Dichlorodifluoromethane (Freon 12)	0.00%	0.00%	0.00%	0.00%
Chlorodifluoromethane (Freon 22)	0.00%	0.00%	0.00%	0.00%

Notes:

- (1) Actual effluent concentrations are analytical results from air samples collected on the dates shown. Data in this table corresponds to approximately the past year of system operation.
- (2) Compound-specific AGC values per the NYSDEC DAR-1 AGC/SGC tables, revised October 18, 2010.
- (3) Maximum allowable stack concentrations were calculated by dividing the product of the annual guideline concentration of a compound and the ratio of the SCREEN3 gas emission rate and the SCREEN3 average concentration at receptor height by the air flow rate at the stack temperature and multiplying by the appropriate conversion factors.
- (4) Percent of MASC was calculated by dividing the actual effluent concentration by the MASC for a given monitoring event.
- (5) Sample VSP-5 was retaken on March 10, 2014 due to operator error on February 18, 2014.

Acronyms\Key:

- µg/m³ Micrograms per cubic meter.
- AGC Annual guideline concentration.
- MASC Maximum allowable stack concentration.