

Table 2. Concentrations of Volatile Organic Compounds in Groundwater Samples Collected from Vertical Profile Borings, Pre-Design Sampling for the Groundwater Hotspot, Northrop Grumman Systems Corporation, Operable Unit 3 (Former Grumman Settling Ponds), Bethpage, New York.

| CONSTITUENT (ug/L) | Sample Location: Sample Depth (ft bls): Sample Date: Sample ID: | RW-21_VP-1 326-327 8/10/2015 RW-21_VP-1(326-327) | RW-21_VP-1 342-343 8/10/2015 RW-21_VP-1(342-343) | RW-21_VP-1 380-381 8/12/2015 RW-21_VP-1 (380-381) | RW-21_VP-1 405-406 8/12/2015 RW-21_VP-1 (405-406) | RW-21_VP-1 420-421 8/13/2015 RW-21_VP-1 (420-421) | RW-21_VP-1 440-441 8/13/2015 RW-21_VP-1 (440-441) | RW-21_VP-1 440-441 8/13/2015 REP081315AM1 |
|---------------------------------------|--|---|---|--|--|--|--|--|
| 1,1,1-Trichloroethane | | 1.0 | 0.61 J | 0.77 J | < 1.0 | < 1.0 | 0.28 J | < 1.0 |
| 1,1,2,2-Tetrachloroethane | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 1,1,2-trichloro-1,2,2-trifluoroethane | | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 |
| 1,1,2-Trichloroethane | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 1,1-Dichloroethane | | 0.58 J | 0.38 J | 0.36 J | < 1.0 | 1.2 | 0.40 J | 0.34 J |
| 1,1-Dichloroethene | | 0.78 J | < 1.0 | < 1.0 | < 1.0 | < 1.0 | 0.97 J | 0.70 J |
| 1,2-Dichloroethane | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 1,2-Dichloropropane | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 2-Butanone (MEK) | | < 10 | < 10 | < 10 | < 10 | < 10 | < 10 | < 10 |
| 4-Methyl-2-Pentanone | | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 |
| Acetone | | 4.2 J | < 10 | 3.3 J | 4.5 J | 7.7 J | 8.8 J | 8.5 J |
| Benzene | | < 0.50 | < 0.50 | < 0.50 | < 0.50 | < 0.50 | < 0.50 | < 0.50 |
| Bromodichloromethane | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Bromoform | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Bromomethane | | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 |
| Carbon Disulfide | | < 2.0 | < 2.0 | < 2.0 | 4.2 | < 2.0 | < 2.0 | < 2.0 |
| Carbon Tetrachloride | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| CFC-12 | | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 |
| Chlorobenzene | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Chlorodibromomethane | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Chlorodifluoromethane | | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 |
| Chloroethane | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Chloroform | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | 0.30 J | 0.46 J | 0.33 J |
| Chloromethane | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| cis-1,2-Dichloroethene | | 0.47 J | < 1.0 | 0.41 J | < 1.0 | 0.47 J | 4.4 | 3.3 |
| cis-1,3-Dichloropropene | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Dichloromethane | | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 |
| Ethylbenzene | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| m,p-Xylene | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Methyl N-Butyl Ketone (2-Hexanone) | | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 |
| o-Xylene | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Styrene (Monomer) | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Tetrachloroethene | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | 0.59 J | 0.45 J |
| Toluene | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| trans-1,2-Dichloroethene | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| trans-1,3-Dichloropropene | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Trichloroethene | | 15.9 | 11.4 | 3.1 | < 1.0 | 2.2 | 6.2 | 4.8 |
| Vinyl chloride | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| TVOCs | | 23 | 12 | 7.9 | 8.7 | 12 | 22 | 18 |

Footnotes on last page

Table 2. Concentrations of Volatile Organic Compounds in Groundwater Samples Collected from Vertical Profile Borings, Pre-Design Sampling for the Groundwater Hotspot, Northrop Grumman Systems Corporation, Operable Unit 3 (Former Grumman Settling Ponds), Bethpage, New York.

| CONSTITUENT (ug/L) | Sample Location: Sample Depth (ft bls): Sample Date: Sample ID: | RW-21_VP-1 460-461 8/13/2015 RW-21_VP-1 (460-461) | RW-21_VP-1 480-481 8/13/2015 RW-21_VP-1 (480-481) | RW-21_VP-1 500-501 8/17/2015 RW-21_VP-1(500-501) | RW-21_VP-1 520-521 8/17/2015 RW-21_VP-1(520-521) | RW-21_VP-1 590-591 8/19/2015 RW-21_VP-1(590-591) | RW-21_VP-1 600-601 8/19/2015 RW-21_VP-1(600-601) | RW-21_VP-1 620-621 8/19/2015 RW-21_VP-1(620-621) |
|---------------------------------------|--|--|--|---|---|---|---|---|
| 1,1,1-Trichloroethane | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | 0.27 J | 1.1 |
| 1,1,2,2-Tetrachloroethane | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 1,1,2-trichloro-1,2,2-trifluoroethane | | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 |
| 1,1,2-Trichloroethane | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | 0.33 J | 0.69 J |
| 1,1-Dichloroethane | | < 1.0 | < 1.0 | 0.35 J | < 1.0 | < 1.0 | 0.76 J | 2.8 |
| 1,1-Dichloroethene | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | 0.79 J | 2.7 |
| 1,2-Dichloroethane | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | 1.5 | 3.2 |
| 1,2-Dichloropropane | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | 0.71 J |
| 2-Butanone (MEK) | | < 10 | < 10 | < 10 | < 10 | < 10 | < 10 | < 10 |
| 4-Methyl-2-Pentanone | | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 |
| Acetone | | 12.0 | 11.8 | 10.6 | 11.8 | 13.9 | 6.0 J | 5.4 J |
| Benzene | | < 0.50 | < 0.50 | < 0.50 | < 0.50 | < 0.50 | < 0.50 | < 0.50 |
| Bromodichloromethane | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Bromoform | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Bromomethane | | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 |
| Carbon Disulfide | | < 2.0 | < 2.0 | < 2.0 | < 2.0 | 0.36 J | < 2.0 | < 2.0 |
| Carbon Tetrachloride | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| CFC-12 | | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 |
| Chlorobenzene | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Chlorodibromomethane | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Chlorodifluoromethane | | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 |
| Chloroethane | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Chloroform | | < 1.0 | < 1.0 | 0.20 J | < 1.0 | < 1.0 | 1.1 | 3.0 |
| Chloromethane | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| cis-1,2-Dichloroethene | | < 1.0 | < 1.0 | 0.28 J | < 1.0 | 0.88 J | 38.4 | 91.6 |
| cis-1,3-Dichloropropene | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Dichloromethane | | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 |
| Ethylbenzene | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| m,p-Xylene | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Methyl N-Butyl Ketone (2-Hexanone) | | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 |
| o-Xylene | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Styrene (Monomer) | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Tetrachloroethene | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | 0.65 J | 2.7 |
| Toluene | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| trans-1,2-Dichloroethene | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | 0.94 J |
| trans-1,3-Dichloropropene | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Trichloroethene | | 0.51 J | 0.51 J | 0.86 J | 0.37 J | 3.4 | 227 | 744 |
| Vinyl chloride | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| TVOCs | | 13 | 12 | 12 | 12 | 19 | 280 | 860 |

Footnotes on last page

Table 2. Concentrations of Volatile Organic Compounds in Groundwater Samples Collected from Vertical Profile Borings, Pre-Design Sampling for the Groundwater Hotspot, Northrop Grumman Systems Corporation, Operable Unit 3 (Former Grumman Settling Ponds), Bethpage, New York.

| CONSTITUENT (ug/L) | Sample Location: RW-21_VP-1 Sample Depth (ft bls): 640-641 Sample Date: 8/19/2015 Sample ID: RW-21_VP-1(640-641) | RW-21_VP-1 660-661 8/19/2015 RW-21_VP-1(660-661) | RW-21_VP-1 682-683 8/20/2015 RW-21_VP-1(682-683) | RW-21_VP-1 700-701 8/20/2015 RW-21_VP-1(700-701) | RW-21_VP-1 720-721 8/24/2015 RW-21_VP-1(720-721) | RW-21_VP-1 740-741 8/24/2015 RW-21_VP-1(740-741) | RW-21_VP-1 760-761 8/24/2015 RW-21_VP-1(760-761) |
|---------------------------------------|---|---|---|---|---|---|---|
| 1,1,1-Trichloroethane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 1,1,2,2-Tetrachloroethane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 1,1,2-trichloro-1,2,2-trifluoroethane | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 |
| 1,1,2-Trichloroethane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 1,1-Dichloroethane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 1,1-Dichloroethene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 1,2-Dichloroethane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 1,2-Dichloropropane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 2-Butanone (MEK) | < 10 | < 10 | < 10 | < 10 | < 10 | < 10 | < 10 |
| 4-Methyl-2-Pentanone | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 |
| Acetone | 9.4 J | 8.6 J | 14.4 | 8.6 J | 15.1 | < 10 | 10.8 |
| Benzene | < 0.50 | < 0.50 | < 0.50 | < 0.50 | < 0.50 | < 0.50 | < 0.50 |
| Bromodichloromethane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Bromoform | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Bromomethane | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 |
| Carbon Disulfide | < 2.0 | < 2.0 | < 2.0 | < 2.0 | 1.2 J | 15.3 | 0.38 J |
| Carbon Tetrachloride | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| CFC-12 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 |
| Chlorobenzene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Chlorodibromomethane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Chlorodifluoromethane | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 |
| Chloroethane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Chloroform | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Chloromethane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| cis-1,2-Dichloroethene | 1.8 | 0.59 J | 0.70 J | 0.54 J | < 1.0 | < 1.0 | < 1.0 |
| cis-1,3-Dichloropropene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Dichloromethane | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 |
| Ethylbenzene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| m,p-Xylene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Methyl N-Butyl Ketone (2-Hexanone) | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 |
| o-Xylene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Styrene (Monomer) | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Tetrachloroethene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Toluene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| trans-1,2-Dichloroethene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| trans-1,3-Dichloropropene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Trichloroethene | 16.6 | 6.3 | 5.3 | 3.9 | 2.8 | 0.57 J | 0.76 J |
| Vinyl chloride | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| TVOCs | 28 | 15 | 20 | 13 | 19 | 16 | 12 |

Footnotes on last page

Table 2. Concentrations of Volatile Organic Compounds in Groundwater Samples Collected from Vertical Profile Borings, Pre-Design Sampling for the Groundwater Hotspot, Northrop Grumman Systems Corporation, Operable Unit 3 (Former Grumman Settling Ponds), Bethpage, New York.

| CONSTITUENT (ug/L) | Sample Location: Sample Depth (ft bls): Sample Date: Sample ID: | RW-21_VP-2 302-303 8/6/2015 RW-21_VP-1(302-303) | RW-21_VP-2 303-304 8/18/2015 RW-21_VP-2(303-304) | RW-21_VP-2 322-323 8/18/2015 RW-21_VP-2(322-323) | RW-21_VP-2 341-342 8/18/2015 RW-21_VP-2(341-342) | RW-21_VP-2 363-364 8/19/2015 RW-21_VP-2(363-364) | RW-21_VP-2 382-383 8/19/2015 RW-21_VP-2(382-383) | RW-21_VP-2 402-403 8/19/2015 RW-21_VP-2(402-403) |
|---------------------------------------|--|--|---|---|---|---|---|---|
| 1,1,1-Trichloroethane | | 0.57 J | 0.39 J | 0.63 J | 0.50 J | < 1.0 | < 1.0 | < 1.0 |
| 1,1,2,2-Tetrachloroethane | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 1,1,2-trichloro-1,2,2-trifluoroethane | | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 |
| 1,1,2-Trichloroethane | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 1,1-Dichloroethane | | 0.46 J | 0.47 J | 0.93 J | 1.3 | < 1.0 | < 1.0 | 0.28 J |
| 1,1-Dichloroethene | | 0.59 J | < 1.0 | 0.75 J | 0.60 J | < 1.0 | < 1.0 | < 1.0 |
| 1,2-Dichloroethane | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 1,2-Dichloropropane | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 2-Butanone (MEK) | | < 10 | < 10 | < 10 | < 10 | < 10 | < 10 | < 10 |
| 4-Methyl-2-Pentanone | | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 |
| Acetone | | < 10 | 6.3 J | < 10 | 7.5 J | 7.4 J | < 10 | < 10 |
| Benzene | | < 0.50 | < 0.50 | < 0.50 | < 0.50 | 0.37 J | < 0.50 | < 0.50 |
| Bromodichloromethane | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Bromoform | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Bromomethane | | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 |
| Carbon Disulfide | | < 2.0 | < 2.0 | < 2.0 | < 2.0 | 0.96 J | < 2.0 | < 2.0 |
| Carbon Tetrachloride | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| CFC-12 | | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 |
| Chlorobenzene | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Chlorodibromomethane | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Chlorodifluoromethane | | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 |
| Chloroethane | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Chloroform | | < 1.0 | < 1.0 | < 1.0 | 0.31 J | < 1.0 | < 1.0 | < 1.0 |
| Chloromethane | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| cis-1,2-Dichloroethene | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| cis-1,3-Dichloropropene | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Dichloromethane | | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 |
| Ethylbenzene | | < 1.0 | < 1.0 | < 1.0 | 0.30 J | 0.52 J | < 1.0 | < 1.0 |
| m,p-Xylene | | < 1.0 | < 1.0 | < 1.0 | 0.58 J | 2.1 | < 1.0 | < 1.0 |
| Methyl N-Butyl Ketone (2-Hexanone) | | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 |
| o-Xylene | | < 1.0 | 0.17 J | < 1.0 | 0.34 J | 0.92 J | < 1.0 | < 1.0 |
| Styrene (Monomer) | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Tetrachloroethene | | < 1.0 | 0.44 J | 0.51 J | < 1.0 | < 1.0 | 0.91 J | 0.94 J |
| Toluene | | < 1.0 | 0.33 J | 0.21 J | 0.19 J | 2.8 | 0.26 J | < 1.0 |
| trans-1,2-Dichloroethene | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| trans-1,3-Dichloropropene | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Trichloroethene | | 24.1 | 6.6 | 11.6 | 5.5 | 0.31 J | 2.5 | 3.2 |
| Vinyl chloride | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| TVOCs | | 26 | 15 | 15 | 17 | 15 | 3.7 | 4.4 |

Footnotes on last page

Table 2. Concentrations of Volatile Organic Compounds in Groundwater Samples Collected from Vertical Profile Borings, Pre-Design Sampling for the Groundwater Hotspot, Northrop Grumman Systems Corporation, Operable Unit 3 (Former Grumman Settling Ponds), Bethpage, New York.

| CONSTITUENT (ug/L) | Sample Location: Sample Depth (ft bls): Sample Date: Sample ID: | RW-21_VP-2 422-423 8/19/2015 RW-21_VP-2(422-423) | RW-21_VP-2 442-443 8/19/2015 RW-21_VP-2(442-443) | RW-21_VP-2 462-463 8/20/2015 RW-21_VP-2 (462-463) | RW-21_VP-2 482-483 8/20/2015 RW-21_VP-2 (482-483) | RW-21_VP-2 482-483 8/20/2015 REP082015KM1 | RW-21_VP-2 502-504 8/20/2015 RW-21_VP-2 (502-504) | RW-21_VP-2 522-523 8/20/2015 RW-21_VP-2 (522-523) |
|---------------------------------------|--|---|---|--|--|--|--|--|
| 1,1,1-Trichloroethane | | < 1.0 | < 1.0 | < 1.0 | 1.3 | 1.3 | 0.97 J | 0.30 J |
| 1,1,2,2-Tetrachloroethane | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 1,1,2-trichloro-1,2,2-trifluoroethane | | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 |
| 1,1,2-Trichloroethane | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 1,1-Dichloroethane | | < 1.0 | < 1.0 | < 1.0 | 4.6 | 4.8 | 4.4 | 0.75 J |
| 1,1-Dichloroethene | | < 1.0 | < 1.0 | < 1.0 | 3.3 | 3.1 | 2.3 | 0.56 J |
| 1,2-Dichloroethane | | < 1.0 | < 1.0 | < 1.0 | 0.55 J | 0.52 J | 0.82 J | < 1.0 |
| 1,2-Dichloropropane | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 2-Butanone (MEK) | | < 10 | < 10 | 6.0 J | < 10 | < 10 | < 10 | < 10 |
| 4-Methyl-2-Pentanone | | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 |
| Acetone | | 4.7 J | < 10 | 13.0 | < 10 | < 10 | < 10 | 7.4 J |
| Benzene | | < 0.50 | < 0.50 | < 0.50 | < 0.50 | < 0.50 | < 0.50 | < 0.50 |
| Bromodichloromethane | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Bromoform | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Bromomethane | | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 |
| Carbon Disulfide | | 0.36 J | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 |
| Carbon Tetrachloride | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| CFC-12 | | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 |
| Chlorobenzene | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Chlorodibromomethane | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Chlorodifluoromethane | | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 |
| Chloroethane | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Chloroform | | < 1.0 | < 1.0 | < 1.0 | 1.3 | 1.4 | 3.3 | 0.35 J |
| Chloromethane | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| cis-1,2-Dichloroethene | | < 1.0 | < 1.0 | < 1.0 | 14.7 | 14.2 | 11.0 | 3.2 |
| cis-1,3-Dichloropropene | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Dichloromethane | | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 |
| Ethylbenzene | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| m,p-Xylene | | 0.64 J | < 1.0 | 0.45 J | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Methyl N-Butyl Ketone (2-Hexanone) | | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 |
| o-Xylene | | 0.25 J | < 1.0 | 0.21 J | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Styrene (Monomer) | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Tetrachloroethene | | < 1.0 | < 1.0 | < 1.0 | 4.8 | 4.1 | 1.7 | 0.79 J |
| Toluene | | 0.62 J | < 1.0 | 0.55 J | 0.23 J | < 1.0 | < 1.0 | < 1.0 |
| trans-1,2-Dichloroethene | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| trans-1,3-Dichloropropene | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Trichloroethene | | < 1.0 | 0.90 J | 0.29 J | 45.4 | 38.9 | 34.5 | 7.9 |
| Vinyl chloride | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| TVOCs | | 6.6 | 0.9 | 21 | 76 | 68 | 59 | 21 |

Footnotes on last page

Table 2. Concentrations of Volatile Organic Compounds in Groundwater Samples Collected from Vertical Profile Borings, Pre-Design Sampling for the Groundwater Hotspot, Northrop Grumman Systems Corporation, Operable Unit 3 (Former Grumman Settling Ponds), Bethpage, New York.

| CONSTITUENT (ug/L) | Sample Location: Sample Depth (ft bls): Sample Date: Sample ID: | RW-21_VP-2 542-543 8/20/2015 RW-21_VP-2 (542-543) | RW-21_VP-2 545-546 8/18/2015 RW-21_VP-1(545-546) | RW-21_VP-2 560-561 8/18/2015 RW-21_VP-1(560-561) | RW-21_VP-2 561-562 8/24/2015 RW-21_VP-2(561-562) | RW-21_VP-2 582-583 8/24/2015 RW-21_VP-2(582-583) | RW-21_VP-2 602-603 8/24/2015 RW-21_VP-2(602-603) | RW-21_VP-2 622-623 8/24/2015 RW-21_VP-2(622-623) |
|---------------------------------------|--|--|---|---|---|---|---|---|
| 1,1,1-Trichloroethane | | < 1.0 | < 1.0 | < 1.0 | 0.26 J | < 1.0 | < 1.0 | < 1.0 |
| 1,1,2,2-Tetrachloroethane | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 1,1,2-trichloro-1,2,2-trifluoroethane | | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 |
| 1,1,2-Trichloroethane | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 1,1-Dichloroethane | | 0.23 J | < 1.0 | 0.82 J | 0.72 J | 0.20 J | 0.33 J | < 1.0 |
| 1,1-Dichloroethene | | < 1.0 | < 1.0 | 0.59 J | 0.57 J | < 1.0 | < 1.0 | < 1.0 |
| 1,2-Dichloroethane | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | 0.61 J | < 1.0 |
| 1,2-Dichloropropane | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 2-Butanone (MEK) | | < 10 | < 10 | < 10 | < 10 | < 10 | < 10 | < 10 |
| 4-Methyl-2-Pentanone | | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 |
| Acetone | | 6.6 J | 12.2 | 11.7 | 11.3 | 15.1 | 7.3 J | 10.4 |
| Benzene | | < 0.50 | < 0.50 | < 0.50 | < 0.50 | < 0.50 | < 0.50 | < 0.50 |
| Bromodichloromethane | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Bromoform | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Bromomethane | | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 |
| Carbon Disulfide | | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 |
| Carbon Tetrachloride | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| CFC-12 | | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 |
| Chlorobenzene | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Chlorodibromomethane | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Chlorodifluoromethane | | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 |
| Chloroethane | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Chloroform | | 0.21 J | < 1.0 | 0.27 J | 0.41 J | 0.27 J | 0.69 J | < 1.0 |
| Chloromethane | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| cis-1,2-Dichloroethene | | 4.3 | < 1.0 | 1.7 | 7.0 | 6.4 | 16.9 | 1.1 |
| cis-1,3-Dichloropropene | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Dichloromethane | | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 |
| Ethylbenzene | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| m,p-Xylene | | < 1.0 | < 1.0 | < 1.0 | 0.52 J | < 1.0 | < 1.0 | < 1.0 |
| Methyl N-Butyl Ketone (2-Hexanone) | | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 |
| o-Xylene | | < 1.0 | < 1.0 | < 1.0 | 0.26 J | < 1.0 | < 1.0 | < 1.0 |
| Styrene (Monomer) | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Tetrachloroethene | | < 1.0 | < 1.0 | < 1.0 | 0.69 J | < 1.0 | 0.55 J | < 1.0 |
| Toluene | | 0.19 J | < 1.0 | < 1.0 | 0.53 J | < 1.0 | < 1.0 | < 1.0 |
| trans-1,2-Dichloroethene | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| trans-1,3-Dichloropropene | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Trichloroethene | | 9.0 | 0.42 J | 2.8 | 9.6 | 23.0 | 78.1 | 19.3 |
| Vinyl chloride | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| TVOCs | | 21 | 13 | 18 | 32 | 45 | 100 | 31 |

Footnotes on last page

Table 2. Concentrations of Volatile Organic Compounds in Groundwater Samples Collected from Vertical Profile Borings, Pre-Design Sampling for the Groundwater Hotspot, Northrop Grumman Systems Corporation, Operable Unit 3 (Former Grumman Settling Ponds), Bethpage, New York.

| CONSTITUENT (ug/L) | Sample Location: RW-21_VP-2 Sample Depth (ft bls): 642-643 Sample Date: 8/25/2015 Sample ID: RW-21_VP-2(642-643) | RW-21_VP-2 662-663 8/25/2015 RW-21_VP-2(662-663) | RW-21_VP-2 681-682 8/25/2015 RW-21_VP-2(681-682) | RW-21_VP-2 701-702 8/25/2015 RW-21_VP-2(701-702) | RW-21_VP-2 722-723 8/27/2015 RW-21_VP-2(722-723) | RW-21_VP-2 741-742 8/27/2015 RW-21_VP-2(741-742) | RW-21_VP-3 299-300 3/31/2015 RW-21_VP-3(299-300) |
|---------------------------------------|---|---|---|---|---|---|---|
| 1,1,1-Trichloroethane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 J |
| 1,1,2,2-Tetrachloroethane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 1,1,2-trichloro-1,2,2-trifluoroethane | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 J |
| 1,1,2-Trichloroethane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 1,1-Dichloroethane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | 3.6 |
| 1,1-Dichloroethene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 1,2-Dichloroethane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 1,2-Dichloropropane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 2-Butanone (MEK) | < 10 | < 10 | < 10 | < 10 | < 10 | < 10 | < 10 |
| 4-Methyl-2-Pentanone | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 |
| Acetone | 6.7 J | 4.8 J | 11.3 | 7.4 J | 7.3 J | 6.7 J | 5.3 J |
| Benzene | < 0.50 | < 0.50 | < 0.50 | < 0.50 | < 0.50 | < 0.50 | < 1.0 |
| Bromodichloromethane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Bromoform | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 4.0 J |
| Bromomethane | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 |
| Carbon Disulfide | 0.35 J | < 2.0 | < 2.0 | < 2.0 | 0.26 J | < 2.0 | < 2.0 |
| Carbon Tetrachloride | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| CFC-12 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 5.0 J |
| Chlorobenzene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Chlorodibromomethane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Chlorodifluoromethane | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 |
| Chloroethane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Chloroform | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Chloromethane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| cis-1,2-Dichloroethene | 1.1 | 1.4 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| cis-1,3-Dichloropropene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Dichloromethane | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 |
| Ethylbenzene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| m,p-Xylene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Methyl N-Butyl Ketone (2-Hexanone) | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 |
| o-Xylene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Styrene (Monomer) | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 5.0 |
| Tetrachloroethene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Toluene | 0.23 J | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| trans-1,2-Dichloroethene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| trans-1,3-Dichloropropene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Trichloroethene | 0.95 J | 77.5 | 1.7 | 1.7 | 0.34 J | 0.74 J | < 1.0 |
| Vinyl chloride | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| TVOCs | 9.3 | 84 | 13 | 9.1 | 7.9 | 7.4 | 8.9 |

Footnotes on last page

Table 2. Concentrations of Volatile Organic Compounds in Groundwater Samples - Table 2.
Pre-Design Sampling for the Groundwater Hotspot, Northrop Grumman Systems Corporation, Operable Unit 3 (Former Grumman Settling Ponds), Bethpage, New York.

| CONSTITUENT (ug/L) | Sample Location: RW-21_VP-3 | RW-21_VP-3 | RW-21_VP-3 | RW-21_VP-3 | RW-21_VP-3 | RW-21_VP-3 | RW-21_VP-3 | RW-21_VP-3 |
|---------------------------------------|--------------------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|------------|
| | Sample Depth (ft bls): 299-300 | 318-319 | 338-339 | 362-363 | 384-385 | 399-400 | 419-420 | |
| | Sample Date: 3/31/2015 | 3/31/2015 | 3/31/2015 | 3/31/2015 | 3/31/2015 | 4/1/2015 | 4/1/2015 | |
| | Sample ID: REPO33115DM | RW-21_VP-3(318-319) | RW-21_VP-3(338-339) | RW-21_VP-3(362-363) | RW-21_VP-3(384-385) | RW-21_VP-3(399-400) | RW-21_VP-3(419-420) | |
| 1,1,1-Trichloroethane | < 1.0 J | < 1.0 J | < 1.0 J | 0.77 J | 0.94 J | 0.55 J | 3.0 J | |
| 1,1,2,2-Tetrachloroethane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | |
| 1,1,2-trichloro-1,2,2-trifluoroethane | < 5.0 J | < 5.0 J | < 5.0 J | < 5.0 J | < 5.0 J | < 5.0 J | < 5.0 J | |
| 1,1,2-Trichloroethane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | |
| 1,1-Dichloroethane | 3.7 | 1.2 | 0.37 J | 2.8 | 2.7 | 2.0 | 9.7 | |
| 1,1-Dichloroethene | < 1.0 | < 1.0 | < 1.0 | 1.4 | 1.2 | 1.1 | 5.7 | |
| 1,2-Dichloroethane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | 1.2 | |
| 1,2-Dichloropropane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | |
| 2-Butanone (MEK) | < 10 | < 10 | < 10 | < 10 | < 10 | < 10 | < 10 | |
| 4-Methyl-2-Pentanone | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | |
| Acetone | < 10 | < 10 | < 10 | < 10 | 6.3 J | 15.3 | < 10 | |
| Benzene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 0.50 | 0.32 J | < 0.50 | |
| Bromodichloromethane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | |
| Bromoform | < 4.0 J | < 4.0 J | < 4.0 J | < 4.0 J | < 1.0 J | < 1.0 J | < 1.0 J | |
| Bromomethane | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | |
| Carbon Disulfide | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | |
| Carbon Tetrachloride | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | |
| CFC-12 | < 5.0 J | < 5.0 J | < 5.0 J | < 5.0 J | < 2.0 J | < 2.0 J | < 2.0 J | |
| Chlorobenzene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | |
| Chlorodibromomethane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | |
| Chlorodifluoromethane | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | |
| Chloroethane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | |
| Chloroform | < 1.0 | < 1.0 | < 1.0 | 0.38 J | 0.43 J | 0.83 J | 2.7 | |
| Chloromethane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | |
| cis-1,2-Dichloroethene | < 1.0 | < 1.0 | < 1.0 | 0.85 J | 0.68 J | 2.5 | 11.2 | |
| cis-1,3-Dichloropropene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | |
| Dichloromethane | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | |
| Ethylbenzene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | |
| m,p-Xylene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | |
| Methyl N-Butyl Ketone (2-Hexanone) | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | |
| o-Xylene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | |
| Styrene (Monomer) | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 1.0 | < 1.0 | < 1.0 | |
| Tetrachloroethene | < 1.0 | < 1.0 | < 1.0 | 0.70 J | < 1.0 | < 1.0 | 13.8 | |
| Toluene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | 0.25 J | 0.90 J | < 1.0 | |
| trans-1,2-Dichloroethene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | |
| trans-1,3-Dichloropropene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | |
| Trichloroethene | < 1.0 | < 1.0 | < 1.0 | 2.6 | 5.6 | 12.2 | 65.6 | |
| Vinyl chloride | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | |
| TVOCs | 3.7 | 1.2 | 0.4 | 9.5 | 18 | 36 | 110 | |

Footnotes on last page

Table 2. Concentrations of Volatile Organic Compounds in Groundwater Samples Collected from Vertical Profile Borings, Pre-Design Sampling for the Groundwater Hotspot, Northrop Grumman Systems Corporation, Operable Unit 3 (Former Grumman Settling Ponds), Bethpage, New York.

| CONSTITUENT (ug/L) | Sample Location: RW-21_VP-3 | RW-21_VP-3 | RW-21_VP-3 | RW-21_VP-3 | RW-21_VP-3 | RW-21_VP-3 | RW-21_VP-3 | RW-21_VP-3 |
|---------------------------------------|--------------------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|------------|
| | Sample Depth (ft bls): 438-439 | 458-459 | 478-479 | 498-499 | 519-520 | 538-539 | 558-559 | |
| | Sample Date: 4/1/2015 | 4/1/2015 | 4/1/2015 | 4/2/2015 | 4/2/2015 | 4/2/2015 | 4/2/2015 | 4/2/2015 |
| | Sample ID: RW-21_VP-3(438-439) | RW-21_VP-3(458-459) | RW-21_VP-3(478-479) | RW-21_VP-3(498-499) | RW-21_VP-3(519-520) | RW-21_VP-3(538-539) | RW-21_VP-3(558-559) | |
| 1,1,1-Trichloroethane | 2.2 J | 2.2 J | 4.7 J | 2.7 J | < 1.0 J | < 50 J | < 50 J | |
| 1,1,2,2-Tetrachloroethane | < 1.0 | < 1.0 | < 5.0 | < 5.0 | < 1.0 | < 50 | < 50 | |
| 1,1,2-trichloro-1,2,2-trifluoroethane | < 5.0 J | < 5.0 J | < 25 J | < 25 J | < 5.0 J | < 250 J | < 250 J | |
| 1,1,2-Trichloroethane | < 1.0 | < 1.0 | 3.8 J | 1.8 J | < 1.0 | < 50 | < 50 | |
| 1,1-Dichloroethane | 9.5 | 9.7 | 15.4 | 12.1 | < 1.0 | < 50 | 27.4 J | |
| 1,1-Dichloroethene | 4.7 | 4.6 | 16.4 | 11.4 | < 1.0 | < 50 | 26.5 J | |
| 1,2-Dichloroethane | 1.3 | 0.51 J | 39.9 | 20.3 | 0.27 J | < 50 | 45.4 J | |
| 1,2-Dichloropropane | < 1.0 | < 1.0 | 5.5 | < 5.0 | < 1.0 | < 50 | < 50 | |
| 2-Butanone (MEK) | < 10 | < 10 | < 50 | < 50 | < 10 | < 500 | < 500 | |
| 4-Methyl-2-Pentanone | < 5.0 | < 5.0 | < 25 | < 25 | < 5.0 | < 250 | < 250 | |
| Acetone | < 10 | < 10 | < 50 | < 50 | 7.1 J | < 500 | < 500 | |
| Benzene | < 0.50 | < 0.50 | < 2.5 | < 2.5 | < 0.50 | < 25 | < 25 | |
| Bromodichloromethane | < 1.0 | < 1.0 | < 5.0 | < 5.0 | < 1.0 | < 50 | < 50 | |
| Bromoform | < 1.0 J | < 1.0 J | < 5.0 J | < 5.0 J | < 1.0 J | < 50 J | < 50 J | |
| Bromomethane | < 2.0 | < 2.0 | < 10 | < 10 | < 2.0 | < 100 | < 100 | |
| Carbon Disulfide | < 2.0 | < 2.0 | < 10 | < 10 | < 2.0 | < 100 | < 100 | |
| Carbon Tetrachloride | < 1.0 | < 1.0 | < 5.0 | < 5.0 | < 1.0 | < 50 | < 50 | |
| CFC-12 | < 2.0 J | < 2.0 J | < 10 J | < 10 J | < 2.0 J | < 100 J | < 100 J | |
| Chlorobenzene | < 1.0 | < 1.0 | < 5.0 | < 5.0 | < 1.0 | < 50 | < 50 | |
| Chlorodibromomethane | < 1.0 | < 1.0 | < 5.0 | < 5.0 | < 1.0 | < 50 | < 50 | |
| Chlorodifluoromethane | < 5.0 | < 5.0 | < 25 | < 25 | < 5.0 | < 250 | < 250 | |
| Chloroethane | < 1.0 | < 1.0 | < 5.0 | < 5.0 | < 1.0 | < 50 | < 50 | |
| Chloroform | 1.8 | 1.0 | 34.0 | 14.9 | < 1.0 | 25.8 J | 35.1 J | |
| Chloromethane | < 1.0 | < 1.0 | < 5.0 | < 5.0 | < 1.0 | < 50 | < 50 | |
| cis-1,2-Dichloroethene | 7.5 | 1.1 | 860 | 684 | 4.9 | 544 | 779 | |
| cis-1,3-Dichloropropene | < 1.0 | < 1.0 | < 5.0 | < 5.0 | < 1.0 | < 50 | < 50 | |
| Dichloromethane | < 2.0 | < 2.0 | < 10 | < 10 | < 2.0 | < 100 | < 100 | |
| Ethylbenzene | < 1.0 | < 1.0 | < 5.0 | < 5.0 | < 1.0 | < 50 | < 50 | |
| m,p-Xylene | < 1.0 | < 1.0 | < 5.0 | < 5.0 | < 1.0 | < 50 | < 50 | |
| Methyl N-Butyl Ketone (2-Hexanone) | < 5.0 | < 5.0 | < 25 | < 25 | < 5.0 | < 250 | < 250 | |
| o-Xylene | < 1.0 | < 1.0 | < 5.0 | < 5.0 | < 1.0 | < 50 | < 50 | |
| Styrene (Monomer) | < 1.0 | < 1.0 | < 5.0 | < 5.0 | < 1.0 | < 50 | < 50 | |
| Tetrachloroethene | 13.4 | 16.4 | 5.7 | 13.7 | < 1.0 | < 50 | < 50 | |
| Toluene | < 1.0 | < 1.0 | < 5.0 | < 5.0 | < 1.0 | < 50 | < 50 | |
| trans-1,2-Dichloroethene | < 1.0 | < 1.0 | 7.8 | 3.5 J | < 1.0 | < 50 | < 50 | |
| trans-1,3-Dichloropropene | < 1.0 | < 1.0 | < 5.0 | < 5.0 | < 1.0 | < 50 | < 50 | |
| Trichloroethene | 46.3 | 10.4 | 2410 D | 1610 D | 16.2 | 6750 | 13200 D | |
| Vinyl chloride | < 1.0 | < 1.0 | < 5.0 | < 5.0 | < 1.0 | < 50 | < 50 | |
| TVOCs | 87 | 46 | 3400 | 2400 | 28 | 7300 | 14000 | |

Footnotes on last page

Table 2. Concentrations of Volatile Organic Compounds in Groundwater Samples Collected from Vertical Profile Borings, Pre-Design Sampling for the Groundwater Hotspot, Northrop Grumman Systems Corporation, Operable Unit 3 (Former Grumman Settling Ponds), Bethpage, New York.

| CONSTITUENT (ug/L) | Sample Location: Sample Depth (ft bls): Sample Date: Sample ID: | RW-21_VP-3 578-579 4/2/2015 RW-21_VP-3(578-579) | RW-21_VP-3 598-599 4/3/2015 RW-21_VP-3(598-599) | RW-21_VP-3 618-619 4/3/2015 RW-21_VP-3(618-619) | RW-21_VP-3 643-644 4/6/2015 RW-21_VP-3 (643-644) | RW-21_VP-3 658-660 4/6/2015 RW-21_VP-3 (658-660) | RW-21_VP-3 700-701 4/7/2015 RW-21_VP-3 (700-701) | RW-21_VP-3 710-711 4/7/2015 RW-21_VP-3 (710-711) |
|---------------------------------------|--|--|--|--|---|---|---|---|
| 1,1,1-Trichloroethane | < 25 J | < 20 | < 20 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | |
| 1,1,2,2-Tetrachloroethane | < 25 | < 20 | < 20 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | |
| 1,1,2-trichloro-1,2,2-trifluoroethane | < 130 J | < 100 | < 100 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | |
| 1,1,2-Trichloroethane | < 25 | < 20 | < 20 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | |
| 1,1-Dichloroethane | 10.6 J | 8.4 J | 7.7 J | < 1.0 | < 1.0 | < 1.0 | < 1.0 | |
| 1,1-Dichloroethene | < 25 | < 20 | < 20 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | |
| 1,2-Dichloroethane | 19.8 J | 10.8 J | 7.2 J | < 1.0 | < 1.0 | < 1.0 | < 1.0 | |
| 1,2-Dichloropropane | < 25 | < 20 | < 20 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | |
| 2-Butanone (MEK) | < 250 | < 200 | < 200 | < 10 | < 10 | 6.3 J | < 10 | |
| 4-Methyl-2-Pentanone | < 130 | < 100 | < 100 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | |
| Acetone | < 250 | < 200 | < 200 | 20.8 | < 10 | 11.9 | 5.9 J | |
| Benzene | < 13 | < 10 | < 10 | < 0.50 | < 0.50 | < 0.50 | < 0.50 | |
| Bromodichloromethane | < 25 | < 20 | < 20 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | |
| Bromoform | < 25 J | < 20 | < 20 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | |
| Bromomethane | < 50 | < 40 | < 40 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | |
| Carbon Disulfide | < 50 | < 40 | < 40 | < 2.0 | < 2.0 | 0.37 J | < 2.0 | |
| Carbon Tetrachloride | < 25 | < 20 | < 20 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | |
| CFC-12 | < 50 J | < 40 | < 40 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | |
| Chlorobenzene | < 25 | < 20 | < 20 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | |
| Chlorodibromomethane | < 25 | < 20 | < 20 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | |
| Chlorodifluoromethane | < 130 | < 100 | < 100 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | |
| Chloroethane | < 25 | < 20 | < 20 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | |
| Chloroform | 16.1 J | 9.8 J | 5.7 J | 0.21 J | < 1.0 | < 1.0 | < 1.0 | |
| Chloromethane | < 25 | < 20 | < 20 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | |
| cis-1,2-Dichloroethene | 283 | 208 | 149 | 2.1 | 0.63 J | 0.56 J | < 1.0 | |
| cis-1,3-Dichloropropene | < 25 | < 20 | < 20 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | |
| Dichloromethane | < 50 | < 40 | < 40 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | |
| Ethylbenzene | < 25 | < 20 | < 20 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | |
| m,p-Xylene | < 25 | < 20 | < 20 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | |
| Methyl N-Butyl Ketone (2-Hexanone) | < 130 | < 100 | < 100 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | |
| o-Xylene | < 25 | < 20 | < 20 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | |
| Styrene (Monomer) | < 25 | < 20 | < 20 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | |
| Tetrachloroethene | < 25 | < 20 | < 20 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | |
| Toluene | < 25 | < 20 | < 20 | 0.24 J | < 1.0 | 0.22 J | < 1.0 | |
| trans-1,2-Dichloroethene | < 25 | < 20 | < 20 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | |
| trans-1,3-Dichloropropene | < 25 | < 20 | < 20 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | |
| Trichloroethene | 4270 | 4660 D | 2910 | 30.6 | 25.5 | 11.8 | 6.4 | |
| Vinyl chloride | < 25 | < 20 | < 20 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | |
| TVOCs | 4600 | 4900 | 3100 | 54 | 26 | 31 | 12 | |

Footnotes on last page

Table 2. Concentrations of Volatile Organic Compounds in Groundwater Samples Collected from Vertical Profile Borings, Pre-Design Sampling for the Groundwater Hotspot, Northrop Grumman Systems Corporation, Operable Unit 3 (Former Grumman Settling Ponds), Bethpage, New York.

| CONSTITUENT (ug/L) | Sample Location: Sample Depth (ft bls): Sample Date: Sample ID: | RW-21_VP-3 715-716 4/7/2015 RW-21_VP-3 (715-716) | RW-21_VP-3 720-721 4/7/2015 RW-21_VP-3 (720-721) | RW-21_VP-3 725-726 4/7/2015 RW-21_VP3(725-726) | RW-21_VP-3 730-731 4/8/2015 RW-21_VP-3(730-731) | RW-21_VP-3 735-736 4/8/2015 RW-21_VP-3(735-736) | RW-21_VP-3 740-741 4/8/2015 RW-21_VP-3(740-741) | RW-21_VP-3 745-746 4/8/2015 RW-21_VP-3(745-746) |
|---------------------------------------|--|---|---|---|--|--|--|--|
| 1,1,1-Trichloroethane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 1,1,2,2-Tetrachloroethane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 1,1,2-trichloro-1,2,2-trifluoroethane | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 |
| 1,1,2-Trichloroethane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 1,1-Dichloroethane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 1,1-Dichloroethene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 1,2-Dichloroethane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 1,2-Dichloropropane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 2-Butanone (MEK) | < 10 | < 10 | < 10 | < 10 | < 10 | < 10 | < 10 | < 10 |
| 4-Methyl-2-Pentanone | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 |
| Acetone | 3.7 J | 13.4 | < 10 | < 10 | < 10 | < 10 | < 10 | 4.7 J |
| Benzene | < 0.50 | < 0.50 | < 0.50 | < 0.50 | < 0.50 | < 0.50 | < 0.50 | < 0.50 |
| Bromodichloromethane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Bromoform | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Bromomethane | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 |
| Carbon Disulfide | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 |
| Carbon Tetrachloride | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| CFC-12 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 |
| Chlorobenzene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Chlorodibromomethane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Chlorodifluoromethane | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 |
| Chloroethane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Chloroform | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Chloromethane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| cis-1,2-Dichloroethene | < 1.0 | 0.31 J | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| cis-1,3-Dichloropropene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Dichloromethane | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 |
| Ethylbenzene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| m,p-Xylene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Methyl N-Butyl Ketone (2-Hexanone) | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 |
| o-Xylene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Styrene (Monomer) | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Tetrachloroethene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Toluene | < 1.0 | 0.60 J | 0.26 J | < 1.0 | < 1.0 | < 1.0 | < 1.0 | 0.18 J |
| trans-1,2-Dichloroethene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| trans-1,3-Dichloropropene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Trichloroethene | 3.9 | 3.6 | 5.1 | 2.2 | 0.28 J | 2.3 | 0.46 J | |
| Vinyl chloride | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| TVOCs | 7.6 | 18 | 5.4 | 2.2 | 0.28 | 2.3 | 5.3 | |

Footnotes on last page

Table 2. Concentrations of Volatile Organic Compounds in Groundwater Samples Collected from Vertical Profile Borings, Pre-Design Sampling for the Groundwater Hotspot, Northrop Grumman Systems Corporation, Operable Unit 3 (Former Grumman Settling Ponds), Bethpage, New York.

| CONSTITUENT (ug/L) | Sample Location: Sample Depth (ft bls): Sample Date: Sample ID: | RW-21_VP-3 755-756 4/8/2015 RW-21_VP-3 (755-756) | RW-21_VP-3 760-761 4/9/2015 RW-21_VP-3 (760-761) | RW-21_VP-3 775-776 4/9/2015 RW-21_VP-3 (775-776) | RW-21_VP-3 780-781 4/9/2015 RW-21_VP-3 (780-781) | RW-21_VP-3 785-786 4/9/2015 RW-21_VP-3 (785-786) | RW-21_VP-3 790-791 4/10/2015 RW-21_VP-3 (790-791) | RW-21_VP-3 795-796 4/10/2015 RW-21_VP-3 (795-796) |
|---------------------------------------|--|---|---|---|---|---|--|--|
| 1,1,1-Trichloroethane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 1,1,2,2-Tetrachloroethane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 1,1,2-trichloro-1,2,2-trifluoroethane | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 |
| 1,1,2-Trichloroethane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 1,1-Dichloroethane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 1,1-Dichloroethene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 1,2-Dichloroethane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 1,2-Dichloropropane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 2-Butanone (MEK) | < 10 | < 10 | < 10 | < 10 | < 10 | < 10 | < 10 | < 10 |
| 4-Methyl-2-Pentanone | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 |
| Acetone | < 10 | < 10 | < 10 | < 10 | < 10 | < 10 | 10.5 | < 10 |
| Benzene | < 0.50 | < 0.50 | < 0.50 | < 0.50 | < 0.50 | < 0.50 | < 0.50 | < 0.50 |
| Bromodichloromethane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Bromoform | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Bromomethane | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 |
| Carbon Disulfide | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | 0.65 J | < 2.0 |
| Carbon Tetrachloride | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| CFC-12 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 |
| Chlorobenzene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Chlorodibromomethane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Chlorodifluoromethane | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 |
| Chloroethane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Chloroform | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Chloromethane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| cis-1,2-Dichloroethene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| cis-1,3-Dichloropropene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Dichloromethane | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 |
| Ethylbenzene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| m,p-Xylene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Methyl N-Butyl Ketone (2-Hexanone) | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 |
| o-Xylene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Styrene (Monomer) | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Tetrachloroethene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Toluene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| trans-1,2-Dichloroethene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| trans-1,3-Dichloropropene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Trichloroethene | < 1.0 | 4.1 | 0.36 J | 0.90 J | < 1.0 | 18.7 | 0.99 J | < 1.0 |
| Vinyl chloride | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| TVOCs | 0.0 | 4.1 | 0.36 | 0.9 | 0.0 | 30 | 1.0 | |

Footnotes on last page

Table 2. Concentrations of Volatile Organic Compounds in Groundwater Samples Collected from Vertical Profile Borings, Pre-Design Sampling for the Groundwater Hotspot, Northrop Grumman Systems Corporation, Operable Unit 3 (Former Grumman Settling Ponds), Bethpage, New York.

| CONSTITUENT (ug/L) | Sample Location: RW-21_VP-3 Sample Depth (ft bls): 801-802 Sample Date: 4/13/2015 Sample ID: RW-21_VP-3(801-802) | RW-21_VP-3 806-807 4/13/2015 RW-21_VP-3(806-807) | RW-21_VP-3 811-812 4/13/2015 RW-21_VP-3(811-812) | RW-21_VP-3 815-816 4/13/2015 RW-21_VP-3(815-816) | RW-21_VP-3 820-821 4/14/2015 RW-21_VP-3(820-821) | RW-21_VP-3 825-826 4/14/2015 RW-21_VP-3(825-826) | RW-21_VP-3 830-831 4/14/2015 RW-21_VP-3(830-831) |
|---------------------------------------|---|---|---|---|---|---|---|
| 1,1,1-Trichloroethane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 1,1,2,2-Tetrachloroethane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 1,1,2-trichloro-1,2,2-trifluoroethane | < 5.0 | < 5.0 | < 5.0 J | < 5.0 | < 5.0 | < 5.0 | < 5.0 |
| 1,1,2-Trichloroethane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 1,1-Dichloroethane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 1,1-Dichloroethene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 1,2-Dichloroethane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 1,2-Dichloropropane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 2-Butanone (MEK) | 6.6 J | < 10 | < 10 | < 10 | < 10 | < 10 | < 10 |
| 4-Methyl-2-Pentanone | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 |
| Acetone | 8.9 J | 7.4 J | 8.6 J | 8.0 J | 15.2 | 9.3 J | 3.4 J |
| Benzene | < 0.50 | < 0.50 | < 0.50 | < 0.50 | < 0.50 | < 0.50 | < 0.50 |
| Bromodichloromethane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Bromoform | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Bromomethane | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 |
| Carbon Disulfide | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 |
| Carbon Tetrachloride | < 1.0 | < 1.0 | < 1.0 J | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| CFC-12 | < 2.0 | < 2.0 | < 2.0 J | < 2.0 | < 2.0 J | < 2.0 J | < 2.0 J |
| Chlorobenzene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Chlorodibromomethane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Chlorodifluoromethane | < 5.0 | < 5.0 | < 5.0 J | < 5.0 | < 5.0 | < 5.0 | < 5.0 |
| Chloroethane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Chloroform | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Chloromethane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| cis-1,2-Dichloroethene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| cis-1,3-Dichloropropene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Dichloromethane | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 |
| Ethylbenzene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| m,p-Xylene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | 0.62 J | < 1.0 |
| Methyl N-Butyl Ketone (2-Hexanone) | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 |
| o-Xylene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | 0.37 J | < 1.0 |
| Styrene (Monomer) | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Tetrachloroethene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Toluene | < 1.0 | < 1.0 | 0.48 J | < 1.0 | 0.42 J | 0.41 J | 0.67 J |
| trans-1,2-Dichloroethene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| trans-1,3-Dichloropropene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Trichloroethene | 2.5 | < 1.0 | 3.5 | 0.44 J | 5.8 | 0.30 J | 1.3 |
| Vinyl chloride | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| TVOCs | 18 | 7.4 | 13 | 8.4 | 21 | 11 | 5.4 |

Footnotes on last page

Table 2. Concentrations of Volatile Organic Compounds in Groundwater Samples Collected from Vertical Profile Borings, Pre-Design Sampling for the Groundwater Hotspot, Northrop Grumman Systems Corporation, Operable Unit 3 (Former Grumman Settling Ponds), Bethpage, New York.

| CONSTITUENT (ug/L) | Sample Location: RW-21_VP-3 Sample Depth (ft bls): 835-836 Sample Date: 4/14/2015 Sample ID: RW-21_VP-3(835-836) | RW-21_VP-3 840-841 4/14/2015 RW-21_VP-3(840-841) | RW-21_VP-3 844-845 4/15/2015 RW-21_VP-3(844-845) | RW-21_VP-3 849-850 4/15/2015 RW-21_VP-3(849-850) | RW-21_VP-3 855-856 4/15/2015 RW-21_VP-3(855-856) | RW-21_VP-3 860-861 4/15/2015 RW-21_VP-3(860-861) | RW-21_VP-4 302-303 12/5/2014 RW-21_VP-4(302-303) |
|---------------------------------------|---|---|---|---|---|---|---|
| 1,1,1-Trichloroethane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 1,1,2,2-Tetrachloroethane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 1,1,2-trichloro-1,2,2-trifluoroethane | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 |
| 1,1,2-Trichloroethane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 1,1-Dichloroethane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 1,1-Dichloroethene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 1,2-Dichloroethane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 1,2-Dichloropropane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 2-Butanone (MEK) | < 10 | < 10 | < 10 | < 10 | < 10 | < 10 | < 10 |
| 4-Methyl-2-Pentanone | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 |
| Acetone | < 10 | < 10 | < 10 | 9.9 J | < 10 | < 10 | < 10 |
| Benzene | < 0.50 | < 0.50 | < 0.50 | < 0.50 | < 0.50 | < 0.50 | < 1.0 |
| Bromodichloromethane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Bromoform | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 4.0 |
| Bromomethane | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 |
| Carbon Disulfide | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 |
| Carbon Tetrachloride | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| CFC-12 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 5.0 |
| Chlorobenzene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Chlorodibromomethane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Chlorodifluoromethane | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 |
| Chloroethane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Chloroform | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | 0.20 |
| Chloromethane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| cis-1,2-Dichloroethene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| cis-1,3-Dichloropropene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Dichloromethane | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 |
| Ethylbenzene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| m,p-Xylene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Methyl N-Butyl Ketone (2-Hexanone) | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 |
| o-Xylene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Styrene (Monomer) | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 5.0 |
| Tetrachloroethene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | 0.57 |
| Toluene | 0.18 J | < 1.0 | < 1.0 | 0.23 J | < 1.0 | 0.24 J | < 1.0 |
| trans-1,2-Dichloroethene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| trans-1,3-Dichloropropene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Trichloroethene | < 1.0 | 0.93 J | 2.0 | 1.1 | < 1.0 | < 1.0 | 1.2 |
| Vinyl chloride | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| TVOCs | 0.18 | 0.93 | 2.0 | 11 | 0.0 | 0.2 | 2.0 |

Footnotes on last page

Table 2. Concentrations of Volatile Organic Compounds in Groundwater Samples Collected from Vertical Profile Borings, Pre-Design Sampling for the Groundwater Hotspot, Northrop Grumman Systems Corporation, Operable Unit 3 (Former Grumman Settling Ponds), Bethpage, New York.

| CONSTITUENT (ug/L) | Sample Location: RW-21_VP-4 | RW-21_VP-4 | RW-21_VP-4 | RW-21_VP-4 | RW-21_VP-4 | RW-21_VP-4 | RW-21_VP-4 | RW-21_VP-4 |
|---------------------------------------|--------------------------------|---------------------|--------------|---------------|---------------------|----------------------|----------------------|------------|
| | Sample Depth (ft bls): 322-323 | 347-348 | 347-348 | 371 | 371-507 | 381-382 | 406-407 | |
| | Sample Date: 12/8/2014 | 12/8/2014 | 12/8/2014 | 12/9/2014 | 12/15/2014 | 12/10/2014 | 12/10/2014 | |
| | Sample ID: RW-21_VP-4(322-323) | RW-21_VP-4(347-348) | REP120814KM1 | RW21_VP-4_371 | RW-21_VP-4(506-507) | RW-21_VP-4 (381-382) | RW-21_VP-4 (406-407) | |
| 1,1,1-Trichloroethane | < 1.0 | 0.58 | 0.61 | 1.6 | < 1.0 | 2.3 | < 1.0 | |
| 1,1,2,2-Tetrachloroethane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | |
| 1,1,2-trichloro-1,2,2-trifluoroethane | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | |
| 1,1,2-Trichloroethane | < 1.0 | < 1.0 | < 1.0 | 0.43 | < 1.0 | 0.43 | < 1.0 | |
| 1,1-Dichloroethane | < 1.0 | 3.6 | 3.7 | 10 | < 1.0 | 9.9 | 1.2 | |
| 1,1-Dichloroethene | < 1.0 | 1.8 | 2.0 | 5.7 | < 1.0 | 7.0 | 0.94 | |
| 1,2-Dichloroethane | < 1.0 | 0.77 | 0.80 | 2.5 | < 1.0 | 2.9 | < 1.0 | |
| 1,2-Dichloropropane | < 1.0 | < 1.0 | < 1.0 | 0.52 | < 1.0 | 0.41 | < 1.0 | |
| 2-Butanone (MEK) | < 10 | < 10 | < 10 | < 10 | < 10 | < 10 | < 10 | |
| 4-Methyl-2-Pentanone | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | |
| Acetone | < 10 | < 10 | < 10 | < 10 | 4.6 | 4.7 | 10.2 | |
| Benzene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | |
| Bromodichloromethane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | |
| Bromoform | < 4.0 | < 4.0 | < 4.0 | < 4.0 | < 4.0 | < 4.0 | < 4.0 | |
| Bromomethane | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | |
| Carbon Disulfide | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | |
| Carbon Tetrachloride | < 1.0 | < 1.0 | < 1.0 | 0.37 | < 1.0 | 0.52 | < 1.0 | |
| CFC-12 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | |
| Chlorobenzene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | |
| Chlorodibromomethane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | |
| Chlorodifluoromethane | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | |
| Chloroethane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | |
| Chloroform | < 1.0 | 0.85 | 0.87 | 2.0 | < 1.0 | 2.3 | 0.29 | |
| Chloromethane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | |
| cis-1,2-Dichloroethene | < 1.0 | 133 | 132 | 321 | 1.2 | 281 | 10.8 | |
| cis-1,3-Dichloropropene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | |
| Dichloromethane | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | |
| Ethylbenzene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | |
| m,p-Xylene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | 0.54 | |
| Methyl N-Butyl Ketone (2-Hexanone) | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | |
| o-Xylene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | 0.30 | |
| Styrene (Monomer) | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | |
| Tetrachloroethene | < 1.0 | 1.8 | 1.9 | 2.2 | < 1.0 | 1.7 | < 1.0 | |
| Toluene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | 0.37 | < 1.0 | 5.2 | |
| trans-1,2-Dichloroethene | < 1.0 | 1.1 | 1.2 | 2.3 | < 1.0 | 2.2 | < 1.0 | |
| trans-1,3-Dichloropropene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | |
| Trichloroethene | < 1.0 | 202 | 203 | 540 | 10.2 | 674 | 48.6 | |
| Vinyl chloride | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | |
| TVOCs | 0.0 | 350 | 350 | 890 | 16 | 990 | 78 | |

Footnotes on last page

Table 2. Concentrations of Volatile Organic Compounds in Groundwater Samples Collected from Vertical Profile Borings, Pre-Design Sampling for the Groundwater Hotspot, Northrop Grumman Systems Corporation, Operable Unit 3 (Former Grumman Settling Ponds), Bethpage, New York.

| CONSTITUENT (ug/L) | Sample Location: RW-21_VP-4 | RW-21_VP-4 | RW-21_VP-4 | RW-21_VP-4 | RW-21_VP-4 | RW-21_VP-4 | RW-21_VP-4 | RW-21_VP-4 |
|---------------------------------------|--------------------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|------------|
| | Sample Depth (ft bls): 420-421 | 440-441 | 460-461 | 481-482 | 506-521 | 540-541 | 560-561 | |
| | Sample Date: 12/11/2014 | 12/11/2014 | 12/11/2014 | 12/12/2014 | 12/15/2014 | 12/15/2014 | 12/15/2014 | |
| | Sample ID: RW-21_VP-4(420-421) | RW-21_VP-4(440-441) | RW-21_VP-4(460-461) | RW-21_VP-4(481-482) | RW-21_VP-4(520-521) | RW-21_VP-4(540-541) | RW-21_VP-4(560-561) | |
| 1,1,1-Trichloroethane | < 1.0 | 0.82 J | < 1.0 | 0.42 | < 1.0 | < 1.0 | < 1.0 | |
| 1,1,2,2-Tetrachloroethane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | |
| 1,1,2-trichloro-1,2,2-trifluoroethane | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | |
| 1,1,2-Trichloroethane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | |
| 1,1-Dichloroethane | < 1.0 | 2.1 | < 1.0 | 1.1 | < 1.0 | < 1.0 | < 1.0 | |
| 1,1-Dichloroethene | < 1.0 | 2.8 | < 1.0 | 1.0 | < 1.0 | < 1.0 | < 1.0 | |
| 1,2-Dichloroethane | < 1.0 | 4.4 | < 1.0 | 2.9 | < 1.0 | < 1.0 | < 1.0 | |
| 1,2-Dichloropropane | < 1.0 | 1.0 | < 1.0 | 0.79 | < 1.0 | < 1.0 | < 1.0 | |
| 2-Butanone (MEK) | < 10 | < 10 | < 10 | < 10 | 7.0 | < 10 | < 10 | |
| 4-Methyl-2-Pentanone | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | |
| Acetone | 5.5 J | 3.4 J | 18.4 | 3.6 | 7.5 | < 10 | < 10 | |
| Benzene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | |
| Bromodichloromethane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | |
| Bromoform | < 4.0 | < 4.0 | < 4.0 | < 4.0 | < 4.0 | < 4.0 | < 4.0 | |
| Bromomethane | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | |
| Carbon Disulfide | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | |
| Carbon Tetrachloride | < 1.0 | 0.47 J | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | |
| CFC-12 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | |
| Chlorobenzene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | |
| Chlorodibromomethane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | |
| Chlorodifluoromethane | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | |
| Chloroethane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | |
| Chloroform | < 1.0 | 4.0 | < 1.0 | 1.6 | < 1.0 | < 1.0 | < 1.0 | |
| Chloromethane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | |
| cis-1,2-Dichloroethene | 2.7 | 28.5 | 0.52 J | 24.8 | 0.41 | < 1.0 | < 1.0 | |
| cis-1,3-Dichloropropene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | |
| Dichloromethane | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | |
| Ethylbenzene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | |
| m,p-Xylene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | |
| Methyl N-Butyl Ketone (2-Hexanone) | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | |
| o-Xylene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | |
| Styrene (Monomer) | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | |
| Tetrachloroethene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | |
| Toluene | 2.1 | 1.7 | 0.46 J | 1.1 | 0.54 | 0.23 | < 1.0 | |
| trans-1,2-Dichloroethene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | |
| trans-1,3-Dichloropropene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | |
| Trichloroethene | 13.4 | 323 | 1.2 | 248 | 2.0 | 1.2 | 0.93 | |
| Vinyl chloride | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | |
| TVOCs | 24 | 370 | 21 | 290 | 17 | 1.4 | 0.93 | |

Footnotes on last page

Table 2. Concentrations of Volatile Organic Compounds in Groundwater Samples Collected from Vertical Profile Borings, Pre-Design Sampling for the Groundwater Hotspot, Northrop Grumman Systems Corporation, Operable Unit 3 (Former Grumman Settling Ponds), Bethpage, New York.

| CONSTITUENT (ug/L) | Sample Location: Sample Depth (ft bls): Sample Date: Sample ID: | RW-21_VP-4 580-581 12/16/2014 RW-21_VP-4(580-581) | RW-21_VP-4 600-601 12/16/2014 RW-21_VP-4(600-601) | RW-21_VP-4 630-631 12/16/2014 RW-21_VP-4(630-631) | RW-21_VP-4 642-643 12/17/2014 RW-21_VP-4(642-643) | RW-21_VP-4 660-661 12/17/2014 RW-21_VP-4(660-661) | RW-21_VP-4 680-681 12/17/2014 RW-21_VP-4(680-681) | RW-21_VP-4 702-703 12/17/2014 RW-21_VP-4(702-703) |
|---------------------------------------|--|--|--|--|--|--|--|--|
| 1,1,1-Trichloroethane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 1,1,2,2-Tetrachloroethane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 1,1,2-trichloro-1,2,2-trifluoroethane | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 |
| 1,1,2-Trichloroethane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 1,1-Dichloroethane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 1,1-Dichloroethene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 1,2-Dichloroethane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 1,2-Dichloropropane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 2-Butanone (MEK) | < 10 | < 10 | < 10 | < 10 | < 10 | < 10 | < 10 | < 10 |
| 4-Methyl-2-Pentanone | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 |
| Acetone | < 10 | 4.9 | < 10 | < 10 | 6.8 | < 10 | < 10 | 15.4 |
| Benzene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Bromodichloromethane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Bromoform | < 4.0 | < 4.0 | < 4.0 | < 4.0 | < 4.0 | < 4.0 | < 4.0 | < 4.0 |
| Bromomethane | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 |
| Carbon Disulfide | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 |
| Carbon Tetrachloride | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| CFC-12 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 |
| Chlorobenzene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Chlorodibromomethane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Chlorodifluoromethane | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 |
| Chloroethane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Chloroform | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Chloromethane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| cis-1,2-Dichloroethene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| cis-1,3-Dichloropropene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Dichloromethane | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 |
| Ethylbenzene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| m,p-Xylene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Methyl N-Butyl Ketone (2-Hexanone) | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 |
| o-Xylene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Styrene (Monomer) | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 |
| Tetrachloroethene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Toluene | 0.39 | < 1.0 | < 1.0 | 0.26 | 0.27 | 0.26 | 1.0 | 1.0 |
| trans-1,2-Dichloroethene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| trans-1,3-Dichloropropene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Trichloroethene | 1.6 | 1.6 | 2.4 | 0.73 | 0.82 | 1.1 | 0.57 | 0.57 |
| Vinyl chloride | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| TVOCs | 2.0 | 6.5 | 2.4 | 1.0 | 7.9 | 1.4 | 17 | 17 |

Footnotes on last page

Table 2. Concentrations of Volatile Organic Compounds in Groundwater Samples Collected from Vertical Profile Borings, Pre-Design Sampling for the Groundwater Hotspot, Northrop Grumman Systems Corporation, Operable Unit 3 (Former Grumman Settling Ponds), Bethpage, New York.

| CONSTITUENT (ug/L) | Sample Location: Sample Depth (ft bls): Sample Date: Sample ID: | RW-21_VP-5 307-308 4/30/2015 RW-21_VP-5 (307-308) | RW-21_VP-5 307-308 4/30/2015 REP043015SL | RW-21_VP-5 326-327 4/30/2015 RW-21_VP-5 (326-327) | RW-21_VP-5 347-348 4/30/2015 RW-21_VP-5 (347-348) | RW-21_VP-5 377-378 4/30/2015 RW-21_VP-5 (377-378) | RW-21_VP-5 387-388 4/30/2015 RW-21_VP-5 (387-388) | RW-21_VP-5 407-408 4/30/2015 RW-21_VP-5 (407-408) |
|---------------------------------------|--|--|---|--|--|--|--|--|
| 1,1,1-Trichloroethane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | 2.2 | < 1.0 |
| 1,1,2,2-Tetrachloroethane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 1,1,2-trichloro-1,2,2-trifluoroethane | 3.3 | 3.4 | < 5.0 | 2.5 | < 5.0 | < 5.0 | < 5.0 | < 5.0 |
| 1,1,2-Trichloroethane | < 1.0 | < 1.0 | < 1.0 | 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 1,1-Dichloroethane | < 1.0 | < 1.0 | < 1.0 | 0.97 | < 1.0 | < 1.0 | 1.6 | < 1.0 |
| 1,1-Dichloroethene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | 1.9 | < 1.0 |
| 1,2-Dichloroethane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 1,2-Dichloropropane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 2-Butanone (MEK) | < 10 | < 10 | < 10 | < 10 | < 10 | < 10 | < 10 | < 10 |
| 4-Methyl-2-Pentanone | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 |
| Acetone | 11.0 | < 10 | 9.8 | 5.3 | 16.3 | 14.9 | 10.5 | |
| Benzene | < 0.50 | < 0.50 | < 0.50 | < 0.50 | 0.33 | 0.34 | < 0.50 | < 0.50 |
| Bromodichloromethane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Bromoform | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Bromomethane | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 |
| Carbon Disulfide | < 2.0 | < 2.0 | < 2.0 | 1.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 |
| Carbon Tetrachloride | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| CFC-12 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 |
| Chlorobenzene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Chlorodibromomethane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Chlorodifluoromethane | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 |
| Chloroethane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Chloroform | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Chloromethane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| cis-1,2-Dichloroethene | 1.1 | 1.2 | < 1.0 | 4.5 | 0.39 | 0.69 | < 1.0 | < 1.0 |
| cis-1,3-Dichloropropene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Dichloromethane | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 |
| Ethylbenzene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| m,p-Xylene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | 0.56 | < 1.0 | < 1.0 | < 1.0 |
| Methyl N-Butyl Ketone (2-Hexanone) | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 |
| o-Xylene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | 0.21 | < 1.0 | < 1.0 | < 1.0 |
| Styrene (Monomer) | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Tetrachloroethene | 3.4 | 3.6 | 1.6 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Toluene | < 1.0 | 0.31 | < 1.0 | 0.23 | 0.44 | < 1.0 | < 1.0 | < 1.0 |
| trans-1,2-Dichloroethene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| trans-1,3-Dichloropropene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Trichloroethene | 122 | 128 | 38.5 | 137 | 24.9 | 25.9 | 3.5 | |
| Vinyl chloride | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| TVOCs | 140 | 140 | 50 | 150 | 43 | 48 | 14 | |

Footnotes on last page

Table 2. Concentrations of Volatile Organic Compounds in Groundwater Samples Collected from Vertical Profile Borings, Pre-Design Sampling for the Groundwater Hotspot, Northrop Grumman Systems Corporation, Operable Unit 3 (Former Grumman Settling Ponds), Bethpage, New York.

| CONSTITUENT (ug/L) | Sample Location: Sample Depth (ft bls): Sample Date: Sample ID: | RW-21_VP-5 430-431 5/4/2015 RW-21_VP-5(430-431) | RW-21_VP-5 447-448 5/4/2015 RW-21_VP-5(447-448) | RW-21_VP-5 466-467 5/4/2015 RW-21_VP-5(466-467) | RW-21_VP-5 526-527 5/5/2015 RW-21_VP-5(526-527) | RW-21_VP-5 541-542 5/6/2015 RW-21_VP-5(541-542) | RW-21_VP-5 547-548 5/6/2015 RW-21_VP-5(547-548) | RW-21_VP-5 566-567 5/6/2015 RW-21_VP-5(566-567) |
|---------------------------------------|--|--|--|--|--|--|--|--|
| 1,1,1-Trichloroethane | | < 1.0 | 0.71 | 1.5 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 1,1,2,2-Tetrachloroethane | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 1,1,2-trichloro-1,2,2-trifluoroethane | | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 |
| 1,1,2-Trichloroethane | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 1,1-Dichloroethane | | < 1.0 | 2.5 | 8.5 | < 1.0 | < 1.0 | 1.7 | 1.9 |
| 1,1-Dichloroethene | | < 1.0 | 0.93 | 3.3 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 1,2-Dichloroethane | | < 1.0 | < 1.0 | 0.68 | < 1.0 | < 1.0 | 0.71 | 0.96 |
| 1,2-Dichloropropane | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 2-Butanone (MEK) | | < 10 | < 10 | < 10 | < 10 | < 10 | < 10 | < 10 |
| 4-Methyl-2-Pentanone | | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 |
| Acetone | | 5.3 | < 10 | < 10 | 13.8 | 6.9 | < 10 | < 10 |
| Benzene | | < 0.50 | < 0.50 | < 0.50 | < 0.50 | < 0.50 | < 0.50 | < 0.50 |
| Bromodichloromethane | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Bromoform | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Bromomethane | | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 |
| Carbon Disulfide | | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 |
| Carbon Tetrachloride | | < 1.0 | < 1.0 | 0.48 | < 1.0 | < 1.0 | < 1.0 | 0.28 |
| CFC-12 | | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 |
| Chlorobenzene | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Chlorodibromomethane | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Chlorodifluoromethane | | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 |
| Chloroethane | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Chloroform | | < 1.0 | 0.22 | 1.9 | < 1.0 | < 1.0 | 2.0 | 3.2 |
| Chloromethane | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| cis-1,2-Dichloroethene | | < 1.0 | < 1.0 | 3.4 | < 1.0 | < 1.0 | 3.2 | 3.8 |
| cis-1,3-Dichloropropene | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Dichloromethane | | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 |
| Ethylbenzene | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| m,p-Xylene | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Methyl N-Butyl Ketone (2-Hexanone) | | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 |
| o-Xylene | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Styrene (Monomer) | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Tetrachloroethene | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Toluene | | 0.27 | < 1.0 | < 1.0 | < 1.0 | 0.20 | 1.0 | 0.21 |
| trans-1,2-Dichloroethene | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| trans-1,3-Dichloropropene | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Trichloroethene | | 2.1 | 1.6 | 14.2 | < 1.0 | 0.42 | 6.9 | 12.4 |
| Vinyl chloride | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| TVOCs | | 7.7 | 6 | 34 | 14 | 7.5 | 16 | 23 |

Footnotes on last page

Table 2. Concentrations of Volatile Organic Compounds in Groundwater Samples Collected from Vertical Profile Borings, Pre-Design Sampling for the Groundwater Hotspot, Northrop Grumman Systems Corporation, Operable Unit 3 (Former Grumman Settling Ponds), Bethpage, New York.

| CONSTITUENT (ug/L) | Sample Location: RW-21_VP-5 Sample Depth (ft bls): 566-567 Sample Date: 5/6/2015 Sample ID: REP050615SL | RW-21_VP-5 590-591 5/6/2015 RW-21_VP-5(590-591) | RW-21_VP-5 595-596 5/6/2015 RW-21_VP-5(595-596) | RW-21_VP-5 606-607 5/6/2015 RW-21_VP-5 (606-607) | RW-21_VP-5 626-627 5/7/2015 RW-21_VP-5 (626-627) | RW-21_VP-5 646-647 5/7/2015 RW-21_VP-5 (646-647) | RW-21_VP-5 666-667 5/7/2015 RW-21_VP-5 (666-667) |
|---------------------------------------|--|--|--|---|---|---|---|
| 1,1,1-Trichloroethane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 1,1,2,2-Tetrachloroethane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 1,1,2-trichloro-1,2,2-trifluoroethane | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 |
| 1,1,2-Trichloroethane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 1,1-Dichloroethane | 1.9 | < 1.0 | < 1.0 | < 1.0 | 1.1 | < 1.0 | < 1.0 |
| 1,1-Dichloroethene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 1,2-Dichloroethane | 1.0 | < 1.0 | < 1.0 | < 1.0 | 0.43 | < 1.0 | < 1.0 |
| 1,2-Dichloropropane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 2-Butanone (MEK) | < 10 | < 10 | < 10 | < 10 | < 10 | < 10 | < 10 |
| 4-Methyl-2-Pentanone | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 |
| Acetone | < 10 | 9.8 | 6.6 | < 10 | 12.2 | 7.7 | 10.9 |
| Benzene | < 0.50 | < 0.50 | < 0.50 | < 0.50 | < 0.50 | < 0.50 | < 0.50 |
| Bromodichloromethane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Bromoform | < 1.0 | < 1.0 | < 1.0 | 0.32 | < 1.0 | < 1.0 | < 1.0 |
| Bromomethane | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 |
| Carbon Disulfide | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 |
| Carbon Tetrachloride | 0.25 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| CFC-12 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 |
| Chlorobenzene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Chlorodibromomethane | < 1.0 | < 1.0 | < 1.0 | 0.41 | < 1.0 | < 1.0 | < 1.0 |
| Chlorodifluoromethane | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 |
| Chloroethane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Chloroform | 3.0 | < 1.0 | < 1.0 | < 1.0 | 1.3 | < 1.0 | < 1.0 |
| Chloromethane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| cis-1,2-Dichloroethene | 3.3 | < 1.0 | < 1.0 | < 1.0 | 4.1 | < 1.0 | 0.39 |
| cis-1,3-Dichloropropene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Dichloromethane | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 |
| Ethylbenzene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| m,p-Xylene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Methyl N-Butyl Ketone (2-Hexanone) | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 |
| o-Xylene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Styrene (Monomer) | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Tetrachloroethene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Toluene | 0.25 | 0.76 | 1.1 | 0.66 | 0.83 | 0.54 | 0.99 |
| trans-1,2-Dichloroethene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| trans-1,3-Dichloropropene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Trichloroethene | 10.9 | 0.86 | 0.69 | 0.92 | 10.3 | 0.37 | 1.1 |
| Vinyl chloride | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| TVOCs | 21 | 11 | 8.4 | 2.3 | 30 | 8.6 | 13 |

Footnotes on last page

Table 2. Concentrations of Volatile Organic Compounds in Groundwater Samples Collected from Vertical Profile Borings, Pre-Design Sampling for the Groundwater Hotspot, Northrop Grumman Systems Corporation, Operable Unit 3 (Former Grumman Settling Ponds), Bethpage, New York.

| CONSTITUENT (ug/L) | Sample Location: Sample Depth (ft bls): Sample Date: Sample ID: | RW-21_VP-5 686-687 5/7/2015 RW-21_VP-5 (686-687) | RW-21_VP-5 695-696 5/7/2015 RW-21_VP-5 (695-696) | RW-21_VP-5 715-716 5/11/2015 RW-21_VP-5(715-716) | RW-21_VP-6 302-303 6/16/2015 RW-21_VP-6(302-303) | RW-21_VP-6 321-322 6/16/2015 RW-21_VP-6(321-322) | RW-21_VP-6 343-344 6/16/2015 RW-21_VP-6(343-344) | RW-21_VP-6 365-366 6/16/2015 RW-21_VP-6(365-366) |
|---------------------------------------|--|---|---|---|---|---|---|---|
| 1,1,1-Trichloroethane | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | 0.76 J |
| 1,1,2,2-Tetrachloroethane | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 1,1,2-trichloro-1,2,2-trifluoroethane | | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 |
| 1,1,2-Trichloroethane | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 1,1-Dichloroethane | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | 1.9 |
| 1,1-Dichloroethene | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | 0.79 J |
| 1,2-Dichloroethane | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 1,2-Dichloropropane | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 2-Butanone (MEK) | | < 10 | < 10 | < 10 | < 10 | < 10 | < 10 | < 10 |
| 4-Methyl-2-Pentanone | | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 |
| Acetone | | 6.6 | 7.3 | 21.8 | 11.2 | 5.1 J | < 10 | < 10 |
| Benzene | | < 0.50 | < 0.50 | < 0.50 | 0.41 J | < 0.50 | < 0.50 | < 0.50 |
| Bromodichloromethane | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Bromoform | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Bromomethane | | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 |
| Carbon Disulfide | | < 2.0 | < 2.0 | < 2.0 | 0.47 J | 0.45 J | < 2.0 | < 2.0 |
| Carbon Tetrachloride | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| CFC-12 | | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 |
| Chlorobenzene | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Chlorodibromomethane | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Chlorodifluoromethane | | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 |
| Chloroethane | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Chloroform | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | 0.29 J |
| Chloromethane | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| cis-1,2-Dichloroethene | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| cis-1,3-Dichloropropene | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Dichloromethane | | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 |
| Ethylbenzene | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| m,p-Xylene | | < 1.0 | < 1.0 | < 1.0 | 0.69 J | 0.43 J | 0.43 J | 0.47 J |
| Methyl N-Butyl Ketone (2-Hexanone) | | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 |
| o-Xylene | | < 1.0 | < 1.0 | < 1.0 | 0.37 J | 0.20 J | < 1.0 | < 1.0 |
| Styrene (Monomer) | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Tetrachloroethene | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | 0.79 J | 0.91 J |
| Toluene | | 1.5 | 1.3 | 0.62 J | 1.5 | 0.60 J | 0.74 J | 0.46 J |
| trans-1,2-Dichloroethene | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| trans-1,3-Dichloropropene | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Trichloroethene | | 0.66 | 0.81 | < 1.0 | < 1.0 | < 1.0 | 16.0 | 7.1 |
| Vinyl chloride | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| TVOCs | | 8.8 | 9.4 | 22 | 15 | 6.8 | 18 | 13 |

Footnotes on last page

Table 2. Concentrations of Volatile Organic Compounds in Groundwater Samples Collected from Vertical Profile Borings, Pre-Design Sampling for the Groundwater Hotspot, Northrop Grumman Systems Corporation, Operable Unit 3 (Former Grumman Settling Ponds), Bethpage, New York.

| CONSTITUENT (ug/L) | Sample Location: Sample Depth (ft bls): Sample Date: Sample ID: | RW-21_VP-6 381-382 6/17/2015 RW-21_VP-6(381-382) | RW-21_VP-6 401-402 6/17/2015 RW-21_VP-6(401-402) | RW-21_VP-6 421-422 6/17/2015 RW-21_VP-6(421-422) | RW-21_VP-6 441-442 6/17/2015 RW-21_VP-6(441-442) | RW-21_VP-6 462-463 6/17/2015 RW-21_VP-6(462-463) | RW-21_VP-6 480-481 6/17/2015 RW-21_VP-6(480-481) | RW-21_VP-6 502-503 6/18/2015 RW-21_VP-6(502-503) |
|---------------------------------------|--|---|---|---|---|---|---|---|
| 1,1,1-Trichloroethane | | < 1.0 | 1.1 | < 1.0 | < 1.0 | 1.8 | < 1.0 | < 1.0 |
| 1,1,2,2-Tetrachloroethane | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 1,1,2-trichloro-1,2,2-trifluoroethane | | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 |
| 1,1,2-Trichloroethane | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 1,1-Dichloroethane | | 1.1 | 2.1 | 0.69 J | 2.3 | 5.8 | 1.0 | 1.2 |
| 1,1-Dichloroethene | | 0.54 J | 1.2 | < 1.0 | < 1.0 | 2.0 | < 1.0 | 0.51 J |
| 1,2-Dichloroethane | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 1,2-Dichloropropane | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 2-Butanone (MEK) | | < 10 | < 10 | < 10 | < 10 | < 10 | < 10 | < 10 |
| 4-Methyl-2-Pentanone | | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 |
| Acetone | | 24.8 | 5.6 J | 4.0 J | 4.1 J | 5.3 J | 17.8 | 8.1 J |
| Benzene | | < 0.50 | < 0.50 | < 0.50 | < 0.50 | < 0.50 | < 0.50 | < 0.50 |
| Bromodichloromethane | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Bromoform | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Bromomethane | | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 |
| Carbon Disulfide | | < 2.0 | 0.34 J | 0.37 J | 0.40 J | 0.36 J | < 2.0 | 0.28 J |
| Carbon Tetrachloride | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| CFC-12 | | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 |
| Chlorobenzene | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Chlorodibromomethane | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Chlorodifluoromethane | | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 |
| Chloroethane | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Chloroform | | 0.23 J | 0.34 J | < 1.0 | < 1.0 | 0.51 J | < 1.0 | 0.24 J |
| Chloromethane | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| cis-1,2-Dichloroethene | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | 0.68 J |
| cis-1,3-Dichloropropene | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Dichloromethane | | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 |
| Ethylbenzene | | 2.6 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | 0.37 J | 0.27 J |
| m,p-Xylene | | 10.8 | 0.58 J | < 1.0 | < 1.0 | 0.52 J | 1.3 | 0.77 J |
| Methyl N-Butyl Ketone (2-Hexanone) | | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 |
| o-Xylene | | 3.4 | < 1.0 | < 1.0 | < 1.0 | 0.20 J | 0.45 J | 0.37 J |
| Styrene (Monomer) | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Tetrachloroethene | | < 1.0 | 0.78 J | < 1.0 | < 1.0 | < 1.0 | < 1.0 | 0.56 J |
| Toluene | | 0.32 J | 0.54 J | < 1.0 | < 1.0 | 0.42 J | < 1.0 | 0.90 J |
| trans-1,2-Dichloroethene | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| trans-1,3-Dichloropropene | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Trichloroethene | | 4.6 | 13.1 | < 1.0 | < 1.0 | 1.7 | 0.50 J | 2.0 |
| Vinyl chloride | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| TVOCs | | 48 | 26 | 5.1 | 6.8 | 19 | 21 | 16 |

Footnotes on last page

Table 2. Concentrations of Volatile Organic Compounds in Groundwater Samples Collected from Vertical Profile Borings, Pre-Design Sampling for the Groundwater Hotspot, Northrop Grumman Systems Corporation, Operable Unit 3 (Former Grumman Settling Ponds), Bethpage, New York.

| CONSTITUENT (ug/L) | Sample Location: Sample Depth (ft bls): Sample Date: Sample ID: | RW-21_VP-6 520-521 6/18/2015 RW-21_VP-6(520-521) | RW-21_VP-6 542-543 6/18/2015 RW-21_VP-6(542-543) | RW-21_VP-6 568-569 6/18/2015 RW-21_VP-6(568-569) | RW-21_VP-6 581-582 6/19/2015 RW-21_VP-6(581-582) | RW-21_VP-6 606-607 6/22/2015 RW-21_VP-6(606-607) | RW-21_VP-6 621-622 6/22/2015 RW-21_VP-6(621-622) | RW-21_VP-6 640-641 6/23/2015 RW-21_VP-6 (640-641) |
|---------------------------------------|--|---|---|---|---|---|---|--|
| 1,1,1-Trichloroethane | | < 1.0 | < 1.0 | < 1.0 | 1.1 | < 2.5 | < 10 | < 1.0 |
| 1,1,2,2-Tetrachloroethane | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 2.5 | < 10 | < 1.0 |
| 1,1,2-trichloro-1,2,2-trifluoroethane | | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 13 | < 50 | < 5.0 |
| 1,1,2-Trichloroethane | | < 1.0 | < 1.0 | < 1.0 | 0.81 J | 1.7 J | 2.4 J | < 1.0 |
| 1,1-Dichloroethane | | 0.68 J | < 1.0 | < 1.0 | 5.6 | 0.58 J | 4.0 J | < 1.0 |
| 1,1-Dichloroethene | | < 1.0 | < 1.0 | < 1.0 | 3.0 | < 2.5 | < 10 | < 1.0 |
| 1,2-Dichloroethane | | 0.86 J | < 1.0 | < 1.0 | 3.8 | 6.0 | 12.6 | 0.42 J |
| 1,2-Dichloropropane | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | 1.5 J | < 10 | < 1.0 |
| 2-Butanone (MEK) | | < 10 | 7.3 J | 7.6 J | < 10 | < 25 | < 100 | < 10 |
| 4-Methyl-2-Pentanone | | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 13 | < 50 | < 5.0 |
| Acetone | | 15.3 | 14.6 | 27.0 | 6.4 J | 25.5 | < 100 | 14.6 |
| Benzene | | < 0.50 | < 0.50 | < 0.50 | < 0.50 | < 1.3 | < 5.0 | < 0.50 |
| Bromodichloromethane | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 2.5 | < 10 | < 1.0 |
| Bromoform | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 2.5 | < 10 | < 1.0 |
| Bromomethane | | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 5.0 | < 20 | < 2.0 |
| Carbon Disulfide | | < 2.0 | 0.49 J | 0.41 J | 0.26 J | < 5.0 | < 20 | < 2.0 |
| Carbon Tetrachloride | | < 1.0 | < 1.0 | < 1.0 | 0.34 J | < 2.5 | < 10 | < 1.0 |
| CFC-12 | | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 5.0 | < 20 | < 2.0 |
| Chlorobenzene | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 2.5 | < 10 | < 1.0 |
| Chlorodibromomethane | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 2.5 | < 10 | < 1.0 |
| Chlorodifluoromethane | | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 13 | < 50 | < 5.0 |
| Chloroethane | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 2.5 | < 10 | < 1.0 |
| Chloroform | | 0.86 J | < 1.0 | < 1.0 | 12.4 | 5.2 | 17.2 | 0.27 J |
| Chloromethane | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 2.5 | < 10 | < 1.0 |
| cis-1,2-Dichloroethene | | 15.5 | 0.31 J | 0.86 J | 80.6 | 132 | 389 | 6.5 |
| cis-1,3-Dichloropropene | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 2.5 | < 10 | < 1.0 |
| Dichloromethane | | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 5.0 | < 20 | < 2.0 |
| Ethylbenzene | | 0.39 J | < 1.0 | < 1.0 | < 1.0 | < 2.5 | < 10 | < 1.0 |
| m,p-Xylene | | 1.6 | < 1.0 | < 1.0 | 0.46 J | < 2.5 | < 10 | < 1.0 |
| Methyl N-Butyl Ketone (2-Hexanone) | | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 13 | < 50 | < 5.0 |
| o-Xylene | | 0.58 J | < 1.0 | < 1.0 | 0.20 J | < 2.5 | < 10 | < 1.0 |
| Styrene (Monomer) | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 2.5 | < 10 | < 1.0 |
| Tetrachloroethene | | 0.53 J | < 1.0 | < 1.0 | < 1.0 | < 2.5 | < 10 | < 1.0 |
| Toluene | | 0.32 J | 0.28 J | < 1.0 | 0.43 J | < 2.5 | < 10 | 0.21 J |
| trans-1,2-Dichloroethene | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 2.5 | < 10 | < 1.0 |
| trans-1,3-Dichloropropene | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 2.5 | < 10 | < 1.0 |
| Trichloroethene | | 30.8 | < 1.0 | 0.59 J | 163 | 662 | 1220 | 96.5 |
| Vinyl chloride | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 2.5 | < 10 | < 1.0 |
| TVOCs | | 67 | 23 | 36 | 280 | 830 | 1600 | 120 |

Footnotes on last page

Table 2. Concentrations of Volatile Organic Compounds in Groundwater Samples Collected from Vertical Profile Borings, Pre-Design Sampling for the Groundwater Hotspot, Northrop Grumman Systems Corporation, Operable Unit 3 (Former Grumman Settling Ponds), Bethpage, New York.

| CONSTITUENT (ug/L) | Sample Location: Sample Depth (ft bls): Sample Date: Sample ID: | RW-21_VP-6 661-662 6/23/2015 RW-21_VP-6 (661-662) | RW-21_VP-6 661-662 6/23/2015 REP062315AM1 | RW-21_VP-6 682-683 6/23/2015 RW-21_VP-6 (682-683) | RW-21_VP-6 700-701 6/23/2015 RW-21_VP-6 (700-701) | RW-21_VP-6 726-727 6/25/2015 RW-21_VP-6(726-727) | RW-21_VP-6 741-742 6/25/2015 RW-21_VP-6(741-742) | RW-21_VP-7 302-303 1/19/2015 RW-21_VP-7(302-303) |
|---------------------------------------|--|--|--|--|--|---|---|---|
| 1,1,1-Trichloroethane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 1,1,2,2-Tetrachloroethane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 1,1,2-trichloro-1,2,2-trifluoroethane | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 |
| 1,1,2-Trichloroethane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 1,1-Dichloroethane | 0.77 J | 0.60 J | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | 1.1 |
| 1,1-Dichloroethene | 1.0 | 0.66 J | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 1,2-Dichloroethane | 0.94 J | 0.87 J | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 1,2-Dichloropropane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 2-Butanone (MEK) | < 10 | < 10 | < 10 | < 10 | < 10 | < 10 | 11.0 | < 10 |
| 4-Methyl-2-Pentanone | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 |
| Acetone | 8.0 J | 7.4 J | < 10 | 7.5 J | 12.5 | 22.8 | < 10 | < 10 |
| Benzene | < 0.50 | < 0.50 | < 0.50 | < 0.50 | < 0.50 | < 0.50 | < 0.50 | < 1.0 |
| Bromodichloromethane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Bromoform | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 4.0 |
| Bromomethane | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 |
| Carbon Disulfide | 0.27 J | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | 0.32 J | < 2.0 |
| Carbon Tetrachloride | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| CFC-12 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 5.0 |
| Chlorobenzene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Chlorodibromomethane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Chlorodifluoromethane | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 |
| Chloroethane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Chloroform | 0.35 J | 0.31 J | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Chloromethane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| cis-1,2-Dichloroethene | 14.9 | 11.8 | 0.63 J | 0.79 J | 0.41 J | < 1.0 | < 1.0 | < 1.0 |
| cis-1,3-Dichloropropene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Dichloromethane | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 |
| Ethylbenzene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| m,p-Xylene | < 1.0 | 0.40 J | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Methyl N-Butyl Ketone (2-Hexanone) | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 |
| o-Xylene | 0.18 J | 0.22 J | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Styrene (Monomer) | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 5.0 |
| Tetrachloroethene | 0.45 J | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Toluene | 0.37 J | 0.44 J | < 1.0 | 0.32 J | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| trans-1,2-Dichloroethene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| trans-1,3-Dichloropropene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Trichloroethene | 390 | 227 | 15.7 | 5.6 | 1.9 | < 1.0 | < 1.0 | < 1.0 |
| Vinyl chloride | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| TVOCs | 420 | 250 | 16 | 14 | 15 | 34 | 1.1 | |

Footnotes on last page

Table 2. Concentrations of Volatile Organic Compounds in Groundwater Samples Collected from Vertical Profile Borings, Pre-Design Sampling for the Groundwater Hotspot, Northrop Grumman Systems Corporation, Operable Unit 3 (Former Grumman Settling Ponds), Bethpage, New York.

| CONSTITUENT (ug/L) | Sample Location: RW-21_VP-7 | RW-21_VP-7 | RW-21_VP-7 | RW-21_VP-7 | RW-21_VP-7 | RW-21_VP-7 | RW-21_VP-7 | RW-21_VP-7 |
|---------------------------------------|--------------------------------|---------------------|---------------------|----------------------|----------------------|----------------------|----------------------|------------|
| | Sample Depth (ft bls): 320-321 | 345-346 | 362-363 | 380-381 | 401-402 | 421-422 | 441-442 | |
| | Sample Date: 1/19/2015 | 1/19/2015 | 1/19/2015 | 1/20/2015 | 1/20/2015 | 1/20/2015 | 1/20/2015 | 1/20/2015 |
| | Sample ID: RW-21_VP-7(320-321) | RW-21_VP-7(345-346) | RW-21_VP-7(362-363) | RW-21_VP-7 (380-381) | RW-21_VP-7 (401-402) | RW-21_VP-7 (421-422) | RW-21_VP-7 (441-442) | |
| 1,1,1-Trichloroethane | 1.9 | < 1.0 | < 1.0 | 0.43 | < 1.0 | 0.80 | 1.1 | |
| 1,1,2,2-Tetrachloroethane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | |
| 1,1,2-trichloro-1,2,2-trifluoroethane | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | |
| 1,1,2-Trichloroethane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | |
| 1,1-Dichloroethane | 5.8 | < 1.0 | < 1.0 | 1.5 | < 1.0 | 2.5 | 3.6 | |
| 1,1-Dichloroethene | 2.1 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | 1.0 | 1.4 | |
| 1,2-Dichloroethane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | |
| 1,2-Dichloropropane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | |
| 2-Butanone (MEK) | < 10 | < 10 | < 10 | < 10 | < 10 | < 10 | < 10 | |
| 4-Methyl-2-Pentanone | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | |
| Acetone | < 10 | < 10 | < 10 | < 10 | < 10 | < 10 | < 10 | |
| Benzene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | |
| Bromodichloromethane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | |
| Bromoform | < 4.0 | < 4.0 | < 4.0 | < 4.0 | < 4.0 | < 4.0 | < 4.0 | |
| Bromomethane | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | |
| Carbon Disulfide | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | |
| Carbon Tetrachloride | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | |
| CFC-12 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | |
| Chlorobenzene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | |
| Chlorodibromomethane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | |
| Chlorodifluoromethane | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | |
| Chloroethane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | |
| Chloroform | 0.45 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | 0.35 | 0.44 | |
| Chloromethane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | |
| cis-1,2-Dichloroethene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | 0.39 | |
| cis-1,3-Dichloropropene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | |
| Dichloromethane | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | |
| Ethylbenzene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | |
| m,p-Xylene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | |
| Methyl N-Butyl Ketone (2-Hexanone) | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | |
| o-Xylene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | |
| Styrene (Monomer) | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | |
| Tetrachloroethene | < 1.0 | < 1.0 | < 1.0 | 0.36 | < 1.0 | < 1.0 | < 1.0 | |
| Toluene | < 1.0 | < 1.0 | < 1.0 | 0.26 | < 1.0 | < 1.0 | < 1.0 | |
| trans-1,2-Dichloroethene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | |
| trans-1,3-Dichloropropene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | |
| Trichloroethene | 0.81 | < 1.0 | < 1.0 | 4.1 | < 1.0 | 3.8 | 3.0 | |
| Vinyl chloride | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | |
| TVOCs | 11 | 0.0 | 0.0 | 6.7 | 0.0 | 8.5 | 9.9 | |

Footnotes on last page

Table 2. Concentrations of Volatile Organic Compounds in Groundwater Samples Collected from Vertical Profile Borings, Pre-Design Sampling for the Groundwater Hotspot, Northrop Grumman Systems Corporation, Operable Unit 3 (Former Grumman Settling Ponds), Bethpage, New York.

| CONSTITUENT (ug/L) | Sample Location: Sample Depth (ft bls): Sample Date: Sample ID: | RW-21_VP-7 468-469 1/21/2015 RW-21_VP-7 (468-469) | RW-21_VP-7 481-482 1/21/2015 RW-21_VP-7 (481-482) | RW-21_VP-7 502-503 1/21/2015 RW-21_VP-7 (502-503) | RW-21_VP-7 521-522 1/21/2015 RW-21_VP-7 (521-522) | RW-21_VP-7 544-545 1/21/2015 RW-21_VP-7 (544-545) | RW-21_VP-7 561-562 1/22/2015 RW-21_VP-7(561-562) | RW-21_VP-7 581-582 1/22/2015 RW-21_VP-7(581-582) |
|---------------------------------------|--|--|--|--|--|--|---|---|
| 1,1,1-Trichloroethane | | 1.1 | 0.82 | < 1.0 | < 1.0 | 2.5 | 2.1 | 2.6 |
| 1,1,2,2-Tetrachloroethane | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 1,1,2-trichloro-1,2,2-trifluoroethane | | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 |
| 1,1,2-Trichloroethane | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | 0.65 | 0.63 | 4.7 |
| 1,1-Dichloroethane | | 3.1 | 3.1 | 1.4 | < 1.0 | 9.9 | 6.2 | 6.7 |
| 1,1-Dichloroethene | | 2.0 | 1.3 | 0.81 | < 1.0 | 5.5 | 4.2 | 7.3 |
| 1,2-Dichloroethane | | 0.44 | 0.60 | 1.2 | < 1.0 | 4.1 | 5.4 | 21.6 |
| 1,2-Dichloropropane | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | 0.38 | 0.61 | 10.6 |
| 2-Butanone (MEK) | | < 10 | < 10 | < 10 | < 10 | < 10 | < 10 | < 10 |
| 4-Methyl-2-Pentanone | | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 |
| Acetone | | < 10 | < 10 | < 10 | < 10 | < 10 | < 10 | < 10 |
| Benzene | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | 0.28 |
| Bromodichloromethane | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Bromoform | | < 4.0 | < 4.0 | < 4.0 | < 4.0 | < 4.0 | < 4.0 | < 4.0 |
| Bromomethane | | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 |
| Carbon Disulfide | | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 |
| Carbon Tetrachloride | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | 0.45 | 0.34 | 2.7 |
| CFC-12 | | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 |
| Chlorobenzene | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Chlorodibromomethane | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Chlorodifluoromethane | | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 |
| Chloroethane | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Chloroform | | 0.97 | 1.2 | 3.1 | < 1.0 | 8.1 | 8.8 | 22.4 |
| Chloromethane | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| cis-1,2-Dichloroethene | | 13.6 | 1.9 | 2.0 | < 1.0 | 59.9 | 84.2 | 295 |
| cis-1,3-Dichloropropene | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Dichloromethane | | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 |
| Ethylbenzene | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| m,p-Xylene | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Methyl N-Butyl Ketone (2-Hexanone) | | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 |
| o-Xylene | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Styrene (Monomer) | | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 |
| Tetrachloroethene | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | 4.0 | 0.84 | 4.9 |
| Toluene | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| trans-1,2-Dichloroethene | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | 0.77 | 3.8 |
| trans-1,3-Dichloropropene | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Trichloroethene | | 32.4 | 14.7 | 19.5 | 0.39 | 244 | 265 | 4870 |
| Vinyl chloride | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| TVOCs | | 54 | 24 | 28 | 0 | 340 | 380 | 5300 |

Footnotes on last page

Table 2. Concentrations of Volatile Organic Compounds in Groundwater Samples Collected from Vertical Profile Borings, Pre-Design Sampling for the Groundwater Hotspot, Northrop Grumman Systems Corporation, Operable Unit 3 (Former Grumman Settling Ponds), Bethpage, New York.

| CONSTITUENT (ug/L) | Sample Location: Sample Depth (ft bls): Sample Date: Sample ID: | RW-21_VP-7 605-606 1/22/2015 RW-21_VP-7(605-606) | RW-21_VP-7 620-621 1/22/2015 RW-21_VP-7(620-621) | RW-21_VP-7 641-642 1/23/2015 RW-21_VP-7(641-642) | RW-21_VP-7 661-662 1/23/2015 RW-21_VP-7(661-662) | RW-21_VP-7 682-683 1/28/2015 RW_21_VP-7(682-683) | RW-21_VP-7 700-701 1/29/2015 RW-21_VP-7(700-701) | RW-21_VP-7 705-706 1/29/2015 RW-21_VP-7(705-706) |
|---------------------------------------|--|---|---|---|---|---|---|---|
| 1,1,1-Trichloroethane | | 0.90 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 1,1,2,2-Tetrachloroethane | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 1,1,2-trichloro-1,2,2-trifluoroethane | | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 |
| 1,1,2-Trichloroethane | | 0.76 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 1,1-Dichloroethane | | 3.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 1,1-Dichloroethene | | 1.9 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 1,2-Dichloroethane | | 5.3 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 1,2-Dichloropropane | | 1.9 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 2-Butanone (MEK) | | < 10 | < 10 | < 10 | < 10 | < 10 | < 10 | < 10 |
| 4-Methyl-2-Pentanone | | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 |
| Acetone | | 5.0 | < 10 | 6.9 | 5.9 | < 10 | 9.7 | 8.1 |
| Benzene | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Bromodichloromethane | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Bromoform | | < 4.0 | < 4.0 | < 4.0 | < 4.0 | < 4.0 | < 4.0 | < 4.0 |
| Bromomethane | | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 |
| Carbon Disulfide | | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 |
| Carbon Tetrachloride | | 0.24 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| CFC-12 | | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 |
| Chlorobenzene | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Chlorodibromomethane | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Chlorodifluoromethane | | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 |
| Chloroethane | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Chloroform | | 3.1 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Chloromethane | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| cis-1,2-Dichloroethene | | 64.1 | 2.3 | < 1.0 | 1.9 | < 1.0 | < 1.0 | < 1.0 |
| cis-1,3-Dichloropropene | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Dichloromethane | | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 |
| Ethylbenzene | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| m,p-Xylene | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Methyl N-Butyl Ketone (2-Hexanone) | | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 |
| o-Xylene | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Styrene (Monomer) | | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 |
| Tetrachloroethene | | 0.73 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Toluene | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| trans-1,2-Dichloroethene | | 1.4 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| trans-1,3-Dichloropropene | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Trichloroethene | | 882 | 54.1 | 7.6 | 38.8 | 3.6 | 4.5 | 3.3 |
| Vinyl chloride | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| TVOCs | | 970 | 56 | 15 | 47 | 3.6 | 14 | 11 |

Footnotes on last page

Table 2. Concentrations of Volatile Organic Compounds in Groundwater Samples Collected from Vertical Profile Borings, Pre-Design Sampling for the Groundwater Hotspot, Northrop Grumman Systems Corporation, Operable Unit 3 (Former Grumman Settling Ponds), Bethpage, New York.

| CONSTITUENT (ug/L) | Sample Location: Sample Depth (ft bls): Sample Date: Sample ID: | RW-21_VP-7 715-716 2/4/2015 RW-21_VP-7(715-716) | RW-21_VP-7 721-722 2/4/2015 RW-21_VP-7(721-722) | RW-21_VP-7 731-732 2/5/2015 RW-21_VP-7(731-732) | RW-21_VP-7 735-736 2/5/2015 RW-21_VP-7(735-736) | RW-21_VP-7 760-761 2/9/2015 RW-21_VP-7(760-761) | RW-21_VP-7 765-766 2/11/2015 RW-21_VP-7(765-766) | RW-21_VP-7 775-776 2/11/2015 RW-21_VP-7(775-776) |
|---------------------------------------|--|--|--|--|--|--|---|---|
| 1,1,1-Trichloroethane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 1,1,2,2-Tetrachloroethane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 1,1,2-trichloro-1,2,2-trifluoroethane | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 |
| 1,1,2-Trichloroethane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 1,1-Dichloroethane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 1,1-Dichloroethene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 1,2-Dichloroethane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 1,2-Dichloropropane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 2-Butanone (MEK) | < 10 | < 10 | < 10 | < 10 | < 10 | < 10 | < 10 | < 10 |
| 4-Methyl-2-Pentanone | < 5.0 | < 5.0 | < 5.0 | 7.1 | < 5.0 | < 5.0 | < 5.0 | < 5.0 |
| Acetone | 11.3 | < 10 | 3.0 | 29.9 | 7.1 | 9.5 | 5.9 | |
| Benzene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Bromodichloromethane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Bromoform | < 4.0 | < 4.0 | < 4.0 | < 4.0 | < 4.0 | < 4.0 | < 4.0 | < 4.0 |
| Bromomethane | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 |
| Carbon Disulfide | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 |
| Carbon Tetrachloride | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| CFC-12 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 |
| Chlorobenzene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Chlorodibromomethane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Chlorodifluoromethane | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 |
| Chloroethane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Chloroform | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Chloromethane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| cis-1,2-Dichloroethene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| cis-1,3-Dichloropropene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Dichloromethane | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 |
| Ethylbenzene | < 1.0 | < 1.0 | < 1.0 | 0.34 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| m,p-Xylene | < 1.0 | < 1.0 | < 1.0 | 0.99 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Methyl N-Butyl Ketone (2-Hexanone) | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 |
| o-Xylene | < 1.0 | < 1.0 | < 1.0 | 0.80 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Styrene (Monomer) | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 |
| Tetrachloroethene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Toluene | < 1.0 | < 1.0 | < 1.0 | 0.25 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| trans-1,2-Dichloroethene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| trans-1,3-Dichloropropene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Trichloroethene | 2.9 | 1.9 | 1.1 | 0.93 | 1.2 | < 1.0 | < 1.0 | < 1.0 |
| Vinyl chloride | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| TVOCs | 14 | 1.9 | 4.1 | 40 | 8.3 | 9.5 | 5.9 | |

Footnotes on last page

Table 2. Concentrations of Volatile Organic Compounds in Groundwater Samples Collected from Vertical Profile Borings, Pre-Design Sampling for the Groundwater Hotspot, Northrop Grumman Systems Corporation, Operable Unit 3 (Former Grumman Settling Ponds), Bethpage, New York.

| CONSTITUENT (ug/L) | Sample Location: RW-21_VP-7 | RW-21_VP-7 | RW-21_VP-7 | RW-21_VP-7 | RW-21_VP-7 | RW-21_VP-7 | RW-21_VP-7 | RW-21_VP-8 |
|---------------------------------------|--------------------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------|
| | Sample Depth (ft bls): 791-792 | 797-798 | 806-807 | 816-817 | 826-827 | 837-838 | 300-301 | |
| | Sample Date: 2/11/2015 | 2/12/2015 | 2/12/2015 | 2/12/2015 | 2/17/2015 | 2/18/2015 | 11/5/2015 | |
| | Sample ID: RW-21_VP-7(791-792) | RW-21_VP-7(797-798) | RW-21_VP-7(806-807) | RW-21_VP-7(816-817) | RW-21_VP-7(826-827) | RW-21_VP-7(837-838) | RW-21_VP-8(300-301) | |
| 1,1,1-Trichloroethane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 1,1,2,2-Tetrachloroethane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 1,1,2-trichloro-1,2,2-trifluoroethane | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 |
| 1,1,2-Trichloroethane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 1,1-Dichloroethane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 1,1-Dichloroethene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 1,2-Dichloroethane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 1,2-Dichloropropane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 2-Butanone (MEK) | < 10 | < 10 | < 10 | < 10 | 4.0 | < 10 | < 10 | 10 |
| 4-Methyl-2-Pentanone | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 |
| Acetone | < 10 | < 10 | 17.3 | < 10 | 10.8 | 6.3 | 32.0 | |
| Benzene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 0.50 | < 1.0 |
| Bromodichloromethane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Bromoform | < 4.0 | < 4.0 | < 4.0 | < 4.0 | < 4.0 | < 4.0 | < 4.0 | < 1.0 |
| Bromomethane | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 |
| Carbon Disulfide | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 |
| Carbon Tetrachloride | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| CFC-12 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 2.0 |
| Chlorobenzene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Chlorodibromomethane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Chlorodifluoromethane | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 |
| Chloroethane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Chloroform | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Chloromethane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | 0.62 J |
| cis-1,2-Dichloroethene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| cis-1,3-Dichloropropene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Dichloromethane | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 |
| Ethylbenzene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| m,p-Xylene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Methyl N-Butyl Ketone (2-Hexanone) | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 |
| o-Xylene | < 1.0 | < 1.0 | 0.23 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Styrene (Monomer) | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 1.0 |
| Tetrachloroethene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Toluene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | 0.22 J |
| trans-1,2-Dichloroethene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| trans-1,3-Dichloropropene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Trichloroethene | < 1.0 | < 1.0 | 0.30 | < 1.0 | 0.33 | < 1.0 | < 1.0 | < 1.0 |
| Vinyl chloride | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| TVOCs | 0.0 | 0.0 | 18 | 0.0 | 15 | 6.3 | 43 | |

Footnotes on last page

Table 2. Concentrations of Volatile Organic Compounds in Groundwater Samples Collected from Vertical Profile Borings, Pre-Design Sampling for the Groundwater Hotspot, Northrop Grumman Systems Corporation, Operable Unit 3 (Former Grumman Settling Ponds), Bethpage, New York.

| CONSTITUENT (ug/L) | Sample Location: Sample Depth (ft bls): Sample Date: Sample ID: | RW-21_VP-8 325-326 11/5/2015 RW-21_VP-8(325-326) | RW-21_VP-8 341-342 11/9/2015 RW-21_VP-8(341-342) | RW-21_VP-8 361-362 11/9/2015 RW-21_VP-8(361-362) | RW-21_VP-8 381-382 11/9/2015 RW-21_VP-8(381-382) | RW-21_VP-8 402-403 11/10/2015 RW-21_VP-8(402-403) | RW-21_VP-8 402-403 11/10/2015 REP111015SL1 | RW-21_VP-8 422-423 11/10/2015 RW-21_VP-8(422-423) |
|---------------------------------------|--|---|---|---|---|--|---|--|
| 1,1,1-Trichloroethane | | < 1.0 | < 1.0 | 0.43 J | < 1.0 | 0.51 J | 0.59 J | 0.79 J |
| 1,1,2,2-Tetrachloroethane | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 1,1,2-trichloro-1,2,2-trifluoroethane | | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 |
| 1,1,2-Trichloroethane | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 1,1-Dichloroethane | | < 1.0 | < 1.0 | 0.20 J | < 1.0 | 1.4 | 1.5 | 1.2 |
| 1,1-Dichloroethene | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | 0.56 J | 0.64 J | 0.59 J |
| 1,2-Dichloroethane | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 1,2-Dichloropropane | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 2-Butanone (MEK) | | < 10 | < 10 | < 10 | < 10 | < 10 | < 10 | < 10 |
| 4-Methyl-2-Pentanone | | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 |
| Acetone | | 14.0 | 6.3 J | < 10 | 8.2 J | < 10 | < 10 | < 10 |
| Benzene | | < 0.50 | < 0.50 | < 0.50 | < 0.50 | < 0.50 | < 0.50 | < 0.50 |
| Bromodichloromethane | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Bromoform | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Bromomethane | | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 |
| Carbon Disulfide | | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 |
| Carbon Tetrachloride | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| CFC-12 | | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 |
| Chlorobenzene | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Chlorodibromomethane | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Chlorodifluoromethane | | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 |
| Chloroethane | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Chloroform | | < 1.0 | < 1.0 | 0.45 J | < 1.0 | 0.57 J | 0.70 J | 0.56 J |
| Chloromethane | | 0.48 J | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| cis-1,2-Dichloroethene | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | 3.0 | 3.2 | 2.5 |
| cis-1,3-Dichloropropene | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Dichloromethane | | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 |
| Ethylbenzene | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| m,p-Xylene | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Methyl N-Butyl Ketone (2-Hexanone) | | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 |
| o-Xylene | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Styrene (Monomer) | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Tetrachloroethene | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | 0.44 J | < 1.0 |
| Toluene | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| trans-1,2-Dichloroethene | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| trans-1,3-Dichloropropene | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Trichloroethene | | < 1.0 | < 1.0 | 0.27 J | 0.33 J | 33.3 | 35.9 | 13.9 |
| Vinyl chloride | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| TVOCs | | 14 | 6.3 | 1.0 | 8.5 | 39 | 43 | 20 |

Footnotes on last page

Table 2. Concentrations of Volatile Organic Compounds in Groundwater Samples Collected from Vertical Profile Borings, Pre-Design Sampling for the Groundwater Hotspot, Northrop Grumman Systems Corporation, Operable Unit 3 (Former Grumman Settling Ponds), Bethpage, New York.

| CONSTITUENT (ug/L) | Sample Location: Sample Depth (ft bls): Sample Date: Sample ID: | RW-21_VP-8 441-442 11/10/2015 RW-21_VP-8(441-442) | RW-21_VP-8 466-467 11/11/2015 RW-21_VP-8(466-467) | RW-21_VP-8 481-482 11/11/2015 RW-21_VP-8(481-482) | RW-21_VP-8 502-503 11/11/2015 RW-21_VP-8(502-503) | RW-21_VP-8 525-526 11/11/2015 RW-21_VP-8(525-526) | RW-21_VP-8 546-547 11/12/2015 RW-21_VP-8(546-547) | RW-21_VP-8 561 11/12/2015 RW-21_VP-8(561-562) |
|---------------------------------------|--|--|--|--|--|--|--|--|
| 1,1,1-Trichloroethane | | 0.29 J | 1.7 | < 1.0 | 0.66 J | < 1.0 | < 1.0 | < 1.0 |
| 1,1,2,2-Tetrachloroethane | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 1,1,2-trichloro-1,2,2-trifluoroethane | | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 |
| 1,1,2-Trichloroethane | | < 1.0 | 0.34 J | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 1,1-Dichloroethane | | 1.2 | 8.0 | 0.31 J | 1.7 | < 1.0 | < 1.0 | < 1.0 |
| 1,1-Dichloroethene | | 0.52 J | 5.4 | < 1.0 | 2.0 | < 1.0 | < 1.0 | < 1.0 |
| 1,2-Dichloroethane | | < 1.0 | 4.1 | < 1.0 | 1.7 | < 1.0 | < 1.0 | < 1.0 |
| 1,2-Dichloropropane | | < 1.0 | 0.76 J | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 2-Butanone (MEK) | | < 10 | < 10 | < 10 | < 10 | < 10 | < 10 | < 10 |
| 4-Methyl-2-Pentanone | | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 |
| Acetone | | < 10 | 5.1 J | 7.7 J | < 10 | 10.2 | 10.3 | 4.6 J |
| Benzene | | < 0.50 | < 0.50 | < 0.50 | < 0.50 | < 0.50 | < 0.50 | < 0.50 |
| Bromodichloromethane | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Bromoform | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Bromomethane | | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 |
| Carbon Disulfide | | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 |
| Carbon Tetrachloride | | < 1.0 | 0.44 J | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| CFC-12 | | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 |
| Chlorobenzene | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Chlorodibromomethane | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Chlorodifluoromethane | | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 |
| Chloroethane | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Chloroform | | 0.48 J | 3.4 | < 1.0 | 1.2 | < 1.0 | < 1.0 | < 1.0 |
| Chloromethane | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| cis-1,2-Dichloroethene | | 19.8 | 121 | 3.2 | 16.9 | 0.49 J | 0.42 J | < 1.0 |
| cis-1,3-Dichloropropene | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Dichloromethane | | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 |
| Ethylbenzene | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| m,p-Xylene | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Methyl N-Butyl Ketone (2-Hexanone) | | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 |
| o-Xylene | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Styrene (Monomer) | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Tetrachloroethene | | 0.53 J | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Toluene | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| trans-1,2-Dichloroethene | | < 1.0 | 1.5 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| trans-1,3-Dichloropropene | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Trichloroethene | | 28.0 | 277 | 14.9 | 170 | 1.6 | 1.9 | 0.67 J |
| Vinyl chloride | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| TVOCs | | 51 | 430 | 26 | 190 | 12 | 12 | 5.3 |

Footnotes on last page

Table 2. Concentrations of Volatile Organic Compounds in Groundwater Samples Collected from Vertical Profile Borings, Pre-Design Sampling for the Groundwater Hotspot, Northrop Grumman Systems Corporation, Operable Unit 3 (Former Grumman Settling Ponds), Bethpage, New York.

| CONSTITUENT (ug/L) | Sample Location: Sample Depth (ft bls): Sample Date: Sample ID: | RW-21_VP-8 581-582 11/16/2015 RW_21-VP-8(581-582) | RW-21_VP-8 601-602 11/16/2015 RW_21-VP-8(601-602) | RW-21_VP-8 620-621 11/16/2015 RW_21-VP-8(620-621) | RW-21_VP-8 641-642 11/17/2015 RW_21-VP-8(641-642) | RW-21_VP-8 660-661 11/17/2015 RW_21-VP-8(660-661) | RW-21_VP-8 680-681 11/17/2015 RW_21-VP-8(680-681) | RW-21_VP-8 700-701 11/17/2015 RW_21-VP-8(700-701) |
|---------------------------------------|--|--|--|--|--|--|--|--|
| 1,1,1-Trichloroethane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 1,1,2,2-Tetrachloroethane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 1,1,2-trichloro-1,2,2-trifluoroethane | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 |
| 1,1,2-Trichloroethane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 1,1-Dichloroethane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 1,1-Dichloroethene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 1,2-Dichloroethane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 1,2-Dichloropropane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 2-Butanone (MEK) | < 10 | < 10 | < 10 | < 10 | < 10 | < 10 | < 10 | < 10 |
| 4-Methyl-2-Pentanone | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 |
| Acetone | 10.5 | 5.7 J | 11.6 | 3.7 J | 14.5 | 7.6 J | 3.5 J | |
| Benzene | < 0.50 | < 0.50 | < 0.50 | < 0.50 | < 0.50 | < 0.50 | < 0.50 | < 0.50 |
| Bromodichloromethane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Bromoform | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Bromomethane | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 |
| Carbon Disulfide | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 |
| Carbon Tetrachloride | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| CFC-12 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 |
| Chlorobenzene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Chlorodibromomethane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Chlorodifluoromethane | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 |
| Chloroethane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Chloroform | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Chloromethane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| cis-1,2-Dichloroethene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| cis-1,3-Dichloropropene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Dichloromethane | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 |
| Ethylbenzene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| m,p-Xylene | 0.59 J | < 1.0 | 0.66 J | < 1.0 | 0.71 J | 0.51 J | < 1.0 | < 1.0 |
| Methyl N-Butyl Ketone (2-Hexanone) | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 |
| o-Xylene | 0.21 J | < 1.0 | 0.24 J | < 1.0 | 0.21 J | < 1.0 | < 1.0 | < 1.0 |
| Styrene (Monomer) | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Tetrachloroethene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Toluene | 0.22 J | < 1.0 | 0.20 J | < 1.0 | 0.22 J | 0.21 J | < 1.0 | < 1.0 |
| trans-1,2-Dichloroethene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| trans-1,3-Dichloropropene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Trichloroethene | 0.77 J | 0.25 J | 0.38 J | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Vinyl chloride | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| TVOCs | 12 | 6.0 | 13 | 3.7 | 16 | 8.3 | 3.5 | |

Footnotes on last page

Table 2. Concentrations of Volatile Organic Compounds in Groundwater Samples Collected from Vertical Profile Borings, Pre-Design Sampling for the Groundwater Hotspot, Northrop Grumman Systems Corporation, Operable Unit 3 (Former Grumman Settling Ponds), Bethpage, New York.

| CONSTITUENT (ug/L) | Sample Location: Sample Depth (ft bls): Sample Date: Sample ID: | RW-21_VP-9 337-338 4/2/2015 RW-21_VP-9(337-338) | RW-21_VP-9 347-348 4/2/2015 RW-21_VP-9(347-348) | RW-21_VP-9 347-348 4/2/2015 REP040215SL | RW-21_VP-9 391-392 4/6/2015 RW-21_VP-9(391-392) | RW-21_VP-9 407-408 4/6/2015 RW-21_VP-9(407-408) | RW-21_VP-9 430-431 4/6/2015 RW-21_VP-9(430-431) | RW-21_VP-9 446-447 4/7/2015 RW-21_VP-9(446-447) |
|---------------------------------------|--|--|--|--|--|--|--|--|
| 1,1,1-Trichloroethane | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | 0.66 | 0.76 | 1.2 |
| 1,1,2,2-Tetrachloroethane | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 1,1,2-trichloro-1,2,2-trifluoroethane | | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 |
| 1,1,2-Trichloroethane | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 1,1-Dichloroethane | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | 1.0 | 0.49 | 0.59 |
| 1,1-Dichloroethene | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | 1.0 | 1.1 | 0.95 |
| 1,2-Dichloroethane | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 1,2-Dichloropropane | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 2-Butanone (MEK) | | < 10 | < 10 | < 10 | < 10 | < 10 | < 10 | < 10 |
| 4-Methyl-2-Pentanone | | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 |
| Acetone | | 19.3 | < 10 | < 10 | 10.4 | < 10 | < 10 | 6.1 |
| Benzene | | 0.29 | < 0.50 | < 0.50 | < 0.50 | < 0.50 | < 0.50 | < 0.50 |
| Bromodichloromethane | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Bromoform | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Bromomethane | | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 |
| Carbon Disulfide | | < 2.0 | < 2.0 | < 2.0 | 0.27 | < 2.0 | < 2.0 | 0.36 |
| Carbon Tetrachloride | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| CFC-12 | | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 |
| Chlorobenzene | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Chlorodibromomethane | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Chlorodifluoromethane | | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 |
| Chloroethane | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Chloroform | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | 0.22 | < 1.0 | < 1.0 |
| Chloromethane | | < 1.0 | < 1.0 | < 1.0 | 0.87 | < 1.0 | < 1.0 | 0.57 |
| cis-1,2-Dichloroethene | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | 1.4 | 2.9 | 1.3 |
| cis-1,3-Dichloropropene | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Dichloromethane | | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 |
| Ethylbenzene | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| m,p-Xylene | | 0.61 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Methyl N-Butyl Ketone (2-Hexanone) | | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 |
| o-Xylene | | 0.29 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Styrene (Monomer) | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Tetrachloroethene | | < 1.0 | 0.64 | 0.59 | < 1.0 | 0.43 | < 1.0 | < 1.0 |
| Toluene | | 0.61 | < 1.0 | < 1.0 | 0.47 | 1.2 | 0.31 | 0.78 |
| trans-1,2-Dichloroethene | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| trans-1,3-Dichloropropene | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Trichloroethene | | 4.7 | 6.5 | 6.4 | 6.3 | 123 | 87.5 | 62.8 |
| Vinyl chloride | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| TVOCs | | 26 | 7.1 | 7.0 | 18 | 130 | 93 | 75 |

Footnotes on last page

Table 2. Concentrations of Volatile Organic Compounds in Groundwater Samples Collected from Vertical Profile Borings, Pre-Design Sampling for the Groundwater Hotspot, Northrop Grumman Systems Corporation, Operable Unit 3 (Former Grumman Settling Ponds), Bethpage, New York.

| CONSTITUENT (ug/L) | Sample Location: Sample Depth (ft bls): Sample Date: Sample ID: | RW-21_VP-9 467-468 4/7/2015 RW-21_VP-9(467-468) | RW-21_VP-9 491-492 4/7/2015 RW-21_VP-9(491-492) | RW-21_VP-9 507-508 4/7/2015 RW-21_VP-9(507-508) | RW-21_VP-9 530-531 4/7/2015 RW-21_VP-9(530-531) | RW-21_VP-9 556-557 4/8/2015 RW-21_VP-9(556-557) | RW-21_VP-9 567-568 4/8/2015 RW-21_VP-9(567-568) | RW-21_VP-9 591-592 4/9/2015 RW-21_VP-9(591-592) |
|---------------------------------------|--|--|--|--|--|--|--|--|
| 1,1,1-Trichloroethane | | 0.84 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | 0.49 | < 1.0 |
| 1,1,2,2-Tetrachloroethane | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 1,1,2-trichloro-1,2,2-trifluoroethane | | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 |
| 1,1,2-Trichloroethane | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 1,1-Dichloroethane | | 3.5 | < 1.0 | 1.3 | < 1.0 | 0.35 | 3.3 | < 1.0 |
| 1,1-Dichloroethene | | 1.3 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | 0.93 | < 1.0 |
| 1,2-Dichloroethane | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | 0.39 | < 1.0 |
| 1,2-Dichloropropane | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 2-Butanone (MEK) | | < 10 | < 10 | < 10 | < 10 | < 10 | < 10 | < 10 |
| 4-Methyl-2-Pentanone | | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 |
| Acetone | | < 10 | 29.4 | < 10 | 12.0 | 5.9 | < 10 | 6.5 |
| Benzene | | < 0.50 | < 0.50 | < 0.50 | < 0.50 | < 0.50 | < 0.50 | < 0.50 |
| Bromodichloromethane | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Bromoform | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Bromomethane | | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 |
| Carbon Disulfide | | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 |
| Carbon Tetrachloride | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | 0.43 | < 1.0 |
| CFC-12 | | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 |
| Chlorobenzene | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Chlorodibromomethane | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Chlorodifluoromethane | | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 |
| Chloroethane | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Chloroform | | 0.25 | < 1.0 | < 1.0 | < 1.0 | 0.31 | 1.2 | 1.1 |
| Chloromethane | | < 1.0 | 0.42 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| cis-1,2-Dichloroethene | | 1.3 | 0.45 | < 1.0 | < 1.0 | 0.63 | 0.95 | 1.3 |
| cis-1,3-Dichloropropene | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Dichloromethane | | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 |
| Ethylbenzene | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| m,p-Xylene | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Methyl N-Butyl Ketone (2-Hexanone) | | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 |
| o-Xylene | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Styrene (Monomer) | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Tetrachloroethene | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Toluene | | 0.45 | 2.0 | 1.4 | 2.1 | 1.5 | 1.7 | 0.79 |
| trans-1,2-Dichloroethene | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| trans-1,3-Dichloropropene | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Trichloroethene | | 14.7 | 20.8 | 3.3 | 9.0 | 8.1 | 7.2 | 4.9 |
| Vinyl chloride | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| TVOCs | | 22 | 53 | 6.0 | 23 | 17 | 17 | 15 |

Footnotes on last page

Table 2. Concentrations of Volatile Organic Compounds in Groundwater Samples Collected from Vertical Profile Borings, Pre-Design Sampling for the Groundwater Hotspot, Northrop Grumman Systems Corporation, Operable Unit 3 (Former Grumman Settling Ponds), Bethpage, New York.

| CONSTITUENT (ug/L) | Sample Location: Sample Depth (ft bls): Sample Date: Sample ID: | RW-21_VP-9 606-607 4/9/2015 RW-21_VP-9(606-607) | RW-21_VP-9 632-633 4/9/2015 RW-21_VP-9(632-633) | RW-21_VP-9 650-651 4/9/2015 RW-21_VP-9 (650-651) | RW-21_VP-9 667-668 4/9/2015 RW-21_VP-9 (667-668) | RW-21_VP-9 692-693 4/13/2015 RW-21_VP-9(692-693) | RW-21_VP-9 706-707 4/13/2015 RW-21_VP-9(706-707) | RW-21_VP-11 302-303 1/19/2015 RW-21_VP-11(302-303) |
|---------------------------------------|--|--|--|---|---|---|---|---|
| 1,1,1-Trichloroethane | | 0.65 | 2.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 1,1,2,2-Tetrachloroethane | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 1,1,2-trichloro-1,2,2-trifluoroethane | | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 |
| 1,1,2-Trichloroethane | | < 1.0 | 0.81 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 1,1-Dichloroethane | | 3.9 | 8.2 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 1,1-Dichloroethene | | 1.9 | 4.9 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 1,2-Dichloroethane | | 2.4 | 4.3 | < 1.0 | 0.61 | < 1.0 | < 1.0 | < 1.0 |
| 1,2-Dichloropropane | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 2-Butanone (MEK) | | < 10 | < 10 | < 10 | < 10 | < 10 | < 10 | < 10 |
| 4-Methyl-2-Pentanone | | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 |
| Acetone | | < 10 | < 10 | < 10 | < 10 | 15.6 | < 10 | 15.9 |
| Benzene | | < 0.50 | < 0.50 | < 0.50 | < 0.50 | < 0.50 | < 0.50 | < 1.0 |
| Bromodichloromethane | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Bromoform | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 4.0 |
| Bromomethane | | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 |
| Carbon Disulfide | | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | 0.79 J | < 2.0 |
| Carbon Tetrachloride | | < 1.0 | 0.51 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| CFC-12 | | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 5.0 |
| Chlorobenzene | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Chlorodibromomethane | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | 0.65 |
| Chlorodifluoromethane | | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 |
| Chloroethane | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Chloroform | | 11.2 | 14.5 | 0.40 | 3.2 | < 1.0 | < 1.0 | 0.39 |
| Chloromethane | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| cis-1,2-Dichloroethene | | 29.4 | 123 | 3.2 | 7.0 | < 1.0 | < 1.0 | < 1.0 |
| cis-1,3-Dichloropropene | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Dichloromethane | | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 |
| Ethylbenzene | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| m,p-Xylene | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Methyl N-Butyl Ketone (2-Hexanone) | | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 |
| o-Xylene | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Styrene (Monomer) | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 5.0 |
| Tetrachloroethene | | < 1.0 | 0.47 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Toluene | | 0.55 | 0.71 | 0.87 | 30.6 | 0.40 J | 0.26 J | < 1.0 |
| trans-1,2-Dichloroethene | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| trans-1,3-Dichloropropene | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Trichloroethene | | 64.9 | 241 | 19.8 | 1.1 | 0.26 J | 3.4 | 4.3 |
| Vinyl chloride | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| TVOCs | | 110 | 400 | 24 | 43 | 16 | 4.5 | 21 |

Footnotes on last page

Table 2. Concentrations of Volatile Organic Compounds in Groundwater Samples Collected from Vertical Profile Borings, Pre-Design Sampling for the Groundwater Hotspot, Northrop Grumman Systems Corporation, Operable Unit 3 (Former Grumman Settling Ponds), Bethpage, New York.

| CONSTITUENT (ug/L) | Sample Location: Sample Depth (ft bls): Sample Date: Sample ID: | RW-21_VP-11 322-323 1/19/2015 RW-21_VP-11(322-323) | RW-21_VP-11 322-323 1/19/2015 REP011915SL | RW-21_VP-11 345-346 1/21/2015 RW-21_VP-11(345-346) | RW-21_VP-11 350-351 1/21/2015 RW-21_VP-11(350-351) | RW-21_VP-11 365-366 1/21/2015 RW-21_VP-11(365-366) | RW-21_VP-11 382-383 1/21/2015 RW-21_VP-11(382-383) | RW-21_VP-11 402-403 1/22/2015 RW-21_VP-11(402-403) |
|---------------------------------------|--|---|--|---|---|---|---|---|
| 1,1,1-Trichloroethane | | 0.67 | 0.82 | < 1.0 | < 1.0 | 0.62 | < 1.0 | 1.0 |
| 1,1,2,2-Tetrachloroethane | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 1,1,2-trichloro-1,2,2-trifluoroethane | | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 |
| 1,1,2-Trichloroethane | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 1,1-Dichloroethane | | 2.5 | 2.7 | < 1.0 | < 1.0 | 4.7 | < 1.0 | 4.2 |
| 1,1-Dichloroethene | | 0.99 | 1.2 | < 1.0 | < 1.0 | 0.65 | < 1.0 | 1.0 |
| 1,2-Dichloroethane | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 1,2-Dichloropropane | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 2-Butanone (MEK) | | < 10 | < 10 | < 10 | < 10 | < 10 | < 10 | < 10 |
| 4-Methyl-2-Pentanone | | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 |
| Acetone | | < 10 | < 10 | 13.0 | 12.9 | < 10 | 10.9 | < 10 |
| Benzene | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Bromodichloromethane | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Bromoform | | < 4.0 | < 4.0 | < 4.0 | < 4.0 | < 4.0 | < 4.0 | < 4.0 |
| Bromomethane | | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 |
| Carbon Disulfide | | < 2.0 | < 2.0 | 0.34 | 0.36 | < 2.0 | < 2.0 | < 2.0 |
| Carbon Tetrachloride | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| CFC-12 | | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 |
| Chlorobenzene | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Chlorodibromomethane | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Chlorodifluoromethane | | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 |
| Chloroethane | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Chloroform | | 0.41 | 0.41 | 0.25 | < 1.0 | 0.26 | < 1.0 | 0.40 |
| Chloromethane | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| cis-1,2-Dichloroethene | | 0.48 | 0.56 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| cis-1,3-Dichloropropene | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Dichloromethane | | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 |
| Ethylbenzene | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| m,p-Xylene | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Methyl N-Butyl Ketone (2-Hexanone) | | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 |
| o-Xylene | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Styrene (Monomer) | | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 |
| Tetrachloroethene | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Toluene | | < 1.0 | < 1.0 | 0.23 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| trans-1,2-Dichloroethene | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| trans-1,3-Dichloropropene | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Trichloroethene | | 173 | 195 | 2.7 | 3.1 | 14.3 | 2.0 | 20.7 |
| Vinyl chloride | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| TVOCs | | 180 | 200 | 17 | 16 | 21 | 13 | 27 |

Footnotes on last page

Table 2. Concentrations of Volatile Organic Compounds in Groundwater Samples Collected from Vertical Profile Borings, Pre-Design Sampling for the Groundwater Hotspot, Northrop Grumman Systems Corporation, Operable Unit 3 (Former Grumman Settling Ponds), Bethpage, New York.

| CONSTITUENT (ug/L) | Sample Location: RW-21_VP-11 | RW-21_VP-11 | RW-21_VP-11 | RW-21_VP-11 | RW-21_VP-11 | RW-21_VP-11 | RW-21_VP-11 | RW-21_VP-11 |
|---------------------------------------|---------------------------------|----------------------|----------------------|----------------------|----------------------|-------------|-------------|----------------------|
| | Sample Depth (ft bls): 422 | 442-443 | 462-463 | 482-483 | 512-513 | 512-513 | 512-513 | 522-523 |
| | Sample Date: 1/22/2015 | 1/22/2015 | 1/22/2015 | 1/23/2015 | 2/3/2015 | 2/3/2015 | 2/3/2015 | 2/4/2015 |
| | Sample ID: RW-21_VP-11(422-423) | RW-21_VP-11(442-443) | RW-21_VP-11(462-463) | RW-21_VP-11(482-483) | RW-21_VP-11(512-513) | REP020315SL | | RW-21_VP-11(522-523) |
| 1,1,1-Trichloroethane | < 1.0 | < 1.0 | 0.95 | < 1.0 | 1.7 | 1.8 | < 1.0 | < 1.0 |
| 1,1,2,2-Tetrachloroethane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 1,1,2-trichloro-1,2,2-trifluoroethane | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 |
| 1,1,2-Trichloroethane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 1,1-Dichloroethane | < 1.0 | < 1.0 | 4.3 | 2.3 | 8.8 | 8.8 | 0.96 | < 1.0 |
| 1,1-Dichloroethene | < 1.0 | < 1.0 | 0.92 | < 1.0 | 2.5 | 2.5 | < 1.0 | < 1.0 |
| 1,2-Dichloroethane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 1,2-Dichloropropane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 2-Butanone (MEK) | < 10 | < 10 | < 10 | < 10 | 5.2 | 5.3 | 8.6 | < 1.0 |
| 4-Methyl-2-Pentanone | < 5.0 | 3.1 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 |
| Acetone | < 10 | 28.0 | 3.6 | 11.3 | 5.8 | 4.8 | 50.7 | < 1.0 |
| Benzene | < 1.0 | < 1.0 | < 1.0 | 0.36 | < 1.0 | < 1.0 | < 1.0 | 0.45 |
| Bromodichloromethane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Bromoform | < 4.0 | < 4.0 | < 4.0 | < 4.0 | < 4.0 | < 4.0 | < 4.0 | < 4.0 |
| Bromomethane | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 |
| Carbon Disulfide | < 2.0 | 0.41 | < 2.0 | 0.35 | < 2.0 | < 2.0 | < 2.0 | 0.46 |
| Carbon Tetrachloride | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| CFC-12 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 |
| Chlorobenzene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Chlorodibromomethane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Chlorodifluoromethane | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 |
| Chloroethane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Chloroform | < 1.0 | < 1.0 | 0.42 | 0.58 | 0.52 | 0.55 | 0.31 | < 1.0 |
| Chloromethane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| cis-1,2-Dichloroethene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| cis-1,3-Dichloropropene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Dichloromethane | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 |
| Ethylbenzene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | 0.33 |
| m,p-Xylene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | 0.64 | 0.72 | 0.82 | < 1.0 |
| Methyl N-Butyl Ketone (2-Hexanone) | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 |
| o-Xylene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | 0.26 | 0.22 | 0.47 | < 1.0 |
| Styrene (Monomer) | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 |
| Tetrachloroethene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Toluene | < 1.0 | 0.23 | < 1.0 | 0.36 | < 1.0 | < 1.0 | < 1.0 | 0.45 |
| trans-1,2-Dichloroethene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| trans-1,3-Dichloropropene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Trichloroethene | 1.7 | 5.9 | 5.9 | 1.7 | 4.3 | 4.1 | 0.66 | < 1.0 |
| Vinyl chloride | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| TVOCs | 1.7 | 38 | 16 | 17 | 30 | 29 | 64 | |

Footnotes on last page

Table 2. Concentrations of Volatile Organic Compounds in Groundwater Samples Collected from Vertical Profile Borings, Pre-Design Sampling for the Groundwater Hotspot, Northrop Grumman Systems Corporation, Operable Unit 3 (Former Grumman Settling Ponds), Bethpage, New York.

| CONSTITUENT (ug/L) | Sample Location: Sample Depth (ft bls): Sample Date: Sample ID: | RW-21_VP-11 547-548 2/4/2015 RW-21_VP-11(547-548) | RW-21_VP-11 562-563 2/4/2015 RW-21_VP-11(562-563) | RW-21_VP-11 582-583 2/5/2015 RW-21_VP-11(582-583) | RW-21_VP-11 603-604 2/5/2015 RW-21_VP-11(603-604) | RW-21_VP-11 623-624 2/5/2015 RW-21_VP-11(623-624) | RW-21_VP-11 642-643 2/11/2015 RW-21_VP-11(642-643) | RW-21_VP-11 686-687 2/12/2015 RW-21_VP-11(686-687) |
|---------------------------------------|--|--|--|--|--|--|---|---|
| 1,1,1-Trichloroethane | | 0.80 | < 1.0 | < 1.0 | 2.2 | < 1.0 | < 4.0 | < 1.0 |
| 1,1,2,2-Tetrachloroethane | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 4.0 | < 1.0 |
| 1,1,2-trichloro-1,2,2-trifluoroethane | | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 20 | < 5.0 |
| 1,1,2-Trichloroethane | | < 1.0 | < 1.0 | < 1.0 | 1.2 | < 1.0 | < 4.0 | < 1.0 |
| 1,1-Dichloroethane | | 3.0 | < 1.0 | < 1.0 | 6.0 | < 1.0 | 1.8 | < 1.0 |
| 1,1-Dichloroethene | | 1.4 | < 1.0 | < 1.0 | 5.4 | < 1.0 | < 4.0 | < 1.0 |
| 1,2-Dichloroethane | | 0.50 | < 1.0 | < 1.0 | 7.1 | < 1.0 | 4.5 | < 1.0 |
| 1,2-Dichloropropane | | < 1.0 | < 1.0 | < 1.0 | 0.88 | < 1.0 | < 4.0 | < 1.0 |
| 2-Butanone (MEK) | | < 10 | < 10 | < 10 | < 10 | < 10 | < 40 | < 10 |
| 4-Methyl-2-Pentanone | | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 20 | < 5.0 |
| Acetone | | 13.3 | 11.6 | 8.6 | 3.8 | 9.0 | < 40 | 6.7 |
| Benzene | | < 1.0 | < 1.0 | < 1.0 | 0.32 | < 1.0 | < 4.0 | < 1.0 |
| Bromodichloromethane | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 4.0 | < 1.0 |
| Bromoform | | < 4.0 | < 4.0 | < 4.0 | < 4.0 | < 4.0 | < 16 | < 4.0 |
| Bromomethane | | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 8.0 | < 2.0 |
| Carbon Disulfide | | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 8.0 | < 2.0 |
| Carbon Tetrachloride | | < 1.0 | < 1.0 | < 1.0 | 0.28 | < 1.0 | < 4.0 | < 1.0 |
| CFC-12 | | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 20 | < 5.0 |
| Chlorobenzene | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 4.0 | < 1.0 |
| Chlorodibromomethane | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 4.0 | < 1.0 |
| Chlorodifluoromethane | | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 20 | < 5.0 |
| Chloroethane | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 4.0 | < 1.0 |
| Chloroform | | 0.89 | < 1.0 | < 1.0 | 18.9 | 0.72 | 3.8 | < 1.0 |
| Chloromethane | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 4.0 | < 1.0 |
| cis-1,2-Dichloroethene | | 3.6 | < 1.0 | < 1.0 | 105 | 3.1 | 75.5 | < 1.0 |
| cis-1,3-Dichloropropene | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 4.0 | < 1.0 |
| Dichloromethane | | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 8.0 | < 2.0 |
| Ethylbenzene | | 0.90 | 0.98 | 0.37 | < 1.0 | 0.45 | < 4.0 | < 1.0 |
| m,p-Xylene | | 4.0 | 3.7 | 0.74 | 0.54 | 1.6 | < 4.0 | < 1.0 |
| Methyl N-Butyl Ketone (2-Hexanone) | | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 20 | < 5.0 |
| o-Xylene | | 1.6 | 1.6 | 0.39 | 0.25 | 0.84 | < 4.0 | < 1.0 |
| Styrene (Monomer) | | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 20 | < 5.0 |
| Tetrachloroethene | | 0.53 | < 1.0 | < 1.0 | 0.70 | < 1.0 | < 4.0 | < 1.0 |
| Toluene | | 0.47 | 0.64 | 0.41 | 0.24 | 0.92 | < 4.0 | < 1.0 |
| trans-1,2-Dichloroethene | | < 1.0 | < 1.0 | < 1.0 | 0.81 | < 1.0 | < 4.0 | < 1.0 |
| trans-1,3-Dichloropropene | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 4.0 | < 1.0 |
| Trichloroethene | | 14.8 | 0.51 | 2.0 | 540 | 14.4 | 1870 | 0.29 |
| Vinyl chloride | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 4.0 | < 1.0 |
| TVOCs | | 46 | 19 | 13 | 690 | 31 | 2000 | 7.0 |

Footnotes on last page

Table 2. Concentrations of Volatile Organic Compounds in Groundwater Samples Collected from Vertical Profile Borings, Pre-Design Sampling for the Groundwater Hotspot, Northrop Grumman Systems Corporation, Operable Unit 3 (Former Grumman Settling Ponds), Bethpage, New York.

| CONSTITUENT (ug/L) | Sample Location: RW-21_VP-11 | RW-21_VP-11 | RW-21_VP-11 | RW-21_VP-11 | RW-21_VP-11 | RW-21_VP-11 | RW-21_VP-11 | RW-21_VP-11 |
|---------------------------------------|---------------------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|-------------|
| | Sample Depth (ft bls): 701-702 | 711-712 | 742-743 | 752-753 | 762-764 | 767-768 | 771-772 | |
| | Sample Date: 2/12/2015 | 2/18/2015 | 3/11/2015 | 3/11/2015 | 3/11/2015 | 3/12/2015 | 3/12/2015 | |
| | Sample ID: RW-21_VP-11(701-702) | RW-21_VP-11(711-712) | RW-21_VP-11(742-743) | RW-21_VP-11(752-753) | RW-21_VP-11(762-764) | RW-21_VP-11(767-768) | RW-21_VP-11(771-772) | |
| 1,1,1-Trichloroethane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 1,1,2,2-Tetrachloroethane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 1,1,2-trichloro-1,2,2-trifluoroethane | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 |
| 1,1,2-Trichloroethane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 1,1-Dichloroethane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 1,1-Dichloroethene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 1,2-Dichloroethane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 1,2-Dichloropropane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 2-Butanone (MEK) | < 10 | < 10 | < 10 | < 10 | < 10 | < 10 | < 10 | < 10 |
| 4-Methyl-2-Pentanone | < 5.0 | 6.3 | < 5.0 | 1.7 | < 5.0 | < 5.0 | < 5.0 | < 5.0 |
| Acetone | 8.8 | 6.0 | < 10 | 8.2 | 2.7 | 6.2 | 4.1 | |
| Benzene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Bromodichloromethane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Bromoform | < 4.0 | < 4.0 | < 4.0 | < 4.0 | < 4.0 | < 4.0 | < 4.0 | < 4.0 |
| Bromomethane | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 |
| Carbon Disulfide | < 2.0 | < 2.0 | < 2.0 | < 2.0 | 0.22 | < 2.0 | 0.23 | |
| Carbon Tetrachloride | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| CFC-12 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 |
| Chlorobenzene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Chlorodibromomethane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Chlorodifluoromethane | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 |
| Chloroethane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Chloroform | < 1.0 | < 1.0 | < 1.0 | 0.22 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Chloromethane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| cis-1,2-Dichloroethene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| cis-1,3-Dichloropropene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Dichloromethane | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 |
| Ethylbenzene | 0.36 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| m,p-Xylene | 0.70 | < 1.0 | < 1.0 | 0.67 | < 1.0 | 0.38 | < 1.0 | < 1.0 |
| Methyl N-Butyl Ketone (2-Hexanone) | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 |
| o-Xylene | 0.48 | < 1.0 | < 1.0 | 0.43 | < 1.0 | 0.26 | < 1.0 | < 1.0 |
| Styrene (Monomer) | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 |
| Tetrachloroethene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Toluene | 0.92 | < 1.0 | 0.44 | 0.66 | 0.39 | 0.66 | 0.29 | |
| trans-1,2-Dichloroethene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| trans-1,3-Dichloropropene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Trichloroethene | 4.2 | 1.1 | < 1.0 | 0.64 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Vinyl chloride | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| TVOCs | 15 | 13 | 0.44 | 13 | 3.3 | 7.5 | 4.6 | |

Footnotes on last page

Table 2. Concentrations of Volatile Organic Compounds in Groundwater Samples Collected from Vertical Profile Borings, Pre-Design Sampling for the Groundwater Hotspot, Northrop Grumman Systems Corporation, Operable Unit 3 (Former Grumman Settling Ponds), Bethpage, New York.

| CONSTITUENT (ug/L) | Sample Location: Sample Depth (ft bls): Sample Date: Sample ID: | RW-21_VP-11 771-772 3/12/2015 REP031215SL | RW-21_VP-11 777-778 3/12/2015 RW-21_VP-11(777-778) | RW-21_VP-11 781-782 3/12/2015 RW-21_VP-11(781-782) | RW-21_VP-11 796-797 3/12/2015 RW-21_VP-11 (796-797) | RW-21_VP-11 806-807 3/13/2015 RW-21_VP-11 (806-807) | RW-21_VP-11 812-813 3/16/2015 RW-21_VP-11(812-813) | RW-21_VP-11 817-818 3/16/2015 RW-21_VP-11(817-818) |
|---------------------------------------|--|--|---|---|--|--|---|---|
| 1,1,1-Trichloroethane | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 1,1,2,2-Tetrachloroethane | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 1,1,2-trichloro-1,2,2-trifluoroethane | | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 |
| 1,1,2-Trichloroethane | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 1,1-Dichloroethane | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 1,1-Dichloroethene | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 1,2-Dichloroethane | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 1,2-Dichloropropane | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 2-Butanone (MEK) | | < 10 | < 10 | < 10 | < 10 | < 10 | < 10 | < 10 |
| 4-Methyl-2-Pentanone | | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 |
| Acetone | | 4.3 | 8.6 | 15.8 | < 10 | 9.5 | 7.5 | 4.9 |
| Benzene | | < 1.0 | 0.23 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Bromodichloromethane | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Bromoform | | < 4.0 | < 4.0 | < 4.0 | < 4.0 | < 4.0 | < 4.0 | < 4.0 |
| Bromomethane | | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 |
| Carbon Disulfide | | 0.37 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | 0.34 | 0.23 |
| Carbon Tetrachloride | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| CFC-12 | | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 |
| Chlorobenzene | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Chlorodibromomethane | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Chlorodifluoromethane | | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 |
| Chloroethane | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Chloroform | | < 1.0 | < 1.0 | 0.21 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Chloromethane | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| cis-1,2-Dichloroethene | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| cis-1,3-Dichloropropene | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Dichloromethane | | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 |
| Ethylbenzene | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| m,p-Xylene | | < 1.0 | 0.53 | < 1.0 | < 1.0 | 0.44 | < 1.0 | < 1.0 |
| Methyl N-Butyl Ketone (2-Hexanone) | | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 |
| o-Xylene | | 0.21 | 0.37 | 0.28 | < 1.0 | 0.20 | < 1.0 | < 1.0 |
| Styrene (Monomer) | | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 |
| Tetrachloroethene | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Toluene | | 0.49 | 0.84 | 0.52 | < 1.0 | 0.32 | < 1.0 | < 1.0 |
| trans-1,2-Dichloroethene | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| trans-1,3-Dichloropropene | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Trichloroethene | | < 1.0 | 0.47 | 0.53 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Vinyl chloride | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| TVOCs | | 5.4 | 11 | 17 | 0.0 | 11 | 7.8 | 5.1 |

Footnotes on last page

Table 2. Concentrations of Volatile Organic Compounds in Groundwater Samples Collected from Vertical Profile Borings, Pre-Design Sampling for the Groundwater Hotspot, Northrop Grumman Systems Corporation, Operable Unit 3 (Former Grumman Settling Ponds), Bethpage, New York.

| CONSTITUENT (ug/L) | Sample Location: Sample Depth (ft bls): Sample Date: Sample ID: | RW-21_VP-12 300-301 10/6/2015 RW-21_VP-12(300-301) | RW-21_VP-12 320-321 10/6/2015 RW-21_VP-12(320-321) | RW-21_VP-12 340-341 10/6/2015 RW-21_VP-12(340-341) | RW-21_VP-12 340-341 10/6/2015 REP100615AM1 | RW-21_VP-12 360-361 10/6/2015 RW-21_VP-12(360-361) | RW-21_VP-12 380-381 10/7/2015 RW-21_VP-12 (380-381) | RW-21_VP-12 400-401 10/7/2015 RW-21_VP-12 (400-401) |
|---------------------------------------|--|---|---|---|---|---|--|--|
| 1,1,1-Trichloroethane | | 0.38 J | < 1.0 | 0.30 J | 0.36 J | 0.43 J | 0.94 J | 0.98 J |
| 1,1,2,2-Tetrachloroethane | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 1,1,2-trichloro-1,2,2-trifluoroethane | | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 |
| 1,1,2-Trichloroethane | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 1,1-Dichloroethane | | 0.69 J | 0.22 J | 0.41 J | 0.43 J | 0.66 J | 2.1 | 2.1 |
| 1,1-Dichloroethene | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | 0.87 J | 0.73 J |
| 1,2-Dichloroethane | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 1,2-Dichloropropane | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 2-Butanone (MEK) | | < 10 | < 10 | < 10 | < 10 | < 10 | < 10 | < 10 |
| 4-Methyl-2-Pentanone | | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 |
| Acetone | | < 10 | 3.9 J | < 10 | < 10 | < 10 | 4.8 J | < 10 |
| Benzene | | < 0.50 | < 0.50 | < 0.50 | < 0.50 | < 0.50 | < 0.50 | < 0.50 |
| Bromodichloromethane | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Bromoform | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Bromomethane | | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 |
| Carbon Disulfide | | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 |
| Carbon Tetrachloride | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| CFC-12 | | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 |
| Chlorobenzene | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Chlorodibromomethane | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Chlorodifluoromethane | | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 |
| Chloroethane | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Chloroform | | 0.25 J | 0.20 J | 0.24 J | 0.31 J | 0.43 J | 0.78 J | 0.59 J |
| Chloromethane | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| cis-1,2-Dichloroethene | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| cis-1,3-Dichloropropene | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Dichloromethane | | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 |
| Ethylbenzene | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| m,p-Xylene | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Methyl N-Butyl Ketone (2-Hexanone) | | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 |
| o-Xylene | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Styrene (Monomer) | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Tetrachloroethene | | 0.41 J | 0.52 J | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Toluene | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| trans-1,2-Dichloroethene | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| trans-1,3-Dichloropropene | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Trichloroethene | | 0.65 J | < 1.0 | 2.2 | 2.8 | 7.5 | 19.3 | 24.8 |
| Vinyl chloride | | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| TVOCs | | 2.4 | 4.8 | 3.2 | 3.9 | 9.0 | 29 | 29 |

Footnotes on last page

Table 2. Concentrations of Volatile Organic Compounds in Groundwater Samples Collected from Vertical Profile Borings, Pre-Design Sampling for the Groundwater Hotspot, Northrop Grumman Systems Corporation, Operable Unit 3 (Former Grumman Settling Ponds), Bethpage, New York.

| CONSTITUENT (ug/L) | Sample Location: RW-21_VP-12 | RW-21_VP-12 | RW-21_VP-12 | RW-21_VP-12 | RW-21_VP-12 | RW-21_VP-12 | RW-21_VP-12 | RW-21_VP-12 |
|---------------------------------------|----------------------------------|-----------------------|---------------------|---------------------|----------------------|----------------------|----------------------|-------------|
| | Sample Depth (ft bls): 420-421 | 440-441 | 461-462 | 481-482 | 500-501 | 525-526 | 540-541 | |
| | Sample Date: 10/7/2015 | 10/7/2015 | 10/8/2015 | 10/8/2015 | 10/12/2015 | 10/12/2015 | 10/12/2015 | |
| | Sample ID: RW-21_VP-12 (420-421) | RW-21_VP-12 (440-441) | RW-21_VP12(461-462) | RW-21_VP12(481-482) | RW_21-VP-12(500-501) | RW_21-VP-12(525-526) | RW_21-VP-12(540-541) | |
| 1,1,1-Trichloroethane | 1.9 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 1,1,2,2-Tetrachloroethane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 1,1,2-trichloro-1,2,2-trifluoroethane | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 |
| 1,1,2-Trichloroethane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 1,1-Dichloroethane | 7.6 | < 1.0 | 0.73 J | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 1,1-Dichloroethene | 2.2 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 1,2-Dichloroethane | 1.7 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 1,2-Dichloropropane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 2-Butanone (MEK) | < 10 | < 10 | < 10 | < 10 | < 10 | < 10 | < 10 | < 10 |
| 4-Methyl-2-Pentanone | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 |
| Acetone | < 10 | 4.8 J | < 10 | < 10 | 5.1 J | 9.0 J | < 10 | < 10 |
| Benzene | < 0.50 | < 0.50 | < 0.50 | < 0.50 | < 0.50 | < 0.50 | < 0.50 | < 0.50 |
| Bromodichloromethane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Bromoform | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Bromomethane | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 |
| Carbon Disulfide | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 |
| Carbon Tetrachloride | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| CFC-12 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 |
| Chlorobenzene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Chlorodibromomethane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Chlorodifluoromethane | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 |
| Chloroethane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Chloroform | 0.88 J | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Chloromethane | < 1.0 | < 1.0 | 0.75 J | 0.62 J | 1.8 | < 1.0 | < 1.0 | < 1.0 |
| cis-1,2-Dichloroethene | 9.3 | < 1.0 | 0.36 J | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| cis-1,3-Dichloropropene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Dichloromethane | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 |
| Ethylbenzene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| m,p-Xylene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Methyl N-Butyl Ketone (2-Hexanone) | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 |
| o-Xylene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Styrene (Monomer) | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Tetrachloroethene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Toluene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | 0.28 J | < 1.0 | < 1.0 |
| trans-1,2-Dichloroethene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| trans-1,3-Dichloropropene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Trichloroethene | 72.9 | 1.1 | 4.0 | 0.28 J | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Vinyl chloride | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| TVOCs | 96 | 5.9 | 5.8 | 0.9 | 6.9 | 9.3 | 0.0 | |

Footnotes on last page

Table 2. Concentrations of Volatile Organic Compounds in Groundwater Samples Collected from Vertical Profile Borings, Pre-Design Sampling for the Groundwater Hotspot, Northrop Grumman Systems Corporation, Operable Unit 3 (Former Grumman Settling Ponds), Bethpage, New York.

| CONSTITUENT (ug/L) | Sample Location: RW-21_VP-12 | RW-21_VP-12 | RW-21_VP-12 | RW-21_VP-12 | RW-21_VP-12 | RW-21_VP-12 | RW-21_VP-12 | RW-21_VP-12 |
|---------------------------------------|---------------------------------|----------------------|----------------------|----------------------|----------------------|-----------------------|-----------------------|-------------|
| | Sample Depth (ft bls): 560-561 | 580-581 | 600-601 | 620-621 | 640-641 | 660-661 | 680-681 | |
| | Sample Date: 10/13/2015 | 10/13/2015 | 10/13/2015 | 10/13/2015 | 10/13/2015 | 10/14/2015 | 10/14/2015 | |
| | Sample ID: RW_21-VP-12(560-561) | RW_21-VP-12(580-581) | RW_21-VP-12(600-601) | RW_21-VP-12(620-621) | RW_21-VP-12(640-641) | RW_21-VP-12 (660-661) | RW_21-VP-12 (680-681) | |
| 1,1,1-Trichloroethane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 1,1,2,2-Tetrachloroethane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 1,1,2-trichloro-1,2,2-trifluoroethane | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 |
| 1,1,2-Trichloroethane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 1,1-Dichloroethane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 1,1-Dichloroethene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 1,2-Dichloroethane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 1,2-Dichloropropane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| 2-Butanone (MEK) | < 10 | < 10 | < 10 | < 10 | < 10 | < 10 | < 10 | < 10 |
| 4-Methyl-2-Pentanone | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 |
| Acetone | < 10 | < 10 | 6.4 J | 6.5 J | < 10 | 4.2 J | 8.2 J | |
| Benzene | < 0.50 | < 0.50 | < 0.50 | < 0.50 | < 0.50 | < 0.50 | < 0.50 | < 0.50 |
| Bromodichloromethane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Bromoform | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Bromomethane | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 |
| Carbon Disulfide | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 |
| Carbon Tetrachloride | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| CFC-12 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 |
| Chlorobenzene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Chlorodibromomethane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Chlorodifluoromethane | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 |
| Chloroethane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Chloroform | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Chloromethane | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| cis-1,2-Dichloroethene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| cis-1,3-Dichloropropene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Dichloromethane | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | < 2.0 |
| Ethylbenzene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| m,p-Xylene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Methyl N-Butyl Ketone (2-Hexanone) | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | < 5.0 |
| o-Xylene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Styrene (Monomer) | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Tetrachloroethene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Toluene | < 1.0 | < 1.0 | < 1.0 | 0.30 J | 0.17 J | < 1.0 | < 1.0 | < 1.0 |
| trans-1,2-Dichloroethene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| trans-1,3-Dichloropropene | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| Trichloroethene | 0.38 J | < 1.0 | < 1.0 | 0.33 J | 0.37 J | < 1.0 | < 1.0 | < 1.0 |
| Vinyl chloride | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 |
| TVOCs | 0.38 | 0.0 | 6.4 | 7.1 | 0.54 | 4.2 | 8.2 | |

Footnotes on last page

Table 2. Concentrations of Volatile Organic Compounds in Groundwater Samples Collected from Vertical Profile Borings, Pre-Design Sampling for the Groundwater Hotspot, Northrop Grumman Systems Corporation, Operable Unit 3 (Former Grumman Settling Ponds), Bethpage, New York.

| CONSTITUENT (ug/L) | Sample Location: Sample Depth (ft bls): Sample Date: Sample ID: | RW-21_VP-12 700-701 10/14/2015 RW_21-VP-12 (700-701) |
|---------------------------------------|--|---|
| 1,1,1-Trichloroethane | | < 1.0 |
| 1,1,2,2-Tetrachloroethane | | < 1.0 |
| 1,1,2-trichloro-1,2,2-trifluoroethane | | < 5.0 |
| 1,1,2-Trichloroethane | | < 1.0 |
| 1,1-Dichloroethane | | < 1.0 |
| 1,1-Dichloroethene | | < 1.0 |
| 1,2-Dichloroethane | | < 1.0 |
| 1,2-Dichloropropane | | < 1.0 |
| 2-Butanone (MEK) | | < 10 |
| 4-Methyl-2-Pentanone | | < 5.0 |
| Acetone | | 6.5 J |
| Benzene | | < 0.50 |
| Bromodichloromethane | | < 1.0 |
| Bromoform | | < 1.0 |
| Bromomethane | | < 2.0 |
| Carbon Disulfide | | < 2.0 |
| Carbon Tetrachloride | | < 1.0 |
| CFC-12 | | < 2.0 |
| Chlorobenzene | | < 1.0 |
| Chlorodibromomethane | | < 1.0 |
| Chlorodifluoromethane | | < 5.0 |
| Chloroethane | | < 1.0 |
| Chloroform | | < 1.0 |
| Chloromethane | | < 1.0 |
| cis-1,2-Dichloroethene | | < 1.0 |
| cis-1,3-Dichloropropene | | < 1.0 |
| Dichloromethane | | < 2.0 |
| Ethylbenzene | | < 1.0 |
| m,p-Xylene | | < 1.0 |
| Methyl N-Butyl Ketone (2-Hexanone) | | < 5.0 |
| o-Xylene | | < 1.0 |
| Styrene (Monomer) | | < 1.0 |
| Tetrachloroethene | | < 1.0 |
| Toluene | | < 1.0 |
| trans-1,2-Dichloroethene | | < 1.0 |
| trans-1,3-Dichloropropene | | < 1.0 |
| Trichloroethene | | < 1.0 |
| Vinyl chloride | | < 1.0 |
| TVOCs | | 6.5 |

Footnotes on last page