

Pelton, Jason M (DEC)

From: Zahradnik, Art <Art.Zahradnik@arcadis.com>
Sent: Tuesday, January 16, 2018 5:15 PM
To: Pelton, Jason M (DEC)
Cc: Scharf, Steven (DEC); Hesler, Donald (DEC); Hannon, ED [US] (AS); San Giovanni, Carlo; Stern, David; Wolfert, Mike
Subject: Form 1 Data - Northrop Grumman Bethpage - OU2 4Q-2017 Groundwater Sampling
Attachments: Form1_011618.pdf

ATTENTION: This email came from an external source. Do not open attachments or click on links from unknown senders or unexpected emails.

Dear Jason:

On behalf of Northrop Grumman, Arcadis is submitting the attached Form 1 data. As per discussions between Northrop Grumman and NYSDEC, NYSDEC requested that Northrop Grumman submit the validated Form 1s as soon as the information is available.

The attached Form 1s are for the **OU2 4Q 2017** routine sampling event (**samples collected between 11/2/17 and 11/8/17**) per the OU2 Groundwater Monitoring Plan (Arcadis 2016).

Regards,

Art Zahradnik | Associate Project Manager / Senior Hydrogeologist | art.zahradnik@arcadis.com
Arcadis | Arcadis of New York, Inc.
Two Huntington Quadrangle, Suite 1S10 Melville NY | 11747 | USA
T. +1 631 391 5208 | M. +1 516 903 9452

Connect with us! www.arcadis.com | [LinkedIn](#) | [Twitter](#) | [Facebook](#)



Be green, leave it on the screen.

This email and any files transmitted with it are the property of Arcadis and its affiliates. All rights, including without limitation copyright, are reserved. This email contains information that may be confidential and may also be privileged. It is for the exclusive use of the intended recipient(s). If you are not an intended recipient, please note that any form of distribution, copying or use of this communication or the information in it is strictly prohibited and may be unlawful. If you have received this communication in error, please return it to the sender and then delete the email and destroy any copies of it. While reasonable precautions have been taken to ensure that no software or viruses are present in our emails, we cannot guarantee that this email or any attachment is virus free or has not been intercepted or changed. Any opinions or other information in this email that do not relate to the official business of Arcadis are neither given nor endorsed by it.

Report of Analysis

Client Sample ID: GM-15I	Date Sampled: 11/02/17
Lab Sample ID: JC54706-1	Date Received: 11/03/17
Matrix: AQ - Ground Water	Percent Solids: n/a
Method: SW846 8260C	
Project: Northrop Grumman, OU2 Hydro, Bethpage, NY	

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	4B76925.D	1	11/16/17 11:49	HT	n/a	n/a	V4B3156
Run #2							

Run #	Purge Volume
Run #1	5.0 ml
Run #2	

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	10	5.0	ug/l	
71-43-2	Benzene	ND	0.50	0.17	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.22	ug/l	
75-25-2	Bromoform	ND	1.0	0.42	ug/l	
74-83-9	Bromomethane	ND	2.0	1.4	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	4.8	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.23	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.34	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.24	ug/l	
75-00-3	Chloroethane	ND	1.0	0.59	ug/l	
67-66-3	Chloroform	ND	1.0	0.29	ug/l	
74-87-3	Chloromethane	ND	1.0	0.53	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.16	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.21	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.20	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.47	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.50	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.40	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.24	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.25	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.22	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.22	ug/l	
76-13-1	Freon 113 ^a	ND	5.0	1.2	ug/l	
591-78-6	2-Hexanone	ND	5.0	3.3	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	3.0	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.24	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.17	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.50	ug/l	
108-88-3	Toluene	ND	1.0	0.25	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.25	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.24	ug/l	

ND = Not detected

MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: GM-15I Lab Sample ID: JC54706-1 Matrix: AQ - Ground Water Method: SW846 8260C Project: Northrop Grumman, OU2 Hydro, Bethpage, NY	Date Sampled: 11/02/17 Date Received: 11/03/17 Percent Solids: n/a
---	---

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethene	0.63	1.0	0.27	ug/l	J
75-01-4	Vinyl chloride ^a	ND	1.0	0.62	ug/l	
	m,p-Xylene	ND	1.0	0.43	ug/l	
95-47-6	o-Xylene	ND	1.0	0.22	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	94%		80-120%
17060-07-0	1,2-Dichloroethane-D4	95%		81-124%
2037-26-5	Toluene-D8	92%		80-120%
460-00-4	4-Bromofluorobenzene	100%		80-120%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

(a) Associated CCV outside of control limits high, sample was ND.

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.1
4

Report of Analysis

Client Sample ID: GM-15SR	Date Sampled: 11/02/17
Lab Sample ID: JC54706-2	Date Received: 11/03/17
Matrix: AQ - Ground Water	Percent Solids: n/a
Method: SW846 8260C	
Project: Northrop Grumman, OU2 Hydro, Bethpage, NY	

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	A237894.D	1	11/11/17 16:37	GA	n/a	n/a	VA9026
Run #2							

Run #	Purge Volume
Run #1	5.0 ml
Run #2	

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	10	5.0	ug/l	
71-43-2	Benzene	ND	0.50	0.17	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.22	ug/l	
75-25-2	Bromoform	ND	1.0	0.42	ug/l	
74-83-9	Bromomethane	ND	2.0	1.4	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	4.8	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.23	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.34	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.24	ug/l	
75-00-3	Chloroethane	ND	1.0	0.59	ug/l	
67-66-3	Chloroform	ND	1.0	0.29	ug/l	
74-87-3	Chloromethane	ND	1.0	0.53	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.16	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.21	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.20	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.47	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.50	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.40	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.24	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.25	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.22	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.22	ug/l	
76-13-1	Freon 113	ND	5.0	1.2	ug/l	
591-78-6	2-Hexanone	ND	5.0	3.3	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	3.0	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.24	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.17	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.50	ug/l	
108-88-3	Toluene	ND	1.0	0.25	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.25	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.24	ug/l	

ND = Not detected

MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: GM-15SR Lab Sample ID: JC54706-2 Matrix: AQ - Ground Water Method: SW846 8260C Project: Northrop Grumman, OU2 Hydro, Bethpage, NY	Date Sampled: 11/02/17 Date Received: 11/03/17 Percent Solids: n/a
--	---

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethene	9.5	1.0	0.27	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.62	ug/l	
	m,p-Xylene	ND	1.0	0.43	ug/l	
95-47-6	o-Xylene	ND	1.0	0.22	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	104%		80-120%
17060-07-0	1,2-Dichloroethane-D4	92%		81-124%
2037-26-5	Toluene-D8	92%		80-120%
460-00-4	4-Bromofluorobenzene	95%		80-120%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.2
4

Report of Analysis

Client Sample ID: GM-15SR	Date Sampled: 11/02/17
Lab Sample ID: JC54706-2	Date Received: 11/03/17
Matrix: AQ - Ground Water	Percent Solids: n/a
Project: Northrop Grumman, OU2 Hydro, Bethpage, NY	

4.2
4

Total Metals Analysis

Analyte	Result	RL	Units	DF	Prep	Analyzed By	Method	Prep Method
Chromium	429	10	ug/l	1	11/13/17	11/14/17 GT	SW846 6010C ¹	SW846 3010A ²

(1) Instrument QC Batch: MA43223

(2) Prep QC Batch: MP4093

RL = Reporting Limit

Report of Analysis

Client Sample ID: GM-15SR		Date Sampled: 11/02/17
Lab Sample ID: JC54706-2F		Date Received: 11/03/17
Matrix: AQ - Groundwater Filtered		Percent Solids: n/a
Project: Northrop Grumman, OU2 Hydro, Bethpage, NY		

4.3
4

Dissolved Metals Analysis

Analyte	Result	RL	Units	DF	Prep	Analyzed By	Method	Prep Method
Chromium	445	10	ug/l	1	11/13/17	11/14/17 GT	SW846 6010C ¹	SW846 3010A ²

(1) Instrument QC Batch: MA43223

(2) Prep QC Batch: MP4093

RL = Reporting Limit

Report of Analysis

Client Sample ID:	FB110217PP1	Date Sampled:	11/02/17
Lab Sample ID:	JC54706-3	Date Received:	11/03/17
Matrix:	AQ - Field Blank Water	Percent Solids:	n/a
Method:	SW846 8260C		
Project:	Northrop Grumman, OU2 Hydro, Bethpage, NY		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	A237899.D	1	11/11/17 19:01	GA	n/a	n/a	VA9026
Run #2							

Run #	Purge Volume
Run #1	5.0 ml
Run #2	

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	10	5.0	ug/l	
71-43-2	Benzene	ND	0.50	0.17	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.22	ug/l	
75-25-2	Bromoform	ND	1.0	0.42	ug/l	
74-83-9	Bromomethane	ND	2.0	1.4	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	4.8	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.23	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.34	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.24	ug/l	
75-00-3	Chloroethane	ND	1.0	0.59	ug/l	
67-66-3	Chloroform	ND	1.0	0.29	ug/l	
74-87-3	Chloromethane	ND	1.0	0.53	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.16	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.21	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.20	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.47	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.50	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.40	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.24	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.25	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.22	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.22	ug/l	
76-13-1	Freon 113	ND	5.0	1.2	ug/l	
591-78-6	2-Hexanone	ND	5.0	3.3	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	3.0	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.24	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.17	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.50	ug/l	
108-88-3	Toluene	ND	1.0	0.25	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.25	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.24	ug/l	

ND = Not detected

MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	FB110217PP1	Date Sampled:	11/02/17
Lab Sample ID:	JC54706-3	Date Received:	11/03/17
Matrix:	AQ - Field Blank Water	Percent Solids:	n/a
Method:	SW846 8260C		
Project:	Northrop Grumman, OU2 Hydro, Bethpage, NY		

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethene	ND	1.0	0.27	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.62	ug/l	
	m,p-Xylene	ND	1.0	0.43	ug/l	
95-47-6	o-Xylene	ND	1.0	0.22	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	101%		80-120%
17060-07-0	1,2-Dichloroethane-D4	90%		81-124%
2037-26-5	Toluene-D8	95%		80-120%
460-00-4	4-Bromofluorobenzene	97%		80-120%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	cycloalkane	8.00	5.6	ug/l	J N
	Total TIC, Volatile		5.6	ug/l	J N

ND = Not detected MDL = Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: FB110217PP1	Date Sampled: 11/02/17
Lab Sample ID: JC54706-3	Date Received: 11/03/17
Matrix: AQ - Field Blank Water	Percent Solids: n/a
Project: Northrop Grumman, OU2 Hydro, Bethpage, NY	

Total Metals Analysis

Analyte	Result	RL	Units	DF	Prep	Analyzed By	Method	Prep Method
Cadmium	< 3.0	3.0	ug/l	1	11/13/17	11/14/17 GT	SW846 6010C ¹	SW846 3010A ²
Chromium	< 10	10	ug/l	1	11/13/17	11/14/17 GT	SW846 6010C ¹	SW846 3010A ²

(1) Instrument QC Batch: MA43223

(2) Prep QC Batch: MP4093

RL = Reporting Limit

4.4
4

Report of Analysis

Client Sample ID:	TB110217PP1	Date Sampled:	11/02/17
Lab Sample ID:	JC54706-4	Date Received:	11/03/17
Matrix:	AQ - Trip Blank Water	Percent Solids:	n/a
Method:	SW846 8260C		
Project:	Northrop Grumman, OU2 Hydro, Bethpage, NY		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	A237900.D	1	11/11/17 19:29	GA	n/a	n/a	VA9026
Run #2							

Run #	Purge Volume
Run #1	5.0 ml
Run #2	

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	10	5.0	ug/l	
71-43-2	Benzene	ND	0.50	0.17	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.22	ug/l	
75-25-2	Bromoform	ND	1.0	0.42	ug/l	
74-83-9	Bromomethane	ND	2.0	1.4	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	4.8	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.23	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.34	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.24	ug/l	
75-00-3	Chloroethane	ND	1.0	0.59	ug/l	
67-66-3	Chloroform	ND	1.0	0.29	ug/l	
74-87-3	Chloromethane	ND	1.0	0.53	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.16	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.21	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.20	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.47	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.50	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.40	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.24	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.25	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.22	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.22	ug/l	
76-13-1	Freon 113	ND	5.0	1.2	ug/l	
591-78-6	2-Hexanone	ND	5.0	3.3	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	3.0	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.24	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.17	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.50	ug/l	
108-88-3	Toluene	ND	1.0	0.25	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.25	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.24	ug/l	

ND = Not detected

MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: TB110217PP1 Lab Sample ID: JC54706-4 Matrix: AQ - Trip Blank Water Method: SW846 8260C Project: Northrop Grumman, OU2 Hydro, Bethpage, NY	Date Sampled: 11/02/17 Date Received: 11/03/17 Percent Solids: n/a
--	---

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethene	ND	1.0	0.27	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.62	ug/l	
	m,p-Xylene	ND	1.0	0.43	ug/l	
95-47-6	o-Xylene	ND	1.0	0.22	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	103%		80-120%
17060-07-0	1,2-Dichloroethane-D4	90%		81-124%
2037-26-5	Toluene-D8	94%		80-120%
460-00-4	4-Bromofluorobenzene	97%		80-120%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.5
4

Report of Analysis

Client Sample ID:	GM-15D	Date Sampled:	11/02/17
Lab Sample ID:	JC54706-5	Date Received:	11/03/17
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8260C		
Project:	Northrop Grumman, OU2 Hydro, Bethpage, NY		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	A237901.D	1	11/11/17 19:58	GA	n/a	n/a	VA9026
Run #2							

Run #	Purge Volume
Run #1	5.0 ml
Run #2	

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	10	5.0	ug/l	
71-43-2	Benzene	ND	0.50	0.17	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.22	ug/l	
75-25-2	Bromoform	ND	1.0	0.42	ug/l	
74-83-9	Bromomethane	ND	2.0	1.4	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	4.8	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.23	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.34	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.24	ug/l	
75-00-3	Chloroethane	ND	1.0	0.59	ug/l	
67-66-3	Chloroform	ND	1.0	0.29	ug/l	
74-87-3	Chloromethane	ND	1.0	0.53	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.16	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.21	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.20	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.47	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.50	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.40	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.24	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.25	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.22	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.22	ug/l	
76-13-1	Freon 113	ND	5.0	1.2	ug/l	
591-78-6	2-Hexanone	ND	5.0	3.3	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	3.0	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.24	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.17	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.50	ug/l	
108-88-3	Toluene	ND	1.0	0.25	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.25	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.24	ug/l	

ND = Not detected

MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: GM-15D	Date Sampled: 11/02/17
Lab Sample ID: JC54706-5	Date Received: 11/03/17
Matrix: AQ - Ground Water	Percent Solids: n/a
Method: SW846 8260C	
Project: Northrop Grumman, OU2 Hydro, Bethpage, NY	

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethene	0.33	1.0	0.27	ug/l	J
75-01-4	Vinyl chloride	ND	1.0	0.62	ug/l	
	m,p-Xylene	ND	1.0	0.43	ug/l	
95-47-6	o-Xylene	ND	1.0	0.22	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	101%		80-120%
17060-07-0	1,2-Dichloroethane-D4	92%		81-124%
2037-26-5	Toluene-D8	94%		80-120%
460-00-4	4-Bromofluorobenzene	95%		80-120%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

ND = Not detected MDL = Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

4.6
4

Report of Analysis

Client Sample ID:	GM-15D2	Date Sampled:	11/02/17
Lab Sample ID:	JC54706-6	Date Received:	11/03/17
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8260C		
Project:	Northrop Grumman, OU2 Hydro, Bethpage, NY		

Run #1	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #2	A237895.D	1	11/11/17 17:05	GA	n/a	n/a	VA9026

Run #1	Purge Volume
Run #2	5.0 ml

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	10	5.0	ug/l	
71-43-2	Benzene	ND	0.50	0.17	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.22	ug/l	
75-25-2	Bromoform	ND	1.0	0.42	ug/l	
74-83-9	Bromomethane	ND	2.0	1.4	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	4.8	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.23	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.34	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.24	ug/l	
75-00-3	Chloroethane	ND	1.0	0.59	ug/l	
67-66-3	Chloroform	ND	1.0	0.29	ug/l	
74-87-3	Chloromethane	ND	1.0	0.53	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.16	ug/l	
75-34-3	1,1-Dichloroethane	0.35	1.0	0.21	ug/l	J
107-06-2	1,2-Dichloroethane	ND	1.0	0.20	ug/l	
75-35-4	1,1-Dichloroethene	0.72	1.0	0.47	ug/l	J
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.50	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.40	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.24	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.25	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.22	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.22	ug/l	
76-13-1	Freon 113	ND	5.0	1.2	ug/l	
591-78-6	2-Hexanone	ND	5.0	3.3	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	3.0	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.24	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.17	ug/l	
127-18-4	Tetrachloroethene	4.4	1.0	0.50	ug/l	
108-88-3	Toluene	ND	1.0	0.25	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.25	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.24	ug/l	

ND = Not detected

MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: GM-15D2 Lab Sample ID: JC54706-6 Matrix: AQ - Ground Water Method: SW846 8260C Project: Northrop Grumman, OU2 Hydro, Bethpage, NY	Date Sampled: 11/02/17 Date Received: 11/03/17 Percent Solids: n/a
--	---

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethene	8.1	1.0	0.27	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.62	ug/l	
	m,p-Xylene	ND	1.0	0.43	ug/l	
95-47-6	o-Xylene	ND	1.0	0.22	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	103%		80-120%
17060-07-0	1,2-Dichloroethane-D4	93%		81-124%
2037-26-5	Toluene-D8	95%		80-120%
460-00-4	4-Bromofluorobenzene	96%		80-120%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.7
4

Report of Analysis

Client Sample ID: MW-2GF	Date Sampled: 11/02/17
Lab Sample ID: JC54706-7	Date Received: 11/03/17
Matrix: AQ - Ground Water	Percent Solids: n/a
Project: Northrop Grumman, OU2 Hydro, Bethpage, NY	

Total Metals Analysis

Analyte	Result	RL	Units	DF	Prep	Analyzed By	Method	Prep Method
Cadmium	< 3.0	3.0	ug/l	1	11/13/17	11/14/17 GT	SW846 6010C ¹	SW846 3010A ²
Chromium	30.5	10	ug/l	1	11/13/17	11/14/17 GT	SW846 6010C ¹	SW846 3010A ²

(1) Instrument QC Batch: MA43223

(2) Prep QC Batch: MP4093

RL = Reporting Limit

Report of Analysis

Client Sample ID: MW-2GF	Date Sampled: 11/02/17
Lab Sample ID: JC54706-7F	Date Received: 11/03/17
Matrix: AQ - Groundwater Filtered	Percent Solids: n/a
Project: Northrop Grumman, OU2 Hydro, Bethpage, NY	

Dissolved Metals Analysis

Analyte	Result	RL	Units	DF	Prep	Analyzed By	Method	Prep Method
Cadmium	< 3.0	3.0	ug/l	1	11/13/17	11/14/17 GT	SW846 6010C ¹	SW846 3010A ²
Chromium	28.5	10	ug/l	1	11/13/17	11/14/17 GT	SW846 6010C ¹	SW846 3010A ²

(1) Instrument QC Batch: MA43223

(2) Prep QC Batch: MP4093

RL = Reporting Limit

**Semi-Volatile
Certificate of Analysis
Sample Summary**

SDG Number: JC54706X
 Lab Sample ID: 437382001

 Client ID: GM-15I
 Batch ID: 1717250
 Run Date: 11/28/2017 18:26
 Prep Date: 11/28/2017 14:30
 Data File: s112817.B\s6k2809.D

Date Collected: 11/02/2017 13:05
 Date Received: 11/08/2017 09:00
 Client: ACTL003
 Method: EPA 522
 Inst: MSD6.I
 Analyst: JMB3
 Aliquot: 100 mL
 Rx-624

Matrix: WATER

 Project: ACTL00316
 SOP Ref: GL-OA-E-073
 Dilution: 1
 Inj. Vol: 1 uL
 Final Volume: 2 mL

CAS No.	Parname	Qualifier	Result	Units	MDL	LOD	LOQ
123-91-1	1,4-Dioxane		0.352	ug/L	0.100	0.100	0.200

2

**Semi-Volatile
Certificate of Analysis
Sample Summary**

SDG Number: JC54706X
 Lab Sample ID: 437382002

 Client ID: GM-15SR
 Batch ID: 1717250
 Run Date: 11/28/2017 19:40
 Prep Date: 11/28/2017 14:30
 Data File: s112817.B\s6k2811.D

Date Collected: 11/02/2017 14:52
 Date Received: 11/08/2017 09:00
 Client: ACTL003
 Method: EPA 522
 Inst: MSD6.I
 Analyst: JMB3
 Aliquot: 100 mL
 Rx-624

Matrix: WATER

 Project: ACTL00316
 SOP Ref: GL-OA-E-073
 Dilution: 1
 Inj. Vol: 1 uL
 Final Volume: 2 mL

CAS No.	Parname	Qualifier	Result	Units	MDL	LOD	LOQ
123-91-1	1,4-Dioxane	J	0.112	ug/L	0.100	0.100	0.200

2

**Semi-Volatile
Certificate of Analysis
Sample Summary**

SDG Number: JC54706X
 Lab Sample ID: 437382003

 Client ID: FB110217PP1
 Batch ID: 1717250
 Run Date: 11/28/2017 20:54
 Prep Date: 11/28/2017 14:30
 Data File: s112817.B\s6k2813.D

Date Collected: 11/02/2017 10:45
 Date Received: 11/08/2017 09:00
 Client: ACTL003
 Method: EPA 522
 Inst: MSD6.I
 Analyst: JMB3
 Aliquot: 100 mL
 Rx-624

Matrix: WATER

 Project: ACTL00316
 SOP Ref: GL-OA-E-073
 Dilution: 1
 Inj. Vol: 1 uL
 Final Volume: 2 mL

CAS No.	Parname	Qualifier	Result	Units	MDL	LOD	LOQ
123-91-1	1,4-Dioxane	U	0.100	ug/L	0.100	0.100	0.200

2

**Semi-Volatile
Certificate of Analysis
Sample Summary**

SDG Number: JC54706X
 Lab Sample ID: 437382004

 Client ID: GM-15D
 Batch ID: 1718867
 Run Date: 11/29/2017 17:36
 Prep Date: 11/29/2017 11:45
 Data File: s112917.B\s6k2911.D

Date Collected: 11/02/2017 13:16
 Date Received: 11/08/2017 09:00
 Client: ACTL003
 Method: EPA 522
 Inst: MSD6.I
 Analyst: JMB3
 Aliquot: 100 mL
 Rx-624

Matrix: WATER

 Project: ACTL00316
 SOP Ref: GL-OA-E-073
 Dilution: 1
 Inj. Vol: 1 uL
 Final Volume: 2 mL

CAS No.	Parname	Qualifier	Result	Units	MDL	LOD	LOQ
123-91-1	1,4-Dioxane	J	0.145	ug/L	0.100	0.100	0.200

2

**Semi-Volatile
Certificate of Analysis
Sample Summary**

SDG Number: JC54706X
Lab Sample ID: 437382005

Client ID: GM-15D2
Batch ID: 1718867
Run Date: 11/29/2017 18:11
Prep Date: 11/29/2017 11:45
Data File: s112917.B\s6k2912.D

Date Collected: 11/02/2017 13:15
Date Received: 11/08/2017 09:00
Client: ACTL003
Method: EPA 522
Inst: MSD6.I
Analyst: JMB3
Aliquot: 100 mL
Rtx-624

Matrix: WATER

Project: ACTL00316
SOP Ref: GL-OA-E-073
Dilution: 1
Inj. Vol: 1 uL
Final Volume: 2 mL

CAS No.	Parname	Qualifier	Result	Units	MDL	LOD	LOQ
123-91-1	1,4-Dioxane		3.91	ug/L	0.100	0.100	0.200

2

**Semi-Volatile
Certificate of Analysis
Sample Summary**

SDG Number: JC54706X
 Lab Sample ID: 437382006

 Client ID: MW-2GF
 Batch ID: 1717250
 Run Date: 11/29/2017 00:36
 Prep Date: 11/28/2017 14:30
 Data File: s112817.B\s6k2819.D

Date Collected: 11/02/2017 05:32
 Date Received: 11/08/2017 09:00
 Client: ACTL003
 Method: EPA 522
 Inst: MSD6.I
 Analyst: JMB3
 Aliquot: 100 mL
 Rx-624

Matrix: WATER

 Project: ACTL00316
 SOP Ref: GL-OA-E-073
 Dilution: 1
 Inj. Vol: 1 uL
 Final Volume: 2 mL

CAS No.	Parname	Qualifier	Result	Units	MDL	LOD	LOQ
123-91-1	1,4-Dioxane		1.92	ug/L	0.100	0.100	0.200

2

Report of Analysis

Client Sample ID: MW3-1	Date Sampled: 11/03/17
Lab Sample ID: JC54756-1	Date Received: 11/03/17
Matrix: AQ - Ground Water	Percent Solids: n/a
Method: SW846 8260C	
Project: Northrop Grumman, OU2 Hydro, Bethpage, NY	

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	A237890.D	1	11/11/17 14:44	GA	n/a	n/a	VA9026
Run #2							

Run #	Purge Volume
Run #1	5.0 ml
Run #2	

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	10	5.0	ug/l	
71-43-2	Benzene	ND	0.50	0.17	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.22	ug/l	
75-25-2	Bromoform	ND	1.0	0.42	ug/l	
74-83-9	Bromomethane	ND	2.0	1.4	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	4.8	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.23	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.34	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.24	ug/l	
75-00-3	Chloroethane	ND	1.0	0.59	ug/l	
67-66-3	Chloroform	0.43	1.0	0.29	ug/l	J
74-87-3	Chloromethane	ND	1.0	0.53	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.16	ug/l	
75-34-3	1,1-Dichloroethane	3.5	1.0	0.21	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.20	ug/l	
75-35-4	1,1-Dichloroethene	2.2	1.0	0.47	ug/l	
156-59-2	cis-1,2-Dichloroethene	12.6	1.0	0.50	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.40	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.24	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.25	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.22	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.22	ug/l	
76-13-1	Freon 113	ND	5.0	1.2	ug/l	
591-78-6	2-Hexanone	ND	5.0	3.3	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	3.0	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.24	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.17	ug/l	
127-18-4	Tetrachloroethene	10.6	1.0	0.50	ug/l	
108-88-3	Toluene	ND	1.0	0.25	ug/l	
71-55-6	1,1,1-Trichloroethane	0.58	1.0	0.25	ug/l	J
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.24	ug/l	

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: MW3-1		Date Sampled: 11/03/17
Lab Sample ID: JC54756-1		Date Received: 11/03/17
Matrix: AQ - Ground Water		Percent Solids: n/a
Method: SW846 8260C		
Project: Northrop Grumman, OU2 Hydro, Bethpage, NY		

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethene	94.0	1.0	0.27	ug/l	
75-01-4	Vinyl chloride	19.1	1.0	0.62	ug/l	
	m,p-Xylene	ND	1.0	0.43	ug/l	
95-47-6	o-Xylene	ND	1.0	0.22	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	101%		80-120%
17060-07-0	1,2-Dichloroethane-D4	89%		81-124%
2037-26-5	Toluene-D8	94%		80-120%
460-00-4	4-Bromofluorobenzene	98%		80-120%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

ND = Not detected MDL = Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

4.1
4

Report of Analysis

Client Sample ID: FB110317PP1		
Lab Sample ID: JC54756-2		Date Sampled: 11/03/17
Matrix: AQ - Field Blank Water		Date Received: 11/03/17
Method: SW846 8260C		Percent Solids: n/a
Project: Northrop Grumman, OU2 Hydro, Bethpage, NY		

Run #1	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	A237888.D	1	11/11/17 13:46	GA	n/a	n/a	VA9026
Run #2							

Run #1	Purge Volume
Run #1	5.0 ml
Run #2	

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	10	5.0	ug/l	
71-43-2	Benzene	ND	0.50	0.17	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.22	ug/l	
75-25-2	Bromoform	ND	1.0	0.42	ug/l	
74-83-9	Bromomethane	ND	2.0	1.4	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	4.8	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.23	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.34	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.24	ug/l	
75-00-3	Chloroethane	ND	1.0	0.59	ug/l	
67-66-3	Chloroform	ND	1.0	0.29	ug/l	
74-87-3	Chloromethane	ND	1.0	0.53	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.16	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.21	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.20	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.47	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.50	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.40	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.24	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.25	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.22	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.22	ug/l	
76-13-1	Freon 113	ND	5.0	1.2	ug/l	
591-78-6	2-Hexanone	ND	5.0	3.3	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	3.0	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.24	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.17	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.50	ug/l	
108-88-3	Toluene	ND	1.0	0.25	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.25	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.24	ug/l	

ND = Not detected

MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: FB110317PP1	Date Sampled: 11/03/17
Lab Sample ID: JC54756-2	Date Received: 11/03/17
Matrix: AQ - Field Blank Water	Percent Solids: n/a
Method: SW846 8260C	
Project: Northrop Grumman, OU2 Hydro, Bethpage, NY	

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethene	ND	1.0	0.27	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.62	ug/l	
	m,p-Xylene	ND	1.0	0.43	ug/l	
95-47-6	o-Xylene	ND	1.0	0.22	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	100%		80-120%
17060-07-0	1,2-Dichloroethane-D4	89%		81-124%
2037-26-5	Toluene-D8	94%		80-120%
460-00-4	4-Bromofluorobenzene	95%		80-120%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

ND = Not detected MDL = Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

4.2
4

Report of Analysis

Client Sample ID: TB110317PP1		Date Sampled: 11/03/17
Lab Sample ID: JC54756-3		Date Received: 11/03/17
Matrix: AQ - Trip Blank Water		Percent Solids: n/a
Method: SW846 8260C		
Project: Northrop Grumman, OU2 Hydro, Bethpage, NY		

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethene	ND	1.0	0.27	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.62	ug/l	
	m,p-Xylene	ND	1.0	0.43	ug/l	
95-47-6	o-Xylene	ND	1.0	0.22	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	100%		80-120%
17060-07-0	1,2-Dichloroethane-D4	88%		81-124%
2037-26-5	Toluene-D8	93%		80-120%
460-00-4	4-Bromofluorobenzene	95%		80-120%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

ND = Not detected MDL = Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

4.3
4

**Semi-Volatile
Certificate of Analysis
Sample Summary**

SDG Number: JC54756X
 Lab Sample ID: 437386001

 Client ID: MW3-1
 Batch ID: 1718867
 Run Date: 11/30/2017 09:49
 Prep Date: 11/29/2017 11:45
 Data File: s112917.B\s6k2940.D

Date Collected: 11/03/2017 14:15
 Date Received: 11/08/2017 09:00
 Client: ACTL003
 Method: EPA 522
 Inst: MSD6.I
 Analyst: JMB3
 Aliquot: 100 mL
 Rx-624

Matrix: WATER

 Project: ACTL00316
 SOP Ref: GL-OA-E-073
 Dilution: 2
 Inj. Vol: 1 uL
 Final Volume: 2 mL

CAS No.	Parname	Qualifier	Result	Units	MDL	LOD	LOQ
123-91-1	1,4-Dioxane		13.3	ug/L	0.200	0.200	0.400

2

**Semi-Volatile
Certificate of Analysis
Sample Summary**

SDG Number: JC54756X
 Lab Sample ID: 437386002

 Client ID: FB110317PP1
 Batch ID: 1717250
 Run Date: 11/29/2017 08:01
 Prep Date: 11/28/2017 14:30
 Data File: s112817.B\s6k2831.D

Date Collected: 11/03/2017 12:15
 Date Received: 11/08/2017 09:00
 Client: ACTL003
 Method: EPA 522
 Inst: MSD6.I
 Analyst: JMB3
 Aliquot: 100 mL
 Rx-624

Matrix: WATER

 Project: ACTL00316
 SOP Ref: GL-OA-E-073
 Dilution: 1
 Inj. Vol: 1 uL
 Final Volume: 2 mL

CAS No.	Parname	Qualifier	Result	Units	MDL	LOD	LOQ
123-91-1	1,4-Dioxane	U	0.100	ug/L	0.100	0.100	0.200

2

Report of Analysis

Client Sample ID: BPOW1-1		Date Sampled: 11/03/17
Lab Sample ID: JC54757-1		Date Received: 11/03/17
Matrix: AQ - Ground Water		Percent Solids: n/a
Method: EPA 524.2 REV 4.1		
Project: Northrup Grumman, Navy Wells OU2, Bethpage, NY		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 ^a	1B112616.D	1	11/13/17 20:21	BK	n/a	n/a	V1B5377
Run #2							

Run #	Purge Volume
Run #1	5.0 ml
Run #2	

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	5.0	3.8	ug/l	
78-93-3	2-Butanone	ND	5.0	2.5	ug/l	
71-43-2	Benzene	ND	0.50	0.26	ug/l	
75-27-4	Bromodichloromethane	ND	0.50	0.36	ug/l	
75-25-2	Bromoform	ND	0.50	0.40	ug/l	
74-83-9	Bromomethane	ND	0.50	0.081	ug/l	
75-15-0	Carbon disulfide	ND	0.50	0.39	ug/l	
108-90-7	Chlorobenzene	ND	0.50	0.27	ug/l	
75-00-3	Chloroethane	ND	0.50	0.071	ug/l	
67-66-3	Chloroform	ND	0.50	0.33	ug/l	
74-87-3	Chloromethane	ND	0.50	0.39	ug/l	
56-23-5	Carbon tetrachloride	ND	0.50	0.13	ug/l	
75-34-3	1,1-Dichloroethane	0.16	0.50	0.13	ug/l	J
75-35-4	1,1-Dichloroethylene	0.46	0.50	0.23	ug/l	J
107-06-2	1,2-Dichloroethane	ND	0.50	0.28	ug/l	
78-87-5	1,2-Dichloropropane	ND	0.50	0.29	ug/l	
124-48-1	Dibromochloromethane	ND	0.50	0.094	ug/l	
156-60-5	trans-1,2-Dichloroethylene	ND	0.50	0.098	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	0.50	0.26	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	0.14	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	0.25	ug/l	
100-41-4	Ethylbenzene	ND	0.50	0.26	ug/l	
76-13-1	Freon 113	ND	1.0	0.27	ug/l	
591-78-6	2-Hexanone	ND	2.0	1.3	ug/l	
75-09-2	Methylene chloride	ND	0.50	0.37	ug/l	
108-10-1	4-Methyl-2-pentanone	ND	2.0	1.5	ug/l	
100-42-5	Styrene	ND	0.50	0.21	ug/l	
71-55-6	1,1,1-Trichloroethane	0.44	0.50	0.12	ug/l	J
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.50	0.099	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	0.50	0.12	ug/l	
127-18-4	Tetrachloroethylene	ND	0.50	0.12	ug/l	
108-88-3	Toluene	ND	0.50	0.13	ug/l	

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.1
 4

Report of Analysis

Client Sample ID: BPOW1-1		Date Sampled: 11/03/17
Lab Sample ID: JC54757-1		Date Received: 11/03/17
Matrix: AQ - Ground Water		Percent Solids: n/a
Method: EPA 524.2 REV 4.1		
Project: Northrup Grumman, Navy Wells OU2, Bethpage, NY		

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethylene	1.1	0.50	0.11	ug/l	
75-01-4	Vinyl chloride	ND	0.50	0.056	ug/l	
	m,p-Xylene	ND	0.50	0.26	ug/l	
95-47-6	o-Xylene	ND	0.50	0.24	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2199-69-1	1,2-Dichlorobenzene-d4	90%		70-130%
460-00-4	4-Bromofluorobenzene	79%		70-130%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

(a) EPA 524.2 is not a certified method for non-potable water samples.

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.1
4

Report of Analysis

Client Sample ID: BPOW1-2		Date Sampled: 11/03/17
Lab Sample ID: JC54757-2		Date Received: 11/03/17
Matrix: AQ - Ground Water		Percent Solids: n/a
Method: EPA 524.2 REV 4.1		
Project: Northrup Grumman, Navy Wells OU2, Bethpage, NY		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 ^a	1B112617.D	1	11/13/17 20:52	BK	n/a	n/a	V1B5377
Run #2							

Run #	Purge Volume
Run #1	5.0 ml
Run #2	

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	5.0	3.8	ug/l	
78-93-3	2-Butanone	ND	5.0	2.5	ug/l	
71-43-2	Benzene	ND	0.50	0.26	ug/l	
75-27-4	Bromodichloromethane	ND	0.50	0.36	ug/l	
75-25-2	Bromoform	ND	0.50	0.40	ug/l	
74-83-9	Bromomethane	ND	0.50	0.081	ug/l	
75-15-0	Carbon disulfide	ND	0.50	0.39	ug/l	
108-90-7	Chlorobenzene	ND	0.50	0.27	ug/l	
75-00-3	Chloroethane	ND	0.50	0.071	ug/l	
67-66-3	Chloroform	ND	0.50	0.33	ug/l	
74-87-3	Chloromethane	ND	0.50	0.39	ug/l	
56-23-5	Carbon tetrachloride	ND	0.50	0.13	ug/l	
75-34-3	1,1-Dichloroethane	ND	0.50	0.13	ug/l	
75-35-4	1,1-Dichloroethylene	ND	0.50	0.23	ug/l	
107-06-2	1,2-Dichloroethane	ND	0.50	0.28	ug/l	
78-87-5	1,2-Dichloropropane	ND	0.50	0.29	ug/l	
124-48-1	Dibromochloromethane	ND	0.50	0.094	ug/l	
156-60-5	trans-1,2-Dichloroethylene	ND	0.50	0.098	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	0.50	0.26	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	0.14	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	0.25	ug/l	
100-41-4	Ethylbenzene	ND	0.50	0.26	ug/l	
76-13-1	Freon 113	ND	1.0	0.27	ug/l	
591-78-6	2-Hexanone	ND	2.0	1.3	ug/l	
75-09-2	Methylene chloride	ND	0.50	0.37	ug/l	
108-10-1	4-Methyl-2-pentanone	ND	2.0	1.5	ug/l	
100-42-5	Styrene	ND	0.50	0.21	ug/l	
71-55-6	1,1,1-Trichloroethane	0.22	0.50	0.12	ug/l	J
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.50	0.099	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	0.50	0.12	ug/l	
127-18-4	Tetrachloroethylene	ND	0.50	0.12	ug/l	
108-88-3	Toluene	ND	0.50	0.13	ug/l	

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.2
4

Report of Analysis

Client Sample ID: BPOW1-2		Date Sampled: 11/03/17
Lab Sample ID: JC54757-2		Date Received: 11/03/17
Matrix: AQ - Ground Water		Percent Solids: n/a
Method: EPA 524.2 REV 4.1		
Project: Northrup Grumman, Navy Wells OU2, Bethpage, NY		

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethylene	0.90	0.50	0.11	ug/l	
75-01-4	Vinyl chloride	ND	0.50	0.056	ug/l	
	m,p-Xylene	ND	0.50	0.26	ug/l	
95-47-6	o-Xylene	ND	0.50	0.24	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2199-69-1	1,2-Dichlorobenzene-d4	93%		70-130%
460-00-4	4-Bromofluorobenzene	80%		70-130%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

(a) EPA 524.2 is not a certified method for non-potable water samples.

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.2
4

Report of Analysis

Client Sample ID: BPOW1-3		Date Sampled: 11/03/17
Lab Sample ID: JC54757-3		Date Received: 11/03/17
Matrix: AQ - Ground Water		Percent Solids: n/a
Method: EPA 524.2 REV 4.1		
Project: Northrup Grumman, Navy Wells OU2, Bethpage, NY		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 ^a	1B112618.D	1	11/13/17 21:24	BK	n/a	n/a	V1B5377
Run #2							

Run #	Purge Volume
Run #1	5.0 ml
Run #2	

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	5.0	3.8	ug/l	
78-93-3	2-Butanone	ND	5.0	2.5	ug/l	
71-43-2	Benzene	ND	0.50	0.26	ug/l	
75-27-4	Bromodichloromethane	ND	0.50	0.36	ug/l	
75-25-2	Bromoform	ND	0.50	0.40	ug/l	
74-83-9	Bromomethane	ND	0.50	0.081	ug/l	
75-15-0	Carbon disulfide	ND	0.50	0.39	ug/l	
108-90-7	Chlorobenzene	ND	0.50	0.27	ug/l	
75-00-3	Chloroethane	ND	0.50	0.071	ug/l	
67-66-3	Chloroform	ND	0.50	0.33	ug/l	
74-87-3	Chloromethane	ND	0.50	0.39	ug/l	
56-23-5	Carbon tetrachloride	ND	0.50	0.13	ug/l	
75-34-3	1,1-Dichloroethane	ND	0.50	0.13	ug/l	
75-35-4	1,1-Dichloroethylene	ND	0.50	0.23	ug/l	
107-06-2	1,2-Dichloroethane	ND	0.50	0.28	ug/l	
78-87-5	1,2-Dichloropropane	ND	0.50	0.29	ug/l	
124-48-1	Dibromochloromethane	ND	0.50	0.094	ug/l	
156-60-5	trans-1,2-Dichloroethylene	ND	0.50	0.098	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	0.50	0.26	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	0.14	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	0.25	ug/l	
100-41-4	Ethylbenzene	ND	0.50	0.26	ug/l	
76-13-1	Freon 113	ND	1.0	0.27	ug/l	
591-78-6	2-Hexanone	ND	2.0	1.3	ug/l	
75-09-2	Methylene chloride	ND	0.50	0.37	ug/l	
108-10-1	4-Methyl-2-pentanone	ND	2.0	1.5	ug/l	
100-42-5	Styrene	ND	0.50	0.21	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	0.50	0.12	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.50	0.099	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	0.50	0.12	ug/l	
127-18-4	Tetrachloroethylene	ND	0.50	0.12	ug/l	
108-88-3	Toluene	ND	0.50	0.13	ug/l	

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.3
4

Report of Analysis

Client Sample ID: BPOW1-3		Date Sampled: 11/03/17
Lab Sample ID: JC54757-3		Date Received: 11/03/17
Matrix: AQ - Ground Water		Percent Solids: n/a
Method: EPA 524.2 REV 4.1		
Project: Northrup Grumman, Navy Wells OU2, Bethpage, NY		

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethylene	ND	0.50	0.11	ug/l	
75-01-4	Vinyl chloride	ND	0.50	0.056	ug/l	
	m,p-Xylene	ND	0.50	0.26	ug/l	
95-47-6	o-Xylene	ND	0.50	0.24	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2199-69-1	1,2-Dichlorobenzene-d4	90%		70-130%
460-00-4	4-Bromofluorobenzene	79%		70-130%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
	unknown	9.76	.88	ug/l	J
	Total TIC, Volatile		.88	ug/l	J

(a) EPA 524.2 is not a certified method for non-potable water samples.

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.3
4

Report of Analysis

Client Sample ID:	TB110317AR1	Date Sampled:	11/03/17
Lab Sample ID:	JC54757-4	Date Received:	11/03/17
Matrix:	AQ - Trip Blank Water	Percent Solids:	n/a
Method:	EPA 524.2 REV 4.1		
Project:	Northrup Grumman, Navy Wells OU2, Bethpage, NY		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 ^a	1B112619.D	1	11/13/17 21:56	BK	n/a	n/a	V1B5377
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	5.0	3.8	ug/l	
78-93-3	2-Butanone	ND	5.0	2.5	ug/l	
71-43-2	Benzene	ND	0.50	0.26	ug/l	
75-27-4	Bromodichloromethane	ND	0.50	0.36	ug/l	
75-25-2	Bromoform	ND	0.50	0.40	ug/l	
74-83-9	Bromomethane	ND	0.50	0.081	ug/l	
75-15-0	Carbon disulfide	ND	0.50	0.39	ug/l	
108-90-7	Chlorobenzene	ND	0.50	0.27	ug/l	
75-00-3	Chloroethane	ND	0.50	0.071	ug/l	
67-66-3	Chloroform	ND	0.50	0.33	ug/l	
74-87-3	Chloromethane	ND	0.50	0.39	ug/l	
56-23-5	Carbon tetrachloride	ND	0.50	0.13	ug/l	
75-34-3	1,1-Dichloroethane	ND	0.50	0.13	ug/l	
75-35-4	1,1-Dichloroethylene	ND	0.50	0.23	ug/l	
107-06-2	1,2-Dichloroethane	ND	0.50	0.28	ug/l	
78-87-5	1,2-Dichloropropane	ND	0.50	0.29	ug/l	
124-48-1	Dibromochloromethane	ND	0.50	0.094	ug/l	
156-60-5	trans-1,2-Dichloroethylene	ND	0.50	0.098	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	0.50	0.26	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	0.14	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	0.25	ug/l	
100-41-4	Ethylbenzene	ND	0.50	0.26	ug/l	
76-13-1	Freon 113	ND	1.0	0.27	ug/l	
591-78-6	2-Hexanone	ND	2.0	1.3	ug/l	
75-09-2	Methylene chloride	ND	0.50	0.37	ug/l	
108-10-1	4-Methyl-2-pentanone	ND	2.0	1.5	ug/l	
100-42-5	Styrene	ND	0.50	0.21	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	0.50	0.12	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.50	0.099	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	0.50	0.12	ug/l	
127-18-4	Tetrachloroethylene	ND	0.50	0.12	ug/l	
108-88-3	Toluene	ND	0.50	0.13	ug/l	

ND = Not detected

MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: TB110317AR1		Date Sampled: 11/03/17
Lab Sample ID: JC54757-4		Date Received: 11/03/17
Matrix: AQ - Trip Blank Water		Percent Solids: n/a
Method: EPA 524.2 REV 4.1		
Project: Northrup Grumman, Navy Wells OU2, Bethpage, NY		

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethylene	ND	0.50	0.11	ug/l	
75-01-4	Vinyl chloride	ND	0.50	0.056	ug/l	
	m,p-Xylene	ND	0.50	0.26	ug/l	
95-47-6	o-Xylene	ND	0.50	0.24	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2199-69-1	1,2-Dichlorobenzene-d4	90%		70-130%
460-00-4	4-Bromofluorobenzene	78%		70-130%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

(a) EPA 524.2 is not a certified method for non-potable water samples.

ND = Not detected MDL = Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

4.4
4

**Semi-Volatile
Certificate of Analysis
Sample Summary**

SDG Number: JC54757X
 Lab Sample ID: 437383001

 Client ID: BPOW1-1
 Batch ID: 1717250
 Run Date: 11/29/2017 01:50
 Prep Date: 11/28/2017 14:30
 Data File: s112817.B\s6k2821.D

Date Collected: 11/03/2017 13:10
 Date Received: 11/08/2017 09:00
 Client: ACTL003
 Method: EPA 522
 Inst: MSD6.I
 Analyst: JMB3
 Aliquot: 100 mL
 Rtx-624

Matrix: WATER

 Project: ACTL00316
 SOP Ref: GL-OA-E-073
 Dilution: 1
 Inj. Vol: 1 uL
 Final Volume: 2 mL

CAS No.	Parname	Qualifier	Result	Units	MDL	LOD	LOQ
123-91-1	1,4-Dioxane	J	0.115	ug/L	0.100	0.100	0.200

2

**Semi-Volatile
Certificate of Analysis
Sample Summary**

SDG Number: JC54757X
 Lab Sample ID: 437383002

 Client ID: BPOW1-2
 Batch ID: 1718867
 Run Date: 11/29/2017 18:46
 Prep Date: 11/29/2017 11:45
 Data File: s112917.B\s6k2913.D

Date Collected: 11/03/2017 12:05
 Date Received: 11/08/2017 09:00
 Client: ACTL003
 Method: EPA 522
 Inst: MSD6.I
 Analyst: JMB3
 Aliquot: 100 mL
 Rx-624

Matrix: WATER

 Project: ACTL00316
 SOP Ref: GL-OA-E-073
 Dilution: 1
 Inj. Vol: 1 uL
 Final Volume: 2 mL

CAS No.	Parname	Qualifier	Result	Units	MDL	LOD	LOQ
123-91-1	1,4-Dioxane	J	0.122	ug/L	0.100	0.100	0.200

2

**Semi-Volatile
Certificate of Analysis
Sample Summary**

SDG Number: JC54757X
 Lab Sample ID: 437383003

 Client ID: BPOW1-3
 Batch ID: 1717250
 Run Date: 11/29/2017 04:55
 Prep Date: 11/28/2017 14:30
 Data File: s112817.B\s6k2826.D

Date Collected: 11/03/2017 13:25
 Date Received: 11/08/2017 09:00
 Client: ACTL003
 Method: EPA 522
 Inst: MSD6.I
 Analyst: JMB3
 Aliquot: 100 mL
 Rx-624

Matrix: WATER

 Project: ACTL00316
 SOP Ref: GL-OA-E-073
 Dilution: 1
 Inj. Vol: 1 uL
 Final Volume: 2 mL

CAS No.	Parname	Qualifier	Result	Units	MDL	LOD	LOQ
123-91-1	1,4-Dioxane	J	0.115	ug/L	0.100	0.100	0.200

2

Report of Analysis

Client Sample ID:	BPOW4-1R	Date Sampled:	11/06/17
Lab Sample ID:	JC54965-1	Date Received:	11/07/17
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	EPA 524.2 REV 4.1		
Project:	Northrup Grumman, Navy Wells OU2, Bethpage, NY		

Run #1	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	1B112680.D	1	11/15/17 17:54	BK	n/a	n/a	V1B5380
Run #2							

Run #1	Purge Volume
Run #1	5.0 ml
Run #2	

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	5.0	3.8	ug/l	
78-93-3	2-Butanone	ND	5.0	2.5	ug/l	
71-43-2	Benzene	ND	0.50	0.26	ug/l	
75-27-4	Bromodichloromethane	ND	0.50	0.36	ug/l	
75-25-2	Bromoform ^a	ND	0.50	0.40	ug/l	
74-83-9	Bromomethane	ND	0.50	0.081	ug/l	
75-15-0	Carbon disulfide ^a	ND	0.50	0.39	ug/l	
108-90-7	Chlorobenzene	ND	0.50	0.27	ug/l	
75-00-3	Chloroethane	ND	0.50	0.071	ug/l	
67-66-3	Chloroform	0.61	0.50	0.33	ug/l	
74-87-3	Chloromethane	ND	0.50	0.39	ug/l	
56-23-5	Carbon tetrachloride	ND	0.50	0.13	ug/l	
75-34-3	1,1-Dichloroethane	ND	0.50	0.13	ug/l	
75-35-4	1,1-Dichloroethylene	0.28	0.50	0.23	ug/l	J
107-06-2	1,2-Dichloroethane	ND	0.50	0.28	ug/l	
78-87-5	1,2-Dichloropropane	ND	0.50	0.29	ug/l	
124-48-1	Dibromochloromethane	ND	0.50	0.094	ug/l	
156-60-5	trans-1,2-Dichloroethylene	ND	0.50	0.098	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	0.50	0.26	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	0.14	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	0.25	ug/l	
100-41-4	Ethylbenzene	ND	0.50	0.26	ug/l	
76-13-1	Freon 113	8.7	1.0	0.27	ug/l	
591-78-6	2-Hexanone	ND	2.0	1.3	ug/l	
75-09-2	Methylene chloride	ND	0.50	0.37	ug/l	
108-10-1	4-Methyl-2-pentanone	ND	2.0	1.5	ug/l	
100-42-5	Styrene	ND	0.50	0.21	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	0.50	0.12	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.50	0.099	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	0.50	0.12	ug/l	
127-18-4	Tetrachloroethylene	ND	0.50	0.12	ug/l	
108-88-3	Toluene	ND	0.50	0.13	ug/l	

ND = Not detected MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: BPOW4-1R		Date Sampled: 11/06/17
Lab Sample ID: JC54965-1		Date Received: 11/07/17
Matrix: AQ - Ground Water		Percent Solids: n/a
Method: EPA 524.2 REV 4.1		
Project: Northrup Grumman, Navy Wells OU2, Bethpage, NY		

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethylene	0.28	0.50	0.11	ug/l	J
75-01-4	Vinyl chloride	ND	0.50	0.056	ug/l	
	m,p-Xylene	ND	0.50	0.26	ug/l	
95-47-6	o-Xylene	ND	0.50	0.24	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2199-69-1	1,2-Dichlorobenzene-d4	89%		70-130%
460-00-4	4-Bromofluorobenzene	75%		70-130%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

(a) Associated CCV outside of control limits high, sample was ND.

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.1
4

Report of Analysis

Client Sample ID: BPOW3-1	Date Sampled: 11/06/17
Lab Sample ID: JC54965-2	Date Received: 11/07/17
Matrix: AQ - Ground Water	Percent Solids: n/a
Method: EPA 524.2 REV 4.1	
Project: Northrup Grumman, Navy Wells OU2, Bethpage, NY	

Run #1	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	1B112681.D	1	11/15/17 18:26	BK	n/a	n/a	V1B5380
Run #2							

Run #1	Purge Volume
Run #1	5.0 ml
Run #2	

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	5.0	3.8	ug/l	
78-93-3	2-Butanone	ND	5.0	2.5	ug/l	
71-43-2	Benzene	ND	0.50	0.26	ug/l	
75-27-4	Bromodichloromethane	ND	0.50	0.36	ug/l	
75-25-2	Bromoform ^a	ND	0.50	0.40	ug/l	
74-83-9	Bromomethane	ND	0.50	0.081	ug/l	
75-15-0	Carbon disulfide ^a	ND	0.50	0.39	ug/l	
108-90-7	Chlorobenzene	ND	0.50	0.27	ug/l	
75-00-3	Chloroethane	ND	0.50	0.071	ug/l	
67-66-3	Chloroform	ND	0.50	0.33	ug/l	
74-87-3	Chloromethane	ND	0.50	0.39	ug/l	
56-23-5	Carbon tetrachloride	ND	0.50	0.13	ug/l	
75-34-3	1,1-Dichloroethane	ND	0.50	0.13	ug/l	
75-35-4	1,1-Dichloroethylene	ND	0.50	0.23	ug/l	
107-06-2	1,2-Dichloroethane	ND	0.50	0.28	ug/l	
78-87-5	1,2-Dichloropropane	ND	0.50	0.29	ug/l	
124-48-1	Dibromochloromethane	ND	0.50	0.094	ug/l	
156-60-5	trans-1,2-Dichloroethylene	ND	0.50	0.098	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	0.50	0.26	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	0.14	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	0.25	ug/l	
100-41-4	Ethylbenzene	ND	0.50	0.26	ug/l	
76-13-1	Freon 113	ND	1.0	0.27	ug/l	
591-78-6	2-Hexanone	ND	2.0	1.3	ug/l	
75-09-2	Methylene chloride	ND	0.50	0.37	ug/l	
108-10-1	4-Methyl-2-pentanone	ND	2.0	1.5	ug/l	
100-42-5	Styrene	ND	0.50	0.21	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	0.50	0.12	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.50	0.099	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	0.50	0.12	ug/l	
127-18-4	Tetrachloroethylene	ND	0.50	0.12	ug/l	
108-88-3	Toluene	ND	0.50	0.13	ug/l	

ND = Not detected

MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: BPOW3-1		Date Sampled: 11/06/17
Lab Sample ID: JC54965-2		Date Received: 11/07/17
Matrix: AQ - Ground Water		Percent Solids: n/a
Method: EPA 524.2 REV 4.1		
Project: Northrup Grumman, Navy Wells OU2, Bethpage, NY		

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethylene	ND	0.50	0.11	ug/l	
75-01-4	Vinyl chloride	ND	0.50	0.056	ug/l	
	m,p-Xylene	ND	0.50	0.26	ug/l	
95-47-6	o-Xylene	ND	0.50	0.24	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2199-69-1	1,2-Dichlorobenzene-d4	92%		70-130%
460-00-4	4-Bromofluorobenzene	74%		70-130%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

(a) Associated CCV outside of control limits high, sample was ND.

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.2
4

Report of Analysis

Client Sample ID: REP110617AR1	Date Sampled: 11/06/17
Lab Sample ID: JC54965-3	Date Received: 11/07/17
Matrix: AQ - Ground Water	Percent Solids: n/a
Method: EPA 524.2 REV 4.1	
Project: Northrup Grumman, Navy Wells OU2, Bethpage, NY	

Run #1	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #2	1B112682.D	1	11/15/17 18:58	BK	n/a	n/a	V1B5380

Run #1	Purge Volume
Run #2	5.0 ml

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	5.0	3.8	ug/l	
78-93-3	2-Butanone	ND	5.0	2.5	ug/l	
71-43-2	Benzene	ND	0.50	0.26	ug/l	
75-27-4	Bromodichloromethane	ND	0.50	0.36	ug/l	
75-25-2	Bromoform ^a	ND	0.50	0.40	ug/l	
74-83-9	Bromomethane	ND	0.50	0.081	ug/l	
75-15-0	Carbon disulfide ^a	ND	0.50	0.39	ug/l	
108-90-7	Chlorobenzene	ND	0.50	0.27	ug/l	
75-00-3	Chloroethane	ND	0.50	0.071	ug/l	
67-66-3	Chloroform	0.69	0.50	0.33	ug/l	
74-87-3	Chloromethane	ND	0.50	0.39	ug/l	
56-23-5	Carbon tetrachloride	ND	0.50	0.13	ug/l	
75-34-3	1,1-Dichloroethane	ND	0.50	0.13	ug/l	
75-35-4	1,1-Dichloroethylene	0.32	0.50	0.23	ug/l	J
107-06-2	1,2-Dichloroethane	ND	0.50	0.28	ug/l	
78-87-5	1,2-Dichloropropane	ND	0.50	0.29	ug/l	
124-48-1	Dibromochloromethane	ND	0.50	0.094	ug/l	
156-60-5	trans-1,2-Dichloroethylene	ND	0.50	0.098	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	0.50	0.26	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	0.14	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	0.25	ug/l	
100-41-4	Ethylbenzene	ND	0.50	0.26	ug/l	
76-13-1	Freon 113	10.1	1.0	0.27	ug/l	
591-78-6	2-Hexanone	ND	2.0	1.3	ug/l	
75-09-2	Methylene chloride	ND	0.50	0.37	ug/l	
108-10-1	4-Methyl-2-pentanone	ND	2.0	1.5	ug/l	
100-42-5	Styrene	ND	0.50	0.21	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	0.50	0.12	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.50	0.099	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	0.50	0.12	ug/l	
127-18-4	Tetrachloroethylene	ND	0.50	0.12	ug/l	
108-88-3	Toluene	ND	0.50	0.13	ug/l	

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.3
 4

Report of Analysis

Client Sample ID: REP110617AR1		Date Sampled: 11/06/17
Lab Sample ID: JC54965-3		Date Received: 11/07/17
Matrix: AQ - Ground Water		Percent Solids: n/a
Method: EPA 524.2 REV 4.1		
Project: Northrup Grumman, Navy Wells OU2, Bethpage, NY		

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethylene	0.25	0.50	0.11	ug/l	J
75-01-4	Vinyl chloride	ND	0.50	0.056	ug/l	
	m,p-Xylene	ND	0.50	0.26	ug/l	
95-47-6	o-Xylene	ND	0.50	0.24	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2199-69-1	1,2-Dichlorobenzene-d4	89%		70-130%
460-00-4	4-Bromofluorobenzene	75%		70-130%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

(a) Associated CCV outside of control limits high, sample was ND.

ND = Not detected MDL = Method Detection Limit
 RL = Reporting Limit

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

4.3
4

Report of Analysis

Client Sample ID: TB110617AR1		Date Sampled: 11/06/17
Lab Sample ID: JC54965-4		Date Received: 11/07/17
Matrix: AQ - Trip Blank Water		Percent Solids: n/a
Method: EPA 524.2 REV 4.1		
Project: Northrup Grumman, Navy Wells OU2, Bethpage, NY		

Run #1	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	1B112683.D	1	11/15/17 19:30	BK	n/a	n/a	V1B5380
Run #2							

Run #1	Purge Volume
Run #1	5.0 ml
Run #2	

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	5.0	3.8	ug/l	
78-93-3	2-Butanone	ND	5.0	2.5	ug/l	
71-43-2	Benzene	ND	0.50	0.26	ug/l	
75-27-4	Bromodichloromethane	ND	0.50	0.36	ug/l	
75-25-2	Bromoform ^a	ND	0.50	0.40	ug/l	
74-83-9	Bromomethane	ND	0.50	0.081	ug/l	
75-15-0	Carbon disulfide ^a	ND	0.50	0.39	ug/l	
108-90-7	Chlorobenzene	ND	0.50	0.27	ug/l	
75-00-3	Chloroethane	ND	0.50	0.071	ug/l	
67-66-3	Chloroform	ND	0.50	0.33	ug/l	
74-87-3	Chloromethane	ND	0.50	0.39	ug/l	
56-23-5	Carbon tetrachloride	ND	0.50	0.13	ug/l	
75-34-3	1,1-Dichloroethane	ND	0.50	0.13	ug/l	
75-35-4	1,1-Dichloroethylene	ND	0.50	0.23	ug/l	
107-06-2	1,2-Dichloroethane	ND	0.50	0.28	ug/l	
78-87-5	1,2-Dichloropropane	ND	0.50	0.29	ug/l	
124-48-1	Dibromochloromethane	ND	0.50	0.094	ug/l	
156-60-5	trans-1,2-Dichloroethylene	ND	0.50	0.098	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	0.50	0.26	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	0.14	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	0.25	ug/l	
100-41-4	Ethylbenzene	ND	0.50	0.26	ug/l	
76-13-1	Freon 113	ND	1.0	0.27	ug/l	
591-78-6	2-Hexanone	ND	2.0	1.3	ug/l	
75-09-2	Methylene chloride	ND	0.50	0.37	ug/l	
108-10-1	4-Methyl-2-pentanone	ND	2.0	1.5	ug/l	
100-42-5	Styrene	ND	0.50	0.21	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	0.50	0.12	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.50	0.099	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	0.50	0.12	ug/l	
127-18-4	Tetrachloroethylene	ND	0.50	0.12	ug/l	
108-88-3	Toluene	ND	0.50	0.13	ug/l	

ND = Not detected MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: TB110617AR1		Date Sampled: 11/06/17
Lab Sample ID: JC54965-4		Date Received: 11/07/17
Matrix: AQ - Trip Blank Water		Percent Solids: n/a
Method: EPA 524.2 REV 4.1		
Project: Northrup Grumman, Navy Wells OU2, Bethpage, NY		

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethylene	ND	0.50	0.11	ug/l	
75-01-4	Vinyl chloride	ND	0.50	0.056	ug/l	
	m,p-Xylene	ND	0.50	0.26	ug/l	
95-47-6	o-Xylene	ND	0.50	0.24	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2199-69-1	1,2-Dichlorobenzene-d4	91%		70-130%
460-00-4	4-Bromofluorobenzene	75%		70-130%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

(a) Associated CCV outside of control limits high, sample was ND.

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.4
4

**Semi-Volatile
Certificate of Analysis
Sample Summary**

SDG Number: JC54965X
 Lab Sample ID: 437706001

 Client ID: BPOW4-1R
 Batch ID: 1718867
 Run Date: 11/29/2017 20:31
 Prep Date: 11/29/2017 11:45
 Data File: s112917.B\s6k2916.D

Date Collected: 11/06/2017 13:20
 Date Received: 11/10/2017 08:55
 Client: ACTL003
 Method: EPA 522
 Inst: MSD6.I
 Analyst: JMB3
 Aliquot: 100 mL
 Rx-624

Matrix: WATER

 Project: ACTL00316
 SOP Ref: GL-OA-E-073
 Dilution: 1
 Inj. Vol: 1 uL
 Final Volume: 2 mL

CAS No.	Parname	Qualifier	Result	Units	MDL	LOD	LOQ
123-91-1	1,4-Dioxane		1.78	ug/L	0.100	0.100	0.200

2

**Semi-Volatile
Certificate of Analysis
Sample Summary**

SDG Number: JC54965X
 Lab Sample ID: 437706002

 Client ID: BPOW3-1
 Batch ID: 1718867
 Run Date: 11/29/2017 21:41
 Prep Date: 11/29/2017 11:45
 Data File: s112917.B\s6k2918.D

Date Collected: 11/06/2017 13:50
 Date Received: 11/10/2017 08:55
 Client: ACTL003
 Method: EPA 522
 Inst: MSD6.I
 Analyst: JMB3
 Aliquot: 100 mL
 Rx-624

Matrix: WATER

 Project: ACTL00316
 SOP Ref: GL-OA-E-073
 Dilution: 1
 Inj. Vol: 1 uL
 Final Volume: 2 mL

CAS No.	Parname	Qualifier	Result	Units	MDL	LOD	LOQ
123-91-1	1,4-Dioxane		0.693	ug/L	0.100	0.100	0.200

2

**Semi-Volatile
Certificate of Analysis
Sample Summary**

SDG Number: JC54965X
 Lab Sample ID: 437706003

 Client ID: REP110617AR1
 Batch ID: 1718867
 Run Date: 11/29/2017 22:51
 Prep Date: 11/29/2017 11:45
 Data File: s112917.B\s6k2920.D

Date Collected: 11/06/2017 00:00
 Date Received: 11/10/2017 08:55
 Client: ACTL003
 Method: EPA 522
 Inst: MSD6.I
 Analyst: JMB3
 Aliquot: 100 mL
 Rx-624

Matrix: WATER

 Project: ACTL00316
 SOP Ref: GL-OA-E-073
 Dilution: 1
 Inj. Vol: 1 uL
 Final Volume: 2 mL

CAS No.	Parname	Qualifier	Result	Units	MDL	LOD	LOQ
123-91-1	1,4-Dioxane		1.87	ug/L	0.100	0.100	0.200

2

Report of Analysis

Client Sample ID: BPOW4-2R		
Lab Sample ID: JC55038-1		Date Sampled: 11/07/17
Matrix: AQ - Ground Water		Date Received: 11/08/17
Method: EPA 524.2 REV 4.1		Percent Solids: n/a
Project: Northrup Grumman, Navy Wells OU2, Bethpage, NY		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 ^a	1B112620.D	1	11/13/17 22:28	BK	n/a	n/a	V1B5377
Run #2							

Run #	Purge Volume
Run #1	5.0 ml
Run #2	

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	5.0	3.8	ug/l	
78-93-3	2-Butanone	ND	5.0	2.5	ug/l	
71-43-2	Benzene	ND	0.50	0.26	ug/l	
75-27-4	Bromodichloromethane	ND	0.50	0.36	ug/l	
75-25-2	Bromoform	ND	0.50	0.40	ug/l	
74-83-9	Bromomethane	ND	0.50	0.081	ug/l	
75-15-0	Carbon disulfide	ND	0.50	0.39	ug/l	
108-90-7	Chlorobenzene	ND	0.50	0.27	ug/l	
75-00-3	Chloroethane	ND	0.50	0.071	ug/l	
67-66-3	Chloroform	ND	0.50	0.33	ug/l	
74-87-3	Chloromethane	ND	0.50	0.39	ug/l	
56-23-5	Carbon tetrachloride	ND	0.50	0.13	ug/l	
75-34-3	1,1-Dichloroethane	ND	0.50	0.13	ug/l	
75-35-4	1,1-Dichloroethylene	0.25	0.50	0.23	ug/l	J
107-06-2	1,2-Dichloroethane	ND	0.50	0.28	ug/l	
78-87-5	1,2-Dichloropropane	ND	0.50	0.29	ug/l	
124-48-1	Dibromochloromethane	ND	0.50	0.094	ug/l	
156-60-5	trans-1,2-Dichloroethylene	ND	0.50	0.098	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	0.50	0.26	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	0.14	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	0.25	ug/l	
100-41-4	Ethylbenzene	ND	0.50	0.26	ug/l	
76-13-1	Freon 113	5.8	1.0	0.27	ug/l	
591-78-6	2-Hexanone	ND	2.0	1.3	ug/l	
75-09-2	Methylene chloride	ND	0.50	0.37	ug/l	
108-10-1	4-Methyl-2-pentanone	ND	2.0	1.5	ug/l	
100-42-5	Styrene	ND	0.50	0.21	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	0.50	0.12	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.50	0.099	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	0.50	0.12	ug/l	
127-18-4	Tetrachloroethylene	ND	0.50	0.12	ug/l	
108-88-3	Toluene	ND	0.50	0.13	ug/l	

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: BPOW4-2R		Date Sampled: 11/07/17
Lab Sample ID: JC55038-1		Date Received: 11/08/17
Matrix: AQ - Ground Water		Percent Solids: n/a
Method: EPA 524.2 REV 4.1		
Project: Northrup Grumman, Navy Wells OU2, Bethpage, NY		

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethylene	0.92	0.50	0.11	ug/l	
75-01-4	Vinyl chloride	ND	0.50	0.056	ug/l	
	m,p-Xylene	ND	0.50	0.26	ug/l	
95-47-6	o-Xylene	ND	0.50	0.24	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2199-69-1	1,2-Dichlorobenzene-d4	92%		70-130%
460-00-4	4-Bromofluorobenzene	77%		70-130%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

(a) EPA 524.2 is not a certified method for non-potable water samples.

ND = Not detected MDL = Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

4.1
4

Report of Analysis

Client Sample ID: TB110717AD1	Date Sampled: 11/07/17
Lab Sample ID: JC55038-2	Date Received: 11/08/17
Matrix: AQ - Trip Blank Water	Percent Solids: n/a
Method: EPA 524.2 REV 4.1	
Project: Northrup Grumman, Navy Wells OU2, Bethpage, NY	

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 ^a	1B112621.D	1	11/13/17 23:00	BK	n/a	n/a	V1B5377
Run #2							

Run #	Purge Volume
Run #1	5.0 ml
Run #2	

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	5.0	3.8	ug/l	
78-93-3	2-Butanone	ND	5.0	2.5	ug/l	
71-43-2	Benzene	ND	0.50	0.26	ug/l	
75-27-4	Bromodichloromethane	ND	0.50	0.36	ug/l	
75-25-2	Bromoform	ND	0.50	0.40	ug/l	
74-83-9	Bromomethane	ND	0.50	0.081	ug/l	
75-15-0	Carbon disulfide	ND	0.50	0.39	ug/l	
108-90-7	Chlorobenzene	ND	0.50	0.27	ug/l	
75-00-3	Chloroethane	ND	0.50	0.071	ug/l	
67-66-3	Chloroform	ND	0.50	0.33	ug/l	
74-87-3	Chloromethane	ND	0.50	0.39	ug/l	
56-23-5	Carbon tetrachloride	ND	0.50	0.13	ug/l	
75-34-3	1,1-Dichloroethane	ND	0.50	0.13	ug/l	
75-35-4	1,1-Dichloroethylene	ND	0.50	0.23	ug/l	
107-06-2	1,2-Dichloroethane	ND	0.50	0.28	ug/l	
78-87-5	1,2-Dichloropropane	ND	0.50	0.29	ug/l	
124-48-1	Dibromochloromethane	ND	0.50	0.094	ug/l	
156-60-5	trans-1,2-Dichloroethylene	ND	0.50	0.098	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	0.50	0.26	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	0.14	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	0.25	ug/l	
100-41-4	Ethylbenzene	ND	0.50	0.26	ug/l	
76-13-1	Freon 113	ND	1.0	0.27	ug/l	
591-78-6	2-Hexanone	ND	2.0	1.3	ug/l	
75-09-2	Methylene chloride	ND	0.50	0.37	ug/l	
108-10-1	4-Methyl-2-pentanone	ND	2.0	1.5	ug/l	
100-42-5	Styrene	ND	0.50	0.21	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	0.50	0.12	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.50	0.099	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	0.50	0.12	ug/l	
127-18-4	Tetrachloroethylene	ND	0.50	0.12	ug/l	
108-88-3	Toluene	ND	0.50	0.13	ug/l	

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.2
 4

Report of Analysis

Client Sample ID: TB110717AD1		Date Sampled: 11/07/17
Lab Sample ID: JC55038-2		Date Received: 11/08/17
Matrix: AQ - Trip Blank Water		Percent Solids: n/a
Method: EPA 524.2 REV 4.1		
Project: Northrup Grumman, Navy Wells OU2, Bethpage, NY		

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethylene	ND	0.50	0.11	ug/l	
75-01-4	Vinyl chloride	ND	0.50	0.056	ug/l	
	m,p-Xylene	ND	0.50	0.26	ug/l	
95-47-6	o-Xylene	ND	0.50	0.24	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2199-69-1	1,2-Dichlorobenzene-d4	92%		70-130%
460-00-4	4-Bromofluorobenzene	79%		70-130%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

(a) EPA 524.2 is not a certified method for non-potable water samples.

ND = Not detected MDL = Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

4.2
4

**Semi-Volatile
Certificate of Analysis
Sample Summary**

SDG Number: JC55038X
 Lab Sample ID: 437708001

 Client ID: BPOW4-2R
 Batch ID: 1718867
 Run Date: 11/30/2017 00:36
 Prep Date: 11/29/2017 11:45
 Data File: s112917.B\s6k2923.D

Date Collected: 11/07/2017 12:45
 Date Received: 11/10/2017 08:55
 Client: ACTL003
 Method: EPA 522
 Inst: MSD6.I
 Analyst: JMB3
 Aliquot: 100 mL
 Rx-624

Matrix: WATER

 Project: ACTL00316
 SOP Ref: GL-OA-E-073
 Dilution: 1
 Inj. Vol: 1 uL
 Final Volume: 2 mL

CAS No.	Parname	Qualifier	Result	Units	MDL	LOD	LOQ
123-91-1	1,4-Dioxane		0.515	ug/L	0.100	0.100	0.200

2

Report of Analysis

Client Sample ID: BPOW1-4		Date Sampled: 11/08/17
Lab Sample ID: JC55125-1		Date Received: 11/09/17
Matrix: AQ - Ground Water		Percent Solids: n/a
Method: EPA 524.2 REV 4.1		
Project: Northrup Grumman, Navy Wells OU2, Bethpage, NY		

Run #1	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	1B112684.D	1	11/15/17 20:01	BK	n/a	n/a	V1B5380
Run #2							

Run #1	Purge Volume
Run #1	5.0 ml
Run #2	

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	5.0	3.8	ug/l	
78-93-3	2-Butanone	ND	5.0	2.5	ug/l	
71-43-2	Benzene	ND	0.50	0.26	ug/l	
75-27-4	Bromodichloromethane	ND	0.50	0.36	ug/l	
75-25-2	Bromoform ^a	ND	0.50	0.40	ug/l	
74-83-9	Bromomethane	ND	0.50	0.081	ug/l	
75-15-0	Carbon disulfide ^a	ND	0.50	0.39	ug/l	
108-90-7	Chlorobenzene	ND	0.50	0.27	ug/l	
75-00-3	Chloroethane	ND	0.50	0.071	ug/l	
67-66-3	Chloroform	ND	0.50	0.33	ug/l	
74-87-3	Chloromethane	ND	0.50	0.39	ug/l	
56-23-5	Carbon tetrachloride	ND	0.50	0.13	ug/l	
75-34-3	1,1-Dichloroethane	ND	0.50	0.13	ug/l	
75-35-4	1,1-Dichloroethylene	ND	0.50	0.23	ug/l	
107-06-2	1,2-Dichloroethane	ND	0.50	0.28	ug/l	
78-87-5	1,2-Dichloropropane	ND	0.50	0.29	ug/l	
124-48-1	Dibromochloromethane	ND	0.50	0.094	ug/l	
156-60-5	trans-1,2-Dichloroethylene	ND	0.50	0.098	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	0.50	0.26	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	0.14	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	0.25	ug/l	
100-41-4	Ethylbenzene	ND	0.50	0.26	ug/l	
76-13-1	Freon 113	ND	1.0	0.27	ug/l	
591-78-6	2-Hexanone	ND	2.0	1.3	ug/l	
75-09-2	Methylene chloride	ND	0.50	0.37	ug/l	
108-10-1	4-Methyl-2-pentanone	ND	2.0	1.5	ug/l	
100-42-5	Styrene	ND	0.50	0.21	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	0.50	0.12	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.50	0.099	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	0.50	0.12	ug/l	
127-18-4	Tetrachloroethylene	ND	0.50	0.12	ug/l	
108-88-3	Toluene	0.20	0.50	0.13	ug/l	J

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.1
4

Report of Analysis

Client Sample ID: BPOW1-4		Date Sampled: 11/08/17
Lab Sample ID: JC55125-1		Date Received: 11/09/17
Matrix: AQ - Ground Water		Percent Solids: n/a
Method: EPA 524.2 REV 4.1		
Project: Northrup Grumman, Navy Wells OU2, Bethpage, NY		

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethylene	ND	0.50	0.11	ug/l	
75-01-4	Vinyl chloride	ND	0.50	0.056	ug/l	
	m,p-Xylene	ND	0.50	0.26	ug/l	
95-47-6	o-Xylene	ND	0.50	0.24	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2199-69-1	1,2-Dichlorobenzene-d4	91%		70-130%
460-00-4	4-Bromofluorobenzene	76%		70-130%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

(a) Associated CCV outside of control limits high, sample was ND.

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.1
4

Report of Analysis

Client Sample ID: BPOW1-5		Date Sampled: 11/08/17
Lab Sample ID: JC55125-2		Date Received: 11/09/17
Matrix: AQ - Ground Water		Percent Solids: n/a
Method: EPA 524.2 REV 4.1		
Project: Northrup Grumman, Navy Wells OU2, Bethpage, NY		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	1B112685.D	1	11/15/17 20:33	BK	n/a	n/a	V1B5380
Run #2							

Run #	Purge Volume
Run #1	5.0 ml
Run #2	

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	5.0	3.8	ug/l	
78-93-3	2-Butanone	ND	5.0	2.5	ug/l	
71-43-2	Benzene	ND	0.50	0.26	ug/l	
75-27-4	Bromodichloromethane	ND	0.50	0.36	ug/l	
75-25-2	Bromoform ^a	ND	0.50	0.40	ug/l	
74-83-9	Bromomethane	ND	0.50	0.081	ug/l	
75-15-0	Carbon disulfide ^a	ND	0.50	0.39	ug/l	
108-90-7	Chlorobenzene	ND	0.50	0.27	ug/l	
75-00-3	Chloroethane	ND	0.50	0.071	ug/l	
67-66-3	Chloroform	ND	0.50	0.33	ug/l	
74-87-3	Chloromethane	ND	0.50	0.39	ug/l	
56-23-5	Carbon tetrachloride	ND	0.50	0.13	ug/l	
75-34-3	1,1-Dichloroethane	ND	0.50	0.13	ug/l	
75-35-4	1,1-Dichloroethylene	ND	0.50	0.23	ug/l	
107-06-2	1,2-Dichloroethane	ND	0.50	0.28	ug/l	
78-87-5	1,2-Dichloropropane	ND	0.50	0.29	ug/l	
124-48-1	Dibromochloromethane	ND	0.50	0.094	ug/l	
156-60-5	trans-1,2-Dichloroethylene	ND	0.50	0.098	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	0.50	0.26	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	0.14	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	0.25	ug/l	
100-41-4	Ethylbenzene	ND	0.50	0.26	ug/l	
76-13-1	Freon 113	ND	1.0	0.27	ug/l	
591-78-6	2-Hexanone	ND	2.0	1.3	ug/l	
75-09-2	Methylene chloride	ND	0.50	0.37	ug/l	
108-10-1	4-Methyl-2-pentanone	ND	2.0	1.5	ug/l	
100-42-5	Styrene	ND	0.50	0.21	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	0.50	0.12	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.50	0.099	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	0.50	0.12	ug/l	
127-18-4	Tetrachloroethylene	ND	0.50	0.12	ug/l	
108-88-3	Toluene	ND	0.50	0.13	ug/l	

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.2
4

Report of Analysis

Client Sample ID: BPOW1-5		Date Sampled: 11/08/17
Lab Sample ID: JC55125-2		Date Received: 11/09/17
Matrix: AQ - Ground Water		Percent Solids: n/a
Method: EPA 524.2 REV 4.1		
Project: Northrup Grumman, Navy Wells OU2, Bethpage, NY		

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethylene	ND	0.50	0.11	ug/l	
75-01-4	Vinyl chloride	ND	0.50	0.056	ug/l	
	m,p-Xylene	ND	0.50	0.26	ug/l	
95-47-6	o-Xylene	ND	0.50	0.24	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2199-69-1	1,2-Dichlorobenzene-d4	89%		70-130%
460-00-4	4-Bromofluorobenzene	75%		70-130%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

(a) Associated CCV outside of control limits high, sample was ND.

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.2
4

Report of Analysis

Client Sample ID: BPOW1-6		Date Sampled: 11/08/17
Lab Sample ID: JC55125-3		Date Received: 11/09/17
Matrix: AQ - Ground Water		Percent Solids: n/a
Method: EPA 524.2 REV 4.1		
Project: Northrup Grumman, Navy Wells OU2, Bethpage, NY		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 ^a	1B112788.D	1	11/21/17 18:21	BK	n/a	n/a	V1B5385
Run #2							

Run #	Purge Volume
Run #1	5.0 ml
Run #2	

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	5.0	3.8	ug/l	
78-93-3	2-Butanone	ND	5.0	2.5	ug/l	
71-43-2	Benzene	ND	0.50	0.26	ug/l	
75-27-4	Bromodichloromethane	ND	0.50	0.36	ug/l	
75-25-2	Bromoform	ND	0.50	0.40	ug/l	
74-83-9	Bromomethane	ND	0.50	0.081	ug/l	
75-15-0	Carbon disulfide	ND	0.50	0.39	ug/l	
108-90-7	Chlorobenzene	ND	0.50	0.27	ug/l	
75-00-3	Chloroethane	ND	0.50	0.071	ug/l	
67-66-3	Chloroform	ND	0.50	0.33	ug/l	
74-87-3	Chloromethane	ND	0.50	0.39	ug/l	
56-23-5	Carbon tetrachloride	ND	0.50	0.13	ug/l	
75-34-3	1,1-Dichloroethane	ND	0.50	0.13	ug/l	
75-35-4	1,1-Dichloroethylene	ND	0.50	0.23	ug/l	
107-06-2	1,2-Dichloroethane	ND	0.50	0.28	ug/l	
78-87-5	1,2-Dichloropropane	ND	0.50	0.29	ug/l	
124-48-1	Dibromochloromethane	ND	0.50	0.094	ug/l	
156-60-5	trans-1,2-Dichloroethylene	ND	0.50	0.098	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	0.50	0.26	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	0.14	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	0.25	ug/l	
100-41-4	Ethylbenzene	ND	0.50	0.26	ug/l	
76-13-1	Freon 113	ND	1.0	0.27	ug/l	
591-78-6	2-Hexanone	ND	2.0	1.3	ug/l	
75-09-2	Methylene chloride	ND	0.50	0.37	ug/l	
108-10-1	4-Methyl-2-pentanone	ND	2.0	1.5	ug/l	
100-42-5	Styrene	ND	0.50	0.21	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	0.50	0.12	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.50	0.099	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	0.50	0.12	ug/l	
127-18-4	Tetrachloroethylene	ND	0.50	0.12	ug/l	
108-88-3	Toluene	ND	0.50	0.13	ug/l	

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.3
4

Report of Analysis

Client Sample ID: BPOW1-6		Date Sampled: 11/08/17
Lab Sample ID: JC55125-3		Date Received: 11/09/17
Matrix: AQ - Ground Water		Percent Solids: n/a
Method: EPA 524.2 REV 4.1		
Project: Northrup Grumman, Navy Wells OU2, Bethpage, NY		

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethylene	ND	0.50	0.11	ug/l	
75-01-4	Vinyl chloride	ND	0.50	0.056	ug/l	
	m,p-Xylene	ND	0.50	0.26	ug/l	
95-47-6	o-Xylene	ND	0.50	0.24	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2199-69-1	1,2-Dichlorobenzene-d4	80%		70-130%
460-00-4	4-Bromofluorobenzene	80%		70-130%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

(a) EPA 524.2 is not a certified method for non-potable water samples.

ND = Not detected MDL = Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

4.3
4

Report of Analysis

Client Sample ID: TB110817AR1		
Lab Sample ID: JC55125-4		Date Sampled: 11/08/17
Matrix: AQ - Trip Blank Water		Date Received: 11/09/17
Method: EPA 524.2 REV 4.1		Percent Solids: n/a
Project: Northrup Grumman, Navy Wells OU2, Bethpage, NY		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 ^a	1B112789.D	1	11/21/17 18:52	BK	n/a	n/a	V1B5385
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	5.0	3.8	ug/l	
78-93-3	2-Butanone	ND	5.0	2.5	ug/l	
71-43-2	Benzene	ND	0.50	0.26	ug/l	
75-27-4	Bromodichloromethane	ND	0.50	0.36	ug/l	
75-25-2	Bromoform	ND	0.50	0.40	ug/l	
74-83-9	Bromomethane	ND	0.50	0.081	ug/l	
75-15-0	Carbon disulfide	ND	0.50	0.39	ug/l	
108-90-7	Chlorobenzene	ND	0.50	0.27	ug/l	
75-00-3	Chloroethane	ND	0.50	0.071	ug/l	
67-66-3	Chloroform	ND	0.50	0.33	ug/l	
74-87-3	Chloromethane	ND	0.50	0.39	ug/l	
56-23-5	Carbon tetrachloride	ND	0.50	0.13	ug/l	
75-34-3	1,1-Dichloroethane	ND	0.50	0.13	ug/l	
75-35-4	1,1-Dichloroethylene	ND	0.50	0.23	ug/l	
107-06-2	1,2-Dichloroethane	ND	0.50	0.28	ug/l	
78-87-5	1,2-Dichloropropane	ND	0.50	0.29	ug/l	
124-48-1	Dibromochloromethane	ND	0.50	0.094	ug/l	
156-60-5	trans-1,2-Dichloroethylene	ND	0.50	0.098	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	0.50	0.26	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	0.14	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	0.25	ug/l	
100-41-4	Ethylbenzene	ND	0.50	0.26	ug/l	
76-13-1	Freon 113	ND	1.0	0.27	ug/l	
591-78-6	2-Hexanone	ND	2.0	1.3	ug/l	
75-09-2	Methylene chloride	ND	0.50	0.37	ug/l	
108-10-1	4-Methyl-2-pentanone	ND	2.0	1.5	ug/l	
100-42-5	Styrene	ND	0.50	0.21	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	0.50	0.12	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.50	0.099	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	0.50	0.12	ug/l	
127-18-4	Tetrachloroethylene	ND	0.50	0.12	ug/l	
108-88-3	Toluene	ND	0.50	0.13	ug/l	

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound



Report of Analysis

Client Sample ID: TB110817AR1		Date Sampled: 11/08/17
Lab Sample ID: JC55125-4		Date Received: 11/09/17
Matrix: AQ - Trip Blank Water		Percent Solids: n/a
Method: EPA 524.2 REV 4.1		
Project: Northrup Grumman, Navy Wells OU2, Bethpage, NY		

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethylene	ND	0.50	0.11	ug/l	
75-01-4	Vinyl chloride	ND	0.50	0.056	ug/l	
	m,p-Xylene	ND	0.50	0.26	ug/l	
95-47-6	o-Xylene	ND	0.50	0.24	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2199-69-1	1,2-Dichlorobenzene-d4	82%		70-130%
460-00-4	4-Bromofluorobenzene	81%		70-130%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

(a) EPA 524.2 is not a certified method for non-potable water samples.

ND = Not detected MDL = Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

4.4
4

**Semi-Volatile
Certificate of Analysis
Sample Summary**

SDG Number: JC55125X
 Lab Sample ID: 437725001

 Client ID: BPOW 1-4
 Batch ID: 1718867
 Run Date: 11/30/2017 01:46
 Prep Date: 11/29/2017 11:45
 Data File: s112917.B\s6k2925.D

Date Collected: 11/08/2017 14:50
 Date Received: 11/11/2017 09:00
 Client: ACTL003
 Method: EPA 522
 Inst: MSD6.I
 Analyst: JMB3
 Aliquot: 100 mL
 Rx-624

Matrix: WATER

 Project: ACTL00316
 SOP Ref: GL-OA-E-073
 Dilution: 1
 Inj. Vol: 1 uL
 Final Volume: 2 mL

CAS No.	Parname	Qualifier	Result	Units	MDL	LOD	LOQ
123-91-1	1,4-Dioxane	U	0.100	ug/L	0.100	0.100	0.200

2

**Semi-Volatile
Certificate of Analysis
Sample Summary**

SDG Number: JC55125X
 Lab Sample ID: 437725002

 Client ID: BPOW 1-5
 Batch ID: 1718867
 Run Date: 11/30/2017 02:56
 Prep Date: 11/29/2017 11:45
 Data File: s112917.B\s6k2927.D

Date Collected: 11/08/2017 14:10
 Date Received: 11/11/2017 09:00
 Client: ACTL003
 Method: EPA 522
 Inst: MSD6.I
 Analyst: JMB3
 Aliquot: 100 mL
 Rx-624

Matrix: WATER

 Project: ACTL00316
 SOP Ref: GL-OA-E-073
 Dilution: 1
 Inj. Vol: 1 uL
 Final Volume: 2 mL

CAS No.	Parname	Qualifier	Result	Units	MDL	LOD	LOQ
123-91-1	1,4-Dioxane	U	0.100	ug/L	0.100	0.100	0.200

2

**Semi-Volatile
Certificate of Analysis
Sample Summary**

SDG Number: JC55125X
Lab Sample ID: 437725003

Client ID: BPOW 1-6
Batch ID: 1718867
Run Date: 11/30/2017 10:14
Prep Date: 11/29/2017 11:45
Data File: s112917.B\s6k2941.D

Date Collected: 11/08/2017 14:40
Date Received: 11/11/2017 09:00
Client: ACTL003
Method: EPA 522
Inst: MSD6.I
Analyst: JMB3
Aliquot: 100 mL
Rtx-624

Matrix: WATER

Project: ACTL00316
SOP Ref: GL-OA-E-073
Dilution: 1
Inj. Vol: 1 uL
Final Volume: 2 mL

CAS No.	Parname	Qualifier	Result	Units	MDL	LOD	LOQ
123-91-1	1,4-Dioxane	U	0.100	ug/L	0.100	0.100	0.200

2