

Pelton, Jason M (DEC)

From: Wu, Ernie <Ernie.Wu@tetrattech.com>
Sent: Tuesday, December 11, 2018 11:08 AM
To: Pelton, Jason M (DEC); Karpinski, Steven (HEALTH); Lovejoy, John (NASSAU);
thantu.lorenzo@epa.gov; Garbarini.Doug@epa.gov; rlenz@oysterbay-ny.gov
Cc: mkauffman@mclaneenv.com
Subject: Validated Data Q3, 2018 - BPOW 5 and 6
Attachments: PDF1_Table1_Analytical Data - BPOW 6.pdf; PDF1_Table 1_Analytical Data - BPOW 5.pdf

ATTENTION: This email came from an external source. Do not open attachments or click on links from unknown senders or unexpected emails.

All:

As per discussions between the Navy and NYSDEC, NYSDEC requested that the Navy submit the validated data as soon as the information is available. Please find attached the pdf for the September 2018 Quarterly Sampling.

Ernie Wu | Project Manager | Environmental Scientist
Main: 757.461.3768 | Direct: 757.466.4901 | Fax: 757.461.4148
ernie.wu@tetrattech.com

Tetra Tech, Inc | Norfolk Office
Twin Oaks I, Suite 102, 5700 Lake Wright Drive | Norfolk, VA 23502 | www.tetrattech.com

PLEASE NOTE: This message, including any attachments, may include privileged, confidential and/or inside information. Any distribution or use of this communication by anyone other than the intended recipient is strictly prohibited and may be unlawful. If you are not the intended recipient, please notify the sender by replying to this message and then delete it from your system.

Table 1.
Concentrations of Volatile Organic Compounds and
1,4-Dioxane in Outpost Wells BPOW 6-1 through BPOW 6-6,
Third Quarter 2018
Operable Unit 2 (Groundwater),
Bethpage, New York

Well: Sample ID: Date:	BPOW 6-1 BPOW 6-1 9/11/2018	BPOW 6-2 BPOW 6-2 9/11/2018	BPOW 6-3 BPOW 6-3 9/11/2018	BPOW 6-4 BPOW 6-4 9/11/2018	BPOW 6-5 BPOW 6-5 9/10/2018	BPOW 6-6 BPOW 6-6 9/10/2018
CONSTITUENT units (ug/L)						
Volatile Organic Compounds (VOCs) ⁽¹⁾						
1,1,1-Trichloroethane	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
1,1,2,2-Tetrachloroethane	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
1,1,2-trichloro-1,2,2-trifluoroethane	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
1,1,2-Trichloroethane	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
1,1-Dichloroethane	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
1,1-Dichloroethene	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
1,2-Dichloroethane	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
1,2-Dichloropropane	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
2-Butanone (MEK)	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0
4-Methyl-2-Pentanone	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0
Acetone	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0
Benzene	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
Bromodichloromethane	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
Bromoform	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
Bromomethane	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
Carbon Disulfide	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
Carbon Tetrachloride	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
Chlorobenzene	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
Chlorodibromomethane	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
Chloroethane	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
Chloroform	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
Chloromethane	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
cis-1,2-Dichloroethene	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
cis-1,3-Dichloropropene	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
Dichloromethane	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
Ethylbenzene	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
m&p-Xylenes	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
Methyl N-Butyl Ketone (2-Hexanone)	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0
o-Xylene	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
Styrene (Monomer)	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
Tetrachloroethene	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
Toluene	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
trans-1,2-Dichloroethene	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
trans-1,3-Dichloropropene	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
Trichloroethene	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
Vinyl chloride	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
Total VOCs ⁽²⁾	0	0	0	0	0	0
1,4-Dioxane ⁽³⁾	< 0.200	< 0.200	< 0.200	0.161 J	< 0.200	< 0.200

See last page for Notes and Abbreviations.

Table 1.
Concentrations of Volatile Organic Compounds and
1,4-Dioxane in Outpost Wells BPOW 6-1 through BPOW 6-6,
Third Quarter 2018
Operable Unit 2 (Groundwater),
Bethpage, New York

Notes and Abbreviations:

- (1) Samples were analyzed for the TCL VOCs using USEPA Method 524.2.
(2) Total VOCs are rounded to two significant figures.
(3) Samples were analyzed for 1,4-Dioxane using USEPA Method 522.
Results validated following protocols specified in OU2 Groundwater Monitoring Plan (ARCADIS 2016).

Bold	Constituent detected
TCL	Target Compound List
VOC	Volatile Organic Compound
USEPA	United States Environmental Protection Agency
µg/L	Micrograms per liter
J	Constituent value is estimated
<0.50	Constituent not detected above its laboratory detection limit

Table 1.
Concentrations of Volatile Organic Compounds
and 1,4-Dioxane in Outpost Wells BPOW 5-1 through BPOW 5-7,
Third Quarter 2018
Operable Unit 2 (Groundwater),
Bethpage, New York

CONSTITUENT Units (ug/L)	Well: Sample ID: Date:	BPOW 5-1 BPOW 5-1 9/13/2018	BPOW 5-2 BPOW 5-2 9/14/2018	BPOW 5-3 BPOW 5-3 9/13/2018	BPOW 5-3 REP091318AD1 9/13/2018
<u>Volatile Organic Compounds (VOCs) ⁽¹⁾</u>					
1,1,1-Trichloroethane		< 0.50	< 0.50	< 0.50	< 0.50
1,1,1,2-Tetrachloroethane		< 0.50	< 0.50	< 0.50	< 0.50
1,1,1,2-trichloro-1,2,2-trifluoroethane		<1.0	<1.0	<1.0	<1.0
1,1,2-Trichloroethane		< 0.50	< 0.50	< 0.50	< 0.50
1,1-Dichloroethane		< 0.50	< 0.50	< 0.50	< 0.50
1,1-Dichloroethene		< 0.50	< 0.50	< 0.50	< 0.50
1,2-Dichloroethane		< 0.50	< 0.50	< 0.50	< 0.50
1,2-Dichloropropane		< 0.50	< 0.50	< 0.50	< 0.50
2-Butanone (MEK)		< 5.0	< 5.0	< 5.0	< 5.0
4-Methyl-2-Pentanone		< 2.0	< 2.0	< 2.0	< 2.0
Acetone		< 5.0	< 5.0	< 5.0	< 5.0
Benzene		< 0.50	< 0.50	< 0.50	< 0.50
Bromodichloromethane		< 0.50	< 0.50	< 0.50	< 0.50
Bromoform		< 0.50	< 0.50	< 0.50	< 0.50
Bromomethane		< 0.50	< 0.50	< 0.50	< 0.50
Carbon Disulfide		< 0.50	< 0.50	< 0.50	< 0.50
Carbon Tetrachloride		< 0.50	< 0.50	< 0.50	< 0.50
Chlorobenzene		< 0.50	< 0.50	< 0.50	< 0.50
Chlorodibromomethane		< 0.50	< 0.50	< 0.50	< 0.50
Chloroethane		< 0.50	< 0.50	< 0.50	< 0.50
Chloroform		< 0.50	< 0.50	< 0.50	< 0.50
Chloromethane		< 0.50	< 0.50	< 0.50	< 0.50
cis-1,2-Dichloroethene		< 0.50	< 0.50	< 0.50	< 0.50
cis-1,3-Dichloropropene		< 0.50	< 0.50	< 0.50	< 0.50
Dichloromethane		< 0.50	< 0.50	< 0.50	< 0.50
Ethylbenzene		< 0.50	< 0.50	< 0.50	< 0.50
m&p-Xylenes		< 0.50	< 0.50	< 0.50	< 0.50
Methyl N-Butyl Ketone (2-Hexanone)		< 2.0	< 2.0	< 2.0	< 2.0
o-Xylene		< 0.50	< 0.50	< 0.50	< 0.50
Styrene (Monomer)		< 0.50	< 0.50	< 0.50	< 0.50
Tetrachloroethene		< 0.50	< 0.50	< 0.50	< 0.50
Toluene		< 0.50	< 0.50	< 0.50	< 0.50
trans-1,2-Dichloroethene		< 0.50	< 0.50	< 0.50	< 0.50
trans-1,3-Dichloropropene		< 0.50	< 0.50	< 0.50	< 0.50
Trichloroethene		< 0.50	< 0.50	< 0.50	< 0.50
Vinyl chloride		< 0.50	< 0.50	< 0.50	< 0.50
Total VOCs ⁽²⁾		0	0	0	0
1,4-Dioxane ⁽³⁾		0.104 J	< 0.200	1.45	0.132 J

See last page for Notes and Abbreviations

Table 1.
Concentrations of Volatile Organic Compounds
and 1,4-Dioxane in Outpost Wells BPOW 5-1 through BPOW 5-7,
Third Quarter 2018
Operable Unit 2 (Groundwater),
Bethpage, New York

CONSTITUENT Units (ug/L)	Well: Sample ID: Date:	BPOW 5-4 BPOW 5-4 9/4/2018	BPOW 5-5 BPOW 5-5 9/12/2018	BPOW 5-6 BPOW 5-6 9/12/2018	BPOW 5-7 BPOW 5-7 9/5/2018
<u>Volatile Organic Compounds (VOCs) ⁽¹⁾</u>					
1,1,1-Trichloroethane		< 0.50	< 0.50	< 0.50	< 0.50
1,1,1,2-Tetrachloroethane		< 0.50	< 0.50	< 0.50	< 0.50
1,1,1,2-trichloro-1,2,2-trifluoroethane		<1.0	<1.0	<1.0	<1.0
1,1,2-Trichloroethane		< 0.50	< 0.50	< 0.50	< 0.50
1,1-Dichloroethane		< 0.50	< 0.50	< 0.50	< 0.50
1,1-Dichloroethene		< 0.50	< 0.50	< 0.50	< 0.50
1,2-Dichloroethane		< 0.50	< 0.50	< 0.50	< 0.50
1,2-Dichloropropane		< 0.50	< 0.50	< 0.50	< 0.50
2-Butanone (MEK)		< 5.0	< 5.0	< 5.0	< 5.0
4-Methyl-2-Pentanone		< 2.0	< 2.0	< 2.0	< 2.0
Acetone		< 5.0	< 5.0	< 5.0	< 5.0
Benzene		< 0.50	< 0.50	< 0.50	< 0.50
Bromodichloromethane		< 0.50	< 0.50	< 0.50	< 0.50
Bromoform		< 0.50	< 0.50	< 0.50	< 0.50
Bromomethane		< 0.50	< 0.50	< 0.50	< 0.50
Carbon Disulfide		< 0.50	< 0.50	< 0.50	< 0.50
Carbon Tetrachloride		< 0.50	< 0.50	< 0.50	< 0.50
Chlorobenzene		< 0.50	< 0.50	< 0.50	< 0.50
Chlorodibromomethane		< 0.50	< 0.50	< 0.50	< 0.50
Chloroethane		< 0.50	< 0.50	< 0.50	< 0.50
Chloroform		< 0.50	< 0.50	< 0.50	< 0.50
Chloromethane		< 0.50	< 0.50	< 0.50	< 0.50
cis-1,2-Dichloroethene		< 0.50	< 0.50	< 0.50	< 0.50
cis-1,3-Dichloropropene		< 0.50	< 0.50	< 0.50	< 0.50
Dichloromethane		< 0.50	< 0.50	< 0.50	< 0.50
Ethylbenzene		< 0.50	< 0.50	< 0.50	< 0.50
m&p-Xylenes		< 0.50	< 0.50	< 0.50	< 0.50
Methyl N-Butyl Ketone (2-Hexanone)		< 2.0	< 2.0	< 2.0	< 2.0
o-Xylene		< 0.50	< 0.50	< 0.50	< 0.50
Styrene (Monomer)		< 0.50	< 0.50	< 0.50	< 0.50
Tetrachloroethene		< 0.50	< 0.50	< 0.50	< 0.50
Toluene		< 0.50	< 0.50	< 0.50	< 0.50
trans-1,2-Dichloroethene		< 0.50	< 0.50	< 0.50	< 0.50
trans-1,3-Dichloropropene		< 0.50	< 0.50	< 0.50	< 0.50
Trichloroethene		< 0.50	< 0.50	< 0.50	< 0.50
Vinyl chloride		< 0.50	< 0.50	< 0.50	< 0.50
Total VOCs ⁽²⁾		0	0	0	0
1,4-Dioxane ⁽³⁾		0.985	1.65	0.263	< 0.200

See last page for Notes and Abbreviations

Table 1.
Concentrations of Volatile Organic Compounds
and 1,4-Dioxane in Outpost Wells BPOW 5-1 through BPOW 5-7,
Third Quarter 2018
Operable Unit 2 (Groundwater),
Bethpage, New York

Notes and Abbreviations:

(1) Samples were analyzed for the TCL VOCs using USEPA Method 524.2.

(2) Total VOCs are rounded to two significant figures.

(3) Samples were analyzed for 1,4-Dioxane using USEPA Method 522.

Results validated following protocols specified in OU2 Groundwater Monitoring Plan (ARCADIS 2016).

Bold	Constituent detected
TCL	Target Compound List
REP	Blind duplicate sample
VOC	Volatile Organic Compound
USEPA	United States Environmental Protection Agency
µg/L	Micrograms per liter
J	Constituent value is estimated
<0.50	Constituent not detected above its laboratory detection limit