

Pelton, Jason M (DEC)

From: Zahradnik, Art <Art.Zahradnik@arcadis.com>
Sent: Friday, January 11, 2019 12:57 PM
To: Pelton, Jason M (DEC)
Cc: Scharf, Steven (DEC); Hesler, Donald (DEC); Hannon, ED [US] (AS); Stern, David; Wolfert, Mike; brian.s.murray@navy.mil; Brayack, David
Subject: DELIVERABLE - Form 1 Data - Northrop Grumman Bethpage - OU2 4Q-2018 Groundwater Sampling
Attachments: Form 1_Northrop Grumman Wells_011119.pdf

ATTENTION: This email came from an external source. Do not open attachments or click on links from unknown senders or unexpected emails.

Dear Jason:

On behalf of Northrop Grumman, Arcadis is submitting the attached Form 1 data. As per discussions between Northrop Grumman and NYSDEC, NYSDEC requested that Northrop Grumman submit the validated Form 1s as soon as the information is available.

The attached Form 1's are for the OU2 4Q 2018 routine sampling event (samples collected between 10/29/18 and 11/1/18) per the OU2 Groundwater Monitoring Plan (Arcadis 2016).

Form 1 data associated with the OU2 4Q 2018 routine sampling event will continue to be provided over the next several weeks as the data are validated.

Regards and have a good weekend,
Art

Art Zahradnik, P.G. | Associate Project Manager / Senior Hydrogeologist | art.zahradnik@arcadis.com
Arcadis | Arcadis of New York, Inc.
Two Huntington Quadrangle, Suite 1S10 Melville NY | 11747 | USA
T. +1 631 391 5208 | M. +1 516 903 9452

Professional Geologist / PG-NY, 000971

Connect with us! www.arcadis.com | [LinkedIn](#) | [Twitter](#) | [Facebook](#)



Be green, leave it on the screen.

This email and any files transmitted with it are the property of Arcadis and its affiliates. All rights, including without limitation copyright, are reserved. This email contains information that may be confidential and may also be privileged. It is for the exclusive use of the intended recipient(s). If you are not an intended recipient, please note that any form of distribution, copying or use of this communication or the information in it is strictly prohibited and may be unlawful. If you have received this communication in error, please return it to the sender and then delete the email and destroy any copies of it. While reasonable precautions have been taken to ensure that no software or viruses are present in our emails, we cannot guarantee that this email or any attachment is virus free or has not been intercepted or changed. Any opinions or other information in this email that do not relate to the official business of Arcadis are neither given nor endorsed by it.

Report of Analysis

Client Sample ID: FB102918DC1 Lab Sample ID: JC76916-1 Matrix: AQ - Field Blank Water Method: SW846 8260C Project: Northrop Grumman, OU2 Hydro, Bethpage, NY	Date Sampled: 10/29/18 Date Received: 10/30/18 Percent Solids: n/a
---	---

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethene	ND	1.0	0.53	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.79	ug/l	
	m,p-Xylene	ND	1.0	0.78	ug/l	
95-47-6	o-Xylene	ND	1.0	0.59	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	99%		80-120%
17060-07-0	1,2-Dichloroethane-D4	105%		81-124%
2037-26-5	Toluene-D8	96%		80-120%
460-00-4	4-Bromofluorobenzene	105%		80-120%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.1
4

Report of Analysis

Client Sample ID: TB102918DC1 Lab Sample ID: JC76916-2 Matrix: AQ - Trip Blank Water Method: SW846 8260C Project: Northrop Grumman, OU2 Hydro, Bethpage, NY	Date Sampled: 10/29/18 Date Received: 10/30/18 Percent Solids: n/a
--	---

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethene	ND	1.0	0.53	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.79	ug/l	
	m,p-Xylene	ND	1.0	0.78	ug/l	
95-47-6	o-Xylene	ND	1.0	0.59	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	100%		80-120%
17060-07-0	1,2-Dichloroethane-D4	106%		81-124%
2037-26-5	Toluene-D8	96%		80-120%
460-00-4	4-Bromofluorobenzene	108%		80-120%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.2
4

Report of Analysis

Client Sample ID: FW-03 Lab Sample ID: JC76916-3 Matrix: AQ - Ground Water Method: SW846 8260C Project: Northrop Grumman, OU2 Hydro, Bethpage, NY	Date Sampled: 10/29/18 Date Received: 10/30/18 Percent Solids: n/a
--	---

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethene	1.0	1.0	0.53	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.79	ug/l	
	m,p-Xylene	ND	1.0	0.78	ug/l	
95-47-6	o-Xylene	ND	1.0	0.59	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	101%		80-120%
17060-07-0	1,2-Dichloroethane-D4	106%		81-124%
2037-26-5	Toluene-D8	96%		80-120%
460-00-4	4-Bromofluorobenzene	105%		80-120%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	system artifact	4.01	6.7	ug/l	J
	Total TIC, Volatile		0	ug/l	

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.3
4

Report of Analysis

Client Sample ID: HN-24I Lab Sample ID: JC76916-4 Matrix: AQ - Ground Water Method: SW846 8260C Project: Northrop Grumman, OU2 Hydro, Bethpage, NY	Date Sampled: 10/29/18 Date Received: 10/30/18 Percent Solids: n/a
---	---

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	2C163679.D	1	11/01/18 17:56	DG	n/a	n/a	V2C7283
Run #2							

Run #	Purge Volume
Run #1	5.0 ml
Run #2	

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	10	6.0	ug/l	
71-43-2	Benzene	ND	0.50	0.43	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.58	ug/l	
75-25-2	Bromoform	ND	1.0	0.63	ug/l	
74-83-9	Bromomethane	ND	2.0	1.6	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	6.9	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.95	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.55	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.56	ug/l	
75-00-3	Chloroethane	ND	1.0	0.73	ug/l	
67-66-3	Chloroform	ND	1.0	0.50	ug/l	
74-87-3	Chloromethane	ND	1.0	0.76	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.56	ug/l	
75-34-3	1,1-Dichloroethane	0.91	1.0	0.57	ug/l	J
107-06-2	1,2-Dichloroethane	ND	1.0	0.60	ug/l	
75-35-4	1,1-Dichloroethene	1.6	1.0	0.59	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.51	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.54	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.51	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.47	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.43	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.60	ug/l	
76-13-1	Freon 113	ND	5.0	1.9	ug/l	
591-78-6	2-Hexanone	ND	5.0	2.0	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	1.9	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.70	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.65	ug/l	
127-18-4	Tetrachloroethene	7.2	1.0	0.90	ug/l	
108-88-3	Toluene	ND	1.0	0.53	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.54	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.53	ug/l	

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.4
4

Report of Analysis

Client Sample ID: HN-24I Lab Sample ID: JC76916-4 Matrix: AQ - Ground Water Method: SW846 8260C Project: Northrop Grumman, OU2 Hydro, Bethpage, NY	Date Sampled: 10/29/18 Date Received: 10/30/18 Percent Solids: n/a
---	---

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethene	10	1.0	0.53	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.79	ug/l	
	m,p-Xylene	ND	1.0	0.78	ug/l	
95-47-6	o-Xylene	ND	1.0	0.59	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	101%		80-120%
17060-07-0	1,2-Dichloroethane-D4	106%		81-124%
2037-26-5	Toluene-D8	96%		80-120%
460-00-4	4-Bromofluorobenzene	105%		80-120%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	system artifact	4.02	7.3	ug/l	J
	Total TIC, Volatile		0	ug/l	

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.4
4

Report of Analysis

Client Sample ID: TB102918CK1		Date Sampled: 10/29/18
Lab Sample ID: JC76917-1		Date Received: 10/30/18
Matrix: AQ - Trip Blank Water		Percent Solids: n/a
Method: SW846 8260C		
Project: Northrop Grumman, OU2 Hydro, Bethpage, NY		

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethene	ND	1.0	0.53	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.79	ug/l	
	m,p-Xylene	ND	1.0	0.78	ug/l	
95-47-6	o-Xylene	ND	1.0	0.59	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	104%		80-120%
17060-07-0	1,2-Dichloroethane-D4	97%		81-124%
2037-26-5	Toluene-D8	100%		80-120%
460-00-4	4-Bromofluorobenzene	102%		80-120%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.1
4

Report of Analysis

Client Sample ID: FB102918CK1		Date Sampled: 10/29/18
Lab Sample ID: JC76917-2		Date Received: 10/30/18
Matrix: AQ - Field Blank Water		Percent Solids: n/a
Method: SW846 8260C		
Project: Northrop Grumman, OU2 Hydro, Bethpage, NY		

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethene	ND	1.0	0.53	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.79	ug/l	
	m,p-Xylene	ND	1.0	0.78	ug/l	
95-47-6	o-Xylene	ND	1.0	0.59	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	109%		80-120%
17060-07-0	1,2-Dichloroethane-D4	103%		81-124%
2037-26-5	Toluene-D8	101%		80-120%
460-00-4	4-Bromofluorobenzene	105%		80-120%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.2
4

Report of Analysis

Client Sample ID: MW3-1		Date Sampled: 10/29/18
Lab Sample ID: JC76917-3		Date Received: 10/30/18
Matrix: AQ - Ground Water		Percent Solids: n/a
Method: SW846 8260C		
Project: Northrop Grumman, OU2 Hydro, Bethpage, NY		

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethene	156	1.0	0.53	ug/l	
75-01-4	Vinyl chloride	16.8	1.0	0.79	ug/l	
	m,p-Xylene	ND	1.0	0.78	ug/l	
95-47-6	o-Xylene	ND	1.0	0.59	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	109%		80-120%
17060-07-0	1,2-Dichloroethane-D4	104%		81-124%
2037-26-5	Toluene-D8	101%		80-120%
460-00-4	4-Bromofluorobenzene	104%		80-120%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

ND = Not detected MDL = Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

4.3
4

Report of Analytical Results

Client: ARCADIS
Lab ID: TL0640-1
Client ID: FB102918DC1
Project: OU2-Northrop Grumman, Bethpage, NY
SDG: OU2-NORTHROP-7
Lab File ID: G4741.D

Sample Date: 29-OCT-18
Received Date: 30-OCT-18
Extract Date: 01-NOV-18
Extracted By: JMS
Extraction Method: SW846 3520C
Lab Prep Batch: WG239783

Analysis Date: 08-NOV-18
Analyst: JCG
Analysis Method: SW846 8270D SIM
Matrix: AQ
% Solids: NA
Report Date: 26-NOV-18

Compound	Qualifier	Result	Units	Dilution	PQL	ADJ PQL	ADJ MDL
1,4-Dioxane	U	0.25	ug/L	1	.25	0.25	0.086
1,4-Dioxane-D8		61.5	%				

Report of Analytical Results

Client: ARCADIS
Lab ID: TL0640-2
Client ID: FW-03
Project: OU2-Northrop Grumman, Bethpage, NY
SDG: OU2-NORTHROP-7
Lab File ID: G4742.D

Sample Date: 29-OCT-18
Received Date: 30-OCT-18
Extract Date: 01-NOV-18
Extracted By: JMS
Extraction Method: SW846 3520C
Lab Prep Batch: WG239783

Analysis Date: 08-NOV-18
Analyst: JCG
Analysis Method: SW846 8270D SIM
Matrix: AQ
% Solids: NA
Report Date: 26-NOV-18

Compound	Qualifier	Result	Units	Dilution	PQL	ADJ PQL	ADJ MDL
1,4-Dioxane		1.1	ug/L	1	.25	0.24	0.080
1,4-Dioxane-D8		60.4	%				

Report of Analytical Results

Client: ARCADIS
Lab ID: TL0640-3
Client ID: HN-24I
Project: OU2-Northrop Grumman, Bethpage, NY
SDG: OU2-NORTHROP-7
Lab File ID: G4743.D

Sample Date: 29-OCT-18
Received Date: 30-OCT-18
Extract Date: 01-NOV-18
Extracted By: JMS
Extraction Method: SW846 3520C
Lab Prep Batch: WG239783

Analysis Date: 08-NOV-18
Analyst: JCG
Analysis Method: SW846 8270D SIM
Matrix: AQ
% Solids: NA
Report Date: 26-NOV-18

Compound	Qualifier	Result	Units	Dilution	PQL	ADJ PQL	ADJ MDL
1,4-Dioxane		2.0	ug/L	1	.25	0.24	0.080
1,4-Dioxane-D8		62.2	%				

Report of Analytical Results

Client: ARCADIS
Lab ID: TL0640-4
Client ID: MW3-1
Project: OU2-Northrop Grumman, Bethpage, NY
SDG: OU2-NORTHROP-7
Lab File ID: G4744.D

Sample Date: 29-OCT-18
Received Date: 30-OCT-18
Extract Date: 01-NOV-18
Extracted By: JMS
Extraction Method: SW846 3520C
Lab Prep Batch: WG239783

Analysis Date: 08-NOV-18
Analyst: JCG
Analysis Method: SW846 8270D SIM
Matrix: AQ
% Solids: NA
Report Date: 26-NOV-18

Compound	Qualifier	Result	Units	Dilution	PQL	ADJ PQL	ADJ MDL
1,4-Dioxane		10	ug/L	1	.25	0.24	0.081
1,4-Dioxane-D8		63.2	%				

Report of Analytical Results

Client: ARCADIS
Lab ID: TL0640-5
Client ID: FB102918CK1
Project: OU2-Northrop Grumman, Bethpage, NY
SDG: OU2-NORTHROP-7
Lab File ID: G4745.D

Sample Date: 29-OCT-18
Received Date: 30-OCT-18
Extract Date: 01-NOV-18
Extracted By: JMS
Extraction Method: SW846 3520C
Lab Prep Batch: WG239783

Analysis Date: 08-NOV-18
Analyst: JCG
Analysis Method: SW846 8270D SIM
Matrix: AQ
% Solids: NA
Report Date: 26-NOV-18

Compound	Qualifier	Result	Units	Dilution	PQL	ADJ PQL	ADJ MDL
1,4-Dioxane	U	0.26	ug/L	1	.25	0.26	0.087
1,4-Dioxane-D8		69.2	%				

Report of Analysis

Client Sample ID: GM-15SR		Date Sampled: 10/30/18
Lab Sample ID: JC77065-1		Date Received: 10/31/18
Matrix: AQ - Ground Water		Percent Solids: n/a
Method: SW846 8260C		
Project: Northrop Grumman, OU2 Hydro, Bethpage, NY		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	2E148039.D	1	11/03/18 16:19	PR	n/a	n/a	V2E6508
Run #2							

Run #	Purge Volume
Run #1	5.0 ml
Run #2	

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	10	6.0	ug/l	
71-43-2	Benzene	ND	0.50	0.43	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.58	ug/l	
75-25-2	Bromoform	ND	1.0	0.63	ug/l	
74-83-9	Bromomethane	ND	2.0	1.6	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	6.9	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.95	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.55	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.56	ug/l	
75-00-3	Chloroethane	ND	1.0	0.73	ug/l	
67-66-3	Chloroform	ND	1.0	0.50	ug/l	
74-87-3	Chloromethane	ND	1.0	0.76	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.56	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.57	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.60	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.59	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.51	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.54	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.51	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.47	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.43	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.60	ug/l	
76-13-1	Freon 113	ND	5.0	1.9	ug/l	
591-78-6	2-Hexanone	ND	5.0	2.0	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	1.9	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.70	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.65	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.90	ug/l	
108-88-3	Toluene	ND	1.0	0.53	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.54	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.53	ug/l	

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: GM-15SR		Date Sampled: 10/30/18
Lab Sample ID: JC77065-1		Date Received: 10/31/18
Matrix: AQ - Ground Water		Percent Solids: n/a
Method: SW846 8260C		
Project: Northrop Grumman, OU2 Hydro, Bethpage, NY		

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethene	ND	1.0	0.53	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.79	ug/l	
	m,p-Xylene	ND	1.0	0.78	ug/l	
95-47-6	o-Xylene	ND	1.0	0.59	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	100%		80-120%
17060-07-0	1,2-Dichloroethane-D4	108%		81-124%
2037-26-5	Toluene-D8	103%		80-120%
460-00-4	4-Bromofluorobenzene	100%		80-120%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

ND = Not detected MDL = Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

4.1
4

Report of Analysis

Client Sample ID: GM-15SR		Date Sampled: 10/30/18
Lab Sample ID: JC77065-1		Date Received: 10/31/18
Matrix: AQ - Ground Water		Percent Solids: n/a
Project: Northrop Grumman, OU2 Hydro, Bethpage, NY		

Total Metals Analysis

Analyte	Result	RL	Units	DF	Prep	Analyzed By	Method	Prep Method
Chromium	596	10	ug/l	1	11/02/18	11/05/18 ND	SW846 6010D ¹	SW846 3010A ²

(1) Instrument QC Batch: MA45589

(2) Prep QC Batch: MP10123

RL = Reporting Limit

4.1
4

Report of Analysis

Client Sample ID: GM-15SR		Date Sampled: 10/30/18
Lab Sample ID: JC77065-1F		Date Received: 10/31/18
Matrix: AQ - Ground Water		Percent Solids: n/a
Project: Northrop Grumman, OU2 Hydro, Bethpage, NY		

4.2
4

Total Metals Analysis

Analyte	Result	RL	Units	DF	Prep	Analyzed By	Method	Prep Method
Chromium	558	10	ug/l	1	11/02/18	11/05/18 ND	SW846 6010D ¹	SW846 3010A ²

(1) Instrument QC Batch: MA45589

(2) Prep QC Batch: MP10123

RL = Reporting Limit

Report of Analysis

Client Sample ID: GM-15I		Date Sampled: 10/30/18
Lab Sample ID: JC77065-2		Date Received: 10/31/18
Matrix: AQ - Ground Water		Percent Solids: n/a
Method: SW846 8260C		
Project: Northrop Grumman, OU2 Hydro, Bethpage, NY		

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethene	ND	1.0	0.53	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.79	ug/l	
	m,p-Xylene	ND	1.0	0.78	ug/l	
95-47-6	o-Xylene	ND	1.0	0.59	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	97%		80-120%
17060-07-0	1,2-Dichloroethane-D4	106%		81-124%
2037-26-5	Toluene-D8	104%		80-120%
460-00-4	4-Bromofluorobenzene	100%		80-120%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.3
4

Report of Analysis

Client Sample ID: GM-15D		Date Sampled: 10/30/18
Lab Sample ID: JC77065-3		Date Received: 10/31/18
Matrix: AQ - Ground Water		Percent Solids: n/a
Method: SW846 8260C		
Project: Northrop Grumman, OU2 Hydro, Bethpage, NY		

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethene	ND	1.0	0.53	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.79	ug/l	
	m,p-Xylene	ND	1.0	0.78	ug/l	
95-47-6	o-Xylene	ND	1.0	0.59	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	97%		80-120%
17060-07-0	1,2-Dichloroethane-D4	108%		81-124%
2037-26-5	Toluene-D8	103%		80-120%
460-00-4	4-Bromofluorobenzene	98%		80-120%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

ND = Not detected MDL = Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

4.4
4

Report of Analysis

Client Sample ID: GM-15D2	Date Sampled: 10/30/18
Lab Sample ID: JC77065-4	Date Received: 10/31/18
Matrix: AQ - Ground Water	Percent Solids: n/a
Method: SW846 8260C	
Project: Northrop Grumman, OU2 Hydro, Bethpage, NY	

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethene	6.8	1.0	0.53	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.79	ug/l	
	m,p-Xylene	ND	1.0	0.78	ug/l	
95-47-6	o-Xylene	ND	1.0	0.59	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	98%		80-120%
17060-07-0	1,2-Dichloroethane-D4	109%		81-124%
2037-26-5	Toluene-D8	104%		80-120%
460-00-4	4-Bromofluorobenzene	100%		80-120%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.5
4

Report of Analysis

Client Sample ID: FB103018DC1		Date Sampled: 10/30/18
Lab Sample ID: JC77065-5		Date Received: 10/31/18
Matrix: AQ - Field Blank Water		Percent Solids: n/a
Method: SW846 8260C		
Project: Northrop Grumman, OU2 Hydro, Bethpage, NY		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	2E148033.D	1	11/03/18 13:23	PR	n/a	n/a	V2E6508
Run #2							

Run #	Purge Volume
Run #1	5.0 ml
Run #2	

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	10	6.0	ug/l	
71-43-2	Benzene	ND	0.50	0.43	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.58	ug/l	
75-25-2	Bromoform	ND	1.0	0.63	ug/l	
74-83-9	Bromomethane	ND	2.0	1.6	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	6.9	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.95	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.55	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.56	ug/l	
75-00-3	Chloroethane	ND	1.0	0.73	ug/l	
67-66-3	Chloroform	ND	1.0	0.50	ug/l	
74-87-3	Chloromethane	ND	1.0	0.76	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.56	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.57	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.60	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.59	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.51	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.54	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.51	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.47	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.43	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.60	ug/l	
76-13-1	Freon 113	ND	5.0	1.9	ug/l	
591-78-6	2-Hexanone	ND	5.0	2.0	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	1.9	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.70	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.65	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.90	ug/l	
108-88-3	Toluene	ND	1.0	0.53	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.54	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.53	ug/l	

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: FB103018DC1	Date Sampled: 10/30/18
Lab Sample ID: JC77065-5	Date Received: 10/31/18
Matrix: AQ - Field Blank Water	Percent Solids: n/a
Method: SW846 8260C	
Project: Northrop Grumman, OU2 Hydro, Bethpage, NY	

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethene	ND	1.0	0.53	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.79	ug/l	
	m,p-Xylene	ND	1.0	0.78	ug/l	
95-47-6	o-Xylene	ND	1.0	0.59	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	97%		80-120%
17060-07-0	1,2-Dichloroethane-D4	105%		81-124%
2037-26-5	Toluene-D8	102%		80-120%
460-00-4	4-Bromofluorobenzene	99%		80-120%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.6
4

Report of Analysis

Client Sample ID: FB103018DC1	Date Sampled: 10/30/18
Lab Sample ID: JC77065-5	Date Received: 10/31/18
Matrix: AQ - Field Blank Water	Percent Solids: n/a
Project: Northrop Grumman, OU2 Hydro, Bethpage, NY	

Total Metals Analysis

Analyte	Result	RL	Units	DF	Prep	Analyzed By	Method	Prep Method
Chromium	< 10	10	ug/l	1	11/02/18	11/05/18 ND	SW846 6010D ¹	SW846 3010A ²

(1) Instrument QC Batch: MA45589

(2) Prep QC Batch: MP10123

RL = Reporting Limit

Report of Analysis

Client Sample ID: FB103018CK1	Date Sampled: 10/30/18
Lab Sample ID: JC77065-6	Date Received: 10/31/18
Matrix: AQ - Field Blank Water	Percent Solids: n/a
Method: SW846 8260C	
Project: Northrop Grumman, OU2 Hydro, Bethpage, NY	

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethene	ND	1.0	0.53	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.79	ug/l	
	m,p-Xylene	ND	1.0	0.78	ug/l	
95-47-6	o-Xylene	ND	1.0	0.59	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	99%		80-120%
17060-07-0	1,2-Dichloroethane-D4	106%		81-124%
2037-26-5	Toluene-D8	102%		80-120%
460-00-4	4-Bromofluorobenzene	100%		80-120%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.7
4

Report of Analysis

Client Sample ID: TB103018DC1		Date Sampled: 10/30/18
Lab Sample ID: JC77065-7		Date Received: 10/31/18
Matrix: AQ - Trip Blank Water		Percent Solids: n/a
Method: SW846 8260C		
Project: Northrop Grumman, OU2 Hydro, Bethpage, NY		

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethene	ND	1.0	0.53	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.79	ug/l	
	m,p-Xylene	ND	1.0	0.78	ug/l	
95-47-6	o-Xylene	ND	1.0	0.59	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	96%		80-120%
17060-07-0	1,2-Dichloroethane-D4	106%		81-124%
2037-26-5	Toluene-D8	101%		80-120%
460-00-4	4-Bromofluorobenzene	98%		80-120%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.8
4

Report of Analysis

Client Sample ID: TB103018CK1		Date Sampled: 10/30/18
Lab Sample ID: JC77065-8		Date Received: 10/31/18
Matrix: AQ - Trip Blank Water		Percent Solids: n/a
Method: SW846 8260C		
Project: Northrop Grumman, OU2 Hydro, Bethpage, NY		

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethene	ND	1.0	0.53	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.79	ug/l	
	m,p-Xylene	ND	1.0	0.78	ug/l	
95-47-6	o-Xylene	ND	1.0	0.59	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	97%		80-120%
17060-07-0	1,2-Dichloroethane-D4	108%		81-124%
2037-26-5	Toluene-D8	103%		80-120%
460-00-4	4-Bromofluorobenzene	100%		80-120%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.9
4

Report of Analytical Results

Client: ARCADIS
Lab ID: TL0763-1
Client ID: FB103018DC1
Project: OU2-Northrop Grumman, Bethpage, NY
SDG: OU2-NORTHROP-7
Lab File ID: G4757.D

Sample Date: 30-OCT-18
Received Date: 01-NOV-18
Extract Date: 02-NOV-18
Extracted By: JMS
Extraction Method: SW846 3520C
Lab Prep Batch: WG239892

Analysis Date: 09-NOV-18
Analyst: JCG
Analysis Method: SW846 8270D SIM
Matrix: AQ
% Solids: NA
Report Date: 26-NOV-18

Compound	Qualifier	Result	Units	Dilution	PQL	ADJ PQL	ADJ MDL
1,4-Dioxane	U	0.26	ug/L	1	.25	0.26	0.087
1,4-Dioxane-D8		74.1	%				

Report of Analytical Results

Client: ARCADIS
Lab ID: TL0763-2
Client ID: FB103018CK1
Project: OU2-Northrop Grumman, Bethpage, NY
SDG: OU2-NORTHROP-7
Lab File ID: G4758.D

Sample Date: 30-OCT-18
Received Date: 01-NOV-18
Extract Date: 02-NOV-18
Extracted By: JMS
Extraction Method: SW846 3520C
Lab Prep Batch: WG239892

Analysis Date: 09-NOV-18
Analyst: JCG
Analysis Method: SW846 8270D SIM
Matrix: AQ
% Solids: NA
Report Date: 26-NOV-18

Compound	Qualifier	Result	Units	Dilution	PQL	ADJ PQL	ADJ MDL
1,4-Dioxane	U	0.26	ug/L	1	.25	0.26	0.087
1,4-Dioxane-D8		72.8	%				

Report of Analytical Results

Client: ARCADIS
Lab ID: TL0763-3
Client ID: GM-15SR
Project: OU2-Northrop Grumman, Bethpage, NY
SDG: OU2-NORTHROP-7
Lab File ID: G4770.D

Sample Date: 30-OCT-18
Received Date: 01-NOV-18
Extract Date: 02-NOV-18
Extracted By: JMS
Extraction Method: SW846 3520C
Lab Prep Batch: WG239892

Analysis Date: 09-NOV-18
Analyst: JCG
Analysis Method: SW846 8270D SIM
Matrix: AQ
% Solids: NA
Report Date: 07-DEC-18

Compound	Qualifier	Result	Units	Dilution	PQL	ADJ PQL	ADJ MDL
1,4-Dioxane	UB B	0.29	ug/L	1	.25	0.24	0.080
1,4-Dioxane-D8		84.9	%				

Report of Analytical Results

Client: ARCADIS
Lab ID: TL0763-4
Client ID: GM-15I
Project: OU2-Northrop Grumman, Bethpage, NY
SDG: OU2-NORTHROP-7
Lab File ID: G4771.D

Sample Date: 30-OCT-18
Received Date: 01-NOV-18
Extract Date: 02-NOV-18
Extracted By: JMS
Extraction Method: SW846 3520C
Lab Prep Batch: WG239892

Analysis Date: 09-NOV-18
Analyst: JCG
Analysis Method: SW846 8270D SIM
Matrix: AQ
% Solids: NA
Report Date: 07-DEC-18

Compound	Qualifier	Result	Units	Dilution	PQL	ADJ PQL	ADJ MDL
1,4-Dioxane	B UBJ	0.25	ug/L	1	.25	0.24	0.080
1,4-Dioxane-D8		75.5	%				

Report of Analytical Results

Client: ARCADIS
Lab ID: TL0763-5
Client ID: GM-15D
Project: OU2-Northrop Grumman, Bethpage, NY
SDG: OU2-NORTHROP-7
Lab File ID: G4774.D

Sample Date: 30-OCT-18
Received Date: 01-NOV-18
Extract Date: 02-NOV-18
Extracted By: JMS
Extraction Method: SW846 3520C
Lab Prep Batch: WG239892

Analysis Date: 09-NOV-18
Analyst: JCG
Analysis Method: SW846 8270D SIM
Matrix: AQ
% Solids: NA
Report Date: 07-DEC-18

Compound	Qualifier	Result	Units	Dilution	PQL	ADJ PQL	ADJ MDL
1,4-Dioxane	UB JB	0.12 0.25	ug/L	1	.25	0.24	0.080
1,4-Dioxane-D8		59.4	%				

Report of Analytical Results

Client: ARCADIS
Lab ID: TL0763-6
Client ID: GM-15D2
Project: OU2-Northrop Grumman, Bethpage, NY
SDG: OU2-NORTHROP-7
Lab File ID: G4775.D

Sample Date: 30-OCT-18
Received Date: 01-NOV-18
Extract Date: 02-NOV-18
Extracted By: JMS
Extraction Method: SW846 3520C
Lab Prep Batch: WG239892

Analysis Date: 09-NOV-18
Analyst: JCG
Analysis Method: SW846 8270D SIM
Matrix: AQ
% Solids: NA
Report Date: 07-DEC-18

Compound	Qualifier	Result	Units	Dilution	PQL	ADJ PQL	ADJ MDL
1,4-Dioxane	B	4.0	ug/L	1	.25	0.24	0.083
1,4-Dioxane-D8		75.9	%				

Report of Analysis

Client Sample ID: GM-34D		Date Sampled: 10/31/18
Lab Sample ID: JC77182-1		Date Received: 11/01/18
Matrix: AQ - Ground Water		Percent Solids: n/a
Method: SW846 8260C		
Project: Northrop Grumman, OU2 Hydro, Bethpage, NY		

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethene	170	1.0	0.53	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.79	ug/l	
	m,p-Xylene	ND	1.0	0.78	ug/l	
95-47-6	o-Xylene	ND	1.0	0.59	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	100%		80-120%
17060-07-0	1,2-Dichloroethane-D4	107%		81-124%
2037-26-5	Toluene-D8	103%		80-120%
460-00-4	4-Bromofluorobenzene	93%		80-120%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

ND = Not detected MDL = Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

4.1
4

Report of Analysis

Client Sample ID: GM-34D2		Date Sampled: 10/31/18
Lab Sample ID: JC77182-2		Date Received: 11/01/18
Matrix: AQ - Ground Water		Percent Solids: n/a
Method: SW846 8260C		
Project: Northrop Grumman, OU2 Hydro, Bethpage, NY		

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethene	73.3	1.0	0.53	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.79	ug/l	
	m,p-Xylene	ND	1.0	0.78	ug/l	
95-47-6	o-Xylene	ND	1.0	0.59	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	98%		80-120%
17060-07-0	1,2-Dichloroethane-D4	104%		81-124%
2037-26-5	Toluene-D8	106%		80-120%
460-00-4	4-Bromofluorobenzene	93%		80-120%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.2
4

Report of Analysis

Client Sample ID: GM-79I		Date Sampled: 10/31/18
Lab Sample ID: JC77182-3		Date Received: 11/01/18
Matrix: AQ - Ground Water		Percent Solids: n/a
Method: SW846 8260C		
Project: Northrop Grumman, OU2 Hydro, Bethpage, NY		

Run #1	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	L306838.D	1	11/07/18 05:26	JP	n/a	n/a	VL8833
Run #2							

Run #1	Purge Volume
Run #1	5.0 ml
Run #2	

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	10	6.0	ug/l	
71-43-2	Benzene	ND	0.50	0.43	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.58	ug/l	
75-25-2	Bromoform	ND	1.0	0.63	ug/l	
74-83-9	Bromomethane	ND	2.0	1.6	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	6.9	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.95	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.55	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.56	ug/l	
75-00-3	Chloroethane	ND	1.0	0.73	ug/l	
67-66-3	Chloroform	ND	1.0	0.50	ug/l	
74-87-3	Chloromethane	ND	1.0	0.76	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.56	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.57	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.60	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.59	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.51	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.54	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.51	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.47	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.43	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.60	ug/l	
76-13-1	Freon 113	ND	5.0	1.9	ug/l	
591-78-6	2-Hexanone	ND	5.0	2.0	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	1.9	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.70	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.65	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.90	ug/l	
108-88-3	Toluene	ND	1.0	0.53	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.54	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.53	ug/l	

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.3
4

Report of Analysis

Client Sample ID: GM-79I		Date Sampled: 10/31/18
Lab Sample ID: JC77182-3		Date Received: 11/01/18
Matrix: AQ - Ground Water		Percent Solids: n/a
Method: SW846 8260C		
Project: Northrop Grumman, OU2 Hydro, Bethpage, NY		

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethene	ND	1.0	0.53	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.79	ug/l	
	m,p-Xylene	ND	1.0	0.78	ug/l	
95-47-6	o-Xylene	ND	1.0	0.59	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	99%		80-120%
17060-07-0	1,2-Dichloroethane-D4	106%		81-124%
2037-26-5	Toluene-D8	105%		80-120%
460-00-4	4-Bromofluorobenzene	95%		80-120%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

ND = Not detected MDL = Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

4.3
4

Report of Analysis

Client Sample ID: GM-79D		Date Sampled: 10/31/18
Lab Sample ID: JC77182-4		Date Received: 11/01/18
Matrix: AQ - Ground Water		Percent Solids: n/a
Method: SW846 8260C		
Project: Northrop Grumman, OU2 Hydro, Bethpage, NY		

Run #1	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	L306839.D	1	11/07/18 05:53	JP	n/a	n/a	VL8833
Run #2							

Run #1	Purge Volume
Run #1	5.0 ml
Run #2	

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	10	6.0	ug/l	
71-43-2	Benzene	ND	0.50	0.43	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.58	ug/l	
75-25-2	Bromoform	ND	1.0	0.63	ug/l	
74-83-9	Bromomethane	ND	2.0	1.6	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	6.9	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.95	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.55	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.56	ug/l	
75-00-3	Chloroethane	ND	1.0	0.73	ug/l	
67-66-3	Chloroform	ND	1.0	0.50	ug/l	
74-87-3	Chloromethane	ND	1.0	0.76	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.56	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.57	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.60	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.59	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.51	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.54	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.51	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.47	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.43	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.60	ug/l	
76-13-1	Freon 113	ND	5.0	1.9	ug/l	
591-78-6	2-Hexanone	ND	5.0	2.0	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	1.9	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.70	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.65	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.90	ug/l	
108-88-3	Toluene	ND	1.0	0.53	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.54	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.53	ug/l	

ND = Not detected MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: GM-79D	Date Sampled: 10/31/18
Lab Sample ID: JC77182-4	Date Received: 11/01/18
Matrix: AQ - Ground Water	Percent Solids: n/a
Method: SW846 8260C	
Project: Northrop Grumman, OU2 Hydro, Bethpage, NY	

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethene	19.5	1.0	0.53	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.79	ug/l	
	m,p-Xylene	ND	1.0	0.78	ug/l	
95-47-6	o-Xylene	ND	1.0	0.59	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	101%		80-120%
17060-07-0	1,2-Dichloroethane-D4	106%		81-124%
2037-26-5	Toluene-D8	105%		80-120%
460-00-4	4-Bromofluorobenzene	94%		80-120%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.4
4

Report of Analysis

Client Sample ID: FB103118DC1	Date Sampled: 10/31/18
Lab Sample ID: JC77182-5	Date Received: 11/01/18
Matrix: AQ - Field Blank Water	Percent Solids: n/a
Method: SW846 8260C	
Project: Northrop Grumman, OU2 Hydro, Bethpage, NY	

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethene	ND	1.0	0.53	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.79	ug/l	
	m,p-Xylene	ND	1.0	0.78	ug/l	
95-47-6	o-Xylene	ND	1.0	0.59	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	98%		80-120%
17060-07-0	1,2-Dichloroethane-D4	106%		81-124%
2037-26-5	Toluene-D8	106%		80-120%
460-00-4	4-Bromofluorobenzene	94%		80-120%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.5
4

Report of Analysis

Client Sample ID: TB103118DC1	Date Sampled: 10/31/18
Lab Sample ID: JC77182-6	Date Received: 11/01/18
Matrix: AQ - Trip Blank Water	Percent Solids: n/a
Method: SW846 8260C	
Project: Northrop Grumman, OU2 Hydro, Bethpage, NY	

Run #1	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	L306834.D	1	11/07/18 03:37	JP	n/a	n/a	VL8833
Run #2							

Run #1	Purge Volume
Run #1	5.0 ml
Run #2	

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	10	6.0	ug/l	
71-43-2	Benzene	ND	0.50	0.43	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.58	ug/l	
75-25-2	Bromoform	ND	1.0	0.63	ug/l	
74-83-9	Bromomethane	ND	2.0	1.6	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	6.9	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.95	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.55	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.56	ug/l	
75-00-3	Chloroethane	ND	1.0	0.73	ug/l	
67-66-3	Chloroform	ND	1.0	0.50	ug/l	
74-87-3	Chloromethane	ND	1.0	0.76	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.56	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.57	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.60	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.59	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.51	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.54	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.51	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.47	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.43	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.60	ug/l	
76-13-1	Freon 113	ND	5.0	1.9	ug/l	
591-78-6	2-Hexanone	ND	5.0	2.0	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	1.9	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.70	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.65	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.90	ug/l	
108-88-3	Toluene	ND	1.0	0.53	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.54	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.53	ug/l	

ND = Not detected MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: TB103118DC1 Lab Sample ID: JC77182-6 Matrix: AQ - Trip Blank Water Method: SW846 8260C Project: Northrop Grumman, OU2 Hydro, Bethpage, NY	Date Sampled: 10/31/18 Date Received: 11/01/18 Percent Solids: n/a
--	---

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethene	ND	1.0	0.53	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.79	ug/l	
	m,p-Xylene	ND	1.0	0.78	ug/l	
95-47-6	o-Xylene	ND	1.0	0.59	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	98%		80-120%
17060-07-0	1,2-Dichloroethane-D4	106%		81-124%
2037-26-5	Toluene-D8	106%		80-120%
460-00-4	4-Bromofluorobenzene	93%		80-120%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.6
4

Report of Analysis

Client Sample ID: TB103118DC1		Date Sampled: 10/31/18
Lab Sample ID: JC77182-7		Date Received: 11/01/18
Matrix: AQ - Trip Blank Water		Percent Solids: n/a
Method: SW846 8260C		
Project: Northrop Grumman, OU2 Hydro, Bethpage, NY		

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethene	ND	1.0	0.53	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.79	ug/l	
	m,p-Xylene	ND	1.0	0.78	ug/l	
95-47-6	o-Xylene	ND	1.0	0.59	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	98%		80-120%
17060-07-0	1,2-Dichloroethane-D4	105%		81-124%
2037-26-5	Toluene-D8	105%		80-120%
460-00-4	4-Bromofluorobenzene	95%		80-120%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

ND = Not detected MDL = Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

4.7
4

Report of Analytical Results

Client: ARCADIS
Lab ID: TL0762-1
Client ID: GM-34D
Project: OU2-Northrop Grumman, Bethpage, NY
SDG: OU2-NORTHROP-7
Lab File ID: G4786.D

Sample Date: 31-OCT-18
Received Date: 01-NOV-18
Extract Date: 04-NOV-18
Extracted By: AC
Extraction Method: SW846 3520C
Lab Prep Batch: WG239992

Analysis Date: 09-NOV-18
Analyst: JCG
Analysis Method: SW846 8270D SIM
Matrix: AQ
% Solids: NA
Report Date: 26-NOV-18

Compound	Qualifier	Result	Units	Dilution	PQL	ADJ PQL	ADJ MDL
1,4-Dioxane		14.	ug/L	1	.25	0.24	0.080
1,4-Dioxane-D8		60.2	%				

Report of Analytical Results

Client: ARCADIS
Lab ID: TL0762-2
Client ID: GM-34D2
Project: OU2-Northrop Grumman, Bethpage, NY
SDG: OU2-NORTHROP-7
Lab File ID: G4787.D

Sample Date: 31-OCT-18
Received Date: 01-NOV-18
Extract Date: 04-NOV-18
Extracted By: AC
Extraction Method: SW846 3520C
Lab Prep Batch: WG239992

Analysis Date: 09-NOV-18
Analyst: JCG
Analysis Method: SW846 8270D SIM
Matrix: AQ
% Solids: NA
Report Date: 26-NOV-18

Compound	Qualifier	Result	Units	Dilution	PQL	ADJ PQL	ADJ MDL
1,4-Dioxane		11	ug/L	1	.25	0.24	0.080
1,4-Dioxane-D8		73.0	%				

Report of Analytical Results

Client: ARCADIS
Lab ID: TL0762-3
Client ID: GM-79I
Project: OU2-Northrop Grumman, Bethpage, NY
SDG: OU2-NORTHROP-7
Lab File ID: G4788.D

Sample Date: 31-OCT-18
Received Date: 01-NOV-18
Extract Date: 04-NOV-18
Extracted By: AC
Extraction Method: SW846 3520C
Lab Prep Batch: WG239992

Analysis Date: 09-NOV-18
Analyst: JCG
Analysis Method: SW846 8270D SIM
Matrix: AQ
% Solids: NA
Report Date: 26-NOV-18

Compound	Qualifier	Result	Units	Dilution	PQL	ADJ PQL	ADJ MDL
1,4-Dioxane		5.6	ug/L	1	.25	0.24	0.083
1,4-Dioxane-D8		85.6	%				

Report of Analytical Results

Client: ARCADIS
Lab ID: TL0762-4
Client ID: GM-79D
Project: OU2-Northrop Grumman, Bethpage, NY
SDG: OU2-NORTHROP-7
Lab File ID: G4789.D

Sample Date: 31-OCT-18
Received Date: 01-NOV-18
Extract Date: 04-NOV-18
Extracted By: AC
Extraction Method: SW846 3520C
Lab Prep Batch: WG239992

Analysis Date: 09-NOV-18
Analyst: JCG
Analysis Method: SW846 8270D SIM
Matrix: AQ
% Solids: NA
Report Date: 26-NOV-18

Compound	Qualifier	Result	Units	Dilution	PQL	ADJ PQL	ADJ MDL
1,4-Dioxane		7.0	ug/L	1	.25	0.24	0.080
1,4-Dioxane-D8		85.0	%				

Report of Analytical Results

Client: ARCADIS
Lab ID: TL0762-5
Client ID: FB103118DC1
Project: OU2-Northrop Grumman, Bethpage, NY
SDG: OU2-NORTHROP-7
Lab File ID: G4790.D

Sample Date: 31-OCT-18
Received Date: 01-NOV-18
Extract Date: 04-NOV-18
Extracted By: AC
Extraction Method: SW846 3520C
Lab Prep Batch: WG239992

Analysis Date: 09-NOV-18
Analyst: JCG
Analysis Method: SW846 8270D SIM
Matrix: AQ
% Solids: NA
Report Date: 26-NOV-18

Compound	Qualifier	Result	Units	Dilution	PQL	ADJ PQL	ADJ MDL
1,4-Dioxane	U	0.25	ug/L	1	.25	0.25	0.085
1,4-Dioxane-D8		62.5	%				

Report of Analysis

Client Sample ID: GM-74I		Date Sampled: 11/01/18
Lab Sample ID: JC77240-1		Date Received: 11/02/18
Matrix: AQ - Ground Water		Percent Solids: n/a
Method: SW846 8260C		
Project: Northrop Grumman, OU2 Hydro, Bethpage, NY		

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethene	ND	1.0	0.53	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.79	ug/l	
	m,p-Xylene	ND	1.0	0.78	ug/l	
95-47-6	o-Xylene	ND	1.0	0.59	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	101%		80-120%
17060-07-0	1,2-Dichloroethane-D4	96%		81-124%
2037-26-5	Toluene-D8	99%		80-120%
460-00-4	4-Bromofluorobenzene	98%		80-120%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

ND = Not detected MDL = Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

4.1
4

Report of Analysis

Client Sample ID: GM-74D		Date Sampled: 11/01/18
Lab Sample ID: JC77240-2		Date Received: 11/02/18
Matrix: AQ - Ground Water		Percent Solids: n/a
Method: SW846 8260C		
Project: Northrop Grumman, OU2 Hydro, Bethpage, NY		

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethene	0.88	1.0	0.53	ug/l	J
75-01-4	Vinyl chloride	ND	1.0	0.79	ug/l	
	m,p-Xylene	ND	1.0	0.78	ug/l	
95-47-6	o-Xylene	ND	1.0	0.59	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	100%		80-120%
17060-07-0	1,2-Dichloroethane-D4	95%		81-124%
2037-26-5	Toluene-D8	100%		80-120%
460-00-4	4-Bromofluorobenzene	97%		80-120%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.2
4

Report of Analysis

Client Sample ID: GM-74D2		Date Sampled: 11/01/18
Lab Sample ID: JC77240-3		Date Received: 11/02/18
Matrix: AQ - Ground Water		Percent Solids: n/a
Method: SW846 8260C		
Project: Northrop Grumman, OU2 Hydro, Bethpage, NY		

Run #1	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	4D91257.D	1	11/06/18 13:25	JP	n/a	n/a	V4D3987
Run #2							

Run #1	Purge Volume
Run #1	5.0 ml
Run #2	

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	10	6.0	ug/l	
71-43-2	Benzene	ND	0.50	0.43	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.58	ug/l	
75-25-2	Bromoform	ND	1.0	0.63	ug/l	
74-83-9	Bromomethane	ND	2.0	1.6	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	6.9	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.95	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.55	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.56	ug/l	
75-00-3	Chloroethane	ND	1.0	0.73	ug/l	
67-66-3	Chloroform	ND	1.0	0.50	ug/l	
74-87-3	Chloromethane	ND	1.0	0.76	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.56	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.57	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.60	ug/l	
75-35-4	1,1-Dichloroethene	0.64	1.0	0.59	ug/l	J
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.51	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.54	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.51	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.47	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.43	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.60	ug/l	
76-13-1	Freon 113	ND	5.0	1.9	ug/l	
591-78-6	2-Hexanone	ND	5.0	2.0	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	1.9	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.70	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.65	ug/l	
127-18-4	Tetrachloroethene	2.0	1.0	0.90	ug/l	
108-88-3	Toluene	ND	1.0	0.53	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.54	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.53	ug/l	

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.3
4

Report of Analysis

Client Sample ID: GM-74D2		Date Sampled: 11/01/18
Lab Sample ID: JC77240-3		Date Received: 11/02/18
Matrix: AQ - Ground Water		Percent Solids: n/a
Method: SW846 8260C		
Project: Northrop Grumman, OU2 Hydro, Bethpage, NY		

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethene	6.1	1.0	0.53	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.79	ug/l	
	m,p-Xylene	ND	1.0	0.78	ug/l	
95-47-6	o-Xylene	ND	1.0	0.59	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	100%		80-120%
17060-07-0	1,2-Dichloroethane-D4	95%		81-124%
2037-26-5	Toluene-D8	100%		80-120%
460-00-4	4-Bromofluorobenzene	97%		80-120%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
	system artifact	4.13	7.2	ug/l	J
	Total TIC, Volatile		0	ug/l	

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.3
4

Report of Analysis

Client Sample ID: GM-74D3		Date Sampled: 11/01/18
Lab Sample ID: JC77240-4		Date Received: 11/02/18
Matrix: AQ - Ground Water		Percent Solids: n/a
Method: SW846 8260C		
Project: Northrop Grumman, OU2 Hydro, Bethpage, NY		

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethene	4.7	1.0	0.53	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.79	ug/l	
	m,p-Xylene	ND	1.0	0.78	ug/l	
95-47-6	o-Xylene	ND	1.0	0.59	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	100%		80-120%
17060-07-0	1,2-Dichloroethane-D4	95%		81-124%
2037-26-5	Toluene-D8	100%		80-120%
460-00-4	4-Bromofluorobenzene	97%		80-120%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
	system artifact	4.14	6.1	ug/l	J
	Total TIC, Volatile		0	ug/l	

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.4
4

Report of Analysis

Client Sample ID: FB110118CK1	Date Sampled: 11/01/18
Lab Sample ID: JC77240-5	Date Received: 11/02/18
Matrix: AQ - Field Blank Water	Percent Solids: n/a
Method: SW846 8260C	
Project: Northrop Grumman, OU2 Hydro, Bethpage, NY	

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethene	ND	1.0	0.53	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.79	ug/l	
	m,p-Xylene	ND	1.0	0.78	ug/l	
95-47-6	o-Xylene	ND	1.0	0.59	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	98%		80-120%
17060-07-0	1,2-Dichloroethane-D4	95%		81-124%
2037-26-5	Toluene-D8	101%		80-120%
460-00-4	4-Bromofluorobenzene	98%		80-120%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.5
4

Report of Analysis

Client Sample ID: TB110118CK1		Date Sampled: 11/01/18
Lab Sample ID: JC77240-6		Date Received: 11/02/18
Matrix: AQ - Trip Blank Water		Percent Solids: n/a
Method: SW846 8260C		
Project: Northrop Grumman, OU2 Hydro, Bethpage, NY		

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethene	ND	1.0	0.53	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.79	ug/l	
	m,p-Xylene	ND	1.0	0.78	ug/l	
95-47-6	o-Xylene	ND	1.0	0.59	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	99%		80-120%
17060-07-0	1,2-Dichloroethane-D4	95%		81-124%
2037-26-5	Toluene-D8	100%		80-120%
460-00-4	4-Bromofluorobenzene	98%		80-120%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.6
4

Report of Analytical Results

Client: ARCADIS
Lab ID: TL0809-1
Client ID: GM-74I
Project: OU2-Northrop Grumman, Bethpage, NY
SDG: OU2-NORTHROP-7
Lab File ID: G4752.D

Sample Date: 01-NOV-18
Received Date: 02-NOV-18
Extract Date: 06-NOV-18
Extracted By: JMS
Extraction Method: SW846 3520C
Lab Prep Batch: WG240099

Analysis Date: 08-NOV-18
Analyst: JCG
Analysis Method: SW846 8270D SIM
Matrix: AQ
% Solids: NA
Report Date: 26-NOV-18

Compound	Qualifier	Result	Units	Dilution	PQL	ADJ PQL	ADJ MDL
1,4-Dioxane		4.7	ug/L	1	.25	0.24	0.082
1,4-Dioxane-D8		75.7	%				

Report of Analytical Results

Client: ARCADIS
Lab ID: TL0809-2
Client ID: GM-74D
Project: OU2-Northrop Grumman, Bethpage, NY
SDG: OU2-NORTHROP-7
Lab File ID: G4753.D

Sample Date: 01-NOV-18
Received Date: 02-NOV-18
Extract Date: 06-NOV-18
Extracted By: JMS
Extraction Method: SW846 3520C
Lab Prep Batch: WG240099

Analysis Date: 08-NOV-18
Analyst: JCG
Analysis Method: SW846 8270D SIM
Matrix: AQ
% Solids: NA
Report Date: 26-NOV-18

Compound	Qualifier	Result	Units	Dilution	PQL	ADJ PQL	ADJ MDL
1,4-Dioxane		6.8	ug/L	1	.25	0.24	0.081
1,4-Dioxane-D8		72.0	%				

Report of Analytical Results

Client: ARCADIS
Lab ID: TL0809-3
Client ID: GM-74D2
Project: OU2-Northrop Grumman, Bethpage, NY
SDG: OU2-NORTHROP-7
Lab File ID: G4754.D

Sample Date: 01-NOV-18
Received Date: 02-NOV-18
Extract Date: 06-NOV-18
Extracted By: JMS
Extraction Method: SW846 3520C
Lab Prep Batch: WG240099

Analysis Date: 08-NOV-18
Analyst: JCG
Analysis Method: SW846 8270D SIM
Matrix: AQ
% Solids: NA
Report Date: 26-NOV-18

Compound	Qualifier	Result	Units	Dilution	PQL	ADJ PQL	ADJ MDL
1,4-Dioxane		4.0	ug/L	1	.25	0.24	0.081
1,4-Dioxane-D8		54.3	%				

Report of Analytical Results

Client: ARCADIS
Lab ID: TL0809-4
Client ID: GM-74D3
Project: OU2-Northrop Grumman, Bethpage, NY
SDG: OU2-NORTHROP-7
Lab File ID: G4755.D

Sample Date: 01-NOV-18
Received Date: 02-NOV-18
Extract Date: 06-NOV-18
Extracted By: JMS
Extraction Method: SW846 3520C
Lab Prep Batch: WG240099

Analysis Date: 08-NOV-18
Analyst: JCG
Analysis Method: SW846 8270D SIM
Matrix: AQ
% Solids: NA
Report Date: 26-NOV-18

Compound	Qualifier	Result	Units	Dilution	PQL	ADJ PQL	ADJ MDL
1,4-Dioxane		2.8	ug/L	1	.25	0.24	0.080
1,4-Dioxane-D8		69.2	%				

Report of Analytical Results

Client: ARCADIS
Lab ID: TL0809-5
Client ID: FB110118CK1
Project: OU2-Northrop Grumman, Bethpage, NY
SDG: OU2-NORTHROP-7
Lab File ID: G4756.D

Sample Date: 01-NOV-18
Received Date: 02-NOV-18
Extract Date: 06-NOV-18
Extracted By: JMS
Extraction Method: SW846 3520C
Lab Prep Batch: WG240099

Analysis Date: 09-NOV-18
Analyst: JCG
Analysis Method: SW846 8270D SIM
Matrix: AQ
% Solids: NA
Report Date: 26-NOV-18

Compound	Qualifier	Result	Units	Dilution	PQL	ADJ PQL	ADJ MDL
1,4-Dioxane	U	0.26	ug/L	1	.25	0.26	0.087
1,4-Dioxane-D8		56.0	%				