

Mr. Jason Pelton  
Project Manager  
New York State Department of Environmental Conservation  
Remedial Bureau D  
625 Broadway  
Albany, NY 12233-7015

Arcadis of New York, Inc.  
Two Huntington Quadrangle  
Suite 1S10  
Melville  
New York 11747  
Tel 631 249 7600  
Fax 631 249 7610  
[www.arcadis.com](http://www.arcadis.com)

Subject:  
2019 Third Quarter System Operation and Monitoring,  
Bethpage Park Soil Gas Containment System (BPSGCS),  
Operable Unit 3 (OU3; Former Grumman Settling Ponds),  
Bethpage, New York, NYSDEC Site #1-30-003A

Date:  
November 27, 2019

Dear Jason:

Contact:  
Christopher Engler

Enclosed is one electronic PDF copy of the 2019 Third Quarter results of the OU3 BPSGCS operation and monitoring, performed in accordance with the NYSDEC-approved OU3 Soil Gas IRM OM&M Manual (Arcadis 2016) and the NYSDEC-approved Sampling and Analysis Plan (SAP; Arcadis 2016). As we have transitioned to electronic submittals (via PDF) in line with NYSDEC's paper reduction program, hard copies of the report can be provided on request.

Phone:  
315.409.6579

Email:  
[christopher.engler@arcadis.com](mailto:christopher.engler@arcadis.com)

If you have any questions, please do not hesitate to contact me.

Our ref:  
30018017

Sincerely,

Arcadis of New York, Inc.



Christopher Engler PE

Vice President

Enclosure

Jason Pelton  
November 27, 2019

Copies:

Ed Hannon, Northrop Grumman  
Donald Hesler, NYSDEC  
Steven Karpinski, NYS Dept. of Health  
John Lovejoy, Nassau County Dept. of Health  
Carlo San Giovanni, Arcadis  
Nidal Azzam, USEPA  
Public Repository  
File

Table 1  
 General System Operating Parameters  
 Bethpage Park Soil Gas Containment System  
 Operable Unit 3 (Former Grumman Settling Ponds)  
 Bethpage, New York

Date	DW-7S Parameters			DW-7D Parameters			DW-3S Parameters			DW-3D Parameters			DW-5S Parameters			DW-5D Parameters			DW-6S Parameters			DW-6D Parameters			
	Flow Rate at Manifold	Vacuum at Manifold	Wellhead Vacuum	Flow Rate at Manifold	Vacuum at Manifold	Wellhead Vacuum	Flow Rate at Manifold	Vacuum at Manifold	Wellhead Vacuum	Flow Rate at Manifold	Vacuum at Manifold	Wellhead Vacuum	Flow Rate at Manifold	Vacuum at Manifold	Wellhead Vacuum	Flow Rate at Manifold	Vacuum at Manifold	Wellhead Vacuum	Flow Rate at Manifold	Vacuum at Manifold	Wellhead Vacuum	Flow Rate at Manifold	Vacuum at Manifold	Wellhead Vacuum	
10/4/18	95	-17	-1.7	8.0	-7.5	-0.55	7.0	-5.0	-0.31	7.5	-8.0	-0.42	87	-13.0	-1.4	16	-12	-2.8	87	-15	-1.8	6.9	6.9	6.9	6.9
3/20/19	77	-19	-1.4	6.0	-24.0	-0.36	17.0	-7.5	-0.38	8.0	-11.0	-0.39	53	-18.0	-0.73	15	-9	-2.4 <sup>(6)</sup>	85	-17	-1.8	8.0	8.0	8.0	8.0
6/27/19	100	-18	-1.8	7.0	-7.0	-0.52	7.0	-5.0	-0.27	12.0	-9.0	-0.47	71	-11.5	-0.85	13	-8	-1.8	68	-14	-1.4	6.4	6.4	6.4	6.4
9/10/19	98	-17	-1.8	7.0	-7.0	-0.52	6.0	-7.5	-0.25	11.5	-9.5	-0.46	70	-11.5	-0.82	13	-7	-1.7	67	-13	-1.4	6.2	6.2	6.2	6.2

Abbreviations, Notes, and Units on last page.

**Table 1**  
General System Operating Parameters  
Bethpage Park Soil Gas Containment System  
Operable Unit 3 (Former Grumman Settling Ponds)  
Bethpage, New York

Date	DW-1S Parameters			DW-1D Parameters			DW-4S Parameters			DW-4D Parameters			DW-8S Parameters			DW-9S Parameters			DW-2S Parameters			DW-2D Parameters		
	Flow Rate at Manifold	Vacuum at Manifold	Wellhead Vacuum	Flow Rate at Manifold	Vacuum at Manifold	Wellhead Vacuum	Flow Rate at Manifold	Vacuum at Manifold	Wellhead Vacuum	Flow Rate at Manifold	Vacuum at Manifold	Wellhead Vacuum	Flow Rate at Manifold	Vacuum at Manifold	Wellhead Vacuum	Flow Rate at Manifold	Vacuum at Manifold	Wellhead Vacuum	Flow Rate at Manifold	Vacuum at Manifold	Wellhead Vacuum	Flow Rate at Manifold	Vacuum at Manifold	Wellhead Vacuum
	scfm	lwc	lwc	scfm	lwc	lwc	scfm	lwc	lwc	scfm	lwc	lwc	scfm	lwc	lwc	scfm	lwc	lwc	scfm	lwc	lwc	scfm	lwc	lwc
10/4/18	95	-22	-2.1	5.3	-2.5	-1.5	85	-14	-1.8	8.0	-5.5	-0.73	86	-22	-2.7	35	-14	-1.6	39	-25	-2.0	43	-26.5	-2.5
3/20/19	100	-24	-2.6	6.4	-3.0	-2.0	60	-15	-1.7	11.0	-6.5	-0.83	75	-24	-2.3	65	-20	-3.0	40	-30	-2.3	35	-20	-2.2
6/27/19	67	-21	-1.6	5.2	-3.0	-1.6	83	-16	-1.1	7.5	-7.0	-0.74	77	-20	-2.4	40	-13	-1.6	49	-32	-2.5	39	-23	-2.5
9/10/19	74	-19	-1.7	5.1	-3.0	-1.3	78	-16	-1.6	7.5	-5.5	-0.73	55	-15	-1.7	38	-13	-1.6	48	-32	-2.5	38	-23	-2.5

Abbreviations, Notes, and Units on last page.

**Table 1**  
General System Operating Parameters  
Bethpage Park Soil Gas Containment System  
Operable Unit 3 (Former Grumman Settling Ponds)  
Bethpage, New York

Date	DW-10S Parameters			DW-11S Parameters			Knock Out Tank Parameters - Vacuum			Condensate Water Collected <sup>1</sup>		Blower Parameters BL-200			Blower Parameters BL-300			Blower Parameters BL-400			Combined Effluent Parameters						
	Flow Rate at Manifold	Vacuum at Manifold	Wellhead Vacuum	Flow Rate at Manifold	Vacuum at Manifold	Wellhead Vacuum	Influent KO-200	Influent KO-300	Influent KO-400	Influent	Gallons	Influent Vacuum	Effluent Pressure	Blower Speed	Influent Vacuum	Effluent Pressure	Blower Speed	Influent Vacuum	Effluent Pressure	Blower Speed	Influent Vacuum	Effluent Pressure	Blower Speed	Total Effluent Flow Rate <sup>(2)</sup>	Total Effluent PID	Heat Exchanger Influent Temp.	Total Effluent Pressure
10/4/18	39	-16	-2.4	23	-21	-1.9	-35	NA	NA	NA	53	-34.7	NA	59	NA	NA	NA	NA	NA	NA	NA	NA	689	0.0	120	3.0	103
3/20/19	50	-18	-2.2	24 <sup>(6)</sup>	-35	-0.75	-45	NA	NA	NA	105	-58.0	-1.0	59	NA	NA	NA	NA	NA	NA	NA	NA	715	0.1	103	2.0	91
6/27/19	35	-14	-1.5	35	-23	-2.5	-44	NA	NA	NA	60	-47.0	-4.0	59	NA	NA	NA	NA	NA	NA	NA	NA	670	0.8	120	2.0	111
9/10/2019 <sup>(6)</sup>	34	-14	-1.9	30	-26	-2.8	-41.5	NA	NA	NA	0	-44.0	NM <sup>(7)</sup>	59	NA	NA	NA	NA	NA	NA	NA	NA	1516	0.1	125	13.0	111

Abbreviations, Notes, and Units on last page.

**Table 1**  
**General System Operating Parameters**  
**Bethpage Park Soil Gas Containment System**  
**Operable Unit 3 (Former Grumman Settling Ponds)**  
**Bethpage, New York**

**Abbreviations, Notes, and Units:**

DW	Depressurization Well
NA	Not Applicable
NM	Not Measured

1. Total gallons of water accumulated at storage tank ST-510 per quarter are based on storage tank level and condensate removed as documented in site operator condensate discharge logs.
2. Total effluent air velocity in feet per minute was measured using a hand-held anemometer at the stack effluent location. The total effluent flow rate in scfm was calculated by multiplying the measured air velocity by the pipe area, the ratio of the standard air temperature to the measured air temperature, and the ratio of the measured air pressure to the standard air pressure.
3. Monitoring point was confirmed to be in vacuum on a second event on April 11, 2019 following condensate removal and system rebalancing.
4. Monitoring point was confirmed to be in vacuum on a third event on April 25, 2019 due to calibration maintenance during the April 11, 2019 event.
5. Reading taken by site operator on March 18, 2019.
6. On 08/14/19, the system began operating with two active blowers to increase system effluent flow rate.
7. Pressure not measured due to broken BL-200 effluent pressure gauge.

°F	degrees Fahrenheit
Hz	Hertz
inwc	inches of water column
scfm	standard cubic feet per minute

**Table 2**  
**Summary of Induced Vacuum Readings at Compliance Monitoring Points**  
**Bethpage Park Soil Gas Containment System**  
**Operable Unit 3 (Former Grumman Settling Ponds)**  
**Bethpage, New York**

Well ID:	DW-7S		DW-7D		DW-3S		DW-3D		DW-5S		DW-5D		DW-1S		DW-1D		DW-4D		DW-8S		DW-2S		DW-2D		DW-11S											
	VMWC-14A	iwc	VMWC-14B	iwc	VMWC-14D	iwc	VMWC-11B	iwc	VMWC-12D	iwc	VMWC-15A	iwc	VMWC-15B	iwc	VMWC-3A	iwc	VMWC-3B	iwc	VMWC-3C	iwc	VMWC-16A	iwc	VMWC-16B	iwc	VMWC-7A	iwc	VMWC-7B	iwc	VMWC-13D	iwc	VMWC-17D	iwc	VMWC-18A	iwc	VMWC-18B	iwc
Date	-0.13	-0.21	-0.12	-0.22	-0.17	-0.14	-0.17	-0.14	-0.14	-0.13	-0.14	-0.14	-0.15	-0.15	-0.15	-0.16	-0.17	-0.15	-0.17	-0.15	-0.23	-0.25	-0.25	-0.13	-0.14	-0.19	-0.19	-0.14	-0.19	-0.11	-0.09	-0.10	-0.10	-0.11	-0.11	
03/20/19	-0.08 <sup>(9)</sup>	-0.12	-0.10	-0.16	-0.10	-0.11	-0.10	-0.11	-0.15 <sup>(9)</sup>	-0.11	-0.11	-0.15 <sup>(9)</sup>	-0.11	-0.15	-0.15	-0.17	-0.14	-0.14	-0.15	-0.17	-0.17	-0.18	-0.18	-1.53 <sup>(9)</sup>	-0.43	-0.43	-0.43	-0.43	-0.43	-0.43	-0.43	-0.43	-0.43	-0.43	-0.43	-0.43
06/27/19	-0.12	-0.21	-0.21	-0.21	-0.12	-0.12	-0.12	-0.12	-0.11	-0.11	-0.11	-0.11	-0.11	-0.13	-0.14	-0.14	-0.14	-0.14	-0.14	-0.14	-0.43	-0.87	-0.87	-0.55	-0.38	-0.21	-0.20	-0.21	-0.20	-0.13	-0.13	-0.42	-0.42	-0.42	-0.42	
09/10/19	-0.11	-0.19	-0.19	-0.20	-0.10	-0.10	-0.10	-0.10	-0.13	-0.12	-0.12	-0.13	-0.13	-0.11	-0.13	-0.13	-0.13	-0.14	-0.14	-0.14	-1.78	-0.14	-0.14	-0.14	-0.14	-0.14	-0.17	-0.22	-0.10	-0.10	-0.13	-0.13	-0.13	-0.13		
<b>Time Weighted Rolling Average<sup>(1)</sup></b>	<b>-0.10</b>	<b>-0.17</b>	<b>-0.19</b>	<b>-0.19</b>	<b>-0.11</b>	<b>-0.11</b>	<b>-0.11</b>	<b>-0.11</b>	<b>-0.13</b>	<b>-0.11</b>	<b>-0.11</b>	<b>-0.13</b>	<b>-0.14</b>	<b>-0.14</b>	<b>-0.15</b>	<b>-0.15</b>	<b>-0.15</b>	<b>-0.15</b>	<b>-0.15</b>	<b>-0.15</b>	<b>-0.55</b>	<b>-0.36</b>	<b>-0.36</b>	<b>-0.83</b>	<b>-0.32</b>	<b>-0.17</b>	<b>-0.17</b>	<b>-0.16</b>	<b>-0.16</b>	<b>-0.11</b>	<b>-0.11</b>	<b>-0.19</b>	<b>-0.19</b>	<b>-0.19</b>		

<b>Gross Average Compliance Points<sup>(1/2)</sup></b>	<b>-0.21</b>
--	--------------

**Abbreviations, Notes, and Units:**

- DW Depressurization Well
- iwc inches of water column
- VMWC Vapor Monitoring Well Cluster

1. Compliance goal is -0.1 iwc of vacuum at all compliance monitoring points, based on a twelve-month rolling average. Time weighted rolling average calculated by summing the products of the instantaneous induced vacuum readings and the number of days between readings for a 12-month monitoring period, and dividing by the total time period between the first and last quarterly induced vacuum readings.
2. Gross average compliance points calculated by summing the induced vacuum values for the noted monitoring event and dividing by the number of readings.
3. Monitoring point was confirmed to be in vacuum on April 11, 2019 following condensate removal and system rebalancing.
4. Monitoring point was confirmed to be in vacuum on April 25, 2019 following instrument calibration maintenance during the April 11, 2019 event.
5. Monitoring point vacuum was collected before condensate removal and system rebalancing.

**Table 3**  
**Total Effluent Vapor Sample Analytical Results**  
**Bethpage Park Soil Gas Containment System**  
**Operable Unit 3 (Former Grumman Settling Ponds)**  
**Bethpage, New York**

Compound (units in µg/m <sup>3</sup> )	Sample ID <sup>1</sup> : Sample Date:	VSP-601 10/4/2018	VSP-601 3/20/2019	VSP-601 6/27/2019	VSP-601 9/10/2019
<b>Project VOCs</b>					
	<b>CAS No.</b>				
1,1,1-Trichloroethane	71-55-6	<b>12</b>	<b>5.5</b>	<b>4.9</b>	<b>4.8</b>
1,1-Dichloroethane	75-34-3	<b>9.3</b>	<b>6.1</b>	<b>5.3</b>	<b>3.6</b>
1,1-Dichloroethene	75-35-4	< 0.27	<b>1.1</b>	<b>0.79</b>	< 0.16
1,2-Dichloroethane	107-06-2	< 0.34	< 1.6	< 0.81	< 0.81
Benzene	71-43-2	< 0.15	<b>1.8</b>	< 0.64	< 0.64
cis-1,2-Dichloroethene	156-59-2	<b>235</b>	<b>189</b>	<b>324</b>	<b>79.7</b>
Tetrachloroethene	127-18-4	<b>14</b>	<b>31</b>	<b>8.8</b>	<b>6.2</b>
Toluene	108-88-3	< 0.22	<b>15</b>	< 0.75	<b>1.8</b>
trans-1,2-Dichloroethene	156-60-5	<b>3.4</b>	<b>1.4 J</b>	<b>1.8</b>	<b>1.2</b>
Trichloroethylene	79-01-6	<b>488</b>	<b>254</b>	<b>286</b>	<b>173</b>
Vinyl chloride	75-01-4	< 0.23	<b>1.0</b>	<b>0.54</b>	< 0.10
Xylenes - O	95-47-6	< 0.30	< 1.7	< 0.87	< 0.87
Xylenes - M,P	1330-20-7	< 0.61	<b>0.83 J</b>	< 0.87	<b>0.52 J</b>
<b>Subtotal Project VOCs</b>		<b>762</b>	<b>507</b>	<b>632</b>	<b>271</b>
<b>Non-Project VOCs</b>					
1,1,1,2,2-Tetrachloroethane	79-34-5	< 0.76	< 1.4	< 0.69	< 0.69
1,1,2-Trichloroethane	79-00-5	< 0.65	<b>3.2</b>	< 0.55	< 0.55
1,2-Dichloropropane	78-87-5	< 0.36	< 1.8	< 0.92	< 0.92
1,3-Butadiene	106-99-0	< 0.40	< 0.88	< 0.44	< 0.44
1-Chloro-1,1-difluoroethane (Freon 142B)	75-68-3	< 0.45	<b>53.8</b>	<b>106</b>	<b>58.8</b>
2-Butanone	78-93-3	<b>1.6 J</b>	< 1.2	<b>0.83</b>	<b>1.4</b>
2-Hexanone	591-78-6	< 0.61	< 1.6	< 0.82	< 0.82
4-Methyl-2-Pentanone	108-10-1	< 0.57	< 1.6	< 0.82	<b>0.70 J</b>
Acetone	67-64-1	<b>25.7</b>	<b>2.6</b>	<b>4.0</b>	<b>26.8</b>
Bromodichloromethane	75-27-4	< 0.74	< 1.3	< 0.67	< 0.67
Bromoform	75-25-2	< 1.6	< 0.83	< 0.41	< 0.41
Bromomethane	74-83-9	< 0.34	< 1.6	< 0.78	< 0.78
Carbon Disulfide	75-15-0	< 0.29	< 1.2	< 0.62	< 0.62
Carbon Tetrachloride	56-23-5	< 0.59	<b>59</b>	<b>0.75</b>	<b>0.75</b>
Chlorobenzene	108-90-7	< 0.46	< 1.8	< 0.92	< 0.92
Chlorodibromomethane	124-48-1	< 1.1	< 1.7	< 0.85	< 0.85
Chloroethane	75-00-3	< 0.50	< 1.1	< 0.53	< 0.53
Chlorodifluoromethane (Freon 22)	75-45-6	< 1.5	< 1.4	<b>1.1</b>	< 0.70
Chloroform	67-66-3	<b>26</b>	<b>62.5</b>	<b>8.8</b>	<b>4.9</b>
Chloromethane	74-87-3	< 0.13	< 0.83	< 0.41	< 0.41
cis-1,3-Dichloropropene	10061-01-5	< 0.35	< 1.8	< 0.91	< 0.91
Dichlorodifluoromethane (Freon 12)	75-71-8	< 0.33	<b>2.2</b>	<b>2.1</b>	< 0.99
Ethylbenzene	100-41-4	< 0.26	< 1.7	< 0.87	< 0.87
Methylene Chloride	75-09-2	< 0.20	<b>2.0</b>	<b>0.97</b>	<b>1.0</b>
Methyl Tert-Butyl Ether	1634-04-4	< 0.28	< 1.4	< 0.72	< 0.72
Styrene	100-42-5	< 0.32	< 1.7	< 0.85	< 0.85
trans-1,3-Dichloropropene	10061-02-6	< 0.35	< 1.8	< 0.91	< 0.91
Trichlorofluoromethane (Freon 11)	75-69-4	< 0.62	<b>1.3</b>	<b>1.8</b>	< 0.56
Trichlorotrifluoroethane (Freon 113)	76-13-1	< 0.52	< 1.5	< 0.77	< 1.5
<b>Subtotal Non-Project VOCs</b>		<b>53</b>	<b>187</b>	<b>126</b>	<b>94</b>
<b>TVOC<sup>2</sup></b>		<b>815</b>	<b>693</b>	<b>758</b>	<b>365</b>

Abbreviations, Notes, Qualifiers, and Units on last page.



**Table 3**  
**Total Effluent Vapor Sample Analytical Results**  
**Bethpage Park Soil Gas Containment System**  
**Operable Unit 3 (Former Grumman Settling Ponds)**  
**Bethpage, New York**

**Abbreviations, Notes, Qualifiers, and Units:**

CAS No.	Chemical Abstracts Service list number
ELAP	Environmental Laboratory Approval Program
NYSDOH	New York State Department of Health
NYSDEC	New York State Department of Environmental Conservation.
TVOC	Total Volatile Organic Compounds
USEPA	United States Environmental Protection Agency
VOC	Volatile Organic Compound

1. Vapor samples collected by Arcadis and submitted to a NYSDOH ELAP certified laboratory for VOC analyses per Modified USEPA Method TO-15.
2. TVOC determined by summing individual detections and rounding to the nearest whole number.

<b>4.8</b>	Bolding indicates that the analyte was detected at or above laboratory reporting limit
< 0.16	Compound not detected above its laboratory quantification limit
<b>J</b>	Compound detected below laboratory reporting limit; result is estimated
$\mu\text{g}/\text{m}^3$	micrograms per cubic meter

**Table 4**  
**Total Effluent Vapor Sample Analytical Results**  
**Tentatively Identified Compounds**  
**Bethpage Park Soil Gas Containment System**  
**Operable Unit 3 (Former Grumman Settling Ponds)**  
**Bethpage, New York**

	Sample ID:	VSP-601	VSP-601	VSP-601	VSP - 601
	Sample Date <sup>1</sup> :	10/4/2018	3/20/2019	6/27/2019	9/10/2019
	Units:	ppbv	ppbv	ppbv	ppbv
<b>Tentatively Identified Compounds<sup>2</sup></b>					
Carbon Dioxide		ND	1,300 JB	29 JNB	87 JB

**Abbreviations, Notes, Qualifiers, and Units:**

ND	Not Detected
ELAP	Environmental Laboratory Approval Program
NYSDOH	New York State Department of Health
USEPA	U.S. Environmental Protection Agency
VOC	Volatile Organic Compound

1. Vapor samples collected by Arcadis on the dates shown and submitted to a NYSDOH ELAP certified laboratory for VOC analyses per Modified USEPA Method TO-15.

2. Tentatively identified compounds are identified based on review of mass spectrometry results via a comprehensive library search of all organic compounds.

<b>B</b>	Indicates analyte found in associated method blank
<b>J</b>	Indicates an estimated value
<b>JN</b>	Compound tentatively identified, concentration is estimated
ppbv	parts per billion by volume

**Table 5**  
**Air Quality Impact Analysis**  
**Bethpage Park Soil Gas Containment System**  
**Operable Unit 3 (Former Grumman Settling Ponds)**  
**Bethpage, New York**

Toxic Air Contaminant <sup>(4)</sup>	CAS#	VSP-601 Vapor Effluent (µg/m <sup>3</sup> ) 9/10/2019	Emission Rate <sup>1</sup>			Scaled Impact - Hourly <sup>2</sup> (µg/m <sup>3</sup> )	Scaled Impact - Annual <sup>2</sup> (µg/m <sup>3</sup> )	SGC <sup>3</sup> (µg/m <sup>3</sup> )	AGC <sup>3</sup> (µg/m <sup>3</sup> )	% of SGC	% of AGC
			lb/yr	lb/hr	g/s						
<b>Project VOCs</b>											
1,1,1 - Trichloroethane	71-55-6	<b>4.8</b>	2.4E-01	2.7E-05	3.4E-06	1.6E-03	6.9E-05	9,000	5,000	0.0%	0.0%
1,1 - Dichloroethane	75-34-3	<b>3.6</b>	1.8E-01	2.0E-05	2.6E-06	1.2E-03	5.1E-05	NS	0.63	NS	0.0%
cis- 1,2-Dichloroethene	156-59-2	<b>79.7</b>	4.0E+00	4.5E-04	5.7E-05	2.6E-02	1.1E-03	NS	63	NS	0.0%
Tetrachloroethene	127-18-4	<b>6.2</b>	3.1E-01	3.5E-05	4.4E-06	2.0E-03	8.9E-05	300	4	0.0%	0.0%
Toluene	108-88-3	<b>1.8</b>	8.9E-02	1.0E-05	1.3E-06	5.9E-04	2.6E-05	37,000	5000	0.0%	0.0%
trans- 1,2-Dichloroethene	156-60-5	<b>1.2</b>	6.0E-02	6.8E-06	8.6E-07	4.0E-04	1.7E-05	NS	63	NS	0.0%
Trichloroethene	79-01-6	<b>173</b>	8.6E+00	9.8E-04	1.2E-04	5.7E-02	2.5E-03	20	0.2	0.3%	1.2%
Xylenes - M,P	1330-20-7	<b>0.52</b>	2.6E-02	2.9E-06	3.7E-07	1.7E-04	7.4E-06	22,000	100	0.0%	0.0%
<b>Non-Project VOCs</b>											
1-Chloro-1,1-difluoroethane (Freon 142B)	75-68-3	<b>58.8</b>	2.9E+00	3.3E-04	4.2E-05	1.9E-02	8.4E-04	NS	50,000	NS	0.0%
2-Butanone	78-93-3	<b>1.4</b>	6.9E-02	7.9E-06	1.0E-06	4.6E-04	2.0E-05	13,000	5,000	0.0%	0.0%
4-Methyl-2-Pentanone	108-10-1	<b>0.7</b>	3.5E-02	4.0E-06	5.0E-07	2.3E-04	1.0E-05	31,000	3,000	0.0%	0.0%
Acetone	67-64-1	<b>26.8</b>	1.3E+00	1.5E-04	1.9E-05	8.9E-03	3.8E-04	180,000	30,000	0.0%	0.0%
Carbon Tetrachloride	56-23-5	<b>0.75</b>	3.7E-02	4.2E-06	5.4E-07	2.5E-04	1.1E-05	1,900	0.17	0.0%	0.0%
Chloroform	67-66-3	<b>4.9</b>	2.4E-01	2.8E-05	3.5E-06	1.6E-03	7.0E-05	150	15	0.0%	0.0%
Methylene Chloride	75-09-2	<b>1.0</b>	5.0E-02	5.7E-06	7.1E-07	3.3E-04	1.4E-05	14,000	60	0.0%	0.0%

Abbreviations, Notes, and Units on last page.

**Table 5**  
**Air Quality Impact Analysis**  
**Bethpage Park Soil Gas Containment System**  
**Operable Unit 3 (Former Grumman Settling Ponds)**  
**Bethpage, New York**

**Abbreviations, Notes, and Units:**

AGC	Annual Guideline Concentration
CAS#	Chemical Abstracts Services Registry Number
DAR-1	Division of Air Resources-1
NS	None Specified
NYSDEC	New York State Department of Environmental Conservation
SGC	Short-term Guideline Concentration
VSP	Vapor Sampling Point

1. Emission rate calculated based on VSP-601 effluent concentration and an exit air flow rate of 1516 ft<sup>3</sup>/min for 09/10/19.

$$\text{TCE (lb/hr)} = \text{TCE } [\mu\text{g}/\text{m}^3] \times \text{Air Flow Rate } [\text{ft}^3/\text{min}] \times (1 \text{ m}^3/35.3147 \text{ ft}^3) \times (60 \text{ min/hr}) \times (0.000001 \text{ g/1 } \mu\text{g}) \times (0.0022 \text{ lb/g})$$

$$\text{lb/yr} = \text{lb/hr} \times 8,760 \text{ hrs/yr}$$

$$\text{g/s} = \text{lb/hr} \times 1 \text{ hr/} 3,600 \text{ sec} \times 453.59 \text{ g/lb}$$

2. Ambient impact based on AERMOD modeling using normalized rate of 1 g/s is scaled to the actual emission rate of the pollutant. Modeling was performed using the representative meteorological data from the nearest station (Farmingdale) for the years 2011 through 2015. The maximum impact from all the years was used for the calculations.

$$\text{Scaled hourly impact } (\mu\text{g}/\text{m}^3) = \text{AERMOD predicted hourly ambient impact at 1 g/s } (\mu\text{g}/\text{m}^3)/[\text{g/s}] \times \text{Actual emission rate (g/s)}$$

$$\text{Scaled annual impact } (\mu\text{g}/\text{m}^3) = \text{AERMOD predicted annual ambient impact at 1 g/s } (\mu\text{g}/\text{m}^3)/[\text{g/s}] \times \text{Actual emission rate (g/s)}$$


AERMOD Normalized Ambient Impact at 1 g/s	
Hourly ([\mu\text{g}/\text{m}^3]/[\text{g/s}])	Annual ([\mu\text{g}/\text{m}^3]/[\text{g/s}])
462.83	20.02

3. Short-term and annual guideline concentrations specified in the NYSDEC DAR-1 AGC/SGC tables revised August 10, 2016.


4. Only contaminants with detected concentrations are included in the table.

ft <sup>3</sup> /min	cubic feet per minute
g/s	grams per second
μg/m <sup>3</sup>	micrograms per cubic meter
lb/hr	pounds per hour

CITY:SYRACUSE-NY DW:GROUP:PEN DB:A.SANCHEZ LDALS PIC:(Or) PM:(Red) TM:(Or) LYR:(Or)ON:OFF-REF: Z:\ENVCAD\STRACUSE\ACT\Y0149\SiteLocationMap.dwg LAYOUT:DP - SAVED: 3/15/2017 9:38 AM ACADVER: 19.1S (LMS TECH) PAGES:1UP PAGESETUP: PLOTSTYLETABLE: PLT\FULL.CTB PLOTTED: 3/15/2017 9:38 AM BY: SANCHEZ, ADRIAN



REFERENCE: BASE MAP USGS 7.5 MIN. TOPO. QUAD., AMITYVILLE, NY, 2013, FREEPORT, NY, 2013, HICKSVILLE, NY, 2013, AND HUNTINGTON, NY, 2013, COORDINATE DATUM NAD83.




NORTHROP GRUMMAN SYSTEMS CORPORATION  
BETHPAGE PARK SOIL GAS CONTAINMENT SYSTEM  
BETHPAGE, NEW YORK  
**OPERABLE UNIT 3**  
(FORMER GRUMMAN SETTLING PONDS)

**SITE LOCATION MAP**

ARCADIS Design & Consultancy  
for natural and built assets


FIGURE  
**1**





NORTHROP GRUMMAN SYSTEMS CORPORATION  
BETHPAGE, NEW YORK

**PROCESS FLOW DIAGRAM**



**Abbreviations, Notes, and Units:**

VOCs = Volatile Organic Compounds

TVOCs = Total VOCs detected

Total Project VOCs = Sum of 1,1,1-trichloroethane; 1,1-dichloroethane; 1,2-dichloroethane; 1,1-dichloroethene; tetrachloroethene; trichloroethene; vinyl chloride; cis-1,2-dichloroethene; trans-1,2-dichloroethene; benzene; toluene; and total xylenes.

Total Non-Project VOCs = Sum of VOCs that are not Project VOCs.

1. Samples were collected at Vapor Sample Port-601 (VSP-601); refer to Figure 3 of this OM&M report for the location of VSP-601.
2. Results prior to April 16, 2008 are not shown to improve figure clarity. The TVOC and Total Project VOC concentrations are greater than 3,500 µg/m<sup>3</sup>. See previous reports for full data set.
3. The sample results from December 3, 2010 are not consistent with historical data and the results are excluded from this figure. The TVOC concentration for December 3, 2010 was 13 µg/m<sup>3</sup>.


µg/m<sup>3</sup> = micrograms per cubic meter

NORTHROP GRUMMAN SYSTEMS CORPORATION  
 BETHPAGE PARK SOIL GAS CONTAINMENT SYSTEM  
 BETHPAGE, NEW YORK, OPERABLE UNIT 3  
 (FORMER GRUMMAN SETTLING PONDS)

**SOIL GAS VOC CONCENTRATIONS**

**FIGURE 4**





**Abbreviations, Notes, and Units:**

VOCs = Volatile Organic Compounds

TVOCs = Total VOCs detected

Total Project VOCs = Sum of 1,1,1-trichloroethane; 1,1-dichloroethane; 1,2-dichloroethane; 1,1-dichloroethene; tetrachloroethene; trichloroethene; vinyl chloride; cis-1,2-dichloroethene; trans-1,2-dichloroethene; benzene; toluene; and total xylenes.

Total Non-Project VOCs = Sum of VOCs that are not Project VOCs.


1. The sample results from December 3, 2010 are not consistent with historical data and the results are excluded from this figure.

lbs = pounds

NORTHROP GRUMMAN SYSTEMS CORPORATION  
 BETHPAGE PARK SOIL GAS CONTAINMENT SYSTEM  
 BETHPAGE, NEW YORK, OPERABLE UNIT 3  
 (FORMER GRUMMAN SETTLING PONDS)

**CUMULATIVE TOTAL, PROJECT, AND NON-PROJECT VOC MASS REMOVED**

**FIGURE 5**



**Abbreviations, Notes, and Units:**

VOCs = Volatile Organic Compounds

TVOCs = Total VOCs detected

Total Project VOCs = Sum of 1,1,1-trichloroethane; 1,1-dichloroethane; 1,2-dichloroethane; 1,1-dichloroethane; tetrachloroethene; trichloroethene; vinyl chloride; cis-1,2-dichloroethene; trans-1,2-dichloroethene; benzene; toluene; and total xylenes.

Total Non-Project VOCs = Sum of VOCs that are not Project VOCs.

1. Results prior to April 16, 2008 are not shown to improve figure clarity. The TVOC and Total Project VOC concentrations are greater than 0.3 lbs/day. See previous reports for full data set.

2. The sample results from December 3, 2010 are not consistent with historical data and the results are excluded from this figure. The TVOC concentration for December 3, 2010 was 13 µg/L.

lbs/day = pounds per day

NORTHROP GRUMMAN SYSTEMS CORPORATION  
 BETHPAGE PARK SOIL GAS CONTAINMENT SYSTEM  
 BETHPAGE, NEW YORK, OPERABLE UNIT 3  
 (FORMER GRUMMAN SETTLING PONDS)

**VOC MASS RECOVERY RATES**



FIGURE  
**6**