

Feasibility Study Report
for
Naval Weapons
1994 **Industrial Reserve Plant**
Bethpage, New York
VOLUME II



Northern Division
Naval Facilities Engineering Command

Contract Number N62472-90-D-1298

Contract Task Order 0089

MARCH 1994

**APPENDICES
TABLE OF CONTENTS**

APPENDIX A - RISK-BASED PRELIMINARY REMEDIATION GOALS

APPENDIX B - SOIL CALCULATIONS

SITE 1 - SOIL CALCULATIONS

SITE 1 - SAMPLE CALCULATION OF SOIL ACTION LEVELS BASED ON LEACHING
OF CONTAMINANTS TO GROUNDWATER

SITE 1 - ANALYTICAL SUMMARIES AND MAPS

SITE 1 - SOIL GAS VS. VOC CORRELATION

SITE 1 - AREA OF CONTAMINATION (FOR CAPPING ALTERNATIVES)

SITE 1 - SOIL VOLUME CALCULATIONS

SITE 2 - SOIL CALCULATIONS

SITE 2 - SAMPLE CALCULATION OF SOIL ACTION LEVELS BASED ON LEACHING
OF CONTAMINANTS TO GROUNDWATER

SITE 2 - ANALYTICAL SUMMARIES AND MAPS

SITE 2 - SOIL GAS VS. VOC CORRELATION

SITE 2 - AREA OF CONTAMINATION (FOR CAPPING ALTERNATIVES)

SITE 2 - SOIL VOLUME CALCULATIONS

SITE 3 - SOIL CALCULATIONS

SITE 3 - SAMPLE CALCULATION OF SOIL ACTION LEVELS BASED ON LEACHING
OF CONTAMINANTS TO GROUNDWATER

SITE 3 - ANALYTICAL SUMMARIES AND MAPS

SITE 3 - SOIL GAS VS. VOC CORRELATION

SITE 3 - AREA OF CONTAMINATION (FOR CAPPING ALTERNATIVES)

SITE 3 - SOIL VOLUME CALCULATIONS

SITES 1, 2, AND 3 - LIMITED VOC SOIL VOLUME CALCULATIONS

**APPENDICES
TABLE OF CONTENTS (Cont'd)**

APPENDIX C - GROUNDWATER CALCULATIONS

APPENDIX D - GROUNDWATER COMPUTER MODELING

APPENDIX E - COST ESTIMATES

 SOILS COST ESTIMATES

 GROUNDWATER COST ESTIMATES

APPENDIX A
RISK-BASED PRELIMINARY REMEDIATION GOALS



Development of Preliminary Remediation Goals

The development of risk-based Preliminary Remediation Goals (PRGs) for soil at the NWIRP Bethpage site was based upon methodology outlined in Risk Assessment Guidance for Superfund (RAGS), Volume I, Human Health Evaluation Manual, Part B - Development of Risk-based Preliminary Remediation Goals (USEPA, December 1991). PRGs were derived for three receptors using the exposure scenarios outlined below:

- **Current Onsite Worker** exposures were evaluated using Industrial/Commercial Land Use PRG development equations as outlined in Sections 3.2 and 3.3 of RAGS Part B. Exposure to site media (soil) via incidental ingestion and inhalation exposure routes were considered.
- **Current Offsite Resident** exposures were evaluated using the Industrial/Commercial Land Use PRG development equations for inhalation exposures only.
- **Future Onsite Resident** exposures were considered using the Residential Land Use PRG development equations presented in Section 3.1 of RAGS, Part B. Only oral exposure to soil was evaluated in accordance with guidance.

The current onsite worker and future onsite resident scenarios are based directly on guidance as provided in RAGS Part B. The use of the Industrial/Commercial Land Use scenario is an extension of the RAGS Part B approaches, and is deemed appropriate for establishment of conservative PRGs for current residential exposure for several reasons. Site access is currently restricted by a fence that prevents direct contact with site soils. The use of the Industrial Land Use scenario incorporates risks associated with inhalation that are not evaluated under prescribed residential land use guidance. Under current land use conditions, inhalation of volatile emissions and fugitive dust is considered the only potentially complete exposure pathway for offsite residents. PRGs were developed that considered the receptor to actually reside onsite, neglecting atmospheric dispersion effects that would result in the establishment of higher PRGs.

Inhalation risks are evaluated by considering two potential release mechanisms. One mechanism is the emission and inhalation of fugitive dust. The amount of dust generated is a function of many site-specific meteorologic and physical parameters and is estimated using the Particulate Emission Factor (PEF). The second mechanism is chemical volatilization from the soil followed by inhalation. This route is evaluated using a mass transfer model represented by the Volatilization Factor (VF). Equations for the generation of the PEF and VF are presented in RAGS, Part B, Section 3.3.

Because residential receptor exposures consider receptors with a 30 year exposure duration (6 years as a 15 Kg child and 24 years as a 70 Kg adult), ingestion rate, inhalation rate, and body weight adjustments are made under both the current and future residential land use scenarios. This procedure is advocated for the ingestion route in RAGS Part B via the use of the age-adjusted soil ingestion factor. The procedure is extended for use with the inhalation exposure route.

In accordance with RAGS Part B, soil PRGs for the Future Onsite Resident scenario are based on ingestion rates of 200 mg/day and 100 mg/day for child and adult receptors, respectively. For inhalation, an inhalation rate of 20 m³/day is employed for both receptors. The rationale for the use of the consistent inhalation rate is that both adult and 6 year old receptors performing light activity are noted to have inhalation rates of 0.8 m³/hour (USEPA, Exposure Factors Handbook, May 1989). The reported inhalation rates are considered conservative estimates because they represent the reasonable maximum rates for receptors in the specified age ranges.

The increased sensitivity of child residential receptors to noncarcinogenic (systemic) risks, as a result of lower body weight, have been considered in the evaluation of both current and future residential exposure for noncarcinogens only. Under this exposure scenario, the potential noncarcinogenic risks for children are evaluated.

Carcinogenic risks were not evaluated for children because the adult residential receptor is subject to exposure during both child and adult body weights when this receptor is evaluated. The dual receptor exposure is considered to be an accurate estimation of intake when estimating carcinogenic PRGs. Since cancer risk increase is averaged over the receptor's entire lifetime, not just the exposure duration, the additional exposure encountered by the adult receptor (in the 7 to 30 year age range) is added to the exposure obtained by the child receptor.

Sample calculations for the development of risk-based PRGs are presented in ~~Appendix~~ the following pages.

Development of Risk - Based Preliminary Remediation Goals (PRGs)

Scenario: Residential Land Use - Soil
 Reference: RAGS, Part B, Section 3.1.2

SITE: NWRP Bethpage
 LOCATION: Bethpage, NY
 DATE: 04/19/93

RECEPTOR: Adult Resident (Future Onsite Scenario)

Relevant Equations:

(1) Noncarcinogenic Risks (Reduced form for HI of unity).

$$C(\text{mg/kg}) = (1 \times \text{RfD} \times \text{AT} \times 365) / (\text{CF} \times \text{EF} \times \text{IF})$$

(2) Carcinogenic Risks (Reduced form for 1E-6 incremental cancer risk).

$$C(\text{mg/kg}) = (1e-6 \times \text{AT} \times 365) / (\text{CSF} \times \text{CF} \times \text{EF} \times \text{IF})$$

Instructions:

Provide input values for (*) items and chemical specific RfD and CSF for oral exposure route only.

Input Parameters:

Future Adult Onsite Residential Use Exposure

* Ingestion Rate (mg/day) = 100 - Adult
 = 200 - Child
 * Exposure Frequency (days/yr) = 350
 * Exposure Duration (yrs) = 24 - Adult
 = 6 - Child
 * Body Weight (kg) = 70 - Adult
 = 15 - Child
 Age-adjusted soil ingestion factor (mg-yr/kg-day) = 114.29

Chemical	Reference Dose (Oral) (mg/kg-day)	Cancer Slope Factor (Oral) (kg-day/mg)	Noncarcinogen Preliminary Remediation Goal (mg/Kg)	Carcinogenic Preliminary Remediation Goal (mg/Kg)	Final Preliminary Remediation Goal (mg/Kg)
Arsenic	3.0E-04 (1)		82.125	N/A	82
Antimony	4.0E-04 (1)		109.5	N/A	110
Barium	7.0E-02 (1)		19162.5	N/A	19,163
Beryllium	5.0E-03 (1)	4.3E+00 (1)	1368.75	0.148546512	0.15
Cadmium	5.0E-04 (1a)		136.875	N/A	137
Chromium (III)	1.0E+00 (1)		273750	N/A	273,750
Copper	3.7E-02 (2a)		1368.75	N/A	1,369
Lead			N/A	N/A	N/A
Manganese	5.0E-03 (1a)		1368.75	N/A	1,369
Mercury	3.0E-04 (2)		82.125	N/A	82
Nickel	2.0E-02 (1)		5475	N/A	5,475
Silver	5.0E-03 (1)		1368.75	N/A	1,369
Vanadium	7.0E-03 (2)		1916.25	N/A	1,916
Zinc	3.0E-01 (1)		82125	N/A	82,125
Cyanide	2.0E-02 (1)		5475	N/A	5,475
Selenium	5.0E-03 (1)		1368.75	N/A	1,369
Thallium	7.0E-05 (2b)		19,1625	N/A	19
Heptachlor	5.0E-04 (1)	4.5E+00 (1)	136.875	0.141944444	0.142
Heptachlor epoxide	1.3E-05 (1)	9.1E+00 (1)	3,55875	0.070192308	0.070
Endrin	3.0E-04 (1)		82.125	N/A	82
Dieldrin	5.0E-05 (1)	1.6E+01 (1)	13,6875	0.039921875	0.040
Trichloroethene		1.1E-02 (3)	N/A	58,06818182	58
Tetrachloroethene	1.0E-02 (1)	5.2E-02 (3)	2737.5	12,28365385	12
Chloroform	1.0E-02 (1)	6.1E-03 (1)	2737.5	104.7131148	105
Toluene	2.0E-01 (1)		54750	N/A	54,750
Bis(2-chloroethyl)ether		1.1E+00 (1)	N/A	0.580681818	0.581
DDT	5.0E-04 (1)	3.4E-01 (1)	136.875	1.878676471	1.879
DDD		2.4E-01 (1)	N/A	2.661458333	2.661
DDE		3.4E-01 (1)	N/A	1.878676471	1.879
Chlordane	6.0E-05 (1)	1.3E+00 (1)	16,425	0.491346154	0.491
Aroclors (total)		7.7E+00 (1)	N/A	0.082954545	0.083
Bis(2-ethylhexyl)phthalate	2.0E-02 (1)	1.4E-02 (1)	5475	45,625	46
Butylbenzylphthalate	2.0E-01 (1)		54750	N/A	54,750
Di-n-butylphthalate	1.0E-01 (1)		27375	N/A	27,375
Dimethylphthalate	1.0E+01 (2)		2737500	N/A	2,737,500
Naphthalene	4.0E-02 (2)		10950	N/A	10,950
2-Methylnaphthalene	2.0E-02 (5)		5475	N/A	5,475

Development of Risk - Based Preliminary Remediation Goals (PRGs)

Scenario: Residential Land Use - Soil
 Reference: RAGS, Part B, Section 3.1.2

SITE: NWIRP Bethpage
 LOCATION: Bethpage, NY
 DATE: 04/19/93

RECEPTOR: Adult Resident (Future Onsite Scenario)

Relevant Equations:

(1) Noncarcinogenic Risks (Reduced form for HI of unity).

$$C(\text{mg/kg}) = (1 \times \text{RfD} \times \text{AT} \times 365) / (\text{CF} \times \text{EF} \times \text{IF})$$

(2) Carcinogenic Risks (Reduced form for 1E-6 incremental cancer risk).

$$C(\text{mg/kg}) = (1 \times 10^{-6} \times \text{AT} \times 365) / (\text{CSF} \times \text{CF} \times \text{EF} \times \text{IF})$$

Instructions:

Provide input values for (*) items and chemical specific RfD and CSF for oral exposure route only.

Input Parameters: Future Adult Onsite Residential Use Exposure

* Ingestion Rate (mg/day) =	100 - Adult
	200 - Child
* Exposure Frequency (days/yr) =	350
* Exposure Duration (yrs) =	24 - Adult
	6 - Child
* Body Weight (kg) =	70 - Adult
	15 - Child
Age-adjusted soil ingestion factor (mg-yr/kg-day) =	114.29

Chemical	Reference Dose (Oral) (mg/kg-day)	Cancer Slope Factor (Oral) (kg-day/mg)	Noncarcinogen Preliminary Remediation Goal (mg/Kg)	Carcinogenic Preliminary Remediation Goal (mg/Kg)	Final Preliminary Remediation Goal (mg/Kg)
Acenaphthene	6.0E-02 (1)		16425	N/A	16,425
Acenaphthylene			N/A	N/A	N/A
Anthracene	3.0E-01 (1)		82125	N/A	82,125
Fluoranthene	4.0E-02 (1)		10950	N/A	10,950
Pyrene	3.0E-02 (1)		8212.5	N/A	8,213
Phenanthrene			N/A	N/A	N/A
Benzo(a)anthracene			N/A	N/A	N/A
Chrysene			N/A	N/A	N/A
Benzo(b)fluoranthene			N/A	N/A	N/A
Benzo(k)fluoranthene			N/A	N/A	N/A
Benzo(a)pyrene		7.3E+00 (1)	N/A	0.0875	0.088
Indeno(1,2,3-cd)pyrene			N/A	N/A	N/A
Dibenzo(a,h)anthracene			N/A	N/A	N/A
Benzo(g,h,i)perylene			N/A	N/A	N/A
Fluorene	4.0E-02 (1)		10950	N/A	10,950
trans-1,2-Dichloroethene	2.0E-02 (1)		5475	N/A	5,475
1,1,1-Trichloroethane	9.0E-01 (2)		246375	N/A	246,375
Carbon disulfide	1.0E-01 (1)		27375	N/A	27,375
1,1-Dichloroethane	1.0E-01 (2)		27375	N/A	27,375
1,1-Dichloroethene	9.0E-03 (1)	6.0E-01 (1)	2463.75	1.064583333	1.065
Carbon tetrachloride	7.0E-04 (1)	3.7E-06 (1)	191.625	172635.1351	192
Ethylbenzene	1.0E-01 (1)		27375	N/A	27,375
Xylenes	2.0E+00 (1)		547500	N/A	547,500
Di-n-octylphthalate	2.0E-02 (4)		5475	N/A	5,475
2-Methylphenol	5.0E-02 (1)		13687.5	N/A	13,688
4-Methylphenol	5.0E-02 (2)		13687.5	N/A	13,688
2,4-Dimethylphenol	2.0E-02 (1)		5475	N/A	5,475

***** reported as a Final PRG indicates the risk based PRG is greater than pure product (> 1e6 ppm).

- (1) IRIS, On Line, April 1993.
- (1a) IRIS, On Line, April 1993, value based on water consumption.
- (2) HEAST, FY 1992.
- (2a) HEAST, FY 1992, calculated from MCL of 1.3 mg/L.
- (2b) HEAST, FY 1992, chronic value for thallic oxide.
- (3) USEPA, Risk Assessment Issue Paper, January, 1993.
- (4) HEAST, FY 1991.
- (5) Calculated from oral LD50.

Development of Risk - Based Preliminary Remediation Goals (PRGs)

Scenario: Residential Land Use - Soil
 Reference: RAGS, Part B, Section 3.1.2

Instructions:

Provide input values for (*) items and chemical specific RfD and CSF for oral exposure route only.

SITE: NWIRP Bethpage
 LOCATION: Bethpage, NY
 DATE: 04/19/93

Input Parameters: Future Child Onsite Residential Use Exposure

RECEPTOR: Child Resident (Future Onsite Scenario)

* Ingestion Rate (mg/day) = 0 - Adult
 = 200 - Child
 * Exposure Frequency (days/yr) = 350
 * Exposure Duration (yrs) = 0 - Adult
 = 6 - Child
 * Body Weight (kg) = 70 - Adult
 = 15 - Child
 Age-adjusted soil ingestion factor (mg-yr/kg-day) = 80.00

Relevant Equations:

(1) Noncarcinogenic Risks (Reduced form for HI of unity).

$$C(\text{mg/kg}) = (1 \times \text{RfD} \times \text{AT} \times 365) / (\text{CF} \times \text{EF} \times \text{IF})$$

(2) Carcinogenic Risks are not evaluated for child receptors.

Chemical	Reference Dose (Oral) (mg/kg-day)	Cancer Slope Factor (Oral) (kg-day/mg)	Noncarcinogen Preliminary Remediation Goal (mg/Kg)	Carcinogenic Preliminary Remediation Goal (mg/Kg)	Final Preliminary Remediation Goal (mg/Kg)
Arsenic	3.0E-04 (1)		23.46428571	N/A	23
Antimony	4.0E-04 (1)		31.28571429	N/A	31
Barium	7.0E-02 (1)		5475	N/A	5,475
Beryllium	5.0E-03 (1)		391.0714286	N/A	391.07
Cadmium	5.0E-04 (1a)		39.10714286	N/A	39
Chromium (III)	1.0E+00 (1)		78214.28571	N/A	78,214
Copper	3.7E-02 (2a)		391.0714286	N/A	391
Lead			N/A	N/A	N/A
Manganese	5.0E-03 (1a)		391.0714286	N/A	391
Mercury	3.0E-04 (2)		23.46428571	N/A	23
Nickel	2.0E-02 (1)		1564.285714	N/A	1,564
Silver	5.0E-03 (1)		391.0714286	N/A	391
Vanadium	7.0E-03 (2)		547.5	N/A	548
Zinc	3.0E-01 (1)		23464.28571	N/A	23,464
Cyanide	2.0E-02 (1)		1564.285714	N/A	1,564
Selenium	5.0E-03 (1)		391.0714286	N/A	391
Thallium	7.0E-05 (2b)		5.475	N/A	5
Heptachlor	5.0E-04 (1)		39.10714286	N/A	39.107
Heptachlor epoxide	1.3E-05 (1)		1.016785714	N/A	1.017
Endrin	3.0E-04 (1)		23.46428571	N/A	23
Dieldrin	5.0E-05 (1)		3.910714286	N/A	3.911
Trichloroethene			N/A	N/A	N/A
Tetrachloroethene	1.0E-02 (1)		782.1428571	N/A	782
Chloroform	1.0E-02 (1)		782.1428571	N/A	782
Toluene	2.0E-01 (1)		15642.85714	N/A	15,643
Bis(2-chloroethyl) ether			N/A	N/A	N/A
DDT	5.0E-04 (1)		39.10714286	N/A	39.107
DDD			N/A	N/A	N/A
DDE			N/A	N/A	N/A
Chlordane	6.0E-05 (1)		4.692857143	N/A	4.693
Aroclors (total)			N/A	N/A	N/A
Bis(2-ethylhexyl)phthalate	2.0E-02 (1)		1564.285714	N/A	1,564
Butylbenzylphthalate	2.0E-01 (1)		15642.85714	N/A	15,643
Di-n-butylphthalate	1.0E-01 (1)		7821.428571	N/A	7,821
Dimethylphthalate	1.0E+01 (2)		782142.8571	N/A	782,143
Naphthalene	4.0E-02 (2)		3128.571429	N/A	3,129
2-Methylnaphthalene	2.0E-02 (4)		1564.285714	N/A	1,564

Development of Risk - Based Preliminary Remediation Goals (PRGs)

Scenario: Residential Land Use - Soil
 Reference: RAGS, Part B, Section 3.1.2

Instructions:

Provide input values for (*) items and chemical specific RfD and CSF for oral exposure route only.

SITE: NWIRP Bethpage
 LOCATION: Bethpage, NY
 DATE: 04/19/93

Input Parameters: Future Child Onsite Residential Use Exposure

* Ingestion Rate (mg/day) = 0 - Adult
 = 200 - Child
 * Exposure Frequency (days/yr) = 350
 * Exposure Duration (ys) = 0 - Adult
 = 6 - Child
 * Body Weight (kg) = 70 - Adult
 = 15 - Child
 Age-adjusted soil ingestion factor (mg-yr/kg-day) = 80.00

RECEPTOR: Child Resident (Future Onsite Scenario)

Relevant Equations:

(1) Noncarcinogenic Risks (Reduced form for HI of unity).

$$C(\text{mg/kg}) = (1 \times \text{RfD} \times \text{AT} \times 365) / (\text{CF} \times \text{EF} \times \text{IF})$$

(2) Carcinogenic Risks are not evaluated for child receptors.

Chemical	Reference Dose (Oral) (mg/kg-day)	Cancer Slope Factor (Oral) (kg-day/mg)	Noncarcinogen Preliminary Remediation Goal (mg/Kg)	Carcinogenic Preliminary Remediation Goal (mg/Kg)	Final Preliminary Remediation Goal (mg/Kg)
Acenaphthene	6.0E-02 (1)		4692.857143	N/A	4.693
Acenaphthylene			N/A	N/A	N/A
Anthracene	3.0E-01 (1)		23464.28571	N/A	23.464
Fluoranthene	4.0E-02 (1)		3128.571429	N/A	3.129
Pyrene	3.0E-02 (1)		2346.428571	N/A	2.346
Phenanthrene			N/A	N/A	N/A
Benzo(a)anthracene			N/A	N/A	N/A
Chrysene			N/A	N/A	N/A
Benzo(b)fluoranthene			N/A	N/A	N/A
Benzo(k)fluoranthene			N/A	N/A	N/A
Benzo(a)pyrene			N/A	N/A	N/A
Indeno(1,2,3-cd)pyrene			N/A	N/A	N/A
Dibenzo(a,h)anthracene			N/A	N/A	N/A
Benzo(g,h,i)perylene			N/A	N/A	N/A
Fluorene	4.0E-02 (1)		3128.571429	N/A	3.129
trans-1,2-Dichloroethene	2.0E-02 (1)		1564.285714	N/A	1.564
1,1,1-Trichloroethane	9.0E-01 (2)		70392.85714	N/A	70.393
Carbon disulfide	1.0E-01 (1)		7821.428571	N/A	7.821
1,1-Dichloroethane	1.0E-01 (2)		7821.428571	N/A	7.821
1,1-Dichloroethene	9.0E-03 (1)		703.9285714	N/A	703.929
Carbon tetrachloride	7.0E-04 (1)		54.75	N/A	55
Ethylbenzene	1.0E-01 (1)		7821.428571	N/A	7.821
Xylenes	2.0E+00 (1)		156428.5714	N/A	156.429
Di-n-octylphthalate	2.0E-02 (3)		1564.285714	N/A	1.564
2-Methylphenol	5.0E-02 (1)		3910.714286	N/A	3.911
4-Methylphenol	5.0E-02 (2)		3910.714286	N/A	3.911
2,4-Dimethylphenol	2.0E-02 (1)		1564.285714	N/A	1.564

***** reported as a Final PRG indicates the risk based PRG is greater than pure product (> 1e6 ppm).

- (1) IRIS, On Line, April 1993.
- (1a) IRIS, On Line, April 1993, value based on water consumption.
- (2) HEAST, FY 1992.
- (2a) HEAST, FY 1992, calculated from MCL of 1.3 mg/L.
- (2b) HEAST, FY 1992, chronic value for thallic oxide.
- (3) HEAST, FY 1991.
- (4) Calculated from oral LD50.

Development of Risk-Based Preliminary Remediation Goals (PRGs)
 Scenario: Industrial Land Use - Soil
 Reference: RAGS, Part B, Section 3.2.2

SITE: NWIRP Bethpage RECEPTOR: Current Worker
 LOCATION: Bethpage, NY EXPOSURE: incidental ingestion of site soils and inhalation of
 DATE: 04/20/93 fugitive dust and volatile emissions.

Relevant Equations:

$\text{PRG} = 2.9e-4 / ((5e-5 \times \text{CSF} \times \text{ing}) + (\text{CSF} \times \text{inh} \times (20/\text{VF}) + (20/\text{PEF})))$
 $\text{PRG} = 102 / ((5e-5 / \text{RID} \times \text{ing}) + (1/\text{RID} \times \text{inh}) \times ((20/\text{VF}) + (20/\text{PEF})))$

Input parameters: LS = 540 (m) ED = 7.88E+08 (sec)
 V = 2.75 (m/s) E = 0.35 (unitless)
 DH = 2 (m) foc = 0.001842 (unitless)
 A = 1.6E+09 (cm²) P₈ = 1.76 (gm/cm³)
 PEF = 1.81E+06 (m³/kg)

Chemical	Reference Dose (Oral) (mg/kg/day)	Reference Dose (Inhalation) (mg/kg/day)	Oral Slope Factor (mg-day/kg)	Inhalation Cancer Slope Factor (mg-day/kg)	Preliminary Risk-based Goal Noncarcinogens (mg/kg)	Preliminary Risk-based Goal Carcinogens (mg/kg)	Final Risk-based Goal (mg/kg)
Arsenic	3.0E-04 (1)			1.5E+01 (1)	612.00	1.75	1.75
Antimony	4.0E-04 (1)				816.00	0.00	816
Barium	7.0E-02 (1)	1.0E-04 (2c)			917.17	0.00	917
Beryllium	5.0E-03 (1)		4.3E+00 (1)	8.4E+00 (1)	10200.00	0.94	0.942
Cadmium	5.0E-04 (1a)			6.3E+00 (1)	1020.00	4.17	4.17
Chromium (III) and (VI)	1.0E+00 (1)	6.0E-07 (4a)		4.2E+01 (1c)	5.54	0.625	0.625
Copper	3.7E-02 (2a)				75480.00	0.00	75.480
Lead					0.00	0.00	N/A
Manganese	5.0E-03 (1a)	1.0E-04 (1)			846.49	0.00	846
Mercury	3.0E-04 (2)	9.0E-05 (2)			352.40	0.00	352
Nickel	2.0E-02 (1)			8.4E-01 (2)	40800.00	31.24	31.24
Silver	5.0E-03 (1)				10200.00	0.00	10.200
Vanadium	7.0E-03 (2)				14280.00	0.00	14.280
Zinc	3.0E-01 (1)				612000.00	0.00	612.000
Cyanide	2.0E-02 (1)				40800.00	0.00	40.800
Selenium	5.0E-03 (1)				10200.00	0.00	10.200
Thallium	7.0E-05 (2b)				142.80	0.00	143
Hepatichlor	5.0E-04 (1)		4.5E+00 (1)	4.6E+00 (1)	1020.00	1.05	1.051
Hepatichlor epoxide	1.3E-05 (1)		9.1E+00 (1)	9.1E+00 (1)	26.52	0.52	0.522
Endrin	3.0E-04 (1)				612.00	0.00	612
Dieldrin	5.0E-05 (1)				102.00	0.30	0.297
Trichloroethene					0.00	527.27	527
Tetrachloroethene	1.0E-02 (1)				20400.00	111.54	112
Chloroform	1.0E-02 (1)				20400.00	0.03	0.029
Toluene	2.0E-01 (1)	1.0E-01 (1)	6.1E-03 (1)	8.1E-02 (1)	19513.23	0.00	19.513
Bis(2-chloroethyl)ether					0.00	0.02	0.024
DDT	5.0E-04 (1)		1.1E+00 (1)	1.2E+00 (1)	1020.00	13.97	14
DDD			3.4E-01 (1)	3.4E-01 (1)	0.00	24.17	24
DDE			2.4E-01 (1)	2.4E-01 (1)	0.00	17.06	17
Chlordane			3.4E-01 (1)	3.4E-01 (1)	122.40	3.65	3.65
Aroclors (total)	6.0E-05 (1)		7.7E+00 (1)	1.3E+00 (1)	0.00	0.75	0.753
Bis(2-ethylhexyl)phthalate	2.0E-02 (1)		1.4E-02 (1)		40800.00	414.29	414
Butybenzylphthalate	2.0E-01 (1)				408000.00	0.00	408.000
Di-n-butylphthalate	1.0E-01 (1)				204000.00	0.00	204.000
Dimethylphthalate	1.0E+01 (2)				2040000.00	0.00	1.000.000
Naphthalene	4.0E-02 (2)				81600.00	0.00	81.600
2-Methylnaphthalene	2.0E-02 (5)				40800.00	0.00	40.800

Development of Risk-Based Preliminary Remediation Goals (PRGs)
 Scenario: Industrial Land Use - Soil
 Reference: RAGS, Part B, Section 3.2.2

SITE: NW/PP Bethpage RECEPTOR: Current Worker
 LOCATION: Bethpage, NY EXPOSURE: Incidental ingestion of site soils and inhalation of fugitive dust and volatile emissions.
 DATE: 04/20/83

Relevant Equations:

(reduced form for 1E-6 target cancer risk)
 $PRG = 2.9e-4 / ((5e-5 \times CSF_{ing}) + (CSF_{inh} \times (20/NF) + (20/PEF)))$
 (reduced form for target noncancer risk of unity)
 $PRG = 1027 / ((5e-6 / RfD_{inh}) + (1/RfD_{inh})(20/NF) + (20/PEF))$

Input parameters: LS = 540 (m) ED = 7.88E+08 (sec)
 V = 2.75 (m/s) E = 0.35 (unitless)
 DH = 2 (m) foc = 0.001842 (unitless)
 A = 1.6E+09 (cm2) P8 = 1.78 (gm/cm3)
 PEF = 1.81E+06 (m3/kg)

Chemical	Reference Dose (Oral) (mg/kg/day)	Reference Dose (Inhalation) (mg/kg/day)	Oral Cancer Slope Factor (mg-day/kg)	Inhalation Cancer Slope Factor (mg-day/kg)	Preliminary Risk-based Goal Noncarcinogens (mg/kg)	Preliminary Risk-based Goal Carcinogens (mg/kg)	Final Risk-based Goal (mg/kg)
Acenaphthene	6.0E-02 (1)				122400.00	0.00	122,400
Acenaphthylene					0.00	0.00	N/A
Anthracene	3.0E-01 (1)				612000.00	0.00	612,000
Fluoranthene	4.0E-02 (1)				81600.00	0.00	81,600
Pyrene	3.0E-02 (1)				61200.00	0.00	61,200
Phenanthrene					0.00	0.00	N/A
Benz(a)anthracene					0.00	0.00	N/A
Chrysene					0.00	0.00	N/A
Benz(b)fluoranthene					0.00	0.00	N/A
Benz(k)fluoranthene					0.00	0.00	N/A
Benz(a)pyrene			7.3E+00 (1)	6.1E+00 (2)	0.00	0.67	0.670
Indeno(1,2,3-cd)pyrene					0.00	0.00	N/A
Dibenz(a,h)anthracene					0.00	0.00	N/A
Benz(g,h,i)perylene					0.00	0.00	N/A
Fluorene	4.0E-02 (1)				81600.00	0.00	81,600
trans-1,2-Dichloroethene	2.0E-02 (1)				40800.00	0.00	40,800
1,1,1-Trichloroethane	9.0E-01 (2)	3.0E-01 (2c)			222.30	0.00	222
Carbon disulfide	1.0E-01 (1)	3.0E-03 (2)			1.86	0.00	1.865
1,1-Dichloroethane	1.0E-01 (2)				204000.00	0.00	204,000
1,1-Dichloroethene	9.0E-03 (1)		6.0E-01 (1)	1.8E-01 (1)	18360.00	9.07	9,066
Carbon tetrachloride	7.0E-04 (1)		3.7E-06 (1)	5.3E-02 (1)	1428.00	0.06	0,056
Ethylbenzene	1.0E-01 (1)	3.0E-01 (1)			1291.95	0.00	1,292
Xylenes	2.0E+00 (1)	9.0E-02 (4)			181.22	0.00	181
Di-n-octylphthalate	2.0E-02 (4)				40800.00	0.00	40,800
2-Methylphenol	5.0E-02 (1)				102000.00	0.00	102,000
4-Methylphenol	5.0E-02 (2)				102000.00	0.00	102,000
2,4-Dimethylphenol	2.0E-02 (1)				40800.00	0.00	40,800

(1) IRIS, On Line, April 1993.
 (1a) IRIS, On Line, April 1993, value based on water consumption.
 (1b) IRIS, On Line, April 1993, value for Cr (II).
 (1c) IRIS, On Line, April 1993, value for Cr (VI).
 (2) HEAST, FY 1992.
 (2a) HEAST, FY 1992, calculated from MCL of 1.3 mg/L.
 (2b) HEAST, FY 1992, chronic value for trihalic oxide.
 (2c) HEAST, FY 1992, calculated from RfC determined from alternate method.
 (3) USEPA Risk Assessment Issue Paper, January, 1993.
 (4) HEAST, FY 1991.
 (4a) HEAST, FY 1991, chronic inhalation RfD for Cr (II) and (VI).
 (5) Calculated from oral LD50.

Development of Risk-Based Preliminary Remediation Goals (PRGs)
 Scenario: Industrial Land Use - Soil
 Reference: RAGS, Part B, Section 3.2.2

SITE: NWIRP Bethpage RECEPTOR: Current Offsite Resident (Adult)
 LOCATION: Bethpage, NY Inhalation of
 DATE: 04/22/93 fugitive dust and volatile emissions.

Relevant Equations:

$$f_{\text{reduced}} = \text{form for } 1E-6 \text{ target cancer risk}$$

$$PRG = 1.975e-5 / (CSF_{\text{inh}} \times ((1/NF) + (1/PEF)))$$

$$f_{\text{reduced}} = \text{form for target noncancer risk of unity}$$

$$PRG = 8.45 \cdot RID_{\text{inh}} / ((1/NF) + (1/PEF))$$

Input parameters: LS = 540 (m) ED = 9.46E+08 (sec)
 V = 2.75 (m/s) E = 0.35 (unitless)
 DH = 2 (m) f_{oc} = 0.001842 (unitless)
 A = 1.6E+09 (cm²) P_s = 1.76 (gm/cm³)
 PEF = 1.81E+06 (m³/kg)

Chemical	Reference Dose (Oral) (mg/kg/day)	Reference Dose (Inhalation) (mg/kg/day)	Oral Cancer Slope Factor (mg - day/kg)	Inhalation Cancer Slope Factor (mg - day/kg)	Preliminary Risk-based Goal Noncarcinogens (mg/kg)	Preliminary Risk-based Goal Carcinogens (mg/kg)	Final Risk-based Goal (mg/kg)
Arsenic				1.5E+01 (1)	0.00	2.38	2.38
Antimony					0.00	0.00	N/A
Barium		1.0E-04 (2c)			1529.45	0.00	1.529
Beryllium				8.4E+00 (1)	0.00	4.26	4.256
Cadmium				6.3E+00 (1)	0.00	5.67	5.67
Chromium (III) and (VI)		6.0E-07 (4a)		4.2E+01 (1c)	9.18	0.85	0.851
Copper					0.00	0.00	N/A
Lead					0.00	0.00	N/A
Manganese		1.0E-04 (1)			1529.45	0.00	1.529
Mercury		9.0E-05 (2)		8.4E-01 (2)	1376.51	0.00	1.377
Nickel					0.00	42.56	42.56
Silver					0.00	0.00	N/A
Sodium					0.00	0.00	N/A
Zinc					0.00	0.00	N/A
Cyanide					0.00	0.00	N/A
Selenium					0.00	0.00	N/A
Thallium					0.00	0.00	N/A
Heptachlor				4.6E+00 (1)	0.00	7.77	7.77
Heptachlor epoxide				9.1E+00 (1)	0.00	3.93	3.928
Endrin					0.00	0.00	N/A
Dieldrin				1.6E+01 (1)	0.00	2.23	2.234
Trichloroethene					0.00	0.00	N/A
Tetrachloroethene					0.00	0.00	N/A
Chloroform					0.00	0.04	0.044
Toluene					37116.85	0.00	37.117
Bis(2-chloroethyl)ether		1.0E-01 (1)			0.00	0.04	0.036
DDT				1.2E+00 (1)	0.00	106.14	106.1
DDD				3.4E-01 (1)	0.00	0.00	N/A
DDE					0.00	0.00	N/A
Chlordane				1.3E+00 (1)	0.00	27.50	27.50
Aroclors (total)					0.00	0.00	N/A
Bis(2-ethylhexyl)phthalate				8.1E-02 (1)	0.00	0.00	N/A
Butylbenzylphthalate					0.00	0.00	N/A
Di-n-butylphthalate					0.00	0.00	N/A
Dimethylphthalate					0.00	0.00	N/A
Naphthalene					0.00	0.00	N/A
2-Methylnaphthalene					0.00	0.00	N/A

Development of Risk-Based Preliminary Remediation Goals (PRGs)
 Scenario: Industrial Land Use - Soil
 Reference: RAAGS, Part B, Section 3.2.2

SITE: NWIRP Bathpage RECEPTOR: Current Offsite Resident (Adult)
 LOCATION: Bathpage, NY EXPOSURE: Inhalation of
 DATE: 04/22/83 fugitive dust and volatile emissions.

Relevant Equations:

(reduced form for 1E-6 target cancer risk)
 $PRG = 1.975e-5 / (CSF_{inh} \times ((1/VF) + (1/PEF)))$
 (reduced form for target noncancer risk of unity)
 $PRG = 8.45 \times RfD_{inh} / ((1/VF) + (1/PEF))$

Input parameters: LS = 540 (m) ED = 9.46E+08 (sec)
 V = 2.75 (m/s) E = 0.35 (unitless)
 DH = 2 (m) foc = 0.001842 (unitless)
 A = 1.6E+09 (cm2) P8 = 1.78 (gm/cm3)
 PEF = 1.81E+06 (m3/kg)

Chemical	Reference Dose (Oral) (mg/kg/day)	Reference Dose (Inhalation) (mg/kg/day)	Oral Cancer Slope Factor (mg-day/kg)	Inhalation Cancer Slope Factor (mg-day/kg)	Preliminary Risk-based Goal Noncarcinogens (mg/kg)	Preliminary Risk-based Goal Carcinogens (mg/kg)	Final Risk-based Goal (mg/kg)
Aceraphthene					0.00	0.00	N/A
Aceraphthylene					0.00	0.00	N/A
Acridene					0.00	0.00	N/A
Fluoranthene					0.00	0.00	N/A
Pyrene					0.00	0.00	N/A
Phenanthrene					0.00	0.00	N/A
Benz(a)anthracene					0.00	0.00	N/A
Chrysene					0.00	0.00	N/A
Benz(b)fluoranthene					0.00	0.00	N/A
Benz(k)fluoranthene					0.00	0.00	N/A
Benz(a)pyrene				6.1E+00 (2)	0.00	5.81	5.81
Indeno(1,2,3-cd)pyrene					0.00	0.00	N/A
Dibenz(a,h)anthracene					0.00	0.00	N/A
Benz(g,h,i)perylene					0.00	0.00	N/A
Fluorene					0.00	0.00	N/A
trans-1,2-Dichloroethene					0.00	0.00	N/A
1,1,1-Trichloroethene		3.0E-01 (2c)			403.32	0.00	404
Carbon disulfide		3.0E-03 (2)			3.38	0.00	3.38
1,1-Dichloroethane					0.00	0.00	N/A
1,1-Dichloroethene					0.00	0.00	N/A
Carbon tetrachloride				1.8E-01 (1)	0.00	198.60	198.6
Ethylbenzene		3.0E-01 (1)		5.3E-02 (1)	2359.73	0.00	2,360
Xylenes		9.0E-02 (4)			328.91	0.00	329
Di-n-octylphthalate					0.00	0.00	N/A
2-Methylphenol					0.00	0.00	N/A
4-Methylphenol					0.00	0.00	N/A
2,4-Dimethylphenol					0.00	0.00	N/A

- (1) IRIS, On Line, April 1993.
- (1a) IRIS, On Line, April 1993, value based on water consumption.
- (1b) IRIS, On Line, April 1993, value for Cr (II).
- (1c) IRIS, On Line, April 1993, value for Cr (VI).
- (2) HEAST, FY 1992.
- (2a) HEAST, FY 1992, calculated from MCL of 1.3 mg/L.
- (2b) HEAST, FY 1992, chronic value for trihalic oxide.
- (2c) HEAST, FY 1992, calculated from RfC determined from alternate method.
- (3) USEPA Risk Assessment Issue Paper, January, 1993.
- (4) HEAST, FY 1991.
- (4a) HEAST, FY 1991, chronic inhalation RfD for Cr (II) and (VI)
- (5) Calculated from oral LD50.

Development of Risk-Based Preliminary Remediation Goals (PRGs)
 Scenario: Industrial Land Use - Soil
 Reference: RAGS, Part B, Section 3.2.2

SITE: NWIRP Bethpage RECEPTOR: Current Offsite Resident (Child)
 LOCATION: Bethpage, NY EXPOSURE: Inhalation of
 DATE: 04/22/93 fugitive dust and volatile emissions.

Relevant Equations:
 Carcinogenic PRGs are not developed for child receptors.

Reduction factor for target noncancer risk of unity
 $PRG = 0.782 \cdot RfDinh / ((1/NF) + (1/PEF))$

Input parameters: LS = 540 (m) ED = 9.46E+08 (sec)
 V = 2.75 (m/s) E = 0.35 (unitless)
 DH = 2 (m) fcc = 0.001842 (unitless)
 A = 1.6E+09 (cm²) Pa = 1.76 (gm/cm³)
 PEF = 1.81E+06 (m³/kg)

Chemical	Reference Dose (Oral) (mg/kg/day)	Reference Dose (Inhalation) (mg/kg/day)	Oral Cancer Slope Factor (mg ⁻¹ day/kg)	Inhalation Cancer Slope Factor (mg ⁻¹ day/kg)	Preliminary Risk-based Goal Noncarcinogens (mg/kg)	Preliminary Risk-based Goal Carcinogens (mg/kg)	Final Risk-based Goal (mg/kg)
Arsenic					0.00	0.00	N/A
Antimony					0.00	0.00	N/A
Berium		1.0E-04 (2c)			141.54	0.00	142
Beryllium					0.00	0.00	N/A
Cadmium					0.00	0.00	N/A
Cromium (III) and (VI)		6.0E-07 (4a)			0.85	0.00	0.849
Copper					0.00	0.00	N/A
Lead					0.00	0.00	N/A
Manganese		1.0E-04 (1)			141.54	0.00	142
Mercury		9.0E-05 (2)			127.39	0.00	127
Nickel					0.00	0.00	N/A
Silver					0.00	0.00	N/A
Vanadium					0.00	0.00	N/A
Zinc					0.00	0.00	N/A
Cyanide					0.00	0.00	N/A
Selenium					0.00	0.00	N/A
Thallium					0.00	0.00	N/A
Heptachlor					0.00	0.00	N/A
Heptachlor epoxide					0.00	0.00	N/A
Endrin					0.00	0.00	N/A
Dieldrin					0.00	0.00	N/A
Trichloroethene					0.00	0.00	N/A
Tetrachloroethene					0.00	0.00	N/A
Chloroform					0.00	0.00	N/A
Toluene					3434.96	0.00	3,435
Bis(2-chloroethyl)ether		1.0E-01 (1)			0.00	0.00	N/A
DDT					0.00	0.00	N/A
DDD					0.00	0.00	N/A
DDE					0.00	0.00	N/A
Chlordane					0.00	0.00	N/A
Aroclors (total)					0.00	0.00	N/A
Bis(2-ethylhexyl)phthalate					0.00	0.00	N/A
Butylbenzylphthalate					0.00	0.00	N/A
Di-n-butylphthalate					0.00	0.00	N/A
Dimethylphthalate					0.00	0.00	N/A
Naphthalene					0.00	0.00	N/A
2-Methylnaphthalene					0.00	0.00	N/A

Development of Risk-Based Preliminary Remediation Goals (PRGs)

Scenario: Industrial Land Use - Soil
 Reference: RAGS, Part B, Section 3.2.2

SITE: NWPP Bethpage
 LOCATION: Bethpage, NY
 DATE: 04/22/93

RECEPTOR: Current Offsite Resident (Child)
 EXPOSURE: Inhalation of fugitive dust and volatile emissions.

Relevant Equations:

Carcinogenic PRGs are not developed for child receptors

Reduced form for target noncancer risk of unity

$$PRG = 0.782 * RfD_{inh} / ((1/AVF) + (1/PEF))$$

Input parameters: LS = 540 (m) ED = 9.46E+08 (sec)
 V = 2.75 (m/s) E = 0.35 (unitless)
 DH = 2 (m) foc = 0.001842 (unitless)
 A = 1.6E+09 (cm2) P_a = 1.76 (gm/cm3)
 PEF = 1.81E+06 (m3/kg)

Chemical	Reference Dose (Oral) (mg/kg/day)	Reference Dose (Inhalation) (mg/kg/day)	Oral Cancer Slope Factor (mg-day/kg)	Inhalation Cancer Slope Factor (mg-day/kg)	Preliminary Risk-based Goal Noncarcinogens (mg/kg)	Preliminary Risk-based Goal Carcinogens (mg/kg)	Final Risk-based Goal (mg/kg)
Acenaphthene					0.00	0.00	N/A
Acenaphthylene					0.00	0.00	N/A
Anthracene					0.00	0.00	N/A
Fluoranthene					0.00	0.00	N/A
Pyrene					0.00	0.00	N/A
Phenanthrene					0.00	0.00	N/A
Benz(a)anthracene					0.00	0.00	N/A
Chrysene					0.00	0.00	N/A
Benz(b)fluoranthene					0.00	0.00	N/A
Benz(k)fluoranthene					0.00	0.00	N/A
Benz(a)pyrene					0.00	0.00	N/A
Indeno(1,2,3-cd)pyrene					0.00	0.00	N/A
Dibenz(a,h)anthracene					0.00	0.00	N/A
Benz(a,g,h,i)perylene					0.00	0.00	N/A
Fluorene					0.00	0.00	N/A
trans-1,2-Dichloroethene					0.00	0.00	N/A
1,1,1-Trichloroethane		3.0E-01 (2c)			37.34	0.00	37
Carbon disulfide		3.0E-03 (2)			0.31	0.00	0.31
1,1-Dichloroethane					0.00	0.00	N/A
1,1-Dichloroethene					0.00	0.00	N/A
Carbon tetrachloride					0.00	0.00	N/A
Ethylbenzene		3.0E-01 (1)			218.38	0.00	218
Xylenes		9.0E-02 (4)			30.44	0.00	30
Di-n-octylphthalate					0.00	0.00	N/A
2-Methylphenol					0.00	0.00	N/A
4-Methylphenol					0.00	0.00	N/A
2,4-Dimethylphenol					0.00	0.00	N/A

- (1) IRIS, On Line, April 1993.
- (1a) IRIS, On Line, April 1993, value based on water consumption.
- (1b) IRIS, On Line, April 1993, value for Cr (II).
- (1c) IRIS, On Line, April 1993, value for Cr (VI).
- (2) HEAST, FY 1992.
- (2a) HEAST, FY 1992, calculated from MCL of 1.3 mg/L.
- (2b) HEAST, FY 1992, chronic value for trihalic oxide.
- (2c) HEAST, FY 1992, calculated from RfC determined from alternate method
- (3) USEPA, Risk Assessment Issue Paper, January, 1993.
- (4) HEAST, FY 1991.
- (4a) HEAST, FY 1991, chronic inhalation RfD for Cr (II) and (VI)
- (5) Calculated from oral LD50.

CLIENT NAVY CLEAN - NWIRP BETHPAGE		JOB NUMBER 1953	
SUBJECT CALCULATION OF AVERAGE MOISTURE CONTENT AND SOIL DENSITY			
BASED ON		DRAWING NUMBER	
BY N. J. STRAUB	CHECKED BY <i>[Signature]</i> (5/6/93)	APPROVED BY	DATE 04/23/93

PURPOSE: CALCULATE AVERAGE PERCENT MOISTURE and DENSITY OF SOILS COLLECTED FROM SITES 1, 2, and 3.

Sample ID	% MOISTURE	DENSITY (g _m /cm ³)
BP-SB-1-11003	6.5	1.4
BP-SB-1-11503	3.9	1.4
BP-SB-2-20403 /-D ⁽¹⁾	7.2 ^(1a)	2.55 ^(1a,2)
BP-SB-2-21503	4.6	1.2
BP-SB-3-31603	9.3	2.2
BP-SB-3-32803	28.6	1.8
\bar{X}	10.0 (6.3) ⁽³⁾ ✓	1.76 ✓
SD (S)	9.3 (2.2) ⁽³⁾ ✓	0.53 ✓

- (1) FIELD DUPLICATE samples.
- (1a) AVERAGE OF FIELD DUPLICATE RESULTS.
- (2) REPORTED AS SPECIFIC GRAVITY.
- (3) STATISTICAL ANALYSIS BASED ON 5 samples (LESS DATA FROM BP-SB-3-32803).

CLIENT NAY CLEAN - BETHPAGE		JOB NUMBER 1953	
SUBJECT PARTICULATE EMISSION FACTOR (PEF) CALCULATION.			
BASED ON RAGS, PART B, Section 3.3.2		DRAWING NUMBER	
BY N. J. STRAUB	CHECKED BY [Signature] (5/6/93)	APPROVED BY	DATE 04/20/93

PURPOSE: CALCULATE THE PEF FOR SURFACE SOIL AT NWIRP, BETHPAGE FOR INCLUSION IN A FUGITIVE DUST EMISSIONS MODEL.

RELEVANT EQUATIONS:

$$PEF (m^3/kg) = \frac{LS \times V \times DH \times 3600 S/hr}{A} \times \frac{1000 g/m^3}{0.036 \times (1-G) \times \left(\frac{U_m}{U_t}\right)^3 \times F(x)}$$

WHERE:

- LS = WIDTH of CONTAMINATED AREA (m)
- V = WIND SPEED IN MIXING ZONE (m/s)
- DH = DIFFUSION HEIGHT (m)
- A = AREA of CONTAMINATION (m²)
- 0.036 = RESPIRABLE FRACTION (g/m³.hr)
- G = FRACTION OF VEGETATIVE COVER (UNITLESS)
- U_m = MEAN ANNUAL WINDSPEED (m/s)
- U_t = EQUIVALENT THRESHOLD WINDSPEED @ 10m (m/s)
- F(x) = FUNCTION DEPENDENT ON U_m and U_t (UNITLESS)

Sample Calculation:

ASSUMPTIONS -

$$V = \frac{1}{2} U_m = \frac{1}{2} (5.5 m/s) = 2.75 m/s^*$$

DH = 2 m

G = 0

U_m = 5.5 m/s


U_t = 6.37 m/s

RATIONALE

AS PER RAGS, PART B GUIDANCE
RECEPTOR BREATHING ZONE
ZERO PERCENT VEG. COVER
MEAN ANNUAL WINDSPEED FOR
NEW YORK, NEW YORK.
FUGITIVE DUST EMISSIONS MODEL,
FINAL RI, NWIRP BETHPAGE, HNUS,
MAY 1992.

* CALCULATED AS PER USEPA, GUIDANCE ON REMEDIAL ACTION FOR SUPERFUND SITES WITH PCB CONTAMINATION, OERR, EPA/540/G-90/007, AUG. 1990, APP. B, P. 7.

CLIENT NAVY CLEAN - NWIRD BETHPAGE		JOB NUMBER 1953	
SUBJECT PEF CALCULATION			
BASED ON RAGS, PART B GUIDANCE		DRAWING NUMBER	
BY WJS	CHECKED BY [Signature]	APPROVED BY	DATE 04/20/93



WELL ID	SCREENED INTERVAL	DATE COMPLETED
4	48.6 - 58.6	09-04-91
	148 - 158	10-25-91
	49 - 59	09-05-91
	120 - 130	11-21-91
	200 - 210	01-22-92
	44 - 54	09-05-91
	115.3 - 125.3	10-30-91
	44 - 54	09-04-91
	100 - 110	11-04-91
	44 - 54	09-03-91
	131 - 141	11-08-91
	39 - 49	09-04-91
	120 - 130	11-26-91
	210 - 220	01-08-92
	47 - 57	09-05-91
	110 - 120	10-21-91
	188 - 198	12-19-91

CLIENT NAVY CLEAN - BETHPAGE	JOB NUMBER 1953		
SUBJECT PARTICULATE EMISSION FACTOR (PEF) CALCULATION			
BASED ON RAGS, PART B, SECTION 3.3.2		DRAWING NUMBER	
BY NJ STRAUB	CHECKED BY [Signature] (5/6/93)	APPROVED BY	DATE 84/20/93

① Calc $F(x)$ (FROM COWHERD, 1984)

$$x = 0.886 \frac{U_t}{U_M} = 0.886 \left(\frac{6.37 \text{ m/s}}{5.5 \text{ m/s}} \right) = 1.03$$

FROM COWHERD, 1984, FIGURE 4-3 (GRAPH OF $F(x)$ VS x)...

$$x = 1.03, F(1.03) = 1.57$$

② CALCULATE PEF (ASSUME $L_S = 540 \text{ m}$, $A = 1.62 \times 10^5 \text{ m}^2$, $G = 0$)

$$\text{PEF} = \frac{(540 \text{ m}) \left(\frac{1}{2} \right) (5.5 \text{ m/s}) (2 \text{ m}) (3600 \text{ s/hr})}{1.62 \times 10^5 \text{ m}^2} \times \frac{1000 \text{ g}^{\text{m}}/\text{kg}}{\left(\frac{0.036}{9 \text{ m}^2 \cdot \text{hr}} \right) \times (1-0) \times \left(\frac{5.5 \text{ m/s}}{6.37 \text{ m/s}} \right)^3 \times 1.57}$$

$$\text{PEF} = 1.81 \times 10^6 \text{ m}^3/\text{kg} \checkmark$$

REFERENCES

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY (USEPA), RISK ASSESSMENT GUIDANCE FOR SUPERFUND, VOLUME I - HUMAN HEALTH EVALUATION MANUAL (PART B - DEVELOPMENT OF RISK-BASED PRELIMINARY REMEDIATION GOALS). INTERIM. OSWER DIRECTIVE 9285.7-01 B. OFFICE OF EMERGENCY AND REMEDIAL RESPONSE. WASHINGTON, DC 20460.

COWHERD, JA, ET AL. 1984. RAPID ASSESSMENT OF EXPOSURE TO PARTICULATE EMISSIONS FROM SURFACE CONTAMINATED SITES. MIDWEST RESEARCH INSTITUTE. KANSAS CITY, MO.

CLIENT NAVY CLEAN - NWIRP BETHPAGE		JOB NUMBER 1953	
SUBJECT CALCULATION OF VOLATILIZATION FACTOR			
BASED ON RAGS, PART B GUIDANCE		DRAWING NUMBER	
BY N.J. STRAUB WJS	CHECKED BY [Signature] (5/6/93)	APPROVED BY	DATE 04/22/93

PURPOSE: TO CALCULATE SOIL CHEMICAL VOLATILIZATION FACTOR FOR INCLUSION IN PRG DEVELOPMENT CALCULATIONS.

RELEVANT EQUATIONS:

① VOLATILIZATION FACTOR

$$VF \left(\frac{m^3}{kg} \right) = \frac{(LS \times V \times DH)}{A} \times \frac{(3.14 \times \alpha \times T)^{1/2}}{(2 \times De_i \times E \times K_{oc} \times 10^{-3} kg/g)}$$

WHERE $\alpha = \frac{De_i \times E}{E + \frac{Ps(1-E)}{K_{oc}}}$

- WHERE:
- LS = LENGTH OF SIDE OF CONTAMINATED ZONE (m) (see attached figure)
 - V = WINDSPEED IN MIXING ZONE (m/s) = $\frac{1}{2} U_m$
 - DH = DIFFUSION HEIGHT (m)
 - A = AREA OF CONTAMINATED ZONE (cm²)
 - α = CALCULATED VALUE
 - T = EXPOSURE INTERVAL (DURATION) (seconds)
 - De_i = EFFECTIVE DIFFUSIVITY (cm²/s) = $D_i \times E^{1/3}$
 - E = TRUE SOIL POROSITY (UNITLESS)
 - K_{oc} = SOIL/AIR PARTITION COEFFICIENT (gm soil/cm³ air) = $\frac{41 H}{K_d}$
 - Ps = TRUE SOIL DENSITY (gm/cm³)
 - D_i = MOLECULAR DIFFUSIVITY (cm²/s)
 - K_d = SOIL-WATER PARTITION COEFFICIENT = $K_{oc} f_{oc}$ (cm³/gm)
 - K_{oc} = ORGANIC CARBON PARTITION COEFFICIENT (cm³/gm)
 - f_{oc} = FRACTION ORGANIC CARBON (UNITLESS)
 - H = HENRY'S LAW CONSTANT (atm·m³/mol)

CLIENT NAVY CLEAN - NWIRP BETHPAGE		JOB NUMBER 1953	
SUBJECT CALC of SOIL VOLATILIZATION FACTOR			
BASED ON RAGS, PART 8 GUIDANCE		DRAWING NUMBER	
BY YJS	CHECKED BY JJA (5/6/93)	APPROVED BY	DATE 04/22/93

SOLVE FOR α :

$$\alpha = \frac{D_{ei} \times E}{E + \frac{P_s(1-E)}{K_{as}}} = \frac{(D_i \times E^{0.33}) \times E}{E + \frac{P_s(1-E) K_{oc} f_{oc}}{41 H}} = \frac{D_i \times E^{1.33}}{E + \frac{P_s(1-E) K_{oc} f_{oc}}{41 H}} ; \begin{matrix} D_{ei} = D_i \times E^{0.33} \\ K_{as} = \frac{41 H}{K_{oc} f_{oc}} \end{matrix}$$

FOR TOLUENE: $D_i = 8.6 \times 10^{-6} \text{ cm}^2/\text{s}$ (USEPA, TSD, NOV. 1989)
 $H = 6.0 \times 10^{-3} \text{ atm m}^3/\text{mol}$ (USEPA, TSD, NOV. 1989)
 $K_{oc} = 3.0 \times 10^2 \text{ cm}^3/\text{gm}$ (USEPA, AQUATIC FATE PROCESS DATA ..., DECEMBER 1982)

FOR BETHPAGE NWIRP SOILS:
 $E = 0.35$ (ASSUMED SOIL POROSITY)
 $f_{oc} = 0.001842$ (SITE SPECIFIC AVG VALUE)
 $P_s = 1.76 \text{ gm}^3/\text{cm}^3$ (SITE SPECIFIC AVG VALUE)

$$\alpha = \frac{(8.6 \times 10^{-6} \text{ cm}^2/\text{s}) (0.35)^{1.33}}{0.35 + \frac{(1.76 \text{ gm}^3/\text{cm}^3)(1-0.35)(3.0 \times 10^2 \text{ cm}^3/\text{gm})(0.001842)}{(41 \frac{\text{mol}}{\text{atm} \cdot \text{m}^3}) (6.0 \times 10^{-3} \frac{\text{atm} \cdot \text{m}^3}{\text{mol}})}}$$

$$\alpha = 7.29 \times 10^{-7} \text{ cm}^2/\text{s}$$


SOLVE FOR VF:

$$VF = \frac{(540 \text{ m})(2.75 \text{ m/s})(2 \text{ m})}{(300 \text{ m})(540 \text{ m})(100 \text{ cm/m})^2} \times \frac{[(3.14)(7.29 \times 10^{-7} \text{ cm}^2/\text{s})(7.88 \times 10^8 \text{ s})]^{1/2} (3 \times 10^2 \text{ cm}^3/\text{gm})(0.001842)}{(2)(8.6 \times 10^{-6} \text{ cm}^2/\text{s})(0.35)^{1.33} (41)(6.0 \times 10^{-3} \text{ atm m}^3/\text{mol})(10^{-3} \text{ kg/gm})}$$

$$= 1.83 \times 10^{-6} (\frac{\text{m}^3}{\text{cm} \cdot \text{s}}) \times 2.24 \times 10^{10} (\text{cm} \cdot \text{s}/\text{kg})$$

$$VF = 4.11 \times 10^4 \text{ m}^3/\text{kg}$$

CLIENT NAVY CLEAN - NWIRP BETHPAGE		JOB NUMBER 1953	
SUBJECT CALCULATION OF VOLATILIZATION FACTOR			
BASED ON RAGS, PART B		DRAWING NUMBER	
BY NHS	CHECKED BY [Signature] (5/6/93)	APPROVED BY	DATE 04/22/93



CLIENT	NAVY CLEAN - NWIRP BETHPAGE	JOB NUMBER	1953
SUBJECT	CALCULATION of VOLATILIZATION. FACTOR		
BASED ON	RAGS, PART B GUIDANCE	DRAWING NUMBER	
BY	NJS	CHECKED BY	RJA (5/6/93)
		APPROVED BY	
		DATE	04/22/93

REFERENCES:

USEPA, RISK ASSESSMENT GUIDANCE FOR SUPERFUND, VOLUME I - HUMAN HEALTH EVALUATION MANUAL (PART B, DEVELOPMENT OF RISK-BASED PRELIMINARY REMEDIATION GOALS). INTERIM. OSWER DIRECTIVE 9285.7-01B. OFFICE OF EMERGENCY AND REMEDIAL RESPONSE. WASHINGTON DC 20460.

USEPA, HAZARDOUS WASTE TREATMENT, STORAGE, and DISPOSAL FACILITIES (TSDF) - AIR EMISSION MODELS. REVIEW DRAFT. CHEMDAT 7 summary (APPENDIX A and D). EMISSION STANDARDS DIVISION, OFFICE of AIR QUALITY PLANNING and STANDARDS, RESEARCH TRIANGLE PARK, NC, 27711, NOVEMBER 1989.

USEPA, AQUATIC FATE PROCESS DATA FOR ORGANIC PRIORITY POLLUTANTS. FINAL REPORT. OFFICE of WATER REGULATIONS and STANDARDS. WASHINGTON DC 20460, DECEMBER 1982

CLIENT	NAVY CLEAN - NWIRP BETHPAGE	JOB NUMBER	1953
SUBJECT	CALCULATION OF RISK-BASED PRGS FOR SOIL		
BASED ON	RAGS, PART B GUIDANCE	DRAWING NUMBER	
BY	N.J. STRAUB [Signature]	CHECKED BY	[Signature] (5/6/93)
		APPROVED BY	
		DATE	04/22/93

PURPOSE: CALCULATE PRELIMINARY REMEDIATION GOALS (PRGS) BASED ON AN ASSUMED NONCARCINOGENIC HAZARD INDEX OF UNITY ($HI=1.0$) and a CARCINOGENIC RISK INCREASE OF 10^{-6} .

RELEVANT EQUATIONS:

① RESIDENTIAL LAND USE (FUTURE ONSITE RESIDENT - ADULT)
FROM RAGS, PART B, EQUATIONS 4' and 5' ARE DERIVED FOR RESIDENTIAL LAND USE SCENARIO:

- NONCARCINOGENS - $PRG (mg/kg) = (2.7 \times 10^5)(RFD_0)$ (5')
- CARCINOGENS - $PRG (mg/kg) = \frac{0.64}{CSF_0}$ (4')

WHERE, PRG = CALCULATED PRG IN mg/kg

RFD_0 = ORAL REFERENCE DOSE IN $mg/kg \cdot day$

CSF_0 = ORAL CANCER SLOPE FACTOR IN $kg \cdot day/mg$

Sample calculation (Heptachlor Epoxide - $RFD_0 = 1.3 \times 10^{-5} mg/kg \cdot day$, $CSF_0 = 9.1 \times 10^0 kg \cdot day/mg$)

• NC - $PRG = (2.7 \times 10^5)(1.3 \times 10^{-5}) = 3.51 mg/kg \checkmark$

• CARC - $PRG = \frac{0.64}{9.1 \times 10^0} = 0.070 mg/kg$

PRELIMINARY REMEDIATION GOAL THAT IS ACCEPTED IS LOWER, NON-ZERO GOAL:

$PRG = 0.070 mg/kg \checkmark$

CLIENT NAVY CLEAN - NWIRP BETHPAGE		JOB NUMBER 1953	
SUBJECT CALCULATION OF SOIL PRGS			
BASED ON RAGS, PART B GUIDANCE		DRAWING NUMBER	
BY WJS	CHECKED BY [Signature] (5/6/93)	APPROVED BY	DATE 04/22/93

RELEVANT EQUATIONS (CON'T.)

② INDUSTRIAL (COMMERCIAL LAND USE (CURRENT ONSITE WORKER))

FROM RAGS, PART B, EQUATIONS 6' and 7' ARE DEVELOPED FOR WORKER EXPOSURE TO SITE CONDITIONS AT NWIRP BETHPAGE.

WORKER EXPOSURE IS ASSUMED TO BE RESULT OF INCIDENTAL INGESTION and INHALATION of FUGITIVE PARTICULATES and

VOLATILE EMISSIONS. THE LATTER TWO PARAMETERS ARE

ESTIMATED BY PARTICULATE EMISSION FACTOR (PEF) and CHEMICAL-

SPECIFIC VOLATILIZATION FACTOR (VF) VALUES (SEE RAGS, PART B, SECTS 3.2 and 3.3)

• NONCARCINOGENS

$$PRG (mg/kg) = \frac{102}{\left[\frac{5 \times 10^{-5}}{RFD_0} + \left(\frac{1}{RFD_i} \left(\frac{20}{VF} + \frac{20}{PEF} \right) \right) \right]} \quad (7')$$

• CARCINOGENS

$$PRG (mg/kg) = \frac{2.9 \times 10^{-4}}{\left[(5 \times 10^{-5}) (CSF_0) + \left(CSF_i \left(\frac{20}{VF} + \frac{20}{PEF} \right) \right) \right]} \quad (6')$$

CLIENT NAVY CLEAN-NWIRB BETHPAGE		JOB NUMBER 1953	
SUBJECT CALCULATION OF PRGS FOR SOIL			
BASED ON RAGS, PART B GUIDANCE		DRAWING NUMBER	
BY WJS	CHECKED BY [Signature] (5/6/93)	APPROVED BY	DATE 04/22/93

Sample calculation (Toluene - $RFD_o = 2 \times 10^{-1}$ mg/kg.day ; CHLOROFORM - $CSF_o = 6.1 \times 10^{-3}$ kg/day/mg)
 $RFD_i = 1 \times 10^{-1}$ mg/kg.day $CSF_i = 8.1 \times 10^{-2}$ kg/day/mg
 $VF(Tol) = 4.11 \times 10^4$ m³/kg ; $VF(CHCl_3) = 1.80 \times 10^2$ m³/kg ; $PEF = 1.81 \times 10^6$ m³/kg *

- Conc (Tol) $PRG = \frac{102}{\left[\frac{5 \times 10^{-5}}{2 \times 10^{-1}} + \left(\frac{1}{1 \times 10^{-1}} \left(\frac{20}{4.11 \times 10^4} + \frac{20}{1.81 \times 10^6} \right) \right) \right]} = 19515 \frac{mg}{kg}$ ✓

2.9×10^{-4}

- Conc (CHCl₃) $PRG = \frac{102}{\left[(5 \times 10^{-5})(6.1 \times 10^{-3}) + (8.1 \times 10^{-2} \left(\frac{20}{1.8 \times 10^2} + \frac{20}{1.81 \times 10^6} \right)) \right]} = 0.032 \frac{mg}{kg}$

* VF/PEF Calculated for site-specific parameters in attached sheets.

③ INDUSTRIAL/COMMERCIAL Land Use (CURRENT OFFSITE RESIDENT)

FOR CURRENT OFFSITE RESIDENTIAL EXPOSURE, INHALATION RISKS ONLY ARE CONSIDERED. CURRENT ACCESS TO THE SITE IS CONTROLLED BY A FENCE AROUND THE SITE, THEREBY ELIMINATING THE NECESSITY OF CONSIDERING EXPOSURE DUE TO INCIDENTAL INGESTION. BY EVALUATING CURRENT RESIDENTIAL EXPOSURE WITH PRG DEVELOPMENT FOR THE INDUSTRIAL EXPOSURE, INHALATION EXPOSURE IS CONSIDERED IN A MOST CONSERVATIVE MANNER. DISPERSION and DOWNWIND DILUTION OF CONTAMINANTS, WHICH WOULD RESULT IN HIGHER PRG VALUES, ARE NOT CONSIDERED. EXPOSURE AT THE

CLIENT <u>NAVY CLEAN - NWIRP BETHPAGE</u>		JOB NUMBER <u>1953</u>	
SUBJECT <u>CALCULATION of PRGS for SOIL</u>			
BASED ON <u>RAGS, PART B GUIDANCE</u>		DRAWING NUMBER	
BY <u>WJS</u>	CHECKED BY <u>AK (5/6/93)</u>	APPROVED BY	DATE <u>04/22/93</u>

SOURCE AREA BY THE RECEPTOR, NOT AT THE SITE BOUNDARY, PROVIDES AN ADDITIONAL MEASURE OF CONSERVATISM TO THE PRG CALCULATION.

THE FOLLOWING EXPOSURE INPUT PARAMETERS HAVE BEEN INCORPORATED and ARE SUBSTITUTED FOR STANDARD DEFAULT VALUES AS

APPROPRIATE:

<u>PARAMETER</u>	<u>VALUE</u>	<u>RATIONALE</u>
BODY WEIGHT (BW)	70 kg - ADULT 15 kg - CHILD	RAGS GUIDANCE (USEPA, MARCH 25, 1991)
AVERAGING TIME (AT)	ED * 365 d/YR - NONCARC. LT * 365 d/YR - CARCINOGENS	RAGS GUIDANCE (USEPA, DECEMBER, 1989)
EXPOSURE FREQUENCY (EF)	350 day/YR - RESIDENT	USEPA, MARCH 25, 1991.
EXPOSURE DURATION (ED)	30 YEAR - RESIDENT (6 YR OR CHILD, 24 YR AS ADULT)	USEPA, MARCH 25, 1991.
LIFETIME (LT)	70 YR	USEPA, DECEMBER, 1989.
INHALATION RATE (IR _{AIR})	20 m ³ /day - ADULT and CHILD RESIDENT	USEPA, MARCH 25, 1991 and EXPOSURE FACTORS Handbook (USEPA, MAY 1991)

CLIENT NAVY CLEAN - NWIRP BETHPAGE		JOB NUMBER 1953	
SUBJECT CALC of PRGS FOR SOIL			
BASED ON RAGS, PART B		DRAWING NUMBER	
BY WJS	CHECKED BY JPT (5/6/93)	APPROVED BY	DATE 04/22/93

BY INPUTTING PARAMETERS INTO EQUATIONS 6 and 7, REDUCED FORMS ARE OBTAINED:

• NONCARCINOGENS (EQU. 7)

$$Conc \left(\frac{mg}{kg} \right) = \frac{(TARGET HAZARD INDEX) \times BW \times AT}{ED \times EF \times \left[\frac{1}{RFD_{inh}} \left(IR_{AIR} \left(\frac{1}{VF} + \frac{1}{PEF} \right) \right) \right]} \quad (7) - \text{modified to eliminate ingestion}$$

$$= \frac{THI \times AT}{EF \times \left(\frac{1}{RFD_{inh}} \right) \times (IR_{AIR}) \times \left(\frac{1}{VF} + \frac{1}{PEF} \right)} \times \left[\frac{BW_{CHILD}}{ED_{CHILD}} + \frac{BW_{ADULT}}{ED_{ADULT}} \right] \checkmark$$

$$= \frac{(1.0)(30 \text{ yr})(365 \text{ day/yr})}{(350 \text{ day/yr}) \left(\frac{1}{RFD_i} \right) (20 \text{ m}^3/\text{day}) \left(\frac{1}{VF} + \frac{1}{PEF} \right)} \times \left[\frac{15 \text{ kg}}{6 \text{ yr}} + \frac{70 \text{ kg}}{24 \text{ yr}} \right]$$

$$PRG \left(\frac{mg}{kg} \right) = \frac{169 (RFD_{inh})}{\left(\frac{20}{VF} + \frac{20}{PEF} \right)}$$

(REDUCED FORM of EQ 7 FOR ADULT RESIDENT) \checkmark

SIMILARLY FOR CHILD RESIDENTS....

$$Conc = \frac{(1.0)(6 \text{ yr})(365 \text{ day/yr})(15 \text{ kg})}{(350 \text{ day/yr}) \left(\frac{1}{RFD_i} \right) (20 \text{ m}^3/\text{day}) \left(\frac{1}{VF} + \frac{1}{PEF} \right) (6 \text{ yr})}$$

$$PRG \left(\frac{mg}{kg} \right) = \frac{15.64 (RFD_{inh})}{\left(\frac{20}{VF} + \frac{20}{PEF} \right)}$$

\checkmark (REDUCED FORM of EQ 7 FOR CHILD RESIDENTS)

CLIENT NAVY CLEAN - NWIRP BETHPAGE		JOB NUMBER 1953	
SUBJECT CALCULATION OF PRGs FOR SOIL			
BASED ON RAGS, PART B		DRAWING NUMBER	
BY TJS	CHECKED BY [Signature] (5/6/93)	APPROVED BY	DATE 04/22/93

• CARCINOGENS (EQUATION 6)

$$CONC \left(\frac{mg}{kg} \right) = \frac{(TARGET\ RISK) \times BW \times AT}{EF \times ED \times \left[CSF_{inh} \times IR_{AIR} \times \left(\frac{1}{VF} + \frac{1}{PEF} \right) \right]}$$

(6) - modified to eliminate ingestion

$$= \frac{TR \times AT}{EF \times CSF_{inh} \times \left(\frac{IR_{AIR}}{VF} + \frac{IR_{AIR}}{PEF} \right)} \times \left[\frac{BW_{CHILD}}{ED_{CHILD}} + \frac{BW_{ADULT}}{ED_{ADULT}} \right]$$

$$= \frac{(10^{-6}) (70\ YR) (365\ day/YR)}{(350\ day/YR) (CSF_i) \left(\frac{20}{VF} + \frac{20}{PEF} \right)} \times \left[\frac{15\ kg}{6\ YR} + \frac{70\ kg}{24\ YR} \right]$$

$$PRG \left(\frac{mg}{kg} \right) = \frac{3.95 \times 10^4}{(CSF_i) \left(\frac{20}{VF} + \frac{20}{PEF} \right)} \quad \checkmark$$

(REDUCED FORM OF EQ-6 FOR ADULT RESIDENT)

CLIENT NAVY CLEAN - NWIRP BETHPAGE		JOB NUMBER 1953	
SUBJECT CALCULATION of PRGS FOR SOIL			
BASED ON RAGS, PART B GUIDANCE		DRAWING NUMBER	
BY TJS	CHECKED BY [Signature] (5/6/93)	APPROVED BY	DATE 04/22/93

Sample calculation

• ADULT RESIDENT

-NONCARCINOGENS (TOLUENE $RFD_i = 1 \times 10^{-1}$ mg/kg-day)

$$PRG = \frac{169(1 \times 10^{-1})}{\left(\frac{20}{4.5 \times 10^4} + \frac{20}{1.81 \times 10^6}\right)} = \boxed{37100 \text{ mg/kg}} \checkmark$$

- CARCINOGENS (CHLOROFORM $CSF_i = 8.1 \times 10^{-2}$ kg-day/mg)

$$PRG = \frac{3.95 \times 10^{-4}}{(8.1 \times 10^{-2}) \left(\frac{20}{1.80 \times 10^2} + \frac{20}{1.81 \times 10^6}\right)} = \boxed{0.044 \text{ mg/kg}} \checkmark$$

• CHILD RESIDENT

-NONCARCINOGENS (TOLUENE $RFD_i = 1 \times 10^{-1}$ mg/kg day)

$$PRG = \frac{(15.64)(1 \times 10^{-1})}{\left(\frac{20}{4.5 \times 10^4} + \frac{20}{1.81 \times 10^6}\right)} = \boxed{3430 \text{ mg/kg}} \checkmark$$

CLIENT	NAVY CLEAN - NWIRP BETHPAGE	JOB NUMBER	1953
SUBJECT	PRG DEVELOPMENT - SOIL		
BASED ON	RAGS, PART B GUIDANCE	DRAWING NUMBER	
BY	WJS	CHECKED BY	WJS (5/6/93)
		APPROVED BY	DATE 04/22/93

REFERENCES:

USEPA, RISK ASSESSMENT GUIDANCE FOR SUPERFUND, VOLUME I - HUMAN HEALTH EVALUATION MANUAL (PART B, DEVELOPMENT OF RISK-BASED PRELIMINARY REMEDIATION GOALS). INTERIM. OSWER DIRECTIVE 9285.7-018. OFFICE OF EMERGENCY AND REMEDIAL RESPONSE. WASHINGTON DC 20460.

USEPA, MARCH 25, 1991, RISK ASSESSMENT GUIDANCE FOR SUPERFUND, VOLUME I - HUMAN HEALTH EVALUATION MANUAL SUPPLEMENTAL GUIDANCE, "STANDARD DEFAULT EXPOSURE FACTORS". INTERIM FINAL. OFFICE OF EMERGENCY AND REMEDIAL RESPONSE. WASHINGTON DC 20460. OSWER DIRECTIVE 9285.6-03

USEPA, DECEMBER 1989, RISK ASSESSMENT GUIDANCE FOR SUPERFUND, VOLUME I - HUMAN HEALTH EVALUATION MANUAL (PART A). INTERIM FINAL. OFFICE OF EMERGENCY AND REMEDIAL RESPONSE. WASHINGTON DC 20460. EPA/540/1-89/002.

USEPA, MAY 1989, EXPOSURE FACTORS HANDBOOK, OFFICE OF HEALTH AND ENVIRONMENTAL ASSESSMENT. WASHINGTON DC 20460. EPA/600/8-89/043.

APPENDIX B
SOIL CALCULATIONS



SITE 1
SOIL CALCULATIONS



SITE 1
SOIL ACTION LEVELS



NAVAL WEAPONS INDUSTRIAL RESERVE PLANT
 BETHPAGE, NEW YORK
 SITE 1 - FORMER DRUM MARSHALING AREA
 CURRENT EXPOSURE SCENARIO

LEK 01/20/93

GENERAL DATA	
INFILTRATION RATE (FPY)	1.150
MIXING ZONE (F)	50
HYDRAULIC CONDUCTIVITY (CCS/SC)	0.020
HYDRAULIC CONDUCTIVITY (CFY/SF)	20.692
HYDRAULIC GRADIENT (F/F)	0.0023
TOC - IN SOIL (MG/KG)	1842
SOIL ORGANIC CARBON (KG/KG)	0.001842
SITE SPECIFIC DATA	
SITE AREA (SF)	65,000
INFILTRATION FLOW RATE (CFY)	74,750
UPPER GRADIENT (F)	220
CROSS SECTIONAL AREA (SF)	11,000
GROUNDWATER FLOW RATE (CFY)	523,511
DILUTION RATIO (CFY/CFY)	8.00
CHEMICAL SPECIFIC DATA	
ORG CARBON PARTITION COEFFICIENT- see K _{oc}	
DISTRIBUTION COEFFICIENT - see K _d	

* Risk based PRG is greater than pure product (1,000,000,000 ug/kg)
 ** Risk based carcinogenic PRG based on target cancer risk of 1E-6 rather than 1E-4 was not used
 (1) Concentration of specific contaminant exceeds action level in surface soils
 (2) Concentration of specific contaminant exceeds action level in sub-surface soils
 (3) Rule effective January 17, 1994
 ND Not detectable - NPDMR detection limits used

	--DRINKING WATER LAWS--				--GROUNDWATER CRITERIA--				SITING CRITERIA				CHEMICAL CONCERN
	New York MCL (ug/l)	NPDMR MCL (ug/l)	New York CONC (ug/l)	TRIGGER GM CONC (ug/l)	K _{oc} (ug/kg)/(ug/l)	K _d (ug/kg)/(ug/l)	GM PROTECTION SOIL ACTION LEVEL (ug/kg)	NEW YORK STATE SOIL ACTION LEVEL (ug/kg)	CURRENT INDUSTRIAL LAND USE - RISK BASED REMEDIATION GOAL (ug/kg)	MINIMUM SITE SPECIFIC SOIL ACTION LEVEL (ug/kg)	MAXIMUM SOIL CONCENTRATION AT SITE (ug/kg)		
Trichloroethene	5	5	10	5	126.2	0.23246	9.30	64,000	527,000	9.30	200	Y(1,2)	
Tetrachloroethene	5	5	5	5	364.0	0.67049	26.8	14,000	112,000	26.8	4,800	Y(1,2)	
Chloroform	50	50	7	7	44.00	0.08105	4.54	110,000	3,435,29.0	4.54	ND	N	
Toluene	5	1000	5	5	300.0	0.35280	22.1	20,000,000	102,000,000	22.1	ND	N	
4-Neclyphenol (p-Cresol)	50	50	1	1	24.30	0.04476	0.358	4,000,000	24.0	0.358	ND	N	
Bis(2-chloroethyl) ether	50	50	1	1	13.90	0.02560	0.205	640	24.0	0.205	ND	N	
DDT	50	50	0.1 ND	0.1 ND	3,900,000	7.184	5,750	2,100	14,000	2,100	170	N	
DDD	50	50	0.1 ND	0.1 ND	770,000	1.418	1,135	2,900	24,200	1,135	ND	N	
DDE	50	50	0.05 ND	0.05 ND	4,400,000	8.105	3,243	2,100	17,100	2,100	270	N	
Chlordane	2	2	0.1	0.1	140,000	257.9	206	10,000	3,650	206	240	Y (1)	
Total PCB's	0.5	0.5	0.1	0.1	2,000,000,000	3,684,000	117,938,894	20,000,000	414,000	10,000	1,470,000	Y(1,2)	
Bis(2-ethylhexyl) phthalate	50	50	4(3)	4	170,000	313.1	125,310	20,000,000	408,000,000	125,310	180	N	
Bucyl benzyl phthalate	50	50	770	770	170,000	313.1	1,929,775	8,000,000	204,000,000	1,930,000	16.0	N	
Di-n-butyl phthalate	50	50	50	50	17.40	0.03205	12.8	80,000,000	1,000,000,000	12.8	ND	N	
Dimethyl phthalate	50	50	10	10	946.0	1.731	139	300,000	81,600,000	139	53.0	N	
Naphthalene	50	50	50	50	5.800	10.68	1,356	5,000,000	40,800,000	1,356	160	N	
2-Methylnaphthalene	50	50	20	20	4,600	8.473	1,356	5,000,000	122,400,000	1,356	53.0	N	
Acenaphthene	50	50	50	50	2,500	4.605	10,320	20,000,000	612,000,000	10,320	66.0	N	
Acenaphthylene	50	50	50	50	14,000	25.79	28,010	3,000,000	81,600,000	28,010	1,100	N	
Anthracene	50	50	50	50	38,000	70.00	28,010	2,000,000	61,200,000	28,010	950	N	
Fluoranthene	50	50	50	50	14,000	25.79	10,320	2,000,000	61,200,000	10,320	700	N	
Phenanthrene	50	50	0.002	0.002	200,000	368.4	5.90	220	5.90	5.90	550	Y (1)	
Benzo(a)anthracene	50	50	0.002	0.002	550,000	1,013	16.2	220	16.2	16.2	620	Y (1)	
Chrysene	50	50	0.002	0.002	550,000	1,013	16.2	220	16.2	16.2	620	Y (1)	
Benzo(b)fluoranthene	50	50	0.02 ND	0.02 ND	5,500,000	10,131	1,622	61.0	670	61.0	620	Y (1)	
Benzo(k)fluoranthene	50	50	0.002	0.002	1,600,000	2,947	47.2	14.0	14.0	14.0	150	Y (1)	
Indeno(1,2,3-c)pyrene	50	50	0.0007	0.0007	3,300,000	6,079	34.1	14.0	14.0	14.0	150	Y (1)	
Dibenzo(a,h)anthracene	50	50	0.0007	0.0007	1,600,000	2,947	1,179,389	3,000,000	81,600,000	5,381	44.0	N	
Benzo(g,h,i)perylene	50	50	50	50	7,300	13.45	5,381	3,000,000	40,800,000	5,381	6.00	N	
Fluorene	50	50	50	50	59.00	0.10868	4.35	2,000,000	37,000	4.35	72.0	Y (2)	
Trans-1,2-dichloroethene	5	5	5	5	15.20	0.02800	1.12	7,000,000	310	1.12	10.5	N	
1,1,1-Trichloroethane	5	5	3500	5	14.20	0.02616	10.5	8,000,000	204,000,000	10.5	ND	N	
Carbon disulfide	50	50	5	5	30.00	0.05526	2.21	8,000,000	9,070	2.21	ND	N	
1,1-Dichloroethane	5	5	5	5	65.00	0.11973	4.79	12,000	56.0	4.79	ND	N	
1,1-Dichloroethene	5	7	5	5	439.0	0.80864	32.4	5,400	218,000	32.4	ND	N	
Carbon tetrachloride	5	5	5	5	1,100	2.026	81.1	8,000,000	30,400	81.1	ND	N	
Ethylbenzene	50	700	5	5	248.0	0.45682	182.8	200,000,000	30,400	183	ND	N	
Xylenes	50	10,000	50	50	6,631,200	0.45682	1,000,000,000*	2,000,000	40,800,000	2,000,000	ND	N	
Di-n-octylphthalate	50	50	50	50	24.50	0.04513	0.722	4,000,000	102,000,000	0.722	ND	N	
2-Methylphenol (o-Cresol)	50	50	2	2	96.00	0.17683	2.83	2,000,000	40,800,000	2.83	ND	N	
2,4-Dimethylphenol	50	50	2	2	12,000	0.2210	7.08	2,000,000	1050	7.08	ND	N	
Heptachlor	0.4	0.4	0.04 ND	0.04 ND	220.0	0.40524	0.065	77.0	522	0.065	ND	N	
Heptachlor Epoxide	0.2	0.2	0.02 ND	0.02 ND	1,700	3.131	0.251	200,000	612,000	0.251	4.70	N	
Dieldrin	50	50	0.01 ND	0.01 ND	1,700	3.131	0.251	200,000	612,000	0.251	4.70	N	
Endrin	0.2	2 (3)	0.01 ND	0.01 ND	1,700	3.131	0.251	200,000	612,000	0.251	4.70	Y (2)	

NAVAL WEAPONS INDUSTRIAL RESERVE PLANT
 BETHPAGE, NEW YORK
 SITE 1 - FORMER DRUM MARSHALING AREA
 CURRENT EXPOSURE SCENARIO

GENERAL DATA	
INFILTRATION RATE (FPY)	1.150
MIXING ZONE (F)	50
HYDRAULIC CONDUCTIVITY (CCS/SC)	0.020
HYDRAULIC CONDUCTIVITY (CFY/SF)	20.692
HYDRAULIC GRADIENT (F/F)	0.0023
TOC - IN SOIL (MG/KG)	1842
SOIL ORGANIC CARBON (KG/KG)	0.001842
SITE SPECIFIC DATA	
SITE AREA (SF)	65,000
INFILTRATION FLOW RATE (CFY)	74,750
UPPER GRADIENT (F)	220
CROSS SECTIONAL AREA (SF)	11,000
GROUNDWATER FLOW RATE (CFY)	523,511
DILUTION RATIO (CFY/CFY)	8.00
CHEMICAL SPECIFIC DATA	
MEAN BACKGROUND SOIL CONCENTRATION (MG/KG)	
STANDARD DEVIATION FOR n SAMPLES ANALYZED	

	GROUNDWATER CRITERIA				MEAN SOIL BACKGROUND CONC (mg/kg)	STD DEVIATION ON BACKGROUND CONC (mg/kg)	95% DCL SOIL BACKGROUND CONC (mg/kg)	NEW YORK STATE SOIL ACTION LEVEL (mg/kg)	CURRENT INDUSTRIAL LAND USE - RISK BASED REMEDIATION GOAL (mg/kg)	MINIMUM SITE SPECIFIC SOIL ACTION LEVEL (mg/kg)	MAXIMUM SOIL CONCENTRATION AT SITE (mg/kg)	CHEMICAL OF CONCERN
	--DRINKING WATER LAWS--	GUIDELINES	TRIGGER GW	CONC (ug/l)								
Arsenic	50	50	50	50	2.50	0.688	3.63	80.0	5.38	5.38	3,380	Y (1,2)
Antimony		6 (3)	3	3	2.75	0.000	2.75	30.0	30.0	30.0	9.80	N
Barium	2000	2000	2000	2000	18.4	10.181	35.1	4,000	142	142	59.0	N
Beryllium		4 (3)	3	3	0.437	0.047	0.314	0.160	1.46	0.160	ND	N
Cadmium	5	5	5	5	0.536	0.049	0.517	80.0	4.79	4.79	4.50	N
Chromium	10	100 (4)	10	10	12.7	0.000	12.7	400 (5)	75,480	400	61.1	N
Copper	1000	1000	1000	1000	7.80	0.000	7.80	500	142	142	8.50	N
Lead	300	50	50	50	0.075	0.043	0.146	20,000	20.0	20.0	0.160	Y (2)
Manganese	2	2	2	2	2.77	0.306	3.27	2,000	34.5	34.5	19.2	N
Mercury	100 (3)	2000	100	100	0.128	0.023	0.165	200	10,200	200	6.30	N
Nickel	50	100	50	50	17.9	0.000	17.9	600	14,280	600	39.3	N
Silver	5000	5000	5000	5000	20.0	0.000	20.0	20,000	612,000	20,000	17.9	N
Vanadium	200 (3)	400	200	200	1.14	0.109	1.32	2,000	40,800	2,000	13.3	N
Zinc	10	50	10	10	0.495	0.156	0.752	6.00	10,200	10,200	ND	N
Cyanide		2 (3)	4	2	0.364	0.033	0.417	6.00	143	6.00	0.740	N
Selenium												
Thallium												

- (1) Concentration of specific contaminant exceeds action level in surface soils
- (2) Concentration of specific contaminant exceeds action level in sub-surface soils
- (3) Rule effective January 17, 1994
- (4) Trivalent Chromium, 35,000
- (5) Trivalent Chromium, 80,000

NAVAL WEAPONS INDUSTRIAL RESERVE PLANT
 BETHPAGE, NEW YORK
 SITE 1 - FORMER DRUM MARSHALING AREA
 FUTURE EXPOSURE SCENARIO

GENERAL DATA	
INFILTRATION RATE (FPY)	1.150
MIXING ZONE (F)	50
HYDRAULIC CONDUCTIVITY (CCS/SC)	0.020
HYDRAULIC CONDUCTIVITY (CFY/SP)	20,692
HYDRAULIC GRADIENT (F/F)	0.0023
TOC - IN SOIL (MG/KG)	1842
SOIL ORGANIC CARBON (KG/KG)	0.001842
SITE SPECIFIC DATA	
SITE AREA (SF)	65,000
INFILTRATION FLOW RATE (CFY)	74,750
UPPER GRADIENT (F)	220
CROSS SECTIONAL AREA (SF)	11,000
GROUNDWATER FLOW RATE (CFY)	523,511
DILUTION RATIO (CFY/CFY)	8.00
CHEMICAL SPECIFIC DATA	
ORG CARBON PARTITION COEFFICIENT-see K _{oc}	
DISTRIBUTION COEFFICIENT - see K _d	

* Risk based FRG is greater than pure product (1,000,000,000 ug/kg)
 ** Risk based carcinogenic FRG based on target cancer risk of 1E-6 rather than 1E-4 was not used
 (1) Concentration of specific contaminant exceeds action level in surface soils
 (2) Concentration of specific contaminant exceeds action level in sub-surface soils
 (3) Rule effective January 17, 1994
 ND Not detectable - NPDWR detection limits used

NEW YORK MCL (ug/l)	--DRINKING WATER LAWS--		GUIDELINES		TRIGGER GW		K _{oc}		K _d		NEW YORK STATE SOIL ACTION LEVEL (ug/kg)		FUTURE RESIDENTIAL ON-SITE - RISK BASED REMEDIATION GOAL (ug/kg)		MINIMUM SITE SPECIFIC SOIL ACTION LEVEL (ug/kg)		MAXIMUM SOIL CONCENTRATION AT SITE(ug/kg)		CHEMICAL OF CONCERN
	New York MCL (ug/l)	NPDWR MCL (ug/l)	New York CONC (ug/l)	TRIGGER GW CONC (ug/l)	K _{oc} (ug/kg)/(ug/l)	K _d (ug/kg)/(ug/l)	GW PROTECTION SOIL ACTION LEVEL (ug/kg)	NEW YORK STATE SOIL ACTION LEVEL (ug/kg)	ON-SITE - RISK BASED REMEDIATION GOAL (ug/kg)	MINIMUM SITE SPECIFIC SOIL ACTION LEVEL (ug/kg)	MAXIMUM SOIL CONCENTRATION AT SITE(ug/kg)	CHEMICAL OF CONCERN							
5	5	5	10	5	126.2	0.23246	9.30	64,000	58,100	9.30	200	Y(1,2)							
5	5	5	5	5	364.0	0.67049	26.8	14,000	12,300	26.8	4,800	Y(1,2)							
50	50	7	7	7	44.00	0.08105	4.54	110,000	105,000	4.54	ND	N							
5	1000	5	5	5	300.0	0.55260	22.1	20,000,000	15,643,000	22.1	ND	N							
50	50	1	1	1	24.30	0.04476	0.358	4,000,000	3,911,000	0.358	ND	N							
50	50	1	1	1	13.90	0.02560	0.205	640	581	0.205	ND	N							
50	50	0.1 ND	0.1 ND	0.1 ND	3,900,000	7.184	5,750	2,100	1,880	5,750	170	N							
50	50	0.1 ND	0.1 ND	0.1 ND	770,000	1.418	1,135	2,900	2,660	1,135	ND	N							
50	50	0.05 ND	0.05 ND	0.05 ND	4,400,000	8.105	3,243	2,100	1,880	3,243	270	N							
2	2	0.1	0.1	0.1	140,000	257.9	206	1,500	491	1,500	240	N							
0.5	0.5	0.1	0.1	0.1	2,000,000,000	3,684,000	117,938,894	1,000	83.0 **	1,000	1,470,000	Y(1,2)							
50	4 (3)	4200	50	50	170,000	313.1	125,310	20,000,000	15,643,000	45,600	130	N							
50	50	770	770	770	170,000	313.1	1,929,775	8,000,000	7,821,000	125,310	180	N							
50	50	10	10	10	17.40	0.03205	12.8	80,000,000	782,143,000	12.8	16.0	N							
50	50	10	10	10	940.0	1.731	139	300,000	3,129,000	139	53.0	N							
50	50	20	20	20	5,800	10.68	1,356	5,000,000	4,564,000	1,356	53.0	N							
50	50	20	20	20	4,600	8.472	1,356	5,000,000	4,693,000	1,356	53.0	N							
50	50	50	50	50	14,000	25.79	10,320	20,000,000	23,464,000	10,320	66.0	N							
50	50	50	50	50	38,000	70.00	28,010	3,000,000	3,129,000	28,010	1,100	N							
50	50	50	50	50	38,000	70.00	28,010	2,000,000	2,346,000	28,010	950	N							
50	50	50	50	50	14,000	25.79	10,320	2,000,000	2,346,000	10,320	700	N							
0.002	0.002	0.002	0.002	0.002	200,000	368.4	5.90	220	3,129,000	5.90	550	Y (1)							
0.002	0.002	0.002	0.002	0.002	200,000	368.4	5.90	220	3,129,000	5.90	550	Y (1)							
0.002	0.002	0.002	0.002	0.002	500,000	1,013	16.2	220	7,821,000	16.2	680	Y (1)							
0.002	0.002	0.002	0.002	0.002	550,000	1,013	16.2	220	7,821,000	16.2	620	Y (1)							
0.02 (3)	0.02 ND	0.002	0.002	0.002	5,500,000	10,131	1,622	61.0	87.5	47.2	620	Y (1)							
50	50	0.0007	0.0007	0.0007	1,600,000	2,947	34.1	14.0	14.0	47.2	430	Y (1)							
50	50	50	50	50	1,600,000	6,079	1,179,389	3,000,000	3,129,000	1,179,389	420	Y (1)							
50	50	50	50	50	7,300	13.45	5,381	3,000,000	3,129,000	5,381	44.0	N							
5	5	5	5	5	59.00	0.10668	4.35	2,000,000	1,564,000	4.35	6.00	Y (2)							
5	5	5	5	5	15.20	0.02800	1.12	7,000,000	70,393,000	1.12	72.0	Y (2)							
50	3500	5	5	5	14.20	0.02616	10.5	8,000,000	7,821,000	10.5	ND	N							
5	5	5	5	5	30.00	0.05526	2.21	8,000,000	7,821,000	2.21	ND	N							
5	5	5	5	5	65.00	0.11973	4.79	12,000	1,060	4.79	ND	N							
5	5	5	5	5	439.0	0.80864	32.4	5,400	54,800	32.4	ND	N							
50	50	50	50	50	1,100	2.026	81.1	8,000,000	7,821,000	81.1	ND	N							
50	50	50	50	50	248.0	0.45682	182.8	200,000,000	156,429,000	183	ND	N							
50	50	50	50	50	3,600,000,000	6,631,200	1,000,000,000*	2,000,000	1,564,000	1,564,000	ND	N							
50	50	2	2	2	24.50	0.04513	0.722	4,000,000	3,911,000	0.722	ND	N							
50	50	2	2	2	96.00	0.17683	2.83	2,000,000	1,564,000	1.42	ND	N							
0.4	0.4	0.04 ND	0.04 ND	0.04 ND	12,900	22.10	7.08	160	142	7.08	ND	N							
0.2	0.2	0.02 ND	0.02 ND	0.02 ND	220.0	0.06524	0.065	77.0	70.2	0.065	ND	N							
0.2	0.2	0.01 ND	0.01 ND	0.01 ND	1,700	3.131	0.251	44.0	39.9	0.251	ND	N							
0.2	0.2 (3)	0.01 ND	0.01 ND	0.01 ND	1,700	3.131	0.251	200,000	23,500	0.251	4.70	Y (2)							

NAVAL WEAPONS INDUSTRIAL RESERVE PLANT
 BETHPAGE, NEW YORK
 SITE 1 - FORMER DRUM MARSHALING AREA
 FUTURE EXPOSURE SCENARIO

LEK 8/30/92

GENERAL DATA	
INFILTRATION RATE (FPF)	1.150
MIXING ZONE (F)	50
HYDRAULIC CONDUCTIVITY (CGS/SC)	0.020
HYDRAULIC CONDUCTIVITY (CFY/SF)	20.692
HYDRAULIC GRADIENT (F/F)	0.0023
TOC - IN SOIL (MG/KG)	1842
SOIL ORGANIC CARBON (KG/KG)	0.001842
SITE SPECIFIC DATA	
SITE AREA (SF)	65,000
INFILTRATION FLOW RATE (CFY)	74,750
UPPER GRADIENT (F)	220
CROSS SECTIONAL AREA (SF)	11,000
GROUNDWATER FLOW RATE (CFY)	523,511
DILUTION RATIO (CFY/CFY)	8.00
CHEMICAL SPECIFIC DATA	
MEAN BACKGROUND SOIL CONCENTRATION (MG/KG)	
STANDARD DEVIATION FOR n SAMPLES ANALYZED	

	--DRINKING WATER LAWS--		GUIDELINES		TRIGGER GW CONC (ug/l)	MEAN SOIL BACKGROUND CONC (mg/kg)	STD DEVIATION ON BACKGROUND CONC (mg/kg)	95% UCL SOIL BACKGROUND CONC (mg/kg)	NEW YORK STATE SOIL ACTION LEVEL (mg/kg)	FUTURE RESIDENTIAL ON-SITE - RISK BASED REMEDIATION GOAL (mg/kg)	MINIMUM SITE SPECIFIC SOIL ACTION LEVEL (mg/kg)	MAXIMUM SOIL CONCENTRATION AT SITE (mg/kg)	CHEMICAL OF CONCERN
	New York MCL (ug/l)	NPDWR MCL (ug/l)	New York CONC (ug/l)	New York CONC (ug/l)									
Arsenic	50	50	50	50	50	2.50	0.688	3.63	80.0	23.5	23.5	3,380	Y (1,2)
Antimony	2000	6 (3)	3	3	3	2.75	0.000	2.75	30.0	31.3	30.0	9.80	N
Barium	2000	2000	2000	2000	2000	18.4	10.181	35.1	4,000	5,475	4,000	59.0	N
Beryllium	5	4 (3)	3	3	3	0.437	0.047	0.514	0.160	0.663	0.160	ND	N
Cadmium	10	5	20	5	5	0.536	0.049	0.617	80.0	39.1	39.1	4.50	N
Chromium	100	100 (4)	100	10	10	12.7	0.000	12.7	400 (5)	78,214	400	61.1	N
Copper	15	1000	1000	1000	1000	7.80	0.000	7.80	500	391	391	8.50	N
Lead	300	50	600	15	15	167	0.000	167	20,000	391	391	167	N
Manganese	2	2	4	2	2	0.075	0.043	0.146	20.0	23.5	20.0	0.160	N
Mercury	50	100 (3)	2000	100	100	2.77	0.306	3.27	2,000	1,564	1,564	19.2	N
Nickel	50	100	100	50	50	0.128	0.023	0.165	200	391	200	6.30	N
Silver	5000	250	5000	250	250	17.9	0.000	17.9	600	548	548	39.3	N
Vanadium	5000	200 (3)	400	5000	5000	20.0	0.000	20.0	20,000	23,484	20,000	17.9	N
Zinc	10	50	40	200	200	1.14	0.109	1.32	2,000	1,564	1,564	13.3	N
Selenium	10	2 (3)	40	10	10	0.495	0.156	0.752	391	391	391	ND	N
Thallium			4	2	2	0.364	0.033	0.417	6.00	5.48	5.48	0.740	N


- (1) Concentration of specific contaminant exceeds action level in surface soils
- (2) Concentration of specific contaminant exceeds action level in sub-surface soils
- (3) Rule effective January 17, 1994
- (4) Trivalent Chromium, 35,000
- (5) Trivalent Chromium, 80,000

SITE 1

**SAMPLE CALCULATION OF SOIL ACTION LEVELS
BASED ON LEACHING OF CONTAMINANTS
TO GROUNDWATER**



CLIENT NWIRP BETHPAGE		JOB NUMBER	
SUBJECT SAMPLE CALCULATION OF SOIL ACTION LEVELS BASED ON LEACHING OF			
BASED ON		DRAWING NUMBER SOIL CONTAMINANTS TO GW	
BY AND	CHECKED BY	APPROVED BY	DATE 4/6/93 LEK 8/25/93



HYDRAULIC CONDUCTIVITY₁ = $.02 \frac{\text{CM}^3}{\text{CM}^2 \cdot \text{SEC}}$
 (measured at slope 1.0)

HYDRAULIC GRADIENT₁ = .0023

$Q_{li} = \text{INFILTRATION FLOW RATE (SITE 1)}$
 $Q_{li} = IR_1 \times A_1$
 $Q_{li} = 13.65 \frac{\text{IN}}{\text{YR}} \times \frac{\text{FT}}{12 \text{ IN}} \times 65,000 \text{ FT}^2$
 $Q_{li} = 73,938 \text{ FT}^3/\text{YR}$

$Q_{gw1} = \text{GROUNDWATER FLOW RATE (SITE 1)}$
 $Q_{gw1} = (\text{HYDRAULIC CONDUCTIVITY}) \times (\text{HYDRAULIC GRADIENT}) \times (\text{CROSS SECTION AREA})$

CROSS SECTION AREA = $UG_1 \times MZ_1 = (220 \times 50) \text{ FT}^2$
 $= 11,000 \text{ FT}^2$

$Q_{gw1} = .02 \frac{\text{CM}^3}{\text{CM}^2 \cdot \text{SEC}} \times .0023 \frac{\text{FT}}{\text{FT}} \times 11,000 \text{ FT}^2 \times 31,536,000 \frac{\text{SEC}}{\text{YR}} \times \frac{929 \text{ FT}^3 \text{ CM}^3}{28,334 \text{ CM}^3 \text{ FT}^3}$
 $Q_{gw1} = 523,197 \text{ FT}^3/\text{YR}$

- ① Use All TOC Data from all sites and combine together to get a total site average.

Site	Boring No.	DATE	TIME	TOC (mg/kg)
1	110	8/27/91	1735	620
1	115	8/27/91	0840	570
2	20A	8/29/91	0810	1100
2	20A*	8/29/91	0810	390*
2	215	8/29/91	1250	2500
3	316	8/28/91	1210	7900
3	328	8/30/91	0820	<u>24,000</u>

Including Duplicate:

* Duplicate Analysis

Mean = 5297

Median = 1100

Geometric Mean = **1842**

Without Duplicate:

Mean = 6115

Median = 1800

Geometric Mean = 2385

Use duplicate result for conservative scenario, however, use geometric mean to reduce the great effect of the one large TOC result on the random set of samples.

USE TOC OF 1842 mg/kg for all three sites.

CLIENT NWIRP BETHPAGE		JOB NUMBER	
SUBJECT			
BASED ON		DRAWING NUMBER	
BY GND	CHECKED BY	APPROVED BY	DATE 4/6/93 LEK 8/25/93

$$\text{DILUTION RATIO} = \frac{Q_{gw} + Q_i}{Q_i} = \frac{523,197 + 73,938 \text{ FT}^3/\text{YR}}{73,938 \text{ FT}^3/\text{YR}}$$

DR₁ = DILUTION RATIO = 8.08 FOR SITE 1

FOR TRICHLOROETHENE (TCE) :

$$K_d = F_{oc} \times K_{oc}$$

K_d = DISTRIBUTION COEFFICIENT ($\mu\text{g}/\text{kg} / \mu\text{g}/\text{L}$)

F_{oc} = SOIL ORGANIC CARBON CONTENT (kg/kg)

K_{oc} = ORGANIC CARBON PARTITION COEFFICIENT (Chemical Specific)

AT SITE 1 :

$$K_{dTCE1} = F_{oc1} \times K_{ocTCE}$$

$$TOC = \frac{1842}{595} \text{ mg/kg}$$

$$F_{oc1} = \frac{1842 \text{ mg}}{595 \text{ kg}} \times \frac{1}{1000 \text{ mg}} \times \frac{\text{kg}}{1000 \text{ g}}$$

$$F_{oc1} = \frac{.000595 \text{ kg/kg}}{.001842}$$

$$K_{ocTCE} = 126.2$$

$$K_{dTCE1} = \frac{0.001842}{.000595} \times 126.2$$

$$K_{dTCE1} = \frac{.0751 \text{ } \mu\text{g}/\text{kg}}{0.232 \text{ } \mu\text{g}/\text{L}}$$

CLIENT NWIRP BETHPAGE		JOB NUMBER	
SUBJECT			
BASED ON		DRAWING NUMBER	
BY PND	CHECKED BY	APPROVED BY	DATE 4/6/93 LEK 8/25/93

FOR SITE 1 :

$$C_{gwi} = \frac{C_{LI}}{DR_1} \quad \text{OR} \quad C_{LI} = C_{gwi} \times DR_1$$

C_{gwi} = GROUNDWATER CONCENTRATION ($\mu\text{g}/\text{l}$)

C_{LI} = LEACHATE CONCENTRATION ($\mu\text{g}/\text{l}$)

DR_1 = DILUTION RATIO

ALSO

$$C_{LI} = \frac{C_{SI}}{K_{dTCE1}}$$

C_{SI} = SOIL CONCENTRATION ($\mu\text{g}/\text{kg}$)

K_{dTCE1} = DISTRIBUTION COEFFICIENT FOR TCE

THEREFORE ,

$$\frac{C_{SI}}{K_{dTCE1}} = C_{gwi} \times DR_1$$

$$C_{SI} = C_{gwi} \times DR_1 \times K_{dTCE1}$$

TO LET C_{SI} BE THE SOIL ACTION LEVEL FOR TCE , SET C_{gwi} TO THE TRIGGER (OR STRICTEST MCL) GROUNDWATER CONCENTRATION , IE. $5 \mu\text{g}/\text{l}$

$$C_{SI} = \left(5 \frac{\mu\text{g}}{\text{l}} \right) \times (8.08) \times \left(\frac{0.0751 \frac{\mu\text{g} \cdot \text{kg}}{\text{kg} \cdot \mu\text{g}}}{0.232} \right)$$

$$C_{SI} = \text{SOIL ACTION LEVEL FOR TCE} = \boxed{\cancel{3.03 \mu\text{g}/\text{kg}}} \\ \boxed{9.3 \mu\text{g}/\text{kg}}$$

SITE 1

ANALYTICAL SUMMARIES AND MAPS



SITE 1 - FORMER DRUM MARSHALLING AREA


CONDENSED SUMMARY OF ANALYTICAL DATA

	SS100	SS200	SS300	SS400	SS500	SS600	SS2500	SB103	SB104	SB110	SB111	SB112	SB113	SB115	SB119	SB121	SB123
VOLATILES																	
Trichloroethene		1	12, 11			6	5								200/ ND	2.2, ND/ND	
Tetrachloroethene			58, 44				12	2 / ND	2.2	2 /	ND / 5	3 / 3	25 / 2	2 / 3	4800/12	26.9 / 3	7 / 1
Trans-1,2-dichloroethene															6 / ND		
1,1,1-Trichloroethane															72 / ND		
ORGANIC ACIDS																	
Benzoic Acid		170	99	130	64	120	370						35		140	84, 72	
PHthalATES																	
Bis(2-ethylhexyl) phthalate		80	105	130	180	120	72										130, ND
Butyl benzyl phthalate			120									16					
Di-n-butyl phthalate																	
PESTICIDES																	
DDT		170, 37															
DDE		270, 27															
Chlordane		240															
Endrin																	
PCB's																	
Aroclor 1242				25000	1700	7500											1000
Aroclor 1248		25000	7900, 1100	1300000	2500	400											210
Aroclor 1254		5000	ND, 660	1700000	530												
PAH's																	
Naphthalene						53											
2-Methylnaphthalene						160											
Acenaphthene	41	53		51													
Anthracene	43	66		66													
Fluoranthene	740	740	190	1100	260	260	340										
Pyrene	710	830	200	950	240	270	280										
Phenanthrene	400	600	140	700	140	200	210										
Benzo(a)anthracene	430	380	130	550	150	170	190										
Chrysene	420	470	190	580	170	170	200										
Benzo(k)fluoranthene	670	380	250	680	230	270	230										
Benzo(e)fluoranthene	350	460		620	180	240	250										
Benzo(s)pyrene	500	440	190	620	190	200	180										
Indeno(1,2,3-c)pyrene	350	290	110	430	150	190	140										
Dibenzo(a,h)anthracene	150	130															
Benzo(g,h,i)perylene	350	310	130	420	150	190	150										
Fluorene		42		44													
INORGANICS																	
Aluminum	4750	10800	7180	4090	3370	7550	4680	3070		5140	3040	2330	2010	1940	1010	5530, 17300	7940
Antimony															9.8		
Arsenic	8.9	18.6	14.9	6.8	3.4	55.8	5.6	1.9		1.8	2	2.7	2.7	0.9	3380	1.8, 1.5	2
Barium	10.8	44.8	35.8	28.7	16.4	59	20.1	6.2		13.9	6.3	4.1	5.7	5.5	7.9	15, 46.5	18
Calcium								4.5							1.3		
Calcium								251							291	216, 636	212
Chromium	243	4490	5580	3660	2870	6190	1960	251		277	77.2	72.5	68.6		11.7	5.6, 16.3	10.7
Chromium	25	18.8	61.1	40.3	20.8	46.8	31.4	5		7.8	5.6	3.2	3.1	2.7		ND, 6.3	
Cobalt																	
Copper																	
Iron	7330	14100	15900	7270	7820	15400	9890	4050		7310	8600	4040	3820	3420	2210	11400, 14400	6110
Lead								5.5		3.4	1.7	1.7	1.6	1.6	2.8	2.3, 8.5	4.9
Magnesium	544	1740	2970	1790	1450	3100	1210	533		807	341	328	465	291	178	695, 2380	1330
Manganese								145		93.4	167	92.7	99.3	60.1	15.1	82.6, 101	54.3
Mercury																ND, 0.16	
Nickel	6.5	9.1	13.9	9.2	15.8	19.2	10.7									ND, 9.4	5.3
Potassium	368	600	550	460	424	648	443	138		276	173	163	120	164		154, 596	485
Silver																	
Silver			0.63	0.38	0.4	0.56	6.3										
Sodium	204	244	692	283	286	419	272	174		175	158	145	214	132	151	153, 195	169
Thallium																ND, 0.74	
Vanadium																	
Zinc	16.5	22.8	39.3	13.7	16.4	27.5	20.1	5.9		11.2	7	4.4	4.3		9.1	12.2, 23.6	13.6
Cyanide						5.4		5.1		10.5	8.8		8.9		13.3		17.9

	SG103	SG104	SG105	SG106	SG110	SG111	SG112	SG113	SG115	SG117	SG119	SG120	SG121	SG122	SG123	SG124
1,1-Dichloroethene	44/192	ND/7.4	187/244	6.1/ND	ND/3.6	125/59	61/85	131/114	20/80	7.4/14	626/165	832/728	568/558	8.6/46	4.9/11	2.7/11
1,1-Dichloroethane	ND/2.7	ND/3.7					ND/1.7		ND/2.4		6.9/3.1	30/18	21/19		ND/3.9	
Cis-1,2-dichloroethene	3.6/1.6								ND/4.4		37/26	48/16	48/50			
1,1,1-Trichloroethane	5.6/18	.31/89	9.9/14	1.6/.22	ND/.11	8.8/6.4	9.4/9.0	8.3/15	9.5/8.8	10/26	70/24	122/107	125/101	6.4/19	39/78	2.4/13
Trichloroethene	13/15	68/143	7.7/9.7	3.5/1.3	7.8/6.7	3.7/4.9	15/11	14/18	18/40	63/21	68/45	159/96	17/19	56/139	1.2/16	
Tetrachloroethene	9.6/11	ND/5.7	19/27	3.5/.13	.65/.78	1.9/3.6	9.4/6.7	12/16	70/ND	14/21	138/70	479/174	765/617	35/77	14/19	4.8/20

87 10/1


CLIENT NWIRP - BETHPAGE, NY		JOB NUMBER	
SUBJECT SITE 1 AREA MAP - VOA ANALYSES			
BASED ON SURFACE SOIL / SHALLOW SUB-SOIL		DRAWING NUMBER	
BY GND	CHECKED BY	APPROVED BY LEK	DATE 8/30/93



PCE - TETRACHLOROETHENE
TCE - TRICHLOROETHENE
TCA - 1,1,1. TRICHLOROETHANE
DCE - TRANS 1,2 DICHLOROETHENE
 (ND = 05 FOR ALL COMPOUNDS)

<u>ACTION LEVEL</u>	
PCE	26.8
TCE	9.3
TCA	1.12
DCE	4.35


CLIENT NWIRP - BETHPAGE, NY		JOB NUMBER 1102	
SUBJECT SITE 1 AREA MAP - VOA ANALYSES			
BASED ON DEEP SUB-SOILS		DRAWING NUMBER 1102	
BY GND	CHECKED BY	APPROVED BY LEK	DATE 8/30/93




PCE - TETRACHLOROETHENE	<u>ACTION LEVEL</u> 26.8
TCE - TRICHLOROETHENE	9.3
TCA - 1,1,1 TRICHLOROETHANE	1.12
DCE - TRANS 1,2 DICHLOROETHENE	4.35
(ND = 0.5 FOR ALL COMPOUNDS)	

CLIENT NWIRP - BETHPAGE, NY		JOB NUMBER	
SUBJECT SITE 1 AREA MAP - PAH ANALYSES			
BASED ON SURFACE SOIL SAMPLES		DRAWING NUMBER	
BY GND	CHECKED BY	APPROVED BY LEK	DATE 8/30/93

	ACTION LEVEL
BAA - BENZO (a) ANTHRACENE	5.9
CHR - CHRYSENE	5.4
BBF - BENZO (b) FLUORANTHENE	16.2
BKF - BENZO (k) FLUORANTHENE	16.2
BAP - BENZO (a) PYRENE	61.0
ICP - INDENO (1,2,3c) PYRENE	47.2
DBA - DIBENZO (a,h) ANTHRACENE	14.0




CLIENT NWIRP - BETHPAGE, NY		JOB NUMBER	
SUBJECT SITE 1 AREA MAP - PESTICIDE / PCB ANALYSES			
BASED ON SURFACE SOIL / SHALLOW SUB-SOIL		DRAWING NUMBER	
BY GD	CHECKED BY	APPROVED BY LEK	DATE 8/30/93



CL - CHLORDANE	<u>ACTION LEVELS</u>
EN - ENDRIN	206
TOTAL PCB'S	0.251
INCINERATION	50,000
CURRENT	10,000
FUTURE	1,000

CLIENT NWIRP - BETHPAGE, NY		JOB NUMBER	
SUBJECT SITE 1 AREA MAP - ARSENIC / MANGANESE ANALYSES			
BASED ON SURFACE SOIL / SHALLOW SUB-SOIL		DRAWING NUMBER	
BY GND	CHECKED BY	APPROVED BY LEK	DATE 8/30/93



	ACTION LEVELS		ND = 1/2 10L
	CURRENT	FUTURE	
AS - ARSENIC	5.38	23.5	0.24
MN - MANGANESE	142	391	0.50

SITE 1

SOIL GAS VS. VOC CORRELATION



CLIENT NWIRP - BETHPAGE, NY		JOB NUMBER	
SUBJECT SOIL GAS VS. VOA CORRELLATION			
BASED ON SITE 1		DRAWING NUMBER	
BY GND	CHECKED BY	APPROVED BY LEK	DATE 8/30/93

TETRACHLOROETHENE

VOA ANALYSIS

SOIL-GAS ANALYSIS

103-S	2	9.6
103-D	ND	11
104-S	--	ND
104-D	2	5.7
110-S	2	.65
110-D	--	.78
111-S	ND	1.9
111-D	5	3.6
112-S	3	9.4
112-D	3	6.7
113-S	25	12
113-D	2	16
115-S	2	70
115-D	3	ND
119-S	4800	138
119-D	12	70
121-S	26.9	765
121-D	3	617
123-S	7	14
123-D	1	19

TRICHLOROETHENE

119-S	200	63
119-D	ND	21
121-S	2.2, ND	159
121-D	ND	96

CLIENT NWIRP - BETHPAGE, NY		JOB NUMBER	
SUBJECT			
BASED ON		DRAWING NUMBER	
BY	CHECKED BY	APPROVED BY LEK	DATE 8/30/93

1,1,1 TRICHLOROETHANE

VOA ANALYSIS

SOIL-GAS ANALYSIS

119 - S	72	70
119 - D	ND	24

1,2 DICHLOROETHENE

119 - S	6	37
119 - D	ND	26

NOTE : 119 - S Bad Sample , oily Matrix

CLIENT NWIRP - BETHPAGE, NY.		JOB NUMBER	
SUBJECT SOIL GAS TO VOLATILE ANALYSIS CORRELLATION			
BASED ON SITE 1		DRAWING NUMBER	
BY GND	CHECKED BY	APPROVED BY LEK	DATE 8/30/93

BASED ON 17 OBSERVATIONS :

TETRACHLOROETHENE (PCE) X COEFFICIENT = 14.76

INADEQUATE DATA FOR TCE & 1,1,1-TCA . THEREFORE DEVELOP BASED ON PCE DATA

HENRY'S LAW CONSTANTS	<u>H</u>
TETRACHLOROETHENE	.0153
TRICHLOROETHENE	.0091
1,1,1 TRICHLOROETHANE	.0300

FOR
TRICHLOROETHENE

X COEFFICIENT = $14.76 \times \frac{.0091}{.0153} =$ 8.78

1,1,1 TRICHLOROETHANE

X COEFFICIENT = $14.76 \times \frac{.0300}{.0153} =$ 28.94

LEK 8/30/93
pg 4 of 4

SITE 1
Tetrachloroethene
Shallow Samples Only
VOA Soil-Gas
2 9.6
2 0.65
1 1.9
3 9.4
25 12
2 70
26 765
7 14
4800 138

Regression Output:

Constant	0
Std Err of Y Est	201.7722
R Squared	0.422276
No. of Observations	8
Degrees of Freedom	7

X Coefficient(s)	14.92609
Std Err of Coef.	5.447337

SITE 1
Tetrachloroethene
Shallow and Deep Samples
VOA Soil-Gas
2 9.6
1 11
2 5.7
2 0.65
1 1.9
5 3.6
3 9.4
3 6.7
25 12
2 16
2 70
3 1
12 70
26 765
3 617
7 14
1 19
4800 138


Regression Output:

Constant	0
Std Err of Y Est	198.9819
R Squared	0.227712
No. of Observations	17
Degrees of Freedom	16





X Coefficient(s)	14.75545
Std Err of Coef.	5.009103

SITE 1

**AREA OF CONTAMINATION
(FOR CAPPING ALTERNATIVES)**



LEGEND

-  PCBs > 50 ppm (LOCATION 121); 0-2 FT. DEPTH OR METALS > HAZARDOUS WASTE CRITERIA (LOCATION 119) 1-7 FT. DEPTH
-  VOAs > ACTION LEVELS; RANGES TO 50 FT. DEPTH
-  OTHER METALS AND ORGANICS > ACTION LEVELS; RANGES TO 7 FT. DEPTH
-  PCBs > 10 ppm < 50 ppm; 0-2 FT. DEPTH





FIGURE 2-1





**SITE 1 - CURRENT INDUSTRIAL
USE SCENARIO
NWIRP, BETHPAGE, NEW YORK**



ACAD: 1953\SITE1.DWG 7/20/93 MB PLOT2



LEGEND

-  PCBs > 50 ppm (LOCATION 121); 0-2 FT. DEPTH OR METALS > HAZARDOUS WASTE CRITERIA (LOCATION 119) 1-7 FT. DEPTH
-  VOAs > ACTION LEVELS; RANGES TO 50 FT. DEPTH
-  OTHER METALS AND ORGANICS > ACTION LEVELS; RANGES TO 7 FT. DEPTH
-  PCBs > 10 ppm < 50 ppm; 0-2 FT. DEPTH




FIGURE 2-2

**SITE 1 - FUTURE RESIDENTIAL
USE SCENARIO
NWIRP, BETHPAGE, NEW YORK**




ACAD: 1953\SITE1.DWG 7/21/93 MB (PLOT1)



SITE 1
SOIL VOLUME CALCULATIONS

CLIENT NWIRP - BETHPAGE, NY		JOB NUMBER	
SUBJECT SITE 1 AREA MAP - PCB'S / ARSENIC (CURRENT & FUTURE SCENARIOS)			
BASED ON SURFACE SOIL / SHALLOW SUB-SOIL		DRAWING NUMBER	
BY GND	CHECKED BY	APPROVED BY LEK	DATE 8/30/93



- SURFACE SOILS (0'-2')
PCB'S > 50,000 µg/kg
- SHALLOW SUB-SOILS (1'-7')
ARSENIC > 1000 µg/kg

VOLUME	
	292 CY
	611 CY

CLIENT NWIRP - BETHPAGE, NY		JOB NUMBER	
SUBJECT SITE 1 - CONTAMINATED SOIL VOLUME CALCULATIONS			
BASED ON VOA's (CURRENT & FUTURE SCENARIO)		DRAWING NUMBER	
BY GND	CHECKED BY	APPROVED BY LEK	DATE 8/30/93

① FOR SHALLOW SUB-SOILS : 0 TO 7 FT. DEEP. (EXCLUDING PLANT 3 AREA)
BASED ON 1,1,1 TRICHLOROETHANE CONTAMINATION

$$\text{Area} = (60.4 + 1.1) \times 625 \text{ FT}^2 \times \frac{Y_0^2}{9 \text{ FT}^2} = 4270.8 Y_0^2$$

$$\text{Volume} = 4271 Y_0^2 \times 7 \text{ FT} \times \frac{Y_0}{3 \text{ FT}} = \boxed{9965 \text{ CY}}$$

FOR SHALLOW SUB-SOILS: 0 TO 7 FT DEEP (INCLUDING PLANT 3 AREA)

$$\frac{(155.4 + 1.1)(625)(7)}{27} = \boxed{25,360 \text{ CY}}$$

② FOR DEEP SUB-SOILS : TO 50 FEET DEPTH. (EXCLUDING PLANT 3 AREA)
BASED ON 1,1,1 TRICHLOROETHANE CONTAMINATION

$$\text{Area} = (19.7 + 19.3 + 17.2) \times 625 \text{ FT}^2 \times \frac{Y_0^2}{9 \text{ FT}^2} = 3902.8 Y_0^2$$

$$\begin{aligned} \text{Volume} = & ((19.7 - 3.1) + (1.1) + (19.3 - 5.4)) \times 625 \text{ FT}^2 \times \frac{Y_0^2}{9 \text{ FT}^2} \times \frac{(50 - 7) \text{ FT}}{3 \text{ FT}} \\ & + ((3.1 + (17.2 - 1.1) + 5.4) \times 625 \text{ FT}^2 \times \frac{Y_0^2}{9 \text{ FT}^2} \times 50 \text{ FT} \times \frac{Y_0}{3 \text{ FT}} \end{aligned}$$


$$\text{Volume} = (31.6)(625) \frac{(43)}{27} + (24.6)(625) \frac{(50)}{27} \text{ CY}$$



$$\text{Volume} = 31,454 + 28,472 = \boxed{59,926 \text{ CY}}$$

FOR DEEP SUBSOILS: TO 50 FT (INCLUDING PLANT 3 AREA)

$$59,926 + [(22.5)(50 - 7) + (8)(50)] \left(\frac{625}{27} \right) = 59,926 + 31,700 = \boxed{91,600 \text{ CY}}$$


CLIENT NWIRP - BETHPAGE, NY		JOB NUMBER	
SUBJECT SITE 1 AREA MAP - VOA's (CURRENT & FUTURE SCENARIOS)			
BASED ON SHALLOW & DEEP SUB-SOILS (INCLUDES PLANT 3 DATA)		DRAWING NUMBER	
BY GND	CHECKED BY LEK	APPROVED BY LEK	DATE 8/30/93





 SHALLOW SUB-SOILS
(0-7' DEEP)
 DEEP SUB-SOILS
(7-50' DEEP)

VOLUME
 29,360 CY
 (INCLUDING PLANT 3
 AREA)
 59,926 CY
 91,600 CY
 (INCLUDING PLANT 3
 AREA)


CLIENT NWIRP - BETHPAGE, NY		JOB NUMBER	
SUBJECT SITE 1 AREA MAP - VOA'S (CURRENT & FUTURE SCENARIOS)			
BASED ON SHALLOW & DEEP SUB-SOILS (EXCLUDES PLANT 3 DATA)		DRAWING NUMBER	
BY GND	CHECKED BY	APPROVED BY LEK	DATE 8/30/93




 SHALLOW SUB-SOILS (0-7' DEEP)
 DEEP SUB-SOILS (TO 50' DEEP)

VOLUME
 9965 CY (EXCLUDING PLANT 3 AREA)
 59,926 CY (EXCLUDING PLANT 3 AREA)


CLIENT NWIRP - BETHPAGE, NY		JOB NUMBER	
SUBJECT SITE 1 AREA MAP - VOA'S (CURRENT & FUTURE SCENARIOS)			
BASED ON DEEP SUB-SOILS (INCLUDES PLANT 3 DATA)		DRAWING NUMBER	
BY GND	CHECKED BY LEK	APPROVED BY LEK	DATE 8/30/93




CLIENT NWIRP - BETHPAGE, NY		JOB NUMBER	
SUBJECT SITE 1 AREA MAP - VOAs (CURRENT & FUTURE SCENARIOS)			
BASED ON SHALLOW SUB-SOILS (INCLUDES		DRAWING NUMBER PLANT 3 DATA)	
BY GND	CHECKED BY	APPROVED BY LEK	DATE 8/30/93



CLIENT NWIRP - BETHPAGE, NY		JOB NUMBER	
SUBJECT SITE 1 AREA MAP - VOA'S (CURRENT & FUTURE SCENARIOS)			
BASED ON SHALLOW SUB-SOILS (EXCLUDES		DRAWING NUMBER PLANT 3 DATA)	
BY GND	CHECKED BY	APPROVED BY LEK	DATE 8/30/93



CLIENT NWIRP - BETHPAGE, NY		JOB NUMBER	
SUBJECT SITE 1 AREA MAP - VOA'S (CURRENT & FUTURE SCENARIOS)			
BASED ON SURFACE SOILS		DRAWING NUMBER	
BY GND	CHECKED BY	APPROVED BY LEK	DATE 8/30/93



CLIENT NWIRP - BETHPAGE, NY		JOB NUMBER	
SUBJECT SITE 1 - CONTAMINATED SOIL VOLUME CALCULATIONS			
BASED ON CURRENT SCENARIO EXCEPT VOA'S.		DRAWING NUMBER	
BY GND	CHECKED BY	APPROVED BY LEK	DATE 8/30/93

① SURFACE SOILS : FOR ARSENIC, CHLORDANE, PAH & PCB REMOVAL

DEPTH : 0 TO 1 FT.

$$\text{AREA} = (100.0 + 4.4 - 6.3) \times 625 \text{ FT}^2 \times \frac{1 \text{ YD}^2}{9 \text{ FT}^2} = 6812.5 \text{ YD}^2$$

$$\text{VOLUME} = 6813 \text{ YD}^2 \times 1 \text{ FT} \times \frac{1 \text{ YD}}{3 \text{ FT}} = \boxed{2271 \text{ CY}}$$

② SURFACE SOIL / SHALLOW SUB-SOIL : FOR MANGANSE REMOVAL

DEPTH : 0 TO 7 FT.

$$\text{AREA} = (6.3 + 0.5) \times 625 \text{ FT}^2 \times \frac{1 \text{ YD}^2}{9 \text{ FT}^2} = 472.2 \text{ YD}^2$$

$$\text{VOLUME} = 472 \text{ YD}^2 \times 7 \text{ FT} \times \frac{1 \text{ YD}}{3 \text{ FT}} = \boxed{1102 \text{ CY}}$$

③ SHALLOW SUB-SOIL : ENDORIN REMOVAL

DEPTHS : 1 TO ~~5~~⁷ FT AND 2 TO ~~5~~⁷ FT.

$$\text{AREA}_1 = \overset{(1.1+3.3)}{4.4} \times 625 \text{ FT}^2 \times \frac{1 \text{ YD}^2}{9 \text{ FT}^2} = 306.8 \text{ YD}^2$$

$$\text{AREA}_2 = 3.1 \times 625 \text{ FT}^2 \times \frac{1 \text{ YD}^2}{9 \text{ FT}^2} = 215 \text{ YD}^2$$

$$\text{VOLUME} = 306 \text{ YD}^2 \times \overset{7-1}{(5-1)} \text{ FT} \times \frac{1 \text{ YD}}{3 \text{ FT}} + 215 \text{ YD}^2 \times \overset{7-2}{(5-2)} \text{ FT} \times \frac{1 \text{ YD}}{3 \text{ FT}}$$

$$\text{VOLUME} = \frac{612}{\cancel{408}} \text{ CY} + \frac{358}{\cancel{215}} \text{ CY} = \boxed{970 \text{ CY}}$$

CLIENT NWIRP - BETHPAGE, NY		JOB NUMBER	
SUBJECT SITE 1 - CONTAMINATED SOIL VOLUME CALCULATIONS			
BASED ON CURRENT SCENARIO EXCEPT VOA'S.		DRAWING NUMBER	
BY GND	CHECKED BY	APPROVED BY LEK	DATE 8/30/93

④ SHALLOW SUB-SOIL : FOR ARSENIC REMOVAL

DEPTH : 1 TO 7 FT. AND 2 TO 7 FT.


$$\text{AREA}_1 = (66.8 - 4.4 - 5.8 - 3.2) \times 625 \text{ FT}^2 \times \frac{40}{9 \text{ FT}} = 3708 \text{ YD}^2$$

$$\text{AREA}_2 = 3.2 \times 625 \text{ FT}^2 \times \frac{40}{9 \text{ FT}} = 222 \text{ YD}^2$$

$$\text{VOLUME} = 3708 \text{ YD}^2 \times (7-1) \text{ FT} \times \frac{40}{3 \text{ FT}} + 222 \text{ YD}^2 \times (7-2) \text{ FT} \times \frac{40}{3 \text{ FT}}$$


$$\text{VOLUME} = 7416 \text{ CY} + 370 \text{ CY} = \boxed{7786 \text{ CY}}$$

CLIENT NWIRP - BETHPAGE, NY		JOB NUMBER	
SUBJECT SITE 1 AREA MAP - ARSENIC, MANGANESE, PCB'S, PAH'S, ENDRIN (CURRENT)			
BASED ON SURFACE SOILS / SHALLOW SUB-SOILS		DRAWING NUMBER	
BY GND	CHECKED BY	APPROVED BY LEK	DATE 8/30/93




VOLUME	
970	358
	215 CY
	612
	408 CY
	2271 CY
	7416 CY
	1102 CY
	370 CY


CLIENT NWIRP - BETHPAGE, NY		JOB NUMBER	
SUBJECT SITE 1 AREA MAP - INORGANICS (CURRENT SCENARIO)			
BASED ON SURFACE SOILS		DRAWING NUMBER	
BY GND	CHECKED BY	APPROVED BY LEK	DATE 8/30/93




CLIENT NWIRP - BETHPAGE, NY		JOB NUMBER	
SUBJECT SITE 1 AREA MAP - PESTICIDES / PCB'S (CURRENT SCENARIO)			
BASED ON SURFACE SOILS		DRAWING NUMBER	
BY GND	CHECKED BY	APPROVED BY LEK	DATE 8/30/93




CLIENT NWIRP - BETHPAGE, NY		JOB NUMBER	
SUBJECT SITE 1 AREA MAP - PESTICIDES / PCB'S (CURRENT SCENARIO)			
BASED ON SHALLOW SUB-SOILS		DRAWING NUMBER	
BY GND	CHECKED BY	APPROVED BY LEK	DATE 8/30/93




CLIENT NWIRP - BETHPAGE, NY		JOB NUMBER	
SUBJECT SITE 1 AREA MAP - INORGANICS (CURRENT SCENARIO)			
BASED ON SHALLOW SUB-SOILS		DRAWING NUMBER	
BY GND	CHECKED BY	APPROVED BY LEK	DATE 8/30/93



CLIENT		JOB NUMBER	
SUBJECT SITE 1 VOA OVERLAP W/ METALS & OTHER ORGANICS (SURFACE SOILS)			
BASED ON CURRENT SCENARIO		DRAWING NUMBER	
BY	CHECKED BY	APPROVED BY LEK	DATE 8/30/93



CLIENT		JOB NUMBER	
SUBJECT SITE 1 VOA OVERLAP W/METALS & OTHER ORGANICS			
BASED ON CURRENT SCENARIO		DRAWING NUMBER (SHALLOW SUBSOILS)	
BY	CHECKED BY	APPROVED BY LEK	DATE 8/30/93



DUPLICATE VOLUMES
 SHALLOW SUB-SOILS
 DUPLICATE AREA (1-7 FT)
 $A = 37.7 + 2.0 = 39.7$
 VOLUME = 5514
 DUPLICATE AREA (2-7 FT)
 $A = 9.2 + 12.2 + .5$
 $A = 21.9$
 VOLUME = 2535
 DUPLICATE VOLUME
 8049 cy
 SHALLOW SUBSOILS

NOTE: VOLUME DUPLICATED UNDER SLAB & BEAM = 8950 CY

CLIENT NWIRP - BETHPAGE, NY		JOB NUMBER	
SUBJECT SITE 1 - CONTAMINATED SOIL VOLUME CALCULATIONS			
BASED ON FUTURE SCENARIO EXCEPT VOA'S.		DRAWING NUMBER	
BY GND	CHECKED BY	APPROVED BY LEK	DATE 8/30/93

① SURFACE SOILS : FOR ARSENIC, CHLORDANE, PAH & PCB REMOVAL

DEPTH : 0 TO 1 FT.

$$AREA = (100 + 4.4 - 6.3) \times 625 \text{ FT}^2 \times \frac{1 \text{ YD}^2}{9 \text{ FT}^2} = 6812.5 \text{ YD}^2$$

$$VOLUME = 6813 \text{ YD}^2 \times 1 \text{ FT} \times \frac{1 \text{ YD}}{3 \text{ FT}} = \boxed{2271 \text{ CY}}$$

② SHALLOW SUB-SOIL : FOR ENDRIN & PCB REMOVAL

DEPTHS : 1 TO 5 FT AND 2 TO 7 FT.

$$AREA_1 = (3.6 + 2.5) \times 625 \text{ FT}^2 \times \frac{1 \text{ YD}^2}{9 \text{ FT}^2} = 423.6 \text{ YD}^2$$

$$AREA_2 = 5.7 \times 625 \text{ FT}^2 \times \frac{1 \text{ YD}^2}{9 \text{ FT}^2} = 395.8 \text{ YD}^2$$

$$VOLUME = 424 \text{ YD}^2 \times \frac{7-1}{8-1} \text{ FT} \times \frac{1 \text{ YD}}{3 \text{ FT}} + 396 \text{ YD}^2 \times \frac{7-2}{8-2} \text{ FT} \times \frac{1 \text{ YD}}{3 \text{ FT}}$$

$$VOLUME = \frac{848}{565} \text{ CY} + \frac{660}{396} \text{ CY} = \boxed{967 \text{ CY}}$$

③ SHALLOW SUB-SOIL : FOR ARSENIC REMOVAL

DEPTHS : 1 TO 7 FT AND 2 TO 7 FT.


$$AREA_1 = (41.7 - 4.4 - 2.0 - .7) \times 625 \text{ FT}^2 \times \frac{1 \text{ YD}^2}{9 \text{ FT}^2} = 2403 \text{ YD}^2$$

$$AREA_2 = (0.7) \times 625 \text{ FT}^2 \times \frac{1 \text{ YD}^2}{9 \text{ FT}^2} = 48.6 \text{ YD}^2$$

$$VOLUME = 2403 \text{ YD}^2 \times (7-1) \text{ FT} \times \frac{1 \text{ YD}}{3 \text{ FT}} + 48.6 \text{ YD}^2 \times (7-2) \text{ FT} \times \frac{1 \text{ YD}}{3 \text{ FT}}$$






$$VOLUME = 4806 \text{ CY} + 81 \text{ CY} = \boxed{4887 \text{ CY}}$$

CLIENT NWIRP - BETHPAGE, NY		JOB NUMBER	
SUBJECT SITE 1 AREA MAP - ARSENIC, PCB'S, PAH'S & ENDRIN (FUTURE)			
BASED ON SURFACE SOILS / SHALLOW SUB-SOILS		DRAWING NUMBER	
BY GND	CHECKED BY	APPROVED BY LEK	DATE 8/30/93




100+4.4-6.3+
98.1 0-1

41.7-4.4-2.0-.7
= 34.6 1-7


-  SHALLOW SUB-SOILS (1'-⁷/₈') FOR ENDRIN.
-  SURFACE SOILS (0'-1') FOR ARSENIC, PAH'S, PCB'S & CHLOROBANE
-  SHALLOW SUB-SOILS (1'-7') FOR ARSENIC.
-  SHALLOW SUB-SOILS (2'-7') BELOW HIGH PCB'S FOR ARSENIC.
-  SHALLOW SUB-SOILS (2'-⁷/₈') BELOW HIGH PCB'S FOR ENDRIN & PCB'S.

VOLUME	
848	565 CY
2271	CY
4806	CY
81	CY
660	396 CY


CLIENT	NWIRP - BETHPAGE, NY		JOB NUMBER	
SUBJECT	SITE 1 AREA MAP - PESTICIDES / PCB'S (FUTURE SCENARIO)			
BASED ON	SURFACE SOILS	DRAWING NUMBER		
BY	GND	CHECKED BY		
		APPROVED BY	LEK	
		DATE	8/30/93	




CLIENT NWIRP - BETHPAGE, NY		JOB NUMBER	
SUBJECT SITE 1 AREA MAP - INORGANICS (FUTURE SCENARIO)			
BASED ON SURFACE SOILS		DRAWING NUMBER	
BY GND	CHECKED BY	APPROVED BY LEK	DATE 8/30/93




CLIENT NWIRP - BETHPAGE, NY		JOB NUMBER	
SUBJECT SITE 1 AREA MAP - PESTICIDES / PCB'S (FUTURE SCENARIO)			
BASED ON SHALLOW SUB - SOILS		DRAWING NUMBER	
BY GND	CHECKED BY	APPROVED BY LEK	DATE 8/30/93



CLIENT NWIRP - BETHPAGE, NY	JOB NUMBER		
SUBJECT SITE 1 AREA MAP - INORGANICS (FUTURE SCENARIO)			
BASED ON SHALLOW SUB-SOILS	DRAWING NUMBER		
BY GND	CHECKED BY	APPROVED BY LEK	DATE 8/30/93




CLIENT		JOB NUMBER	
SUBJECT SITE 1 - VOA OVERLAP W/ METALS & OTHER ORGANICS (SURFACE SOILS)			
BASED ON FUTURE SCENARIO		DRAWING NUMBER	
BY	CHECKED BY	APPROVED BY LEK	DATE 8/30/93



DUPLICATE VOLUMES
 SURFACE SOILS
 DUPLICATE AREA
 $50.1 + 39.8$
 $A = 60.1$
 DEPTH = 1 FT.
 DUP. VOLUME = ~~1387~~
 1387
 SURFACE SOILS

CLIENT		JOB NUMBER	
SUBJECT SITE 1 - VOA OVERLAP W/ METALS & OTHER ORGANICS			
BASED ON FUTURE SCENARIO		DRAWING NUMBER (SHALLOW SUBSOILS)	
BY	CHECKED BY	APPROVED BY LER	DATE 8/30/93



DUPLICATE VOLUMES
SHALLOW SUBSOILS

DUPLICATE AREA (1-7 FT)
 $A = 33.3$
VOLUME = 5396

DUPLICATE AREA (2-7 FT)
 $A = 13.2 + .5 + 3.0 + .6$
 $A = 16.7$
VOLUME = 1747
1833
1863

TOTAL DUP. VOLUME
7329
6488
SHALLOW SUBSOILS

CLIENT NWIRP - BETHPAGE, NY		JOB NUMBER	
SUBJECT SITE 1 - PCB CONTAMINATED SOIL VOLUME CALCULATIONS			
BASED ON SURFACE SOIL / SHALLOW SUB-SOIL		DRAWING NUMBER	
BY GND	CHECKED BY	APPROVED BY LEK	DATE 8/30/93

① PCBs GREATER THAN 50,000 $\mu\text{g}/\text{kg}$

Ⓐ SURFACE SOILS (0-2 FT DEPTH)

$$\text{AREA} = 6.3 \times 625 \text{ FT}^2 \times \frac{yD^2}{9 \text{ FT}^2} = 437 yD^2$$

$$\text{VOLUME} = 437 yD^2 \times 2 \text{ FT} \times \frac{yD}{3 \text{ FT}} = \boxed{292 \text{ CY}}$$

② PCBs BETWEEN 10,000 $\mu\text{g}/\text{kg}$ AND 50,000 $\mu\text{g}/\text{kg}$

Ⓐ SURFACE SOILS (0-2 FT DEPTH)

$$\text{AREA} = (12.1 + 6.0 + 6.5) \times 625 \text{ FT}^2 \times \frac{yD^2}{9 \text{ FT}^2} = 1708 yD^2$$

$$\text{VOLUME} = 1708 yD^2 \times 2 \text{ FT} \times \frac{yD}{3 \text{ FT}} = \boxed{\frac{1140}{576} \text{ CY}}$$

③ PCBs BETWEEN 1000 $\mu\text{g}/\text{kg}$ AND 10,000 $\mu\text{g}/\text{kg}$

Ⓐ SHALLOW SUB SOILS ($\frac{2}{0}$ -7 FT DEPTH)*

$$\text{AREA} = 1.0 \times 625 \text{ FT}^2 \times \frac{yD^2}{9 \text{ FT}^2} = 70 yD^2$$

$$\text{VOLUME} = 70 yD^2 \times \overset{(7-2)}{5} \text{ FT} \times \frac{yD}{3 \text{ FT}} = \boxed{116 \text{ CY}}$$

Ⓑ SURFACE SOILS (0-1 FT DEPTH)

$$\text{AREA} = (105.6 - 12.1 - 6.0 - 6.5 - 6.3) \times 625 \text{ FT}^2 \times \frac{yD^2}{9 \text{ FT}^2} = 5188 yD^2$$

$$\text{VOLUME} = 5188 yD^2 \times 1 \text{ FT} \times \frac{yD}{3 \text{ FT}} = \boxed{1729 \text{ CY}}$$


* Completely within area of > 50,000 $\mu\text{g}/\text{kg}$ Surface Soil Plume.

CLIENT NWIRP - BETHPAGE, NY		JOB NUMBER	
SUBJECT SITE 1 - PCB CONTAMINATED SOIL VOLUME CALCULATIONS			
BASED ON SURFACE SOIL / SHALLOW SUB SOIL		DRAWING NUMBER	
BY GND	CHECKED BY	APPROVED BY LEK	DATE 8/30/93

TOTAL VOLUME OF PCB CONTAMINATED SOIL BETWEEN
1000 µg/kg AND 10,000 µg/kg :

$$V = 116 \text{ CY} + 1729 \text{ CY} = \underline{\underline{1845 \text{ CY}}}$$

CLIENT NWIRP - BETHPAGE, NY		JOB NUMBER	
SUBJECT SITE 1 AREA MAP - PCB'S CONTAMINATION			
BASED ON SURFACE SOILS / SHALLOW SUB SOILS		DRAWING NUMBER	
BY GND	CHECKED BY	APPROVED BY LEK	DATE 8/30/93



NOTE: SHALLOW SUB SOILS (1-10)
 WITHIN >50 SURFACE SOIL PLUME
 A = 1.0



SITE 2
SOIL CALCULATIONS



SITE 2
SOIL ACTION LEVELS



NAVAL WEAPONS INDUSTRIAL RESERVE PLANT
 BETHPAGE, NEW YORK
 SITE 2 - RECHARGE BASINS
 CURRENT EXPOSURE SCENARIO

LER 8/30/93

GENERAL DATA	
INFILTRATION RATE (FPY)	1.150
MIXING ZONE (F)	50
HYDRAULIC CONDUCTIVITY (CCS/SC)	0.020
HYDRAULIC CONDUCTIVITY (CFY/SF)	20,692
HYDRAULIC GRADIENT (F/F)	0.0023
POC - IN SOIL (MG/KG)	1842
SOIL ORGANIC CARBON (KG/KG)	0.001842
SITE SPECIFIC DATA	
SITE AREA (SF)	50,000
INFILTRATION FLOW RATE (CFY)	57,500
UPPER GRADIENT (F)	220
CROSS SECTIONAL AREA (SF)	11,000
GROUNDWATER FLOW RATE (CFY)	523,511
DILUTION RATIO (CFY/CFY)	10.10
CHEMICAL SPECIFIC DATA	
ORG CARBON PARTITION COEFFICIENT-see K _{oc}	
DISTRIBUTION COEFFICIENT - see K _d	

- * Risk based PRG is greater than pure product (1,000,000,000 ug/kg)
- ** Risk based carcinogenic PRG based on target cancer risk of 1E-6 rather than 1E-4 was not used
- (1) Concentration of specific contaminant exceeds action level in surface soils
- (2) Concentration of specific contaminant exceeds action level in sub-surface soils
- (3) Rule effective January 17, 1994
- ND Not detectable - NPDMR detection limits used

	--DRINKING WATER LAWS--		GUIDELINES		TRIPODER GW CONC (ug/l)	K _{oc} (ug/kg)/(ug/l)	K _d (ug/kg)/(ug/l)	GW PROTECTION SOIL ACTION LEVEL (ug/kg)	NEW YORK STATE SOIL ACTION LEVEL (ug/kg)	CURRENT INDUSTRIAL LAND USE - RISK BASED REMEDIATION GOAL (ug/kg)	MINIMUM SITE SPECIFIC SOIL ACTION LEVEL (ug/kg)	MAXIMUM SOIL CONCENTRATION AT SITE (ug/kg)	CHEMICAL OF CONCERN
	New York MCL (ug/l)	NPDMR MCL (ug/l)	New York CONC (ug/l)	New York CONC (ug/l)									
Trichloroethene	5	5	10	126.2	0.23246	11.74	64,000	527,000	11,74	32.0	Y (2)		
Tetrachloroethene	5	5	5	364.0	0.67049	33.9	14,000	112,000	33.9	8.00	N		
Chloroform	50	7	7	44.00	0.08105	5.73	110,000	29.0	5.73	1.00	N		
Toluene	5	1000	5	300.0	0.55250	27.9	20,000,000	3,435,000	27.9	6.00	N		
4-Methylphenol (p-Cresol)	50	1	1	24.30	0.04476	0.452	4,000,000	102,000,000	0.452	75.0	Y (1)		
Bis(2-chloroethyl) ether	50	1	1	13.90	0.02560	0.259	640	24.0	0.259	ND	N		
DDE	50	0.1 ND	0.1 ND	3,900,000	7.184	7,259	2,100	14,000	2,100	620	N		
DDT	50	0.1 ND	0.1 ND	770,000	1.418	1,433	2,900	24,200	1,433	6.3	N		
DDB	50	0.05 ND	0.05 ND	4,400,000	8.105	4,095	2,100	17,100	2,100	130	N		
Chlordane	2	0.1	0.1	140,000	257.9	261	540	3,650	261	ND	N		
Total PCB's	0.5	0.5	0.1	2,000,000,000	3,684,000	148,899,671	10,000	414,000	10,000	36,600	Y (2)		
Bis(2-ethylhexyl) phthalate	50	4 (3)	4200	170,000	313.1	158,206	20,000,000	408,000,000	158,206	890	N		
Butyl benzyl phthalate	50	50	770	170,000	313.1	2,436,371	8,000,000	204,000,000	2,436,371	102	N		
Di-n-butyl phthalate	50	50	50	17.40	0.03205	16.2	80,000,000	1,000,000,000	16.2	ND	N		
Dimethyl phthalate	50	10	10	940.0	1.731	175	300,000	81,600,000	175	210	Y (1)		
Naphthalene	50	50	50	5.800	10.68	10.68	5,000,000	40,800,000	10.68	107	N		
2-Methylnaphthalene	50	20	20	4.600	8.473	1,712	5,000,000	122,400,000	1,712	610	N		
Acenaphthene	50	50	50	2.500	4.605	4.605	20,000,000	612,000,000	4.605	760	N		
Anthracene	50	50	50	14.000	25.79	13,029	20,000,000	612,000,000	13,029	3,500	N		
Fluoranthene	50	50	50	38.000	70.00	35,364	3,000,000	81,600,000	35,364	2,500	N		
Pyrene	50	50	50	38.000	70.00	35,364	2,000,000	61,200,000	35,364	3,700	N		
Phenanthrene	50	50	50	14.000	25.79	13,029	220	7.44	7.44	1,200	Y (1,2)		
Benzo(a)anthracene	50	0.002	0.002	200,000	368.4	7.44	20	7.44	7.44	1,100	Y (1,2)		
Chrysene	50	0.002	0.002	200,000	368.4	7.44	20	7.44	7.44	980	Y (1,2)		
Benzo(b)fluoranthene	50	0.002	0.002	550,000	1,013	20.5	220	20.5	20.5	1,200	Y (1,2)		
Benzo(k)fluoranthene	50	0.002	0.002	550,000	1,013	20.5	220	20.5	20.5	1,200	Y (1,2)		
Benzo(a)pyrene	50	0.2 (3)	0.02 ND	5,500,000	10,131	2,047	61.0	670	61.0	1,200	Y (1,2)		
Indeno(1,2,3-c)pyrene	50	0.002	0.002	1,600,000	2,947	49.6	14.0	59.6	59.6	690	Y (1,2)		
Dibenz(a,h)anthracene	50	0.0007	0.0007	3,300,000	6,079	1,488,997	14.0	14.0	14.0	310	Y (1)		
Benzo(g,h,i)perylene	50	50	50	1,600,000	2,947	1,488,997	3,000,000	81,600,000	1,488,997	630	N		
Fluorene	50	50	50	7.300	13.45	6.794	2,000,000	40,800,000	6.794	560	N		
Trans-1,2-dichloroethene	5	100	5	59.00	0.10868	5.49	7,000,000	37,000	5.49	ND	N		
1,1,1-Trichloroethane	5	200	5	15.20	0.02800	1.41	7,000,000	37,000	1.41	ND	N		
Carbon disulfide	50	3500	50	14.20	0.02616	13.2	8,000,000	204,000,000	13.2	ND	N		
1,1-Dichloroethane	5	5	5	30.00	0.05526	2.79	8,000,000	9,070	2.79	ND	N		
1,1-Dichloroethene	5	7	5	65.00	0.11973	6.05	12,000,000	56.0	6.05	ND	N		
Carbon tetrachloride	5	5	5	439.0	0.80864	40.9	5,400	219,000	40.9	ND	N		
Ethylbenzene	5	700	5	1.100	2.026	102.4	8,000,000	30,400	102.4	ND	N		
Xylenes	50	10,000	50	248.0	0.45682	230.8	200,000,000	40,800,000	230.8	ND	N		
Di-n-octylphthalate	50	50	50	3,600,000,000	6,631,200	1,000,000,000*	2,000,000	40,800,000	2,000,000	ND	N		
2-Methylphenol (o-Cresol)	50	2	2	24.50	0.04513	0.912	4,000,000	102,000,000	0.912	ND	N		
2,4-Dimethylphenol	50	2	2	96.00	0.17683	3.57	2,000,000	40,800,000	3.57	ND	N		
Heptachlor	0.4	0.4	0.04 ND	12,000	22.10	8.93	160	1050	8.93	ND	N		
Heptachlor Epoxide	0.2	0.2	0.02 ND	220.0	0.40524	77.0	44.0	522	77.0	12.0	Y (1)		
Dieldrin	50	0.01 ND	0.01 ND	1,700	3.131	0.316	200,000	612,000	0.316	7.90	Y (1)		
Endrin	0.2	2 (3)	0.01 ND	1,700	3.131	0.316	200,000	612,000	0.316	ND	N		

NAVAL WEAPONS INDUSTRIAL RESERVE PLANT
 BETHPAGE, NEW YORK
 SITE 2 - RECHARGE BASINS
 CURRENT EXPOSURE SCENARIO

LEK 8/30/93

GENERAL DATA	
INFILTRATION RATE (FFY)	1.150
MIXING ZONE (F)	50
HYDRAULIC CONDUCTIVITY (CCS/SC)	0.020
HYDRAULIC CONDUCTIVITY (CFY/SF)	20.692
HYDRAULIC GRADIENT (F/F)	0.0023
TOC - IN SOIL (MG/KG)	1842
SOIL ORGANIC CARBON (MG/KG)	0.001842
SITE SPECIFIC DATA	
SITE AREA (SF)	50,000
INFILTRATION FLOW RATE (CFY)	57,500
UPPER GRADIENT (F)	220
CROSS SECTIONAL AREA (SF)	11,000
GROUNDWATER FLOW RATE (CFY)	523,511
DILUTION RATIO (CFY/CFY)	10.10
CHEMICAL SPECIFIC DATA	
MEAN BACKGROUND SOIL CONCENTRATION (MG/KG)	
STANDARD DEVIATION FOR n SAMPLES ANALYZED	

	---GROUNDWATER CRITERIA---				SITE 2				CHEMICAL CONCERN			
	New York MCL (ug/l)	NPDMR MCL (ug/l)	New York Guidelines (ug/l)	TRIGGER GW CONC (ug/l)	MEAN SOIL BACKGROUND CONC (mg/kg)	STD DEVIATION ON BACKGROUND CONC (mg/kg)	95% UCL SOIL BACKGROUND CONC (mg/kg)	NEW YORK STATE SOIL ACTION LEVEL (mg/kg)		CURRENT INDUSTRIAL LAND USE - RISK BASED REMEDIATION GOAL (mg/kg)	MINIMUM SITE SPECIFIC SOIL ACTION LEVEL (mg/kg)	MAXIMUM SOIL CONCENTRATION AT SITE (mg/kg)
Arsenic	50	50	50	50	2.50	0.688	3.63	80.0	5.38	5.38	13.4	Y (1,2)
Antimony		6 (3)	3	3	2.75	0.000	2.75	30.0	816	30.0	ND	N
Barium	2000	2000	2000	2000	18.4	10.181	35.1	4,000	142	142	51.6	N
Beryllium		4 (3)	3	3	0.437	0.047	0.514	0.160	1.46	0.160	0.880	Y (1)
Cadmium	5	5	20	5	0.536	0.049	0.617	80.0	4.79	4.79	ND	N
Chromium	10	100 (4)	100	10	12.7	0.000	12.7	400 (5)	75,480	400	98.2	N
Copper	1000	1000	1000	1000	7.80	0.000	7.80	500	142	500	23.2	N
Lead	30	50	600	15	167	0.000	167	20,000	142	142	74.7	N
Manganese	300	50	50	2	0.075	0.043	0.146	20.0	127	20.0	0.320	N
Mercury	2	2	4	2	2.77	0.306	3.27	2,000	34.5	34.5	10.1	N
Nickel	100 (3)	2000	2000	100	0.128	0.023	0.165	200	10,200	200	2.80	N
Silver	50	100	100	50	17.9	0.000	17.9	600	14,280	600	87.7	N
Vanadium	5000	5000	5000	5000	20.0	0.000	20.0	20,000	612,000	20,000	19.2	N
Zinc	200 (3)	400	400	200	1.44	0.109	1.32	2,000	40,800	2,000	3.10	N
Cyanide	10	50	40	10	0.495	0.156	0.752	6.00	10,200	10,200	ND	N
Selenium		2 (3)	4	2	0.364	0.033	0.417	6.00	143	6.00	ND	N
Thallium												

- (1) Concentration of specific contaminant exceeds action level in surface soils
- (2) Concentration of specific contaminant exceeds action level in sub-surface soils
- (3) Rule effective January 17, 1994
- (4) Trivalent Chromium, 35,000
- (5) Trivalent Chromium, 80,000

NAVAL WEAPONS INDUSTRIAL RESERVE PLANT
 BETHPAGE, NEW YORK
 SITE 2 - RECHARGE BASINS
 FUTURE EXPOSURE SCENARIO

LEK 8/30/93

GENERAL DATA	1.150	SITE 2
INFILTRATION RATE (FPY)	50	50,000
MIXING ZONE (F)	0.020	57,500
HYDRAULIC CONDUCTIVITY (CCS/SC)	20,692	220
HYDRAULIC CONDUCTIVITY (CFY/SF)	0.0023	11,000
HYDRAULIC GRADIENT (F/F)	1842	523,511
TOC - IN SOIL (MG/KG)	0.001842	10.10
SOIL ORGANIC CARBON (KG/KG)		
SITE SPECIFIC DATA		
SITE AREA (SF)		
INFILTRATION FLOW RATE (CFY)		
UPPER GRADIENT (F)		
CROSS SECTIONAL AREA (SF)		
GROUNDWATER FLOW RATE (CFY)		
DILUTION RATIO (CFY/CFY)		
CHEMICAL SPECIFIC DATA		
ORG CARBON PARTITION COEFFICIENT-see K oc		
DISTRIBUTION COEFFICIENT - see K d		

* Risk based PRG is greater than pure product (1,000,000,000 ug/kg)
 ** Risk based carcinogenic PRG based on target cancer risk of 1E-6 rather than 1E-4 was not used
 (1) Concentration of specific contaminant exceeds action level in surface soils
 (2) Concentration of specific contaminant exceeds action level in sub-surface soils
 (3) Rule effective January 17,1994
 ND Not detectable - NPDNR detection limits used

	--DRINKING WATER LAWS--		GUIDELINES		TRIGGER GW		K oc		K d		GW PROTECTION		NEW YORK STATE		FUTURE RESIDENTIAL		MINIMUM		MAXIMUM SOIL		CHEMICAL
	New York MCL (ug/l)	NPDNR MCL (ug/l)	New York CONC (ug/l)	New York CONC (ug/l)	CONC (ug/l)	CONC (ug/l)	(ug/kg)/(ug/l)	(ug/kg)/(ug/l)	SOIL ACTION LEVEL (ug/kg)	SOIL ACTION LEVEL (ug/kg)	ON-SITE - RISK BASED REMEDIATION GOAL (ug/kg)	SOIL ACTION LEVEL (ug/kg)	SOIL ACTION LEVEL (ug/kg)	SOIL ACTION LEVEL (ug/kg)	SOIL ACTION LEVEL (ug/kg)	SOIL ACTION LEVEL (ug/kg)	SOIL ACTION LEVEL (ug/kg)	SOIL ACTION LEVEL (ug/kg)	SOIL ACTION LEVEL (ug/kg)	SOIL ACTION LEVEL (ug/kg)	
Trichloroethene	5	5	10	126.2	0.23246	5	11.74	64,000	58,100	11.74	32.0	Y (2)									
Tetrachloroethene	5	5	5	364.0	0.67049	5	33.9	14,000	12,300	33.9	8.00	N									
Chloroform	50	7	7	44.00	0.08105	7	5.73	110,000	105,000	5.73	1.00	N									
Toluene	5	1000	5	300.0	0.35260	5	27.9	20,000,000	15,643,000	27.9	6.00	N									
4-Methylphenol (p-Cresol)	50	1	1	24.30	0.04476	1	0.452	4,000,000	3,911,000	0.452	75.0	Y (1)									
Bis(2-chloroethyl) ether	50	1	1	13.90	0.02560	1	0.259	640	581	0.259	ND	N									
DOP	50	0.1 ND	0.1 ND	3,900,000	7.184	7.259	2,100	1,880	1,880	620	6.3	N									
DDP	50	0.1 ND	0.1 ND	770,000	1.418	1.433	2,900	2,660	2,660	6.3	130	N									
DDE	50	0.05 ND	0.05 ND	4,400,000	8.105	4.095	2,100	1,880	1,880	130	ND	N									
Chlordane	2	2	0.1	140,000	257.9	261	540	491	261	1,000	36,600	Y (1,2)									
Total PCB's	0.5	0.5	0.1	4200	313.1	148,899.671	1,000	83.0**	1,000	45,600	310	N									
Bis(2-ethylhexyl) phthalate	50	4 (3)	4	2,000,000,000	3,684,000	148,899.671	20,000,000	15,643,000	15,643,000	890	ND	N									
Butyl Benzyl phthalate	50	50	50	170,000	313.1	158,206	8,000,000	7,821,000	7,821,000	102	ND	N									
Di-n-butyl phthalate	50	770	770	170,000	313.1	2,436,371	8,000,000	7,821,000	7,821,000	102	ND	N									
Dimethyl phthalate	50	10	10	940.0	0.03205	16.2	80,000,000	782,143,000	3,129,000	16.2	210	Y (1)									
Naphthalene	50	50	50	10.68	1.731	1.75	300,000	3,129,000	3,129,000	175	107	N									
2-Methylnaphthalene	50	50	50	5,800	10.68	1.712	5,000,000	1,564,000	1,564,000	172	610	N									
Acenaphthene	50	20	20	4,600	4.605	4.605	20,000,000	23,464,000	23,464,000	760	ND	N									
Anthracene	50	50	50	14,000	25.79	13,029	20,000,000	3,129,000	3,129,000	35,364	3,500	N									
Fluoranthene	50	50	50	38,000	70.00	35,364	3,000,000	3,129,000	3,129,000	35,364	2,500	N									
Pyrene	50	50	50	38,000	70.00	35,364	2,000,000	2,346,000	2,346,000	13,029	3,700	N									
Phenanthrene	50	50	50	14,000	25.79	13,029	220	7.44	7.44	1,200	Y (1,2)										
Benzo(a)anthracene	50	0.002	0.002	200,000	368.4	7.44	220	7.44	7.44	1,100	Y (1,2)										
Chrysene	50	0.002	0.002	550,000	1,013	20.5	220	20.5	20.5	980	Y (1,2)										
Benzo(b)fluoranthene	50	0.002	0.002	550,000	1,013	20.5	220	20.5	20.5	1,200	Y (1,2)										
Benzo(k)fluoranthene	50	0.002	0.002	550,000	1,013	20.5	220	20.5	20.5	1,200	Y (1,2)										
Benzo(a)pyrene	50	0.2 (3)	0.02 ND	5,500,000	10,131	2,047	61.0	87.5	87.5	690	Y (1,2)										
Indeno(1,2,3-c)pyrene	50	0.002	0.002	1,600,000	2,947	59.6	14.0	14.0	14.0	310	Y (1,2)										
Dibenz(a,h)anthracene	50	0.0007	0.0007	3,300,000	6,079	43.0	14.0	14.0	14.0	630	N										
Benzo(g,h,i)perylene	50	50	50	1,600,000	2,947	1,488,997	3,000,000	3,129,000	3,129,000	560	N										
Fluorene	50	50	50	7,300	13.45	6,794	3,000,000	6,794	6,794	560	N										
Trans-1,2-dichloroethene	5	100	5	59.00	0.10668	5.49	7,000,000	1,564,000	1,564,000	5.49	ND	N									
1,1,1-Trichloroethene	50	200	5	15.20	0.02800	1.41	7,000,000	70,391,000	70,391,000	1.41	ND	N									
Carbon disulfide	50	3500	50	14.20	0.02616	13.2	8,000,000	7,821,000	7,821,000	13.2	ND	N									
1,1-Dichloroethane	5	5	5	30.00	0.05526	2.79	8,000,000	7,821,000	7,821,000	2.79	ND	N									
1,1-Dichloroethane	5	7	5	65.00	0.11973	6.05	12,000	1,060	1,060	6.05	ND	N									
Carbon tetrachloride	5	5	5	439.0	0.80864	40.9	5,400	54,800	54,800	40.9	ND	N									
Ethylbenzene	5	700	5	1,100	2.026	102.4	8,000,000	7,821,000	7,821,000	102.4	ND	N									
Xylenes	50	10,000	50	248.0	0.45682	230.8	200,000,000	156,429,000	156,429,000	230.8	ND	N									
Di-n-octylphthalate	50	50	50	3,600,000,000	6,631,200	1,000,000,000*	2,000,000	1,564,000	1,564,000	0.912	ND	N									
2-Methylphenol (o-Cresol)	50	2	2	24.50	0.04513	3.912	4,000,000	3,912,000	3,912,000	3.912	ND	N									
2,4-Dimethylphenol	50	2	2	96.00	0.17683	3.57	2,000,000	1,564,000	1,564,000	3.57	ND	N									
Heptachlor	0.4	0.4	0.04 ND	12,000	22.10	8.93	160	142	142	8.93	ND	N									
Heptachlor Epoxide	0.2	0.2	0.02 ND	220.0	0.40524	0.082	77.0	39.9	39.9	0.082	12.0	Y (1)									
Dieldrin	50	0.01 ND	0.01 ND	1,700	3.131	0.316	44.0	0.316	0.316	7.90	Y (1)										
Endrin	0.2	2 (3)	0.01 ND	1,700	3.131	0.316	200,000	23,500	23,500	0.316	ND	N									

NAVAL WEAPONS INDUSTRIAL RESERVE PLANT
 BETHPAGE, NEW YORK
 SITE 2 - RECHARGE BASINS
 FUTURE EXPOSURE SCENARIO

LEK 8/30/93

GENERAL DATA	
INFILTRATION RATE (FPT)	1.150
MIXING ZONE (F)	50
HYDRAULIC CONDUCTIVITY (CGS/SC)	0.020
HYDRAULIC CONDUCTIVITY (CFY/SF)	20.692
HYDRAULIC GRADIENT (F/F)	0.0023
TOC - IN SOIL (MG/KG)	1842
SOIL ORGANIC CARBON (KG/KG)	0.001842
SITE SPECIFIC DATA	
SITE AREA (SF)	50,000
INFILTRATION FLOW RATE (CFT)	57,500
UPPER GRADIENT (F)	220
CROSS SECTIONAL AREA (SF)	11,000
GROUNDWATER FLOW RATE (CFY)	523,511
DILUTION RATIO (CFY/CFY)	10.10

CHEMICAL SPECIFIC DATA
 MEAN BACKGROUND SOIL CONCENTRATION (MG/KG)
 STANDARD DEVIATION FOR n SAMPLES ANALYZED

	--DRINKING WATER LAWS--		GUIDELINES		TRIGGER GW CONC (ug/l)	MEAN SOIL BACKGROUND CONC (ug/kg)	STD DEVIATION ON BACKGROUND CONC (ug/kg)	95% UCL SOIL BACKGROUND CONC (ug/kg)	NEW YORK STATE SOIL ACTION LEVEL (ug/kg)	FUTURE RESIDENTIAL ON-SITE - RISK BASED REMEDIATION GOAL (Bg/kg)	MINIMUM SITE SPECIFIC SOIL ACTION LEVEL (ug/kg)	MAXIMUM SOIL CONCENTRATION AT SITE (ug/kg)	CHEMICAL OF CONCERN
	New York MCL (ug/l)	MCL (ug/l)	New York	NPDR									
Arsenic	50	50	50	50	50	2.50	0.688	3.63	80.0	23.5	23.5	13.4	N
Antimony		6 (3)	3	3	3	2.75	0.000	2.75	30.0	31.3	30.0	ND	N
Barium	2000	2000	2000	2000	2000	18.4	10.181	35.1	4,000	5,475	4,000	51.6	N
Beryllium		4 (3)	3	3	3	0.437	0.047	0.514	0.160	0.663	0.160	0.880	Y (1)
Cadmium	5	5	20	20	5	0.536	0.049	0.817	80.0	39.1	39.1	ND	N
Chromium	10	100 (4)	100 (4)	10	10	12.7	0.000	12.7	400 (5)	78,214	400	98.2	N
Copper		1000	1000	1000	1000	7.80	0.000	7.80	500	391	391	141	N
Lead		15	50	15	15	0.075	0.000	0.146	20,000	391	500	23.2	N
Manganese	300	50	600	50	50	0.075	0.043	0.146	20,000	391	391	74.7	N
Mercury	2	2	4	2	2	0.075	0.306	3.27	20.0	23.5	20.0	0.320	N
Nickel		100 (3)	2000	100	100	2.77	0.023	0.165	2,000	1,564	1,564	10.1	N
Silver	50	100	100	50	50	0.128	0.000	0.165	200	391	200	2.80	N
Vanadium		250	5000	250	250	17.9	0.000	17.9	600	548	548	87.7	N
Zinc	5000	5000	5000	5000	5000	20.0	0.000	20.0	20,000	23,464	20,000	19.2	N
Cyanide	200 (3)	400	400	200	200	1.14	0.109	1.32	2,000	1,564	1,564	3.10	N
Selenium	10	50	40	10	10	0.495	0.156	0.752	2,000	391	391	ND	N
Thallium		2 (3)	4	2	2	0.364	0.033	0.417	6.00	5.48	5.48	ND	N

---GROUNDWATER CRITERIA---

- (1) Concentration of specific contaminant exceeds action level in surface soils
- (2) Concentration of specific contaminant exceeds action level in sub-surface soils
- (3) Rule effective January 17, 1994
- (4) Trivalent Chromium, 35,000
- (5) Trivalent Chromium, 80,000

SITE 2

ANALYTICAL SUMMARIES AND MAPS




	SS700	SS600	SS900	SS1000	SS1100	SS1200	SS1300	SS1400	SS1500	SS1600	SS1700	SS1800	SS2600	SB209	SB215	SB217	SB218	SB219	SB225	SB227	SB229
VOLATILES																					
Trichloroethene																					
Tetrachloroethene																					
Chloroform	1																				
Toluene			2	6. ND	1																
ORGANIC ACIDS																					
4-Methylphenol (p-Cresol)																					
Benzoic Acid		45	40	110, 110																	
PHENOLATES																					
Bis(2-ethylhexyl) phthalate	41			69.75	130		250														
Butyl benzyl phthalate																					
Di-n-butyl phthalate																					
PESTICIDES																					
DDT				4.4 ND																	
DDD																					
DDE																					
DDE																					
Dieldrin																					
Heptachlor Epoxide																					
PCB's																					
Aroclor 1242																					
Aroclor 1248			73	75.46		2500		2200	6200	8000, 2000											
Aroclor 1254						490		580	1000												
PAK's																					
Naphthalene					210																
2-Methylnaphthalene					107																
Acenaphthene					610																
Anthracene					760																
Fluoranthene	103	44		140, 570	3500	340	104	160	510	370	12	120, 040, 1000									
Pyrene	69	40		107, 110	2500	260	80	170	320	270	34	110, 250, 250									
Benzo(a)anthracene	49			260, 71	3700	200	43	79	220	190	340	64, 350, 360									
Benzo(b)anthracene	56			260, 60	3200	150			160			500, 500									
Chrysene	63			260, 86	3100	160			220	180		64, 600, 370									
Benzo(k)fluoranthene	103			310 ND	3200	190	120		220	250		97, 630, 390									
Benzo(e)fluoranthene	77			310 ND	3200	190			220	180		78, 480, 560									
Benzo(a)pyrene				290 ND	3200	190			190	200		66, 550, 550									
Indeno(1,2,3-c)pyrene				160 ND	690				106	150		380, 360									
Dibenzo(a,h)anthracene					310																
Dibenzo(g,h)anthracene					170 ND	630															
Fluorene					560																
Dibenzofuran					330																
INORGANICS																					
Aluminum	5690	2610	1790, 12000, 11300	4390	4440	3600	3600	11500	19500	7390	3900	5040, 4940, 5070	6350	9170	2900, 2690, 1910	1600	6190	7940	5970, 7830	2050	3420, 8250
Arsenic	3.5	10	0.95	13.4, 7.5	1.8	1.6	1.3	7.4	2.9	2.7	1.6	6.7, 6.2, 6.3	1.5	2.9	3	2.7, 1.1	6.3	4.6, 3.3	3.8	10	21.1
Barium	13.8	8	4.6	31.4, 31.6	12	11.6	7.4	28.2	51.6	23.1	10.3	17.1, 19.0, 17.5	14.9	29.9	6.2	5.3, 2.5	3.1	14.0	22	15.6	13.14, 2
Beryllium									0.88												
Calcium	405	176	1020, 1010	490	130	278	1470	11900	905	108	823, 2610, 2450	80.1									
Chromium	10.5	19.5	4.2	20.2, 17.8	98.2	20.2	97.8	25.6	10.9	419	20.1	19.4, 18.4, 17.8									
Cobalt									15.2	3.3											
Copper																					
Iron	8340	5590	4830, 14200, 13400	6960	6080	6340	14660	26600	7250	4810	8150, 8760, 8370										
Magnesium	739	486	223	1360, 1240	729	771	703	1820	6060	933	484	839, 1580, 1530	1030	1560	522	279, 139	227	644	1570	645	512, 690
Manganese																					
Nickel	7.4	5		10.0, 10.1	7.1	6.5	7.4	9.9	0.22												
Potassium	433	393	294	652, 564	402	389	405	662	2070	716	275	303, 342, 316	478	644	503	333, 390	287	411	414	450	409, 377
Silver	0.33			0.29, 0.30	1.7																
Sodium	186	188	184	206, 248	209	492	225	337				1590									
Vanadium	12.6	7.3	8.8	25.3, 25.1	10.7	11	14	25.3	87.7	12.9	8	13, 4.6, 14.0									
Zinc																					
Cyanide																					

	SG202	SG203	SG204	SG205	SG206	SG207	SG208	SG209	SG210	SG211	SG213	SG214	SG215	SG216	SG217	SG218	SG219	SG220	SG221	SG222	SG225	SG226	SG227	SG228	SG229
SOIL GAS ANALYSES																									
1,1-Dichloroethane																									
1,1,1-Trichloroethane	.39 ND																								
Trichloroethane																									
Tetrachloroethane																									


LEK 8,3010
Pg 1 of 1

CLIENT NWIRP - BETHPAGE, NY		JOB NUMBER	
SUBJECT SITE 2 AREA MAP / VOA ANALYSES			
BASED ON SURFACE SOIL / SHALLOW SUB-SOIL		DRAWING NUMBER	
BY GND	CHECKED BY	APPROVED BY LEK	DATE 8/30/93




	ACTION LEVEL
TCE - TRICHLOROETHENE	11.74
PCE - TETRACHLOROETHENE	33.9
(ND = 0.5)	
TCA - 1,1,1 TRICHLOROETHANE	1.41
CHL - CHLOROFORM	5.73
TOL - TOLUENE	27.9

CLIENT NWIRP - BETHPAGE, NY		JOB NUMBER	
SUBJECT SITE 2 AREA MAP / VOA ANALYSES			
BASED ON DEEP SUB-SOILS		DRAWING NUMBER	
BY GND	CHECKED BY	APPROVED BY LEK	DATE 8/30/93




CLIENT NWIRP - BETHPAGE, NY		JOB NUMBER	
SUBJECT SITE 2 AREA MAP / PESTICIDE / PCB ANALYSES			
BASED ON SURFACE SOIL / SHALLOW SUB SOIL		DRAWING NUMBER	
BY GND	CHECKED BY	APPROVED BY LEK	DATE 8/30/93



.02
.01

CLIENT NWIRP - BETHPAGE, NY		JOB NUMBER	
SUBJECT SITE 2 AREA MAP - PAH ANALYSES + p.CRESOL			
BASED ON SURFACE SOIL SAMPLES / SHALLOW		DRAWING NUMBER SUB-SOIL SAMPLES	
BY GND	CHECKED BY	APPROVED BY LEK	DATE 8/30/93



SITE 2

SOIL GAS VS. VOC CORRELATION



CLIENT NWIRP - BETHPAGE, NY		JOB NUMBER	
SUBJECT SOIL GAS vs. VOA CORRELLATION			
BASED ON SITE 2		DRAWING NUMBER	
BY GND	CHECKED BY	APPROVED BY LEK	DATE 8/30/93

TRICHLOROETHENE	VOA ANALYSIS	SOIL-GAS ANALYSIS
20A-S	1	ND
20A-D	ND	ND
206-S	4, 2	2.2
206-D	ND	.32
215-S	32	11
215-D	ND	1.8
217-S	6	.12
217-D	ND	1.8

X COEFFICIENT = .33572

TETRACHLOROETHENE		
215-S	1	.22
215-D	ND	.27
218-S	3	ND
218-D	ND	ND
219-S	3, 9	ND
219-D	ND	ND

INSUFFICIENT SAMPLING POINTS EXCEPT FOR TRICHLOROETHENE :
USE ~~X~~ RATIOS FROM SITE 1 (RATIOS)

TETRACHLOROETHENE	-	14.76	}	.565
TRICHLOROETHENE	-	8.78		.336
1,1,1 TRICHLOROETHANE	-	28.94		1.107

LEK 8/30/93
pg 2 of 2

SITE 2
Trichloroethene
Shallow Samples Only

VOA	Soil-Gas
1	0.05
4	2.2
32	11
6	0.12

Regression Output:

Constant	0
Std Err of Y Est	1.22076
R Squared	0.944919
No. of Observations	4
Degrees of Freedom	3
X Coefficient(s)	0.33572
Std Err of Coef.	0.037198

SITE 2

**AREA OF CONTAMINATION
(FOR CAPPING ALTERNATIVES)**



CLIENT NWIRP - BETHPAGE, NY		JOB NUMBER	
SUBJECT AREA REQUIRED FOR CAPPING			
BASED ON SITE Z - CURRENT / FUTURE		DRAWING NUMBER	
BY GND	CHECKED BY	APPROVED BY LEK	DATE 8/30/93

CURRENT SCENARIO :

$$\text{AREA} = 163.0 + 7.7 + 1.0 + 3.7 + 5.8 + 12.8 + 6.7 - 1.0$$

$$\text{AREA} = 199.7 \text{ BLOCKS}$$

$$1 \text{ BLOCK} = 37.5 \times 37.5 \text{ FT} = 1406.25 \text{ FT}^2$$

$$\text{AREA} = 199.7 \times 1406.25 \text{ FT}^2 = \boxed{280,828 \text{ FT}^2}$$

FUTURE SCENARIO :

$$\text{AREA} = 163.0 + 1.0 + 7.7 + 3.7 + 12.8$$

$$\text{AREA} = 188.2 \text{ BLOCKS}$$

$$1 \text{ BLOCK} = 37.5 \text{ FT} \times 37.5 \text{ FT} = 1406.25 \text{ FT}^2$$

$$\text{AREA} = 188.2 \times 1406.25 \text{ FT}^2 = \boxed{264,656 \text{ FT}^2}$$

LEK 8/30/93
 TG 20F3





FIGURE 2-3

— DENOTES CAPPED AREA
 SITE 2 - CURRENT INDUSTRIAL USE SCENARIO
 NWIRP, BETHPAGE, NEW YORK



HALLIBURTON NUS
 Environmental Corporation


LEK 8/30/93
pg 3 of 3




LEGEND
 [Diagonal Hatching] VOCs > ACTION LEVELS; RANGES TO 7 FT. DEPTH
 [Diagonal Hatching] OTHER METALS AND INORGANICS > ACTION LEVELS RANGES TO 7 FT. DEPTH
 [Dotted Pattern] PCBs > 10 ppm < 50 ppm; TO 7 FT. DEPTH



FIGURE 2--4



SITE 2
SOIL VOLUME CALCULATIONS



CLIENT NWIRP - BETHPAGE, NY		JOB NUMBER	
SUBJECT SITE Z - CONTAMINATED SOIL VOLUME CALCULATIONS			
BASED ON VOA'S (CURRENT & FUTURE SCENARIOS)		DRAWING NUMBER	
BY GND	CHECKED BY	APPROVED BY LEK	DATE 8/30/93


① FOR SHALLOW SUB-SOILS : 0 TO 7 FT. DEPTH

BASED ON TRICHLOROETHENE CONTAMINATION


$$\text{Area} = 8.6 \times 1406.25 \text{ FT}^2 \times \frac{1 \text{ YD}^2}{9 \text{ FT}^2} = 1343.8 \text{ YD}^2$$

$$\text{Volume} = 1344 \text{ YD}^2 \times 7 \text{ FT} \times \frac{1 \text{ YD}}{3 \text{ FT}} = \boxed{3135 \text{ CY}}$$

CLIENT NWIRP - BETHPAGE, NY		JOB NUMBER	
SUBJECT SITE 2 AREA MAP - VOA'S (CURRENT & FUTURE SCENARIOS)			
BASED ON SHALLOW SUB-SOILS		DRAWING NUMBER	
BY GND	CHECKED BY	APPROVED BY LEK	DATE 8/30/93



CLIENT NWIRP - BETHPAGE, NY		JOB NUMBER	
SUBJECT SITE 2 AREA MAP / VOA'S (CURRENT & FUTURE SCENARIO)			
BASED ON Surface SHALLOW SUB-SOILS		DRAWING NUMBER	
BY GND	CHECKED BY	APPROVED BY LEK	DATE 8/30/93



CLIENT NWIRP - BETHPAGE, NY		JOB NUMBER	
SUBJECT SITE 2 - CONTAMINATED SOIL VOLUME CALCULATIONS			
BASED ON CURRENT SCENARIO EXCEPT VOA'S		DRAWING NUMBER	
BY GND	CHECKED BY	APPROVED BY LEK	DATE 8/30/93

① SURFACE SOILS : FOR ARSENIC , PAH'S , AND DIELDRIN REMOVAL

DEPTH 0 to 1 FT.

$$AREA = (142.9 + 5.8 + 12.8 + 10.4) \times 1406.25 \text{ FT}^2 \times \frac{1 \text{ YD}^2}{9 \text{ FT}^2} = 26,859 \text{ YD}^2$$

$$VOLUME = 26,859 \text{ YD}^2 \times 1 \text{ FT} \times \frac{1 \text{ YD}}{3 \text{ FT}} = \boxed{8953 \text{ CY}}$$

② SURFACE SOIL / SHALLOW SUB-SOIL : FOR ARSENIC REMOVAL

DEPTHS : 0 TO 7 FT.

$$AREA = 6.4 \times 1406.25 \text{ FT}^2 \times \frac{1 \text{ YD}^2}{9 \text{ FT}^2} = 1000 \text{ YD}^2$$

$$VOLUME = 1000 \text{ YD}^2 \times 7 \text{ FT} \times \frac{1 \text{ YD}}{3 \text{ FT}} = \boxed{2333 \text{ CY}}$$

③ SHALLOW SUB-SOIL : FOR ARSENIC REMOVAL

DEPTH : 1 TO 7 FT.

$$AREA = 7.4 \times 1406.25 \text{ FT}^2 \times \frac{1 \text{ YD}^2}{9 \text{ FT}^2} = 1156.3 \text{ YD}^2$$

$$VOLUME = 1156 \text{ YD}^2 \times (7-1) \text{ FT} \times \frac{1 \text{ YD}}{3 \text{ FT}} = \boxed{2313 \text{ CY}}$$

CLIENT NWIRP - BETHPAGE, NY		JOB NUMBER	
SUBJECT SITE 2 - CONTAMINATED SOIL VOLUME CALCULATIONS			
BASED ON CURRENT SCENARIO EXCEPT VOA'S.		DRAWING NUMBER	
BY GND	CHECKED BY	APPROVED BY LEK	DATE 8/30/93

④ SURFACE SOIL / SHALLOW SUB-SOIL: FOR PAH REMOVAL

DEPTH : 0 TO $\frac{7}{8}$ FT.

$$\text{AREA} = 20.0 \times 1406.25 \text{ FT}^2 \times \frac{7}{9 \text{ FT}^2} = 3125 \text{ YD}^2$$

$$\text{VOLUME} = 3125 \text{ YD}^2 \times \frac{7}{8} \text{ FT} \times \frac{1 \text{ YD}}{3 \text{ FT}} = \boxed{5208 \text{ CY}}$$

⑤ SHALLOW SUB-SOIL: FOR PAH REMOVAL

DEPTH : 1 TO $\frac{7}{8}$ FT.

$$\text{AREA} = (63.7 - 20.0) \times 1406.25 \text{ FT}^2 \times \frac{7}{9 \text{ FT}^2} = 6828 \text{ YD}^2$$

$$\text{VOLUME} = 6828 \text{ YD}^2 \times \frac{7-1}{5-1} \text{ FT} \times \frac{1 \text{ YD}}{3 \text{ FT}} = \boxed{9104 \text{ CY}}$$


⑤A PCB PORTION OF $\frac{13,656 \text{ CY}}{9104 \text{ CY}}$






$$\text{AREA} = 7.1 \times 1406.25 \text{ FT}^2 \times \frac{7}{9 \text{ FT}^2} = 1109 \text{ YD}^2$$

$$\text{VOLUME} = 1109 \text{ YD}^2 \times \frac{7-1}{5-1} \text{ FT} \times \frac{1 \text{ YD}}{3 \text{ FT}} = \underline{\underline{2218 \text{ CY}}}$$


CLIENT NWIRP - BETHPAGE, NY		JOB NUMBER	
SUBJECT SITE 2 AREA MAP - ARSENIC, PCB'S, PAH'S, DIELDRIN (CURRENT)			
BASED ON SURFACE SOILS / SHALLOW SUB-SOILS		DRAWING NUMBER	
BY GND	CHECKED BY	APPROVED BY LEK	DATE 8/30/93

Volume
910A CY 13,656 CY
5208 CY 7,292 CY




- 
 SURFACE SOILS (0'-1') FOR PAH'S, ARSENIC, & DIELDRIN
 8953 CY
- 
 SHALLOW SUB-SOIL (1'-7') FOR ARSENIC
 2313 CY
- 
 SHALLOW SUB-SOIL (0'-7') FOR ARSENIC
 2333 CY
- 
 SHALLOW SUB-SOIL (1'-8') FOR PAH & PCB
 7
- 
 SHALLOW SUB-SOIL (0'-8') FOR PAH'S
 7


CLIENT NWIRP - BETHPAGE, NY	JOB NUMBER	
SUBJECT SITE 2 AREA MAP - PAH's (CURRENT & FUTURE SCENARIOS)	DRAWING NUMBER	
BASED ON SURFACE SOILS	APPROVED BY LEK	
BY GND	CHECKED BY	DATE 8/30/93




CLIENT NWIRP - BETHPAGE, NY		JOB NUMBER	
SUBJECT SITE 2 AREA MAP - ARSENIC / BERYLLIUM (CURRENT SCENARIO)			
BASED ON SURFACE SOILS		DRAWING NUMBER	
BY GND	CHECKED BY	APPROVED BY LEK	DATE 8/30/93




CLIENT NWIRP - BETHPAGE, NY		JOB NUMBER	
SUBJECT SITE 2 AREA MAP - PESTICIDES / PCB'S (CURRENT SCENARIO)			
BASED ON SURFACE SOILS		DRAWING NUMBER	
BY GND	CHECKED BY	APPROVED BY LEK	DATE 8/30/93




CLIENT NWIRP - BETHPAGE, NY		JOB NUMBER	
SUBJECT SITE 2 AREA MAP - ARSENIC (CURRENT SCENARIO)			
BASED ON SHALLOW SUB-SOILS		DRAWING NUMBER	
BY GND	CHECKED BY	APPROVED BY LEK	DATE 8/30/93




CLIENT NWIRP - BETHPAGE, NY		JOB NUMBER	
SUBJECT SITE 2 AREA MAP - PESTICIDES / PCB'S (CURRENT SCENARIO)			
BASED ON SHALLOW SUB-SOILS		DRAWING NUMBER	
BY CND	CHECKED BY	APPROVED BY LEK	DATE 8/30/97



CLIENT NWIRP - BETHPAGE, NY		JOB NUMBER	
SUBJECT SITE 2 AREA MAP - PAH'S (CURRENT & FUTURE SCENARIOS)			
BASED ON SHALLOW SUB-SOILS		DRAWING NUMBER	
BY GND	CHECKED BY	APPROVED BY LEK	DATE 8/30/93



CLIENT NWIRP - BETHPAGE, NY		JOB NUMBER	
SUBJECT SITE 2 AREA MAP - PESTICIDES / PCB'S (CURRENT SCENARIO)			
BASED ON SEDIMENTS (NOT INCLUDED IN SOIL VOLUME CALCULATIONS)		DRAWING NUMBER	
BY GND	CHECKED BY	APPROVED BY LEK	DATE 8/30/93



CLIENT NWIRP - BETHPAGE, NY		JOB NUMBER	
SUBJECT SITE 2 - CONTAMINATED SOIL VOLUME CALCULATIONS			
BASED ON FUTURE SCENARIO EXCEPT VOA'S		DRAWING NUMBER	
BY CND	CHECKED BY	APPROVED BY LEK	DATE 8/30/93

① SURFACE SOILS : FOR BERYLLIUM, PAH'S, PCB'S AND DIELDRIN REMOVAL.

DEPTH : 0 TO 1 FT.

$$\text{AREA} = (142.9 + 12.8 + 11.4) \times 1406.25 \text{ FT}^2 \times \frac{1 \text{ YD}^2}{9 \text{ FT}^2} = 26,109 \text{ YD}^2$$

$$\text{VOLUME} = 26,109 \text{ YD}^2 \times 1 \text{ FT} \times \frac{1 \text{ YD}}{3 \text{ FT}} = \boxed{8703 \text{ CY}}$$

② SURFACE SOIL / SHALLOW SUB-SOIL : FOR PAH REMOVAL

DEPTH : 0 TO $\frac{7}{8}$ FT

$$\text{AREA} = 20.0 \times 1406.25 \text{ FT}^2 \times \frac{1 \text{ YD}^2}{9 \text{ FT}^2} = 3125 \text{ YD}^2$$

$$\text{VOLUME} = 3125 \text{ YD}^2 \times 5 \text{ FT} \times \frac{1 \text{ YD}}{3 \text{ FT}} = \boxed{5208 \text{ CY}}$$

③ SHALLOW SUB SOIL : FOR PAH & PCB REMOVAL

DEPTH : 1 TO $\frac{7}{8}$ FT

$$\text{AREA} = (54.2 + 2.5) \times 1406.25 \text{ FT}^2 \times \frac{1 \text{ YD}^2}{9 \text{ FT}^2} = 8859 \text{ YD}^2$$


$$\text{VOLUME} = 8859 \text{ YD}^2 \times \left(\frac{7}{8} - 1\right) \text{ FT} \times \frac{1 \text{ YD}}{3 \text{ FT}} = \boxed{11,813 \text{ CY}}$$

③A PCB PORTION OF $\frac{11,813 \text{ CY}}{17,718}$




$$\text{AREA} = (31.3 + 2.5) \times 1406.25 \text{ FT}^2 \times \frac{1 \text{ YD}^2}{9 \text{ FT}^2} = 5281 \text{ YD}^2$$

$$\text{VOLUME} = 5281 \text{ YD}^2 \times (5 - 1) \text{ FT} \times \frac{1 \text{ YD}}{3 \text{ FT}} = \underline{\underline{7042 \text{ CY}}}$$


CLIENT NWIRP - BETHPAGE, NY		JOB NUMBER	
SUBJECT SITE 2 AREA MAP - BERYLLIUM, PCB'S, PAH'S, DIELDRIN (FUTURE)			
BASED ON SURFACE SOILS / SHALLOW SUB-SOILS		DRAWING NUMBER	
BY GND	CHECKED BY	APPROVED BY LEK	DATE 8/30/93




VOLUME 0-1 **8703 CY**
 1-5 **14,813 CY 17,718 CY**
 5208 CY 7,292 CY

 SURFACE SOILS (0'-1') FOR PCB'S, DIELDRIN, PAH'S & BERYLLIUM
 SHALLOW SUB-SOILS (1'-5') FOR PCB'S AND PAH'S
 SHALLOW SUB-SOILS (0'-5') FOR PAH'S.


CLIENT NWIRP - BETHPAGE, NY		JOB NUMBER	
SUBJECT SITE 2 AREA MAP - PAH's (CURRENT & FUTURE SCENARIOS)			
BASED ON SURFACE SOILS		DRAWING NUMBER	
BY GND	CHECKED BY	APPROVED BY LEK	DATE 8/30/93




CLIENT NWIRP - BETHPAGE, NY		JOB NUMBER	
SUBJECT SITE 2 AREA MAP - BERYLLIUM (FUTURE SCENARIO)			
BASED ON SURFACE SOILS		DRAWING NUMBER	
BY CND	CHECKED BY	APPROVED BY LEK	DATE 8/30/93




CLIENT NWIRP - BETHPAGE, NY		JOB NUMBER	
SUBJECT SITE 2 AREA MAP - PESTICIDES / PCB'S (FUTURE SCENARIO)			
BASED ON SURFACE SOILS		DRAWING NUMBER	
BY GND	CHECKED BY	APPROVED BY LEK	DATE 8/30/93




CLIENT NWIRP - BETHPAGE, NY		JOB NUMBER	
SUBJECT SITE 2 AREA MAP - PESTICIDES / PCB'S (FUTURE SCENARIO)			
BASED ON SHALLOW SUB-SOILS		DRAWING NUMBER	
BY CND	CHECKED BY	APPROVED BY LEK	DATE 8/30/93



CLIENT NWIRP - BETHPAGE, NY		JOB NUMBER	
SUBJECT SITE 2 AREA MAP - PAH'S (CURRENT & FUTURE SCENARIOS)			
BASED ON SHALLOW SUB-SOILS		DRAWING NUMBER	
BY GND	CHECKED BY	APPROVED BY LEK	DATE 8/30/93



CLIENT NWIRP - BETHPAGE, NY		JOB NUMBER	
SUBJECT SITE 2 AREA MAP - PESTICIDES / PCB'S (FUTURE SCENARIO)			
BASED ON SEDIMENTS (NOT INCLUDED IN SOIL		DRAWING NUMBER VOLUME CALCULATIONS)	
BY GND	CHECKED BY	APPROVED BY	DATE



CLIENT NWIRP - BETHPAGE, NY		JOB NUMBER	
SUBJECT SITE Z - PCB CONTAMINATED SOIL VOLUME CALCULATIONS			
BASED ON SURFACE SOIL / SHALLOW SUB-SOIL		DRAWING NUMBER	
BY GND	CHECKED BY	APPROVED BY LEK	DATE 8/30/93

① PCBs BETWEEN 10,000 $\mu\text{g}/\text{kg}$ AND 50,000 $\mu\text{g}/\text{kg}$

Ⓐ SHALLOW SUB SOILS (0-7 FT DEPTH)

$$\text{AREA} = 7.1 \times 1406.25 \text{ FT}^2 \times \frac{70^2}{9 \text{ FT}^2} = 1109 \text{ YD}^2$$

$$\text{VOLUME} = 1109 \text{ YD}^2 \times 7 \text{ FT} \times \frac{70}{3 \text{ FT}} = \boxed{2589 \text{ CY}}$$

② PCBs BETWEEN 1000 $\mu\text{g}/\text{kg}$ AND 10,000 $\mu\text{g}/\text{kg}$

Ⓐ SHALLOW SUB SOILS (0-7 FT DEPTH)

$$\text{AREA}_1 = (31.3 - 7.1) \times 1406.25 \text{ FT}^2 \times \frac{70^2}{9 \text{ FT}^2} = 3781 \text{ YD}^2$$

$$\text{VOLUME}_1 = 3781 \text{ YD}^2 \times 7 \text{ FT} \times \frac{70}{3 \text{ FT}} = \underline{8823 \text{ CY}}$$

$$\text{AREA}_2 = 2.5 \times 1406.25 \text{ FT}^2 \times \frac{70^2}{9 \text{ FT}^2} = 391 \text{ YD}^2$$

$$\text{VOLUME}_2 = 391 \text{ YD}^2 \times 7 \text{ FT} \times \frac{70}{3 \text{ FT}} = \underline{911 \text{ CY}}$$

$$\text{TOTAL VOLUME} = 8823 + 911 = \boxed{9734 \text{ CY}}$$

Ⓑ SURFACE SOILS (0-1 FT DEPTH)

$$\text{AREA}_1 = (22.6 - 12.6) \times 1406.25 \text{ FT}^2 \times \frac{70^2}{9 \text{ FT}^2} = 1562 \text{ YD}^2$$

$$\text{VOLUME}_1 = 1562 \text{ YD}^2 \times 1 \text{ FT} \times \frac{70}{3 \text{ FT}} = \underline{521 \text{ CY}}$$

$$\text{AREA}_2 = 7.7 \times 1406.25 \text{ FT}^2 \times \frac{70^2}{9 \text{ FT}^2} = 1203 \text{ YD}^2$$

$$\text{VOLUME}_2 = 1203 \text{ YD}^2 \times 1 \text{ FT} \times \frac{70}{3 \text{ FT}} = \underline{401 \text{ CY}}$$

CLIENT NWIRP - BETHPAGE, NY		JOB NUMBER	
SUBJECT SITE 2 - PCB CONTAMINATED SOIL VOLUME CALCULATIONS			
BASED ON SURFACE SOIL / SHALLOW SUB-SOIL		DRAWING NUMBER	
BY GND	CHECKED BY	APPROVED BY LEK	DATE 8/30/93


Ⓑ SURFACE SOILS (CONT)

$$\text{TOTAL VOLUME} = 521 + 401 = \boxed{922 \text{ CY}}$$


TOTAL VOLUME OF PCB CONTAMINATED SOIL BETWEEN
1000 µg/kg AND 10,000 µg/kg :

$$V = 9734 \text{ CY} + 922 \text{ CY} = \underline{\underline{10,656 \text{ CY}}}$$

CLIENT NWIRP - BETHPAGE, NY		JOB NUMBER	
SUBJECT SITE 2 AREA MAP - PESTICIDES / PCB'S (FUTURE SCENARIO)			
BASED ON SURFACE SOILS		DRAWING NUMBER	
BY GND	CHECKED BY	APPROVED BY LEK	DATE 8/30/93



CLIENT NWIRP - BETHPAGE, NY		JOB NUMBER	
SUBJECT SITE 2 AREA MAP - PESTICIDES / PCB's (FUTURE SCENARIO)			
BASED ON SURFACE SOILS		DRAWING NUMBER	
BY GND	CHECKED BY	APPROVED BY LEK	DATE 8/30/93



SURFACE SOILS

PCBs (1000-10,000)

A = 22.6 + 7.7

A = 30.3

CLIENT **NWIRP - BETHPAGE, NY**

JOB NUMBER

SUBJECT **SITE Z AREA MAP - PESTICIDES / PCB'S (FUTURE SCENARIO)**

BASED ON **SHALLOW SUB-SOILS**


DRAWING NUMBER

BY **GND**

CHECKED BY

APPROVED BY **LEK**

DATE **8/30/93**




SHALLOW SUB SOILS

PCBs (10,000 - 50,000) A₁ = 7.1


PCBs (1,000 - 10,000) A₂ = (31.3 - 7.1) + 2.5

A₂ = 26.7

CLIENT NWIRP - BETHPAGE, NY		JOB NUMBER	
SUBJECT SITE Z AREA MAP - PESTICIDES / PCB'S (FUTURE SCENARIO)			
BASED ON SEDIMENTS		DRAWING NUMBER	
BY GND	CHECKED BY	APPROVED BY LEK	DATE 8/30/93




CLIENT		JOB NUMBER	
SUBJECT SITE 2 - VOA OVERLAP W/ METALS & OTHER ORGANICS			
BASED ON CURRENT & FUTURE SCENARIOS		DRAWING NUMBER (SURFACE SOILS)	
BY	CHECKED BY	APPROVED BY LER	DATE 8/30/93



DUPLICATE VOLUMES SURFACE SOILS
 DUPLICATE AREA = 8.6
 DEPTH = 1 FT.
 DUPLICATE VOLUME = 448.64

150' 0'


CLIENT		JOB NUMBER	
SUBJECT SITE 2 - VOA OVERLAP W/ METALS & OTHER ORGANICS			
BASED ON CURRENT & FUTURE SCENARIOS		DRAWING NUMBER (SHALLOW SUBSOILS)	
BY	CHECKED BY	APPROVED BY LEK	DATE 8/30/93



SHALLOW SUB-SOILS
 DUPLICATE VOLUMES
 DUPLICATE AREA = 2.6
 DEPTH = 1-7 FT.
 DUPLICATE VOLUME = 812 CY



SITE 3
SOIL CALCULATIONS



SITE 3
SOIL ACTION LEVELS



NAVAL WEAPONS INDUSTRIAL RESERVE PLANT
 BETHPAGE, NEW YORK
 SITE 3 - SALVAGE STORAGE AREA
 CURRENT EXPOSURE SCENARIO

LEK 8/30/93

GENERAL DATA	
INFILTRATION RATE (FPY)	1.150
MIXING ZONE (F)	50
HYDRAULIC CONDUCTIVITY (CGS/SC)	0.020
HYDRAULIC CONDUCTIVITY (CFY/SF)	20,692
HYDRAULIC GRADIENT (F/F)	0.0023
TOC - IN SOIL (MG/KG)	1842
SOIL ORGANIC CARBON (KG/KG)	0.001842
SITE SPECIFIC DATA	
SITE AREA (SF)	60,000
INFILTRATION FLOW RATE (CFY)	69,000
UPPER GRADIENT (F)	220
CROSS SECTIONAL AREA (SF)	11,000
GROUNDWATER FLOW RATE (CFY)	523,511
DILUTION RATIO (CFY/CFY)	8.59
CHEMICAL SPECIFIC DATA	
ORG CARBON PARTITION COEFFICIENT-see K oc	
DISTRIBUTION COEFFICIENT - see K d	

* Risk based PRG is greater than pure product (1,000,000,000 ug/kg)
 ** Risk based carcinogenic PRG based on target cancer risk of 1E-6 rather than 1E-4 was not used
 (1) Concentration of specific contaminant exceeds action level in surface soils
 (2) Concentration of specific contaminant exceeds action level in sub-surface soils
 (3) Rule effective January 17, 1994
 ND Not detectable - NPDWR detection limits used

CHEMICAL	--GROUNDWATER CRITERIA--				SITE 3				CHEMICAL OF CONCERN
	NEW YORK MCL (ug/l)	NPDMR MCL (ug/l)	TRIGGER GW CONC (ug/l)	K oc (ug/kg)/(ug/l)	K d (ug/kg)/(ug/l)	NEW YORK STATE SOIL ACTION LEVEL (ug/kg)	CURRENT INDUSTRIAL LAND USE - RISK BASED REMEDIATION GOAL (ug/kg)	MINIMUM SITE SPECIFIC SOIL ACTION LEVEL (ug/kg)	
Trichloroethene	5	5	5	126.2	0.23246	64,000	527,000	9.98	4.00
Tetrachloroethene	5	5	5	364.0	0.67049	14,000	112,000	28.8	55.0
Chloroform	50	1000	7	48.00	0.08105	110,000	29.0	4.87	ND
Toluene	5	5	5	300.0	0.55260	20,000,000	3,435,000	23.7	22.0
4-Methylphenol (p-Cresol)	50	5	1	24.30	0.04476	4,000,000	102,000,000	0.384	ND
Bis(2-chloroethyl) ether	50	50	1	13.90	0.02560	640	24.0	0.220	360
DDE	50	50	1	3,900,000	7.184	2,100	14,000	2,100	9.10
DDD	50	50	1	770,000	1.418	2,900	24,200	1,218	ND
DDE	50	50	0.05 ND	4,400,000	8.105	2,100	17,100	2,100	6.90
Chlordane	2	2	0.1	140,000	257.9	540	3,650	221	110
Total PCB #	0.5	0.5	0.1			10,000	733**	10,000	830
Bis(2-ethylhexyl) phthalate	50	4 (3)	4	2,000,000,000	3,684,000	126,540,207	414,000	414,000	2,400
Butyl benzyl phthalate	50	50	50	170,000	313.1	134,449	408,000,000	134,449	660
Di-n-butyl phthalate	50	770	770	170,000	313.1	2,070,514	204,000,000	2,070,514	340
Dimethyl phthalate	50	50	50	17.40	0.01205	80,000,000	1,000,000,000*	13.8	190
Naphthalene	50	10	10	940.0	1.731	300,000	81,600,000	149	61.0
2-Methylnaphthalene	50	50	50	5,800	10.68	5,000,000	40,800,000	40,800,000	54.0
Acenaphthene	50	20	20	4,600	8.473	1,455	122,400,000	1,455	270
Acenaphthylene	50	50	50	2,500	4.605				150
Anthracene	50	50	50	14,000	25.79	11,072	612,000,000	11,072	610
Fluoranthene	50	50	50	38,000	70.00	30,053	81,600,000	30,053	1,800
Pyrene	50	50	50	38,000	70.00	2,000,000	61,200,000	30,053	2,500
Phenanthrene	50	50	50	14,000	25.79	11,072		11,072	1,090
Benzo(a)anthracene	50	0.002	0.002	200,000	368.4	6.33		6.33	880
Chrysenes	50	0.002	0.002	550,000	1,013	17.4		17.4	1,060
Benzo(b)fluoranthene	50	0.002	0.002	550,000	1,013	17.4		17.4	1,200
Benzo(k)fluoranthene	50	0.002	0.002	550,000	1,013	17.4		17.4	1,200
Benzo(e)pyrene	50	0.02 ND	0.02 ND	5,500,000	10.131	61.0	670	61.0	1,300
Indeno(1,2,3-c)pyrene	50	0.002	0.002	1,600,000	2,947	50.6		50.6	920
Dibenz(a,h)anthracene	50	0.007	0.007	3,300,000	6,079	36.5		36.5	ND
Benzo(g,h,i)perylene	50	50	50	1,600,000	2,947	1,265,402		1,265,402	180
Fluorene	50	50	50	7,300	13.45	3,000,000	81,600,000	5,773	980
Trans-1,2-dichloroethene	5	100	5	59.00	0.10868	4.67	40,800,000	4.67	ND
1,1,1-trichloroethane	5	200	5	15.20	0.02800	7,000,000	37,000	1.20	ND
Carbon disulfide	50	3500	50	14.20	0.02616	8,000,000	310	11.2	1.00
1,1-Dichloroethane	5	5	5	30.00	0.05526	8,000,000	204,000,000	2.37	ND
1,1-Dichloroethene	5	7	5	65.00	0.11973	12,000	9.070	5.14	ND
Carbon tetrachloride	5	5	5	439.0	0.80864	5,400	56.0	34.7	ND
Ethylbenzene	5	700	5	1,100	2.026	8,000,000	218,000	87.0	ND
Xylenes	50	10,000	50	248.0	0.45682	200,000,000	30,400	196	ND
Di-n-octylphthalate	50	50	50	3,600,000,000	6,631,200	2,000,000	40,800,000	2,000,000	ND
2-Methylphenol (o-Cresol)	50	2	2	24.50	0.04513	4,000,000	102,000,000	0.775	ND
2,4-Dimethylphenol	50	2	2	95.00	0.17683	2,000,000	40,800,000	3.04	ND
Heptachlor	0.4	0.4	0.04 ND	12,000	22.10	160	1050	7.59	17.0
Heptachlor Epoxide	0.2	0.2	0.02 ND	220.0	0.40524	44.0	232	0.070	ND
Dieldrin	50	50	0.01 ND	1,700	3.131	77.0	577	0.269	5.00
Endrin	0.2	2 (3)	0.01 ND	1,700	3.131	200,000	612,000	0.269	ND

NAVAL WEAPONS INDUSTRIAL RESERVE PLANT
 BETHPAGE, NEW YORK
 SITE 3 - SALVAGE STORAGE AREA
 CURRENT EXPOSURE SCENARIO

LEK 8/30/93

GENERAL DATA	
INFILTRATION RATE (FPY)	1.150
MIXING ZONE (F)	50
HYDRAULIC CONDUCTIVITY (CCS/SC)	0.020
HYDRAULIC CONDUCTIVITY (CFY/SF)	20,692
HYDRAULIC GRADIENT (F/F)	0.0023
TOC - IN SOIL (MG/KG)	1842
SOIL ORGANIC CARBON (KG/KG)	0.001842
SITE SPECIFIC DATA	
SITE AREA (SF)	60,000
INFILTRATION FLOW RATE (CFY)	69,000
UPPER GRADIENT (F)	220
CROSS SECTIONAL AREA (SF)	11,000
GROUNDWATER FLOW RATE (CFY)	523,511
DILUTION RATIO (CFY/CFY)	8.59

CHEMICAL SPECIFIC DATA
 MEAN BACKGROUND SOIL CONCENTRATION (MG/KG)
 STANDARD DEVIATION FOR n SAMPLES ANALYZED

	---GROUNDWATER CRITERIA---				MEAN SOIL BACKGROUND CONC (ug/kg)	STD DEVIATION ON BACKGROUND CONC (ug/kg)	95% DCL SOIL BACKGROUND CONC (ug/kg)	NEW YORK STATE SOIL ACTION LEVEL (ug/kg)	CURRENT INDUSTRIAL LAND USE - RISK BASED REMEDIATION GOAL (ug/kg)	MINIMUM SITE SPECIFIC SOIL ACTION LEVEL (ug/kg)	MAXIMUM SOIL CONCENTRATION AT SITE (ug/kg)	CHEMICAL OF CONCERN
	New York MCL (ug/l)	NPDES MCL (ug/l)	GUIDELINES New York CONC (ug/l)	TRIGGER GW CONC (ug/l)								
Arsenic	50	50	50	50	2.50	0.688	3.63	80.0	5.38	5.38	56.8	Y (1)
Antimony		6 (3)	3	3	2.75	0.000	2.75	30.0	816	30.0	6.60	N
Barium	2000	2000	2000	2000	18.4	10.181	35.1	4,000	142	142	107	N
Beryllium		4 (3)	3	3	0.437	0.047	0.514	0.160	1.46	0.160	1.50	Y (1)
Cadmium	5	5	20	5	0.536	0.049	0.617	80.0	4.79	4.79	ND	N
Chromium	10	100	100 (4)	10	12.7	0.000	12.7	400 (5)		400	637	N (6)
Copper		1000	1000	1000	7.80	0.000	7.80	500	75,480	75,480	400	N
Lead		15	50	15	7.80	0.000	7.80	500		500	12.0	N
Manganese	300	50	600	50	167	0.000	167	20,000	142	142	267	Y (2)
Mercury	2	2	4	2	0.075	0.043	0.146	20.0	127	20.0	0.500	N
Nickel		100 (3)	2000	100	2.77	0.306	3.27	2,000	34.5	34.5	ND	N
Silver	50	100	100	50	0.128	0.023	0.165	200	10,200	200	ND	N
Vanadium		250	250	250	17.9	0.000	17.9	600	14,280	600	150	N
Zinc	5000	5000	5000	5000	20.0	0.000	20.0	20,000	612,000	20,000	20.0	N
Cyanide		200 (3)	400	200	1.14	0.109	1.32	2,000	40,800	2,000	4.20	N
Selenium	10	50	40	10	0.495	0.156	0.752	6.00	10,200	10,200	1.00	N
Thallium		2 (3)	4	2	0.364	0.033	0.417	6.00	143	6.00	ND	N

- (1) Concentration of specific contaminant exceeds action level in surface soils
- (2) Concentration of specific contaminant exceeds action level in sub-surface soils
- (3) Rule effective January 17, 1994
- (4) Trivalent Chromium, 35,000
- (5) Trivalent Chromium, 80,000
- (6) Result is believed to be trivalent chromium...analysis will be performed to verify this

NAVAL WEAPONS INDUSTRIAL RESERVE PLANT
 BETHPAGE, NEW YORK
 SITE 3 - SALVAGE STORAGE AREA
 FUTURE EXPOSURE SCENARIO

GENERAL DATA	
INFILTRATION RATE (FPY)	1.150
MIXING ZONE (F)	50
HYDRAULIC CONDUCTIVITY (CCS/SC)	0.020
HYDRAULIC CONDUCTIVITY (CFY/SP)	20.692
HYDRAULIC GRADIENT (F/F)	0.0023
TOC - IN SOIL (MG/KG)	1842
SOIL ORGANIC CARBON (KG/KG)	0.001842
SITE SPECIFIC DATA	
SITE AREA (SF)	60,000
INFILTRATION FLOW RATE (CFY)	69,000
UPPER GRADIENT (F)	220
CROSS SECTIONAL AREA (SF)	11,000
GROUNDWATER FLOW RATE (CFY)	523,511
DILUTION RATIO (CFY/CFY)	8.59

* Risk based PRG is greater than pure product (1,000,000,000 ug/kg)
 ** Risk based carcinogenic PRG based on target cancer risk of 1E-6 rather than 1E-4 was not used
 (1) Concentration of specific contaminant exceeds action level in surface soils
 (2) Concentration of specific contaminant exceeds action level in sub-surface soils
 (3) Rule effective January 17, 1994
 ND Not detectable - NPDMR detection limits used

CHEMICAL	--DRINKING WATER LAWS--		GUIDELINES		TRIGGER GW CONC (ug/l)	K oc (ug/kg)/(ug/l)	K d (ug/kg)/(ug/d)	OM PROTECTION SOIL ACTION LEVEL (ug/kg)	NEW YORK STATE SOIL ACTION LEVEL (ug/kg)	FUTURE RESIDENTIAL ON-SITE - RISK BASED REMEDIATION GOAL (ug/kg)	MINIMUM SITE SPECIFIC SOIL ACTION LEVEL (ug/kg)	MAXIMUM SOIL CONCENTRATION AT SITE (ug/kg)	CHEMICAL OF CONCERN
	New York MCL (ug/l)	NPDMR MCL (ug/l)	New York CONC (ug/l)	CONC (ug/l)									
Trichloroethene	5	5	10	126.2	5	0.23246	9.98	64,000	58,100	9.98	4.00	N	
Tetrachloroethene	5	5	5	364.0	5	0.67049	28.8	14,000	12,300	28.8	55.0	Y (2)	
Chloroform	50	50	7	44.00	7	0.08105	4.87	110,000	105,000	4.87	ND	N	
Toluene	5	1000	5	300.0	5	0.55260	23.7	20,000,000	15,643,000	23.7	22.0	N	
4-Methylphenol (p-Cresol)	50	1	1	24.30	1	0.04476	0.384	4,000,000	3,911,000	0.384	ND	N	
Big(2-chloroethyl) ether	50	1	1	13.90	1	0.02560	0.220	640	581	0.220	360	Y (1)	
DDE	50	0.1 ND	0.1 ND	3,900,000	0.1 ND	7,184	6,169	2,100	1,880	1,880	9.10	N	
DDD	50	0.1 ND	0.1 ND	770,000	0.1 ND	1,418	1,218	2,900	2,660	1,218	ND	N	
DDE	50	0.05 ND	0.05 ND	4,400,000	0.05 ND	8,105	3,480	2,100	1,880	1,880	6.90	N	
Chlordane	2	2	0.1	140,000	0.1	257.9	221	540	491	221	110	N	
Total PCB's	0.5	0.5	0.1	2,000,000	0.1	3,684,000	126,540,207	1,000	83.0**	1,000	830	N	
Blis(2-ethylhexyl) phthalate	50	4 (3)	4200	170,000	4	313.1	134,449	20,000,000	15,643,000	45,600	2,400	N	
Butyl benyl phthalate	50	50	770	170,000	50	2,070,514	2,070,514	8,000,000	7,821,000	134,449	560	N	
Di-n-butyl phthalate	50	50	17.40	0.03205	50	13.8	782,143,000	80,000,000	3,129,000	2,070,514	340	N	
Dimehyl phthalate	50	10	940.0	1.731	10	149	3,129,000	300,000	1,564,000	13.8	190	Y (1)	
Naphthalene	50	50	5,800	10.68	50	1,455	1,564,000	5,000,000	4,693,000	1,564,000	54.0	N	
2-Methylnaphthalene	50	20	4,673	2.500	20	4.605	4,693,000	5,000,000	4,693,000	1,455	270	N	
Acenaphthylene	50	50	14,000	25.79	50	11,072	23,464,000	20,000,000	23,464,000	11,072	610	N	
Anthracene	50	50	38,000	70.00	50	30,053	3,129,000	3,000,000	3,129,000	30,053	1,800	N	
Fluoranthene	50	50	38,000	70.00	50	30,053	2,000,000	2,000,000	2,346,000	30,053	2,500	N	
Pyrene	50	50	14,000	25.79	50	11,072	11,072	220	2,346,000	11,072	1,090	N	
Benzo(a)anthracene	50	0.002	0.002	200,000	0.002	368.4	6.33	220	2,346,000	6.33	880	Y(1,2)	
Chrysene	50	0.002	0.002	200,000	0.002	368.4	6.33	220	2,346,000	6.33	880	Y(1,2)	
Benzo(b)fluoranthene	50	0.002	0.002	550,000	0.002	1,013	17.4	220	2,346,000	17.4	1,200	Y(1,2)	
Benzo(k)fluoranthene	50	0.002	0.002	550,000	0.002	1,013	17.4	220	2,346,000	17.4	1,200	Y(1,2)	
Benzo(a)pyrene	50	0.2 (3)	0.02 ND	5,500,000	0.02 ND	10,131	1,740	61.0	87.5	61.0	1,300	Y(1,2)	
Indeno(1,2,3-c)pyrene	50	0.002	0.002	1,600,000	0.002	2,947	50.6	14.0	87.5	50.6	920	Y(1,2)	
Dibenz(a,h)anthracene	50	0.007	0.007	3,300,000	0.007	6,079	36.5	14.0	87.5	36.5	920	Y(1,2)	
Benzo(g,h,i)perylene	50	0.007	0.007	1,600,000	0.007	2,947	36.5	14.0	87.5	36.5	920	Y(1,2)	
Fluorene	50	50	7,300	13.45	50	5,773	1,265,402	3,000,000	3,129,000	1,265,402	980	N	
Trans-1,2-dichloroethene	5	100	5	59.00	5	0.10868	4.67	3,000,000	3,129,000	4.67	180	N	
1,1,1-Trichloroethane	5	200	5	15.20	5	0.02800	1.20	7,000,000	7,000,000	1.20	ND	N	
Carbon disulfide	50	3500	50	14.20	50	11.2	8,000,000	8,000,000	7,821,000	11.2	1,000	N	
1,1-Dichloroethane	5	5	5	30.00	5	0.05256	2.37	8,000,000	7,821,000	2.37	ND	N	
1,1-Dichloroethene	5	7	5	65.00	5	0.11973	5.14	12,000	11,060	5.14	ND	N	
Carbon tetrachloride	5	5	5	439.0	5	0.80864	34.7	5,400	5,400	34.7	ND	N	
Ethylbenzene	5	700	5	1,100	5	2,026	87.0	8,000,000	7,821,000	87.0	ND	N	
Xylenes	50	10,000	50	248.0	50	0.45682	196.1	200,000,000	156,429,000	196	ND	N	
Di-n-octylphthalate	50	50	50	3,600,000	50	6,631,200	1,000,000,000*	2,000,000	1,564,000	1,564,000	ND	N	
2-Methylphenol (o-Cresol)	50	2	2	24.50	2	0.04513	0.775	4,000,000	3,911,000	0.775	ND	N	
2,4-Dimethylphenol	50	0.4	0.4	96.00	0.4	0.17683	3.04	2,000,000	1,564,000	3.04	ND	N	
Heptachlor	0.4	0.4	0.4 ND	12,000	0.4 ND	22.10	7.59	160	142	7.59	17.0	Y (1)	
Heptachlor Epoxide	0.2	0.2	0.02 ND	220.0	0.02 ND	0.40524	0.070	77.0	70.2	0.070	ND	N	
Dieldrin	50	0.1 ND	0.01 ND	1,700	0.01 ND	3.131	0.269	44.0	39.9	0.269	5.00	Y (1)	
Endrin	0.2	2 (3)	0.01 ND	1,700	0.01 ND	3.131	0.269	200,000	23,500	0.269	ND	N	

NAVAL WEAPONS INDUSTRIAL RESERVE PLANT
 BETHPAGE, NEW YORK
 SITE 3 - SALVAGE STORAGE AREA
 FUTURE EXPOSURE SCENARIO

GENERAL DATA	
INFILTRATION RATE (FPY)	1.150
MIXING ZONE (F)	0.50
HYDRAULIC CONDUCTIVITY (CCS/SC)	0.020
HYDRAULIC GRADIENT (F/F)	20.692
TOC - IN SOIL (MG/KG)	0.0023
SOIL ORGANIC CARBON (KG/KG)	1842
	0.001842
SITE SPECIFIC DATA	
SITE AREA (SF)	60,000
INFILTRATION FLOW RATE (CFY)	69,000
UPPER GRADIENT (F)	220
CROSS SECTIONAL AREA (SF)	11,000
GROUNDWATER FLOW RATE (CFY)	523,511
DILUTION RATIO (CFY/CFY)	8.59

CHEMICAL SPECIFIC DATA
 MEAN BACKGROUND SOIL CONCENTRATION (MG/KG)
 STANDARD DEVIATION FOR n SAMPLES ANALYZED

	--DRINKING WATER LAWS--(GUIDELINES)		TRIGGER GM		MEAN SOIL BACKGROUND CONC. (MG/KG)	STD DEVIATION ON BACKGROUND CONC. (MG/KG)	95% UCL SOIL BACKGROUND CONC. (MG/KG)	NEW YORK STATE SOIL ACTION LEVEL (MG/KG)	FUTURE RESIDENTIAL ON-SITE - RISK BASED REMEDIATION GOAL (MG/KG)	MINIMUM SITE SPECIFIC SOIL ACTION LEVEL (MG/KG)	MAXIMUM SOIL CONCENTRATION AT SITE (MG/KG)	CHEMICAL OF CONCERN
	New York MCL (UG/L)	NPDWR MCL (UG/L)	New York CONC (UG/L)	CONC (UG/L)								
Arsenic	50	50	50	50	2.50	0.688	3.63	80.0	23.5	23.5	56.8	Y (1)
Antimony	6 (3)	3	3	3	2.75	0.000	2.75	30.0	31.3	30.0	6.60	N
Barium	2000	2000	2000	2000	18.4	10.181	35.1	4,000	5,475	4,000	107	N
Beryllium	4 (3)	3	3	3	0.437	0.047	0.514	0.160	0.663	0.160	1.50	Y (1)
Cadmium	5	5	20	5	0.536	0.049	0.617	80.0	39.1	39.1	ND	N
Chromium	10	100 (4)	100 (4)	10	12.7	0.000	12.7	400 (5)	391	400	637	N (6)
Copper	1000	1000	1000	1000	7.80	0.000	7.80	500	391	500	400	Y (1)
Lead	15	50	50	15	167	0.000	167	20,000	391	391	12.0	N
Manganese	300	50	600	50	0.075	0.043	0.146	20.0	23.5	20.0	267	N
Mercury	2	2	4	2	0.075	0.043	0.146	20.0	23.5	20.0	0.500	N
Nickel	100 (3)	100 (3)	2000	100	2.77	0.306	3.27	2,000	1,564	1,564	ND	N
Silver	50	100	100	50	0.128	0.023	0.165	200	391	200	ND	N
Vanadium	5000	250	250	250	17.9	0.000	17.9	500	548	548	150	N
Zinc	5000	5000	5000	5000	20.0	0.000	20.0	20,000	23,464	20,000	20.0	N
Cyanide	200 (3)	400	400	200	1.14	0.109	1.32	2,000	1,564	1,564	4.20	N
Selenium	10	50	40	10	0.495	0.156	0.752	391	391	391	1.00	N
Thallium	2 (3)	4	4	2	0.364	0.033	0.417	6.00	5.48	5.48	ND	N

- (1) Concentration of specific contaminant exceeds action level in surface soils
- (2) Concentration of specific contaminant exceeds action level in sub-surface soils
- (3) Rule effective January 17, 1994
- (4) Trivalent Chromium, 35,000
- (5) Trivalent Chromium, 80,000
- (6) Result is believed to be trivalent chromium ... analysis will be performed to verify this

LEK 8/30/93

SITE 3

ANALYTICAL SUMMARIES AND MAPS



CONDENSED SUMMARY OF ANALYTICAL DATA

SITE 3 - SALVAGE STORAGE AREA


	SS1900	SS2100	SS2200	SS2300	SS2400	SS2700	SS2800	SS2900	SB304	SB307	SB314	SB316	SB318	SB328	SB329	SB334	SB338
VOLATILES																	
Trichloroethane				3								2 / ND	4 / ND	4 / ND		4 / ND	
Tetrachloroethane									1 / 55			5 / 4	2 / 1	2 / ND	4 /	8 / 2	5 / 1
Toluene	3					22.18								1 / ND			
Carbon disulfide																	
Acetone												65 / ND	ND / 1	108 /			
1,1,2-Tetrachloroethane														35 / ND			
ORGANIC ACIDS																	
2-Butanone																	
Benzoic Acid	360						300							200	101		93
2,4-Dichloropheno																	
Benzaldehyde																	
Bis(2-chloroethyl) ether																	
PHENOLICS																	
Bis(2-ethylhexyl) phthalate	70	390	2400	370	66 ND, 900, 2000	1100											
Butyl benzyl phthalate	38	190	98			660			140								41
Di-n-butyl phthalate			340			280											
Dimethyl phthalate						190											
PESTICIDES																	
DDE	9.1																
DDE	6.9																
DDE	110																
Heptachlor	17																
Dieldrin	5																
PCB's																	
Aroclor 1248							830	250	44								
Aroclor 1254							530										
PAH's																	
Naphthalene																	
2-Methylanthracene		140	160														61
Acenaphthene		150															
Acenaphthylene		34	36														
Anthracene		410	240				36										
Fluoranthene	280	1600	4800	450	260	35	160, 470, ND	210	36					49	1060		70
Pyrene	260	2100	2500	500	360	44		420	36					48	1000		
Phenanthrene	140	1090	1050	270	210		410, 400, 250	190							1030		
Benzo(a)anthracene		800	880	320	200										510		
Chrysene	140	1060	1010	380	180		160								510		43
Benzo(b)fluoranthene	180	670	1200	450	190										450		46
Benzo(k)fluoranthene	140	1200	1400	280	140		ND, 400, 510	510							410		43
Benzo(a)pyrene	120	960	1300	260	160										540		50
Indeno(1,2,3-c)pyrene	88	920	190	120			700, 500, 750								340		
Benzo(g,h,i)perylene	97	670	980	210	120		740, ND, 830								61		
Fluorene		180	170												160		
Di benzo furan															68		
INORGANICS																	
Aluminum	9900	8260	28000	9270	19100	9850, 17200	10500	21400	1530	1880	5450	2480	10400	10400	10100	6550	1720
Antimony	4.1	3	3	7.9	2	6.6, 5.5	2.9										
Arsenic	22.2	56.1	43.7	99	23.9	53.5, 55.6	107	23.4	1.1	4.8	7.5	11.1	4.2	28.5	22.6	23.4	5
Barium	0.53	0.53	0.53	0.6	1.1	.46, .56	0.38										
Beryllium	997	68700	42200	2600	2500	13300	41900, 41600	34800	13300			100	67	564	583	322	69.6
Calcium	10.4	13	41.1	21	4.6	52.4, 71.3	637				6.5	5.1		12.7	9.9		2.4
Chromium	6	6.4	5.4	14.6	3.6	17.9	5.9, 5.8	19.2	19.9								
Cobalt							158, 400	400									
Copper	11000	12300	12900	41000	16500	36600	26300, 23600	135000	40200								
Lead																	
Magnesium	1100	8150	4640	894	1910	5230	6160, 4560	4510	5110	306	562				11400	9150	4060
Manganese																	
Mercury	0.12	0.16	0.14	0.3	0.11	.19, .23		0.5							3.1	1.9	7.8
Potassium	395	1050	696	1350	556	349	702, 814	490	261						1080	564	283
Selenium															167	267	61.4
Sodium	20.5	23.7	25.8	49.4	26.5	119	22.1, 22.6	41.9	150								
Vanadium																	
Zinc																	
Cyanide																	

	SB319	SB321	SB322	SB325	SB326	SB327	SB328	SB329	SB334	SB336	SB338	SB340	SB341	SB342	SB343
GOL GAS ANALYSES															
1,1-Dichloroethane	ND/3.7	17/43	3.3/14	131/125	138/179	25/27	8.4/12								
1,1-Dichloroethane															
1,1,1-Trichloroethane	ND/14	3.0/3.1	ND/36	46/37	60/48	.51/.54	.19/.37	.30/.30	.50/14	.14/.15	2.8/1.3	ND/12	.83/ND	1.9/3.0	1.9/7.3
1,1,1-Trichloroethane	ND/13	12/4.8	.21/1.3	12/9.7	30/9.2	.52/.87	.37/.58								
1,1,1-Trichloroethane	.13/.20	.61/.49	.12/.54	.67/.67	.97/.76	.33/.46	2.3/1.4								
Tetrahydroethane															
GOL GAS ANALYSES															
1,1-Dichloroethane	16/38	96/93	5.6/2.7	5.0/18	3.8/2.2	41/33	26/45	28/242	ND/5.4	39/71	31/18				
1,1-Dichloroethane	1.8/9.3						16/11	ND/3.9	2.1/5.5						
1,1,1-Trichloroethane	3.8/20						4.3/1.6		12/30						
1,1,1-Trichloroethane	5.8/11	2.4/2.1	.63/.22	ND/.23			4.0/2.4	.17/ND	5.3/3.5	4.0/6.2	6.9/15	.15/2.1	1.0/2.2	2.8/1.9	3.3/1.1
1,1,1-Trichloroethane	15/17	.28/.35	.32/.12	4.9/9.7	ND/22	17/13	3.8/7.4	13/17	.16/.18	1.9/7.2	4.2/3.2	4.4/3.5			
Tetrahydroethane	2.8/4.4	.31/.24	.89/.43	ND/.47	.34/.18	5.5/2.8	.08/.06	ND/12	4.3/5.0	8.6/24	.16/.12	5.2/6.5	12/4.2	6.3/1.6	


CALCULATION WORKSHEET

Order No. 19115 (01-91)

CLIENT NWIRP - BETHPAGE, NY		JOB NUMBER	
SUBJECT SITE 3 AREA MAP - VOA ANALYSES			
BASED ON SURFACE SOIL / SHALLOW SUB-SOIL		DRAWING NUMBER	
BY GND	CHECKED BY	APPROVED BY LEK	DATE 8/30/93



CLIENT NWIRP - BETHPAGE, NY		JOB NUMBER	
SUBJECT SITE 3 AREA MAP - VOA ANALYSES			
BASED ON DEEP SOILS		DRAWING NUMBER	
BY GND	CHECKED BY	APPROVED BY LEK	DATE 8/30/97



ACTION LEVEL
 61.0
 50.6
 14.0
 13.8


ACTION LEVEL
 6.3
 6.3
 17.4
 17.4
 .22

BAA - BENZO (a) ANTHRACENE
 CHR - CHRYSENE
 BBF - BENZO (b) FLUORANTHENE
 BKF - BENZO (k) FLUORANTHENE
 BCE - Bis (2 CHLOROETHYL) ETHER


BAP - BENZO (a) PYRENE
 ICP - INDENO (1,2,3,c) PYRENE
 DBA - DIBENZO (a,h) ANTHRACENE
 DMP - DIMETHYL PHTHALATE

CALCULATION WORKSHEET Order No. 19115 (01-91)

CLIENT NWIRP - BETHPAGE, NY		JOB NUMBER	
SUBJECT SITE 3 AREA MAP - PAH ANALYSES			
BASED ON SURFACE SOILS / SHALLOW SUB-SOILS		DRAWING NUMBER	
BY CMD	CHECKED BY	APPROVED BY LEK	DATE 8/30/93




CLIENT NWIRP - BETHPAGE, NY		JOB NUMBER	
SUBJECT SITE 3 AREA MAP - PESTICIDE / PCB ANALYSES			
BASED ON SURFACE SOILS		DRAWING NUMBER	
BY RND	CHECKED BY	APPROVED BY LEK	DATE 8/30/93



	ACTION LEVEL	ND
H - HEPTACHLOR	7.59	.04
D - DIELDRAIN	.269	.01
TOTAL PCB'S		
CURRENT	10,000	
FUTURE	1,000	

CLIENT NWIRP - BETHPAGE, NY		JOB NUMBER	
SUBJECT SITE 3 AREA MAP - ARSENIC / BERYLLIUM / MANGANESE ANALYSES			
BASED ON SURFACE SOIL / SHALLOW SUB-SOIL		DRAWING NUMBER	
BY GND	CHECKED BY	APPROVED BY LEK	DATE 8/30/93



SITE 3

SOIL GAS VS. VOC CORRELATION



CLIENT NWIRP - BETHPAGE, NY		JOB NUMBER	
SUBJECT SOIL GAS VS. VOA CORRELLATION			
BASED ON SITE 3		DRAWING NUMBER	
BY GND	CHECKED BY	APPROVED BY LEK	DATE 8/30/93

TETRACHLOROETHENE

VOA ANALYSIS

SOIL-GAS ANALYSIS

	VOA ANALYSIS	SOIL-GAS ANALYSIS
30A-S	1	.61
30A-D	55	.49
307-S	ND	.97
307-D	ND	.76
316-S	5	8.9
316-D	4	8.5
318-S	2	5A
318-D	1	51
328-S	2	5.5
328-D	ND	2.8
329-S	4	.08
329-D	ND	.06
33A-S	8	ND
33A-D	2	12
338-S	5	8.6
338-D	1	2A

α COEFFICIENT = 3.51

TRICHLOROETHENE

	VOA ANALYSIS	SOIL-GAS ANALYSIS
316-S	2	1.7
316-D	ND	3.6
328-S	4	4.9
328-D	ND	9.7
33A-S	4	17
33A-D	ND	13

α COEFFICIENT = 2.53

INSUFFICIENT DATA POINTS EXCEPT FOR TETRACHLOROETHENE

CLIENT NWIRP - BETHPAGE, NY		JOB NUMBER	
SUBJECT SOIL GAS VERSUS VOLATILE ANALYSES CORRELATION			
BASED ON SITE 3		DRAWING NUMBER	
BY GND	CHECKED BY	APPROVED BY LEK	DATE 8/30/93

BASED ON 10 OBSERVATIONS :

TETRACHLOROETHENE X COEFFICIENT = 3.51

FOR: TRICHLOROETHENE

X COEFFICIENT = $3.51 \times \frac{.0091}{.0153} =$ 2.09

FOR: 1,1,1 TRICHLOROETHANE

X COEFFICIENT = $3.51 \times \frac{.0300}{.0153} =$ 6.88

LEK 8/30/93

pg 3 of 3

SITE 3

Tetrachloroethene

VOA Soil-Gas

1	0.61
5	8.9
4	8.5
2	54
1	51
2	5.5
4	0.08
2	12
5	8.6
1	24

Regression Output:

Constant	0
Std Err of Y Est	24.26309
R Squared	-0.51658
No. of Observations	10
Degrees of Freedom	9

X Coefficient(s)	3.509588
Std Err of Coef.	2.463544



SITE 3

**AREA OF CONTAMINATION
(FOR CAPPING ALTERNATIVES)**



CLIENT NWIRP - BETHPAGE, NY		JOB NUMBER	
SUBJECT AREA REQUIRED FOR CAPPING			
BASED ON SITE 3 - CURRENT / FUTURE		DRAWING NUMBER	
BY GND	CHECKED BY	APPROVED BY LEK	DATE 8/30/93

CURRENT SCENARIO :

$$\text{AREA} = 297.3 + 36.5 + 1.5 + 12.1 = 347.4 \text{ BLOCKS}$$

$$1 \text{ BLOCK} = 25 \text{ FT} \times 25 \text{ FT} = 625 \text{ FT}^2$$

$$\text{AREA} = 347.4 \times 625 \text{ FT}^2 = \boxed{217,125 \text{ FT}^2}$$

FUTURE SCENARIO :

$$\text{AREA} = 297.3 + 5.2 + 12.1 = 314.6 \text{ BLOCKS}$$

$$1 \text{ BLOCK} = 25 \text{ FT} \times 25 \text{ FT} = 625 \text{ FT}^2$$

$$\text{AREA} = 314.6 \times 625 = \boxed{196,625 \text{ FT}^2}$$




FIGURE 2-5



SITE3 - CURRENT INDUSTRIAL USE SCENARIO
NWIRP, BETHPAGE, NEW YORK

LEGEND

VOAs > ACTION LEVELS; RANGES 0 TO 50 FT. DEPTH

OTHER METALS AND ORGANICS > ACTION LEVELS; RANGES 0-7 FT. DEPTH

DENOTES CAPPED AREA



LEK 8/30/93
F 3° F 3




FIGURE 2-6



SITE3 - FUTURE RESIDENTIAL USE SCENARIO
NWIRP, BETHPAGE, NEW YORK

LEGEND

- VOAs > ACTION LEVELS; RANGES 0 TO 50 FT. DEPTH
- OTHER METALS AND ORGANICS > ACTION LEVELS; RANGES 0-5 FT. DEPTH

DENOTES CAPPED AREA



SITE 3

SOIL VOLUME CALCULATIONS



CLIENT NWIRP - BETHPAGE, NY		JOB NUMBER	
SUBJECT SITE 3 - CONTAMINATED SOIL VOLUME CALCULATIONS			
BASED ON VOA's (CURRENT & FUTURE SCENARIO)		DRAWING NUMBER	
BY GND	CHECKED BY	APPROVED BY LEK	DATE 8/30/93

① FOR SHALLOW SUB-SOILS : 0 TO 7 FT. DEPTH
 BASED ON 1,1,1 TRICHLOROETHANE CONTAMINATION

$$\text{AREA} = 16.2 \times 625 \text{ FT}^2 \times \frac{\text{YD}^2}{9 \text{ FT}^2} = 1125 \text{ YD}^2$$

$$\text{VOLUME} = 1125 \text{ YD}^2 \times 7 \text{ FT} \times \frac{\text{YD}}{3 \text{ FT}} = \boxed{2625 \text{ CY}}$$

② FOR DEEP SUB-SOILS : TO 50 FT. DEPTH
 BASED ON 1,1,1 TRICHLOROETHANE CONTAMINATION :

$$\text{AREA} = (13.7 + 31.7 + 55.6) \times 625 \text{ FT}^2 \times \frac{\text{YD}^2}{9 \text{ FT}^2} = 7013.9 \text{ YD}^2$$

$$\text{VOLUME} = (\cancel{55.6} + 16.2) \times (50 - 7 \text{ FT}) \times \frac{\text{YD}}{3 \text{ FT}} \times \frac{\text{YD}^2}{9 \text{ FT}^2} \times 625 \text{ FT}^2 +$$

$$+ (31.7 + 13.7) \times 625 \text{ FT}^2 \times \frac{\text{YD}^2}{9 \text{ FT}^2} \times (50 - 0) \text{ FT} \times \frac{\text{YD}}{3 \text{ FT}}$$

$$\text{VOLUME} = \frac{39,218}{61,700} + 52,546 = \boxed{91,764 \text{ CY}}$$


114,200 cy

BASED ON TETRACHLOROETHENE CONTAMINATION :


$$\text{AREA} = 4.0 \times 625 \text{ FT}^2 \times \frac{\text{YD}^2}{9 \text{ FT}^2} = 278 \text{ YD}^2$$

$$\text{VOLUME} = 278 \text{ YD}^2 \times (50 - 0) \text{ FT} \times \frac{\text{YD}}{3 \text{ FT}} = \boxed{4630 \text{ CY}}$$


CLIENT NWIRP - BETHPAGE, NY		JOB NUMBER	
SUBJECT SITE 3 AREA MAP - VOA'S (CURRENT & FUTURE SCENARIOS)			
BASED ON SHALLOW & DEEP SUB-SOILS		DRAWING NUMBER	
BY GND	CHECKED BY	APPROVED BY LEK	DATE 8/30/93



CLIENT NWIRP - BETHPAGE, NY		JOB NUMBER	
SUBJECT SITE 3 AREA MAP - VOA'S			
BASED ON DEEP SUB - SOILS		DRAWING NUMBER	
BY GND	CHECKED BY	APPROVED BY LEK	DATE 8/30/93



CLIENT NWIRP - BETHPAGE, NY		JOB NUMBER	
SUBJECT SITE 3 AREA MAP - VOA's			
BASED ON SHALLOW SUB-SOILS		DRAWING NUMBER	
BY GD	CHECKED BY	APPROVED BY LEK	DATE 8/30/93



CLIENT NWIRP - BETHPAGE, NY		JOB NUMBER	
SUBJECT SITE 3 - CONTAMINATED SOIL VOLUME CALCULATIONS			
BASED ON CURRENT SCENARIO EXCEPT VOA'S		DRAWING NUMBER	
BY GND	CHECKED BY	APPROVED BY LEK	DATE 8/30/93

① FOR SURFACE SOILS : 0 TO 1 FT. DEPTH
BASED ON BERYLLIUM AND PAH CONTAMINATION

$$\text{AREA} = (297.3 + 5.3 + 12.1) \times 625 \text{ FT}^2 \times \frac{\text{YD}^2}{9 \text{ FT}^2} = 21,854 \text{ YD}^2$$

$$\text{VOLUME} = 21,854 \text{ YD}^2 \times 1 \text{ FT} \times \frac{\text{YD}}{3 \text{ FT}} = \boxed{7285 \text{ CY}}$$

② FOR SHALLOW SUB-SOILS : 1 TO ~~5~~⁷ FT DEPTH
BASED ON PAH CONTAMINATION

$$\text{AREA} = (41.8 - 8.2) \times 625 \text{ FT}^2 \times \frac{\text{YD}^2}{9 \text{ FT}^2} = 2333 \text{ YD}^2$$

$$\text{VOLUME} = 2333 \text{ YD}^2 \times (\frac{7-1}{5-1}) \text{ FT} \times \frac{\text{YD}}{3 \text{ FT}} = \boxed{3111 \text{ CY}}$$

FOR SHALLOW SUB-SOILS : 1 TO 7 FT DEPTH AND 0 TO 7 FT DEPTH
BASED ON MANGANESE CONTAMINATION

$$\text{AREA}_1 = (8.2 + 2.0) \times 625 \text{ FT}^2 \times \frac{\text{YD}^2}{9 \text{ FT}^2} = 708 \text{ YD}^2$$


$$\text{AREA}_2 = (36.5 - 2.0) \times 625 \text{ FT}^2 \times \frac{\text{YD}^2}{9 \text{ FT}^2} = 2396 \text{ YD}^2$$

$$\text{VOLUME}_1 = 708 \text{ YD}^2 \times (7-1) \text{ FT} \times \frac{\text{YD}}{3 \text{ FT}} = 1417 \text{ CY}$$


$$\text{VOLUME}_2 = 2396 \text{ YD}^2 \times (7-0) \text{ FT} \times \frac{\text{YD}}{3 \text{ FT}} = 5590 \text{ CY}$$

$$\text{VOLUME} = 1417 \text{ CY} + 5590 \text{ CY} = \boxed{7007 \text{ CY}}$$


CLIENT NWIRP - BETHPAGE, NY		JOB NUMBER	
SUBJECT SITE 3 AREA MAP - ARSENIC, BERYLLIUM, PAH'S, Bis (2-CHLOROETHYL) ETHER, MN			
BASED ON SURFACE SOILS / SHALLOW SUB-SOILS		DRAWING NUMBER DIELDRIN & HEPTACHLOR (CURRENT)	
BY GND	CHECKED BY	APPROVED BY LEK	DATE 8/30/93




CLIENT NWIRP - BETHPAGE, NY		JOB NUMBER	
SUBJECT SITE 3 AREA MAP - ARSENIC / BERYLLIUM ANALYSES (CURRENT SCENARIO)			
BASED ON SURFACE SOILS		DRAWING NUMBER	
BY GND	CHECKED BY	APPROVED BY LEK	DATE 8/30/93




CLIENT NWIRP - BETHPAGE, NY		JOB NUMBER	
SUBJECT SITE 3 AREA MAP - PAH'S (CURRENT & FUTURE SCENARIOS)			
BASED ON SURFACE SOILS		DRAWING NUMBER	
BY GND	CHECKED BY	APPROVED BY LEK	DATE 8/30/93




CLIENT NWIRP - BETHPAGE, NY		JOB NUMBER	
SUBJECT SITE 3 AREA MAP - PESTICIDES (CURRENT & FUTURE SCENARIO)			
BASED ON SURFACE SOILS		DRAWING NUMBER	
BY GND	CHECKED BY	APPROVED BY LEK	DATE 8/30/93



CLIENT NWIRP - BETHPAGE, NY		JOB NUMBER	
SUBJECT SITE 3 AREA MAP - PAH'S (CURRENT & FUTURE SCENARIOS)			
BASED ON SHALLOW SUB-SOILS		DRAWING NUMBER	
BY GND	CHECKED BY	APPROVED BY LEK	DATE 8/30/93



CLIENT NWIRP - BETHPAGE, NY		JOB NUMBER	
SUBJECT SITE 3 AREA MAP - MANGANESE ANALYSES (CURRENT SCENARIO)			
BASED ON SHALLOW SUB - SOILS		DRAWING NUMBER	
BY GND	CHECKED BY	APPROVED BY LEK	DATE 8/30/93



CLIENT NWIRP - BETHPAGE, NY		JOB NUMBER	
SUBJECT SITE 3 - CONTAMINATED SOIL VOLUME CALCULATIONS			
BASED ON FUTURE SCENARIO EXCEPT VOA'S		DRAWING NUMBER	
BY GND	CHECKED BY	APPROVED BY LEK	DATE 8/30/93

① FOR SURFACE SOILS : 0 TO 1 FT. DEPTH
BASED ON BERYLLIUM AND PAH CONTAMINATION

$$\text{AREA} = (297.3 + 5.3 + 12.1) \times 625 \text{ FT}^2 \times \frac{y_0^2}{9 \text{ FT}^2} = 21,854 y_0^2$$

$$\text{VOLUME} = 21,854 y_0^2 \times 1 \text{ FT} \times \frac{y_0}{3 \text{ FT}} = \boxed{7285 \text{ CY}}$$

② FOR SHALLOW SUB-SOILS : 1 TO ¹~~8~~ FT DEPTH
BASED ON PAH CONTAMINATION


$$\text{AREA} = 41.8 \times 625 \text{ FT}^2 \times \frac{y_0^2}{9 \text{ FT}^2} = 2903 y_0^2$$

$$\text{VOLUME} = 2903 y_0^2 \times (\frac{3-1}{3}) \text{ FT} \times \frac{y_0}{3 \text{ FT}} = \boxed{3870 \text{ CY}}$$

CALCULATION WORKSHEET

Order No. 19116 (01-91)

CLIENT NWIRP - BETHPAGE, NY		JOB NUMBER	
SUBJECT SITE 3 AREA MAP - ARSENIC, BERYLLIUM, PAH'S, BIS (2-CHLOROETHYL)ETHER			
BASED ON SURFACE SOILS / SHALLOW SUB-SOILS		DRAWING NUMBER DIELDRIN & HEPTACHLOR (FUTURE)	
BY GND	CHECKED BY	APPROVED BY LEK	DATE 8/30/93




VOLUME
7285 CY
3870 CY 5806 CY

SHALLOW SUB-SOILS (1'-5') FOR PAH'S


SURFACE SOILS (0'-1') FOR ARSENIC, BERYLLIUM, PAH'S, BIS (2-CHLOROETHYL)ETHER, DIELDRIN & HEPTACHLOR.




CLIENT NWIRP - BETHPAGE, NY		JOB NUMBER	
SUBJECT SITE 3 AREA MAP - PAH'S (CURRENT & FUTURE SCENARIOS)			
BASED ON SHALLOW SUB-SOILS		DRAWING NUMBER	
BY GND	CHECKED BY	APPROVED BY LEK	DATE 8/30/93




CLIENT NWIRP - BETHPAGE, NY		JOB NUMBER	
SUBJECT SITE 3 AREA MAP - PAH's (CURRENT & FUTURE SCENARIOS)			
BASED ON SURFACE SOILS		DRAWING NUMBER	
BY GND	CHECKED BY	APPROVED BY LEK	DATE 8/30/93



CLIENT NWIRP - BETHPAGE, NY		JOB NUMBER	
SUBJECT SITE 3 AREA MAP - PESTICIDES (CURRENT & FUTURE SCENARIO)			
BASED ON SURFACE SOILS		DRAWING NUMBER	
BY GND	CHECKED BY	APPROVED BY LEK	DATE 8/30/93



CLIENT NWIRP - BETHPAGE, NY		JOB NUMBER	
SUBJECT SITE 3 AREA MAP - ARSENIC / BERYLLIUM ANALYSES (FUTURE SCENARIO)			
BASED ON SURFACE SOILS		DRAWING NUMBER	
BY GND	CHECKED BY	APPROVED BY LEK	DATE 8/30/93





SITES 1, 2, AND 3
LIMITED VOC SOIL VOLUME CALCULATIONS



NWIRP Bethpage VOA in Soil Calculations
Limited VOA remediation.

Approach: Set a new VOA action level at three times the action level originally developed for VOA-contaminated soils.

Basis: New action level is intended to reduce volume of VOA-contaminated soils requiring treatment. Alternative action levels are potentially justified because long term pump and treat of the groundwater will be required, and limited recontamination of the soils from the groundwater is expected to occur during remediation. The long term pump and treat would capture the VOAs from untreated soils which would be discharged into the groundwater.

Soil Action Level for VOAs (based on groundwater protection)

	Soil Action Level (based on MCLs) (ug/kg)	Soil Action Level X 3 (ug/kg)	Soil Gas Equivalent X 3 (ug/l)
Site 1			
TCE	9.3	28	246
PCE	27	81	1199
TCA	1.1	3	95
Site 2			
TCE	12	36	317
PCE	34	102	1510
TCA	1.4	4	121
Site 3			
TCE	10	30	264
PCE	28	84	1243
TCA	1.2	4	104

Comparison of revised action levels versus measured concentrations.

Site 1	Total VOAs (ug/kg)
SB119 (TCE, PCE, and TCA)	5072
SB120 (TCA)	44
SB121 (PCE and TCE)	74
Plant 3 SG (PCE, TCE, and TCA)	375
Plant 3 SG (PCE)	73
Average	1,128

Affected Area:

Site 1 (180' x 180' x 50')	60,000	CY
Plant 3 (120' x 120' x 50')	26,667	CY
Total	86,667	CY

Quantity of Solvents in Soils: 293 lbs

Quantity of Solvents in upper 10 feet
of water (16 mg/l, 30% porosity): 453 lbs

Total: 746 lbs

Site 2

No locations above action levels.

Site 3

No locations above action levels.

**NWIRP Bethpage
Estimation of Time Requirements for Limited Action VOC Concentrations
to Reach Action Level VOC Concentrations**

Approach: Estimate the time required for the residual VOC concentration (after insitu treatment) to decrease from 3 times the action level to the action level. The assumed primary mechanism for removal of residual VOCs in the soils is precipitation infiltration flushing.

Basis: Use a column 50' high by 1' wide by 1' long.

Net infiltration is 13.65 inches per year.

Assume that TCE, PCE, and TCA are present at a maximum concentration of three times the action levels.

	3 Times Action Level	Kd
TCE	0.03 mg/kg	0.23
PCE	0.08 mg/kg	0.67
TCA	0.0033 mg/kg	0.028

Soil Bulk Density: 100 lb/cf

Quantity of solvents in this soil column (Year 0) can be calculated as follows.

= density * 50 feet * concentration

TCE	0.00015 lbs
PCE	0.0004 lbs
TCA	0.000017 lbs

Quantity of solvent removed in first year is as follows. This calculation assumes that relatively small quantities of solvent are removed per year.

= Infiltration rate * concentration (soil) / Kd

TCE	0.000009 lbs
PCE	0.000008 lbs
TCA	0.000008 lbs

The calculated solvents remaining in the soils (lbs) and percent of original solvent are as follows.

= Initial pounds minus pounds removed

TCE	0.000141	93.83	%
PCE	0.000392	97.88	%
TCA	0.000008	49.30	%

The percentage reduction per year would be constant. Once the percent reduction per year is determined, then residual concentrations can be used. Therefore after ten years of infiltration, the remaining concentration of solvents (mg/kg) and percent of original would be as follows.

= fixed percentage removal year for 10 years (percent ¹⁰)

TCE	0.016 mg/kg	52.88	%
PCE	0.065 mg/kg	80.72	%
TCA	<0.001 mg/kg	0.08	%

After 30 years, the remaining concentration of solvents would be as follows.

= fixed percentage removal year for 30 years

TCE	0.004 mg/kg	14.79	%
PCE	0.042 mg/kg	52.60	%
TCA	<0.001 mg/kg	0.00	%

Based on these estimates, at 30 years and at the most significant remaining solvent locations, TCE and TCA would be below the remediation action goals PCE would be slightly above the remedial action goals.

PCE may require additional consideration after 30 years (calculated to be for 50 years). However, because of uncertainties and the conservative nature of the approach, additional activities may not be required. Especially when considering that the average solvent concentrations for the site are less than the action levels.

APPENDIX C
GROUNDWATER CALCULATIONS



NWIRP Bethpage Groundwater Calculations

June 13, 1993

Input Parameters

Soil - SG:	2.6		
Porosity:	0.3		
TOC:	0.00184		
Layer 1 Thickness	50	feet	(shallow)
Layer 2 Thickness	100	feet	(intermediate)
Layer 3 Thickness	100	feet	(deep)
Layer 4 Thickness	150	feet	
Layer 5 Thickness	222.5	feet	

Chemical Characteristics

Parameter	Koc	Kd	Chemical name
TCE	126	0.23	trichloroethene
PCE	364	0.67	tetrachloroethene
TOL	300	0.55	toluene
XY	248	0.46	xylene
TCA	59	0.11	1,1,1-trichloroethane
11DCA	30	0.06	1,1-dichloroethane
11DCE	65	0.12	1,1-dichloroethene
12DCE	59	0.11	1,2-dichloroethene
VC	8.2	0.02	vinyl chloride

Shallow (Layer 1) Groundwater Calculations

Shallow (Layer 1) GW - Solvent concentration greater than 1000 ug/l (All areas)

	HN-29S	HN-29S	HN-28S	TW-110	TW-115	TW-119	TW-121	TW-123	Average
TCE	780	340	1100	950	260	280	1800	1900	926
PCE	3600	1400	430	5200	2000	1100	7700	780	2,776
TOL	39	0	0						13
XY	19	2.5	2.5						8
TCA	10000	690	230	5400	180	240	1100	200	2,255
11DCA	880	120	31	630	43	22	110	22	232
11DCE	250	30	9.5	0	0	0	0	7	37
12DCE	3600	220	170	25	150	85	540	48	605
VC									
Total	19,168	2,803	1,973	12,205	2,633	1,727	11,250	2,957	6,853

Area of contamination (acres): 9
Vol of contamination (gal): 41,839,043

Quantity of water soluble contaminants (pounds):

TCE	322
PCE	964
TOL	5
XY	3
TCA	783
11DCA	81
11DCE	13
12DCE	210
VC	0
Total	2,380

In addition to the contaminants dissolved in the water, contaminants are also adsorbed onto soil particles. Use the Kd relationship to calculate total contaminants.

	Soil Contaminants (pounds)	Soil & GW Contaminants (pounds)
TCE	455	776
PCE	3,937	4,901
TOL	15	20
XY	8	11
TCA	518	1,301
11DCA	27	108
11DCE	9	22
12DCE	139	349
VC	0	0
Total	5,109	7,488

Shallow (Layer 1) GW - Solvent concentration greater than 100 ug/l (All areas)

	USGS	USGS	TW-104	TW-328	HN-24	Average
TCE	100	12	370	76	120	135.6
PCE	26	11	18	57	75	37.4
TOL	0			0	0	0
XY	0			0	0	0
TCA	31		94	7	9	35.25
11DCA	4			0	6	3
11DCE	0	0		0	0	0
12DCE	15	0			100	23
VC	0	0	0	0	0	0
Total	176	23	482	140	310	235

Area of contamination (acres): 53
 Vol of contamination (gal): 260,640,600

Quantity of water soluble contaminants (pounds):

TCE	293
PCE	81
TOL	0
XY	0
TCA	76
11DCA	7
11DCE	0
12DCE	50
VC	0
Total	507

In addition to the contaminants dissolved in the water, contaminants are also adsorbed onto soil particles. Use the Kd relationship to calculate total contaminants.

	Soil Contaminants (pounds)	Soil & GW Contaminants (pounds)
TCE	415	708
PCE	330	411
TOL	0	0
XY	0	0
TCA	50	127
11DCA	2	10
11DCE	0	0
12DCE	33	83
VC	0	0
Total	831	1,338

Shallow (Layer 1) GW - Solvent concentration less than 100 ug/l (All areas)

Set concentrations equal to 10% of solvent concentration in Layer 1, > 100 ug/l Area.

Area is based on actual field measurements only.

	Average
TCE	14
PCE	4
TOL	0
XY	0
TCA	4
11DCA	0
11DCE	0
12DCE	2
VC	0
Total	23

Area of contamination (acres): 130
 Vol of contamination (gal): 636,847,200

Quantity of water soluble contaminants (pounds):

TCE	72
PCE	20
TOL	0
XY	0
TCA	19
11DCA	2
11DCE	0
12DCE	12
VC	0
Total	124

In addition to the contaminants dissolved in the water, contaminants are also adsorbed onto soil particles. Use the Kd relationship to calculate total contaminants.

	Soil Contaminants (pounds)	Soil & GW Contaminants (pounds)
TCE	101	173
PCE	81	101
TOL	0	0
XY	0	0
TCA	12	31
11DCA	1	2
11DCE	0	0
12DCE	8	20
VC	0	0
Total	203	327

Intermediate (Layer 2) Groundwater CalculationsIntermediate (Layer 2) GW - Solvent concentration greater than 10,000 ug/l (All areas)

Area is based on monitoring well data.

	HN-24I	HN-24I	HN-24I2	Average
TCE	58000	9000	12000	26,333
PCE	9	0	0	3
TOL	9	0	0	3
XY	0	0	0	0
TCA	6	0	0	2
11DCA	0	0	0	0
11DCE	0	0	0	0
12DCE	0	0	0	0
VC	0	0	1	0
Total	58,024	9,000	12,000	26,341

Area of contamination (acres): 7
 Vol of contamination (gal): 70,686,000

Quantity of water soluble contaminants (pounds):

TCE	15,450
PCE	2
TOL	2
XY	0
TCA	1
11DCA	0
11DCE	0
12DCE	0
VC	0
Total	15,454

In addition to the contaminants dissolved in the water, contaminants are also adsorbed onto soil particles. Use the Kd relationship to calculate total contaminants.

	Soil Contaminants (pounds)	Soil & GW Contaminants (pounds)
TCE	21,840	37,290
PCE	7	9
TOL	6	8
XY	0	0
TCA	1	2
11DCA	0	0
11DCE	0	0
12DCE	0	0
VC	0	0
Total	21,854	37,309

Intermediate (Layer 2) GW - Solvent concentration greater than 1000 ug/l (All areas)
 Area is based on monitoring well data.

	GM-12I	GM-14I			Average
TCE	3100	770			1,935
PCE	0	700			350
TOL	0	0			0
XY	0	0			0
TCA	0	210			105
11DCA	0	49			25
11DCE	0	86			43
12DCE	0	130			65
VC	0	0			
Total	3,100	1,945	0	0	2,523

Area of contamination (acres): 16
 Vol of contamination (gal): 156,406,800

Quantity of water soluble contaminants (pounds):

TCE	2,512
PCE	454
TOL	0
XY	0
TCA	136
11DCA	32
11DCE	56
12DCE	84
VC	0
Total	3,275

In addition to the contaminants dissolved in the water, contaminants are also adsorbed onto soil particles. Use the Kd relationship to calculate total contaminants.

	Soil Contaminants (pounds)	Soil & GW Contaminants (pounds)
TCE	3,551	6,063
PCE	1,856	2,310
TOL	0	0
XY	0	0
TCA	90	227
11DCA	11	43
11DCE	41	97
12DCE	56	140
VC	0	0
Total	5,604	8,879

Intermediate (Layer 2) GW - Solvent concentration greater than 100 ug/l (All areas)

Area is based on monitoring well data.

	GM-131			Average
TCE	36			36
PCE	110			110
TOL	0			0
XY	0			0
TCA	52			52
11DCA	8			8
11DCE	5			5
12DCE	23			23
VC	0			
Total	234	0	0	234

Area of contamination (acres): 72
 Vol of contamination (gal): 702,147,600

Quantity of water soluble contaminants (pounds):

TCE	210
PCE	641
TOL	0
XY	0
TCA	303
11DCA	47
11DCE	29
12DCE	134
VC	0
Total	1,364

In addition to the contaminants dissolved in the water, contaminants are also adsorbed onto soil particles. Use the Kd relationship to calculate total contaminants.

	Soil Contaminants (pounds)	Soil & GW Contaminants (pounds)
TCE	297	506
PCE	2,618	3,259
TOL	0	0
XY	0	0
TCA	201	504
11DCA	16	62
11DCE	21	50
12DCE	89	223
VC	0	0
Total	3,241	4,605

Intermediate (Layer 2) GW - Solvent concentration greater than 10 ug/l (All areas)

Use computer modeling maps for areas and monitoring well results for concentrations.

	Average
TCE	8
PCE	11
TOL	0
XY	0
TCA	16
11DCA	0
11DCE	0
12DCE	7
VC	0
Total	42

Area of contamination (acres): 166
 Vol of contamination (gal): 1,626,900,000

Quantity of water soluble contaminants (pounds):

TCE	108
PCE	149
TOL	0
XY	0
TCA	216
11DCA	0
11DCE	0
12DCE	95
VC	0
Total	567

In addition to the contaminants dissolved in the water, contaminants are also adsorbed onto soil particles. Use the Kd relationship to calculate total contaminants.

	Soil Contaminants (pounds)	Soil & GW Contaminants (pounds)
TCE	153	261
PCE	607	755
TOL	0	0
XY	0	0
TCA	143	359
11DCA	0	0
11DCE	0	0
12DCE	63	157
VC	0	0
Total	965	1,532

Intermediate (Layer 2) GW - Solvent concentration less than 10 ug/l (All areas)

Use computer modeling maps for areas and set concentrations equal to 10% of Layer 2, > 100 ug/l area.

	Average
TCE	4
PCE	11
TOL	0
XY	0
TCA	5
11DCA	1
11DCE	1
12DCE	2
VC	0
Total	23

Area of contamination (acres): 212
Vol of contamination (gal): 2,069,192,400

Quantity of water soluble contaminants (pounds):

TCE	62
PCE	189
TOL	0
XY	0
TCA	89
11DCA	14
11DCE	9
12DCE	40
VC	0
Total	402

In addition to the contaminants dissolved in the water, contaminants are also adsorbed onto soil particles. Use the Kd relationship to calculate total contaminants.

	Soil Contaminants (pounds)	Soil & GW Contaminants (pounds)
TCE	87	149
PCE	772	960
TOL	0	0
XY	0	0
TCA	59	148
11DCA	5	18
11DCE	6	15
12DCE	26	66
VC	0	0
Total	955	1,357

Deep (Layer 3) Groundwater Calculations

Deep (Layer 3) GW - Solvent concentration greater than 100 ug/l (All Sites)
 Area is based on monitoring data and computer modeling results.

	GM-13D		Average
TCE	260		260
PCE	37		37
TOL	0		0
XY	0		0
TCA	82		82
11DCA	36		36
11DCE	73		73
12DCE	140		140
VC	1		
Total	628	0	628

Area of contamination (acres): 60
 Vol of contamination (gal): 583,440,000

Quantity of water soluble contaminants (pounds):

TCE	1,259
PCE	179
TOL	0
XY	0
TCA	397
11DCA	174
11DCE	354
12DCE	678
VC	0
Total	3,041

In addition to the contaminants dissolved in the water, contaminants are also adsorbed onto soil particles. Use the Kd relationship to calculate total contaminants.

	Soil Contaminants (pounds)	Soil & GW Contaminants (pounds)
TCE	1,780	3,039
PCE	732	911
TOL	0	0
XY	0	0
TCA	263	660
11DCA	59	233
11DCE	258	611
12DCE	449	1,127
VC	0	0
Total	3,540	6,581

Deep (Layer 3) GW - Solvent concentration greater than 10 ug/l (All areas except Grumman)

Area is based on monitoring well data and computer modeling results.

	HN-25D	GM-7D	HN-8D	HN-29D	HN-29D	Average
TCE	7	8	5	11	13	9
PCE	2	0	0	10	26	8
TOL	0	0	0	0	0	0
XY	0	0	0	0	0	0
TCA	0	2	0	48	0	10
11DCA	0	0	0	0	0	0
11DCE	0	0	0	0	0	0
12DCE	0	0	0	0	0	0
VC						
Total	9	10	5	69	39	26

Area of contamination (acres): 241
Vol of contamination (gal): 2,356,200,000

Quantity of water soluble contaminants (pounds):

TCE	172
PCE	149
TOL	0
XY	0
TCA	196
11DCA	0
11DCE	0
12DCE	0
VC	0
Total	516

In addition to the contaminants dissolved in the water, contaminants are also adsorbed onto soil particles. Use the Kd relationship to calculate total contaminants.

	Soil Contaminants (pounds)	Soil & GW Contaminants (pounds)
TCE	243	415
PCE	607	756
TOL	0	0
XY	0	0
TCA	129	325
11DCA	0	0
11DCE	0	0
12DCE	0	0
VC	0	0
Total	980	1,496

Deep (Layer 3) GW - Solvent concentration less than 10 ug/l (All areas except Grumman)

Area is based on monitoring well data and computer modeling results.

Assign concentration at 50% of Layer 3, > 10 ug/l area

	Average
TCE	4
PCE	4
TOL	0
XY	0
TCA	5
11DCA	0
11DCE	0
12DCE	0
VC	
Total	0
	13

Area of contamination (acres): 195
Vol of contamination (gal): 1,902,912,000

Quantity of water soluble contaminants (pounds):

TCE	69
PCE	60
TOL	0
XY	0
TCA	79
11DCA	0
11DCE	0
12DCE	0
VC	0
Total	208

In addition to the contaminants dissolved in the water, contaminants are also adsorbed onto soil particles. Use the Kd relationship to calculate total contaminants.

	Soil Contaminants (pounds)	Soil & GW Contaminants (pounds)
TCE	98	168
PCE	245	305
TOL	0	0
XY	0	0
TCA	52	131
11DCA	0	0
11DCE	0	0
12DCE	0	0
VC	0	0
Total	396	604

Pg 13 of 17
 Revised 8/31/93

Production-well (Layer 4) Depth Groundwater

Production Well (Layer 4) Depth GW - Solvent concentration greater than 100 ug/l with vinyl chloride (Onsite only)
 Based on PW data only.

	PW-8	PW-8	PW-8	PW-9	PW-9	PW-9	PW-10	PW-10	PW-10	PW-14	PW-14	PW-14	Avg
TCE	95	106	160	18	67	30	25	92	13	1	72	57	61
PCE	85	99	190	3	9	9	3	14	0	1	5	24	37
TOL	0	0	0	0	0	0	0	3	0	0	0	3	0
XY	0	0	0	0	0	0	0	0	0	0	0	3	0
TCA	100	182	300	7	9	12	3	22	3	3	12	0	54
11DCA	0	0	0	0	0	0	0	0	0	0	0	0	0
11DCE	57	245	250	3	5	7	2	7	0	1	4	0	48
12DCE	0	0	0	0	0	0	0	0	0	0	6	57	5
VC	0	0	0	0	0	0	0	0	0	1	4	1400	370
Total	337	632	900	31	90	58	33	138	16	7	103	1,543	577

Area of contamination (acres): 7
 Vol of contamination (gal): 102,663,000

Quantity of water soluble contaminants (pounds):

TCE	52
PCE	31
TOL	0
XY	0
TCA	46
11DCA	0
11DCE	41
12DCE	4
VC	315
Total	492

In addition to the contaminants dissolved in the water, contaminants are also adsorbed onto soil particles. Use the Kd relationship to calculate total contaminants.

	Soil Contaminants (pounds)	Soil & GW Contaminants (pounds)
TCE	74	126
PCE	128	160
TOL	1	2
XY	0	1
TCA	31	77
11DCA	0	0
11DCE	30	71
12DCE	3	0
VC	29	344
Total	297	781

Production Well (Layer 4) Depth GW - Solvent concentration greater than 100 ug/l, without vinyl chloride (Onsite only)

Based on PW data only.

	PW-8	PW-8	PW-8	PW-9	PW-9	PW-9	PW-10	PW-10	PW-10	PW-14	PW-14	PW-14	Avg
TCE	95	106	160	18	67	30	25	92	13	1	72	57	61
PCE	85	99	190	3	9	9	3	14	3	1	5	24	37
TOL	0	0	0	0	0	0	0	3	0	0	0	0	0
XY	0	0	0	0	0	0	0	0	0	0	0	0	0
TCA	100	182	300	7	9	12	3	22	3	3	12	0	54
11DCA	0	0	0	0	0	0	0	0	0	0	0	0	0
11DCE	57	245	250	3	5	7	2	7	0	1	4	0	48
12DCE	0	0	0	0	0	0	0	0	0	0	6	57	5
VC	0	0	0	0	0	0	0	0	0	0	0	0	0
Total	337	632	900	31	90	58	33	138	19	6	99	138	207

Area of contamination (acres): 23
 Vol of contamination (gal): 334,917,000

Quantity of water soluble contaminants (pounds):

TCE	170
PCE	103
TOL	1
XY	0
TCA	151
11DCA	0
11DCE	135
12DCE	15
VC	0
Total	575

In addition to the contaminants dissolved in the water, contaminants are also adsorbed onto soil particles. Use the Kd relationship to calculate total contaminants.

	Soil Contaminants (pounds)	Soil & GW Contaminants (pounds)
TCE	241	412
PCE	421	524
TOL	2	3
XY	0	0
TCA	100	251
11DCA	0	0
11DCE	98	233
12DCE	10	0
VC	0	0
Total	872	1,423

Production Well (Layer 4) Depth GW - Solvent concentration less than 100 ug/l (All areas except Grumman)

Based on PW data and computer modeling, set concentrations equal to 10% of Layer 4 > 100 ug/l area .

	Average
TCE	6
PCE	4
TOL	0
XY	0
TCA	5
11DCA	0
11DCE	5
12DCE	1
VC	0
Total	21

Area of contamination (acres): 567
Vol of contamination (gal): 8,314,020,000

Quantity of water soluble contaminants (pounds):

TCE	423
PCE	256
TOL	2
XY	0
TCA	376
11DCA	0
11DCE	334
12DCE	36
VC	0
Total	1,427

In addition to the contaminants dissolved in the water, contaminants are also adsorbed onto soil particles. Use the Kd relationship to calculate total contaminants.

	Soil Contaminants (pounds)	Soil & GW Contaminants (pounds)
TCE	598	1,022
PCE	1,045	1,301
TOL	6	8
XY	0	0
TCA	249	624
11DCA	0	0
11DCE	244	578
12DCE	24	0
VC	0	0
Total	2,165	3,532

Production-well (Layer 5) Depth GW - Solvent concentration greater than 100 ug/l (Onsite areas only)
Based on PW data only.

	PW-15	PW-15	Average
TCE	8	54	31
PCE	0	23	12
TOL	0	0	0
XY	0	0	0
TCA	3	12	8
11DCA	0	0	0
11DCE	1	3	2
12DCE	1	6	4
VC	0	4	2
Total	13	102	58

Area of contamination (acres): 10
Vol of contamination (gal): 207,704,640

Quantity of water soluble contaminants (pounds):

TCE	53
PCE	20
TOL	0
XY	0
TCA	13
11DCA	0
11DCE	3
12DCE	6
VC	3
Total	99

In addition to the contaminants dissolved in the water, contaminants are also adsorbed onto soil particles. Use the Kd relationship to calculate total contaminants.

	Soil Contaminants (pounds)	Soil & GW Contaminants (pounds)
TCE	76	129
PCE	81	101
TOL	0	0
XY	0	0
TCA	9	21
11DCA	0	0
11DCE	3	6
12DCE	4	0
VC	0	4
Total	172	261

Production-well (Layer 5) Depth GW - Solvent concentration less than 100 ug/l (All areas except Grumman)

Based on PW data and computer modeling. Set concentration equal to 10% of Layer 5, > 100 ug/l area.

	Average		
TCE			3
PCE			1
TOL			0
XY			0
TCA			1
11DCA			0
11DCE			0
12DCE			0
VC			0
Total	0	0	6

Area of contamination (acres): 886
 Vol of contamination (gal): 19,264,605,360

Quantity of water soluble contaminants (pounds):

TCE	496
PCE	184
TOL	0
XY	0
TCA	120
11DCA	0
11DCE	32
12DCE	56
VC	32
Total	919

In addition to the contaminants dissolved in the water, contaminants are also adsorbed onto soil particles. Use the Kd relationship to calculate total contaminants.

	Soil Contaminants (pounds)	Soil & GW Contaminants (pounds)
TCE	701	1,196
PCE	751	935
TOL	0	0
XY	0	0
TCA	79	199
11DCA	0	0
11DCE	23	55
12DCE	37	0
VC	3	35
Total	1,594	2,421



APPENDIX D
GROUNDWATER COMPUTER MODELING



1.0 INTRODUCTION

This Appendix of the FS report presents the approach and results of the Computer Modeling efforts performed at Bethpage Naval Weapons Industrial Reserve Plant (NWIRP) at Bethpage New York, which were conducted for the U. S. Navy.

Bethpage NWIRP is located on 108 acres in Nassau County of Long Island, approximately 20 miles east of New York City in a highly industrialized area. Grumman Aerospace Corp. (Grumman) leases property from the U. S. Navy as part of its Aerospace manufacturing activities. The histories of the NWIRP and Grumman facilities are discussed in detail in the Initial Assessment Study of the NWIRP, the RI/FS Work Plan prepared by Geraghty & Miller, and the RI report prepared by Halliburton NUS.

Grumman utilizes 14 high capacity production wells located on the facility for air conditioning and non-contact cooling purposes. Water pumped from these wells is returned to the aquifer via several recharge basins located across the site. The Bethpage Water District (BWD) operates water supply wells to the east and south of the Bethpage NWIRP.

1.1 OBJECTIVES OF THE COMPUTER MODELING

The modeling investigation is part of an overall RI/FS program designed to determine the locations of any potential sources of contamination on U. S. Navy property, and provide remedial alternatives for potential sources which may be present.

The objective of the computer modeling conducted for the RI report was to provide data on groundwater flow in the area of the NWIRP and the potential flow directions of contaminants. Computer modeling was conducted for the FS report to determine the location of extraction wells for groundwater remediation, and to estimate the approximate time remediation activities will be necessary. The specific objectives of the FS phase of the computer modeling at Bethpage NWIRP are listed below:

FS computer modeling objectives:

- To utilize the calibrated flow model and particle tracking to evaluate remedial alternatives for the facility,
- To determine potential contaminant transport directions and contaminant concentrations under a variety of pumping and remediation scenarios, and,

To determine the approximate amount time remedial actions will be necessary in and around the NWIRP facility.

This report will present a brief review of the computer modeling results of the RI phase, and will focus on the results of the FS phase of the computer modeling. A detailed description of groundwater flow, hydrogeologic conditions at the facility, as well as the procedures and results of the RI phase of the computer modeling are presented in Appendix F of the RI Report, prepared by Halliburton NUS (HNUS, 1993).

1.2 ORGANIZATION OF COMPUTER MODELING REPORT

This appendix summarizes the development of the FS computer modeling efforts and presents their results. The report is organized into four sections. Section 1 provides an introduction to the computer modeling. Section 2 summarizes the RI phase of modeling. Section 3 discusses the design of the groundwater extraction system. Section 4 discusses contaminant transport modeling.

2.0 SUMMARY OF RI PHASE COMPUTER MODELING

This section presents a brief summary of the RI modeling approach and the modeling results. A detailed discussion of this phase of modeling is provided in the RI report prepared by Halliburton NUS (HNUS, 1993). Computer modeling was performed for the RI phase of the investigation at the NWIRP as part of an integrated investigation to determine the locations of any potential sources of contamination on U.S. Navy property. The objectives of the RI modeling are listed below.

RI computer modeling objectives:

- To provide a general characterization of the subsurface conditions underlying Bethpage NWIRP;
- To develop a localized flow model which accurately represents groundwater flow in the area around the Grumman site, with an emphasis on the groundwater flow in and around the NWIRP; and,
- To model the flow directions and rate of travel for simulated contaminant releases under a variety of production well and recharge basin pumping conditions.

2.1 RI MODELING APPROACH

Data Collection / Analysis:

The first portion of the modeling process is to compile the existing data. The available, relevant data regarding site hydrogeologic conditions and groundwater quality was collected and reviewed. Groundwater elevation data, meteorological conditions, pumping and recharge data, and well location data that was required for model activities was identified and obtained from Grumman, state, and Federal sources. To more fully define the aquifer parameters at the site, two pumping tests were conducted at the NWIRP.

Conceptual Model:

A conceptual model of the groundwater system was developed from information gathered after the data collection phase. The conceptual model identified and incorporated the key hydrogeologic characteristics at the site, potential contaminant source information, and locations of the BWD water supply wells in the

area. In addition, the rationale for assumptions and simplifications made to the natural site conditions were reported and described in the conceptual model.

Computer Code Selection:

A groundwater flow modeling code was selected for the modeling project. The MODFLOW model, developed by the U. S. G. S. was selected for the project. This flow model was able to incorporate the key aspects of the conceptual model, and has been well tested and verified. In addition, particle tracking and contaminant transport applications are supported by this groundwater flow model.

Flow Model Calibration:

The site wide flow model was developed by configuring the conceptual model into a format which is compatible for input into the flow model and entering initial values for aquifer parameters into the flow model. The model was then calibrated for two steady-state pumping conditions, and two transient pumping test simulations. The flow model was calibrated by adjusting initial values of parameters, such as, vertical and horizontal hydraulic conductivities, storage and boundary conditions. Calibration continued until the water level elevations at 61 monitoring wells (in steady-state simulations) and the modeled drawdowns (in transient pump test simulations) were adequately comparable to measured values.

Flow Model Validation:

The calibrated model was validated using two steady-state pumping conditions and resulting water elevations which were not previously used in calibration. For each month of water elevation data used for validation, the pumping/recharge rates of Grumman production wells and recharge basins were input into the model, and the model results were compared against the measured water level elevations at 61 monitoring wells.

Particle Tracking:

Particle tracking was performed to determine the possible directions and rates of contaminant movement following a simulated contaminate release from potential sources. Particle tracking was performed under a variety of pumping and recharge conditions, from a variety of potential sources. This approach allows for several potential release scenarios to be examined. An analysis of the rate of particle movement and the three dimensional movement of particles throughout the aquifer was also conducted.

Sensitivity Analysis:

Sensitivity analyses was performed to determine how sensitive the model output is to changes in aquifer parameters. The sensitivity analyses involved changing aquifer parameters by incremental amounts and evaluating these effects on model predictions. The results were used to quantify model accuracy and model assumptions.

2.2 SUMMARY OF RI MODELING RESULTS

The computer modeling performed for the NWIRP site accurately simulated water levels in 56 of 61 monitoring wells in the February, 1992 pumping condition and accurately simulated water levels in 55 of 61 monitoring wells in the August, 1992 pumping condition. The wells which fell outside the calibration criteria of +/- 2.0 ft are in the immediate vicinity of active production wells or recharge basins, which may account for these disparities. Statistical analysis (linear regression and residual contour plots) performed on the calibrated steady-state model data indicates a nearly direct correlation in modeled and measured values of head, and that no significant trends exist in the distribution of model error.

Model simulation of pumping test #1 showed very similar results to data measured during the pumping test. A comparison of measured and modeled drawdowns (in the pumping well and the observation wells) shows very close agreement of measured and modeled data. In addition, the time-drawdown curves for modeled and measured data exhibit very similar results. The simulation of pumping test #2 was more difficult because of the small amounts of drawdown produced in the observation wells and due to the size of the model grid-blocks. Model simulations were within 1.0 ft of measured drawdowns for pumping test #2.

During model validation, the model was used to simulate water elevations for two months of data. The model accurately predicted water levels in 59 of 61 monitoring wells in the January, 1992 pumping condition and accurately simulated water levels in 54 of 61 monitoring wells in the August, 1992 pumping condition.

Sensitivity analysis was conducted for all aquifer parameters. Results indicate that the model is not highly sensitive to increases in horizontal or vertical hydraulic conductivity of up to 50% of calibrated values. The model showed significantly increased error if horizontal or vertical hydraulic conductivity were decreased more than 25% from calibrated values. Time-drawdown curves for shallow monitoring wells indicate that the model is sensitive to an increase in storage of 25%. Recharge and porosity exhibit linear (predictable) effects on model output. Sensitivity analysis indicates that moving the north constant head boundary 1400 ft to the north does not have a significant effect on the capture zones of the BWD wells BP-07, BP-08 and BP-09.

Particle tracking indicates that under current pumping conditions particles released from Site 1 will be captured by Grumman production wells, and BWD wells will not capture particles from the NWIRP recharge basins. Under high pumping (past) conditions at Grumman and average BWD rates, Site 1 particles are captured by Grumman production wells. A small number of particles may effect BWD well BP-08, and to a lesser extent, BWD well BP-09. If Grumman production wells and BWD wells pump at a high rate for sustained periods (as simulated by the steady-state model), all Site 1 particles are captured by Grumman production wells, and 19% of the particles released may move from the NWIRP recharge basins to BWD wells. These pumping conditions may have occurred for short time periods in the past, although the high pumping conditions may not have continued for extended periods of time as simulated in the steady-state model runs. Assuming no Grumman production well or recharge basin activity and average pumping conditions at the BWD wells, Site 1 particles move to the southern constant head boundary, and the capture zone of the BWD wells is not effected by NWIRP recharge basins. Under high BWD well pumping rates, particles released from Site 1 are captured by BWD wells BP-10 and BP-11.

3.0 GROUNDWATER EXTRACTION SYSTEM

The first portion of the FS phase of computer modeling was to determine the location of extraction wells. The remediation system will capture and remediate the groundwater contamination which may be present in and around the NWIRP, and the surrounding area. The particle tracking program MODPATH was used to determine the capture zones of each extraction well in order to design a remediation system that will capture contamination which may be present.

3.1 CONTAMINANT CONCENTRATIONS


Contaminant concentration contour maps were developed for the on-site and off-site area, around the NWIRP. These contaminant concentration contour maps (Figures 3-1 to 3-5) illustrate the maximum concentration of the three main chemicals of concern, TCE, TCA and DCE for each layer of the model. Two contaminant concentration contours are shown, the 5 ppb contour and the 100 ppb contour.

The primary source of data used for constructing these maps was analytical data derived from sampling activities at shallow, intermediate and deep HNUS wells, Grumman monitoring wells, and Grumman production wells. In addition to analytical data, particle tracking results from the RI phase of computer modeling were used to estimate the extent of contamination which may be present in each model layer. Particle tracking data was used to fill in data gaps, and to estimate if contamination was likely to be present in an area where groundwater data was not available.

3.2 MODELING PROCEDURE

The groundwater extraction systems were designed using a combination of particle tracking and contaminant transport modeling simulations. Figure 3-6 shows the modeling procedure used to design the on-site/near-site and the off-site remediation systems. This iterative process is described below.

- Initial locations and pumping rates of extraction wells were determined, based on the extent of the contaminated groundwater plume present in each model layer.
- Particle tracking analysis was performed to determine the capture zone for each extraction well.
- Particle tracking results were compared to contaminant concentration contour maps to determine if the majority of contaminants were being captured by the remediation system.
- The contaminant transport model MT3D was run, utilizing the extraction well locations and pumping rates determined using particle tracking. Remediation times and contaminant concentrations were determined based on this remediation design.
- Areas of unacceptably high contaminant concentrations were determined, and extraction well



CURRENT CONTAMINANT CONCENTRATIONS
5 ppb AND 100 ppb CONTOURS
LAYER 1
BETHPAGE NWIRP





Figure 3-1



HALLIBURTON NUS
Environmental Corporation



CURRENT CONTAMINANT CONCENTRATIONS
5 ppb AND 100 ppb CONTOURS
LAYER 2
BETHPAGE NWIRP





Figure 3-2



HALLIBURTON NUS
Environmental Corporation



CURRENT CONTAMINANT CONCENTRATIONS
5 ppb AND 100 ppb CONTOURS
LAYER 3
BETHPAGE NWIRP

D-3-4





Figure 3-3



HALLIBURTON NUS
Environmental Corporation



CURRENT CONTAMINANT CONCENTRATIONS
5 ppb AND 100 ppb CONTOURS
LAYER 4
BETHPAGE NWIRP

D-3-5





Figure 3-4



HALLIBURTON NUS
Environmental Corporation



CURRENT CONTAMINANT CONCENTRATIONS
5 ppb AND 100 ppb CONTOURS
LAYER 5
BETHPAGE NWIRP

D-3-6






Figure 3-5




ACAD C:\1953\FLOW.DWG 8/18/93 MB PLOT

Figure 3-6



LEGEND

- PRODUCTION WELL
- △ MONITORING WELL
 S = SHALLOW
 I = INTERMEDIATE
 D = DEEP
 GM = GERAGHTY AND MILLER MONITORING WELL
 HN = HALLIBURTON NUS MONITORING WELL
- E-9 EXTRACTION WELL FOR REMEDIATION SYSTEM
- ⊙ BETHPAGE WATER DISTRICT WELL
 BP-8 WELL NUMBER (8768) NYS DEC NUMBER
- ▭ RECHARGE BASIN



**LOCATION OF ON-SITE/NEAR SITE
 EXTRACTION WELLS
 BETHPAGE NWIRP**

D-3-9



HALLIBURTON NUS
 Environmental Corporation

Figure 3-7

**TABLE 3-1
WELLS USED IN ON-SITE / NEAR-SITE REMEDIATION SYSTEM**

Remediation System	Well Number	Model Row, Column	Model Layer	Pumping Rate (gpm)	Recharge Basin Receiving Water
On-site	PW-08	15, 13	4 5	144 756	NWIRP Recharge Basins
	PW-09	16, 16	4	900	
	PW-10	18, 19	4	900	
	PW-14	21, 13	4 5	558 342	
On-site	E-1	22, 11	1 2 3	100 100 100	NWIRP Recharge Basin
	E-2	24, 13	1 2 3	100 100 100	
	E-3	29, 16	1 2 3	100 100 100	
	E-4	31, 20	1 2 3	100 100 100	
	E-5	34, 23	1 2 3 4	100 100 100 100	
	E-6	36, 27	2 3	100 100	
	E-7	39, 31	2	100	
	E-8	42, 35	2	100	
	E-9	28, 26	1 2	100 100	
	E-10*	33, 12	2 3	100 100	
	E-11*	35, 13	2 3	100 100	
	E-12*	39, 18	2 3	100 100	
	E-13*	43, 24	2	100	
	E-14*	47, 31	2	100	

Note: * indicates well was added during second on-site/near site transport simulation.


Figures 3-8 to 3-12 illustrate the extent of the 100 ppb contaminant contour and the capture zone of each extraction well, for each of the 5 model layers. As shown in these figures, the capture zone of the remediation wells is concurrent with the contamination present within the model layer. The majority of water reaching the extraction wells originates at the NWIRP recharge basins, which receive the treated groundwater from the extraction system.

Following the design of the on-site/near-site remediation system based on particle tracking analysis, a contaminant transport model was run to determine the effectiveness of the remediation system, and to estimate cleanup times for the contaminated groundwater. Results of the contaminant transport section of the FS computer modeling are summarized in Section 4.0.

3.3.2 Off-Site Extraction System

The off-site extraction system was designed to remediate the groundwater contamination which may be present on NWIRP property, and any contamination above MCL's (greater than 5 ppb) throughout the modeled area. Figures 3-1 to 3-5 show the extent of the 5 ppb contaminant plume in layer 1 through layer 5. As seen in these figures, the 5 ppb contaminate plume (for TCE, TCA, or PCE) covers a significantly larger area, extending well beyond the NWIRP facility boundary. The off-site extraction system was designed to remediate groundwater which may have been contaminated due to past activities at the NWIRP, with concentrations greater than 5 ppb and does not address contaminants which may be present from other sources.

The off-site remediation system consists of the 14 extraction wells (E-1 to E-14) and 4 Grumman production wells (PW-09, PW-09, PW-10, PW-14) used in the on-site/near-site remediation system, and includes 9 additional extraction wells (E-15 to E-23) which capture the contamination which may be present east and south of the NWIRP facility. Figure 3-13 illustrates the location of the extraction wells used in the off-site remediation system. Table 3-2 lists the pumping rates and depths of the proposed extraction wells and the Grumman production wells which are included in the off-site remediation system. The remaining northern Grumman production wells (PW-11, PW-13, PW-15, PW-16) were considered to be inactive. Southern Grumman production wells (PW-1 through PW-6) were assumed to be pumping at 1991/1992 average rates. The proposed extraction wells of the off-site system (E-15 through E-23) have pumping rates between 70 and 1150 gpm from each layer from which they are pumping. The water pumped from extraction wells E-1 to E-14, and PW-08, PW-09, PW-10, PW-14 (ie., the wells included in the on-site/near-site system) was assumed to be returned to the aquifer through the NWIRP recharge basins (via outfalls 001/004). The water pumped from extraction wells E-15 to E-21 was assumed to be returned through the east recharge basin and water from E-22 and E-23 was returned through the south Grumman recharge basins (outfall 005). All water pumped from the extraction wells used in the off-site system was assumed to be returned to the aquifer near the extraction well after being passed through an air stripper, or other device which removes the volatile organic chemicals.



LEGEND


- PRODUCTION WELL
- ▲ MONITORING WELL
S = SHALLOW
I = INTERMEDIATE
D = DEEP
- GM = GERAGHTY AND MILLER MONITORING WELL
- HN = HALLIBURTON NUS MONITORING WELL

● E-9 EXTRACTION WELL FOR REMEDIATION SYSTEM

⊙ BETHPAGE WATER DISTRICT WELL
BP-8 WELL NUMBER (8768) NYS DEC NUMBER

▭ RECHARGE BASIN

-100- 100 ug/l CONTOUR LINE (MAXIMUM TCE, PCE, TCA CONCENTRATION GREATER THAN 100 ug/l)



**ON SITE/NEAR SITE REMEDIATION SYSTEM
INITIAL CONTAMINANT CONCENTRATIONS
WITH CAPTURE ZONE OF EXTRACTION WELLS**


**LAYER 1
BETHPAGE NWIRP**

D-3-12



HALLIBURTON NUS
Environmental Corporation

Figure 3-8



**ON SITE/NEAR SITE REMEDIATION SYSTEM
INITIAL CONTAMINANT CONCENTRATIONS
WITH CAPTURE ZONE OF EXTRACTION WELLS
LAYER 2
BETHPAGE NWIRP**





Figure 3-9



HALLIBURTON NUS
Environmental Corporation



LEGEND

- PRODUCTION WELL
- △ MONITORING WELL
 S = SHALLOW
 I = INTERMEDIATE
 D = DEEP
 GM = GERAGHTY AND MILLER MONITORING WELL
 HN = HALLIBURTON NUS MONITORING WELL
- E-9 EXTRACTION WELL FOR REMEDIATION SYSTEM
- ⊙ BETHPAGE WATER DISTRICT WELL
 BP-8 WELL NUMBER (8768) NYS DEC NUMBER
- ▭ RECHARGE BASIN
- 100- 100 ug/l CONTOUR LINE (MAXIMUM TCE, PCE, TCA CONCENTRATION GREATER THAN 100 ug/l)

**ON SITE/NEAR SITE REMEDIATION SYSTEM
 INITIAL CONTAMINANT CONCENTRATIONS
 WITH CAPTURE ZONE OF EXTRACTION WELLS
 LAYER 3
 BETHPAGE NWIRP**





Figure 3-10





**ON SITE/NEAR SITE REMEDIATION SYSTEM
INITIAL CONTAMINANT CONCENTRATIONS
WITH CAPTURE ZONE OF EXTRACTION WELLS
LAYER 4
BETHPAGE NWIRP**





Figure 3-11



HALLIBURTON NUS
Environmental Corporation



**ON SITE/NEAR SITE REMEDIATION SYSTEM
INITIAL CONTAMINANT CONCENTRATIONS
WITH CAPTURE ZONE OF EXTRACTION WELLS
LAYER 5
BETHPAGE NWIRP**





Figure 3-12




HALLIBURTON NUS
Environmental Corporation



LEGEND

- PRODUCTION WELL
- △ MONITORING WELL
 S = SHALLOW
 I = INTERMEDIATE
 D = DEEP
 GM = GERAGHTY AND MILLER MONITORING WELL
 HN = HALLIBURTON NUS MONITORING WELL
- E-9 EXTRACTION WELL FOR REMEDIATION SYSTEM
- ⊙ BETHPAGE WATER DISTRICT WELL
 BP-8 WELL NUMBER (8768) NYS DEC NUMBER
- ▤ RECHARGE BASIN



SCALE IN FEET

**LOCATION OF OFF-SITE
 EXTRACTION WELLS
 BETHPAGE NWIRP**

Figure 3-13



HALLIBURTON NUS
 Environmental Corporation

**TABLE 3-2
WELLS USED IN OFF-SITE REMEDIATION SYSTEM**


Remediation System	Well Number	Model Row, Column	Model Layer	Pumping Rate (gpm)	Recharge Basin Receiving Water
Off-site	PW-08	15, 13	4	144	NWIRP Recharge Basins
			5	756	
	PW-09	16, 16	4	900	
	PW-10	18, 19	4	900	
Off-site	PW-14	21, 13	4	558	NWIRP Recharge Basin
			5	342	
Off-site	E-1	22, 11	1	100	NWIRP Recharge Basin
			2	100	
			3	100	
			4	100	
	E-2	24, 13	1	100	
			2	100	
			3	100	
			4	100	
	E-3	29, 16	1	100	
2			100		
3			100		
4			100		
E-4	31, 20	1	100		
		2	100		
		3	100		
		4	100		
E-5	34, 23	1	100		
		2	100		
		3	100		
		4	100		
E-6	36, 27	2	100		
		3	100		
		4	100		
E-7	39, 31	2	100		
		3	100		
		4	100		
E-8	42, 35	2	100		
		3	100		
		4	100		
E-9	28, 26	1	100		
		2	100		
		3	100		
		4	100		

Table 3-2, page 2

Remediation System	Well Number	Model Row, Column	Model Layer	Pumping Rate (gpm)	Recharge Basin Receiving Water
Off-site	E-15	25, 48	2	100	East Recharge Basin
			3	141	
			4	200	
			5	700	
	E-16	31, 44	2	100	
			3	141	
			4	200	
			5	700	
	E-17	31, 46	2	100	
3			141		
4			200		
5			700		
E-18	35, 39	2	100		
		3	150		
E-19	43, 40	4	100		
		4	100		
E-20	42, 43	4	71		
		5	1,000		
E-21	42, 47	5	1,000		
E-22	55, 45	5	1,158	South Recharge Basin	
E-23	55, 49	5	1, 158		

The capture zone of each extraction well used in the off-site extraction system was determined using the particle tracking portion of the computer modeling. During the FS phase of modeling, the location and pumping rate of each extraction well was adjusted to maximize the capture of the contaminant plume. Figures 3-14 to 3-18 illustrates the extent of the 5 ppb contaminant contour and the capture zone of each extraction well, for each of the 5 model layers. As shown in these figures, the capture zone of the remediation wells is concurrent with the contamination present within the model layer. In model layers 1, 2 and 3, the majority of water reaching the extraction wells originates at the NWIRP recharge basins. The capture zones of layers 4 and 5 extraction wells show increased recharge from the eastern recharge basins.

Following the design of the on-site/near-site remediation system based on particle tracking analysis, a contaminant transport model was run to determine the effectiveness of the remediation system, and to estimate cleanup times for the contaminated groundwater. Results of the contaminant transport section of the FS computer modeling are summarized in Section 4.0.



**OFF SITE REMEDIATION SYSTEM
 INITIAL CONTAMINANT CONCENTRATIONS
 WITH CAPTURE ZONE OF EXTRACTION WELLS
 LAYER 1
 BETHPAGE NWIRP**





Figure 3-14





OFF SITE REMEDIATION SYSTEM
INITIAL CONTAMINANT CONCENTRATIONS
WITH CAPTURE ZONE OF EXTRACTION WELLS
LAYER 2
BETHPAGE NWIRP





Figure 3-15

HALLIBURTON NUS
Environmental Corporation



**OFF SITE REMEDIATION SYSTEM
INITIAL CONTAMINANT CONCENTRATIONS
WITH CAPTURE ZONE OF EXTRACTION WELLS
LAYER 3
BETHPAGE NWIRP**





Figure 3-16



HALLIBURTON NUS
Environmental Corporation



**OFF SITE REMEDIATION SYSTEM
INITIAL CONTAMINANT CONCENTRATIONS
WITH CAPTURE ZONE OF EXTRACTION WELLS
LAYER 4
BETHPAGE NWIRP**





Figure 3-17



HALLIBURTON NUS
Environmental Corporation



**OFF SITE REMEDIATION SYSTEM
INITIAL CONTAMINANT CONCENTRATIONS
WITH CAPTURE ZONE OF EXTRACTION WELLS**

**LAYER 5
BETHPAGE NWIRP**

D-3-25




Figure 3-18



HALLIBURTON NUS
Environmental Corporation

4.0 CONTAMINANT TRANSPORT MODELING

Contaminant transport modeling was performed following the particle tracking portion of the FS computer modeling. The three-dimensional transport model used for this project (MT3D) simulates advection, dispersion, and chemical reactions which effect contaminant movement and concentrations through time. Transport modeling was used to estimate contaminant concentrations in groundwater under a variety of extraction wells pumping condition order to determine the most effective remediation design. Note that contaminant transport calibration was not conducted because of limited knowledge of the historic disposal activities. As a result contaminant transport parameters were based on data collected on-site and literature values. All contaminant transport modeling results should be considered approximations.

4.1 CONTAMINANT TRANSPORT MODELING PROCEDURE

The contaminant transport model uses output data from the groundwater flow model, and incorporates data on aquifer parameters to determine chemical concentrations in groundwater at each grid-block of the model. Three chemicals (TCE, TCA, PCE) are present in groundwater in the vicinity of the NWIRP site in significantly high concentrations. Contaminant transport was simulated for these three chemicals of concern. Aquifer and chemical properties used in the MT3D model are listed in Table 4-1.

TABLE 4-1
AQUIFER PARAMETERS USED IN CONTAMINANT TRANSPORT MODEL

AQUIFER PARAMETERS:	
POROSITY	0.20
RATIO OF HORIZONTAL TO LONGITUDINAL DISPERSIVITY	0.10
RATIO OF HORIZONTAL TO VERTICAL DISPERSIVITY	0.01
CONTAMINANT DATA:	
CHEMICAL	PARTITION COEFFICIENT, Kd (L/Kg)
TCE	0.23
TCA	0.11
PCE	0.67

As illustrated in Figure 3-6, the remediation design is an iterative process with refinements in the remediation system being incorporated after each contaminant transport simulation. Transport modeling was initiated after an initial remediation design was developed, to determine the relative effectiveness of the remediation system and clean-up times which may be required. During the second round of contaminant transport modeling, additional extraction wells were added to the on-site and off-site systems to accelerate the remediation of groundwater.

4.2 CONTAMINANT TRANSPORT RESULTS

Contaminant transport modeling was performed using current chemical concentrations in groundwater as initial conditions, and simulating 50 years of pumping using the on-site and off-site remediation systems. Past activities which contributed to groundwater contamination at the site are unknown. For this reason, groundwater concentrations were simulated exclusively for future (predictive) conditions.

4.2.1 Current Groundwater Concentrations

The current concentrations of the three chemicals of concern in groundwater were derived from analytical data gathered during groundwater sampling events, and particle tracking data from the RI phase of computer modeling. Areas which contain no monitoring well data were assigned an initial concentration of 5 ppb, if particle tracking analysis indicated groundwater may have been influenced by recharge water from the NWIRP recharge basins. These basins may have contained the volatile organics in the past when pumping from the aquifer was occurring at an accelerated rate.


Current concentrations of TCE for model layer 1 to layer 5 are illustrated on Figures 4-1 to 4-5. Current concentrations of TCA for each model layer are illustrated on Figures 4-6 to 4-10. Current concentrations of PCE are illustrated on Figures 4-11 to 4-15.

4.2.2 Current Pumping Conditions (No Remedial Action)

Contaminant transport modeling was performed for current pumping conditions assuming no additional remediation wells were installed, and all Grumman production wells and BWD wells were pumping at 1991/1992 average rates. This no-action scenario is included to provide a frame of reference for the treatment options, by determining what level of contaminants will be present if no remediation system is installed. All water pumped from the north Grumman production wells was returned to the NWIRP recharge basins, and water from the south Grumman production wells was returned to the south Grumman recharge basins. Water returned to these basins was assumed to be free of contaminants.


Figures 4-16 to 4-20 illustrate TCE concentrations in each model layer after 30 years of current pumping

Figure 4-1 Layer 1, TCE Current Conditions (0 years), Contour Interval = 100 ppb.




* = Production Well Location
 + = HNUS or Geraghty & Miller Monitoring Well
 O = Extraction Well Location
 Note: Starting concentration contour = 5 ppb

Figure 4-2 Layer 2, TCE Current Conditions (0 years), Contour Interval = 100 ppb.




SCALE 1 inch = 2130 ft



* = Production Well Location
 + = HNUS or Geraghty & Miller Monitoring Well
 O = Extraction Well Location
 Note: Starting concentration contour = 5 ppb

Figure 4-4 Layer 4, TCE Current Conditions (0 years), Contour Interval = 10 ppb.




SCALE 1 inch = 2130 ft




- * = Production Well Location
 - + = HNUS or Geraghty & Miller Monitoring Well
 - O = Extraction Well Location
- Note: Starting concentration contour = 5 ppb

Figure 4-5 Layer 5, TCE Current Conditions (0 years), Contour Interval = 10 ppb.




SCALE 1 inch = 2130 ft



* = Production Well Location
 + = HNUS or Geraghty & Miller Monitoring Well
 O = Extraction Well Location
 Note: Starting concentration contour = 5 ppb


Figure 4-6 Layer 1, TCA Current Conditions (0 years), Contour Interval = 100 ppb.



SCALE 1 inch = 2130 ft

* = Production Well Location
 + = HNU or Geraghty & Miller Monitoring Well
 O = Extraction Well Location
 Note: Starting concentration contour = 5 ppb

Figure 4-7 Layer 2, TCA Current Conditions (0 years), Contour Interval = 10 ppb.




SCALE 1 inch = 2130 ft



- * = Production Well Location
 - + = HNUS or Geraghty & Miller Monitoring Well
 - O = Extraction Well Location
- Note: Starting concentration contour = 5 ppb

Figure 4-8 Layer 3, TCA Current Conditions (0 years), Contour Interval = 10 ppb.




SCALE 1 inch = 2130 ft




* = Production Well Location
 + = HNUS or Geraghty & Miller Monitoring Well
 O = Extraction Well Location
 Note: Starting concentration contour = 5 ppb

Figure 4-9 Layer 4, TCA current conditions (0 years), Contour Interval = 10 ppb.




SCALE 1 inch = 2130 ft



* = Production Well Location
 + = HNUS or Geraghty & Miller Monitoring Well
 O = Extraction Well Location
 Note: Starting concentration contour = 5 ppb

Figure 4-10 Layer 5, TCA Current Conditions (0 years), Contour Interval = 1 ppb.




SCALE 1 inch = 2130 ft




* = Production Well Location
 + = HNUS or Geraghty & Miller Monitoring Well
 O = Extraction Well Location
 Note: Starting concentration contour = 5 ppb

Figure 4-11 Layer 1, PCE Current Conditions (0 years), Contour Interval = 100 ppb.




SCALE 1 inch = 2130 ft



* = Production Well Location
 + = HNUS or Geraghty & Miller Monitoring Well
 O = Extraction Well Location
 Note: Starting concentration contour = 5 ppb

Figure 4-12 Layer 2, PCE Current Conditions (0 years), Contour Interval = 100 ppb.




SCALE 1 inch = 2130 ft




* = Production Well Location
 + = HNUS or Geraghty & Miller Monitoring Well
 O = Extraction Well Location
 Note: Starting concentration contour = 5 ppb

Figure 4-13 Layer 3, PCE Current Conditions (0 years), Contour Interval = 10 ppb.




SCALE 1 inch = 2130 ft



* = Production Well Location
 + = HNUS or Geraghty & Miller Monitoring Well
 O = Extraction Well Location
 Note: Starting concentration contour = 5 ppb

Figure 4-14 Layer 4, PCE Current Conditions (0 years), Contour Interval = 10 ppb.




SCALE 1 inch = 2130 ft




* = Production Well Location
 + = HNUS or Geraghty & Miller Monitoring Well
 O = Extraction Well Location
 Note: Starting concentration contour = 5 ppb

Figure 4-15 Layer 5, PCE Current Conditions (0 years), Contour Interval = 1 ppb.




SCALE 1 inch = 2130 ft




* = Production Well Location
 + = HNUS or Geraghty & Miller Monitoring Well
 O = Extraction Well Location
 Note: Starting concentration contour = 5 ppb

Figure 4-16 Layer 1, Average Pumping Conditions (No Action), TCE after 30 years, Contour Interval = 100 ppb.




SCALE 1 inch = 2130 ft




* = Production Well Location
 + = HNUS or Geraghty & Miller Monitoring Well
 O = Extraction Well Location
 Note: Starting concentration contour = 5 ppb

Figure 4-17 Layer 2, Average Pumping Conditions (No Action), TCE after 30 years, Contour Interval = 100 ppb.




SCALE 1 inch = 2130 ft



* = Production Well Location
 + = HNUS or Geraghty & Miller Monitoring Well
 O = Extraction Well Location
 Note: Starting concentration contour = 5 ppb


Figure 4-18 Layer 3, Average Pumping Conditions (No Action), TCE after 30 years,
 Contour Interval = 100 ppb.




SCALE 1 inch = 2130 ft

* = Production Well Location
 + = HNUS or Geraghty & Miller Monitoring Well
 O = Extraction Well Location
 Note: Starting concentration contour = 5 ppb

Figure 4-19 Layer 4, Average Pumping Conditions (No Action), TCE after 30 years, Contour Interval = 100 ppb.




SCALE 1 inch = 2130 ft



* = Production Well Location
 + = HNUS or Geraghty & Miller Monitoring Well
 O = Extraction Well Location
 Note: Starting concentration contour = 5 ppb

Figure 4-20 Layer 5, Average Pumping Conditions (No Action), TCE after 30 years, Contour Interval = 100 ppb.



* = Production Well Location
 + = HNUS or Geraghty & Miller Monitoring Well
 O = Extraction Well Location
 Note: Starting concentration contour = 5 ppb

conditions. Figures 4-21 through 4-25 show TCA concentrations after 30 years, and Figures 4-26 to 4-30 show PCE concentrations after 30 years.

4.2.3 On-Site / Near-Site Remediation System

Initial Transport Simulation

The initial on-site/near-site remediation system was focused on areas where groundwater shows the highest level of contamination. Specifically, wells were located to remediate the 'hot-spot' of contamination present in layer 1 in the vicinity of Site 1, and the northwest-southeast trending plume present in layer 2 (see Figures 4-1 to 4-15). Initial concentrations of contaminants in model layers 3, 4 and 5 show substantially lower levels of TCE, TCA and PCE compared to the concentrations found in layer 1 and layer 2. Wells were located in layer 3 to remediate groundwater contamination which may exist currently, or which may enter layer 3 from layer 2 due to the downward flow gradient. Existing Grumman production wells were used as extraction wells for contamination in layer 4 and layer 5. For the initial transport simulation the on-site/near-site extraction wells were placed within the long axis of the contamination plume, as close to Navy property as possible. The initial remediation system consisted of PW-08, PW-09, PW-10, PW-14, and wells E-1 through E-9. Production wells had pumping rates of 900 gpm, extraction wells had pumping rates of 100 gpm. Pumping rates and well locations for the on-site / near-site extraction system are listed on Table 3-1. All water pumped from the extraction wells was returned to the NWIRP recharge basins. Southern Grumman production wells and BWD wells were pumping at 1991/1992 average rates. The acceptable clean-up goal, using this remediation system was chosen to be approximately 30 years.


Figures 4-31 to 4-35 illustrate TCE concentrations in each model layer after 30 years of pumping the remediation system. Figures 4-36 through 4-40 show TCA concentrations after 30 years, and Figures 4-41 to 4-45 show PCE concentrations after 30 years.

As shown in Figures 4-36 to 4-40, after the 30 year remediation simulation, TCA concentrations are reduced significantly, to less than 35 ppb. However, significant TCE contamination was present in layer 3, to the west of well E-5. In addition, significant PCE contamination was present in layer 2 west of well E-8. Additional extraction wells were added in the second transport simulation to address these areas of contamination which persisted after 30 years.


Second Transport Simulation

For the second transport simulation five extraction wells were added to the on-site/near-site remediation system to address the regions of contamination remaining after 30 years, as noted above. Extraction

Figure 4-21 Layer 1, Average Pumping Conditions (No Action), TCA after 30 years, Contour Interval = 1 ppb.




SCALE 1 inch = 2130 ft



* = Production Well Location
 + = HNUS or Geraghty & Miller Monitoring Well
 O = Extraction Well Location
 Note: Starting concentration contour = 5 ppb

Figure 4-23 Layer 3, Average Pumping Conditions (No Action), TCA after 30 years, Contour Interval = 10 ppb.




SCALE 1 inch = 2130 ft




* = Production Well Location
 + = HNUS or Geraghty & Miller Monitoring Well
 O = Extraction Well Location
 Note: Starting concentration contour = 5 ppb

Figure 4-24 Layer 4, Average Pumping Conditions (No Action), TCA after 30 years, Contour Interval = 10 ppb.




SCALE 1 inch = 2130 ft




* = Production Well Location
 + = HNUS or Geraghty & Miller Monitoring Well
 O = Extraction Well Location
 Note: Starting concentration contour = 5 ppb

Figure 4-25 Layer 5, Average Pumping Conditions (No Action), TCA after 30 years, Contour Interval = 10 ppb.




SCALE 1 inch = 2130 ft




* = Production Well Location
 + = HNUS or Geraghty & Miller Monitoring Well
 O = Extraction Well Location
 Note: Starting concentration contour = 5 ppb

Figure 4-26 Layer 1, Average Pumping Conditions (No Action), PCE after 30 years, Contour Interval = 100 ppb.




* = Production Well Location
 + = HNU S or Geraghty & Miller Monitoring Well
 O = Extraction Well Location
 Note: Starting concentration contour = 5 ppb

Figure 4-27 Layer 2, Average Pumping Conditions (No Action), PCE after 30 years, Contour Interval = 100 ppb.




SCALE 1 inch = 2130 ft



* = Production Well Location
 + = HNUS or Geraghty & Miller Monitoring Well
 O = Extraction Well Location
 Note: Starting concentration contour = 5 ppb

Figure 4-28 Layer 3, Average Pumping Conditions (No Action), PCE after 30 years, Contour Interval = 100 ppb.




SCALE 1 inch = 2130 ft



* = Production Well Location
 + = HNUS or Geraghty & Miller Monitoring Well
 O = Extraction Well Location
 Note: Starting concentration contour = 5 ppb


Figure 4-29 Layer 4, Average Pumping Conditions (No Action), PCE after 30 years, Contour Interval = 10 ppb.




SCALE 1 inch = 2130 ft

* = Production Well Location
 + = HNUS or Geraghty & Miller Monitoring Well
 O = Extraction Well Location
 Note: Starting concentration contour = 5 ppb

Figure 4-30 Layer 5, Average Pumping Conditions (No Action), PCE after 30 years, Contour Interval = 10 ppb.




SCALE 1 inch = 2130 ft



* = Production Well Location
 + = HNUS or Geraghty & Miller Monitoring Well
 O = Extraction Well Location
 Note: Starting concentration contour = 5 ppb


Figure 4-31 Layer 1, On-Site System, Initial Run, TCE after 30 years, Contour Interval = 1 ppb.



SCALE 1 inch = 2130 ft

- * = Production Well Location
 - + = HNUS or Geraghty & Miller Monitoring Well
 - O = Extraction Well Location
- Note: Starting concentration contour = 5 ppb

Figure 4-32 Layer 2, On-Site System, Initial Run, TCE after 30 years, Contour Interval = 10 ppb.




SCALE 1 inch = 2130 ft



- * = Production Well Location
 - + = HNUS or Geraghty & Miller Monitoring Well
 - O = Extraction Well Location
- Note: Starting concentration contour = 5 ppb

Figure 4-34 Layer 4, On-Site System, Initial Run, TCE after 30 years, Contour Interval = 1 ppb.




SCALE 1 inch = 2130 ft



* = Production Well Location
 + = HNUS or Geraghty & Miller Monitoring Well
 O = Extraction Well Location
 Note: Starting concentration contour = 5 ppb

Figure 4-35 Layer 5, On-Site System, Initial Run, TCE after 30 years, Contour Interval = 1 ppb.




SCALE 1 inch = 2130 ft




* = Production Well Location
 + = HNUS or Geraghty & Miller Monitoring Well
 O = Extraction Well Location
 Note: Starting concentration contour = 5 ppb

Figure 4-37 Layer 2, On-Site System, Initial Run, TCA after 30 years, Contour Interval = 1 ppb.




SCALE 1 inch = 2130 ft




- * = Production Well Location
 - + = HNUS or Geraghty & Miller Monitoring Well
 - O = Extraction Well Location
- Note: Starting concentration contour = 5 ppb

Figure 4-38 Layer 3, On-Site System, Initial Run, TCA after 30 years, Contour Interval = 10 ppb.




SCALE 1 inch = 2130 ft



- * = Production Well Location
 - + = HNUS or Geraghty & Miller Monitoring Well
 - O = Extraction Well Location
- Note: Starting concentration contour = 5 ppb

Figure 4-41 Layer 1, On-Site System, Initial Run, PCE after 30 years, Contour Interval = 10 ppb.




SCALE 1 inch = 2130 ft




- * = Production Well Location
 - + = HNUS or Geraghty & Miller Monitoring Well
 - O = Extraction Well Location
- Note: Starting concentration contour = 5 ppb

Figure 4-42 Layer 2, On-Site System, Initial Run, PCE after 30 years, Contour Interval = 10 ppb.




SCALE 1 inch = 2130 ft



* = Production Well Location
 + = HNUS or Geraghty & Miller Monitoring Well
 O = Extraction Well Location
 Note: Starting concentration contour = 5 ppb

Figure 4-43 Layer 3, On-Site System, Initial Run, PCE after 30 years, Contour Interval = 10 ppb.




SCALE 1 inch = 2130 ft




* = Production Well Location
 + = HNUS or Geraghty & Miller Monitoring Well
 O = Extraction Well Location
 Note: Starting concentration contour = 5 ppb

Figure 4-44 Layer 4, On-Site System, Initial Run, PCE after 30 years, Contour Interval = 1 ppb.




SCALE 1 inch = 2130 ft



* = Production Well Location
 + = HNUS or Geraghty & Miller Monitoring Well
 O = Extraction Well Location
 Note: Starting concentration contour = 5 ppb

Figure 4-45 Layer 5, On-Site System, Initial Run, PCE after 30 years, Contour Interval = 1 ppb.



SCALE 1 inch = 2130 ft



* = Production Well Location
 + = HNUS or Geraghty & Miller Monitoring Well
 O = Extraction Well Location
 Note: Starting concentration contour = 5 ppb

wells E-10 through E-14 are located in model layers 2 and 3. These wells were pumping at rates of 100 gpm from layer 2 and/or layer 3 only. Transport simulations were run for TCE and PCE which showed the highest levels of contamination after the initial run. Due to the significantly lower levels of TCA contamination after 30 years, transport of this chemical was not simulated for the second transport run. Figures 4-46 to 4-50 illustrate TCE concentrations in each model layer after 30 years of pumping the remediation system. Figures 4-51 through 4-55 show PCE concentrations after 30 years.


As seen in these figures, TCE concentrations layer 3, to the west of well E-5 are significantly lower than in the initial transport simulation. PCE concentrations in layer 2 west of well E-8 also show improvement compared to the initial transport simulation. It is likely that improvements in groundwater contaminant concentrations could be achieved with additional adjustments (optimization) of well pumping rates and well locations in concert with subsequent transport model simulations.

4.2.4 Off-Site Remediation System

The off-site remediation system was directed at all groundwater with concentrations of greater than 5 ppb for any of the three chemicals of concern. In addition to the plume of contamination in the immediate vicinity of the NWIRP, low levels of contaminants may be present to the east of the facility in layers 2 and 3, and to the south and east in layers 4 and 5. To prevent further migration of these contaminants, and to remediate this groundwater, extraction wells were located to capture the northern and southern portion on the >5 ppb plume. The off-site system consists of Grumman production wells PW-08, PW-09, PW-10 and PW-14 in layers 4 and 5, on-site extraction wells E-1 to E-9 which are screened in layers 1 through layer 4, and off-site extraction wells E-15 to E-23, screened in layers 2 through 5. Table 3-2 lists pumping rates and depths of each well in the off-site remediation system. Water pumped from the Grumman production wells and extraction wells E-1 through E-9 was assumed to be returned to the NWIRP recharge basins. Water from E-15 through E-21 was assumed to be pumped to the east (municipal) recharge basin, while water from E-22 and E-23 was returned to the south Grumman recharge basins.


Figures 4-56 to 4-60 illustrate TCE concentrations in each model layer after 30 years of pumping the off-site remediation system. Figures 4-61 through 4-65 show TCA concentrations after 30 years, and Figures 4-66 to 4-70 show PCE concentrations after 30 years. Results of the contaminant transport modeling for TCE, TCA and PCE show significantly reduced levels of contamination at both on- and off-site locations compared to the initial chemical concentrations.

Figure 4-47 Layer 2, On-Site System, Second Run, TCA after 30 years, Contour Interval = 10 ppb.




* = Production Well Location
 + = HNU or Geraghty & Miller Monitoring Well
 O = Extraction Well Location
 Note: Starting concentration contour = 5 ppb

Figure 4-48 Layer 3, On-Site System, Second Run, TCA after 30 years, Contour Interval = 1 ppb.




* = Production Well Location
 + = HNUS or Geraghty & Miller Monitoring Well
 O = Extraction Well Location
 Note: Starting concentration contour = 5 ppb

Figure 4-50 Layer 5, On-Site System, Second Run, TCA after 30 years, Contour Interval = 1 ppb.




SCALE 1 inch = 2130 ft



* = Production Well Location
 + = HNUS or Geraghty & Miller Monitoring Well
 O = Extraction Well Location
 Note: Starting concentration contour = 5 ppb

Figure 4-54 Layer 4, On-Site System, Second Run, PCE after 30 years, Contour Interval = 1 ppb.




SCALE 1 inch = 2130 ft



* = Production Well Location
 + = HNUS or Geraghty & Miller Monitoring Well
 O = Extraction Well Location
 Note: Starting concentration contour = 5 ppb

Figure 4-55 Layer 5, On-Site System, Second Run, PCE after 30 years, Contour Interval = 1 ppb.




SCALE 1 inch = 2130 ft




* = Production Well Location
 + = HNUS or Geraghty & Miller Monitoring Well
 O = Extraction Well Location
 Note: Starting concentration contour = 5 ppb

Figure 4-59 Layer 4, Off-Site System, TCE after 30 years, Contour Interval = 1 ppb.




SCALE 1 inch = 2130 ft




- * = Production Well Location
 - + = HNUS or Geraghty & Miller Monitoring Well
 - O = Extraction Well Location
- Note: Starting concentration contour = 5 ppb

Figure 4-61 Layer 1, Off-Site System, TCA after 30 years, Contour Interval = 1 ppb.




SCALE 1 inch = 2130 ft



* = Production Well Location
 + = HNUS or Geraghty & Miller Monitoring Well
 O = Extraction Well Location
 Note: Starting concentration contour = 5 ppb

Figure 4-63 Layer 3, Off-Site System, TCA after 30 years, Contour Interval = 1 ppb.




SCALE 1 inch = 2130 ft




- * = Production Well Location
- + = HNUS or Geraghty & Miller Monitoring Well
- O = Extraction Well Location
- Note: Starting concentration contour = 5 ppb

Figure 4-66 Layer 1, Off-Site System, PCE after 30 years, Contour Interval = 10 ppb.




SCALE 1 inch = 2130 ft



* = Production Well Location
 + = HNUS or Geraghty & Miller Monitoring Well
 O = Extraction Well Location
 Note: Starting concentration contour = 5 ppb

Figure 4-68 Layer 3, Off-Site System, PCE after 30 years, Contour Interval = 10 ppb.



SCALE 1 inch = 2130 ft



- * = Production Well Location
 - + = HNUS or Geraghty & Miller Monitoring Well
 - O = Extraction Well Location
- Note: Starting concentration contour = 5 ppb

APPENDIX E
COST ESTIMATES



SOILS COST ESTIMATES



NAVAL WEAPONS INDUSTRIAL RESERVE PLANT
Bethpage, New York
No Action
Alternative S1
(OMNWA1) 2/11/94

Annual Costs

```
*****
ITEM          *      ITEM $      *
              *      COST PER    *
              *      5 YEARS     *
              *                               *      NOTES
*****
1. Site Review *      20000.00 * Analysis Review performed for
              *                               *      years 5,10,15,20,25,30
              *                               *
*****
TOTAL ANNUAL *                               *      Post Remedial monitoring will
COST          *      20000.00 * be performed for years
              *      5,10,15,20,25,30
*****
```

NAVAL WEAPONS INDUSTRIAL RESERVE PLANT

Bethpage, New York

No Action

Alternative S1

(PWANAS1) 2/11/94

56

PRESENT WORTH ANALYSIS

COST COMPONENT	COST/YEAR COST OCCURS (\$000'S)											
	0	1	2	3	4	5	6	7	8	9	10	11
1. CAPITAL COST	0	0	0	0	0	0	0	0	0	0	0	0
2. O & M COSTS	0	0	0	0	0	0	0	0	0	0	0	0
3. ANNUAL COSTS	0	0	.907	.864	.823	.784	.746	.711	.677	.645	.614	.585
4. ANNUAL DISCOUNT RATE=5%	1	.952										
PRESENT WORTH =	0	0	0	0	0	0	0	0	0	0	0	0

O & M COSTS	0	0	0	0	0	0	0	0	0	0	0	0
ANNUAL DISCOUNT RATE=5%	.557	.53	.505	.481	.458	.436	.416	.396	.377	.359	.342	.326
PRESENT WORTH =	0	0	0	0	0	0	0	0	0	0	0	0

COST COMPONENT	COST/YEAR COST OCCURS (\$000'S)											
	0	1	2	3	4	5	6	7	8	9	10	11
1. CAPITAL COST	0	0	0	0	0	0	0	0	0	0	0	0
2. O & M COSTS	0	0	0	0	0	0	0	0	0	0	0	0
3. ANNUAL COSTS	0	0	.281	.268	.255	.243	.231	.220	.209	.198	.187	.176
4. ANNUAL DISCOUNT RATE=5%	.31	.295										
PRESENT WORTH =	0	0	0	0	0	0	0	0	0	0	0	0

O & M COSTS	0	0	0	0	0	0	0	0	0	0	0	0
ANNUAL DISCOUNT RATE=5%	.31	.295	.281	.268	.255	.243	.231	.220	.209	.198	.187	.176
PRESENT WORTH =	0	0	0	0	0	0	0	0	0	0	0	0

TOTAL PRESENT WORTH (000'S)
===== 56
=====

NAVAL WEAPONS INDUSTRIAL RESERVE PLANT
 Bethpage, New York
 Impermeable Capping
 Current Industrial Use
 Alternative S2A
 Sheet 1 of 2
 (NWS2A)
 2/11/94

Item	Qty	Unit	Unit Cost			Total Cost			Total			
			Sub.	Mat.	Labor	Equip.	Sub.	Mat.	Labor	Equip.	Direct Cost	Comments
MOBILIZATION/DEMOBILIZATION												
1) Office Trailer (2)	6	MO	1000.00				6000				6000	
2) Storage Trailer (1)	6	MO	500.00				3000				3000	
3) Construction Survey	4	SETS	1500.00				10000				10000	
4) Portable Communication Equipment	6	MO	25000.00				25000				25000	
5) Equipment Mobilization/Demobilization	6	MO	4000.00				24000				24000	
6) Site Utilities	6	MO	10000.00				60000				60000	
7) Security	6	MO	1500.00				9000				9000	
8) Decontamination Trailer	24	WKS	250.00				6000				6000	
DECONTAMINATION FACILITIES AND SERVICES												
1) Laundry Service	240	CY	70.00	125.00	5.00		16800	30000	1200		48000	
2) Truck Decon Pad	180	CY	7.50	3.33	8.00		1350	599	1440		3389	
a) Concrete Pad - 8"	720	LF	3.07	1.99	.05		2210	1433	36		3679	
b) Gravel Base - 6"	6	SF	1450.00	500.00	220.00		8700	3000	1320		13020	
c) Curb	4800	SF	1.25	1.00			6000	4800			10800	
d) Collection Sump	6	MO	1200.00				7200				7200	
e) Splash Guard	79200	GAL	.20				15840				15840	
3) Decontamination Services	18	CY	70.00	125.00	5.00		1260	2250	90		3600	
4) Decon Water	18	CY	7.50	3.33	8.00		135	60	144		339	
5) Personnel Decon Pad	360	LF	3.07	1.99	.05		1105	716	18		1840	
a) Concrete Pad - 4"	3		3000.00	300.00			9000	900			9900	3000 Gallon
b) Gravel Base - 4"	3		5000.00	400.00			15000	1200			16200	5000 Gallon
6) Clean Water Storage Tank	10533	CY	6.00	2.70	7.43		63198	28439	78260		169897	
7) Spent Water Storage Tank	10533	CY	.84	.84	2.67		8848	8848	28123		36971	
CAPPING	21067	CY	8.00	2.70	7.43		168536	56881	156528		381945	
a) Place, Spread & Compact	21067	CY	.84	.84	2.67		17696	17696	56249		73945	
3) Gravel Layer - 6"	10533	CY	6.00	2.70	7.43		63198	28439	78260		169897	
a) Place, Spread & Compact	10533	CY	.84	.84	2.67		8848	8848	28123		36971	
4) Filter Fabric - 2 Layers	126400	SY	1.70				214880				214880	
5) Soil - 24"	42133	CY	4.50	2.70	7.43		113759	313048	426807		853614	
a) Place & Spread	42133	CY	.63	.63	.57		26544	24016	50560		81120	
6) Revegetation	569	MSF	24.60	8.40	6.68		13997	4780	3801		22578	
			386920	370490	339192		770656	1867258				

NAVAL WEAPONS INDUSTRIAL RESERVE PLANT
 Bethpage, New York
 Impermeable Capping
 Current Industrial Use
 Alternative S2A
 Sheet 2 of 2
 (NWBS2A)
 2/11/94

Item	Unit Cost			Total Cost			Total Direct Cost	Comments				
	Qty	Unit	Sub.	Mat.	Labor	Equip.			Sub.	Mat.	Labor	Equip.
PAGE 1 TOTAL			386920	370190	339192	770656	1867258					
Burden @ 30% of Labor Cost					101758		101758					
Labor @ 10% of Labor Cost					33919		33919					
Material @ 10% of Material Cost				37049			37049					
SubContract @ 10% of Sub. Cost			38692				38692					
Total Direct Cost			425612	407539	474869	770656	2078676					
Indirects @ 75% of Total Direct Labor Cost					356151		356151					
Profit @ 10% of Total Direct Cost					207868		207868					
Health & Safety Monitoring @ 10%							264269					
Total Field Cost							2906964					
Contingency @ 20% of Total Field Cost							581393					
Engineering @ 10% of Total Field Cost							290696					
TOTAL COST THIS PAGE							3779054					

NAVAL WEAPONS INDUSTRIAL RESERVE PLANT
 Bethpage, New York
 Impermeable Cap
 Current Industrial Use
 Alternative S2A
 (OMNWC2A) 2/11/94

Annual Costs

ITEM	*	ITEM \$	*	ITEM \$	*
	*	ANNUAL COST	*	COST PER	*
	*		*	5 YEARS	*

					NOTES

1. Cap Maintenance	*	15000.00	*		* Inspection, Erosion Control, * Mowing & Revegetation
	*		*		*
	*		*		*

2. Site Review	*		*	20000.00	* Analysis Review performed for * years 5,10,15,20,25,30
	*		*		*
	*		*		*

TOTAL ANNUAL	*		*		* Post Remedial maintenance
COST	*	15000.00	*	20000.00	* be performed for years * 1 thru 30

NAVAL WEAPONS INDUSTRIAL RESERVE PLANT
 Bethpage, New York
 Impermeable Cap
 Current Industrial Use
 Alternative S2A
 (PWANAS2A) 2/12/94
 4065

PRESENT WORTH ANALYSIS

COST COMPONENT	COST/YEAR COST OCCURS (\$000'S)											
	0	1	2	3	4	5	6	7	8	9	10	11
1. CAPITAL COST												
2. O & M COSTS	3779.1											
3. ANNUAL COSTS	3779.1	15	15	15	15	35	15	15	15	15	35	15
4. ANNUAL DISCOUNT RATE=5%	1	.952	.907	.864	.823	.784	.746	.711	.677	.645	.614	.585
PRESENT WORTH =	3779	14	14	13	12	27	11	11	10	10	21	9

O & M COSTS	15	15	15	35	15	15	15	15	35	15	15	15
ANNUAL DISCOUNT RATE=5%	.557	.53	.505	.481	.458	.436	.416	.396	.377	.359	.342	.326
PRESENT WORTH =	8	8	8	17	7	7	6	6	13	5	5	5

COST COMPONENT	COST/YEAR COST OCCURS (\$000'S)											
	0	1	2	3	4	5	6	7	8	9	10	11
1. CAPITAL COST												
2. O & M COSTS	3779.1											
3. ANNUAL COSTS	3779.1	15	15	15	15	35	15	15	15	15	35	15
4. ANNUAL DISCOUNT RATE=5%	1	.952	.907	.864	.823	.784	.746	.711	.677	.645	.614	.585
PRESENT WORTH =	3779	14	14	13	12	27	11	11	10	10	21	9

COST COMPONENT	COST/YEAR COST OCCURS (\$000'S)											
	0	1	2	3	4	5	6	7	8	9	10	11
1. CAPITAL COST												
2. O & M COSTS	3779.1											
3. ANNUAL COSTS	3779.1	15	15	15	15	35	15	15	15	15	35	15
4. ANNUAL DISCOUNT RATE=5%	1	.952	.907	.864	.823	.784	.746	.711	.677	.645	.614	.585
PRESENT WORTH =	3779	14	14	13	12	27	11	11	10	10	21	9

TOTAL PRESENT WORTH (000'S)
 =====
 4065
 =====

NAVAL WEAPONS INDUSTRIAL RESERVE PLANT
 Bethpage, New York
 Impermeable Capping
 Future Residential Use
 Alternative S2B
 Sheet 1 of 2
 (NWS2H)
 2/11/94

Item	Qty	Unit	Unit Cost			Total Cost			Total Direct Cost	Comments		
			Sub.	Mat.	Labor	Equip.	Sub.	Mat.			Labor	Equip.
MOBILIZATION/DEMOBILIZATION												
1) Office Trailer (2)	6	MO	1000.00				6000			6000		
2) Storage Trailer (1)	6	MO	500.00				3000			3000		
3) Construction Survey	LS	LS	10000.00				10000			10000		
4) Portable Communication Equipment	4	SETS	1500.00				6000			6000		
5) Equipment Mobilization/Demobilization	LS	LS	25000.00				25000			25000		
6) Site Utilities	6	MO	4000.00				24000			24000		
7) Security	6	MO	10000.00				60000			60000		
8) Decontamination Trailer	6	MO	1500.00				9000			9000		
DECONTAMINATION FACILITIES AND SERVICES												
1) Laundry Service	24	WKS	250.00				6000			6000		
2) Truck Decon Pad												
a) Concrete Pad - 8"	240	CY	70.00	125.00	5.00		16800	30000	1200	48000		
b) Gravel Base - 6"	180	CY	7.50	3.33	8.00		1350	599	1440	3389		
c) Curb	720	LF	3.07	1.99	.05		2210	1433	36	3679		
d) Collection Sump	6		1450.00	500.00	220.00		8700	3000	1420	13020		
e) Splash Guard	4800	SF	1.25	1.00			6000	4800		10800		
3) Decontamination Services	6	MO	1200.00				7200			7200		
4) Decon Water	79200	GAL	.20				15840			15840		
5) Personnel Decon Pad												
a) Concrete Pad - 4"	18	CY	70.00	125.00	5.00		1260	2250	90	3600		
b) Gravel Base - 4"	18	CY	7.50	3.33	8.00		135	60	144	339		
c) Curb	360	LF	3.07	1.99	.05		1105	716	18	1840		
6) Clean Water Storage Tank	3		3000.00	300.00			9000	900		9900		
7) Spent Water Storage Tank	3		5000.00	400.00			15000	1200		16200		
CAPPING												
1) Gravel Layer - 6"	9767	CY	6.00	2.70	7.43		58602	26371	72569	157542		
a) Place, Spread & Compact	9767	CY	.84	.84	2.67		8204	8204	26078	34282		
2) Clay Layer - 12"	19533	CY	8.00	2.70	7.43		156264	52739	145130	354133		
a) Place, Spread & Compact	19533	CY	.84	.84	2.67		16408	16408	52153	68561		
3) Gravel Layer - 6"	9767	CY	6.00	2.70	7.43		58602	26371	72569	157542		
a) Place, Spread & Compact	9767	CY	.84	.84	2.67		8204	8204	26078	34282		
4) Filter Fabric - 2 Layers	117200	SY	1.70				199240			199240		
5) Soil - 24"	39067	CY	4.50	2.70	7.43		105481	290268	290268	395749		
a) Place & Spread	39067	CY	.63	.63	.57		24612	24612	22268	46880		
6) Revegetation	527	MSF	24.60	8.40	6.68		12964	4427	3520	20911		
						371280			347993	317776	714881	1751929

NAVAL WEAPONS INDUSTRIAL RESERVE PLANT
 Bethpage, New York
 Impermeable Capping
 Future Residential Use
 Alternative S2B
 Sheet 2 of 2
 (NWS2B)
 2/11/94

Item	Qty	Unit	Unit Cost			Total Cost			Total Direct Cost	Comments
			Sub.	Mat.	Labor Equip.	Sub.	Mat.	Labor Equip.		
PAGE 1 TOTAL			371280	347993	317776	714881	714881	1751929		
Burden @ 30% of Labor Cost					95333			95333		
Labor @ 10% of Labor Cost					31778			31778		
Material @ 10% of Material Cost				34799				34799		
SubContract @ 10% of Sub. Cost			37128					37128		
Total Direct Cost			408408	382792	444886	714881	714881	1950967		
Indirects @ 75% of Total Direct Labor Cost					333664			333664		
Profit @ 10% of Total Direct Cost					195097			195097		
Health & Safety Monitoring @ 10%								2479728		
Total Field Cost								247973		
Contingency @ 20% of Total Field Cost								2727701		
Engineering @ 10% of Total Field Cost								545540		
TOTAL COST THIS PAGE								272770		
								3546011		

NAVAL WEAPONS INDUSTRIAL RESERVE PLANT
 Bethpage, New York
 Impermeable Cap
 Future Residential Use
 Alternative S2B
 (PWANAS2B) 2/11/94
 3817

PRESENT WORTH ANALYSIS

COST COMPONENT	COST/YEAR COST OCCURS (\$000'S)											
	0	1	2	3	4	5	6	7	8	9	10	11
1. CAPITAL COST	3546											
2. O & M COSTS	14	14	14	14	14	34	14	14	14	14	34	14
3. ANNUAL COSTS	3546	14	14	14	14	.784	.746	.711	.677	.645	.614	.585
4. ANNUAL DISCOUNT RATE=5%	1	.952	.907	.864	.823	.784	.746	.711	.677	.645	.614	.585
PRESENT WORTH =	3546	13	13	12	12	12	27	10	10	9	21	8

O & M COSTS	14	13	14	15	16	17	18	19	20	21	22	23
ANNUAL DISCOUNT RATE=5%	.557	.53	.505	.481	.458	.436	.416	.396	.377	.359	.342	.326
PRESENT WORTH =	8	7	7	6	6	6	6	6	13	5	5	5

COST COMPONENT	COST/YEAR COST OCCURS (\$000'S)											
	0	1	2	3	4	5	6	7	8	9	10	11
1. CAPITAL COST	3546											
2. O & M COSTS	14	14	14	14	14	34	14	14	14	14	34	14
3. ANNUAL COSTS	3546	14	14	14	14	.784	.746	.711	.677	.645	.614	.585
4. ANNUAL DISCOUNT RATE=5%	1	.952	.907	.864	.823	.784	.746	.711	.677	.645	.614	.585
PRESENT WORTH =	3546	13	13	12	12	12	27	10	10	9	21	8

O & M COSTS	14	13	14	15	16	17	18	19	20	21	22	23
ANNUAL DISCOUNT RATE=5%	.31	.295	.281	.268	.255	.243	.231	.219	.207	.195	.183	.171
PRESENT WORTH =	4	10	4	4	4	3	8	3	3	3	3	3

TOTAL PRESENT WORTH (000'S) = 3817

NAVAL WEAPONS INDUSTRIAL RESERVE PLANT
 Bethpage, New York
 Excavation, Fixation Metals, Offsite Landfill Disposal
 Excavation PCB Soil, Offsite Incineration
 In-situ Vapor Extraction
 Alternative S3
 Sheet 1 of 2
 (NWBS3)
 2/11/94

Item	Qty	Unit	Unit Cost			Total Cost			Total Direct Cost	Comments
			Sub.	Mat.	Labor	Equip.	Sub.	Mat.		
MOBILIZATION/DEMobilIZATION										
1) Office Trailer (2)	18	MO	1000.00				18000			18000
2) Storage Trailer (1)	18	MO	500.00				9000			9000
3) Construction Survey	LS	LS	15000.00				15000			15000
4) Portable Communication Equipment	6	SETS	1500.00				9000			9000
5) Equipment Mobilization/Demobilization	LS	LS	25000.00				25000			25000
6) Site Utilities	18	MO	4000.00				72000			72000
7) Security	18	MO	10000.00				180000			180000
8) Decontamination Trailer	18	MO	1500.00				27000			27000
DECONTAMINATION FACILITIES AND SERVICES										
1) Laundry Service	72	WKS	250.00				18000			18000
2) Truck Decon Pad										
a) Concrete Pad - 8"	240	CY	70.00	125.00		5.00	16800	30000	1200	48000
b) Gravel Base - 6"	180	CY	7.50	3.33		8.00	1350	599	1440	3389
c) Curb	720	LF	3.07	1.99		.05	2210	1433	36	3679
d) Collection Sump	6		1450.00	500.00		220.00	8700	3000	1320	13020
e) Splash Guard	4800	SF	1.25	1.00			6000	4800		10800
3) Decontamination Services	18	MO	1200.00				21600			21600
4) Decon Water	237600	GAL	.20				47520			47520
5) Personnel Decon Pad										
a) Concrete Pad - 4"	36	CY	70.00	125.00		5.00	2520	4500	180	7200
b) Gravel Base - 4"	36	CY	7.50	3.33		8.00	270	120	288	678
c) Curb	720	LF	3.07	1.99		.05	2210	1433	36	3679
6) Clean Water Storage Tank	6		3000.00	300.00			18000	1800		19800
7) Spent Water Storage Tank	6		5000.00	400.00			30000	2400		32400
SOIL REMOVAL										
1) Excavate Metals Contaminated Soil	600	CY		.59		1.00		354	600	954
OFFSITE FIXATION/LANDFILL DISPOSAL										
1) Hauling Waste	18000	MI	5.00				90000			90000
2) Fixation/Landfill Disposal	891	TON	185.00				164835			164835
SOIL REMOVAL										
1) Excavate PCBs Contaminated Soil	300	CY		.59		1.00		177	300	477
OFFSITE INCINERATION										
1) Hauling Waste	34000	MI	5.00				170000			170000
2) Waste Incineration	445	TON	1200.00				534000			534000
IN-SITU VAPOR EXTRACTION										
1) In-situ Vapor Extraction	239900	CY	35.00				8396500			8396500
2) Gravel Layer - 6"	10533	CY	6.00	2.70		7.43	63198	28439	78260	169897
a) Place, Spread & Compact	10533	CY		.84		2.67		8848	28123	36971
RESTORATION										
1) Backfill	900	CY	4.00	2.70		7.43	3600	2430	6687	12717
a) Place, Spread & Compact	900	CY		.84		2.67		756	2403	3159
2) Revegetation	90	MSF	24.60	8.40		6.68	2214	756	601	3571
									9979455 157073 91845 121475 10167847	

NAVAL WEAPONS INDUSTRIAL RESERVE PLANT
 Bethpage, New York
 Excavation, Fixation Metals, Offsite Landfill Disposal
 Excavation PCB Soil, Offsite Incineration
 In situ Vapor Extraction
 Alternative S3
 Sheet 2 of 2
 (NWBS3)
 2/11/94

Item	Qty	Unit	Unit Cost			Total Cost			Total Direct Cost	Comments
			Sub.	Mat.	Labor	Equip.	Sub.	Mat.		
PAGE 1 TOTAL			9797455	157073	91845	121475	10167847			
Burden @ 30% of Labor Cost					27553			27553		
Labor @ 10% of Labor Cost					9184			9184		
Material @ 10% of Material Cost				15707				15707		
SubContract @ 10% of Sub. Cost			979746					979746		
Total Direct Cost			10777201	172780	128583	121475	11200038			
Indirects @ 75% of Total Direct Labor Cost					96437			96437		
Profit @ 10% of Total Direct Cost								1120004		
Health & Safety Monitoring @ 6%								12416478		
Total Field Cost								744989		
Contingency @ 20% of Total Field Cost								13161467		
Engineering @ 8% of Total Field Cost								2632293		
TOTAL COST THIS PAGE								1052917		
								16846678		

NAVAL WEAPONS INDUSTRIAL RESERVE PLANT
 Bethpage, New York
 Excavation, Fixation Metals, Offsite Landfill Disposal
 Excavation PCB Soil, Offsite Incineration
 Insitu Vapor Extraction
 Alternative S3
 (OMNWIV3) 2/11/94

Annual Costs

```

*****
ITEM          *   ITEM $   *   ITEM $   *
              * ANNUAL COST * COST PER  *
              *           * 5 YEARS  *
                                           NOTES
*****
1. Gravel Maintenance *   10000.00 *           * Inspection, Erosion Control,
              *           *           * Mowing & Revegetation
              *           *           *
*****
2. Site Review      *           * 20000.00 * Analysis Review performed for
              *           *           * years 5,10,15,20,25,30
              *           *           *
*****
TOTAL ANNUAL      *           *           * Post Remedial maintenance
COST              * 10000.00 * 20000.00 * be performed for years
              *           *           * 1 thru 30
*****
  
```


NAVAL WEAPONS INDUSTRIAL RESERVE PLANT
 Bethpage, New York
 Excavation, Fixation Metals, Offsite Landfill Disposal
 Excavation PCB Soil, Offsite Incineration
 Insitu Vapor Extraction
 Alternative S3
 (PHANAS3) 2/11/94
 17056

PRESENT WORTH ANALYSIS

COST COMPONENT	COST/YEAR COST OCCURS (\$000'S)											
	0	1	2	3	4	5	6	7	8	9	10	11
1. CAPITAL COST	16847											
2. O & M COSTS	16847	10	10	10	10	30	10	10	10	10	30	10
3. ANNUAL COSTS		.952	.907	.864	.823	.784	.746	.711	.677	.645	.614	.585
4. ANNUAL DISCOUNT RATE=5%												
PRESENT WORTH =	16847	10	9	9	8	24	7	7	7	6	18	6

O & M COSTS	12	13	14	15	16	17	18	19	20	21	22	23
ANNUAL DISCOUNT RATE=5%	10	10	10	30	10	10	10	10	30	10	10	10
PRESENT WORTH =	.557	.53	.505	.481	.458	.436	.416	.396	.377	.359	.342	.326

O & M COSTS	24	25	26	27	28	29	30	TOTAL PRESENT WORTH (000'S)				
ANNUAL DISCOUNT RATE=5%	10	30	10	10	10	10	30	=====				
PRESENT WORTH =	.31	.295	.281	.268	.255	.243	.231	17056				
=====												

NAVAL WEAPONS INDUSTRIAL RESERVE PLANT

Bethpage, New York

Excavation, Fixation Metals, Offsite Landfill Disposal

Excavation PCB Soil, Offsite Landfill Disposal

In-situ Vapor Extraction (All VOC'S Scenario)

Alternative S4

Sheet 1 of 2

(NHBS4A)

2/11/94

Item	Qty	Unit	Unit Cost			Total Cost			Total Direct Cost		Comments
			Sub.	Mat.	Labor	Equip.	Sub.	Mat.	Labor	Equip.	
MOBILIZATION/DEMOBILIZATION											
1) Office Trailer (2)	18	MO	1000.00				18000				18000
2) Storage Trailer (1)	18	MO	500.00				9000				9000
3) Construction Survey		LS	15000.00				15000				15000
4) Portable Communication Equipment	6	SETS	1500.00				9000				9000
5) Equipment Mobilization/Demobilization		LS	25000.00				25000				25000
6) Site Utilities	18	MO	4000.00				72000				72000
7) Security	18	MO	10000.00				180000				180000
8) Decontamination Trailer	18	MO	1500.00				27000				27000
DECONTAMINATION FACILITIES AND SERVICES											
1) Laundry Service	72	WKS	250.00				18000				18000
2) Truck Decon Pad											
a) Concrete Pad - 8"	240	CY	70.00	125.00		5.00	16800	30000	1200		18000
b) Gravel Base - 6"	180	CY	7.50	3.33		8.00	1350	599	1440		3389
c) Curb	720	LF	3.07	1.99		.05	2210	1433	36		3679
d) Collection Sump	6		1450.00	500.00		220.00	8700	3000	1320		13020
e) Splash Guard	4800	SF	1.25	1.00			6000	4800			10800
3) Decontamination Services	18	MO	1200.00				21600				21600
4) Decon Water	237600	GAL	.20				47520				47520
5) Personnel Decon Pad											
a) Concrete Pad - 4"	36	CY	70.00	125.00		5.00	2520	4500	180		7200
b) Gravel Base - 4"	36	CY	7.50	3.33		8.00	270	120	288		678
c) Curb	720	LF	3.07	1.99		.05	2210	1433	36		3679
6) Clean Water Storage Tank	6		3000.00	300.00			18000	1800			3000 Gallon
7) Spent Water Storage Tank	6		5000.00	400.00			30000	2400			5000 Gallon
SOIL REMOVAL											
1) Excavate Metals Contaminated Soil	600	CY		.59		1.00		354	600		954
OFFSITE FIXATION/LANDFILL DISPOSAL											
1) Hauling Waste	18000	MI	5.00				90000				90000 40 Tr. @ 450 Mi.
2) Fixation/Landfill Disposal	891	TON	185.00				164835				164835
SOIL REMOVAL											
1) Excavate PCBs Contaminated Soil	300	CY		.59		1.00		177	300		477
OFFSITE LANDFILL DISPOSAL											
1) Hauling Waste	9000	MI	5.00				45000				45000 20 Tr. @ 450 Mi.
2) Fixation/Landfill Disposal	445	TON	185.00				82325				82325
IN-SITU VAPOR EXTRACTION											
1) In-situ Vapor Extraction	239500	CY	35.00				8396500				8396500
2) Gravel Layer - 6"	10533	CY	6.00	2.70		7.43	63198	28439	78260		163897
a) Place, Spread & Compact RESTORATION	10533	CY		.84		2.67		8848	28123		36971
RESTORATION											
1) Backfill	900	CY	4.00	2.70		7.43	3600	2430	6687		12717
a) Place, Spread & Compact	900	CY		.84		2.67		756	2403		3159
2) Revegetation	90	MSF	24.60	8.40		6.68	2214	756	601		3571
	9220780		157073	91845		121475					9591172

NAVAL WEAPONS INDUSTRIAL RESERVE PLANT

Bethpage, New York
 Excavation, Fixation Metals, Offsite Landfill Disposal
 Excavation PCB Soil, Offsite Landfill Disposal
 Insitu Vapor Extraction (All VOC'S Scenario)
 Alternative S4
 Sheet 2 of 2
 (NWBS4A)
 2/11/94

Item	Qty	Unit	Unit Cost			Total Cost			Total Direct		
			Sub.	Mat.	Labor	Equip.	Sub.	Mat.	Labor	Equip.	Cost
PAGE 1 TOTAL	922078	157073	91845	121475	9591172						
Burden @ 30% of Labor Cost				27553						27553	
Labor @ 10% of Labor Cost				9184						9184	
Material @ 10% of Material Cost			15707							15707	
SubContract @ 10% of Sub. Cost	922078									922078	
Total Direct Cost	10142858	172780	128583	121475	10565695						
Indirects @ 75% of Total Direct Labor Cost				96437						96437	
Profit @ 10% of Total Direct Cost				1056570						1056570	
Health & Safety Monitoring @ 6%										11718702	
Total Field Cost										703122	
										12421824	
Contingency @ 20% of Total Field Cost										2484365	
Engineering @ 8% of Total Field Cost										993746	
TOTAL COST THIS PAGE										15899934	

NAVAL WEAPONS INDUSTRIAL RESERVE PLANT
 Bethpage, New York
 Excavation, Fixation Metals, Offsite Landfill Disposal
 Excavation PCB Soil, Offsite Landfill Disposal
 Insitu Vapor Extraction (All VOC'S Scenario)
 Alternative S4
 (OMNWIV4) 2/11/94

Annual Costs

```

*****
ITEM          *   ITEM $   *   ITEM $   *
              * ANNUAL COST * COST PER   *
              *           * 5 YEARS   *
*****
1. Gravel Maintenance *   10000.00 *           * Inspection, Erosion Control,
              *           *           * Mowing & Revegetation
              *           *           *
*****
2. Site Review        *           * 20000.00 * Analysis Review performed for
              *           *           * years 5,10,15,20,25,30
              *           *           *
*****
TOTAL ANNUAL          *           *           * Post Remedial maintenance
COST                  * 10000.00 * 20000.00 * be performed for years
*****
              *           * 1 thru 30
*****
  
```

NAVAL WEAPONS INDUSTRIAL RESERVE PLANT
Bethpage, New York

Excavation, Fixation Metals, Offsite Landfill Disposal
Excavation PCB Soil, Offsite Incineration
Excavation PCB Soil, Offsite Landfill Disposal
Insitu Vapor Extraction (All VOC'S Scenario)
Alternative S4
(PWANAS4A) 2/11/94
19651

PRESENT WORTH ANALYSIS

COST COMPONENT	COST/YEAR COST OCCURS (\$000'S)											
	0	1	2	3	4	5	6	7	8	9	10	11
1. CAPITAL COST	19441.2											
2. O & M COSTS		10										
3. ANNUAL COSTS	19441.2	10	10	10	10	30	10	10	10	10	30	10
4. ANNUAL DISCOUNT RATE=5%		.952	.907	.864	.823	.784	.746	.711	.677	.645	.614	.585

PRESENT WORTH = 19441

12	13	14	15	16	17	18	19	20	21	22	23
10	10	10	30	10	10	10	10	30	10	10	10
.557	.53	.505	.481	.458	.436	.416	.396	.377	.359	.342	.326

O & M COSTS
ANNUAL DISCOUNT RATE=5%

PRESENT WORTH =

O & M COSTS	TOTAL PRESENT WORTH (000'S)										
	24	25	26	27	28	29	30	31	32	33	34
	10	30	10	10	10	10	10	30	10	10	10
ANNUAL DISCOUNT RATE=5%	.31	.295	.281	.268	.255	.243	.231				

PRESENT WORTH =

19651

NAVAL WEAPONS INDUSTRIAL RESERVE PLANT

Bethpage, New York
 Excavation, Fixation Metals, Offsite Landfill Disposal
 Excavation PCB Soil, Offsite Incineration
 Excavation PCB Soil, Offsite Landfill Disposal
 Insitu Vapor Extraction (All VOC'S Scenario)
 Alternative S5
 Sheet 2 of 2
 (NWRSS)
 2/11/94

Item	Qty	Unit	Unit Cost			Total Cost			Total Direct Cost	Comments
			Sub.	Mat.	Labor Equip.	Sub.	Mat.	Labor Equip.		
PAGE 1 TOTAL			1136978	157073	94028	125175	11716055			
Burden @ 30% of Labor Cost					28208		28208			
Labor @ 10% of Labor Cost					9403		9403			
Material @ 10% of Material Cost				15707			15707			
SubContract @ 10% of Sub. Cost			1136978				1136978			
Total Direct Cost			12506758	172780	131639	125175	12936351			
Indirects @ 75% of Total Direct Labor Cost					98729		98729			
Profit @ 10% of Total Direct Cost							1293635			
Health & Safety Monitoring @ 6%							14328716			
Total Field Cost							859723			
							15188439			
Contingency @ 20% of Total Field Cost							3037688			
Engineering @ 8% of Total Field Cost							1215075			
TOTAL COST THIS PAGE							19441201			

NAVAL WEAPONS INDUSTRIAL RESERVE PLANT
 Bethpage, New York
 Excavation, Fixation Metals, Offsite Landfill Disposal
 Excavation PCB Soil, Offsite Incineration
 Excavation PCB Soil, Offsite Landfill Disposal
 Insitu Vapor Extraction (All VOC'S Scenario)
 Alternative S5
 (OMNWIV4A) 2/11/94

Annual Costs

```

*****
ITEM          *   ITEM $   *   ITEM $   *
              * ANNUAL COST *   COST PER   *
              *              *   5 YEARS   *
*****
1. Gravel Maintenance *   10000.00 *
              *              *
              *              *
*****
2. Site Review        *              *   20000.00 *
              *              *
              *              *
*****
TOTAL ANNUAL          *              *
COST                  *   10000.00 *   20000.00 *
*****
  
```

NOTES
 * Inspection, Erosion Control,
 * Mowing & Revegetation
 * Analysis Review performed for
 * years 5,10,15,20,25,30
 * Post Remedial maintenance
 * be performed for years
 * 1 thru 30

NAVAL WEAPONS INDUSTRIAL RESERVE PLANT
 Bethpage, New York
 Excavation, Fixation Metals, Offsite Landfill Disposal
 Excavation PCB Soil, Offsite Incineration
 Excavation PCB Soil, Offsite Landfill Disposal
 Insitu Vapor Extraction (All VOC'S Scenario)
 Alternative S5
 (PWANAS5) 2/11/94
 19651

PRESENT WORTH ANALYSIS

COST COMPONENT	COST/YEAR COST OCCURS (\$000'S)											
	0	1	2	3	4	5	6	7	8	9	10	11
1. CAPITAL COST												
2. O & M COSTS	19441.2											
3. ANNUAL COSTS	19441.2	10	10	10	10	30	10	10	10	10	30	10
4. ANNUAL DISCOUNT RATE=5%	1	.952	.907	.864	.823	.784	.746	.711	.677	.645	.614	.585
PRESENT WORTH =	19441	10	9	9	8	24	7	7	7	6	18	6

O & M COSTS	12	13	14	15	16	17	18	19	20	21	22	23
ANNUAL DISCOUNT RATE=5%	10	10	10	30	10	10	10	10	30	10	10	10
	.557	.53	.505	.481	.458	.436	.416	.396	.377	.359	.342	.326
PRESENT WORTH =	6	5	5	14	5	4	4	4	11	4	3	3

O & M COSTS	24	25	26	27	28	29	30	TOTAL PRESENT WORTH (000'S)				
ANNUAL DISCOUNT RATE=5%	10	30	10	10	10	10	30	=====				
	.31	.295	.281	.268	.255	.243	.231	19651				
PRESENT WORTH =	3	9	3	3	3	2	7	=====				

NAVAL WEAPONS INDUSTRIAL RESERVE PLANT

Bethpage, New York
 Excavation, Fixation Metals, Offsite Landfill Disposal
 Excavation PCB Soil, Offsite Incineration
 Excavation PCB Soil, Offsite Landfill Disposal
 In-situ Vapor Extraction (Limited VOC's Scenario)
 Alternative S6

Sheet 1 of 2
 (NWBS4B)
 2/11/94

Item	Qty	Unit	Unit Cost			Total Cost			Equip.	Total Direct Cost	Comments
			Sub.	Mat.	Labor	Sub.	Mat.	Labor			
MOBILIZATION/DEMOBILIZATION											
1) Office Trailer (2)	18	MO	1000.00			18000			18000		
2) Storage Trailer (1)	18	MO	500.00			9000			9000		
3) Construction Survey	36	LS	15000.00	15000.00	30.00	15000	15000	10.00	15000		
4) Portable Communication Equipment	6	SETS	1500.00	.82	.78	9000		.75	9000		
5) Equipment Mobilization/Demobilization	18	LS	25000.00			25000			25000		
6) Site Utilities	18	MO	4000.00	12345.00	23.52	72000		7.46	72000		
7) Security	18	MO	10000.00			180000			180000		
8) Decontamination Trailer	18	MO	1500.00			27000			27000		
DECONTAMINATION FACILITIES AND SERVICES											
1) Laundry Service	72	WKS	250.00	16.00	17.00	18000		18.00	18000		
2) Truck Decon Pad											
a) Concrete Pad - 8"	240	CY		70.00	125.00	16800	30000	1200	18000		
b) Gravel Base - 6"	180	CY		7.50	3.33	1350	599	1440	3389		
c) Curb	720	LF		3.07	1.99	2210	1433	36	3679		
d) Collection Sump	6	SF		1450.00	500.00	8700	3000	1320	13020		
e) Splash Guard	4800	SF		1.25	1.00	6000	4800		10800		
3) Decontamination Services	18	MO	1200.00			21600			21600		
4) Decon Water	237600	GAL	.20			47520			47520		
5) Personnel Decon Pad	24	26		28.00	29.00			30.00			
a) Concrete Pad - 4"	36	CY		70.00	125.00	2520	4500	180	7200		
b) Gravel Base - 4"	36	CY		7.50	3.33	270	120	288	678		
c) Curb	720	LF		3.07	1.99	2210	1433	36	3679		
6) Clean Water Storage Tank	6		3000.00	300.00	300.00	18000	1800		19800		3000 Gallon
7) Spent Water Storage Tank	6		5000.00	400.00	400.00	30000	2400		32400		5000 Gallon
SOIL REMOVAL											
1) Excavate Metals Contaminated Soil	600	CY		.59	1.00		354	600	954		
OFFSITE FIXATION/LANDFILL DISPOSAL											
1) Hauling Waste	18000	MI	5.00			90000			90000		40 Tr. @ 150 Mi.
2) Fixation/Landfill Disposal	891	TON	185.00			164835			164835		
SOIL REMOVAL											
1) Excavate PCBs Contaminated Soil	300	CY		.59	1.00		177	300	477		
OFFSITE INCINERATION											
1) Hauling Waste	34000	MI	5.00			170000			170000		20 Tr. @ 1700 Mi.
2) Waste Incineration	445	TON	1200.00			534000			534000		
SOIL REMOVAL											
1) Excavate PCBs Contaminated Soil	3700	CY		.59	1.00		2183	3700	5883		10-50 ppm
OFFSITE LANDFILL DISPOSAL											
1) Hauling Waste	111150	MI	5.00			555750			555750		247 Tr. @ 150 Mi.
2) Fixation/Landfill Disposal	5495	TON	185.00			1016575			1016575		
IN-SITU VAPOR EXTRACTION											
1) In-situ Vapor Extraction	87000	CY	35.00	6.00	2.70	3045000	28439	78260	3045000		
2) Gravel Layer - 6"	10533	CY			.84		8848	28123	169897		
a) Place, Spread & Compact	10533	CY							36971		
RESTORATION											
1) Backfill	900	CY		4.00	2.70	3600	2430	6687	12717		
a) Place, Spread & Compact	900	CY			.84		756	2403	3159		
2) Revegetation	90	MSF		24.60	8.40	2214	756	601	3571		

NAVAL WEAPONS INDUSTRIAL RESERVE PLANT

Bethpage, New York
 Excavation, Fixation Metals, Offsite Landfill Disposal
 Excavation PCB Soil, Offsite Incineration
 Excavation PCB Soil, Offsite Landfill Disposal
 In Situ Vapor Extraction (Limited VOC'S Scenario)
 Alternative S6
 Sheet 2 of 2
 (NWBS4B)
 2/11/94

Item	Qty	Unit	Unit Cost			Total Cost			Total Direct Cost	Comments
			Sub.	Mat.	Labor Equip.	Sub.	Mat.	Labor Equip.		
PAGE 1 TOTAL			6018280	157073	94028	125175	6391555			
Burden @ 30% of Labor Cost					28208		28208			
Labor @ 10% of Labor Cost					9403		9403			
Material @ 10% of Material Cost				15707			15707			
SubContract @ 10% of Sub. Cost			601828				601828			
Total Direct Cost			6620108	172780	131639	125175	7049701			
Indirects @ 75% of Total Direct Labor Cost					98729		98729			
Profit @ 10% of Total Direct Cost							704970			
Health & Safety Monitoring @ 6%							7853401			
Total Field Cost							471204			
							8324605			
Contingency @ 20% of Total Field Cost							1664921			
Engineering @ 8% of Total Field Cost							665968			
TOTAL COST THIS PAGE							10655494			

NAVAL WEAPONS INDUSTRIAL RESERVE PLANT
 Bethpage, New York
 Excavation, Fixation Metals, Offsite Landfill Disposal
 Excavation PCB Soil, Offsite Incineration
 Excavation PCB Soil, Offsite Landfill Disposal
 Insitu Vapor Extraction (Limited VOC'S Scenario)
 Alternative S6
 (OMNWIV6) 2/11/94

Annual Costs

```

*****
ITEM          *   ITEM $   *   ITEM $   *
              * ANNUAL COST * COST PER *
              *           * 5 YEARS *
              *                                     * NOTES
*****
1. Gravel Maintenance *   10000.00 *           * Inspection, Erosion Control,
              *           *           * Mowing & Revegetation
              *           *           *
*****
2. Site Review        *           * 20000.00 * Analysis Review performed for
              *           *           * years 5,10,15,20,25,30
              *           *           *
*****
TOTAL ANNUAL          *           *           * Post Remedial maintenance
COST                  * 10000.00 * 20000.00 * be performed for years
              *           *           * 1 thru 30
*****
  
```


NAVAL WEAPONS INDUSTRIAL RESERVE PLANT

Bethpage, New York
 Excavation, Fixation Metals, Offsite Landfill Disposal
 Excavation PCB Soil, Offsite Incineration
 Excavation PCB Soil, Onsite Consolidation/Capping
 Insitu Vapor Extraction (Limited VOC'S Scenario)
 Alternative S7

Sheet 2 of 2
 (NWBS7)
 2/11/94

Item	Qty	Unit	Unit Cost			Total Cost			Total				
			Sub.	Mat.	Labor	Equip.	Sub.	Mat.	Labor	Equip.	Cost	Comments	
IN-SITU VAPOR EXTRACTION													
1) In-situ Vapor Extraction	87000	CY	35.00								3045000	3045000	
2) Gravel Layer - 6"	10533	CY	6.00	2.70	7.43						78260	169897	
a) Place, Spread & Compact	10533	CY		.84	2.67						28123	36971	
RESTORATION													
1) Backfill	900	CY	4.00	2.70	7.43						6687	12717	
a) Place, Spread & Compact	900	CY		.84	2.67						2403	3159	
2) Revegetation	90	MSF	24.60	8.40	6.68						601	3571	
			4458155	176649	109740	170852					170852	4915397	
Burden @ 30% of Labor Cost								32922				32922	
Labor @ 10% of Labor Cost								10974				10974	
Material @ 10% of Material Cost								17665				17665	
SubContract @ 10% of Sub. Cost								445816				445816	
Total Direct Cost			4903971	194314	153637	170852						5422773	
Indirects @ 75% of Total Direct Labor Cost								115227				115227	
Profit @ 10% of Total Direct Cost												542277	
Health & Safety Monitoring @ 6%												6080278	
Total Field Cost												364817	
												6445094	
Contingency @ 20% of Total Field Cost												1289019	
Engineering @ 8% of Total Field Cost												515608	
TOTAL COST THIS PAGE												8249721	

NAVAL WEAPONS INDUSTRIAL RESERVE PLANT
 Bethpage, New York
 Excavation, Fixation Metals, Offsite Landfill Disposal
 Excavation PCB Soil, Offsite Incineration
 Excavation PCB Soil, Onsite Consolidated Capping
 Insitu Vapor Extraction (Limited VOC'S Scenario)
 Alternative S7
 (OMNWIV7) 2/11/94

Annual Costs

ITEM	* ITEM \$	* ITEM \$	* ITEM \$	* NOTES
	* ANNUAL COST *	* COST PER	* 5 YEARS *	

1. Gravel Maintenance	* 10000.00 *	* *	* *	* Inspection, Erosion Control, * Mowing & Revegetation *

2. Site Review	* *	* 20000.00 *	* *	* Analysis Review performed for * years 5,10,15,20,25,30 *

TOTAL ANNUAL COST	* 10000.00 *	* 20000.00 *	* *	* Post Remedial maintenance * be performed for years * 1 thru 30

NAVAL WEAPONS INDUSTRIAL RESERVE PLANT
 Bethpage, New York
 Excavation, Fixation Metals, Offsite Landfill Disposal
 Excavation PCB Soil, Offsite Incineration
 Excavation PCB Soil, Onsite Consolidated/Capping
 Insitu Vapor Extraction (Limited VOC'S Scenario)
 Alternative S7
 (PWANAS7) 2/11/94
 8459

PRESENT WORTH ANALYSIS

COST COMPONENT	COST/YEAR COST OCCURS (\$000'S)											
	0	1	2	3	4	5	6	7	8	9	10	11
1. CAPITAL COST	8249.7											
2. O & M COSTS		10	10	10	10	30	10	10	10	10	30	10
3. ANNUAL COSTS	8249.7	10	.907	.864	.823	.784	.746	.711	.677	.645	.614	.585
4. ANNUAL DISCOUNT RATE=5%	1	.952										
PRESENT WORTH =	8250	10	9	9	8	24	7	7	7	6	18	6

O & M COSTS	12	13	14	15	16	17	18	19	20	21	22	23
ANNUAL DISCOUNT RATE=5%	10	10	10	30	10	10	10	10	30	10	10	10
PRESENT WORTH =	.557	.53	.505	.481	.458	.436	.416	.396	.377	.359	.342	.326

O & M COSTS	24	25	26	27	28	29	30					
ANNUAL DISCOUNT RATE=5%	10	30	10	10	10	10	30					
PRESENT WORTH =	.31	.295	.281	.268	.255	.243	.231					

TOTAL PRESENT WORTH (\$000'S)	8459											

NAVAL WEAPONS INDUSTRIAL RESERVE PLANT

Bethpage, New York
 Excavation, Fixation Metals, Offsite Landfill Disposal
 Excavation PCB Soil, Offsite Incineration
 In-situ Vapor Extraction
 Excavation Other Metals And Organics, Offsite Landfill Disposal
 Current Industrial Use
 Alternative S8A
 Sheet 1 of 2
 (NWBS8A)
 2/11/94

Item	Qty	Unit	Unit Cost			Total Cost			Total Direct Cost	Comments	
			Sub.	Mat.	Labor	Equip.	Sub.	Mat.			Labor
MOBILIZATION/DEMobilIZATION											
1) Office Trailer (2)	24	MO	1000.00				24000			24000	
2) Storage Trailer (1)	24	MO	500.00				12000			12000	
3) Construction Survey	6	LS	15000.00				15000			15000	
4) Portable Communication Equipment	6	SETS	1500.00				9000			9000	
5) Equipment Mobilization/Demobilization	24	MO	25000.00				25000			25000	
6) Site Utilities	24	MO	4000.00				96000			96000	
7) Security	24	MO	10000.00				240000			240000	
8) Decontamination Trailer	24	MO	1500.00				36000			36000	
DECONTAMINATION FACILITIES AND SERVICES											
1) Laundry Service	96	WKS	250.00				24000			24000	
2) Truck Decon Pad											
a) Concrete Pad - 8"	240	CY		70.00	125.00	5.00		16800	30000	46800	
b) Gravel Base - 6"	180	CY		7.50	3.33	8.00		1350	599	1949	
c) Curb	720	LF		3.07	1.99	.05		2210	1433	3643	
d) Collection Sump	6			1450.00	500.00	220.00		8700	3000	11700	
e) Splash Guard	4800	SF		1.25	1.00			6000	4800	10800	
3) Decontamination Services	24	MO	1200.00				28800			28800	
4) Decon Water	316800	GAL	.20				63360			63360	
5) Personnel Decon Pad											
a) Concrete Pad - 4"	36	CY		70.00	125.00	5.00		2520	4500	7020	
b) Gravel Base - 4"	36	CY		7.50	3.33	8.00		270	120	390	
c) Curb	720	LF		3.07	1.99	.05		2210	1433	3643	
6) Clean Water Storage Tank	6			3000.00	300.00			18000	1800	19800	
7) Spent Water Storage Tank	6			5000.00	400.00			30000	2400	32400	
SOIL REMOVAL											
1) Excavate Metals Contaminated Soil	600	CY			.59	1.00			354	600	954
OFFSITE FIXATION/LANDFILL DISPOSAL											
1) Hauling Waste	18000	MI	5.00				90000			90000	40 Tr. @ 150 Mi.
2) Fixation/Landfill Disposal	891	TON	185.00				164835			164835	
SOIL REMOVAL											
1) Excavate PCBs Contaminated Soil	300	CY			.59	1.00			177	300	477
OFFSITE INCINERATION											
1) Hauling Waste	34000	MI	5.00				170000			170000	20 Tr. @ 1700 Mi.
2) Waste Incineration	445	TON	1200.00				534000			534000	
IN-SITU VAPOR EXTRACTION											
1) In-situ Vapor Extraction	239900	CY	35.00				8396500			8396500	

NAVAL WEAPONS INDUSTRIAL RESERVE PLANT

Bethpage, New York
 Excavation, Fixation Metals, Offsite Landfill Disposal
 Excavation PCB Soil, Offsite Incineration
 Insitu Vapor Extraction
 Excavation Other Metals And Organics, Offsite Landfill Disposal
 Current Industrial Use
 Alternative SBA
 Sheet 2 of 2
 (NWBS8A)
 2/11/94

Item	Qty	Unit	Unit Cost			Total Cost			Total			
			Sub.	Mat.	Labor	Equip.	Sub.	Mat.	Labor	Equip.	Direct	Comments
SOIL REMOVAL												
1) Excavate Other Metals And Organics Contaminated Soil	62600	CY		.59	1.00			36934	62600		99534	
OFFSITE LANDFILL DISPOSAL												
1) Hauling Waste	1308150	MI	5.00					6540750			6540750	2907 Tr. @ 150 Mi.
2) Landfill Disposal	64746	TON	100.00					6474600			6474600	
OFFSITE MUNICIPAL LANDFILL DISPOSAL												
1) Hauling Waste	126700	MI	5.00					633500			633500	1267 Tr. @ 100 Mi.
2) Landfill Disposal	28215	TON	100.00					2821500			2821500	
RESTORATION												
1) Backfill	63500	CY	4.00	2.70	7.43			254000	171450	471805	897255	
a) Place, Spread & Compact	63500	CY		.84	2.67			53340	169545	222885		
2) Revegetation	100	MSF	24.60	8.40	6.68			2460	840	668	3968	

								26398845	344521	313180	710018	27766564
Burden @ 30% of Labor Cost												
								93954			93954	
Labor @ 10% of Labor Cost												
								31318			31318	
Material @ 10% of Material Cost												
								34452			34452	
SubContract @ 10% of Sub. Cost												
								2639885			2639885	

Total Direct Cost								29038730	378973	438452	710018	30566172

Indirects @ 75% of Total Direct Labor Cost								328839			328839	
Profit @ 10% of Total Direct Cost								3056617			3056617	

Health & Safety Monitoring @ 4%											33951628	
Total Field Cost											1358065	

Contingency @ 20% of Total Field Cost											7061939	
Engineering @ 6% of Total Field Cost											2118582	

TOTAL COST THIS PAGE											44490214	

NAVAL WEAPONS INDUSTRIAL RESERVE PLANT

Bethpage, New York
 Excavation, Fixation Metals, Offsite Landfill Disposal
 Excavation PCB Soil, Offsite Incineration
 Insitu Vapor Extraction
 Excavation Other Metals And Organics, Offsite Landfill Disposal
 Future Residential Use
 Alternative S8B
 Sheet 2 of 2
 (NWS8B)
 2/11/94

	Qty	Unit	Unit Cost			Total Cost			Total	
			Sub.	Mat.	Labor Equip.	Sub.	Mat.	Labor Equip.	Direct	Comments
SOIL REMOVAL										
1) Excavate Other Metals And Organics Contaminated Soil	55100	CY		.59	1.00		32509	55100	87609	
OFFSITE LANDFILL DISPOSAL										
1) Hauling Waste	1260000	MI	5.00			6300000			6300000	Tr. @ .150 Mi.
2) Landfill Disposal	62370	TON	100.00			6237000			6237000	
OFFSITE MUNICIPAL LANDFILL DISPOSAL										
1) Hauling Waste	87400	MI	5.00			437000			437000	Tr. @ 100 Mi.
2) Landfill Disposal	19454	TON	100.00			1945400			1945400	
RESTORATION										
1) Backfill	56000	CY	4.00	2.70	7.43		224000	416080	791280	
a) Place, Spread & Compact	56000	CY		.84	2.67		47040	149520	196560	
2) Revegetation	100	MSF	24.60	8.40	6.68		2460	840	3968	
			-----						-----	
			24847895	314521	282205	626768			26071389	
Burden @ 30% of Labor Cost										
						84661			84661	
Labor @ 10% of Labor Cost										
						28220			28220	
Material @ 10% of Material Cost										
						31452			31452	
SubContract @ 10% of Sub. Cost										
						2484790			2484790	
			-----			27332685			345973	28700512
Total Direct Cost						296315			296315	
Indirects @ 75% of Total Direct Labor Cost						2870051			2870051	
Profit @ 10% of Total Direct Cost										
Health & Safety Monitoring @ 4%										
						31866879			31866879	
						1274675			1274675	
						33141554			33141554	
Total Field Cost										
						6628311			6628311	
Contingency @ 20% of Total Field Cost										
						1988493			1988493	
Engineering @ 6% of Total Field Cost										
						41758358			41758358	

TOTAL COST THIS PAGE

NAVAL WEAPONS INDUSTRIAL RESERVE PLANT

Bethpage, New York

Excavation, Fixation Metals, Offsite Landfill Disposal

Excavation, Onsite Low Temperature Thermal Stripping

Excavation Other Metals And Organics, Offsite Landfill Disposal

Current Industrial Use

Alternative S9A

Sheet 1 of 2

(NWS5A)

2/11/94

Item	Qty	Unit	Unit Cost			Total Cost			Total Direct Cost	Comments
			Sub.	Mat.	Labor	Equip.	Sub.	Mat.		
MOBILIZATION/DEMOBILIZATION										
1) Office Trailer (2)	48	MO	1000.00				48000		48000	
2) Storage Trailer (1)	48	MO	500.00				24000		24000	
3) Construction Survey	LS	LS	15000.00				15000		15000	
4) Portable Communication Equipment	8	SETS	1500.00				12000		12000	
5) Equipment Mobilization/Demobilization	LS	LS	25000.00				25000		25000	
6) Site Utilities	48	MO	4000.00				192000		192000	
7) Security	48	MO	10000.00				480000		480000	
8) Decontamination Trailer	48	MO	1500.00				72000		72000	
DECONTAMINATION FACILITIES AND SERVICES										
1) Laundry Service	192	WKS	250.00				48000		48000	
2) Truck Decon Pad										
a) Concrete Pad - 8"	480	CY	70.00	125.00		5.00	33600	60000	2400	96000
b) Gravel Base - 6"	360	CY	7.50	3.33		8.00	2700	1199	2880	6778
c) Curb	1440	LF	3.07	1.99		.05	4421	2866	72	7358
d) Collection Sump	12		1450.00	500.00		220.00	17400	6000	2640	26040
e) Splash Guard	9600	SF	1.25	1.00			12000	9600		21600
3) Decontamination Services	48	MO	1200.00				57600		57600	
4) Decon Water	633600	GAL	.20				126720		126720	
5) Personnel Decon Pad										
a) Concrete Pad - 4"	36	CY	70.00	125.00		5.00	2520	4500	180	7200
b) Gravel Base - 4"	36	CY	7.50	3.33		8.00	270	120	288	678
c) Curb	720	LF	3.07	1.99		.05	2210	1433	36	3679
6) Clean Water Storage Tank	6		3000.00	300.00			18000	1800		19800
7) Spent Water Storage Tank	6		5000.00	400.00			30000	2400		32400
SOIL REMOVAL										
1) Excavate Metals Contaminated Soil	600	CY	.59			1.00	354	600		954
OFFSITE FIXATION LANDFILL DISPOSAL										
1) Hauling Waste	18000	MI	5.00				90000			90000
2) Fixation/Landfill Disposal	891	TON	180.00				160380			160380
LOW TEMPERATURE THERMAL STRIPPING										
1) Excavate PCBs Contaminated Soil	300	CY	.59			1.00	177	300		477
2) Hauling To Thermal Stripping Area	300	CY	.65			2.00	195	600		795
3) Low Temperature Thermal Stripping	445	TON	220.00				97900			97900
4) Residue Analysis	15		220.00				3300			3300
BUILDING FOUNDATION REMOVAL										
1) Concrete Floor Demolition	74000	SF	2.45			.44	181300	32560		213860
2) Hauling Waste Concrete	11400	MI	5.00				57000			57000
3) Waste Concrete Disposal	2775	TON	100.00				277500			277500
LOW TEMPERATURE THERMAL STRIPPING										
1) Excavate VOAs Contaminated Soil	239900	CY	2.15			3.57	515785	856443		1372228
2) Shoring/Sheet Piling	189000	SF	15.00				2835000			2835000
3) Hauling To Thermal Stripping Area	263890	CY				2.00	171529	527780		699309
4) Mobilization/Demobilization	356250	TON	110.00				39187500			200000
5) Low Temperature Thermal Stripping	1400		184.00				257600			39187500
6) Residue Analysis										257600

1 Sample/day

3000 Gallon
5000 Gallon

90000 40 Tr. @ 150 Mi.
160380

57000 111 Tr. @ 100 Mi.
277500

NAVAL WEAPONS INDUSTRIAL RESERVE PLANT
Bethpage, New York

Excavation, Fixation Metals, Offsite Landfill Disposal
Excavation, Onsite Low Temperature Thermal Stripping
Excavation Other Metals And Organics, Offsite Landfill Disposal
Current Industrial Use
Alternative S9A
Sheet 2 of 2
(NWRS5A)
2/11/94

Item	Qty	Unit	Unit Cost			Total Cost			Total Direct		
			Sub.	Mat.	Labor	Equip.	Sub.	Mat.	Labor	Equip.	Cost
SOIL REMOVAL											
1) Excavate Other Metals And Organics Contaminated Soil	51900	CY		.59	1.00		30621	51900		82521	
OFFSITE LANDFILL DISPOSAL											
1) Hauling Waste	1849050	M1	5.00				9245250			9245250	1109 Tr. @ .450 Mi.
2) Landfill Disposal	91517	TON	100.00				9151700			9151700	
RESTORATION											
1) Backfill Treated Soil	229200	CY		.26	1.50		59592	343800		403392	
a) Place, Spread & Compact	229200	CY		.84	2.67		192528	611964		804492	
2) Backfill	63500	CY	4.00	2.70	7.43		254000	171450	471805	897255	
a) Place, Spread & Compact	63500	CY		.84	2.67		53340	169545		222885	
3) Revegetation	100	MSF	24.60	8.40	6.68		2460	840	668	3968	

							62663450	379581	1467628	3076461	67587120

Burden @ 30% of Labor Cost										440288	
Labor @ 10% of Labor Cost										146763	
Material @ 10% of Material Cost								37958		37958	
SubContract @ 10% of Sub. Cost								6266345		6266345	

Total Direct Cost							68929795	417539	2054679	3076461	74478474

Indirects @ 75% of Total Direct Labor Cost										1541009	
Profit @ 10% of Total Direct Cost										7447847	

Health & Safety Monitoring @ 4%										83467330	

Total Field Cost										3338693	

Contingency @ 20% of Total Field Cost										86806023	
Engineering @ 6% of Total Field Cost										17361205	

TOTAL COST THIS PAGE										5208361	

										109375590	

NAVAL WEAPONS INDUSTRIAL RESERVE PLANT

Bethpage, New York
Excavation, Fixation Metals, Offsite Landfill Disposal
Excavation, Onsite Low Temperature Thermal Stripping
Excavation Other Metals And Organics, Offsite Landfill Disposal
Future Residential Use
Alternative S9B

Sheet 1 of 2

(NRBS5B)

2/11/94

Item	Qty	Unit	Unit Cost			Total Cost			Total			
			Sub.	Mat.	Labor	Equip.	Sub.	Mat.	Labor	Equip.	Direct Cost	Comments
MOBILIZATION/DEMOBILIZATION												
1) Office Trailer (2)	48	MO	1000.00				48000				48000	
2) Storage Trailer (1)	48	MO	500.00				24000				24000	
3) Construction Survey		LS	15000.00				15000				15000	
4) Portable Communication Equipment	8	SETS	1500.00				12000				12000	
5) Equipment Mobilization/Demobilization		LS	25000.00				25000				25000	
6) Site Utilities	48	MO	4000.00				192000				192000	
7) Security	48	MO	10000.00				480000				480000	
8) Decontamination Trailer	48	MO	1500.00				72000				72000	
DECONTAMINATION FACILITIES AND SERVICES												
1) Laundry Service	192	WKS	250.00				48000				48000	
2) Truck Decon Pad												
a) Concrete Pad - 8"	480	CY	125.00			5.00		33600		60000		2400
b) Gravel Base - 6"	360	CY	7.50			3.33		2700		1199		2880
c) Curb	1440	LF	3.07			1.99		4421		2866		72
d) Collection Sump	12		1450.00			500.00		17400		6000		2640
e) Splash Guard	9600	SF	1.25			1.00		12000		9600		21600
3) Decontamination Services	48	MO	1200.00				57600				57600	
4) Decon Water	633600	GAL	.20				126720				126720	
5) Personnel Decon Pad												
a) Concrete Pad - 4"	36	CY	70.00			5.00		2520		4500		180
b) Gravel Base - 4"	36	CY	7.50			3.33		270		120		288
c) Curb	720	LF	3.07			1.99		2210		1433		36
6) Clean Water Storage Tank	6		3000.00			300.00		18000		1800		19800
7) Spent Water Storage Tank	6		5000.00			400.00		30000		2400		32400
SOIL REMOVAL												
1) Excavate Metals Contaminated Soil	600	CY	.59			1.00		354		354		600
OFFSITE FIXATION LANDFILL DISPOSAL												
1) Hauling Waste	18000	MI	5.00				90000				90000	40 Tr. @ 150 Mi.
2) Fixation/Landfill Disposal	891	TON	180.00				160380				160380	
LOW TEMPERATURE THERMAL STRIPPING												
1) Excavate PCBs Contaminated Soil	300	CY	.59			1.00		177		177		300
2) Hauling To Thermal Stripping Area	300	CY	.65			2.00		195		195		600
3) Low Temperature Thermal Stripping	445	TON	220.00				97900				97900	
4) Residue Analysis	15		220.00				3300				3300	
BUILDING FOUNDATION REMOVAL												
1) Concrete Floor Demolition	74000	SF	2.15			.44		181300		32560		213860
2) Hauling Waste Concrete	11400	MI	5.00				57000				57000	114 Tr. @ 100 Mi.
3) Waste Concrete Disposal	2775	TON	100.00				277500				277500	
LOW TEMPERATURE THERMAL STRIPPING												
1) Excavate VOAs Contaminated Soil	239900	CY	2.15			3.57		515785		856413		1372228
2) Shoring/Sheet Piling	189000	SF	15.00				2835000				2835000	
3) Hauling To Thermal Stripping Area	263890	CY	.65			2.00		171529		527780		699309
4) Mobilization/Demobilization		LS	200000.00				200000				200000	
5) Low Temperature Thermal Stripping	356250	TON	110.00				39187500				39187500	
6) Residue Analysis	1400		184.00				257600				257600	1 Sample/Day

NAVAL WEAPONS INDUSTRIAL RESERVE PLANT
Bethpage, New York

Excavation, Fixation Metals, Offsite Landfill Disposal
Excavation, Onsite Low Temperature Thermal Stripping
Excavation Other Metals And Organics, Offsite Landfill Disposal
Future Residential Use
Alternative SSB
Sheet 2 of 2
(NWBS5B)
2/11/94

Item	Qty	Unit	Unit Cost			Total Cost			Total Direct Cost	Comments	
			Sub.	Mat.	Labor	Equip.	Sub.	Mat.			Labor
SOIL REMOVAL											
1) Excavate Other Metals And Organics Contaminated Soil	45900	CY		.59		1.00		27081	45900	72981	
1) Hauling Waste	1628100	MI	5.00				8140500			8140500	3618 Tr. @ 45.0 Mi.
2) Landfill Disposal	80582	TON	100.00				8058200			8058200	
RESTORATION											
1) Backfill Treated Soil	230700	CY		.26		1.50		59982	346050	406032	
a) Place, Spread & Compact	230700	CY		.84		2.67		193788	615969	809757	
2) Backfill	56000	CY		4.00		2.70	224000	151200	416080	791280	
a) Place, Spread & Compact	56000	CY		.84		2.67	47040	149520	149520	196560	
3) Revegetation	100	MSF		24.60		8.40	2460	840	668	3968	

Burden @ 30% of Labor Cost								431756		431756	
Labor @ 10% of Labor Cost								143919		143919	
Material @ 10% of Material Cost							34958			34958	
SubContract @ 10% of Sub. Cost							6046520			6046520	

Total Direct Cost							66511720	384539	2014863	3000966	71912088

Indirects @ 75% of Total Direct Labor Cost								1511147		1511147	
Profit @ 10% of Total Direct Cost										7191209	

Health & Safety Monitoring @ 4%										80614444	
Total Field Cost										3224578	

Contingency @ 20% of Total Field Cost										83839021	
Engineering @ 6% of Total Field Cost										16767804	

TOTAL COST THIS PAGE										5030341	

										105637167	

NAVAL WEAPONS INDUSTRIAL RESERVE PLANT
 Bethpage, New York
 Excavation, Soil Washing, Onsite Backfill
 Current Industrial Use
 Alternative S10A
 Sheet 1 of 2
 (NWB56A)
 2/11/94

Item	Qty	Unit	Unit Cost			Total Cost			Total Direct Cost	Comments	
			Sub.	Mat.	Labor	Equip.	Sub.	Mat.			Labor
MOBILIZATION/DEMOBILIZATION											
1) Office Trailer (2)	48	MO	1000.00				48000			48000	
2) Storage Trailer (1)	48	MO	500.00				24000			24000	
3) Construction Survey	LS	LS	15000.00				15000			15000	
4) Portable Communication Equipment	8	SETS	1500.00				12000			12000	
5) Equipment Mobilization/Demobilization	48	MO	25000.00				25000			25000	
6) Site Utilities	48	MO	4000.00				192000			192000	
7) Security	48	MO	10000.00				480000			480000	
8) Decontamination Trailer	48	MO	1500.00				72000			72000	
DECONTAMINATION FACILITIES AND SERVICES											
1) Laundry Service	192	WKS	250.00				48000			48000	
2) Truck Decon Pad											
a) Concrete Pad - 8"	480	CY	70.00	125.00		5.00	33600	60000	2100	96000	
b) Gravel Base - 6"	360	CY	7.50	3.33		8.00	2700	1199	2880	6779	
c) Curb	1440	LF	3.07	1.99		.05	4421	2866	72	7358	
d) Collection Sump	12		1450.00	500.00		220.00	17400	6000	2640	26040	
e) Splash Guard	9600	SF	1.25	1.00			12000	9600		21600	
3) Decontamination Services	48	MO	1200.00				57600			57600	
4) Decon Water	633600	GAL	.20				126720			126720	
5) Personnel Decon Pad											
a) Concrete Pad - 4"	36	CY	70.00	125.00		5.00	2520	4500	180	7200	
b) Gravel Base - 4"	36	CY	7.50	3.33		8.00	270	120	288	678	
c) Curb	720	LF	3.07	1.99		.05	2210	1433	36	3679	
6) Clean Water Storage Tank	6		3000.00	300.00			18000	1800		19800	
7) Spent Water Storage Tank	6		5000.00	400.00			30000	2400		32400	
BUILDING FOUNDATION REMOVAL											
1) Concrete Floor Demolition	74000	SF		2.45		.44	181300	32560		213860	
2) Hauling Waste Concrete	11400	MI	5.00				57000			57000	
3) Waste Concrete Disposal	2775	TON	100.00				277500			277500	
SOIL REMOVAL											
1) Excavate Contaminated Soil	296400	CY		.96		1.58	284544	468312		752856	
2) Shoring/Sheet Piling	189000	SF	15.00				2835000			2835000	
3) Hauling To Soil Washing Area	326040	CY		.55		1.71	179322	557528		736850	
SOIL WASHING											
1) Mobilization/Demobilization	326040	LS	100000.00				100000			100000	
2) Soil Washing	48906000	CY	150.00				48906000			48906000	
RESTORATION											
1) Backfill Treated Soil	296400	CY		.26		1.50	77064	441600		521664	
a) Place, Spread & Compact	296400	CY		.84		2.67	248976	791388		1040364	
2) Revegetation	100	MSF	24.60	8.40		6.68	2460	840	668	3968	
			53275820			125581			2303552		56766917

3000 Gallon
5000 Gallon

114 Tr. @ 100 Mi.

NAVAL WEAPONS INDUSTRIAL RESERVE PLANT

Bethpage, New York
 Excavation, Soil Washing, Onsite Backfill
 Current Industrial Use
 Alternative S10A
 Sheet 2 of 2
 (NWS6A)
 2/11/94

Item	Qty	Unit Cost			Total Cost			Total Direct Cost	Comments
		Sub.	Mat.	Labor Equip.	Sub.	Mat.	Labor Equip.		
PAGE 1 TOTAL		53275820	125581	1061963	2303552	56766917			
Burden @ 30% of Labor Cost			318589				318589		
Labor @ 10% of Labor Cost			106196				106196		
Material @ 10% of Material Cost			12558				12558		
SubContract @ 10% of Sub. Cost		5327582					5327582		
Total Direct Cost		58603402	138139	1486748	2303552	62531842			
Indirects @ 75% of Total Direct Labor Cost				1115061			1115061		
Profit @ 10% of Total Direct Cost							6253184		
Health & Safety Monitoring @ 4%							69900087		
Total Field Cost							2796003		
							72696091		
Contingency @ 20% of Total Field Cost							14539218		
Engineering @ 6% of Total Field Cost							4361765		
TOTAL COST THIS PAGE							91597075		

NAVAL WEAPONS INDUSTRIAL RESERVE PLANT
 Bethpage, New York
 Excavation, Soil Washing, Onsite Backfill
 Future Residential Use
 Alternative S10B
 Sheet 1 of 2
 (NWS6B)
 2/11/94

Item	Qty	Unit	Unit Cost			Total Cost			Total		Comments			
			Sub.	Mat.	Labor	Equip.	Sub.	Mat.	Labor	Equip.		Direct	Cost	
MOBILIZATION/DEMOBILIZATION														
1) Office Trailer (2)	48	MO	1000.00				48000				48000			
2) Storage Trailer (1)	48	MO	500.00				24000				24000			
3) Construction Survey	8	SETS	1500.00				15000				15000			
4) Portable Communication Equipment	48	MO	4000.00				192000				192000			
5) Equipment Mobilization/Demobilization	48	MO	10000.00				480000				480000			
6) Site Utilities	48	MO	1500.00				72000				72000			
7) Security	192	WKS	250.00				48000				48000			
DECONTAMINATION FACILITIES AND SERVICES														
1) Laundry Service	480	CY	70.00	125.00	5.00		33600	60000	2400		96000			
2) Truck Decon Pad	360	CY	7.50	3.33	8.00		2700	1199	2880		6779			
a) Concrete Pad - 8"	1440	LF	3.07	1.99	.05		4421	2866	72		7358			
b) Gravel Base - 6"	12	Collection Sump	1450.00	500.00	220.00		17400	6000	2640		26040			
c) Curb	9600	SF	1.25	1.00			12000	9600			21600			
d) Splash Guard	48	MO	1200.00				57600				57600			
e) Decontamination Services	633600	GAL	.20				126720				126720			
3) Decontamination Services	36	CY	70.00	125.00	5.00		2520	4500	180		7200			
4) Decon Water	36	CY	7.50	3.33	8.00		270	120	288		678			
5) Personnel Decon Pad	720	LF	3.07	1.99	.05		2210	1433	36		3679			
a) Concrete Pad - 4"	6	Clean Water Storage Tank	3000.00	300.00			18000	1800			19800	3000 Gallon		
b) Gravel Base - 4"	6	Spent Water Storage Tank	5000.00	400.00			30000	2400			32400	5000 Gallon		
BUILDING FOUNDATION REMOVAL														
1) Concrete Floor Demolition	74000	SF		2.45	.44			181300	32560		213860			
2) Hauling Waste Concrete	11400	MI	5.00				57000				57000	114 Tr. @ 100 Mi.		
3) Waste Concrete Disposal	2775	TON	100.00				277500				277500			
SOIL REMOVAL														
1) Excavate Contaminated Soil	290400	CY		.96	1.58			278784	458832		737616			
2) Shoring/Sheet Piling	189000	SF	15.00				2835000				2835000			
3) Hauling To Soil Washing Area	319440	CY		.55	1.71			175692	546242		721934			
SOIL WASHING														
1) Mobilization/Demobilization	319440	LS	100000.00				100000				100000			
2) Soil Washing	319440	CY	150.00				47916000				47916000			
RESTORATION														
1) Backfill Treated Soil	290400	CY		.26	1.50			75504	435600		511104			
a) Place, Spread & Compact	290400	CY		.84	2.67			243936	775368		1019304			
2) Revegetation	100	MSF	24.60	8.40	6.68		2460	840	668		3968			
										52285820	125581	1045973	2237766	55715141

NAVAL WEAPONS INDUSTRIAL RESERVE PLANT
 Bethpage, New York
 Excavation, Soil Washing, Onsite Backfill
 Future Residential Use
 Alternative S10B
 Sheet 2 of 2
 (NWS6B)
 2/11/94

Item	Qty	Unit Cost			Total Cost			Total Direct Cost	Comments
		Sub.	Mat.	Labor Equip.	Sub.	Mat.	Labor Equip.		
PAGE 1 TOTAL		52285820	125581	1045973	2257766	5571514			
Burden @ 30% of Labor Cost				313792			313792		
Labor @ 10% of Labor Cost				104597			104597		
Material @ 10% of Material Cost			12558				12558		
SubContract @ 10% of Sub. Cost		5228582					5228582		
Total Direct Cost		57514402	138139	1464362	2257766	61374670			
Indirects @ 75% of Total Direct Labor Cost				1098272			1098272		
Profit @ 10% of Total Direct Cost							6137467		
Health & Safety Monitoring @ 4%							68610409		
Total Field Cost							2744416		
Contingency @ 20% of Total Field Cost							71354825		
Engineering @ 6% of Total Field Cost							14270965		
TOTAL COST THIS PAGE							4281290		
							89907080		

GROUNDWATER COST ESTIMATES



NAVAL WEAPONS INDUSTRIAL RESERVE PLANT
 Bethpage, New York
 No Action
 Alternative GW1
 (OMNWNAG1) 8/10/93

Annual Costs

```

*****
ITEM          *      ITEM $      *
              *      COST PER   *
              *      5 YEARS    *
              *                               *      NOTES
*****
1. Site Review *      20000.00 * Analysis Review performed for
              *                               * years 5,10,15,20,25,30
              *                               *
*****
TOTAL ANNUAL *                               * Post Remedial monitoring will
COST          *                               * be performed for years
              *      20000.00 * 5,10,15,20,25,30
*****
  
```


NAVAL WEAPONS INDUSTRIAL RESERVE PLANT

Bethpage, New York

No Action

Alternative GW1

(PWANAGW1) 8/10/93

56

PRESENT WORTH ANALYSIS

COST COMPONENT	COST/YEAR COST OCCURS (\$000'S)											
	0	1	2	3	4	5	6	7	8	9	10	11
1. CAPITAL COST	0											
2. O & M COSTS	0	0	0	0	0	20	0	0	0	0	20	0
3. ANNUAL COSTS	0	0	0	0	.823	.784	.746	.711	.677	.645	.614	.585
4. ANNUAL DISCOUNT RATE=5%	1	.952	.907	.864	.823	.784	.746	.711	.677	.645	.614	.585
PRESENT WORTH =	0	0	0	0	0	16	0	0	0	0	12	0

O & M COSTS	12	13	14	15	16	17	18	19	20	21	22	23
ANNUAL DISCOUNT RATE=5%	0	0	0	20	0	0	0	0	20	0	0	0
PRESENT WORTH =	.557	.53	.505	.481	.458	.436	.416	.396	.377	.359	.342	.326

COST COMPONENT	COST/YEAR COST OCCURS (\$000'S)					TOTAL PRESENT WORTH (000'S)
	24	25	26	27	28	
O & M COSTS	0	20	0	0	0	20
ANNUAL DISCOUNT RATE=5%	.31	.295	.281	.268	.255	.231
PRESENT WORTH =	0	6	0	0	0	5
=====						
56						
=====						

NAVAL WEAPONS INDUSTRIAL RESERVE PLANT
 Bethpage, New York
 Monitoring Of Existing Potable Water Supplies
 Alternative GW2
 (NWBGW2)
 8/3/93

Item	Qty	Unit	Unit Cost			Total Cost			Total Direct Cost	Comments
			Sub.	Mat.	Labor Equip.	Sub.	Mat.	Labor Equip.		
1) Monitoring Wells	1800	LF	80.00			144000			144000	6 @ 300'
Burden @ 30% of Labor Cost							0	0	0	
Labor @ 10% of Labor Cost								0	0	
Material @ 10% of Material Cost							0	0	0	
SubContract @ 10% of Sub. Cost						14400			14400	
Total Direct Cost						158400	0	0	158400	
Indirects @ 75% of Total Direct Labor Cost								0	0	
Profit @ 10% of Total Direct Cost									15840	
Health & Safety Monitoring @ 10%									174240	
Total Field Cost									17424	
Contingency @ 20% of Total Field Cost									191664	
Engineering @ 10% of Total Field Cost									38333	
TOTAL COST THIS PAGE									19166	
									249163	

NAVAL WEAPONS INDUSTRIAL RESERVE PLANT
 Bethpage, New York
 Monitoring Of Existing Potable Water Supplies
 Alternative GW2
 (OMNWWG2) 8/3/93

Annual Costs

```

*****
ITEM          *      ITEM $      *
              *      QUARTERLY *
              *      SAMPLING  *
              *                               NOTES
*****
1. Sampling   *      10000.00 * 6 groundwater samples
              *                               * 30 manhours per sampling period.
              *                               * (quarterly) plus travel,
              *                               * living & shipping costs.
*****
2. Analysis   *      12480.00 * 8 groundwater samples,
              *                               * per sampling period.
              *                               * (inc. blank & duplicate)
              *                               * Volatile Organics
*****
3. Reporting  *      4800.00 * 20 manhours per report
              *                               * plus other direct costs
*****
              *                               * Post Remedial monitoring will
TOTAL ANNUAL *                               * be performed quarterly for
COST          *      27280.00 * years 1 thru 30
*****

```

NAVAL WEAPONS INDUSTRIAL RESERVE PLANT
 Bethpage, New York
 Monitoring Of Existing Potable Water Supplies
 Alternative GW2
 (PWANGW2) 8/3/93
 669

PRESENT WORTH ANALYSIS

COST COMPONENT	COST/YEAR COST OCCURS (\$000'S)																															
	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	
1. CAPITAL COST	249.2																															
2. O & M COSTS		27.3																														
3. ANNUAL COSTS	249.2	27.3	27.3	27.3	27.3	27.3	27.3	27.3	27.3	27.3	27.3	27.3	27.3	27.3	27.3	27.3	27.3	27.3	27.3	27.3	27.3	27.3	27.3	27.3	27.3	27.3	27.3	27.3	27.3	27.3	27.3	
4. ANNUAL DISCOUNT RATE=5%	1	.952	.907	.864	.823	.784	.746	.711	.677	.645	.614	.585																				
PRESENT WORTH =	249	26	25	24	22	21	20	19	18	18	17	16	15	14	14	13	13	12	11	11	10	10	9	9	8	8	8	7	7	6	6	

O & M COSTS	27.3	27.3	27.3	27.3	27.3	27.3	27.3	27.3	27.3	27.3	27.3	27.3	27.3	27.3	27.3	27.3	27.3	27.3	27.3	27.3	27.3	27.3	27.3	27.3	27.3	27.3	27.3	27.3	27.3	27.3	27.3
ANNUAL DISCOUNT RATE=5%	.557	.53	.505	.481	.458	.436	.416	.396	.377	.359	.342	.326																			
PRESENT WORTH =	15	14	14	13	13	12	11	11	10	10	9	9	8	8	7	7	6	6	5	5	4	4	3	3	2	2	2	1	1	1	1

COST COMPONENT	COST/YEAR COST OCCURS (\$000'S)																															
	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	
O & M COSTS		27.3																														
ANNUAL DISCOUNT RATE=5%		.295	.281	.268	.255	.243	.231																									
PRESENT WORTH =	8	8	8	7	7	7	6	6	5	5	4	4	3	3	3	2	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	

TOTAL PRESENT WORTH (000'S) = 669

NAVAL WEAPONS INDUSTRIAL RESERVE PLANT
 Bethpage, New York
 Groundwater Treatment System
 Of Existing Potable Water Supplies
 Air Stripping
 Alternative GW3A
 (NWBGW3AS) 8/3/93
 Page 1 of 2

Item	Sub.	Mat.	Labor	Equip.
1) SITE PREPARATION	10000	0	9885	16180
2) EQUIPMENT	0	366000	24600	12000
3) PIPING & INSTRUMENTATION	0	91900	37444	6748
4) FOUNDATION & STRUCTURAL	0	8505	15750	945
5) ELECTRICAL	15000	59215	36050	0
	25000	525620	123729	35873
				710222
Burden @ 30% of Labor Cost			37119	37119
Labor @ 10% of Labor Cost			12373	12373
Material @ 10% of Material Cost		52562		52562
Subcontract @ 10% of Sub. Cost	2500			2500
Total Direct Cost	27500	578182	173221	35873
Indirects @ 75% of Total Direct Labor Cost			129915	129915
Profit @ 10% Total Direct Cost				81478
Total Field Cost				1026169
Contingency @ 20% of Total Field Cost				205234
Engineering @ 15% of Total Field Cost				153925
Total Cost This Page				1385328

NAVAL WEAPONS INDUSTRIAL RESERVE PLANT
 Bethpage, New York
 Groundwater Treatment System
 Of Existing Potable Water Supplies
 Air Stripping
 Alternative GW3A
 Page 2 of 2
 (NWBGW3A) 8/3/93

Item	Qty	Unit	Unit Cost			Total Cost			Total Direct Cost	Comments
			Sub.	Mat.	Labor Equip.	Sub.	Mat.	Labor Equip.		
SITE PREPARATION										
1) Mobilization		LS			4000.00	6000.00	4000	6000	10000	
2) Site Survey		LS	10000.00						10000	
3) Clearing & Grubbing	1	AC			1165.00	1840.00	1165	1840	3005	
4) Earthwork Grading	3000	CY			.24	.78	720	2340	3060	
5) Demobilization		LS			4000.00	6000.00	4000	6000	10000	
			10000		9885	16180	0	9885	16180	36065
EQUIPMENT										
1) Air Stripper System incl. Tower, Packing, Blower	3		110000.00		7000.00	4000.00	21000	12000	330000	14' dia. x 10'
2) Effluent Distribution Pumps	6		6000.00		600.00		3600		36000	
			0		366000	24600	12000		402600	
PIPING & INSTRUMENTATION										
1) Extraction Wells To Air Stripper										
a) Collection Piping - 10"	1500	LF		26.00	9.00		13500		39000	52500
a) Collection Piping - 12"	900	LF		35.00	12.00		10800		31500	42300
b) Excavation, Backfill, Compaction	1400	LF		4.36	2.64		6104	3696	9800	
c) Pipe Bedding	1400	LF		1.49	2.09		2086	2926	5012	
d) Revegetation	14	MSF		50.00	11.00	9.00	700	154	980	
2) Valves										
a) 12"	15			900.00	200.00		13500	3000	16500	
b) 14"	6			1200.00	300.00		7200	1800	9000	
3) Level Control System	3			2500.00	1000.00					
			0	91900	37444	6748			136092	
FOUNDATION & STRUCTURAL										
1) Air Stripper Foundation	54	CY		135.00	250.00	15.00	7290	13500	810	21600
2) Pump Foundation	9	CY		135.00	250.00	15.00	1215	2250	135	3600
			15000		15750	915			25200	
ELECTRICAL										
1) Power Supply	3	LS	15000.00		720.00		4500	2160	15000	
2) Starter #2	6		4450.00	2400.00			26700	14400	11100	
3) Starter #4	9		375.00	175.00			3375	1575	4950	
4) Disconnect Switch	3		930.00	795.00			2790	2385	5175	
5) Conduit, Cable, Control #2	6		1850.00	1130.00			11100	6780	17880	
6) Conduit, Cable, Control #4			2250.00	2250.00			2250	2250	4500	
7) Grounding		LS	4500.00	4500.00			4500	4500	9000	
8) Miscellaneous Wiring		LS	4000.00	2000.00			4000	2000	6000	
9) Instrumentation		LS	15000	59215	36050	0	110265			

NAVAL WEAPONS INDUSTRIAL RESERVE PLANT
 Bethpage, New York
 Groundwater Treatment System
 Of Existing Potable Water Supplies
 Air Stripping
 Alternative GW3A
 (OMNWGW3A) 8/3/93

Annual Costs

```

*****
ITEM          *      ITEM $      *
              *      ANNUAL      *
              *      SAMPLING   *      NOTES
*****
1. Sampling   *      2000.00 * 3 groundwater samples
              *              * 20 manhours per sampling period.
              *              * (annually) plus travel,
              *              * living & shipping costs.
*****
2. Analysis   *      1950.00 * 5 groundwater samples,
              *              * per sampling period.
              *              * (inc. blank & duplicate)
              *              * Volatile Organics
*****
3. Reporting  *      2200.00 * 20 manhours per report
              *              * plus other direct costs
*****
              *              * Post Remedial monitoring will
TOTAL ANNUAL *              * be performed annually for
COST         *      6150.00 * years 1 thru 30
*****
  
```

NAVAL WEAPONS INDUSTRIAL RESERVE PLANT
 Bethpage, New York
 Groundwater Treatment System
 Of Existing Potable Water Supplies
 Alternative GW3A
 (OMNGW3A1) 8/3/93

Annual Costs - (24 hr/day - 365 days/year)

ITEM	QTY	UNIT	UNITS	ITEM \$	NOTES	

1. Energy						
a. Electric	1567760	Kw-hr	.085	\$133260	Treatment Plan	

2. Maintenance				\$24400	3% of Capital	

3. Operator				\$5200	4 hrs/wk	

TOTAL ANNUAL COSTS				\$162860		

NAVAL WEAPONS INDUSTRIAL RESERVE PLANT
 Bethpage, New York
 Groundwater Treatment System
 Of Existing Potable Water Supplies
 Alternative GW3A
 (PWANGW3A) 8/3/93
 3984

PRESENT WORTH ANALYSIS

COST COMPONENT	COST/YEAR COST OCCURS (\$000'S)											
	0	1	2	3	4	5	6	7	8	9	10	11
1. CAPITAL COST	1385.3											
2. O & M COSTS	169	169	169	169	169	169	169	169	169	169	169	169
3. ANNUAL COSTS	1385.3	169	169	169	169	169	169	169	169	169	169	169
4. ANNUAL DISCOUNT RATE=5%	1	.952	.907	.864	.823	.784	.746	.711	.677	.645	.614	.585
PRESENT WORTH =	1385	161	153	146	139	132	126	120	114	109	104	99

O & M COSTS	12	13	14	15	16	17	18	19	20	21	22	23
169	169	169	169	169	169	169	169	169	169	169	169	169
ANNUAL DISCOUNT RATE=5%	.557	.53	.505	.481	.458	.436	.416	.396	.377	.359	.342	.326
PRESENT WORTH =	94	90	85	81	77	74	70	67	64	61	58	55

COST COMPONENT	COST/YEAR COST OCCURS (\$000'S)											
	24	25	26	27	28	29	30	TOTAL PRESENT WORTH (\$000'S)				
O & M COSTS	169	169	169	169	169	169	169	169	169	169	169	169
ANNUAL DISCOUNT RATE=5%	.31	.295	.281	.268	.255	.243	.231	=====				
PRESENT WORTH =	52	50	47	45	43	41	39	3984				
	=====											

NAVAL WEAPONS INDUSTRIAL RESERVE PLANT
 Bethpage, New York
 Groundwater Treatment System
 Of Existing Potable Water Supplies
 Granulated Activated Carbon
 Alternative GW3B
 (NWBGW3BS) 8/3/93
 Page 1 of 2

SUMMARY

Item	Sub.	Mat.	Labor	Equip.
1) SITE PREPARATION	10000	0	9885	16180
2) EQUIPMENT	0	600000	60000	30000
3) PIPING & INSTRUMENTATION	0	76600	33844	6748
4) FOUNDATION & STRUCTURAL	0	10125	18750	1125
	10000	686725	122479	54053
Burden @ 30% of Labor Cost			36744	36744
Labor @ 10% of Labor Cost			12248	12248
Material @ 10% of Material Cost		68673		68673
Subcontract @ 10% of Sub. Cost	1000			1000
Total Direct Cost	11000	755398	171471	54053
Indirects @ 75% of Total Direct Labor Cost			128603	128603
Profit @ 10% Total Direct Cost				99192
Total Field Cost				1219716
Contingency @ 20% of Total Field Cost				243943
Engineering @ 15% of Total Field Cost				182957
Total Cost This Page				1646617

Item	Qty	Unit	Unit Cost			Total Cost			Total Direct Cost	Comments	
			Sub.	Mat.	Labor	Equip.	Sub.	Mat.			Labor
SITE PREPARATION											
1) Mobilization		LS			4000.00	6000.00		4000	6000	10000	10000
2) Site Survey		LS	10000.00							10000	10000
3) Clearing & Grubbing	1	AC			1165.00	1840.00		1165	1840	3005	3005
4) Earthwork Grading	3000	CY			.24	.78		720	2340	3060	3060
5) Demobilization		LS			4000.00	6000.00		4000	6000	10000	10000
			10000		9885	16180					36065
EQUIPMENT											
1) Granulated Activated Carbon System	3				200000.00	20000.00	10000.00	60000	30000	690000	690000
PIPING & INSTRUMENTATION											
1) Extraction Wells To Carbon Unit	1500	LF			26.00	9.00		39000	13500	52500	52500
a) Collection Piping - 10"	900	LF			35.00	12.00		31500	10800	42300	42300
a) Collection Piping - 12"	1400	LF			4.36	2.64		6104	3696	9800	9800
b) Excavation, Backfill, Compaction	1400	LF			1.49	2.09		2086	2926	5012	5012
c) Pipe Bedding	14	MSF			50.00	9.00		700	126	826	826
d) Revegetation											
2) Valves	6				900.00	200.00		5400	1200	6600	6600
a) 12"											
			0		76600	33844			6748	117192	117192
FOUNDATION & STRUCTURAL											
1) Activated Carbon Foundation	75	CY			135.00	250.00	15.00	10125	18750	30000	30000
			0		10125	18750			1125	30000	30000

NAVAL WEAPONS INDUSTRIAL RESERVE PLANT
 Bethpage, New York
 Groundwater Treatment System
 Of Existing Potable Water Supplies
 Granular Activated Carbon
 Alternative GW3B
 (OMNWGW3B) 8/3/93

Annual Costs

```

*****
ITEM          *      ITEM $      *
              *      ANNUAL      *
              *      SAMPLING   *      NOTES
*****
1. Sampling   *      2000.00 * 3 groundwater samples
              *                      * 20 manhours per sampling period.
              *                      * (annually) plus travel,
              *                      * living & shipping costs.
*****
2. Analysis   *      1950.00 * 5 groundwater samples,
              *                      * per sampling period.
              *                      * (inc. blank & duplicate)
              *                      * Volatile Organics
*****
3. Reporting  *      2200.00 * 20 manhours per report
              *                      * plus other direct costs
*****
              *                      * Post Remedial monitoring will
TOTAL ANNUAL *                      * be performed annually for
COST         *      6150.00 * years 1 thru 30
*****
  
```

NAVAL WEAPONS INDUSTRIAL RESERVE PLANT
 Bethpage, New York
 Groundwater Treatment System
 Of Existing Potable Water Supplies
 Alternative GW3B
 (OMNGW3B1) 8/3/93

Annual Costs - (24 hr/day - 365 days/year)

	*	*	*	*	*	*
	*	*	*	*	*	*
ITEM	QTY	UNIT	UNITS	ITEM \$		NOTES

1. Maintenance	*	*	*	\$9900	*	1% of Capital Cost
	*	*	*	*	*	*

2. Operator	*	*	*	\$5200	*	4 hrs/wk
	*	*	*	*	*	*

3. Activated Carbon	*	*	*	*	*	*
a. Liquid	3000	LB	1.00	\$3000	*	*
	*	*	*	*	*	*

TOTAL ANNUAL COSTS	*	*	*	\$18100	*	*
	*	*	*	*	*	*

NAVAL WEAPONS INDUSTRIAL RESERVE PLANT
 Bethpage, New York
 Groundwater Treatment System
 Of Existing Potable Water Supplies
 Alternative GW3B
 (PWANGW3B) 8/3/93
 2020

PRESENT WORTH ANALYSIS

COST COMPONENT	0	1	2	3	4	5	6	7	8	9	10	11	
1. CAPITAL COST	1646.6												
2. O & M COSTS	24.3	24.3	24.3	24.3	24.3	24.3	24.3	24.3	24.3	24.3	24.3	24.3	
3. ANNUAL COSTS	1646.6	24.3	24.3	24.3	24.3	24.3	24.3	24.3	24.3	24.3	24.3	24.3	
4. ANNUAL DISCOUNT RATE=5%	1	.952	.907	.864	.823	.784	.746	.711	.677	.645	.614	.585	
PRESENT WORTH =	1647	23	22	21	20	19	18	17	16	16	15	14	

O & M COSTS	12	13	14	15	16	17	18	19	20	21	22	23	
ANNUAL DISCOUNT RATE=5%	24.3	24.3	24.3	24.3	24.3	24.3	24.3	24.3	24.3	24.3	24.3	24.3	
PRESENT WORTH =	.557	.53	.505	.481	.458	.436	.416	.396	.377	.359	.342	.326	

O & M COSTS	24	25	26	27	28	29	30						
ANNUAL DISCOUNT RATE=5%	24.3	24.3	24.3	24.3	24.3	24.3	24.3	24.3					
PRESENT WORTH =	.31	.295	.281	.268	.255	.243	.231						

								TOTAL					
								PRESENT WORTH (000'S)					
								=====					
								2020					
								=====					

NAVAL WEAPONS INDUSTRIAL RESERVE PLANT
 Bethpage, New York
 Groundwater Treatment System
 Extraction, Precipitation/Filtration, Air Stripping
 And Reuse
 Alternative GW4A
 (NWBGW4AS) 8/30/93
 Page 1 of 4

SUMMARY

Item	Sub.	Mat.	Labor	Equip.
1) SITE PREPARATION	10000	0	17823	29086
2) EQUIPMENT	688000	1544400	202700	64500
3) PIPING & INSTRUMENTATION	0	321150	171916	19762
4) FOUNDATION & STRUCTURAL	308000	73000	135250	6750
5) ELECTRICAL	10000	114175	86450	0
	1016000	2052725	614139	120098
Burden @ 30% of Labor Cost			184242	184242
Labor @ 10% of Labor Cost			61414	61414
Material @ 10% of Material Cost		205273		205273
Subcontract @ 10% of Sub. Cost	101600			101600
Total Direct Cost	1117600	2257998	859795	120098
Indirects @ 75% of Total Direct Labor Cost			644846	644846
Profit @ 10% Total Direct Cost				435549
Health & Safety Monitoring @ 3%				5435885
Total Field Cost				163077
Contingency @ 20% of Total Field Cost				5598962
Engineering @ 15% of Total Field Cost				1119792
Well Installation Field Engineering & Monitoring				839844
Total Cost This Page				30000
				7588598

NAVAL WEAPONS INDUSTRIAL RESERVE PLANT
 Bethpage, New York
 Groundwater Treatment System
 Extraction, Precipitation/Filtration, Air Stripping
 And Reuse
 Alternative GW4A
 Page 2 of 4
 (NWBGW4A) 8/30/93

Item	Qty	Unit	Unit Cost			Total Cost			Total Direct Cost	Comments
			Sub.	Mat.	Labor Equip.	Sub.	Mat.	Labor Equip.		
SITE PREPARATION										
1) Mobilization		LS		6000.00	8000.00			6000	8000	14000
2) Site Survey		LS	10000.00							10000
3) Clearing & Grubbing	3	AC		1165.00	1840.00		3495	5520		9015
4) Earthwork Grading	9700	CY		.24	.78		2328	7566	8000	9894
5) Demobilization		LS		6000.00	8000.00		6000	8000		14000
			10000	0	17823	29086				56909
EQUIPMENT										
1) Monitoring Wells	4400	LF	80.00							352000
2) Groundwater Extraction Wells	2100	LF	160.00							336000
3) Extraction Well Pumps	7			3000.00	600.00		21000	4200		25200
4) Equalization Tank	1			30000.00	3000.00		30000	3000		36000
5) Equalization Tank Mixing System	1			18000.00	1800.00		18000	1800		19800
6) Clarifier Supply Pump	2			4000.00	600.00		8000	1200		9200
7) Clarifier	1			196000.00	49000.00		196000	49000		245000
8) Clarifier Underflow Pump	2			2000.00	300.00		4000	600		4600
9) Sludge Decant Tank	1			20000.00	2000.00		20000	2000		22000
10) Sand Filter	8			110000.00	11000.00	5500.00	880000	89000	44000	1012000
11) Clearwell	1			12000.00	1200.00		12000	1200		13200
12) Dirty Backwash Tank	1			12000.00	1200.00		12000	1200		13200
13) Thickener	1			30800.00	7700.00		30800	7700		38500
14) Filter Press Feed Pump	2			5000.00	800.00		10000	1600		11600
15) Filter Press	1			125000.00	25000.00	12500.00	125000	25000	12500	162500
16) Filtrate Recycle Tank	1			3800.00	600.00		3800	600		4400
17) Filtrate Recycle Pump	2			1800.00	300.00		3600	600		4200
18) Stripper Transfer Tank	1			1200.00	300.00		1200	300		1500
19) Air Stripper Supply Pump	2			3000.00	400.00		6000	800		6800
20) Air Stripper Tower incl. Packing, Blower (Onsite)	1			130000.00	8000.00	5000.00	130000	8000	5000	143000
21) Recharge Pumps	2			3000.00	400.00		6000	800		6800
22) Ferrous Sulfate Feed System	1			10000.00	2500.00		10000	2500		12500
23) Polymer Feed System	1			7000.00	1000.00		7000	1000		8000
22) Air Compressor	1			6000.00	800.00		6000	800		6800
23) Sump Pump	2			2000.00	400.00		4000	800		4800
			688000	1544400	202700	64500	2199600			2199600

8 @ 300'
 4 @ 500'
 7 @ 300'
 200-300 gpm
 30000 gallon
 1900 gpm
 10000 gallon
 1200 mm
 14" dia. x 20'

NAVAL WEAPONS INDUSTRIAL RESERVE PLANT
 Bethpage, New York
 Groundwater Treatment System
 Extraction, Precipitation/Filtration, Air Stripping
 And Reuse
 Alternative GW4A

Page 3 of 4
 (NMBGW4A) 8/30/93

Item	Qty	Unit	Unit Cost			Total Cost			Total Direct Cost	Comments		
			Sub.	Mat.	Labor	Equip.	Sub.	Mat.			Labor	Equip.
PIPING & INSTRUMENTATION												
1) Extraction Wells To Equalization Tank												
a) Well Piping - 6"	2100	LF		39.00	21.00			81900	44100		126000	
b) Collection Piping - 6"	1000	LF		13.00	6.00			13000	6000		19000	
c) Collection Piping - 8"	1000	LF		15.00	7.00			15000	7000		22000	
d) Collection Piping - 10"	500	LF		26.00	9.00			13000	4500		17500	
e) Collection Piping - 12"	1600	LF		30.00	11.00			48000	17600		65600	
f) Excavation, Backfill, Compaction	4100	LF			4.36				17876	10824	28700	
g) Pipe Bedding	4100	LF			1.49				6109	8569	14678	
g) Revegetation	41	MSF		50.00	11.00			2050	451	369	2870	
2) System Interconnection Piping												
a) 2"	100			13.00	7.00			1300	700		2000	
b) 3"	200			19.50	10.50			3900	2100		6000	
c) 12"	800			78.00	42.00			62400	33600		96000	
d) 14"	300			91.00	49.00			27300	14700		42000	
3) Air Piping												
a) 2"	300			13.00	7.00			3900	2100		6000	
4) Valves												
a) 1/2"	18			60.00	30.00			1080	540		1620	
b) 2"	4			180.00	60.00			720	240		960	
c) 12"	22			1000.00	250.00			22000	5500		27500	
d) 14"	8			1200.00	300.00			9600	2400		12000	
5) Level Control System	8			2000.00	800.00			16000	6400		22400	
								0	321150	171916	19762	512828
FOUNDATION & STRUCTURAL												
1) Treatment Building	10000	SF	30.00					300000			300000	60' x 100'
2) Building Foundation	350	CY		170.00	315.00		15.00	59500	110250	5250	175000	
3) Equipment Foundation	100	CY		135.00	250.00		15.00	13500	25000	1500	10000	
4) Loading/Unloading Area	5600	SF	1.00					5600			5600	
5) Parking Area	800	SF	3.00					2400			2400	
				308000	73000	135250	6750	308000	73000	135250	6750	523000

NAVAL WEAPONS INDUSTRIAL RESERVE PLANT
 Bethpage, New York
 Groundwater Treatment System
 Extraction, Precipitation/Filtration, Air Stripping
 And Reuse
 Alternative GW4A
 Page 4 of 4
 (NWBGW4A) 8/30/93

Item	Qty	Unit	Unit Cost			Total Cost			Total Direct Cost	Comments	
			Sub.	Mat.	Labor	Equip.	Sub.	Mat.			Labor
ELECTRICAL											
1) Power Supply		LS	10000.00					10000			10000
2) Well Pump Feeder Cable	4100	LP		3.00	4.50				12300	18450	30750
3) Starter #2	25			1500.00	720.00				37500	18000	55500
4) Disconnect Switch	25			375.00	175.00				9375	4375	13750
5) Conduit, Cable, Control #2	25			930.00	795.00				23250	19875	43125
6) Grounding		LS		6250.00	6250.00				6250	6250	12500
7) Miscellaneous Wiring		LS		13500.00	13500.00				13500	13500	27000
8) Instrumentation		LS		7000.00	3000.00				7000	3000	10000
9) Outdoor Lighting		LS		5000.00	3000.00				5000	3000	8000
			10000	114175	86450			10000	114175	86450	210625

NAVAL WEAPONS INDUSTRIAL RESERVE PLANT
 Bethpage, New York
 Groundwater Treatment System
 Extraction, Precipitation/Filtration, Air Stripping
 And Reuse
 Alternative GW4A
 (OMNWGW4A) 8/30/93

Annual Costs

```

*****
ITEM          *      ITEM $      *
              *      QUARTERLY    *
              *      SAMPLING    *
              *                               *
              *                               *      NOTES
*****
1. Sampling   *      16000.00 * 12 groundwater samples
              *                               *
              *                               * 60 manhours per sampling period.
              *                               * (quarterly) plus travel,
              *                               * living & shipping costs.
*****
2. Analysis   *      21840.00 * 14 groundwater samples,
              *                               * per sampling period.
              *                               * (inc. blank & duplicate)
              *                               * Volatile Organics
*****
3. Reporting  *      4800.00 * 20 manhours per report
              *                               * plus other direct costs
*****
              *                               * Post Remedial monitoring will
TOTAL ANNUAL *                               * be performed quarterly for
COST         *      42640.00 * years 1 thru 30
*****
  
```

NAVAL WEAPONS INDUSTRIAL RESERVE PLANT
 Bethpage, New York
 Groundwater Treatment System
 Extraction, Precipitation/Filtration,
 Air Stripping And Reuse
 Alternative GW4A
 (OMNGW4A1) 8/30/93

Annual Costs - (24 hr/day - 365 days/year)

ITEM	QTY	UNIT	UNIT\$	ITEM \$	NOTES		

1. Energy							
a. Electric	3102900	Kw-hr	.085	\$263747	*	Treatment Plant	

2. Maintenance				\$130000	*	3% of Capital Cost	

3. Operator	3	EA.	40000.00	\$120000	*	1 Operator	
					*	2 Shifts/Day	

4. Chemical							
a. Polymer	16680	LB	2.00	\$33360	*		
a. Ferrous Sulfate	167	TON	2000.00	\$334000	*		

5. Activated Carbon							
a. Vapor				\$228000	*		

6. Sludge Disposal							
a. Hauling	70	LD	2250.00	\$157500	*		
b. Disposal	1425	TON	100.00	\$142500	*		

TOTAL ANNUAL COSTS				\$1409107	*		

NAVAL WEAPONS INDUSTRIAL RESERVE PLANT
 Bethpage, New York
 Groundwater Treatment System
 Extraction, Precipitation/Filtration, Air Stripping
 And Reuse
 Alternative GW4A
 (PWANGW4A) 8/30/93
 29907

PRESENT WORTH ANALYSIS

COST COMPONENT	COST/YEAR COST OCCURS (\$000'S)											
	0	1	2	3	4	5	6	7	8	9	10	11
1. CAPITAL COST	7588.6											
2. O & M COSTS	1451.7	1451.7	1451.7	1451.7	1451.7	1451.7	1451.7	1451.7	1451.7	1451.7	1451.7	1451.7
3. ANNUAL COSTS	7588.6	1451.7	1451.7	1451.7	1451.7	1451.7	1451.7	1451.7	1451.7	1451.7	1451.7	1451.7
4. ANNUAL DISCOUNT RATE=5%	1	.952	.907	.864	.823	.784	.746	.711	.677	.645	.614	.585
PRESENT WORTH =	7589	1382	1317	1254	1195	1138	1083	1032	983	936	891	849

O & M COSTS	12	13	14	15	16	17	18	19	20	21	22	23
1451.7	1451.7	1451.7	1451.7	1451.7	1451.7	1451.7	1451.7	1451.7	1451.7	1451.7	1451.7	1451.7
.557	.53	.505	.481	.458	.436	.416	.396	.377	.359	.342	.326	
ANNUAL DISCOUNT RATE=5%												
PRESENT WORTH =	809	769	733	698	665	633	604	575	547	521	496	473

O & M COSTS	24	25	26	27	28	29	30
1451.7	1451.7	1451.7	1451.7	1451.7	1451.7	1451.7	1451.7
.31	.295	.281	.268	.255	.243	.231	
ANNUAL DISCOUNT RATE=5%							
PRESENT WORTH =	450	428	408	389	370	353	335
TOTAL PRESENT WORTH (000'S)	29907						

NAVAL WEAPONS INDUSTRIAL RESERVE PLANT
 Bethpage, New York
 Groundwater Treatment System
 Extraction, Precipitation/Filtration, Air Stripping
 And Reuse/Reinjection
 Alternative GW4B
 (NWBGW4BS) 8/30/93
 Page 1 of 4

SUMMARY

Item	Sub.	Mat.	Labor	Equip.
1) SITE PREPARATION	15000	0	32680	49640
2) EQUIPMENT	1846000	2279000	274100	90500
3) PIPING & INSTRUMENTATION	0	1186100	594618	93026
4) FOUNDATION & STRUCTURAL	308000	102700	190250	10050
5) ELECTRICAL (Onsite)	10000	110775	84610	0
6) ELECTRICAL (Offsite)	15000	259220	102260	0
	2194000	3937795	1278518	243216
				7653529
Burden @ 30% of Labor Cost			383555	383555
Labor @ 10% of Labor Cost			127852	127852
Material @ 10% of Material Cost		393780		393780
Subcontract @ 10% of Sub. Cost	219400			219400
Total Direct Cost	2413400	4331575	1789925	243216
Indirects @ 75% of Total Direct Labor Cost			1342444	1342444
Profit @ 10% Total Direct Cost				877812
Health & Safety Monitoring @ 3%				10998371
Total Field Cost				329951
				11328322
Contingency @ 20% of Total Field Cost				2265664
Engineering @ 12% of Total Field Cost				1359399
Well Installation Field Engineering & Monitoring				100000
Total Cost This Page				15053385

NAVAL WEAPONS INDUSTRIAL RESERVE PLANT
 Bethpage, New York
 Groundwater Treatment System
 Extraction, Precipitation/Filtration, Air Stripping
 And Reuse/Reinjection
 Alternative GW4B
 Page 3 of 4
 (NWBGW4B) 8/30/93

Item	Qty	Unit	Unit Cost			Total Cost			Total Direct Cost	Comments			
			Sub.	Mat.	Labor	Equip.	Sub.	Mat.			Labor	Equip.	
PIPING & INSTRUMENTATION													
1) Extraction Wells To Equalization Tank													
a) Well Piping - 8"	3150	LF	52.00	28.00	88200	163800	88200	252000	Onsite				
b) Collection Piping - 8"	1000	LF	15.00	7.00	7000	15000	7000	22000					
c) Collection Piping - 10"	1000	LF	26.00	9.00	9000	26000	9000	35000					
d) Collection Piping - 12"	500	LF	30.00	11.00	5500	15000	5500	20500					
e) Collection Piping - 14"	1600	LF	40.00	13.00	20800	64000	20800	84800					
f) Pipe Bedding	4100	LF	4.36	2.64	17876	10824	17876	28700					
g) Revegetation	4100	LF	1.49	2.09	6109	8569	6109	14678					
	41	MSF	50.00	9.00	451	2050	369	2870					
2) Extraction Wells To Air Stripper													
a) Well Piping - 10"	5500	LF	26.00	9.00	49500	143000	49500	192500	Offsite				
b) Excavation, Backfill, Compaction	1000	LF	4.36	2.64	4360	2610	4360	7000					
c) Pipe Bedding	1000	LF	1.49	2.09	1490	2090	1490	3580					
d) Revegetation	10	MSF	50.00	9.00	110	500	90	700					
3) Treatment System To Recharge Basin													
a) Piping - 8"	3400	LF	15.00	7.00	23800	51000	23800	74800	Offsite				
b) Piping - 10"	4400	LF	26.00	9.00	39600	114400	39600	154000					
c) Piping - 14"	1800	LF	34.00	13.00	44200	115600	44200	159800					
d) Piping - 18"	1200	LF	60.00	20.00	36000	108000	36000	144000					
e) Piping - 24"	14200	LF	75.00	30.00	36000	90000	36000	126000					
f) Excavation, Backfill, Compaction	14200	LF	4.36	2.64	61912	37488	61912	99400					
g) Pipe Bedding	14200	LF	1.49	2.09	21158	29678	21158	50836					
h) Revegetation	142	MSF	50.00	9.00	1562	7100	1278	9940					
4) System Interconnection Piping													
a) 2"	200	LF	13.00	7.00	1400	2600	1400	4000	Onsite				
b) 3"	200	LF	19.50	10.50	2100	3900	2100	6000					
c) 10"	600	LF	65.00	35.00	21000	39000	21000	60000					
d) 14"	800	LF	91.00	49.00	39200	72800	39200	112000					
e) 16"	300	LF	104.00	56.00	16800	31200	16800	48000					
5) Air Piping	300		19.50	10.50	3150	5850	3150	9000	Onsite				
6) Valves													
a) 1/2"	12		60.00	30.00	360	720	360	1080	Onsite				
b) 3"	4		220.00	70.00	280	880	280	1160					
c) 14"	22		1200.00	300.00	6600	26400	6600	33000					
d) 16"	8		1600.00	400.00	3200	12800	3200	16000	Offsite				
7) Valves													
a) 10"	30		750.00	170.00	5100	22500	5100	27600	Onsite				
8) Level Control System	8		2000.00	800.00	6400	16000	6400	22400	Onsite				
9) Level Control System	18		2000.00	800.00	14400	36000	14400	50400	Offsite				
									0	1186100	594618	93026	1873744

NAVAL WEAPONS INDUSTRIAL RESERVE PLANT

Bethpage, New York
 Groundwater Treatment System
 Extraction, Precipitation/Filtration, Air Stripping
 And Reuse/Reinjection
 Alternative GW4B

Page 4 of 4
 (NWBGW4B) 8/30/93

Item	Qty	Unit	Unit Cost			Total Cost			Total Direct Cost	Comments	
			Sub.	Mat.	Labor	Equip.	Sub.	Mat.			Labor
FOUNDATION & STRUCTURAL											
1) Treatment Building	10000	SF	30.00				300000			300000	100' x 100'
2) Building Foundation	350	CY		170.00	315.00	15.00		59500	110250	175000	
3) Equipment Foundation	200	CY		135.00	250.00	15.00		27000	50000	80000	
4) Air Stripper Foundation	120	CY		135.00	250.00	15.00		16200	30000	48000	OFFSITE
5) Loading/Unloading Area	5600	SF	1.00				5600			5600	
6) Parking Area	800	SF	3.00				2400			2400	
			308000	102700	190250	10050	308000	102700	190250	611000	
ELECTRICAL											
1) Power Supply	4100	LS	10000.00				10000			10000	Onsite
2) Well Pump Feeder Cable	8	LF		3.00	4.50			12300	18450	30750	
3) Starter #1	17			1350.00	550.00			10800	4400	15200	
4) Starter #2	25			1500.00	720.00			25500	12240	37740	
5) Disconnect Switch	25			375.00	175.00			9375	4375	13750	
6) Conduit, Cable, Control #1	8			655.00	735.00			5240	5880	11120	
7) Conduit, Cable, Control #2	17			930.00	795.00			15810	13515	29325	
8) Grounding		LS		6250.00	6250.00			6250	6250	12500	
9) Miscellaneous Wiring		LS		13500.00	13500.00			13500	13500	27000	
10) Instrumentation		LS		7000.00	3000.00			7000	3000	10000	
11) Outdoor Lighting		LS		5000.00	3000.00			5000	3000	8000	
			10000	110775	84610	0	10000	110775	84610	205385	
ELECTRICAL											
1) Power Supply	1000	LS	15000.00				15000			15000	Offsite
2) Well Pump Feeder Cable	20	LF		3.00	4.50			3000	4500	7500	
3) Starter #2	8			1500.00	720.00			30000	14400	14400	
4) Starter #6	20			13000.00	800.00			104000	6400	110400	
5) Disconnect Switch	20			375.00	175.00			7500	3500	11000	
6) Disconnect Switch	8			600.00	400.00			4800	3200	8000	
7) Conduit, Cable, Control #2	20			930.00	795.00			18600	15900	34500	
8) Conduit, Cable, Control #6	8			5540.00	2170.00			44320	17360	61680	
9) Grounding		LS		7000.00	7000.00			7000	7000	14000	
10) Miscellaneous Wiring		LS		14000.00	14000.00			14000	14000	28000	
11) Instrumentation		LS		6000.00	3000.00			6000	3000	9000	
12) Outdoor Lighting		LS		20000.00	13000.00			20000	13000	33000	
			15000	259220	102260	0	15000	259220	102260	376480	

NAVAL WEAPONS INDUSTRIAL RESERVE PLANT
 Bethpage, New York
 Groundwater Treatment System
 Extraction, Precipitation/Filtration, Air Stripping
 And Reuse
 Alternative GW4B
 (OMNWGW4B) 8/30/93

Annual Costs

```

*****
ITEM          *      ITEM $      *
              *      QUARTERLY   *
              *      SAMPLING    *      NOTES
*****
1. Sampling   *      16000.00 * 12 groundwater samples
              *                      * 60 manhours per sampling period.
              *                      * (quarterly) plus travel,
              *                      * living & shipping costs.
*****
2. Analysis   *      21840.00 * 14 groundwater samples,
              *                      * per sampling period.
              *                      * (inc. blank & duplicate)
              *                      * Volatile Organics
*****
3. Reporting  *      4800.00  * 20 manhours per report
              *                      * plus other direct costs
*****
TOTAL ANNUAL *                      * Post Remedial monitoring will
COST         *                      * be performed quarterly for
              *      42640.00 * years 1 thru 30
*****

```

NAVAL WEAPONS INDUSTRIAL RESERVE PLANT
 Bethpage, New York
 Groundwater Treatment System
 Extraction, Precipitation/Filtration,
 Air Stripping And Reuse
 Alternative GW4B
 (OMNGW4B1) 8/30/93

Annual Costs - (24 hr/day - 365 days/year)

ITEM	QTY	UNIT	UNITS	ITEM \$	NOTES	

1. Energy						
a. Electric	18061900	Kw-hr	.085	\$1535262	Treatment Plant	

2. Maintenance				\$262600	3% of Capital Cost	

3. Operator	3	EA.	40000.00	\$120000	1 Operator	
					2 Shifts/Day	

4. Chemical						
a. Polymer	16680	LB	2.00	\$33360		
a. Ferrous Sulfate	167	TON	2000.00	\$334000		

5. Activated Carbon						
a. Vapor				\$228000		

6. Sludge Disposal						
a. Hauling	70	LD	2250.00	\$157500		
b. Disposal	1425	TON	100.00	\$142500		

TOTAL ANNUAL COSTS				\$2813222		

NAVAL WEAPONS INDUSTRIAL RESERVE PLANT
 Bethpage, New York
 Groundwater Treatment System
 Extraction, Precipitation/Filtration, Air Stripping
 And Reuse
 Alternative GW4B
 (PWANGW4B) 8/30/93
 58960

PRESENT WORTH ANALYSIS

COST COMPONENT	COST/YEAR COST OCCURS (\$000'S)											
	0	1	2	3	4	5	6	7	8	9	10	11
1. CAPITAL COST	15053.4											
2. O & M COSTS	2855.9	2855.9	2855.9	2855.9	2855.9	2855.9	2855.9	2855.9	2855.9	2855.9	2855.9	2855.9
3. ANNUAL COSTS	15053.4	2855.9	2855.9	2855.9	2855.9	2855.9	2855.9	2855.9	2855.9	2855.9	2855.9	2855.9
4. ANNUAL DISCOUNT RATE=5%	1	.952	.907	.864	.823	.784	.746	.711	.677	.645	.614	.585
PRESENT WORTH =	15053	2719	2590	2467	2350	2239	2131	2031	1933	1842	1754	1671

O & M COSTS	12	13	14	15	16	17	18	19	20	21	22	23
2855.9	2855.9	2855.9	2855.9	2855.9	2855.9	2855.9	2855.9	2855.9	2855.9	2855.9	2855.9	2855.9
.557	.53	.505	.481	.458	.436	.416	.396	.377	.359	.342	.326	
PRESENT WORTH =	1591	1514	1442	1374	1308	1245	1188	1131	1077	1025	977	931

O & M COSTS	24	25	26	27	28	29	30
2855.9	2855.9	2855.9	2855.9	2855.9	2855.9	2855.9	2855.9
.31	.295	.281	.268	.255	.243	.231	
PRESENT WORTH =	885	842	803	765	728	694	660

TOTAL
 PRESENT
 WORTH
 (000'S)
 =====
 58960
 =====

NAVAL WEAPONS INDUSTRIAL RESERVE PLANT
 Bethpage, New York
 Groundwater Treatment System
 Extraction, Precipitation/Filtration,
 Granular Activated Carbon And Reuse
 Alternative GW5A
 (NWBGW5AS) 8/30/93
 Page 1 of 4

Item	Sub.	Mat.	Labor	Equip.
1) SITE PREPARATION	10000	0	17823	29086
2) EQUIPMENT	688000	2022400	255100	120100
3) PIPING & INSTRUMENTATION	0	321150	171916	19762
4) FOUNDATION & STRUCTURAL	308000	73000	135250	6750
5) ELECTRICAL	10000	109620	83010	0
	1016000	2526170	663099	175698
Burden @ 30% of Labor Cost			198930	198930
Labor @ 10% of Labor Cost			66310	66310
Material @ 10% of Material Cost		252617		252617
Subcontract @ 10% of Sub. Cost	101600			101600
Total Direct Cost	1117600	2778787	928339	175698
Indirects @ 75% of Total Direct Labor Cost			696254	696254
Profit @ 10% Total Direct Cost				500042
Health & Safety Monitoring @ 3%				6196720
Total Field Cost				185902
				6382622
Contingency @ 20% of Total Field Cost				1276524
Engineering @ 15% of Total Field Cost				957393
Well Installation Field Engineering & Monitoring				30000
Total Cost This Page				8646539

NAVAL WEAPONS INDUSTRIAL RESERVE PLANT
 Bethpage, New York
 Groundwater Treatment System
 Extraction, Precipitation/Filtration,
 Granular Activated Carbon And Reuse
 Alternative GW5A
 Page 2 of 4
 (NWBGW5A) 8/30/93

Item	Qty	Unit	Unit Cost			Total Cost			Total		Comments		
			Sub.	Mat.	Labor	Equip.	Sub.	Mat.	Labor	Equip.		Direct	Cost
SITE PREPARATION													
1) Mobilization		LS			6000.00	8000.00					14000		
2) Site Survey		LS	10000.00					10000			10000		
3) Clearing & Grubbing	3	AC			1165.00	1840.00				3495	5520	9015	
4) Earthwork Grading	9700	CY			.24	.78				2328	7566	9894	
5) Demobilization		LS			6000.00	8000.00				6000	8000	14000	
			10000						0	17823	29086	56909	
EQUIPMENT													
1) Monitoring Wells	4400	LF	80.00					352000				352000	8 @ 300', 4 @ 500', 7 @ 300'
2) Groundwater Extraction Wells	2100	LF	160.00					336000				336000	25200 200-300 gpm 36000 20000 gallon
3) Extraction Well Pumps	7				3000.00	600.00			21000	4200		25200	
4) Equalization Tank	1				30000.00	3000.00	3000.00		30000	3000		36000	
5) Equalization Tank Mixing System	1				18000.00	1800.00			18000	1800		19800	
6) Clarifier Supply Pump	1				4000.00	600.00			4000	600		4600	
7) Clarifier	1				196000.00	49000.00			196000	49000		245000	
8) Clarifier Underflow Pump	2				2000.00	300.00			4000	600		4600	
9) Sludge Decant Tank	1				20000.00	2000.00			20000	2000		22000	10000 gallon
10) Sand Filter Transfer Tank	1				1200.00	300.00			1200	300		1500	
11) Sand Filter Supply Pump	2				3000.00	400.00			6000	800		6800	
12) Sand Filter	8				110000.00	11000.00	5500.00		880000	88000	44000	1012000	
13) Dirty Backwash Tank	1				12000.00	1200.00			12000	1200		13200	
14) Thickener	1				30800.00	7700.00			30800	7700		38500	
15) Filter Press Feed Pump	2				5000.00	800.00			10000	1600		11600	
16) Filter Press	1				125000.00	25000.00	12500.00		125000	25000	12500	162500	1210 mm
17) Filtrate Recycle Tank	1				3800.00	600.00			3800	600		4400	
18) Filtrate Recycle Pump	2				1800.00	300.00			3600	600		4200	
19) Granular Activated Carbon System	3				200000.00	20000.00	20000.00		600000	60000	60000	720000	
20) Clearwell Effluent Distribution Tank	2				18000.00	1800.00	600.00		18000	1800	600	20400	
21) Effluent Recharge Pump	2				6000.00	600.00			12000	1200		13200	
22) Ferrrous Sulfate Feed System	1				10000.00	2500.00			10000	2500		12500	
23) Polymer Feed System	1				7000.00	1000.00			7000	1000		8000	
24) Air Compressor	1				6000.00	800.00			6000	800		6800	
25) Sump Pump	2				2000.00	400.00			4000	800		4800	
			688000	2022400	255100	120100	3085600						

NAVAL WEAPONS INDUSTRIAL RESERVE PLANT
 Bethpage, New York
 Groundwater Treatment System
 Extraction, Precipitation/Filtration,
 Granular Activated Carbon And Reuse
 Alternative GW5A

Page 3 of 4
 (NWBGW5A) 8/30/93

Item	Qty	Unit	Unit Cost			Total Cost			Total			
			Sub.	Mat.	Labor	Equip.	Sub.	Mat.	Labor	Equip.	Direct Cost	Comments
PIPING & INSTRUMENTATION												
1) Extraction Wells To Equalization Tank												
a) Well Piping - 6"	2100	LF		39.00	21.00			81900	41100		126000	
b) Collection Piping - 6"	1000	LF		13.00	6.00			13000	6000		19000	
c) Collection Piping - 8"	1000	LF		15.00	7.00			15000	7000		22000	
d) Collection Piping - 10"	500	LF		26.00	9.00			13000	4500		17500	
e) Collection Piping - 12"	1600	LF		30.00	11.00			48000	17600		65600	
e) Excavation, Backfill, Compaction	4100	LF			4.36	2.64			17876	10824	28700	
f) Pipe Bedding	4100	LF			1.49	2.09			6109	8569	14678	
g) Revegetation	41	MSF		50.00	11.00	9.00		2050	451	369	2870	
2) System Interconnection Piping												
a) 2"	100			13.00	7.00			1300	700		2000	
b) 3"	200			19.50	10.50			3900	2100		6000	
c) 12"	800			78.00	42.00			62400	33600		96000	
d) 14"	300			91.00	49.00			27300	14700		42000	
3) Air Piping												
a) 2"	300			13.00	7.00			3900	2100		6000	
4) Valves												
a) 1/2"	18			60.00	30.00			1080	540		1620	
b) 2"	4			180.00	60.00			720	240		960	
c) 12"	22			1000.00	250.00			22000	5500		27500	
d) 14"	8			1200.00	300.00			9600	2400		12000	
5) Level Control System	8			2000.00	800.00			16000	6400		22400	
								0	321150	171916	19762	512828
FOUNDATION & STRUCTURAL												
1) Treatment Building	10000	SF	30.00					300000			300000	60' x 100'
2) Building Foundation	350	CY		170.00	315.00	15.00		59500	110250	5250	175000	
3) Equipment Foundation	100	CY		135.00	250.00	15.00		13500	25000	1500	40000	
4) Loading/Unloading Area	5600	SF	1.00					5600			5600	
5) Parking Area	800	SF	3.00					2400			2400	
								308000	73000	135250	6750	523000

NAVAL WEAPONS INDUSTRIAL RESERVE PLANT
 Bethpage, New York
 Groundwater Treatment System
 Extraction, Precipitation/Filtration,
 Granular Activated Carbon And Reuse
 Alternative GW5A
 Page 4 of 4
 (NWB/GW5A) 8/30/93

Item	Qty	Unit	Unit Cost			Total Cost			Total Direct Cost	Comments	
			Sub.	Mat.	Labor	Equip.	Sub.	Mat.			Labor
ELECTRICAL											
1) Power Supply	4100	LS	10000.00				10000				10000
2) Well Pump Feeder Cable		LF		3.00	4.50			12300	18150		30750
3) Starter #2	24			1500.00	720.00			36000	17280		53280
4) Disconnect Switch	24			375.00	175.00			9000	4200		13200
5) Conduit, Cable, Control #2	24			930.00	795.00			22320	19080		11400
6) Grounding		LS		6000.00	6000.00			6000	6000		12000
7) Miscellaneous Wiring		LS		12000.00	12000.00			12000	12000		24000
8) Instrumentation		LS		7000.00	3000.00			7000	3000		10000
9) Outdoor Lighting		LS		5000.00	3000.00			5000	3000		8000
			10000	109620	83010		10000	109620	83010	0	202630

NAVAL WEAPONS INDUSTRIAL RESERVE PLANT
 Bethpage, New York
 Groundwater Treatment System
 Extraction, Precipitation/Filtration,
 Granular Activated Carbon And Reuse
 Alternative GW5A
 (OMNWWG5A) 8/30/93

Annual Costs

```

*****
ITEM          *      ITEM $      *
              *      QUARTERLY  *
              *      SAMPLING   *
              *                               *
*****
1. Sampling   *      16000.00 * 12 groundwater samples
              *                               *
              *      60 manhours per sampling period.
              *      (quarterly) plus travel,
              *      living & shipping costs.
*****
2. Analysis   *      21840.00 * 14 groundwater samples,
              *      per sampling period.
              *      (inc. blank & duplicate)
              *      Volatile Organics
*****
3. Reporting  *      4800.00  * 20 manhours per report
              *      plus other direct costs
*****
TOTAL ANNUAL *                               *
COST         *      42640.00 * Post Remedial monitoring will
              *                               *
              *      be performed quarterly for
              *      years 1 thru 30
*****

```

NAVAL WEAPONS INDUSTRIAL RESERVE PLANT
 Bethpage, New York
 Groundwater Treatment System
 Extraction, Precipitation/Filtration,
 Granular Activated Carbon And Reuse
 Alternative GW5A
 (OMNGW5A1) 8/30/93

Annual Costs - (24 hr/day - 365 days/year)

ITEM	QTY	UNIT	UNIT\$	ITEM \$	NOTES		

1. Energy							
a. Electric	2514950	Kw-hr	.085	\$213771	* Treatment Plant		

2. Maintenance				\$150000	* 3% of Capital Cost		

3. Operator	3	EA.	40000.00	\$120000	* 1 Operator * 2 Shifts/Day		

4. Chemical							
a. Polymer	16680	LB	2.00	\$33360			
a. Ferrous Sulfate	167	TON	2000.00	\$334000			

5. Activated Carbon							
a. Liquid	735840	LB	.80	\$588672			

6. Sludge Disposal							
a. Hauling	70	LD	2250.00	\$157500			
b. Disposal	1425	TON	100.00	\$142500			

TOTAL ANNUAL COSTS				\$1739803			

NAVAL WEAPONS INDUSTRIAL RESERVE PLANT
 Bethpage, New York
 Groundwater Treatment System
 Extraction, Precipitation/Filtration,
 Granular Activated Carbon And Reuse
 Alternative GW5A
 (PHANCH5A) 8/30/93
 36049

PRESENT WORTH ANALYSIS

COST COMPONENT	COST/YEAR COST OCCURS (\$000'S)											
	0	1	2	3	4	5	6	7	8	9	10	11
1. CAPITAL COST	8646.5											
2. O & M COSTS	1593.2											
3. ANNUAL COSTS	8646.5	1782.4	1782.4	1782.4	1782.4	1782.4	1782.4	1782.4	1782.4	1782.4	1782.4	1782.4
4. ANNUAL DISCOUNT RATE=5%	1	.952	.907	.864	.823	.784	.746	.711	.677	.645	.614	.585
PRESENT WORTH =	8647	1697	1617	1540	1467	1397	1330	1267	1207	1150	1094	1043

O & M COSTS	1782.4	1782.4	1782.4	1782.4	1782.4	1782.4	1782.4	1782.4	1782.4	1782.4	1782.4	1782.4
ANNUAL DISCOUNT RATE=5%	.557	.53	.505	.481	.458	.436	.416	.396	.377	.359	.342	.326
PRESENT WORTH =	993	945	900	857	816	777	741	706	672	640	610	581

O & M COSTS	TOTAL PRESENT WORTH (\$000'S)											
	24	25	26	27	28	29	30					
1782.4	1782.4	1782.4	1782.4	1782.4	1782.4	1782.4	1782.4	1782.4	1782.4	1782.4	1782.4	1782.4
.31	.295	.281	.268	.255	.243	.231						
PRESENT WORTH =	553	526	501	478	455	433	412					

=====

36049

=====

NAVAL WEAPONS INDUSTRIAL RESERVE PLANT
 Bethpage, New York
 Groundwater Treatment System
 Extraction, Precipitation/Filtration,
 Granular Activated Carbon And Reuse
 Alternative GW5B
 (NWBGW5BS) 8/30/93
 Page 1 of 4

SUMMARY

Item	Sub.	Mat.	Labor	Equip.
1) SITE PREPARATION	15000	0	32680	49640
2) EQUIPMENT	1846000	4155000	475800	297900
3) PIPING & INSTRUMENTATION	0	1190100	536218	93026
4) FOUNDATION & STRUCTURAL	308000	100000	185250	9750
5) ELECTRICAL (Onsite)	10000	114175	86450	0
6) ELECTRICAL (Offsite)	15000	256340	81220	0
	2194000	5815615	1457618	450316
Burden @ 30% of Labor Cost			437285	437285
Labor @ 10% of Labor Cost			145762	145762
Material @ 10% of Material Cost		581562		581562
Subcontract @ 10% of Sub. Cost	219400			219400
Total Direct Cost	2413400	6397177	2040665	450316
Indirects @ 75% of Total Direct Labor Cost			1530499	1530499
Profit @ 10% Total Direct Cost				1130156
Health & Safety Monitoring @ 3%				13962212
Total Field Cost				418866
Contingency @ 20% of Total Field Cost				14381079
Engineering @ 12% of Total Field Cost				2876216
Well Installation Field Engineering & Monitoring				1725729
Total Cost This Page.				100000
				19083024

Item	Qty	Unit	Unit Cost			Total Cost			Total		Comments	
			Sub.	Mat.	Labor	Equip.	Sub.	Labor	Equip.	Direct Cost		
SITE PREPARATION												
1) Mobilization		LS			10000.00	12000.00		10000	12000		22000	
2) Site Survey		LS	15000.00					15000			15000	
3) Clearing & Grubbing	8	AC			1165.00	1840.00		9320	14720		24040	
4) Earthwork Grading	14000	CY			.24	.78		3360	10920		14280	
5) Demobilization		LS			10000.00	12000.00		10000	12000		22000	
								15000	0	32680	49640	97320
EQUIPMENT												
1) Monitoring Wells	4400	LF	80.00					352000			352000	8 @ 300', 4 @ 500', 7 @ 450', 10 @ 450'
2) Groundwater Extraction Wells (Onsite)	3150	LF	160.00					504000			504000	30800 300-400 gpm 8800 300-400 gpm 52800 800-1200 gpm
3) Groundwater Extraction Wells (Offsite)	4500	LF	220.00					990000			990000	60000 300-400 gpm 50000 5000 22000 2500 10000 800 238000 60000 4000 600 20000 2000 1200 300 3000 800 1100000 110000 12000 1200 36400 9100 10000 1600 125000 25000 3800 600 3600 600 200000 20000 200000 20000 18000 1800 4000 600 10000 2500 7000 1000 6000 800 2000 400
4) Extraction Well Pumps (Onsite)	7		4000.00	400.00				28000	2800		30800	300-400 gpm
5) Extraction Well Pumps (Offsite)	2		4000.00	400.00				8000	800		8800	300-400 gpm
6) Extraction Well Pumps (Offsite)	8		6000.00	600.00				48000	4800		52800	800-1200 gpm
7) Equalization Tank	1		50000.00	5000.00	5000.00			50000	5000		60000	40000 gallon
8) Equalization Tank Mixing System	1		22000.00	2500.00				22000	2500		24500	
9) Clarifier Supply Pump	2		5000.00	400.00				10000	800		10800	2700 gpm
10) Clarifier	1		238000.00	60000.00				238000	60000		298000	
11) Clarifier Underflow Pump	2		2000.00	300.00				4000	600		4600	
12) Sludge Decant Tank	1		20000.00	2000.00				20000	2000		22000	
13) Sand Filter Transfer Tank	1		1200.00	300.00				1200	300		1500	
14) Sand Filter Supply Pump	2		3000.00	400.00				6000	800		6800	
15) Sand Filter	10		110000.00	11000.00	5500.00			1100000	110000	55000	1265000	
16) Dirty Backwash Tank	1		12000.00	1200.00				12000	1200		13200	
17) Thickener	1		36400.00	9100.00				36400	9100		45500	
18) Filter Press Feed Pump	2		5000.00	800.00				10000	1600		11600	
19) Filter Press	1		125000.00	25000.00	12500.00			125000	25000	12500	162500	
20) Filtrate Recycle Tank	1		3800.00	600.00				3800	600		4400	
21) Filtrate Recycle Pump	2		1800.00	300.00				3600	600		4200	
22) Granular Activated Carbon System	3		200000.00	20000.00	20000.00			600000	60000	60000	720000	Onsite
23) Granular Activated Carbon System	8		200000.00	20000.00	20000.00			1600000	160000	160000	1920000	Offsite
24) Clearwell Effluent Distribution Tank	9		18000.00	1800.00	600.00			162000	16200	5400	183600	
25) Recharge Pumps	10		4000.00	600.00				40000	6000		46000	
26) Ferrous Sulfate Feed System	1		10000.00	2500.00				10000	2500		12500	
27) Polymer Feed System	1		7000.00	1000.00				7000	1000		8000	
28) Air Compressor	1		6000.00	800.00				6000	800		6800	
29) Sump Pump	2		2000.00	400.00				4000	800		4800	
								1846000	4155000	475800	2979000	6774700

Item	Qty	Unit	Unit Cost			Total Cost			Total		Comments	
			Sub.	Mat.	Labor	Equip.	Sub.	Mat.	Labor	Equip.		Direct Cost
PIPING & INSTRUMENTATION												
1) Extraction Wells To Equalization Tank												
a) Well Piping - 8"	3150	LF		52.00	28.00			163800	88200		252000	Onsite
b) Collection Piping - 8"	1000	LF		15.00	7.00			15000	7000		22000	
c) Collection Piping - 10"	1000	LF		26.00	9.00			26000	9000		35000	
d) Collection Piping - 12"	500	LF		30.00	11.00			15000	5500		20500	
e) Collection Piping - 14"	1600	LF		40.00	13.00			64000	20800		84800	
f) Excavation, Backfill, Compaction	4100	LF		4.36		2.64			17876	10824	28700	
f) Pipe Bedding	4100	LF		1.49		2.09			6109	8569	14678	
g) Revegetation	41	MSF		50.00	11.00	9.00		2050	451	369	2870	
2) Extraction Wells To Activated Carbon												
a) Well Piping - 10"	5500	LF		26.00	9.00			143000	49500		192500	Offsite
b) Excavation, Backfill, Compaction	1000	LF		4.36		2.64			4360	2640	7000	
c) Pipe Bedding	1000	LF		1.49		2.09			1490	2090	3580	
d) Revegetation	10	MSF		50.00	11.00	9.00		500	110	90	700	
3) Treatment System To Recharge Basin												
a) Piping - 8"	3400	LF		15.00	7.00			51000	23800		74800	Offsite
b) Piping - 10"	4400	LF		26.00	9.00			114400	39600		154000	
c) Piping - 14"	3400	LF		34.00	13.00			115600	44200		159800	
d) Piping - 18"	1800	LF		60.00	20.00			108000	36000		144000	
e) Piping - 24"	1200	LF		75.00	30.00			90000	36000		126000	
f) Excavation, Backfill, Compaction	14200	LF		4.36		2.64			61912	37488	99400	
f) Pipe Bedding	14200	LF		1.49		2.09			21158	29678	50836	
h) Revegetation	142	MSF		50.00	11.00	9.00		7100	1562	1278	9940	
4) System Interconnection Piping												
a) 2"	200	LF		13.00	7.00			2600	1400		4000	Onsite
b) 3"	200	LF		19.50	10.50			3900	2100		6000	
c) 10"	600	LF		65.00	35.00			39000	21000		60000	
d) 14"	800	LF		91.00	49.00			72800	39200		112000	
e) 16"	300	LF		104.00	56.00			31200	16800		48000	
5) Air Piping												
a) 3"	300			19.50	10.50			5850	3150		9000	Onsite
6) Valves												
a) 1/2"	12			60.00	30.00			720	360		1080	Onsite
b) 3"	4			220.00	70.00			880	280		1160	
c) 14"	22			1200.00	300.00			26400	6600		33000	
d) 16"	8			1600.00	400.00			12800	3200		16000	Offsite
7) Valves												
e) 10"	30			750.00	170.00			22500	5100		27600	Onsite
8) Level Control System												
9) Level Control System												
	20			2000.00	800.00			16000	6400		22400	Onsite
				2000.00	800.00			40000	16000		56000	Offsite
								0	1190100	596218	93026	1879344

NAVAL WEAPONS INDUSTRIAL RESERVE PLANT
 Bethpage, New York
 Groundwater Treatment System
 Extraction, Precipitation/Filtration,
 Granular Activated Carbon and Reuse
 Alternative GW5B

Page 4 of 4
 (NWBGW5B) 8/30/93

Item	Qty	Unit	Unit Cost			Total Cost			Total Direct Cost	Comments	
			Sub.	Mat.	Labor	Equip.	Sub.	Mat.			Labor
FOUNDATION & STRUCTURAL											
1) Treatment Building	10000	SF	30.00				300000			300000	60' x 100'
2) Building Foundation	350	CY		170.00	315.00	15.00		59500	110250	175000	
3) Equipment Foundation	100	CY		135.00	250.00	15.00		13500	25000	40000	
4) Activated Carbon Foundation	200	CY		135.00	250.00	15.00		27000	50000	80000	offsite
5) Loading/Unloading Area	5600	SF	1.00				5600			5600	
6) Parking Area	800	SF	3.00				2400			2400	
							308000	100000	185250	9750	603000
ELECTRICAL											
1) Power Supply	4100	LS	10000.00	3.00	4.50		10000			10000	Onsite
2) Well Pump Feeder Cable	25	LF		1500.00	720.00			12300	18450	30750	
3) Starter #2	25			375.00	175.00			37500	18000	55500	
4) Disconnect Switch	25			930.00	795.00			9375	4375	13750	
5) Conduit, Cable, Control #2	25			6250.00	6250.00			23250	19875	43125	
6) Grounding		LS		13500.00	13500.00			6250	6250	12500	
7) Miscellaneous Wiring		LS		7000.00	3000.00			13500	13500	27000	
8) Instrumentation		LS		5000.00	3000.00			7000	3000	10000	
9) Outdoor Lighting		LS						5000	3000	8000	
							10000	114175	86450	0	210625
ELECTRICAL											
1) Power Supply	1000	LS	15000.00	3.00	4.50		15000			15000	offsite
2) Well Pump Feeder Cable	8	LF		1500.00	720.00			3000	4500	7500	
3) Starter #2	10			13000.00	800.00			12000	5760	17760	
4) Starter #6	8			375.00	175.00			130000	8000	138000	
5) Disconnect Switch	8			600.00	400.00			3000	1400	4400	
6) Disconnect Switch	10			930.00	795.00			6000	4000	10000	
7) Conduit, Cable, Control #2	8			5540.00	2170.00			7440	6360	13800	
8) Conduit, Cable, Control #6	10			4500.00	4500.00			55400	21700	77100	
9) Grounding		LS		9000.00	9000.00			4500	4500	9000	
10) Miscellaneous Wiring		LS		6000.00	3000.00			9000	9000	18000	
11) Instrumentation		LS		20000.00	13000.00			6000	3000	9000	
12) Outdoor Lighting		LS						20000	13000	33000	
							15000	256340	81220	0	352560

NAVAL WEAPONS INDUSTRIAL RESERVE PLANT
 Bethpage, New York
 Groundwater Treatment System
 Extraction, Precipitation/Filtration,
 Granular Activated Carbon And Reuse
 Alternative GW5B
 (OMNWGW5B) 8/30/93

Annual Costs

```

*****
ITEM          *      ITEM $      *
              *      QUARTERLY  *
              *      SAMPLING   *
              *                               *
*****
1. Sampling   *      16000.00 * 12 groundwater samples
              *                               *
              *      60 manhours per sampling period.
              *      (quarterly) plus travel,
              *      living & shipping costs.
*****
2. Analysis   *      21840.00 * 14 groundwater samples,
              *      per sampling period.
              *      (inc. blank & duplicate)
              *      Volatile Organics
*****
3. Reporting  *      4800.00 * 20 manhours per report
              *      plus other direct costs
*****
TOTAL ANNUAL *                               *
COST          *      42640.00 * Post Remedial monitoring will
              *      be performed quarterly for
              *      years 1 thru 30
*****

```


NAVAL WEAPONS INDUSTRIAL RESERVE PLANT
 Bethpage, New York
 Groundwater Treatment System
 Extraction, Precipitation/Filtration,
 Granulate Activated Carbon And Reuse
 Alternative GW5B
 (OMNGW5B1) 8/30/93

Annual Costs - (24 hr/day - 365 days/year)

ITEM	QTY	UNIT	UNITS	ITEM \$	NOTES		

1. Energy							
a. Electric	17278018	Kw-hr	.085	\$1468632	Treatment Plant		

2. Maintenance				\$339100	3% of Capital Cost		

3. Operator	3	EA.	40000.00	\$120000	1 Operator		
					2 Shifts/Day		

4. Chemical							
a. Polymer	16680	LB	2.00	\$33360			
a. Ferrous Sulfate	167	TON	2000.00	\$334000			

5. Activated Carbon							
a. Liquid	1997280	LB	.80	\$1597824			

6. Sludge Disposal							
a. Hauling	70	LD	2250.00	\$157500			
b. Disposal	1425	TON	100.00	\$142500			

TOTAL ANNUAL COSTS				\$4192916			

NAVAL WEAPONS INDUSTRIAL RESERVE PLANT
 Bethpage, New York
 Groundwater Treatment System
 Extraction, Precipitation/Filtration,
 Granular Activated Carbon And Reuse
 Alternative GW5B
 (PWANGW5B) 8/30/93
 84201

PRESENT WORTH ANALYSIS

COST COMPONENT	COST/YEAR COST OCCURS (\$000'S)											
	0	1	2	3	4	5	6	7	8	9	10	11
1. CAPITAL COST												
2. O & M COSTS	4235.6											
3. ANNUAL COSTS	19083	4235.6	4235.6	4235.6	4235.6	4235.6	4235.6	4235.6	4235.6	4235.6	4235.6	4235.6
4. ANNUAL DISCOUNT RATE=5%	1	.952	.907	.864	.823	.784	.746	.711	.677	.645	.614	.585
PRESENT WORTH =	19083	4032	3842	3660	3486	3321	3160	3012	2868	2732	2601	2478

O & M COSTS	12	13	14	15	16	17	18	19	20	21	22	23
ANNUAL DISCOUNT RATE=5%	4235.6	4235.6	4235.6	4235.6	4235.6	4235.6	4235.6	4235.6	4235.6	4235.6	4235.6	4235.6
	.557	.53	.505	.481	.458	.436	.416	.396	.377	.359	.342	.326
PRESENT WORTH =	2359	2245	2139	2037	1940	1847	1762	1677	1597	1521	1449	1381

O & M COSTS	24	25	26	27	28	29	30					
ANNUAL DISCOUNT RATE=5%	4235.6	4235.6	4235.6	4235.6	4235.6	4235.6	4235.6					
	.31	.295	.281	.268	.255	.243	.231					
PRESENT WORTH =	1313	1250	1190	1135	1080	1029	978					
								TOTAL				
								PRESENT				
								WORTH				
								(000'S)				
								=====				
								84201				
								=====				

NAVAL WEAPONS INDUSTRIAL RESERVE PLANT
 Bethpage, New York
 Groundwater Treatment System
 Extraction, Precipitation/Filtration,
 Enhanced Oxidation And Reuse
 Alternative GW6A
 (NWBGW6AS) 8/30/93
 Page 1 of 4

SUMMARY

Item	Sub.	Mat.	Labor	Equip.
1) SITE PREPARATION	10000	0	17823	29086
2) EQUIPMENT	688000	9404600	796800	660100
3) PIPING & INSTRUMENTATION	0	321150	171916	19762
4) FOUNDATION & STRUCTURAL	368000	91650	169800	8550
5) ELECTRICAL	50000	130395	97210	0
	1116000	9947795	1253549	717498
Burden @ 30% of Labor Cost			376065	
Labor @ 10% of Labor Cost			125355	
Material @ 10% of Material Cost		994780		
Subcontract @ 10% of Sub. Cost	111600			
Total Direct Cost	1227600	10942575	1754969	717498
Indirects @ 75% of Total Direct Labor Cost			1316226	
Profit @ 10% Total Direct Cost			1464264	
Health & Safety Monitoring @ 3%			17423132	
Total Field Cost			522694	17945826
Contingency @ 20% of Total Field Cost				3589165
Engineering @ 12% of Total Field Cost				2153499
Well Installation Field Engineering & Monitoring				30000
Total Cost This Page				23718490

Item	Qty	Unit	Unit Cost			Total Cost			Total Direct Cost	Comments	
			Sub.	Mat.	Labor	Equip.	Sub.	Mat.			Labor
SITE PREPARATION											
1) Mobilization		LS			6000.00	8000.00			6000	8000	11000
2) Site Survey		LS	10000.00					10000			10000
3) Clearing & Grubbing	3	AC			1165.00	1840.00			3495	5520	9015
4) Earthwork Grading	9700	CY			.24	.78			2328	7566	9894
5) Demobilization		LS			6000.00	8000.00			6000	8000	11000
			10000	0	17823	29086					56909
EQUIPMENT											
1) Monitoring Wells	4400	LF	80.00					352000			352000
2) Groundwater Extraction Wells	2100	LF	160.00					336000			336000
3) Extraction Well Pumps	7			3000.00	600.00				4200		4200
4) Equalization Tank	1			30000.00	3000.00				30000	3000	33000
5) Equalization Tank Mixing System	1			18000.00	1800.00				18000	1800	19800
6) Clarifier Supply Pump	2			4000.00	400.00				8000	800	8800
7) Clarifier	1			1960000.00	49000.00				1960000	49000	2009000
8) Clarifier Underflow Pump	2			2000.00	300.00				4000	600	4600
9) Sludge Decant Tank	1			20000.00	2000.00				20000	2000	22000
10) Sand Filter Transfer Tank	1			1200.00	300.00				1200	300	1500
11) Sand Filter Supply Pump	2			3000.00	400.00				6000	800	6800
12) Sand Filter	8			110000.00	11000.00		5500.00		880000	44000	1012000
13) Dirty Backwash Tank	1			12000.00	1200.00				12000	1200	13200
14) Thickener	1			30800.00	7700.00				30800	7700	38500
15) Filter Press Feed Pump	2			5000.00	800.00				10000	1600	11600
16) Filter Press	1			125000.00	25000.00		12500.00		125000	25000	162500
17) Filtrate Recycle Tank	1			3800.00	600.00				3800	600	4400
18) Filtrate Recycle Pump	2			1800.00	300.00				3600	600	4200
19) Enhanced Oxidation Transfer Tank	1			1200.00	300.00				1200	300	1500
20) Enhanced Oxidation Supply Pump	2			5000.00	600.00				10000	1200	11200
21) Enhanced Oxidation System	1			6200000.00	600000.00		600000.00		6200000	600000	7400000
22) Clearwell Effluent Distribution Tank	1			18000.00	1800.00		600.00		18000	1800	20400
24) Effluent Recharge Pump	2			7500.00	600.00				15000	1200	16200
25) Ferrous Sulfate Feed System	1			10000.00	2500.00				10000	2500	12500
26) Polymer Feed System	1			7000.00	1000.00				7000	1000	8000
27) Air Compressor	1			6000.00	800.00				6000	800	6800
28) Sump Pump	2			2000.00	400.00				4000	800	4800
			688000	9404600	796800	660100					11549500

8 @ 300'
 4 @ 500'
 7 @ 300'
 200-300 gpm
 20000 gallon
 1900 gpm

Item	Qty	Unit	Unit Cost			Total Cost			Total Direct Cost	Comments	
			Sub.	Mat.	Labor	Equip.	Sub.	Mat.			Labor
PIPING & INSTRUMENTATION											
1) Extraction Wells To Equalization Tank											
a) Well Piping - 6"	2100	LF		39.00	21.00			81900	44100		126000
b) Collection Piping - 6"	1000	LF		13.00	6.00			13000	6000		19000
c) Collection Piping - 8"	1000	LF		15.00	7.00			15000	7000		22000
d) Collection Piping - 10"	500	LF		26.00	9.00			13000	4500		17500
e) Collection Piping - 12"	1600	LF		30.00	11.00			48000	17600		65600
f) Excavation, Backfill, Compaction	4100	LF			4.36				17876	10821	28700
g) Pipe Bedding	4100	LF			1.49				6109	8569	14678
g) Revegetation	41	MSF		50.00	11.00		9.00	2050	451	369	2470
2) System Interconnection Piping											
a) 2"	100			13.00	7.00			1300	700		2000
b) 3"	200			19.50	10.50			3900	2100		6000
c) 12"	800			78.00	42.00			62400	33600		96000
d) 14"	300			91.00	49.00			27300	14700		42000
3) Air Piping											
a) 2"	300			13.00	7.00			3900	2100		6000
4) Valves											
a) 1/2"	18			60.00	30.00			1080	540		1620
b) 2"	4			180.00	60.00			720	240		960
c) 12"	22			1000.00	250.00			22000	5500		27500
d) 14"	8			1200.00	300.00			9600	2400		12000
5) Level Control System	8			2000.00	800.00			16000	6400		22400
			0	321150	171916		19762	512828			
FOUNDATION & STRUCTURAL											
1) Treatment Building											
2) Building Foundation	12000	SF	30.00					360000			360000
3) Equipment Foundation	420	CY		170.00	315.00		15.00	71400	132300	6300	210000
4) Loading/Unloading Area	150	CY		135.00	250.00		15.00	20250	37500	2250	60000
5) Parking Area	5600	SF	1.00					5600			5600
	800	SF	3.00					2400			2400
			368000	91650	169800		8550	638000			

NAVAL WEAPONS INDUSTRIAL RESERVE PLANT
 Bethpage, New York
 Groundwater Treatment System
 Extraction, Precipitation/Filtration,
 Enhanced Oxidation And Reuse
 Alternative GW6A
 Page 4 of 4
 (NWBGM6A) 8/30/93

Item	Qty	Unit	Unit Cost			Total Cost			Total Direct Cost	Comments		
			Sub.	Mat.	Labor	Equip.	Sub.	Mat.			Labor	Equip.
ELECTRICAL												
1) Power Supply		LS	10000.00					10000		10000		
2) Substation - 1500 KVA		LS	40000.00					40000		40000		
3) Well Pump Feeder Cable	4100	LF		3.00	4.50				12300	18450		
4) Starter #2	29			1500.00	720.00				43500	20880		
5) Disconnect Switch	29			375.00	175.00				10875	5075		
6) Conduit, Cable, Control #2	29			930.00	795.00				26970	23055		
7) Grounding		LS		7250.00	7250.00				7250	7250		
8) Miscellaneous Wiring		LS		14500.00	14500.00				14500	14500		
9) Instrumentation		LS		10000.00	5000.00				10000	5000		
10) Outdoor Lighting		LS		5000.00	3000.00				5000	3000		
								50000	130395	97210	0	277605

NAVAL WEAPONS INDUSTRIAL RESERVE PLANT
 Bethpage, New York
 Groundwater Treatment System
 Extraction, Precipitation/Filtration,
 Enhanced Oxidation And Reuse
 Alternative GW6A
 (OMNWGW6A) 8/30/93

Annual Costs

```

*****
ITEM          *      ITEM $      *
              *      QUARTERLY   *
              *      SAMPLING    *
              *                               *
              *                               *
*****
1. Sampling   *      16000.00 * 12 groundwater samples
              *                               *
              *                               * 60 manhours per sampling period.
              *                               * (quarterly) plus travel,
              *                               * living & shipping costs.
*****
2. Analysis   *      21840.00 * 14 groundwater samples,
              *                               * per sampling period.
              *                               * (inc. blank & duplicate)
              *                               * Volatile Organics
*****
3. Reporting  *      4800.00 * 20 manhours per report
              *                               * plus other direct costs
*****
              *                               * Post Remedial monitoring will
TOTAL ANNUAL *                               * be performed quarterly for
COST          *      42640.00 * years 1 thru 30
*****
  
```

NAVAL WEAPONS INDUSTRIAL RESERVE PLANT
 Bethpage, New York
 Groundwater Treatment System
 Extraction, Precipitation/Filtration,
 Enhanced Oxidation And Reuse
 Alternative GW6A
 (OMNGW6A1) 8/30/93

Annual Costs - (24 hr/day - 365 days/year)

ITEM	QTY	UNIT	UNIT\$	ITEM \$	NOTES		

1. Energy							
a. Electric	2514950	Kw-hr	.085	\$213771	Treatment Plant		
b. Enhanced Oxidation	1944720000	GAL	*\$3.15/1000 Gal	\$6125868	Onsite		

2. Maintenance				\$439300	3% of Capital Co		

3. Operator	3	EA.	40000.00	\$120000	1 Operator 2 Shifts/Day		

4. Chemical							
a. Polymer	16680	LB	2.00	\$33360			
a. Ferrous Sulfate	167	TON	2000.00	\$334000			

5. Sludge Disposal							
a. Hauling	70	LD	2250.00	\$157500			
b. Disposal	1425	TON	100.00	\$142500			

TOTAL ANNUAL COSTS				\$7566299			

NAVAL WEAPONS INDUSTRIAL RESERVE PLANT
 Bethpage, New York
 Groundwater Treatment System
 Extraction, Precipitation/Filtration,
 Enhanced Oxidation And Reuse
 Alternative GW6A
 (PHANGW6A) 8/30/93
 140698

PRESENT WORTH ANALYSIS

COST COMPONENT	0	1	2	3	4	5	6	7	8	9	10	11
1. CAPITAL COST	23718.5											
2. O & M COSTS	7608.9	7608.9	7608.9	7608.9	7608.9	7608.9	7608.9	7608.9	7608.9	7608.9	7608.9	7608.9
3. ANNUAL COSTS	23718.5	7608.9	7608.9	7608.9	7608.9	7608.9	7608.9	7608.9	7608.9	7608.9	7608.9	7608.9
4. ANNUAL DISCOUNT RATE=5%	1	.952	.907	.864	.823	.784	.746	.711	.677	.645	.614	.585
PRESENT WORTH =	23719	7244	6901	6574	6262	5965	5676	5410	5151	4908	4672	4451

COST COMPONENT	12	13	14	15	16	17	18	19	20	21	22	23
O & M COSTS	7608.9	7608.9	7608.9	7608.9	7608.9	7608.9	7608.9	7608.9	7608.9	7608.9	7608.9	7608.9
ANNUAL DISCOUNT RATE=5%	.557	.53	.505	.481	.458	.436	.416	.396	.377	.359	.342	.326
PRESENT WORTH =	4238	4033	3842	3660	3485	3317	3165	3013	2869	2732	2602	2481

COST COMPONENT	24	25	26	27	28	29	30
O & M COSTS	7608.9	7608.9	7608.9	7608.9	7608.9	7608.9	7608.9
ANNUAL DISCOUNT RATE=5%	.31	.295	.281	.268	.255	.243	.231
PRESENT WORTH =	2359	2245	2138	2039	1940	1849	1758

TOTAL
 PRESENT
 WORTH
 (000'S)
 =====
 140698
 =====

NAVAL WEAPONS INDUSTRIAL RESERVE PLANT
 Bethpage, New York
 Groundwater Treatment System
 Extraction, Precipitation/Filtration,
 Enhanced Oxidation And Reuse
 Alternative GW6B
 (NWEGW6BS) 8/30/93
 Page 1 of 4

SUMMARY

Item	Sub.	Mat.	Labor	Equip.
1) SITE PREPARATION	15000	0	32680	49640
2) EQUIPMENT	1846000	10433200	1102900	933100
3) PIPING & INSTRUMENTATION	0	1190100	596218	93026
4) FOUNDATION & STRUCTURAL	368000	145650	269800	14550
5) ELECTRICAL (Onsite)	50000	130395	97210	0
6) ELECTRICAL (Offsite)	15000	340550	135900	0
	2294000	12239895	2234708	1090316
Burden @ 30% of Labor Cost			670412	670412
Labor @ 10% of Labor Cost			223471	223471
Material @ 10% of Material Cost		1223990		1223990
Subcontract @ 10% of Sub. Cost	229400			229400
Total Direct Cost	2523400	13463885	3128591	1090316
Indirects @ 75% of Total Direct Labor Cost			2346443	2346443
Profit @ 10% Total Direct Cost				2020619
Health & Safety Monitoring @ 3%				24573254
Total Field Cost				737198
Contingency @ 20% of Total Field Cost				25310452
Engineering @ 10% of Total Field Cost				5062090
Well Installation Field Engineering & Monitoring				2531045
Total Cost This Page				100000
				33003587

NAVAL WEAPONS INDUSTRIAL RESERVE PLANT
 Bethpage, New York
 Groundwater Treatment System
 Extraction, Precipitation/Filtration,
 Enhanced Oxidation And Reuse
 Alternative GW6B
 Page 2 of 4
 (NWBGW6B) 8/30/93

Item	Qty	Unit	Unit Cost			Total Cost			Equip.	Direct Cost	Comments
			Sub.	Mat.	Labor	Sub.	Mat.	Labor			
SITE PREPARATION											
1) Mobilization		LS			10000.00			12000.00		22000	
2) Site Survey		LS	15000.00						15000		
3) Clearing & Grubbing	8	AC			1165.00		1840.00		9320	14720	
4) Earthwork Grading	14000	CY			.24			10920	3360	14280	
5) Demobilization		LS			10000.00		12000.00		10000	22000	
									0	32680	49640
									15000		97320
EQUIPMENT											
1) Monitoring Wells	4400	LF	80.00						352000		8 @ 300', 4 @ 500', 7 @ 450', 10 @ 450'
2) Groundwater Extraction Wells (Onsite)	3150	LF	160.00						504000		300-400 gpm
3) Groundwater Extraction Wells (Offsite)	4500	LF	220.00						990000		800-1200 gpm
4) Extraction Well Pumps (Onsite)	7			4000.00	400.00				28000	2800	300-400 gpm
5) Extraction Well Pumps (Offsite)	2			4000.00	400.00				8000	800	300-400 gpm
6) Extraction Well Pumps (Offsite)	8			6000.00	600.00				48000	4800	800-1200 gpm
7) Equalization Tank	1			50000.00	5000.00		5000.00		50000	5000	40000 gallon
8) Equalization Tank Mixing System	1			22000.00	2500.00				22000	2500	
9) Clarifier Supply Pump	2			5000.00	400.00				10000	800	
10) Clarifier	1			238000.00	60000.00				238000	60000	
11) Clarifier Underflow Pump	2			2000.00	300.00				4000	600	
12) Sludge Decant Tank	1			2000.00	2000.00				20000	2000	
13) Sand Filter Transfer Tank	1			1200.00	300.00				1200	300	
14) Sand Filter Supply Pump	2			3000.00	400.00				6000	800	
15) Sand Filter	10			110000.00	11000.00		5500.00		1100000	110000	
16) Dirty Backwash Tank	1			12000.00	1200.00				12000	1200	
17) Thickener	1			36400.00	9100.00				36400	9100	
18) Filter Press Feed Pump	2			5000.00	800.00				10000	1600	
19) Filter Press	1			125000.00	25000.00		12500.00		125000	25000	
20) Filtrate Recycle Tank	1			3800.00	600.00				3800	600	
21) Filtrate Recycle Pump	2			1800.00	300.00				3600	600	
22) Enhanced Oxidation Transfer Tank	1			1200.00	300.00				1200	300	
23) Enhanced Oxidation Supply Pump	2			6500.00	600.00				13000	1200	
24) Enhanced Oxidation System (Onsite)	1			700000.00	70000.00		70000.00		700000	70000	
25) Enhanced Oxidation System (Offsite)	8			200000.00	20000.00		20000.00		1600000	160000	
26) Clearwell Effluent Distribution Tank	1			18000.00	1800.00		600.00		18000	1800	
27) Effluent Recharge Pump (Onsite)	2			8000.00	600.00				16000	1200	
28) Effluent Recharge Pump (Offsite)	8			4000.00	600.00				32000	4800	
29) Ferrrous Sulfate Feed System	1			10000.00	2500.00				10000	2500	
30) Polymer Feed System	1			7000.00	1000.00				7000	1000	
31) Air Compressor	1			6000.00	800.00				6000	800	
32) Sump Pump	2			2000.00	400.00				4000	800	
									1846000	10433200	1102900
										933100	14315200

Item	Qty	Unit	Unit Cost			Total Cost			Total Direct Cost	Comments			
			Sub.	Mat.	Labor	Equip.	Sub.	Mat.			Labor	Equip.	
PIPING & INSTRUMENTATION													
1) Extraction Wells To Equalization Tank													
a) Well Piping - 8"	3150	LF		52.00	28.00		163800	88200		Onsite			
b) Collection Piping - 8"	1000	LF		15.00	7.00		15000	7000					
c) Collection Piping - 10"	1000	LF		26.00	9.00		26000	9000					
d) Collection Piping - 12"	500	LF		30.00	11.00		15000	5500					
e) Collection Piping - 14"	1600	LF		40.00	13.00		64000	20800					
f) Excavation, Backfill, Compaction	4100	LF		4.36	2.64		17876	10824					
g) Pipe Bedding	4100	LF		1.49	2.09		6109	8569					
g) Revegetation	41	MSF		50.00	9.00		2050	451					
2) Extraction Wells To Enhanced Oxidation													
a) Well Piping - 10"	5500	LF		26.00	9.00		143000	49500		Offsite			
b) Excavation, Backfill, Compaction	1000	LF		4.36	2.64		4360	2610					
c) Pipe Bedding	1000	LF		1.49	2.09		1490	2090					
d) Revegetation	10	MSF		50.00	9.00		500	110					
3) Treatment System To Recharge Basin													
a) Piping - 8"	3400	LF		15.00	7.00		51000	23800		Offsite			
b) Piping - 10"	4400	LF		26.00	9.00		114400	39600					
c) Piping - 14"	3400	LF		34.00	13.00		115600	44200					
d) Piping - 18"	1800	LF		60.00	20.00		108000	36000					
e) Piping - 24"	1200	LF		75.00	30.00		90000	36000					
f) Excavation, Backfill, Compaction	14200	LF		4.36	2.64		61912	37488					
g) Pipe Bedding	14200	LF		1.49	2.09		21158	29678					
h) Revegetation	142	MSF		50.00	9.00		7100	1562					
4) System Interconnection Piping													
a) 2"	200	LF		13.00	7.00		2600	1400		Onsite			
b) 3"	200	LF		19.50	10.50		3900	2100					
c) 10"	600	LF		65.00	35.00		39000	21000					
d) 14"	800	LF		91.00	49.00		72800	39200					
e) 16"	300	LF		104.00	56.00		31200	16800					
5) Air Piping													
a) 3"	300			19.50	10.50		5850	3150		Onsite			
6) Valves													
a) 1/2"	12			60.00	30.00		720	360		Onsite			
b) 3"	4			220.00	70.00		880	280					
c) 14"	22			1200.00	300.00		26400	6600					
d) 16"	8			1600.00	400.00		12800	3200					
7) Valves													
e) 10"	30			750.00	170.00		22500	5100		Offsite			
8) Level Control System	8			2000.00	800.00		16000	6400		Onsite			
9) Level Control System	20			2000.00	800.00		40000	16000		Offsite			
									0	1190100	596218	93026	1879344

Item	Qty	Unit	Unit Cost			Total Cost			Total Direct Cost	Comments	
			Sub.	Mat.	Labor	Equip.	Sub.	Mat.			Labor
FOUNDATION & STRUCTURAL											
1) Treatment Building	12000	SF	30.00				360000			360000	100' x 120'
2) Building Foundation	420	CY		170.00	315.00	15.00	71400	132300	6300	210000	
3) Equipment Foundation	150	CY		135.00	250.00	15.00	20250	37500	2250	60000	
4) Enhanced Oxidation Foundation	400	CY		135.00	250.00	15.00	54000	100000	6000	160000	offsite
5) Loading/Unloading Area	5600	SF	1.00				5600			5600	
6) Parking Area	800	SF	3.00				2400			2400	
							368000	145650	11550	798000	
ELECTRICAL											
1) Power Supply		LS	10000.00				10000			10000	Onsite
2) Substation - 1500 KVA		LS	40000.00				40000			40000	
3) Well Pump Feeder Cable	4100	LF		3.00	4.50			12300	18450	30750	
4) Starter #2	29			1500.00	720.00			43500	20880	64380	
5) Disconnect Switch	29			375.00	175.00			10875	5075	15950	
6) Conduit, Cable, Control #2	29			930.00	795.00			26970	23055	50025	
7) Grounding		LS		7250.00	7250.00			7250	7250	14500	
8) Miscellaneous Wiring		LS		14500.00	14500.00			14500	14500	29000	
9) Instrumentation		LS		10000.00	5000.00			10000	5000	15000	
10) Outdoor Lighting		LS		5000.00	3000.00			5000	3000	8000	
							50000	130395	97210	277605	
ELECTRICAL											
1) Power Supply		LS	15000.00				15000			15000	Offsite
2) Well Pump Feeder Cable	1000	LF		3.00	4.50			3000	4500	7500	
3) Starter #2	30			1500.00	720.00			45000	21600	66600	
4) Starter #6	10			13000.00	800.00			130000	8000	138000	
5) Disconnect Switch	30			375.00	175.00			11250	5250	16500	
6) Disconnect Switch	10			600.00	400.00			6000	4000	10000	
7) Conduit, Cable, Control #2	30			930.00	795.00			27900	23850	51750	
8) Conduit, Cable, Control #6	10			5540.00	2170.00			55400	21700	77100	
9) Grounding		LS		10000.00	10000.00			10000	10000	20000	
10) Miscellaneous Wiring		LS		20000.00	20000.00			20000	20000	40000	
11) Instrumentation		LS		16000.00	8000.00			16000	8000	24000	
12) Outdoor Lighting		LS		16000.00	9000.00			16000	9000	25000	
							15000	340550	135900	491450	

NAVAL WEAPONS INDUSTRIAL RESERVE PLANT
 Bethpage, New York
 Groundwater Treatment System
 Extraction, Precipitation/Filtration,
 Enhanced Oxidation And Reuse
 Alternative GW6B
 (OMNWGW6B) 8/30/93

Annual Costs

```

*****
ITEM          *      ITEM $      *
              *      QUARTERLY  *
              *      SAMPLING   *
              *                               *
              *                               *
*****
1. Sampling   *      16000.00 * 12 groundwater samples
              *                               *
              *                               * 60 manhours per sampling period.
              *                               * (quarterly) plus travel,
              *                               * living & shipping costs.
*****
2. Analysis   *      21840.00 * 14 groundwater samples,
              *                               * per sampling period.
              *                               * (inc. blank & duplicate)
              *                               * Volatile Organics
*****
3. Reporting  *      4800.00 * 20 manhours per report
              *                               * plus other direct costs
*****
              *                               * Post Remedial monitoring will
TOTAL ANNUAL *                               * be performed quarterly for
COST          *      42640.00 * years 1 thru 30
*****
  
```

NAVAL WEAPONS INDUSTRIAL RESERVE PLANT
 Bethpage, New York
 Groundwater Treatment System
 Extraction, Precipitation/Filtration,
 Enhanced Oxidation And Reuse
 Alternative GW6B
 (OMNGW6B1) 8/30/93

Annual Costs - (24 hr/day - 365 days/year)

ITEM	QTY	UNIT	UNIT\$	ITEM \$	NOTES
1. Energy					
a. Electric	18450000	Kw-hr	.085	\$1568250	Treatment Plant
b. Enhanced Oxidation	2365200000	GAL	\$3.15/1000 Gal	\$7450380	Onsite
c. Enhanced Oxidation	4204800000	GAL	\$.61/1000 Gal	\$2564928	Offsite
2. Maintenance				\$606200	3% of Capital Cost
3. Operator	3	EA.	40000.00	\$120000	1 Operator 2 Shifts/Day
4. Chemical					
a. Polymer	16680	LB	2.00	\$33360	
a. Ferrous Sulfate	167	TON	2000.00	\$334000	
5. Sludge Disposal					
a. Hauling	70	LD	2250.00	\$157500	
b. Disposal	1425	TON	100.00	\$142500	
TOTAL ANNUAL COSTS				\$12977118	

NAVAL WEAPONS INDUSTRIAL RESERVE PLANT
 Bethpage, New York
 Groundwater Treatment System
 Extraction, Precipitation/Filtration,
 Enhanced Oxidation And Reuse
 Alternative GW6B
 (PWANG6B) 8/30/93
 233170

PRESENT WORTH ANALYSIS

COST COMPONENT	0	1	2	3	4	5	6	7	8	9	10	11
1. CAPITAL COST												
2. O & M COSTS	13019.8											
3. ANNUAL COSTS	33003.6	13019.8	13019.8	13019.8	13019.8	13019.8	13019.8	13019.8	13019.8	13019.8	13019.8	13019.8
4. ANNUAL DISCOUNT RATE=5%	1	.952	.907	.864	.823	.784	.746	.711	.677	.645	.614	.585
PRESENT WORTH =	33004	12395	11809	11249	10715	10208	9713	9257	8814	8398	7994	7617
O & M COSTS	12	13	14	15	16	17	18	19	20	21	22	23
ANNUAL DISCOUNT RATE=5%	13019.8	13019.8	13019.8	13019.8	13019.8	13019.8	13019.8	13019.8	13019.8	13019.8	13019.8	13019.8
PRESENT WORTH =	.557	.53	.505	.481	.458	.436	.416	.396	.377	.359	.342	.326
PRESENT WORTH =	7252	6900	6575	6263	5963	5677	5416	5156	4908	4674	4453	4244

O & M COSTS	24	25	26	27	28	29	30
ANNUAL DISCOUNT RATE=5%	13019.8	13019.8	13019.8	13019.8	13019.8	13019.8	13019.8
PRESENT WORTH =	.31	.295	.281	.268	.255	.243	.231
PRESENT WORTH =	4036	3841	3659	3489	3320	3164	3008
TOTAL PRESENT WORTH (000'S)	=====						
	233170						
	=====						

NAVAL WEAPONS INDUSTRIAL RESERVE PLANT
 Bethpage, New York
 Groundwater Treatment System
 Extraction, Air Stripping And Reuse
 (Vinyl Chloride Well)
 Alternative GW4AB
 (NWBG4ABS) 8/3/93
 Page 1 of 3

SUMMARY

Item	Sub.	Mat.	Labor	Equip.
1) SITE PREPARATION	10000	0	12823	17700
2) EQUIPMENT	0	464000	78800	38000
3) PIPING & INSTRUMENTATION	0	113000	58420	14460
4) FOUNDATION & STRUCTURAL	90000	19000	35200	1800
5) ELECTRICAL	10000	33885	22080	0
	110000	629885	207323	71960
				1019168
Burden @ 30% of Labor Cost			62197	62197
Labor @ 10% of Labor Cost			20732	20732
Material @ 10% of Material Cost		62989		62989
Subcontract @ 10% of Sub. Cost	11000			11000
Total Direct Cost	121000	692874	290252	71960
Indirects @ 75% of Total Direct Labor Cost			217689	217689
Profit @ 10% Total Direct Cost				117609
Total Field Cost				1511383
Contingency @ 20% of Total Field Cost				302277
Engineering @ 15% of Total Field Cost				226708
Total Cost This Page				2040368

NAVAL WEAPONS INDUSTRIAL RESERVE PLANT
 Bethpage, New York
 Groundwater Treatment System
 Extraction, Air Stripping And Reuse
 (Vinyl Chloride Well)
 Alternative GW4B
 Page 2 of 3
 (NWBGM4AB) 8/3/93

Item	Qty	Unit	Unit Cost			Total Cost			Total Direct Cost	Comments		
			Sub.	Mat.	Labor	Equip.	Sub.	Mat.			Labor	Equip.
SITE PREPARATION												
1) Mobilization		LS		6000.00		8000.00			6000	8000	14000	
2) Site Survey		LS	10000.00					10000			10000	
3) Clearing & Grubbing	.5	AC		1165.00		1840.00			583	920	1503	
4) Earthwork Grading	1000	CY		.24		.78			240	780	1020	
5) Demobilization		LS		6000.00		8000.00			6000	8000	14000	
			10000	0	12823	17700		10000	0	12823	40523	
EQUIPMENT												
1) Air Stripper Supply Tank	1			20000.00	2000.00			20000	2000		22000	13000 gallon
2) Air Stripper Supply Pump	2			3000.00	400.00			6000	800		6800	
3) Air Stripper Tower incl. Packing, Blower	1			70000.00	4000.00	3000.00		70000	4000	3000	77000	8'dia. x 8'
4) Vapor Thermal Destruct System	1			350000.00	7000.00	35000.00		350000	70000	35000	455000	
5) Effluent Tank	1			8000.00	400.00			8000	400		8400	
6) Effluent Pump	2			3000.00	400.00			6000	800		6800	
6) Sump Pump	2			2000.00	400.00			4000	800		4800	
			0	464000	78800	38000		0	464000	78800	580800	
PIPING & INSTRUMENTATION												
1) Extraction Wells To Transfer Tank												
a) Collection Piping - 10"	2500	LF		26.00	9.00			65000	22500		87500	
b) Excavation, Backfill, Compaction	2500	LF		4.36		2.64			10900	6600	17500	
c) Pipe Bedding	2500	LF		1.49		2.09			3725	5225	8950	
d) Revegetation	25	MSF		50.00	11.00	9.00		1250	275	225	1750	
2) System Interconnection Piping												
a) 10"	200			65.00	35.00			13000	7000		20000	
b) 12"	50			78.00	42.00			3900	2100		6000	
3) Effluent Tank To Recharge Basin												
a) Piping - 10"	500	LF		26.00	9.00			13000	4500		17500	
b) Excavation, Backfill, Compaction	500	LF		4.36		2.64			2180	1320	3500	
c) Pipe Bedding	500	LF		1.49		2.09			745	1045	1790	
d) Revegetation	5	MSF		50.00	11.00	9.00		250	55	45	350	
4) Valves												
a) 10"	12			750.00	170.00			9000	2040		11040	
b) 12"	4			900.00	200.00			3600	800		4400	
5) Level Control System	2			2000.00	800.00			4000	1600		5600	
			0	113000	58420	14460		0	113000	58420	185880	

NAVAL WEAPONS INDUSTRIAL RESERVE PLANT
 Bethpage, New York
 Groundwater Treatment System
 Extraction, Air Stripping And Reuse
 (Vinyl Chloride Well)
 Alternative GW4AB
 Page 3 of 3
 (NWBGW4AB) 8/3/93

Item	Qty	Unit	Unit Cost			Total Cost			Total Direct		Comments
			Sub.	Mat.	Labor	Equip.	Sub.	Mat.	Labor	Equip.	
FOUNDATION & STRUCTURAL											
1) Treatment Building	3000	SF	30.00	170.00	315.00	15.00	90000	13600	25200	1200	90000
2) Building Foundation	80	CY		135.00	250.00	15.00	40000	5400	10000	600	40000
3) Equipment Foundation	40	CY					16000				16000
							90000	19000	35200	1800	146000
ELECTRICAL											
1) Power Supply	7	LS	10000.00	1500.00	720.00		10000	10500	5040		10000
2) Starter #2	7			375.00	175.00			2625	1225		15540
3) Disconnect Switch	7			930.00	795.00			6510	5565		3850
4) Conduit, Cable, Control #2	7			1750.00	1750.00			1750	1750		12075
5) Grounding		LS		3500.00	3500.00			3500	3500		3500
6) Miscellaneous Wiring		LS		4000.00	2000.00			4000	2000		7000
7) Instrumentation		LS		5000.00	3000.00			5000	3000		6000
9) Outdoor Lighting		LS									8000
							10000	33885	22080	0	65965

NAVAL WEAPONS INDUSTRIAL RESERVE PLANT
 Bethpage, New York
 Groundwater Treatment System
 Extraction, Air Stripping And Reuse
 (Vinyl Chloride Well)
 Alternative GW4AB
 (OMNGW4AB) 8/3/93

Annual Costs - (24 hr/day - 365 days/year)

ITEM	QTY	UNIT	UNITS	ITEM \$	NOTES		

1. Energy							
a. Electric	346200	Kw-hr	.085	\$29427	Treatment Plant		
b. Fuel Oil	139000	GAL	1.00	\$139000	Thermal Destruct		

2. Maintenance				\$35300	3% of Capital Cost		

3. Operator				\$10000	2 hrs/day-5 days/w		

TOTAL ANNUAL COSTS				\$213727			

NAVAL WEAPONS INDUSTRIAL RESERVE PLANT
 Bethpage, New York
 Groundwater Treatment System
 Extraction, Enhanced Oxidation And Reuse
 (Vinyl Chloride Well)
 Alternative GW5AB
 (NWBG5ARS) 8/3/93
 Page 1 of 3

SUMMARY

Item	Sub.	Mat.	Labor	Equip.
1) SITE PREPARATION	10000	0	13645	19400
2) EQUIPMENT	0	604000	54800	50000
3) PIPING & INSTRUMENTATION	0	113000	58420	14460
4) FOUNDATION & STRUCTURAL	90000	19000	35200	1800
5) ELECTRICAL	10000	40550	27400	0
	110000	776550	189465	85660
Burden @ 30% of Labor Cost			56840	56840
Labor @ 10% of Labor Cost			18947	18947
Material @ 10% of Material Cost		77655		77655
Subcontract @ 10% of Sub. Cost	11000			11000
Total Direct Cost	121000	854205	265251	85660
Indirects @ 75% of Total Direct Labor Cost			198938	198938
Profit @ 10% Total Direct Cost				132612
Total Field Cost				1657666
Contingency @ 20% of Total Field Cost				331533
Engineering @ 15% of Total Field Cost				248650
Total Cost This Page				2237849

NAVAL WEAPONS INDUSTRIAL RESERVE PLANT
 Bethpage, New York
 Groundwater Treatment System
 Extraction, Enhanced Oxidation And Reuse
 (Vinyl Chloride Well)
 Alternative GW5AB
 Page 2 of 3
 (NWBGW5AB) 8/3/93

Item	Qty	Unit	Unit Cost			Total Cost			Total		Comments	
			Sub.	Mat.	Labor	Equip.	Sub.	Mat.	Labor	Equip.		Cost
SITE PREPARATION												
1) Mobilization		LS			6000.00	8000.00			6000	8000	14000	
2) Site Survey		LS	10000.00								10000	
3) Clearing & Grubbing	1	AC			1165.00	1840.00			1165	1840	3005	
4) Earthwork Grading	2000	CY			.24	.78			480	1560	2040	
5) Demobilization		LS			6000.00	8000.00			6000	8000	14000	
								10000	0	13645	19400	43045
EQUIPMENT												
1) Enhanced Oxidation Supply Tank	1				20000.00	2000.00			20000	2000	22000	13000 gallon
2) Enhanced Oxidation Supply Pump	2				3000.00	400.00			6000	800	6800	900 gpm
3) Enhanced Oxidation System	1				560000.00	50000.00	50000.00		560000	50000	610000	
4) Effluent Tank	1				8000.00	400.00			8000	400	8400	
5) Effluent Pump	2				3000.00	400.00			6000	800	6800	
6) Sump Pump	2				2000.00	400.00			4000	800	4800	
								0	604000	54800	50000	708800
PIPING & INSTRUMENTATION												
1) Production Wells To Transfer Tank												
a) Piping - 10"	2500	LF			26.00	9.00			65000	22500	87500	
b) Excavation, Backfill, Compaction	2500	LF			4.36	2.64			10900	6600	17500	
c) Pipe Bedding	2500	LF			1.49	2.09			3725	5225	8950	
d) Revegetation	25	MSF			50.00	9.00			1250	275	1750	
2) System Interconnection Piping												
a) 10"	200				65.00	35.00			13000	7000	20000	
b) 12"	50				78.00	42.00			3900	2100	6000	
3) Effluent Tank To Recharge Basin												
a) Piping - 10"	500	LF			26.00	9.00			13000	4500	17500	
b) Excavation, Backfill, Compaction	500	LF			4.36	2.64			2180	1320	3500	
c) Pipe Bedding	500	LF			1.49	2.09			745	1045	1790	
d) Revegetation	5	MSF			50.00	9.00			250	55	350	
4) Valves												
a) 10"	12				750.00	170.00			9000	2040	11040	
b) 12"	4				900.00	200.00			3600	800	4400	
5) Level Control System	2				2000.00	800.00			4000	1600	5600	
								0	113000	58420	14460	185880

NAVAL WEAPONS INDUSTRIAL RESERVE PLANT
 Bethpage, New York
 Groundwater Treatment System
 Extraction, Enhanced Oxidation And Reuse
 (Vinyl Chloride Well)
 Alternative GW5AB
 Page 3 of 3
 (NWBGW5AB) 8/3/93

Item	Qty	Unit	Unit Cost			Total Cost			Total Direct Cost	Comments	
			Sub.	Mat.	Labor	Equip.	Sub.	Mat.			Labor
FOUNDATION & STRUCTURAL											
1) Treatment Building	3000	SF	30.00				90000			90000	
2) Building Foundation	80	CY		170.00	315.00	15.00	13600	25200	1200	40000	
3) Equipment Foundation	40	CY		135.00	250.00	15.00	5400	10000	600	16000	
							90000	19000	35200	1800	146000
ELECTRICAL											
1) Power Supply	10	LS	10000.00				10000			10000	
2) Starter #2	10			1500.00	720.00		15000	7200		22200	
3) Disconnect Switch	10			375.00	175.00		3750	1750		5500	
4) Conduit, Cable, Control #2	10			930.00	795.00		9300	7950		17250	
5) Grounding		LS		2500.00	2500.00		2500	2500		5000	
6) Miscellaneous Wiring		LS		5000.00	5000.00		5000	5000		10000	
7) Instrumentation		LS		5000.00	3000.00		5000	3000		8000	
							10000	40550	27400	0	77950

NAVAL WEAPONS INDUSTRIAL RESERVE PLANT
 Bethpage, New York
 Groundwater Treatment System
 Extraction, Enhanced Oxidation And Reuse
 (Vinyl Chloride Well)
 Alternative GW5AB
 (OMNGW5AB) 8/3/93

Annual Costs - (24 hr/day - 365 days/year)

ITEM	QTY	UNIT	UNITS	ITEM \$	NOTES		

1. Energy							
a. Electric	261290	Kw-hr	.085	\$22210	Treatment Plant		
b. Enhanced Oxidation	473040000	GAL	*\$1/1000 Gal	\$473040			

2. Maintenance				\$39800	3% of Capital Cos		

3. Operator				\$10000	2 hrs/day-5 days/		

TOTAL ANNUAL COSTS				\$545050			

NAVAL WEAPONS INDUSTRIAL RESERVE PLANT
 Bethpage, New York
 Groundwater Treatment System
 Extraction, Enhanced Oxidation And Reuse
 (Vinyl Chloride Well)
 Alternative GW5AB
 (PWAGW5AB) 8/3/93
 10618

PRESENT WORTH ANALYSIS

COST COMPONENT	0	1	2	3	4	5	6	7	8	9	10	11
1. CAPITAL COST												
2. O & M COSTS		545.1										
3. ANNUAL COSTS	2237.9	545.1	545.1	545.1	545.1	545.1	545.1	545.1	545.1	545.1	545.1	545.1
4. ANNUAL DISCOUNT RATE=5%	1	.952	.907	.864	.823	.784	.746	.711	.677	.645	.614	.585
PRESENT WORTH =	2238	519	494	471	449	427	407	388	369	352	335	319

O & M COSTS	12	13	14	15	16	17	18	19	20	21	22	23
ANNUAL DISCOUNT RATE=5%	545.1	545.1	545.1	545.1	545.1	545.1	545.1	545.1	545.1	545.1	545.1	545.1
	.557	.53	.505	.481	.458	.436	.416	.396	.377	.359	.342	.326
PRESENT WORTH =	304	289	275	262	250	238	227	216	206	196	186	178

O & M COSTS	24	25	26	27	28	29	30	TOTAL				
ANNUAL DISCOUNT RATE=5%	545.1	545.1	545.1	545.1	545.1	545.1	545.1	PRESENT				
	.31	.295	.281	.268	.255	.243	.231	WORTH				
PRESENT WORTH =	169	161	153	146	139	132	126	=====				
								10618				
								=====				

NAVAL WEAPONS INDUSTRIAL RESERVE PLANT
 Bethpage, New York
 Groundwater Treatment System
 Extraction, Enhanced Oxidation And Reuse
 (Vinyl Chloride Well)
 Alternative GW6AB
 (NWBG6ABS) 8/3/93
 Page 1 of 3

SUMMARY

Item	Sub.	Mat.	Labor	Equip.
1) SITE PREPARATION	10000	0	13645	19400
2) EQUIPMENT	0	604000	54800	50000
3) PIPING & INSTRUMENTATION	0	113000	58420	14460
4) FOUNDATION & STRUCTURAL	90000	19000	35200	1800
5) ELECTRICAL	10000	40550	27400	0
	110000	776550	189465	85660
Burden @ 30% of Labor Cost			56810	56840
Labor @ 10% of Labor Cost			18947	18947
Material @ 10% of Material Cost		77655		77655
Subcontract @ 10% of Sub. Cost	11000			11000
Total Direct Cost	121000	854205	265251	85660
Indirects @ 75% of Total Direct Labor Cost			198938	198938
Profit @ 10% Total Direct Cost				132612
Total Field Cost				1657666
Contingency @ 20% of Total Field Cost				331533
Engineering @ 15% of Total Field Cost				248650
Total Cost This Page				2237849

NAVAL WEAPONS INDUSTRIAL RESERVE PLANT
 Bethpage, New York
 Groundwater Treatment System
 Extraction, Enhanced Oxidation And Reuse
 (Vinyl Chloride Well)
 Alternative GW6AB
 Page 2 of 3
 (NWBGW6AB) 8/3/93

Item	Qty	Unit	Unit Cost			Total Cost			Total Direct Cost	Comments			
			Sub.	Mat.	Labor	Equip.	Sub.	Mat.			Labor	Equip.	
SITE PREPARATION													
1) Mobilization		LS			6000.00	8000.00			6000	8000	14000		
2) Site Survey		LS	10000.00					10000			10000		
3) Clearing & Grubbing	1	AC			1165.00	1840.00			1165	1840	3005		
4) Earthwork Grading	2000	CY			.24	.78			480	1560	2040		
5) Demobilization		LS			6000.00	8000.00			6000	8000	14000		
								10000	0	13615	19400		43015
EQUIPMENT													
1) Enhanced Oxidation Supply Tank	1				20000.00	2000.00			20000	2000	22000		13000 Gallon
2) Enhanced Oxidation Supply Pump	2				3000.00	400.00			6000	800	6800		900 gpm
3) Enhanced Oxidation System	1				560000.00	50000.00	50000.00		560000	50000	660000		
4) Effluent Tank	1				8000.00	400.00			8000	400	8400		
5) Effluent Pump	2				3000.00	400.00			6000	800	6800		
6) Sump Pump	2				2000.00	400.00			4000	800	4800		
								0	604000	54800	708800		
PIPING & INSTRUMENTATION													
1) Production Wells To Transfer Tank													
a) Piping - 10"	2500	LF			26.00	9.00			65000	22500	87500		
b) Excavation, Backfill, Compaction	2500	LF			4.36	2.64			10900	6600	17500		
c) Pipe Bedding	2500	LF			1.49	2.09			3725	5225	8950		
d) Revegetation	25	MSF			50.00	9.00			1250	225	1750		
2) System Interconnection Piping													
a) 10"	200				65.00	35.00			13000	7000	20000		
b) 12"	50				78.00	42.00			3900	2100	6000		
3) Effluent Tank To Recharge Basin													
a) Piping - 10"	500	LF			26.00	9.00			13000	4500	17500		
b) Excavation, Backfill, Compaction	500	LF			4.36	2.64			2180	1320	3500		
c) Pipe Bedding	500	LF			1.49	2.09			745	1045	1790		
d) Revegetation	5	MSF			50.00	11.00	9.00		250	55	350		
4) Valves													
a) 10"	12				750.00	170.00			9000	2040	11040		
b) 12"	4				900.00	200.00			3600	800	4400		
5) Level Control System	2				2000.00	800.00			4000	1600	5600		
								0	113000	58120	14160		185880

NAVAL WEAPONS INDUSTRIAL RESERVE PLANT
 Bethpage, New York
 Groundwater Treatment System
 Extraction, Enhanced Oxidation And Reuse
 (Vinyl Chloride Well)
 Alternative GW6AB
 Page 3 of 3
 (NWBGW6AB) 8/3/93

Item	Qty	Unit	Unit Cost			Total Cost			Total			
			Sub.	Mat.	Labor	Equip.	Sub.	Mat.	Labor	Equip.	Direct Cost	Comments
FOUNDATION & STRUCTURAL												
1) Treatment Building	3000	SF	30.00								90000	
2) Building Foundation	80	CY		170.00	315.00	15.00					40000	
3) Equipment Foundation	40	CY		135.00	250.00	15.00					16000	
											90000	
											146000	
ELECTRICAL												
1) Power Supply												
2) Starter #2	10	LS	10000.00								10000	
3) Disconnect Switch	10			1500.00	720.00						22200	
4) Conduit, Cable, Control #2	10			375.00	175.00						5500	
5) Grounding		LS		930.00	795.00						17250	
6) Miscellaneous Wiring		LS		2500.00	2500.00						5000	
7) Instrumentation		LS		5000.00	5000.00						10000	
											8000	
											10000	
											40550	
											27400	
											0	
											77950	

NAVAL WEAPONS INDUSTRIAL RESERVE PLANT
 Bethpage, New York
 Groundwater Treatment System
 Extraction, Enhanced Oxidation And Reuse
 (Vinyl Chloride Well)
 Alternative GW6AB
 (OMNGW6AB) 8/3/93

Annual Costs - (24 hr/day - 365 days/year)

```

*****
*           *           *           *           *
*           *           *           *           *
ITEM          QTY      UNIT      UNITS      ITEM $      NOTES
*****
1. Energy
  a. Electric      261290 * Kw-hr *      .085 *      $22210 * Treatment Plant
  b. Enhanced Oxidation * 473040000 * GAL * $1/1000 Gal *      $473040 *
*****
2. Maintenance      *           *           *           *      $39800 * 3% of Capital Cos
*           *           *           *           *
*****
3. Operator          *           *           *           *      $10000 * 2 hrs/day-5 days/
*           *           *           *           *
*****
TOTAL ANNUAL      *           *           *           *           *
COSTS              *           *           *           *      $545050 *
*****

```

NAVAL WEAPONS INDUSTRIAL RESERVE PLANT
 Bethpage, New York
 Groundwater Treatment System
 Extraction, Enhanced Oxidation And Reuse
 (Vinyl Chloride Well)
 Alternative GW6AB
 (PWAGW6AB) 8/3/93
 10618

PRESENT WORTH ANALYSIS

COST COMPONENT	COST/YEAR COST OCCURS (\$000'S)											
	0	1	2	3	4	5	6	7	8	9	10	11
1. CAPITAL COST												
	2237.9											
2. O & M COSTS	545.1											
3. ANNUAL COSTS	2237.9	545.1	545.1	545.1	545.1	545.1	545.1	545.1	545.1	545.1	545.1	545.1
4. ANNUAL DISCOUNT RATE=5%	1	.952	.907	.864	.823	.784	.746	.711	.677	.645	.614	.585
PRESENT WORTH =	2238	519	494	471	449	427	407	388	369	352	335	319

O & M COSTS	545.1	545.1	545.1	545.1	545.1	545.1	545.1	545.1	545.1	545.1	545.1	545.1
ANNUAL DISCOUNT RATE=5%	.557	.53	.505	.481	.458	.436	.416	.396	.377	.359	.342	.326
PRESENT WORTH =	304	289	275	262	250	238	227	216	206	196	186	178

COST COMPONENT	COST/YEAR COST OCCURS (\$000'S)											
	0	1	2	3	4	5	6	7	8	9	10	11
1. CAPITAL COST												
	2237.9											
2. O & M COSTS	545.1											
3. ANNUAL COSTS	2237.9	545.1	545.1	545.1	545.1	545.1	545.1	545.1	545.1	545.1	545.1	545.1
4. ANNUAL DISCOUNT RATE=5%	1	.952	.907	.864	.823	.784	.746	.711	.677	.645	.614	.585
PRESENT WORTH =	2238	519	494	471	449	427	407	388	369	352	335	319

COST COMPONENT	COST/YEAR COST OCCURS (\$000'S)											
	0	1	2	3	4	5	6	7	8	9	10	11
1. CAPITAL COST												
	2237.9											
2. O & M COSTS	545.1											
3. ANNUAL COSTS	2237.9	545.1	545.1	545.1	545.1	545.1	545.1	545.1	545.1	545.1	545.1	545.1
4. ANNUAL DISCOUNT RATE=5%	1	.952	.907	.864	.823	.784	.746	.711	.677	.645	.614	.585
PRESENT WORTH =	2238	519	494	471	449	427	407	388	369	352	335	319

COST COMPONENT	COST/YEAR COST OCCURS (\$000'S)											
	0	1	2	3	4	5	6	7	8	9	10	11
1. CAPITAL COST												
	2237.9											
2. O & M COSTS	545.1											
3. ANNUAL COSTS	2237.9	545.1	545.1	545.1	545.1	545.1	545.1	545.1	545.1	545.1	545.1	545.1
4. ANNUAL DISCOUNT RATE=5%	1	.952	.907	.864	.823	.784	.746	.711	.677	.645	.614	.585
PRESENT WORTH =	2238	519	494	471	449	427	407	388	369	352	335	319

TOTAL PRESENT WORTH (000'S) = 10618