




## FOSTER WHEELER ENVIRONMENTAL CORPORATION

14 August 2000

File #: 1284-0004-00-00302

Mr. Steve Lehman, P.E. (Code 4022)  
U.S. Navy Northern Division  
Naval Facilities Engineering Command  
10 Industrial Highway, Mail Stop #82  
Lester, PA 19113-2090



SUBJECT: U.S. NAVY CONTRACT N62472-94-D-0398  
DELIVERY ORDER NO. 0004  
NAVAL WEAPONS INDUSTRIAL RESERVE PLANT  
BETHPAGE, NEW YORK  
JUNE 2000 MONTHLY OPERATIONS SUMMARY

Dear Mr. Lehman:

This letter and its attachments document the operational activities performed during the period of 1 June 2000 through 30 June 2000 at the Bethpage NWIRP Soil Vapor Extraction/Air Sparging System and presents the results of the associated sampling events. Attachment 1 contains the Monthly Operations Summary, Attachment 2 summarizes Monthly Monitoring Data, and Attachment 3 contains a plot of the influent concentrations of the four constituents and total VOCs of concern over time.

The soil vapor extraction (SVE) system operated for approximately 720 hours. The average system extraction-rate at the blower was 266 scfm at a vacuum of 1.64 inches of water. An average influent VOC level of 2.72 ppm was drawn into the treatment system. No changes were made to the valve positions at any of the wellheads. Extraction well EW-16 had very low flow rates. This is most likely due to the wells close proximity to EW-17 and the fact that EW-16 is a deep screened well and that EW-17 is a shallow screened well.

The air sparging system (AS) operated for approximately 720 hours. The average injection rate for the system at the blower was 110 scfm @ 3.82 psig. The flow rates at the injection wells at the southern portion of the site continue to be much lower than the injection wells at the northern portion of the site. The reason for this is unknown.

The maintenance activities performed for the month of June are documented in Attachment 1. Such maintenance activities include preventive maintenance of the blowers, changing of the air filters, and aesthetic maintenance of the site grounds. No moisture was detected in the extraction or injection system piping.

The results of the extracted vapor sampling, which is conducted every other week, are presented in the Vapor Monitoring Table in Attachment 2. The data includes the list of contaminants and



Mr. Steve Lehman  
14 August 2000  
Page 2


concentrations in the air stream. The concentrations of the four primary constituents of concern and the total quantity removed for the month of June 2000 and the total quantity removed are listed below:

Contaminant	June 2000 Average Daily Concentration (ppbv)	June 2000 Total Influent Flow (scfm)	June 2000 Removal (pounds)	Previous Removal (pounds)	Cumulative Removal (pounds)
1,1-Dichloroethane	0.00	266	0.00	3.35	3.35
Trichloroethene	845.0	266	3.35	70.85	74.20
Trichloroethane	510.0	266	1.99	119.79	121.79
Tetrachloroethene	1,986.0	266	9.54	298.74	308.28
Total VOCs	3,341.0		14.88	492.73	507.61

Attachment 2 also provides the total VOC concentrations from screenings at three sample locations using a photoionization detector. The pressure and vacuum readings at both the injection and extraction wells, the vacuum readings and smoke test results at the soil vapor pressure monitors, and the laboratory results of biweekly extracted vapor samples collected prior to the carbon units.

The results of the extracted vapor sampling are shown over time in Attachment 3. This graph shows that the concentrations of volatile organic compounds being pulled into the system have been fluctuating, with most of the concentrations of contaminants remaining lower than the levels at start-up for this year.

Sincerely,

  
Marlene Lindhardt, CHMM  
Delivery Order Manager

cc: J. Colter (Northdiv)  
C. Davis (Northdiv)  
R. Ingram (Northdiv)  
D. Brayack (TTNUS)  
M. Helmset (NYSDEC) ✓  
A. Holcomb (FWENC)

**ATTACHMENT 1  
MONTHLY OPERATIONS SUMMARY  
BETHPAGE NWIRP SOIL VAPOR EXTRACTION/ AIR SPARGING SYSTEM**

**June 2000**

**Bethpage NWIRP Soil Vapor Extraction and Air Sparging System  
Monthly Operations Summary**

**Month: June 2000**

Hours Operational	
Extraction System	720 hours
Injection System	720 hours
Average Extraction Rate (at blower)	266 scfm @ 1.64" Hg
Average Injection Rate (at blower)	110 scfm @ 3.82 psig
Average Influent VOC Level	2.72 ppm
Average Effluent VOC Level	0.76 ppm
Carbon Changeout	No
Condensate Volume Discharged	0 gallons
Vacuum Capture Confirmation	Yes
LEL% and O <sub>2</sub> %	Normal

**Operational Notes:**

- 1) The soil vapor extraction system operated continuously though out the month with the exception of minor shutdowns due to maintenance activities.
- 2) Maintenance was performed on the blowers where the oil and filters were changed.
- 3) Repaired wheel on 55 gallon drum dolly.

**ACTION ITEMS FOR NEXT MONTH**

- 1) Observe vegetative growth and determine if it needs to be cut.
- 2) Replace ¼" plugs in extraction-system, as required.
- 3) Arrange for the return of the activated carbon unit that was determined to be leaking.

**ATTACHMENT 2  
TREATMENT PLANT DATA  
BETHPAGE NWIRP SOIL VAPOR EXTRACTION/ AIR SPARGING SYSTEM**

**June 2000**

NWIRP-BETHPAGE  
 Monthly Monitoring Data  
 System Operation

Date	B-01		B-02		VOC				LEL%	O <sub>2</sub> %
	Vacuum ("Hg)	Flow (SCFM)	Pressure (psig)	Flow (SCFM)	Influent BV-18 (ppm)	Middle BV-32 (ppm)	Effluent BV-19 (ppm)	Background (ppm)		
06/02/2000	0.9	270	3.9	110	2.0	0.0	0.0	0.0	0.0	20.9
06/09/2000	2.0	270	3.8	110	2.2	0.2	0.0	0.0	0.0	20.4
06/16/2000	2.0	260	3.9	110	3.0	1.9	1.0	2.4	0.0	20.5
06/23/2000	1.8	270	3.9	110	4.9	2.1	2.8	3.4	0.0	20.5
06/28/2000	1.5	260	3.6	110	1.5	0.2	0.0	0.4	0.0	20.25

Notes:  
 ND - Non-detected

NWIRP-BETHPAGE  
Monthly Monitoring Data  
Extraction Well Operation

Date	EW-01			EW-02			EW-03			EW-04			EW-05		
	Flow (ft/min)	Valve (%open)	Vacuum " H <sub>2</sub> O	Flow (ft/min)	Valve (%open)	Vacuum " H <sub>2</sub> O	Flow (ft/min)	Valve (%open)	Vacuum " H <sub>2</sub> O	Flow (ft/min)	Valve (%open)	Vacuum " H <sub>2</sub> O	Flow (ft/min)	Valve (%open)	Vacuum " H <sub>2</sub> O
06/02/2000	750	100	3.75	1000	100	4	0	0	1.5	1250	100	4.75	0	0	0
06/09/2000	900	100	3.50	1000	100	4.00	0	0	0.00	1100	100	5.00	0	0	0.00
06/16/2000	800	100	3.50	1000	100	4.50	0	0	0.00	1100	100	5.00	0	0	0.00
06/23/2000	800	100	4.00	1000	100	4.00	0	0	0.00	1250	100	5.00	0	0	0.00
06/28/2000	1000	100	3.50	1100	100	4.00	0	0	0.00	1200	100	4.75	0	0	0.00

Date	EW-06			EW-07			EW-08			EW-09			EW-10		
	Flow (ft/min)	Valve (%open)	Vacuum " H <sub>2</sub> O	Flow (ft/min)	Valve (%open)	Vacuum " H <sub>2</sub> O	Flow (ft/min)	Valve (%open)	Vacuum " H <sub>2</sub> O	Flow (ft/min)	Valve (%open)	Vacuum " H <sub>2</sub> O	Flow (ft/min)	Valve (%open)	Vacuum " H <sub>2</sub> O
06/02/2000	1100	100	5	1000	100	4	1250	100	4.75	750	100	2.5	1000	100	2.75
06/09/2000	1200	100	4.50	1100	100	4.00	1100	100	4.80	700	100	2.00	950	100	2.50
06/16/2000	1000	100	4.50	1000	100	4.00	1250	100	4.00	750	100	2.50	900	100	2.50
06/23/2000	1100	100	4.50	1000	100	4.00	1200	100	4.00	750	100	2.50	1000	100	2.50
06/28/2000	1200	100	4.50	1000	100	4.00	1250	100	4.00	600	100	2.75	1050	100	2.50

Date	EW-11			EW-12			EW-13			EW-14			EW-15		
	Flow (ft/min)	Valve (%open)	Vacuum " H <sub>2</sub> O	Flow (ft/min)	Valve (%open)	Vacuum " H <sub>2</sub> O	Flow (ft/min)	Valve (%open)	Vacuum " H <sub>2</sub> O	Flow (ft/min)	Valve (%open)	Vacuum " H <sub>2</sub> O	Flow (ft/min)	Valve (%open)	Vacuum " H <sub>2</sub> O
06/02/2000	800	100	2.25	900	100	2.5	800	100	2.75	600	100	2.5	800	100	2.75
06/09/2000	800	100	2.00	600	50	1.50	600	50	1.50	650	100	2.50	800	100	2.00
06/16/2000	750	100	2.00	600	50	1.50	500	50	1.50	600	100	2.00	750	100	2.50
06/23/2000	800	100	2.00	600	50	1.50	500	50	1.50	600	100	2.00	800	100	2.50
06/28/2000	850	100	2.00	550	50	1.50	550	50	1.50	550	100	2.50	900	100	2.25

Date	EW-16			EW-17			EW-18		
	Flow (ft/min)	Valve (%open)	Vacuum " H <sub>2</sub> O	Flow (ft/min)	Valve (%open)	Vacuum " H <sub>2</sub> O	Flow (ft/min)	Valve (%open)	Vacuum " H <sub>2</sub> O
06/02/2000	75	100	3.25	2000	100	3	2400	100	3.5
06/09/2000	20	100	3.00	2200	100	3.00	2500	100	3.00
06/16/2000	25	100	3.00	2000	100	3.00	2000	100	3.00
06/23/2000	50	100	3.00	2000	100	2.50	2400	100	3.50
06/28/2000	90	100	3.00	2100	100	2.50	2400	100	3.25

NWIRP-BETHPAGE  
Monthly Monitoring Data  
Injection Well Operation

Date	IW-01			IW-02			IW-03			IW-04		
	Flow (ft/min)	Valve (%open)	Pressure (psig)	Flow (ft/min)	Valve (%open)	Pressure (psig)	Flow (ft/min)	Valve (%open)	Pressure (psig)	Flow (ft/min)	Valve (%open)	Pressure (psig)
06/02/2000	400	100	3.20	400	100	3.20	175	100	3.30	0	0	0.00
06/09/2000	175	100	3.20	225	100	3.20	450	100	3.20	0	0	0.00
06/16/2000	2000	100	3.50	0	0	0.00	1100	100	3.50	0	0	0.00
06/23/2000	600	100	3.40	750	100	3.20	300	100	3.20	0	0	0.00
06/28/2000	700	100	3.10	400	100	3.00	20	100	3.10	0	0	0.00

Date	IW-05			IW-06			IW-07			IW-08		
	Flow (ft/min)	Valve (%open)	Pressure (psig)	Flow (ft/min)	Valve (%open)	Pressure (psig)	Flow (ft/min)	Valve (%open)	Pressure (psig)	Flow (ft/min)	Valve (%open)	Pressure (psig)
06/02/2000	0	0	0.00	1300	100	3.10	40	100	3.40	1250	100	3.10
06/09/2000	0	0	0.00	1700	100	3.30	2.25	100	3.50	2000	100	3.20
06/16/2000	0	0	0.00	1750	100	3.40	0	0	0.00	0	0	0.00
06/23/2000	0	0	0.00	400	100	2.90	25	100	3.50	1500	100	3.00
06/28/2000	0	0	0.00	0	0	0.00	70	100	3.20	2950	100	3.20

Date	IW-09			IW-10			IW-11		
	Flow (ft/min)	Valve (%open)	Pressure (psig)	Flow (ft/min)	Valve (%open)	Pressure (psig)	Flow (ft/min)	Valve (%open)	Pressure (psig)
06/02/2000	1250	100	3.20	1600	100	3.30	1400	100	3.50
06/09/2000	1200	100	3.10	1600	100	3.50	750	100	3.20
06/16/2000	2400	100	3.40	0	0	0.00	0	0	0.00
06/23/2000	1250	100	3.00	1250	100	3.20	600	100	3.40
06/28/2000	1250	100	3.20	1700	100	3.20	1250	100	2.80



NWIRP-BETHPAGE  
 Monthly Monitoring Data  
 SVPM Operation

Date	SVPM-10		SVPM-10S		SVPM-11		SVPM-11S		SVPM-12		SVPM-12S	
	Smoke Test	Vacuum (" w.c.)	Smoke Test	Vacuum (" w.c.)	Smoke Test	Vacuum (" w.c.)	Smoke Test	Vacuum (" w.c.)	Smoke Test	Vacuum (" w.c.)	Smoke Test	Vacuum (" w.c.)
06/02/2000	Pass	0.00	Pass	0.00	Fail	0.00	Pass	0.00	Pass	0.00	Pass	0.00
06/09/2000	Pass	0.00	Pass	0.00	Fail	0.00	Pass	0.00	Pass	0.00	Pass	0.00
06/16/2000	Pass	0.00	Pass	0.00	Fail	0.00	Pass	0.00	Pass	0.00	Pass	0.00
06/23/2000	Pass	0.00	Pass	0.00	Fail	0.00	Pass	0.00	Pass	0.00	Pass	0.00
06/28/2000	Pass	0.00	Pass	0.00	Fail	0.00	Pass	0.00	Pass	0.40	Pass	0.00

Date	SVPM-13		SVPM-13S		SVPM-14		SVPM-14S		SVPM-15		SVPM-15S	
	Smoke Test	Vacuum (" w.c.)	Smoke Test	Vacuum (" w.c.)	Smoke Test	Vacuum (" w.c.)	Smoke Test	Vacuum (" w.c.)	Smoke Test	Vacuum (" w.c.)	Smoke Test	Vacuum (" w.c.)
06/02/2000	Pass	0.00	Pass	0.00	Pass	0.00	Pass	0.00	Pass	0.00	Pass	0.25
06/09/2000	Pass	0.00	Pass	0.00	Pass	1.00	Pass	0.00	Pass	1.00	Pass	0.00
06/16/2000	Pass	0.00	Pass	0.00	Pass	1.00	Pass	0.00	Pass	0.25	Pass	0.00
06/23/2000	Pass	0.00	Pass	0.00	Pass	1.00	Pass	0.00	Pass	0.25	Pass	0.00
06/28/2000	Pass	0.00	Pass	0.00	Pass	1.00	Pass	0.00	Pass	1.00	Pass	0.00

NWIRP-BETHPAGE  
 Monthly Monitoring Data  
 Vapor Monitoring

Parameter	Sampling Event		
	EV-04-060200 06/02/2000	EV-05-061600 06/16/2000	EV-06-062800 06/28/2000
Freon 12			
Freon 114			
Chloromethane			
Vinyl Chloride			
Bromomethane			
Chloroethane			
Freon 11			
1,1-Dichloroethene			
Freon 113			
Methylene Chloride			
1,1-Dichloroethane			
cis-1,2-Dichloroethene		250	228
Chloroform			
1,1,1-Trichloroethane		613	916
Carbon Tetrachloride			
Benzene			
1,2-Dichloroethane			
Trichloroethene	985	628	922
1,2-Dichloropropane			
cis-1,3-Dichloropropene			
Toluene	802		
trans-1,3-Dichloropropene			
1,1,2-Trichloroethane			
Tetrachloroethene	2,224	1,628	2,106
Ethylene Dibromide			
Chlorobenzene			
Ethyl Benzene	91		
m+p-Xylene	350		
o-Xylene			
Styrene			
1,1,1,2-Tetrachloroethane			
1,3,5-Trimethylbenzene			
1,2,4-Trimethylbenzene			
1,3-Dichlorobenzene			
1,4-Dichlorobenzene			
Chlorotoluene			
1,2-Dichlorobenzene			
1,2,4-Trichlorobenzene			
Hexachlorobutadiene			
Propylene			
1,3-Butadiene			
Acetone			
Carbon Disulfide			
2-Propanol			
Trans-1,2-Dichloroethene			

NWIRP-BETHPAGE  
 Monthly Monitoring Data  
 Vapor Monitoring

Parameter	Sampling Event		
	EV-04-060200 06/02/2000	EV-05-061600 06/16/2000	EV-06-062800 06/28/2000
Vinyl Acetate			
2-Butanone (Methyl Ethyl Ketone)			
Hexane			
Tetrahydrofuran			
Cyclohexane			
1,4-Dioxane			
Bromodichloromethane			
4-Methyl-2-pentanone			
2-Hexanone			
Dibromochloromethane			
Bromoform			
4-Ethyltoluene			
Ethanol			
Methyl tertiary butyl ether			
Heptane			
Sec-Butylbenzene	714		
Total VOCs	5,166.0	3,119.0	4,172.0

Notes:

- 1) All results are expressed in parts per billion volume (ppbv).
- 2) A blank indicates that the compound was not detected.

**ATTACHMENT 3**  
**EXTRACTED VAPOR CONSTITUENTS OF CONCERN**  
**BETHPAGE NWIRP SOIL VAPOR EXTRACTION/ AIR SPARGING SYSTEM**

**June 2000**

BETHPAGE

Sampling Event	Date	Compound				Total VOCs
		1,1-Dichloroethane	Trichloroethene	Trichloroethane	Tetrachloroethene	
EV-01	06/30/1998		3,900	8,400	12,000	25,740
EV-02	07/02/1998		3,200	6,500	10,000	20,720
EV-03	07/07/1998		2,500	6,400	9,200	19,010
EV-04	07/09/1998		2,400	6,500	9,400	19,230
EV-05	07/14/1998	190	2,200	5,300	8,700	24,897
EV-06	07/17/1998	180	2,300	5,300	9,200	25,406
EV-07	07/21/1998	58	1,900	4,400	7,800	23,175
EV-08	07/23/1998	150	2,000	4,600	7,900	23,779
EV-09	07/28/1998	17	87	170	460	4,979
EV-10	07/30/1998	83	1,400	3,600	5,700	12,001
EV-11	08/03/1998	150	1,400	2,200	4,600	13,267
EV-12	08/05/1998	0	0	0	0	102
EV-13	08/11/1998	110	1,200	2,200	4,200	9,235
EV-14	08/13/1998	100	1,200	2,200	4,200	8,705
EV-15	08/18/1998	100	1,200	3,000	4,400	9,585
EV-16	08/20/1998	110	1,300	2,000	4,100	7,959
EV-17	08/24/1998	130	1,300	1,300	4,200	12,978
EV-18	08/27/1998	100	1,200	1,500	3,700	6,878
EV-19	09/01/1998	190	1,300	2,400	4,600	8,911
EV-20	09/03/1998	170	1,300	2,600	4,100	11,374
EV-21	09/22/1998	130	1,500	4,100	4,800	11,263
EV-22	09/25/1998	180	1,300	3,400	4,100	9,396
EV-23	09/29/1998	150	1,200	3,400	4,000	9,471
EV-24	10/06/1998	140	1,100	3,400	3,600	9,100
EV-25	10/13/1998	120	1,200	3,200	4,200	9,141
EV-26	10/27/1998	180	1,700	4,200	5,900	12,470
EV-27	11/12/1998	160	1,800	4,900	6,400	14,869
EV-28	11/24/1998	130	1,400	3,800	4,300	10,434
EV-29	12/08/1998	170	1,800	5,900	5,800	14,278
EV-01	03/23/1999	170	1,200	2,200	6,800	11,500
EV-02	03/31/1999	56	990	1,300	5,700	8,939
EV-03	04/07/1999	47	950	1,500	2,600	5,679
EV-04	04/20/1999	42	730	1,300	2,300	5,014
EV-05	05/07/1999	32	530	840	1,700	3,408
EV-06	05/19/1999	2	33	40	130	214
EV-07	06/09/1999	70	837	1,080	3,120	5,463
EV-08	06/21/1999	68	791	1,150	2,780	5,096
EV-09	06/29/1999	0	921	934	3,050	4,905
EV-10	07/13/1999	43	691	664	2,070	3,468
EV-11	07/30/1999	0	1,070	1,160	3,010	5,240
EV-12	08/10/1999	41	637	814	1,330	2,886
EV-13	08/26/1999	0	526	714	1,010	2,250
EV-14	09/08/1999	0	977	1,134	1,989	4,100
EV-15	09/20/1999	0	94	51	191	336
EV-16	10/06/1999	0	30	0	58	88

EV-17	10/19/1999	0	1,146	802	2,952	4,900
EV-18	11/03/1999	0	1,573	1,161	4,753	7,487
EV-19	11/16/1999	0	691	725	2,823	7,691
EV-20	12/03/1999	0	617	575	2,188	3,380
EV-21	12/16/1999	0	742	441	2,424	3,607
EV-22	12/28/1999	0	456	323	2,108	2,887
EV-01	04/18/2000	0	1,459	818	4,362	6,639
EV-02	05/05/2000	0	691	350	2,116	3,157
EV-03	05/19/2000	0	934	730	2,675	4,668
EV-04	06/02/2000	0	985	0	2,224	5,166
EV-05	06/16/2000	0	628	613	1,628	3,119
EV-06	06/28/2000	0	922	916	2,106	4,172

# Concentration vs. Time

