

Outpost Monitoring Well Installation Summary Report

Naval Weapons Industrial Reserve Plant (NWIRP)

Bethpage, New York



Engineering Field Activity Northeast Naval Facilities Engineering Command

Contract Number N62467-94-D-0888

Contract Task Order 0812

March 2004





TETRA TECH NUS, INC.

661 Andersen Drive • Pittsburgh, PA 15220
Tel 412.921.7090 • Fax 412.921.4040 • www.tetrattech.com

PITT-05-4-007

May 4, 2004

Mr. Jim Colter (Code EV2/JLC)
Remedial Project Manager
Engineering Field Activity, Northeast
Naval Facilities Engineering Command
10 Industrial Highway, MS#82
Lester, Pennsylvania 19113

Reference: CLEAN Contract No. N62467-94-D-0888
Contract Task Order 0812

Subject: Appendix N - Geological Cross Sections to
Outpost Monitoring Well Installation Summary Report
NWIRP Bethpage, New York

Dear Mr. Colter:

Appendix N and the subject report, including Appendix N, were distributed as per your attached transmittal letters.

If you have questions or need additional information, please call me at (412) 921- 8375.

Sincerely,

David D. Brayak
Project Manager

cc: Mr. R. Boucher (Navy) w/o attachment
Mr. J. Trepanowski (TtNUS)
File: N4037



DEPARTMENT OF THE NAVY

ENGINEERING FIELD ACTIVITY, NORTHEAST
NAVAL FACILITIES ENGINEERING COMMAND
10 INDUSTRIAL HIGHWAY
MAIL STOP, #82
LESTER, PA 19113-2090

IN REPLY REFER TO
5090
Code EV21/JLC

30 APR 2004

Mr. Steve Scharf
Project Engineer
New York State Department of Environmental Conservation
Bureau of Eastern Remedial Action
Division of Environmental Remediation
625 Broadway
Albany, NY 12233-7015

Dear Steve:

Subj: Appendix N to the Final Outpost Monitoring Well Installation
Summary Report - Operable Unit 2 - Groundwater at NWIRP
Bethpage and Northrop Grumman Corporation, New York
NYS Registry #1-30-003 A & B

Enclosed, please find a copy of Appendix N - Geologic Cross
Sections which is being submitted as an addendum to the Final Outpost
Well Installation Summary Report dated March 2004.

These Geologic Cross Sections were developed on behalf of the
Navy by ARCADIS and were created using previously collected data and
more recent lithologic data collected during the installation of the
outpost monitoring wells.

If you have any questions regarding the enclosed document,
please give me a call at (610) 595-0567, extension 163.

Sincerely,

A handwritten signature in cursive script that reads "James L. Colter".

JAMES L. COLTER
Remedial Project Manager
By direction of the
Commanding Officer

Enclosure: (1) Appendix N to the Final Outpost Monitoring Well
Installation Summary Report dated March 2004

Distribution:

Stan Farkas - NYSDEC (Stony Brook)
Ian Ushe - NYSDOH
Carla Struble - USEPA Region II
Syed Quadri - USEPA Region II
John Molloy - H2M Group
Gary Loesch - H2M Group
Rob Burns - Dvirka & Bartilucci
Tom Maher - Dvirka & Bartilucci
Larry Leskovic - Northrop Grumman
John Cofman - Northrop Grumman
Tim Kelly - Nassau County DPW
Carlo SanGiovanni - ARCADIS
Dave Brayack - Tetra Tech NUS
Al Taormina - J.A. Jones
Information Repositories

Copy to: (w/o enclosures)

Carol Stein - USEPA Region II
Carl Hoffman - NYSDEC (Albany)
Henry Wilkie - NYSDEC (Albany)
John Lovejoy - Nassau County DOH
Ken Bishop - Town of Oyster Bay
Darrol Lopez - Town of Hempstead
Arnold Palleschi - Hempstead Water District
Ron Krumholtz - Bethpage Water District
Frank Flood - Massapequa Water District
Matt Snyder - New York Water Service
Edoardo Licci - South Farmingdale Water District
Anthony Sabino, Esq. - Counsel for Bethpage Water District
W. Carmen, Esq. - Counsel for South Farmingdale Water District
Joe Kaminski - NAVAIR



DEPARTMENT OF THE NAVY

ENGINEERING FIELD ACTIVITY, NORTHEAST
NAVAL FACILITIES ENGINEERING COMMAND
10 INDUSTRIAL HIGHWAY
MAIL STOP, #82
LESTER, PA 19113-2090

IN REPLY REFER TO
5090
Code EV21/JLC

05 MAY 2004

Mr. Jim McBride
RAB Community Co-Chair
P.O. Box 133
Bethpage, NY 11804

Dear Jim:

Subj: Final Outpost Monitoring Well Installation Summary Report -
Operable Unit 2 - Groundwater at NWIRP Bethpage and Northrop
Grumman Corporation, New York; NYS Registry #1-30-003 A & B

As requested at the last Restoration Advisory Board (RAB) meeting held on April 14, 2004, the Navy is forwarding a copy of the subject document to each of the community RAB members. As explained during the meeting, this report documents the efforts undertaken by the Navy over the last several months to install nine (9) outpost monitoring wells in accordance with the Outpost Well Installation Workplan attached as Appendix B to the Public Water Supply Contingency Plan (PWSCP) dated July 2003.

Appendix L to this Summary Report shows the analytical results from groundwater samples collected upon successful development of each of the outpost wells. As evidenced by Appendix L, analytical results for Outpost Well BPOW 1-1 shows the presence of several site-related VOCs.

However, these results are screening level quality only. Based on these results, the Navy has purchased dedicated sampling pumps and ARCADIS is currently installing these pumps into each of the outpost wells. Upon completion of the pump installation, the Northrop Grumman Corporation will then collect groundwater samples in accordance with the procedures outlined in the PWSCP.

If you have any questions regarding the enclosed document, please give me a call at (610) 595-0567, extension 163.

Sincerely,



JAMES L. COLTER
Remedial Project Manager
By direction of the
Commanding Officer

Enclosure: (1) Final Outpost Monitoring Well Installation Summary
Report dated March 2004

Distribution:

Community RAB Member, Mike Grello
Community RAB Member, Hon. Ed Mangano
Community RAB Member, Linda Mangano
Community RAB Member, Ed Resch
Community RAB Member, Charles Bevilacqua
Community RAB Member, Roy Tringali
Community RAB Member, Rosemary Styne
Town of Oyster Bay, Hon. John Venditto
Town of Oyster Bay DPW, Tom Clark

Copy to: (w/o enclosure)
NAVAIR, Joe Kaminski
NYSDEC (Albany), Steve Scharf
Al Taormina - J.A. Jones



Tetra Tech NUS

INTERNAL CORRESPONDENCE

TO: D. BRAYACK **DATE:** **OCTOBER 20, 2003**
FROM: **BERNARD F SPADA III** **COPIES:** **DV FILE**
SUBJECT: **ORGANIC DATA VALIDATION- VOC**
 CTO 812, NWIRP BETHPAGE
 SDG 120361

SAMPLES: 5/Aqueous

 BP-BPOW2-1-DEV BP-BPOW2-2-DEV BP-IDW-A201-091103
 BP-IDW-A224-091103 BP-TB-091003

OVERVIEW

The sample set for CTO 812, NWIRP Bethpage, SDG 120361 consists of two (2) environmental aqueous samples, two (2) interim derived waste samples, and one (1) trip blank. All samples were analyzed for volatile organic compounds (VOC).

The samples were collected by Tetra Tech NUS on September 10 and 11, 2003 and analyzed by Severn Trent Laboratories. All analyses were conducted in accordance with Naval Facilities Engineering Service Center (NFESC) Quality Assurance/Quality Control (QA/QC) criteria using SW-846 Method 8260B analytical and reporting protocols. The data contained in this SDG were validated with regard to the following parameters:

- * • Data completeness
- * • Holding times
- Initial and continuing calibration
- * • Blank results
- * • Surrogate spike recoveries
- * • Internal standard recoveries
- * • Blank Spike/Blank Spike Duplicate Results
- * • Matrix Spike/Matrix Spike Duplicate Results
- * • Field Duplicate Results
- * • Detection Limits
- * • Compound Quantitation
- * • Compound Identification

The symbol (*) indicates that all quality control criteria were met for this parameter. Problems affecting data quality are discussed below; documentation supporting these findings is presented in Appendix C. Qualified Analytical results are presented in Appendix A. Results as reported by the laboratory are presented in Appendix B.

VOC

The initial calibration performed on August 27 exceeded the 30% relative standard deviation (RSD) quality control criteria for 2-hexanone. The results for 2-hexanone were qualified as estimated (UJ) in all samples.

Positive results below the reporting limit were qualified as estimated (J) due to uncertainty near the detection limit.


EXECUTIVE SUMMARY

Laboratory Performance Issues: Qualifications were made based on calibration non-compliance.


Other Factors Affecting Data Quality: None.

The data for these analyses were reviewed with reference to the EPA Functional Guidelines for Organic Data Validation (10/99), EPA Region II Guidelines (1/92), and the NFESC guidelines. The text of this report has been formulated to address only those problem areas affecting data quality.

"I attest that the data referenced herein were validated according to the agreed upon validation criteria as specified in the NFESC guidelines and the Quality Assurance Project Plan (QAPP)."



Tetra Tech NUS
Bernard F. Spada III
Chemist/Data Validator



TetraTech NUS
Joseph A. Samchuck
Data Validation Quality Assurance Officer

Attachments:

1. Appendix A - Qualified Analytical Results
2. Appendix B - Results as Reported by the Laboratory
3. Appendix C - Support Documentation

APPENDIX A

QUALIFIED ANALYTICAL RESULTS

Qualifier Codes:

- A = Lab Blank Contamination
- B = Field Blank Contamination
- C = Calibration Noncompliance (i.e., % RSDs, %Ds, ICVs, CCVs, RRFs, etc.)
- C01 = GC/MS Tuning Noncompliance
- D = MS/MSD Recovery Noncompliance
- E = LCS/LCSD Recovery Noncompliance
- F = Lab Duplicate Imprecision
- G = Field Duplicate Imprecision
- H = Holding Time Exceedance
- I = ICP Serial Dilution Noncompliance
- J = GFAA PDS - GFAA MSA's $r < 0.995$
- K = ICP Interference - includes ICS % R Noncompliance
- L = Instrument Calibration Range Exceedance
- M = Sample Preservation Noncompliance
- N = Internal Standard Noncompliance
- N01 = Internal Standard Recovery Noncompliance Dioxins
- N02 = Recovery Standard Noncompliance Dioxins
- N03 = Clean-up Standard Noncompliance Dioxins
- O = Poor Instrument Performance (i.e., base-time drifting)
- P = Uncertainty near detection limit ($< 2 \times$ IDL for inorganics and $<$ CRQL for organics)
- Q = Other problems (can encompass a number of issues; i.e. chromatography, interferences, etc.)
- R = Surrogates Recovery Noncompliance
- S = Pesticide/PCB Resolution
- T = % Breakdown Noncompliance for DDT and Endrin
- U = % Difference between columns/detectors $>25\%$ for positive results determined via GC/HPLC
- V = Non-linear calibrations; correlation coefficient $r < 0.995$
- W = EMPC result
- X = Signal to noise response drop
- Y = Percent solids $<30\%$
- Z = Uncertainty at 2 sigma deviation is less than sample activity

PROJ_NO: 4037

SDG: 120361 MEDIA: WATER DATA FRACTION: OV

nsample BP-BPOW2-1-DEV
 samp_date 9/10/2003
 lab_id C31120361005
 qc_type NM
 units UG/L
 Pct_Solids 0
 DUP_OF:

nsample BP-BPOW2-1-DEV
 samp_date 9/10/2003
 lab_id C31120361005
 qc_type NM
 units UG/L
 Pct_Solids 0
 DUP_OF:

nsample BP-BPOW2-2-DEV
 samp_date 9/10/2003
 lab_id C31120361004
 qc_type NM
 units UG/L
 Pct_Solids 0
 DUP_OF:

Parameter	Result	Val Qual	Qual Code
1,1,1-TRICHLOROETHANE	1	U	
1,1,2,2-TETRACHLOROETHANE	1	U	
1,1,2-TRICHLOROETHANE	1	U	
1,1-DICHLOROETHANE	1	U	
1,1-DICHLOROETHENE	1	U	
1,2-DICHLOROETHANE	1	U	
1,2-DICHLOROPROPANE	1	U	
2-BUTANONE	5	U	
2-HEXANONE	5	UJ	C
4-METHYL-2-PENTANONE	5	U	
ACETONE	10	U	
BENZENE	2.9		
BROMODICHLOROMETHANE	1	U	
BROMOFORM	1	U	
BROMOMETHANE	2	U	
CARBON DISULFIDE	1	U	
CARBON TETRACHLORIDE	1	U	
CHLOROBENZENE	1	U	
CHLORODIBROMOMETHANE	1	U	
CHLOROETHANE	2	U	
CHLOROFORM	1	U	
CHLOROMETHANE	2	U	
CIS-1,3-DICHLOROPROPENE	1	U	
ETHYLBENZENE	1	U	
METHYLENE CHLORIDE	2	U	
STYRENE	1	U	
TETRACHLOROETHENE	1	U	
TOLUENE	1	U	
TOTAL 1,2-DICHLOROETHENE	1	U	
TOTAL XYLENES	3	U	
TRANS-1,3-DICHLOROPROPENE	1	U	
TRICHLOROETHENE	1	U	

Parameter	Result	Val Qual	Qual Code
VINYL CHLORIDE	3	U	

Parameter	Result	Val Qual	Qual Code
1,1,1-TRICHLOROETHANE	1	U	
1,1,2,2-TETRACHLOROETHANE	1	U	
1,1,2-TRICHLOROETHANE	1	U	
1,1-DICHLOROETHANE	1	U	
1,1-DICHLOROETHENE	1	U	
1,2-DICHLOROETHANE	1	U	
1,2-DICHLOROPROPANE	1	U	
2-BUTANONE	5	U	
2-HEXANONE	5	UJ	C
4-METHYL-2-PENTANONE	5	U	
ACETONE	10	U	
BENZENE	1	U	
BROMODICHLOROMETHANE	1	U	
BROMOFORM	1	U	
BROMOMETHANE	2	U	
CARBON DISULFIDE	1	U	
CARBON TETRACHLORIDE	1	U	
CHLOROBENZENE	1	U	
CHLORODIBROMOMETHANE	1	U	
CHLOROETHANE	2	U	
CHLOROFORM	1	U	
CHLOROMETHANE	2	U	
CIS-1,3-DICHLOROPROPENE	1	U	
ETHYLBENZENE	1	U	
METHYLENE CHLORIDE	2	U	
STYRENE	1	U	
TETRACHLOROETHENE	1	U	
TOLUENE	1	U	
TOTAL 1,2-DICHLOROETHENE	1	U	
TOTAL XYLENES	3	U	
TRANS-1,3-DICHLOROPROPENE	1	U	
TRICHLOROETHENE	1	U	

PROJ_NO: 4037

SDG: 120361 MEDIA: WATER DATA FRACTION: OV

nsample BP-BPOW2-2-DEV
 samp_date 9/10/2003
 lab_id C31120361004
 qc_type NM
 units UG/L
 Pct_Solids 0
 DUP_OF:

nsample BP-IDW-A201-091103
 samp_date 9/11/2003
 lab_id C31120361002
 qc_type NM
 units UG/L
 Pct_Solids 0
 DUP_OF:

nsample BP-IDW-A201-091103
 samp_date 9/11/2003
 lab_id C31120361002
 qc_type NM
 units UG/L
 Pct_Solids 0
 DUP_OF:

Parameter	Result	Val Qual	Qual Code
VINYL CHLORIDE	3	U	

Parameter	Result	Val Qual	Qual Code
1,1,1-TRICHLOROETHANE	1	U	
1,1,2,2-TETRACHLOROETHANE	1	U	
1,1,2-TRICHLOROETHANE	1	U	
1,1-DICHLOROETHANE	1	U	
1,1-DICHLOROETHENE	1	U	
1,2-DICHLOROETHANE	1	U	
1,2-DICHLOROPROPANE	1	U	
2-BUTANONE	5	U	
2-HEXANONE	5	UJ	C
4-METHYL-2-PENTANONE	5	U	
ACETONE	10	U	
BENZENE	1	U	
BROMODICHLOROMETHANE	1	U	
BROMOFORM	1	U	
BROMOMETHANE	2	U	
CARBON DISULFIDE	1	U	
CARBON TETRACHLORIDE	1	U	
CHLOROBENZENE	1	U	
CHLORODIBROMOMETHANE	1	U	
CHLOROETHANE	2	U	
CHLOROFORM	1	U	
CHLOROMETHANE	2	U	
CIS-1,3-DICHLOROPROPENE	1	U	
ETHYLBENZENE	1	U	
METHYLENE CHLORIDE	2	U	
STYRENE	1	U	
TETRACHLOROETHENE	1	U	
TOLUENE	1	U	
TOTAL 1,2-DICHLOROETHENE	1	U	
TOTAL XYLENES	3	U	
TRANS-1,3-DICHLOROPROPENE	1	U	
TRICHLOROETHENE	1	U	

Parameter	Result	Val Qual	Qual Code
VINYL CHLORIDE	3	U	

PROJ_NO: 4037

SDG: 120361 MEDIA: WATER DATA FRACTION: OV

nsample BP-IDW-A224-091103
 samp_date 9/11/2003
 lab_id C31120361003
 qc_type NM
 units UG/L
 Pct_Solids 0
 DUP_OF:

nsample BP-IDW-A224-091103
 samp_date 9/11/2003
 lab_id C31120361003
 qc_type NM
 units UG/L
 Pct_Solids 0
 DUP_OF:

nsample BP-TB-091003
 samp_date 9/10/2003
 lab_id C31120361001
 qc_type NM
 units UG/L
 Pct_Solids 0
 DUP_OF:

Parameter	Result	Val Qual	Qual Code
1,1,1-TRICHLOROETHANE	1	U	
1,1,2,2-TETRACHLOROETHANE	1	U	
1,1,2-TRICHLOROETHANE	1	U	
1,1-DICHLOROETHANE	1	U	
1,1-DICHLOROETHENE	1	U	
1,2-DICHLOROETHANE	1	U	
1,2-DICHLOROPROPANE	1	U	
2-BUTANONE	11		
2-HEXANONE	5	UJ	C
4-METHYL-2-PENTANONE	5	U	
ACETONE	3.5	J	P
BENZENE	1.9		
BROMODICHLOROMETHANE	1	U	
BROMOFORM	1	U	
BROMOMETHANE	2	U	
CARBON DISULFIDE	1	U	
CARBON TETRACHLORIDE	1	U	
CHLOROBENZENE	1	U	
CHLORODIBROMOMETHANE	1	U	
CHLOROETHANE	2	U	
CHLOROFORM	1	U	
CHLOROMETHANE	0.2	J	P
CIS-1,3-DICHLOROPROPENE	1	U	
ETHYLBENZENE	1	U	
METHYLENE CHLORIDE	2	U	
STYRENE	1	U	
TETRACHLOROETHENE	1	U	
TOLUENE	1	U	
TOTAL 1,2-DICHLOROETHENE	1	U	
TOTAL XYLENES	3	U	
TRANS-1,3-DICHLOROPROPENE	1	U	
TRICHLOROETHENE	1	U	

Parameter	Result	Val Qual	Qual Code
VINYL CHLORIDE	3	U	

Parameter	Result	Val Qual	Qual Code
1,1,1-TRICHLOROETHANE	1	U	
1,1,2,2-TETRACHLOROETHANE	1	U	
1,1,2-TRICHLOROETHANE	1	U	
1,1-DICHLOROETHANE	1	U	
1,1-DICHLOROETHENE	1	U	
1,2-DICHLOROETHANE	1	U	
1,2-DICHLOROPROPANE	1	U	
2-BUTANONE	5	U	
2-HEXANONE	5	UJ	C
4-METHYL-2-PENTANONE	5	U	
ACETONE	10	U	
BENZENE	1	U	
BROMODICHLOROMETHANE	1	U	
BROMOFORM	1	U	
BROMOMETHANE	2	U	
CARBON DISULFIDE	1	U	
CARBON TETRACHLORIDE	1	U	
CHLOROBENZENE	1	U	
CHLORODIBROMOMETHANE	1	U	
CHLOROETHANE	2	U	
CHLOROFORM	1	U	
CHLOROMETHANE	2	U	
CIS-1,3-DICHLOROPROPENE	1	U	
ETHYLBENZENE	1	U	
METHYLENE CHLORIDE	2	U	
STYRENE	1	U	
TETRACHLOROETHENE	1	U	
TOLUENE	1	U	
TOTAL 1,2-DICHLOROETHENE	1	U	
TOTAL XYLENES	3	U	
TRANS-1,3-DICHLOROPROPENE	1	U	
TRICHLOROETHENE	1	U	

PROJ_NO: 4037

SDG: 120361 MEDIA: WATER DATA FRACTION: OV

nsample BP-TB-091003
samp_date 9/10/2003
lab_id C31120361001
qc_type NM
units UG/L
Pct_Solids 0
DUP_OF:

Parameter	Result	Val Qual	Qual Code
VINYL CHLORIDE	3	U	



Tetra Tech NUS

INTERNAL CORRESPONDENCE

TO: D. BRAYACK **DATE:** DECEMBER 12, 2003

FROM: SETH C. STAFFEN **CC:** DV FILE

SUBJECT: ORGANIC DATA VALIDATION – VOA
CTO 812, NWIRP BETHPAGE
SDG: C3J230178

SAMPLES: 5 / Aqueous / VOA

BP-BPOW3-1-DEV BP-BPOW3-2-DEV BP-IDW-A201-102203*
BP-IDW-A224-102203* BP-TB-102103

OVERVIEW

The sample set for CTO 812, NWIRP Bethpage, SDG C3J230178, consisted of two (2) aqueous environmental samples, two (2) interim derived waste samples (IDW), and one (1) trip blank. The samples were analyzed for TCL volatile organic compounds. The IDW samples did not undergo a data validation review (*). The remaining samples did undergo a full data validation review. No field duplicate pairs were included in this SDG.

The samples were collected by Tetra Tech NUS, Inc. on October 21st and 22nd, 2003, and analyzed by Severn Trent Laboratories. The samples were analyzed under Naval Facilities Engineering Service Center (NFESC) Quality Assurance/Quality Control (QA/QC) criteria using SW-846 Method 8260 analytical and reporting protocols.


The data was evaluated according to the following parameters:

- * • Data completeness
- * • Holding Times
- * • Laboratory method and field quality control blank results
 - Initial and continuing calibrations
- * • Surrogate spike recoveries
- * • Blank Spike recoveries
- * • Laboratory duplicates
- * • Compound identification
- * • Compound quantitation
- * • Detection Limits

The symbol (*) indicates that all quality control criteria were met for this parameter. Qualified analytical results are presented in Appendix A, results as reported by the laboratory are presented in Appendix B, Region II data validation forms are presented in Appendix C, and supporting documentation is presented in Appendix D.

The data for these analyses were reviewed with reference to the EPA Functional Guidelines for Organic Data Validation (October 1999), USEPA Region II Standard Operating Procedures for the Validation of Organic Data (January 1992), and the NFESC guidelines "Navy IRCDQM" (September 1999).

"I attest that the data referenced herein were validated according to the agreed upon validation criteria as specified in the NFESC guidelines and the Quality Assurance Project Plan (QAPP).



Tetra Tech NUS

Seth C. Staffen
Environmental Scientist/Data Validator



Tetra Tech NUS

Joseph A. Samchuck
Data Validation Quality Assurance Officer

Attachments:

1. Appendix A – Qualified Analytical Results
2. Appendix B – Results as Reported by the Laboratory
3. Appendix C – Region II Data Validation Forms
4. Appendix D – Support Documentation

APPENDIX A
QUALIFIED ANALYTICAL RESULTS

Qualifier Codes:

- A = Lab Blank Contamination
- B = Field Blank Contamination
- C = Calibration Noncompliance (i.e., % RSDs, %Ds, ICVs, CCVs, RRFs, etc.)
- C01 = GC/MS Tuning Noncompliance
- D = MS/MSD Recovery Noncompliance
- E = LCS/LCSD Recovery Noncompliance
- F = Lab Duplicate Imprecision
- G = Field Duplicate Imprecision
- H = Holding Time Exceedance
- I = ICP Serial Dilution Noncompliance
- J = GFAA PDS - GFAA MSA's $r < 0.995$
- K = ICP Interference - includes ICS % R Noncompliance
- L = Instrument Calibration Range Exceedance
- M = Sample Preservation Noncompliance
- N = Internal Standard Noncompliance
- N01 = Internal Standard Recovery Noncompliance Dioxins
- N02 = Recovery Standard Noncompliance Dioxins
- N03 = Clean-up Standard Noncompliance Dioxins
- O = Poor Instrument Performance (i.e., base-time drifting)
- P = Uncertainty near detection limit ($< 2 \times$ IDL for inorganics and $<$ CRQL for organics)
- Q = Other problems (can encompass a number of issues; i.e. chromatography, interferences, etc.)
- R = Surrogates Recovery Noncompliance
- S = Pesticide/PCB Resolution
- T = % Breakdown Noncompliance for DDT and Endrin
- U = % Difference between columns/detectors $>25\%$ for positive results determined via GC/HPLC
- V = Non-linear calibrations; correlation coefficient $r < 0.995$
- W = EMPC result
- X = Signal to noise response drop
- Y = Percent solids $<30\%$
- Z = Uncertainty at 2 sigma deviation is less than sample activity

PROJ_NO: 4037

SDG: C3J230178 MEDIA: WATER DATA FRACTION: OV

nsample BP-BPOW3-1-DEV
 samp_date 10/21/2003
 lab_id C3J230178003
 qc_type NM
 units UG/L
 Pct_Solids
 DUP_OF:

nsample BP-BPOW3-1-DEV
 samp_date 10/21/2003
 lab_id C3J230178003
 qc_type NM
 units UG/L
 Pct_Solids
 DUP_OF:

nsample BP-BPOW3-2-DEV
 samp_date 10/21/2003
 lab_id C3J230178002
 qc_type NM
 units UG/L
 Pct_Solids
 DUP_OF:

Parameter	Result	Val Qual	Qual Code
1,1,1-TRICHLOROETHANE	1	U	
1,1,2,2-TETRACHLOROETHANE	1	U	
1,1,2-TRICHLOROETHANE	1	U	
1,1-DICHLOROETHANE	1	U	
1,1-DICHLOROETHENE	1	U	
1,2-DICHLOROETHANE	1	U	
1,2-DICHLOROPROPANE	1	U	
2-BUTANONE	5	U	
2-HEXANONE	5	UJ	C
4-METHYL-2-PENTANONE	5	U	
ACETONE	10	U	
BENZENE	1	U	
BROMODICHLOROMETHANE	1	U	
BROMOFORM	1	UJ	C
BROMOMETHANE	2	UJ	C
CARBON DISULFIDE	1	U	
CARBON TETRACHLORIDE	1	UJ	C
CHLOROBENZENE	1	U	
CHLORODIBROMOMETHANE	1	U	
CHLOROETHANE	2	UJ	C
CHLOROFORM	1	U	
CHLOROMETHANE	2	U	
CIS-1,3-DICHLOROPROPENE	1	U	
ETHYLBENZENE	1	U	
METHYLENE CHLORIDE	2	U	
STYRENE	1	U	
TETRACHLOROETHENE	1	U	
TOLUENE	1	U	
TOTAL 1,2-DICHLOROETHENE	1	U	
TOTAL XYLENES	3	U	
TRANS-1,3-DICHLOROPROPENE	1	U	
TRICHLOROETHENE	1	U	

Parameter	Result	Val Qual	Qual Code
VINYL CHLORIDE	3	U	

Parameter	Result	Val Qual	Qual Code
1,1,1-TRICHLOROETHANE	1	U	
1,1,2,2-TETRACHLOROETHANE	1	U	
1,1,2-TRICHLOROETHANE	1	U	
1,1-DICHLOROETHANE	1	U	
1,1-DICHLOROETHENE	1	U	
1,2-DICHLOROETHANE	1	U	
1,2-DICHLOROPROPANE	1	U	
2-BUTANONE	5	U	
2-HEXANONE	5	UJ	C
4-METHYL-2-PENTANONE	5	U	
ACETONE	10	UJ	C
BENZENE	1	U	
BROMODICHLOROMETHANE	1	U	
BROMOFORM	1	UJ	C
BROMOMETHANE	2	UJ	C
CARBON DISULFIDE	1	U	
CARBON TETRACHLORIDE	1	U	
CHLOROBENZENE	1	U	
CHLORODIBROMOMETHANE	1	U	
CHLOROETHANE	2	UJ	C
CHLOROFORM	1	U	
CHLOROMETHANE	2	U	
CIS-1,3-DICHLOROPROPENE	1	U	
ETHYLBENZENE	1	U	
METHYLENE CHLORIDE	2	U	
STYRENE	1	U	
TETRACHLOROETHENE	1	U	
TOLUENE	0.29	J	P
TOTAL 1,2-DICHLOROETHENE	1	U	
TOTAL XYLENES	3	U	
TRANS-1,3-DICHLOROPROPENE	1	U	
TRICHLOROETHENE	1	U	

PROJ_NO: 4037

SDG: C3J230178 MEDIA: WATER DATA FRACTION: OV

nsample BP-BPOW3-2-DEV
 samp_date 10/21/2003
 lab_id C3J230178002
 qc_type NM
 units UG/L
 Pct_Solids
 DUP_OF:

nsample BP-IDW-A201-102203
 samp_date 10/22/2003
 lab_id C3J230178005
 qc_type NM
 units UG/L
 Pct_Solids
 DUP_OF:

nsample BP-IDW-A201-102203
 samp_date 10/22/2003
 lab_id C3J230178005
 qc_type NM
 units UG/L
 Pct_Solids
 DUP_OF:

Parameter	Result	Val Qual	Qual Code
VINYL CHLORIDE	3	U	

Parameter	Result	Val Qual	Qual Code
1,1,1-TRICHLOROETHANE	1	U	
1,1,2,2-TETRACHLOROETHANE	1	U	
1,1,2-TRICHLOROETHANE	1	U	
1,1-DICHLOROETHANE	1	U	
1,1-DICHLOROETHENE	1	U	
1,2-DICHLOROETHANE	1	U	
1,2-DICHLOROPROPANE	1	U	
2-BUTANONE	5	U	
2-HEXANONE	5	U	
4-METHYL-2-PENTANONE	5	U	
ACETONE	10	U	
BENZENE	1	U	
BROMODICHLOROMETHANE	1	U	
BROMOFORM	1	U	
BROMOMETHANE	2	U	
CARBON DISULFIDE	1	U	
CARBON TETRACHLORIDE	1	U	
CHLOROBENZENE	1	U	
CHLORODIBROMOMETHANE	1	U	
CHLOROETHANE	2	U	
CHLOROFORM	1	U	
CHLOROMETHANE	2	U	
CIS-1,3-DICHLOROPROPENE	1	U	
ETHYLBENZENE	1	U	
METHYLENE CHLORIDE	2	U	
STYRENE	1	U	
TETRACHLOROETHENE	1	U	
TOLUENE	1	U	
TOTAL 1,2-DICHLOROETHENE	1	U	
TOTAL XYLENES	3	U	
TRANS-1,3-DICHLOROPROPENE	1	U	
TRICHLOROETHENE	1	U	

Parameter	Result	Val Qual	Qual Code
VINYL CHLORIDE	3	U	

PROJ_NO: 4037

SDG: C3J230178 MEDIA: WATER DATA FRACTION: OV

nsample BP-IDW-A224-102203
 samp_date 10/22/2003
 lab_id C3J230178004
 qc_type NM
 units UG/L
 Pct_Solids
 DUP_OF:

nsample BP-IDW-A224-102203
 samp_date 10/22/2003
 lab_id C3J230178004
 qc_type NM
 units UG/L
 Pct_Solids
 DUP_OF:

nsample BP-TB-102103
 samp_date 10/21/2003
 lab_id C3J230178001
 qc_type NM
 units UG/L
 Pct_Solids
 DUP_OF:

Parameter	Result	Val Qual	Qual Code
1,1,1-TRICHLOROETHANE	1	U	
1,1,2,2-TETRACHLOROETHANE	1	U	
1,1,2-TRICHLOROETHANE	1	U	
1,1-DICHLOROETHANE	1	U	
1,1-DICHLOROETHENE	1	U	
1,2-DICHLOROETHANE	1	U	
1,2-DICHLOROPROPANE	1	U	
2-BUTANONE	5	U	
2-HEXANONE	5	U	
4-METHYL-2-PENTANONE	5	U	
ACETONE	10	U	
BENZENE	1	U	
BROMODICHLOROMETHANE	1	U	
BROMOFORM	1	U	
BROMOMETHANE	2	U	
CARBON DISULFIDE	1	U	
CARBON TETRACHLORIDE	1	U	
CHLOROBENZENE	1	U	
CHLORODIBROMOMETHANE	1	U	
CHLOROETHANE	2	U	
CHLOROFORM	1	U	
CHLOROMETHANE	2	U	
CIS-1,3-DICHLOROPROPENE	1	U	
ETHYLBENZENE	1	U	
METHYLENE CHLORIDE	2	U	
STYRENE	1	U	
TETRACHLOROETHENE	1	U	
TOLUENE	1	U	
TOTAL 1,2-DICHLOROETHENE	1	U	
TOTAL XYLENES	3	U	
TRANS-1,3-DICHLOROPROPENE	1	U	
TRICHLOROETHENE	1	U	

Parameter	Result	Val Qual	Qual Code
VINYL CHLORIDE	3	U	

Parameter	Result	Val Qual	Qual Code
1,1,1-TRICHLOROETHANE	1	U	
1,1,2,2-TETRACHLOROETHANE	1	U	
1,1,2-TRICHLOROETHANE	1	U	
1,1-DICHLOROETHANE	1	U	
1,1-DICHLOROETHENE	1	U	
1,2-DICHLOROETHANE	1	U	
1,2-DICHLOROPROPANE	1	U	
2-BUTANONE	5	U	
2-HEXANONE	5	UJ	C
4-METHYL-2-PENTANONE	5	U	
ACETONE	10	U	
BENZENE	1	U	
BROMODICHLOROMETHANE	1	U	
BROMOFORM	1	UJ	C
BROMOMETHANE	2	UJ	C
CARBON DISULFIDE	1	U	
CARBON TETRACHLORIDE	1	UJ	C
CHLOROBENZENE	1	U	
CHLORODIBROMOMETHANE	1	U	
CHLOROETHANE	2	UJ	C
CHLOROFORM	1	U	
CHLOROMETHANE	2	U	
CIS-1,3-DICHLOROPROPENE	1	U	
ETHYLBENZENE	1	U	
METHYLENE CHLORIDE	2	U	
STYRENE	1	U	
TETRACHLOROETHENE	1	U	
TOLUENE	1	U	
TOTAL 1,2-DICHLOROETHENE	1	U	
TOTAL XYLENES	3	U	
TRANS-1,3-DICHLOROPROPENE	1	U	
TRICHLOROETHENE	1	U	

PROJ_NO: 4037

SDG: C3J230178 MEDIA: WATER DATA FRACTION: OV

nsample BP-TB-102103
samp_date 10/21/2003
lab_id C3J230178001
qc_type NM
units UG/L
Pct_Solids
DUP_OF:

Parameter	Result	Val Qual	Qual Code
VINYL CHLORIDE	3	U	

The percent recoveries of 1,1-dichloroethene exceeded the relative percent difference (RPD) quality control criteria in the MS/MSD. No qualifications were made on this basis because both percent recoveries were compliant.


EXECUTIVE SUMMARY

Laboratory Performance Issues: Qualifications were made based on calibration non-compliances.

Other Factors Affecting Data Quality: None.

The data for these analyses were reviewed with reference to the EPA Functional Guidelines for Organic Data Validation (10/99) and the NFESC guidelines. The text of this report has been formulated to address only those problem areas affecting data quality.

"I attest that the data referenced herein were validated according to the agreed upon validation criteria as specified in the NFESC guidelines and the Quality Assurance Project Plan (QAPP)."



Tetra Tech NUS
Bernard F. Spada III
Chemist/Data Validator



TetraTech NUS
Joseph A. Samchuck
Data Validation Quality Assurance Officer

Attachments:

1. Appendix A - Qualified Analytical Results
2. Appendix B - Results as Reported by the Laboratory
3. Appendix C - Support Documentation

APPENDIX A

QUALIFIED ANALYTICAL RESULTS

Qualifier Codes:

- A = Lab Blank Contamination
- B = Field Blank Contamination
- C = Calibration Noncompliance (i.e., % RSDs, %Ds, ICVs, CCVs, RRFs, etc.)
- C01 = GC/MS Tuning Noncompliance
- D = MS/MSD Recovery Noncompliance
- E = LCS/LCSD Recovery Noncompliance
- F = Lab Duplicate Imprecision
- G = Field Duplicate Imprecision
- H = Holding Time Exceedance
- I = ICP Serial Dilution Noncompliance
- J = GFAA PDS - GFAA MSA's $r < 0.995$
- K = ICP Interference - includes ICS % R Noncompliance
- L = Instrument Calibration Range Exceedance
- M = Sample Preservation Noncompliance
- N = Internal Standard Noncompliance
- N01 = Internal Standard Recovery Noncompliance Dioxins
- N02 = Recovery Standard Noncompliance Dioxins
- N03 = Clean-up Standard Noncompliance Dioxins
- O = Poor Instrument Performance (i.e., base-time drifting)
- P = Uncertainty near detection limit ($< 2 \times$ IDL for inorganics and $<$ CRQL for organics)
- Q = Other problems (can encompass a number of issues; i.e.chromatography,interferences, etc.)
- R = Surrogates Recovery Noncompliance
- S = Pesticide/PCB Resolution
- T = % Breakdown Noncompliance for DDT and Endrin
- U = % Difference between columns/detectors $>25\%$ for positive results determined via GC/HPLC
- V = Non-linear calibrations; correlation coefficient $r < 0.995$
- W = EMPC result
- X = Signal to noise response drop
- Y = Percent solids $<30\%$
- Z = Uncertainty at 2 sigma deviation is less than sample activity

PROJ_NO: 4037

SDG: 100416 MEDIA: WATER DATA FRACTION: OV

nsample BP-IDW-SB-0042
 samp_date 10/8/2003
 lab_id C3J100416005
 qc_type NM
 units UG/L
 Pct_Solids 0
 DUP_OF:

nsample BP-IDW-SB-0042
 samp_date 10/8/2003
 lab_id C3J100416005
 qc_type NM
 units UG/L
 Pct_Solids 0
 DUP_OF:

nsample BPOW2-1-100903
 samp_date 10/8/2003
 lab_id C3J100416001
 qc_type NM
 units UG/L
 Pct_Solids 0
 DUP_OF:

Parameter	Result	Val Qual	Qual Code
1,1,1-TRICHLOROETHANE	5	U	
1,1,2,2-TETRACHLOROETHANE	5	U	
1,1,2-TRICHLOROETHANE	5	U	
1,1-DICHLOROETHANE	5	U	
1,1-DICHLOROETHENE	5	U	
1,2-DICHLOROETHANE	5	U	
1,2-DICHLOROPROPANE	5	U	
2-BUTANONE	25	U	
2-HEXANONE	25	U	
4-METHYL-2-PENTANONE	25	U	
ACETONE	50	U	
BENZENE	5	U	
BROMODICHLOROMETHANE	5	U	
BROMOFORM	5	U	
BROMOMETHANE	10	U	
CARBON DISULFIDE	5	U	
CARBON TETRACHLORIDE	5	U	
CHLOROBENZENE	5	U	
CHLORODIBROMOMETHANE	5	U	
CHLOROETHANE	10	U	
CHLOROFORM	5	U	
CHLOROMETHANE	10	U	
CIS-1,3-DICHLOROPROPENE	5	U	
ETHYLBENZENE	5	U	
METHYLENE CHLORIDE	10	U	
STYRENE	5	U	
TETRACHLOROETHENE	5	U	
TOLUENE	5	U	
TOTAL 1,2-DICHLOROETHENE	5	U	
TOTAL XYLENES	15	U	
TRANS-1,3-DICHLOROPROPENE	5	U	
TRICHLOROETHENE	5	U	

Parameter	Result	Val Qual	Qual Code
VINYL CHLORIDE	15	U	

Parameter	Result	Val Qual	Qual Code
1,1,1-TRICHLOROETHANE	1	U	
1,1,2,2-TETRACHLOROETHANE	1	U	
1,1,2-TRICHLOROETHANE	1	U	
1,1-DICHLOROETHANE	1	U	
1,1-DICHLOROETHENE	1	U	
1,2-DICHLOROETHANE	1	U	
1,2-DICHLOROPROPANE	1	U	
2-BUTANONE	5	UJ	C
2-HEXANONE	5	U	
4-METHYL-2-PENTANONE	5	U	
ACETONE	3.1	J	P
BENZENE	1	U	
BROMODICHLOROMETHANE	1	U	
BROMOFORM	1	U	
BROMOMETHANE	2	U	
CARBON DISULFIDE	1	U	
CARBON TETRACHLORIDE	1	U	
CHLOROBENZENE	1	U	
CHLORODIBROMOMETHANE	1	U	
CHLOROETHANE	2	U	
CHLOROFORM	1	U	
CHLOROMETHANE	2	U	
CIS-1,3-DICHLOROPROPENE	1	U	
ETHYLBENZENE	1	U	
METHYLENE CHLORIDE	2	U	
STYRENE	1	U	
TETRACHLOROETHENE	1	U	
TOLUENE	1	U	
TOTAL 1,2-DICHLOROETHENE	1	U	
TOTAL XYLENES	3	U	
TRANS-1,3-DICHLOROPROPENE	1	U	
TRICHLOROETHENE	1	U	

PROJ_NO: 4037

SDG: 100416 MEDIA: WATER DATA FRACTION: OV

nsample BPOW2-1-100903
 samp_date 10/8/2003
 lab_id C3J100416001
 qc_type NM
 units UG/L
 Pct_Solids 0
 DUP_OF:

nsample BP-RB-100903
 samp_date 10/9/2003
 lab_id C3J100416006
 qc_type NM
 units UG/L
 Pct_Solids 0
 DUP_OF:

nsample BP-RB-100903
 samp_date 10/9/2003
 lab_id C3J100416006
 qc_type NM
 units UG/L
 Pct_Solids 0
 DUP_OF:

Parameter	Result	Val Qual	Qual Code
VINYL CHLORIDE	3	U	

Parameter	Result	Val Qual	Qual Code
1,1,1-TRICHLOROETHANE	1	U	
1,1,1,2-TETRACHLOROETHANE	1	U	
1,1,1,2-TRICHLOROETHANE	1	U	
1,1-DICHLOROETHANE	1	U	
1,1-DICHLOROETHENE	1	U	
1,2-DICHLOROETHANE	1	U	
1,2-DICHLOROPROPANE	1	U	
2-BUTANONE	5	U	
2-HEXANONE	5	UJ	C
4-METHYL-2-PENTANONE	5	U	
ACETONE	10	U	
BENZENE	1	U	
BROMODICHLOROMETHANE	1	U	
BROMOFORM	1	U	
BROMOMETHANE	2	U	
CARBON DISULFIDE	1	U	
CARBON TETRACHLORIDE	1	U	
CHLOROBENZENE	1	U	
CHLORODIBROMOMETHANE	1	U	
CHLOROETHANE	2	U	
CHLOROFORM	1	U	
CHLOROMETHANE	2	U	
CIS-1,3-DICHLOROPROPENE	1	U	
ETHYLBENZENE	1	U	
METHYLENE CHLORIDE	2	U	
STYRENE	1	U	
TETRACHLOROETHENE	1	U	
TOLUENE	1	U	
TOTAL 1,2-DICHLOROETHENE	1	U	
TOTAL XYLENES	3	U	
TRANS-1,3-DICHLOROPROPENE	1	U	
TRICHLOROETHENE	1	U	

Parameter	Result	Val Qual	Qual Code
VINYL CHLORIDE	3	U	

PROJ_NO: 4037

SDG: 100416 MEDIA: WATER DATA FRACTION: OV

nsample BP-TB-100803
 samp_date 10/8/2003
 lab_id C3J100416007
 qc_type NM
 units UG/L
 Pct_Solids 0
 DUP_OF:

nsample BP-TB-100803
 samp_date 10/8/2003
 lab_id C3J100416007
 qc_type NM
 units UG/L
 Pct_Solids 0
 DUP_OF:

Parameter	Result	Val Qual	Qual Code
1,1,1-TRICHLOROETHANE	1	U	
1,1,2,2-TETRACHLOROETHANE	1	U	
1,1,2-TRICHLOROETHANE	1	U	
1,1-DICHLOROETHANE	1	U	
1,1-DICHLOROETHENE	1	U	
1,2-DICHLOROETHANE	1	U	
1,2-DICHLOROPROPANE	1	U	
2-BUTANONE	5	UJ	C
2-HEXANONE	5	U	
4-METHYL-2-PENTANONE	5	U	
ACETONE	2.6	J	P
BENZENE	1	U	
BROMODICHLOROMETHANE	1	U	
BROMOFORM	1	U	
BROMOMETHANE	2	U	
CARBON DISULFIDE	1	U	
CARBON TETRACHLORIDE	1	U	
CHLOROBENZENE	1	U	
CHLORODIBROMOMETHANE	1	U	
CHLOROETHANE	2	U	
CHLOROFORM	1	U	
CHLOROMETHANE	2	U	
CIS-1,3-DICHLOROPROPENE	1	U	
ETHYLBENZENE	1	U	
METHYLENE CHLORIDE	2	U	
STYRENE	1	U	
TETRACHLOROETHENE	1	U	
TOLUENE	1	U	
TOTAL 1,2-DICHLOROETHENE	1	U	
TOTAL XYLENES	3	U	
TRANS-1,3-DICHLOROPROPENE	1	U	
TRICHLOROETHENE	1	U	

Parameter	Result	Val Qual	Qual Code
VINYL CHLORIDE	3	U	

**OUTPOST MONITORING WELL INSTALLATION
SUMMARY REPORT**

**NAVAL WEAPONS INDUSTRIAL RESERVE PLANT (NWIRP)
BETHPAGE, NEW YORK**

**COMPREHENSIVE LONG-TERM
ENVIRONMENTAL ACTION NAVY (CLEAN) CONTRACT**

Submitted to:

**Engineering Field Activity Northeast
Environmental Branch Code EV2
Naval Facilities Engineering Command
10 Industrial Highway, Mail Stop #82
Lester, Pennsylvania 19113-2090**


Submitted by:

**TetraTech NUS, Inc.
600 Clark Avenue, Suite 3
King of Prussia, Pennsylvania 19406-1433**

**CONTRACT NUMBER N62467-94-D-0888
CONTRACT TASK ORDER 0812**


MARCH 2004

PREPARED UNDER THE DIRECTION OF:



**DAVID D. BRAYACK
PROJECT MANAGER
PITTSBURGH, PENNSYLVANIA**

APPROVED FOR SUBMISSION BY:



**JOHN J. TREPANOWSKI
PROGRAM MANAGER
KING OF PRUSSIA, PENNSYLVANIA**

TABLE OF CONTENTS

<u>SECTION</u>		<u>PAGE NO.</u>
1.0	INTRODUCTION	1-1
	1.1 SCOPE OF WORK	1-1
	1.2 REPORT FORMAT	1-1
2.0	WELL DRILLING AND INSTALLATION	2-1
	2.1 DRILLING METHODOLOGY	2-1
	2.2 SOIL SAMPLING	2-1
	2.3 BOREHOLE GEOPHYSICAL LOGGING	2-1
	2.4 MONITORING WELL INSTALLATION	2-2
	2.5 MONITORING WELL DEVELOPMENT AND SAMPLING	2-3
	2.6 WELL REHABILITATION AND RECONSTRUCTION	2-4

TABLE

2-1	OUTPOST MONITORING WELL CONSTRUCTION SUMMARY	2-6
-----	--	-----

FIGURE

1-1	OUTPOST MONITORING WELL LOCATIONS	1-2
-----	---	-----

APPENDICES

A	BPOW1-1 WELL DATA
B	BPOW1-2 WELL DATA
C	BPOW1-3 WELL DATA
D	BPOW2-1 WELL DATA
E	BPOW2-2 WELL DATA
F	BPOW3-1 WELL DATA
G	BPOW3-2 WELL DATA
H	BPOW4-1 WELL DATA
I	BPOW4-2 WELL DATA
J	CHAIN-OF-CUSTODY FORMS
K	SAMPLE LOG SHEETS
L	ANALYTICAL RESULTS
M	SURVEY DATA

1.0 INTRODUCTION

This report summarizes the installation and development of nine Outpost Monitoring Wells located south and hydraulically downgradient of the Naval Weapons Industrial Reserve Plant (NWIRP) New York. The wells were installed in support of Navy's Record of Decision for Operable Unit No. 2 (April 2003) to provide advance warning of potential contaminant impact to local public water suppliers. Tetra Tech NUS, Inc., (TtNUS) performed the work for the U.S. Navy Engineering Field Activity Northeast under Contract Task Order 0812 of Comprehensive Long-Term Environmental Action Navy (CLEAN) Contract Number N62467-94-D-0888.


1.1 SCOPE OF WORK

Nine Outpost Monitoring Wells (BPOW1-1, 1-2 and 1-3, BPOW2-1 and 2-2, BPOW3-1 and 3-2, and BPOW 4-1 and 4-2) were drilled and installed between June 2003 and December 2003. These wells were installed in accordance with the "Work Plan Addendum for Outpost Monitoring Wells Installation Program" attached as Appendix B to the "Public Water Supply Contingency Plan" dated July 2003. Figure 1-1 illustrates the approximate locations of these wells.

Target screen intervals were initially selected with the aid of an advanced regional groundwater model that accounted for the location of groundwater contamination, groundwater flow paths, and screen intervals and extraction rates for local public water supply wells. Final screen intervals were selected in the field based on actual lithology. These intervals are summarized in Table 2-1. Final well locations and well head elevations were surveyed.

1.2 REPORT FORMAT

This report presents the methodology and field logs for the installation of the Outpost Monitoring Wells. Section 1.0 provides a brief introduction and summary of the scope of work. Field methodologies for well installation are provided in Section 2.0. Monitoring well construction diagrams, boring logs, borehole geophysical logs, and well development sheets for each well are provided in the appendices. The information is organized by well, with Appendices A through I providing the data for Wells BPOW1-1 through BPOW4-2, respectively. Groundwater samples were collected at the end of well development. Chain-of-custody forms, sample log sheets, and analytical results are presented in Appendices J, K, and L, respectively. Survey drawings are provided in Appendix M.



DRAWN BY J. LANEY	DATE 4/28/00
CHECKED BY D. BRAYACK	DATE 12/23/02
COST/SCHEDULE-AREA	
SCALE AS NOTED	

Tetra Tech NUS, Inc.

**LOCATION OF OUTPOST MONITORING WELLS
NAVAL WEAPONS INDUSTRIAL RESERVE PLANT
BETHPAGE, NEW YORK**

CONTRACT NUMBER N4037		OWNER NUMBER
APPROVED BY	DATE	
APPROVED BY	DATE	
DRAWING NO.	FIGURE 1-1	REV 0

2.0 WELL DRILLING AND INSTALLATION

This section describes the field methodologies for installation and development of nine Outpost Monitoring Wells. The work was performed in accordance with the "Work Plan Addendum for Monitoring Well Installation Program, Naval Weapons Industrial Reserve Plant, Bethpage, New York" (TtNUS, July 2003). Field work was performed from June through December 2003. Uni-Tech Drilling Company, Inc. (UTD), of Malaga, New Jersey, drilled and installed the wells under subcontract to TtNUS. Aqua Terra Geophysics, Inc., of Bellport, New York, under subcontract to UTD, performed the borehole geophysical logging.

2.1 DRILLING METHODOLOGY

Well boreholes were advanced using mud rotary techniques. Well boreholes were approximately 8 inches in diameter. In addition, boreholes for wells BPOW2-2, BPOW3-2, BPOW4-1 and BPOW4-2 were initially reamed to 10 to 12 inches in diameter to a depth of approximately 87 to 105 feet to allow for installation of permanent, polyvinyl chloride (PVC) surface casing. This casing was used to control sloughing of the upper borehole. Drilling mud consisted of potable water and polymer-free sodium bentonite. All drilling mud was contained and recirculated in a baffled, high capacity mud pan.

2.2 SOIL SAMPLING

Soil samples were collected from well borings for lithology description. The samples were collected from the deepest well at each cluster and were taken at periodic depths at the discretion of the field geologist. The samples were described and entered on the boring logs as shown in the attachments. The soil samples were used to provide a comparison to the geophysical logs that were also run on the deepest well at each cluster. The well screen placement was determined by evaluating the geophysical log for each cluster.

Soil samples were collected using 2-inch diameter split-spoon samplers according to American Standard of Test Methods (ASTM) D-1586. Depths not sampled were logged for lithology based on the drilling cuttings brought to the surface entrained in the drilling mud.

2.3 BOREHOLE GEOPHYSICAL LOGGING

Borehole geophysical logs were recorded in the deepest wells (BPOW1-3, BPOW2-2, BPOW3-2 and BPOW4-2) installed. Following advancement to the total well depth of each well boring to be logged, the drilling tools were withdrawn from the borehole. A geophysical probe was then run down the borehole and back up. The geophysical data was recorded using a Mount Sopris MGX II digital logger. The probe was

multi-function and recorded a natural gamma ray log, as well as single point resistivity, and standard potential logs. Geophysical borehole log printouts are provided for the logged wells in the appendices.

2.4 MONITORING WELL INSTALLATION

After advancement of the well borings to the appropriate depths, monitoring wells were installed to the depths indicated in Table 2-1. The mud in the screened interval was thinned to the fullest extent possible prior to well installation. Well material was then installed in the open borehole to the appropriate depth.

All of the wells were constructed of 4-inch diameter, Schedule 80, National Sanitation Foundation-approved polyvinyl chloride (PVC) well screen and riser pipe. All well screens had slot sizes of 0.010 inches. Threaded bottom caps were fitted to the bottom of each well. All pipe sections and bottom caps were flush-jointed and flush-threaded.

Primary filter packs were installed in the annuli around the well screens to the depths indicated in Table 3-1. The filter packs consisted of FilterPro #1 quartz sand installed using a tremie pipe or by allowing the filter pack to gravity fall into the annulus from the surface. Filter packs were installed to the approximate depths as follows:

- Deep (D) Wells: minimum of 10 feet above the top of the screen
- Deep 2 (D2) Wells: minimum of 20 feet above the top of the screen
- Deep 3 (D3) Wells: minimum of 25 feet above the top of the screen

Secondary filter packs of finer sand (FilterPro #0 quartz sand) than the primary filter pack were installed in the annulus around the well riser above the primary filter pack to the depths indicated in Table 3-1. The secondary filter packs were installed to the approximate depths as follows:

- Deep (D) Wells: minimum of 5 foot above the top of the primary filter pack
- Deep 2 (D2) Wells: minimum of 10 foot above the top of the primary filter pack
- Deep 3 (D3) Wells : minimum of 15 feet above the top of the primary filter pack

A 2- to 4-foot thick bentonite seal was installed above the secondary filter pack. The annulus above the bentonite seal was grouted with Volclay© high-solids bentonite slurry. Both the bentonite seal and bentonite slurry were installed using a tremie pipe.

Seven of the nine wells were completed at the surface with a 12-inch diameter steel curb box, set in a 3-foot by 3-foot by 0.5-foot thick concrete pad (BPOW1-1 to BPOW3-2). Because of limited space between

an underground utility and the curb, two of the wells were installed with a 9-inch diameter steel curb box (BPOW4-1 and BPOW4-2). The concrete pad on these two wells was the same as the other seven wells. A layer of fine sand was installed above the grout slurry and inside the curb box to allow for drainage of water from the curb box. The tops of all well risers were set approximately 8 inches below grade. Lockable gripper caps were installed on all well riser tops.

2.5 MONITORING WELL DEVELOPMENT AND SAMPLING

The monitoring wells were developed to remove drilling mud and fine formation particles from the well filter packs. Monitoring wells were developed no sooner than 24 hours after installation. Development was accomplished using two methods: airlifting, mechanical surging, and pumping with a submersible pump for all of the wells.

Monitoring wells were developed using a combination of air lifting, mechanical surging, and pumping with a submersible pump. A threaded, 2-inch diameter steel eductor pipe with a surge block assembly was installed in the wells with the surge block set at the base of the well screen. A 3/4-inch diameter polyethylene airline was inserted in the eductor pipe to a depth above the top of the well screen. The deep wells were developed at 5-foot intervals in the screened interval using a combination of mechanical surging (vertical movement of the surge block by a truck-mounted mechanical device) and air lifting. Once the screened interval was completely developed using this technique, the pipe was removed from the well and development continued using a submersible pump. The submersible pump was placed approximately 50 to 75 feet below the static water level in order to remove the stagnant water from above the well screen. When the water became clear, the inside of the well casing was rinsed with water from the pump discharge, and the pump was slowly raised through the water column (with the pump running) until it was at or near the static water level. Pumping ceased and development was complete when the water level stabilized, all traces of drilling mud were removed, and the well produced clear, sediment-free water. The well cap was cleaned and rinsed with deionized water and placed back onto the well riser.

Field water quality parameters of pH, specific conductance, temperature, dissolved oxygen, and turbidity were monitored and recorded periodically throughout well development. In compliance with NYSDEC policy, all wells, (except for BPOW3-2 and BPOW4-2), were developed until turbidity was less than 50 nephelometric turbidity units (NTUs). Every effort was made to develop well BPOW3-2 and BPOW4-2 to a measured turbidity of less than 50 NTUs; however, the 50 NTU criterion was unattainable in these wells due to the lithology of the formation screened (clay and clayey/silty sand). In this case, turbidity was stabilized and development was deemed complete.

Following development of the pumping stage, the pump rate was decreased and a groundwater sample was collected from each well and was analyzed for VOC compounds. All development fluids were containerized and stored at the decontamination area for proper disposal to the POTW.

2.6 WELL REHABILITATION AND RECONSTRUCTION

Monitoring well BPOW4-1 was installed on July 17, 2003. The well screen was set from 652 to 692 feet below ground surface (bgs). During development it was determined that the 4-inch diameter well screen had been damaged and that sand had infiltrated through the screen to a depth of approximately 660 feet bgs. It is unknown how the damage occurred. Well development was terminated and the repair of this well would be conducted at a later date by Unitech Drilling Company, Inc.

On December 8, 2003 repair of this well began. A 2-inch diameter threaded steel pipe was lowered into the 4-inch schedule 80 well screen and riser using the Failing 1500 drill rig. At approximately 660 feet bgs resistance was hit, indicating the level of the sand. Once the pipe was set, a ½-inch polyethylene tubing was placed inside the 2-inch pipe to a depth of approximately 200 feet. An Atlas Copco 185 CFM air compressor was used to supply air through the tubing. As the air was introduced through the tubing, both water and sand began to exit up through the 2-inch pipe and into the mud tub that was placed over the well. This method is similar to the reverse circulation method of drilling and also similar to the air lift method of development. A constant head of water had to be introduced to the well in an effort to keep the sand from entering the well. Water was supplied by using a 2,000 gallon tank and a 2,000 gallon capacity water truck. Approximately 8,000 gallons was used during the repair operation. Approximately one full 55-gallon drum was filled with sand and debris from the damaged area of the well.

As the water, sand and pieces of well screen was evacuated from the hole, UTD began to lower the 2-inch pipe further into the well screen. The 2-inch pipe was finally lowered to a depth of approximately 692 feet bgs, indicating that all of the sand had been evacuated from the well. Material that was forced out of the well included a fine to coarse sand, fine sub-rounded gravel, traces of lignite and pieces of well screen. The sand pack used to place around the well screen was also observed in the cuttings that were evacuated.

After several minutes of making sure all debris was evacuated from the well, UTD began to pull the 2-inch pipe, which took approximately 2 hours. Once the pipe was removed, UTD assembled 4 ten feet sections of 2-inch diameter 10 slot stainless steel screen. A stainless steel pointed end cap was placed on the bottom of the screen. A ten foot section of stainless steel riser pipe was attached to the 40 feet of well screen. A "K" packer was then placed on top of the riser pipe. This packer will serve as a barrier to prevent any sand from infiltrating above the screened interval. This 50 foot section, with the riser and

packer at the top was dropped into the well and allowed to free fall, with the water acting as a floating medium, to the bottom of the cleaned out well.

In order to check the depth of the 2-inch well, UTD immediately began to re-insert the 2-inch pipe and was able to determine that the 2-inch well had successfully been installed. The 2-inch pipe hit resistance at approximately 642 feet bgs. UTD left this pipe in overnight and air lift development operations began the following day using the method described in Section 2.5.

**TABLE 2-1
MONITORING WELL SUMMARY
OUTPOST WELLS
NWIRP, BETHPAGE
BETHPAGE, NEW YORK**

Well Number	Casing Set (ft bgs)	Date Start	Date Complete	Total Depth (ft bgs)	Total Well Depth (ft bgs)	Gamma Log Depth (ft bgs)	Screened Interval (ft bgs)	Top of Gravel Pack (ft bgs)	Top of Fine Sand (ft bgs)	Comments
BPOW1-1	NA	11/10/03	11/11/03	250	241		196-231 and 236-241	186	181	Blank Sect. 231-236
BPOW1-2	NA	11/03/03	11/05/03	350	335		310-335	300	295	
BPOW1-3	NA	10/22/03	10/29/03	430	419	419	374-399 and 409-419	364	359	Blank Sect. 399-409
BPOW2-1	NA	8/25/03	8/28/03	410	400		360-365 and 375-400	350	345	Blank Sect. 365-375
BPOW2-2	105	8/6/03	8/21/03	510	495	487	455-495	435	425	
BPOW3-1	NA	9/29/03	10/8/03	530	516		446-451 and 481-516	426	416	Blank Sect. 451-481
BPOW3-2	95	9/15/03	9/26/03	660	647	659	612-632 and 637-647	587	572	Blank Sect. 632-637
BPOW4-1	87	7/8/03	7/18/03	700	692		652-692	620	602	
BPOW4-2	100	6/5/03	7/7/03	780	765	775	725-735 and 745-765	705	690	Blank Sect. 735-745

NOTES:

All well screen and riser was schedule 80 PVC and all screen slot sizes are 0.010 inches (10 slot).

Development consisted of air lift, surging and submersible pump and all wells were drilled using the mud rotary method.

ft bgs= feet below ground surface

Blank Sect.= schedule 80 PVC riser placed between screened sections of the well

NA= not applicable. No casing was set in these wells.

Gamma log run only on deepest well in each cluster.


APPENDIX A

BPOW1-1 WELL DATA



MONITORING WELL SHEET

PROJECT:	<u>NWIRP</u>	DRILLING Co.:	<u>UNITECH</u>	BORING No.:	<u>BPOW1-1</u>
PROJECT No.:	<u>N 4037</u>	DRILLER:	<u>BLEMINGS</u>	DATE COMPLETED:	<u>11/11/03</u>
SITE:	<u>BETHPAGE</u>	DRILLING METHOD:	<u>MUD ROT</u>	NORTHING:	
GEOLOGIST:	<u>CONTI</u>	DEV. METHOD:	<u>AIR LIFT/PUMP</u>	EASTING:	



Elevation / Depth of Top of Riser:	<u>1</u>
Elevation / Height of Top of Surface Casing:	<u>1</u>
I.D. of Surface Casing:	<u>12"</u>
Type of Surface Casing:	<u>STEEL</u>
Type of Surface Seal:	<u>CONCRETE PAD</u>
I.D. of Riser:	<u>3 13/16</u>
Type of Riser:	<u>SCH 80 PVC</u>
Borehole Diameter:	<u>8"</u>
Elevation / Depth Top of Rock:	<u>NA / NA</u>
Type of Backfill:	<u>VOLCLAY GROUT</u>
Elevation / Depth of Seal:	<u>1 181</u>
Type of Seal:	<u>FINE SAND</u>
Elevation / Depth of Top of Filter Pack:	<u>1 186</u>
Elevation / Depth of Top of Screen:	<u>1 196</u>
Type of Screen:	<u>PVC SCH 80</u>
Slot Size x Length:	<u>10 SLX</u>
I.D. of Screen:	<u>3 13/16</u>
Type of Filter Pack:	<u>#1 SILICA SAND</u>
Elevation / Depth of Bottom of Screen:	<u>1 241</u>
Elevation / Depth of Bottom of Filter Pack:	<u>1 242</u>
Type of Backfill Below Well:	<u>CAVED</u>
Elevation / Total Depth of Borehole:	<u>1 250</u>

196

BLANK 231

236

241



BORING LOG

PROJECT NAME: NWIRP Bethpage
 PROJECT NUMBER: N4037
 DRILLING COMPANY: Uni-Tech
 DRILLING RIG: FALING 1500

BORING No.: BPOW 1-1
 DATE: 11/10/03
 GEOLOGIST: Conti
 DRILLER: BLEMINGS

Sample No. and Type or ROD	Depth (Ft.) or Run No.	Blows / 6" or ROD (%)	Sample Recovery / Sample Length	Lithology Change (Depth/Ft.) or Screened Interval	MATERIAL DESCRIPTION			U S C S	Remarks	PID/FID Reading (ppm)			
					Soil Density/ Consistency or Rock Hardness	Color	Material Classification			Sample	Sampler BZ	Borehole**	Driller BZ**
	0	/					SAND AND GRAVEL	SW	SEE BORING				0
		/						GW	LOG BPOW 1-3 OR GAMMA LOG FOR DETAILS				
	10	/											0
	20	/											0
	30	/					SAND AND GRAVEL	SW GW					0
	40	/											0
	50	/											0

* When rock coring, enter rock brokenness.

** Include monitor reading in 6 foot intervals @ borehole. Increase reading frequency if elevated response read.

Remarks: _____

Drilling Area
 Background (ppm):

Converted to Well: Yes No Well I.D. #: BPOW 1-1



BORING LOG

PROJECT NAME: NWIRP Bethpage
 PROJECT NUMBER: N4037
 DRILLING COMPANY: Uni-Tech
 DRILLING RIG: FALLING 1500

BORING No.: BPOW 1-1
 DATE: 11/10/03
 GEOLOGIST: Conti
 DRILLER: BLEMINGS

Sample No. and Type or RQD	Depth (Ft.) or Run No.	Blows / 6" or RQD (%)	Sample Recovery / Sample Length	Lithology Change (Depth/FT.) or Screened Interval	MATERIAL DESCRIPTION			U S C S	Remarks	PID/FID Reading (ppm)			
					Soil Density/ Consistency or Rock Hardness	Color	Material Classification			Sample	Sampler BZ	Borehole**	Driller BZ**
	50	/					SAND AND GRAVEL	GW SW					0
	60	/											0
	70	/											0
	80	/											0
	90	/					SILTY SAND - SOME GRAVEL - TR CLAY						0
	100	/											0

* When rock coring, enter rock brokenness.

** Include monitor reading in 6 foot intervals @ borehole. Increase reading frequency if elevated response read.

Remarks: _____

Drilling Area
 Background (ppm):

Converted to Well: Yes No Well I.D. #: BPOW 1-1



BORING LOG

PROJECT NAME: NWIRP Bethpage
 PROJECT NUMBER: N4037
 DRILLING COMPANY: Uni-Tech
 DRILLING RIG: EALING 1500

BORING No.: BPOW1-1
 DATE: 11/10/03
 GEOLOGIST: Conti
 DRILLER: BLEMINGS

Sample No. and Type or RQD	Depth (Fl.) or Run No.	Blows / 6" or RQD (%)	Sample Recovery / Sample Length	Lithology Change (Depth/Fl.) or Screened Interval	MATERIAL DESCRIPTION			U S C S	Remarks	PID/FID Reading (ppm)												
					Soil Density/Consistency or Rock Hardness	Color	Material Classification			Sample	Sampler BZ	Borehole**	Driller BZ**									
	100	/																				
	110	/																				
	120	/		119±			SANDY CLAY	SC	FROM GAMMA LOG													
		/		124±			THEN SILTY SAND															
	130	/																				
	140	/																				
	150	/					MORE CLAY		TO = 155'													

* When rock coring, enter rock brokenness.

** Include monitor reading in 6 foot intervals @ borehole. Increase reading frequency if elevated response read.

Remarks: _____

Drilling Area

Background (ppm):

Converted to Well: Yes No

Well I.D. #: BPOW1-1



BORING LOG

PROJECT NAME: NWIRP Bethpage
 PROJECT NUMBER: N4037
 DRILLING COMPANY: Uni-Tech
 DRILLING RIG: FALING 1500

BORING No.: BPOW 1-1
 DATE: 11/11/03
 GEOLOGIST: Conti
 DRILLER: BLEMINGS

Sample No. and Type or RQD	Depth (Ft) or Run No.	Blows / 6" or RQD (%)	Sample Recovery / Sample Length	Lithology Change (Depth/Ft) or Screened Interval	MATERIAL DESCRIPTION			USCS	Remarks	PID/FID Reading (ppm)														
					Soil Density/ Consistency or Rock Hardness	Color	Material Classification			Sample	Sampler BZ	Borehole**	Driller BZ**											
	150																							
	160																							
	170																							
	180																							
	190																							
	200																							

* When rock coring, enter rock brokenness.

** Include monitor reading in 6 foot intervals @ borehole. Increase reading frequency if elevated response read.

Remarks: _____

Drilling Area Background (ppm):

Converted to Well: Yes No Well I.D. #: BPOW 1-1



BORING LOG

PROJECT NAME: NWIRP Bethpage
 PROJECT NUMBER: N4037
 DRILLING COMPANY: Uni-Tech
 DRILLING RIG: FAILING 1500

BORING No.: BPOW1-1
 DATE: 11/11/03
 GEOLOGIST: Conti
 DRILLER: BLEMINGS

Sample No. and Type or RQD	Depth (FL) or Run No.	Blows / 6" or RQD (%)	Sample Recovery / Sample Length	Lithology Change (Depth/FT.) or Screened Interval	MATERIAL DESCRIPTION			U S C S	Remarks	PID/FID Reading (ppm)										
					Soil Density/ Consistency or Rock Hardness	Color	Material Classification			Sample	Sampler BZ	Borehole**	Driller BZ**							
	200	/					SILTY SAND													0
	210	/																		0
	220	/																		0
	230	/																		0
	230	/		231			SOME CLAY													0
	240	/		236			SILTY SAND		SET WELL 11/11/03 196 → 231 SCR 231 → 236 BL 236 → 241 SCR											0
	250	/							C. SAND TO 186 " " TO 181											0

* When rock coring, enter rock brokenness.

** Include monitor reading in 6 foot intervals @ borehole. Increase reading frequency if elevated response read.

Remarks: _____

Drilling Area
 Background (ppm):

Converted to Well: Yes No Well I.D. #: BPOW1-1

31.6 BGS WL @ 1300 HRS 11/20/03



Tetra Tech NUS, Inc.

MONITORING WELL DEVELOPMENT RECORD

Well: BPOW1-1 Depth to Bottom (ft.): 241 BGS Responsible Personnel: Conti
 Site: NWIRP Static Water Level Before (ft.): _____ Drilling Co.: Uni-Tech
 Date Installed: 11/11/03 Static Water Level After (ft.): _____ Project Name: NWIRP Bethpage-Outpost Wells
 Date Developed: 11/24/03 Screen Length (ft.): SEE Project Number: N4037
 Dev. Method: AIRLIFT/PUMP Specific Capacity: _____
 Pump Type: 3" SUBMERSIBLE Casing ID (in.): 3 3/16

196-231-SCR
 231-236-BL
 231-241-SCR

Time	Estimated Flow Rate (GPM)	Cumulative Water Volume (Gal.)	Water Level Readings (Ft. below TOC)	Temperature (Degrees C)	pH	Specific Conductance (Units $\mu\text{S}/\text{cm}$)	Turbidity (NTU)	Remarks (odor, color, etc.)
0955	20	Start	31.6	13.12	4.40	0.362	651/355	Gray - turbid
1015		900	35.17	12.08	4.35	0.329	222/100	Sl. Gray
1035		1400	34.11	11.86	4.32	0.325	152/87.6	Sl. Gray / 1400 gal
1040	Load	① 1600 gal	Start into 2000 gal tank		12.00	0.310		
1055		250	34.12	11.94	4.39	0.310	253/122	1850 / foggy
1015		850	34.48	12.26	4.42	0.307	185.1/105	2450 / foggy
1125	Load	② 1100 gal	Start into 2000 gal tank					2700
1135		300	34.15	12.05	4.41	0.306	162/124	2700
1155		1000	34.15	12.31	4.43	0.305	251/154	2700
1215		1600	34.42	12.44	4.43	0.303	24/52	4000
1215	Load	③ 1600 gal	Lowered pump to start 1200 gal tank @ 1245					
1245			32.16	12.08	4.36	0.359	511/339	Lower turbid
1305		650	33.48	12.54	4.36	0.359	326/222	40 / H. BROKEN
1320		1100	33.52	12.76	4.38	0.360	278/136	500 / H. BROKEN
	Load	④ 1100 gal	Start 2000 gal tank					
1345			33.35	12.34	4.37	0.364	379/228	H. BROKEN
1405		700	33.38	12.01	4.32	0.361	248/174	6100 GRAY

7



Tetra Tech NUS, Inc.

MONITORING WELL DEVELOPMENT RECORD

Well: BPOW1-1 Depth to Bottom (ft.): 241 BGS Responsible Personnel: Conti
 Site: NWIRP Static Water Level Before (ft.): 31.5 Drilling Co.: Uni-Tech
 Date Installed: 11/11/03 Static Water Level After (ft.): _____ Project Name: NWIRP Bethpage-Outpost Wells
 Date Developed: 11/24/03 & 11/25/03 Screen Length (ft.): _____ Project Number: N4037
 Dev. Method: AIR LIFT/PUMP Specific Capacity: _____
 Pump Type: 3" SUB Casing ID (in.): 3 13/16

Time	Estimated Flow Rate (GPM)	Cumulative Water Volume (Gal.)	Water Level Readings (Ft. below TOC)	Temperature (Degrees C)	pH	Specific Conductance (Units $\frac{mS}{cm}$)	Turbidity (NTU)	Remarks (odor, color, etc.)
1430		1600	33.41	12.14	4.55	0.358	156/32	7000 / Sl. Gray
	Load	⑤ - START	1200					Total 7000 Gall 11/24/03
11/24/03	0830	500	32.86	10.82	4.53	0.390	110/28	2500 / CLEAR
11/25/03	0830		31.6	11.83	4.52	0.461	468/260	Sl. brown-gray
	0850	500	32.86	10.82	4.53	0.390	110/28	2500 / CLEAR
	0910	1000	32.88	10.12	4.50	0.323	52/15	8000 / CLEAR
	0915	Load ⑥ 100						8100 / CLEAR
1030	START	INTO 1400 GALLON TANK w/ PUMP.						
1130	13	800	32.6	12.12	4.75	.385	33/12	CLEAR
1140	13	900	32.6	12.00	4.16	.390	38/12	"
1200	12	1100	32.6	11.99	4.78	.389	31/11	"
	LOAD	LUS w/ 1100 GALLONS						
	DONE	w/ PUMP - TOOK SAMPLES 1200 HRS						


APPENDIX B
BPOW1-2 WELL DATA



MONITORING WELL SHEET

PERMIT No: _____

PROJECT:	<u>NWIRP</u>	DRILLING Co.:	<u>UNITECH</u>	BORING No.:	<u>BPOW1-2</u>
PROJECT No.:	<u>N4037</u>	DRILLER:	<u>BLEMINGS</u>	DATE COMPLETED:	<u>11/5/03</u>
SITE:	<u>BETHPAGE</u>	DRILLING METHOD:	<u>MUD ROT</u>	NORTHING:	_____
GEOLOGIST:	<u>CONTI</u>	DEV. METHOD:	<u>AIR LIFT/PUMP</u>	EASTING:	_____



Elevation / Depth of Top of Riser:	_____	/
Elevation / Height of Top of Surface Casing:	_____	/
I.D. of Surface Casing:	<u>12" φ</u>	
Type of Surface Casing:	<u>STEEL</u>	
Type of Surface Seal:	<u>CONCRETE PAD</u>	
I.D. of Riser:	<u>3 3/16"</u>	
Type of Riser:	<u>PVC SCH 80</u>	
Borehole Diameter:	<u>8"</u>	
Type of Backfill:	<u>VOLCLAY GROUT</u>	
Elevation / Depth of Seal:	<u>FINE SAND</u>	<u>/ 295</u>
Type of Seal:	<u>NA</u>	
Elevation / Depth of Top of Filter Pack:		<u>/ 300</u>
Elevation / Depth of Top of Screen:		<u>/ 310</u>
Type of Screen:	<u>PVC SCH 80</u>	
Slot Size x Length:	<u>10 SL X 25'</u>	
I.D. of Screen:	<u>3 3/16"</u>	
Type of Filter Pack:	<u>#1 SILICA SAND</u>	
Elevation / Depth of Bottom of Screen:		<u>/ 335</u>
Elevation / Depth of Bottom of Filter Pack:		<u>/ 336</u>
Type of Backfill Below Well:	<u>CAVED</u>	
Elevation / Total Depth of Borehole:		<u>/ 350</u>



BORING LOG

PROJECT NAME: NWIRP Bethpage
 PROJECT NUMBER: N4037
 DRILLING COMPANY: Uni-Tech
 DRILLING RIG: FALING 1500

BORING No.: BPOW1-2
 DATE: 11/3/03
 GEOLOGIST: Conti
 DRILLER: BLEMINGS

Sample No. and Type or RQD	Depth (FL) or Run No.	Blows / 6" or RQD (%)	Sample Recovery / Sample Length	Lithology Change (Depth/FL) or Screened Interval	MATERIAL DESCRIPTION			U S C S *	Remarks	PID/FID Reading (ppm)			
					Soil Density/ Consistency or Rock Hardness	Color	Material Classification			Sample	Sampler BZ	Borehole**	Driller BZ**
0230	0	/					SAND AND GRAVEL		SEE BPOW1-3 LOG AND GAMMA LOG FOR MORE DETAIL				0
	10	/											0
	20	/											0
	30	/											0
	40	/											0
1030	50	/											0

* When rock coring, enter rock brokenness.

** Include monitor reading in 6 foot intervals @ borehole. Increase reading frequency if elevated response read.

Remarks: _____

Drilling Area Background (ppm):

Converted to Well: Yes No Well I.D. #: BPOW1-2



BORING LOG

PROJECT NAME: NWIRP Bethpage
 PROJECT NUMBER: N4037
 DRILLING COMPANY: Uni-Tech
 DRILLING RIG: FALLING 1500

BORING No.: BPOW1-2
 DATE: 11/3/03
 GEOLOGIST: Conti
 DRILLER: BLEMINGS

Sample No. and Type or RQD	Depth (FL) or Run No.	Blows / 6" or RQD (%)	Sample Recovery / Sample Length	Lithology Change (Depth/FL) or Screened Interval	MATERIAL DESCRIPTION			U S C S	Remarks	PID/FID Reading (ppm)				
					Soil Density/ Consistency or Rock Hardness	Color	Material Classification			Sample	Sampler BZ	Borehole**	Driller BZ**	
	50	/					SAND & GRAVEL							0
	60	/												0
	70	/												0
	80	/					SILTY SAND - SOME GRAVEL							0
	90	/												0
1130	100	/												0

* When rock coring, enter rock brokenness.

** Include monitor reading in 6 foot intervals @ borehole. Increase reading frequency if elevated response read.

Remarks: _____

Drilling Area
 Background (ppm):

Converted to Well: Yes No Well I.D. #: BPOW1-2



BORING LOG

PROJECT NAME: NWIRP Bethpage
 PROJECT NUMBER: N4037
 DRILLING COMPANY: Uni-Tech
 DRILLING RIG: FILING 1500

BORING No.: BPOW1-2
 DATE: 11/3/03
 GEOLOGIST: Conti
 DRILLER: BLEMINGS

Sample No. and Type or RQD	Depth (FL) or Run No.	Blows / 6" or RQD (%)	Sample Recovery / Sample Length	Lithology Change (Depth/FL) or Screened Interval	MATERIAL DESCRIPTION			U S C S	Remarks	PID/FID Reading (ppm)			
					Soil Density/ Consistency or Rock Hardness	Color	Material Classification			Sample	Sampler BZ	Borehole**	Driller BZ**
	100	/					SILTY SAND	SM SP					0
	1200	110	/										0
	120	/											0
	1300	130	/				SILTY SAND	SM SP					0
	1400	140	/										0
	1500	150	/										0

11/3

* When rock coring, enter rock brokenness.

** Include monitor reading in 6 foot intervals @ borehole. Increase reading frequency if elevated response read.

Remarks: _____

Drilling Area
 Background (ppm):

Converted to Well: Yes No Well I.D. #: BPOW1-2



BORING LOG

PROJECT NAME: NWIRP Bethpage
PROJECT NUMBER: N4037
DRILLING COMPANY: Uni-Tech
DRILLING RIG: FAILING 1500

BORING No.: BPOW 1-2
DATE: 11-4-03
GEOLOGIST: Conti
DRILLER: REMNIGS

Sample No. and Type or RQD	Depth (FL) or Run No.	Blows / 6" or RQD (%)	Sample Recovery / Sample Length	Lithology Change (Depth/FL) or Screened Interval	MATERIAL DESCRIPTION			U S C S	Remarks	PID/FID Reading (ppm)									
					Soil Density/ Consistency or Rock Hardness	Color	Material Classification			Sample	Sampler BZ	Borehole**	Driller BZ**						
	150	/																	0
	160	/																	
	170	/																	
	180	/																	
	190	/																	
	200	/																	

11/4
↓

* When rock coring, enter rock brokenness.

** Include monitor reading in 6 foot intervals @ borehole. Increase reading frequency if elevated response read.

Remarks: _____

Drilling Area Background (ppm):

Converted to Well: Yes No Well I.D. #: BPOW 1-2



BORING LOG

PROJECT NAME: NWIRP Bethpage
 PROJECT NUMBER: N4037
 DRILLING COMPANY: Uni-Tech
 DRILLING RIG: FAILING 1500

BORING No.: BPOW 1-2
 DATE: 11-4-03
 GEOLOGIST: Conti
 DRILLER: BLEMINGS

Sample No. and Type or RQD	Depth (FL) or Run No.	Blows / 6" or RQD (%)	Sample Recovery / Sample Length	Lithology Change (Depth/FL) or Screened Interval	MATERIAL DESCRIPTION			U S C S *	Remarks	PID/FID Reading (ppm)										
					Soil Density/ Consistency or Rock Hardness	Color	Material Classification			Sample	Sampler BZ	Borehole**	Driller BZ**							
	200	/																		
		/								SILTY SAND										
		/								TR CLAY										
	210	/																		
		/																		
	220	/																		
		/																		
	230	/																		
		/																		
	240	/																		
		/																		
	250	/																		

* When rock coring, enter rock brokenness.

** Include monitor reading in 6 foot intervals @ borehole. Increase reading frequency if elevated response read.

Remarks: _____

Drilling Area Background (ppm):

Converted to Well: Yes No Well I.D. #: BPOW 1-2



BORING LOG

PROJECT NAME: NWIRP Bethpage
 PROJECT NUMBER: N4037
 DRILLING COMPANY: Uni-Tech
 DRILLING RIG: FALING 1500

BORING No.: BPOW 1-2
 DATE: 11/4/03
 GEOLOGIST: Conti
 DRILLER: BLEMNINGS

Sample No. and Type or RQD	Depth (FL) or Run No.	Blows / 6" or RQD (%)	Sample Recovery / Sample Length	Lithology Change (Depth/Ft.) or Screened Interval	MATERIAL DESCRIPTION			U S C S	Remarks	PID/FID Reading (ppm)				
					Soil Density/ Consistency or Rock Hardness	Color	Material Classification			Sample	Sampler BZ	Borehole**	Driller BZ**	
	250	/												0
		/												
	250	/												0
		/												
	270	/												0
		/												
	280	/												0
		/												
	290	/												0
		/												
	300	/												0

* When rock coring, enter rock brokenness.

** Include monitor reading in 6 foot intervals @ borehole. Increase reading frequency if elevated response read.

Remarks: _____

Drilling Area Background (ppm): 0

Converted to Well: Yes ✓ No _____ Well I.D. #: BPOW 1-2



BORING LOG

PROJECT NAME: NWIRP Bethpage
 PROJECT NUMBER: N4037
 DRILLING COMPANY: Uni-Tech
 DRILLING RIG: FAILING 1500

BORING No.: BPOW 1-2
 DATE: 11/4/03
 GEOLOGIST: Conti
 DRILLER: BLEMINGS

Sample No. and Type or RQD	Depth (FT.) or Run No.	Blows / 6" or RQD (%)	Sample Recovery / Sample Length	Lithology Change (Depth/FT.) or Screened Interval	MATERIAL DESCRIPTION			U S C S .	Remarks	PID/FID Reading (ppm)										
					Soil Density/ Consistency or Rock Hardness	Color	Material Classification			Sample	Sampler BZ	Borehole**	Driller BZ**							
	300																			
	310																			
	320																			
	330																			
	340																			
	350										WELL SET 335'									
	350										BOTM @ 350									

* When rock coring, enter rock brokenness.

** Include monitor reading in 6 foot intervals @ borehole. Increase reading frequency if elevated response read.

Remarks: _____

Drilling Area Background (ppm): 0

Converted to Well: Yes No Well I.D. #: BPOW 1-2



Tetra Tech NUS, Inc.

MONITORING WELL DEVELOPMENT RECORD

Page 1 of 3

Well: BPOW1-2 Depth to Bottom (ft.): 335 BGS Responsible Personnel: Conti
 Site: NWIRP Static Water Level Before (ft.): 34.6 BGS Drilling Co.: Uni-Tech
 Date Installed: 11/5/03 Static Water Level After (ft.): _____ Project Name: NWIRP Bethpage-Outpost Wells
 Date Developed: 11/18/03 Screen Length (ft.): 25' Project Number: N4037
 Dev. Method: AIR LIFT/PUMP Specific Capacity: _____
 Pump Type: 3" SUB Casing ID (in.): 3 13/16

HORIBA/LANOTE

Time	Estimated Flow Rate (GPM)	Cumulative Water Volume (Gal.)	Water Level Readings (Ft. below TOC)	Temperature (Degrees C)	pH	Specific Conductance (Units _____) mS/cm	Turbidity (NTU)	Remarks (odor, color, etc.)
1600	30	1100		—	—	—	—	INITIAL LOAD (1)
1700	LOAD	(1) LVS	w/ 1100 GALLONS					PIPE AT ' 235 initial /
0915	START	1100	33.3	2000 GAL TANK.				
0935	30	600	48.6	12.46	4.56	.227	630/319	GRAY-TURBID
0955	30	1200	47	12.30	4.63	.090	388/289	" "
1015	27	1600	44.5	12.05	4.61	.085	316/182	" "
1025	LOAD	(2) LVS	w/ 1600 GAL - START INTO 1400					(200)
1045	30	600	48.5	12.50	4.68	.083	350/190	" "
1105	27.5	1100	47.2	11.77	4.73	.077	282/133	" "
1120	LOAD	(3) LVS	w/ 1100 GAL - START INTO 2000					(300)
1140	30	600	46	12.06	4.75	.080	321/134	GRAY/SL TURBID
1200	30	1200	47.0	12.25	4.71	.080	215/97	" "
1225	27	1600	47.0	12.05	4.75	.078	232/90	" "
1300	LOAD	(4) LVS	w/ 1600 GAL / START INTO 1900					LOWER PIPE TO 5' FROM BOTM @ 330' & SURGE
1320	30	600	44.0	12.52	4.71	.083	310/157	GRAY-SL TURBID
1340	27.5	1100	44.6	12.60	4.73	.080	306/90	
1400	LOAD	(5) LVS	w/ 1100 GAL / START INTO 2000					(500)
1420	30	600	42.7	12.56	4.71	.080	308/116	GRAY-SL TURBID

11/18

11/19

11



Tetra Tech NUS, Inc.

MONITORING WELL DEVELOPMENT RECORD

Page 2 of 3

Well: BPOW1-2 Depth to Bottom (ft.): 335 BGS Responsible Personnel: Conti
 Site: NWIRP Static Water Level Before (ft.): 34.6 Drilling Co.: Uni-Tech
 Date Installed: 11/5/03 Static Water Level After (ft.): _____ Project Name: NWIRP Bethpage-Outpost Wells
 Date Developed: 11/18 -> Screen Length (ft.): 25' Project Number: N4037
 Dev. Method: AIR LIFT/ PUMP Specific Capacity: _____
 Pump Type: 3" SUB. Casing ID (in.): 3 3/16"

WOPRD/LAASIE

11/19
(Conti)

11/20

21

Time	Estimated Flow Rate (GPM)	Cumulative Water Volume (Gal.)	Water Level Readings (Ft. below TCC) BGS	Temperature (Degrees C)	pH	Specific Conductance (Units _____) mS/cm	Turbidity (NTU)	Remarks (odor, color, etc.)
1440	30	1200	42.7	12.42	4.72	.079	202/80	GRAY - SL TURBID
1500	27	1600	42.7	12.15	4.74	.078	189/68	" " "
1530	LOAD (6) LVS WITH 1600 GALLONS							
0810	START INTO 1400 GALLON TANK							
0830	30	600	42.7	11.62	4.31	.123	215/104	GRAY - SL TURBID
0850	27	1100	42.7	11.34	4.40	.086	156/67	" " "
0850	LOAD (7) LVS w/ 1100 GALLONS - START INTO 2000 GALL (9200)							
0910	30	600	42.7	11.56	4.38	.081	160/64	CLEAR SL "
0930	30	1200	42.7	11.73	4.41	.077	146/37	" "
0950	27.0	1600	42.5	11.53	4.42	.077	134/37	" "
0950	LOAD (8) LVS w/ 1600 GALLONS / START INTO 1400 GALL TANK (10,800)							
1010	30	600	42.5	11.53	4.42	.079	153/52	" "
1030	27.5	1100	42.5	11.60	4.42	.078	113/39	
1040	LOAD (9) LVS w/ 1100 GALLONS / START INTO 2000 GALLON (11,900)							
1100	30	600	41.0	11.73	4.45	.079	173/53	" "
1120	30	1200	41.0	11.54	4.47	.080	121/37	" "
1140	27±	1600	41.0	11.54	4.47	.081	85/31	
1225	LOAD (10) LVS w/ 1600 GALLONS - START INTO 1400 GAL (13,500)							

START PUMPING ON 12/11/03



Tetra Tech NUS, Inc.

MONITORING WELL DEVELOPMENT RECORD

Well: BPOW1-2 Depth to Bottom (ft.): 335' BGS Responsible Personnel: Conti
 Site: NWIRP Static Water Level Before (ft.): 34.6 Drilling Co.: Uni-Tech
 Date Installed: 11/5/03 Static Water Level After (ft.): _____ Project Name: NWIRP Bethpage-Outpost Wells
 Date Developed: 11/18 → 11/20 Screen Length (ft.): 2.5' Project Number: N4037
 Dev. Method: AIR LIFT/PUMP Specific Capacity: _____ 310-335
 Pump Type: 3" SUB. Casing ID (in.): 3 3/16"

HURIBA/LAMOTIE

11/20
br

Time	Estimated Flow Rate (GPM)	Cumulative Water Volume (Gal.)	Water Level Readings (Ft. below TOC)	Temperature (Degrees C)	pH	Specific Conductance (Units _____) mS/cm	Turbidity (NTU)	Remarks (odor, color, etc.)	
1245	30	600	41.0	11.88	4.46	.080	140/43	CLEAR - VSL TURBID 330-335	
1305	27.5	1100	41.0	11.82	4.45	.076	131/35	" " " 325-330	
1320	LOAD (11) LVS W/ 1100 GALLONS/START INTO 2000 (14,600)								
1340	30	600	41.0	11.62	4.41	.076	155/39	" " " 320-325	
1400	30	1200	41.0	11.56	4.43	.075	76/29	" " " 315-320	
1420	27	1600	41.0	11.54	4.43	.074	74/25	" " " 310-315	
	LOAD (12) LVS/1600								
	DONE W/ AIR LIFT (16,200)								
12/1	1320	START INTO 1400 GAL							
	1340	20	400	37.5	12.16	5.01	.172	999/1057 GRAY - TURBID	
	1400	20	800	37.5	11.93	5.18	.097	465/373 " "	
	1410	20	1000	37.5	11.59	5.23	.097	362/234 " "	
	1420	18	1100	37.5	11.56	5.24	.090	265/205 " "	
	1430	LOAD LVS W/ 1100 GALLONS							
12/2	0820	START INTO 2000 GALLONS							
	0840	20	400	37.5	10.50	4.42	.151	436/316 GRAY/TURBID	
	0900	17.5	700	37.5	11.16	4.63	.083	43/81 CLEAR VSL TURBID	
	0920	17.0	1000	37.5	11.14	4.60	.082	41/43 CLEAR VSL TURBID	


DONE W/ PUMP - SAMPLE @ 0930.

APPENDIX C
BPOW1-3 WELL DATA



MONITORING WELL SHEET

PROJECT: NWIRP DRILLING Co.: UTD BORING No.: BPOW1-3
 PROJECT No.: N4037 DRILLER: BUEMINGS DATE COMPLETED: 10/29/03
 SITE: BETHPAGE DRILLING METHOD: MUD ROT NORTHING: _____
 GEOLOGIST: CONT1 DEV. METHOD: AIR LIFT/PUMP EASTING: _____



Elevation / Depth of Top of Riser: 1
 Elevation / Height of Top of Surface Casing: 1
 I.D. of Surface Casing: 12" Φ
 Type of Surface Casing: STEEL
 Type of Surface Seal: CONCRETE PAD 3' x 3' x 6"
 I.D. of Riser: 3 13/16"
 Type of Riser: SCH 80 PVC
 Borehole Diameter: 8"
 Type of Backfill: NO. 10 GRAVEL GROUT
 Elevation / Depth of Seal: F. SAND 1359
 Type of Seal: NA
 Elevation / Depth of Top of Filter Pack: 1364
 Elevation / Depth of Top of Screen: 1374
 Type of Screen: PVC SCH 80
 Slot Size x Length: 10 SL
 I.D. of Screen: 3 13/16"
 Type of Filter Pack: #1 SILICA SAND
 Elevation / Depth of Bottom of Screen: 1419
 Elevation / Depth of Bottom of Filter Pack: 1420
 Type of Backfill Below Well: SAND
 Elevation / Total Depth of Borehole: 1430

Not to Scale



BORING LOG

PROJECT NAME: NWIRP Bethpage
 PROJECT NUMBER: N4037
 DRILLING COMPANY: Uni-Tech
 DRILLING RIG: FAIRING 1500

BORING No.: BPOW 1 - 3
 DATE: 10/22/03
 GEOLOGIST: Conti
 DRILLER: BLEMINGS

Sample No. and Type or RQD	Depth (Ft.) or Run No.	Blows / 6" or RQD (%)	Sample Recovery / Sample Length	Lithology Change (Depth/Ft.) or Screened Interval	MATERIAL DESCRIPTION			U S C S	Remarks	PID/FID Reading (ppm)				
					Soil Density/ Consistency or Rock Hardness	Color	Material Classification			Sample	Sampler BZ	Borehole**	Driller BZ**	
	0				LOOSE		SAND AND GRAVEL SW		NOTE: MOST OF MATL DESC BASED ON CUTTINGS AND FROM GAMMA LOG - A FEW SPOONS WERE TAKEN - FOR CONFIRMATION.				0	
					TO									
	10				DENSE									0
	20													0
	30						SAND AND GRAVEL SW							0
								GW						
	40													0
	50													0

* When rock coring, enter rock brokenness.

** Include monitor reading in 6 foot intervals @ borehole. Increase reading frequency if elevated reponse read.

Remarks: 8" Ø MUD ROTARY - NO CASING SET IN THIS HOLE.

Drilling Area
 Background (ppm): 0

Converted to Well: Yes No Well I.D. #: BPOW 1-3



BORING LOG

PROJECT NAME: NWIRP Bethpage
 PROJECT NUMBER: N4037
 DRILLING COMPANY: Uni-Tech
 DRILLING RIG: FAILING 1500

BORING No.: BPOW1-3
 DATE: 10/22/03
 GEOLOGIST: Conti
 DRILLER: BLEMINGS

Sample No. and Type or RQD	Depth (FL) or Run No.	Blows / 6" or RQD (%)	Sample Recovery / Sample Length	Lithology Change (Depth/FL) or Screened Interval	MATERIAL DESCRIPTION			U S C S	Remarks	PID/FID Reading (ppm)				
					Soil Density/ Consistency or Rock Hardness	Color	Material Classification			Sample	Sampler BZ	Borehole**	Driller BZ**	
	50						SAND AND GRAVEL							0
	60													0
	1500 70													0
	80						SAND - SOME GRAVEL							0
	1600 90													0
	100													0

* When rock coring, enter rock brokeness.

** Include monitor reading in 6 foot intervals @ borehole. Increase reading frequency if elevated reponse read.

Remarks: _____

Drilling Area
 Background (ppm):

Converted to Well: Yes No _____ Well I.D. #: BPOW 1-3



BORING LOG

PROJECT NAME: NWIRP Bethpage
 PROJECT NUMBER: N4037
 DRILLING COMPANY: Uni-Tech
 DRILLING RIG: FAILING 1500

BORING No.: BPOW1-3
 DATE: 10/22/03 - 10/23/03
 GEOLOGIST: Conti
 DRILLER: BEMINGS

Sample No. and Type or RQD	Depth (FL) or Run No.	Blows / 6" or RQD (%)	Sample Recovery / Sample Length	Lithology Change (Depth/FL) or Screened Interval	MATERIAL DESCRIPTION			U S C S	Remarks	PID/FID Reading (ppm)			
					Soil Density/ Consistency or Rock Hardness	Color	Material Classification			Sample	Sampler BZ	Borehole**	Driller BZ**
	100	/	/				SAND - SOME GRAVEL TRACE CLAY	SC SP					0
	110	/	/										0
	120	/	/						MORE CLAY				0
	130	51/50	-8/1		V DENSE	BEN	F/C SAND - SOME GRAVEL	SW	WET. 3/4" GRAVEL SUB ROUND				0
	140	/	/				SOME CLAY		To ~ 150				0
	150	/	/										0

* When rock coring, enter rock brokenness.

** Include monitor reading in 6 foot intervals @ borehole. Increase reading frequency if elevated response read.

Remarks: _____

Drilling Area
 Background (ppm):

Converted to Well: Yes No Well I.D. #: BPOW1-3



BORING LOG

PROJECT NAME: NWIRP Bethpage
 PROJECT NUMBER: N4037
 DRILLING COMPANY: Uni-Tech
 DRILLING RIG: FALLING 1500

BORING No.: BPOW1-3
 DATE: 10/23/03
 GEOLOGIST: Conti
 DRILLER: BLEMINGS

Sample No. and Type or RQD	Depth (Ft.) or Run No.	Blows / 6" or RQD (%)	Sample Recovery / Sample Length	Lithology Change (Depth/FL) or Screened Interval	MATERIAL DESCRIPTION			U S C S .	Remarks	PID/FID Reading (ppm)					
					Soil Density/ Consistency or Rock Hardness	Color	Material Classification			Sample	Sampler BZ	Borehole**	Driller BZ**		
	150	/					SAND - SOME GRAVEL								0
	160	/													0
0940	170	/													0
	180	/					SILTY SAND - SOME GR.								0
	190	/													0
1000	200	/													0

* When rock coring, enter rock brokenness.

** Include monitor reading in 6 foot intervals @ borehole. Increase reading frequency if elevated response read.

Remarks: _____

Drilling Area
 Background (ppm):

Converted to Well: Yes No Well I.D. #: BPOW1-3



BORING LOG

PROJECT NAME: NWIRP Bethpage
 PROJECT NUMBER: N4037
 DRILLING COMPANY: Uni-Tech
 DRILLING RIG: FAILING 1500

BORING No.: BPOW1-3
 DATE: 10/23/03
 GEOLOGIST: Conti
 DRILLER: BLEMINGS

Sample No. and Type or ROD	Depth (FL) or Run No.	Blows / 6" or ROD (%)	Sample Recovery / Sample Length	Lithology Change (Depth/FL) or Screened Interval	MATERIAL DESCRIPTION			U S C S	Remarks	PID/FID Reading (ppm)								
					Soil Density/ Consistency or Rock Hardness	Color	Material Classification			Sample	Sampler BZ	Borehole**	Driller BZ**					
	200																	0
S-2 e	210	56 51			V DENSE	BRN GRAY	SILTY F/M SAND	SM	WET									0
1020	211							SP	MICACEOUS									
	220																	0
	230																	0
	240																	0
	250																	0

* When rock coring, enter rock brokenness.

** Include monitor reading in 6 foot intervals @ borehole. Increase reading frequency if elevated response read.

Remarks: _____

Drilling Area Background (ppm):

Converted to Well: Yes No

Well I.D. #: BPOW1-3



BORING LOG

PROJECT NAME: NWIRP Bethpage
 PROJECT NUMBER: N4037
 DRILLING COMPANY: Uni-Tech
 DRILLING RIG: FAILING 1500

BORING No.: BPOW1-3
 DATE: 10/23/03
 GEOLOGIST: Conti
 DRILLER: BLEMINGS

Sample No. and Type or RQD	Depth (Ft.) or Run No.	Blows / 6" or RQD (%)	Sample Recovery / Sample Length	Lithology Change (Depth/Ft.) or Screened Interval	MATERIAL DESCRIPTION			U S C S .	Remarks	PID/FID Reading (ppm)				
					Soil Density/ Consistency or Rock Hardness	Color	Material Classification			Sample	Sampler BZ	Borehole**	Driller BZ**	
	250	/					SILTY SAND	SM SP						0
	260	/												0
	270	/												0
	280	/					SILTY SAND - TR CLAY	SM SP						0
	290	/					TO SOME CLAY	SC (CLAYEY SAND)						0
	300	/												0

* When rock coring, enter rock brokenness.

** Include monitor reading in 6 foot intervals @ borehole. Increase reading frequency if elevated response read.

Remarks: _____

Drilling Area Background (ppm): 0

Converted to Well: Yes No Well I.D. #: BPOW1-3



BORING LOG

PROJECT NAME: NWIRP Bethpage
 PROJECT NUMBER: N4037
 DRILLING COMPANY: Uni-Tech
 DRILLING RIG: FALING 1500

BORING No.: BPOW1-3
 DATE: 10/23/03
 GEOLOGIST: Conti
 DRILLER: BLEMINGS

Sample No. and Type or RQD	Depth (FL) or Run No.	Blows / 6" or RQD (%)	Sample Recovery / Sample Length	Lithology Change (Depth/Ft.) or Screened Interval	MATERIAL DESCRIPTION			U S C S *	Remarks	PID/FID Reading (ppm)										
					Soil Density/ Consistency or Rock Hardness	Color	Material Classification			Sample	Sampler BZ	Borehole**	Driller BZ**							
	300	/																		
S-3 120	310 311	48 50	.5 1		STIFF		SILTY/SANDY CLAY	CL SC	MOIST											
	320	/			DENSE		SILTY F/M SAND													
	330	/																		
	340	/					SILTY F/M SAND TR CLAY	SM												
	350	/																		

* When rock coring, enter rock brokenness.

** Include monitor reading @ borehole. Increase reading frequency if elevated response read.

Remarks: _____

Drilling Area
 Background (ppm):

Converted to Well: Yes No Well I.D. #: BPOW1-3



BORING LOG

PROJECT NAME: NWIRP Bethpage
 PROJECT NUMBER: N4037
 DRILLING COMPANY: Uni-Tech
 DRILLING RIG: FALLING 1500

BORING No.: BPOW1-3
 DATE: 10/23/03
 GEOLOGIST: Conti
 DRILLER: BIEMINGS

Sample No. and Type or RQD	Depth (Ft.) or Run No.	Blows / 6" or RQD (%)	Sample Recovery / Sample Length	Lithology Change (Depth/Ft.) or Screened Interval	MATERIAL DESCRIPTION			U S C S .	Remarks	PID/FID Reading (ppm)			
					Soil Density/ Consistency or Rock Hardness	Color	Material Classification			Sample	Sampler BZ	Borehole**	Driller BZ**
	350	/					SILTY F/M SAND TR CLAY	SM SP					0
	360	/											0
	370	/											0
	380	/					SAME AS ABOVE						0
	390	/											0
	400	/											0

* When rock coring, enter rock brokenness.

** Include monitor reading in 6 foot intervals @ borehole. Increase reading frequency if elevated response read.

Remarks: _____

Drilling Area
 Background (ppm):

Converted to Well: Yes No Well I.D. #: BPOW1-3



BORING LOG

PROJECT NAME: NWIRP Bethpage
 PROJECT NUMBER: N4037
 DRILLING COMPANY: Uni-Tech
 DRILLING RIG: FALLING 1500

BORING No.: BPOW1-3
 DATE: 10/23/03
 GEOLOGIST: Conti
 DRILLER: BLEMINGS

Sample No. and Type or RQD	Depth (Ft.) or Run No.	Blows / 6" or RQD (%)	Sample Recovery / Sample Length	Lithology Change (Depth/Ft.) or Screened Interval	MATERIAL DESCRIPTION			U S C S	Remarks	PID/FID Reading (ppm)			
					Soil Density/ Consistency or Rock Hardness	Color	Material Classification			Sample	Sampler BZ	Borehole**	Driller BZ**
	400						SANDY CLAY	SC	(FROM CUTTINGS AND GAMMA LOG)				0
S-4 e 1345	410 411	51 53	6/1		V DENSE		SILTY SAND-TR CLAY	SU WET					0
	420												0
							BOTM @ 430 w/ 8" φ						
							GAMMA LOG TO 419'						
							SET WELL SCR. 374-399 "						
							399-409 BLANK						
							409-419 SCR						

* When rock coring, enter rock brokenness.

** Include monitor reading in 6 foot intervals @ borehole. Increase reading frequency if elevated response read.

Remarks: _____

Drilling Area
 Background (ppm):

Converted to Well: Yes No Well I.D. #: BPOW1-3



Tetra Tech NUS, Inc.

MONITORING WELL DEVELOPMENT RECORD

Well: BPOW1-3 Depth to Bottom (ft.): 419' BGS Responsible Personnel: Conti
 Site: NWIRP Static Water Level Before (ft.): 33.5 BGS Drilling Co.: Uni-Tech
 Date Installed: 10/29/03 Static Water Level After (ft.): _____ Project Name: NWIRP Bethpage-Outpost Wells
 Date Developed: 11/13 Screen Length (ft.): 40' Project Number: N4037
 Dev. Method: AIR LIFT/PUMP Specific Capacity: _____
 Pump Type: 3" SUBMERSIBLE Casing ID (in.): 3 3/16 → 374 - 399 - SCR
 399 - 409 - BL
 409 - 419 - SCR

30

Time	Estimated Flow Rate (GPM)	Cumulative Water Volume (Gal.)	Water Level Readings (Ft. below T&E) BGS	Temperature (Degrees C)	pH	Specific Conductance (Units _____) mS/cm	Turbidity (NTU) HORIBA/LAMORTE	Remarks (odor, color, etc.)
0940	—	—	33.5	—	—	—	—	INITIAL/ DEV PIPE @ 220 ±
1010	30	900	42'	11.86	4.43	.208	999	GRAY TURBID
1035	29'	1600	41.5	11.65	4.34	.137	999	" "
1040	LOAD	① LVS	w/ 1600 GALLONS	START	INTO 1400 GALL			
1100	30	600	38.5	11.83	4.23	.118	701	" "
1120	27.5	1100	38.5	11.78	4.23	.107	644	" "
1130	LOAD	② LVS	w/ 1100 GALLONS					
1140	START	INTO	2000 TANK					
1200	40	800	37.5	11.73	4.34	.105	556/240	" SL TURBID
1220	40	1600	38.0	11.53	4.24	.102	469/241	" "
1230	LOAD	③ LVS	w/ 1600 GALLONS	START	INTO 1400 GALLONS			TANK = 1300 TOTAL
1245	40	600	38.0	11.40	4.18	.095	486/235	pH paper 4 → 5 Gray SL Turbid
1300	37	1100	38.0	11.34	4.18	.095	409/183	" " "
1320	LOAD	④ LVS	w/ 1100 GALLONS	START	INTO 2000 TANK			⑤100
1340	35	700	38	11.29	4.05	.095	375/196	pH paper 4-5 checked calib solution was 9.86
1400	35	1400	38	11.27	4.14	.145	305/198	GRAY SL TURBID
1415	LOAD	⑤ LVS	w/ 1600 GALLONS	START	INTO 1200			⑥100
1435	35	700	38	11.00	4.25	.102	258/168	" " "
1450	31	1100	38	10.83	4.16	.098	292/141	" " "

Recalibrate

③100



Tetra Tech NUS, Inc.

MONITORING WELL DEVELOPMENT RECORD

Well: BPOW1-3 Depth to Bottom (ft.): 419' BGS Responsible Personnel: Conti
 Site: NWIRP Static Water Level Before (ft.): 33.5 Drilling Co.: Uni-Tech
 Date Installed: 10/29/03 Static Water Level After (ft.): _____ Project Name: NWIRP Bethpage-Outpost Wells
 Date Developed: 11/13 Screen Length (ft.): SEE PG 1 Project Number: N4037
 Dev. Method: AIR LIFT / PUMP Specific Capacity: _____
 Pump Type: 3" SUB. Casing ID (in.): 3 7/16

HORIBA/LAMOTTE

11/17

W

Time	Estimated Flow Rate (GPM)	Cumulative Water Volume (Gal.)	Water Level Readings (Ft. below TGG) ± 28' BGS	Temperature (Degrees C)	pH	Specific Conductance (Units _____) mS/cm	Turbidity (NTU)	Remarks (odor, color, etc.)
								LOWERED
1120		START INTO 2000 GALLON						DRP DEF TOOLS TO 5' FROM BOTM.
1140	35	700	33.5	11.52	4.15	.141	778	GRAY/TURBID
1200	35'	1400	33.5	11.49	4.19	.100	444/245	" SL "
1215	LOAD (7)	LVS W	1600 GALLONS (9700)					START INTO 1400 GALLON
1235	30	600	33.5	11.58	4.26	.100	297/125	GRAY/SL TURBID
1255	27.5	1100	33.5	11.57	4.28	.098	214/87	" "
1305	LOAD (8)	LVS W/ 1100 GALLONS (START INTO 2000 TANK)						
1325	30	600	33.5	11.43	4.30	.099	207/80	" " "
1345	30	1200	33.5	11.42	4.29	.101	148/52	" " "
1405	27	1600	33.5	11.33	4.27	.101	138/46	" " "
1405	LOAD (9)	LVS W/ 1600 GALLONS (START INTO 1400 GAL)						
1425	30	600	33.5	11.24	4.11	.108	115/42	" V SL TURBID
1445	27.5	1100	33.5	11.20	4.13	.099	92/34	" " "
1500	LOAD (10)	LVS W/ 1100 GALLONS (START INTO 2000 GALLON)						SURGE WELL.
1520	30	600	33.5	11.15	4.39	.150	149/44	GRAY V. SL TURBID
1540	30	1200	33.5	11.20	4.41	.107	53/34	CLEAR " " 419-419
1600	27	1600	33.5	11.18	4.42	.106	51/31	" " " 409-419
1610	LOAD (11)	LVS W/ 1600 GALLONS						



Tetra Tech NUS, Inc.

MONITORING WELL DEVELOPMENT RECORD

Well: BPOW 1-3 Depth to Bottom (ft.): 417' LGS Responsible Personnel: Conti
 Site: NWIRP Static Water Level Before (ft.): 33.5± Drilling Co.: Uni-Tech
 Date Installed: 10/29/03 Static Water Level After (ft.): _____ Project Name: NWIRP Bethpage-Outpost Wells
 Date Developed: 11/13 → 11/18/03 Screen Length (ft.): SFF P-1 Project Number: N4037
 Dev. Method: AIR LIFT / PUMP Specific Capacity: _____
 Pump Type: 3" SUB. Casing ID (in.): 3.125"

POWER / LINE #

11/18
32

Time	Estimated Flow Rate (GPM)	Cumulative Water Volume (Gal.)	Water Level Readings (Ft. below TOG) BGS	Temperature (Degrees C)	pH	Specific Conductance (Units) $\mu S/cm$	Turbidity (NTU)	Remarks (odor, color, etc.)
0925	START	INTO	1400 GALLON TANK					
0945	30	600	33.5	11.42	4.44	.106	58/27	CLEAR V.SL TURBID 394-399
1005	27.5	1100	33.5	11.39	4.44	.106	33/19	" " " 389-394
1015	LOAD	(12) LVS	w/ 1100 GALLONS	START INTO	2000			
1035	30	600	33.5	11.36	4.40	.109	46/26	" " " 384-389
1055	30	1200	33.5	11.32	4.41	.109	25/22	" " " 379-384
1115	27	1600	33.5	11.35	4.42	.106	25/21	" " " 374-379
	LOAD	(13) LVS	w/ 1600 GALLONS	(PUMP AIR LIFT)				
12/2	0940	START INTO	2000 GALLON / PUMP W/ 1000	ALREADY IN IT.				W/L 33.5± INTANK
	1000	20	400	35.0	11.01	4.64	.100	999/1053 GRAY/TURBID (1400)
	1020	17.5	700	35.0	11.19	4.64	.096	222/225 (1700)
		LOAD	LVS w/ 1700 GALLONS					
	1120	START INTO	2000 GALLON					
	1140	20	400	35.0	11.27	4.75	.096	287/302 GRAY TURBID
	1200	17.5	700	35.0	11.38	4.67	.097	36/64 CLEAR / SL TURBID
	1220	15	900	35.0	11.37	4.65	.094	4/45 "
			DONE w/ PUMP TOOK SAMPLE @ 1220					

AQUA TERRA GEOPHYSICS INC


As per DB on
10/24/03:


1-1 196-231 SC
231-236 BL
236-241 SC


1-2 310-335

1-3 374-399 SC
399-409 BL
409-419 SC


CO WELL FLD CTY STE FILING No		COMPANY UNI TECH DRILLING		WELL ID BROW 1-3		FIELD NW/4RP BETHPAGE		COUNTRY		STATE	
PERMANENT DATUM		ELEVATION		ROD		OTHER SERVICES		LOCATION			
LOG MEAS. FROM		GROUND SURFACE		ABOVE PERM DATUM		K.D.		SEC		TWP	
DRILLING MEAS. FROM		DATE		OCTOBER 24, 2001		TYPE OF DR. HOLE		ELEVATION		ROD	
RUN NO		TYPE LOG		130 FEET		SALINITY		K.D.		K.D.	
DEPTH-DRILLER		DEPTH-LOGGER		419 FEET		DENSITY LEVEL		K.D.		K.D.	
RTM LOGGED INTERVAL		RTM LOGGED INTERVAL				MAX. RQC. TEMP		K.D.		K.D.	
TOP LOGGED INTERVAL		TOP LOGGED INTERVAL						K.D.		K.D.	
OPERATING RIG TIME		OPERATING RIG TIME						K.D.		K.D.	
RECORDED BY		RECORDED BY		BENJAMIN RICE				K.D.		K.D.	
WITNESSED BY		WITNESSED BY		STEAN COONT				K.D.		K.D.	
BOREHOLE RECORD		CASING RECORD		FROM		TO		SIZE		WT.	
B ENCL		GROUND SURFACE TOTAL DEPTH		FROM		TO		FROM		TO	








270
280
290
300
310
320
330
340
350
360






APPENDIX D
BPOW2-1 WELL DATA



MONITORING WELL SHEET

PERMIT No: _____

PROJECT: NWIRP DRILLING Co.: UNITECH BORING No.: BPOW2-1
 PROJECT No.: N4037 DRILLER: EVANS DATE COMPLETED: 6/28/03
 SITE: BPOW2 DRILLING METHOD: MUD ROT NORTHING: _____
 GEOLOGIST: CONTI DEV. METHOD: AIR LIFT/PUMP EASTING: _____



Elevation / Depth of Top of Riser: 1
 Elevation / Height of Top of Surface Casing: 1
 I.D. of Surface Casing: 12" Φ
 Type of Surface Casing: STEEL
 Type of Surface Seal: CONCRETE PAD
 I.D. of Riser: 3 13/16"
 Type of Riser: SCH 80 PVC
 Borehole Diameter: 8" Φ
 Type of Backfill: VOLCLAY GROUT
 Elevation / Depth of Seal: #0 F. SAND 1345
 Type of Seal: (FINE SAND) NA
 Elevation / Depth of Top of Filter Pack: C SAND 1350
 Elevation / Depth of Top of Screen: 1360
 Type of Screen: PVC
 Slot Size x Length: 10 SL x 40' * BLANK FROM 365 - 375 -
 I.D. of Screen: 3 13/16" SCH 80
 Type of Filter Pack: #1 SILICA SAND
 Elevation / Depth of Bottom of Screen: 1400
 Elevation / Depth of Bottom of Filter Pack: 1401
 Type of Backfill Below Well: SILICA SAND
 Elevation / Total Depth of Borehole: 1410

Ground Elevation Datum:

Not to Scale



BORING LOG

PROJECT NAME: NWIRP Bethpage
 PROJECT NUMBER: N4037
 DRILLING COMPANY: Uni-Tech
 DRILLING RIG: FALING 1500

BORING No.: BPOW2-1
 DATE: 8/25/03
 GEOLOGIST: Conti
 DRILLER: EVANS

Sample No. and Type or RQD	Depth (Ft) or Run No.	Blows / 6" or RQD (%)	Sample Recovery / Sample Length	Lithology Change (Depth/Ft) or Screened Interval	MATERIAL DESCRIPTION			U S C S *	Remarks	PID/FID Reading (ppm)									
					Soil Density/ Consistency or Rock Hardness	Color	Material Classification			Sample	Sampler BZ	Borehole**	Driller BZ**						
1630	0	/																	
		/								SEE LOG 2-2 AND GAMMA LOG FOR MORE DETAIL									
	10	/								SAND & GRAVEL	GW								0
	20	/																	0
	30	/								SAME		1/2" Ø GRAVEL							0
	40	/																	0
1730	50	/																	0

* When rock coring, enter rock brokenness.

** Include monitor reading in 6 foot intervals @ borehole. Increase reading frequency if elevated response read.

Remarks: 8" Ø MUD ROTARY - INITIALLY

Drilling Area Background (ppm): 0

Converted to Well: Yes No Well I.D. #: BPOW2-1



BORING LOG

PROJECT NAME: NWIRP Bethpage
 PROJECT NUMBER: N4037
 DRILLING COMPANY: Uni-Tech
 DRILLING RIG: FAILING 1500

BORING No.: BPOW2-1
 DATE: 8/26/03
 GEOLOGIST: Conti
 DRILLER: EVAUS

Sample No. and Type or RQD	Depth (FL) or Run No.	Blows / 6" or RQD (%)	Sample Recovery / Sample Length	Lithology Change (Depth/FL) or Screened Interval	MATERIAL DESCRIPTION			U S C S *	Remarks	PID/FID Reading (ppm)			
					Soil Density/Consistency or Rock Hardness	Color	Material Classification			Sample	Sampler BZ	Borehole**	Driller BZ**
	50	/					SAND AND GRAVEL	GW					0
	60	/											0
	70	/					SAND - SOME GRAVEL (FROM CUTTINGS)						0
		/					SOME CLAY	GW SC?					
	80	/											0
	90	/											0
	100	/											

* When rock coring, enter rock brokenness.

** Include monitor reading in 6 foot intervals @ borehole. Increase reading frequency if elevated response read.

Remarks: _____

Drilling Area
 Background (ppm):

Converted to Well: Yes No Well I.D. #: BPOW2-1



BORING LOG

PROJECT NAME: NWIRP Bethpage
 PROJECT NUMBER: N4037
 DRILLING COMPANY: Uni-Tech
 DRILLING RIG: FADING 1500

BORING No.: BPOW
 DATE: 8/26/03
 GEOLOGIST: Conti
 DRILLER: EVANS

Sample No. and Type or RQD	Depth (FL) or Run No.	Blows / 6" or RQD (%)	Sample Recovery / Sample Length	Lithology Change (Depth/FL) or Screened Interval	MATERIAL DESCRIPTION			U S C S	Remarks	PID/FID Reading (ppm)											
					Soil Density/ Consistency or Rock Hardness	Color	Material Classification			Sample	Sampler BZ	Borehole**	Driller BZ**								
	100																				
							SILTY SAND-TR F GRAVEL														0
1035 ±	110																				0
	120																				0
	130						SILTY SAND-SOME CLAY	SC SM													0
	140																				0
1100	150						SAME	SC SM													0

* When rock coring, enter rock brokenness.

** Include monitor reading in 6 foot intervals @ borehole. Increase reading frequency if elevated response read.

Remarks: _____

Drilling Area
 Background (ppm):

Converted to Well: Yes No Well I.D. #: BPOW 2-1



BORING LOG

PROJECT NAME: NWIRP Bethpage
 PROJECT NUMBER: N4037
 DRILLING COMPANY: Uni-Tech
 DRILLING RIG: FAILING 1500

BORING No.: BPOW2-1
 DATE: 8/26/03
 GEOLOGIST: Conti
 DRILLER: EVANS

Sample No. and Type or ROD	Depth (Fl.) or Run No.	Blows / 6" or ROD (%)	Sample Recovery / Sample Length	Lithology Change (Depth/Fl.) or Screened Interval	MATERIAL DESCRIPTION			U S C S *	Remarks	PID/FID Reading (ppm)			
					Soil Density/ Consistency or Rock Hardness	Color	Material Classification			Sample	Sampler BZ	Borehole**	Driller BZ**
	150				TAN BRN		SILTY SAND - TR CLAY	SM					0
	160												0
	170												0
	180						SILTY SAND	SM					0
	190												0
	200												0

* When rock coring, enter rock brokenness.

** Include monitor reading in 6 foot intervals @ borehole. Increase reading frequency if elevated response read.

Remarks: _____

Drilling Area Background (ppm):

Converted to Well: Yes No Well I.D. #: BPOW 2-1



BORING LOG

PROJECT NAME: NWIRP Bethpage
 PROJECT NUMBER: N4037
 DRILLING COMPANY: Uni-Tech
 DRILLING RIG: FALLING 1500

BORING No.: BPOW2-1
 DATE: 8/26/03
 GEOLOGIST: Conti
 DRILLER: EVANS

Sample No. and Type or RQD	Depth (FL) or Run No.	Blows / 6" or RQD (%)	Sample Recovery / Sample Length	Lithology Change (Depth/FL) or Screened Interval	MATERIAL DESCRIPTION			U S C S	Remarks	PID/FID Reading (ppm)									
					Soil Density/ Consistency or Rock Hardness	Color	Material Classification			Sample	Sampler BZ	Borehole**	Driller BZ**						
	200																		
	210																		
	1215 220																		
	230																		
	240																		
	1230 250																		

* When rock coring, enter rock brokenness.

** Include monitor reading in 6 foot intervals @ borehole. Increase reading frequency if elevated response read.

Remarks: _____

Drilling Area
 Background (ppm):

Converted to Well: Yes No Well I.D. #: BPOW2-1



BORING LOG

PROJECT NAME: NWIRP Bethpage
 PROJECT NUMBER: N4037
 DRILLING COMPANY: Uni-Tech
 DRILLING RIG: FAILING 1500

BORING No.: BPOW2-1
 DATE: 8/26/03
 GEOLOGIST: Conti
 DRILLER: EVANS

Sample No. and Type or RQD	Depth (FL) or Run No.	Blows / 6" or RQD (%)	Sample Recovery / Sample Length	Lithology Change (Depth/FL) or Screened Interval	MATERIAL DESCRIPTION			U S C S *	Remarks	PID/FID Reading (ppm)									
					Soil Density/ Consistency or Rock Hardness	Color	Material Classification			Sample	Sampler BZ	Borehole**	Driller BZ**						
	250																		
							GRAY SILTY SAND	SM SP											0
																			0
	260																		0
																			0
	1245	270					SAME.												0
																			0
	280																		0
																			0
	290						MORE CLAY NOTICED												0
							SANDY CLAY	SC											0
																			0
	1310	300																	0

* When rock coring, enter rock brokenness.

** Include monitor reading in 6 foot intervals @ borehole. Increase reading frequency if elevated response read.

Remarks: _____

Drilling Area Background (ppm):

Converted to Well: Yes No Well I.D. #: BPOW2-1



BORING LOG

PROJECT NAME: NWIRP Bethpage
PROJECT NUMBER: N4037
DRILLING COMPANY: Uni-Tech
DRILLING RIG: FAILING 1500

BORING No.: BPOW 2-1
DATE: 8/26/03
GEOLOGIST: Conti
DRILLER: EVANS

Sample No. and Type or RQD	Depth (FL) or Run No.	Blows / 6" or RQD (%)	Sample Recovery / Sample Length	Lithology Change (Depth/FL) or Screened Interval	MATERIAL DESCRIPTION			U S C S	Remarks	PID/FID Reading (ppm)								
					Soil Density/ Consistency or Rock Hardness	Color	Material Classification			Sample	Sampler BZ	Borehole**	Driller BZ**					
	<u>300</u>																	
							SANDY CLAY											
	<u>1400</u> <u>310</u>																	
	<u>320</u>						SILTY SAND	SP SM										
	<u>330</u>																	
	<u>340</u>						SAME											
	<u>1530</u> <u>350</u>																	

* When rock coring, enter rock brokenness.

** Include monitor reading in 6 foot intervals @ borehole. Increase reading frequency if elevated response read.

Remarks: _____

Drilling Area
Background (ppm):

Converted to Well: Yes No _____ Well I.D. #: BPOW 2-1



BORING LOG

PROJECT NAME: NWIRP Bethpage
 PROJECT NUMBER: N4037
 DRILLING COMPANY: Uni-Tech
 DRILLING RIG: FAILING 1500

BORING No.: BPOW
 DATE: 8/27/03
 GEOLOGIST: Conti
 DRILLER: EVANS

Sample No. and Type or RQD	Depth (FL) or Run No.	Blows / 6" or RQD (%)	Sample Recovery / Sample Length	Lithology Change (Depth/FL) or Screened Interval	MATERIAL DESCRIPTION			U S C S	Remarks	PID/FID Reading (ppm)										
					Soil Density/ Consistency or Rock Hardness	Color	Material Classification			Sample	Sampler BZ	Borehole**	Driller BZ**							
	350																			
								SM SP											0	
	360			360															0	
					B L A N K															
			365																	
	370																			0
			375																	
	380										SET WELL									0
											360 → 400									0
											w/ BLANK SECTION FROM 365 → 375									
											C SAND TO 350									
											F SAND TO 345									
	390																		0	
										DRILLED 8" TO 410										
	400																		0	

* When rock coring, enter rock brokenness.

** Include monitor reading in 6 foot intervals @ borehole. Increase reading frequency if elevated response read.

Remarks: _____

Drilling Area Background (ppm):

Converted to Well: Yes No Well I.D. #: BPOW 2-1



Tetra Tech NUS, Inc.

MONITORING WELL DEVELOPMENT RECORD

Page 1 of 3

Well: BROW 2-1 Depth to Bottom (ft.): 400 BGS Responsible Personnel: Conti
 Site: NWIRP Static Water Level Before (ft.): 11.0' ± Drilling Co.: Uni-Tech
 Date Installed: 8/28/03 Static Water Level After (ft.): _____ Project Name: NWIRP Bethpage-Outpost Wells
 Date Developed: 9/15/03 Screen Length (ft.): 40' - 10' BLANK Project Number: N4037
 Dev. Method: AIR LIFT/ PUMP Specific Capacity: _____
 Pump Type: _____ Casing ID (in.): 3 13/16

U-22 2020 360-400
 HORIBA/LAMOTTE 365-375 (BLANK)

Time	Estimated Flow Rate (GPM)	Cumulative Water Volume (Gal.)	Water Level Readings (Ft. below TGG) GS	Temperature (Degrees C)	pH	Specific Conductance (Units _____) mS/cm	Turbidity (NTU)	Remarks (odor, color, etc.)
0955	START	AIR LIFT	INTO 1800 GALLON TANK	---	---	---	---	GRAY - TURBID
1015	20	400	28.00	13.66	4.81	.173	999	RODS @ 250' ± GRAY AND TURBID
1035	20	800	27.50	14.20	4.94	.125	999	" " "
1055	20	1200	27.00	13.89	4.95	.115	999	" " "
1115	20	1600	27.00	14.15	4.95	.117	999	" " "
9/5*	LOAD	(1) LVS	(1600)					→ CLEAR/NON TURBID.
9/8*	INITIAL	W.L.	24.00	LOAD (2) LVS	(1600) = 3200			LOWER RODS TO ≈ 340' THEN SURGE
1235	START	AIR LIFT	INTO 1400 GALLON TANK					
1255	25	500	26.00	13.62	5.60	.141	349/21	CLEAR
1315	25	1000	26.00	13.52	5.67	.121	395/12	" SURGE
1320	LOAD	(3) DONE	(1100) = 4300					
1320	START	INTO 1800 GALLON TANK.						
1340	30	600	26.00	13.59	5.62	.119	384/9	CLEAR
1400	30	1200	25.50	13.55	5.63	.119	390/8	" 5900
1420	27	1600	25.50	13.56	5.62	.120	388/9	" LOAD (4) W. (1600)
1420	START	INTO 1800 GALLON.						SURGE
1440	25	500	25.50	13.45	5.52	.114	308/7	"
1500	27.5	1100	25.50	13.69	5.50	.112	276/5	" LOAD (5) LVS (1100) = 7000

47



Tetra Tech NUS, Inc.

MONITORING WELL DEVELOPMENT RECORD

Page 2 of 3

Well: BPOWJ2-1 Depth to Bottom (ft.): 400 BGS Responsible Personnel: Contl
 Site: NWIRP Static Water Level Before (ft.): _____ Drilling Co.: Uni-Tech
 Date Installed: 8/28/03 Static Water Level After (ft.): _____ Project Name: NWIRP Bethpage-Outpost Wells
 Date Developed: 9/15/03 Screen Length (ft.): 40 - 10' BLANK Project Number: N4037
 Dev. Method: AIR LIFT / PUMP Specific Capacity: _____
 Pump Type: _____ Casing ID (in.): 3 13/16

U-22
 HORIBA / LAMOTIE

Time	Estimated Flow Rate (GPM)	Cumulative Water Volume (Gal.)	Water Level Readings (Ft. below TOE GS)	Temperature (Degrees C)	pH	Specific Conductance (Units _____) mS/cm	Turbidity (NTU)	Remarks (odor, color, etc.)
9/8 1510	START	INTO 1800 GALLON TANK						
1530	30	600	25.50	13.33	5.47	.114	270/5	CLEAR.
1550	30	1200	25.50	13.40	5.45	.112	265/6	"
1610	27	1600	25.50	13.38	5.42	.116	275/5	"
		LOAD (6) LVS w/1600 GALLONS	(8600)					THIS WELL SO FAR.
9/9 0850	START	INTO 1400 GALLON TANK.						LOWER RODS TO BOTM/SURGE
0910	30	600	27.00	13.08	4.51	.198	372/54	CLEAR - SL TURBID 25.70 SWL
0930	27.5	1100	27.00	13.00	4.74	.092	298/26	" NON TURBID
0950	27	1600	27.00	12.94	4.73	.089	134/15	" "
		LOAD (7) LVS w/1600 GALLONS =	10,200			.1050		SURGE WELL.
1000	START	INTO 1400 GALLON TANK.						
1020	25	500	27.00	13.05	4.75	.092	295/43	CLEAR - SL TURBID
1040	25	1000	27.00	13.14	4.70	.091	146/21	" NON "
1050		LOAD (8) LVS w/ 1100 GAL	11,300					
1050	START	INTO 1800 GALLON						
1110	30	600	27.00	12.96	4.73	.095	198/14	" "
1130	27.5	1100	27.00	12.95	4.74	.093	137/12	" "
1150	27	1600	26.50	13.08	4.76	.092	169/10	" " 395.400

LOAD (9) LVS w/1600 GAL 12,900



Tetra Tech NUS, Inc.

MONITORING WELL DEVELOPMENT RECORD

Well: BPOW2-1 Depth to Bottom (ft.): 400' BGS Responsible Personnel: Conti
 Site: NWIRP Static Water Level Before (ft.): _____ Drilling Co.: Uni-Tech
 Date Installed: 8/28/03 Static Water Level After (ft.): _____ Project Name: NWIRP Bethpage-Outpost Wells
 Date Developed: 9/5/03 → Screen Length (ft.): 40 - 10' BLANK Project Number: N4037 360-400 360-365 - SCR.
 Dev. Method: AIR LIFT / PUMP Specific Capacity: _____ 365-375 - BL
 Pump Type: GRUNDFOS SUB. Casing ID (in.): 3 13/16 375-400 - SCR.

U22 2020
HORIBA / LAMOTIE

b4

Time	Estimated Flow Rate (GPM)	Cumulative Water Volume (Gal.)	Water Level Readings (Ft. below FOG GS)	Temperature (Degrees C)	pH	Specific Conductance (Units _____) mS/cm	Turbidity (NTU)	Remarks (odor, color, etc.)
1155	START	INTO 1400 GALLON TANK						CLEAR NON TURBID
1215	30	600	25.00	13.15	4.87	.096	290/12	" " 390-395
1235	27.5	1100	25.00	12.89	4.83	.093	165/11	" " 385-390
1240	LOAD	(10) LUS	w/ 1100 GALLONS		14.000	(THIS WELL)		
1240	START	INTO 1800 GALLON TANK.						
1300	30	600	25.00	12.96	4.88	.092	160/14	CLEAR NON TURBID 380-385
1320	27.5	1100	25.00	12.75	4.87	.092	218/12	" " " 375-380
1340	27	1600	25.00	12.72	4.86	.091	160/12	" " " 360-365
	LOAD	(11) LUS	w/ 1600 GALLONS		15.600			
			START @ 800 GALLONS PREVIOUS WELL					(AIR) ↑ (PUMP) ↓
1035	START	PUMPING	25.5					
1055	15	300 (1100)	26.0	13.34	5.79	.160	999/993	GRAY / TURBID
1115	10	200 (1300)	26.0	13.32	5.70	.128	398/36	CLEAR - SL TURBID
1135	15	300 (1600)	26.0	13.35	5.65	.120	216/24	" NON "
1155	10	200 (1800)	26.0	13.38	5.64	.118	135/14	" "
			15,600					DONE
			1000					
			16,600					TOTAL THIS WELL.


APPENDIX E
BPOW2-2 WELL DATA



MONITORING WELL SHEET

PERMIT No:

PROJECT: NWIRP DRILLING Co.: UNITECH BORING No.: BPOW 2-2
 PROJECT No.: N4037 DRILLER: EVANS DATE COMPLETED: 8/20/03
 SITE: BPOW 2 DRILLING METHOD: MUD ROT NORTHING: _____
 GEOLOGIST: CONTJ DEV. METHOD: _____ EASTING: _____





BORING LOG

PROJECT NAME: NWIRP Bethpage
 PROJECT NUMBER: N4037
 DRILLING COMPANY: Uni-Tech
 DRILLING RIG: FAILING 1500

BORING No.: BPOW2-2
 DATE: 8/6/03
 GEOLOGIST: Conti
 DRILLER: EVANS

Sample No. and Type or RQD	Depth (FT.) or Run No.	Blows / 6" or RQD (%)	Sample Recovery / Sample Length	Lithology Change (Depth/FL) or Screened Interval	MATERIAL DESCRIPTION			U S C S	Remarks	PID/FID Reading (ppm)			
					Soil Density/ Consistency or Rock Hardness	Color	Material Classification			Sample	Sampler BZ	Borehole**	Driller BZ**
8/6 1445	0				DENSE	TAN BRN	GRAVEL AND SAND	GW	SOME 1" SUB ANG/SUB ROUND GRAVEL LOGGED FROM CUTTINGS.				0
	10												0
	1500 20						SAME						0
	30						SAME						0
8/6 8/7 1570	40						GRAVEL AND SAND	GW					0
	105 50								SEE CASING @ 45' - WOULD NOT GO DEEPER - HOLE DEPTH @ 100'				

* When rock coring, enter rock brokenness.

** Include monitor reading in 6 foot intervals @ borehole. Increase reading frequency if elevated response read.

Remarks: START W/ 8" Ø MUD ROTARY
CETCO PURE GOLD GEL (DRILLING MUD)
HOLE WAS REAMED TO 12" TO 100' BUT COULD ONLY INSTALL 10" CAS TO 45'
 Converted to Well: Yes No Well I.D. #: BPOW2-2

Drilling Area

Background (ppm):



BORING LOG

PROJECT NAME: NWIRP Bethpage
 PROJECT NUMBER: N4037
 DRILLING COMPANY: Uni-Tech
 DRILLING RIG: FAILING 1500

BORING No.: BPOW 2-2
 DATE: 8/7/03
 GEOLOGIST: Conti
 DRILLER: EVANS

Sample No. and Type or RQD	Depth (FL) or Run No.	Blows / 6" or RQD (%)	Sample Recovery / Sample Length	Lithology Change (Depth/FL) or Screened Interval	MATERIAL DESCRIPTION			U S C S *	Remarks	PID/FID Reading (ppm)				
					Soil Density/ Consistency or Rock Hardness	Color	Material Classification			Sample	Sampler BZ	Borehole**	Driller BZ**	
	50						GRAVEL AND SAND	GW						0
	1030 60													0
	1045 70				DENSE		SAND - SOME GRAVEL		OUT OF F. GRAVEL = 70 TO 80'					0
							TO INTERBEDDED SAND AND CLAYEY SILT							
	1100 80													0
	1115 90						SAND - TR CLAY TO 100'							0
	1130 100													0

* When rock coring, enter rock brokenness.

** Include monitor reading in 6 foot intervals @ borehole. Increase reading frequency if elevated response read.

Remarks: WILL ATTEMPT TO SET CASING (10") = 100' Drilling Area Background (ppm): 0
BUT ONLY WENT DOWN TO 95 - TRIED TO PULL BUT COULD NOT
RESUME 8" Ø THRU CASING ON 8/11/03

Converted to Well: Yes No Well I.D. #: BPOW 2-2



BORING LOG

PROJECT NAME: NWIRP Bethpage
 PROJECT NUMBER: N4037
 DRILLING COMPANY: Uni-Tech
 DRILLING RIG: FAILING 1500

BORING No.: BPOW2-2
 DATE: 8/12/03 / 8/13/03 / 8/18/03
 GEOLOGIST: Conti
 DRILLER: EVANS

Sample No. and Type or RQD	Depth (FL) or Run No.	Blows / 6" or RQD (%)	Sample Recovery / Sample Length	Lithology Change (Depth/FL) or Screened Interval	MATERIAL DESCRIPTION			U S C S *	Remarks	PID/FID Reading (ppm)									
					Soil Density/ Consistency or Rock Hardness	Color	Material Classification			Sample	Sampler BZ	Borehole**	Driller BZ**						
	100																		
8/12								SM	LOGGED FROM CUTTINGS.										0
8/13								SP	SET 8" Φ TO 105 - THRU 10" - WHICH WAS ONLY SET TO 45 + SEE NB 1360 FOR DETAILS										0
8/18																			0
	110																		0
	120								SAND										0
	130																		0
	140								SAND - TR CLAY	NOTED SOME CLAY IN CUTTINGS									0
	150								SAND - SOME CLAY										0

* When rock coring, enter rock brokenness.

** Include monitor reading in 6 foot intervals @ borehole. Increase reading frequency if elevated response read.

Remarks: SET/GROUTED 8" Φ CAS TO 105' ON 8/12/03

Drilling Area Background (ppm): 0

Converted to Well: Yes No Well I.D. #: BPOW2-2



BORING LOG

PROJECT NAME: NWIRP Bethpage
 PROJECT NUMBER: N4037
 DRILLING COMPANY: Uni-Tech
 DRILLING RIG: FAILING 1500

BORING No.: BPOW2-2
 DATE: 8/18/03
 GEOLOGIST: Conti
 DRILLER: EVANS

Sample No. and Type or RQD	Depth (FL) or Run No.	Blows / 6" or RQD (%)	Sample Recovery / Sample Length	Lithology Change (Depth/FL) or Screened Interval	MATERIAL DESCRIPTION			U S C S *	Remarks	PID/FID Reading (ppm)			
					Soil Density/ Consistency or Rock Hardness	Color	Material Classification			Sample	Sampler BZ	Borehole**	Driller BZ**
S-1 e 1140	151	38 50%	1/1		V DENSE	ORANG BRN	F/M SAND - TR GRAY CLAY IN "WASH" PORTION	SP	WET GOOD RECOVERY	0			0
	1230	160											0
	1300	170											0
	1400	180					SAND F/M	SP					0
	1430	190											0
	1500	200					SAND - TR CLAY						0

* When rock coring, enter rock brokenness.

** Include monitor reading in 6 foot intervals @ borehole. Increase reading frequency if elevated response read.

Remarks: _____

Drilling Area Background (ppm):

Converted to Well: Yes No Well I.D. #: BPOW2-2



BORING LOG

PROJECT NAME: NWIRP Bethpage
 PROJECT NUMBER: N4037
 DRILLING COMPANY: Uni-Tech
 DRILLING RIG: FAILING 1500

BORING No.: BPOW 2-2
 DATE: 8/18/03
 GEOLOGIST: Conti
 DRILLER: EVANS

Sample No. and Type or RQD	Depth (Ft.) or Run No.	Blows / 6" or RQD (%)	Sample Recovery / Sample Length	Lithology Change (Depth/Ft.) or Screened Interval	MATERIAL DESCRIPTION			U S C S *	Remarks	PID/FID Reading (ppm)								
					Soil Density/ Consistency or Rock Hardness	Color	Material Classification			Sample	Sampler BZ	Borehole**	Driller BZ**					
	200																	
					DENSE		SAND F/M											0
	1530 210						SILTY SAND-TR CLAY											0
	220																	0
	1545 230						SAND (SILTY)	SM (FROM CUTTINGS) SP										0
	240																	0
	1600 250																	0

* When rock coring, enter rock brokenness.

** Include monitor reading in 6 foot intervals @ borehole. Increase reading frequency if elevated response read.

Remarks: _____

Drilling Area
 Background (ppm):

Converted to Well: Yes No Well I.D. #: BPOW 2-2



BORING LOG

PROJECT NAME: NWIRP Bethpage
 PROJECT NUMBER: N4037
 DRILLING COMPANY: Uni-Tech
 DRILLING RIG: FAILING 1500

BORING No.: BPOW 2-2
 DATE: 8/19/03
 GEOLOGIST: Conti
 DRILLER: EVANS

Sample No. and Type or RQD	Depth (FL) or Run No.	Blows / 6" or RQD (%)	Sample Recovery / Sample Length	Lithology Change (Depth/Ft.) or Screened Interval	MATERIAL DESCRIPTION			U S C S *	Remarks	PID/FID Reading (ppm)			
					Soil Density/ Consistency or Rock Hardness	Color	Material Classification			Sample	Sampler BZ	Borehole**	Driller BZ**
S-2 e 1050	250	30 50/2	0.6/1		✓ DENSE	YELLOW BRN	SILTY F/M SAND	SM /SP	WET MICACEOUS				0
	260	/	/										0
	270	/	/				SILTY F/M SAND						0
	280	/	/										0
	290	/	/				SAME - MORE CLAY NOTICED						0
	300	/	/										0

* When rock coring, enter rock brokenness.

** Include monitor reading in 6 foot intervals @ borehole. Increase reading frequency if elevated response read.

Remarks: _____

Drilling Area
 Background (ppm):

Converted to Well: Yes No Well I.D. #: BPOW 2-2



BORING LOG

PROJECT NAME: NWIRP Bethpage
 PROJECT NUMBER: N4037
 DRILLING COMPANY: Uni-Tech
 DRILLING RIG: FAILING 1500

BORING No.: BPOW 2-2
 DATE: 8/19/03
 GEOLOGIST: Conti
 DRILLER: EVANS

Sample No. and Type or RQD	Depth (FL) or Run No.	Blows / 6" or RQD (%)	Sample Recovery / Sample Length	Lithology Change (Depth/FL) or Screened Interval	MATERIAL DESCRIPTION			U S C S	Remarks	PID/FID Reading (ppm)										
					Soil Density/ Consistency or Rock Hardness	Color	Material Classification			Sample	Sampler BZ	Borehole**	Driller BZ**							
	300	/																		
		/					SILTY SAND													0
	310	/																		0
	1215 320	/					SAME		LESS CLAY											0
	330	/																		0
	340	/					SAME		TR OF CLAY											0
	1130 350	/																		0

* When rock coring, enter rock brokenness.

** Include monitor reading in 6 foot intervals @ borehole. Increase reading frequency if elevated response read.

Remarks: _____

Drilling Area
 Background (ppm):

Converted to Well: Yes No Well I.D. #: BPOW 2-2



BORING LOG

PROJECT NAME: NWIRP Bethpage
 PROJECT NUMBER: N4037
 DRILLING COMPANY: Uni-Tech
 DRILLING RIG: FAILING 1500

BORING No.: BPOW2-2
 DATE: 8/19/03
 GEOLOGIST: Conti
 DRILLER: EVANS

Sample No. and Type or RQD	Depth (Ft.) or Run No.	Blows / 6" or RQD (%)	Sample Recovery / Sample Length	Lithology Change (Depth/Ft.) or Screened Interval	MATERIAL DESCRIPTION			U S C S *	Remarks	PID/FID Reading (ppm)									
					Soil Density/ Consistency or Rock Hardness	Color	Material Classification			Sample	Sampler BZ	Borehole**	Driller BZ**						
	350																		
S3 1230		36 50	1/1		DENSE	GRAY BON	SILTY SAND - TR CLAY	SM SP	WET										
	360																		
	1330						SAND - TR CLAY												
	380																		
	1450						SAND	SM SP											
	400																		

* When rock coring, enter rock brokenness.

** Include monitor reading in 6 foot intervals @ borehole. Increase reading frequency if elevated response read.

Remarks: _____

Drilling Area
 Background (ppm):

Converted to Well: Yes No Well I.D. #: BPOW2-2



BORING LOG

PROJECT NAME: NWIRP Bethpage
 PROJECT NUMBER: N4037
 DRILLING COMPANY: Uni-Tech
 DRILLING RIG: FAILING

BORING No.: BPOW2-2
 DATE: 8/19/03
 GEOLOGIST: Conti
 DRILLER: EVANS

Sample No. and Type or RQD	Depth (FL) or Run No.	Blows / 6" or RQD (%)	Sample Recovery / Sample Length	Lithology Change (Depth/FL) or Screened Interval	MATERIAL DESCRIPTION			U S C S *	Remarks	PID/FID Reading (ppm)				
					Soil Density/ Consistency or Rock Hardness	Color	Material Classification			Sample	Sampler BZ	Borehole**	Driller BZ**	
	400	/					SILTY F/M SAND							0
	410	/												0
	420	/					SAME							0
	430	/												0
	440	/					SAME W/ TR CLAY.							0
	450	/												0

* When rock coring, enter rock brokenness.

** Include monitor reading in 6 foot intervals @ borehole. Increase reading frequency if elevated response read.

Remarks: _____

Drilling Area Background (ppm):

Converted to Well: Yes No

Well I.D. #: BPOW2-2



BORING LOG

PROJECT NAME: NWIRP Bethpage
 PROJECT NUMBER: N4037
 DRILLING COMPANY: Uni-Tech
 DRILLING RIG: FAILING 1500

BORING No.: BPOW2-2
 DATE: 8-19-03
 GEOLOGIST: Conti
 DRILLER: EVANS

Sample No. and Type or RQD	Depth (FL) or Run No.	Blows / 6" or RQD (%)	Sample Recovery / Sample Length	Lithology Change (Depth/FL) or Screened Interval	MATERIAL DESCRIPTION			U S C S	Remarks	PID/FID Reading (ppm)								
					Soil Density/ Consistency or Rock Hardness	Color	Material Classification			Sample	Sampler BZ	Borehole*	Driller BZ**					
	450																	
S4 460	451	36 50	1/1		V. DENSE	BLK GRAY	CLAYEY SAND (LAMINATED)	SL	WET									0
	460						SILTY SAND		LESS CLAY AT 455±									0
	470																	0
	480						SAND											0
	490								SET WELL ON 8/20/03 SCREEN 455-495 SAND(L) 435-496 SAND(F) 425-435									
	500						SAND - TR CLAY		495 - STOP, HERE = 40 BELOW 455									

* When rock coring, enter rock brokenness.

** Include monitor reading in 6 foot intervals @ borehole. Increase reading frequency if elevated response read.

Remarks: _____

Drilling Area
 Background (ppm):

Converted to Well: Yes No Well I.D. #: BPOW2-2



Tetra Tech NUS, Inc.

MONITORING WELL DEVELOPMENT RECORD

Well: BPOW 2 - 2 Depth to Bottom (ft.): 495 (GS) Responsible Personnel: Conti
 Site: NWIRP - BPOW 2 Static Water Level Before (ft.): 22'(GS) Drilling Co.: Uni-Tech
 Date Installed: 8/20/03 Static Water Level After (ft.): _____ Project Name: NWIRP Bethpage-Outpost Wells
 Date Developed: 9-3-03 Screen Length (ft.): 40' Project Number: N4037
 Dev. Method: AIR LIFT/PUMP Specific Capacity: _____
 Pump Type: _____ Casing ID (in.): 3 13/16

HORIBA/LAMOTE

Time	Estimated Flow Rate (GPM)	Cumulative Water Volume (Gal.)	Water Level Readings (Ft. below T&E) GS.	Temperature (Degrees C)	pH	Specific Conductance (Units _____) mS/cm	Turbidity (NTU)	Remarks (odor, color, etc.)
0915	—	—	22.00	—	—	—	—	INITIAL
0945	23	700	31.00	13.69	4.68	.255	999	PACKER @ 300'± GRAY-TURBID
1015	20	1200	29.50	13.15	4.89	.132	651/268	
1035	16	1600	LOAD ① LVS					
1040	START	DEV INTO	1400 GAL.					
1100	20	400	29.00	13.60	5.00	.118	490/143	GRAY-SL TURBID PACKER @ 320'
1120	20	800	29.00	13.97	5.01	.106	333/75	" " " "
1140	20	1200	29.00	13.80	5.09	.104	266/53	" " " "
1143		2800	LOAD ② LVS					
1145	START	INTO 1800 GAL						
1205	25	500	29.00	13.77	5.10	.102	360/81	CLEAR SL " " 320' (24)
1225	22.5	900	29.00	—	5.10	.100	290/43	" " "
1245	20	1200	29.00	13.22	5.14	.099	236/36	" " " " 340
1303		1600 4400	LOAD ③ LVS					
1305	START	INTO 1400 GALLON						
1325	22.5	450	29.00	13.35	5.11	.098	289/54	" " "
1345	20	800	29.00	13.26	5.11	.098	211/32	" " "
1405	18	1100 5500	29.00	14.00	5.03	.092	154/21	" " "

LOAD ④ LVS

Gal



Tetra Tech NUS, Inc.

MONITORING WELL DEVELOPMENT RECORD

SCREEN 455 → 445

Well: BPOW2-2 Depth to Bottom (ft.): 495' (45) Responsible Personnel: Conti
 Site: NWIRP Static Water Level Before (ft.): 22' Drilling Co.: Uni-Tech
 Date Installed: 8/20/03 Static Water Level After (ft.): _____ Project Name: NWIRP Bethpage-Outpost Wells
 Date Developed: 9/13/03 Screen Length (ft.): 40' Project Number: N4037
 Dev. Method: AIR LIFT/PUMP Specific Capacity: _____
 Pump Type: _____ Casing ID (in.): 3 1/16

0/22 2020
 HOREBA/LAMOTTE

Time	Estimated Flow Rate (GPM)	Cumulative Water Volume (Gal.)	Water Level Readings (Ft. below TOC)	Temperature (Degrees C)	pH	Specific Conductance (Units _____) mS/cm	Turbidity (NTU)	Remarks (odor, color, etc.)
1430	START	INTO 1800 GALLON		—	—	—	—	LOWER PIPE TO ≈ 470' BGS GRAY/TURBID
1450	25	500	29.00	13.95	5.06	.094	300/53	CLEAR - SL TURBID
1510	22.5	900	29.00	13.78	5.14	.092	218/26	" " "
1530	20	1200	28.00	13.76	5.16	.091	202/21	"
1550	16	(1600) 7100	28.00	13.75	5.17	.090	150/16	"
1551		LOAD (5) LVS						
1550	START	INTO 1400 GALLON						
1610	20	400	28.00	13.73	5.17	.091	241/27	CLEAR
1630	20	800	28.00	13.20	5.16	.092	258/18	"
1650	20	(1100) 8200	(6) 28.00	13.70	5.17	.091	264/20	" (6) LVS @ 1700 HRS
0915	START	INTO 1800	(23.00)	—	—	—	—	//////
0935	25	500	27.50	15.64	5.13	.135	278/26	"
0955	22.5	900	27.50	14.95	5.38	.106	281/16	"
1015	20	1200	27.50	15.44	5.57	.104	262/12	"
1035	20	1600 (1600)	(7) 27.50	14.25	5.60	.102	270/12	" LOAD (7) LVS @ 1035 HRS
1035	START	INTO 1400 GALLON						
1055	25	500	27.50	13.93	5.86	.124	300/17	CLEAR - LOWER PIPE TO BOTM
1115	22.5	900	27.50	14.79	5.84	.116	605/99	" SL TURBID
1130		LOAD (8) LVS. (10900)		—	—	—	—	

5
2

9/3↑
9/14↓



Tetra Tech NUS, Inc.

MONITORING WELL DEVELOPMENT RECORD

Well: BPOW2-2 Depth to Bottom (ft.): 495 365 Responsible Personnel: Conti
 Site: NWIRP Static Water Level Before (ft.): 22' Drilling Co.: Uni-Tech
 Date Installed: 8/20/03 Static Water Level After (ft.): _____ Project Name: NWIRP Bethpage-Outpost Wells
 Date Developed: 9/3/03 → Screen Length (ft.): 40 Project Number: N4037
 Dev. Method: AIR LIFT PUMP Specific Capacity: _____
 Pump Type: _____ Casing ID (in.): 3 13/16

HORIBA/LAMOTTE

Time	Estimated Flow Rate (GPM)	Cumulative Water Volume (Gal.)	Water Level Readings (Ft. below TOC)	Temperature (Degrees C)	pH	Specific Conductance (Units _____) mS/cm.	Turbidity (NTU)	Remarks (odor, color, etc.)
1130	START	INTO 1800 GALLON						
1150	20	400	27.50	13.93	5.83	.117	457/61	CLEAR - SL TURBID
1210	22.5	900	27.50	13.51	5.87	.117	316/16	" NOT "
1230	20	1200	27.50	13.67	5.88	.112	356/11	" " "
1250	20	1600 ^(12,500)	27.50	13.66	5.87	.121	335/10	LOAD ⁽⁸⁾ LVS
1300	START	INTO 1400 GALLON						(SURGE)
1320	20	400	27.50	13.60	5.82	.110	328/47	CLEAR V SL TURBID
1340	20	800	27.50	13.63	5.83	.108	219/13	" NON TURBID
1400	18.3	1100 ⁽³⁶⁰⁰⁾	27.50	13.65	5.84	.107	216/11	" " " ⁽¹⁰⁾ LVS
1400	START	INTO 1800 GALLON						
1420	20	400	27.0	14.29	5.84	.102	199/15	CLEAR
1440	20	800	27.0	13.97	5.77	.106	353/8	"
1500	20	1200	27.0	13.93	5.78	.105	287/6	"
1510	20	1400	27.0	13.94	5.77	.104	276/6	"
1520	20	1600	27.0	13.97	5.79	.105	290/7	"
			LOAD ⁽¹¹⁾ LAST LOAD.					COMPLETE
			^(15,200) TOTAL					

SCREEN INT

495-490
490-485
480-485

475-480
470-475
465-470
460-465
455-460

5 W



Tetra Tech NUS, Inc.

MONITORING WELL DEVELOPMENT RECORD

Well: BPOW2-2 Depth to Bottom (ft.): 495' GS Responsible Personnel: Conti
 Site: NWIRP Static Water Level Before (ft.): 23.8 GS Drilling Co.: Uni-Tech
 Date Installed: 8/20/03 Static Water Level After (ft.): _____ Project Name: NWIRP Bethpage-Outpost Wells
 Date Developed: 9/10/03 Screen Length (ft.): 40' Project Number: N4037
 Dev. Method: PUMP Specific Capacity: _____
 Pump Type: GRUNDFOS SUB Casing ID (in.): 3 3/16

HORIBA/LAMOTIE


Time	Estimated Flow Rate (GPM)	Cumulative Water Volume (Gal.)	Water Level Readings (Ft. below TOC)	Temperature (Degrees C)	pH	Specific Conductance (Units _____) mS/cm	Turbidity (NTU)	Remarks (odor, color, etc.)
0930	START PUMPING. IN 1800 GALLON TANK							
0950	15	300	25.3	13.21	5.59	.165	456/153	GRAY/TURBID
1010	15	600	25.3	13.25	5.63	.126	264/38	CLEAR/ V. SL TURBID.
1030	13.3	800	25.3	13.20	5.70	.118	250/18	" NON TURBID
								DONE PUMPING.
				15,200				
				800				
				16,000	BPOW2-2			



64



AQUA TERRA GEOPHYSICS INC


CO		WELL		FLD		CTY		STE		FILING No	
PERMANENT DATUM		SEC		TWP		RGE		ELEVATION		OTHER SERVICES	
LOG MEAS. FROM		DRILLING MEAS. FROM		DATE		TYPE FLUID IN HOLE		K.B.		D.F.	
RUN No		AUGUST 19, 2003		SALINITY		DENSITY		LEVEL		MAX REC. TEMP.	
DEPTH-DRILLER		BTM LOGGED INTERVAL		TOP LOGGED INTERVAL		OPERATING RIG TIME		RECORDED BY		WITNESSED BY	
DEPTH-LOGGER		RECORDED BY		STAN CONNTI		CASING RECORD		BOREHOLE RECORD		NO.	
BTM LOGGED INTERVAL		FROM		TO		SIZE		WGT.		PVC	
TOP LOGGED INTERVAL		8 INCH		103 FEET		8 INCH		PVC		GROUND SURFACE 103 FEET	
OPERATING RIG TIME		TOTAL DEPTH		8 INCH		PVC		GROUND SURFACE		103 FEET	
RECORDED BY		BENJAMIN RICE		STAN CONNTI		CASING RECORD		BOREHOLE RECORD		NO.	
WITNESSED BY		STAN CONNTI		CASING RECORD		BOREHOLE RECORD		NO.		BIT	
DATE		AUGUST 19, 2003		TYPE FLUID IN HOLE		K.B.		D.F.		G.L.	
RUN No		AUGUST 19, 2003		SALINITY		DENSITY		LEVEL		MAX REC. TEMP.	
DEPTH-DRILLER		BTM LOGGED INTERVAL		TOP LOGGED INTERVAL		OPERATING RIG TIME		RECORDED BY		WITNESSED BY	
DEPTH-LOGGER		RECORDED BY		STAN CONNTI		CASING RECORD		BOREHOLE RECORD		NO.	
BTM LOGGED INTERVAL		FROM		TO		SIZE		WGT.		PVC	
TOP LOGGED INTERVAL		8 INCH		103 FEET		8 INCH		PVC		GROUND SURFACE 103 FEET	
OPERATING RIG TIME		TOTAL DEPTH		8 INCH		PVC		GROUND SURFACE		103 FEET	
RECORDED BY		BENJAMIN RICE		STAN CONNTI		CASING RECORD		BOREHOLE RECORD		NO.	
WITNESSED BY		STAN CONNTI		CASING RECORD		BOREHOLE RECORD		NO.		BIT	

SP (mV) -830 -450 1
 Current (ma) 1
 Single Point Resistance (Ohms) 100 200
 Natural Gamma (cps) 120









270

280

290

300

310

320


330



340


350

360

370








APPENDIX F
BPOW3-1 WELL DATA



MONITORING WELL SHEET

PROJECT: NWIRP DRILLING Co.: UNITECH BORING No.: BPOW3-1
 PROJECT No.: N4037 DRILLER: BLEMINGS DATE COMPLETED: 10/8/03
 SITE: BETHPAGE DRILLING METHOD: MUD ROT NORTHING: _____
 GEOLOGIST: CONTI DEV. METHOD: AIR / PUMP EASTING: _____





BORING LOG

PROJECT NAME: NWIRP Bethpage
 PROJECT NUMBER: N4037
 DRILLING COMPANY: Uni-Tech
 DRILLING RIG: FAILING 1500

BORING No.: BPOW3-1
 DATE: 9-29-03 & 10/1/03
 GEOLOGIST: Conti
 DRILLER: BLEMINGS

Sample No. and Type or ROD	Depth (Ft.) or Run No.	Blows / 6" or ROD (%)	Sample Recovery / Sample Length	Lithology Change (Depth/FL) or Screened Interval	MATERIAL DESCRIPTION			U S C S *	Remarks	PID/FID Reading (ppm)				
					Soil Density/ Consistency or Rock Hardness	Color	Material Classification			Sample	Sampler BZ	Borehole**	Driller BZ**	
1000	0						SAND & GRAVEL		FOR MORE DETAILS OF LOG - SEE BPOW3-2 OR GEOPHYSICAL LOG.					0
1030	10								ALSO - DUE TO DRIVING MUD INTER CONNECTION W/ BPOW3-2 HAD TO GROUT THIS INITIAL HOLE 0-200' THEN MOVED 49' SE FROM ORIG LOC. START NEW ON 10/1/03. SEE NB 1360 FOR DETAILS.					0
	20								10/1/03					0
1100	30						SAME.		0-90' NEW LOC					0
	40													0
1130	50													0

* When rock coring, enter rock brokenness.

** Include monitor reading in 6 foot intervals @ borehole. Increase reading frequency if elevated reponse read.

Remarks: 8" MUD ROTARY TO START HOLE. 9/29/03

Drilling Area

Background (ppm):

Converted to Well: Yes No

Well I.D. #: BPOW3-1



BORING LOG

PROJECT NAME: NWIRP Bethpage
 PROJECT NUMBER: N4037
 DRILLING COMPANY: Uni-Tech
 DRILLING RIG: FAILING 1500

BORING No.: BPOW 3-1
 DATE: 9-29-03 / 10/2/03
 GEOLOGIST: Conti
 DRILLER: BLEMINGS

Sample No. and Type or RQD	Depth (FT.) or Run No.	Blows / 6" or RQD (%)	Sample Recovery / Sample Length	Lithology Change (Depth/FT.) or Screened Interval	MATERIAL DESCRIPTION			U S C S	Remarks	PID/FID Reading (ppm)										
					Soil Density/ Consistency or Rock Hardness	Color	Material Classification			Sample	Sampler BZ	Borehole*	Driller BZ*							
	50						SAND AND GRAVEL													
	60																			
	120	70					SOME CLAY													
	80																			
	90						SAND AND GRAVEL													
									90 → 290											
									10/2/03											
	140	100					SILTY SAND													

* When rock coring, enter rock brokenness.

** Include monitor reading in 6 foot intervals @ borehole. Increase reading frequency if elevated response read.

Remarks: _____

Drilling Area
 Background (ppm):

Converted to Well: Yes No Well I.D. #: BPOW3-1



BORING LOG

PROJECT NAME: NWIRP Bethpage
 PROJECT NUMBER: N4037
 DRILLING COMPANY: Uni-Tech
 DRILLING RIG: FAILING 1500

BORING No.: BPOW 3-1
 DATE: 9/30/03
 GEOLOGIST: Conti
 DRILLER: BLEMINGS

9/30
0830

Sample No. and Type or RQD	Depth (Ft.) or Run No.	Blows / 6" or RQD (%)	Sample Recovery / Sample Length	Lithology Change (Depth/FT.) or Screened Interval	MATERIAL DESCRIPTION			U S C S *	Remarks	PID/FID Reading (ppm)			
					Soil Density/ Consistency/ or Rock Hardness	Color	Material Classification			Sample	Sampler BZ	Borehole**	Driller BZ**
	100	/					SILTY F/M SAND		TR CLAY				0
	110	/											0
	120	/					SAME - MORE CLAY						0
	130	/											0
	140	/					SILTY SAND (F/M)						0
	150	/											0

* When rock coring, enter rock brokenness.

** Include monitor reading in 6 foot intervals @ borehole. Increase reading frequency if elevated response read.

Remarks: _____

Drilling Area Background (ppm):

Converted to Well: Yes No Well I.D. #: BPOW 3-1



BORING LOG

PROJECT NAME: NWIRP Bethpage
 PROJECT NUMBER: N4037
 DRILLING COMPANY: Uni-Tech
 DRILLING RIG: FAILING 1500

BORING No.: BPOW3-1
 DATE: 9/30/03
 GEOLOGIST: Conti
 DRILLER: BLEMINGS

Sample No. and Type or RQD	Depth (FL) or Run No.	Blows / 6" or RQD (%)	Sample Recovery / Sample Length	Lithology Change (Depth/FL) or Screened Interval	MATERIAL DESCRIPTION			U S C S *	Remarks	PID/FID Reading (ppm)				
					Soil Density/ Consistency or Rock Hardness	Color	Material Classification			Sample	Sampler BZ	Borehole**	Driller BZ**	
	150						SILTY F/M SAND							0
	160													0
	170													0
	180						SAME							0
	190													0
	200													0

* When rock coring, enter rock brokenness.

** Include monitor reading in 6 foot intervals @ borehole. Increase reading frequency if elevated response read.

Drilling Area

Remarks: HAD INTERCONNECTION W/ BPOW3-2 WHILE DRILLING THIS HOLE - HAD TO GROUT HOLE 0-200 MOVED 4A' SE FROM 3-1 - SEE PG 98 NB 1360 FOR SKETCH. Background (ppm):

Converted to Well: Yes No Well I.D. #: BPOW3-1



BORING LOG

PROJECT NAME: NWIRP Bethpage
 PROJECT NUMBER: N4037
 DRILLING COMPANY: Uni-Tech
 DRILLING RIG: FALING 1500

BORING No.: BPOW3-1
 DATE: 10-2-03
 GEOLOGIST: Conti
 DRILLER: BLEMINGS

Sample No. and Type or RQD	Depth (FL) or Run No.	Blows / 6" or RQD (%)	Sample Recovery / Sample Length	Lithology Change (Depth/FL) or Screened Interval	MATERIAL DESCRIPTION			U S C S *	Remarks	PID/FID Reading (ppm)								
					Soil Density/ Consistency or Rock Hardness	Color	Material Classification			Sample	Sampler BZ	Borehole**	Driller BZ**					
	200	/					SILTY SAND	SM									0	
		/					TRCLAY	SP										
	210	/																0
	220	/																0
	230	/																0
	240	/					SAME - MORE											0
		/					CLAY											
	250	/																0

* When rock coring, enter rock brokenness.

** Include monitor reading in 6 foot intervals @ borehole. Increase reading frequency if elevated response read.

Remarks: _____

Drilling Area
 Background (ppm):

Converted to Well: Yes No Well I.D. #: BPOW3-1



BORING LOG

PROJECT NAME: NWIRP Bethpage
 PROJECT NUMBER: N4037
 DRILLING COMPANY: Uni-Tech
 DRILLING RIG: FAILING 1500

BORING No.: BPOW3-1
 DATE: 10/2/03
 GEOLOGIST: Conti
 DRILLER: BLEMINGS

Sample No. and Type or RGD	Depth (FL) or Run No.	Blows / 6" or RGD (%)	Sample Recovery / Sample Length	Lithology Change (Depth/FL) or Screened Interval	MATERIAL DESCRIPTION			USCS*	Remarks	PID/FID Reading (ppm)				
					Soil Density/Consistency or Rock Hardness	Color	Material Classification			Sample	Sampler BZ	Borehole**	Driller BZ**	
	250	/					SILTY F/M SAND							0
	260	/												0
	270	/												0
	280	/					SAME - SOME CLAY							0
	290	/							10/6/03					0
	300	/							290 → 530					0

10/2
10/6

* When rock coring, enter rock brokeness.

** Include monitor reading in 6 foot intervals @ borehole. Increase reading frequency if elevated reponse read.

Remarks: 8" φ MUD ROTARY.

Drilling Area Background (ppm): 0

Converted to Well: Yes No Well I.D. #: BPOW3-1



BORING LOG

PROJECT NAME: NWIRP Bethpage
 PROJECT NUMBER: N4037
 DRILLING COMPANY: Uni-Tech
 DRILLING RIG: FALING 1500

BORING No.: BPOW 3-1
 DATE: 10/6/03
 GEOLOGIST: Conti
 DRILLER: BLEWINGS

Sample No. and Type or RQD	Depth (FL) or Run No.	Blows / 6" or RQD (%)	Sample Recovery / Sample Length	Lithology Change (Depth/FL) or Screened Interval	MATERIAL DESCRIPTION			U S C S *	Remarks	PID/FID Reading (ppm)				
					Soil Density/Consistency or Rock Hardness	Color	Material Classification			Sample	Sampler BZ	Borehole**	Driller BZ**	
	300						SAND - TR CLAY							0
	310													0
	320						SAME							0
	330													0
	340						SAME - TO MORE CLAY							0
	350													0

* When rock coring, enter rock brokenness.

** Include monitor reading in 6 foot intervals @ borehole. Increase reading frequency if elevated response read.

Remarks: _____

Drilling Area
 Background (ppm):

Converted to Well: Yes No

Well I.D. #: BPOW 3-1



BORING LOG

PROJECT NAME: NWIRP Bethpage
 PROJECT NUMBER: N4037
 DRILLING COMPANY: Uni-Tech
 DRILLING RIG: FAILING 1500

BORING No.: BPOW3-1
 DATE: 10/6/03
 GEOLOGIST: Conti
 DRILLER: BLEMINGS

Sample No. and Type or RQD	Depth (FL) or Run No.	Blows / 6" or RQD (%)	Sample Recovery / Sample Length	Lithology Change (Depth/FL) or Screened Interval	MATERIAL DESCRIPTION			U S C S *	Remarks	PID/FID Reading (ppm)				
					Soil Density/ Consistency or Rock Hardness	Color	Material Classification			Sample	Sampler BZ	Borehole**	Driller BZ**	
	350	/			DENSE		SILTY F/M SAND TR CLAY							0
	360	/												0
	370	/												0
	380	/					SAME - LESS CLAY.							0
	390	/												0
	400	/							MORE CLAY					0

* When rock coring, enter rock brokenness.

** Include monitor reading in 6 foot intervals @ borehole. Increase reading frequency if elevated response read.

Remarks: _____

Drilling Area
 Background (ppm):

Converted to Well: Yes No Well I.D. #: BPOW3-1



BORING LOG

PROJECT NAME: NWIRP Bethpage
 PROJECT NUMBER: N4037
 DRILLING COMPANY: Uni-Tech
 DRILLING RIG: FAILING 1500

BORING No.: BPOW 3-1
 DATE: 10/6/03
 GEOLOGIST: Conti
 DRILLER: BLEMINGS

Sample No. and Type or RQD	Depth (Ft.) or Run No.	Blows / 6" or RQD (%)	Sample Recovery / Sample Length	Lithology Change (Depth/FL) or Screened Interval	MATERIAL DESCRIPTION			U S C S	Remarks	PID/FID Reading (ppm)							
					Soil Density/ Consistency or Rock Hardness	Color	Material Classification			Sample	Sampler BZ	Borehole**	Driller BZ**				
	400	/					SILTY SAND (F/M)										0
	410	/					MORE CLAY										0
	420	/															0
	430	/															0
	440	/					SILTY SAND-TR CLAY										0
	450	/															0

* When rock coring, enter rock brokenness.

** Include monitor reading in 6 foot intervals @ borehole. Increase reading frequency if elevated response read.

Remarks: _____

Drilling Area
 Background (ppm):

Converted to Well: Yes No Well I.D. #: BPOW 3-1



BORING LOG

PROJECT NAME: NWIRP Bethpage
 PROJECT NUMBER: N4037
 DRILLING COMPANY: Uni-Tech
 DRILLING RIG: FAILING 1500

BORING No.: BPOW
 DATE: 10/6/03
 GEOLOGIST: Conti
 DRILLER: BLEMINGS

Sample No. and Type or RQD	Depth (FL) or Run No.	Blows / 6" or RQD (%)	Sample Recovery / Sample Length	Lithology Change (Depth/FL) or Screened Interval	MATERIAL DESCRIPTION			U S C S *	Remarks	PID/FID Reading (ppm)						
					Soil Density/ Consistency or Rock Hardness	Color	Material Classification			Sample	Sampler BZ	Borehole**	Driller BZ**			
	450	/					SILTY SAND (F/M)								0	
	460	/														0
	470	/					SAME									0
	480	/														0
	490	/					SAME									0
	500	/														

* When rock coring, enter rock brokenness.

** Include monitor reading in 6 foot intervals @ borehole. Increase reading frequency if elevated response read.

Remarks: _____

Drilling Area
 Background (ppm): 0

Converted to Well: Yes No Well I.D. #: BPOW 3-1



BORING LOG

PROJECT NAME: NWIRP Bethpage
 PROJECT NUMBER: N4037
 DRILLING COMPANY: Uni-Tech
 DRILLING RIG: FALLING 1500

BORING No.: BPOW 3-1
 DATE: 10/6/03
 GEOLOGIST: Conti
 DRILLER: BLEMINGS

Sample No. and Type or RQD	Depth (Ft.) or Run No.	Blows / 6" or RQD (%)	Sample Recovery / Sample Length	Lithology Change (Depth/Ft.) or Screened Interval	MATERIAL DESCRIPTION			U S C S *	Remarks	PID/FID Reading (ppm)						
					Soil Density/ Consistency or Rock Hardness	Color	Material Classification			Sample	Sampler BZ	Borehole**	Driller BZ**			
	500	/					SILTY SAND (F/M)								0	
	510	/														0
	520	/					SAME									0
	530	/														0
		/		BTM					SET WELL 446 TO 516 BLANK FROM 451 TO 481							

* When rock coring, enter rock brokenness.

** Include monitor reading in 6 foot intervals @ borehole. Increase reading frequency if elevated response read.

Remarks: 8" ϕ TO 530' (NO CASING AT SURFACE)

Drilling Area Background (ppm): 0

Converted to Well: Yes No Well I.D. #: BPOW 3-1



Tetra Tech NUS, Inc.

MONITORING WELL DEVELOPMENT RECORD

Well: BPOW3-1 Depth to Bottom (ft.): 516' BGS Responsible Personnel: Conti
 Site: NWIRP Static Water Level Before (ft.): 32' GS Drilling Co.: Uni-Tech
 Date Installed: 10/8/03 Static Water Level After (ft.): _____ Project Name: NWIRP Bethpage-Outpost Wells
 Date Developed: 10/16/03 Screen Length (ft.): 40' Project Number: N4037
 Dev. Method: AIR LIFT/PUMP Specific Capacity: _____
 Pump Type: _____ Casing ID (in.): 3 1/4

446-451 SCR 5'
 451-481 BL
 481-516 SCR 35'

10/15

10/16

83

Time	Estimated Flow Rate (GPM)	Cumulative Water Volume (Gal.)	Water Level Readings (Ft. below FOG) GS.	Temperature (Degrees C)	pH	Specific Conductance (Units _____) mS/cm	Turbidity (NTU) HORIBA/LAMOTTE	Remarks (odor, color, etc.)
0740	START	INTO 2000 GALLON						PUMPED OUT 1600 GALLONS ON 10/15 - NO PDS LOAD (1)
0800	30	600	39' GS	11.83	4.16	.189	524/314	GRAY / SL TURBID
0820	30	1200	39'	11.94	4.45	.100	495/286	" "
0830	LOAD (2)	LVS w/ 1600 GALS.		[3200]				
0915	START	INTO 2000 GALLON						
0935	30	600	39'	13.00	4.43	.096	960/276	GRAY / SL TURBID
0955	30	1200	39'	13.20	4.57	.094	788/217	" "
1015	27 (3)	1600	LVS w/ 1600	[4800]				
1050	START	INTO 2000 GAL.						
1110	30	600	39'	14.23	4.53	.095	803/184	" " "
1130	30	1200	39'	13.57	4.48	.090	892/138	" " "
1150	27	1600	39'	13.64	4.48	.092	824/122	" " "
	LOAD (4)	LVS w/ 1600 GALS		[6400]				
1250	START	INTO 2000 GAL.						
1310	30	600	39'	14.25	4.53	.098	- /172	" " "
1330	30	1200	39'	13.35	4.65	.085	- /140	" " "
1350	27	1600	39'	13.40	4.61	.084	- /113	" " "
	LOAD (5)	LVS w/ 1600		[8000]				



Well: BPOW 3-1 Depth to Bottom (ft.): 516 BGS Responsible Personnel: Conti
 Site: NWIRP Static Water Level Before (ft.): 32' BGS Drilling Co.: Uni-Tech
 Date Installed: 10/8/03 Static Water Level After (ft.): _____ Project Name: NWIRP Bethpage-Outpost Wells
 Date Developed: 10/16/03 Screen Length (ft.): 40 SEE PG 1 Project Number: N4037
 Dev. Method: AIR LIFT/PUMP Specific Capacity: _____
 Pump Type: _____ Casing ID (in.): 3 13/16

HORIBA/LAMOTRE

10/16
10/20
78

Time	Estimated Flow Rate (GPM)	Cumulative Water Volume (Gal.)	Water Level Readings (Ft. below FOO BGS)	Temperature (Degrees C)	pH	Specific Conductance (Units _____) mS/cm	Turbidity (NTU)	Remarks (odor, color, etc.)
1420	START	INTO	2000 GAL	—	—	—	—	GRAY - SL TURBID
1440	30	600	36'	12.93	4.24	.090	796/148	" " "
1500	30	1200	36'	12.84	4.25	.084	815/111	" " "
1520	27±	1600	36'	12.83	4.25	.079	684/93	" " "
1520	LOAD	⑥ LVS	w/ 1600 GAL	9600				LOWERED PIPE INTO SCREEN
1000	LOAD	⑦ LVS	w/ 1600 GALLONS			NO RDS (11200)		≈ 511' AREA 5' FROM BOTM ±
1100	START	INTO	1600 GAL					
1120	30	600	34.6'	13.18	4.65	.159	203/36	V. SL TURBID
1140	30	1200	34.6'	13.13	5.01	.092	167/35	" " 511-516
1200	27	1600	34.6'	12.94	5.04	.085	156/32	" " 506-511
	LOAD	⑧ LVS	w/ 1600	[12200]				
1245	START	INTO	1600 GAL					
1305	30	600	34.5	13.80	5.01	.088	587/45	V. SL TURBID 501-506
1325	30	1200	34.5	13.59	5.22	.085	585/30	" " 496-501
1345	27	1600	34.5	13.25	5.16	.083	531/31	" " 491-496
1430	LOAD	⑨ LVS	w/ 1600	[14400]				START INTO 1600 GAL
1450	30	600	34.5	12.31	5.05	.085	317/45	V. SL TURBID 486-491
1510	30	1200	34.5	12.23	5.05	.082	225/34	" " " 481-486
1530	27	1600	34.5	12.20	5.07	.082	241/31	" " " 446-451

LOAD ⑩ LVS w/ 1600 = 160 (END OF AIR LIFT)



Tetra Tech NUS, Inc.

MONITORING WELL DEVELOPMENT RECORD

Well: BPOW 3-1 Depth to Bottom (ft.): 516 BGS Responsible Personnel: Conti
 Site: NWIRP Static Water Level Before (ft.): 31.5GS Drilling Co.: Uni-Tech
 Date Installed: 10/8/03 Static Water Level After (ft.): _____ Project Name: NWIRP Bethpage-Outpost Wells
 Date Developed: 10/16/03 Screen Length (ft.): SEE PG 1 Project Number: N4037
 Dev. Method: AIR LIFT/ PUMP Specific Capacity: _____
 Pump Type: GRANDFOS 3" SUB Casing ID (in.): 3 1/4"
ST. STEEL.

LAMOTTE

Time	Estimated Flow Rate (GPM)	Cumulative Water Volume (Gal.)	Water Level Readings (Ft. below TOC)	Temperature (Degrees C)	pH	Specific Conductance (Units _____) mS/cm	Turbidity (NTU)	Remarks (odor, color, etc.)
1030	BEGIN SETTING PUMP		31.5	—	—	—	—	31.5 GS-WL- PRIOR TO PUMP INSERTION
1040	START PUMP		31.5	—	—	—	—	
1100	15'	300	32.0	13.37	5.76	.087	—	GRAY & TURBID
1110	15	450	32.0	13.15	5.85	.081	429	" "
1120	15	600	32.0	13.13	5.85	.087	176	" SL TURBID
1130	15	750	32.0	13.02	5.85	.088	109	" V SL TURBID
1140	15	900	32.0	13.12	5.81	.084	49	" " " "
		DONE w/ PUMP						
1145		TAKE BPOW 3-1-DEV FOR			VOC ^S			

85


APPENDIX G
BPOW3-2 WELL DATA



MONITORING WELL SHEET

PERMIT No:

PROJECT: NWIRP DRILLING Co.: UNITECH BORING No.: BPDW3-2
 PROJECT No.: N4037 DRILLER: BUEMINGS DATE COMPLETED: 9/25/03
 SITE: BETHPAGE DRILLING METHOD: MUD ROT NORTHING: _____
 GEOLOGIST: CONT1 DEV. METHOD: AIR/PUMP EASTING: _____





BORING LOG

PROJECT NAME: NWIRP Bethpage
 PROJECT NUMBER: N4037
 DRILLING COMPANY: Uni-Tech
 DRILLING RIG: FALLING 1500

BORING No.: BPOW 3-2
 DATE: 9-15-03
 GEOLOGIST: Conti
 DRILLER: BLEMINGS

Sample No. and Type or RGD	Depth (FT) or Run No.	Blows / 6" or RGD (%)	Sample Recovery / Sample Length	Lithology Change (Depth/FT) or Screened Interval	MATERIAL DESCRIPTION			U S C S *	Remarks	PID/FID Reading (ppm)			
					Soil Density/ Consistency or Rock Hardness	Color	Material Classification			Sample	Sampler BZ	Borehole**	Driller BZ*
	0	/			DENSE		SAND - SOME GRAVEL		NOTE: LOGGED FROM CUTTINGS EXCEPT WHERE SPOON SAMPLES WERE TAKEN				0
	10	/											0
	20	/					SAND AND GRAVEL		SUB ANG → SUB ROUND				0
	30	/											0
	40	/					SAND AND GRAVEL						0
	50	/											0

* When rock coring, enter rock brokenness.

** Include monitor reading in 6 foot intervals @ borehole. Increase reading frequency if elevated response read.

Remarks: 8" MUD ROTARY TO 100 THEN REAM TO 10" Ø
AND SET CASING 8" PVC TO 95' - DRILL 7/8" THRU CASING.

Drilling Area

Background (ppm): 0

Converted to Well: Yes No Well I.D. #: BPOW3-2



BORING LOG

PROJECT NAME: NWIRP Bethpage
 PROJECT NUMBER: N4037
 DRILLING COMPANY: Uni-Tech
 DRILLING RIG: FAILING 1500

BORING No.: BPOW 3 - 2
 DATE: 9/16/03
 GEOLOGIST: Conti
 DRILLER: BLEKINGS

Sample No. and Type or RQD	Depth (FL) or Run No.	Blows / 6" or RQD (%)	Sample Recovery / Sample Length	Lithology Change (Depth/FL) or Screened Interval	MATERIAL DESCRIPTION			U S C S *	Remarks	PID/FID Reading (ppm)										
					Soil Density/ Consistency or Rock Hardness	Color	Material Classification			Sample	Sampler BZ	Borehole**	Driller BZ**							
	50																			
							SAND AND GRAVEL		SUB ANG TO SUB ROUND GRAVEL.											0
	60																			0
	70																			0
	80						SAND - SOME GRAVEL													0
	90						SILTY SAND		LESS GRAVEL											0
	100																			0

↑
9/15
9/16
↓

* When rock coring, enter rock brokenness.
 ** Include monitor reading in 6 foot intervals @ borehole. Increase reading frequency if elevated response read.

Remarks: _____

Drilling Area Background (ppm):

Converted to Well: Yes No Well I.D. #: BPOW 3 - 2



BORING LOG

PROJECT NAME: NWIRP Bethpage
 PROJECT NUMBER: N4037
 DRILLING COMPANY: Uni-Tech
 DRILLING RIG: FAILING 1500

BORING No.: BPOW3-2
 DATE: 9/17/03
 GEOLOGIST: Conti
 DRILLER: BLEMINGS

Sample No. and Type or ROD	Depth (Ft.) or Run No.	Blows / 6" or ROD (%)	Sample Recovery / Sample Length	Lithology Change (Depth/Ft.) or Screened Interval	MATERIAL DESCRIPTION			U S C S	Remarks	PID/FID Reading (ppm)				
					Soil Density/ Consistency or Rock Hardness	Color	Material Classification			Sample	Sampler BZ	Borehole**	Driller BZ**	
	100				DENSE		SILTY SAND							0
	110								TR CLAY					0
	120						CLAYEY SAND - SOME GRAVEL		1" SUB ROUND					0
	130						SILTY SAND		LESS CLAY @ 130'					0
	140													0
	150													0

9/17
9/18

* When rock coring, enter rock brokenness.

** Include monitor reading in 6 foot intervals @ borehole. Increase reading frequency if elevated response read.

Remarks: _____

Drilling Area Background (ppm):

Converted to Well: Yes No Well I.D. #: BPOW3-2



BORING LOG

PROJECT NAME: NWIRP Bethpage
 PROJECT NUMBER: N4037
 DRILLING COMPANY: Uni-Tech
 DRILLING RIG: FALLING 1500

BORING No.: BPOW 3-2
 DATE: 9-18-03
 GEOLOGIST: Conti
 DRILLER: BLEMINGS

Sample No. and Type or RQD	Depth (FL) or Run No.	Blows / 6" or RQD (%)	Sample Recovery / Sample Length	Lithology Change (Depth/FL) or Screened Interval	MATERIAL DESCRIPTION			U S C S	Remarks	PID/FID Reading (ppm)									
					Soil Density/ Consistency or Rock Hardness	Color	Material Classification			Sample	Sampler BZ	Borehole*	Driller BZ**						
	150																		
1030					DENSE		SILTY SAND - TR CLAY - TR GRAVEL												0
	160																		0
	170																		0
	180																		0
S-1 1150	190 191		50/50 -1/1		DENSE	TAN BRN	SILTY SAND (F/M)	SM 1/SP	POOR REC.										0
	200																		0

* When rock coring, enter rock brokeness.

** Include monitor reading in 6 foot intervals @ borehole. Increase reading frequency if elevated reponse read.

Remarks: _____

Drilling Area Background (ppm): 0

Converted to Well: Yes ✓ No _____ Well I.D. #: BPOW 3-2



BORING LOG

PROJECT NAME: NWIRP Bethpage
 PROJECT NUMBER: N4037
 DRILLING COMPANY: Uni-Tech
 DRILLING RIG: FALING 1500

BORING No.: BPOW 3-2
 DATE: 9-18-03
 GEOLOGIST: Conti
 DRILLER: BLEMINGS

Sample No. and Type or RQD	Depth (Ft.) or Run No.	Blows / 6" or RQD (%)	Sample Recovery / Sample Length	Lithology Change (Depth/FL) or Screened Interval	MATERIAL DESCRIPTION			U S C S	Remarks	PID/FID Reading (ppm)					
					Soil Density/ Consistency or Rock Hardness	Color	Material Classification			Sample	Sampler BZ	Borehole**	Driller BZ**		
	200				DENSE		SAND - TR CLAY								0
	1230 210														0
	220														0
	1300 230														0
	240						SILTY SAND - SOME CLAY	SM SC							0
	1350 250														0

* When rock coring, enter rock brokenness.

** Include monitor reading in 6 foot intervals @ borehole. Increase reading frequency if elevated response read.

Remarks: _____

Drilling Area
 Background (ppm):

Converted to Well: Yes No Well I.D. #: BPOW 3-2



BORING LOG

PROJECT NAME: NWIRP Bethpage
 PROJECT NUMBER: N4037
 DRILLING COMPANY: Uni-Tech
 DRILLING RIG: FAILING 1500

BORING No.: BPOW 3-2
 DATE: 9/18/03
 GEOLOGIST: Conti
 DRILLER: BLEMINGS

Sample No. and Type or RQD	Depth (Ft.) or Run No.	Blows / 6" or RQD (%)	Sample Recovery / Sample Length	Lithology Change (Depth/Ft.) or Screened Interval	MATERIAL DESCRIPTION			U S C S *	Remarks	PID/FID Reading (ppm)					
					Soil Density/ Consistency or Rock Hardness	Color	Material Classification			Sample	Sampler BZ	Borehole**	Driller BZ**		
	250	/			DENSE		SAND (FM) TR CLAY	SM SP							0
	260	/													0
	1430 270	/													0
		/													
	280	/			DENSE	GRAY	SILTY SANDY CLAY	SM SP							0
		/													
	290	/					SILTY SAND	SP SM							0
	1000	/													
		/													
	1020 300	/													0

9/18
9/22

* When rock coring, enter rock brokenness.
 ** Include monitor reading in 6 foot intervals @ borehole. Increase reading frequency if elevated response read.
 Remarks: _____

Drilling Area
 Background (ppm):

Converted to Well: Yes No Well I.D. #: BPOW 3-2



BORING LOG

PROJECT NAME: NWIRP Bethpage
 PROJECT NUMBER: N4037
 DRILLING COMPANY: Uni-Tech
 DRILLING RIG: FAILING 1500

BORING No.: BPOW 3-2
 DATE: 9-22-03
 GEOLOGIST: Conti
 DRILLER: BLEMINGS

Sample No. and Type or RQD	Depth (FL) or Run No.	Blows / 6" or RQD (%)	Sample Recovery / Sample Length	Lithology Change (Depth/FL) or Screened Interval	MATERIAL DESCRIPTION			U S C S *	Remarks	PID/FID Reading (ppm)										
					Soil Density/ Consistency or Rock Hardness	Color	Material Classification			Sample	Sampler BZ	Borehole**	Driller BZ**							
	300																			
S-2 e 1100	310 311	50 100%	1/1		DENSE GRAY		SILTY F/M SAND	SP	WET/ MICACEOUS											
	320																			
1110																				
	330						SAME	SP/SM												
1115																				
1120	340						SANDY CLAY	SC	MORE CLAY NOTED											
1125	350						SAME													

* When rock coring, enter rock brokenness.

** Include monitor reading in 6 foot intervals @ borehole. Increase reading frequency if elevated response read.

Remarks: _____

Drilling Area Background (ppm):

Converted to Well: Yes No Well I.D. #: BPOW 3-2



BORING LOG

PROJECT NAME: NWIRP Bethpage
 PROJECT NUMBER: N4037
 DRILLING COMPANY: Uni-Tech
 DRILLING RIG: FAILING 1500

BORING No.: BPOW 3-2
 DATE: 9/22/03
 GEOLOGIST: Conti
 DRILLER: BLEMINGS

Sample No. and Type or RQD	Depth (FL) or Run No.	Blows / 6" or RQD (%)	Sample Recovery / Sample Length	Lithology Change (Depth/FL) or Screened Interval	MATERIAL DESCRIPTION			U S C S *	Remarks	PID/FID Reading (ppm)			
					Soil Density/ Consistency or Rock Hardness	Color	Material Classification			Sample	Sampler BZ	Borehole**	Driller BZ**
	350				DENSE	GRAY	SANDY CLAY	SC					0
	360						SILTY SAND - TR CLAY						0
1130	370						SAME - SOME GRAVEL		GRAVEL BASED ON CUTTINGS AND DRILL TOOLS				0
1145	380												0
	390												0
1200	400												0

* When rock coring, enter rock brokenness.

** Include monitor reading in 6 foot intervals @ borehole. Increase reading frequency if elevated response read.

Remarks: _____

Drilling Area Background (ppm): 0

Converted to Well: Yes No Well I.D. #: BPOW 3-2



BORING LOG

PROJECT NAME: NWIRP Bethpage
 PROJECT NUMBER: N4037
 DRILLING COMPANY: Uni-Tech
 DRILLING RIG: FALLING 1500

BORING No.: BPOW3-2
 DATE: 9/22/03
 GEOLOGIST: Conti
 DRILLER: BLEMINGS

Sample No. and Type or RQD	Depth (FL) or Run No.	Blows / 6" or RQD (%)	Sample Recovery / Sample Length	Lithology Change (Depth/Ft.) or Screened Interval	MATERIAL DESCRIPTION			U S C S	Remarks	PID/FID Reading (ppm)							
					Soil Density/Consistency or Rock Hardness	Color	Material Classification			Sample	Sampler BZ	Borehole**	Driller BZ**				
	400	/	/													0	
S-3	410	59 40/6	0.8/1	410	STIFF	GRAY	SANDY CLAY	SC	MOIST LAMINATED								0
	1215 411	/	/														0
	420	/	/														0
	1300 430	/	/				SAME - MORE SAND										0
	1310 440	/	/														0
	1315 450	/	/														0

* When rock coring, enter rock brokenness.

** Include monitor reading in 6 foot intervals @ borehole. Increase reading frequency if elevated reponse read.

Remarks: _____

Drilling Area Background (ppm):

Converted to Well: Yes No _____ Well I.D. #: BPOW3-2



BORING LOG

PROJECT NAME: NWIRP Bethpage
 PROJECT NUMBER: N4037
 DRILLING COMPANY: Uni-Tech
 DRILLING RIG: FAILING 1500

BORING No.: BPOW3-2
 DATE: 9/22/03
 GEOLOGIST: Conti
 DRILLER: BLEMINGS

Sample No. and Type or RQD	Depth (FL) or Run No.	Blows / 6" or RQD (%)	Sample Recovery / Sample Length	Lithology Change (Depth/FL) or Screened Interval	MATERIAL DESCRIPTION			U S C S	Remarks	PID/FID Reading (ppm)								
					Soil Density/Consistency or Rock Hardness	Color	Material Classification			Sample	Sampler BZ	Borehole**	Driller BZ**					
	450	/																
	1345	460	/															
	1400	470	/				SANDY CLAY	SC	DRILLER NOTES MORE CLAY ≈ 470' BGS.									
	480	/					TO SILTY SAND	SM SF										
	1415	490	/															
	500	/																

* When rock coring, enter rock brokenness.

** Include monitor reading in 6 foot intervals @ borehole. Increase reading frequency if elevated response read.

Remarks: _____

Drilling Area Background (ppm): 0

Converted to Well: Yes No _____ Well I.D. #: BPOW3-2



BORING LOG

PROJECT NAME: NWIRP Bethpage
 PROJECT NUMBER: N4037
 DRILLING COMPANY: Uni-Tech
 DRILLING RIG: FALLING 1500

BORING No.: BPOW 3-2
 DATE: 9/22/03
 GEOLOGIST: Conti
 DRILLER: BUMINGS

Sample No. and Type or RQD	Depth (FL) or Run No.	Blows / 6" or RQD (%)	Sample Recovery / Sample Length	Lithology Change (Depth/FL) or Screened Interval	MATERIAL DESCRIPTION			U S C S *	Remarks	PID/FID Reading (ppm)												
					Soil Density/ Consistency or Rock Hardness	Color	Material Classification			Sample	Sampler BZ	Borehole**	Driller BZ**									
	500																					
9122 S-4 1435	510 511	50 50/6"	0.7/1		DENSE LT. GRAY		SILTY F/M SAND - TRC. SAND AND LIGNITE	SP SW	WET ALSO TRACE OF 3/4 PC FRIABLE GRAVEL.													
	520																					
9122 9/23 A +	530																					
	540																					
	550																					

* When rock coring, enter rock brokeness.

** Include monitor reading in 6 foot intervals @ borehole. Increase reading frequency if elevated reponse read.

Remarks:

Drilling Area
 Background (ppm):

Converted to Well: Yes No Well I.D. #: BPOW 3-2



BORING LOG

PROJECT NAME: NWIRP Bethpage
 PROJECT NUMBER: N4037
 DRILLING COMPANY: Uni-Tech
 DRILLING RIG: FAILING 1500

BORING No.: BPOW 3-2
 DATE: 9-23-03
 GEOLOGIST: Conti
 DRILLER: BLEMINGS

Sample No. and Type or RQD	Depth (Fl.) or Run No.	Blows / 6" or RQD (%)	Sample Recovery / Sample Length	Lithology Change (Depth/Fl.) or Screened Interval	MATERIAL DESCRIPTION			U S C S *	Remarks	PID/FID Reading (ppm)			
					Soil Density/ Consistency or Rock Hardness	Color	Material Classification			Sample	Sampler BZ	Borehole**	Driller BZ**
015	550	/			DENSE	GRAY	SILTY SAND	SM SP					0
		/											0
	560	/											0
		/											0
1000	570	/											0
		/											0
	580	/					SAME AS ABOVE						0
		/											0
1030	590	/											0
		/											0
	600	/											0

* When rock coring, enter rock brokenness.

** Include monitor reading in 6 foot intervals @ borehole. Increase reading frequency if elevated response read.

Remarks: _____

Drilling Area
 Background (ppm):

Converted to Well: Yes No Well I.D. #: BPOW 3-2

**BORING LOG**

PROJECT NAME: NWIRP Bethpage
 PROJECT NUMBER: N4037
 DRILLING COMPANY: Uni-Tech
 DRILLING RIG: FAILING 1500

BORING No.: BPOW 3-2
 DATE: 9/23/03
 GEOLOGIST: Conti
 DRILLER: BLEMINGS

Sample No. and Type or RQD	Depth (FL) or Run No.	Blows / 6" or RQD (%)	Sample Recovery / Sample Length	Lithology Change (Depth/FL) or Screened Interval	MATERIAL DESCRIPTION			U S C S *	Remarks	PID/FID Reading (ppm)									
					Soil Density/ Consistency or Rock Hardness	Color	Material Classification			Sample	Sampler BZ	Borehole**	Driller BZ**						
	600																		
S-5 E 1105	610	50 100	1/1	612	DENSE GRAY		SILTY SAND F/M TR WOOD FRAGS	SM SP	WET										
	620																		
	630																		
	632				BLANK														
	637																		
	640																		
	650																		

* When rock coring, enter rock brokenness.

** Include monitor reading in 6 foot intervals @ borehole. Increase reading frequency if elevated response read.

Remarks: DRILLED TO 660' - LOGGED TO 659'

Drilling Area
Background (ppm): 0

Converted to Well: Yes No Well I.D. #: BPOW 3-2



Tetra Tech NUS, Inc.

MONITORING WELL DEVELOPMENT RECORD

Page 1 of 4

Well: BPOW3-2 Depth to Bottom (ft.): 617' Responsible Personnel: Conti
 Site: NWIRP Static Water Level Before (ft.): 33±65 Drilling Co.: Uni-Tech
 Date Installed: 9/15/03 Static Water Level After (ft.): _____ Project Name: NWIRP Bethpage-Outpost Wells
 Date Developed: 10/13/03 Screen Length (ft.): 40'/30' Project Number: N4037
 Dev. Method: AIR LIFT / PUMP Specific Capacity: _____
 Pump Type: _____ Casing ID (in.): 3 3/16"

612-632 SCR
 632-637 BLANK
 637-647 SCR

Time	Estimated Flow Rate (GPM)	Cumulative Water Volume (Gal.)	Water Level Readings (Ft. below TOC)	Temperature (Degrees C)	pH	Specific Conductance (Units _____) mS/cm	Turbidity (NTU) HORIBA / LAMORTE	Remarks (odor, color, etc.)
1030	LOAD ①	LEAVES w/ (1600) GAL -						GRAY TURBID - NO RDGS
1030	START	INTO 1400 GAL TANKS -						DEV PIPE @ 360' INITIALLY
1050	35	700	39'±	13.91	4.13	.138	999	BRN GRAY TURBID
1110	27.5	1100	39'	13.26	4.37	.078	999	" " "
1115	LOAD ②	LEAVES w/ (1100) [2700]						
1135	30	600	39'	13.73	4.57	.077	999	" " "
1155	32.5	1300	39'	13.79	4.58	.073	999	" " "
1210	LOAD ③	LEAVES w/ (1700) [4400]						
1215	START	INTO 1400 GAL						GRAY - TURBID
1235	25	500	39'	14.44	4.70	.070	999	
1255	27.5	1100	39	14.14	4.52	.081	999/731	" "
1300	LOAD ④	LEAVES w/ (1100) [5500]						
1300	START	INTO 2000 GALLON						
1320	30	600	39'	14.40	4.51	.079	999/1036	GRAY TURBID
1340	30	1200	39'	13.90	4.67	.071	999/527	" "
1400	LOAD ⑤	LEAVES w/ (1600) GALLS [7100]						START INTO 1400 GALLON TANK
1420	30	600	37'	13.80	4.90	.075	999/747	GRAY TURBID
1440	27.5	1100	37'	13.90	4.81	.075	999/552	" "

LOAD ⑥ LEAVES w/ 1100 GALLS [8200] 10/13/03

001



Tetra Tech NUS, Inc.

MONITORING WELL DEVELOPMENT RECORD

Page 2 of 4

Well: BPOW 3-2 Depth to Bottom (ft.): 673 (660) Responsible Personnel: Conti
 Site: NWIRP Static Water Level Before (ft.): 35'6" Drilling Co.: Uni-Tech
 Date Installed: 9/15/03 Static Water Level After (ft.): _____ Project Name: NWIRP Bethpage-Outpost Wells
 Date Developed: 10/13/03 Screen Length (ft.): 10' Project Number: N4037
 Dev. Method: AIR LIFT/ PUMP Specific Capacity: _____
 Pump Type: _____ Casing ID (in.): 3 13/16 ID

HORIBA / LAMOTÉ

Time	Estimated Flow Rate (GPM)	Cumulative Water Volume (Gal.)	Water Level Readings (Ft. below T00) 35' GS.	Temperature (Degrees C)	pH	Specific Conductance (Units _____) mS/cm	Turbidity (NTU)	Remarks (odor, color, etc.)
0850	START	INTO 2000 GAL TANK						
0910	30	600	36'	12.98	4.84	.112	999/984	GRAY/TURBID PH PAPER 4 → 5
0930	30	1200	36'	13.05	4.96	.078	999/623	" "
0950	LOAD	(7) LEAVES w/ (1100) GALS (9800)						START INTO 1400 GALLON TANK
1010	30	600	36'	13.02	4.92	.076	999/627	GRAY/TURBID
1030	27.5	1100	36	13.55	5.11	.063	999/372	" "
1030	LOAD	(8) LEAVES w/ (1100)						START INTO 2000
1050	30	600	36'	13.45	5.21	.063	999/462	" "
1110	30	1200	36'	14.51	5.08	.063	952/302	" "
1130	27	1600	36'	13.05	4.97	.058	659/261	" "
1130	LOAD	(9) LVS w/ 1600 G.						START INTO 1400
1150	30	600	36'	13.71	5.21	.061	999/334	" "
1210	27	1100	36'	13.70	5.39	.059	999/243	" "
1215	LOAD	(10) LVS w/ 1100 G						[13,600]
1300	START	INTO 2000						
1320	30	600	36'	13.65	5.24	.061	999/390	" "
1340	30	1200	36'	13.12	5.08	.058	956/264	" "
1400	27	1600	36'	12.72	4.94	.058	796/226	" "

LOAD (11) LVS w/ 1600 GALS [15, 2] START INTO 1400 GALLON

10/14

↓

101

* NOTE: GROUNDWATER SAMPLES CONTAINED NO SEDIMENT, GW HAD THE APPEARANCE OF "LEMONADE" SHOULD NOT CLEAR UP (<50 NTU) DURING AIR LIFT.



Tetra Tech NUS, Inc.

MONITORING WELL DEVELOPMENT RECORD

Well: BROW 3-2 Depth to Bottom (ft.): 647' BGS Responsible Personnel: Conti
 Site: NWIRP Static Water Level Before (ft.): 31' 10/15 Drilling Co.: Uni-Tech
 Date Installed: 9-15-03 Static Water Level After (ft.): _____ Project Name: NWIRP Bethpage-Outpost Wells
 Date Developed: 10/13 → Screen Length (ft.): SEE PG 1 Project Number: N4037
 Dev. Method: AIRLIFT/SUMP Specific Capacity: _____
 Pump Type: _____ Casing ID (in.): 2 13/16

HORIBA/LAMOTIE

Time	Estimated Flow Rate (GPM)	Cumulative Water Volume (Gal.)	Water Level Readings (Ft. below TOG) GS	Temperature (Degrees C)	pH	Specific Conductance (Units _____) mS/cm	Turbidity (NTU)	Remarks (odor, color, etc.)
10/14 ↓ 1420	30	600	36'	12.86	4.88	.057	706/262	GRAY- SL TURBID
1440	27	1100	36'	12.76	4.84	.057	595/211	" "
1445	LOAD	(12) LVS w/ 1100 GAL		[16,300]			START INTO 2000 GAL	
1505	30	600	36'	13.15	5.01	.058	817/278	" " "
1525	30	1200	36'	13.00	5.03	.058	682/207	" " "
1545	27	1600	36'	13.03	5.13	.057	727/178	
1600	LOAD	(13) LVS. w/ 1600 GAL		[17,900]				
10/15 ↓ 0800	START	INTO 2000	34' INI					
0820	30	600	35' (GS)	12.67	4.51	.115	585/310	GRAY/ SL TURBID
0840	30	1200	35' "	12.66	4.68	.068	472/237	" "
0900	27	1600	35'	12.77	4.73	.064	423/210	642-647
0900	LOAD	(14) LVS w/ 1600 GAL		[19,500]			START INTO 1400	
0920	30	600	35'	12.71	4.83	.063	641/318	" " 637-642
0940	27	1100	35'	12.95	4.86	.062	401/233	" " 627-632
1000	LOAD	(15) LVS w/ 1100 GAL		[20,600]			START INTO 2000 GAL	
1020	30	600	35'	13.15	4.89	.067	648/289	" " 622-627
1040	30	1200	35'	13.10	5.03	.071	528/211	" " 617-622
1100	27	1600	35'	13.05	5.05	.073	621/228	" " 612-617

LOAD (15) LVS w/ 1600 GAL 22,200 THIS WELL (AIRLIFT) * DONE AIR LIFT

AQUA TERRA GEOPHYSICS INC

CO
WELL
FLD
CTY
STE
FILING No

COMPANY UNI TECH DRILLING
WELL ID BPOW3-2
FIELD NWIRP BETHPAGE
COUNTRY
LOCATION STATE

OTHER SERVICES

PERMANENT DATUM

SEC TWP RGE
ELEVATION

K.B.

LOG MEAS. FROM

GROUND SURFACE ABOVE PERM. DATUM

D.F.

DRILLING MEAS. FROM

O.L.

DATE SEPTEMBER 23, 2003

TYPE FLUID IN HOLE

BENTONITE

RUN No

SALINITY

TYPE LOG

DENSITY

DEPTH-DRILLER

660 FEET

LEVEL

DEPTH-LOGGER

659 FEET

MAX REC. TEMP.

BTM LOGGED INTERVAL

TOP LOGGED INTERVAL

OPERATING RIG TIME

1.5 HRS.

RECORDED BY

BENJAMIN RICE


WITNESSED BY


STAN CONTI

BOREHOLE RECORD


CASING RECORD

NO.	HT	FROM	TO	SIZE	WGT.	FROM	TO
	8 INCH	95 FEET	TOTAL DEPTH	8 INCH	WGT.	GROUND SURFACE	95 FEET






160
170
180
190
200
210
220
230
240
250
260



106



380

390

400

410

420

430


440


450

460


470

480





109



APPENDIX H
BPOW4-1 WELL DATA



Tetra Tech NUS, Inc.

WELL No.: BPOW4-1

MONITORING WELL SHEET

PERMIT No:

PROJECT:	<u>NWIRP</u>	DRILLING Co.:	<u>UNITECH</u>	BORING No.:	<u>BPOW4-1</u>
PROJECT No.:	<u>N4037</u>	DRILLER:	<u>BLEMMINGS</u>	DATE COMPLETED:	<u>7/17/03</u>
SITE:	<u>BETHPAGE</u>	DRILLING METHOD:	<u>MUD ROT</u>	RECONSTRUCTED	<u>2 → 12/9/03</u>
GEOLOGIST:	<u>CONTI</u>	DEV. METHOD:	<u>AIR/PUMP</u>	NORTHING:	
				EASTING:	

Ground Elevation Datum:

10" CAS To 85'

85'

K-PACKER AT 642'

10 SLOT 2" φ STAINLESS STEEL SCREEN

INSTALLED 12/9/03 AS PART OF RECONSTRUCTION OF WELL.

NOTE:
10' S.S RISER PLACED ABOVE SCREEN - 652 → 642

Not to Scale

Elevation / Depth of Top of Riser:	<u>1</u>
Elevation / Height of Top of Surface Casing:	<u>1</u>
I.D. of Surface Casing:	<u>9"</u>
Type of Surface Casing:	<u>STEEL</u>
Type of Surface Seal:	<u>CONCRETE PAD 2'x2'x6"</u>
I.D. of Riser:	<u>3 13/16"</u>
Type of Riser:	<u>PVC SCH 80</u>
Borehole Diameter:	<u>8 3/4 ≈ 9"</u>
Type of Backfill:	<u>VOLCLAY GROUT</u>
Elevation / Depth of Seal:	<u>F SAND #0 1602</u>
Type of Seal:	<u>NA</u>
Elevation / Depth of Top of Filter Pack:	<u>1620 C. SAND</u>
Elevation / Depth of Top of Screen:	<u>1652</u>
Type of Screen:	<u>PVC SCH 80 (PLACED 7/17/03)</u>
Slot Size x Length:	<u>10 SL x 40'</u>
INITIAL I.D. of Screen:	<u>3 13/16"</u>
Type of Filter Pack:	<u>#1 SILICA SAND</u>
Elevation / Depth of Bottom of Screen:	<u>1692</u>
Elevation / Depth of Bottom of Filter Pack:	<u>1693</u>
Type of Backfill Below Well:	<u>SILICA SAND</u>
Elevation / Total Depth of Borehole:	<u>1700</u>



BORING LOG

PROJECT NAME: NWIRP Bethpage
 PROJECT NUMBER: N4037
 DRILLING COMPANY: Uni-Tech
 DRILLING RIG: FAILING 1500

BORING No.: BPOW4-1
 DATE: 7-8-03
 GEOLOGIST: Conti / Shickora
 DRILLER: J BLEMINGS

Sample No. and Type or RQD	Depth (FL) or Run No.	Blows / 6" or RQD (%)	Sample Recovery / Sample Length	Lithology Change (Depth/FL) or Screened Interval	MATERIAL DESCRIPTION			U S C S	Remarks	PID/FID Reading (ppm)				
					Soil Density/ Consistency or Rock Hardness	Color	Material Classification			Sample	Sampler BZ	Borehole*	Driller BZ**	
	0	/					TOP 6" TOPSOIL							
	10	/					SAND AND GRAVEL		(FROM CUTTINGS)					0
	20	/												0
	30	/												0
	40	/					SAND AND GRAVEL		1" ϕ SUB ROUND FROM CUTTINGS					0
	50	/												0

* When rock coring, enter rock brokenness.

** Include monitor reading in 6 foot intervals @ borehole. Increase reading frequency if elevated response read.

Remarks: START W 8" ϕ MUD ROTARY - REAM TO 12" TO SET 10" CASING.

Drilling Area Background (ppm): 0

Converted to Well: Yes No Well I.D. #: BPOW4-1



BORING LOG

PROJECT NAME: NWIRP Bethpage
 PROJECT NUMBER: N4037
 DRILLING COMPANY: Uni-Tech
 DRILLING RIG: FAILING 1500

BORING No.: BPOW 4-1
 DATE: 7-8-03 / 7-9-03
 GEOLOGIST: Conti
 DRILLER: J BLEMINGS

Sample No. and Type or RQD	Depth (FL) or Run No.	Blows / 6" or RQD Recovery (%)	Sample Recovery / Sample Length	Lithology Change (Depth/FL) or Screened Interval	MATERIAL DESCRIPTION			U S C S *	Remarks	PID/FID Reading (ppm)				
					Soil Density/ Consistency or Rock Hardness	Color	Material Classification			Sample	Sampler BZ	Borehole**	Driller BZ**	
	50	/	/		DENSE		SAND AND GRAVEL							0
	60	/	/											
	70	/	/											0
	80	/	/				SAND							
	90	/	/				CLAYEY SAND		± 90'					0
	100	/	/				Sand and Gravel		1/4" φ Sub round					0

7/8
7/9

7/11
↓

* When rock coring, enter rock brokenness.

** Include monitor reading in 6 foot intervals @ borehole. Increase reading frequency if elevated response read.

Remarks: Ream to 12" φ ON 7-10-03
Set 10" CASING TO 85' ON 7-10-03
8 3/4" φ drilling from 85' to T.D.

Drilling Area
Background (ppm):

Converted to Well: Yes No Well I.D. #: BPOW 4-1



BORING LOG

PROJECT NAME: NWIRP Bethpage
 PROJECT NUMBER: N4037
 DRILLING COMPANY: Uni-Tech
 DRILLING RIG: FAILING 1500

BORING No.: BPOW4-1
 DATE: 7-11-03 / 7-14-03
 GEOLOGIST: Conti / Shickora
 DRILLER: J BLEMINGS

Sample No. and Type or RQD	Depth (Ft.) or Run No.	Blows / 6" or RQD (%)	Sample Recovery / Sample Length	Lithology Change (Depth/Ft.) or Screened Interval	MATERIAL DESCRIPTION			U S C S	Remarks	PID/FID Reading (ppm)								
					Soil Density/ Consistency or Rock Hardness	Color	Material Classification			Sample	Sampler BZ	Borehole**	Driller BZ**					
	100	/	/															
	1055	110	/				Sand (Trace gravel)		(from cuttings)									0
	0925		/															
	120		/				Sand + Gravel		1/2" ϕ sub round									
	1050	130	/				Sand and Gravel		1" ϕ sub round from cuttings									0
	1445	140	/															
	1515	150	/				clayey Sand + Gravel		1" ϕ sub round									0

↑
7/11
7/14
↓

* When rock coring, enter rock brokenness.

** Include monitor reading in 6 foot intervals @ borehole. Increase reading frequency if elevated response read.

Remarks: _____

Drilling Area
 Background (ppm):

Converted to Well: Yes No _____ Well I.D. #: BPOW 4-1



BORING LOG

PROJECT NAME: NWIRP Bethpage
 PROJECT NUMBER: N4037
 DRILLING COMPANY: Uni-Tech
 DRILLING RIG: Failing 1500

BORING No.: BPOW 4-1
 DATE: 7-14-03
 GEOLOGIST: Conti / Shickora
 DRILLER: J. Blening

Sample No. and Type or RQD	Depth (Ft.) or Run No.	Blows / 6" or RQD (%)	Sample Recovery / Sample Length	Lithology Change (Depth/Ft.) or Screened Interval	MATERIAL DESCRIPTION			U S C S	Remarks	PID/FID Reading (ppm)								
					Soil Density/ Consistency or Rock Hardness	Color	Material Classification			Sample	Sampler BZ	Borehole**	Driller BZ**					
	150	/																
	1540/160	/					Sand + Gravel		1" ϕ subround									0
	1617/170	/					Same as above											0
	1647/180	/																
	1719/190	/					Same as above											0
	200	/																

↑
7/14
7/15
↓

* When rock coring, enter rock brokenness.

** Include monitor reading in 6 foot intervals @ borehole. Increase reading frequency if elevated response read.

Remarks: _____

Drilling Area
 Background (ppm): 0

Converted to Well: Yes No Well I.D. #: BPOW 4-1



BORING LOG

PROJECT NAME: NWIRP Bethpage
 PROJECT NUMBER: N4037
 DRILLING COMPANY: Uni-Tech
 DRILLING RIG: Failing 1500

BORING No.: BPOW 4-1
 DATE: 7-15-03
 GEOLOGIST: Conti Shickoff
 DRILLER: J. Blenkins

Sample No. and Type or RQD	Depth (FL) or Run No.	Blows / 6" or RQD (%)	Sample Recovery / Sample Length	Lithology Change (Depth/Fl.) or Screened Interval	MATERIAL DESCRIPTION			U S C S .	Remarks	PID/FID Reading (ppm)								
					Soil Density/ Consistency or Rock Hardness	Color	Material Classification			Sample	Sampler BZ	Borehole**	Driller BZ**					
	200	/																
	0930 210	/					Clayey Sand (Trace gravel)		From cuttings									0
	220	/																
	1005 230	/					Sandy Silt + Clay		From cuttings									0
	240	/					Same as above											0
	1033 250	/					Sand (Trace clay)											0

* When rock coring, enter rock brokenness.

** Include monitor reading in 6 foot intervals @ borehole. Increase reading frequency if elevated response read.

Remarks: _____

Drilling Area
 Background (ppm):

Converted to Well: Yes No Well I.D. #: BPOW 4-1



BORING LOG

PROJECT NAME: NWIRP Bethpage
 PROJECT NUMBER: N4037
 DRILLING COMPANY: Uni-Tech
 DRILLING RIG: Falling 1500

BORING No.: BPOW 4-1
 DATE: 7-15-03
 GEOLOGIST: Conti Shickora
 DRILLER: J. Blenkins

Sample No. and Type or RQD	Depth (FL) or Run No.	Blows / 6" or RQD (%)	Sample Recovery / Sample Length	Lithology Change (Depth/FL) or Screened Interval	MATERIAL DESCRIPTION			U S C S *	Remarks	PID/FID Reading (ppm)								
					Soil Density/ Consistency or Rock Hardness	Color	Material Classification			Sample	Sampler BZ	Borehole**	Driller BZ**					
	250	/																
	260	/																
1059	270	/			Black Sand (Trace Silt/clay)		Some lignite		From cuttings									0
	280	/																
1123	290	/			Sand (some clay)				From cuttings									0
	300	/																

* When rock coring, enter rock brokenness.

** Include monitor reading in 6 foot intervals @ borehole. Increase reading frequency if elevated response read.

Remarks: _____

Drilling Area
 Background (ppm):

Converted to Well: Yes No Well I.D. #: BPOW 4-1



BORING LOG

PROJECT NAME: NWIRP Bethpage
 PROJECT NUMBER: N4037
 DRILLING COMPANY: Uni-Tech
 DRILLING RIG: Falling 1500

BORING No.: BPOW 4-1
 DATE: 7-15-03
 GEOLOGIST: Genti Shickora
 DRILLER: J-Blenings

Sample No. and Type or RQD	Depth (FL) or Run No.	Blows / 6" or RQD (%)	Sample Recovery / Sample Length	Lithology Change (Depth/FL) or Screened Interval	MATERIAL DESCRIPTION			U S C S *	Remarks	PID/FID Reading (ppm)							
					Soil Density/ Consistency or Rock Hardness	Color	Material Classification			Sample	Sampler BZ	Borehole**	Driller BZ**				
	300	/															
1151	310	/					Sand (some clay)		From cuttings								0
	320	/															
1320	330	/					Same as above		From cuttings								0
	340	/															
1957	350	/					Same as above		From cuttings								0

* When rock coring, enter rock brokenness.

** Include monitor reading in 6 foot intervals @ borehole. Increase reading frequency if elevated response read.

Remarks: _____

Drilling Area
 Background (ppm):

Converted to Well: Yes No Well I.D. #: BPOW 4-1



BORING LOG

PROJECT NAME: NWIRP Bethpage
 PROJECT NUMBER: N4037
 DRILLING COMPANY: Uni-Tech
 DRILLING RIG: Falling 1500

BORING No.: BPOW 4-1
 DATE: 7-15-03
 GEOLOGIST: Conti Shickora
 DRILLER: J. Blenkins

Sample No. and Type or RQD	Depth (Ft.) or Run No.	Blows / 6" or RQD (%)	Sample Recovery / Sample Length	Lithology Change (Depth/Ft.) or Screened Interval	MATERIAL DESCRIPTION			U S C S	Remarks	PID/FID Reading (ppm)								
					Soil Density/ Consistency or Rock Hardness	Color	Material Classification			Sample	Sampler BZ	Borehole**	Driller BZ**					
	350	/																
	360	/																
1423	370	/					Sand (Trace silt/clay)		From cuttings									0
	380	/																
1455	390	/					Same as above		From cuttings									0
	400	/																

* When rock coring, enter rock brokenness.

** Include monitor reading in 6 foot intervals @ borehole. Increase reading frequency if elevated response read.

Remarks: _____

Drilling Area
 Background (ppm): 0

Converted to Well: Yes No Well I.D. #: BPOW 4-1



BORING LOG

PROJECT NAME: NWIRP Bethpage
 PROJECT NUMBER: N4037
 DRILLING COMPANY: Uni-Tech
 DRILLING RIG: Fairing 1500

BORING No.: BPOW 4-1
 DATE: 7-15-03
 GEOLOGIST: Conti Shickora
 DRILLER: J. Blenings

Sample No. and Type or ROD	Depth (Ft.) or Run No.	Blows / 6" or RGD (%)	Sample Recovery / Sample Length	Lithology Change (Depth/Ft.) or Screened Interval	MATERIAL DESCRIPTION			U S C S *	Remarks	PID/FID Reading (ppm)								
					Soil Density/ Consistency or Rock Hardness	Color	Material Classification			Sample	Sampler BZ	Borehole**	Driller BZ**					
	400	/																
1521	410	/					Same as above		From cuttings									0
	420	/																
1605	430	/					Sandy clay (Trace silt)		From cuttings									0
	440	/																
1642	450	/					Same as above											0

↑
7/15

* When rock coring, enter rock brokenness.

** Include monitor reading in 6 foot intervals @ borehole. Increase reading frequency if elevated response read.

Remarks: _____

Drilling Area Background (ppm):

Converted to Well: Yes No Well I.D. #: BPOW 4-1



BORING LOG

PROJECT NAME: NWIRP Bethpage
 PROJECT NUMBER: N4037
 DRILLING COMPANY: Uni-Tech
 DRILLING RIG: Failing 1500

BORING No.: BPOW 4-1
 DATE: 7-15-03
 GEOLOGIST: Contr Shickora
 DRILLER: J. Blenkins

Sample No. and Type or RQD	Depth (FT.) or Run No.	Blows / 6" or RQD (%)	Sample Recovery / Sample Length	Lithology Change (Depth/FL) or Screened Interval	MATERIAL DESCRIPTION			U S C S	Remarks	PID/FID Reading (ppm)								
					Soil Density/ Consistency or Rock Hardness	Color	Material Classification			Sample	Sampler BZ	Borehole**	Driller BZ**					
	450	/	/															
	460	/	/															
0940	470	/	/				Sand (Trace Silt and clay and Lignite)		From cuttings									0
	480	/	/															
1009	490	/	/				Same as above		From cuttings									0
	500	/	/															

7/16
↓

* When rock coring, enter rock brokenness.

** Include monitor reading in 6 foot intervals @ borehole. Increase reading frequency if elevated response read.

Remarks: _____

Drilling Area Background (ppm):

Converted to Well: Yes No Well I.D. #: BPOW4-1



BORING LOG

PROJECT NAME: NWIRP Bethpage
 PROJECT NUMBER: N4037
 DRILLING COMPANY: Uni-Tech
 DRILLING RIG: Failing 1500

BORING No.: BPOW 4-1
 DATE: 7-16-03
 GEOLOGIST: Conti Shickora
 DRILLER: J. Blenkins

Sample No. and Type or RQD	Depth (FL) or Run No.	Blows / 6" or RQD (%)	Sample Recovery / Sample Length	Lithology Change (Depth/FL) or Screened Interval	MATERIAL DESCRIPTION			U S C S	Remarks	PID/FID Reading (ppm)			
					Soil Density/ Consistency or Rock Hardness	Color	Material Classification			Sample	Sampler BZ	Borehole**	Driller BZ**
	500	/					Same as above		From cuttings				0
1038	510	/					Sand (Trace silt and clay)						
	520	/											
1103	530	/					Same as above		From Cuttings				0
	540	/											
1132	550	/					Same as above		From Cuttings				0

* When rock coring, enter rock brokenness.

** Include monitor reading in 6 foot intervals @ borehole. Increase reading frequency if elevated response read.

Remarks: _____

Drilling Area
 Background (ppm):

Converted to Well: Yes No Well I.D. #: BPDWA-1



BORING LOG

PROJECT NAME: NWIRP Bethpage
 PROJECT NUMBER: N4037
 DRILLING COMPANY: Uni-Tech
 DRILLING RIG: Failing 1500

BORING No.: BPOW 4-1
 DATE: 7-16-03
 GEOLOGIST: Conti Shickora
 DRILLER: J. Blenings

Sample No. and Type or RQD	Depth (Ft.) or Run No.	Blows / 6" or RQD (%)	Sample Recovery / Sample Length	Lithology Change (Depth/Ft.) or Screened Interval	MATERIAL DESCRIPTION			U S C S	Remarks	PID/FID Reading (ppm)								
					Soil Density/ Consistency or Rock Hardness	Color	Material Classification			Sample	Sampler BZ	Borehole**	Driller BZ**					
	550	/																
	560	/																
1334	570	/					Sand (Trace fine gravel + lignite)		From cuttings									0
	580	/																
1402	590	/					Sand (Trace clay and gravel)		From cuttings									0
	600	/																

* When rock coring, enter rock brokenness.

** Include monitor reading in 6 foot intervals @ borehole. Increase reading frequency if elevated response read.

Remarks: _____

Drilling Area
 Background (ppm):

Converted to Well: Yes No Well I.D. #: BPOW 4-1



BORING LOG

PROJECT NAME: NWIRP Bethpage
 PROJECT NUMBER: N4037
 DRILLING COMPANY: Uni-Tech
 DRILLING RIG: Failing 1500

BORING No.: BPOW 4-1
 DATE: 7-16-03
 GEOLOGIST: Conti - Shickora
 DRILLER: J. Blenings

Sample No. and Type or RQD	Depth (FT.) or Run No.	Blows / 6" or RQD (%)	Sample Recovery / Sample Length	Lithology Change (Depth/FT.) or Screened Interval	MATERIAL DESCRIPTION			U S C S *	Remarks	PID/FID Reading (ppm)								
					Soil Density/ Consistency or Rock Hardness	Color	Material Classification			Sample	Sampler BZ	Borehole**	Driller BZ**					
	600	/																
1433	610	/					Sand (Trace clay and lignite)		From cuttings									0
	620	/																
1509	630	/					Sand (Trace Clay)		From cuttings									0
	640	/					medium to coarse grain Sand & Fine Gravel		Losing mud to formation at a 635' Bbs									
	640	/							Losing mud to formation									
↑ 7/16	1710	650	/				Sand + Fine Gravel											0

* When rock coring, enter rock brokenness.

** Include monitor reading in 6 foot intervals @ borehole. Increase reading frequency if elevated response read.

Remarks: _____

Drilling Area
 Background (ppm):

Converted to Well: Yes No Well I.D. #: BPOW4-1



BORING LOG

PROJECT NAME: NWIRP Bethpage
 PROJECT NUMBER: N4037
 DRILLING COMPANY: Uni-Tech
 DRILLING RIG: Failing 1500

BORING No.: BPOW 4-1
 DATE: 7-17-03
 GEOLOGIST: Conti Shickora
 DRILLER: J. Blenings

Sample No. and Type or RQD	Depth (Ft.) or Run No.	Blows / 6" or RQD (%)	Sample Recovery / Sample Length	Lithology Change (Depth/FL) or Screened Interval	MATERIAL DESCRIPTION			U S C S	Remarks	PID/FID Reading (ppm)				
					Soil Density/ Consistency or Rock Hardness	Color	Material Classification			Sample	Sampler BZ	Borehole**	Driller BZ**	
	650	/		652										
0852	660	/		/			Medium to coarse grain Sand (Trace silt and clay fine gravel)		From cuttings					0
0923	670	/		/			Same as above		From cuttings					0
	680	/		/										
1005	690	/		/			Same as above		From cuttings					0
		/		692										
1031	700	/		EOB			Same as above							0

* When rock coring, enter rock brokenness.

** Include monitor reading in 6 foot intervals @ borehole. Increase reading frequency if elevated response read.

Remarks: _____

Drilling Area
 Background (ppm):

Converted to Well: Yes No Well I.D. #: BPOW 4-1



Tetra Tech NUS, Inc.

MONITORING WELL DEVELOPMENT RECORD

Well: BPOW4-1 Depth to Bottom (ft.): 612 ± BGS Responsible Personnel: Conti
 Site: NWIRP BETHPAGE Static Water Level Before (ft.): ~45' Drilling Co.: Uni-Tech
 Date Installed: 7-17-03 Static Water Level After (ft.): _____ Project Name: NWIRP Bethpage-Outpost Wells
 Date Developed: 7/23/03 Screen Length (ft.): _____ Project Number: N4037
 Dev. Method: AIR LIFT/PUMP Specific Capacity: _____
 Pump Type: _____ Casing ID (in.): _____

Time	Estimated Flow Rate (GPM)	Cumulative Water Volume (Gal.)	Water Level Readings (Ft. below TOC)	Temperature (Degrees C)	pH	Specific Conductance (Units _____) ms/cm	Turbidity (NTU)	Remarks (odor, color, etc.)
7/23 0930	—	—		—	—	—	—	INITIAL START
1020	30 ±	1400		15.80	9.05	.447	990	GRAY - V. TURBID
1025	LOAD (1)	LEAVES						1400 NET
1155	START	AIR LIFT						
1225	30 ±	900/2300		14.50	7.03	.104	990	BRN - V. TURBID w/F SAND
1305	LOAD (2)	2800						
1305	START LOAD (3) 2 nd TANK							
1335	27 ±	800/3800		18.60	6.25	.126	560	BRN - SL TURBID w/F SAND
1400		900 3700						- HAVING PROBLEMS w/ SAND IN WELL - ALSO
								DEV ROPE "HUNG UP" IN HOVE. SEE NB 1360 FOR DETAILS ~ 7/23/03
								7/24/03
								WILL ATTEMPT TO REPAIR WELL AND REDEVELOP

126

PH COND TURB TEMP
 9.01 110 0 10.57

DEV AFTER REPAIR TO WELL



Tetra Tech NUS, Inc.

MONITORING WELL DEVELOPMENT RECORD

Well: BPOW4-1 Depth to Bottom (ft.): 692' Responsible Personnel: Conti
 Site: NWIRP Static Water Level Before (ft.): 28' BGS Drilling Co.: Uni-Tech
 Date Installed: 7/17/03 Static Water Level After (ft.): _____ Project Name: NWIRP Bethpage-Outpost Wells
 Date Developed: 12/10/03 Screen Length (ft.): 40' Project Number: N4037
 Dev. Method: AIR LIFT/PUMP Specific Capacity: _____
 Pump Type: 3" SUB Casing ID (in.): 2"4

Due to 2" dia SCREEN, cannot isolate the zones within the screen, during dev.

HORIBA/LAMORTE

127

Time	Estimated Flow Rate (GPM)	Cumulative Water Volume (Gal.)	Water Level Readings (Ft. below TGG) GS	Temperature (Degrees C)	pH	Specific Conductance (Units _____) mS/cm	Turbidity (NTU)	Remarks (odor, color, etc.)
1030	LOAD	① LVS w/ 1600		GALLONS				LOAD ① NO PARAMETERS
1130	START	INTO 2000		GALLON TANK				WELL DEV PIPE AT 600' INITIALLY
1150	25	500	33.0	11.29	4.21	.149	76/42	Gray - Sl Turbid
1210	27.5	1100	33.0	11.17	4.58	.105	43/37	" "
1230	27	1600	33.0	11.05	4.60	.097	45/35	" "
1240	LOAD	② LVS w/ 1600 =	[3200]					START INTO 1400 GALLON
1300	30	600	33.5	11.40	4.57	.093	85/40	" "
1320	27.5	1100	33.5	11.22	4.58	.089	69/41	" "
1330	LOAD	③ LVS w/ 1100		GALLONS				START INTO 2000 (4300)
1350	25	500	33.5	11.33	4.62	.089	70/50	Gray Sl Turbid
1410	27.5	1100	33.5	10.94	4.58	.087	82/40	" " "
1430	27	1600	33.5	11.19	4.61	.083	85/41	" " "
1440	LOAD	④ LVS w/ 1600 =	[5900]					START INTO 1400 GAL
1500	30	600	33.5	11.12	4.63	.086	72/48	Gray SL Turbid
1520	27.5	1100	33.5	11.18	4.64	.085	75/49	" " "
1530	LOAD	⑤ LVS w/ 1100		GALLONS				START INTO 1600 (7000)
1550	25	500	33.5	11.15	4.65	.086	79/55	" " "
1610	27.5	1100	33.5	11.20	4.61	.083	76/45	" " "
1630	27	1600	33.5	11.12	4.63	.087	78/45	" " "
1630	LOAD	⑥ LVS w/ 1600		GALLONS				[8600]



Tetra Tech NUS, Inc.

PUMPING / SURGING

MONITORING WELL DEVELOPMENT RECORD

Well: BPOW4-1 Depth to Bottom (ft.): 692' ± GS Responsible Personnel: Conti
 Site: _____ Static Water Level Before (ft.): 27.8 GS Drilling Co.: Uni-Tech
 Date Installed: 7/17/03 Static Water Level After (ft.): _____ Project Name: NWIRP Bethpage-Outpost Wells
 Date Developed: 12/15/03 Screen Length (ft.): _____ Project Number: N4037
 Dev. Method: PUMP/AIRLIFT Specific Capacity: _____
 Pump Type: SS GRUNDFOS Casing ID (in.): _____

HORIBA/LAMORTE

Time	Estimated Flow Rate (GPM)	Cumulative Water Volume (Gal.)	Water Level Readings (Ft. below TOG) GS	Temperature (Degrees C)	pH	Specific Conductance (Units _____) mS/cm	Turbidity (NTU)	Remarks (odor, color, etc.)
1415	START	INTO	1400 GALLON					PH PAPER CHECK 4 → 5
1435	15	300	33.0	11.95	4.29	.222	684/475	GRAY SL TURBID
1455	15	600	33.0	11.90	4.43	.098	131/57	CLEAR V SL TURBID
1515	15	900	33.0	11.79	4.46	.069	91/34	" " "
1535	15	1200	33.0	11.84	4.48	.068	85/29	" " "

621

DONE W/ PUMP @ 1200 GALLONS
 TOOK SAMPLE BP- BPOW4-1-DEV. (VOCs)


APPENDIX I
BPOW4-2 WELL DATA



MONITORING WELL SHEET

PERMIT No:

PROJECT: NWIRP DRILLING Co.: UNITECH BORING No.: BPOW4-2
 PROJECT No.: N4037 DRILLER: BUEMINGS DATE COMPLETED: 7/7/03
 SITE: BETH PAGE DRILLING METHOD: MUD ROT NORTHING: _____
 GEOLOGIST: CONTI DEV. METHOD: AIR/PUMP EASTING: _____



Elevation / Depth of Top of Riser: 1
 Elevation / Height of Top of Surface Casing: 1
 I.D. of Surface Casing: 9"
 Type of Surface Casing: STEEL
 Type of Surface Seal: CONCRETE PAD 2'x2'x6"
 I.D. of Riser: 3 13/16"
 Type of Riser: PVC SCH 80
 Borehole Diameter: 9 1/2"
 Type of Backfill: VOLCLAY GROUT
 Elevation / Depth of Seal: F SAND #0 1690
 Type of Seal: NA
 Elevation / Depth of Top of Filter Pack: C SAND 1705
 Elevation / Depth of Top of Screen: 1725
 Type of Screen: PVC SCH 80
 Slot Size x Length: 10 x 30 W 10' BLANK 735-745
 I.D. of Screen: 3 13/16"
 Type of Filter Pack: #1 SILICA SAND
 Elevation / Depth of Bottom of Screen: 1765
 Elevation / Depth of Bottom of Filter Pack: 1766
 Type of Backfill Below Well: SILICA SAND
 Elevation / Total Depth of Borehole: 1780



BORING LOG

PROJECT NAME: NWIRP Bethpage
 PROJECT NUMBER: N4037
 DRILLING COMPANY: Uni-Tech
 DRILLING RIG: FALING 1500

BORING No.: BPOW4-2
 DATE: 6/4/03 →
 GEOLOGIST: Conti
 DRILLER: J. BLEMINGS

Sample No. and Type or ROD	Depth (Ft.) or Run No.	Blows / 6" or ROD (%)	Sample Recovery / Sample Length	Lithology Change (Depth/Ft.) or Screened Interval	MATERIAL DESCRIPTION			U S C S	Remarks	PID/FID Reading (ppm)				
					Soil Density/ Consistency or Rock Hardness	Color	Material Classification			Sample	Sampler BZ	Borehole**	Driller BZ**	
6/4 1130	0	/			DENSE	BRN	SAND AND GRAVEL		LOGGED FROM CUTTINGS IN BETWEEN SAMPLES					0
0900		/							RODS "CHATTERING" FROM 0' TO 20'.					0
6/5	10	/							RESTART @ NEW LOCATION - ~ 1' WEST - 0-20 ≈ 15 MIN. NO OBSTRUCTIONS GOOD RETURN OF DRILL CUTTINGS-S.					0
0915	20	/			M DENSE	BRN	SAND - SOME GRAVEL SW		MIX MORE MUD					0
1030	30	/												0
1100	40	/					SAND AND GRAVEL		(FROM CUTTINGS)					0
1120	50	/												0

* When rock coring, enter rock brokenness.

** Include monitor reading in 6 foot intervals @ borehole. Increase reading frequency if elevated response read.

Remarks: START W/ 8" Φ MUD ROT. GOT TO 6' - LOST RETURN Drilling Area Background (ppm):
TOO CLOSE TO STORM SEWER - MOVE ~ 1' WEST (CLOSER TO CURB)
DRILL TO 150 ± W/ 8" Φ - REAM W/ 12" Φ TO 150 - SET 10" Φ CASING.

Converted to Well: Yes No Well I.D. #: BPOW4-2



BORING LOG

PROJECT NAME: NWIRP Bethpage
 PROJECT NUMBER: N4037
 DRILLING COMPANY: Uni-Tech
 DRILLING RIG: FAILING 1500

BORING No.: BPOW4-2
 DATE: 6-5-03 / 6-17-03
 GEOLOGIST: Conti
 DRILLER: J BLEMINGS

Sample No. and Type or RQD	Depth (Ft.) or Run No.	Blows / 6" or RQD (%)	Sample Recovery / Sample Length	Lithology Change (Depth/Ft.) or Screened Interval	MATERIAL DESCRIPTION			U S C S *	Remarks	PID/FID Reading (ppm)								
					Soil Density/Consistency or Rock Hardness	Color	Material Classification			Sample	Sampler BZ	Borehole**	Driller BZ**					
	50																	
S-1 e 1120	52	100/6"	5/5		V DENSE	YELLOW BRN	SAND AND GRAVEL	GW	WET			0						0
									SUBROUND 1" GRAVEL W/ 1/2" PCS IN WASH PORTION OF SAMPLE.									
	1200	60																0
	1230	70					SAND AND GRAVEL		LESS GRAVEL									0
									≈ 70' TO 80'									
	1300	80																0
							DENSE BRN	SILTY F/M SAND	SP									
	1330	90																0
	1400	100																0

* When rock coring, enter rock brokenness.

** Include monitor reading in 6 foot intervals @ borehole. Increase reading frequency if elevated response read.

Remarks: SET 10" @ 110' (GROUTED IN) SEE NB1351 FOR Drilling Area Background (ppm): 0
DETAILS - SET 10" @ 100' ON 6/17/03 - AT 2ND LOCATION.

Converted to Well: Yes No Well I.D. #: BPOW4-2



BORING LOG

PROJECT NAME: NWIRP Bethpage
 PROJECT NUMBER: N4037
 DRILLING COMPANY: Uni-Tech
 DRILLING RIG: FAILING 1500

BORING No.: BPOW4-2
 DATE: 6/5/03 / 6/17/03 / 6/19/03
 GEOLOGIST: Conti
 DRILLER: J BLEWINGS

Sample No. and Type or RQD	Depth (FL) or Run No.	Blows / 6" or RQD (%)	Sample Recovery / Sample Length	Lithology Change (Depth/FL) or Screened Interval	MATERIAL DESCRIPTION			U S C S *	Remarks	PID/FID Reading (ppm)									
					Soil Density/ Consistency or Rock Hardness	Color	Material Classification			Sample	Sampler BZ	Borehole**	Driller BZ**						
	100				DENSE	BRN	SILTY F/M SAND	SM SP											
	110																		
	120																		
	130																		
	140																		
	150																		

6/17
6/19

10" Ø SET @ 110
AND GROUTED
IN PERM. HAD
TO MOVE 10' N.
DUE TO LEAKAGE
AROUND CAS.
SET 2ND CAS TO
100' ON 6/17/03.

* When rock coring, enter rock brokenness.

** Include monitor reading in 6 foot intervals @ borehole. Increase reading frequency if elevated response read.

Remarks: _____

Drilling Area Background (ppm):

Converted to Well: Yes No Well I.D. #: BPOW4-2



BORING LOG

PROJECT NAME: NWIRP Bethpage
 PROJECT NUMBER: N4037
 DRILLING COMPANY: Uni-Tech
 DRILLING RIG: FAILING 1500

BORING No.: BPOW4-2
 DATE: 6/19/03
 GEOLOGIST: Conti
 DRILLER: J BLEMINGS

Sample No. and Type or RQD	Depth (FT) or Run No.	Blows / 6" or RQD (%)	Sample Recovery / Sample Length	Lithology Change (Depth/FT) or Screened Interval	MATERIAL DESCRIPTION			U S C S *	Remarks	PID/FID Reading (ppm)									
					Soil Density/ Consistency or Rock Hardness	Color	Material Classification			Sample	Sampler BZ	Borehole**	Driller BZ**						
	150																		
S _e 2	152	100/16	.5/5		V DENSE	BRN	SAND-SOME GRAVEL TR WHITE CLAY	SP	WET	0									0
	1440																		
	1500	160																	0
	1520	170																	0
	1540	180																	0
	1600	190																	0
	1620	200																	0

* When rock coring, enter rock brokenness.

** Include monitor reading in 6 foot intervals @ borehole. Increase reading frequency if elevated response read.

Remarks: _____

Drilling Area Background (ppm):

Converted to Well: Yes No Well I.D. #: BPOW4-2



BORING LOG

PROJECT NAME: NWIRP Bethpage
 PROJECT NUMBER: N4037
 DRILLING COMPANY: Uni-Tech
 DRILLING RIG: FAILING 1500

BORING No.: BPOW4-2
 DATE: 6/19/03 → 6/20/03
 GEOLOGIST: Conti
 DRILLER: J. BLEMINGS

Sample No. and Type or RQD	Depth (FL) or Run No.	Blows / 6" or RQD (%)	Sample Recovery / Sample Length	Lithology Change (Depth/FL) or Screened Interval	MATERIAL DESCRIPTION			U S C S *	Remarks	PID/FID Reading (ppm)									
					Soil Density/ Consistency or Rock Hardness	Color	Material Classification			Sample	Sampler BZ	Borehole**	Driller BZ**						
	200																		
S-3	210	50/48	2/2																
K640	212	28/32			V DENSE GRAY	BEN TO GRAY	F/M SAND - TR CLAY SP SEAM ≈ 2 1/2" THICK		WET			0							0
	220								HT SOME CLAY										0
	230								REACHED 230' ON 6/19/03 MORE CLAY NOTICED ≈ 230' IN CUTTINGS.										0
	240																		0
	250																		

6/19
6/20

* When rock coring, enter rock brokenness.

** Include monitor reading in 6 foot intervals @ borehole. Increase reading frequency if elevated response read.

Remarks: _____

Drilling Area Background (ppm):

Converted to Well: Yes No Well I.D. #: BPOW4-2



BORING LOG

PROJECT NAME: NWIRP Bethpage
 PROJECT NUMBER: N4037
 DRILLING COMPANY: Uni-Tech
 DRILLING RIG: FAILING 1500

BORING No.: BPOW4-2
 DATE: 6/30/03
 GEOLOGIST: Conti
 DRILLER: J BLEMINGS

Sample No. and Type or RQD	Depth (Ft.) or Run No.	Blows / 6" or RQD (%)	Sample Recovery / Sample Length	Lithology Change (Depth/Ft.) or Screened Interval	MATERIAL DESCRIPTION			U S C S	Remarks	PID/FID Reading (ppm)			
					Soil Density/ Consistency or Rock Hardness	Color	Material Classification			Sample	Sampler BZ	Borehole**	Driller BZ**
S-4 e	250	28 38	1.5/2.0		V DENSE	MOTTLED ORANGE BRN GRAY	SILTY F/M SAND	SM	WET/MICACEOUS	0			0
0945		109%					SOME CLAY IN "WASH" PORTION OF SAMPLE.						
	260												0
	270												0
	280												0
	290												0
	300												0

* When rock coring, enter rock brokenness.

** Include monitor reading in 6 foot intervals @ borehole. Increase reading frequency if elevated response read.

Remarks: _____

Drilling Area
 Background (ppm):

Converted to Well: Yes No Well I.D. #: BPOW4-2



BORING LOG

PROJECT NAME: NWIRP Bethpage
 PROJECT NUMBER: N4037
 DRILLING COMPANY: Uni-Tech
 DRILLING RIG: FAILING 1500

BORING No.: BPOW4-2
 DATE: 6/20/03
 GEOLOGIST: Conti
 DRILLER: J BLEMINGS

Sample No. and Type or ROD	Depth (FL) or Run No.	Blows / 6" or ROD (%)	Sample Recovery / Sample Length	Lithology Change (Depth/FL) or Screened Interval	MATERIAL DESCRIPTION			U S C S *	Remarks	PID/FID Reading (ppm)											
					Soil Density/ Consistency or Rock Hardness	Color	Material Classification			Sample	Sampler BZ	Borehole**	Driller BZ**								
	300																				
	S-5 310																				
	1145 311		100% 4/5		V DENSE	GRAY	SILTY F/M SAND	SP	WET			0									0
							TR GRAVEL														
	1200 320																				
	1230 330																				
	1300 340																				
	350																				

6/20
 6/23

* When rock coring, enter rock brokenness.

** Include monitor reading in 6 foot intervals @ borehole. Increase reading frequency if elevated response read.

Remarks: _____

Drilling Area Background (ppm):

Converted to Well: Yes No Well I.D. #: BPOW4-2



BORING LOG

PROJECT NAME: NWIRP Bethpage
 PROJECT NUMBER: N4037
 DRILLING COMPANY: Uni-Tech
 DRILLING RIG: FALLING 1500

BORING No.: BPOW4-2
 DATE: 6/23/03
 GEOLOGIST: Conti
 DRILLER: J BLEMINGS

Sample No. and Type or RQD	Depth (FT.) or Run No.	Blows / 6" or RQD (%)	Sample Recovery / Sample Length	Lithology Change (Depth/FT.) or Screened Interval	MATERIAL DESCRIPTION			U S C S	Remarks	PID/FID Reading (ppm)										
					Soil Density/ Consistency or Rock Hardness	Color	Material Classification			Sample	Sampler BZ	Borehole**	Driller BZ**							
	350																			
S-6 1345	351	50 50	1/1		V STIFF / HARD	BRN GRAY	SILTY CLAY	CL	MOIST VERY HARD - WAS DIFFICULT TO PRY LOOSE FROM SPOON	0									0	
																				0
	360																			0
																				0
	1400	370																		0
																				0
	1430	380																		0
																				0
	1500	390																		0
																				0
	1515	400																		0

* When rock coring, enter rock brokenness.

** Include monitor reading in 6 foot intervals @ borehole. Increase reading frequency if elevated response read.

Remarks: _____

Drilling Area Background (ppm):

Converted to Well: Yes No _____ Well I.D. #: BPOW4-2



BORING LOG

PROJECT NAME: NWIRP Bethpage
 PROJECT NUMBER: N4037
 DRILLING COMPANY: Uni-Tech
 DRILLING RIG: FAILING 1500

BORING No.: BPOW4-2
 DATE: 6/23/03
 GEOLOGIST: Conti
 DRILLER: J BLEMINGS

Sample No. and Type or RQD	Depth (FL) or Run No.	Blows / 6" or RQD (%)	Sample Recovery / Sample Length	Lithology Change (Depth/FL) or Screened Interval	MATERIAL DESCRIPTION			U S C S *	Remarks	PID/FID Reading (ppm)								
					Soil Density/ Consistency or Rock Hardness	Color	Material Classification			Sample	Sampler BZ	Borehole**	Driller BZ**					
	400																	
	5-7 410																	
6/23/03	1550 411	100/6	0.9/1		V DENSE / STIFF	GRAY	SANDY CLAY - STREAKS OF LIGNITE MATL	SC	MOIST MICACEOUS									
	1600 420						STILL IN SOME CLAY		(CLIPPINGS)									
MON 6/23	1630 430																	
6/24 TUE.																		
	0900 440																	
	0930 450																	

* When rock coring, enter rock brokeness.
 ** Include monitor reading in 5 foot intervals @ borehole. Increase reading frequency if elevated reponse read.
 Remarks: _____

Drilling Area Background (ppm):

Converted to Well: Yes No _____ Well I.D. #: BPOW4-2



BORING LOG

PROJECT NAME: NWIRP Bethpage
 PROJECT NUMBER: N4037
 DRILLING COMPANY: Uni-Tech
 DRILLING RIG: FAILING 1500

BORING No.: BPOW 4-2
 DATE: 6/24/03
 GEOLOGIST: Conti
 DRILLER: J BLEMINGS

Sample No. and Type or RQD	Depth (FL) or Run No.	Blows / 6" or RQD (%)	Sample Recovery / Sample Length	Lithology Change (Depth/Ft.) or Screened Interval	MATERIAL DESCRIPTION			U S C S	Remarks	PID/FID Reading (ppm)								
					Soil Density/ Consistency or Rock Hardness	Color	Material Classification			Sample	Sampler BZ	Borehole**	Driller BZ**					
	450																	
S-B 0930		100/6'	0.2/5		N DENSE	GRAY	SILTY F/M SAND	SM SP	WET MICACEOUS									
	0945																	
	1000																	
	1030																	
	1100																	
	500																	

* When rock coring, enter rock brokenness.

** Include monitor reading in 6 foot intervals @ borehole. Increase reading frequency if elevated response read.

Remarks: _____

Drilling Area
 Background (ppm):

Converted to Well: Yes No Well I.D. #: BPOW 4-2



BORING LOG

PROJECT NAME: NWIRP Bethpage
 PROJECT NUMBER: N4037
 DRILLING COMPANY: Uni-Tech
 DRILLING RIG: FALLING 1500

BORING No.: BPOW 4-2
 DATE: 6/24/03
 GEOLOGIST: Conti
 DRILLER: J BLEMINGS

Sample No. and Type or RQD	Depth (Ft.) or Run No.	Blows / 6" or RQD (%)	Sample Recovery / Sample Length	Lithology Change (Depth/Ft.) or Screened Interval	MATERIAL DESCRIPTION			U S C S *	Remarks	PID/FID Reading (ppm)												
					Soil Density/ Consistency or Rock Hardness	Color	Material Classification			Sample	Sampler BZ	Borehole**	Driller BZ**									
	500																					
S-9 e	510	100%	1/6"		V DENSE GRAY F/M SAND - TR F		SP WET														0	
1130	511					TR BLACK STREAKS (LIGNITE)?		MICACEOUS														
	1200	520																				0
	1230	530																				0
	1245	540																				0
	1300	550																				0

* When rock coring, enter rock brokenness.

** Include monitor reading in 6 foot intervals @ borehole. Increase reading frequency if elevated response read.

Remarks: _____

Drilling Area Background (ppm): 0

Converted to Well: Yes ✓ No _____ Well I.D. #: BPOW 4-2



BORING LOG

PROJECT NAME: NWIRP Bethpage
 PROJECT NUMBER: N4037
 DRILLING COMPANY: Uni-Tech
 DRILLING RIG: FAILING 1500

BORING No.: BPOW4-2
 DATE: 6/24/03
 GEOLOGIST: Conti
 DRILLER: J BLEMINGS

Sample No. and Type or RQD	Depth (FT) or Run No.	Blows / 6" or RQD (%)	Sample Recovery / Sample Length	Lithology Change (Depth/FT.) or Screened Interval	MATERIAL DESCRIPTION			U S C S	Remarks	PID/FID Reading (ppm)									
					Soil Density/ Consistency or Rock Hardness	Color	Material Classification			Sample	Sampler BZ	Borehole**	Driller BZ**						
	550																		
S-10 1330	551	100% 6"	4/5		DENSE	GRAY	F/M SAND	SP	WET MICACEOUS	0									0
	560																		0
	570																		0
1430	580																		0
	590																		0
1560																			0
	600																		0

* When rock coring, enter rock brokenness.

** Include monitor reading in 6 foot intervals @ borehole. Increase reading frequency if elevated response read.

Remarks: _____

Drilling Area
 Background (ppm):

Converted to Well: Yes No Well I.D. #: BPOW4-2



BORING LOG

PROJECT NAME: NWIRP Bethpage
 PROJECT NUMBER: N4037
 DRILLING COMPANY: Uni-Tech
 DRILLING RIG: FAILING 1500

BORING No.: BPOW4-2
 DATE: 6/24/03
 GEOLOGIST: Conti
 DRILLER: J BLEMINGS

Sample No. and Type or RQD	Depth (FL) or Run No.	Blows / 6" or RQD (%)	Sample Recovery / Sample Length	Lithology Change (Depth/FL) or Screened Interval	MATERIAL DESCRIPTION			USCS	Remarks	PID/FID Reading (ppm)					
					Soil Density/ Consistency or Rock Hardness	Color	Material Classification			Sample	Sampler BZ	Borehole**	Driller BZ**		
	600														
1530															
S-11 610	610	100													
1550	611	6	5/5		DENSE	TAN GRAY	F/M SAND - SOME TAN SANDY CLAY - TOP 2" OF SPOON	SP/SM	WET → MOIST						
	620														
	630														
	640														
6124	650														

* When rock coring, enter rock brokeness.

** Include monitor reading in 6 foot intervals @ borehole. Increase reading frequency if elevated reponse read.

Remarks: _____

Drilling Area

Background (ppm):

Converted to Well: Yes No

Well I.D. #: BPOW4-2



BORING LOG

PROJECT NAME: NWIRP Bethpage
 PROJECT NUMBER: N4037
 DRILLING COMPANY: Uni-Tech
 DRILLING RIG: FAILING 1500

BORING No.: BPOW4-2
 DATE: 6/25/03
 GEOLOGIST: Conti
 DRILLER: J BLEMINGS

Sample No. and Type or RQD	Depth (Fl) or Run No.	Blows / 6" or RQD (%)	Sample Recovery / Sample Length	Lithology Change (Depth/Fl) or Screened Interval	MATERIAL DESCRIPTION			U S C S	Remarks	PID/FID Reading (ppm)			
					Soil Density/ Consistency or Rock Hardness	Color	Material Classification			Sample	Sampler BZ	Borehole**	Driller BZ**
6125 S-12 Q 0935	650 651	100% 6	5.5		V DENSE	GRAY	SAND AND GRAVEL TR CLAY	SW	WET ~ 3/4" SUB ROUND GRAVEL	0			0
	1000/660												0
	670												0
	1015/680												0
	1030/80												0
	700												0

* When rock coring, enter rock brokenness.

** Include monitor reading in 6 foot intervals @ borehole. Increase reading frequency if elevated response read.

Remarks: _____

Drilling Area
 Background (ppm):

Converted to Well: Yes No Well I.D. #: BPOW4-2



BORING LOG

PROJECT NAME: NWIRP Bethpage
 PROJECT NUMBER: N4037
 DRILLING COMPANY: Uni-Tech
 DRILLING RIG: FAILING 1500

BORING No.: BPOW4-2
 DATE: 6/25/03
 GEOLOGIST: Conti
 DRILLER: J BLEMINGS


Sample No. and Type or RGD	Depth (FL) or Run No.	Blows / 6" or RGD (%)	Sample Recovery / Sample Length	Lithology Change (Depth/FL) or Screened Interval	MATERIAL DESCRIPTION			U S C S	Remarks	PID/FID Reading (ppm)					
					Soil Density/ Consistency or Rock Hardness	Color	Material Classification			Sample	Sampler BZ	Borehole**	Driller BZ**		
	750			765	DENSE	GRAY	F/C SAND							0	
	1500 760														0
	770									NOTICED SOME CLAY IN CUTTINGS DRILLER ALSO NOTED CLAY @ 770' ±					0
	780								GAMMA LOG TO 775.					0	

* When rock coring, enter rock brokenness.
 ** Include monitor reading in 6 foot intervals @ borehole. Increase reading frequency if elevated response read.

Remarks: _____

Drilling Area Background (ppm):

Converted to Well: Yes No Well I.D. #: BPOW4-2



1. Pipe initially @ 735' ± ± 10' INTO SCREEN
 Start at top - raise & lower pipe ± every
 1000 gallons



Tetra Tech NUS, Inc.

MONITORING WELL DEVELOPMENT RECORD

Page 1 of 4

Well: BPOW4-2 Depth to Bottom (ft.): 765' ± BGS Responsible Personnel: Conti
 Site: NWIRP Static Water Level Before (ft.): ± 41 BGS Drilling Co.: Uni-Tech
 Date Installed: 7-7-03 Static Water Level After (ft.): _____ Project Name: NWIRP Bethpage-Outpost Wells
 Date Developed: 7/28/03 Screen Length (ft.): 30' w/ 10' BLANK Project Number: N4037
 Dev. Method: AIR LIFT/ PUMP Specific Capacity: _____
 Pump Type: _____ Casing ID (in.): _____

* COULD NOT GET PROBE PAST THE
 DEV PIPE JOINTS.

LAMOTTE

Time	Estimated Flow Rate (GPM)	Cumulative Water Volume (Gal.)	Water Level Readings (Ft. below TOC)	Temperature (Degrees C)	pH	Specific Conductance (Units _____) mS/cm	Turbidity (NTU)	Remarks (odor, color, etc.)
7/28 1600	—	—	41 ±	—	—	—	—	BRN GRAY - TURBID ✓
7/28 1700	30	(1400)	NA*	13.96	4.47	.172	999	
7/29 0810	START	AIR LIFT	7/29/03					
0840	~ 40	~ 1200/2000	NA	14.15	4.62	.074	999	BRN GRAY - TURBID
0845	~ 40	(1400)/2800	LOAD 2	TAKEN TO	FRAC	TANK.		
0920	START	AIR LIFT	INTO 2000 GAL TANK					
0950	~ 33	1000/3800	NA	14.66	4.73	.060	999	BRN GRAY - TURBID.
1015	~ 33	(1800)/4600	NA	15.24	4.63	.053	999	" " "
1020	START	AIR LIFT	INTO 1500 GAL TANK					
1050	~ 37	1100/5700	NA	14.65	4.79	.049	999	" " " 1100
1100	~ 35	(1400)/6000	LOAD 4	TAKEN TO	FRAC	TANK.		
1115	START	AIR LIFT	INTO 2000 GALLON TANK.					
1145	~ 33	1000/7000	NA	14.41	4.81	.048	999	" " " 1000
1210	~ 33	(1800)/7800	NA	14.49	4.74	.049	999	" " " 650
1255	START	AIR LIFT	INTO 1500 GALLON TANK					
1335	~ 35	(1400)/9200	NA	14.31	4.91	.059	999	" " " 550
1350	START	AIR LIFT	INTO 2000 GALLON TANK.					
1420	~ 33	1000	NA	14.68	4.88	.042	760	" " " 450

LFI



Tetra Tech NUS, Inc.

MONITORING WELL DEVELOPMENT RECORD

Well: BPOW4- 2 Depth to Bottom (ft.): 965 ± 865 Responsible Personnel: Conti
 Site: NWIRP Static Water Level Before (ft.): 36.5 BGS Drilling Co.: Uni-Tech
 Date Installed: 7-7-03 Static Water Level After (ft.): _____ Project Name: NWIRP Bethpage-Outpost Wells
 Date Developed: 7/28/03 → Screen Length (ft.): 30' w/ 10' BLANK Project Number: N4037
 Dev. Method: AIR LIFT / PUMP Specific Capacity: _____
 Pump Type: _____ Casing ID (in.): 3 13/16"

HORIBA^S TURBIDITY RDS SUSPECT / USE LAMOTTE

7/29
148

Time	Estimated Flow Rate (GPM)	Cumulative Water Volume (Gal.)	Water Level Readings (Ft. below TOC)	Temperature (Degrees C)	pH	Specific Conductance (Units _____) mS/cm	Turbidity (NTU) *	Remarks (odor, color, etc.)
1445	~ 33	(1800) 11000	NA	14.91	5.08	.042	999	LT GRAY SL TURBID 400
1450	START AIR LIFT INTO 1500 GAL TANK.							
1520	~ 37	1100	NA	14.68	5.30	.045	982	" " " " 400
1530	~ 35	(1400) 12400						
1535	START AIR LIFT INTO 2000 GAL							
1605	~ 33	1000	NA	15.33	5.46	.044	859	" " " " 370
1630	~ 33	(1900) 14200	NA	16.40	5.52	.045	818	" " " " 340
1635	START AIR LIFT INTO 1500 GAL TANK							
1715	~ 35	(1400) 15600	NA	16.23	5.47	.049	819	" " " " 300
7/30 0835	START AIR LIFT INTO 2000 GAL							
0905	~ 30	900	NA	13.89	5.17	.083	999	GRAY & TURBID OFF SCALE
0935	~ 30	(1800) 17400	NA	14.91	5.16	.060	975	" & SL TURBID 500
1010	START AIR LIFT INTO 1500 GAL.							
1055	~ 31	(1400) 18800		14.42	5.35	.057	999	" " " " 700
1100	START AIR LIFT INTO 2000 GAL							
1130	~ 33	1000	NA	15.07	5.45	.051	683	" & SL TURBID 270
1200	30	(1800) 20600	NA	15.55	5.53	.048	660	" & SL " 240

LAMOTTE

ADDED 15' MORE OF PDS AND SURGE ≈ EVERY 1000 GALLONS



Tetra Tech NUS, Inc.

MONITORING WELL DEVELOPMENT RECORD

Well: BPOW4-2 Depth to Bottom (ft.): 765 ± BGS Responsible Personnel: Conti
 Site: NWIRP Static Water Level Before (ft.): 36.5 BGS Drilling Co.: Uni-Tech
 Date Installed: 7/7/03 Static Water Level After (ft.): _____ Project Name: NWIRP Bethpage-Outpost Wells
 Date Developed: 7/28/03 Screen Length (ft.): 30' + 10' BLANK Project Number: N4037
 Dev. Method: AIR LIFT/PUMP Specific Capacity: _____
 Pump Type: _____ Casing ID (in.): 3 13/16" ID

→ 765 → 715 SCREEN
735 → 725 SCREEN

bh
7/30
7/31

Time	Estimated Flow Rate (GPM)	Cumulative Water Volume (Gal.)	Water Level Readings (Ft. below TOG) GS	Temperature (Degrees C)	pH	Specific Conductance (Units _____) mS/cm	Turbidity (NTU)	Remarks (odor, color, etc.)
1240	START AIR LIFT INTO	1500 GALLON						NO SED 230
1320	35	(1400) 22 ⁰⁰⁰	39.5	15.76	5.59	0.055	627	GRAY/SL TURBID
1335	START AIR LIFT INTO	2000 GAL						
1405	30	900	40.2	14.86	5.53	0.045	651	230
1435	30	(1800) 23 ⁸⁰⁰	40.2	14.95	5.56	0.042	649	" " " NO SED 220
1440	START AIR LIFT INTO	1500 GAL						
1520	35	(1400) 25 ²⁰⁰	40.5	14.84	5.67	0.043	571	" " " NO SED 200
1520	START AIR LIFT INTO	2000 GALLON						
1550	33	1000	40.5	14.89	5.71	0.044	542	" " " NO SED 200
1620	30	(1800) 27 ⁰⁰⁰	40.5	14.77	5.69	0.041	571	" " " NO SED 160
0810	START AIR LIFT INTO	2000 GALLON						WL @ 36.5 BGS 5' OFF BOTM 760-765
0840	30	1000	38	14.20	4.49	0.081	834	390
0915	28	(1800) 28 ⁸⁰⁰	37.5	14.66	4.64	0.051	610	GRAY SL TURBID 230
0920	START AIR LIFT INTO	1500 GALLON						
0955	40	(400) 30 ²⁰⁰	38	14.79	4.76	0.052	506	" " " 160
1000	START AIR LIFT INTO	2000 GALLON						
1030	36	1100	37.5	15.12	4.84	0.042	464	" " " 130
1100	30	(1800) 32 ⁰⁰⁰	37.5	19.93*	4.85	0.041	350	" " " 140

760-765
755-760
750-755

*NO RE. WHY IT INCREASED
WI DOUBLE CHECKED



Tetra Tech NUS, Inc.

MONITORING WELL DEVELOPMENT RECORD

Page 4 of 4


Well: BPOW4-2 Depth to Bottom (ft.): 76.5 ± 86.5 Responsible Personnel: Conti
 Site: NWIRP Static Water Level Before (ft.): 36.5 Drilling Co.: Uni-Tech
 Date Installed: 7-7-03 Static Water Level After (ft.): 39.5 Project Name: NWIRP Bethpage-Outpost Wells
 Date Developed: 7/28/03 → 7/31/03 Screen Length (ft.): 30' + 10' BLANK Project Number: N4037
 Dev. Method: AIR LIFT/PUMP Specific Capacity: 30 GPM @ 3' DD
 Pump Type: GRUNFOS SUB Casing ID (in.): 3 13/16


Time	Estimated Flow Rate (GPM)	Cumulative Water Volume (Gal.)	Water Level Readings (Ft. below TOC)	Temperature (Degrees C)	pH	Specific Conductance (Units <u> </u>) mS/cm	Turbidity (NTU)	Remarks (odor, color, etc.) LAMOTTE
1110	START AIR LIFT INTO 1500 GALLON TANK							
1145	40	(1400) 33,400	38.5	15.28	4.94	0.040	416	GRAY V. SL TURBID 130 745-750
1255	START AIR LIFT INTO 2000 GAL TANK							
1325	33	(1000)	39.5	15.65	4.93	0.046	469	" " " 130 730-735
1355	30	(1800) 35,200	39.5	15.45	4.95	0.042	445	" " " 130 725-730
814	1200	START DEV BY PUMP INTO 2000 GAL						INITIAL WL. 27.5 ± GS
	1230	17	500	29.0	14.95	4.78	0.109	999 GRAY TURBID OFF SCALE
	1300	15	900	29.0	15.73	4.82	0.072	" " " 450
	1330	14	1200	29.0	15.24	4.87	0.059	" SL " 300
	1400	12.5	1500	29.0	15.62	4.98	0.058	" " " 190
	1430	12	(1800) 37,000	29.0	15.59	4.80	0.061	" " " 160
	1530	START PUMP INTO 2000 GAL.						
	1600	13 ±	400	29.0	15.15	4.93	0.056	" " " 150
	1630	13	800	29.0	14.85	4.96	0.054	" " " 140
	1700	13	(1200) 38,200	29.0	14.95	4.95	0.056	" " " 145


50

AQUA TERRA GEOPHYSICS INC


CO WELL FLD CTY STE FILING No		COMPANY UNI TECH DRILLING		WELL ID BPOW 4-2		FIELD NWIRP BETHPAGE		COUNTRY NASSAU		STATE NY		OTHER SERVICES	
PERMANENT DATUM		GROUND SURFACE		ABOVE PERM DATUM		ELEVATION		SEC		TWP		RGE	
LOG MEAS. FROM		DRILLING MEAS. FROM		DATE		RUN No		TYPE LOG		DEPTH-DRILLER		DEPTH-LOGGER	
BIM LOGGED INTERVAL		TOP LOGGED INTERVAL		OPERATING RIG TIME		RECORDED BY		WITNESSED BY		CASING RECORD		BOREHOLE RECORD	
NO.		BIT		FROM		TO		SIZE		WGT.		FROM	
8 INCH		94 FEET		94 FEET		TOTAL DEPTH		10 INCH		PVC		GROUND SURFACE 94 FEET	
BENTONITE		G.L.		D.F.		K.B.		DENSITY LEVEL		MAX. REC. TEMP.		SALINITY	
JUNE 26, 2003		780 FEET		775 FEET		BENJAMIN RICE		STAN CONTI					








160
170
180
190
200
210
220
230
240
250
260





270

280

290

300

310

320

330


340


350

360


370

154







490
500
510
520
530
540
550
560
570
580
590



156



157



TO
 JUL 1971
 1971

APPENDIX J

CHAIN-OF-CUSTODY FORMS



TETRA TECH NUS, INC.

CHAIN OF CUSTODY

NUMBER BPOW-080503 1

PAGE 1 OF 1

PROJECT NO: N14037		SITE NAME: NWIRP BETHPAGE		PROJECT MANAGER AND PHONE NUMBER D. BRAYACK 412 921 8375				LABORATORY NAME AND CONTACT: STL LAB / V. BORTOT (412) 820 8320			
SAMPLERS (SIGNATURE) S Cont		FIELD OPERATIONS LEADER AND PHONE NUMBER S CONT 412 921 8422				ADDRESS 450 WILLIAM PITT WAY					
		CARRIER/WAYBILL NUMBER FED EX AB# 8412 2491 3948				CITY, STATE PITTSBURGH, PA. 15238					
STANDARD TAT <input type="checkbox"/> RUSH TAT <input type="checkbox"/> <input type="checkbox"/> 24 hr. <input type="checkbox"/> 48 hr. <input type="checkbox"/> 72 hr. <input type="checkbox"/> 7 day <input type="checkbox"/> 14 day		CONTAINER TYPE PLASTIC (P) or GLASS (G)		PRESERVATIVE USED		TYPE OF ANALYSIS		COMMENTS			
DATE YEAR 2003		MATRIX		GRAB (G) COMP (C)		No. OF CONTAINERS					
TIME		SAMPLE ID						TOTAL CADMIUM		40C HCl G	
								TSS (250ml)		40C HNO3 P	
										40C P	
8/5 0730		BP-TB-080503		AD G		2 2					
8/5 0750		BP-IDW-BT1-080503		AD G		5 3		1 1		FROM BAKER TANK A201	
8/5 0810		BP-IDW-BT2-080503		AD G		5 3		1 1		FROM BAKER TANK A224(2)	
8/4 1700		BP-BPOW4-2-DEV		ADGW G		3 3				TAKEN AT BPOW4-2 - FROM PUMP, DURING FINAL STAGE OF DEVELOPMENT.	
										NOTE: BOTH TANKS FULL. ADD CONSIST OF MOSTLY DEV. WATER.	
1. RELINQUISHED BY		DATE		TIME		1. RECEIVED BY		DATE		TIME	
S Cont		8/5/03		1200		FED EX.					
2. RELINQUISHED BY		DATE		TIME		2. RECEIVED BY		DATE		TIME	
3. RELINQUISHED BY		DATE		TIME		3. RECEIVED BY		DATE		TIME	
COMMENTS		CALL D BRAYACK FOR QUESTIONS - SEND RESULTS TO TE NUS/BRAYACK									

159



TETRA TECH NUS, INC.

CHAIN OF CUSTODY

NUMBER BPOW-091003

PAGE 1 OF 1

PROJECT NO: N4037	SITE NAME: NWIRP BETHPAGE	PROJECT MANAGER AND PHONE NUMBER DAVE BRAYACK 412 921 8375	LABORATORY NAME AND CONTACT: 4128208380 STL LAB / V BORTOT
SAMPLERS (SIGNATURE) <i>SjConti</i>		FIELD OPERATIONS LEADER AND PHONE NUMBER SJ CONTI 412 921 8422	ADDRESS 450 WILLIAM PITT WAY
		CARRIER/WAYBILL NUMBER FED EX AB# 8412 2491 1625	CITY, STATE PGH. PA 15239

STANDARD TAT
RUSH TAT
 24 hr. 48 hr. 72 hr. 7 day 14 day

DATE YEAR	TIME	SAMPLE ID	MATRIX	GRAB (G) COMP (G)	No. OF CONTAINERS	TYPE OF ANALYSIS							COMMENTS		
						VOCS (40ml Vials)	VOES (40ml Vials)	TOTAL CADMIUM	TOTAL CHROMIUM	TSS (250 ml)	Zn	As		Pb	Se
9/10	0700	BP-TB-091003	AO	G	2	2	1								
9/11	0730	BP-IDW-A201-091103	AO	G	3	3	1	1							DEV WATER ETC BAKER TANK A201
9/11	0800	BP-IDW-A224-091103	AO	G	3	3	1	1							DEV WATER, SUMP ETC A224
9/10	1030	BP-BPOW2-2-DEV	GW	G	3	3	1								FROM WELL BPOW2-2 DURING END OF DEV.
9/10	1200	BP-BPOW2-1-DEV	GW	G	3	3	1								FROM BPOW2-1 END OF DEV.

1. RELINQUISHED BY <i>SjConti</i>	DATE 9/11/03	TIME 1200	1. RECEIVED BY FED EX	DATE	TIME
2. RELINQUISHED BY	DATE	TIME	2. RECEIVED BY	DATE	TIME
3. RELINQUISHED BY	DATE	TIME	3. RECEIVED BY	DATE	TIME

COMMENTS

091



TETRA TECH NUS, INC.

CHAIN OF CUSTODY

NUMBER BPOW-100803

PAGE 1 OF 1

PROJECT NO: N4037		SITE NAME: NWIRP BETHPAGE		PROJECT MANAGER AND PHONE NUMBER D. BRAYACK 412 921 8375				LABORATORY NAME AND CONTACT: STL LAB / V. BORTOT														
SAMPLERS (SIGNATURE) S Conto				FIELD OPERATIONS LEADER AND PHONE NUMBER S CONTI 412 921 8422				ADDRESS 450 WILLIAM PITT WAY														
				CARRIER/WAYBILL NUMBER FED EX AB# 8412 2491 1485				CITY, STATE PITTSBURGH PA 15238														
STANDARD TAT <input type="checkbox"/> RUSH TAT <input type="checkbox"/> <input type="checkbox"/> 24 hr. <input type="checkbox"/> 48 hr. <input type="checkbox"/> 72 hr. <input type="checkbox"/> 7 day <input type="checkbox"/> 14 day				CONTAINER TYPE PLASTIC (P) or GLASS (G)				PRESERVATIVE USED														
DATE YEAR	TIME	SAMPLE ID	MATRIX	GRAB (G) COMP (C)	No. OF CONTAINERS	TYPE OF ANALYSIS				COMMENTS												
						VOCs (40ml VOA)	VOCs (40ml VOA)	TCLP METALS	TOTAL SOLIDS 80% 80%		GRO (40ml VOA)	DRO (1 L AMBER)	TAL METALS	TOTAL SOLIDS/PH (250 ml)								
10/8	0830	BP-TB-100803	AQ	G	2	2																
10/9	1200	BP-RB-100903	AQ	G	2	2															RE-THRU PUMP & TUBING.	
10/9	1130	BPOW2-1-100903	GW	G	3	3															RE-SAMPLE FROM BPOW2-2 2-1	
			GW	G	3	3															RE-SAMPLE FROM BPOW2-1 2C	
10/8	0915	BP-IDW-SB-9544	SOIL	G	3		2	1													SLURGE BOX 9544 (CUTTINGS)	
10/8	0945	BP-IDW-SB-0312	SOIL	G	3		2	1													0312 (CUTTINGS)	
10/8	1000	BP-IDW-SB-9523	SOIL	G	3		2	1													9523 (CUTTINGS)	
10/8	1030	BP-IDW-SB-0042	AQ	G	9	3				2	2	1	1								THIN MUD (SB 3-2, 3-1 (0042))	
							THIN MUD															"THINNED OUT MUD"
1. RELINQUISHED BY		DATE		TIME		1. RECEIVED BY				DATE		TIME										
2. RELINQUISHED BY		DATE		TIME		2. RECEIVED BY				DATE		TIME										
3. RELINQUISHED BY		DATE		TIME		3. RECEIVED BY				DATE		TIME										
COMMENTS						9544 = MOIST SAND-TAN BRN		0312 F/C SAND		9523 GRAY SILTY F SAND		FIELD PH (0042)		BETWEEN 7 & 8								



PROJECT NO: N4037		SITE NAME: NWIWP BETHPAGE		PROJECT MANAGER AND PHONE NUMBER DAVE BRAYACK - 412 921 8375				LABORATORY NAME AND CONTACT: STL LAB / V. BORTOT			
SAMPLERS (SIGNATURE) <i>SJ Conti</i>		FIELD OPERATIONS LEADER AND PHONE NUMBER SJ CONTI - 412 921 8422				ADDRESS 412 820 8380					
		CARRIER/WAYBILL NUMBER FED EX # 8316 7332 9630				CITY, STATE 450 WILLIAM PITT WAY PITTSBURGH PA 15238					
STANDARD TAT <input type="checkbox"/> RUSH TAT <input type="checkbox"/> <input type="checkbox"/> 24 hr. <input type="checkbox"/> 48 hr. <input type="checkbox"/> 72 hr. <input type="checkbox"/> 7 day <input type="checkbox"/> 14 day		CONTAINER TYPE PLASTIC (P) or GLASS (G)		PRESERVATIVE USED		TYPE OF ANALYSIS					
DATE YEAR	TIME	SAMPLE ID	MATRIX	GRAB (G) COMP (C)	No. OF CONTAINERS	VOCs (40ml Via IS)	VOCs (40ml Vials)	TOTAL CADMIUM	TOTAL CHROMIUM	TSS (250ml)	COMMENTS
10/21	0800	BP-TB-102103	AQ	G	2						
10/21	1000	BP-BROW3-2-DEV	GW	G	3						FROM BROW 3-2 END OF DEV
10/21	1145	BP-BROW3-1-DEV	GW	G	3						FROM BROW 3-1 END OF DEV
10/22	0830	BP-IDW-A224-102203	AW GW	G	5			1	1		DEV WATER 3-1, 3-2
10/22	0840	BP-IDW-A201-102203	AW GW	G	5			1	1		DEV WATER 2-1, 3-2
1. RELINQUISHED BY <i>SJ Conti</i>		DATE 10/22/03	TIME 1600	1. RECEIVED BY FED EX		DATE	TIME	2. RECEIVED BY		DATE	TIME
2. RELINQUISHED BY		DATE	TIME	2. RECEIVED BY		DATE	TIME	3. RECEIVED BY		DATE	TIME
3. RELINQUISHED BY		DATE	TIME	3. RECEIVED BY		DATE	TIME			DATE	TIME
COMMENTS											

102



TETRA TECH NUS, INC.

CHAIN OF CUSTODY

NUMBER BPOW-120103

PAGE 1 OF 1

PROJECT NO: N4037	SITE NAME: NWIRP BETHPAGE	PROJECT MANAGER AND PHONE NUMBER: D. BRAYACK 412 921 8375	LABORATORY NAME AND CONTACT: STL LAB/V. BORTOST 412 921 8350
SAMPLERS (SIGNATURE) <i>S. Conti</i>		FIELD OPERATIONS LEADER AND PHONE NUMBER: S CONTI 412 921 8922	ADDRESS: 450 WILLIAM PITT WAY
		CARRIER/WAYBILL NUMBER: FED EX AE # 8412 2491 1544	CITY, STATE: PITTSBURGH, PA 15238

STANDARD TAT <input type="checkbox"/>	CONTAINER TYPE PLASTIC (P) or GLASS (G)
RUSH TAT <input type="checkbox"/>	PRESERVATIVE USED
<input type="checkbox"/> 24 hr. <input type="checkbox"/> 48 hr. <input type="checkbox"/> 72 hr. <input type="checkbox"/> 7 day <input type="checkbox"/> 14 day	

DATE YEAR	TIME	SAMPLE ID	MATRIX	GRAB (G) COMP (C)	No. OF CONTAINERS	TYPE OF ANALYSIS	COMMENTS
12/1	1100	BP-TB-120103	AQ	G	2	VOCs (40ml)	TRIP BLANK
12/2	1220	BP-BPOW1-3-DEV	GW	G	3		END OF DEV STAGE/PUMPING
12/2	0930	BP-BPOW1-2-DEV	GW	G	3		"
12/1	1200	BP-BPOW1-1-DEV	GW	G	3		"
12/2	1400	BPOW2-1-120203	GW	G	3		RE-SAMPLE OF BPOW 2-1 RS - THRU PUMP AND TUBING
12/2	1245	BP-RB-120203	AQ	G	2		

1. RELINQUISHED BY <i>S. Conti</i>	DATE 12/2/03	TIME 1700	1. RECEIVED BY FED EX	DATE	TIME
2. RELINQUISHED BY	DATE	TIME	2. RECEIVED BY	DATE	TIME
3. RELINQUISHED BY	DATE	TIME	3. RECEIVED BY	DATE	TIME

COMMENTS

123



PROJECT NO: N14037		SITE NAME: NWIRP BETHPAGE		PROJECT MANAGER AND PHONE NUMBER DAVE BRAYACK 412 921 8375			LABORATORY NAME AND CONTACT: SIL LAB / V. BORTOT		
SAMPLERS (SIGNATURE) J Contri				FIELD OPERATIONS LEADER AND PHONE NUMBER ST CONTI 412 921 8422			ADDRESS 450 WILLIAM PITT WAY		
				CARRIER/WAYBILL NUMBER FED Ex AS # 8412 2491 4039			CITY, STATE PITTSBURGH PA 15238		
				CONTAINER TYPE PLASTIC (P) or GLASS (G)			PRESERVATIVE USED		
STANDARD TAT <input type="checkbox"/> RUSH TAT <input type="checkbox"/> <input type="checkbox"/> 24 hr. <input type="checkbox"/> 48 hr. <input type="checkbox"/> 72 hr. <input type="checkbox"/> 7 day <input type="checkbox"/> 14 day				TYPE OF ANALYSIS VOCs 40 ml VOR			ACQ MEL G		
DATE YEAR 2003									
TIME	SAMPLE ID			MATRIX	GRAB (G) COMP (C)	No. OF CONTAINERS	COMMENTS		
12/15	1400	BP-TB-121503			AQ	G	2	TRIP BLANK DURING FINAL STAGE OF DEV	
12/15	1535	BP-BPOW4-1-DEV			GW	G	3		
ALSO: INCLUDED SOME UNUSED SOIL SAMPLE JARS.									
1. RELINQUISHED BY J Contri				DATE 12/16/03	TIME 1200	1. RECEIVED BY FED Ex		DATE	TIME
2. RELINQUISHED BY				DATE	TIME	2. RECEIVED BY		DATE	TIME
3. RELINQUISHED BY				DATE	TIME	3. RECEIVED BY		DATE	TIME

COMMEN

GW FROM FINAL STAGE OF DEV.

791

APPENDIX K
SAMPLE LOG SHEETS



GROUNDWATER SAMPLE LOG SHEET

Project Site Name: NWIRP Bethpage
 Project No.: N4037

Domestic Well Data
 Monitoring Well Data
 Other Well Type: _____
 QA Sample Type: _____

Sample ID No.: BP-BPOW4-2-DEV
 Sample Location: BPOW4-2
 Sampled By: SJC
 C.O.C. No.: BPOW-080503
 Type of Sample:
 Low Concentration
 High Concentration

SAMPLING DATA: LAMORE

Date:	Color	pH	S.C.	Temp.	Turbidity	DO	ORP	Salinity
	Visual	Standard	mS/cm	°C	NTU	mg/l	mV	
<u>8/4/03</u>	<u>CLEAR</u>	<u>4.95</u>	<u>-056</u>	<u>14.95</u>	<u>145</u>	<u>—</u>	<u>—</u>	<u>—</u>

PURGE DATA:

Date:	Volume	pH	S.C.	Temp. (C)	Turbidity	DO	ORP	Salinity
Method:								
Monitor Reading (ppm):								
Well Casing Diameter & Material Type:								
Total Well Depth (TD):								
Static Water Level (WL):								
One Casing Volume(gal/L):								
Start Purge (hrs):								
End Purge (hrs):								
Total Purge Time (min):								
Total Vol. Purged (gal/L):								

SAMPLE COLLECTION INFORMATION:

Analysis	Preservative	Container Requirements	Collected
Volatile Organic Compounds	<u>4°C/HCL</u>	<u>3</u> 40 mL Glass Vials	<input checked="" type="checkbox"/>

OBSERVATIONS / NOTES:

Hydropunch advanced to sample depth and screen exposed at: NA hrs. TDS = NA

Sample depth (screened interval) = from NA to NA ft.

Screen exposed to formation for NA minutes.

Depth of borehole prior to advancing hydropunch = NA ft.

SAMPLED FROM PUMP - DURING
LAST STAGE OF DEVELOPMENT

Circle if Applicable: _____ Signature(s): SJ Condi

MS/MSD	Duplicate ID No.:	
--------	-------------------	--



GROUNDWATER SAMPLE LOG SHEET

Project Site Name: NWIRP Bethpage
 Project No.: N4037

Domestic Well Data
 Monitoring Well Data
 Other Well Type:
 QA Sample Type:

Sample ID No.: BP-BPW2-1-DEV
 Sample Location: BPW2-1
 Sampled By: SJC
 C.O.C. No.: BPW-091003
 Type of Sample:
 Low Concentration
 High Concentration

SAMPLING DATA: HORIBA/LANDRE

Date:	Color	pH	S.C.	Temp.	Turbidity	DO	ORP	Salinity
Time:	Visual	Standard	mS/cm	°C	NTU	mg/l	mV	
<u>9/10/03</u>	<u>CLEAR</u>	<u>5.64</u>	<u>118</u>	<u>13.38</u>	<u>135/14</u>	<u>-</u>	<u>-</u>	<u>-</u>
Method: <u>PUMP</u>								

PURGE DATA:

Date:	Volume	pH	S.C.	Temp. (C)	Turbidity	DO	ORP	Salinity
Method:								
Monitor Reading (ppm):								
Well Casing Diameter & Material Type:								
Total Well Depth (TD):								
Static Water Level (WL):								
One Casing Volume(gal/L):								
Start Purge (hrs):								
End Purge (hrs):								
Total Purge Time (min):								
Total Vol. Purged (gal/L):								

SAMPLE COLLECTION INFORMATION:

Analysis	Preservative	Container Requirements	Collected
Volatile Organic Compounds	<u>4°C/HCL</u>	<u>3</u> 40 mL Glass Vials	<input checked="" type="checkbox"/>

OBSERVATIONS / NOTES:

Hydropunch advanced to sample depth and screen exposed at: hrs. TDS =

Sample depth (screened interval) = from to ft.

Screen exposed to formation for minutes.

Depth of borehole prior to advancing hydropunch = ft.

Circle if Applicable: MS/MSD Duplicate ID No.: Signature(s): J. Conti



GROUNDWATER SAMPLE LOG SHEET

Project Site Name: NWIRP Bethpage
Project No.: N4037

Sample ID No.: BP-BPOW12-2-DEV

Sample Location: BPOW2-2

Sampled By: SJC

C.O.C. No.: BPOW-091003

- Domestic Well Data
- Monitoring Well Data
- Other Well Type: _____
- QA Sample Type: _____

- Type of Sample:
- Low Concentration
 - High Concentration

SAMPLING DATA: HORIBA/LAMORE

Date:	Color	pH	S.C.	Temp.	Turbidity	DO	ORP	Salinity
Time:	Visual	Standard	mS/cm	°C	NTU	mg/l	mV	
9/10/03	CLEAR	5.70	.118	13.20	250/18	-	-	-

PURGE DATA:

Date:	Volume	pH	S.C.	Temp. (C)	Turbidity	DO	ORP	Salinity
Method:								
Monitor Reading (ppm):								
Well Casing Diameter & Material Type:								
Total Well Depth (TD):								
Static Water Level (WL):								
One Casing Volume(gal/L):								
Start Purge (hrs):								
End Purge (hrs):								
Total Purge Time (min):								
Total Vol. Purged (gal/L):								

SAMPLE COLLECTION INFORMATION:

Analysis	Preservative	Container Requirements	Collected
Volatile Organic Compounds	4°C/HCL	3 x 40 mL Glass Vials	✓

OBSERVATIONS / NOTES:

Hydropunch advanced to sample depth and screen exposed at: _____ hrs. TDS = _____

Sample depth (screened interval) = from _____ to _____ ft.

Screen exposed to formation for _____ minutes.

Depth of borehole prior to advancing hydropunch = _____ ft.

Circle if Applicable: _____ Signature(s): SJC

MS/MSD	Duplicate ID No.:	
--------	-------------------	--



Project Site Name: NWIRP Bethpage
 Project No.: N4037

Sample ID No.: BPOW2-1-100903
 Sample Location: BPOW2-1
 Sampled By: SJC
 C.O.C. No.: BPOW-100903
 Type of Sample:
 Low Concentration
 High Concentration

- Domestic Well Data
- Monitoring Well Data
- Other Well Type: _____
- QA Sample Type: _____

SAMPLING DATA: HORIBA | LAMOTTE

Date:	Color	pH	S.C.	Temp.	Turbidity	DO	ORP	Salinity
<u>10/9/03</u>	Visual	Standard	mS/cm	°C	NTU	mg/l	mV	
Time: <u>1130</u>	<u>CLEAR</u>	<u>4.42</u>	<u>-131</u>	<u>13.24</u>	<u>219</u> <u>6</u>	—	—	—
Method: <u>PUMP</u>								

PURGE DATA: GALS | TIME | RATE

Date:	Volume	pH	S.C.	Temp. (C)	Turbidity	DO	ORP	Salinity
<u>10/9/03</u>								
Method: <u>PUMP</u>	<u>0</u>	—	—	—	—	—	—	—
Monitor Reading (ppm): <u>0</u>	<u>300</u>	<u>4.39</u>	<u>.208</u>	<u>13.46</u>	<u>999</u> <u>672</u>	<u>1025</u>	<u>15 GPM</u>	—
Well Casing Diameter & Material "	<u>500</u>	<u>4.43</u>	<u>.148</u>	<u>13.60</u>	<u>796</u> <u>407</u>	<u>1045</u>	<u>12.5 "</u>	—
Type: <u>4" SCH 80 PVC 3.31 ID</u>	<u>750</u>	<u>4.43</u>	<u>.134</u>	<u>13.26</u>	<u>199</u> <u>8</u>	<u>1105</u>	<u>12.5 "</u>	—
Total Well Depth (TD): <u>400'</u>	<u>1000</u>	<u>4.42</u>	<u>-131</u>	<u>13.24</u>	<u>219</u> <u>6</u>	<u>1125</u>	<u>12.5 "</u>	—
Static Water Level (WL): <u>23.2</u>								
One Casing Volume (gal): <u>~200</u>								
Start Purge (hrs): <u>1005</u>								
End Purge (hrs): <u>1130</u>								
Total Purge Time (min): <u>90</u>								
Total Vol. Purged (gal): <u>1000</u>								

SAMPLE COLLECTION INFORMATION:

Analysis	Preservative	Container Requirements	Collected
Volatile Organic Compounds	<u>4°C</u>	<u>3 x 40 mL Glass Vials</u>	<input checked="" type="checkbox"/>
		<u>24.3 WLC 1025</u>	

OBSERVATIONS / NOTES:

Hydropunch advanced to sample depth and screen exposed at: NA hrs. TDS = NA
 Sample depth (screened interval) = from NA to NA ft.
 Screen exposed to formation for NA minutes.
 Depth of borehole prior to advancing hydropunch = NA ft.

Resample of this well.
 Was sampled previously at
 the end of Development.
 See Dev Sheets for Details

Circle if Applicable: _____ Signature(s): SJC Conti

MS/MSD	Duplicate ID No.: _____
--------	-------------------------



GROUNDWATER SAMPLE LOG SHEET

Project Site Name: NWIRP Bethpage
Project No.: N4037

Sample ID No.: BP-BPOW3-2-DEV

Sample Location: BPOW3-2

Sampled By: SSC

C.O.C. No.: BPOW-102103

- Domestic Well Data
- Monitoring Well Data
- Other Well Type: _____
- QA Sample Type: _____

- Type of Sample:
- Low Concentration
 - High Concentration

SAMPLING DATA: LAMPRE

Date:	Color	pH	S.C.	Temp.	Turbidity	DO	ORP	Salinity
Time:	Visual	Standard	mS/cm	°C	NTU	mg/l	mV	
10/21/03	CLEAR	5.80	077	13.05	49	-	-	-

PURGE DATA:

Date:	Volume	pH	S.C.	Temp. (C)	Turbidity	DO	ORP	Salinity
Method:								
Monitor Reading (ppm):								
Well Casing Diameter & Material Type:								
Total Well Depth (TD):								
Static Water Level (WL):								
One Casing Volume(gal/L):								
Start Purge (hrs):								
End Purge (hrs):								
Total Purge Time (min):								
Total Vol. Purged (gal/L):								

SAMPLE COLLECTION INFORMATION:

Analysis	Preservative	Container Requirements	Collected
Volatile Organic Compounds	4°C	3-40 mL Glass Vials	<input checked="" type="checkbox"/>

OBSERVATIONS / NOTES:

Hydropunch advanced to sample depth and screen exposed at: _____ hrs. TDS = _____

Sample depth (screened interval) = from _____ to _____ ft.

Screen exposed to formation for _____ minutes.

Depth of borehole prior to advancing hydropunch = _____ ft.

Circle if Applicable:		Signature(s): <i>J. Conti</i>
MS/MSD	Duplicate ID No.:	



GROUNDWATER SAMPLE LOG SHEET

Project Site Name: NWIRP Bethpage
 Project No.: N4037

Domestic Well Data
 Monitoring Well Data
 Other Well Type: _____
 QA Sample Type: _____

Sample ID No.: BP-BROW 3-1-DEV
 Sample Location: BROW 3-1
 Sampled By: SJC
 C.O.C. No.: BROW-102103
 Type of Sample:
 Low Concentration
 High Concentration

SAMPLING DATA:		LABOR						
Date:	Color	pH	S.C.	Temp.	Turbidity	DO	ORP	Salinity
Time:	Visual	Standard	mS/cm	°C	NTU	mg/l	mV	
<u>10/21/03</u>	<u>CLEAR</u>	<u>5-81</u>	<u>.084</u>	<u>13.12</u>	<u>51</u>	<u>-</u>	<u>-</u>	<u>-</u>
<u>1145</u>								
<u>PUMP</u>								

PURGE DATA:								
Date:	Volume	pH	S.C.	Temp. (C)	Turbidity	DO	ORP	Salinity
Method:								
Monitor Reading (ppm):								
Well Casing Diameter & Material Type:								
Total Well Depth (TD):								
Static Water Level (WL):								
One Casing Volume(gal/L):								
Start Purge (hrs):								
End Purge (hrs):								
Total Purge Time (min):								
Total Vol. Purged (gal/L):								

SAMPLE COLLECTION INFORMATION:			
Analysis	Preservative	Container Requirements	Collected
Volatile Organic Compounds	4°C	3 40 mL Glass Vials	<input checked="" type="checkbox"/>

OBSERVATIONS / NOTES:

Hydropunch advanced to sample depth and screen exposed at: _____ hrs. TDS = _____

Sample depth (screened interval) = from _____ to _____ ft.

Screen exposed to formation for _____ minutes.

Depth of borehole prior to advancing hydropunch = _____ ft.

Circle if Applicable:

MS/MSD	Duplicate ID No.:	Signature(s):
		<i>SJC</i>



GROUNDWATER SAMPLE LOG SHEET

Project Site Name: NWIRP Bethpage
Project No.: N4037

Sample ID No.: BP-BPDW1-1-DEV
Sample Location: BPDW1-1
Sampled By: STC
C.O.C. No.: BPDW-120103

- Domestic Well Data
Monitoring Well Data
Other Well Type:
QA Sample Type:

Type of Sample:
[X] Low Concentration
[] High Concentration

SAMPLING DATA: HORIBA/LAMORE

Table with 9 columns: Date, Color Visual, pH Standard, S.C. mS/cm, Temp. °C, Turbidity NTU, DO mg/l, ORP mV, Salinity. Includes handwritten values for Date (12/1/03), Time (1200), Method (PUMP), Color (CLEAR), pH (4.78), S.C. (389), Temp. (11.99), Turbidity (31/11).

PURGE DATA:

Table with 9 columns: Date, Volume, pH, S.C., Temp. (C), Turbidity, DO, ORP, Salinity. Includes rows for Method, Monitor Reading, Well Casing Diameter & Material Type, Total Well Depth (TD), Static Water Level (WL), One Casing Volume, Start Purge, End Purge, Total Purge Time, Total Vol. Purged.

SAMPLE COLLECTION INFORMATION:

Table with 4 columns: Analysis, Preservative, Container Requirements, Collected. Includes row for Volatile Organic Compounds with 4°C preservative and 3 x 40 mL Glass Vials container requirements.

OBSERVATIONS / NOTES:

Hydropunch advanced to sample depth and screen exposed at: _____ hrs. TDS = _____
Sample depth (screened interval) = from _____ to _____ ft.
Screen exposed to formation for _____ minutes.
Depth of borehole prior to advancing hydropunch = _____ ft.

Circle if Applicable: MS/MSD Duplicate ID No.: Signature(s): [Handwritten Signature]



GROUNDWATER SAMPLE LOG SHEET

Project Site Name: NWIRP Bethpage
Project No.: N4037

Sample ID No.: BP-BPDW1-2-DEV
Sample Location: BPDW1-2
Sampled By: SJC
C.O.C. No.: BPDW-120103
Type of Sample:
 Low Concentration
 High Concentration

- Domestic Well Data
- Monitoring Well Data
- Other Well Type: _____
- QA Sample Type: _____

SAMPLING DATA: <u>HORIZN / CANOTE</u>								
Date:	Color Visual	pH Standard	S.C. mS/cm	Temp. °C	Turbidity NTU	DO mg/l	ORP mV	Salinity
<u>12/2/03</u>	<u>CLEAR</u>	<u>4.60</u>	<u>0.82</u>	<u>11.14</u>	<u>41/43</u>	<u>-</u>	<u>-</u>	<u>-</u>
Time: <u>0930</u>								
Method: <u>PUMP</u>								

PURGE DATA:								
Date:	Volume	pH	S.C.	Temp. (C)	Turbidity	DO	ORP	Salinity
Method:								
Monitor Reading (ppm):								
Well Casing Diameter & Material								
Type:								
Total Well Depth (TD):								
Static Water Level (WL):								
One Casing Volume(gal/L):								
Start Purge (hrs):								
End Purge (hrs):								
Total Purge Time (min):								
Total Vol. Purged (gal/L):								

SAMPLE COLLECTION INFORMATION:			
Analysis	Preservative	Container Requirements	Collected
<u>Volatile Organic Compounds</u>	<u>4°C</u>	<u>3 40 mL Glass Vials</u>	<input checked="" type="checkbox"/>

OBSERVATIONS / NOTES:

Hydropunch advanced to sample depth and screen exposed at: _____ hrs. TDS = _____

Sample depth (screened interval) = from _____ to _____ ft.

Screen exposed to formation for _____ minutes.

Depth of borehole prior to advancing hydropunch = _____ ft.

Circle if Applicable:		Signature(s): <u>SJC</u>
MS/MSD	Duplicate ID No.:	



GROUNDWATER SAMPLE LOG SHEET

Project Site Name: NWIRP Bethpage
Project No.: N4037

Sample ID No.: BP- BPOW1-3-DEV
Sample Location: BPOW1-3
Sampled By: SJC
C.O.C. No.: BPOW-120103

- Domestic Well Data
- Monitoring Well Data
- Other Well Type: _____
- QA Sample Type: _____

- Type of Sample:
- Low Concentration
 - High Concentration

SAMPLING DATA: HORIBA / LAMOTE

Date: <u>12-2-03</u>	Color Visual	pH Standard	S.C. mS/cm	Temp. °C	Turbidity NTU	DO mg/l	ORP mV	Salinity
Time: <u>1220</u>	<u>CLEAR</u>	<u>4.65</u>	<u>.094</u>	<u>11.37</u>	<u>4 / 45</u>	<u>-</u>	<u>-</u>	<u>-</u>
Method: <u>FROM PUMP</u>								

PURGE DATA:

Date:	Volume	pH	S.C.	Temp. (C)	Turbidity	DO	ORP	Salinity
Method:								
Monitor Reading (ppm):								
Well Casing Diameter & Material								
Type:								
Total Well Depth (TD):								
Static Water Level (WL):								
One Casing Volume(gal/L):								
Start Purge (hrs):								
End Purge (hrs):								
Total Purge Time (min):								
Total Vol. Purged (gal/L):								

SAMPLE COLLECTION INFORMATION:

Analysis	Preservative	Container Requirements	Collected
Volatile Organic Compounds	4°C	<u>3</u> 40 mL Glass Vials	<input checked="" type="checkbox"/>

OBSERVATIONS / NOTES:

Hydropunch advanced to sample depth and screen exposed at: _____ hrs. TDS = _____

Sample depth (screened interval) = from _____ to _____ ft.

Screen exposed to formation for _____ minutes.

Depth of borehole prior to advancing hydropunch = _____ ft.

Circle if Applicable:

MS/MSD	Duplicate ID No.:	Signature(s): <i>SJC</i>
--------	-------------------	-----------------------------



Project Site Name: NWIRP Bethpage
 Project No.: N4037

Domestic Well Data
 Monitoring Well Data
 Other Well Type:
 QA Sample Type:

Sample ID No.: BPOW2-1-120203
 Sample Location: BPOW2-1
 Sampled By: SJC
 C.O.C. No.: BPOW-120103
 Type of Sample:
 Low Concentration
 High Concentration

SAMPLING DATA: HORIBA/LANDITE

Date: 12/02/03	Color Visual	pH Standard	S.C. mS/cm	Temp. °C	Turbidity NTU	DO mg/l	ORP mV	Salinity
Time: 1400	CLEAR	4.64	.119	11.98	1/0	—	—	—
Method: PUMP								

PURGE DATA: TIME

Date: 12/2/03	Volume	pH	S.C.	Temp. (C)	Turbidity	DO	ORP	Salinity
Method: PUMP	START w/ PUMP					1300	—	—
Monitor Reading (ppm): 0	300 CLEAR	4.69	.138	12.31	1/2	1320	—	—
Well Casing Diameter & Material Type: 3 3/16" ID PVC	600	4.63	.123	12.01	1/1	1340	—	—
	800	4.64	.119	11.98	1/0	1400	—	—
Total Well Depth (TD): 400'								
Static Water Level (WL): ~23'								
One Casing Volume (gal): ~200								
Start Purge (hrs): 1300								
End Purge (hrs): 1400								
Total Purge Time (min): 60								
Total Vol. Purged (gal): 800								

15 GPM
15 GPM
13 GPM

SAMPLE COLLECTION INFORMATION:

Analysis	Preservative	Container Requirements	Collected
Volatile Organic Compounds	4°C	3 x 40 mL Glass Vials	✓

OBSERVATIONS / NOTES:

Hydropunch advanced to sample depth and screen exposed at: _____ hrs. TDS = _____

Sample depth (screened interval) = from _____ to _____ ft. 2ND RESAMPLE

Screen exposed to formation for _____ minutes.

Depth of borehole prior to advancing hydropunch = _____ ft.

Circle if Applicable: MS/MSD Duplicate ID No.: _____ Signature(s): SJC



GROUNDWATER SAMPLE LOG SHEET

Project Site Name: NWIRP Bethpage
 Project No.: N4037

Sample ID No.: BP-BPOW 4-1-DEV
 Sample Location: BPOW 4-1
 Sampled By: SJC
 C.O.C. No.: BPOW-121503
 Type of Sample:
 Low Concentration
 High Concentration

- Domestic Well Data
- Monitoring Well Data
- Other Well Type: _____
- QA Sample Type: _____

SAMPLING DATA: HEXABA / LAURIDE

Date:	Color	pH	S.C.	Temp.	Turbidity	DO	ORP	Salinity
Time:	Visual	Standard	mS/cm	°C	NTU	mg/l	mV	
<u>12/15/03</u>	<u>CLEAR</u>	<u>4.48</u>	<u>.068</u>	<u>11.84</u>	<u>85/29</u>	<u>-</u>	<u>-</u>	<u>-</u>
<u>1535</u>								
Method: <u>PUMP</u>								

PURGE DATA:

Date:	Volume	pH	S.C.	Temp. (C)	Turbidity	DO	ORP	Salinity
Method:								
Monitor Reading (ppm):								
Well Casing Diameter & Material Type:								
Total Well Depth (TD):								
Static Water Level (WL):								
One Casing Volume(gal/L):								
Start Purge (hrs):								
End Purge (hrs):								
Total Purge Time (min):								
Total Vol. Purged (gal/L):								

SAMPLE COLLECTION INFORMATION:

Analysis	Preservative	Container Requirements	Collected
Volatile Organic Compounds	4°C	<u>3</u> 40 mL Glass Vials	<input checked="" type="checkbox"/>

OBSERVATIONS / NOTES:

Hydropunch advanced to sample depth and screen exposed at: _____ hrs. TDS = _____

Sample depth (screened interval) = from _____ to _____ ft.

Screen exposed to formation for _____ minutes.

Depth of borehole prior to advancing hydropunch = _____ ft.

Circle if Applicable: _____ Signature(s): SJC

MS/MSD	Duplicate ID No.:
--------	-------------------

APPENDIX L
ANALYTICAL RESULTS

TETRA TECH NUS INC

Client Sample ID: BP-BP0W1-1-DEV

GC/MS Volatiles

Lot-Sample #....: C3L030292-004	Work Order #....: F5X4P1AA	Matrix.....: WATER
Date Sampled....: 12/01/03	Date Received...: 12/03/03	MS Run #.....: 3338043
Prep Date.....: 12/04/03	Analysis Date...: 12/04/03	
Prep Batch #....: 3338159	Analysis Time...: 12:13	
Dilution Factor: 1	Initial Wgt/Vol: 5 mL	Final Wgt/Vol...: 5 mL
Analyst ID.....: 010099	Instrument ID...: HP5	
	Method.....: SW846 8260B	

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
Acetone	ND	10	ug/L	2.5
Benzene	ND	1.0	ug/L	0.11
Bromodichloromethane	ND	1.0	ug/L	0.12
Bromoform	ND	1.0	ug/L	0.18
Bromomethane	ND	2.0	ug/L	0.37
2-Butanone	ND	5.0	ug/L	1.2
Carbon disulfide	ND	1.0	ug/L	0.16
Carbon tetrachloride	ND	1.0	ug/L	0.20
Chlorobenzene	ND	1.0	ug/L	0.11
Dibromochloromethane	ND	1.0	ug/L	0.093
Chloroethane	ND	2.0	ug/L	0.18
Chloroform	0.32 J	1.0	ug/L	0.14
Chloromethane	ND	2.0	ug/L	0.075
1,1-Dichloroethane	1.6	1.0	ug/L	0.16
1,2-Dichloroethane	ND	1.0	ug/L	0.092
1,1-Dichloroethene	2.9	1.0	ug/L	0.21
1,2-Dichloroethene (total)	ND	1.0	ug/L	0.32
1,2-Dichloropropane	ND	1.0	ug/L	0.11
cis-1,3-Dichloropropene	ND	1.0	ug/L	0.18
trans-1,3-Dichloropropene	ND	1.0	ug/L	0.087
Ethylbenzene	ND	1.0	ug/L	0.11
2-Hexanone	ND	5.0	ug/L	1.2
Methylene chloride	ND	2.0	ug/L	0.16
4-Methyl-2-pentanone	ND	5.0	ug/L	1.0
Styrene	ND	1.0	ug/L	0.11
1,1,2,2-Tetrachloroethane	ND	1.0	ug/L	0.16
Tetrachloroethene	1.2	1.0	ug/L	0.24
Toluene	0.22 J	1.0	ug/L	0.14
1,1,1-Trichloroethane	6.4	1.0	ug/L	0.16
1,1,2-Trichloroethane	ND	1.0	ug/L	0.12
Trichloroethene	1.9	1.0	ug/L	0.095
Vinyl chloride	ND	3.0	ug/L	0.17
Xylenes (total)	ND	3.0	ug/L	0.45

(Continued on next page)

TETRA TECH NUS INC

Client Sample ID: BP-BPOW1-2-DEV

GC/MS Volatiles

Lot-Sample #....: C3L030292-003 Work Order #....: F5X4M1AA Matrix.....: WATER
 Date Sampled....: 12/02/03 Date Received...: 12/03/03 MS Run #.....: 3338043
 Prep Date.....: 12/04/03 Analysis Date...: 12/04/03
 Prep Batch #....: 3338159 Analysis Time...: 11:50
 Dilution Factor: 1 Initial Wgt/Vol: 5 mL Final Wgt/Vol...: 5 mL
 Analyst ID.....: 010099 Instrument ID...: HP5
 Method.....: SW846 8260B

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
Acetone	2.5 J	10	ug/L	2.5
Benzene	ND	1.0	ug/L	0.11
Bromodichloromethane	ND	1.0	ug/L	0.12
Bromoform	ND	1.0	ug/L	0.18
Bromomethane	ND	2.0	ug/L	0.37
2-Butanone	ND	5.0	ug/L	1.2
Carbon disulfide	ND	1.0	ug/L	0.16
Carbon tetrachloride	ND	1.0	ug/L	0.20
Chlorobenzene	ND	1.0	ug/L	0.11
Dibromochloromethane	ND	1.0	ug/L	0.093
Chloroethane	ND	2.0	ug/L	0.18
Chloroform	ND	1.0	ug/L	0.14
Chloromethane	ND	2.0	ug/L	0.075
1,1-Dichloroethane	ND	1.0	ug/L	0.16
1,2-Dichloroethane	ND	1.0	ug/L	0.092
1,1-Dichloroethene	ND	1.0	ug/L	0.21
1,2-Dichloroethene (total)	ND	1.0	ug/L	0.32
1,2-Dichloropropane	ND	1.0	ug/L	0.11
cis-1,3-Dichloropropene	ND	1.0	ug/L	0.18
trans-1,3-Dichloropropene	ND	1.0	ug/L	0.087
Ethylbenzene	ND	1.0	ug/L	0.11
2-Hexanone	ND	5.0	ug/L	1.2
Methylene chloride	ND	2.0	ug/L	0.16
4-Methyl-2-pentanone	ND	5.0	ug/L	1.0
Styrene	ND	1.0	ug/L	0.11
1,1,2,2-Tetrachloroethane	ND	1.0	ug/L	0.16
Tetrachloroethene	0.58 J	1.0	ug/L	0.24
Toluene	ND	1.0	ug/L	0.14
1,1,1-Trichloroethane	ND	1.0	ug/L	0.16
1,1,2-Trichloroethane	ND	1.0	ug/L	0.12
Trichloroethene	ND	1.0	ug/L	0.095
Vinyl chloride	ND	3.0	ug/L	0.17
Xylenes (total)	ND	3.0	ug/L	0.45

(Continued on next page)

TETRA TECH NUS INC

Client Sample ID: BP-BPOW1-3-DEV

GC/MS Volatiles

Lot-Sample #....: C3L030292-002	Work Order #....: FSX4J1AA	Matrix.....: WATER
Date Sampled....: 12/02/03	Date Received...: 12/03/03	MS Run #.....: 3338043
Prep Date.....: 12/04/03	Analysis Date...: 12/04/03	
Prep Batch #....: 3338159	Analysis Time...: 11:26	
Dilution Factor: 1	Initial Wgt/Vol: 5 mL	Final Wgt/Vol...: 5 mL
Analyst ID.....: 010099	Instrument ID...: HP5	
	Method.....: SW846 8260B	

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
Acetone	ND	10	ug/L	2.5
Benzene	ND	1.0	ug/L	0.11
Bromodichloromethane	ND	1.0	ug/L	0.12
Bromoform	ND	1.0	ug/L	0.18
Bromomethane	ND	2.0	ug/L	0.37
2-Butanone	ND	5.0	ug/L	1.2
Carbon disulfide	ND	1.0	ug/L	0.16
Carbon tetrachloride	ND	1.0	ug/L	0.20
Chlorobenzene	ND	1.0	ug/L	0.11
Dibromochloromethane	ND	1.0	ug/L	0.093
Chloroethane	ND	2.0	ug/L	0.18
Chloroform	ND	1.0	ug/L	0.14
Chloromethane	ND	2.0	ug/L	0.075
1,1-Dichloroethane	ND	1.0	ug/L	0.16
1,2-Dichloroethane	ND	1.0	ug/L	0.092
1,1-Dichloroethene	ND	1.0	ug/L	0.21
1,2-Dichloroethene	ND	1.0	ug/L	0.32
(total)				
1,2-Dichloropropane	ND	1.0	ug/L	0.11
cis-1,3-Dichloropropene	ND	1.0	ug/L	0.18
trans-1,3-Dichloropropene	ND	1.0	ug/L	0.087
Ethylbenzene	ND	1.0	ug/L	0.11
2-Hexanone	ND	5.0	ug/L	1.2
Methylene chloride	ND	2.0	ug/L	0.16
4-Methyl-2-pentanone	ND	5.0	ug/L	1.0
Styrene	ND	1.0	ug/L	0.11
1,1,2,2-Tetrachloroethane	ND	1.0	ug/L	0.16
Tetrachloroethene	ND	1.0	ug/L	0.24
Toluene	ND	1.0	ug/L	0.14
1,1,1-Trichloroethane	ND	1.0	ug/L	0.16
1,1,2-Trichloroethane	ND	1.0	ug/L	0.12
Trichloroethene	ND	1.0	ug/L	0.095
Vinyl chloride	ND	3.0	ug/L	0.17
Xylenes (total)	ND	3.0	ug/L	0.45

(Continued on next page)

TETRA TECH NUS INC

Client Sample ID: BP-BPOW2-1-DEV

GC/MS Volatiles

Lot-Sample #....: C3I120361-005 Work Order #....: FX9AW1AA Matrix.....: WATER
 Date Sampled....: 09/10/03 12:00 Date Received...: 09/12/03 MS Run #.....:
 Prep Date.....: 09/17/03 Analysis Date...: 09/18/03
 Prep Batch #....: 3260714 Analysis Time...: 00:47
 Dilution Factor: 1
 Analyst ID.....: 034635 Instrument ID...: HP5
 Method.....: SW846 8260B

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
Acetone	ND	10	ug/L	2.5
Benzene	2.9	1.0	ug/L	0.11
Bromodichloromethane	ND	1.0	ug/L	0.12
Bromoform	ND	1.0	ug/L	0.18
Bromomethane	ND	2.0	ug/L	0.37
2-Butanone	ND	5.0	ug/L	1.2
Carbon disulfide	ND	1.0	ug/L	0.16
Carbon tetrachloride	ND	1.0	ug/L	0.20
Chlorobenzene	ND	1.0	ug/L	0.11
Dibromochloromethane	ND	1.0	ug/L	0.093
Chloroethane	ND	2.0	ug/L	0.18
Chloroform	ND	1.0	ug/L	0.14
Chloromethane	ND	2.0	ug/L	0.075
1,1-Dichloroethane	ND	1.0	ug/L	0.16
1,2-Dichloroethane	ND	1.0	ug/L	0.092
1,1-Dichloroethene	ND	1.0	ug/L	0.21
1,2-Dichloroethene (total)	ND	1.0	ug/L	0.32
1,2-Dichloropropane	ND	1.0	ug/L	0.11
cis-1,3-Dichloropropene	ND	1.0	ug/L	0.18
trans-1,3-Dichloropropene	ND	1.0	ug/L	0.087
Ethylbenzene	ND	1.0	ug/L	0.11
2-Hexanone	ND	5.0	ug/L	1.2
Methylene chloride	ND	2.0	ug/L	0.16
4-Methyl-2-pentanone	ND	5.0	ug/L	1.0
Styrene	ND	1.0	ug/L	0.11
1,1,2,2-Tetrachloroethane	ND	1.0	ug/L	0.16
Tetrachloroethene	ND	1.0	ug/L	0.24
Toluene	ND	1.0	ug/L	0.14
1,1,1-Trichloroethane	ND	1.0	ug/L	0.16
1,1,2-Trichloroethane	ND	1.0	ug/L	0.12
Trichloroethene	ND	1.0	ug/L	0.095
Vinyl chloride	ND	3.0	ug/L	0.17
Xylenes (total)	ND	3.0	ug/L	0.45

(Continued on next page)

TETRA TECH BUS INC

Client Sample ID: BPOW2-1-100903

GC/MS Volatiles

Lot-Sample #....: C3J100416-001 Work Order #....: F2CR81AA Matrix.....: WATER
 Date Sampled....: 10/08/03 Date Received...: 10/10/03 MS Run #.....: 3287107
 Prep Date.....: 10/14/03 Analysis Date...: 10/14/03
 Prep Batch #....: 3287263 Analysis Time...: 15:26
 Dilution Factor: 1 Initial Wgt/Vol: 5 mL Final Wgt/Vol...: 5 mL
 Analyst ID.....: 016328 Instrument ID...: HP6
 Method.....: SW846 8260B

PARAMETER	RESULT	REPORTING		
		LIMIT	UNITS	MDL
Acetone	3.1 J	10	ug/L	2.5
Benzene	ND	1.0	ug/L	0.11
Bromodichloromethane	ND	1.0	ug/L	0.12
Bromoform	ND	1.0	ug/L	0.18
Bromomethane	ND	2.0	ug/L	0.37
2-Butanone	ND	5.0	ug/L	1.2
Carbon disulfide	ND	1.0	ug/L	0.16
Carbon tetrachloride	ND	1.0	ug/L	0.20
Chlorobenzene	ND	1.0	ug/L	0.11
Dibromochloromethane	ND	1.0	ug/L	0.093
Chloroethane	ND	2.0	ug/L	0.18
Chloroform	ND	1.0	ug/L	0.14
Chloromethane	ND	2.0	ug/L	0.075
1,1-Dichloroethane	ND	1.0	ug/L	0.16
1,2-Dichloroethane	ND	1.0	ug/L	0.092
1,1-Dichloroethene	ND	1.0	ug/L	0.21
1,2-Dichloroethene	ND	1.0	ug/L	0.32
(total)				
1,2-Dichloropropane	ND	1.0	ug/L	0.11
cis-1,3-Dichloropropene	ND	1.0	ug/L	0.18
trans-1,3-Dichloropropene	ND	1.0	ug/L	0.087
Ethylbenzene	ND	1.0	ug/L	0.11
2-Hexanone	ND	5.0	ug/L	1.2
Methylene chloride	ND	2.0	ug/L	0.16
4-Methyl-2-pentanone	ND	5.0	ug/L	1.0
Styrene	ND	1.0	ug/L	0.11
1,1,2,2-Tetrachloroethane	ND	1.0	ug/L	0.16
Tetrachloroethene	ND	1.0	ug/L	0.24
Toluene	ND	1.0	ug/L	0.14
1,1,1-Trichloroethane	ND	1.0	ug/L	0.16
1,1,2-Trichloroethane	ND	1.0	ug/L	0.12
Trichloroethene	ND	1.0	ug/L	0.095
Vinyl chloride	ND	3.0	ug/L	0.17
Xylenes (total)	ND	3.0	ug/L	0.45

(Continued on next page)

TETRA TECH NUS INC

Client Sample ID: BPOW2-1-120203

GC/MS Volatiles

Lot-Sample #....: C3L030292-005 Work Order #....: F5X4R1AA Matrix.....: WATER
 Date Sampled....: 12/02/03 Date Received...: 12/03/03 MS Run #.....: 3338043
 Prep Date.....: 12/04/03 Analysis Date...: 12/04/03
 Prep Batch #....: 3338159 Analysis Time...: 12:37
 Dilution Factor: 1 Initial Wgt/Vol: 5 mL Final Wgt/Vol...: 5 mL
 Analyst ID.....: 010099 Instrument ID...: HP5
 Method.....: SW846 8260B

PARAMETER	RESULT	REPORTING		
		LIMIT	UNITS	MDL
Acetone	ND	10	ug/L	2.5
Benzene	ND	1.0	ug/L	0.11
Bromodichloromethane	ND	1.0	ug/L	0.12
Bromoform	ND	1.0	ug/L	0.18
Bromomethane	ND	2.0	ug/L	0.37
2-Butanone	ND	5.0	ug/L	1.2
Carbon disulfide	ND	1.0	ug/L	0.16
Carbon tetrachloride	ND	1.0	ug/L	0.20
Chlorobenzene	ND	1.0	ug/L	0.11
Dibromochloromethane	ND	1.0	ug/L	0.093
Chloroethane	ND	2.0	ug/L	0.18
Chloroform	ND	1.0	ug/L	0.14
Chloromethane	ND	2.0	ug/L	0.075
1,1-Dichloroethane	ND	1.0	ug/L	0.16
1,2-Dichloroethane	ND	1.0	ug/L	0.092
1,1-Dichloroethene	ND	1.0	ug/L	0.21
1,2-Dichloroethene (total)	ND	1.0	ug/L	0.32
1,2-Dichloropropane	ND	1.0	ug/L	0.11
cis-1,3-Dichloropropene	ND	1.0	ug/L	0.18
trans-1,3-Dichloropropene	ND	1.0	ug/L	0.087
Ethylbenzene	ND	1.0	ug/L	0.11
2-Hexanone	ND	5.0	ug/L	1.2
Methylene chloride	ND	2.0	ug/L	0.16
4-Methyl-2-pentanone	ND	5.0	ug/L	1.0
Styrene	ND	1.0	ug/L	0.11
1,1,2,2-Tetrachloroethane	ND	1.0	ug/L	0.16
Tetrachloroethene	ND	1.0	ug/L	0.24
Toluene	ND	1.0	ug/L	0.14
1,1,1-Trichloroethane	ND	1.0	ug/L	0.16
1,1,2-Trichloroethane	ND	1.0	ug/L	0.12
Trichloroethene	ND	1.0	ug/L	0.095
Vinyl chloride	ND	3.0	ug/L	0.17
Xylenes (total)	ND	3.0	ug/L	0.45

(Continued on next page)

TETRA TECH NUS INC

Client Sample ID: BP-BPOW2-2-DEV

GC/MS Volatiles

Lot-Sample #....: C3I120361-004 Work Order #....: FX9AR1AA Matrix.....: WATER
 Date Sampled....: 09/10/03 10:30 Date Received...: 09/12/03 MS Run #.....:
 Prep Date.....: 09/17/03 Analysis Date...: 09/18/03
 Prep Batch #....: 3260714 Analysis Time...: 00:24
 Dilution Factor: 1
 Analyst ID.....: 034635 Instrument ID...: HP5
 Method.....: SW846 8260B

PARAMETER	RESULT	LIMIT	UNITS	MDL
Acetone	ND	10	ug/L	2.5
Benzene	ND	1.0	ug/L	0.11
Bromodichloromethane	ND	1.0	ug/L	0.12
Bromoform	ND	1.0	ug/L	0.18
Bromomethane	ND	2.0	ug/L	0.37
2-Butanone	ND	5.0	ug/L	1.2
Carbon disulfide	ND	1.0	ug/L	0.16
Carbon tetrachloride	ND	1.0	ug/L	0.20
Chlorobenzene	ND	1.0	ug/L	0.11
Dibromochloromethane	ND	1.0	ug/L	0.093
Chloroethane	ND	2.0	ug/L	0.18
Chloroform	ND	1.0	ug/L	0.14
Chloromethane	ND	2.0	ug/L	0.075
1,1-Dichloroethane	ND	1.0	ug/L	0.16
1,2-Dichloroethane	ND	1.0	ug/L	0.092
1,1-Dichloroethene	ND	1.0	ug/L	0.21
1,2-Dichloroethene (total)	ND	1.0	ug/L	0.32
1,2-Dichloropropane	ND	1.0	ug/L	0.11
cis-1,3-Dichloropropene	ND	1.0	ug/L	0.18
trans-1,3-Dichloropropene	ND	1.0	ug/L	0.087
Ethylbenzene	ND	1.0	ug/L	0.11
2-Hexanone	ND	5.0	ug/L	1.2
Methylene chloride	ND	2.0	ug/L	0.16
4-Methyl-2-pentanone	ND	5.0	ug/L	1.0
Styrene	ND	1.0	ug/L	0.11
1,1,2,2-Tetrachloroethane	ND	1.0	ug/L	0.16
Tetrachloroethene	ND	1.0	ug/L	0.24
Toluene	ND	1.0	ug/L	0.14
1,1,1-Trichloroethane	ND	1.0	ug/L	0.16
1,1,2-Trichloroethane	ND	1.0	ug/L	0.12
Trichloroethene	ND	1.0	ug/L	0.095
Vinyl chloride	ND	3.0	ug/L	0.17
Xylenes (total)	ND	3.0	ug/L	0.45

(Continued on next page)

SEVERN TRENT LABORATORIES, INC.

PRELIMINARY DATA SUMMARY

The results shown below may still require additional laboratory review and are subject to change. Actions taken based on these results are the responsibility of the data user.

Lot #: C3J230178 Tetra Tech NUS Inc PAGE 3
NWIRP Beth Page Date Reported: 11/07/03
Project Number: CTO812

PARAMETER	RESULT	REPORTING LIMIT	UNITS	ANALYTICAL METHOD
-----------	--------	--------------------	-------	----------------------

Client Sample ID: BP-BPOW3-1-DEV

Sample #: 003 Date Sampled: 10/21/03 11:45 Date Received: 10/23/03 Matrix: WATER

Volatile Organics by GC/MS

Reviewed

Acetone	ND	10	ug/L	SW846 8260B
Benzene	ND	1.0	ug/L	SW846 8260B
Bromodichloromethane	ND	1.0	ug/L	SW846 8260B
Bromoform	ND	1.0	ug/L	SW846 8260B
Bromomethane	ND	2.0	ug/L	SW846 8260B
2-Butanone	ND	5.0	ug/L	SW846 8260B
Carbon disulfide	ND	1.0	ug/L	SW846 8260B
Carbon tetrachloride	ND	1.0	ug/L	SW846 8260B
Chlorobenzene	ND	1.0	ug/L	SW846 8260B
Dibromochloromethane	ND	1.0	ug/L	SW846 8260B
Chloroethane	ND	2.0	ug/L	SW846 8260B
Chloroform	ND	1.0	ug/L	SW846 8260B
Chloromethane	ND	2.0	ug/L	SW846 8260B
1,1-Dichloroethane	ND	1.0	ug/L	SW846 8260B
1,2-Dichloroethane	ND	1.0	ug/L	SW846 8260B
1,1-Dichloroethene	ND	1.0	ug/L	SW846 8260B
1,2-Dichloroethene	ND	1.0	ug/L	SW846 8260B
(total)				
1,2-Dichloropropane	ND	1.0	ug/L	SW846 8260B
cis-1,3-Dichloropropene	ND	1.0	ug/L	SW846 8260B
trans-1,3-Dichloropropene	ND	1.0	ug/L	SW846 8260B
Ethylbenzene	ND	1.0	ug/L	SW846 8260B
2-Hexanone	ND	5.0	ug/L	SW846 8260B
Methylene chloride	ND	2.0	ug/L	SW846 8260B
4-Methyl-2-pentanone	ND	5.0	ug/L	SW846 8260B
Styrene	ND	1.0	ug/L	SW846 8260B
1,1,2,2-Tetrachloroethane	ND	1.0	ug/L	SW846 8260B
Tetrachloroethene	ND	1.0	ug/L	SW846 8260B
Toluene	ND	1.0	ug/L	SW846 8260B
1,1,1-Trichloroethane	ND	1.0	ug/L	SW846 8260B
1,1,2-Trichloroethane	ND	1.0	ug/L	SW846 8260B
Trichloroethene	ND	1.0	ug/L	SW846 8260B
Vinyl chloride	ND	3.0	ug/L	SW846 8260B
Xylenes (total)	ND	3.0	ug/L	SW846 8260B

(Continued on next page)

183

SEVERN TRENT LABORATORIES, INC.

PRELIMINARY DATA SUMMARY

 The results shown below may still require additional laboratory review and are subject to change. Actions taken based on these results are the responsibility of the data user.

PAGE 2

Lot #: C3J230178 Tetra Tech NUS Inc Date Reported: 11/07/03
 NWIRP Beth Page
 Project Number: CTO812

PARAMETER	RESULT	REPORTING LIMIT	UNITS	ANALYTICAL METHOD
-----------	--------	-----------------	-------	-------------------

Client Sample ID: BP-BPOW3-2-DEV

Sample #: 002 Date Sampled: 10/21/03 10:00 Date Received: 10/23/03 Matrix: WATER

Volatile Organics by GC/MS

Reviewed

Acetone	ND	10	ug/L	SW846 8260B
Benzene	ND	1.0	ug/L	SW846 8260B
Bromodichloromethane	ND	1.0	ug/L	SW846 8260B
Bromoform	ND	1.0	ug/L	SW846 8260B
Bromomethane	ND	2.0	ug/L	SW846 8260B
2-Butanone	ND	5.0	ug/L	SW846 8260B
Carbon disulfide	ND	1.0	ug/L	SW846 8260B
Carbon tetrachloride	ND	1.0	ug/L	SW846 8260B
Chlorobenzene	ND	1.0	ug/L	SW846 8260B
Dibromochloromethane	ND	1.0	ug/L	SW846 8260B
Chloroethane	ND	2.0	ug/L	SW846 8260B
Chloroform	ND	1.0	ug/L	SW846 8260B
Chloromethane	ND	2.0	ug/L	SW846 8260B
1,1-Dichloroethane	ND	1.0	ug/L	SW846 8260B
1,2-Dichloroethane	ND	1.0	ug/L	SW846 8260B
1,1-Dichloroethene	ND	1.0	ug/L	SW846 8260B
1,2-Dichloroethene	ND	1.0	ug/L	SW846 8260B
(total)				
1,2-Dichloropropane	ND	1.0	ug/L	SW846 8260B
cis-1,3-Dichloropropene	ND	1.0	ug/L	SW846 8260B
trans-1,3-Dichloropropene	ND	1.0	ug/L	SW846 8260B
Ethylbenzene	ND	1.0	ug/L	SW846 8260B
2-Hexanone	ND	5.0	ug/L	SW846 8260B
Methylene chloride	ND	2.0	ug/L	SW846 8260B
4-Methyl-2-pentanone	ND	5.0	ug/L	SW846 8260B
Styrene	ND	1.0	ug/L	SW846 8260B
1,1,2,2-Tetrachloroethane	ND	1.0	ug/L	SW846 8260B
Tetrachloroethene	ND	1.0	ug/L	SW846 8260B
Toluene	0.29 J	1.0	ug/L	SW846 8260B
1,1,1-Trichloroethane	ND	1.0	ug/L	SW846 8260B
1,1,2-Trichloroethane	ND	1.0	ug/L	SW846 8260B
Trichloroethene	ND	1.0	ug/L	SW846 8260B
Vinyl chloride	ND	3.0	ug/L	SW846 8260B
Xylenes (total)	ND	3.0	ug/L	SW846 8260B

J Estimated result. Result is less than RL.

(Continued on next page)

SEVERN TRENT LABORATORIES, INC.

PRELIMINARY DATA SUMMARY

The results shown below may still require additional laboratory review and are subject to change. Actions taken based on these results are the responsibility of the data user.

PAGE 1

Lot #: C3L170286 **Tetra Tech NUS Inc** Date Reported: 1/08/04
 NWIRP Beth Page
 Project Number: CTO812

PARAMETER	RESULT	REPORTING LIMIT	UNITS	ANALYTICAL METHOD
-----------	--------	--------------------	-------	----------------------

Client Sample ID: BP-BPOW4-1-DEV

Sample #: 001 Date Sampled: 12/15/03 15:35 Date Received: 12/17/03 Matrix: WATER

Volatile Organics by GC/MS

Reviewed

Acetone	ND	10	ug/L	SW846 8260B
Benzene	ND	1.0	ug/L	SW846 8260B
Bromodichloromethane	ND	1.0	ug/L	SW846 8260B
Bromoform	ND	1.0	ug/L	SW846 8260B
Bromomethane	ND	2.0	ug/L	SW846 8260B
2-Butanone	ND	5.0	ug/L	SW846 8260B
Carbon disulfide	ND	1.0	ug/L	SW846 8260B
Carbon tetrachloride	ND	1.0	ug/L	SW846 8260B
Chlorobenzene	ND	1.0	ug/L	SW846 8260B
Dibromochloromethane	ND	1.0	ug/L	SW846 8260B
Chloroethane	ND	2.0	ug/L	SW846 8260B
Chloroform	ND	1.0	ug/L	SW846 8260B
Chloromethane	ND	2.0	ug/L	SW846 8260B
1,1-Dichloroethane	ND	1.0	ug/L	SW846 8260B
1,2-Dichloroethane	ND	1.0	ug/L	SW846 8260B
1,1-Dichloroethene	ND	1.0	ug/L	SW846 8260B
1,2-Dichloroethene	ND	1.0	ug/L	SW846 8260B
(total)				
1,2-Dichloropropane	ND	1.0	ug/L	SW846 8260B
cis-1,3-Dichloropropene	ND	1.0	ug/L	SW846 8260B
trans-1,3-Dichloropropene	ND	1.0	ug/L	SW846 8260B
Ethylbenzene	ND	1.0	ug/L	SW846 8260B
2-Hexanone	ND	5.0	ug/L	SW846 8260B
Methylene chloride	ND	2.0	ug/L	SW846 8260B
4-Methyl-2-pentanone	ND	5.0	ug/L	SW846 8260B
Styrene	ND	1.0	ug/L	SW846 8260B
1,1,2,2-Tetrachloroethane	ND	1.0	ug/L	SW846 8260B
Tetrachloroethene	ND	1.0	ug/L	SW846 8260B
Toluene	0.28 J	1.0	ug/L	SW846 8260B
1,1,1-Trichloroethane	ND	1.0	ug/L	SW846 8260B
1,1,2-Trichloroethane	ND	1.0	ug/L	SW846 8260B
Trichloroethene	ND	1.0	ug/L	SW846 8260B
Vinyl chloride	ND	3.0	ug/L	SW846 8260B
Xylenes (total)	ND	3.0	ug/L	SW846 8260B

J Estimated result. Result is less than RL.

(Continued on next page)

TETRA TECH NUS INC

Client Sample ID: BP-BPOW4-2-DEV

GC/MS Volatiles

Lot-Sample #....: C3H060299-003	Work Order #....: FVQ101AA	Matrix.....: WATER
Date Sampled....: 08/04/03	Date Received...: 08/06/03	MS Run #.....: 3219024
Prep Date.....: 08/07/03	Analysis Date...: 08/07/03	
Prep Batch #....: 3219133	Analysis Time...: 11:05	
Dilution Factor: 1	Initial Wgt/Vol: 5 mL	Final Wgt/Vol...: 5 mL
Analyst ID.....: 016328	Instrument ID...: HP6	
	Method.....: SW846 8260B	

PARAMETER	RESULT	REPORTING		
		LIMIT	UNITS	MDL
Acetone	ND	10	ug/L	2.5
Benzene	ND	1.0	ug/L	0.11
Bromodichloromethane	ND	1.0	ug/L	0.12
Bromoform	ND	1.0	ug/L	0.18
Bromomethane	ND	2.0	ug/L	0.37
2-Butanone	ND	5.0	ug/L	1.2
Carbon disulfide	ND	1.0	ug/L	0.16
Carbon tetrachloride	ND	1.0	ug/L	0.20
Chlorobenzene	ND	1.0	ug/L	0.11
Dibromochloromethane	ND	1.0	ug/L	0.093
Chloroethane	ND	2.0	ug/L	0.18
Chloroform	ND	1.0	ug/L	0.14
Chloromethane	ND	2.0	ug/L	0.075
1,1-Dichloroethane	ND	1.0	ug/L	0.16
1,2-Dichloroethane	ND	1.0	ug/L	0.092
1,1-Dichloroethene	ND	1.0	ug/L	0.21
1,2-Dichloroethene (total)	ND	1.0	ug/L	0.32
1,2-Dichloropropane	ND	1.0	ug/L	0.11
cis-1,3-Dichloropropene	ND	1.0	ug/L	0.18
trans-1,3-Dichloropropene	ND	1.0	ug/L	0.087
Ethylbenzene	ND	1.0	ug/L	0.11
2-Hexanone	ND	5.0	ug/L	1.2
Methylene chloride	ND	2.0	ug/L	0.16
4-Methyl-2-pentanone	ND	5.0	ug/L	1.0
Styrene	ND	1.0	ug/L	0.11
1,1,2,2-Tetrachloroethane	ND	1.0	ug/L	0.16
Tetrachloroethene	ND	1.0	ug/L	0.24
Toluene	ND	1.0	ug/L	0.14
1,1,1-Trichloroethane	ND	1.0	ug/L	0.16
1,1,2-Trichloroethane	ND	1.0	ug/L	0.12
Trichloroethene	ND	1.0	ug/L	0.095
Vinyl chloride	ND	3.0	ug/L	0.17
Xylenes (total)	ND	3.0	ug/L	0.45

(Continued on next page)

APPENDIX M

SURVEY DATA

LUDWIG LANE
(50' R.O.W.)


HARRIET ROAD
(50' R.O.W.)

GLORIA ROAD
(50' R.O.W.)



WELL N:199720.617
E:1127409.355
TOP of PVC ELEV:59.96
TOP of CASING ELEV:60.35
GRADE:60.32

WELL N:199720.565
E:1127420.757
TOP of PVC ELEV:60.06
TOP of CASING ELEV:60.43
GRADE:60.41



TAX MAP BLOCK 320, LOT NO.4

- NOTES**
1. Tax Map Section 52, Block 320, Lot No.10.
 2. Bearings shown in N.Y.State Plane {NAD-83(86)} on the herein Easement Parcel were derived by subtracting 0° 20' 19" from Filed Map azimuth.
 3. Vertical Datum is NGVD-29
 4. Top of Casing Elevation = GRADE ±
 5. Any alteration or addition to this survey is a violation of Section 7209 of The New York State Education Law, except as per Section 7209-Subdivision 2.

- REFERENCES:**
1. "Map of Thrifty Homes located at Plainedge..." filed in the NCCO, Division of Land Records on May 01, 1950 as Map No.4931.
 2. Nassau County Land & Tax Map Block 320, Section 52. Town of Oyster Bay.
 3. Points found as shown.

TAX MAP BLOCK 320, LOT NO.10
FILED MAP BLOCK 320, LOT NO.10

NO.	DATE	DESCRIPTION	APPR'D.

DRAWN BY: G.R.S.
CHECKED BY: N.E.B.

SCALE:
1"=20'

HIRANI ENGINEERING & LAND SURVEYING, P.C.
47 MINEOLA BLVD., SECOND FLOOR
MINEOLA, NY 11501
T (516) 248-1010 F (516) 248-9018 H I R A N I

OWNER: U.S. DEPT. OF NAVY
CONTRACTOR: TETRA TECH NUS

SUBJECT:
MONITORING WELL LOCATION FOR WELLS
BP-OW 2-1(D) & BP-OW 2-2 (D2).

DATE DRAWN: 01/12/04
DATE SURVEYED: 01/02/04
CONTRACT #: S02-2117
SHEET NO: 1 OF



CONCRETE SIDEWALK

CURBLINE

ELM DRIVE WEST
(50' R.O.W.)

WELL
N:200495.902
E:1123138.258
TOP of PVC ELEV:67.34
TOP of CASING ELEV:67.57
GRADE=67.5±

WELL
N:200485.903
E:1123134.958
TOP of PVC ELEV:67.18
TOP of CASING ELEV:67.50
GRADE=67.4±

S 72°36'05" E
4.15'

N 72°36'05" W 4.15'
N 17°23'55" E 100.00'

CURBLINE

CURBLINE

CONC. SIDEWALK

CONC. SIDEWALK

P.O.B.

CONC. MON. FOUND
N 17°23'55" E (N.Y. STATE PLANE)
(N 17°35'14" E FILED MAP)
100.00'

GRASS AREA
N 17°23'55" E 100.00'
STOCKADE FENCE

N 72°36'05" W 5.26'
S 17°23'55" W 4.20'

CONC. SIDEWALK
POINT OF COMMENCEMENT

EVE LANE
(50' R.O.W.)

EDEN LANE
(50' R.O.W.)

EASEMENT PARCEL
AREA=415± SQ. FT.
or 0.0095± ACRES

L=76.00'
R=491.10'

TAX MAP BLOCK 339, LOT NO.20

TAX MAP BLOCK 339, LOT NO.21
FILED MAP BLOCK 339, LOT NO.21

TAX MAP BLOCK 396, LOT NO.2

NOTES

1. Tax Map Section 51, Block 339, Lot No.21.
2. Bearings shown in N.Y. State Plane (NAD-83(86)) on the herein Easement Parcel were derived by subtracting 0° 20' 19" from Filed Map azimuth.
3. Vertical Datum is NGVD-29
4. Top of Casing Elevation = GRADE ±

REFERENCES:

1. "Subdivision Map Levittown-Section-26..." filed in the NCCO, Division of Land Records on Feb. 20, 1951 as Map No.5164.
2. Nassau County Land & Tax Map Block 339, Section 51 Town of Hempstead.
3. Points found as shown.



Any alteration or addition to this survey is a violation of Section 7209 of The New York State Education Law, except

DRAWN BY: G.R.S.				SCALE: 1" = 20'	HIRANI ENGINEERING & LAND SURVEYING, P.C. 47 MINOLA BLVD., 2ND FLOOR MINOLA, N.Y. 11501 T (516) 246-1010 F (516) 246-9016 H I R A N I	OWNER:	U.S DEPT. OF NAVY	SUBJECT: MONITORING WELL LOCATIONS OF WELLS BP-OW 4-1 (D-3) & BP-OW 4-2 (D-3)	DATE DRAWN: 01/12/04
CHECKED BY: N.E.B.						CONTRACTOR:	TETRA TECH NUS		DATE SURVEYED: 01/02/04
NO.	DATE	DESCRIPTION	APPR'D.					CONTRACT# S02-2117	SHEET NO: 1 OF 1

G:\PROJECTS\SURVEYING\TETRA TECH\BETH\PAGE\MAP WITH WELL LOCATIONS\EASEMENT_EVE WITH WELL LOCATIONS.dwg

0105CB3Z



S 85°17'41" E (FILED MAP)
 S 85°30'14" E (N.Y. STATE PLANE)
 CONC. MON. FOUND 53.23'


WELL N:198668.184
 3-2 E:1124757.953
 TOP of PVC ELEV:63.72
 TOP of CASING ELEV:64.04
 GRADE=64.0±

WELL N:198632.270
 3-1 E:1124804.942
 TOP of PVC ELEV:63.19
 TOP of CASING ELEV:63.54
 GRADE=63.5±

TOP of PVC ELEV:67.18

RURAL LANE
 (50' R.O.W.)

RED OAK RIB LANE
 (A.K.A. RED MAPLE DRIVE EAST)
 (50' R.O.W.)
 DRIVE EAST



TAX MAP BLOCK 396, LOT NO.1
 FILED MAP BLOCK 396, LOT NO.1

TAX MAP BLOCK 396, LOT NO.33


TAX MAP BLOCK 396, LOT NO.2

NOTES

1. Tax Map Section 51, Block 396, Lot No.1.
2. Bearings shown in N.Y. State Plane {NAD-83(86)} on the herein Easement Parcel were derived by subtracting 0° 20' 19" from Filed Map azimuth.
3. Vertical Datum is NGVD-29
4. Top of Casing Elevation = GRADE ±
5. Any alteration or addition to this survey is a violation of Section 7209 of The New York State Education Law, except as per Section 7209-Subdivision 2.

REFERENCES:

1. "Subdivision Map Levittown-Section-33..." filed in the NCCO, Division of Land Records on May 02, 1951 as Map No.5208.
2. Nassau County Land & Tax Map Block 396, Section 51 Town of Hempstead.
3. Points found as shown.



NO.	DATE	DESCRIPTION	APPR'D.

DRAWN BY: G.R.S.
 CHECKED BY: N.E.B.
 SCALE: 1"=20'

HIRANI ENGINEERING & LAND SURVEYING, P.C.
 47 MINEOLA BLVD., 2ND FLOOR
 MINEOLA, N.Y. 11501
 T (516) 248-1010 F (516) 248-9018 H I R A N I

OWNER: U.S DEPT. OF NAVY
 CONTRACTOR: TETRA TECH NUS

SUBJECT: MONITORING WELL LOCATION FOR WELLS BP-OW 3-1 (D2) & BP-OW 3-2 (D3)

DATE DRAWN: 01/12/04
 DATE SURVEYED: 01/02/04
 CONTRACT# S02-2117
 SHEET NO: 1 OF 1



BRUCE LANE (50' R.O.W.)

WELL N:202004.775
1-1 E:1132151.594
TOP of PVC ELEV:73.65
TOP of CASING ELEV:73.90
GRADE=73.8±

WELL N:202005.521
1-2 E:1132173.462
TOP of PVC ELEV:73.54
TOP of CASING ELEV:73.82
GRADE=73.8±

WELL N:202005.927
1-3 E:1132189.366
TOP of PVC ELEV:73.37
TOP of CASING ELEV:73.68
GRADE=73.6±

N 01°02'54" W
3.60'

N 01°02'54" W
6.05'

N 88°57'06" E 45.65'

N 88°57'06" E (N.Y. STATE PLANE)
N 89°17'25" E (FILED MAP)

100.76

POINT OF COMMENCEMENT

EASEMENT PARCEL
AREA=209± SQ. FT.
or 0.0048± ACRES


TAX MAP BLOCK 230, LOT NO.10
FILED MAP BLOCK 230, LOT NO.10

S 88°57'06" W
115.68'

TAX MAP BLOCK 230, LOT 11
(FILED MAP NO. 6019)

N 88°57'06" E
58.00'

S 01°02'54" E
3.60'



LAWRENCE STREET
(50' R.O.W.)

L=14.90'
R=10.00'
Δ=85°20'50"

S 05°42'04" E
61.01'

TAX MAP BLOCK 230
LOT 9


N 01°02'54" W
70.00'

NOTES

1. Tax Map Section 49, Block 230, Lot No.10.
2. Bearings shown in N.Y.State Plane {NAD-83(86)} on the herein Easement Parcel were derived by subtracting 0° 20' 19" from Filed Map azimuth.
3. Vertical Datum is NGVD-29
4. Top of Casing Elevation = GRADE ±
5. Any alteration or addition to this survey is a violation of Section 7209 of The New York State Education Law, except per Section 7209-Subdivision 2.

REFERENCES:

1. "Map of Pinehurst - Section 1..... Filed in the NCCO, Division of Land Records on September 13, 1951 as Map No. 5308.
2. "Map of Pinehurst-Section-2..." filed in the NCCO, Division of Land Records on Dec. 14, 1953 as Map No.6019.
3. Nassau County Land & Tax Map Block 230, Section 49 Town of Oyster Bay.



NO.	DATE	DESCRIPTION	APPR'D.

DRAWN BY: G.R.S.
CHECKED BY: N.E.B.

SCALE:
1"=20'

HIRANI ENGINEERING & LAND SURVEYING, P.C.
47 MINEOLA BLVD., 2ND FLOOR
MINEOLA, N.Y. 11501
T (516) 248-1010 F (516) 248-9018 H I R A N I

OWNER: **U.S DEPT. OF NAVY**
CONTRACTOR: **TETRA TECH NUS**


SUBJECT:
**MONITORING WELL LOCATIONS OF WELLS
BP-OW 1-1 (D), BP-OW 1-2 (D) & BP-OW 1-3(D).**

DATE DRAWN: 01/12/04
DATE SURVEYED: 01/02/04
CONTRACT# S02-2117
SHEET NO: 1 OF 1



- EXPLANATION**
- PROPERTY BOUNDARY OF THE RUCO POLYMER SITE
 - PROPERTY BOUNDARY OF THE FORMER GRUMMAN AEROSPACE SITE
 - PROPERTY BOUNDARY OF U.S. NAVY SITE
 - DENOTES NORTHROP GRUMMAN OWNED PROPERTY
 - DENOTES U.S. NAVY OWNED PROPERTY
 - BASINS
 - ▲ 6781 INDUSTRIAL WELL
 - 747 PUBLIC SUPPLY WELL
 - ◆ 9918 OBSERVATION, MONITORING WELL
 - ★ 8799 IRRIGATION WELL
 - 6635 UNKNOWN USE OF WELL
 - ⊛ GP-4 NORTHROP GRUMMAN OR NAVY PRODUCTION WELL OR OU2 REMEDIAL WELL
 - ⊙ VP-51 EXISTING VERTICAL PROFILE BORING
 - ⊗ ABANDONED OR DESTROYED WELL
 - ⊙ MW-1 BETHPAGE PARK MONITORING WELL (APPROXIMATE)
 - ⊙ BPOW OUTPOST WELL
 - ⊙ SFWD SOUTH FARMINGDALE WATER DISTRICT
 - ⊙ LWD LEVITTOWN WATER DISTRICT
 - ⊙ NYWS NEW YORK WATER SERVICE
 - ⊙ BWD BETHPAGE WATER DISTRICT
 - ⊙ TOH TOWN OF HEMPSTEAD WATER DISTRICT
 - ⊙ HWD HICKSVILLE WATER DISTRICT
 - ⊙ VOF VILLAGE OF FARMINGDALE WATER DISTRICT
 - ⊙ VP VERTICAL PROFILE BORING

- NOTES:**
1. THIS FIGURE DOES NOT INCLUDE ALL ACTIVE MONITORING AND OBSERVATION WELLS INSTALLED SINCE 1992.
 2. THIS FIGURE INCLUDES ALL SHALLOW WELLS IDENTIFIED ON TABLE 1-1 OF THE OCTOBER 2000 FS REPORT PLUS SELECT ADDITIONAL MONITORING AND OBSERVATION WELLS.
 3. THIS FIGURE INCLUDES LOCATIONS OF PUBLIC SUPPLY WELLS BASED ON INFORMATION REQUESTED BY ARCADIS IN SEPTEMBER 2001 LETTER.
 4. THIS FIGURE INCLUDES LOCATIONS OF VERTICAL PROFILE BORINGS INSTALLED BY THE US NAVY.
 5. BASIN LOCATIONS OBTAINED FROM USGS TOPOGRAPHIC MAPS (HICKSVILLE, AMITYVILLE, HUNTINGTON, AND FREEPORT QUADRANGLES), AND INFORMATION PROVIDED BY NORTHROP GRUMMAN.
 6. NORTHROP GRUMMAN PROPERTY HOLDINGS BASED ON DATA PROVIDED IN SEPTEMBER 2000.
 7. LOCATION OF MONITORING WELLS INSTALLED BY DVIRICA & BARTILUCCI AT PLANT 1 (I.E., MW-1 TO MW-6) ARE ESTIMATED FROM D&B SITE PLAN, PROVIDED ON DECEMBER 19, 2002.



NO.	DATE	REVISION DESCRIPTION	BY
			CKD

**NAVAL WEAPONS
INDUSTRIAL RESERVE PLANT
BETHPAGE, NEW YORK
CONTRACT NO. GCMP-02-011-0888**

LOCATION OF LINES OF SECTION




DRAFT

PROJECT MANAGER C. SANGIOVANNI	DEPARTMENT MANAGER
LEAD DESIGN PROF.	CHECKED D. STERN
DRAWN AG	DATE 3/18/04
PROJECT NUMBER NY001371.0001	DRAWING NUMBER 1

ALL COORDINATES REFERENCED TO NORTH AMERICAN DATUM 1929


FILE: G:\PROJECT\NORTHROP GRUMMAN\GADD\TETRA TECH\BASE\00-BETHPAGE WELLS.DWG, DATE: 03/26/2004 11:07:28AM



copyright © 2004

EXPLANATION		
	UNSATURATED ZONE	
	CLAYEY SAND, SANDY CLAY, AND CLAY (CONFINING UNITS) AS INTERPRETED FROM LITHOLOGIC AND GEOPHYSICAL (NATURAL GAMMA) LOGS	
	UNSHADED AREAS REPRESENT SATURATED AQUIFER MATERIAL WHICH CONSIST OF SAND WITH VARYING AMOUNTS OF GRAVEL AND SILT.	
	RECHARGE BASIN (TYPICAL: NOT TO SCALE)	
	VP-44 VERTICAL PROFILE BORING	
	END OF BORING	
	GM-33D2 - WELL ID	
	LAND SURFACE	
	WELL SCREENED INTERVAL	
	END OF BORING	
	VP - VERTICAL PROFILE BORING	
	BPOW - OUTPOST WELL	
	SFWD - SOUTH FARMINGDALE WATER DISTRICT	
	FT MSL - FEET RELATIVE TO MEAN SEA LEVEL	
	50 0 500	
	HORIZONTAL SCALE: 1"=500' VERTICAL SCALE: 1"=50' VERTICAL EXAGGERATION = 10X	
NOTE:	LITHOLOGY NOT AVAILABLE FOR WELL SFWD 6150.	
REV.	ISSUED DATE	DESCRIPTION
SEE LOCATION OF LINE OF SECTION BELOW		
PROJECT TITLE		
NAVAL WEAPONS INDUSTRIAL RESERVE PLANT BETHPAGE, NEW YORK CONTRACT NO. GCMP-02-011-0888		
SHEET TITLE		
GEOLOGIC CROSS SECTION A-A'		
88 Duryea Road Manhasset Neck, NY 11747 Tel: 631-249-7000 Fax: 631-249-7810 www.arcadis-usa.com		
SEAL	SEAL	
		DRAFT
PROJECT MANAGER	C. SAN GIOVANNI	DEPARTMENT MANAGER
LEAD DESIGN PROF.	D. STERN	CHECKED BY
TASK/PHASE NUMBER		DRAWN BY
PROJECT NUMBER	NY001371.0001	DRAWING NUMBER
		2

SOURCE: RARITAN CONFINING UNIT ELEVATION: USGS (1980).



EXPLANATION

- UNSATURATED ZONE
- CLAYEY SAND, SANDY CLAY, AND CLAY (CONFINING UNITS) AS INTERPRETED FROM LITHOLOGIC AND GEOPHYSICAL (NATURAL GAMMA) LOGS
- UNSHADED AREAS REPRESENT SATURATED AQUIFER MATERIAL WHICH CONSIST OF SAND WITH VARYING AMOUNTS OF GRAVEL AND SILT.
- RECHARGE BASIN (TYPICAL; NOT TO SCALE)
- VP-46 VERTICAL PROFILE BORING
- END OF BORING
- GM-34D2 - WELL ID
- LAND SURFACE
- WELL SCREENED INTERVAL
- END OF BORING
- VP VERTICAL PROFILE BORING
- BPOW OUTPOST WELL
- TOH(LWD) TOWN OF HEMPSTEAD (LEVITTOWN WATER DISTRICT)
- FT MSL FEET RELATIVE TO MEAN SEA LEVEL
- NWIRP NAVAL WEAPONS INDUSTRIAL RESERVE PLANT

HORIZONTAL SCALE: 1"=500'
 VERTICAL SCALE: 1"=50'
 VERTICAL EXAGGERATION = 10X

REV. ISSUED DATE DESCRIPTION

KEYPLAN

SEE LOCATION OF LINE OF SECTION BELOW

PROJECT TITLE

NAVAL WEAPONS INDUSTRIAL RESERVE PLANT
 BETHPAGE, NEW YORK
 CONTRACT NO. GCMP-02-011-0888

SHEET TITLE

GEOLOGIC CROSS-SECTION B-B'

ARCADIS


88 Duryea Road
 Melville, NY 11747
 Tel: 631-249-7600 Fax: 631-249-7610
 www.arcadis-us.com

SEAL	SEAL
DRAFT	
PROJECT MANAGER C. SAN GIOVANNI	DEPARTMENT MANAGER M. WOLFERT
LEAD DESIGN PROF.	CHECKED BY D. STERN
TASK/PHASE NUMBER	DRAWN BY A. G.
PROJECT NUMBER NY001371.0001	DRAWING NUMBER 3



SOURCE RARITAN CONFINING UNIT ELEVATION: USGS (1990).

Acad Version: R15.0
 User Name: pinnace
 Date/Time: Tue, 30 Mar 2004 - 10:16am
 Path Name: C:\PROJECT\GRUMMAN\CADD\TINUS\SECTION_B-B.dwg - Layout: Job: 49230 V



EXPLANATION

UNSATURATED ZONE

CLAYEY SAND, SANDY CLAY, AND CLAY (CONFINING UNITS) AS INTERPRETED FROM LITHOLOGIC AND GEOPHYSICAL (NATURAL GAMMA) LOGS

UNSHADED AREAS REPRESENT SATURATED AQUIFER MATERIAL WHICH CONSIST OF SAND WITH VARYING AMOUNTS OF GRAVEL AND SILT.

RECHARGE BASIN (TYPICAL; NOT TO SCALE)

VP-43
VERTICAL PROFILE BORING
END OF BORING

GM-38D2 - WELL ID
LAND SURFACE
WELL SCREENED INTERVAL
END OF BORING

VP VERTICAL PROFILE BORING
BWD BETHPAGE WATER DISTRICT
SFWD SOUTH FARMINGDALE WATER DISTRICT
FT MSL FEET RELATIVE TO MEAN SEA LEVEL

50
0 500
HORIZONTAL SCALE: 1"=500'
VERTICAL SCALE: 1"=50'
VERTICAL EXAGGERATION = 10X

REV. ISSUED DATE DESCRIPTION

KEYPLAN

SEE LOCATION OF LINE OF SECTION BELOW

PROJECT TITLE

NAVAL WEAPONS INDUSTRIAL RESERVE PLANT
BETHPAGE, NEW YORK
CONTRACT NO. GCMP-02-011-0888

SHEET TITLE

GEOLOGIC CROSS-SECTION C-C'

ARCADIS

88 Durges Road
Mahwah, NY 11747
Tel: 631-249-7600 Fax: 631-249-7610
www.arcadis-us.com

SEAL SEAL


DRAFT

PROJECT MANAGER C. SAN GIOVANNI	DEPARTMENT MANAGER M. WOLFERT
LEAD DESIGN PROF.	CHECKED BY D. STERN
TASK/PHASE NUMBER	DRAWN BY A. G.
PROJECT NUMBER NY001371.0001	DRAWING NUMBER 4



LOCATION OF LINE OF SECTION
SCALE: 1"=3000'

SOURCE RARITAN CONFINING UNIT
ELEVATION: USGS (1990).



EXPLANATION

UNSATURATED ZONE

CLAYEY SAND, SANDY CLAY, AND CLAY (CONFINING UNITS) AS INTERPRETED FROM LITHOLOGIC AND GEOPHYSICAL (NATURAL GAMMA) LOGS

UNSHADED AREAS REPRESENT SATURATED AQUIFER MATERIAL WHICH CONSIST OF SAND WITH VARYING AMOUNTS OF GRAVEL AND SILT.

RECHARGE BASIN (TYPICAL: NOT TO SCALE)

VP-51 VERTICAL PROFILE BORING
END OF BORING

GM-34D2 - WELL ID
LAND SURFACE
WELL SCREENED INTERVAL
END OF BORING

VP VERTICAL PROFILE BORING
BWD BETHPAGE WATER DISTRICT
FT MSL FEET RELATIVE TO MEAN SEA LEVEL

HORIZONTAL SCALE: 1"=500'
VERTICAL SCALE: 1"=50'
VERTICAL EXAGGERATION = 10X

REV. ISSUED DATE DESCRIPTION

KEYPLAN
SEE LOCATION OF LINE OF SECTION BELOW


PROJECT TITLE
NAVAL WEAPONS INDUSTRIAL RESERVE PLANT
BETHPAGE, NEW YORK
CONTRACT NO. GCMP-02-011-0888

SHEET TITLE
GEOLOGIC CROSS-SECTION D-D'




88 Duryea Road
Melville, NY 11747
Tel: 631-249-7600 Fax: 631-249-7610
www.arcadis-us.com

SEAL	SEAL
DRAFT	
PROJECT MANAGER C. SAN GIOVANNI	DEPARTMENT MANAGER M. WOLFERT
LEAD DESIGN PROF.	CHECKED BY D. STERN
TASK/PHASE NUMBER	DRAWN BY A. G.
PROJECT NUMBER NY001371.0001	DRAWING NUMBER 5













LOCATION OF LINE OF SECTION
SCALE: 1"=3000'

SOURCE RARITAN CONFINING UNIT ELEVATION: USGS (1990).



EXPLANATION

-  UNSATURATED ZONE
-  CLAYEY SAND, SANDY CLAY, AND CLAY (CONFINING UNITS) AS INTERPRETED FROM LITHOLOGIC AND GEOPHYSICAL (NATURAL GAMMA) LOGS
- UNSHADED AREAS REPRESENT SATURATED AQUIFER MATERIAL WHICH CONSIST OF SAND WITH VARYING AMOUNTS OF GRAVEL AND SILT.
-  RECHARGE BASIN (TYPICAL; NOT TO SCALE)
-  VP-73
VERTICAL PROFILE BORING
-  END OF BORING
-  GM-33D2 - WELL ID
-  LAND SURFACE
-  WELL SCREENED INTERVAL
-  END OF BORING
- VP VERTICAL PROFILE BORING
- FT MSL FEET RELATIVE TO MEAN SEA LEVEL



REV. ISSUED DATE DESCRIPTION

KEYPLAN

SEE LOCATION OF LINE OF SECTION BELOW

PROJECT TITLE
 NAVAL WEAPONS INDUSTRIAL RESERVE PLANT
 BETHPAGE, NEW YORK
 CONTRACT NO. GCMP-02-011-0888

SHEET TITLE
 GEOLOGIC CROSS-SECTION E-E'



88 Duryea Road
 Medville, NY 11747
 Tel: 631-249-7600 Fax: 631-249-7610
 www.arcadis-us.com

SEAL SEAL


DRAFT

PROJECT MANAGER C. SAN GIOVANNI	DEPARTMENT MANAGER M. WOLFERT
LEAD DESIGN PROF.	CHECKED BY D. STERN
TASK/PHASE NUMBER	DRAWN BY A. G.
PROJECT NUMBER NY001371.0001	DRAWING NUMBER 6



SOURCE RARITAN CONFINING UNIT
 ELEVATION: USGS (1990)

User Name: C:\PROJECTS\GRUMMAN\Code\TMS\SECTION E-E.dwg - Layout Tab - 4/23/04 V
 User Name: C:\PROJECTS\GRUMMAN\Code\TMS\SECTION E-E.dwg - Layout Tab - 4/23/04 V
 User Name: C:\PROJECTS\GRUMMAN\Code\TMS\SECTION E-E.dwg - Layout Tab - 4/23/04 V



EXPLANATION

UNSATURATED ZONE

CLAYEY SAND, SANDY CLAY, AND CLAY (CONFINING UNITS) AS INTERPRETED FROM LITHOLOGIC AND GEOPHYSICAL (NATURAL GAMMA) LOGS

UNSHADED AREAS REPRESENT SATURATED AQUIFER MATERIAL WHICH CONSIST OF SAND WITH VARYING AMOUNTS OF GRAVEL AND SILT.

RECHARGE BASIN (TYPICAL: NOT TO SCALE)

VP-50

VERTICAL PROFILE BORING

END OF BORING

GM-75D2 - WELL ID

LAND SURFACE

WELL SCREENED INTERVAL

END OF BORING

VP VERTICAL PROFILE BORING

NYWS NEW YORK WATER SERVICE

FT MSL FEET RELATIVE TO MEAN SEA LEVEL

50

0 500

HORIZONTAL SCALE: 1"=500'

VERTICAL SCALE: 1"=50'

VERTICAL EXAGGERATION = 10X

NOTE:
LITHOLOGY NOT AVAILABLE FOR NYWS WELLS N-8480 AND N-9338.

REV.	ISSUED DATE	DESCRIPTION
KEYPLAN		

SEE LOCATION OF LINE OF SECTION BELOW

PROJECT TITLE

NAVAL WEAPONS INDUSTRIAL RESERVE PLANT
 BETHPAGE, NEW YORK
 CONTRACT NO. GCMP-02-011-0888

SHEET TITLE

GEOLOGIC CROSS SECTION F-F'



88 Duray Road
 Milledale, NY 11747
 Tel: 631-249-7600 Fax: 631-249-7610
 www.arcadis-us.com

SEA	SEA
-----	-----

DRAFT

PROJECT MANAGER: C. SAN GIOVANNI DEPARTMENT MANAGER: M. WOLFERT

LEAD DESIGN PROF.: D. STERN CHECKED BY: D. STERN

TASK/PHASE NUMBER: A. G. DRAWN BY: A. G.

PROJECT NUMBER: NY001371.0001 DRAWING NUMBER: 7



SOURCE RARITAN CONFINING UNIT ELEVATION: USGS (1990).

User: M...
 User: M...
 User: M...