

**Quarterly Operations Report
Second Quarter 2013**

**Soil Vapor Extraction Containment System
Site 1, Former Drum Marshalling Yard
Naval Weapons Industrial Reserve Plant
Bethpage, New York**

**Contract No. N40085-10-D-9409
Contract Task Order No. 0005**

December 2013

Prepared for:



Naval Facilities Engineering Command Mid-Atlantic
9742 Maryland Avenue
Norfolk, VA 23511

Prepared by:



**H&S Environmental, Inc.
160 East Main Street, Suite 2F
Westborough, Massachusetts 01581
(508) 366-7442**

**Quarterly Operations Report
Second Quarter 2013**

**Soil Vapor Extraction Containment System
Site 1, Former Drum Marshalling Yard
Naval Weapons Industrial Reserve Plant
Bethpage, New York**

**Contract No. N40085-10-D-9409
Contract Task Order No. 0005**

December 2013

Prepared for:

Naval Facilities Engineering Command Mid-Atlantic
9742 Maryland Avenue
Norfolk, VA 23511



A handwritten signature in blue ink, appearing to read 'Patrick Schauble'.

Patrick Schauble, P.E.
Program Manager

12/13/13

Date

A handwritten signature in blue ink, appearing to read 'Jennifer Good'.

Jennifer Good, P.G.
Project Manager

12/13/13

Date

TABLE OF CONTENTS

1.0	INTRODUCTION.....	1-1
1.1	Site Location.....	1-1
1.2	Background.....	1-1
1.3	Project Overview and Objective.....	1-2
1.4	SVECS Overview.....	1-2
2.0	SVECS OPERATION AND MAINTENANCE.....	2-1
2.1	Routine Maintenance Activities.....	2-1
2.2	Non-routine Maintenance / Site Activities.....	2-1
3.0	SVECS MONITORING.....	3-1
3.1	Monthly Air Quality Monitoring.....	3-1
3.2	Quarterly Air Quality Monitoring of SVEWs.....	3-1
3.3	Quarterly Vapor Monitoring of SVEWs and Off-site SVPMs.....	3-2
3.4	Annual Vapor Quality Monitoring of Off-site SVPMs.....	3-2
3.5	Soil Vapor Quality Concentration Trends.....	3-2
4.0	CONCLUSIONS AND RECOMMENDATIONS.....	4-1
5.0	REFERENCES.....	5-1

TABLES

TABLE 1	Monthly Vapor Analytical Results – April 2013
TABLE 2	Monthly Vapor Analytical Results – May 2013
TABLE 3	Monthly Vapor Analytical Results – June 2013
TABLE 4	Quarterly Vapor Analytical Results of SVE Wells – Second Quarter 2013
TABLE 5	Quarterly Vapor Analytical Results of SVE Wells through Second Quarter 2013
TABLE 6	Quarterly Off-site Soil Vapor Monitoring Results of SVPMs – Second Quarter 2013
TABLE 7	Quarterly Off-site Soil Vapor Monitoring Results of SVPMs through Second Quarter 2013

FIGURES

FIGURE 1	Site Location Map
FIGURE 2	Site Area and Vicinity
FIGURE 3	Site Plan – Existing SVECS Layout
FIGURE 4	System Layout Plan
FIGURE 5	Second Quarter 2013 Vapor Analytical Map – Select VOC Concentrations - SVEWs
FIGURE 6	Second Quarter 2013 Vacuum Readings – SVPMs

APPENDICES

- APPENDIX A NYSDEC Air Permit Equivalent Approval
APPENDIX B Vapor Concentration Trend Graphs of Select VOCs

Acronyms and Abbreviations

bgs	below ground surface
CTO	Contract Task Order
DAR	Division of Air Resources
DoD	Department of Defense
ELAP	Environmental Laboratory Accreditation Program
FMS	Flow Monitoring Station
GOCO	Government Owned Contractor Operated
H&S	H&S Environmental, Inc.
i.w.	inches of water column
NAVFAC	Naval Facilities Engineering Command Mid-Atlantic
NELAC	National Environmental Accreditation Conference
NG	Northrop Grunman
NWIRP	Naval Weapons Industrial Reserve Plant
NYSDEC	New York State Department of Environmental Conservation
NYSDOH	New York State Department of Health
O&M	Operation and Maintenance
PCB	polychlorinated biphenyls
PCE	tetrachloroethene
PID	photoionization detector
scfm	standard cubic feet per minute
SVECS	soil vapor extraction containment system
SVEW	soil vapor extraction well
SVOC	semi-volatile organic compound
SVPM	soil vapor pressure monitor
TCA	trichloroethane
TCE	trichloroethene
TCL	target compound list
TtEC	Tetra Tech EC, Inc.
TtNUS	Tetra Tech NUS, Inc.
VGAC	vapor-phase granular activated carbon
VOC	volatile organic compound

1.0 INTRODUCTION

H&S Environmental, Inc. (H&S) has prepared this Quarterly Operations Report for the Second Quarter 2013 for the Soil Vapor Extraction Containment System (SVECS) at Site 1, Former Drum Marshalling Area, at the Naval Weapons Industrial Reserve Plant (NWIRP) in Bethpage, New York. This report has been prepared for the U.S. Department of the Navy (Navy), Naval Facilities Engineering Command (NAVFAC), Mid-Atlantic, under Contract No. N40085-10-D-9409, Contract Task Order (CTO) No. 0005. This Second Quarter 2013 Operations Report details activities that occurred from April 2013 to June 2013. Data was collected and operational activities were performed by H&S in accordance with the following documents:

- *Final Operation & Maintenance Plan for Soil Vapor Extraction Containment System Site 1, Former Drum Marshalling Yard at Naval Weapons Industrial Reserve Plant Bethpage, New York* prepared by Tetra Tech EC, Inc. (TtEC) in 2010, hereafter referred to as the "O&M Manual."
- *Final Supplemental Offsite Soil Vapor Intrusion Monitoring Plan for the Soil Vapor Extraction Containment System, Site 1, Former Drum Marshalling Yard at Naval Weapons Industrial Reserve Plant, Bethpage, New York* prepared by Tetra Tech NUS, Inc. (TtNUS) in 2012.

1.1 Site Location

NWIRP Bethpage is located in east central Nassau County, Long Island, New York, approximately 30 miles east of New York City. The Navy's property totaled approximately 109.5 acres and was formerly a Government Owned Contractor-Operated (GOCO) facility that was operated by Northrop Grumman (NG) until September 1998. NWIRP Bethpage is bordered on the north, west, and south by property owned, or formerly owned, by NG that covered approximately 520 acres, and on the east by a residential neighborhood. Site 1 lies within the fenced area of NWIRP Bethpage and is located east of Plant No. 3, west of 11th Street, and north of Plant 17 South (**Figures 1 and 2**).

1.2 Background

NWIRP Bethpage was established in 1943. Since inception, the primary mission of the facility has been the research, prototyping, testing, design engineering, fabrication, and primary assembly of military aircraft. Historical operations that resulted in hazardous material generation at the facility included metal finishing processes, maintenance operations, painting of aircraft and components, and other activities that involve aircraft manufacturing. Wastes generated by plant operations were disposed of directly into drainage sumps, dry wells, and/or on the ground surface, resulting in the disposal of a number of hazardous wastes, including volatile organic compounds (VOCs), semi-volatile organic compounds (SVOCs), polychlorinated biphenyls (PCBs), and inorganic analytes (chromium and cadmium) at the site. Some of these contaminants have migrated from the source area to surrounding areas, including the soils at these sites and the groundwater beneath and downgradient of the NWIRP Bethpage property. NWIRP Bethpage is currently listed by the New York State Department of Environmental Conservation (NYSDEC) as an "inactive hazardous waste site" (#1-30-003B).

Soils at Site 1 consist mainly of unconsolidated sediments that overlie crystalline bedrock. A clay unit is present near the groundwater table (50 feet below ground surface [bgs]) at the southeast corner of the site. This clay unit is suspected to be a source of chlorinated solvents that are migrating into the overlying soil gas and the source of off-site VOCs in soil vapor (TtEC 2010).

Chlorinated solvents including trichloroethene (TCE), tetrachloroethene (PCE), and 1,1,1-trichloroethane (TCA) have been identified as the VOCs of interest in soil gas at the site. Concentrations greater than $1,000 \mu\text{g}/\text{m}^3$ (micrograms per cubic meter) of soil vapor have been directly associated with Site 1 activities and historical environmental data, and based on preliminary screening, exceed guidelines established by the New York State Department of Health (NYSDOH) for sub-slab soil vapor concentrations. Of these compounds, TCE is the primary VOC of concern. Mitigation of TCE contamination in accordance with NYSDOH guidance is expected to remediate other VOCs associated with the site. PCBs, cadmium, and chromium have also been identified in site soils at concentrations requiring remediation. The majority of these chemicals has been detected in the central portion of Site 1 and will be addressed via a separate remediation (TtEC 2010).

Prior to implementation of the SVECS, the mean concentrations of VOCs in soil gas samples collected along the eastern fence-line were $41,128 \mu\text{g}/\text{m}^3$ of TCE, $381 \mu\text{g}/\text{m}^3$ of PCE, and $20,634 \mu\text{g}/\text{m}^3$ of 1,1,1-TCA. The maximum concentrations of VOCs in the soil gas samples were $180,000 \mu\text{g}/\text{m}^3$ of TCE, $1,200 \mu\text{g}/\text{m}^3$ of PCE, and $90,000 \mu\text{g}/\text{m}^3$ of 1,1,1-TCA (TtEC 2010).

1.3 Project Overview and Objective

The remedial objective for this project is to use an on-site soil vapor extraction system to prevent further off-site migration of VOC contaminated soil vapor and to the extent practical, capture contaminated soil vapor with a TCE concentration greater than $250 \mu\text{g}/\text{m}^3$. A secondary objective of this project is to address soil vapor with a TCE concentration greater than $5 \mu\text{g}/\text{m}^3$. The SVECS is an interim action intended to address migration of VOCs in contaminated soil vapors and has been designed for a four-year operational life; it is expected to operate continuously 24 hours/day, seven days/week, with the exception of maintenance and adjustment periods (TtEC 2010).

1.4 SVECS Overview

The SVECS consists of soil vapor extraction, soil vapor monitoring, and soil vapor treatment. Twelve SVE wells (SVEWs) are located along the eastern boundary of Site 1 in six clusters, each consisting of one intermediate well and one deep well. Intermediate wells SVE-101I, SVE-102I, SVE-103I, SVE-104I, SVE-105I, and SVE-106I have a screened interval between 25 and 35 ft bgs. Deep wells SVE-101D, SVE-102D, SVE-103D, SVE-104D, SVE-105D, and SVE-106D have a screened interval between 40 and 60 ft bgs. The groundwater table fluctuates between approximately 50 and 55 feet bgs. Each SVEW is operated at a flow rate such that the combined total flow rate is approximately 400 standard cubic feet per minute (scfm) of soil vapor. Each intermediate depth SVEW requires an approximate vacuum of 4 inches of water column (i.w.) and each deep SVEW requires an approximate vacuum of 20 i.w. in order to extract the targeted flow rates. These twelve SVEWs have been piped below the ground to the Flow Monitoring Station (FMS), where flow, vacuum, and vapor quality are monitored. Within the FMS, the

discharges from the individual SVEWs have been equipped with a 2-inch flow control butterfly valve, a vacuum gauge, and a sampling port. The sampling port is utilized to measure the flow rate from an individual well using a portable velocity meter and to collect vapor samples. All the SVE lines collect into a single manifold within the FMS and from this location a single underground pipeline has been routed approximately 1,400 linear feet to the Treatment Building (Building 03-35). Five additional SVEWs (SV-107D, SV-108D, SV-109D, SV-110D, and SV-111D) were installed in October 2011 to address potential VOCs under Plant No. 3 and the South Warehouse. A site plan depicting well locations is included as **Figure 3**.

The SVECS is housed within the Treatment Building, an existing and unoccupied building also known as Building 03-35. The treatment system consists of a moisture separator, two SVE blowers, and a 5,000-lb vapor-phase granular activated carbon (VGAC) unit for removal of chlorinated VOCs from the off-gas. Soil vapor that enters the Treatment Building first passes through the moisture separator tank where any condensate is separated. To date, no condensate has formed in this tank. The vapor is then passed through an air filter and SVE blower and then treated in the VGAC unit. The treated vapor is discharged from the VGAC via an exhaust stack. The SVECS has a control panel comprised of mechanical interlocks and relays for local operation. A System Layout Plan is presented in **Figure 4**, which also illustrates the design flow rates through the soil vapor extraction and treatment process.

The off-gas from the SVECS is monitored for chlorinated VOCs as identified in the NYSDEC Division of Air Resources (DAR) permit equivalent effluent limitations (**Appendix A**) and monitoring requirements (TtEC 2010). Samples are submitted to a National Environmental Laboratory Accreditation Conference (NELAC)-accredited, Department of Defense (DoD) Environmental Laboratory Accreditation Program (ELAP)-certified laboratory, Air Toxics, Inc. located in Folsom, CA, for analysis of target compound list (TCL) VOCs, including PCE, 1,1,1-TCA, and TCE, by modified method TO-15.

A total of 18 soil vapor pressure monitor (SVPM) / soil gas monitoring points have been installed in the neighborhood east of Site 1 at NWIRP Bethpage (**Figure 3**). These off-site monitoring points consist of eight previously existing SVPMs as well as 10 SVPMs installed in September 2012. Pressure readings from the SVPMs are collected quarterly and used to evaluate the SVECS vacuum field. In addition, analytical results of vapor samples collected annually from these locations and the pressure readings are used to further evaluate the SVECS operation and the potential for vapor intrusion.

2.0 SVECS OPERATION AND MAINTENANCE

While designed to run autonomously, the SVECS requires regular visits by an operator to record and adjust operational parameters and to perform scheduled maintenance. The SVECS is equipped with telemetry that will alert an on-call operator in the event of a plant shutdown.

2.1 Routine Maintenance Activities

Routine maintenance activities at the SVECS were performed during the operator's weekly visits during this reporting period. These activities include general site inspections (of the grounds, buildings, doors and locks), collection of operational data (vapor flowrates, pressures, vacuums, temperature and photoionization detector [PID] readings), adjustment of system valves, collection of vapor samples (on a monthly and quarterly basis), collection/disposal of condensate if needed, cleaning of filters, switching of lead/lag blower assignments, and preventive maintenance of system equipment.

2.2 Non-routine Maintenance / Site Activities

No non-routine activities or repair items of note were performed during this quarterly reporting period.

3.0 SVECS MONITORING

Several process vapor samples are collected on a monthly basis to monitor the SVECS operation. These samples consist of an influent sample (as well as a duplicate sample), located immediately prior to the VGAC unit, and an effluent sample, located after the VGAC unit and before the exhaust stack. Vapor samples are also collected from the 12 original SVEWs on a quarterly basis to monitor the capture of the contaminated soil vapor by the SVEWs. In addition, quarterly pressure measurements are collected from the SVEWs and SVPMs to monitor the SVECS vacuum field, and soil gas sampling for SVPMs is conducted annually (generally in the winter time-frame) to evaluate the effectiveness of the SVECS.

3.1 Monthly Air Quality Monitoring

Analysis of influent and effluent vapor sample locations is performed to evaluate VOC mass removal and the effectiveness of the VGAC adsorption unit. Time-integrated vapor samples are collected using 6-L summa canisters with 30-minute flow regulators.

Treated off-gas discharged at the exhaust stack is subject to emissions limitations and associated calculations approved by the NYSDEC DAR in February 2010. A copy of the NYSDEC approved calculations is presented in the Air Permit Equivalent included as **Appendix A**.

A summary of monthly vapor sampling results collected in April, May, and June (Second Quarter) is presented in **Tables 1, 2, and 3**, respectively. Emission rate calculations for both the influent stream (prior to VGAC treatment) and effluent stream (following VGAC treatment) and estimated monthly mass recoveries are also presented. Emission rates of the influent stream are calculated to monitor progress and determine when influent concentrations have reached levels at which vapor treatment via carbon adsorption is no longer required. The data presented in **Tables 1, 2, and 3** demonstrate that all constituents were within the effluent emission rates (**Appendix A**). Raw analytical data is provided under a separate cover.

3.2 Quarterly Air Quality Monitoring of SVEWs

Time-integrated vapor samples are collected quarterly using 6-L summa canisters with 30-minute flow regulators at six intermediate and six deep SVE wells. The samples are collected for the purpose of tracking and documenting the performance of the SVECS (TtEC 2010).

Quarterly vapor samples were collected on 16 May from the 12 SVEWs. A summary of detected compounds is included as **Table 4**. Analytical results of select VOCs (1,1,1-TCA, PCE, and TCE) detected at the 12 SVEWs during the Second Quarter monitoring event are presented graphically as **Figure 5**. Raw analytical data is provided under a separate cover. Historical analytical results of quarterly vapor samples collected from December 2009 through the Second Quarter 2013 are presented in **Table 5**.

3.3 Quarterly Vapor Monitoring of SVEWs and Off-site SVPMs

Pressure readings are collected quarterly from the 12 SVEWs and 18 SVPMs in order to monitor the SVECS vacuum field. Valve positions of the SVEWs are also recorded at this time. Pressure readings from the 18 SVPMs were collected on 16 May. Results of the Second Quarter vapor monitoring are presented in **Table 6**. As indicated, vacuum/soil vapor pressure measurements ranged from (-) 0.01 to (-) 0.10 i.w. during the Second Quarter monitoring event. Pressure readings from the 18 SVPMs are presented graphically as **Figure 6**.

Historical results of quarterly vapor monitoring from Third Quarter 2012 through Second Quarter 2013 are presented in **Table 7**.

3.4 Annual Vapor Quality Monitoring of Off-site SVPMs

Time-integrated vapor samples are collected annually using 6-L summa canisters with 30-minute flow regulators at 18 SVPM locations. As stated previously, annual soil gas sampling for SVPMs is performed in the winter time-frame; therefore, no soil gas samples were collected from the SVPMs during the Second Quarter. The next annual sample collection is scheduled to occur in January 2014.

3.5 Soil Vapor Quality Concentration Trends

Historical vapor analytical results for the 12 SVEWs through the Second Quarter are presented in **Table 5**. In addition, concentration trends of select VOCs over time for the SVECS combined influent (1,1,1-TCA, PCE, TCE, and total VOCs) and each of the 12 SVEWs (1,1,1-TCA, PCE, and TCE) are presented in **Appendix B**.

Concentration trends observed in the 12 SVEWs through the Second Quarter are discussed below. In general, unless otherwise indicated, concentrations of 1,1,1-TCA, PCE, and TCE exhibited similar trends at each given location.

- **Combined Influent:** Overall VOC concentrations in the combined influent decreased slightly throughout the Second Quarter, with total VOC concentrations of 1,801 $\mu\text{g}/\text{m}^3$, 1,908 $\mu\text{g}/\text{m}^3$, and 1,688 $\mu\text{g}/\text{m}^3$ in April, May, and June, respectively. Overall concentrations remain well below baseline concentrations observed in December 2009 when a total VOC concentration of 63,650 $\mu\text{g}/\text{m}^3$ was observed.
- **SV-101I:** Concentrations observed at this location decreased somewhat in the Second Quarter from concentrations observed in the First Quarter, with concentrations of 5,200 $\mu\text{g}/\text{m}^3$ TCE, 49 $\mu\text{g}/\text{m}^3$ PCE, and 1,900 $\mu\text{g}/\text{m}^3$ 1,1,1-TCA. All concentrations remain well below baseline concentrations observed in December 2009 (180,000 $\mu\text{g}/\text{m}^3$ TCE, 1,700 $\mu\text{g}/\text{m}^3$ PCE, and 51,000 $\mu\text{g}/\text{m}^3$ 1,1,1-TCA), which were also peak concentrations observed to date.
- **SV-101D:** Concentrations observed at this location decreased in the Second Quarter from concentrations observed in the First Quarter, with a concentration of 0.92 $\mu\text{g}/\text{m}^3$ PCE, and non-detectable levels of TCE and 1,1,1-TCA. All concentrations remain well below baseline

concentrations observed in December 2009 (100,000 $\mu\text{g}/\text{m}^3$ TCE, 3,200 $\mu\text{g}/\text{m}^3$ PCE, and 26,000 $\mu\text{g}/\text{m}^3$ 1,1,1-TCA), which were also peak concentrations observed to date.

- **SV-1021:** Second Quarter concentrations (15 $\mu\text{g}/\text{m}^3$ TCE, 1.4 $\mu\text{g}/\text{m}^3$ PCE, and non-detectable 1,1,1-TCA) are similar to those observed in the First Quarter. Though Second Quarter concentrations are slightly above baseline concentrations observed in December 2009 (5.6 $\mu\text{g}/\text{m}^3$ TCE, 2.4 $\mu\text{g}/\text{m}^3$ PCE, and non-detectable 1,1,1-TCA), the concentrations are well below peak concentrations observed in June 2010 (300 $\mu\text{g}/\text{m}^3$ TCE, 17 $\mu\text{g}/\text{m}^3$ PCE, and 13 $\mu\text{g}/\text{m}^3$ 1,1,1-TCA).
- **SV-102D:** Concentrations observed at this location decreased or were similar to those observed in the First Quarter, with a concentration of 1.4 $\mu\text{g}/\text{m}^3$ PCE, and non-detectable levels of TCE and 1,1,1-TCA. Concentrations remain well below baseline concentrations observed in December 2009 (440 $\mu\text{g}/\text{m}^3$ TCE, 10 $\mu\text{g}/\text{m}^3$ PCE, and 130 $\mu\text{g}/\text{m}^3$ 1,1,1-TCA), and also well below peak concentrations observed in December 2009 and October 2011.
- **SV-1031:** Concentrations observed at this location increased slightly in the Second Quarter from concentrations observed in the First Quarter, with concentrations of 35 $\mu\text{g}/\text{m}^3$ TCE, 78 $\mu\text{g}/\text{m}^3$ PCE, and 1.4 $\mu\text{g}/\text{m}^3$ 1,1,1-TCA. Concentrations remain well below baseline concentrations observed in December 2009 (900 $\mu\text{g}/\text{m}^3$ TCE, 580 $\mu\text{g}/\text{m}^3$ PCE, and 900 $\mu\text{g}/\text{m}^3$ 1,1,1-TCA), and also well below peak concentrations observed in December 2009 and October 2011.
- **SV-103D:** Concentrations observed at this location increased in the Second Quarter from concentrations observed in the First Quarter, with concentrations of 360 $\mu\text{g}/\text{m}^3$ TCE, 3,300 $\mu\text{g}/\text{m}^3$ PCE, and 150 $\mu\text{g}/\text{m}^3$ 1,1,1-TCA. Concentrations remain well below baseline concentrations observed in December 2009 (3,100 $\mu\text{g}/\text{m}^3$ TCE, 20,000 $\mu\text{g}/\text{m}^3$ PCE, and 3,000 $\mu\text{g}/\text{m}^3$ 1,1,1-TCA), and also well below peak concentrations observed in December 2009 and March 2010.
- **SV-104I:** Concentrations observed at this location remained very low in the Second Quarter, with a concentration of 2.3 $\mu\text{g}/\text{m}^3$ PCE, and non-detectable levels of TCE and 1,1,1-TCA. All concentrations remain well below baseline concentrations observed in December 2009 (710 $\mu\text{g}/\text{m}^3$ TCE, 3,100 $\mu\text{g}/\text{m}^3$ PCE, and 730 $\mu\text{g}/\text{m}^3$ 1,1,1-TCA).
- **SV-104D:** Concentrations observed at this location in the Second Quarter decreased from those observed in the First Quarter, with concentrations of 14 $\mu\text{g}/\text{m}^3$ TCE, 69 $\mu\text{g}/\text{m}^3$ PCE, and 0.89 $\mu\text{g}/\text{m}^3$ 1,1,1-TCA. All concentrations remain below baseline concentrations observed in December 2009 (4,600 $\mu\text{g}/\text{m}^3$ TCE, 20,000 $\mu\text{g}/\text{m}^3$ PCE, and 3,600 $\mu\text{g}/\text{m}^3$ 1,1,1-TCA) and also well below peak concentrations observed in December 2009 and March 2010.
- **SV-105I:** Concentrations observed at this location in the Second Quarter remained relatively consistent with concentrations observed in the First Quarter, decreasing slightly, with concentrations of 94 $\mu\text{g}/\text{m}^3$ TCE, 38 $\mu\text{g}/\text{m}^3$ PCE, and 11 $\mu\text{g}/\text{m}^3$ 1,1,1-TCA. Though these concentrations are slightly above baseline concentrations observed in December 2009 for TCE and 1,1,1-TCA (76 $\mu\text{g}/\text{m}^3$ TCE, 70 $\mu\text{g}/\text{m}^3$ PCE, and 9.9 $\mu\text{g}/\text{m}^3$ 1,1,1-TCA), they are below peak concentrations observed in June 2010 (370 $\mu\text{g}/\text{m}^3$ TCE, 240 $\mu\text{g}/\text{m}^3$ PCE, and 29 $\mu\text{g}/\text{m}^3$ 1,1,1-TCA).

- **SV-105D:** Concentrations observed at this location in the Second Quarter decreased somewhat from concentrations observed in the First Quarter, with concentrations of 1,400 $\mu\text{g}/\text{m}^3$ TCE, 100 $\mu\text{g}/\text{m}^3$ PCE, and 160 $\mu\text{g}/\text{m}^3$ 1,1,1-TCA. These concentrations are below baseline concentrations observed in December 2009 (1,700 $\mu\text{g}/\text{m}^3$ TCE, 2,100 $\mu\text{g}/\text{m}^3$ PCE, and 550 $\mu\text{g}/\text{m}^3$ 1,1,1-TCA), and also below peak concentrations observed for all three analytes.
- **SV-106I:** Concentrations observed at this location in the Second Quarter decreased from concentrations observed in the First Quarter, with concentrations of 5.5 $\mu\text{g}/\text{m}^3$ TCE, 0.73 $\mu\text{g}/\text{m}^3$ PCE, and non-detectable levels of 1,1,1-TCA. All concentrations remain well below baseline concentrations observed in December 2009 (1,900 $\mu\text{g}/\text{m}^3$ TCE, 390 $\mu\text{g}/\text{m}^3$ PCE, and 220 $\mu\text{g}/\text{m}^3$ 1,1,1-TCA), which were also peak concentrations observed to date.
- **SV-106D:** Concentrations observed at this location in the Second Quarter remained low, with a concentration of 1.3 $\mu\text{g}/\text{m}^3$ PCE and non-detectable levels of TCE and 1,1,1-TCA. These concentrations are well below baseline concentrations observed in December 2009 (3,400 $\mu\text{g}/\text{m}^3$ TCE, 720 $\mu\text{g}/\text{m}^3$ PCE, and 340 $\mu\text{g}/\text{m}^3$ 1,1,1-TCA), which were also peak concentrations observed to date.

4.0 CONCLUSIONS AND RECOMMENDATIONS

As stated previously, the intent of the Site 1 SVECS is to prevent further off-site migration of VOC contaminated soil vapor and to the extent practical, capture soil vapor with elevated TCE concentrations. Based on the presence of a vacuum field and the reduction of VOC concentrations to less than the screening values in the off-property area, the SVECS is functioning as designed. Influent vapor analytical data with concentrations of TCE consistently greater than 250 µg/L indicate that the SVECS should continue to be operated on a full-time basis to achieve continued capture of contaminated soil vapor. Monthly monitoring of the combined influent and effluent as well as quarterly monitoring of individual SVEWs should continue. Quarterly and annual monitoring of the SVPMs should also continue in order to ensure that a measurable vacuum field is being established and that the area is being effectively treated. Ongoing optimization activities should be performed in order to improve system performance.

5.0 REFERENCES

Tetra Tech EC, Inc. (TtEC). 2010. *Final Operation & Maintenance Plan for Soil Vapor Extraction Containment System, Site 1, Former Drum Marshalling Yard at Naval Weapons Industrial Reserve Plant, Bethpage, New York.* June.

Tetra Tech NUS, Inc. (TtNUS). 2012. *Final Supplemental Offsite Soil Vapor Intrusion Monitoring Plan for the Soil Vapor Extraction Containment System, Site 1, Former Drum Marshalling Yard at Naval Weapons Industrial Reserve Plant, Bethpage, New York.* February.

TABLES

Table 1
Soil Vapor Extraction Containment System
Site 1, Former Drum Marshalling Yard
Naval Weapons Industrial Reserve Plant - Bethpage, NY
Vapor Monitoring Results
April 2013

Compound	Concentration ($\mu\text{g}/\text{m}^3$)				Emission Rate ^(1,2)				Monthly Mass Recovery ⁽³⁾ (lbs)
	Influent #1	Influent #2	Average	Effluent	Prior to Treatment		Following Treatment		
					(lbs/mr)	(lbs/yr)	(lbs/hr)	(lbs/yr)	
Acetone	8.7 J	7.8 J	8.3 J	5.9 J	0.0000	0.0915	0.0000	0.0655	0.0075
alpha-Chlorotoluene	0.40 J	0.53 J	0.47 J	0.26 J	0.0000	0.0052	0.0000	0.0029	0.0004
Benzene	0	0.48 J	0.24 J	0	0.0000	0.0027	0.0000	0.0000	0.0002
2-Butanone	3.2 J	2.6 J	2.9 J	2.6 J	0.0000	0.0322	0.0000	0.0268	0.0026
Carbon Disulfide	1.5 J	1.5 J	1.5 J	1.6 J	0.0000	0.0166	0.0000	0.0178	0.0014
Carbon Tetrachloride	2.3 J	2.2 J	2.3 J	0	0.0000	0.0250	0.0000	0.0000	0.0021
Chlorobenzene	1.4 J	1.5 J	1.5 J	1.2 J	0.0000	0.0161	0.0000	0.0133	0.0013
Chloroform	2.8 J	2.6 J	2.7 J	1.3 J	0.0000	0.0300	0.0000	0.0144	0.0025
Cumene	4.0	0	2.0	2.4 J	0.0000	0.0222	0.0000	0.0266	0.0018
Cyclohexane	3.5	0	1.8	0	0.0000	0.0194	0.0000	0.0000	0.0016
1,3-Dichlorobenzene	0.84 J	0	0.42 J	0	0.0000	0.0047	0.0000	0.0000	0.0004
1,4-Dichlorobenzene	0.98 J	0	0	0	0.0000	0.0054	0.0000	0.0000	0.0004
1,1-Dichloroethane	14	15	15	12	0.0000	0.1609	0.0000	0.1331	0.0132
1,2-Dichloroethane	0.89 J	0.97 J	0.93 J	0	0.0000	0.0103	0.0000	0.0000	0.0008
1,1-Dichloroethene	2.6 J	2.7 J	2.7 J	2.0 J	0.0000	0.0294	0.0000	0.0222	0.0024
cis-1,2-Dichloroethane	190	190	190	110	0.0002	2.1079	0.0001	1.2203	0.1733
trans-1,2-Dichloroethene	3.3	2.8 J	3.1 J	2.0 J	0.0000	0.0338	0.0000	0.0222	0.0028
4-Ethyltoluene	0.54 J	0	0.27 J	0	0.0000	0.0030	0.0000	0.0000	0.0002
Freon 11	3.5 J	3.3 J	3.4 J	4.4	0.0000	0.0377	0.0000	0.0488	0.0031
Freon 12	2.8 J	2.7 J	2.8 J	3.0 J	0.0000	0.0305	0.0000	0.0333	0.0025
Freon 113	57	54	56	12	0.0001	0.6157	0.0000	0.1331	0.0506
Methylene Chloride	0.72 J	0	0	0	0.0000	0.0040	0.0000	0.0000	0.0003
Styrene	0.30 J	0	0.15 J	0	0.0000	0.0017	0.0000	0.0000	0.0001
Tetrachloroethene	550	580	565	0	0.0007	6.2682	0.0000	0.0000	0.5152
Tetrahydrofuran	1.6 J	1.6 J	1.6 J	1.8 J	0.0000	0.0178	0.0000	0.0200	0.0015
Toluene	1.1 J	0	0.6 J	0	0.0000	0.0061	0.0000	0.0000	0.0005
1,1,1-Trichloroethane	190	190	190	12	0.0002	2.1079	0.0000	0.1331	0.1733
Trichloroethane	730	760	745	2.2 J	0.0009	8.2651	0.0000	0.0244	0.6793
2,2,4-Trimethylpentane	0.82 J	0.68 J	0.75 J	0	0.0000	0.0083	0.0000	0.0000	0.0007
Total VOCs	1779	1823	1801	177	0.0023	19.9791	0.0002	1.9599	1.6421

Notes:

All samples were analyzed for full list VOCs by modified method TO-15. Only detected analytes are presented above.

Average Monthly Vapor Temp (°F) = 97
 Average Monthly Flowrate (cfm) = 357
 Average Monthly Flowrate (scfm) = 338
 Operational Hours for the month = 720

(1) Emissions (lbs/yr) = Concentration ($\mu\text{g}/\text{m}^3$) * (lb/454000000ug) * (0.3048³m³/ft³) * exhaust flow (scfm) * (60 min/hr)

(2) Emissions (lbs/yr) = Emissions (lbs/hour) * (8760 hours/yr)

(3) Monthly Mass Removal = AVERAGE FLOWRATE (scfm) * 0.3048³m³/ft³ * INF AVG CONC ($\mu\text{g}/\text{m}^3$) * (lb/454000000ug) * 60 min/hr * OPERATIONAL TIME (hr)

Table 2
Soil Vapor Extraction Containment System
Site 1, Former Drum Marshalling Yard
Naval Weapons Industrial Reserve Plant - Bethpage, NY
Vapor Monitoring Results
May 2013

Compound	Concentration (ug/m ³)				Emission Rate ^{(1),(2)}				Monthly Mass Recovery ⁽³⁾ (lbs)
	Influent #1	Influent #2	Average	Effluent	Prior to Treatment		Following Treatment		
					(lbs/hr)	(lbs/yr)	(lbs/hr)	(lbs/yr)	
Acetone	6.3 J	3.3 J	4.8 J	13 J	0.0000	0.0555	0.0000	0.1503	0.0047
Benzene	0	0	0	0.50 J	0.0000	0.0000	0.0000	0.0058	0.0000
2-Butanone	3.0 J	0	1.5 J	2.0 J	0.0000	0.0173	0.0000	0.0231	0.0015
Carbon Disulfide	1.7 J	1.5 J	1.6 J	1.4 J	0.0000	0.0185	0.0000	0.0162	0.0016
Carbon Tetrachloride	1.9 J	1.8 J	1.9 J	0	0.0000	0.0214	0.0000	0.0000	0.0018
Chlorobenzene	1.8 J	1.6 J	1.7 J	1.0 J	0.0000	0.0197	0.0000	0.0116	0.0017
Chloroform	3.4 J	3.3 J	3.4 J	1.4 J	0.0000	0.0387	0.0000	0.0162	0.0033
Chloromethane	0	0	0	1.7 J	0.0000	0.0000	0.0000	0.0197	0.0000
Cumene	6.5	0	3.3	2.5 J	0.0000	0.0376	0.0000	0.0289	0.0032
Cyclohexane	0	0	0	1.2 J	0.0000	0.0000	0.0000	0.0139	0.0000
1,3-Dichlorobenzene	1.1 J	0	0.55 J	0	0.0000	0.0064	0.0000	0.0000	0.0005
1,4-Dichlorobenzene	1.1 J	0.94 J	1.0 J	0	0.0000	0.0118	0.0000	0.0000	0.0010
1,1-Dichloroethane	16	16	16	11	0.0000	0.1850	0.0000	0.1272	0.0157
1,2-Dichloroethane	0.94 J	0.96 J	0.95 J	0	0.0000	0.0110	0.0000	0.0000	0.0009
1,1-Dichloroethene	2.6 J	2.3 J	2.5 J	1.8 J	0.0000	0.0283	0.0000	0.0208	0.0024
cis-1,2-Dichloroethene	210	210	210	100	0.0003	2.4285	0.0001	1.1564	0.2063
trans-1,2-Dichloroethene	3.1	2.2 J	2.7 J	1.6 J	0.0000	0.0306	0.0000	0.0185	0.0026
Ethanol	0	0	0	6.9	0.0000	0.0000	0.0000	0.0798	0.0000
4-Ethyltoluene	0.68 J	0	0.34 J	0	0.0000	0.0039	0.0000	0.0000	0.0003
Freon 11	3.9 J	3.4 J	3.7 J	3.7 J	0.0000	0.0422	0.0000	0.0428	0.0036
Freon 12	2.6 J	2.2 J	2.4 J	2.7 J	0.0000	0.0278	0.0000	0.0312	0.0024
Freon 113	67	64	66	15	0.0001	0.7574	0.0000	0.1735	0.0643
Heptane	0	0	0	1.2 J	0.0000	0.0000	0.0000	0.0139	0.0000
Hexane	0	0	0	1.0 J	0.0000	0.0000	0.0000	0.0116	0.0000
Methylene Chloride	0.74 J	0	0	4.3 J	0.0000	0.0043	0.0000	0.0497	0.0004
2-Propanol	0	0	0	2.9 J	0.0000	0.0000	0.0000	0.0335	0.0000
Styrene	0	0	0	0.41 J	0.0000	0.0000	0.0000	0.0047	0.0000
Tetrachloroethene	590	620	605	0	0.0008	6.9963	0.0000	0.0000	0.5942
Tetrahydrofuran	2.2 J	2.0 J	2.1 J	1.2 J	0.0000	0.0243	0.0000	0.0139	0.0021
Toluene	0.73 J	1.1 J	0.92 J	4.0	0.0000	0.0106	0.0000	0.0463	0.0009
1,1,1-Trichloroethane	220	210	215	17	0.0003	2.4863	0.0000	0.1966	0.2112
Trichloroethene	740	780	760	2.7 J	0.0010	8.7887	0.0000	0.0312	0.7464
2,2,4-Trimethylpentane	0.79 J	0.51 J	0.65 J	0.34 J	0.0000	0.0075	0.0000	0.0039	0.0006
m,p-Xylene	0	0	0	0.95 J	0.0000	0.0000	0.0000	0.0110	0.0000
o-Xylene	0.64 J	0	0	0	0.0000	0.0037	0.0000	0.0000	0.0003
Total VOCs	1889	1927	1908	203	0.0025	22.0633	0.0003	2.3521	1.8739

Notes:

All samples were analyzed for full list VOCs by modified method TO-15. Only detected analytes are presented above.

Average Monthly Vapor Temp (°F) = 103
 Average Monthly Flowrate (cfm) = 376
 Average Monthly Flowrate (scfm) = 353
 Operational Hours for the month = 744

(1) Emissions (lbs/hr) = Concentration (ug/m³) * (lb/454000000ug) * (0.3048^3 m³/ft³) * exhaust flow (scfm) * (60 min/hour)

(2) Emissions (lbs/yr) = Emissions (lbs/hour) * (8760 hours/yr)

(3) Monthly Mass Removal = AVERAGE FLOWRATE (scfm) * 0.3048^3 m³/ft³ * INF AVG CONC (ug/m³) * (lb/454000000ug) * 60 min/hr * OPERATIONAL TIME (hr)

Table 3
Soil Vapor Extraction Containment System
Site 1, Former Drum Marshalling Yard
Naval Weapons Industrial Reserve Plant - Bethpage, NY
Vapor Monitoring Results
June 2013

Compound	Concentration ($\mu\text{g}/\text{m}^3$)				Emission Rate ^{(1),(2)}				Monthly Mass Recovery ⁽³⁾ (lbs)
	Influent #1	Influent #2	Average	Effluent	Prior to Treatment		Following Treatment		
					(lbs/hr)	(lbs/yr)	(lbs/hr)	(lbs/yr)	
Acetone	13 J	16 J	15 J	6.9 J	0.0000	0.1714	0.0000	0.0816	0.0139
Bromomethane	1.8 J	1.4 J	1.6 J	0	0.0000	0.0189	0.0000	0.0000	0.0015
2-Butanone	3.6 J	0	1.8 J	0	0.0000	0.0213	0.0000	0.0000	0.0017
Carbon Disulfide	2.8 J	2.9 J	2.9 J	2.4 J	0.0000	0.0337	0.0000	0.0284	0.0027
Carbon Tetrachloride	2.6 J	1.8 J	2.2 J	0	0.0000	0.0260	0.0000	0.0000	0.0021
Chloroform	3.4 J	2.5 J	3.0 J	2.4 J	0.0000	0.0349	0.0000	0.0284	0.0028
Cumene	9.3	6.2	7.8	8.3	0.0000	0.0916	0.0000	0.0981	0.0074
1,3-Dichlorobenzene	1.2 J	0.64 J	0.92 J	0	0.0000	0.0109	0.0000	0.0000	0.0009
1,4-Dichlorobenzene	1.2 J	1.2 J	1.2 J	0.98 J	0.0000	0.0142	0.0000	0.0116	0.0012
1,1-Dichloroethane	14	9.5	12	24	0.0000	0.1389	0.0000	0.2837	0.0113
1,1-Dichloroethene	1.6 J	0	0.80 J	3.7	0.0000	0.0095	0.0000	0.0437	0.0008
cis-1,2-Dichloroethene	180	120	150	230	0.0002	1.7733	0.0003	2.7191	0.1441
trans-1,2-Dichloroethene	2.4 J	1.8 J	2.1 J	3.6	0.0000	0.0248	0.0000	0.0426	0.0020
Ethanol	3.5 J	17	10 J	0	0.0000	0.1212	0.0000	0.0000	0.0098
Ethylbenzene	0	1.2 J	0.60 J	0	0.0000	0.0071	0.0000	0.0000	0.0006
Freon 11	5.2	4.4 J	4.8 J	7.6	0.0000	0.0567	0.0000	0.0898	0.0046
Freon 12	3.2 J	3.1 J	3.2 J	3.6 J	0.0000	0.0372	0.0000	0.0426	0.0030
Freon 113	75	50	63	32	0.0001	0.7389	0.0000	0.3783	0.0601
Heptane	0	1.1 J	0.55 J	0	0.0000	0.0065	0.0000	0.0000	0.0005
Hexane	0	1.8 J	0.90 J	0	0.0000	0.0106	0.0000	0.0000	0.0009
Methylene Chloride	0	1.9 J	1.0 J	0	0.0000	0.0112	0.0000	0.0000	0.0009
2-Propanol	0	2.8 J	1.4 J	0	0.0000	0.0166	0.0000	0.0000	0.0013
Styrene	0	1.2 J	0.60 J	0	0.0000	0.0071	0.0000	0.0000	0.0006
Tetrachloroethene	640	420	530	0.76 J	0.0007	6.2657	0.0000	0.0090	0.5093
Tetrahydrofuran	0	2.2 J	1.1 J	4.0	0.0000	0.0130	0.0000	0.0473	0.0011
Toluene	0.83 J	5.4	3.1 J	0.45 J	0.0000	0.0368	0.0000	0.0053	0.0030
1,2,4-Trichlorobenzene	2.6 J	2.0 J	2.3 J	0	0.0000	0.0272	0.0000	0.0000	0.0022
1,1,1-Trichloroethane	260	170	215	43	0.0003	2.5418	0.0001	0.5084	0.2066
Trichloroethene	780	510	645	7.2	0.0009	7.6253	0.0000	0.0851	0.6198
2,2,4-Trimethylpentane	3.4 J	2.8 J	3.1 J	0	0.0000	0.0366	0.0000	0.0000	0.0030
Vinyl Chloride	0.70 J	0	0.35 J	1.6 J	0.0000	0.0041	0.0000	0.0189	0.0003
m,p-Xylene	0.92 J	2.3 J	1.6 J	0	0.0000	0.0190	0.0000	0.0000	0.0015
o-Xylene	0	0.77 J	0.39 J	0	0.0000	0.0046	0.0000	0.0000	0.0004
Total VOCs	2012	1364	1688	382	0.0023	19.9568	0.0005	4.5219	1.6221

Notes:

All samples were analyzed for full list VOCs by modified method TO-15. Only detected analytes are presented above.

Average Monthly Vapor Temp (°F) = 118
 Average Monthly Flowrate (cfm) = 395
 Average Monthly Flowrate (scfm) = 361
 Operational Hours for the month = 712

(1) Emissions (lbs/hr) = Concentration ($\mu\text{g}/\text{m}^3$) * (lb/454000000ug) * (0.3048^3 m^3/ft^3) * exhaust flow (scfm) * (60 min/hour)

(2) Emissions (lbs/yr) = Emissions (lbs/hour) * (8760 hours/yr)

(3) Monthly Mass Removal = AVERAGE FLOWRATE (scfm) * 0.3048^3 m^3/ft^3 * INF AVG CONC ($\mu\text{g}/\text{m}^3$) * (lb/454000000ug) * 60 min/hr * OPERATIONAL TIME (hr)

Table 4
Soil Vapor Extraction Containment System
Site 1, Former Drum Marshalling Yard
Naval Weapons Industrial Reserve Plant - Bethpage, NY
Second Quarter 2013 Vapor Analytical Results Summary of SVE Wells

Sample ID	SVE 101I	SVE 101D	SVE 102I	SVE 102D	SVE 103I	SVE 103D	SVE 104I	SVE 104D	SVE 105I	SVE 105D	SVE 106I	SVE 106D
Sample Date	05/16/13	05/16/13	05/16/13	05/16/13	05/16/13	05/16/13	05/16/13	05/16/13	05/16/13	05/16/13	05/16/13	05/16/13
Analysis by TO-15 (µg/m ³)												
1,1,1-Trichloroethane	1900	ND	ND	ND	1.4 J	150	ND	0.89 J	11	160	ND	ND
1,1-Dichloroethane	35	ND	ND	ND	ND	10	ND	ND	8.8	46	ND	ND
1,1-Dichloroethene	12 J	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2,4-Trichlorobenzene	ND	1.6 J	ND	ND	ND	3.2 J	ND	1.7 J	ND	ND	ND	ND
1,2,4-Trimethylbenzene	ND	0.85 J	1.2 J	ND	ND	ND	ND	1.3 J	1.2 J	ND	ND	ND
1,2-Dichloroethane	10 J	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,3-Butadiene	ND	ND	ND	ND	0.43 J	ND	ND	ND	ND	ND	ND	ND
1,4-Dichlorobenzene	ND	ND	ND	ND	ND	ND	ND	0.87 J	0.73 J	ND	ND	ND
2,2,4-Trimethylpentane	ND	ND	ND	1.2 J	ND	ND	1.1 J	ND	ND	ND	ND	ND
2-Butanone	ND	ND	4.7 J	ND	ND	ND	ND	3.1 J	2.4 J	ND	ND	ND
2-Propanol	ND	5.5 J	1.5 J	ND	ND	ND	1.9 J	ND	ND	7.9	5.5 J	1.8 J
4-ethyltoluene	ND	0.46 J	0.41 J	0.67 J	0.36 J	ND	0.43 J	1.0 J	0.40 J	0.33 J	ND	0.47 J
Acetone	5.6 J	21	21	21	12 J	12 J	13 J	30	30	10 J	16 J	10 J
Benzene	ND	1.2 J	1.2 J	1.2 J	ND	ND	1.1 J	1.2 J	ND	ND	0.94 J	1.1 J
Carbon Disulfide	4.6 J	1.5 J	10	1.4 J	1.4 J	2.4 J	1.1 J	1.2 J	3.7 J	1.6 J	6.3 J	1.3 J
Carbon Tetrachloride	ND	ND	ND	ND	ND	ND	ND	ND	ND	14	ND	ND
Chloroform	ND	ND	1.4 J	ND	1.3 J	1.7 J	ND	ND	1.9 J	1.9 J	ND	ND
cis-1,2-Dichloroethene	6.2 J	ND	ND	ND	5.0	550	ND	8.6	14	73	ND	ND
Cyclohexane	ND	ND	ND	ND	ND	ND	ND	ND	ND	4.6	1.1 J	ND
Ethanol	ND	6.4	6.5	ND	3.4 J	ND	7.0	6.9	ND	5.2 J	8.8	7.7
Ethylbenzene	ND	ND	0.70 J	ND	ND	ND	ND	0.64 J	ND	0.60 J	ND	ND
Freon 11	2.3 J	1.4 J	1.8 J	1.4 J	1.8 J	1.4 J	1.6 J	0.95 J	1.2 J	1.4 J	1.6 J	1.3 J
Freon 113	ND	ND	ND	ND	ND	39	ND	ND	3.7 J	19	ND	ND
Freon 12	ND	2.5 J	2.5 J	2.1 J	2.3 J	2.6 J	2.9 J	2.2 J	2.4 J	3.8	2.4 J	2.5 J
Heptane	ND	ND	ND	ND	ND	ND	ND	0.76 J	ND	ND	1.0 J	ND
Hexane	ND	0.84 J	1.7 J	0.94 J	ND	ND	0.89 J	1.6 J	ND	1.5 J	1.6 J	1.5 J
m,p-Xylene	ND	1.4 J	2.5 J	1.7 J	ND	ND	1.8 J	1.9 J	0.77 J	1.8 J	0.82 J	2.0 J
Methylene Chloride	ND	ND	3.1 J	1.4 J	ND	ND	ND	1.2 J	ND	18 J	7.8 J	0.86 J
o-Xylene	ND	0.61 J	0.68 J	ND	ND	ND	ND	0.92 J	0.56 J	0.56 J	ND	0.60 J
Tetrachloroethene	49	0.92 J	1.4 J	1.4 J	78	3300	2.3 J	69	38	100	0.73 J	1.3 J
Toluene	ND	4.2	4.8	4.4	0.51 J	ND	5.1	4.7	1.2 J	17	7.5	5.5
trans-1,2-Dichloroethene	ND	ND	ND	ND	ND	5.7 J	ND	ND	ND	1.4 J	ND	ND
trans-1,3-Dichloropropene	ND	ND	ND	ND	ND	ND	ND	0.94 J	ND	ND	ND	ND
Trichloroethene	5200	ND	15	ND	35	360	ND	14	94	1400	5.5	ND

Notes:

All samples were analyzed for full list VOCs by modified method TO-15. Only detected analytes are presented above

µg/m³ = micrograms per cubic meter

ND = Not detected above method detection limit

Bolded value indicates detected analyte.

Page 5
 Soil Vapor Extraction Containment System
 Site 1, Former Drum Marshalling Yard
 Naval Weapons Industrial Reserve Plant - Bethpage, NY
 Quarterly Vapor Monitoring Results of SVE Wells
 Through Second Quarter 2013

Sample ID	SVE 1011														
	12/21/09	03/31/10	06/08/10	09/16/10	12/08/10	03/30/11	06/28/11	09/06/11	10/14/11	02/10/12	05/11/12	08/11/12	12/05/12	01/15/13	05/16/13
Analysis by TO-15 (µg/m ³)															
1,1,1-Trichloroethane	5100	3900	2600	450	850	300	1	0.7 J	0.7 J	1500	1500	3200	4400	3400	1900
1,1,2,2-Tetrachloroethane	NR	NR	NR	ND	ND	ND	1 J	0.7 J	0.8 J	ND	ND	ND	ND	ND	ND
1,1,2-Trichloroethane	NR	NR	NR	3	5	ND	1 J	0.6 J	0.6 J	4.0 J	ND	ND	ND	ND	ND
1,1-Dichloroethane	1200	65	34	14	31	5	0.8 J	0.4 J	0.4 J	28	28	61	76	62	35
1,1-Dichloroethene	250	ND	ND	4	8	ND	0.7 J	0.4 J	0.5 J	7.6 J	10	ND	15 J	ND	12 J
1,2,3-Trichloropropane	NR	NR	NR	ND	ND	ND	1 J	0.6 J	0.8 J	NR	NR	NR	NR	NR	NR
1,2,3-Trimethylbenzene	NR	NR	NR	6	2	ND	0.6 J	ND	0.5 J	NR	NR	NR	NR	NR	NR
1,2,4-Trichlorobenzene	NR	NR	NR	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2,4-Trimethylbenzene	NR	NR	NR	15	5	2	1	ND	0.7 J	ND	3.2 J	5.1 J	ND	ND	ND
1,2-Dibromoethane	NR	NR	NR	ND	ND	ND	ND	ND	0.8 J	ND	ND	ND	ND	ND	ND
1,2-Dichlorobenzene	NR	NR	NR	ND	ND	ND	0.6	ND	0.6 J	ND	ND	ND	ND	ND	ND
1,2-Dichloroethane	NR	30	ND	4	8	ND	0.9	0.5 J	0.5 J	6.9 J	6.4 J	11 J	14 J	12 J	10 J
1,2-Dichloropropane	NR	NR	NR	ND	ND	ND	ND	0.6 J	0.6 J	ND	ND	ND	ND	ND	ND
1,3,5-Trimethylbenzene	NR	NR	NR	4	ND	ND	0.6 J	ND	0.5 J	ND	ND	ND	ND	ND	ND
1,3-Butadiene	NR	NR	NR	ND	ND	ND	0.7	0.4 J	0.4 J	ND	ND	ND	ND	ND	ND
1,3-Dichlorobenzene	NR	NR	NR	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,4-Dichlorobenzene	NR	NR	NR	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,4-Dioxane	NR	NR	NR	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
2,2,4-Trimethylpentane	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	ND	ND	6.7 J	ND	ND
2-Butanone	NR	NR	NR	3	1	ND	3	1	1	ND	ND	ND	ND	ND	ND
2-Hexanone	NR	NR	NR	ND	ND	ND	ND	0.5 J	0.5 J	ND	ND	ND	ND	ND	ND
2-Propanol	NR	NR	NR	NR	NR	NR	NR	NR	NR	ND	ND	ND	ND	ND	ND
3-Chloro-1-propene	NR	NR	NR	ND	ND	ND	ND	0.4 J	ND	ND	ND	ND	ND	ND	ND
4-Ethyltoluene	NR	NR	NR	3	ND	ND	0.7 J	ND	ND	ND	3.7 J	ND	ND	ND	ND
4-Methyl-2-pentanone	NR	NR	NR	NR	NR	NR	NR	NR	NR	ND	ND	ND	ND	ND	ND
Acetone	NR	NR	NR	9	5	9	22	16	8	22 J	10 J	ND	ND	ND	5.6 J
alpha-Chlorotoluene	NR	NR	NR	ND	ND	ND	ND	ND	0.5 J	ND	ND	ND	ND	ND	ND
Acrylonitrile	NR	NR	NR	ND	ND	ND	ND	0.4 J	ND	NR	NR	NR	NR	NR	NR
Benzene	NR	NR	NR	1	ND	ND	1	0.4 J	0.6 J	ND	ND	6.7 J	ND	ND	ND
Benzyl Chloride	NR	NR	NR	ND	ND	ND	ND	ND	ND	NR	NR	NR	NR	NR	NR
Bromodichloromethane	NR	NR	NR	23	ND	ND	1	0.8 J	0.8 J	ND	ND	ND	ND	ND	ND
Bromofarm	NR	NR	NR	ND	ND	ND	ND	ND	1 J	ND	ND	ND	ND	ND	ND
Bromomethane	NR	NR	NR	ND	ND	ND	0.8	0.6 J	0.5 J	ND	ND	ND	ND	ND	ND
Carbon Disulfide	NR	NR	NR	ND	ND	ND	0.9	0.5 J	0.4 J	ND	ND	1.1 J	ND	ND	4.6 J
Carbon Tetrachloride	NR	NR	NR	2	ND	ND	2	1 J	1 J	ND	ND	ND	ND	ND	ND
Chlorobenzene	NR	NR	NR	ND	ND	ND	ND	ND	0.5 J	ND	ND	20 J	B	ND	ND
Chlorodibromomethane	NR	NR	NR	ND	ND	ND	ND	ND	0.9 J	NR	NR	NR	NR	NR	NR
Chloroethane	NR	NR	NR	ND	ND	ND	0.6	0.4 J	0.4 J	ND	ND	ND	ND	ND	ND
Chloroform	NR	NR	NR	2	1	ND	1	0.8 J	0.6 J	ND	ND	ND	ND	ND	ND
Chloromethane	NR	NR	NR	1	0.5	ND	1	1	1	7.1 J	ND	ND	ND	ND	ND
cis-1,2-Dichloroethene	480	59	ND	9	15	3	0.7 J	ND	0.4 J	7.1 J	7.4 J	20 J	22 J	14 J	6.2 J
cis-1,3-Dichloropropene	NR	NR	NR	ND	ND	ND	0.7 J	ND	ND	ND	ND	ND	ND	ND	ND
Cumene	NR	NR	NR	NR	NR	NR	NR	NR	NR	ND	ND	ND	ND	ND	ND
Cyclohexane	NR	NR	NR	ND	ND	ND	0.9	0.7	0.3 J	ND	ND	ND	ND	ND	ND
Dichlorodifluoromethane	NR	NR	NR	3	2	ND	3	2	3	ND	ND	ND	ND	ND	ND
Diisopropyl ether	NR	NR	NR	ND	ND	ND	ND	ND	ND	NR	NR	NR	NR	NR	NR
Ethanol	NR	NR	NR	5	4	2	10	7	3	6.9 J	5.3 J	19 J	47 J	ND	ND
Ethyl Acetate	NR	NR	NR	ND	ND	ND	ND	ND	ND	NR	NR	NR	NR	NR	NR
Ethyl tert-butyl ether	NR	NR	NR	ND	ND	ND	0.7 J	ND	ND	NR	NR	NR	NR	NR	NR
Ethylbenzene	NR	NR	NR	3	ND	ND	1	ND	0.5 J	ND	ND	4.7 J	ND	ND	ND
Freon 11	NR	NR	NR	NR	NR	NR	NR	NR	NR	ND	ND	ND	ND	ND	2.3 J
Freon 113	NR	NR	NR	ND	ND	ND	2	2 J	1 J	ND	ND	ND	ND	ND	ND
Freon 114	NR	NR	NR	ND	ND	ND	2	1 J	0.9 J	ND	ND	ND	ND	ND	ND
Freon 12	NR	NR	NR	NR	NR	NR	NR	NR	NR	ND	ND	ND	ND	ND	ND
Heptane	NR	NR	NR	ND	ND	ND	2	ND	0.5 J	ND	ND	ND	ND	ND	ND
Hexachlorobutadiene	NR	NR	NR	ND	ND	ND	2 J	ND	1 J	ND	ND	ND	ND	ND	ND
Hexane	NR	NR	NR	1	ND	ND	3	3	0.7	ND	ND	3.1 J	ND	ND	ND
iso-Octane	NR	NR	NR	2	ND	ND	4	ND	0.6 J	NR	NR	NR	NR	NR	NR
Isopropylbenzene	NR	NR	NR	ND	ND	ND	0.8 J	ND	0.6 J	NR	NR	NR	NR	NR	NR
Isopropyl alcohol	NR	NR	NR	ND	0.8	0.8	2	3	0.7	NR	NR	NR	NR	NR	NR
m,p-Xylene	NR	NR	NR	NR	NR	NR	NR	NR	NR	ND	1.8 J	1.2 J	ND	ND	ND
Methyl Methacrylate	NR	NR	NR	ND	ND	ND	0.6 J	ND	0.4 J	NR	NR	NR	NR	NR	NR
Methyl-tert-Butyl-Ether	NR	NR	NR	ND	ND	ND	1	1	0.4 J	ND	ND	ND	ND	ND	ND
Methylene Chloride	NR	NR	NR	ND	1	4	8	17	2	2.3 J	ND	ND	10 J	ND	ND
MIBK	NR	NR	NR	ND	ND	ND	1	ND	0.4 J	NR	NR	NR	NR	NR	NR
Naphthalene	NR	NR	NR	4	5	5	ND	ND	ND	NR	NR	NR	NR	NR	NR
n-Butane	NR	NR	NR	0.8	0.7	ND	2	0.7	0.8	NR	NR	NR	NR	NR	NR
o-Xylene	NR	NR	NR	NR	NR	NR	NR	NR	NR	ND	ND	6.3 J	ND	ND	ND
p-Isopropyltoluene	NR	NR	NR	ND	ND	ND	0.6 J	ND	ND	NR	NR	NR	NR	NR	NR
n-Propylbenzene	NR	NR	NR	2	ND	ND	0.7 J	ND	ND	ND	ND	ND	ND	ND	ND
Propylene	NR	NR	NR	ND	2	2	ND	ND	0.5	NR	NR	NR	NR	NR	NR
Styrene	NR	NR	NR	ND	ND	ND	0.7 J	ND	ND	ND	ND	ND	ND	ND	ND
tert-Amyl methyl ether	NR	NR	NR	ND	ND	ND	ND	ND	0.5 J	NR	NR	NR	NR	NR	NR
tert-Butyl Alcohol	NR	NR	NR	ND	ND	ND	0.7	0.4 J	0.4 J	NR	NR	NR	NR	NR	NR
Tetrachloroethene	1700	410	250	36	63	10	1	ND	2	48	46	93	120	80	49
Tetrahydrofuran	NR	NR	NR	4	2	2	1	1	0.5 J	ND	ND	ND	ND	ND	ND
Toluene	NR	NR	NR	3	ND	ND	3	0.4 J	0.8	ND	ND	26	ND	ND	ND
Total Xylenes	NR	NR	NR	13	ND	ND	4	ND	2 J	NR	NR	NR	NR	NR	NR
trans-1,2-Dichloroethene	ND	ND	ND	ND	ND	ND	0.7 J	0.4 J	0.4 J	ND	ND	ND	ND	ND	ND
trans-1,3-Dichloropropene	NR	NR	NR	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Trichloroethene	180000	18000	14000	1200	2400	560	1	0.6 J	0.6 J	4200	4300	7200	12000	8100	5200
Trichlorofluoromethane	NR	NR	NR	2	1	ND	2	2	2	NR	NR	NR	NR	NR	NR
Vinyl Acetate	NR	NR	NR	1	ND	ND	ND	0.7 J	ND	NR	NR	NR	NR	NR	NR
Vinyl Bromide	NR	NR	NR	ND	ND	ND	1	0.6 J	0.6 J	NR	NR	NR	NR	NR	NR
Vinyl Chloride	ND	ND	ND	ND	ND	ND	0.5 J	0.3 J	0.3 J	ND	ND	ND	ND	ND	ND

Notes:
 µg/m³ = micrograms per cubic meter
 NR = Not Recorded
 NA = Data not available
 ND = Not detected above method
 detection limit

Table 5
Soil Vapor Extraction Containment System
Site 1, Former Drum Marshalling Yard
Naval Weapons Industrial Reserve Plant - Bethpage, NY
Quarterly Vapor Monitoring Results of SVE Wells
Through Second Quarter 2013

Sample ID	SVE 101D														
	12/21/09	03/31/10	06/09/10	09/16/10	12/22/10	03/30/11	06/28/11	09/06/11	10/14/11	02/10/12	05/11/12	09/11/12	12/05/12	01/15/13	05/16/13
Analysis by TO-15 (µg/m³)															
1,1,1-Trichloroethane	26000	130	53	ND	ND	ND	3	8	0.8J	ND	3.1J	9.9	11	ND	ND
1,1,2,2-Tetrachloroethane	NR	NR	NR	ND	ND	ND	3	0.9J	1J	ND	ND	ND	ND	ND	ND
1,1,2-Trichloroethane	NR	NR	NR	ND	ND	ND	2	0.6J	0.7J	ND	ND	ND	ND	ND	ND
1,1-Dichloroethane	660	3.9	ND	ND	ND	ND	2	0.9J	0.5J	ND	ND	1.0J	1.1J	1.3J	ND
1,1-Dichloroethene	180	2	ND	ND	ND	ND	ND	0.7J	0.4J	ND	ND	ND	ND	ND	ND
1,2,3-Trichloropropane	NR	NR	NR	ND	ND	ND	2	0.8J	0.8J	NR	NR	NR	NR	NR	NR
1,2,3-Trimethylbenzene	NR	NR	NR	ND	ND	ND	4	1	1	NR	NR	NR	NR	NR	NR
1,2,4-Trichlorobenzene	NR	NR	NR	ND	ND	ND	2J	ND	ND	ND	3.2J	ND	2.7J	ND	1.6J
1,2,4-Trimethylbenzene	NR	NR	NR	ND	ND	ND	10	3	3	ND	2.7J	2.9J	1.8J	ND	0.85J
1,2-Dibromoethane	NR	NR	NR	ND	ND	ND	3	ND	0.9J	ND	0.72J	ND	ND	ND	ND
1,2-Dichlorobenzene	NR	NR	NR	ND	ND	ND	2J	ND	0.7J	ND	ND	ND	ND	ND	ND
1,2-Dichloroethane	NR	0.5	ND	ND	ND	ND	2	0.5J	0.5J	ND	ND	ND	ND	ND	ND
1,2-Dichloropropane	NR	NR	NR	ND	ND	ND	2	0.6J	0.5J	ND	ND	ND	ND	ND	ND
1,3,5-Trimethylbenzene	NR	NR	NR	ND	ND	ND	3	0.9J	1	ND	ND	0.68J	ND	ND	ND
1,3-Butadiene	NR	NR	NR	ND	ND	ND	ND	0.4J	0.5J	ND	ND	ND	ND	ND	ND
1,3-Dichlorobenzene	NR	NR	NR	ND	ND	ND	1J	ND	ND	ND	ND	ND	ND	ND	ND
1,4-Dichlorobenzene	NR	NR	NR	ND	ND	ND	1J	ND	ND	ND	ND	ND	0.89J	0.34J	ND
1,4-Dioxane	NR	NR	NR	ND	ND	ND	1	ND	ND	ND	ND	ND	ND	ND	ND
2,2,4-Trimethylpentane	NR	NR	NR	NR	NR	NR	NR	NR	NR	ND	0.99J	1.2J	ND	ND	ND
2-Butanone	NR	NR	NR	ND	1	2	8	1	1	ND	ND	2.2J	2.2J	ND	ND
2-Hexanone	NR	NR	NR	ND	ND	ND	2	0.7J	0.5J	ND	ND	ND	ND	ND	ND
2-Propanol	NR	NR	NR	NR	NR	NR	NR	NR	NR	ND	ND	ND	ND	ND	5.5J
3-Chloro-1-propene	NR	NR	NR	ND	ND	ND	ND	0.4J	0.4J	ND	ND	ND	ND	ND	ND
4-Ethyltoluene	NR	NR	NR	ND	ND	ND	3	0.8J	1	ND	1.3J	1.9J	1.1J	ND	0.46J
4-Methyl-2-pentanone	NR	NR	NR	NR	NR	NR	NR	NR	NR	ND	ND	ND	ND	ND	ND
Acetone	NR	NR	NR	19	10	10	36	4	9	4.4J	14J	3.6J	13J	6.9J	21
alpha-Chlorotoluene	NR	NR	NR	ND	ND	ND	2J	ND	0.5J	ND	ND	ND	0.49J	ND	ND
Acrylonitrile	NR	NR	NR	ND	ND	ND	ND	0.4J	ND	NR	NR	NR	NR	NR	NR
Benzene	NR	NR	NR	ND	1	ND	4	0.5J	0.5J	0.59J	ND	0.59J	ND	0.41J	1.2J
Benzyl Chloride	NR	NR	NR	ND	ND	ND	ND	ND	ND	NR	NR	NR	NR	NR	NR
Bromodichloromethane	NR	NR	NR	ND	ND	ND	3	0.9J	0.8J	ND	ND	ND	ND	ND	ND
Bromoform	NR	NR	NR	ND	ND	ND	3J	ND	1J	ND	ND	ND	ND	ND	ND
Bromomethane	NR	NR	NR	ND	ND	ND	2	0.6J	0.5J	ND	ND	ND	ND	1.9J	ND
Carbon Disulfide	NR	NR	NR	ND	ND	ND	2	0.8	0.5J	ND	ND	1.9J	1.4J	ND	1.5J
Carbon Tetrachloride	NR	NR	NR	ND	ND	ND	4	1J	1	ND	ND	ND	ND	ND	ND
Chlorobenzene	NR	NR	NR	ND	ND	ND	2	0.5J	0.6J	ND	ND	2.5J	B	ND	ND
Chlorodibromomethane	NR	NR	NR	ND	ND	ND	3	0.9J	1J	NR	NR	NR	NR	NR	NR
Chloroethane	NR	NR	NR	ND	ND	ND	ND	0.4J	0.4J	ND	ND	ND	ND	ND	ND
Chloroform	NR	NR	NR	ND	ND	ND	2	7	0.7J	ND	0.91J	5.4	2.4J	ND	ND
Chloromethane	NR	NR	NR	1	2	ND	3	0.4	1	ND	ND	ND	ND	ND	ND
cis-1,2-Dichloroethene	220	8.5	7.5	ND	3	ND	2	2	0.5J	ND	ND	2.1J	3.2	ND	ND
cis-1,3-Dichloropropene	NR	NR	NR	ND	ND	ND	2	0.5J	ND	ND	ND	ND	ND	ND	ND
Cumene	NR	NR	NR	NR	NR	NR	NR	NR	NR	ND	ND	ND	ND	ND	ND
Cyclohexane	NR	NR	NR	ND	ND	ND	2	0.4J	0.4J	ND	ND	ND	ND	ND	ND
Dichlorodifluoromethane	NR	NR	NR	2	3	ND	5	3	3	ND	ND	ND	ND	ND	ND
Diisopropyl ether	NR	NR	NR	14	ND	ND	ND	ND	ND	NR	NR	NR	NR	NR	NR
Ethanol	NR	NR	NR	7	5	11	29	1	3	2.4J	3.2J	2.9J	4.6J	2.7J	6.4
Ethyl Acetate	NR	NR	NR	12	ND	ND	ND	ND	0.5J	NR	NR	NR	NR	NR	NR
Ethyl tert-butyl ether	NR	NR	NR	ND	ND	ND	1	0.5J	ND	NR	NR	NR	NR	NR	NR
Ethylbenzene	NR	NR	NR	ND	ND	ND	4	0.8J	0.9	ND	ND	1.5J	ND	ND	ND
Freon 11	NR	NR	NR	NR	NR	NR	NR	NR	NR	1.2J	1.7J	1.5J	2.2J	2.2J	1.4J
Freon 113	NR	NR	NR	4	2	ND	4	7	1J	ND	ND	3.4J	4.4J	3.7J	ND
Freon 114	NR	NR	NR	ND	ND	ND	3	1J	1J	ND	ND	ND	ND	ND	ND
Freon 12	NR	NR	NR	NR	NR	NR	NR	NR	NR	1.4J	2.6J	2.6J	2.4J	2.5J	2.5J
Heptane	NR	NR	NR	ND	ND	ND	3	0.4J	0.5J	ND	ND	ND	ND	ND	ND
Hexachlorobutadiene	NR	NR	NR	ND	ND	ND	ND	1J	1J	ND	ND	ND	ND	ND	ND
Hexane	NR	NR	NR	30	2	2	18	2	0.8	ND	ND	ND	ND	ND	0.84J
iso-Octane	NR	NR	NR	ND	ND	ND	4	0.7J	0.6J	NR	NR	NR	NR	NR	NR
isopropylbenzene	NR	NR	NR	ND	ND	ND	2	0.5J	0.6J	NR	NR	NR	NR	NR	NR
isopropyl alcohol	NR	NR	NR	9	1	4	9	1	0.9	NR	NR	NR	NR	NR	NR
m,p-Xylene	NR	NR	NR	NR	NR	NR	NR	NR	NR	ND	1.4J	1.7J	1.2J	ND	1.4J
Methyl Methacrylate	NR	NR	NR	ND	ND	ND	2	0.4J	3	NR	NR	NR	NR	NR	NR
Methyl-tert-Butyl-Ether	NR	NR	NR	4	ND	ND	5	0.7	0.4J	ND	ND	ND	ND	ND	ND
Methylene Chloride	NR	NR	NR	150	7	4	84	8	2	0.54J	1.4J	2.0J	0.42J	ND	ND
MIBK	NR	NR	NR	ND	ND	ND	4	0.5J	0.5J	NR	NR	NR	NR	NR	NR
Naphthalene	NR	NR	NR	ND	ND	ND	3	0.8J	0.9J	NR	NR	NR	NR	NR	NR
n-Butane	NR	NR	NR	ND	20	7	8	0.6	ND	NR	NR	NR	NR	NR	NR
o-Xylene	NR	NR	NR	NR	NR	NR	NR	NR	NR	ND	0.77J	1.8J	ND	ND	0.61J
p-Isopropyltoluene	NR	NR	NR	ND	ND	ND	2J	0.6J	ND	NR	NR	NR	NR	NR	NR
n-Propylbenzene	NR	NR	NR	ND	ND	ND	2	0.7J	0.8J	ND	0.32J	0.61J	ND	ND	ND
Propylene	NR	NR	NR	ND	ND	ND	ND	ND	0.4	NR	NR	NR	NR	NR	NR
Styrene	NR	NR	NR	ND	ND	ND	1	ND	ND	ND	ND	ND	ND	ND	ND
ter-Amyl methyl ether	NR	NR	NR	ND	ND	ND	2	0.5J	0.5J	NR	NR	NR	NR	NR	NR
ter-Butyl Alcohol	NR	NR	NR	ND	ND	ND	2	0.5J	0.5J	NR	NR	NR	NR	NR	NR
Tetrachloroethene	3200	1200	1200	ND	4	ND	26	210	2	ND	79	150	170	130	0.92J
Tetrahydrofuran	NR	NR	NR	ND	ND	ND	7	1	1	ND	0.93J	3.2	3.2	1.0J	ND
Toluene	NR	NR	NR	ND	2	3	12	0.9	1	0.82J	ND	0.98J	0.53J	0.42J	4.2
Total Xylenes	NR	NR	NR	ND	ND	ND	18	3	4	NR	NR	NR	NR	NR	NR
trans-1,2-Dichloroethene	ND	ND	ND	ND	ND	ND	2	0.6J	0.4J	ND	ND	ND	ND	ND	ND
trans-1,3-Dichloropropene	NR	NR	NR	ND	ND	ND	2	ND	ND	ND	ND	ND	ND	ND	ND
Trichloroethene	100000	1600	310	3	1	ND	3	120	1J	ND	200	400	350	120	ND
Trichlorofluoromethane	NR	NR	NR	ND	2	ND	4	3	2	NR	NR	NR	NR	NR	NR
Vinyl Acetate	NR	NR	NR	ND	1	ND	ND	0.6J	ND	NR	NR	NR	NR	NR	NR
Vinyl Bromide	NR	NR	NR	ND	ND	ND	2	0.6J	0.6J	NR	NR	NR	NR	NR	NR
Vinyl Chloride	ND	ND	ND	ND	ND	ND	1	0.4J	0.3J	ND	ND	ND	ND	ND	ND

Notes:
µg/m³ = micrograms per cubic meter
NR = Not Recorded
NA = Data not available
ND = Not detected above method detection limit

Page 5
 Soil Vapor Extraction Containment System
 Site 1, Former Drum Marshaling Yard
 Naval Weapons Industrial Reserve Plant - Bethpage, NY
 Quarterly Vapor Monitoring Results of SVE Wells
 Through Second Quarter 2013

Sample ID	SVE 1021														
	12/21/09	03/31/10	06/09/10	09/16/10	12/22/10	03/30/11	06/28/11	09/06/11	10/16/11	02/10/12	05/11/12	09/11/12	12/05/12	01/15/13	05/16/13
Analysis by TO-15 (µg/m ³)															
1,1,1-Trichloroethane	ND	ND	13	3	ND	NA	2	3	2	ND	0.60 J	3.3 J	ND	ND	ND
1,1,2,2-Tetrachloroethane	NR	NR	NR	ND	ND	NA	1 J	0.8 J	0.8 J	ND	ND	ND	ND	ND	ND
1,1,2-Trichloroethane	NR	NR	NR	ND	ND	NA	1 J	0.6 J	0.6 J	ND	ND	ND	ND	ND	ND
1,1-Dichloroethane	ND	ND	ND	ND	ND	NA	0.8 J	0.5 J	0.5 J	ND	ND	ND	ND	ND	ND
1,1-Dichloroethene	ND	ND	ND	ND	ND	NA	0.7 J	0.4 J	0.4 J	ND	ND	ND	ND	ND	ND
1,2,3-Trichloropropane	NR	NR	NR	ND	ND	NA	1 J	0.6 J	0.8 J	NR	NR	NR	NR	NR	NR
1,2,3-Trimethylbenzene	NR	NR	NR	10	ND	NA	5	1	2	NR	NR	NR	NR	NR	NR
1,2,4-Trichlorobenzene	NR	NR	NR	ND	ND	NA	1 J	ND	ND	ND	ND	ND	ND	ND	ND
1,2,4-Trimethylbenzene	NR	NR	NR	35	1	NA	18	3	5	0.77 J	1.5 J	2.3 J	ND	0.96 J	1.2 J
1,2-Dibromoethane	NR	NR	NR	ND	ND	NA	1 J	ND	0.8 J	ND	ND	ND	ND	ND	ND
1,2-Dichloroethene	NR	NR	NR	ND	ND	NA	0.8 J	0.4 J	0.4 J	ND	ND	ND	ND	ND	ND
1,2-Dichloropropane	NR	NR	NR	ND	ND	NA	0.9 J	0.6 J	0.6 J	ND	ND	ND	ND	ND	ND
1,3,5-Trimethylbenzene	NR	NR	NR	7	ND	NA	4	0.8 J	1	ND	ND	0.89 J	ND	ND	ND
1,3-Butadiene	NR	NR	NR	ND	ND	NA	NA	0.3 J	ND	ND	ND	ND	ND	ND	ND
1,3-Dichlorobenzene	NR	NR	NR	ND	ND	NA	0.7 J	ND	ND	ND	ND	ND	ND	ND	ND
1,4-Dichlorobenzene	NR	NR	NR	ND	ND	NA	0.6 J	ND	ND	ND	ND	1.2 J	0.78 J	ND	ND
1,4-Dioxane	NR	NR	NR	ND	ND	NA	0.8	ND	0.4 J	ND	ND	ND	ND	ND	ND
2,2,4-Trimethylpentane	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
2-Butanone	NR	NR	NR	ND	1	NA	4	1	2	ND	ND	ND	ND	ND	4.7 J
2-Hexanone	NR	NR	NR	ND	ND	NA	0.9	0.6 J	0.5 J	ND	ND	ND	ND	ND	ND
2-Propanol	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	1.5 J
3-Chloro-1-propene	NR	NR	NR	ND	ND	NA	0.6 J	ND	ND	ND	ND	ND	ND	ND	ND
4-Ethyltoluene	NR	NR	NR	5	ND	NA	4	0.8 J	1	0.64 J	0.72 J	3.2 J	ND	ND	0.41 J
4-Methyl-2-pentanone	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Acetone	NR	NR	NR	6	5	NA	14	4	7	7.8	9.9 J	7.2 J	12 J	8.7 J	21
alpha-Chlorotoluene	NR	NR	NR	ND	ND	NA	0.7 J	ND	ND	ND	ND	ND	0.41 J	ND	ND
Acrylonitrile	NR	NR	NR	ND	ND	NA	0.5	0.4 J	ND	NR	NR	NR	NR	NR	NR
Benzene	NR	NR	NR	ND	ND	NA	1	0.4 J	0.5 J	ND	ND	ND	ND	0.45 J	1.2 J
Benzyl Chloride	NR	NR	NR	ND	ND	NA	ND	ND	ND	NR	NR	NR	NR	NR	NR
Bromodichloromethane	NR	NR	NR	ND	ND	NA	2	0.8 J	0.7 J	ND	ND	ND	ND	ND	ND
Bromoform	NR	NR	NR	ND	ND	NA	1 J	ND	1 J	ND	ND	ND	ND	ND	ND
Bromomethane	NR	NR	NR	ND	ND	NA	0.8	0.5 J	0.5 J	ND	ND	ND	ND	ND	ND
Carbon Disulfide	NR	NR	NR	ND	ND	NA	0.7	0.5 J	0.4 J	ND	ND	1.8 J	1.5 J	ND	10
Carbon Tetrachloride	NR	NR	NR	ND	ND	NA	2	1 J	1 J	ND	ND	ND	ND	ND	ND
Chlorobenzene	NR	NR	NR	ND	ND	NA	0.9	ND	0.5 J	ND	ND	2.7 J, B	ND	ND	ND
Chlorodibromomethane	NR	NR	NR	ND	ND	NA	1 J	ND	0.9 J	NR	NR	NR	NR	NR	NR
Chloroethane	NR	NR	NR	ND	ND	NA	0.6	0.4 J	0.3 J	ND	ND	ND	ND	ND	ND
Chloroform	NR	NR	NR	4	ND	NA	3	5	4	0.75 J	1.4 J	6.6	ND	ND	1.4 J
Chloromethane	NR	NR	NR	ND	0.9	NA	1	0.4	0.4	ND	ND	ND	ND	ND	ND
cis-1,2-Dichloroethene	ND	ND	ND	ND	ND	NA	0.7 J	0.5 J	0.5 J	ND	ND	ND	ND	ND	ND
cis-1,3-Dichloropropene	NR	NR	NR	ND	ND	NA	0.7 J	ND	ND	ND	ND	ND	ND	ND	ND
Cumene	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Cyclohexane	NR	NR	NR	ND	ND	NA	0.6 J	ND	0.4 J	ND	ND	ND	ND	ND	ND
Dichlorodifluoromethane	NR	NR	NR	ND	2	NA	3	2	2	ND	ND	ND	ND	ND	ND
Diisopropyl ether	NR	NR	NR	ND	ND	NA	NA	ND	ND	NR	NR	NR	NR	NR	NR
Ethanol	NR	NR	NR	2	3	NA	8	2	4	3.0 J	ND	ND	ND	3.6 J	6.5
Ethyl Acetate	NR	NR	NR	ND	ND	NA	NA	ND	ND	NR	NR	NR	NR	NR	NR
Ethyl tert-butyl ether	NR	NR	NR	ND	ND	NA	0.7 J	ND	ND	NR	NR	NR	NR	NR	NR
Ethylbenzene	NR	NR	NR	3	ND	NA	4	0.8 J	1	ND	ND	1.4 J	ND	ND	0.70 J
Freon 11	NR	NR	NR	NR	NR	NR	NR	NR	NR	1.1 J	2.0 J	2.5 J	1.4 J	1.4 J	1.8 J
Freon 113	NR	NR	NR	ND	ND	NA	2	1 J	1 J	ND	ND	ND	ND	ND	ND
Freon 114	NR	NR	NR	ND	ND	NA	2	1 J	1 J	ND	ND	ND	ND	ND	ND
Freon 12	NR	NR	NR	NR	NR	NR	NR	NR	NR	1.9 J	2.4 J	2.6 J	2.3 J	2.4 J	2.5 J
Heptane	NR	NR	NR	ND	ND	NA	1	ND	0.5 J	ND	ND	0.83 J	ND	ND	ND
Hexachlorobutadiene	NR	NR	NR	ND	ND	NA	3	1 J	1 J	ND	ND	ND	ND	ND	ND
Hexane	NR	NR	NR	ND	1	NA	1	0.8	0.8	ND	ND	0.36 J	ND	ND	1.7 J
iso-Octane	NR	NR	NR	ND	ND	NA	1	0.6 J	0.6 J	NR	NR	NR	NR	NR	NR
Isopropylbenzene	NR	NR	NR	ND	ND	NA	1	ND	0.6 J	NR	NR	NR	NR	NR	NR
Isopropyl alcohol	NR	NR	NR	ND	0.6	NA	2	1	0.8	NR	NR	NR	NR	NR	NR
m,p-Xylene	NR	NR	NR	NR	NR	NA	NR	NR	NR	0.63 J	0.97 J	2.8 J	ND	1.1 J	2.5 J
Methyl Methacrylate	NR	NR	NR	ND	ND	NA	0.6 J	ND	ND	NR	NR	NR	NR	NR	NR
Methyl-tert-Butyl-Ether	NR	NR	NR	ND	ND	NA	0.7	0.5 J	0.4 J	ND	ND	ND	ND	0.64 J	ND
Methylene Chloride	NR	NR	NR	ND	5	NA	4	3	3	1.3 J	1.0 J	ND	ND	1.8 J	3.1 J
MIBK	NR	NR	NR	ND	ND	NA	0.8 J	ND	ND	NR	NR	NR	NR	NR	NR
Naphthalene	NR	NR	NR	3	ND	NA	5	0.8 J	1	NR	NR	NR	NR	NR	NR
n-Butane	NR	NR	NR	4	2	NA	1	0.4 J	ND	NR	NR	NR	NR	NR	NR
o-Xylene	NR	NR	NR	NR	NR	NA	NR	NR	NR	ND	ND	1.6 J	ND	ND	0.68 J
p-Isopropyltoluene	NR	NR	NR	ND	ND	NA	1 J	ND	ND	NR	NR	NR	NR	NR	NR
n-Propylbenzene	NR	NR	NR	3	ND	NA	2	0.6 J	0.9 J	ND	ND	0.90 J	ND	ND	ND
Propylene	NR	NR	NR	ND	ND	NA	ND	ND	ND	NR	NR	NR	NR	NR	NR
Styrene	NR	NR	NR	ND	ND	NA	0.7 J	ND	ND	ND	ND	ND	ND	ND	ND
tert-Amyl methyl ether	NR	NR	NR	ND	ND	NA	0.7 J	ND	0.4 J	NR	NR	NR	NR	NR	NR
tert-Butyl Alcohol	NR	NR	NR	ND	ND	NA	1	0.5 J	0.5 J	NR	NR	NR	NR	NR	NR
Tetrachloroethene	2.4	1.4	17	6	NR	NA	3	6	6	ND	1.6 J	5.4	1.5 J	2.4 J	1.4 J
Tetrahydrofuran	NR	NR	NR	6	0.6	NA	5	1	1	ND	ND	ND	ND	ND	ND
Toluene	NR	NR	NR	3	1	NA	4	0.8	1	0.66 J	ND	1.3 J	ND	3.8	4.8
Total Xylenes	NR	NR	NR	22	ND	NA	20	3	6	NR	NR	NR	NR	NR	NR
trans-1,2-Dichloroethene	ND	ND	ND	ND	ND	NA	0.7 J	0.4 J	0.4 J	ND	ND	ND	ND	ND	ND
trans-1,3-Dichloropropene	NR	NR	NR	ND	ND	NA	0.7 J	ND	ND	ND	ND	ND	ND	ND	ND
Trichloroethene	5.6	3.8	300	88	3	NA	34	76	52	10	26	99	19	10	15
Trichlorofluoromethane	NR	NR	NR	ND	1	NA	2	2	2	NR	NR	NR	NR	NR	NR
Vinyl Acetate	NR	NR	NR	ND	ND	NA	ND	0.6 J	ND	NR	NR	NR	NR	NR	NR
Vinyl Bromide	NR	NR	NR	ND	ND	NA	1	0.6 J	0.6 J	NR	NR	NR	NR	NR	NR
Vinyl Chloride	ND	ND	ND	ND	ND	NA	0.5 J	0.4 J	0.3 J	ND	ND	ND	ND	ND	ND

Notes:
 µg/m³ = micrograms per cubic meter
 NR = Not Recorded
 NA = Data not available
 ND = Not detected above method
 detection limit

Page 5
 Soil Vapor Extraction Containment System
 Site 1, Former Drum Marshalling Yard
 Naval Weapons Industrial Reserve Plant - Bethpage, NY
 Quarterly Vapor Monitoring Results of SVE Wells
 Through Second Quarter 2013

Sample ID	SVE 102D														
	12/21/09	03/31/10	06/09/10	09/16/10	12/06/10	03/30/11	06/28/11	09/06/11	10/14/11	02/10/12	05/11/12	09/11/12	12/05/12	01/15/13	05/16/13
Analysis by TD-15 (µg/m ³)															
1,1,1-Trichloroethane	130	53	14	7	2	2	6	4	5	1.4 J	1.2 J	3.9 J	ND	ND	ND
1,1,1,2-Tetrachloroethane	NR	NR	NR	ND	ND	ND	11	0.9 J	1 J	ND	ND	ND	ND	ND	ND
1,1,2-Trichloroethane	NR	NR	NR	ND	ND	ND	1 J	0.6 J	0.8 J	ND	ND	ND	ND	ND	ND
1,1-Dichloroethane	ND	2.7	ND	ND	ND	ND	1	0.6 J	0.7 J	ND	ND	0.51 J	0.95 J	ND	ND
1,1-Dichloroethene	ND	ND	ND	ND	ND	ND	1	0.6 J	0.6 J	ND	ND	ND	ND	ND	ND
1,2,3-Trichloropropane	NR	NR	NR	ND	ND	ND	ND	0.7 J	0.9 J	NR	NR	NR	NR	NR	NR
1,2,3-Trimethylbenzene	NR	NR	NR	5	ND	ND	7	1	2	NR	NR	NR	NR	NR	NR
1,2,4-Trichlorobenzene	NR	NR	NR	ND	ND	ND	2 J	ND	0.8 J	ND	ND	ND	ND	ND	ND
1,2,4-Trimethylbenzene	NR	NR	NR	1.8	2	2	22	4	6	ND	2.3 J	2.8 J	0.79 J	ND	ND
1,2-Dibromoethane	NR	NR	NR	ND	ND	ND	1 J	ND	1 J	ND	ND	ND	ND	ND	ND
1,2-Dichlorobenzene	NR	NR	NR	ND	ND	ND	1 J	ND	0.8 J	ND	ND	ND	ND	ND	ND
1,2-Dichloroethane	NR	ND	ND	ND	ND	ND	0.9	0.5 J	0.5 J	ND	ND	ND	ND	ND	ND
1,2-Dichloropropane	NR	NR	NR	ND	ND	ND	1	0.5 J	0.6 J	ND	ND	ND	ND	ND	ND
1,3,5-Trimethylbenzene	NR	NR	NR	4	ND	ND	4	ND	1	ND	ND	ND	ND	ND	ND
1,3-Butadiene	NR	NR	NR	1	ND	ND	ND	0.3 J	0.4 J	ND	ND	ND	ND	ND	ND
1,3-Dichlorobenzene	NR	NR	NR	ND	ND	ND	0.8 J	ND	0.6 J	ND	ND	1.3 J	0.60 J	ND	ND
1,4-Dichlorobenzene	NR	NR	NR	ND	ND	ND	1	ND	0.6 J	ND	ND	ND	ND	ND	ND
2,2,4-Trimethylpentane	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	ND	0.53 J	0.35 J	ND	1.2 J
2-Butanone	NR	NR	NR	4	0.9	0.7	5	1	1	ND	ND	3.7 J	ND	ND	ND
2-Hexanone	NR	NR	NR	ND	ND	ND	0.9 J	0.6 J	0.6 J	ND	ND	ND	ND	ND	ND
2-Propanol	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	ND	ND	ND	ND	ND
3-Chloro-1-propene	NR	NR	NR	ND	ND	ND	0.7 J	0.4 J	ND	ND	ND	ND	ND	ND	ND
4-Ethyltoluene	NR	NR	NR	3	ND	ND	4	1	1	0.36 J	1.0 J	2.1 J	ND	ND	0.67 J
4-Methyl-2-pentanone	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	ND	ND	ND	ND	ND
Acetone	NR	NR	NR	10	8	6	12	4	4	8.4	6.0 J	7.1 J	5.7 J	4.6 J	21
alpha-Chlorotoluene	NR	NR	NR	ND	ND	ND	0.9 J	ND	0.6 J	ND	ND	0.78 J	ND	ND	ND
Acrylonitrile	NR	NR	NR	ND	ND	ND	0.5	0.4 J	ND	NR	NR	NR	NR	NR	NR
Benzene	NR	NR	NR	ND	ND	ND	1	0.5 J	0.9	ND	ND	ND	ND	0.55 J	1.2 J
Benzyl Chloride	NR	NR	NR	ND	ND	ND	ND	ND	ND	NR	NR	NR	NR	NR	NR
Bromodichloromethane	NR	NR	NR	ND	ND	ND	2	0.9 J	1 J	ND	ND	ND	ND	ND	ND
Bromoform	NR	NR	NR	ND	ND	ND	2 J	ND	1 J	ND	ND	ND	ND	ND	ND
Bromomethane	NR	NR	NR	ND	ND	ND	1	0.6 J	0.5 J	ND	ND	ND	ND	2.0 J	ND
Carbon Disulfide	NR	NR	NR	ND	ND	ND	0.9	0.5 J	0.5 J	ND	ND	2.0 J	2.5 J	ND	1.4 J
Carbon Tetrachloride	NR	NR	NR	ND	ND	ND	2	2	2	ND	ND	ND	ND	ND	ND
Chlorobenzene	NR	NR	NR	ND	ND	ND	1 J	ND	0.7 J	ND	ND	3.3 J, 8	ND	ND	ND
Chlorodibromomethane	NR	NR	NR	ND	ND	ND	2 J	0.9 J	1 J	NR	NR	NR	NR	NR	NR
Chloroethane	NR	NR	NR	ND	ND	ND	0.7	0.4 J	0.4 J	ND	ND	ND	ND	ND	ND
Chloroform	NR	NR	NR	11	2	3	9	14	17	19	19	23	11	ND	ND
Chloromethane	NR	NR	NR	ND	1	0.6	1	0.4	0.4	ND	ND	ND	ND	ND	ND
cis-1,2-Dichloroethene	ND	1.4	ND	ND	0.9	ND	1	0.5 J	0.9	ND	ND	1.1 J	4.3	ND	ND
cis-1,3-Dichloropropene	NR	NR	NR	ND	ND	ND	0.9 J	ND	0.6 J	ND	ND	0.69 J	ND	ND	ND
Cumene	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	ND	ND	ND	ND	ND
Cyclohexane	NR	NR	NR	ND	ND	ND	0.7 J	0.5 J	0.4 J	ND	ND	ND	ND	ND	ND
Dichlorodifluoromethane	NR	NR	NR	2	3	2	4	3	3	ND	ND	ND	ND	ND	ND
Diisopropyl ether	NR	NR	NR	ND	ND	ND	ND	ND	ND	NR	NR	NR	NR	NR	NR
Ethanol	NR	NR	NR	5	3	4	3	1	1	ND	ND	ND	ND	5.5 J	ND
Ethyl Acetate	NR	NR	NR	ND	ND	ND	ND	ND	ND	NR	NR	NR	NR	NR	NR
Ethyl tert-butyl ether	NR	NR	NR	ND	ND	ND	0.8 J	0.4 J	0.5 J	NR	NR	NR	NR	NR	NR
Ethylbenzene	NR	NR	NR	3	ND	ND	4	ND	1	ND	ND	0.65 J	ND	ND	ND
Freon 11	NR	NR	NR	NR	NR	NR	NR	NR	NR	4.8	5.8	11	6.6	1.5 J	1.4 J
Freon 113	NR	NR	NR	ND	ND	ND	3	2	2	ND	ND	ND	1.9 J	ND	ND
Freon 114	NR	NR	NR	ND	ND	ND	2	1 J	1 J	ND	ND	ND	ND	ND	ND
Freon 12	NR	NR	NR	NR	NR	NR	NR	NR	NR	2.6 J	2.1 J	2.1 J	2.2 J	2.6 J	2.1 J
Heptane	NR	NR	NR	ND	ND	ND	1	0.4 J	0.6 J	ND	ND	ND	ND	ND	ND
Hexachlorobutadiene	NR	NR	NR	ND	ND	ND	3	1 J	2 J	ND	ND	ND	ND	ND	ND
Hexane	NR	NR	NR	1	ND	ND	1	0.8	0.5 J	ND	ND	ND	ND	ND	0.94 J
iso-Octane	NR	NR	NR	ND	ND	ND	1	1	0.7 J	NR	NR	NR	NR	NR	NR
Isopropylbenzene	NR	NR	NR	ND	ND	ND	1	0.5 J	0.8 J	NR	NR	NR	NR	NR	NR
Isopropyl alcohol	NR	NR	NR	1	ND	ND	2	1	1	NR	NR	NR	NR	NR	NR
m,p-Xylene	NR	NR	NR	NR	NR	NR	NR	NR	NR	ND	1.4 J	2.2 J	0.65 J	ND	1.7 J
Methyl Methacrylate	NR	NR	NR	ND	ND	ND	0.8 J	0.4 J	0.4 J	NR	NR	NR	NR	NR	NR
Methyl-tert-Butyl Ether	NR	NR	NR	ND	ND	ND	0.9	0.5 J	0.4 J	ND	ND	ND	ND	ND	ND
Methylene Chloride	NR	NR	NR	7	2	ND	4	2	0.9	1.0 J	ND	0.36 J	ND	1.0 J	1.4 J
MIBK	NR	NR	NR	ND	ND	ND	1	0.4 J	0.4 J	NR	NR	NR	NR	NR	NR
Naphthalene	NR	NR	NR	3	ND	ND	6	3	2	NR	NR	NR	NR	NR	NR
n-Butane	NR	NR	NR	ND	2	ND	2	2	ND	NR	NR	NR	NR	NR	NR
o-Xylene	NR	NR	NR	NR	NR	NR	NR	NR	NR	ND	ND	1.4 J	ND	ND	ND
p-Isopropyltoluene	NR	NR	NR	ND	ND	ND	1	ND	0.7 J	NR	NR	NR	NR	NR	NR
n-Propylbenzene	NR	NR	NR	ND	ND	ND	3	0.7 J	1	ND	ND	0.97 J	ND	ND	ND
Propylene	NR	NR	NR	ND	ND	ND	ND	ND	ND	NR	NR	NR	NR	NR	NR
Styrene	NR	NR	NR	ND	ND	ND	0.8 J	ND	0.5 J	ND	ND	ND	ND	ND	ND
tert-Amyl methyl ether	NR	NR	NR	ND	ND	ND	0.9 J	0.5 J	0.5 J	NR	NR	NR	NR	NR	NR
tert-Butyl Alcohol	NR	NR	NR	ND	ND	ND	1	0.4 J	0.6	NR	NR	NR	NR	NR	NR
Tetrachloroethene	10	31	31	19	3	9	25	23	39	5.9	6.5	24	25	0.96 J	1.4 J
Tetrahydrofuran	NR	NR	NR	36	7	3	6	1	1	0.54 J	0.74 J	4.0	ND	ND	ND
Toluene	NR	NR	NR	3	ND	ND	4	0.8	2	0.49 J	0.99 J	0.86 J	0.58 J	0.58 J	4.4
Total Xylenes	NR	NR	NR	15	ND	ND	22	2 J	7	NR	NR	NR	NR	NR	NR
trans-1,2-Dichloroethene	ND	ND	ND	ND	ND	ND	1	0.5 J	0.5 J	ND	ND	ND	ND	ND	ND
trans-1,3-Dichloropropene	NR	NR	NR	ND	ND	ND	0.8 J	ND	0.5 J	ND	ND	ND	ND	ND	ND
Trichloroethene	440	390	190	110	17	21	89	81	87	34	58	170	140	6.5	ND
Trichlorofluoromethane	NR	NR	NR	5	2	6	9	12	13	NR	NR	NR	NR	NR	NR
Vinyl Acetate	NR	NR	NR	ND	ND	ND	2	ND	ND	NR	NR	NR	NR	NR	NR
Vinyl Bromide	NR	NR	NR	ND	ND	ND	1	0.6 J	0.6 J	NR	NR	NR	NR	NR	NR
Vinyl Chloride	ND	ND	ND	ND	ND	ND	0.6	0.4 J	0.3 J	ND	ND	ND	ND	ND	ND

Notes:
 µg/m³ = micrograms per cubic meter
 NR = Not Recorded
 NA = Data not available
 ND = Not detected above method
 detection limit

Table 5
Soil Vapor Extraction Containment System
Site 1, Former Drum Marshalling Yard
Naval Weapons Industrial Reserve Plant - Bethpage, NY
Quarterly Vapor Monitoring Results of SVE Wells
Through Second Quarter 2013

Sample ID	SVE 103D														
	12/21/09	03/31/10	06/09/10	09/16/10	12/08/10	03/30/11	06/28/11	09/06/11	10/14/11	02/10/12	05/11/12	09/11/12	12/05/12	01/15/13	05/16/13
Analysis by TO-15 (µg/m ³)															
1,1,1-Trichloroethane	3000	1100	230	ND	13	ND	2 J	20	31	7.4 J	6.9 J	22	190	ND	150
1,1,2,2-Tetrachloroethane	NR	NR	NR	ND	ND	ND	2 J	2 J	12 J	ND	ND	ND	ND	ND	ND
1,1,2-Trichloroethane	NR	NR	NR	ND	ND	ND	1 J	2 J	10 J	ND	ND	ND	ND	ND	ND
1,1-Dichloroethane	82	69	ND	ND	2	2	1 J	4	9	1.6 J	1.5 J	1.9 J	10 J	ND	10
1,1-Dichloroethane	ND	ND	ND	ND	ND	ND	1 J	2	6 J	ND	ND	ND	ND	ND	ND
1,2,3-Trichloropropane	NR	NR	NR	ND	ND	ND	2 J	2 J	11 J	NR	NR	NR	NR	NR	NR
1,2,3-Trimethylbenzene	NR	NR	NR	5	ND	2	4	ND	7 J	NR	NR	NR	NR	NR	NR
1,2,4-Trichlorobenzene	NR	NR	NR	ND	ND	ND	ND	ND	9 J	ND	ND	ND	ND	ND	3.2 J
1,2,4-Trimethylbenzene	NR	NR	NR	8	2	7	12	ND	9 J	ND	2.4 J	3.2 J	ND	ND	ND
1,2-Dibromoethane	NR	NR	NR	ND	ND	ND	2 J	2 J	11 J	ND	ND	ND	ND	ND	ND
1,2-Dichlorobenzene	NR	NR	NR	ND	ND	ND	ND	ND	9 J	ND	ND	ND	ND	ND	ND
1,2-Dichloroethane	NR	ND	ND	ND	ND	ND	1 J	1 J	5 J	ND	ND	ND	ND	ND	ND
1,2-Dichloropropane	NR	NR	NR	ND	ND	ND	1 J	1 J	8 J	ND	ND	ND	ND	ND	ND
1,3,5-Trimethylbenzene	NR	NR	NR	ND	ND	2	3	ND	8 J	ND	ND	ND	ND	ND	ND
1,3-Butadiene	NR	NR	NR	ND	ND	ND	1	0.8 J	ND	ND	ND	ND	ND	ND	ND
1,3-Dichlorobenzene	NR	NR	NR	ND	ND	ND	ND	ND	8 J	ND	ND	ND	ND	ND	ND
1,4-Dichlorobenzene	NR	NR	NR	ND	ND	ND	ND	ND	8 J	ND	ND	2.6 J	ND	ND	ND
1,4-Dioxane	NR	NR	NR	ND	ND	ND	0.9 J	1	6 J	ND	ND	ND	ND	ND	ND
2,2,4-Trimethylpentane	NR	NR	NR	NR	NR	NR	NR	NR	NR	ND	ND	2.1 J	ND	ND	ND
2-Butanone	NR	NR	NR	4	1	4	5	2	6 J	ND	ND	ND	ND	ND	ND
2-Hexanone	NR	NR	NR	ND	ND	ND	1 J	1 J	5 J	ND	ND	ND	ND	ND	ND
2-Propanol	NR	NR	NR	NR	NR	NR	NR	NR	NR	ND	ND	5.5 J	ND	ND	ND
3-Chloro-1-propene	NR	NR	NR	ND	ND	ND	0.6 J	1 J	4 J	ND	ND	ND	ND	ND	ND
4-Ethyltoluene	NR	NR	NR	ND	ND	ND	3	ND	8 J	ND	1.2 J	ND	ND	ND	ND
4-Methyl-2-pentanone	NR	NR	NR	NR	NR	NR	NR	NR	NR	ND	ND	ND	ND	ND	ND
Acetone	NR	NR	NR	10	6	21	19	9	10	13 J	11 J	10 J	7.0 J	8.0 J	12 J
alpha-Chlorotoluene	NR	NR	NR	ND	ND	ND	ND	ND	8 J	ND	ND	ND	ND	ND	ND
Acrylonitrile	NR	NR	NR	ND	ND	ND	0.5 J	0.8 J	ND	NR	NR	NR	NR	NR	NR
Benzene	NR	NR	NR	ND	ND	12	1	1 J	6 J	ND	ND	ND	ND	0.76 J	ND
Benzyl Chloride	NR	NR	NR	ND	ND	ND	ND	ND	ND	NR	NR	NR	NR	NR	NR
Bromodichloromethane	NR	NR	NR	ND	ND	ND	2 J	2 J	ND	ND	ND	ND	ND	ND	ND
Bromoform	NR	NR	NR	ND	ND	ND	ND	2 J	14 J	ND	ND	ND	ND	ND	ND
Bromomethane	NR	NR	NR	ND	ND	ND	1 J	1 J	6 J	ND	ND	ND	ND	ND	ND
Carbon Disulfide	NR	NR	NR	ND	ND	ND	1 J	1 J	6 J	ND	ND	5.4 J	ND	ND	2.4 J
Carbon Tetrachloride	NR	NR	NR	ND	ND	ND	2 J	2 J	12 J	ND	ND	ND	ND	ND	ND
Chlorobenzene	NR	NR	NR	ND	ND	ND	1 J	1 J	8 J	ND	ND	11 J	8	ND	ND
Chlorodibromomethane	NR	NR	NR	ND	ND	ND	2 J	2 J	14 J	NR	NR	NR	NR	NR	NR
Chloroethane	NR	NR	NR	ND	ND	ND	0.9 J	1 J	5 J	ND	ND	ND	ND	ND	ND
Chloroform	NR	NR	NR	ND	1	ND	1 J	6	29	3.6 J	1.6	9.3 J	ND	ND	1.7 J
Chloromethane	NR	NR	NR	3	0.7	1	2	0.9	4 J	ND	ND	ND	ND	ND	ND
cis-1,2-Dichloroethene	420	1500	370	ND	92	ND	1 J	360	160	290	230	300	750	ND	550
cis-1,3-Dichloropropene	NR	NR	NR	ND	ND	ND	ND	1 J	6 J	ND	ND	ND	ND	ND	ND
Cumene	NR	NR	NR	NR	NR	NR	NR	NR	NR	ND	ND	ND	ND	ND	ND
Cyclohexane	NR	NR	NR	ND	ND	5	1 J	0.9 J	5 J	ND	ND	ND	ND	ND	ND
Dichlorodifluoromethane	NR	NR	NR	6	2	2	4	3	10	ND	ND	ND	ND	ND	ND
Diisopropyl ether	NR	NR	NR	5	ND	ND	ND	1 J	6 J	NR	NR	NR	NR	NR	NR
Ethanol	NR	NR	NR	6	5	56	10	2	9	5.5 J	ND	ND	ND	3.8 J	ND
Ethyl Acetate	NR	NR	NR	5	ND	ND	ND	ND	ND	NR	NR	NR	NR	NR	NR
Ethyl tert-butyl ether	NR	NR	NR	ND	ND	ND	1 J	1 J	5 J	NR	NR	NR	NR	NR	NR
Ethylbenzene	NR	NR	NR	ND	ND	8	3	0.9 J	7 J	ND	ND	2.3 J	ND	ND	ND
Freon 11	NR	NR	NR	NR	NR	NR	NR	NR	NR	ND	ND	3.1 J	ND	1.1 J	1.4 J
Freon 113	NR	NR	NR	ND	10	10	3 J	12	20	ND	ND	ND	68	ND	39
Freon 114	NR	NR	NR	ND	ND	ND	2 J	2 J	12 J	ND	ND	ND	ND	ND	ND
Freon 12	NR	NR	NR	NR	NR	NR	NR	NR	NR	ND	ND	2.9 J	ND	2.7 J	2.6 J
Heptane	NR	NR	NR	ND	ND	8	1 J	1 J	5 J	ND	ND	ND	ND	ND	ND
Hexachlorobutadiene	NR	NR	NR	ND	ND	ND	4 J	3 J	18 J	ND	ND	ND	ND	ND	ND
Hexane	NR	NR	NR	3	1	20	2	3	6 J	ND	ND	ND	ND	ND	ND
iso-Octane	NR	NR	NR	ND	ND	ND	1 J	1 J	8 J	NR	NR	NR	NR	NR	NR
Isopropylbenzene	NR	NR	NR	ND	ND	ND	1 J	1 J	8 J	NR	NR	NR	NR	NR	NR
Isopropyl alcohol	NR	NR	NR	5	ND	5	2	2	5 J	NR	NR	NR	NR	NR	NR
m,p-Xylene	NR	NR	NR	NR	NR	NR	NR	NR	NR	ND	1.3 J	5.8 J	ND	ND	ND
Methyl Methacrylate	NR	NR	NR	ND	ND	ND	1 J	1 J	5 J	NR	NR	NR	NR	NR	NR
Methyl tert-Butyl Ether	NR	NR	NR	ND	ND	ND	1 J	2	6 J	ND	ND	ND	ND	ND	ND
Methylene Chloride	NR	NR	NR	7	3	4	4	19	11	ND	ND	ND	ND	2.0 J	ND
MIBK	NR	NR	NR	ND	ND	ND	1 J	1 J	6 J	NR	NR	NR	NR	NR	NR
Naphthalene	NR	NR	NR	ND	ND	ND	3	ND	5 J	NR	NR	NR	NR	NR	NR
n-Butane	NR	NR	NR	2	2	67	2	2	ND	NR	NR	NR	NR	NR	NR
o-Xylene	NR	NR	NR	NR	NR	NR	NR	NR	NR	ND	ND	ND	ND	ND	ND
p-Isopropyltoluene	NR	NR	NR	ND	ND	ND	1 J	ND	7 J	NR	NR	NR	NR	NR	NR
n-Propylbenzene	NR	NR	NR	ND	ND	1	2	ND	6 J	ND	ND	ND	ND	ND	ND
Propylene	NR	NR	NR	ND	ND	9	2	ND	ND	NR	NR	NR	NR	NR	NR
Styrene	NR	NR	NR	ND	ND	ND	ND	ND	5 J	ND	ND	ND	ND	ND	ND
tert-Amyl methyl ether	NR	NR	NR	ND	ND	ND	1 J	1 J	6 J	NR	NR	NR	NR	NR	NR
tert-Butyl Alcohol	NR	NR	NR	3	ND	ND	1 J	0.9 J	5 J	NR	NR	NR	NR	NR	NR
Tetrachloroethene	20000	28000	16000	9	1500	ND	3	1600	6700	3800	3200	4700	4600	1.6 J	3300
Tetrahydrofuran	NR	NR	NR	4	1	ND	6	2	6	2.0 J	ND	ND	ND	ND	ND
Toluene	NR	NR	NR	4	2	40	4	0.9 J	6 J	ND	ND	4.7 J	ND	3.8	ND
Total Xylenes	NR	NR	NR	ND	ND	34	16	3 J	21 J	NR	NR	NR	NR	NR	NR
trans-1,2-Dichloroethene	ND	24	ND	ND	1	ND	1 J	3	7 J	ND	ND	ND	8.8 J	ND	5.7 J
trans-1,3-Dichloropropene	NR	NR	NR	ND	ND	ND	ND	ND	5 J	ND	ND	ND	ND	ND	ND
Trichloroethene	3100	1600	640	7	92	ND	2 J	290	240	180	200	480	440	6.0	360
Trichlorofluoromethane	NR	NR	NR	6	1	3	3	3	11	NR	NR	NR	NR	NR	NR
Vinyl Acetate	NR	NR	NR	4	ND	ND	ND	ND	ND	NR	NR	NR	NR	NR	NR
Vinyl Bromide	NR	NR	NR	ND	ND	ND	2 J	1 J	8 J	NR	NR	NR	NR	NR	NR
Vinyl Chloride	ND	5.9	ND	ND	2	ND	0.8 J	4	5 J	ND	ND	ND	ND	ND	1.9 J

Notes:
µg/m³ = micrograms per cubic meter
NR = Not Recorded
NA = Data not available
ND = Not detected above method detection limit

Table 5
Soil Vapor Extraction Containment System
Site 1, Former Drum Marshaling Yard
Naval Weapons Industrial Reserve Plant - Bethpage, NY
Quarterly Vapor Monitoring Results of SVE Wells
Through Second Quarter 2013

Sample ID	SVE 1041														
	12/21/09	03/31/10	06/09/10	09/16/10	12/08/10	03/30/11	06/28/11	09/06/11	10/14/11	02/10/12	05/11/12	09/11/12	12/05/12	01/15/13	05/16/13
Analysis by TO-15 (µg/m ³)															
1,1,1-Trichloroethane	730	4.2	ND	4	NR	NA	1 J	4	2	ND	ND	8.3	ND	ND	ND
1,1,2,2-Tetrachloroethane	NR	NR	NR	ND	ND	NA	1 J	0.7 J	ND	ND	ND	ND	ND	ND	ND
1,1,2-Trichloroethane	NR	NR	NR	ND	ND	NA	1 J	ND	ND	ND	ND	ND	ND	ND	ND
1,1-Dichloroethane	24	0.54	ND	NO	ND	NA	1 J	0.6 J	0.5 J	ND	NO	ND	ND	ND	ND
1,1-Dichloroethene	ND	ND	ND	ND	ND	NA	1 J	ND	NO	NO	ND	ND	ND	ND	ND
1,2,3-Trichloropropane	NR	NR	NR	ND	ND	NA	1 J	ND	ND	NR	NR	NR	NR	NR	NR
1,2,3-Trimethylbenzene	NR	NR	NR	4	ND	NA	ND	NO	0.7 J	NR	NR	NR	NR	NR	NR
1,2,4-Trichlorobenzene	NR	NR	NR	ND	ND	NA	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2,4-Trimethylbenzene	NR	NR	NR	12	1	NA	ND	ND	2	ND	ND	2.2 J	ND	ND	ND
1,2-Dibromoethane	NR	NR	NR	ND	ND	NA	2 J	ND	ND	ND	ND	ND	ND	ND	ND
1,2-Dichlorobenzene	NR	NR	NR	ND	ND	NA	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2-Dichloroethane	NR	NO	ND	ND	ND	NA	1 J	ND	ND	ND	ND	ND	ND	ND	ND
1,2-Dichloropropane	NR	NR	NR	ND	ND	NA	1 J	ND	ND	ND	ND	ND	ND	ND	ND
1,3,5-Trimethylbenzene	NR	NR	NR	3	ND	NA	ND	ND	0.5 J	ND	ND	0.75 J	ND	ND	ND
1,3-Butadiene	NR	NR	NR	ND	ND	NA	1	0.4 J	ND	ND	ND	ND	ND	ND	ND
1,3-Dichlorobenzene	NR	NR	NR	ND	ND	NA	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,4-Dichlorobenzene	NR	NR	NR	ND	ND	NA	ND	ND	ND	ND	ND	ND	0.41 J	0.48 J	NO
1,4-Dioxane	NR	NR	NR	ND	ND	NA	0.8 J	0.4 J	ND	ND	ND	ND	ND	ND	ND
2,2,4-Trimethylpentane	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	1.1 J
2-Butanone	NR	NR	NR	3	0.6	NA	3	1	0.8	ND	ND	ND	ND	ND	NO
2-Hexanone	NR	NR	NR	ND	ND	NA	0.9 J	ND	ND	ND	ND	ND	ND	ND	ND
2-Propanol	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	1.9 J
3-Chloro-1-propane	NR	NR	NR	ND	NO	NA	0.9	0.3 J	ND	ND	ND	ND	ND	ND	ND
4-Ethyltoluene	NR	NR	NR	2	ND	NA	ND	ND	ND	ND	ND	1.9 J	NO	ND	0.43 J
4-Methyl-2-pentanone	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	ND
Acetone	NR	NR	NR	11	3	NA	2.1	5	5	4.8 J	6.5 J	6.5 J	6.4 J	5.9 J	13 J
alpha-Chlorotoluene	NR	NR	NR	ND	ND	NA	ND	ND	ND	ND	ND	ND	ND	ND	ND
Acrylonitrile	NR	NR	NR	ND	ND	NA	0.6 J	0.3 J	ND	NR	NR	NR	NR	NR	NR
Benzene	NR	NR	NR	1	ND	NA	1 J	0.4 J	0.4 J	ND	ND	ND	0.66 J	0.53 J	1.1 J
Benzyl Chloride	NR	NR	NR	ND	ND	NA	ND	ND	ND	NR	NR	NR	NR	NR	NR
Bromodichloromethane	NR	NR	NR	ND	ND	NA	2 J	0.8 J	ND	ND	ND	ND	ND	ND	ND
Bromoform	NR	NR	NR	ND	ND	NA	ND	NO	ND	ND	ND	ND	ND	ND	ND
Bromomethane	NR	NR	NR	ND	ND	NA	1 J	0.4 J	ND	ND	ND	ND	ND	1.9 J	ND
Carbon Disulfide	NR	NR	NR	ND	ND	NA	1 J	0.5 J	0.5 J	NO	ND	5.2 J	ND	ND	1.1 J
Carbon Tetrachloride	NR	NR	NR	ND	ND	NA	2 J	1 J	1 J	ND	ND	ND	ND	ND	ND
Chlorobenzene	NR	NR	NR	ND	ND	NA	1 J	0.5 J	ND	ND	ND	2.3 J, B	ND	ND	ND
Chlorodibromomethane	NR	NR	NR	ND	ND	NA	2 J	ND	ND	NR	NR	NR	NR	NR	NR
Chloroethane	NR	NR	NR	ND	ND	NA	0.9 J	0.3 J	ND	ND	ND	ND	ND	ND	ND
Chloroform	NR	NR	NR	2	ND	NA	1 J	3	1	ND	ND	2.8 J	ND	ND	ND
Chloromethane	NR	NR	NR	ND	0.5	NA	2	0.5	0.8	ND	ND	ND	ND	ND	ND
cis-1,2-Dichloroethene	110	14	ND	2	0.8	NA	0.9 J	2	3	0.90 J	ND	5.0	ND	2.7 J	ND
cis-1,3-Dichloropropene	NR	NR	NR	ND	ND	NA	1 J	ND	ND	ND	ND	ND	ND	ND	ND
Cumene	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Cyclohexane	NR	NR	NR	0.8	ND	NA	1 J	ND	ND	ND	ND	ND	ND	ND	ND
Dichlorodifluoromethane	NR	NR	NR	2	2	NA	3	2	2	ND	ND	NO	ND	ND	ND
Diisopropyl ether	NR	NR	NR	5	ND	NA	ND	ND	ND	NR	NR	NR	NR	NR	NR
Ethanol	NR	NR	NR	19	1	NA	12	2	3	NO	1.2 J	ND	4.2 J	ND	7.0
Ethyl Acetate	NR	NR	NR	5	ND	NA	ND	ND	ND	NR	NR	NR	NR	NR	NR
Ethyl tert-butyl ether	NR	NR	NR	ND	ND	NA	1 J	ND	ND	NR	NR	NR	NR	NR	NR
Ethylbenzene	NR	NR	NR	2	ND	NA	1 J	0.6 J	0.6 J	ND	NO	0.89 J	ND	ND	ND
Freon 11	NR	NR	NR	NR	NR	NR	NR	NR	NR	1.2 J	1.0 J	1.6 J	1.3 J	1.2 J	1.6 J
Freon 113	NR	NR	NR	ND	ND	NA	3 J	2	2	NO	ND	3.0 J	ND	3.6 J	ND
Freon 114	NR	NR	NR	NO	ND	NA	2 J	0.9 J	0.7 J	ND	ND	ND	ND	ND	ND
Freon 12	NR	NR	NR	NR	NR	NR	NR	NR	NR	2.4 J	2.1 J	2.6 J	2.5 J	2.6 J	2.9 J
Heptane	NR	NR	NR	1	ND	NA	1 J	ND	ND	ND	ND	ND	2.6 J	ND	ND
Hexachlorobutadiene	NR	NR	NR	ND	ND	NA	2 J	NO	ND	ND	ND	ND	ND	ND	ND
Hexane	NR	NR	NR	10	ND	NA	12	0.5 J	0.4 J	0.82 J	ND	ND	3.4	ND	0.89 J
iso-Octane	NR	NR	NR	ND	ND	NA	1 J	0.5 J	0.5 J	NR	NR	NR	NR	NR	NR
Isopropylbenzene	NR	NR	NR	ND	ND	NA	1 J	ND	ND	NR	NR	NR	NR	NR	NR
Isopropyl alcohol	NR	NR	NR	6	NO	NA	7	0.7	0.5	NR	NR	NR	NR	NR	NR
m,p-Xylene	NR	NR	NR	NR	NR	NA	NR	NR	NR	ND	NO	2.4 J	ND	3.1 J	1.8 J
Methyl Methacrylate	NR	NR	NR	ND	ND	NA	0.9 J	ND	ND	NR	NR	NR	NR	NR	NR
Methyl tert-Butyl Ether	NR	NR	NR	1	ND	NA	4	ND	ND	ND	ND	ND	ND	ND	ND
Methylene Chloride	NR	NR	NR	51	ND	NA	65	1	0.9	2.6	ND	ND	0.57 J	0.43 J	ND
MIBK	NR	NR	NR	ND	ND	NA	1 J	ND	ND	NR	NR	NR	NR	NR	NR
Naphthalene	NR	NR	NR	ND	ND	NA	ND	ND	0.7 J	NR	NR	NR	NR	NR	NR
n-Butane	NR	NR	NR	2	0.6	NA	2	0.5 J	ND	NR	NR	NR	NR	NR	NR
o-Xylene	NR	NR	NR	NR	NR	NA	NR	NR	NR	ND	ND	1.2 J	ND	ND	ND
p-Isopropyltoluene	NR	NR	NR	ND	ND	NA	ND	ND	ND	NR	NR	NR	NR	NR	NR
n-Propylbenzene	NR	NR	NR	1	ND	NA	ND	ND	ND	ND	ND	0.60 J	ND	ND	ND
Propylene	NR	NR	NR	ND	ND	NA	ND	ND	0.4	NR	NR	NR	NR	NR	NR
Styrene	NR	NR	NR	ND	ND	NA	ND	ND	ND	ND	ND	ND	ND	ND	ND
tert-Amyl methyl ether	NR	NR	NR	ND	ND	NA	1 J	NO	ND	NR	NR	NR	NR	NR	NR
tert-Butyl Alcohol	NR	NR	NR	ND	NO	NA	0.9 J	0.3 J	0.3 J	NR	NR	NR	NR	NR	NR
Tetrachloroethene	3100	210	68	96	16	NA	2 J	54	33	12	ND	86	1.6 J	4.8 J	2.3 J
Tetrahydrofuran	NR	NR	NR	4	1	NA	1	1	0.8	0.58 J	ND	1.4 J	ND	ND	ND
Toluene	NR	NR	NR	7	ND	NA	2	1	0.6 J	0.59 J	ND	0.68 J	1.5 J	0.54 J	5.1
Total Xylenes	NR	NR	NR	12	ND	NA	3 J	3	2 J	NR	NR	NR	NR	NR	NR
trans-1,2-Dichloroethene	15	ND	ND	ND	ND	NA	1 J	0.5 J	0.4 J	ND	ND	NO	ND	ND	ND
trans-1,3-Dichloropropene	NR	NR	NR	ND	ND	NA	ND	ND	ND	ND	ND	ND	ND	ND	ND
Trichloroethene	710	64	60	72	12	NA	2 J	44	25	9.6	ND	73	ND	3.1 J	ND
Trichlorofluoromethane	NR	NR	NR	2	ND	NA	3	2	2	NR	NR	NR	NR	NR	NR
Vinyl Acetate	NR	NR	NR	2	ND	NA	ND	ND	0.5 J	NR	NR	NR	NR	NR	NR
Vinyl Bromide	NR	NR	NR	ND	ND	NA	1 J	0.5 J	ND	NR	NR	NR	NR	NR	NR
Vinyl Chloride	ND	0.47	ND	ND	ND	NA	0.7 J	0.3 J	0.3 J	ND	ND	ND	ND	ND	ND

Notes:
µg/m³ = micrograms per cubic meter
NR = Not Recorded
NA = Data not available
ND = Not detected above method detection limit

Table 5
Soil Vapor Extraction Containment System
Site 1, Former Drum Marshalling Yard
Naval Weapons Industrial Reserve Plant - Bethpage, NY
Quarterly Vapor Monitoring Results of SVE Wells
Through Second Quarter 2013

Sample ID	SVE 104D														
	12/21/09	03/31/10	06/09/10	09/16/10	12/22/10	03/30/11	06/28/11	09/06/11	10/14/11	02/10/12	05/11/12	09/11/12	12/05/12	01/15/13	05/16/13
Analysis by TO-15 (µg/m³)															
1,1,1-Trichloroethane	3600	3000	860	ND	270	ND	370	620	440	520	580	620	920	820	0.89 J
1,1,2-Tetrachloroethane	NR	NR	NR	ND	ND	ND	1 J	ND	9 J	ND	ND	ND	ND	ND	ND
1,1,2-Trichloroethane	NR	NR	NR	ND	ND	ND	2 J	7 J	7 J	ND	ND	ND	ND	ND	ND
1,1-Dichloroethane	290	350	140	ND	66	ND	56	110	77	87	95	100	190	160	ND
1,1-Dichloroethene	ND	ND	ND	ND	ND	ND	3	7 J	7 J	3.0 J	5.0 J	ND	13 J	ND	ND
1,2,3-Trichloropropane	NR	NR	NR	ND	ND	ND	2 J	7 J	7 J	NR	NR	NR	NR	NR	NR
1,2,3-Trimethylbenzene	NR	NR	NR	ND	ND	ND	7	ND	6 J	NR	NR	NR	NR	NR	NR
1,2,4-Trichlorobenzene	NR	NR	NR	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1.7 J
1,2,4-Trimethylbenzene	NR	NR	NR	3	ND	ND	21	ND	7 J	ND	4.0 J	2.5 J	ND	ND	1.3 J
1,2-Dibromoethane	NR	NR	NR	ND	ND	ND	2 J	ND	9 J	ND	ND	ND	ND	ND	ND
1,2-Dichlorobenzene	NR	NR	NR	ND	ND	ND	1 J	ND	7 J	ND	ND	ND	ND	ND	ND
1,2-Dichloroethane	NR	ND	ND	ND	ND	ND	1 J	5 J	5 J	ND	ND	ND	ND	ND	ND
1,2-Dichloropropane	NR	NR	NR	ND	ND	ND	2 J	6 J	5 J	ND	ND	ND	ND	ND	ND
1,3,5-Trimethylbenzene	NR	NR	NR	ND	ND	ND	4	ND	5 J	ND	ND	ND	ND	ND	ND
1,3-Butadiene	NR	NR	NR	ND	ND	ND	ND	3 J	ND	ND	ND	ND	ND	ND	ND
1,3-Dichlorobenzene	NR	NR	NR	ND	ND	ND	1 J	ND	ND	ND	ND	ND	ND	ND	ND
1,4-Dichlorobenzene	NR	NR	NR	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.87 J
1,4-Dioxane	NR	NR	NR	ND	ND	ND	2	9	4 J	ND	ND	ND	ND	ND	ND
2,2,4-Trimethylpentane	NR	NR	NR	NR	NR	NR	NR	NR	NR	ND	ND	ND	ND	ND	ND
2-Butanone	NR	NR	NR	ND	ND	ND	7	5 J	3 J	ND	ND	ND	ND	ND	3.1 J
2-Hexanone	NR	NR	NR	ND	ND	ND	1 J	8	ND	ND	ND	ND	ND	ND	ND
2-Propanol	NR	NR	NR	NR	NR	NR	NR	NR	NR	ND	ND	ND	ND	ND	ND
3-Chloro-1-propane	NR	NR	NR	ND	ND	ND	1 J	4 J	ND	ND	ND	ND	ND	ND	ND
4-Ethyltoluene	NR	NR	NR	ND	ND	ND	4	ND	5 J	ND	1.7 J	ND	ND	ND	1.0 J
4-Methyl-2-pentanone	NR	NR	NR	NR	NR	NR	NR	NR	NR	ND	ND	ND	ND	ND	ND
Acetone	NR	NR	NR	10	ND	6	26	10	8	46	12 J	ND	7.4 J	ND	30
alpha-Chlorotoluene	NR	NR	NR	ND	ND	ND	1 J	ND	5 J	ND	ND	ND	ND	ND	ND
Acrylonitrile	NR	NR	NR	ND	ND	ND	0.8 J	4	ND	NR	NR	NR	NR	NR	NR
Benzene	NR	NR	NR	ND	ND	ND	2	4 J	4 J	ND	ND	1.5 J	ND	ND	1.2 J
Benzyl Chloride	NR	NR	NR	ND	ND	ND	1 J	ND	ND	NR	NR	NR	NR	NR	NR
Bromodichloromethane	NR	NR	NR	ND	ND	ND	2 J	8 J	7 J	ND	ND	ND	ND	ND	ND
Bromoform	NR	NR	NR	ND	ND	ND	3 J	ND	11 J	ND	ND	ND	ND	ND	ND
Bromomethane	NR	NR	NR	ND	ND	ND	1 J	6 J	5 J	ND	ND	ND	ND	ND	ND
Carbon Disulfide	NR	NR	NR	ND	ND	ND	1	5 J	4 J	ND	ND	6.3 J	ND	ND	1.2 J
Carbon Tetrachloride	NR	NR	NR	ND	ND	ND	3	9 J	8 J	ND	ND	ND	ND	ND	ND
Chlorobenzene	NR	NR	NR	ND	ND	ND	1 J	ND	5 J	ND	ND	10 J, B	ND	ND	ND
Chlorodibromomethane	NR	NR	NR	ND	ND	ND	2 J	9 J	10 J	NR	NR	NR	NR	NR	NR
Chloroethane	NR	NR	NR	ND	ND	ND	1 J	4 J	4 J	ND	ND	ND	ND	ND	ND
Chloroform	NR	NR	NR	ND	ND	ND	3	10	9 J	ND	2.2 J	5.8 J	ND	ND	ND
Chloromethane	NR	NR	NR	0.9	ND	ND	2	3 J	3 J	ND	ND	ND	ND	ND	ND
cis-1,2-Dichloroethene	2400	6500	3500	ND	1200	ND	1000	3500	2100	2200	2800 J	2200	4200	3700	8.6
cis-1,3-Dichloropropene	NR	NR	NR	ND	ND	ND	1 J	ND	ND	ND	ND	ND	ND	ND	ND
Cumene	NR	NR	NR	NR	NR	NR	NR	NR	NR	ND	ND	ND	ND	ND	ND
Cyclohexane	NR	NR	NR	ND	ND	ND	2	4 J	ND	ND	ND	ND	ND	ND	ND
Dichlorodifluoromethane	NR	NR	NR	2	ND	ND	4	9 J	8 J	ND	ND	ND	ND	ND	ND
Diisopropyl ether	NR	NR	NR	ND	ND	ND	ND	ND	ND	NR	NR	NR	NR	NR	NR
Ethanol	NR	NR	NR	4	4	6	20	10	ND	11 J	2.2 J	ND	ND	ND	6.9
Ethyl Acetate	NR	NR	NR	ND	ND	ND	ND	6 J	ND	NR	NR	NR	NR	NR	NR
Ethyl tert-butyl ether	NR	NR	NR	ND	ND	ND	1 J	4 J	ND	NR	NR	NR	NR	NR	NR
Ethylbenzene	NR	NR	NR	ND	ND	ND	4	ND	5 J	ND	ND	2.3 J	ND	ND	0.64 J
Freon 11	NR	NR	NR	NR	NR	NR	NR	NR	NR	ND	ND	ND	ND	ND	0.95 J
Freon 113	NR	NR	NR	ND	560	560	280	260	550	720	980	880	1900	1500	ND
Freon 114	NR	NR	NR	ND	ND	ND	2 J	10 J	9 J	ND	ND	ND	ND	ND	ND
Freon 12	NR	NR	NR	NR	NR	NR	NR	NR	NR	ND	ND	2.7 J	ND	3.2 J	2.2 J
Hepane	NR	NR	NR	ND	ND	ND	2	5 J	5 J	ND	ND	ND	ND	ND	0.76 J
Hexachlorobutadiene	NR	NR	NR	ND	ND	ND	5	ND	14 J	ND	ND	ND	ND	ND	ND
Hexane	NR	NR	NR	2	ND	2	7	5 J	4 J	ND	ND	ND	ND	ND	1.6 J
iso-Octane	NR	NR	NR	ND	ND	ND	3	7 J	6 J	NR	NR	NR	NR	NR	NR
Isopropylbenzene	NR	NR	NR	ND	ND	ND	2 J	ND	6 J	NR	NR	NR	NR	NR	NR
Isopropyl alcohol	NR	NR	NR	1	ND	ND	7	6	4 J	NR	NR	NR	NR	NR	NR
m,p-Xylene	NR	NR	NR	NR	NR	NR	NR	NR	NR	ND	1.1 J	3.8 J	ND	ND	1.9 J
Methyl Methacrylate	NR	NR	NR	ND	ND	ND	1 J	4 J	ND	NR	NR	NR	NR	NR	NR
Methyl-tert-Butyl-Ether	NR	NR	NR	ND	ND	ND	3	4 J	4 J	ND	ND	ND	ND	ND	ND
Methylene Chloride	NR	NR	NR	6	ND	14	28	9	6 J	ND	ND	ND	ND	ND	1.2 J
MIBK	NR	NR	NR	ND	ND	ND	1 J	5 J	ND	NR	NR	NR	NR	NR	NR
Naphthalene	NR	NR	NR	ND	ND	ND	7	ND	5 J	NR	NR	NR	NR	NR	NR
n-Butane	NR	NR	NR	ND	ND	3	5	4 J	ND	NR	NR	NR	NR	NR	NR
o-Xylene	NR	NR	NR	NR	NR	NR	NR	NR	NR	ND	ND	ND	ND	ND	0.92 J
p-Isopropyltoluene	NR	NR	NR	ND	ND	ND	2 J	ND	ND	NR	NR	NR	NR	NR	NR
n-Propylbenzene	NR	NR	NR	ND	ND	ND	3	ND	ND	ND	ND	ND	ND	ND	ND
Propylene	NR	NR	NR	ND	ND	ND	ND	ND	3 J	NR	NR	NR	NR	NR	NR
Styrene	NR	NR	NR	ND	ND	ND	1 J	ND	ND	ND	ND	ND	ND	ND	ND
tert-Amyl methyl ether	NR	NR	NR	ND	ND	ND	1 J	5 J	4 J	NR	NR	NR	NR	NR	NR
tert-Butyl Alcohol	NR	NR	NR	ND	ND	ND	2	4 J	3 J	NR	NR	NR	NR	NR	NR
Tetrachloroethene	20000	39000	21000	ND	2400	ND	1400	5800	6300	3800	4300	4600	4500	4200	69
Tetrahydrofuran	NR	NR	NR	ND	ND	ND	7	4 J	3 J	2.8 J	ND	8.2 J	ND	ND	ND
Toluene	NR	NR	NR	ND	ND	ND	8	4 J	4 J	ND	ND	2.5 J	ND	ND	4.7
Total Xylenes	NR	NR	NR	ND	ND	ND	20	ND	14 J	NR	NR	NR	NR	NR	NR
trans-1,2-Dichloroethene	130	70	30	ND	13	ND	14	25	22	26	31	27	55	40	ND
trans-1,3-Dichloropropene	NR	NR	NR	ND	ND	ND	1 J	ND	ND	ND	ND	ND	ND	ND	0.94 J
Trichloroethene	4600	6000	2400	ND	470	ND	420	1600	1300	1400	1400	1700	2300	2100	14
Trichlorofluoromethane	NR	NR	NR	ND	ND	ND	3	9 J	7 J	NR	NR	NR	NR	NR	NR
Vinyl Acetate	NR	NR	NR	ND	ND	ND	ND	5 J	4 J	NR	NR	NR	NR	NR	NR
Vinyl Bromide	NR	NR	NR	ND	ND	ND	2 J	6 J	ND	NR	NR	NR	NR	NR	NR
Vinyl Chloride	ND	12	ND	ND	ND	ND	2	5	5 J	ND	ND	ND	ND	ND	ND

Notes:
µg/m³ = micrograms per cubic meter
NR = Not Recorded
NA = Data not available
ND = Not detected above method detection limit

Table 5
Soil Vapor Extraction Containment System
Site 1, Former Drum Marshalling Yard
Naval Weapons Industrial Reserve Plant - Bethpage, NY
Quarterly Vapor Monitoring Results of SVE Wells
Through Second Quarter 2013

Sample ID	SVE 1050														
	12/21/09	03/31/10	06/09/10	09/16/10	12/08/10	03/30/11	06/28/11	09/06/11	12/02/11	02/10/12	05/11/12	09/11/12	12/05/12	01/15/13	05/16/13
Analysis by TO-15 (µg/m³)															
1,1,1-Trichloroethane	550	47	320	1000	590	ND	1 J	490	930	350	320	270	380	430	160
1,1,2,2-Tetrachloroethane	NR	NR	NR	ND	ND	ND	0.9 J	8 J	ND	ND	ND	ND	ND	ND	ND
1,1,2-Trichloroethane	NR	NR	NR	ND	ND	ND	0.8 J	6 J	ND	ND	ND	ND	ND	ND	ND
1,1-Dichloroethane	300	28	270	250	ND	ND	0.6 J	74	150	69	78	72	110	110	46
1,1-Dichloroethene	3.9	ND	ND	2	4	4	0.6 J	6 J	ND	ND	ND	ND	ND	ND	ND
1,2,3-Trichloropropane	NR	NR	NR	ND	ND	ND	0.9 J	7 J	ND	NR	NR	NR	NR	NR	NR
1,2,3-Trimethylbenzene	NR	NR	NR	2	ND	ND	3	ND	ND	NR	NR	NR	NR	NR	NR
1,2,4-Trichlorobenzene	NR	NR	NR	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2,4-Trimethylbenzene	NR	NR	NR	30	4	2	8	ND	ND	ND	3.4 J	2.8 J	ND	ND	ND
1,2-Dibromoethane	NR	NR	NR	ND	ND	ND	1 J	ND	ND	ND	ND	ND	ND	ND	ND
1,2-Dichlorobenzene	NR	NR	NR	ND	ND	ND	4	ND	ND	ND	ND	ND	ND	ND	ND
1,2-Dichloroethane	NR	ND	ND	ND	ND	ND	4	5 J	ND	ND	ND	ND	ND	ND	ND
1,2-Dichloropropane	NR	NR	NR	ND	ND	ND	0.7 J	5 J	ND	ND	ND	ND	ND	ND	ND
1,3,5-Trimethylbenzene	NR	NR	NR	6	ND	ND	2	ND	ND	ND	ND	ND	ND	ND	ND
1,3-Butadiene	NR	NR	NR	ND	ND	ND	0.4	3 J	ND	ND	ND	ND	ND	ND	ND
1,3-Dichlorobenzene	NR	NR	NR	ND	ND	ND	0.6 J	ND	ND	ND	ND	ND	ND	ND	ND
1,4-Dichlorobenzene	NR	NR	NR	ND	ND	ND	0.7 J	ND	ND	ND	ND	ND	ND	ND	ND
1,4-Dioxane	NR	NR	NR	ND	ND	ND	0.8	ND	ND	ND	ND	ND	ND	ND	ND
2,2,4-Trimethylpentane	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
2-Butanone	NR	NR	NR	7	2	2	4	6 J	ND	ND	ND	ND	ND	ND	ND
2-Hexanone	NR	NR	NR	ND	ND	ND	0.7 J	7 J	ND	ND	ND	ND	ND	ND	ND
2-Propanol	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
3-Chloro-1-propene	NR	NR	NR	ND	ND	ND	0.5 J	3 J	ND	ND	ND	ND	ND	ND	ND
4-Ethyltoluene	NR	NR	NR	5	ND	ND	2	ND	ND	ND	ND	ND	ND	ND	0.33 J
4-Methyl-2-pentanone	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Acetone	NR	NR	NR	35	5	11	22	10	5	ND	15 J	10 J	5.3 J	ND	10 J
alpha-Chlorotoluene	NR	NR	NR	ND	ND	ND	0.7 J	ND	ND	ND	ND	ND	ND	ND	ND
Acrylonitrile	NR	NR	NR	ND	ND	ND	0.4 J	4 J	ND	NR	NR	NR	NR	NR	NR
Benzene	NR	NR	NR	ND	1	3	1	4 J	ND	ND	ND	ND	ND	ND	ND
Benzyl Chloride	NR	NR	NR	ND	ND	ND	ND	ND	ND	NR	NR	NR	NR	NR	NR
Bromodichloromethane	NR	NR	NR	6	ND	ND	1 J	8 J	ND	ND	ND	ND	ND	ND	ND
Bromoform	NR	NR	NR	ND	ND	ND	1 J	ND	ND	ND	ND	ND	ND	ND	ND
Bromomethane	NR	NR	NR	ND	ND	ND	0.6 J	6 J	ND	ND	ND	ND	ND	ND	ND
Carbon Disulfide	NR	NR	NR	ND	ND	ND	0.8	4 J	ND	ND	ND	3.9 J	ND	ND	1.6 J
Carbon Tetrachloride	NR	NR	NR	3	6	ND	1	10 J	ND	4.0 J	8.1 J	ND	ND	6.3 J	14
Chlorobenzene	NR	NR	NR	ND	ND	ND	1	ND	ND	ND	ND	5.9 J, B	ND	ND	ND
Chlorodibromomethane	NR	NR	NR	ND	ND	ND	1 J	9 J	ND	NR	NR	NR	NR	NR	NR
Chloroethane	NR	NR	NR	1	1	ND	0.5 J	4 J	ND	ND	ND	ND	ND	ND	ND
Chloroform	NR	NR	NR	ND	4	ND	0.8 J	10 J	3 J	ND	2.7 J	3.8 J	ND	ND	1.9 J
Chloromethane	NR	NR	NR	1	ND	ND	2	3 J	ND	ND	ND	ND	ND	ND	ND
cis-1,2-Dichloroethene	61	36	85	300	ND	ND	0.7 J	150	380	190	220	150	210	200	73
cis-1,3-Dichloropropene	NR	NR	NR	ND	ND	ND	0.6 J	ND	ND	ND	ND	ND	ND	ND	ND
Cumene	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Cyclohexane	NR	NR	NR	ND	ND	1	0.8	ND	ND	ND	ND	ND	ND	ND	4.6
Dichlorodifluoromethane	NR	NR	NR	2	5	2	3	9 J	3 J	ND	ND	ND	ND	ND	ND
Diisopropyl ether	NR	NR	NR	2	ND	ND	ND	ND	ND	NR	NR	NR	NR	NR	NR
Ethanol	NR	NR	NR	8	2	26	12	10	10	5.2 J	ND	ND	ND	ND	5.2 J
Ethyl Acetate	NR	NR	NR	2	ND	ND	ND	ND	ND	NR	NR	NR	NR	NR	NR
Ethyl tert-butyl ether	NR	NR	NR	ND	ND	ND	0.6 J	4 J	ND	NR	NR	NR	NR	NR	NR
Ethylbenzene	NR	NR	NR	4	ND	2	3	ND	ND	ND	ND	ND	ND	ND	0.60 J
Freon 11	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Freon 113	NR	NR	NR	81	89	ND	2	62	40	18 J	43	37	64	58	19
Freon 114	NR	NR	NR	ND	ND	ND	1 J	10 J	ND	ND	ND	ND	ND	ND	ND
Freon 12	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Heptane	NR	NR	NR	ND	ND	1	0.9	5 J	ND	ND	ND	ND	ND	ND	ND
Hexachlorobutadiene	NR	NR	NR	ND	ND	ND	2 J	ND	ND	ND	ND	ND	ND	ND	ND
Hexane	NR	NR	NR	5	2	5	2	4 J	ND	ND	ND	ND	ND	ND	1.5 J
iso-Octane	NR	NR	NR	ND	ND	2	1	7 J	ND	NR	NR	NR	NR	NR	NR
Isopropylbenzene	NR	NR	NR	ND	ND	ND	0.8 J	ND	ND	NR	NR	NR	NR	NR	NR
Isopropyl alcohol	NR	NR	NR	2	ND	2	2	6	ND	NR	NR	NR	NR	NR	NR
m,p-Xylene	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Methyl Methacrylate	NR	NR	NR	ND	ND	ND	0.7 J	4 J	ND	NR	NR	NR	NR	NR	NR
Methyl-tert-Butyl-Ether	NR	NR	NR	ND	ND	ND	0.7 J	4 J	ND	ND	ND	ND	ND	ND	ND
Methylene Chloride	NR	NR	NR	16	5	2	6	8	3 J	8.4 J	ND	ND	ND	ND	18 J
MIBK	NR	NR	NR	ND	ND	ND	0.8 J	5 J	ND	NR	NR	NR	NR	NR	NR
Naphthalene	NR	NR	NR	9	ND	ND	4	ND	ND	NR	NR	NR	NR	NR	NR
n-Butane	NR	NR	NR	ND	2	13	2	4 J	ND	NR	NR	NR	NR	NR	NR
o-Xylene	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
p-Isopropyltoluene	NR	NR	NR	ND	ND	ND	0.8 J	ND	ND	NR	NR	NR	NR	NR	NR
n-Propylbenzene	NR	NR	NR	3	ND	ND	1	ND	ND	ND	ND	ND	ND	ND	ND
Propylene	NR	NR	NR	2	ND	1	ND	ND	ND	NR	NR	NR	NR	NR	NR
Styrene	NR	NR	NR	ND	ND	ND	0.7 J	ND	ND	ND	ND	ND	ND	ND	ND
tert-Amyl methyl ether	NR	NR	NR	ND	ND	ND	0.6 J	5 J	ND	NR	NR	NR	NR	NR	NR
tert-Butyl Alcohol	NR	NR	NR	3	ND	ND	0.9	4 J	ND	NR	NR	NR	NR	NR	NR
Tetrachloroethene	2100	1.1	650	270	420	ND	2	240	330	140	220	270	350	330	100
Tetrahydrofuran	NR	NR	NR	6	3	2	3	5 J	2 J	ND	1.6 J	1.3 J	ND	ND	ND
Toluene	NR	NR	NR	3	2	8	14	4 J	ND	ND	ND	ND	ND	ND	17
Total Xylenes	NR	NR	NR	22	ND	10	20	ND	NR	NR	NR	NR	NR	NR	NR
trans-1,2-Dichloroethene	19	1.1	3.1	3	ND	ND	0.6 J	7 J	3 J	ND	ND	ND	ND	ND	1.4 J
trans-1,3-Dichloropropene	NR	NR	NR	ND	ND	ND	0.5 J	ND	ND	ND	ND	ND	ND	ND	ND
Trichloroethene	1700	68	200	1100	1400	1	2	3000	7000	3600	4500	2200	3800	3800	1400
Trichlorofluoromethane	NR	NR	NR	ND	3	1	2	9 J	ND	NR	NR	NR	NR	NR	NR
Vinyl Acetate	NR	NR	NR	2	ND	ND	ND	4 J	ND	NR	NR	NR	NR	NR	NR
Vinyl Bromide	NR	NR	NR	ND	ND	ND	0.8 J	6 J	ND	NR	NR	NR	NR	NR	NR
Vinyl Chloride	ND	ND	ND	ND	ND	ND	0.4 J	4 J	ND	ND	ND	ND	ND	ND	ND

Notes:
 µg/m³ = micrograms per cubic meter
 NR = Not Recorded
 NA = Data not available
 ND = Not detected above method detection limit

Table 5
Soil Vapor Extraction Containment System
Site 1, Former Drum Marshalling Yard
Naval Weapons Industrial Reserve Plant - Bethpage, NY
Quarterly Vapor Monitoring Results of SVE Wells
Through Second Quarter 2013

Sample ID	SVE 1061														
	12/21/09	03/31/10	06/09/10	09/16/10	12/08/10	03/30/11	06/28/11	09/06/11	10/14/11	02/10/12	05/11/12	09/11/12	12/05/12	01/15/13	05/16/13
Analysis by TO 15 (µg/m ³)															
1,1,1-Trichloroethane	220	8.6	ND	4	ND	NA	6	3	7	1.0 J	2.2 J	1.1	ND	ND	ND
1,1,2,2-Tetrachloroethane	NR	NR	NR	ND	ND	NA	1 J	0.8 J	1 J	ND	ND	ND	ND	ND	ND
1,1,2-Trichloroethane	NR	NR	NR	ND	ND	NA	0.7 J	0.6 J	0.8 J	ND	ND	ND	ND	ND	ND
1,1-Dichloroethane	120	ND	ND	1	ND	NA	1	0.5 J	1	0.62 J	0.70 J	1.6 J	2.5 J	1.9 J	ND
1,1-Dichloroethene	ND	ND	ND	ND	ND	NA	0.6 J	2	0.6 J	ND	ND	ND	ND	ND	ND
1,2,3-Trichloropropane	NR	NR	NR	ND	ND	NA	0.9 J	0.6 J	0.9 J	NR	NR	NR	NR	NR	NR
1,2,3-Trimethylbenzene	NR	NR	NR	9	ND	NA	9	1	2	NR	NR	NR	NR	NR	NR
1,2,4-Trichlorobenzene	NR	NR	NR	2	ND	NA	2	ND	0.8 J	ND	ND	ND	ND	ND	ND
1,2,4-Trimethylbenzene	NR	NR	NR	29	ND	NA	29	3	6	1.1 J	2.2 J	3.2 J	1.2 J	ND	ND
1,2-Dibromoethane	NR	NR	NR	ND	ND	NA	1 J	ND	1 J	ND	ND	ND	ND	ND	ND
1,2-Dichlorobenzene	NR	NR	NR	1	ND	NA	0.7 J	ND	0.9 J	ND	ND	ND	ND	ND	ND
1,2-Dichloroethane	NR	ND	ND	0.8	ND	NA	0.6 J	0.5 J	0.6 J	ND	ND	ND	ND	ND	ND
1,2-Dichloropropane	NR	NR	NR	ND	ND	NA	0.7 J	ND	0.7 J	ND	ND	ND	ND	ND	ND
1,3,5-Trimethylbenzene	NR	NR	NR	6	ND	NA	5	0.9 J	1	ND	ND	0.84 J	ND	ND	ND
1,3-Butadiene	NR	NR	NR	1	ND	NA	ND	2	0.6	ND	0.87 J	ND	ND	ND	ND
1,3-Dichlorobenzene	NR	NR	NR	ND	ND	NA	ND	ND	0.7 J	ND	ND	ND	ND	ND	ND
1,4-Dichlorobenzene	NR	NR	NR	ND	ND	NA	0.7 J	2	0.7 J	ND	ND	0.74 J	0.36 J	ND	ND
1,4-Dioxane	NR	NR	NR	ND	ND	NA	0.7	0.5 J	0.6 J	ND	ND	ND	ND	ND	ND
2,2,4-Trimethylpentane	NR	NR	NR	NR	NR	NR	NR	NR	NR	ND	120	ND	ND	620	ND
2-Butanone	NR	NR	NR	4	ND	NA	7	0.5 J	2	0.70 J	ND	ND	ND	ND	ND
2-Hexanone	NR	NR	NR	ND	ND	NA	1	0.6 J	0.5 J	ND	ND	ND	ND	ND	ND
2-Propanol	NR	NR	NR	NR	NR	NR	NR	NR	NR	ND	ND	ND	ND	2.1 J	5.5 J
3-Chloro-1-propene	NR	NR	NR	ND	ND	NA	0.4 J	0.5 J	0.4 J	ND	ND	ND	ND	ND	ND
4-Ethyltoluene	NR	NR	NR	5	ND	NA	5	1	1	0.37 J	2.0 J	2.5 J	0.93 J	ND	ND
4-Methyl-2-pentanone	NR	NR	NR	NR	NR	NR	NR	NR	NR	ND	ND	ND	ND	ND	ND
Acetone	NR	NR	NR	5	5	NA	22	11	9	5.6 J	9.5 J	3.7 J	7.5 J	8.6 J	16 J
alpha-Chlorotoluene	NR	NR	NR	ND	ND	NA	0.6 J	ND	0.7 J	ND	ND	ND	ND	ND	ND
Acrylonitrile	NR	NR	NR	0.4	ND	NA	0.4 J	0.4 J	ND	NR	NR	NR	NR	NR	NR
Benzene	NR	NR	NR	0.8	ND	NA	0.9	0.9	0.6 J	ND	ND	ND	ND	3.7	0.94 J
Benzyl Chloride	NR	NR	NR	1	ND	NA	0.7 J	ND	ND	NR	NR	NR	NR	NR	NR
Bromodichloromethane	NR	NR	NR	ND	ND	NA	0.8 J	0.5 J	1 J	ND	ND	ND	ND	ND	ND
Bromoform	NR	NR	NR	ND	ND	NA	1 J	0.3 J	2 J	ND	ND	ND	ND	ND	ND
Bromomethane	NR	NR	NR	0.9	ND	NA	0.6 J	2	0.6 J	ND	ND	ND	ND	ND	ND
Carbon Disulfide	NR	NR	NR	0.8	ND	NA	0.8	0.5 J	0.6	ND	ND	2.2 J	ND	ND	6.3 J
Carbon Tetrachloride	NR	NR	NR	2	ND	NA	1	ND	3	0.91 J	0.55 J	ND	2.9 J	2.0 J	ND
Chlorobenzene	NR	NR	NR	ND	ND	NA	0.7 J	0.3 J	0.7 J	ND	ND	2.5 J, 8	ND	ND	ND
Chlorodibromomethane	NR	NR	NR	ND	ND	NA	1 J	1	1 J	NR	NR	NR	NR	NR	NR
Chloroethane	NR	NR	NR	0.6	ND	NA	0.7	0.8	0.5 J	ND	ND	ND	ND	ND	ND
Chloroform	NR	NR	NR	1	ND	NA	2	0.4 J	2	ND	1.4 J	1.5 J	ND	ND	ND
Chloromethane	NR	NR	NR	0.8	0.8	NA	2	ND	0.4	ND	ND	ND	ND	ND	ND
cis-1,2-Dichloroethene	46	ND	ND	4	ND	NA	6	0.5 J	4	1.6 J	2.3 J	7.5	5.4	3.7	ND
cis-1,3-Dichloropropene	NR	NR	NR	ND	ND	NA	0.6 J	ND	0.5 J	ND	ND	ND	ND	ND	ND
Cumene	NR	NR	NR	NR	NR	NR	NR	NR	NR	ND	ND	ND	ND	ND	ND
Cyclohexane	NR	NR	NR	ND	ND	NA	0.6 J	ND	0.4 J	ND	2.9	ND	ND	ND	1.1 J
Dichlorodifluoromethane	NR	NR	NR	3	2	NA	3	0.8 J	3	ND	ND	ND	ND	ND	ND
Diisopropyl ether	NR	NR	NR	ND	ND	NA	ND	ND	ND	NR	NR	NR	NR	NR	NR
Ethanol	NR	NR	NR	3	2	NA	15	9	1	1.6 J	ND	ND	ND	3.4 J	8.8
Ethyl Acetate	NR	NR	NR	ND	ND	NA	ND	ND	ND	NR	NR	NR	NR	NR	NR
Ethyl tert-butyl ether	NR	NR	NR	ND	ND	NA	0.6 J	0.4 J	0.5 J	NR	NR	NR	NR	NR	NR
Ethylbenzene	NR	NR	NR	3	ND	NA	4	2	1	ND	3.6	1.4 J	ND	ND	ND
Freon 11	NR	NR	NR	NR	NR	NR	NR	NR	NR	1.2 J	0.96 J	1.5 J	1.3 J	1.4 J	1.6 J
Freon 113	NR	NR	NR	4	ND	NA	5	4	12	12	6.5	3.0 J	13	22	ND
Freon 114	NR	NR	NR	2	ND	NA	1 J	0.9 J	1 J	ND	ND	ND	ND	ND	ND
Freon 12	NR	NR	NR	NR	NR	NR	NR	NR	NR	2.1 J	2.2 J	2.9 J	2.7 J	3.0 J	2.4 J
Heptane	NR	NR	NR	ND	ND	NA	0.8 J	0.7 J	0.5 J	ND	7.6	ND	ND	29	1.0 J
Hexachlorobutadiene	NR	NR	NR	2	ND	NA	2 J	1 J	2 J	ND	ND	ND	ND	ND	ND
Hexane	NR	NR	NR	0.8	ND	NA	1	1	1	ND	ND	ND	ND	7.4	1.5 J
Iso-Octane	NR	NR	NR	1	ND	NA	19	0.9 J	0.8 J	NR	NR	NR	NR	NR	NR
Isopropylbenzene	NR	NR	NR	1	ND	NA	1	0.5 J	0.7 J	NR	NR	NR	NR	NR	NR
Isopropyl alcohol	NR	NR	NR	1	ND	NA	13	1	1	NR	NR	NR	NR	NR	NR
m,p-Xylene	NR	NR	NR	NR	NR	NA	NR	NR	NR	0.80 J	15	2.5 J	1.0 J	0.90 J	0.82 J
Methyl Methacrylate	NR	NR	NR	ND	ND	NA	0.5 J	ND	0.5 J	NR	NR	NR	NR	NR	NR
Methyl tert-butyl ether	NR	NR	NR	ND	ND	NA	0.7 J	0.5 J	0.7	ND	ND	ND	ND	ND	ND
Methylene Chloride	NR	NR	NR	2	0.8	NA	6	2	5	0.71 J	2.0 J	ND	ND	1.2 J	7.8 J
MIBK	NR	NR	NR	ND	ND	NA	0.8 J	0.4 J	0.5 J	NR	NR	NR	NR	NR	NR
Naphthalene	NR	NR	NR	6	ND	NA	26	1	2	NR	NR	NR	NR	NR	NR
n-Butane	NR	NR	NR	0.8	0.5	NA	1	0.5 J	ND	NR	NR	NR	NR	NR	NR
o-Xylene	NR	NR	NR	NR	NR	NA	NR	NR	NR	ND	5.9	0.93 J	ND	ND	ND
p-Isopropyltoluene	NR	NR	NR	2	ND	NA	1	ND	0.8 J	NR	NR	NR	NR	NR	NR
n-Propylbenzene	NR	NR	NR	3	ND	NA	3	0.7 J	0.9 J	ND	0.48 J	0.54 J	ND	ND	ND
Propylene	NR	NR	NR	ND	ND	NA	ND	ND	ND	NR	NR	NR	NR	NR	NR
Styrene	NR	NR	NR	ND	ND	NA	0.7 J	ND	0.5 J	ND	ND	ND	ND	ND	ND
tert-Amyl methyl ether	NR	NR	NR	ND	ND	NA	0.6 J	0.4 J	0.6 J	NR	NR	NR	NR	NR	NR
tert-Butyl Alcohol	NR	NR	NR	0.9	ND	NA	2	1 J	0.8	NR	NR	NR	NR	NR	NR
Tetrachloroethene	390	35	ND	15	ND	NA	15	7	19	4.3 J	7.2	27	14	7.0	0.73 J
Tetrahydrofuran	NR	NR	NR	6	ND	NA	8	2	2	0.87 J	1.2 J	ND	2.5	ND	ND
Toluene	NR	NR	NR	2	ND	NA	5	3	1	0.44 J	3.4	0.93 J	0.73 J	4.8	7.5
Total Xylenes	NR	NR	NR	17	ND	NA	22	8	6	NR	NR	NR	NR	NR	NR
trans-1,2-Dichloroethene	7.9	ND	3.1	0.9	ND	NA	0.8	0.5 J	0.7 J	ND	ND	ND	ND	ND	ND
trans-1,3-Dichloropropene	NR	NR	NR	ND	ND	NA	0.6 J	ND	ND	ND	ND	ND	ND	ND	ND
Trichloroethene	1900	41	ND	140	10	NA	210	92	190	69	110	260	180	110	5.5
Trichlorofluoromethane	NR	NR	NR	2	1	NA	2	2	2	NR	NR	NR	NR	NR	NR
Vinyl Acetate	NR	NR	NR	1	ND	NA	3	ND	ND	NR	NR	NR	NR	NR	NR
Vinyl Bromide	NR	NR	NR	0.9	ND	NA	0.7 J	0.5 J	0.7 J	NR	NR	NR	NR	NR	NR
Vinyl Chloride	ND	ND	ND	0.5	ND	NA	0.4 J	0.3 J	0.4 J	ND	ND	ND	ND	ND	ND

Notes:
µg/m³ = micrograms per cubic meter
NR = Not Recorded
NA = Data not available
ND = Not detected above method detection limit

Table 5
Soil Vapor Extraction Containment System
Site 1, Former Drum Marshalling Yard
Naval Weapons Industrial Reserve Plant - Bethpage, NY
Quarterly Vapor Monitoring Results of SVE Wells
Through Second Quarter 2013

Sample ID	SVE 106D														
	12/21/09	03/31/10	06/09/10	09/16/10	12/08/10	03/30/11	06/28/11	09/06/11	10/14/11	02/10/12	05/11/12	09/11/12	12/05/12	01/15/13	05/16/13
Analysis by TO-15 (µg/m³)															
1,1,1-Trichloroethane	340	32	30	20	12	9	20	23	29	ND	11	26	18	ND	ND
1,1,2,2-Tetrachloroethane	NR	NR	NR	ND	ND	ND	ND	0.9 J	1 J	ND	ND	ND	ND	ND	ND
1,1,2-Trichloroethane	NR	NR	NR	ND	ND	ND	ND	0.7 J	0.9 J	ND	ND	ND	ND	ND	ND
1,1-Dichloroethane	250	6.3	ND	5	2	5	4	3	3	ND	3.0	4.3	5.8	ND	ND
1,1-Dichloroethene	ND	ND	ND	ND	ND	ND	0.5 J	0.7 J	0.8	ND	ND	ND	ND	ND	ND
1,2,3-Trichloropropane	NR	NR	NR	ND	ND	ND	ND	0.7 J	1 J	NR	NR	NR	NR	NR	NR
1,2,3-Trimethylbenzene	NR	NR	NR	8	ND	ND	6	ND	2	NR	NR	NR	NR	NR	NR
1,2,4-Trichlorobenzene	NR	NR	NR	NR	ND	ND	1 J	ND	0.9 J	ND	1.9 J	ND	ND	ND	ND
1,2,4-Trimethylbenzene	NR	NR	NR	17	2	2	23	ND	4	ND	ND	3.6 J	1.3 J	ND	ND
1,2-Dibromoethane	NR	NR	NR	ND	ND	ND	ND	ND	1 J	ND	ND	ND	ND	ND	ND
1,2-Dichlorobenzene	NR	NR	NR	ND	ND	ND	ND	ND	1 J	ND	ND	ND	ND	ND	ND
1,2-Dichloroethane	NR	ND	ND	ND	ND	ND	ND	0.6 J	0.7 J	ND	ND	ND	ND	ND	ND
1,2-Dichloropropane	NR	NR	NR	ND	ND	ND	ND	0.6 J	0.8 J	ND	ND	ND	ND	ND	ND
1,3,5-Trimethylbenzene	NR	NR	NR	6	ND	ND	4	ND	1	ND	2.3 J	0.97 J	ND	ND	ND
1,3-Butadiene	NR	NR	NR	ND	ND	ND	ND	0.3 J	ND	ND	ND	ND	ND	ND	ND
1,3-Dichlorobenzene	NR	NR	NR	ND	ND	ND	ND	ND	0.8 J	ND	ND	ND	ND	ND	ND
1,4-Dichlorobenzene	NR	NR	NR	ND	ND	ND	ND	ND	0.8 J	ND	ND	0.87 J	ND	ND	ND
1,4-Dioxane	NR	NR	NR	ND	ND	ND	0.5 J	0.7 J	0.7 J	ND	ND	ND	ND	ND	ND
2,2,4-Trimethylpentane	NR	NR	NR	NR	NR	NR	NR	NR	NR	ND	390	1.2 J	ND	0.76 J	ND
2-Butanone	NR	NR	NR	8	2	0.8	5	1	2	ND	ND	4.0 J	ND	ND	ND
2-Hexanone	NR	NR	NR	ND	ND	ND	ND	0.5 J	0.8 J	ND	ND	ND	ND	ND	ND
2-Propanol	NR	NR	NR	NR	NR	NR	NR	NR	NR	ND	ND	ND	ND	ND	1.8 J
3-Chloro-1-propene	NR	NR	NR	ND	ND	ND	ND	0.4 J	0.4 J	ND	ND	ND	ND	ND	ND
4-Ethyltoluene	NR	NR	NR	6	ND	ND	4	ND	1	ND	2.8 J	2.9 J	ND	ND	0.47 J
4-Methyl-2-pentanone	NR	NR	NR	NR	NR	NR	NR	NR	NR	ND	ND	ND	ND	ND	ND
Acetone	NR	NR	NR	25	9	5	11	6	6	4.8 J	13 J	11 J	5.8 J	5.4 J	10 J
alpha-Chlorotoluene	NR	NR	NR	ND	ND	ND	ND	ND	0.9 J	ND	ND	ND	ND	ND	ND
Acrylonitrile	NR	NR	NR	ND	ND	ND	0.4 J	0.4 J	ND	NR	NR	NR	NR	NR	NR
Benzene	NR	NR	NR	ND	ND	ND	2	0.5 J	0.6 J	0.58 J	1.5 J	1.1 J	ND	0.66 J	1.1 J
Benzyl Chloride	NR	NR	NR	ND	ND	ND	ND	ND	0.6 J	NR	NR	NR	NR	NR	NR
Bromodichloromethane	NR	NR	NR	ND	ND	ND	ND	0.9 J	1 J	ND	ND	ND	ND	ND	ND
Bromoform	NR	NR	NR	ND	ND	ND	ND	ND	2 J	ND	ND	ND	ND	ND	ND
Bromomethane	NR	NR	NR	ND	ND	ND	ND	0.6 J	0.7 J	ND	ND	ND	ND	ND	ND
Carbon Disulfide	NR	NR	NR	ND	ND	ND	0.6 J	0.6 J	0.6	ND	ND	ND	8.1 J	ND	1.3 J
Carbon Tetrachloride	NR	NR	NR	8	26	17	9	6	18	ND	18	5.6	19	ND	ND
Chlorobenzene	NR	NR	NR	ND	ND	ND	ND	0.5 J	0.8 J	ND	ND	3.1 J, B	1.0 J	ND	ND
Chlorodibromomethane	NR	NR	NR	ND	ND	ND	ND	1 J	1 J	NR	NR	NR	NR	NR	NR
Chloroethane	NR	NR	NR	ND	ND	ND	0.4 J	0.4 J	0.4 J	ND	ND	ND	ND	ND	ND
Chloroform	NR	NR	NR	ND	2	2	5	5	5	ND	6.4	6.9	6.6	ND	ND
Chloromethane	NR	NR	NR	3	1	0.5	0.7	0.5	0.6	1.2 J	ND	ND	ND	ND	ND
cis-1,2-Dichloroethene	79	13	11	13	2	11	11	5	4	ND	4.1	7.1	8.2	ND	ND
cis-1,3-Dichloropropene	NR	NR	NR	ND	ND	ND	ND	ND	0.7 J	ND	ND	ND	ND	ND	ND
Cumene	NR	NR	NR	NR	NR	NR	NR	NR	NR	ND	1.4 J	ND	ND	ND	ND
Cyclohexane	NR	NR	NR	ND	ND	ND	1	0.4 J	0.4 J	ND	7.0	ND	0.83 J	ND	ND
Dichlorodifluoromethane	NR	NR	NR	6	3	3	4	2	3	ND	ND	ND	ND	ND	ND
Diisopropyl ether	NR	NR	NR	ND	ND	ND	ND	ND	1 J	NR	NR	NR	NR	NR	NR
Ethanol	NR	NR	NR	8	3	2	17	4	ND	2.3 J	ND	8.8	2.3 J	3.7 J	7.2
Ethyl Acetate	NR	NR	NR	ND	ND	ND	ND	ND	ND	NR	NR	NR	NR	NR	NR
Ethyl tert-butyl ether	NR	NR	NR	ND	ND	ND	ND	0.6 J	0.6 J	NR	NR	NR	NR	NR	NR
Ethylbenzene	NR	NR	NR	5	ND	ND	5	ND	1	ND	6.3	1.2 J	ND	ND	ND
Freon 11	NR	NR	NR	NR	NR	NR	NR	NR	NR	1.2 J	1.3 J	2.7 J	2.0 J	1.4 J	1.3 J
Freon 113	NR	NR	NR	ND	18	30	16	25	25	ND	15	13	24	ND	ND
Freon 114	NR	NR	NR	ND	ND	ND	ND	1 J	1 J	ND	ND	ND	ND	ND	ND
Freon 12	NR	NR	NR	NR	NR	NR	NR	NR	NR	1.1 J	2.3 J	3.3 J	2.6 J	2.8 J	2.5 J
Heptane	NR	NR	NR	ND	ND	ND	1	0.4 J	0.6 J	0.82 J	18	1.0 J	ND	ND	ND
Hexachlorobutadiene	NR	NR	NR	ND	ND	ND	ND	1 J	2 J	ND	ND	ND	ND	ND	ND
Hexane	NR	NR	NR	3	ND	ND	3	2	0.6 J	ND	ND	1.8 J	0.59 J	ND	1.5 J
iso-Octane	NR	NR	NR	ND	ND	ND	130	0.7 J	0.8 J	NR	NR	NR	NR	NR	NR
Isopropylbenzene	NR	NR	NR	ND	ND	ND	0.8 J	0.5 J	0.8 J	NR	NR	NR	NR	NR	NR
Isopropyl alcohol	NR	NR	NR	5	ND	2	3	2	ND	NR	NR	NR	NR	NR	NR
m,p-Xylene	NR	NR	NR	NR	NR	NR	NR	NR	NR	ND	21	4.2	1.1 J	ND	2.0 J
Methyl Methacrylate	NR	NR	NR	ND	ND	ND	ND	0.4 J	0.4 J	NR	NR	NR	NR	NR	NR
Methyl-tert-Butyl-Ether	NR	NR	NR	ND	ND	ND	ND	1	0.5 J	ND	ND	ND	ND	ND	ND
Methylene Chloride	NR	NR	NR	4	2	4	5	17	1	3.9	ND	1.7 J	1.2 J	0.72 J	0.86 J
MIBK	NR	NR	NR	ND	ND	ND	0.5 J	0.4 J	0.6 J	NR	NR	NR	NR	NR	NR
Naphthalene	NR	NR	NR	8	ND	ND	25	ND	3	NR	NR	NR	NR	NR	NR
n-Butane	NR	NR	NR	ND	1	0.9	6	0.9	ND	NR	NR	NR	NR	NR	NR
o-Xylene	NR	NR	NR	NR	NR	NR	NR	NR	NR	ND	24	1.9 J	ND	ND	0.60 J
p-Isopropyltoluene	NR	NR	NR	ND	ND	ND	0.7 J	ND	0.9 J	NR	NR	NR	NR	NR	NR
n-Propylbenzene	NR	NR	NR	ND	ND	ND	2	ND	0.9 J	ND	0.45 J	1.0 J	ND	ND	ND
Propylene	NR	NR	NR	ND	ND	ND	ND	ND	ND	NR	NR	NR	NR	NR	NR
Styrene	NR	NR	NR	ND	ND	ND	ND	ND	0.6 J	ND	ND	ND	ND	ND	ND
tert-Amyl methyl ether	NR	NR	NR	ND	ND	ND	ND	0.5 J	0.6 J	NR	NR	NR	NR	NR	NR
tert-Butyl Alcohol	NR	NR	NR	4	ND	ND	0.6 J	0.5 J	ND	NR	NR	NR	NR	NR	NR
Tetrachloroethene	720	65	70	ND	13	19	41	8	66	ND	28	62	48	ND	1.3 J
Tetrahydrofuran	NR	NR	NR	8	2	1	7	2	2	ND	1.1 J	4.0	1.8 J	ND	ND
Toluene	NR	NR	NR	5	2	2	11	0.5 J	3	0.81 J	11	15	6.6	0.60 J	5.5
Total Xylenes	NR	NR	NR	21	ND	ND	25	ND	6	NR	NR	NR	NR	NR	NR
trans-1,2-Dichloroethene	15	ND	ND	ND	ND	ND	0.6 J	0.8	0.9	ND	ND	ND	ND	ND	ND
trans-1,3-Dichloropropene	NR	NR	NR	ND	ND	ND	ND	ND	0.6 J	ND	ND	ND	ND	ND	ND
Trichloroethene	3400	600	900	230	130	170	210	260	320	ND	180	380	300	ND	ND
Trichlorofluoroethane	NR	NR	NR	6	2	2	3	2	3	NR	NR	NR	NR	NR	NR
Vinyl Acetate	NR	NR	NR	4	ND	ND	ND	ND	ND	NR	NR	NR	NR	NR	NR
Vinyl Bromide	NR	NR	NR	ND	ND	ND	ND	0.6 J	0.9	NR	NR	NR	NR	NR	NR
Vinyl Chloride	ND	1.6	ND	ND	ND	ND	ND	0.4 J	0.5 J	ND	ND	ND	ND	ND	ND

Notes:
µg/m³ = micrograms per cubic meter
NR = Not Recorded
NA = Data not available
ND = Not detected above method detection limit

Table 6
Soil Vapor Extraction Containment System
Site 1, Former Drum Marshalling Yard
Naval Weapons Industrial Reserve Plant - Bethpage, NY
Second Quarter 2013 Off-site Soil Vapor Monitoring of SVPMs

SVPM/ SVEW Location	Vacuum Reading (i.w.)	Valve Position (% open)
Monitoring Date:	5/29/13	5/29/13
BPS1-SVPM2001S	0.02	--
BPS1-SVPM2001I	0.10	--
BPS1-SVPM2001D	0.01	--
BPS1-SVPM2002S	0.06	--
BPS1-SVPM2002I	0.10	--
BPS1-SVPM2002D	0.10	--
BPS1-SVPM2003S	0.04	--
BPS1-SVPM2003I	0.10	--
BPS1-SVPM2003D	0.05	--
BPS1-SVPM2004S	0.03	--
BPS1-SVPM2004I	0.04	--
BPS1-SVPM2004D	0.04	--
BPS1-SVPM2006S	0.02	--
BPS1-SVPM2006I	0.01	--
BPS1-SVPM2006D	0.02	--
BPS1-SVPM2007S	0.04	--
BPS1-SVPM2007I	0.04	--
BPS1-SVPM2007D	0.02	--
SV-101I	6.0	30
SV-101D	16.0	30
SV-102I	3.0	30
SV-102D	22.0	30
SV-103I	4.0	30
SV-103D	24.2	30
SV-104I	4.0	30
SV-104D	10.0	30
SV-105I	7.5	30
SV-105D	8.0	30
SV-106I	8.0	30
SV-106D	11.0	30

Notes:

i.w. = inches of water column

SVEW = soil vapor extraction well

SVPM = soil vapor pressure monitor

Vacuum readings for the SVPMs were measured using a portable

Magnehelic® Differential Pressure Gauge 2000-0, with a range of 0-0.50

i.w. Vacuum readings for SVEWs were recorded from dedicated in-line pressure gauges.

Table 7
Soil Vapor Extraction Containment System
Site 1, Former Drum Marshalling Yard
Naval Weapons Industrial Reserve Plant - Bethpage, NY
Historical Quarterly Off-site Soil Vapor Monitoring of SVPMs
Through Second Quarter 2013


SVPM/ SVEW Location	Third Quarter 2012		Fourth Quarter 2012		First Quarter 2013			Second Quarter 2013	
	Vacuum Reading (i.w.)	Valve Position (% open)	Vacuum Reading (i.w.)	Valve Position (% open)	Vacuum Reading (i.w.) Pre-Vapor Sample Collection	Vacuum Reading (i.w.) Post-Vapor Sample Collection	Valve Position (% open)	Vacuum Reading (i.w.)	Valve Position (% open)
Monitoring Date:	10/10/2012		12/6/2012		1/15/13	1/16/13	1/15/13	5/29/13	5/29/13
BPS1-SVPM2001S	0.01	--	0.02	--	0.01	0.01	--	0.02	--
BPS1-SVPM2001I	0.01	--	0.02	--	0.02	0.01	--	0.10	--
BPS1-SVPM2001D	0.01	--	0.01	--	0.01	0.01	--	0.01	--
BPS1-SVPM2002S	0.02	--	0.01	--	0.02	0.02	--	0.06	--
BPS1-SVPM2002I	0.11	--	0.10	--	0.01	0.02	--	0.10	--
BPS1-SVPM2002D	0.12	--	0.10	--	0.01	0.01	--	0.10	--
BPS1-SVPM2003S	0.01	--	0.01	--	0.03	0.02	--	0.04	--
BPS1-SVPM2003I	0.04	--	0.02	--	0.03	0.04	--	0.10	--
BPS1-SVPM2003D	0.04	--	0.02	--	0.01	0.04	--	0.05	--
BPS1-SVPM2004S	0.04	--	0.04	--	0.03	0.02	--	0.03	--
BPS1-SVPM2004I	0.04	--	0.04	--	0.02	0.01	--	0.04	--
BPS1-SVPM2004D	0.06	--	0.04	--	0.03	0.01	--	0.04	--
BPS1-SVPM2006S	0.01	--	0.01	--	0.01	0.01	--	0.02	--
BPS1-SVPM2006I	0.01	--	0.01	--	0.01	0.01	--	0.01	--
BPS1-SVPM2006D	0.02	--	0.02	--	0.01	0.01	--	0.02	--
BPS1-SVPM2007S	0.01	--	0.01	--	0.01	0.01	--	0.04	--
BPS1-SVPM2007D	0.01	--	0.01	--	0.01	0.01	--	0.04	--
BPS1-SVPM2007I	0.01	--	0.01	--	0.01	0.01	--	0.02	--
SV-101I	5	60	7	30	10	--	30	6.0	30
SV-101D	10	60	16	30	16	--	30	16.0	30
SV-102I	5	40	3	30	16	--	30	3.0	30
SV-102D	10	40	18	30	10	--	30	22.0	30
SV-103I	5	40	2	30	20	--	30	4.0	30
SV-103D	8	40	24	30	10	--	30	24.2	30
SV-104I	8	40	6	30	20	--	30	4.0	30
SV-104D	11	40	10	30	10	--	30	10.0	30
SV-105I	5	40	9	30	16	--	30	7.5	30
SV-105D	8	40	7	30	8	--	30	8.0	30
SV-106I	5	40	8	30	16	--	30	8.0	30
SV-106D	8	40	12	30	10	--	30	11.0	30

Notes:

i.w. = inches of water column
 SVEW = soil vapor extraction well
 SVPM = soil vapor pressure monitor

Vacuum readings for the SVPMs were measured using a portable Magnehelic® Differential Pressure Gauge 20000, with a range of 0-0.50 i.w. Vacuum readings for SVEWs were recorded from dedicated in-line vacuum gauges.

FIGURES




Department of the Navy
 Naval Facilities Engineering Command, Mid-Atlantic
 Site 1, Former Drum Marshalling Area
 Naval Weapons Industrial Reserve Plant
 Bethpage, NY

Figure 1: Site Location Map

Source: U.S.G.S. Topographic Maps (7.5 Minute)
 Amityville, Freeport, Hicksville, Huntington, NY Quadrangles

H&S Environmental, Inc.



ASSEMBLY POINT

SITE ENTRANCE



EMERGENCY EVACUATION/EGRESS ROUTE TO MAIN ROAD-OLD SOUTH OYSTER BAY ROAD

OLD SOUTH OYSTER BAY ROAD

SITE 1

SYCAMORE AVE.

11 TH. ST.

10 TH. ST.

MAPLE AVE.

BLDG. NO. 03-36


TREATMENT BUILDING

Department of the Navy
 Naval Facilities Engineering Command, Mid-Atlantic
 Site 1, Former Drum Marshalling Area
 Naval Weapons Industrial Reserve Plant
 Bethpage, NY

Figure 2
 Site 1 Area and Vicinity

H&S Environmental, Inc.

0 300 600 Feet



- LEGEND**
- FORMER NWRP BOUNDARY
 - - - CURRENT NWRP BOUNDARY
 - ⊕ SVE CONTAINMENT WELL LOCATION
 - ⊙ SOIL VAPOR PRESSURE MONITOR


**SITE PLAN
EXISTING LAYOUT**

**SVE CONTAINMENT SYSTEM
SITE 1 - NWIRP BETHPAGE
BETHPAGE, NEW YORK**

H&S Environmental, Inc.
160 East Main Street, Suite 2F, Westborough, MA 01581

SCALE IN FEET 	DATE 09/17/2013	FIGURE 3	
--	--------------------	-------------	---

NOTES
 1. ALL MAN DOORS AND OVERHEAD DOORS ARE EXISTING. MAN DOORS ARE APPROXIMATELY 7'X3'. OVERHEAD DOOR IS APPROXIMATELY 10'X10'.



ITEM NUMBER	NUMBER REQUIRED	NAME/DESCRIPTION
M-1	1	MOISTURE SEPARATOR - CONFIGURATION: VERTICAL CYLINDRICAL - MATERIAL OF CONSTRUCTION: CARBON STEEL, EPOXY INTERIOR COATING, PAINT EXTERIOR COATING - CAPACITY: 400 GALLON CONDENSATE COLLECTION - DIMENSIONS: 5 FT DIA X 5 FEET HT, 710 GALLON
F-1	1	MAKEUP AIR FILTER - CONFIGURATION: INTAKE FILTERS LEM-111 COMBINATION HOUSING - MATERIAL OF CONSTRUCTION: CARBON STEEL, CORROSION RESISTANCE COATING - CAPACITY: 500 CFM AT 20W, 4 INCH FLANGED CONNECTION
F-2	1	BLOWER AIR FILTER - CONFIGURATION: 18 INE VACUUM SERVICE FILTER - MATERIAL OF CONSTRUCTION: CARBON STEEL, CORROSION RESISTANCE COATING - CAPACITY: 1,200 CFM AT 25 W, 10 INCH FLANGED CONNECTION
B-1A B-1B	2	SOIL VAPOR EXTRACTION DRUMWHL - CONFIGURATION: HORIZONTAL BENTRIFUGAL - RATING: 600 CFM AT 40 W - MOTOR: 7.5 HP, 460V, 3PH, 60/42, ODP
VGAC-1	1	VAPOR-PHASE GRANULAR ACTIVATED CARBON - CONFIGURATION: RECTANGULAR TANK - MATERIAL OF CONSTRUCTION: CARBON STEEL, EPOXY INTERIOR COATING, EPOXY EXTERIOR COATING - RATING: 1,600 CFM AT 3 W, 2,000 CFM AT 5 W - CAPACITY: 5,000 LBS CARBON - DIMENSIONS: 6' X 8' FOOTPRINT 6' 8" HT

DATE	APPROVED	TETRA TECH ENGINEERING CORPORATION PC
10-14-08	SCP	
DATE	ISSUED FOR CONSTRUCTION	
DATE	ISSUED FOR CONSTRUCTION	
DATE	ISSUED FOR CONSTRUCTION	

REVISION	DESCRIPTION
0	ISSUED FOR CONSTRUCTION


DRAWN BY: J. M. HAY
 CHECKED BY: J. M. HAY
 NAVAL FACILITIES ENGINEERING COMMAND, MID-ATLANTIC
 NAVAL AIR STATION, FORT BELLEVILLE, VIRGINIA
 SITE 1, FORMER DRUM MARSHALLING AREA
 SOIL VAPOR EXTRACTION CONTAINMENT SYSTEM LAYOUT PLAN
 DATE: JTE
 SCALE: 1/8" = 1'-0"

THIS DRAWING PRODUCED BY AUTOCAD
 DO NOT REUSE MANUALLY

THIS DOCUMENT IS THE PROPERTY OF
 NAVAL FACILITIES ENGINEERING COMMAND,
 PREPARED BY TETRA TECH ENGINEERING
 CORPORATION, PC AND IS PROVIDED UNDER
 CONDITION THAT IT WILL NOT BE REPRODUCED,
 COPIED, OR SOLELY FOR THE OWNERS BENEFIT
 BE USED SOLELY FOR THE OWNERS BENEFIT
 PURPOSE AND SOLELY FOR THE EXECUTION
 OR REVIEW OF THE ENGINEERING CONSTRUCTION
 OF THE PROJECT

DATE: 10-14-08
 SCALE: AS SHOWN
 SHEET NO: 10 OF 10
 PROJECT NO: 082473-10-D-3211
 DRAWING NO: Figure 4

DATE: 10-14-08
 SHEET: 10 OF 10



SV-106I	05/16/13
1,1,1-TCA	ND
PCE	0.73 J
TCE	5.5

SV-106D	05/16/13
1,1,1-TCA	ND
PCE	1.3 J
TCE	ND

SV-105I	05/16/13
1,1,1-TCA	11
PCE	38
TCE	94

SV-105D	05/16/13
1,1,1-TCA	160
PCE	100
TCE	1400

SV-103D	05/16/13
1,1,1-TCA	150
PCE	3300
TCE	360

SV-103I	05/16/13
1,1,1-TCA	1.4 J
PCE	78
TCE	35

SV-104D	05/16/13
1,1,1-TCA	0.89 J
PCE	69
TCE	14

SV-104I	05/16/13
1,1,1-TCA	ND
PCE	2.3 J
TCE	ND

SV-101D	05/16/13
1,1,1-TCA	ND
PCE	0.92 J
TCE	ND

SV-101I	05/16/13
1,1,1-TCA	1900
PCE	49
TCE	5200

SV-102D	05/16/13
1,1,1-TCA	ND
PCE	1.4 J
TCE	ND

SV-102I	05/16/13
1,1,1-TCA	ND
PCE	1.4 J
TCE	15

LEGEND

- FORMER NWRP BOUNDARY
- CURRENT NWRP BOUNDARY
- SVE CONTAINMENT WELL LOCATION
- J ESTIMATED VALUE
- ND NOT DETECTED ABOVE LABORATORY METHOD DETECTION LIMIT
- 1,1,1-TCA 1,1,1-TRICHLOROETHANE
- PCE TETRACHLOROETHENE
- TCE TRICHLOROETHENE


ALL CONCENTRATIONS REPORTED IN ug/m3.

2nd QUARTER 2013 VAPOR ANALYTICAL MAP
SELECT VOC CONCENTRATIONS - SVEWS

SVE CONTAINMENT SYSTEM
SITE 1 - NWRP BETHPAGE
BETHPAGE, NEW YORK

H&S Environmental, Inc.
160 East Main Street, Suite 2F, Westborough, MA 01581

SCALE IN FEET: 0 to 160
DATE: 12/11/2013
FIGURE: 5



PLANT 3

SITE 1

SITE 4

WAREHOUSE I

WAREHOUSE J

WAREHOUSE K

WAREHOUSE L

WAREHOUSE E

WAREHOUSE F

WAREHOUSE G

WAREHOUSE H

WAREHOUSE A

WAREHOUSE B

WAREHOUSE C

WAREHOUSE D

TREATMENT BUILDING

BUILDING 10

FLOW MONITORING STATION

LEGEND

- FORMER NWIRP BOUNDARY
- - - CURRENT NWIRP BOUNDARY
- SOIL VAPOR PRESSURE MONITOR (SVPM)

ALL VACUUM READINGS IN INCHES OF WATER COLUMN (i.w.)

SVPM-2004D	05/29/13
Vacuum (i.w.)	0.04
SVPM-2004I	05/29/13
Vacuum (i.w.)	0.04
SVPM-2004S	05/29/13
Vacuum (i.w.)	0.03

SVPM-2001S	05/29/13
Vacuum (i.w.)	0.02
SVPM-2001I	05/29/13
Vacuum (i.w.)	0.10
SVPM-2001D	05/29/13
Vacuum (i.w.)	0.01

SVPM-2002D	05/29/13
Vacuum (i.w.)	0.10
SVPM-2002I	05/29/13
Vacuum (i.w.)	0.10
SVPM-2002S	05/29/13
Vacuum (i.w.)	0.06

SVPM-2003D	05/29/13
Vacuum (i.w.)	0.05
SVPM-2003S	05/29/13
Vacuum (i.w.)	0.04
SVPM-2003I	05/29/13
Vacuum (i.w.)	0.10

SVPM-2006S	05/29/13
Vacuum (i.w.)	0.02
SVPM-2006I	05/29/13
Vacuum (i.w.)	0.01
SVPM-2006D	05/29/13
Vacuum (i.w.)	0.02

SVPM-2006S	05/29/13
SVPM-2006I	05/29/13
SVPM-2006D	05/29/13


SVPM-2007I	05/29/13
SVPM-2007D	05/29/13
SVPM-2007S	05/29/13

SVPM-2007I	05/29/13
Vacuum (i.w.)	0.04
SVPM-2007D	05/29/13
Vacuum (i.w.)	0.02
SVPM-2007S	05/29/13
Vacuum (i.w.)	0.04

**2ND QUARTER 2013
OFFSITE SOIL VAPOR MONITORING
QUARTERLY VACUUM PRESSURE READINGS - SVPMs**

SVE CONTAINMENT SYSTEM
SITE 1 - NWIRP BETHPAGE
BETHPAGE, NEW YORK

H&S Environmental, Inc.
160 East Main Street, Suite 2F, Westborough, MA 01581



DATE
12/11/2013

FIGURE
6




APPENDIX A

**NYSDEC AIR PERMIT
EQUIVALENT APPROVAL**

**New York State Department of Environmental Conservation
Division of Environmental Remediation**

Bureau of Remedial Action A
625 Broadway, 11th Floor
Albany, New York 12233-7015
Phone: (518) 402-9625 • Fax: (518) 402-9022



Website: www.dec.state.ny.us

February 5, 2010

Lora Fly, Project Manager
Naval Facilities Engineering Command-Midlant
9742 Maryland Avenue
Norfolk, VA 23511-3095

RE: Naval Weapons Industrial Research Plant(NWIRP)
Site-Bethpage, NYSDEC No. I-30-003B.

Dear Ms. Fly:

Tetra Tech FW, on behalf of the Department of the Navy (Navy), has submitted the enclosed New York State Department of Environmental Conservation (NYSDEC) Division of Air Resources (DAR) Air Permit Application as a permit equivalent. This DAR Air permit equivalent is for the soil vapor extraction system at Site 1 of Plant 3 of the former Naval Weapons Industrial Reserve Plant (NWIRP) site in Bethpage, NY. The NYSDEC Division of Environmental Remediation (DER) has reviewed the permit equivalent and, by means of this letter approves the Site 1 remedy air discharge for immediate operation.

The NWIRP Site 1 SVE system utilizes the reasonably available control technology (RACT) with activated carbon. The air discharge will be periodically monitored at start up and will be added for routine monitoring in the operation, maintenance and monitoring (OMM) plan, to be submitted shortly for Departmental review.

If you have any questions, please contact me at your earliest convenience at (518)402-9620.

Sincerely,

A handwritten signature in black ink, appearing to read "Steven M. Scharf".

Steven M. Scharf, P.E.
Project Engineer
Division of Environmental Remediation
Bureau of Remedial Action A

Enclosure

ec/wi/enc: J. Swartwout/S. Scharf/File
W. Parish, Region 1 NYSDEC
A. J. Shah, Region 1 NYSDEC
S. Patselos, Tetra Tech FW
J. Cofman, Northrop Grumman

E docs: Region 1, Nassau, Oyster Bay (T): NWIRP Bethpage I30003B-011-OMM

**New York State Department of Environmental Conservation
Air Permit Application**



DEC ID									

APPLICATION ID									

OFFICE USE ONLY									

Section I - Certification

Title V Certification	
I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons directly responsible for gathering the information [required pursuant to 6 NYCRR 201.6.3(d)], I believe the information is, true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fines and imprisonment for knowing violations.	
Responsible Official	Title
Signature	Date / /

State Facility Certification	
I certify that this facility will be operated in conformance with all provisions of existing regulations.	
Responsible Official	Title
Signature	Date / /

Section II - Identification Information

Title V Facility Permit <i>N/A</i>	<input type="checkbox"/> New <input type="checkbox"/> Significant Modification	<input type="checkbox"/> Administrative Amendment	State Facility Permit <i>N/A</i>
<input type="checkbox"/> Renewal <input type="checkbox"/> Minor Modification	General Permit Title: _____		<input type="checkbox"/> New <input type="checkbox"/> Modification
<input checked="" type="checkbox"/> Application involves construction of new facility		<input type="checkbox"/> Application involves construction of new emission unit(s)	

Owner/Firm			
Name <i>US Navy / NAVFAC Midlant</i>			
Street Address <i>9742 Maryland Ave, Bldg Z-144</i>			
City <i>Norfolk</i>	State <i>VA</i>	Country <i>US</i>	Zip <i>23511-3095</i>
Owner Classification <input checked="" type="checkbox"/> Federal <input type="checkbox"/> Corporation/Partnership	<input type="checkbox"/> State <input type="checkbox"/> Individual	<input type="checkbox"/> Municipal	Taxpayer ID
Facility			<input type="checkbox"/> Confidential
Name <i>Naval Weapons Industrial Reserve Plant (NWIRP) Site 1</i>			
Location Address <i>Bethpage</i>			
<input type="checkbox"/> City / <input checked="" type="checkbox"/> Town / <input type="checkbox"/> Village <i>Oyster Bay, New York</i>			Zip <i>11714</i>
Project Description			<input type="checkbox"/> Continuation Sheet(s)
<i>Vapor phase granular activated carbon to remove VOCs from soil gas.</i>			

Owner/Firm Contact Mailing Address			
Name (Last, First, Middle Initial) <i>Fly, Lora</i>		Phone No. <i>(757) 444-3731</i>	
Affiliation <i>Department of the Navy</i>		Title <i>Remedial PM</i>	
Street Address <i>9742 Maryland Ave, Bldg Z-144</i>		Fax No. ()	
City <i>Norfolk</i>	State <i>VA</i>	Country <i>US</i>	Zip <i>23511-3095</i>
Facility Contact Mailing Address			
Name (Last, First, Middle Initial)		Phone No. ()	
Affiliation		Title	
Street Address		Fax No. ()	
City	State	Country	Zip

**New York State Department of Environmental Conservation
Air Permit Application**



DEC ID									

Section III - Facility Information

Classification					
<input type="checkbox"/> Hospital	<input type="checkbox"/> Residential	<input type="checkbox"/> Educational/Institutional	<input type="checkbox"/> Commercial	<input checked="" type="checkbox"/> Industrial	<input type="checkbox"/> Utility

Affected States (Title V Only) <i>N/A</i>					Tribal Land: _____
<input type="checkbox"/> Vermont	<input type="checkbox"/> Massachusetts	<input type="checkbox"/> Rhode Island	<input type="checkbox"/> Pennsylvania	<input type="checkbox"/> New Jersey	Tribal Land: _____
<input type="checkbox"/> New Hampshire	<input type="checkbox"/> Connecticut	<input type="checkbox"/> Ohio			

SIC Codes									
9999									

Facility Description		<input type="checkbox"/> Continuation Sheet(s)
Soil vapor remediation by SVE followed by vapor phase GAC		

Compliance Statements (Title V Only) <i>N/A</i>	
<p>I certify that as of the date of this application the facility is in compliance with all applicable requirements: <input type="checkbox"/> YES <input type="checkbox"/> NO</p> <p>If one or more emission units at the facility are not in compliance with all applicable requirements at the time of signing this application (the 'NO' box must be checked), the noncomplying units must be identified in the "Compliance Plan" block on page 8 of this form along with the compliance plan information required. For all emission units at this facility that are operating in compliance with all applicable requirements complete the following:</p> <ul style="list-style-type: none"> <input type="checkbox"/> This facility will continue to be operated and maintained in such a manner as to assure compliance for the duration of the permit, except those units referenced in the compliance plan portion of Section IV of this application. <input type="checkbox"/> For all emission units, subject to any applicable requirements that will become effective during the term of the permit. This facility will meet all such requirements on a timely basis. <input type="checkbox"/> Compliance certification reports will be submitted at least once a year. Each report will certify compliance status with respect to each requirement, and the method used to determine the status. 	

Facility Applicable Federal Requirements <i>N/A</i>									<input type="checkbox"/> Continuation Sheet(s)
Title	Type	Part	Sub Part	Section	Sub Division	Paragraph	Sub Paragraph	Clause	Sub Clause

Facility State Only Requirements									<input type="checkbox"/> Continuation Sheet(s)
Title	Type	Part	Sub Part	Section	Sub Division	Paragraph	Sub Paragraph	Clause	Sub Clause

New York State Department of Environmental Conservation
Air Permit Application



DEC ID									

Section III - Facility Information (continued)

Facility Compliance Certification <i>N/A</i>										<input type="checkbox"/> Continuation Sheet(s)	
Rule Citation											
Title	Type	Part	Sub Part	Section	Sub Division	Paragraph	Sub Paragraph	Clause	Sub Clause		
<input type="checkbox"/> Applicable Federal Requirement		<input type="checkbox"/> Capping		CAS No.			Contaminant Name				
<input type="checkbox"/> State Only Requirement											
Monitoring Information											
<input type="checkbox"/> Ambient Air Monitoring			<input type="checkbox"/> Work Practice Involving Specific Operations				<input type="checkbox"/> Record Keeping/Maintenance Procedures				
Description											
Work Practice		Process Material				Reference Test Method					
Type	Code	Description									
Code		Parameter Description				Manufacturer Name/Model No.					
Limit		Upper		Lower		Code		Limit Units Description			
Averaging Method			Monitoring Frequency			Reporting Requirements					
Code	Description		Code	Description		Code	Description				

Facility Emissions Summary										<input checked="" type="checkbox"/> Continuation Sheet(s)	
CAS No.	Contaminant Name	PTE		Actual (lbs/yr)							
		(lbs/yr)	Range Code								
NY075 - 00 - 5	PM-10										
NY075 - 00 - 0	PARTICULATES										
7446 - 09 - 5	SULFUR DIOXIDE										
NY210 - 00 - 0	OXIDES OF NITROGEN										
630 - 98 - 0	CARBON MONOXIDE										
7439 - 92 - 1	LEAD										
NY998 - 00 - 0	VOC	1,222									
NY100 - 00 - 0	HAP	1,913									
00071 - 53 - 6	1,1,1-Trichloroethane (Methyl Chloroform)	591									
00127 - 19 - 4	Tetrachloroethylene	8									
00079 - 01 - 6	Trichloroethylene	1,151									
00075 - 34 - 3	1,1-Dichloroethane	11									
00075 - 45 - 4	1,1-Dichloroethylene (Vinylidene Chloride)	16									

New York State Department of Environmental Conservation Air Permit Application



DEC ID										

Section III - Facility Information

Facility Emissions Summary (continuation)

CAS No.	Contaminant Name	PTE		Actual (lbs/yr)
		(lbs/yr)	Range Code	
00540-59-0	cis-1,2-Dichloroethene	5		
00107-06-2	1,2-Dichloroethane	0		
00156-00-5	trans-1,2-Dichloroethene	0		
00075-01-4	Vinyl Chloride	0		
-	-			
-	-			
-	-			
-	-			
-	-			
-	-			
-	-			
-	-			
-	-			
-	-			
-	-			
-	-			
-	-			
-	-			
-	-			
-	-			
-	-			
-	-			
-	-			
-	-			
-	-			
-	-			
-	-			
-	-			
-	-			
-	-			
-	-			
-	-			
-	-			
-	-			
-	-			
-	-			

New York State Department of Environmental Conservation
Air Permit Application



DEC ID									
-	-	-	-	-	-	-	-	-	-

Section IV - Emission Unit Information

Emission Unit Description		<input type="checkbox"/> Continuation Sheet(s)
EMISSION UNIT	1-00E-U1	Effluent from first soil vapor extraction blower (BL-1)
Vapor Phase Granular Activated Carbon Unit. The emission point is stack COST-2		

Building					<input type="checkbox"/> Continuation Sheet(s)
Building	Building Name	Length (ft)	Width (ft)	Orientation	
03-35	Treatment Building	60	40	C	

Emission Point							<input type="checkbox"/> Continuation Sheet(s)
EMISSION PT	COST-2						
Ground Elev. (ft)	Height (ft)	Height Above Structure (ft)	Inside Diameter (in)	Exit Temp. (°F)	Cross Section		
	36	6	8	70	Length (in)	Width (in)	
Exit Velocity (FPS)	Exit Flow (ACFM)	NYTM (E) (KM)	NYTM (N) (KM)	Building	Distance to Property Line (ft)	Date of Removal	
	1,000			03-35	100'		
EMISSION PT							
Ground Elev. (ft)	Height (ft)	Height Above Structure (ft)	Inside Diameter (in)	Exit Temp. (°F)	Cross Section		
					Length (in)	Width (in)	
Exit Velocity (FPS)	Exit Flow (ACFM)	NYTM (E) (KM)	NYTM (N) (KM)	Building	Distance to Property Line (ft)	Date of Removal	

Emission Source/Control							<input type="checkbox"/> Continuation Sheet(s)
Emission Source ID	Type	Date of Construction	Date of Operation	Date of Removal	Control Type Code	Description	Manufacturer's Name/Model No.
BL-1/2					048	Granular Act. Carbon	TetraSolv Filtration
Design Capacity Code	Design Capacity Units Description			Waste Feed Code Description		Waste Type Code Description	
Emission Source ID	Type	Date of Construction	Date of Operation	Date of Removal	Control Type Code	Description	Manufacturer's Name/Model No.
Design Capacity Code	Design Capacity Units Description			Waste Feed Code Description		Waste Type Code Description	

New York State Department of Environmental Conservation
Air Permit Application



DEC ID									

Section IV - Emission Unit Information (continued)

Emission Unit	Emission Point	Process	Emission Source	Emission Unit Applicable Federal Requirements									<input type="checkbox"/> Continuation Sheet(s)	
				Title	Type	Part	Sub Part	Section	Sub Division	Parag.	Sub Parag.	Clause		Sub Clause
-														
-														
-														
-														

Emission Unit	Emission Point	Process	Emission Source	Emission Unit State Only Requirements									<input type="checkbox"/> Continuation Sheet(s)	
				Title	Type	Part	Sub Part	Section	Sub Division	Parag.	Sub Parag.	Clause		Sub Clause
-														
-														
-														
-														

Emission Unit Compliance Certification											<input type="checkbox"/> Continuation Sheet(s)
Rule Citation											
Title	Type	Part	Sub Part	Section	Sub Division	Paragraph	Sub Paragraph	Clause	Sub Clause		
G	NYCRR	213									
<input type="checkbox"/> Applicable Federal Requirement			<input type="checkbox"/> State Only Requirement			<input type="checkbox"/> Capping					
Emission Unit	Emission Point	Process	Emission Source	CAS No.			Contaminant Name				
1-00EU1	00ST3	SVE		00079-01-6			Trichloroethylene				
Monitoring Information											
<input type="checkbox"/> Continuous Emission Monitoring <input checked="" type="checkbox"/> Intermittent Emission Testing <input type="checkbox"/> Ambient Air Monitoring				<input type="checkbox"/> Monitoring of Process or Control Device Parameters as Surrogate <input type="checkbox"/> Work Practice Involving Specific Operations <input type="checkbox"/> Record Keeping/Maintenance Procedures							
Description											
Monthly grab samples analyzed for VOCs from the VGAC unit influent and effluent											
Work Practice		Process Material				Reference Test Method					
Type	Code	Description									
Parameter		Manufacturer Name/Model No.									
Code	Description										
23	Concentration										
Limit		Limit Units									
Upper	Lower	Code	Description								
36,000		255	micrograms per cubic meter								
Averaging Method			Monitoring Frequency			Reporting Requirements					
Code	Description		Code	Description		Code	Description				
01	Instantaneous		05	Monthly		10	Upon Request				

New York State Department of Environmental Conservation
Air Permit Application



DEC ID									
-	-	-	-	-	-	-	-	-	-

Section IV - Emission Unit Information (continued)

Determination of Non-Applicability (Title V Only) <i>N/A</i> <input type="checkbox"/> Continuation Sheet(s)									
Rule Citation									
Title	Type	Part	Sub Part	Section	Sub Division	Paragraph	Sub Paragraph	Clause	Sub Clause
Emission Unit	Emission Point	Process	Emission Source			<input type="checkbox"/> Applicable Federal Requirement <input type="checkbox"/> State Only Requirement			
Description									
Rule Citation									
Emission Unit	Emission Point	Process	Emission Source			<input type="checkbox"/> Applicable Federal Requirement <input type="checkbox"/> State Only Requirement			
Description									
Process Emissions Summary <input checked="" type="checkbox"/> Continuation Sheet(s)									
EMISSION UNIT <i>1-00EU1</i>						PROCESS <i>SVE</i>			
CAS No.	Contaminant Name			% Thruput	% Capture	% Control	ERP (lbs/hr)	ERP How Determined	
<i>00071-55-6</i>	<i>1,1,1-Trichloroethane</i>					<i>80</i>	<i>0.34</i>	<i>02</i>	
PTE			Standard Units	PTE How Determined		Actual			
(lbs/hr)	(lbs/yr)	(standard units)				(lbs/hr)	(lbs/yr)		
<i>0.07</i>	<i>591</i>			<i>02</i>					
EMISSION UNIT <i>1-00EU1</i>						PROCESS <i>SVE</i>			
CAS No.	Contaminant Name			% Thruput	% Capture	% Control	ERP (lbs/hr)	ERP How Determined	
<i>00127-18-4</i>	<i>Tetrachloroethylene</i>					<i>50</i>	<i>0.00</i>	<i>02</i>	
PTE			Standard Units	PTE How Determined		Actual			
(lbs/hr)	(lbs/yr)	(standard units)				(lbs/hr)	(lbs/yr)		
<i>0.00</i> <i>BRT</i>	<i>8</i>			<i>02</i>					
EMISSION UNIT <i>1-00EU1</i>						PROCESS <i>SVE</i>			
CAS No.	Contaminant Name			% Thruput	% Capture	% Control	ERP (lbs/hr)	ERP How Determined	
<i>00079-01-6</i>	<i>Trichloroethylene</i>					<i>90</i>	<i>0.67</i>	<i>02</i>	
PTE			Standard Units	PTE How Determined		Actual			
(lbs/hr)	(lbs/yr)	(standard units)				(lbs/hr)	(lbs/yr)		
<i>0.13</i>	<i>1,181</i>			<i>02</i>					

New York State Department of Environmental Conservation
Air Permit Application



DEC ID									
-	-	-	-	-	-	-	-	-	-

Section IV - Emission Unit Information (continued)

EMISSION UNIT		Emission Unit Emissions Summary				<input checked="" type="checkbox"/> Continuation Sheet(s)
1-000E41						
CAS No.		Contaminant Name				
00075-34-3		1,1-Dichloroethane				
ERP (lbs/yr)		PTE Emissions		Actual		
		(lbs/hr)	(lbs/yr)	(lbs/hr)	(lbs/yr)	
		BRT	11			
CAS No.		Contaminant Name				
00075-35-4		1,1-Dichloroethylene (Vinylidene Chloride)				
ERP (lbs/yr)		PTE Emissions		Actual		
		(lbs/hr)	(lbs/yr)	(lbs/hr)	(lbs/yr)	
		BRT	16			
CAS No.		Contaminant Name				
00540-59-0		cis-1,2-Dichloroethene				
ERP (lbs/yr)		PTE Emissions		Actual		
		(lbs/hr)	(lbs/yr)	(lbs/hr)	(lbs/yr)	
		BRT	5			
CAS No.		Contaminant Name				
00107-06-2		1,2-Dichloroethane				
ERP (lbs/yr)		PTE Emissions		Actual		
		(lbs/hr)	(lbs/yr)	(lbs/hr)	(lbs/yr)	
		BRT	BRT			

Compliance Plan N/A												<input type="checkbox"/> Continuation Sheet(s)
For any emission units which are not in compliance at the time of permit application, the applicant shall complete the following												
Consent Order			Certified progress reports are to be submitted every 6 months beginning / /									
Emission Unit	Process	Emission Source	Applicable Federal Requirement									
			Title	Type	Part	Sub Part	Section	Sub Division	Parag.	Sub Parag.	Clause	Sub Clause
Remedial Measure / Intermediate Milestones											R/t	Date Scheduled

New York State Department of Environmental Conservation
Air Permit Application



DEC ID									

Section IV - Emission Unit Information

EMISSION UNIT		Emission Unit Emissions Summary (continuation)			
1-00EU1		Emission Unit Emissions Summary (continuation)			
CAS No.		Contaminant Name			
00156-60-5		trans-1,2-Dichloroethene			
ERP (lbs/yr)	PTE Emissions		Actual		
	(lbs/hr)	(lbs/yr)	(lbs/hr)	(lbs/yr)	
	BRT	BRT			
CAS No.		Contaminant Name			
00075-01-4		Vinyl Chloride			
ERP (lbs/yr)	PTE Emissions		Actual		
	(lbs/hr)	(lbs/yr)	(lbs/hr)	(lbs/yr)	
	BRT	BRT			
CAS No.		Contaminant Name			
-		-			
ERP (lbs/yr)	PTE Emissions		Actual		
	(lbs/hr)	(lbs/yr)	(lbs/hr)	(lbs/yr)	
CAS No.		Contaminant Name			
-		-			
ERP (lbs/yr)	PTE Emissions		Actual		
	(lbs/hr)	(lbs/yr)	(lbs/hr)	(lbs/yr)	
CAS No.		Contaminant Name			
-		-			
ERP (lbs/yr)	PTE Emissions		Actual		
	(lbs/hr)	(lbs/yr)	(lbs/hr)	(lbs/yr)	
CAS No.		Contaminant Name			
-		-			
ERP (lbs/yr)	PTE Emissions		Actual		
	(lbs/hr)	(lbs/yr)	(lbs/hr)	(lbs/yr)	
CAS No.		Contaminant Name			
-		-			
ERP (lbs/yr)	PTE Emissions		Actual		
	(lbs/hr)	(lbs/yr)	(lbs/hr)	(lbs/yr)	
CAS No.		Contaminant Name			
-		-			
ERP (lbs/yr)	PTE Emissions		Actual		
	(lbs/hr)	(lbs/yr)	(lbs/hr)	(lbs/yr)	



DEC ID
 [-----]


Supporting Documentation

- P.E. Certification (form attached)
- List of Exempt Activities (form attached)
- Plot Plan
- Methods Used to Determine Compliance (form attached)
- Calculations
- Air Quality Model (___ / ___ / ___)
- Confidentiality Justification
- Ambient Air Monitoring Plan (___ / ___ / ___)
- Stack Test Protocols/Reports (___ / ___ / ___)
- Continuous Emissions Monitoring Plans/QA/QC (___ / ___ / ___)
- MACT Demonstration (___ / ___ / ___)
- Operational Flexibility: Description of Alternative Operating Scenarios and Protocols
- Title IV: Application/Registration
- ERC Quantification (form attached)
- Use of ERC(s) (form attached)
- Baseline Period Demonstration
- Analysis of Contemporaneous Emission Increase/Decrease
- LAER Demonstration (___ / ___ / ___)
- BACT Demonstration (___ / ___ / ___)
- Other Document(s): _____ (___ / ___ / ___)
 _____ (___ / ___ / ___)
 _____ (___ / ___ / ___)
 _____ (___ / ___ / ___)
 _____ (___ / ___ / ___)
 _____ (___ / ___ / ___)
 _____ (___ / ___ / ___)
 _____ (___ / ___ / ___)
 _____ (___ / ___ / ___)
 _____ (___ / ___ / ___)
 _____ (___ / ___ / ___)

APPENDIX B


VAPOR CONCENTRATION TREND GRAPHS

Soil Vapor Extraction Containment System
Site 1, Former Drum Marshalling Yard
Naval Weapons Industrial Reserve Plant - Bethpage, NY
Vapor Concentration Trends of Select and Total VOCs
COMBINED INFLUENT




Soil Vapor Extraction Containment System
 Site 1, Former Drum Marshalling Yard
 Naval Weapons Industrial Reserve Plant - Bethpage, NY
 Groundwater Concentration Trends of Select VOCs


SV-101I



Soil Vapor Extraction Containment System
Site 1, Former Drum Marshalling Yard
Naval Weapons Industrial Reserve Plant - Bethpage, NY
Groundwater Concentration Trends of Select VOCs
SV-101D




Soil Vapor Extraction Containment System
 Site 1, Former Drum Marshalling Yard
 Naval Weapons Industrial Reserve Plant - Bethpage, NY
 Groundwater Concentration Trends of Select VOCs
SV-101D (smaller scale)




Soil Vapor Extraction Treatment System
Site 1, Former Drum Marshalling Yard
Naval Weapons Industrial Reserve Plant - Bethpage, NY
Groundwater Concentration Trends of Select VOCs

SV102I




Soil Vapor Extraction Containment System
 Site 1, Former Drum Marshalling Yard
 Naval Weapons Industrial Reserve Plant - Bethpage, NY
 Groundwater Concentration Trends of Select VOCs
SV-102D




Soil Vapor Extraction and Containment System
Site 1, Former Drum Marshalling Yard
Naval Weapons Industrial Reserve Plant - Bethpage, NY
Groundwater Concentration Trends of Select VOCs


SV-103I




Soil Vapor Extraction / Maintainment System
Site 1, Former Drum Marshalling Yard
Naval Weapons Industrial Reserve Plant - Bethpage, NY
Groundwater Concentration Trends of Select VOCs
SV103D



Soil Vapor Extraction / Containment System
Site 1, Former Drum Marshalling Yard
Naval Weapons Industrial Reserve Plant - Bethpage, NY
Groundwater Concentration Trends of Select VOCs
SV104I




Soil Vapor Extraction / Containment System
 Site 1, Former Drum Marshalling Yard
 Naval Weapons Industrial Reserve Plant - Bethpage, NY
 Groundwater Concentration Trends of Select VOCs
SV-104D




Soil Vapor Extraction Containment System
Site 1, Former Drum Marshalling Yard
Naval Weapons Industrial Reserve Plant - Bethpage, NY
Groundwater Concentration Trends of Select VOCs

SV-105I




Soll Vapor Extraction Containment System
Site 1, Former Drum Marshalling Yard
Naval Weapons Industrial Reserve Plant - Bethpage, NY
Groundwater Concentration Trends of Select VOCs

SV-105D



Soil Vapor Extraction Containment System
Site 1, Former Drum Marshalling Yard
Naval Weapons Industrial Reserve Plant - Bethpage, NY
Groundwater Concentration Trends of Select VOCs
SV-106I



Soil Vapor Extraction and Containment System
Site 1, Former Drum Marshalling Yard
Naval Weapons Industrial Reserve Plant - Bethpage, NY
Groundwater Concentration Trends of Select VOCs
SV-106D

