

**2015 OU2 GROUNDWATER INVESTIGATION  
VPB 158  
BETHPAGE, NY**

Prepared for:



**Department of the Navy  
Naval Facilities Engineering Command, Mid-Atlantic  
9742 Maryland Ave.  
Norfolk, VA 23511-3095**

**Comprehensive Long-Term Environmental Action Navy  
Contract Number N62470-11-D-8013**

**CTO WE15**

Prepared by:



**Resolution Consultants  
*A Joint Venture of AECOM & EnSafe*  
1500 Wells Fargo Building  
440 Monticello Avenue  
Norfolk, VA 23510**

**June 2015**

---

## Table of Contents

LIST OF ACRONYMS AND ABBREVIATIONS.....	III
1.0 PROJECT BACKGROUND.....	1
1.1 Scope and Objectives .....	1
1.2 Site History .....	1
1.3 Geology and Hydrogeology .....	2
2.0 FIELD PROGRAM.....	4
2.1 Vertical Profile Borings.....	4
2.1.1 Drilling.....	4
2.1.2 Sampling .....	4
2.1.3 Geophysics.....	5
2.2 Decontamination and Investigation Derived Waste (IDW) .....	5
2.3 Surveying .....	6
3.0 REFERENCES .....	7

### Tables

Table 1	Vertical Profile Boring Summary
---------	---------------------------------

### Figures

Figure 1	General Location Map
Figure 2	VPB 158 Location Map

## **Appendices**

### Appendix A VPB 158

- Section 1 Boring and Gamma Logs
- Section 2 Gamma and PCE/TCE Plot
- Section 3 Groundwater Sample Log Sheets
- Section 4 Analytical Data Validation
- Section 5 Analytical Data Table
- Section 6 Survey

---

## List of Acronyms and Abbreviations

AOC	Area of Concern
bgs	below ground surface
COR	Continuously Operating Reference
DoD	Department of Defense
ELAP	Environmental Laboratory Accreditation Program
EPA	Environmental Protection Agency, United States
ft	feet
GOCO	Government-Owned Contractor-Operated
GPS	Global Positioning System
IDW	Investigation Derived Waste
IR	Installation Restoration
Katahdin	Katahdin Analytical Services, Inc.
NAD	North American Datum
NAVD	North American Vertical Datum
NAVFAC	Naval Facilities Engineering Command
NG	Northrop Grumman
NWIRP	Naval Weapons Industrial Reserve Plant
NYSDEC	New York State Department of Environmental Conservation
OU	Operable Unit
PCBs	Polychlorinated Biphenyls
PCE	Tetrachloroethene
PID	Photoionization Detector
POTW	Publicly Owned Treatment Works
PPE	Personal Protective Equipment
SAP	Sampling and analysis plan
SVOC	Semivolatile Organic Compounds
TCE	Trichloroethene
TCL	Target Compound List
TCLP	Toxicity Characteristic Leaching Procedure
TOC	Total Organic Carbon
UFP	United Federal Programs
VOC	Volatile Organic Compounds
VPB	Vertical Profile Boring

---

## 1.0 PROJECT BACKGROUND

Resolution Consultants has prepared this Data Summary Report for the Naval Facilities Engineering Command (NAVFAC), Mid-Atlantic under contract task order WE15 Contract N62470-11-D-8013. This report describes vertical profile boring (VPB) installation activities (specifically at the VPB 158 location) in 2015 for the Naval Weapons Industrial Reserve Plant (NWIRP) Bethpage Operable Unit (OU) 2 Site 1 offsite plume. NWIRP Bethpage is located in east-central Nassau County, Long Island, New York, approximately 30 miles east of New York City (Figure 1).

### 1.1 Scope and Objectives

This data summary report provides information on the installation of VPB 158. The purpose of the VPB 158 investigation was to ascertain contaminant levels and depths, and the western extent of the offsite plume south of Hempstead Turnpike and west of Wantagh Avenue. VPB locations within the general vicinity of VPB 158 are shown in Figure 2. VPB 158 was completed to 930 feet (ft) below ground surface (bgs).

Field tasks were conducted in 2015 in accordance with the *United Federal Programs Sampling and Analysis Plan (UFP SAP)*, Bethpage, New York and the UFP SAP Addendum Installation of Vertical Profile Borings and Monitoring Wells (Resolution Consultants, 2013). The field investigation included completing one vertical profile boring, groundwater grab samples, geophysical logging and surveying.

Documentation of these activities is included in Appendix A of this report.

### 1.2 Site History

NWIRP Bethpage is in the Hamlet of Bethpage, Town of Oyster Bay, New York. Since its inception in 1941, the plant's primary mission was the research prototyping, testing, design, engineering, fabrication, and primary assembly of military aircraft. The facilities at NWIRP included four plants used for assembly and prototype testing, a group of quality control laboratories, two warehouse complexes (north and south), a salvage storage area, water recharge basins, the Industrial Wastewater Treatment Plant, and several smaller support buildings.

The Navy's property originally totaled 109.5 acres and was formerly a Government-Owned Contractor-Operated (GOCO) facility that was operated by Northrop Grumman (NG) until September 1998. Prior to 2002, the NWIRP property was bordered on the north, west, and south by current or former NG facilities, and on the east by a residential neighborhood. By March 2008,

---

approximately 100 acres of NWIRP property were transferred to Nassau County in three separate actions. The remaining 9 acres and access easements were retained by the Navy to continue remedial efforts at Installation Restoration (IR) Site 1 – Former Drum Marshalling Area and Site 4 – Former Underground Storage Tanks (Area of Concern [AOC] 22). A parcel of land connecting the two sites was also retained. Currently, the 9-acre parcel of NWIRP is bordered on the east by the residential neighborhood and on the north, south, and west by Nassau County property. Access to the NWIRP is from South Oyster Bay Road.

### **1.3 Geology and Hydrogeology**

Overburden at the site consists of well over 1,000 ft of Cretaceous deposits overlying crystalline bedrock of the Hartland Formation. Overburden is divided into four geologic units: the upper Pleistocene deposits, the Magothy Formation, the clay member of the Raritan Formation (“Raritan Clay”) and the Lloyd Sand member of the Raritan Formation (“Lloyd Sand”) (Geraghty and Miller, 1994).

The upper Pleistocene ranges in thickness from approximately 50 to 100 ft and consists of till and outwash deposits of medium to coarse sand and gravel with lenses of fine sand, silt and clay (Smolensky and Feldman, 1990); these deposits form the Upper Glacial Aquifer. Directly underlying this unit is the Magothy Formation with a thickness of 650 to 900 ft bgs observed onsite. The Magothy is characterized by fine to medium sands and silts interbedded with zones of clays, silty sands and sandy clays. Sand and gravel lenses are found in some areas between depths of 600 and 880 ft bgs; these deposits form the Magothy Aquifer.

Investigations performed by the Navy since 2012 indicate that the bottom of the Magothy (top of the Raritan Clay) can extend to depths of 700 to greater than 1,000 ft bgs. The top of the Raritan Clay deepens to the south southeast, as evidenced by clay depths of 1,000 ft bgs (or more) in borings installed offsite. The Raritan Clay Unit is of continental origin and consists of clay, silty clay, clayey silt, and fine silty sand. This member acts as a confining layer over the Lloyd Sand Unit. The Lloyd Sand Unit is also of continental origin, having been deposited in a large fresh water lacustrine environment. The material consists of fine to coarse-grained sands, gravel, inter-bedded clay, and silty sand. These deposits form the Lloyd Aquifer.

The Upper Glacial Aquifer and the Magothy Aquifer comprise the aquifers of interest at the NWIRP. Regionally, these formations are generally considered to form a common, interconnected aquifer as

the coarse nature of each unit near their contact and the lack of any regionally confining clay unit allows for the unrestricted flow of groundwater between the formations.

The Magothy Aquifer is the major source of public water in Nassau County. The most productive water bearing zones are the discontinuous lenses of sand and gravel that occur within the siltier matrix. The major water-bearing zones are coarse sand and gravel lenses located in the lower portion of the Magothy. The Magothy Aquifer is commonly regarded to function overall as an unconfined aquifer at shallow depths and a confined aquifer at deeper depths. The drilling program at the NWIRP has revealed that clay zones beneath the facility are common but laterally discontinuous. No confining clay units of facility-wide extent have been encountered.

Groundwater is encountered at a depth of approximately 50 ft bgs at the facility. Historically, because of pumping and recharge at the facility, groundwater depths have been measured to range from 40 to 60 ft bgs. The groundwater flow in the area is to the south-southeast.

## **2.0 FIELD PROGRAM**

Field investigation activities at VPB 158 consisted of drilling, sampling, soil/groundwater analysis, geophysical logging, and surveying. Drilling during this investigation was performed by Delta Well and Pump Company of Ronkonkoma, New York. A description of these tasks is provided below.

### **2.1 Vertical Profile Borings**

One vertical profile boring (VPB 158) was completed during this field effort between January 9, 2015 and March 17, 2015. The total depth of VPB 158 was 930 ft. The location is shown in Figure 2 and details are summarized in Table 1.

#### **2.1.1 Drilling**

VPB 158 was installed by drilling an 8-inch diameter hole using mud rotary drilling techniques. Drilling mud consisted of potable water and polymer-free sodium bentonite or equivalent. Drilling mud was contained and re-circulated in baffled, high capacity mud tubs. A sand separator was used intermittently to remove fines from circulation.

#### **2.1.2 Sampling**

A total of nine split spoon samples were collected from ground surface to the bottom of the boring. A change in geology was observed by the field geologist at 863 ft bgs and four split spoon samples were subsequently collected to confirm the presence of the Raritan Clay. Samples were logged by the field geologist and screened for Volatile Organic Compounds (VOCs) utilizing a photoionization detector (PID). A detailed boring log for VPB 158 is included in Appendix A.

Groundwater grab samples were collected every 50 ft for the first 200 ft of borehole depth. After the first 200 ft, groundwater grab samples were collected approximately every 20 ft until the boring terminated in the Raritan. Groundwater grab samples were collected with a hydropunch sampler and analyzed for VOCs using Environmental Protection Agency (EPA) Method 8260C. The groundwater grab samples were analyzed by Katahdin Analytical Services (Katahdin), a Department of Defense (DoD), Environmental Laboratory Accreditation Program (ELAP), and New York State Department of Environmental Conservation (NYSDEC)-certified laboratory. During the collection of groundwater grab samples, field parameters were measured (pH, temperature, specific conductivity, oxidation reduction potential, dissolved oxygen, and turbidity). Data validation was performed by Resolution Consultants. Groundwater grab sample logs, data validation packages, and analytical data tables are included in Appendix A.



One soil sample was collected for laboratory analysis for total organic carbon (TOC) by EPA series SW-846 method 9060A. During drilling, air sampling was conducted under a Community Air Monitoring Plan. One air sample was collected per VPB using Summa canisters and submitted for laboratory analysis by EPA Method TO-15. All analyses were performed or sub-contracted by Katahdin. Data validation of both TOC and air data was performed by Resolution Consultants. Data validation packages and analytical data tables are included in Appendix A.

### **2.1.3 Geophysics**

Borehole geophysical logs (gamma) were recorded after the borehole was drilled but prior to the removal of drill rods. A Mount Sopris Instrument model 2PGA-100 poly gamma was used. Starting at the top of the hole, the probe was advanced at a maximum rate of 12 ft per minute. A copy of the log was printed in the field for review once the probe reached the bottom of the borehole. The instrument was then raised to the top of the boring and a second log was generated and printed in the field. The down hole gamma log sheets and plots comparing the gamma log with trichloroethene (TCE) and tetrachloroethene (PCE) concentrations from hydropunch samples are included in Appendix A.

## **2.2 Decontamination and Investigation Derived Waste (IDW)**

Resolution Consultants utilized dedicated and disposable sampling equipment when possible to avoid the potential for cross-contamination of samples. The sampling equipment included dedicated plastic scoops, disposable Teflon or polyethylene tubing, disposable gloves, and laboratory supplied sample bottles. Hand held equipment, split spoons, and the hydropunch were decontaminated using Liquinox and water wash, a potable water rinse, followed by a distilled water rinse. Water was collected in 5-gallon pails or 55-gallon drums.

As part of the IDW management practices and in accordance with the SAP, the investigation waste (consisting of soil cuttings, drilling muds, IDW fluids, and personal protective equipment [PPE]) generated during the boring installation was containerized and staged at NWIRP Bethpage. IDW solids were characterized and disposed of properly. Representative samples from each roll off were submitted to Katahdin for analysis of:

- Target Compound List (TCL) VOCs
- TCL Semi-volatile Organic Compounds (SVOCs)
- Toxicity Characteristic Leaching Procedure (TCLP) Metals

- 
- Polychlorinated Biphenyls (PCBs)
  - Total petroleum hydrocarbons
  - Corrosivity
  - Ignitability
  - Reactive Cyanide
  - Reactive Sulfide
  - Paint Filter

IDW water was containerized in frac tanks and stored at NWIRP Bethpage for characterization and ultimate disposal to the Publicly Owned Treatment Works (POTW), in accordance with the facilities existing discharge permit. A representative water sample was collected from each frac tank and submitted to Katahdin for analysis of VOCs via Method SW 624, pH via Method SW 9040B, PCBs via Method 8082 and Total Metals via Method SW 846 (all waters). To the extent feasible, soil and water were not mixed. All analytical criteria were met for disposal of soil and water.

### **2.3 Surveying**

A survey of the boring location was conducted at the end of fieldwork by C. T. Male, Inc., of Latham, NY, under the direct supervision of Resolution Consultants. The location was tied into the existing base map developed for this investigation. The survey elevation is referenced to the North American Vertical Datum (NAVD) 1988 and has a vertical accuracy of 0.01 foot. Vertical control is based on observations of the Continuously Operating Reference (COR) Stations Queens and Central Islip. The horizontal location is referenced to the North American Datum (NAD) 1983 (2011) N.Y. Long Island Zone 3104 and has an accuracy of 0.1 foot. Local horizontal and vertical control is based on Global Positioning System (GPS) observations using the NYS Net Real Time Network.

A table of survey data (ground, latitude/longitude and northing/easting) and a survey map is included in Appendix A.

### 3.0 REFERENCES

Geraghty and Miller, Inc., 1994. *Remedial Investigation Report, Grumman Aerospace Corporation, Bethpage, New York*. Revised September 1994.

Naval Facilities Engineering Command (NAVFAC), 2003. *Record of Decision Naval Weapons Industrial Reserve Plant Bethpage, New York, Operable Unit 2 – Groundwater*, NYS Registry: 1-30-003B. April.

Resolution Consultants, 2013. *United Federal Programs Sampling and Analysis Plan, Site OU-2 Offsite TCE Groundwater Plume Investigation*, Bethpage, New York. April.

Resolution Consultants, 2013. UFP SAP Addendum, *Groundwater Sampling Using Low Stress (Low Flow) Purging and Sampling Protocol*. November.

Resolution Consultants, 2013. UFP SAP Addendum, *Installation of Vertical Profile Borings and Monitoring Wells*. December.

Smolensky, D., and Feldman, S., 1990. *Geohydrology of the Bethpage-Hicksville-Levittown Area, Long Island, New York*, U.S. Geological Survey Water-Resourced Investigations Report 88-4135, 25 pp.



## Tables

**TABLE 1  
VERTICAL PROFILE BORING SUMMARY  
2015  
OU2 GROUNDWATER INVESTIGATION  
NWIRP BETHPAGE, NY**

<b>BORING</b>	<b>BORING START DATE</b>	<b>BORING COMPLETION DATE</b>	<b>GROUND ELEVATION (MSL)</b>	<b>TOTAL DEPTH (ft bgs)</b>	<b>SURFACE CASING SET AT (ft bgs)</b>	<b>NO. OF SPOON SAMPLES</b>	<b>GAMMA LOG (ft bgs)</b>	<b>NO. GW SAMPLES COLLECTED/ ATTEMPTED*</b>	<b>TOC SAMPLE DEPTHS (ft bgs)</b>	<b>DATE OF AIR SAMPLE</b>	<b>MONITORING WELLS INSTALLED AT LOCATION</b>
VPB 158	1/9/2015	3/17/2015	75.07	930	53	9	928	36/42	158-160 and 643-645	3/2/2015	pending


\* includes field duplicates

## Figures



GENERAL LOCATION MAP  
NWIRP BETHPAGE  
BETHPAGE, NEW YORK

CONTRACT NUMBER N62470-11-D-8013		CTO NUMBER WE15	
APPROVED BY ---		DATE ---	
APPROVED BY ---		DATE ---	
FIGURE NO. 1			REV 0



VPB 158 LOCATION MAP  
 NAVAL WEAPONS INDUSTRIAL RESERVE PLANT  
 BETHPAGE, NEW YORK

CONTRACT NUMBER N62470-11-D8013	CTO NUMBER WE15
APPROVED BY PS	DATE 4/17/2015
APPROVED BY	DATE
FIGURE NO. 2	REV 0



**Appendix A**

**VPB 158**

**Section 1**

**VPB 158 Boring and Gamma Logs**

<b>Client:</b> Department of the Navy, Naval Facilities Engineering Command, Mid-Atlantic			<b>Logged By:</b> Mike Zobel		
<b>Location:</b> Gingham & Saucer Lane, Levittown, T.O. Hempstead, NY		<b>Northing:</b> 202259.1	<b>Easting:</b> 1122890	<b>Drilling Company:</b> Delta Well & Pump	
<b>Project #:</b> 60266526		<b>Ground Elevation (ft amsl):</b> 75.07		<b>Well Screen Interval (ft):</b> NA	
<b>Start Date:</b> 1/9/2015		<b>Drilling Method:</b> Auger (0-50' bgs) Mud Rotary (>50' bgs)		<b>Water Level (ft):</b> NA	
<b>Finish Date:</b> 3/17/2015		<b>Total Depth (ft):</b> 930.0			

Mud Rotary Drilling Note: Unless denoted by a splitspoon sample (indicated by the presence of a PID reading), boundaries between strata are approximate only and may be transitional because they are based on screened wash samples collected during mud rotary drilling at 5 ft. intervals.

DEPTH (ft)	Gamma Ray	PID (ppm)	TCE (ug/L)	PCE (ug/L)	Formation	USCS	GRAPHIC LOG	MATERIAL DESCRIPTION
0					Upper Glacial			
2						SP-SM		Brown (7.5YR 4/2) poorly graded medium to coarse subangular SAND with Silt, trace fine subrounded gravel
4								
6						SW		Light brown (10YR 6/6) well graded medium to coarse subangular SAND with fine Gravel, trace silt
8								
10						SW		Light brown (10YR 6/6) well graded medium to coarse subangular SAND with fine Gravel, trace silt
12								
14						SW		Light brown (10YR 6/6) well graded medium to coarse subangular SAND with fine Gravel, trace silt
16								
18						SW		Light brown (10YR 6/6) well graded medium to coarse subangular SAND with fine Gravel, trace silt
20								
22						SW		Light brown (10YR 6/6) well graded medium to coarse subangular SAND with fine Gravel, trace silt
24								
26						SW		Light brown (10YR 6/6) well graded medium to coarse subangular SAND with fine Gravel, trace silt
28								
30						SW		Light brown (10YR 6/6) well graded medium to coarse subangular SAND with fine Gravel, trace silt
32								
34						SW		Light yellowish brown (2.5Y 6/4) well graded medium to coarse subangular SAND with fine Gravel, trace silt

(Continued Next Page)

DEPTH (ft)	Gamma Ray 30 60 90	PID (ppm)	TCE (ug/L)	PCE (ug/L)	Formation	USCS	GRAPHIC LOG	MATERIAL DESCRIPTION		
36					Upper Glacial	SW		Light yellowish brown (2.5Y 6/4) well graded medium to coarse subangular SAND with fine Gravel, trace silt		
38								SW		Light yellowish brown (2.5Y 6/4) well graded medium to coarse subangular SAND with fine Gravel, trace silt
40										SW
42						SW		Light yellowish brown (2.5Y 6/4) well graded medium to coarse subangular SAND with fine Gravel, trace silt		
44								SW		Light yellowish brown (2.5Y 6/4) well graded medium to coarse subangular SAND with fine Gravel, trace silt
46						SW				Light yellowish brown (2.5Y 6/4) well graded medium to coarse subangular SAND with fine Gravel, trace silt
48								SW		Light yellowish brown (2.5Y 6/4) well graded medium to coarse subangular SAND with fine Gravel, trace silt
50						< 0.50	< 0.50			SW
52						SW		Light yellowish brown (2.5Y 6/4) well graded medium to coarse subangular SAND with fine Gravel, trace silt		
54								SW		Light yellowish brown (2.5Y 6/4) well graded medium to coarse subangular SAND with fine Gravel, trace silt
56						SW				Light yellowish brown (2.5Y 6/4) well graded medium to coarse subangular SAND with fine Gravel, trace silt
58								SW-SC		Brownish yellow (10YR 6/6) well graded fine to coarse subangular SAND with medium fat Clay, trace fine subrounded gravel
60						SW-SC				Brownish yellow (10YR 6/6) well graded fine to coarse subangular SAND with medium fat Clay, trace fine subrounded gravel
62								SW-SC		Brownish yellow (10YR 6/6) well graded fine to coarse subangular SAND with medium fat Clay, trace fine subrounded gravel
64						SW-SC				Brownish yellow (10YR 6/6) well graded fine to coarse subangular SAND with medium fat Clay, trace fine subrounded gravel
66								SW		Brownish yellow (10YR 6/6) well graded fine to coarse subangular SAND, trace fine subrounded Gravel, trace medium fat clay
68						SW				Brownish yellow (10YR 6/6) well graded fine to coarse subangular SAND, trace fine subrounded Gravel, trace medium fat clay
70								SW		Brownish yellow (10YR 6/6) well graded fine to coarse subangular SAND, trace fine subrounded Gravel, trace medium fat clay
72	SW		Brownish yellow (10YR 6/6) well graded fine to coarse subangular SAND, trace fine subrounded Gravel, trace medium fat clay							
74			SW		Brownish yellow (10YR 6/6) well graded fine to coarse subangular SAND, trace fine subrounded Gravel, trace medium fat clay					

(Continued Next Page)

DEPTH (ft)	Gamma Ray 30 60 90	PID (ppm)	TCE (ug/L)	PCE (ug/L)	Formation	USCS	GRAPHIC LOG	MATERIAL DESCRIPTION
76					Upper Glacial	SW		Brownish yellow (10YR 6/6) well graded fine to coarse subangular SAND, trace fine subrounded Gravel, trace medium fat clay (continued)
78					SW-SC		Brownish yellow (10YR 6/6) well graded fine to coarse subangular SAND with medium fat Clay, trace fine subrounded gravel	
80					SW-SC		Brownish yellow (10YR 6/6) well graded fine to coarse subangular SAND with medium fat Clay and fine subrounded gravel	
82					SW-SC		Brownish yellow (10YR 6/6) well graded fine to coarse subangular SAND with medium fat Clay and fine subrounded gravel	
84					SW-SC		Brownish yellow (10YR 6/6) well graded fine to coarse subangular SAND with medium fat Clay and fine subrounded gravel	
86					SW-SC		Brownish yellow (10YR 6/6) well graded fine to coarse subangular SAND with medium fat Clay and fine subrounded gravel	
88					SW-SC		Brownish yellow (10YR 6/6) well graded fine to coarse subangular SAND with medium fat Clay and fine subrounded gravel	
90					SW-SC		Brownish yellow (10YR 6/6) well graded fine to coarse subangular SAND with medium fat Clay and fine subrounded gravel	
92					SW-SC		Brownish yellow (10YR 6/6) well graded fine to coarse subangular SAND with medium fat Clay, trace fine subrounded gravel, iron nodules	
94					SW-SC		Brownish yellow (10YR 6/6) well graded fine to coarse subangular SAND with medium fat Clay, trace fine subrounded gravel, iron nodules	
96					SW-SC		Brownish yellow (10YR 6/6) well graded fine to coarse subangular SAND with medium fat Clay, trace fine subrounded gravel, iron nodules	
98					SW-SC		Brownish yellow (10YR 6/6) well graded fine to coarse subangular SAND with medium fat Clay, trace fine subrounded gravel, iron nodules	
100					SW-SC		Brownish yellow (10YR 6/6) well graded fine to coarse subangular SAND with medium fat Clay, trace fine subrounded gravel, iron nodules	
102					SW-SC		Brownish yellow (10YR 6/6) well graded fine to coarse subangular SAND with medium fat Clay, trace fine subrounded gravel, iron nodules	
104	SW-SC		Brownish yellow (10YR 6/6) well graded fine to coarse subangular SAND with medium fat Clay, trace fine subrounded gravel, iron nodules					
106	SW-SC		Brownish yellow (10YR 6/6) well graded fine to coarse subangular SAND with medium fat Clay, trace fine subrounded gravel, iron nodules					
108	SW-SC		Brownish yellow (10YR 6/6) well graded fine to coarse subangular SAND with medium fat Clay, trace fine subrounded gravel, iron nodules					
110	SW-SC		Brownish yellow (10YR 6/6) well graded fine to coarse subangular SAND with medium fat Clay, trace fine subrounded gravel, iron nodules					
112	SW-SC		Brownish yellow (10YR 6/6) well graded fine to coarse subangular SAND with medium fat Clay, trace fine subrounded gravel, iron nodules					
114	SW		Brownish yellow (10YR 7/3) well graded fine to coarse subangular SAND, trace fine subrounded Gravel, iron nodules, trace medium fat clay					

(Continued Next Page)

DEPTH (ft)	Gamma Ray 30 60 90	PID (ppm)	TCE (ug/L)	PCE (ug/L)	Formation	USCS	GRAPHIC LOG	MATERIAL DESCRIPTION
116					Magothy	SW		Brownish yellow (10YR 7/3) well graded fine to coarse subangular SAND, trace fine subrounded Gravel, iron nodules, trace medium fat clay (continued)
118						SP-SC		Brownish yellow (10YR 7/3) poorly graded fine to medium subangular SAND with soft fat Clay, trace fine subrounded gravel, iron nodules
120								Brownish yellow (10YR 7/3) poorly graded fine to medium subangular SAND with soft fat Clay, trace fine subrounded gravel, iron nodules
122								Brownish yellow (10YR 7/3) poorly graded fine to medium subangular SAND with soft fat Clay, trace fine subrounded gravel, iron nodules
124								Brownish yellow (10YR 7/3) poorly graded fine to medium subangular SAND with soft fat Clay, trace fine subrounded gravel, iron nodules
126								Brownish yellow (10YR 7/3) poorly graded fine to medium subangular SAND with soft fat Clay, trace fine subrounded gravel, iron nodules
128								Brownish yellow (10YR 7/3) poorly graded fine to medium subangular SAND with soft fat Clay, trace fine subrounded gravel, iron nodules
130						SP-SC		Brownish yellow (10YR 7/3) poorly graded fine to medium subangular SAND with soft fat Clay, trace fine subrounded gravel, iron nodules
132								Brownish yellow (10YR 7/3) poorly graded fine to medium subangular SAND with soft fat Clay, trace fine subrounded gravel, iron nodules
134								Brownish yellow (10YR 7/3) poorly graded fine to medium subangular SAND with soft fat Clay, trace fine subrounded gravel, iron nodules
136								Brownish yellow (10YR 7/3) poorly graded fine to medium subangular SAND with soft fat Clay, trace fine subrounded gravel, iron nodules
138						SP-SC		Light gray (10YR 7/2) poorly graded fine to medium subangular SAND with soft fat Clay
140							Light gray (10YR 7/2) poorly graded fine to medium subangular SAND with soft fat Clay	
142					SM		Light gray (10YR 7/2) Silty fine to medium subangular SAND	
144							Light gray (10YR 7/2) Silty fine to medium subangular SAND	
146					SM		Light gray (10YR 7/2) Silty fine to medium subangular SAND	
148			9.3	1.1			Light gray (10YR 7/2) Silty fine to medium subangular SAND	
150					SM		Light gray (10YR 7/2) Silty fine to medium subangular SAND	
152							Light gray (10YR 7/2) Silty fine to medium subangular SAND	
154					SM		Light gray (10YR 7/2) Silty fine to medium subangular SAND, trace fine subangular gravel	

(Continued Next Page)

DEPTH (ft)	Gamma Ray	PID (ppm)	TCE (ug/L)	PCE (ug/L)	Formation	USCS	GRAPHIC LOG	MATERIAL DESCRIPTION
	30 60 90							
156					Magothy	SM		Light gray (10YR 7/2) Silty fine to medium subangular SAND, trace fine subangular gravel <i>(continued)</i>
158						SP		Banded (0.25"-1") light gray (10YR 7/1), very pale brown (10YR 8/4) and reddish yellow (7.5YR 7/8) poorly graded fine to medium subangular SAND, trace Silt
160		0				SP		Light gray (10YR 7/2) poorly graded fine to medium subangular SAND, trace Silt, trace fine subangular gravel
162						SP		Light gray (10YR 7/2) poorly graded fine to medium subangular SAND, trace Silt, trace fine subangular gravel
164						SP-SM		Light gray (10YR 7/2) poorly graded fine to medium subangular SAND with Silt
166						SP-SM		Light gray (10YR 7/2) poorly graded fine to medium subangular SAND with Silt
168						SP-SM		Light gray (10YR 7/2) poorly graded fine to medium subangular SAND with Silt
170						SP-SM		Light gray (10YR 7/2) poorly graded fine to medium subangular SAND with Silt
172						SP-SM		Light gray (10YR 7/2) poorly graded fine to medium subangular SAND with Silt
174						SP		Light gray (10YR 7/2) poorly graded fine to medium subangular SAND, trace Silt
176						SP		Light gray (10YR 7/2) poorly graded fine to medium subangular SAND, trace Silt
178						SP		Light gray (10YR 7/2) poorly graded fine to medium subangular SAND, trace Silt
180						SP		Light gray (10YR 7/2) poorly graded fine to medium subangular SAND, trace Silt
182						SP		Light gray (10YR 7/2) poorly graded fine to medium subangular SAND, trace Silt
184						SP-SC		Light gray (10YR 7/2) poorly graded fine to medium subangular SAND with soft fat Clay
186						SP-SC		Light gray (10YR 7/2) poorly graded fine to medium subangular SAND with soft fat Clay
188						SP-SC		Light gray (10YR 7/2) poorly graded fine to medium subangular SAND with soft fat Clay, trace fine subangular gravel
190						SP-SC		Light gray (10YR 7/2) poorly graded fine to medium subangular SAND with soft fat Clay, trace fine subangular gravel
192						SP-SC		Light gray (10YR 7/2) poorly graded fine to medium subangular SAND with soft fat Clay, trace fine subangular gravel
194						SC		Light gray (10YR 7/2) soft fat Clayey fine to medium subangular SAND, trace fine subangular gravel

(Continued Next Page)

DEPTH (ft)	Gamma Ray	PID (ppm)	TCE (ug/L)	PCE (ug/L)	Formation	USCS	GRAPHIC LOG	MATERIAL DESCRIPTION	
196	30 60 90				Magothy	SC		Light gray (10YR 7/2) soft fat Clayey fine to medium subangular SAND, trace fine subangular gravel (continued)	
198						SC		Light gray (10YR 7/2) soft fat Clayey fine to medium subangular SAND	
200			35	2.3		SC			
202									
204									Light gray (2.5Y 7/1) soft fat Clayey fine to medium subangular SAND
206									
208									Light gray (2.5Y 7/1) soft fat Clayey fine to medium subangular SAND
210									
212									
214									Light gray (2.5Y 7/1) soft fat Clayey fine to medium subangular SAND with fine subrounded gravel
216									
218									
220			36	2.3		SC	Yellow (10YR 7/6) soft fat Clayey fine SAND, trace lignite, iron nodules		
222									
224						SP-SC	Yellow (10YR 7/6) poorly graded fine to medium SAND with soft fat Clay, trace lignite, iron nodules		
226									
228									
230						SP-SC	Yellow (10YR 7/8) poorly graded fine SAND with soft fat Clay, trace lignite, iron nodules		
232									
234						SM	Yellow (10YR 7/8) Silty poorly graded fine SAND, trace lignite, iron nodules		

(Continued Next Page)



DEPTH (ft)	Gamma Ray 30 60 90	PID (ppm)	TCE (ug/L)	PCE (ug/L)	Formation	USCS	GRAPHIC LOG	MATERIAL DESCRIPTION	
236					Magothy	SM		Yellow (10YR 7/8) Silty poorly graded fine SAND, trace lignite, iron nodules (continued)	
238									Yellow (10YR 7/8) fine Sandy SILT
240						MH	0.74 < 0.50		Yellow (10YR 7/6) fine Sandy SILT, trace lignite
242									MH
244						MH	CH		
246									MH
248						MH	CH		
250									MH
252						MH	CH		
254									MH
256						MH	CH		
258									MH
260						MH	CH		
262								MH	CH
264	MH	CH	Yellow (10YR 7/6) fine Sandy soft fat CLAY, trace lignite						
266			MH	CH	Yellow (10YR 7/6) stiff fat CLAY, trace medium Sand, trace lignite				
268	MH	CH			Yellow (10YR 7/6) stiff fat CLAY, trace medium Sand, trace lignite				
270			MH	CH	Yellow (10YR 7/6) stiff fat CLAY, trace medium Sand, trace lignite				
272	MH	CH			Yellow (10YR 7/6) stiff fat CLAY, trace medium Sand, trace lignite				
274			MH	CH	Yellow (10YR 7/6) stiff fat CLAY, trace medium Sand, trace lignite				

(Continued Next Page)

DEPTH (ft)	Gamma Ray 30 60 90	PID (ppm)	TCE (ug/L)	PCE (ug/L)	Formation	USCS	GRAPHIC LOG	MATERIAL DESCRIPTION
276					Magothy	CH		Yellow (10YR 7/6) stiff fat CLAY, trace medium Sand, trace lignite (continued)
278		0	0.31	< 0.50		SC		Pale brown (2.5Y 7/3) soft fat Clayey fine to medium SAND, trace lignite
280						SP-SC		Pale brown (2.5Y 7/3) poorly graded fine to medium subangular SAND with soft fat Clay, trace lignite
282						SP-SC		Pale brown (2.5Y 7/3) poorly graded fine to medium subangular SAND with soft fat Clay, trace lignite
284						SP-SC		Pale brown (2.5Y 7/3) poorly graded fine to medium subangular SAND with soft fat Clay, trace lignite
286						SP-SC		Pale brown (2.5Y 7/3) poorly graded fine to medium subangular SAND with soft fat Clay, trace lignite
288						SP-SC		Pale brown (2.5Y 7/3) poorly graded fine to medium subangular SAND with soft fat Clay, trace lignite
290						SP-SC		Pale brown (2.5Y 7/3) poorly graded fine to medium subangular SAND with soft fat Clay, trace lignite
292						SP-SC		Pale brown (2.5Y 7/3) poorly graded fine to medium subangular SAND with soft fat Clay, trace lignite
294						SP		Pale brown (2.5Y 7/3) poorly graded fine to medium subangular SAND, trace soft fat Clay
296						SP		Pale brown (2.5Y 7/3) poorly graded fine to medium subangular SAND, trace soft fat Clay
298						SP		Pale brown (2.5Y 7/3) poorly graded fine to medium subangular SAND, trace soft fat Clay
300			65	< 0.50		SP		Pale brown (2.5Y 7/3) poorly graded fine to medium subangular SAND, trace soft fat Clay
302						SP		Pale brown (2.5Y 7/3) poorly graded fine to medium subangular SAND, trace soft fat Clay
304		0			SP-SC		Pale brown (2.5Y 7/3) poorly graded fine to medium subangular SAND with soft fat Clay	
306					SP		Light gray (2.5Y 7/2) poorly graded fine to medium subangular SAND, trace soft fat Clay, trace lignite	
308					SP		Light gray (2.5Y 7/2) poorly graded fine to medium subangular SAND, trace soft fat Clay, trace lignite	
310					SP		Light gray (2.5Y 7/2) poorly graded fine to medium subangular SAND, trace soft fat Clay, trace lignite	
312					SP		Light gray (2.5Y 7/2) poorly graded fine to medium subangular SAND, trace soft fat Clay, trace lignite	
314					SP		Light gray (2.5Y 7/2) poorly graded fine to medium subangular SAND, trace soft fat Clay	

(Continued Next Page)

DEPTH (ft)	Gamma Ray 30 60 90	PID (ppm)	TCE (ug/L)	PCE (ug/L)	Formation	USCS	GRAPHIC LOG	MATERIAL DESCRIPTION
316					Magothy	SP		Light gray (2.5Y 7/2) poorly graded fine to medium subangular SAND, trace soft fat Clay <i>(continued)</i>
318			140	< 0.50		SC		Light gray (Gley1 7/N) soft fat Clayey fine to medium subangular SAND
320						CH		Gray (Gley1 6/N) stiff fat CLAY with fine to medium Sand, trace lignite
322						CH		Gray (Gley1 6/N) stiff fat CLAY with fine to medium Sand, few lignite
324						CH		Gray (Gley1 6/N) stiff fat CLAY with fine to medium Sand, few lignite
326						CH		Gray (Gley1 6/N) stiff fat CLAY with fine to medium Sand, few lignite
328						CH		Gray (Gley1 6/N) stiff fat CLAY with fine to medium Sand, few lignite
330						CH		Gray (Gley1 6/N) stiff fat CLAY with fine to medium Sand, few lignite
332						CH		Gray (Gley1 6/N) stiff fat CLAY with fine to medium Sand, few lignite
334						CH		Gray (Gley1 6/N) stiff fat CLAY with fine to medium Sand, few lignite
336						CH		Gray (Gley1 6/N) stiff fat CLAY with fine to medium Sand, few lignite
338			0.36	< 0.50		CH		Gray (Gley1 6/N) stiff fat CLAY with fine to medium Sand, few lignite
340						SC		Gray (Gley1 6/N) stiff fat Clayey fine to medium subangular SAND, trace lignite
342					SC		Gray (Gley1 6/N) stiff fat Clayey fine to medium subangular SAND, trace lignite	
344					SC		Gray (Gley1 6/N) stiff fat Clayey fine to medium subangular SAND, trace lignite	
346					SC		Gray (Gley1 6/N) stiff fat Clayey fine to medium subangular SAND, trace lignite	
348					SC		Gray (Gley1 6/N) stiff fat Clayey fine to medium subangular SAND, trace lignite	
350					SC		Gray (Gley1 6/N) stiff fat Clayey fine to medium subangular SAND, trace lignite	
352					SC		Gray (Gley1 6/N) stiff fat Clayey fine to medium subangular SAND, trace lignite	
354					SC		Gray (Gley1 6/N) stiff fat Clayey fine to medium subangular SAND, trace lignite	

(Continued Next Page)

DEPTH (ft)	Gamma Ray	PID (ppm)	TCE (ug/L)	PCE (ug/L)	Formation	USCS	GRAPHIC LOG	MATERIAL DESCRIPTION
	30 60 90							
356			< 0.50	< 0.50	Magothy	SC		Gray (Gley1 6/N) stiff fat Clayey fine to medium subangular SAND, trace lignite (continued)
358						CH		Gray (Gley1 6/N) stiff fat CLAY with fine to medium Sand, few lignite
360						CH		Gray (Gley1 6/N) stiff fat CLAY with fine to medium Sand, few lignite
362						CH		Gray (Gley1 6/N) stiff fat CLAY with fine to medium Sand, few lignite
364						CH		Gray (Gley1 6/N) stiff fat CLAY with fine to medium Sand, few lignite
366						CH		Gray (Gley1 6/N) stiff fat CLAY with fine to medium Sand, few lignite
368			CH			Gray (Gley1 6/N) stiff fat CLAY with fine to medium Sand, few lignite		
370			CH			Gray (Gley1 6/N) stiff fat CLAY with fine to medium Sand, few lignite		
372			CH			Gray (Gley1 6/N) stiff fat CLAY with fine to medium Sand, few lignite		
374			CH			Gray (Gley1 6/N) stiff fat CLAY with fine to medium Sand, few lignite		
376			CH			Gray (Gley1 6/N) stiff fat CLAY with fine to medium Sand, few lignite		
378			CH			Gray (Gley1 6/N) stiff fat CLAY with fine to medium Sand, few lignite		
380						< 0.50	< 0.50	
382								
384						SM		Very dark gray (Gley1 3/N) Silty fine SAND, trace lignite
386						SM		Very dark gray (Gley1 3/N) Silty fine SAND, trace lignite
388						SM		Very dark gray (Gley1 3/N) Silty fine SAND, trace lignite
390						SM		Very dark gray (Gley1 3/N) Silty fine SAND, trace lignite
392						SM		Very dark gray (Gley1 3/N) Silty fine SAND, trace lignite
394						SM		Dark gray (Gley1 4/N) Silty fine SAND, trace lignite

(Continued Next Page)

DEPTH (ft)	Gamma Ray	PID (ppm)	TCE (ug/L)	PCE (ug/L)	Formation	USCS	GRAPHIC LOG	MATERIAL DESCRIPTION
396	30 60 90				Magothy	SM		Dark gray (Gley1 4/N) Silty fine SAND, trace lignite (continued)
398			< 10	< 10		SM		Dark gray (Gley1 4/N) Silty fine SAND, trace lignite
400						CH		Dark gray (Gley1 4/N) fine Sandy stiff fat CLAY, trace lignite
402				Dark gray (Gley1 4/N) fine Sandy stiff fat CLAY, trace lignite				
404				Dark gray (Gley1 4/N) fine Sandy stiff fat CLAY, trace lignite				
406				Dark gray (Gley1 4/N) fine Sandy stiff fat CLAY, trace lignite				
408						CH		Dark gray (2.5Y 4/1) fine Sandy medium fat CLAY
410				Dark gray (2.5Y 4/1) soft fat Clayey fine to medium SAND				
412			< 0.50	< 0.50		SC		Gray (Gley 1 5/N) fine Sandy soft fat CLAY
414				Gray (Gley 1 5/N) soft fat Clayey fine to medium SAND				
416						CH		Gray (Gley 1 5/N) fine Sandy soft fat CLAY
418				Gray (Gley 1 5/N) soft fat Clayey fine to medium SAND				
420						SC		Gray (Gley 1 5/N) soft fat Clayey fine to medium SAND
422				Gray (Gley 1 5/N) fine Sandy soft fat CLAY				
424					CH		Gray (Gley 1 5/N) soft fat Clayey fine to medium SAND	
426				Gray (Gley 1 5/N) fine Sandy soft fat CLAY				
428					SC		Gray (Gley 1 5/N) soft fat Clayey fine to medium SAND	
430				Gray (Gley 1 5/N) fine Sandy soft fat CLAY				
432					CH		Gray (Gley 1 5/N) soft fat Clayey fine to medium SAND	
434				Gray (Gley 1 5/N) fine Sandy soft fat CLAY				

(Continued Next Page)

DEPTH (ft)	Gamma Ray 30 60 90	PID (ppm)	TCE (ug/L)	PCE (ug/L)	Formation	USCS	GRAPHIC LOG	MATERIAL DESCRIPTION
436					Magothy	CH		Gray (Gley 1 5/N) fine Sandy soft fat CLAY <i>(continued)</i>
438						SC		Gray (Gley 1 5/N) soft fat Clayey fine SAND
440			< 0.50	< 0.50		SC		Olive gray (5Y 4/2) soft fat Clayey fine SAND
442						SC		Olive gray (5Y 4/2) soft fat Clayey fine SAND
444						SC		Olive gray (5Y 4/2) soft fat Clayey fine SAND
446						SC		Olive gray (5Y 4/2) soft fat Clayey fine SAND
448						SC		Olive gray (5Y 4/2) soft fat Clayey fine SAND
450						CH		Dark grayish brown (2.5Y 4/2) fine Sandy soft fat CLAY
452						CH		Dark grayish brown (2.5Y 4/2) fine Sandy soft fat CLAY
454						SC		Dark gray (2.5Y 4/1) soft fat Clayey fine to medium SAND
456						SC		Dark gray (2.5Y 4/1) soft fat Clayey fine to medium SAND
458						SC		Dark gray (2.5Y 4/1) soft fat Clayey fine to medium SAND
460			0.79	< 0.50		SC		Dark gray (2.5Y 4/1) soft fat Clayey fine to medium SAND
462					SC		Dark gray (2.5Y 4/1) soft fat Clayey fine SAND	
464					SC		Dark gray (2.5Y 4/1) soft fat Clayey fine SAND	
466					SC		Dark gray (2.5Y 4/1) soft fat Clayey fine SAND	
468					SC		Dark gray (2.5Y 4/1) soft fat Clayey fine SAND	
470					SM		Very dark gray (Gley1 3/N) Silty fine SAND, trace lignite	
472					SM		Very dark gray (Gley1 3/N) Silty fine SAND, trace lignite	
474					SC		Light olive brown (2.5Y 5/4) soft fat Clayey fine to medium SAND	

(Continued Next Page)

DEPTH (ft)	Gamma Ray	PID (ppm)	TCE (ug/L)	PCE (ug/L)	Formation	USCS	GRAPHIC LOG	MATERIAL DESCRIPTION
	30 60 90							
476					Magothy	SC		Light olive brown (2.5Y 5/4) soft fat Clayey fine to medium SAND (continued)
478						CH		Black (5Y 3/2) stiff fat CLAY, few lignite
480						CL		Dark grayish brown (2.5Y 4/2) fine Sandy lean CLAY, few lignite
482						SC		Olive gray (5Y 4/2) soft fat Clayey fine SAND
484						SP-SC		Gray (Gley1 6/N) poorly graded fine to medium subangular SAND with soft fat Clay, trace lignite
486						SM		Gray (Gley 1 6/N) Silty fine to medium subangular SAND
488			< 0.50	< 0.50		SW		Brownish yellow (10YR 7/3) well graded fine to coarse subangular SAND, trace lignite
490						SM		Light brown (10YR 6/6) Silty fine subangular SAND
492						SM		Light brown (10YR 6/6) Silty fine subangular SAND
494								
496								
498								
500								
502								
504								
506								
508								
510								
512								
514								

(Continued Next Page)

DEPTH (ft)	Gamma Ray 30 60 90	PID (ppm)	TCE (ug/L)	PCE (ug/L)	Formation	USCS	GRAPHIC LOG	MATERIAL DESCRIPTION	
516					Magothy	SM		Light brown (10YR 6/6) Silty fine subangular SAND (continued)	
518						SM			Pale brown (2.5Y 7/3) Silty fine subangular SAND
520			< 0.50	< 0.50		SM			
522							SM		
524							SM		Pale brown (2.5Y 7/3) Silty fine subangular SAND, trace lignite
526							SM		
528							MH		Gray (2.5Y 5/1) fine Sandy SILT
530							MH		
532							MH		
534							MH		Gray (2.5Y 5/1) fine Sandy SILT
536							MH		
538							SP-SM		Gray (2.5Y 5/1) poorly graded fine subangular SAND with Silt
540			< 0.50	< 0.50	SP-SM				
542						SP-SM			
544		0				SP-SM			Gray (2.5Y 5/1) poorly graded fine subangular SAND with Silt
546						SP-SM			Gray (2.5Y 5/1) poorly graded fine subangular SAND with Silt
548						SP-SM		Gray (2.5Y 5/1) poorly graded fine subangular SAND with Silt	
550						SP-SM			
552						SP-SC		Gray (2.5Y 5/1) poorly graded fine subangular SAND with Silt	
554						SP-SC		Gray (Gley1 5/N) poorly graded fine subangular SAND with soft fat Clay	

(Continued Next Page)



DEPTH (ft)	Gamma Ray 30 60 90	PID (ppm)	TCE (ug/L)	PCE (ug/L)	Formation	USCS	GRAPHIC LOG	MATERIAL DESCRIPTION
556			< 0.50	< 0.50	Magothy	SP-SC		Gray (Gley1 5/N) poorly graded fine subangular SAND with soft fat Clay <i>(continued)</i>
558						SP-SC		Gray (Gley1 5/N) poorly graded fine subangular SAND with soft fat Clay
560						SP-SC		
562						SP-SC		
564						SC		Gray (Gley1 5/N) soft fat Clayey poorly graded fine subangular SAND
566						SC		
568						SC		
570						SP		Gray (Gley 1 5/N) poorly graded fine subangular SAND, trace soft fat Clay
572						SP		
574						SC		Gray (Gley1 5/N) soft fat Clayey poorly graded fine subangular SAND
576						SC		
578						SC		
580						SC		Gray (Gley1 5/N) soft fat Clayey poorly graded fine subangular SAND
582						SC		
584	SW-SC	Gray (Gley1 5/N) well graded fine to coarse subangular SAND with soft fat Clay						
586	SW-SC							
588	SW-SC							
590	SW-SC	Gray (Gley1 5/N) well graded fine to coarse subangular SAND with soft fat Clay						
592	SW-SC							
594	SC	Gray (2.5Y 5/1) soft fat Clayey well graded fine to coarse subangular SAND						

(Continued Next Page)

DEPTH (ft)	Gamma Ray 30 60 90	PID (ppm)	TCE (ug/L)	PCE (ug/L)	Formation	USCS	GRAPHIC LOG	MATERIAL DESCRIPTION
596					Magothy	SC		Gray (2.5Y 5/1) soft fat Clayey well graded fine to coarse subangular SAND (continued)
598						SC		Gray (2.5Y 5/1) soft fat Clayey well graded fine to coarse subangular SAND
600			< 0.50	< 0.50		SC		Gray (2.5Y 5/1) soft fat Clayey well graded fine to coarse subangular SAND
602						SC		Gray (2.5Y 5/1) soft fat Clayey well graded fine to coarse subangular SAND
604						SC		Gray (2.5Y 5/1) soft fat Clayey well graded fine to coarse subangular SAND
606						SC		Gray (2.5Y 5/1) soft fat Clayey well graded fine to coarse subangular SAND
608						SC		Gray (2.5Y 5/1) soft fat Clayey well graded fine to coarse subangular SAND
610						SW-SC		Gray (Gley1 5/N) well graded fine to coarse subangular SAND with soft fat Clay
612						SW-SC		Gray (Gley1 5/N) well graded fine to coarse subangular SAND with soft fat Clay
614						SW-SC		Gray (Gley1 5/N) well graded fine to coarse subangular SAND with medium fat Clay
616						SW-SC		Gray (Gley1 5/N) well graded fine to coarse subangular SAND with medium fat Clay
618						SW-SC		Gray (Gley1 5/N) well graded fine to coarse subangular SAND with soft fat Clay
620					SW-SC	Gray (Gley1 5/N) well graded fine to coarse subangular SAND with soft fat Clay		
622					SW-SC	Gray (Gley1 5/N) well graded fine to coarse subangular SAND with soft fat Clay		
624					SW-SC	Gray (Gley1 5/N) well graded fine to coarse subangular SAND with soft fat Clay		
626					SW-SC	Gray (Gley1 5/N) well graded fine to coarse subangular SAND with soft fat Clay		
628					SW-SC	Gray (Gley1 5/N) well graded fine to coarse subangular SAND with soft fat Clay		
630					CH		Gray (Gley 1 5/N) stiff fat CLAY with fine to coarse subangular Sand	
632					CH		Gray (Gley 1 5/N) stiff fat CLAY with fine to coarse subangular Sand	
634					SW-SC		Gray (Gley1 5/N) well graded fine to coarse subangular SAND with stiff fat Clay	










(Continued Next Page)

DEPTH (ft)	Gamma Ray 30 60 90	PID (ppm)	TCE (ug/L)	PCE (ug/L)	Formation	USCS	GRAPHIC LOG	MATERIAL DESCRIPTION
636		0	< 0.50	< 0.50	Magothy	SW-SC		Gray (Gley1 5/N) well graded fine to coarse subangular SAND with stiff fat Clay (continued)
638						SW-SC		Gray (Gley1 5/N) well graded fine to coarse subangular SAND with soft fat Clay
640						SW-SC		Gray (Gley1 5/N) well graded fine to coarse subangular SAND, trace with soft fat Clay
642						SW-SC		White (10YR 8.5/1) well graded medium to coarse subrounded SAND with fine subrounded Gravel and soft fat clay
644						SW		White (10YR 8.5/1) well graded fine subrounded GRAVEL with medium to coarse subrounded Sand and soft fat clay
646						SW		White (10YR 8.5/1) well graded medium to coarse subrounded SAND with fine subrounded Gravel and soft fat clay
648						GW		White (10YR 8.5/1) well graded medium to coarse subrounded SAND with fine subrounded Gravel and soft fat clay
650						SW		Light gray (Gley1 7/N) well graded fine to coarse subangular SAND with soft fat Clay and fine subangular gravel
652						SW		Light gray (Gley1 7/N) well graded fine to coarse subangular SAND with soft fat Clay and fine subangular gravel
654						SW-SC		Light gray (Gley1 7/N) soft fat Clayey fine to coarse subangular SAND, trace fine subangular gravel
656						SW-SC		Light gray (Gley1 7/N) soft fat Clayey fine to coarse subangular SAND, trace fine subangular gravel
658						SW-SC		Light gray (Gley1 7/N) soft fat Clayey fine to coarse subangular SAND, trace fine subangular gravel
660						SC		Light gray (Gley1 7/N) soft fat Clayey fine to coarse subangular SAND, trace fine subangular gravel
662						SC		Light gray (Gley1 7/N) soft fat Clayey fine to coarse subangular SAND, trace fine subangular gravel
664	SC		Light gray (Gley1 7/N) soft fat Clayey fine to coarse subangular SAND, trace fine subangular gravel					
666	SC		Light gray (Gley1 7/N) soft fat Clayey fine to coarse subangular SAND, trace fine subangular gravel					
668	SC		Light gray (Gley1 7/N) soft fat Clayey fine to coarse subangular SAND, trace fine subangular gravel					
670	SC		Light gray (Gley1 7/N) soft fat Clayey fine to coarse subangular SAND, trace fine subangular gravel					
672	SC		Light gray (Gley1 7/N) soft fat Clayey fine to coarse subangular SAND, trace fine subangular gravel					
674	SC		Light gray (Gley1 7/N) soft fat Clayey fine to coarse subangular SAND, trace fine subangular gravel					

(Continued Next Page)

DEPTH (ft)	Gamma Ray 30 60 90	PID (ppm)	TCE (ug/L)	PCE (ug/L)	Formation	USCS	GRAPHIC LOG	MATERIAL DESCRIPTION
676					Magothy	SC		Light gray (Gley1 7/N) soft fat Clayey fine to coarse subangular SAND, trace fine subangular gravel <i>(continued)</i>
678						CH		Light gray (Gley1 7/N) fine to medium Sandy medium fat CLAY
680			< 0.50	< 0.50		CH		Light gray (Gley1 7/N) fine to medium Sandy medium fat CLAY
682						CH		Light gray (Gley1 7/N) fine to medium Sandy medium fat CLAY
684						CH		Light gray (Gley1 7/N) fine to medium Sandy medium fat CLAY
686						CH		Light gray (Gley1 7/N) fine to medium Sandy medium fat CLAY
688						CH		Light gray (Gley1 7/N) fine to medium Sandy medium fat CLAY
690						SC		light gray (Gley1 7/N) soft fat Clayey fine to coarse subangular SAND
692						SC		light gray (Gley1 7/N) soft fat Clayey fine to coarse subangular SAND
694						SC		light gray (Gley1 7/N) soft fat Clayey fine to coarse subangular SAND
696						SC		light gray (Gley1 7/N) soft fat Clayey fine to coarse subangular SAND
698						SC		light gray (Gley1 7/N) soft fat Clayey fine to coarse subangular SAND
700			< 0.50	< 0.50		SP-SC		Light gray (Gley1 7/N) poorly graded medium to coarse subangular SAND with medium fat Clay
702						SP-SC		Light gray (Gley1 7/N) poorly graded medium to coarse subangular SAND with medium fat Clay
704					SP-SC	Light gray (Gley1 7/N) poorly graded medium to coarse subangular SAND with medium fat Clay		
706					SP-SC	Light gray (Gley1 7/N) poorly graded medium to coarse subangular SAND with medium fat Clay		
708					CH	White (10YR 9.5/1) medium fat CLAY with medium to coarse subangular Sand		
710					CH	White (10YR 9.5/1) medium fat CLAY with medium to coarse subangular Sand		
712					CH	White (10YR 9.5/1) medium fat CLAY with medium to coarse subangular Sand		
714					CH	White (10YR 9.5/1) medium fat CLAY with medium to coarse subangular Sand		

(Continued Next Page)

DEPTH (ft)	Gamma Ray	PID (ppm)	TCE (ug/L)	PCE (ug/L)	Formation	USCS	GRAPHIC LOG	MATERIAL DESCRIPTION
	30 60 90							
716					Magothy	CH		White (10YR 9.5/1) medium fat CLAY with medium to coarse subangular Sand <i>(continued)</i>
718						CH		White (10YR 8/1) fine Sandy medium fat CLAY, trace coarse subrounded sand
720			< 0.50	< 0.50		CH		
722						CH		
724		0				SC		White (10YR 8/1) poorly graded medium fat Clayey fine SAND, trace coarse subrounded sand
726						SC		White (10YR 8/1) poorly graded medium fat Clayey fine SAND, trace coarse subrounded sand
728						CH		White (10YR 8/1) fine Sandy medium fat CLAY, trace coarse subrounded sand
730						CH		
732						CH		
734						CH		White (10YR 8/1) fine Sandy medium fat CLAY, trace coarse subrounded sand
736						CH		
738						CH		White (10YR 8/1) fine Sandy medium fat CLAY, trace medium subangular sand
740						CH		
742						CH		White (10YR 8/1) fine Sandy medium fat CLAY, trace medium subangular sand
744						CH		
746						CH		White (10YR 8/1) fine Sandy medium fat CLAY, trace medium subangular sand
748						CH		
750						SC		White (10YR 8/1) medium fat Clayey fine SAND, trace medium subangular sand
752						SC		
754						SC		White (10YR 8/1) medium fat Clayey fine SAND, trace medium subangular sand







(Continued Next Page)

DEPTH (ft)	Gamma Ray	PID (ppm)	TCE (ug/L)	PCE (ug/L)	Formation	USCS	GRAPHIC LOG	MATERIAL DESCRIPTION	
	30 60 90								
756					Magothy	SC		White (10YR 8/1) medium fat Clayey fine SAND, trace medium subangular sand (continued)	
758						SC			Gray (Gley1 6/N) soft fat Clayey fine to medium SAND
760							SC		Gray (Gley1 6/N) fine Sandy soft fat CLAY, trace lignite
762							CH		
764									Gray (Gley1 6/N) soft fat Clayey fine to medium SAND, trace lignite
766							CH		
768									Gray (Gley1 6/N) soft fat Clayey fine to medium SAND, trace lignite
770							SC		
772									Gray (Gley1 6/N) soft fat Clayey fine SAND, trace lignite
774							SC		
776									Gray (Gley1 6/N) fine Sandy medium fat CLAY, trace lignite
778							CH		
780									Gray (Gley1 6/N) fine Sandy medium fat CLAY, trace lignite
782						CH			
784								Gray (Gley1 6/N) fine Sandy medium fat CLAY, trace lignite	
786						CH			
788								Gray (Gley1 6/N) fine Sandy medium fat CLAY, trace lignite	
790						CH			
792								Gray (Gley1 6/N) fine Sandy medium fat CLAY, trace lignite	
794						CH			

(Continued Next Page)

DEPTH (ft)	Gamma Ray	PID (ppm)	TCE (ug/L)	PCE (ug/L)	Formation	USCS	GRAPHIC LOG	MATERIAL DESCRIPTION			
796					Magothy	CH		Light gray (Gley1 7/N) stiff fat CLAY, trace lignite <i>(continued)</i>			
798								White (Gley1 8/N) stiff fat CLAY, trace lignite			
800								< 2.0	< 2.0	CH	White (Gley1 8/N) stiff fat CLAY, trace lignite
802								CH	White (Gley1 8/N) stiff fat CLAY, trace lignite		
804								CH	White (Gley1 8/N) stiff fat CLAY, trace lignite		
806								CH	White (Gley1 8/N) stiff fat CLAY, trace lignite		
808								CH	White (Gley1 8/N) stiff fat CLAY, trace lignite		
810								CH	White (Gley1 8/N) stiff fat CLAY, trace lignite		
812								CH	White (Gley1 8/N) stiff fat CLAY, trace lignite		
814								CH	White (Gley1 8/N) stiff fat CLAY, trace lignite		
816								CH	White (Gley1 8/N) stiff fat CLAY, trace lignite		
818								CH	White (Gley1 8/N) stiff fat CLAY, trace lignite		
820								< 0.50	< 0.50	CH	Light gray (Gley1 7/N) stiff fat CLAY, trace lignite
822								CH	Light gray (Gley1 7/N) stiff fat CLAY, trace lignite		
824	SW	Pale Brown (2.5YR 7/4) well graded fine to coarse subangular SAND									
826	SW	Pale Brown (2.5YR 7/4) well graded fine to coarse subangular SAND									
828	SW	Pale Brown (2.5YR 7/4) well graded fine to coarse subangular SAND, trace lignite									
830	SW	Pale Brown (2.5YR 7/4) well graded fine to coarse subangular SAND, trace lignite									
832	SW	Pale Brown (2.5YR 7/4) well graded fine to coarse subangular SAND, trace lignite									
834	CH	Light Gray (Gley1 7/N) fine Sandy medium fat CLAY									

(Continued Next Page)

DEPTH (ft)	Gamma Ray 30 60 90	PID (ppm)	TCE (ug/L)	PCE (ug/L)	Formation	USCS	GRAPHIC LOG	MATERIAL DESCRIPTION
836					Magothy	CH		Light Gray (Gley1 7/N) fine Sandy medium fat CLAY <i>(continued)</i>
838						SP-SM		Brown (7.5Y 3/1) poorly graded fine subangular SAND with silt
840			< 0.50	< 0.50				
842						SC		Gray (Gley1 6/N) soft fat Clayey fine to medium SAND
844								
846								
848					SW		Light brown (5YR 5/2) well graded fine to coarse subrounded SAND with subrounded gravel	
850								
852								
854								
856					SW		Light brown (5YR 5/2) well graded fine to coarse subrounded SAND	
858								
860			< 0.50	< 0.50	Raritan	CH		Gray (Gley1 6/N) stiff fat CLAY, trace lignite
862						CH		Gray (Gley1 6/N) stiff fat CLAY, trace lignite
864		0				CH		Gray (Gley1 6/N) stiff fat CLAY, trace lignite
866						CH		Gray (Gley1 6/N) stiff fat CLAY, trace lignite
868						CH		Gray (Gley1 6/N) stiff fat CLAY, trace lignite
870						CH		Gray (Gley1 6/N) stiff fat CLAY, trace lignite
872						CH		Gray (Gley1 6/N) stiff fat CLAY, trace lignite
874						CH		Gray (Gley1 6/N) stiff fat CLAY, trace lignite

(Continued Next Page)




DEPTH (ft)	Gamma Ray	PID (ppm)	TCE (ug/L)	PCE (ug/L)	Formation	USCS	GRAPHIC LOG	MATERIAL DESCRIPTION
876	30 60 90				Raritan	CH		Gray (Gley1 6/N) stiff fat CLAY, trace lignite <i>(continued)</i>
878						CH		Gray (Gley1 6/N) stiff fat CLAY
880			< 2.0	< 2.0		CH		Gray (Gley1 6/N) stiff fat CLAY
882						CH		Gray (Gley1 6/N) stiff fat CLAY
884						CH		Gray (Gley1 6/N) stiff fat CLAY
886						CH		Gray (Gley1 6/N) stiff fat CLAY, trace lignite
888						CH		Gray (Gley1 6/N) stiff fat CLAY, trace lignite
890						CH		Gray (Gley1 6/N) stiff fat CLAY, trace lignite
892						CH		Gray (Gley1 6/N) stiff fat CLAY, trace lignite
894						CH		Gray (Gley1 6/N) stiff fat CLAY, trace lignite
896						CH		Gray (Gley1 6/N) stiff fat CLAY, trace lignite
898						CH		Gray (Gley1 6/N) stiff fat CLAY, trace lignite
900			< 2.0	< 2.0		CH		Gray (Gley1 6/N) stiff fat CLAY, trace lignite
902						CH		Gray (Gley1 6/N) stiff fat CLAY, trace lignite
904						CH	Gray (Gley1 6/N) stiff fat CLAY, trace lignite	
906						CH	Gray (Gley1 6/N) stiff fat CLAY, trace lignite	
908						CH	Gray (Gley1 6/N) stiff fat CLAY, trace lignite	
910						CH	Gray (Gley1 6/N) stiff fat CLAY, trace lignite	
912						CH	Gray (Gley1 6/N) stiff fat CLAY, trace lignite	
914						CH	Pale red (10R 6/2) stiff fat CLAY, trace lignite	

(Continued Next Page)

DEPTH (ft)	Gamma Ray 30 60 90	PID (ppm)	TCE (ug/L)	PCE (ug/L)	Formation	USCS	GRAPHIC LOG	MATERIAL DESCRIPTION	
916					Raritan			Pale red (10R 6/2) stiff fat CLAY, trace lignite <i>(continued)</i>	
918						CH			
920		0				CH			Gray (Gley1 6/N), white (2.5Y 9/1), and red (10R 5/6) stiff fat CLAY, trace lignite
922						CH			Pale red (10R 6/2) stiff fat CLAY, trace lignite
924		0				CH			Light gray (Gley1 7/N) and red (7.5R 5/6) stiff fat CLAY
926						CH			Red (7.5R 5/6) stiff fat CLAY
928						CH			Red (10R 5/6) and white (Gley1 8/1) stiff fat CLAY
930		0				CH			

End of boring at 930.0 ft. bgs.

DOWN HOLE RUN



COMPANY: DELTA WELL & PUMP CO., INC.

LOCATION: NWIRP BETHPAGE

Well: VPB158

Depth Driller:

Depth Logger:

Date: 03/04/2015


Time:


Logged by: CMO


File Name: 739


Witness: MIKE


Depth (ft.)	0.0	GAMMA (cps)	100.0
-------------	-----	----------------	-------

















Depth (ft.)	0.0	GAMMA (cps)	100.0
-------------	-----	----------------	-------

## **Section 2**

### **VPB 158 Gamma and PCE/TCE Plot**

# Vertical Profile Boring VPB-158 Downward Run - March 4, 2015 Validated Analytical Data



**Section 3**

**VPB 158 Groundwater Sample Log Sheets**

Hydropunch Sample

Client: Navy (ResCon)  
 Project No: 60266526  
 Site Location: Ac = Hi Depthpage  
 Weather Conds: \_\_\_\_\_

Date: \_\_\_\_\_  
 VPB: ~~240~~ 158  
 Collector(s): MZ

DUP/  
mslmsd #

Sample Date	Time	Temp (°C)	pH	Spec. Cond. (µS/cm)	DO (mg/L)	ORP (mV)	Turbidity (NTU)	Starting depth(ft)	Ending depth(ft)	Color
1-19-15	13 <sup>30</sup>	12.31	6.42	157	3.21	57.3	447	48	50	cloudy
1-19-15	1540	11.88	6.51	207	1.69	44.1	365	98	100	cloudy
1-22-15	1210	11.14	6.48	219	2.18	29.4	618	148	150	cloudy
1-23-15	1230	11.61	6.59	245	1.10	14.2	472	148	200	clear
1-23-15	1300	11.18	6.35	290	2.42	14.3	599	218	220	light brown
1-29-15	1315	7.76	6.05	343	2.18	25.6	518	243	245	light brown
<del>1-29-15</del>	1530	7.24	6.20	316	1.60	22.3	612	258	260	brown
1-30-15	1110	9.44	6.11	328	2.30	19.5	>1,100	278	280	brown
1-30-15	1245	9.20	6.18	290	1.94	22.8	>1,100	298	300	brown
2-2-15	1155	10.95	6.22	294	1.04	47.2	416	318	320	light gray
2-2-15	1415	10.28	6.26	293	0.89	45.1	>1,100	338	340	gray
2-4-15	1135	11.08	6.24	271	2.62	44.8	481	358	360	gray
2-4-15	1345	10.45	6.40	258	1.80	47.6	379	298	380	cloudy
2-5-15	0945	10.60	6.19	213	2.73	40.2	>1,100	398	400	dark gray
2-5-15	1220	9.89	6.23	172	2.14	59.3	362	418	420	cloudy
2-5-15	1440	9.27	6.17	186	1.41	23.1	>1,100	438	440	cloudy
2-6-15	1115	6.01	6.53	113	6.41	69.9	>1,100	458	460	cloudy
2-9-15	1215	5.03	6.93	220	3.08	68.2	>1,100	498	500	cloudy
2-10-15	1030	7.18	6.85	235	3.14	72.1	>1,100	518	520	gray
2-10-15	1320	6.35	6.71	194	2.41	56.4	764	538	540	gray
2-10-15	1545	5.42	6.63	180	2.55	61.7	>1,100	558	560	gray
2-11-15	1115	7.67	6.48	217	1.83	64.8	>1,100	578	580	gray



## **Section 4**

### **VPB 158 Analytical Data Validation**

- Analytical Data Sheets
- Chain of Custody Records
- Validation Letter and Table

**DATA VALIDATION REPORT**

Project:	Regional Groundwater Investigation — NWIRP Bethpage	
Laboratory:	Katah din Analytical	
Sample Delivery Group:	SI0700	
Analyses/Method:	Volatile Organic Compounds (VOCs) by U.S. EPA SW-846 Method 8260C	
Validation Level:	3	
Project Number:	0888812477.SA.DV	
Prepared by:	Dana Miller/Resolution Consultants	Completed on: 03/17/2015
Reviewed by:	Tina Cantwell/Resolution Consultants	File Name: SI0700_8260C

**SUMMARY**

This report summarizes data review findings for samples listed below, collected by Resolution Consultants from the Regional Groundwater Investigation — NWIRP Bethpage site on 29 January to 2 February 2015 in accordance with the following Sampling and Analysis Plans:

- *Sampling and Analysis Plan, Bethpage, New York, April 2013.*
- *UFP SAP Addendum, Inclusion of Additional Target Analytes for Volatile Organics Analyses, NWIRP Bethpage OU2, Bethpage, New York, August 2014.*
- *UFP SAP Addendum, Installation of Vertical Profile Borings and Monitoring Wells, Operable Unit 2, NWIRP Bethpage, New York, November 2013.*

Sample ID	Matrix/Sample Type	Analysis
VPB158-GW-012915-243-245 Gr	Groundwater	8260C
VPB158-GW-012915-258-260	Groundwater	8260C
VPB158-GW-013015-278-280	Groundwater	8260C
VPB158-GW-013015-298-300	Groundwater	8260C
VPB158-TRIPBLANK-020215	Trip Blank	8260C
VPB158-GW-020215-318-320	Groundwater	8260C

Data validation activities were conducted using the following guidance documents: *Test Methods for Evaluating Solid Waste, Physical/Chemical Methods SW-846, specifically Method 8260C, Volatile Organic Compounds by Gas Chromatography/Mass Spectrometry* (U.S. EPA, 2006), *U.S. Environmental Protection Agency (U.S. EPA) Contract Laboratory Program National Functional Guidelines for Superfund Organic Methods Data Review* (NFG, June 2008), and Department of Defense (DoD) Quality Systems Manual (QSM) for Environmental Laboratories, Version 4.2 (October



2010). In the absence of method-specific information, laboratory quality control (QC) limits, project-specific requirements and/or professional judgment were used as appropriate.

## **REVIEW ELEMENTS**

The data were evaluated based on the following parameters (where applicable to the method):

- X Data completeness (chain-of-custody [COC])/sample integrity
- ✓ Holding times and sample preservation
- ✓ GC/MS performance checks
- X Initial calibration/continuing calibration verification
- X Laboratory blanks/trip blanks
- X Surrogate spike recoveries
- NA Matrix spike (MS) and/or matrix spike duplicate (MSD) results
- X Laboratory control sample (LCS)/laboratory control sample duplicate (LCSD) results
- NA Field duplicates
- ✓ Internal standards
- ✓ Sample results/reporting issues

The symbol ( ✓ ) indicates that no validation qualifiers were applied based on this parameter. NA indicates that the parameter was not included as part of this data set or was not applicable to this validation and therefore not reviewed. Acceptable data parameters for which all criteria were met and no qualification was performed and non-conformance or other issues that were noted during validation, but did not result in qualification of data are not discussed further. The symbol ( X ) indicates that a QC non-conformance resulted in the qualification of data. Any QC non-conformance that resulted in the qualification of data is discussed below.

## **RESULTS**

### **Data Completeness/Sample Integrity**

The data package was reviewed and found to meet acceptance criteria for completeness:

- the COCs were reviewed for completeness of information relevant to the samples and requested analyses, and for signatures indicating transfer of sample custody;
- the laboratory sample log in sheet(s) were reviewed for issues potentially affecting sample integrity, including the condition of sample containers upon receipt at the laboratory;
- completeness of analyses was verified by comparing the reported results to the COC request.

Due to limitations in the reporting system, the laboratory omitted the first characters "VPB-" and middle characters "GW-" from the sample ID in all samples; and truncated Trip Blank to "TB" in the report. Below shows a list of samples that were mostly comprised of soil and not very much liquid:

- VPB158-GW-012915-258-260 had each vial decanted, compounded into one vial and analyzed at a dilution of 1:4.

Positive and non-detected results for the sample VPB158-GW-012915-258-260 were qualified as estimated (J and UJ) respectively due to possible loss of sample integrity during the decanting process. Non-conformances are summarized in Attachment A in Table A-1.

**Initial Calibration/Continuing Calibration Verification**

Calibration data were reviewed for conformance with the QC acceptance criteria to ensure that:

- the initial calibration percent relative standard deviation, correlation coefficient/coefficient of determination, and/or response factor method acceptance criteria were met;
- the initial calibration verification standard percent recovery acceptance criteria were met;
- the continuing calibration verification standard (CCV) method percent difference or percent drift (%Ds) and response factor acceptance criteria were met; and
- the retention time method acceptance criteria were met.

Data qualification to the analytes associated with the specific initial calibration verification (ICV) was as follows:

**ICV Recovery Non-conformance:**

Criteria	Actions	
	Detected Results	Non-detected Results
Recovery >120%	J	UJ
Recovery < 80%	J	UJ

Data qualification to the analytes associated with the specific CCV was as follows:

### CCV Linearity Non-conformance:

Criteria	Actions	
	Detected Results	Non-detected Results
%Difference or %Drift > 20%	J	UJ

ICV and CCV non-conformances are summarized in Attachment A in Table's A-2 and A-3.

### Laboratory Blanks/Trip Blanks

Laboratory blanks and trip blanks were analyzed with samples to assess contamination imparted by sample preparation and/or analysis. All results associated with a particular blank were evaluated to determine whether there was an inherent variability in the data, or if a problem was an isolated occurrence that did not affect the data. Samples were flagged in accordance with *Functional Guidelines* (shown below) where detections were not believed to be site-related. Trip blank non-conformances are summarized in Attachment A in Table A-4.

### Blank Non-conformance Chart:

Blank type	Blank result	Sample result	Action for samples
Method, Storage, Trip, Field, or Equipment	Detects	Not detected	No qualification
	< 2x LOQ	< 2x LOQ	Report sample LOQ value with a U
		≥ 2x LOQ	Use professional judgment
	> 2x LOQ	< 2x LOQ	Report sample LOQ value with a U
		≥ 2x LOQ and < blank contamination	Report the blank result with a U or reject the sample result as unusable R
		≥ 2x LOQ and ≥ blank contamination	If the result is < 2x blank result, report the sample result U. If the result is > 2x blank result, no qualification is required.
	= 2x LOQ	< 2x LOQ	Report sample LOQ value with a U
		≥ 2x LOQ	Use professional judgment
Gross contamination	Detects	Qualify results as unusable R	

**Notes:**

LOQ = Limit of quantitation  
 U = Undetected (Refer to Attachment B)  
 R = Rejected

### Surrogate Spike Recoveries

Surrogates provide information needed to assess the accuracy of analyses. Known amounts of surrogate compounds, or compounds which are not likely to be found in the actual samples, are added to each organic sample to check for accuracy. If surrogate percent recoveries (%Rs) are close

to the known concentrations, the reported target compound concentrations are assumed to be accurate. Data qualification on the basis of surrogate recovery was as follows:

**Surrogate Recovery Non-conformance Chart:**

Criteria	Action	
	Detected	Non-detected
% R > UL	J No	qualification
20% ≤ %R < LL	J UJ	
% R < 20%	J R	

**Notes:**

%R = Percent recovery  
 UL = Upper limit  
 LL = Lower limit  
 J = Estimated (Refer to Attachment B)  
 UJ = Undetected and estimated (Refer to Attachment B)  
 R = Rejected

Surrogate recovery non-conformance is summarized in Attachment A in Table A-5.

**Laboratory Control Samples / Laboratory Control Sample Duplicate**

LCS %Rs is used to monitor the overall accuracy and performance of each step during analysis, including sample preparation. The laboratory analyzed LCSs in duplicate when MS/MSDs were not reported in individual SDGs. In these instances, the laboratory determined precision between the duplicated values. Data qualification to the analytes associated with the specific LCS / LCS duplicate was as follows:

**Laboratory Control Sample / Laboratory Control Sample Duplicate Non-conformance Chart:**

Criteria	Action	
	Detected	Non-detected
% R or RPD > UL	J No	qualification
%R < LL	J	UJ
% R < 20%	J R	

**Notes:**

%R =		Percent recovery
RPD	=	Relative percent difference
UL =		Upper limit
LL =		Lower limit
J	=	Estimated (Refer to Attachment B)
UJ	=	Undetected and estimated (Refer to Attachment B)
R =		Rejected

**LCS / LCSD non-conformance is summarized in Attachment A in Table A-6.**

**Qualifications Actions**

The data was reviewed independently from the laboratory to assess data quality. All compounds detected at concentrations less than the limit of quantitation (LOQ) but greater than the method detection limit were qualified by the laboratory as estimated (J). This "J" qualifier was retained during data validation. Any sample that was analyzed at a dilution because of high concentrations of target or non-targets was checked to confirm that the results and/or sample-specific LOQs and limit of detections were adjusted accordingly by the laboratory.

No results were rejected; therefore, analytical completeness was calculated to be 100 per cent. Data not qualified during data review are considered usable by the project. The remaining results qualified as estimated may be high or low, but the data are usable for their intended purpose, according to U.S. Environmental Protection Agency and Department of Defense guidelines. Final data review qualifiers used to describe results and how they should be interpreted by the end data user are provided in Attachment B and Attachment C. Attachment D provides final results after data review.

**ATTACHMENTS**

- Attachment A: Non-Conformance Summary Table
- Attachment B: Qualifier Codes and Explanations
- Attachment C: Reason Codes and Explanations
- Attachment D: Final Results after Data Review

**Attachment A  
Non-Conformance Summary Table**

Table (A-1) Sample Integrity Non-Conformance					
Method	Sample ID	Analyte	Units	Result	Qualifier
8260C	VPB158-GW-012915-258-260	1,1,1-TRICHLOROETHANE U	G_L	2	UJ
8260C	VPB158-GW-012915-258-260	1,1,2,2-TETRACHLOROETHANE UG_	L	2	UJ
8260C	VPB158-GW-012915-258-260	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE U	G_L	2	UJ
8260C	VPB158-GW-012915-258-260	1,1,2-TRICHLOROETHANE U	G_L	2	UJ
8260C	VPB158-GW-012915-258-260	1,1-DICHLOROETHANE U	G_L	2	UJ
8260C	VPB158-GW-012915-258-260	1,1-DICHLOROETHENE U	G_L	2	UJ
8260C	VPB158-GW-012915-258-260	1,2,4-TRICHLOROBENZENE U	G_L	2	UJ
8260C	VPB158-GW-012915-258-260	1,2-DIBROMO-3-CHLOROPROPANE U	G_L	3	UJ
8260C	VPB158-GW-012915-258-260	1,2-DIBROMOETHANE U	G_L	2	UJ
8260C	VPB158-GW-012915-258-260	1,2-DICHLOROBENZENE U	G_L	2	UJ
8260C	VPB158-GW-012915-258-260	1,2-DICHLOROETHANE U	G_L	2	UJ
8260C	VPB158-GW-012915-258-260	1,2-DICHLOROETHENE, TOTAL	UG_L	4	UJ
8260C	VPB158-GW-012915-258-260	1,2-DICHLOROPROPANE U	G_L	2	UJ
8260C	VPB158-GW-012915-258-260	1,3-DICHLOROBENZENE U	G_L	2	UJ
8260C	VPB158-GW-012915-258-260	1,4-DICHLOROBENZENE U	G_L	2	UJ
8260C	VPB158-GW-012915-258-260	2-BUTANONE UG_	L	10	UJ
8260C	VPB158-GW-012915-258-260	2-HEXANONE UG_	L	10	UJ
8260C	VPB158-GW-012915-258-260	4-METHYL-2-PENTANONE UG_	L	10	UJ
8260C	VPB158-GW-012915-258-260	ACETONE UG_	L	10	UJ
8260C	VPB158-GW-012915-258-260	BENZENE U	G_L	2	UJ
8260C	VPB158-GW-012915-258-260	BROMODICHLOROMETHANE U	G_L	2	UJ
8260C	VPB158-GW-012915-258-260	BROMOFORM U	G_L	2	UJ
8260C	VPB158-GW-012915-258-260	BROMOMETHANE U	G_L	4	UJ
8260C	VPB158-GW-012915-258-260	CARBON DISULFIDE	UG_L	2	UJ
8260C	VPB158-GW-012915-258-260	CARBON TETRACHLORIDE	UG_L	2	UJ
8260C	VPB158-GW-012915-258-260	CHLOROBENZENE UG_	L	2	UJ
8260C	VPB158-GW-012915-258-260	CHLOROETHANE UG_	L	4	UJ
8260C	VPB158-GW-012915-258-260	CHLOROFORM U	G_L	2	UJ
8260C	VPB158-GW-012915-258-260	CHLOROMETHANE UG_	L	4	UJ
8260C	VPB158-GW-012915-258-260	CIS-1,2-DICHLOROETHENE U	G_L	2	UJ
8260C	VPB158-GW-012915-258-260	CIS-1,3-DICHLOROPROPENE U	G_L	2	UJ
8260C	VPB158-GW-012915-258-260	CYCLOHEXANE U	G_L	2	UJ
8260C	VPB158-GW-012915-258-260	DIBROMOCHLOROMETHANE U	G_L	2	UJ
8260C	VPB158-GW-012915-258-260	DICHLORODIFLUOROMETHANE U	G_L	4	UJ
8260C	VPB158-GW-012915-258-260	ETHYLBENZENE UG_	L	2	UJ
8260C	VPB158-GW-012915-258-260	ISOPROPYLBENZENE UG_	L	2	UJ
8260C	VPB158-GW-012915-258-260	M- AND P-XYLENE	UG_L	4	UJ
8260C	VPB158-GW-012915-258-260	METHYL ACETATE	UG_L	3	UJ
8260C	VPB158-GW-012915-258-260	METHYL CYCLOHEXANE	UG_L	2	UJ
8260C	VPB158-GW-012915-258-260	METHYL TERT-BUTYL ETHER	UG_L	2	UJ
8260C	VPB158-GW-012915-258-260	METHYLENE CHLORIDE	UG_L	10	UJ
8260C	VPB158-GW-012915-258-260	O-XYLENE UG_	L	2	UJ
8260C	VPB158-GW-012915-258-260	STYRENE UG_	L	2	UJ
8260C	VPB158-GW-012915-258-260	TETRACHLOROETHENE UG_	L	2	UJ
8260C	VPB158-GW-012915-258-260	TOLUENE U	G_L	2	UJ
8260C	VPB158-GW-012915-258-260	TRANS-1,2-DICHLOROETHENE U	G_L	2	UJ
8260C	VPB158-GW-012915-258-260	TRANS-1,3-DICHLOROPROPENE U	G_L	2	UJ

Table (A-1) Sample Integrity Non-Conformance					
Method	Sample ID	Analyte	Units	Result	Qualifier
8260C	VPB158-GW-012915-258-260	TRICHLOROETHENE UG_	L	2.4	J
8260C	VPB158-GW-012915-258-260	TRICHLOROFLUOROMETHANE U	G_L	4	UJ
8260C	VPB158-GW-012915-258-260	VINYL CHLORIDE	UG_L	4	UJ
8260C	VPB158-GW-012915-258-260	XYLENES, TOTAL	UG_L	6	UJ

**Notes:**

UG\_L = Micrograms per liter  
 J = Estimated value  
 UJ = Non-detect estimated value

Table (A-2) Initial Calibration Verification Non-Conformance						
Method	Analyte	ICV ID	%R	Limit	Associated Samples	Qualifier
8260C D	ichlorodifluoromethane	WG157841-7	40.31	80-120	VPB158-GW-012915-243-245	UJ
8260C D	ichlorodifluoromethane	WG157841-7	40.31	80-120	VPB158-GW-012915-258-260	UJ
8260C D	ichlorodifluoromethane	WG157841-7	40.31	80-120	VPB158-GW-013015-278-280	UJ
8260C D	ichlorodifluoromethane	WG157841-7	40.31	80-120	VPB158-GW-013015-298-300	UJ
8260C D	ichlorodifluoromethane	WG157841-7	40.31	80-120	VPB158-TRIPBLANK-020215	UJ
8260C D	ichlorodifluoromethane	WG157841-7	40.31	80-120	VPB158-GW-020215-318-320	UJ
8260C C	hloromethane	WG157841-7	67.49	80-120	VPB158-GW-012915-243-245	UJ
8260C C	hloromethane	WG157841-7	67.49	80-120	VPB158-GW-012915-258-260	UJ
8260C C	hloromethane	WG157841-7	67.49	80-120	VPB158-GW-013015-278-280	UJ
8260C C	hloromethane	WG157841-7	67.49	80-120	VPB158-GW-013015-298-300	UJ
8260C C	hloromethane	WG157841-7	67.49	80-120	VPB158-TRIPBLANK-020215	UJ
8260C C	hloromethane	WG157841-7	67.49	80-120	VPB158-GW-020215-318-320	UJ
8260C A	cetone	WG157841-7	159.73	80-120	VPB158-GW-012915-243-245	UJ
8260C A	cetone	WG157841-7	159.73	80-120	VPB158-GW-012915-258-260	UJ
8260C A	cetone	WG157841-7	159.73	80-120	VPB158-GW-013015-278-280	UJ
8260C A	cetone	WG157841-7	159.73	80-120	VPB158-GW-013015-298-300	UJ
8260C A	cetone	WG157841-7	159.73	80-120	VPB158-TRIPBLANK-020215	J
8260C A	cetone	WG157841-7	159.73	80-120	VPB158-GW-020215-318-320	UJ
8260C V	inyl Chloride	WG157841-7	75.39	80-120	VPB158-GW-012915-243-245	UJ
8260C V	inyl Chloride	WG157841-7	75.39	80-120	VPB158-GW-012915-258-260	UJ
8260C V	inyl Chloride	WG157841-7	75.39	80-120	VPB158-GW-013015-278-280	UJ
8260C V	inyl Chloride	WG157841-7	75.39	80-120	VPB158-GW-013015-298-300	UJ
8260C V	inyl Chloride	WG157841-7	75.39	80-120	VPB158-TRIPBLANK-020215	UJ
8260C V	inyl Chloride	WG157841-7	75.39	80-120	VPB158-GW-020215-318-320	UJ

**Notes:**

ICV = Initial calibration verification  
 %R = Percent recovery  
 J = Estimated value  
 UJ = Non-detect estimated value

Table (A-3) Continuing Calibration Verification Non-Conformance					
Calibration	Analyte	%D	%D Limit	Associated Samples	Qualifiers
WG157971-4	Chloromethane 20.35		20	VPB158-GW-012915-243-245	UJ
WG157971-4	Chloromethane 20.35		20 VPB	158-GW-012915-258-260	UJ
WG157971-4	Chloromethane 20.35		20 VPB	158-GW-013015-278-280	UJ
WG157971-4	Chloromethane 20.35		20 VPB	158-GW-013015-298-300	UJ
WG157971-4	Chloromethane 20.35		20 VPB	158-TRIPBLANK-020215	UJ
WG157971-4	Chloromethane 20.35		20 VPB	158-GW-020215-318-320	UJ
WG157971-4	Bromomethane 21.98		20	VPB158-GW-012915-243-245	UJ
WG157971-4	Bromomethane 21.98		20 VPB	158-GW-012915-258-260	UJ
WG157971-4	Bromomethane 21.98		20 VPB	158-GW-013015-278-280	UJ
WG157971-4	Bromomethane 21.98		20 VPB	158-GW-013015-298-300	UJ
WG157971-4	Bromomethane 21.98		20 VPB	158-TRIPBLANK-020215	UJ
WG157971-4	Bromomethane 21.98		20 VPB	158-GW-020215-318-320	UJ
WG157971-4	Methyl cyclohexane	30.66	20	VPB158-GW-012915-243-245	UJ
WG157971-4	Methyl cyclohexane	30.66	20 VPB	158-GW-012915-258-260	UJ
WG157971-4	Methyl cyclohexane	30.66	20 VPB	158-GW-013015-278-280	UJ
WG157971-4	Methyl cyclohexane	30.66	20 VPB	158-GW-013015-298-300	UJ
WG157971-4	Methyl cyclohexane	30.66	20 VPB	158-TRIPBLANK-020215	UJ
WG157971-4	Methyl cyclohexane	30.66	20 VPB	158-GW-020215-318-320	UJ

**Notes:**

%D = Percent difference  
 J = Estimated value  
 UJ = Non-detect estimated value

Table (A-4) Trip Blank Non-Conformance							
Blank ID	Analyte	Blank Result (UG_L)	LOQ	Associated Sample	Sample Result (UG_L)	Sample Result LOQ	Qualifier
VPB158-TRIPBLANK-020215	Acet one	3.2	5	VPB158-GW-012915-243-245	3.7	5	U
VPB158-TRIPBLANK-020215	Acetone 3.2		5	VPB158-GW-012915-258-260	13	20	U
VPB158-TRIPBLANK-020215	Acetone 3.2		5	VPB158-GW-013015-278-280	4.8	5	U
VPB158-TRIPBLANK-020215	Acet one	3.2	5	VPB158-GW-020215-318-320	3.7	5	U

**Notes:**

UG\_L = Micrograms per liter  
 LOQ = Limit of quantitation  
 U = Associated sample flagged non-detect "U" due to both blank result and sample result less than 2 times LOQ.

Table (A-5) Surrogate Recovery Non-Conformance						
Method	Analyte	Lab ID	%R	Limit	Associated Samples	Qualifier
8260C 1	,2-Dichloroethane-d4	SI0700-4	127	70-120	VPB158-GW-013015-298-300	J all detected analytes

**Notes:**

%R = Percent recovery  
 J = Estimated value



**Table (A-6)**  
**Laboratory Control Sample Non-Conformance**

<b>LCS</b>	<b>Batch</b>	<b>Analyte</b>	<b>%R</b>	<b>Limits</b>	<b>Associated Sample</b>	<b>Qualifier</b>
WG157971-1	WG157971	Acetone	160	40-140	VPB158-GW-012915-243-245	J
WG157971-1	WG157971	Acetone	160	40-140	VPB 158-GW-012915-258-260	J
WG157971-1	WG157971	Acetone	160	40-140	VPB 158-GW-013015-278-280	J
WG157971-1	WG157971	Acetone	160	40-140	VPB 158-TRIPBLANK-020215	J
WG157971-1	WG157971	Acetone	160	40-140	VPB 158-GW-020215-318-320	J

**Notes:**

- LCS = Laboratory control sample
- %R = Percent recovery
- J = Detected analyte in associated sample qualified estimated "J" due to potential bias.

**Attachment B**  
**Qualifier Codes and Explanations**

<b>Qualifier</b>	<b>Explanation</b>
J	The analyte was positively identified; the associated numerical value is the approximate concentration of the analyte in the sample.
UJ	The analyte was not detected above the reported sample quantitation limit. However, the reported quantitation limit is approximate and may or may not represent the actual quantitation limit necessary to accurately and precisely measure the analyte in the sample.
U	The analyte was analyzed for, but was not detected above the reported sample quantitation limit.

**Attachment C  
Reason Codes and Explanations**

<b>Reason Code</b>	<b>Explanation</b>
be	Equipment blank contamination
bf Fie	ld blank contamination
bl	Laboratory blank contamination
bt	Trip blank contamination
c C	alibration issue
d	Reporting limit raised due to chromatographic interference
fd	Field duplicate RPDs
h Ho	lding times
i Interna	l standard areas
k	Estimated Maximum Possible Concentration (EMPC)
l	LCS or OPR recoveries
lc	Labeled compound recovery
ld	Laboratory duplicate RPDs
lp	Laboratory control sample/laboratory control sample duplicate RPDs
m Matrix	spike recovery
mc	Method compliance non-conformance
md	Matrix spike/matrix spike duplicate RPDs
nb	Negative laboratory blank contamination
p	Chemical preservation issue
r Dual	column RPD
q Quant	itation issue
s Surrogate	recovery
su Ion	suppression
t Tempera	ture preservation issue
x Per	cent solids
y	Serial dilution results
z ICS	results

**Attachment D**  
**Final Results after Data Review**

Sample Delivery Group Lab Identification Sample Identification Sample Date Sample Type Depth Interval				SI0700 SI0700-1 VPB158-GW-012915-243-245 1/29/2015 Groundwater 243 - 245 ft		
Method	Analyte	CAS No	Units	Result	Qual	RC
8260C 1,1	1- TRICHLOROETHANE	71-55-6	UG_L	0.81	J	
8260C 1,1	2,2- TETRACHLOROETHANE 79-	34-5	UG_L	0.5	U	
8260C 1,1	2- TRICHLORO-1,2,2-TRIFLUOROETHANE 76-	13-1	UG_L	0.5	U	
8260C 1,1	2- TRICHLOROETHANE	79-00-5	UG_L	0.5	U	
8260C	1,1-DICHLOROETHANE	75-34-3	UG_L	3.5		
8260C 1,1	- DICHLOROETHENE	75-35-4	UG_L	0.55	J	
8260C 1,2	4- TRICHLOROBENZENE	120-82-1	UG_L	0.5	U	
8260C 1,2	- DIBROMO-3-CHLOROPROPANE	96-12-8	UG_L	0.75	U	
8260C 1,2	- DIBROMOETHANE	106-93-4	UG_L	0.5	U	
8260C 1,2	- DICHLOROBENZENE	95-50-1	UG_L	0.5	U	
8260C 1,2	- DICHLOROETHANE	107-06-2	UG_L	0.5	U	
8260C	1,2-DICHLOROETHENE, TOTAL	540-59-0	UG_L	1	U	
8260C 1,2	- DICHLOROPROPANE	78-87-5	UG_L	0.5	U	
8260C 1,3	- DICHLOROBENZENE	541-73-1	UG_L	0.5	U	
8260C 1,4	- DICHLOROBENZENE	106-46-7	UG_L	0.5	U	
8260C 2-	BUTANONE	78-93-3	UG_L	2.5	U	
8260C 2-	HEXANONE	591-78-6	UG_L	2.5	U	
8260C 4-	METHYL-2-PENTANONE	108-10-1	UG_L	2.5	U	
8260C AC	ETONE	67-64-1	UG_L	2.5	UJ	bt,l,c
8260C B	ENZENE	71-43-2	UG_L	0.5	U	
8260C B	ROMODICHLOROMETHANE	75-27-4	UG_L	0.5	U	
8260C B	ROMOFORM	75-25-2	UG_L	0.5	U	
8260C B	ROMOMETHANE	74-83-9	UG_L	1	UJ	c
8260C	CARBON DISULFIDE	75-15-0	UG_L	0.5	U	
8260C	CARBON TETRACHLORIDE	56-23-5	UG_L	0.5	U	
8260C CHLOROB	ENZENE	108-90-7	UG_L	0.5	U	
8260C CHLOROETHANE		75-00-3	UG_L	1	U	
8260C CHLOROFORM		67-66-3	UG_L	0.5	U	
8260C CHLOROM	ETHANE	74-87-3	UG_L	1	UJ	c
8260C CIS-	1,2-DICHLOROETHENE	156-59-2	UG_L	0.5	U	
8260C CIS-	1,3-DICHLOROPROPENE	10061-01-5	UG_L	0.5	U	
8260C CYCLOHEXANE		110-82-7	UG_L	0.5	U	
8260C DIB	ROMOCHLOROMETHANE	124-48-1	UG_L	0.5	U	
8260C DICHLORODI	FLUOROMETHANE	75-71-8	UG_L	1	UJ	c
8260C ETHYLB	ENZENE	100-41-4	UG_L	0.5	U	
8260C ISOP	ROPYLBENZENE	98-82-8	UG_L	0.5	U	
8260C	M- AND P-XYLENE	108-38-3/106-42	UG_L	1	U	
8260C	METHYL ACETATE	79-20-9	UG_L	0.75	UJ	
8260C M	ETHYL CYCLOHEXANE	108-87-2	UG_L	0.5	UJ	c
8260C	METHYL TERT-BUTYL ETHER	1634-04-4	UG_L	0.5	U	
8260C	METHYLENE CHLORIDE	75-09-2	UG_L	2.5	U	
8260C O-	XYLENE	95-47-6	UG_L	0.5	U	
8260C STYRENE		100-42-5	UG_L	0.5	U	
8260C TETRACHLOROETHENE		127-18-4	UG_L	0.5	U	
8260C TOLUENE		108-88-3	UG_L	0.5	U	
8260C TRANS-	1,2-DICHLOROETHENE	156-60-5	UG_L	0.5	U	
8260C TRANS-	1,3-DICHLOROPROPENE	10061-02-6	UG_L	0.5	U	
8260C TRICHLOROETHENE		79-01-6	UG_L	0.74	J	
8260C TRICHLOROF	LUOROMETHANE	75-69-4	UG_L	1	U	
8260C V	INYL CHLORIDE	75-01-4	UG_L	1	UJ	c
8260C	XYLENES, TOTAL	1330-20-7	UG_L	1.5	U	

Sample Delivery Group Lab Identification Sample Identification Sample Date Sample Type Depth Interval				SI0700 SI0700-2DL VPB158-GW-012915-258-260 1/29/2015 Groundwater 258 - 260 ft		
Method	Analyte	CAS No	Units	Result Qual		RC
8260C 1,1	1- TRICHLOROETHANE	71-55-6	UG_L	2	UJ	mc
8260C 1,1	2,2- TETRACHLOROETHANE	79-34-5	UG_L	2	UJ	mc
8260C 1,1	2- TRICHLORO-1,2,2-TRIFLUOROETHANE 76-	13-1	UG_L	2	UJ	mc
8260C 1,1	2- TRICHLOROETHANE	79-00-5	UG_L	2	UJ	mc
8260C 1,1	- DICHLOROETHANE	75-34-3	UG_L	2	UJ	mc
8260C 1,1	- DICHLOROETHENE	75-35-4	UG_L	2	UJ	mc
8260C 1,2	4- TRICHLOROBENZENE	120-82-1	UG_L	2	UJ	mc
8260C 1,2	- DIBROMO-3-CHLOROPROPANE	96-12-8	UG_L	3	UJ	mc
8260C 1,2	- DIBROMOETHANE	106-93-4	UG_L	2	UJ	mc
8260C 1,2	- DICHLOROBENZENE	95-50-1	UG_L	2	UJ	mc
8260C 1,2	- DICHLOROETHANE	107-06-2	UG_L	2	UJ	mc
8260C 1,2	- DICHLOROETHENE, TOTAL	540-59-0	UG_L	4	UJ	mc
8260C 1,2	- DICHLOROPROPANE	78-87-5	UG_L	2	UJ	mc
8260C 1,3	- DICHLOROBENZENE	541-73-1	UG_L	2	UJ	mc
8260C 1,4	- DICHLOROBENZENE	106-46-7	UG_L	2	UJ	mc
8260C 2-	BUTANONE	78-93-3	UG_L	10	UJ	mc
8260C 2-	HEXANONE	591-78-6	UG_L	10	UJ	mc
8260C 4-	METHYL-2-PENTANONE	108-10-1	UG_L	10	UJ	mc
8260C	ACETONE	67-64-1	UG_L	10	UJ	bt,l,mc,c
8260C B	ENZENE	71-43-2	UG_L	2	UJ	mc
8260C B	ROMODICHLOROMETHANE	75-27-4	UG_L	2	UJ	mc
8260C B	ROMOFORM	75-25-2	UG_L	2	UJ	mc
8260C B	ROMOMETHANE	74-83-9	UG_L	4	UJ	c,mc
8260C CARB	ON DISULFIDE	75-15-0	UG_L	2	UJ	mc
8260C CARB	ON TETRACHLORIDE	56-23-5	UG_L	2	UJ	mc
8260C CHLOROB	ENZENE	108-90-7	UG_L	2	UJ	mc
8260C CHLOROETHANE		75-00-3	UG_L	4	UJ	mc
8260C CHLOROFORM		67-66-3	UG_L	2	UJ	mc
8260C CHLOROM	ETHANE	74-87-3	UG_L	4	UJ	c,mc
8260C CIS-	1,2-DICHLOROETHENE	156-59-2	UG_L	2	UJ	mc
8260C CIS-	1,3-DICHLOROPROPENE	10061-01-5	UG_L	2	UJ	mc
8260C CYCLOHEXANE		110-82-7	UG_L	2	UJ	mc
8260C DIB	ROMOCHLOROMETHANE	124-48-1	UG_L	2	UJ	mc
8260C DICHLORODI	FLUOROMETHANE	75-71-8	UG_L	4	UJ	c,mc
8260C ETHYLB	ENZENE	100-41-4	UG_L	2	UJ	mc
8260C ISOP	ROPYLBENZENE	98-82-8	UG_L	2	UJ	mc
8260C	M- AND P-XYLENE	108-38-3/106-42	UG_L	4	UJ	mc
8260C M	ETHYL ACETATE	79-20-9	UG_L	3	UJ	mc
8260C M	ETHYL CYCLOHEXANE	108-87-2	UG_L	2	UJ	c,mc
8260C	METHYL TERT-BUTYL ETHER	1634-04-4	UG_L	2	UJ	mc
8260C M	ETHYLENE CHLORIDE	75-09-2	UG_L	10	UJ	mc
8260C O-	XYLENE	95-47-6	UG_L	2	UJ	mc
8260C STYRENE		100-42-5	UG_L	2	UJ	mc
8260C TETRACHLOROETHENE		127-18-4	UG_L	2	UJ	mc
8260C TOLUENE		108-88-3	UG_L	2	UJ	mc
8260C TRANS-	1,2-DICHLOROETHENE	156-60-5	UG_L	2	UJ	mc
8260C TRANS-	1,3-DICHLOROPROPENE	10061-02-6	UG_L	2	UJ	mc
8260C TRICHLOROETHENE		79-01-6	UG_L	2,4	J	mc
8260C TRICHLOROF	LUOROMETHANE	75-69-4	UG_L	4	UJ	mc
8260C V	INYL CHLORIDE	75-01-4	UG_L	4	UJ	c,mc
8260C XY	LENES, TOTAL	1330-20-7	UG_L	6	UJ	mc

Sample Delivery Group Lab Identification Sample Identification Sample Date Sample Type Depth Interval				SI0700 SI0700-3 VPB158-GW-013015-278-280 1/30/2015 Groundwater 278 - 280 ft		
Method	Analyte	CAS No	Units	Result	Qual	RC
8260C	1,1,1-TRICHLOROETHANE	71-55-6	UG_L	5		
8260C 1,1,2,2-	TETRACHLOROETHANE 79-	34-5	UG_L	0.5	U	
8260C 1,1,2-	TRICHLORO-1,2,2-TRIFLUOROETHANE	76-13-1	UG_L	2.5		
8260C 1,1,2-	TRICHLOROETHANE	79-00-5	UG_L	0.5	U	
8260C	1,1-DICHLOROETHANE	75-34-3	UG_L	14		
8260C	1,1-DICHLOROETHENE	75-35-4	UG_L	9.4		
8260C 1,2,4-	TRICHLOROBENZENE	120-82-1	UG_L	0.5	U	
8260C 1,2-	DIBROMO-3-CHLOROPROPANE	96-12-8	UG_L	0.75	U	
8260C 1,2-	DIBROMOETHANE	106-93-4	UG_L	0.5	U	
8260C 1,2-	DICHLOROBENZENE	95-50-1	UG_L	0.5	U	
8260C 1,2-	DICHLOROETHANE	107-06-2	UG_L	0.5	U	
8260C	1,2-DICHLOROETHENE, TOTAL	540-59-0	UG_L	2.5		
8260C 1,2-	DICHLOROPROPANE	78-87-5	UG_L	0.5	U	
8260C 1,3-	DICHLOROBENZENE	541-73-1	UG_L	0.5	U	
8260C 1,4-	DICHLOROBENZENE	106-46-7	UG_L	0.5	U	
8260C 2-	BUTANONE	78-93-3	UG_L	2.5	U	
8260C 2-	HEXANONE	591-78-6	UG_L	2.5	U	
8260C 4-	METHYL-2-PENTANONE	108-10-1	UG_L	2.5	U	
8260C	ACETONE	67-64-1	UG_L	2.5	UJ	bt,l,c
8260C B	ENZENE	71-43-2	UG_L	0.5	U	
8260C B	ROMODICHLOROMETHANE	75-27-4	UG_L	0.5	U	
8260C B	ROMOFORM	75-25-2	UG_L	0.5	U	
8260C B	ROMOMETHANE	74-83-9	UG_L	1	UJ	c
8260C	CARBON DISULFIDE	75-15-0	UG_L	0.5	U	
8260C	CARBON TETRACHLORIDE	56-23-5	UG_L	0.5	U	
8260C	CHLOROBENZENE	108-90-7	UG_L	0.5	U	
8260C	CHLOROETHANE	75-00-3	UG_L	1	U	
8260C	CHLOROFORM	67-66-3	UG_L	2.6		
8260C	CHLOROMETHANE	74-87-3	UG_L	1	UJ	c
8260C	CIS-1,2-DICHLOROETHENE	156-59-2	UG_L	2.5		
8260C CIS-	1,3-DICHLOROPROPENE	10061-01-5	UG_L	0.5	U	
8260C	CYCLOHEXANE	110-82-7	UG_L	0.5	U	
8260C	DIBROMOCHLOROMETHANE	124-48-1	UG_L	0.5	U	
8260C	DICHLORODIFLUOROMETHANE	75-71-8	UG_L	1	UJ	c
8260C	ETHYLBENZENE	100-41-4	UG_L	0.5	U	
8260C	ISOPROPYLBENZENE	98-82-8	UG_L	0.5	U	
8260C	M- AND P-XYLENE	108-38-3/106-42	UG_L	1	U	
8260C	METHYL ACETATE	79-20-9	UG_L	0.75	U	
8260C M	ETHYL CYCLOHEXANE	108-87-2	UG_L	0.5	UJ	c
8260C	METHYL TERT-BUTYL ETHER	1634-04-4	UG_L	0.5	U	
8260C	METHYLENE CHLORIDE	75-09-2	UG_L	2.5	U	
8260C O-	XYLENE	95-47-6	UG_L	0.5	U	
8260C	STYRENE	100-42-5	UG_L	0.5	U	
8260C	TETRACHLOROETHENE	127-18-4	UG_L	0.5	U	
8260C	TOLUENE	108-88-3	UG_L	0.5	U	
8260C	TRANS-1,2-DICHLOROETHENE	156-60-5	UG_L	0.5	U	
8260C	TRANS-1,3-DICHLOROPROPENE	10061-02-6	UG_L	0.5	U	
8260C	TRICHLOROETHENE	79-01-6	UG_L	0.31	J	
8260C	TRICHLOROFLUOROMETHANE	75-69-4	UG_L	1	U	
8260C V	VINYL CHLORIDE	75-01-4	UG_L	1	UJ	c
8260C	XYLENES, TOTAL	1330-20-7	UG_L	1.5	U	

Sample Delivery Group Lab Identification Sample Identification Sample Date Sample Type Depth Interval				SI0700 SI0700-4 VPB158-GW-013015-298-300 1/30/2015 Groundwater 298 - 300 ft		
Method	Analyte	CAS No	Units	Result	Qual	RC
8260C 1,1	1- TRICHLOROETHANE	71-55-6	UG_L	6.4	J	s
8260C 1,1	2,2- TETRACHLOROETHANE 79-	34-5	UG_L	0.5	U	
8260C 1,1	2- TRICHLORO-1,2,2-TRIFLUOROETHANE 76-	13-1	UG_L	4.6	J	s
8260C 1,1	2- TRICHLOROETHANE 79-	00-5	UG_L	0.37	J	s
8260C 1,1	- DICHLOROETHANE	75-34-3	UG_L	12	J	s
8260C 1,1	- DICHLOROETHENE	75-35-4	UG_L	12	J	s
8260C 1,2	4- TRICHLOROBENZENE	120-82-1	UG_L	0.5	U	
8260C 1,2	- DIBROMO-3-CHLOROPROPANE	96-12-8	UG_L	0.75	U	
8260C 1,2	- DIBROMOETHANE	106-93-4	UG_L	0.5	U	
8260C 1,2	- DICHLOROBENZENE	95-50-1	UG_L	0.5	U	
8260C 1,2	- DICHLOROETHANE	107-06-2	UG_L	0.5	U	
8260C 1,2	- DICHLOROETHENE, TOTAL	540-59-0	UG_L	4.8	J	s
8260C 1,2	- DICHLOROPROPANE	78-87-5	UG_L	0.5	U	
8260C 1,3	- DICHLOROBENZENE	541-73-1	UG_L	0.5	U	
8260C 1,4	- DICHLOROBENZENE	106-46-7	UG_L	0.5	U	
8260C 2-	BUTANONE	78-93-3	UG_L	2.5	U	
8260C 2-	HEXANONE	591-78-6	UG_L	2.5	U	
8260C 4-	METHYL-2-PENTANONE	108-10-1	UG_L	2.5	U	
8260C	ACETONE	67-64-1	UG_L	2.5	UJ	c
8260C B	ENZENE	71-43-2	UG_L	0.5	U	
8260C B	ROMODICHLOROMETHANE	75-27-4	UG_L	0.5	U	
8260C B	ROMOFORM	75-25-2	UG_L	0.5	U	
8260C B	ROMOMETHANE	74-83-9	UG_L	1	UJ	c
8260C	CARBON DISULFIDE	75-15-0	UG_L	0.5	U	
8260C CARB	ON TETRACHLORIDE	56-23-5	UG_L	0.43	J	s
8260C CHLOROB	ENZENE	108-90-7	UG_L	0.5	U	
8260C CHLOROETHANE		75-00-3	UG_L	1	U	
8260C CHLOROFORM		67-66-3	UG_L	2.3	J	s
8260C CHLOROM	ETHANE	74-87-3	UG_L	1	UJ	c
8260C CIS-	1,2-DICHLOROETHENE	156-59-2	UG_L	4.8	J	s
8260C CIS-	1,3-DICHLOROPROPENE	10061-01-5	UG_L	0.5	U	
8260C CYCLOHEXANE		110-82-7	UG_L	0.5	U	
8260C DIB	ROMOCHLOROMETHANE	124-48-1	UG_L	0.5	U	
8260C DICHLORODI	FLUOROMETHANE	75-71-8	UG_L	1	UJ	c
8260C ETHYLB	ENZENE	100-41-4	UG_L	0.5	U	
8260C ISOP	ROPYLBENZENE	98-82-8	UG_L	0.5	U	
8260C	M- AND P-XYLENE	108-38-3/106-42	UG_L	1	U	
8260C	METHYL ACETATE	79-20-9	UG_L	0.75	U	
8260C M	ETHYL CYCLOHEXANE	108-87-2	UG_L	0.5	UJ	c
8260C	METHYL TERT-BUTYL ETHER	1634-04-4	UG_L	0.5	U	
8260C	METHYLENE CHLORIDE	75-09-2	UG_L	2.5	U	
8260C O-	XYLENE	95-47-6	UG_L	0.5	U	
8260C STYRENE		100-42-5	UG_L	0.5	U	
8260C TETRACHLOROETHENE		127-18-4	UG_L	0.5	U	
8260C TOLUENE		108-88-3	UG_L	0.5	U	
8260C TRANS-	1,2-DICHLOROETHENE	156-60-5	UG_L	0.5	U	
8260C TRANS-	1,3-DICHLOROPROPENE	10061-02-6	UG_L	0.5	U	
8260C TRICHLOROETHENE		79-01-6	UG_L	65	J	s
8260C TRICHLOROF	LUOROMETHANE	75-69-4	UG_L	1	U	
8260C V	INYL CHLORIDE	75-01-4	UG_L	1	UJ	c
8260C	XYLENES, TOTAL	1330-20-7	UG_L	1.5	U	



Sample Delivery Group Lab Identification Sample Identification Sample Date Sample Type Depth Interval				SI0700 SI0700-6 VPB158-GW-020215-318-320 2/2/2015 Groundwater 318 - 320 ft		
Method	Analyte	CAS No	Units	Result	Qual	RC
8260C	1,1,1-TRICHLOROETHANE	71-55-6	UG_L	4.4		
8260C 1,1,2,2-	TETRACHLOROETHANE 79-	34-5	UG_L	0.5	U	
8260C 1,1,2-	TRICHLORO-1,2,2-TRIFLUOROETHANE	76-13-1	UG_L	4.4		
8260C 1,1,2-	TRICHLOROETHANE	79-00-5	UG_L	0.5	U	
8260C	1,1-DICHLOROETHANE	75-34-3	UG_L	10		
8260C	1,1-DICHLOROETHENE	75-35-4	UG_L	7.2		
8260C 1,2,4-	TRICHLOROBENZENE	120-82-1	UG_L	0.5	U	
8260C 1,2-	DIBROMO-3-CHLOROPROPANE	96-12-8	UG_L	0.75	U	
8260C 1,2-	DIBROMOETHANE	106-93-4	UG_L	0.5	U	
8260C 1,2-	DICHLOROBENZENE	95-50-1	UG_L	0.5	U	
8260C 1,2-	DICHLOROETHANE	107-06-2	UG_L	0.5	U	
8260C	1,2-DICHLOROETHENE, TOTAL	540-59-0	UG_L	4		
8260C 1,2-	DICHLOROPROPANE	78-87-5	UG_L	0.5	U	
8260C 1,3-	DICHLOROBENZENE	541-73-1	UG_L	0.5	U	
8260C 1,4-	DICHLOROBENZENE	106-46-7	UG_L	0.5	U	
8260C 2-	BUTANONE	78-93-3	UG_L	2.5	U	
8260C 2-	HEXANONE	591-78-6	UG_L	2.5	U	
8260C 4-	METHYL-2-PENTANONE	108-10-1	UG_L	2.5	U	
8260C	ACETONE	67-64-1	UG_L	2.5	UJ	bt,l,c
8260C B	ENZENE	71-43-2	UG_L	0.5	U	
8260C B	ROMODICHLOROMETHANE	75-27-4	UG_L	0.5	U	
8260C B	ROMOFORM	75-25-2	UG_L	0.5	U	
8260C B	ROMOMETHANE	74-83-9	UG_L	1	UJ	c
8260C	CARBON DISULFIDE	75-15-0	UG_L	0.5	U	
8260C	CARBON TETRACHLORIDE	56-23-5	UG_L	0.28	J	
8260C	CHLOROBENZENE	108-90-7	UG_L	0.5	U	
8260C	CHLOROETHANE	75-00-3	UG_L	1	U	
8260C	CHLOROFORM	67-66-3	UG_L	1.8		
8260C	CHLOROMETHANE	74-87-3	UG_L	1	UJ	c
8260C	CIS-1,2-DICHLOROETHENE	156-59-2	UG_L	4		
8260C CIS-	1,3-DICHLOROPROPENE	10061-01-5	UG_L	0.5	U	
8260C	CYCLOHEXANE	110-82-7	UG_L	0.5	U	
8260C	DIBROMOCHLOROMETHANE	124-48-1	UG_L	0.5	U	
8260C	DICHLORODIFLUOROMETHANE	75-71-8	UG_L	1	UJ	c
8260C	ETHYLBENZENE	100-41-4	UG_L	0.5	U	
8260C	ISOPROPYLBENZENE	98-82-8	UG_L	0.5	U	
8260C	M- AND P-XYLENE	108-38-3/106-42	UG_L	1	U	
8260C	METHYL ACETATE	79-20-9	UG_L	0.75	UJ	
8260C M	ETHYL CYCLOHEXANE	108-87-2	UG_L	0.5	UJ	c
8260C	METHYL TERT-BUTYL ETHER	1634-04-4	UG_L	0.5	U	
8260C	METHYLENE CHLORIDE	75-09-2	UG_L	2.5	U	
8260C O-	XYLENE	95-47-6	UG_L	0.5	U	
8260C	STYRENE	100-42-5	UG_L	0.5	U	
8260C	TETRACHLOROETHENE	127-18-4	UG_L	0.5	U	
8260C	TOLUENE	108-88-3	UG_L	0.5	U	
8260C	TRANS-1,2-DICHLOROETHENE	156-60-5	UG_L	0.5	U	
8260C	TRANS-1,3-DICHLOROPROPENE	10061-02-6	UG_L	0.5	U	
8260C	TRICHLOROETHENE	79-01-6	UG_L	140		
8260C	TRICHLOROFLUOROMETHANE	75-69-4	UG_L	1	U	
8260C V	VINYL CHLORIDE	75-01-4	UG_L	1	UJ	c
8260C	XYLENES, TOTAL	1330-20-7	UG_L	1.5	U	

Sample Delivery Group Lab ID Sample ID Sample Date Sample Type				SI0700 SI0700-5 VPB158-TRIP BLANK-020215 2/2/2015 Trip Blank		
Method	Analyte	CAS No	Units	Result Qual		RC
8260C 1,1,1-	TRICHLOROETHANE	71-55-6	UG_L	0.5	U	
8260C 1,1,2,2-	TETRACHLOROETHANE 79-	34-5	UG_L	0.5	U	
8260C 1,1,2-	TRICHLORO-1,2,2-TRIFLUOROETHANE 76-	13-1	UG_L	0.5	U	
8260C 1,1,2-	TRICHLOROETHANE	79-00-5	UG_L	0.5	U	
8260C 1,1-	DICHLOROETHANE	75-34-3	UG_L	0.5	U	
8260C 1,1-	DICHLOROETHENE	75-35-4	UG_L	0.5	U	
8260C 1,2,4-	TRICHLOROBENZENE	120-82-1	UG_L	0.5	U	
8260C 1,2-	DIBROMO-3-CHLOROPROPANE	96-12-8	UG_L	0.75	U	
8260C 1,2-	DIBROMOETHANE	106-93-4	UG_L	0.5	U	
8260C 1,2-	DICHLOROBENZENE	95-50-1	UG_L	0.5	U	
8260C 1,2-	DICHLOROETHANE	107-06-2	UG_L	0.5	U	
8260C	1,2-DICHLOROETHENE, TOTAL	540-59-0	UG_L	1	U	
8260C 1,2-	DICHLOROPROPANE	78-87-5	UG_L	0.5	U	
8260C 1,3-	DICHLOROBENZENE	541-73-1	UG_L	0.5	U	
8260C 1,4-	DICHLOROBENZENE	106-46-7	UG_L	0.5	U	
8260C 2-	BUTANONE	78-93-3	UG_L	2.5	U	
8260C 2-	HEXANONE	591-78-6	UG_L	2.5	U	
8260C 4-	METHYL-2-PENTANONE	108-10-1	UG_L	2.5	U	
8260C	ACETONE	67-64-1	UG_L	3.2	J	l,c
8260C B	ENZENE	71-43-2	UG_L	0.5	U	
8260C B	ROMODICHLOROMETHANE	75-27-4	UG_L	0.5	U	
8260C B	ROMOFORM	75-25-2	UG_L	0.5	U	
8260C B	ROMOMETHANE	74-83-9	UG_L	1	UJ	c
8260C	CARBON DISULFIDE	75-15-0	UG_L	0.5	U	
8260C	CARBON TETRACHLORIDE	56-23-5	UG_L	0.5	U	
8260C CHLOROB	ENZENE	108-90-7	UG_L	0.5	U	
8260C CHLOROETHANE		75-00-3	UG_L	1	U	
8260C CHLOROFORM		67-66-3	UG_L	0.5	U	
8260C CHLOROMETHANE		74-87-3	UG_L	1	UJ	c
8260C CIS-	1,2-DICHLOROETHENE	156-59-2	UG_L	0.5	U	
8260C CIS-	1,3-DICHLOROPROPENE	10061-01-5	UG_L	0.5	U	
8260C CYCLOHEXANE		110-82-7	UG_L	0.5	U	
8260C DIB	ROMOCHLOROMETHANE	124-48-1	UG_L	0.5	U	
8260C DICHLORODIFLUOROMETHANE		75-71-8	UG_L	1	UJ	c
8260C ETHYLBENZENE		100-41-4	UG_L	0.5	U	
8260C ISOPROPYLBENZENE		98-82-8	UG_L	0.5	U	
8260C	M- AND P-XYLENE	108-38-3/106-42	UG_L	1	U	
8260C	METHYL ACETATE	79-20-9	UG_L	0.75	U	
8260C M	ETHYL CYCLOHEXANE	108-87-2	UG_L	0.5	UJ	c
8260C	METHYL TERT-BUTYL ETHER	1634-04-4	UG_L	0.5	U	
8260C	METHYLENE CHLORIDE	75-09-2	UG_L	2.5	U	
8260C O-	XYLENE	95-47-6	UG_L	0.5	U	
8260C STYRENE		100-42-5	UG_L	0.5	U	
8260C TETRACHLOROETHENE		127-18-4	UG_L	0.5	U	
8260C TOLUENE		108-88-3	UG_L	0.5	U	
8260C TRANS-	1,2-DICHLOROETHENE	156-60-5	UG_L	0.5	U	
8260C TRANS-	1,3-DICHLOROPROPENE	10061-02-6	UG_L	0.5	U	
8260C TRICHLOROETHENE		79-01-6	UG_L	0.5	U	
8260C TRICHLOROFLUOROMETHANE		75-69-4	UG_L	1	U	
8260C V	INYL CHLORIDE	75-01-4	UG_L	1	UJ	c
8260C	XYLENES, TOTAL	1330-20-7	UG_L	1.5	U	

**Notes:**

UG_L	=	Micrograms per liter
Qual	=	Final qualifier
RC	=	Reason code



**DATA VALIDATION REPORT**

Project:	Regional Groundwater Investigation — NWIRP Bethpage	
Laboratory:	Katahdin Analytical	
Sample Delivery Group:	SI0772	
Analyses/Method:	Volatile Organic Compounds (VOCs) by U.S. EPA SW-846 Method 8260C	
Validation Level:	3	
Project Number:	0888812477.SA.DV	
Prepared by:	Dana Miller/Resolution Consultants	Completed on: 03/17/2015
Reviewed by:	Tina Cantwell/Resolution Consultants	File Name: SI0772_8260C

**SUMMARY**

This report summarizes data review findings for samples listed below, collected by Resolution Consultants from the Regional Groundwater Investigation — NWIRP Bethpage site on 4 to 5 February 2015 in accordance with the following Sampling and Analysis Plans:

- *Sampling and Analysis Plan, Bethpage, New York, April 2013.*
- *UFP SAP Addendum, Inclusion of Additional Target Analytes for Volatile Organics Analyses, NWIRP Bethpage OU2, Bethpage, New York, August 2014.*
- *UFP SAP Addendum, Installation of Vertical Profile Borings and Monitoring Wells, Operable Unit 2, NWIRP Bethpage, New York, November 2013.*

Sample ID	Matrix/Sample Type	Analysis
VPB158-GW-020215-338-358 Gr	Groundwater	8260C
VPB158-GW-020215-358-360	Groundwater	8260C
VPB158-GW-020415-378-380	Groundwater	8260C
VPB158-GW-020515-398-400	Groundwater 8260C	
VPB158-GW-020515-418-420	Groundwater 8260C	
VPB158-GW-020515-438-440	Groundwater 8260C	
VPB158-TRIPBLANK-020515	Trip Blank	8260C

Data validation activities were conducted using the following guidance documents: *Test Methods for Evaluating Solid Waste, Physical/Chemical Methods SW-846, specifically Method 8260C, Volatile Organic Compounds by Gas Chromatography/Mass Spectrometry* (U.S. EPA, 2006), *U.S. Environmental Protection Agency (U.S. EPA) Contract Laboratory Program National Functional Guidelines for Superfund Organic Methods Data Review* (NFG, June 2008), and Department of Defense (DoD) Quality Systems Manual (QSM) for Environmental Laboratories, Version 4.2 (October

2010). In the absence of method-specific information, laboratory quality control (QC) limits, project-specific requirements and/or professional judgment were used as appropriate.

## **REVIEW ELEMENTS**

The data were evaluated based on the following parameters (where applicable to the method):

- X Data completeness (chain-of-custody [COC])/sample integrity
- ✓ Holding times and sample preservation
- ✓ GC/MS performance checks
- X Initial calibration/continuing calibration verification
- X Laboratory blanks/trip blanks
- ✓ Surrogate spike recoveries
- NA Matrix spike (MS) and/or matrix spike duplicate (MSD) results
- X Laboratory control sample (LCS)/laboratory control sample duplicate (LCSD) results
- NA Field duplicates
- ✓ Internal standards
- ✓ Sample results/reporting issues

The symbol ( ✓ ) indicates that no validation qualifiers were applied based on this parameter. NA indicates that the parameter was not included as part of this data set or was not applicable to this validation and therefore not reviewed. Acceptable data parameters for which all criteria were met and no qualification was performed and non-conformance or other issues that were noted during validation, but did not result in qualification of data are not discussed further. The symbol ( X ) indicates that a QC non-conformance resulted in the qualification of data. Any QC non-conformance that resulted in the qualification of data is discussed below.

## **RESULTS**

### **Data Completeness/Sample Integrity**

The data package was reviewed and found to meet acceptance criteria for completeness:

- the COCs were reviewed for completeness of information relevant to the samples and requested analyses, and for signatures indicating transfer of sample custody;
- the laboratory sample log in sheet(s) were reviewed for issues potentially affecting sample integrity, including the condition of sample containers upon receipt at the laboratory;
- completeness of analyses was verified by comparing the reported results to the COC request.

Due to limitations in the reporting system, the laboratory omitted the first characters "VPB-" and middle characters "GW-" from the sample ID in all samples; and truncated Trip Blank to "TB" in the report. Below shows a list of samples that were mostly comprised of soil in all three vials and not very much liquid:

- VPB158-GW-020515-398-400 had each vial decanted, compounded into one vial and analyzed at a dilution of 1:20.
- VPB158-GW-020215-358-360 had two vials decanted, compounded into one vial and analyzed.

Positive and non-detected results for sample's VPB158 -GW-020515-398-400 and VPB158 -GW-020215-358-360 were qualified as estimated (J and UJ) respectively due to possible loss of sample integrity during the decanting process. Non-conformances are summarized in Attachment A in Table A-1.

**Initial Calibration/Continuing Calibration Verification**

Calibration data were reviewed for conformance with the QC acceptance criteria to ensure that:

- the initial calibration percent relative standard deviation, correlation coefficient/coefficient of determination, and/or response factor method acceptance criteria were met;
- the initial calibration verification standard percent recovery acceptance criteria were met;
- the continuing calibration verification standard (CCV) method percent difference or percent drift (%Ds) and response factor acceptance criteria were met; and
- the retention time method acceptance criteria were met.

Data qualification to the analytes associated with the specific initial calibration verification (ICV) was as follows:

**ICV Recovery Non-conformance:**

Criteria	Actions	
	Detected Results	Non-detected Results
Recovery >120%	J	UJ
Recovery < 80%	J	UJ

Data qualification to the analytes associated with the specific CCV was as follows:

**CCV Linearity Non-conformance:**

Criteria	Actions	
	Detected Results	Non-detected Results
%Difference or %Drift > 20%	J	UJ

ICV and CCV non-conformances are summarized in Attachment A in Table’s A-2 and A-3.

**Laboratory Blanks/Trip Blanks**

Laboratory blanks and trip blanks were analyzed with samples to assess contamination imparted by sample preparation and/or analysis. All results associated with a particular blank were evaluated to determine whether there was an inherent variability in the data, or if a problem was an isolated occurrence that did not affect the data. Samples were flagged in accordance with *Functional Guidelines* (shown below) where detections were not believed to be site-related. Laboratory blank and trip blank non-conformances are summarized in Attachment A in Table A-4 and A-5.

**Blank Non-conformance Chart:**

Blank type	Blank result	Sample result	Action for samples
Method, Storage, Trip, Field, or Equipment	Detects	Not detected	No qualification
	< 2x LOQ	< 2x LOQ	Report sample LOQ value with a U
		≥ 2x LOQ	Use professional judgment
	> 2x LOQ	< 2x LOQ	Report sample LOQ value with a U
		≥ 2x LOQ and < blank contamination	Report the blank result with a U or reject the sample result as unusable R
		≥ 2x LOQ and ≥ blank contamination	If the result is <2x blank result, report the sample result U. If the result is > 2x blank result, no qualification is required.
	= 2x LOQ	< 2x LOQ	Report sample LOQ value with a U
		≥ 2x LOQ	Use professional judgment
	Gross contamination	Detects	Qualify results as unusable R

**Notes:**

LOQ = Limit of quantitation  
 U = Undetected (Refer to Attachment B)  
 R = Rejected

**Laboratory Control Samples / Laboratory Control Sample Duplicate**

LCS %Rs is used to monitor the overall accuracy and performance of each step during analysis, including sample preparation. The laboratory analyzed LCSs in duplicate when MS/MSDs were not

reported in individual SDGs. In these instances, the laboratory determined precision between the duplicated values. Data qualification to the analytes associated with the specific LCS / LCS duplicate was as follows:

**Laboratory Control Sample / Laboratory Control Sample Duplicate Non-conformance Chart:**

Criteria	Action	
	Detected	Non-detected
% R or RPD > UL	J No	qualification
%R < LL	J	UJ
% R < 20%	J R	

**Notes:**

%R = Percent recovery  
 RPD = Relative percent difference  
 UL = Upper limit  
 LL = Lower limit  
 J = Estimated (Refer to Attachment B)  
 UJ = Undetected and estimated (Refer to Attachment B)  
 R = Rejected

LCS / LCSD non-conformance is summarized in Attachment A in Table A-6.

**Qualifications Actions**

The data was reviewed independently from the laboratory to assess data quality. All compounds detected at concentrations less than the limit of quantitation (LOQ) but greater than the method detection limit were qualified by the laboratory as estimated (J). This "J" qualifier was retained during data validation. Any sample that was analyzed at a dilution because of high concentrations of target or non-targets was checked to confirm that the results and/or sample-specific LOQs and limit of detections were adjusted accordingly by the laboratory.

No results were rejected; therefore, analytical completeness was calculated to be 100 per cent. Data not qualified during data review are considered usable by the project. The remaining results qualified as estimated may be high or low, but the data are usable for their intended purpose, according to U.S. Environmental Protection Agency and Department of Defense guidelines. Final data review qualifiers used to describe results and how they should be interpreted by the end data user are provided in Attachment B and Attachment C. Attachment D provides final results after data review.



**ATTACHMENTS**

- Attachment A: Non-Conformance Summary Table
- Attachment B: Qualifier Codes and Explanations
- Attachment C: Reason Codes and Explanations
- Attachment D: Final Results after Data Review

**Attachment A**  
**Non-Conformance Summary Table**

Table (A-1) Sample Integrity Non-Conformance					
Method	Sample ID	Analyte	Units	Result	Qualifier
8260C	VPB158-GW-020215-358-360	1,1,1-TRICHLOROETHANE U	G_L	0.5 UJ	
8260C	VPB158-GW-020215-358-360	1,1,2,2-TETRACHLOROETHANE UG_	L	0.5 UJ	
8260C	VPB158-GW-020215-358-360	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE U	G_L	0.5 UJ	
8260C	VPB158-GW-020215-358-360	1,1,2-TRICHLOROETHANE U	G_L	0.5 UJ	
8260C	VPB158-GW-020215-358-360	1,1-DICHLOROETHANE U	G_L	0.5 UJ	
8260C	VPB158-GW-020215-358-360	1,1-DICHLOROETHENE U	G_L	0.5 UJ	
8260C	VPB158-GW-020215-358-360	1,2,4-TRICHLOROBENZENE U	G_L	0.5 UJ	
8260C	VPB158-GW-020215-358-360	1,2-DIBROMO-3-CHLOROPROPANE U	G_L	0.75 UJ	
8260C	VPB158-GW-020215-358-360	1,2-DIBROMOETHANE U	G_L	0.5 UJ	
8260C	VPB158-GW-020215-358-360	1,2-DICHLOROBENZENE U	G_L	0.5 UJ	
8260C	VPB158-GW-020215-358-360	1,2-DICHLOROETHANE U	G_L	0.5 UJ	
8260C	VPB158-GW-020215-358-360	1,2-DICHLOROETHENE, TOTAL	UG_L	1 UJ	
8260C	VPB158-GW-020215-358-360	1,2-DICHLOROPROPANE U	G_L	0.5 UJ	
8260C	VPB158-GW-020215-358-360	1,3-DICHLOROBENZENE U	G_L	0.5 UJ	
8260C	VPB158-GW-020215-358-360	1,4-DICHLOROBENZENE U	G_L	0.5 UJ	
8260C	VPB158-GW-020215-358-360	2-BUTANONE UG_	L	2.5 UJ	
8260C	VPB158-GW-020215-358-360	2-HEXANONE UG_	L	2.5 UJ	
8260C	VPB158-GW-020215-358-360	4-METHYL-2-PENTANONE UG_	L	2.5 UJ	
8260C	VPB158-GW-020215-358-360	ACETONE UG_	L	2.5 UJ	
8260C	VPB158-GW-020215-358-360	BENZENE U	G_L	0.5 UJ	
8260C	VPB158-GW-020215-358-360	BROMODICHLOROMETHANE U	G_L	0.5 UJ	
8260C	VPB158-GW-020215-358-360	BROMOFORM U	G_L	0.5 UJ	
8260C	VPB158-GW-020215-358-360	BROMOMETHANE U	G_L	1 UJ	
8260C	VPB158-GW-020215-358-360	CARBON DISULFIDE	UG_L	0.5 UJ	
8260C	VPB158-GW-020215-358-360	CARBON TETRACHLORIDE	UG_L	0.5 UJ	
8260C	VPB158-GW-020215-358-360	CHLOROBENZENE UG_	L	0.5 UJ	
8260C	VPB158-GW-020215-358-360	CHLOROETHANE UG_	L	1 UJ	
8260C	VPB158-GW-020215-358-360	CHLOROFORM U	G_L	0.5 UJ	
8260C	VPB158-GW-020215-358-360	CHLOROMETHANE UG_	L	1 UJ	
8260C	VPB158-GW-020215-358-360	CIS-1,2-DICHLOROETHENE U	G_L	0.5 UJ	
8260C	VPB158-GW-020215-358-360	CIS-1,3-DICHLOROPROPENE U	G_L	0.5 UJ	
8260C	VPB158-GW-020215-358-360	CYCLOHEXANE U	G_L	0.5 UJ	
8260C	VPB158-GW-020215-358-360	DIBROMOCHLOROMETHANE U	G_L	0.5 UJ	
8260C	VPB158-GW-020215-358-360	DICHLORODIFLUOROMETHANE UG_	L	1 UJ	
8260C	VPB158-GW-020215-358-360	ETHYLBENZENE UG_	L	0.5 UJ	
8260C	VPB158-GW-020215-358-360	ISOPROPYLBENZENE UG_	L	0.5 UJ	
8260C	VPB158-GW-020215-358-360	M- AND P-XYLENE	UG_L	1 UJ	
8260C	VPB158-GW-020215-358-360	METHYL ACETATE	UG_L	0.75 UJ	
8260C	VPB158-GW-020215-358-360	METHYL CYCLOHEXANE	UG_L	0.5 UJ	
8260C	VPB158-GW-020215-358-360	METHYL TERT-BUTYL ETHER	UG_L	0.5 UJ	
8260C	VPB158-GW-020215-358-360	METHYLENE CHLORIDE	UG_L	2.5 UJ	
8260C	VPB158-GW-020215-358-360	O-XYLENE UG_	L	0.5 UJ	
8260C	VPB158-GW-020215-358-360	STYRENE UG_	L	0.5 UJ	
8260C	VPB158-GW-020215-358-360	TETRACHLOROETHENE UG_	L	0.5 UJ	
8260C	VPB158-GW-020215-358-360	TOLUENE U	G_L	0.5 UJ	
8260C	VPB158-GW-020215-358-360	TRANS-1,2-DICHLOROETHENE U	G_L	0.5 UJ	
8260C	VPB158-GW-020215-358-360	TRANS-1,3-DICHLOROPROPENE U	G_L	0.5 UJ	

Table (A-1) Sample Integrity Non-Conformance					
Method	Sample ID	Analyte	Units	Result	Qualifier
8260C	VPB158-GW-020215-358-360	TRICHLOROETHENE UG_	L	0.5 UJ	
8260C	VPB158-GW-020215-358-360	TRICHLOROFLUOROMETHANE U	G_L	1 UJ	
8260C	VPB158-GW-020215-358-360	VINYL CHLORIDE	UG_L	1 UJ	
8260C	VPB158-GW-020215-358-360	XYLENES, TOTAL	UG_L	1.5 UJ	
8260C VPB	158-GW-020515-398-400	1,1,1-TRICHLOROETHANE U	G_L	10 UJ	
8260C VPB	158-GW-020515-398-400	1,1,2,2-TETRACHLOROETHANE UG_	L	10 UJ	
8260C VPB	158-GW-020515-398-400	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE U	G_L	10 UJ	
8260C VPB	158-GW-020515-398-400	1,1,2-TRICHLOROETHANE U	G_L	10 UJ	
8260C VPB	158-GW-020515-398-400	1,1-DICHLOROETHANE U	G_L	10 UJ	
8260C VPB	158-GW-020515-398-400	1,1-DICHLOROETHENE U	G_L	10 UJ	
8260C VPB	158-GW-020515-398-400	1,2,4-TRICHLOROBENZENE U	G_L	10 UJ	
8260C VPB	158-GW-020515-398-400	1,2-DIBROMO-3-CHLOROPROPANE U	G_L	15 UJ	
8260C VPB	158-GW-020515-398-400	1,2-DIBROMOETHANE U	G_L	10 UJ	
8260C VPB	158-GW-020515-398-400	1,2-DICHLOROBENZENE U	G_L	10 UJ	
8260C VPB	158-GW-020515-398-400	1,2-DICHLOROETHANE U	G_L	10 UJ	
8260C VPB	158-GW-020515-398-400	1,2-DICHLOROETHENE, TOTAL	UG_L	20 UJ	
8260C VPB	158-GW-020515-398-400	1,2-DICHLOROPROPANE U	G_L	10 UJ	
8260C VPB	158-GW-020515-398-400	1,3-DICHLOROBENZENE U	G_L	10 UJ	
8260C VPB	158-GW-020515-398-400	1,4-DICHLOROBENZENE U	G_L	10 UJ	
8260C VPB	158-GW-020515-398-400	2-BUTANONE UG_	L	50 UJ	
8260C VPB	158-GW-020515-398-400	2-HEXANONE UG_	L	50 UJ	
8260C VPB	158-GW-020515-398-400	4-METHYL-2-PENTANONE UG_	L	50 UJ	
8260C VPB	158-GW-020515-398-400	ACETONE UG_	L	50 UJ	
8260C VPB	158-GW-020515-398-400	BENZENE U	G_L	10 UJ	
8260C VPB	158-GW-020515-398-400	BROMODICHLOROMETHANE U	G_L	10 UJ	
8260C VPB	158-GW-020515-398-400	BROMOFORM U	G_L	10 UJ	
8260C VPB	158-GW-020515-398-400	BROMOMETHANE U	G_L	20 UJ	
8260C VPB	158-GW-020515-398-400	CARBON DISULFIDE	UG_L	10 UJ	
8260C VPB	158-GW-020515-398-400	CARBON TETRACHLORIDE	UG_L	10 UJ	
8260C VPB	158-GW-020515-398-400	CHLOROBENZENE UG_	L	10 UJ	
8260C VPB	158-GW-020515-398-400	CHLOROETHANE UG_	L	20 UJ	
8260C VPB	158-GW-020515-398-400	CHLOROFORM U	G_L	10 UJ	
8260C VPB	158-GW-020515-398-400	CHLOROMETHANE UG_	L	20 UJ	
8260C VPB	158-GW-020515-398-400	CIS-1,2-DICHLOROETHENE U	G_L	10 UJ	
8260C VPB	158-GW-020515-398-400	CIS-1,3-DICHLOROPROPENE U	G_L	10 UJ	
8260C VPB	158-GW-020515-398-400	CYCLOHEXANE U	G_L	10 UJ	
8260C VPB	158-GW-020515-398-400	DIBROMOCHLOROMETHANE U	G_L	10 UJ	
8260C VPB	158-GW-020515-398-400	DICHLORODIFLUOROMETHANE UG_	L	20 UJ	
8260C VPB	158-GW-020515-398-400	ETHYLBENZENE UG_	L	10 UJ	
8260C VPB	158-GW-020515-398-400	ISOPROPYLBENZENE UG_	L	10 UJ	
8260C VPB	158-GW-020515-398-400	M- AND P-XYLENE	UG_L	20 UJ	
8260C VPB	158-GW-020515-398-400	METHYL ACETATE	UG_L	15 UJ	
8260C VPB	158-GW-020515-398-400	METHYL CYCLOHEXANE	UG_L	10 UJ	
8260C VPB	158-GW-020515-398-400	METHYL TERT-BUTYL ETHER	UG_L	10 UJ	
8260C VPB	158-GW-020515-398-400	METHYLENE CHLORIDE	UG_L	50 UJ	
8260C VPB	158-GW-020515-398-400	O-XYLENE UG_	L	10 UJ	
8260C VPB	158-GW-020515-398-400	STYRENE UG_	L	10 UJ	
8260C VPB	158-GW-020515-398-400	TETRACHLOROETHENE UG_	L	10 UJ	
8260C VPB	158-GW-020515-398-400	TOLUENE U	G_L	10 UJ	

Table (A-1) Sample Integrity Non-Conformance					
Method	Sample ID	Analyte	Units	Result	Qualifier
8260C VPB	158-GW-020515-398-400	TRANS-1,2-DICHLOROETHENE U	G_L	10 UJ	
8260C VPB	158-GW-020515-398-400	TRANS-1,3-DICHLOROPROPENE U	G_L	10 UJ	
8260C VPB	158-GW-020515-398-400	TRICHLOROETHENE UG_	L	10 UJ	
8260C VPB	158-GW-020515-398-400	TRICHLOROFLUOROMETHANE U	G_L	20 UJ	
8260C VPB	158-GW-020515-398-400	VINYL CHLORIDE	UG_L	20 UJ	
8260C VPB	158-GW-020515-398-400	XYLENES, TOTAL	UG_L	30 UJ	

**Notes:**

UG\_L = Micrograms per liter  
 UJ = Non-detect estimated value

Table (A-2) Initial Calibration Verification Non-Conformance						
Method	Analyte	ICV ID	%R	Limit	Associated Samples	Qualifier
8260C D	ichlorodifluoromethane	WG157839-7	40.69	80-120	VPB158-GW-020215-338-358	UJ
8260C D	ichlorodifluoromethane	WG157839-7	40.69	80-120	VPB158-GW-020215-358-360	UJ
8260C D	ichlorodifluoromethane	WG157839-7	40.69	80-120	VPB158-GW-020415-378-380	UJ
8260C D	ichlorodifluoromethane	WG157839-7	40.69	80-120	VPB158-GW-020515-398-400	UJ
8260C D	ichlorodifluoromethane	WG157839-7	40.69	80-120	VPB158-GW-020515-418-420	UJ
8260C D	ichlorodifluoromethane	WG157839-7	40.69	80-120	VPB158-GW-020515-438-440	UJ
8260C D	ichlorodifluoromethane	WG157839-7	40.69	80-120	VPB158-TRIPBLANK-020515	UJ
8260C C	hlromethane	WG157839-7	71.48	80-120	VPB158-GW-020215-338-358	UJ
8260C C	hlromethane	WG157839-7	71.48	80-120	VPB158-GW-020215-358-360	UJ
8260C C	hlromethane	WG157839-7	71.48	80-120	VPB158-GW-020415-378-380	UJ
8260C C	hlromethane	WG157839-7	71.48	80-120	VPB158-GW-020515-398-400	UJ
8260C C	hlromethane	WG157839-7	71.48	80-120	VPB158-GW-020515-418-420	UJ
8260C C	hlromethane	WG157839-7	71.48	80-120	VPB158-GW-020515-438-440	UJ
8260C C	hlromethane	WG157839-7	71.48	80-120	VPB158-TRIPBLANK-020515	UJ
8260C A	cetone	WG157839-7	160.7	80-120	VPB158-GW-020215-338-358	UJ
8260C A	cetone	WG157839-7	160.7	80-120	VPB158-GW-020215-358-360	UJ
8260C A	cetone	WG157839-7	160.7	80-120	VPB158-GW-020415-378-380	UJ
8260C A	cetone	WG157839-7	160.7	80-120	VPB158-GW-020515-398-400	UJ
8260C A	cetone	WG157839-7	160.7	80-120	VPB158-GW-020515-418-420	UJ
8260C A	cetone	WG157839-7	160.7	80-120	VPB158-GW-020515-438-440	UJ
8260C A	cetone	WG157839-7	160.7	80-120	VPB158-TRIPBLANK-020515	J
8260C V	inyl Chloride	WG157839-7	70.01	80-120	VPB158-GW-020215-338-358	UJ
8260C V	inyl Chloride	WG157839-7	70.01	80-120	VPB158-GW-020215-358-360	UJ
8260C V	inyl Chloride	WG157839-7	70.01	80-120	VPB158-GW-020415-378-380	UJ
8260C V	inyl Chloride	WG157839-7	70.01	80-120	VPB158-GW-020515-398-400	UJ
8260C V	inyl Chloride	WG157839-7	70.01	80-120	VPB158-GW-020515-418-420	UJ
8260C V	inyl Chloride	WG157839-7	70.01	80-120	VPB158-GW-020515-438-440	UJ
8260C V	inyl Chloride	WG157839-7	70.01	80-120	VPB158-TRIPBLANK-020515	UJ

**Notes:**

ICV = Initial calibration verification  
 %R = Percent recovery  
 J = Estimated value  
 UJ = Non-detect estimated value

Table (A-3) Continuing Calibration Verification Non-Conformance					
Calibration	Analyte	%D	%D Limit	Associated Samples	Qualifiers
WG158187-4	Bromomethane 21.36		20 VPB	158-GW-020215-338-358	UJ
WG158187-4	Bromomethane	21.36	20 VPB	158-GW-020215-358-360	UJ
WG158187-4	Bromomethane	21.36	20 VPB	158-GW-020415-378-380	UJ
WG158187-4	Bromomethane	21.36	20 VPB	158-GW-020515-398-400	UJ
WG158187-4	Bromomethane	21.36	20 VPB	158-GW-020515-418-420	UJ
WG158187-4	Bromomethane	21.36	20 VPB	158-GW-020515-438-440	UJ
WG158187-4	Bromomethane	21.36	20 VPB	158-TRIPBLANK-020515	UJ
WG158187-4	Methyl acetate	34.11	20 VPB	158-GW-020215-338-358	UJ
WG158187-4	Methyl acetate	34.11	20 VPB	158-GW-020215-358-360	UJ
WG158187-4	Methyl acetate	34.11	20 VPB	158-GW-020415-378-380	UJ
WG158187-4	Methyl acetate	34.11	20 VPB	158-GW-020515-398-400	UJ
WG158187-4	Methyl acetate	34.11	20 VPB	158-GW-020515-418-420	UJ
WG158187-4	Methyl acetate	34.11	20 VPB	158-GW-020515-438-440	UJ
WG158187-4	Methyl acetate	34.11	20 VPB	158-TRIPBLANK-020515	UJ

**Notes:**

%D = Percent difference  
 UJ = Non-detect estimated value

Table (A-4) Laboratory Blank Non-Conformance						
Laboratory Blank ID	Analyte	Blank Result (UG_L)	LOQ	Associated Sample	Sample Result (UG_L)	Qualifier
WG158187-2	Carbon Disulfide	0.38 1		VPB158-GW-020215-338-358	0.44	U
WG158187-2	Carbon Disulfide	0.38 1		VPB158-GW-020215-358-360	0.62	U
WG158187-2	Carbon Disulfide	0.38 1		VPB158-GW-020415-378-380	0.30	U
WG158187-2	Carbon Disulfide	0.38 1		VPB158-GW-020515-438-440	0.33	U

**Notes:**

UG\_L = Micrograms per liter  
 LOQ = Limit of quantitation  
 U = Associated sample flagged non-detect "U" due to both blank result and sample result less than 2 times LOQ.

Table (A-5) Trip Blank Non-Conformance						
Blank ID	Analyte	Blank Result (UG_L)	LOQ	Associated Sample	Sample Result (UG_L)	Qualifier
VPB158-TRIPBLANK-020515	Acetone	5.6	5	VPB158-GW-020215-338-358	4.3	U
VPB158-TRIPBLANK-020515	Acetone	5.6	5	VPB158-GW-020215-358-360	4.3	U
VPB158-TRIPBLANK-020515	Acetone	5.6	5	VPB158-GW-020515-418-420	7.0	U
VPB158-TRIPBLANK-020515	Carbon disulfide	0.4	1	VPB158-GW-020215-338-358	0.44	U
VPB158-TRIPBLANK-020515	Carbon disulfide	0.4 1		VPB158-GW-020215-358-360	0.62	U
VPB158-TRIPBLANK-020515	Carbon disulfide	0.4 1		VPB158-GW-020415-378-380	0.30	U
VPB158-TRIPBLANK-020515	Carbon disulfide	0.4 1		VPB158-GW-020515-438-440	0.33	U

**Notes:**

UG\_L = Micrograms per liter  
 LOQ = Limit of quantitation  
 U = Associated sample flagged non-detect "U" due to both blank result and sample result less than 2 times LOQ.

<b>Table (A-6)</b>						
<b>Laboratory Control Sample Non-Conformance</b>						
<b>LCS</b>	<b>Batch</b>	<b>Analyte</b>	<b>%R</b>	<b>Limits</b>	<b>Associated Sample</b>	<b>Qualifier</b>
WG158187-1	WG158187	Acetone	148	40-140	VPB158-GW-020215-338-358 J	
WG158187-1	WG158187	Acetone	148	40-140	VPB 158-GW-020215-358-360	J
WG158187-1	WG158187	Acetone	148	40-140	VPB 158-GW-020515-418-420	J
WG158187-1	WG158187	Acetone	148	40-140	VPB 158-TRIPBLANK-020515	J

**Notes:**

- LCS = Laboratory control sample
- %R = Percent recovery
- J = Detected analyte in associated sample qualified estimated "J" due to potential bias.

**Attachment B**  
**Qualifier Codes and Explanations**

<b>Qualifier</b>	<b>Explanation</b>
J	The analyte was positively identified; the associated numerical value is the approximate concentration of the analyte in the sample.
UJ	The analyte was not detected above the reported sample quantitation limit. However, the reported quantitation limit is approximate and may or may not represent the actual quantitation limit necessary to accurately and precisely measure the analyte in the sample.
U	The analyte was analyzed for, but was not detected above the reported sample quantitation limit.

**Attachment C**  
**Reason Codes and Explanations**

<b>Reason Code</b>	<b>Explanation</b>
be	Equipment blank contamination
bf Fie	ld blank contamination
bl	Laboratory blank contamination
bt	Trip blank contamination
c C	alibration issue
d	Reporting limit raised due to chromatographic interference
fd	Field duplicate RPDs
h Ho	lding times
i Interna	l standard areas
k	Estimated Maximum Possible Concentration (EMPC)
l	LCS or OPR recoveries
lc	Labeled compound recovery
ld	Laboratory duplicate RPDs
lp	Laboratory control sample/laboratory control sample duplicate RPDs
m Matrix	spike recovery
mc	Method compliance non-conformance
md	Matrix spike/matrix spike duplicate RPDs
nb	Negative laboratory blank contamination
p	Chemical preservation issue
r Dual	column RPD
q Quant	itation issue
s Surrogate	recovery
su Ion	suppression
t Tempera	ture preservation issue
x Per	cent solids
y	Serial dilution results
z ICS	results



**Attachment D**  
**Final Results after Data Review**

Sample Delivery Group Lab Identification Sample Identification Sample Date Sample Type Depth Interval				SI0772 SI0772-1 VPB158-GW-020215-338-358 2/2/2015 Groundwater 338 - 340 ft		
Method	Analyte	CAS No	Units	Result	Qual	RC
8260C 1,1,1-	TRICHLOROETHANE	71-55-6	UG_L	0.5	U	
8260C 1,1,2,2-	TETRACHLOROETHANE 79-	34-5	UG_L	0.5	U	
8260C 1,1,2-	TRICHLORO-1,2,2-TRIFLUOROETHANE 76-	13-1	UG_L	0.5	U	
8260C 1,1,2-	TRICHLOROETHANE	79-00-5	UG_L	0.5	U	
8260C 1,1-	DICHLOROETHANE	75-34-3	UG_L	0.85	J	
8260C 1,1-	DICHLOROETHENE	75-35-4	UG_L	0.5	U	
8260C 1,2,4-	TRICHLOROBENZENE	120-82-1	UG_L	0.5	U	
8260C 1,2-	DIBROMO-3-CHLOROPROPANE	96-12-8	UG_L	0.75	U	
8260C 1,2-	DIBROMOETHANE	106-93-4	UG_L	0.5	U	
8260C 1,2-	DICHLOROBENZENE	95-50-1	UG_L	0.5	U	
8260C 1,2-	DICHLOROETHANE	107-06-2	UG_L	0.5	U	
8260C	1,2-DICHLOROETHENE, TOTAL	540-59-0	UG_L	1	U	
8260C 1,2-	DICHLOROPROPANE	78-87-5	UG_L	0.5	U	
8260C 1,3-	DICHLOROBENZENE	541-73-1	UG_L	0.5	U	
8260C 1,4-	DICHLOROBENZENE	106-46-7	UG_L	0.5	U	
8260C 2-	BUTANONE	78-93-3	UG_L	2.5	U	
8260C 2-	HEXANONE	591-78-6	UG_L	2.5	U	
8260C 4-	METHYL-2-PENTANONE	108-10-1	UG_L	2.5	U	
8260C	ACETONE	67-64-1	UG_L	2.5	UJ	bt,l,c
8260C B	ENZENE	71-43-2	UG_L	0.5	U	
8260C B	ROMODICHLOROMETHANE	75-27-4	UG_L	0.5	U	
8260C B	ROMOFORM	75-25-2	UG_L	0.5	U	
8260C B	ROMOMETHANE	74-83-9	UG_L	1	UJ	c
8260C CARB	ON DISULFIDE	75-15-0	UG_L	0.5	U	bt,bl
8260C	CARBON TETRACHLORIDE	56-23-5	UG_L	0.5	U	
8260C CHLOROB	ENZENE	108-90-7	UG_L	0.5	U	
8260C CHLOROETHANE		75-00-3	UG_L	1	U	
8260C CHLOROFORM		67-66-3	UG_L	0.5	U	
8260C CHLOROM	ETHANE	74-87-3	UG_L	1	UJ	c
8260C CIS-	1,2-DICHLOROETHENE	156-59-2	UG_L	0.5	U	
8260C CIS-	1,3-DICHLOROPROPENE	10061-01-5	UG_L	0.5	U	
8260C CYCLOHEXANE		110-82-7	UG_L	0.5	U	
8260C DIB	ROMOCHLOROMETHANE	124-48-1	UG_L	0.5	U	
8260C DICHLORODI	FLUOROMETHANE	75-71-8	UG_L	1	UJ	c
8260C ETHYLB	ENZENE	100-41-4	UG_L	0.5	U	
8260C ISOP	ROPYLBENZENE	98-82-8	UG_L	0.5	U	
8260C	M- AND P-XYLENE	108-38-3/106-42	UG_L	1	U	
8260C M	ETHYL ACETATE	79-20-9	UG_L	0.75	UJ	c
8260C	METHYL CYCLOHEXANE	108-87-2	UG_L	0.5	U	
8260C	METHYL TERT-BUTYL ETHER	1634-04-4	UG_L	0.5	U	
8260C	METHYLENE CHLORIDE	75-09-2	UG_L	2.5	U	
8260C O-	XYLENE	95-47-6	UG_L	0.5	U	
8260C STYRENE		100-42-5	UG_L	0.5	U	
8260C TETRACHLOROETHENE		127-18-4	UG_L	0.5	U	
8260C TOLUENE		108-88-3	UG_L	0.5	U	
8260C TRANS-	1,2-DICHLOROETHENE	156-60-5	UG_L	0.5	U	
8260C TRANS-	1,3-DICHLOROPROPENE	10061-02-6	UG_L	0.5	U	
8260C TRICHLOROETHENE		79-01-6	UG_L	0.36	J	
8260C TRICHLOROF	LUOROMETHANE	75-69-4	UG_L	1	U	
8260C V	INYL CHLORIDE	75-01-4	UG_L	1	UJ	c
8260C	XYLENES, TOTAL	1330-20-7	UG_L	1.5	U	

Sample Delivery Group Lab Identification Sample Identification Sample Date Sample Type Depth Interval				SI0772 SI0772-2 VPB158-GW-020215-358-360 2/2/2015 Groundwater 358 - 360 ft		
Method	Analyte	CAS No	Units	Result Qual		RC
8260C 1,1,1-	TRICHLOROETHANE	71-55-6	UG_L	0.5	UJ	mc
8260C 1,1,2,2-	TETRACHLOROETHANE 79-	34-5	UG_L	0.5	UJ	mc
8260C 1,1,2-	TRICHLORO-1,2,2-TRIFLUOROETHANE 76-	13-1	UG_L	0.5	UJ	mc
8260C 1,1,2-	TRICHLOROETHANE	79-00-5	UG_L	0.5	UJ	mc
8260C 1,1-	DICHLOROETHANE	75-34-3	UG_L	0.5	UJ	mc
8260C 1,1-	DICHLOROETHENE	75-35-4	UG_L	0.5	UJ	mc
8260C 1,2,4-	TRICHLOROBENZENE	120-82-1	UG_L	0.5	UJ	mc
8260C 1,2-	DIBROMO-3-CHLOROPROPANE	96-12-8	UG_L	0.75	UJ	mc
8260C 1,2-	DIBROMOETHANE	106-93-4	UG_L	0.5	UJ	mc
8260C 1,2-	DICHLOROBENZENE	95-50-1	UG_L	0.5	UJ	mc
8260C 1,2-	DICHLOROETHANE	107-06-2	UG_L	0.5	UJ	mc
8260C 1,2-	DICHLOROETHENE, TOTAL	540-59-0	UG_L	1	UJ	mc
8260C 1,2-	DICHLOROPROPANE	78-87-5	UG_L	0.5	UJ	mc
8260C 1,3-	DICHLOROBENZENE	541-73-1	UG_L	0.5	UJ	mc
8260C 1,4-	DICHLOROBENZENE	106-46-7	UG_L	0.5	UJ	mc
8260C 2-	BUTANONE	78-93-3	UG_L	2.5	UJ	mc
8260C 2-	HEXANONE	591-78-6	UG_L	2.5	UJ	mc
8260C 4-	METHYL-2-PENTANONE	108-10-1	UG_L	2.5	UJ	mc
8260C	ACETONE	67-64-1	UG_L	2.5	UJ	bt,l,mc,c
8260C B	ENZENE	71-43-2	UG_L	0.5	UJ	mc
8260C B	ROMODICHLOROMETHANE	75-27-4	UG_L	0.5	UJ	mc
8260C B	ROMOFORM	75-25-2	UG_L	0.5	UJ	mc
8260C B	ROMOMETHANE	74-83-9	UG_L	1	UJ	c,mc
8260C CARB	ON DISULFIDE	75-15-0	UG_L	0.5	UJ	bt,bl,mc
8260C CARB	ON TETRACHLORIDE	56-23-5	UG_L	0.5	UJ	mc
8260C CHLOROB	ENZENE	108-90-7	UG_L	0.5	UJ	mc
8260C CHLOROETHANE		75-00-3	UG_L	1	UJ	mc
8260C CHLOROFORM		67-66-3	UG_L	0.5	UJ	mc
8260C CHLOROM	ETHANE	74-87-3	UG_L	1	UJ	c,mc
8260C CIS-	1,2-DICHLOROETHENE	156-59-2	UG_L	0.5	UJ	mc
8260C CIS-	1,3-DICHLOROPROPENE	10061-01-5	UG_L	0.5	UJ	mc
8260C CYCLOHEXANE		110-82-7	UG_L	0.5	UJ	mc
8260C DIB	ROMOCHLOROMETHANE	124-48-1	UG_L	0.5	UJ	mc
8260C DICHLORODI	FLUOROMETHANE	75-71-8	UG_L	1	UJ	c,mc
8260C ETHYLB	ENZENE	100-41-4	UG_L	0.5	UJ	mc
8260C ISOP	ROPYLBENZENE	98-82-8	UG_L	0.5	UJ	mc
8260C	M- AND P-XYLENE	108-38-3/106-42	UG_L	1	UJ	mc
8260C M	ETHYL ACETATE	79-20-9	UG_L	0.75	UJ	c,mc
8260C M	ETHYL CYCLOHEXANE	108-87-2	UG_L	0.5	UJ	mc
8260C	METHYL TERT-BUTYL ETHER	1634-04-4	UG_L	0.5	UJ	mc
8260C M	ETHYLENE CHLORIDE	75-09-2	UG_L	2.5	UJ	mc
8260C O-	XYLENE	95-47-6	UG_L	0.5	UJ	mc
8260C STYRENE		100-42-5	UG_L	0.5	UJ	mc
8260C TETRACHLOROETHENE		127-18-4	UG_L	0.5	UJ	mc
8260C TOLUENE		108-88-3	UG_L	0.5	UJ	mc
8260C TRANS-	1,2-DICHLOROETHENE	156-60-5	UG_L	0.5	UJ	mc
8260C TRANS-	1,3-DICHLOROPROPENE	10061-02-6	UG_L	0.5	UJ	mc
8260C TRICHLOROETHENE		79-01-6	UG_L	0.5	UJ	mc
8260C TRICHLOROF	LUOROMETHANE	75-69-4	UG_L	1	UJ	mc
8260C V	INYL CHLORIDE	75-01-4	UG_L	1	UJ	c,mc
8260C XYLENES,	TOTAL	1330-20-7	UG_L	1.5	UJ	mc

Sample Delivery Group Lab Identification Sample Identification Sample Date Sample Type Depth Interval				SI0772 SI0772-3 VPB158-GW-020415-378-380 2/4/2015 Groundwater 378 - 380 ft		
Method	Analyte	CAS No	Units	Result	Qual	RC
8260C 1,1,1-	TRICHLOROETHANE	71-55-6	UG_L	0.5	UJ	
8260C 1,1,2,2-	TETRACHLOROETHANE 79-	34-5	UG_L	0.5	UJ	
8260C 1,1,2-	TRICHLORO-1,2,2-TRIFLUOROETHANE 76-	13-1	UG_L	0.5	UJ	
8260C 1,1,2-	TRICHLOROETHANE	79-00-5	UG_L	0.5	UJ	
8260C 1,1-	DICHLOROETHANE	75-34-3	UG_L	0.5	UJ	
8260C 1,1-	DICHLOROETHENE	75-35-4	UG_L	0.5	UJ	
8260C 1,2,4-	TRICHLOROBENZENE	120-82-1	UG_L	0.5	UJ	
8260C 1,2-	DIBROMO-3-CHLOROPROPANE	96-12-8	UG_L	0.75	UJ	
8260C 1,2-	DIBROMOETHANE	106-93-4	UG_L	0.5	UJ	
8260C 1,2-	DICHLOROBENZENE	95-50-1	UG_L	0.5	UJ	
8260C 1,2-	DICHLOROETHANE	107-06-2	UG_L	0.5	UJ	
8260C	1,2-DICHLOROETHENE, TOTAL	540-59-0	UG_L	1	UJ	
8260C 1,2-	DICHLOROPROPANE	78-87-5	UG_L	0.5	UJ	
8260C 1,3-	DICHLOROBENZENE	541-73-1	UG_L	0.5	UJ	
8260C 1,4-	DICHLOROBENZENE	106-46-7	UG_L	0.5	UJ	
8260C 2-	BUTANONE	78-93-3	UG_L	2.5	UJ	
8260C 2-	HEXANONE	591-78-6	UG_L	2.5	UJ	
8260C 4-	METHYL-2-PENTANONE	108-10-1	UG_L	2.5	UJ	
8260C	ACETONE	67-64-1	UG_L	2.5	UJ	c
8260C B	ENZENE	71-43-2	UG_L	0.5	UJ	
8260C B	ROMODICHLOROMETHANE	75-27-4	UG_L	0.5	UJ	
8260C B	ROMOFORM	75-25-2	UG_L	0.5	UJ	
8260C B	ROMOMETHANE	74-83-9	UG_L	1	UJ	c
8260C CARB	ON DISULFIDE	75-15-0	UG_L	0.5	U	bt,bl
8260C	CARBON TETRACHLORIDE	56-23-5	UG_L	0.5	UJ	
8260C CHLOROB	ENZENE	108-90-7	UG_L	0.5	UJ	
8260C CHLOROETHANE		75-00-3	UG_L	1	UJ	
8260C CHLOROFORM		67-66-3	UG_L	0.5	UJ	
8260C CHLOROM	ETHANE	74-87-3	UG_L	1	UJ	c
8260C CIS-	1,2-DICHLOROETHENE	156-59-2	UG_L	0.5	UJ	
8260C CIS-	1,3-DICHLOROPROPENE	10061-01-5	UG_L	0.5	UJ	
8260C CYCLOHEXANE		110-82-7	UG_L	0.5	UJ	
8260C DIB	ROMOCHLOROMETHANE	124-48-1	UG_L	0.5	UJ	
8260C DICHLORODI	FLUOROMETHANE	75-71-8	UG_L	1	UJ	c
8260C ETHYLB	ENZENE	100-41-4	UG_L	0.5	UJ	
8260C ISOP	ROPYLBENZENE	98-82-8	UG_L	0.5	UJ	
8260C	M- AND P-XYLENE	108-38-3/106-42	UG_L	1	UJ	
8260C M	ETHYL ACETATE	79-20-9	UG_L	0.75	UJ	c
8260C	METHYL CYCLOHEXANE	108-87-2	UG_L	0.5	UJ	
8260C	METHYL TERT-BUTYL ETHER	1634-04-4	UG_L	0.5	UJ	
8260C	METHYLENE CHLORIDE	75-09-2	UG_L	2.5	UJ	
8260C O-	XYLENE	95-47-6	UG_L	0.5	UJ	
8260C STYRENE		100-42-5	UG_L	0.5	UJ	
8260C TETRACHLOROETHENE		127-18-4	UG_L	0.5	UJ	
8260C TOLUENE		108-88-3	UG_L	0.5	UJ	
8260C TRANS-	1,2-DICHLOROETHENE	156-60-5	UG_L	0.5	UJ	
8260C TRANS-	1,3-DICHLOROPROPENE	10061-02-6	UG_L	0.5	UJ	
8260C TRICHLOROETHENE		79-01-6	UG_L	0.5	UJ	
8260C TRICHLOROF	LUOROMETHANE	75-69-4	UG_L	1	UJ	
8260C V	INYL CHLORIDE	75-01-4	UG_L	1	UJ	c
8260C	XYLENES, TOTAL	1330-20-7	UG_L	1.5	UJ	

Sample Delivery Group Lab Identification Sample Identification Sample Date Sample Type Depth Interval				SI0772 SI0772-4DL VPB158-GW-020515-398-400 2/5/2015 Groundwater 398 - 400 ft		
Method	Analyte	CAS No	Units	Result Qual		RC
8260C 1,1,1-	TRICHLOROETHANE	71-55-6	UG_L	10	UJ	mc
8260C 1,1,2,2-	TETRACHLOROETHANE	79-34-5	UG_L	10	UJ	mc
8260C 1,1,2-	TRICHLORO-1,2,2-TRIFLUOROETHANE 76-	13-1	UG_L	10	UJ	mc
8260C 1,1,2-	TRICHLOROETHANE	79-00-5	UG_L	10	UJ	mc
8260C 1,1-	DICHLOROETHANE	75-34-3	UG_L	10	UJ	mc
8260C 1,1-	DICHLOROETHENE	75-35-4	UG_L	10	UJ	mc
8260C 1,2,4-	TRICHLOROBENZENE	120-82-1	UG_L	10	UJ	mc
8260C 1,2-	DIBROMO-3-CHLOROPROPANE	96-12-8	UG_L	15	UJ	mc
8260C 1,2-	DIBROMOETHANE	106-93-4	UG_L	10	UJ	mc
8260C 1,2-	DICHLOROBENZENE	95-50-1	UG_L	10	UJ	mc
8260C 1,2-	DICHLOROETHANE	107-06-2	UG_L	10	UJ	mc
8260C 1,2-	DICHLOROETHENE, TOTAL	540-59-0	UG_L	20	UJ	mc
8260C 1,2-	DICHLOROPROPANE	78-87-5	UG_L	10	UJ	mc
8260C 1,3-	DICHLOROBENZENE	541-73-1	UG_L	10	UJ	mc
8260C 1,4-	DICHLOROBENZENE	106-46-7	UG_L	10	UJ	mc
8260C 2-	BUTANONE	78-93-3	UG_L	50	UJ	mc
8260C 2-	HEXANONE	591-78-6	UG_L	50	UJ	mc
8260C 4-	METHYL-2-PENTANONE	108-10-1	UG_L	50	UJ	mc
8260C	ACETONE	67-64-1	UG_L	50	UJ	c,mc
8260C B	ENZENE	71-43-2	UG_L	10	UJ	mc
8260C B	ROMODICHLOROMETHANE	75-27-4	UG_L	10	UJ	mc
8260C B	ROMOFORM	75-25-2	UG_L	10	UJ	mc
8260C B	ROMOMETHANE	74-83-9	UG_L	20	UJ	c,mc
8260C CARB	ON DISULFIDE	75-15-0	UG_L	10	UJ	mc
8260C CARB	ON TETRACHLORIDE	56-23-5	UG_L	10	UJ	mc
8260C CHLOROB	ENZENE	108-90-7	UG_L	10	UJ	mc
8260C CHLOROETHANE		75-00-3	UG_L	20	UJ	mc
8260C CHLOROFORM		67-66-3	UG_L	10	UJ	mc
8260C CHLOROM	ETHANE	74-87-3	UG_L	20	UJ	c,mc
8260C CIS-	1,2-DICHLOROETHENE	156-59-2	UG_L	10	UJ	mc
8260C CIS-	1,3-DICHLOROPROPENE	10061-01-5	UG_L	10	UJ	mc
8260C CYCLOHEXANE		110-82-7	UG_L	10	UJ	mc
8260C DIB	ROMOCHLOROMETHANE	124-48-1	UG_L	10	UJ	mc
8260C DICHLORODI	FLUOROMETHANE	75-71-8	UG_L	20	UJ	c,mc
8260C ETHYLB	ENZENE	100-41-4	UG_L	10	UJ	mc
8260C ISOP	ROPYLBENZENE	98-82-8	UG_L	10	UJ	mc
8260C	M- AND P-XYLENE	108-38-3/106-42	UG_L	20	UJ	mc
8260C M	ETHYL ACETATE	79-20-9	UG_L	15	UJ	c,mc
8260C M	ETHYL CYCLOHEXANE	108-87-2	UG_L	10	UJ	mc
8260C	METHYL TERT-BUTYL ETHER	1634-04-4	UG_L	10	UJ	mc
8260C M	ETHYLENE CHLORIDE	75-09-2	UG_L	50	UJ	mc
8260C O-	XYLENE	95-47-6	UG_L	10	UJ	mc
8260C STYRENE		100-42-5	UG_L	10	UJ	mc
8260C TETRACHLOROETHENE		127-18-4	UG_L	10	UJ	mc
8260C TOLUENE		108-88-3	UG_L	10	UJ	mc
8260C TRANS-	1,2-DICHLOROETHENE	156-60-5	UG_L	10	UJ	mc
8260C TRANS-	1,3-DICHLOROPROPENE	10061-02-6	UG_L	10	UJ	mc
8260C TRICHLOROETHENE		79-01-6	UG_L	10	UJ	mc
8260C TRICHLOROF	LUOROMETHANE	75-69-4	UG_L	20	UJ	mc
8260C V	INYL CHLORIDE	75-01-4	UG_L	20	UJ	c,mc
8260C XYLENES,	TOTAL	1330-20-7	UG_L	30	UJ	mc

Sample Delivery Group Lab Identification Sample Identification Sample Date Sample Type Depth Interval				SI0772 SI0772-5 VPB158-GW-020515-418-420 2/5/2015 Groundwater 418 - 420 ft		
Method	Analyte	CAS No	Units	Result	Qual	RC
8260C 1,1,1-	TRICHLOROETHANE	71-55-6	UG_L	0.5	U	
8260C 1,1,2,2-	TETRACHLOROETHANE 79-	34-5	UG_L	0.5	U	
8260C 1,1,2-	TRICHLORO-1,2,2-TRIFLUOROETHANE 76-	13-1	UG_L	0.5	U	
8260C 1,1,2-	TRICHLOROETHANE	79-00-5	UG_L	0.5	U	
8260C 1,1-	DICHLOROETHANE	75-34-3	UG_L	0.5	U	
8260C 1,1-	DICHLOROETHENE	75-35-4	UG_L	0.5	U	
8260C 1,2,4-	TRICHLOROBENZENE	120-82-1	UG_L	0.5	U	
8260C 1,2-	DIBROMO-3-CHLOROPROPANE	96-12-8	UG_L	0.75	U	
8260C 1,2-	DIBROMOETHANE	106-93-4	UG_L	0.5	U	
8260C 1,2-	DICHLOROBENZENE	95-50-1	UG_L	0.5	U	
8260C 1,2-	DICHLOROETHANE	107-06-2	UG_L	0.5	U	
8260C	1,2-DICHLOROETHENE, TOTAL	540-59-0	UG_L	1	U	
8260C 1,2-	DICHLOROPROPANE	78-87-5	UG_L	0.5	U	
8260C 1,3-	DICHLOROBENZENE	541-73-1	UG_L	0.5	U	
8260C 1,4-	DICHLOROBENZENE	106-46-7	UG_L	0.5	U	
8260C 2-	BUTANONE	78-93-3	UG_L	2.5	U	
8260C 2-	HEXANONE	591-78-6	UG_L	2.5	U	
8260C 4-	METHYL-2-PENTANONE	108-10-1	UG_L	2.5	U	
8260C	ACETONE	67-64-1	UG_L	2.5	UJ	bt,l,c
8260C B	ENZENE	71-43-2	UG_L	0.5	U	
8260C B	ROMODICHLOROMETHANE	75-27-4	UG_L	0.5	U	
8260C B	ROMOFORM	75-25-2	UG_L	0.5	U	
8260C B	ROMOMETHANE	74-83-9	UG_L	1	UJ	c
8260C	CARBON DISULFIDE	75-15-0	UG_L	0.5	U	
8260C	CARBON TETRACHLORIDE	56-23-5	UG_L	0.5	U	
8260C	CHLOROBENZENE	108-90-7	UG_L	0.5	U	
8260C	CHLOROETHANE	75-00-3	UG_L	1	U	
8260C	CHLOROFORM	67-66-3	UG_L	0.5	U	
8260C	CHLOROMETHANE	74-87-3	UG_L	1	UJ	c
8260C	CIS-1,2-DICHLOROETHENE	156-59-2	UG_L	0.5	U	
8260C	CIS-1,3-DICHLOROPROPENE	10061-01-5	UG_L	0.5	U	
8260C	CYCLOHEXANE	110-82-7	UG_L	0.5	U	
8260C	DIBROMOCHLOROMETHANE	124-48-1	UG_L	0.5	U	
8260C	DICHLORODIFLUOROMETHANE	75-71-8	UG_L	1	UJ	c
8260C	ETHYLBENZENE	100-41-4	UG_L	0.5	U	
8260C	ISOPROPYLBENZENE	98-82-8	UG_L	0.5	U	
8260C	M- AND P-XYLENE	108-38-3/106-42	UG_L	1	U	
8260C	METHYL ACETATE	79-20-9	UG_L	0.75	UJ	c
8260C	METHYL CYCLOHEXANE	108-87-2	UG_L	0.5	U	
8260C	METHYL TERT-BUTYL ETHER	1634-04-4	UG_L	0.5	U	
8260C	METHYLENE CHLORIDE	75-09-2	UG_L	2.5	U	
8260C	O-XYLENE	95-47-6	UG_L	0.5	U	
8260C	STYRENE	100-42-5	UG_L	0.5	U	
8260C	TETRACHLOROETHENE	127-18-4	UG_L	0.5	U	
8260C	TOLUENE	108-88-3	UG_L	0.5	U	
8260C	TRANS-1,2-DICHLOROETHENE	156-60-5	UG_L	0.5	U	
8260C	TRANS-1,3-DICHLOROPROPENE	10061-02-6	UG_L	0.5	U	
8260C	TRICHLOROETHENE	79-01-6	UG_L	0.5	U	
8260C	TRICHLORODIFLUOROMETHANE	75-69-4	UG_L	1	U	
8260C	VINYL CHLORIDE	75-01-4	UG_L	1	UJ	c
8260C	XYLENES, TOTAL	1330-20-7	UG_L	1.5	U	

Sample Delivery Group Lab Identification Sample Identification Sample Date Sample Type Depth Interval				SI0772 SI0772-6 VPB158-GW-020515-438-440 2/5/2015 Groundwater 438 - 440 ft		
Method	Analyte	CAS No	Units	Result Qual		RC
8260C 1,1,1-	TRICHLOROETHANE	71-55-6	UG_L	0.5	U	
8260C 1,1,2,2-	TETRACHLOROETHANE 79-	34-5	UG_L	0.5	U	
8260C 1,1,2-	TRICHLORO-1,2,2-TRIFLUOROETHANE 76-	13-1	UG_L	0.5	U	
8260C 1,1,2-	TRICHLOROETHANE	79-00-5	UG_L	0.5	U	
8260C 1,1,	DICHLOROETHANE	75-34-3	UG_L	0.5	U	
8260C 1,1,	DICHLOROETHENE	75-35-4	UG_L	0.5	U	
8260C 1,2,4-	TRICHLOROBENZENE	120-82-1	UG_L	0.5	U	
8260C 1,2,	DIBROMO-3-CHLOROPROPANE	96-12-8	UG_L	0.75	U	
8260C 1,2,	DIBROMOETHANE	106-93-4	UG_L	0.5	U	
8260C 1,2,	DICHLOROBENZENE	95-50-1	UG_L	0.5	U	
8260C 1,2,	DICHLOROETHANE	107-06-2	UG_L	0.5	U	
8260C	1,2-DICHLOROETHENE, TOTAL	540-59-0	UG_L	1	U	
8260C 1,2,	DICHLOROPROPANE	78-87-5	UG_L	0.5	U	
8260C 1,3,	DICHLOROBENZENE	541-73-1	UG_L	0.5	U	
8260C 1,4,	DICHLOROBENZENE	106-46-7	UG_L	0.5	U	
8260C 2-	BUTANONE	78-93-3	UG_L	2.5	U	
8260C 2-	HEXANONE	591-78-6	UG_L	2.5	U	
8260C 4-	METHYL-2-PENTANONE	108-10-1	UG_L	2.5	U	
8260C	ACETONE	67-64-1	UG_L	2.5	UJ	c
8260C B	ENZENE	71-43-2	UG_L	0.5	U	
8260C B	ROMODICHLOROMETHANE	75-27-4	UG_L	0.5	U	
8260C B	ROMOFORM	75-25-2	UG_L	0.5	U	
8260C B	ROMOMETHANE	74-83-9	UG_L	1	UJ	c
8260C CARB	ON DISULFIDE	75-15-0	UG_L	0.5	U	bt,bl
8260C	CARBON TETRACHLORIDE	56-23-5	UG_L	0.5	U	
8260C CHLOROB	ENZENE	108-90-7	UG_L	0.5	U	
8260C CHLOROETHANE		75-00-3	UG_L	1	U	
8260C CHLOROFORM		67-66-3	UG_L	0.5	U	
8260C CHLOROM	ETHANE	74-87-3	UG_L	1	UJ	c
8260C CIS-	1,2-DICHLOROETHENE	156-59-2	UG_L	0.5	U	
8260C CIS-	1,3-DICHLOROPROPENE	10061-01-5	UG_L	0.5	U	
8260C CYCLOHEXANE		110-82-7	UG_L	0.5	U	
8260C DIB	ROMOCHLOROMETHANE	124-48-1	UG_L	0.5	U	
8260C DICHLORODI	FLUOROMETHANE	75-71-8	UG_L	1	UJ	c
8260C ETHYLB	ENZENE	100-41-4	UG_L	0.5	U	
8260C ISOP	ROPYLBENZENE	98-82-8	UG_L	0.5	U	
8260C	M- AND P-XYLENE	108-38-3/106-42	UG_L	1	U	
8260C M	ETHYL ACETATE	79-20-9	UG_L	0.75	UJ	c
8260C	METHYL CYCLOHEXANE	108-87-2	UG_L	0.5	U	
8260C	METHYL TERT-BUTYL ETHER	1634-04-4	UG_L	0.5	U	
8260C	METHYLENE CHLORIDE	75-09-2	UG_L	2.5	U	
8260C O-	XYLENE	95-47-6	UG_L	0.5	U	
8260C STYRENE		100-42-5	UG_L	0.5	U	
8260C TETRACHLOROETHENE		127-18-4	UG_L	0.5	U	
8260C TOLUENE		108-88-3	UG_L	0.5	U	
8260C TRANS-	1,2-DICHLOROETHENE	156-60-5	UG_L	0.5	U	
8260C TRANS-	1,3-DICHLOROPROPENE	10061-02-6	UG_L	0.5	U	
8260C TRICHLOROETHENE		79-01-6	UG_L	0.5	U	
8260C TRICHLOROF	LUOROMETHANE	75-69-4	UG_L	1	U	
8260C V	INYL CHLORIDE	75-01-4	UG_L	1	UJ	c
8260C	XYLENES, TOTAL	1330-20-7	UG_L	1.5	U	

Sample Delivery Group Lab ID Sample ID Sample Date Sample Type				SI0772 SI0772-7 VPB158-TRIP BLANK-020515 2/5/2015 Trip Blank		
Method	Analyte	CAS No	Units	Result	Qual	RC
8260C 1,1,1-	TRICHLOROETHANE	71-55-6	UG_L	0.5	U	
8260C 1,1,2,2-	TETRACHLOROETHANE 79-	34-5	UG_L	0.5	U	
8260C 1,1,2-	TRICHLORO-1,2,2-TRIFLUOROETHANE 76-	13-1	UG_L	0.5	U	
8260C 1,1,2-	TRICHLOROETHANE	79-00-5	UG_L	0.5	U	
8260C 1,1-	DICHLOROETHANE	75-34-3	UG_L	0.5	U	
8260C 1,1-	DICHLOROETHENE	75-35-4	UG_L	0.5	U	
8260C 1,2,4-	TRICHLOROBENZENE	120-82-1	UG_L	0.5	U	
8260C 1,2-	DIBROMO-3-CHLOROPROPANE	96-12-8	UG_L	0.75	U	
8260C 1,2-	DIBROMOETHANE	106-93-4	UG_L	0.5	U	
8260C 1,2-	DICHLOROBENZENE	95-50-1	UG_L	0.5	U	
8260C 1,2-	DICHLOROETHANE	107-06-2	UG_L	0.5	U	
8260C	1,2-DICHLOROETHENE, TOTAL	540-59-0	UG_L	1	U	
8260C 1,2-	DICHLOROPROPANE	78-87-5	UG_L	0.5	U	
8260C 1,3-	DICHLOROBENZENE	541-73-1	UG_L	0.5	U	
8260C 1,4-	DICHLOROBENZENE	106-46-7	UG_L	0.5	U	
8260C 2-	BUTANONE	78-93-3	UG_L	2.5	U	
8260C 2-	HEXANONE	591-78-6	UG_L	2.5	U	
8260C 4-	METHYL-2-PENTANONE	108-10-1	UG_L	2.5	U	
8260C	ACETONE	67-64-1	UG_L	5.6	J	l,c
8260C B	ENZENE	71-43-2	UG_L	0.5	U	
8260C B	ROMODICHLOROMETHANE	75-27-4	UG_L	0.5	U	
8260C B	ROMOFORM	75-25-2	UG_L	0.5	U	
8260C B	ROMOMETHANE	74-83-9	UG_L	1	UJ	c
8260C	CARBON DISULFIDE	75-15-0	UG_L	0.4	J	
8260C	CARBON TETRACHLORIDE	56-23-5	UG_L	0.5	U	
8260C CHLOROB	ENZENE	108-90-7	UG_L	0.5	U	
8260C CHLOROETHANE		75-00-3	UG_L	1	U	
8260C CHLOROFORM		67-66-3	UG_L	0.5	U	
8260C CHLOROM	ETHANE	74-87-3	UG_L	1	UJ	c
8260C CIS-	1,2-DICHLOROETHENE	156-59-2	UG_L	0.5	U	
8260C CIS-	1,3-DICHLOROPROPENE	10061-01-5	UG_L	0.5	U	
8260C CYCLOHEXANE		110-82-7	UG_L	0.5	U	
8260C DIB	ROMOCHLOROMETHANE	124-48-1	UG_L	0.5	U	
8260C DICHLORODI	FLUOROMETHANE	75-71-8	UG_L	1	UJ	c
8260C ETHYLB	ENZENE	100-41-4	UG_L	0.5	U	
8260C ISOP	ROPYLBENZENE	98-82-8	UG_L	0.5	U	
8260C	M- AND P-XYLENE	108-38-3/106-42	UG_L	1	U	
8260C M	ETHYL ACETATE	79-20-9	UG_L	0.75	UJ	c
8260C	METHYL CYCLOHEXANE	108-87-2	UG_L	0.5	U	
8260C	METHYL TERT-BUTYL ETHER	1634-04-4	UG_L	0.5	U	
8260C	METHYLENE CHLORIDE	75-09-2	UG_L	2.5	U	
8260C O-	XYLENE	95-47-6	UG_L	0.5	U	
8260C	STYRENE	100-42-5	UG_L	0.5	U	
8260C	TETRACHLOROETHENE	127-18-4	UG_L	0.5	U	
8260C	TOLUENE	108-88-3	UG_L	0.5	U	
8260C TRANS-	1,2-DICHLOROETHENE	156-60-5	UG_L	0.5	U	
8260C TRANS-	1,3-DICHLOROPROPENE	10061-02-6	UG_L	0.5	U	
8260C	TRICHLOROETHENE	79-01-6	UG_L	0.5	U	
8260C	TRICHLOROF	75-69-4	UG_L	1	U	
8260C V	INYL CHLORIDE	75-01-4	UG_L	1	UJ	c
8260C	XYLENES, TOTAL	1330-20-7	UG_L	1.5	U	



**Notes:**

UG\_L = Micrograms per liter  
Qual = Final qualifier  
RC = Reason code

**DATA VALIDATION REPORT**

Project:	Regional Groundwater Investigation — NWIRP Bethpage	
Laboratory:	Katahdin Analytical	
Sample Delivery Group:	SI0818	
Analyses/Method:	Volatile Organic Compounds (VOCs) by U.S. EPA SW-846 Method 8260C	
Validation Level:	3	
Project Number:	0888812477.SA.DV	
Prepared by:	Dana Miller/Resolution Consultants	Completed on: 03/19/2015
Reviewed by:	Tina Cantwell/Resolution Consultants	File Name: SI0818_8260C

**SUMMARY**

This report summarizes data review findings for samples listed below, collected by Resolution Consultants from the Regional Groundwater Investigation — NWIRP Bethpage site on 6 and 9 February 2015 in accordance with the following Sampling and Analysis Plans:

- *Sampling and Analysis Plan, Bethpage, New York, April 2013.*
- *UFP SAP Addendum, Inclusion of Additional Target Analytes for Volatile Organics Analyses, NWIRP Bethpage OU2, Bethpage, New York, August 2014.*
- *UFP SAP Addendum, Installation of Vertical Profile Borings and Monitoring Wells, Operable Unit 2, NWIRP Bethpage, New York, November 2013.*

Sample ID	Matrix/Sample Type	Analysis
VPB158-GW-020615-458-460 Gr	Groundwater	8260C
VPB158-GW-020915-498-500	Groundwater 8260C	

Data validation activities were conducted using the following guidance documents: *Test Methods for Evaluating Solid Waste, Physical/Chemical Methods SW-846, specifically Method 8260C, Volatile Organic Compounds by Gas Chromatography/Mass Spectrometry* (U.S. EPA, 2006), *U.S. Environmental Protection Agency (U.S. EPA) Contract Laboratory Program National Functional Guidelines for Superfund Organic Methods Data Review* (NFG, June 2008), and Department of Defense (DoD) Quality Systems Manual (QSM) for Environmental Laboratories, Version 4.2 (October 2010). In the absence of method-specific information, laboratory quality control (QC) limits, project-specific requirements and/or professional judgment were used as appropriate.

**REVIEW ELEMENTS**

The data were evaluated based on the following parameters (where applicable to the method):

- ✓ Data completeness (chain-of-custody [COC])/sample integrity
- ✓ Holding times and sample preservation
- ✓ GC/MS performance checks
- ✗ Initial calibration/continuing calibration verification
- ✓ Laboratory blanks
- ✓ Surrogate spike recoveries
- NA Matrix spike (MS) and/or matrix spike duplicate (MSD) results
- ✗ Laboratory control sample (LCS)/laboratory control sample duplicate (LCSD) results
- NA Field duplicates
- ✓ Internal standards
- ✓ Sample results/reporting issues

The symbol ( ✓ ) indicates that no validation qualifiers were applied based on this parameter. NA indicates that the parameter was not included as part of this data set or was not applicable to this validation and therefore not reviewed. Acceptable data parameters for which all criteria were met and no qualification was performed and non-conformance or other issues that were noted during validation, but did not result in qualification of data are not discussed further. The symbol ( ✗ ) indicates that a QC non-conformance resulted in the qualification of data. Any QC non-conformance that resulted in the qualification of data is discussed below.

## **RESULTS**

### **Initial Calibration/Continuing Calibration Verification**

Calibration data were reviewed for conformance with the QC acceptance criteria to ensure that:

- the initial calibration percent relative standard deviation, correlation coefficient/coefficient of determination, and/or response factor method acceptance criteria were met;
- the initial calibration verification standard percent recovery acceptance criteria were met;
- the continuing calibration verification standard (CCV) method percent difference or percent drift (%Ds) and response factor acceptance criteria were met; and
- the retention time method acceptance criteria were met.

Data qualification to the analytes associated with the specific initial calibration verification (ICV) was as follows:

**ICV Recovery Non-conformance:**

Criteria	Actions	
	Detected Results	Non-detected Results
Recovery >120%	J	UJ
Recovery < 80%	J	UJ

Data qualification to the analytes associated with the specific CCV was as follows:

**CCV Linearity Non-conformance:**

Criteria	Actions	
	Detected Results	Non-detected Results
%Difference or %Drift > 20%	J	UJ

ICV and CCV non-conformances are summarized in Attachment A in Table's A-1 and A-2.

**Laboratory Control Samples / Laboratory Control Sample Duplicate**

LCS %Rs is used to monitor the overall accuracy and performance of each step during analysis, including sample preparation. The laboratory analyzed LCSs in duplicate when MS/MSDs were not reported in individual SDGs. In these instances, the laboratory determined precision between the duplicated values. Data qualification to the analytes associated with the specific LCS / LCS duplicate was as follows:

**Laboratory Control Sample / Laboratory Control Sample Duplicate Non-conformance Chart:**

Criteria	Action	
	Detected	Non-detected
% R or RPD > UL	J No	qualification
%R < LL	J	UJ
% R < 20%	J R	

**Notes:**

- %R = Percent recovery
- RPD = Relative percent difference
- UL = Upper limit
- LL = Lower limit
- J = Estimated (Refer to Attachment B)
- UJ = Undetected and estimated (Refer to Attachment B)
- R = Rejected

LCS / LCSD non-conformance is summarized in Attachment A in Table A-3.

### **Qualifications Actions**

The data was reviewed independently from the laboratory to assess data quality. All compounds detected at concentrations less than the limit of quantitation (LOQ) but greater than the method detection limit were qualified by the laboratory as estimated (J). This "J" qualifier was retained during data validation. Any sample that was analyzed at a dilution because of high concentrations of target or non-targets was checked to confirm that the results and/or sample-specific LOQs and limit of detections were adjusted accordingly by the laboratory.

No results were rejected; therefore, analytical completeness was calculated to be 100 per cent. Data not qualified during data review are considered usable by the project. The remaining results qualified as estimated may be high or low, but the data are usable for their intended purpose, according to U.S. Environmental Protection Agency and Department of Defense guidelines. Final data review qualifiers used to describe results and how they should be interpreted by the end data user are provided in Attachment B and Attachment C. Attachment D provides final results after data review.

### **ATTACHMENTS**

Attachment A: Non-Conformance Summary Table

Attachment B: Qualifier Codes and Explanations

Attachment C: Reason Codes and Explanations

Attachment D: Final Results after Data Review

## Attachment A

<b>Table (A-1)</b> <b>Initial Calibration Verification Non-Conformance</b>						
<b>Method</b>	<b>Analyte</b>	<b>ICV ID</b>	<b>%R</b>	<b>Limit</b>	<b>Associated Samples</b>	<b>Qualifier</b>
8260C A	cetone	WG157839-7	160.7	80-120	VPB158-GW-020615-458-460	J
8260C A	cetone	WG157839-7	160.7 8	0-120	VPB158-GW-020915-498-500	UJ
8260C D	ichlorodifluoromethane	WG157839-7	40.69 80	120	VPB158-GW-020615-458-460	UJ
8260C D	ichlorodifluoromethane	WG157839-7	40.69 80	120	VPB158-GW-020915-498-500	UJ
8260C V	inyl chloride	WG157839-7	70.01 80	120	VPB158-GW-020615-458-460	UJ
8260C V	inyl chloride	WG157839-7	70.01 80	120	VPB158-GW-020915-498-500	UJ
8260C C	hlromethane	WG157839-7	71.48	80-120	VPB158-GW-020615-458-460	UJ
8260C C	hlromethane	WG157839-7	71.48 80	120	VPB158-GW-020915-498-500	UJ

**Notes:**

ICV = Initial calibration verification  
 %R = Percent recovery  
 J = Estimated value  
 UJ = Non-detect estimated value

<b>Table (A-2)</b> <b>Continuing Calibration Verification Non-Conformance</b>					
<b>Calibration</b>	<b>Analyte</b>	<b>%D</b>	<b>%D Limit</b>	<b>Associated Samples</b>	<b>Qualifiers</b>
WG158187-4	Bromomethane 30.8		20 VPB	158-GW-020615-458-460	UJ
WG158187-4	Bromomethane	30.8 20		VPB158-GW-020915-498-500	UJ
WG158187-4	Acetone	23.2 20		VPB158-GW-020615-458-460	J
WG158187-4	Acetone	23.2 20		VPB158-GW-020915-498-500	UJ
WG158187-4	Methyl acetate	21.5 20		VPB158-GW-020615-458-460	UJ
WG158187-4	Methyl acetate	21.5	20	VPB158-GW-020915-498-500	UJ

**Notes:**

%D = Percent difference  
 UJ = Non-detect estimated value

<b>Table (A-3)</b> <b>Laboratory Control Sample Non-Conformance</b>						
<b>LCS</b>	<b>Batch</b>	<b>Analyte</b>	<b>%R</b>	<b>Limits</b>	<b>Associated Sample</b>	<b>Qualifier</b>
WG158251-1	WG158251	Acetone	143	40-140 VPB	158-GW-020615-458-460	J

**Notes:**

LCS = Laboratory control sample  
 %R = Percent recovery  
 J = Detected analyte in associated sample qualified estimated "J" due to potential bias.

**Attachment B**  
**Qualifier Codes and Explanations**

<b>Qualifier</b>	<b>Explanation</b>
J	The analyte was positively identified; the associated numerical value is the approximate concentration of the analyte in the sample.
UJ	The analyte was not detected above the reported sample quantitation limit. However, the reported quantitation limit is approximate and may or may not represent the actual quantitation limit necessary to accurately and precisely measure the analyte in the sample.
U	The analyte was analyzed for, but was not detected above the reported sample quantitation limit.

**Attachment C**  
**Reason Codes and Explanations**

<b>Reason Code</b>	<b>Explanation</b>
be	Equipment blank contamination
bf Fie	ld blank contamination
bl	Laboratory blank contamination
bt	Trip blank contamination
c C	alibration issue
d	Reporting limit raised due to chromatographic interference
fd	Field duplicate RPDs
h Ho	lding times
i Interna	l standard areas
k	Estimated Maximum Possible Concentration (EMPC)
l	LCS or OPR recoveries
lc	Labeled compound recovery
ld	Laboratory duplicate RPDs
lp	Laboratory control sample/laboratory control sample duplicate RPDs
m Matrix	spike recovery
mc	Method compliance non-conformance
md	Matrix spike/matrix spike duplicate RPDs
nb	Negative laboratory blank contamination
p	Chemical preservation issue
r Dual	column RPD
q Quant	itation issue
s Surrogate	recovery
su Ion	suppression
t Tempera	ture preservation issue
x Per	cent solids
y	Serial dilution results
z ICS	results



**Attachment D**  
**Final Results after Data Review**

Sample Delivery Group Lab Identification Sample Identification Sample Date Sample Type Depth Interval				SI0818 SI0818-1 VPB158-GW-020615-458-460 2/6/2015 Groundwater 458 - 460 ft		
Method	Analyte	CAS No	Units	Result	Qual	RC
8260C 1,	1,1- TRICHLOROETHANE	71-55-6	UG_L	0.5	U	
8260C 1,	1,2,2- TETRACHLOROETHANE 79-	34-5	UG_L	0.5	U	
8260C 1,	1,2- TRICHLORO-1,2,2-TRIFLUOROETHANE	76-13-1	UG_L	12		
8260C 1,	1,2- TRICHLOROETHANE	79-00-5	UG_L	0.5	U	
8260C 1,	1- DICHLOROETHANE	75-34-3	UG_L	0.98	J	
8260C 1,	1- DICHLOROETHENE	75-35-4	UG_L	0.58	J	
8260C 1,	2,4- TRICHLOROBENZENE	120-82-1	UG_L	0.5	U	
8260C 1,	2- DIBROMO-3-CHLOROPROPANE	96-12-8	UG_L	0.75	U	
8260C 1,	2- DIBROMOETHANE	106-93-4	UG_L	0.5	U	
8260C 1,	2- DICHLOROBENZENE	95-50-1	UG_L	0.5	U	
8260C 1,	2- DICHLOROETHANE	107-06-2	UG_L	0.5	U	
8260C	1,2-DICHLOROETHENE, TOTAL	540-59-0	UG_L	1	U	
8260C 1,	2- DICHLOROPROPANE	78-87-5	UG_L	0.5	U	
8260C 1,	3- DICHLOROBENZENE	541-73-1	UG_L	0.5	U	
8260C 1,	4- DICHLOROBENZENE	106-46-7	UG_L	0.5	U	
8260C 2-	BUTANONE	78-93-3	UG_L	2.5	U	
8260C 2-	HEXANONE	591-78-6	UG_L	2.5	U	
8260C 4-	METHYL-2-PENTANONE	108-10-1	UG_L	2.5	U	
8260C	ACETONE	67-64-1	UG_L	6.9	J	l,c
8260C B	ENZENE	71-43-2	UG_L	0.5	U	
8260C B	ROMODICHLOROMETHANE	75-27-4	UG_L	0.5	U	
8260C B	ROMOFORM	75-25-2	UG_L	0.5	U	
8260C B	ROMOMETHANE	74-83-9	UG_L	1	UJ	c
8260C	CARBON DISULFIDE	75-15-0	UG_L	0.33	J	
8260C	CARBON TETRACHLORIDE	56-23-5	UG_L	0.22	J	
8260C	CHLOROB ENZENE	108-90-7	UG_L	0.5	U	
8260C	CHLOROETHANE	75-00-3	UG_L	1	U	
8260C	CHLOROFORM	67-66-3	UG_L	7.1		
8260C	CHLOROM ETHANE	74-87-3	UG_L	1	UJ	c
8260C	CIS- 1,2-DICHLOROETHENE	156-59-2	UG_L	0.5	U	
8260C	CIS- 1,3-DICHLOROPROPENE	10061-01-5	UG_L	0.5	U	
8260C	CYCLOHEXANE	110-82-7	UG_L	0.5	U	
8260C	DIB ROMOCHLOROMETHANE	124-48-1	UG_L	0.5	U	
8260C	DICHLORODI FLUOROMETHANE	75-71-8	UG_L	1	UJ	c
8260C	ETHYLB ENZENE	100-41-4	UG_L	0.5	U	
8260C	ISOP ROPYLBENZENE	98-82-8	UG_L	0.5	U	
8260C	M- AND P-XYLENE	108-38-3/106-42	UG_L	1	U	
8260C	M ETHYL ACETATE	79-20-9	UG_L	0.75	UJ	c
8260C	METHYL CYCLOHEXANE	108-87-2	UG_L	0.5	U	
8260C	METHYL TERT-BUTYL ETHER	1634-04-4	UG_L	0.5	U	
8260C	METHYLENE CHLORIDE	75-09-2	UG_L	2.5	U	
8260C	O XYLENE	95-47-6	UG_L	0.5	U	
8260C	S TYRENE	100-42-5	UG_L	0.5	U	
8260C	TETRACHLOROETHENE	127-18-4	UG_L	0.5	U	
8260C	TOLUENE	108-88-3	UG_L	0.5	U	
8260C	TRANS- 1,2-DICHLOROETHENE	156-60-5	UG_L	0.5	U	
8260C	TRANS- 1,3-DICHLOROPROPENE	10061-02-6	UG_L	0.5	U	
8260C	TRICHLOROETHENE	79-01-6	UG_L	0.79	J	
8260C	TRICHLOROF LUOROMETHANE	75-69-4	UG_L	1	U	
8260C	V INYL CHLORIDE	75-01-4	UG_L	1	UJ	c
8260C	XYLENES, TOTAL	1330-20-7	UG_L	1.5	U	

Sample Delivery Group Lab Identification Sample Identification Sample Date Sample Type Depth Interval				SI0818 SI0818-2 VPB158-GW-020915-498-500 2/9/2015 Groundwater 498 - 500 ft		
Method	Analyte	CAS No	Units	Result	Qual	RC
8260C 1,1,1-	TRICHLOROETHANE	71-55-6	UG_L	0.5	U	
8260C 1,1,2,2-	TETRACHLOROETHANE 79-	34-5	UG_L	0.5	U	
8260C 1,1,2-	TRICHLORO-1,2,2-TRIFLUOROETHANE	76-13-1	UG_L	1.5		
8260C 1,1,2-	TRICHLOROETHANE	79-00-5	UG_L	0.5	U	
8260C 1,1-	DICHLOROETHANE	75-34-3	UG_L	0.5	U	
8260C 1,1-	DICHLOROETHENE	75-35-4	UG_L	0.5	U	
8260C 1,2,4-	TRICHLOROBENZENE	120-82-1	UG_L	0.5	U	
8260C 1,2-	DIBROMO-3-CHLOROPROPANE	96-12-8	UG_L	0.75	U	
8260C 1,2-	DIBROMOETHANE	106-93-4	UG_L	0.5	U	
8260C 1,2-	DICHLOROBENZENE	95-50-1	UG_L	0.5	U	
8260C 1,2-	DICHLOROETHANE	107-06-2	UG_L	0.5	U	
8260C	1,2-DICHLOROETHENE, TOTAL	540-59-0	UG_L	1	U	
8260C 1,2-	DICHLOROPROPANE	78-87-5	UG_L	0.5	U	
8260C 1,3-	DICHLOROBENZENE	541-73-1	UG_L	0.5	U	
8260C 1,4-	DICHLOROBENZENE	106-46-7	UG_L	0.5	U	
8260C 2-	BUTANONE	78-93-3	UG_L	2.5	U	
8260C 2-	HEXANONE	591-78-6	UG_L	2.5	U	
8260C 4-	METHYL-2-PENTANONE	108-10-1	UG_L	2.5	U	
8260C	ACETONE	67-64-1	UG_L	2.5	UJ	c
8260C B	ENZENE	71-43-2	UG_L	0.77	J	
8260C B	ROMODICHLOROMETHANE	75-27-4	UG_L	0.5	U	
8260C B	ROMOFORM	75-25-2	UG_L	0.5	U	
8260C B	ROMOMETHANE	74-83-9	UG_L	1	UJ	c
8260C	CARBON DISULFIDE	75-15-0	UG_L	0.5	U	
8260C	CARBON TETRACHLORIDE	56-23-5	UG_L	0.5	U	
8260C	CHLOROBENZENE	108-90-7	UG_L	0.5	U	
8260C	CHLOROETHANE	75-00-3	UG_L	1	U	
8260C	CHLOROFORM	67-66-3	UG_L	1		
8260C	CHLOROMETHANE	74-87-3	UG_L	1	UJ	c
8260C	CIS-1,2-DICHLOROETHENE	156-59-2	UG_L	0.5	U	
8260C	CIS-1,3-DICHLOROPROPENE	10061-01-5	UG_L	0.5	U	
8260C	CYCLOHEXANE	110-82-7	UG_L	0.5	U	
8260C	DIBROMOCHLOROMETHANE	124-48-1	UG_L	0.5	U	
8260C	DICHLORODIFLUOROMETHANE	75-71-8	UG_L	1	UJ	c
8260C	ETHYLBENZENE	100-41-4	UG_L	0.5	U	
8260C	ISOPROPYLBENZENE	98-82-8	UG_L	0.5	U	
8260C	M- AND P-XYLENE	108-38-3/106-42	UG_L	1	U	
8260C	METHYL ACETATE	79-20-9	UG_L	0.75	UJ	c
8260C	METHYL CYCLOHEXANE	108-87-2	UG_L	0.5	U	
8260C	METHYL TERT-BUTYL ETHER	1634-04-4	UG_L	0.5	U	
8260C	METHYLENE CHLORIDE	75-09-2	UG_L	2.5	U	
8260C	O-XYLENE	95-47-6	UG_L	0.5	U	
8260C	STYRENE	100-42-5	UG_L	0.5	U	
8260C	TETRACHLOROETHENE	127-18-4	UG_L	0.5	U	
8260C	TOLUENE	108-88-3	UG_L	0.5	U	
8260C	TRANS-1,2-DICHLOROETHENE	156-60-5	UG_L	0.5	U	
8260C	TRANS-1,3-DICHLOROPROPENE	10061-02-6	UG_L	0.5	U	
8260C	TRICHLOROETHENE	79-01-6	UG_L	0.5	U	
8260C	TRICHLOROFLUOROMETHANE	75-69-4	UG_L	1	U	
8260C	VINYL CHLORIDE	75-01-4	UG_L	1	UJ	c
8260C	XYLENES, TOTAL	1330-20-7	UG_L	1.5	U	

**Notes:**

UG\_L = Micrograms per liter  
Qual = Final qualifier  
RC = Reason code

**DATA VALIDATION REPORT**

Project:	Regional Groundwater Investigation — NWIRP Bethpage	
Laboratory:	Katahdin Analytical	
Sample Delivery Group:	SI1230	
Analyses/Method:	Volatile Organic Compounds (VOCs) by U.S. EPA SW-846 Method 8260C	
Validation Level:	3	
Project Number:	0888812477.SA.DV	
Prepared by:	Dana Miller/Resolution Consultants	Completed on: 04/17/2015
Reviewed by:	Tina Cantwell/Resolution Consultants	File Name: SI1230_8260C

**SUMMARY**

This report summarizes data review findings for samples listed below, collected by Resolution Consultants from the Regional Groundwater Investigation — NWIRP Bethpage site on 26 February 2015 in accordance with the following Sampling and Analysis Plans:

- *Sampling and Analysis Plan, Bethpage, New York, April 2013.*
- *UFP SAP Addendum, Inclusion of Additional Target Analytes for Volatile Organics Analyses, NWIRP Bethpage OU2, Bethpage, New York, August 2014.*
- *UFP SAP Addendum, Installation of Vertical Profile Borings and Monitoring Wells, Operable Unit 2, NWIRP Bethpage, New York, November 2013.*

Sample ID	Matrix/Sample Type	Analysis
VPB158-GW-022515-798-800 Gr	Groundwater	8260C
VPB158-GW-022515-818-820 Gr	Groundwater	8260C
VPB158-TRIPBLANK-022615 Trip	Blank	8260C
VPB158-GW-022615-838-840 Gr	Groundwater	8260C
VPB158-GW-022615-858-860 Gr	Groundwater	8260C

Data validation activities were conducted using the following guidance documents: *Test Methods for Evaluating Solid Waste, Physical/Chemical Methods SW-846, specifically Method 8260C, Volatile Organic Compounds by Gas Chromatography/Mass Spectrometry* (U.S. EPA, 2006), *U.S. Environmental Protection Agency (U.S. EPA) Contract Laboratory Program National Functional Guidelines for Superfund Organic Methods Data Review* (NFG, June 2008), and Department of Defense (DoD) Quality Systems Manual (QSM) for Environmental Laboratories, Version 4.2 (October

2010). In the absence of method-specific information, laboratory quality control (QC) limits, project-specific requirements and/or professional judgment were used as appropriate.

## **REVIEW ELEMENTS**

The data were evaluated based on the following parameters (where applicable to the method):

- X Data completeness (chain-of-custody [COC])/sample integrity
- ✓ Holding times and sample preservation
- ✓ GC/MS performance checks
- ✓ Initial calibration/continuing calibration verification
- X Laboratory blanks/trip blanks
- ✓ Surrogate spike recoveries
- NA Matrix spike (MS) and/or matrix spike duplicate (MSD) results
- ✓ Laboratory control sample (LCS)/laboratory control sample duplicate (LCSD) results
- NA Field duplicates
- ✓ Internal standards
- ✓ Sample results/reporting issues

The symbol ( ✓ ) indicates that no validation qualifiers were applied based on this parameter. NA indicates that the parameter was not included as part of this data set or was not applicable to this validation and therefore not reviewed. Acceptable data parameters for which all criteria were met and no qualification was performed and non-conformance or other issues that were noted during validation, but did not result in qualification of data are not discussed further. The symbol ( X ) indicates that a QC non-conformance resulted in the qualification of data. Any QC non-conformance that resulted in the qualification of data is discussed below.

## **RESULTS**

### **Data Completeness/Sample Integrity**

The data package was reviewed and found to meet acceptance criteria for completeness:

- the COCs were reviewed for completeness of information relevant to the samples and requested analyses, and for signatures indicating transfer of sample custody;
- the laboratory sample log in sheet(s) were reviewed for issues potentially affecting sample integrity, including the condition of sample containers upon receipt at the laboratory;
- completeness of analyses was verified by comparing the reported results to the COC request.

Due to limitations in the reporting system, the laboratory omitted the first characters “VPB-” and middle characters “GW-” from the sample ID in all samples; and truncated Trip Blank to “TB” in the report. Below shows a list of samples that were mostly comprised of soil in vials and not very much liquid:

- VPB158-GW-022615-838-840 and VPB158-GW-022615-858-860 had each vial decanted, compounded into one vial for each sample and analyzed.
- VPB158-GW-022515-798-800 had two vials decanted, compounded into one vial and analyzed.
- VPB158-GW-022515-818-820 had one vial decanted and analyzed.

Positive and non-detected results for sample’s VPB158-GW- 022615-838-840, VPB158-GW-022615-858-860, VPB158-GW-022515-798 -800, and VPB 158-GW-022515-818-820 were qualified as estimated (J and UJ) respectively due to possible loss of sample integrity during the decanting process. Non-conformances are summarized in Attachment A in Table A-1.

### Laboratory Blanks/Trip Blanks

Laboratory blanks and trip blanks were analyzed with samples to assess contamination imparted by sample preparation and/or analysis. All results associated with a particular blank were evaluated to determine whether there was an inherent variability in the data, or if a problem was an isolated occurrence that did not affect the data. Samples were flagged in accordance with *Functional Guidelines* (shown below) where detections were not believed to be site-related. Laboratory blank and trip blank non-conformances are summarized in Attachment A in Table A-2 and A-3.

### Blank Non-conformance Chart:

Blank type	Blank result	Sample result	Action for samples
Method or Trip	Detects	Not detected	No qualification
	< 2x LOQ	< 2x LOQ	Report sample LOQ value with a U
		≥ 2x LOQ	Use professional judgment
	> 2x LOQ	< 2x LOQ	Report sample LOQ value with a U
		≥ 2x LOQ and < blank contamination	Report the blank result with a U or reject the sample result as unusable R
		≥ 2x LOQ and ≥ blank contamination	If the result is <2x blank result, report the sample result U. If the result is > 2x blank result, no qualification is required.
= 2x LOQ	< 2x LOQ	Report sample LOQ value with a U	

<b>Blank type</b>	<b>Blank result</b>	<b>Sample result</b>	<b>Action for samples</b>
Method or Trip	Detects	Not detected	No qualification
		≥ 2x IOQ	Use professional judgment
	Gross contamination	Detects	Qualify results as unusable R

**Notes:**

LOQ = Limit of quantitation  
 U = Undetected (Refer to Attachment B)  
 R = Rejected

**Qualifications Actions**

The data was reviewed independently from the laboratory to assess data quality. All compounds detected at concentrations less than the limit of quantitation (LOQ) but greater than the method detection limit were qualified by the laboratory as estimated (J). This "J" qualifier was retained during data validation. Any sample that was analyzed at a dilution because of high concentrations of target or non-targets was checked to confirm that the results and/or sample-specific LOQs and limit of detections were adjusted accordingly by the laboratory.

No results were rejected; therefore, analytical completeness was calculated to be 100 per cent. Data not qualified during data review are considered usable by the project. The remaining results qualified as estimated may be high or low, but the data are usable for their intended purpose, according to U.S. Environmental Protection Agency and Department of Defense guidelines. Final data review qualifiers used to describe results and how they should be interpreted by the end data user are provided in Attachment B and Attachment C. Attachment D provides final results after data review.

**ATTACHMENTS**

- Attachment A: Non-Conformance Summary Table
- Attachment B: Qualifier Codes and Explanations
- Attachment C: Reason Codes and Explanations
- Attachment D: Final Results after Data Review

**Attachment A**  
**Non-Conformance Summary Table**

Table (A-1) Sample Integrity Non-Conformance					
Method	Sample ID	Analyte	Units	Result	Qualifier
8260C	VPB158-GW-022515-798-800	1,1,1-TRICHLOROETHANE U	G_L	2 UJ	
8260C	VPB158-GW-022515-798-800	1,1,2,2-TETRACHLOROETHANE UG_	L	2 UJ	
8260C	VPB158-GW-022515-798-800	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE U	G_L	2 UJ	
8260C	VPB158-GW-022515-798-800	1,1,2-TRICHLOROETHANE U	G_L	2 UJ	
8260C	VPB158-GW-022515-798-800	1,1-DICHLOROETHANE U	G_L	2 UJ	
8260C	VPB158-GW-022515-798-800	1,1-DICHLOROETHENE U	G_L	2 UJ	
8260C	VPB158-GW-022515-798-800	1,2,4-TRICHLOROBENZENE U	G_L	2 UJ	
8260C	VPB158-GW-022515-798-800	1,2-DIBROMO-3-CHLOROPROPANE U	G_L	3 UJ	
8260C	VPB158-GW-022515-798-800	1,2-DIBROMOETHANE U	G_L	2 UJ	
8260C	VPB158-GW-022515-798-800	1,2-DICHLOROBENZENE U	G_L	2 UJ	
8260C	VPB158-GW-022515-798-800	1,2-DICHLOROETHANE U	G_L	2 UJ	
8260C	VPB158-GW-022515-798-800	1,2-DICHLOROETHENE, TOTAL	UG_L	4 UJ	
8260C	VPB158-GW-022515-798-800	1,2-DICHLOROPROPANE U	G_L	2 UJ	
8260C	VPB158-GW-022515-798-800	1,3-DICHLOROBENZENE U	G_L	2 UJ	
8260C	VPB158-GW-022515-798-800	1,4-DICHLOROBENZENE U	G_L	2 UJ	
8260C	VPB158-GW-022515-798-800	2-BUTANONE UG_	L	10 UJ	
8260C	VPB158-GW-022515-798-800	2-HEXANONE UG_	L	10 UJ	
8260C	VPB158-GW-022515-798-800	4-METHYL-2-PENTANONE UG_	L	10 UJ	
8260C	VPB158-GW-022515-798-800	ACETONE UG_	L	10 UJ	
8260C	VPB158-GW-022515-798-800	BENZENE U	G_L	2 UJ	
8260C	VPB158-GW-022515-798-800	BROMODICHLOROMETHANE U	G_L	2 UJ	
8260C	VPB158-GW-022515-798-800	BROMOFORM U	G_L	2 UJ	
8260C	VPB158-GW-022515-798-800	BROMOMETHANE U	G_L	4 UJ	
8260C	VPB158-GW-022515-798-800	CARBON DISULFIDE	UG_L	2 UJ	
8260C	VPB158-GW-022515-798-800	CARBON TETRACHLORIDE	UG_L	2 UJ	
8260C	VPB158-GW-022515-798-800	CHLOROBENZENE UG_	L	2 UJ	
8260C	VPB158-GW-022515-798-800	CHLOROETHANE UG_	L	4 UJ	
8260C	VPB158-GW-022515-798-800	CHLOROFORM U	G_L	2 UJ	
8260C	VPB158-GW-022515-798-800	CHLOROMETHANE UG_	L	4 UJ	
8260C	VPB158-GW-022515-798-800	CIS-1,2-DICHLOROETHENE U	G_L	2 UJ	
8260C	VPB158-GW-022515-798-800	CIS-1,3-DICHLOROPROPENE U	G_L	2 UJ	
8260C	VPB158-GW-022515-798-800	CYCLOHEXANE U	G_L	2 UJ	
8260C	VPB158-GW-022515-798-800	DIBROMOCHLOROMETHANE U	G_L	2 UJ	
8260C	VPB158-GW-022515-798-800	DICHLORODIFLUOROMETHANE U	G_L	4 UJ	
8260C	VPB158-GW-022515-798-800	ETHYLBENZENE UG_	L	2 UJ	
8260C	VPB158-GW-022515-798-800	ISOPROPYLBENZENE UG_	L	2 UJ	
8260C	VPB158-GW-022515-798-800	M- AND P-XYLENE	UG_L	4 UJ	
8260C	VPB158-GW-022515-798-800	METHYL ACETATE	UG_L	3 UJ	
8260C	VPB158-GW-022515-798-800	METHYL CYCLOHEXANE	UG_L	2 UJ	
8260C	VPB158-GW-022515-798-800	METHYL TERT-BUTYL ETHER	UG_L	2 UJ	
8260C	VPB158-GW-022515-798-800	METHYLENE CHLORIDE	UG_L	10 UJ	
8260C	VPB158-GW-022515-798-800	O-XYLENE UG_	L	2 UJ	
8260C	VPB158-GW-022515-798-800	STYRENE UG_	L	2 UJ	
8260C	VPB158-GW-022515-798-800	TETRACHLOROETHENE UG_	L	2 UJ	
8260C	VPB158-GW-022515-798-800	TOLUENE U	G_L	2 UJ	
8260C	VPB158-GW-022515-798-800	TRANS-1,2-DICHLOROETHENE U	G_L	2 UJ	
8260C	VPB158-GW-022515-798-800	TRANS-1,3-DICHLOROPROPENE U	G_L	2 UJ	



Table (A-1) Sample Integrity Non-Conformance					
Method	Sample ID	Analyte	Units	Result	Qualifier
8260C	VPB158-GW-022515-798-800	TRICHLOROETHENE UG_	L	2 UJ	
8260C	VPB158-GW-022515-798-800	TRICHLOROFLUOROMETHANE U	G_L	4 UJ	
8260C	VPB158-GW-022515-798-800	VINYL CHLORIDE	UG_L	4 UJ	
8260C	VPB158-GW-022515-798-800	XYLENES, TOTAL	UG_L	6 UJ	
8260C VPB	158-GW-022515-818-820	1,1,1-TRICHLOROETHANE U	G_L	0.5 UJ	
8260C VPB	158-GW-022515-818-820	1,1,2,2-TETRACHLOROETHANE UG_	L	0.5 UJ	
8260C VPB	158-GW-022515-818-820	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE U	G_L	0.5 UJ	
8260C VPB	158-GW-022515-818-820	1,1,2-TRICHLOROETHANE U	G_L	0.5 UJ	
8260C VPB	158-GW-022515-818-820	1,1-DICHLOROETHANE U	G_L	0.5 UJ	
8260C VPB	158-GW-022515-818-820	1,1-DICHLOROETHENE U	G_L	0.5 UJ	
8260C VPB	158-GW-022515-818-820	1,2,4-TRICHLOROBENZENE U	G_L	0.5 UJ	
8260C VPB	158-GW-022515-818-820	1,2-DIBROMO-3-CHLOROPROPANE U	G_L	0.75 UJ	
8260C VPB	158-GW-022515-818-820	1,2-DIBROMOETHANE U	G_L	0.5 UJ	
8260C VPB	158-GW-022515-818-820	1,2-DICHLOROBENZENE U	G_L	0.5 UJ	
8260C VPB	158-GW-022515-818-820	1,2-DICHLOROETHANE U	G_L	0.5 UJ	
8260C VPB	158-GW-022515-818-820	1,2-DICHLOROETHENE, TOTAL	UG_L	1 UJ	
8260C VPB	158-GW-022515-818-820	1,2-DICHLOROPROPANE U	G_L	0.5 UJ	
8260C VPB	158-GW-022515-818-820	1,3-DICHLOROBENZENE U	G_L	0.5 UJ	
8260C VPB	158-GW-022515-818-820	1,4-DICHLOROBENZENE U	G_L	0.5 UJ	
8260C VPB	158-GW-022515-818-820	2-BUTANONE UG_	L	2.6 J	
8260C VPB	158-GW-022515-818-820	2-HEXANONE UG_	L	2.5 UJ	
8260C VPB	158-GW-022515-818-820	4-METHYL-2-PENTANONE UG_	L	2.5 UJ	
8260C VPB	158-GW-022515-818-820	ACETONE UG_	L	2.5 UJ	
8260C VPB	158-GW-022515-818-820	BENZENE U	G_L	0.5 UJ	
8260C VPB	158-GW-022515-818-820	BROMODICHLOROMETHANE U	G_L	0.5 UJ	
8260C VPB	158-GW-022515-818-820	BROMOFORM U	G_L	0.5 UJ	
8260C VPB	158-GW-022515-818-820	BROMOMETHANE U	G_L	1 UJ	
8260C VPB	158-GW-022515-818-820	CARBON DISULFIDE	UG_L	0.5 UJ	
8260C VPB	158-GW-022515-818-820	CARBON TETRACHLORIDE	UG_L	0.5 UJ	
8260C VPB	158-GW-022515-818-820	CHLOROBENZENE UG_	L	0.5 UJ	
8260C VPB	158-GW-022515-818-820	CHLOROETHANE UG_	L	1 UJ	
8260C VPB	158-GW-022515-818-820	CHLOROFORM U	G_L	0.5 UJ	
8260C VPB	158-GW-022515-818-820	CHLOROMETHANE UG_	L	1 UJ	
8260C VPB	158-GW-022515-818-820	CIS-1,2-DICHLOROETHENE U	G_L	0.5 UJ	
8260C VPB	158-GW-022515-818-820	CIS-1,3-DICHLOROPROPENE U	G_L	0.5 UJ	
8260C VPB	158-GW-022515-818-820	CYCLOHEXANE U	G_L	0.5 UJ	
8260C VPB	158-GW-022515-818-820	DIBROMOCHLOROMETHANE U	G_L	0.5 UJ	
8260C VPB	158-GW-022515-818-820	DICHLORODIFLUOROMETHANE U	G_L	1 UJ	
8260C VPB	158-GW-022515-818-820	ETHYLBENZENE UG_	L	0.5 UJ	
8260C VPB	158-GW-022515-818-820	ISOPROPYLBENZENE UG_	L	0.5 UJ	
8260C VPB	158-GW-022515-818-820	M- AND P-XYLENE	UG_L	1 UJ	
8260C VPB	158-GW-022515-818-820	METHYL ACETATE	UG_L	0.75 UJ	
8260C VPB	158-GW-022515-818-820	METHYL CYCLOHEXANE	UG_L	0.5 UJ	
8260C VPB	158-GW-022515-818-820	METHYL TERT-BUTYL ETHER	UG_L	0.5 UJ	
8260C VPB	158-GW-022515-818-820	METHYLENE CHLORIDE	UG_L	2.5 UJ	
8260C VPB	158-GW-022515-818-820	O-XYLENE UG_	L	0.5 UJ	
8260C VPB	158-GW-022515-818-820	STYRENE UG_	L	0.5 UJ	
8260C VPB	158-GW-022515-818-820	TETRACHLOROETHENE UG_	L	0.5 UJ	
8260C VPB	158-GW-022515-818-820	TOLUENE U	G_L	0.5 UJ	

Table (A-1) Sample Integrity Non-Conformance					
Method	Sample ID	Analyte	Units	Result	Qualifier
8260C VPB	158-GW-022515-818-820	TRANS-1,2-DICHLOROETHENE U	G_L	0.5 UJ	
8260C VPB	158-GW-022515-818-820	TRANS-1,3-DICHLOROPROPENE U	G_L	0.5 UJ	
8260C VPB	158-GW-022515-818-820	TRICHLOROETHENE UG_	L	0.5 UJ	
8260C VPB	158-GW-022515-818-820	TRICHLOROFLUOROMETHANE U	G_L	1 UJ	
8260C VPB	158-GW-022515-818-820	VINYL CHLORIDE	UG_L	1 UJ	
8260C VPB	158-GW-022515-818-820	XYLENES, TOTAL	UG_L	1.5 UJ	
8260C	VPB158-GW-022615-838-840	1,1,1-TRICHLOROETHANE U	G_L	0.5 UJ	
8260C	VPB158-GW-022615-838-840	1,1,2,2-TETRACHLOROETHANE UG_	L	0.5 UJ	
8260C	VPB158-GW-022615-838-840	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE U	G_L	0.5 UJ	
8260C	VPB158-GW-022615-838-840	1,1,2-TRICHLOROETHANE U	G_L	0.5 UJ	
8260C	VPB158-GW-022615-838-840	1,1-DICHLOROETHANE U	G_L	0.5 UJ	
8260C	VPB158-GW-022615-838-840	1,1-DICHLOROETHENE U	G_L	0.5 UJ	
8260C	VPB158-GW-022615-838-840	1,2,4-TRICHLOROBENZENE U	G_L	0.5 UJ	
8260C	VPB158-GW-022615-838-840	1,2-DIBROMO-3-CHLOROPROPANE U	G_L	0.75 UJ	
8260C	VPB158-GW-022615-838-840	1,2-DIBROMOETHANE U	G_L	0.5 UJ	
8260C	VPB158-GW-022615-838-840	1,2-DICHLOROBENZENE U	G_L	0.5 UJ	
8260C	VPB158-GW-022615-838-840	1,2-DICHLOROETHANE U	G_L	0.5 UJ	
8260C	VPB158-GW-022615-838-840	1,2-DICHLOROETHENE, TOTAL	UG_L	1 UJ	
8260C	VPB158-GW-022615-838-840	1,2-DICHLOROPROPANE U	G_L	0.5 UJ	
8260C	VPB158-GW-022615-838-840	1,3-DICHLOROBENZENE U	G_L	0.5 UJ	
8260C	VPB158-GW-022615-838-840	1,4-DICHLOROBENZENE U	G_L	0.5 UJ	
8260C	VPB158-GW-022615-838-840	2-BUTANONE UG_	L	2.9 J	
8260C	VPB158-GW-022615-838-840	2-HEXANONE UG_	L	2.5 UJ	
8260C	VPB158-GW-022615-838-840	4-METHYL-2-PENTANONE UG_	L	2.5 UJ	
8260C	VPB158-GW-022615-838-840	ACETONE UG_	L	2.5 UJ	
8260C	VPB158-GW-022615-838-840	BENZENE U	G_L	0.5 UJ	
8260C	VPB158-GW-022615-838-840	BROMODICHLOROMETHANE U	G_L	0.5 UJ	
8260C	VPB158-GW-022615-838-840	BROMOFORM U	G_L	0.5 UJ	
8260C	VPB158-GW-022615-838-840	BROMOMETHANE U	G_L	1 UJ	
8260C	VPB158-GW-022615-838-840	CARBON DISULFIDE	UG_L	0.5 UJ	
8260C	VPB158-GW-022615-838-840	CARBON TETRACHLORIDE	UG_L	0.5 UJ	
8260C	VPB158-GW-022615-838-840	CHLOROBENZENE UG_	L	0.5 UJ	
8260C	VPB158-GW-022615-838-840	CHLOROETHANE UG_	L	1 UJ	
8260C	VPB158-GW-022615-838-840	CHLOROFORM U	G_L	0.5 UJ	
8260C	VPB158-GW-022615-838-840	CHLOROMETHANE UG_	L	1.1 J	
8260C	VPB158-GW-022615-838-840	CIS-1,2-DICHLOROETHENE U	G_L	0.5 UJ	
8260C	VPB158-GW-022615-838-840	CIS-1,3-DICHLOROPROPENE U	G_L	0.5 UJ	
8260C	VPB158-GW-022615-838-840	CYCLOHEXANE U	G_L	0.5 UJ	
8260C	VPB158-GW-022615-838-840	DIBROMOCHLOROMETHANE U	G_L	0.5 UJ	
8260C	VPB158-GW-022615-838-840	DICHLORODIFLUOROMETHANE U	G_L	1 UJ	
8260C	VPB158-GW-022615-838-840	ETHYLBENZENE UG_	L	0.5 UJ	
8260C	VPB158-GW-022615-838-840	ISOPROPYLBENZENE UG_	L	0.5 UJ	
8260C	VPB158-GW-022615-838-840	M- AND P-XYLENE	UG_L	1 UJ	
8260C	VPB158-GW-022615-838-840	METHYL ACETATE	UG_L	0.75 UJ	
8260C	VPB158-GW-022615-838-840	METHYL CYCLOHEXANE	UG_L	0.5 UJ	
8260C	VPB158-GW-022615-838-840	METHYL TERT-BUTYL ETHER	UG_L	0.5 UJ	
8260C	VPB158-GW-022615-838-840	METHYLENE CHLORIDE	UG_L	2.5 UJ	
8260C	VPB158-GW-022615-838-840	O-XYLENE UG_	L	0.5 UJ	
8260C	VPB158-GW-022615-838-840	STYRENE UG_	L	0.5 UJ	

Table (A-1) Sample Integrity Non-Conformance					
Method	Sample ID	Analyte	Units	Result	Qualifier
8260C	VPB158-GW-022615-838-840	TETRACHLOROETHENE UG_	L	0.5 UJ	
8260C	VPB158-GW-022615-838-840	TOLUENE U	G_L	0.5 UJ	
8260C	VPB158-GW-022615-838-840	TRANS-1,2-DICHLOROETHENE U	G_L	0.5 UJ	
8260C	VPB158-GW-022615-838-840	TRANS-1,3-DICHLOROPROPENE U	G_L	0.5 UJ	
8260C	VPB158-GW-022615-838-840	TRICHLOROETHENE UG_	L	0.5 UJ	
8260C	VPB158-GW-022615-838-840	TRICHLOROFLUOROMETHANE U	G_L	1 UJ	
8260C	VPB158-GW-022615-838-840	VINYL CHLORIDE	UG_L	1 UJ	
8260C	VPB158-GW-022615-838-840	XYLENES, TOTAL	UG_L	1.5 UJ	
8260C	VPB158-GW-022615-858-860	1,1,1-TRICHLOROETHANE U	G_L	0.5 UJ	
8260C	VPB158-GW-022615-858-860	1,1,2,2-TETRACHLOROETHANE UG_	L	0.5 UJ	
8260C	VPB158-GW-022615-858-860	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE U	G_L	0.5 UJ	
8260C	VPB158-GW-022615-858-860	1,1,2-TRICHLOROETHANE U	G_L	0.5 UJ	
8260C	VPB158-GW-022615-858-860	1,1-DICHLOROETHANE U	G_L	0.5 UJ	
8260C	VPB158-GW-022615-858-860	1,1-DICHLOROETHENE U	G_L	0.5 UJ	
8260C	VPB158-GW-022615-858-860	1,2,4-TRICHLOROBENZENE U	G_L	0.5 UJ	
8260C	VPB158-GW-022615-858-860	1,2-DIBROMO-3-CHLOROPROPANE U	G_L	0.75 UJ	
8260C	VPB158-GW-022615-858-860	1,2-DIBROMOETHANE U	G_L	0.5 UJ	
8260C	VPB158-GW-022615-858-860	1,2-DICHLOROBENZENE U	G_L	0.5 UJ	
8260C	VPB158-GW-022615-858-860	1,2-DICHLOROETHANE U	G_L	0.5 UJ	
8260C	VPB158-GW-022615-858-860	1,2-DICHLOROETHENE, TOTAL	UG_L	1 UJ	
8260C	VPB158-GW-022615-858-860	1,2-DICHLOROPROPANE U	G_L	0.5 UJ	
8260C	VPB158-GW-022615-858-860	1,3-DICHLOROBENZENE U	G_L	0.5 UJ	
8260C	VPB158-GW-022615-858-860	1,4-DICHLOROBENZENE U	G_L	0.5 UJ	
8260C	VPB158-GW-022615-858-860	2-BUTANONE UG_	L	2.9 J	
8260C	VPB158-GW-022615-858-860	2-HEXANONE UG_	L	2.5 UJ	
8260C	VPB158-GW-022615-858-860	4-METHYL-2-PENTANONE UG_	L	2.5 UJ	
8260C	VPB158-GW-022615-858-860	ACETONE UG_	L	2.5 UJ	
8260C	VPB158-GW-022615-858-860	BENZENE U	G_L	0.5 UJ	
8260C	VPB158-GW-022615-858-860	BROMODICHLOROMETHANE U	G_L	0.5 UJ	
8260C	VPB158-GW-022615-858-860	BROMOFORM U	G_L	0.5 UJ	
8260C	VPB158-GW-022615-858-860	BROMOMETHANE U	G_L	1 UJ	
8260C	VPB158-GW-022615-858-860	CARBON DISULFIDE	UG_L	0.5 UJ	
8260C	VPB158-GW-022615-858-860	CARBON TETRACHLORIDE	UG_L	0.5 UJ	
8260C	VPB158-GW-022615-858-860	CHLOROBENZENE UG_	L	0.5 UJ	
8260C	VPB158-GW-022615-858-860	CHLOROETHANE UG_	L	1 UJ	
8260C	VPB158-GW-022615-858-860	CHLOROFORM U	G_L	0.5 UJ	
8260C	VPB158-GW-022615-858-860	CHLOROMETHANE UG_	L	1 UJ	
8260C	VPB158-GW-022615-858-860	CIS-1,2-DICHLOROETHENE U	G_L	0.5 UJ	
8260C	VPB158-GW-022615-858-860	CIS-1,3-DICHLOROPROPENE U	G_L	0.5 UJ	
8260C	VPB158-GW-022615-858-860	CYCLOHEXANE U	G_L	0.5 UJ	
8260C	VPB158-GW-022615-858-860	DIBROMOCHLOROMETHANE U	G_L	0.5 UJ	
8260C	VPB158-GW-022615-858-860	DICHLORODIFLUOROMETHANE U	G_L	1 UJ	
8260C	VPB158-GW-022615-858-860	ETHYLBENZENE UG_	L	0.5 UJ	
8260C	VPB158-GW-022615-858-860	ISOPROPYLBENZENE UG_	L	0.5 UJ	
8260C	VPB158-GW-022615-858-860	M- AND P-XYLENE	UG_L	1 UJ	
8260C	VPB158-GW-022615-858-860	METHYL ACETATE	UG_L	0.75 UJ	
8260C	VPB158-GW-022615-858-860	METHYL CYCLOHEXANE	UG_L	0.5 UJ	
8260C	VPB158-GW-022615-858-860	METHYL TERT-BUTYL ETHER	UG_L	0.5 UJ	
8260C	VPB158-GW-022615-858-860	METHYLENE CHLORIDE	UG_L	2.5 UJ	

Table (A-1) Sample Integrity Non-Conformance					
Method	Sample ID	Analyte	Units	Result	Qualifier
8260C	VPB158-GW-022615-858-860	O-XYLENE UG_	L	0.5 UJ	
8260C	VPB158-GW-022615-858-860	STYRENE UG_	L	0.5 UJ	
8260C	VPB158-GW-022615-858-860	TETRACHLOROETHENE UG_	L	0.5 UJ	
8260C	VPB158-GW-022615-858-860	TOLUENE U	G_L	0.5 UJ	
8260C	VPB158-GW-022615-858-860	TRANS-1,2-DICHLOROETHENE U	G_L	0.5 UJ	
8260C	VPB158-GW-022615-858-860	TRANS-1,3-DICHLOROPROPENE U	G_L	0.5 UJ	
8260C	VPB158-GW-022615-858-860	TRICHLOROETHENE UG_	L	0.5 UJ	
8260C	VPB158-GW-022615-858-860	TRICHLOROFLUOROMETHANE U	G_L	1 UJ	
8260C	VPB158-GW-022615-858-860	VINYL CHLORIDE	UG_L	1 UJ	
8260C	VPB158-GW-022615-858-860	XYLENES, TOTAL	UG_L	1.5 UJ	

**Notes:**

UG\_L = Micrograms per liter  
 UJ = Non-detect estimated value  
 J = Estimated value

Table (A-2) Laboratory Blank Non-Conformance						
Laboratory Blank ID	Analyte	Blank Result (UG_L)	LOQ	Associated Sample	Sample Result (UG_L)	Qualifier
WG159034-2	Carbon Disulfide	0.39	1	VPB158-GW-022515-798-800	1.1	U
WG159034-2	Carbon Disulfide	0.39	1	VPB158-GW-022515-818-820	0.42	U
WG159034-2	Carbon Disulfide	0.39	1	VPB158-GW-022615-838-840	0.32	U
WG159034-2	Carbon Disulfide	0.39	1	VPB158-GW-022615-858-860	0.38	U
WG159034-2	Carbon Disulfide	0.39	1	VPB158-TRIPBLANK-022615	0.28	U

**Notes:**

UG\_L = Micrograms per liter  
 LOQ = Limit of quantitation  
 U = Associated sample flagged non-detect "U" due to both blank result and sample result less than 2 times LOQ.

Table (A-3) Trip Blank Non-Conformance							
Blank ID	Analyte	Blank Result (UG_L)	LOQ	Associated Sample	Sample Result (UG_L)	LOQ	Qualifier
VPB158-TRIPBLANK-022615	Acetone 9.7		5	VPB158-GW-022515-798-800	16	20	U
VPB158-TRIPBLANK-022615	Acetone 9.7		5	VPB158-GW-022515-818-820	12	5	U
VPB158-TRIPBLANK-022615	Acetone 9.7		5	VPB158-GW-022615-838-840	16	5	U
VPB158-TRIPBLANK-022615	Acetone 9.7		5	VPB158-GW-022615-858-860	19	5	U
VPB158-TRIPBLANK-022615	Carbon disulfide	0.28	1	VPB158-GW-022515-798-800	1.1	4	U
VPB158-TRIPBLANK-022615	Carbon disulfide	0.28	1	VPB158-GW-022515-818-820	0.42	1	U
VPB158-TRIPBLANK-022615	Carbon disulfide	0.28	1	VPB158-GW-022615-838-840	0.32	1	U
VPB158-TRIPBLANK-022615	Carbon disulfide	0.28	1	VPB158-GW-022615-858-860	0.38	1	U

**Notes:**

UG\_L = Micrograms per liter  
 LOQ = Limit of quantitation  
 U = Associated sample flagged non-detect "U" due to both blank result and sample result less than 2 times LOQ.

**Attachment B**  
**Qualifier Codes and Explanations**

<b>Qualifier</b>	<b>Explanation</b>
J	The analyte was positively identified; the associated numerical value is the approximate concentration of the analyte in the sample.
UJ	The analyte was not detected above the reported sample quantitation limit. However, the reported quantitation limit is approximate and may or may not represent the actual quantitation limit necessary to accurately and precisely measure the analyte in the sample.
U	The analyte was analyzed for, but was not detected above the reported sample quantitation limit.

**Attachment C**  
**Reason Codes and Explanations**

<b>Reason Code</b>	<b>Explanation</b>
be	Equipment blank contamination
bf Fie	ld blank contamination
bl	Laboratory blank contamination
bt	Trip blank contamination
c C	alibration issue
d	Reporting limit raised due to chromatographic interference
fd	Field duplicate RPDs
h Ho	lding times
i Interna	l standard areas
k	Estimated Maximum Possible Concentration (EMPC)
l	LCS or OPR recoveries
lc	Labeled compound recovery
ld	Laboratory duplicate RPDs
lp	Laboratory control sample/laboratory control sample duplicate RPDs
m Matrix	spike recovery
mc	Method compliance non-conformance
md	Matrix spike/matrix spike duplicate RPDs
nb	Negative laboratory blank contamination
p	Chemical preservation issue
r Dual	column RPD
q Quant	itation issue
s Surrogate	recovery
su Ion	suppression
t Tempera	ture preservation issue
x Per	cent solids
y	Serial dilution results
z ICS	results

**Attachment D**  
**Final Results after Data Review**

Sample Delivery Group Lab Identification Sample Identification Sample Date Sample Type				SI1230 SI1230-1DL VPB158-GW-022515-798-800 2/25/2015 Groundwater		
Method	Analyte	CAS No	Units	Result Qual		RC
8260C 1,1,1-	TRICHLOROETHANE	71-55-6	UG_L	2	UJ	mc
8260C 1,1,2,2-	TETRACHLOROETHANE	79-34-5	UG_L	2	UJ	mc
8260C 1,1,2-	TRICHLORO-1,2,2-TRIFLUOROETHANE 76-	13-1	UG_L	2	UJ	mc
8260C 1,1,2-	TRICHLOROETHANE	79-00-5	UG_L	2	UJ	mc
8260C 1,1-	DICHLOROETHANE	75-34-3	UG_L	2	UJ	mc
8260C 1,1-	DICHLOROETHENE	75-35-4	UG_L	2	UJ	mc
8260C 1,2,4-	TRICHLOROBENZENE	120-82-1	UG_L	2	UJ	mc
8260C 1,2-	DIBROMO-3-CHLOROPROPANE	96-12-8	UG_L	3	UJ	mc
8260C 1,2-	DIBROMOETHANE	106-93-4	UG_L	2	UJ	mc
8260C 1,2-	DICHLOROBENZENE	95-50-1	UG_L	2	UJ	mc
8260C 1,2-	DICHLOROETHANE	107-06-2	UG_L	2	UJ	mc
8260C 1,2-	DICHLOROETHENE, TOTAL	540-59-0	UG_L	4	UJ	mc
8260C 1,2-	DICHLOROPROPANE	78-87-5	UG_L	2	UJ	mc
8260C 1,3-	DICHLOROBENZENE	541-73-1	UG_L	2	UJ	mc
8260C 1,4-	DICHLOROBENZENE	106-46-7	UG_L	2	UJ	mc
8260C 2-	BUTANONE	78-93-3	UG_L	10	UJ	mc
8260C 2-	HEXANONE	591-78-6	UG_L	10	UJ	mc
8260C 4-	METHYL-2-PENTANONE	108-10-1	UG_L	10	UJ	mc
8260C	ACETONE	67-64-1	UG_L	10	UJ	bt,mc
8260C B	ENZENE	71-43-2	UG_L	2	UJ	mc
8260C B	ROMODICHLOROMETHANE	75-27-4	UG_L	2	UJ	mc
8260C B	ROMOFORM	75-25-2	UG_L	2	UJ	mc
8260C B	ROMOMETHANE	74-83-9	UG_L	4	UJ	mc
8260C CARB	ON DISULFIDE	75-15-0	UG_L	2	UJ	bt,bl,mc
8260C CARB	ON TETRACHLORIDE	56-23-5	UG_L	2	UJ	mc
8260C CHLOROB	ENZENE	108-90-7	UG_L	2	UJ	mc
8260C CHLOROETHANE		75-00-3	UG_L	4	UJ	mc
8260C CHLOROFORM		67-66-3	UG_L	2	UJ	mc
8260C CHLOROM	ETHANE	74-87-3	UG_L	4	UJ	mc
8260C CIS-	1,2-DICHLOROETHENE	156-59-2	UG_L	2	UJ	mc
8260C CIS-	1,3-DICHLOROPROPENE	10061-01-5	UG_L	2	UJ	mc
8260C CYCLOHEXANE		110-82-7	UG_L	2	UJ	mc
8260C DIB	ROMOCHLOROMETHANE	124-48-1	UG_L	2	UJ	mc
8260C DICHLORODI	FLUOROMETHANE	75-71-8	UG_L	4	UJ	mc
8260C ETHYLB	ENZENE	100-41-4	UG_L	2	UJ	mc
8260C ISOP	ROPYLBENZENE	98-82-8	UG_L	2	UJ	mc
8260C	M- AND P-XYLENE	108-38-3/106-42	UG_L	4	UJ	mc
8260C M	ETHYL ACETATE	79-20-9	UG_L	3	UJ	mc
8260C M	ETHYL CYCLOHEXANE	108-87-2	UG_L	2	UJ	mc
8260C	METHYL TERT-BUTYL ETHER	1634-04-4	UG_L	2	UJ	mc
8260C M	ETHYLENE CHLORIDE	75-09-2	UG_L	10	UJ	mc
8260C O-	XYLENE	95-47-6	UG_L	2	UJ	mc
8260C STYRENE		100-42-5	UG_L	2	UJ	mc
8260C TETRACHLOROETHENE		127-18-4	UG_L	2	UJ	mc
8260C TOLUENE		108-88-3	UG_L	2	UJ	mc
8260C TRANS-	1,2-DICHLOROETHENE	156-60-5	UG_L	2	UJ	mc
8260C TRANS-	1,3-DICHLOROPROPENE	10061-02-6	UG_L	2	UJ	mc
8260C TRICHLOROETHENE		79-01-6	UG_L	2	UJ	mc
8260C TRICHLOROF	LUOROMETHANE	75-69-4	UG_L	4	UJ	mc
8260C V	INYL CHLORIDE	75-01-4	UG_L	4	UJ	mc
8260C XYLENES,	TOTAL	1330-20-7	UG_L	6	UJ	mc



Sample Delivery Group Lab Identification Sample Identification Sample Date Sample Type				SI1230 SI1230-2 VPB158-GW-022515-818-820 2/25/2015 Groundwater		
Method	Analyte	CAS No	Units	Result Qual		RC
8260C 1,1,1-	TRICHLOROETHANE	71-55-6	UG_L	0.5	UJ	mc
8260C 1,1,2,2-	TETRACHLOROETHANE 79-	34-5	UG_L	0.5	UJ	mc
8260C 1,1,2-	TRICHLORO-1,2,2-TRIFLUOROETHANE 76-	13-1	UG_L	0.5	UJ	mc
8260C 1,1,2-	TRICHLOROETHANE	79-00-5	UG_L	0.5	UJ	mc
8260C 1,1-	DICHLOROETHANE	75-34-3	UG_L	0.5	UJ	mc
8260C 1,1-	DICHLOROETHENE	75-35-4	UG_L	0.5	UJ	mc
8260C 1,2,4-	TRICHLOROENZENE	120-82-1	UG_L	0.5	UJ	mc
8260C 1,2-	DIBROMO-3-CHLOROPROPANE	96-12-8	UG_L	0.75	UJ	mc
8260C 1,2-	DIBROMOETHANE	106-93-4	UG_L	0.5	UJ	mc
8260C 1,2-	DICHLOROENZENE	95-50-1	UG_L	0.5	UJ	mc
8260C 1,2-	DICHLOROETHANE	107-06-2	UG_L	0.5	UJ	mc
8260C 1,2-	DICHLOROETHENE, TOTAL	540-59-0	UG_L	1	UJ	mc
8260C 1,2-	DICHLOROPROPANE	78-87-5	UG_L	0.5	UJ	mc
8260C 1,3-	DICHLOROENZENE	541-73-1	UG_L	0.5	UJ	mc
8260C 1,4-	DICHLOROENZENE	106-46-7	UG_L	0.5	UJ	mc
8260C 2-	BUTANONE	78-93-3	UG_L	2.6	J	mc
8260C 2-	HEXANONE	591-78-6	UG_L	2.5	UJ	mc
8260C 4-	METHYL-2-PENTANONE	108-10-1	UG_L	2.5	UJ	mc
8260C	ACETONE	67-64-1	UG_L	2.5	UJ	bt,mc
8260C B	ENZENE	71-43-2	UG_L	0.5	UJ	mc
8260C B	ROMODICHLOROMETHANE	75-27-4	UG_L	0.5	UJ	mc
8260C B	ROMOFORM	75-25-2	UG_L	0.5	UJ	mc
8260C B	ROMOMETHANE	74-83-9	UG_L	1	UJ	mc
8260C CARB	ON DISULFIDE	75-15-0	UG_L	0.5	UJ	bt,bl,mc
8260C CARB	ON TETRACHLORIDE	56-23-5	UG_L	0.5	UJ	mc
8260C CHLOROB	ENZENE	108-90-7	UG_L	0.5	UJ	mc
8260C CHLOROETHANE		75-00-3	UG_L	1	UJ	mc
8260C CHLOROFORM		67-66-3	UG_L	0.5	UJ	mc
8260C CHLOROM	ETHANE	74-87-3	UG_L	1	UJ	mc
8260C CIS-	1,2-DICHLOROETHENE	156-59-2	UG_L	0.5	UJ	mc
8260C CIS-	1,3-DICHLOROPROPENE	10061-01-5	UG_L	0.5	UJ	mc
8260C CYCLOHEXANE		110-82-7	UG_L	0.5	UJ	mc
8260C DIB	ROMOCHLOROMETHANE	124-48-1	UG_L	0.5	UJ	mc
8260C DICHLORODI	FLUOROMETHANE	75-71-8	UG_L	1	UJ	mc
8260C ETHYLB	ENZENE	100-41-4	UG_L	0.5	UJ	mc
8260C ISOP	ROPYLBENZENE	98-82-8	UG_L	0.5	UJ	mc
8260C	M- AND P-XYLENE	108-38-3/106-42	UG_L	1	UJ	mc
8260C M	ETHYL ACETATE	79-20-9	UG_L	0.75	UJ	mc
8260C M	ETHYL CYCLOHEXANE	108-87-2	UG_L	0.5	UJ	mc
8260C	METHYL TERT-BUTYL ETHER	1634-04-4	UG_L	0.5	UJ	mc
8260C M	ETHYLENE CHLORIDE	75-09-2	UG_L	2.5	UJ	mc
8260C O-	XYLENE	95-47-6	UG_L	0.5	UJ	mc
8260C STYRENE		100-42-5	UG_L	0.5	UJ	mc
8260C TETRACHLOROETHENE		127-18-4	UG_L	0.5	UJ	mc
8260C TOLUENE		108-88-3	UG_L	0.5	UJ	mc
8260C TRANS-	1,2-DICHLOROETHENE	156-60-5	UG_L	0.5	UJ	mc
8260C TRANS-	1,3-DICHLOROPROPENE	10061-02-6	UG_L	0.5	UJ	mc
8260C TRICHLOROETHENE		79-01-6	UG_L	0.5	UJ	mc
8260C TRICHLOROF	LUOROMETHANE	75-69-4	UG_L	1	UJ	mc
8260C V	INYL CHLORIDE	75-01-4	UG_L	1	UJ	mc
8260C XYLENES,	TOTAL	1330-20-7	UG_L	1.5	UJ	mc

Sample Delivery Group Lab Identification Sample Identification Sample Date Sample Type				SI1230 SI1230-4 VPB158-GW-022615-838-840 2/26/2015 Groundwater		
Method	Analyte	CAS No	Units	Result Qual		RC
8260C 1,1,1-	TRICHLOROETHANE	71-55-6	UG_L	0.5	UJ	mc
8260C 1,1,2,2-	TETRACHLOROETHANE 79-	34-5	UG_L	0.5	UJ	mc
8260C 1,1,2-	TRICHLORO-1,2,2-TRIFLUOROETHANE 76-	13-1	UG_L	0.5	UJ	mc
8260C 1,1,2-	TRICHLOROETHANE	79-00-5	UG_L	0.5	UJ	mc
8260C 1,1-	DICHLOROETHANE	75-34-3	UG_L	0.5	UJ	mc
8260C 1,1-	DICHLOROETHENE	75-35-4	UG_L	0.5	UJ	mc
8260C 1,2,4-	TRICHLOROENZENE	120-82-1	UG_L	0.5	UJ	mc
8260C 1,2-	DIBROMO-3-CHLOROPROPANE	96-12-8	UG_L	0.75	UJ	mc
8260C 1,2-	DIBROMOETHANE	106-93-4	UG_L	0.5	UJ	mc
8260C 1,2-	DICHLOROENZENE	95-50-1	UG_L	0.5	UJ	mc
8260C 1,2-	DICHLOROETHANE	107-06-2	UG_L	0.5	UJ	mc
8260C 1,2-	DICHLOROETHENE, TOTAL	540-59-0	UG_L	1	UJ	mc
8260C 1,2-	DICHLOROPROPANE	78-87-5	UG_L	0.5	UJ	mc
8260C 1,3-	DICHLOROENZENE	541-73-1	UG_L	0.5	UJ	mc
8260C 1,4-	DICHLOROENZENE	106-46-7	UG_L	0.5	UJ	mc
8260C 2-	BUTANONE	78-93-3	UG_L	2.9	J	mc
8260C 2-	HEXANONE	591-78-6	UG_L	2.5	UJ	mc
8260C 4-	METHYL-2-PENTANONE	108-10-1	UG_L	2.5	UJ	mc
8260C	ACETONE	67-64-1	UG_L	2.5	UJ	bt,mc
8260C B	ENZENE	71-43-2	UG_L	0.5	UJ	mc
8260C B	ROMODICHLOROMETHANE	75-27-4	UG_L	0.5	UJ	mc
8260C B	ROMOFORM	75-25-2	UG_L	0.5	UJ	mc
8260C B	ROMOMETHANE	74-83-9	UG_L	1	UJ	mc
8260C CARB	ON DISULFIDE	75-15-0	UG_L	0.5	UJ	mc
8260C CARB	ON TETRACHLORIDE	56-23-5	UG_L	0.5	UJ	mc
8260C CHLOROB	ENZENE	108-90-7	UG_L	0.5	UJ	mc
8260C CHLOROETHANE		75-00-3	UG_L	1	UJ	mc
8260C CHLOROFORM		67-66-3	UG_L	0.5	UJ	mc
8260C CHLOROM	ETHANE	74-87-3	UG_L	1.1	J	mc
8260C CIS-	1,2-DICHLOROETHENE	156-59-2	UG_L	0.5	UJ	mc
8260C CIS-	1,3-DICHLOROPROPENE	10061-01-5	UG_L	0.5	UJ	mc
8260C CYCLOHEXANE		110-82-7	UG_L	0.5	UJ	mc
8260C DIB	ROMOCHLOROMETHANE	124-48-1	UG_L	0.5	UJ	mc
8260C DICHLORODI	FLUOROMETHANE	75-71-8	UG_L	1	UJ	mc
8260C ETHYLB	ENZENE	100-41-4	UG_L	0.5	UJ	mc
8260C ISOP	ROPYLBENZENE	98-82-8	UG_L	0.5	UJ	mc
8260C	M- AND P-XYLENE	108-38-3/106-42	UG_L	1	UJ	mc
8260C M	ETHYL ACETATE	79-20-9	UG_L	0.75	UJ	mc
8260C M	ETHYL CYCLOHEXANE	108-87-2	UG_L	0.5	UJ	mc
8260C	METHYL TERT-BUTYL ETHER	1634-04-4	UG_L	0.5	UJ	mc
8260C M	ETHYLENE CHLORIDE	75-09-2	UG_L	2.5	UJ	mc
8260C O-	XYLENE	95-47-6	UG_L	0.5	UJ	mc
8260C STYRENE		100-42-5	UG_L	0.5	UJ	mc
8260C TETRACHLOROETHENE		127-18-4	UG_L	0.5	UJ	mc
8260C TOLUENE		108-88-3	UG_L	0.5	UJ	mc
8260C TRANS-	1,2-DICHLOROETHENE	156-60-5	UG_L	0.5	UJ	mc
8260C TRANS-	1,3-DICHLOROPROPENE	10061-02-6	UG_L	0.5	UJ	mc
8260C TRICHLOROETHENE		79-01-6	UG_L	0.5	UJ	mc
8260C TRICHLOROF	LUOROMETHANE	75-69-4	UG_L	1	UJ	mc
8260C V	INYL CHLORIDE	75-01-4	UG_L	1	UJ	mc
8260C XYLENES,	TOTAL	1330-20-7	UG_L	1.5	UJ	mc

Sample Delivery Group Lab Identification Sample Identification Sample Date Sample Type				SI1230 SI1230-5 VPB158-GW-022615-858-860 2/26/2015 Groundwater		
Method	Analyte	CAS No	Units	Result Qual		RC
8260C 1,1,1-	TRICHLOROETHANE	71-55-6	UG_L	0.5	UJ	mc
8260C 1,1,2,2-	TETRACHLOROETHANE 79-	34-5	UG_L	0.5	UJ	mc
8260C 1,1,2-	TRICHLORO-1,2,2-TRIFLUOROETHANE 76-	13-1	UG_L	0.5	UJ	mc
8260C 1,1,2-	TRICHLOROETHANE	79-00-5	UG_L	0.5	UJ	mc
8260C 1,1-	DICHLOROETHANE	75-34-3	UG_L	0.5	UJ	mc
8260C 1,1-	DICHLOROETHENE	75-35-4	UG_L	0.5	UJ	mc
8260C 1,2,4-	TRICHLOROENZENE	120-82-1	UG_L	0.5	UJ	mc
8260C 1,2-	DIBROMO-3-CHLOROPROPANE	96-12-8	UG_L	0.75	UJ	mc
8260C 1,2-	DIBROMOETHANE	106-93-4	UG_L	0.5	UJ	mc
8260C 1,2-	DICHLOROENZENE	95-50-1	UG_L	0.5	UJ	mc
8260C 1,2-	DICHLOROETHANE	107-06-2	UG_L	0.5	UJ	mc
8260C 1,2-	DICHLOROETHENE, TOTAL	540-59-0	UG_L	1	UJ	mc
8260C 1,2-	DICHLOROPROPANE	78-87-5	UG_L	0.5	UJ	mc
8260C 1,3-	DICHLOROENZENE	541-73-1	UG_L	0.5	UJ	mc
8260C 1,4-	DICHLOROENZENE	106-46-7	UG_L	0.5	UJ	mc
8260C 2-	BUTANONE	78-93-3	UG_L	2.9	J	mc
8260C 2-	HEXANONE	591-78-6	UG_L	2.5	UJ	mc
8260C 4-	METHYL-2-PENTANONE	108-10-1	UG_L	2.5	UJ	mc
8260C	ACETONE	67-64-1	UG_L	2.5	UJ	bt,mc
8260C B	ENZENE	71-43-2	UG_L	0.5	UJ	mc
8260C B	ROMODICHLOROMETHANE	75-27-4	UG_L	0.5	UJ	mc
8260C B	ROMOFORM	75-25-2	UG_L	0.5	UJ	mc
8260C B	ROMOMETHANE	74-83-9	UG_L	1	UJ	mc
8260C CARB	ON DISULFIDE	75-15-0	UG_L	0.5	UJ	bt,bl,mc
8260C CARB	ON TETRACHLORIDE	56-23-5	UG_L	0.5	UJ	mc
8260C CHLOROB	ENZENE	108-90-7	UG_L	0.5	UJ	mc
8260C CHLOROETHANE		75-00-3	UG_L	1	UJ	mc
8260C CHLOROFORM		67-66-3	UG_L	0.5	UJ	mc
8260C CHLOROM	ETHANE	74-87-3	UG_L	1	UJ	mc
8260C CIS-	1,2-DICHLOROETHENE	156-59-2	UG_L	0.5	UJ	mc
8260C CIS-	1,3-DICHLOROPROPENE	10061-01-5	UG_L	0.5	UJ	mc
8260C CYCLOHEXANE		110-82-7	UG_L	0.5	UJ	mc
8260C DIB	ROMOCHLOROMETHANE	124-48-1	UG_L	0.5	UJ	mc
8260C DICHLORODI	FLUOROMETHANE	75-71-8	UG_L	1	UJ	mc
8260C ETHYLB	ENZENE	100-41-4	UG_L	0.5	UJ	mc
8260C ISOP	ROPYLBENZENE	98-82-8	UG_L	0.5	UJ	mc
8260C	M- AND P-XYLENE	108-38-3/106-42	UG_L	1	UJ	mc
8260C M	ETHYL ACETATE	79-20-9	UG_L	0.75	UJ	mc
8260C M	ETHYL CYCLOHEXANE	108-87-2	UG_L	0.5	UJ	mc
8260C	METHYL TERT-BUTYL ETHER	1634-04-4	UG_L	0.5	UJ	mc
8260C M	ETHYLENE CHLORIDE	75-09-2	UG_L	2.5	UJ	mc
8260C O-	XYLENE	95-47-6	UG_L	0.5	UJ	mc
8260C STYRENE		100-42-5	UG_L	0.5	UJ	mc
8260C TETRACHLOROETHENE		127-18-4	UG_L	0.5	UJ	mc
8260C TOLUENE		108-88-3	UG_L	0.5	UJ	mc
8260C TRANS-	1,2-DICHLOROETHENE	156-60-5	UG_L	0.5	UJ	mc
8260C TRANS-	1,3-DICHLOROPROPENE	10061-02-6	UG_L	0.5	UJ	mc
8260C TRICHLOROETHENE		79-01-6	UG_L	0.5	UJ	mc
8260C TRICHLOROF	LUOROMETHANE	75-69-4	UG_L	1	UJ	mc
8260C V	INYL CHLORIDE	75-01-4	UG_L	1	UJ	mc
8260C XYLENES,	TOTAL	1330-20-7	UG_L	1.5	UJ	mc

Sample Delivery Group Lab ID Sample ID Sample Date Sample Type				SI1230 SI1230-3 VPB158-TRIP BLANK-022615 2/26/2015 Trip Blank		
Method	Analyte	CAS No	Units	Result	Qual	RC
8260C 1,1,1-	TRICHLOROETHANE	71-55-6	UG_L	0.5	U	
8260C 1,1,2,2-	TETRACHLOROETHANE 79-	34-5	UG_L	0.5	U	
8260C 1,1,2-	TRICHLORO-1,2,2-TRIFLUOROETHANE 76-	13-1	UG_L	0.5	U	
8260C 1,1,2-	TRICHLOROETHANE	79-00-5	UG_L	0.5	U	
8260C 1,1-	DICHLOROETHANE	75-34-3	UG_L	0.5	U	
8260C 1,1-	DICHLOROETHENE	75-35-4	UG_L	0.5	U	
8260C 1,2,4-	TRICHLOROBENZENE	120-82-1	UG_L	0.5	U	
8260C 1,2-	DIBROMO-3-CHLOROPROPANE	96-12-8	UG_L	0.75	U	
8260C 1,2-	DIBROMOETHANE	106-93-4	UG_L	0.5	U	
8260C 1,2-	DICHLOROBENZENE	95-50-1	UG_L	0.5	U	
8260C 1,2-	DICHLOROETHANE	107-06-2	UG_L	0.5	U	
8260C	1,2-DICHLOROETHENE, TOTAL	540-59-0	UG_L	1	U	
8260C 1,2-	DICHLOROPROPANE	78-87-5	UG_L	0.5	U	
8260C 1,3-	DICHLOROBENZENE	541-73-1	UG_L	0.5	U	
8260C 1,4-	DICHLOROBENZENE	106-46-7	UG_L	0.5	U	
8260C 2-	BUTANONE	78-93-3	UG_L	2.5	U	
8260C 2-	HEXANONE	591-78-6	UG_L	2.5	U	
8260C 4-	METHYL-2-PENTANONE	108-10-1	UG_L	2.5	U	
8260C	ACETONE	67-64-1	UG_L	9.7		
8260C B	ENZENE	71-43-2	UG_L	0.5	U	
8260C B	ROMODICHLOROMETHANE	75-27-4	UG_L	0.5	U	
8260C B	ROMOFORM	75-25-2	UG_L	0.5	U	
8260C B	ROMOMETHANE	74-83-9	UG_L	1	U	
8260C CARB	ON DISULFIDE	75-15-0	UG_L	0.5	UJ	bl
8260C	CARBON TETRACHLORIDE	56-23-5	UG_L	0.5	U	
8260C CHLOROB	ENZENE	108-90-7	UG_L	0.5	U	
8260C CHLOROETHANE		75-00-3	UG_L	1	U	
8260C CHLOROFORM		67-66-3	UG_L	0.5	U	
8260C CHLOROMETHANE		74-87-3	UG_L	1	U	
8260C CIS-	1,2-DICHLOROETHENE	156-59-2	UG_L	0.5	U	
8260C CIS-	1,3-DICHLOROPROPENE	10061-01-5	UG_L	0.5	U	
8260C CYCLOHEXANE		110-82-7	UG_L	0.5	U	
8260C DIB	ROMOCHLOROMETHANE	124-48-1	UG_L	0.5	U	
8260C DICHLORODI	FLUOROMETHANE	75-71-8	UG_L	1	U	
8260C ETHYLB	ENZENE	100-41-4	UG_L	0.5	U	
8260C ISOP	ROPYLBENZENE	98-82-8	UG_L	0.5	U	
8260C	M- AND P-XYLENE	108-38-3/106-42	UG_L	1	U	
8260C	METHYL ACETATE	79-20-9	UG_L	0.75	U	
8260C	METHYL CYCLOHEXANE	108-87-2	UG_L	0.5	U	
8260C	METHYL TERT-BUTYL ETHER	1634-04-4	UG_L	0.5	U	
8260C	METHYLENE CHLORIDE	75-09-2	UG_L	2.5	U	
8260C O-	XYLENE	95-47-6	UG_L	0.5	U	
8260C STYRENE		100-42-5	UG_L	0.5	U	
8260C TETRACHLOROETHENE		127-18-4	UG_L	0.5	U	
8260C TOLUENE		108-88-3	UG_L	0.5	U	
8260C TRANS-	1,2-DICHLOROETHENE	156-60-5	UG_L	0.5	U	
8260C TRANS-	1,3-DICHLOROPROPENE	10061-02-6	UG_L	0.5	U	
8260C TRICHLOROETHENE		79-01-6	UG_L	0.5	U	
8260C TRICHLOROF	LUOROMETHANE	75-69-4	UG_L	1	U	
8260C	VINYL CHLORIDE	75-01-4	UG_L	1	U	
8260C	XYLENES, TOTAL	1330-20-7	UG_L	1.5	U	

**Notes:**

UG\_L = Micrograms per liter  
Qual = Final qualifier  
RC = Reason code

**DATA VALIDATION REPORT**

Project:	Regional Groundwater Investigation — NWIRP Bethpage	
Laboratory:	Katahdin Analytical	
Sample Delivery Group:	SI0498	
Analyses/Method:	Volatile Organic Compounds (VOCs) by U.S. EPA SW-846 Method 8260C Total Organic Carbon (TOC) by U.S. EPA SW-846 Method 9060A	
Validation Level:	3	
Project Number:	0888812477.SA.DV	
Prepared by:	Dana Miller/Resolution Consultants	Completed on: 03/17/2015
Reviewed by:	Tina Cantwell/Resolution Consultants	File Name: SI0498_8260C_9060A

**SUMMARY**

This report summarizes data review findings for samples listed below, collected by Resolution Consultants from the Regional Groundwater Investigation — NWIRP Bethpage site on 19 to 22 January 2015 in accordance with the following Sampling and Analysis Plans:

- *Sampling and Analysis Plan, Bethpage, New York, April 2013.*
- *UFP SAP Addendum, Inclusion of Additional Target Analytes for Volatile Organics Analyses, NWIRP Bethpage OU2, Bethpage, New York, August 2014.*
- *UFP SAP Addendum, Installation of Vertical Profile Borings and Monitoring Wells, Operable Unit 2, NWIRP Bethpage, New York, November 2013.*

Sample ID	Matrix/Sample Type	Analysis
VPB158-GW-011915-48-50 Gr	Groundwater	8260C
VPB158-GW-011915-98-100 Gr	Groundwater	8260C
VPB158-GW-012214-148-150 Gr	Groundwater	8260C
VPB158-GWD-012215 Fie	Field Duplicate	8260C
VPB158-TRIP BLANK-012215	Trip Blank	8260C
VPB158-SOIL-012215-158-160 Soil		9060A
VPB158-SOIL-DUP-012215 Fie	Field Duplicate	9060A
VPB158-EB-012215 Equipmen	Equipment Blank	9060A
VPB158-FB-012215 Fie	Field Blank	9060A

Data validation activities were conducted using the following guidance documents: *Test Methods for Evaluating Solid Waste, Physical/Chemical Methods SW-846, specifically Method 8260C, Volatile Organic Compounds by Gas Chromatography/Mass Spectrometry* (U.S. EPA, 2006), *SW-846*

*Method 9060A, Total Organic Carbon (U.S. EPA, 1996), U.S. Environmental Protection Agency (U.S. EPA) Contract Laboratory Program National Functional Guidelines for Superfund Organic Methods Data Review (NFG, June 2008), U.S. Environmental Protection Agency (U.S. EPA) Contract Laboratory Program National Functional Guidelines for Inorganic Superfund Data Review (NFG, January 2010) and Department of Defense (DoD) Quality Systems Manual (QSM) for Environmental Laboratories, Version 4.2 (October 2010). In the absence of method-specific information, laboratory quality control (QC) limits, project-specific requirements and/or professional judgment were used as appropriate.*

## **REVIEW ELEMENTS**

The data were evaluated based on the following parameters (where applicable to the method):

- X Data completeness (chain-of-custody [COC])/sample integrity
- ✓ Holding times and sample preservation
- ✓ GC/MS performance checks
- X Initial calibration/continuing calibration verification
- X Laboratory blanks/trip blanks
- ✓ Surrogate spike recoveries
- ✓ Matrix spike (MS) and/or matrix spike duplicate (MSD) results
- X Laboratory control sample (LCS)/laboratory control sample duplicate (LCSD) results
- ✓ Field duplicates
- ✓ Internal standards
- ✓ Sample results/reporting issues

The symbol ( ✓ ) indicates that no validation qualifiers were applied based on this parameter. Acceptable data parameters for which all criteria were met and no qualification was performed and non-conformance or other issues that were noted during validation that did not result in qualification of data are not discussed further. The symbol ( X ) indicates that a QC non-conformance resulted in the qualification of data. Any QC non-conformance that resulted in the qualification of data is discussed below.

## **RESULTS**

### **Data Completeness/Sample Integrity**

The data package was reviewed and found to meet acceptance criteria for completeness:

- the COCs were reviewed for completeness of information relevant to the samples and requested analyses, and for signatures indicating transfer of sample custody;

- the laboratory sample log in sheet(s) were reviewed for issues potentially affecting sample integrity, including the condition of sample containers upon receipt at the laboratory;
- completeness of analyses was verified by comparing the reported results to the COC request.

Due to limitations in the reporting system, the laboratory omitted the first characters "VPB-" and middle characters "GW-" from the sample ID in samples VPB158-GW-011915-48-50, VPB158-GW-011915-98-100, and VPB158-GW-012215-148-150. The laboratory omitted the first characters "VPB-" in samples VPB158-SOIL-012215-158-160, VPB158-SOIL-DUP-012215, and truncated Trip Blank to "TB" in the report. Below shows a list of samples that were mostly comprised of soil and not very much liquid:

- VPB158-GW-011915-48-50 had one vial decanted and analyzed.

Positive and non-detected results for the sample VPB158-GW-011915-48-50 were qualified as estimated (J and UJ) respectively due to possible loss of sample integrity during the decanting process. Non-conformances are summarized in Attachment A in Table A-1.

**Initial Calibration/Continuing Calibration Verification**

Calibration data were reviewed for conformance with the QC acceptance criteria to ensure that:

- the initial calibration percent relative standard deviation, correlation coefficient/coefficient of determination, and/or response factor method acceptance criteria were met;
- the initial calibration verification standard percent recovery acceptance criteria were met;
- the continuing calibration verification standard (CCV) method percent difference or percent drift (%Ds) and response factor acceptance criteria were met; and
- the retention time method acceptance criteria were met.

Data qualification to the analytes associated with the specific initial calibration verification (ICV) was as follows:

**ICV Recovery Non-conformance:**

Criteria	Actions	
	Detected Results	Non-detected Results
Recovery >120%	J	UJ
Recovery < 80%	J	UJ

Data qualification to the analytes associated with the specific CCV was as follows:

**CCV Linearity Non-conformance:**

Criteria	Actions	
	Detected Results	Non-detected Results
%Difference or %Drift > 20%	J	UJ

ICV and CCV non-conformances are summarized in Attachment A in Table’s A-2 and A-3.

**Laboratory Blanks/Trip Blanks**

Laboratory blanks, equipment blank, field blank, and trip blanks were analyzed with samples to assess contamination imparted by sample preparation and/or analysis. All results associated with a particular blank were evaluated to determine whether there was an inherent variability in the data, or if a problem was an isolated occurrence that did not affect the data. Samples were flagged in accordance with *Functional Guidelines* (shown below) where detections were not believed to be site-related. Laboratory blank, equipment blank, field blank, and trip blank non-conformances are summarized in Attachment A in Table’s A-4 and A-5.

**Blank Non-conformance Chart:**

Blank type	Blank result	Sample result	Action for samples
Method, Storage, Trip, Field, or Equipment	Detects	Not detected	No qualification
	< 2x LOQ	< 2x LOQ	Report sample LOQ value with a U
		≥ 2x LOQ	Use professional judgment
	> 2x LOQ	< 2x LOQ	Report sample LOQ value with a U
		≥ 2x LOQ and < blank contamination	Report the blank result with a U or reject the sample result as unusable R
		≥ 2x LOQ and ≥ blank contamination	If the result is < 2x blank result, report the sample result U. If the result is > 2x blank result, no qualification is required.
	= 2x LOQ	< 2x LOQ	Report sample LOQ value with a U
		≥ 2x LOQ	Use professional judgment
	Gross contamination	Detects	Qualify results as unusable R

**Notes:**

LOQ = Limit of quantitation  
 U = Undetected (Refer to Attachment B)  
 R = Rejected



**Laboratory Control Samples / Laboratory Control Sample Duplicate**

LCS %Rs is used to monitor the overall accuracy and performance of each step during analysis, including sample preparation. The laboratory analyzed LCSs in duplicate when MS/MSDs were not reported in individual SDGs. In these instances, the laboratory determined precision between the duplicated values. Non-conformance is summarized in Attachment A in Table A-6. Data qualification to the analytes associated with the specific LCS / LCS duplicate was as follows:

**Laboratory Control Sample / Laboratory Control Sample Duplicate Non-conformance Chart:**

Criteria	Action	
	Detected	Non-detected
% R or RPD > UL	J No	qualification
%R < LL	J	UJ
% R < 20%	J R	

**Notes:**

- %R = Percent recovery
- RPD = Relative percent difference
- UL = Upper limit
- LL = Lower limit
- J = Estimated (Refer to Attachment B)
- UJ = Undetected and estimated (Refer to Attachment B)
- R = Rejected

**Qualifications Actions**

The data was reviewed independently from the laboratory to assess data quality. All compounds detected at concentrations less than the limit of quantitation (LOQ) but greater than the method detection limit were qualified by the laboratory as estimated (J). This "J" qualifier was retained during data validation. Any sample that was analyzed at a dilution because of high concentrations of target or non-targets was checked to confirm that the results and/or sample-specific LOQs and limit of detections were adjusted accordingly by the laboratory.

No results were rejected; therefore, analytical completeness was calculated to be 100 per cent. Data not qualified during data review are considered usable by the project. The remaining results qualified as estimated may be high or low, but the data are usable for their intended purpose, according to U.S. Environmental Protection Agency and Department of Defense guidelines. Final data review qualifiers used to describe results and how they should be interpreted by the end data user are provided in Attachment B and Attachment C. Attachment D provides final results after data review.

**ATTACHMENTS**

- Attachment A: Non-Conformance Summary Table
- Attachment B: Qualifier Codes and Explanations
- Attachment C: Reason Codes and Explanations
- Attachment D: Final Results after Data Review

**Attachment A**  
**Non-Conformance Summary Table**

Table (A-1) Sample Integrity Non-Conformance					
Method	Sample ID	Analyte	Units	Result	Qualifier
8260C	VPB158-GW-011915-48-50	1,1,1-TRICHLOROETHANE	UG_L 0.	5	UJ
8260C	VPB158-GW-011915-48-50	1,1,2,2-TETRACHLOROETHANE UG_	L	0.5	UJ
8260C	VPB158-GW-011915-48-50	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE U	G_L	0.5	UJ
8260C	VPB158-GW-011915-48-50	1,1,2-TRICHLOROETHANE U	G_L	0.5	UJ
8260C	VPB158-GW-011915-48-50	1,1-DICHLOROETHANE U	G_L	0.5	UJ
8260C	VPB158-GW-011915-48-50	1,1-DICHLOROETHENE U	G_L	0.5	UJ
8260C	VPB158-GW-011915-48-50	1,2,4-TRICHLOROBENZENE U	G_L	0.5	UJ
8260C	VPB158-GW-011915-48-50	1,2-DIBROMO-3-CHLOROPROPANE U	G_L	0.75	UJ
8260C	VPB158-GW-011915-48-50	1,2-DIBROMOETHANE U	G_L	0.5	UJ
8260C	VPB158-GW-011915-48-50	1,2-DICHLOROBENZENE U	G_L	0.5	UJ
8260C	VPB158-GW-011915-48-50	1,2-DICHLOROETHANE U	G_L	0.5	UJ
8260C	VPB158-GW-011915-48-50	1,2-DICHLOROETHENE, TOTAL	UG_L	1	UJ
8260C	VPB158-GW-011915-48-50	1,2-DICHLOROPROPANE U	G_L	0.5	UJ
8260C	VPB158-GW-011915-48-50	1,3-DICHLOROBENZENE U	G_L	0.5	UJ
8260C	VPB158-GW-011915-48-50	1,4-DICHLOROBENZENE U	G_L	0.5	UJ
8260C	VPB158-GW-011915-48-50	2-BUTANONE UG_	L	2.5	UJ
8260C	VPB158-GW-011915-48-50	2-HEXANONE UG_	L	2.5	UJ
8260C	VPB158-GW-011915-48-50	4-METHYL-2-PENTANONE UG_	L	2.5	UJ
8260C	VPB158-GW-011915-48-50	ACETONE U	G_L	2.5	UJ
8260C	VPB158-GW-011915-48-50	BENZENE U	G_L	0.32	J
8260C	VPB158-GW-011915-48-50	BROMODICHLOROMETHANE U	G_L	0.5	UJ
8260C	VPB158-GW-011915-48-50	BROMOFORM U	G_L	0.5	UJ
8260C	VPB158-GW-011915-48-50	BROMOMETHANE U	G_L	1	UJ
8260C	VPB158-GW-011915-48-50	CARBON DISULFIDE	UG_L	0.5	UJ
8260C	VPB158-GW-011915-48-50	CARBON TETRACHLORIDE	UG_L	0.5	UJ
8260C	VPB158-GW-011915-48-50	CHLOROBENZENE U	G_L	0.5	UJ
8260C	VPB158-GW-011915-48-50	CHLOROETHANE UG_	L	1	UJ
8260C	VPB158-GW-011915-48-50	CHLOROFORM U	G_L	0.5	UJ
8260C	VPB158-GW-011915-48-50	CHLOROMETHANE UG_	L	1	UJ
8260C	VPB158-GW-011915-48-50	CIS-1,2-DICHLOROETHENE U	G_L	0.5	UJ
8260C	VPB158-GW-011915-48-50	CIS-1,3-DICHLOROPROPENE U	G_L	0.5	UJ
8260C	VPB158-GW-011915-48-50	CYCLOHEXANE U	G_L	0.5	UJ
8260C	VPB158-GW-011915-48-50	DIBROMOCHLOROMETHANE U	G_L	0.5	UJ
8260C	VPB158-GW-011915-48-50	DICHLORODIFLUOROMETHANE U	G_L	1	UJ
8260C	VPB158-GW-011915-48-50	ETHYLBENZENE UG_	L	0.5	UJ
8260C	VPB158-GW-011915-48-50	ISOPROPYLBENZENE UG_	L	0.5	UJ
8260C	VPB158-GW-011915-48-50	M- AND P-XYLENE	UG_L	1	UJ
8260C	VPB158-GW-011915-48-50	METHYL ACETATE	UG_L	0.75	UJ
8260C	VPB158-GW-011915-48-50	METHYL CYCLOHEXANE	UG_L	0.5	UJ
8260C	VPB158-GW-011915-48-50	METHYL TERT-BUTYL ETHER	UG_L	0.5	UJ
8260C	VPB158-GW-011915-48-50	METHYLENE CHLORIDE	UG_L	2.5	UJ
8260C	VPB158-GW-011915-48-50	O-XYLENE UG_	L	0.5	UJ
8260C	VPB158-GW-011915-48-50	STYRENE U	G_L	0.5	UJ
8260C	VPB158-GW-011915-48-50	TETRACHLOROETHENE UG_	L	0.5	UJ
8260C	VPB158-GW-011915-48-50	TOLUENE U	G_L	0.5	UJ
8260C	VPB158-GW-011915-48-50	TRANS-1,2-DICHLOROETHENE U	G_L	0.5	UJ
8260C	VPB158-GW-011915-48-50	TRANS-1,3-DICHLOROPROPENE U	G_L	0.5	UJ
8260C	VPB158-GW-011915-48-50	TRICHLOROETHENE UG_	L	0.5	UJ
8260C	VPB158-GW-011915-48-50	TRICHLOROFLUOROMETHANE U	G_L	1	UJ
8260C	VPB158-GW-011915-48-50	VINYL CHLORIDE	UG_L	1	UJ
8260C	VPB158-GW-011915-48-50	XYLENES, TOTAL	UG_L	1.5	UJ

**Notes:**

UG\_L = Micrograms per liter  
 J = Estimated value  
 UJ = Non-detect estimated value

Table (A-2) Initial Calibration Verification Non-Conformance						
Method	Analyte	ICV ID	%R	Limit	Associated Samples	Qualifier
8260C A	cetone	WG157202-7	143.51	80-120	VPB158-EB-012215 VPB158-FB-012215 VPB158-GW-011915-48-50 VPB158-GW-011915-98-100 VPB158-GW-012215-148-150 VPB158-TRIPBLANK-012215	All associated positive and non-detects results for analyte were qualified as estimated (J and UJ).
8260C D	ichlorodifluoromethane	WG157841-7	40.31	80-120	VPB158-GWD-012215	UJ
8260C C	hloromethane	WG157841-7	67.49	80-120	VPB158-GWD-012215	UJ
8260C A	cetone	WG157841-7	159.73	80-120	VPB158-GWD-012215	UJ
8260C V	inyl Chloride	WG157841-7	75.39	80-120	VPB158-GWD-012215	UJ

**Notes:**

ICV = Initial calibration verification  
 %R = Percent recovery  
 J = Estimated value  
 UJ = Non-detect estimated value

Table (A-3) Continuing Calibration Verification Non-Conformance					
Calibration	Analyte	%D	%D Limit	Associated Samples	Qualifiers
WG157541-4 1,1	,2,2-Tetrachloroethane	20.08	20	VPB158-EB-012215 VPB158-FB-012215 VPB158-GW-011915-48-50 VPB158-GW-011915-98-100 VPB158-GW-012215-148-150 VPB158-TRIPBLANK-012215	All associated positive and non-detects results for analyte were qualified as estimated (J and UJ).
WG157541-4 1,2	-Dibromo-3-chloropropane	26.28	20	VPB158-EB-012215 VPB158-FB-012215 VPB158-GW-011915-48-50 VPB158-GW-011915-98-100 VPB158-GW-012215-148-150 VPB158-TRIPBLANK-012215	All associated positive and non-detects results for analyte were qualified as estimated (J and UJ).
WG157541-4 Methyl	acetate	23.55	20	VPB158-EB-012215 VPB158-FB-012215 VPB158-GW-011915-48-50 VPB158-GW-011915-98-100 VPB158-GW-012215-148-150 VPB158-TRIPBLANK-012215	All associated positive and non-detects results for analyte were qualified as estimated (J and UJ).

**Notes:**

%D = Percent difference  
 J = Estimated value  
 UJ = Non-detect estimated value

Table (A-4) Laboratory Blank Non-Conformance						
Lab Blank ID	Analyte	Blank Result (UG_L)	LOQ	Associated Samples	Sample Result (UG_L)	Qualifier
WG157541-2	Carbon Disulfide	0.32	1	VPB158-GW-011915-98-100	0.27 U	

**Notes:**

UG\_L = Micrograms per liter  
 LOQ = Limit of quantitation  
 U = Associated sample flagged non-detect "U" due to both blank result and sample result less than 2 times LOQ.

Table (A-5) Equipment Blank, Field Blank, and Trip Blank Non-Conformance							
Blank Type	Blank ID	Analyte	Blank Result (UG_L)	LOQ	Associated Sample	Sample Result (UG_L)	Qualifier
EB VPB	158-EB-012215	Acetone	3.7	5	VPB158-GW-011915-48-50	6.1	U
EB VPB	158-EB-012215	Acetone	3.7	5	VPB158-GW-011915-98-100	8.6	U
EB VPB	158-EB-012215	Acetone	3.7	5	VPB158-GW-012215-148-150	6.8	U
EB VPB	158-EB-012215	Acetone	3.7	5	VPB158-GWD-012215	6.2	U
EB VPB	158-EB-012215	Carbon disulfide	0.27	1	VPB158-GW-011915-98-100	0.27	U
FB VPB	158-FB-012215	Acetone	2.4	5	VPB158-GW-011915-48-50	6.1	U
FB VPB	158-FB-012215	Acetone	2.4	5	VPB158-GW-011915-98-100	8.6	U
FB VPB	158-FB-012215	Acetone	2.4	5	VPB158-GW-012215-148-150	6.8	U
FB VPB	158-FB-012215	Acetone	2.4	5	VPB158-GWD-012215	6.2	U
FB VPB	158-FB-012215	Chloroform	1.6	1	VPB158-GW-011915-98-100	0.74	U
FB VPB	158-FB-012215	Chloroform	1.6	1	VPB158-GW-012215-148-150	0.84	U
FB VPB	158-FB-012215	Chloroform	1.6	1	VPB158-GWD-012215	0.78	U
TB VPB	158-TB-012215	Acetone	3.0	5	VPB158-GW-011915-48-50	6.1	U
TB VPB	158-TB-012215	Acetone	3.0	5	VPB158-GW-011915-98-100	8.6	U
TB VPB	158-TB-012215	Acetone	3.0	5	VPB158-GW-012215-148-150	6.8	U
TB VPB	158-TB-012215	Acetone	3.0	5	VPB158-GWD-012215	6.2	U
TB VPB	158-TB-012215	Carbon disulfide	0.31	1	VPB158-GW-011915-98-100	0.27	U

**Notes:**

EB = Equipment blank  
 FB = Field blank  
 TB = Trip blank  
 UG\_L = Micrograms per liter  
 LOQ = Limit of quantitation  
 U = Associated sample flagged non-detect "U" due to both blank result and sample result less than 2 times LOQ.

Table (A-6) Laboratory Control Sample Non-Conformance						
LCS	Batch	Analyte	%R	Limits	Associated Sample	Qualifier
WG157541-1	WG157541	Xylenes, total	86.7	89-116	VPB 158-EB-012215	UJ
WG157541-1	WG157541	Xylenes, total	86.7	89-116	VPB 158-FB-012215	UJ
WG157541-1	WG157541	Xylenes, total	86.7	89-116	VPB 158-GW-011915-48-50	UJ
WG157541-1	WG157541	Xylenes, total	86.7	89-116	VPB 158-GW-011915-98-100	UJ
WG157541-1	WG157541	Xylenes, total	86.7	89-116	VPB 158-GW-012215-148-150	UJ
WG157541-1	WG157541	Xylenes, total	86.7	89-116	VPB 158-TRIPBLANK-012215	UJ
WG157541-1	WG157541	1,2-Dichloroethene, total	77.4	84-121	VPB 158-EB-012215	UJ
WG157541-1	WG157541	1,2-Dichloroethene, total	77.4	84-121	VPB 158-FB-012215	UJ

**Table (A-6)**  
**Laboratory Control Sample Non-Conformance**

<b>LCS</b>	<b>Batch</b>	<b>Analyte</b>	<b>%R</b>	<b>Limits</b>	<b>Associated Sample</b>	<b>Qualifier</b>
WG157541-1	WG157541	1,2-Dichloroethene, total	77.4	84-121 VPB	158-GW-011915-48-50	UJ
WG157541-1	WG157541	1,2-Dichloroethene, total	77.4	84-121 VPB	158-GW-011915-98-100	UJ
WG157541-1	WG157541	1,2-Dichloroethene, total	77.4	84-121 VPB	158-GW-012215-148-150	J
WG157541-1	WG157541	1,2-Dichloroethene, total	77.4	84-121 VPB	158-TRIPBLANK-012215	UJ

**Notes:**

- LCS = Laboratory control sample
- %R = Percent recovery
- UJ = Non-detect and qualified estimated "UJ" due to associated sample having low %R.
- J = Detected analyte in associated sample qualified estimated "J" due to potential bias.

**Attachment B**  
**Qualifier Codes and Explanations**

<b>Qualifier</b>	<b>Explanation</b>
J	The analyte was positively identified; the associated numerical value is the approximate concentration of the analyte in the sample.
UJ	The analyte was not detected above the reported sample quantitation limit. However, the reported quantitation limit is approximate and may or may not represent the actual quantitation limit necessary to accurately and precisely measure the analyte in the sample.
U	The analyte was analyzed for, but was not detected above the reported sample quantitation limit.

**Attachment C**  
**Reason Codes and Explanations**

<b>Reason Code</b>	<b>Explanation</b>
be	Equipment blank contamination
bf Fie	ld blank contamination
bl	Laboratory blank contamination
bt	Trip blank contamination
c C	alibration issue
d	Reporting limit raised due to chromatographic interference
fd	Field duplicate RPDs
h Ho	lding times
i Interna	l standard areas
k	Estimated Maximum Possible Concentration (EMPC)
l	LCS or OPR recoveries
lc	Labeled compound recovery
ld	Laboratory duplicate RPDs
lp	Laboratory control sample/laboratory control sample duplicate RPDs
m Matrix	spike recovery
mc	Method compliance non-conformance
md	Matrix spike/matrix spike duplicate RPDs
nb	Negative laboratory blank contamination
p	Chemical preservation issue
r Dual	column RPD
q Quant	itation issue
s Surrogate	recovery
su Ion	suppression
t Tempera	ture preservation issue
x Per	cent solids
y	Serial dilution results
z ICS	results



**Attachment D**  
**Final Results after Data Review**

Sample Delivery Group Lab Identification Sample Identification Sample Date Sample Type Depth Interval				SI0498 SI0498-1 VPB158-GW-011915-48-50 1/19/2015 Groundwater 48 - 50 ft		
Method	Analyte	CAS No	Units	Result Qual		RC
8260C 1,1,1-	TRICHLOROETHANE	71-55-6	UG_L	0.5	UJ	mc
8260C 1,1,2,2-	TETRACHLOROETHANE 79-	34-5	UG_L	0.5	UJ	c,mc
8260C 1,1,2-	TRICHLORO-1,2,2-TRIFLUOROETHANE 76-	13-1	UG_L	0.5	UJ	mc
8260C 1,1,2-	TRICHLOROETHANE	79-00-5	UG_L	0.5	UJ	mc
8260C 1,1-	DICHLOROETHANE	75-34-3	UG_L	0.5	UJ	mc
8260C 1,1-	DICHLOROETHENE	75-35-4	UG_L	0.5	UJ	mc
8260C 1,2,4-	TRICHLOROBENZENE	120-82-1	UG_L	0.5	UJ	mc
8260C 1,2-	DIBROMO-3-CHLOROPROPANE	96-12-8	UG_L	0.75	UJ	c,mc
8260C 1,2-	DIBROMOETHANE	106-93-4	UG_L	0.5	UJ	mc
8260C 1,2-	DICHLOROBENZENE	95-50-1	UG_L	0.5	UJ	mc
8260C 1,2-	DICHLOROETHANE	107-06-2	UG_L	0.5	UJ	mc
8260C 1,2-	DICHLOROETHENE, TOTAL	540-59-0	UG_L	1	UJ	l,mc
8260C 1,2-	DICHLOROPROPANE	78-87-5	UG_L	0.5	UJ	mc
8260C 1,3-	DICHLOROBENZENE	541-73-1	UG_L	0.5	UJ	mc
8260C 1,4-	DICHLOROBENZENE	106-46-7	UG_L	0.5	UJ	mc
8260C 2-	BUTANONE	78-93-3	UG_L	2.5	UJ	mc
8260C 2-	HEXANONE	591-78-6	UG_L	2.5	UJ	mc
8260C 4-	METHYL-2-PENTANONE	108-10-1	UG_L	2.5	UJ	mc
8260C	ACETONE	67-64-1	UG_L	2.5	UJ	be,bf,bt,mc,c
8260C B	ENZENE	71-43-2	UG_L	0.32	J	mc
8260C B	ROMODICHLOROMETHANE	75-27-4	UG_L	0.5	UJ	mc
8260C B	ROMOFORM	75-25-2	UG_L	0.5	UJ	mc
8260C B	ROMOMETHANE	74-83-9	UG_L	1	UJ	mc
8260C CARB	ON DISULFIDE	75-15-0	UG_L	0.5	UJ	mc
8260C CARB	ON TETRACHLORIDE	56-23-5	UG_L	0.5	UJ	mc
8260C CHLOROB	ENZENE	108-90-7	UG_L	0.5	UJ	mc
8260C CHLOROETHANE		75-00-3	UG_L	1	UJ	mc
8260C CHLOROFORM		67-66-3	UG_L	0.5	UJ	mc
8260C CHLOROM	ETHANE	74-87-3	UG_L	1	UJ	mc
8260C CIS-	1,2-DICHLOROETHENE	156-59-2	UG_L	0.5	UJ	mc
8260C CIS-	1,3-DICHLOROPROPENE	10061-01-5	UG_L	0.5	UJ	mc
8260C CYCLOHEXANE		110-82-7	UG_L	0.5	UJ	mc
8260C DIB	ROMOCHLOROMETHANE	124-48-1	UG_L	0.5	UJ	mc
8260C DICHLORODI	FLUOROMETHANE	75-71-8	UG_L	1	UJ	mc
8260C ETHYLB	ENZENE	100-41-4	UG_L	0.5	UJ	mc
8260C ISOP	ROPYLBENZENE	98-82-8	UG_L	0.5	UJ	mc
8260C	M- AND P-XYLENE	108-38-3/106-42	UG_L	1	UJ	mc
8260C M	ETHYL ACETATE	79-20-9	UG_L	0.75	UJ	c,mc
8260C M	ETHYL CYCLOHEXANE	108-87-2	UG_L	0.5	UJ	mc
8260C	METHYL TERT-BUTYL ETHER	1634-04-4	UG_L	0.5	UJ	mc
8260C M	ETHYLENE CHLORIDE	75-09-2	UG_L	2.5	UJ	mc
8260C O-	XYLENE	95-47-6	UG_L	0.5	UJ	mc
8260C	STYRENE	100-42-5	UG_L	0.5	UJ	mc
8260C	TETRACHLOROETHENE	127-18-4	UG_L	0.5	UJ	mc
8260C	TOLUENE	108-88-3	UG_L	0.5	UJ	mc
8260C TRANS-	1,2-DICHLOROETHENE	156-60-5	UG_L	0.5	UJ	mc
8260C TRANS-	1,3-DICHLOROPROPENE	10061-02-6	UG_L	0.5	UJ	mc
8260C	TRICHLOROETHENE	79-01-6	UG_L	0.5	UJ	mc
8260C TRICHLOROF	LUOROMETHANE	75-69-4	UG_L	1	UJ	mc
8260C V	INYL CHLORIDE	75-01-4	UG_L	1	UJ	mc
8260C XY	LENES, TOTAL	1330-20-7	UG_L	1.5	UJ	l,mc

Sample Delivery Group Lab Identification Sample Identification Sample Date Sample Type Depth Interval				SI0498 SI0498-2 VPB158-GW-011915-98-100 1/19/2015 Groundwater 98 - 100 ft		
Method	Analyte	CAS No	Units	Result Qual		RC
8260C 1,1,1-	TRICHLOROETHANE	71-55-6	UG_L	0.5	U	
8260C 1,1,2,2-	TETRACHLOROETHANE 79-	34-5	UG_L	0.5	UJ	c
8260C 1,1,2-	TRICHLORO-1,2,2-TRIFLUOROETHANE 76-	13-1	UG_L	0.5	U	
8260C 1,1,2-	TRICHLOROETHANE	79-00-5	UG_L	0.5	U	
8260C 1,1-	DICHLOROETHANE	75-34-3	UG_L	0.5	U	
8260C 1,1-	DICHLOROETHENE	75-35-4	UG_L	0.5	U	
8260C 1,2,4-	TRICHLOROBENZENE	120-82-1	UG_L	0.5	U	
8260C 1,2-	DIBROMO-3-CHLOROPROPANE	96-12-8	UG_L	0.75	UJ	c
8260C 1,2-	DIBROMOETHANE	106-93-4	UG_L	0.5	U	
8260C 1,2-	DICHLOROBENZENE	95-50-1	UG_L	0.5	U	
8260C 1,2-	DICHLOROETHANE	107-06-2	UG_L	0.5	U	
8260C 1,2-	DICHLOROETHENE, TOTAL	540-59-0	UG_L	1	UJ	l
8260C 1,2-	DICHLOROPROPANE	78-87-5	UG_L	0.5	U	
8260C 1,3-	DICHLOROBENZENE	541-73-1	UG_L	0.5	U	
8260C 1,4-	DICHLOROBENZENE	106-46-7	UG_L	0.5	U	
8260C 2-	BUTANONE	78-93-3	UG_L	2.5	U	
8260C 2-	HEXANONE	591-78-6	UG_L	2.5	U	
8260C 4-	METHYL-2-PENTANONE	108-10-1	UG_L	2.5	U	
8260C	ACETONE	67-64-1	UG_L	2.5	UJ	be,bf,bt,c
8260C B	ENZENE	71-43-2	UG_L	0.5	U	
8260C B	ROMODICHLOROMETHANE	75-27-4	UG_L	0.5	U	
8260C B	ROMOFORM	75-25-2	UG_L	0.5	U	
8260C B	ROMOMETHANE	74-83-9	UG_L	1	U	
8260C CARB	ON DISULFIDE	75-15-0	UG_L	0.5	U	be,bt,bl
8260C	CARBON TETRACHLORIDE	56-23-5	UG_L	0.5	U	
8260C CHLOROB	ENZENE	108-90-7	UG_L	0.5	U	
8260C CHLOROETHANE		75-00-3	UG_L	1	U	
8260C CHLOROFORM		67-66-3	UG_L	0.5	U	bf
8260C CHLOROM	ETHANE	74-87-3	UG_L	1	U	
8260C CIS-	1,2-DICHLOROETHENE	156-59-2	UG_L	0.5	U	
8260C CIS-	1,3-DICHLOROPROPENE	10061-01-5	UG_L	0.5	U	
8260C CYCLOHEXANE		110-82-7	UG_L	0.5	U	
8260C DIB	ROMOCHLOROMETHANE	124-48-1	UG_L	0.5	U	
8260C DICHLORODI	FLUOROMETHANE	75-71-8	UG_L	1	U	
8260C ETHYLB	ENZENE	100-41-4	UG_L	0.5	U	
8260C ISOP	ROPYLBENZENE	98-82-8	UG_L	0.5	U	
8260C	M- AND P-XYLENE	108-38-3/106-42	UG_L	1	U	
8260C M	ETHYL ACETATE	79-20-9	UG_L	0.75	UJ	c
8260C	METHYL CYCLOHEXANE	108-87-2	UG_L	0.5	U	
8260C	METHYL TERT-BUTYL ETHER	1634-04-4	UG_L	0.5	U	
8260C	METHYLENE CHLORIDE	75-09-2	UG_L	2.5	U	
8260C O-	XYLENE	95-47-6	UG_L	0.5	U	
8260C	STYRENE	100-42-5	UG_L	0.5	U	
8260C	TETRACHLOROETHENE	127-18-4	UG_L	0.5	U	
8260C	TOLUENE	108-88-3	UG_L	0.5	U	
8260C TRANS-	1,2-DICHLOROETHENE	156-60-5	UG_L	0.5	U	
8260C TRANS-	1,3-DICHLOROPROPENE	10061-02-6	UG_L	0.5	U	
8260C	TRICHLOROETHENE	79-01-6	UG_L	0.5	U	
8260C TRICHLOROF	LUOROMETHANE	75-69-4	UG_L	1	U	
8260C	VINYL CHLORIDE	75-01-4	UG_L	1	U	
8260C	XYLENES, TOTAL	1330-20-7	UG_L	1.5	UJ	l

Sample Delivery Group Lab Identification Sample Identification Sample Date Sample Type Depth Interval				SI0498 SI0498-3 VPB158-GW-012215-148-150 1/22/2015 Groundwater 148 - 150 ft		
Method	Analyte	CAS No	Units	Result	Qual	RC
8260C	1,1,1-TRICHLOROETHANE	71-55-6	UG_L	2.3		
8260C 1,1,2,2-	TETRACHLOROETHANE 79-	34-5	UG_L	0.5	UJ	c
8260C 1,1,2-	TRICHLORO-1,2,2-TRIFLUOROETHANE 76-	13-1	UG_L	0.46	J	
8260C 1,1,2-	TRICHLOROETHANE	79-00-5	UG_L	0.5	U	
8260C	1,1-DICHLOROETHANE	75-34-3	UG_L	15		
8260C	1,1-DICHLOROETHENE	75-35-4	UG_L	5		
8260C 1,2,4-	TRICHLOROBENZENE	120-82-1	UG_L	0.5	U	
8260C 1,2-	DIBROMO-3-CHLOROPROPANE	96-12-8	UG_L	0.75	UJ	c
8260C 1,2-	DIBROMOETHANE	106-93-4	UG_L	0.5	U	
8260C 1,2-	DICHLOROBENZENE	95-50-1	UG_L	0.5	U	
8260C 1,2-	DICHLOROETHANE	107-06-2	UG_L	0.5	U	
8260C 1,2-	DICHLOROETHENE, TOTAL	540-59-0	UG_L	3.4	J	I
8260C 1,2-	DICHLOROPROPANE	78-87-5	UG_L	0.5	U	
8260C 1,3-	DICHLOROBENZENE	541-73-1	UG_L	0.5	U	
8260C 1,4-	DICHLOROBENZENE	106-46-7	UG_L	0.5	U	
8260C 2-	BUTANONE	78-93-3	UG_L	2.5	U	
8260C 2-	HEXANONE	591-78-6	UG_L	2.5	U	
8260C 4-	METHYL-2-PENTANONE	108-10-1	UG_L	2.5	U	
8260C	ACETONE	67-64-1	UG_L	2.5	UJ	be,bf,bt,c
8260C B	ENZENE	71-43-2	UG_L	0.5	U	
8260C B	ROMODICHLOROMETHANE	75-27-4	UG_L	0.5	U	
8260C B	ROMOFORM	75-25-2	UG_L	0.5	U	
8260C B	ROMOMETHANE	74-83-9	UG_L	1	U	
8260C	CARBON DISULFIDE	75-15-0	UG_L	0.5	U	
8260C	CARBON TETRACHLORIDE	56-23-5	UG_L	0.5	U	
8260C	CHLOROBENZENE	108-90-7	UG_L	0.5	U	
8260C	CHLOROETHANE	75-00-3	UG_L	1	U	
8260C	CHLOROFORM	67-66-3	UG_L	0.5	U	bf
8260C	CHLOROMETHANE	74-87-3	UG_L	1	U	
8260C	CIS-1,2-DICHLOROETHENE	156-59-2	UG_L	3.4		
8260C CIS-	1,3-DICHLOROPROPENE	10061-01-5	UG_L	0.5	U	
8260C	CYCLOHEXANE	110-82-7	UG_L	0.5	U	
8260C	DIBROMOCHLOROMETHANE	124-48-1	UG_L	0.5	U	
8260C	DICHLORODIFLUOROMETHANE	75-71-8	UG_L	1	U	
8260C	ETHYLBENZENE	100-41-4	UG_L	0.5	U	
8260C	ISOPROPYLBENZENE	98-82-8	UG_L	0.5	U	
8260C	M- AND P-XYLENE	108-38-3/106-42	UG_L	1	U	
8260C M	ETHYL ACETATE	79-20-9	UG_L	0.75	UJ	c
8260C	METHYL CYCLOHEXANE	108-87-2	UG_L	0.5	U	
8260C	METHYL TERT-BUTYL ETHER	1634-04-4	UG_L	0.5	U	
8260C	METHYLENE CHLORIDE	75-09-2	UG_L	2.5	U	
8260C O-	XYLENE	95-47-6	UG_L	0.5	U	
8260C	STYRENE	100-42-5	UG_L	0.5	U	
8260C	TETRACHLOROETHENE	127-18-4	UG_L	0.71	J	
8260C	TOLUENE	108-88-3	UG_L	0.5	U	
8260C	TRANS-1,2-DICHLOROETHENE	156-60-5	UG_L	0.5	U	
8260C	TRANS-1,3-DICHLOROPROPENE	10061-02-6	UG_L	0.5	U	
8260C	TRICHLOROETHENE	79-01-6	UG_L	8.4		
8260C	TRICHLOROFLUOROMETHANE	75-69-4	UG_L	1	U	
8260C	VINYL CHLORIDE	75-01-4	UG_L	1	U	
8260C	XYLENES, TOTAL	1330-20-7	UG_L	1.5	UJ	I

Sample Delivery Group Lab Identification Sample Identification Sample Date Sample Type Depth Interval				SI0498 SI0498-4RA VPB158-GWD-012215 1/22/2015 Field Duplicate 148 - 150 ft		
Method	Analyte	CAS No	Units	Result	Qual	RC
8260C	1,1,1-TRICHLOROETHANE	71-55-6	UG_L	2.1		
8260C 1,1,2,2-	TETRACHLOROETHANE 79-	34-5	UG_L	0.5	U	
8260C 1,1,2-	TRICHLORO-1,2,2-TRIFLUOROETHANE 76-	13-1	UG_L	0.5	U	
8260C 1,1,2-	TRICHLOROETHANE	79-00-5	UG_L	0.5	U	
8260C	1,1-DICHLOROETHANE	75-34-3	UG_L	15		
8260C	1,1-DICHLOROETHENE	75-35-4	UG_L	5.5		
8260C 1,2,4-	TRICHLOROBENZENE	120-82-1	UG_L	0.5	U	
8260C 1,2-	DIBROMO-3-CHLOROPROPANE	96-12-8	UG_L	0.75	U	
8260C 1,2-	DIBROMOETHANE	106-93-4	UG_L	0.5	U	
8260C 1,2-	DICHLOROBENZENE	95-50-1	UG_L	0.5	U	
8260C 1,2-	DICHLOROETHANE	107-06-2	UG_L	0.5	U	
8260C	1,2-DICHLOROETHENE, TOTAL	540-59-0	UG_L	3.5		
8260C 1,2-	DICHLOROPROPANE	78-87-5	UG_L	0.5	U	
8260C 1,3-	DICHLOROBENZENE	541-73-1	UG_L	0.5	U	
8260C 1,4-	DICHLOROBENZENE	106-46-7	UG_L	0.5	U	
8260C 2-	BUTANONE	78-93-3	UG_L	2.5	U	
8260C 2-	HEXANONE	591-78-6	UG_L	2.5	U	
8260C 4-	METHYL-2-PENTANONE	108-10-1	UG_L	2.5	U	
8260C	ACETONE	67-64-1	UG_L	2.5	UJ	be,bf,bt,c
8260C B	ENZENE	71-43-2	UG_L	0.5	U	
8260C B	ROMODICHLOROMETHANE	75-27-4	UG_L	0.5	U	
8260C B	ROMOFORM	75-25-2	UG_L	0.5	U	
8260C B	ROMOMETHANE	74-83-9	UG_L	1	U	
8260C	CARBON DISULFIDE	75-15-0	UG_L	0.5	U	
8260C	CARBON TETRACHLORIDE	56-23-5	UG_L	0.5	U	
8260C CHLOROB	ENZENE	108-90-7	UG_L	0.5	U	
8260C CHLOROETHANE		75-00-3	UG_L	1	U	
8260C CHLOROFORM		67-66-3	UG_L	0.5	U	bf
8260C CHLOROM	ETHANE	74-87-3	UG_L	1	UJ	c
8260C	CIS-1,2-DICHLOROETHENE	156-59-2	UG_L	3.5		
8260C CIS-	1,3-DICHLOROPROPENE	10061-01-5	UG_L	0.5	U	
8260C CYCLOHEXANE		110-82-7	UG_L	0.5	U	
8260C DIB	ROMOCHLOROMETHANE	124-48-1	UG_L	0.5	U	
8260C DICHLORODI	FLUOROMETHANE	75-71-8	UG_L	1	UJ	c
8260C ETHYLB	ENZENE	100-41-4	UG_L	0.5	U	
8260C ISOP	ROPYLBENZENE	98-82-8	UG_L	0.5	U	
8260C	M- AND P-XYLENE	108-38-3/106-42	UG_L	1	U	
8260C	METHYL ACETATE	79-20-9	UG_L	0.75	U	
8260C	METHYL CYCLOHEXANE	108-87-2	UG_L	0.5	U	
8260C	METHYL TERT-BUTYL ETHER	1634-04-4	UG_L	0.5	U	
8260C	METHYLENE CHLORIDE	75-09-2	UG_L	2.5	U	
8260C O-	XYLENE	95-47-6	UG_L	0.5	U	
8260C STYRENE		100-42-5	UG_L	0.5	U	
8260C	TETRACHLOROETHENE	127-18-4	UG_L	1.1		
8260C TOLUENE		108-88-3	UG_L	0.5	U	
8260C TRANS-	1,2-DICHLOROETHENE	156-60-5	UG_L	0.5	U	
8260C TRANS-	1,3-DICHLOROPROPENE	10061-02-6	UG_L	0.5	U	
8260C	TRICHLOROETHENE	79-01-6	UG_L	9.3		
8260C TRICHLOROF	LUOROMETHANE	75-69-4	UG_L	1	U	
8260C V	INYL CHLORIDE	75-01-4	UG_L	1	UJ	c
8260C	XYLENES, TOTAL	1330-20-7	UG_L	1.5	U	

Sample Delivery Group Lab ID Sample ID Sample Date Sample Type				SI0498 SI0498-7 VPB158-EB-012215 1/22/2015 Equipment Blank		
Method	Analyte	CAS No	Units	Result Qual		RC
5310B	TOTAL ORGANIC CARBON	-28	MG_L	0.11	J	
8260C 1,1,1-	TRICHLOROETHANE	71-55-6	UG_L	0.5	U	
8260C 1,1,2,2-	TETRACHLOROETHANE 79-	34-5	UG_L	0.5	UJ	c
8260C 1,1,2-	TRICHLORO-1,2,2-TRIFLUOROETHANE 76-	13-1	UG_L	0.5	U	
8260C 1,1,2-	TRICHLOROETHANE	79-00-5	UG_L	0.5	U	
8260C 1,1-	DICHLOROETHANE	75-34-3	UG_L	0.5	U	
8260C 1,1-	DICHLOROETHENE	75-35-4	UG_L	0.5	U	
8260C 1,2,4-	TRICHLOROBENZENE	120-82-1	UG_L	0.5	U	
8260C 1,2-	DIBROMO-3-CHLOROPROPANE	96-12-8	UG_L	0.75	UJ	c
8260C 1,2-	DIBROMOETHANE	106-93-4	UG_L	0.5	U	
8260C 1,2-	DICHLOROBENZENE	95-50-1	UG_L	0.5	U	
8260C 1,2-	DICHLOROETHANE	107-06-2	UG_L	0.5	U	
8260C 1,2-	DICHLOROETHENE, TOTAL	540-59-0	UG_L	1	UJ	l
8260C 1,2-	DICHLOROPROPANE	78-87-5	UG_L	0.5	U	
8260C 1,3-	DICHLOROBENZENE	541-73-1	UG_L	0.5	U	
8260C 1,4-	DICHLOROBENZENE	106-46-7	UG_L	0.5	U	
8260C 2-	BUTANONE	78-93-3	UG_L	2.5	U	
8260C 2-	HEXANONE	591-78-6	UG_L	2.5	U	
8260C 4-	METHYL-2-PENTANONE	108-10-1	UG_L	2.5	U	
8260C	ACETONE	67-64-1	UG_L	3.7	J	c
8260C B	ENZENE	71-43-2	UG_L	0.5	U	
8260C B	ROMODICHLOROMETHANE	75-27-4	UG_L	0.5	U	
8260C B	ROMOFORM	75-25-2	UG_L	0.5	U	
8260C B	ROMOMETHANE	74-83-9	UG_L	1	U	
8260C	CARBON DISULFIDE	75-15-0	UG_L	0.27	J	
8260C	CARBON TETRACHLORIDE	56-23-5	UG_L	0.5	U	
8260C	CHLOROBENZENE	108-90-7	UG_L	0.5	U	
8260C	CHLOROETHANE	75-00-3	UG_L	1	U	
8260C	CHLOROFORM	67-66-3	UG_L	0.5	U	
8260C	CHLOROMETHANE	74-87-3	UG_L	1	U	
8260C CIS-	1,2-DICHLOROETHENE	156-59-2	UG_L	0.5	U	
8260C CIS-	1,3-DICHLOROPROPENE	10061-01-5	UG_L	0.5	U	
8260C	CYCLOHEXANE	110-82-7	UG_L	0.5	U	
8260C DIB	ROMOCHLOROMETHANE	124-48-1	UG_L	0.5	U	
8260C DICHLORODI	FLUOROMETHANE	75-71-8	UG_L	1	U	
8260C ETHYLB	ENZENE	100-41-4	UG_L	0.5	U	
8260C ISOP	ROPYLBENZENE	98-82-8	UG_L	0.5	U	
8260C	M- AND P-XYLENE	108-38-3/106-42	UG_L	1	U	
8260C M	ETHYL ACETATE	79-20-9	UG_L	0.75	UJ	c
8260C	METHYL CYCLOHEXANE	108-87-2	UG_L	0.5	U	
8260C	METHYL TERT-BUTYL ETHER	1634-04-4	UG_L	0.5	U	
8260C	METHYLENE CHLORIDE	75-09-2	UG_L	2.5	U	
8260C O-	XYLENE	95-47-6	UG_L	0.5	U	
8260C	STYRENE	100-42-5	UG_L	0.5	U	
8260C	TETRACHLOROETHENE	127-18-4	UG_L	0.5	U	
8260C	TOLUENE	108-88-3	UG_L	0.5	U	
8260C TRANS-	1,2-DICHLOROETHENE	156-60-5	UG_L	0.5	U	
8260C TRANS-	1,3-DICHLOROPROPENE	10061-02-6	UG_L	0.5	U	
8260C	TRICHLOROETHENE	79-01-6	UG_L	0.5	U	
8260C TRICHLOROF	LUOROMETHANE	75-69-4	UG_L	1	U	
8260C	VINYL CHLORIDE	75-01-4	UG_L	1	U	
8260C	XYLENES, TOTAL	1330-20-7	UG_L	1.5	UJ	l

Sample Delivery Group				SI0498		
Lab ID				SI0498-8		
Sample ID				VPB158-FB-012215		
Sample Date				1/22/2015		
Sample Type				Field Blank		
Method	Analyte	CAS No	Units	Result	Qual	RC
5310B	TOTAL ORGANIC CARBON	-28	MG_L	0.2	J	
8260C 1,1,1-	TRICHLOROETHANE	71-55-6	UG_L	0.5	U	
8260C 1,1,2,2-	TETRACHLOROETHANE 79-	34-5	UG_L	0.5	UJ	c
8260C 1,1,2-	TRICHLORO-1,2,2-TRIFLUOROETHANE 76-	13-1	UG_L	0.5	U	
8260C 1,1,2-	TRICHLOROETHANE	79-00-5	UG_L	0.5	U	
8260C	1,1-DICHLOROETHANE	75-34-3	UG_L	1.1		
8260C 1,1-	DICHLOROETHENE	75-35-4	UG_L	0.5	U	
8260C 1,2,4-	TRICHLOROBENZENE	120-82-1	UG_L	0.5	U	
8260C 1,2-	DIBROMO-3-CHLOROPROPANE	96-12-8	UG_L	0.75	UJ	c
8260C 1,2-	DIBROMOETHANE	106-93-4	UG_L	0.5	U	
8260C 1,2-	DICHLOROBENZENE	95-50-1	UG_L	0.5	U	
8260C 1,2-	DICHLOROETHANE	107-06-2	UG_L	0.5	U	
8260C 1,2-	DICHLOROETHENE, TOTAL	540-59-0	UG_L	1	UJ	l
8260C 1,2-	DICHLOROPROPANE	78-87-5	UG_L	0.5	U	
8260C 1,3-	DICHLOROBENZENE	541-73-1	UG_L	0.5	U	
8260C 1,4-	DICHLOROBENZENE	106-46-7	UG_L	0.5	U	
8260C 2-	BUTANONE	78-93-3	UG_L	2.5	U	
8260C 2-	HEXANONE	591-78-6	UG_L	2.5	U	
8260C 4-	METHYL-2-PENTANONE	108-10-1	UG_L	2.5	U	
8260C	ACETONE	67-64-1	UG_L	2.4	J	c
8260C B	ENZENE	71-43-2	UG_L	0.5	U	
8260C B	ROMODICHLOROMETHANE	75-27-4	UG_L	0.5	U	
8260C B	ROMOFORM	75-25-2	UG_L	0.5	U	
8260C B	ROMOMETHANE	74-83-9	UG_L	1	U	
8260C	CARBON DISULFIDE	75-15-0	UG_L	0.5	U	
8260C	CARBON TETRACHLORIDE	56-23-5	UG_L	0.5	U	
8260C CHLOROB	ENZENE	108-90-7	UG_L	0.5	U	
8260C CHLOROETHANE		75-00-3	UG_L	1	U	
8260C	CHLOROFORM	67-66-3	UG_L	1.6		
8260C CHLOROM	ETHANE	74-87-3	UG_L	1	U	
8260C CIS-	1,2-DICHLOROETHENE	156-59-2	UG_L	0.5	U	
8260C CIS-	1,3-DICHLOROPROPENE	10061-01-5	UG_L	0.5	U	
8260C CYCLOHEXANE		110-82-7	UG_L	0.5	U	
8260C DIB	ROMOCHLOROMETHANE	124-48-1	UG_L	0.5	U	
8260C DICHLORODI	FLUOROMETHANE	75-71-8	UG_L	1	U	
8260C ETHYLB	ENZENE	100-41-4	UG_L	0.5	U	
8260C ISOP	ROPYLBENZENE	98-82-8	UG_L	0.5	U	
8260C	M- AND P-XYLENE	108-38-3/106-42	UG_L	1	U	
8260C M	ETHYL ACETATE	79-20-9	UG_L	0.75	UJ	c
8260C	METHYL CYCLOHEXANE	108-87-2	UG_L	0.5	U	
8260C	METHYL TERT-BUTYL ETHER	1634-04-4	UG_L	0.5	U	
8260C	METHYLENE CHLORIDE	75-09-2	UG_L	2.5	U	
8260C O-	XYLENE	95-47-6	UG_L	0.5	U	
8260C STYRENE		100-42-5	UG_L	0.5	U	
8260C TETRACHLOROETHENE		127-18-4	UG_L	0.5	U	
8260C TOLUENE		108-88-3	UG_L	0.5	U	
8260C TRANS-	1,2-DICHLOROETHENE	156-60-5	UG_L	0.5	U	
8260C TRANS-	1,3-DICHLOROPROPENE	10061-02-6	UG_L	0.5	U	
8260C TRICHLOROETHENE		79-01-6	UG_L	0.5	U	
8260C TRICHLOROF	LUOROMETHANE	75-69-4	UG_L	1	U	
8260C	VINYL CHLORIDE	75-01-4	UG_L	1	U	
8260C XYLENES,	TOTAL	1330-20-7	UG_L	1.5	UJ	l

Sample Delivery Group Lab ID Sample ID Sample Date Sample Type				SI0498 SI0498-9 VPB158-TRIP BLANK-012215 1/22/2015 Trip Blank		
Method	Analyte	CAS No	Units	Result	Qual	RC
8260C 1,1,1-	TRICHLOROETHANE	71-55-6	UG_L	0.5	U	
8260C 1,1,2,2-	TETRACHLOROETHANE 79-	34-5	UG_L	0.5	UJ	c
8260C 1,1,2-	TRICHLORO-1,2,2-TRIFLUOROETHANE 76-	13-1	UG_L	0.5	U	
8260C 1,1,2-	TRICHLOROETHANE	79-00-5	UG_L	0.5	U	
8260C 1,1-	DICHLOROETHANE	75-34-3	UG_L	0.5	U	
8260C 1,1-	DICHLOROETHENE	75-35-4	UG_L	0.5	U	
8260C 1,2,4-	TRICHLOROBENZENE	120-82-1	UG_L	0.5	U	
8260C 1,2-	DIBROMO-3-CHLOROPROPANE	96-12-8	UG_L	0.75	UJ	c
8260C 1,2-	DIBROMOETHANE	106-93-4	UG_L	0.5	U	
8260C 1,2-	DICHLOROBENZENE	95-50-1	UG_L	0.5	U	
8260C 1,2-	DICHLOROETHANE	107-06-2	UG_L	0.5	U	
8260C 1,2-	DICHLOROETHENE, TOTAL	540-59-0	UG_L	1	UJ	l
8260C 1,2-	DICHLOROPROPANE	78-87-5	UG_L	0.5	U	
8260C 1,3-	DICHLOROBENZENE	541-73-1	UG_L	0.5	U	
8260C 1,4-	DICHLOROBENZENE	106-46-7	UG_L	0.5	U	
8260C 2-	BUTANONE	78-93-3	UG_L	2.5	U	
8260C 2-	HEXANONE	591-78-6	UG_L	2.5	U	
8260C 4-	METHYL-2-PENTANONE	108-10-1	UG_L	2.5	U	
8260C	ACETONE	67-64-1	UG_L	3	J	c
8260C B	ENZENE	71-43-2	UG_L	0.5	U	
8260C B	ROMODICHLOROMETHANE	75-27-4	UG_L	0.5	U	
8260C B	ROMOFORM	75-25-2	UG_L	0.5	U	
8260C B	ROMOMETHANE	74-83-9	UG_L	1	U	
8260C	CARBON DISULFIDE	75-15-0	UG_L	0.31	J	
8260C	CARBON TETRACHLORIDE	56-23-5	UG_L	0.5	U	
8260C	CHLOROBENZENE	108-90-7	UG_L	0.5	U	
8260C	CHLOROETHANE	75-00-3	UG_L	1	U	
8260C	CHLOROFORM	67-66-3	UG_L	0.5	U	
8260C	CHLOROMETHANE	74-87-3	UG_L	1	U	
8260C CIS-	1,2-DICHLOROETHENE	156-59-2	UG_L	0.5	U	
8260C CIS-	1,3-DICHLOROPROPENE	10061-01-5	UG_L	0.5	U	
8260C	CYCLOHEXANE	110-82-7	UG_L	0.5	U	
8260C	DIBROMOCHLOROMETHANE	124-48-1	UG_L	0.5	U	
8260C	DICHLORODIFLUOROMETHANE	75-71-8	UG_L	1	U	
8260C	ETHYLBENZENE	100-41-4	UG_L	0.5	U	
8260C	ISOPROPYLBENZENE	98-82-8	UG_L	0.5	U	
8260C	M- AND P-XYLENE	108-38-3/106-42	UG_L	1	U	
8260C M	ETHYL ACETATE	79-20-9	UG_L	0.75	UJ	c
8260C	METHYL CYCLOHEXANE	108-87-2	UG_L	0.5	U	
8260C	METHYL TERT-BUTYL ETHER	1634-04-4	UG_L	0.5	U	
8260C	METHYLENE CHLORIDE	75-09-2	UG_L	2.5	U	
8260C O-	XYLENE	95-47-6	UG_L	0.5	U	
8260C	STYRENE	100-42-5	UG_L	0.5	U	
8260C	TETRACHLOROETHENE	127-18-4	UG_L	0.5	U	
8260C	TOLUENE	108-88-3	UG_L	0.5	U	
8260C TRANS-	1,2-DICHLOROETHENE	156-60-5	UG_L	0.5	U	
8260C TRANS-	1,3-DICHLOROPROPENE	10061-02-6	UG_L	0.5	U	
8260C	TRICHLOROETHENE	79-01-6	UG_L	0.5	U	
8260C	TRICHLOROFLUOROMETHANE	75-69-4	UG_L	1	U	
8260C	VINYL CHLORIDE	75-01-4	UG_L	1	U	
8260C	XYLENES, TOTAL	1330-20-7	UG_L	1.5	UJ	l



**Notes:**

ID =		Identification
UG_L	=	Micrograms per liter
Qual	=	Final qualifier (Refer to Attachment B)
RC	=	Reason code (Refer to Attachment C)

Sample Delivery Group				SI0498 SI0498		6	
Lab ID				SI0498-5 SI0498-		PB158-SOIL-DUP-012215	
Sample ID				VPB158-SOIL-012215-158-160 V		5	
Sample Date				1/22/2015 1/22/201		ield Duplicate	
Sample Type				Soil F			
Method	Analyte	CAS No	Units	Result Qual		Result	Qual
9060A	TOTAL ORGANIC CARBON	-28	UG_G	180	J	190	J

**Notes:**

ID = Identification  
 UG\_G = Micrograms per gram  
 Qual = Final qualifier (Refer to Attachment B)

**DATA VALIDATION REPORT**

Project:	Regional Groundwater Investigation — NWIRP Bethpage	
Laboratory:	Katahdin Analytical	
Sample Delivery Group:	SI0595	
Analyses/Method:	Volatile Organic Compounds (VOCs) by U.S. EPA SW-846 Method 8260C	
Validation Level:	3	
Project Number:	0888812477.SA.DV	
Prepared by:	Dana Miller/Resolution Consultants	Completed on: 03/17/2015
Reviewed by:	Tina Cantwell/Resolution Consultants	File Name: SI0595_8260C

**SUMMARY**

This report summarizes data review findings for samples listed below, collected by Resolution Consultants from the Regional Groundwater Investigation — NWIRP Bethpage site on 23 January 2015 in accordance with the following Sampling and Analysis Plans:

- *Sampling and Analysis Plan, Bethpage, New York, April 2013.*
- *UFP SAP Addendum, Inclusion of Additional Target Analytes for Volatile Organics Analyses, NWIRP Bethpage OU2, Bethpage, New York, August 2014.*
- *UFP SAP Addendum, Installation of Vertical Profile Borings and Monitoring Wells, Operable Unit 2, NWIRP Bethpage, New York, November 2013.*

Sample ID	Matrix/Sample Type	Analysis
VPB158-GW-012315-198-200 Gr	Groundwater	8260C
VPB158-GW-012315-218-220 Gr	Groundwater	8260C
VPB158—TRIPBLANK-012915 Trip	Blank	8260C

Data validation activities were conducted using the following guidance documents: *Test Methods for Evaluating Solid Waste, Physical/Chemical Methods SW-846, specifically Method 8260C, Volatile Organic Compounds by Gas Chromatography/Mass Spectrometry* (U.S. EPA, 2006), *U.S. Environmental Protection Agency (U.S. EPA) Contract Laboratory Program National Functional Guidelines for Superfund Organic Methods Data Review* (NFG, June 2008), and *Department of Defense (DoD) Quality Systems Manual (QSM) for Environmental Laboratories, Version 4.2* (October 2010). In the absence of method-specific information, laboratory quality control (QC) limits, project-specific requirements and/or professional judgment were used as appropriate.

## **REVIEW ELEMENTS**

The data were evaluated based on the following parameters (where applicable to the method):

- ✓ Data completeness (chain-of-custody [COC])/sample integrity
- ✓ Holding times and sample preservation
- ✓ GC/MS performance checks
- X Initial calibration/continuing calibration verification
- ✓ Laboratory blanks/trip blanks
- ✓ Surrogate spike recoveries
- NA Matrix spike (MS) and/or matrix spike duplicate (MSD) results
- X Laboratory control sample (LCS)/laboratory control sample duplicate (LCSD) results
- NA Field duplicates
- ✓ Internal standards
- ✓ Sample results/reporting issues

The symbol ( ✓ ) indicates that no validation qualifiers were applied based on this parameter. NA indicates that the parameter was not included as part of this data set or was not applicable to this validation and therefore not reviewed. Acceptable data parameters for which all criteria were met and no qualification was performed and non-conformance or other issues that were noted during validation, but did not result in qualification of data are not discussed further. The symbol ( X ) indicates that a QC non-conformance resulted in the qualification of data. Any QC non-conformance that resulted in the qualification of data is discussed below.

## **RESULTS**

### **Initial Calibration/Continuing Calibration Verification**

Calibration data were reviewed for conformance with the QC acceptance criteria to ensure that:

- the initial calibration percent relative standard deviation, correlation coefficient/coefficient of determination, and/or response factor method acceptance criteria were met;
- the initial calibration verification standard percent recovery acceptance criteria were met;
- the continuing calibration verification standard (CCV) method percent difference or percent drift (%Ds) and response factor acceptance criteria were met; and
- the retention time method acceptance criteria were met.

Data qualification to the analytes associated with the specific initial calibration verification (ICV) was as follows:

**ICV Recovery Non-conformance:**

Criteria	Actions	
	Detected Results	Non-detected Results
Recovery >120%	J	UJ
Recovery < 80%	J	UJ

ICV non-conformances are summarized in Attachment A in Table A-1.

**Laboratory Control Samples / Laboratory Control Sample Duplicate**

LCS %Rs is used to monitor the overall accuracy and performance of each step during analysis, including sample preparation. The laboratory analyzed LCSs in duplicate when MS/MSDs were not reported in individual SDGs. In these instances, the laboratory determined precision between the duplicated values. Non-conformance is summarized in Attachment A in Table A-2. Data qualification to the analytes associated with the specific LCS / LCS duplicate was as follows:

**Laboratory Control Sample / Laboratory Control Sample Duplicate Non-conformance Chart:**

Criteria	Action	
	Detected	Non-detected
% R or RPD > UL	J No	qualification
%R < LL	J	UJ
% R < 20%	J R	

**Notes:**

- %R = Percent recovery
- RPD = Relative percent difference
- UL = Upper limit
- LL = Lower limit
- J = Estimated (Refer to Attachment B)
- UJ = Undetected and estimated (Refer to Attachment B)
- R = Rejected

**Qualifications Actions**

The data was reviewed independently from the laboratory to assess data quality. All compounds detected at concentrations less than the limit of quantitation (LOQ) but greater than the method detection limit were qualified by the laboratory as estimated (J). This "J" qualifier was retained

during data validation. Any sample that was analyzed at a dilution because of high concentrations of target or non-targets was checked to confirm that the results and/or sample-specific LOQs and limit of detections were adjusted accordingly by the laboratory.

No results were rejected; therefore, analytical completeness was calculated to be 100 per cent. Data not qualified during data review are considered usable by the project. The remaining results qualified as estimated may be high or low, but the data are usable for their intended purpose, according to U.S. Environmental Protection Agency and Department of Defense guidelines. Final data review qualifiers used to describe results and how they should be interpreted by the end data user are provided in Attachment B and Attachment C. Attachment D provides final results after data review.

## **ATTACHMENTS**

Attachment A: Non-Conformance Summary Table

Attachment B: Qualifier Codes and Explanations

Attachment C: Reason Codes and Explanations

Attachment D: Final Results after Data Review

**Attachment A  
Non-Conformance Summary Table**

<b>Table (A-1) Initial Calibration Verification Non-Conformance</b>						
<b>Method</b>	<b>Analyte</b>	<b>ICV ID</b>	<b>%R</b>	<b>Limit</b>	<b>Associated Samples</b>	<b>Qualifier</b>
8260C D	ichlorodifluoromethane	WG157841-7	40.31	80-120	VPB158-GW-012315-198-200	UJ
8260C D	ichlorodifluoromethane	WG157841-7	40.31	80-120	VPB158-GW-012315-218-220	UJ
8260C D	ichlorodifluoromethane	WG157841-7	40.31	80-120	VPB158-TRIPBLANK-012915	UJ
8260C C	hlromethane	WG157841-7	67.49	80-120	VPB158-GW-012315-198-200	UJ
8260C C	hlromethane	WG157841-7	67.49	80-120	VPB158-GW-012315-218-220	UJ
8260C C	hlromethane	WG157841-7	67.49	80-120	VPB158-TRIPBLANK-012915	UJ
8260C A	cetone	WG157841-7	159.73	80-120	VPB158-GW-012315-198-200	UJ
8260C A	cetone	WG157841-7	159.73	80-120	VPB158-GW-012315-218-220	UJ
8260C A	cetone	WG157841-7	159.73	80-120	VPB158-TRIPBLANK-012915	J
8260C V	inyl Chloride	WG157841-7	75.39	80-120	VPB158-GW-012315-198-200	UJ
8260C V	inyl Chloride	WG157841-7	75.39	80-120	VPB158-GW-012315-218-220	UJ
8260C V	inyl Chloride	WG157841-7	75.39	80-120	VPB158-TRIPBLANK-012915	UJ

**Notes:**

ICV = Initial calibration verification  
 %R = Percent recovery  
 J = Estimated value  
 UJ = Non-detect estimated value

<b>Table (A-2) Laboratory Control Sample Non-Conformance</b>						
<b>LCS</b>	<b>Batch</b>	<b>Analyte</b>	<b>%R</b>	<b>Limits</b>	<b>Associated Sample</b>	<b>Qualifier</b>
WG1578841-8	WG157841	Acetone	160	40-140	VPB 158-TRIPBLANK-012915	J

**Notes:**

LCS = Laboratory control sample  
 %R = Percent recovery  
 J = Detected analyte in associated sample qualified estimated "J" due to potential bias.

**Attachment B**  
**Qualifier Codes and Explanations**

<b>Qualifier</b>	<b>Explanation</b>
J	The analyte was positively identified; the associated numerical value is the approximate concentration of the analyte in the sample.
UJ	The analyte was not detected above the reported sample quantitation limit. However, the reported quantitation limit is approximate and may or may not represent the actual quantitation limit necessary to accurately and precisely measure the analyte in the sample.
U	The analyte was analyzed for, but was not detected above the reported sample quantitation limit.



**Attachment C**  
**Reason Codes and Explanations**

<b>Reason Code</b>	<b>Explanation</b>
be	Equipment blank contamination
bf Fie	ld blank contamination
bl	Laboratory blank contamination
bt	Trip blank contamination
c C	alibration issue
d	Reporting limit raised due to chromatographic interference
fd	Field duplicate RPDs
h Ho	lding times
i Interna	l standard areas
k	Estimated Maximum Possible Concentration (EMPC)
l	LCS or OPR recoveries
lc	Labeled compound recovery
ld	Laboratory duplicate RPDs
lp	Laboratory control sample/laboratory control sample duplicate RPDs
m Matrix	spike recovery
mc	Method compliance non-conformance
md	Matrix spike/matrix spike duplicate RPDs
nb	Negative laboratory blank contamination
p	Chemical preservation issue
r Dual	column RPD
q Quant	itation issue
s Surrogate	recovery
su Ion	suppression
t Tempera	ture preservation issue
x Per	cent solids
y	Serial dilution results
z ICS	results

**Attachment D**  
**Final Results after Data Review**

Sample Delivery Group Lab Identification Sample Identification Sample Date Sample Type Depth Interval				SI0595 SI0595-1RA VPB158-GW-012315-198-200 1/23/2015 Groundwater 198 - 200 ft.		
Method	Analyte	CAS No	Units	Result	Qual	RC
8260C	1,1,1-TRICHLOROETHANE	71-55-6	UG_L	2.6		
8260C	1,1,2,2-TETRACHLOROETHANE	79-34-5	UG_L	0.5	U	
8260C	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	76-13-1	UG_L	0.5	U	
8260C	1,1,2-TRICHLOROETHANE	79-00-5	UG_L	0.34	J	
8260C	1,1-DICHLOROETHANE	75-34-3	UG_L	16		
8260C	1,1-DICHLOROETHENE	75-35-4	UG_L	5.6		
8260C	1,2,4-TRICHLOROBENZENE	120-82-1	UG_L	0.5	U	
8260C	1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	UG_L	0.75	U	
8260C	1,2-DIBROMOETHANE	106-93-4	UG_L	0.5	U	
8260C	1,2-DICHLOROBENZENE	95-50-1	UG_L	0.5	U	
8260C	1,2-DICHLOROETHANE	107-06-2	UG_L	0.5	U	
8260C	1,2-DICHLOROETHENE, TOTAL	540-59-0	UG_L	2.2		
8260C	1,2-DICHLOROPROPANE	78-87-5	UG_L	0.5	U	
8260C	1,3-DICHLOROBENZENE	541-73-1	UG_L	0.5	U	
8260C	1,4-DICHLOROBENZENE	106-46-7	UG_L	0.5	U	
8260C	2-BUTANONE	78-93-3	UG_L	2.5	U	
8260C	2-HEXANONE	591-78-6	UG_L	2.5	U	
8260C	4-METHYL-2-PENTANONE	108-10-1	UG_L	2.5	U	
8260C	ACETONE	67-64-1	UG_L	2.5	UJ	c
8260C	BENZENE	71-43-2	UG_L	0.5	UJ	
8260C	BROMODICHLOROMETHANE	75-27-4	UG_L	0.5	UJ	
8260C	BROMOFORM	75-25-2	UG_L	0.5	UJ	
8260C	BROMOMETHANE	74-83-9	UG_L	1	UJ	
8260C	CARBON DISULFIDE	75-15-0	UG_L	0.5	UJ	
8260C	CARBON TETRACHLORIDE	56-23-5	UG_L	0.5	U	
8260C	CHLOROBENZENE	108-90-7	UG_L	0.5	U	
8260C	CHLOROETHANE	75-00-3	UG_L	1	UJ	
8260C	CHLOROFORM	67-66-3	UG_L	1.6		
8260C	CHLOROMETHANE	74-87-3	UG_L	1	UJ	c
8260C	CIS-1,2-DICHLOROETHENE	156-59-2	UG_L	2.2		
8260C	CIS-1,3-DICHLOROPROPENE	10061-01-5	UG_L	0.5	U	
8260C	CYCLOHEXANE	110-82-7	UG_L	0.5	U	
8260C	DIBROMOCHLOROMETHANE	124-48-1	UG_L	0.5	U	
8260C	DICHLORODIFLUOROMETHANE	75-71-8	UG_L	1	UJ	c
8260C	ETHYLBENZENE	100-41-4	UG_L	0.5	U	
8260C	ISOPROPYLBENZENE	98-82-8	UG_L	0.5	U	
8260C	M- AND P-XYLENE	108-38-3/106-42	UG_L	1	U	
8260C	METHYL ACETATE	79-20-9	UG_L	0.75	U	
8260C	METHYL CYCLOHEXANE	108-87-2	UG_L	0.5	U	
8260C	METHYL TERT-BUTYL ETHER	1634-04-4	UG_L	0.5	U	
8260C	METHYLENE CHLORIDE	75-09-2	UG_L	2.5	UJ	
8260C	O-XYLENE	95-47-6	UG_L	0.5	U	
8260C	STYRENE	100-42-5	UG_L	0.5	U	
8260C	TETRACHLOROETHENE	127-18-4	UG_L	2.3		
8260C	TOLUENE	108-88-3	UG_L	0.5	U	
8260C	TRANS-1,2-DICHLOROETHENE	156-60-5	UG_L	0.5	U	
8260C	TRANS-1,3-DICHLOROPROPENE	10061-02-6	UG_L	0.5	U	
8260C	TRICHLOROETHENE	79-01-6	UG_L	35		
8260C	TRICHLOROFLUOROMETHANE	75-69-4	UG_L	1	UJ	
8260C	VINYL CHLORIDE	75-01-4	UG_L	1	UJ	c
8260C	XYLENES, TOTAL	1330-20-7	UG_L	1.5	U	

Sample Delivery Group Lab Identification Sample Identification Sample Date Sample Type Depth Interval				SI0595 SI0595-2RA VPB158-GW-012315-218-220 1/23/2015 Groundwater 218 - 220 ft.		
Method	Analyte	CAS No	Units	Result	Qual	RC
8260C	1,1,1-TRICHLOROETHANE	71-55-6	UG_L	2.5		
8260C	1,1,2,2-TETRACHLOROETHANE	79-34-5	UG_L	0.5	U	
8260C	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	76-13-1	UG_L	0.5	U	
8260C	1,1,2-TRICHLOROETHANE	79-00-5	UG_L	0.5	U	
8260C	1,1-DICHLOROETHANE	75-34-3	UG_L	16		
8260C	1,1-DICHLOROETHENE	75-35-4	UG_L	6		
8260C	1,2,4-TRICHLOROBENZENE	120-82-1	UG_L	0.5	U	
8260C	1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	UG_L	0.75	U	
8260C	1,2-DIBROMOETHANE	106-93-4	UG_L	0.5	U	
8260C	1,2-DICHLOROBENZENE	95-50-1	UG_L	0.5	U	
8260C	1,2-DICHLOROETHANE	107-06-2	UG_L	0.5	U	
8260C	1,2-DICHLOROETHENE, TOTAL	540-59-0	UG_L	2		
8260C	1,2-DICHLOROPROPANE	78-87-5	UG_L	0.5	U	
8260C	1,3-DICHLOROBENZENE	541-73-1	UG_L	0.5	U	
8260C	1,4-DICHLOROBENZENE	106-46-7	UG_L	0.5	U	
8260C	2-BUTANONE	78-93-3	UG_L	2.5	U	
8260C	2-HEXANONE	591-78-6	UG_L	2.5	U	
8260C	4-METHYL-2-PENTANONE	108-10-1	UG_L	2.5	U	
8260C	ACETONE	67-64-1	UG_L	2.5	UJ	c
8260C	BENZENE	71-43-2	UG_L	0.5	U	
8260C	BROMODICHLOROMETHANE	75-27-4	UG_L	0.5	U	
8260C	BROMOFORM	75-25-2	UG_L	0.5	U	
8260C	BROMOMETHANE	74-83-9	UG_L	1	U	
8260C	CARBON DISULFIDE	75-15-0	UG_L	0.5	U	
8260C	CARBON TETRACHLORIDE	56-23-5	UG_L	0.5	U	
8260C	CHLOROBENZENE	108-90-7	UG_L	0.5	U	
8260C	CHLOROETHANE	75-00-3	UG_L	1	U	
8260C	CHLOROFORM	67-66-3	UG_L	1.7		
8260C	CHLOROMETHANE	74-87-3	UG_L	1	UJ	c
8260C	CIS-1,2-DICHLOROETHENE	156-59-2	UG_L	2		
8260C	CIS-1,3-DICHLOROPROPENE	10061-01-5	UG_L	0.5	U	
8260C	CYCLOHEXANE	110-82-7	UG_L	0.5	U	
8260C	DIBROMOCHLOROMETHANE	124-48-1	UG_L	0.5	U	
8260C	DICHLORODIFLUOROMETHANE	75-71-8	UG_L	1	UJ	c
8260C	ETHYLBENZENE	100-41-4	UG_L	0.5	U	
8260C	ISOPROPYLBENZENE	98-82-8	UG_L	0.5	U	
8260C	M- AND P-XYLENE	108-38-3/106-42	UG_L	1	U	
8260C	METHYL ACETATE	79-20-9	UG_L	0.75	U	
8260C	METHYL CYCLOHEXANE	108-87-2	UG_L	0.5	U	
8260C	METHYL TERT-BUTYL ETHER	1634-04-4	UG_L	0.5	U	
8260C	METHYLENE CHLORIDE	75-09-2	UG_L	2.5	U	
8260C	O-XYLENE	95-47-6	UG_L	0.5	U	
8260C	STYRENE	100-42-5	UG_L	0.5	U	
8260C	TETRACHLOROETHENE	127-18-4	UG_L	2.3		
8260C	TOLUENE	108-88-3	UG_L	0.5	U	
8260C	TRANS-1,2-DICHLOROETHENE	156-60-5	UG_L	0.5	U	
8260C	TRANS-1,3-DICHLOROPROPENE	10061-02-6	UG_L	0.5	U	
8260C	TRICHLOROETHENE	79-01-6	UG_L	36		
8260C	TRICHLOROFLUOROMETHANE	75-69-4	UG_L	1	U	
8260C	VINYL CHLORIDE	75-01-4	UG_L	1	UJ	c
8260C	XYLENES, TOTAL	1330-20-7	UG_L	1.5	U	

Sample Delivery Group				SI0595		
Lab ID				SI0595-3RA		
Sample ID				VPB158-TRIP BLANK-012915		
Sample Date				1/29/2015		
Sample Type				Trip Blank		
Method	Analyte	CAS No	Units	Result	Qual	RC
8260C	1,1,1-TRICHLOROETHANE	71-55-6	UG_L	0.5	U	
8260C	1,1,2,2-TETRACHLOROETHANE	79-34-5	UG_L	0.5	U	
8260C	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	76-13-1	UG_L	0.5	U	
8260C	1,1,2-TRICHLOROETHANE	79-00-5	UG_L	0.5	U	
8260C	1,1-DICHLOROETHANE	75-34-3	UG_L	0.5	U	
8260C	1,1-DICHLOROETHENE	75-35-4	UG_L	0.5	U	
8260C	1,2,4-TRICHLOROBENZENE	120-82-1	UG_L	0.5	U	
8260C	1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	UG_L	0.75	U	
8260C	1,2-DIBROMOETHANE	106-93-4	UG_L	0.5	U	
8260C	1,2-DICHLOROBENZENE	95-50-1	UG_L	0.5	U	
8260C	1,2-DICHLOROETHANE	107-06-2	UG_L	0.5	U	
8260C	1,2-DICHLOROETHENE, TOTAL	540-59-0	UG_L	1	U	
8260C	1,2-DICHLOROPROPANE	78-87-5	UG_L	0.5	U	
8260C	1,3-DICHLOROBENZENE	541-73-1	UG_L	0.5	U	
8260C	1,4-DICHLOROBENZENE	106-46-7	UG_L	0.5	U	
8260C	2-BUTANONE	78-93-3	UG_L	2.5	U	
8260C	2-HEXANONE	591-78-6	UG_L	2.5	U	
8260C	4-METHYL-2-PENTANONE	108-10-1	UG_L	2.5	U	
8260C	ACETONE	67-64-1	UG_L	5.4	J	l,c
8260C	BENZENE	71-43-2	UG_L	0.5	U	
8260C	BROMODICHLOROMETHANE	75-27-4	UG_L	0.5	U	
8260C	BROMOFORM	75-25-2	UG_L	0.5	U	
8260C	BROMOMETHANE	74-83-9	UG_L	1	U	
8260C	CARBON DISULFIDE	75-15-0	UG_L	0.5	U	
8260C	CARBON TETRACHLORIDE	56-23-5	UG_L	0.5	U	
8260C	CHLOROETHENE	108-90-7	UG_L	0.5	U	
8260C	CHLOROETHANE	75-00-3	UG_L	1	U	
8260C	CHLOROFORM	67-66-3	UG_L	0.5	U	
8260C	CHLOROMETHANE	74-87-3	UG_L	1	UJ	c
8260C	CIS-1,2-DICHLOROETHENE	156-59-2	UG_L	0.5	U	
8260C	CIS-1,3-DICHLOROPROPENE	10061-01-5	UG_L	0.5	U	
8260C	CYCLOHEXANE	110-82-7	UG_L	0.5	U	
8260C	DIBROMOCHLOROMETHANE	124-48-1	UG_L	0.5	U	
8260C	DICHLORODIFLUOROMETHANE	75-71-8	UG_L	1	UJ	c
8260C	ETHYLBENZENE	100-41-4	UG_L	0.5	U	
8260C	ISOPROPYLBENZENE	98-82-8	UG_L	0.5	U	
8260C	M- AND P-XYLENE	108-38-3/106-42	UG_L	1	U	
8260C	METHYL ACETATE	79-20-9	UG_L	0.75	U	
8260C	METHYL CYCLOHEXANE	108-87-2	UG_L	0.5	U	
8260C	METHYL TERT-BUTYL ETHER	1634-04-4	UG_L	0.5	U	
8260C	METHYLENE CHLORIDE	75-09-2	UG_L	2.5	U	
8260C	O-XYLENE	95-47-6	UG_L	0.5	U	
8260C	STYRENE	100-42-5	UG_L	0.5	U	
8260C	TETRACHLOROETHENE	127-18-4	UG_L	0.5	U	
8260C	TOLUENE	108-88-3	UG_L	0.5	U	
8260C	TRANS-1,2-DICHLOROETHENE	156-60-5	UG_L	0.5	U	
8260C	TRANS-1,3-DICHLOROPROPENE	10061-02-6	UG_L	0.5	U	
8260C	TRICHLOROETHENE	79-01-6	UG_L	0.5	U	
8260C	TRICHLOROFLUOROMETHANE	75-69-4	UG_L	1	U	
8260C	VINYL CHLORIDE	75-01-4	UG_L	1	UJ	c
8260C	XYLENES, TOTAL	1330-20-7	UG_L	1.5	U	

**Notes:**

UG\_L = Micrograms per liter  
Qual = Final qualifier (Refer to Attachment B)  
RC = Reason code (Refer to Attachment C)



**DATA VALIDATION REPORT**

Project:	Regional Groundwater Investigation — NWIRP Bethpage	
Laboratory:	Katahdin Analytical	
Sample Delivery Group:	SI0932	
Analyses/Method:	Volatile Organic Compounds (VOCs) by U.S. EPA SW-846 Method 8260C	
Validation Level:	3	
Project Number:	0888812477.SA.DV	
Prepared by:	Dana Miller/Resolution Consultants	Completed on: 03/17/2015
Reviewed by:	Tina Cantwell/Resolution Consultants	File Name: SI0932_8260C

**SUMMARY**

This report summarizes data review findings for samples listed below, collected by Resolution Consultants from the Regional Groundwater Investigation — NWIRP Bethpage site on 10 to 12 February 2015 in accordance with the following Sampling and Analysis Plans:

- *Sampling and Analysis Plan, Bethpage, New York, April 2013.*
- *UFP SAP Addendum, Inclusion of Additional Target Analytes for Volatile Organics Analyses, NWIRP Bethpage OU2, Bethpage, New York, August 2014.*
- *UFP SAP Addendum, Installation of Vertical Profile Borings and Monitoring Wells, Operable Unit 2, NWIRP Bethpage, New York, November 2013.*

Sample ID	Matrix/Sample Type	Analysis
VPB158-TRIPBLANK-021215 Trip	Blank	8260C
VPB158-GW-021015-518-520 Gr	Groundwater	8260C
VPB158-GW-021015-538-540	Groundwater	8260C
VPB158-GW-021015-558-560	Groundwater	8260C
VPB158-GW-021115-578-580	Groundwater	8260C
VPB158-GW-021115-598-600	Groundwater	8260C
VPB158-GW-021215-638-640	Groundwater	8260C
VPB158-GWD-021115	Field Duplicate	8260C

Data validation activities were conducted using the following guidance documents: *Test Methods for Evaluating Solid Waste, Physical/Chemical Methods SW-846, specifically Method 8260C, Volatile Organic Compounds by Gas Chromatography/Mass Spectrometry* (U.S. EPA, 2006), *U.S. Environmental Protection Agency (U.S. EPA) Contract Laboratory Program National Functional Guidelines for Superfund Organic Methods Data Review* (NFG, June 2008), and Department of

Defense (DoD) Quality Systems Manual (QSM) for Environmental Laboratories, Version 4.2 (October 2010). In the absence of method-specific information, laboratory quality control (QC) limits, project-specific requirements and/or professional judgment were used as appropriate.

## **REVIEW ELEMENTS**

The data were evaluated based on the following parameters (where applicable to the method):

- X Data completeness (chain-of-custody [COC])/sample integrity
- ✓ Holding times and sample preservation
- ✓ GC/MS performance checks
- X Initial calibration/continuing calibration verification
- X Laboratory blanks/trip blanks
- ✓ Surrogate spike recoveries
- NA Matrix spike (MS) and/or matrix spike duplicate (MSD) results
- X Laboratory control sample (LCS)/laboratory control sample duplicate (LCSD) results
- ✓ Field duplicates
- ✓ Internal standards
- ✓ Sample results/reporting issues

The symbol ( ✓ ) indicates that no validation qualifiers were applied based on this parameter . NA indicates that the parameter was not included as part of this data set or was not applicable to this validation and therefore not reviewed. Acceptable data parameters for which all criteria were met and no qualification was performed and non-conformance or other issues that were noted during validation, but did not result in qualification of data are not discussed further. The symbol ( X ) indicates that a QC non-conformance resulted in the qualification of data. Any QC non-conformance that resulted in the qualification of data is discussed below.

## **RESULTS**

### **Data Completeness/Sample Integrity**

The data package was reviewed and found to meet acceptance criteria for completeness:

- the COCs were reviewed for completeness of information relevant to the samples and requested analyses, and for signatures indicating transfer of sample custody;
- the laboratory sample log in sheet(s) were reviewed for issues potentially affecting sample integrity, including the condition of sample containers upon receipt at the laboratory;



- completeness of analyses was verified by comparing the reported results to the COC request.

Due to limitations in the reporting system, the laboratory omitted the first characters "VPB-" and middle characters "GW-" from the sample ID in all samples; and truncated Trip Blank to "TB" in the report. Below shows a list of samples that were mostly comprised of soil in vials and not very much liquid:

- VPB158-GW-021015-538-540 and VPB158-GW-021115-578-580 had each vial decanted, compounded into one vial for each sample and analyzed.
- VPB158-GW-021015-518-520 and VPB158-GW-021215-638-640 had two vials decanted, compounded into one vial for each sample and analyzed.

Positive and non-detected results for sample's VPB158-GW-021015-538-540, VPB158-GW-021115-578-580, VPB158-GW-021015-518-520 and VPB158-GW-021215-638-640 were qualified as estimated (J and UJ) respectively due to possible loss of sample integrity during the decanting process. Non-conformances are summarized in Attachment A in Table A-1.

**Initial Calibration/Continuing Calibration Verification**

Calibration data were reviewed for conformance with the QC acceptance criteria to ensure that:

- the initial calibration percent relative standard deviation, correlation coefficient/coefficient of determination, and/or response factor method acceptance criteria were met;
- the initial calibration verification standard percent recovery acceptance criteria were met;
- the continuing calibration verification standard method percent difference or percent drift (%Ds) and response factor acceptance criteria were met; and
- the retention time method acceptance criteria were met.

Data qualification to the analytes associated with the specific initial calibration (ICAL) was as follows:

**ICAL Linearity Non-conformance:**

Criteria	Actions	
	Detected Results	Non-detected Results
%RSD >15% and quantitation based on mean response factor (RF)	J U	J

Data qualification to the analytes associated with the specific initial calibration verification (ICV) was as follows:

**ICV Recovery Non-conformance:**

Criteria	Actions	
	Detected Results	Non-detected Results
Recovery >120%	J	UJ
Recovery < 80%	J	UJ

Data qualification to the analytes associated with the specific calibration verification standard (CCV) was as follows:

**CCV Linearity Non-conformance:**

Criteria	Actions	
	Detected Results	Non-detected Results
%Difference or %Drift > 20%	J	UJ

ICAL, ICV and CCV non-conformances are summarized in Attachment A in Table's A-2, A-3, and A-4.

**Laboratory Blanks/Trip Blanks**

Laboratory blanks and trip blanks were analyzed with samples to assess contamination imparted by sample preparation and/or analysis. All results associated with a particular blank were evaluated to determine whether there was an inherent variability in the data, or if a problem was an isolated occurrence that did not affect the data. Samples were flagged in accordance with *Functional Guidelines* (shown below) where detections were not believed to be site-related. Laboratory blank and trip blank non-conformances are summarized in Attachment A in Table A-5 and A-6.

**Blank Non-conformance Chart:**

Blank type	Blank result	Sample result	Action for samples
Method or Trip	Detects	Not detected	No qualification
	< 2x LOQ	< 2x LOQ	Report sample LOQ value with a U
		≥ 2x LOQ	Use professional judgment
	> 2x LOQ	< 2x LOQ	Report sample LOQ value with a U
		≥ 2x LOQ and < blank contamination	Report the blank result with a U or reject the sample result as unusable R
	≥ 2x LOQ and ≥ blank contamination	If the result is <2x blank result, report the sample result U. If the result is > 2x blank result, no	

Blank type	Blank result	Sample result	Action for samples
Method or Trip	Detects	Not detected	No qualification
			qualification is required.
	= 2x LOQ	< 2x LOQ	Report sample LOQ value with a U
		≥ 2x LOQ	Use professional judgment
Gross contamination	Detects	Qualify results as unusable R	

**Notes:**

LOQ = Limit of quantitation  
 U = Undetected (Refer to Attachment B)  
 R = Rejected

**Laboratory Control Samples / Laboratory Control Sample Duplicate**

LCS %Rs is used to monitor the overall accuracy and performance of each step during analysis, including sample preparation. The laboratory analyzed LCSs in duplicate when MS/MSDs were not reported in individual SDGs. In these instances, the laboratory determined precision between the duplicated values. Data qualification to the analytes associated with the specific LCS / LCS duplicate was as follows:

**Laboratory Control Sample / Laboratory Control Sample Duplicate Non-conformance Chart:**

Criteria	Action	
	Detected	Non-detected
% R or RPD > UL	J No	qualification
%R < LL	J	UJ
% R < 20%	J R	

**Notes:**

%R = Percent recovery  
 RPD = Relative percent difference  
 UL = Upper limit  
 LL = Lower limit  
 J = Estimated (Refer to Attachment B)  
 UJ = Undetected and estimated (Refer to Attachment B)  
 R = Rejected

LCS / LCSd non-conformance is summarized in Attachment A in Table A-7.

**Qualifications Actions**

The data was reviewed independently from the laboratory to assess data quality. All compounds detected at concentrations less than the limit of quantitation (LOQ) but greater than the method detection limit were qualified by the laboratory as estimated (J). This "J" qualifier was retained

during data validation. Any sample that was analyzed at a dilution because of high concentrations of target or non-targets was checked to confirm that the results and/or sample-specific LOQs and limit of detections were adjusted accordingly by the laboratory.

No results were rejected; therefore, analytical completeness was calculated to be 100 per cent. Data not qualified during data review are considered usable by the project. The remaining results qualified as estimated may be high or low, but the data are usable for their intended purpose, according to U.S. Environmental Protection Agency and Department of Defense guidelines. Final data review qualifiers used to describe results and how they should be interpreted by the end data user are provided in Attachment B and Attachment C. Attachment D provides final results after data review.

## **ATTACHMENTS**

Attachment A: Non-Conformance Summary Table

Attachment B: Qualifier Codes and Explanations

Attachment C: Reason Codes and Explanations

Attachment D: Final Results after Data Review

**Attachment A  
Non-Conformance Summary Table**

<b>Table (A-1) Sample Integrity Non-Conformance</b>					
<b>Method</b>	<b>Sample ID</b>	<b>Analyte</b>	<b>Units</b>	<b>Result</b>	<b>Qualifier</b>
8260C	VPB158-GW-021015-518-520	1,1,1-TRICHLOROETHANE U	G_L	0.5	UJ
8260C	VPB158-GW-021015-518-520	1,1,2,2-TETRACHLOROETHANE UG_	L	0.5	UJ
8260C	VPB158-GW-021015-518-520	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE U	G_L	5.9	J
8260C	VPB158-GW-021015-518-520	1,1,2-TRICHLOROETHANE U	G_L	0.5	UJ
8260C	VPB158-GW-021015-518-520	1,1-DICHLOROETHANE U	G_L	0.5	UJ
8260C	VPB158-GW-021015-518-520	1,1-DICHLOROETHENE U	G_L	0.5	UJ
8260C	VPB158-GW-021015-518-520	1,2,4-TRICHLOROBENZENE U	G_L	0.5	UJ
8260C	VPB158-GW-021015-518-520	1,2-DIBROMO-3-CHLOROPROPANE U	G_L	0.75	UJ
8260C	VPB158-GW-021015-518-520	1,2-DIBROMOETHANE U	G_L	0.5	UJ
8260C	VPB158-GW-021015-518-520	1,2-DICHLOROBENZENE U	G_L	0.5	UJ
8260C	VPB158-GW-021015-518-520	1,2-DICHLOROETHANE U	G_L	0.5	UJ
8260C	VPB158-GW-021015-518-520	1,2-DICHLOROETHENE, TOTAL	UG_L	1	UJ
8260C	VPB158-GW-021015-518-520	1,2-DICHLOROPROPANE U	G_L	0.5	UJ
8260C	VPB158-GW-021015-518-520	1,3-DICHLOROBENZENE U	G_L	0.5	UJ
8260C	VPB158-GW-021015-518-520	1,4-DICHLOROBENZENE U	G_L	0.5	UJ
8260C	VPB158-GW-021015-518-520	2-BUTANONE UG_	L	2.5	UJ
8260C	VPB158-GW-021015-518-520	2-HEXANONE UG_	L	2.5	UJ
8260C	VPB158-GW-021015-518-520	4-METHYL-2-PENTANONE UG_	L	2.5	UJ
8260C	VPB158-GW-021015-518-520	ACETONE UG_	L	9	J
8260C	VPB158-GW-021015-518-520	BENZENE U	G_L	0.5	UJ
8260C	VPB158-GW-021015-518-520	BROMODICHLOROMETHANE U	G_L	0.5	UJ
8260C	VPB158-GW-021015-518-520	BROMOFORM U	G_L	0.5	UJ
8260C	VPB158-GW-021015-518-520	BROMOMETHANE U	G_L	1	UJ
8260C	VPB158-GW-021015-518-520	CARBON DISULFIDE	UG_L	0.5	UJ
8260C	VPB158-GW-021015-518-520	CARBON TETRACHLORIDE	UG_L	0.5	UJ
8260C	VPB158-GW-021015-518-520	CHLOROBENZENE UG_	L	0.5	UJ
8260C	VPB158-GW-021015-518-520	CHLOROETHANE UG_	L	1	UJ
8260C	VPB158-GW-021015-518-520	CHLOROFORM U	G_L	4.9	J
8260C	VPB158-GW-021015-518-520	CHLOROMETHANE UG_	L	1	UJ
8260C	VPB158-GW-021015-518-520	CIS-1,2-DICHLOROETHENE U	G_L	0.5	UJ
8260C	VPB158-GW-021015-518-520	CIS-1,3-DICHLOROPROPENE U	G_L	0.5	UJ
8260C	VPB158-GW-021015-518-520	CYCLOHEXANE U	G_L	0.5	UJ
8260C	VPB158-GW-021015-518-520	DIBROMOCHLOROMETHANE U	G_L	0.5	UJ
8260C	VPB158-GW-021015-518-520	DICHLORODIFLUOROMETHANE U	G_L	1	UJ
8260C	VPB158-GW-021015-518-520	ETHYLBENZENE UG_	L	0.5	UJ
8260C	VPB158-GW-021015-518-520	ISOPROPYLBENZENE UG_	L	0.5	UJ
8260C	VPB158-GW-021015-518-520	M- AND P-XYLENE	UG_L	1	UJ
8260C	VPB158-GW-021015-518-520	METHYL ACETATE	UG_L	0.75	UJ
8260C	VPB158-GW-021015-518-520	METHYL CYCLOHEXANE	UG_L	0.5	UJ
8260C	VPB158-GW-021015-518-520	METHYL TERT-BUTYL ETHER	UG_L	0.5	UJ
8260C	VPB158-GW-021015-518-520	METHYLENE CHLORIDE	UG_L	2.5	UJ
8260C	VPB158-GW-021015-518-520	O-XYLENE UG_	L	0.5	UJ
8260C	VPB158-GW-021015-518-520	STYRENE UG_	L	0.5	UJ
8260C	VPB158-GW-021015-518-520	TETRACHLOROETHENE UG_	L	0.5	UJ
8260C	VPB158-GW-021015-518-520	TOLUENE U	G_L	0.5	UJ
8260C	VPB158-GW-021015-518-520	TRANS-1,2-DICHLOROETHENE U	G_L	0.5	UJ
8260C	VPB158-GW-021015-518-520	TRANS-1,3-DICHLOROPROPENE U	G_L	0.5	UJ

Table (A-1) Sample Integrity Non-Conformance					
Method	Sample ID	Analyte	Units	Result	Qualifier
8260C	VPB158-GW-021015-518-520	TRICHLOROETHENE UG_	L	0.5	UJ
8260C	VPB158-GW-021015-518-520	TRICHLOROFLUOROMETHANE U	G_L	1	UJ
8260C	VPB158-GW-021015-518-520	VINYL CHLORIDE	UG_L	1	UJ
8260C	VPB158-GW-021015-518-520	XYLENES, TOTAL	UG_L	1.5	UJ
8260C VPB	158-GW-021015-538-540	1,1,1-TRICHLOROETHANE U	G_L	0.5	UJ
8260C VPB	158-GW-021015-538-540	1,1,2,2-TETRACHLOROETHANE UG_	L	0.5	UJ
8260C VPB	158-GW-021015-538-540	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE U	G_L	2.2	J
8260C VPB	158-GW-021015-538-540	1,1,2-TRICHLOROETHANE U	G_L	0.5	UJ
8260C VPB	158-GW-021015-538-540	1,1-DICHLOROETHANE U	G_L	0.5	UJ
8260C VPB	158-GW-021015-538-540	1,1-DICHLOROETHENE U	G_L	0.5	UJ
8260C VPB	158-GW-021015-538-540	1,2,4-TRICHLOROBENZENE U	G_L	0.5	UJ
8260C VPB	158-GW-021015-538-540	1,2-DIBROMO-3-CHLOROPROPANE U	G_L	0.75	UJ
8260C VPB	158-GW-021015-538-540	1,2-DIBROMOETHANE U	G_L	0.5	UJ
8260C VPB	158-GW-021015-538-540	1,2-DICHLOROBENZENE U	G_L	0.5	UJ
8260C VPB	158-GW-021015-538-540	1,2-DICHLOROETHANE U	G_L	0.5	UJ
8260C VPB	158-GW-021015-538-540	1,2-DICHLOROETHENE, TOTAL	UG_L	1	UJ
8260C VPB	158-GW-021015-538-540	1,2-DICHLOROPROPANE U	G_L	0.5	UJ
8260C VPB	158-GW-021015-538-540	1,3-DICHLOROBENZENE U	G_L	0.5	UJ
8260C VPB	158-GW-021015-538-540	1,4-DICHLOROBENZENE U	G_L	0.5	UJ
8260C VPB	158-GW-021015-538-540	2-BUTANONE UG_	L	2.5	UJ
8260C VPB	158-GW-021015-538-540	2-HEXANONE UG_	L	2.5	UJ
8260C VPB	158-GW-021015-538-540	4-METHYL-2-PENTANONE UG_	L	2.5	UJ
8260C VPB	158-GW-021015-538-540	ACETONE UG_	L	7.3	J
8260C VPB	158-GW-021015-538-540	BENZENE U	G_L	0.5	UJ
8260C VPB	158-GW-021015-538-540	BROMODICHLOROMETHANE U	G_L	0.5	UJ
8260C VPB	158-GW-021015-538-540	BROMOFORM U	G_L	0.5	UJ
8260C VPB	158-GW-021015-538-540	BROMOMETHANE U	G_L	1	UJ
8260C VPB	158-GW-021015-538-540	CARBON DISULFIDE	UG_L	0.5	UJ
8260C VPB	158-GW-021015-538-540	CARBON TETRACHLORIDE	UG_L	0.5	UJ
8260C VPB	158-GW-021015-538-540	CHLOROBENZENE UG_	L	0.5	UJ
8260C VPB	158-GW-021015-538-540	CHLOROETHANE UG_	L	1	UJ
8260C VPB	158-GW-021015-538-540	CHLOROFORM U	G_L	5.9	J
8260C VPB	158-GW-021015-538-540	CHLOROMETHANE UG_	L	1	UJ
8260C VPB	158-GW-021015-538-540	CIS-1,2-DICHLOROETHENE U	G_L	0.5	UJ
8260C VPB	158-GW-021015-538-540	CIS-1,3-DICHLOROPROPENE U	G_L	0.5	UJ
8260C VPB	158-GW-021015-538-540	CYCLOHEXANE U	G_L	0.5	UJ
8260C VPB	158-GW-021015-538-540	DIBROMOCHLOROMETHANE U	G_L	0.5	UJ
8260C VPB	158-GW-021015-538-540	DICHLORODIFLUOROMETHANE U	G_L	1	UJ
8260C VPB	158-GW-021015-538-540	ETHYLBENZENE UG_	L	0.5	UJ
8260C VPB	158-GW-021015-538-540	ISOPROPYLBENZENE UG_	L	0.5	UJ
8260C VPB	158-GW-021015-538-540	M- AND P-XYLENE	UG_L	1	UJ
8260C VPB	158-GW-021015-538-540	METHYL ACETATE	UG_L	0.75	UJ
8260C VPB	158-GW-021015-538-540	METHYL CYCLOHEXANE	UG_L	0.5	UJ
8260C VPB	158-GW-021015-538-540	METHYL TERT-BUTYL ETHER	UG_L	0.5	UJ
8260C VPB	158-GW-021015-538-540	METHYLENE CHLORIDE	UG_L	2.5	UJ
8260C VPB	158-GW-021015-538-540	O-XYLENE UG_	L	0.5	UJ
8260C VPB	158-GW-021015-538-540	STYRENE UG_	L	0.5	UJ
8260C VPB	158-GW-021015-538-540	TETRACHLOROETHENE UG_	L	0.5	UJ
8260C VPB	158-GW-021015-538-540	TOLUENE U	G_L	0.5	UJ

Table (A-1) Sample Integrity Non-Conformance					
Method	Sample ID	Analyte	Units	Result	Qualifier
8260C VPB	158-GW-021015-538-540	TRANS-1,2-DICHLOROETHENE U	G_L	0.5	UJ
8260C VPB	158-GW-021015-538-540	TRANS-1,3-DICHLOROPROPENE U	G_L	0.5	UJ
8260C VPB	158-GW-021015-538-540	TRICHLOROETHENE UG_	L	0.5	UJ
8260C VPB	158-GW-021015-538-540	TRICHLOROFLUOROMETHANE U	G_L	1	UJ
8260C VPB	158-GW-021015-538-540	VINYL CHLORIDE	UG_L	1	UJ
8260C VPB	158-GW-021015-538-540	XYLENES, TOTAL	UG_L	1.5	UJ
8260C	VPB158-GW-021115-578-580	1,1,1-TRICHLOROETHANE U	G_L	0.5	UJ
8260C	VPB158-GW-021115-578-580	1,1,2,2-TETRACHLOROETHANE UG_	L	0.5	UJ
8260C	VPB158-GW-021115-578-580	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE U	G_L	2.5	J
8260C	VPB158-GW-021115-578-580	1,1,2-TRICHLOROETHANE U	G_L	0.5	UJ
8260C	VPB158-GW-021115-578-580	1,1-DICHLOROETHANE U	G_L	0.5	UJ
8260C	VPB158-GW-021115-578-580	1,1-DICHLOROETHENE U	G_L	0.5	UJ
8260C	VPB158-GW-021115-578-580	1,2,4-TRICHLOROBENZENE U	G_L	0.5	UJ
8260C	VPB158-GW-021115-578-580	1,2-DIBROMO-3-CHLOROPROPANE U	G_L	0.75	UJ
8260C	VPB158-GW-021115-578-580	1,2-DIBROMOETHANE U	G_L	0.5	UJ
8260C	VPB158-GW-021115-578-580	1,2-DICHLOROBENZENE U	G_L	0.5	UJ
8260C	VPB158-GW-021115-578-580	1,2-DICHLOROETHANE U	G_L	0.5	UJ
8260C	VPB158-GW-021115-578-580	1,2-DICHLOROETHENE, TOTAL	UG_L	1	UJ
8260C	VPB158-GW-021115-578-580	1,2-DICHLOROPROPANE U	G_L	0.5	UJ
8260C	VPB158-GW-021115-578-580	1,3-DICHLOROBENZENE U	G_L	0.5	UJ
8260C	VPB158-GW-021115-578-580	1,4-DICHLOROBENZENE U	G_L	0.5	UJ
8260C	VPB158-GW-021115-578-580	2-BUTANONE UG_	L	2.5	UJ
8260C	VPB158-GW-021115-578-580	2-HEXANONE UG_	L	2.5	UJ
8260C	VPB158-GW-021115-578-580	4-METHYL-2-PENTANONE UG_	L	2.5	UJ
8260C	VPB158-GW-021115-578-580	ACETONE UG_	L	7.9	J
8260C	VPB158-GW-021115-578-580	BENZENE U	G_L	0.5	UJ
8260C	VPB158-GW-021115-578-580	BROMODICHLOROMETHANE U	G_L	0.5	UJ
8260C	VPB158-GW-021115-578-580	BROMOFORM U	G_L	0.5	UJ
8260C	VPB158-GW-021115-578-580	BROMOMETHANE U	G_L	1	UJ
8260C	VPB158-GW-021115-578-580	CARBON DISULFIDE	UG_L	0.5	UJ
8260C	VPB158-GW-021115-578-580	CARBON TETRACHLORIDE	UG_L	0.5	UJ
8260C	VPB158-GW-021115-578-580	CHLOROBENZENE UG_	L	0.5	UJ
8260C	VPB158-GW-021115-578-580	CHLOROETHANE UG_	L	1	UJ
8260C	VPB158-GW-021115-578-580	CHLOROFORM U	G_L	2.9	J
8260C	VPB158-GW-021115-578-580	CHLOROMETHANE UG_	L	1	UJ
8260C	VPB158-GW-021115-578-580	CIS-1,2-DICHLOROETHENE U	G_L	0.5	UJ
8260C	VPB158-GW-021115-578-580	CIS-1,3-DICHLOROPROPENE U	G_L	0.5	UJ
8260C	VPB158-GW-021115-578-580	CYCLOHEXANE U	G_L	0.5	UJ
8260C	VPB158-GW-021115-578-580	DIBROMOCHLOROMETHANE U	G_L	0.5	UJ
8260C	VPB158-GW-021115-578-580	DICHLORODIFLUOROMETHANE U	G_L	1	UJ
8260C	VPB158-GW-021115-578-580	ETHYLBENZENE UG_	L	0.5	UJ
8260C	VPB158-GW-021115-578-580	ISOPROPYLBENZENE UG_	L	0.5	UJ
8260C	VPB158-GW-021115-578-580	M- AND P-XYLENE	UG_L	1	UJ
8260C	VPB158-GW-021115-578-580	METHYL ACETATE	UG_L	0.75	UJ
8260C	VPB158-GW-021115-578-580	METHYL CYCLOHEXANE	UG_L	0.5	UJ
8260C	VPB158-GW-021115-578-580	METHYL TERT-BUTYL ETHER	UG_L	0.5	UJ
8260C	VPB158-GW-021115-578-580	METHYLENE CHLORIDE	UG_L	2.5	UJ
8260C	VPB158-GW-021115-578-580	O-XYLENE UG_	L	0.5	UJ
8260C	VPB158-GW-021115-578-580	STYRENE UG_	L	0.5	UJ

Table (A-1) Sample Integrity Non-Conformance					
Method	Sample ID	Analyte	Units	Result	Qualifier
8260C	VPB158-GW-021115-578-580	TETRACHLOROETHENE UG_	L	0.5	UJ
8260C	VPB158-GW-021115-578-580	TOLUENE U	G_L	0.5	UJ
8260C	VPB158-GW-021115-578-580	TRANS-1,2-DICHLOROETHENE U	G_L	0.5	UJ
8260C	VPB158-GW-021115-578-580	TRANS-1,3-DICHLOROPROPENE U	G_L	0.5	UJ
8260C	VPB158-GW-021115-578-580	TRICHLOROETHENE UG_	L	0.5	UJ
8260C	VPB158-GW-021115-578-580	TRICHLOROFLUOROMETHANE U	G_L	1	UJ
8260C	VPB158-GW-021115-578-580	VINYL CHLORIDE	UG_L	1	UJ
8260C	VPB158-GW-021115-578-580	XYLENES, TOTAL	UG_L	1.5	UJ
8260C	VPB158-GW-021215-638-640	1,1,1-TRICHLOROETHANE U	G_L	0.5	UJ
8260C	VPB158-GW-021215-638-640	1,1,2,2-TETRACHLOROETHANE UG_	L	0.5	UJ
8260C	VPB158-GW-021215-638-640	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE U	G_L	0.5	UJ
8260C	VPB158-GW-021215-638-640	1,1,2-TRICHLOROETHANE U	G_L	0.5	UJ
8260C	VPB158-GW-021215-638-640	1,1-DICHLOROETHANE U	G_L	0.5	UJ
8260C	VPB158-GW-021215-638-640	1,1-DICHLOROETHENE U	G_L	0.5	UJ
8260C	VPB158-GW-021215-638-640	1,2,4-TRICHLOROBENZENE U	G_L	0.5	UJ
8260C	VPB158-GW-021215-638-640	1,2-DIBROMO-3-CHLOROPROPANE U	G_L	0.75	UJ
8260C	VPB158-GW-021215-638-640	1,2-DIBROMOETHANE U	G_L	0.5	UJ
8260C	VPB158-GW-021215-638-640	1,2-DICHLOROBENZENE U	G_L	0.5	UJ
8260C	VPB158-GW-021215-638-640	1,2-DICHLOROETHANE U	G_L	0.5	UJ
8260C	VPB158-GW-021215-638-640	1,2-DICHLOROETHENE, TOTAL	UG_L	1	UJ
8260C	VPB158-GW-021215-638-640	1,2-DICHLOROPROPANE U	G_L	0.5	UJ
8260C	VPB158-GW-021215-638-640	1,3-DICHLOROBENZENE U	G_L	0.5	UJ
8260C	VPB158-GW-021215-638-640	1,4-DICHLOROBENZENE U	G_L	0.5	UJ
8260C	VPB158-GW-021215-638-640	2-BUTANONE UG_	L	2.5	UJ
8260C	VPB158-GW-021215-638-640	2-HEXANONE UG_	L	2.5	UJ
8260C	VPB158-GW-021215-638-640	4-METHYL-2-PENTANONE UG_	L	2.5	UJ
8260C	VPB158-GW-021215-638-640	ACETONE UG_	L	9.7	J
8260C	VPB158-GW-021215-638-640	BENZENE U	G_L	0.5	UJ
8260C	VPB158-GW-021215-638-640	BROMODICHLOROMETHANE U	G_L	0.5	UJ
8260C	VPB158-GW-021215-638-640	BROMOFORM U	G_L	0.5	UJ
8260C	VPB158-GW-021215-638-640	BROMOMETHANE U	G_L	1	UJ
8260C	VPB158-GW-021215-638-640	CARBON DISULFIDE	UG_L	0.5	UJ
8260C	VPB158-GW-021215-638-640	CARBON TETRACHLORIDE	UG_L	0.5	UJ
8260C	VPB158-GW-021215-638-640	CHLOROBENZENE UG_	L	0.5	UJ
8260C	VPB158-GW-021215-638-640	CHLOROETHANE UG_	L	1	UJ
8260C	VPB158-GW-021215-638-640	CHLOROFORM U	G_L	0.35	J
8260C	VPB158-GW-021215-638-640	CHLOROMETHANE UG_	L	1	UJ
8260C	VPB158-GW-021215-638-640	CIS-1,2-DICHLOROETHENE U	G_L	0.5	UJ
8260C	VPB158-GW-021215-638-640	CIS-1,3-DICHLOROPROPENE U	G_L	0.5	UJ
8260C	VPB158-GW-021215-638-640	CYCLOHEXANE U	G_L	0.5	UJ
8260C	VPB158-GW-021215-638-640	DIBROMOCHLOROMETHANE U	G_L	0.5	UJ
8260C	VPB158-GW-021215-638-640	DICHLORODIFLUOROMETHANE U	G_L	1	UJ
8260C	VPB158-GW-021215-638-640	ETHYLBENZENE UG_	L	0.5	UJ
8260C	VPB158-GW-021215-638-640	ISOPROPYLBENZENE UG_	L	0.5	UJ
8260C	VPB158-GW-021215-638-640	M- AND P-XYLENE	UG_L	1	UJ
8260C	VPB158-GW-021215-638-640	METHYL ACETATE	UG_L	0.75	UJ
8260C	VPB158-GW-021215-638-640	METHYL CYCLOHEXANE	UG_L	0.5	UJ
8260C	VPB158-GW-021215-638-640	METHYL TERT-BUTYL ETHER	UG_L	0.5	UJ
8260C	VPB158-GW-021215-638-640	METHYLENE CHLORIDE	UG_L	2.5	UJ



Table (A-1) Sample Integrity Non-Conformance					
Method	Sample ID	Analyte	Units	Result	Qualifier
8260C	VPB158-GW-021215-638-640	O-XYLENE UG_	L	0.5	UJ
8260C	VPB158-GW-021215-638-640	STYRENE UG_	L	0.5	UJ
8260C	VPB158-GW-021215-638-640	TETRACHLOROETHENE UG_	L	0.5	UJ
8260C	VPB158-GW-021215-638-640	TOLUENE U	G_L	0.5	UJ
8260C	VPB158-GW-021215-638-640	TRANS-1,2-DICHLOROETHENE U	G_L	0.5	UJ
8260C	VPB158-GW-021215-638-640	TRANS-1,3-DICHLOROPROPENE U	G_L	0.5	UJ
8260C	VPB158-GW-021215-638-640	TRICHLOROETHENE UG_	L	0.5	UJ
8260C	VPB158-GW-021215-638-640	TRICHLOROFLUOROMETHANE U	G_L	1	UJ
8260C	VPB158-GW-021215-638-640	VINYL CHLORIDE	UG_L	1	UJ
8260C	VPB158-GW-021215-638-640	XYLENES, TOTAL	UG_L	1.5	UJ

**Notes:**

UG\_L = Micrograms per liter  
 UJ = Non-detect estimated value  
 J = Estimated value

Table (A-2) Initial Calibration Linearity Non-Conformance					
Method	Analyte	%RSD	Limit	Associated Samples	Qualifier
8260C M	ethylene chloride	15.0239	15	VPB158-TRIPBLANK-021215	UJ
8260C	Methylene chloride	15.0239	15 VPB	158-GW-021015-518-520	UJ
8260C	Methylene chloride	15.0239	15 VPB	158-GW-021015-538-540	UJ
8260C	Methylene chloride	15.0239	15 VPB	158-GW-021015-558-560	UJ
8260C	Methylene chloride	15.0239	15 VPB	158-GW-021115-578-580	UJ
8260C	Methylene chloride	15.0239	15 VPB	158-GW-021115-598-600	UJ
8260C	Methylene chloride	15.0239	15 VPB	158-GW-021215-638-640	UJ
8260C	Methylene chloride	15.0239	15 VPB	158-GWD-021115	UJ
8260C M	ethyl acetate	15.3567	5	VPB158-TRIPBLANK-021215	UJ
8260C	Methyl acetate	15.3567	15 VPB	158-GW-021015-518-520	UJ
8260C	Methyl acetate	15.3567	15 VPB	158-GW-021015-538-540	UJ
8260C	Methyl acetate	15.3567	15 VPB	158-GW-021015-558-560	UJ
8260C	Methyl acetate	15.3567	15 VPB	158-GW-021115-578-580	UJ
8260C	Methyl acetate	15.3567	15 VPB	158-GW-021115-598-600	UJ
8260C	Methyl acetate	15.3567	15 VPB	158-GW-021215-638-640	UJ
8260C	Methyl acetate	15.3567	15 VPB	158-GWD-021115	UJ

**Notes:**

%RSD = Percent relative standard deviation  
 UJ = Non-detect estimated value

Table (A-3) Initial Calibration Verification Non-Conformance						
Method	Analyte	ICV ID	%R	Limit	Associated Samples	Qualifier
8260C 2	-Hexanone	WG158332-7	123.98	80-120	VPB158-TRIPBLANK-021215	UJ
8260C 2	-Hexanone	WG158332-7	123.98	80-120	VPB158-GW-021015-518-520	UJ
8260C 2	-Hexanone	WG158332-7	123.98	80-120	VPB158-GW-021015-538-540	UJ
8260C 2	-Hexanone	WG158332-7	123.98	80-120	VPB158-GW-021015-558-560	UJ
8260C 2	-Hexanone	WG158332-7	123.98	80-120	VPB158-GW-021115-578-580	UJ
8260C 2	-Hexanone	WG158332-7	123.98	80-120	VPB158-GW-021115-598-600	UJ
8260C 2	-Hexanone	WG158332-7	123.98	80-120	VPB158-GW-021215-638-640	UJ

Table (A-3) Initial Calibration Verification Non-Conformance						
Method	Analyte	ICV ID	%R	Limit	Associated Samples	Qualifier
8260C 2	-Hexanone	WG158332-7	123.98	80-120	VPB158-GWD-021115	UJ

**Notes:**

ICV = Initial calibration verification

%R = Percent recovery

UJ = Non-detect estimated value

Table (A-4) Continuing Calibration Verification Non-Conformance					
Calibration	Analyte	%D	%D Limit	Associated Samples	Qualifiers
WG158604-4	2-Butanone 29.3		20 VPB	158-GW-021015-538-540	UJ
WG158604-4	2-Butanone	29.3 20		VPB158-GW-021115-578-580	UJ
WG158604-4	Cyclohexane	21.9 20		VPB158-GW-021015-538-540	UJ
WG158604-4	Cyclohexane	21.9 20		VPB158-GW-021115-578-580	UJ
WG158604-4	2-Hexanone	22.3 20		VPB158-GW-021015-538-540	UJ
WG158604-4	2-Hexanone	22.3 20		VPB158-GW-021115-578-580	UJ
WG158604-4	Dichlorodifluoromethane	24.8 20		VPB158-GW-021015-538-540	UJ
WG158604-4	Dichlorodifluoromethane	24.8 20		VPB158-GW-021115-578-580	UJ
WG158604-4	Chloroethane 22.8		20	VPB158-TRIPBLANK-021215	UJ
WG158604-4	Chloroethane	22.8 20		VPB158-GW-021015-518-520	UJ
WG158604-4	Chloroethane	22.8 20		VPB158-GW-021015-558-560	UJ
WG158604-4	Chloroethane	22.8 20		VPB158-GW-021115-598-600	UJ
WG158604-4	Chloroethane	22.8 20		VPB158-GW-021215-638-640	UJ
WG158604-4	Chloroethane	22.8 20		VPB158-GWD-021115	UJ

**Notes:**

%D = Percent difference

UJ = Non-detect estimated value

Table (A-5) Laboratory Blank Non-Conformance						
Laboratory Blank ID	Analyte	Blank Result (UG_L)	LOQ	Associated Sample	Sample Result (UG_L)	Qualifier
WG158486-2	Carbon Disulfide	0.36 1		VPB158-GW-021015-518-520	0.32	U
WG158486-2	Carbon Disulfide	0.36 1		VPB158-GW-021015-558-560	0.26	U
WG158486-2	Carbon Disulfide	0.36 1		VPB158-GW-021215-638-640	0.33	U
WG158486-2	Carbon Disulfide	0.36 1		VPB158-TRIPBLANK-021215	0.34	U
WG158604-2	Carbon Disulfide	0.33 1		VPB158-GW-021015-538-540	0.44	U
WG158604-2	Carbon Disulfide	0.33 1		VPB158-GW-021115-578-580	0.31	U

**Notes:**

UG\_L = Micrograms per liter

LOQ = Limit of quantitation

U = Associated sample flagged non-detect "U" due to both blank result and sample result less than 2 times LOQ.

Table (A-6) Trip Blank Non-Conformance						
Blank ID	Analyte	Blank Result (UG_L)	LOQ	Associated Sample	Sample Result (UG_L)	Qualifier
VPB158-TRIPBLANK-021215	Carbon disulfide	0.34	1	VPB158-GW-021015-518-520	0.32	U
VPB158-TRIPBLANK-021215	Carbon disulfide	0.34	1 VPB	158-GW-021015-538-540	0.44	U
VPB158-TRIPBLANK-021215	Carbon disulfide	0.34	1 VPB	158-GW-021015-558-560	0.26	U

<b>Table (A-6)</b> <b>Trip Blank Non-Conformance</b>						
<b>Blank ID</b>	<b>Analyte</b>	<b>Blank Result (UG L)</b>	<b>LOQ</b>	<b>Associated Sample</b>	<b>Sample Result (UG L)</b>	<b>Qualifier</b>
VPB158-TRIPBLANK-021215	Carbon disulfide	0.34	1 VPB	158-GW-021115-578-580	0.31	U
VPB158-TRIPBLANK-021215	Carbon disulfide	0.34	1 VPB	158-GW-021215-638-640	0.33	U

**Notes:**

UG\_L = Micrograms per liter

LOQ = Limit of quantitation

U = Associated sample flagged non-detect "U" due to both blank result and sample result less than 2 times LOQ.

<b>Table (A-7)</b> <b>Laboratory Control Sample Non-Conformance</b>						
<b>LCS</b>	<b>Batch</b>	<b>Analyte</b>	<b>%R</b>	<b>Limits</b>	<b>Associated Sample</b>	<b>Qualifier</b>
WG158486-1	WG158486	Acetone	176	40-140	VPB 158-GW-021015-518-520	J
WG158486-1	WG158486	Acetone 1	76	40-140	VPB 158-GW-021015-558-560	J
WG158486-1	WG158486	Acetone 1	76	40-140	VPB 158-GW-021215-638-640	J
WG158486-1	WG158486	Acetone 1	76	40-140	VPB 158-GW-021115-578-580	J

**Notes:**

LCS = Laboratory control sample

%R = Percent recovery

J = Detected analyte in associated sample qualified estimated "J" due to potential bias.

**Attachment B**  
**Qualifier Codes and Explanations**

<b>Qualifier</b>	<b>Explanation</b>
J	The analyte was positively identified; the associated numerical value is the approximate concentration of the analyte in the sample.
UJ	The analyte was not detected above the reported sample quantitation limit. However, the reported quantitation limit is approximate and may or may not represent the actual quantitation limit necessary to accurately and precisely measure the analyte in the sample.
U	The analyte was analyzed for, but was not detected above the reported sample quantitation limit.

**Attachment C**  
**Reason Codes and Explanations**

<b>Reason Code</b>	<b>Explanation</b>
be	Equipment blank contamination
bf Fie	ld blank contamination
bl	Laboratory blank contamination
bt	Trip blank contamination
c C	alibration issue
d	Reporting limit raised due to chromatographic interference
fd	Field duplicate RPDs
h Ho	lding times
i Interna	l standard areas
k	Estimated Maximum Possible Concentration (EMPC)
l	LCS or OPR recoveries
lc	Labeled compound recovery
ld	Laboratory duplicate RPDs
lp	Laboratory control sample/laboratory control sample duplicate RPDs
m Matrix	spike recovery
mc	Method compliance non-conformance
md	Matrix spike/matrix spike duplicate RPDs
nb	Negative laboratory blank contamination
p	Chemical preservation issue
r Dual	column RPD
q Quant	itation issue
s Surrogate	recovery
su Ion	suppression
t Tempera	ture preservation issue
x Per	cent solids
y	Serial dilution results
z ICS	results

**Attachment D**  
**Final Results after Data Review**

Sample Delivery Group Lab Identification Sample Identification Sample Date Sample Type Depth Interval				SI0932 SI0932-2 VPB158-GW-021015-518-520 2/10/2015 Groundwater 518 - 520 ft		
Method	Analyte	CAS No	Units	Result Qual		RC
8260C 1,1,1-	TRICHLOROETHANE	71-55-6	UG_L	0.5	UJ	mc
8260C 1,1,2,2-	TETRACHLOROETHANE 79-	34-5	UG_L	0.5	UJ	mc
8260C 1,1,2-	TRICHLORO-1,2,2-TRIFLUOROETHANE 76-	13-1	UG_L	5.9	J	mc
8260C 1,1,2-	TRICHLOROETHANE	79-00-5	UG_L	0.5	UJ	mc
8260C 1,1-	DICHLOROETHANE	75-34-3	UG_L	0.5	UJ	mc
8260C 1,1-	DICHLOROETHENE	75-35-4	UG_L	0.5	UJ	mc
8260C 1,2,4-	TRICHLOROBENZENE	120-82-1	UG_L	0.5	UJ	mc
8260C 1,2-	DIBROMO-3-CHLOROPROPANE	96-12-8	UG_L	0.75	UJ	mc
8260C 1,2-	DIBROMOETHANE	106-93-4	UG_L	0.5	UJ	mc
8260C 1,2-	DICHLOROBENZENE	95-50-1	UG_L	0.5	UJ	mc
8260C 1,2-	DICHLOROETHANE	107-06-2	UG_L	0.5	UJ	mc
8260C 1,2-	DICHLOROETHENE, TOTAL	540-59-0	UG_L	1	UJ	mc
8260C 1,2-	DICHLOROPROPANE	78-87-5	UG_L	0.5	UJ	mc
8260C 1,3-	DICHLOROBENZENE	541-73-1	UG_L	0.5	UJ	mc
8260C 1,4-	DICHLOROBENZENE	106-46-7	UG_L	0.5	UJ	mc
8260C 2-	BUTANONE	78-93-3	UG_L	2.5	UJ	mc
8260C 2-	HEXANONE	591-78-6	UG_L	2.5	UJ	c,mc
8260C 4-	METHYL-2-PENTANONE	108-10-1	UG_L	2.5	UJ	mc
8260C	ACETONE	67-64-1	UG_L	9	J	l,mc
8260C B	ENZENE	71-43-2	UG_L	0.5	UJ	mc
8260C B	ROMODICHLOROMETHANE	75-27-4	UG_L	0.5	UJ	mc
8260C B	ROMOFORM	75-25-2	UG_L	0.5	UJ	mc
8260C B	ROMOMETHANE	74-83-9	UG_L	1	UJ	mc
8260C CARB	ON DISULFIDE	75-15-0	UG_L	0.5	UJ	bt,bl,mc
8260C CARB	ON TETRACHLORIDE	56-23-5	UG_L	0.5	UJ	mc
8260C CHLOROB	ENZENE	108-90-7	UG_L	0.5	UJ	mc
8260C CHLOROETHANE		75-00-3	UG_L	1	UJ	c,mc
8260C CHLOROFORM		67-66-3	UG_L	4.9	J	mc
8260C CHLOROM	ETHANE	74-87-3	UG_L	1	UJ	mc
8260C CIS-	1,2-DICHLOROETHENE	156-59-2	UG_L	0.5	UJ	mc
8260C CIS-	1,3-DICHLOROPROPENE	10061-01-5	UG_L	0.5	UJ	mc
8260C CYCLOHEXANE		110-82-7	UG_L	0.5	UJ	mc
8260C DIB	ROMOCHLOROMETHANE	124-48-1	UG_L	0.5	UJ	mc
8260C DICHLORODI	FLUOROMETHANE	75-71-8	UG_L	1	UJ	mc
8260C ETHYLB	ENZENE	100-41-4	UG_L	0.5	UJ	mc
8260C ISOP	ROPYLBENZENE	98-82-8	UG_L	0.5	UJ	mc
8260C	M- AND P-XYLENE	108-38-3/106-42	UG_L	1	UJ	mc
8260C M	ETHYL ACETATE	79-20-9	UG_L	0.75	UJ	c,mc
8260C M	ETHYL CYCLOHEXANE	108-87-2	UG_L	0.5	UJ	mc
8260C	METHYL TERT-BUTYL ETHER	1634-04-4	UG_L	0.5	UJ	mc
8260C M	ETHYLENE CHLORIDE	75-09-2	UG_L	2.5	UJ	c,mc
8260C O-	XYLENE	95-47-6	UG_L	0.5	UJ	mc
8260C STYRENE		100-42-5	UG_L	0.5	UJ	mc
8260C TETRACHLOROETHENE		127-18-4	UG_L	0.5	UJ	mc
8260C TOLUENE		108-88-3	UG_L	0.5	UJ	mc
8260C TRANS-	1,2-DICHLOROETHENE	156-60-5	UG_L	0.5	UJ	mc
8260C TRANS-	1,3-DICHLOROPROPENE	10061-02-6	UG_L	0.5	UJ	mc
8260C TRICHLOROETHENE		79-01-6	UG_L	0.5	UJ	mc
8260C TRICHLOROF	LUOROMETHANE	75-69-4	UG_L	1	UJ	mc
8260C V	INYL CHLORIDE	75-01-4	UG_L	1	UJ	mc
8260C XYLENES,	TOTAL	1330-20-7	UG_L	1.5	UJ	mc

Sample Delivery Group Lab Identification Sample Identification Sample Date Sample Type Depth Interval				SI0932 SI0932-3RA VPB158-GW-021015-538-540 2/10/2015 Groundwater 538 - 540 ft		
Method	Analyte	CAS No	Units	Result Qual		RC
8260C 1,	1,1- TRICHLOROETHANE	71-55-6	UG_L	0.5	UJ	mc
8260C 1,	1,2,2- TETRACHLOROETHANE 79-	34-5	UG_L	0.5	UJ	mc
8260C 1,	1,2- TRICHLORO-1,2,2-TRIFLUOROETHANE 76-	13-1	UG_L	2.2	J	mc
8260C 1,	1,2- TRICHLOROETHANE	79-00-5	UG_L	0.5	UJ	mc
8260C 1,	1- DICHLOROETHANE	75-34-3	UG_L	0.5	UJ	mc
8260C 1,	1- DICHLOROETHENE	75-35-4	UG_L	0.5	UJ	mc
8260C 1,	2,4- TRICHLOROBENZENE	120-82-1	UG_L	0.5	UJ	mc
8260C 1,	2- DIBROMO-3-CHLOROPROPANE	96-12-8	UG_L	0.75	UJ	mc
8260C 1,	2- DIBROMOETHANE	106-93-4	UG_L	0.5	UJ	mc
8260C 1,	2- DICHLOROBENZENE	95-50-1	UG_L	0.5	UJ	mc
8260C 1,	2- DICHLOROETHANE	107-06-2	UG_L	0.5	UJ	mc
8260C 1,	2- DICHLOROETHENE, TOTAL	540-59-0	UG_L	1	UJ	mc
8260C 1,	2- DICHLOROPROPANE	78-87-5	UG_L	0.5	UJ	mc
8260C 1,	3- DICHLOROBENZENE	541-73-1	UG_L	0.5	UJ	mc
8260C 1,	4- DICHLOROBENZENE	106-46-7	UG_L	0.5	UJ	mc
8260C 2-	BUTANONE	78-93-3	UG_L	2.5	UJ	c,mc
8260C 2-	HEXANONE	591-78-6	UG_L	2.5	UJ	c,mc
8260C 4-	METHYL-2-PENTANONE	108-10-1	UG_L	2.5	UJ	mc
8260C	ACETONE	67-64-1	UG_L	7.3	J	mc
8260C B	ENZENE	71-43-2	UG_L	0.5	UJ	mc
8260C B	ROMODICHLOROMETHANE	75-27-4	UG_L	0.5	UJ	mc
8260C B	ROMOFORM	75-25-2	UG_L	0.5	UJ	mc
8260C B	ROMOMETHANE	74-83-9	UG_L	1	UJ	mc
8260C CARB	ON DISULFIDE	75-15-0	UG_L	0.5	UJ	bt,bl,mc
8260C CARB	ON TETRACHLORIDE	56-23-5	UG_L	0.5	UJ	mc
8260C CHLOROB	ENZENE	108-90-7	UG_L	0.5	UJ	mc
8260C CHLOROETHANE		75-00-3	UG_L	1	UJ	mc
8260C CHLOROFORM		67-66-3	UG_L	5.9	J	mc
8260C CHLOROM	ETHANE	74-87-3	UG_L	1	UJ	mc
8260C CIS-	1,2-DICHLOROETHENE	156-59-2	UG_L	0.5	UJ	mc
8260C CIS-	1,3-DICHLOROPROPENE	10061-01-5	UG_L	0.5	UJ	mc
8260C CYCLOHEXANE		110-82-7	UG_L	0.5	UJ	c,mc
8260C DIB	ROMOCHLOROMETHANE	124-48-1	UG_L	0.5	UJ	mc
8260C DICHLORODI	FLUOROMETHANE	75-71-8	UG_L	1	UJ	c,mc
8260C ETHYLB	ENZENE	100-41-4	UG_L	0.5	UJ	mc
8260C ISOP	ROPYLBENZENE	98-82-8	UG_L	0.5	UJ	mc
8260C	M- AND P-XYLENE	108-38-3/106-42	UG_L	1	UJ	mc
8260C M	ETHYL ACETATE	79-20-9	UG_L	0.75	UJ	c,mc
8260C M	ETHYL CYCLOHEXANE	108-87-2	UG_L	0.5	UJ	mc
8260C	METHYL TERT-BUTYL ETHER	1634-04-4	UG_L	0.5	UJ	mc
8260C M	ETHYLENE CHLORIDE	75-09-2	UG_L	2.5	UJ	c,mc
8260C O-	XYLENE	95-47-6	UG_L	0.5	UJ	mc
8260C STYRENE		100-42-5	UG_L	0.5	UJ	mc
8260C TETRACHLOROETHENE		127-18-4	UG_L	0.5	UJ	mc
8260C TOLUENE		108-88-3	UG_L	0.5	UJ	mc
8260C TRANS-	1,2-DICHLOROETHENE	156-60-5	UG_L	0.5	UJ	mc
8260C TRANS-	1,3-DICHLOROPROPENE	10061-02-6	UG_L	0.5	UJ	mc
8260C TRICHLOROETHENE		79-01-6	UG_L	0.5	UJ	mc
8260C TRICHLOROF	LUOROMETHANE	75-69-4	UG_L	1	UJ	mc
8260C V	INYL CHLORIDE	75-01-4	UG_L	1	UJ	mc
8260C XYLENES,	TOTAL	1330-20-7	UG_L	1.5	UJ	mc



Sample Delivery Group Lab Identification Sample Identification Sample Date Sample Type Depth Interval				SI0932 SI0932-4 VPB158-GW-021015-558-560 2/10/2015 Groundwater 558 - 560 ft		
Method	Analyte	CAS No	Units	Result	Qual	RC
8260C 1,1,1-	TRICHLOROETHANE	71-55-6	UG_L	0.5	U	
8260C 1,1,2,2-	TETRACHLOROETHANE 79-	34-5	UG_L	0.5	U	
8260C 1,1,2-	TRICHLORO-1,2,2-TRIFLUOROETHANE	76-13-1	UG_L	19		
8260C 1,1,2-	TRICHLOROETHANE	79-00-5	UG_L	0.5	U	
8260C 1,1-	DICHLOROETHANE	75-34-3	UG_L	0.5	U	
8260C 1,1-	DICHLOROETHENE	75-35-4	UG_L	0.68	J	
8260C 1,2,4-	TRICHLOROBENZENE	120-82-1	UG_L	0.5	U	
8260C 1,2-	DIBROMO-3-CHLOROPROPANE	96-12-8	UG_L	0.75	U	
8260C 1,2-	DIBROMOETHANE	106-93-4	UG_L	0.5	U	
8260C 1,2-	DICHLOROBENZENE	95-50-1	UG_L	0.5	U	
8260C 1,2-	DICHLOROETHANE	107-06-2	UG_L	0.5	U	
8260C	1,2-DICHLOROETHENE, TOTAL	540-59-0	UG_L	0.27	J	
8260C 1,2-	DICHLOROPROPANE	78-87-5	UG_L	0.5	U	
8260C 1,β-	DICHLOROBENZENE	541-73-1	UG_L	0.5	U	
8260C 1,α-	DICHLOROBENZENE	106-46-7	UG_L	0.5	U	
8260C 2-	BUTANONE	78-93-3	UG_L	2.5	U	
8260C 2-	HEXANONE	591-78-6	UG_L	2.5	UJ	c
8260C 4-	METHYL-2-PENTANONE	108-10-1	UG_L	2.5	U	
8260C	ACETONE	67-64-1	UG_L	2.8	J	l
8260C B	ENZENE	71-43-2	UG_L	0.5	U	
8260C B	ROMODICHLOROMETHANE	75-27-4	UG_L	0.5	U	
8260C B	ROMOFORM	75-25-2	UG_L	0.5	U	
8260C B	ROMOMETHANE	74-83-9	UG_L	1	U	
8260C CARB	ON DISULFIDE	75-15-0	UG_L	0.5	UJ	bt,bl
8260C	CARBON TETRACHLORIDE	56-23-5	UG_L	0.5	U	
8260C CHLOROB	ENZENE	108-90-7	UG_L	0.5	U	
8260C CHLOROETHANE		75-00-3	UG_L	1	UJ	c
8260C	CHLOROFORM	67-66-3	UG_L	8.2		
8260C CHLOROM	ETHANE	74-87-3	UG_L	1	U	
8260C CIS-	1,2-DICHLOROETHENE	156-59-2	UG_L	0.27	J	
8260C CIS-	1,3-DICHLOROPROPENE	10061-01-5	UG_L	0.5	U	
8260C	CYCLOHEXANE	110-82-7	UG_L	0.5	U	
8260C DIB	ROMOCHLOROMETHANE	124-48-1	UG_L	0.5	U	
8260C DICHLORODI	FLUOROMETHANE	75-71-8	UG_L	1	U	
8260C ETHYLB	ENZENE	100-41-4	UG_L	0.5	U	
8260C ISOP	ROPYLBENZENE	98-82-8	UG_L	0.5	U	
8260C	M- AND P-XYLENE	108-38-3/106-42	UG_L	1	U	
8260C M	ETHYL ACETATE	79-20-9	UG_L	0.75	UJ	c
8260C	METHYL CYCLOHEXANE	108-87-2	UG_L	0.5	U	
8260C	METHYL TERT-BUTYL ETHER	1634-04-4	UG_L	0.5	U	
8260C M	ETHYLENE CHLORIDE	75-09-2	UG_L	2.5	UJ	c
8260C O-	XYLENE	95-47-6	UG_L	0.5	U	
8260C	STYRENE	100-42-5	UG_L	0.5	U	
8260C	TETRACHLOROETHENE	127-18-4	UG_L	0.5	U	
8260C	TOLUENE	108-88-3	UG_L	0.5	U	
8260C TRANS-	1,2-DICHLOROETHENE	156-60-5	UG_L	0.5	U	
8260C TRANS-	1,3-DICHLOROPROPENE	10061-02-6	UG_L	0.5	U	
8260C	TRICHLOROETHENE	79-01-6	UG_L	0.5	U	
8260C	TRICHLOROF LUOROMETHANE	75-69-4	UG_L	1	U	
8260C	VINYL CHLORIDE	75-01-4	UG_L	1	U	
8260C	XYLENES, TOTAL	1330-20-7	UG_L	1.5	U	

Sample Delivery Group Lab Identification Sample Identification Sample Date Sample Type Depth Interval				SI0932 SI0932-SRA VPB158-GW-021115-578-580 2/11/2015 Groundwater 578 - 580 ft		
Method	Analyte	CAS No	Units	Result Qual		RC
8260C 1,1,1-	TRICHLOROETHANE	71-55-6	UG_L	0.5	UJ	mc
8260C 1,1,2,2-	TETRACHLOROETHANE 79-	34-5	UG_L	0.5	UJ	mc
8260C 1,1,2-	TRICHLORO-1,2,2-TRIFLUOROETHANE 76-	13-1	UG_L	2.5	J	mc
8260C 1,1,2-	TRICHLOROETHANE	79-00-5	UG_L	0.5	UJ	mc
8260C 1,1-	DICHLOROETHANE	75-34-3	UG_L	0.5	UJ	mc
8260C 1,1-	DICHLOROETHENE	75-35-4	UG_L	0.5	UJ	mc
8260C 1,2,4-	TRICHLOROBENZENE	120-82-1	UG_L	0.5	UJ	mc
8260C 1,2-	DIBROMO-3-CHLOROPROPANE	96-12-8	UG_L	0.75	UJ	mc
8260C 1,2-	DIBROMOETHANE	106-93-4	UG_L	0.5	UJ	mc
8260C 1,2-	DICHLOROBENZENE	95-50-1	UG_L	0.5	UJ	mc
8260C 1,2-	DICHLOROETHANE	107-06-2	UG_L	0.5	UJ	mc
8260C 1,2-	DICHLOROETHENE, TOTAL	540-59-0	UG_L	1	UJ	mc
8260C 1,2-	DICHLOROPROPANE	78-87-5	UG_L	0.5	UJ	mc
8260C 1,3-	DICHLOROBENZENE	541-73-1	UG_L	0.5	UJ	mc
8260C 1,4-	DICHLOROBENZENE	106-46-7	UG_L	0.5	UJ	mc
8260C 2-	BUTANONE	78-93-3	UG_L	2.5	UJ	c,mc
8260C 2-	HEXANONE	591-78-6	UG_L	2.5	UJ	c,mc
8260C 4-	METHYL-2-PENTANONE	108-10-1	UG_L	2.5	UJ	mc
8260C	ACETONE	67-64-1	UG_L	7.9	J	mc
8260C B	ENZENE	71-43-2	UG_L	0.5	UJ	mc
8260C B	ROMODICHLOROMETHANE	75-27-4	UG_L	0.5	UJ	mc
8260C B	ROMOFORM	75-25-2	UG_L	0.5	UJ	mc
8260C B	ROMOMETHANE	74-83-9	UG_L	1	UJ	mc
8260C CARB	ON DISULFIDE	75-15-0	UG_L	0.5	UJ	bt,bl,mc
8260C CARB	ON TETRACHLORIDE	56-23-5	UG_L	0.5	UJ	mc
8260C CHLOROB	ENZENE	108-90-7	UG_L	0.5	UJ	mc
8260C CHLOROETHANE		75-00-3	UG_L	1	UJ	mc
8260C CHLOROFORM		67-66-3	UG_L	2.9	J	mc
8260C CHLOROM	ETHANE	74-87-3	UG_L	1	UJ	mc
8260C CIS-	1,2-DICHLOROETHENE	156-59-2	UG_L	0.5	UJ	mc
8260C CIS-	1,3-DICHLOROPROPENE	10061-01-5	UG_L	0.5	UJ	mc
8260C CYCLOHEXANE		110-82-7	UG_L	0.5	UJ	c,mc
8260C DIB	ROMOCHLOROMETHANE	124-48-1	UG_L	0.5	UJ	mc
8260C DICHLORODI	FLUOROMETHANE	75-71-8	UG_L	1	UJ	c,mc
8260C ETHYLB	ENZENE	100-41-4	UG_L	0.5	UJ	mc
8260C ISOP	ROPYLBENZENE	98-82-8	UG_L	0.5	UJ	mc
8260C	M- AND P-XYLENE	108-38-3/106-42	UG_L	1	UJ	mc
8260C M	ETHYL ACETATE	79-20-9	UG_L	0.75	UJ	c,mc
8260C M	ETHYL CYCLOHEXANE	108-87-2	UG_L	0.5	UJ	mc
8260C	METHYL TERT-BUTYL ETHER	1634-04-4	UG_L	0.5	UJ	mc
8260C M	ETHYLENE CHLORIDE	75-09-2	UG_L	2.5	UJ	c,mc
8260C O-	XYLENE	95-47-6	UG_L	0.5	UJ	mc
8260C STYRENE		100-42-5	UG_L	0.5	UJ	mc
8260C TETRACHLOROETHENE		127-18-4	UG_L	0.5	UJ	mc
8260C TOLUENE		108-88-3	UG_L	0.5	UJ	mc
8260C TRANS-	1,2-DICHLOROETHENE	156-60-5	UG_L	0.5	UJ	mc
8260C TRANS-	1,3-DICHLOROPROPENE	10061-02-6	UG_L	0.5	UJ	mc
8260C TRICHLOROETHENE		79-01-6	UG_L	0.5	UJ	mc
8260C TRICHLOROF	LUOROMETHANE	75-69-4	UG_L	1	UJ	mc
8260C V	INYL CHLORIDE	75-01-4	UG_L	1	UJ	mc
8260C XYLENES,	TOTAL	1330-20-7	UG_L	1.5	UJ	mc

Sample Delivery Group Lab Identification Sample Identification Sample Date Sample Type Depth Interval				SI0932 SI0932-6 VPB158-GW-021115-598-600 2/11/2015 Groundwater 598 - 600 ft		
Method	Analyte	CAS No	Units	Result	Qual	RC
8260C 1,1,1-	TRICHLOROETHANE	71-55-6	UG_L	0.5	U	
8260C 1,1,2,2-	TETRACHLOROETHANE 79-	34-5	UG_L	0.5	U	
8260C 1,1,2-	TRICHLORO-1,2,2-TRIFLUOROETHANE	76-13-1	UG_L	4.5		
8260C 1,1,2-	TRICHLOROETHANE	79-00-5	UG_L	0.5	U	
8260C 1,1-	DICHLOROETHANE	75-34-3	UG_L	0.5	U	
8260C 1,1-	DICHLOROETHENE	75-35-4	UG_L	0.5	U	
8260C 1,2,4-	TRICHLOROBENZENE	120-82-1	UG_L	0.5	U	
8260C 1,2-	DIBROMO-3-CHLOROPROPANE	96-12-8	UG_L	0.75	U	
8260C 1,2-	DIBROMOETHANE	106-93-4	UG_L	0.5	U	
8260C 1,2-	DICHLOROBENZENE	95-50-1	UG_L	0.5	U	
8260C 1,2-	DICHLOROETHANE	107-06-2	UG_L	0.5	U	
8260C	1,2-DICHLOROETHENE, TOTAL	540-59-0	UG_L	1	U	
8260C 1,2-	DICHLOROPROPANE	78-87-5	UG_L	0.5	U	
8260C 1,β-	DICHLOROBENZENE	541-73-1	UG_L	0.5	U	
8260C 1,α-	DICHLOROBENZENE	106-46-7	UG_L	0.5	U	
8260C 2-	BUTANONE	78-93-3	UG_L	2.5	U	
8260C 2-	HEXANONE	591-78-6	UG_L	2.5	UJ	c
8260C 4-	METHYL-2-PENTANONE	108-10-1	UG_L	2.5	U	
8260C	ACETONE	67-64-1	UG_L	2.5	U	
8260C B	ENZENE	71-43-2	UG_L	0.5	U	
8260C B	ROMODICHLOROMETHANE	75-27-4	UG_L	0.5	U	
8260C B	ROMOFORM	75-25-2	UG_L	0.5	U	
8260C B	ROMOMETHANE	74-83-9	UG_L	1	U	
8260C	CARBON DISULFIDE	75-15-0	UG_L	0.5	U	
8260C	CARBON TETRACHLORIDE	56-23-5	UG_L	0.5	U	
8260C	CHLOROBENZENE	108-90-7	UG_L	0.5	U	
8260C	CHLOROETHANE	75-00-3	UG_L	1	UJ	c
8260C	CHLOROFORM	67-66-3	UG_L	1.4		
8260C	CHLOROMETHANE	74-87-3	UG_L	1	U	
8260C	CIS-1,2-DICHLOROETHENE	156-59-2	UG_L	0.5	U	
8260C	CIS-1,3-DICHLOROPROPENE	10061-01-5	UG_L	0.5	U	
8260C	CYCLOHEXANE	110-82-7	UG_L	0.5	U	
8260C	DIBROMOCHLOROMETHANE	124-48-1	UG_L	0.5	U	
8260C	DICHLORODIFLUOROMETHANE	75-71-8	UG_L	1	U	
8260C	ETHYLBENZENE	100-41-4	UG_L	0.5	U	
8260C	ISOPROPYLBENZENE	98-82-8	UG_L	0.5	U	
8260C	M- AND P-XYLENE	108-38-3/106-42	UG_L	1	U	
8260C	METHYL ACETATE	79-20-9	UG_L	0.75	UJ	c
8260C	METHYL CYCLOHEXANE	108-87-2	UG_L	0.5	U	
8260C	METHYL TERT-BUTYL ETHER	1634-04-4	UG_L	0.5	U	
8260C	METHYLENE CHLORIDE	75-09-2	UG_L	2.5	UJ	c
8260C	O-XYLENE	95-47-6	UG_L	0.5	U	
8260C	STYRENE	100-42-5	UG_L	0.5	U	
8260C	TETRACHLOROETHENE	127-18-4	UG_L	0.5	U	
8260C	TOLUENE	108-88-3	UG_L	0.5	U	
8260C	TRANS-1,2-DICHLOROETHENE	156-60-5	UG_L	0.5	U	
8260C	TRANS-1,3-DICHLOROPROPENE	10061-02-6	UG_L	0.5	U	
8260C	TRICHLOROETHENE	79-01-6	UG_L	0.5	U	
8260C	TRICHLORODIFLUOROMETHANE	75-69-4	UG_L	1	U	
8260C	VINYL CHLORIDE	75-01-4	UG_L	1	U	
8260C	XYLENES, TOTAL	1330-20-7	UG_L	1.5	U	

Sample Delivery Group Lab Identification Sample Identification Sample Date Sample Type Depth Interval				SI0932 SI0932-7 VPB158-GW-021215-638-640 2/12/2015 Groundwater 638 - 640 ft		
Method	Analyte	CAS No	Units	Result Qual		RC
8260C 1,	1,1- TRICHLOROETHANE	71-55-6	UG_L	0.5	UJ	mc
8260C 1,	1,2,2- TETRACHLOROETHANE 79-	34-5	UG_L	0.5	UJ	mc
8260C 1,	1,2- TRICHLORO-1,2,2-TRIFLUOROETHANE 76-	13-1	UG_L	0.5	UJ	mc
8260C 1,	1,2- TRICHLOROETHANE	79-00-5	UG_L	0.5	UJ	mc
8260C 1,	1- DICHLOROETHANE	75-34-3	UG_L	0.5	UJ	mc
8260C 1,	1- DICHLOROETHENE	75-35-4	UG_L	0.5	UJ	mc
8260C 1,	2,4- TRICHLOROBENZENE	120-82-1	UG_L	0.5	UJ	mc
8260C 1,	2- DIBROMO-3-CHLOROPROPANE	96-12-8	UG_L	0.75	UJ	mc
8260C 1,	2- DIBROMOETHANE	106-93-4	UG_L	0.5	UJ	mc
8260C 1,	2- DICHLOROBENZENE	95-50-1	UG_L	0.5	UJ	mc
8260C 1,	2- DICHLOROETHANE	107-06-2	UG_L	0.5	UJ	mc
8260C 1,	2- DICHLOROETHENE, TOTAL	540-59-0	UG_L	1	UJ	mc
8260C 1,	2- DICHLOROPROPANE	78-87-5	UG_L	0.5	UJ	mc
8260C 1,	3- DICHLOROBENZENE	541-73-1	UG_L	0.5	UJ	mc
8260C 1,	4- DICHLOROBENZENE	106-46-7	UG_L	0.5	UJ	mc
8260C 2-	BUTANONE	78-93-3	UG_L	2.5	UJ	mc
8260C 2-	HEXANONE	591-78-6	UG_L	2.5	UJ	c,mc
8260C 4-	METHYL-2-PENTANONE	108-10-1	UG_L	2.5	UJ	mc
8260C	ACETONE	67-64-1	UG_L	9.7	J	l,mc
8260C B	ENZENE	71-43-2	UG_L	0.5	UJ	mc
8260C B	ROMODICHLOROMETHANE	75-27-4	UG_L	0.5	UJ	mc
8260C B	ROMOFORM	75-25-2	UG_L	0.5	UJ	mc
8260C B	ROMOMETHANE	74-83-9	UG_L	1	UJ	mc
8260C CARB	ON DISULFIDE	75-15-0	UG_L	0.5	UJ	bt,bl,mc
8260C CARB	ON TETRACHLORIDE	56-23-5	UG_L	0.5	UJ	mc
8260C CHLOROB	ENZENE	108-90-7	UG_L	0.5	UJ	mc
8260C CHLOROETHANE		75-00-3	UG_L	1	UJ	c,mc
8260C CHLOROFORM		67-66-3	UG_L	0.35	J	mc
8260C CHLOROM	ETHANE	74-87-3	UG_L	1	UJ	mc
8260C CIS-	1,2-DICHLOROETHENE	156-59-2	UG_L	0.5	UJ	mc
8260C CIS-	1,3-DICHLOROPROPENE	10061-01-5	UG_L	0.5	UJ	mc
8260C CYCLOHEXANE		110-82-7	UG_L	0.5	UJ	mc
8260C DIB	ROMOCHLOROMETHANE	124-48-1	UG_L	0.5	UJ	mc
8260C DICHLORODI	FLUOROMETHANE	75-71-8	UG_L	1	UJ	mc
8260C ETHYLB	ENZENE	100-41-4	UG_L	0.5	UJ	mc
8260C ISOP	ROPYLBENZENE	98-82-8	UG_L	0.5	UJ	mc
8260C	M- AND P-XYLENE	108-38-3/106-42	UG_L	1	UJ	mc
8260C M	ETHYL ACETATE	79-20-9	UG_L	0.75	UJ	c,mc
8260C M	ETHYL CYCLOHEXANE	108-87-2	UG_L	0.5	UJ	mc
8260C	METHYL TERT-BUTYL ETHER	1634-04-4	UG_L	0.5	UJ	mc
8260C M	ETHYLENE CHLORIDE	75-09-2	UG_L	2.5	UJ	c,mc
8260C O-	XYLENE	95-47-6	UG_L	0.5	UJ	mc
8260C STYRENE		100-42-5	UG_L	0.5	UJ	mc
8260C TETRACHLOROETHENE		127-18-4	UG_L	0.5	UJ	mc
8260C TOLUENE		108-88-3	UG_L	0.5	UJ	mc
8260C TRANS-	1,2-DICHLOROETHENE	156-60-5	UG_L	0.5	UJ	mc
8260C TRANS-	1,3-DICHLOROPROPENE	10061-02-6	UG_L	0.5	UJ	mc
8260C TRICHLOROETHENE		79-01-6	UG_L	0.5	UJ	mc
8260C TRICHLOROF	LUOROMETHANE	75-69-4	UG_L	1	UJ	mc
8260C V	INYL CHLORIDE	75-01-4	UG_L	1	UJ	mc
8260C XYLENES,	TOTAL	1330-20-7	UG_L	1.5	UJ	mc

Sample Delivery Group Lab Identification Sample Identification Sample Date Sample Type Depth Interval				SI0932 SI0932-8 VPB158-GWD-021115 2/11/2015 Field Duplicate 598 - 699 ft		
Method	Analyte	CAS No	Units	Result	Qual	RC
8260C 1,	1,1- TRICHLOROETHANE	71-55-6	UG_L	0.5	U	
8260C 1,	1,2,2- TETRACHLOROETHANE 79-	34-5	UG_L	0.5	U	
8260C 1,	1,2- TRICHLORO-1,2,2-TRIFLUOROETHANE	76-13-1	UG_L	4		
8260C 1,	1,2- TRICHLOROETHANE	79-00-5	UG_L	0.5	U	
8260C 1,	1- DICHLOROETHANE	75-34-3	UG_L	0.5	U	
8260C 1,	1- DICHLOROETHENE	75-35-4	UG_L	0.5	U	
8260C 1,	2,4- TRICHLOROBENZENE	120-82-1	UG_L	0.5	U	
8260C 1,	2- DIBROMO-3-CHLOROPROPANE	96-12-8	UG_L	0.75	U	
8260C 1,	2- DIBROMOETHANE	106-93-4	UG_L	0.5	U	
8260C 1,	2- DICHLOROBENZENE	95-50-1	UG_L	0.5	U	
8260C 1,	2- DICHLOROETHANE	107-06-2	UG_L	0.5	U	
8260C	1,2-DICHLOROETHENE, TOTAL	540-59-0	UG_L	1	U	
8260C 1,	2- DICHLOROPROPANE	78-87-5	UG_L	0.5	U	
8260C 1,	3- DICHLOROBENZENE	541-73-1	UG_L	0.5	U	
8260C 1,	4- DICHLOROBENZENE	106-46-7	UG_L	0.5	U	
8260C 2-	BUTANONE	78-93-3	UG_L	2.5	U	
8260C 2-	HEXANONE	591-78-6	UG_L	2.5	UJ	c
8260C 4-	METHYL-2-PENTANONE	108-10-1	UG_L	2.5	U	
8260C	ACETONE	67-64-1	UG_L	2.4	J	I
8260C B	ENZENE	71-43-2	UG_L	0.5	U	
8260C B	ROMODICHLOROMETHANE	75-27-4	UG_L	0.5	U	
8260C B	ROMOFORM	75-25-2	UG_L	0.5	U	
8260C B	ROMOMETHANE	74-83-9	UG_L	1	U	
8260C	CARBON DISULFIDE	75-15-0	UG_L	0.5	U	
8260C	CARBON TETRACHLORIDE	56-23-5	UG_L	0.5	U	
8260C	CHLOROB ENZENE	108-90-7	UG_L	0.5	U	
8260C	CHLOROETHANE	75-00-3	UG_L	1	UJ	c
8260C	CHLOROFORM	67-66-3	UG_L	1.3		
8260C	CHLOROM ETHANE	74-87-3	UG_L	1	U	
8260C	CIS- 1,2-DICHLOROETHENE	156-59-2	UG_L	0.5	U	
8260C	CIS- 1,3-DICHLOROPROPENE	10061-01-5	UG_L	0.5	U	
8260C	CYCLOHEXANE	110-82-7	UG_L	0.5	U	
8260C	DIB ROMOCHLOROMETHANE	124-48-1	UG_L	0.5	U	
8260C	DICHLORODI FLUOROMETHANE	75-71-8	UG_L	1	U	
8260C	ETHYLB ENZENE	100-41-4	UG_L	0.5	U	
8260C	ISOP ROPYLBENZENE	98-82-8	UG_L	0.5	U	
8260C	M- AND P-XYLENE	108-38-3/106-42	UG_L	1	U	
8260C	M ETHYL ACETATE	79-20-9	UG_L	0.75	UJ	c
8260C	METHYL CYCLOHEXANE	108-87-2	UG_L	0.5	U	
8260C	METHYL TERT-BUTYL ETHER	1634-04-4	UG_L	0.5	U	
8260C	M ETHYLENE CHLORIDE	75-09-2	UG_L	2.5	UJ	c
8260C	O XYLENE	95-47-6	UG_L	0.5	U	
8260C	S TYRENE	100-42-5	UG_L	0.5	U	
8260C	TETRACHLOROETHENE	127-18-4	UG_L	0.5	U	
8260C	TOLUENE	108-88-3	UG_L	0.5	U	
8260C	TRANS- 1,2-DICHLOROETHENE	156-60-5	UG_L	0.5	U	
8260C	TRANS- 1,3-DICHLOROPROPENE	10061-02-6	UG_L	0.5	U	
8260C	TRICHLOROETHENE	79-01-6	UG_L	0.5	U	
8260C	TRICHLOROF LUOROMETHANE	75-69-4	UG_L	1	U	
8260C	VINYL CHLORIDE	75-01-4	UG_L	1	U	
8260C	XYLENES, TOTAL	1330-20-7	UG_L	1.5	U	

Sample Delivery Group Lab ID Sample ID Sample Date Sample Type				SI0932 SI0932-1 VPB158-TRIPBLANK-021215 2/12/2015 Trip Blank		
Method	Analyte	CAS No	Units	Result Qual		RC
8260C 1,1,1-	TRICHLOROETHANE	71-55-6	UG_L	0.5	U	
8260C 1,1,2,2-	TETRACHLOROETHANE 79-	34-5	UG_L	0.5	U	
8260C 1,1,2-	TRICHLORO-1,2,2-TRIFLUOROETHANE 76-	13-1	UG_L	0.5	U	
8260C 1,1,2-	TRICHLOROETHANE	79-00-5	UG_L	0.5	U	
8260C 1,1-	DICHLOROETHANE	75-34-3	UG_L	0.5	U	
8260C 1,1-	DICHLOROETHENE	75-35-4	UG_L	0.5	U	
8260C 1,2,4-	TRICHLOROBENZENE	120-82-1	UG_L	0.5	U	
8260C 1,2-	DIBROMO-3-CHLOROPROPANE	96-12-8	UG_L	0.75	U	
8260C 1,2-	DIBROMOETHANE	106-93-4	UG_L	0.5	U	
8260C 1,2-	DICHLOROBENZENE	95-50-1	UG_L	0.5	U	
8260C 1,2-	DICHLOROETHANE	107-06-2	UG_L	0.5	U	
8260C	1,2-DICHLOROETHENE, TOTAL	540-59-0	UG_L	1	U	
8260C 1,2-	DICHLOROPROPANE	78-87-5	UG_L	0.5	U	
8260C 1,3-	DICHLOROBENZENE	541-73-1	UG_L	0.5	U	
8260C 1,4-	DICHLOROBENZENE	106-46-7	UG_L	0.5	U	
8260C 2-	BUTANONE	78-93-3	UG_L	2.5	U	
8260C 2-	HEXANONE	591-78-6	UG_L	2.5	UJ	c
8260C 4-	METHYL-2-PENTANONE	108-10-1	UG_L	2.5	U	
8260C	ACETONE	67-64-1	UG_L	2.5	U	
8260C B	ENZENE	71-43-2	UG_L	0.5	U	
8260C B	ROMODICHLOROMETHANE	75-27-4	UG_L	0.5	U	
8260C B	ROMOFORM	75-25-2	UG_L	0.5	U	
8260C B	ROMOMETHANE	74-83-9	UG_L	1	U	
8260C	CARBON DISULFIDE	75-15-0	UG_L	0.5	UJ	bl
8260C	CARBON TETRACHLORIDE	56-23-5	UG_L	0.5	U	
8260C	CHLOROBENZENE	108-90-7	UG_L	0.5	U	
8260C	CHLOROETHANE	75-00-3	UG_L	1	UJ	c
8260C	CHLOROFORM	67-66-3	UG_L	0.5	U	
8260C	CHLOROMETHANE	74-87-3	UG_L	1	U	
8260C C1S-	1,2-DICHLOROETHENE	156-59-2	UG_L	0.5	U	
8260C C1S-	1,3-DICHLOROPROPENE	10061-01-5	UG_L	0.5	U	
8260C	CYCLOHEXANE	110-82-7	UG_L	0.5	U	
8260C D1B	ROMOCHLOROMETHANE	124-48-1	UG_L	0.5	U	
8260C	DICHLORODIFLUOROMETHANE	75-71-8	UG_L	1	U	
8260C	ETHYLBENZENE	100-41-4	UG_L	0.5	U	
8260C	ISOPROPYLBENZENE	98-82-8	UG_L	0.5	U	
8260C	M- AND P-XYLENE	108-38-3/106-42	UG_L	1	U	
8260C M	ETHYL ACETATE	79-20-9	UG_L	0.75	UJ	c
8260C	METHYL CYCLOHEXANE	108-87-2	UG_L	0.5	U	
8260C	METHYL TERT-BUTYL ETHER	1634-04-4	UG_L	0.5	U	
8260C M	ETHYLENE CHLORIDE	75-09-2	UG_L	2.5	UJ	c
8260C O	XYLENE	95-47-6	UG_L	0.5	U	
8260C	STYRENE	100-42-5	UG_L	0.5	U	
8260C	TETRACHLOROETHENE	127-18-4	UG_L	0.5	U	
8260C	TOLUENE	108-88-3	UG_L	0.5	U	
8260C	TRANS-1,2-DICHLOROETHENE	156-60-5	UG_L	0.5	U	
8260C	TRANS-1,3-DICHLOROPROPENE	10061-02-6	UG_L	0.5	U	
8260C	TRICHLOROETHENE	79-01-6	UG_L	0.5	U	
8260C	TRICHLOROFLUOROMETHANE	75-69-4	UG_L	1	U	
8260C	VINYL CHLORIDE	75-01-4	UG_L	1	U	
8260C	XYLENES, TOTAL	1330-20-7	UG_L	1.5	U	

**Notes:**

UG\_L = Micrograms per liter  
Qual = Final qualifier  
RC = Reason code

**DATA VALIDATION REPORT**

Project:	Regional Groundwater Investigation — NWIRP Bethpage	
Laboratory:	Katahdin Analytical	
Sample Delivery Group:	SI1101	
Analyses/Method:	Volatile Organic Compounds (VOCs) by U.S. EPA SW-846 Method 8260C	
Validation Level:	3	
Project Number:	0888812477.SA.DV	
Prepared by:	Dana Miller/Resolution Consultants	Completed on: 03/19/2015
Reviewed by:	Tina Cantwell/Resolution Consultants	File Name: SI1101_8260C

**SUMMARY**

This report summarizes data review findings for samples listed below, collected by Resolution Consultants from the Regional Groundwater Investigation — NWIRP Bethpage site on 18 to 19 February 2015 in accordance with the following Sampling and Analysis Plans:

- *Sampling and Analysis Plan, Bethpage, New York, April 2013.*
- *UFP SAP Addendum, Inclusion of Additional Target Analytes for Volatile Organics Analyses, NWIRP Bethpage OU2, Bethpage, New York, August 2014.*
- *UFP SAP Addendum, Installation of Vertical Profile Borings and Monitoring Wells, Operable Unit 2, NWIRP Bethpage, New York, November 2013.*

Sample ID	Matrix/Sample Type	Analysis
VPB158-TRIPBLANK-021915 Trip	Blank	8260C
VPB158-GW-021815-658-660 Gr	Groundwater	8260C
VPB158-GW-021815-678-680	Groundwater	8260C
VPB158-GW-021915-698-700	Groundwater	8260C
VPB158-GW-021915-718-720	Groundwater	8260C

Data validation activities were conducted using the following guidance documents: *Test Methods for Evaluating Solid Waste, Physical/Chemical Methods SW-846, specifically Method 8260C, Volatile Organic Compounds by Gas Chromatography/Mass Spectrometry* (U.S. EPA, 2006), *U.S. Environmental Protection Agency (U.S. EPA) Contract Laboratory Program National Functional Guidelines for Superfund Organic Methods Data Review* (NFG, June 2008), and Department of Defense (DoD) Quality Systems Manual (QSM) for Environmental Laboratories, Version 4.2 (October 2010). In the absence of method-specific information, laboratory quality control (QC) limits, project-specific requirements and/or professional judgment were used as appropriate.

## **REVIEW ELEMENTS**

The data were evaluated based on the following parameters (where applicable to the method):

- X Data completeness (chain-of-custody [COC])/sample integrity
- ✓ Holding times and sample preservation
- ✓ GC/MS performance checks
- X Initial calibration/continuing calibration verification
- ✓ Laboratory blanks/trip blanks
- ✓ Surrogate spike recoveries
- NA Matrix spike (MS) and/or matrix spike duplicate (MSD) results
- ✓ Laboratory control sample (LCS)/laboratory control sample duplicate (LCSD) results
- NA Field duplicates
- ✓ Internal standards
- ✓ Sample results/reporting issues

The symbol ( ✓ ) indicates that no validation qualifiers were applied based on this parameter. NA indicates that the parameter was not included as part of this data set or was not applicable to this validation and therefore not reviewed. Acceptable data parameters for which all criteria were met and no qualification was performed and non-conformance or other issues that were noted during validation, but did not result in qualification of data are not discussed further. The symbol ( X ) indicates that a QC non-conformance resulted in the qualification of data. Any QC non-conformance that resulted in the qualification of data is discussed below.

## **RESULTS**

### **Data Completeness/Sample Integrity**

The data package was reviewed and found to meet acceptance criteria for completeness:

- the COCs were reviewed for completeness of information relevant to the samples and requested analyses, and for signatures indicating transfer of sample custody;
- the Laboratory sample log in sheet(s) were reviewed for issues potentially affecting sample integrity, including the condition of sample containers upon receipt at the laboratory;
- completeness of analyses was verified by comparing the reported results to the COC request.

Due to limitations in the reporting system, the laboratory omitted the first characters "VPB-" and middle characters "GW-" from the sample ID in all samples; and truncated Trip Blank to "TB" in the



report. Below shows a list of samples that were mostly comprised of soil in vials and not very much liquid:

- VPB158-GW-021815-678-680 and VPB158-GW-021915-698-700 had each vial decanted, compounded into one vial for each sample and analyzed.
- VPB158-GW-021915-718-720 had two vials decanted, compounded in to one vial and analyzed.

Positive and non-detected results for sample's VPB158-GW- 021815-678-680, VPB158-GW-021915-698-700, and VPB158-GW-021915-718-720 were qualified as estimated (J and UJ) respectively due to possible loss of sample integrity during the decanting process. Non-conformances are summarized in Attachment A in Table A-1.

**Initial Calibration/Continuing Calibration Verification**

Calibration data were reviewed for conformance with the QC acceptance criteria to ensure that:

- the initial calibration percent relative standard deviation, correlation coefficient/coefficient of determination, and/or response factor method acceptance criteria were met;
- the initial calibration verification standard percent recovery acceptance criteria were met;
- the continuing calibration verification standard method percent difference or percent drift (%Ds) and response factor acceptance criteria were met; and
- the retention time method acceptance criteria were met.

Data qualification to the analytes associated with the specific calibration verification standard (CCV) was as follows:

**CCV Linearity Non-conformance:**

Criteria	Actions	
	Detected Results	Non-detected Results
%Difference or %Drift > 20%	J	UJ

CCV non-conformances are summarized in Attachment A in Table's A-2.

### **Qualifications Actions**

The data was reviewed independently from the laboratory to assess data quality. All compounds detected at concentrations less than the limit of quantitation (LOQ) but greater than the method detection limit were qualified by the laboratory as estimated (J). This "J" qualifier was retained during data validation. Any sample that was analyzed at a dilution because of high concentrations of target or non-targets was checked to confirm that the results and/or sample-specific LOQs and limit of detections were adjusted accordingly by the laboratory.

No results were rejected; therefore, analytical completeness was calculated to be 100 per cent. Data not qualified during data review are considered usable by the project. The remaining results qualified as estimated may be high or low, but the data are usable for their intended purpose, according to U.S. Environmental Protection Agency and Department of Defense guidelines. Final data review qualifiers used to describe results and how they should be interpreted by the end data user are provided in Attachment B and Attachment C. Attachment D provides final results after data review.

### **ATTACHMENTS**

- Attachment A: Non-Conformance Summary Table
- Attachment B: Qualifier Codes and Explanations
- Attachment C: Reason Codes and Explanations
- Attachment D: Final Results after Data Review

**Attachment A**  
**Non-Conformance Summary Table**

Table (A-1) Sample Integrity Non-Conformance					
Method	Sample ID	Analyte	Units	Result	Qualifier
8260C	VPB158-GW-021815-678-680	1,1,1-TRICHLOROETHANE U	G_L	0.5	UJ
8260C	VPB158-GW-021815-678-680	1,1,2,2-TETRACHLOROETHANE UG_	L	0.5	UJ
8260C	VPB158-GW-021815-678-680	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE U	G_L	0.5	UJ
8260C	VPB158-GW-021815-678-680	1,1,2-TRICHLOROETHANE U	G_L	0.5	UJ
8260C	VPB158-GW-021815-678-680	1,1-DICHLOROETHANE U	G_L	0.5	UJ
8260C	VPB158-GW-021815-678-680	1,1-DICHLOROETHENE U	G_L	0.5	UJ
8260C	VPB158-GW-021815-678-680	1,2,4-TRICHLOROBENZENE U	G_L	0.5	UJ
8260C	VPB158-GW-021815-678-680	1,2-DIBROMO-3-CHLOROPROPANE U	G_L	0.75	UJ
8260C	VPB158-GW-021815-678-680	1,2-DIBROMOETHANE U	G_L	0.5	UJ
8260C	VPB158-GW-021815-678-680	1,2-DICHLOROBENZENE U	G_L	0.5	UJ
8260C	VPB158-GW-021815-678-680	1,2-DICHLOROETHANE U	G_L	0.5	UJ
8260C	VPB158-GW-021815-678-680	1,2-DICHLOROETHENE, TOTAL	UG_L	1	UJ
8260C	VPB158-GW-021815-678-680	1,2-DICHLOROPROPANE U	G_L	0.5	UJ
8260C	VPB158-GW-021815-678-680	1,3-DICHLOROBENZENE U	G_L	0.5	UJ
8260C	VPB158-GW-021815-678-680	1,4-DICHLOROBENZENE U	G_L	0.5	UJ
8260C	VPB158-GW-021815-678-680	2-BUTANONE UG_	L	2.5	UJ
8260C	VPB158-GW-021815-678-680	2-HEXANONE UG_	L	2.5	UJ
8260C	VPB158-GW-021815-678-680	4-METHYL-2-PENTANONE UG_	L	2.5	UJ
8260C	VPB158-GW-021815-678-680	ACETONE UG_	L	7.7	J
8260C	VPB158-GW-021815-678-680	BENZENE U	G_L	0.5	UJ
8260C	VPB158-GW-021815-678-680	BROMODICHLOROMETHANE U	G_L	0.5	UJ
8260C	VPB158-GW-021815-678-680	BROMOFORM U	G_L	0.5	UJ
8260C	VPB158-GW-021815-678-680	BROMOMETHANE U	G_L	1	UJ
8260C	VPB158-GW-021815-678-680	CARBON DISULFIDE	UG_L	0.5	UJ
8260C	VPB158-GW-021815-678-680	CARBON TETRACHLORIDE	UG_L	0.5	UJ
8260C	VPB158-GW-021815-678-680	CHLOROBENZENE UG_	L	0.5	UJ
8260C	VPB158-GW-021815-678-680	CHLOROETHANE UG_	L	1	UJ
8260C	VPB158-GW-021815-678-680	CHLOROFORM U	G_L	0.5	UJ
8260C	VPB158-GW-021815-678-680	CHLOROMETHANE UG_	L	1	UJ
8260C	VPB158-GW-021815-678-680	CIS-1,2-DICHLOROETHENE U	G_L	0.5	UJ
8260C	VPB158-GW-021815-678-680	CIS-1,3-DICHLOROPROPENE U	G_L	0.5	UJ
8260C	VPB158-GW-021815-678-680	CYCLOHEXANE U	G_L	0.5	UJ
8260C	VPB158-GW-021815-678-680	DIBROMOCHLOROMETHANE U	G_L	0.5	UJ
8260C	VPB158-GW-021815-678-680	DICHLORODIFLUOROMETHANE U	G_L	1	UJ
8260C	VPB158-GW-021815-678-680	ETHYLBENZENE UG_	L	0.5	UJ
8260C	VPB158-GW-021815-678-680	ISOPROPYLBENZENE UG_	L	0.5	UJ
8260C	VPB158-GW-021815-678-680	M- AND P-XYLENE	UG_L	1	UJ
8260C	VPB158-GW-021815-678-680	METHYL ACETATE	UG_L	0.75	UJ
8260C	VPB158-GW-021815-678-680	METHYL CYCLOHEXANE	UG_L	0.5	UJ
8260C	VPB158-GW-021815-678-680	METHYL TERT-BUTYL ETHER	UG_L	0.5	UJ
8260C	VPB158-GW-021815-678-680	METHYLENE CHLORIDE	UG_L	2.5	UJ
8260C	VPB158-GW-021815-678-680	O-XYLENE UG_	L	0.5	UJ
8260C	VPB158-GW-021815-678-680	STYRENE UG_	L	0.5	UJ
8260C	VPB158-GW-021815-678-680	TETRACHLOROETHENE UG_	L	0.5	UJ
8260C	VPB158-GW-021815-678-680	TOLUENE U	G_L	0.5	UJ
8260C	VPB158-GW-021815-678-680	TRANS-1,2-DICHLOROETHENE U	G_L	0.5	UJ
8260C	VPB158-GW-021815-678-680	TRANS-1,3-DICHLOROPROPENE U	G_L	0.5	UJ

Table (A-1) Sample Integrity Non-Conformance					
Method	Sample ID	Analyte	Units	Result	Qualifier
8260C	VPB158-GW-021815-678-680	TRICHLOROETHENE UG_	L	0.5	UJ
8260C	VPB158-GW-021815-678-680	TRICHLOROFLUOROMETHANE U	G_L	1	UJ
8260C	VPB158-GW-021815-678-680	VINYL CHLORIDE	UG_L	1	UJ
8260C	VPB158-GW-021815-678-680	XYLENES, TOTAL	UG_L	1.5	UJ
8260C VPB	158-GW-021915-698-700	1,1,1-TRICHLOROETHANE U	G_L	0.5	UJ
8260C VPB	158-GW-021915-698-700	1,1,2,2-TETRACHLOROETHANE UG_	L	0.5	UJ
8260C VPB	158-GW-021915-698-700	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE U	G_L	3	J
8260C VPB	158-GW-021915-698-700	1,1,2-TRICHLOROETHANE U	G_L	0.5	UJ
8260C VPB	158-GW-021915-698-700	1,1-DICHLOROETHANE U	G_L	0.5	UJ
8260C VPB	158-GW-021915-698-700	1,1-DICHLOROETHENE U	G_L	0.5	UJ
8260C VPB	158-GW-021915-698-700	1,2,4-TRICHLOROBENZENE U	G_L	0.5	UJ
8260C VPB	158-GW-021915-698-700	1,2-DIBROMO-3-CHLOROPROPANE U	G_L	0.75	UJ
8260C VPB	158-GW-021915-698-700	1,2-DIBROMOETHANE U	G_L	0.5	UJ
8260C VPB	158-GW-021915-698-700	1,2-DICHLOROBENZENE U	G_L	0.5	UJ
8260C VPB	158-GW-021915-698-700	1,2-DICHLOROETHANE U	G_L	0.5	UJ
8260C VPB	158-GW-021915-698-700	1,2-DICHLOROETHENE, TOTAL	UG_L	1	UJ
8260C VPB	158-GW-021915-698-700	1,2-DICHLOROPROPANE U	G_L	0.5	UJ
8260C VPB	158-GW-021915-698-700	1,3-DICHLOROBENZENE U	G_L	0.5	UJ
8260C VPB	158-GW-021915-698-700	1,4-DICHLOROBENZENE U	G_L	0.5	UJ
8260C VPB	158-GW-021915-698-700	2-BUTANONE UG_	L	2.5	UJ
8260C VPB	158-GW-021915-698-700	2-HEXANONE UG_	L	2.5	UJ
8260C VPB	158-GW-021915-698-700	4-METHYL-2-PENTANONE UG_	L	2.5	UJ
8260C VPB	158-GW-021915-698-700	ACETONE UG_	L	10	J
8260C VPB	158-GW-021915-698-700	BENZENE U	G_L	0.5	UJ
8260C VPB	158-GW-021915-698-700	BROMODICHLOROMETHANE U	G_L	0.5	UJ
8260C VPB	158-GW-021915-698-700	BROMOFORM U	G_L	0.5	UJ
8260C VPB	158-GW-021915-698-700	BROMOMETHANE U	G_L	1	UJ
8260C VPB	158-GW-021915-698-700	CARBON DISULFIDE	UG_L	0.5	UJ
8260C VPB	158-GW-021915-698-700	CARBON TETRACHLORIDE	UG_L	0.5	UJ
8260C VPB	158-GW-021915-698-700	CHLOROBENZENE UG_	L	0.5	UJ
8260C VPB	158-GW-021915-698-700	CHLOROETHANE UG_	L	1	UJ
8260C VPB	158-GW-021915-698-700	CHLOROFORM U	G_L	0.5	UJ
8260C VPB	158-GW-021915-698-700	CHLOROMETHANE UG_	L	1	UJ
8260C VPB	158-GW-021915-698-700	CIS-1,2-DICHLOROETHENE U	G_L	0.5	UJ
8260C VPB	158-GW-021915-698-700	CIS-1,3-DICHLOROPROPENE U	G_L	0.5	UJ
8260C VPB	158-GW-021915-698-700	CYCLOHEXANE U	G_L	0.5	UJ
8260C VPB	158-GW-021915-698-700	DIBROMOCHLOROMETHANE U	G_L	0.5	UJ
8260C VPB	158-GW-021915-698-700	DICHLORODIFLUOROMETHANE U	G_L	1	UJ
8260C VPB	158-GW-021915-698-700	ETHYLBENZENE UG_	L	0.5	UJ
8260C VPB	158-GW-021915-698-700	ISOPROPYLBENZENE UG_	L	0.5	UJ
8260C VPB	158-GW-021915-698-700	M- AND P-XYLENE	UG_L	1	UJ
8260C VPB	158-GW-021915-698-700	METHYL ACETATE	UG_L	0.75	UJ
8260C VPB	158-GW-021915-698-700	METHYL CYCLOHEXANE	UG_L	0.5	UJ
8260C VPB	158-GW-021915-698-700	METHYL TERT-BUTYL ETHER	UG_L	0.5	UJ
8260C VPB	158-GW-021915-698-700	METHYLENE CHLORIDE	UG_L	2.5	UJ
8260C VPB	158-GW-021915-698-700	O-XYLENE UG_	L	0.5	UJ
8260C VPB	158-GW-021915-698-700	STYRENE UG_	L	0.5	UJ
8260C VPB	158-GW-021915-698-700	TETRACHLOROETHENE UG_	L	0.5	UJ
8260C VPB	158-GW-021915-698-700	TOLUENE U	G_L	0.5	UJ

Table (A-1) Sample Integrity Non-Conformance					
Method	Sample ID	Analyte	Units	Result	Qualifier
8260C VPB	158-GW-021915-698-700	TRANS-1,2-DICHLOROETHENE U	G_L	0.5	UJ
8260C VPB	158-GW-021915-698-700	TRANS-1,3-DICHLOROPROPENE U	G_L	0.5	UJ
8260C VPB	158-GW-021915-698-700	TRICHLOROETHENE UG_	L	0.5	UJ
8260C VPB	158-GW-021915-698-700	TRICHLOROFLUOROMETHANE U	G_L	1	UJ
8260C VPB	158-GW-021915-698-700	VINYL CHLORIDE	UG_L	1	UJ
8260C VPB	158-GW-021915-698-700	XYLENES, TOTAL	UG_L	1.5	UJ
8260C	VPB158-GW-021915-718-720	1,1,1-TRICHLOROETHANE U	G_L	0.5	UJ
8260C	VPB158-GW-021915-718-720	1,1,2,2-TETRACHLOROETHANE UG_	L	0.5	UJ
8260C	VPB158-GW-021915-718-720	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE U	G_L	0.5	UJ
8260C	VPB158-GW-021915-718-720	1,1,2-TRICHLOROETHANE U	G_L	0.5	UJ
8260C	VPB158-GW-021915-718-720	1,1-DICHLOROETHANE U	G_L	0.5	UJ
8260C	VPB158-GW-021915-718-720	1,1-DICHLOROETHENE U	G_L	0.5	UJ
8260C	VPB158-GW-021915-718-720	1,2,4-TRICHLOROBENZENE U	G_L	0.5	UJ
8260C	VPB158-GW-021915-718-720	1,2-DIBROMO-3-CHLOROPROPANE U	G_L	0.75	UJ
8260C	VPB158-GW-021915-718-720	1,2-DIBROMOETHANE U	G_L	0.5	UJ
8260C	VPB158-GW-021915-718-720	1,2-DICHLOROBENZENE U	G_L	0.5	UJ
8260C	VPB158-GW-021915-718-720	1,2-DICHLOROETHANE U	G_L	0.5	UJ
8260C	VPB158-GW-021915-718-720	1,2-DICHLOROETHENE, TOTAL	UG_L	1	UJ
8260C	VPB158-GW-021915-718-720	1,2-DICHLOROPROPANE U	G_L	0.5	UJ
8260C	VPB158-GW-021915-718-720	1,3-DICHLOROBENZENE U	G_L	0.5	UJ
8260C	VPB158-GW-021915-718-720	1,4-DICHLOROBENZENE U	G_L	0.5	UJ
8260C	VPB158-GW-021915-718-720	2-BUTANONE UG_	L	1.9	J
8260C	VPB158-GW-021915-718-720	2-HEXANONE UG_	L	2.5	UJ
8260C	VPB158-GW-021915-718-720	4-METHYL-2-PENTANONE UG_	L	2.5	UJ
8260C	VPB158-GW-021915-718-720	ACETONE UG_	L	12	J
8260C	VPB158-GW-021915-718-720	BENZENE U	G_L	0.5	UJ
8260C	VPB158-GW-021915-718-720	BROMODICHLOROMETHANE U	G_L	0.5	UJ
8260C	VPB158-GW-021915-718-720	BROMOFORM U	G_L	0.5	UJ
8260C	VPB158-GW-021915-718-720	BROMOMETHANE U	G_L	1	UJ
8260C	VPB158-GW-021915-718-720	CARBON DISULFIDE	UG_L	0.5	UJ
8260C	VPB158-GW-021915-718-720	CARBON TETRACHLORIDE	UG_L	0.5	UJ
8260C	VPB158-GW-021915-718-720	CHLOROBENZENE UG_	L	0.5	UJ
8260C	VPB158-GW-021915-718-720	CHLOROETHANE UG_	L	1	UJ
8260C	VPB158-GW-021915-718-720	CHLOROFORM U	G_L	0.5	UJ
8260C	VPB158-GW-021915-718-720	CHLOROMETHANE UG_	L	1	UJ
8260C	VPB158-GW-021915-718-720	CIS-1,2-DICHLOROETHENE U	G_L	0.5	UJ
8260C	VPB158-GW-021915-718-720	CIS-1,3-DICHLOROPROPENE U	G_L	0.5	UJ
8260C	VPB158-GW-021915-718-720	CYCLOHEXANE U	G_L	0.5	UJ
8260C	VPB158-GW-021915-718-720	DIBROMOCHLOROMETHANE U	G_L	0.5	UJ
8260C	VPB158-GW-021915-718-720	DICHLORODIFLUOROMETHANE U	G_L	1	UJ
8260C	VPB158-GW-021915-718-720	ETHYLBENZENE UG_	L	0.5	UJ
8260C	VPB158-GW-021915-718-720	ISOPROPYLBENZENE UG_	L	0.5	UJ
8260C	VPB158-GW-021915-718-720	M- AND P-XYLENE	UG_L	1	UJ
8260C	VPB158-GW-021915-718-720	METHYL ACETATE	UG_L	0.75	UJ
8260C	VPB158-GW-021915-718-720	METHYL CYCLOHEXANE	UG_L	0.5	UJ
8260C	VPB158-GW-021915-718-720	METHYL TERT-BUTYL ETHER	UG_L	0.5	UJ
8260C	VPB158-GW-021915-718-720	METHYLENE CHLORIDE	UG_L	2.5	UJ
8260C	VPB158-GW-021915-718-720	O-XYLENE UG_	L	0.5	UJ
8260C	VPB158-GW-021915-718-720	STYRENE UG_	L	0.5	UJ

<b>Table (A-1)</b> <b>Sample Integrity Non-Conformance</b>					
<b>Method</b>	<b>Sample ID</b>	<b>Analyte</b>	<b>Units</b>	<b>Result</b>	<b>Qualifier</b>
8260C	VPB158-GW-021915-718-720	TETRACHLOROETHENE UG_	L	0.5	UJ
8260C	VPB158-GW-021915-718-720	TOLUENE U	G_L	0.5	UJ
8260C	VPB158-GW-021915-718-720	TRANS-1,2-DICHLOROETHENE U	G_L	0.5	UJ
8260C	VPB158-GW-021915-718-720	TRANS-1,3-DICHLOROPROPENE U	G_L	0.5	UJ
8260C	VPB158-GW-021915-718-720	TRICHLOROETHENE UG_	L	0.5	UJ
8260C	VPB158-GW-021915-718-720	TRICHLOROFLUOROMETHANE U	G_L	1	UJ
8260C	VPB158-GW-021915-718-720	VINYL CHLORIDE	UG_L	1	UJ
8260C	VPB158-GW-021915-718-720	XYLENES, TOTAL	UG_L	1.5	UJ

**Notes:**

UG\_L = Micrograms per liter  
 UJ = Non-detect estimated value  
 J = Estimated value

<b>Table (A-2)</b> <b>Continuing Calibration Verification Non-Conformance</b>					
<b>Calibration</b>	<b>Analyte</b>	<b>%D</b>	<b>%D Limit</b>	<b>Associated Samples</b>	<b>Qualifiers</b>
WG158745-4 Acet	one	20.7	20	VPB158-TRIPBLANK-021915	UJ
WG158745-4 Acet	one	20.7	20	VPB158-GW-021815-658-660	UJ
WG158745-4 Acet	one	20.7	20	VPB158-GW-021815-678-680	J
WG158745-4 Acet	one	20.7	20	VPB158-GW-021915-698-700	J
WG158745-4 Acet	one	20.7	20	VPB158-GW-021915-718-720	J

**Notes:**

%D = Percent difference  
 UJ = Non-detect and qualified estimated due to analyte %R being low.  
 J = Qualified estimated due to potential bias.

**Attachment B**  
**Qualifier Codes and Explanations**

<b>Qualifier</b>	<b>Explanation</b>
J	The analyte was positively identified; the associated numerical value is the approximate concentration of the analyte in the sample.
UJ	The analyte was not detected above the reported sample quantitation limit. However, the reported quantitation limit is approximate and may or may not represent the actual quantitation limit necessary to accurately and precisely measure the analyte in the sample.
U	The analyte was analyzed for, but was not detected above the reported sample quantitation limit.

**Attachment C**  
**Reason Codes and Explanations**

<b>Reason Code</b>	<b>Explanation</b>
be	Equipment blank contamination
bf Fie	ld blank contamination
bl	Laboratory blank contamination
bt	Trip blank contamination
c C	alibration issue
d	Reporting limit raised due to chromatographic interference
fd	Field duplicate RPDs
h Ho	lding times
i Interna	l standard areas
k	Estimated Maximum Possible Concentration (EMPC)
l	LCS or OPR recoveries
lc	Labeled compound recovery
ld	Laboratory duplicate RPDs
lp	Laboratory control sample/laboratory control sample duplicate RPDs
m Matrix	spike recovery
mc	Method compliance non-conformance
md	Matrix spike/matrix spike duplicate RPDs
nb	Negative laboratory blank contamination
p	Chemical preservation issue
r Dual	column RPD
q Quant	itation issue
s Surrogate	recovery
su Ion	suppression
t Tempera	ture preservation issue
x Per	cent solids
y	Serial dilution results
z ICS	results



**Attachment D**  
**Final Results after Data Review**

Sample Delivery Group Lab Identification Sample Identification Sample Date Sample Type Depth Interval				SI1101 SI1101-2 VPB158-GW-021815-658-660 2/18/2015 Groundwater 658 - 660 ft		
Method	Analyte	CAS No	Units	Result	Qual	RC
8260C 1,1,1-	TRICHLOROETHANE	71-55-6	UG_L	0.5	U	
8260C 1,1,2,2-	TETRACHLOROETHANE 79-	34-5	UG_L	0.5	U	
8260C 1,1,2-	TRICHLORO-1,2,2-TRIFLUOROETHANE	76-13-1	UG_L	1.5		
8260C 1,1,2-	TRICHLOROETHANE	79-00-5	UG_L	0.5	U	
8260C 1,1-	DICHLOROETHANE	75-34-3	UG_L	0.5	U	
8260C 1,1-	DICHLOROETHENE	75-35-4	UG_L	0.5	U	
8260C 1,2,4-	TRICHLOROBENZENE	120-82-1	UG_L	0.5	U	
8260C 1,2-	DIBROMO-3-CHLOROPROPANE	96-12-8	UG_L	0.75	U	
8260C 1,2-	DIBROMOETHANE	106-93-4	UG_L	0.5	U	
8260C 1,2-	DICHLOROBENZENE	95-50-1	UG_L	0.5	U	
8260C 1,2-	DICHLOROETHANE	107-06-2	UG_L	0.5	U	
8260C	1,2-DICHLOROETHENE, TOTAL	540-59-0	UG_L	1	U	
8260C 1,2-	DICHLOROPROPANE	78-87-5	UG_L	0.5	U	
8260C 1,3-	DICHLOROBENZENE	541-73-1	UG_L	0.5	U	
8260C 1,4-	DICHLOROBENZENE	106-46-7	UG_L	0.5	U	
8260C 2-	BUTANONE	78-93-3	UG_L	2.5	U	
8260C 2-	HEXANONE	591-78-6	UG_L	2.5	U	
8260C 4-	METHYL-2-PENTANONE	108-10-1	UG_L	2.5	U	
8260C	ACETONE	67-64-1	UG_L	2.5	UJ	c
8260C B	ENZENE	71-43-2	UG_L	0.5	U	
8260C B	ROMODICHLOROMETHANE	75-27-4	UG_L	0.5	U	
8260C B	ROMOFORM	75-25-2	UG_L	0.5	U	
8260C B	ROMOMETHANE	74-83-9	UG_L	1	U	
8260C	CARBON DISULFIDE	75-15-0	UG_L	0.5	U	
8260C	CARBON TETRACHLORIDE	56-23-5	UG_L	0.5	U	
8260C	CHLOROB ENZENE	108-90-7	UG_L	0.5	U	
8260C	CHLOROETHANE	75-00-3	UG_L	1	U	
8260C	CHLOROFORM	67-66-3	UG_L	0.5	U	
8260C	CHLOROM ETHANE	74-87-3	UG_L	1	U	
8260C	CIS- 1,2-DICHLOROETHENE	156-59-2	UG_L	0.5	U	
8260C	CIS- 1,3-DICHLOROPROPENE	10061-01-5	UG_L	0.5	U	
8260C	CYCLOHEXANE	110-82-7	UG_L	0.5	U	
8260C	DIB ROMOCHLOROMETHANE	124-48-1	UG_L	0.5	U	
8260C	DICHLORODI FLUOROMETHANE	75-71-8	UG_L	1	U	
8260C	ETHYLB ENZENE	100-41-4	UG_L	0.5	U	
8260C	ISOP ROPYLBENZENE	98-82-8	UG_L	0.5	U	
8260C	M- AND P-XYLENE	108-38-3/106-42	UG_L	1	U	
8260C	METHYL ACETATE	79-20-9	UG_L	0.75	U	
8260C	METHYL CYCLOHEXANE	108-87-2	UG_L	0.5	U	
8260C	METHYL TERT-BUTYL ETHER	1634-04-4	UG_L	0.5	U	
8260C	METHYLENE CHLORIDE	75-09-2	UG_L	2.5	U	
8260C	O- XYLENE	95-47-6	UG_L	0.5	U	
8260C	STYRENE	100-42-5	UG_L	0.5	U	
8260C	TETRACHLOROETHENE	127-18-4	UG_L	0.5	U	
8260C	TOLUENE	108-88-3	UG_L	0.5	U	
8260C	TRANS- 1,2-DICHLOROETHENE	156-60-5	UG_L	0.5	U	
8260C	TRANS- 1,3-DICHLOROPROPENE	10061-02-6	UG_L	0.5	U	
8260C	TRICHLOROETHENE	79-01-6	UG_L	0.5	U	
8260C	TRICHLOROF LUOROMETHANE	75-69-4	UG_L	1	U	
8260C	VINYL CHLORIDE	75-01-4	UG_L	1	U	
8260C	XYLENES, TOTAL	1330-20-7	UG_L	1.5	U	

Sample Delivery Group Lab Identification Sample Identification Sample Date Sample Type Depth Interval				SI1101 SI1101-3 VPB158-GW-021815-678-680 2/18/2015 Groundwater 678 - 680 ft		
Method	Analyte	CAS No	Units	Result	Qual	RC
8260C 1,1,1-	TRICHLOROETHANE	71-55-6	UG_L	0.5	UJ	mc
8260C 1,1,2,2-	TETRACHLOROETHANE 79-	34-5	UG_L	0.5	UJ	mc
8260C 1,1,2-	TRICHLORO-1,2,2-TRIFLUOROETHANE 76-	13-1	UG_L	0.5	UJ	mc
8260C 1,1,2-	TRICHLOROETHANE	79-00-5	UG_L	0.5	UJ	mc
8260C 1,1-	DICHLOROETHANE	75-34-3	UG_L	0.5	UJ	mc
8260C 1,1-	DICHLOROETHENE	75-35-4	UG_L	0.5	UJ	mc
8260C 1,2,4-	TRICHLOROBENZENE	120-82-1	UG_L	0.5	UJ	mc
8260C 1,2-	DIBROMO-3-CHLOROPROPANE	96-12-8	UG_L	0.75	UJ	mc
8260C 1,2-	DIBROMOETHANE	106-93-4	UG_L	0.5	UJ	mc
8260C 1,2-	DICHLOROBENZENE	95-50-1	UG_L	0.5	UJ	mc
8260C 1,2-	DICHLOROETHANE	107-06-2	UG_L	0.5	UJ	mc
8260C 1,2-	DICHLOROETHENE, TOTAL	540-59-0	UG_L	1	UJ	mc
8260C 1,2-	DICHLOROPROPANE	78-87-5	UG_L	0.5	UJ	mc
8260C 1,3-	DICHLOROBENZENE	541-73-1	UG_L	0.5	UJ	mc
8260C 1,4-	DICHLOROBENZENE	106-46-7	UG_L	0.5	UJ	mc
8260C 2-	BUTANONE	78-93-3	UG_L	2.5	UJ	mc
8260C 2-	HEXANONE	591-78-6	UG_L	2.5	UJ	mc
8260C 4-	METHYL-2-PENTANONE	108-10-1	UG_L	2.5	UJ	mc
8260C	ACETONE	67-64-1	UG_L	7.7	J	c,mc
8260C B	ENZENE	71-43-2	UG_L	0.5	UJ	mc
8260C B	ROMODICHLOROMETHANE	75-27-4	UG_L	0.5	UJ	mc
8260C B	ROMOFORM	75-25-2	UG_L	0.5	UJ	mc
8260C B	ROMOMETHANE	74-83-9	UG_L	1	UJ	mc
8260C CARB	ON DISULFIDE	75-15-0	UG_L	0.5	UJ	mc
8260C CARB	ON TETRACHLORIDE	56-23-5	UG_L	0.5	UJ	mc
8260C CHLOROB	ENZENE	108-90-7	UG_L	0.5	UJ	mc
8260C CHLOROETHANE		75-00-3	UG_L	1	UJ	mc
8260C CHLOROFORM		67-66-3	UG_L	0.5	UJ	mc
8260C CHLOROM	ETHANE	74-87-3	UG_L	1	UJ	mc
8260C CIS-	1,2-DICHLOROETHENE	156-59-2	UG_L	0.5	UJ	mc
8260C CIS-	1,3-DICHLOROPROPENE	10061-01-5	UG_L	0.5	UJ	mc
8260C CYCLOHEXANE		110-82-7	UG_L	0.5	UJ	mc
8260C DIB	ROMOCHLOROMETHANE	124-48-1	UG_L	0.5	UJ	mc
8260C DICHLORODI	FLUOROMETHANE	75-71-8	UG_L	1	UJ	mc
8260C ETHYLB	ENZENE	100-41-4	UG_L	0.5	UJ	mc
8260C ISOP	ROPYLBENZENE	98-82-8	UG_L	0.5	UJ	mc
8260C	M- AND P-XYLENE	108-38-3/106-42	UG_L	1	UJ	mc
8260C M	ETHYL ACETATE	79-20-9	UG_L	0.75	UJ	mc
8260C M	ETHYL CYCLOHEXANE	108-87-2	UG_L	0.5	UJ	mc
8260C	METHYL TERT-BUTYL ETHER	1634-04-4	UG_L	0.5	UJ	mc
8260C M	ETHYLENE CHLORIDE	75-09-2	UG_L	2.5	UJ	mc
8260C O-	XYLENE	95-47-6	UG_L	0.5	UJ	mc
8260C S	TYRENE	100-42-5	UG_L	0.5	UJ	mc
8260C	TETRACHLOROETHENE	127-18-4	UG_L	0.5	UJ	mc
8260C	TOLUENE	108-88-3	UG_L	0.5	UJ	mc
8260C TRANS-	1,2-DICHLOROETHENE	156-60-5	UG_L	0.5	UJ	mc
8260C TRANS-	1,3-DICHLOROPROPENE	10061-02-6	UG_L	0.5	UJ	mc
8260C	TRICHLOROETHENE	79-01-6	UG_L	0.5	UJ	mc
8260C	TRICHLOROF LUOROMETHANE	75-69-4	UG_L	1	UJ	mc
8260C V	INYL CHLORIDE	75-01-4	UG_L	1	UJ	mc
8260C	XYLENES, TOTAL	1330-20-7	UG_L	1.5	UJ	mc

Sample Delivery Group Lab Identification Sample Identification Sample Date Sample Type Depth Interval				SI1101 SI1101-4 VPB158-GW-021915-698-700 2/19/2015 Groundwater 698 - 700 ft		
Method	Analyte	CAS No	Units	Result	Qual	RC
8260C 1,1,1-	TRICHLOROETHANE	71-55-6	UG_L	0.5	UJ	mc
8260C 1,1,2,2-	TETRACHLOROETHANE 79-	34-5	UG_L	0.5	UJ	mc
8260C 1,1,2-	TRICHLORO-1,2,2-TRIFLUOROETHANE 76-	13-1	UG_L	3	J	mc
8260C 1,1,2-	TRICHLOROETHANE	79-00-5	UG_L	0.5	UJ	mc
8260C 1,1-	DICHLOROETHANE	75-34-3	UG_L	0.5	UJ	mc
8260C 1,1-	DICHLOROETHENE	75-35-4	UG_L	0.5	UJ	mc
8260C 1,2,4-	TRICHLOROBENZENE	120-82-1	UG_L	0.5	UJ	mc
8260C 1,2-	DIBROMO-3-CHLOROPROPANE	96-12-8	UG_L	0.75	UJ	mc
8260C 1,2-	DIBROMOETHANE	106-93-4	UG_L	0.5	UJ	mc
8260C 1,2-	DICHLOROBENZENE	95-50-1	UG_L	0.5	UJ	mc
8260C 1,2-	DICHLOROETHANE	107-06-2	UG_L	0.5	UJ	mc
8260C 1,2-	DICHLOROETHENE, TOTAL	540-59-0	UG_L	1	UJ	mc
8260C 1,2-	DICHLOROPROPANE	78-87-5	UG_L	0.5	UJ	mc
8260C 1,3-	DICHLOROBENZENE	541-73-1	UG_L	0.5	UJ	mc
8260C 1,4-	DICHLOROBENZENE	106-46-7	UG_L	0.5	UJ	mc
8260C 2-	BUTANONE	78-93-3	UG_L	2.5	UJ	mc
8260C 2-	HEXANONE	591-78-6	UG_L	2.5	UJ	mc
8260C 4-	METHYL-2-PENTANONE	108-10-1	UG_L	2.5	UJ	mc
8260C	ACETONE	67-64-1	UG_L	10	J	c,mc
8260C B	ENZENE	71-43-2	UG_L	0.5	UJ	mc
8260C B	ROMODICHLOROMETHANE	75-27-4	UG_L	0.5	UJ	mc
8260C B	ROMOFORM	75-25-2	UG_L	0.5	UJ	mc
8260C B	ROMOMETHANE	74-83-9	UG_L	1	UJ	mc
8260C CARB	ON DISULFIDE	75-15-0	UG_L	0.5	UJ	mc
8260C CARB	ON TETRACHLORIDE	56-23-5	UG_L	0.5	UJ	mc
8260C CHLOROB	ENZENE	108-90-7	UG_L	0.5	UJ	mc
8260C CHLOROETHANE		75-00-3	UG_L	1	UJ	mc
8260C CHLOROFORM		67-66-3	UG_L	0.5	UJ	mc
8260C CHLOROM	ETHANE	74-87-3	UG_L	1	UJ	mc
8260C CIS-	1,2-DICHLOROETHENE	156-59-2	UG_L	0.5	UJ	mc
8260C CIS-	1,3-DICHLOROPROPENE	10061-01-5	UG_L	0.5	UJ	mc
8260C CYCLOHEXANE		110-82-7	UG_L	0.5	UJ	mc
8260C DIB	ROMOCHLOROMETHANE	124-48-1	UG_L	0.5	UJ	mc
8260C DICHLORODI	FLUOROMETHANE	75-71-8	UG_L	1	UJ	mc
8260C ETHYLB	ENZENE	100-41-4	UG_L	0.5	UJ	mc
8260C ISOP	ROPYLBENZENE	98-82-8	UG_L	0.5	UJ	mc
8260C	M- AND P-XYLENE	108-38-3/106-42	UG_L	1	UJ	mc
8260C M	ETHYL ACETATE	79-20-9	UG_L	0.75	UJ	mc
8260C M	ETHYL CYCLOHEXANE	108-87-2	UG_L	0.5	UJ	mc
8260C	METHYL TERT-BUTYL ETHER	1634-04-4	UG_L	0.5	UJ	mc
8260C M	ETHYLENE CHLORIDE	75-09-2	UG_L	2.5	UJ	mc
8260C O-	XYLENE	95-47-6	UG_L	0.5	UJ	mc
8260C S	TYRENE	100-42-5	UG_L	0.5	UJ	mc
8260C	TETRACHLOROETHENE	127-18-4	UG_L	0.5	UJ	mc
8260C	TOLUENE	108-88-3	UG_L	0.5	UJ	mc
8260C TRANS-	1,2-DICHLOROETHENE	156-60-5	UG_L	0.5	UJ	mc
8260C TRANS-	1,3-DICHLOROPROPENE	10061-02-6	UG_L	0.5	UJ	mc
8260C	TRICHLOROETHENE	79-01-6	UG_L	0.5	UJ	mc
8260C	TRICHLOROF LUOROMETHANE	75-69-4	UG_L	1	UJ	mc
8260C V	INYL CHLORIDE	75-01-4	UG_L	1	UJ	mc
8260C	XYLENES, TOTAL	1330-20-7	UG_L	1.5	UJ	mc

Sample Delivery Group Lab Identification Sample Identification Sample Date Sample Type Depth Interval				SI1101 SI1101-5 VPB158-GW-021915-718-720 2/19/2015 Groundwater 718 - 720 ft		
Method	Analyte	CAS No	Units	Result	Qual	RC
8260C 1,	1,1- TRICHLOROETHANE	71-55-6	UG_L	0.5	UJ	mc
8260C 1,	1,2,2- TETRACHLOROETHANE 79-	34-5	UG_L	0.5	UJ	mc
8260C 1,	1,2- TRICHLORO-1,2,2-TRIFLUOROETHANE 76-	13-1	UG_L	0.5	UJ	mc
8260C 1,	1,2- TRICHLOROETHANE	79-00-5	UG_L	0.5	UJ	mc
8260C 1,	1- DICHLOROETHANE	75-34-3	UG_L	0.5	UJ	mc
8260C 1,	1- DICHLOROETHENE	75-35-4	UG_L	0.5	UJ	mc
8260C 1,	2,4- TRICHLOROBENZENE	120-82-1	UG_L	0.5	UJ	mc
8260C 1,	2- DIBROMO-3-CHLOROPROPANE	96-12-8	UG_L	0.75	UJ	mc
8260C 1,	2- DIBROMOETHANE	106-93-4	UG_L	0.5	UJ	mc
8260C 1,	2- DICHLOROBENZENE	95-50-1	UG_L	0.5	UJ	mc
8260C 1,	2- DICHLOROETHANE	107-06-2	UG_L	0.5	UJ	mc
8260C 1,	2- DICHLOROETHENE, TOTAL	540-59-0	UG_L	1	UJ	mc
8260C 1,	2- DICHLOROPROPANE	78-87-5	UG_L	0.5	UJ	mc
8260C 1,	3- DICHLOROBENZENE	541-73-1	UG_L	0.5	UJ	mc
8260C 1,	4- DICHLOROBENZENE	106-46-7	UG_L	0.5	UJ	mc
8260C 2-	BUTANONE	78-93-3	UG_L	1.9	J	mc
8260C 2-	HEXANONE	591-78-6	UG_L	2.5	UJ	mc
8260C 4-	METHYL-2-PENTANONE	108-10-1	UG_L	2.5	UJ	mc
8260C	ACETONE	67-64-1	UG_L	12	J	c,mc
8260C B	ENZENE	71-43-2	UG_L	0.5	UJ	mc
8260C B	ROMODICHLOROMETHANE	75-27-4	UG_L	0.5	UJ	mc
8260C B	ROMOFORM	75-25-2	UG_L	0.5	UJ	mc
8260C B	ROMOMETHANE	74-83-9	UG_L	1	UJ	mc
8260C CARB	ON DISULFIDE	75-15-0	UG_L	0.5	UJ	mc
8260C CARB	ON TETRACHLORIDE	56-23-5	UG_L	0.5	UJ	mc
8260C CHLOROB	ENZENE	108-90-7	UG_L	0.5	UJ	mc
8260C CHLOROETHANE		75-00-3	UG_L	1	UJ	mc
8260C CHLOROFORM		67-66-3	UG_L	0.5	UJ	mc
8260C CHLOROM	ETHANE	74-87-3	UG_L	1	UJ	mc
8260C C1S-	1,2-DICHLOROETHENE	156-59-2	UG_L	0.5	UJ	mc
8260C C1S-	1,3-DICHLOROPROPENE	10061-01-5	UG_L	0.5	UJ	mc
8260C CYCLOHEXANE		110-82-7	UG_L	0.5	UJ	mc
8260C DIB	ROMOCHLOROMETHANE	124-48-1	UG_L	0.5	UJ	mc
8260C DICHLORODI	FLUOROMETHANE	75-71-8	UG_L	1	UJ	mc
8260C ETHYLB	ENZENE	100-41-4	UG_L	0.5	UJ	mc
8260C ISOP	ROPYLBENZENE	98-82-8	UG_L	0.5	UJ	mc
8260C	M- AND P-XYLENE	108-38-3/106-42	UG_L	1	UJ	mc
8260C M	ETHYL ACETATE	79-20-9	UG_L	0.75	UJ	mc
8260C M	ETHYL CYCLOHEXANE	108-87-2	UG_L	0.5	UJ	mc
8260C	METHYL TERT-BUTYL ETHER	1634-04-4	UG_L	0.5	UJ	mc
8260C M	ETHYLENE CHLORIDE	75-09-2	UG_L	2.5	UJ	mc
8260C O-	XYLENE	95-47-6	UG_L	0.5	UJ	mc
8260C S	TYRENE	100-42-5	UG_L	0.5	UJ	mc
8260C TETRACHLOROETHENE		127-18-4	UG_L	0.5	UJ	mc
8260C TOLUENE		108-88-3	UG_L	0.5	UJ	mc
8260C TRANS-	1,2-DICHLOROETHENE	156-60-5	UG_L	0.5	UJ	mc
8260C TRANS-	1,3-DICHLOROPROPENE	10061-02-6	UG_L	0.5	UJ	mc
8260C TRICHLOROETHENE		79-01-6	UG_L	0.5	UJ	mc
8260C TRICHLOROF	LUOROMETHANE	75-69-4	UG_L	1	UJ	mc
8260C V	INYL CHLORIDE	75-01-4	UG_L	1	UJ	mc
8260C XYLENES,	TOTAL	1330-20-7	UG_L	1.5	UJ	mc

Sample Delivery Group Lab ID Sample ID Sample Date Sample Type				SI1101 SI1101-1 VPB158-TRIP BLANK-021915 2/19/2015 Trip Blank		
Method	Analyte	CAS No	Units	Result	Qual	RC
8260C 1,1,1-	TRICHLOROETHANE	71-55-6	UG_L	0.5	U	
8260C 1,1,2,2-	TETRACHLOROETHANE 79-	34-5	UG_L	0.5	U	
8260C 1,1,2-	TRICHLORO-1,2,2-TRIFLUOROETHANE 76-	13-1	UG_L	0.5	U	
8260C 1,1,2-	TRICHLOROETHANE	79-00-5	UG_L	0.5	U	
8260C 1,1-	DICHLOROETHANE	75-34-3	UG_L	0.5	U	
8260C 1,1-	DICHLOROETHENE	75-35-4	UG_L	0.5	U	
8260C 1,2,4-	TRICHLOROBENZENE	120-82-1	UG_L	0.5	U	
8260C 1,2-	DIBROMO-3-CHLOROPROPANE	96-12-8	UG_L	0.75	U	
8260C 1,2-	DIBROMOETHANE	106-93-4	UG_L	0.5	U	
8260C 1,2-	DICHLOROBENZENE	95-50-1	UG_L	0.5	U	
8260C 1,2-	DICHLOROETHANE	107-06-2	UG_L	0.5	U	
8260C	1,2-DICHLOROETHENE, TOTAL	540-59-0	UG_L	1	U	
8260C 1,2-	DICHLOROPROPANE	78-87-5	UG_L	0.5	U	
8260C 1,3-	DICHLOROBENZENE	541-73-1	UG_L	0.5	U	
8260C 1,4-	DICHLOROBENZENE	106-46-7	UG_L	0.5	U	
8260C 2-	BUTANONE	78-93-3	UG_L	2.5	U	
8260C 2-	HEXANONE	591-78-6	UG_L	2.5	U	
8260C 4-	METHYL-2-PENTANONE	108-10-1	UG_L	2.5	U	
8260C	ACETONE	67-64-1	UG_L	2.5	UJ	c
8260C B	ENZENE	71-43-2	UG_L	0.5	U	
8260C B	ROMODICHLOROMETHANE	75-27-4	UG_L	0.5	U	
8260C B	ROMOFORM	75-25-2	UG_L	0.5	U	
8260C B	ROMOMETHANE	74-83-9	UG_L	1	U	
8260C	CARBON DISULFIDE	75-15-0	UG_L	0.5	U	
8260C	CARBON TETRACHLORIDE	56-23-5	UG_L	0.5	U	
8260C	CHLOROBENZENE	108-90-7	UG_L	0.5	U	
8260C	CHLOROETHANE	75-00-3	UG_L	1	U	
8260C	CHLOROFORM	67-66-3	UG_L	0.5	U	
8260C	CHLOROMETHANE	74-87-3	UG_L	1	U	
8260C	CIS-1,2-DICHLOROETHENE	156-59-2	UG_L	0.5	U	
8260C	CIS-1,3-DICHLOROPROPENE	10061-01-5	UG_L	0.5	U	
8260C	CYCLOHEXANE	110-82-7	UG_L	0.5	U	
8260C	DIBROMOCHLOROMETHANE	124-48-1	UG_L	0.5	U	
8260C	DICHLORODIFLUOROMETHANE	75-71-8	UG_L	1	U	
8260C	ETHYLBENZENE	100-41-4	UG_L	0.5	U	
8260C	ISOPROPYLBENZENE	98-82-8	UG_L	0.5	U	
8260C	M- AND P-XYLENE	108-38-3/106-42	UG_L	1	U	
8260C	METHYL ACETATE	79-20-9	UG_L	0.75	U	
8260C	METHYL CYCLOHEXANE	108-87-2	UG_L	0.5	U	
8260C	METHYL TERT-BUTYL ETHER	1634-04-4	UG_L	0.5	U	
8260C	METHYLENE CHLORIDE	75-09-2	UG_L	2.5	U	
8260C	O-XYLENE	95-47-6	UG_L	0.5	U	
8260C	STYRENE	100-42-5	UG_L	0.5	U	
8260C	TETRACHLOROETHENE	127-18-4	UG_L	0.5	U	
8260C	TOLUENE	108-88-3	UG_L	0.5	U	
8260C	TRANS-1,2-DICHLOROETHENE	156-60-5	UG_L	0.5	U	
8260C	TRANS-1,3-DICHLOROPROPENE	10061-02-6	UG_L	0.5	U	
8260C	TRICHLOROETHENE	79-01-6	UG_L	0.5	U	
8260C	TRICHLOROFLUOROMETHANE	75-69-4	UG_L	1	U	
8260C	VINYL CHLORIDE	75-01-4	UG_L	1	U	
8260C	XYLENES, TOTAL	1330-20-7	UG_L	1.5	U	

**Notes:**

UG\_L = Micrograms per liter  
Qual = Final qualifier  
RC = Reason code



**DATA VALIDATION REPORT**

Project:	Regional Groundwater Investigation — NWIRP Bethpage	
Laboratory:	Katahdin Analytical	
Sample Delivery Group:	SI1297	
Analyses/Method:	Volatile Organic Compounds (VOCs) by U.S. EPA SW-846 Method 8260C Total Organic Carbon (TOC) by U.S. EPA SW-846 Method 9060A and 5310B	
Validation Level:	3	
Project Number:	0888812477.SA.DV	
Prepared by:	Dana Miller/Resolution Consultants	Completed on: 04/17/2015
Reviewed by:	Tina Cantwell/Resolution Consultants	File Name: SI1297_8260C_9060A

**SUMMARY**

This report summarizes data review findings for samples listed below, collected by Resolution Consultants from the Regional Groundwater Investigation — NWIRP Bethpage site on 12 February to 2 March 2015 in accordance with the following Sampling and Analysis Plans:

- *Sampling and Analysis Plan, Bethpage, New York, April 2013.*
- *UFP SAP Addendum, Inclusion of Additional Target Analytes for Volatile Organics Analyses, NWIRP Bethpage OU2, Bethpage, New York, August 2014.*
- *UFP SAP Addendum, Installation of Vertical Profile Borings and Monitoring Wells, Operable Unit 2, NWIRP Bethpage, New York, November 2013.*

Sample ID	Matrix/Sample Type	Analysis
VPB158-TRIPBLANK-030215 Trip	Blank	8260C
VPB158-GW-022715-878-880 Gr	Groundwater	8260C
VPB158-EB-022715 Equipment	Field Blank	8260C / 5310B
VPB158-SOIL-021215-643-645 Soil		9060A
VPB158-SOIL-D-021215 Field Duplicate	Field Duplicate	9060A
VPB158-GW-030215-898-900 Gr	Groundwater	8260A

Data validation activities were conducted using the following guidance documents: *Test Methods for Evaluating Solid Waste, Physical/Chemical Methods SW-846, specifically Method 8260C, Volatile Organic Compounds by Gas Chromatography/Mass Spectrometry* (U.S. EPA, 2006), *SW-846 Method 9060A, Total Organic Carbon* (U.S. EPA, 1996), *U.S. Environmental Protection Agency (U.S. EPA) Contract Laboratory Program National Functional Guidelines for Superfund Organic Methods*

*Data Review* (NFG, June 2008), *U.S. Environmental Protection Agency (U.S. EPA) Contract Laboratory Program National Functional Guidelines for Inorganic Superfund Data Review* (NFG, January 2010) and Department of Defense (DoD) Quality Systems Manual (QSM) for Environmental Laboratories, Version 4.2 (October 2010). In the absence of method-specific information, laboratory quality control (QC) limits, project-specific requirements and/or professional judgment were used as appropriate.

## **REVIEW ELEMENTS**

The data were evaluated based on the following parameters (where applicable to the method):

- X Data completeness (chain-of-custody [COC])/sample integrity
- ✓ Holding times and sample preservation
- ✓ GC/MS performance checks
- X Initial calibration/continuing calibration verification
- X Laboratory blanks/trip blanks
- ✓ Surrogate spike recoveries
- ✓ Matrix spike (MS) and/or matrix spike duplicate (MSD) results
- ✓ Laboratory control sample (LCS)/laboratory control sample duplicate (LCSD) results
- X Field duplicates (soil sample only)
- ✓ Internal standards
- ✓ Sample results/reporting issues

The symbol ( ✓ ) indicates that no validation qualifiers were applied based on this parameter. Acceptable data parameters for which all criteria were met and no qualification was performed and non-conformance or other issues that were noted during validation that did not result in qualification of data are not discussed further. The symbol ( X ) indicates that a QC non-conformance resulted in the qualification of data. Any QC non-conformance that resulted in the qualification of data is discussed below.

## **RESULTS**

### **Data Completeness/Sample Integrity**

The data package was reviewed and found to meet acceptance criteria for completeness:

- the COCs were reviewed for completeness of information relevant to the samples and requested analyses, and for signatures indicating transfer of sample custody;
- the laboratory sample log in sheet(s) were reviewed for issues potentially affecting sample integrity, including the condition of sample containers upon receipt at the laboratory;



- completeness of analyses was verified by comparing the reported results to the COC request.

Due to limitations in the reporting system, the laboratory omitted the first characters "VPB-" and middle characters "GW-" from the sample ID in samples VPB158-GW-022715-878-880 and VPB158-GW-030215-898-900. The laboratory omitted the first characters "VPB-" and middle characters "SOIL-" in samples VPB158-SOIL-021215-643-645, VPB158-SOIL-D-021215, and truncated Trip Blank to "TB" in sample VPB158-TRIPBLANK-030215 in the report. Below shows a list of samples that were mostly comprised of soil in all vials and not very much liquid:

- VPB158-GW-022715-878-880 had all three vials decanted, compounded into one vial and analyzed at a dilution of 1:4. Sample VPB158-GW-030215-898-900 had all nine vials decanted, compounded into one vial and analyzed.

Positive and non-detected results for the samples VPB158-GW-022715-878-880 and VPB158-GW-030215-898-900 were qualified as estimated (J and UJ) respectively due to possible loss of sample integrity during the decanting process. Non-conformances are summarized in Attachment A in Table A-1.

**Initial Calibration/Continuing Calibration Verification**

Calibration data were reviewed for conformance with the QC acceptance criteria to ensure that:

- the initial calibration percent relative standard deviation, correlation coefficient/coefficient of determination, and/or response factor method acceptance criteria were met;
- the initial calibration verification standard percent recovery acceptance criteria were met;
- the continuing calibration verification standard (CCV) method percent difference or percent drift (%Ds) and response factor acceptance criteria were met; and
- the retention time method acceptance criteria were met.

Data qualification to the analytes associated with the specific CCV was as follows:

**CCV Linearity Non-conformance:**

Criteria	Actions	
	Detected Results	Non-detected Results
%Difference or %Drift > 20%	J	UJ

CCV non-conformances are summarized in Attachment A in Table A-2.

### Laboratory Blanks/Trip Blanks

Laboratory blanks, an equipment blank, and a trip blank were analyzed with samples to assess contamination imparted by sample preparation and/or analysis. All results associated with a particular blank were evaluated to determine whether there was an inherent variability in the data, or if a problem was an isolated occurrence that did not affect the data. Samples were flagged in accordance with *Functional Guidelines* (shown below) where detections were not believed to be site-related. The trip blank non-conformances are summarized in Attachment A in Table A-3.

### Blank Non-conformance Chart:

Blank type	Blank result	Sample result	Action for samples
Method, Storage, Trip, Field, or Equipment	Detects	Not detected	No qualification
	< 2x LOQ	< 2x LOQ	Report sample LOQ value with a U
		≥ 2x LOQ	Use professional judgment
	> 2x LOQ	< 2x LOQ	Report sample LOQ value with a U
		≥ 2x LOQ and < blank contamination	Report the blank result with a U or reject the sample result as unusable R
		≥ 2x LOQ and ≥ blank contamination	If the result is < 2x blank result, report the sample result U. If the result is > 2x blank result, no qualification is required.
	= 2x LOQ	< 2x LOQ	Report sample LOQ value with a U
		≥ 2x LOQ	Use professional judgment
Gross contamination	Detects	Qualify results as unusable R	

**Notes:**

LOQ = Limit of quantitation  
 U = Undetected (Refer to Attachment B)  
 R = Rejected

### Field Duplicate

Field duplicate RPDs were reviewed for conformance with the Resolution Consultants QC criteria of ≤50% for solid matrices and ≤30% for aqueous matrices. These criteria apply if both results were greater than two times the limit of quantitation (LOQ). Non-conformance is summarized in Attachment A in Table A-4. Data qualification to the analytes associated with the specific field duplicate RPDs was as follows:

**Field Duplicate Non-conformances Chart:**

Criteria	RPD	Action	
		Detected	Non-detected
Sample and duplicate are nondetect	Not calculable (NC)	No qualification	No qualification
Sample and duplicate results $\geq 2x$ LOQ	>30 (aqueous)	J No	t Applicable
	>50 (solids)		
If sample or duplicate result is $> 2x$ LOQ and the other is not detected	NC J		UJ
If sample or duplicate result is $< 2x$ LOQ and the other is not detected	NC	No qualification	No qualification

**Notes:**

LOQ = Limit of quantitation  
 J = Estimated (Refer to Attachment B)  
 UJ = Undetected and estimated (Refer to Attachment B)

**Qualifications Actions**

The data was reviewed independently from the laboratory to assess data quality. All compounds detected at concentrations less than the limit of quantitation (LOQ) but greater than the method detection limit were qualified by the laboratory as estimated (J). This "J" qualifier was retained during data validation. Any sample that was analyzed at a dilution because of high concentrations of target or non-targets was checked to confirm that the results and/or sample-specific LOQs and limit of detections were adjusted accordingly by the laboratory.

No results were rejected; therefore, analytical completeness was calculated to be 100 per cent. Data not qualified during data review are considered usable by the project. The remaining results qualified as estimated may be high or low, but the data are usable for their intended purpose, according to U.S. Environmental Protection Agency and Department of Defense guidelines. Final data review qualifiers used to describe results and how they should be interpreted by the end data user are provided in Attachment B and Attachment C. Attachment D provides final results after data review.

**ATTACHMENTS**

- Attachment A: Non-Conformance Summary Table
- Attachment B: Qualifier Codes and Explanations
- Attachment C: Reason Codes and Explanations
- Attachment D: Final Results after Data Review

**Attachment A**  
**Non-Conformance Summary Table**

Table (A-1)					
Sample Integrity Non-Conformance					
Method	Sample ID	Analyte	Units	Result	Qualifier
8260C	VPB158-GW-022715-878-880	1,1,1-TRICHLOROETHANE	UG_L	2	UJ
8260C	VPB158-GW-022715-878-880	1,1,2,2-TETRACHLOROETHANE UG_	L	2	UJ
8260C	VPB158-GW-022715-878-880	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE U	G_L	2	UJ
8260C	VPB158-GW-022715-878-880	1,1,2-TRICHLOROETHANE U	G_L	2	UJ
8260C	VPB158-GW-022715-878-880	1,1-DICHLOROETHANE U	G_L	2	UJ
8260C	VPB158-GW-022715-878-880	1,1-DICHLOROETHENE U	G_L	2	UJ
8260C	VPB158-GW-022715-878-880	1,2,4-TRICHLOROBENZENE U	G_L	2	UJ
8260C	VPB158-GW-022715-878-880	1,2-DIBROMO-3-CHLOROPROPANE U	G_L	3	UJ
8260C	VPB158-GW-022715-878-880	1,2-DIBROMOETHANE U	G_L	2	UJ
8260C	VPB158-GW-022715-878-880	1,2-DICHLOROBENZENE U	G_L	2	UJ
8260C	VPB158-GW-022715-878-880	1,2-DICHLOROETHANE U	G_L	2	UJ
8260C	VPB158-GW-022715-878-880	1,2-DICHLOROETHENE, TOTAL	UG_L	4	UJ
8260C	VPB158-GW-022715-878-880	1,2-DICHLOROPROPANE U	G_L	2	UJ
8260C	VPB158-GW-022715-878-880	1,3-DICHLOROBENZENE U	G_L	2	UJ
8260C	VPB158-GW-022715-878-880	1,4-DICHLOROBENZENE U	G_L	2	UJ
8260C	VPB158-GW-022715-878-880	2-BUTANONE UG_	L	10	UJ
8260C	VPB158-GW-022715-878-880	2-HEXANONE UG_	L	10	UJ
8260C	VPB158-GW-022715-878-880	4-METHYL-2-PENTANONE UG_	L	10	UJ
8260C	VPB158-GW-022715-878-880	ACETONE UG_	L	10	UJ
8260C	VPB158-GW-022715-878-880	BENZENE U	G_L	2	UJ
8260C	VPB158-GW-022715-878-880	BROMODICHLOROMETHANE U	G_L	2	UJ
8260C	VPB158-GW-022715-878-880	BROMOFORM U	G_L	2	UJ
8260C	VPB158-GW-022715-878-880	BROMOMETHANE U	G_L	4	UJ
8260C	VPB158-GW-022715-878-880	CARBON DISULFIDE	UG_L	2	UJ
8260C	VPB158-GW-022715-878-880	CARBON TETRACHLORIDE	UG_L	2	UJ
8260C	VPB158-GW-022715-878-880	CHLOROBENZENE UG_	L	2	UJ
8260C	VPB158-GW-022715-878-880	CHLOROETHANE UG_	L	4	UJ
8260C	VPB158-GW-022715-878-880	CHLOROFORM U	G_L	2	UJ
8260C	VPB158-GW-022715-878-880	CHLOROMETHANE UG_	L	4	UJ
8260C	VPB158-GW-022715-878-880	CIS-1,2-DICHLOROETHENE U	G_L	2	UJ
8260C	VPB158-GW-022715-878-880	CIS-1,3-DICHLOROPROPENE U	G_L	2	UJ
8260C	VPB158-GW-022715-878-880	CYCLOHEXANE U	G_L	2	UJ
8260C	VPB158-GW-022715-878-880	DIBROMOCHLOROMETHANE U	G_L	2	UJ
8260C	VPB158-GW-022715-878-880	DICHLORODIFLUOROMETHANE U	G_L	4	UJ
8260C	VPB158-GW-022715-878-880	ETHYLBENZENE UG_	L	2	UJ
8260C	VPB158-GW-022715-878-880	ISOPROPYLBENZENE UG_	L	2	UJ
8260C	VPB158-GW-022715-878-880	M- AND P-XYLENE	UG_L	4	UJ
8260C	VPB158-GW-022715-878-880	METHYL ACETATE	UG_L	3	UJ
8260C	VPB158-GW-022715-878-880	METHYL CYCLOHEXANE	UG_L	2	UJ
8260C	VPB158-GW-022715-878-880	METHYL TERT-BUTYL ETHER	UG_L	2	UJ
8260C	VPB158-GW-022715-878-880	METHYLENE CHLORIDE	UG_L	10	UJ
8260C	VPB158-GW-022715-878-880	O-XYLENE UG_	L	2	UJ
8260C	VPB158-GW-022715-878-880	STYRENE UG_	L	2	UJ
8260C	VPB158-GW-022715-878-880	TETRACHLOROETHENE UG_	L	2	UJ
8260C	VPB158-GW-022715-878-880	TOLUENE U	G_L	2	UJ
8260C	VPB158-GW-022715-878-880	TRANS-1,2-DICHLOROETHENE U	G_L	2	UJ
8260C	VPB158-GW-022715-878-880	TRANS-1,3-DICHLOROPROPENE U	G_L	2	UJ
8260C	VPB158-GW-022715-878-880	TRICHLOROETHENE UG_	L	2	UJ
8260C	VPB158-GW-022715-878-880	TRICHLOROFLUOROMETHANE U	G_L	4	UJ
8260C	VPB158-GW-022715-878-880	VINYL CHLORIDE	UG_L	4	UJ
8260C	VPB158-GW-022715-878-880	XYLENES, TOTAL	UG_L	6	UJ

Table (A-1) Sample Integrity Non-Conformance					
Method	Sample ID	Analyte	Units	Result	Qualifier
8260C	VPB158-GW-030215-898-900	1,1,1-TRICHLOROETHANE	UG_L	2	UJ
8260C	VPB158-GW-030215-898-900	1,1,2,2-TETRACHLOROETHANE UG_	L	2	UJ
8260C	VPB158-GW-030215-898-900	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE U	G_L	2	UJ
8260C	VPB158-GW-030215-898-900	1,1,2-TRICHLOROETHANE U	G_L	2	UJ
8260C	VPB158-GW-030215-898-900	1,1-DICHLOROETHANE U	G_L	2	UJ
8260C	VPB158-GW-030215-898-900	1,1-DICHLOROETHENE U	G_L	2	UJ
8260C	VPB158-GW-030215-898-900	1,2,4-TRICHLOROBENZENE U	G_L	2	UJ
8260C	VPB158-GW-030215-898-900	1,2-DIBROMO-3-CHLOROPROPANE U	G_L	3	UJ
8260C	VPB158-GW-030215-898-900	1,2-DIBROMOETHANE U	G_L	2	UJ
8260C	VPB158-GW-030215-898-900	1,2-DICHLOROBENZENE U	G_L	2	UJ
8260C	VPB158-GW-030215-898-900	1,2-DICHLOROETHANE U	G_L	2	UJ
8260C	VPB158-GW-030215-898-900	1,2-DICHLOROETHENE, TOTAL	UG_L	4	UJ
8260C	VPB158-GW-030215-898-900	1,2-DICHLOROPROPANE U	G_L	2	UJ
8260C	VPB158-GW-030215-898-900	1,3-DICHLOROBENZENE U	G_L	2	UJ
8260C	VPB158-GW-030215-898-900	1,4-DICHLOROBENZENE U	G_L	2	UJ
8260C	VPB158-GW-030215-898-900	2-BUTANONE UG_	L	10	UJ
8260C	VPB158-GW-030215-898-900	2-HEXANONE UG_	L	10	UJ
8260C	VPB158-GW-030215-898-900	4-METHYL-2-PENTANONE UG_	L	10	UJ
8260C	VPB158-GW-030215-898-900	ACETONE UG_	L	10	UJ
8260C	VPB158-GW-030215-898-900	BENZENE U	G_L	2	UJ
8260C	VPB158-GW-030215-898-900	BROMODICHLOROMETHANE U	G_L	2	UJ
8260C	VPB158-GW-030215-898-900	BROMOFORM U	G_L	2	UJ
8260C	VPB158-GW-030215-898-900	BROMOMETHANE U	G_L	4	UJ
8260C	VPB158-GW-030215-898-900	CARBON DISULFIDE	UG_L	2	UJ
8260C	VPB158-GW-030215-898-900	CARBON TETRACHLORIDE	UG_L	2	UJ
8260C	VPB158-GW-030215-898-900	CHLOROBENZENE UG_	L	2	UJ
8260C	VPB158-GW-030215-898-900	CHLOROETHANE UG_	L	4	UJ
8260C	VPB158-GW-030215-898-900	CHLOROFORM U	G_L	2	UJ
8260C	VPB158-GW-030215-898-900	CHLOROMETHANE UG_	L	4	UJ
8260C	VPB158-GW-030215-898-900	CIS-1,2-DICHLOROETHENE U	G_L	2	UJ
8260C	VPB158-GW-030215-898-900	CIS-1,3-DICHLOROPROPENE U	G_L	2	UJ
8260C	VPB158-GW-030215-898-900	CYCLOHEXANE U	G_L	2	UJ
8260C	VPB158-GW-030215-898-900	DIBROMOCHLOROMETHANE U	G_L	2	UJ
8260C	VPB158-GW-030215-898-900	DICHLORODIFLUOROMETHANE U	G_L	4	UJ
8260C	VPB158-GW-030215-898-900	ETHYLBENZENE UG_	L	2	UJ
8260C	VPB158-GW-030215-898-900	ISOPROPYLBENZENE UG_	L	2	UJ
8260C	VPB158-GW-030215-898-900	M- AND P-XYLENE	UG_L	4	UJ
8260C	VPB158-GW-030215-898-900	METHYL ACETATE	UG_L	3	UJ
8260C	VPB158-GW-030215-898-900	METHYL CYCLOHEXANE	UG_L	2	UJ
8260C	VPB158-GW-030215-898-900	METHYL TERT-BUTYL ETHER	UG_L	2	UJ
8260C	VPB158-GW-030215-898-900	METHYLENE CHLORIDE	UG_L	10	UJ
8260C	VPB158-GW-030215-898-900	O-XYLENE UG_	L	2	UJ
8260C	VPB158-GW-030215-898-900	STYRENE UG_	L	2	UJ
8260C	VPB158-GW-030215-898-900	TETRACHLOROETHENE UG_	L	2	UJ
8260C	VPB158-GW-030215-898-900	TOLUENE U	G_L	2	UJ
8260C	VPB158-GW-030215-898-900	TRANS-1,2-DICHLOROETHENE U	G_L	2	UJ
8260C	VPB158-GW-030215-898-900	TRANS-1,3-DICHLOROPROPENE U	G_L	2	UJ
8260C	VPB158-GW-030215-898-900	TRICHLOROETHENE UG_	L	2	UJ
8260C	VPB158-GW-030215-898-900	TRICHLOROFLUOROMETHANE U	G_L	4	UJ
8260C	VPB158-GW-030215-898-900	VINYL CHLORIDE	UG_L	4	UJ
8260C	VPB158-GW-030215-898-900	XYLENES, TOTAL	UG_L	6	UJ

**Notes:**

UG\_L = Micrograms per liter  
UJ = Non-detect estimated value

Table (A-2) Continuing Calibration Verification Non-Conformance					
Calibration	Analyte	%D	%D Limit	Associated Samples	Qualifiers
WG159125-4 B	Bromomethane	30.8	20	VPB158-TRIPBLANK-030215	UJ
WG159125-4	Bromomethane	30.8	20	VPB158-GW-022715-878-880	UJ
WG159125-4	Bromomethane	30.8	20	VPB158-EB-022715	UJ
WG159125-4	Bromomethane	30.8	20	VPB158-GW-030215-898-900 UJ	

**Notes:**

%D = Percent difference  
 UJ = Non-detect and qualified estimated "UJ" due to associated samples non-detect and %D > 20%.

Table (A-3) Trip Blank Non-Conformance						
Blank ID	Analyte	Blank Result (UG_L)	LOQ	Associated Sample	Sample Result (UG_L)	Qualifier
VPB158-TRIPBLANK-030215	Acetone	14	5	VPB158-GW-022715-878-880	18	U
VPB158-TRIPBLANK-030215	Carbon disulfide	0.31	1	VPB158-GW-022715-878-880	1.0	U

**Notes:**

UG\_L = Micrograms per liter  
 LOQ = Limit of quantitation  
 U = Associated sample flagged non-detect "U" due to both blank result and sample result less than 2 times LOQ.

Table (A-4) Field Duplicate						
Sample ID	Duplicate ID	Analyte	Sample Result (UG_G)	Duplicate Result (UG_G)	RPD	Qualifiers
VPB158-SOIL-021215-643-645 VPB	158-SOIL-D-021215	TOC	470	890	61.8	J - both results

**Notes:**

TOC = Total organic carbon  
 UG\_G = Micrograms per gram  
 RPD = Relative percent difference  
 J = Estimated value

**Attachment B**  
**Qualifier Codes and Explanations**

<b>Qualifier</b>	<b>Explanation</b>
J	The analyte was positively identified; the associated numerical value is the approximate concentration of the analyte in the sample.
UJ	The analyte was not detected above the reported sample quantitation limit. However, the reported quantitation limit is approximate and may or may not represent the actual quantitation limit necessary to accurately and precisely measure the analyte in the sample.
U	The analyte was analyzed for, but was not detected above the reported sample quantitation limit.

**Attachment C**  
**Reason Codes and Explanations**

<b>Reason Code</b>	<b>Explanation</b>
be	Equipment blank contamination
bf Fie	ld blank contamination
bl	Laboratory blank contamination
bt	Trip blank contamination
c C	alibration issue
d	Reporting limit raised due to chromatographic interference
fd	Field duplicate RPDs
h Ho	lding times
i Interna	l standard areas
k	Estimated Maximum Possible Concentration (EMPC)
l	LCS or OPR recoveries
lc	Labeled compound recovery
ld	Laboratory duplicate RPDs
lp	Laboratory control sample/laboratory control sample duplicate RPDs
m Matrix	spike recovery
mc	Method compliance non-conformance
md	Matrix spike/matrix spike duplicate RPDs
nb	Negative laboratory blank contamination
p	Chemical preservation issue
r Dual	column RPD
q Quant	itation issue
s Surrogate	recovery
su Ion	suppression
t Tempera	ture preservation issue
x Per	cent solids
y	Serial dilution results
z ICS	results



**Attachment D**  
**Final Results after Data Review**

Sample Delivery Group Lab Identification Sample Identification Sample Date Sample Type Depth Interval				SI1297 SI1297-2DL VPB158-GW-022715-878-880 2/27/2015 Groundwater		
Method	Analyte	CAS No	Units	Result Qual		RC
8260C 1,1,1-	TRICHLOROETHANE	71-55-6	UG_L	2	UJ	mc
8260C 1,1,2,2-	TETRACHLOROETHANE	79-34-5	UG_L	2	UJ	mc
8260C 1,1,2-	TRICHLORO-1,2,2-TRIFLUOROETHANE 76-	13-1	UG_L	2	UJ	mc
8260C 1,1,2-	TRICHLOROETHANE	79-00-5	UG_L	2	UJ	mc
8260C 1,1-	DICHLOROETHANE	75-34-3	UG_L	2	UJ	mc
8260C 1,1-	DICHLOROETHENE	75-35-4	UG_L	2	UJ	mc
8260C 1,2,4-	TRICHLOROBENZENE	120-82-1	UG_L	2	UJ	mc
8260C 1,2-	DIBROMO-3-CHLOROPROPANE	96-12-8	UG_L	3	UJ	mc
8260C 1,2-	DIBROMOETHANE	106-93-4	UG_L	2	UJ	mc
8260C 1,2-	DICHLOROBENZENE	95-50-1	UG_L	2	UJ	mc
8260C 1,2-	DICHLOROETHANE	107-06-2	UG_L	2	UJ	mc
8260C 1,2-	DICHLOROETHENE, TOTAL	540-59-0	UG_L	4	UJ	mc
8260C 1,2-	DICHLOROPROPANE	78-87-5	UG_L	2	UJ	mc
8260C 1,3-	DICHLOROBENZENE	541-73-1	UG_L	2	UJ	mc
8260C 1,4-	DICHLOROBENZENE	106-46-7	UG_L	2	UJ	mc
8260C 2-	BUTANONE	78-93-3	UG_L	10	UJ	mc
8260C 2-	HEXANONE	591-78-6	UG_L	10	UJ	mc
8260C 4-	METHYL-2-PENTANONE	108-10-1	UG_L	10	UJ	mc
8260C	ACETONE	67-64-1	UG_L	10	UJ	bt,mc
8260C B	ENZENE	71-43-2	UG_L	2	UJ	mc
8260C B	ROMODICHLOROMETHANE	75-27-4	UG_L	2	UJ	mc
8260C B	ROMOFORM	75-25-2	UG_L	2	UJ	mc
8260C B	ROMOMETHANE	74-83-9	UG_L	4	UJ	c,mc
8260C CARB	ON DISULFIDE	75-15-0	UG_L	2	UJ	mc
8260C CARB	ON TETRACHLORIDE	56-23-5	UG_L	2	UJ	mc
8260C CHLOROB	ENZENE	108-90-7	UG_L	2	UJ	mc
8260C CHLOROETHANE		75-00-3	UG_L	4	UJ	mc
8260C CHLOROFORM		67-66-3	UG_L	2	UJ	mc
8260C CHLOROM	ETHANE	74-87-3	UG_L	4	UJ	mc
8260C CIS-	1,2-DICHLOROETHENE	156-59-2	UG_L	2	UJ	mc
8260C CIS-	1,3-DICHLOROPROPENE	10061-01-5	UG_L	2	UJ	mc
8260C CYCLOHEXANE		110-82-7	UG_L	2	UJ	mc
8260C DIB	ROMOCHLOROMETHANE	124-48-1	UG_L	2	UJ	mc
8260C DICHLORODI	FLUOROMETHANE	75-71-8	UG_L	4	UJ	mc
8260C ETHYLB	ENZENE	100-41-4	UG_L	2	UJ	mc
8260C ISOP	ROPYLBENZENE	98-82-8	UG_L	2	UJ	mc
8260C	M- AND P-XYLENE	108-38-3/106-42	UG_L	4	UJ	mc
8260C M	ETHYL ACETATE	79-20-9	UG_L	3	UJ	mc
8260C M	ETHYL CYCLOHEXANE	108-87-2	UG_L	2	UJ	mc
8260C	METHYL TERT-BUTYL ETHER	1634-04-4	UG_L	2	UJ	mc
8260C M	ETHYLENE CHLORIDE	75-09-2	UG_L	10	UJ	mc
8260C O-	XYLENE	95-47-6	UG_L	2	UJ	mc
8260C	STYRENE	100-42-5	UG_L	2	UJ	mc
8260C	TETRACHLOROETHENE	127-18-4	UG_L	2	UJ	mc
8260C	TOLUENE	108-88-3	UG_L	2	UJ	mc
8260C TRANS-	1,2-DICHLOROETHENE	156-60-5	UG_L	2	UJ	mc
8260C TRANS-	1,3-DICHLOROPROPENE	10061-02-6	UG_L	2	UJ	mc
8260C	TRICHLOROETHENE	79-01-6	UG_L	2	UJ	mc
8260C	TRICHLOROF LUOROMETHANE	75-69-4	UG_L	4	UJ	mc
8260C V	INYL CHLORIDE	75-01-4	UG_L	4	UJ	mc
8260C	XYLENES, TOTAL	1330-20-7	UG_L	6	UJ	mc

Sample Delivery Group Lab Identification Sample Identification Sample Date Sample Type Depth Interval				SI1297 SI1297-6DL VPB158-GW-030215-898-900 3/2/2015 Groundwater		
Method	Analyte	CAS No	Units	Result	Qual	RC
8260C 1,1,1-	TRICHLOROETHANE	71-55-6	UG_L	2	UJ	mc
8260C 1,1,2,2-	TETRACHLOROETHANE	79-34-5	UG_L	2	UJ	mc
8260C 1,1,2-	TRICHLORO-1,2,2-TRIFLUOROETHANE 76-	13-1	UG_L	2	UJ	mc
8260C 1,1,2-	TRICHLOROETHANE	79-00-5	UG_L	2	UJ	mc
8260C 1,1-	DICHLOROETHANE	75-34-3	UG_L	2	UJ	mc
8260C 1,1-	DICHLOROETHENE	75-35-4	UG_L	2	UJ	mc
8260C 1,2,4-	TRICHLOROBENZENE	120-82-1	UG_L	2	UJ	mc
8260C 1,2-	DIBROMO-3-CHLOROPROPANE	96-12-8	UG_L	3	UJ	mc
8260C 1,2-	DIBROMOETHANE	106-93-4	UG_L	2	UJ	mc
8260C 1,2-	DICHLOROBENZENE	95-50-1	UG_L	2	UJ	mc
8260C 1,2-	DICHLOROETHANE	107-06-2	UG_L	2	UJ	mc
8260C 1,2-	DICHLOROETHENE, TOTAL	540-59-0	UG_L	4	UJ	mc
8260C 1,2-	DICHLOROPROPANE	78-87-5	UG_L	2	UJ	mc
8260C 1,3-	DICHLOROBENZENE	541-73-1	UG_L	2	UJ	mc
8260C 1,4-	DICHLOROBENZENE	106-46-7	UG_L	2	UJ	mc
8260C 2-	BUTANONE	78-93-3	UG_L	10	UJ	mc
8260C 2-	HEXANONE	591-78-6	UG_L	10	UJ	mc
8260C 4-	METHYL-2-PENTANONE	108-10-1	UG_L	10	UJ	mc
8260C	ACETONE	67-64-1	UG_L	10	UJ	mc
8260C B	ENZENE	71-43-2	UG_L	2	UJ	mc
8260C B	ROMODICHLOROMETHANE	75-27-4	UG_L	2	UJ	mc
8260C B	ROMOFORM	75-25-2	UG_L	2	UJ	mc
8260C B	ROMOMETHANE	74-83-9	UG_L	4	UJ	c,mc
8260C CARB	ON DISULFIDE	75-15-0	UG_L	2	UJ	mc
8260C CARB	ON TETRACHLORIDE	56-23-5	UG_L	2	UJ	mc
8260C CHLOROB	ENZENE	108-90-7	UG_L	2	UJ	mc
8260C CHLOROETHANE		75-00-3	UG_L	4	UJ	mc
8260C CHLOROFORM		67-66-3	UG_L	2	UJ	mc
8260C CHLOROM	ETHANE	74-87-3	UG_L	4	UJ	mc
8260C CIS-	1,2-DICHLOROETHENE	156-59-2	UG_L	2	UJ	mc
8260C CIS-	1,3-DICHLOROPROPENE	10061-01-5	UG_L	2	UJ	mc
8260C CYCLOHEXANE		110-82-7	UG_L	2	UJ	mc
8260C DIB	ROMOCHLOROMETHANE	124-48-1	UG_L	2	UJ	mc
8260C DICHLORODI	FLUOROMETHANE	75-71-8	UG_L	4	UJ	mc
8260C ETHYLB	ENZENE	100-41-4	UG_L	2	UJ	mc
8260C ISOP	ROPYLBENZENE	98-82-8	UG_L	2	UJ	mc
8260C	M- AND P-XYLENE	108-38-3/106-42	UG_L	4	UJ	mc
8260C M	ETHYL ACETATE	79-20-9	UG_L	3	UJ	mc
8260C M	ETHYL CYCLOHEXANE	108-87-2	UG_L	2	UJ	mc
8260C	METHYL TERT-BUTYL ETHER	1634-04-4	UG_L	2	UJ	mc
8260C M	ETHYLENE CHLORIDE	75-09-2	UG_L	10	UJ	mc
8260C O-	XYLENE	95-47-6	UG_L	2	UJ	mc
8260C	STYRENE	100-42-5	UG_L	2	UJ	mc
8260C	TETRACHLOROETHENE	127-18-4	UG_L	2	UJ	mc
8260C	TOLUENE	108-88-3	UG_L	2	UJ	mc
8260C TRANS-	1,2-DICHLOROETHENE	156-60-5	UG_L	2	UJ	mc
8260C TRANS-	1,3-DICHLOROPROPENE	10061-02-6	UG_L	2	UJ	mc
8260C	TRICHLOROETHENE	79-01-6	UG_L	2	UJ	mc
8260C	TRICHLOROF LUOROMETHANE	75-69-4	UG_L	4	UJ	mc
8260C V	INYL CHLORIDE	75-01-4	UG_L	4	UJ	mc
8260C	XYLENES, TOTAL	1330-20-7	UG_L	6	UJ	mc

Sample Delivery Group Lab ID Sample ID Sample Date Sample Type				SI1297 SI1297-1 VPB158-TRIP BLANK-030215 3/2/2015 Trip Blank		
Method	Analyte	CAS No	Units	Result	Qual	RC
8260C 1,1,1-	TRICHLOROETHANE	71-55-6	UG_L	0.5	U	
8260C 1,1,2,2-	TETRACHLOROETHANE 79-	34-5	UG_L	0.5	U	
8260C 1,1,2-	TRICHLORO-1,2,2-TRIFLUOROETHANE 76-	13-1	UG_L	0.5	U	
8260C 1,1,2-	TRICHLOROETHANE	79-00-5	UG_L	0.5	U	
8260C 1,1-	DICHLOROETHANE	75-34-3	UG_L	0.5	U	
8260C 1,1-	DICHLOROETHENE	75-35-4	UG_L	0.5	U	
8260C 1,2,4-	TRICHLOROBENZENE	120-82-1	UG_L	0.5	U	
8260C 1,2-	DIBROMO-3-CHLOROPROPANE	96-12-8	UG_L	0.75	U	
8260C 1,2-	DIBROMOETHANE	106-93-4	UG_L	0.5	U	
8260C 1,2-	DICHLOROBENZENE	95-50-1	UG_L	0.5	U	
8260C 1,2-	DICHLOROETHANE	107-06-2	UG_L	0.5	U	
8260C	1,2-DICHLOROETHENE, TOTAL	540-59-0	UG_L	1	U	
8260C 1,2-	DICHLOROPROPANE	78-87-5	UG_L	0.5	U	
8260C 1,3-	DICHLOROBENZENE	541-73-1	UG_L	0.5	U	
8260C 1,4-	DICHLOROBENZENE	106-46-7	UG_L	0.5	U	
8260C 2-	BUTANONE	78-93-3	UG_L	2.5	U	
8260C 2-	HEXANONE	591-78-6	UG_L	2.5	U	
8260C 4-	METHYL-2-PENTANONE	108-10-1	UG_L	2.5	U	
8260C	ACETONE	67-64-1	UG_L	14		
8260C B	ENZENE	71-43-2	UG_L	0.5	U	
8260C B	ROMODICHLOROMETHANE	75-27-4	UG_L	0.5	U	
8260C B	ROMOFORM	75-25-2	UG_L	0.5	U	
8260C B	ROMOMETHANE	74-83-9	UG_L	1	UJ	c
8260C	CARBON DISULFIDE	75-15-0	UG_L	0.31	J	
8260C	CARBON TETRACHLORIDE	56-23-5	UG_L	0.5	U	
8260C CHLOROB	ENZENE	108-90-7	UG_L	0.5	U	
8260C CHLOROETHANE		75-00-3	UG_L	1	U	
8260C CHLOROFORM		67-66-3	UG_L	0.5	U	
8260C CHLOROM	ETHANE	74-87-3	UG_L	1	U	
8260C CIS-	1,2-DICHLOROETHENE	156-59-2	UG_L	0.5	U	
8260C CIS-	1,3-DICHLOROPROPENE	10061-01-5	UG_L	0.5	U	
8260C CYCLOHEXANE		110-82-7	UG_L	0.5	U	
8260C DIB	ROMOCHLOROMETHANE	124-48-1	UG_L	0.5	U	
8260C DICHLORODI	FLUOROMETHANE	75-71-8	UG_L	1	U	
8260C ETHYLB	ENZENE	100-41-4	UG_L	0.5	U	
8260C ISOP	ROPYLBENZENE	98-82-8	UG_L	0.5	U	
8260C	M- AND P-XYLENE	108-38-3/106-42	UG_L	1	U	
8260C	METHYL ACETATE	79-20-9	UG_L	0.75	U	
8260C	METHYL CYCLOHEXANE	108-87-2	UG_L	0.5	U	
8260C	METHYL TERT-BUTYL ETHER	1634-04-4	UG_L	0.5	U	
8260C	METHYLENE CHLORIDE	75-09-2	UG_L	2.5	U	
8260C O-	XYLENE	95-47-6	UG_L	0.5	U	
8260C STYRENE		100-42-5	UG_L	0.5	U	
8260C TETRACHLOROETHENE		127-18-4	UG_L	0.5	U	
8260C TOLUENE		108-88-3	UG_L	0.5	U	
8260C TRANS-	1,2-DICHLOROETHENE	156-60-5	UG_L	0.5	U	
8260C TRANS-	1,3-DICHLOROPROPENE	10061-02-6	UG_L	0.5	U	
8260C TRICHLOROETHENE		79-01-6	UG_L	0.5	U	
8260C TRICHLOROF	LUOROMETHANE	75-69-4	UG_L	1	U	
8260C	VINYL CHLORIDE	75-01-4	UG_L	1	U	
8260C	XYLENES, TOTAL	1330-20-7	UG_L	1.5	U	

Sample Delivery Group Lab ID Sample ID Sample Date Sample Type				SI1297 SI1297-3 VPB158-EB-022715 2/27/2015 Equipment Blank		
Method	Analyte	CAS No	Units	Result	Qual	RC
5310B	TOTAL ORGANIC CARBON	-28	MG_L	0.39	J	
8260C 1,1,1-	TRICHLOROETHANE	71-55-6	UG_L	0.5	U	
8260C 1,1,2,2-	TETRACHLOROETHANE 79-	34-5	UG_L	0.5	U	
8260C 1,1,2-	TRICHLORO-1,2,2-TRIFLUOROETHANE 76-	13-1	UG_L	0.5	U	
8260C 1,1,2-	TRICHLOROETHANE	79-00-5	UG_L	0.5	U	
8260C 1,1-	DICHLOROETHANE	75-34-3	UG_L	0.5	U	
8260C 1,1-	DICHLOROETHENE	75-35-4	UG_L	0.5	U	
8260C 1,2,4-	TRICHLOROBENZENE	120-82-1	UG_L	0.5	U	
8260C 1,2-	DIBROMO-3-CHLOROPROPANE	96-12-8	UG_L	0.75	U	
8260C 1,2-	DIBROMOETHANE	106-93-4	UG_L	0.5	U	
8260C 1,2-	DICHLOROBENZENE	95-50-1	UG_L	0.5	U	
8260C 1,2-	DICHLOROETHANE	107-06-2	UG_L	0.5	U	
8260C	1,2-DICHLOROETHENE, TOTAL	540-59-0	UG_L	1	U	
8260C 1,2-	DICHLOROPROPANE	78-87-5	UG_L	0.5	U	
8260C 1,3-	DICHLOROBENZENE	541-73-1	UG_L	0.5	U	
8260C 1,4-	DICHLOROBENZENE	106-46-7	UG_L	0.5	U	
8260C 2-	BUTANONE	78-93-3	UG_L	2.5	U	
8260C 2-	HEXANONE	591-78-6	UG_L	2.5	U	
8260C 4-	METHYL-2-PENTANONE	108-10-1	UG_L	2.5	U	
8260C	ACETONE	67-64-1	UG_L	2.5	U	
8260C B	ENZENE	71-43-2	UG_L	0.5	U	
8260C B	ROMODICHLOROMETHANE	75-27-4	UG_L	0.5	U	
8260C B	ROMOFORM	75-25-2	UG_L	0.5	U	
8260C B	ROMOMETHANE	74-83-9	UG_L	1	UJ	c
8260C	CARBON DISULFIDE	75-15-0	UG_L	0.5	U	
8260C	CARBON TETRACHLORIDE	56-23-5	UG_L	0.5	U	
8260C	CHLOROBENZENE	108-90-7	UG_L	0.5	U	
8260C	CHLOROETHANE	75-00-3	UG_L	1	U	
8260C	CHLOROFORM	67-66-3	UG_L	0.5	U	
8260C	CHLOROMETHANE	74-87-3	UG_L	1	U	
8260C CIS-	1,2-DICHLOROETHENE	156-59-2	UG_L	0.5	U	
8260C CIS-	1,3-DICHLOROPROPENE	10061-01-5	UG_L	0.5	U	
8260C	CYCLOHEXANE	110-82-7	UG_L	0.5	U	
8260C	ROMOCHLOROMETHANE	124-48-1	UG_L	0.5	U	
8260C	DICHLORODIFLUOROMETHANE	75-71-8	UG_L	1	U	
8260C	ETHYLBENZENE	100-41-4	UG_L	0.5	U	
8260C	ISOPROPYLBENZENE	98-82-8	UG_L	0.5	U	
8260C	M- AND P-XYLENE	108-38-3/106-42	UG_L	1	U	
8260C	METHYL ACETATE	79-20-9	UG_L	0.75	U	
8260C	METHYL CYCLOHEXANE	108-87-2	UG_L	0.5	U	
8260C	METHYL TERT-BUTYL ETHER	1634-04-4	UG_L	0.5	U	
8260C	METHYLENE CHLORIDE	75-09-2	UG_L	2.5	U	
8260C	ORTHO-XYLENE	95-47-6	UG_L	0.5	U	
8260C	STYRENE	100-42-5	UG_L	0.5	U	
8260C	TETRACHLOROETHENE	127-18-4	UG_L	0.5	U	
8260C	TOLUENE	108-88-3	UG_L	0.5	U	
8260C TRANS-	1,2-DICHLOROETHENE	156-60-5	UG_L	0.5	U	
8260C TRANS-	1,3-DICHLOROPROPENE	10061-02-6	UG_L	0.5	U	
8260C	TRICHLOROETHENE	79-01-6	UG_L	0.5	U	
8260C	TRICHLOROFLUOROMETHANE	75-69-4	UG_L	1	U	
8260C	VINYL CHLORIDE	75-01-4	UG_L	1	U	
8260C	XYLENES, TOTAL	1330-20-7	UG_L	1.5	U	

**Notes:**

UG_L	=	Micrograms per liter
MG_L	=	Milligram per liter
Qual	=	Final qualifier
RC	=	Reason code

Sample Delivery Group Lab ID Sample ID Sample Date Sample Type				SI1297 SI1297 SI1297-4 SI1297- VPB158-SOIL-021215-643-645 V 2/12/2015 2/12/201 Soil F			5 PB158-SOIL-D-021215 5 ield Duplicate		
Method	Analyte	CAS No	Units	Result	Qual	RC	Result	Qual	RC
9060A	TOTAL ORGANIC CARBON	-28	UG_G	470	J	fd	890	J	fd

**Notes:**

UG\_G = Micrograms per gram  
Qual = Final qualifier  
RC = Reason code

**DATA VALIDATION REPORT**

Project:	Regional Groundwater Investigation — NWIRP Bethpage	
Laboratory:	Katahdin Analytical	
Sample Delivery Group:	SI1314	
Analyses/Method:	Volatile Organic Compounds (VOCs) by U.S. EPA Method TO-15	
Validation Level:	3	
Project Number:	0888812477.SA.DV	
Prepared by:	Dana Miller/Resolution Consultants	Completed on: 02/04/2015
Reviewed by:	Tina Cantwell/Resolution Consultants	File Name: SI1314_TO15

**SUMMARY**

This report summarizes data review findings for samples listed below, collected by Resolution Consultants from the Regional Groundwater Investigation — NWIRP Bethpage site on 2 March 2015 in accordance with the following Sampling and Analysis Plans:

- *Sampling and Analysis Plan, Bethpage, New York, April 2013.*
- *UFP SAP Addendum, Inclusion of Additional Target Analytes for Volatile Organics Analyses, NWIRP Bethpage OU2, Bethpage, New York, August 2014.*
- *UFP SAP Addendum, Installation of Vertical Profile Borings and Monitoring Wells, Operable Unit 2, NWIRP Bethpage, New York, November 2013.*

Sample ID	Matrix/Sample Type	Analysis
VPB158-AIR-030215 Air		TO-15

Data validation activities were conducted using the following guidance documents: *Determination of Volatile Organic Compounds (VOCs) In Air Collected In Specially-Prepared Canisters and Analyzed By Gas Chromatography/Mass Spectrometry (GC/MS) (U.S. EPA, Method TO-15)*, *U.S. Environmental Protection Agency (U.S. EPA) Contract Laboratory Program National Functional Guidelines for Superfund Organic Methods Data Review* (NFG, June 2008), and *Department of Defense (DoD) Quality Systems Manual (QSM) for Environmental Laboratories, Version 4.2* (October 2010). In the absence of method-specific information, laboratory quality control (QC) limits, project-specific requirements and/or professional judgment were used as appropriate.

**REVIEW ELEMENTS**

The data were evaluated based on the following parameters (where applicable to the method):



- ✓ Data completeness (chain-of-custody (COC)/sample integrity)
- ✓ Holding times and sample preservation
- ✓ GC/MS performance checks
- ✓ Initial calibration/continuing calibration verification
- ✓ Laboratory blanks/trip blanks
- NA Matrix duplicate (MD) results
- ✓ Laboratory control sample (LCS) results
- NA Field duplicates
- ✓ Internal standards
- ✓ Sample results/reporting issues

The symbol ( ✓ ) indicates that no validation qualifiers were applied based on this parameter . NA indicates that the parameter was not included as part of this data set or was not applicable to this validation and therefore not reviewed. Acceptable data parameters for which all criteria were met and no qualification was performed and non-conformance or other issues that were noted during validation, but did not result in qualification of data are not discussed further.

### **Qualifications Actions**

The data was reviewed independently from the laboratory to assess data quality and no results were qualified during this data review. Analytical completeness was calculated to be 100% and the data are usable for their intended purpose, according to U.S. EPA guidelines and Department of Defense guidelines. Attachment A provides final results after data review.

### **ATTACHMENTS**

Attachment A: Final Results after Data Review

**Attachment A**  
**Final Results after Data Review**

Sample Delivery Group				SI1314	
Lab ID				200-26911-1	
Sample ID				VPB158-AIR-030215	
Sample Date				3/2/2015	
Sample Type				Air	
Method	Analyte	CAS No	Units	Result Qual	
TO-15 1,1,1-	TRICHLOROETHANE	71-55-6	PPBV	0.2	U
TO-15 1,1,2,2-	TETRACHLOROETHANE 79-	34-5	PPBV	0.2	U
TO-15 1,1,2-	TRICHLORO-1,2,2-TRIFLUOROETHANE 76-	13-1	PPBV	0.2	U
TO-15 1,1,2-	TRICHLOROETHANE	79-00-5	PPBV	0.2	U
TO-15 1,1-	DICHLOROETHANE	75-34-3	PPBV	0.2	U
TO-15 1,1-	DICHLOROETHENE	75-35-4	PPBV	0.2	U
TO-15 1,2,4-	TRICHLOROBENZENE	120-82-1	PPBV	0.5	U
TO-15 1,2-	DIBROMOETHANE	106-93-4	PPBV	0.2	U
TO-15 1,2-	DICHLOROBENZENE	95-50-1	PPBV	0.2	U
TO-15 1,2-	DICHLOROETHANE	107-06-2	PPBV	0.2	U
TO-15 1,2-	DICHLOROPROPANE	78-87-5	PPBV	0.2	U
TO-15 1,3-	DICHLOROBENZENE	541-73-1	PPBV	0.2	U
TO-15 1,4-	DICHLOROBENZENE	106-46-7	PPBV	0.2	U
TO-15 2-	BUTANONE	78-93-3	PPBV	0.5	U
TO-15 2-	HEXANONE	591-78-6	PPBV	0.5	U
TO-15 4-	METHYL-2-PENTANONE	108-10-1	PPBV	0.5	U
TO-15 ACETONE		67-64-1	PPBV	5	U
TO-15 B	ENZENE	71-43-2	PPBV	0.2	U
TO-15 B	ROMODICHLOROMETHANE	75-27-4	PPBV	0.2	U
TO-15 B	ROMOFORM	75-25-2	PPBV	0.2	U
TO-15 B	ROMOMETHANE	74-83-9	PPBV	0.2	U
TO-15 CARB	ON DISULFIDE	75-15-0	PPBV	0.5	U
TO-15 CARB	ON TETRACHLORIDE	56-23-5	PPBV	0.2	U
TO-15 CHLOROB	ENZENE	108-90-7	PPBV	0.2	U
TO-15 CHLOROETHANE		75-00-3	PPBV	0.5	U
TO-15 CHLOROFORM		67-66-3	PPBV	0.2	U
TO-15 CHLOROM	ETHANE	74-87-3	PPBV	0.54	
TO-15 CIS-	1,2-DICHLOROETHENE	156-59-2	PPBV	0.2	U
TO-15 CIS-	1,3-DICHLOROPROPENE	10061-01-5	PPBV	0.2	U
TO-15 CYCLOHEXANE		110-82-7	PPBV	0.2	U
TO-15 DIB	ROMOCHLOROMETHANE	124-48-1	PPBV	0.2	U
TO-15 DICHLORODI	FLUOROMETHANE	75-71-8	PPBV	0.51	
TO-15 ETHYLB	ENZENE	100-41-4	PPBV	0.2	U
TO-15 ISOP	ROPYLBENZENE	98-82-8	PPBV	0.2	U
TO-15	M- AND P-XYLENE	108-38-3/106-42	PPBV	0.5	U
TO-15	METHYL TERT-BUTYL ETHER	1634-04-4	PPBV	0.2	U
TO-15 M	ETHYLENE CHLORIDE	75-09-2	PPBV	0.5	U
TO-15 O-	XYLENE	95-47-6	PPBV	0.2	U
TO-15 STYRENE		100-42-5	PPBV	0.2	U
TO-15 TETRACHLOROETHENE		127-18-4	PPBV	0.2	U
TO-15 TOLUENE		108-88-3	PPBV	0.2	U
TO-15 TRANS-	1,2-DICHLOROETHENE	156-60-5	PPBV	0.2	U
TO-15 TRANS-	1,3-DICHLOROPROPENE	10061-02-6	PPBV	0.2	U
TO-15 TRICHLOROETHENE		79-01-6	PPBV	0.2	U
TO-15 TRICHLOROF	LUOROMETHANE	75-69-4	PPBV	0.24	
TO-15 V	INYL CHLORIDE	75-01-4	PPBV	0.2	U
TO-15 XYLENES,	TOTAL	1330-20-7	PPBV	0.2	U

**Notes:**

PPBV = Parts per billion by volume  
Qual = Final qualifier  
U = The analyte was analyzed for, but was not detected above the reported sample quantitation limit.

**Section 5**

**VPB 158 Analytical Data Table**

Location	VPB158	VPB158	VPB158	VPB158	
Sample Date	NYSDEC Groundwater Guidance or Standard Value (Note 1)	1/19/2015	1/19/2015	1/22/2015	1/22/2015
Sample ID		VPB158-GW-011915- 48-50	VPB158-GW-011915- 98-100	VPB158-GW-012215- 148-150	VPB158-GWD-012215
Sample Interval		48 - 50 ft	98 - 100 ft	148 - 150 ft	148 - 150 ft
Sample type code		N	N	N	FD
<b>VOC 8260C (ug/L)</b>					
1,1,1-TRICHLOROETHANE	5	< 0.50 UJ	< 0.50 U	<b>2.3</b>	<b>2.1</b>
1,1,2,2-TETRACHLOROETHANE	5	< 0.50 UJ	< 0.50 UJ	< 0.50 UJ	< 0.50 U
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	5	< 0.50 UJ	< 0.50 U	<b>0.46 J</b>	< 0.50 U
1,1,2-TRICHLOROETHANE	1	< 0.50 UJ	< 0.50 U	< 0.50 U	< 0.50 U
1,1-DICHLOROETHANE	5	< 0.50 UJ	< 0.50 U	<b>15</b>	<b>15</b>
1,1-DICHLOROETHENE	5	< 0.50 UJ	< 0.50 U	<b>5.0</b>	<b>5.5</b>
1,2,4-TRICHLOROBENZENE	5	< 0.50 UJ	< 0.50 U	< 0.50 U	< 0.50 U
1,2-DIBROMO-3-CHLOROPROPANE	0.04	<b>&lt; 0.75 UJ</b>	<b>&lt; 0.75 UJ</b>	<b>&lt; 0.75 UJ</b>	<b>&lt; 0.75 U</b>
1,2-DIBROMOETHANE	NL	< 0.50 UJ	< 0.50 U	< 0.50 U	< 0.50 U
1,2-DICHLOROBENZENE	3	< 0.50 UJ	< 0.50 U	< 0.50 U	< 0.50 U
1,2-DICHLOROETHANE	5	< 0.50 UJ	< 0.50 U	< 0.50 U	< 0.50 U
1,2-DICHLOROETHENE, TOTAL	5	< 1.0 UJ	< 1.0 UJ	<b>3.4 J</b>	<b>3.5</b>
1,2-DICHLOROPROPANE	1	< 0.50 UJ	< 0.50 U	< 0.50 U	< 0.50 U
1,3-DICHLOROBENZENE	3	< 0.50 UJ	< 0.50 U	< 0.50 U	< 0.50 U
1,4-DICHLOROBENZENE	3	< 0.50 UJ	< 0.50 U	< 0.50 U	< 0.50 U
2-BUTANONE	50	< 2.5 UJ	< 2.5 U	< 2.5 U	< 2.5 U
2-HEXANONE	50	< 2.5 UJ	< 2.5 U	< 2.5 U	< 2.5 U
4-METHYL-2-PENTANONE	NL	< 2.5 UJ	< 2.5 U	< 2.5 U	< 2.5 U
ACETONE	50	< 2.5 UJ	< 2.5 UJ	< 2.5 UJ	< 2.5 UJ
BENZENE	1	<b>0.32 J</b>	< 0.50 U	< 0.50 U	< 0.50 U
BROMODICHLOROMETHANE	50	< 0.50 UJ	< 0.50 U	< 0.50 U	< 0.50 U
BROMOFORM	50	< 0.50 UJ	< 0.50 U	< 0.50 U	< 0.50 U
BROMOMETHANE	5	< 1.0 UJ	< 1.0 U	< 1.0 U	< 1.0 U
CARBON DISULFIDE	60	< 0.50 UJ	< 0.50 U	< 0.50 U	< 0.50 U
CARBON TETRACHLORIDE	5	< 0.50 UJ	< 0.50 U	< 0.50 U	< 0.50 U
CHLOROBENZENE	5	< 0.50 UJ	< 0.50 U	< 0.50 U	< 0.50 U
CHLOROETHANE	5	< 1.0 UJ	< 1.0 U	< 1.0 U	< 1.0 U
CHLOROFORM	7	< 0.50 UJ	< 0.50 U	< 0.50 U	< 0.50 U
CHLOROMETHANE	5	< 1.0 UJ	< 1.0 U	< 1.0 U	< 1.0 UJ
CIS-1,2-DICHLOROETHENE	5	< 0.50 UJ	< 0.50 U	<b>3.4</b>	<b>3.5</b>
CIS-1,3-DICHLOROPROPENE	0.4	<b>&lt; 0.50 UJ</b>	<b>&lt; 0.50 U</b>	<b>&lt; 0.50 U</b>	<b>&lt; 0.50 U</b>
CYCLOHEXANE	NL	< 0.50 UJ	< 0.50 U	< 0.50 U	< 0.50 U
DIBROMOCHLOROMETHANE	5	< 0.50 UJ	< 0.50 U	< 0.50 U	< 0.50 U
DICHLORODIFLUOROMETHANE	5	< 1.0 UJ	< 1.0 U	< 1.0 U	< 1.0 UJ
ETHYLBENZENE	5	< 0.50 UJ	< 0.50 U	< 0.50 U	< 0.50 U
ISOPROPYLBENZENE	5	< 0.50 UJ	< 0.50 U	< 0.50 U	< 0.50 U
M- AND P-XYLENE	NL	< 1.0 UJ	< 1.0 U	< 1.0 U	< 1.0 U
METHYL ACETATE	NL	< 0.75 UJ	< 0.75 UJ	< 0.75 UJ	< 0.75 U
METHYL CYCLOHEXANE	NL	< 0.50 UJ	< 0.50 U	< 0.50 U	< 0.50 U
METHYL TERT-BUTYL ETHER	10	< 0.50 UJ	< 0.50 U	< 0.50 U	< 0.50 U
METHYLENE CHLORIDE	5	< 2.5 UJ	< 2.5 U	< 2.5 U	< 2.5 U
O-XYLENE	NL	< 0.50 UJ	< 0.50 U	< 0.50 U	< 0.50 U
STYRENE	5	< 0.50 UJ	< 0.50 U	< 0.50 U	< 0.50 U
TETRACHLOROETHENE	5	< 0.50 UJ	< 0.50 U	<b>0.71 J</b>	<b>1.1</b>
TOLUENE	5	< 0.50 UJ	< 0.50 U	< 0.50 U	< 0.50 U
TRANS-1,2-DICHLOROETHENE	5	< 0.50 UJ	< 0.50 U	< 0.50 U	< 0.50 U
TRANS-1,3-DICHLOROPROPENE	0.4	<b>&lt; 0.50 UJ</b>	<b>&lt; 0.50 U</b>	<b>&lt; 0.50 U</b>	<b>&lt; 0.50 U</b>
TRICHLOROETHENE	5	< 0.50 UJ	< 0.50 U	<b>8.4</b>	<b>9.3</b>
TRICHLOROFUOROMETHANE	5	< 1.0 UJ	< 1.0 U	< 1.0 U	< 1.0 U
VINYL CHLORIDE	2	< 1.0 UJ	< 1.0 U	< 1.0 U	< 1.0 UJ
XYLENES, TOTAL	5	< 1.5 UJ	< 1.5 UJ	< 1.5 UJ	< 1.5 U

Location	VPB158	VPB158	VPB158	VPB158	
Sample Date	NYSDEC Groundwater Guidance or Standard Value (Note 1)	1/23/2015	1/23/2015	1/29/2015	1/29/2015
Sample ID		VPB158-GW-012315- 198-200	VPB158-GW-012315- 218-220	VPB158-GW-012915- 243-245	VPB158-GW-012915- 258-260
Sample Interval		198 - 200 ft	218 - 220 ft	243 - 245 ft	258 - 260 ft
Sample type code		N	N	N	N
<b>VOC 8260C (ug/L)</b>					
1,1,1-TRICHLOROETHANE	5	<b>2.6</b>	<b>2.5</b>	<b>0.81 J</b>	< 2.0 UJ
1,1,2,2-TETRACHLOROETHANE	5	< 0.50 U	< 0.50 U	< 0.50 U	< 2.0 UJ
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	5	< 0.50 U	< 0.50 U	< 0.50 U	< 2.0 UJ
1,1,2-TRICHLOROETHANE	1	<b>0.34 J</b>	< 0.50 U	< 0.50 U	<b>&lt; 2.0 UJ</b>
1,1-DICHLOROETHANE	5	<b>16</b>	<b>16</b>	<b>3.5</b>	< 2.0 UJ
1,1-DICHLOROETHENE	5	<b>5.6</b>	<b>6.0</b>	<b>0.55 J</b>	< 2.0 UJ
1,2,4-TRICHLOROBENZENE	5	< 0.50 U	< 0.50 U	< 0.50 U	< 2.0 UJ
1,2-DIBROMO-3-CHLOROPROPANE	0.04	<b>&lt; 0.75 U</b>	<b>&lt; 0.75 U</b>	<b>&lt; 0.75 U</b>	<b>&lt; 3.0 UJ</b>
1,2-DIBROMOETHANE	NL	< 0.50 U	< 0.50 U	< 0.50 U	< 2.0 UJ
1,2-DICHLOROBENZENE	3	< 0.50 U	< 0.50 U	< 0.50 U	< 2.0 UJ
1,2-DICHLOROETHANE	5	< 0.50 U	< 0.50 U	< 0.50 U	< 2.0 UJ
1,2-DICHLOROETHENE, TOTAL	5	<b>2.2</b>	<b>2.0</b>	< 1.0 U	< 4.0 UJ
1,2-DICHLOROPROPANE	1	< 0.50 U	< 0.50 U	< 0.50 U	<b>&lt; 2.0 UJ</b>
1,3-DICHLOROBENZENE	3	< 0.50 U	< 0.50 U	< 0.50 U	< 2.0 UJ
1,4-DICHLOROBENZENE	3	< 0.50 U	< 0.50 U	< 0.50 U	< 2.0 UJ
2-BUTANONE	50	< 2.5 U	< 2.5 U	< 2.5 U	< 10 UJ
2-HEXANONE	50	< 2.5 U	< 2.5 U	< 2.5 U	< 10 UJ
4-METHYL-2-PENTANONE	NL	< 2.5 U	< 2.5 U	< 2.5 U	< 10 UJ
ACETONE	50	< 2.5 UJ	< 2.5 UJ	< 2.5 UJ	< 10 UJ
BENZENE	1	< 0.50 UJ	< 0.50 U	< 0.50 U	<b>&lt; 2.0 UJ</b>
BROMODICHLOROMETHANE	50	< 0.50 UJ	< 0.50 U	< 0.50 U	< 2.0 UJ
BROMOFORM	50	< 0.50 UJ	< 0.50 U	< 0.50 U	< 2.0 UJ
BROMOMETHANE	5	< 1.0 UJ	< 1.0 U	< 1.0 UJ	< 4.0 UJ
CARBON DISULFIDE	60	< 0.50 UJ	< 0.50 U	< 0.50 U	< 2.0 UJ
CARBON TETRACHLORIDE	5	< 0.50 U	< 0.50 U	< 0.50 U	< 2.0 UJ
CHLOROBENZENE	5	< 0.50 U	< 0.50 U	< 0.50 U	< 2.0 UJ
CHLOROETHANE	5	< 1.0 UJ	< 1.0 U	< 1.0 U	< 4.0 UJ
CHLOROFORM	7	<b>1.6</b>	<b>1.7</b>	< 0.50 U	< 2.0 UJ
CHLOROMETHANE	5	< 1.0 UJ	< 1.0 UJ	< 1.0 UJ	< 4.0 UJ
CIS-1,2-DICHLOROETHENE	5	<b>2.2</b>	<b>2.0</b>	< 0.50 U	< 2.0 UJ
CIS-1,3-DICHLOROPROPENE	0.4	<b>&lt; 0.50 U</b>	<b>&lt; 0.50 U</b>	<b>&lt; 0.50 U</b>	<b>&lt; 2.0 UJ</b>
CYCLOHEXANE	NL	< 0.50 U	< 0.50 U	< 0.50 U	< 2.0 UJ
DIBROMOCHLOROMETHANE	5	< 0.50 U	< 0.50 U	< 0.50 U	< 2.0 UJ
DICHLORODIFLUOROMETHANE	5	< 1.0 UJ	< 1.0 UJ	< 1.0 UJ	< 4.0 UJ
ETHYLBENZENE	5	< 0.50 U	< 0.50 U	< 0.50 U	< 2.0 UJ
ISOPROPYLBENZENE	5	< 0.50 U	< 0.50 U	< 0.50 U	< 2.0 UJ
M- AND P-XYLENE	NL	< 1.0 U	< 1.0 U	< 1.0 U	< 4.0 UJ
METHYL ACETATE	NL	< 0.75 U	< 0.75 U	< 0.75 U	< 3.0 UJ
METHYL CYCLOHEXANE	NL	< 0.50 U	< 0.50 U	< 0.50 UJ	< 2.0 UJ
METHYL TERT-BUTYL ETHER	10	< 0.50 U	< 0.50 U	< 0.50 U	< 2.0 UJ
METHYLENE CHLORIDE	5	< 2.5 UJ	< 2.5 U	< 2.5 U	<b>&lt; 10 UJ</b>
O-XYLENE	NL	< 0.50 U	< 0.50 U	< 0.50 U	< 2.0 UJ
STYRENE	5	< 0.50 U	< 0.50 U	< 0.50 U	< 2.0 UJ
TETRACHLOROETHENE	5	<b>2.3</b>	<b>2.3</b>	< 0.50 U	< 2.0 UJ
TOLUENE	5	< 0.50 U	< 0.50 U	< 0.50 U	< 2.0 UJ
TRANS-1,2-DICHLOROETHENE	5	< 0.50 U	< 0.50 U	< 0.50 U	< 2.0 UJ
TRANS-1,3-DICHLOROPROPENE	0.4	<b>&lt; 0.50 U</b>	<b>&lt; 0.50 U</b>	<b>&lt; 0.50 U</b>	<b>&lt; 2.0 UJ</b>
TRICHLOROETHENE	5	<b>35</b>	<b>36</b>	<b>0.74 J</b>	<b>2.4 J</b>
TRICHLOROFUOROMETHANE	5	< 1.0 UJ	< 1.0 U	< 1.0 U	< 4.0 UJ
VINYL CHLORIDE	2	< 1.0 UJ	< 1.0 UJ	< 1.0 UJ	<b>&lt; 4.0 UJ</b>
XYLENES, TOTAL	5	< 1.5 U	< 1.5 U	< 1.5 U	<b>&lt; 6.0 UJ</b>

Location	VPB158	VPB158	VPB158	VPB158	
Sample Date	NYSDEC Groundwater Guidance or Standard Value (Note 1)	1/30/2015	1/30/2015	2/2/2015	2/2/2015
Sample ID		VPB158-GW-013015- 278-280	VPB158-GW-013015- 298-300	VPB158-GW-020215- 318-320	VPB158-GW-020215- 338-358
Sample Interval		278 - 280 ft	298 - 300 ft	318 - 320 ft	338 - 340 ft
Sample type code		N	N	N	N
<b>VOC 8260C (ug/L)</b>					
1,1,1-TRICHLOROETHANE	5	<b>5.0</b>	<b>6.4 J</b>	<b>4.4</b>	< 0.50 U
1,1,2,2-TETRACHLOROETHANE	5	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	5	<b>2.5</b>	<b>4.6 J</b>	<b>4.4</b>	< 0.50 U
1,1,2-TRICHLOROETHANE	1	< 0.50 U	<b>0.37 J</b>	< 0.50 U	< 0.50 U
1,1-DICHLOROETHANE	5	<b>14</b>	<b>12 J</b>	<b>10</b>	<b>0.85 J</b>
1,1-DICHLOROETHENE	5	<b>9.4</b>	<b>12 J</b>	<b>7.2</b>	< 0.50 U
1,2,4-TRICHLOROBENZENE	5	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
1,2-DIBROMO-3-CHLOROPROPANE	0.04	<b>&lt; 0.75 U</b>	<b>&lt; 0.75 U</b>	<b>&lt; 0.75 U</b>	<b>&lt; 0.75 U</b>
1,2-DIBROMOETHANE	NL	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
1,2-DICHLOROBENZENE	3	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
1,2-DICHLOROETHANE	5	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
1,2-DICHLOROETHENE, TOTAL	5	<b>2.5</b>	<b>4.8 J</b>	<b>4.0</b>	< 1.0 U
1,2-DICHLOROPROPANE	1	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
1,3-DICHLOROBENZENE	3	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
1,4-DICHLOROBENZENE	3	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
2-BUTANONE	50	< 2.5 U	< 2.5 U	< 2.5 U	< 2.5 U
2-HEXANONE	50	< 2.5 U	< 2.5 U	< 2.5 U	< 2.5 U
4-METHYL-2-PENTANONE	NL	< 2.5 U	< 2.5 U	< 2.5 U	< 2.5 U
ACETONE	50	< 2.5 UJ	< 2.5 UJ	< 2.5 UJ	< 2.5 UJ
BENZENE	1	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
BROMODICHLOROMETHANE	50	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
BROMOFORM	50	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
BROMOMETHANE	5	< 1.0 UJ	< 1.0 UJ	< 1.0 UJ	< 1.0 UJ
CARBON DISULFIDE	60	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
CARBON TETRACHLORIDE	5	< 0.50 U	<b>0.43 J</b>	<b>0.28 J</b>	< 0.50 U
CHLOROBENZENE	5	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
CHLOROETHANE	5	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U
CHLOROFORM	7	<b>2.6</b>	<b>2.3 J</b>	<b>1.8</b>	< 0.50 U
CHLOROMETHANE	5	< 1.0 UJ	< 1.0 UJ	< 1.0 UJ	< 1.0 UJ
CIS-1,2-DICHLOROETHENE	5	<b>2.5</b>	<b>4.8 J</b>	<b>4.0</b>	< 0.50 U
CIS-1,3-DICHLOROPROPENE	0.4	<b>&lt; 0.50 U</b>	<b>&lt; 0.50 U</b>	<b>&lt; 0.50 U</b>	<b>&lt; 0.50 U</b>
CYCLOHEXANE	NL	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
DIBROMOCHLOROMETHANE	5	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
DICHLORODIFLUOROMETHANE	5	< 1.0 UJ	< 1.0 UJ	< 1.0 UJ	< 1.0 UJ
ETHYLBENZENE	5	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
ISOPROPYLBENZENE	5	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
M- AND P-XYLENE	NL	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U
METHYL ACETATE	NL	< 0.75 U	< 0.75 U	< 0.75 U	< 0.75 UJ
METHYL CYCLOHEXANE	NL	< 0.50 UJ	< 0.50 UJ	< 0.50 UJ	< 0.50 U
METHYL TERT-BUTYL ETHER	10	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
METHYLENE CHLORIDE	5	< 2.5 U	< 2.5 U	< 2.5 U	< 2.5 U
O-XYLENE	NL	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
STYRENE	5	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
TETRACHLOROETHENE	5	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
TOLUENE	5	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
TRANS-1,2-DICHLOROETHENE	5	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
TRANS-1,3-DICHLOROPROPENE	0.4	<b>&lt; 0.50 U</b>	<b>&lt; 0.50 U</b>	<b>&lt; 0.50 U</b>	<b>&lt; 0.50 U</b>
TRICHLOROETHENE	5	<b>0.31 J</b>	<b>65 J</b>	<b>140</b>	<b>0.36 J</b>
TRICHLOROFUOROMETHANE	5	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U
VINYL CHLORIDE	2	< 1.0 UJ	< 1.0 UJ	< 1.0 UJ	< 1.0 UJ
XYLENES, TOTAL	5	< 1.5 U	< 1.5 U	< 1.5 U	< 1.5 U

Location		VPB158	VPB158	VPB158	VPB158
Sample Date		2/2/2015	2/4/2015	2/5/2015	2/5/2015
Sample ID	NYSDEC Groundwater Guidance or Standard Value (Note 1)	VPB158-GW-020215- 358-360	VPB158-GW-020415- 378-380	VPB158-GW-020515- 398-400	VPB158-GW-020515- 418-420
Sample Interval		358 - 360 ft	378 - 380 ft	398 - 400 ft	418 - 420 ft
Sample type code		N	N	N	N
VOC 8260C (ug/L)					
1,1,1-TRICHLOROETHANE	5	< 0.50 UJ	< 0.50 UJ	< 10 UJ	< 0.50 U
1,1,2,2-TETRACHLOROETHANE	5	< 0.50 UJ	< 0.50 UJ	< 10 UJ	< 0.50 U
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	5	< 0.50 UJ	< 0.50 UJ	< 10 UJ	< 0.50 U
1,1,2-TRICHLOROETHANE	1	< 0.50 UJ	< 0.50 UJ	< 10 UJ	< 0.50 U
1,1-DICHLOROETHANE	5	< 0.50 UJ	< 0.50 UJ	< 10 UJ	< 0.50 U
1,1-DICHLOROETHENE	5	< 0.50 UJ	< 0.50 UJ	< 10 UJ	< 0.50 U
1,2,4-TRICHLOROBENZENE	5	< 0.50 UJ	< 0.50 UJ	< 10 UJ	< 0.50 U
1,2-DIBROMO-3-CHLOROPROPANE	0.04	< 0.75 UJ	< 0.75 UJ	< 15 UJ	< 0.75 U
1,2-DIBROMOETHANE	NL	< 0.50 UJ	< 0.50 UJ	< 10 UJ	< 0.50 U
1,2-DICHLOROBENZENE	3	< 0.50 UJ	< 0.50 UJ	< 10 UJ	< 0.50 U
1,2-DICHLOROETHANE	5	< 0.50 UJ	< 0.50 UJ	< 10 UJ	< 0.50 U
1,2-DICHLOROETHENE, TOTAL	5	< 1.0 UJ	< 1.0 UJ	< 20 UJ	< 1.0 U
1,2-DICHLOROPROPANE	1	< 0.50 UJ	< 0.50 UJ	< 10 UJ	< 0.50 U
1,3-DICHLOROBENZENE	3	< 0.50 UJ	< 0.50 UJ	< 10 UJ	< 0.50 U
1,4-DICHLOROBENZENE	3	< 0.50 UJ	< 0.50 UJ	< 10 UJ	< 0.50 U
2-BUTANONE	50	< 2.5 UJ	< 2.5 UJ	< 50 UJ	< 2.5 U
2-HEXANONE	50	< 2.5 UJ	< 2.5 UJ	< 50 UJ	< 2.5 U
4-METHYL-2-PENTANONE	NL	< 2.5 UJ	< 2.5 UJ	< 50 UJ	< 2.5 U
ACETONE	50	< 2.5 UJ	< 2.5 UJ	< 50 UJ	< 2.5 UJ
BENZENE	1	< 0.50 UJ	< 0.50 UJ	< 10 UJ	< 0.50 U
BROMODICHLOROMETHANE	50	< 0.50 UJ	< 0.50 UJ	< 10 UJ	< 0.50 U
BROMOFORM	50	< 0.50 UJ	< 0.50 UJ	< 10 UJ	< 0.50 U
BROMOMETHANE	5	< 1.0 UJ	< 1.0 UJ	< 20 UJ	< 1.0 UJ
CARBON DISULFIDE	60	< 0.50 UJ	< 0.50 U	< 10 UJ	< 0.50 U
CARBON TETRACHLORIDE	5	< 0.50 UJ	< 0.50 UJ	< 10 UJ	< 0.50 U
CHLOROBENZENE	5	< 0.50 UJ	< 0.50 UJ	< 10 UJ	< 0.50 U
CHLOROETHANE	5	< 1.0 UJ	< 1.0 UJ	< 20 UJ	< 1.0 U
CHLOROFORM	7	< 0.50 UJ	< 0.50 UJ	< 10 UJ	< 0.50 U
CHLOROMETHANE	5	< 1.0 UJ	< 1.0 UJ	< 20 UJ	< 1.0 UJ
CIS-1,2-DICHLOROETHENE	5	< 0.50 UJ	< 0.50 UJ	< 10 UJ	< 0.50 U
CIS-1,3-DICHLOROPROPENE	0.4	< 0.50 UJ	< 0.50 UJ	< 10 UJ	< 0.50 U
CYCLOHEXANE	NL	< 0.50 UJ	< 0.50 UJ	< 10 UJ	< 0.50 U
DIBROMOCHLOROMETHANE	5	< 0.50 UJ	< 0.50 UJ	< 10 UJ	< 0.50 U
DICHLORODIFLUOROMETHANE	5	< 1.0 UJ	< 1.0 UJ	< 20 UJ	< 1.0 UJ
ETHYLBENZENE	5	< 0.50 UJ	< 0.50 UJ	< 10 UJ	< 0.50 U
ISOPROPYLBENZENE	5	< 0.50 UJ	< 0.50 UJ	< 10 UJ	< 0.50 U
M- AND P-XYLENE	NL	< 1.0 UJ	< 1.0 UJ	< 20 UJ	< 1.0 U
METHYL ACETATE	NL	< 0.75 UJ	< 0.75 UJ	< 15 UJ	< 0.75 UJ
METHYL CYCLOHEXANE	NL	< 0.50 UJ	< 0.50 UJ	< 10 UJ	< 0.50 U
METHYL TERT-BUTYL ETHER	10	< 0.50 UJ	< 0.50 UJ	< 10 UJ	< 0.50 U
METHYLENE CHLORIDE	5	< 2.5 UJ	< 2.5 UJ	< 50 UJ	< 2.5 U
O-XYLENE	NL	< 0.50 UJ	< 0.50 UJ	< 10 UJ	< 0.50 U
STYRENE	5	< 0.50 UJ	< 0.50 UJ	< 10 UJ	< 0.50 U
TETRACHLOROETHENE	5	< 0.50 UJ	< 0.50 UJ	< 10 UJ	< 0.50 U
TOLUENE	5	< 0.50 UJ	< 0.50 UJ	< 10 UJ	< 0.50 U
TRANS-1,2-DICHLOROETHENE	5	< 0.50 UJ	< 0.50 UJ	< 10 UJ	< 0.50 U
TRANS-1,3-DICHLOROPROPENE	0.4	< 0.50 UJ	< 0.50 UJ	< 10 UJ	< 0.50 U
TRICHLOROETHENE	5	< 0.50 UJ	< 0.50 UJ	< 10 UJ	< 0.50 U
TRICHLOROFUOROMETHANE	5	< 1.0 UJ	< 1.0 UJ	< 20 UJ	< 1.0 U
VINYL CHLORIDE	2	< 1.0 UJ	< 1.0 UJ	< 20 UJ	< 1.0 UJ
XYLENES, TOTAL	5	< 1.5 UJ	< 1.5 UJ	< 30 UJ	< 1.5 U



Location	VPB158	VPB158	VPB158	VPB158	
Sample Date	NYSDEC Groundwater Guidance or Standard Value (Note 1)	2/5/2015	2/6/2015	2/9/2015	2/10/2015
Sample ID		VPB158-GW-020515- 438-440	VPB158-GW-020615- 458-460	VPB158-GW-020915- 498-500	VPB158-GW-021015- 518-520
Sample Interval		438 - 440 ft	458 - 460 ft	498 - 500 ft	518 - 520 ft
Sample type code		N	N	N	N
<b>VOC 8260C (ug/L)</b>					
1,1,1-TRICHLOROETHANE	5	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 UJ
1,1,2,2-TETRACHLOROETHANE	5	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 UJ
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	5	< 0.50 U	<b>12</b>	<b>1.5</b>	<b>5.9 J</b>
1,1,2-TRICHLOROETHANE	1	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 UJ
1,1-DICHLOROETHANE	5	< 0.50 U	<b>0.98 J</b>	< 0.50 U	< 0.50 UJ
1,1-DICHLOROETHENE	5	< 0.50 U	<b>0.58 J</b>	< 0.50 U	< 0.50 UJ
1,2,4-TRICHLOROBENZENE	5	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 UJ
1,2-DIBROMO-3-CHLOROPROPANE	0.04	<b>&lt; 0.75 U</b>	<b>&lt; 0.75 U</b>	<b>&lt; 0.75 U</b>	<b>&lt; 0.75 UJ</b>
1,2-DIBROMOETHANE	NL	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 UJ
1,2-DICHLOROBENZENE	3	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 UJ
1,2-DICHLOROETHANE	5	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 UJ
1,2-DICHLOROETHENE, TOTAL	5	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 UJ
1,2-DICHLOROPROPANE	1	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 UJ
1,3-DICHLOROBENZENE	3	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 UJ
1,4-DICHLOROBENZENE	3	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 UJ
2-BUTANONE	50	< 2.5 U	< 2.5 U	< 2.5 U	< 2.5 UJ
2-HEXANONE	50	< 2.5 U	< 2.5 U	< 2.5 U	< 2.5 UJ
4-METHYL-2-PENTANONE	NL	< 2.5 U	< 2.5 U	< 2.5 U	< 2.5 UJ
ACETONE	50	< 2.5 UJ	<b>6.9 J</b>	< 2.5 UJ	<b>9.0 J</b>
BENZENE	1	< 0.50 U	< 0.50 U	<b>0.77 J</b>	< 0.50 UJ
BROMODICHLOROMETHANE	50	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 UJ
BROMOFORM	50	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 UJ
BROMOMETHANE	5	< 1.0 UJ	< 1.0 UJ	< 1.0 UJ	< 1.0 UJ
CARBON DISULFIDE	60	< 0.50 U	<b>0.33 J</b>	< 0.50 U	< 0.50 UJ
CARBON TETRACHLORIDE	5	< 0.50 U	<b>0.22 J</b>	< 0.50 U	< 0.50 UJ
CHLOROBENZENE	5	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 UJ
CHLOROETHANE	5	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 UJ
CHLOROFORM	7	< 0.50 U	<b>7.1</b>	<b>1.0</b>	<b>4.9 J</b>
CHLOROMETHANE	5	< 1.0 UJ	< 1.0 UJ	< 1.0 UJ	< 1.0 UJ
CIS-1,2-DICHLOROETHENE	5	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 UJ
CIS-1,3-DICHLOROPROPENE	0.4	<b>&lt; 0.50 U</b>	<b>&lt; 0.50 U</b>	<b>&lt; 0.50 U</b>	<b>&lt; 0.50 UJ</b>
CYCLOHEXANE	NL	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 UJ
DIBROMOCHLOROMETHANE	5	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 UJ
DICHLORODIFLUOROMETHANE	5	< 1.0 UJ	< 1.0 UJ	< 1.0 UJ	< 1.0 UJ
ETHYLBENZENE	5	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 UJ
ISOPROPYLBENZENE	5	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 UJ
M- AND P-XYLENE	NL	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 UJ
METHYL ACETATE	NL	< 0.75 UJ	< 0.75 UJ	< 0.75 UJ	< 0.75 UJ
METHYL CYCLOHEXANE	NL	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 UJ
METHYL TERT-BUTYL ETHER	10	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 UJ
METHYLENE CHLORIDE	5	< 2.5 U	< 2.5 U	< 2.5 U	< 2.5 UJ
O-XYLENE	NL	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 UJ
STYRENE	5	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 UJ
TETRACHLOROETHENE	5	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 UJ
TOLUENE	5	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 UJ
TRANS-1,2-DICHLOROETHENE	5	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 UJ
TRANS-1,3-DICHLOROPROPENE	0.4	<b>&lt; 0.50 U</b>	<b>&lt; 0.50 U</b>	<b>&lt; 0.50 U</b>	<b>&lt; 0.50 UJ</b>
TRICHLOROETHENE	5	< 0.50 U	<b>0.79 J</b>	< 0.50 U	< 0.50 UJ
TRICHLOROFUOROMETHANE	5	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 UJ
VINYL CHLORIDE	2	< 1.0 UJ	< 1.0 UJ	< 1.0 UJ	< 1.0 UJ
XYLENES, TOTAL	5	< 1.5 U	< 1.5 U	< 1.5 U	< 1.5 UJ

Location	VPB158	VPB158	VPB158	VPB158	
Sample Date	NYSDEC Groundwater Guidance or Standard Value (Note 1)	2/10/2015	2/10/2015	2/11/2015	2/11/2015
Sample ID		VPB158-GW-021015- 538-540	VPB158-GW-021015- 558-560	VPB158-GW-021115- 578-580	VPB158-GW-021115- 598-600
Sample Interval		538 - 540 ft	558 - 560 ft	578 - 580 ft	598 - 600 ft
Sample type code		N	N	N	N
<b>VOC 8260C (ug/L)</b>					
1,1,1-TRICHLOROETHANE	5	< 0.50 UJ	< 0.50 U	< 0.50 UJ	< 0.50 U
1,1,2,2-TETRACHLOROETHANE	5	< 0.50 UJ	< 0.50 U	< 0.50 UJ	< 0.50 U
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	5	<b>2.2 J</b>	<b>19</b>	<b>2.5 J</b>	<b>4.5</b>
1,1,2-TRICHLOROETHANE	1	< 0.50 UJ	< 0.50 U	< 0.50 UJ	< 0.50 U
1,1-DICHLOROETHANE	5	< 0.50 UJ	< 0.50 U	< 0.50 UJ	< 0.50 U
1,1-DICHLOROETHENE	5	< 0.50 UJ	<b>0.68 J</b>	< 0.50 UJ	< 0.50 U
1,2,4-TRICHLOROBENZENE	5	< 0.50 UJ	< 0.50 U	< 0.50 UJ	< 0.50 U
1,2-DIBROMO-3-CHLOROPROPANE	0.04	<b>&lt; 0.75 UJ</b>	<b>&lt; 0.75 U</b>	<b>&lt; 0.75 UJ</b>	<b>&lt; 0.75 U</b>
1,2-DIBROMOETHANE	NL	< 0.50 UJ	< 0.50 U	< 0.50 UJ	< 0.50 U
1,2-DICHLOROBENZENE	3	< 0.50 UJ	< 0.50 U	< 0.50 UJ	< 0.50 U
1,2-DICHLOROETHANE	5	< 0.50 UJ	< 0.50 U	< 0.50 UJ	< 0.50 U
1,2-DICHLOROETHENE, TOTAL	5	< 1.0 UJ	<b>0.27 J</b>	< 1.0 UJ	< 1.0 U
1,2-DICHLOROPROPANE	1	< 0.50 UJ	< 0.50 U	< 0.50 UJ	< 0.50 U
1,3-DICHLOROBENZENE	3	< 0.50 UJ	< 0.50 U	< 0.50 UJ	< 0.50 U
1,4-DICHLOROBENZENE	3	< 0.50 UJ	< 0.50 U	< 0.50 UJ	< 0.50 U
2-BUTANONE	50	< 2.5 UJ	< 2.5 U	< 2.5 UJ	< 2.5 U
2-HEXANONE	50	< 2.5 UJ	< 2.5 UJ	< 2.5 UJ	< 2.5 UJ
4-METHYL-2-PENTANONE	NL	< 2.5 UJ	< 2.5 U	< 2.5 UJ	< 2.5 U
ACETONE	50	<b>7.3 J</b>	<b>2.8 J</b>	<b>7.9 J</b>	< 2.5 U
BENZENE	1	< 0.50 UJ	< 0.50 U	< 0.50 UJ	< 0.50 U
BROMODICHLOROMETHANE	50	< 0.50 UJ	< 0.50 U	< 0.50 UJ	< 0.50 U
BROMOFORM	50	< 0.50 UJ	< 0.50 U	< 0.50 UJ	< 0.50 U
BROMOMETHANE	5	< 1.0 UJ	< 1.0 U	< 1.0 UJ	< 1.0 U
CARBON DISULFIDE	60	< 0.50 UJ	< 0.50 UJ	< 0.50 UJ	< 0.50 U
CARBON TETRACHLORIDE	5	< 0.50 UJ	< 0.50 U	< 0.50 UJ	< 0.50 U
CHLOROBENZENE	5	< 0.50 UJ	< 0.50 U	< 0.50 UJ	< 0.50 U
CHLOROETHANE	5	< 1.0 UJ	< 1.0 UJ	< 1.0 UJ	< 1.0 UJ
CHLOROFORM	7	<b>5.9 J</b>	<b>8.2</b>	<b>2.9 J</b>	<b>1.4</b>
CHLOROMETHANE	5	< 1.0 UJ	< 1.0 U	< 1.0 UJ	< 1.0 U
CIS-1,2-DICHLOROETHENE	5	< 0.50 UJ	<b>0.27 J</b>	< 0.50 UJ	< 0.50 U
CIS-1,3-DICHLOROPROPENE	0.4	<b>&lt; 0.50 UJ</b>	<b>&lt; 0.50 U</b>	<b>&lt; 0.50 UJ</b>	<b>&lt; 0.50 U</b>
CYCLOHEXANE	NL	< 0.50 UJ	< 0.50 U	< 0.50 UJ	< 0.50 U
DIBROMOCHLOROMETHANE	5	< 0.50 UJ	< 0.50 U	< 0.50 UJ	< 0.50 U
DICHLORODIFLUOROMETHANE	5	< 1.0 UJ	< 1.0 U	< 1.0 UJ	< 1.0 U
ETHYLBENZENE	5	< 0.50 UJ	< 0.50 U	< 0.50 UJ	< 0.50 U
ISOPROPYLBENZENE	5	< 0.50 UJ	< 0.50 U	< 0.50 UJ	< 0.50 U
M- AND P-XYLENE	NL	< 1.0 UJ	< 1.0 U	< 1.0 UJ	< 1.0 U
METHYL ACETATE	NL	< 0.75 UJ	< 0.75 UJ	< 0.75 UJ	< 0.75 UJ
METHYL CYCLOHEXANE	NL	< 0.50 UJ	< 0.50 U	< 0.50 UJ	< 0.50 U
METHYL TERT-BUTYL ETHER	10	< 0.50 UJ	< 0.50 U	< 0.50 UJ	< 0.50 U
METHYLENE CHLORIDE	5	< 2.5 UJ	< 2.5 UJ	< 2.5 UJ	< 2.5 UJ
O-XYLENE	NL	< 0.50 UJ	< 0.50 U	< 0.50 UJ	< 0.50 U
STYRENE	5	< 0.50 UJ	< 0.50 U	< 0.50 UJ	< 0.50 U
TETRACHLOROETHENE	5	< 0.50 UJ	< 0.50 U	< 0.50 UJ	< 0.50 U
TOLUENE	5	< 0.50 UJ	< 0.50 U	< 0.50 UJ	< 0.50 U
TRANS-1,2-DICHLOROETHENE	5	< 0.50 UJ	< 0.50 U	< 0.50 UJ	< 0.50 U
TRANS-1,3-DICHLOROPROPENE	0.4	<b>&lt; 0.50 UJ</b>	<b>&lt; 0.50 U</b>	<b>&lt; 0.50 UJ</b>	<b>&lt; 0.50 U</b>
TRICHLOROETHENE	5	< 0.50 UJ	< 0.50 U	< 0.50 UJ	< 0.50 U
TRICHLOROFUOROMETHANE	5	< 1.0 UJ	< 1.0 U	< 1.0 UJ	< 1.0 U
VINYL CHLORIDE	2	< 1.0 UJ	< 1.0 U	< 1.0 UJ	< 1.0 U
XYLENES, TOTAL	5	< 1.5 UJ	< 1.5 U	< 1.5 UJ	< 1.5 U

Location	VPB158	VPB158	VPB158	VPB158	
Sample Date	NYSDEC Groundwater Guidance or Standard Value (Note 1)	2/11/2015	2/12/2015	2/18/2015	2/18/2015
Sample ID		VPB158-GWD-021115	VPB158-GW-021215- 638-640	VPB158-GW-021815- 658-660	VPB158-GW-021815- 678-680
Sample Interval		598 - 600 ft	638 - 640 ft	658 - 660 ft	678 - 680 ft
Sample type code		FD	N	N	N
<b>VOC 8260C (ug/L)</b>					
1,1,1-TRICHLOROETHANE	5	< 0.50 U	< 0.50 UJ	< 0.50 U	< 0.50 UJ
1,1,2,2-TETRACHLOROETHANE	5	< 0.50 U	< 0.50 UJ	< 0.50 U	< 0.50 UJ
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	5	<b>4.0</b>	< 0.50 UJ	<b>1.5</b>	< 0.50 UJ
1,1,2-TRICHLOROETHANE	1	< 0.50 U	< 0.50 UJ	< 0.50 U	< 0.50 UJ
1,1-DICHLOROETHANE	5	< 0.50 U	< 0.50 UJ	< 0.50 U	< 0.50 UJ
1,1-DICHLOROETHENE	5	< 0.50 U	< 0.50 UJ	< 0.50 U	< 0.50 UJ
1,2,4-TRICHLOROBENZENE	5	< 0.50 U	< 0.50 UJ	< 0.50 U	< 0.50 UJ
1,2-DIBROMO-3-CHLOROPROPANE	0.04	<b>&lt; 0.75 U</b>	<b>&lt; 0.75 UJ</b>	<b>&lt; 0.75 U</b>	<b>&lt; 0.75 UJ</b>
1,2-DIBROMOETHANE	NL	< 0.50 U	< 0.50 UJ	< 0.50 U	< 0.50 UJ
1,2-DICHLOROBENZENE	3	< 0.50 U	< 0.50 UJ	< 0.50 U	< 0.50 UJ
1,2-DICHLOROETHANE	5	< 0.50 U	< 0.50 UJ	< 0.50 U	< 0.50 UJ
1,2-DICHLOROETHENE, TOTAL	5	< 1.0 U	< 1.0 UJ	< 1.0 U	< 1.0 UJ
1,2-DICHLOROPROPANE	1	< 0.50 U	< 0.50 UJ	< 0.50 U	< 0.50 UJ
1,3-DICHLOROBENZENE	3	< 0.50 U	< 0.50 UJ	< 0.50 U	< 0.50 UJ
1,4-DICHLOROBENZENE	3	< 0.50 U	< 0.50 UJ	< 0.50 U	< 0.50 UJ
2-BUTANONE	50	< 2.5 U	< 2.5 UJ	< 2.5 U	< 2.5 UJ
2-HEXANONE	50	< 2.5 UJ	< 2.5 UJ	< 2.5 U	< 2.5 UJ
4-METHYL-2-PENTANONE	NL	< 2.5 U	< 2.5 UJ	< 2.5 U	< 2.5 UJ
ACETONE	50	<b>2.4 J</b>	<b>9.7 J</b>	< 2.5 UJ	<b>7.7 J</b>
BENZENE	1	< 0.50 U	< 0.50 UJ	< 0.50 U	< 0.50 UJ
BROMODICHLOROMETHANE	50	< 0.50 U	< 0.50 UJ	< 0.50 U	< 0.50 UJ
BROMOFORM	50	< 0.50 U	< 0.50 UJ	< 0.50 U	< 0.50 UJ
BROMOMETHANE	5	< 1.0 U	< 1.0 UJ	< 1.0 U	< 1.0 UJ
CARBON DISULFIDE	60	< 0.50 U	< 0.50 UJ	< 0.50 U	< 0.50 UJ
CARBON TETRACHLORIDE	5	< 0.50 U	< 0.50 UJ	< 0.50 U	< 0.50 UJ
CHLOROBENZENE	5	< 0.50 U	< 0.50 UJ	< 0.50 U	< 0.50 UJ
CHLOROETHANE	5	< 1.0 UJ	< 1.0 UJ	< 1.0 U	< 1.0 UJ
CHLOROFORM	7	<b>1.3</b>	<b>0.35 J</b>	< 0.50 U	< 0.50 UJ
CHLOROMETHANE	5	< 1.0 U	< 1.0 UJ	< 1.0 U	< 1.0 UJ
CIS-1,2-DICHLOROETHENE	5	< 0.50 U	< 0.50 UJ	< 0.50 U	< 0.50 UJ
CIS-1,3-DICHLOROPROPENE	0.4	<b>&lt; 0.50 U</b>	<b>&lt; 0.50 UJ</b>	<b>&lt; 0.50 U</b>	<b>&lt; 0.50 UJ</b>
CYCLOHEXANE	NL	< 0.50 U	< 0.50 UJ	< 0.50 U	< 0.50 UJ
DIBROMOCHLOROMETHANE	5	< 0.50 U	< 0.50 UJ	< 0.50 U	< 0.50 UJ
DICHLORODIFLUOROMETHANE	5	< 1.0 U	< 1.0 UJ	< 1.0 U	< 1.0 UJ
ETHYLBENZENE	5	< 0.50 U	< 0.50 UJ	< 0.50 U	< 0.50 UJ
ISOPROPYLBENZENE	5	< 0.50 U	< 0.50 UJ	< 0.50 U	< 0.50 UJ
M- AND P-XYLENE	NL	< 1.0 U	< 1.0 UJ	< 1.0 U	< 1.0 UJ
METHYL ACETATE	NL	< 0.75 UJ	< 0.75 UJ	< 0.75 U	< 0.75 UJ
METHYL CYCLOHEXANE	NL	< 0.50 U	< 0.50 UJ	< 0.50 U	< 0.50 UJ
METHYL TERT-BUTYL ETHER	10	< 0.50 U	< 0.50 UJ	< 0.50 U	< 0.50 UJ
METHYLENE CHLORIDE	5	< 2.5 UJ	< 2.5 UJ	< 2.5 U	< 2.5 UJ
O-XYLENE	NL	< 0.50 U	< 0.50 UJ	< 0.50 U	< 0.50 UJ
STYRENE	5	< 0.50 U	< 0.50 UJ	< 0.50 U	< 0.50 UJ
TETRACHLOROETHENE	5	< 0.50 U	< 0.50 UJ	< 0.50 U	< 0.50 UJ
TOLUENE	5	< 0.50 U	< 0.50 UJ	< 0.50 U	< 0.50 UJ
TRANS-1,2-DICHLOROETHENE	5	< 0.50 U	< 0.50 UJ	< 0.50 U	< 0.50 UJ
TRANS-1,3-DICHLOROPROPENE	0.4	<b>&lt; 0.50 U</b>	<b>&lt; 0.50 UJ</b>	<b>&lt; 0.50 U</b>	<b>&lt; 0.50 UJ</b>
TRICHLOROETHENE	5	< 0.50 U	< 0.50 UJ	< 0.50 U	< 0.50 UJ
TRICHLOROFUOROMETHANE	5	< 1.0 U	< 1.0 UJ	< 1.0 U	< 1.0 UJ
VINYL CHLORIDE	2	< 1.0 U	< 1.0 UJ	< 1.0 U	< 1.0 UJ
XYLENES, TOTAL	5	< 1.5 U	< 1.5 UJ	< 1.5 U	< 1.5 UJ

Location	VPB158	VPB158	VPB158	VPB158	
Sample Date	NYSDEC Groundwater Guidance or Standard Value (Note 1)	2/19/2015	2/19/2015	2/25/2015	2/25/2015
Sample ID		VPB158-GW-021915- 698-700	VPB158-GW-021915- 718-720	VPB158-GW-022515- 798-800	VPB158-GW-022515- 818-820
Sample Interval		698 - 700 ft	718 - 720 ft	798 - 800 ft	818 - 820 ft
Sample type code		N	N	N	N
<b>VOC 8260C (ug/L)</b>					
1,1,1-TRICHLOROETHANE	5	< 0.50 UJ	< 0.50 UJ	< 2.0 UJ	< 0.50 UJ
1,1,2,2-TETRACHLOROETHANE	5	< 0.50 UJ	< 0.50 UJ	< 2.0 UJ	< 0.50 UJ
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	5	<b>3.0 J</b>	< 0.50 UJ	< 2.0 UJ	< 0.50 UJ
1,1,2-TRICHLOROETHANE	1	< 0.50 UJ	< 0.50 UJ	<b>&lt; 2.0 UJ</b>	< 0.50 UJ
1,1-DICHLOROETHANE	5	< 0.50 UJ	< 0.50 UJ	< 2.0 UJ	< 0.50 UJ
1,1-DICHLOROETHENE	5	< 0.50 UJ	< 0.50 UJ	< 2.0 UJ	< 0.50 UJ
1,2,4-TRICHLOROBENZENE	5	< 0.50 UJ	< 0.50 UJ	< 2.0 UJ	< 0.50 UJ
1,2-DIBROMO-3-CHLOROPROPANE	0.04	<b>&lt; 0.75 UJ</b>	<b>&lt; 0.75 UJ</b>	<b>&lt; 3.0 UJ</b>	<b>&lt; 0.75 UJ</b>
1,2-DIBROMOETHANE	NL	< 0.50 UJ	< 0.50 UJ	< 2.0 UJ	< 0.50 UJ
1,2-DICHLOROBENZENE	3	< 0.50 UJ	< 0.50 UJ	< 2.0 UJ	< 0.50 UJ
1,2-DICHLOROETHANE	5	< 0.50 UJ	< 0.50 UJ	< 2.0 UJ	< 0.50 UJ
1,2-DICHLOROETHENE, TOTAL	5	< 1.0 UJ	< 1.0 UJ	< 4.0 UJ	< 1.0 UJ
1,2-DICHLOROPROPANE	1	< 0.50 UJ	< 0.50 UJ	<b>&lt; 2.0 UJ</b>	< 0.50 UJ
1,3-DICHLOROBENZENE	3	< 0.50 UJ	< 0.50 UJ	< 2.0 UJ	< 0.50 UJ
1,4-DICHLOROBENZENE	3	< 0.50 UJ	< 0.50 UJ	< 2.0 UJ	< 0.50 UJ
2-BUTANONE	50	< 2.5 UJ	<b>1.9 J</b>	< 10 UJ	<b>2.6 J</b>
2-HEXANONE	50	< 2.5 UJ	< 2.5 UJ	< 10 UJ	< 2.5 UJ
4-METHYL-2-PENTANONE	NL	< 2.5 UJ	< 2.5 UJ	< 10 UJ	< 2.5 UJ
ACETONE	50	<b>10 J</b>	<b>12 J</b>	< 10 UJ	< 2.5 UJ
BENZENE	1	< 0.50 UJ	< 0.50 UJ	<b>&lt; 2.0 UJ</b>	< 0.50 UJ
BROMODICHLOROMETHANE	50	< 0.50 UJ	< 0.50 UJ	< 2.0 UJ	< 0.50 UJ
BROMOFORM	50	< 0.50 UJ	< 0.50 UJ	< 2.0 UJ	< 0.50 UJ
BROMOMETHANE	5	< 1.0 UJ	< 1.0 UJ	< 4.0 UJ	< 1.0 UJ
CARBON DISULFIDE	60	< 0.50 UJ	< 0.50 UJ	< 2.0 UJ	< 0.50 UJ
CARBON TETRACHLORIDE	5	< 0.50 UJ	< 0.50 UJ	< 2.0 UJ	< 0.50 UJ
CHLOROBENZENE	5	< 0.50 UJ	< 0.50 UJ	< 2.0 UJ	< 0.50 UJ
CHLOROETHANE	5	< 1.0 UJ	< 1.0 UJ	< 4.0 UJ	< 1.0 UJ
CHLOROFORM	7	< 0.50 UJ	< 0.50 UJ	< 2.0 UJ	< 0.50 UJ
CHLOROMETHANE	5	< 1.0 UJ	< 1.0 UJ	< 4.0 UJ	< 1.0 UJ
CIS-1,2-DICHLOROETHENE	5	< 0.50 UJ	< 0.50 UJ	< 2.0 UJ	< 0.50 UJ
CIS-1,3-DICHLOROPROPENE	0.4	<b>&lt; 0.50 UJ</b>	<b>&lt; 0.50 UJ</b>	<b>&lt; 2.0 UJ</b>	<b>&lt; 0.50 UJ</b>
CYCLOHEXANE	NL	< 0.50 UJ	< 0.50 UJ	< 2.0 UJ	< 0.50 UJ
DIBROMOCHLOROMETHANE	5	< 0.50 UJ	< 0.50 UJ	< 2.0 UJ	< 0.50 UJ
DICHLORODIFLUOROMETHANE	5	< 1.0 UJ	< 1.0 UJ	< 4.0 UJ	< 1.0 UJ
ETHYLBENZENE	5	< 0.50 UJ	< 0.50 UJ	< 2.0 UJ	< 0.50 UJ
ISOPROPYLBENZENE	5	< 0.50 UJ	< 0.50 UJ	< 2.0 UJ	< 0.50 UJ
M- AND P-XYLENE	NL	< 1.0 UJ	< 1.0 UJ	< 4.0 UJ	< 1.0 UJ
METHYL ACETATE	NL	< 0.75 UJ	< 0.75 UJ	< 3.0 UJ	< 0.75 UJ
METHYL CYCLOHEXANE	NL	< 0.50 UJ	< 0.50 UJ	< 2.0 UJ	< 0.50 UJ
METHYL TERT-BUTYL ETHER	10	< 0.50 UJ	< 0.50 UJ	< 2.0 UJ	< 0.50 UJ
METHYLENE CHLORIDE	5	< 2.5 UJ	< 2.5 UJ	<b>&lt; 10 UJ</b>	< 2.5 UJ
O-XYLENE	NL	< 0.50 UJ	< 0.50 UJ	< 2.0 UJ	< 0.50 UJ
STYRENE	5	< 0.50 UJ	< 0.50 UJ	< 2.0 UJ	< 0.50 UJ
TETRACHLOROETHENE	5	< 0.50 UJ	< 0.50 UJ	< 2.0 UJ	< 0.50 UJ
TOLUENE	5	< 0.50 UJ	< 0.50 UJ	< 2.0 UJ	< 0.50 UJ
TRANS-1,2-DICHLOROETHENE	5	< 0.50 UJ	< 0.50 UJ	< 2.0 UJ	< 0.50 UJ
TRANS-1,3-DICHLOROPROPENE	0.4	<b>&lt; 0.50 UJ</b>	<b>&lt; 0.50 UJ</b>	<b>&lt; 2.0 UJ</b>	<b>&lt; 0.50 UJ</b>
TRICHLOROETHENE	5	< 0.50 UJ	< 0.50 UJ	< 2.0 UJ	< 0.50 UJ
TRICHLOROFUOROMETHANE	5	< 1.0 UJ	< 1.0 UJ	< 4.0 UJ	< 1.0 UJ
VINYL CHLORIDE	2	< 1.0 UJ	< 1.0 UJ	<b>&lt; 4.0 UJ</b>	< 1.0 UJ
XYLENES, TOTAL	5	< 1.5 UJ	< 1.5 UJ	<b>&lt; 6.0 UJ</b>	< 1.5 UJ

Location		VPB158	VPB158	VPB158	VPB158
Sample Date	NYSDEC	2/26/2015	2/26/2015	2/27/2015	3/2/2015
Sample ID	Groundwater Guidance or Standard Value (Note 1)	VPB158-GW-022615- 838-840	VPB158-GW-022615- 858-860	VPB158-GW-022715- 878-880	VPB158-GW-030215- 898-900
Sample Interval		838 - 840 ft	858 - 860 ft	878 - 880 ft	898 - 900 ft
Sample type code		N	N	N	N
<b>VOC 8260C (ug/L)</b>					
1,1,1-TRICHLOROETHANE	5	< 0.50 UJ	< 0.50 UJ	< 2.0 UJ	< 2.0 UJ
1,1,2,2-TETRACHLOROETHANE	5	< 0.50 UJ	< 0.50 UJ	< 2.0 UJ	< 2.0 UJ
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	5	< 0.50 UJ	< 0.50 UJ	< 2.0 UJ	< 2.0 UJ
1,1,2-TRICHLOROETHANE	1	< 0.50 UJ	< 0.50 UJ	<b>&lt; 2.0 UJ</b>	<b>&lt; 2.0 UJ</b>
1,1-DICHLOROETHANE	5	< 0.50 UJ	< 0.50 UJ	< 2.0 UJ	< 2.0 UJ
1,1-DICHLOROETHENE	5	< 0.50 UJ	< 0.50 UJ	< 2.0 UJ	< 2.0 UJ
1,2,4-TRICHLOROBENZENE	5	< 0.50 UJ	< 0.50 UJ	< 2.0 UJ	< 2.0 UJ
1,2-DIBROMO-3-CHLOROPROPANE	0.04	<b>&lt; 0.75 UJ</b>	<b>&lt; 0.75 UJ</b>	<b>&lt; 3.0 UJ</b>	<b>&lt; 3.0 UJ</b>
1,2-DIBROMOETHANE	NL	< 0.50 UJ	< 0.50 UJ	< 2.0 UJ	< 2.0 UJ
1,2-DICHLOROBENZENE	3	< 0.50 UJ	< 0.50 UJ	< 2.0 UJ	< 2.0 UJ
1,2-DICHLOROETHANE	5	< 0.50 UJ	< 0.50 UJ	< 2.0 UJ	< 2.0 UJ
1,2-DICHLOROETHENE, TOTAL	5	< 1.0 UJ	< 1.0 UJ	< 4.0 UJ	< 4.0 UJ
1,2-DICHLOROPROPANE	1	< 0.50 UJ	< 0.50 UJ	<b>&lt; 2.0 UJ</b>	<b>&lt; 2.0 UJ</b>
1,3-DICHLOROBENZENE	3	< 0.50 UJ	< 0.50 UJ	< 2.0 UJ	< 2.0 UJ
1,4-DICHLOROBENZENE	3	< 0.50 UJ	< 0.50 UJ	< 2.0 UJ	< 2.0 UJ
2-BUTANONE	50	<b>2.9 J</b>	<b>2.9 J</b>	< 10 UJ	< 10 UJ
2-HEXANONE	50	< 2.5 UJ	< 2.5 UJ	< 10 UJ	< 10 UJ
4-METHYL-2-PENTANONE	NL	< 2.5 UJ	< 2.5 UJ	< 10 UJ	< 10 UJ
ACETONE	50	< 2.5 UJ	< 2.5 UJ	< 10 UJ	< 10 UJ
BENZENE	1	< 0.50 UJ	< 0.50 UJ	<b>&lt; 2.0 UJ</b>	<b>&lt; 2.0 UJ</b>
BROMODICHLOROMETHANE	50	< 0.50 UJ	< 0.50 UJ	< 2.0 UJ	< 2.0 UJ
BROMOFORM	50	< 0.50 UJ	< 0.50 UJ	< 2.0 UJ	< 2.0 UJ
BROMOMETHANE	5	< 1.0 UJ	< 1.0 UJ	< 4.0 UJ	< 4.0 UJ
CARBON DISULFIDE	60	< 0.50 UJ	< 0.50 UJ	< 2.0 UJ	< 2.0 UJ
CARBON TETRACHLORIDE	5	< 0.50 UJ	< 0.50 UJ	< 2.0 UJ	< 2.0 UJ
CHLOROBENZENE	5	< 0.50 UJ	< 0.50 UJ	< 2.0 UJ	< 2.0 UJ
CHLOROETHANE	5	< 1.0 UJ	< 1.0 UJ	< 4.0 UJ	< 4.0 UJ
CHLOROFORM	7	< 0.50 UJ	< 0.50 UJ	< 2.0 UJ	< 2.0 UJ
CHLOROMETHANE	5	<b>1.1 J</b>	< 1.0 UJ	< 4.0 UJ	< 4.0 UJ
CIS-1,2-DICHLOROETHENE	5	< 0.50 UJ	< 0.50 UJ	< 2.0 UJ	< 2.0 UJ
CIS-1,3-DICHLOROPROPENE	0.4	<b>&lt; 0.50 UJ</b>	<b>&lt; 0.50 UJ</b>	<b>&lt; 2.0 UJ</b>	<b>&lt; 2.0 UJ</b>
CYCLOHEXANE	NL	< 0.50 UJ	< 0.50 UJ	< 2.0 UJ	< 2.0 UJ
DIBROMOCHLOROMETHANE	5	< 0.50 UJ	< 0.50 UJ	< 2.0 UJ	< 2.0 UJ
DICHLORODIFLUOROMETHANE	5	< 1.0 UJ	< 1.0 UJ	< 4.0 UJ	< 4.0 UJ
ETHYLBENZENE	5	< 0.50 UJ	< 0.50 UJ	< 2.0 UJ	< 2.0 UJ
ISOPROPYLBENZENE	5	< 0.50 UJ	< 0.50 UJ	< 2.0 UJ	< 2.0 UJ
M- AND P-XYLENE	NL	< 1.0 UJ	< 1.0 UJ	< 4.0 UJ	< 4.0 UJ
METHYL ACETATE	NL	< 0.75 UJ	< 0.75 UJ	< 3.0 UJ	< 3.0 UJ
METHYL CYCLOHEXANE	NL	< 0.50 UJ	< 0.50 UJ	< 2.0 UJ	< 2.0 UJ
METHYL TERT-BUTYL ETHER	10	< 0.50 UJ	< 0.50 UJ	< 2.0 UJ	< 2.0 UJ
METHYLENE CHLORIDE	5	< 2.5 UJ	< 2.5 UJ	<b>&lt; 10 UJ</b>	<b>&lt; 10 UJ</b>
O-XYLENE	NL	< 0.50 UJ	< 0.50 UJ	< 2.0 UJ	< 2.0 UJ
STYRENE	5	< 0.50 UJ	< 0.50 UJ	< 2.0 UJ	< 2.0 UJ
TETRACHLOROETHENE	5	< 0.50 UJ	< 0.50 UJ	< 2.0 UJ	< 2.0 UJ
TOLUENE	5	< 0.50 UJ	< 0.50 UJ	< 2.0 UJ	< 2.0 UJ
TRANS-1,2-DICHLOROETHENE	5	< 0.50 UJ	< 0.50 UJ	< 2.0 UJ	< 2.0 UJ
TRANS-1,3-DICHLOROPROPENE	0.4	<b>&lt; 0.50 UJ</b>	<b>&lt; 0.50 UJ</b>	<b>&lt; 2.0 UJ</b>	<b>&lt; 2.0 UJ</b>
TRICHLOROETHENE	5	< 0.50 UJ	< 0.50 UJ	< 2.0 UJ	< 2.0 UJ
TRICHLOROFUOROMETHANE	5	< 1.0 UJ	< 1.0 UJ	< 4.0 UJ	< 4.0 UJ
VINYL CHLORIDE	2	< 1.0 UJ	< 1.0 UJ	<b>&lt; 4.0 UJ</b>	<b>&lt; 4.0 UJ</b>
XYLENES, TOTAL	5	< 1.5 UJ	< 1.5 UJ	<b>&lt; 6.0 UJ</b>	<b>&lt; 6.0 UJ</b>

**Notes:**

**1** New York State Department of Environmental Conservation Division of Water Technical and Operation Guidance series (6 NYCRR 700-706, Part 703.5 summarized in TOGS 1.1.1)

Ambient water quality standards and groundwater effluent limitations, class GA; NL = Not Listed

**Bold** = Detected; ***Bold and Italics*** = Detection limit exceeds NYS Groundwater Standards or guidance value

**Yellow** highlighted values exceed Groundwater Standards or guidance value

Sample type codes: N - normal environmental sample, FD - field duplicate

U = Nondetected result. The analyte was analyzed for, but was not detected above the reported sample quantitation limit.

UJ = The analyte was not detected above the reported sample quantitation limit. However, the reported quantitation limit is approximate and may or may not represent the actual limit of quantitation necessary to accurately and precisely measure the analyte.


J = The analyte was positively identified; the associated numerical value is the approximate concentration of the analyte in the sample.

## **Section 6**

### **Survey**

UNAUTHORIZED ALTERATION OR ADDITION TO THIS DOCUMENT IS A VIOLATION OF SECTION 7209 SUBDIVISION 2 OF THE NEW YORK STATE EDUCATION LAW.

Description	Northing	Easting	Latitude	Longitude	Ground	Rim	PVC
VPB 158	202259.10	1122890.83	N40-43-14.68	W73-29-59.42	75.07	NA	NA




**Legend**

- LP Light Pole
- SMH Sanitary Manhole
- VPB 158 Vertical Profile Boring
- WSO Water Shut Off
- WV Water Valve

**Map Notes**

1. Information shown hereon was compiled from an actual field survey conducted on March 26, 2015.
2. North orientation is Grid North based on the New York State Plane Coordinate System, Long Island Zone, NAD 83 as obtained from GPS observations.
3. Vertical datum shown hereon is NAVD 88 as obtained from GPS observations.



DWG NO. 15-218

Date	RECORD OF WORK	Appr.	VERTICAL PROFILE BORING 158 SURVEY LOCATION 46 GINGHAM LANE	
			TOWN OF LEVITTOWN	NASSAU COUNTY, NEW YORK
<b>C.T. MALE ASSOCIATES</b> Engineering, Surveying, Architecture & Landscape Architecture, D.P.C.				
50 CENTURY HILL DRIVE, LATHAM, NY 12110 518.786.7400 * FAX 518.786.7299				
Drafter: LMK                      Checker: JFC		Proj. No. 14.4121	SCALE: 1" = 40'	
Appr. by: JFC			DATE: MARCH 26, 2015	