

**JUNE 2015 GROUNDWATER SAMPLING DATA  
SUMMARY REPORT  
BETHPAGE, NY**

Prepared for:



**Department of the Navy  
Naval Facilities Engineering Command, Mid-Atlantic  
9742 Maryland Ave.  
Norfolk, VA 23511-3095**

**Comprehensive Long-Term Environmental Action Navy  
Contract Number N62470-11-D-8013**

**CTO WE15**

Prepared by:



**Resolution Consultants  
*A Joint Venture of AECOM & EnSafe*  
1500 Wells Fargo Building  
440 Monticello Avenue  
Norfolk, VA 23510**

**October 2015**

## Table of Contents

<b>1.0</b>	<b>PROJECT BACKGROUND</b> .....	<b>1</b>
<b>2.0</b>	<b>FIELD PROGRAM</b> .....	<b>2</b>
2.1	Sampling.....	2
2.2	Investigation Derived Waste.....	3
<b>3.0</b>	<b>SUMMARY</b> .....	<b>4</b>
<b>4.0</b>	<b>REFERENCES</b> .....	<b>5</b>

## Tables

Table 1	Monitoring Well Construction Summary
Table 2	Analytical Data Summary for wells sampled by Resolution Consultants
Table 3	Stabilized Field Parameters for wells sampled by Resolution Consultants
Table 4	Concentrations of Volatile Organic compounds in Monitoring Wells BPOW5-1, BPOW5-2 and BPOW5-3, Second Quarter 2015
Table 5	Concentrations of Volatile Organic compounds in Monitoring Wells BPOW6-1, BPOW6-2, BPOW6-3 and BPOW6-4, Second Quarter 2015

## Figures

Figure 1	General Location Map
Figure 2	Monitoring Well Sample Locations

## Appendices

Appendix A	Groundwater Sampling Forms – Resolution Consultants
Appendix B	Analytical Data Validation – Resolution Consultants
Appendix C	Analytical Data Validation - ARCADIS

### List of Acronyms and Abbreviations

DOT	Department of Transportation
IDW	Investigation Derived Waste
Katahdin	Katahdin Analytical Services, Inc.
NWIRP	Naval Weapons Industrial Reserve Plant
ONCT	Onsite Containment System
OU	Operable Unit
POTW	Publicly Owned Treatment Works
QA	Quality Assurance
QC	Quality Control
SAP	Sampling and Analysis Plan
UFP	Uniform Federal Policy
VOC	Volatile Organic Compounds

## 1.0 PROJECT BACKGROUND

Resolution Consultants has prepared this Groundwater Sampling Data Summary Report for the Naval Facilities Engineering Command, Mid-Atlantic under contract task order WE15 Contract N62470-11-D-8013. The report describes quarterly sampling activities in June 2015, part of the Navy's ongoing Environmental Restoration Program for the Naval Weapons Industrial Reserve Plant (NWIRP) Bethpage Operable Unit (OU) 2 Site 1 offsite plume. NWIRP Bethpage is located in east-central Nassau County, Long Island, New York, approximately 30 miles east of New York City (Figure 1).

This data summary report provides information on quarterly sampling of 25 monitoring wells by Resolution Consultants (for the Navy) and ARCADIS (for Northrop Grumman). The purpose of this sampling is to provide information on the extent and magnitude of volatile organic compounds (VOCs) located in a narrow area immediately south of the Onsite Containment System (ONCT) in the western offsite plume, which could represent contamination that has bypassed the ONCT. The locations of monitoring wells sampled as part of this effort are shown in Figure 2 and listed in Table 1.

Per an agreement between the Navy and Northrop Grumman (letter May 6, 2015), Northrop Grumman takes over the quarterly sampling of selected monitoring wells after the initial sampling (post well installation) by Resolution Consultants. The June 2015 quarterly sampling round is the first round in which seven monitoring wells were scheduled for transition to Northrop Grumman for sampling.

Documentation of these activities is included in the appendices of this report. Groundwater sampling forms, and analytical data validation for wells sampled by Resolution Consultants are included in Appendix A and B, respectively. Appendix C contains analytical data validation for wells sampled by ARCADIS. Additional documentation of sampling activities by ARCADIS is provided in their report, Results of Second Quarter 2015 Groundwater Monitoring.

## 2.0 FIELD PROGRAM

Field tasks were conducted in June of 2015 in accordance with the Uniform Federal Policy (UFP) Sampling and Analysis Plan (SAP) Addendum: Groundwater Sampling Using Low Stress (Low Flow) Purging and Sampling Protocol (Resolution Consultants, 2013). The field investigation included purging and sampling of monitoring wells in the quarterly groundwater sampling network.

The June 2015 quarterly sampling round consisted of a total of 25 wells (Table 1). Of these, 18 groundwater wells were sampled by Resolution Consultants and seven were sampled by ARCADIS, Northrop Grumman's consultant. Northrop Grumman sampled the following wells after the initial sampling by Resolution Consultants in March 2015: BPOW5-1, BPOW5-2, BPOW5-3, BPOW6-1, BPOW6-2, BPOW6-3, and BPOW6-4. Results and data validation for ARCADIS-sampled wells is provided in Table 4 and Appendix C of this report.

### 2.1 Sampling

Resolution Consultants purged monitoring wells using a bladder pump with the intake placed at the approximate midpoint of the screened interval. The following field water quality parameters were continuously measured during purging: water temperature, pH, conductivity, oxidation-reduction potential, dissolved oxygen and turbidity. Groundwater analytical samples were collected when field water quality parameters stabilized. Samples were analyzed for VOCs via Method 8260C and 1,4-dioxane via Method 8270C by Katahdin Analytical Services (Katahdin). All purge water was managed as investigation derived waste (IDW). Samples were placed in a cooler containing ice and held for sample pick up by the laboratory courier. All samples were submitted to the laboratory for analyses of VOCs for the analytes listed in, and in accordance with, GC method SW846-8260C. Quality assurance (QA) and quality control (QC) samples were collected during the sampling effort.

Resolution Consultants utilized dedicated and disposable sampling equipment when possible to avoid the potential for cross-contamination of samples. The sampling equipment included dedicated disposable polyethylene tubing, disposable gloves, and laboratory supplied sample bottles. Hand held equipment was decontaminated using a liquinox and water wash, a potable water rinse followed by a distilled water rinse. Purge water was collected in 5-gallon pails or 55-gallon drums.

Sampling methods employed by ARCADIS can be found in their report, Results of Second Quarter 2015 Groundwater Monitoring.

## **2.2 Investigation Derived Waste**

Resolution Consultants transported purge water from point of generation to the designated staging area at NWIRP in Department of Transportation (DOT) approved 5-gallon pails. Purge water was then containerized in a frac tank and stored at NWIRP Bethpage for characterization and ultimate disposal to the Nassau County Publicly Owned Treatment Works (POTW) in accordance with the facility's existing discharge permit. A representative water sample will be collected from each of the frac tanks and submitted to Katahdin for analysis. No solid waste was generated during sampling.

### **3.0 SUMMARY**

Well construction information for all wells sampled by Resolution Consultants and ARCADIS is summarized in Table 1.

Analytical results and stabilized field water quality parameters for wells sampled by Resolution Consultants are summarized in Tables 2 and 3, respectively. Groundwater sample forms and data validation packages for wells sampled by Resolution Consultants are included in Appendix A and B, respectively.

Analytical results for wells sampled by ARCADIS are summarized in Tables 4 and 5. Data validation packages for wells sampled by ARCADIS are included in Appendix C. Additional documentation of ARCADIS' sampling activities can be found in their report, Results of Second Quarter 2015 Groundwater Monitoring.

#### **4.0 REFERENCES**

ARCADIS, 2015. *Results of Second Quarter 2015 Groundwater Monitoring*. August.

Resolution Consultants, 2013. UFP SAP Addendum, *Groundwater Sampling Using Low Stress (Low Flow) Purging and Sampling Protocol*. November.

Resolution Consultants, 2015. *March 2015 Groundwater Sampling Data Summary Report, Bethpage, NY*. June.



## Tables

Table 1.  
 Monitoring Well  
 Construction Summary

Well	Total Depth (ft bgs)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	Mid-screen (ft bgs)	Sump Length (ft)	VPB affiliation	Sampled by
RE103D1	645	625	640	630	5	VPB137	Resolution
RE103D2	673	653	673	663	0	VPB137	Resolution
RE103D3	735	715	730	720	5	VPB137	Resolution
RE104D1	375	350	370	360	5	VPB138	Resolution
RE104D2	735	710	730	720	5	VPB138	Resolution
RE104D3	785	760	780	770	5	VPB138	Resolution
RE105D1	555	530	550	540	5	VPB139	Resolution
RE105D2	755	730	750	740	5	VPB139	Resolution
RE108D1	555	530	550	540	5	VPB142	Resolution
RE108D2	655	630	650	640	5	VPB142	Resolution
RE118D1	795	765	790	777.5	5	VPB152	Resolution
TT101D	350	325	345	335	5	VPB129	Resolution
TT101D1	595	570	590	580	5	VPB129	Resolution
TT101D2	765	740	760	750	5	VPB129	Resolution
BPOW5-1	515	480	510	495	5	VPB132	ARCADIS
BPOW5-2	585	540	580	560	5	VPB132	ARCADIS
BPOW5-3	665	620	660	640	5	VPB132	ARCADIS
BPOW5-5	545	515	540	527.5	5	VPB152	Resolution
BPOW5-6	615	585	610	597.5	5	VPB152	Resolution
BPOW6-1	580	550	575	562.5	5	VPB145	ARCADIS
BPOW6-2	785	755	780	767.5	5	VPB145	ARCADIS
BPOW6-3	780	750	775	762.5	5	VPB146	ARCADIS
BPOW6-4	575	545	570	557.5	5	VPB146	ARCADIS
BPOW6-5	555	525	550	537.5	5	VPB147	Resolution
BPOW6-6	800	770	795	782.5	5	VPB147	Resolution

Table 2. Analytical Data Summary for  
 wells sampled by Resolution Consultants

Location	NYSDEC	TT101D	TT101D1	TT101D2	TT101D2
Sample Date	Groundwater	6/22/2015	6/22/2015	6/22/2015	6/22/2015
Sample ID	Guidance or	TT101D-GW-	TT101D1-GW-	TT101D2-GW-	DUPLICATE-GW-
Sample type code	Standard Value	062215	062215	062215	062215
	(Note 1)	N	N	N	FD
<b>VOC 8260C (ug/L)</b>					
1,1,1-TRICHLOROETHANE	5	< 0.50 U	< 0.50 U	< 0.50 U	<b>0.44 J</b>
1,1,2,2-TETRACHLOROETHANE	5	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	5	<b>16</b>	<b>16</b>	<b>24</b>	<b>22</b>
1,1,2-TRICHLOROETHANE	1	< 0.50 U	<b>0.54 J</b>	<b>0.57 J</b>	<b>0.60 J</b>
1,1-DICHLOROETHANE	5	<b>0.77 J</b>	<b>0.86 J</b>	<b>0.79 J</b>	<b>0.85 J</b>
1,1-DICHLOROETHENE	5	<b>3.2</b>	<b>4.8</b>	<b>4.8</b>	<b>4.6</b>
1,2,4-TRICHLOROENZENE	5	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
1,2-DIBROMO-3-CHLOROPROPANE	0.04	< <b>0.75 U</b>	< <b>0.75 U</b>	< <b>0.75 U</b>	< <b>0.75 U</b>
1,2-DIBROMOETHANE	NL	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
1,2-DICHLOROBENZENE	3	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
1,2-DICHLOROETHANE	5	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
1,2-DICHLOROETHENE, TOTAL	5	<b>2.8</b>	<b>1.8 J</b>	<b>2.0</b>	<b>2.2</b>
1,2-DICHLOROPROPANE	1	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
1,3-DICHLOROBENZENE	3	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
1,4-DICHLOROBENZENE	3	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
1,4-DIOXANE (Method 8270D_SIM)	NL	<b>8.6</b>	<b>8.7</b>	<b>2.3</b>	<b>2.4</b>
2-BUTANONE	50	< 2.5 U	< 2.5 U	< 2.5 U	< 2.5 U
2-HEXANONE	50	< 2.5 UJ	< 2.5 UJ	< 2.5 UJ	< 2.5 UJ
4-METHYL-2-PENTANONE	NL	< 2.5 UJ	< 2.5 UJ	< 2.5 UJ	< 2.5 UJ
ACETONE	50	<b>3.1 J</b>	< 2.5 UJ	<b>2.3 J</b>	< 2.5 UJ
BENZENE	1	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
BROMODICHLOROMETHANE	50	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
BROMOFORM	50	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
BROMOMETHANE	5	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U
CARBON DISULFIDE	60	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
CARBON TETRACHLORIDE	5	< 0.50 U	<b>2.2</b>	<b>1.4</b>	<b>1.3</b>
CHLOROBENZENE	5	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
CHLOROETHANE	5	< 1.0 UJ	< 1.0 UJ	< 1.0 UJ	< 1.0 UJ
CHLOROFORM	7	<b>0.45 J</b>	<b>0.95 J</b>	<b>0.85 J</b>	<b>0.82 J</b>
CHLOROMETHANE	5	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U
CIS-1,2-DICHLOROETHENE	5	<b>2.8</b>	<b>1.8</b>	<b>2.0</b>	<b>2.2</b>
CIS-1,3-DICHLOROPROPENE	0.4	< <b>0.50 U</b>	< <b>0.50 U</b>	< <b>0.50 U</b>	< <b>0.50 U</b>
CYCLOHEXANE	NL	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
DIBROMOCHLOROMETHANE	5	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
DICHLORODIFLUOROMETHANE	5	<b>2.1</b>	<b>1.8 J</b>	< 1.0 U	< 1.0 U
ETHYLBENZENE	5	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
ISOPROPYLBENZENE	5	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
M- AND P-XYLENE	NL	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U
METHYL ACETATE	NL	< 0.75 U	< 0.75 U	< 0.75 U	< 0.75 U
METHYL CYCLOHEXANE	NL	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
METHYL TERT-BUTYL ETHER	10	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
METHYLENE CHLORIDE	5	< 2.5 U	< 2.5 U	< 2.5 U	< 2.5 U
O-XYLENE	NL	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
STYRENE	5	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
TETRACHLOROETHENE	5	< 0.50 U	< 0.50 U	<b>0.82 J</b>	<b>0.86 J</b>
TOLUENE	5	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
TRANS-1,2-DICHLOROETHENE	5	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
TRANS-1,3-DICHLOROPROPENE	0.4	< <b>0.50 U</b>	< <b>0.50 U</b>	< <b>0.50 U</b>	< <b>0.50 U</b>
TRICHLOROETHENE	5	<b>66</b>	<b>180</b>	<b>620</b>	<b>620</b>
TRICHLOROFLUOROMETHANE	5	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U
VINYL CHLORIDE	2	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U
XYLENES, TOTAL	5	< 1.5 U	< 1.5 U	< 1.5 U	< 1.5 U

Table 2. Analytical Data Summary for  
 wells sampled by Resolution Consultants

Location	RE103D1	RE103D2	RE103D3	RE104D1
Sample Date	NYSDEC Groundwater Guidance or Standard Value (Note 1)	6/22/2015	6/22/2015	6/23/2015
Sample ID	RE103D1-GW- 062215	RE103D2-GW- 062215	RE103D3-GW- 062215	RE104D1-GW- 062315
Sample type code	N	N	N	N
<b>VOC 8260C (ug/L)</b>				
1,1,1-TRICHLOROETHANE	5	<b>0.38 J</b>	< 0.50 U	< 0.50 U
1,1,2,2-TETRACHLOROETHANE	5	< 0.50 U	< 0.50 U	< 0.50 U
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	5	<b>11 J</b>	<b>4.3</b>	<b>2.0</b>
1,1,2-TRICHLOROETHANE	1	<b>0.51 J</b>	<b>0.57 J</b>	< 0.50 U
1,1-DICHLOROETHANE	5	<b>0.64 J</b>	< 0.50 U	< 0.50 U
1,1-DICHLOROETHENE	5	<b>4.2</b>	<b>0.81 J</b>	<b>0.47 J</b>
1,2,4-TRICHLOROENZENE	5	< 0.50 U	< 0.50 U	< 0.50 U
1,2-DIBROMO-3-CHLOROPROPANE	0.04	< <b>0.75 U</b>	< <b>0.75 U</b>	< <b>0.75 U</b>
1,2-DIBROMOETHANE	NL	< 0.50 U	< 0.50 U	< 0.50 U
1,2-DICHLOROBENZENE	3	< 0.50 U	< 0.50 U	< 0.50 U
1,2-DICHLOROETHANE	5	< 0.50 U	< 0.50 U	< 0.50 U
1,2-DICHLOROETHENE, TOTAL	5	<b>3.0</b>	<b>1.4 J</b>	<b>0.89 J</b>
1,2-DICHLOROPROPANE	1	< 0.50 U	< 0.50 U	< 0.50 U
1,3-DICHLOROBENZENE	3	< 0.50 U	< 0.50 U	< 0.50 U
1,4-DICHLOROBENZENE	3	< 0.50 U	< 0.50 U	< 0.50 U
1,4-DIOXANE (Method 8270D_SIM)	NL	<b>16</b>	<b>1.9</b>	<b>0.86</b>
2-BUTANONE	50	< 2.5 U	< 2.5 U	< 2.5 U
2-HEXANONE	50	< 2.5 UJ	< 2.5 UJ	< 2.5 UJ
4-METHYL-2-PENTANONE	NL	< 2.5 UJ	< 2.5 UJ	< 2.5 UJ
ACETONE	50	<b>3.3 J</b>	<b>7.3 J</b>	< 2.5 UJ
BENZENE	1	< 0.50 U	< 0.50 U	< 0.50 U
BROMODICHLOROMETHANE	50	< 0.50 U	< 0.50 U	< 0.50 U
BROMOFORM	50	< 0.50 U	< 0.50 U	< 0.50 U
BROMOMETHANE	5	< 1.0 U	< 1.0 U	< 1.0 U
CARBON DISULFIDE	60	< 0.50 U	< 0.50 U	< 0.50 U
CARBON TETRACHLORIDE	5	< 0.50 U	<b>0.25 J</b>	< 0.50 U
CHLOROBENZENE	5	< 0.50 U	< 0.50 U	< 0.50 U
CHLOROETHANE	5	< 1.0 UJ	< 1.0 UJ	< 1.0 UJ
CHLOROFORM	7	<b>0.49 J</b>	<b>0.94 J</b>	<b>0.69 J</b>
CHLOROMETHANE	5	< 1.0 U	< 1.0 U	< 1.0 U
CIS-1,2-DICHLOROETHENE	5	<b>3.0</b>	<b>1.4</b>	<b>0.89 J</b>
CIS-1,3-DICHLOROPROPENE	0.4	< <b>0.50 U</b>	< <b>0.50 U</b>	< <b>0.50 U</b>
CYCLOHEXANE	NL	< 0.50 U	< 0.50 U	< 0.50 U
DIBROMOCHLOROMETHANE	5	< 0.50 U	< 0.50 U	< 0.50 U
DICHLORODIFLUOROMETHANE	5	<b>0.26 J</b>	< 1.0 U	< 1.0 U
ETHYLBENZENE	5	< 0.50 U	< 0.50 U	< 0.50 U
ISOPROPYLBENZENE	5	< 0.50 U	< 0.50 U	< 0.50 U
M- AND P-XYLENE	NL	< 1.0 U	< 1.0 U	< 1.0 U
METHYL ACETATE	NL	< 0.75 U	< 0.75 U	< 0.75 U
METHYL CYCLOHEXANE	NL	< 0.50 UJ	< 0.50 U	< 0.50 U
METHYL TERT-BUTYL ETHER	10	< 0.50 U	< 0.50 U	< 0.50 U
METHYLENE CHLORIDE	5	< 2.5 U	< 2.5 U	< 2.5 U
O-XYLENE	NL	< 0.50 U	< 0.50 U	< 0.50 U
STYRENE	5	< 0.50 U	< 0.50 U	< 0.50 U
TETRACHLOROETHENE	5	<b>4.0</b>	<b>0.88 J</b>	< 0.50 U
TOLUENE	5	< 0.50 U	< 0.50 U	< 0.50 U
TRANS-1,2-DICHLOROETHENE	5	< 0.50 U	< 0.50 U	< 0.50 U
TRANS-1,3-DICHLOROPROPENE	0.4	< <b>0.50 U</b>	< <b>0.50 U</b>	< <b>0.50 U</b>
TRICHLOROETHENE	5	<b>810</b>	<b>770</b>	<b>420</b>
TRICHLOROFLUOROMETHANE	5	< 1.0 U	< 1.0 U	< 1.0 U
VINYL CHLORIDE	2	< 1.0 U	< 1.0 U	< 1.0 U
XYLENES, TOTAL	5	< 1.5 UJ	< 1.5 U	< 1.5 U

Table 2. Analytical Data Summary for  
 wells sampled by Resolution Consultants

Location	RE104D2	RE104D3	RE105D1	RE105D2	
Sample Date	NYSDEC Groundwater Guidance or Standard Value (Note 1)	6/23/2015	6/23/2015	6/23/2015	
Sample ID	RE104D2-GW- 062315	RE104D3-GW- 062315	RE105D1-GW- 062315	RE105D2-GW- 062315	
Sample type code	N	N	N	N	
<b>VOC 8260C (ug/L)</b>					
1,1,1-TRICHLOROETHANE	5	< 0.50 U	< 0.50 U	<b>0.35 J</b>	<b>0.53 J</b>
1,1,2,2-TETRACHLOROETHANE	5	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	5	< 0.50 U	< 0.50 U	<b>8.4</b>	<b>25</b>
1,1,2-TRICHLOROETHANE	1	< 0.50 U	< 0.50 U	< 0.50 U	<b>1.1</b>
1,1-DICHLOROETHANE	5	< 0.50 U	< 0.50 U	< 0.50 U	<b>1.3</b>
1,1-DICHLOROETHENE	5	< 0.50 U	< 0.50 U	<b>1.1</b>	<b>6.0</b>
1,2,4-TRICHLOROENZENE	5	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
1,2-DIBROMO-3-CHLOROPROPANE	0.04	<b>&lt; 0.75 U</b>	<b>&lt; 0.75 U</b>	<b>&lt; 0.75 U</b>	<b>&lt; 0.75 U</b>
1,2-DIBROMOETHANE	NL	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
1,2-DICHLOROBENZENE	3	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
1,2-DICHLOROETHANE	5	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
1,2-DICHLOROETHENE, TOTAL	5	<b>1.4 J</b>	< 1.0 U	<b>1.7 J</b>	<b>3.4</b>
1,2-DICHLOROPROPANE	1	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
1,3-DICHLOROBENZENE	3	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
1,4-DICHLOROBENZENE	3	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
1,4-DIOXANE (Method 8270D_SIM)	NL	<b>0.15 J</b>	< 0.17 U	<b>11</b>	<b>6.1</b>
2-BUTANONE	50	< 2.5 U	< 2.5 U	< 2.5 U	< 2.5 U
2-HEXANONE	50	< 2.5 U	< 2.5 U	< 2.5 U	< 2.5 UJ
4-METHYL-2-PENTANONE	NL	< 2.5 U	< 2.5 U	< 2.5 U	< 2.5 UJ
ACETONE	50	< 2.5 U	< 2.5 U	<b>3.2 J</b>	<b>4.2 J</b>
BENZENE	1	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
BROMODICHLOROMETHANE	50	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
BROMOFORM	50	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
BROMOMETHANE	5	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U
CARBON DISULFIDE	60	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
CARBON TETRACHLORIDE	5	< 0.50 U	< 0.50 U	< 0.50 U	<b>2.7</b>
CHLOROBENZENE	5	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
CHLOROETHANE	5	< 1.0 UJ	< 1.0 UJ	< 1.0 UJ	< 1.0 UJ
CHLOROFORM	7	< 0.50 U	< 0.50 U	< 0.50 U	<b>2.1</b>
CHLOROMETHANE	5	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U
CIS-1,2-DICHLOROETHENE	5	<b>1.4</b>	< 0.50 U	<b>1.7</b>	<b>3.4</b>
CIS-1,3-DICHLOROPROPENE	0.4	<b>&lt; 0.50 U</b>	<b>&lt; 0.50 U</b>	<b>&lt; 0.50 U</b>	<b>&lt; 0.50 U</b>
CYCLOHEXANE	NL	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
DIBROMOCHLOROMETHANE	5	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
DICHLORODIFLUOROMETHANE	5	< 1.0 U	< 1.0 U	<b>0.63 J</b>	<b>0.40 J</b>
ETHYLBENZENE	5	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
ISOPROPYLBENZENE	5	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
M- AND P-XYLENE	NL	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U
METHYL ACETATE	NL	< 0.75 U	< 0.75 U	< 0.75 U	< 0.75 U
METHYL CYCLOHEXANE	NL	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
METHYL TERT-BUTYL ETHER	10	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
METHYLENE CHLORIDE	5	< 2.5 U	< 2.5 U	< 2.5 U	< 2.5 U
O-XYLENE	NL	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
STYRENE	5	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
TETRACHLOROETHENE	5	< 0.50 U	< 0.50 U	< 0.50 U	<b>1.6</b>
TOLUENE	5	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
TRANS-1,2-DICHLOROETHENE	5	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
TRANS-1,3-DICHLOROPROPENE	0.4	<b>&lt; 0.50 U</b>	<b>&lt; 0.50 U</b>	<b>&lt; 0.50 U</b>	<b>&lt; 0.50 U</b>
TRICHLOROETHENE	5	<b>4.3</b>	< 0.50 U	<b>120</b>	<b>1400</b>
TRICHLOROFLUOROMETHANE	5	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U
VINYL CHLORIDE	2	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U
XYLENES, TOTAL	5	< 1.5 U	< 1.5 U	< 1.5 U	< 1.5 U

Table 2. Analytical Data Summary for  
 wells sampled by Resolution Consultants

Location	RE108D1	RE108D2	RE118D1	BPOW5-5
Sample Date	NYSDEC Groundwater Guidance or Standard Value (Note 1)	6/24/2015	6/24/2015	6/24/2015
Sample ID	RE108D1-GW- 062415	RE108D2-GW- 062415	RE118D1-GW- 062415	BPOW5-5-GW- 062415
Sample type code	N	N	N	N
<b>VOC 8260C (ug/L)</b>				
1,1,1-TRICHLOROETHANE	5	< 0.50 U	<b>0.98 J</b>	< 0.50 U
1,1,2,2-TETRACHLOROETHANE	5	< 0.50 U	< 0.50 U	< 0.50 U
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	5	<b>1.0</b>	<b>6.8</b>	< 0.50 U
1,1,2-TRICHLOROETHANE	1	< 0.50 U	<b>1.8</b>	< 0.50 U
1,1-DICHLOROETHANE	5	< 0.50 U	<b>4.6</b>	< 0.50 U
1,1-DICHLOROETHENE	5	< 0.50 U	<b>6.6</b>	< 0.50 U
1,2,4-TRICHLOROENZENE	5	< 0.50 U	< 0.50 U	< 0.50 U
1,2-DIBROMO-3-CHLOROPROPANE	0.04	< <b>0.75 U</b>	< <b>0.75 U</b>	< <b>0.75 U</b>
1,2-DIBROMOETHANE	NL	< 0.50 U	< 0.50 U	< 0.50 U
1,2-DICHLOROBENZENE	3	< 0.50 U	< 0.50 U	< 0.50 U
1,2-DICHLOROETHANE	5	< 0.50 U	< 0.50 U	< 0.50 U
1,2-DICHLOROETHENE, TOTAL	5	<b>0.34 J</b>	<b>8.1</b>	< 1.0 U
1,2-DICHLOROPROPANE	1	< 0.50 U	< 0.50 U	< 0.50 U
1,3-DICHLOROBENZENE	3	< 0.50 U	< 0.50 U	< 0.50 U
1,4-DICHLOROBENZENE	3	< 0.50 U	< 0.50 U	< 0.50 U
1,4-DIOXANE (Method 8270D_SIM)	NL	<b>5.2</b>	<b>6.1</b>	< 0.18 U
2-BUTANONE	50	< 2.5 U	< 2.5 U	< 2.5 U
2-HEXANONE	50	< 2.5 U	< 2.5 U	< 2.5 U
4-METHYL-2-PENTANONE	NL	< 2.5 U	< 2.5 U	< 2.5 U
ACETONE	50	< 2.5 U	< 2.5 U	<b>2.7 J</b>
BENZENE	1	< 0.50 U	< 0.50 U	< 0.50 U
BROMODICHLOROMETHANE	50	< 0.50 U	< 0.50 U	< 0.50 U
BROMOFORM	50	< 0.50 U	< 0.50 U	< 0.50 U
BROMOMETHANE	5	< 1.0 U	< 1.0 U	< 1.0 U
CARBON DISULFIDE	60	< 0.50 U	< 0.50 U	< 0.50 U
CARBON TETRACHLORIDE	5	< 0.50 U	<b>1.5</b>	< 0.50 U
CHLOROBENZENE	5	< 0.50 U	< 0.50 U	< 0.50 U
CHLOROETHANE	5	< 1.0 UJ	< 1.0 UJ	< 1.0 UJ
CHLOROFORM	7	< 0.50 U	<b>3.5</b>	< 0.50 U
CHLOROMETHANE	5	< 1.0 U	< 1.0 U	< 1.0 U
CIS-1,2-DICHLOROETHENE	5	<b>0.34 J</b>	<b>8.1</b>	< 0.50 U
CIS-1,3-DICHLOROPROPENE	0.4	< <b>0.50 U</b>	< <b>0.50 U</b>	< <b>0.50 U</b>
CYCLOHEXANE	NL	< 0.50 U	< 0.50 U	< 0.50 U
DIBROMOCHLOROMETHANE	5	< 0.50 U	< 0.50 U	< 0.50 U
DICHLORODIFLUOROMETHANE	5	< 1.0 U	< 1.0 U	< 1.0 U
ETHYLBENZENE	5	< 0.50 U	< 0.50 U	< 0.50 U
ISOPROPYLBENZENE	5	< 0.50 U	< 0.50 U	< 0.50 U
M- AND P-XYLENE	NL	< 1.0 U	< 1.0 U	< 1.0 U
METHYL ACETATE	NL	< 0.75 U	< 0.75 U	< 0.75 U
METHYL CYCLOHEXANE	NL	< 0.50 U	< 0.50 U	< 0.50 U
METHYL TERT-BUTYL ETHER	10	< 0.50 U	< 0.50 U	< 0.50 U
METHYLENE CHLORIDE	5	< 2.5 U	< 2.5 U	< 2.5 U
O-XYLENE	NL	< 0.50 U	< 0.50 U	< 0.50 U
STYRENE	5	< 0.50 U	< 0.50 U	< 0.50 U
TETRACHLOROETHENE	5	<b>1.4</b>	<b>2.2</b>	< 0.50 U
TOLUENE	5	< 0.50 U	< 0.50 U	<b>0.38 J</b>
TRANS-1,2-DICHLOROETHENE	5	< 0.50 U	< 0.50 U	< 0.50 U
TRANS-1,3-DICHLOROPROPENE	0.4	< <b>0.50 U</b>	< <b>0.50 U</b>	< <b>0.50 U</b>
TRICHLOROETHENE	5	<b>110</b>	<b>3900</b>	< 0.50 U
TRICHLOROFLUOROMETHANE	5	< 1.0 U	< 1.0 U	< 1.0 U
VINYL CHLORIDE	2	< 1.0 U	< 1.0 U	< 1.0 U
XYLENES, TOTAL	5	< 1.5 U	< 1.5 U	< 1.5 U

Table 2. Analytical Data Summary for  
 wells sampled by Resolution Consultants

Location	NYSDEC	BPOW5-6	BPOW6-5	BPOW6-6
Sample Date	Groundwater	6/24/2015	6/25/2015	6/25/2015
Sample ID	Guidance or Standard Value (Note 1)	BPOW5-6-GW- 062415	BPOW6-5-GW- 062515	BPOW6-6-GW- 062515
Sample type code		N	N	N
<b>VOC 8260C (ug/L)</b>				
1,1,1-TRICHLOROETHANE	5	< 0.50 U	< 0.50 U	< 0.50 U
1,1,2,2-TETRACHLOROETHANE	5	< 0.50 U	< 0.50 U	< 0.50 U
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	5	< 0.50 U	< 0.50 U	< 0.50 U
1,1,2-TRICHLOROETHANE	1	< 0.50 U	< 0.50 U	< 0.50 U
1,1-DICHLOROETHANE	5	< 0.50 U	< 0.50 U	< 0.50 U
1,1-DICHLOROETHENE	5	< 0.50 U	< 0.50 U	< 0.50 U
1,2,4-TRICHLOROBENZENE	5	< 0.50 U	< 0.50 U	< 0.50 U
1,2-DIBROMO-3-CHLOROPROPANE	0.04	< <b>0.75 U</b>	< <b>0.75 U</b>	< <b>0.75 U</b>
1,2-DIBROMOETHANE	NL	< 0.50 U	< 0.50 U	< 0.50 U
1,2-DICHLOROBENZENE	3	< 0.50 U	< 0.50 U	< 0.50 U
1,2-DICHLOROETHANE	5	< 0.50 U	< 0.50 U	< 0.50 U
1,2-DICHLOROETHENE, TOTAL	5	< 1.0 U	< 1.0 U	< 1.0 U
1,2-DICHLOROPROPANE	1	< 0.50 U	< 0.50 U	< 0.50 U
1,3-DICHLOROBENZENE	3	< 0.50 U	< 0.50 U	< 0.50 U
1,4-DICHLOROBENZENE	3	< 0.50 U	< 0.50 U	< 0.50 U
1,4-DIOXANE (Method 8270D_SIM)	NL	< 0.17 U	< 0.17 U	< 0.17 U
2-BUTANONE	50	<b>12</b>	< 2.5 U	< 2.5 U
2-HEXANONE	50	< 2.5 U	< 2.5 U	< 2.5 U
4-METHYL-2-PENTANONE	NL	< 2.5 U	< 2.5 U	< 2.5 U
ACETONE	50	< 2.5 U	< 2.5 U	< 2.5 U
BENZENE	1	< 0.50 U	< 0.50 U	< 0.50 U
BROMODICHLOROMETHANE	50	< 0.50 U	< 0.50 U	< 0.50 U
BROMOFORM	50	< 0.50 U	< 0.50 U	< 0.50 U
BROMOMETHANE	5	< 1.0 U	< 1.0 U	< 1.0 U
CARBON DISULFIDE	60	< 0.50 U	< 0.50 U	< 0.50 U
CARBON TETRACHLORIDE	5	< 0.50 U	< 0.50 U	< 0.50 U
CHLOROBENZENE	5	< 0.50 U	< 0.50 U	< 0.50 U
CHLOROETHANE	5	< 1.0 UJ	< 1.0 UJ	< 1.0 UJ
CHLOROFORM	7	< 0.50 U	< 0.50 U	< 0.50 U
CHLOROMETHANE	5	< 1.0 U	< 1.0 U	< 1.0 U
CIS-1,2-DICHLOROETHENE	5	< 0.50 U	< 0.50 U	< 0.50 U
CIS-1,3-DICHLOROPROPENE	0.4	< <b>0.50 U</b>	< <b>0.50 U</b>	< <b>0.50 U</b>
CYCLOHEXANE	NL	< 0.50 U	< 0.50 U	< 0.50 U
DIBROMOCHLOROMETHANE	5	< 0.50 U	< 0.50 U	< 0.50 U
DICHLORODIFLUOROMETHANE	5	< 1.0 U	< 1.0 U	< 1.0 U
ETHYLBENZENE	5	< 0.50 U	< 0.50 U	< 0.50 U
ISOPROPYLBENZENE	5	< 0.50 U	< 0.50 U	< 0.50 U
M- AND P-XYLENE	NL	< 1.0 U	< 1.0 U	< 1.0 U
METHYL ACETATE	NL	< 0.75 U	< 0.75 U	< 0.75 U
METHYL CYCLOHEXANE	NL	< 0.50 U	< 0.50 U	< 0.50 U
METHYL TERT-BUTYL ETHER	10	< 0.50 U	< 0.50 U	< 0.50 U
METHYLENE CHLORIDE	5	< 2.5 U	< 2.5 U	< 2.5 U
O-XYLENE	NL	< 0.50 U	< 0.50 U	< 0.50 U
STYRENE	5	< 0.50 U	< 0.50 U	< 0.50 U
TETRACHLOROETHENE	5	< 0.50 U	< 0.50 U	< 0.50 U
TOLUENE	5	<b>0.74 J</b>	<b>0.76 J</b>	<b>1.0</b>
TRANS-1,2-DICHLOROETHENE	5	< 0.50 U	< 0.50 U	< 0.50 U
TRANS-1,3-DICHLOROPROPENE	0.4	< <b>0.50 U</b>	< <b>0.50 U</b>	< <b>0.50 U</b>
TRICHLOROETHENE	5	<b>0.45 J</b>	< 0.50 U	< 0.50 U
TRICHLOROFUOROMETHANE	5	< 1.0 U	< 1.0 U	< 1.0 U
VINYL CHLORIDE	2	< 1.0 U	< 1.0 U	< 1.0 U
XYLENES, TOTAL	5	< 1.5 U	< 1.5 U	< 1.5 U

**Notes:**

1 New York State Department of Environmental Conservation Division of Water Technical and Operation Guidance series  
(6 NYCRR 700-706, Part 703.5 summarized in TOGS 1.1.1)

Ambient water quality standards and groundwater effluent limitations, class GA; NL = Not Listed

**Bold** = Detected; ***Bold and Italics*** = Not detected exceeds NYS Groundwater Standards or guidance value

**Yellow highlighted** values exceed Groundwater Standards or guidance value

Sample type codes: N - normal environmental sample, FD - field duplicate

U = Nondetected result. The analyte was analyzed for, but was not detected above the reported sample quantitation limit.

UJ = The analyte was not detected above the reported sample quantitation limit. However, the reported quantitation limit is approximate and may or may not represent the actual limit of quantitation necessary to accurately and precisely measure the analyte.

J = The analyte was positively identified; the associated numerical value is the approximate concentration of the analyte in the sample.

M = the matrix spike or matrix spike duplicate did not meet recovery or precision requirements.



**Table 3.**  
**Stabilized Field Parameters**  
**for wells sampled by Resolution Consultants**

Well	Date	Temperature (°C)	pH	Specific Conductance (µS/cm)	DO (mg/L)	ORP (mV)	Turbidity (NTU)	Depth to water (ft bgs)	Flow rate (ml/min)
TT101D	6/22/2015	15.43	4.22	0.098	0.14	351	1.01	32.18	850
TT101D1	6/22/2015	15.29	4.52	108	0.85	382.4	0.69	34.05	1000
TT101D2	6/22/2015	15.41	4.24	0.051	7.04	442.8	1.39	34.61	1000
RE103D1	6/22/2015	17.05	5.07	0.122	3.16	350.1	0.20	38.73	450
RE103D2	6/22/2015	18.47	NA**	0.037	6.11	1173.8	0.28	38.52	400
RE103D3	6/22/2015	16.32	3.82	0.038	5.41	456.9	0.77	38.82	350
RE104D1	6/23/2015	16.70	4.05	0.095	5.55	445.7	0.36	35.15	600
RE104D2	6/23/2015	15.25	NA**	0.026	6.95	506.8	6.10	40.60	700
RE104D3	6/23/2015	16.47	4.46	0.028	4.62	380.9	16.2	40.98	500
RE105D1	6/23/2015	16.08	4.84	0.139	2.17	328.3	3.61	37.02	575
RE105D2	6/23/2015	16.95	4.56	0.080	6.52	411.8	0.78	38.20	500
RE108D1	6/24/2015	16.39	7.71	0.109	6.86	403	3.99	39.20	700
RE108D2	6/24/2015	16.25	4.70	0.089	3.80	380.2	0.94	39.80	700
BPOW5-5	6/24/2015	16.00	4.14	0.319	2.49	218.6	3.94	27.30	775
BPOW5-6	6/24/2015	20.92	5.09	0.115	1.39	220.2	37.6	28.00	200
RE118D1	6/24/2015	15.61	7.90	0.036	1.63	378.7	10.1	27.53	600
BPOW6-5	6/25/2015	20.80	4.81	0.054	0.58	221.1	1.57	18.00	200
BPOW6-6	6/25/2015	16.46	4.10	0.028	0.61	330.7	31.6	18.51	700

\* Initial water level not equilibrated due to pump installation; drawdown during sampling not determined.

NA\*\* pH sensor not functioning

Table 4. Concentrations of Volatile Organic Compounds in Monitoring Wells BPOW 5-1, BPOW 5-2 and BPOW 5-3, Second Quarter 2015, Operable Unit 2 (Groundwater), Bethpage, New York.

CONSTITUENT (Units in µg/L)	Well:	BPOW 5-1	BPOW 5-2	BPOW 5-3
	Sample ID:	BPOW 5-1	BPOW 5-2	BPOW 5-3
	Date:	6/18/2015	6/19/2015	6/25/2015
1,1,1-Trichloroethane		< 0.50	< 0.50	< 0.50
1,1,2,2-Tetrachloroethane		< 0.50	< 0.50	< 0.50
1,1,2-trichloro-1,2,2-trifluoroethane		< 1.0	< 1.0	< 1.0
1,1,2-Trichloroethane		< 0.50	< 0.50	< 0.50
1,1-Dichloroethane		< 0.50	< 0.50	< 0.50
1,1-Dichloroethene		< 0.50	< 0.50	< 0.50
1,2-Dichloroethane		< 0.50	< 0.50	< 0.50
1,2-Dichloropropane		< 0.50	< 0.50	< 0.50
2-Butanone (MEK)		< 5.0	<b>1.1 J</b>	< 5.0
2-Hexanone		< 2.0	< 2.0	< 2.0
4-methyl-2-pentanone (MIK)		< 2.0	< 2.0	< 2.0
Acetone		< 5.0 B	< 5.0 B	< 5.0
Benzene		< 0.50	< 0.50	< 0.50
Bromodichloromethane		< 0.50	< 0.50	< 0.50
Bromoform		< 0.50	< 0.50	< 0.50
Bromomethane		< 0.50	< 0.50	< 0.50
Carbon Disulfide		< 0.50	< 0.50	< 0.50
Carbon tetrachloride		< 0.50	< 0.50	< 0.50
Chlorobenzene		< 0.50	< 0.50	< 0.50
Chloroethane		< 0.50	< 0.50	< 0.50
Chloroform		< 0.50	< 0.50	< 0.50
Chloromethane		< 0.50	<b>0.25 J</b>	< 0.50
cis-1,2-dichloroethene		< 0.50	< 0.50	< 0.50
cis-1,3-dichloropropene		< 0.50	< 0.50	< 0.50
Dibromochloromethane		< 0.50	< 0.50	< 0.50
Ethylbenzene		< 0.50	< 0.50	< 0.50
Methylene Chloride		< 0.50	< 0.50	< 0.50
Styrene		< 0.50	< 0.50	< 0.50
Tetrachloroethene		< 0.50	< 0.50	< 0.50
Toluene		< 0.50	< 0.50	< 0.50
trans-1,2-dichloroethene		< 0.50	< 0.50	< 0.50
trans-1,3-dichloropropene		< 0.50	< 0.50	< 0.50
Trichloroethylene		< 0.50	< 0.50	< 0.50
Vinyl Chloride		< 0.50	< 0.50	< 0.50
Xylene-o		< 0.50	< 0.50	< 0.50
Xylenes - m,p		< 0.50	< 0.50	< 0.50
<b>Total VOCs</b>		<b>0</b>	<b>1.4</b>	<b>0</b>

**Notes and Abbreviations:**

Results validated following protocols specified in OU2 Groundwater Monitoring Plan (ARCADIS 2014).  
 Samples analyzed for the TCL VOCs using USEPA Method 524.2.  
 Total VOCs are rounded to two significant figures.

**Bold value indicates a detection**

TCL Target Compound List  
 VOC Volatile Organic Compound  
 USEPA United States Environmental Protection Agency  
 µg/L Micrograms per liter  
 J Constituent value is estimated  
 B Compound detected in associated blank sample



Table 5. Concentrations of Volatile Organic Compounds in Monitoring Wells BPOW 6-1, BPOW 6-2, BPOW 6-3 and BPOW 6-4, Second Quarter 2015, Operable Unit 2 (Groundwater), Bethpage, New York.

CONSTITUENT (Units in µg/L)	Well: Sample ID: Date:	BPOW 6-1 BPOW 6-1 6/22/2015	BPOW 6-2 BPOW 6-2 6/23/2015	BPOW 6-2 BPOW 6-R <sup>(1)</sup> 6/23/2015	BPOW 6-3 BPOW 6-3 6/24/2015	BPOW 6-4 BPOW 6-4 6/24/2015
1,1,1-Trichloroethane		< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
1,1,2,2-Tetrachloroethane		< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
1,1,2-trichloro-1,2,2-trifluoroethane		< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
1,1,2-Trichloroethane		< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
1,1-Dichloroethane		< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
1,1-Dichloroethene		< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
1,2-Dichloroethane		< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
1,2-Dichloropropane		< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
2-Butanone (MEK)		< 5.0	< 5.0	< 5.0	< 5.0	< 5.0
2-Hexanone		< 2.0	< 2.0	< 2.0	< 2.0	< 2.0
4-methyl-2-pentanone (MIK)		< 2.0	< 2.0	< 2.0	< 2.0	< 2.0
Acetone		< 9.3 B	< 5.0 B	< 5.0 B	< 5.0 B	< 5.0
Benzene		< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
Bromodichloromethane		< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
Bromoform		< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
Bromomethane		< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
Carbon Disulfide		< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
Carbon tetrachloride		< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
Chlorobenzene		< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
Chloroethane		< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
Chloroform		< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
Chloromethane		<b>0.51</b>	< 0.50	< 0.50	< 0.50	< 0.50
cis-1,2-dichloroethene		< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
cis-1,3-dichloropropene		< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
Dibromochloromethane		< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
Ethylbenzene		< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
Methylene Chloride		< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
Styrene		< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
Tetrachloroethene		< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
Toluene		< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
trans-1,2-dichloroethene		< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
trans-1,3-dichloropropene		< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
Trichloroethylene		< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
Vinyl Chloride		< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
Xylene-o		< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
Xylenes - m,p		< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
<b>Total VOCs</b>		<b>0.51</b>	0	0	0	0

**Notes and Abbreviations:**

<sup>(1)</sup> BPOW 6-R is a blind duplicate sample.

Results validated following protocols specified in OU2 Groundwater Monitoring Plan (ARCADIS 2014)

Samples analyzed for the TCL VOCs using USEPA Method 524.2.

Total VOCs are rounded to two significant figures.

**Bold value indicates a detection**

TCL Target Compound List



VOC Volatile Organic Compound

USEPA United States Environmental Protection Agency

µg/L Micrograms per liter


B Compound detected in associated blank sample

## Figures



GENERAL LOCATION MAP  
NWIRP BETHPAGE  
BETHPAGE, NEW YORK

CONTRACT NUMBER N62470-11-D-8013		CTO NUMBER WE15	
APPROVED BY ---		DATE ---	
APPROVED BY ---		DATE ---	
FIGURE NO. 1			REV 0



Legend	
	Monitoring Well - Sampled
	Monitoring Well - Unsampled
	Vertical Profile Boring
	Water Supply Well
	Extraction Well



**LOCATION MAP**  
**JUNE 2015 GROUNDWATER SAMPLING**  
**NAVAL WEAPONS INDUSTRIAL RESERVE PLANT**  
**BETHPAGE, NEW YORK**

CONTRACT NUMBER N62470-11-D8013	CTO NUMBER WE15
APPROVED BY EV	DATE 8/17/2015
APPROVED BY	DATE
FIGURE NO. <b>2</b>	REV 0

## Appendices

**Appendix A**

**Groundwater Sampling Forms – Resolution Consultants**





RESOLUTION  
CONSULTANTS

Well ID: TT101 D

# Low Flow Ground Water Sample Collection Record

Client: Navy NWIRP Bethpage Date: 6/22/15 Time: Start 9:30 am/pm  
 Project No: 60266526 Finish 10:00 am/pm  
 Site Location: Wards north  
 Weather Conds: 80's F clear + breeze Collector(s): SC

### 1. WATER LEVEL DATA: (measured from Top of Casing)

a. Total Well Length: 350 ft c. Length of Water Column: 317.88 ft Casing Diameter/Material  
4-inch PVC  
 b. Water Table Depth: 32.12 ft d. Calculated System Volume (see back) 15.1 gal purge

### 2. WELL PURGE DATA

a. Purge Method: Geotech bladder pump with drop tube assembly

b. Acceptance Criteria defined (see workplan)

- Temperature ± 3%
- D.O. ± 10% (values >0.5 mg/L)
- Turbidity ± 10%
- pH ± 0.1 unit
- ORP ± 10mV
- Remove a minimum 1 screen volume
- Sp. Cond. ± 3%
- Drawdown <0.3'

c. Field Testing Equipment used:

Make	Model	Serial Number
<u>YSI 556 mps</u>		<u>24721</u>
<u>Hunny</u>		<u>67982</u>

Time (24hr)	Volume Removed (liters)	Temp (°C)	pH	Sp. Cond. (mS/cm)	DO (mg/L)	ORP (mV)	Turbidity (NTU)	Flow Rate (ml/min)	Depth to water (ft)	Color / Odor
<u>835</u>		<u>15.40</u>	<u>4.67</u>	<u>0.101</u>	<u>5.84</u>	<u>402.9</u>	<u>-</u>	<u>650</u>	<u>32.17</u>	<u>clear/none</u>
<u>840</u>		<u>15.66</u>	<u>4.15</u>	<u>0.097</u>	<u>0.26</u>	<u>383.7</u>	<u>0.50</u>	<u>650</u>	<u>32.17</u>	<u>"</u>
<u>850</u>		<u>15.50</u>	<u>4.19</u>	<u>0.097</u>	<u>0.15</u>	<u>367.4</u>	<u>-</u>	<u>650</u>	<u>32.20</u>	<u>"</u>
<u>900</u>	<u>8 gal</u>	<u>15.08</u>	<u>4.19</u>	<u>0.097</u>	<u>0.11</u>	<u>351.8</u>	<u>1.59</u>	<u>800</u>	<u>32.19</u>	<u>"</u>
<u>910</u>		<u>15.48</u>	<u>4.20</u>	<u>0.097</u>	<u>0.15</u>	<u>350.8</u>	<u>1.14</u>	<u>850</u>	<u>32.19</u>	<u>"</u>
<u>922</u>	<u>10 gal</u>	<u>15.48</u>	<u>4.21</u>	<u>0.096</u>	<u>0.14</u>	<u>344.5</u>	<u>1.07</u>	<u>850+</u>	<u>32.19</u>	<u>"</u>
<u>930</u>		<u>15.43</u>	<u>4.20</u>	<u>0.098</u>	<u>0.14</u>	<u>352.7</u>	<u>-</u>	<u>850+</u>	<u>32.19</u>	<u>"</u>

d. Acceptance criteria pass/fail

	Yes	No	N/A
Has required volume been removed	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Has required turbidity been reached	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Have parameters stabilized	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

(continued on back)

If no or N/A - Explain below.

### 3. SAMPLE COLLECTION:

Method: Geotech bladder pump with drop tube assembly

Sample ID	Container type	No. of containers	Preservation	Analysis Req.	Time
<u>TT101D-GW-06222015</u>	<u>40-mL vials</u>	<u>3</u>	<u>HCl</u>	<u>VOCs</u>	<u>940</u>
<u>TT101D-GW-06222015</u>	<u>1-L amber</u>	<u>2</u>	<u>none</u>	<u>1,4-Dioxane</u>	<u>940</u>

Comments

Signature





RESOLUTION  
CONSULTANTS

Well ID: TT 101 DI

# Low Flow Ground Water Sample Collection Record

Client: Navy NWIRP Bethpage Date: 6/22/15 Time: Start 0840 am/pm  
 Project No: 60266526 Finish 1000 am/pm  
 Site Location: Winds north  
 Weather Conds: 80's F, clear, breezy Collector(s): G. Hicks

### 1. WATER LEVEL DATA: (measured from Top of Casing)

- a. Total Well Length: 595 ft      c. Length of Water Column: 561.06 ft      Casing Diameter/Material: 4-inch PVC  
 b. Water Table Depth: 33.94 ft      d. Calculated System Volume (see back): 13.1 gal

### 2. WELL PURGE DATA

- a. Purge Method: Geotech bladder pump with drop tube assembly

b. Acceptance Criteria defined (see workplan)

- Temperature ± 3%
- D.O. ± 10% (values >0.5 mg/L)
- Turbidity ± 10%
- pH ± 0.1 unit
- ORP ± 10mV
- Remove a minimum 1 screen volume
- Sp. Cond. ± 3%
- Drawdown <0.3'

c. Field Testing Equipment used:

Make	Model	Serial Number
<u>YSI</u>	<u>556 mps</u>	<u>22091</u>
<u>HANNA</u>	<u>HI 98703</u>	<u>U54034X</u>

Time (24hr)	Volume Removed (liters)	Temp (°C)	pH	Sp. Cond. (µS/cm)	DO (mg/L)	ORP (mV)	Turbidity (NTU)	Flow Rate (ml/min)	Depth to water (ft)	Color / Odor
<u>0845</u>	<u>2</u>	<u>15.41</u>	<u>4.20</u>	<u>108</u>	<u>1.05</u>	<u>373.4</u>	<u>1.14</u>	<u>1000</u>	<u>33.99</u>	<u>clear none</u>
<u>0850</u>	<u>11</u>	<u>15.35</u>	<u>4.20</u>	<u>108</u>	<u>0.79</u>	<u>349.4</u>	<u>3.45</u>	<u>800</u>	<u>34.02</u>	<u>"</u>
<u>0855</u>	<u>14</u>	<u>15.34</u>	<u>4.23</u>	<u>108</u>	<u>0.75</u>	<u>352.0</u>	<u>2.46</u>	<u>800</u>	<u>34.03</u>	<u>"</u>
<u>0900</u>	<u>18</u>	<u>15.35</u>	<u>4.27</u>	<u>108</u>	<u>0.77</u>	<u>361.4</u>	<u>2.58</u>	<u>800</u>	<u>34.03</u>	<u>"</u>
<u>0905</u>	<u>23</u>	<u>15.35</u>	<u>4.31</u>	<u>109</u>	<u>0.88</u>	<u>372.4</u>	<u>2.02</u>	<u>800</u>	<u>34.04</u>	<u>"</u>
<u>0910</u>	<u>28</u>	<u>15.34</u>	<u>4.41</u>	<u>108</u>	<u>0.87</u>	<u>380.7</u>	<u>0.98</u>	<u>1000</u>	<u>34.05</u>	<u>"</u>
<u>0915</u>	<u>32</u>	<u>15.35</u>	<u>4.44</u>	<u>108</u>	<u>0.86</u>	<u>382.0</u>	<u>1.14</u>	<u>1000</u>	<u>34.02</u>	<u>"</u>

d. Acceptance criteria pass/fail

- Has required volume been removed  Yes  No  N/A
- Has required turbidity been reached  Yes  No  N/A
- Have parameters stabilized  Yes  No  N/A

If no or N/A - Explain below.

(continued on back)

### 3. SAMPLE COLLECTION:


Method: Geotech bladder pump with drop tube assembly

Sample ID	Container type	No. of containers	Preservation	Analysis Req.	Time
<u>TT101DI - Gw - 062215</u>	<u>40-mL vials</u>	<u>3</u>	<u>HCl</u>	<u>VOCs</u>	<u>0940</u>
<u>TT101DI - Gw - 062215</u>	<u>1-L amber</u>	<u>2</u>	<u>none</u>	<u>1,4-Dioxane</u>	<u>0940</u>

Comments \_\_\_\_\_

Signature \_\_\_\_\_

Purge Volume Calculation



Volume / Linear Ft. of Pipe		
ID (in)	Gallon	Liter
0.25	0.0025	0.0097
0.375	0.0057	0.0217
0.5	0.0102	0.0386
0.75	0.0229	0.0869
1	0.0408	0.1544
1.25	0.0637	0.2413
1.5	0.0918	0.3475
2	0.1632	0.6178
2.5	0.2550	0.9653
3	0.3672	1.3900
4	0.6528	2.4711
6	1.4688	5.5600

1 screen volume

15 ft = 37.1 L / 9.8 G  
 20 ft = 49.6 L / 13.1 G  
 25 ft = 61.7 L / 16.3 G

SG = 18.9 L

Well ID: TT101D1 (570-590 screen)

(continued from front)

Time (24 hr)	Volume Removed (Liters)	Temp (°C)	pH	Spec. Cond. (mS/cm)	DO (mg/L)	ORP (mV)	Turbidity (NTU)	Flow Rate (ml/min)	Depth to water (ft)	Color/Odor
1020	36	15.32	4.46	108	0.89	383.6	0.83	1000	34.04	clear/none
1025	39	15.32	4.49	109	0.87	382.3	0.77	1000	34.05	"
1030	41	15.32	4.52	108	0.86	383.0	0.66	1000	34.05	"
0935	46	15.29	4.52	108	0.85	382.4	0.72	1000	34.05	"
0940	51	15.29	4.52	108	0.	382.9	0.69	1000	34.05	"



RESOLUTION  
CONSULTANTS

Well ID: TT-101-02

# Low Flow Ground Water Sample Collection Record

Client: Navy NWIRP Bethpage Date: 6/22/15 Time: Start 8:15 am/pm  
 Project No: 60266526 Finish 9:45 am/pm  
 Site Location: Mad's unorth  
 Weather Conds: Sunny 75° Collector(s): Paul Kureth

## 1. WATER LEVEL DATA: (measured from Top of Casing)

a. Total Well Length: 260 ft c. Length of Water Column: 225.55 ft Casing Diameter/Material  
4-inch PVC  
 b. Water Table Depth: 34.45 ft d. Calculated System Volume (see back) 13.1 gal

## 2. WELL PURGE DATA

a. Purge Method: Geotech bladder pump with drop tube assembly

b. Acceptance Criteria defined (see workplan)

- Temperature ± 3%
- D.O. ± 10% (values >0.5 mg/L)
- Turbidity ± 10%
- pH ± 0.1 unit
- ORP ± 10mV
- Remove a minimum 1 screen volume
- Sp. Cond. ± 3%
- Drawdown <0.3'

c. Field Testing Equipment used:

Make	Model	Serial Number
<u>YSI</u>	<u>556</u>	<u>24720</u>
<u>Hanna</u>	<u>98703</u>	<u>63982</u>

Time (24hr)	Volume Removed (liters)	Temp (°C)	pH	Sp. Cond. (mS/cm)	DO (mg/L)	ORP (mV)	Turbidity (NTU)	Flow Rate (ml/min)	Depth to water (ft)	Color / Odor
<u>820</u>									<u>34.45</u>	
<u>830</u>								<u>1,000</u>		<u>OH</u>
<u>835</u>		<u>15.68</u>	<u>4.22</u>	<u>0.055</u>	<u>1.86</u>	<u>418.1</u>	<u>0.55</u>		<u>34.49</u>	
<u>840</u>		<u>15.51</u>	<u>4.25</u>	<u>0.053</u>	<u>2.87</u>	<u>415.7</u>				
<u>845</u>		<u>15.44</u>	<u>4.26</u>	<u>0.052</u>	<u>3.41</u>	<u>409.1</u>				
<u>850</u>		<u>15.43</u>	<u>4.26</u>	<u>1.052</u>	<u>3.95</u>	<u>417.5</u>	<u>0.60</u>	<u>1000</u>	<u>34.58</u>	
<u>855</u>	<u>1992</u>	<u>15.42</u>	<u>4.26</u>	<u>0.052</u>	<u>6.58</u>	<u>426.0</u>				

d. Acceptance criteria pass/fail

- Has required volume been removed
- Has required turbidity been reached
- Have parameters stabilized

Yes No N/A

(continued on back)

If no or N/A - Explain below.

## 3. SAMPLE COLLECTION:

Method: Geotech bladder pump with drop tube assembly

Sample ID	Container type	No. of containers	Preservation	Analysis Req.	Time
<u>TT10102-GW-062215</u>	<u>40-mL vials</u>	<u>3</u>	<u>HCl</u>	<u>VOCs</u>	<u>9:25</u>
<u>TT10102-GW-062215</u>	<u>1-L amber</u>	<u>2</u>	<u>none</u>	<u>1,4-Dioxane</u>	<u>9:29</u>

Comments

Duplicate - GW-062215 @ 1030

Signature

Paul Kureth





RESOLUTION CONSULTANTS

Well ID: RE 10301

# Low Flow Ground Water Sample Collection Record

Client: Navy NWIRP Bethpage Date: 6/22/15 Time: Start 1100 am/pm  
 Project No: 60266526 Finish 1330 am/pm  
 Site Location: Avoca & Martin  
 Weather Conds: Sunny 75° Collector(s): Paul Kaneth

### 1. WATER LEVEL DATA: (measured from Top of Casing)

a. Total Well Length: 645 ft c. Length of Water Column: 606.23 ft Casing Diameter/Material: 4-inch PVC  
 b. Water Table Depth: 387.7 ft d. Calculated System Volume (see back): 9.8 gal / 15 ft screen

### 2. WELL PURGE DATA

a. Purge Method: Geotech bladder pump with drop tube assembly  
 b. Acceptance Criteria defined (see workplan)  
 - Temperature ± 3% - D.O. ± 10% (values >0.5 mg/L) - Turbidity ± 10%  
 - pH ± 0.1 unit - ORP ± 10mV - Remove a minimum 1 screen volume  
 - Sp. Cond. ± 3% - Drawdown <0.3'

c. Field Testing Equipment used:

Make	Model	Serial Number
YST	556	22091
Hanna	H198703	63982

Time (24hr)	Volume Removed (liters)	Temp (°C)	pH	Sp. Cond. (mS/cm)	DO (mg/L)	ORP (mV)	Turbidity (NTU)	Flow Rate (ml/min)	Depth to water (ft)	Color / Odor
1110									38.77	
1125										OX
1135		17.57	5.45	0.112	2.54	310.7		450	38.75	
1140		17.01	5.40	0.113	1.36	304.4				
1145		17.05	5.38	0.112	1.13	302.4	0.30		38.77	
1150		16.91	5.31	1.115	1.78	307.4		456		
1155		17.04	5.14	0.118	2.65	323.5	0.26		38.75	

d. Acceptance criteria pass/fail

	Yes	No	N/A
Has required volume been removed	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Has required turbidity been reached	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Have parameters stabilized	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

If no or N/A - Explain below.

### 3. SAMPLE COLLECTION:


Method: Geotech bladder pump with drop tube assembly

Sample ID	Container type	No. of containers	Preservation	Analysis Req.	Time
RE10301-GW-062215	40-mL vials	3	HCl	VOCs	1245
RE10301-GW-062215	1-L amber	2	none	1,4-Dioxane	1245

Comments: MS/MSD

Signature: Paul Kaneth

Purge Volume Calculation



Volume / Linear Ft. of Pipe		
ID (in)	Gallon	Liter
0.25	0.0025	0.0097
0.375	0.0057	0.0217
0.5	0.0102	0.0386
0.75	0.0229	0.0869
1	0.0408	0.1544
1.25	0.0637	0.2413
1.5	0.0918	0.3475
2	0.1632	0.6178
2.5	0.2550	0.9653
3	0.3672	1.3900
4	0.6528	2.4711
6	1.4688	5.5600

1 screen volume  
 15 ft = 37.1 L / 9.8 G  
 20 ft = 49.6 L / 13.1 G  
 25 ft = 61.7 L / 16.3 G

Well ID: RE10301 @ 11:25

(continued from front)

Time (24 hr)	Volume Removed		Temp (°C)	pH	Spec. Cond. (mS/cm)	DO (mg/L)	ORP (mV)	Turbidity (NTU)	Flow Rate (ml/min)	Depth to water (ft)	Color/Odor
	(Liters)										
1200			17.09	5.08	0.120	2.77	333.1				
1205	5 gal		17.06	5.13	0.120	2.89	338.1				
1210			17.00	5.06	0.120	2.95	344.0	0.16	450		
1215			16.98	5.05	0.120	2.97	346.2			38.77	
1220			16.94	5.07	0.121	3.01	347.5				
1225			16.97	5.12	0.121	3.06	346.3	0.15			
1230			17.04	5.08	0.121	3.13	349.2				
1235			17.03	5.08	0.122	3.16	348.8			38.73	
1240	10 gal		17.05	5.07	0.122	3.16	350.1	0.20	450		
1245											Sample
											MS/MSD





RESOLUTION CONSULTANTS

Well ID: RE10302

# Low Flow Ground Water Sample Collection Record

Client: Navy NWIRP Bethpage Date: 6/22/15 Time: Start 1150 am/pm  
 Project No: 60266526 Finish 1115 am/pm  
 Site Location: RE10302  
 Weather Conds: Sunny 80°F Collector(s): G. Hicks

### 1. WATER LEVEL DATA: (measured from Top of Casing)

- a. Total Well Length: 673 ft
- c. Length of Water Column: 634.48 ft
- Casing Diameter/Material: 4-inch PVC
- b. Water Table Depth: 38.52 ft
- d. Calculated System Volume (see back): 13.1 gal

### 2. WELL PURGE DATA

- a. Purge Method: Geotech bladder pump with drop tube assembly
- b. Acceptance Criteria defined (see workplan)
  - Temperature ± 3%
  - D.O. ± 10% (values >0.5 mg/L)
  - Turbidity ± 10%
  - pH ± 0.1 unit
  - ORP ± 10mV
  - Remove a minimum 1 screen volume
  - Sp. Cond. ± 3%
  - Drawdown <0.3'

c. Field Testing Equipment used:

Make	Model	Serial Number
YSI	SS6 mps	RAW 24721
HANNA	HI 98703	RNT1532622

Time (24hr)	Volume Removed (liters)	Temp (°C)	pH	Sp. Cond. (µS/cm)	DO (mg/L)	ORP (mV)	Turbidity (NTU)	Flow Rate (ml/min)	Depth to water (ft)	Color / Odor
1155	1	20.51	/	0.039	4.19	1138.5	21.2	259	38.52	Clear/none
1200	2	20.32	/	0.038	3.67	1138.6	21.0	200	38.52	"
1205	4	20.07	/	0.046	3.47	1138.6	20.9	200	38.52	"
1210	7	20.25	/	0.045	3.65	1142.6	1.38	200	38.51	"
1215	8	18.96	/	0.044	3.82	1145.4	1.12	400	38.52	"
1225	11	19.04	/	0.043	4.49	1153.2	1.69	350	38.52	"
1235	13	19.09	/	0.035	5.73	1169.2	1.25	350	38.51	"

- d. Acceptance criteria pass/fail
- |                                     |                                     |                          |                          |                     |
|-------------------------------------|-------------------------------------|--------------------------|--------------------------|---------------------|
|                                     | Yes                                 | No                       | N/A                      | (continued on back) |
| Has required volume been removed    | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |                     |
| Has required turbidity been reached | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |                     |
| Have parameters stabilized          | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |                     |
- If no or N/A - Explain below.

### 3. SAMPLE COLLECTION:


Method: Geotech bladder pump with drop tube assembly

Sample ID	Container type	No. of containers	Preservation	Analysis Req.	Time
RE10302-GW-062215	40-mL vials	3	HCl	VOCs	1415
RE10302-GW-062215	1-L amber	2	none	1,4-Dioxane	1415

Comments: 1155 pH sensor not functioning

Signature

Purge Volume Calculation



ID (in)	Gallon	Liter
0.25	0.0025	0.0097
0.375	0.0057	0.0217
0.5	0.0102	0.0386
0.75	0.0229	0.0869
1	0.0408	0.1544
1.25	0.0637	0.2413
1.5	0.0918	0.3475
2	0.1632	0.6178
2.5	0.2550	0.9653
3	0.3672	1.3900
4	0.6528	2.4711
6	1.4688	5.5600

1 screen volume  
 15 ft = 37.1 L / 9.8 G  
 20 ft = 49.6 L / 13.1 G  
 25 ft = 61.7 L / 16.3 G

Well ID: RE10302 Screen 653-673 Fggs

(continued from front)

Time (24 hr)	Volume Removed (Liters)	Temp (°C)	pH	Spec. Cond. (mS/cm)	DO (mg/L)	ORP (mV)	Turbidity (NTU)	Flow Rate (ml/min)	Depth to water (ft)	Color/Odor
1245	16	19.00	-	0.036	6.39	1175.6	7.06	350	38.51	Clear/none
1255	21	18.86	/	0.037	6.45	1178.0	0.90	350	38.50	"
1305	27.25	18.71	/	0.037	6.48	1174.1	1.38	350	38.51	"
1315	28	18.67	/	0.037	6.47	1177.0	0.77	350	38.51	"
1325	32	18.64	-	0.037	6.47	1174.6	0.26	350	38.50	"
1335	34	18.62	-	0.037	6.49	1173.9	0.27	350	38.51	"
1345	38	18.68	-	0.036	6.47	1172.9	0.25	400	38.52	"
1355	43	18.48	-	0.038	6.22	1174.8	0.87	400	38.52	"
1405	46	18.47	-	0.038	6.12	1174.4	0.36	400	38.52	"
1415	50	18.47	-	0.037	6.11	1173.8	0.28	400	38.52	"



RESOLUTION CONSULTANTS

Well ID: RE103D3

# Low Flow Ground Water Sample Collection Record

Client: Navy NWIRP Bethpage Date: 6/22/15 Time: Start 1130 am/pm  
 Project No: 60266526 Finish 1430 am/pm  
 Site Location: Avoca + Martin  
 Weather Conds: 90°F clear Collector(s): JC

### 1. WATER LEVEL DATA: (measured from Top of Casing)

a. Total Well Length: 735 ft c. Length of Water Column: 696.25 ft Casing Diameter/Material: 4-inch PVC  
 b. Water Table Depth: 38.75 ft d. Calculated System Volume (see back): 9.8 gal.

### 2. WELL PURGE DATA

a. Purge Method: Geotech bladder pump with drop tube assembly

b. Acceptance Criteria defined (see workplan)

- Temperature ± 3%
- D.O. ± 10% (values >0.5 mg/L)
- Turbidity ± 10%
- pH ± 0.1 unit
- ORP ± 10mV
- Remove a minimum 1 screen volume
- Sp. Cond. ± 3%
- Drawdown <0.3'

c. Field Testing Equipment used:

Make	Model	Serial Number
YSI	SS6 MPS	24720
Hanna	HI98703	63982

Time (24hr)	Volume Removed (liters)	Temp (°C)	pH	Sp. Cond. (mS/cm)	DO (mg/L)	ORP (mV)	Turbidity (NTU)	Flow Rate (ml/min)	Depth to water (ft)	Color / Odor
1145		18.30	5.07	0.058	3.94	385.4	-	250	38.82	clear / none
1155		17.93	4.88	0.057	3.56	392.4	9.55	250	38.82	"
1200		17.98	4.92	0.057	3.36	387.6	6.36	250	38.82	"
1210		17.44	4.84	0.057	3.28	392.5	3.68	250	38.82	"
1220		17.86	4.75	0.057	3.31	394.8	4.69	250	38.83	"
1230		17.70	4.50	0.056	3.39	405.7	3.35	250	38.84	"
1240		17.77	4.48	0.057	3.80	411.2	-	250	38.84	"

d. Acceptance criteria pass/fail

Has required volume been removed	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Has required turbidity been reached	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Have parameters stabilized	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

(continued on back)

If no or N/A - Explain below.

### 3. SAMPLE COLLECTION:


Method: Geotech bladder pump with drop tube assembly

Sample ID	Container type	No. of containers	Preservation	Analysis Req.	Time
RE103D3-GW-06222015	40-mL vials	3	HCl	VOCs	1420
RE103D3-GW-06222015	1-L amber	2	none	1,4-Dioxane	1420

Comments

Signature

Purge Volume Calculation



Volume / Linear Ft. of Pipe		
ID (in)	Gallon	Liter
0.25	0.0025	0.0097
0.375	0.0057	0.0217
0.5	0.0102	0.0386
0.75	0.0229	0.0869
1	0.0408	0.1544
1.25	0.0637	0.2413
1.5	0.0918	0.3475
2	0.1632	0.6178
2.5	0.2550	0.9653
3	0.3672	1.3900
4	0.6528	2.4711
6	1.4688	5.5600

1 screen volume  
 15 ft = 37.1 L / 9.8 G  
 20 ft = 49.6 L / 13.1 G  
 25 ft = 61.7 L / 16.3 G

Well ID: RE103D3

(continued from front)

Time (24 hr)	Volume Removed (Liters)	Temp (°C)	pH	Spec. Cond. (mS/cm)	DO (mg/L)	ORP (mV)	Turbidity (NTU)	Flow Rate (ml/min)	Depth to water (ft)	Color/Odor
1250		17.75	4.46	0.036	3.98	413.2	1.33	250	38.83	"
1300		17.84	4.39	0.036	4.02	418.9	-	-	38.83	"
1310		17.17	4.43	0.036	4.04	415.5	1.25	250	38.87	"
1320		17.91	4.42	0.037	4.02	416.1	1.27	250	38.82	"
1330		17.89	4.41	0.037	4.00	412.1	-	250	38.82	"
1340		17.76	4.36	0.036	4.00	414.8	1.15	250	38.82	"
1350		16.82	4.54	0.037	3.92	404.0	-	200	38.82	"
1400		16.40	3.83	0.037	4.43	460.7	1.21	250	38.82	"
1410		16.29	3.66	0.037	5.59	465.1	-	250	38.82	"
1415		16.32	3.82	0.038	5.41	486.9	0.77	250	38.82	"
1420										Sampled



RESOLUTION  
CONSULTANTS

Well ID: RE104D1

# Low Flow Ground Water Sample Collection Record

Client: Navy NWIRP Bethpage Date: 6/23/15 Time: Start 8:35 am/pm  
 Project No: 60266526 Finish 10:55 am/pm  
 Site Location: Effel Gate + Hilltop  
 Weather Conds: 90's Hazy Collector(s): SC

## 1. WATER LEVEL DATA: (measured from Top of Casing)

a. Total Well Length: 375 ft c. Length of Water Column: 339.89 ft Casing Diameter/Material  
4-inch PVC  
 b. Water Table Depth: 35.11 ft d. Calculated System Volume (see back) 13.1 gal

## 2. WELL PURGE DATA

a. Purge Method: Geotech bladder pump with drop tube assembly

b. Acceptance Criteria defined (see workplan)

- Temperature  $\pm$  3%
- D.O.  $\pm$  10% (values >0.5 mg/L)
- Turbidity  $\pm$  10%
- pH  $\pm$  0.1 unit
- ORP  $\pm$  10mV
- Remove a minimum 1 screen volume
- Sp. Cond.  $\pm$  3%
- Drawdown <0.3'

c. Field Testing Equipment used:

Make	Model	Serial Number
<u>YSI</u>	<u>556 MP</u>	
<u>Hanna</u>	<u>H198703</u>	

Time (24hr)	Volume Removed (liters)	Temp (°C)	pH	Sp. Cond. (mS/cm)	DO (mg/L)	ORP (mV)	Turbidity (NTU)	Flow Rate (ml/min)	Depth to water (ft)	Color / Odor
<u>840</u>		<u>17.98</u>	<u>4.67</u>	<u>0.097</u>	<u>13.28</u>	<u>384.0</u>	<u>1.97</u>	<u>550</u>	<u>35.15</u>	<u>clear / none</u>
<u>850</u>		<u>17.14</u>	<u>4.31</u>	<u>0.096</u>	<u>8.11</u>	<u>401.5</u>	<u>-</u>	<u>550</u>	<u>35.15</u>	<u>"</u>
<u>0900</u>		<u>17.08</u>	<u>4.18</u>	<u>0.098</u>	<u>6.60</u>	<u>410.8</u>	<u>1.88</u>	<u>500</u>	<u>35.17</u>	<u>"</u>
<u>910</u>		<u>16.91</u>	<u>4.30</u>	<u>0.096</u>	<u>6.15</u>	<u>421.7</u>	<u>-</u>	<u>500</u>	<u>35.17</u>	<u>"</u>
<u>920</u>	<u>521</u>	<u>16.89</u>	<u>4.24</u>	<u>0.095</u>	<u>5.80</u>	<u>423.4</u>	<u>1.65</u>	<u>525</u>	<u>35.18</u>	<u>"</u>
<u>930</u>		<u>16.87</u>	<u>4.07</u>	<u>0.096</u>	<u>5.61</u>	<u>429.2</u>	<u>-</u>	<u>600</u>	<u>35.18</u>	<u>"</u>
<u>940</u>		<u>16.83</u>	<u>4.26</u>	<u>0.096</u>	<u>5.21</u>	<u>435.2</u>	<u>0.79</u>	<u>625</u>	<u>35.17</u>	<u>"</u>

d. Acceptance criteria pass/fail

Has required volume been removed	Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input type="checkbox"/>
Has required turbidity been reached	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Have parameters stabilized	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

(continued on back)

If no or N/A - Explain below.

## 3. SAMPLE COLLECTION:


Method: Geotech bladder pump with drop tube assembly

Sample ID	Container type	No. of containers	Preservation	Analysis Req.	Time
<u>RE104D1-GW-06232015</u>	<u>40-mL vials</u>	<u>3</u>	<u>HCl</u>	<u>VOCs</u>	<u>1027</u>
<u>RE104D1-GW-06232015</u>	<u>1-L amber</u>	<u>2</u>	<u>none</u>	<u>1,4-Dioxane</u>	<u>1027</u>

Comments

Signature

# Purge Volume Calculation



Volume / Linear Ft. of Pipe		
ID (in)	Gallon	Liter
0.25	0.0025	0.0097
0.375	0.0057	0.0217
0.5	0.0102	0.0386
0.75	0.0229	0.0869
1	0.0408	0.1544
1.25	0.0637	0.2413
1.5	0.0918	0.3475
2	0.1632	0.6178
2.5	0.2550	0.9653
3	0.3672	1.3900
4	0.6528	2.4711
6	1.4688	5.5600

1 screen volume

15 ft = 37.1 L / 9.8 G  
 20 ft = 49.6 L / 13.1 G  
 25 ft = 61.7 L / 16.3 G

Well ID: RE 104 D1

(continued from front)

Time (24 hr)	Volume Removed (Liters)	Temp (°C)	pH	Spec. Cond. (mS/cm)	DO (mg/L)	ORP (mV)	Turbidity (NTU)	Flow Rate (ml/min)	Depth to water (ft)	Color/Odor
9:50		16.70	3.95	0.096	6.23	440.8	-	600	35.15	"
10:00	109.1	16.94	4.01	0.098	5.45	446.9	0.41	600	35.17	"
10:10		16.84	4.02	0.096	5.55	446.1	0.38	600	35.16	"
10:20	126	16.70	4.05	0.095	5.55	445.7	0.36	600	35.15	"
10:27										Summary



RESOLUTION CONSULTANTS

Well ID: RE104 D2

# Low Flow Ground Water Sample Collection Record

Client: Navy NWIRP Bethpage Date: 6/23/15 Time: Start 0820 am/pm  
 Project No: 60266526 Finish 0950 am/pm  
 Site Location: \_\_\_\_\_  
 Weather Conds: 80s, SUN, HOT/HUMID Collector(s): S. WRIGHT

**1. WATER LEVEL DATA: (measured from Top of Casing)** 710-730 → SCREEN  
 a. Total Well Length: 735 ft c. Length of Water Column: 694.10 ft Casing Diameter/Material 4-inch PVC  
 b. Water Table Depth: 40.90 ft d. Calculated System Volume (see back) 13.1 GALLONS

**2. WELL PURGE DATA**  
 a. Purge Method: Geotech bladder pump with drop tube assembly  
 b. Acceptance Criteria defined (see workplan)  
 - Temperature ± 3% - D.O. ± 10% (values >0.5 mg/L) - Turbidity ± 10%  
 - pH ± 0.1 unit - ORP ± 10mV - Remove a minimum 1 screen volume  
 - Sp. Cond. ± 3% - Drawdown <0.3'

c. Field Testing Equipment used:

Make	Model	Serial Number
<u>YSI</u>	<u>556 MPS</u>	<u>24721</u>
<u>Hanna</u>	<u>HI 98703</u>	<u>1532622</u>

Time (24hr)	Volume Removed (liters)	Temp (°C)	pH	Sp. Cond. (mS/cm)	DO (mg/L)	ORP (mV)	Turbidity (NTU)	Flow Rate (ml/min)	Depth to water (ft)	Color / Odor
0830	-	16.45	<del>NR</del>	0.031	8.13	554.1	5.38	700	40.90	CLEAR/NONE
0840	7	15.28		0.030	5.93	606.3	7.26	700	40.95	" "
0850	14	15.26		0.028	6.22	552.4	6.94	700	41.00	" "
0900	21	15.25		0.026	6.61	520.9	11.13	700	40.95	" "
0910	28	15.28		0.026	6.85	507.5	6.09	700	40.75	" "
0920	35	15.26		0.026	6.88	504.7	6.11	750	40.70	" "
0930	43	15.30		0.026	6.90	495.2	6.34	750	40.65	" "

d. Acceptance criteria pass/fail

	Yes	No	N/A
Has required volume been removed	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Has required turbidity been reached	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Have parameters stabilized	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

If no or N/A - Explain below.


**3. SAMPLE COLLECTION:** Method: Geotech bladder pump with drop tube assembly

Sample ID	Container type	No. of containers	Preservation	Analysis Req.	Time
<u>RE104D2-6W-062315</u>	<u>40-mL vials</u>	<u>3</u>	<u>HCl</u>	<u>VOCs</u>	<u>0950</u>
	<u>1-L amber</u>	<u>2</u>	<u>none</u>	<u>1,4-Dioxane</u>	<u>0950</u>

Comments: PH CALIBRATED FINE BUT READING INCORRECTLY @ WELL

Signature:

# Purge Volume Calculation



Volume / Linear Ft. of Pipe		
ID (in)	Gallon	Liter
0.25	0.0025	0.0097
0.375	0.0057	0.0217
0.5	0.0102	0.0386
0.75	0.0229	0.0869
1	0.0408	0.1544
1.25	0.0637	0.2413
1.5	0.0918	0.3475
2	0.1632	0.6178
2.5	0.2550	0.9653
3	0.3672	1.3900
4	0.6528	2.4711
6	1.4688	5.5600

1 screen volume

15 ft = 37.1 L / 9.8 G  
 20 ft = 49.6 L / 13.1 G  
 25 ft = 61.7 L / 16.3 G

Well ID: RE104DZ

(continued from front)

Time (24 hr)	Volume		Temp (°C)	pH	Spec. Cond. (mS/cm)	DO (mg/L)	ORP (mV)	Turbidity (NTU)	Flow Rate (ml/min)	Depth to water (ft)	Color/Odor
	Removed (Liters)										
0940	50		15.25		0.026	6.95	506.8	6.10	700	40.60	clear / none
0950	5A		-		-	-	-	-	-	-	-





RESOLUTION  
CONSULTANTS

Well ID: RE104D3

# Low Flow Ground Water Sample Collection Record

Client: Navy NWIRP Bethpage Date: 6 / 23 / 15 Time: Start 0825 am/pm  
 Project No: 60266526 Finish 1010 am/pm  
 Site Location: RE104D3  
 Weather Conds: 80°F, sunny Collector(s): G. Hicks

## 1. WATER LEVEL DATA: (measured from Top of Casing)

a. Total Well Length: 785 ft c. Length of Water Column: 743.55 ft Casing Diameter/Material  
4-inch PVC  
 b. Water Table Depth: 41.45 ft d. Calculated System Volume (see back) 13.1 gal

## 2. WELL PURGE DATA

a. Purge Method: Geotech bladder pump with drop tube assembly

b. Acceptance Criteria defined (see workplan)

- Temperature ± 3%
- D.O. ± 10% (values >0.5 mg/L)
- Turbidity ± 10%
- pH ± 0.1 unit
- ORP ± 10mV
- Remove a minimum 1 screen volume
- Sp. Cond. ± 3%
- Drawdown <0.3'

c. Field Testing Equipment used:

Make	Model	Serial Number
<u>YSI</u>	<u>SS6-PS</u>	<u>RFW 22091</u>
<u>HANNA</u>	<u>HI 98703</u>	<u>RNT 1532622</u>

Time (24hr)	Volume Removed (liters)	Temp (°C)	pH	Sp. Cond. (mS/cm)	DO (mg/L)	ORP (mV)	Turbidity (NTU)	Flow Rate (ml/min)	Depth to water (ft)	Color / Odor
<u>0830</u>	<u>1</u>	<u>17.09</u>	<u>3.96</u>	<u>0.033</u>	<u>23.56</u>	<u>373.8</u>	<u>4.93</u>	<u>200</u>	<u>41.59</u>	<u>clear / none</u>
<u>0840</u>	<u>7</u>	<u>17.27</u>	<u>4.01</u>	<u>0.031</u>	<u>7.46</u>	<u>396.4</u>	<u>5.68</u>	<u>500</u>	<u>41.65</u>	<u>"</u>
<u>0850</u>	<u>13</u>	<u>16.60</u>	<u>3.89</u>	<u>0.029</u>	<u>7.00</u>	<u>412.4</u>	<u>5.22</u>	<u>500</u>	<u>41.70</u>	<u>"</u>
<u>0900</u>	<u>20</u>	<u>16.39</u>	<u>3.95</u>	<u>0.028</u>	<u>6.44</u>	<u>412.4</u>	<u>1.28</u>	<u>500</u>	<u>41.70</u>	<u>"</u>
<u>0910</u>	<u>25</u>	<u>16.70</u>	<u>4.60</u>	<u>0.029</u>	<u>6.43</u>	<u>380.5</u>	<u>12.6</u>	<u>500</u>	<u>41.70</u>	<u>"</u>
<u>0920</u>	<u>27</u>	<u>16.58</u>	<u>4.15</u>	<u>0.028</u>	<u>6.28</u>	<u>402.8</u>	<u>15.9</u>	<u>500</u>	<u>41.50</u>	<u>"</u>
<u>0930</u>	<u>36</u>	<u>16.41</u>	<u>4.14</u>	<u>0.028</u>	<u>5.19</u>	<u>352.1</u>	<u>15.9</u>	<u>500</u>	<u>41.15</u>	<u>"</u>

d. Acceptance criteria pass/fail

	Yes	No	N/A
Has required volume been removed	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Has required turbidity been reached	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Have parameters stabilized	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

(continued on back)

If no or N/A - Explain below.

## 3. SAMPLE COLLECTION:

Method: Geotech bladder pump with drop tube assembly

Sample ID	Container type	No. of containers	Preservation	Analysis Req.	Time
<u>RE104D3. Gw. 062315</u>	<u>40-mL vials</u>	<u>3</u>	<u>HCl</u>	<u>VOCs</u>	<u>1010</u>
<u>RE104D3. Gw. 062315</u>	<u>1-L amber</u>	<u>2</u>	<u>none</u>	<u>1,4-Dioxane</u>	<u>1010</u>

Comments

Signature





RESOLUTION CONSULTANTS

Well ID: RE105D1

# Low Flow Ground Water Sample Collection Record

Client: Navy NWIRP Bethpage Date: 6/23/15 Time: Start 1230 am/pm  
 Project No: 60266526 Finish 1430 am/pm  
 Site Location: RF-105  
 Weather Conds: \_\_\_\_\_ Collector(s): \_\_\_\_\_

### 1. WATER LEVEL DATA: (measured from Top of Casing)

a. Total Well Length: 555 ft c. Length of Water Column: 517.83 ft Casing Diameter/Material  
4-inch PVC  
 b. Water Table Depth: 57.17 ft d. Calculated System Volume (see back) 13.1 gal

### 2. WELL PURGE DATA

a. Purge Method: Geotech bladder pump with drop tube assembly  
 b. Acceptance Criteria defined (see workplan)  
 - Temperature  $\pm 3\%$  - D.O.  $\pm 10\%$  (values  $>0.5$  mg/L) - Turbidity  $\pm 10\%$   
 - pH  $\pm 0.1$  unit - ORP  $\pm 10$ mV - Remove a minimum 1 screen volume  
 - Sp. Cond.  $\pm 3\%$  - Drawdown  $<0.3'$

c. Field Testing Equipment used:

Make	Model	Serial Number
<u>YSI</u>	<u>556 mPS</u>	<u>RFW 22091</u>
<u>HANNA</u>	<u>HI 98703</u>	<u>RNT 1532622</u>

Time (24hr)	Volume Removed (liters)	Temp (°C)	pH	Sp. Cond. (mS/cm)	DO (mg/L)	ORP (mV)	Turbidity (NTU)	Flow Rate (ml/min)	Depth to water (ft)	Color / Odor
<u>1205</u>	<u>1</u>	<u>17.50</u>	<u>5.27</u>	<u>0.145</u>	<u>1180</u>	<u>298.0</u>	<u>5.84</u>	<u>400</u>	<u>37.08</u>	<u>Clear/none</u>
<u>1245</u>		<u>16.30</u>	<u>4.81</u>	<u>0.142</u>	<u>4.24</u>	<u>325.0</u>	<u>-</u>	<u>600</u>	<u>37.05</u>	<u>"</u>
<u>1255</u>	<u>4.5 g</u>	<u>16.23</u>	<u>4.82</u>	<u>0.143</u>	<u>2.77</u>	<u>325.5</u>	<u>3.21</u>	<u>650</u>	<u>37.05</u>	<u>"</u>
<u>1305</u>	<u>5.5 g</u>	<u>16.05</u>	<u>4.74</u>	<u>0.141</u>	<u>2.73</u>	<u>331.0</u>	<u>-</u>	<u>600</u>	<u>37.05</u>	<u>"</u>
<u>1315</u>		<u>16.04</u>	<u>4.71</u>	<u>0.140</u>	<u>2.55</u>	<u>337.2</u>	<u>2.44</u>	<u>600</u>	<u>37.05</u>	<u>"</u>
<u>1325</u>		<u>15.97</u>	<u>4.58</u>	<u>0.140</u>	<u>2.44</u>	<u>343.9</u>	<u>-</u>	<u>600</u>	<u>37.02</u>	<u>"</u>
<u>1335</u>	<u>10.9 g</u>	<u>15.49</u>	<u>4.79</u>	<u>0.139</u>	<u>2.38</u>	<u>330.6</u>	<u>1.88</u>	<u>600</u>	<u>37.02</u>	<u>"</u>

d. Acceptance criteria pass/fail

	Yes	No	N/A
Has required volume been removed	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Has required turbidity been reached	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Have parameters stabilized	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

If no or N/A - Explain below.

### 3. SAMPLE COLLECTION:

Method: Geotech bladder pump with drop tube assembly

Sample ID	Container type	No. of containers	Preservation	Analysis Req.	Time
<u>RE105D1 - Gw - 062315</u>	<u>40-mL vials</u>	<u>3</u>	<u>HCl</u>	<u>VOCs</u>	<u>1410</u>
<u>RE105D1 - Gw - 062315</u>	<u>1-L amber</u>	<u>2</u>	<u>none</u>	<u>1,4-Dioxane</u>	<u>1410</u>

Comments \_\_\_\_\_

Signature \_\_\_\_\_





RESOLUTION  
CONSULTANTS

Well ID: RE105 DZ

# Low Flow Ground Water Sample Collection Record

Client: Navy NWIRP Bethpage Date: 6/23/15 Time: Start 1230 am/pm  
 Project No: 60266526 Finish 1420 am/pm  
 Site Location: \_\_\_\_\_  
 Weather Conds: 80s, HAZY, HOT, HUMID Collector(s): S. WRIGHT

1. WATER LEVEL DATA: (measured from Top of Casing) SCREEN 730-750'  
 a. Total Well Length: 755 ft c. Length of Water Column: 716.73 ft Casing Diameter/Material  
4-inch PVC  
 b. Water Table Depth: 38.27 ft d. Calculated System Volume (see back) 13.1 GALLONS

2. WELL PURGE DATA  
 a. Purge Method: Geotech bladder pump with drop tube assembly  
 b. Acceptance Criteria defined (see workplan)  
 - Temperature  $\pm 3\%$  - D.O.  $\pm 10\%$  (values  $>0.5$  mg/L) - Turbidity  $\pm 10\%$   
 - pH  $\pm 0.1$  unit - ORP  $\pm 10$ mV - Remove a minimum 1 screen volume  
 - Sp. Cond.  $\pm 3\%$  - Drawdown  $<0.3'$

c. Field Testing Equipment used:

Make	Model	Serial Number
<u>YSI</u>	<u>556 MRS</u>	
<u>Hanna</u>	<u>HI 98703</u>	

Time (24hr)	Volume Removed (liters)	Temp (°C)	pH	Sp. Cond. (mS/cm)	DO (mg/L)	ORP (mV)	Turbidity (NTU)	Flow Rate (ml/min)	Depth to water (ft)	Color / Odor
1240	—	22.21	5.48	0.080	11.86	338.8	1.65	500	38.27	CLEAR/NONE
1250		17.34	4.50	0.075	5.16	391.2	2.14	500	38.20	" "
1300	4 GAL	16.90	4.42	0.078	5.33	402.0	1.78	500	38.20	" "
1310		16.82	4.29	0.079	6.24	423.3	1.56	500	38.20	" "
1320	6 GAL	16.72	4.50	0.078	6.61	421.7	1.42	500	38.20	" "
1330		16.80	4.37	0.079	6.67	421.9	1.51	500	38.20	" "
1340	8 GAL	16.90	4.41	0.080	6.71	422.8		500	38.20	" "


d. Acceptance criteria pass/fail

	Yes	No	N/A
Has required volume been removed	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Has required turbidity been reached	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Have parameters stabilized	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

If no or N/A - Explain below.

3. SAMPLE COLLECTION: Method: Geotech bladder pump with drop tube assembly

Sample ID	Container type	No. of containers	Preservation	Analysis Req.	Time
<u>RE105DZ-6W-06232015</u>	40-mL vials	3	HCl	VOCs	1420
	1-L amber	2	none	1,4-Dioxane	1420

Comments \_\_\_\_\_  
 Signature 





RESOLUTION  
CONSULTANTS

Well ID: BPOW 5-5

# Low Flow Ground Water Sample Collection Record

Client: Navy NWIRP Bethpage Date: 6/24/15 Time: Start 855 am/pm  
 Project No: 60266526 Finish 1045 am/pm  
 Site Location: Pinnack + Peters  
 Weather Conds: 80s F clear Collector(s): JC

## 1. WATER LEVEL DATA: (measured from Top of Casing)

a. Total Well Length: 545 ft c. Length of Water Column: 577.95 ft Casing Diameter/Material  
767.95 ft 4-inch PVC  
 b. Water Table Depth: 27.05 ft d. Calculated System Volume (see back) 16.3 gal

## 2. WELL PURGE DATA

a. Purge Method: Geotech bladder pump with drop tube assembly  
 b. Acceptance Criteria defined (see workplan)  
 - Temperature  $\pm 3\%$  - D.O.  $\pm 10\%$  (values  $>0.5$  mg/L) - Turbidity  $\pm 10\%$   
 - pH  $\pm 0.1$  unit - ORP  $\pm 10$ mV - Remove a minimum 1 screen volume  
 - Sp. Cond.  $\pm 3\%$  - Drawdown  $<0.3'$

c. Field Testing Equipment used: Make Model Serial Number

Time (24hr)	Volume Removed (liters)	Temp (°C)	pH	Sp. Cond. (mS/cm)	DO (mg/L)	ORP (mV)	Turbidity (NTU)	Flow Rate (ml/min)	Depth to water (ft)	Color / Odor
905		16.10	4.26	0.152	9.52	359.6	-	800	27.12	clear / none
915		15.85	4.16	0.148	7.17	237.7	536	775	27.14	cloudy / none
925		15.69	4.18	0.326	5.96	268.0	49.3	775	27.18	"
930	5 gal	15.68	4.09	0.324	5.06	285.6	20.1	775	27.22	"
940		15.81	4.09	0.318	4.10	288.3	8.71	775	27.26	clearing / none
950	10 gal	15.93	4.10	0.318	4.19	228.1	3.14	775	27.27	"
1000		15.95	4.15	0.319	3.71	215.7	3.01	775	27.29	"

d. Acceptance criteria pass/fail Yes No N/A (continued on back)  
 Has required volume been removed     
 Has required turbidity been reached     
 Have parameters stabilized     
 If no or N/A - Explain below.

## 3. SAMPLE COLLECTION:

Method: Geotech bladder pump with drop tube assembly

Sample ID	Container type	No. of containers	Preservation	Analysis Req.	Time
<u>BPOW5-5-GW-06242015</u>	<u>40-mL vials</u>	<u>3</u>	<u>HCl</u>	<u>VOCs</u>	<u>1025</u>
<u>BPOW5-5-GW-06242015</u>	<u>1-L amber</u>	<u>2</u>	<u>none</u>	<u>1,4-Dioxane</u>	<u>1025</u>

Comments: Tagged bottom with tubing

Signature:







RESOLUTION CONSULTANTS

Well ID: BPOW5-6

# Low Flow Ground Water Sample Collection Record

Client: Navy NWIRP Bethpage Date: 6/24/15 Time: Start 0830 am/pm  
 Project No: 60266526 Finish 1100 am/pm  
 Site Location: Bethpage/BPOW5-6  
 Weather Conds: 76°F sunny Collector(s): \_\_\_\_\_

## 1. WATER LEVEL DATA: (measured from Top of Casing)

SBS-610' → SCREEN

- a. Total Well Length: 615 ft c. Length of Water Column: 587.31 ft Casing Diameter/Material: 4-inch PVC  
 b. Water Table Depth: 27.69 ft d. Calculated System Volume (see back): 16.3 GALLONS

## 2. WELL PURGE DATA

a. Purge Method: Geotech bladder pump with drop tube assembly

b. Acceptance Criteria defined (see workplan)

- Temperature ± 3%
- D.O. ± 10% (values >0.5 mg/L)
- Turbidity ± 10%
- pH ± 0.1 unit
- ORP ± 10mV
- Remove a minimum 1 screen volume
- Sp. Cond. ± 3%
- Drawdown <0.3'

c. Field Testing Equipment used:

Make	Model	Serial Number
<u>YSI</u>	<u>SS6 mps</u>	<u>RFW24720</u>
<u>HANNA</u>	<u>H198703</u>	<u>6398</u>

Time (24hr)	Volume Removed (liters)	Temp (°C)	pH	Sp. Cond. (mS/cm)	DO (mg/L)	ORP (mV)	Turbidity (NTU)	Flow Rate (ml/min)	Depth to water (ft)	Color / Odor
<u>0845</u>	<u>1</u>	<u>18.06</u>	<u>6.44</u>	<u>0.136</u>	<u>13.27</u>	<u>200.2</u>	<u>2.31</u>	<u>300</u>	<u>27.69</u>	<u>CLEAR/NONE</u>
<u>0855</u>	<u>2</u>	<u>15.56</u>	<u>5.19</u>	<u>0.132</u>	<u>5.25</u>	<u>246.4</u>	<u>2.24</u>	<u>300</u>	<u>27.69</u>	<u>"</u>
<u>0900</u>		<u>15.21</u>	<u>4.63</u>	<u>0.125</u>	<u>2.19</u>	<u>269.9</u>	<u>3.15</u>	<u>400</u>	<u>27.82</u>	<u>"</u>
<u>0910</u>		<u>14.81</u>	<u>4.81</u>	<u>0.122</u>	<u>3.84</u>	<u>254.6</u>	<u>2.68</u>	<u>450</u>	<u>27.89</u>	<u>"</u>
<u>0920</u>		<u>15.18</u>	<u>5.41</u>	<u>0.164</u>	<u>1.69</u>	<u>221.4</u>	<u>916</u>	<u>300</u>	<u>27.93</u>	<u>turbid/none</u>
<u>0940</u>		<u>22.22</u>	<u>6.85</u>	<u>0.447</u>	<u>2.37</u>	<u>121.8</u>	<u>&gt;1,100</u>	<u>200</u>	<u>27.94</u>	<u>cloudy/none</u>
<u>0950</u>		<u>21.69</u>	<u>6.92</u>	<u>0.477</u>	<u>0.13</u>	<u>106.0</u>	<u>&gt;1,100</u>	<u>300</u>	<u>27.96</u>	<u>"</u>

d. Acceptance criteria pass/fail

- |                                     |                                     |                                     |                                     |
|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|
| Has required volume been removed    | <input type="checkbox"/>            | <input checked="" type="checkbox"/> | <input type="checkbox"/>            |
| Has required turbidity been reached | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | <input type="checkbox"/>            |
| Have parameters stabilized          | <input type="checkbox"/>            | <input type="checkbox"/>            | <input checked="" type="checkbox"/> |

(continued on back)

If no or N/A - Explain below

Max purge time of 2 hours (per the SAP) reached

## 3. SAMPLE COLLECTION:


Method: Geotech bladder pump with drop tube assembly

Sample ID	Container type	No. of containers	Preservation	Analysis Req.	Time
<u>BPOW5-6-GW-062415</u>	<u>40-mL vials</u>	<u>3</u>	<u>HCl</u>	<u>VOCs</u>	<u>1100</u>
<u>BPOW5-6-GW-062415</u>	<u>1-L amber</u>	<u>2</u>	<u>none</u>	<u>1,4-Dioxane</u>	<u>1100</u>

Comments

Signature

Purge Volume Calculation



Volume / Linear Ft. of Pipe		
ID (in)	Gallon	Liter
0.25	0.0025	0.0097
0.375	0.0057	0.0217
0.5	0.0102	0.0386
0.75	0.0229	0.0869
1	0.0408	0.1544
1.25	0.0637	0.2413
1.5	0.0918	0.3475
2	0.1632	0.6178
2.5	0.2550	0.9653
3	0.3672	1.3900
4	0.6528	2.4711
6	1.4688	5.5600

1 screen volume  
 15 ft = 37.1 L / 9.8 G  
 20 ft = 49.6 L / 13.1 G  
 25 ft = 61.7 L / 16.3 G

Well ID: BPOW 5-6

(continued from front)

Time (24 hr)	Volume Removed (Liters)	Temp (°C)	pH	Spec. Cond. (mS/cm)	DO (mg/L)	ORP (mV)	Turbidity (NTU)	Flow Rate (ml/min)	Depth to water (ft)	Color/Odor
1000		18.50	6.61	0.213	2.61	157.0	>100	400	27.97	Cloudy / nois
1010	209	16.24	5.34	0.122	1.02	161.5	960	600	28.00	"
1020		20.84	5.14	0.116	2.35	223.3	685	200	28.00	"
1030		21.02	5.10	0.114	2.12	221.5	51.6	400	28.00	"
1040		21.91	5.09	0.114	2.12	219.1	41.1	200	28.00	"
1050		21.64	5.07	0.115	2.70	218.6	46.9	200	28.01	"
1100	33	20.92	5.04	0.115	1.39	220.2	37.6	200	28.00	Clear / nois



RESOLUTION CONSULTANTS

Well ID: RE118D1

1 of 2

# Low Flow Ground Water Sample Collection Record

Client: Navy NWIRP Bethpage Date: 6/24/15 Time: Start 0820 am/pm  
 Project No: 60266526 Finish 1030 am/pm  
 Site Location: PINENECK  
 Weather Conds: 80s, sunny Collector(s): S. WRIGHT

1. WATER LEVEL DATA: (measured from Top of Casing) 765-790' → SCREEN  
 a. Total Well Length: 795 ft c. Length of Water Column: 767.70 ft Casing Diameter/Material: 4-inch PVC  
 b. Water Table Depth: 27.30 ft d. Calculated System Volume (see back) 16.3 GALL

## 2. WELL PURGE DATA

a. Purge Method: Geotech bladder pump with drop tube assembly  
 b. Acceptance Criteria defined (see workplan)  
 - Temperature ± 3% - D.O. ± 10% (values >0.5 mg/L) - Turbidity ± 10%  
 - pH ± 0.1 unit - ORP ± 10mV - Remove a minimum 1 screen volume  
 - Sp. Cond. ± 3% - Drawdown <0.3'

c. Field Testing Equipment used: Make Model Serial Number

Time (24hr)	Volume Removed (liters)	Temp (°C)	pH	Sp. Cond. (mS/cm)	DO (mg/L)	ORP (mV)	Turbidity (NTU)	Flow Rate (ml/min)	Depth to water (ft)	Color / Odor
0820	-	19.37	6.72	0.055	5.92	307.1	106	400	27.30	CLOUDY / NONE
0830		16.88	7.01	0.045	3.66	386.6	105	400	27.30	" "
0840		16.21	8.10	0.039	2.40	434.8	97.7	400	27.30	" "
0850		16.07	8.00	0.036	2.03	409.0	85.4	400	27.30	" "
0900		16.80	7.62	0.034	1.02	365.7	66.4	500	27.30	" "
0910	56 GALL	15.49	8.15	0.036	3.83	425.6	50.0	500	27.30	" "
0920		15.57	8.04	0.036	3.15	407.3	27.0	600	27.40	CLEAR / NONE

d. Acceptance criteria pass/fail  
 Has required volume been removed  Yes  No  N/A  
 Has required turbidity been reached  Yes  No  N/A  
 Have parameters stabilized  Yes  No  N/A  
 If no or N/A - Explain below.

## 3. SAMPLE COLLECTION: Method: Geotech bladder pump with drop tube assembly


Sample ID	Container type	No. of containers	Preservation	Analysis Req.	Time
RE118D1-6W-06242015	40-mL vials	3	HCl	VOCs	1030
	1-L amber	2	none	1,4-Dioxane	1030

Comments

Signature

Purge Volume Calculation

RE118D1  
2 of 2



ID (in)	Gallon	Liter
0.25	0.0025	0.0097
0.375	0.0057	0.0217
0.5	0.0102	0.0386
0.75	0.0229	0.0869
1	0.0408	0.1544
1.25	0.0637	0.2413
1.5	0.0918	0.3475
2	0.1632	0.6178
2.5	0.2550	0.9653
3	0.3672	1.3900
4	0.6528	2.4711
6	1.4688	5.5600

1 screen volume  
15 ft = 37.1 L / 9.8 G  
20 ft = 49.6 L / 13.1 G  
25 ft = 61.7 L / 16.3 G

Well ID: RE118D1

(continued from front)

Time (24 hr)	Volume Removed (Liters)	Temp (°C)	pH	Spec. Cond. (mS/cm)	DO (mg/L)	ORP (mV)	Turbidity (NTU)	Flow Rate (ml/min)	Depth to water (ft)	Color/Odor
0930		15.69	7.96	0.036	5.06	381.5	24.5	600	27.50	CLEAR/NONE
0940	9 GAL	15.58	7.95	0.036	2.29	387.2	20.2	600	27.50	" "
0950		15.66	7.93	0.036	1.99	381.4	16.5	600	27.50	" "
1000		15.70	7.40	0.036	1.70	375.1	16.2	600	27.52	" "
1010		15.69	7.91	0.036	1.64	376.7	14.8	600	27.52	" "
1020		15.67	7.90	0.036	1.63	376.9	10.5	600	27.52	" "
1025		15.61	7.90	0.036	1.63	378.7	-	600	27.53	" "
1030										Sample 1!



RESOLUTION  
CONSULTANTS

Well ID: RE108D1

# Low Flow Ground Water Sample Collection Record

Client: Navy NWIRP Bethpage Date: 6/24 /15 Time: Start 1305 am/pm  
 Project No: 60266526 Finish 1440 am/pm  
 Site Location: \_\_\_\_\_  
 Weather Conds: \_\_\_\_\_ Collector(s): \_\_\_\_\_

**1. WATER LEVEL DATA: (measured from Top of Casing)**  
 a. Total Well Length: 555 ft c. Length of Water Column: 515.95 ft Casing Diameter/Material  
 b. Water Table Depth: 39.05 ft d. Calculated System Volume (see back) 13.1 gal  
4-inch PVC

**2. WELL PURGE DATA**  
 a. Purge Method: Geotech bladder pump with drop tube assembly  
 b. Acceptance Criteria defined (see workplan)  
 - Temperature  $\pm 3\%$  - D.O.  $\pm 10\%$  (values  $>0.5$  mg/L) - Turbidity  $\pm 10\%$   
 - pH  $\pm 0.1$  unit - ORP  $\pm 10$ mV - Remove a minimum 1 screen volume  
 - Sp. Cond.  $\pm 3\%$  - Drawdown  $<0.3'$

c. Field Testing Equipment used: Make Model Serial Number

Time (24hr)	Volume Removed (liters)	Temp (°C)	pH	Sp. Cond. (mS/cm)	DO (mg/L)	ORP (mV)	Turbidity (NTU)	Flow Rate (ml/min)	Depth to water (ft)	Color / Odor
1315		16.72	7.69	0.109	6.46	374.1	-	750	39.20	Clear / none
1325		16.65	7.75	0.108	6.95	388.8	-	750	39.20	" "
1335		16.63	7.72	0.110	6.95	393.8	21.7	750	39.20	" "
1345		16.50	7.73	0.109	7.16	405.1	-	750	39.20	" "
1355		16.45	7.73	0.108	7.15	407.9	-	750	39.20	" "
1405	10 gal	16.51	7.70	0.109	7.03	401.0	3.99	750	39.20	" "
1415		16.30	7.70	0.110	7.35	383.2	-	725	39.20	" "

d. Acceptance criteria pass/fail Yes No N/A (continued on back)  
 Has required volume been removed     
 Has required turbidity been reached     
 Have parameters stabilized     
 If no or N/A - Explain below.


**3. SAMPLE COLLECTION:** Method: Geotech bladder pump with drop tube assembly

Sample ID	Container type	No. of containers	Preservation	Analysis Req.	Time
<u>RE108D1-GW-06242015</u>	40-mL vials	3	HCl	VOCs	1430
<u>RE108D1-GW-06242015</u>	1-L amber	2	none	1,4-Dioxane	1430

Comments \_\_\_\_\_

Signature \_\_\_\_\_

## Purge Volume Calculation



Volume / Linear Ft. of Pipe		
ID (in)	Gallon	Liter
0.25	0.0025	0.0097
0.375	0.0057	0.0217
0.5	0.0102	0.0386
0.75	0.0229	0.0869
1	0.0408	0.1544
1.25	0.0637	0.2413
1.5	0.0918	0.3475
2	0.1632	0.6178
2.5	0.2550	0.9653
3	0.3672	1.3900
4	0.6528	2.4711
6	1.4688	5.5600

1 screen volume  
 15 ft = 37.1 L / 9.8 G  
 20 ft = 49.6 L / 13.1 G  
 25 ft = 61.7 L / 16.3 G

Well ID: **RE108D1**

(continued from front)

Time (24 hr)	Volume Removed (Liters)	Temp (°C)	pH	Spec. Cond. (mS/cm)	DO (mg/L)	ORP (mV)	Turbidity (NTU)	Flow Rate (ml/min)	Depth to water (ft)	Color/Odor
1425	13.5 gal	16.34	7.71	0.109	6.86	403.0	-	700	39.20	
1430										Sample!



RESOLUTION  
CONSULTANTS

Well ID: RE10802

# Low Flow Ground Water Sample Collection Record

Client: Navy NWIRP Bethpage Date: 6/24/15 Time: Start 1300 am/pm  
 Project No: 60266526 Finish 1450 am/pm  
 Site Location: \_\_\_\_\_  
 Weather Conds: 80%, sun Collector(s): \_\_\_\_\_

### 1. WATER LEVEL DATA: (measured from Top of Casing)

a. Total Well Length: 655 ft c. Length of Water Column: 615.70 ft Casing Diameter/Material  
4-inch PVC  
 b. Water Table Depth: 39.80 ft d. Calculated System Volume (see back) 13.1 GALL

### 2. WELL PURGE DATA

a. Purge Method: Geotech bladder pump with drop tube assembly  
 b. Acceptance Criteria defined (see workplan)  
 - Temperature  $\pm 3\%$  - D.O.  $\pm 10\%$  (values  $>0.5$  mg/L) - Turbidity  $\pm 10\%$   
 - pH  $\pm 0.1$  unit - ORP  $\pm 10$ mV - Remove a minimum 1 screen volume  
 - Sp. Cond.  $\pm 3\%$  - Drawdown  $<0.3'$

c. Field Testing Equipment used: Make Model Serial Number

Time (24hr)	Volume Removed (liters)	Temp (°C)	pH	Sp. Cond. (mS/cm)	DO (mg/L)	ORP (mV)	Turbidity (NTU)	Flow Rate (ml/min)	Depth to water (ft)	Color / Odor
1310		23.68	4.58	0.099	5.46	345.7	4.68	-	39.80	CLEAR/none
1320		21.07	4.46	0.094	4.57	377.0	-	-	39.80	" "
1335		16.63	4.42	0.092	4.86	391.3	1.41	700	39.80	" "
1345		16.42	4.33	0.089	3.85	397.6	-	700	39.80	" "
1355	5 GALL	16.34	4.38	0.089	3.72	396.3	1.51	700	39.80	" "
1405		16.36	4.45	0.089	3.61	396.6	1.25	700	39.80	" "
1415		16.31	4.58	0.088	3.70	391.0	1.15	700	39.80	" "

d. Acceptance criteria pass/fail (continued on back)

	Yes	No	N/A
Has required volume been removed	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Has required turbidity been reached	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Have parameters stabilized	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

If no or N/A - Explain below.

### 3. SAMPLE COLLECTION:


Method: Geotech bladder pump with drop tube assembly

Sample ID	Container type	No. of containers	Preservation	Analysis Req.	Time
RE10802-600-06242015	40-mL vials	3	HCl	VOCs	1450
"	1-L amber	2	none	1,4-Dioxane	1450

Comments: PUMP ISSUE - RECTIFIED

Signature: 

Purge Volume Calculation



Volume / Linear Ft. of Pipe		
ID (in)	Gallon	Liter
0.25	0.0025	0.0097
0.375	0.0057	0.0217
0.5	0.0102	0.0386
0.75	0.0229	0.0869
1	0.0408	0.1544
1.25	0.0637	0.2413
1.5	0.0918	0.3475
2	0.1632	0.6178
2.5	0.2550	0.9653
3	0.3672	1.3900
4	0.6528	2.4711
6	1.4688	5.5600

1 screen volume

15 ft = 37.1 L / 9.8 G  
 20 ft = 49.6 L / 13.1 G  
 25 ft = 61.7 L / 16.3 G

Well ID: RE 108 DZ

(continued from front)

Time (24 hr)	Volume Removed (Liters)	Temp (°C)	pH	Spec. Cond. (mS/cm)	DO (mg/L)	ORP (mV)	Turbidity (NTU)	Flow Rate (ml/min)	Depth to water (ft)	Color/Odor
1425	38	16.24	4.52	0.088	3.76	396.6	1.700	700	38.80	Clear/none
1435		16.24	4.65	0.089	3.79	390.2	0.92	700	39.80	"
1445		16.25	4.70	0.089	3.80	380.2	0.94	700	39.80	"





Well ID: Bpow 6-5

# Low Flow Ground Water Sample Collection Record

Client: Navy NWIRP Bethpage Date: 6/25/15 Time: Start 0830 am/pm  
 Project No: 60266526 Finish 1035 am/pm  
 Site Location: \_\_\_\_\_ Collector(s): \_\_\_\_\_  
 Weather Conds: \_\_\_\_\_

## 1. WATER LEVEL DATA: (measured from Top of Casing)

a. Total Well Length: 555 ft c. Length of Water Column: 537.60 ft Casing Diameter/Material 4-inch PVC  
 b. Water Table Depth: 18.00 ft d. Calculated System Volume (see back) \_\_\_\_\_

## 2. WELL PURGE DATA

a. Purge Method: Geotech bladder pump with drop tube assembly  
 b. Acceptance Criteria defined (see workplan)  
 - Temperature  $\pm 3\%$  - D.O.  $\pm 10\%$  (values  $>0.5$  mg/L) - Turbidity  $\pm 10\%$   
 - pH  $\pm 0.1$  unit - ORP  $\pm 10$ mV - Remove a minimum 1 screen volume  
 - Sp. Cond.  $\pm 3\%$  - Drawdown  $<0.3'$

c. Field Testing Equipment used:

Make	Model	Serial Number
<u>YSI</u>	<u>SS6 mps</u>	<u>22091</u>
<u>HANNA</u>	<u>HI 98703</u>	<u>154034x</u>

Time (24hr)	Volume Removed (liters)	Temp (°C)	pH	Sp. Cond. (mS/cm)	DO (mg/L)	ORP (mV)	Turbidity (NTU)	Flow Rate (ml/min)	Depth to water (ft)	Color / Odor
<u>0835</u>	<u>1</u>	<u>16.29</u>	<u>10.99</u>	<u>0.673</u>	<u>8.48</u>	<u>134.6</u>	<u>14.6</u>	<u>700</u>	<u>18.04</u>	<u>clear/none</u>
<u>0845</u>		<u>15.83</u>	<u>6.31</u>	<u>0.085</u>	<u>3.84</u>	<u>150.6</u>	<u>11.0</u>	<u>800</u>	<u>18.05</u>	<u>"</u>
<u>0855</u>	<u>19</u>	<u>15.76</u>	<u>4.25</u>	<u>0.052</u>	<u>2.18</u>	<u>275.2</u>	<u>19.6</u>	<u>700</u>	<u>18.02</u>	<u>"</u>
<u>0905</u>		<u>15.90</u>	<u>4.26</u>	<u>0.053</u>	<u>1.73</u>	<u>279.6</u>	<u>11.5</u>	<u>700</u>	<u>18.06</u>	<u>"</u>
<u>0915</u>		<u>15.95</u>	<u>4.23</u>	<u>0.053</u>	<u>1.55</u>	<u>279.7</u>	<u>10.2</u>	<u>700</u>	<u>18.06</u>	<u>"</u>
<u>0925</u>	<u>38</u>	<u>16.15</u>	<u>4.43</u>	<u>0.053</u>	<u>1.08</u>	<u>275.3</u>	<u>3.49</u>	<u>700</u>	<u>18.02</u>	<u>"</u>
<u>0935</u>		<u>16.09</u>	<u>4.23</u>	<u>0.053</u>	<u>1.48</u>	<u>265.7</u>	<u>2.69</u>	<u>700</u>	<u>18.00</u>	<u>"</u>

d. Acceptance criteria pass/fail

Has required volume been removed	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Has required turbidity been reached	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Have parameters stabilized	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

If no or N/A - Explain below.

## 3. SAMPLE COLLECTION:


Method: Geotech bladder pump with drop tube assembly

Sample ID	Container type	No. of containers	Preservation	Analysis Req.	Time
<u>Bpow 6-5-GW-06252015</u>	<u>40-mL vials</u>	<u>3</u>	<u>HCl</u>	<u>VOCs</u>	<u>1030</u>
<u>"</u>	<u>1-L amber</u>	<u>2</u>	<u>none</u>	<u>1,4-Dioxane</u>	<u>1026</u>

Comments \_\_\_\_\_

Signature \_\_\_\_\_

Purge Volume Calculation



ID (in)	Gallon	Liter
0.25	0.0025	0.0097
0.375	0.0057	0.0217
0.5	0.0102	0.0386
0.75	0.0229	0.0869
1	0.0408	0.1544
1.25	0.0637	0.2413
1.5	0.0918	0.3475
2	0.1632	0.6178
2.5	0.2550	0.9653
3	0.3672	1.3900
4	0.6528	2.4711
6	1.4688	5.5600

1 screen volume  
 15 ft = 37.1 L / 9.8 G  
 20 ft = 49.6 L / 13.1 G  
 25 ft = 61.7 L / 16.3 G

Well ID:

BPOW 6-5

(continued from front)

Time (24 hr)	Volume Removed (Liters)	Temp (°C)	pH	Spec. Cond. (mS/cm)	DO (mg/L)	ORP (mV)	Turbidity (NTU)	Flow Rate (ml/min)	Depth to water (ft)	Color/Odor
0945		16.00	4.49	0.053	0.80	251.9	2.30	750	18.00	"
0955	62	16.03	4.46	0.053	0.75	240.3	2.14	700	18.00	"
1005		16.25	4.40	0.053	0.69	233.1	2.24	750	18.00	"
1010		16.98	4.34	0.053	0.65	238.6	1.65	200	18.00	"
1015		20.19	4.78	0.054	0.57	220.7	1.80	200	18.60	"
1020		22.80	4.81	0.054	0.58	226.1	1.57	200	18.00	Clear/lower Sampled



RESOLUTION CONSULTANTS

Well ID: BPOW 6-6

# Low Flow Ground Water Sample Collection Record

Client: Navy NWIRP Bethpage Date: 6/25/15 Time: Start 8:10 am/pm  
 Project No: 60266526 Finish 10:25 am/pm  
 Site Location: N. Hickory  
 Weather Conds: 80's F clear Collector(s): JC

## 1. WATER LEVEL DATA: (measured from Top of Casing)

a. Total Well Length: 800 ft c. Length of Water Column: 781.47 ft Casing Diameter/Material: 4-inch PVC  
 b. Water Table Depth: 18.53 ft d. Calculated System Volume (see back): 16.3 gal

## 2. WELL PURGE DATA

a. Purge Method: Geotech bladder pump with drop tube assembly  
 b. Acceptance Criteria defined (see workplan)  
 - Temperature ± 3% - D.O. ± 10% (values >0.5 mg/L) - Turbidity ± 10%  
 - pH ± 0.1 unit - ORP ± 10mV - Remove a minimum 1 screen volume  
 - Sp. Cond. ± 3% - Drawdown <0.3'

c. Field Testing Equipment used: Make Model Serial Number

Time (24hr)	Volume Removed (liters)	Temp (°C)	pH	Sp. Cond. (mS/cm)	DO (mg/L)	ORP (mV)	Turbidity (NTU)	Flow Rate (ml/min)	Depth to water (ft)	Color / Odor
825		16.04	5.05	0.048	1.54	265.6	627	700	18.55	slightly cloudy / none
835	5 gallons	15.98	4.63	0.035	1.45	283.6	—	700	18.56	" "
845		15.99	4.14	0.029	1.10	315.3	104	700	18.56	clearing
855		16.08	4.27	0.028	0.89	311.9	75.7	700	18.56	slightly cloudy / none
905	10 gallons	16.04	4.34	0.028	0.85	311.4	69.0	700	18.56	clear / none
915		16.13	4.18	0.028	0.76	320.2	60.7	700	18.56	"
925		16.29	4.21	0.028		312.1	46.3	700	18.56	"

d. Acceptance criteria pass/fail  
 Has required volume been removed  Yes  No  N/A  
 Has required turbidity been reached  Yes  No  N/A  
 Have parameters stabilized  Yes  No  N/A  
 If no or N/A - Explain below.

## 3. SAMPLE COLLECTION:


Method: Geotech bladder pump with drop tube assembly

Sample ID	Container type	No. of containers	Preservation	Analysis Req.	Time
BPOW 6-6-GW-06252015	40-mL vials	3	HCl	VOCs	10:15
BPOW 6-6-GW-06252015	1-L amber	2	none	1,4-Dioxane	10:15

Comments

Signature

Purge Volume Calculation



ID (in)	Gallon	Liter
0.25	0.0025	0.0097
0.375	0.0057	0.0217
0.5	0.0102	0.0386
0.75	0.0229	0.0869
1	0.0408	0.1544
1.25	0.0637	0.2413
1.5	0.0918	0.3475
2	0.1632	0.6178
2.5	0.2550	0.9653
3	0.3672	1.3900
4	0.6528	2.4711
6	1.4688	5.5600

1 screen volume  
 15 ft = 37.1 L / 9.8 G  
 20 ft = 49.6 L / 13.1 G  
 25 ft = 61.7 L / 16.3 G

Well ID: *BPOW 6-6*

(continued from front)

Time (24 hr)	Volume Removed (Liters)	Temp (°C)	pH	Spec. Cond. (mS/cm)	DO (mg/L)	ORP (mV)	Turbidity (NTU)	Flow Rate (ml/min)	Depth to water (ft)	Color/Odor
935	15 gal	16.13	4.21	0.025	0.66	324.6	36.0	700	18.56	"
940	16.5g	16.28	4.45	0.028	0.56	313.9	39.1	700	18.56	"
945		16.43	4.37	0.028	0.58	313.1	32.9	700	18.56	"
950		16.39	4.32	0.028	0.58	316.0	31.5	700	18.56	"
955		16.40	4.26	0.028	0.59	330.5	31.5	700	18.52	"
1000		16.46	4.10	0.029	0.61	330.7	31.6	700	18.51	"
1015										<i>sample</i>

## **Appendix B**

### **Analytical Data Validation – Resolution Consultants**

**DATA VALIDATION REPORT**

Project:	Regional Groundwater Investigation — NWIRP Bethpage	
Laboratory:	Katahdin Analytical	
Sample Delivery Group:	SI4462	
Analyses/Method:	Volatile Organic Compounds by U.S. EPA SW-846 Method 8260C 1,4-Dioxane by U.S. EPA SW-846 Method 8270D via Selective Ion Monitoring (SIM)	
Validation Level:	3	
Project Number:	0888812477.SA.DV	
Prepared by:	Dana Miller/Resolution Consultants Completed on: 07/30/2015	
Reviewed by:	Tina Cantwell/Resolution Consultants	File Name: SI4462_8260C_8270D

**SUMMARY**

This report summarizes data review findings for samples listed below, collected by Resolution Consultants from the Regional Groundwater Investigation — NWIRP Bethpage Site on 22 and 23 June 2015 in accordance with the following Sampling and Analysis Plans:

- *Sampling and Analysis Plan, Bethpage, New York.* (Resolution Consultants, April 2013).
- *UFP SAP Addendum, Installation of Vertical Profile Borings and Monitoring Wells, Operable Unit 2, NWIRP Bethpage, New York.* (Resolution Consultants, November 2013).
- *UFP SAP Addendum, Inclusion of Additional Target Analytes for Volatile Organics Analyses, NWIRP Bethpage OU2, Bethpage, New York.* (Resolution Consultants, August 2014).

Sample ID	Matrix/Sample Type	Analysis
RE104D3-GW-062315	Groundwater	8260C/8270D_SIM
RE104D2-GW-062315	Groundwater	8260C/8270D_SIM
RE104D1-GW-062315	Groundwater	8260C/8270D_SIM
RE103D1-GW-062215	Groundwater	8260C/8270D_SIM
RE103D2-GW-062215	Groundwater	8260C/8270D_SIM
RE103D3-GW-062215	Groundwater	8260C/8270D_SIM
DUPLICATE-GW-062215	Field Duplicate	8260C/8270D_SIM
RE105D1-GW-062315	Groundwater	8260C/8270D_SIM
RE105D2-GW-062315	Groundwater	8260C/8270D_SIM
TB-062315	Trip Blank	8260C

Data validation activities were conducted using the following guidance documents: *Test Methods for Evaluating Solid Waste, Physical/Chemical Methods SW-846, specifically Method 8260C, Volatile Organic Compounds by Gas Chromatography/Mass Spectrometry* (United States Environmental Protection Agency [U.S. EPA] 2006), *SW-846 Method 8270D, Semivolatile Organic Compounds by Gas Chromatograph/Mass Spectrometry* (U.S. EPA 2007), *U.S. Environmental Protection Agency Contract Laboratory Program National Functional Guidelines for Superfund Organic Methods Data Review* (U.S. EPA, June 2008), and *Department of Defense Quality Systems Manual for Environmental Laboratories, Version 4.2* (October 2010). In the absence of method-specific information, laboratory quality control (QC) limits, project-specific requirements, and/or professional judgment were used as appropriate.

## **REVIEW ELEMENTS**

The data were evaluated based on the following parameters (where applicable to the method):

- ✓ Data completeness (chain-of-custody)/sample integrity
- ✓ Holding times and sample preservation
- ✓ Gas chromatography/Mass spectrometer performance checks
- ✗ Initial calibration verification (ICV)/continuing calibration verification (CCV)
- ✓ Laboratory blanks/trip blanks
- ✓ Surrogate spike recoveries
- ✗ Matrix spike (MS) and/or matrix spike duplicate (MSD) results
- ✓ Laboratory control sample/laboratory control sample duplicate results
- ✓ Field duplicates
- ✓ Internal standards
- ✓ Sample results/reporting issues

The symbol (✓) indicates that no validation qualifiers were applied based on this parameter. Acceptable data parameters for which all criteria were met and no qualification was performed and non-conformance or other issues that were noted during validation, but did not result in qualification of data are not discussed further. The symbol (✗) indicates that a QC non-conformance resulted in the qualification of data. Any QC non-conformance that resulted in the qualification of data is discussed below.

**RESULTS**

**Initial Calibration/Continuing Calibration Verification**

Calibration data were reviewed for conformance with the QC acceptance criteria to ensure that:

- The initial calibration percent relative standard deviation, correlation coefficient/coefficient of determination, and/or response factor method acceptance criteria were met
- The ICV standard percent recovery acceptance criteria were met
- The CCV method percent difference or percent drift and response factor acceptance criteria were met
- The retention time method acceptance criteria were met

Data qualification to the analytes associated with the specific calibration verification was as follows:

**ICV Recovery Non-conformance:**

Criteria	Actions	
	Detected Results	Non-detected Results
Recovery >120%	J	UJ
Recovery < 80%	J	UJ

**Notes:**

- J = Estimated  
 UJ = Undetected and estimated

**CCV Linearity Non-conformance:**

Criteria	Actions	
	Detected Results	Non-detected Results
%Difference or %Drift > 20%	J	UJ

**Notes:**

- J = Estimated  
 UJ = Undetected and estimated

ICV and CCV non-conformances are summarized in Attachment A in Tables A-1 and A-2.



### Matrix Spike/Matrix Spike Duplicate Results

MS/MSDs are generated to provide information about the effect of each sample matrix on the sample preparation and the measurement methodology. MS/MSD percent recoveries (%Rs) assess the effect of the sample matrix on the accuracy of the analytical results and %Rs above the recovery control limits could indicate a potential high result bias while %Rs below the recovery QC limits could indicate a potential low result bias. The relative percent differences between the MS and MSD results are evaluated to assess sample precision. The MS/MSD %Rs and relative percent differences were reviewed for conformance with the QC acceptance criteria. Non-conformances are summarized in Attachment A in Table A-3. Data qualification to the analytes associated with the specific MS/MSD non-conformances were as follows:

### MS/MSD Non-conformances Chart:

Criteria	Action	
	Detected Compounds	Non-detected Compounds
%R > Upper Limit	J	No qualification
20% ≤ %R < Lower Limit	J	UJ
%R < 20%	J	Rejected
RPD > Upper Limit	J	No qualification
The MS/MSD recovery control limits do not apply for the MS/MSD performed on sample locations where the analyte concentration detected in the parent sample exceeds the MS/MSD concentration by a factor of four or greater.		

**Notes:**

%R = Percent recovery  
 RPD = Relative percent difference  
 J = Estimated  
 UJ = Undetected and estimated

### Qualifications Actions

The data was reviewed independently from the laboratory to assess data quality. All compounds detected at concentrations less than the limit of quantitation but greater than the method detection limit were qualified by the laboratory as estimated (J). This "J" qualifier was retained during data validation. Any sample that was analyzed at a dilution because of high concentrations of target or non-target analytes was checked to confirm that the results and/or sample-specific limit of quantitation and limit of detections were adjusted accordingly by the laboratory.

No results were rejected; therefore, analytical completeness was calculated to be 100 percent. Data not qualified during data review are considered usable by the project. The remaining results qualified as estimated may be high or low, but the data are usable for their intended purpose, according to U.S. EPA and Department of Defense guidelines. Final data review qualifiers used to describe results and how they should be interpreted by the end data user are provided in Attachment B and Attachment C. Attachment D provides final results after data review.

**ATTACHMENTS**

Attachment A: Non-Conformance Summary Tables

Attachment B: Qualifier Codes and Explanations

Attachment C: Reason Codes and Explanations

Attachment D: Final Results after Data Review

**Attachment A**  
**Non-Conformance Summary Tables**

<b>Table A-1</b>						
<b>Initial Calibration Verification Non-Conformance</b>						
<b>Method</b>	<b>Analyte</b>	<b>ICV ID</b>	<b>%R</b>	<b>Limit</b>	<b>Associated Samples</b>	<b>Qualifier</b>
8260C	Chloroethane	P1539A	127.5	80-120	DUPLICATE-GW-062215	UJ
8260C	Chloroethane	P1539A	127.5	80-120	RE103D1-GW-062215	UJ
8260C	Chloroethane	P1539A	127.5	80-120	RE103D2-GW-062215	UJ
8260C	Chloroethane	P1539A	127.5	80-120	RE103D3-GW-062215	UJ
8260C	Chloroethane	P1539A	127.5	80-120	RE104D1-GW-062315	UJ
8260C	Chloroethane	P1539A	127.5	80-120	RE104D2-GW-062315	UJ
8260C	Chloroethane	P1539A	127.5	80-120	RE104D3-GW-062315	UJ
8260C	Chloroethane	P1539A	127.5	80-120	RE105D1-GW-062315	UJ
8260C	Chloroethane	P1539A	127.5	80-120	RE105D2-GW-062315	UJ
8260C	Chloroethane	P1539A	127.5	80-120	TB-062315	UJ

**Notes:**

ICV ID = Initial calibration verification identification  
 %R = Percent recovery  
 UJ = Non-detected analyte in associated sample qualified estimated "UJ" due to potential bias

<b>Table A-2</b>						
<b>Continuing Calibration Verification Non-Conformance</b>						
<b>Method</b>	<b>Analyte</b>	<b>CCV ID</b>	<b>%D</b>	<b>Limit</b>	<b>Associated Samples</b>	<b>Qualifier</b>
8260C	Acetone	P1636.D	23.74313	20	DUPLICATE-GW-062215	UJ
8260C	Acetone	P1636.D	23.74313	20	RE103D1-GW-062215	J
8260C	Acetone	P1636.D	23.74313	20	RE103D2-GW-062215	J
8260C	Acetone	P1636.D	23.74313	20	RE103D3-GW-062215	UJ
8260C	Acetone	P1636.D	23.74313	20	RE105D2-GW-062315	J
8260C	4-Methyl-2-pentanone	P1636.D	22.32254	20	DUPLICATE-GW-062215	UJ
8260C	4-Methyl-2-pentanone	P1636.D	22.32254	20	RE103D1-GW-062215	UJ
8260C	4-Methyl-2-pentanone	P1636.D	22.32254	20	RE103D2-GW-062215	UJ
8260C	4-Methyl-2-pentanone	P1636.D	22.32254	20	RE103D3-GW-062215	UJ
8260C	4-Methyl-2-pentanone	P1636.D	22.32254	20	RE105D2-GW-062315	UJ
8260C	2-Hexanone	P1636.D	22.14855	20	DUPLICATE-GW-062215	UJ
8260C	2-Hexanone	P1636.D	22.14855	20	RE103D1-GW-062215	UJ
8260C	2-Hexanone	P1636.D	22.14855	20	RE103D2-GW-062215	UJ
8260C	2-Hexanone	P1636.D	22.14855	20	RE103D3-GW-062215	UJ
8260C	2-Hexanone	P1636.D	22.14855	20	RE105D2-GW-062315	UJ

**Notes:**

CCV ID = Continuing calibration verification identification  
 %D = Percent difference  
 UJ = Non-detected analyte in associated sample qualified estimated "UJ" due to potential bias  
 J = Detected analyte qualified estimated "J" due to potential bias

**Table (A-3)**  
**Matrix Spike/Matrix Spike Duplicate**

<b>Spiked Sample</b>	<b>Analyte</b>	<b>Sample Result (µg/L)</b>	<b>Spike Added</b>	<b>MS %R</b>	<b>MSD %R</b>	<b>%R Limits</b>	<b>RPD</b>	<b>RPD Limit</b>	<b>Qualifier</b>
RE103D1-GW-062215	Methyl cyclohexane	ND	500	111	<b>65.2*</b>	73-125	<b>52**</b>	30	UJ
RE103D1-GW-062215	Xylenes, total	ND	1500	115	<b>84.7*</b>	89-116	30	30	UJ
RE103D1-GW-062215	Freon-113	11	500	116	<b>66.7*</b>	73-126	<b>53**</b>	30	J

**Notes:**

- µg/L = Micrograms per liter
- MS = Matrix spike
- MSD = Matrix spike duplicate
- %R = Percent recovery
- RPD = Relative percent difference
- Bold\*** = Percent recovery less than lower control limit
- Bold\*\*** = Relative percent difference outside control limit
- ND = Non-detect
- UJ = Non-detected analyte in associated sample qualified estimated "UJ" because %R is below the lower limit
- J = Detected analyte qualified estimated "J" because %R is below the lower limit in associated sample

**Attachment B**  
**Qualifier Codes and Explanations**

<b>Qualifier</b>	<b>Explanation</b>
J	The analyte was positively identified; the associated numerical value is the approximate concentration of the analyte in the sample.
UJ	The analyte was not detected above the reported sample quantitation limit. However, the reported quantitation limit is approximate and may or may not represent the actual quantitation limit necessary to accurately and precisely measure the analyte in the sample.
U	The analyte was analyzed for, but was not detected above the reported sample quantitation limit.

**Attachment C**  
**Reason Codes and Explanations**



<b>Reason Code</b>	<b>Explanation</b>
be	Equipment blank contamination
bf	Field blank contamination
bl	Laboratory blank contamination
bt	Trip blank contamination
c	Calibration issue
d	Reporting limit raised due to chromatographic interference
fd	Field duplicate relative percent difference
h	Holding times
i	Internal standard areas
k	Estimated Maximum Possible Concentration
l	Laboratory control sample
lc	Labeled compound recovery
ld	Laboratory duplicate relative percent difference
lp	Laboratory control sample/laboratory control sample duplicate relative percent difference
m	Matrix spike recovery
mc	Method compliance non-conformance
md	Matrix spike/matrix spike duplicate relative percent difference
nb	Negative laboratory blank contamination
p	Chemical preservation issue
r	Dual column relative percent difference
q	Quantitation issue
s	Surrogate recovery
su	Ion suppression
t	Temperature preservation issue
x	Percent solids
y	Serial dilution results
z	Interference check sample results (metals)

**Attachment D**  
**Final Results after Data Review**

Sample Delivery Group Lab ID Sample ID Sample Date Sample Type					SI4462 SI4462-1 RE104D3-GW-062315 6/23/2015 Groundwater		
Method	Analyte	CAS No	Units	Result	Qual	RC	
8260C	1,1,1-TRICHLOROETHANE	71-55-6	UG_L	0.5	U		
8260C	1,1,2,2-TETRACHLOROETHANE	79-34-5	UG_L	0.5	U		
8260C	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	76-13-1	UG_L	0.5	U		
8260C	1,1,2-TRICHLOROETHANE	79-00-5	UG_L	0.5	U		
8260C	1,1-DICHLOROETHANE	75-34-3	UG_L	0.5	U		
8260C	1,1-DICHLOROETHENE	75-35-4	UG_L	0.5	U		
8260C	1,2,4-TRICHLOROBENZENE	120-82-1	UG_L	0.5	U		
8260C	1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	UG_L	0.75	U		
8260C	1,2-DIBROMOETHANE	106-93-4	UG_L	0.5	U		
8260C	1,2-DICHLOROBENZENE	95-50-1	UG_L	0.5	U		
8260C	1,2-DICHLOROETHANE	107-06-2	UG_L	0.5	U		
8260C	1,2-DICHLOROETHENE, TOTAL	540-59-0	UG_L	1	U		
8260C	1,2-DICHLOROPROPANE	78-87-5	UG_L	0.5	U		
8260C	1,3-DICHLOROBENZENE	541-73-1	UG_L	0.5	U		
8260C	1,4-DICHLOROBENZENE	106-46-7	UG_L	0.5	U		
8260C	2-BUTANONE	78-93-3	UG_L	2.5	U		
8260C	2-HEXANONE	591-78-6	UG_L	2.5	U		
8260C	4-METHYL-2-PENTANONE	108-10-1	UG_L	2.5	U		
8260C	ACETONE	67-64-1	UG_L	2.5	U		
8260C	BENZENE	71-43-2	UG_L	0.5	U		
8260C	BROMODICHLOROMETHANE	75-27-4	UG_L	0.5	U		
8260C	BROMOFORM	75-25-2	UG_L	0.5	U		
8260C	BROMOMETHANE	74-83-9	UG_L	1	U		
8260C	CARBON DISULFIDE	75-15-0	UG_L	0.5	U		
8260C	CARBON TETRACHLORIDE	56-23-5	UG_L	0.5	U		
8260C	CHLOROBENZENE	108-90-7	UG_L	0.5	U		
8260C	CHLOROETHANE	75-00-3	UG_L	1	UJ	c	
8260C	CHLOROFORM	67-66-3	UG_L	0.5	U		
8260C	CHLOROMETHANE	74-87-3	UG_L	1	U		
8260C	CIS-1,2-DICHLOROETHENE	156-59-2	UG_L	0.5	U		
8260C	CIS-1,3-DICHLOROPROPENE	10061-01-5	UG_L	0.5	U		
8260C	CYCLOHEXANE	110-82-7	UG_L	0.5	U		
8260C	DIBROMOCHLOROMETHANE	124-48-1	UG_L	0.5	U		
8260C	DICHLORODIFLUOROMETHANE	75-71-8	UG_L	1	U		
8260C	ETHYLBENZENE	100-41-4	UG_L	0.5	U		
8260C	ISOPROPYLBENZENE	98-82-8	UG_L	0.5	U		
8260C	M- AND P-XYLENE	108-38-3/106-42	UG_L	1	U		
8260C	METHYL ACETATE	79-20-9	UG_L	0.75	U		
8260C	METHYL CYCLOHEXANE	108-87-2	UG_L	0.5	U		
8260C	METHYL TERT-BUTYL ETHER	1634-04-4	UG_L	0.5	U		
8260C	METHYLENE CHLORIDE	75-09-2	UG_L	2.5	U		
8260C	O-XYLENE	95-47-6	UG_L	0.5	U		
8260C	STYRENE	100-42-5	UG_L	0.5	U		
8260C	TETRACHLOROETHENE	127-18-4	UG_L	0.5	U		
8260C	TOLUENE	108-88-3	UG_L	0.5	U		
8260C	TRANS-1,2-DICHLOROETHENE	156-60-5	UG_L	0.5	U		
8260C	TRANS-1,3-DICHLOROPROPENE	10061-02-6	UG_L	0.5	U		
8260C	TRICHLOROETHENE	79-01-6	UG_L	0.5	U		
8260C	TRICHLOROFUOROMETHANE	75-69-4	UG_L	1	U		
8260C	VINYL CHLORIDE	75-01-4	UG_L	1	U		
8260C	XYLENES, TOTAL	1330-20-7	UG_L	1.5	U		
8270D_SIM	1,4-DIOXANE	123-91-1	UG_L	0.17	U		

Sample Delivery Group Lab ID Sample ID Sample Date Sample Type				SI4462 SI4462-2 RE104D2-GW-062315 6/23/2015 Groundwater		
Method	Analyte	CAS No	Units	Result	Qual	RC
8260C	1,1,1-TRICHLOROETHANE	71-55-6	UG_L	0.5	U	
8260C	1,1,2,2-TETRACHLOROETHANE	79-34-5	UG_L	0.5	U	
8260C	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	76-13-1	UG_L	0.5	U	
8260C	1,1,2-TRICHLOROETHANE	79-00-5	UG_L	0.5	U	
8260C	1,1-DICHLOROETHANE	75-34-3	UG_L	0.5	U	
8260C	1,1-DICHLOROETHENE	75-35-4	UG_L	0.5	U	
8260C	1,2,4-TRICHLOROBENZENE	120-82-1	UG_L	0.5	U	
8260C	1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	UG_L	0.75	U	
8260C	1,2-DIBROMOETHANE	106-93-4	UG_L	0.5	U	
8260C	1,2-DICHLOROBENZENE	95-50-1	UG_L	0.5	U	
8260C	1,2-DICHLOROETHANE	107-06-2	UG_L	0.5	U	
8260C	1,2-DICHLOROETHENE, TOTAL	540-59-0	UG_L	1.4	J	
8260C	1,2-DICHLOROPROPANE	78-87-5	UG_L	0.5	U	
8260C	1,3-DICHLOROBENZENE	541-73-1	UG_L	0.5	U	
8260C	1,4-DICHLOROBENZENE	106-46-7	UG_L	0.5	U	
8260C	2-BUTANONE	78-93-3	UG_L	2.5	U	
8260C	2-HEXANONE	591-78-6	UG_L	2.5	U	
8260C	4-METHYL-2-PENTANONE	108-10-1	UG_L	2.5	U	
8260C	ACETONE	67-64-1	UG_L	2.5	U	
8260C	BENZENE	71-43-2	UG_L	0.5	U	
8260C	BROMODICHLOROMETHANE	75-27-4	UG_L	0.5	U	
8260C	BROMOFORM	75-25-2	UG_L	0.5	U	
8260C	BROMOMETHANE	74-83-9	UG_L	1	U	
8260C	CARBON DISULFIDE	75-15-0	UG_L	0.5	U	
8260C	CARBON TETRACHLORIDE	56-23-5	UG_L	0.5	U	
8260C	CHLOROBENZENE	108-90-7	UG_L	0.5	U	
8260C	CHLOROETHANE	75-00-3	UG_L	1	UJ	c
8260C	CHLOROFORM	67-66-3	UG_L	0.5	U	
8260C	CHLOROMETHANE	74-87-3	UG_L	1	U	
8260C	CIS-1,2-DICHLOROETHENE	156-59-2	UG_L	1.4		
8260C	CIS-1,3-DICHLOROPROPENE	10061-01-5	UG_L	0.5	U	
8260C	CYCLOHEXANE	110-82-7	UG_L	0.5	U	
8260C	DIBROMOCHLOROMETHANE	124-48-1	UG_L	0.5	U	
8260C	DICHLORODIFLUOROMETHANE	75-71-8	UG_L	1	U	
8260C	ETHYLBENZENE	100-41-4	UG_L	0.5	U	
8260C	ISOPROPYLBENZENE	98-82-8	UG_L	0.5	U	
8260C	M- AND P-XYLENE	108-38-3/106-42	UG_L	1	U	
8260C	METHYL ACETATE	79-20-9	UG_L	0.75	U	
8260C	METHYL CYCLOHEXANE	108-87-2	UG_L	0.5	U	
8260C	METHYL TERT-BUTYL ETHER	1634-04-4	UG_L	0.5	U	
8260C	METHYLENE CHLORIDE	75-09-2	UG_L	2.5	U	
8260C	O-XYLENE	95-47-6	UG_L	0.5	U	
8260C	STYRENE	100-42-5	UG_L	0.5	U	
8260C	TETRACHLOROETHENE	127-18-4	UG_L	0.5	U	
8260C	TOLUENE	108-88-3	UG_L	0.5	U	
8260C	TRANS-1,2-DICHLOROETHENE	156-60-5	UG_L	0.5	U	
8260C	TRANS-1,3-DICHLOROPROPENE	10061-02-6	UG_L	0.5	U	
8260C	TRICHLOROETHENE	79-01-6	UG_L	4.3		
8260C	TRICHLOROFUOROMETHANE	75-69-4	UG_L	1	U	
8260C	VINYL CHLORIDE	75-01-4	UG_L	1	U	
8260C	XYLENES, TOTAL	1330-20-7	UG_L	1.5	U	
8270D_SIM	1,4-DIOXANE	123-91-1	UG_L	0.15	J	

Sample Delivery Group Lab ID Sample ID Sample Date Sample Type				SI4462 SI4462-3 RE104D1-GW-062315 6/23/2015 Groundwater		
Method	Analyte	CAS No	Units	Result	Qual	RC
8260C	1,1,1-TRICHLOROETHANE	71-55-6	UG_L	0.22	J	
8260C	1,1,2,2-TETRACHLOROETHANE	79-34-5	UG_L	0.5	U	
8260C	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	76-13-1	UG_L	3.7		
8260C	1,1,2-TRICHLOROETHANE	79-00-5	UG_L	0.5	U	
8260C	1,1-DICHLOROETHANE	75-34-3	UG_L	0.5	U	
8260C	1,1-DICHLOROETHENE	75-35-4	UG_L	0.66	J	
8260C	1,2,4-TRICHLOROBENZENE	120-82-1	UG_L	0.5	U	
8260C	1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	UG_L	0.75	U	
8260C	1,2-DIBROMOETHANE	106-93-4	UG_L	0.5	U	
8260C	1,2-DICHLOROBENZENE	95-50-1	UG_L	0.5	U	
8260C	1,2-DICHLOROETHANE	107-06-2	UG_L	0.5	U	
8260C	1,2-DICHLOROETHENE, TOTAL	540-59-0	UG_L	1	J	
8260C	1,2-DICHLOROPROPANE	78-87-5	UG_L	0.5	U	
8260C	1,3-DICHLOROBENZENE	541-73-1	UG_L	0.5	U	
8260C	1,4-DICHLOROBENZENE	106-46-7	UG_L	0.5	U	
8260C	2-BUTANONE	78-93-3	UG_L	2.5	U	
8260C	2-HEXANONE	591-78-6	UG_L	2.5	U	
8260C	4-METHYL-2-PENTANONE	108-10-1	UG_L	2.5	U	
8260C	ACETONE	67-64-1	UG_L	2.5	U	
8260C	BENZENE	71-43-2	UG_L	0.5	U	
8260C	BROMODICHLOROMETHANE	75-27-4	UG_L	0.5	U	
8260C	BROMOFORM	75-25-2	UG_L	0.5	U	
8260C	BROMOMETHANE	74-83-9	UG_L	1	U	
8260C	CARBON DISULFIDE	75-15-0	UG_L	0.5	U	
8260C	CARBON TETRACHLORIDE	56-23-5	UG_L	0.5	U	
8260C	CHLOROBENZENE	108-90-7	UG_L	0.5	U	
8260C	CHLOROETHANE	75-00-3	UG_L	1	UJ	c
8260C	CHLOROFORM	67-66-3	UG_L	0.5	U	
8260C	CHLOROMETHANE	74-87-3	UG_L	1	U	
8260C	CIS-1,2-DICHLOROETHENE	156-59-2	UG_L	1		
8260C	CIS-1,3-DICHLOROPROPENE	10061-01-5	UG_L	0.5	U	
8260C	CYCLOHEXANE	110-82-7	UG_L	0.5	U	
8260C	DIBROMOCHLOROMETHANE	124-48-1	UG_L	0.5	U	
8260C	DICHLORODIFLUOROMETHANE	75-71-8	UG_L	0.38	J	
8260C	ETHYLBENZENE	100-41-4	UG_L	0.5	U	
8260C	ISOPROPYLBENZENE	98-82-8	UG_L	0.5	U	
8260C	M- AND P-XYLENE	108-38-3/106-42	UG_L	1	U	
8260C	METHYL ACETATE	79-20-9	UG_L	0.75	U	
8260C	METHYL CYCLOHEXANE	108-87-2	UG_L	0.5	U	
8260C	METHYL TERT-BUTYL ETHER	1634-04-4	UG_L	0.5	U	
8260C	METHYLENE CHLORIDE	75-09-2	UG_L	2.5	U	
8260C	O-XYLENE	95-47-6	UG_L	0.5	U	
8260C	STYRENE	100-42-5	UG_L	0.5	U	
8260C	TETRACHLOROETHENE	127-18-4	UG_L	2.1		
8260C	TOLUENE	108-88-3	UG_L	0.5	U	
8260C	TRANS-1,2-DICHLOROETHENE	156-60-5	UG_L	0.5	U	
8260C	TRANS-1,3-DICHLOROPROPENE	10061-02-6	UG_L	0.5	U	
8260C	TRICHLOROETHENE	79-01-6	UG_L	100		
8260C	TRICHLOROFUOROMETHANE	75-69-4	UG_L	1	U	
8260C	VINYL CHLORIDE	75-01-4	UG_L	1	U	
8260C	XYLENES, TOTAL	1330-20-7	UG_L	1.5	U	
8270D_SIM	1,4-DIOXANE	123-91-1	UG_L	8.7		

Sample Delivery Group Lab ID Sample ID Sample Date Sample Type				SI4462 SI4462-4 RE103D1-GW-062215 6/22/2015 Groundwater		
Method	Analyte	CAS No	Units	Result	Qual	RC
8260C	1,1,1-TRICHLOROETHANE	71-55-6	UG_L	0.38	J	
8260C	1,1,2,2-TETRACHLOROETHANE	79-34-5	UG_L	0.5	U	
8260C	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	76-13-1	UG_L	11	J	m,ld
8260C	1,1,2-TRICHLOROETHANE	79-00-5	UG_L	0.51	J	
8260C	1,1-DICHLOROETHANE	75-34-3	UG_L	0.64	J	
8260C	1,1-DICHLOROETHENE	75-35-4	UG_L	4.2		
8260C	1,2,4-TRICHLOROBENZENE	120-82-1	UG_L	0.5	U	
8260C	1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	UG_L	0.75	U	
8260C	1,2-DIBROMOETHANE	106-93-4	UG_L	0.5	U	
8260C	1,2-DICHLOROBENZENE	95-50-1	UG_L	0.5	U	
8260C	1,2-DICHLOROETHANE	107-06-2	UG_L	0.5	U	
8260C	1,2-DICHLOROETHENE, TOTAL	540-59-0	UG_L	3		
8260C	1,2-DICHLOROPROPANE	78-87-5	UG_L	0.5	U	
8260C	1,3-DICHLOROBENZENE	541-73-1	UG_L	0.5	U	
8260C	1,4-DICHLOROBENZENE	106-46-7	UG_L	0.5	U	
8260C	2-BUTANONE	78-93-3	UG_L	2.5	U	
8260C	2-HEXANONE	591-78-6	UG_L	2.5	UJ	c
8260C	4-METHYL-2-PENTANONE	108-10-1	UG_L	2.5	UJ	c
8260C	ACETONE	67-64-1	UG_L	3.3	J	c
8260C	BENZENE	71-43-2	UG_L	0.5	U	
8260C	BROMODICHLOROMETHANE	75-27-4	UG_L	0.5	U	
8260C	BROMOFORM	75-25-2	UG_L	0.5	U	
8260C	BROMOMETHANE	74-83-9	UG_L	1	U	
8260C	CARBON DISULFIDE	75-15-0	UG_L	0.5	U	
8260C	CARBON TETRACHLORIDE	56-23-5	UG_L	0.5	U	
8260C	CHLOROBENZENE	108-90-7	UG_L	0.5	U	
8260C	CHLOROETHANE	75-00-3	UG_L	1	UJ	c
8260C	CHLOROFORM	67-66-3	UG_L	0.49	J	
8260C	CHLOROMETHANE	74-87-3	UG_L	1	U	
8260C	CIS-1,2-DICHLOROETHENE	156-59-2	UG_L	3		
8260C	CIS-1,3-DICHLOROPROPENE	10061-01-5	UG_L	0.5	U	
8260C	CYCLOHEXANE	110-82-7	UG_L	0.5	U	
8260C	DIBROMOCHLOROMETHANE	124-48-1	UG_L	0.5	U	
8260C	DICHLORODIFLUOROMETHANE	75-71-8	UG_L	0.26	J	
8260C	ETHYLBENZENE	100-41-4	UG_L	0.5	U	
8260C	ISOPROPYLBENZENE	98-82-8	UG_L	0.5	U	
8260C	M- AND P-XYLENE	108-38-3/106-42	UG_L	1	U	
8260C	METHYL ACETATE	79-20-9	UG_L	0.75	U	
8260C	METHYL CYCLOHEXANE	108-87-2	UG_L	0.5	UJ	m
8260C	METHYL TERT-BUTYL ETHER	1634-04-4	UG_L	0.5	U	
8260C	METHYLENE CHLORIDE	75-09-2	UG_L	2.5	U	
8260C	O-XYLENE	95-47-6	UG_L	0.5	U	
8260C	STYRENE	100-42-5	UG_L	0.5	U	
8260C	TETRACHLOROETHENE	127-18-4	UG_L	4		
8260C	TOLUENE	108-88-3	UG_L	0.5	U	
8260C	TRANS-1,2-DICHLOROETHENE	156-60-5	UG_L	0.5	U	
8260C	TRANS-1,3-DICHLOROPROPENE	10061-02-6	UG_L	0.5	U	
8260C	TRICHLOROETHENE	79-01-6	UG_L	810		
8260C	TRICHLOROFUOROMETHANE	75-69-4	UG_L	1	U	
8260C	VINYL CHLORIDE	75-01-4	UG_L	1	U	
8260C	XYLENES, TOTAL	1330-20-7	UG_L	1.5	UJ	m
8270D_SIM	1,4-DIOXANE	123-91-1	UG_L	16		

Sample Delivery Group Lab ID Sample ID Sample Date Sample Type				SI4462 SI4462-5 RE103D2-GW-062215 6/22/2015 Groundwater		
Method	Analyte	CAS No	Units	Result	Qual	RC
8260C	1,1,1-TRICHLOROETHANE	71-55-6	UG_L	0.5	U	
8260C	1,1,2,2-TETRACHLOROETHANE	79-34-5	UG_L	0.5	U	
8260C	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	76-13-1	UG_L	4.3		
8260C	1,1,2-TRICHLOROETHANE	79-00-5	UG_L	0.57	J	
8260C	1,1-DICHLOROETHANE	75-34-3	UG_L	0.5	U	
8260C	1,1-DICHLOROETHENE	75-35-4	UG_L	0.81	J	
8260C	1,2,4-TRICHLOROBENZENE	120-82-1	UG_L	0.5	U	
8260C	1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	UG_L	0.75	U	
8260C	1,2-DIBROMOETHANE	106-93-4	UG_L	0.5	U	
8260C	1,2-DICHLOROBENZENE	95-50-1	UG_L	0.5	U	
8260C	1,2-DICHLOROETHANE	107-06-2	UG_L	0.5	U	
8260C	1,2-DICHLOROETHENE, TOTAL	540-59-0	UG_L	1.4	J	
8260C	1,2-DICHLOROPROPANE	78-87-5	UG_L	0.5	U	
8260C	1,3-DICHLOROBENZENE	541-73-1	UG_L	0.5	U	
8260C	1,4-DICHLOROBENZENE	106-46-7	UG_L	0.5	U	
8260C	2-BUTANONE	78-93-3	UG_L	2.5	U	
8260C	2-HEXANONE	591-78-6	UG_L	2.5	UJ	c
8260C	4-METHYL-2-PENTANONE	108-10-1	UG_L	2.5	UJ	c
8260C	ACETONE	67-64-1	UG_L	7.3	J	c
8260C	BENZENE	71-43-2	UG_L	0.5	U	
8260C	BROMODICHLOROMETHANE	75-27-4	UG_L	0.5	U	
8260C	BROMOFORM	75-25-2	UG_L	0.5	U	
8260C	BROMOMETHANE	74-83-9	UG_L	1	U	
8260C	CARBON DISULFIDE	75-15-0	UG_L	0.5	U	
8260C	CARBON TETRACHLORIDE	56-23-5	UG_L	0.25	J	
8260C	CHLOROBENZENE	108-90-7	UG_L	0.5	U	
8260C	CHLOROETHANE	75-00-3	UG_L	1	UJ	c
8260C	CHLOROFORM	67-66-3	UG_L	0.94	J	
8260C	CHLOROMETHANE	74-87-3	UG_L	1	U	
8260C	CIS-1,2-DICHLOROETHENE	156-59-2	UG_L	1.4		
8260C	CIS-1,3-DICHLOROPROPENE	10061-01-5	UG_L	0.5	U	
8260C	CYCLOHEXANE	110-82-7	UG_L	0.5	U	
8260C	DIBROMOCHLOROMETHANE	124-48-1	UG_L	0.5	U	
8260C	DICHLORODIFLUOROMETHANE	75-71-8	UG_L	1	U	
8260C	ETHYLBENZENE	100-41-4	UG_L	0.5	U	
8260C	ISOPROPYLBENZENE	98-82-8	UG_L	0.5	U	
8260C	M- AND P-XYLENE	108-38-3/106-42	UG_L	1	U	
8260C	METHYL ACETATE	79-20-9	UG_L	0.75	U	
8260C	METHYL CYCLOHEXANE	108-87-2	UG_L	0.5	U	
8260C	METHYL TERT-BUTYL ETHER	1634-04-4	UG_L	0.5	U	
8260C	METHYLENE CHLORIDE	75-09-2	UG_L	2.5	U	
8260C	O-XYLENE	95-47-6	UG_L	0.5	U	
8260C	STYRENE	100-42-5	UG_L	0.5	U	
8260C	TETRACHLOROETHENE	127-18-4	UG_L	0.88	J	
8260C	TOLUENE	108-88-3	UG_L	0.5	U	
8260C	TRANS-1,2-DICHLOROETHENE	156-60-5	UG_L	0.5	U	
8260C	TRANS-1,3-DICHLOROPROPENE	10061-02-6	UG_L	0.5	U	
8260C	TRICHLOROETHENE	79-01-6	UG_L	770		
8260C	TRICHLOROFLUOROMETHANE	75-69-4	UG_L	1	U	
8260C	VINYL CHLORIDE	75-01-4	UG_L	1	U	
8260C	XYLENES, TOTAL	1330-20-7	UG_L	1.5	U	
8270D_SIM	1,4-DIOXANE	123-91-1	UG_L	1.9		

Sample Delivery Group Lab ID Sample ID Sample Date Sample Type				SI4462 SI4462-6 RE103D3-GW-062215 6/22/2015 Groundwater		
Method	Analyte	CAS No	Units	Result	Qual	RC
8260C	1,1,1-TRICHLOROETHANE	71-55-6	UG_L	0.5	U	
8260C	1,1,2,2-TETRACHLOROETHANE	79-34-5	UG_L	0.5	U	
8260C	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	76-13-1	UG_L	2		
8260C	1,1,2-TRICHLOROETHANE	79-00-5	UG_L	0.5	U	
8260C	1,1-DICHLOROETHANE	75-34-3	UG_L	0.5	U	
8260C	1,1-DICHLOROETHENE	75-35-4	UG_L	0.47	J	
8260C	1,2,4-TRICHLOROBENZENE	120-82-1	UG_L	0.5	U	
8260C	1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	UG_L	0.75	U	
8260C	1,2-DIBROMOETHANE	106-93-4	UG_L	0.5	U	
8260C	1,2-DICHLOROBENZENE	95-50-1	UG_L	0.5	U	
8260C	1,2-DICHLOROETHANE	107-06-2	UG_L	0.5	U	
8260C	1,2-DICHLOROETHENE, TOTAL	540-59-0	UG_L	0.89	J	
8260C	1,2-DICHLOROPROPANE	78-87-5	UG_L	0.5	U	
8260C	1,3-DICHLOROBENZENE	541-73-1	UG_L	0.5	U	
8260C	1,4-DICHLOROBENZENE	106-46-7	UG_L	0.5	U	
8260C	2-BUTANONE	78-93-3	UG_L	2.5	U	
8260C	2-HEXANONE	591-78-6	UG_L	2.5	UJ	c
8260C	4-METHYL-2-PENTANONE	108-10-1	UG_L	2.5	UJ	c
8260C	ACETONE	67-64-1	UG_L	2.5	UJ	c
8260C	BENZENE	71-43-2	UG_L	0.5	U	
8260C	BROMODICHLOROMETHANE	75-27-4	UG_L	0.5	U	
8260C	BROMOFORM	75-25-2	UG_L	0.5	U	
8260C	BROMOMETHANE	74-83-9	UG_L	1	U	
8260C	CARBON DISULFIDE	75-15-0	UG_L	0.5	U	
8260C	CARBON TETRACHLORIDE	56-23-5	UG_L	0.5	U	
8260C	CHLOROBENZENE	108-90-7	UG_L	0.5	U	
8260C	CHLOROETHANE	75-00-3	UG_L	1	UJ	c
8260C	CHLOROFORM	67-66-3	UG_L	0.69	J	
8260C	CHLOROMETHANE	74-87-3	UG_L	1	U	
8260C	CIS-1,2-DICHLOROETHENE	156-59-2	UG_L	0.89	J	
8260C	CIS-1,3-DICHLOROPROPENE	10061-01-5	UG_L	0.5	U	
8260C	CYCLOHEXANE	110-82-7	UG_L	0.5	U	
8260C	DIBROMOCHLOROMETHANE	124-48-1	UG_L	0.5	U	
8260C	DICHLORODIFLUOROMETHANE	75-71-8	UG_L	1	U	
8260C	ETHYLBENZENE	100-41-4	UG_L	0.5	U	
8260C	ISOPROPYLBENZENE	98-82-8	UG_L	0.5	U	
8260C	M- AND P-XYLENE	108-38-3/106-42	UG_L	1	U	
8260C	METHYL ACETATE	79-20-9	UG_L	0.75	U	
8260C	METHYL CYCLOHEXANE	108-87-2	UG_L	0.5	U	
8260C	METHYL TERT-BUTYL ETHER	1634-04-4	UG_L	0.5	U	
8260C	METHYLENE CHLORIDE	75-09-2	UG_L	2.5	U	
8260C	O-XYLENE	95-47-6	UG_L	0.5	U	
8260C	STYRENE	100-42-5	UG_L	0.5	U	
8260C	TETRACHLOROETHENE	127-18-4	UG_L	0.5	U	
8260C	TOLUENE	108-88-3	UG_L	0.5	U	
8260C	TRANS-1,2-DICHLOROETHENE	156-60-5	UG_L	0.5	U	
8260C	TRANS-1,3-DICHLOROPROPENE	10061-02-6	UG_L	0.5	U	
8260C	TRICHLOROETHENE	79-01-6	UG_L	420		
8260C	TRICHLOROFUOROMETHANE	75-69-4	UG_L	1	U	
8260C	VINYL CHLORIDE	75-01-4	UG_L	1	U	
8260C	XYLENES, TOTAL	1330-20-7	UG_L	1.5	U	
8270D_SIM	1,4-DIOXANE	123-91-1	UG_L	0.86		



Sample Delivery Group				SI4462		
Lab ID				SI4462-7		
Sample ID				DUPLICATE-GW-062215		
Sample Date				6/22/2015		
Sample Type				Field Duplicate		
Method	Analyte	CAS No	Units	Result	Qual	RC
8260C	1,1,1-TRICHLOROETHANE	71-55-6	UG_L	0.44	J	
8260C	1,1,2,2-TETRACHLOROETHANE	79-34-5	UG_L	0.5	U	
8260C	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	76-13-1	UG_L	22		
8260C	1,1,2-TRICHLOROETHANE	79-00-5	UG_L	0.6	J	
8260C	1,1-DICHLOROETHANE	75-34-3	UG_L	0.85	J	
8260C	1,1-DICHLOROETHENE	75-35-4	UG_L	4.6		
8260C	1,2,4-TRICHLOROBENZENE	120-82-1	UG_L	0.5	U	
8260C	1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	UG_L	0.75	U	
8260C	1,2-DIBROMOETHANE	106-93-4	UG_L	0.5	U	
8260C	1,2-DICHLOROBENZENE	95-50-1	UG_L	0.5	U	
8260C	1,2-DICHLOROETHANE	107-06-2	UG_L	0.5	U	
8260C	1,2-DICHLOROETHENE, TOTAL	540-59-0	UG_L	2.2		
8260C	1,2-DICHLOROPROPANE	78-87-5	UG_L	0.5	U	
8260C	1,3-DICHLOROBENZENE	541-73-1	UG_L	0.5	U	
8260C	1,4-DICHLOROBENZENE	106-46-7	UG_L	0.5	U	
8260C	2-BUTANONE	78-93-3	UG_L	2.5	U	
8260C	2-HEXANONE	591-78-6	UG_L	2.5	UJ	c
8260C	4-METHYL-2-PENTANONE	108-10-1	UG_L	2.5	UJ	c
8260C	ACETONE	67-64-1	UG_L	2.5	UJ	c
8260C	BENZENE	71-43-2	UG_L	0.5	U	
8260C	BROMODICHLOROMETHANE	75-27-4	UG_L	0.5	U	
8260C	BROMOFORM	75-25-2	UG_L	0.5	U	
8260C	BROMOMETHANE	74-83-9	UG_L	1	U	
8260C	CARBON DISULFIDE	75-15-0	UG_L	0.5	U	
8260C	CARBON TETRACHLORIDE	56-23-5	UG_L	1.3		
8260C	CHLOROBENZENE	108-90-7	UG_L	0.5	U	
8260C	CHLOROETHANE	75-00-3	UG_L	1	UJ	c
8260C	CHLOROFORM	67-66-3	UG_L	0.82	J	
8260C	CHLOROMETHANE	74-87-3	UG_L	1	U	
8260C	CIS-1,2-DICHLOROETHENE	156-59-2	UG_L	2.2		
8260C	CIS-1,3-DICHLOROPROPENE	10061-01-5	UG_L	0.5	U	
8260C	CYCLOHEXANE	110-82-7	UG_L	0.5	U	
8260C	DIBROMOCHLOROMETHANE	124-48-1	UG_L	0.5	U	
8260C	DICHLORODIFLUOROMETHANE	75-71-8	UG_L	1	U	
8260C	ETHYLBENZENE	100-41-4	UG_L	0.5	U	
8260C	ISOPROPYLBENZENE	98-82-8	UG_L	0.5	U	
8260C	M- AND P-XYLENE	108-38-3/106-42	UG_L	1	U	
8260C	METHYL ACETATE	79-20-9	UG_L	0.75	U	
8260C	METHYL CYCLOHEXANE	108-87-2	UG_L	0.5	U	
8260C	METHYL TERT-BUTYL ETHER	1634-04-4	UG_L	0.5	U	
8260C	METHYLENE CHLORIDE	75-09-2	UG_L	2.5	U	
8260C	O-XYLENE	95-47-6	UG_L	0.5	U	
8260C	STYRENE	100-42-5	UG_L	0.5	U	
8260C	TETRACHLOROETHENE	127-18-4	UG_L	0.86	J	
8260C	TOLUENE	108-88-3	UG_L	0.5	U	
8260C	TRANS-1,2-DICHLOROETHENE	156-60-5	UG_L	0.5	U	
8260C	TRANS-1,3-DICHLOROPROPENE	10061-02-6	UG_L	0.5	U	
8260C	TRICHLOROETHENE	79-01-6	UG_L	620		
8260C	TRICHLOROFLUOROMETHANE	75-69-4	UG_L	1	U	
8260C	VINYL CHLORIDE	75-01-4	UG_L	1	U	
8260C	XYLENES, TOTAL	1330-20-7	UG_L	1.5	U	
8270D_SIM	1,4-DIOXANE	123-91-1	UG_L	2.4		

Sample Delivery Group Lab ID Sample ID Sample Date Sample Type				SI4462 SI4462-11 RE105D1-GW-062315 6/23/2015 Groundwater		
Method	Analyte	CAS No	Units	Result	Qual	RC
8260C	1,1,1-TRICHLOROETHANE	71-55-6	UG_L	0.35	J	
8260C	1,1,2,2-TETRACHLOROETHANE	79-34-5	UG_L	0.5	U	
8260C	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	76-13-1	UG_L	8.4		
8260C	1,1,2-TRICHLOROETHANE	79-00-5	UG_L	0.5	U	
8260C	1,1-DICHLOROETHANE	75-34-3	UG_L	0.5	U	
8260C	1,1-DICHLOROETHENE	75-35-4	UG_L	1.1		
8260C	1,2,4-TRICHLOROBENZENE	120-82-1	UG_L	0.5	U	
8260C	1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	UG_L	0.75	U	
8260C	1,2-DIBROMOETHANE	106-93-4	UG_L	0.5	U	
8260C	1,2-DICHLOROBENZENE	95-50-1	UG_L	0.5	U	
8260C	1,2-DICHLOROETHANE	107-06-2	UG_L	0.5	U	
8260C	1,2-DICHLOROETHENE, TOTAL	540-59-0	UG_L	1.7	J	
8260C	1,2-DICHLOROPROPANE	78-87-5	UG_L	0.5	U	
8260C	1,3-DICHLOROBENZENE	541-73-1	UG_L	0.5	U	
8260C	1,4-DICHLOROBENZENE	106-46-7	UG_L	0.5	U	
8260C	2-BUTANONE	78-93-3	UG_L	2.5	U	
8260C	2-HEXANONE	591-78-6	UG_L	2.5	U	
8260C	4-METHYL-2-PENTANONE	108-10-1	UG_L	2.5	U	
8260C	ACETONE	67-64-1	UG_L	3.2	J	
8260C	BENZENE	71-43-2	UG_L	0.5	U	
8260C	BROMODICHLOROMETHANE	75-27-4	UG_L	0.5	U	
8260C	BROMOFORM	75-25-2	UG_L	0.5	U	
8260C	BROMOMETHANE	74-83-9	UG_L	1	U	
8260C	CARBON DISULFIDE	75-15-0	UG_L	0.5	U	
8260C	CARBON TETRACHLORIDE	56-23-5	UG_L	0.5	U	
8260C	CHLOROBENZENE	108-90-7	UG_L	0.5	U	
8260C	CHLOROETHANE	75-00-3	UG_L	1	UJ	c
8260C	CHLOROFORM	67-66-3	UG_L	0.5	U	
8260C	CHLOROMETHANE	74-87-3	UG_L	1	U	
8260C	CIS-1,2-DICHLOROETHENE	156-59-2	UG_L	1.7		
8260C	CIS-1,3-DICHLOROPROPENE	10061-01-5	UG_L	0.5	U	
8260C	CYCLOHEXANE	110-82-7	UG_L	0.5	U	
8260C	DIBROMOCHLOROMETHANE	124-48-1	UG_L	0.5	U	
8260C	DICHLORODIFLUOROMETHANE	75-71-8	UG_L	0.63	J	
8260C	ETHYLBENZENE	100-41-4	UG_L	0.5	U	
8260C	ISOPROPYLBENZENE	98-82-8	UG_L	0.5	U	
8260C	M- AND P-XYLENE	108-38-3/106-42	UG_L	1	U	
8260C	METHYL ACETATE	79-20-9	UG_L	0.75	U	
8260C	METHYL CYCLOHEXANE	108-87-2	UG_L	0.5	U	
8260C	METHYL TERT-BUTYL ETHER	1634-04-4	UG_L	0.5	U	
8260C	METHYLENE CHLORIDE	75-09-2	UG_L	2.5	U	
8260C	O-XYLENE	95-47-6	UG_L	0.5	U	
8260C	STYRENE	100-42-5	UG_L	0.5	U	
8260C	TETRACHLOROETHENE	127-18-4	UG_L	0.5	U	
8260C	TOLUENE	108-88-3	UG_L	0.5	U	
8260C	TRANS-1,2-DICHLOROETHENE	156-60-5	UG_L	0.5	U	
8260C	TRANS-1,3-DICHLOROPROPENE	10061-02-6	UG_L	0.5	U	
8260C	TRICHLOROETHENE	79-01-6	UG_L	120		
8260C	TRICHLOROFLUOROMETHANE	75-69-4	UG_L	1	U	
8260C	VINYL CHLORIDE	75-01-4	UG_L	1	U	
8260C	XYLENES, TOTAL	1330-20-7	UG_L	1.5	U	
8270D_SIM	1,4-DIOXANE	123-91-1	UG_L	11		

Sample Delivery Group Lab ID Sample ID Sample Date Sample Type				SI4462 SI4462-12 RE105D2-GW-062315 6/23/2015 Groundwater		
Method	Analyte	CAS No	Units	Result	Qual	RC
8260C	1,1,1-TRICHLOROETHANE	71-55-6	UG_L	0.53	J	
8260C	1,1,2,2-TETRACHLOROETHANE	79-34-5	UG_L	0.5	U	
8260C	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	76-13-1	UG_L	25		
8260C	1,1,2-TRICHLOROETHANE	79-00-5	UG_L	1.1		
8260C	1,1-DICHLOROETHANE	75-34-3	UG_L	1.3		
8260C	1,1-DICHLOROETHENE	75-35-4	UG_L	6		
8260C	1,2,4-TRICHLOROBENZENE	120-82-1	UG_L	0.5	U	
8260C	1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	UG_L	0.75	U	
8260C	1,2-DIBROMOETHANE	106-93-4	UG_L	0.5	U	
8260C	1,2-DICHLOROBENZENE	95-50-1	UG_L	0.5	U	
8260C	1,2-DICHLOROETHANE	107-06-2	UG_L	0.5	U	
8260C	1,2-DICHLOROETHENE, TOTAL	540-59-0	UG_L	3.4		
8260C	1,2-DICHLOROPROPANE	78-87-5	UG_L	0.5	U	
8260C	1,3-DICHLOROBENZENE	541-73-1	UG_L	0.5	U	
8260C	1,4-DICHLOROBENZENE	106-46-7	UG_L	0.5	U	
8260C	2-BUTANONE	78-93-3	UG_L	2.5	U	
8260C	2-HEXANONE	591-78-6	UG_L	2.5	UJ	c
8260C	4-METHYL-2-PENTANONE	108-10-1	UG_L	2.5	UJ	c
8260C	ACETONE	67-64-1	UG_L	4.2	J	c
8260C	BENZENE	71-43-2	UG_L	0.5	U	
8260C	BROMODICHLOROMETHANE	75-27-4	UG_L	0.5	U	
8260C	BROMOFORM	75-25-2	UG_L	0.5	U	
8260C	BROMOMETHANE	74-83-9	UG_L	1	U	
8260C	CARBON DISULFIDE	75-15-0	UG_L	0.5	U	
8260C	CARBON TETRACHLORIDE	56-23-5	UG_L	2.7		
8260C	CHLOROBENZENE	108-90-7	UG_L	0.5	U	
8260C	CHLOROETHANE	75-00-3	UG_L	1	UJ	c
8260C	CHLOROFORM	67-66-3	UG_L	2.1		
8260C	CHLOROMETHANE	74-87-3	UG_L	1	U	
8260C	CIS-1,2-DICHLOROETHENE	156-59-2	UG_L	3.4		
8260C	CIS-1,3-DICHLOROPROPENE	10061-01-5	UG_L	0.5	U	
8260C	CYCLOHEXANE	110-82-7	UG_L	0.5	U	
8260C	DIBROMOCHLOROMETHANE	124-48-1	UG_L	0.5	U	
8260C	DICHLORODIFLUOROMETHANE	75-71-8	UG_L	0.4	J	
8260C	ETHYLBENZENE	100-41-4	UG_L	0.5	U	
8260C	ISOPROPYLBENZENE	98-82-8	UG_L	0.5	U	
8260C	M- AND P-XYLENE	108-38-3/106-42	UG_L	1	U	
8260C	METHYL ACETATE	79-20-9	UG_L	0.75	U	
8260C	METHYL CYCLOHEXANE	108-87-2	UG_L	0.5	U	
8260C	METHYL TERT-BUTYL ETHER	1634-04-4	UG_L	0.5	U	
8260C	METHYLENE CHLORIDE	75-09-2	UG_L	2.5	U	
8260C	O-XYLENE	95-47-6	UG_L	0.5	U	
8260C	STYRENE	100-42-5	UG_L	0.5	U	
8260C	TETRACHLOROETHENE	127-18-4	UG_L	1.6		
8260C	TOLUENE	108-88-3	UG_L	0.5	U	
8260C	TRANS-1,2-DICHLOROETHENE	156-60-5	UG_L	0.5	U	
8260C	TRANS-1,3-DICHLOROPROPENE	10061-02-6	UG_L	0.5	U	
8260C	TRICHLOROETHENE	79-01-6	UG_L	1400		
8260C	TRICHLOROFLUOROMETHANE	75-69-4	UG_L	1	U	
8260C	VINYL CHLORIDE	75-01-4	UG_L	1	U	
8260C	XYLENES, TOTAL	1330-20-7	UG_L	1.5	U	
8270D_SIM	1,4-DIOXANE	123-91-1	UG_L	6.1		

Sample Delivery Group				SI4462		
Lab ID				SI4462-13		
Sample ID				TB-062315		
Sample Date				6/23/2015		
Sample Type				Trip Blank		
Method	Analyte	CAS No	Units	Result	Qual	RC
8260C	1,1,1-TRICHLOROETHANE	71-55-6	UG_L	0.5	U	
8260C	1,1,2,2-TETRACHLOROETHANE	79-34-5	UG_L	0.5	U	
8260C	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	76-13-1	UG_L	0.5	U	
8260C	1,1,2-TRICHLOROETHANE	79-00-5	UG_L	0.5	U	
8260C	1,1-DICHLOROETHANE	75-34-3	UG_L	0.5	U	
8260C	1,1-DICHLOROETHENE	75-35-4	UG_L	0.5	U	
8260C	1,2,4-TRICHLOROBENZENE	120-82-1	UG_L	0.5	U	
8260C	1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	UG_L	0.75	U	
8260C	1,2-DIBROMOETHANE	106-93-4	UG_L	0.5	U	
8260C	1,2-DICHLOROBENZENE	95-50-1	UG_L	0.5	U	
8260C	1,2-DICHLOROETHANE	107-06-2	UG_L	0.5	U	
8260C	1,2-DICHLOROETHENE, TOTAL	540-59-0	UG_L	1	U	
8260C	1,2-DICHLOROPROPANE	78-87-5	UG_L	0.5	U	
8260C	1,3-DICHLOROBENZENE	541-73-1	UG_L	0.5	U	
8260C	1,4-DICHLOROBENZENE	106-46-7	UG_L	0.5	U	
8260C	2-BUTANONE	78-93-3	UG_L	2.5	U	
8260C	2-HEXANONE	591-78-6	UG_L	2.5	U	
8260C	4-METHYL-2-PENTANONE	108-10-1	UG_L	2.5	U	
8260C	ACETONE	67-64-1	UG_L	2.5	U	
8260C	BENZENE	71-43-2	UG_L	0.5	U	
8260C	BROMODICHLOROMETHANE	75-27-4	UG_L	0.5	U	
8260C	BROMOFORM	75-25-2	UG_L	0.5	U	
8260C	BROMOMETHANE	74-83-9	UG_L	1	U	
8260C	CARBON DISULFIDE	75-15-0	UG_L	0.5	U	
8260C	CARBON TETRACHLORIDE	56-23-5	UG_L	0.5	U	
8260C	CHLOROETHANE	108-90-7	UG_L	0.5	U	
8260C	CHLOROETHANE	75-00-3	UG_L	1	UJ	c
8260C	CHLOROFORM	67-66-3	UG_L	0.5	U	
8260C	CHLOROMETHANE	74-87-3	UG_L	1	U	
8260C	CIS-1,2-DICHLOROETHENE	156-59-2	UG_L	0.5	U	
8260C	CIS-1,3-DICHLOROPROPENE	10061-01-5	UG_L	0.5	U	
8260C	CYCLOHEXANE	110-82-7	UG_L	0.5	U	
8260C	DIBROMOCHLOROMETHANE	124-48-1	UG_L	0.5	U	
8260C	DICHLORODIFLUOROMETHANE	75-71-8	UG_L	1	U	
8260C	ETHYLBENZENE	100-41-4	UG_L	0.5	U	
8260C	ISOPROPYLBENZENE	98-82-8	UG_L	0.5	U	
8260C	M- AND P-XYLENE	108-38-3/106-42	UG_L	1	U	
8260C	METHYL ACETATE	79-20-9	UG_L	0.75	U	
8260C	METHYL CYCLOHEXANE	108-87-2	UG_L	0.5	U	
8260C	METHYL TERT-BUTYL ETHER	1634-04-4	UG_L	0.5	U	
8260C	METHYLENE CHLORIDE	75-09-2	UG_L	2.5	U	
8260C	O-XYLENE	95-47-6	UG_L	0.5	U	
8260C	STYRENE	100-42-5	UG_L	0.5	U	
8260C	TETRACHLOROETHENE	127-18-4	UG_L	0.5	U	
8260C	TOLUENE	108-88-3	UG_L	0.5	U	
8260C	TRANS-1,2-DICHLOROETHENE	156-60-5	UG_L	0.5	U	
8260C	TRANS-1,3-DICHLOROPROPENE	10061-02-6	UG_L	0.5	U	
8260C	TRICHLOROETHENE	79-01-6	UG_L	0.5	U	
8260C	TRICHLOROFUOROMETHANE	75-69-4	UG_L	1	U	
8260C	VINYL CHLORIDE	75-01-4	UG_L	1	U	
8260C	XYLENES, TOTAL	1330-20-7	UG_L	1.5	U	
8270D_SIM	1,4-DIOXANE	123-91-1	UG_L	NA		

**Notes:**

UG\_L = Micrograms per liter  
NA = Not analyzed  
Qual = Final qualifier (Refer to Attachment B)  
RC = Reason code (Refer to Attachment C)

**DATA VALIDATION REPORT**

Project:	Regional Groundwater Investigation — NWIRP Bethpage	
Laboratory:	Katahdin Analytical	
Sample Delivery Group:	SI4496	
Analyses/Method:	Volatile Organic Compounds by U.S. EPA SW-846 Method 8260C 1,4-Dioxane by U.S. EPA SW-846 Method 8270D via Selective Ion Monitoring (SIM)	
Validation Level:	3	
Project Number:	0888812477.SA.DV	
Prepared by:	Dana Miller/Resolution Consultants	Completed on: 07/30/2015
Reviewed by:	Tina Cantwell/Resolution Consultants	File Name: SI4496_8260C_8270D

**SUMMARY**

This report summarizes data review findings for samples listed below, collected by Resolution Consultants from the Regional Groundwater Investigation — NWIRP Bethpage Site on 22 June 2015 in accordance with the following Sampling and Analysis Plans:

- *Sampling and Analysis Plan, Bethpage, New York.* (Resolution Consultants, April 2013).
- *UFP SAP Addendum, Installation of Vertical Profile Borings and Monitoring Wells, Operable Unit 2, NWIRP Bethpage, New York.* (Resolution Consultants, November 2013).
- *UFP SAP Addendum, Inclusion of Additional Target Analytes for Volatile Organics Analyses, NWIRP Bethpage OU2, Bethpage, New York.* (Resolution Consultants, August 2014).

Sample ID	Matrix/Sample Type	Analysis
TT101D1-GW-062215	Groundwater	8260C/8270D_SIM
TT101D2-GW-062215	Groundwater	8260C/8270D_SIM
TT101D-GW-062215	Groundwater	8260C/8270D_SIM

Data validation activities were conducted using the following guidance documents: *Test Methods for Evaluating Solid Waste, Physical/Chemical Methods SW-846, specifically Method 8260C, Volatile Organic Compounds by Gas Chromatography/Mass Spectrometry* (United States Environmental Protection Agency [U.S. EPA] 2006), *SW-846 Method 8270D, Semivolatile Organic Compounds by Gas Chromatograph/Mass Spectrometry* (U.S. EPA 2007), *U.S. Environmental*

*Protection Agency Contract Laboratory Program National Functional Guidelines for Superfund Organic Methods Data Review* (U.S. EPA, June 2008), and *Department of Defense Quality Systems Manual for Environmental Laboratories*, Version 4.2 (October 2010). In the absence of method-specific information, laboratory quality control (QC) limits, project-specific requirements, and/or professional judgment were used as appropriate.

## **REVIEW ELEMENTS**

The data were evaluated based on the following parameters (where applicable to the method):

- ✓ Data completeness (chain-of-custody)/sample integrity
- ✓ Holding times and sample preservation
- ✓ Gas chromatography/Mass spectrometer performance checks
- X Initial calibration verification (ICV)/continuing calibration verification (CCV)
- ✓ Laboratory blanks/trip blanks
- ✓ Surrogate spike recoveries
- NA Matrix spike and/or matrix spike duplicate results
- ✓ Laboratory control sample/laboratory control sample duplicate results
- NA Field duplicates
- ✓ Internal standards
- ✓ Sample results/reporting issues

The symbol (✓) indicates that no validation qualifiers were applied based on this parameter. NA indicates that the parameter was not included as part of this data set or was not applicable to this validation and therefore not reviewed. Acceptable data parameters for which all criteria were met and no qualification was performed and non-conformance or other issues that were noted during validation, but did not result in qualification of data are not discussed further. The symbol (X) indicates that a QC non-conformance resulted in the qualification of data. Any QC non-conformance that resulted in the qualification of data is discussed below.

## **RESULTS**

### **Initial Calibration/Continuing Calibration Verification**

Calibration data were reviewed for conformance with the QC acceptance criteria to ensure that:

- The initial calibration percent relative standard deviation, correlation coefficient/coefficient of determination, and/or response factor method acceptance criteria were met
- The ICV standard percent recovery acceptance criteria were met
- The CCV method percent difference or percent drift and response factor acceptance criteria were met
- The retention time method acceptance criteria were met

Data qualification to the analytes associated with the specific calibration verification was as follows:

**ICV Recovery Non-conformance:**

Criteria	Actions	
	Detected Results	Non-detected Results
Recovery > 120%	J	UJ
Recovery < 80%	J	UJ

**Notes:**

J = Estimated  
 UJ = Undetected and estimated

**CCV Linearity Non-conformance:**

Criteria	Actions	
	Detected Results	Non-detected Results
%Difference or %Drift > 20%	J	UJ

**Notes:**

J = Estimated  
 UJ = Undetected and estimated

ICV and CCV non-conformances are summarized in Attachment A in Tables A-1 and A-2.

**Qualifications Actions**

The data was reviewed independently from the laboratory to assess data quality. All compounds detected at concentrations less than the limit of quantitation but greater than the method detection limit were qualified by the laboratory as estimated (J). This "J" qualifier was retained during data validation. Any sample that was analyzed at a dilution because of high concentrations of target or non-target analytes was checked to confirm that the results and/or sample-specific limit of quantitation and limit of detections were adjusted accordingly by the laboratory.

No results were rejected; therefore, analytical completeness was calculated to be 100 percent. Data not qualified during data review are considered usable by the project. The remaining results qualified as estimated may be high or low, but the data are usable for their intended purpose, according to U.S. EPA and Department of Defense guidelines. Final data review qualifiers used to describe results and how they should be interpreted by the end data user are provided in Attachment B and Attachment C. Attachment D provides final results after data review.

## **ATTACHMENTS**

Attachment A: Non-Conformance Summary Tables

Attachment B: Qualifier Codes and Explanations

Attachment C: Reason Codes and Explanations

Attachment D: Final Results after Data Review



**Attachment A**  
**Non-Conformance Summary Tables**

Table A-1 Initial Calibration Verification Non-Conformance						
Method	Analyte	ICV ID	%R	Limit	Associated Samples	Qualifier
8260C	Chloroethane	P1539A	127.5	80-120	TT101D1-GW-062215	UJ
8260C	Chloroethane	P1539A	127.5	80-120	TT101D2-GW-062215	UJ
8260C	Chloroethane	P1539A	127.5	80-120	TT101D-GW-062215	UJ

**Notes:**

ICV ID = Initial calibration verification identification  
 %R = Percent recovery  
 UJ = Non-detected analyte in associated sample qualified estimated "UJ" due to potential bias

Table A-2 Continuing Calibration Verification Non-Conformance						
Method	Analyte	CCV ID	%D	Limit	Associated Samples	Qualifier
8260C	Acetone	P1636.D	23.74313	20	TT101D1-GW-062215	UJ
8260C	Acetone	P1636.D	23.74313	20	TT101D2-GW-062215	J
8260C	Acetone	P1636.D	23.74313	20	TT101D-GW-062215	J
8260C	4-Methyl-2-pentanone	P1636.D	22.32254	20	TT101D1-GW-062215	UJ
8260C	4-Methyl-2-pentanone	P1636.D	22.32254	20	TT101D2-GW-062215	UJ
8260C	4-Methyl-2-pentanone	P1636.D	22.32254	20	TT101D-GW-062215	UJ
8260C	2-Hexanone	P1636.D	22.14855	20	TT101D1-GW-062215	UJ
8260C	2-Hexanone	P1636.D	22.14855	20	TT101D2-GW-062215	UJ
8260C	2-Hexanone	P1636.D	22.14855	20	TT101D-GW-062215	UJ

**Notes:**

CCV ID = Continuing calibration verification identification  
 %D = Percent difference  
 UJ = Non-detected analyte in associated sample qualified estimated "UJ" due to potential bias  
 J = Detected analyte qualified estimated "J" due to potential bias

**Attachment B**  
**Qualifier Codes and Explanations**

<b>Qualifier</b>	<b>Explanation</b>
J	The analyte was positively identified; the associated numerical value is the approximate concentration of the analyte in the sample.
UJ	The analyte was not detected above the reported sample quantitation limit. However, the reported quantitation limit is approximate and may or may not represent the actual quantitation limit necessary to accurately and precisely measure the analyte in the sample.
U	The analyte was analyzed for, but was not detected above the reported sample quantitation limit.

**Attachment C**  
**Reason Codes and Explanations**

Reason Code	Explanation
be	Equipment blank contamination
bf	Field blank contamination
bl	Laboratory blank contamination
bt	Trip blank contamination
c	Calibration issue
d	Reporting limit raised due to chromatographic interference
fd	Field duplicate relative percent difference
h	Holding times
i	Internal standard areas
k	Estimated Maximum Possible Concentration
l	Laboratory control sample
lc	Labeled compound recovery
ld	Laboratory duplicate relative percent difference
lp	Laboratory control sample/laboratory control sample duplicate relative percent difference
m	Matrix spike recovery
mc	Method compliance non-conformance
md	Matrix spike/matrix spike duplicate relative percent difference
nb	Negative laboratory blank contamination
p	Chemical preservation issue
r	Dual column relative percent difference
q	Quantitation issue
s	Surrogate recovery
su	Ion suppression
t	Temperature preservation issue
x	Percent solids
y	Serial dilution results
z	Interference check sample results (metals)

**Attachment D**  
**Final Results after Data Review**

Sample Delivery Group				SI4496		
Lab ID				SI4496-1		
Sample ID				TT101D-GW-062215		
Sample Date				6/22/2015		
Sample Type				Groundwater		
Method	Analyte	CAS No	Units	Result	Qual	RC
8260C	1,1,1-TRICHLOROETHANE	71-55-6	UG_L	0.5	U	
8260C	1,1,2,2-TETRACHLOROETHANE	79-34-5	UG_L	0.5	U	
8260C	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	76-13-1	UG_L	16		
8260C	1,1,2-TRICHLOROETHANE	79-00-5	UG_L	0.5	U	
8260C	1,1-DICHLOROETHANE	75-34-3	UG_L	0.77	J	
8260C	1,1-DICHLOROETHENE	75-35-4	UG_L	3.2		
8260C	1,2,4-TRICHLOROBENZENE	120-82-1	UG_L	0.5	U	
8260C	1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	UG_L	0.75	U	
8260C	1,2-DIBROMOETHANE	106-93-4	UG_L	0.5	U	
8260C	1,2-DICHLOROBENZENE	95-50-1	UG_L	0.5	U	
8260C	1,2-DICHLOROETHANE	107-06-2	UG_L	0.5	U	
8260C	1,2-DICHLOROETHENE, TOTAL	540-59-0	UG_L	2.8		
8260C	1,2-DICHLOROPROPANE	78-87-5	UG_L	0.5	U	
8260C	1,3-DICHLOROBENZENE	541-73-1	UG_L	0.5	U	
8260C	1,4-DICHLOROBENZENE	106-46-7	UG_L	0.5	U	
8260C	2-BUTANONE	78-93-3	UG_L	2.5	U	
8260C	2-HEXANONE	591-78-6	UG_L	2.5	UJ	c
8260C	4-METHYL-2-PENTANONE	108-10-1	UG_L	2.5	UJ	c
8260C	ACETONE	67-64-1	UG_L	3.1	J	c
8260C	BENZENE	71-43-2	UG_L	0.5	U	
8260C	BROMODICHLOROMETHANE	75-27-4	UG_L	0.5	U	
8260C	BROMOFORM	75-25-2	UG_L	0.5	U	
8260C	BROMOMETHANE	74-83-9	UG_L	1	U	
8260C	CARBON DISULFIDE	75-15-0	UG_L	0.5	U	
8260C	CARBON TETRACHLORIDE	56-23-5	UG_L	0.5	U	
8260C	CHLOROBENZENE	108-90-7	UG_L	0.5	U	
8260C	CHLOROETHANE	75-00-3	UG_L	1	UJ	c
8260C	CHLOROFORM	67-66-3	UG_L	0.45	J	
8260C	CHLOROMETHANE	74-87-3	UG_L	1	U	
8260C	CIS-1,2-DICHLOROETHENE	156-59-2	UG_L	2.8		
8260C	CIS-1,3-DICHLOROPROPENE	10061-01-5	UG_L	0.5	U	
8260C	CYCLOHEXANE	110-82-7	UG_L	0.5	U	
8260C	DIBROMOCHLOROMETHANE	124-48-1	UG_L	0.5	U	
8260C	DICHLORODIFLUOROMETHANE	75-71-8	UG_L	2.1		
8260C	ETHYLBENZENE	100-41-4	UG_L	0.5	U	
8260C	ISOPROPYLBENZENE	98-82-8	UG_L	0.5	U	
8260C	M- AND P-XYLENE	108-38-3/106-42	UG_L	1	U	
8260C	METHYL ACETATE	79-20-9	UG_L	0.75	U	
8260C	METHYL CYCLOHEXANE	108-87-2	UG_L	0.5	U	
8260C	METHYL TERT-BUTYL ETHER	1634-04-4	UG_L	0.5	U	
8260C	METHYLENE CHLORIDE	75-09-2	UG_L	2.5	U	
8260C	O-XYLENE	95-47-6	UG_L	0.5	U	
8260C	STYRENE	100-42-5	UG_L	0.5	U	
8260C	TETRACHLOROETHENE	127-18-4	UG_L	0.5	U	
8260C	TOLUENE	108-88-3	UG_L	0.5	U	
8260C	TRANS-1,2-DICHLOROETHENE	156-60-5	UG_L	0.5	U	
8260C	TRANS-1,3-DICHLOROPROPENE	10061-02-6	UG_L	0.5	U	
8260C	TRICHLOROETHENE	79-01-6	UG_L	66		
8260C	TRICHLOROFUOROMETHANE	75-69-4	UG_L	1	U	
8260C	VINYL CHLORIDE	75-01-4	UG_L	1	U	
8260C	XYLENES, TOTAL	1330-20-7	UG_L	1.5	U	
8270D_SIM	1,4-DIOXANE	123-91-1	UG_L	8.6		



Sample Delivery Group Lab ID Sample ID Sample Date Sample Type				SI4496 SI4496-2 TT101D1-GW-062215 6/22/2015 Groundwater		
Method	Analyte	CAS No	Units	Result	Qual	RC
8260C	1,1,1-TRICHLOROETHANE	71-55-6	UG_L	0.5	U	
8260C	1,1,2,2-TETRACHLOROETHANE	79-34-5	UG_L	0.5	U	
8260C	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	76-13-1	UG_L	16		
8260C	1,1,2-TRICHLOROETHANE	79-00-5	UG_L	0.54	J	
8260C	1,1-DICHLOROETHANE	75-34-3	UG_L	0.86	J	
8260C	1,1-DICHLOROETHENE	75-35-4	UG_L	4.8		
8260C	1,2,4-TRICHLOROBENZENE	120-82-1	UG_L	0.5	U	
8260C	1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	UG_L	0.75	U	
8260C	1,2-DIBROMOETHANE	106-93-4	UG_L	0.5	U	
8260C	1,2-DICHLOROBENZENE	95-50-1	UG_L	0.5	U	
8260C	1,2-DICHLOROETHANE	107-06-2	UG_L	0.5	U	
8260C	1,2-DICHLOROETHENE, TOTAL	540-59-0	UG_L	1.8	J	
8260C	1,2-DICHLOROPROPANE	78-87-5	UG_L	0.5	U	
8260C	1,3-DICHLOROBENZENE	541-73-1	UG_L	0.5	U	
8260C	1,4-DICHLOROBENZENE	106-46-7	UG_L	0.5	U	
8260C	2-BUTANONE	78-93-3	UG_L	2.5	U	
8260C	2-HEXANONE	591-78-6	UG_L	2.5	UJ	c
8260C	4-METHYL-2-PENTANONE	108-10-1	UG_L	2.5	UJ	c
8260C	ACETONE	67-64-1	UG_L	2.5	UJ	c
8260C	BENZENE	71-43-2	UG_L	0.5	U	
8260C	BROMODICHLOROMETHANE	75-27-4	UG_L	0.5	U	
8260C	BROMOFORM	75-25-2	UG_L	0.5	U	
8260C	BROMOMETHANE	74-83-9	UG_L	1	U	
8260C	CARBON DISULFIDE	75-15-0	UG_L	0.5	U	
8260C	CARBON TETRACHLORIDE	56-23-5	UG_L	2.2		
8260C	CHLOROBENZENE	108-90-7	UG_L	0.5	U	
8260C	CHLOROETHANE	75-00-3	UG_L	1	UJ	c
8260C	CHLOROFORM	67-66-3	UG_L	0.95	J	
8260C	CHLOROMETHANE	74-87-3	UG_L	1	U	
8260C	CIS-1,2-DICHLOROETHENE	156-59-2	UG_L	1.8		
8260C	CIS-1,3-DICHLOROPROPENE	10061-01-5	UG_L	0.5	U	
8260C	CYCLOHEXANE	110-82-7	UG_L	0.5	U	
8260C	DIBROMOCHLOROMETHANE	124-48-1	UG_L	0.5	U	
8260C	DICHLORODIFLUOROMETHANE	75-71-8	UG_L	1.8	J	
8260C	ETHYLBENZENE	100-41-4	UG_L	0.5	U	
8260C	ISOPROPYLBENZENE	98-82-8	UG_L	0.5	U	
8260C	M- AND P-XYLENE	108-38-3/106-42	UG_L	1	U	
8260C	METHYL ACETATE	79-20-9	UG_L	0.75	U	
8260C	METHYL CYCLOHEXANE	108-87-2	UG_L	0.5	U	
8260C	METHYL TERT-BUTYL ETHER	1634-04-4	UG_L	0.5	U	
8260C	METHYLENE CHLORIDE	75-09-2	UG_L	2.5	U	
8260C	O-XYLENE	95-47-6	UG_L	0.5	U	
8260C	STYRENE	100-42-5	UG_L	0.5	U	
8260C	TETRACHLOROETHENE	127-18-4	UG_L	0.5	U	
8260C	TOLUENE	108-88-3	UG_L	0.5	U	
8260C	TRANS-1,2-DICHLOROETHENE	156-60-5	UG_L	0.5	U	
8260C	TRANS-1,3-DICHLOROPROPENE	10061-02-6	UG_L	0.5	U	
8260C	TRICHLOROETHENE	79-01-6	UG_L	180		
8260C	TRICHLOROFUOROMETHANE	75-69-4	UG_L	1	U	
8260C	VINYL CHLORIDE	75-01-4	UG_L	1	U	
8260C	XYLENES, TOTAL	1330-20-7	UG_L	1.5	U	
8270D_SIM	1,4-DIOXANE	123-91-1	UG_L	8.7		

Sample Delivery Group				SI4496		
Lab ID				SI4496-3		
Sample ID				TT101D2-GW-062215		
Sample Date				6/22/2015		
Sample Type				Groundwater		
Method	Analyte	CAS No	Units	Result	Qual	RC
8260C	1,1,1-TRICHLOROETHANE	71-55-6	UG_L	0.5	U	
8260C	1,1,2,2-TETRACHLOROETHANE	79-34-5	UG_L	0.5	U	
8260C	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	76-13-1	UG_L	24		
8260C	1,1,2-TRICHLOROETHANE	79-00-5	UG_L	0.57	J	
8260C	1,1-DICHLOROETHANE	75-34-3	UG_L	0.79	J	
8260C	1,1-DICHLOROETHENE	75-35-4	UG_L	4.8		
8260C	1,2,4-TRICHLOROBENZENE	120-82-1	UG_L	0.5	U	
8260C	1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	UG_L	0.75	U	
8260C	1,2-DIBROMOETHANE	106-93-4	UG_L	0.5	U	
8260C	1,2-DICHLOROBENZENE	95-50-1	UG_L	0.5	U	
8260C	1,2-DICHLOROETHANE	107-06-2	UG_L	0.5	U	
8260C	1,2-DICHLOROETHENE, TOTAL	540-59-0	UG_L	2		
8260C	1,2-DICHLOROPROPANE	78-87-5	UG_L	0.5	U	
8260C	1,3-DICHLOROBENZENE	541-73-1	UG_L	0.5	U	
8260C	1,4-DICHLOROBENZENE	106-46-7	UG_L	0.5	U	
8260C	2-BUTANONE	78-93-3	UG_L	2.5	U	
8260C	2-HEXANONE	591-78-6	UG_L	2.5	UJ	c
8260C	4-METHYL-2-PENTANONE	108-10-1	UG_L	2.5	UJ	c
8260C	ACETONE	67-64-1	UG_L	2.3	J	c
8260C	BENZENE	71-43-2	UG_L	0.5	U	
8260C	BROMODICHLOROMETHANE	75-27-4	UG_L	0.5	U	
8260C	BROMOFORM	75-25-2	UG_L	0.5	U	
8260C	BROMOMETHANE	74-83-9	UG_L	1	U	
8260C	CARBON DISULFIDE	75-15-0	UG_L	0.5	U	
8260C	CARBON TETRACHLORIDE	56-23-5	UG_L	1.4		
8260C	CHLOROBENZENE	108-90-7	UG_L	0.5	U	
8260C	CHLOROETHANE	75-00-3	UG_L	1	UJ	c
8260C	CHLOROFORM	67-66-3	UG_L	0.85	J	
8260C	CHLOROMETHANE	74-87-3	UG_L	1	U	
8260C	CIS-1,2-DICHLOROETHENE	156-59-2	UG_L	2		
8260C	CIS-1,3-DICHLOROPROPENE	10061-01-5	UG_L	0.5	U	
8260C	CYCLOHEXANE	110-82-7	UG_L	0.5	U	
8260C	DIBROMOCHLOROMETHANE	124-48-1	UG_L	0.5	U	
8260C	DICHLORODIFLUOROMETHANE	75-71-8	UG_L	1	U	
8260C	ETHYLBENZENE	100-41-4	UG_L	0.5	U	
8260C	ISOPROPYLBENZENE	98-82-8	UG_L	0.5	U	
8260C	M- AND P-XYLENE	108-38-3/106-42	UG_L	1	U	
8260C	METHYL ACETATE	79-20-9	UG_L	0.75	U	
8260C	METHYL CYCLOHEXANE	108-87-2	UG_L	0.5	U	
8260C	METHYL TERT-BUTYL ETHER	1634-04-4	UG_L	0.5	U	
8260C	METHYLENE CHLORIDE	75-09-2	UG_L	2.5	U	
8260C	O-XYLENE	95-47-6	UG_L	0.5	U	
8260C	STYRENE	100-42-5	UG_L	0.5	U	
8260C	TETRACHLOROETHENE	127-18-4	UG_L	0.82	J	
8260C	TOLUENE	108-88-3	UG_L	0.5	U	
8260C	TRANS-1,2-DICHLOROETHENE	156-60-5	UG_L	0.5	U	
8260C	TRANS-1,3-DICHLOROPROPENE	10061-02-6	UG_L	0.5	U	
8260C	TRICHLOROETHENE	79-01-6	UG_L	620		
8260C	TRICHLOROFUOROMETHANE	75-69-4	UG_L	1	U	
8260C	VINYL CHLORIDE	75-01-4	UG_L	1	U	
8260C	XYLENES, TOTAL	1330-20-7	UG_L	1.5	U	
8270D_SIM	1,4-DIOXANE	123-91-1	UG_L	2.3		

**Notes:**

UG\_L = Micrograms per liter  
Qual = Final qualifier (Refer to Attachment B)  
RC = Reason code (Refer to Attachment C)

**DATA VALIDATION REPORT**

Project:	Regional Groundwater Investigation — NWIRP Bethpage	
Laboratory:	Katahdin Analytical	
Sample Delivery Group:	SI4556	
Analyses/Method:	Volatile Organic Compounds by U.S. EPA SW-846 Method 8260C 1,4-Dioxane by U.S. EPA SW-846 Method 8270D via Selective Ion Monitoring (SIM)	
Validation Level:	3	
Project Number:	0888812477.SA.DV	
Prepared by:	Dana Miller/Resolution Consultants	Completed on: 07/30/2015
Reviewed by:	Tina Cantwell/Resolution Consultants	File Name: SI4556_8260C_8270D

**SUMMARY**

This report summarizes data review findings for samples listed below, collected by Resolution Consultants from the Regional Groundwater Investigation — NWIRP Bethpage Site on 24 and 25 June 2015 in accordance with the following Sampling and Analysis Plans:

- *Sampling and Analysis Plan, Bethpage, New York.* (Resolution Consultants, April 2013).
- *UFP SAP Addendum, Installation of Vertical Profile Borings and Monitoring Wells, Operable Unit 2, NWIRP Bethpage, New York.* (Resolution Consultants, November 2013).
- *UFP SAP Addendum, Inclusion of Additional Target Analytes for Volatile Organics Analyses, NWIRP Bethpage OU2, Bethpage, New York.* (Resolution Consultants, August 2014).

Sample ID	Matrix/Sample Type	Analysis
BPOW5-6-GW-062415	Groundwater	8260C/8270D_SIM
BPOW5-5-GW-062415	Groundwater	8260C/8270D_SIM
RE118D1-GW-062415	Groundwater	8260C/8270D_SIM
RE108D1-GW-062415	Groundwater	8260C/8270D_SIM
RE108D2-GW-062415	Groundwater	8260C/8270D_SIM
BPOW6-5-GW-062515	Groundwater	8260C/8270D_SIM
BPOW6-6-GW-062515	Field Duplicate	8260C/8270D_SIM
RE117D1-GW-062515	Groundwater	8260C/8270D_SIM
TRIPBLANK-062515	Trip Blank	8260C

Data validation activities were conducted using the following guidance documents: *Test Methods for Evaluating Solid Waste, Physical/Chemical Methods SW-846, specifically Method 8260C, Volatile Organic Compounds by Gas Chromatography/Mass Spectrometry* (United States Environmental Protection Agency [U.S. EPA] 2006), *SW-846 Method 8270D, Semivolatile Organic Compounds by Gas Chromatograph/Mass Spectrometry* (U.S. EPA 2007), *U.S. Environmental Protection Agency Contract Laboratory Program National Functional Guidelines for Superfund Organic Methods Data Review* (U.S. EPA, June 2008), and *Department of Defense Quality Systems Manual for Environmental Laboratories, Version 4.2* (October 2010). In the absence of method-specific information, laboratory quality control (QC) limits, project-specific requirements, and/or professional judgment were used as appropriate.

## REVIEW ELEMENTS

The data were evaluated based on the following parameters (where applicable to the method):

- ✓ Data completeness (chain-of-custody)/sample integrity
- ✓ Holding times and sample preservation
- ✓ Gas chromatography/Mass spectrometer performance checks
- X Initial calibration verification (ICV)/continuing calibration verification (CCV)
- ✓ Laboratory blanks/trip blanks
- ✓ Surrogate spike recoveries
- NA Matrix spike and/or matrix spike duplicate results
- ✓ Laboratory control sample/laboratory control sample duplicate results
- NA Field duplicates
- ✓ Internal standards
- ✓ Sample results/reporting issues

The symbol (✓) indicates that no validation qualifiers were applied based on this parameter. NA indicates that the parameter was not included as part of this data set or was not applicable to this validation and therefore not reviewed. Acceptable data parameters for which all criteria were met and no qualification was performed and non-conformance or other issues that were noted during validation, but did not result in qualification of data are not discussed further. The symbol (X) indicates that a QC non-conformance resulted in the qualification of data. Any QC non-conformance that resulted in the qualification of data is discussed below.

## RESULTS

### Initial Calibration/Continuing Calibration Verification

Calibration data were reviewed for conformance with the QC acceptance criteria to ensure that:

- The initial calibration percent relative standard deviation, correlation coefficient/coefficient of determination, and/or response factor method acceptance criteria were met
- The ICV standard percent recovery acceptance criteria were met
- The CCV method percent difference or percent drift and response factor acceptance criteria were met
- The retention time method acceptance criteria were met

Data qualification to the analytes associated with the specific calibration verification was as follows:

### ICV Recovery Non-conformance:

Criteria	Actions	
	Detected Results	Non-detected Results
Recovery > 120%	J	UJ
Recovery < 80%	J	UJ

**Notes:**

J = Estimated  
UJ = Undetected and estimated

ICV non-conformances are summarized in Attachment A in Table A-1.

### Qualifications Actions

The data was reviewed independently from the laboratory to assess data quality. All compounds detected at concentrations less than the limit of quantitation but greater than the method detection limit were qualified by the laboratory as estimated (J). This "J" qualifier was retained during data validation. Any sample that was analyzed at a dilution because of high concentrations of target or non-target analytes was checked to confirm that the results and/or sample-specific limit of quantitation and limit of detections were adjusted accordingly by the laboratory.

No results were rejected; therefore, analytical completeness was calculated to be 100 percent. Data not qualified during data review are considered usable by the project. The remaining results qualified as estimated may be high or low, but the data are usable for their intended purpose, according to U.S. EPA and Department of Defense guidelines. Final data review qualifiers used to describe results and how they should be interpreted by the end data user are provided in Attachment B and Attachment C. Attachment D provides final results after data review.

## **ATTACHMENTS**

Attachment A: Non-Conformance Summary Tables

Attachment B: Qualifier Codes and Explanations

Attachment C: Reason Codes and Explanations

Attachment D: Final Results after Data Review

**Attachment A**  
**Non-Conformance Summary Table**

Table A-1 Initial Calibration Verification Non-Conformance						
Method	Analyte	ICV ID	%R	Limit	Associated Samples	Qualifier
8260C	Chloroethane	P1539A	127.5	80-120	BPOW5-6-GW-062415	UJ
8260C	Chloroethane	P1539A	127.5	80-120	BPOW5-5-GW-062415	UJ
8260C	Chloroethane	P1539A	127.5	80-120	RE118D1-GW-062415	UJ
8260C	Chloroethane	P1539A	127.5	80-120	RE108D1-GW-062415	UJ
8260C	Chloroethane	P1539A	127.5	80-120	RE108D2-GW-062415	UJ
8260C	Chloroethane	P1539A	127.5	80-120	BPOW6-5-GW-062515	UJ
8260C	Chloroethane	P1539A	127.5	80-120	BPOW6-6-GW-062515	UJ
8260C	Chloroethane	P1539A	127.5	80-120	RE117D1-GW-062515	UJ
8260C	Chloroethane	P1539A	127.5	80-120	TRIPBLANK-062515	UJ

**Notes:**

ICV ID = Initial calibration verification identification

%R = Percent recovery

UJ = Non-detected analyte in associated sample qualified estimated "UJ" due to potential bias



**Attachment B**  
**Qualifier Codes and Explanations**

Qualifier	Explanation
J	The analyte was positively identified; the associated numerical value is the approximate concentration of the analyte in the sample.
UJ	The analyte was not detected above the reported sample quantitation limit. However, the reported quantitation limit is approximate and may or may not represent the actual quantitation limit necessary to accurately and precisely measure the analyte in the sample.
U	The analyte was analyzed for, but was not detected above the reported sample quantitation limit.

**Attachment C**  
**Reason Codes and Explanations**

Reason Code	Explanation
be	Equipment blank contamination
bf	Field blank contamination
bl	Laboratory blank contamination
bt	Trip blank contamination
c	Calibration issue
d	Reporting limit raised due to chromatographic interference
fd	Field duplicate relative percent difference
h	Holding times
i	Internal standard areas
k	Estimated Maximum Possible Concentration
l	Laboratory control sample
lc	Labeled compound recovery
ld	Laboratory duplicate relative percent difference
lp	Laboratory control sample/laboratory control sample duplicate relative percent difference
m	Matrix spike recovery
mc	Method compliance non-conformance
md	Matrix spike/matrix spike duplicate relative percent difference
nb	Negative laboratory blank contamination
p	Chemical preservation issue
r	Dual column relative percent difference
q	Quantitation issue
s	Surrogate recovery
su	Ion suppression
t	Temperature preservation issue
x	Percent solids
y	Serial dilution results
z	Interference check sample results (metals)

**Attachment D**  
**Final Results after Data Review**

Sample Delivery Group				SI4556		
Lab ID				SI4556-1		
Sample ID				BPOW5-6-GW-062415		
Sample Date				6/24/2015		
Sample Type				Groundwater		
Method	Analyte	CAS No	Units	Result	Qual	RC
8260C	1,1,1-TRICHLOROETHANE	71-55-6	UG_L	0.5	U	
8260C	1,1,2,2-TETRACHLOROETHANE	79-34-5	UG_L	0.5	U	
8260C	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	76-13-1	UG_L	0.5	U	
8260C	1,1,2-TRICHLOROETHANE	79-00-5	UG_L	0.5	U	
8260C	1,1-DICHLOROETHANE	75-34-3	UG_L	0.5	U	
8260C	1,1-DICHLOROETHENE	75-35-4	UG_L	0.5	U	
8260C	1,2,4-TRICHLOROBENZENE	120-82-1	UG_L	0.5	U	
8260C	1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	UG_L	0.75	U	
8260C	1,2-DIBROMOETHANE	106-93-4	UG_L	0.5	U	
8260C	1,2-DICHLOROBENZENE	95-50-1	UG_L	0.5	U	
8260C	1,2-DICHLOROETHANE	107-06-2	UG_L	0.5	U	
8260C	1,2-DICHLOROETHENE, TOTAL	540-59-0	UG_L	1	U	
8260C	1,2-DICHLOROPROPANE	78-87-5	UG_L	0.5	U	
8260C	1,3-DICHLOROBENZENE	541-73-1	UG_L	0.5	U	
8260C	1,4-DICHLOROBENZENE	106-46-7	UG_L	0.5	U	
8260C	2-BUTANONE	78-93-3	UG_L	12		
8260C	2-HEXANONE	591-78-6	UG_L	2.5	U	
8260C	4-METHYL-2-PENTANONE	108-10-1	UG_L	2.5	U	
8260C	ACETONE	67-64-1	UG_L	2.5	U	
8260C	BENZENE	71-43-2	UG_L	0.5	U	
8260C	BROMODICHLOROMETHANE	75-27-4	UG_L	0.5	U	
8260C	BROMOFORM	75-25-2	UG_L	0.5	U	
8260C	BROMOMETHANE	74-83-9	UG_L	1	U	
8260C	CARBON DISULFIDE	75-15-0	UG_L	0.5	U	
8260C	CARBON TETRACHLORIDE	56-23-5	UG_L	0.5	U	
8260C	CHLOROBENZENE	108-90-7	UG_L	0.5	U	
8260C	CHLOROETHANE	75-00-3	UG_L	1	UJ	c
8260C	CHLOROFORM	67-66-3	UG_L	0.5	U	
8260C	CHLOROMETHANE	74-87-3	UG_L	1	U	
8260C	CIS-1,2-DICHLOROETHENE	156-59-2	UG_L	0.5	U	
8260C	CIS-1,3-DICHLOROPROPENE	10061-01-5	UG_L	0.5	U	
8260C	CYCLOHEXANE	110-82-7	UG_L	0.5	U	
8260C	DIBROMOCHLOROMETHANE	124-48-1	UG_L	0.5	U	
8260C	DICHLORODIFLUOROMETHANE	75-71-8	UG_L	1	U	
8260C	ETHYLBENZENE	100-41-4	UG_L	0.5	U	
8260C	ISOPROPYLBENZENE	98-82-8	UG_L	0.5	U	
8260C	M- AND P-XYLENE	108-38-3/106-42	UG_L	1	U	
8260C	METHYL ACETATE	79-20-9	UG_L	0.75	U	
8260C	METHYL CYCLOHEXANE	108-87-2	UG_L	0.5	U	
8260C	METHYL TERT-BUTYL ETHER	1634-04-4	UG_L	0.5	U	
8260C	METHYLENE CHLORIDE	75-09-2	UG_L	2.5	U	
8260C	O-XYLENE	95-47-6	UG_L	0.5	U	
8260C	STYRENE	100-42-5	UG_L	0.5	U	
8260C	TETRACHLOROETHENE	127-18-4	UG_L	0.5	U	
8260C	TOLUENE	108-88-3	UG_L	0.74	J	
8260C	TRANS-1,2-DICHLOROETHENE	156-60-5	UG_L	0.5	U	
8260C	TRANS-1,3-DICHLOROPROPENE	10061-02-6	UG_L	0.5	U	
8260C	TRICHLOROETHENE	79-01-6	UG_L	0.45	J	
8260C	TRICHLOROFLUOROMETHANE	75-69-4	UG_L	1	U	
8260C	VINYL CHLORIDE	75-01-4	UG_L	1	U	
8260C	XYLENES, TOTAL	1330-20-7	UG_L	1.5	U	
8270D_SIM	1,4-DIOXANE	123-91-1	UG_L	0.17	U	

Sample Delivery Group Lab ID Sample ID Sample Date Sample Type				SI4556 SI4556-2 BPOW5-5-GW-062415 6/24/2015 Groundwater		
Method	Analyte	CAS No	Units	Result	Qual	RC
8260C	1,1,1-TRICHLOROETHANE	71-55-6	UG_L	0.5	U	
8260C	1,1,2,2-TETRACHLOROETHANE	79-34-5	UG_L	0.5	U	
8260C	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	76-13-1	UG_L	0.5	U	
8260C	1,1,2-TRICHLOROETHANE	79-00-5	UG_L	0.5	U	
8260C	1,1-DICHLOROETHANE	75-34-3	UG_L	0.5	U	
8260C	1,1-DICHLOROETHENE	75-35-4	UG_L	0.5	U	
8260C	1,2,4-TRICHLOROBENZENE	120-82-1	UG_L	0.5	U	
8260C	1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	UG_L	0.75	U	
8260C	1,2-DIBROMOETHANE	106-93-4	UG_L	0.5	U	
8260C	1,2-DICHLOROBENZENE	95-50-1	UG_L	0.5	U	
8260C	1,2-DICHLOROETHANE	107-06-2	UG_L	0.5	U	
8260C	1,2-DICHLOROETHENE, TOTAL	540-59-0	UG_L	1	U	
8260C	1,2-DICHLOROPROPANE	78-87-5	UG_L	0.5	U	
8260C	1,3-DICHLOROBENZENE	541-73-1	UG_L	0.5	U	
8260C	1,4-DICHLOROBENZENE	106-46-7	UG_L	0.5	U	
8260C	2-BUTANONE	78-93-3	UG_L	2.5	U	
8260C	2-HEXANONE	591-78-6	UG_L	2.5	U	
8260C	4-METHYL-2-PENTANONE	108-10-1	UG_L	2.5	U	
8260C	ACETONE	67-64-1	UG_L	8		
8260C	BENZENE	71-43-2	UG_L	0.5	U	
8260C	BROMODICHLOROMETHANE	75-27-4	UG_L	0.5	U	
8260C	BROMOFORM	75-25-2	UG_L	0.5	U	
8260C	BROMOMETHANE	74-83-9	UG_L	1	U	
8260C	CARBON DISULFIDE	75-15-0	UG_L	0.5	U	
8260C	CARBON TETRACHLORIDE	56-23-5	UG_L	0.5	U	
8260C	CHLOROBENZENE	108-90-7	UG_L	0.5	U	
8260C	CHLOROETHANE	75-00-3	UG_L	1	UJ	c
8260C	CHLOROFORM	67-66-3	UG_L	0.5	U	
8260C	CHLOROMETHANE	74-87-3	UG_L	1	U	
8260C	CIS-1,2-DICHLOROETHENE	156-59-2	UG_L	0.5	U	
8260C	CIS-1,3-DICHLOROPROPENE	10061-01-5	UG_L	0.5	U	
8260C	CYCLOHEXANE	110-82-7	UG_L	0.5	U	
8260C	DIBROMOCHLOROMETHANE	124-48-1	UG_L	0.5	U	
8260C	DICHLORODIFLUOROMETHANE	75-71-8	UG_L	1	U	
8260C	ETHYLBENZENE	100-41-4	UG_L	0.5	U	
8260C	ISOPROPYLBENZENE	98-82-8	UG_L	0.5	U	
8260C	M- AND P-XYLENE	108-38-3/106-42	UG_L	1	U	
8260C	METHYL ACETATE	79-20-9	UG_L	0.75	U	
8260C	METHYL CYCLOHEXANE	108-87-2	UG_L	0.5	U	
8260C	METHYL TERT-BUTYL ETHER	1634-04-4	UG_L	0.5	U	
8260C	METHYLENE CHLORIDE	75-09-2	UG_L	2.5	U	
8260C	O-XYLENE	95-47-6	UG_L	0.5	U	
8260C	STYRENE	100-42-5	UG_L	0.5	U	
8260C	TETRACHLOROETHENE	127-18-4	UG_L	0.5	U	
8260C	TOLUENE	108-88-3	UG_L	0.5	U	
8260C	TRANS-1,2-DICHLOROETHENE	156-60-5	UG_L	0.5	U	
8260C	TRANS-1,3-DICHLOROPROPENE	10061-02-6	UG_L	0.5	U	
8260C	TRICHLOROETHENE	79-01-6	UG_L	0.5	U	
8260C	TRICHLOROFLUOROMETHANE	75-69-4	UG_L	1	U	
8260C	VINYL CHLORIDE	75-01-4	UG_L	1	U	
8260C	XYLENES, TOTAL	1330-20-7	UG_L	1.5	U	
8270D_SIM	1,4-DIOXANE	123-91-1	UG_L	0.18	U	

Sample Delivery Group Lab ID Sample ID Sample Date Sample Type				SI4556 SI4556-3 RE118D1-GW-062415 6/24/2015 Groundwater		
Method	Analyte	CAS No	Units	Result	Qual	RC
8260C	1,1,1-TRICHLOROETHANE	71-55-6	UG_L	0.5	U	
8260C	1,1,2,2-TETRACHLOROETHANE	79-34-5	UG_L	0.5	U	
8260C	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	76-13-1	UG_L	0.5	U	
8260C	1,1,2-TRICHLOROETHANE	79-00-5	UG_L	0.5	U	
8260C	1,1-DICHLOROETHANE	75-34-3	UG_L	0.5	U	
8260C	1,1-DICHLOROETHENE	75-35-4	UG_L	0.5	U	
8260C	1,2,4-TRICHLOROBENZENE	120-82-1	UG_L	0.5	U	
8260C	1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	UG_L	0.75	U	
8260C	1,2-DIBROMOETHANE	106-93-4	UG_L	0.5	U	
8260C	1,2-DICHLOROBENZENE	95-50-1	UG_L	0.5	U	
8260C	1,2-DICHLOROETHANE	107-06-2	UG_L	0.5	U	
8260C	1,2-DICHLOROETHENE, TOTAL	540-59-0	UG_L	1	U	
8260C	1,2-DICHLOROPROPANE	78-87-5	UG_L	0.5	U	
8260C	1,3-DICHLOROBENZENE	541-73-1	UG_L	0.5	U	
8260C	1,4-DICHLOROBENZENE	106-46-7	UG_L	0.5	U	
8260C	2-BUTANONE	78-93-3	UG_L	2.5	U	
8260C	2-HEXANONE	591-78-6	UG_L	2.5	U	
8260C	4-METHYL-2-PENTANONE	108-10-1	UG_L	2.5	U	
8260C	ACETONE	67-64-1	UG_L	2.7	J	
8260C	BENZENE	71-43-2	UG_L	0.5	U	
8260C	BROMODICHLOROMETHANE	75-27-4	UG_L	0.5	U	
8260C	BROMOFORM	75-25-2	UG_L	0.5	U	
8260C	BROMOMETHANE	74-83-9	UG_L	1	U	
8260C	CARBON DISULFIDE	75-15-0	UG_L	0.5	U	
8260C	CARBON TETRACHLORIDE	56-23-5	UG_L	0.5	U	
8260C	CHLOROBENZENE	108-90-7	UG_L	0.5	U	
8260C	CHLOROETHANE	75-00-3	UG_L	1	UJ	c
8260C	CHLOROFORM	67-66-3	UG_L	0.5	U	
8260C	CHLOROMETHANE	74-87-3	UG_L	1	U	
8260C	CIS-1,2-DICHLOROETHENE	156-59-2	UG_L	0.5	U	
8260C	CIS-1,3-DICHLOROPROPENE	10061-01-5	UG_L	0.5	U	
8260C	CYCLOHEXANE	110-82-7	UG_L	0.5	U	
8260C	DIBROMOCHLOROMETHANE	124-48-1	UG_L	0.5	U	
8260C	DICHLORODIFLUOROMETHANE	75-71-8	UG_L	1	U	
8260C	ETHYLBENZENE	100-41-4	UG_L	0.5	U	
8260C	ISOPROPYLBENZENE	98-82-8	UG_L	0.5	U	
8260C	M- AND P-XYLENE	108-38-3/106-42	UG_L	1	U	
8260C	METHYL ACETATE	79-20-9	UG_L	0.75	U	
8260C	METHYL CYCLOHEXANE	108-87-2	UG_L	0.5	U	
8260C	METHYL TERT-BUTYL ETHER	1634-04-4	UG_L	0.5	U	
8260C	METHYLENE CHLORIDE	75-09-2	UG_L	2.5	U	
8260C	O-XYLENE	95-47-6	UG_L	0.5	U	
8260C	STYRENE	100-42-5	UG_L	0.5	U	
8260C	TETRACHLOROETHENE	127-18-4	UG_L	0.5	U	
8260C	TOLUENE	108-88-3	UG_L	0.38	J	
8260C	TRANS-1,2-DICHLOROETHENE	156-60-5	UG_L	0.5	U	
8260C	TRANS-1,3-DICHLOROPROPENE	10061-02-6	UG_L	0.5	U	
8260C	TRICHLOROETHENE	79-01-6	UG_L	0.5	U	
8260C	TRICHLOROFLUOROMETHANE	75-69-4	UG_L	1	U	
8260C	VINYL CHLORIDE	75-01-4	UG_L	1	U	
8260C	XYLENES, TOTAL	1330-20-7	UG_L	1.5	U	
8270D_SIM	1,4-DIOXANE	123-91-1	UG_L	0.18	U	



Sample Delivery Group Lab ID Sample ID Sample Date Sample Type				SI4556 SI4556-4 RE108D1-GW-062415 6/24/2015 Groundwater		
Method	Analyte	CAS No	Units	Result	Qual	RC
8260C	1,1,1-TRICHLOROETHANE	71-55-6	UG_L	0.5	U	
8260C	1,1,2,2-TETRACHLOROETHANE	79-34-5	UG_L	0.5	U	
8260C	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	76-13-1	UG_L	1		
8260C	1,1,2-TRICHLOROETHANE	79-00-5	UG_L	0.5	U	
8260C	1,1-DICHLOROETHANE	75-34-3	UG_L	0.5	U	
8260C	1,1-DICHLOROETHENE	75-35-4	UG_L	0.5	U	
8260C	1,2,4-TRICHLOROBENZENE	120-82-1	UG_L	0.5	U	
8260C	1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	UG_L	0.75	U	
8260C	1,2-DIBROMOETHANE	106-93-4	UG_L	0.5	U	
8260C	1,2-DICHLOROBENZENE	95-50-1	UG_L	0.5	U	
8260C	1,2-DICHLOROETHANE	107-06-2	UG_L	0.5	U	
8260C	1,2-DICHLOROETHENE, TOTAL	540-59-0	UG_L	0.34	J	
8260C	1,2-DICHLOROPROPANE	78-87-5	UG_L	0.5	U	
8260C	1,3-DICHLOROBENZENE	541-73-1	UG_L	0.5	U	
8260C	1,4-DICHLOROBENZENE	106-46-7	UG_L	0.5	U	
8260C	2-BUTANONE	78-93-3	UG_L	2.5	U	
8260C	2-HEXANONE	591-78-6	UG_L	2.5	U	
8260C	4-METHYL-2-PENTANONE	108-10-1	UG_L	2.5	U	
8260C	ACETONE	67-64-1	UG_L	2.5	U	
8260C	BENZENE	71-43-2	UG_L	0.5	U	
8260C	BROMODICHLOROMETHANE	75-27-4	UG_L	0.5	U	
8260C	BROMOFORM	75-25-2	UG_L	0.5	U	
8260C	BROMOMETHANE	74-83-9	UG_L	1	U	
8260C	CARBON DISULFIDE	75-15-0	UG_L	0.5	U	
8260C	CARBON TETRACHLORIDE	56-23-5	UG_L	0.5	U	
8260C	CHLOROBENZENE	108-90-7	UG_L	0.5	U	
8260C	CHLOROETHANE	75-00-3	UG_L	1	UJ	c
8260C	CHLOROFORM	67-66-3	UG_L	0.5	U	
8260C	CHLOROMETHANE	74-87-3	UG_L	1	U	
8260C	CIS-1,2-DICHLOROETHENE	156-59-2	UG_L	0.34	J	
8260C	CIS-1,3-DICHLOROPROPENE	10061-01-5	UG_L	0.5	U	
8260C	CYCLOHEXANE	110-82-7	UG_L	0.5	U	
8260C	DIBROMOCHLOROMETHANE	124-48-1	UG_L	0.5	U	
8260C	DICHLORODIFLUOROMETHANE	75-71-8	UG_L	1	U	
8260C	ETHYLBENZENE	100-41-4	UG_L	0.5	U	
8260C	ISOPROPYLBENZENE	98-82-8	UG_L	0.5	U	
8260C	M- AND P-XYLENE	108-38-3/106-42	UG_L	1	U	
8260C	METHYL ACETATE	79-20-9	UG_L	0.75	U	
8260C	METHYL CYCLOHEXANE	108-87-2	UG_L	0.5	U	
8260C	METHYL TERT-BUTYL ETHER	1634-04-4	UG_L	0.5	U	
8260C	METHYLENE CHLORIDE	75-09-2	UG_L	2.5	U	
8260C	O-XYLENE	95-47-6	UG_L	0.5	U	
8260C	STYRENE	100-42-5	UG_L	0.5	U	
8260C	TETRACHLOROETHENE	127-18-4	UG_L	1.4		
8260C	TOLUENE	108-88-3	UG_L	0.5	U	
8260C	TRANS-1,2-DICHLOROETHENE	156-60-5	UG_L	0.5	U	
8260C	TRANS-1,3-DICHLOROPROPENE	10061-02-6	UG_L	0.5	U	
8260C	TRICHLOROETHENE	79-01-6	UG_L	110		
8260C	TRICHLOROFLUOROMETHANE	75-69-4	UG_L	1	U	
8260C	VINYL CHLORIDE	75-01-4	UG_L	1	U	
8260C	XYLENES, TOTAL	1330-20-7	UG_L	1.5	U	
8270D_SIM	1,4-DIOXANE	123-91-1	UG_L	5.2		

Sample Delivery Group Lab ID Sample ID Sample Date Sample Type				SI4556 SI4556-5 RE108D2-GW-062415 6/24/2015 Groundwater		
Method	Analyte	CAS No	Units	Result	Qual	RC
8260C	1,1,1-TRICHLOROETHANE	71-55-6	UG_L	0.98	J	
8260C	1,1,2,2-TETRACHLOROETHANE	79-34-5	UG_L	0.5	U	
8260C	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	76-13-1	UG_L	6.8		
8260C	1,1,2-TRICHLOROETHANE	79-00-5	UG_L	1.8		
8260C	1,1-DICHLOROETHANE	75-34-3	UG_L	4.6		
8260C	1,1-DICHLOROETHENE	75-35-4	UG_L	6.6		
8260C	1,2,4-TRICHLOROBENZENE	120-82-1	UG_L	0.5	U	
8260C	1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	UG_L	0.75	U	
8260C	1,2-DIBROMOETHANE	106-93-4	UG_L	0.5	U	
8260C	1,2-DICHLOROBENZENE	95-50-1	UG_L	0.5	U	
8260C	1,2-DICHLOROETHANE	107-06-2	UG_L	0.5	U	
8260C	1,2-DICHLOROETHENE, TOTAL	540-59-0	UG_L	8.1		
8260C	1,2-DICHLOROPROPANE	78-87-5	UG_L	0.5	U	
8260C	1,3-DICHLOROBENZENE	541-73-1	UG_L	0.5	U	
8260C	1,4-DICHLOROBENZENE	106-46-7	UG_L	0.5	U	
8260C	2-BUTANONE	78-93-3	UG_L	2.5	U	
8260C	2-HEXANONE	591-78-6	UG_L	2.5	U	
8260C	4-METHYL-2-PENTANONE	108-10-1	UG_L	2.5	U	
8260C	ACETONE	67-64-1	UG_L	2.5	U	
8260C	BENZENE	71-43-2	UG_L	0.5	U	
8260C	BROMODICHLOROMETHANE	75-27-4	UG_L	0.5	U	
8260C	BROMOFORM	75-25-2	UG_L	0.5	U	
8260C	BROMOMETHANE	74-83-9	UG_L	1	U	
8260C	CARBON DISULFIDE	75-15-0	UG_L	0.5	U	
8260C	CARBON TETRACHLORIDE	56-23-5	UG_L	1.5		
8260C	CHLOROBENZENE	108-90-7	UG_L	0.5	U	
8260C	CHLOROETHANE	75-00-3	UG_L	1	UJ	c
8260C	CHLOROFORM	67-66-3	UG_L	3.5		
8260C	CHLOROMETHANE	74-87-3	UG_L	1	U	
8260C	CIS-1,2-DICHLOROETHENE	156-59-2	UG_L	8.1		
8260C	CIS-1,3-DICHLOROPROPENE	10061-01-5	UG_L	0.5	U	
8260C	CYCLOHEXANE	110-82-7	UG_L	0.5	U	
8260C	DIBROMOCHLOROMETHANE	124-48-1	UG_L	0.5	U	
8260C	DICHLORODIFLUOROMETHANE	75-71-8	UG_L	1	U	
8260C	ETHYLBENZENE	100-41-4	UG_L	0.5	U	
8260C	ISOPROPYLBENZENE	98-82-8	UG_L	0.5	U	
8260C	M- AND P-XYLENE	108-38-3/106-42	UG_L	1	U	
8260C	METHYL ACETATE	79-20-9	UG_L	0.75	U	
8260C	METHYL CYCLOHEXANE	108-87-2	UG_L	0.5	U	
8260C	METHYL TERT-BUTYL ETHER	1634-04-4	UG_L	0.5	U	
8260C	METHYLENE CHLORIDE	75-09-2	UG_L	2.5	U	
8260C	O-XYLENE	95-47-6	UG_L	0.5	U	
8260C	STYRENE	100-42-5	UG_L	0.5	U	
8260C	TETRACHLOROETHENE	127-18-4	UG_L	2.2		
8260C	TOLUENE	108-88-3	UG_L	0.5	U	
8260C	TRANS-1,2-DICHLOROETHENE	156-60-5	UG_L	0.5	U	
8260C	TRANS-1,3-DICHLOROPROPENE	10061-02-6	UG_L	0.5	U	
8260C	TRICHLOROETHENE	79-01-6	UG_L	3900		
8260C	TRICHLOROFLUOROMETHANE	75-69-4	UG_L	1	U	
8260C	VINYL CHLORIDE	75-01-4	UG_L	1	U	
8260C	XYLENES, TOTAL	1330-20-7	UG_L	1.5	U	
8270D_SIM	1,4-DIOXANE	123-91-1	UG_L	6.1		

Sample Delivery Group Lab ID Sample ID Sample Date Sample Type				SI4556 SI4556-6RA BPOW6-5-GW-062515 6/25/2015 Groundwater		
Method	Analyte	CAS No	Units	Result	Qual	RC
8260C	1,1,1-TRICHLOROETHANE	71-55-6	UG_L	0.5	U	
8260C	1,1,2,2-TETRACHLOROETHANE	79-34-5	UG_L	0.5	U	
8260C	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	76-13-1	UG_L	0.5	U	
8260C	1,1,2-TRICHLOROETHANE	79-00-5	UG_L	0.5	U	
8260C	1,1-DICHLOROETHANE	75-34-3	UG_L	0.5	U	
8260C	1,1-DICHLOROETHENE	75-35-4	UG_L	0.5	U	
8260C	1,2,4-TRICHLOROBENZENE	120-82-1	UG_L	0.5	U	
8260C	1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	UG_L	0.75	U	
8260C	1,2-DIBROMOETHANE	106-93-4	UG_L	0.5	U	
8260C	1,2-DICHLOROBENZENE	95-50-1	UG_L	0.5	U	
8260C	1,2-DICHLOROETHANE	107-06-2	UG_L	0.5	U	
8260C	1,2-DICHLOROETHENE, TOTAL	540-59-0	UG_L	1	U	
8260C	1,2-DICHLOROPROPANE	78-87-5	UG_L	0.5	U	
8260C	1,3-DICHLOROBENZENE	541-73-1	UG_L	0.5	U	
8260C	1,4-DICHLOROBENZENE	106-46-7	UG_L	0.5	U	
8260C	2-BUTANONE	78-93-3	UG_L	2.5	U	
8260C	2-HEXANONE	591-78-6	UG_L	2.5	U	
8260C	4-METHYL-2-PENTANONE	108-10-1	UG_L	2.5	U	
8260C	ACETONE	67-64-1	UG_L	2.5	U	
8260C	BENZENE	71-43-2	UG_L	0.5	U	
8260C	BROMODICHLOROMETHANE	75-27-4	UG_L	0.5	U	
8260C	BROMOFORM	75-25-2	UG_L	0.5	U	
8260C	BROMOMETHANE	74-83-9	UG_L	1	U	
8260C	CARBON DISULFIDE	75-15-0	UG_L	0.5	U	
8260C	CARBON TETRACHLORIDE	56-23-5	UG_L	0.5	U	
8260C	CHLOROBENZENE	108-90-7	UG_L	0.5	U	
8260C	CHLOROETHANE	75-00-3	UG_L	1	UJ	c
8260C	CHLOROFORM	67-66-3	UG_L	0.5	U	
8260C	CHLOROMETHANE	74-87-3	UG_L	1	U	
8260C	CIS-1,2-DICHLOROETHENE	156-59-2	UG_L	0.5	U	
8260C	CIS-1,3-DICHLOROPROPENE	10061-01-5	UG_L	0.5	U	
8260C	CYCLOHEXANE	110-82-7	UG_L	0.5	U	
8260C	DIBROMOCHLOROMETHANE	124-48-1	UG_L	0.5	U	
8260C	DICHLORODIFLUOROMETHANE	75-71-8	UG_L	1	U	
8260C	ETHYLBENZENE	100-41-4	UG_L	0.5	U	
8260C	ISOPROPYLBENZENE	98-82-8	UG_L	0.5	U	
8260C	M- AND P-XYLENE	108-38-3/106-42	UG_L	1	U	
8260C	METHYL ACETATE	79-20-9	UG_L	0.75	U	
8260C	METHYL CYCLOHEXANE	108-87-2	UG_L	0.5	U	
8260C	METHYL TERT-BUTYL ETHER	1634-04-4	UG_L	0.5	U	
8260C	METHYLENE CHLORIDE	75-09-2	UG_L	2.5	U	
8260C	O-XYLENE	95-47-6	UG_L	0.5	U	
8260C	STYRENE	100-42-5	UG_L	0.5	U	
8260C	TETRACHLOROETHENE	127-18-4	UG_L	0.5	U	
8260C	TOLUENE	108-88-3	UG_L	0.76	J	
8260C	TRANS-1,2-DICHLOROETHENE	156-60-5	UG_L	0.5	U	
8260C	TRANS-1,3-DICHLOROPROPENE	10061-02-6	UG_L	0.5	U	
8260C	TRICHLOROETHENE	79-01-6	UG_L	0.5	U	
8260C	TRICHLOROFLUOROMETHANE	75-69-4	UG_L	1	U	
8260C	VINYL CHLORIDE	75-01-4	UG_L	1	U	
8260C	XYLENES, TOTAL	1330-20-7	UG_L	1.5	U	
8270D_SIM	1,4-DIOXANE	123-91-1	UG_L	0.17	U	

Sample Delivery Group Lab ID Sample ID Sample Date Sample Type				SI4556 SI4556-7RA BPOW6-6-GW-062515 6/25/2015 Groundwater		
Method	Analyte	CAS No	Units	Result	Qual	RC
8260C	1,1,1-TRICHLOROETHANE	71-55-6	UG_L	0.5	U	
8260C	1,1,2,2-TETRACHLOROETHANE	79-34-5	UG_L	0.5	U	
8260C	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	76-13-1	UG_L	0.5	U	
8260C	1,1,2-TRICHLOROETHANE	79-00-5	UG_L	0.5	U	
8260C	1,1-DICHLOROETHANE	75-34-3	UG_L	0.5	U	
8260C	1,1-DICHLOROETHENE	75-35-4	UG_L	0.5	U	
8260C	1,2,4-TRICHLOROBENZENE	120-82-1	UG_L	0.5	U	
8260C	1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	UG_L	0.75	U	
8260C	1,2-DIBROMOETHANE	106-93-4	UG_L	0.5	U	
8260C	1,2-DICHLOROBENZENE	95-50-1	UG_L	0.5	U	
8260C	1,2-DICHLOROETHANE	107-06-2	UG_L	0.5	U	
8260C	1,2-DICHLOROETHENE, TOTAL	540-59-0	UG_L	1	U	
8260C	1,2-DICHLOROPROPANE	78-87-5	UG_L	0.5	U	
8260C	1,3-DICHLOROBENZENE	541-73-1	UG_L	0.5	U	
8260C	1,4-DICHLOROBENZENE	106-46-7	UG_L	0.5	U	
8260C	2-BUTANONE	78-93-3	UG_L	2.5	U	
8260C	2-HEXANONE	591-78-6	UG_L	2.5	U	
8260C	4-METHYL-2-PENTANONE	108-10-1	UG_L	2.5	U	
8260C	ACETONE	67-64-1	UG_L	2.5	U	
8260C	BENZENE	71-43-2	UG_L	0.5	U	
8260C	BROMODICHLOROMETHANE	75-27-4	UG_L	0.5	U	
8260C	BROMOFORM	75-25-2	UG_L	0.5	U	
8260C	BROMOMETHANE	74-83-9	UG_L	1	U	
8260C	CARBON DISULFIDE	75-15-0	UG_L	0.5	U	
8260C	CARBON TETRACHLORIDE	56-23-5	UG_L	0.5	U	
8260C	CHLOROENZENE	108-90-7	UG_L	0.5	U	
8260C	CHLOROETHANE	75-00-3	UG_L	1	UJ	c
8260C	CHLOROFORM	67-66-3	UG_L	0.5	U	
8260C	CHLOROMETHANE	74-87-3	UG_L	1	U	
8260C	CIS-1,2-DICHLOROETHENE	156-59-2	UG_L	0.5	U	
8260C	CIS-1,3-DICHLOROPROPENE	10061-01-5	UG_L	0.5	U	
8260C	CYCLOHEXANE	110-82-7	UG_L	0.5	U	
8260C	DIBROMOCHLOROMETHANE	124-48-1	UG_L	0.5	U	
8260C	DICHLORODIFLUOROMETHANE	75-71-8	UG_L	1	U	
8260C	ETHYLBENZENE	100-41-4	UG_L	0.5	U	
8260C	ISOPROPYLBENZENE	98-82-8	UG_L	0.5	U	
8260C	M- AND P-XYLENE	108-38-3/106-42	UG_L	1	U	
8260C	METHYL ACETATE	79-20-9	UG_L	0.75	U	
8260C	METHYL CYCLOHEXANE	108-87-2	UG_L	0.5	U	
8260C	METHYL TERT-BUTYL ETHER	1634-04-4	UG_L	0.5	U	
8260C	METHYLENE CHLORIDE	75-09-2	UG_L	2.5	U	
8260C	O-XYLENE	95-47-6	UG_L	0.5	U	
8260C	STYRENE	100-42-5	UG_L	0.5	U	
8260C	TETRACHLOROETHENE	127-18-4	UG_L	0.5	U	
8260C	TOLUENE	108-88-3	UG_L	1		
8260C	TRANS-1,2-DICHLOROETHENE	156-60-5	UG_L	0.5	U	
8260C	TRANS-1,3-DICHLOROPROPENE	10061-02-6	UG_L	0.5	U	
8260C	TRICHLOROETHENE	79-01-6	UG_L	0.5	U	
8260C	TRICHLOROFUOROMETHANE	75-69-4	UG_L	1	U	
8260C	VINYL CHLORIDE	75-01-4	UG_L	1	U	
8260C	XYLENES, TOTAL	1330-20-7	UG_L	1.5	U	
8270D_SIM	1,4-DIOXANE	123-91-1	UG_L	0.17	U	

Sample Delivery Group Lab ID Sample ID Sample Date Sample Type				SI4556 SI4556-8 RE117D1-GW-062515 6/25/2015 Groundwater		
Method	Analyte	CAS No	Units	Result	Qual	RC
8260C	1,1,1-TRICHLOROETHANE	71-55-6	UG_L	0.5	U	
8260C	1,1,2,2-TETRACHLOROETHANE	79-34-5	UG_L	0.5	U	
8260C	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	76-13-1	UG_L	0.5	U	
8260C	1,1,2-TRICHLOROETHANE	79-00-5	UG_L	0.5	U	
8260C	1,1-DICHLOROETHANE	75-34-3	UG_L	0.5	U	
8260C	1,1-DICHLOROETHENE	75-35-4	UG_L	0.5	U	
8260C	1,2,4-TRICHLOROBENZENE	120-82-1	UG_L	0.5	U	
8260C	1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	UG_L	0.75	U	
8260C	1,2-DIBROMOETHANE	106-93-4	UG_L	0.5	U	
8260C	1,2-DICHLOROBENZENE	95-50-1	UG_L	0.5	U	
8260C	1,2-DICHLOROETHANE	107-06-2	UG_L	0.5	U	
8260C	1,2-DICHLOROETHENE, TOTAL	540-59-0	UG_L	1	U	
8260C	1,2-DICHLOROPROPANE	78-87-5	UG_L	0.5	U	
8260C	1,3-DICHLOROBENZENE	541-73-1	UG_L	0.5	U	
8260C	1,4-DICHLOROBENZENE	106-46-7	UG_L	0.5	U	
8260C	2-BUTANONE	78-93-3	UG_L	2.1	J	
8260C	2-HEXANONE	591-78-6	UG_L	2.5	U	
8260C	4-METHYL-2-PENTANONE	108-10-1	UG_L	2.5	U	
8260C	ACETONE	67-64-1	UG_L	2.5	U	
8260C	BENZENE	71-43-2	UG_L	0.5	U	
8260C	BROMODICHLOROMETHANE	75-27-4	UG_L	0.5	U	
8260C	BROMOFORM	75-25-2	UG_L	0.5	U	
8260C	BROMOMETHANE	74-83-9	UG_L	1	U	
8260C	CARBON DISULFIDE	75-15-0	UG_L	0.5	U	
8260C	CARBON TETRACHLORIDE	56-23-5	UG_L	0.5	U	
8260C	CHLOROENZENE	108-90-7	UG_L	0.5	U	
8260C	CHLOROETHANE	75-00-3	UG_L	1	UJ	c
8260C	CHLOROFORM	67-66-3	UG_L	0.5	U	
8260C	CHLOROMETHANE	74-87-3	UG_L	1	U	
8260C	CIS-1,2-DICHLOROETHENE	156-59-2	UG_L	0.5	U	
8260C	CIS-1,3-DICHLOROPROPENE	10061-01-5	UG_L	0.5	U	
8260C	CYCLOHEXANE	110-82-7	UG_L	0.5	U	
8260C	DIBROMOCHLOROMETHANE	124-48-1	UG_L	0.5	U	
8260C	DICHLORODIFLUOROMETHANE	75-71-8	UG_L	1	U	
8260C	ETHYLBENZENE	100-41-4	UG_L	0.5	U	
8260C	ISOPROPYLBENZENE	98-82-8	UG_L	0.5	U	
8260C	M- AND P-XYLENE	108-38-3/106-42	UG_L	1	U	
8260C	METHYL ACETATE	79-20-9	UG_L	0.75	U	
8260C	METHYL CYCLOHEXANE	108-87-2	UG_L	0.5	U	
8260C	METHYL TERT-BUTYL ETHER	1634-04-4	UG_L	0.5	U	
8260C	METHYLENE CHLORIDE	75-09-2	UG_L	2.5	U	
8260C	O-XYLENE	95-47-6	UG_L	0.5	U	
8260C	STYRENE	100-42-5	UG_L	0.5	U	
8260C	TETRACHLOROETHENE	127-18-4	UG_L	0.5	U	
8260C	TOLUENE	108-88-3	UG_L	0.5	U	
8260C	TRANS-1,2-DICHLOROETHENE	156-60-5	UG_L	0.5	U	
8260C	TRANS-1,3-DICHLOROPROPENE	10061-02-6	UG_L	0.5	U	
8260C	TRICHLOROETHENE	79-01-6	UG_L	7.8		
8260C	TRICHLOROFUOROMETHANE	75-69-4	UG_L	1	U	
8260C	VINYL CHLORIDE	75-01-4	UG_L	1	U	
8260C	XYLENES, TOTAL	1330-20-7	UG_L	1.5	U	
8270D_SIM	1,4-DIOXANE	123-91-1	UG_L	0.17	U	

Sample Delivery Group Lab ID Sample ID Sample Date Sample Type				SI4556 SI4556-9 TRIPBLANK-062515 6/24/2015 Trip Blank		
Method	Analyte	CAS No	Units	Result	Qual	RC
8260C	1,1,1-TRICHLOROETHANE	71-55-6	UG_L	0.5	U	
8260C	1,1,2,2-TETRACHLOROETHANE	79-34-5	UG_L	0.5	U	
8260C	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	76-13-1	UG_L	0.5	U	
8260C	1,1,2-TRICHLOROETHANE	79-00-5	UG_L	0.5	U	
8260C	1,1-DICHLOROETHANE	75-34-3	UG_L	0.5	U	
8260C	1,1-DICHLOROETHENE	75-35-4	UG_L	0.5	U	
8260C	1,2,4-TRICHLOROBENZENE	120-82-1	UG_L	0.5	U	
8260C	1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	UG_L	0.75	U	
8260C	1,2-DIBROMOETHANE	106-93-4	UG_L	0.5	U	
8260C	1,2-DICHLOROBENZENE	95-50-1	UG_L	0.5	U	
8260C	1,2-DICHLOROETHANE	107-06-2	UG_L	0.5	U	
8260C	1,2-DICHLOROETHENE, TOTAL	540-59-0	UG_L	1	U	
8260C	1,2-DICHLOROPROPANE	78-87-5	UG_L	0.5	U	
8260C	1,3-DICHLOROBENZENE	541-73-1	UG_L	0.5	U	
8260C	1,4-DICHLOROBENZENE	106-46-7	UG_L	0.5	U	
8260C	2-BUTANONE	78-93-3	UG_L	2.5	U	
8260C	2-HEXANONE	591-78-6	UG_L	2.5	U	
8260C	4-METHYL-2-PENTANONE	108-10-1	UG_L	2.5	U	
8260C	ACETONE	67-64-1	UG_L	2.5	U	
8260C	BENZENE	71-43-2	UG_L	0.5	U	
8260C	BROMODICHLOROMETHANE	75-27-4	UG_L	0.5	U	
8260C	BROMOFORM	75-25-2	UG_L	0.5	U	
8260C	BROMOMETHANE	74-83-9	UG_L	1	U	
8260C	CARBON DISULFIDE	75-15-0	UG_L	0.5	U	
8260C	CARBON TETRACHLORIDE	56-23-5	UG_L	0.5	U	
8260C	CHLOROBENZENE	108-90-7	UG_L	0.5	U	
8260C	CHLOROETHANE	75-00-3	UG_L	1	UJ	c
8260C	CHLOROFORM	67-66-3	UG_L	0.5	U	
8260C	CHLOROMETHANE	74-87-3	UG_L	1	U	
8260C	CIS-1,2-DICHLOROETHENE	156-59-2	UG_L	0.5	U	
8260C	CIS-1,3-DICHLOROPROPENE	10061-01-5	UG_L	0.5	U	
8260C	CYCLOHEXANE	110-82-7	UG_L	0.5	U	
8260C	DIBROMOCHLOROMETHANE	124-48-1	UG_L	0.5	U	
8260C	DICHLORODIFLUOROMETHANE	75-71-8	UG_L	1	U	
8260C	ETHYLBENZENE	100-41-4	UG_L	0.5	U	
8260C	ISOPROPYLBENZENE	98-82-8	UG_L	0.5	U	
8260C	M- AND P-XYLENE	108-38-3/106-42	UG_L	1	U	
8260C	METHYL ACETATE	79-20-9	UG_L	0.75	U	
8260C	METHYL CYCLOHEXANE	108-87-2	UG_L	0.5	U	
8260C	METHYL TERT-BUTYL ETHER	1634-04-4	UG_L	0.5	U	
8260C	METHYLENE CHLORIDE	75-09-2	UG_L	2.5	U	
8260C	O-XYLENE	95-47-6	UG_L	0.5	U	
8260C	STYRENE	100-42-5	UG_L	0.5	U	
8260C	TETRACHLOROETHENE	127-18-4	UG_L	0.5	U	
8260C	TOLUENE	108-88-3	UG_L	0.5	U	
8260C	TRANS-1,2-DICHLOROETHENE	156-60-5	UG_L	0.5	U	
8260C	TRANS-1,3-DICHLOROPROPENE	10061-02-6	UG_L	0.5	U	
8260C	TRICHLOROETHENE	79-01-6	UG_L	0.5	U	
8260C	TRICHLOROFLUOROMETHANE	75-69-4	UG_L	1	U	
8260C	VINYL CHLORIDE	75-01-4	UG_L	1	U	
8260C	XYLENES, TOTAL	1330-20-7	UG_L	1.5	U	
8270D_SIM	1,4-DIOXANE	123-91-1	UG_L	NA		

**Notes:**

UG\_L = Micrograms per liter  
NA = Not analyzed  
Qual = Final qualifier (Refer to Attachment B)  
RC = Reason code (Refer to Attachment C)

**Appendix C**  
**Analytical Data Validation – Arcadis**

## **Northrop Grumman Corporation- Operable Unit 2**

### **Data Review**

BETHPAGE, NEW YORK

Volatile Analysis

SDG #JB97939

Analyses Performed By:  
Accutest Laboratories  
Dayton, New Jersey

Report #23878R  
July 17, 2015  
Review Level: Tier II  
Project #NY001496.1514.NAVI4



## SUMMARY

This data quality assessment summarizes the review of Sample Delivery Group (SDG) #JB97939 for samples collected in association with the Northrop Grumman-Bethpage Site. The review was conducted as a Tier II evaluation and included review of data package completeness. Only analytical data associated with constituents of concern were reviewed for this validation. Field documentation was not included in this review. Included with this assessment are the validation annotated sample result sheets, and chain of custody. Analyses were performed on the following samples:

Sample ID	Lab ID	Matrix	Sample Collection Date	Parent Sample	Analysis				
					VOC	SVOC	PCB	MET	MISC
BPOW 5-3	JB97939-1	Water	06/25/2015		X				
FB062515AM1	JB97939-2	Water	06/25/2015		X				
TB062515KAM1	JB97939-3	Water	06/25/2015		X				

## ANALYTICAL DATA PACKAGE DOCUMENTATION

### GENERAL INFORMATION

Items Reviewed	Reported		Performance Acceptable		Not Required
	No	Yes	No	Yes	
1. Sample receipt condition		X		X	
2. Requested analyses and sample results		X		X	
3. Collection Technique (grab, composite, etc.)		X		X	
4. Methods of analysis		X		X	
5. Reporting limits		X		X	
6. Sample collection date		X		X	
7. Laboratory sample received date		X	X		
8. Sample preservation verification (as applicable)		X		X	
9. Sample preparation/extraction/analysis dates		X		X	
10. Fully executed Chain-of-Custody (COC) form completed		X		X	
11. Narrative summary of QA or sample problems provided		X		X	
12. Data Package Completeness and Compliance		X		X	

QA - Quality Assurance

## VOLATILE ANALYSIS INTRODUCTION

Analyses were performed according to United States Environmental Protection Agency (USEPA), Method 524.2. Data were reviewed in accordance with USEPA National Functional Guidelines of October 1999.

The data review process is an evaluation of data on a technical basis rather than a determination of contract compliance. As such, the standards against which the data are being weighed may differ from those specified in the analytical method. It is assumed that the data package represents the best efforts of the laboratory and had already been subjected to adequate and sufficient quality review prior to submission.

During the review process, laboratory qualified and unqualified data are verified against the supporting documentation. Based on this evaluation, qualifier codes may be added, deleted, or modified by the data reviewer. Results are qualified with the following codes in accordance with USEPA National Functional Guidelines:

- Concentration (C) Qualifiers
  - U The compound was analyzed for but not detected. The associated value is the compound quantitation limit.
  - B The compound has been found in the sample as well as its associated blank, its presence in the sample may be suspect.
- Quantitation (Q) Qualifiers
  - E The compound was quantitated above the calibration range.
  - D Concentration is based on a diluted sample analysis.
- Validation Qualifiers
  - J The compound was positively identified; however, the associated numerical value is an estimated concentration only.
  - UJ The compound was not detected above the reported sample quantitation limit. However, the reported limit is approximate and may or may not represent the actual limit of quantitation.
  - JN The analysis indicates the presence of a compound for which there is presumptive evidence to make a tentative identification. The associated numerical value is an estimated concentration only.
  - UB Compound considered non-detect at the listed value due to associated blank contamination.
  - N The analysis indicates the presence of a compound for which there is presumptive evidence to make a tentative identification.
  - R The sample results are rejected.

Two facts should be noted by all data users. First, the "R" flag means that the associated value is unusable. In other words, due to significant quality control (QC) problems, the analysis is invalid and provides no information as to whether the compound is present or not. "R" values should not appear on data tables because they cannot be relied upon, even as a last resort. The second fact to keep in mind is that no compound concentration, even if it has passed all QC tests, is guaranteed to be accurate. Strict QC serves to increase confidence in data but any value potentially contains error.

## VOLATILE ORGANIC COMPOUND (VOC) ANALYSES

### 1. Holding Times

The specified holding times for the following methods are presented in the following table.

Method	Matrix	Holding Time	Preservation
EPA 524.2	Water	14 days from collection to analysis	Cool to < 6°C; preserved to a pH of less than 2 s.u..

s.u. Standard units

All samples were analyzed within the specified holding time and temperature criteria.

### 2. Blank Contamination

Quality assurance (QA) blanks (i.e., method and rinse blanks) are prepared to identify any contamination which may have been introduced into the samples during sample preparation or field activity. Method blanks measure laboratory contamination. Rinse blanks measure contamination of samples during field operations.

A blank action level (BAL) of five times the concentration of a detected compound in an associated blank (common laboratory contaminant compounds are calculated at ten times) is calculated for QA blanks containing concentrations greater than the method detection limit (MDL). The BAL is compared to the associated sample results to determine the appropriate qualification of the sample results, if needed.

All compounds associated with the QA blanks exhibited a concentration less than the MDL, with the exception of the compounds listed in the following table. Sample results associated with QA blank contamination that were greater than the BAL resulted in the removal of the laboratory qualifier (B) of data. Sample results less than the BAL associated with the following sample locations were qualified as listed in the following table.

Sample Locations	Analytes	Sample Result	Qualification
BPOW 5-2	TICs: Isopropyl alcohol (RT: 7.48)	Detected sample results less than 5 times blank result	R

### 3. Surrogates/System Monitoring Compounds

All samples to be analyzed for organic compounds are spiked with surrogate compounds prior to sample preparation to evaluate overall laboratory performance and efficiency of the analytical technique. VOC analysis requires that all surrogates associated with the analysis exhibit recoveries within the laboratory-established acceptance limits.

All surrogate recoveries were within control limits.

### 4. Matrix Spike/Matrix Spike Duplicate (MS/MSD) Analysis

MS/MSD data are used to assess the precision and accuracy of the analytical method. The compounds used to perform the MS/MSD analysis must exhibit a percent recovery within the laboratory-established

acceptance limits. The relative percent difference (RPD) between the MS/MSD recoveries must exhibit an RPD within the laboratory-established acceptance limits.

Note: The MS/MSD recovery control limits do not apply for MS/MSD performed on sample locations where the compound concentration detected in the parent sample exceeds the MS/MSD concentration by a factor of four or greater.

A MS analysis was not performed on a sample location associated with this SDG.

## **5. Laboratory Control Sample (LCS) Analysis**

The LCS analysis is used to assess the precision and accuracy of the analytical method independent of matrix interferences. The compounds associated with the LCS analysis must exhibit a percent recovery within the laboratory-established acceptance limits.

All compounds associated with the LCS analysis exhibited recoveries within the control limits.

## **6. Field Duplicate Analysis**

Field duplicate analysis is used to assess the overall precision of the field sampling procedures and analytical method. A control limit of 30% for water matrices is applied to the RPD between the parent sample and the field duplicate. In the instance when the parent and/or duplicate sample concentrations are less than or equal to 5 times the RL, a control limit of two times the RL is applied for water matrices.

A field duplicate was not collected with a sample location associated with this SDG.

## **7. Laboratory Duplicate Analysis**

The laboratory duplicate relative percent difference (RPD) criterion is applied when parent and duplicate sample concentrations are greater than or equal to 5 times the RL. A control limit of 20% for water matrices is applied when the criteria above is true. In the instance when the parent and/or duplicate sample concentrations are less than or equal to 5 times the RL, a control limit of two times the RL is applied for water matrices.

A laboratory duplicate was not performed on a sample location associated with this SDG.

## **8. System Performance and Overall Assessment**

Tentatively identified compounds (TICs) were identified in sample locations BPOW 5-3, FB062515AM1 and TB062515AM1. The analysis indicates the presence of a compound for which there is presumptive evidence to make a tentative identification. TICs are qualified as estimated (JN).

Overall system performance was noted by the laboratory in the case narrative as acceptable. Other than for those deviations specifically mentioned in this review, the overall data quality is within the guidelines specified in the method.

## DATA VALIDATION CHECKLIST FOR VOCs

VOCs: 524.2	Reported		Performance Acceptable		Not Required
	No	Yes	No	Yes	
GAS CHROMATOGRAPHY/MASS SPECTROMETRY (GC/MS)					
<b>Tier II Validation</b>					
Holding times & Temperature		X		X	
Reporting limits (units)		X		X	
Blanks					
A. Method blanks		X		X	
B. Equipment blanks		X	X		
C. Trip blanks		X	X		
Surrogate (%R)		X		X	
Laboratory Control Sample (%R)		X		X	
Laboratory Control Sample Duplicate(LCSD)					X
LCS/LCSD Precision (RPD)					X
Matrix Spike (MS)					X
Matrix Spike Duplicate(MSD)					X
MS/MSD Precision (RPD)					X
Field/Lab Duplicate (RPD)		X		X	
Dilution Factor		X		X	
Moisture Content					X

%R Percent Recovery    RPD Relative Percent Difference

VALIDATION PERFORMED BY: Lisa Horton

SIGNATURE:   
\_\_\_\_\_

DATE: July 17, 2015

PEER REVIEW BY: Todd Church

DATE: July 20, 2015

**CHAIN OF CUSTODY/  
CORRECTED SAMPLE ANALYSIS DATA SHEETS**



AW  
WFB  
WTB

**CHAIN OF CUSTODY**

Accutest New Jersey/SPL Environmental  
2235 Route 130, Dayton, NJ 08810  
TEL: 732-329-0200 FAX: 732-329-3499/3480  
www.accutest.com

Client / Reporting Information		Project Information		Requested Analysis (see TEST CODE sheet)		Matrix Codes	
Company Name <b>Arcadis</b>		Project Name: <b>AGMNYM62235 // OU2 Monitoring Wells Northrop Grumman OU2 Hydro</b>		FED-EX Tracking # <b>#5</b>		Bottle Order Control #	
Street Address <b>2 Huntington Quad, Suite 1S10</b>		Street		Accutest Quote #		Accutest Job # <b>JB97939</b>	
City State Zip <b>Melville NY 11747</b>		City State <b>Bethpage NY</b>		Billing Information (if different from Report to)		Company Name	
Project Contact <b>Soma Das, soma.das@arcadis-us.com</b>		Project # <b>NY001496.344-SWMTS</b>		Street Address <b>630 Plaza Drive, Suite 600</b>		City State Zip <b>Highlands Ranch, CO 80129</b>	
Phone # <b>631-249-7600</b>		Client Purchase Order #		Attention:		Soma Das	
Fax # <b>631-249-7610</b>		Work Authorization #: NY001496_2015		Number of preserved Bottles		DW - Drinking Water GW - Ground Water WW - Water SW - Surface Water SD - Soil SL - Skudge SED - Sediment OJ - Oil LIQ - Other Liquid AIR - Air SOL - Other Solid WP - Wipe FB - Field Blank EB - Equipment Blank RB - Rinse Blank TB - Trip Blank	
Sampler(s) Name(s) <b>ARON MANS</b>		Project Manager <b>Carlo San Giovanni</b>		HCl NH <sub>4</sub> HNO <sub>3</sub> H <sub>2</sub> SO <sub>4</sub> NONE DI Water MICH ENCORE		VCS2002N0300W740 PP Cd, Cr (Total) 6010C Cd, Cr (Dissolved, Field Filtered) 6010C VC 524.2 N636 CWT40	
Turnaround Time (Business days)		Data Deliverable Information		Comments / Special Instructions		LAB USE ONLY	
<input type="checkbox"/> Std. 15 Business Days <input checked="" type="checkbox"/> Std. 10 Business Days (by Contract only) <input type="checkbox"/> 10 Day RUSH <input type="checkbox"/> 5 Day RUSH <input type="checkbox"/> 3 Day EMERGENCY <input type="checkbox"/> 2 Day EMERGENCY <input type="checkbox"/> 1 Day EMERGENCY Emergency & Rush TIA data available VIA Lablink		Approved By (Accutest PM): / Date: INITIAL ASSESSMENT: <b>Am SA</b> LABEL VERIFICATION: <b>Ken</b>		<input type="checkbox"/> Commercial "A" (Level 1) <input type="checkbox"/> Commercial "B" (Level 2) <input type="checkbox"/> FULLT1 (Level 3+4) <input type="checkbox"/> NJ Reduced <input type="checkbox"/> Commercial "C" <input type="checkbox"/> NYASP Category A <input type="checkbox"/> NYASP Category B <input type="checkbox"/> State Forms <input type="checkbox"/> EDD Format <input checked="" type="checkbox"/> Other CUMMUC+		RL reporting for metals Method 524.2 but full list as per email dated 5/18/2015	
Sample Custody must be documented below each time samples change possession, including courier delivery.							
Relinquished By: <b>Am SA</b>	Date Time: <b>6/25/15 1330</b>	Received By: <b>Get Raymond</b>	Date Time: <b>6/25/15 1300</b>	Relinquished By: <b>Get Raymond</b>	Date Time: <b>6/25/15 2100</b>	Received By: <b>Chris Juel</b>	Date Time: <b>6/26/15 11:25</b>
Relinquished By: <b>Chris Juel</b>	Date Time: <b>6/26/15 15:25</b>	Received By: <b>James Jovan</b>	Date Time: <b>6/26/15 15:25</b>	Relinquished By: <b>James Jovan</b>	Date Time: <b>6/26/15 15:25</b>	Received By: <b>James Jovan</b>	Date Time: <b>6/26/15 15:25</b>
Relinquished By: <b>James Jovan</b>	Date Time: <b>6/26/15 15:25</b>	Received By: <b>James Jovan</b>	Date Time: <b>6/26/15 15:25</b>	Relinquished By: <b>James Jovan</b>	Date Time: <b>6/26/15 15:25</b>	Received By: <b>James Jovan</b>	Date Time: <b>6/26/15 15:25</b>
Custody Seal #		Intact		Preserved where applicable		On Ice <input checked="" type="checkbox"/> Cooler Temp: <b>2.9°C</b>	

5.1  
5

**JB97939: Chain of Custody**

**Page 1 of 2**

## Report of Analysis

<b>Client Sample ID:</b>	BPOW 5-3	<b>Date Sampled:</b>	06/25/15
<b>Lab Sample ID:</b>	JB97939-1	<b>Date Received:</b>	06/26/15
<b>Matrix:</b>	AQ - Water	<b>Percent Solids:</b>	n/a
<b>Method:</b>	EPA 524.2 REV 4.1		
<b>Project:</b>	Northrop Grumman, OU2 Hydro, Bethpage, NY		

Run #1	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	1B97998.D	1	06/30/15	MD	n/a	n/a	V1B4648
Run #2							

Run #1	Purge Volume
Run #1	5.0 ml
Run #2	

## Special VOA List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	5.0	0.91	ug/l	
78-93-3	2-Butanone	ND	5.0	0.57	ug/l	
71-43-2	Benzene	ND	0.50	0.057	ug/l	
75-27-4	Bromodichloromethane	ND	0.50	0.082	ug/l	
75-25-2	Bromoform	ND	0.50	0.046	ug/l	
74-83-9	Bromomethane	ND	0.50	0.077	ug/l	
75-15-0	Carbon disulfide	ND	0.50	0.028	ug/l	
108-90-7	Chlorobenzene	ND	0.50	0.027	ug/l	
75-00-3	Chloroethane	ND	0.50	0.037	ug/l	
67-66-3	Chloroform	ND	0.50	0.031	ug/l	
74-87-3	Chloromethane	ND	0.50	0.044	ug/l	
56-23-5	Carbon tetrachloride	ND	0.50	0.074	ug/l	
75-34-3	1,1-Dichloroethane	ND	0.50	0.039	ug/l	
75-35-4	1,1-Dichloroethylene	ND	0.50	0.054	ug/l	
107-06-2	1,2-Dichloroethane	ND	0.50	0.034	ug/l	
78-87-5	1,2-Dichloropropane	ND	0.50	0.082	ug/l	
124-48-1	Dibromochloromethane	ND	0.50	0.042	ug/l	
156-60-5	trans-1,2-Dichloroethylene	ND	0.50	0.039	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	0.50	0.081	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	0.033	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	0.063	ug/l	
100-41-4	Ethylbenzene	ND	0.50	0.033	ug/l	
76-13-1	Freon 113	ND	1.0	0.10	ug/l	
591-78-6	2-Hexanone	ND	2.0	0.084	ug/l	
75-09-2	Methylene chloride	ND	0.50	0.047	ug/l	
108-10-1	4-Methyl-2-pentanone	ND	2.0	0.27	ug/l	
100-42-5	Styrene	ND	0.50	0.028	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	0.50	0.050	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.50	0.035	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	0.50	0.052	ug/l	
127-18-4	Tetrachloroethylene	ND	0.50	0.091	ug/l	
108-88-3	Toluene	ND	0.50	0.044	ug/l	

ND = Not detected MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

## Report of Analysis

<b>Client Sample ID:</b> BPOW 5-3		<b>Date Sampled:</b> 06/25/15
<b>Lab Sample ID:</b> JB97939-1		<b>Date Received:</b> 06/26/15
<b>Matrix:</b> AQ - Water		<b>Percent Solids:</b> n/a
<b>Method:</b> EPA 524.2 REV 4.1		
<b>Project:</b> Northrop Grumman, OU2 Hydro, Bethpage, NY		

**Special VOA List**

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethylene	ND	0.50	0.024	ug/l	
75-01-4	Vinyl chloride	ND	0.50	0.032	ug/l	
	m,p-Xylene	ND	0.50	0.13	ug/l	
95-47-6	o-Xylene	ND	0.50	0.029	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2199-69-1	1,2-Dichlorobenzene-d4	93%		78-114%
460-00-4	4-Bromofluorobenzene	86%		77-115%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
67-63-0	Isopropyl Alcohol	7.48	.68	ug/l	JN R
	Total TIC, Volatile		.68	ug/l	J

ND = Not detected      MDL = Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

4.1  
4

## Report of Analysis

<b>Client Sample ID:</b> FB062515AM1	
<b>Lab Sample ID:</b> JB97939-2	<b>Date Sampled:</b> 06/25/15
<b>Matrix:</b> AQ - Field Blank Water	<b>Date Received:</b> 06/26/15
<b>Method:</b> EPA 524.2 REV 4.1	<b>Percent Solids:</b> n/a
<b>Project:</b> Northrop Grumman, OU2 Hydro, Bethpage, NY	

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	1B98024.D	1	07/02/15	MD	n/a	n/a	V1B4650
Run #2							

Run #	Purge Volume
Run #1	5.0 ml
Run #2	

## Special VOA List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	6.6	5.0	0.91	ug/l	
78-93-3	2-Butanone	ND	5.0	0.57	ug/l	
71-43-2	Benzene	ND	0.50	0.057	ug/l	
75-27-4	Bromodichloromethane	ND	0.50	0.082	ug/l	
75-25-2	Bromoform	ND	0.50	0.046	ug/l	
74-83-9	Bromomethane	ND	0.50	0.077	ug/l	
75-15-0	Carbon disulfide	ND	0.50	0.028	ug/l	
108-90-7	Chlorobenzene	ND	0.50	0.027	ug/l	
75-00-3	Chloroethane	ND	0.50	0.037	ug/l	
67-66-3	Chloroform	0.14	0.50	0.031	ug/l	J
74-87-3	Chloromethane	0.38	0.50	0.044	ug/l	J
56-23-5	Carbon tetrachloride	ND	0.50	0.074	ug/l	
75-34-3	1,1-Dichloroethane	ND	0.50	0.039	ug/l	
75-35-4	1,1-Dichloroethylene	ND	0.50	0.054	ug/l	
107-06-2	1,2-Dichloroethane	ND	0.50	0.034	ug/l	
78-87-5	1,2-Dichloropropane	ND	0.50	0.082	ug/l	
124-48-1	Dibromochloromethane	ND	0.50	0.042	ug/l	
156-60-5	trans-1,2-Dichloroethylene	ND	0.50	0.039	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	0.50	0.081	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	0.033	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	0.063	ug/l	
100-41-4	Ethylbenzene	ND	0.50	0.033	ug/l	
76-13-1	Freon 113	ND	1.0	0.10	ug/l	
591-78-6	2-Hexanone	ND	2.0	0.084	ug/l	
75-09-2	Methylene chloride	ND	0.50	0.047	ug/l	
108-10-1	4-Methyl-2-pentanone	ND	2.0	0.27	ug/l	
100-42-5	Styrene	ND	0.50	0.028	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	0.50	0.050	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.50	0.035	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	0.50	0.052	ug/l	
127-18-4	Tetrachloroethylene	ND	0.50	0.091	ug/l	
108-88-3	Toluene	ND	0.50	0.044	ug/l	

ND = Not detected MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

## Report of Analysis

<b>Client Sample ID:</b> FB062515AM1		<b>Date Sampled:</b> 06/25/15
<b>Lab Sample ID:</b> JB97939-2		<b>Date Received:</b> 06/26/15
<b>Matrix:</b> AQ - Field Blank Water		<b>Percent Solids:</b> n/a
<b>Method:</b> EPA 524.2 REV 4.1		
<b>Project:</b> Northrop Grumman, OU2 Hydro, Bethpage, NY		

**Special VOA List**

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethylene	ND	0.50	0.024	ug/l	
75-01-4	Vinyl chloride	ND	0.50	0.032	ug/l	
	m,p-Xylene	ND	0.50	0.13	ug/l	
95-47-6	o-Xylene	ND	0.50	0.029	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2199-69-1	1,2-Dichlorobenzene-d4	95%		78-114%
460-00-4	4-Bromofluorobenzene	88%		77-115%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
67-63-0	Isopropyl Alcohol	7.46	80	ug/l	JN
78-84-2	Propanal, 2-methyl-	8.71	1.4	ug/l	JN
	unknown	9.66	1.4	ug/l	J N
	alcohols	10.12	.62	ug/l	J N
78-83-1	1-Propanol, 2-methyl-	10.83	2.6	ug/l	JN
15045-43-9	Furan, tetrahydro-2,2,5,5-tetramethyl-	12.87	2.3	ug/l	JN
104-76-7	1-Hexanol, 2-ethyl-	17.36	.89	ug/l	JN
	Total TIC, Volatile		89.21	ug/l	J N

ND = Not detected      MDL = Method Detection Limit      J = Indicates an estimated value  
 RL = Reporting Limit      B = Indicates analyte found in associated method blank  
 E = Indicates value exceeds calibration range      N = Indicates presumptive evidence of a compound

4.2  
4

## Report of Analysis

<b>Client Sample ID:</b> TB062515AM1		<b>Date Sampled:</b> 06/25/15
<b>Lab Sample ID:</b> JB97939-3		<b>Date Received:</b> 06/26/15
<b>Matrix:</b> AQ - Trip Blank Water		<b>Percent Solids:</b> n/a
<b>Method:</b> EPA 524.2 REV 4.1		
<b>Project:</b> Northrop Grumman, OU2 Hydro, Bethpage, NY		

Run #1	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	1B98000.D	1	06/30/15	MD	n/a	n/a	V1B4648
Run #2							

Run #1	Purge Volume
Run #1	5.0 ml
Run #2	

## Special VOA List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	2.2	5.0	0.91	ug/l	J
78-93-3	2-Butanone	ND	5.0	0.57	ug/l	
71-43-2	Benzene	ND	0.50	0.057	ug/l	
75-27-4	Bromodichloromethane	ND	0.50	0.082	ug/l	
75-25-2	Bromoform	ND	0.50	0.046	ug/l	
74-83-9	Bromomethane	ND	0.50	0.077	ug/l	
75-15-0	Carbon disulfide	ND	0.50	0.028	ug/l	
108-90-7	Chlorobenzene	ND	0.50	0.027	ug/l	
75-00-3	Chloroethane	ND	0.50	0.037	ug/l	
67-66-3	Chloroform	0.14	0.50	0.031	ug/l	J
74-87-3	Chloromethane	ND	0.50	0.044	ug/l	
56-23-5	Carbon tetrachloride	ND	0.50	0.074	ug/l	
75-34-3	1,1-Dichloroethane	ND	0.50	0.039	ug/l	
75-35-4	1,1-Dichloroethylene	ND	0.50	0.054	ug/l	
107-06-2	1,2-Dichloroethane	ND	0.50	0.034	ug/l	
78-87-5	1,2-Dichloropropane	ND	0.50	0.082	ug/l	
124-48-1	Dibromochloromethane	ND	0.50	0.042	ug/l	
156-60-5	trans-1,2-Dichloroethylene	ND	0.50	0.039	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	0.50	0.081	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	0.033	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	0.063	ug/l	
100-41-4	Ethylbenzene	ND	0.50	0.033	ug/l	
76-13-1	Freon 113	ND	1.0	0.10	ug/l	
591-78-6	2-Hexanone	ND	2.0	0.084	ug/l	
75-09-2	Methylene chloride	ND	0.50	0.047	ug/l	
108-10-1	4-Methyl-2-pentanone	ND	2.0	0.27	ug/l	
100-42-5	Styrene	ND	0.50	0.028	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	0.50	0.050	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.50	0.035	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	0.50	0.052	ug/l	
127-18-4	Tetrachloroethylene	ND	0.50	0.091	ug/l	
108-88-3	Toluene	ND	0.50	0.044	ug/l	

ND = Not detected MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

## Report of Analysis

<b>Client Sample ID:</b> TB062515AM1		<b>Date Sampled:</b> 06/25/15
<b>Lab Sample ID:</b> JB97939-3		<b>Date Received:</b> 06/26/15
<b>Matrix:</b> AQ - Trip Blank Water		<b>Percent Solids:</b> n/a
<b>Method:</b> EPA 524.2 REV 4.1		
<b>Project:</b> Northrop Grumman, OU2 Hydro, Bethpage, NY		

**Special VOA List**

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethylene	ND	0.50	0.024	ug/l	
75-01-4	Vinyl chloride	ND	0.50	0.032	ug/l	
	m,p-Xylene	ND	0.50	0.13	ug/l	
95-47-6	o-Xylene	ND	0.50	0.029	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2199-69-1	1,2-Dichlorobenzene-d4	93%		78-114%
460-00-4	4-Bromofluorobenzene	88%		77-115%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
67-63-0	Isopropyl Alcohol	7.47	2.6	ug/l	JN
	Total TIC, Volatile		2.6	ug/l	JN

ND = Not detected      MDL = Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

4.3  
4

## **Northrop Grumman Corporation- Operable Unit 2**

### **Data Review**

BETHPAGE, NEW YORK

Volatile Analysis

SDG #JB97537

Analyses Performed By:  
Accutest Laboratories  
Dayton, New Jersey

Report #23905R  
July 9, 2015  
Review Level: Tier II  
Project #NY001496.1514.NAVI4



## SUMMARY

This data quality assessment summarizes the review of Sample Delivery Group (SDG) #JB97537 for samples collected in association with the Northrop Grumman-Bethpage Site. The review was conducted as a Tier II evaluation and included review of data package completeness. Only analytical data associated with constituents of concern were reviewed for this validation. Field documentation was not included in this review. Included with this assessment are the validation annotated sample result sheets, and chain of custody. Analyses were performed on the following samples:

Sample ID	Lab ID	Matrix	Sample Collection Date	Parent Sample	Analysis				
					VOC	SVOC	PCB	MET	MISC
BPOW 5-1	JB97537-1	Water	06/18/2015		X				
TB061815KV1	JB97537-2	Water	06/18/2015		X				
FB061815KV1	JB97537-3	Water	06/18/2015		X				
FB061915KV1	JB97537-4	Water	06/19/2015		X				
TB061915KV1	JB97537-5	Water	06/19/2015		X				
BPOW 5-2	JB97537-6	Water	06/19/2015		X				

**Note:**

1. Sample TB061815KV1 was inadvertently logged in at the laboratory as collected on June 19, 2015.

## ANALYTICAL DATA PACKAGE DOCUMENTATION

### GENERAL INFORMATION

Items Reviewed	Reported		Performance Acceptable		Not Required
	No	Yes	No	Yes	
1. Sample receipt condition		X		X	
2. Requested analyses and sample results		X		X	
3. Collection Technique (grab, composite, etc.)		X		X	
4. Methods of analysis		X		X	
5. Reporting limits		X		X	
6. Sample collection date		X		X	
7. Laboratory sample received date		X	X		
8. Sample preservation verification (as applicable)		X		X	
9. Sample preparation/extraction/analysis dates		X		X	
10. Fully executed Chain-of-Custody (COC) form completed		X		X	
11. Narrative summary of QA or sample problems provided		X		X	
12. Data Package Completeness and Compliance		X		X	

QA - Quality Assurance

## VOLATILE ANALYSIS INTRODUCTION

Analyses were performed according to United States Environmental Protection Agency (USEPA), Method 524.2. Data were reviewed in accordance with USEPA National Functional Guidelines of October 1999.

The data review process is an evaluation of data on a technical basis rather than a determination of contract compliance. As such, the standards against which the data are being weighed may differ from those specified in the analytical method. It is assumed that the data package represents the best efforts of the laboratory and had already been subjected to adequate and sufficient quality review prior to submission.

During the review process, laboratory qualified and unqualified data are verified against the supporting documentation. Based on this evaluation, qualifier codes may be added, deleted, or modified by the data reviewer. Results are qualified with the following codes in accordance with USEPA National Functional Guidelines:

- Concentration (C) Qualifiers
  - U The compound was analyzed for but not detected. The associated value is the compound quantitation limit.
  - B The compound has been found in the sample as well as its associated blank, its presence in the sample may be suspect.
- Quantitation (Q) Qualifiers
  - E The compound was quantitated above the calibration range.
  - D Concentration is based on a diluted sample analysis.
- Validation Qualifiers
  - J The compound was positively identified; however, the associated numerical value is an estimated concentration only.
  - UJ The compound was not detected above the reported sample quantitation limit. However, the reported limit is approximate and may or may not represent the actual limit of quantitation.
  - JN The analysis indicates the presence of a compound for which there is presumptive evidence to make a tentative identification. The associated numerical value is an estimated concentration only.
  - UB Compound considered non-detect at the listed value due to associated blank contamination.
  - N The analysis indicates the presence of a compound for which there is presumptive evidence to make a tentative identification.
  - R The sample results are rejected.

Two facts should be noted by all data users. First, the "R" flag means that the associated value is unusable. In other words, due to significant quality control (QC) problems, the analysis is invalid and provides no information as to whether the compound is present or not. "R" values should not appear on data tables because they cannot be relied upon, even as a last resort. The second fact to keep in mind is that no compound concentration, even if it has passed all QC tests, is guaranteed to be accurate. Strict QC serves to increase confidence in data but any value potentially contains error.

## VOLATILE ORGANIC COMPOUND (VOC) ANALYSES

### 1. Holding Times

The specified holding times for the following methods are presented in the following table.

Method	Matrix	Holding Time	Preservation
EPA 524.2	Water	14 days from collection to analysis	Cool to < 6°C; preserved to a pH of less than 2 s.u..

s.u. Standard units

All samples were analyzed within the specified holding time and temperature criteria.

### 2. Blank Contamination

Quality assurance (QA) blanks (i.e., method and rinse blanks) are prepared to identify any contamination which may have been introduced into the samples during sample preparation or field activity. Method blanks measure laboratory contamination. Rinse blanks measure contamination of samples during field operations.

A blank action level (BAL) of five times the concentration of a detected compound in an associated blank (common laboratory contaminant compounds are calculated at ten times) is calculated for QA blanks containing concentrations greater than the method detection limit (MDL). The BAL is compared to the associated sample results to determine the appropriate qualification of the sample results, if needed.

All compounds associated with the QA blanks exhibited a concentration less than the MDL, with the exception of the compounds listed in the following table. Sample results associated with QA blank contamination that were greater than the BAL resulted in the removal of the laboratory qualifier (B) of data. Sample results less than the BAL associated with the following sample locations were qualified as listed in the following table.

Sample Locations	Analytes	Sample Result	Qualification
BPOW 5-1	Acetone	Detected sample results <RL and <BAL	"UB" at the RL
	TICs: Isopropyl alcohol (RT: 7.46) Propanal, 2-methyl (RT: 8.71)	Detected sample results less than 5 times blank result	R
BPOW 5-2	Acetone	Detected sample results <RL and <BAL	"UB" at the RL
	TICs: Isopropyl alcohol (RT: 7.46)	Detected sample results less than 5 times blank result	R

RL Reporting limit

### 3. Surrogates/System Monitoring Compounds

All samples to be analyzed for organic compounds are spiked with surrogate compounds prior to sample preparation to evaluate overall laboratory performance and efficiency of the analytical technique. VOC analysis requires that all surrogates associated with the analysis exhibit recoveries within the laboratory-established acceptance limits.

All surrogate recoveries were within control limits.

#### **4. Matrix Spike/Matrix Spike Duplicate (MS/MSD) Analysis**

MS/MSD data are used to assess the precision and accuracy of the analytical method. The compounds used to perform the MS/MSD analysis must exhibit a percent recovery within the laboratory-established acceptance limits. The relative percent difference (RPD) between the MS/MSD recoveries must exhibit an RPD within the laboratory-established acceptance limits.

Note: The MS/MSD recovery control limits do not apply for MS/MSD performed on sample locations where the compound concentration detected in the parent sample exceeds the MS/MSD concentration by a factor of four or greater.

A MS analysis was not performed on a sample location associated with this SDG.

#### **5. Laboratory Control Sample (LCS) Analysis**

The LCS analysis is used to assess the precision and accuracy of the analytical method independent of matrix interferences. The compounds associated with the LCS analysis must exhibit a percent recovery within the laboratory-established acceptance limits.

All compounds associated with the LCS analysis exhibited recoveries within the control limits.

#### **6. Field Duplicate Analysis**

Field duplicate analysis is used to assess the overall precision of the field sampling procedures and analytical method. A control limit of 30% for water matrices is applied to the RPD between the parent sample and the field duplicate. In the instance when the parent and/or duplicate sample concentrations are less than or equal to 5 times the RL, a control limit of two times the RL is applied for water matrices.

A field duplicate was not collected on a sample location associated with this SDG.

#### **7. Laboratory Duplicate Analysis**

The laboratory duplicate relative percent difference (RPD) criterion is applied when parent and duplicate sample concentrations are greater than or equal to 5 times the RL. A control limit of 20% for water matrices is applied when the criteria above is true. In the instance when the parent and/or duplicate sample concentrations are less than or equal to 5 times the RL, a control limit of two times the RL is applied for water matrices.

A laboratory duplicate was not performed on a sample location associated with this SDG.

#### **8. System Performance and Overall Assessment**

Tentatively identified compounds (TICs) were identified in sample locations BPOW 5-1, TB061815KV1, FB061815KV1, FB061915KV1 and BPOW 5-2. The analysis indicates the presence of a compound for which there is presumptive evidence to make a tentative identification. TICs are qualified as estimated (JN).

Overall system performance was noted by the laboratory in the case narrative as acceptable. Other than for those deviations specifically mentioned in this review, the overall data quality is within the guidelines specified in the method.

## DATA VALIDATION CHECKLIST FOR VOCs

VOCs: 524.2	Reported		Performance Acceptable		Not Required
	No	Yes	No	Yes	
GAS CHROMATOGRAPHY/MASS SPECTROMETRY (GC/MS)					
<b>Tier II Validation</b>					
Holding times & Temperature		X		X	
Reporting limits (units)		X		X	
Blanks					
A. Method blanks		X		X	
B. Equipment blanks		X	X		
C. Trip blanks		X	X		
Surrogate (%R)		X		X	
Laboratory Control Sample (%R)		X		X	
Laboratory Control Sample Duplicate(LCSD)					X
LCS/LCSD Precision (RPD)					X
Matrix Spike (MS)					X
Matrix Spike Duplicate(MSD)					X
MS/MSD Precision (RPD)					X
Field/Lab Duplicate (RPD)					X
Dilution Factor		X		X	
Moisture Content					X

%R Percent Recovery    RPD Relative Percent Difference

VALIDATION PERFORMED BY: Lisa Horton

SIGNATURE:   
\_\_\_\_\_

DATE: July 9, 2015

PEER REVIEW BY: Todd Church

DATE: July 20, 2015



**CHAIN OF CUSTODY/  
CORRECTED SAMPLE ANALYSIS DATA SHEETS**



GW  
WFB  
WTB

### CHAIN OF CUSTODY

Accutest New Jersey/SPL Environmental  
2235 Route 130, Dayton, NJ 08810  
TEL: 732-329-0200 FAX: 732-329-3499/3480  
www.accutest.com

FED-EX Tracking #	Accutest Job #
#4	JB97537

Client / Reporting Information		Project Information		Requested Analysis (see TEST CODE sheet)												Matrix Codes
<b>Company Name:</b> Arcadis <b>Street Address:</b> 2 Huntington Quad, Suite 1S10 <b>City State Zip:</b> Melville NY 11747 <b>Project Contact:</b> Soma Das, soma.das@arcadis-us.com <b>Phone #:</b> 631-249-7600 <b>Sample Name(s):</b> KVCJANGK Pat Roberts 516-2876247		<b>Project Name:</b> AGMNYM62235 // OU2 Outpost Wells <b>Street:</b> Northrop Grumman OU2 Hydro <b>Billing Information (If different from Report to):</b> <b>Company Name:</b> Arcadis, U.S., Inc. Attn: Accts Payable <b>Street Address:</b> 630 Plaza Drive, Suite 600 <b>City State Zip:</b> Highlands Ranch, CO 80129 <b>Attention:</b> Soma Das		[Grid for Analysis Codes: DW, GW, WW, SW, SO, SL, SED, OI, LIQ, AIR, SOL, WP, FB, EB, RB, TB]												<b>Matrix Codes:</b> DW - Drinking Water GW - Ground Water WW - Water SW - Surface Water SO - Soil SL - Sludge SED - Sediment OI - Oil LIQ - Other Liquid AIR - Air SOL - Other Solid WP - Wipe FB - Field Blank EB - Equipment Blank RB - Rinse Blank TB - Trip Blank
<b>Client Purchase Order #:</b> NY001496.3141.NAVI3 <b>Work Authorization #:</b> NY001496 2015 <b>Project Manager:</b> Carlo San Giovanni		<b>Number of preserved Bottles:</b> PFI, NACH, HMO3, HRSO4, NONE, DI Water, MESH, ENCORE												<b>LAB USE ONLY:</b> V356		

<b>Turnaround Time (Business days):</b> <input type="checkbox"/> Std. 15 Business Days <input checked="" type="checkbox"/> Std. 10 Business Days (by Contract only) <input type="checkbox"/> 10 Day RUSH <input type="checkbox"/> 5 Day RUSH <input type="checkbox"/> 3 Day EMERGENCY <input type="checkbox"/> 2 Day EMERGENCY <input type="checkbox"/> 1 Day EMERGENCY	<b>Approved By (Accutest PM): / Date:</b>  	<b>Data Deliverable Information:</b> <input type="checkbox"/> Commercial "A" (Level 1) <input type="checkbox"/> Commercial "B" (Level 2) <input type="checkbox"/> FULLT1 (Level 3+4) <input type="checkbox"/> NJ Reduced <input type="checkbox"/> Commercial "C" <input type="checkbox"/> NYASP Category A <input type="checkbox"/> NYASP Category B <input type="checkbox"/> State Forms <input type="checkbox"/> EDD Format <input checked="" type="checkbox"/> Other CUMMUL+	<b>Comments / Special Instructions:</b> Method 524.2 but full list as per email dated 5/18/2015
--	---	---	--

Sample Custody must be documented below each time samples change possession, including courier delivery.

<b>Relinquished by Sampler:</b> 1 [Signature] <b>Date/Time:</b> 6/19/15 15:05	<b>Received By:</b> 1 [Signature] LBS <b>Date/Time:</b> 6/19/15 18:43	<b>Relinquished by:</b> 2 [Signature] <b>Date/Time:</b> 6-19-15	<b>Received By:</b> 2 [Signature] <b>Date/Time:</b> 6-19-15
<b>Relinquished by Sampler:</b> 3 <b>Date/Time:</b>	<b>Received By:</b> 3 <b>Date/Time:</b>	<b>Relinquished by:</b> 4 <b>Date/Time:</b>	<b>Received By:</b> 4 <b>Date/Time:</b>
<b>Relinquished by Sampler:</b> 5 <b>Date/Time:</b>	<b>Received By:</b> 5 <b>Date/Time:</b>	<b>Relinquished by:</b> <b>Date/Time:</b>	<b>Received By:</b> <b>Date/Time:</b>

Custody Seal #  Intact  Not Intact  
 Preserved where applicable    
 Cooler Temp. 2.78°C

## Report of Analysis

<b>Client Sample ID:</b>	BPOW 5-1	<b>Date Sampled:</b>	06/18/15
<b>Lab Sample ID:</b>	JB97537-1	<b>Date Received:</b>	06/19/15
<b>Matrix:</b>	AQ - Water	<b>Percent Solids:</b>	n/a
<b>Method:</b>	EPA 524.2 REV 4.1		
<b>Project:</b>	Northrop Grumman, OU2 Hydro, Bethpage, NY		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	1B97890.D	1	06/26/15	MD	n/a	n/a	V1B4644
Run #2							

Run #	Purge Volume
Run #1	5.0 ml
Run #2	

## Special VOA List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	5.0	<del>1.0</del>	5.0	0.91	ug/l J UB
78-93-3	2-Butanone	ND	5.0	0.57	ug/l	
71-43-2	Benzene	ND	0.50	0.057	ug/l	
75-27-4	Bromodichloromethane	ND	0.50	0.082	ug/l	
75-25-2	Bromoform	ND	0.50	0.046	ug/l	
74-83-9	Bromomethane	ND	0.50	0.077	ug/l	
75-15-0	Carbon disulfide	ND	0.50	0.028	ug/l	
108-90-7	Chlorobenzene	ND	0.50	0.027	ug/l	
75-00-3	Chloroethane	ND	0.50	0.037	ug/l	
67-66-3	Chloroform	ND	0.50	0.031	ug/l	
74-87-3	Chloromethane	ND	0.50	0.044	ug/l	
56-23-5	Carbon tetrachloride	ND	0.50	0.074	ug/l	
75-34-3	1,1-Dichloroethane	ND	0.50	0.039	ug/l	
75-35-4	1,1-Dichloroethylene	ND	0.50	0.054	ug/l	
107-06-2	1,2-Dichloroethane	ND	0.50	0.034	ug/l	
78-87-5	1,2-Dichloropropane	ND	0.50	0.082	ug/l	
124-48-1	Dibromochloromethane	ND	0.50	0.042	ug/l	
156-60-5	trans-1,2-Dichloroethylene	ND	0.50	0.039	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	0.50	0.081	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	0.033	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	0.063	ug/l	
100-41-4	Ethylbenzene	ND	0.50	0.033	ug/l	
76-13-1	Freon 113	ND	1.0	0.10	ug/l	
591-78-6	2-Hexanone	ND	2.0	0.084	ug/l	
75-09-2	Methylene chloride	ND	0.50	0.047	ug/l	
108-10-1	4-Methyl-2-pentanone	ND	2.0	0.27	ug/l	
100-42-5	Styrene	ND	0.50	0.028	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	0.50	0.050	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.50	0.035	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	0.50	0.052	ug/l	
127-18-4	Tetrachloroethylene	ND	0.50	0.091	ug/l	
108-88-3	Toluene	ND	0.50	0.044	ug/l	

ND = Not detected MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

## Report of Analysis

<b>Client Sample ID:</b> BPOW 5-1		<b>Date Sampled:</b> 06/18/15
<b>Lab Sample ID:</b> JB97537-1		<b>Date Received:</b> 06/19/15
<b>Matrix:</b> AQ - Water		<b>Percent Solids:</b> n/a
<b>Method:</b> EPA 524.2 REV 4.1		
<b>Project:</b> Northrop Grumman, OU2 Hydro, Bethpage, NY		

**Special VOA List**

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethylene	ND	0.50	0.024	ug/l	
75-01-4	Vinyl chloride	ND	0.50	0.032	ug/l	
	m,p-Xylene	ND	0.50	0.13	ug/l	
95-47-6	o-Xylene	ND	0.50	0.029	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2199-69-1	1,2-Dichlorobenzene-d4	88%		78-114%
460-00-4	4-Bromofluorobenzene	85%		77-115%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
108-11-2	Isopropyl alcohol	<del>7.46</del>	<del>1.1</del>	ug/l	<del>JN</del> <span style="color: red;">R</span>
78-84-2	Propanal, 2-methyl-	<del>8.71</del>	<del>.92</del>	ug/l	<del>JN</del> <span style="color: red;">R</span>
	Total TIC, Volatile		<del>2.02</del>	ug/l	<del>J</del>

ND = Not detected      MDL = Method Detection Limit  
 RL = Reporting Limit

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

4.1  
4

## Report of Analysis

<b>Client Sample ID:</b> TB061815KV1	<b>Date Sampled:</b> 06/18/15
<b>Lab Sample ID:</b> JB97537-2	<b>Date Received:</b> 06/19/15
<b>Matrix:</b> AQ - Trip Blank Water	<b>Percent Solids:</b> n/a
<b>Method:</b> EPA 524.2 REV 4.1	
<b>Project:</b> Northrop Grumman, OU2 Hydro, Bethpage, NY	

Run #1	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	1B97891.D	1	06/26/15	MD	n/a	n/a	V1B4644
Run #2							

Run #1	Purge Volume
Run #1	5.0 ml
Run #2	

## Special VOA List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	1.1	5.0	0.91	ug/l	J
78-93-3	2-Butanone	ND	5.0	0.57	ug/l	
71-43-2	Benzene	ND	0.50	0.057	ug/l	
75-27-4	Bromodichloromethane	ND	0.50	0.082	ug/l	
75-25-2	Bromoform	ND	0.50	0.046	ug/l	
74-83-9	Bromomethane	ND	0.50	0.077	ug/l	
75-15-0	Carbon disulfide	ND	0.50	0.028	ug/l	
108-90-7	Chlorobenzene	ND	0.50	0.027	ug/l	
75-00-3	Chloroethane	ND	0.50	0.037	ug/l	
67-66-3	Chloroform	0.17	0.50	0.031	ug/l	J
74-87-3	Chloromethane	ND	0.50	0.044	ug/l	
56-23-5	Carbon tetrachloride	ND	0.50	0.074	ug/l	
75-34-3	1,1-Dichloroethane	ND	0.50	0.039	ug/l	
75-35-4	1,1-Dichloroethylene	ND	0.50	0.054	ug/l	
107-06-2	1,2-Dichloroethane	ND	0.50	0.034	ug/l	
78-87-5	1,2-Dichloropropane	ND	0.50	0.082	ug/l	
124-48-1	Dibromochloromethane	ND	0.50	0.042	ug/l	
156-60-5	trans-1,2-Dichloroethylene	ND	0.50	0.039	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	0.50	0.081	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	0.033	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	0.063	ug/l	
100-41-4	Ethylbenzene	ND	0.50	0.033	ug/l	
76-13-1	Freon 113	ND	1.0	0.10	ug/l	
591-78-6	2-Hexanone	ND	2.0	0.084	ug/l	
75-09-2	Methylene chloride	ND	0.50	0.047	ug/l	
108-10-1	4-Methyl-2-pentanone	ND	2.0	0.27	ug/l	
100-42-5	Styrene	ND	0.50	0.028	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	0.50	0.050	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.50	0.035	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	0.50	0.052	ug/l	
127-18-4	Tetrachloroethylene	ND	0.50	0.091	ug/l	
108-88-3	Toluene	ND	0.50	0.044	ug/l	

ND = Not detected

MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

## Report of Analysis

<b>Client Sample ID:</b> TB061815KV1		<b>06/18/15</b>
<b>Lab Sample ID:</b> JB97537-2		<b>Date Sampled:</b> <del>06/19/15</del>
<b>Matrix:</b> AQ - Trip Blank Water		<b>Date Received:</b> 06/19/15
<b>Method:</b> EPA 524.2 REV 4.1		<b>Percent Solids:</b> n/a
<b>Project:</b> Northrop Grumman, OU2 Hydro, Bethpage, NY		

**Special VOA List**

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethylene	ND	0.50	0.024	ug/l	
75-01-4	Vinyl chloride	ND	0.50	0.032	ug/l	
	m,p-Xylene	ND	0.50	0.13	ug/l	
95-47-6	o-Xylene	ND	0.50	0.029	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2199-69-1	1,2-Dichlorobenzene-d4	88%		78-114%
460-00-4	4-Bromofluorobenzene	89%		77-115%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
67-63-0	Isopropyl Alcohol	7.47	2.4	ug/l	JN
	unknown	9.68	.51	ug/l	J N
	Total TIC, Volatile		2.91	ug/l	J N

ND = Not detected      MDL = Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

4.2  
4

## Report of Analysis

<b>Client Sample ID:</b> FB061815KV1		<b>Date Sampled:</b> 06/18/15
<b>Lab Sample ID:</b> JB97537-3		<b>Date Received:</b> 06/19/15
<b>Matrix:</b> AQ - Field Blank Water		<b>Percent Solids:</b> n/a
<b>Method:</b> EPA 524.2 REV 4.1		
<b>Project:</b> Northrop Grumman, OU2 Hydro, Bethpage, NY		

Run #1	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	1B97892.D	1	06/26/15	MD	n/a	n/a	V1B4644
Run #2							

Run #1	Purge Volume
Run #1	5.0 ml
Run #2	

## Special VOA List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	1.5	5.0	0.91	ug/l	J
78-93-3	2-Butanone	ND	5.0	0.57	ug/l	
71-43-2	Benzene	ND	0.50	0.057	ug/l	
75-27-4	Bromodichloromethane	ND	0.50	0.082	ug/l	
75-25-2	Bromoform	ND	0.50	0.046	ug/l	
74-83-9	Bromomethane	ND	0.50	0.077	ug/l	
75-15-0	Carbon disulfide	ND	0.50	0.028	ug/l	
108-90-7	Chlorobenzene	ND	0.50	0.027	ug/l	
75-00-3	Chloroethane	ND	0.50	0.037	ug/l	
67-66-3	Chloroform	ND	0.50	0.031	ug/l	
74-87-3	Chloromethane	ND	0.50	0.044	ug/l	
56-23-5	Carbon tetrachloride	ND	0.50	0.074	ug/l	
75-34-3	1,1-Dichloroethane	ND	0.50	0.039	ug/l	
75-35-4	1,1-Dichloroethylene	ND	0.50	0.054	ug/l	
107-06-2	1,2-Dichloroethane	ND	0.50	0.034	ug/l	
78-87-5	1,2-Dichloropropane	ND	0.50	0.082	ug/l	
124-48-1	Dibromochloromethane	ND	0.50	0.042	ug/l	
156-60-5	trans-1,2-Dichloroethylene	ND	0.50	0.039	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	0.50	0.081	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	0.033	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	0.063	ug/l	
100-41-4	Ethylbenzene	ND	0.50	0.033	ug/l	
76-13-1	Freon 113	ND	1.0	0.10	ug/l	
591-78-6	2-Hexanone	ND	2.0	0.084	ug/l	
75-09-2	Methylene chloride	0.21	0.50	0.047	ug/l	J
108-10-1	4-Methyl-2-pentanone	ND	2.0	0.27	ug/l	
100-42-5	Styrene	ND	0.50	0.028	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	0.50	0.050	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.50	0.035	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	0.50	0.052	ug/l	
127-18-4	Tetrachloroethylene	ND	0.50	0.091	ug/l	
108-88-3	Toluene	ND	0.50	0.044	ug/l	

ND = Not detected MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

## Report of Analysis

<b>Client Sample ID:</b> FB061815KV1		<b>Date Sampled:</b> 06/18/15
<b>Lab Sample ID:</b> JB97537-3		<b>Date Received:</b> 06/19/15
<b>Matrix:</b> AQ - Field Blank Water		<b>Percent Solids:</b> n/a
<b>Method:</b> EPA 524.2 REV 4.1		
<b>Project:</b> Northrop Grumman, OU2 Hydro, Bethpage, NY		

**Special VOA List**

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethylene	ND	0.50	0.024	ug/l	
75-01-4	Vinyl chloride	ND	0.50	0.032	ug/l	
	m,p-Xylene	ND	0.50	0.13	ug/l	
95-47-6	o-Xylene	ND	0.50	0.029	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2199-69-1	1,2-Dichlorobenzene-d4	86%		78-114%
460-00-4	4-Bromofluorobenzene	91%		77-115%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
67-63-0	Isopropyl Alcohol	7.46	4.5	ug/l	JN
78-84-2	Propanal, 2-methyl-	8.71	.93	ug/l	JN
	Total TIC, Volatile		5.43	ug/l	J N

ND = Not detected      MDL = Method Detection Limit  
 RL = Reporting Limit

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

4.3  
4



## Report of Analysis

<b>Client Sample ID:</b> FB061915KV1		
<b>Lab Sample ID:</b> JB97537-4		<b>Date Sampled:</b> 06/19/15
<b>Matrix:</b> AQ - Field Blank Water		<b>Date Received:</b> 06/19/15
<b>Method:</b> EPA 524.2 REV 4.1		<b>Percent Solids:</b> n/a
<b>Project:</b> Northrop Grumman, OU2 Hydro, Bethpage, NY		

Run #1	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	1B97893.D	1	06/26/15	MD	n/a	n/a	V1B4644
Run #2							

Run #1	Purge Volume
Run #1	5.0 ml
Run #2	

## Special VOA List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	1.3	5.0	0.91	ug/l	J
78-93-3	2-Butanone	ND	5.0	0.57	ug/l	
71-43-2	Benzene	ND	0.50	0.057	ug/l	
75-27-4	Bromodichloromethane	ND	0.50	0.082	ug/l	
75-25-2	Bromoform	ND	0.50	0.046	ug/l	
74-83-9	Bromomethane	ND	0.50	0.077	ug/l	
75-15-0	Carbon disulfide	ND	0.50	0.028	ug/l	
108-90-7	Chlorobenzene	ND	0.50	0.027	ug/l	
75-00-3	Chloroethane	ND	0.50	0.037	ug/l	
67-66-3	Chloroform	0.11	0.50	0.031	ug/l	J
74-87-3	Chloromethane	ND	0.50	0.044	ug/l	
56-23-5	Carbon tetrachloride	ND	0.50	0.074	ug/l	
75-34-3	1,1-Dichloroethane	ND	0.50	0.039	ug/l	
75-35-4	1,1-Dichloroethylene	ND	0.50	0.054	ug/l	
107-06-2	1,2-Dichloroethane	ND	0.50	0.034	ug/l	
78-87-5	1,2-Dichloropropane	ND	0.50	0.082	ug/l	
124-48-1	Dibromochloromethane	ND	0.50	0.042	ug/l	
156-60-5	trans-1,2-Dichloroethylene	ND	0.50	0.039	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	0.50	0.081	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	0.033	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	0.063	ug/l	
100-41-4	Ethylbenzene	ND	0.50	0.033	ug/l	
76-13-1	Freon 113	ND	1.0	0.10	ug/l	
591-78-6	2-Hexanone	ND	2.0	0.084	ug/l	
75-09-2	Methylene chloride	0.31	0.50	0.047	ug/l	J
108-10-1	4-Methyl-2-pentanone	ND	2.0	0.27	ug/l	
100-42-5	Styrene	ND	0.50	0.028	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	0.50	0.050	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.50	0.035	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	0.50	0.052	ug/l	
127-18-4	Tetrachloroethylene	ND	0.50	0.091	ug/l	
108-88-3	Toluene	ND	0.50	0.044	ug/l	

ND = Not detected MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

## Report of Analysis

<b>Client Sample ID:</b> FB061915KV1		<b>Date Sampled:</b> 06/19/15
<b>Lab Sample ID:</b> JB97537-4		<b>Date Received:</b> 06/19/15
<b>Matrix:</b> AQ - Field Blank Water		<b>Percent Solids:</b> n/a
<b>Method:</b> EPA 524.2 REV 4.1		
<b>Project:</b> Northrop Grumman, OU2 Hydro, Bethpage, NY		

**Special VOA List**

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethylene	ND	0.50	0.024	ug/l	
75-01-4	Vinyl chloride	ND	0.50	0.032	ug/l	
	m,p-Xylene	ND	0.50	0.13	ug/l	
95-47-6	o-Xylene	ND	0.50	0.029	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2199-69-1	1,2-Dichlorobenzene-d4	86%		78-114%
460-00-4	4-Bromofluorobenzene	87%		77-115%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
67-63-0	Isopropyl Alcohol	7.46	5.1	ug/l	JN
	Total TIC, Volatile		5.1	ug/l	J N

ND = Not detected      MDL = Method Detection Limit  
 RL = Reporting Limit

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

4.4  
4



## Report of Analysis

<b>Client Sample ID:</b> TB061915KV1		<b>Date Sampled:</b> 06/19/15
<b>Lab Sample ID:</b> JB97537-5		<b>Date Received:</b> 06/19/15
<b>Matrix:</b> AQ - Trip Blank Water		<b>Percent Solids:</b> n/a
<b>Method:</b> EPA 524.2 REV 4.1		
<b>Project:</b> Northrop Grumman, OU2 Hydro, Bethpage, NY		

**Special VOA List**

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethylene	ND	0.50	0.024	ug/l	
75-01-4	Vinyl chloride	ND	0.50	0.032	ug/l	
	m,p-Xylene	ND	0.50	0.13	ug/l	
95-47-6	o-Xylene	ND	0.50	0.029	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2199-69-1	1,2-Dichlorobenzene-d4	86%		78-114%
460-00-4	4-Bromofluorobenzene	87%		77-115%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

ND = Not detected      MDL = Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

4.5  
4



## Report of Analysis

<b>Client Sample ID:</b> BPOW 5-2		<b>Date Sampled:</b> 06/19/15
<b>Lab Sample ID:</b> JB97537-6		<b>Date Received:</b> 06/19/15
<b>Matrix:</b> AQ - Water		<b>Percent Solids:</b> n/a
<b>Method:</b> EPA 524.2 REV 4.1		
<b>Project:</b> Northrop Grumman, OU2 Hydro, Bethpage, NY		

**Special VOA List**

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethylene	ND	0.50	0.024	ug/l	
75-01-4	Vinyl chloride	ND	0.50	0.032	ug/l	
	m,p-Xylene	ND	0.50	0.13	ug/l	
95-47-6	o-Xylene	ND	0.50	0.029	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2199-69-1	1,2-Dichlorobenzene-d4	89%		78-114%
460-00-4	4-Bromofluorobenzene	89%		77-115%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
	alkene	4.57	.52	ug/l	J N
67-63-0	Isopropyl Alcohol	<del>7.46</del>	<del>7.6</del>	ug/l	<del>JN</del> R
78-84-2	Propanal, 2-methyl-	8.71	2.8	ug/l	JN
	unknown	12.87	.89	ug/l	J N
	Total TIC, Volatile	4.21	<del>11.81</del>	ug/l	J N

ND = Not detected      MDL = Method Detection Limit      J = Indicates an estimated value  
 RL = Reporting Limit      B = Indicates analyte found in associated method blank  
 E = Indicates value exceeds calibration range      N = Indicates presumptive evidence of a compound

4.6  
4

Table 1. Concentrations of Volatile Organic Compounds in Monitoring Wells BPOW 5-1, BPOW 5-2 and BPOW 5-3, Second Quarter 2015, Operable Unit 2 (Groundwater), Bethpage, New York.

CONSTITUENT (Units in µg/L)	Well:	BPOW 5-1	BPOW 5-2	BPOW 5-3
	Sample ID:	BPOW 5-1	BPOW 5-2	BPOW 5-3
	Date:	6/18/2015	6/19/2015	6/25/2015
1,1,1-Trichloroethane		< 0.50	< 0.50	< 0.50
1,1,2,2-Tetrachloroethane		< 0.50	< 0.50	< 0.50
1,1,2-trichloro-1,2,2-trifluoroethane		< 1.0	< 1.0	< 1.0
1,1,2-Trichloroethane		< 0.50	< 0.50	< 0.50
1,1-Dichloroethane		< 0.50	< 0.50	< 0.50
1,1-Dichloroethene		< 0.50	< 0.50	< 0.50
1,2-Dichloroethane		< 0.50	< 0.50	< 0.50
1,2-Dichloropropane		< 0.50	< 0.50	< 0.50
2-Butanone (MEK)		< 5.0	<b>1.1 J</b>	< 5.0
2-Hexanone		< 2.0	< 2.0	< 2.0
4-methyl-2-pentanone (MIK)		< 2.0	< 2.0	< 2.0
Acetone		< 5.0 B	< 5.0 B	< 5.0
Benzene		< 0.50	< 0.50	< 0.50
Bromodichloromethane		< 0.50	< 0.50	< 0.50
Bromoform		< 0.50	< 0.50	< 0.50
Bromomethane		< 0.50	< 0.50	< 0.50
Carbon Disulfide		< 0.50	< 0.50	< 0.50
Carbon tetrachloride		< 0.50	< 0.50	< 0.50
Chlorobenzene		< 0.50	< 0.50	< 0.50
Chloroethane		< 0.50	< 0.50	< 0.50
Chloroform		< 0.50	< 0.50	< 0.50
Chloromethane		< 0.50	<b>0.25 J</b>	< 0.50
cis-1,2-dichloroethene		< 0.50	< 0.50	< 0.50
cis-1,3-dichloropropene		< 0.50	< 0.50	< 0.50
Dibromochloromethane		< 0.50	< 0.50	< 0.50
Ethylbenzene		< 0.50	< 0.50	< 0.50
Methylene Chloride		< 0.50	< 0.50	< 0.50
Styrene		< 0.50	< 0.50	< 0.50
Tetrachloroethene		< 0.50	< 0.50	< 0.50
Toluene		< 0.50	< 0.50	< 0.50
trans-1,2-dichloroethene		< 0.50	< 0.50	< 0.50
trans-1,3-dichloropropene		< 0.50	< 0.50	< 0.50
Trichloroethylene		< 0.50	< 0.50	< 0.50
Vinyl Chloride		< 0.50	< 0.50	< 0.50
Xylene-o		< 0.50	< 0.50	< 0.50
Xylenes - m,p		< 0.50	< 0.50	< 0.50
<b>Total VOCs</b>		<b>0</b>	<b>1.4</b>	<b>0</b>

**Notes and Abbreviations:**

Results validated following protocols specified in OU2 Groundwater Monitoring Plan (ARCADIS 2014).  
 Samples analyzed for the TCL VOCs using USEPA Method 524.2.  
 Total VOCs are rounded to two significant figures.

**Bold value indicates a detection**

TCL Target Compound List  
 VOC Volatile Organic Compound  
 USEPA United States Environmental Protection Agency  
 µg/L Micrograms per liter  
 J Constituent value is estimated  
 B Compound detected in associated blank sample

## **Northrop Grumman Corporation- Operable Unit 2**

### **Data Review**

BETHPAGE, NEW YORK

Volatile Analysis

SDG #JB97683

Analyses Performed By:  
Accutest Laboratories  
Dayton, New Jersey

Report #23906R  
July 17, 2015  
Review Level: Tier II  
Project #NY001496.1514.NAVI4



## SUMMARY

This data quality assessment summarizes the review of Sample Delivery Group (SDG) #JB97683 for samples collected in association with the Northrop Grumman-Bethpage Site. The review was conducted as a Tier II evaluation and included review of data package completeness. Only analytical data associated with constituents of concern were reviewed for this validation. Field documentation was not included in this review. Included with this assessment are the validation annotated sample result sheets, and chain of custody. Analyses were performed on the following samples:

Sample ID	Lab ID	Matrix	Sample Collection Date	Parent Sample	Analysis				
					VOC	SVOC	PCB	MET	MISC
BPOW 6-1	JB97683-1	Water	06/22/2015		X				
TB062215KV1	JB97683-2	Water	06/22/2015		X				
FB062215KV1	JB97683-3	Water	06/22/2015		X				

## ANALYTICAL DATA PACKAGE DOCUMENTATION

### GENERAL INFORMATION

Items Reviewed	Reported		Performance Acceptable		Not Required
	No	Yes	No	Yes	
1. Sample receipt condition		X		X	
2. Requested analyses and sample results		X		X	
3. Collection Technique (grab, composite, etc.)		X		X	
4. Methods of analysis		X		X	
5. Reporting limits		X		X	
6. Sample collection date		X		X	
7. Laboratory sample received date		X	X		
8. Sample preservation verification (as applicable)		X		X	
9. Sample preparation/extraction/analysis dates		X		X	
10. Fully executed Chain-of-Custody (COC) form completed		X		X	
11. Narrative summary of QA or sample problems provided		X		X	
12. Data Package Completeness and Compliance		X		X	

QA - Quality Assurance

## VOLATILE ANALYSIS INTRODUCTION

Analyses were performed according to United States Environmental Protection Agency (USEPA), Method 524.2. Data were reviewed in accordance with USEPA National Functional Guidelines of October 1999.

The data review process is an evaluation of data on a technical basis rather than a determination of contract compliance. As such, the standards against which the data are being weighed may differ from those specified in the analytical method. It is assumed that the data package represents the best efforts of the laboratory and had already been subjected to adequate and sufficient quality review prior to submission.

During the review process, laboratory qualified and unqualified data are verified against the supporting documentation. Based on this evaluation, qualifier codes may be added, deleted, or modified by the data reviewer. Results are qualified with the following codes in accordance with USEPA National Functional Guidelines:

- Concentration (C) Qualifiers
  - U The compound was analyzed for but not detected. The associated value is the compound quantitation limit.
  - B The compound has been found in the sample as well as its associated blank, its presence in the sample may be suspect.
- Quantitation (Q) Qualifiers
  - E The compound was quantitated above the calibration range.
  - D Concentration is based on a diluted sample analysis.
- Validation Qualifiers
  - J The compound was positively identified; however, the associated numerical value is an estimated concentration only.
  - UJ The compound was not detected above the reported sample quantitation limit. However, the reported limit is approximate and may or may not represent the actual limit of quantitation.
  - JN The analysis indicates the presence of a compound for which there is presumptive evidence to make a tentative identification. The associated numerical value is an estimated concentration only.
  - UB Compound considered non-detect at the listed value due to associated blank contamination.
  - N The analysis indicates the presence of a compound for which there is presumptive evidence to make a tentative identification.
  - R The sample results are rejected.

Two facts should be noted by all data users. First, the "R" flag means that the associated value is unusable. In other words, due to significant quality control (QC) problems, the analysis is invalid and provides no information as to whether the compound is present or not. "R" values should not appear on data tables because they cannot be relied upon, even as a last resort. The second fact to keep in mind is that no compound concentration, even if it has passed all QC tests, is guaranteed to be accurate. Strict QC serves to increase confidence in data but any value potentially contains error.

## VOLATILE ORGANIC COMPOUND (VOC) ANALYSES

### 1. Holding Times

The specified holding times for the following methods are presented in the following table.

Method	Matrix	Holding Time	Preservation
EPA 524.2	Water	14 days from collection to analysis	Cool to < 6°C; preserved to a pH of less than 2 s.u..

s.u. Standard units

All samples were analyzed within the specified holding time and temperature criteria.

### 2. Blank Contamination

Quality assurance (QA) blanks (i.e., method and rinse blanks) are prepared to identify any contamination which may have been introduced into the samples during sample preparation or field activity. Method blanks measure laboratory contamination. Rinse blanks measure contamination of samples during field operations.

A blank action level (BAL) of five times the concentration of a detected compound in an associated blank (common laboratory contaminant compounds are calculated at ten times) is calculated for QA blanks containing concentrations greater than the method detection limit (MDL). The BAL is compared to the associated sample results to determine the appropriate qualification of the sample results, if needed.

All compounds associated with the QA blanks exhibited a concentration less than the MDL, with the exception of the compounds listed in the following table. Sample results associated with QA blank contamination that were greater than the BAL resulted in the removal of the laboratory qualifier (B) of data. Sample results less than the BAL associated with the following sample locations were qualified as listed in the following table.

Sample Locations	Analytes	Sample Result	Qualification
BPOW 6-1	Acetone	Detected sample results >RL and <BAL	"UB" at detected sample concentration
	TICs: Isopropyl alcohol (RT: 7.46) Propanal, 2-methyl (RT: 8.71)	Detected sample results less than 5 times blank result	R

RL Reporting limit

### 3. Surrogates/System Monitoring Compounds

All samples to be analyzed for organic compounds are spiked with surrogate compounds prior to sample preparation to evaluate overall laboratory performance and efficiency of the analytical technique. VOC analysis requires that all surrogates associated with the analysis exhibit recoveries within the laboratory-established acceptance limits.

All surrogate recoveries were within control limits.

#### **4. Matrix Spike/Matrix Spike Duplicate (MS/MSD) Analysis**

MS/MSD data are used to assess the precision and accuracy of the analytical method. The compounds used to perform the MS/MSD analysis must exhibit a percent recovery within the laboratory-established acceptance limits. The relative percent difference (RPD) between the MS/MSD recoveries must exhibit an RPD within the laboratory-established acceptance limits.

Note: The MS/MSD recovery control limits do not apply for MS/MSD performed on sample locations where the compound concentration detected in the parent sample exceeds the MS/MSD concentration by a factor of four or greater.

A MS analysis was not performed on a sample location associated with this SDG.

#### **5. Laboratory Control Sample (LCS) Analysis**

The LCS analysis is used to assess the precision and accuracy of the analytical method independent of matrix interferences. The compounds associated with the LCS analysis must exhibit a percent recovery within the laboratory-established acceptance limits.

All compounds associated with the LCS analysis exhibited recoveries within the control limits.

#### **6. Field Duplicate Analysis**

Field duplicate analysis is used to assess the overall precision of the field sampling procedures and analytical method. A control limit of 30% for water matrices is applied to the RPD between the parent sample and the field duplicate. In the instance when the parent and/or duplicate sample concentrations are less than or equal to 5 times the RL, a control limit of two times the RL is applied for water matrices.

A field duplicate was not collected on a sample location associated with this SDG.

#### **7. Laboratory Duplicate Analysis**

The laboratory duplicate relative percent difference (RPD) criterion is applied when parent and duplicate sample concentrations are greater than or equal to 5 times the RL. A control limit of 20% for water matrices is applied when the criteria above is true. In the instance when the parent and/or duplicate sample concentrations are less than or equal to 5 times the RL, a control limit of two times the RL is applied for water matrices.

A laboratory duplicate was not performed on a sample location associated with this SDG.

#### **8. System Performance and Overall Assessment**

Tentatively identified compounds (TICs) were identified in sample locations BPOW 6-1 and FB062215KV1. The analysis indicates the presence of a compound for which there is presumptive evidence to make a tentative identification. TICs are qualified as estimated (JN).

Overall system performance was noted by the laboratory in the case narrative as acceptable. Other than for those deviations specifically mentioned in this review, the overall data quality is within the guidelines specified in the method.

## DATA VALIDATION CHECKLIST FOR VOCs

VOCs: 524.2	Reported		Performance Acceptable		Not Required
	No	Yes	No	Yes	
GAS CHROMATOGRAPHY/MASS SPECTROMETRY (GC/MS)					
<b>Tier II Validation</b>					
Holding times & Temperature		X		X	
Reporting limits (units)		X		X	
Blanks					
A. Method blanks		X		X	
B. Equipment blanks		X	X		
C. Trip blanks		X	X		
Surrogate (%R)		X		X	
Laboratory Control Sample (%R)		X		X	
Laboratory Control Sample Duplicate(LCSD)					X
LCS/LCSD Precision (RPD)					X
Matrix Spike (MS)					X
Matrix Spike Duplicate(MSD)					X
MS/MSD Precision (RPD)					X
Field/Lab Duplicate (RPD)					X
Dilution Factor		X		X	
Moisture Content					X

%R Percent Recovery    RPD Relative Percent Difference

VALIDATION PERFORMED BY: Lisa Horton

SIGNATURE:   
\_\_\_\_\_

DATE: July 17, 2015

PEER REVIEW BY: Todd Church

DATE: July 20, 2015

**CHAIN OF CUSTODY/  
CORRECTED SAMPLE ANALYSIS DATA SHEETS**





## Report of Analysis

<b>Client Sample ID:</b> BPOW 6-1		<b>Date Sampled:</b> 06/22/15
<b>Lab Sample ID:</b> JB97683-1		<b>Date Received:</b> 06/23/15
<b>Matrix:</b> AQ - Water		<b>Percent Solids:</b> n/a
<b>Method:</b> EPA 524.2 REV 4.1		
<b>Project:</b> Northrop Grumman, OU2 Hydro, Bethpage, NY		

Run #1	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	1B97958.D	1	06/29/15	MD	n/a	n/a	V1B4647
Run #2							

Run #1	Purge Volume
Run #1	5.0 ml
Run #2	

## Special VOA List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	9.3	5.0	0.91	ug/l	UB
78-93-3	2-Butanone	ND	5.0	0.57	ug/l	
71-43-2	Benzene	ND	0.50	0.057	ug/l	
75-27-4	Bromodichloromethane	ND	0.50	0.082	ug/l	
75-25-2	Bromoform	ND	0.50	0.046	ug/l	
74-83-9	Bromomethane	ND	0.50	0.077	ug/l	
75-15-0	Carbon disulfide	ND	0.50	0.028	ug/l	
108-90-7	Chlorobenzene	ND	0.50	0.027	ug/l	
75-00-3	Chloroethane	ND	0.50	0.037	ug/l	
67-66-3	Chloroform	ND	0.50	0.031	ug/l	
74-87-3	Chloromethane	0.51	0.50	0.044	ug/l	
56-23-5	Carbon tetrachloride	ND	0.50	0.074	ug/l	
75-34-3	1,1-Dichloroethane	ND	0.50	0.039	ug/l	
75-35-4	1,1-Dichloroethylene	ND	0.50	0.054	ug/l	
107-06-2	1,2-Dichloroethane	ND	0.50	0.034	ug/l	
78-87-5	1,2-Dichloropropane	ND	0.50	0.082	ug/l	
124-48-1	Dibromochloromethane	ND	0.50	0.042	ug/l	
156-60-5	trans-1,2-Dichloroethylene	ND	0.50	0.039	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	0.50	0.081	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	0.033	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	0.063	ug/l	
100-41-4	Ethylbenzene	ND	0.50	0.033	ug/l	
76-13-1	Freon 113	ND	1.0	0.10	ug/l	
591-78-6	2-Hexanone	ND	2.0	0.084	ug/l	
75-09-2	Methylene chloride	ND	0.50	0.047	ug/l	
108-10-1	4-Methyl-2-pentanone	ND	2.0	0.27	ug/l	
100-42-5	Styrene	ND	0.50	0.028	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	0.50	0.050	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.50	0.035	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	0.50	0.052	ug/l	
127-18-4	Tetrachloroethylene	ND	0.50	0.091	ug/l	
108-88-3	Toluene	ND	0.50	0.044	ug/l	

ND = Not detected      MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

## Report of Analysis

<b>Client Sample ID:</b> BPOW 6-1		<b>Date Sampled:</b> 06/22/15
<b>Lab Sample ID:</b> JB97683-1		<b>Date Received:</b> 06/23/15
<b>Matrix:</b> AQ - Water		<b>Percent Solids:</b> n/a
<b>Method:</b> EPA 524.2 REV 4.1		
<b>Project:</b> Northrop Grumman, OU2 Hydro, Bethpage, NY		

**Special VOA List**

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethylene	ND	0.50	0.024	ug/l	
75-01-4	Vinyl chloride	ND	0.50	0.032	ug/l	
	m,p-Xylene	ND	0.50	0.13	ug/l	
95-47-6	o-Xylene	ND	0.50	0.029	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2199-69-1	1,2-Dichlorobenzene-d4	93%		78-114%
460-00-4	4-Bromofluorobenzene	86%		77-115%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
67-63-0	Isopropyl Alcohol	<del>7.46</del>	<del>60</del>	ug/l	JN <span style="color: red;">R</span>
	Propanal, methyl-	<del>8.71</del>	<del>.98</del>	ug/l	J <span style="color: red;">R</span>
	Propanol, methyl-	10.84	2.1	ug/l	J N
	Furan, tetrahydro-tetramethyl-	12.87	2.2	ug/l	J N
	Hexanol, ethyl-	17.36	.82	ug/l	J N
	Total TIC, Volatile	5.12	<del>66.1</del>	ug/l	J N

ND = Not detected      MDL = Method Detection Limit      J = Indicates an estimated value  
 RL = Reporting Limit      B = Indicates analyte found in associated method blank  
 E = Indicates value exceeds calibration range      N = Indicates presumptive evidence of a compound

4.1  
4

## Report of Analysis

<b>Client Sample ID:</b> FB062215KV1		<b>Date Sampled:</b> 06/22/15
<b>Lab Sample ID:</b> JB97683-2		<b>Date Received:</b> 06/23/15
<b>Matrix:</b> AQ - Field Blank Water		<b>Percent Solids:</b> n/a
<b>Method:</b> EPA 524.2 REV 4.1		
<b>Project:</b> Northrop Grumman, OU2 Hydro, Bethpage, NY		

Run #1	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	1B97959.D	1	06/29/15	MD	n/a	n/a	V1B4647
Run #2							

Run #1	Purge Volume
Run #1	5.0 ml
Run #2	

## Special VOA List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	1.1	5.0	0.91	ug/l	J
78-93-3	2-Butanone	ND	5.0	0.57	ug/l	
71-43-2	Benzene	ND	0.50	0.057	ug/l	
75-27-4	Bromodichloromethane	ND	0.50	0.082	ug/l	
75-25-2	Bromoform	ND	0.50	0.046	ug/l	
74-83-9	Bromomethane	ND	0.50	0.077	ug/l	
75-15-0	Carbon disulfide	ND	0.50	0.028	ug/l	
108-90-7	Chlorobenzene	ND	0.50	0.027	ug/l	
75-00-3	Chloroethane	ND	0.50	0.037	ug/l	
67-66-3	Chloroform	0.15	0.50	0.031	ug/l	J
74-87-3	Chloromethane	ND	0.50	0.044	ug/l	
56-23-5	Carbon tetrachloride	ND	0.50	0.074	ug/l	
75-34-3	1,1-Dichloroethane	ND	0.50	0.039	ug/l	
75-35-4	1,1-Dichloroethylene	ND	0.50	0.054	ug/l	
107-06-2	1,2-Dichloroethane	ND	0.50	0.034	ug/l	
78-87-5	1,2-Dichloropropane	ND	0.50	0.082	ug/l	
124-48-1	Dibromochloromethane	ND	0.50	0.042	ug/l	
156-60-5	trans-1,2-Dichloroethylene	ND	0.50	0.039	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	0.50	0.081	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	0.033	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	0.063	ug/l	
100-41-4	Ethylbenzene	ND	0.50	0.033	ug/l	
76-13-1	Freon 113	ND	1.0	0.10	ug/l	
591-78-6	2-Hexanone	ND	2.0	0.084	ug/l	
75-09-2	Methylene chloride	ND	0.50	0.047	ug/l	
108-10-1	4-Methyl-2-pentanone	ND	2.0	0.27	ug/l	
100-42-5	Styrene	ND	0.50	0.028	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	0.50	0.050	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.50	0.035	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	0.50	0.052	ug/l	
127-18-4	Tetrachloroethylene	ND	0.50	0.091	ug/l	
108-88-3	Toluene	ND	0.50	0.044	ug/l	

ND = Not detected MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

## Report of Analysis

<b>Client Sample ID:</b> FB062215KV1		<b>Date Sampled:</b> 06/22/15
<b>Lab Sample ID:</b> JB97683-2		<b>Date Received:</b> 06/23/15
<b>Matrix:</b> AQ - Field Blank Water		<b>Percent Solids:</b> n/a
<b>Method:</b> EPA 524.2 REV 4.1		
<b>Project:</b> Northrop Grumman, OU2 Hydro, Bethpage, NY		

### Special VOA List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethylene	ND	0.50	0.024	ug/l	
75-01-4	Vinyl chloride	ND	0.50	0.032	ug/l	
	m,p-Xylene	ND	0.50	0.13	ug/l	
95-47-6	o-Xylene	ND	0.50	0.029	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2199-69-1	1,2-Dichlorobenzene-d4	91%		78-114%
460-00-4	4-Bromofluorobenzene	86%		77-115%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
67-63-0	Isopropyl Alcohol	7.47	4.6	ug/l	JN
	Propanal, methyl-	8.72	1.3	ug/l	J N
	Total TIC, Volatile		5.9	ug/l	J N

ND = Not detected      MDL = Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

4.2  
4

## Report of Analysis

<b>Client Sample ID:</b> TB062215KV1		<b>Date Sampled:</b> 06/22/15
<b>Lab Sample ID:</b> JB97683-3		<b>Date Received:</b> 06/23/15
<b>Matrix:</b> AQ - Trip Blank Water		<b>Percent Solids:</b> n/a
<b>Method:</b> EPA 524.2 REV 4.1		
<b>Project:</b> Northrop Grumman, OU2 Hydro, Bethpage, NY		

Run #1	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	1B97907.D	1	06/27/15	MD	n/a	n/a	V1B4644
Run #2							

Run #1	Purge Volume
Run #1	5.0 ml
Run #2	

## Special VOA List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	5.0	0.91	ug/l	
78-93-3	2-Butanone	ND	5.0	0.57	ug/l	
71-43-2	Benzene	ND	0.50	0.057	ug/l	
75-27-4	Bromodichloromethane	ND	0.50	0.082	ug/l	
75-25-2	Bromoform	ND	0.50	0.046	ug/l	
74-83-9	Bromomethane	ND	0.50	0.077	ug/l	
75-15-0	Carbon disulfide	ND	0.50	0.028	ug/l	
108-90-7	Chlorobenzene	ND	0.50	0.027	ug/l	
75-00-3	Chloroethane	ND	0.50	0.037	ug/l	
67-66-3	Chloroform	0.17	0.50	0.031	ug/l	J
74-87-3	Chloromethane	ND	0.50	0.044	ug/l	
56-23-5	Carbon tetrachloride	ND	0.50	0.074	ug/l	
75-34-3	1,1-Dichloroethane	ND	0.50	0.039	ug/l	
75-35-4	1,1-Dichloroethylene	ND	0.50	0.054	ug/l	
107-06-2	1,2-Dichloroethane	ND	0.50	0.034	ug/l	
78-87-5	1,2-Dichloropropane	ND	0.50	0.082	ug/l	
124-48-1	Dibromochloromethane	ND	0.50	0.042	ug/l	
156-60-5	trans-1,2-Dichloroethylene	ND	0.50	0.039	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	0.50	0.081	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	0.033	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	0.063	ug/l	
100-41-4	Ethylbenzene	ND	0.50	0.033	ug/l	
76-13-1	Freon 113	ND	1.0	0.10	ug/l	
591-78-6	2-Hexanone	ND	2.0	0.084	ug/l	
75-09-2	Methylene chloride	ND	0.50	0.047	ug/l	
108-10-1	4-Methyl-2-pentanone	ND	2.0	0.27	ug/l	
100-42-5	Styrene	ND	0.50	0.028	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	0.50	0.050	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.50	0.035	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	0.50	0.052	ug/l	
127-18-4	Tetrachloroethylene	ND	0.50	0.091	ug/l	
108-88-3	Toluene	ND	0.50	0.044	ug/l	

ND = Not detected MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

## Report of Analysis

<b>Client Sample ID:</b> TB062215KV1		<b>Date Sampled:</b> 06/22/15
<b>Lab Sample ID:</b> JB97683-3		<b>Date Received:</b> 06/23/15
<b>Matrix:</b> AQ - Trip Blank Water		<b>Percent Solids:</b> n/a
<b>Method:</b> EPA 524.2 REV 4.1		
<b>Project:</b> Northrop Grumman, OU2 Hydro, Bethpage, NY		

**Special VOA List**

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethylene	ND	0.50	0.024	ug/l	
75-01-4	Vinyl chloride	ND	0.50	0.032	ug/l	
	m,p-Xylene	ND	0.50	0.13	ug/l	
95-47-6	o-Xylene	ND	0.50	0.029	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2199-69-1	1,2-Dichlorobenzene-d4	88%		78-114%
460-00-4	4-Bromofluorobenzene	88%		77-115%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

ND = Not detected      MDL = Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

4.3  
4

## **Northrop Grumman Corporation- Operable Unit 2**

### **Data Review**

BETHPAGE, NEW YORK

Volatile Analysis

SDG #JB97745

Analyses Performed By:  
Accutest Laboratories  
Dayton, New Jersey

Report #23913R  
July 10, 2015  
Review Level: Tier II  
Project #NY001496.1514.NAVI4



## SUMMARY

This data quality assessment summarizes the review of Sample Delivery Group (SDG) #JB97745 for samples collected in association with the Northrop Grumman-Bethpage Site. The review was conducted as a Tier II evaluation and included review of data package completeness. Only analytical data associated with constituents of concern were reviewed for this validation. Field documentation was not included in this review. Included with this assessment are the validation annotated sample result sheets, and chain of custody. Analyses were performed on the following samples:

Sample ID	Lab ID	Matrix	Sample Collection Date	Parent Sample	Analysis				
					VOC	SVOC	PCB	MET	MISC
BPOW 6-2	JB97745-1	Water	06/23/2015		X				
FB062315KV1	JB97745-2	Water	06/23/2015		X				
TB062315KV1	JB97745-3	Water	06/23/2015		X				
BPOW 6-R	JB97745-4	Water	06/23/2015	BPOW 6-2	X				

## ANALYTICAL DATA PACKAGE DOCUMENTATION

### GENERAL INFORMATION

Items Reviewed	Reported		Performance Acceptable		Not Required
	No	Yes	No	Yes	
1. Sample receipt condition		X		X	
2. Requested analyses and sample results		X		X	
3. Collection Technique (grab, composite, etc.)		X		X	
4. Methods of analysis		X		X	
5. Reporting limits		X		X	
6. Sample collection date		X		X	
7. Laboratory sample received date		X	X		
8. Sample preservation verification (as applicable)		X		X	
9. Sample preparation/extraction/analysis dates		X		X	
10. Fully executed Chain-of-Custody (COC) form completed		X		X	
11. Narrative summary of QA or sample problems provided		X		X	
12. Data Package Completeness and Compliance		X		X	

QA - Quality Assurance

## VOLATILE ANALYSIS INTRODUCTION

Analyses were performed according to United States Environmental Protection Agency (USEPA), Method 524.2. Data were reviewed in accordance with USEPA National Functional Guidelines of October 1999.

The data review process is an evaluation of data on a technical basis rather than a determination of contract compliance. As such, the standards against which the data are being weighed may differ from those specified in the analytical method. It is assumed that the data package represents the best efforts of the laboratory and had already been subjected to adequate and sufficient quality review prior to submission.

During the review process, laboratory qualified and unqualified data are verified against the supporting documentation. Based on this evaluation, qualifier codes may be added, deleted, or modified by the data reviewer. Results are qualified with the following codes in accordance with USEPA National Functional Guidelines:

- Concentration (C) Qualifiers
  - U The compound was analyzed for but not detected. The associated value is the compound quantitation limit.
  - B The compound has been found in the sample as well as its associated blank, its presence in the sample may be suspect.
- Quantitation (Q) Qualifiers
  - E The compound was quantitated above the calibration range.
  - D Concentration is based on a diluted sample analysis.
- Validation Qualifiers
  - J The compound was positively identified; however, the associated numerical value is an estimated concentration only.
  - UJ The compound was not detected above the reported sample quantitation limit. However, the reported limit is approximate and may or may not represent the actual limit of quantitation.
  - JN The analysis indicates the presence of a compound for which there is presumptive evidence to make a tentative identification. The associated numerical value is an estimated concentration only.
  - UB Compound considered non-detect at the listed value due to associated blank contamination.
  - N The analysis indicates the presence of a compound for which there is presumptive evidence to make a tentative identification.
  - R The sample results are rejected.

Two facts should be noted by all data users. First, the "R" flag means that the associated value is unusable. In other words, due to significant quality control (QC) problems, the analysis is invalid and provides no information as to whether the compound is present or not. "R" values should not appear on data tables because they cannot be relied upon, even as a last resort. The second fact to keep in mind is that no compound concentration, even if it has passed all QC tests, is guaranteed to be accurate. Strict QC serves to increase confidence in data but any value potentially contains error.

## VOLATILE ORGANIC COMPOUND (VOC) ANALYSES

### 1. Holding Times

The specified holding times for the following methods are presented in the following table.

Method	Matrix	Holding Time	Preservation
EPA 524.2	Water	14 days from collection to analysis	Cool to < 6°C; preserved to a pH of less than 2 s.u..

s.u. Standard units

All samples were analyzed within the specified holding time and temperature criteria.

### 2. Blank Contamination

Quality assurance (QA) blanks (i.e., method and rinse blanks) are prepared to identify any contamination which may have been introduced into the samples during sample preparation or field activity. Method blanks measure laboratory contamination. Rinse blanks measure contamination of samples during field operations.

A blank action level (BAL) of five times the concentration of a detected compound in an associated blank (common laboratory contaminant compounds are calculated at ten times) is calculated for QA blanks containing concentrations greater than the method detection limit (MDL). The BAL is compared to the associated sample results to determine the appropriate qualification of the sample results, if needed.

All compounds associated with the QA blanks exhibited a concentration less than the MDL, with the exception of the compounds listed in the following table. Sample results associated with QA blank contamination that were greater than the BAL resulted in the removal of the laboratory qualifier (B) of data. Sample results less than the BAL associated with the following sample locations were qualified as listed in the following table.

Sample Locations	Analytes	Sample Result	Qualification
BPOW 6-2 BPOW 6-R	Acetone	Detected sample results >RL and <BAL	"UB" at detected sample concentration
	TICs: Isopropyl alcohol (RT: 7.46/7.47)	Detected sample results less than 5 times blank result	R

RL Reporting limit

### 3. Surrogates/System Monitoring Compounds

All samples to be analyzed for organic compounds are spiked with surrogate compounds prior to sample preparation to evaluate overall laboratory performance and efficiency of the analytical technique. VOC analysis requires that all surrogates associated with the analysis exhibit recoveries within the laboratory-established acceptance limits.

All surrogate recoveries were within control limits.

#### 4. Matrix Spike/Matrix Spike Duplicate (MS/MSD) Analysis

MS/MSD data are used to assess the precision and accuracy of the analytical method. The compounds used to perform the MS/MSD analysis must exhibit a percent recovery within the laboratory-established acceptance limits. The relative percent difference (RPD) between the MS/MSD recoveries must exhibit an RPD within the laboratory-established acceptance limits.

Note: The MS/MSD recovery control limits do not apply for MS/MSD performed on sample locations where the compound concentration detected in the parent sample exceeds the MS/MSD concentration by a factor of four or greater.

A MS analysis was not performed on a sample location associated with this SDG.

#### 5. Laboratory Control Sample (LCS) Analysis

The LCS analysis is used to assess the precision and accuracy of the analytical method independent of matrix interferences. The compounds associated with the LCS analysis must exhibit a percent recovery within the laboratory-established acceptance limits.

All compounds associated with the LCS analysis exhibited recoveries within the control limits.

#### 6. Field Duplicate Analysis

Field duplicate analysis is used to assess the overall precision of the field sampling procedures and analytical method. A control limit of 30% for water matrices is applied to the RPD between the parent sample and the field duplicate. In the instance when the parent and/or duplicate sample concentrations are less than or equal to 5 times the RL, a control limit of two times the RL is applied for water matrices.

Results for duplicate samples are summarized in the following table.

Sample ID/Duplicate ID	Compound	Sample Result	Duplicate Result	RPD
BPOW 6-2/ BPOW 6-R	Acetone	2.0 J	2.9 J	AC

AC Acceptable

The calculated RPDs between the parent sample and field duplicate were acceptable.

#### 7. Laboratory Duplicate Analysis

The laboratory duplicate relative percent difference (RPD) criterion is applied when parent and duplicate sample concentrations are greater than or equal to 5 times the RL. A control limit of 20% for water matrices is applied when the criteria above is true. In the instance when the parent and/or duplicate sample concentrations are less than or equal to 5 times the RL, a control limit of two times the RL is applied for water matrices.

A laboratory duplicate was not performed on a sample location associated with this SDG.

#### 8. System Performance and Overall Assessment

Tentatively identified compounds (TICs) were identified in sample locations BPOW 6-2, FB062315KV1 and BPOW 6-R. The analysis indicates the presence of a compound for which there is presumptive evidence to

make a tentative identification. TICs are qualified as estimated (JN).

Overall system performance was noted by the laboratory in the case narrative as acceptable. Other than for those deviations specifically mentioned in this review, the overall data quality is within the guidelines specified in the method.

## DATA VALIDATION CHECKLIST FOR VOCs

VOCs: 524.2	Reported		Performance Acceptable		Not Required
	No	Yes	No	Yes	
GAS CHROMATOGRAPHY/MASS SPECTROMETRY (GC/MS)					
<b>Tier II Validation</b>					
Holding times & Temperature		X		X	
Reporting limits (units)		X		X	
Blanks					
A. Method blanks		X		X	
B. Equipment blanks		X	X		
C. Trip blanks		X	X		
Surrogate (%R)		X		X	
Laboratory Control Sample (%R)		X		X	
Laboratory Control Sample Duplicate(LCSD)					X
LCS/LCSD Precision (RPD)					X
Matrix Spike (MS)					X
Matrix Spike Duplicate(MSD)					X
MS/MSD Precision (RPD)					X
Field/Lab Duplicate (RPD)		X		X	
Dilution Factor		X		X	
Moisture Content					X

%R Percent Recovery    RPD Relative Percent Difference

VALIDATION PERFORMED BY: Lisa Horton

SIGNATURE:   
\_\_\_\_\_

DATE: July 10, 2015

PEER REVIEW BY: Todd Church

DATE: July 16, 2015



**CHAIN OF CUSTODY/  
CORRECTED SAMPLE ANALYSIS DATA SHEETS**

WV  
WTB  
WFB

**CHAIN OF CUSTODY**  
Accutest New Jersey/SPL Environmental  
2235 Route 130, Dayton, NJ 08810  
TEL: 732-329-0200 FAX: 732-329-3499/3480  
www.accutest.com

Client / Reporting Information		Project Information		Requested Analysis (see TEST CODE sheet)		Matrix Codes			
Company Name <b>Arcadis</b>		Project Name <b>AGMNYM62235 // OU2 Monitoring Wells</b>		FED-EX Tracking # <b>#5</b>		Bottle Order Control # <b>JB97745</b>			
Street Address <b>2 Huntington Quad, Suite 1S10</b>		Street <b>Northrop Grumman OU2 Hydro</b>		Accutest Quote #		Accutest Job #			
City State Zip <b>Melville NY 11747</b>		City State <b>Bethpage NY</b>		Billing Information (if different from Report to)		Matrix Codes			
Project Contact <b>Soma Das, soma.das@arcadis-us.com</b>		Company Name <b>Arcadis, U.S., Inc. Attn: Accts Payable</b>		Street Address <b>630 Plaza Drive, Suite 600</b>		DW - Drinking Water GW - Ground Water WW - Water SW - Surface Water SO - Soil SL - Sludge SED - Sediment OI - Oil LIQ - Other Liquid AIR - Air SOL - Other Solid WP - Wipe FB - Field Blank EB - Equipment Blank RB - Rinse Blank TB - Trip Blank			
Phone # <b>631-249-7600</b>		Client Purchase Order # <b>NY001496.344.0WMI3</b>		City State Zip <b>Highlands Ranch, CO 80129</b>		LAB USE ONLY			
Fax # <b>631-249-7610</b>		Work Authorization # <b>NY001496 2015</b>		Attention: <b>Some Dec</b>					
Sampler(s) Name(s) <b>Ricky Armas 516-243-3691</b>		Project Manager <b>Carlo San Giovanni</b>		Number of preserved bottles		Cd, Cr (Total) 6010C Cd, Cr (Dissolved, Field Filtered) 6010C VC 524.2 NG 36 GL+V0 VC 524.2 NG 36 GL+V0			
Accutest Sample #	Field ID / Point of Collection	MECHDI Vial #	Date	Time	Sampled by			Matrix	# of bottles
1	BPOW G-2		6/23/15	1205	WV			GW	3
2	FB062315 KV1		6/23/15	1110	KV			FB	3
3	TB062315 KV1		6/23/15	1100	-			TB	2
4	BPOW G-R		6/23/15	-	KV	GL	3		
Turnaround Time (Business days)		Approved By (Accutest PM): / Date:		Data Deliverable Information		Comments / Special Instructions			
<input type="checkbox"/> Std. 15 Business Days <input checked="" type="checkbox"/> Std. 10 Business Days (by Contract only) <input type="checkbox"/> 10 Day RUSH <input type="checkbox"/> 5 Day RUSH <input type="checkbox"/> 3 Day EMERGENCY <input type="checkbox"/> 2 Day EMERGENCY <input type="checkbox"/> 1 Day EMERGENCY Emergency & Rush T/A data available VIA Lablink		INITIAL ASSESSMENT - <u>2A2M</u> LABEL VERIFICATION - <u>NZ</u>		<input type="checkbox"/> Commercial "A" (Level 1) <input type="checkbox"/> Commercial "B" (Level 2) <input type="checkbox"/> FULLT1 (Level 3+4) <input type="checkbox"/> NJ Reduced <input type="checkbox"/> Commercial "C" <input type="checkbox"/> NYASP Category A <input type="checkbox"/> NYASP Category B <input type="checkbox"/> State Forms <input type="checkbox"/> EDD Format <input checked="" type="checkbox"/> Other UUMMU+		RL reporting for metals Method 524.2 but full list as per email dated 5/18/2015			
Sample Custody must be documented below each time samples change possession, including courier delivery.									
Relinquished by Sampler:	Date Time:	Received By:	Date Time:	Relinquished by:	Date Time:	Received By:	Date Time:		
1 <u>Ricky Armas</u>	6/23/15 1830	1 <u>Chris Lau</u>	6/24/15 10:10	2 <u>Chris Lau</u>	6/24/15 1655	2 <u>Jane Jones</u>			
Relinquished by Sampler:	Date Time:	Received By:	Date Time:	Relinquished by:	Date Time:	Received By:	Date Time:		
3		3		4		4			
Relinquished by:	Date Time:	Received By:	Date Time:	Relinquished by:	Date Time:	Received By:	Date Time:		
5		5							
Custody Seal #		<input type="checkbox"/> Intact		Preserved where applicable		On Ice <input checked="" type="checkbox"/>			
		<input checked="" type="checkbox"/> Not Intact				Cooler Temp. <u>3.1°C</u>			

5.1  
5

## Report of Analysis

<b>Client Sample ID:</b> BPOW 6-2		<b>Date Sampled:</b> 06/23/15
<b>Lab Sample ID:</b> JB97745-1		<b>Date Received:</b> 06/24/15
<b>Matrix:</b> AQ - Ground Water		<b>Percent Solids:</b> n/a
<b>Method:</b> EPA 524.2 REV 4.1		
<b>Project:</b> Northrop Grumman, OU2 Hydro, Bethpage, NY		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	1B97914.D	1	06/27/15	MD	n/a	n/a	V1B4645
Run #2							

Run #	Purge Volume
Run #1	5.0 ml
Run #2	

## Special VOA List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	5.0	<del>2.0</del>	5.0	0.91	ug/l J UB
78-93-3	2-Butanone	ND	5.0	0.57	ug/l	
71-43-2	Benzene	ND	0.50	0.057	ug/l	
75-27-4	Bromodichloromethane	ND	0.50	0.082	ug/l	
75-25-2	Bromoform	ND	0.50	0.046	ug/l	
74-83-9	Bromomethane	ND	0.50	0.077	ug/l	
75-15-0	Carbon disulfide	ND	0.50	0.028	ug/l	
108-90-7	Chlorobenzene	ND	0.50	0.027	ug/l	
75-00-3	Chloroethane	ND	0.50	0.037	ug/l	
67-66-3	Chloroform	ND	0.50	0.031	ug/l	
74-87-3	Chloromethane	ND	0.50	0.044	ug/l	
56-23-5	Carbon tetrachloride	ND	0.50	0.074	ug/l	
75-34-3	1,1-Dichloroethane	ND	0.50	0.039	ug/l	
75-35-4	1,1-Dichloroethylene	ND	0.50	0.054	ug/l	
107-06-2	1,2-Dichloroethane	ND	0.50	0.034	ug/l	
78-87-5	1,2-Dichloropropane	ND	0.50	0.082	ug/l	
124-48-1	Dibromochloromethane	ND	0.50	0.042	ug/l	
156-60-5	trans-1,2-Dichloroethylene	ND	0.50	0.039	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	0.50	0.081	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	0.033	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	0.063	ug/l	
100-41-4	Ethylbenzene	ND	0.50	0.033	ug/l	
76-13-1	Freon 113	ND	1.0	0.10	ug/l	
591-78-6	2-Hexanone	ND	2.0	0.084	ug/l	
75-09-2	Methylene chloride	ND	0.50	0.047	ug/l	
108-10-1	4-Methyl-2-pentanone	ND	2.0	0.27	ug/l	
100-42-5	Styrene	ND	0.50	0.028	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	0.50	0.050	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.50	0.035	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	0.50	0.052	ug/l	
127-18-4	Tetrachloroethylene	ND	0.50	0.091	ug/l	
108-88-3	Toluene	ND	0.50	0.044	ug/l	

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

## Report of Analysis

<b>Client Sample ID:</b> BPOW 6-2		<b>Date Sampled:</b> 06/23/15
<b>Lab Sample ID:</b> JB97745-1		<b>Date Received:</b> 06/24/15
<b>Matrix:</b> AQ - Ground Water		<b>Percent Solids:</b> n/a
<b>Method:</b> EPA 524.2 REV 4.1		
<b>Project:</b> Northrop Grumman, OU2 Hydro, Bethpage, NY		

**Special VOA List**

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethylene	ND	0.50	0.024	ug/l	
75-01-4	Vinyl chloride	ND	0.50	0.032	ug/l	
	m,p-Xylene	ND	0.50	0.13	ug/l	
95-47-6	o-Xylene	ND	0.50	0.029	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2199-69-1	1,2-Dichlorobenzene-d4	90%		78-114%
460-00-4	4-Bromofluorobenzene	87%		77-115%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
67-63-0	Isopropyl Alcohol	<del>7.46</del>	<del>1.9</del>	ug/l	<del>JN</del> R
78-84-2	Propanal, 2-methyl-	8.71	.79	ug/l	JN
	Total TIC, Volatile	0.79	<del>2.69</del>	ug/l	J N

ND = Not detected      MDL = Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

4.1  
4

## Report of Analysis

<b>Client Sample ID:</b> FB062315KV1		
<b>Lab Sample ID:</b> JB97745-2		<b>Date Sampled:</b> 06/23/15
<b>Matrix:</b> AQ - Field Blank Water		<b>Date Received:</b> 06/24/15
<b>Method:</b> EPA 524.2 REV 4.1		<b>Percent Solids:</b> n/a
<b>Project:</b> Northrop Grumman, OU2 Hydro, Bethpage, NY		

Run #1	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	1B97955.D	1	06/29/15	MD	n/a	n/a	V1B4647
Run #2							

Run #1	Purge Volume
Run #1	5.0 ml
Run #2	

## Special VOA List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	1.1	5.0	0.91	ug/l	J
78-93-3	2-Butanone	ND	5.0	0.57	ug/l	
71-43-2	Benzene	ND	0.50	0.057	ug/l	
75-27-4	Bromodichloromethane	ND	0.50	0.082	ug/l	
75-25-2	Bromoform	ND	0.50	0.046	ug/l	
74-83-9	Bromomethane	ND	0.50	0.077	ug/l	
75-15-0	Carbon disulfide	ND	0.50	0.028	ug/l	
108-90-7	Chlorobenzene	ND	0.50	0.027	ug/l	
75-00-3	Chloroethane	ND	0.50	0.037	ug/l	
67-66-3	Chloroform	0.13	0.50	0.031	ug/l	J
74-87-3	Chloromethane	ND	0.50	0.044	ug/l	
56-23-5	Carbon tetrachloride	ND	0.50	0.074	ug/l	
75-34-3	1,1-Dichloroethane	ND	0.50	0.039	ug/l	
75-35-4	1,1-Dichloroethylene	ND	0.50	0.054	ug/l	
107-06-2	1,2-Dichloroethane	ND	0.50	0.034	ug/l	
78-87-5	1,2-Dichloropropane	ND	0.50	0.082	ug/l	
124-48-1	Dibromochloromethane	ND	0.50	0.042	ug/l	
156-60-5	trans-1,2-Dichloroethylene	ND	0.50	0.039	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	0.50	0.081	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	0.033	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	0.063	ug/l	
100-41-4	Ethylbenzene	ND	0.50	0.033	ug/l	
76-13-1	Freon 113	ND	1.0	0.10	ug/l	
591-78-6	2-Hexanone	ND	2.0	0.084	ug/l	
75-09-2	Methylene chloride	ND	0.50	0.047	ug/l	
108-10-1	4-Methyl-2-pentanone	ND	2.0	0.27	ug/l	
100-42-5	Styrene	ND	0.50	0.028	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	0.50	0.050	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.50	0.035	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	0.50	0.052	ug/l	
127-18-4	Tetrachloroethylene	ND	0.50	0.091	ug/l	
108-88-3	Toluene	ND	0.50	0.044	ug/l	

ND = Not detected MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

## Report of Analysis

<b>Client Sample ID:</b> FB062315KV1		<b>Date Sampled:</b> 06/23/15
<b>Lab Sample ID:</b> JB97745-2		<b>Date Received:</b> 06/24/15
<b>Matrix:</b> AQ - Field Blank Water		<b>Percent Solids:</b> n/a
<b>Method:</b> EPA 524.2 REV 4.1		
<b>Project:</b> Northrop Grumman, OU2 Hydro, Bethpage, NY		

**Special VOA List**

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethylene	ND	0.50	0.024	ug/l	
75-01-4	Vinyl chloride	ND	0.50	0.032	ug/l	
	m,p-Xylene	ND	0.50	0.13	ug/l	
95-47-6	o-Xylene	ND	0.50	0.029	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2199-69-1	1,2-Dichlorobenzene-d4	98%		78-114%
460-00-4	4-Bromofluorobenzene	87%		77-115%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
67-63-0	Isopropyl Alcohol	7.47	1.7	ug/l	JN
	Total TIC, Volatile		1.7	ug/l	J N

ND = Not detected      MDL = Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

4.2  
4

## Report of Analysis

<b>Client Sample ID:</b> TB062315KV1		<b>Date Sampled:</b> 06/23/15
<b>Lab Sample ID:</b> JB97745-3		<b>Date Received:</b> 06/24/15
<b>Matrix:</b> AQ - Trip Blank Water		<b>Percent Solids:</b> n/a
<b>Method:</b> EPA 524.2 REV 4.1		
<b>Project:</b> Northrop Grumman, OU2 Hydro, Bethpage, NY		

Run #1	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	1B97956.D	1	06/29/15	MD	n/a	n/a	V1B4647
Run #2							

Run #1	Purge Volume
Run #1	5.0 ml
Run #2	

## Special VOA List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	5.0	0.91	ug/l	
78-93-3	2-Butanone	ND	5.0	0.57	ug/l	
71-43-2	Benzene	ND	0.50	0.057	ug/l	
75-27-4	Bromodichloromethane	ND	0.50	0.082	ug/l	
75-25-2	Bromoform	ND	0.50	0.046	ug/l	
74-83-9	Bromomethane	ND	0.50	0.077	ug/l	
75-15-0	Carbon disulfide	ND	0.50	0.028	ug/l	
108-90-7	Chlorobenzene	ND	0.50	0.027	ug/l	
75-00-3	Chloroethane	ND	0.50	0.037	ug/l	
67-66-3	Chloroform	0.17	0.50	0.031	ug/l	J
74-87-3	Chloromethane	ND	0.50	0.044	ug/l	
56-23-5	Carbon tetrachloride	ND	0.50	0.074	ug/l	
75-34-3	1,1-Dichloroethane	ND	0.50	0.039	ug/l	
75-35-4	1,1-Dichloroethylene	ND	0.50	0.054	ug/l	
107-06-2	1,2-Dichloroethane	ND	0.50	0.034	ug/l	
78-87-5	1,2-Dichloropropane	ND	0.50	0.082	ug/l	
124-48-1	Dibromochloromethane	ND	0.50	0.042	ug/l	
156-60-5	trans-1,2-Dichloroethylene	ND	0.50	0.039	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	0.50	0.081	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	0.033	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	0.063	ug/l	
100-41-4	Ethylbenzene	ND	0.50	0.033	ug/l	
76-13-1	Freon 113	ND	1.0	0.10	ug/l	
591-78-6	2-Hexanone	ND	2.0	0.084	ug/l	
75-09-2	Methylene chloride	ND	0.50	0.047	ug/l	
108-10-1	4-Methyl-2-pentanone	ND	2.0	0.27	ug/l	
100-42-5	Styrene	ND	0.50	0.028	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	0.50	0.050	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.50	0.035	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	0.50	0.052	ug/l	
127-18-4	Tetrachloroethylene	ND	0.50	0.091	ug/l	
108-88-3	Toluene	ND	0.50	0.044	ug/l	

ND = Not detected MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

## Report of Analysis

<b>Client Sample ID:</b> TB062315KV1		<b>Date Sampled:</b> 06/23/15
<b>Lab Sample ID:</b> JB97745-3		<b>Date Received:</b> 06/24/15
<b>Matrix:</b> AQ - Trip Blank Water		<b>Percent Solids:</b> n/a
<b>Method:</b> EPA 524.2 REV 4.1		
<b>Project:</b> Northrop Grumman, OU2 Hydro, Bethpage, NY		

**Special VOA List**

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethylene	ND	0.50	0.024	ug/l	
75-01-4	Vinyl chloride	ND	0.50	0.032	ug/l	
	m,p-Xylene	ND	0.50	0.13	ug/l	
95-47-6	o-Xylene	ND	0.50	0.029	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2199-69-1	1,2-Dichlorobenzene-d4	95%		78-114%
460-00-4	4-Bromofluorobenzene	91%		77-115%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

---

ND = Not detected      MDL = Method Detection Limit      J = Indicates an estimated value  
 RL = Reporting Limit      B = Indicates analyte found in associated method blank  
 E = Indicates value exceeds calibration range      N = Indicates presumptive evidence of a compound

4.3  
4



## Report of Analysis

<b>Client Sample ID:</b>	BPOW 6-R	<b>Date Sampled:</b>	06/23/15
<b>Lab Sample ID:</b>	JB97745-4	<b>Date Received:</b>	06/24/15
<b>Matrix:</b>	AQ - Ground Water	<b>Percent Solids:</b>	n/a
<b>Method:</b>	EPA 524.2 REV 4.1		
<b>Project:</b>	Northrop Grumman, OU2 Hydro, Bethpage, NY		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	1B97957.D	1	06/29/15	MD	n/a	n/a	V1B4647
Run #2							

Run #	Purge Volume
Run #1	5.0 ml
Run #2	

## Special VOA List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	5.0 2.9	5.0	0.91	ug/l	J UB
78-93-3	2-Butanone	ND	5.0	0.57	ug/l	
71-43-2	Benzene	ND	0.50	0.057	ug/l	
75-27-4	Bromodichloromethane	ND	0.50	0.082	ug/l	
75-25-2	Bromoform	ND	0.50	0.046	ug/l	
74-83-9	Bromomethane	ND	0.50	0.077	ug/l	
75-15-0	Carbon disulfide	ND	0.50	0.028	ug/l	
108-90-7	Chlorobenzene	ND	0.50	0.027	ug/l	
75-00-3	Chloroethane	ND	0.50	0.037	ug/l	
67-66-3	Chloroform	ND	0.50	0.031	ug/l	
74-87-3	Chloromethane	ND	0.50	0.044	ug/l	
56-23-5	Carbon tetrachloride	ND	0.50	0.074	ug/l	
75-34-3	1,1-Dichloroethane	ND	0.50	0.039	ug/l	
75-35-4	1,1-Dichloroethylene	ND	0.50	0.054	ug/l	
107-06-2	1,2-Dichloroethane	ND	0.50	0.034	ug/l	
78-87-5	1,2-Dichloropropane	ND	0.50	0.082	ug/l	
124-48-1	Dibromochloromethane	ND	0.50	0.042	ug/l	
156-60-5	trans-1,2-Dichloroethylene	ND	0.50	0.039	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	0.50	0.081	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	0.033	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	0.063	ug/l	
100-41-4	Ethylbenzene	ND	0.50	0.033	ug/l	
76-13-1	Freon 113	ND	1.0	0.10	ug/l	
591-78-6	2-Hexanone	ND	2.0	0.084	ug/l	
75-09-2	Methylene chloride	ND	0.50	0.047	ug/l	
108-10-1	4-Methyl-2-pentanone	ND	2.0	0.27	ug/l	
100-42-5	Styrene	ND	0.50	0.028	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	0.50	0.050	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.50	0.035	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	0.50	0.052	ug/l	
127-18-4	Tetrachloroethylene	ND	0.50	0.091	ug/l	
108-88-3	Toluene	ND	0.50	0.044	ug/l	

ND = Not detected MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

## Report of Analysis

<b>Client Sample ID:</b> BPOW 6-R		<b>Date Sampled:</b> 06/23/15
<b>Lab Sample ID:</b> JB97745-4		<b>Date Received:</b> 06/24/15
<b>Matrix:</b> AQ - Ground Water		<b>Percent Solids:</b> n/a
<b>Method:</b> EPA 524.2 REV 4.1		
<b>Project:</b> Northrop Grumman, OU2 Hydro, Bethpage, NY		

**Special VOA List**

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethylene	ND	0.50	0.024	ug/l	
75-01-4	Vinyl chloride	ND	0.50	0.032	ug/l	
	m,p-Xylene	ND	0.50	0.13	ug/l	
95-47-6	o-Xylene	ND	0.50	0.029	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2199-69-1	1,2-Dichlorobenzene-d4	99%		78-114%
460-00-4	4-Bromofluorobenzene	91%		77-115%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
67-63-0	Isopropyl Alcohol	<del>7.47</del>	<del>3.5</del>	ug/l	<del>JN</del> R
78-84-2	Propanal, 2-methyl-	8.72	2.7	ug/l	JN
15045-43-9	Furan, tetrahydro-2,2,5,5-tetramethyl-	12.88	.69	ug/l	JN
	Total TIC, Volatile	3.39	<del>6.89</del>	ug/l	JN

ND = Not detected      MDL = Method Detection Limit      J = Indicates an estimated value  
 RL = Reporting Limit      B = Indicates analyte found in associated method blank  
 E = Indicates value exceeds calibration range      N = Indicates presumptive evidence of a compound

4.4  
4

## **Northrop Grumman Corporation- Operable Unit 2**

### **Data Review**

BETHPAGE, NEW YORK

Volatile Analysis

SDG #JB97890

Analyses Performed By:  
Accutest Laboratories  
Dayton, New Jersey

Report #23914R  
July 10, 2015  
Review Level: Tier II  
Project #NY001496.1514.NAVI4

## SUMMARY

This data quality assessment summarizes the review of Sample Delivery Group (SDG) #JB97890 for samples collected in association with the Northrop Grumman-Bethpage Site. The review was conducted as a Tier II evaluation and included review of data package completeness. Only analytical data associated with constituents of concern were reviewed for this validation. Field documentation was not included in this review. Included with this assessment are the validation annotated sample result sheets, and chain of custody. Analyses were performed on the following samples:

Sample ID	Lab ID	Matrix	Sample Collection Date	Parent Sample	Analysis				
					VOC	SVOC	PCB	MET	MISC
BPOW 6-3	JB97890-1	Water	06/24/2015		X				
TB062415KV1	JB97890-2	Water	06/24/2015		X				
FB062415KV1	JB97890-3	Water	06/24/2015		X				
BPOW 6-4	JB97890-4	Water	06/24/2015		X				

Note:

1. The matrix spike/matrix spike duplicate (MS/MSD) analysis was performed on sample location BPOW 6-3.

## ANALYTICAL DATA PACKAGE DOCUMENTATION

### GENERAL INFORMATION

Items Reviewed	Reported		Performance Acceptable		Not Required
	No	Yes	No	Yes	
1. Sample receipt condition		X		X	
2. Requested analyses and sample results		X		X	
3. Collection Technique (grab, composite, etc.)		X		X	
4. Methods of analysis		X		X	
5. Reporting limits		X		X	
6. Sample collection date		X		X	
7. Laboratory sample received date		X	X		
8. Sample preservation verification (as applicable)		X		X	
9. Sample preparation/extraction/analysis dates		X		X	
10. Fully executed Chain-of-Custody (COC) form completed		X		X	
11. Narrative summary of QA or sample problems provided		X		X	
12. Data Package Completeness and Compliance		X		X	

QA - Quality Assurance

## VOLATILE ANALYSIS INTRODUCTION

Analyses were performed according to United States Environmental Protection Agency (USEPA), Method 524.2. Data were reviewed in accordance with USEPA National Functional Guidelines of October 1999.

The data review process is an evaluation of data on a technical basis rather than a determination of contract compliance. As such, the standards against which the data are being weighed may differ from those specified in the analytical method. It is assumed that the data package represents the best efforts of the laboratory and had already been subjected to adequate and sufficient quality review prior to submission.

During the review process, laboratory qualified and unqualified data are verified against the supporting documentation. Based on this evaluation, qualifier codes may be added, deleted, or modified by the data reviewer. Results are qualified with the following codes in accordance with USEPA National Functional Guidelines:

- Concentration (C) Qualifiers
  - U The compound was analyzed for but not detected. The associated value is the compound quantitation limit.
  - B The compound has been found in the sample as well as its associated blank, its presence in the sample may be suspect.
- Quantitation (Q) Qualifiers
  - E The compound was quantitated above the calibration range.
  - D Concentration is based on a diluted sample analysis.
- Validation Qualifiers
  - J The compound was positively identified; however, the associated numerical value is an estimated concentration only.
  - UJ The compound was not detected above the reported sample quantitation limit. However, the reported limit is approximate and may or may not represent the actual limit of quantitation.
  - JN The analysis indicates the presence of a compound for which there is presumptive evidence to make a tentative identification. The associated numerical value is an estimated concentration only.
  - UB Compound considered non-detect at the listed value due to associated blank contamination.
  - N The analysis indicates the presence of a compound for which there is presumptive evidence to make a tentative identification.
  - R The sample results are rejected.

Two facts should be noted by all data users. First, the "R" flag means that the associated value is unusable. In other words, due to significant quality control (QC) problems, the analysis is invalid and provides no information as to whether the compound is present or not. "R" values should not appear on data tables because they cannot be relied upon, even as a last resort. The second fact to keep in mind is that no compound concentration, even if it has passed all QC tests, is guaranteed to be accurate. Strict QC serves to increase confidence in data but any value potentially contains error.

## VOLATILE ORGANIC COMPOUND (VOC) ANALYSES

### 1. Holding Times

The specified holding times for the following methods are presented in the following table.

Method	Matrix	Holding Time	Preservation
EPA 524.2	Water	14 days from collection to analysis	Cool to < 6°C; preserved to a pH of less than 2 s.u..

s.u. Standard units

All samples were analyzed within the specified holding time and temperature criteria.

### 2. Blank Contamination

Quality assurance (QA) blanks (i.e., method and rinse blanks) are prepared to identify any contamination which may have been introduced into the samples during sample preparation or field activity. Method blanks measure laboratory contamination. Rinse blanks measure contamination of samples during field operations.

A blank action level (BAL) of five times the concentration of a detected compound in an associated blank (common laboratory contaminant compounds are calculated at ten times) is calculated for QA blanks containing concentrations greater than the method detection limit (MDL). The BAL is compared to the associated sample results to determine the appropriate qualification of the sample results, if needed.

All compounds associated with the QA blanks exhibited a concentration less than the MDL, with the exception of the compounds listed in the following table. Sample results associated with QA blank contamination that were greater than the BAL resulted in the removal of the laboratory qualifier (B) of data. Sample results less than the BAL associated with the following sample locations were qualified as listed in the following table.

Sample Locations	Analytes	Sample Result	Qualification
BPOW 6-3	Acetone	Detected sample results >RL and <BAL	"UB" at detected sample concentration
	TICs: Isopropyl alcohol (RT: 7.46)	Detected sample results less than 5 times blank result	R

RL Reporting limit

### 3. Surrogates/System Monitoring Compounds

All samples to be analyzed for organic compounds are spiked with surrogate compounds prior to sample preparation to evaluate overall laboratory performance and efficiency of the analytical technique. VOC analysis requires that all surrogates associated with the analysis exhibit recoveries within the laboratory-established acceptance limits.

All surrogate recoveries were within control limits.

#### **4. Matrix Spike/Matrix Spike Duplicate (MS/MSD) Analysis**

MS/MSD data are used to assess the precision and accuracy of the analytical method. The compounds used to perform the MS/MSD analysis must exhibit a percent recovery within the laboratory-established acceptance limits. The relative percent difference (RPD) between the MS/MSD recoveries must exhibit an RPD within the laboratory-established acceptance limits.

Note: The MS/MSD recovery control limits do not apply for MS/MSD performed on sample locations where the compound concentration detected in the parent sample exceeds the MS/MSD concentration by a factor of four or greater.

The MS/MSD exhibited acceptable recoveries and RPD between the MS/MSD recoveries.

#### **5. Laboratory Control Sample (LCS) Analysis**

The LCS analysis is used to assess the precision and accuracy of the analytical method independent of matrix interferences. The compounds associated with the LCS analysis must exhibit a percent recovery within the laboratory-established acceptance limits.

All compounds associated with the LCS analysis exhibited recoveries within the control limits.

#### **6. Field Duplicate Analysis**

Field duplicate analysis is used to assess the overall precision of the field sampling procedures and analytical method. A control limit of 30% for water matrices is applied to the RPD between the parent sample and the field duplicate. In the instance when the parent and/or duplicate sample concentrations are less than or equal to 5 times the RL, a control limit of two times the RL is applied for water matrices.

A field duplicate was not collected on a sample location associated with this SDG.

#### **7. Laboratory Duplicate Analysis**

The laboratory duplicate relative percent difference (RPD) criterion is applied when parent and duplicate sample concentrations are greater than or equal to 5 times the RL. A control limit of 20% for water matrices is applied when the criteria above is true. In the instance when the parent and/or duplicate sample concentrations are less than or equal to 5 times the RL, a control limit of two times the RL is applied for water matrices.

A laboratory duplicate was not performed on a sample location associated with this SDG.

#### **8. System Performance and Overall Assessment**

Tentatively identified compounds (TICs) were identified in sample locations BPOW 6-3, TB062415KV1 and FB062415KV1. The analysis indicates the presence of a compound for which there is presumptive evidence to make a tentative identification. TICs are qualified as estimated (JN).

Overall system performance was noted by the laboratory in the case narrative as acceptable. Other than for those deviations specifically mentioned in this review, the overall data quality is within the guidelines specified in the method.




## DATA VALIDATION CHECKLIST FOR VOCs

VOCs: 524.2	Reported		Performance Acceptable		Not Required
	No	Yes	No	Yes	
GAS CHROMATOGRAPHY/MASS SPECTROMETRY (GC/MS)					
<b>Tier II Validation</b>					
Holding times & Temperature		X		X	
Reporting limits (units)		X		X	
Blanks					
A. Method blanks		X		X	
B. Equipment blanks		X	X		
C. Trip blanks		X	X		
Surrogate (%R)		X		X	
Laboratory Control Sample (%R)		X		X	
Laboratory Control Sample Duplicate(LCSD)					X
LCS/LCSD Precision (RPD)					X
Matrix Spike (MS)		X		X	
Matrix Spike Duplicate(MSD)		X		X	
MS/MSD Precision (RPD)		X		X	
Field/Lab Duplicate (RPD)					X
Dilution Factor		X		X	
Moisture Content					X

%R Percent Recovery    RPD Relative Percent Difference

VALIDATION PERFORMED BY: Lisa Horton

SIGNATURE:   
\_\_\_\_\_

DATE: July 10, 2015

PEER REVIEW BY: Todd Church

DATE: July 16, 2015

**CHAIN OF CUSTODY/  
CORRECTED SAMPLE ANALYSIS DATA SHEETS**

FED-EX Tracking # **#5**      Bottle Order Control # **1B97890**  
 Accutest Quote #      Accutest Job #

<b>Client / Reporting Information</b>		<b>Project Information</b>				<b>Requested Analysis (see TEST CODE sheet)</b>										<b>Matrix Codes</b>
Company Name <b>Arcadis</b>		Project Name: <b>AGMNYM62235 // OU2 Monitoring Wells Northrop Grumman OU2 Hydro</b>				VC66662N6366W440 PP Cd, Cr (Total) 6010C Cd, Cr (Dissolved, Field Filtered) 6010C VC 524.2 NC 366W40										DW - Drinking Water GW - Ground Water WW - Water SW - Surface Water SO - Soil SL - Sludge SED - Sediment OI - Oil LIQ - Other Liquid AIR - Air SOL - Other Solid WP - Wipe FB - Field Blank EB - Equipment Blank RB - Rinse Blank TB - Trip Blank
Street Address <b>2 Huntington Quad, Suite 1S10</b>		Street <b>Bethpage NY</b>														
City State Zip <b>Melville NY 11747</b>		Billing Information (if different from Report to) Company Name <b>Arcadis, U.S., Inc. Attn: Accts Payable</b>														
Project Contact <b>Soma Das, soma.das@arcadis-us.com</b>		Street Address <b>630 Plaza Drive, Suite 600</b>														
Phone # <b>631-249-7600</b>		Project # <b>NY001496.314</b>		Client Purchase Order # <b>1514 NAVI3</b>												
Fax # <b>631-249-7610</b>		Work Authorization # <b>NY001496_2015</b>		City State Zip <b>Highlands Ranch, CO 80129</b>												
Sample(s) Name(s) <b>AW101</b>		Project Manager <b>Carlo San Giovanni</b>		Attention: <b>Soma Das</b>												

Account Sample #	Field ID / Point of Collection	MEOH/DI Val #	Collection		Sampled by	Matrix	# of bottles	Number of preserved bottles											
			Date	Time				HCl	HNCl3	HNCl3	H2SO4	None	DI Water	MEOH	ENCLOSURE				
1	BPOW G-3		6/24/15	1046 AM	GW	9*9													
2	FB062415AM2		6/24/15	0900	TB	2	2												
3	FB062415AM2		6/24/15	0815 AM	FB	3	3												
4	BPOW G-4		6/24/15	1337 AM	GW	3	3												

LAB USE ONLY  
U423

INITIAL ASSESSMENT JE 31A  
 LABEL VERIFICATION DM

<input type="checkbox"/> Std. 15 Business Days <input checked="" type="checkbox"/> Std. 10 Business Days (by Contract only) <input type="checkbox"/> 10 Day RUSH <input type="checkbox"/> 5 Day RUSH <input type="checkbox"/> 3 Day EMERGENCY <input type="checkbox"/> 2 Day EMERGENCY <input type="checkbox"/> 1 Day EMERGENCY <small>Emergency &amp; Rush T/A data available VIA Lablink</small>	Approved By (Accutest PM) / Date: _____	<input type="checkbox"/> Commercial "A" (Level 1) <input type="checkbox"/> Commercial "B" (Level 2) <input type="checkbox"/> FULLT1 (Level 3+4) <input type="checkbox"/> NJ Reduced <input type="checkbox"/> Commercial "C" <small>Commercial "A" = Results Only                  Commercial "B" = Results + QC Summary                  NJ Reduced = Results + QC Summary + Partial Raw data</small>	<input type="checkbox"/> NYASP Category A <input type="checkbox"/> NYASP Category B <input type="checkbox"/> State Forms <input type="checkbox"/> EDD Format <input checked="" type="checkbox"/> Other LUMMLC+	Comments / Special Instructions RL reporting for metals <b>Please see BPOW G-3 for QA/QC MS/MSO sample</b> Method 524.2 but full list as per email dated 5/18/2015
---	---	--	--	--

**Sample Custody must be documented below each time samples change possession, including courier delivery.**

Relinquished by Sampler: <b>1</b> <i>[Signature]</i>	Date Time: <b>6/24/15 2:10</b>	Received By: <b>1</b> <i>[Signature]</i>	Date Time:	Relinquished By: <b>2</b> <i>[Signature]</i>	Date Time: <b>6/23/15 20:</b>	Received By: <b>2</b> <i>[Signature]</i>
Relinquished by Sampler: <b>3</b>	Date Time:	Received By: <b>3</b>	Date Time:	Relinquished By: <b>4</b>	Date Time:	Received By: <b>4</b> <i>[Signature]</i>
Relinquished by: <b>5</b>	Date Time:	Received By: <b>5</b>	Date Time:	Custody Seal # <b>None</b>	<input type="checkbox"/> Intact <input type="checkbox"/> Not intact	Preserved where applicable <input type="checkbox"/> On Ice <input checked="" type="checkbox"/> Cooler Temp. <b>4, 500 IP</b>

## Report of Analysis

<b>Client Sample ID:</b> BPOW 6-3						<b>Date Sampled:</b> 06/24/15
<b>Lab Sample ID:</b> JB97890-1						<b>Date Received:</b> 06/25/15
<b>Matrix:</b> AQ - Water						<b>Percent Solids:</b> n/a
<b>Method:</b> EPA 524.2 REV 4.1						
<b>Project:</b> Northrop Grumman, OU2 Hydro, Bethpage, NY						

Run #1	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	1B97954.D	1	06/29/15	MD	n/a	n/a	V1B4647
Run #2							

Run #1	Purge Volume
Run #1	5.0 ml
Run #2	

## Special VOA List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	5.0	1.0	5.0	0.91 ug/l	J UB
78-93-3	2-Butanone	ND	5.0	0.57	ug/l	
71-43-2	Benzene	ND	0.50	0.057	ug/l	
75-27-4	Bromodichloromethane	ND	0.50	0.082	ug/l	
75-25-2	Bromoform	ND	0.50	0.046	ug/l	
74-83-9	Bromomethane	ND	0.50	0.077	ug/l	
75-15-0	Carbon disulfide	ND	0.50	0.028	ug/l	
108-90-7	Chlorobenzene	ND	0.50	0.027	ug/l	
75-00-3	Chloroethane	ND	0.50	0.037	ug/l	
67-66-3	Chloroform	ND	0.50	0.031	ug/l	
74-87-3	Chloromethane	ND	0.50	0.044	ug/l	
56-23-5	Carbon tetrachloride	ND	0.50	0.074	ug/l	
75-34-3	1,1-Dichloroethane	ND	0.50	0.039	ug/l	
75-35-4	1,1-Dichloroethylene	ND	0.50	0.054	ug/l	
107-06-2	1,2-Dichloroethane	ND	0.50	0.034	ug/l	
78-87-5	1,2-Dichloropropane	ND	0.50	0.082	ug/l	
124-48-1	Dibromochloromethane	ND	0.50	0.042	ug/l	
156-60-5	trans-1,2-Dichloroethylene	ND	0.50	0.039	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	0.50	0.081	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	0.033	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	0.063	ug/l	
100-41-4	Ethylbenzene	ND	0.50	0.033	ug/l	
76-13-1	Freon 113	ND	1.0	0.10	ug/l	
591-78-6	2-Hexanone	ND	2.0	0.084	ug/l	
75-09-2	Methylene chloride	ND	0.50	0.047	ug/l	
108-10-1	4-Methyl-2-pentanone	ND	2.0	0.27	ug/l	
100-42-5	Styrene	ND	0.50	0.028	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	0.50	0.050	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.50	0.035	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	0.50	0.052	ug/l	
127-18-4	Tetrachloroethylene	ND	0.50	0.091	ug/l	
108-88-3	Toluene	ND	0.50	0.044	ug/l	

ND = Not detected

MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

## Report of Analysis

<b>Client Sample ID:</b> BPOW 6-3		<b>Date Sampled:</b> 06/24/15
<b>Lab Sample ID:</b> JB97890-1		<b>Date Received:</b> 06/25/15
<b>Matrix:</b> AQ - Water		<b>Percent Solids:</b> n/a
<b>Method:</b> EPA 524.2 REV 4.1		
<b>Project:</b> Northrop Grumman, OU2 Hydro, Bethpage, NY		

**Special VOA List**

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethylene	ND	0.50	0.024	ug/l	
75-01-4	Vinyl chloride	ND	0.50	0.032	ug/l	
	m,p-Xylene	ND	0.50	0.13	ug/l	
95-47-6	o-Xylene	ND	0.50	0.029	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2199-69-1	1,2-Dichlorobenzene-d4	96%		78-114%
460-00-4	4-Bromofluorobenzene	91%		77-115%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
67-63-0	Isopropyl Alcohol	<del>7.46</del>	<del>3.5</del>	ug/l	<del>JN</del> <span style="color: red;">R</span>
	Total TIC, Volatile		<del>3.5</del>	ug/l	<del>J</del>

ND = Not detected      MDL = Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

4.1  
4

## Report of Analysis

<b>Client Sample ID:</b> TB062415AM1		<b>Date Sampled:</b> 06/24/15
<b>Lab Sample ID:</b> JB97890-2		<b>Date Received:</b> 06/25/15
<b>Matrix:</b> AQ - Trip Blank Water		<b>Percent Solids:</b> n/a
<b>Method:</b> EPA 524.2 REV 4.1		
<b>Project:</b> Northrop Grumman, OU2 Hydro, Bethpage, NY		

Run #1	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	1B97963.D	1	06/29/15	MD	n/a	n/a	V1B4647
Run #2							

Run #1	Purge Volume
Run #1	5.0 ml
Run #2	

## Special VOA List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	1.5	5.0	0.91	ug/l	J
78-93-3	2-Butanone	ND	5.0	0.57	ug/l	
71-43-2	Benzene	ND	0.50	0.057	ug/l	
75-27-4	Bromodichloromethane	ND	0.50	0.082	ug/l	
75-25-2	Bromoform	ND	0.50	0.046	ug/l	
74-83-9	Bromomethane	ND	0.50	0.077	ug/l	
75-15-0	Carbon disulfide	ND	0.50	0.028	ug/l	
108-90-7	Chlorobenzene	ND	0.50	0.027	ug/l	
75-00-3	Chloroethane	ND	0.50	0.037	ug/l	
67-66-3	Chloroform	0.17	0.50	0.031	ug/l	J
74-87-3	Chloromethane	ND	0.50	0.044	ug/l	
56-23-5	Carbon tetrachloride	ND	0.50	0.074	ug/l	
75-34-3	1,1-Dichloroethane	ND	0.50	0.039	ug/l	
75-35-4	1,1-Dichloroethylene	ND	0.50	0.054	ug/l	
107-06-2	1,2-Dichloroethane	ND	0.50	0.034	ug/l	
78-87-5	1,2-Dichloropropane	ND	0.50	0.082	ug/l	
124-48-1	Dibromochloromethane	ND	0.50	0.042	ug/l	
156-60-5	trans-1,2-Dichloroethylene	ND	0.50	0.039	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	0.50	0.081	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	0.033	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	0.063	ug/l	
100-41-4	Ethylbenzene	ND	0.50	0.033	ug/l	
76-13-1	Freon 113	ND	1.0	0.10	ug/l	
591-78-6	2-Hexanone	ND	2.0	0.084	ug/l	
75-09-2	Methylene chloride	ND	0.50	0.047	ug/l	
108-10-1	4-Methyl-2-pentanone	ND	2.0	0.27	ug/l	
100-42-5	Styrene	ND	0.50	0.028	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	0.50	0.050	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.50	0.035	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	0.50	0.052	ug/l	
127-18-4	Tetrachloroethylene	ND	0.50	0.091	ug/l	
108-88-3	Toluene	ND	0.50	0.044	ug/l	

ND = Not detected MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

## Report of Analysis

<b>Client Sample ID:</b> TB062415AM1		<b>Date Sampled:</b> 06/24/15
<b>Lab Sample ID:</b> JB97890-2		<b>Date Received:</b> 06/25/15
<b>Matrix:</b> AQ - Trip Blank Water		<b>Percent Solids:</b> n/a
<b>Method:</b> EPA 524.2 REV 4.1		
<b>Project:</b> Northrop Grumman, OU2 Hydro, Bethpage, NY		

**Special VOA List**

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethylene	ND	0.50	0.024	ug/l	
75-01-4	Vinyl chloride	ND	0.50	0.032	ug/l	
	m,p-Xylene	ND	0.50	0.13	ug/l	
95-47-6	o-Xylene	ND	0.50	0.029	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2199-69-1	1,2-Dichlorobenzene-d4	94%		78-114%
460-00-4	4-Bromofluorobenzene	86%		77-115%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
67-63-0	Isopropyl Alcohol	7.47	3.4	ug/l	JN
	unknown	9.67	.7	ug/l	J N
	Total TIC, Volatile		4.1	ug/l	J N

ND = Not detected      MDL = Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

4.2  
4



## Report of Analysis

<b>Client Sample ID:</b> FB062415AM1		<b>Date Sampled:</b> 06/24/15
<b>Lab Sample ID:</b> JB97890-3		<b>Date Received:</b> 06/25/15
<b>Matrix:</b> AQ - Field Blank Water		<b>Percent Solids:</b> n/a
<b>Method:</b> EPA 524.2 REV 4.1		
<b>Project:</b> Northrop Grumman, OU2 Hydro, Bethpage, NY		

Run #1	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	1B97961.D	1	06/29/15	MD	n/a	n/a	V1B4647
Run #2							

Run #1	Purge Volume
Run #1	5.0 ml
Run #2	

## Special VOA List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	1.3	5.0	0.91	ug/l	J
78-93-3	2-Butanone	ND	5.0	0.57	ug/l	
71-43-2	Benzene	ND	0.50	0.057	ug/l	
75-27-4	Bromodichloromethane	ND	0.50	0.082	ug/l	
75-25-2	Bromoform	ND	0.50	0.046	ug/l	
74-83-9	Bromomethane	ND	0.50	0.077	ug/l	
75-15-0	Carbon disulfide	ND	0.50	0.028	ug/l	
108-90-7	Chlorobenzene	ND	0.50	0.027	ug/l	
75-00-3	Chloroethane	ND	0.50	0.037	ug/l	
67-66-3	Chloroform	0.099	0.50	0.031	ug/l	J
74-87-3	Chloromethane	ND	0.50	0.044	ug/l	
56-23-5	Carbon tetrachloride	ND	0.50	0.074	ug/l	
75-34-3	1,1-Dichloroethane	ND	0.50	0.039	ug/l	
75-35-4	1,1-Dichloroethylene	ND	0.50	0.054	ug/l	
107-06-2	1,2-Dichloroethane	ND	0.50	0.034	ug/l	
78-87-5	1,2-Dichloropropane	ND	0.50	0.082	ug/l	
124-48-1	Dibromochloromethane	ND	0.50	0.042	ug/l	
156-60-5	trans-1,2-Dichloroethylene	ND	0.50	0.039	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	0.50	0.081	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	0.033	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	0.063	ug/l	
100-41-4	Ethylbenzene	ND	0.50	0.033	ug/l	
76-13-1	Freon 113	ND	1.0	0.10	ug/l	
591-78-6	2-Hexanone	ND	2.0	0.084	ug/l	
75-09-2	Methylene chloride	ND	0.50	0.047	ug/l	
108-10-1	4-Methyl-2-pentanone	ND	2.0	0.27	ug/l	
100-42-5	Styrene	ND	0.50	0.028	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	0.50	0.050	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.50	0.035	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	0.50	0.052	ug/l	
127-18-4	Tetrachloroethylene	ND	0.50	0.091	ug/l	
108-88-3	Toluene	ND	0.50	0.044	ug/l	

ND = Not detected MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

## Report of Analysis

<b>Client Sample ID:</b> FB062415AM1		<b>Date Sampled:</b> 06/24/15
<b>Lab Sample ID:</b> JB97890-3		<b>Date Received:</b> 06/25/15
<b>Matrix:</b> AQ - Field Blank Water		<b>Percent Solids:</b> n/a
<b>Method:</b> EPA 524.2 REV 4.1		
<b>Project:</b> Northrop Grumman, OU2 Hydro, Bethpage, NY		

**Special VOA List**

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethylene	ND	0.50	0.024	ug/l	
75-01-4	Vinyl chloride	ND	0.50	0.032	ug/l	
	m,p-Xylene	ND	0.50	0.13	ug/l	
95-47-6	o-Xylene	ND	0.50	0.029	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2199-69-1	1,2-Dichlorobenzene-d4	99%		78-114%
460-00-4	4-Bromofluorobenzene	91%		77-115%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
67-63-0	Isopropyl Alcohol	7.48	1.5	ug/l	JN
	Total TIC, Volatile		1.5	ug/l	JN

ND = Not detected      MDL = Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

4.3  
4

## Report of Analysis

<b>Client Sample ID:</b> BPOW 6-4		<b>Date Sampled:</b> 06/24/15
<b>Lab Sample ID:</b> JB97890-4		<b>Date Received:</b> 06/25/15
<b>Matrix:</b> AQ - Water		<b>Percent Solids:</b> n/a
<b>Method:</b> EPA 524.2 REV 4.1		
<b>Project:</b> Northrop Grumman, OU2 Hydro, Bethpage, NY		

Run #1	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	1B97962.D	1	06/29/15	MD	n/a	n/a	V1B4647
Run #2							

Run #1	Purge Volume
Run #1	5.0 ml
Run #2	

## Special VOA List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	5.0	0.91	ug/l	
78-93-3	2-Butanone	ND	5.0	0.57	ug/l	
71-43-2	Benzene	ND	0.50	0.057	ug/l	
75-27-4	Bromodichloromethane	ND	0.50	0.082	ug/l	
75-25-2	Bromoform	ND	0.50	0.046	ug/l	
74-83-9	Bromomethane	ND	0.50	0.077	ug/l	
75-15-0	Carbon disulfide	ND	0.50	0.028	ug/l	
108-90-7	Chlorobenzene	ND	0.50	0.027	ug/l	
75-00-3	Chloroethane	ND	0.50	0.037	ug/l	
67-66-3	Chloroform	ND	0.50	0.031	ug/l	
74-87-3	Chloromethane	ND	0.50	0.044	ug/l	
56-23-5	Carbon tetrachloride	ND	0.50	0.074	ug/l	
75-34-3	1,1-Dichloroethane	ND	0.50	0.039	ug/l	
75-35-4	1,1-Dichloroethylene	ND	0.50	0.054	ug/l	
107-06-2	1,2-Dichloroethane	ND	0.50	0.034	ug/l	
78-87-5	1,2-Dichloropropane	ND	0.50	0.082	ug/l	
124-48-1	Dibromochloromethane	ND	0.50	0.042	ug/l	
156-60-5	trans-1,2-Dichloroethylene	ND	0.50	0.039	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	0.50	0.081	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	0.033	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	0.063	ug/l	
100-41-4	Ethylbenzene	ND	0.50	0.033	ug/l	
76-13-1	Freon 113	ND	1.0	0.10	ug/l	
591-78-6	2-Hexanone	ND	2.0	0.084	ug/l	
75-09-2	Methylene chloride	ND	0.50	0.047	ug/l	
108-10-1	4-Methyl-2-pentanone	ND	2.0	0.27	ug/l	
100-42-5	Styrene	ND	0.50	0.028	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	0.50	0.050	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.50	0.035	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	0.50	0.052	ug/l	
127-18-4	Tetrachloroethylene	ND	0.50	0.091	ug/l	
108-88-3	Toluene	ND	0.50	0.044	ug/l	

ND = Not detected

MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

## Report of Analysis

<b>Client Sample ID:</b> BPOW 6-4		<b>Date Sampled:</b> 06/24/15
<b>Lab Sample ID:</b> JB97890-4		<b>Date Received:</b> 06/25/15
<b>Matrix:</b> AQ - Water		<b>Percent Solids:</b> n/a
<b>Method:</b> EPA 524.2 REV 4.1		
<b>Project:</b> Northrop Grumman, OU2 Hydro, Bethpage, NY		

**Special VOA List**

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethylene	ND	0.50	0.024	ug/l	
75-01-4	Vinyl chloride	ND	0.50	0.032	ug/l	
	m,p-Xylene	ND	0.50	0.13	ug/l	
95-47-6	o-Xylene	ND	0.50	0.029	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2199-69-1	1,2-Dichlorobenzene-d4	96%		78-114%
460-00-4	4-Bromofluorobenzene	91%		77-115%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

ND = Not detected      MDL = Method Detection Limit  
 RL = Reporting Limit  
 E = Indicates value exceeds calibration range

J = Indicates an estimated value  
 B = Indicates analyte found in associated method blank  
 N = Indicates presumptive evidence of a compound

4.4  
4



Table 1. Concentrations of Volatile Organic Compounds in Monitoring Wells BPOW 6-1, BPOW 6-2, BPOW 6-3 and BPOW 6-4, Second Quarter 2015, Operable Unit 2 (Groundwater), Bethpage, New York.

CONSTITUENT (Units in µg/L)	Well: Sample ID: Date:	BPOW 6-1 BPOW 6-1 6/22/2015	BPOW 6-2 BPOW 6-2 6/23/2015	BPOW 6-2 BPOW 6-R <sup>(1)</sup> 6/23/2015	BPOW 6-3 BPOW 6-3 6/24/2015	BPOW 6-4 BPOW 6-4 6/24/2015
1,1,1-Trichloroethane		< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
1,1,2,2-Tetrachloroethane		< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
1,1,2-trichloro-1,2,2-trifluoroethane		< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
1,1,2-Trichloroethane		< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
1,1-Dichloroethane		< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
1,1-Dichloroethene		< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
1,2-Dichloroethane		< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
1,2-Dichloropropane		< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
2-Butanone (MEK)		< 5.0	< 5.0	< 5.0	< 5.0	< 5.0
2-Hexanone		< 2.0	< 2.0	< 2.0	< 2.0	< 2.0
4-methyl-2-pentanone (MIK)		< 2.0	< 2.0	< 2.0	< 2.0	< 2.0
Acetone		< 9.3 B	< 5.0 B	< 5.0 B	< 5.0 B	< 5.0
Benzene		< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
Bromodichloromethane		< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
Bromoform		< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
Bromomethane		< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
Carbon Disulfide		< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
Carbon tetrachloride		< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
Chlorobenzene		< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
Chloroethane		< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
Chloroform		< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
Chloromethane		<b>0.51</b>	< 0.50	< 0.50	< 0.50	< 0.50
cis-1,2-dichloroethene		< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
cis-1,3-dichloropropene		< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
Dibromochloromethane		< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
Ethylbenzene		< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
Methylene Chloride		< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
Styrene		< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
Tetrachloroethene		< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
Toluene		< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
trans-1,2-dichloroethene		< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
trans-1,3-dichloropropene		< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
Trichloroethylene		< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
Vinyl Chloride		< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
Xylene-o		< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
Xylenes - m,p		< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
<b>Total VOCs</b>		<b>0.51</b>	0	0	0	0

**Notes and Abbreviations:**

<sup>(1)</sup> BPOW 6-R is a blind duplicate sample.

Results validated following protocols specified in OU2 Groundwater Monitoring Plan (ARCADIS 2014)

Samples analyzed for the TCL VOCs using USEPA Method 524.2.

Total VOCs are rounded to two significant figures.

**Bold value indicates a detection**

TCL Target Compound List

VOC Volatile Organic Compound

USEPA United States Environmental Protection Agency

µg/L Micrograms per liter

B Compound detected in associated blank sample