

From: [Brian Caldwell](#)
To: [Pelton, Jason M \(DEC\)](#); [Hesler, Donald \(DEC\)](#); [Karpinski, Steven \(HEALTH\)](#); [DeFranco, Joseph \(NASSAU\)](#); [thantu.lorenzo@epa.gov](#); [Garbarini.Doug@epa.gov](#)
Cc: [Fly, Lora B CIV NAVFAC MIDLANT, IPTNE \(lora.fly@navy.mil\)](#)
Subject: Validated Form 1's - BPOW6 and 5-4 wells
Date: Monday, May 22, 2017 3:54:21 PM
Attachments: [Form 1 BPOW6 and 5-4 052217.pdf](#)

ATTENTION: This email came from an external source. Do not open attachments or click on links from unknown senders or unexpected emails.

All –

As per discussions between the Navy and NYSDEC, NYSDEC requested that the Navy submit the validated data as soon as the information is available. On behalf of the Navy, please find attached the **Form 1** validated data for **First Quarter 2017** from the following remaining outpost wells: **BPOW 6-1 through 6-6, and BPOW 5-4**. Form 1 data includes both VOCs and 1,4-dioxane results, and were sampled by ARCADIS on behalf of the Navy.

Brian Caldwell, PG CPG

Senior Hydrogeologist
EnSafe/Resolution Consultants
308 North Peters Road, Suite 200
Knoxville TN 37922
865-693-3623 (office)
865-803-6295 (cell)

Report of Analysis

Client Sample ID: BPOW 6-1	Date Sampled: 03/06/17
Lab Sample ID: JC38468-1	Date Received: 03/07/17
Matrix: AQ - Ground Water	Percent Solids: n/a
Method: EPA 524.2 REV 4.1	
Project: Navy Wells, OU2, Bethpage, NY	

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 ^a	1B108322.D	1	03/15/17	BK	n/a	n/a	V1B5148
Run #2							

Run #	Purge Volume
Run #1	5.0 ml
Run #2	

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	5.0	3.8	ug/l	
78-93-3	2-Butanone	ND	5.0	2.5	ug/l	
71-43-2	Benzene	ND	0.50	0.26	ug/l	
75-27-4	Bromodichloromethane	ND	0.50	0.36	ug/l	
75-25-2	Bromoform	ND	0.50	0.40	ug/l	
74-83-9	Bromomethane	ND	0.50	0.081	ug/l	
75-15-0	Carbon disulfide	ND	0.50	0.39	ug/l	
108-90-7	Chlorobenzene	ND	0.50	0.27	ug/l	
75-00-3	Chloroethane	ND	0.50	0.071	ug/l	
67-66-3	Chloroform	ND	0.50	0.33	ug/l	
74-87-3	Chloromethane	ND	0.50	0.39	ug/l	
56-23-5	Carbon tetrachloride	ND	0.50	0.13	ug/l	
75-34-3	1,1-Dichloroethane	ND	0.50	0.13	ug/l	
75-35-4	1,1-Dichloroethylene	ND	0.50	0.23	ug/l	
107-06-2	1,2-Dichloroethane	ND	0.50	0.28	ug/l	
78-87-5	1,2-Dichloropropane	ND	0.50	0.29	ug/l	
124-48-1	Dibromochloromethane	ND	0.50	0.094	ug/l	
156-60-5	trans-1,2-Dichloroethylene	ND	0.50	0.098	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	0.50	0.26	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	0.14	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	0.25	ug/l	
100-41-4	Ethylbenzene	ND	0.50	0.26	ug/l	
76-13-1	Freon 113	ND	1.0	0.27	ug/l	
591-78-6	2-Hexanone	ND	2.0	1.3	ug/l	
75-09-2	Methylene chloride	ND	0.50	0.37	ug/l	
108-10-1	4-Methyl-2-pentanone	ND	2.0	1.5	ug/l	
100-42-5	Styrene	ND	0.50	0.21	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	0.50	0.12	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.50	0.099	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	0.50	0.12	ug/l	
127-18-4	Tetrachloroethylene	ND	0.50	0.12	ug/l	
108-88-3	Toluene	ND	0.50	0.13	ug/l	

ND = Not detected

MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: BPOW 6-1	Date Sampled: 03/06/17
Lab Sample ID: JC38468-1	Date Received: 03/07/17
Matrix: AQ - Ground Water	Percent Solids: n/a
Method: EPA 524.2 REV 4.1	
Project: Navy Wells, OU2, Bethpage, NY	

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethylene	ND	0.50	0.11	ug/l	
75-01-4	Vinyl chloride	ND	0.50	0.056	ug/l	
	m,p-Xylene	ND	0.50	0.26	ug/l	
95-47-6	o-Xylene	ND	0.50	0.24	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2199-69-1	1,2-Dichlorobenzene-d4	93%		70-130%
460-00-4	4-Bromofluorobenzene	79%		70-130%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

(a) EPA 524.2 is not a certified method for non-potable water samples.

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	BPOW 6-2	Date Sampled:	03/06/17
Lab Sample ID:	JC38468-2	Date Received:	03/07/17
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	EPA 524.2 REV 4.1		
Project:	Navy Wells, OU2, Bethpage, NY		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 ^a	1B108323.D	1	03/15/17	BK	n/a	n/a	V1B5148
Run #2							

Run #	Purge Volume
Run #1	5.0 ml
Run #2	

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	5.0	3.8	ug/l	
78-93-3	2-Butanone	ND	5.0	2.5	ug/l	
71-43-2	Benzene	ND	0.50	0.26	ug/l	
75-27-4	Bromodichloromethane	ND	0.50	0.36	ug/l	
75-25-2	Bromoform	ND	0.50	0.40	ug/l	
74-83-9	Bromomethane	ND	0.50	0.081	ug/l	
75-15-0	Carbon disulfide	ND	0.50	0.39	ug/l	
108-90-7	Chlorobenzene	ND	0.50	0.27	ug/l	
75-00-3	Chloroethane	ND	0.50	0.071	ug/l	
67-66-3	Chloroform	ND	0.50	0.33	ug/l	
74-87-3	Chloromethane	ND	0.50	0.39	ug/l	
56-23-5	Carbon tetrachloride	ND	0.50	0.13	ug/l	
75-34-3	1,1-Dichloroethane	ND	0.50	0.13	ug/l	
75-35-4	1,1-Dichloroethylene	ND	0.50	0.23	ug/l	
107-06-2	1,2-Dichloroethane	ND	0.50	0.28	ug/l	
78-87-5	1,2-Dichloropropane	ND	0.50	0.29	ug/l	
124-48-1	Dibromochloromethane	ND	0.50	0.094	ug/l	
156-60-5	trans-1,2-Dichloroethylene	ND	0.50	0.098	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	0.50	0.26	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	0.14	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	0.25	ug/l	
100-41-4	Ethylbenzene	ND	0.50	0.26	ug/l	
76-13-1	Freon 113	ND	1.0	0.27	ug/l	
591-78-6	2-Hexanone	ND	2.0	1.3	ug/l	
75-09-2	Methylene chloride	ND	0.50	0.37	ug/l	
108-10-1	4-Methyl-2-pentanone	ND	2.0	1.5	ug/l	
100-42-5	Styrene	ND	0.50	0.21	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	0.50	0.12	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.50	0.099	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	0.50	0.12	ug/l	
127-18-4	Tetrachloroethylene	ND	0.50	0.12	ug/l	
108-88-3	Toluene	ND	0.50	0.13	ug/l	

ND = Not detected

MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: BPOW 6-2 Lab Sample ID: JC38468-2 Matrix: AQ - Ground Water Method: EPA 524.2 REV 4.1 Project: Navy Wells, OU2, Bethpage, NY	Date Sampled: 03/06/17 Date Received: 03/07/17 Percent Solids: n/a
---	---

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethylene	ND	0.50	0.11	ug/l	
75-01-4	Vinyl chloride	ND	0.50	0.056	ug/l	
	m,p-Xylene	ND	0.50	0.26	ug/l	
95-47-6	o-Xylene	ND	0.50	0.24	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2199-69-1	1,2-Dichlorobenzene-d4	97%		70-130%
460-00-4	4-Bromofluorobenzene	81%		70-130%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

(a) EPA 524.2 is not a certified method for non-potable water samples.

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.2
4

Report of Analysis

Client Sample ID:	TB030617MO1	Date Sampled:	03/06/17
Lab Sample ID:	JC38468-3	Date Received:	03/07/17
Matrix:	AQ - Trip Blank Water	Percent Solids:	n/a
Method:	EPA 524.2 REV 4.1		
Project:	Navy Wells, OU2, Bethpage, NY		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 ^a	1B108324.D	1	03/15/17	BK	n/a	n/a	V1B5148
Run #2							

Run #	Purge Volume
Run #1	5.0 ml
Run #2	

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	5.0	3.8	ug/l	
78-93-3	2-Butanone	ND	5.0	2.5	ug/l	
71-43-2	Benzene	ND	0.50	0.26	ug/l	
75-27-4	Bromodichloromethane	ND	0.50	0.36	ug/l	
75-25-2	Bromoform	ND	0.50	0.40	ug/l	
74-83-9	Bromomethane	ND	0.50	0.081	ug/l	
75-15-0	Carbon disulfide	ND	0.50	0.39	ug/l	
108-90-7	Chlorobenzene	ND	0.50	0.27	ug/l	
75-00-3	Chloroethane	ND	0.50	0.071	ug/l	
67-66-3	Chloroform	ND	0.50	0.33	ug/l	
74-87-3	Chloromethane	ND	0.50	0.39	ug/l	
56-23-5	Carbon tetrachloride	ND	0.50	0.13	ug/l	
75-34-3	1,1-Dichloroethane	ND	0.50	0.13	ug/l	
75-35-4	1,1-Dichloroethylene	ND	0.50	0.23	ug/l	
107-06-2	1,2-Dichloroethane	ND	0.50	0.28	ug/l	
78-87-5	1,2-Dichloropropane	ND	0.50	0.29	ug/l	
124-48-1	Dibromochloromethane	ND	0.50	0.094	ug/l	
156-60-5	trans-1,2-Dichloroethylene	ND	0.50	0.098	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	0.50	0.26	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	0.14	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	0.25	ug/l	
100-41-4	Ethylbenzene	ND	0.50	0.26	ug/l	
76-13-1	Freon 113	ND	1.0	0.27	ug/l	
591-78-6	2-Hexanone	ND	2.0	1.3	ug/l	
75-09-2	Methylene chloride	ND	0.50	0.37	ug/l	
108-10-1	4-Methyl-2-pentanone	ND	2.0	1.5	ug/l	
100-42-5	Styrene	ND	0.50	0.21	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	0.50	0.12	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.50	0.099	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	0.50	0.12	ug/l	
127-18-4	Tetrachloroethylene	ND	0.50	0.12	ug/l	
108-88-3	Toluene	ND	0.50	0.13	ug/l	

ND = Not detected

MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: TB030617MO1	Date Sampled: 03/06/17
Lab Sample ID: JC38468-3	Date Received: 03/07/17
Matrix: AQ - Trip Blank Water	Percent Solids: n/a
Method: EPA 524.2 REV 4.1	
Project: Navy Wells, OU2, Bethpage, NY	

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethylene	ND	0.50	0.11	ug/l	
75-01-4	Vinyl chloride	ND	0.50	0.056	ug/l	
	m,p-Xylene	ND	0.50	0.26	ug/l	
95-47-6	o-Xylene	ND	0.50	0.24	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2199-69-1	1,2-Dichlorobenzene-d4	96%		70-130%
460-00-4	4-Bromofluorobenzene	79%		70-130%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

(a) EPA 524.2 is not a certified method for non-potable water samples.

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.3
4

Report of Analysis

Client Sample ID: BPOW 6-4	Date Sampled: 03/06/17
Lab Sample ID: JC38468-4	Date Received: 03/07/17
Matrix: AQ - Ground Water	Percent Solids: n/a
Method: EPA 524.2 REV 4.1	
Project: Navy Wells, OU2, Bethpage, NY	

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 ^a	1B108326.D	1	03/15/17	BK	n/a	n/a	V1B5148
Run #2							

Run #	Purge Volume
Run #1	5.0 ml
Run #2	

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	5.0	3.8	ug/l	
78-93-3	2-Butanone	ND	5.0	2.5	ug/l	
71-43-2	Benzene	ND	0.50	0.26	ug/l	
75-27-4	Bromodichloromethane	ND	0.50	0.36	ug/l	
75-25-2	Bromoform	ND	0.50	0.40	ug/l	
74-83-9	Bromomethane	ND	0.50	0.081	ug/l	
75-15-0	Carbon disulfide	ND	0.50	0.39	ug/l	
108-90-7	Chlorobenzene	ND	0.50	0.27	ug/l	
75-00-3	Chloroethane	ND	0.50	0.071	ug/l	
67-66-3	Chloroform	ND	0.50	0.33	ug/l	
74-87-3	Chloromethane	ND	0.50	0.39	ug/l	
56-23-5	Carbon tetrachloride	ND	0.50	0.13	ug/l	
75-34-3	1,1-Dichloroethane	ND	0.50	0.13	ug/l	
75-35-4	1,1-Dichloroethylene	ND	0.50	0.23	ug/l	
107-06-2	1,2-Dichloroethane	ND	0.50	0.28	ug/l	
78-87-5	1,2-Dichloropropane	ND	0.50	0.29	ug/l	
124-48-1	Dibromochloromethane	ND	0.50	0.094	ug/l	
156-60-5	trans-1,2-Dichloroethylene	ND	0.50	0.098	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	0.50	0.26	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	0.14	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	0.25	ug/l	
100-41-4	Ethylbenzene	ND	0.50	0.26	ug/l	
76-13-1	Freon 113	ND	1.0	0.27	ug/l	
591-78-6	2-Hexanone	ND	2.0	1.3	ug/l	
75-09-2	Methylene chloride	ND	0.50	0.37	ug/l	
108-10-1	4-Methyl-2-pentanone	ND	2.0	1.5	ug/l	
100-42-5	Styrene	ND	0.50	0.21	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	0.50	0.12	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.50	0.099	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	0.50	0.12	ug/l	
127-18-4	Tetrachloroethylene	ND	0.50	0.12	ug/l	
108-88-3	Toluene	ND	0.50	0.13	ug/l	

ND = Not detected

MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: BPOW 6-4	Date Sampled: 03/06/17
Lab Sample ID: JC38468-4	Date Received: 03/07/17
Matrix: AQ - Ground Water	Percent Solids: n/a
Method: EPA 524.2 REV 4.1	
Project: Navy Wells, OU2, Bethpage, NY	

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethylene	ND	0.50	0.11	ug/l	
75-01-4	Vinyl chloride	ND	0.50	0.056	ug/l	
	m,p-Xylene	ND	0.50	0.26	ug/l	
95-47-6	o-Xylene	ND	0.50	0.24	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2199-69-1	1,2-Dichlorobenzene-d4	97%		70-130%
460-00-4	4-Bromofluorobenzene	80%		70-130%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

(a) EPA 524.2 is not a certified method for non-potable water samples.

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.4
4

Report of Analysis

Client Sample ID: BPOW 6-3	
Lab Sample ID: JC38468-5	Date Sampled: 03/06/17
Matrix: AQ - Ground Water	Date Received: 03/07/17
Method: EPA 524.2 REV 4.1	Percent Solids: n/a
Project: Navy Wells, OU2, Bethpage, NY	

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 ^a	1B108327.D	1	03/15/17	BK	n/a	n/a	V1B5148
Run #2							

Run #	Purge Volume
Run #1	5.0 ml
Run #2	

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	5.0	3.8	ug/l	
78-93-3	2-Butanone	ND	5.0	2.5	ug/l	
71-43-2	Benzene	ND	0.50	0.26	ug/l	
75-27-4	Bromodichloromethane	ND	0.50	0.36	ug/l	
75-25-2	Bromoform	ND	0.50	0.40	ug/l	
74-83-9	Bromomethane	ND	0.50	0.081	ug/l	
75-15-0	Carbon disulfide	ND	0.50	0.39	ug/l	
108-90-7	Chlorobenzene	ND	0.50	0.27	ug/l	
75-00-3	Chloroethane	ND	0.50	0.071	ug/l	
67-66-3	Chloroform	ND	0.50	0.33	ug/l	
74-87-3	Chloromethane	ND	0.50	0.39	ug/l	
56-23-5	Carbon tetrachloride	ND	0.50	0.13	ug/l	
75-34-3	1,1-Dichloroethane	ND	0.50	0.13	ug/l	
75-35-4	1,1-Dichloroethylene	ND	0.50	0.23	ug/l	
107-06-2	1,2-Dichloroethane	ND	0.50	0.28	ug/l	
78-87-5	1,2-Dichloropropane	ND	0.50	0.29	ug/l	
124-48-1	Dibromochloromethane	ND	0.50	0.094	ug/l	
156-60-5	trans-1,2-Dichloroethylene	ND	0.50	0.098	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	0.50	0.26	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	0.14	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	0.25	ug/l	
100-41-4	Ethylbenzene	ND	0.50	0.26	ug/l	
76-13-1	Freon 113	ND	1.0	0.27	ug/l	
591-78-6	2-Hexanone	ND	2.0	1.3	ug/l	
75-09-2	Methylene chloride	ND	0.50	0.37	ug/l	
108-10-1	4-Methyl-2-pentanone	ND	2.0	1.5	ug/l	
100-42-5	Styrene	ND	0.50	0.21	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	0.50	0.12	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.50	0.099	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	0.50	0.12	ug/l	
127-18-4	Tetrachloroethylene	ND	0.50	0.12	ug/l	
108-88-3	Toluene	ND	0.50	0.13	ug/l	

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.5
4

Report of Analysis

Client Sample ID: BPOW 6-3 Lab Sample ID: JC38468-5 Matrix: AQ - Ground Water Method: EPA 524.2 REV 4.1 Project: Navy Wells, OU2, Bethpage, NY	Date Sampled: 03/06/17 Date Received: 03/07/17 Percent Solids: n/a
---	---

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethylene	ND	0.50	0.11	ug/l	
75-01-4	Vinyl chloride	ND	0.50	0.056	ug/l	
	m,p-Xylene	ND	0.50	0.26	ug/l	
95-47-6	o-Xylene	ND	0.50	0.24	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2199-69-1	1,2-Dichlorobenzene-d4	96%		70-130%
460-00-4	4-Bromofluorobenzene	78%		70-130%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

(a) EPA 524.2 is not a certified method for non-potable water samples.

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.5
4

**Semi-Volatile
Certificate of Analysis
Sample Summary**

SDG Number: 418114
 Lab Sample ID: 418114001

 Client ID: BPOW 6-1
 Batch ID: 1647090
 Run Date: 03/28/2017 12:57
 Prep Date: 03/28/2017 10:30
 Data File: s032817.B\s6c2805.D

Date Collected: 03/06/2017 12:20
 Date Received: 03/09/2017 09:15
 Client: ACTL003
 Method: EPA 522
 Inst: MSD6.I
 Analyst: JMB3
 Aliquot: 100 mL
 RTX-624

Matrix: WATER

 Project: ACTL00316
 SOP Ref: GL-OA-E-073
 Dilution: 1
 Inj. Vol: 1 uL
 Final Volume: 2 mL

CAS No.	Parname	Qualifier	Result	Units	MDL	LOD	LOQ
123-91-1	1,4-Dioxane	U	0.100	ug/L	0.100	0.100	0.200

2

**Semi-Volatile
Certificate of Analysis
Sample Summary**

SDG Number: 418114
 Lab Sample ID: 418114002

 Client ID: BPOW 6-2
 Batch ID: 1647090
 Run Date: 03/28/2017 13:22
 Prep Date: 03/28/2017 10:30
 Data File: s032817.B\s6c2806.D

Date Collected: 03/06/2017 12:05
 Date Received: 03/09/2017 09:15
 Client: ACTL003
 Method: EPA 522
 Inst: MSD6.I
 Analyst: JMB3
 Aliquot: 100 mL
 RTX-624

Matrix: WATER

 Project: ACTL00316
 SOP Ref: GL-OA-E-073
 Dilution: 1
 Inj. Vol: 1 uL
 Final Volume: 2 mL

CAS No.	Parname	Qualifier	Result	Units	MDL	LOD	LOQ
123-91-1	1,4-Dioxane	U	0.100	ug/L	0.100	0.100	0.200

2

**Semi-Volatile
Certificate of Analysis
Sample Summary**

SDG Number: 418114
 Lab Sample ID: 418114003

 Client ID: BPOW 6-4
 Batch ID: 1647090
 Run Date: 03/28/2017 13:49
 Prep Date: 03/28/2017 10:30
 Data File: s032817.B\s6c2807.D

Date Collected: 03/06/2017 15:35
 Date Received: 03/09/2017 09:15
 Client: ACTL003
 Method: EPA 522
 Inst: MSD6.I
 Analyst: JMB3
 Aliquot: 100 mL
 RTX-624

Matrix: WATER

 Project: ACTL00316
 SOP Ref: GL-OA-E-073
 Dilution: 1
 Inj. Vol: 1 uL
 Final Volume: 2 mL

CAS No.	Parname	Qualifier	Result	Units	MDL	LOD	LOQ
123-91-1	1,4-Dioxane	U	0.100	ug/L	0.100	0.100	0.200

2

**Semi-Volatile
Certificate of Analysis
Sample Summary**

SDG Number: 418114
 Lab Sample ID: 418114004

 Client ID: BPOW 6-3
 Batch ID: 1647090
 Run Date: 03/28/2017 14:13
 Prep Date: 03/28/2017 10:30
 Data File: s032817.B\s6c2808.D

Date Collected: 03/06/2017 15:40
 Date Received: 03/09/2017 09:15
 Client: ACTL003
 Method: EPA 522
 Inst: MSD6.I
 Analyst: JMB3
 Aliquot: 100 mL
 RTX-624

Matrix: WATER

 Project: ACTL00316
 SOP Ref: GL-OA-E-073
 Dilution: 1
 Inj. Vol: 1 uL
 Final Volume: 2 mL

CAS No.	Parname	Qualifier	Result	Units	MDL	LOD	LOQ
123-91-1	1,4-Dioxane	U	0.100	ug/L	0.100	0.100	0.200

2

Report of Analysis

Client Sample ID: BPOW 6-5	Date Sampled: 03/07/17
Lab Sample ID: JC38588-1	Date Received: 03/08/17
Matrix: AQ - Ground Water	Percent Solids: n/a
Method: EPA 524.2 REV 4.1	
Project: Navy Wells, OU2, Bethpage, NY	

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 ^a	1B108397.D	1	03/18/17	BK	n/a	n/a	V1B5150
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	5.0	3.8	ug/l	
78-93-3	2-Butanone	ND	5.0	2.5	ug/l	
71-43-2	Benzene	ND	0.50	0.26	ug/l	
75-27-4	Bromodichloromethane	ND	0.50	0.36	ug/l	
75-25-2	Bromoform	ND	0.50	0.40	ug/l	
74-83-9	Bromomethane	ND	0.50	0.081	ug/l	
75-15-0	Carbon disulfide	ND	0.50	0.39	ug/l	
108-90-7	Chlorobenzene	ND	0.50	0.27	ug/l	
75-00-3	Chloroethane	ND	0.50	0.071	ug/l	
67-66-3	Chloroform	ND	0.50	0.33	ug/l	
74-87-3	Chloromethane	ND	0.50	0.39	ug/l	
56-23-5	Carbon tetrachloride	ND	0.50	0.13	ug/l	
75-34-3	1,1-Dichloroethane	ND	0.50	0.13	ug/l	
75-35-4	1,1-Dichloroethylene	ND	0.50	0.23	ug/l	
107-06-2	1,2-Dichloroethane	ND	0.50	0.28	ug/l	
78-87-5	1,2-Dichloropropane	ND	0.50	0.29	ug/l	
124-48-1	Dibromochloromethane	ND	0.50	0.094	ug/l	
156-60-5	trans-1,2-Dichloroethylene	ND	0.50	0.098	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	0.50	0.26	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	0.14	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	0.25	ug/l	
100-41-4	Ethylbenzene	ND	0.50	0.26	ug/l	
76-13-1	Freon 113	ND	1.0	0.27	ug/l	
591-78-6	2-Hexanone	ND	2.0	1.3	ug/l	
75-09-2	Methylene chloride	ND	0.50	0.37	ug/l	
108-10-1	4-Methyl-2-pentanone	ND	2.0	1.5	ug/l	
100-42-5	Styrene	ND	0.50	0.21	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	0.50	0.12	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.50	0.099	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	0.50	0.12	ug/l	
127-18-4	Tetrachloroethylene	ND	0.50	0.12	ug/l	
108-88-3	Toluene	ND	0.50	0.13	ug/l	

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.1
4

Report of Analysis

Client Sample ID: BPOW 6-5	Date Sampled: 03/07/17
Lab Sample ID: JC38588-1	Date Received: 03/08/17
Matrix: AQ - Ground Water	Percent Solids: n/a
Method: EPA 524.2 REV 4.1	
Project: Navy Wells, OU2, Bethpage, NY	

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethylene	ND	0.50	0.11	ug/l	
75-01-4	Vinyl chloride	ND	0.50	0.056	ug/l	
	m,p-Xylene	ND	0.50	0.26	ug/l	
95-47-6	o-Xylene	ND	0.50	0.24	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2199-69-1	1,2-Dichlorobenzene-d4	97%		70-130%
460-00-4	4-Bromofluorobenzene	97%		70-130%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

(a) EPA 524.2 is not a certified method for non-potable water samples.

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: BPOW 6-6	Date Sampled: 03/07/17
Lab Sample ID: JC38588-2	Date Received: 03/08/17
Matrix: AQ - Ground Water	Percent Solids: n/a
Method: EPA 524.2 REV 4.1	
Project: Navy Wells, OU2, Bethpage, NY	

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 ^a	1B108396.D	1	03/18/17	BK	n/a	n/a	V1B5150
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	5.0	3.8	ug/l	
78-93-3	2-Butanone	ND	5.0	2.5	ug/l	
71-43-2	Benzene	ND	0.50	0.26	ug/l	
75-27-4	Bromodichloromethane	ND	0.50	0.36	ug/l	
75-25-2	Bromoform	ND	0.50	0.40	ug/l	
74-83-9	Bromomethane	ND	0.50	0.081	ug/l	
75-15-0	Carbon disulfide	ND	0.50	0.39	ug/l	
108-90-7	Chlorobenzene	ND	0.50	0.27	ug/l	
75-00-3	Chloroethane	ND	0.50	0.071	ug/l	
67-66-3	Chloroform	ND	0.50	0.33	ug/l	
74-87-3	Chloromethane	ND	0.50	0.39	ug/l	
56-23-5	Carbon tetrachloride	ND	0.50	0.13	ug/l	
75-34-3	1,1-Dichloroethane	ND	0.50	0.13	ug/l	
75-35-4	1,1-Dichloroethylene	ND	0.50	0.23	ug/l	
107-06-2	1,2-Dichloroethane	ND	0.50	0.28	ug/l	
78-87-5	1,2-Dichloropropane	ND	0.50	0.29	ug/l	
124-48-1	Dibromochloromethane	ND	0.50	0.094	ug/l	
156-60-5	trans-1,2-Dichloroethylene	ND	0.50	0.098	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	0.50	0.26	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	0.14	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	0.25	ug/l	
100-41-4	Ethylbenzene	ND	0.50	0.26	ug/l	
76-13-1	Freon 113	ND	1.0	0.27	ug/l	
591-78-6	2-Hexanone	ND	2.0	1.3	ug/l	
75-09-2	Methylene chloride	ND	0.50	0.37	ug/l	
108-10-1	4-Methyl-2-pentanone	ND	2.0	1.5	ug/l	
100-42-5	Styrene	ND	0.50	0.21	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	0.50	0.12	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.50	0.099	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	0.50	0.12	ug/l	
127-18-4	Tetrachloroethylene	ND	0.50	0.12	ug/l	
108-88-3	Toluene	ND	0.50	0.13	ug/l	

ND = Not detected

MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: BPOW 6-6		Date Sampled: 03/07/17
Lab Sample ID: JC38588-2		Date Received: 03/08/17
Matrix: AQ - Ground Water		Percent Solids: n/a
Method: EPA 524.2 REV 4.1		
Project: Navy Wells, OU2, Bethpage, NY		

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethylene	ND	0.50	0.11	ug/l	
75-01-4	Vinyl chloride	ND	0.50	0.056	ug/l	
	m,p-Xylene	ND	0.50	0.26	ug/l	
95-47-6	o-Xylene	ND	0.50	0.24	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2199-69-1	1,2-Dichlorobenzene-d4	98%		70-130%
460-00-4	4-Bromofluorobenzene	98%		70-130%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

(a) EPA 524.2 is not a certified method for non-potable water samples.

ND = Not detected MDL = Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

4.2
4

Report of Analysis

Client Sample ID: TB030717MO1	Date Sampled: 03/07/17
Lab Sample ID: JC38588-3	Date Received: 03/08/17
Matrix: AQ - Trip Blank Water	Percent Solids: n/a
Method: EPA 524.2 REV 4.1	
Project: Navy Wells, OU2, Bethpage, NY	

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 ^a	1B108395.D	1	03/18/17	BK	n/a	n/a	V1B5150
Run #2							

Run #	Purge Volume
Run #1	5.0 ml
Run #2	

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	5.0	3.8	ug/l	
78-93-3	2-Butanone	ND	5.0	2.5	ug/l	
71-43-2	Benzene	ND	0.50	0.26	ug/l	
75-27-4	Bromodichloromethane	ND	0.50	0.36	ug/l	
75-25-2	Bromoform	ND	0.50	0.40	ug/l	
74-83-9	Bromomethane	ND	0.50	0.081	ug/l	
75-15-0	Carbon disulfide	ND	0.50	0.39	ug/l	
108-90-7	Chlorobenzene	ND	0.50	0.27	ug/l	
75-00-3	Chloroethane	ND	0.50	0.071	ug/l	
67-66-3	Chloroform	ND	0.50	0.33	ug/l	
74-87-3	Chloromethane	ND	0.50	0.39	ug/l	
56-23-5	Carbon tetrachloride	ND	0.50	0.13	ug/l	
75-34-3	1,1-Dichloroethane	ND	0.50	0.13	ug/l	
75-35-4	1,1-Dichloroethylene	ND	0.50	0.23	ug/l	
107-06-2	1,2-Dichloroethane	ND	0.50	0.28	ug/l	
78-87-5	1,2-Dichloropropane	ND	0.50	0.29	ug/l	
124-48-1	Dibromochloromethane	ND	0.50	0.094	ug/l	
156-60-5	trans-1,2-Dichloroethylene	ND	0.50	0.098	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	0.50	0.26	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	0.14	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	0.25	ug/l	
100-41-4	Ethylbenzene	ND	0.50	0.26	ug/l	
76-13-1	Freon 113	ND	1.0	0.27	ug/l	
591-78-6	2-Hexanone	ND	2.0	1.3	ug/l	
75-09-2	Methylene chloride	ND	0.50	0.37	ug/l	
108-10-1	4-Methyl-2-pentanone	ND	2.0	1.5	ug/l	
100-42-5	Styrene	ND	0.50	0.21	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	0.50	0.12	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.50	0.099	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	0.50	0.12	ug/l	
127-18-4	Tetrachloroethylene	ND	0.50	0.12	ug/l	
108-88-3	Toluene	ND	0.50	0.13	ug/l	

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.3
4

Report of Analysis

Client Sample ID: TB030717MO1		Date Sampled: 03/07/17
Lab Sample ID: JC38588-3		Date Received: 03/08/17
Matrix: AQ - Trip Blank Water		Percent Solids: n/a
Method: EPA 524.2 REV 4.1		
Project: Navy Wells, OU2, Bethpage, NY		

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethylene	ND	0.50	0.11	ug/l	
75-01-4	Vinyl chloride	ND	0.50	0.056	ug/l	
	m,p-Xylene	ND	0.50	0.26	ug/l	
95-47-6	o-Xylene	ND	0.50	0.24	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2199-69-1	1,2-Dichlorobenzene-d4	98%		70-130%
460-00-4	4-Bromofluorobenzene	100%		70-130%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

(a) EPA 524.2 is not a certified method for non-potable water samples.

ND = Not detected MDL = Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

4.3
4

**Semi-Volatile
Certificate of Analysis
Sample Summary**

SDG Number: JC38588X
 Lab Sample ID: 418289001

 Client ID: BPOW 6-5
 Batch ID: 1647090
 Run Date: 03/28/2017 14:38
 Prep Date: 03/28/2017 10:30
 Data File: s032817.B\s6c2809.D

Date Collected: 03/07/2017 12:55
 Date Received: 03/10/2017 10:10
 Client: ACTL003
 Method: EPA 522
 Inst: MSD6.I
 Analyst: JMB3
 Aliquot: 100 mL
 RTX-624

Matrix: WATER

 Project: ACTL00316
 SOP Ref: GL-OA-E-073
 Dilution: 1
 Inj. Vol: 1 uL
 Final Volume: 2 mL

CAS No.	Parname	Qualifier	Result	Units	MDL	LOD	LOQ
123-91-1	1,4-Dioxane	U	0.100	ug/L	0.100	0.100	0.200

2

**Semi-Volatile
Certificate of Analysis
Sample Summary**

SDG Number: JC38588X
 Lab Sample ID: 418289002

 Client ID: BPOW 6-6
 Batch ID: 1647090
 Run Date: 03/28/2017 15:04
 Prep Date: 03/28/2017 10:30
 Data File: s032817.B\s6c2810.D

Date Collected: 03/07/2017 13:00
 Date Received: 03/10/2017 10:10
 Client: ACTL003
 Method: EPA 522
 Inst: MSD6.I
 Analyst: JMB3
 Aliquot: 100 mL
 RTX-624

Matrix: WATER

 Project: ACTL00316
 SOP Ref: GL-OA-E-073
 Dilution: 1
 Inj. Vol: 1 uL
 Final Volume: 2 mL

CAS No.	Parname	Qualifier	Result	Units	MDL	LOD	LOQ
123-91-1	1,4-Dioxane	U	0.100	ug/L	0.100	0.100	0.200

2

Report of Analysis

Client Sample ID:	BPOW 5-4	Date Sampled:	03/08/17
Lab Sample ID:	JC38627-1	Date Received:	03/09/17
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	EPA 524.2 REV 4.1		
Project:	Navy Wells, OU2, Bethpage, NY		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 ^a	1B108398.D	1	03/18/17	BK	n/a	n/a	V1B5150
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	5.0	3.8	ug/l	
78-93-3	2-Butanone	ND	5.0	2.5	ug/l	
71-43-2	Benzene	ND	0.50	0.26	ug/l	
75-27-4	Bromodichloromethane	ND	0.50	0.36	ug/l	
75-25-2	Bromoform	ND	0.50	0.40	ug/l	
74-83-9	Bromomethane	ND	0.50	0.081	ug/l	
75-15-0	Carbon disulfide	ND	0.50	0.39	ug/l	
108-90-7	Chlorobenzene	ND	0.50	0.27	ug/l	
75-00-3	Chloroethane	ND	0.50	0.071	ug/l	
67-66-3	Chloroform	ND	0.50	0.33	ug/l	
74-87-3	Chloromethane	ND	0.50	0.39	ug/l	
56-23-5	Carbon tetrachloride	ND	0.50	0.13	ug/l	
75-34-3	1,1-Dichloroethane	ND	0.50	0.13	ug/l	
75-35-4	1,1-Dichloroethylene	ND	0.50	0.23	ug/l	
107-06-2	1,2-Dichloroethane	ND	0.50	0.28	ug/l	
78-87-5	1,2-Dichloropropane	ND	0.50	0.29	ug/l	
124-48-1	Dibromochloromethane	ND	0.50	0.094	ug/l	
156-60-5	trans-1,2-Dichloroethylene	ND	0.50	0.098	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	0.50	0.26	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	0.14	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	0.25	ug/l	
100-41-4	Ethylbenzene	ND	0.50	0.26	ug/l	
76-13-1	Freon 113	ND	1.0	0.27	ug/l	
591-78-6	2-Hexanone	ND	2.0	1.3	ug/l	
75-09-2	Methylene chloride	ND	0.50	0.37	ug/l	
108-10-1	4-Methyl-2-pentanone	ND	2.0	1.5	ug/l	
100-42-5	Styrene	ND	0.50	0.21	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	0.50	0.12	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.50	0.099	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	0.50	0.12	ug/l	
127-18-4	Tetrachloroethylene	ND	0.50	0.12	ug/l	
108-88-3	Toluene	ND	0.50	0.13	ug/l	

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: BPOW 5-4	Date Sampled: 03/08/17
Lab Sample ID: JC38627-1	Date Received: 03/09/17
Matrix: AQ - Ground Water	Percent Solids: n/a
Method: EPA 524.2 REV 4.1	
Project: Navy Wells, OU2, Bethpage, NY	

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethylene	ND	0.50	0.11	ug/l	
75-01-4	Vinyl chloride	ND	0.50	0.056	ug/l	
	m,p-Xylene	ND	0.50	0.26	ug/l	
95-47-6	o-Xylene	ND	0.50	0.24	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2199-69-1	1,2-Dichlorobenzene-d4	100%		70-130%
460-00-4	4-Bromofluorobenzene	99%		70-130%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

(a) EPA 524.2 is not a certified method for non-potable water samples.

ND = Not detected MDL = Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

4.1
4

Report of Analysis

Client Sample ID: TB030817MO1	Date Sampled: 03/08/17
Lab Sample ID: JC38627-2	Date Received: 03/09/17
Matrix: AQ - Trip Blank Water	Percent Solids: n/a
Method: EPA 524.2 REV 4.1	
Project: Navy Wells, OU2, Bethpage, NY	

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 ^a	1B108399.D	1	03/18/17	BK	n/a	n/a	V1B5150
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	5.0	3.8	ug/l	
78-93-3	2-Butanone	ND	5.0	2.5	ug/l	
71-43-2	Benzene	ND	0.50	0.26	ug/l	
75-27-4	Bromodichloromethane	ND	0.50	0.36	ug/l	
75-25-2	Bromoform	ND	0.50	0.40	ug/l	
74-83-9	Bromomethane	ND	0.50	0.081	ug/l	
75-15-0	Carbon disulfide	ND	0.50	0.39	ug/l	
108-90-7	Chlorobenzene	ND	0.50	0.27	ug/l	
75-00-3	Chloroethane	ND	0.50	0.071	ug/l	
67-66-3	Chloroform	ND	0.50	0.33	ug/l	
74-87-3	Chloromethane	ND	0.50	0.39	ug/l	
56-23-5	Carbon tetrachloride	ND	0.50	0.13	ug/l	
75-34-3	1,1-Dichloroethane	ND	0.50	0.13	ug/l	
75-35-4	1,1-Dichloroethylene	ND	0.50	0.23	ug/l	
107-06-2	1,2-Dichloroethane	ND	0.50	0.28	ug/l	
78-87-5	1,2-Dichloropropane	ND	0.50	0.29	ug/l	
124-48-1	Dibromochloromethane	ND	0.50	0.094	ug/l	
156-60-5	trans-1,2-Dichloroethylene	ND	0.50	0.098	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	0.50	0.26	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	0.14	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	0.25	ug/l	
100-41-4	Ethylbenzene	ND	0.50	0.26	ug/l	
76-13-1	Freon 113	ND	1.0	0.27	ug/l	
591-78-6	2-Hexanone	ND	2.0	1.3	ug/l	
75-09-2	Methylene chloride	ND	0.50	0.37	ug/l	
108-10-1	4-Methyl-2-pentanone	ND	2.0	1.5	ug/l	
100-42-5	Styrene	ND	0.50	0.21	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	0.50	0.12	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.50	0.099	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	0.50	0.12	ug/l	
127-18-4	Tetrachloroethylene	ND	0.50	0.12	ug/l	
108-88-3	Toluene	ND	0.50	0.13	ug/l	

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.2
4

Report of Analysis

Client Sample ID: TB030817MO1		Date Sampled: 03/08/17
Lab Sample ID: JC38627-2		Date Received: 03/09/17
Matrix: AQ - Trip Blank Water		Percent Solids: n/a
Method: EPA 524.2 REV 4.1		
Project: Navy Wells, OU2, Bethpage, NY		

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethylene	ND	0.50	0.11	ug/l	
75-01-4	Vinyl chloride	ND	0.50	0.056	ug/l	
	m,p-Xylene	ND	0.50	0.26	ug/l	
95-47-6	o-Xylene	ND	0.50	0.24	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2199-69-1	1,2-Dichlorobenzene-d4	98%		70-130%
460-00-4	4-Bromofluorobenzene	97%		70-130%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

(a) EPA 524.2 is not a certified method for non-potable water samples.

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.2
4

**Semi-Volatile
Certificate of Analysis
Sample Summary**

SDG Number: JC38627X
 Lab Sample ID: 418798001

 Client ID: BPOW 5-4
 Batch ID: 1651507
 Run Date: 04/04/2017 15:44
 Prep Date: 04/04/2017 10:00
 Data File: s040417.B\s6d0411.D

Date Collected: 03/08/2017 13:00
 Date Received: 03/17/2017 09:20
 Client: ACTL003
 Method: EPA 522
 Inst: MSD6.I
 Analyst: JMB3
 Aliquot: 100 mL
 RTX-624

Matrix: WATER

 Project: ACTL00316
 SOP Ref: GL-OA-E-073
 Dilution: 1
 Inj. Vol: 1 uL
 Final Volume: 2 mL

CAS No.	Parname	Qualifier	Result	Units	MDL	LOD	LOQ
123-91-1	1,4-Dioxane		1.16	ug/L	0.100	0.100	0.200

2