

From: [Brian Caldwell](#)
To: [Pelton, Jason M \(DEC\)](#); [Hesler, Donald \(DEC\)](#); [Karpinski, Steven \(HEALTH\)](#); [DeFranco, Joseph \(NASSAU\)](#); thantu.lorenzo@epa.gov; Garbarini.Doug@epa.gov
Cc: [Fly, Lora B CIV NAVFAC MIDLANT. IPTNE \(lora.fly@navy.mil\)](mailto:Fly, Lora B CIV NAVFAC MIDLANT. IPTNE (lora.fly@navy.mil))
Subject: Validated Form 1's - BPOW5 wells - 2Q 2017
Date: Monday, July 24, 2017 3:13:35 PM
Attachments: [Form 1s -BPOW 5-1,5-2,5-5,5-6_072417.pdf](#)
[Form 1s -BPOW 6-1,6-2,6-3,6-4,6-5,6-6_072417.pdf](#)
[Form 1s -RE107D1, D2, D3; RE114D1, D2, D3; RE118D1; TT102D, TT102D2; RE133D1, D2_072417.pdf](#)

ATTENTION: This email came from an external source. Do not open attachments or click on links from unknown senders or unexpected emails.

All:

As per discussions between the Navy and NYSDEC, NYSDEC requested that the Navy submit the validated data as soon as the information is available. On behalf of the Navy, attached are the **Form 1** validated data for **Second Quarter 2017** from the following outpost wells: **BPOW 5-1, 5-2, 5-5 and 5-6**. Form 1 data includes both VOCs and 1,4-dioxane results. Samples from these wells were collected between 05/10/17 to 05/17/17.

Also attached are the **Form 1** validated data for **Second Quarter 2017** from the following outpost wells: **BPOW6-1, BPOW6-2, BPOW6-3, BPOW6-4, BPOW6-5 and BPOW6-6**. Samples from these wells were collected between 05/22/17 to 05/25/17. Form 1 data includes both VOCs and 1,4-dioxane results **with the following exceptions: 1,4-dioxane for outpost wells BPOW6-3, BPOW6-4, BPOW6-5 and BPOW6-6** are not included due to hold time issues with the laboratory. Wells BPOW6-3, BPOW6-4, BPOW6-5 and BPOW6-6 were resampled on 7/20. Samples will be analyzed only for 1,4-dioxane, and results submitted as soon as validation is complete.

Also attached are the **Form 1** validated data for **Second Quarter 2017** from the following monitoring wells: **RE107D1, RE107D2, RE107D3, RE114D1, RE114D2, RE114D3, RE118D1, TT-102D, TT-102D2, RE133D1, and RE133D2**. Form 1 data includes both VOCs and 1,4-dioxane results. Samples from these wells were collected between 05/10/17 to 05/24/17.

Brian Caldwell, PG CPG

Senior Hydrogeologist
EnSafe/Resolution Consultants
308 North Peters Road, Suite 200
Knoxville TN 37922
865-693-3623 (office)
865-803-6295 (cell)

Report of Analysis

Client Sample ID:	BPOW 5-5	Date Sampled:	05/11/17
Lab Sample ID:	JC43284-1	Date Received:	05/12/17
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8260C		
Project:	Navy Wells, OU2, Bethpage, NY		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	2E133198.D	1	05/20/17 03:23	JP	n/a	n/a	V2E5826
Run #2							

Run #	Purge Volume
Run #1	5.0 ml
Run #2	

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	10	5.0	ug/l	
71-43-2	Benzene	ND	0.50	0.14	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.55	ug/l	
75-25-2	Bromoform	ND	1.0	0.34	ug/l	
74-83-9	Bromomethane	ND	2.0	0.46	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	1.9	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.33	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.54	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.17	ug/l	
75-00-3	Chloroethane	ND	1.0	0.44	ug/l	
67-66-3	Chloroform	ND	1.0	0.23	ug/l	
74-87-3	Chloromethane	ND	1.0	0.96	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.23	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.21	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.39	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.20	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.31	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.36	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.33	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.19	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.26	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.20	ug/l	
76-13-1	Freon 113	ND	5.0	1.2	ug/l	
591-78-6	2-Hexanone	ND	5.0	1.5	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	1.2	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.27	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.39	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.23	ug/l	
108-88-3	Toluene	ND	1.0	0.23	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.22	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.28	ug/l	

ND = Not detected

MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: BPOW 5-5 Lab Sample ID: JC43284-1 Matrix: AQ - Ground Water Method: SW846 8260C Project: Navy Wells, OU2, Bethpage, NY	Date Sampled: 05/11/17 Date Received: 05/12/17 Percent Solids: n/a
---	---

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethene	ND	1.0	0.26	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.33	ug/l	
	m,p-Xylene	ND	1.0	0.42	ug/l	
95-47-6	o-Xylene	ND	1.0	0.21	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	97%		76-120%
17060-07-0	1,2-Dichloroethane-D4	90%		73-122%
2037-26-5	Toluene-D8	99%		84-119%
460-00-4	4-Bromofluorobenzene	99%		78-117%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.1
4

Report of Analysis

Client Sample ID:	BPOW 5-6	Date Sampled:	05/11/17
Lab Sample ID:	JC43284-2	Date Received:	05/12/17
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8260C		
Project:	Navy Wells, OU2, Bethpage, NY		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	2E133199.D	1	05/20/17 03:50	JP	n/a	n/a	V2E5826
Run #2							

Run #	Purge Volume
Run #1	5.0 ml
Run #2	

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	10	5.0	ug/l	
71-43-2	Benzene	ND	0.50	0.14	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.55	ug/l	
75-25-2	Bromoform	ND	1.0	0.34	ug/l	
74-83-9	Bromomethane	ND	2.0	0.46	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	1.9	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.33	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.54	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.17	ug/l	
75-00-3	Chloroethane	ND	1.0	0.44	ug/l	
67-66-3	Chloroform	ND	1.0	0.23	ug/l	
74-87-3	Chloromethane	ND	1.0	0.96	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.23	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.21	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.39	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.20	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.31	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.36	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.33	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.19	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.26	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.20	ug/l	
76-13-1	Freon 113	ND	5.0	1.2	ug/l	
591-78-6	2-Hexanone	ND	5.0	1.5	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	1.2	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.27	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.39	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.23	ug/l	
108-88-3	Toluene	ND	1.0	0.23	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.22	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.28	ug/l	

ND = Not detected

MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: BPOW 5-6 Lab Sample ID: JC43284-2 Matrix: AQ - Ground Water Method: SW846 8260C Project: Navy Wells, OU2, Bethpage, NY	Date Sampled: 05/11/17 Date Received: 05/12/17 Percent Solids: n/a
---	---

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethene	ND	1.0	0.26	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.33	ug/l	
	m,p-Xylene	ND	1.0	0.42	ug/l	
95-47-6	o-Xylene	ND	1.0	0.21	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	98%		76-120%
17060-07-0	1,2-Dichloroethane-D4	91%		73-122%
2037-26-5	Toluene-D8	99%		84-119%
460-00-4	4-Bromofluorobenzene	98%		78-117%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

ND = Not detected MDL = Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

4.2
4

Report of Analysis

Client Sample ID:	REP051117AR1	Date Sampled:	05/11/17
Lab Sample ID:	JC43284-3	Date Received:	05/12/17
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8260C		
Project:	Navy Wells, OU2, Bethpage, NY		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	2E133200.D	1	05/20/17 04:17	JP	n/a	n/a	V2E5826
Run #2							

Run #	Purge Volume
Run #1	5.0 ml
Run #2	

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	10	5.0	ug/l	
71-43-2	Benzene	ND	0.50	0.14	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.55	ug/l	
75-25-2	Bromoform	ND	1.0	0.34	ug/l	
74-83-9	Bromomethane	ND	2.0	0.46	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	1.9	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.33	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.54	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.17	ug/l	
75-00-3	Chloroethane	ND	1.0	0.44	ug/l	
67-66-3	Chloroform	ND	1.0	0.23	ug/l	
74-87-3	Chloromethane	ND	1.0	0.96	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.23	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.21	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.39	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.20	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.31	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.36	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.33	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.19	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.26	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.20	ug/l	
76-13-1	Freon 113	ND	5.0	1.2	ug/l	
591-78-6	2-Hexanone	ND	5.0	1.5	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	1.2	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.27	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.39	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.23	ug/l	
108-88-3	Toluene	ND	1.0	0.23	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.22	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.28	ug/l	

ND = Not detected

MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: REP051117AR1 Lab Sample ID: JC43284-3 Matrix: AQ - Ground Water Method: SW846 8260C Project: Navy Wells, OU2, Bethpage, NY	Date Sampled: 05/11/17 Date Received: 05/12/17 Percent Solids: n/a
---	---

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethene	ND	1.0	0.26	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.33	ug/l	
	m,p-Xylene	ND	1.0	0.42	ug/l	
95-47-6	o-Xylene	ND	1.0	0.21	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	96%		76-120%
17060-07-0	1,2-Dichloroethane-D4	90%		73-122%
2037-26-5	Toluene-D8	98%		84-119%
460-00-4	4-Bromofluorobenzene	99%		78-117%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.3
4

Report of Analysis

Client Sample ID: TB051117AR1	Date Sampled: 05/11/17
Lab Sample ID: JC43284-4	Date Received: 05/12/17
Matrix: AQ - Trip Blank Water	Percent Solids: n/a
Method: SW846 8260C	
Project: Navy Wells, OU2, Bethpage, NY	

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	2E133180.D	1	05/19/17 19:13	JP	n/a	n/a	V2E5825
Run #2							

Run #	Purge Volume
Run #1	5.0 ml
Run #2	

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	10	5.0	ug/l	
71-43-2	Benzene	ND	0.50	0.14	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.55	ug/l	
75-25-2	Bromoform	ND	1.0	0.34	ug/l	
74-83-9	Bromomethane	ND	2.0	0.46	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	1.9	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.33	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.54	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.17	ug/l	
75-00-3	Chloroethane	ND	1.0	0.44	ug/l	
67-66-3	Chloroform	ND	1.0	0.23	ug/l	
74-87-3	Chloromethane	ND	1.0	0.96	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.23	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.21	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.39	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.20	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.31	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.36	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.33	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.19	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.26	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.20	ug/l	
76-13-1	Freon 113	ND	5.0	1.2	ug/l	
591-78-6	2-Hexanone	ND	5.0	1.5	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	1.2	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.27	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.39	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.23	ug/l	
108-88-3	Toluene	ND	1.0	0.23	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.22	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.28	ug/l	

ND = Not detected

MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: TB051117AR1 Lab Sample ID: JC43284-4 Matrix: AQ - Trip Blank Water Method: SW846 8260C Project: Navy Wells, OU2, Bethpage, NY	Date Sampled: 05/11/17 Date Received: 05/12/17 Percent Solids: n/a
--	---

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethene	ND	1.0	0.26	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.33	ug/l	
	m,p-Xylene	ND	1.0	0.42	ug/l	
95-47-6	o-Xylene	ND	1.0	0.21	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	96%		76-120%
17060-07-0	1,2-Dichloroethane-D4	91%		73-122%
2037-26-5	Toluene-D8	100%		84-119%
460-00-4	4-Bromofluorobenzene	100%		78-117%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.4
4

**Semi-Volatile
Certificate of Analysis
Sample Summary**

SDG Number: JC43284X
 Lab Sample ID: 423201001

 Client ID: BPOW 5-5
 Batch ID: 1665630
 Run Date: 05/19/2017 15:50
 Prep Date: 05/19/2017 11:45
 Data File: s051917.B\s6e1911.D

Date Collected: 05/11/2017 13:05
 Date Received: 05/16/2017 09:20
 Client: ACTL003
 Method: EPA 522
 Inst: MSD6.I
 Analyst: JMB3
 Aliquot: 100 mL
 RTX-624

Matrix: WATER

 Project: ACTL00316
 SOP Ref: GL-OA-E-073
 Dilution: 1
 Inj. Vol: 1 uL
 Final Volume: 2 mL

CAS No.	Parname	Qualifier	Result	Units	MDL	LOD	LOQ
123-91-1	1,4-Dioxane		1.34	ug/L	0.100	0.100	0.200

2

**Semi-Volatile
Certificate of Analysis
Sample Summary**

SDG Number: JC43284X
Lab Sample ID: 423201002

Client ID: BPOW 5-6
Batch ID: 1665630
Run Date: 05/19/2017 16:15
Prep Date: 05/19/2017 11:45
Data File: s051917.B\s6e1912.D

Date Collected: 05/11/2017 13:15
Date Received: 05/16/2017 09:20
Client: ACTL003
Method: EPA 522
Inst: MSD6.I
Analyst: JMB3
Aliquot: 100 mL
RTX-624

Matrix: WATER

Project: ACTL00316
SOP Ref: GL-OA-E-073
Dilution: 1
Inj. Vol: 1 uL
Final Volume: 2 mL

CAS No.	Parname	Qualifier	Result	Units	MDL	LOD	LOQ
123-91-1	1,4-Dioxane	J	0.129	ug/L	0.100	0.100	0.200

2

**Semi-Volatile
Certificate of Analysis
Sample Summary**

SDG Number: JC43284X
 Lab Sample ID: 423201003

 Client ID: REP051117AR1
 Batch ID: 1665630
 Run Date: 05/19/2017 16:41
 Prep Date: 05/19/2017 11:45
 Data File: s051917.B\s6e1913.D

Date Collected: 05/11/2017 12:00
 Date Received: 05/16/2017 09:20
 Client: ACTL003
 Method: EPA 522
 Inst: MSD6.I
 Analyst: JMB3
 Aliquot: 100 mL
 RTX-624

Matrix: WATER

 Project: ACTL00316
 SOP Ref: GL-OA-E-073
 Dilution: 1
 Inj. Vol: 1 uL
 Final Volume: 2 mL

CAS No.	Parname	Qualifier	Result	Units	MDL	LOD	LOQ
123-91-1	1,4-Dioxane		1.39	ug/L	0.100	0.100	0.200

2

Report of Analysis

Client Sample ID:	BPOW 5-1						
Lab Sample ID:	JC43655-1					Date Sampled:	05/17/17
Matrix:	AQ - Ground Water					Date Received:	05/18/17
Method:	EPA 524.2 REV 4.1					Percent Solids:	n/a
Project:	Navy Wells, OU2, Bethpage, NY						

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 ^a	1B109692.D	1	05/26/17 04:28	BK	n/a	n/a	V1B5219
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	5.0	3.8	ug/l	
78-93-3	2-Butanone	ND	5.0	2.5	ug/l	
71-43-2	Benzene	ND	0.50	0.26	ug/l	
75-27-4	Bromodichloromethane	ND	0.50	0.36	ug/l	
75-25-2	Bromoform	ND	0.50	0.40	ug/l	
74-83-9	Bromomethane	ND	0.50	0.081	ug/l	
75-15-0	Carbon disulfide	ND	0.50	0.39	ug/l	
108-90-7	Chlorobenzene	ND	0.50	0.27	ug/l	
75-00-3	Chloroethane	ND	0.50	0.071	ug/l	
67-66-3	Chloroform	ND	0.50	0.33	ug/l	
74-87-3	Chloromethane	ND	0.50	0.39	ug/l	
56-23-5	Carbon tetrachloride	ND	0.50	0.13	ug/l	
75-34-3	1,1-Dichloroethane	ND	0.50	0.13	ug/l	
75-35-4	1,1-Dichloroethylene	ND	0.50	0.23	ug/l	
107-06-2	1,2-Dichloroethane	ND	0.50	0.28	ug/l	
78-87-5	1,2-Dichloropropane	ND	0.50	0.29	ug/l	
124-48-1	Dibromochloromethane	ND	0.50	0.094	ug/l	
156-60-5	trans-1,2-Dichloroethylene	ND	0.50	0.098	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	0.50	0.26	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	0.14	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	0.25	ug/l	
100-41-4	Ethylbenzene	ND	0.50	0.26	ug/l	
76-13-1	Freon 113	ND	1.0	0.27	ug/l	
591-78-6	2-Hexanone	ND	2.0	1.3	ug/l	
75-09-2	Methylene chloride	ND	0.50	0.37	ug/l	
108-10-1	4-Methyl-2-pentanone	ND	2.0	1.5	ug/l	
100-42-5	Styrene	ND	0.50	0.21	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	0.50	0.12	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.50	0.099	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	0.50	0.12	ug/l	
127-18-4	Tetrachloroethylene	ND	0.50	0.12	ug/l	
108-88-3	Toluene	ND	0.50	0.13	ug/l	

ND = Not detected MDL = Method Detection Limit
 RL = Reporting Limit

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

4.1
4

Report of Analysis

Client Sample ID: BPOW 5-1		Date Sampled: 05/17/17
Lab Sample ID: JC43655-1		Date Received: 05/18/17
Matrix: AQ - Ground Water		Percent Solids: n/a
Method: EPA 524.2 REV 4.1		
Project: Navy Wells, OU2, Bethpage, NY		

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethylene	ND	0.50	0.11	ug/l	
75-01-4	Vinyl chloride	ND	0.50	0.056	ug/l	
	m,p-Xylene	ND	0.50	0.26	ug/l	
95-47-6	o-Xylene	ND	0.50	0.24	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2199-69-1	1,2-Dichlorobenzene-d4	100%		70-130%
460-00-4	4-Bromofluorobenzene	82%		70-130%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

(a) EPA 524.2 is not a certified method for non-potable water samples.

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.1
4

Report of Analysis

Client Sample ID: BPOW 5-2		Date Sampled: 05/17/17
Lab Sample ID: JC43655-2		Date Received: 05/18/17
Matrix: AQ - Ground Water		Percent Solids: n/a
Method: EPA 524.2 REV 4.1		
Project: Navy Wells, OU2, Bethpage, NY		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 ^a	1B109693.D	1	05/26/17 04:59	BK	n/a	n/a	V1B5219
Run #2							

Run #	Purge Volume
Run #1	5.0 ml
Run #2	

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	5.0	3.8	ug/l	
78-93-3	2-Butanone	ND	5.0	2.5	ug/l	
71-43-2	Benzene	ND	0.50	0.26	ug/l	
75-27-4	Bromodichloromethane	ND	0.50	0.36	ug/l	
75-25-2	Bromoform	ND	0.50	0.40	ug/l	
74-83-9	Bromomethane	ND	0.50	0.081	ug/l	
75-15-0	Carbon disulfide	ND	0.50	0.39	ug/l	
108-90-7	Chlorobenzene	ND	0.50	0.27	ug/l	
75-00-3	Chloroethane	ND	0.50	0.071	ug/l	
67-66-3	Chloroform	ND	0.50	0.33	ug/l	
74-87-3	Chloromethane	ND	0.50	0.39	ug/l	
56-23-5	Carbon tetrachloride	ND	0.50	0.13	ug/l	
75-34-3	1,1-Dichloroethane	ND	0.50	0.13	ug/l	
75-35-4	1,1-Dichloroethylene	ND	0.50	0.23	ug/l	
107-06-2	1,2-Dichloroethane	ND	0.50	0.28	ug/l	
78-87-5	1,2-Dichloropropane	ND	0.50	0.29	ug/l	
124-48-1	Dibromochloromethane	ND	0.50	0.094	ug/l	
156-60-5	trans-1,2-Dichloroethylene	ND	0.50	0.098	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	0.50	0.26	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	0.14	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	0.25	ug/l	
100-41-4	Ethylbenzene	ND	0.50	0.26	ug/l	
76-13-1	Freon 113	ND	1.0	0.27	ug/l	
591-78-6	2-Hexanone	ND	2.0	1.3	ug/l	
75-09-2	Methylene chloride	ND	0.50	0.37	ug/l	
108-10-1	4-Methyl-2-pentanone	ND	2.0	1.5	ug/l	
100-42-5	Styrene	ND	0.50	0.21	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	0.50	0.12	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.50	0.099	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	0.50	0.12	ug/l	
127-18-4	Tetrachloroethylene	ND	0.50	0.12	ug/l	
108-88-3	Toluene	ND	0.50	0.13	ug/l	

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: BPOW 5-2		Date Sampled: 05/17/17
Lab Sample ID: JC43655-2		Date Received: 05/18/17
Matrix: AQ - Ground Water		Percent Solids: n/a
Method: EPA 524.2 REV 4.1		
Project: Navy Wells, OU2, Bethpage, NY		

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethylene	ND	0.50	0.11	ug/l	
75-01-4	Vinyl chloride	ND	0.50	0.056	ug/l	
	m,p-Xylene	ND	0.50	0.26	ug/l	
95-47-6	o-Xylene	ND	0.50	0.24	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2199-69-1	1,2-Dichlorobenzene-d4	101%		70-130%
460-00-4	4-Bromofluorobenzene	84%		70-130%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

(a) EPA 524.2 is not a certified method for non-potable water samples.

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.2
4

Report of Analysis

Client Sample ID: TB051717AR1		Date Sampled: 05/17/17
Lab Sample ID: JC43655-3		Date Received: 05/18/17
Matrix: AQ - Trip Blank Water		Percent Solids: n/a
Method: EPA 524.2 REV 4.1		
Project: Navy Wells, OU2, Bethpage, NY		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 ^a	1B109694.D	1	05/26/17 05:30	BK	n/a	n/a	V1B5219
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	5.0	3.8	ug/l	
78-93-3	2-Butanone	ND	5.0	2.5	ug/l	
71-43-2	Benzene	ND	0.50	0.26	ug/l	
75-27-4	Bromodichloromethane	ND	0.50	0.36	ug/l	
75-25-2	Bromoform	ND	0.50	0.40	ug/l	
74-83-9	Bromomethane	ND	0.50	0.081	ug/l	
75-15-0	Carbon disulfide	ND	0.50	0.39	ug/l	
108-90-7	Chlorobenzene	ND	0.50	0.27	ug/l	
75-00-3	Chloroethane	ND	0.50	0.071	ug/l	
67-66-3	Chloroform	ND	0.50	0.33	ug/l	
74-87-3	Chloromethane	ND	0.50	0.39	ug/l	
56-23-5	Carbon tetrachloride	ND	0.50	0.13	ug/l	
75-34-3	1,1-Dichloroethane	ND	0.50	0.13	ug/l	
75-35-4	1,1-Dichloroethylene	ND	0.50	0.23	ug/l	
107-06-2	1,2-Dichloroethane	ND	0.50	0.28	ug/l	
78-87-5	1,2-Dichloropropane	ND	0.50	0.29	ug/l	
124-48-1	Dibromochloromethane	ND	0.50	0.094	ug/l	
156-60-5	trans-1,2-Dichloroethylene	ND	0.50	0.098	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	0.50	0.26	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	0.14	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	0.25	ug/l	
100-41-4	Ethylbenzene	ND	0.50	0.26	ug/l	
76-13-1	Freon 113	ND	1.0	0.27	ug/l	
591-78-6	2-Hexanone	ND	2.0	1.3	ug/l	
75-09-2	Methylene chloride	ND	0.50	0.37	ug/l	
108-10-1	4-Methyl-2-pentanone	ND	2.0	1.5	ug/l	
100-42-5	Styrene	ND	0.50	0.21	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	0.50	0.12	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.50	0.099	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	0.50	0.12	ug/l	
127-18-4	Tetrachloroethylene	ND	0.50	0.12	ug/l	
108-88-3	Toluene	ND	0.50	0.13	ug/l	

ND = Not detected MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: TB051717AR1		Date Sampled: 05/17/17
Lab Sample ID: JC43655-3		Date Received: 05/18/17
Matrix: AQ - Trip Blank Water		Percent Solids: n/a
Method: EPA 524.2 REV 4.1		
Project: Navy Wells, OU2, Bethpage, NY		

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethylene	ND	0.50	0.11	ug/l	
75-01-4	Vinyl chloride	ND	0.50	0.056	ug/l	
	m,p-Xylene	ND	0.50	0.26	ug/l	
95-47-6	o-Xylene	ND	0.50	0.24	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2199-69-1	1,2-Dichlorobenzene-d4	99%		70-130%
460-00-4	4-Bromofluorobenzene	83%		70-130%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
109-99-9	Furan, tetrahydro-	10.49	1.3	ug/l	JN
	Total TIC, Volatile		1.3	ug/l	J N

(a) EPA 524.2 is not a certified method for non-potable water samples.

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.3
4

**Semi-Volatile
Certificate of Analysis
Sample Summary**

SDG Number: JC43655X
 Lab Sample ID: 423720001
 Client Sample: 1X
 Client ID: BPOW 5-1
 Batch ID: 1667329
 Run Date: 06/06/2017 15:42
 Prep Date: 06/06/2017 09:22
 Data File: s060617.B\s6f0606.D

Date Collected: 05/17/2017 13:55
 Date Received: 05/20/2017 08:55
 Client: ACTL003
 Method: EPA 522
 Inst: MSD6.I
 Analyst: JMB3
 Aliquot: 100 mL
 RTX-624

Matrix: WATER
 Project: ACTL00316
 SOP Ref: GL-OA-E-073
 Dilution: 1
 Inj. Vol: 1 uL
 Final Volume: 2 mL

CAS No.	Parname	Qualifier	Result	Units	MDL	LOD	LOQ
123-91-1	1,4-Dioxane	U	0.100	ug/L	0.100	0.100	0.200

2

**Semi-Volatile
Certificate of Analysis
Sample Summary**

SDG Number: JC43655X
 Lab Sample ID: 423720002
 Client Sample: 2X
 Client ID: BPOW 5-2
 Batch ID: 1667329
 Run Date: 06/06/2017 16:07
 Prep Date: 06/06/2017 09:22
 Data File: s060617.B\s6f0607.D

Date Collected: 05/17/2017 14:05
 Date Received: 05/20/2017 08:55
 Client: ACTL003
 Method: EPA 522
 Inst: MSD6.I
 Analyst: JMB3
 Aliquot: 100 mL
 RTX-624

Matrix: WATER
 Project: ACTL00316
 SOP Ref: GL-OA-E-073
 Dilution: 1
 Inj. Vol: 1 uL
 Final Volume: 2 mL

CAS No.	Parname	Qualifier	Result	Units	MDL	LOD	LOQ
123-91-1	1,4-Dioxane	U	0.100	ug/L	0.100	0.100	0.200

2

Report of Analysis

Client Sample ID: BPOW 6-1		
Lab Sample ID: JC43943-1		Date Sampled: 05/22/17
Matrix: AQ - Ground Water		Date Received: 05/23/17
Method: EPA 524.2 REV 4.1		Percent Solids: n/a
Project: Navy Wells, OU2, Bethpage, NY		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 ^a	1B109653.D	1	05/25/17 05:42	BK	n/a	n/a	V1B5217
Run #2							

Run #	Purge Volume
Run #1	5.0 ml
Run #2	

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	5.0	3.8	ug/l	
78-93-3	2-Butanone	ND	5.0	2.5	ug/l	
71-43-2	Benzene	ND	0.50	0.26	ug/l	
75-27-4	Bromodichloromethane	ND	0.50	0.36	ug/l	
75-25-2	Bromoform	ND	0.50	0.40	ug/l	
74-83-9	Bromomethane	ND	0.50	0.081	ug/l	
75-15-0	Carbon disulfide	ND	0.50	0.39	ug/l	
108-90-7	Chlorobenzene	ND	0.50	0.27	ug/l	
75-00-3	Chloroethane	ND	0.50	0.071	ug/l	
67-66-3	Chloroform	ND	0.50	0.33	ug/l	
74-87-3	Chloromethane	ND	0.50	0.39	ug/l	
56-23-5	Carbon tetrachloride	ND	0.50	0.13	ug/l	
75-34-3	1,1-Dichloroethane	ND	0.50	0.13	ug/l	
75-35-4	1,1-Dichloroethylene	ND	0.50	0.23	ug/l	
107-06-2	1,2-Dichloroethane	ND	0.50	0.28	ug/l	
78-87-5	1,2-Dichloropropane	ND	0.50	0.29	ug/l	
124-48-1	Dibromochloromethane	ND	0.50	0.094	ug/l	
156-60-5	trans-1,2-Dichloroethylene	ND	0.50	0.098	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	0.50	0.26	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	0.14	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	0.25	ug/l	
100-41-4	Ethylbenzene	ND	0.50	0.26	ug/l	
76-13-1	Freon 113	ND	1.0	0.27	ug/l	
591-78-6	2-Hexanone	ND	2.0	1.3	ug/l	
75-09-2	Methylene chloride	ND	0.50	0.37	ug/l	
108-10-1	4-Methyl-2-pentanone	ND	2.0	1.5	ug/l	
100-42-5	Styrene	ND	0.50	0.21	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	0.50	0.12	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.50	0.099	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	0.50	0.12	ug/l	
127-18-4	Tetrachloroethylene	ND	0.50	0.12	ug/l	
108-88-3	Toluene	ND	0.50	0.13	ug/l	

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: BPOW 6-1		Date Sampled: 05/22/17
Lab Sample ID: JC43943-1		Date Received: 05/23/17
Matrix: AQ - Ground Water		Percent Solids: n/a
Method: EPA 524.2 REV 4.1		
Project: Navy Wells, OU2, Bethpage, NY		

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethylene	ND	0.50	0.11	ug/l	
75-01-4	Vinyl chloride	ND	0.50	0.056	ug/l	
	m,p-Xylene	ND	0.50	0.26	ug/l	
95-47-6	o-Xylene	ND	0.50	0.24	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2199-69-1	1,2-Dichlorobenzene-d4	101%		70-130%
460-00-4	4-Bromofluorobenzene	89%		70-130%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

(a) EPA 524.2 is not a certified method for non-potable water samples.

ND = Not detected MDL = Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

4.1
4

Report of Analysis

Client Sample ID:	BPOW 6-2	Date Sampled:	05/22/17
Lab Sample ID:	JC43943-2	Date Received:	05/23/17
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	EPA 524.2 REV 4.1		
Project:	Navy Wells, OU2, Bethpage, NY		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 ^a	1B109654.D	1	05/25/17 06:14	BK	n/a	n/a	V1B5217
Run #2							

Run #	Purge Volume
Run #1	5.0 ml
Run #2	

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	5.0	3.8	ug/l	
78-93-3	2-Butanone	ND	5.0	2.5	ug/l	
71-43-2	Benzene	ND	0.50	0.26	ug/l	
75-27-4	Bromodichloromethane	ND	0.50	0.36	ug/l	
75-25-2	Bromoform	ND	0.50	0.40	ug/l	
74-83-9	Bromomethane	ND	0.50	0.081	ug/l	
75-15-0	Carbon disulfide	ND	0.50	0.39	ug/l	
108-90-7	Chlorobenzene	ND	0.50	0.27	ug/l	
75-00-3	Chloroethane	ND	0.50	0.071	ug/l	
67-66-3	Chloroform	ND	0.50	0.33	ug/l	
74-87-3	Chloromethane	ND	0.50	0.39	ug/l	
56-23-5	Carbon tetrachloride	ND	0.50	0.13	ug/l	
75-34-3	1,1-Dichloroethane	ND	0.50	0.13	ug/l	
75-35-4	1,1-Dichloroethylene	ND	0.50	0.23	ug/l	
107-06-2	1,2-Dichloroethane	ND	0.50	0.28	ug/l	
78-87-5	1,2-Dichloropropane	ND	0.50	0.29	ug/l	
124-48-1	Dibromochloromethane	ND	0.50	0.094	ug/l	
156-60-5	trans-1,2-Dichloroethylene	ND	0.50	0.098	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	0.50	0.26	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	0.14	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	0.25	ug/l	
100-41-4	Ethylbenzene	ND	0.50	0.26	ug/l	
76-13-1	Freon 113	ND	1.0	0.27	ug/l	
591-78-6	2-Hexanone	ND	2.0	1.3	ug/l	
75-09-2	Methylene chloride	ND	0.50	0.37	ug/l	
108-10-1	4-Methyl-2-pentanone	ND	2.0	1.5	ug/l	
100-42-5	Styrene	ND	0.50	0.21	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	0.50	0.12	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.50	0.099	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	0.50	0.12	ug/l	
127-18-4	Tetrachloroethylene	ND	0.50	0.12	ug/l	
108-88-3	Toluene	ND	0.50	0.13	ug/l	

ND = Not detected MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: BPOW 6-2		Date Sampled: 05/22/17
Lab Sample ID: JC43943-2		Date Received: 05/23/17
Matrix: AQ - Ground Water		Percent Solids: n/a
Method: EPA 524.2 REV 4.1		
Project: Navy Wells, OU2, Bethpage, NY		

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethylene	ND	0.50	0.11	ug/l	
75-01-4	Vinyl chloride	ND	0.50	0.056	ug/l	
	m,p-Xylene	ND	0.50	0.26	ug/l	
95-47-6	o-Xylene	ND	0.50	0.24	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2199-69-1	1,2-Dichlorobenzene-d4	101%		70-130%
460-00-4	4-Bromofluorobenzene	88%		70-130%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
109-99-9	Furan, tetrahydro-	10.48	1.3	ug/l	JNB
	Total TIC, Volatile		0	ug/l	R

(a) EPA 524.2 is not a certified method for non-potable water samples.

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.2
4

Report of Analysis

Client Sample ID: TB052217AD1	Date Sampled: 05/22/17
Lab Sample ID: JC43943-3	Date Received: 05/23/17
Matrix: AQ - Trip Blank Water	Percent Solids: n/a
Method: EPA 524.2 REV 4.1	
Project: Navy Wells, OU2, Bethpage, NY	

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 ^a	1B109655.D	1	05/25/17 06:46	BK	n/a	n/a	V1B5217
Run #2							

Run #	Purge Volume
Run #1	5.0 ml
Run #2	

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	5.0	3.8	ug/l	
78-93-3	2-Butanone	ND	5.0	2.5	ug/l	
71-43-2	Benzene	ND	0.50	0.26	ug/l	
75-27-4	Bromodichloromethane	ND	0.50	0.36	ug/l	
75-25-2	Bromoform	ND	0.50	0.40	ug/l	
74-83-9	Bromomethane	ND	0.50	0.081	ug/l	
75-15-0	Carbon disulfide	ND	0.50	0.39	ug/l	
108-90-7	Chlorobenzene	ND	0.50	0.27	ug/l	
75-00-3	Chloroethane	ND	0.50	0.071	ug/l	
67-66-3	Chloroform	ND	0.50	0.33	ug/l	
74-87-3	Chloromethane	ND	0.50	0.39	ug/l	
56-23-5	Carbon tetrachloride	ND	0.50	0.13	ug/l	
75-34-3	1,1-Dichloroethane	ND	0.50	0.13	ug/l	
75-35-4	1,1-Dichloroethylene	ND	0.50	0.23	ug/l	
107-06-2	1,2-Dichloroethane	ND	0.50	0.28	ug/l	
78-87-5	1,2-Dichloropropane	ND	0.50	0.29	ug/l	
124-48-1	Dibromochloromethane	ND	0.50	0.094	ug/l	
156-60-5	trans-1,2-Dichloroethylene	ND	0.50	0.098	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	0.50	0.26	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	0.14	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	0.25	ug/l	
100-41-4	Ethylbenzene	ND	0.50	0.26	ug/l	
76-13-1	Freon 113	ND	1.0	0.27	ug/l	
591-78-6	2-Hexanone	ND	2.0	1.3	ug/l	
75-09-2	Methylene chloride	ND	0.50	0.37	ug/l	
108-10-1	4-Methyl-2-pentanone	ND	2.0	1.5	ug/l	
100-42-5	Styrene	ND	0.50	0.21	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	0.50	0.12	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.50	0.099	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	0.50	0.12	ug/l	
127-18-4	Tetrachloroethylene	ND	0.50	0.12	ug/l	
108-88-3	Toluene	ND	0.50	0.13	ug/l	

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.3
4

Report of Analysis

Client Sample ID: TB052217AD1		Date Sampled: 05/22/17
Lab Sample ID: JC43943-3		Date Received: 05/23/17
Matrix: AQ - Trip Blank Water		Percent Solids: n/a
Method: EPA 524.2 REV 4.1		
Project: Navy Wells, OU2, Bethpage, NY		

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethylene	ND	0.50	0.11	ug/l	
75-01-4	Vinyl chloride	ND	0.50	0.056	ug/l	
	m,p-Xylene	ND	0.50	0.26	ug/l	
95-47-6	o-Xylene	ND	0.50	0.24	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2199-69-1	1,2-Dichlorobenzene-d4	102%		70-130%
460-00-4	4-Bromofluorobenzene	87%		70-130%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
109-99-9	Furan, tetrahydro-	10.48	1.3	ug/l	JNB
	Total TIC, Volatile		0 1.3	ug/l	JN

(a) EPA 524.2 is not a certified method for non-potable water samples.

ND = Not detected MDL = Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

4.3
4

**Semi-Volatile
Certificate of Analysis
Sample Summary**

SDG Number: 424039
 Lab Sample ID: 424039001

 Client ID: BPOW 6-1
 Batch ID: 1671313
 Run Date: 06/08/2017 22:00
 Prep Date: 06/08/2017 08:30
 Data File: s060817.B\s6f0813.D

Date Collected: 05/22/2017 12:40
 Date Received: 05/25/2017 09:10
 Client: ACTL003
 Method: EPA 522
 Inst: MSD6.I
 Analyst: JMB3
 Aliquot: 100 mL
 RTX-624

Matrix: WATER

 Project: ACTL00316
 SOP Ref: GL-OA-E-073
 Dilution: 1
 Inj. Vol: 1 uL
 Final Volume: 2 mL

CAS No.	Parname	Qualifier	Result	Units	MDL	LOD	LOQ
123-91-1	1,4-Dioxane	U	0.100	ug/L	0.100	0.100	0.200

2

**Semi-Volatile
Certificate of Analysis
Sample Summary**

SDG Number: 424039
 Lab Sample ID: 424039002

 Client ID: BPOW 6-2
 Batch ID: 1671313
 Run Date: 06/08/2017 22:48
 Prep Date: 06/08/2017 08:30
 Data File: s060817.B\s6f0815.D

Date Collected: 05/22/2017 12:35
 Date Received: 05/25/2017 09:10
 Client: ACTL003
 Method: EPA 522
 Inst: MSD6.I
 Analyst: JMB3
 Aliquot: 100 mL
 RTX-624

Matrix: WATER

 Project: ACTL00316
 SOP Ref: GL-OA-E-073
 Dilution: 1
 Inj. Vol: 1 uL
 Final Volume: 2 mL

CAS No.	Parname	Qualifier	Result	Units	MDL	LOD	LOQ
123-91-1	1,4-Dioxane	U	0.100	ug/L	0.100	0.100	0.200

2

Report of Analysis

Client Sample ID: BPOW 6-3	Date Sampled: 05/23/17
Lab Sample ID: JC43995-1	Date Received: 05/24/17
Matrix: AQ - Ground Water	Percent Solids: n/a
Method: EPA 524.2 REV 4.1	
Project: Navy Wells, OU2, Bethpage, NY	

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 ^a	1B109729.D	1	05/27/17 20:54	BK	n/a	n/a	V1B5221
Run #2							

Run #	Purge Volume
Run #1	5.0 ml
Run #2	

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	5.0	3.8	ug/l	
78-93-3	2-Butanone	ND	5.0	2.5	ug/l	
71-43-2	Benzene	ND	0.50	0.26	ug/l	
75-27-4	Bromodichloromethane	ND	0.50	0.36	ug/l	
75-25-2	Bromoform	ND	0.50	0.40	ug/l	
74-83-9	Bromomethane	ND	0.50	0.081	ug/l	
75-15-0	Carbon disulfide	ND	0.50	0.39	ug/l	
108-90-7	Chlorobenzene	ND	0.50	0.27	ug/l	
75-00-3	Chloroethane	ND	0.50	0.071	ug/l	
67-66-3	Chloroform	ND	0.50	0.33	ug/l	
74-87-3	Chloromethane	ND	0.50	0.39	ug/l	
56-23-5	Carbon tetrachloride	ND	0.50	0.13	ug/l	
75-34-3	1,1-Dichloroethane	ND	0.50	0.13	ug/l	
75-35-4	1,1-Dichloroethylene	ND	0.50	0.23	ug/l	
107-06-2	1,2-Dichloroethane	ND	0.50	0.28	ug/l	
78-87-5	1,2-Dichloropropane	ND	0.50	0.29	ug/l	
124-48-1	Dibromochloromethane	ND	0.50	0.094	ug/l	
156-60-5	trans-1,2-Dichloroethylene	ND	0.50	0.098	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	0.50	0.26	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	0.14	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	0.25	ug/l	
100-41-4	Ethylbenzene	ND	0.50	0.26	ug/l	
76-13-1	Freon 113 ^b	ND	1.0	0.27	ug/l	
591-78-6	2-Hexanone	ND	2.0	1.3	ug/l	
75-09-2	Methylene chloride	ND	0.50	0.37	ug/l	
108-10-1	4-Methyl-2-pentanone	ND	2.0	1.5	ug/l	
100-42-5	Styrene	ND	0.50	0.21	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	0.50	0.12	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.50	0.099	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	0.50	0.12	ug/l	
127-18-4	Tetrachloroethylene	ND	0.50	0.12	ug/l	
108-88-3	Toluene	ND	0.50	0.13	ug/l	

ND = Not detected MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: BPOW 6-3 Lab Sample ID: JC43995-1 Matrix: AQ - Ground Water Method: EPA 524.2 REV 4.1 Project: Navy Wells, OU2, Bethpage, NY	Date Sampled: 05/23/17 Date Received: 05/24/17 Percent Solids: n/a
---	---

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethylene	ND	0.50	0.11	ug/l	
75-01-4	Vinyl chloride	ND	0.50	0.056	ug/l	
	m,p-Xylene	ND	0.50	0.26	ug/l	
95-47-6	o-Xylene	ND	0.50	0.24	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2199-69-1	1,2-Dichlorobenzene-d4	99%		70-130%
460-00-4	4-Bromofluorobenzene	80%		70-130%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

- (a) EPA 524.2 is not a certified method for non-potable water samples.
- (b) This compound in BS is outside in house QC limits bias high.

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.1
4

Report of Analysis

Client Sample ID: TB052317AD1	Date Sampled: 05/23/17
Lab Sample ID: JC43995-2	Date Received: 05/24/17
Matrix: AQ - Trip Blank Water	Percent Solids: n/a
Method: EPA 524.2 REV 4.1	
Project: Navy Wells, OU2, Bethpage, NY	

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 ^a	1B109730.D	1	05/27/17 21:26	BK	n/a	n/a	V1B5221
Run #2							

Run #	Purge Volume
Run #1	5.0 ml
Run #2	

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	5.0	3.8	ug/l	
78-93-3	2-Butanone	ND	5.0	2.5	ug/l	
71-43-2	Benzene	ND	0.50	0.26	ug/l	
75-27-4	Bromodichloromethane	ND	0.50	0.36	ug/l	
75-25-2	Bromoform	ND	0.50	0.40	ug/l	
74-83-9	Bromomethane	ND	0.50	0.081	ug/l	
75-15-0	Carbon disulfide	ND	0.50	0.39	ug/l	
108-90-7	Chlorobenzene	ND	0.50	0.27	ug/l	
75-00-3	Chloroethane	ND	0.50	0.071	ug/l	
67-66-3	Chloroform	ND	0.50	0.33	ug/l	
74-87-3	Chloromethane	ND	0.50	0.39	ug/l	
56-23-5	Carbon tetrachloride	ND	0.50	0.13	ug/l	
75-34-3	1,1-Dichloroethane	ND	0.50	0.13	ug/l	
75-35-4	1,1-Dichloroethylene	ND	0.50	0.23	ug/l	
107-06-2	1,2-Dichloroethane	ND	0.50	0.28	ug/l	
78-87-5	1,2-Dichloropropane	ND	0.50	0.29	ug/l	
124-48-1	Dibromochloromethane	ND	0.50	0.094	ug/l	
156-60-5	trans-1,2-Dichloroethylene	ND	0.50	0.098	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	0.50	0.26	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	0.14	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	0.25	ug/l	
100-41-4	Ethylbenzene	ND	0.50	0.26	ug/l	
76-13-1	Freon 113 ^b	ND	1.0	0.27	ug/l	
591-78-6	2-Hexanone	ND	2.0	1.3	ug/l	
75-09-2	Methylene chloride	ND	0.50	0.37	ug/l	
108-10-1	4-Methyl-2-pentanone	ND	2.0	1.5	ug/l	
100-42-5	Styrene	ND	0.50	0.21	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	0.50	0.12	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.50	0.099	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	0.50	0.12	ug/l	
127-18-4	Tetrachloroethylene	ND	0.50	0.12	ug/l	
108-88-3	Toluene	ND	0.50	0.13	ug/l	

ND = Not detected MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: TB052317AD1		Date Sampled: 05/23/17
Lab Sample ID: JC43995-2		Date Received: 05/24/17
Matrix: AQ - Trip Blank Water		Percent Solids: n/a
Method: EPA 524.2 REV 4.1		
Project: Navy Wells, OU2, Bethpage, NY		

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethylene	ND	0.50	0.11	ug/l	
75-01-4	Vinyl chloride	ND	0.50	0.056	ug/l	
	m,p-Xylene	ND	0.50	0.26	ug/l	
95-47-6	o-Xylene	ND	0.50	0.24	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2199-69-1	1,2-Dichlorobenzene-d4	97%		70-130%
460-00-4	4-Bromofluorobenzene	80%		70-130%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
109-99-9	Furan, tetrahydro-	10.47	1.3	ug/l	JN
	Total TIC, Volatile		1.3	ug/l	JN

- (a) EPA 524.2 is not a certified method for non-potable water samples.
- (b) This compound in BS is outside in house QC limits bias high.

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.2
4

Report of Analysis

Client Sample ID: BPOW 6-4	Date Sampled: 05/23/17
Lab Sample ID: JC43995-3	Date Received: 05/24/17
Matrix: AQ - Ground Water	Percent Solids: n/a
Method: EPA 524.2 REV 4.1	
Project: Navy Wells, OU2, Bethpage, NY	

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 ^a	1B109731.D	1	05/27/17 21:58	BK	n/a	n/a	V1B5221
Run #2							

Run #	Purge Volume
Run #1	5.0 ml
Run #2	

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	5.0	3.8	ug/l	
78-93-3	2-Butanone	ND	5.0	2.5	ug/l	
71-43-2	Benzene	ND	0.50	0.26	ug/l	
75-27-4	Bromodichloromethane	ND	0.50	0.36	ug/l	
75-25-2	Bromoform	ND	0.50	0.40	ug/l	
74-83-9	Bromomethane	ND	0.50	0.081	ug/l	
75-15-0	Carbon disulfide	ND	0.50	0.39	ug/l	
108-90-7	Chlorobenzene	ND	0.50	0.27	ug/l	
75-00-3	Chloroethane	ND	0.50	0.071	ug/l	
67-66-3	Chloroform	ND	0.50	0.33	ug/l	
74-87-3	Chloromethane	ND	0.50	0.39	ug/l	
56-23-5	Carbon tetrachloride	ND	0.50	0.13	ug/l	
75-34-3	1,1-Dichloroethane	ND	0.50	0.13	ug/l	
75-35-4	1,1-Dichloroethylene	ND	0.50	0.23	ug/l	
107-06-2	1,2-Dichloroethane	ND	0.50	0.28	ug/l	
78-87-5	1,2-Dichloropropane	ND	0.50	0.29	ug/l	
124-48-1	Dibromochloromethane	ND	0.50	0.094	ug/l	
156-60-5	trans-1,2-Dichloroethylene	ND	0.50	0.098	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	0.50	0.26	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	0.14	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	0.25	ug/l	
100-41-4	Ethylbenzene	ND	0.50	0.26	ug/l	
76-13-1	Freon 113 ^b	ND	1.0	0.27	ug/l	
591-78-6	2-Hexanone	ND	2.0	1.3	ug/l	
75-09-2	Methylene chloride	ND	0.50	0.37	ug/l	
108-10-1	4-Methyl-2-pentanone	ND	2.0	1.5	ug/l	
100-42-5	Styrene	ND	0.50	0.21	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	0.50	0.12	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.50	0.099	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	0.50	0.12	ug/l	
127-18-4	Tetrachloroethylene	ND	0.50	0.12	ug/l	
108-88-3	Toluene	ND	0.50	0.13	ug/l	

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.3
4

Report of Analysis

Client Sample ID: BPOW 6-4 Lab Sample ID: JC43995-3 Matrix: AQ - Ground Water Method: EPA 524.2 REV 4.1 Project: Navy Wells, OU2, Bethpage, NY	Date Sampled: 05/23/17 Date Received: 05/24/17 Percent Solids: n/a
---	---

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethylene	ND	0.50	0.11	ug/l	
75-01-4	Vinyl chloride	ND	0.50	0.056	ug/l	
	m,p-Xylene	ND	0.50	0.26	ug/l	
95-47-6	o-Xylene	ND	0.50	0.24	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2199-69-1	1,2-Dichlorobenzene-d4	102%		70-130%
460-00-4	4-Bromofluorobenzene	81%		70-130%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

- (a) EPA 524.2 is not a certified method for non-potable water samples.
- (b) This compound in BS is outside in house QC limits bias high.

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.3
4

Report of Analysis

Client Sample ID: BPOW6-5	Date Sampled: 05/25/17
Lab Sample ID: JC44223-1	Date Received: 05/26/17
Matrix: AQ - Ground Water	Percent Solids: n/a
Method: EPA 524.2 REV 4.1	
Project: Navy Wells, OU2, Bethpage, NY	

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 ^a	1B109815.D	1	06/02/17 17:37	BK	n/a	n/a	V1B5227
Run #2							

Run #	Purge Volume
Run #1	5.0 ml
Run #2	

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	5.0	3.8	ug/l	
78-93-3	2-Butanone	ND	5.0	2.5	ug/l	
71-43-2	Benzene	ND	0.50	0.26	ug/l	
75-27-4	Bromodichloromethane	ND	0.50	0.36	ug/l	
75-25-2	Bromoform	ND	0.50	0.40	ug/l	
74-83-9	Bromomethane	ND	0.50	0.081	ug/l	
75-15-0	Carbon disulfide	ND	0.50	0.39	ug/l	
108-90-7	Chlorobenzene	ND	0.50	0.27	ug/l	
75-00-3	Chloroethane	ND	0.50	0.071	ug/l	
67-66-3	Chloroform	ND	0.50	0.33	ug/l	
74-87-3	Chloromethane	ND	0.50	0.39	ug/l	
56-23-5	Carbon tetrachloride	ND	0.50	0.13	ug/l	
75-34-3	1,1-Dichloroethane	ND	0.50	0.13	ug/l	
75-35-4	1,1-Dichloroethylene	ND	0.50	0.23	ug/l	
107-06-2	1,2-Dichloroethane	ND	0.50	0.28	ug/l	
78-87-5	1,2-Dichloropropane	ND	0.50	0.29	ug/l	
124-48-1	Dibromochloromethane	ND	0.50	0.094	ug/l	
156-60-5	trans-1,2-Dichloroethylene	ND	0.50	0.098	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	0.50	0.26	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	0.14	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	0.25	ug/l	
100-41-4	Ethylbenzene	ND	0.50	0.26	ug/l	
76-13-1	Freon 113	ND	1.0	0.27	ug/l	
591-78-6	2-Hexanone	ND	2.0	1.3	ug/l	
75-09-2	Methylene chloride	ND	0.50	0.37	ug/l	
108-10-1	4-Methyl-2-pentanone	ND	2.0	1.5	ug/l	
100-42-5	Styrene	ND	0.50	0.21	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	0.50	0.12	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.50	0.099	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	0.50	0.12	ug/l	
127-18-4	Tetrachloroethylene	ND	0.50	0.12	ug/l	
108-88-3	Toluene	ND	0.50	0.13	ug/l	

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: BPOW6-5	Date Sampled: 05/25/17
Lab Sample ID: JC44223-1	Date Received: 05/26/17
Matrix: AQ - Ground Water	Percent Solids: n/a
Method: EPA 524.2 REV 4.1	
Project: Navy Wells, OU2, Bethpage, NY	

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethylene	ND	0.50	0.11	ug/l	
75-01-4	Vinyl chloride	ND	0.50	0.056	ug/l	
	m,p-Xylene	ND	0.50	0.26	ug/l	
95-47-6	o-Xylene	ND	0.50	0.24	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2199-69-1	1,2-Dichlorobenzene-d4	98%		70-130%
460-00-4	4-Bromofluorobenzene	79%		70-130%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

(a) EPA 524.2 is not a certified method for non-potable water samples.

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.1
4

Report of Analysis

Client Sample ID: BPOW6-6	Date Sampled: 05/25/17
Lab Sample ID: JC44223-2	Date Received: 05/26/17
Matrix: AQ - Ground Water	Percent Solids: n/a
Method: EPA 524.2 REV 4.1	
Project: Navy Wells, OU2, Bethpage, NY	

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 ^a	1B109816.D	1	06/02/17 18:09	BK	n/a	n/a	V1B5227
Run #2							

Run #	Purge Volume
Run #1	5.0 ml
Run #2	

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	5.0	3.8	ug/l	
78-93-3	2-Butanone	ND	5.0	2.5	ug/l	
71-43-2	Benzene	ND	0.50	0.26	ug/l	
75-27-4	Bromodichloromethane	ND	0.50	0.36	ug/l	
75-25-2	Bromoform	ND	0.50	0.40	ug/l	
74-83-9	Bromomethane	ND	0.50	0.081	ug/l	
75-15-0	Carbon disulfide	ND	0.50	0.39	ug/l	
108-90-7	Chlorobenzene	ND	0.50	0.27	ug/l	
75-00-3	Chloroethane	ND	0.50	0.071	ug/l	
67-66-3	Chloroform	ND	0.50	0.33	ug/l	
74-87-3	Chloromethane	ND	0.50	0.39	ug/l	
56-23-5	Carbon tetrachloride	ND	0.50	0.13	ug/l	
75-34-3	1,1-Dichloroethane	ND	0.50	0.13	ug/l	
75-35-4	1,1-Dichloroethylene	ND	0.50	0.23	ug/l	
107-06-2	1,2-Dichloroethane	ND	0.50	0.28	ug/l	
78-87-5	1,2-Dichloropropane	ND	0.50	0.29	ug/l	
124-48-1	Dibromochloromethane	ND	0.50	0.094	ug/l	
156-60-5	trans-1,2-Dichloroethylene	ND	0.50	0.098	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	0.50	0.26	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	0.14	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	0.25	ug/l	
100-41-4	Ethylbenzene	ND	0.50	0.26	ug/l	
76-13-1	Freon 113	ND	1.0	0.27	ug/l	
591-78-6	2-Hexanone	ND	2.0	1.3	ug/l	
75-09-2	Methylene chloride	ND	0.50	0.37	ug/l	
108-10-1	4-Methyl-2-pentanone	ND	2.0	1.5	ug/l	
100-42-5	Styrene	ND	0.50	0.21	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	0.50	0.12	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.50	0.099	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	0.50	0.12	ug/l	
127-18-4	Tetrachloroethylene	ND	0.50	0.12	ug/l	
108-88-3	Toluene	ND	0.50	0.13	ug/l	

ND = Not detected MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: BPOW6-6		Date Sampled: 05/25/17
Lab Sample ID: JC44223-2		Date Received: 05/26/17
Matrix: AQ - Ground Water		Percent Solids: n/a
Method: EPA 524.2 REV 4.1		
Project: Navy Wells, OU2, Bethpage, NY		

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethylene	ND	0.50	0.11	ug/l	
75-01-4	Vinyl chloride	ND	0.50	0.056	ug/l	
	m,p-Xylene	ND	0.50	0.26	ug/l	
95-47-6	o-Xylene	ND	0.50	0.24	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2199-69-1	1,2-Dichlorobenzene-d4	96%		70-130%
460-00-4	4-Bromofluorobenzene	77%		70-130%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

(a) EPA 524.2 is not a certified method for non-potable water samples.

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.2
4

Report of Analysis

Client Sample ID: TB052517AR1	Date Sampled: 05/25/17
Lab Sample ID: JC44223-3	Date Received: 05/26/17
Matrix: AQ - Trip Blank Water	Percent Solids: n/a
Method: EPA 524.2 REV 4.1	
Project: Navy Wells, OU2, Bethpage, NY	

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 ^a	1B109817.D	1	06/02/17 18:41	BK	n/a	n/a	V1B5227
Run #2							

Run #	Purge Volume
Run #1	5.0 ml
Run #2	

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	5.0	3.8	ug/l	
78-93-3	2-Butanone	ND	5.0	2.5	ug/l	
71-43-2	Benzene	ND	0.50	0.26	ug/l	
75-27-4	Bromodichloromethane	ND	0.50	0.36	ug/l	
75-25-2	Bromoform	ND	0.50	0.40	ug/l	
74-83-9	Bromomethane	ND	0.50	0.081	ug/l	
75-15-0	Carbon disulfide	ND	0.50	0.39	ug/l	
108-90-7	Chlorobenzene	ND	0.50	0.27	ug/l	
75-00-3	Chloroethane	ND	0.50	0.071	ug/l	
67-66-3	Chloroform	ND	0.50	0.33	ug/l	
74-87-3	Chloromethane	ND	0.50	0.39	ug/l	
56-23-5	Carbon tetrachloride	ND	0.50	0.13	ug/l	
75-34-3	1,1-Dichloroethane	ND	0.50	0.13	ug/l	
75-35-4	1,1-Dichloroethylene	ND	0.50	0.23	ug/l	
107-06-2	1,2-Dichloroethane	ND	0.50	0.28	ug/l	
78-87-5	1,2-Dichloropropane	ND	0.50	0.29	ug/l	
124-48-1	Dibromochloromethane	ND	0.50	0.094	ug/l	
156-60-5	trans-1,2-Dichloroethylene	ND	0.50	0.098	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	0.50	0.26	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	0.14	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	0.25	ug/l	
100-41-4	Ethylbenzene	ND	0.50	0.26	ug/l	
76-13-1	Freon 113	ND	1.0	0.27	ug/l	
591-78-6	2-Hexanone	ND	2.0	1.3	ug/l	
75-09-2	Methylene chloride	ND	0.50	0.37	ug/l	
108-10-1	4-Methyl-2-pentanone	ND	2.0	1.5	ug/l	
100-42-5	Styrene	ND	0.50	0.21	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	0.50	0.12	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.50	0.099	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	0.50	0.12	ug/l	
127-18-4	Tetrachloroethylene	ND	0.50	0.12	ug/l	
108-88-3	Toluene	ND	0.50	0.13	ug/l	

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: TB052517AR1		Date Sampled: 05/25/17
Lab Sample ID: JC44223-3		Date Received: 05/26/17
Matrix: AQ - Trip Blank Water		Percent Solids: n/a
Method: EPA 524.2 REV 4.1		
Project: Navy Wells, OU2, Bethpage, NY		

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethylene	ND	0.50	0.11	ug/l	
75-01-4	Vinyl chloride	ND	0.50	0.056	ug/l	
	m,p-Xylene	ND	0.50	0.26	ug/l	
95-47-6	o-Xylene	ND	0.50	0.24	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2199-69-1	1,2-Dichlorobenzene-d4	95%		70-130%
460-00-4	4-Bromofluorobenzene	78%		70-130%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

(a) EPA 524.2 is not a certified method for non-potable water samples.

ND = Not detected MDL = Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

4.3
4

Report of Analysis

Client Sample ID: RE-107D1	Date Sampled: 05/10/17
Lab Sample ID: JC43126-1	Date Received: 05/11/17
Matrix: AQ - Ground Water	Percent Solids: n/a
Method: SW846 8260C	
Project: Navy Wells, OU2, Bethpage, NY	

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	4B71300.D	1	05/16/17 23:26	HT	n/a	n/a	V4B2931
Run #2							

Run #	Purge Volume
Run #1	5.0 ml
Run #2	

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	10	5.0	ug/l	
71-43-2	Benzene	ND	0.50	0.14	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.55	ug/l	
75-25-2	Bromoform	ND	1.0	0.34	ug/l	
74-83-9	Bromomethane	ND	2.0	0.46	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	1.9	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.33	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.54	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.17	ug/l	
75-00-3	Chloroethane	ND	1.0	0.44	ug/l	
67-66-3	Chloroform	ND	1.0	0.23	ug/l	
74-87-3	Chloromethane	ND	1.0	0.96	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.23	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.21	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.39	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.20	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.31	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.36	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.33	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.19	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.26	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.20	ug/l	
76-13-1	Freon 113	ND	5.0	1.2	ug/l	
591-78-6	2-Hexanone	ND	5.0	1.5	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	1.2	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.27	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.39	ug/l	
127-18-4	Tetrachloroethene	1.0	1.0	0.23	ug/l	
108-88-3	Toluene	ND	1.0	0.23	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.22	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.28	ug/l	

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.1
4

Report of Analysis

Client Sample ID: RE-107D1 Lab Sample ID: JC43126-1 Matrix: AQ - Ground Water Method: SW846 8260C Project: Navy Wells, OU2, Bethpage, NY	Date Sampled: 05/10/17 Date Received: 05/11/17 Percent Solids: n/a
---	---

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethene	15.2	1.0	0.26	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.33	ug/l	
	m,p-Xylene	ND	1.0	0.42	ug/l	
95-47-6	o-Xylene	ND	1.0	0.21	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	106%		76-120%
17060-07-0	1,2-Dichloroethane-D4	113%		73-122%
2037-26-5	Toluene-D8	100%		84-119%
460-00-4	4-Bromofluorobenzene	103%		78-117%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

ND = Not detected MDL = Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

4.1
4

Report of Analysis

Client Sample ID: RE-107D1	Date Sampled: 05/10/17
Lab Sample ID: JC43126-1	Date Received: 05/11/17
Matrix: AQ - Ground Water	Percent Solids: n/a
Method: SW846 8270D BY SIM SW846 3510C	
Project: Navy Wells, OU2, Bethpage, NY	

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	3P59747.D	1	05/19/17 06:25	JJ	05/17/17	OP2896A	E3P2801
Run #2							

Run #	Initial Volume	Final Volume
Run #1	900 ml	1.0 ml
Run #2		

CAS No.	Compound	Result	RL	MDL	Units	Q
123-91-1	1,4-Dioxane	4.33	0.11	0.054	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
4165-60-0	Nitrobenzene-d5	65%		29-124%
321-60-8	2-Fluorobiphenyl	46%		23-122%
1718-51-0	Terphenyl-d14	62%		22-130%

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.1
4

Report of Analysis

Client Sample ID: TB051017AD1	Date Sampled: 05/10/17
Lab Sample ID: JC43126-2	Date Received: 05/11/17
Matrix: AQ - Trip Blank Water	Percent Solids: n/a
Method: SW846 8260C	
Project: Navy Wells, OU2, Bethpage, NY	

Run #1	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	4B71297.D	1	05/16/17 22:02	HT	n/a	n/a	V4B2931
Run #2							

Run #1	Purge Volume
Run #1	5.0 ml
Run #2	

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	10	5.0	ug/l	
71-43-2	Benzene	ND	0.50	0.14	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.55	ug/l	
75-25-2	Bromoform	ND	1.0	0.34	ug/l	
74-83-9	Bromomethane	ND	2.0	0.46	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	1.9	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.33	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.54	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.17	ug/l	
75-00-3	Chloroethane	ND	1.0	0.44	ug/l	
67-66-3	Chloroform	ND	1.0	0.23	ug/l	
74-87-3	Chloromethane	ND	1.0	0.96	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.23	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.21	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.39	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.20	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.31	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.36	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.33	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.19	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.26	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.20	ug/l	
76-13-1	Freon 113	ND	5.0	1.2	ug/l	
591-78-6	2-Hexanone	ND	5.0	1.5	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	1.2	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.27	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.39	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.23	ug/l	
108-88-3	Toluene	ND	1.0	0.23	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.22	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.28	ug/l	

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.2
4

Report of Analysis

Client Sample ID: TB051017AD1		Date Sampled: 05/10/17
Lab Sample ID: JC43126-2		Date Received: 05/11/17
Matrix: AQ - Trip Blank Water		Percent Solids: n/a
Method: SW846 8260C		
Project: Navy Wells, OU2, Bethpage, NY		

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethene	ND	1.0	0.26	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.33	ug/l	
	m,p-Xylene	ND	1.0	0.42	ug/l	
95-47-6	o-Xylene	ND	1.0	0.21	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	105%		76-120%
17060-07-0	1,2-Dichloroethane-D4	112%		73-122%
2037-26-5	Toluene-D8	99%		84-119%
460-00-4	4-Bromofluorobenzene	104%		78-117%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

ND = Not detected MDL = Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

4.2
4

Report of Analysis

Client Sample ID: FB051017AD1		
Lab Sample ID: JC43126-3		Date Sampled: 05/10/17
Matrix: AQ - Field Blank Water		Date Received: 05/11/17
Method: SW846 8260C		Percent Solids: n/a
Project: Navy Wells, OU2, Bethpage, NY		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	4B71299.D	1	05/16/17 22:59	HT	n/a	n/a	V4B2931
Run #2							

Run #	Purge Volume
Run #1	5.0 ml
Run #2	

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	10	5.0	ug/l	
71-43-2	Benzene	ND	0.50	0.14	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.55	ug/l	
75-25-2	Bromoform	ND	1.0	0.34	ug/l	
74-83-9	Bromomethane	ND	2.0	0.46	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	1.9	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.33	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.54	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.17	ug/l	
75-00-3	Chloroethane	ND	1.0	0.44	ug/l	
67-66-3	Chloroform	ND	1.0	0.23	ug/l	
74-87-3	Chloromethane	ND	1.0	0.96	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.23	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.21	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.39	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.20	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.31	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.36	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.33	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.19	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.26	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.20	ug/l	
76-13-1	Freon 113	ND	5.0	1.2	ug/l	
591-78-6	2-Hexanone	ND	5.0	1.5	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	1.2	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.27	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.39	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.23	ug/l	
108-88-3	Toluene	ND	1.0	0.23	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.22	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.28	ug/l	

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.3
4

Report of Analysis

Client Sample ID: FB051017AD1 Lab Sample ID: JC43126-3 Matrix: AQ - Field Blank Water Method: SW846 8260C Project: Navy Wells, OU2, Bethpage, NY	Date Sampled: 05/10/17 Date Received: 05/11/17 Percent Solids: n/a
---	---

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethene	ND	1.0	0.26	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.33	ug/l	
	m,p-Xylene	ND	1.0	0.42	ug/l	
95-47-6	o-Xylene	ND	1.0	0.21	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	105%		76-120%
17060-07-0	1,2-Dichloroethane-D4	113%		73-122%
2037-26-5	Toluene-D8	101%		84-119%
460-00-4	4-Bromofluorobenzene	105%		78-117%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

ND = Not detected MDL = Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

4.3
4

Report of Analysis

Client Sample ID: FB051017AD1	Date Sampled: 05/10/17
Lab Sample ID: JC43126-3	Date Received: 05/11/17
Matrix: AQ - Field Blank Water	Percent Solids: n/a
Method: SW846 8270D BY SIM SW846 3510C	
Project: Navy Wells, OU2, Bethpage, NY	

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	3P59748.D	1	05/19/17 06:56	JJ	05/17/17	OP2896A	E3P2801
Run #2							

	Initial Volume	Final Volume
Run #1	1000 ml	1.0 ml
Run #2		

CAS No.	Compound	Result	RL	MDL	Units	Q
123-91-1	1,4-Dioxane	ND	0.10	0.049	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
4165-60-0	Nitrobenzene-d5	77%		29-124%
321-60-8	2-Fluorobiphenyl	57%		23-122%
1718-51-0	Terphenyl-d14	67%		22-130%

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.3
4

Report of Analysis

Client Sample ID: RE-107D2		Date Sampled: 05/10/17
Lab Sample ID: JC43126-4		Date Received: 05/11/17
Matrix: AQ - Ground Water		Percent Solids: n/a
Method: SW846 8260C		
Project: Navy Wells, OU2, Bethpage, NY		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	4B71298.D	1	05/16/17 22:30	HT	n/a	n/a	V4B2931
Run #2	4B71317.D	5	05/17/17 12:58	HT	n/a	n/a	V4B2932

Run #	Purge Volume
Run #1	5.0 ml
Run #2	5.0 ml

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	10	5.0	ug/l	
71-43-2	Benzene	ND	0.50	0.14	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.55	ug/l	
75-25-2	Bromoform	ND	1.0	0.34	ug/l	
74-83-9	Bromomethane	ND	2.0	0.46	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	1.9	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.33	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.54	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.17	ug/l	
75-00-3	Chloroethane	ND	1.0	0.44	ug/l	
67-66-3	Chloroform	0.35	1.0	0.23	ug/l	J
74-87-3	Chloromethane	ND	1.0	0.96	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.23	ug/l	
75-34-3	1,1-Dichloroethane	0.30	1.0	0.21	ug/l	J
107-06-2	1,2-Dichloroethane	ND	1.0	0.39	ug/l	
75-35-4	1,1-Dichloroethene	0.80	1.0	0.20	ug/l	J
156-59-2	cis-1,2-Dichloroethene	4.1	1.0	0.31	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.36	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.33	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.19	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.26	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.20	ug/l	
76-13-1	Freon 113	34.9	5.0	1.2	ug/l	
591-78-6	2-Hexanone	ND	5.0	1.5	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	1.2	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.27	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.39	ug/l	
127-18-4	Tetrachloroethene	8.6	1.0	0.23	ug/l	
108-88-3	Toluene	ND	1.0	0.23	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.22	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.28	ug/l	

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.4
4

Report of Analysis

Client Sample ID: RE-107D2	Date Sampled: 05/10/17
Lab Sample ID: JC43126-4	Date Received: 05/11/17
Matrix: AQ - Ground Water	Percent Solids: n/a
Method: SW846 8260C	
Project: Navy Wells, OU2, Bethpage, NY	

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethene	194 ✓	5.0	1.3	ug/l	D
75-01-4	Vinyl chloride	ND	1.0	0.33	ug/l	
	m,p-Xylene	ND	1.0	0.42	ug/l	
95-47-6	o-Xylene	ND	1.0	0.21	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	107%	104%	76-120%
17060-07-0	1,2-Dichloroethane-D4	112%	108%	73-122%
2037-26-5	Toluene-D8	100%	99%	84-119%
460-00-4	4-Bromofluorobenzene	104%	104%	78-117%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

(a) Result is from Run# 2

ND = Not detected MDL = Method Detection Limit
 RL = Reporting Limit

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: RE-107D2	Date Sampled: 05/10/17
Lab Sample ID: JC43126-4	Date Received: 05/11/17
Matrix: AQ - Ground Water	Percent Solids: n/a
Method: SW846 8270D BY SIM SW846 3510C	
Project: Navy Wells, OU2, Bethpage, NY	

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	2M94990.D	1	05/25/17 13:18	AN	05/17/17	OP2896A	E2M4211
Run #2	3P59749.D	1	05/19/17 07:27	JJ	05/17/17	OP2896A	E3P2801

Run #	Initial Volume	Final Volume
Run #1	950 ml	1.0 ml
Run #2	950 ml	1.0 ml

CAS No.	Compound	Result	RL	MDL	Units	Q
123-91-1	1,4-Dioxane	9.58	1.1	0.051	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
4165-60-0	Nitrobenzene-d5	64%	59%	29-124%
321-60-8	2-Fluorobiphenyl	59%	44%	23-122%
1718-51-0	Terphenyl-d14	70%	54%	22-130%

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.4
4

Report of Analysis

Client Sample ID: RE107D3		Date Sampled: 05/12/17
Lab Sample ID: JC43283-1		Date Received: 05/12/17
Matrix: AQ - Ground Water		Percent Solids: n/a
Method: SW846 8260C		
Project: Navy Wells, OU2, Bethpage, NY		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	2E133153.D	1	05/19/17 03:52	JP	n/a	n/a	V2E5824
Run #2							

Run #	Purge Volume
Run #1	5.0 ml
Run #2	

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	10	5.0	ug/l	
71-43-2	Benzene	ND	0.50	0.14	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.55	ug/l	
75-25-2	Bromoform	ND	1.0	0.34	ug/l	
74-83-9	Bromomethane	ND	2.0	0.46	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	1.9	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.33	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.54	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.17	ug/l	
75-00-3	Chloroethane	ND	1.0	0.44	ug/l	
67-66-3	Chloroform	ND	1.0	0.23	ug/l	
74-87-3	Chloromethane	ND	1.0	0.96	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.23	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.21	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.39	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.20	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.31	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.36	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.33	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.19	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.26	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.20	ug/l	
76-13-1	Freon 113	4.5	5.0	1.2	ug/l	J
591-78-6	2-Hexanone	ND	5.0	1.5	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	1.2	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.27	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.39	ug/l	
127-18-4	Tetrachloroethene	0.40	1.0	0.23	ug/l	J
108-88-3	Toluene	ND	1.0	0.23	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.22	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.28	ug/l	

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.1
4

Report of Analysis

Client Sample ID: RE107D3	Date Sampled: 05/12/17
Lab Sample ID: JC43283-1	Date Received: 05/12/17
Matrix: AQ - Ground Water	Percent Solids: n/a
Method: SW846 8260C	
Project: Navy Wells, OU2, Bethpage, NY	

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethene	0.27	1.0	0.26	ug/l	J
75-01-4	Vinyl chloride ^a	ND	1.0	0.33	ug/l	
	m,p-Xylene	ND	1.0	0.42	ug/l	
95-47-6	o-Xylene	ND	1.0	0.21	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	101%		76-120%
17060-07-0	1,2-Dichloroethane-D4	95%		73-122%
2037-26-5	Toluene-D8	100%		84-119%
460-00-4	4-Bromofluorobenzene	102%		78-117%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

(a) This compound in BS is outside in house QC limits bias high.

ND = Not detected MDL = Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

4.1
4

Report of Analysis

Client Sample ID: RE107D3	Date Sampled: 05/12/17
Lab Sample ID: JC43283-1	Date Received: 05/12/17
Matrix: AQ - Ground Water	Percent Solids: n/a
Method: SW846 8270D BY SIM SW846 3510C	
Project: Navy Wells, OU2, Bethpage, NY	

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	3P59894.D	1	05/25/17 12:12	KM	05/18/17	OP2948A	E3P2809
Run #2							

	Initial Volume	Final Volume
Run #1	1030 ml	1.0 ml
Run #2		

CAS No.	Compound	Result	RL	MDL	Units	Q
123-91-1	1,4-Dioxane	ND	0.097	0.047	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
4165-60-0	Nitrobenzene-d5	83%		29-124%
321-60-8	2-Fluorobiphenyl	67%		23-122%
1718-51-0	Terphenyl-d14	76%		22-130%

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.1
4

Report of Analysis

Client Sample ID: FB051217AD1	Date Sampled: 05/12/17
Lab Sample ID: JC43283-2	Date Received: 05/12/17
Matrix: AQ - Field Blank Water	Percent Solids: n/a
Method: SW846 8260C	
Project: Navy Wells, OU2, Bethpage, NY	

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	2E133151.D	1	05/19/17 02:58	JP	n/a	n/a	V2E5824
Run #2							

Run #	Purge Volume
Run #1	5.0 ml
Run #2	

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	10	5.0	ug/l	
71-43-2	Benzene	ND	0.50	0.14	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.55	ug/l	
75-25-2	Bromoform	ND	1.0	0.34	ug/l	
74-83-9	Bromomethane	ND	2.0	0.46	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	1.9	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.33	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.54	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.17	ug/l	
75-00-3	Chloroethane	ND	1.0	0.44	ug/l	
67-66-3	Chloroform	ND	1.0	0.23	ug/l	
74-87-3	Chloromethane	ND	1.0	0.96	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.23	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.21	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.39	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.20	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.31	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.36	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.33	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.19	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.26	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.20	ug/l	
76-13-1	Freon 113	ND	5.0	1.2	ug/l	
591-78-6	2-Hexanone	ND	5.0	1.5	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	1.2	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.27	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.39	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.23	ug/l	
108-88-3	Toluene	ND	1.0	0.23	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.22	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.28	ug/l	

ND = Not detected MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: FB051217AD1 Lab Sample ID: JC43283-2 Matrix: AQ - Field Blank Water Method: SW846 8260C Project: Navy Wells, OU2, Bethpage, NY	Date Sampled: 05/12/17 Date Received: 05/12/17 Percent Solids: n/a
---	---

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethene	ND	1.0	0.26	ug/l	
75-01-4	Vinyl chloride ^a	ND	1.0	0.33	ug/l	
	m,p-Xylene	ND	1.0	0.42	ug/l	
95-47-6	o-Xylene	ND	1.0	0.21	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	100%		76-120%
17060-07-0	1,2-Dichloroethane-D4	95%		73-122%
2037-26-5	Toluene-D8	101%		84-119%
460-00-4	4-Bromofluorobenzene	103%		78-117%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

(a) This compound in BS is outside in house QC limits bias high.

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.2
4

Report of Analysis

Client Sample ID: FB051217AD1	Date Sampled: 05/12/17
Lab Sample ID: JC43283-2	Date Received: 05/12/17
Matrix: AQ - Field Blank Water	Percent Solids: n/a
Method: SW846 8270D BY SIM SW846 3510C	
Project: Navy Wells, OU2, Bethpage, NY	

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 ^a	3P59967.D	1	05/30/17 21:48	KM	05/26/17	OP3213A	E3P2811
Run #2							

Run #	Initial Volume	Final Volume
Run #1	1000 ml	1.0 ml
Run #2		

CAS No.	Compound	Result	RL	MDL	Units	Q
123-91-1	1,4-Dioxane	ND	0.10	0.049	ug/l	
CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits		
4165-60-0	Nitrobenzene-d5	80%		29-124%		
321-60-8	2-Fluorobiphenyl	63%		23-122%		
1718-51-0	Terphenyl-d14	74%		22-130%		

(a) Sample extracted outside the holding time due to login error.

ND = Not detected	MDL = Method Detection Limit	J = Indicates an estimated value
RL = Reporting Limit		B = Indicates analyte found in associated method blank
E = Indicates value exceeds calibration range		N = Indicates presumptive evidence of a compound

4.2
4

Report of Analysis

Client Sample ID: TB051217AD1	Date Sampled: 05/12/17
Lab Sample ID: JC43283-3	Date Received: 05/12/17
Matrix: AQ - Trip Blank Water	Percent Solids: n/a
Method: SW846 8260C	
Project: Navy Wells, OU2, Bethpage, NY	

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	2E133152.D	1	05/19/17 03:25	JP	n/a	n/a	V2E5824
Run #2							

Run #	Purge Volume
Run #1	5.0 ml
Run #2	

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	10	5.0	ug/l	
71-43-2	Benzene	ND	0.50	0.14	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.55	ug/l	
75-25-2	Bromoform	ND	1.0	0.34	ug/l	
74-83-9	Bromomethane	ND	2.0	0.46	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	1.9	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.33	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.54	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.17	ug/l	
75-00-3	Chloroethane	ND	1.0	0.44	ug/l	
67-66-3	Chloroform	ND	1.0	0.23	ug/l	
74-87-3	Chloromethane	ND	1.0	0.96	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.23	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.21	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.39	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.20	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.31	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.36	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.33	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.19	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.26	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.20	ug/l	
76-13-1	Freon 113	ND	5.0	1.2	ug/l	
591-78-6	2-Hexanone	ND	5.0	1.5	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	1.2	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.27	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.39	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.23	ug/l	
108-88-3	Toluene	ND	1.0	0.23	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.22	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.28	ug/l	

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.3
4

Report of Analysis

Client Sample ID: TB051217AD1	Date Sampled: 05/12/17
Lab Sample ID: JC43283-3	Date Received: 05/12/17
Matrix: AQ - Trip Blank Water	Percent Solids: n/a
Method: SW846 8260C	
Project: Navy Wells, OU2, Bethpage, NY	

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethene	ND	1.0	0.26	ug/l	
75-01-4	Vinyl chloride ^a	ND	1.0	0.33	ug/l	
	m,p-Xylene	ND	1.0	0.42	ug/l	
95-47-6	o-Xylene	ND	1.0	0.21	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	101%		76-120%
17060-07-0	1,2-Dichloroethane-D4	95%		73-122%
2037-26-5	Toluene-D8	101%		84-119%
460-00-4	4-Bromofluorobenzene	104%		78-117%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

(a) This compound in BS is outside in house QC limits bias high.

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.3
4

Report of Analysis

Client Sample ID:	RE114D1	Date Sampled:	05/15/17
Lab Sample ID:	JC43449-1	Date Received:	05/16/17
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8260C		
Project:	Navy Wells, OU2, Bethpage, NY		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	L291064.D	1	05/25/17 17:14	JC	n/a	n/a	VL8142
Run #2	L291055.D	10	05/25/17 13:07	JC	n/a	n/a	VL8142

Run #	Purge Volume
Run #1	5.0 ml
Run #2	5.0 ml

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	10	5.0	ug/l	
71-43-2	Benzene	ND	0.50	0.14	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.55	ug/l	
75-25-2	Bromoform	ND	1.0	0.34	ug/l	
74-83-9	Bromomethane	ND	2.0	0.46	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	1.9	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.33	ug/l	
56-23-5	Carbon tetrachloride	2.0	1.0	0.54	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.17	ug/l	
75-00-3	Chloroethane	ND	1.0	0.44	ug/l	
67-66-3	Chloroform	2.3	1.0	0.23	ug/l	
74-87-3	Chloromethane	ND	1.0	0.96	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.23	ug/l	
75-34-3	1,1-Dichloroethane	1.2	1.0	0.21	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.39	ug/l	
75-35-4	1,1-Dichloroethene	3.5	1.0	0.20	ug/l	
156-59-2	cis-1,2-Dichloroethene	4.7	1.0	0.31	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.36	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.33	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.19	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.26	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.20	ug/l	
76-13-1	Freon 113	13.9	5.0	1.2	ug/l	
591-78-6	2-Hexanone	ND	5.0	1.5	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	1.2	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.27	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.39	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.23	ug/l	
108-88-3	Toluene	ND	1.0	0.23	ug/l	
71-55-6	1,1,1-Trichloroethane	0.36	1.0	0.22	ug/l	J
79-00-5	1,1,2-Trichloroethane	1.3	1.0	0.28	ug/l	

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: RE114D1	Date Sampled: 05/15/17
Lab Sample ID: JC43449-1	Date Received: 05/16/17
Matrix: AQ - Ground Water	Percent Solids: n/a
Method: SW846 8260C	
Project: Navy Wells, OU2, Bethpage, NY	

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethene	415 μg/l	10	2.6	ug/l	D
75-01-4	Vinyl chloride	ND	1.0	0.33	ug/l	
	m,p-Xylene	ND	1.0	0.42	ug/l	
95-47-6	o-Xylene	ND	1.0	0.21	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	99%	101%	76-120%
17060-07-0	1,2-Dichloroethane-D4	99%	98%	73-122%
2037-26-5	Toluene-D8	94%	96%	84-119%
460-00-4	4-Bromofluorobenzene	100%	98%	78-117%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

(a) Result is from Run# 2

ND = Not detected MDL = Method Detection Limit
 RL = Reporting Limit

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

4.1
4

Report of Analysis

Client Sample ID: RE114D1	Date Sampled: 05/15/17
Lab Sample ID: JC43449-1	Date Received: 05/16/17
Matrix: AQ - Ground Water	Percent Solids: n/a
Method: SW846 8270D BY SIM SW846 3510C	
Project: Navy Wells, OU2, Bethpage, NY	

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	3M69455.D	1	05/23/17 17:33	KM	05/22/17	OP3023A	E3M3277
Run #2							

	Initial Volume	Final Volume
Run #1	1000 ml	1.0 ml
Run #2		

CAS No.	Compound	Result	RL	MDL	Units	Q
123-91-1	1,4-Dioxane	4.17	0.10	0.049	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
4165-60-0	Nitrobenzene-d5	88%		29-124%
321-60-8	2-Fluorobiphenyl	81%		23-122%
1718-51-0	Terphenyl-d14	96%		22-130%

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.1
4

Report of Analysis

Client Sample ID: FB051517AD1	Date Sampled: 05/15/17
Lab Sample ID: JC43449-2	Date Received: 05/16/17
Matrix: AQ - Field Blank Water	Percent Solids: n/a
Method: SW846 8260C	
Project: Navy Wells, OU2, Bethpage, NY	

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	L291071.D	1	05/25/17 20:01	JC	n/a	n/a	VL8143
Run #2							

Run #	Purge Volume
Run #1	5.0 ml
Run #2	

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	10	5.0	ug/l	
71-43-2	Benzene	ND	0.50	0.14	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.55	ug/l	
75-25-2	Bromoform	ND	1.0	0.34	ug/l	
74-83-9	Bromomethane	ND	2.0	0.46	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	1.9	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.33	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.54	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.17	ug/l	
75-00-3	Chloroethane	ND	1.0	0.44	ug/l	
67-66-3	Chloroform	ND	1.0	0.23	ug/l	
74-87-3	Chloromethane	ND	1.0	0.96	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.23	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.21	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.39	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.20	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.31	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.36	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.33	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.19	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.26	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.20	ug/l	
76-13-1	Freon 113	ND	5.0	1.2	ug/l	
591-78-6	2-Hexanone	ND	5.0	1.5	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	1.2	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.27	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.39	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.23	ug/l	
108-88-3	Toluene	ND	1.0	0.23	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.22	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.28	ug/l	

ND = Not detected MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: FB051517AD1 Lab Sample ID: JC43449-2 Matrix: AQ - Field Blank Water Method: SW846 8260C Project: Navy Wells, OU2, Bethpage, NY	Date Sampled: 05/15/17 Date Received: 05/16/17 Percent Solids: n/a
---	---

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethene	ND	1.0	0.26	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.33	ug/l	
	m,p-Xylene	ND	1.0	0.42	ug/l	
95-47-6	o-Xylene	ND	1.0	0.21	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	98%		76-120%
17060-07-0	1,2-Dichloroethane-D4	98%		73-122%
2037-26-5	Toluene-D8	96%		84-119%
460-00-4	4-Bromofluorobenzene	98%		78-117%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.2
4

Report of Analysis

Client Sample ID: FB051517AD1	Date Sampled: 05/15/17
Lab Sample ID: JC43449-2	Date Received: 05/16/17
Matrix: AQ - Field Blank Water	Percent Solids: n/a
Method: SW846 8270D BY SIM SW846 3510C	
Project: Navy Wells, OU2, Bethpage, NY	

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	3M69456.D	1	05/23/17 18:37	KM	05/22/17	OP3023A	E3M3277
Run #2							

	Initial Volume	Final Volume
Run #1	1000 ml	1.0 ml
Run #2		

CAS No.	Compound	Result	RL	MDL	Units	Q
123-91-1	1,4-Dioxane	ND	0.10	0.049	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
4165-60-0	Nitrobenzene-d5	90%		29-124%
321-60-8	2-Fluorobiphenyl	84%		23-122%
1718-51-0	Terphenyl-d14	113%		22-130%

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.2
4

Report of Analysis

Client Sample ID: RE114D2		Date Sampled: 05/15/17
Lab Sample ID: JC43449-3		Date Received: 05/16/17
Matrix: AQ - Ground Water		Percent Solids: n/a
Method: SW846 8260C		
Project: Navy Wells, OU2, Bethpage, NY		

Run #1	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	L291051.D	1	05/25/17 11:14	JC	n/a	n/a	VL8142
Run #2							

Run #1	Purge Volume
Run #1	5.0 ml
Run #2	

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	10	5.0	ug/l	
71-43-2	Benzene	ND	0.50	0.14	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.55	ug/l	
75-25-2	Bromoform	ND	1.0	0.34	ug/l	
74-83-9	Bromomethane	ND	2.0	0.46	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	1.9	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.33	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.54	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.17	ug/l	
75-00-3	Chloroethane	ND	1.0	0.44	ug/l	
67-66-3	Chloroform	0.39	1.0	0.23	ug/l	J
74-87-3	Chloromethane	ND	1.0	0.96	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.23	ug/l	
75-34-3	1,1-Dichloroethane	0.49	1.0	0.21	ug/l	J
107-06-2	1,2-Dichloroethane	ND	1.0	0.39	ug/l	
75-35-4	1,1-Dichloroethene	0.89	1.0	0.20	ug/l	J
156-59-2	cis-1,2-Dichloroethene	0.95	1.0	0.31	ug/l	J
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.36	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.33	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.19	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.26	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.20	ug/l	
76-13-1	Freon 113	6.7	5.0	1.2	ug/l	
591-78-6	2-Hexanone	ND	5.0	1.5	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	1.2	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.27	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.39	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.23	ug/l	
108-88-3	Toluene	ND	1.0	0.23	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.22	ug/l	
79-00-5	1,1,2-Trichloroethane	0.34	1.0	0.28	ug/l	J

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: RE114D2	Date Sampled: 05/15/17
Lab Sample ID: JC43449-3	Date Received: 05/16/17
Matrix: AQ - Ground Water	Percent Solids: n/a
Method: SW846 8260C	
Project: Navy Wells, OU2, Bethpage, NY	

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethene	67.0	1.0	0.26	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.33	ug/l	
	m,p-Xylene	ND	1.0	0.42	ug/l	
95-47-6	o-Xylene	ND	1.0	0.21	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	99%		76-120%
17060-07-0	1,2-Dichloroethane-D4	96%		73-122%
2037-26-5	Toluene-D8	95%		84-119%
460-00-4	4-Bromofluorobenzene	95%		78-117%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

ND = Not detected MDL = Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

4.3
4

Report of Analysis

Client Sample ID: RE114D2	Date Sampled: 05/15/17
Lab Sample ID: JC43449-3	Date Received: 05/16/17
Matrix: AQ - Ground Water	Percent Solids: n/a
Method: SW846 8270D BY SIM SW846 3510C	
Project: Navy Wells, OU2, Bethpage, NY	

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	3M69457.D	1	05/23/17 19:09	KM	05/22/17	OP3023A	E3M3277
Run #2							

Run #	Initial Volume	Final Volume
Run #1	1000 ml	1.0 ml
Run #2		

CAS No.	Compound	Result	RL	MDL	Units	Q
123-91-1	1,4-Dioxane	2.34	0.10	0.049	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
4165-60-0	Nitrobenzene-d5	82%		29-124%
321-60-8	2-Fluorobiphenyl	74%		23-122%
1718-51-0	Terphenyl-d14	99%		22-130%

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.3
4

Report of Analysis

Client Sample ID: TB051517AD1		Date Sampled: 05/15/17
Lab Sample ID: JC43449-4		Date Received: 05/16/17
Matrix: AQ - Trip Blank Water		Percent Solids: n/a
Method: SW846 8260C		
Project: Navy Wells, OU2, Bethpage, NY		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	L291072.D	1	05/25/17 20:28	JC	n/a	n/a	VL8143
Run #2							

Run #	Purge Volume
Run #1	5.0 ml
Run #2	

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	10	5.0	ug/l	
71-43-2	Benzene	ND	0.50	0.14	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.55	ug/l	
75-25-2	Bromoform	ND	1.0	0.34	ug/l	
74-83-9	Bromomethane	ND	2.0	0.46	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	1.9	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.33	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.54	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.17	ug/l	
75-00-3	Chloroethane	ND	1.0	0.44	ug/l	
67-66-3	Chloroform	ND	1.0	0.23	ug/l	
74-87-3	Chloromethane	ND	1.0	0.96	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.23	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.21	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.39	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.20	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.31	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.36	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.33	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.19	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.26	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.20	ug/l	
76-13-1	Freon 113	ND	5.0	1.2	ug/l	
591-78-6	2-Hexanone	ND	5.0	1.5	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	1.2	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.27	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.39	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.23	ug/l	
108-88-3	Toluene	ND	1.0	0.23	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.22	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.28	ug/l	

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.4
4

Report of Analysis

Client Sample ID: TB051517AD1 Lab Sample ID: JC43449-4 Matrix: AQ - Trip Blank Water Method: SW846 8260C Project: Navy Wells, OU2, Bethpage, NY	Date Sampled: 05/15/17 Date Received: 05/16/17 Percent Solids: n/a
--	---

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethene	ND	1.0	0.26	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.33	ug/l	
	m,p-Xylene	ND	1.0	0.42	ug/l	
95-47-6	o-Xylene	ND	1.0	0.21	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	99%		76-120%
17060-07-0	1,2-Dichloroethane-D4	101%		73-122%
2037-26-5	Toluene-D8	98%		84-119%
460-00-4	4-Bromofluorobenzene	100%		78-117%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.4
4

Report of Analysis

Client Sample ID: REP051517AD1	
Lab Sample ID: JC43449-5	Date Sampled: 05/15/17
Matrix: AQ - Ground Water	Date Received: 05/16/17
Method: SW846 8260C	Percent Solids: n/a
Project: Navy Wells, OU2, Bethpage, NY	

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	2C149946.D	1	05/26/17 18:23	HT	n/a	n/a	V2C6656
Run #2	2C149947.D	10	05/26/17 18:52	HT	n/a	n/a	V2C6656

Run #	Purge Volume
Run #1	5.0 ml
Run #2	5.0 ml

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	10	5.0	ug/l	
71-43-2	Benzene	ND	0.50	0.14	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.55	ug/l	
75-25-2	Bromoform	ND	1.0	0.34	ug/l	
74-83-9	Bromomethane	ND	2.0	0.46	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	1.9	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.33	ug/l	
56-23-5	Carbon tetrachloride	1.4	1.0	0.54	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.17	ug/l	
75-00-3	Chloroethane	ND	1.0	0.44	ug/l	
67-66-3	Chloroform	2.2	1.0	0.23	ug/l	
74-87-3	Chloromethane	ND	1.0	0.96	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.23	ug/l	
75-34-3	1,1-Dichloroethane	1.1	1.0	0.21	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.39	ug/l	
75-35-4	1,1-Dichloroethene	2.9	1.0	0.20	ug/l	
156-59-2	cis-1,2-Dichloroethene	4.4	1.0	0.31	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.36	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.33	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.19	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.26	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.20	ug/l	
76-13-1	Freon 113	5.5	5.0	1.2	ug/l	
591-78-6	2-Hexanone	ND	5.0	1.5	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	1.2	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.27	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.39	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.23	ug/l	
108-88-3	Toluene	ND	1.0	0.23	ug/l	
71-55-6	1,1,1-Trichloroethane	0.36	1.0	0.22	ug/l	J
79-00-5	1,1,2-Trichloroethane	1.4	1.0	0.28	ug/l	

ND = Not detected MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: REP051517AD1		Date Sampled: 05/15/17
Lab Sample ID: JC43449-5		Date Received: 05/16/17
Matrix: AQ - Ground Water		Percent Solids: n/a
Method: SW846 8260C		
Project: Navy Wells, OU2, Bethpage, NY		

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethene	390 ^A	10	2.6	ug/l	D
75-01-4	Vinyl chloride	ND	1.0	0.33	ug/l	
	m,p-Xylene	ND	1.0	0.42	ug/l	
95-47-6	o-Xylene	ND	1.0	0.21	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	96%	98%	76-120%
17060-07-0	1,2-Dichloroethane-D4	100%	100%	73-122%
2037-26-5	Toluene-D8	100%	100%	84-119%
460-00-4	4-Bromofluorobenzene	98%	97%	78-117%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

(a) Result is from Run# 2

ND = Not detected MDL = Method Detection Limit
 RL = Reporting Limit

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

4.5
4

Report of Analysis

Client Sample ID: REP051517AD1	Date Sampled: 05/15/17
Lab Sample ID: JC43449-5	Date Received: 05/16/17
Matrix: AQ - Ground Water	Percent Solids: n/a
Method: SW846 8270D BY SIM SW846 3510C	
Project: Navy Wells, OU2, Bethpage, NY	

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	3M69458.D	1	05/23/17 19:42	KM	05/22/17	OP3023A	E3M3277
Run #2							

	Initial Volume	Final Volume
Run #1	970 ml	1.0 ml
Run #2		

CAS No.	Compound	Result	RL	MDL	Units	Q
123-91-1	1,4-Dioxane	4.56	0.10	0.050	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
4165-60-0	Nitrobenzene-d5	96%		29-124%
321-60-8	2-Fluorobiphenyl	88%		23-122%
1718-51-0	Terphenyl-d14	105%		22-130%

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.5
4

Report of Analysis

Client Sample ID: RE114D3		Date Sampled: 05/16/17
Lab Sample ID: JC43551-1		Date Received: 05/16/17
Matrix: AQ - Ground Water		Percent Solids: n/a
Method: SW846 8260C		
Project: Navy Wells, OU2, Bethpage, NY		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	2E133340.D	1	05/25/17 12:38	JP	n/a	n/a	V2E5833
Run #2							

Run #	Purge Volume
Run #1	5.0 ml
Run #2	

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	10	5.0	ug/l	
71-43-2	Benzene	ND	0.50	0.14	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.55	ug/l	
75-25-2	Bromoform	ND	1.0	0.34	ug/l	
74-83-9	Bromomethane	ND	2.0	0.46	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	1.9	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.33	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.54	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.17	ug/l	
75-00-3	Chloroethane	ND	1.0	0.44	ug/l	
67-66-3	Chloroform	ND	1.0	0.23	ug/l	
74-87-3	Chloromethane	ND	1.0	0.96	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.23	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.21	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.39	ug/l	
75-35-4	1,1-Dichloroethene	0.94	1.0	0.20	ug/l	J
156-59-2	cis-1,2-Dichloroethene	0.83	1.0	0.31	ug/l	J
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.36	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.33	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.19	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.26	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.20	ug/l	
76-13-1	Freon 113	9.7	5.0	1.2	ug/l	
591-78-6	2-Hexanone	ND	5.0	1.5	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	1.2	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.27	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.39	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.23	ug/l	
108-88-3	Toluene	ND	1.0	0.23	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.22	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.28	ug/l	

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.1
4

Report of Analysis

Client Sample ID: RE114D3 Lab Sample ID: JC43551-1 Matrix: AQ - Ground Water Method: SW846 8260C Project: Navy Wells, OU2, Bethpage, NY	Date Sampled: 05/16/17 Date Received: 05/16/17 Percent Solids: n/a
--	---

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethene	42.6	1.0	0.26	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.33	ug/l	
	m,p-Xylene	ND	1.0	0.42	ug/l	
95-47-6	o-Xylene	ND	1.0	0.21	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	99%		76-120%
17060-07-0	1,2-Dichloroethane-D4	93%		73-122%
2037-26-5	Toluene-D8	100%		84-119%
460-00-4	4-Bromofluorobenzene	101%		78-117%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

ND = Not detected MDL = Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

4.1
4

Report of Analysis

Client Sample ID: RE114D3	Date Sampled: 05/16/17
Lab Sample ID: JC43551-1	Date Received: 05/16/17
Matrix: AQ - Ground Water	Percent Solids: n/a
Method: SW846 8270D BY SIM SW846 3510C	
Project: Navy Wells, OU2, Bethpage, NY	

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	3M69509.D	1	05/25/17 15:08	KM	05/23/17	OP3058A	E3M3279
Run #2							

	Initial Volume	Final Volume
Run #1	1000 ml	1.0 ml
Run #2		

CAS No.	Compound	Result	RL	MDL	Units	Q
123-91-1	1,4-Dioxane	3.19	0.10	0.049	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
4165-60-0	Nitrobenzene-d5	112%		29-124%
321-60-8	2-Fluorobiphenyl	81%		23-122%
1718-51-0	Terphenyl-d14	88%		22-130%

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.1
4

Report of Analysis

Client Sample ID: FB051217AD1	Date Sampled: 05/16/17
Lab Sample ID: JC43551-2	Date Received: 05/16/17
Matrix: AQ - Field Blank Water	Percent Solids: n/a
Method: SW846 8260C	
Project: Navy Wells, OU2, Bethpage, NY	

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	2E133350.D	1	05/25/17 17:40	JP	n/a	n/a	V2E5833
Run #2							

Run #	Purge Volume
Run #1	5.0 ml
Run #2	

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	10	5.0	ug/l	
71-43-2	Benzene	ND	0.50	0.14	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.55	ug/l	
75-25-2	Bromoform	ND	1.0	0.34	ug/l	
74-83-9	Bromomethane	ND	2.0	0.46	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	1.9	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.33	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.54	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.17	ug/l	
75-00-3	Chloroethane	ND	1.0	0.44	ug/l	
67-66-3	Chloroform	ND	1.0	0.23	ug/l	
74-87-3	Chloromethane	ND	1.0	0.96	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.23	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.21	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.39	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.20	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.31	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.36	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.33	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.19	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.26	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.20	ug/l	
76-13-1	Freon 113	ND	5.0	1.2	ug/l	
591-78-6	2-Hexanone	ND	5.0	1.5	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	1.2	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.27	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.39	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.23	ug/l	
108-88-3	Toluene	ND	1.0	0.23	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.22	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.28	ug/l	

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.2
4

Report of Analysis

Client Sample ID: FB051217AD1	Date Sampled: 05/16/17
Lab Sample ID: JC43551-2	Date Received: 05/16/17
Matrix: AQ - Field Blank Water	Percent Solids: n/a
Method: SW846 8260C	
Project: Navy Wells, OU2, Bethpage, NY	

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethene	ND	1.0	0.26	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.33	ug/l	
	m,p-Xylene	ND	1.0	0.42	ug/l	
95-47-6	o-Xylene	ND	1.0	0.21	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	100%		76-120%
17060-07-0	1,2-Dichloroethane-D4	95%		73-122%
2037-26-5	Toluene-D8	99%		84-119%
460-00-4	4-Bromofluorobenzene	101%		78-117%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

ND = Not detected MDL = Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

4.2
4

Report of Analysis

Client Sample ID: FB051217AD1	Date Sampled: 05/16/17
Lab Sample ID: JC43551-2	Date Received: 05/16/17
Matrix: AQ - Field Blank Water	Percent Solids: n/a
Method: SW846 8270D BY SIM SW846 3510C	
Project: Navy Wells, OU2, Bethpage, NY	

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	3M69510.D	1	05/25/17 15:41	KM	05/23/17	OP3058A	E3M3279
Run #2							

	Initial Volume	Final Volume
Run #1	1000 ml	1.0 ml
Run #2		

CAS No.	Compound	Result	RL	MDL	Units	Q
123-91-1	1,4-Dioxane	ND	0.10	0.049	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
4165-60-0	Nitrobenzene-d5	112%		29-124%
321-60-8	2-Fluorobiphenyl	82%		23-122%
1718-51-0	Terphenyl-d14	99%		22-130%

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.2
4

Report of Analysis

16

Client Sample ID: TB051217AD1	Date Sampled: 05/16/17
Lab Sample ID: JC43551-3	Date Received: 05/16/17
Matrix: AQ - Trip Blank Water	Percent Solids: n/a
Method: SW846 8260C	
Project: Navy Wells, OU2, Bethpage, NY	

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	2E133351.D	1	05/25/17 18:07	JP	n/a	n/a	V2E5833
Run #2							

Run #	Purge Volume
Run #1	5.0 ml
Run #2	

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	10	5.0	ug/l	
71-43-2	Benzene	ND	0.50	0.14	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.55	ug/l	
75-25-2	Bromoform	ND	1.0	0.34	ug/l	
74-83-9	Bromomethane	ND	2.0	0.46	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	1.9	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.33	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.54	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.17	ug/l	
75-00-3	Chloroethane	ND	1.0	0.44	ug/l	
67-66-3	Chloroform	ND	1.0	0.23	ug/l	
74-87-3	Chloromethane	ND	1.0	0.96	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.23	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.21	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.39	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.20	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.31	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.36	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.33	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.19	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.26	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.20	ug/l	
76-13-1	Freon 113	ND	5.0	1.2	ug/l	
591-78-6	2-Hexanone	ND	5.0	1.5	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	1.2	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.27	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.39	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.23	ug/l	
108-88-3	Toluene	ND	1.0	0.23	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.22	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.28	ug/l	

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.3
4

Report of Analysis

Client Sample ID: TB051217AD1	Date Sampled: 05/16/17
Lab Sample ID: JC43551-3	Date Received: 05/16/17
Matrix: AQ - Trip Blank Water	Percent Solids: n/a
Method: SW846 8260C	
Project: Navy Wells, OU2, Bethpage, NY	

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethene	ND	1.0	0.26	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.33	ug/l	
	m,p-Xylene	ND	1.0	0.42	ug/l	
95-47-6	o-Xylene	ND	1.0	0.21	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	98%		76-120%
17060-07-0	1,2-Dichloroethane-D4	93%		73-122%
2037-26-5	Toluene-D8	99%		84-119%
460-00-4	4-Bromofluorobenzene	100%		78-117%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

ND = Not detected MDL = Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

4.3
4

Report of Analysis

Client Sample ID: RE118D1		Date Sampled: 05/17/17
Lab Sample ID: JC43656-1		Date Received: 05/18/17
Matrix: AQ - Ground Water		Percent Solids: n/a
Method: SW846 8260C		
Project: Navy Wells, OU2, Bethpage, NY		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	2E133354.D	1	05/25/17 19:30	JP	n/a	n/a	V2E5833
Run #2							

Run #	Purge Volume
Run #1	5.0 ml
Run #2	

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	10	5.0	ug/l	
71-43-2	Benzene	ND	0.50	0.14	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.55	ug/l	
75-25-2	Bromoform	ND	1.0	0.34	ug/l	
74-83-9	Bromomethane	ND	2.0	0.46	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	1.9	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.33	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.54	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.17	ug/l	
75-00-3	Chloroethane	ND	1.0	0.44	ug/l	
67-66-3	Chloroform	ND	1.0	0.23	ug/l	
74-87-3	Chloromethane	ND	1.0	0.96	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.23	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.21	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.39	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.20	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.31	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.36	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.33	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.19	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.26	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.20	ug/l	
76-13-1	Freon 113	ND	5.0	1.2	ug/l	
591-78-6	2-Hexanone	ND	5.0	1.5	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	1.2	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.27	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.39	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.23	ug/l	
108-88-3	Toluene	ND	1.0	0.23	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.22	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.28	ug/l	

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.1
4

Report of Analysis

Client Sample ID: RE118D1	Date Sampled: 05/17/17
Lab Sample ID: JC43656-1	Date Received: 05/18/17
Matrix: AQ - Ground Water	Percent Solids: n/a
Method: SW846 8260C	
Project: Navy Wells, OU2, Bethpage, NY	

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethene	ND	1.0	0.26	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.33	ug/l	
	m,p-Xylene	ND	1.0	0.42	ug/l	
95-47-6	o-Xylene	ND	1.0	0.21	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	101%		76-120%
17060-07-0	1,2-Dichloroethane-D4	97%		73-122%
2037-26-5	Toluene-D8	99%		84-119%
460-00-4	4-Bromofluorobenzene	101%		78-117%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

ND = Not detected MDL = Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

4.1
4

Report of Analysis

Client Sample ID: RE118D1	Date Sampled: 05/17/17
Lab Sample ID: JC43656-1	Date Received: 05/18/17
Matrix: AQ - Ground Water	Percent Solids: n/a
Method: SW846 8270D BY SIM SW846 3510C	
Project: Navy Wells, OU2, Bethpage, NY	

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	4M71436.D	1	05/25/17 22:08	AD	05/24/17	OP3111A	E4M3314
Run #2							

	Initial Volume	Final Volume
Run #1	900 ml	1.0 ml
Run #2		

CAS No.	Compound	Result	RL	MDL	Units	Q
123-91-1	1,4-Dioxane	ND	0.11	0.054	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
4165-60-0	Nitrobenzene-d5	83%		29-124%
321-60-8	2-Fluorobiphenyl	78%		23-122%
1718-51-0	Terphenyl-d14	90%		22-130%

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.1
4

Report of Analysis

Client Sample ID: TB050717AD1	Date Sampled: 05/17/17
Lab Sample ID: JC43656-2	Date Received: 05/18/17
Matrix: AQ - Trip Blank Water	Percent Solids: n/a
Method: SW846 8260C	
Project: Navy Wells, OU2, Bethpage, NY	

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	2E133349.D	1	05/25/17 17:12	JP	n/a	n/a	V2E5833
Run #2							

Run #	Purge Volume
Run #1	5.0 ml
Run #2	

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	10	5.0	ug/l	
71-43-2	Benzene	ND	0.50	0.14	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.55	ug/l	
75-25-2	Bromoform	ND	1.0	0.34	ug/l	
74-83-9	Bromomethane	ND	2.0	0.46	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	1.9	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.33	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.54	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.17	ug/l	
75-00-3	Chloroethane	ND	1.0	0.44	ug/l	
67-66-3	Chloroform	ND	1.0	0.23	ug/l	
74-87-3	Chloromethane	ND	1.0	0.96	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.23	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.21	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.39	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.20	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.31	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.36	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.33	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.19	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.26	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.20	ug/l	
76-13-1	Freon 113	ND	5.0	1.2	ug/l	
591-78-6	2-Hexanone	ND	5.0	1.5	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	1.2	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.27	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.39	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.23	ug/l	
108-88-3	Toluene	ND	1.0	0.23	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.22	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.28	ug/l	

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.2
4

Report of Analysis

Client Sample ID: TB050717AD1 Lab Sample ID: JC43656-2 Matrix: AQ - Trip Blank Water Method: SW846 8260C Project: Navy Wells, OU2, Bethpage, NY	Date Sampled: 05/17/17 Date Received: 05/18/17 Percent Solids: n/a
--	---

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethene	ND	1.0	0.26	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.33	ug/l	
	m,p-Xylene	ND	1.0	0.42	ug/l	
95-47-6	o-Xylene	ND	1.0	0.21	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	99%		76-120%
17060-07-0	1,2-Dichloroethane-D4	95%		73-122%
2037-26-5	Toluene-D8	100%		84-119%
460-00-4	4-Bromofluorobenzene	102%		78-117%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

ND = Not detected MDL = Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

4.2
4

Report of Analysis

Client Sample ID: FB050717AD1	Date Sampled: 05/17/17
Lab Sample ID: JC43656-3	Date Received: 05/18/17
Matrix: AQ - Field Blank Water	Percent Solids: n/a
Method: SW846 8260C	
Project: Navy Wells, OU2, Bethpage, NY	

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	2E133305.D	1	05/24/17 17:10	JP	n/a	n/a	V2E5831
Run #2							

Run #	Purge Volume
Run #1	5.0 ml
Run #2	

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	10	5.0	ug/l	
71-43-2	Benzene	ND	0.50	0.14	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.55	ug/l	
75-25-2	Bromoform	ND	1.0	0.34	ug/l	
74-83-9	Bromomethane	ND	2.0	0.46	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	1.9	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.33	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.54	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.17	ug/l	
75-00-3	Chloroethane	ND	1.0	0.44	ug/l	
67-66-3	Chloroform	ND	1.0	0.23	ug/l	
74-87-3	Chloromethane	ND	1.0	0.96	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.23	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.21	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.39	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.20	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.31	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.36	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.33	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.19	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.26	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.20	ug/l	
76-13-1	Freon 113	ND	5.0	1.2	ug/l	
591-78-6	2-Hexanone	ND	5.0	1.5	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	1.2	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.27	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.39	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.23	ug/l	
108-88-3	Toluene	ND	1.0	0.23	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.22	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.28	ug/l	

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.3
4

Report of Analysis

Client Sample ID: FB050717AD1	Date Sampled: 05/17/17
Lab Sample ID: JC43656-3	Date Received: 05/18/17
Matrix: AQ - Field Blank Water	Percent Solids: n/a
Method: SW846 8260C	
Project: Navy Wells, OU2, Bethpage, NY	

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethene	ND	1.0	0.26	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.33	ug/l	
	m,p-Xylene	ND	1.0	0.42	ug/l	
95-47-6	o-Xylene	ND	1.0	0.21	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	97%		76-120%
17060-07-0	1,2-Dichloroethane-D4	92%		73-122%
2037-26-5	Toluene-D8	100%		84-119%
460-00-4	4-Bromofluorobenzene	100%		78-117%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

ND = Not detected MDL = Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

4.3
4

Report of Analysis

Client Sample ID: FB050717AD1	Date Sampled: 05/17/17
Lab Sample ID: JC43656-3	Date Received: 05/18/17
Matrix: AQ - Field Blank Water	Percent Solids: n/a
Method: SW846 8270D BY SIM SW846 3510C	
Project: Navy Wells, OU2, Bethpage, NY	

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	4M71437.D	1	05/25/17 22:39	AD	05/24/17	OP3111A	E4M3314
Run #2							

Run #	Initial Volume	Final Volume
Run #1	950 ml	1.0 ml
Run #2		

CAS No.	Compound	Result	RL	MDL	Units	Q
123-91-1	1,4-Dioxane	ND	0.11	0.051	ug/l	
CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits		
4165-60-0	Nitrobenzene-d5	79%		29-124%		
321-60-8	2-Fluorobiphenyl	74%		23-122%		
1718-51-0	Terphenyl-d14	134% ^a		22-130%		

(a) High percent recoveries and no positive found in the sample.

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.3
4

Report of Analysis

Client Sample ID: TT102D		Date Sampled: 05/18/17
Lab Sample ID: JC43771-1		Date Received: 05/19/17
Matrix: AQ - Ground Water		Percent Solids: n/a
Method: EPA 524.2 REV 4.1		
Project: Navy Wells, OU2, Bethpage, NY		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 ^a	1B109695.D	1	05/26/17 06:02	BK	n/a	n/a	V1B5219
Run #2							

Run #	Purge Volume
Run #1	5.0 ml
Run #2	

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	5.0	3.8	ug/l	
78-93-3	2-Butanone	ND	5.0	2.5	ug/l	
71-43-2	Benzene	ND	0.50	0.26	ug/l	
75-27-4	Bromodichloromethane	ND	0.50	0.36	ug/l	
75-25-2	Bromoform	ND	0.50	0.40	ug/l	
74-83-9	Bromomethane	ND	0.50	0.081	ug/l	
75-15-0	Carbon disulfide	ND	0.50	0.39	ug/l	
108-90-7	Chlorobenzene	ND	0.50	0.27	ug/l	
75-00-3	Chloroethane	ND	0.50	0.071	ug/l	
67-66-3	Chloroform	ND	0.50	0.33	ug/l	
74-87-3	Chloromethane	ND	0.50	0.39	ug/l	
56-23-5	Carbon tetrachloride	ND	0.50	0.13	ug/l	
75-34-3	1,1-Dichloroethane	ND	0.50	0.13	ug/l	
75-35-4	1,1-Dichloroethylene	ND	0.50	0.23	ug/l	
107-06-2	1,2-Dichloroethane	ND	0.50	0.28	ug/l	
78-87-5	1,2-Dichloropropane	ND	0.50	0.29	ug/l	
124-48-1	Dibromochloromethane	ND	0.50	0.094	ug/l	
156-60-5	trans-1,2-Dichloroethylene	ND	0.50	0.098	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	0.50	0.26	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	0.14	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	0.25	ug/l	
100-41-4	Ethylbenzene	ND	0.50	0.26	ug/l	
76-13-1	Freon 113	ND	1.0	0.27	ug/l	
591-78-6	2-Hexanone	ND	2.0	1.3	ug/l	
75-09-2	Methylene chloride	ND	0.50	0.37	ug/l	
108-10-1	4-Methyl-2-pentanone	ND	2.0	1.5	ug/l	
100-42-5	Styrene	ND	0.50	0.21	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	0.50	0.12	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.50	0.099	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	0.50	0.12	ug/l	
127-18-4	Tetrachloroethylene	ND	0.50	0.12	ug/l	
108-88-3	Toluene	ND	0.50	0.13	ug/l	

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.1
4

Report of Analysis

Client Sample ID: TT102D	Date Sampled: 05/18/17
Lab Sample ID: JC43771-1	Date Received: 05/19/17
Matrix: AQ - Ground Water	Percent Solids: n/a
Method: EPA 524.2 REV 4.1	
Project: Navy Wells, OU2, Bethpage, NY	

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethylene	ND	0.50	0.11	ug/l	
75-01-4	Vinyl chloride	ND	0.50	0.056	ug/l	
	m,p-Xylene	ND	0.50	0.26	ug/l	
95-47-6	o-Xylene	ND	0.50	0.24	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2199-69-1	1,2-Dichlorobenzene-d4	100%		70-130%
460-00-4	4-Bromofluorobenzene	82%		70-130%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

(a) EPA 524.2 is not a certified method for non-potable water samples.

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: TT102D	Date Sampled: 05/18/17
Lab Sample ID: JC43771-1	Date Received: 05/19/17
Matrix: AQ - Ground Water	Percent Solids: n/a
Method: SW846 8270D BY SIM SW846 3510C	
Project: Navy Wells, OU2, Bethpage, NY	

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	3M69591.D	1	06/01/17 03:06	AD	05/25/17	OP3153A	E3M3284
Run #2							

Run #	Initial Volume	Final Volume
Run #1	1000 ml	1.0 ml
Run #2		

CAS No.	Compound	Result	RL	MDL	Units	Q
123-91-1	1,4-Dioxane	0.543	0.10	0.049	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
4165-60-0	Nitrobenzene-d5	96%		29-124%
321-60-8	2-Fluorobiphenyl	102%		23-122%
1718-51-0	Terphenyl-d14	99%		22-130%

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.1
4

Report of Analysis

Client Sample ID: TT102D2		Date Sampled: 05/18/17
Lab Sample ID: JC43771-2		Date Received: 05/19/17
Matrix: AQ - Ground Water		Percent Solids: n/a
Method: EPA 524.2 REV 4.1		
Project: Navy Wells, OU2, Bethpage, NY		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 ^a	1B109696.D	1	05/26/17 06:34	BK	n/a	n/a	V1B5219
Run #2							

Run #	Purge Volume
Run #1	5.0 ml
Run #2	

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	5.0	3.8	ug/l	
78-93-3	2-Butanone	ND	5.0	2.5	ug/l	
71-43-2	Benzene	ND	0.50	0.26	ug/l	
75-27-4	Bromodichloromethane	ND	0.50	0.36	ug/l	
75-25-2	Bromoform	ND	0.50	0.40	ug/l	
74-83-9	Bromomethane	ND	0.50	0.081	ug/l	
75-15-0	Carbon disulfide	ND	0.50	0.39	ug/l	
108-90-7	Chlorobenzene	ND	0.50	0.27	ug/l	
75-00-3	Chloroethane	ND	0.50	0.071	ug/l	
67-66-3	Chloroform	ND	0.50	0.33	ug/l	
74-87-3	Chloromethane	ND	0.50	0.39	ug/l	
56-23-5	Carbon tetrachloride	ND	0.50	0.13	ug/l	
75-34-3	1,1-Dichloroethane	ND	0.50	0.13	ug/l	
75-35-4	1,1-Dichloroethylene	ND	0.50	0.23	ug/l	
107-06-2	1,2-Dichloroethane	ND	0.50	0.28	ug/l	
78-87-5	1,2-Dichloropropane	ND	0.50	0.29	ug/l	
124-48-1	Dibromochloromethane	ND	0.50	0.094	ug/l	
156-60-5	trans-1,2-Dichloroethylene	ND	0.50	0.098	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	0.50	0.26	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	0.14	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	0.25	ug/l	
100-41-4	Ethylbenzene	ND	0.50	0.26	ug/l	
76-13-1	Freon 113	ND	1.0	0.27	ug/l	
591-78-6	2-Hexanone	ND	2.0	1.3	ug/l	
75-09-2	Methylene chloride	ND	0.50	0.37	ug/l	
108-10-1	4-Methyl-2-pentanone	ND	2.0	1.5	ug/l	
100-42-5	Styrene	ND	0.50	0.21	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	0.50	0.12	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.50	0.099	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	0.50	0.12	ug/l	
127-18-4	Tetrachloroethylene	ND	0.50	0.12	ug/l	
108-88-3	Toluene	ND	0.50	0.13	ug/l	

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.2
4

Report of Analysis

Client Sample ID: TT102D2		Date Sampled: 05/18/17
Lab Sample ID: JC43771-2		Date Received: 05/19/17
Matrix: AQ - Ground Water		Percent Solids: n/a
Method: EPA 524.2 REV 4.1		
Project: Navy Wells, OU2, Bethpage, NY		

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethylene	ND	0.50	0.11	ug/l	
75-01-4	Vinyl chloride	ND	0.50	0.056	ug/l	
	m,p-Xylene	ND	0.50	0.26	ug/l	
95-47-6	o-Xylene	ND	0.50	0.24	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2199-69-1	1,2-Dichlorobenzene-d4	100%		70-130%
460-00-4	4-Bromofluorobenzene	84%		70-130%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

(a) EPA 524.2 is not a certified method for non-potable water samples.

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.2
4

Report of Analysis

Client Sample ID: TT102D2	Date Sampled: 05/18/17
Lab Sample ID: JC43771-2	Date Received: 05/19/17
Matrix: AQ - Ground Water	Percent Solids: n/a
Method: SW846 8270D BY SIM SW846 3510C	
Project: Navy Wells, OU2, Bethpage, NY	

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	3M69543.D	1	05/26/17 16:38	KM	05/25/17	OP3153A	E3M3281
Run #2							

Run #	Initial Volume	Final Volume
Run #1	1000 ml	1.0 ml
Run #2		

CAS No.	Compound	Result	RL	MDL	Units	Q
123-91-1	1,4-Dioxane	ND	0.10	0.049	ug/l	
CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits		
4165-60-0	Nitrobenzene-d5	102%		29-124%		
321-60-8	2-Fluorobiphenyl	87%		23-122%		
1718-51-0	Terphenyl-d14	112%		22-130%		

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.2
4

Report of Analysis

Client Sample ID: TB051817AD1		Date Sampled: 05/18/17
Lab Sample ID: JC43771-3		Date Received: 05/19/17
Matrix: AQ - Trip Blank Water		Percent Solids: n/a
Method: EPA 524.2 REV 4.1		
Project: Navy Wells, OU2, Bethpage, NY		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 ^a	1B109697.D	1	05/26/17 07:05	BK	n/a	n/a	V1B5219
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	5.0	3.8	ug/l	
78-93-3	2-Butanone	ND	5.0	2.5	ug/l	
71-43-2	Benzene	ND	0.50	0.26	ug/l	
75-27-4	Bromodichloromethane	ND	0.50	0.36	ug/l	
75-25-2	Bromoform	ND	0.50	0.40	ug/l	
74-83-9	Bromomethane	ND	0.50	0.081	ug/l	
75-15-0	Carbon disulfide	ND	0.50	0.39	ug/l	
108-90-7	Chlorobenzene	ND	0.50	0.27	ug/l	
75-00-3	Chloroethane	ND	0.50	0.071	ug/l	
67-66-3	Chloroform	ND	0.50	0.33	ug/l	
74-87-3	Chloromethane	ND	0.50	0.39	ug/l	
56-23-5	Carbon tetrachloride	ND	0.50	0.13	ug/l	
75-34-3	1,1-Dichloroethane	ND	0.50	0.13	ug/l	
75-35-4	1,1-Dichloroethylene	ND	0.50	0.23	ug/l	
107-06-2	1,2-Dichloroethane	ND	0.50	0.28	ug/l	
78-87-5	1,2-Dichloropropane	ND	0.50	0.29	ug/l	
124-48-1	Dibromochloromethane	ND	0.50	0.094	ug/l	
156-60-5	trans-1,2-Dichloroethylene	ND	0.50	0.098	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	0.50	0.26	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	0.14	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	0.25	ug/l	
100-41-4	Ethylbenzene	ND	0.50	0.26	ug/l	
76-13-1	Freon 113	ND	1.0	0.27	ug/l	
591-78-6	2-Hexanone	ND	2.0	1.3	ug/l	
75-09-2	Methylene chloride	ND	0.50	0.37	ug/l	
108-10-1	4-Methyl-2-pentanone	ND	2.0	1.5	ug/l	
100-42-5	Styrene	ND	0.50	0.21	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	0.50	0.12	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.50	0.099	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	0.50	0.12	ug/l	
127-18-4	Tetrachloroethylene	ND	0.50	0.12	ug/l	
108-88-3	Toluene	ND	0.50	0.13	ug/l	

ND = Not detected MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: TB051817AD1		Date Sampled: 05/18/17
Lab Sample ID: JC43771-3		Date Received: 05/19/17
Matrix: AQ - Trip Blank Water		Percent Solids: n/a
Method: EPA 524.2 REV 4.1		
Project: Navy Wells, OU2, Bethpage, NY		

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethylene	ND	0.50	0.11	ug/l	
75-01-4	Vinyl chloride	ND	0.50	0.056	ug/l	
	m,p-Xylene	ND	0.50	0.26	ug/l	
95-47-6	o-Xylene	ND	0.50	0.24	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2199-69-1	1,2-Dichlorobenzene-d4	99%		70-130%
460-00-4	4-Bromofluorobenzene	84%		70-130%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

(a) EPA 524.2 is not a certified method for non-potable water samples.

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.3
4

Report of Analysis

Client Sample ID: RE133D1		Date Sampled: 05/24/17
Lab Sample ID: JC44126-1		Date Received: 05/25/17
Matrix: AQ - Ground Water		Percent Solids: n/a
Method: SW846 8260C		
Project: Navy Wells, OU2, Bethpage, NY		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	3B137921.D	1	06/03/17 07:44	VC	n/a	n/a	V3B6113
Run #2							

Run #	Purge Volume
Run #1	5.0 ml
Run #2	

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	10	5.0	ug/l	
71-43-2	Benzene	ND	0.50	0.14	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.55	ug/l	
75-25-2	Bromoform	ND	1.0	0.34	ug/l	
74-83-9	Bromomethane	ND	2.0	0.46	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	1.9	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.33	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.54	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.17	ug/l	
75-00-3	Chloroethane	ND	1.0	0.44	ug/l	
67-66-3	Chloroform	ND	1.0	0.23	ug/l	
74-87-3	Chloromethane	ND	1.0	0.96	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.23	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.21	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.39	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.20	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.31	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.36	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.33	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.19	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.26	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.20	ug/l	
76-13-1	Freon 113	ND	5.0	1.2	ug/l	
591-78-6	2-Hexanone	ND	5.0	1.5	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	1.2	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.27	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.39	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.23	ug/l	
108-88-3	Toluene	ND	1.0	0.23	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.22	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.28	ug/l	

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.1
4

Report of Analysis

Client Sample ID: RE133D1 Lab Sample ID: JC44126-1 Matrix: AQ - Ground Water Method: SW846 8260C Project: Navy Wells, OU2, Bethpage, NY	Date Sampled: 05/24/17 Date Received: 05/25/17 Percent Solids: n/a
--	---

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethene	ND	1.0	0.26	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.33	ug/l	
	m,p-Xylene	ND	1.0	0.42	ug/l	
95-47-6	o-Xylene	ND	1.0	0.21	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	110%		76-120%
17060-07-0	1,2-Dichloroethane-D4	116%		73-122%
2037-26-5	Toluene-D8	90%		84-119%
460-00-4	4-Bromofluorobenzene	86%		78-117%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

ND = Not detected MDL = Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

4.1
4

Report of Analysis

Client Sample ID: RE133D1	Date Sampled: 05/24/17
Lab Sample ID: JC44126-1	Date Received: 05/25/17
Matrix: AQ - Ground Water	Percent Solids: n/a
Method: SW846 8270D BY SIM SW846 3510C	
Project: Navy Wells, OU2, Bethpage, NY	

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	3M69563.D	1	05/31/17 11:59	KM	05/30/17	OP3307A	E3M3283
Run #2							

	Initial Volume	Final Volume
Run #1	950 ml	1.0 ml
Run #2		

CAS No.	Compound	Result	RL	MDL	Units	Q
123-91-1	1,4-Dioxane	ND	0.11	0.051	ug/l	
CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits		
4165-60-0	Nitrobenzene-d5	97%		29-124%		
321-60-8	2-Fluorobiphenyl	82%		23-122%		
1718-51-0	Terphenyl-d14	76%		22-130%		

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.1
4

Report of Analysis

Client Sample ID: RE133D2		Date Sampled: 05/24/17
Lab Sample ID: JC44126-2		Date Received: 05/25/17
Matrix: AQ - Ground Water		Percent Solids: n/a
Method: SW846 8260C		
Project: Navy Wells, OU2, Bethpage, NY		

Run #1	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	3B137922.D	1	06/03/17 08:12	VC	n/a	n/a	V3B6113
Run #2							

Run #1	Purge Volume
Run #1	5.0 ml
Run #2	

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	10	5.0	ug/l	
71-43-2	Benzene	ND	0.50	0.14	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.55	ug/l	
75-25-2	Bromoform	ND	1.0	0.34	ug/l	
74-83-9	Bromomethane	ND	2.0	0.46	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	1.9	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.33	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.54	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.17	ug/l	
75-00-3	Chloroethane	ND	1.0	0.44	ug/l	
67-66-3	Chloroform	ND	1.0	0.23	ug/l	
74-87-3	Chloromethane	ND	1.0	0.96	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.23	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.21	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.39	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.20	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.31	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.36	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.33	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.19	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.26	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.20	ug/l	
76-13-1	Freon 113	ND	5.0	1.2	ug/l	
591-78-6	2-Hexanone	ND	5.0	1.5	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	1.2	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.27	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.39	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.23	ug/l	
108-88-3	Toluene	ND	1.0	0.23	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.22	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.28	ug/l	

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.2
4

Report of Analysis

Client Sample ID: RE133D2	Date Sampled: 05/24/17
Lab Sample ID: JC44126-2	Date Received: 05/25/17
Matrix: AQ - Ground Water	Percent Solids: n/a
Method: SW846 8260C	
Project: Navy Wells, OU2, Bethpage, NY	

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethene	ND	1.0	0.26	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.33	ug/l	
	m,p-Xylene	ND	1.0	0.42	ug/l	
95-47-6	o-Xylene	ND	1.0	0.21	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	111%		76-120%
17060-07-0	1,2-Dichloroethane-D4	119%		73-122%
2037-26-5	Toluene-D8	90%		84-119%
460-00-4	4-Bromofluorobenzene	85%		78-117%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

ND = Not detected MDL = Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

4.2
4

Report of Analysis

Client Sample ID: RE133D2	Date Sampled: 05/24/17
Lab Sample ID: JC44126-2	Date Received: 05/25/17
Matrix: AQ - Ground Water	Percent Solids: n/a
Method: SW846 8270D BY SIM SW846 3510C	
Project: Navy Wells, OU2, Bethpage, NY	

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	3M69564.D	1	05/31/17 12:31	KM	05/30/17	OP3307A	E3M3283
Run #2							

	Initial Volume	Final Volume
Run #1	1000 ml	1.0 ml
Run #2		

CAS No.	Compound	Result	RL	MDL	Units	Q
123-91-1	1,4-Dioxane	ND	0.10	0.049	ug/l	
CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits		
4165-60-0	Nitrobenzene-d5	105%		29-124%		
321-60-8	2-Fluorobiphenyl	89%		23-122%		
1718-51-0	Terphenyl-d14	87%		22-130%		

ND = Not detected	MDL = Method Detection Limit	J = Indicates an estimated value
RL = Reporting Limit		B = Indicates analyte found in associated method blank
E = Indicates value exceeds calibration range		N = Indicates presumptive evidence of a compound

4.2
4

Report of Analysis

Client Sample ID: FB052417AR1	Date Sampled: 05/24/17
Lab Sample ID: JC44126-3	Date Received: 05/25/17
Matrix: AQ - Field Blank Water	Percent Solids: n/a
Method: SW846 8260C	
Project: Navy Wells, OU2, Bethpage, NY	

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	3B137909.D	1	06/03/17 02:03	VC	n/a	n/a	V3B6113
Run #2							

Run #	Purge Volume
Run #1	5.0 ml
Run #2	

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	10	5.0	ug/l	
71-43-2	Benzene	ND	0.50	0.14	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.55	ug/l	
75-25-2	Bromoform	ND	1.0	0.34	ug/l	
74-83-9	Bromomethane	ND	2.0	0.46	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	1.9	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.33	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.54	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.17	ug/l	
75-00-3	Chloroethane	ND	1.0	0.44	ug/l	
67-66-3	Chloroform	ND	1.0	0.23	ug/l	
74-87-3	Chloromethane	ND	1.0	0.96	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.23	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.21	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.39	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.20	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.31	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.36	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.33	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.19	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.26	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.20	ug/l	
76-13-1	Freon 113	ND	5.0	1.2	ug/l	
591-78-6	2-Hexanone	ND	5.0	1.5	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	1.2	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.27	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.39	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.23	ug/l	
108-88-3	Toluene	ND	1.0	0.23	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.22	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.28	ug/l	

ND = Not detected MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: FB052417AR1	Date Sampled: 05/24/17
Lab Sample ID: JC44126-3	Date Received: 05/25/17
Matrix: AQ - Field Blank Water	Percent Solids: n/a
Method: SW846 8260C	
Project: Navy Wells, OU2, Bethpage, NY	

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethene	ND	1.0	0.26	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.33	ug/l	
	m,p-Xylene	ND	1.0	0.42	ug/l	
95-47-6	o-Xylene	ND	1.0	0.21	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	103%		76-120%
17060-07-0	1,2-Dichloroethane-D4	109%		73-122%
2037-26-5	Toluene-D8	90%		84-119%
460-00-4	4-Bromofluorobenzene	86%		78-117%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

ND = Not detected MDL = Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

4.3
4

Report of Analysis

Client Sample ID: FB052417AR1	Date Sampled: 05/24/17
Lab Sample ID: JC44126-3	Date Received: 05/25/17
Matrix: AQ - Field Blank Water	Percent Solids: n/a
Method: SW846 8270D BY SIM SW846 3510C	
Project: Navy Wells, OU2, Bethpage, NY	

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	3M69797.D	1	06/14/17 20:14	AD	05/30/17	OP3307A	E3M3303
Run #2							

	Initial Volume	Final Volume
Run #1	1000 ml	1.0 ml
Run #2		

CAS No.	Compound	Result	RL	MDL	Units	Q
123-91-1	1,4-Dioxane	ND	0.10	0.049	ug/l	
CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits		
4165-60-0	Nitrobenzene-d5	79%		29-124%		
321-60-8	2-Fluorobiphenyl	71%		23-122%		
1718-51-0	Terphenyl-d14	74%		22-130%		

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.3
4

Report of Analysis

Client Sample ID: TB052417AR1	Date Sampled: 05/24/17
Lab Sample ID: JC44126-4	Date Received: 05/25/17
Matrix: AQ - Trip Blank Water	Percent Solids: n/a
Method: SW846 8260C	
Project: Navy Wells, OU2, Bethpage, NY	

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	3B137910.D	1	06/03/17 02:32	VC	n/a	n/a	V3B6113
Run #2							

Run #	Purge Volume
Run #1	5.0 ml
Run #2	

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	10	5.0	ug/l	
71-43-2	Benzene	ND	0.50	0.14	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.55	ug/l	
75-25-2	Bromoform	ND	1.0	0.34	ug/l	
74-83-9	Bromomethane	ND	2.0	0.46	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	1.9	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.33	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.54	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.17	ug/l	
75-00-3	Chloroethane	ND	1.0	0.44	ug/l	
67-66-3	Chloroform	ND	1.0	0.23	ug/l	
74-87-3	Chloromethane	ND	1.0	0.96	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.23	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.21	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.39	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.20	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.31	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.36	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.33	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.19	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.26	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.20	ug/l	
76-13-1	Freon 113	ND	5.0	1.2	ug/l	
591-78-6	2-Hexanone	ND	5.0	1.5	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	1.2	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.27	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.39	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.23	ug/l	
108-88-3	Toluene	ND	1.0	0.23	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.22	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.28	ug/l	

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.4
4

Report of Analysis

Client Sample ID: TB052417AR1	Date Sampled: 05/24/17
Lab Sample ID: JC44126-4	Date Received: 05/25/17
Matrix: AQ - Trip Blank Water	Percent Solids: n/a
Method: SW846 8260C	
Project: Navy Wells, OU2, Bethpage, NY	

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethene	ND	1.0	0.26	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.33	ug/l	
	m,p-Xylene	ND	1.0	0.42	ug/l	
95-47-6	o-Xylene	ND	1.0	0.21	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	105%		76-120%
17060-07-0	1,2-Dichloroethane-D4	111%		73-122%
2037-26-5	Toluene-D8	90%		84-119%
460-00-4	4-Bromofluorobenzene	87%		78-117%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

ND = Not detected MDL = Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

4.4
4