

DECEMBER 2017 GROUNDWATER SAMPLING DATA SUMMARY REPORT

NAVAL WEAPONS INDUSTRIAL RESERVE PLANT
SITE 1 OPERABLE UNIT 2
BETHPAGE, NY

Prepared for:



Department of the Navy
Naval Facilities Engineering Command, Atlantic
9324 Virginia Avenue
Building Z-140
Norfolk, Virginia 23511

August 2018

DECEMBER 2017 GROUNDWATER SAMPLING
DATA SUMMARY REPORT

NAVAL WEAPONS INDUSTRIAL RESERVE PLANT
SITE 1 OPERABLE UNINT 2
BETHPAGE, NY

Prepared for:



Department of the Navy
Naval Facilities Engineering Command, Atlantic
9324 Virginia Avenue
Building Z-140
Norfolk, Virginia 23511

Prepared by:



Resolution Consultants
A Joint Venture of AECOM & EnSafe
1500 Wells Fargo Building
440 Monticello Avenue
Norfolk, Virginia 23510

Contract Number: N62470-11-D-8013
CONTRACT TASK ORDER WE15

August 2018

A handwritten signature in black ink that reads "Brian Caldwell".

Brian Caldwell
Contract Task Order Manager

Table of Contents

List of Acronyms and Abbreviations	iii
1.0 PROJECT BACKGROUND	1
2.0 FIELD PROGRAM	2
2.1 Sampling	2
2.2 Investigation Derived Waste	3
3.0 SUMMARY	4
4.0 REFERENCES	5

Tables

Table 1	Monitoring Well Construction Summary
Table 2	Analytical Data Summary for Wells Sampled by Resolution Consultants
Table 3	Stabilized Field Parameters for Wells Sampled by Resolution Consultants
Table 4	Concentrations of Volatile Organic Compounds and 1,4-Dioxane in Outpost Wells BPOW5-1 through BPOW5-7, Fourth Quarter 2017 Operable Unit 2 (Groundwater), Bethpage, New York
Table 5	Concentrations of Volatile Organic Compounds and 1,4-Dioxane in Outpost Wells BPOW6-1 through BPOW6-6, Fourth Quarter 2017 Operable Unit 2 (Groundwater), Bethpage, New York
Table 6	Concentrations of Volatile Organic Compounds and 1,4-Dioxane in Monitoring Wells Installed by the Navy, Fourth Quarter 2017 Operable Unit 2 (Groundwater), Bethpage, New York
Table 7	Concentrations of Volatile Organic Compounds and 1,4-Dioxane in Monitoring Wells TT102D and TT102D2, Fourth Quarter 2017 Operable Unit 2 (Groundwater), Bethpage, New York

Figures

Figure 1	General Location Map
Figure 2	Location Map December 2017 Groundwater Sampling

Appendices

- Appendix A Groundwater Sampling Forms – Resolution Consultants
- Appendix B Analytical Data Validation – Resolution Consultants
- Appendix C Analytical Data Validation - ARCADIS
- Appendix D ARCADIS Separate and Ongoing OU2 Monitoring of Navy Wells
- Appendix E Synoptic Water Levels Measured December 4, 2017

List of Acronyms and Abbreviations

DOT	Department of Transportation
IDW	Investigation Derived Waste
Katahdin	Katahdin Analytical Services
NG	Northrop Grumman
NWIRP	Naval Weapons Industrial Reserve Plant
ONCT	Onsite Containment System
OU	Operable Unit
POTW	Publicly Owned Treatment Works
QA	Quality Assurance
QC	Quality Control
SAP	Sampling and Analysis Plan
UFP	Uniform Federal Policy
VOC	Volatile Organic Compounds

1.0 PROJECT BACKGROUND

Resolution Consultants has prepared this Groundwater Sampling Data Summary Report for the Naval Facilities Engineering Command, Mid-Atlantic under contract task order WE15 Contract N62470-11-D-8013. The report describes quarterly sampling activities in December 2017, which is part of the Navy's ongoing Environmental Restoration Program for the Naval Weapons Industrial Reserve Plant (NWIRP) Bethpage Operable Unit (OU) 2 Site 1 offsite plume. NWIRP Bethpage is located in east-central Nassau County, Long Island, New York, approximately 30 miles east of New York City (Figure 1).

This data summary report provides information on quarterly sampling of 78 Navy-owned monitoring wells by Resolution Consultants on behalf of the Navy, and by ARCADIS on behalf of the Navy at the direction of Northrop Grumman (NG) as part of an agreement between the Navy and NG. The purpose of this sampling is to provide information on the extent and magnitude of volatile organic compounds (VOCs) located in a narrow area immediately south of the Onsite Containment System (ONCT) in the western offsite plume, which could represent contamination that has bypassed the ONCT, to evaluate the southernmost extent of the OU2 plume, and to evaluate outpost wells intended to provide early warning of plume migration to public water supply wells. The locations of monitoring wells sampled as part of this effort are shown in Figure 2. Well construction information and sampling responsibility are listed in Table 1.

2.0 FIELD PROGRAM

Field tasks were conducted in December 2017 in accordance with the Uniform Federal Policy (UFP) Sampling and Analysis Plan (SAP) Addendum: *Groundwater Sampling Using Low Stress (Low Flow) Purging and Sampling Protocol* (Resolution Consultants, 2013). The field investigation included purging and sampling of monitoring wells in the quarterly groundwater sampling network.

The December 2017 quarterly sampling round consisted of a total of 78 wells (Table 1). Of these, 33 groundwater wells were sampled by Resolution Consultants, 42 were sampled by ARCADIS, the NG consultant, and 3 were sampled by both. Synoptic water level measurements were also manually collected on December 4, 2017 at 171 Navy-owned wells within an eight hour period.

2.1 Sampling

Resolution Consultants purged monitoring wells using a bladder pump with the intake placed at the approximate midpoint of the screened interval. The following field water quality parameters were continuously measured during purging: water temperature, pH, conductivity, oxidation-reduction potential, dissolved oxygen and turbidity. Groundwater analytical samples were collected when field water quality parameters stabilized. Samples were analyzed for VOCs via Method 8260C and 1,4-dioxane via Method 8270D SIM by Katahdin Analytical Services (Katahdin). All purge water was managed as investigation derived waste (IDW). Quality assurance (QA) and quality control (QC) samples were collected during the sampling effort.

Analytical results and stabilized field parameters for wells sampled by Resolution Consultants are summarized in Table 2 and Table 3, respectively. Groundwater sample forms and data validation packages for wells sampled by Resolution Consultants are included in Appendix A and B, respectively.

Results for ARCADIS-sampled wells are provided in Table 4 through Table 7; data validation packages are included in Appendix C. Samples collected from outpost wells were analyzed for VOCs via method 524.2 and 1,4-dioxane via Method 522 by Accutest Laboratories. Samples collected from remaining wells were analyzed for VOCs via Method 8260C and 1,4-dioxane via Method 8270D SIM by Accutest Laboratories.

Additional Navy-owned wells are sampled by ARCADIS as part of separate and ongoing OU2 monitoring programs, as summarized in the sampling schedule in Appendix D. ARCADIS will

document these activities and results in their 2017 Annual Groundwater Monitoring Report, scheduled for submission to New York State Department of Environmental Conservation in the summer of 2018.

Synoptic water levels were measured at 171 monitoring wells on December 4, 2017 as part of a separate task. Tabulated data are presented in Appendix E along with three contoured water level maps for wells screened at shallow (<300 feet bgs), intermediate (300-500 feet bgs) and deep (>500 feet bgs) intervals.

2.2 Investigation Derived Waste

Resolution Consultants utilized dedicated and disposable sampling equipment when possible to avoid the potential for cross-contamination of samples. The sampling equipment included dedicated disposable polyethylene tubing, disposable gloves, and laboratory supplied sample bottles. Hand held equipment was decontaminated using a luminox or micro 90 water wash, a potable water rinse, followed by a distilled water rinse. Purge water was collected in 5-gallon pails or 55-gallon drums.

Resolution Consultants transported purge water from point of generation to the designated staging area at NWIRP in Department of Transportation (DOT) approved 5-gallon pails. Purge water was then containerized in a frac tank and stored at NWIRP Bethpage for characterization and ultimate disposal to the Nassau County Publicly Owned Treatment Works (POTW) in accordance with the facility's existing discharge permit. All analytical criteria were met for disposal of water. No solid waste was generated during sampling.

3.0 SUMMARY

Well construction information for all wells sampled by Resolution Consultants and ARCADIS is summarized in Table 1.

Analytical results and stabilized field water quality parameters for wells sampled by Resolution Consultants are summarized in Tables 2 and 3, respectively. Groundwater sample forms and data validation packages for wells sampled by Resolution Consultants are included in Appendix A and B, respectively.

Analytical results for wells sampled by ARCADIS are summarized in Table 4 through Table 7. Data validation packages for wells sampled by ARCADIS are included in Appendix C.

The sampling schedule of additional Navy-owned wells by ARCADIS, as part of separate and ongoing OU2 monitoring programs, is summarized in Appendix D. Synoptic water levels measured on December 4, 2017 are summarized in Appendix E.

4.0 REFERENCES

Resolution Consultants, 2013. UFP SAP Addendum, *Groundwater Sampling Using Low Stress (Low Flow) Purging and Sampling Protocol*. November.

Tables

TABLE 1
MONITORING WELL CONSTRUCTION SUMMARY
 2017 OU2 GROUNDWATER INVESTIGATION
 NWIRP BETHPAGE, NY

Well	Total Depth (ft bgs)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	Mid-screen (ft bgs)	Sump Length (ft)	VPB Affiliation	Sampled By
BPOW5-1	515	480	510	495	5	VPB132	ARCADIS
BPOW5-2	585	540	580	560	5	VPB132	ARCADIS
BPOW5-3	665	620	660	640	5	VPB132	ARCADIS
BPOW5-4	575	545	570	557.5	5	VPB151	ARCADIS
BPOW5-5	545	515	540	527.5	5	VPB152	ARCADIS
BPOW5-6	615	585	610	597.5	5	VPB152	ARCADIS
BPOW5-7	555	525	550	537.5	5	VPB152	ARCADIS
BPOW6-1	580	550	575	562.5	5	VPB145	ARCADIS
BPOW6-2	785	755	780	767.5	5	VPB145	ARCADIS
BPOW6-3	780	750	775	762.5	5	VPB146	ARCADIS
BPOW6-4	575	545	570	557.5	5	VPB146	ARCADIS
BPOW6-5	555	525	550	537.5	5	VPB147	ARCADIS
BPOW6-6	800	770	795	782.5	5	VPB147	ARCADIS
RE103D1	645	625	640	632.5	5	VPB137	Resolution
RE103D2	673	653	673	663	0	VPB137	Resolution
RE103D3	735	715	730	722.5	5	VPB137	Resolution
RE104D1	375	350	370	360	5	VPB138	Resolution
RE104D2	735	710	730	720	5	VPB138	Resolution
RE104D3	785	760	780	770	5	VPB138	Resolution
RE105D1	555	530	550	540	5	VPB139	Resolution
RE105D2	755	730	750	740	5	VPB139	Resolution
RE106D1	462	440	460	450	2	VPB140	ARCADIS
RE106D2	492	480	490	485	2	VPB140	ARCADIS
RE106D3	535	510	530	520	5	VPB140	ARCADIS
RE107D1	530	505	525	515	5	VPB141	ARCADIS
RE107D2	585	560	580	570	5	VPB141	ARCADIS
RE107D3	670	645	665	655	5	VPB141	ARCADIS
RE108D1	555	530	550	540	5	VPB142	Resolution
RE108D2	655	630	650	640	5	VPB142	Resolution
RE109D1	540	515	535	525	5	VPB143	Resolution, ARCADIS
RE109D2	575	550	570	560	5	VPB143	Resolution, ARCADIS
RE109D3	605	580	600	590	5	VPB143	Resolution, ARCADIS
RE114D1	560	535	555	545	5	VPB148	ARCADIS
RE114D2	635	610	630	620	5	VPB148	ARCADIS
RE114D3	725	700	720	710	5	VPB148	ARCADIS
RE115D1	660	640	655	647.5	5	VPB149	ARCADIS
RE115D2	755	730	750	740	5	VPB149	ARCADIS
RE117D1	760	730	755	742.5	5	VPB151	Resolution
RE117D2	810	780	805	792.5	5	VPB151	Resolution
RE118D1	795	765	790	777.5	5	VPB152	ARCADIS
RE119D1	745	715	740	727.5	5	VPB153	ARCADIS
RE120D1	655	630	650	640	5	VPB154	Resolution

TABLE 1
MONITORING WELL CONSTRUCTION SUMMARY
 2017 OU2 GROUNDWATER INVESTIGATION
 NWIRP BETHPAGE, NY

Well	Total Depth (ft bgs)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	Mid-screen (ft bgs)	Sump Length (ft)	VPB Affiliation	Sampled By
RE120D2	713	690	710	700	3	VPB154	Resolution
RE120D3	765	740	760	750	5	VPB154	Resolution
RE121D1	575	550	570	560	5	VPB155	ARCADIS
RE121D2	755	730	750	740	5	VPB155	ARCADIS
RE122D1	545	520	540	530	5	VPB156	Resolution
RE122D2	615	590	610	600	5	VPB156	Resolution
RE122D3	740	715	735	725	5	VPB156	Resolution
RE123D1	505	480	500	490	5	VPB157	Resolution
RE123D2	660	635	655	645	5	VPB157	Resolution
RE123D3	840	815	835	825	5	VPB157	Resolution
RE124D1	685	660	680	670	5	VPB158	ARCADIS
RE124D2	755	730	750	740	5	VPB158	ARCADIS
RE125D1	345	320	340	330	5	VPB159	Resolution
RE125D2	605	580	600	590	5	VPB159	Resolution
RE125D3	695	670	690	680	5	VPB159	Resolution
RE126D1	525	500	520	510	5	VPB160	Resolution
RE126D2	580	555	575	565	5	VPB160	Resolution
RE126D3	665	640	660	650	5	VPB160	Resolution
RE127D1	685	660	680	670	5	VPB161	ARCADIS
RE127D2	780	755	775	765	5	VPB161	ARCADIS
RE128D1	685	660	680	670	5	VPB162	ARCADIS
RE128D2	760	735	755	745	5	VPB162	ARCADIS
RE129D1	715	690	710	700	5	VPB163	ARCADIS
RE129D2	830	805	825	815	5	VPB163	ARCADIS
RE130D1	580	555	575	565	5	VPB164	ARCADIS
RE130D2	665	640	660	650	5	VPB164	ARCADIS
RE131D1	455	430	450	440	5	VPB165	Resolution
RE131D2	595	565	590	577.5	5	VPB165	Resolution
RE131D3	685	660	680	670	5	VPB165	Resolution
RE133D1	585	560	580	570	5	VPB167	ARCADIS
RE133D2	805	780	800	790	5	VPB167	ARCADIS
TT101D	350	325	345	335	5	VPB129	Resolution
TT101D1	595	570	590	580	5	VPB129	Resolution
TT101D2	765	740	760	750	5	VPB129	Resolution
TT102D	605	560	600	580	5	VPB133	ARCADIS
TT102D2	775	740	770	755	5	VPB133	ARCADIS

ft bgs - feet below ground surface

TABLE 2
ANALYTICAL DATA SUMMARY FOR
WELLS SAMPLED BY RESOLUTION CONSULTANTS
 2017 OU2 GROUNDWATER INVESTIGATION

Location	NYSDEC Groundwater Guidance or Standard Value (Note 1)	RE104D1	RE104D2	RE104D3	RE105D1
Sample Date		12/5/2017	12/5/2017	12/5/2017	12/5/2017
Sample ID		RE104D1-GW-120517	RE104D2-GW-120517	RE104D3-GW-120517	RE105D1-GW-120517
Sample type code		N	N	N	N
VOC 8260C (ug/L)					
1,1,1-TRICHLOROETHANE	5	<0.50 U	<0.50 U	<0.50 U	<0.50 U
1,1,2,2-TETRACHLOROETHANE	5	<0.50 U	<0.50 U	<0.50 U	<0.50 U
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	5	2.1	<0.50 U	<0.50 U	4.7
1,1,2-TRICHLOROETHANE	1	<0.50 U	<0.50 U	<0.50 U	<0.50 U
1,1-DICHLOROETHANE	5	<0.50 U	<0.50 U	<0.50 U	<0.50 U
1,1-DICHLOROETHENE	5	0.58 J	<0.50 U	<0.50 U	0.74 J
1,2,4-TRICHLOROBENZENE	5	<0.50 U	<0.50 U	<0.50 U	<0.50 U
1,2-DIBROMO-3-CHLOROPROPANE	0.04	<0.75 U	<0.75 U	<0.75 U	<0.75 U
1,2-DIBROMOETHANE	NL	<0.50 U	<0.50 U	<0.50 U	<0.50 U
1,2-DICHLOROBENZENE	3	<0.50 U	<0.50 U	<0.50 U	<0.50 U
1,2-DICHLOROETHANE	5	<0.50 U	<0.50 U	<0.50 U	<0.50 U
1,2-DICHLOROETHENE, TOTAL	5	0.73 J	9.1	<1.0 U	1.3 J
1,2-DICHLOROPROPANE	1	<0.50 U	<0.50 U	<0.50 U	<0.50 U
1,3-DICHLOROBENZENE	3	<0.50 U	<0.50 U	<0.50 U	<0.50 U
1,4-DICHLOROBENZENE	3	<0.50 U	<0.50 U	<0.50 U	<0.50 U
1,4-DIOXANE (Method 8270D_SIM)	NL	9.5	0.87	<0.17 U	12
2-BUTANONE	50	<2.5 U	<2.5 U	<2.5 U	<2.5 U
2-HEXANONE	50	<2.5 U	<2.5 U	<2.5 U	<2.5 U
4-METHYL-2-PENTANONE	NL	<2.5 U	<2.5 U	<2.5 U	<2.5 U
ACETONE	50	<2.5 U	<2.5 U	<2.5 U	<2.5 U
BENZENE	1	<0.50 U	<0.50 U	<0.50 U	<0.50 U
BROMODICHLOROMETHANE	50	<0.50 U	<0.50 U	<0.50 U	<0.50 U
BROMOFORM	50	<0.50 U	<0.50 U	<0.50 U	<0.50 U
BROMOMETHANE	5	<1.0 U	<1.0 U	<1.0 U	<1.0 U
CARBON DISULFIDE	60	<0.50 U	<0.50 U	<0.50 U	<0.50 U
CARBON TETRACHLORIDE	5	<0.50 U	<0.50 U	<0.50 U	<0.50 U
CHLOROBENZENE	5	<0.50 U	<0.50 U	<0.50 U	<0.50 U
CHLOROETHANE	5	<1.0 U	<1.0 U	<1.0 U	<1.0 U
CHLOROFORM	7	<0.50 U	1.2	<0.50 U	<0.50 U
CHLOROMETHANE	5	<1.0 U	<1.0 U	<1.0 U	<1.0 U
CIS-1,2-DICHLOROETHENE	5	0.73 J	9.1	<0.50 U	1.3
CIS-1,3-DICHLOROPROPENE	0.4	<0.50 U	<0.50 U	<0.50 U	<0.50 U
CYCLOHEXANE	NL	<0.50 U	<0.50 U	<0.50 U	<0.50 U
DIBROMOCHLOROMETHANE	5	<0.50 U	<0.50 U	<0.50 U	<0.50 U
DICHLORODIFLUOROMETHANE	5	0.25 J	<1.0 U	<1.0 U	0.47 J
ETHYLBENZENE	5	<0.50 U	<0.50 U	<0.50 U	<0.50 U
ISOPROPYLBENZENE	5	<0.50 U	<0.50 U	<0.50 U	<0.50 U
M- AND P-XYLENE	NL	<1.0 U	<1.0 U	<1.0 U	<1.0 U
METHYL ACETATE	NL	<0.75 U	<0.75 U	<0.75 U	<0.75 U
METHYL CYCLOHEXANE	NL	<0.50 U	<0.50 U	<0.50 U	<0.50 U
METHYL TERT-BUTYL ETHER	10	<0.50 U	<0.50 U	<0.50 U	<0.50 U
METHYLENE CHLORIDE	5	<2.5 U	<2.5 U	<2.5 U	<2.5 U
O-XYLENE	NL	<0.50 U	<0.50 U	<0.50 U	<0.50 U
STYRENE	5	<0.50 U	<0.50 U	<0.50 U	<0.50 U
TETRACHLOROETHENE	5	2.9	<0.50 U	<0.50 U	<0.50 U
TOLUENE	5	<0.50 U	<0.50 U	<0.50 U	<0.50 U
TRANS-1,2-DICHLOROETHENE	5	<0.50 U	<0.50 U	<0.50 U	<0.50 U
TRANS-1,3-DICHLOROPROPENE	0.4	<0.50 U	<0.50 U	<0.50 U	<0.50 U
TRICHLOROETHENE	5	69	27	<0.50 U	100
TRICHLOROFLUOROMETHANE	5	<1.0 U	<1.0 U	<1.0 U	<1.0 U
VINYL CHLORIDE	2	<1.0 U	<1.0 U	<1.0 U	<1.0 U
XYLENES, TOTAL	5	<1.5 U	<1.5 U	<1.5 U	<1.5 U

TABLE 2
ANALYTICAL DATA SUMMARY FOR
WELLS SAMPLED BY RESOLUTION CONSULTANTS
2017 OU2 GROUNDWATER INVESTIGATION

Location	NYSDEC Groundwater Guidance or Standard Value (Note 1)	RE105D1	RE105D2	RE108D1	RE108D2
Sample Date		12/5/2017	12/5/2017	12/6/2017	12/6/2017
Sample ID		DUP01-GW-120517	RE105D2-GW-120517	RE108D1-GW-120617	RE108D2-GW-120617
Sample type code		FD	N	N	N
VOC 8260C (ug/L)					
1,1,1-TRICHLOROETHANE	5	0.27 J	<2.0 U	<0.50 U	<20 U
1,1,2,2-TETRACHLOROETHANE	5	<0.50 U	<2.0 U	<0.50 U	<20 U
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	5	4.6	14	0.44 J	<20 U
1,1,2-TRICHLOROETHANE	1	<0.50 U	<2.0 U	<0.50 U	<20 U
1,1-DICHLOROETHANE	5	<0.50 U	<2.0 U	<0.50 U	<20 U
1,1-DICHLOROETHENE	5	0.81 J	7.7	<0.50 U	<20 U
1,2,4-TRICHLOROBENZENE	5	<0.50 U	<2.0 U	<0.50 U	<20 U
1,2-DIBROMO-3-CHLOROPROPANE	0.04	<0.75 U	<3.0 U	<0.75 U	<30 U
1,2-DIBROMOETHANE	NL	<0.50 U	<2.0 U	<0.50 U	<20 U
1,2-DICHLOROBENZENE	3	<0.50 U	<2.0 U	<0.50 U	<20 U
1,2-DICHLOROETHANE	5	<0.50 U	<2.0 U	<0.50 U	<20 U
1,2-DICHLOROETHENE, TOTAL	5	1.4 J	3.6 J	<1.0 U	<40 U
1,2-DICHLOROPROPANE	1	<0.50 U	<2.0 U	<0.50 U	<20 U
1,3-DICHLOROBENZENE	3	<0.50 U	<2.0 U	<0.50 U	<20 U
1,4-DICHLOROBENZENE	3	<0.50 U	<2.0 U	<0.50 U	<20 U
1,4-DIOXANE (Method 8270D_SIM)	NL	12	13	8.4	9.9
2-BUTANONE	50	<2.5 U	<10 U	<2.5 U	<100 U
2-HEXANONE	50	<2.5 U	<10 U	<2.5 U	<100 U
4-METHYL-2-PENTANONE	NL	<2.5 U	<10 U	<2.5 U	<100 U
ACETONE	50	<2.5 U	<10 U	<2.5 U	<100 U
BENZENE	1	<0.50 U	<2.0 U	<0.50 U	<20 U
BROMODICHLOROMETHANE	50	<0.50 U	<2.0 U	<0.50 U	<20 U
BROMOFORM	50	<0.50 U	<2.0 U	<0.50 U	<20 U
BROMOMETHANE	5	<1.0 U	<4.0 U	<1.0 U	<40 U
CARBON DISULFIDE	60	<0.50 U	<2.0 U	<0.50 U	<20 U
CARBON TETRACHLORIDE	5	<0.50 U	<2.0 U	<0.50 U	<20 U
CHLOROBENZENE	5	<0.50 U	<2.0 U	<0.50 U	<20 U
CHLOROETHANE	5	<1.0 U	<4.0 U	<1.0 U	<40 U
CHLOROFORM	7	<0.50 U	1.4 J	<0.50 U	<20 U
CHLOROMETHANE	5	<1.0 U	<4.0 U	<1.0 U	<40 U
CIS-1,2-DICHLOROETHENE	5	1.4	3.6 J	<0.50 U	<20 U
CIS-1,3-DICHLOROPROPENE	0.4	<0.50 U	<2.0 U	<0.50 U	<20 U
CYCLOHEXANE	NL	<0.50 U	<2.0 U	<0.50 U	<20 U
DIBROMOCHLOROMETHANE	5	<0.50 U	<2.0 U	<0.50 U	<20 U
DICHLORODIFLUOROMETHANE	5	0.39 J	<4.0 U	<1.0 U	<40 U
ETHYLBENZENE	5	<0.50 U	<2.0 U	<0.50 U	<20 U
ISOPROPYLBENZENE	5	<0.50 U	<2.0 U	<0.50 U	<20 U
M- AND P-XYLENE	NL	<1.0 U	<4.0 U	<1.0 U	<40 U
METHYL ACETATE	NL	<0.75 U	<3.0 U	<0.75 U	<30 U
METHYL CYCLOHEXANE	NL	<0.50 U	<2.0 U	<0.50 U	<20 U
METHYL TERT-BUTYL ETHER	10	<0.50 U	<2.0 U	<0.50 U	<20 U
METHYLENE CHLORIDE	5	<2.5 U	<10 U	<2.5 U	<100 U
O-XYLENE	NL	<0.50 U	<2.0 U	<0.50 U	<20 U
STYRENE	5	<0.50 U	<2.0 U	<0.50 U	<20 U
TETRACHLOROETHENE	5	0.40 J	2.2 J	1.2	<20 U
TOLUENE	5	<0.50 U	<2.0 U	<0.50 U	<20 U
TRANS-1,2-DICHLOROETHENE	5	<0.50 U	<2.0 U	<0.50 U	<20 U
TRANS-1,3-DICHLOROPROPENE	0.4	<0.50 U	<2.0 U	<0.50 U	<20 U
TRICHLOROETHENE	5	100	1900	51	3100
TRICHLOROFLUOROMETHANE	5	<1.0 U	<4.0 U	<1.0 U	<40 U
VINYL CHLORIDE	2	<1.0 U	<4.0 U	<1.0 U	<40 U
XYLENES, TOTAL	5	<1.5 U	<6.0 U	<1.5 U	<60 U

TABLE 2
ANALYTICAL DATA SUMMARY FOR
WELLS SAMPLED BY RESOLUTION CONSULTANTS
2017 OU2 GROUNDWATER INVESTIGATION

Location	NYSDEC Groundwater Guidance or Standard Value (Note 1)	RE122D1	RE122D2	RE122D3	RE126D1
Sample Date		12/6/2017	12/6/2017	12/6/2017	12/7/2017
Sample ID		RE122D1-GW-120617	RE122D2-GW-120617	RE122D3-GW-120617	RE126D1-GW-120717
Sample type code		N	N	N	N
VOC 8260C (ug/L)					
1,1,1-TRICHLOROETHANE	5	<0.50 U	<2.0 U	<0.50 U	<0.50 U
1,1,2,2-TETRACHLOROETHANE	5	<0.50 U	<2.0 U	<0.50 U	<0.50 U
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	5	3.8	8.2	<0.50 U	0.79 J
1,1,2-TRICHLOROETHANE	1	<0.50 U	1.7 J	<0.50 U	<0.50 U
1,1-DICHLOROETHANE	5	<0.50 U	<2.0 U	<0.50 U	<0.50 U
1,1-DICHLOROETHENE	5	1.0	4.5	<0.50 U	0.40 J
1,2,4-TRICHLOROBENZENE	5	<0.50 U	<2.0 U	<0.50 U	<0.50 U
1,2-DIBROMO-3-CHLOROPROPANE	0.04	<0.75 U	<3.0 U	<0.75 U	<0.75 U
1,2-DIBROMOETHANE	NL	<0.50 U	<2.0 U	<0.50 U	<0.50 U
1,2-DICHLOROBENZENE	3	<0.50 U	<2.0 U	<0.50 U	<0.50 U
1,2-DICHLOROETHANE	5	<0.50 U	<2.0 U	<0.50 U	<0.50 U
1,2-DICHLOROETHENE, TOTAL	5	2.3	3.3 J	<1.0 U	0.38 J
1,2-DICHLOROPROPANE	1	<0.50 U	<2.0 U	<0.50 U	<0.50 U
1,3-DICHLOROBENZENE	3	<0.50 U	<2.0 U	<0.50 U	<0.50 U
1,4-DICHLOROBENZENE	3	<0.50 U	<2.0 U	<0.50 U	<0.50 U
1,4-DIOXANE (Method 8270D_SIM)	NL	10	14	<0.17 U	9.1
2-BUTANONE	50	<2.5 U	<10 U	<2.5 U	<2.5 U
2-HEXANONE	50	<2.5 U	<10 U	<2.5 U	<2.5 U
4-METHYL-2-PENTANONE	NL	<2.5 U	<10 U	<2.5 U	<2.5 U
ACETONE	50	<2.5 U	<10 U	<2.5 U	<2.5 U
BENZENE	1	<0.50 U	<2.0 U	<0.50 U	<0.50 U
BROMODICHLOROMETHANE	50	<0.50 U	<2.0 U	<0.50 U	<0.50 U
BROMOFORM	50	<0.50 U	<2.0 U	<0.50 U	<0.50 U
BROMOMETHANE	5	<1.0 U	<4.0 U	<1.0 U	<1.0 U
CARBON DISULFIDE	60	<0.50 U	<2.0 U	<0.50 U	<0.50 U
CARBON TETRACHLORIDE	5	0.51 J	<2.0 U	<0.50 U	<0.50 U
CHLOROBENZENE	5	<0.50 U	<2.0 U	<0.50 U	<0.50 U
CHLOROETHANE	5	<1.0 U	<4.0 U	<1.0 U	<1.0 U
CHLOROFORM	7	0.57 J	2.0 J	<0.50 U	<0.50 U
CHLOROMETHANE	5	<1.0 U	<4.0 U	<1.0 U	<1.0 U
CIS-1,2-DICHLOROETHENE	5	2.0	3.3 J	<0.50 U	0.38 J
CIS-1,3-DICHLOROPROPENE	0.4	<0.50 U	<2.0 U	<0.50 U	<0.50 U
CYCLOHEXANE	NL	<0.50 U	<2.0 U	<0.50 U	<0.50 U
DIBROMOCHLOROMETHANE	5	<0.50 U	<2.0 U	<0.50 U	<0.50 U
DICHLORODIFLUOROMETHANE	5	<1.0 U	<4.0 U	<1.0 U	<1.0 U
ETHYLBENZENE	5	<0.50 U	<2.0 U	<0.50 U	<0.50 U
ISOPROPYLBENZENE	5	<0.50 U	<2.0 U	<0.50 U	<0.50 U
M- AND P-XYLENE	NL	<1.0 U	<4.0 U	<1.0 U	<1.0 U
METHYL ACETATE	NL	<0.75 U	<3.0 U	<0.75 U	<0.75 U
METHYL CYCLOHEXANE	NL	<0.50 U	<2.0 U	<0.50 U	<0.50 U
METHYL TERT-BUTYL ETHER	10	<0.50 U	<2.0 U	<0.50 U	<0.50 U
METHYLENE CHLORIDE	5	<2.5 U	<10 U	<2.5 U	<2.5 U
O-XYLENE	NL	<0.50 U	<2.0 U	<0.50 U	<0.50 U
STYRENE	5	<0.50 U	<2.0 U	<0.50 U	<0.50 U
TETRACHLOROETHENE	5	1.6	<2.0 U	<0.50 U	0.93 J
TOLUENE	5	<0.50 U	<2.0 U	<0.50 U	<0.50 U
TRANS-1,2-DICHLOROETHENE	5	0.28 J	<2.0 U	<0.50 U	<0.50 U
TRANS-1,3-DICHLOROPROPENE	0.4	<0.50 U	<2.0 U	<0.50 U	<0.50 U
TRICHLOROETHENE	5	490	3200	4.2	85
TRICHLOROFLUOROMETHANE	5	<1.0 U	<4.0 U	<1.0 U	<1.0 U
VINYL CHLORIDE	2	<1.0 U	<4.0 U	<1.0 U	<1.0 U
XYLENES, TOTAL	5	<1.5 U	<6.0 U	<1.5 U	<1.5 U

TABLE 2
ANALYTICAL DATA SUMMARY FOR
WELLS SAMPLED BY RESOLUTION CONSULTANTS
2017 OU2 GROUNDWATER INVESTIGATION

Location	NYSDEC Groundwater Guidance or Standard Value (Note 1)	RE126D2	RE126D3	RE131D1	RE131D2
Sample Date		12/7/2017	12/7/2017	12/7/2017	12/7/2017
Sample ID		RE126D2-GW- 120717	RE126D3-GW- 120717	RE131D1-GW- 120717	RE131D2-GW- 120717
Sample type code		N	N	N	N
VOC 8260C (ug/L)					
1,1,1-TRICHLOROETHANE	5	0.49 J	<0.50 U	<0.50 U	<0.50 U
1,1,2,2-TETRACHLOROETHANE	5	<0.50 U	<0.50 U	<0.50 U	<0.50 U
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	5	1.1	0.70 J	3.8	160
1,1,2-TRICHLOROETHANE	1	0.35 J	<0.50 U	<0.50 U	<0.50 U
1,1-DICHLOROETHANE	5	1.5	<0.50 U	0.50 J	<0.50 U
1,1-DICHLOROETHENE	5	1.2	0.37 J	0.72 J	2.3
1,2,4-TRICHLOROBENZENE	5	<0.50 U	<0.50 U	<0.50 U	<0.50 U
1,2-DIBROMO-3-CHLOROPROPANE	0.04	<0.75 U	<0.75 U	<0.75 U	<0.75 U
1,2-DIBROMOETHANE	NL	<0.50 U	<0.50 U	<0.50 U	<0.50 U
1,2-DICHLOROBENZENE	3	<0.50 U	<0.50 U	<0.50 U	<0.50 U
1,2-DICHLOROETHANE	5	<0.50 U	<0.50 U	<0.50 U	0.46 J
1,2-DICHLOROETHENE, TOTAL	5	1.7 J	<1.0 U	4.6	4.3
1,2-DICHLOROPROPANE	1	<0.50 U	<0.50 U	<0.50 U	<0.50 U
1,3-DICHLOROBENZENE	3	<0.50 U	<0.50 U	<0.50 U	<0.50 U
1,4-DICHLOROBENZENE	3	<0.50 U	<0.50 U	<0.50 U	<0.50 U
1,4-DIOXANE (Method 8270D_SIM)	NL	8.2	2.5	16	15
2-BUTANONE	50	<2.5 U	<2.5 U	<2.5 U	<2.5 U
2-HEXANONE	50	<2.5 U	<2.5 U	<2.5 U	<2.5 U
4-METHYL-2-PENTANONE	NL	<2.5 U	<2.5 U	<2.5 U	<2.5 U
ACETONE	50	<2.5 U	<2.5 U	<2.5 U	<2.5 U
BENZENE	1	<0.50 U	<0.50 U	<0.50 U	<0.50 U
BROMODICHLOROMETHANE	50	<0.50 U	<0.50 U	<0.50 U	<0.50 U
BROMOFORM	50	<0.50 U	<0.50 U	<0.50 U	<0.50 U
BROMOMETHANE	5	<1.0 U	<1.0 U	<1.0 U	<1.0 U
CARBON DISULFIDE	60	<0.50 U	<0.50 U	<0.50 U	<0.50 U
CARBON TETRACHLORIDE	5	0.46 J	<0.50 U	<0.50 U	<0.50 U
CHLOROBENZENE	5	<0.50 U	<0.50 U	<0.50 U	<0.50 U
CHLOROETHANE	5	<1.0 U	<1.0 U	<1.0 U	<1.0 U
CHLOROFORM	7	0.51 J	<0.50 U	2.4	0.37 J
CHLOROMETHANE	5	<1.0 U	<1.0 U	<1.0 U	<1.0 U
CIS-1,2-DICHLOROETHENE	5	1.7	<0.50 U	4.6	4.3
CIS-1,3-DICHLOROPROPENE	0.4	<0.50 U	<0.50 U	<0.50 U	<0.50 U
CYCLOHEXANE	NL	<0.50 U	<0.50 U	<0.50 U	<0.50 U
DIBROMOCHLOROMETHANE	5	<0.50 U	<0.50 U	<0.50 U	<0.50 U
DICHLORODIFLUOROMETHANE	5	<1.0 U	<1.0 U	<1.0 U	<1.0 U
ETHYLBENZENE	5	<0.50 U	<0.50 U	<0.50 U	<0.50 U
ISOPROPYLBENZENE	5	<0.50 U	<0.50 U	<0.50 U	<0.50 U
M- AND P-XYLENE	NL	<1.0 U	<1.0 U	<1.0 U	<1.0 U
METHYL ACETATE	NL	<0.75 U	<0.75 U	<0.75 U	<0.75 U
METHYL CYCLOHEXANE	NL	<0.50 U	<0.50 U	<0.50 U	<0.50 U
METHYL TERT-BUTYL ETHER	10	<0.50 U	<0.50 U	<0.50 U	<0.50 U
METHYLENE CHLORIDE	5	<2.5 U	<2.5 U	<2.5 U	<2.5 U
O-XYLENE	NL	<0.50 U	<0.50 U	<0.50 U	<0.50 U
STYRENE	5	<0.50 U	<0.50 U	<0.50 U	<0.50 U
TETRACHLOROETHENE	5	0.56 J	2.4	10	6.7
TOLUENE	5	<0.50 U	<0.50 U	<0.50 U	<0.50 U
TRANS-1,2-DICHLOROETHENE	5	<0.50 U	<0.50 U	<0.50 U	<0.50 U
TRANS-1,3-DICHLOROPROPENE	0.4	<0.50 U	<0.50 U	<0.50 U	<0.50 U
TRICHLOROETHENE	5	450	4.3	140	67
TRICHLOROFLUOROMETHANE	5	<1.0 U	<1.0 U	<1.0 U	<1.0 U
VINYL CHLORIDE	2	<1.0 U	<1.0 U	<1.0 U	<1.0 U
XYLENES, TOTAL	5	<1.5 U	<1.5 U	<1.5 U	<1.5 U

TABLE 2
ANALYTICAL DATA SUMMARY FOR
WELLS SAMPLED BY RESOLUTION CONSULTANTS
2017 OU2 GROUNDWATER INVESTIGATION

Location	NYSDEC Groundwater Guidance or Standard Value (Note 1)	RE131D3	TT101D1	TT101D2	TT101D
Sample Date		12/7/2017	12/8/2017	12/8/2017	12/8/2017
Sample ID		RE131D3-GW- 120717	TT101D1-GW- 120817	TT101D2-GW- 120817	TT101D-GW- 120817
Sample type code		N	N	N	N
VOC 8260C (ug/L)					
1,1,1-TRICHLOROETHANE	5	<0.50 U	0.54 J	0.39 J	<0.50 U
1,1,2,2-TETRACHLOROETHANE	5	<0.50 U	<0.50 U	<0.50 U	<0.50 U
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	5	140	15	25	13
1,1,2-TRICHLOROETHANE	1	<0.50 U	0.47 J	0.66 J	<0.50 U
1,1-DICHLOROETHANE	5	<0.50 U	1.1	1.1	0.74 J
1,1-DICHLOROETHENE	5	1.5	6.3	5.8	3.0
1,2,4-TRICHLOROBENZENE	5	<0.50 U	<0.50 U	<0.50 U	<0.50 U
1,2-DIBROMO-3-CHLOROPROPANE	0.04	<0.75 U	<0.75 U	<0.75 U	<0.75 U
1,2-DIBROMOETHANE	NL	<0.50 U	<0.50 U	<0.50 U	<0.50 U
1,2-DICHLOROBENZENE	3	<0.50 U	<0.50 U	<0.50 U	<0.50 U
1,2-DICHLOROETHANE	5	<0.50 U	<0.50 U	<0.50 U	<0.50 U
1,2-DICHLOROETHENE, TOTAL	5	0.47 J	1.9 J	1.9 J	2.9
1,2-DICHLOROPROPANE	1	<0.50 U	<0.50 U	<0.50 U	<0.50 U
1,3-DICHLOROBENZENE	3	<0.50 U	<0.50 U	<0.50 U	<0.50 U
1,4-DICHLOROBENZENE	3	<0.50 U	<0.50 U	<0.50 U	<0.50 U
1,4-DIOXANE (Method 8270D_SIM)	NL	2.8	12	4.8	8.5
2-BUTANONE	50	<2.5 U	<2.5 U	<2.5 U	<2.5 U
2-HEXANONE	50	<2.5 U	<2.5 U	<2.5 U	<2.5 U
4-METHYL-2-PENTANONE	NL	<2.5 U	<2.5 U	<2.5 U	<2.5 U
ACETONE	50	<2.5 U	<2.5 U	<2.5 U	<2.5 U
BENZENE	1	<0.50 U	<0.50 U	<0.50 U	<0.50 U
BROMODICHLOROMETHANE	50	<0.50 U	<0.50 U	<0.50 U	<0.50 U
BROMOFORM	50	<0.50 U	<0.50 U	<0.50 U	<0.50 U
BROMOMETHANE	5	<1.0 U	<1.0 U	<1.0 U	<1.0 U
CARBON DISULFIDE	60	<0.50 U	<0.50 U	<0.50 U	<0.50 U
CARBON TETRACHLORIDE	5	<0.50 U	1.4	1.1	<0.50 U
CHLOROBENZENE	5	<0.50 U	<0.50 U	<0.50 U	<0.50 U
CHLOROETHANE	5	<1.0 U	<1.0 U	<1.0 U	<1.0 U
CHLOROFORM	7	<0.50 U	0.92 J	0.97 J	<0.50 U
CHLOROMETHANE	5	<1.0 U	<1.0 U	<1.0 U	<1.0 U
CIS-1,2-DICHLOROETHENE	5	0.47 J	1.9	1.9	2.9
CIS-1,3-DICHLOROPROPENE	0.4	<0.50 U	<0.50 U	<0.50 U	<0.50 U
CYCLOHEXANE	NL	<0.50 U	<0.50 U	<0.50 U	<0.50 U
DIBROMOCHLOROMETHANE	5	<0.50 U	<0.50 U	<0.50 U	<0.50 U
DICHLORODIFLUOROMETHANE	5	<1.0 U	1.2 J	<1.0 U	1.8 J
ETHYLBENZENE	5	<0.50 U	<0.50 U	<0.50 U	<0.50 U
ISOPROPYLBENZENE	5	<0.50 U	<0.50 U	<0.50 U	<0.50 U
M- AND P-XYLENE	NL	<1.0 U	<1.0 U	<1.0 U	<1.0 U
METHYL ACETATE	NL	<0.75 U	<0.75 U	<0.75 U	<0.75 U
METHYL CYCLOHEXANE	NL	<0.50 U	<0.50 U	<0.50 U	<0.50 U
METHYL TERT-BUTYL ETHER	10	<0.50 U	<0.50 U	<0.50 U	<0.50 U
METHYLENE CHLORIDE	5	<2.5 U	<2.5 U	<2.5 U	<2.5 U
O-XYLENE	NL	<0.50 U	<0.50 U	<0.50 U	<0.50 U
STYRENE	5	<0.50 U	<0.50 U	<0.50 U	<0.50 U
TETRACHLOROETHENE	5	2.2	<0.50 U	1.4	<0.50 U
TOLUENE	5	<0.50 U	<0.50 U	<0.50 U	<0.50 U
TRANS-1,2-DICHLOROETHENE	5	<0.50 U	<0.50 U	<0.50 U	<0.50 U
TRANS-1,3-DICHLOROPROPENE	0.4	<0.50 U	<0.50 U	<0.50 U	<0.50 U
TRICHLOROETHENE	5	9.5	170	840	66
TRICHLOROFLUOROMETHANE	5	<1.0 U	<1.0 U	<1.0 U	<1.0 U
VINYL CHLORIDE	2	<1.0 U	<1.0 U	<1.0 U	<1.0 U
XYLENES, TOTAL	5	<1.5 U	<1.5 U	<1.5 U	<1.5 U

TABLE 2
ANALYTICAL DATA SUMMARY FOR
WELLS SAMPLED BY RESOLUTION CONSULTANTS
2017 OU2 GROUNDWATER INVESTIGATION

Location	NYSDEC Groundwater Guidance or Standard Value (Note 1)	RE109D1	RE109D2	RE109D3	RE109D3
Sample Date		12/11/2017	12/11/2017	12/11/2017	12/11/2017
Sample ID		RE109D1-GW-121117	RE109D2-GW-121117	RE109D3-GW-121117	DUP02-WQ-121117
Sample type code		N	N	N	FD
VOC 8260C (ug/L)					
1,1,1-TRICHLOROETHANE	5	<0.50 U	<0.50 U	0.47 J	0.42 J
1,1,2,2-TETRACHLOROETHANE	5	<0.50 U	<0.50 U	<0.50 U	<0.50 U
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	5	0.83 J	0.91 J	3.5	3.1
1,1,2-TRICHLOROETHANE	1	<0.50 U	<0.50 U	<0.50 U	<0.50 U
1,1-DICHLOROETHANE	5	<0.50 U	<0.50 U	<0.50 U	<0.50 U
1,1-DICHLOROETHENE	5	<0.50 U	<0.50 U	<0.50 U	<0.50 U
1,2,4-TRICHLOROBENZENE	5	<0.50 U	<0.50 U	<0.50 U	<0.50 U
1,2-DIBROMO-3-CHLOROPROPANE	0.04	<0.75 U	<0.75 U	<0.75 U	<0.75 U
1,2-DIBROMOETHANE	NL	<0.50 U	<0.50 U	<0.50 U	<0.50 U
1,2-DICHLOROBENZENE	3	<0.50 U	<0.50 U	<0.50 U	<0.50 U
1,2-DICHLOROETHANE	5	<0.50 U	<0.50 U	<0.50 U	<0.50 U
1,2-DICHLOROETHENE, TOTAL	5	<1.0 U	0.23 J	0.88 J	0.86 J
1,2-DICHLOROPROPANE	1	<0.50 U	<0.50 U	<0.50 U	<0.50 U
1,3-DICHLOROBENZENE	3	<0.50 U	<0.50 U	<0.50 U	<0.50 U
1,4-DICHLOROBENZENE	3	<0.50 U	<0.50 U	<0.50 U	<0.50 U
1,4-DIOXANE (Method 8270D_SIM)	NL	8.4	7.6	9.1	8.5
2-BUTANONE	50	<2.5 U	<2.5 U	<2.5 U	<2.5 U
2-HEXANONE	50	<2.5 U	<2.5 U	<2.5 U	<2.5 U
4-METHYL-2-PENTANONE	NL	<2.5 U	<2.5 U	<2.5 U	<2.5 U
ACETONE	50	<2.5 U	<2.5 U	<2.5 U	<2.5 U
BENZENE	1	<0.50 U	<0.50 U	<0.50 U	<0.50 U
BROMODICHLOROMETHANE	50	<0.50 U	<0.50 U	<0.50 U	<0.50 U
BROMOFORM	50	<0.50 U	<0.50 U	<0.50 U	<0.50 U
BROMOMETHANE	5	<1.0 U	<1.0 U	<1.0 U	<1.0 U
CARBON DISULFIDE	60	<0.50 U	<0.50 U	<0.50 U	<0.50 U
CARBON TETRACHLORIDE	5	<0.50 U	<0.50 U	0.66 J	0.60 J
CHLOROBENZENE	5	<0.50 U	<0.50 U	<0.50 U	<0.50 U
CHLOROETHANE	5	<1.0 U	<1.0 U	<1.0 U	<1.0 U
CHLOROFORM	7	<0.50 U	<0.50 U	<0.50 U	<0.50 U
CHLOROMETHANE	5	<1.0 U	<1.0 U	<1.0 U	<1.0 U
CIS-1,2-DICHLOROETHENE	5	<0.50 U	0.23 J	0.88 J	0.86 J
CIS-1,3-DICHLOROPROPENE	0.4	<0.50 U	<0.50 U	<0.50 U	<0.50 U
CYCLOHEXANE	NL	<0.50 U	<0.50 U	<0.50 U	<0.50 U
DIBROMOCHLOROMETHANE	5	<0.50 U	<0.50 U	<0.50 U	<0.50 U
DICHLORODIFLUOROMETHANE	5	<1.0 U	<1.0 U	0.38 J	0.40 J
ETHYLBENZENE	5	<0.50 U	<0.50 U	<0.50 U	<0.50 U
ISOPROPYLBENZENE	5	<0.50 U	<0.50 U	<0.50 U	<0.50 U
M- AND P-XYLENE	NL	<1.0 U	<1.0 U	<1.0 U	<1.0 U
METHYL ACETATE	NL	<0.75 U	<0.75 U	<0.75 U	<0.75 U
METHYL CYCLOHEXANE	NL	<0.50 U	<0.50 U	<0.50 U	<0.50 U
METHYL TERT-BUTYL ETHER	10	<0.50 U	<0.50 U	<0.50 U	<0.50 U
METHYLENE CHLORIDE	5	<2.5 U	<2.5 U	<2.5 U	<2.5 U
O-XYLENE	NL	<0.50 U	<0.50 U	<0.50 U	<0.50 U
STYRENE	5	<0.50 U	<0.50 U	<0.50 U	<0.50 U
TETRACHLOROETHENE	5	0.65 J	<0.50 U	0.55 J	0.60 J
TOLUENE	5	<0.50 U	<0.50 U	<0.50 U	<0.50 U
TRANS-1,2-DICHLOROETHENE	5	<0.50 U	<0.50 U	<0.50 U	<0.50 U
TRANS-1,3-DICHLOROPROPENE	0.4	<0.50 U	<0.50 U	<0.50 U	<0.50 U
TRICHLOROETHENE	5	26	29	65	66
TRICHLOROFLUOROMETHANE	5	<1.0 U	<1.0 U	<1.0 U	<1.0 U
VINYL CHLORIDE	2	<1.0 U	<1.0 U	<1.0 U	<1.0 U
XYLENES, TOTAL	5	<1.5 U	<1.5 U	<1.5 U	<1.5 U

TABLE 2
ANALYTICAL DATA SUMMARY FOR
WELLS SAMPLED BY RESOLUTION CONSULTANTS
 2017 OU2 GROUNDWATER INVESTIGATION

Location	NYSDEC Groundwater Guidance or Standard Value (Note 1)	RE125D1	RE125D2	RE125D3	RE120D1
Sample Date		12/11/2017	12/11/2017	12/11/2017	12/12/2017
Sample ID		RE125D1-GW-121117	RE125D2-GW-121117	RE125D3-GW-121117	RE120D1-GW-121217
Sample type code		N	N	N	N
VOC 8260C (ug/L)					
1,1,1-TRICHLOROETHANE	5	<0.50 U	0.47 J	<0.50 U	0.94 J
1,1,2,2-TETRACHLOROETHANE	5	<0.50 U	<0.50 U	<0.50 U	<0.50 U
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	5	9.0	17	35	18 J
1,1,2-TRICHLOROETHANE	1	<0.50 U	<0.50 U	<0.50 U	0.94 J
1,1-DICHLOROETHANE	5	1.8	0.73 J	<0.50 U	2.2 J
1,1-DICHLOROETHENE	5	2.2	6.1	1.0	14 J
1,2,4-TRICHLOROBENZENE	5	<0.50 U	<0.50 U	<0.50 U	<0.50 U
1,2-DIBROMO-3-CHLOROPROPANE	0.04	<0.75 U	<0.75 U	<0.75 U	<0.75 U
1,2-DIBROMOETHANE	NL	<0.50 U	<0.50 U	<0.50 U	<0.50 U
1,2-DICHLOROBENZENE	3	<0.50 U	<0.50 U	<0.50 U	<0.50 U
1,2-DICHLOROETHANE	5	<0.50 U	<0.50 U	<0.50 U	<0.50 U
1,2-DICHLOROETHENE, TOTAL	5	4.1	3.7	1.7 J	3.6 J
1,2-DICHLOROPROPANE	1	<0.50 U	<0.50 U	<0.50 U	<0.50 U
1,3-DICHLOROBENZENE	3	<0.50 U	<0.50 U	<0.50 U	<0.50 U
1,4-DICHLOROBENZENE	3	<0.50 U	<0.50 U	<0.50 U	<0.50 U
1,4-DIOXANE (Method 8270D_SIM)	NL	14	17	4.6	25
2-BUTANONE	50	<2.5 U	<2.5 U	<2.5 U	<2.5 U
2-HEXANONE	50	<2.5 U	<2.5 U	<2.5 U	<2.5 U
4-METHYL-2-PENTANONE	NL	<2.5 U	<2.5 U	<2.5 U	<2.5 U
ACETONE	50	<2.5 U	<2.5 U	<2.5 U	<2.5 U
BENZENE	1	<0.50 U	<0.50 U	<0.50 U	<0.50 U
BROMODICHLOROMETHANE	50	<0.50 U	<0.50 U	<0.50 U	<0.50 U
BROMOFORM	50	<0.50 U	<0.50 U	<0.50 U	<0.50 U
BROMOMETHANE	5	<1.0 U	<1.0 U	<1.0 U	<1.0 U
CARBON DISULFIDE	60	<0.50 U	<0.50 U	<0.50 U	<0.50 U
CARBON TETRACHLORIDE	5	<0.50 U	<0.50 U	0.35 J	0.48 J
CHLOROBENZENE	5	<0.50 U	<0.50 U	<0.50 U	<0.50 U
CHLOROETHANE	5	<1.0 U	<1.0 U	<1.0 U	<1.0 U
CHLOROFORM	7	0.83 J	0.44 J	0.34 J	0.74 J
CHLOROMETHANE	5	<1.0 U	<1.0 U	<1.0 U	<1.0 U
CIS-1,2-DICHLOROETHENE	5	4.1	3.7	1.7	3.6 J
CIS-1,3-DICHLOROPROPENE	0.4	<0.50 U	<0.50 U	<0.50 U	<0.50 U
CYCLOHEXANE	NL	<0.50 U	<0.50 U	<0.50 U	<0.50 U
DIBROMOCHLOROMETHANE	5	<0.50 U	<0.50 U	<0.50 U	<0.50 U
DICHLORODIFLUOROMETHANE	5	0.46 J	0.53 J	0.26 J	<1.0 U
ETHYLBENZENE	5	<0.50 U	<0.50 U	<0.50 U	<0.50 U
ISOPROPYLBENZENE	5	<0.50 U	<0.50 U	<0.50 U	<0.50 U
M- AND P-XYLENE	NL	<1.0 U	<1.0 U	<1.0 U	<1.0 U
METHYL ACETATE	NL	<0.75 U	<0.75 U	<0.75 U	<0.75 U
METHYL CYCLOHEXANE	NL	<0.50 U	<0.50 U	<0.50 U	<0.50 U
METHYL TERT-BUTYL ETHER	10	<0.50 U	<0.50 U	<0.50 U	<0.50 U
METHYLENE CHLORIDE	5	<2.5 U	<2.5 U	<2.5 U	<2.5 U
O-XYLENE	NL	<0.50 U	<0.50 U	<0.50 U	<0.50 U
STYRENE	5	<0.50 U	<0.50 U	<0.50 U	<0.50 U
TETRACHLOROETHENE	5	4.7	2.1	1.7	2.5 J
TOLUENE	5	<0.50 U	<0.50 U	<0.50 U	<0.50 U
TRANS-1,2-DICHLOROETHENE	5	<0.50 U	<0.50 U	<0.50 U	<0.50 U
TRANS-1,3-DICHLOROPROPENE	0.4	<0.50 U	<0.50 U	<0.50 U	<0.50 U
TRICHLOROETHENE	5	140	200	150	990 J
TRICHLOROFLUOROMETHANE	5	<1.0 U	<1.0 U	<1.0 U	0.27 J
VINYL CHLORIDE	2	<1.0 U	<1.0 U	<1.0 U	<1.0 U
XYLENES, TOTAL	5	<1.5 U	<1.5 U	<1.5 U	<1.5 U

TABLE 2
ANALYTICAL DATA SUMMARY FOR
WELLS SAMPLED BY RESOLUTION CONSULTANTS
2017 OU2 GROUNDWATER INVESTIGATION

Location	NYSDEC Groundwater Guidance or Standard Value (Note 1)	RE120D2	RE120D3	RE123D1	RE123D2
Sample Date		12/12/2017	12/12/2017	12/12/2017	12/12/2017
Sample ID		RE120D2-GW-121217	RE120D3-GW-121217	RE123D1-GW-121217	RE123D2-GW-121217
Sample type code		N	N	N	N
VOC 8260C (ug/L)					
1,1,1-TRICHLOROETHANE	5	0.27 J	<0.50 U	<0.50 U	<0.50 U
1,1,2,2-TETRACHLOROETHANE	5	<0.50 U	<0.50 U	<0.50 U	<0.50 U
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	5	15 J	0.76 J	<0.50 U	<0.50 U
1,1,2-TRICHLOROETHANE	1	0.46 J	<0.50 U	<0.50 U	<0.50 U
1,1-DICHLOROETHANE	5	0.74 J	<0.50 U	<0.50 U	<0.50 U
1,1-DICHLOROETHENE	5	4.1 J	<0.50 U	<0.50 U	<0.50 U
1,2,4-TRICHLOROBENZENE	5	<0.50 U	<0.50 U	<0.50 U	<0.50 U
1,2-DIBROMO-3-CHLOROPROPANE	0.04	<0.75 U	<0.75 U	<0.75 U	<0.75 U
1,2-DIBROMOETHANE	NL	<0.50 U	<0.50 U	<0.50 U	<0.50 U
1,2-DICHLOROBENZENE	3	<0.50 U	<0.50 U	<0.50 U	<0.50 U
1,2-DICHLOROETHANE	5	<0.50 U	<0.50 U	<0.50 U	<0.50 U
1,2-DICHLOROETHENE, TOTAL	5	3.3 J	<1.0 U	<1.0 U	<1.0 U
1,2-DICHLOROPROPANE	1	<0.50 U	<0.50 U	<0.50 U	<0.50 U
1,3-DICHLOROBENZENE	3	<0.50 U	<0.50 U	<0.50 U	<0.50 U
1,4-DICHLOROBENZENE	3	<0.50 U	<0.50 U	<0.50 U	<0.50 U
1,4-DIOXANE (Method 8270D_SIM)	NL	16	0.38	6.2	1.1
2-BUTANONE	50	<2.5 U	<2.5 U	<2.5 U	<2.5 U
2-HEXANONE	50	<2.5 U	<2.5 U	<2.5 U	<2.5 U
4-METHYL-2-PENTANONE	NL	<2.5 U	<2.5 U	<2.5 U	<2.5 U
ACETONE	50	<2.5 U	<2.5 U	<2.5 U	<2.5 U
BENZENE	1	<0.50 U	<0.50 U	<0.50 U	<0.50 U
BROMODICHLOROMETHANE	50	<0.50 U	<0.50 U	<0.50 U	<0.50 U
BROMOFORM	50	<0.50 U	<0.50 U	<0.50 U	<0.50 U
BROMOMETHANE	5	<1.0 U	<1.0 U	<1.0 U	<1.0 U
CARBON DISULFIDE	60	<0.50 U	<0.50 U	<0.50 U	<0.50 U
CARBON TETRACHLORIDE	5	0.62 J	<0.50 U	<0.50 U	<0.50 U
CHLOROBENZENE	5	<0.50 U	<0.50 U	<0.50 U	<0.50 U
CHLOROETHANE	5	<1.0 U	<1.0 U	<1.0 U	<1.0 U
CHLOROFORM	7	0.72 J	<0.50 U	<0.50 U	<0.50 U
CHLOROMETHANE	5	<1.0 U	<1.0 U	<1.0 U	<1.0 U
CIS-1,2-DICHLOROETHENE	5	3.3 J	<0.50 U	<0.50 U	<0.50 U
CIS-1,3-DICHLOROPROPENE	0.4	<0.50 U	<0.50 U	<0.50 U	<0.50 U
CYCLOHEXANE	NL	<0.50 U	<0.50 U	<0.50 U	<0.50 U
DIBROMOCHLOROMETHANE	5	<0.50 U	<0.50 U	<0.50 U	<0.50 U
DICHLORODIFLUOROMETHANE	5	0.26 J	<1.0 U	<1.0 U	<1.0 U
ETHYLBENZENE	5	<0.50 U	<0.50 U	<0.50 U	<0.50 U
ISOPROPYLBENZENE	5	<0.50 U	<0.50 U	<0.50 U	<0.50 U
M- AND P-XYLENE	NL	<1.0 U	<1.0 U	<1.0 U	<1.0 U
METHYL ACETATE	NL	<0.75 U	<0.75 U	<0.75 U	<0.75 U
METHYL CYCLOHEXANE	NL	<0.50 U	<0.50 U	<0.50 U	<0.50 U
METHYL TERT-BUTYL ETHER	10	<0.50 U	<0.50 U	<0.50 U	<0.50 U
METHYLENE CHLORIDE	5	<2.5 U	<2.5 U	<2.5 U	<2.5 U
O-XYLENE	NL	<0.50 U	<0.50 U	<0.50 U	<0.50 U
STYRENE	5	<0.50 U	<0.50 U	<0.50 U	<0.50 U
TETRACHLOROETHENE	5	3.7 J	<0.50 U	<0.50 U	1.3
TOLUENE	5	<0.50 U	<0.50 U	<0.50 U	<0.50 U
TRANS-1,2-DICHLOROETHENE	5	<0.50 U	<0.50 U	<0.50 U	<0.50 U
TRANS-1,3-DICHLOROPROPENE	0.4	<0.50 U	<0.50 U	<0.50 U	<0.50 U
TRICHLOROETHENE	5	710 J	28	8.4	2.1
TRICHLOROFLUOROMETHANE	5	<1.0 U	<1.0 U	<1.0 U	<1.0 U
VINYL CHLORIDE	2	<1.0 U	<1.0 U	<1.0 U	<1.0 U
XYLENES, TOTAL	5	<1.5 U	<1.5 U	<1.5 U	<1.5 U

TABLE 2
ANALYTICAL DATA SUMMARY FOR
WELLS SAMPLED BY RESOLUTION CONSULTANTS
2017 OU2 GROUNDWATER INVESTIGATION

Location	NYSDEC Groundwater Guidance or Standard Value (Note 1)	RE123D3	RE103D1	RE103D2	RE103D3
Sample Date		12/12/2017	12/13/2017	12/13/2017	12/13/2017
Sample ID		RE123D3-GW-121217	RE103D1-GW-121317	RE103D2-GW-121317	RE103D3-GW-121317
Sample type code		N	N	N	N
VOC 8260C (ug/L)					
1,1,1-TRICHLOROETHANE	5	<0.50 U	0.29 J	<0.50 U	<0.50 U
1,1,2,2-TETRACHLOROETHANE	5	<0.50 U	<0.50 U	<0.50 U	<0.50 U
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	5	<0.50 U	5.6 J	2.0 J	2.0
1,1,2-TRICHLOROETHANE	1	<0.50 U	0.54 J	0.36 J	<0.50 U
1,1-DICHLOROETHANE	5	<0.50 U	0.87 J	0.56 J	<0.50 U
1,1-DICHLOROETHENE	5	<0.50 U	5.0 J	0.53 J	<0.50 U
1,2,4-TRICHLOROBENZENE	5	<0.50 U	<0.50 U	<0.50 U	<0.50 U
1,2-DIBROMO-3-CHLOROPROPANE	0.04	<0.75 U	<0.75 U	<0.75 U	<0.75 U
1,2-DIBROMOETHANE	NL	<0.50 U	<0.50 U	<0.50 U	<0.50 U
1,2-DICHLOROBENZENE	3	<0.50 U	<0.50 U	<0.50 U	<0.50 U
1,2-DICHLOROETHANE	5	<0.50 U	<0.50 U	<0.50 U	<0.50 U
1,2-DICHLOROETHENE, TOTAL	5	<1.0 U	2.7 J	0.66 J	0.58 J
1,2-DICHLOROPROPANE	1	<0.50 U	<0.50 U	<0.50 U	<0.50 U
1,3-DICHLOROBENZENE	3	<0.50 U	<0.50 U	<0.50 U	<0.50 U
1,4-DICHLOROBENZENE	3	<0.50 U	<0.50 U	<0.50 U	<0.50 U
1,4-DIOXANE (Method 8270D_SIM)	NL	<0.18 U	19	1.9	1.1
2-BUTANONE	50	<2.5 U	<2.5 U	<2.5 U	<2.5 U
2-HEXANONE	50	<2.5 U	<2.5 U	<2.5 U	<2.5 U
4-METHYL-2-PENTANONE	NL	<2.5 U	<2.5 U	<2.5 U	<2.5 U
ACETONE	50	<2.5 U	<2.5 U	<2.5 U	<2.5 U
BENZENE	1	<0.50 U	<0.50 U	<0.50 U	<0.50 U
BROMODICHLOROMETHANE	50	<0.50 U	<0.50 U	<0.50 U	<0.50 U
BROMOFORM	50	<0.50 U	<0.50 U	<0.50 U	<0.50 U
BROMOMETHANE	5	<1.0 U	<1.0 U	<1.0 U	<1.0 U
CARBON DISULFIDE	60	<0.50 U	<0.50 U	<0.50 U	<0.50 U
CARBON TETRACHLORIDE	5	<0.50 U	<0.50 U	0.31 J	<0.50 U
CHLOROBENZENE	5	<0.50 U	<0.50 U	<0.50 U	<0.50 U
CHLOROETHANE	5	<1.0 U	<1.0 U	<1.0 U	<1.0 U
CHLOROFORM	7	<0.50 U	0.60 J	0.72 J	0.51 J
CHLOROMETHANE	5	<1.0 U	<1.0 U	<1.0 U	<1.0 U
CIS-1,2-DICHLOROETHENE	5	<0.50 U	2.7 J	0.66 J	0.58 J
CIS-1,3-DICHLOROPROPENE	0.4	<0.50 U	<0.50 U	<0.50 U	<0.50 U
CYCLOHEXANE	NL	<0.50 U	<0.50 U	<0.50 U	<0.50 U
DIBROMOCHLOROMETHANE	5	<0.50 U	<0.50 U	<0.50 U	<0.50 U
DICHLORODIFLUOROMETHANE	5	<1.0 U	<1.0 U	<1.0 U	<1.0 U
ETHYLBENZENE	5	<0.50 U	<0.50 U	<0.50 U	<0.50 U
ISOPROPYLBENZENE	5	<0.50 U	<0.50 U	<0.50 U	<0.50 U
M- AND P-XYLENE	NL	<1.0 U	<1.0 U	<1.0 U	<1.0 U
METHYL ACETATE	NL	<0.75 U	<0.75 U	<0.75 U	<0.75 U
METHYL CYCLOHEXANE	NL	<0.50 U	<0.50 U	<0.50 U	<0.50 U
METHYL TERT-BUTYL ETHER	10	<0.50 U	<0.50 U	<0.50 U	<0.50 U
METHYLENE CHLORIDE	5	<2.5 U	<2.5 U	<2.5 U	<2.5 U
O-XYLENE	NL	<0.50 U	<0.50 U	<0.50 U	<0.50 U
STYRENE	5	<0.50 U	<0.50 U	<0.50 U	<0.50 U
TETRACHLOROETHENE	5	<0.50 U	4.0 J	0.64 J	<0.50 U
TOLUENE	5	<0.50 U	<0.50 U	<0.50 U	<0.50 U
TRANS-1,2-DICHLOROETHENE	5	<0.50 U	<0.50 U	<0.50 U	<0.50 U
TRANS-1,3-DICHLOROPROPENE	0.4	<0.50 U	<0.50 U	<0.50 U	<0.50 U
TRICHLOROETHENE	5	<0.50 U	720 J	530 J	390
TRICHLOROFLUOROMETHANE	5	<1.0 U	<1.0 U	<1.0 U	<1.0 U
VINYL CHLORIDE	2	<1.0 U	<1.0 U	<1.0 U	<1.0 U
XYLENES, TOTAL	5	<1.5 U	<1.5 U	<1.5 U	<1.5 U

TABLE 2
ANALYTICAL DATA SUMMARY FOR
WELLS SAMPLED BY RESOLUTION CONSULTANTS
2017 OU2 GROUNDWATER INVESTIGATION

Location	NYSDEC Groundwater Guidance or Standard Value (Note 1)	RE117D1	RE117D2
Sample Date		12/13/2017	12/13/2017
Sample ID		RE117D1-GW- 121317	RE117D2-GW- 121317
Sample type code		N	N
VOC 8260C (ug/L)			
1,1,1-TRICHLOROETHANE	5	<0.50 U	<0.50 U
1,1,2,2-TETRACHLOROETHANE	5	<0.50 U	<0.50 U
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	5	<0.50 U	<0.50 U
1,1,2-TRICHLOROETHANE	1	<0.50 U	<0.50 U
1,1-DICHLOROETHANE	5	<0.50 U	<0.50 U
1,1-DICHLOROETHENE	5	<0.50 U	<0.50 U
1,2,4-TRICHLOROBENZENE	5	<0.50 U	<0.50 U
1,2-DIBROMO-3-CHLOROPROPANE	0.04	<0.75 U	<0.75 U
1,2-DIBROMOETHANE	NL	<0.50 U	<0.50 U
1,2-DICHLOROBENZENE	3	<0.50 U	<0.50 U
1,2-DICHLOROETHANE	5	<0.50 U	<0.50 U
1,2-DICHLOROETHENE, TOTAL	5	<1.0 U	<1.0 U
1,2-DICHLOROPROPANE	1	<0.50 U	<0.50 U
1,3-DICHLOROBENZENE	3	<0.50 U	<0.50 U
1,4-DICHLOROBENZENE	3	<0.50 U	<0.50 U
1,4-DIOXANE (Method 8270D_SIM)	NL	<0.18 U	<0.17 U
2-BUTANONE	50	<2.5 U	<2.5 U
2-HEXANONE	50	<2.5 U	<2.5 U
4-METHYL-2-PENTANONE	NL	<2.5 U	<2.5 U
ACETONE	50	<2.5 U	<2.5 U
BENZENE	1	<0.50 U	<0.50 U
BROMODICHLOROMETHANE	50	<0.50 U	<0.50 U
BROMOFORM	50	<0.50 U	<0.50 U
BROMOMETHANE	5	<1.0 U	<1.0 U
CARBON DISULFIDE	60	<0.50 U	<0.50 U
CARBON TETRACHLORIDE	5	<0.50 U	<0.50 U
CHLOROBENZENE	5	<0.50 U	<0.50 U
CHLOROETHANE	5	<1.0 U	<1.0 U
CHLOROFORM	7	<0.50 U	<0.50 U
CHLOROMETHANE	5	<1.0 U	<1.0 U
CIS-1,2-DICHLOROETHENE	5	<0.50 U	<0.50 U
CIS-1,3-DICHLOROPROPENE	0.4	<0.50 U	<0.50 U
CYCLOHEXANE	NL	<0.50 U	<0.50 U
DIBROMOCHLOROMETHANE	5	<0.50 U	<0.50 U
DICHLORODIFLUOROMETHANE	5	<1.0 U	<1.0 U
ETHYLBENZENE	5	<0.50 U	<0.50 U
ISOPROPYLBENZENE	5	<0.50 U	<0.50 U
M- AND P-XYLENE	NL	<1.0 U	<1.0 U
METHYL ACETATE	NL	<0.75 U	<0.75 U
METHYL CYCLOHEXANE	NL	<0.50 U	<0.50 U
METHYL TERT-BUTYL ETHER	10	<0.50 U	<0.50 U
METHYLENE CHLORIDE	5	<2.5 U	<2.5 U
O-XYLENE	NL	<0.50 U	<0.50 U
STYRENE	5	<0.50 U	<0.50 U
TETRACHLOROETHENE	5	<0.50 U	<0.50 U
TOLUENE	5	<0.50 U	<0.50 U
TRANS-1,2-DICHLOROETHENE	5	<0.50 U	<0.50 U
TRANS-1,3-DICHLOROPROPENE	0.4	<0.50 U	<0.50 U
TRICHLOROETHENE	5	13	<0.50 U
TRICHLOROFLUOROMETHANE	5	<1.0 U	<1.0 U
VINYL CHLORIDE	2	<1.0 U	<1.0 U
XYLENES, TOTAL	5	<1.5 U	<1.5 U

TABLE 2
ANALYTICAL DATA SUMMARY FOR
WELLS SAMPLED BY RESOLUTION CONSULTANTS
2017 OU2 GROUNDWATER INVESTIGATION

Notes:

1 New York State Department of Environmental Conservation Division of Water Technical and Operation Guidance series
(6 NYCRR 700-706, Part 703.5 summarized in TOGS 1.1.1)

Ambient water quality standards and groundwater effluent limitations, class GA; NL = Not Listed

Bold = Detected; **Bold and Italics** = Not detected exceeds NYS Groundwater Standards or guidance value
Yellow highlighted values exceed Groundwater Standards or guidance value

Sample type codes: N - normal environmental sample, FD - field duplicate

U = Nondetected result. The analyte was analyzed for, but was not detected above the reported sample quantitation limit.

UJ = The analyte was not detected above the reported sample quantitation limit. However, the reported quantitation limit is approximate and may or may not represent the actual limit of quantitation necessary to accurately and precisely measure the analyte.

J = The analyte was positively identified; the associated numerical value is the approximate concentration of the analyte in the sample.

TABLE 3
STABILIZED FIELD PARAMETERS FOR WELLS
SAMPLED BY RESOLUTION CONSULTANTS
 2017 OU2 GROUNDWATER INVESTIGATION
 NWIRP BETHPAGE, NY

Well	Date	Temperature (°C)	pH	Specific Conductance (µS/cm)	DO (mg/L)	ORP (mV)	Turbidity (NTU)	Depth to water (ft bgs)	Purge Flow rate (ml/min)
TT101D	12/8/2017	15.00	5.62	0.092	0.00	306.00	1.52	37.71	800
TT101D1	12/8/2017	12.55	4.20	0.121	0.45	154.70	1.80	35.85	800
TT101D2	12/8/2017	15.30	4.92	0.057	6.30	221.90	1.23	36.27	900
RE103D1	12/13/2017	*	*	*	*	*	*	41.50	100
RE103D2	12/13/2017	*	*	*	*	*	6.72	41.27	700
RE103D3	12/13/2017	*	*	*	*	*	23.40	42.67	700
RE104D1	12/5/2017	13.96	4.61	0.087	5.04	98.90	1.58	37.81	600
RE104D2	12/5/2017	12.40	5.38	0.021	6.20	-1.20	2.41	40.90	400
RE104D3	12/5/2017	11.36	3.74	0.018	4.95	196.60	6.39	40.60	600
RE105D1	12/5/2017	12.99	5.42	0.089	2.71	-23.50	0.91	38.97	500
RE105D2	12/5/2017	14.72	4.68	0.083	4.41	95.20	0.53	39.81	500
RE108D1	12/6/2017	11.38	4.13	0.101	5.65	164.80	1.18	41.71	500
RE108D2	12/6/2017	12.57	5.00	0.079	4.74	-43.00	0.52	42.03	650
RE109D1	12/11/2017	13.40	5.04	0.120	4.54	401.90	3.97	46.21	700
RE109D2	12/11/2017	10.64	4.95	0.118	1.29	88.60	6.92	46.51	600
RE109D3	12/11/2017	13.66	5.43	0.102	1.80	242.30	0.71	46.36	650
RE117D1	12/13/2017	9.97	3.96	0.028	3.46	213.20	6.54	22.19	700
RE117D2	12/13/2017	10.22	4.30	0.032	0.65	295.40	3.98	21.60	450
RE120D1	12/12/2017	12.02	4.15	0.137	2.28	172.20	1.88	37.70	400
RE120D2	12/12/2017	15.00	5.09	0.117	5.49	417.60	3.41	37.55	550
RE120D3	12/12/2017	15.04	4.41	0.032	3.51	355.70	0.61	37.97	500
RE122D1	12/6/2017	14.55	5.19	0.125	4.00	211.60	1.45	43.31	500
RE122D2	12/6/2017	10.65	4.30	0.103	3.16	123.30	0.64	43.56	600
RE122D3	12/6/2017	12.20	4.35	0.023	2.83	-26.40	6.43	44.36	700
RE123D1	12/12/2017	13.20	4.88	0.152	9.54	449.80	0.79	48.98	700
RE123D2	12/12/2017	14.27	5.14	0.036	7.12	299.60	0.75	49.84	700
RE123D3	12/12/2017	10.64	4.86	0.041	0.25	-82.40	20.80	50.32	450
RE125D1	12/11/2017	13.70	4.69	0.169	1.64	284.20	2.55	36.37	450
RE125D2	12/11/2017	10.85	4.24	0.098	2.99	171.00	1.20	38.21	400
RE125D3	12/11/2017	12.40	4.71	0.073	6.88	372.90	7.42	38.10	500
RE126D1	12/7/2017	11.00	4.28	0.101	6.00	180.10	1.98	46.68	600
RE126D2	12/7/2017	14.14	5.33	0.115	3.24	274.10	2.92	46.97	500
RE126D3	12/7/2017	13.50	5.09	0.046	6.57	23.90	2.01	46.83	550
RE131D1	12/7/2017	10.91	3.70	0.124	3.23	269.10	1.90	37.65	650
RE131D2	12/7/2017	14.15	4.79	0.088	4.26	295.40	4.30	38.10	500
RE131D3	12/7/2017	12.49	5.27	0.047	6.13	34.80	1.58	38.67	550

°C - degrees Celsius

µS/cm - Microsiemens per Centimeter

mg/L - milligrams per liter

mV - Millivolts

NTU - Nephelometric Turbidity Unit

ft bgs - feet below ground surface

ml/min - milliliters per minute

NM - not measured

* sensor not functioning; flow through cell freezing on 12/13/17 so field paramters not available at RE103 wells.

After purging, wells were sampled at a flow rate of 200-250 ml/min.

Table 4.
Concentrations of Volatile Organic Compounds
and 1,4-Dioxane in Outpost Wells BPOW 5-1 through BPOW 5-7,
Fourth Quarter 2017
Operable Unit 2 (Groundwater),
Bethpage, New York

CONSTITUENT Units (ug/L)	Well: Sample ID: Date:	BPOW 5-1 BPOW 5-1 12/27/2017	BPOW 5-2 BPOW 5-2 12/27/2017	BPOW 5-3 BPOW 5-3 12/27/2017	BPOW 5-3 REP122717AR-1 12/27/2017	BPOW 5-4 ⁽³⁾ BPOW 5-4 12/20/2017
Volatile Organic Compounds (VOCs) ⁽¹⁾						
1,1,1-Trichloroethane		< 0.50	< 0.50	< 0.50	< 0.50	< 0.50 J
1,1,2,2-Tetrachloroethane		< 0.50	< 0.50	< 0.50	< 0.50	< 0.50 J
1,1,2-trichloro-1,2,2-trifluoroethane		< 1.0	< 1.0	< 1.0	< 1.0	< 1.0 J
1,1,2-Trichloroethane		< 0.50	< 0.50	< 0.50	< 0.50	< 0.50 J
1,1-Dichloroethane		< 0.50	< 0.50	< 0.50	< 0.50	< 0.50 J
1,1-Dichloroethene		< 0.50	< 0.50	< 0.50	< 0.50	< 0.50 J
1,2-Dichloroethane		< 0.50	< 0.50	< 0.50	< 0.50	< 0.50 J
1,2-Dichloropropane		< 0.50	< 0.50	< 0.50	< 0.50	< 0.50 J
2-Butanone (MEK)		< 5.0	< 5.0	< 5.0	< 5.0	< 5.0 J
2-Hexanone		< 2.0	< 2.0	< 2.0	< 2.0	< 2.0 J
4-methyl-2-pentanone (MIK)		< 2.0	< 2.0	< 2.0	< 2.0	< 2.0 J
Acetone		< 5.0	< 5.0	< 5.0	< 5.0	< 5.0 J
Benzene		< 0.50	< 0.50	< 0.50	< 0.50	< 0.50 J
Bromodichloromethane		< 0.50	< 0.50	< 0.50	< 0.50	< 0.50 J
Bromoform		< 0.50	< 0.50	< 0.50	< 0.50	< 0.50 J
Bromomethane		< 0.50	< 0.50	< 0.50	< 0.50	< 0.50 J
Carbon Disulfide		< 0.50	< 0.50	< 0.50	< 0.50	< 0.50 J
Carbon tetrachloride		< 0.50	< 0.50	< 0.50	< 0.50	< 0.50 J
Chlorobenzene		< 0.50	< 0.50	< 0.50	< 0.50	< 0.50 J
Chloroethane		< 0.50	< 0.50	< 0.50	< 0.50	< 0.50 J
Chloroform		< 0.50	< 0.50	< 0.50	< 0.50	< 0.50 J
Chloromethane		< 0.50	< 0.50	< 0.50	< 0.50	< 0.50 J
cis-1,2-dichloroethene		< 0.50	< 0.50	< 0.50	< 0.50	< 0.50 J
cis-1,3-dichloropropene		< 0.50	< 0.50	< 0.50	< 0.50	< 0.50 J
Dibromochloromethane		< 0.50	< 0.50	< 0.50	< 0.50	< 0.50 J
Ethylbenzene		< 0.50	< 0.50	< 0.50	< 0.50	< 0.50 J
Methylene Chloride		< 0.50	< 0.50	< 0.50	< 0.50	< 0.50 J
Styrene		< 0.50	< 0.50	< 0.50	< 0.50	< 0.50 J
Tetrachloroethene		< 0.50	< 0.50	< 0.50	< 0.50	< 0.50 J
Toluene		< 0.50	< 0.50	< 0.50	< 0.50	< 0.50 J
trans-1,2-dichloroethene		< 0.50	< 0.50	< 0.50	< 0.50	< 0.50 J
trans-1,3-dichloropropene		< 0.50	< 0.50	< 0.50	< 0.50	< 0.50 J
Trichloroethylene		< 0.50	< 0.50	< 0.50	< 0.50	< 0.50 J
Vinyl Chloride		< 0.50	< 0.50	< 0.50	< 0.50	< 0.50 J
Xylene-o		< 0.50	< 0.50	< 0.50	< 0.50	< 0.50 J
Xylenes - m,p		< 0.50	< 0.50	< 0.50	< 0.50	< 0.50 J
Total VOCs ⁽²⁾		0	0	0	0	0 ⁽³⁾
1,4-Dioxane ⁽⁴⁾		< 0.100	< 0.100	2	1.86	1.27

See last page for Notes and Abbreviations

Table 4.
Concentrations of Volatile Organic Compounds
and 1,4-Dioxane in Outpost Wells BPOW 5-1 through BPOW 5-7,
Fourth Quarter 2017
Operable Unit 2 (Groundwater),
Bethpage, New York

CONSTITUENT Units (ug/L)	Well:	BPOW 5-5	BPOW 5-6	BPOW 5-7
	Sample ID:	BPOW 5-5	BPOW 5-6	BPOW 5-7
	Date:	12/11/2017	12/11/2017	12/18/2017
Volatile Organic Compounds (VOCs) ⁽¹⁾				
1,1,1-Trichloroethane		< 0.50	< 0.50	< 0.50
1,1,2,2-Tetrachloroethane		< 0.50	< 0.50	< 0.50
1,1,2-trichloro-1,2,2-trifluoroethane		< 1.0	< 1.0	< 1.0
1,1,2-Trichloroethane		< 0.50	< 0.50	< 0.50
1,1-Dichloroethane		< 0.50	< 0.50	< 0.50
1,1-Dichloroethene		< 0.50	< 0.50	< 0.50
1,2-Dichloroethane		< 0.50	< 0.50	< 0.50
1,2-Dichloropropane		< 0.50	< 0.50	< 0.50
2-Butanone (MEK)		< 5.0	< 5.0	< 5.0
2-Hexanone		< 2.0	< 2.0	< 2.0
4-methyl-2-pentanone (MIK)		< 2.0	< 2.0	< 2.0
Acetone		< 5.0	< 5.0	< 5.0
Benzene		< 0.50	< 0.50	< 0.50
Bromodichloromethane		< 0.50	< 0.50	< 0.50
Bromoform		< 0.50	< 0.50	< 0.50
Bromomethane		< 0.50	< 0.50	< 0.50
Carbon Disulfide		< 0.50	< 0.50	< 0.50
Carbon tetrachloride		< 0.50	< 0.50	< 0.50
Chlorobenzene		< 0.50	< 0.50	< 0.50
Chloroethane		< 0.50	< 0.50	< 0.50
Chloroform		< 0.50	< 0.50	< 0.50
Chloromethane		< 0.50	< 0.50	< 0.50
cis-1,2-dichloroethene		< 0.50	< 0.50	< 0.50
cis-1,3-dichloropropene		< 0.50	< 0.50	< 0.50
Dibromochloromethane		< 0.50	< 0.50	< 0.50
Ethylbenzene		< 0.50	< 0.50	< 0.50
Methylene Chloride		< 0.50	< 0.50	< 0.50
Styrene		< 0.50	< 0.50	< 0.50
Tetrachloroethene		< 0.50	< 0.50	< 0.50
Toluene		< 0.50	< 0.50	< 0.50
trans-1,2-dichloroethene		< 0.50	< 0.50	< 0.50
trans-1,3-dichloropropene		< 0.50	< 0.50	< 0.50
Trichloroethylene		< 0.50	< 0.50	< 0.50
Vinyl Chloride		< 0.50	< 0.50	< 0.50
Xylene-o		< 0.50	< 0.50	< 0.50
Xylenes - m,p		< 0.50	< 0.50	< 0.50
Total VOCs ⁽²⁾		0	0	0
1,4-Dioxane ⁽⁴⁾		1.41	0.118 J	< 0.100

See last page for Notes and Abbreviations

Table 4.
Concentrations of Volatile Organic Compounds
and 1,4-Dioxane in Outpost Wells BPOW 5-1 through BPOW 5-7,
Fourth Quarter 2017
Operable Unit 2 (Groundwater),
Bethpage, New York

Notes and Abbreviations:

- (1) Samples were analyzed for the TCL VOCs using USEPA Method 524.2.
- (2) Total VOCs are rounded to two significant figures.
- (3) Analysis of sample BPOW 5-4 by Method 524.2 was performed one day out of hold; therefore, results were qualified as estimated
- (4) Samples were analyzed for 1,4-Dioxane using USEPA Method 522.

Results validated following protocols specified in OU2 Groundwater Monitoring Plan (ARCADIS 2016).

Bold	Constituent detected
TCL	Target Compound List
REP	Blind duplicate sample
VOC	Volatile Organic Compound
USEPA	United States Environmental Protection Agency
µg/L	Micrograms per liter
J	Constituent value is estimated
<0.50	Constituent not detected above its laboratory detection limit

Table 5.
Concentrations of Volatile Organic Compounds and
1,4-Dioxane in Outpost Wells BPOW 6-1 through BPOW 6-6, Fourth Quarter 2017
Operable Unit 2 (Groundwater),
Bethpage, New York

Well:	BPOW 6-1	BPOW 6-2	BPOW 6-3	BPOW 6-4	BPOW 6-5	BPOW 6-6
Sample ID:	BPOW 6-1	BPOW 6-2	BPOW 6-3	BPOW 6-4	BPOW 6-5	BPOW 6-6
Date:	12/12/2017	12/12/2017	12/14/2017	12/14/2017	12/18/2017	12/18/2017
CONSTITUENT						
Units (ug/L)						
<u>Volatile Organic Compounds (VOCs) ⁽¹⁾</u>						
1,1,1-Trichloroethane	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
1,1,2,2-Tetrachloroethane	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
1,1,2-trichloro-1,2,2-trifluoroethane	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
1,1,2-Trichloroethane	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
1,1-Dichloroethane	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
1,1-Dichloroethene	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
1,2-Dichloroethane	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
1,2-Dichloropropane	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
2-Butanone (MEK)	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0
2-Hexanone	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0
4-methyl-2-pentanone (MIBK)	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0
Acetone	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0
Benzene	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
Bromodichloromethane	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
Bromoform	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
Bromomethane	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
Carbon Disulfide	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
Carbon tetrachloride	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
Chlorobenzene	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
Chloroethane	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
Chloroform	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
Chloromethane	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
cis-1,2-dichloroethene	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
cis-1,3-dichloropropene	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
Dibromochloromethane	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
Ethylbenzene	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
Methylene Chloride	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
Styrene	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
Tetrachloroethene	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
Toluene	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
trans-1,2-dichloroethene	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
trans-1,3-dichloropropene	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
Trichloroethylene	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
Vinyl Chloride	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
Xylene-o	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
Xylenes - m,p	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
Total VOCs ⁽²⁾	0	0	0	0	0	0
1,4-Dioxane ⁽³⁾	< 0.100	< 0.100	< 0.100	0.141 J	< 0.100	< 0.100

See last page for Notes and Abbreviations.

Table 5.
Concentrations of Volatile Organic Compounds and
1,4-Dioxane in Outpost Wells BPOW 6-1 through BPOW 6-6, Fourth Quarter 2017
Operable Unit 2 (Groundwater),
Bethpage, New York

Notes and Abbreviations:

(1) Samples were analyzed for the TCL VOCs using USEPA Method 524.2.

(2) Total VOCs are rounded to two significant figures.

(3) Samples were analyzed for 1,4-Dioxane using USEPA Method 522.

Results validated following protocols specified in OU2 Groundwater Monitoring Plan (ARCADIS 2016).

Bold	Constituent detected
TCL	Target Compound List
VOC	Volatile Organic Compound
USEPA	United States Environmental Protection Agency
µg/L	Micrograms per liter
J	Constituent value is estimated
<0.50	Constituent not detected above its laboratory detection limit

Table 6
Concentrations of Volatile Organic Compounds and
1,4-Dioxane in Monitoring Wells Installed by the Navy
Fourth Quarter 2017, Operable Unit 2 (Groundwater)
Bethpage, New York.

Constituent (Units in µg/L)	Well:	RE106D1	RE106D2	RE106D3
	Sample ID:	RE106D1	RE106D2	RE106D3
	Date:	11/30/2017	12/19/2017	12/19/2017
Volatile Organic Compounds (VOCs) (1)				
1,1,1-Trichloroethane		< 1.0	< 1.0	< 1.0
1,1,2,2-Tetrachloroethane		< 1.0	< 1.0	< 1.0
1,1,2-trichloro-1,2,2-trifluoroethane		< 5.0	6.6	70.4
1,1,2-Trichloroethane		< 1.0	< 1.0	< 1.0
1,1-Dichloroethane		< 1.0	< 1.0	0.38 J
1,1-Dichloroethene		< 1.0	< 1.0	1.1 J
1,2-Dichloroethane		< 1.0	< 1.0	< 1.0
1,2-Dichloropropane		< 1.0	< 1.0	1.1
2-Butanone (MEK)		< 10	< 10	< 10
2-Hexanone		< 5.0	< 5.0	< 5.0
4-methyl-2-pentanone (MIK)		< 5.0	< 5.0	< 5.0
Acetone		< 10	< 10	< 10
Benzene		< 0.50	< 0.50	< 0.50
Bromodichloromethane		< 1.0	< 1.0	< 1.0
Bromoform		< 1.0	< 1.0	< 1.0
Bromomethane		< 2.0	< 2.0	< 2.0
Carbon Disulfide		< 2.0	< 2.0	< 2.0
Carbon tetrachloride		< 1.0	< 1.0	< 1.0
Chlorobenzene		< 1.0	< 1.0	< 1.0
Chloroethane		< 1.0	< 1.0	< 1.0
Chloroform		< 1.0	< 1.0	< 1.0
Chloromethane		< 1.0	< 1.0	< 1.0
cis-1,2-dichloroethene		< 1.0	0.84 J	3.5
cis-1,3-dichloropropene		< 1.0	< 1.0	< 1.0
Dibromochloromethane		< 1.0	< 1.0	< 1.0
Ethylbenzene		< 1.0	< 1.0	< 1.0
Methylene Chloride		< 2.0	< 2.0	< 2.0
Styrene		< 1.0	< 1.0	< 1.0
Tetrachloroethene		0.79 J	4.2	59.8
Tolene		< 1.0	< 1.0	< 1.0
trans-1,2-dichloroethene		< 1.0	< 1.0	< 1.0
trans-1,3-dichloropropene		< 1.0	< 1.0	< 1.0
Trichloroethylene		7.4	37.2	84.9
Vinyl Chloride		< 1.0	< 1.0	< 1.0
Xylene-o		< 1.0	< 1.0	< 1.0
Xylenes - m,p		< 1.0	< 1.0	< 1.0
Total VOCs (2)		8.2	49	220
1,4-Dioxane (3)		5.53	6.35	6.5

Notes and Abbreviations on last page.

Table 6
Concentrations of Volatile Organic Compounds and
1,4-Dioxane in Monitoring Wells Installed by the Navy
Fourth Quarter 2017, Operable Unit 2 (Groundwater)
Bethpage, New York.

Constituent (Units in µg/L)	Well:	RE106D3	RE107D1	RE107D2
	Sample ID:	REP121917CK1	RE107D1	RE107D2
	Date:	12/19/2017	11/29/2017	11/29/2017
Volatile Organic Compounds (VOCs) (1)				
1,1,1-Trichloroethane		< 1.0	< 1.0	< 1.0
1,1,2,2-Tetrachloroethane		< 1.0	< 1.0	< 1.0
1,1,2-trichloro-1,2,2-trifluoroethane		72.3	< 5.0	27
1,1,2-Trichloroethane		< 1.0	< 1.0	< 1.0
1,1-Dichloroethane		0.40 J	< 1.0	0.28 J
1,1-Dichloroethene		1.1	< 1.0	0.69 J
1,2-Dichloroethane		< 1.0	< 1.0	< 1.0
1,2-Dichloropropane		1.1	< 1.0	< 1.0
2-Butanone (MEK)		< 10	< 10	< 10
2-Hexanone		< 5.0	< 5.0	< 5.0
4-methyl-2-pentanone (MIK)		< 5.0	< 5.0	< 5.0
Acetone		< 10	< 10	< 10
Benzene		< 0.50	< 0.50	< 0.50
Bromodichloromethane		< 1.0	< 1.0	< 1.0
Bromoform		< 1.0	< 1.0	< 1.0
Bromomethane		< 2.0	< 2.0	< 2.0
Carbon Disulfide		< 2.0	< 2.0	< 2.0
Carbon tetrachloride		< 1.0	< 1.0	< 1.0
Chlorobenzene		< 1.0	< 1.0	< 1.0
Chloroethane		< 1.0	< 1.0	< 1.0
Chloroform		< 1.0	< 1.0	0.31 J
Chloromethane		< 1.0	< 1.0	< 1.0
cis-1,2-dichloroethene		3.5	< 1.0	3.7
cis-1,3-dichloropropene		< 1.0	< 1.0	< 1.0
Dibromochloromethane		< 1.0	< 1.0	< 1.0
Ethylbenzene		< 1.0	< 1.0	< 1.0
Methylene Chloride		< 2.0	< 2.0	< 2.0
Styrene		< 1.0	< 1.0	< 1.0
Tetrachloroethene		60.5	1.3	12.5
Tolene		< 1.0	< 1.0	< 1.0
trans-1,2-dichloroethene		< 1.0	< 1.0	< 1.0
trans-1,3-dichloropropene		< 1.0	< 1.0	< 1.0
Trichloroethylene		86.3	12.7	226 D
Vinyl Chloride		< 1.0	< 1.0	< 1.0
Xylene-o		< 1.0	< 1.0	< 1.0
Xylenes - m,p		< 1.0	< 1.0	< 1.0
Total VOCs (2)		230	14	270
1,4-Dioxane (3)		7.16	5.18	7.21

Notes and Abbreviations on last page.

Table 6
Concentrations of Volatile Organic Compounds and
1,4-Dioxane in Monitoring Wells Installed by the Navy
Fourth Quarter 2017, Operable Unit 2 (Groundwater)
Bethpage, New York.

Constituent (Units in µg/L)	Well:	RE107D3	RE109D1	RE109D2	RE109D3
	Sample ID:	RE107D3	RE109D1	RE109D2	RE109D3
	Date:	12/1/2017	12/26/2017	12/26/2017	12/26/2017
Volatile Organic Compounds (VOCs) (1)					
1,1,1-Trichloroethane		< 1.0	< 1.0	< 1.0	0.50 J
1,1,2,2-Tetrachloroethane		< 1.0	< 1.0	< 1.0	< 1.0
1,1,2-trichloro-1,2,2-trifluoroethane		3.2 J	< 5.0	< 5.0	3.1 J
1,1,2-Trichloroethane		< 1.0	< 1.0	< 1.0	< 1.0
1,1-Dichloroethane		< 1.0	< 1.0	< 1.0	0.23 J
1,1-Dichloroethene		< 1.0	< 1.0	< 1.0	< 1.0
1,2-Dichloroethane		< 1.0	< 1.0	< 1.0	< 1.0
1,2-Dichloropropane		< 1.0	< 1.0	< 1.0	< 1.0
2-Butanone (MEK)		< 10	< 10	< 10	< 10
2-Hexanone		< 5.0	< 5.0	< 5.0	< 5.0
4-methyl-2-pentanone (MIK)		< 5.0	< 5.0	< 5.0	< 5.0
Acetone		< 10	< 10	< 10	< 10
Benzene		< 0.50	< 0.50	< 0.50	< 0.50
Bromodichloromethane		< 1.0	< 1.0	< 1.0	< 1.0
Bromoform		< 1.0	< 1.0	< 1.0	< 1.0
Bromomethane		< 2.0	< 2.0	< 2.0	< 2.0
Carbon Disulfide		< 2.0	< 2.0	< 2.0	< 2.0
Carbon tetrachloride		< 1.0	< 1.0	< 1.0	0.70 J
Chlorobenzene		< 1.0	< 1.0	< 1.0	< 1.0
Chloroethane		< 1.0	< 1.0	< 1.0	< 1.0
Chloroform		< 1.0	< 1.0	< 1.0	< 1.0
Chloromethane		< 1.0	< 1.0	< 1.0	< 1.0
cis-1,2-dichloroethene		< 1.0	< 1.0	< 1.0	1.0
cis-1,3-dichloropropene		< 1.0	< 1.0	< 1.0	< 1.0
Dibromochloromethane		< 1.0	< 1.0	< 1.0	< 1.0
Ethylbenzene		< 1.0	< 1.0	< 1.0	< 1.0
Methylene Chloride		< 2.0	< 2.0	< 2.0	< 2.0
Styrene		< 1.0	< 1.0	< 1.0	< 1.0
Tetrachloroethene		< 1.0	< 1.0	< 1.0	< 1.0
Tolene		< 1.0	< 1.0	< 1.0	< 1.0
trans-1,2-dichloroethene		< 1.0	< 1.0	< 1.0	< 1.0
trans-1,3-dichloropropene		< 1.0	< 1.0	< 1.0	< 1.0
Trichloroethylene		< 1.0	21.3	30.2	57.8
Vinyl Chloride		< 1.0	< 1.0	< 1.0	< 1.0
Xylene-o		< 1.0	< 1.0	< 1.0	< 1.0
Xylenes - m,p		< 1.0	< 1.0	< 1.0	< 1.0
Total VOCs (2)		3.2	21	30	63
1,4-Dioxane (3)		< 0.10 J	3.32	3.59	3.69

Notes and Abbreviations on last page.

Table 6
Concentrations of Volatile Organic Compounds and
1,4-Dioxane in Monitoring Wells Installed by the Navy
Fourth Quarter 2017, Operable Unit 2 (Groundwater)
Bethpage, New York.

Constituent (Units in µg/L)	Well:	RE114D1	RE114D1	RE114D2
	Sample ID:	RE114D1	REP112917PP1	RE114D2
	Date:	11/29/2017	11/29/2017	12/20/2017
Volatile Organic Compounds (VOCs) (1)				
1,1,1-Trichloroethane		0.45 J	0.48 J	< 1.0
1,1,2,2-Tetrachloroethane		< 1.0	< 1.0	< 1.0
1,1,2-trichloro-1,2,2-trifluoroethane		16.3	16.1	8.7
1,1,2-Trichloroethane		1.5	1.4	< 1.0
1,1-Dichloroethane		1.2	1.3	< 1.0
1,1-Dichloroethene		3.7	3.6	1.1
1,2-Dichloroethane		0.26 J	0.26 J	< 1.0
1,2-Dichloropropane		< 1.0	< 1.0	< 1.0
2-Butanone (MEK)		< 10	< 10	< 10
2-Hexanone		< 5.0	< 5.0	< 5.0
4-methyl-2-pentanone (MIK)		< 5.0	< 5.0	< 5.0
Acetone		< 10	< 10	< 10
Benzene		< 0.50	< 0.50	< 0.50
Bromodichloromethane		< 1.0	< 1.0	< 1.0
Bromoform		< 1.0	< 1.0	< 1.0
Bromomethane		< 2.0	< 2.0	< 2.0
Carbon Disulfide		< 2.0	< 2.0	< 2.0
Carbon tetrachloride		2.7	2.6	< 1.0
Chlorobenzene		< 1.0	< 1.0	< 1.0
Chloroethane		< 1.0	< 1.0	< 1.0
Chloroform		2.5	2.6	0.54 J
Chloromethane		< 1.0	< 1.0	< 1.0
cis-1,2-dichloroethene		4.4	4.3	1.2
cis-1,3-dichloropropene		< 1.0	< 1.0	< 1.0
Dibromochloromethane		< 1.0	< 1.0	< 1.0
Ethylbenzene		< 1.0	< 1.0	< 1.0
Methylene Chloride		< 2.0	< 2.0	< 2.0
Styrene		< 1.0	< 1.0	< 1.0
Tetrachloroethene		< 1.0	< 1.0	< 1.0
Tolene		< 1.0	< 1.0	< 1.0
trans-1,2-dichloroethene		< 1.0	< 1.0	< 1.0
trans-1,3-dichloropropene		< 1.0	< 1.0	< 1.0
Trichloroethylene		387 D	397 D	84.0
Vinyl Chloride		< 1.0	< 1.0	< 1.0
Xylene-o		< 1.0	< 1.0	< 1.0
Xylenes - m,p		< 1.0	< 1.0	< 1.0
Total VOCs (2)		420	430	96
1,4-Dioxane (3)		3.13	2.42	2.65 J

Notes and Abbreviations on last page.

Table 6
Concentrations of Volatile Organic Compounds and
1,4-Dioxane in Monitoring Wells Installed by the Navy
Fourth Quarter 2017, Operable Unit 2 (Groundwater)
Bethpage, New York.

Constituent (Units in µg/L)	Well:	RE114D3	RE115D1	RE115D2	RE118D1
	Sample ID:	RE114D3	RE115D1	RE115D2	RE118D1
	Date:	12/20/2017	11/30/2017	11/30/2017	12/4/2017
Volatile Organic Compounds (VOCs) (1)					
1,1,1-Trichloroethane		< 1.0	< 1.0	0.81 J	< 1.0
1,1,2,2-Tetrachloroethane		< 1.0	< 1.0	< 1.0	< 1.0
1,1,2-trichloro-1,2,2-trifluoroethane		13.7	2.9 J	20.4	< 5.0
1,1,2-Trichloroethane		< 1.0	0.53 J	0.72 J	< 1.0
1,1-Dichloroethane		< 1.0	< 1.0	1.1	< 1.0
1,1-Dichloroethene		0.98 J	2.1	8.9	< 1.0
1,2-Dichloroethane		< 1.0	< 1.0	< 1.0	< 1.0
1,2-Dichloropropane		< 1.0	< 1.0	< 1.0	< 1.0
2-Butanone (MEK)		< 10	< 10	< 10	< 10
2-Hexanone		< 5.0	< 5.0	< 5.0	< 5.0
4-methyl-2-pentanone (MIK)		< 5.0	< 5.0	< 5.0	< 5.0
Acetone		< 10	< 10	< 10	< 10
Benzene		< 0.50	< 0.50	< 0.50	< 0.50
Bromodichloromethane		< 1.0	< 1.0	< 1.0	< 1.0
Bromoform		< 1.0	< 1.0	< 1.0	< 1.0
Bromomethane		< 2.0	< 2.0	< 2.0	< 2.0
Carbon Disulfide		< 2.0	< 2.0	< 2.0	< 2.0
Carbon tetrachloride		< 1.0	0.46 J	1.7	< 1.0
Chlorobenzene		< 1.0	< 1.0	< 1.0	< 1.0
Chloroethane		< 1.0	< 1.0	< 1.0	< 1.0
Chloroform		< 1.0	2.5	0.94 J	< 1.0
Chloromethane		< 1.0	< 1.0	< 1.0	< 1.0
cis-1,2-dichloroethene		0.78 J	1.1	2.4	< 1.0
cis-1,3-dichloropropene		< 1.0	< 1.0	< 1.0	< 1.0
Dibromochloromethane		< 1.0	< 1.0	< 1.0	< 1.0
Ethylbenzene		< 1.0	< 1.0	< 1.0	< 1.0
Methylene Chloride		< 2.0	< 2.0	< 2.0	< 2.0
Styrene		< 1.0	< 1.0	< 1.0	< 1.0
Tetrachloroethene		< 1.0	< 1.0	< 1.0	< 1.0
Tolene		< 1.0	< 1.0	< 1.0	< 1.0
trans-1,2-dichloroethene		< 1.0	< 1.0	< 1.0	< 1.0
trans-1,3-dichloropropene		< 1.0	< 1.0	< 1.0	< 1.0
Trichloroethylene		51.2	59.3	206 D	< 1.0
Vinyl Chloride		< 1.0	< 1.0	< 1.0	< 1.0
Xylene-o		< 1.0	< 1.0	< 1.0	< 1.0
Xylenes - m,p		< 1.0	< 1.0	< 1.0	< 1.0
Total VOCs (2)		67	69	240	0
1,4-Dioxane (3)		2.09	3.33	2.65	< 0.10

Notes and Abbreviations on last page.

Table 6
Concentrations of Volatile Organic Compounds and
1,4-Dioxane in Monitoring Wells Installed by the Navy
Fourth Quarter 2017, Operable Unit 2 (Groundwater)
Bethpage, New York.

Constituent (Units in µg/L)	Well:	RE119D1	RE121D1	RE121D2	RE124D1
	Sample ID:	RE119D1	RE121D1	RE121D2	RE124D1
	Date:	12/8/2017	12/5/2017	12/5/2017	12/14/2017
Volatile Organic Compounds (VOCs) (1)					
1,1,1-Trichloroethane		< 1.0	0.35 J	< 5.0	< 1.0
1,1,2,2-Tetrachloroethane		< 1.0	< 1.0	< 5.0	< 1.0
1,1,2-trichloro-1,2,2-trifluoroethane		< 5.0	7.9	15.9 J	61.0
1,1,2-Trichloroethane		< 1.0	<1.0	< 5.0	< 1.0
1,1-Dichloroethane		< 1.0	0.23 J	< 5.0	< 1.0
1,1-Dichloroethene		< 1.0	1.7	2.7 J	1.1
1,2-Dichloroethane		< 1.0	< 1.0	< 1.0	< 1.0
1,2-Dichloropropane		< 1.0	< 1.0	< 1.0	< 1.0
2-Butanone (MEK)		< 10	< 10	< 10	< 10
2-Hexanone		< 5.0	< 5.0	< 5.0	< 5.0
4-methyl-2-pentanone (MIK)		< 5.0	< 5.0	< 5.0	< 5.0
Acetone		< 10	< 10	< 10	< 10
Benzene		< 0.50	< 0.50	< 0.50	< 0.50
Bromodichloromethane		< 1.0	< 1.0	< 1.0	< 1.0
Bromoform		< 1.0	< 1.0	< 1.0	< 1.0
Bromomethane		< 2.0	< 2.0	< 2.0	< 2.0
Carbon Disulfide		< 2.0	< 2.0	< 2.0	< 2.0
Carbon tetrachloride		< 1.0	0.41 J	3.9 J	0.34 J
Chlorobenzene		< 1.0	< 1.0	< 1.0	< 1.0
Chloroethane		< 1.0	< 1.0	< 1.0	< 1.0
Chloroform		< 1.0	0.37 J	1.9 J	< 1.0
Chloromethane		< 1.0	< 1.0	< 1.0	< 1.0
cis-1,2-dichloroethene		< 1.0	1.1	2.9 J	< 1.0
cis-1,3-dichloropropene		< 1.0	< 1.0	< 1.0	< 1.0
Dibromochloromethane		< 1.0	< 1.0	< 1.0	< 1.0
Ethylbenzene		< 1.0	< 1.0	< 1.0	< 1.0
Methylene Chloride		< 2.0	< 2.0	< 2.0	< 2.0
Styrene		< 1.0	< 1.0	< 1.0	< 1.0
Tetrachloroethene		< 1.0	< 1.0	<5.0	0.59 J
Tolene		< 1.0	< 1.0	< 1.0	< 1.0
trans-1,2-dichloroethene		< 1.0	< 1.0	< 1.0	< 1.0
trans-1,3-dichloropropene		< 1.0	< 1.0	< 1.0	< 1.0
Trichloroethylene		< 1.0	33.8	754	3.9
Vinyl Chloride		< 1.0	< 1.0	< 1.0	< 1.0
Xylene-o		< 1.0	< 1.0	< 1.0	< 1.0
Xylenes - m,p		< 1.0	< 1.0	< 1.0	< 1.0
Total VOCs (2)		0	46	780	67
1,4-Dioxane (3)		< 0.10J	4.98	3.03	-- R

Notes and Abbreviations on last page.

Table 6
Concentrations of Volatile Organic Compounds and
1,4-Dioxane in Monitoring Wells Installed by the Navy
Fourth Quarter 2017, Operable Unit 2 (Groundwater)
Bethpage, New York.

Constituent (Units in µg/L)	Well:	RE124D2	RE127D1	RE127D2	RE128D1
	Sample ID:	RE124D2	RE127D1	RE127D2	RE128D1
	Date:	12/14/2017	12/4/2017	12/4/2017	12/7/2017
Volatile Organic Compounds (VOCs) (1)					
1,1,1-Trichloroethane		< 1.0	< 1.0	< 1.0	< 1.0
1,1,2,2-Tetrachloroethane		< 1.0	< 1.0	< 1.0	< 1.0
1,1,2-trichloro-1,2,2-trifluoroethane		< 5.0	< 5.0	< 5.0	< 5.0
1,1,2-Trichloroethane		< 1.0	< 1.0	< 1.0	< 1.0
1,1-Dichloroethane		< 1.0	< 1.0	< 1.0	< 1.0
1,1-Dichloroethene		< 1.0	< 1.0	< 1.0	< 1.0
1,2-Dichloroethane		< 1.0	< 1.0	< 1.0	< 1.0
1,2-Dichloropropane		< 1.0	< 1.0	< 1.0	< 1.0
2-Butanone (MEK)		< 10	< 10	< 10	< 10
2-Hexanone		< 5.0	< 5.0	< 5.0	< 5.0
4-methyl-2-pentanone (MIK)		< 5.0	< 5.0	< 5.0	< 5.0
Acetone		< 10	< 10	< 10	< 10
Benzene		< 0.50	< 0.50	< 0.50	< 0.50
Bromodichloromethane		< 1.0	< 1.0	< 1.0	< 1.0
Bromoform		< 1.0	< 1.0	< 1.0	< 1.0
Bromomethane		< 2.0	< 2.0	< 2.0	< 2.0
Carbon Disulfide		< 2.0	< 2.0	< 2.0	< 2.0
Carbon tetrachloride		< 1.0	< 1.0	< 1.0	< 1.0
Chlorobenzene		< 1.0	< 1.0	< 1.0	< 1.0
Chloroethane		< 1.0	< 1.0	< 1.0	< 1.0
Chloroform		< 1.0	< 1.0	< 1.0	< 1.0
Chloromethane		< 1.0	< 1.0	< 1.0	< 1.0
cis-1,2-dichloroethene		< 1.0	< 1.0	< 1.0	< 1.0
cis-1,3-dichloropropene		< 1.0	< 1.0	< 1.0	< 1.0
Dibromochloromethane		< 1.0	< 1.0	< 1.0	< 1.0
Ethylbenzene		< 1.0	< 1.0	< 1.0	< 1.0
Methylene Chloride		< 2.0	< 2.0	< 2.0	< 2.0
Styrene		< 1.0	< 1.0	< 1.0	< 1.0
Tetrachloroethene		< 1.0	< 1.0	< 1.0	< 1.0
Tolene		< 1.0	< 1.0	< 1.0	< 1.0
trans-1,2-dichloroethene		< 1.0	< 1.0	< 1.0	< 1.0
trans-1,3-dichloropropene		< 1.0	< 1.0	< 1.0	< 1.0
Trichloroethylene		< 1.0	< 1.0	< 1.0	< 1.0
Vinyl Chloride		< 1.0	< 1.0	< 1.0	< 1.0
Xylene-o		< 1.0	< 1.0	< 1.0	< 1.0
Xylenes - m,p		< 1.0	< 1.0	< 1.0	< 1.0
Total VOCs (2)		0	0	0	0
1,4-Dioxane (3)		< 0.10	< 0.10	< 0.10	< 0.10 J

Notes and Abbreviations on last page.

Table 6
Concentrations of Volatile Organic Compounds and
1,4-Dioxane in Monitoring Wells Installed by the Navy
Fourth Quarter 2017, Operable Unit 2 (Groundwater)
Bethpage, New York.

Constituent (Units in µg/L)	Well:	RE128D2	RE129D1	RE129D2	RE130D1
	Sample ID:	RE128D2	RE129D1	RE129D2	RE130D1
	Date:	12/7/2017	12/11/2017	12/11/2017	12/1/2017
Volatile Organic Compounds (VOCs) (1)					
1,1,1-Trichloroethane		< 1.0	< 1.0	< 1.0	< 1.0
1,1,2,2-Tetrachloroethane		< 1.0	< 1.0	< 1.0	< 1.0
1,1,2-trichloro-1,2,2-trifluoroethane		< 5.0	< 5.0	< 5.0	< 5.0
1,1,2-Trichloroethane		< 1.0	< 1.0	< 1.0	< 1.0
1,1-Dichloroethane		< 1.0	< 1.0	< 1.0	< 1.0
1,1-Dichloroethene		< 1.0	< 1.0	< 1.0	< 1.0
1,2-Dichloroethane		< 1.0	< 1.0	< 1.0	< 1.0
1,2-Dichloropropane		< 1.0	< 1.0	< 1.0	< 1.0
2-Butanone (MEK)		< 10	< 10	< 10	< 10
2-Hexanone		< 5.0	< 5.0	< 5.0	< 5.0
4-methyl-2-pentanone (MIK)		< 5.0	< 5.0	< 5.0	< 5.0
Acetone		< 10	< 10	< 10	< 10
Benzene		< 0.50	< 0.50	< 0.50	< 0.50
Bromodichloromethane		< 1.0	< 1.0	< 1.0	< 1.0
Bromoform		< 1.0	< 1.0	< 1.0	< 1.0
Bromomethane		< 2.0	< 2.0	< 2.0	< 2.0
Carbon Disulfide		< 2.0	< 2.0	< 2.0	< 2.0
Carbon tetrachloride		< 1.0	< 1.0	< 1.0	< 1.0
Chlorobenzene		< 1.0	< 1.0	< 1.0	< 1.0
Chloroethane		< 1.0	< 1.0	< 1.0	< 1.0
Chloroform		< 1.0	< 1.0	< 1.0	< 1.0
Chloromethane		< 1.0	< 1.0	< 1.0	< 1.0
cis-1,2-dichloroethene		< 1.0	< 1.0	< 1.0	< 1.0
cis-1,3-dichloropropene		< 1.0	< 1.0	< 1.0	< 1.0
Dibromochloromethane		< 1.0	< 1.0	< 1.0	< 1.0
Ethylbenzene		< 1.0	< 1.0	< 1.0	< 1.0
Methylene Chloride		< 2.0	< 2.0	< 2.0	< 2.0
Styrene		< 1.0	< 1.0	< 1.0	< 1.0
Tetrachloroethene		< 1.0	< 1.0	< 1.0	< 1.0
Tolene		< 1.0	< 1.0	< 1.0	< 1.0
trans-1,2-dichloroethene		< 1.0	< 1.0	< 1.0	< 1.0
trans-1,3-dichloropropene		< 1.0	< 1.0	< 1.0	< 1.0
Trichloroethylene		< 1.0	< 1.0	< 1.0	< 1.0
Vinyl Chloride		< 1.0	< 1.0	< 1.0	< 1.0
Xylene-o		< 1.0	< 1.0	< 1.0	< 1.0
Xylenes - m,p		< 1.0	< 1.0	< 1.0	< 1.0
Total VOCs (2)		0	0	0	0
1,4-Dioxane (3)		< 0.10 J	< 0.10	< 0.10	< 0.10 J

Notes and Abbreviations on last page.

Table 6
Concentrations of Volatile Organic Compounds and
1,4-Dioxane in Monitoring Wells Installed by the Navy
Fourth Quarter 2017, Operable Unit 2 (Groundwater)
Bethpage, New York.

Constituent (Units in µg/L)	Well:	RE130D2	RE133D1	RE133D2
	Sample ID:	RE130D2	RE133D1	RE133D2
	Date:	12/1/2017	12/12/2017	12/12/2017
Volatile Organic Compounds (VOCs) (1)				
1,1,1-Trichloroethane		< 1.0	< 1.0	< 1.0
1,1,1,2-Tetrachloroethane		< 1.0	< 1.0	< 1.0
1,1,1,2-trichloro-1,2,2-trifluoroethane		< 5.0	< 5.0	< 5.0
1,1,2-Trichloroethane		< 1.0	< 1.0	< 1.0
1,1-Dichloroethane		< 1.0	< 1.0	< 1.0
1,1-Dichloroethene		< 1.0	< 1.0	< 1.0
1,2-Dichloroethane		< 1.0	< 1.0	< 1.0
1,2-Dichloropropane		< 1.0	< 1.0	< 1.0
2-Butanone (MEK)		< 10	< 10	< 10
2-Hexanone		< 5.0	< 5.0	< 5.0
4-methyl-2-pentanone (MIK)		< 5.0	< 5.0	< 5.0
Acetone		< 10	< 10	< 10
Benzene		< 0.50	< 0.50	< 0.50
Bromodichloromethane		< 1.0	< 1.0	< 1.0
Bromoform		< 1.0	< 1.0	< 1.0
Bromomethane		< 2.0	< 2.0	< 2.0
Carbon Disulfide		< 2.0	< 2.0	< 2.0
Carbon tetrachloride		< 1.0	< 1.0	< 1.0
Chlorobenzene		< 1.0	< 1.0	< 1.0
Chloroethane		< 1.0	< 1.0	< 1.0
Chloroform		< 1.0	< 1.0	< 1.0
Chloromethane		< 1.0	< 1.0	< 1.0
cis-1,2-dichloroethene		< 1.0	< 1.0	< 1.0
cis-1,3-dichloropropene		< 1.0	< 1.0	< 1.0
Dibromochloromethane		< 1.0	< 1.0	< 1.0
Ethylbenzene		< 1.0	< 1.0	< 1.0
Methylene Chloride		< 2.0	< 2.0	< 2.0
Styrene		< 1.0	< 1.0	< 1.0
Tetrachloroethene		< 1.0	< 1.0	< 1.0
Tolene		< 1.0	< 1.0	< 1.0
trans-1,2-dichloroethene		< 1.0	< 1.0	< 1.0
trans-1,3-dichloropropene		< 1.0	< 1.0	< 1.0
Trichloroethylene		< 1.0	< 1.0	< 1.0
Vinyl Chloride		< 1.0	< 1.0	< 1.0
Xylene-o		< 1.0	< 1.0	< 1.0
Xylenes - m,p		< 1.0	< 1.0	< 1.0
Total VOCs (2)		0	0	0
1,4-Dioxane (3)		< 0.10	< 0.10	< 0.10 J

Notes and Abbreviations on last page.

Table 6
Concentrations of Volatile Organic Compounds and
1,4-Dioxane in Monitoring Wells Installed by the Navy
Fourth Quarter 2017, Operable Unit 2 (Groundwater)
Bethpage, New York.

Notes and Abbreviations:

- (1) Samples were analyzed for the TCL VOCs using SEPA Method 8260C.
- (2) Total VOCs are rounded to two significant figures.
- (3) Samples were analyzed for 1,4-Dioxane using USEPA Method 8270D SIM

Results validated following protocols specified in OU2 Groundwater Monitoring Plan (ARCADIS 2016).

Bold	Constituent detected
D	Concentration is based on a diluted sample analysis
J	Constituent value is estimated
REP	Blind Duplicate Sample
SIM	Selected Ion Monitoring
TCL	Target Compound List
USEPA	United States Environmental Protection Agency
VOC	Volatile Organic Compound
µg/L	Micrograms per liter
<0.50	Compound not detected above its laboratory detection limit
R	Rejected for lack of surrogate recovery

Table 7
Concentrations of Volatile Organic Compounds and
1,4-Dioxane in Monitoring Wells TT-102D and TT-102D2
Fourth Quarter 2017, Operable Unit 2 (Groundwater)
Bethpage, New York.

Constituent (units in µg/L)	Well: Sample ID: Date:	TT-102D TT-102D 12/7/2017	TT-102D2 TT-102D2 12/7/2017
Volatile Organic Compounds (VOCs) ⁽¹⁾			
1,1,1-Trichloroethane		< 0.50	< 0.50
1,1,1,2-Tetrachloroethane		< 0.50	< 0.50
1,1,2-trichloro-1,2,2-trifluoroethane		< 1.0	< 1.0
1,1,2-Trichloroethane		< 0.50	< 0.50
1,1-Dichloroethane		< 0.50	< 0.50
1,1-Dichloroethene		< 0.50	< 0.50
1,2-Dichloroethane		< 0.50	< 0.50
1,2-Dichloropropane		< 0.50	< 0.50
2-Butanone (MEK)		< 5.0	< 5.0
2-Hexanone		< 2.0	< 2.0
4-methyl-2-pentanone (MIK)		< 2.0	< 2.0
Acetone		< 5.0	< 5.0
Benzene		< 0.50	< 0.50
Bromodichloromethane		< 0.50	< 0.50
Bromoform		< 0.50	< 0.50
Bromomethane		< 0.50	< 0.50
Carbon Disulfide		< 0.50	< 0.50
Carbon tetrachloride		< 0.50	< 0.50
Chlorobenzene		< 0.50	< 0.50
Chloroethane		< 0.50	< 0.50
Chloroform		< 0.50	< 0.50
Chloromethane		< 0.50	< 0.50
cis-1,2-dichloroethene		< 0.50	< 0.50
cis-1,3-dichloropropene		< 0.50	< 0.50
Dibromochloromethane		< 0.50	< 0.50
Ethylbenzene		< 0.50	< 0.50
Methylene Chloride		< 0.50	< 0.50
Styrene		< 0.50	< 0.50
Tetrachloroethene		< 0.50	< 0.50
Toluene		< 0.50	< 0.50
trans-1,2-dichloroethene		< 0.50	< 0.50
trans-1,3-dichloropropene		< 0.50	< 0.50
Trichloroethylene		< 0.50	< 0.50
Vinyl Chloride		< 0.50	< 0.50
Xylene-o		< 0.50	< 0.50
Xylenes - m,p		< 0.50	< 0.50
Total VOCs ⁽²⁾		0	0
1,4-Dioxane ⁽³⁾		0.122	< 0.10

Notes and Abbreviations on next page.

Table 7
Concentrations of Volatile Organic Compounds and
1,4-Dioxane in Monitoring Wells TT-102D and TT-102D2
Fourth Quarter 2017, Operable Unit 2 (Groundwater)
Bethpage, New York.



Notes and Abbreviations:

- (1) Samples were analyzed for the TCL VOCs using USEPA Method 524.2.
- (2) Total VOCs are rounded to two significant figures.
- (3) Samples were analyzed for 1,4-Dioxane using USEPA Method 8270D SIM

Results validated following protocols specified in OU2 Groundwater Monitoring Plan (ARCADIS 2016).


Bold	Constituent detected
SIM	Selected Ion Monitoring
TCL	Target Compound List
USEPA	United States Environmental Protection Agency
VOC	Volatile Organic Compound
µg/L	Micrograms per liter
<0.50	Compound not detected above its laboratory detection limit

Figures



GENERAL LOCATION MAP
NWIRP BETHPAGE
BETHPAGE, NEW YORK

CONTRACT NUMBER N62470-11-D-8013		CTO NUMBER WE15	
APPROVED BY ---		DATE ---	
APPROVED BY ---		DATE ---	
FIGURE NO. 1			REV 0



Note:
Wells outlined on this figure reflect wells installed by Resolution Consultants (RC) and sampled by RC or ARCADIS in December 2017, as documented in this report. Additional Navy-owned wells sampled by ARCADIS as part of separate and ongoing OU2 programs will be documented in the ARCADIS 2017 Annual Groundwater Monitoring Report.

Legend	
	Monitoring Well - Sampled
	Monitoring Well - Unsampled
	Vertical Profile Boring
	Water Supply Well
	Extraction Well



LOCATION MAP
DECEMBER 2017 GROUNDWATER SAMPLING
NAVAL WEAPONS INDUSTRIAL RESERVE PLANT
BETHPAGE, NEW YORK

CONTRACT NUMBER N62470-11-D8013	CTO NUMBER WE 15
APPROVED BY EV	DATE 5/4/2018
APPROVED BY	DATE
FIGURE NO. 2	REV 0

Appendices

Appendix A

Groundwater Sampling Forms – Resolution Consultants



RESOLUTION
CONSULTANTS

Well ID: RE104-D1

Low Flow Ground Water Sample Collection Record

Client: Navy NWIRP Bethpage Date: 12/05/17 Time: Start 0845 am/pm
 Project No: 60266526 Finish 1030 am/pm
 Site Location: Hilltop
 Weather Conds: SD, LIGHT RAIN Collector(s): S. WRIGHT

1. WATER LEVEL DATA: (measured from Top of Casing)

- a. Total Well Length 375 ft c. Length of Water Column 337.27 ft (a-b) Casing Diameter/Material 4-inch PVC
 b. Water Table Depth 37.78 ft d. Calculated System Volume (see back) 13.1 gal. 20 screen length (ft)

2. WELL PURGE DATA

- a. Purge Method: Geotech bladder pump with drop tube assembly

b. Acceptance Criteria defined (see workplan)

- Temperature ± 3%
 - pH ± 0.1 unit
 - Conductivity ± 3%
 - Turbidity ± 10%
 - ORP ± 10mV
 - Drawdown < 0.3'
 - D.O. ± 10% (values >0.5 mg/L)
- Remove a minimum 1 screen volume

c. Field Testing Equipment used:

Make	Model	Serial Number
YSI	556	10M101285

Time (24hr)	Volume Removed (gallons)	Temp. (°C)	Conduct. (mS/cm)	DO (mg/L)	pH	ORP (mV)	Turbidity (NTU)	Flow Rate (mL/min)	Depth to water (ft)	Color/Odor
0900	—	12.22	0.058	10.38	8.69	-16.1	84.4	200	37.78	CLEAR/NONE
0905		12.99	0.091	8.85	6.65	-10.1	—	200	37.79	CLEAR/NONE
0910		13.48	0.088	6.91	5.66	42.7	—	600	37.80	CLEAR/NONE
0915		13.67	0.089	6.92	5.38	57.9	—	600	37.81	CLEAR/NONE
0920		13.74	0.090	6.07	5.09	72.8	4.32	600	37.81	CLEAR/NONE
0925		13.74	0.089	5.45	4.80	89.4	—	600	37.81	CLEAR/NONE

- d. Acceptance criteria pass/fail
- | | | | | |
|-------------------------------------|-------------------------------------|--------------------------|--------------------------|---------------------|
| | Yes | No | N/A | (continued on back) |
| Has required volume been removed | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| Has required turbidity been reached | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| Have parameters stabilized | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
- If no or N/A - Explain below.

3. SAMPLE COLLECTION:

Method: Geotech bladder pump with drop tube assembly

Sample ID	Container Type	No. of Containers	Preservation	Analysis Req.	Time
<u>RE104D1-GW-120517</u>	<u>40-mL vials</u>	<u>3</u>	<u>HCl</u>	<u>VOCs</u>	<u>1020</u>
<u>RE104D1-GW-120517</u>	<u>1-L amber</u>	<u>2</u>	<u>none</u>	<u>1,4-Dioxane</u>	<u>1020</u>

Comments

Signature

Date

12-5-17



Well ID: RE104-D2

Low Flow Ground Water Sample Collection Record

Client: Navy NWIRP Bethpage Date: 12/05/17 Time: Start 0900 am/pm
 Project No: 60266526 Finish 1120 am/pm
 Site Location: Hilltop Ave | RE 104
 Weather Conds: Scattered rain, cloudy, 50°F Collector(s): G. Hickey

1. WATER LEVEL DATA: (measured from Top of Casing)

- a. Total Well Length 735 ft c. Length of Water Column 694.37 (a-b) Casing Diameter/Material 4-inch PVC
- b. Water Table Depth 40.63 ft d. Calculated System Volume (see back) 13.1 gal. 20 screen length (ft)

2. WELL PURGE DATA

- a. Purge Method: Geotech bladder pump with drop tube assembly
- b. Acceptance Criteria defined (see workplan)
 - Temperature ± 3% - Turbidity ± 10% - D.O. ± 10% (values >0.5 mg/L)
 - pH ± 0.1 unit - ORP ± 10mV Remove a minimum 1 screen volume
 - Conductivity ± 3% - Drawdown < 0.3'

c. Field Testing Equipment used:

Make	Model	Serial Number
YSI	556	22094
LaMotte	2020mc	1231

Time (24hr)	Volume Removed (gallons)	Temp. (°C)	Conduct. (mS/cm)	DO (mg/L)	pH	ORP (mV)	Turbidity (NTU)	Flow Rate (mL/min)	Depth to water (ft)	Color/Odor
0950	2.5	12.42	0.021	6.18	5.73	-20.1	2.70	400	41.16	Clear/none
1005	3.5	12.44	0.021	6.63	5.61	-15.2	2.64	500	41.35	"
1015	5	12.93	0.021	6.58	5.51	-11.1	2.33	500	41.48	"
1025	6.5	12.42	0.021	6.41	5.47	-7.1	2.62	400	41.58	"
1030		12.37	0.021	6.42	5.37	-3.4	2.54	450	41.40	"
1040		12.37	0.021	6.40	5.31	-2.8	2.01	450	41.28	"

- d. Acceptance criteria pass/fail
- | | | | |
|-------------------------------------|-------------------------------------|--------------------------|--------------------------|
| Has required volume been removed | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Has required turbidity been reached | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Have parameters stabilized | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
- If no or N/A - Explain below.

3. SAMPLE COLLECTION:

Method: Geotech bladder pump with drop tube assembly

Sample ID	Container Type	No. of Containers	Preservation	Analysis Req.	Time
<u>RE104-D2-GW-120517</u>	<u>40-mL vials</u>	<u>3</u>	<u>HCl</u>	<u>VOCs</u>	<u>1120</u>
<u>RE104-D2-GW-120517</u>	<u>1-L amber</u>	<u>2</u>	<u>none</u>	<u>1,4-Dioxane</u>	<u>1120</u>

Comments

[Handwritten Signature]

Signature

Date: 12/5/17



RESOLUTION CONSULTANTS

Well ID: RE104-D3

Low Flow Ground Water Sample Collection Record

Client: Navy NWIRP Bethpage Date: 12/05/17 Time: Start 09:30 am/pm
 Project No: 60266526 Finish 11:50 am/pm
 Site Location: Hilltop Ave
 Weather Conds: Cloudy Collector(s): E. Bell

1. WATER LEVEL DATA: (measured from Top of Casing)

a. Total Well Length 785 ft c. Length of Water Column 744.44 ft (a-b) Casing Diameter/Material 4-inch PVC
 b. Water Table Depth 40.56 ft d. Calculated System Volume (see back) 13.1 gal. 20 screen length (ft)

2. WELL PURGE DATA

a. Purge Method: Geotech bladder pump with drop tube assembly

b. Acceptance Criteria defined (see workplan)

- Temperature ± 3% - Turbidity ± 10% - D.O. ± 10% (values >0.5 mg/L)
- pH ± 0.1 unit - ORP ± 10mV Remove a minimum 1 screen volume
- Conductivity ± 3% - Drawdown < 0.3'

c. Field Testing Equipment used:

Make	Model	Serial Number
YSI	556	22090
YSI	556 (Flowcell)	Access heater
QED	MT10	08/8782

Time (24hr)	Volume Removed (gallons)	Temp. (°C)	Conduct. (mS/cm)	DO (mg/L)	pH	ORP (mV)	Turbidity (NTU)	Flow Rate (mL/min)	Depth to water (ft)	Color/Odor
09:30	Start									
10:25	-	10.85	24	5.60	3.87	222.7	-	400	41.49	clear
10:30	-	10.59	24	4.97	3.88	213.2	4.87	300	41.49	clear
10:35	-	10.45	0.018	4.78	3.88	211.0	-	300	41.36	clear
10:40	-	10.50	0.018	4.76	3.88	211.6	-	250	41.18	clear
10:45	-	10.51	0.016	4.76	3.86	212.4	-	250	-	-

d. Acceptance criteria pass/fail

	Yes	No	N/A
Has required volume been removed	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Has required turbidity been reached	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Have parameters stabilized	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

If no or N/A - Explain below.

(continued on back)

3. SAMPLE COLLECTION:

Method: Geotech bladder pump with drop tube assembly

Sample ID	Container Type	No. of Containers	Preservation	Analysis Req.	Time
RE104D3-GW-120517	40-mL vials	3	HCl	VOCs	11:45
RE104D3-GW-120517	1-L amber	2	none	1,4-Dioxane	11:45

Comments

Flowrate issues

Signature

Date

12/5/2017



Low Flow Ground Water Sample Collection Record

Dup 01

Well ID: RE105-D1

Client: Navy NWIRP Bethpage Date: 12/05/17 Time: Start 1345 am/pm
 Project No: 60266526 Finish 1540 am/pm
 Site Location: Line 3, Bechtel
 Weather Conds: Cloudy, 59°F, Wind 18 mph Collector(s): G.H.F. Bell

1. WATER LEVEL DATA: (measured from Top of Casing)
 a. Total Well Length 555 ft c. Length of Water Column 515.74 ft (a-b) Casing Diameter/Material 4-inch PVC
 b. Water Table Depth 39.26 ft d. Calculated System Volume (see back) 13.1 gal. 20 screen length (ft)

2. WELL PURGE DATA
 a. Purge Method: Geotech bladder pump with drop tube assembly
 b. Acceptance Criteria defined (see workplan)
 - Temperature ± 3% - Turbidity ± 10% - D.O. ± 10% (values >0.5 mg/L)
 - pH ± 0.1 unit - ORP ± 10mV Remove a minimum 1 screen volume
 - Conductivity ± 3% - Drawdown < 0.3'

c. Field Testing Equipment used:

Make	Model	Serial Number
YSI	556	22094
Camotec	2020 ml	1231

Time (24hr)	Volume Removed (gallons)	Temp. (°C)	Conduct. (mS/cm)	DO (mg/L)	pH	ORP (mV)	Turbidity (NTU)	Flow Rate (mL/min)	Depth to water (ft)	Color/Odor
1350		13.12	0.012	6.56	5.85	-7.0	1.51	400	39.14	Clear / none
1400		13.07	0.091	5.91	5.41	-4.9	1.16	500	39.10	"
1410	4	13.04	0.089	3.15	5.49	-15.7	1.17	500	39.09	"
1426		13.02	0.089	2.97	5.49	-21.5	0.96	500	39.07	"
1430	5 Gal	13.01	0.089	2.97	5.48	-22.6	-	500	39.06	"
1440	-	13.00	0.089	2.95	5.47	-23.7	-	500	39.04	"

d. Acceptance criteria pass/fail

	Yes	No	N/A	(continued on back)
Has required volume been removed	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Has required turbidity been reached	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Have parameters stabilized	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

If no or N/A - Explain below.

3. SAMPLE COLLECTION: Method: Geotech bladder pump with drop tube assembly

Sample ID	Container Type	No. of Containers	Preservation	Analysis Req.	Time
RE105D1-GW-120517	40-mL vials	3	HCl	VOCs	1530
RE105D1-GW-120517	1-L amber	2	none	1,4-Dioxane	1530
Dup 01-GW-120517	40-mL vials	3	HCl	VOC	1530
Dup 01-GW-120517	1-L amber	2	None	1,4-Dioxane	1530

Comments: Duplicate collected at this location.

Signature: [Signature] Date: 12/05/17



RESOLUTION
CONSULTANTS

Well ID: RE105-D2

Low Flow Ground Water Sample Collection Record

Client: Navy NWIRP Bethpage Date: 12/05/17 Time: Start 13.30 am/pm
 Project No: 60266526 Finish 16.10 am/pm
 Site Location: Lincoln 3 Reservoir
 Weather Conds: Cloudy 59°F, Wind 18 mph S Collector(s): S. WRIGHT

1. WATER LEVEL DATA: (measured from Top of Casing)

a. Total Well Length 75.5 ft c. Length of Water Column 715.12 ft (a-b) Casing Diameter/Material
 4-inch PVC
 b. Water Table Depth 39.88 ft d. Calculated System Volume (see back) 13.1 gal. 20 screen length (ft)

2. WELL PURGE DATA

a. Purge Method: Geotech bladder pump with drop tube assembly

b. Acceptance Criteria defined (see workplan)

- Temperature ± 3%
 - pH ± 0.1 unit
 - Conductivity ± 3%
 - Turbidity ± 10%
 - ORP ± 10mV
 - Drawdown < 0.3'
 - D.O. ± 10% (values >0.5 mg/L)
- Remove a minimum 1 screen volume

c. Field Testing Equipment used:

Make	Model	Serial Number
YSI	556	<u>10M10/285</u>

Time (24hr)	Volume Removed (gallons)	Temp. (°C)	Conduct. (mS/cm)	DO (mg/L)	pH	ORP (mV)	Turbidity (NTU)	Flow Rate (mL/min)	Depth to water (ft)	Color/Odor
1405	—	15.88	0.082	9.35	5.35	60.6	—	200	39.75	CLEAR/NONE
1410		15.81	0.083	8.06	5.23	66.2	0.47	200	39.75	CLEAR/NONE
1415		15.41	0.082	7.08	4.95	81.2	—	200	39.70	CLEAR/NONE
1420		15.34	0.082	5.71	4.78	90.1	—	100	39.70	CLEAR/NONE
1425		15.23	0.082	4.89	4.68	95.3	0.66	200	39.70	CLEAR/NONE
1430		15.16	0.081	4.36	4.73	92.4	—	400	39.70	CLEAR/NONE

d. Acceptance criteria pass/fail

	Yes	No	N/A
Has required volume been removed	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Has required turbidity been reached	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Have parameters stabilized	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

If no or N/A - Explain below.

(continued on back)

3. SAMPLE COLLECTION:

Method: Geotech bladder pump with drop tube assembly

Sample ID	Container Type	No. of Containers	Preservation	Analysis Req.	Time
<u>RE105-D2-6W-120517</u>	<u>40-mL vials</u>	<u>3</u>	<u>HCl</u>	<u>VOCs</u>	<u>1600</u>
<u>RE105-D2-6W-120517</u>	<u>1-L amber</u>	<u>2</u>	<u>none</u>	<u>1,4-Dioxane</u>	<u>1600</u>

Comments

Signature

Date

12-5-17



RESOLUTION CONSULTANTS

Well ID: RE108-D2

Low Flow Ground Water Sample Collection Record

Client: Navy NWIRP Bethpage Date: 12/06/17 Time: Start 0840 am/pm
 Project No: 60266526 Finish 1625 am/pm
 Site Location: Corona
 Weather Conds: 49-37°F, Cloudy, Wind 10 mph W Collector(s): E. B., S.W.

1. WATER LEVEL DATA: (measured from Top of Casing)

- a. Total Well Length 655 ft c. Length of Water Column 612.85 ft (a-b) Casing Diameter/Material 4-inch PVC
 b. Water Table Depth 42.15 ft d. Calculated System Volume (see back) 13.1 gal. 20 screen length (ft)

2. WELL PURGE DATA

a. Purge Method: Geotech bladder pump with drop tube assembly

b. Acceptance Criteria defined (see workplan)

- Temperature ± 3% - Turbidity ± 10% - D.O. ± 10% (values >0.5 mg/L)
- pH ± 0.1 unit - ORP ± 10mV Remove a minimum 1 screen volume
- Conductivity ± 3% - Drawdown < 0.3'

c. Field Testing Equipment used:

Make	Model	Serial Number
YSI	556	22094

Time (24hr)	Volume Removed (gallons)	Temp. (°C)	Conduct. (mS/cm)	DO (mg/L)	pH	ORP (mV)	Turbidity (NTU)	Flow Rate (mL/min)	Depth to water (ft)	Color/Odor
0905	Start									
0910	-	12.49	0.082	2.83	5.56	-18.7	0.68	650	42.17	clear
0915		12.50	0.080	3.17	5.42	-22.1	-	650	42.09	clear
0920		12.54	0.079	3.56	5.36	-27.2	0.73	650	42.06	clear
0925	5 Gal	12.56	0.079	4.01	5.14	-40.6	-	650	42.05	clear
0930	-	12.60	0.079	4.67	5.12	-42.0	1.09	650	42.04	clear

- d. Acceptance criteria pass/fail (continued on back)
- | | | | |
|-------------------------------------|-------------------------------------|--------------------------|--------------------------|
| | Yes | No | N/A |
| Has required volume been removed | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Has required turbidity been reached | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Have parameters stabilized | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
- If no or N/A - Explain below.

3. SAMPLE COLLECTION:

Method: Geotech bladder pump with drop tube assembly

Sample ID	Container Type	No. of Containers	Preservation	Analysis Req.	Time
<u>RE108D2-GW-120617</u>	<u>40-mL vials</u>	<u>3</u>	<u>HCl</u>	<u>VOCs</u>	<u>1015</u>
<u>RE108D2-GW-120617</u>	<u>1-L amber</u>	<u>2</u>	<u>none</u>	<u>1,4-Dioxane</u>	<u>1015</u>

Comments _____

Signature [Signature] Date 12/6/17



Well ID: RE122D1

Low Flow Ground Water Sample Collection Record

Client: Navy NWIRP Bethpage Date: 12/6/17 Time: Start 1215 am/pm am
 Project No: 60266526 Finish 1410 am/pm pm
 Site Location: Curtis
 Weather Conds: 30, CLOUDY Collector(s): S. WRIGHT

1. WATER LEVEL DATA: (measured from Top of Casing)

a. Total Well Length 545 ft c. Length of Water Column 501.67 ft (a-b) Casing Diameter/Material 4-inch PVC
 b. Water Table Depth 43.33 ft d. Calculated System Volume (see back) 13.1 gal. 20 screen length (ft)

2. WELL PURGE DATA

a. Purge Method: Geotech bladder pump with drop tube assembly

b. Acceptance Criteria defined (see workplan)

- Temperature ± 3%
 - pH ± 0.1 unit
 - Conductivity ± 3%
 - Turbidity ± 10%
 - ORP ± 10mV
 - Drawdown < 0.3'
 - D.O. ± 10% (values >0.5 mg/L)
- Remove a minimum 1 screen volume

c. Field Testing Equipment used:

Make	Model	Serial Number
YSI	556	10M101285

Time (24hr)	Volume Removed (gallons)	Temp. (°C)	Conduct. (mS/cm)	DO (mg/L)	pH	ORP (mV)	Turbidity (NTU)	Flow Rate (mL/min)	Depth to water (ft)	Color/Odor
1235		13.66	0.006	12.44	7.13	46.9	—	400	43.32	CLEAR/NONE
1240		14.68	0.130	8.90	5.94	34.7	—	400	43.32	CLEAR/NONE
1245		14.74	0.131	5.91	5.55	134.8	1.80	400	43.32	CLEAR/NONE
1250		14.69	0.129	4.60	5.42	143.2	—	400	43.31	CLEAR/NONE
1255		14.79	0.126	4.19	5.30	157.6	—	500	43.30	CLEAR/NONE
1300		14.70	0.125	4.20	5.27	165.2	1.76	500	43.30	CLEAR/NONE

d. Acceptance criteria pass/fail

	Yes	No	N/A
Has required volume been removed	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Has required turbidity been reached	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Have parameters stabilized	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

If no or N/A - Explain below.

(continued on back)

3. SAMPLE COLLECTION:

Method: Geotech bladder pump with drop tube assembly

Sample ID	Container Type	No. of Containers	Preservation	Analysis Req.	Time
RE122D1-6W-120617	40-mL vials	3	HCl	VOCs	1400
RE122D1-6W-120617	1-L amber	2	none	1,4-Dioxane	1400

Comments

Signature

Date

12-6-17



RESOLUTION
CONSULTANTS

Well ID: RE122D2

Low Flow Ground Water Sample Collection Record

Client: Navy NWIRP Bethpage Date: 12/06/17 Time: Start 12:45 am/pm
 Project No: 60266526 Finish 15:35 am/pm
 Site Location: Curtis
 Weather Conds: Mostly Cloudy 49-57°F Wind 13 mph Collector(s): FB

1. WATER LEVEL DATA: (measured from Top of Casing)

a. Total Well Length 615 ft c. Length of Water Column 571.58 ft (a-b) Casing Diameter/Material
4-inch PVC
 b. Water Table Depth 43.62 ft d. Calculated System Volume (see back) 20 gal. 13.1 screen length (ft)

2. WELL PURGE DATA

a. Purge Method: Geotech bladder pump with drop tube assembly

b. Acceptance Criteria defined (see workplan)

- Temperature ± 3%
 - pH ± 0.1 unit
 - Conductivity ± 3%
 - Turbidity ± 10%
 - ORP ± 10mV
 - Drawdown < 0.3'
 - D.O. ± 10% (values >0.5 mg/L)
- Remove a minimum 1 screen volume

c. Field Testing Equipment used:

Make	Model	Serial Number
YSI	556	

Time (24hr)	Volume Removed (gallons)	Temp. (°C)	Conduct. (mS/cm)	DO (mg/L)	pH	ORP (mV)	Turbidity (NTU)	Flow Rate (mL/min)	Depth to water (ft)	Color/Odor
1315	-	11.45	0.108	3.48	4.34	123.6	-	500	43.56	Clear
1320	-	11.34	0.107	3.12	4.34	122.9	5.06	500	43.49	clear
1325	-	11.36	0.108	2.74	4.32	123.7	-	500	-	clear
1330	-	11.21	0.106	2.53	4.31	122.9	0.84	500	43.47	clear
1335	5 gal	11.21	0.106	2.53	4.30	122.7	0.62	500	43.48	clear
1340	-	11.22	0.105	2.69	4.30	122.4	0.59	500	43.50	clear

d. Acceptance criteria pass/fail

	Yes	No	N/A
Has required volume been removed	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Has required turbidity been reached	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Have parameters stabilized	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

(continued on back)

If no or N/A - Explain below.

3. SAMPLE COLLECTION:

Method: Geotech bladder pump with drop tube assembly

Sample ID	Container Type	No. of Containers	Preservation	Analysis Req.	Time
<u>RE122D2-GW-120617</u>	<u>40-mL vials</u>	<u>3</u>	<u>HCl</u>	<u>VOCs</u>	<u>1525</u>
<u>RE122D2-GW-120617</u>	<u>1-L amber</u>	<u>2</u>	<u>none</u>	<u>1,4-Dioxane</u>	<u>1525</u>

Comments

Signature

Date



MS/MSD

Well ID: RF122-D3

Low-Flow Ground Water Sample Collection Record

Client: Navy NWIRP Bethpage Date: 12/06/17 Time: Start 12:35 am/pm
 Project No: 60266526 Finish 13:50 am/pm
 Site Location: Curtis PL
 Weather Conds: 49°F-37°F, Mostly Cloudy, Wind 13 mph Collector(s): E.B., T.M.

1. WATER LEVEL DATA: (measured from Top of Casing)

a. Total Well Length 740 ft c. Length of Water Column 695.69 ft (a-b) Casing Diameter/Material 4-inch PVC
 b. Water Table Depth 44.31 ft d. Calculated System Volume (see back) 131 gal. 20' screen length (ft)

2. WELL PURGE DATA

a. Purge Method: Geotech bladder pump with drop tube assembly

b. Acceptance Criteria defined (see workplan)

- Temperature ± 3%
 - pH ± 0.1 unit
 - Conductivity ± 3%
 - Turbidity ± 10%
 - ORP ± 10mV
 - Drawdown < 0.3'
 - D.O. ± 10% (values >0.5 mg/L)
- Remove a minimum 1 screen volume

c. Field Testing Equipment used:

Make	Model	Serial Number
YSI	556	

Time (24hr)	Volume Removed (gallons)	Temp. (°C)	Conduct. (mS/cm)	DO (mg/L)	pH	ORP (mV)	Turbidity (NTU)	Flow Rate (mL/min)	Depth to water (ft)	Color/Odor
12:50	1.2	12.16	0.23	1.53	5.58	-45.9		700	44.36	none
12:55	2.0	12.18	0.23	1.09	5.40	-40.8		700	44.36	none
13:00	2.5	12.14	0.23	1.02	5.29	-46.5		700	44.36	none
13:05	3.0	12.09	0.23	1.11	5.01	-44.0		700	44.36	none
13:10	3.75	12.01	0.26	1.88	5.27	-53.2		700	44.36	none
3:15	4.30	12.28	0.24	2.47	4.81	-56.9		700	44.36	none

d. Acceptance criteria pass/fail

	Yes	No	N/A
Has required volume been removed	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Has required turbidity been reached	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Have parameters stabilized	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

If no or N/A - Explain below.

3. SAMPLE COLLECTION:

Method: Geotech bladder pump with drop tube assembly

Sample ID	Container Type	No. of Containers	Preservation	Analysis Req.	Time
<u>RF122D3-GW-120617</u>	40-mL vials	3	HCl	VOCs	<u>1405</u>
<u>RF122D3-GW-120617</u>	1-L amber	2	none	1,4-Dioxane	<u>1405</u>

Comments: MS/MSD were collected on well site

Signature: [Signature] Date: 12/06/17



RESOLUTION CONSULTANTS

Well ID: RE126-151

Low Flow Ground Water Sample Collection Record

Client: Navy NWIRP Bethpage Date: 12/07/17 Time: Start 1300 am/pm
 Project No: 60266526 Finish 1435 am/pm
 Site Location: Lym PL
 Weather Conds: _____ Collector(s): F.B.S. W.T.M

1. WATER LEVEL DATA: (measured from Top of Casing)

- a. Total Well Length 525 ft c. Length of Water Column 478.45 ft (a-b) Casing Diameter/Material 4-inch PVC
 b. Water Table Depth 46.55 ft d. Calculated System Volume (see back) 13.1 gal. 20 screen length (ft)

2. WELL PURGE DATA

- a. Purge Method: Geotech bladder pump with drop tube assembly

b. Acceptance Criteria defined (see workplan)

- Temperature ± 3%
 - pH ± 0.1 unit
 - Conductivity ± 3%
 - Turbidity ± 10%
 - ORP ± 10mV
 - Drawdown < 0.3'
 - D.O. ± 10% (values >0.5 mg/L)
- Remove a minimum 1 screen volume

c. Field Testing Equipment used:

Make	Model	Serial Number
YSI	556	22090
QED	MP10	
La Motte	WE2020	65585

Time (24hr)	Volume Removed (gallons)	Temp. (°C)	Conduct. (mS/cm)	DO (mg/L)	pH	ORP (mV)	Turbidity (NTU)	Flow Rate (mL/min)	Depth to water (ft)	Color/Odor
1315	-	11.09	0.102	6.56	4.62	185.4	2.01	600	46.55	Clear
1320	-	11.08	0.101	6.05	4.53	183.3	-	600	46.57	"
1325	-	11.00	0.101	6.01	4.47	180.6	1.97	600	46.58	"
1330	-	10.93	0.101	6.00	4.43	179.9	-	600	46.56	"
1335	5 Gal	10.89	0.101	5.99	4.37	180.1	1.93	600	46.55	"
1340	-	10.89	0.101	5.99	4.32	179.2	-	600	46.54	"

- d. Acceptance criteria pass/fail
- | | | | | |
|-------------------------------------|-------------------------------------|--------------------------|--------------------------|---------------------|
| | Yes | No | N/A | (continued on back) |
| Has required volume been removed | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| Has required turbidity been reached | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| Have parameters stabilized | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
- If no or N/A - Explain below.

3. SAMPLE COLLECTION:

Method: Geotech bladder pump with drop tube assembly

Sample ID	Container Type	No. of Containers	Preservation	Analysis Req.	Time
<u>RE12601-GW-120717</u>	<u>40-mL vials</u>	<u>3</u>	<u>HCl</u>	<u>VOCs</u>	<u>1425</u>
<u>RE12601-GW-120717</u>	<u>1-L amber</u>	<u>2</u>	<u>none</u>	<u>1,4-Dioxane</u>	<u>1425</u>

Comments _____

Signature [Signature]

Date 12/7/17



RESOLUTION
CONSULTANTS

Well ID: RE126D2

Low Flow Ground Water Sample Collection Record

Client: Navy NWIRP Bethpage Date: 12/7/17 Time: Start 1245 am/pm (PM)
 Project No: 60266526 Finish 1430 am/pm (PM)
 Site Location: Lynn Place
 Weather Conds: 140s, SUN Collector(s): SILWRIGHT

1. WATER LEVEL DATA: (measured from Top of Casing)

- a. Total Well Length 580 ft c. Length of Water Column 533.16 ft (a-b) Casing Diameter/Material 4-inch PVC
 b. Water Table Depth 46.84 ft d. Calculated System Volume (see back) 13.1 gal. 20 screen length (ft)

2. WELL PURGE DATA

a. Purge Method: Geotech bladder pump with drop tube assembly

b. Acceptance Criteria defined (see workplan)

- Temperature ± 3%
 - pH ± 0.1 unit
 - Conductivity ± 3%
 - Turbidity ± 10%
 - ORP ± 10mV
 - Drawdown < 0.3'
 - D.O. ± 10% (values >0.5 mg/L)
- Remove a minimum 1 screen volume

c. Field Testing Equipment used:

Make	Model	Serial Number
YSI	556	10M101285

Time (24hr)	Volume Removed (gallons)	Temp. (°C)	Conduct. (mS/cm)	DO (mg/L)	pH	ORP (mV)	Turbidity (NTU)	Flow Rate (mL/min)	Depth to water (ft)	Color/Odor
1255	20 -	10.49	0.058	12.02	5.32	293.2	-	200	46.80	CLEAR/NONE
1300		12.42	0.110	9.43	5.41	250.8	-	300	46.85	CLEAR/NONE
1305		13.66	0.115	7.10	5.52	239.8	4.46	350	46.90	CLEAR/NONE
1310		13.96	0.116	3.48	5.51	237.7	-	400	46.92	CLEAR/NONE
1315		14.13	0.117	3.24	5.50	238.6	-	400	46.94	CLEAR/NONE
1320		14.38	0.117	3.07	5.48	240.0	3.37	500	46.95	CLEAR/NONE

- d. Acceptance criteria pass/fail
- | | Yes | No | N/A |
|-------------------------------------|-------------------------------------|--------------------------|--------------------------|
| Has required volume been removed | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Has required turbidity been reached | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Have parameters stabilized | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
- If no or N/A - Explain below.
- (continued on back)

3. SAMPLE COLLECTION:

Method: Geotech bladder pump with drop tube assembly

Sample ID	Container Type	No. of Containers	Preservation	Analysis Req.	Time
<u>RE126D2-GW-120717</u>	<u>40-mL vials</u>	<u>3</u>	<u>HCl</u>	<u>VOCs</u>	<u>1430</u>
<u>RE126D2-GW-120717</u>	<u>1-L amber</u>	<u>2</u>	<u>none</u>	<u>1,4-Dioxane</u>	<u>1430</u>

Comments

Signature

Date

12-7-17



Well ID: RE126-D3

Low Flow Ground Water Sample Collection Record

Client: Navy NWIRP Bethpage Date: 12/07/17 Time: Start 13:00 am/pm
 Project No: 60266526 Finish 15:15 am/pm
 Site Location: Lynn Place
 Weather Conds: 43°F Sunny Collector(s): J. McLaughlin

1. WATER LEVEL DATA: (measured from Top of Casing)

a. Total Well Length 665 ft c. Length of Water Column 618.2 ft (a-b) Casing Diameter/Material 4-inch PVC
 b. Water Table Depth 46.80 ft d. Calculated System Volume (see back) 13.1 gal. 20 screen length (ft)

2. WELL PURGE DATA

a. Purge Method: Geotech bladder pump with drop tube assembly

b. Acceptance Criteria defined (see workplan)
 - Temperature ± 3% - Turbidity ± 10% - D.O. ± 10% (values >0.5 mg/L)
 - pH ± 0.1 unit - ORP ± 10mV Remove a minimum 1 screen volume
 - Conductivity ± 3% - Drawdown < 0.3'

c. Field Testing Equipment used:

Make	Model	Serial Number
YSI	556	

Time (24hr)	Volume Removed (gallons)	Temp. (°C)	Conduct. (mS/cm)	DO (mg/L)	pH	ORP (mV)	Turbidity (NTU)	Flow Rate (mL/min)	Depth to water (ft)	Color/Odor
13:15	1.00	12.57	0.043	6.67	5.50	291	-	550	46.84	None
13:20	1.60	12.49	0.043	6.01	5.43	262	-	550	46.84	None
13:25	2.40	12.50	0.042	5.80	5.28	259	-	550	46.84	None
13:30	3.00	12.49	0.041	5.81	5.28	25.7	-	550	46.84	None
13:35	3.50	12.42	0.045	6.11	5.21	25.8	-	550	46.84	None
13:40	4.00	12.39	0.043	6.24	5.18	25.9	-	550	46.84	None

d. Acceptance criteria pass/fail (continued on back)

	Yes	No	N/A
Has required volume been removed	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Has required turbidity been reached	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Have parameters stabilized	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

If no or N/A - Explain below.

3. SAMPLE COLLECTION:

Method: Geotech bladder pump with drop tube assembly

Sample ID	Container Type	No. of Containers	Preservation	Analysis Req.	Time
<u>130717</u>	40-mL vials	3	HCl	VOCs	<u>1505</u>
<u>130717</u>	1-L amber	2	none	1,4-Dioxane	<u>1505</u>

Date: 12/7/17



RESOLUTION CONSULTANTS

Well ID: RE131-D1

Low Flow Ground Water Sample Collection Record

Client: Navy NWIRP Bethpage Date: 12/07/17 Time: Start 0830 am/pm
 Project No: 60266526 Finish 1050 am/pm
 Site Location: Parking Lot
 Weather Conds: Sunny, 58°F, Wind 8 mph W Collector(s): F. Bell, S. Wright, L. McCaskey

1. WATER LEVEL DATA: (measured from Top of Casing)

a. Total Well Length 455 ft c. Length of Water Column 417.48 ft (a-b) Casing Diameter/Material 4-inch PVC
 b. Water Table Depth 37.57 ft d. Calculated System Volume (see back) 13.1 gal. 20 screen length (ft)

2. WELL PURGE DATA

a. Purge Method: Geotech bladder pump with drop tube assembly

- b. Acceptance Criteria defined (see workplan)
- Temperature ± 3%
 - pH ± 0.1 unit
 - Conductivity ± 3%
 - Turbidity ± 10%
 - ORP ± 10mV
 - Drawdown < 0.3'
 - D.O. ± 10% (values >0.5 mg/L)
- Remove a minimum 1 screen volume

c. Field Testing Equipment used:

Make	Model	Serial Number
YSI	556	

Time (24hr)	Volume Removed (gallons)	Temp. (°C)	Conduct. (mS/cm)	DO (mg/L)	pH	ORP (mV)	Turbidity (NTU)	Flow Rate (mL/min)	Depth to water (ft)	Color/Odor
9:35	1.00	11.86	.123	4.05	3.81	237.6	3.14	650	37.65	None
9:40	2.00	11.00	.121	4.12	3.72	250.9	-	650	37.65	None
9:45	3.30	10.93	.124	3.71	3.71	258.1	-	650	37.65	None
9:50	4.00	11.02	.124	3.53	3.71	263.0	-	650	37.65	None
9:55	5.70	11.00	.124	3.43	3.48	265.1	-	650	37.65	None
10:00	7.00	10.91	.124	3.44	3.74	265.1	-	650	37.65	None

d. Acceptance criteria pass/fail

	Yes	No	N/A
Has required volume been removed	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Has required turbidity been reached	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Have parameters stabilized	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

If no or N/A - Explain below.

3. SAMPLE COLLECTION:

Method: Geotech bladder pump with drop tube assembly

Sample ID	Container Type	No. of Containers	Preservation	Analysis Req.	Time
<u>RE131D1-GW-120717</u>	<u>40-mL vials</u>	<u>3</u>	<u>HCl</u>	<u>VOCs</u>	<u>10:40</u>
<u>RE131D1-GW-120717</u>	<u>1-L amber</u>	<u>2</u>	<u>none</u>	<u>1,4-Dioxane</u>	<u>10:40</u>

Comments _____

Signature Thomas McLachlan Date 12/7/17



RESOLUTION CONSULTANTS

Well ID: RE131-D2

Low Flow Ground Water Sample Collection Record

Client: Navy NWIRP Bethpage Date: 12/07/17 Time: Start 0845 am/pm
 Project No: 60266526 Finish 1130 am/pm
 Site Location: Parking Lot
 Weather Conds: Sunny, 38°F, Windy 8 mph W Collector(s): F.B.S.W.T.M

1. WATER LEVEL DATA: (measured from Top of Casing)

a. Total Well Length 598 ft c. Length of Water Column 556.95ft (a-b) Casing Diameter/Material
4-inch PVC
 b. Water Table Depth 38.05 ft d. Calculated System Volume (see back) 16.3 gal. 25 screen length (ft)

2. WELL PURGE DATA

a. Purge Method: Geotech bladder pump with drop tube assembly

b. Acceptance Criteria defined (see workplan)

- Temperature ± 3%
 - pH ± 0.1 unit
 - Conductivity ± 3%
 - Turbidity ± 10%
 - ORP ± 10mV
 - Drawdown < 0.3'
 - D.O. ± 10% (values >0.5 mg/L)
- Remove a minimum 1 screen volume

c. Field Testing Equipment used:

Make	Model	Serial Number
YSI	556	10M101285

Time (24hr)	Volume Removed (gallons)	Temp. (°C)	Conduct. (mS/cm)	DO (mg/L)	pH	ORP (mV)	Turbidity (NTU)	Flow Rate (mL/min)	Depth to water (ft)	Color/Odor
0920	—	11.47	0.094	27.88	6.33	191.1	—	300	38.05	CLEAR/NONE
0925		11.68	0.090	13.41	6.11	159.8	—	400	38.05	CLEAR/NONE
0930		13.60	0.091	6.56	5.48	156.2	6.00	400	38.05	CLEAR/NONE
0935		13.91	0.091	4.70	5.21	169.5	—	450	38.05	CLEAR/NONE
0940		14.05	0.090	4.87	5.08	182.0	—	450	38.05	CLEAR/NONE
0945		14.07	0.089	5.07	4.99	191.7	5.95	500	38.05	CLEAR/NONE

d. Acceptance criteria pass/fail

	Yes	No	N/A
Has required volume been removed	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Has required turbidity been reached	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Have parameters stabilized	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

If no or N/A - Explain below.

(continued on back)

3. SAMPLE COLLECTION:

Method: Geotech bladder pump with drop tube assembly

Sample ID	Container Type	No. of Containers	Preservation	Analysis Req.	Time
<u>RE131D2-6W-120717</u>	<u>40-mL vials</u>	<u>3</u>	<u>HCl</u>	<u>VOCs</u>	<u>1120</u>
<u>RE131D2-6W-120717</u>	<u>1-L amber</u>	<u>2</u>	<u>none</u>	<u>1,4-Dioxane</u>	<u>1120</u>

Comments

Signature

Date

12-7-17



RESOLUTION CONSULTANTS

Well ID: RE131-D3

Low Flow Ground Water Sample Collection Record

Client: Navy NWIRP Bethpage Date: 12/07/17 Time: Start 0845 am/pm
 Project No: 60266526 Finish 1120 am/pm
 Site Location: Parkings lot
 Weather Conds: Sunny, 38F, 6 mph SW Collector(s): F.B.-T.M.-S.W

1. WATER LEVEL DATA: (measured from Top of Casing)

- a. Total Well Length 685 ft c. Length of Water Column 646.6 ft (a-b) Casing Diameter/Material 4-inch PVC
 b. Water Table Depth 38.40 ft d. Calculated System Volume (see back) 13.1 gal. 20 screen length (ft)

2. WELL PURGE DATA

- a. Purge Method: Geotech bladder pump with drop tube assembly

b. Acceptance Criteria defined (see workplan)

- Temperature ± 3%
 - pH ± 0.1 unit
 - Conductivity ± 3%
 - Turbidity ± 10%
 - ORP ± 10mV
 - Drawdown < 0.3'
 - D.O. ± 10% (values >0.5 mg/L)
- Remove a minimum 1 screen volume

c. Field Testing Equipment used:

Make	Model	Serial Number
YSI	556	22094
QED	MP10H	056100X
LaMotte	2020we	65585

Time (24hr)	Volume Removed (gallons)	Temp. (°C)	Conduct. (mS/cm)	DO (mg/L)	pH	ORP (mV)	Turbidity (NTU)	Flow Rate (mL/min)	Depth to water (ft)	Color/Odor
0900								150	38.55	Clear
0945	-	12.27	0.048	11.21	5.86	36.6	-	500	38.55	Clear
0950	-	12.23	0.047	7.42	5.76	27.6	4.74	500	38.54	clear
0955	-	12.24	0.046	6.54	5.68	25.4	-	556	38.53	clear
1000	-	12.36	0.046	6.42	5.39	26.5	5.24	550	38.53	Clear
1005	-	12.36	0.046	6.44	5.41	26.5	-	550	38.54	

- d. Acceptance criteria pass/fail
- | | | | | |
|-------------------------------------|-------------------------------------|--------------------------|--------------------------|---------------------|
| | Yes | No | N/A | (continued on back) |
| Has required volume been removed | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| Has required turbidity been reached | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| Have parameters stabilized | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
- If no or N/A - Explain below.

3. SAMPLE COLLECTION:

Method: Geotech bladder pump with drop tube assembly

Sample ID	Container Type	No. of Containers	Preservation	Analysis Req.	Time
<u>RE131D3-GW-120717</u>	<u>40-mL vials</u>	<u>3</u>	<u>HCl</u>	<u>VOCs</u>	<u>1110</u>
<u>RE131D3-GW-120717</u>	<u>1-L amber</u>	<u>2</u>	<u>none</u>	<u>1,4-Dioxane</u>	<u>1110</u>

Comments: Flow rate issues

Signature: [Signature]

Date: 12/7/17



Well ID: TT101-D

Low Flow Ground Water Sample Collection Record

Client: Navy NWIRP Bethpage Date: 12/08/17 Time: Start 0930 am/pm
 Project No: 60266526 Finish _____ am/pm
 Site Location: Wadsworth Ave
 Weather Conds: Mainly Cloudy, 35°F, 7 mph WNW Collector(s): F.B., S.M., S.W.

1. WATER LEVEL DATA: (measured from Top of Casing)

a. Total Well Length 355 ft c. Length of Water Column 320.35 ft (a-b) Casing Diameter/Material 4-inch PVC
 b. Water Table Depth 34.65 ft d. Calculated System Volume (see back) 13.1 gal. 20 screen length (ft)

2. WELL PURGE DATA

a. Purge Method: Geotech bladder pump with drop tube assembly

b. Acceptance Criteria defined (see workplan)

- Temperature ± 3%
 - pH ± 0.1 unit
 - Conductivity ± 3%
 - Turbidity ± 10%
 - ORP ± 10mV
 - Drawdown < 0.3'
 - D.O. ± 10% (values >0.5 mg/L)
- Remove a minimum 1 screen volume

c. Field Testing Equipment used:

Make	Model	Serial Number
YSI	556	

Time (24hr)	Volume Removed (gallons)	Temp. (°C)	Conduct. (mS/cm)	DO (mg/L)	pH	ORP (mV)	Turbidity (NTU)	Flow Rate (mL/min)	Depth to water (ft)	Color/Odor
9:40	3.0	15.2	0.091	0.27	6.18	291.7	-	800	34.71	None
9:45	3.7	15.1	0.091	0.17	6.03	289.0	-	800	34.71	None
9:50	4.0	15.2	0.091	0.14	5.78	297.1	-	800	34.71	None
9:55	5.0	15.2	0.091	0.00	5.61	297.3	-	800	34.71	None
10:00	5.8	15.1	0.091	0.00	5.60	297.0	-	800	34.71	None
10:05	7.0	15.1	0.092	0.00	5.60	297.9	1.21	800	34.71	None

d. Acceptance criteria pass/fail

	Yes	No	N/A
Has required volume been removed	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Has required turbidity been reached	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Have parameters stabilized	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

If no or N/A - Explain below.

3. SAMPLE COLLECTION:

Method: Geotech bladder pump with drop tube assembly

Sample ID	Container Type	No. of Containers	Preservation	Analysis Req.	Time
<u>TT101-D-GW-120817</u>	40-mL vials	3	HCl	VOCs	10:40
<u>TT101-D-GW-120817</u>	1-L amber	2	none	1,4-Dioxane	10:40

Comments _____

Signature [Signature] Date 12/08/17



RESOLUTION
CONSULTANTS

Well ID: TT101D1

Low Flow Ground Water Sample Collection Record

Client: Navy NWIRP Bethpage Date: 12/8/17 Time: Start 0900 am/pm
 Project No: 60266526 Finish 1030 am/pm
 Site Location: _____
 Weather Conds: 40, CLOUDY Collector(s): S. WRIGHT

1. WATER LEVEL DATA: (measured from Top of Casing)

a. Total Well Length 350 ft c. Length of Water Column 314.21 ft (a-b) Casing Diameter/Material
 4-inch PVC
 b. Water Table Depth 35.79 ft d. Calculated System Volume (see back) 13.1 gal. 20 screen length (ft)

2. WELL PURGE DATA

a. Purge Method: Geotech bladder pump with drop tube assembly

b. Acceptance Criteria defined (see workplan)

- Temperature ± 3%
 - pH ± 0.1 unit
 - Conductivity ± 3%
 - Turbidity ± 10%
 - ORP ± 10mV
 - Drawdown < 0.3'
 - D.O. ± 10% (values >0.5 mg/L)
- Remove a minimum 1 screen volume

c. Field Testing Equipment used:

Make	Model	Serial Number
YSI	556	10M100165

Time (24hr)	Volume Removed (gallons)	Temp. (°C)	Conduct. (mS/cm)	DO (mg/L)	pH	ORP (mV)	Turbidity (NTU)	Flow Rate (mL/min)	Depth to water (ft)	Color/Odor
0925	—	12.70	0.122	1.56	4.42	211.4	—	700	35.81	CLEAR/NONE
0930		12.62	0.120	0.90	4.33	207.3	—	700	35.82	CLEAR/NONE
0935		11.18	0.116	0.69	4.33	197.9	1.73	700	35.83	CLEAR/NONE
0940		12.61	0.119	0.42	4.26	193.4	—	900	35.83	CLEAR/NONE
0945		12.70	0.119	0.28	4.26	187.6	—	800	35.83	CLEAR/NONE
0950	5	12.72	0.122	0.54	4.19	179.6	1.82	800	35.83	CLEAR/NONE

d. Acceptance criteria pass/fail

	Yes	No	N/A
Has required volume been removed	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Has required turbidity been reached	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Have parameters stabilized	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

If no or N/A - Explain below.

3. SAMPLE COLLECTION:

Method: Geotech bladder pump with drop tube assembly

Sample ID	Container Type	No. of Containers	Preservation	Analysis Req.	Time
<u>TT101D1-GW-120817</u>	40-mL vials	3	HCl	VOCs	1030
<u>TT101D1-GW-120817</u>	1-L amber	2	none	1,4-Dioxane	1030

Comments

Signature

Date

12-8-17



Low Flow Ground Water Sample Collection Record

Well ID: TT101-D2
~~FIELD~~

MS/MST

Client: Navy NWIRP Bethpage Date: 12/08/17 Time: Start 0930 am/pm
 Project No: 60266526 Finish 1040 am/pm
 Site Location: Wadsworth Ave
 Weather Conds: 37°F, Mostly Cloudy, Temp. WNW Collector(s): F.B.S.W., T.M.

1. WATER LEVEL DATA: (measured from Top of Casing)

a. Total Well Length 76.5 ft c. Length of Water Column 728.87ft (a-b) Casing Diameter/Material
 4-inch PVC
 b. Water Table Depth 36.13 ft d. Calculated System Volume (see back) 13.1 gal. 20 screen length (ft)

2. WELL PURGE DATA

a. Purge Method: Geotech bladder pump with drop tube assembly
 b. Acceptance Criteria defined (see workplan)
 - Temperature ± 3% - Turbidity ± 10% - D.O. ± 10% (values >0.5 mg/L)
 - pH ± 0.1 unit - ORP ± 10mV Remove a minimum 1 screen volume
 - Conductivity ± 3% - Drawdown < 0.3'

c. Field Testing Equipment used:

Make	Model	Serial Number
YSI	556	22120
QED	MP10H	1256100X
LaMotte	2020we	65585

Time (24hr)	Volume Removed (gallons)	Temp. (°C)	Conduct. (mS/cm)	DO (mg/L)	pH	ORP (mV)	Turbidity (NTU)	Flow Rate (mL/min)	Depth to water (ft)	Color/Odor
0945	-	15.39	0.058	1.83	5.05	170.9	-	900	36.27	clear
0950	-	15.36	0.057	1.83	5.06	171.6	0.87	900	36.23	clear
0955	5 Gal	15.35	0.057	1.92	5.05	174.7	0.91	900	36.22	"
1000	-	15.27	0.056	4.92	5.02	189.4	-	900	36.25	"
1005	-	15.34	0.056	5.15	5.02	190.7	1.65	900	36.29	"
1010	-	15.27	0.0575	5.94	5.06	197.3	-	900	36.28	"

d. Acceptance criteria pass/fail

	Yes	No	N/A
Has required volume been removed	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Has required turbidity been reached	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Have parameters stabilized	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

If no or N/A - Explain below.

(continued on back)

3. SAMPLE COLLECTION:

Method: Geotech bladder pump with drop tube assembly

Sample ID	Container Type	No. of Containers	Preservation	Analysis Req.	Time
<u>TT101D2-GW-120817</u>	40-mL vials	3	HCl	VOCs	10:30
<u>TT101D2-GW-120817</u>	1-L amber	2	none	1,4-Dioxane	10:30

Comments: Extra was collected for MS/MST

Signature: [Signature]

Date: 12/8/17



Well ID: RE125-D1

Low Flow Ground Water Sample Collection Record

Client: Navy NWIRP Bethpage Date: 12/11/17 Time: Start 7:45 am/pm
 Project No: 60266526 Finish _____ am/pm
 Site Location: 304th St, NY
 Weather Conds: Cloudy 35°F Collector(s): Thomas McLaughlin

1. WATER LEVEL DATA: (measured from Top of Casing)

a. Total Well Length 345' ft c. Length of Water Column 308.73 ft (a-b) Casing Diameter/Material
4-inch PVC
 b. Water Table Depth 36.27 ft d. Calculated System Volume (see back) 3.1 gal. 20' screen length (ft)

2. WELL PURGE DATA

a. Purge Method: Geotech bladder pump with drop tube assembly

b. Acceptance Criteria defined (see workplan)

- Temperature ± 3%
 - pH ± 0.1 unit
 - Conductivity ± 3%
 - Turbidity ± 10%
 - ORP ± 10mV
 - Drawdown < 0.3'
 - D.O. ± 10% (values >0.5 mg/L)
- Remove a minimum 1 screen volume

c. Field Testing Equipment used:

Make	Model	Serial Number
YSI	556	10M101285

Time (24hr)	Volume Removed (gallons)	Temp. (°C)	Conduct. (mS/cm)	DO (mg/L)	pH	ORP (mV)	Turbidity (NTU)	Flow Rate (mL/min)	Depth to water (ft)	Color/Odor
9:20	1.8	13.43	0.172	3.83	4.80	174.9	-	450	36.37	None
9:25	2.3	13.55	0.173	2.78	4.75	188.2	-	450	36.37	None
9:30	2.6	13.48	0.173	2.59	4.74	193.1	-	450	36.37	None
9:35	3.3	13.37	0.172	2.52	4.72	203.1	-	450	36.37	None
9:40	3.6	13.40	0.173	2.46	4.71	212.2	2.51	450	36.37	None
9:45	4.2	13.27	0.170	2.37	4.70	222.7	-	450	36.37	None

d. Acceptance criteria pass/fail

	Yes	No	N/A
Has required volume been removed	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Has required turbidity been reached	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Have parameters stabilized	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

If no or N/A - Explain below.

3. SAMPLE COLLECTION:

Method: Geotech bladder pump with drop tube assembly

Sample ID	Container Type	No. of Containers	Preservation	Analysis Req.	Time
<u>RE125-D1-GW-121117</u>	<u>40-mL vials</u>	<u>3</u>	<u>HCl</u>	<u>VOCs</u>	<u>11:00</u>
<u>RE125-D1-GW-121117</u>	<u>1-L amber</u>	<u>2</u>	<u>none</u>	<u>1,4-Dioxane</u>	<u>11:00</u>

Comments _____

Signature Thomas McLaughlin Date 12/11/17



RESOLUTION
CONSULTANTS

Well ID: RE125-D2

Low Flow Ground Water Sample Collection Record

Client: Navy NWIRP Bethpage Date: 12/11/17 Time: Start 0900 am/pm
 Project No: 60266526 Finish 1105 am/pm
 Site Location: Dianne St
 Weather Conds: Sunny 34°F Wind 9 mph W, 78% Humidity Collector(s): F. Bell, S. Wright, T. McGowan

1. WATER LEVEL DATA: (measured from Top of Casing)

a. Total Well Length 605 ft c. Length of Water Column 567.13 ft (a-b) Casing Diameter/Material
4-inch PVC
 b. Water Table Depth 37.87 ft d. Calculated System Volume (see back) 13.1 gal. 20 screen length (ft)

2. WELL PURGE DATA

a. Purge Method: Geotech bladder pump with drop tube assembly

b. Acceptance Criteria defined (see workplan)
 - Temperature ± 3% - Turbidity ± 10% - D.O. ± 10% (values >0.5 mg/L)
 - pH ± 0.1 unit - ORP ± 10mV Remove a minimum 1 screen volume
 - Conductivity ± 3% - Drawdown < 0.3'

c. Field Testing Equipment used:

Make	Model	Serial Number
YSI	556	22090
QED	MP10	U49353X

Time (24hr)	Volume Removed (gallons)	Temp. (°C)	Conduct. (mS/cm)	DO (mg/L)	pH	ORP (mV)	Turbidity (NTU)	Flow Rate (mL/min)	Depth to water (ft)	Color/Odor
0925	-	10.56	0.104	3.77	4.71	189.8	-	350	37.93	Clear
0930	-	10.50	0.099	3.74	4.49	188.6	1.51	400	37.92	"
0935		10.55	0.099	3.64	4.41	187.1	-	400	37.92	
0940		10.65	0.098	3.27	4.36	186.7	1.67	400	37.91	
0945	5 Gal	10.70	0.098	3.26	4.32	186.3	-	400	37.91	"
0950	-	10.65	0.098	3.09	4.32	181.8	1.72	400	37.98	

d. Acceptance criteria pass/fail

	Yes	No	N/A
Has required volume been removed	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Has required turbidity been reached	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Have parameters stabilized	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

If no or N/A - Explain below.

3. SAMPLE COLLECTION:

Method: Geotech bladder pump with drop tube assembly

Sample ID	Container Type	No. of Containers	Preservation	Analysis Req.	Time
<u>RE125-D2-121117</u>	<u>40-mL vials</u>	<u>3</u>	<u>HCl</u>	<u>VOCs</u>	<u>1055</u>
<u>RE125-D2-121117</u>	<u>1-L amber</u>	<u>2</u>	<u>none</u>	<u>1,4-Dioxane</u>	<u>1055</u>

Comments _____

Signature: [Signature] Date: 12/11/17



RESOLUTION CONSULTANTS

Well ID: PE125D3

Low Flow Ground Water Sample Collection Record

Client: Navy NWIRP Bethpage Date: 12/11/17 Time: Start 0845 am/pm
 Project No: 60266526 Finish 1030 am/pm
 Site Location: _____
 Weather Conds: 40, SUN Collector(s): S. WRIGHT

1. WATER LEVEL DATA: (measured from Top of Casing)

a. Total Well Length 695 ft c. Length of Water Column 656.91 ft (a-b) Casing Diameter/Material
4-inch PVC
 b. Water Table Depth 38.09 ft d. Calculated System Volume (see back) 13.1 gal. 20 screen length (ft)

2. WELL PURGE DATA

a. Purge Method: Geotech bladder pump with drop tube assembly

b. Acceptance Criteria defined (see workplan)

- Temperature ± 3%
 - pH ± 0.1 unit
 - Conductivity ± 3%
 - Turbidity ± 10%
 - ORP ± 10mV
 - Drawdown < 0.3'
 - D.O. ± 10% (values >0.5 mg/L)
- Remove a minimum 1 screen volume

c. Field Testing Equipment used:

Make	Model	Serial Number
YSI	556	11D100371

Time (24hr)	Volume Removed (gallons)	Temp. (°C)	Conduct. (mS/cm)	DO (mg/L)	pH	ORP (mV)	Turbidity (NTU)	Flow Rate (mL/min)	Depth to water (ft)	Color/Odor
0900	-	7.7	0.059	25.28	6.82	247.6	-	500	38.09	CLEAR/NONE
0905		11.2	0.077	8.06	6.24	290.3	-	500	38.09	CLEAR/NONE
0910		11.8	0.076	6.21	5.47	307.3	8.12	500	38.09	CLEAR/NONE
0915		11.8	0.075	5.93	5.32	316.2	-	500	38.09	CLEAR/NONE
0920		12.0	0.073	5.93	5.12	330.1	-	500	38.09	CLEAR/NONE
0925		12.1	0.071	6.27	5.03	338.6	7.98	500	38.09	CLEAR/NONE

d. Acceptance criteria pass/fail

	Yes	No	N/A
Has required volume been removed	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Has required turbidity been reached	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Have parameters stabilized	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

If no or N/A - Explain below.

(continued on back)

3. SAMPLE COLLECTION:

Method: Geotech bladder pump with drop tube assembly

Sample ID	Container Type	No. of Containers	Preservation	Analysis Req.	Time
<u>PE125D3-GW-121117</u>	<u>40-mL vials</u>	<u>3</u>	<u>HCl</u>	<u>VOCs</u>	<u>1030</u>
<u>PE125D3-GW-121117</u>	<u>1-L amber</u>	<u>2</u>	<u>none</u>	<u>1,4-Dioxane</u>	<u>1030</u>

Comments _____

Signature _____

Date _____

12-11-17



Well ID: RE109D1

Low Flow Ground Water Sample Collection Record

Client: Navy NWIRP Bethpage Date: 12/11/17 Time: Start _____ am/pm
 Project No: 60266526 Finish _____ am/pm
 Site Location: Bethpage, NY
 Weather Conds: _____ Collector(s): Thomas McCarthy

1. WATER LEVEL DATA: (measured from Top of Casing)

a. Total Well Length 540 ft c. Length of Water Column 403.80 ft (a-b) Casing Diameter/Material 4-inch PVC
 b. Water Table Depth 46.20 ft d. Calculated System Volume (see back) 13.1 gal. 20 screen length (ft)

2. WELL PURGE DATA

a. Purge Method: Geotech bladder pump with drop tube assembly

b. Acceptance Criteria defined (see workplan)

- Temperature ± 3%
 - pH ± 0.1 unit
 - Conductivity ± 3%
 - Turbidity ± 10%
 - ORP ± 10mV
 - Drawdown < 0.3'
 - D.O. ± 10% (values >0.5 mg/L)
- Remove a minimum 1 screen volume

c. Field Testing Equipment used:

Make	Model	Serial Number
YSI	556	110100371

Time (24hr)	Volume Removed (gallons)	Temp. (°C)	Conduct. (mS/cm)	DO (mg/L)	pH	ORP (mV)	Turbidity (NTU)	Flow Rate (mL/min)	Depth to water (ft)	Color/Odor
13:35	0.7	13.0	123	6.78	5.15	381.5	—	500	46.21	None
13:40	1.0	13.0	122	6.50	5.14	379.2	—	500	46.21	None
13:45	1.5	13.1	121	6.08	5.11	378.5	—	500	46.21	None
13:50	1.9	13.0	119	5.51	5.06	380.7	—	500	46.21	None
13:55	2.5	13.2	118	5.00	5.05	385.1	—	500	46.21	None
4:00	2.7	13.2	118	5.00	5.08	385.2	—	500	46.21	None

d. Acceptance criteria pass/fail

	Yes	No	N/A
Has required volume been removed	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Has required turbidity been reached	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Have parameters stabilized	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

If no or N/A - Explain below.

3. SAMPLE COLLECTION:

Method: Geotech bladder pump with drop tube assembly

Sample ID	Container Type	No. of Containers	Preservation	Analysis Req.	Time
<u>RE109D1-GW-121117</u>	<u>40-mL vials</u>	<u>3</u>	<u>HCl</u>	<u>VOCs</u>	<u>15:25</u>
<u>RE109D1-GW-121117</u>	<u>1-L amber</u>	<u>2</u>	<u>none</u>	<u>1,4-Dioxane</u>	<u>15:25</u>

Comments _____

Signature [Signature]

Date 12/11/17



RESOLUTION CONSULTANTS

Well ID: RE109D2

Low Flow Ground Water Sample Collection Record

Client: Navy NWIRP Bethpage Date: 12/11/17 Time: Start 1245 am/pm
 Project No: 60266526 Finish 1445 am/pm
 Site Location: St. Martin St.
 Weather Conds: 40, SUN Collector(s): J. WRIGHT

1. WATER LEVEL DATA: (measured from Top of Casing)

a. Total Well Length 575 ft c. Length of Water Column 528.6 ft (a-b) Casing Diameter/Material 4-inch PVC
 b. Water Table Depth 46.35 ft d. Calculated System Volume (see back) 13.1 gal. 20 screen length (ft)

2. WELL PURGE DATA

a. Purge Method: Geotech bladder pump with drop tube assembly

b. Acceptance Criteria defined (see workplan)

- Temperature ± 3%
 - pH ± 0.1 unit
 - Conductivity ± 3%
 - Turbidity ± 10%
 - ORP ± 10mV
 - Drawdown < 0.3'
 - D.O. ± 10% (values >0.5 mg/L)
- Remove a minimum 1 screen volume

c. Field Testing Equipment used:

Make	Model	Serial Number
YSI	556	10M100165

Time (24hr)	Volume Removed (gallons)	Temp. (°C)	Conduct. (mS/cm)	DO (mg/L)	pH	ORP (mV)	Turbidity (NTU)	Flow Rate (mL/min)	Depth to water (ft)	Color/Odor
1310	-	11.58	0.105	9.98	5.46	119.5	-	500	46.44	CLEAR/NONE
1315		9.78	0.108	8.37	5.27	142.4	-	500	46.51	CLEAR/NONE
1320		10.92	0.110	3.84	4.90	142.9	13.6	500	46.52	CLEAR/NONE
1325		11.10	0.115	2.46	4.97	138.7	-	500	46.53	CLEAR/NONE
1330		11.04	0.117	2.14	4.95	134.2	-	550	46.52	CLEAR/NONE
1335		10.76	0.117	1.95	4.96	127.3	12.9	550	46.52	CLEAR/NONE

d. Acceptance criteria pass/fail

	Yes	No	N/A
Has required volume been removed	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Has required turbidity been reached	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Have parameters stabilized	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

If no or N/A - Explain below.

3. SAMPLE COLLECTION:

Method: Geotech bladder pump with drop tube assembly

Sample ID	Container Type	No. of Containers	Preservation	Analysis Req.	Time
RE109D2-GW-121117	40-mL vials	3	HCl	VOCs	1440
RE109D2-GW-121117	1-L amber	2	none	1,4-Dioxane	1440

Comments

Signature

Date

12-11-17



Low Flow Ground Water Sample Collection Record

Well ID: RE109-D3

Dup 02

Client: Navy NWIRP Bethpage Date: 12/11/17 Time: Start 1315 am/pm
 Project No: 60266526 Finish 1455 am/pm
 Site Location: St. Martin St
 Weather Conds: 39°F, Sunny, 5-21 Humidity, Wind 10 mph Collector(s): F. Bell

1. WATER LEVEL DATA: (measured from Top of Casing)

a. Total Well Length 605 ft c. Length of Water Column 558.63 (a-b) Casing Diameter/Material 4-inch PVC
 b. Water Table Depth 46.37 ft d. Calculated System Volume (see back) 13.1 gal. 20 screen length (ft)

2. WELL PURGE DATA

a. Purge Method: Geotech bladder pump with drop tube assembly

b. Acceptance Criteria defined (see workplan)

- Temperature ± 3%
 - pH ± 0.1 unit
 - Conductivity ± 3%
 - Turbidity ± 10%
 - ORP ± 10mV
 - Drawdown < 0.3'
 - D.O. ± 10% (values >0.5 mg/L)
- Remove a minimum 1 screen volume

c. Field Testing Equipment used:

Make	Model	Serial Number
YSI	556	28120

Time (24hr)	Volume Removed (gallons)	Temp. (°C)	Conduct. (mS/cm)	DO (mg/L)	pH	ORP (mV)	Turbidity (NTU)	Flow Rate (mL/min)	Depth to water (ft)	Color/Odor
1330	-	13.91	0.101	5.67	5.47	221.6	-	650	46.45	"
1335	-	13.92	0.098	5.31	5.34	240.8	-	650	46.43	clear
1340	-	13.94	0.099	4.10	5.47	239.6	-	650	46.42	"
1345	-	13.96	0.103	2.45	5.50	238.1	-	650	46.42	clear
1350	5 Gal	13.96	0.102	2.21	5.52	236.5	0.84	650	46.35	clear
1355	-	13.94	0.103	2.10	5.48	232.4	-	650	46.35	Clear

d. Acceptance criteria pass/fail

Has required volume been removed	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	N/A <input type="checkbox"/>
Has required turbidity been reached	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	N/A <input type="checkbox"/>
Have parameters stabilized	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	N/A <input type="checkbox"/>

If no or N/A - Explain below.

3. SAMPLE COLLECTION:

Method: Geotech bladder pump with drop tube assembly

Sample ID	Container Type	No. of Containers	Preservation	Analysis Req.	Time
<u>RE109D3-GW-121117</u>	<u>40-mL vials</u>	<u>3</u>	<u>HCl</u>	<u>VOCs</u>	<u>1445</u>
<u>RE109D3-GW-121117</u>	<u>1-L amber</u>	<u>2</u>	<u>none</u>	<u>1,4-Dioxane</u>	<u>1445</u>
<u>Dup02-WQ-121117</u>	<u>40-mL vials</u>	<u>3</u>	<u>HCl</u>	<u>VOC</u>	<u>1445</u>
<u>Dup02-WQ-121117</u>	<u>1-L amber</u>	<u>2</u>	<u>none</u>	<u>1,4-Dioxane</u>	<u>1445</u>

Comments: Extra was taken from well to collect Dup 02

Signature: [Signature]

Date: 12/11/17



RESOLUTION CONSULTANTS

Well ID: RE120-D1

Low Flow Ground Water Sample Collection Record

Client: Navy NWIRP Bethpage Date: 12/12/17 Time: Start 0800 am/pm
 Project No: 60266526 Finish 1030 am/pm
 Site Location: Shelby Dr
 Weather Conds: Cloudy 46°F, 25mph Collector(s): S. WRIGHT

1. WATER LEVEL DATA: (measured from Top of Casing)

a. Total Well Length 655 ft c. Length of Water Column 617.3 ft (a-b) Casing Diameter/Material 4-inch PVC
 b. Water Table Depth 37.70 ft d. Calculated System Volume (see back) 13.1 gal. 20 screen length (ft)

2. WELL PURGE DATA

a. Purge Method: Geotech bladder pump with drop tube assembly

b. Acceptance Criteria defined (see workplan)

- Temperature ± 3%
 - pH ± 0.1 unit
 - Conductivity ± 3%
 - Turbidity ± 10%
 - ORP ± 10mV
 - Drawdown < 0.3'
 - D.O. ± 10% (values >0.5 mg/L)
- Remove a minimum 1 screen volume

c. Field Testing Equipment used:

Make	Model	Serial Number
YSI	556	10M100165

Time (24hr)	Volume Removed (gallons)	Temp. (°C)	Conduct. (mS/cm)	DO (mg/L)	pH	ORP (mV)	Turbidity (NTU)	Flow Rate (mL/min)	Depth to water (ft)	Color/Odor
0835		9.21	0.124	11.01	6.32	12.6	—	400	37.70	CLEAR/NONE
0840		10.25	0.131	10.35	5.63	62.2	—	400	37.70	CLEAR/NONE
0845		11.58	0.141	9.76	5.29	85.6	2.11	400	37.70	CLEAR/NONE
0850		11.75	0.141	4.63	4.91	94.0	—	400	37.70	CLEAR/NONE
0855		11.74	0.140	3.21	4.80	97.2	—	450	37.70	CLEAR/NONE
0900		11.68	0.137	2.45	4.64	100.2	1.98	450	37.70	CLEAR/NONE

d. Acceptance criteria pass/fail

	Yes	No	N/A
Has required volume been removed	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Has required turbidity been reached	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Have parameters stabilized	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

If no or N/A - Explain below.

3. SAMPLE COLLECTION:

Method: Geotech bladder pump with drop tube assembly

Sample ID	Container Type	No. of Containers	Preservation	Analysis Req.	Time
RE120D1-6W-121217	40-mL vials	3	HCl	VOCs	1020
RE120D1-6W-121217	1-L amber	2	none	1,4-Dioxane	1020

Comments

Signature

Date

12-12-17



RESOLUTION
CONSULTANTS

Well ID: RE120-D2

Low Flow Ground Water Sample Collection Record

Client: Navy NWIRP Bethpage Date: 12/12/17 Time: Start 0845 am/pm
 Project No: 60266526 Finish _____ am/pm
 Site Location: Shell, Ds
 Weather Conds: Cloudy 46°F, Wind Smpk SSE Collector(s): S. Wright, J. Christopher, F. Bell

1. WATER LEVEL DATA: (measured from Top of Casing)

a. Total Well Length 713 ft c. Length of Water Column 675.53 ft (a-b) Casing Diameter/Material
4-inch PVC
 b. Water Table Depth 37.47 ft d. Calculated System Volume (see back) 13.1 gal. 20 screen length (ft)

2. WELL PURGE DATA

a. Purge Method: Geotech bladder pump with drop tube assembly

b. Acceptance Criteria defined (see workplan)

- Temperature ± 3%
 - pH ± 0.1 unit
 - Conductivity ± 3%
 - Turbidity ± 10%
 - ORP ± 10mV
 - Drawdown < 0.3'
 - D.O. ± 10% (values >0.5 mg/L)
- Remove a minimum 1 screen volume

c. Field Testing Equipment used:

Make	Model	Serial Number
YSI	556 Professional Plus	11D100371
QED	MP104	11561007

Time (24hr)	Volume Removed (gallons)	Temp. (°C)	Conduct. (mS/cm)	DO (mg/L)	pH	ORP (mV)	Turbidity (NTU)	Flow Rate (mL/min)	Depth to water (ft)	Color/Odor
0940	-	13.4	0.112	1.80	5.13	375.5	-	200	37.50	clear "
0945	-	-	-	-	-	-	-	200	-	-
1020	-	14.7	0.115	1.24	5.09	389.6	-	550	37.50	Red out control box
1025	-	14.9	0.115	1.99	5.10	400.7	-	550	37.50	clear
1030	5 Gal	14.9	0.116	4.96	5.09	400.12	-	550	37.50	"
1035	-	14.9	0.115	5.26	5.11	415.3	3.75	550	37.50	"

d. Acceptance criteria pass/fail

	Yes	No	N/A
Has required volume been removed	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Has required turbidity been reached	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Have parameters stabilized	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

If no or N/A - Explain below.

3. SAMPLE COLLECTION:

Method: Geotech bladder pump with drop tube assembly

Sample ID	Container Type	No. of Containers	Preservation	Analysis Req.	Time
<u>RE120D2-GW-121217</u>	<u>40-mL vials</u>	<u>3</u>	<u>HCl</u>	<u>VOCs</u>	<u>1120</u>
<u>RE120D2-GW-121217</u>	<u>1-L amber</u>	<u>2</u>	<u>none</u>	<u>1,4-Dioxane</u>	<u>1120</u>

Comments: Fluoride issues

Signature:

Date: 12/12/17



RESOLUTION
CONSULTANTS

Well ID: BE120-D3

Low Flow Ground Water Sample Collection Record

Client: Navy NWIRP Bethpage Date: 12/12/17 Time: Start 0845 am/pm
 Project No: 60266526 Finish 1045 am/pm
 Site Location: Shelly Dr
 Weather Conds: Cloudy, 46°F, Wind 15 mph SSE Collector(s): J. Christopher, F. Bell, S. Wright

1. WATER LEVEL DATA: (measured from Top of Casing)

- a. Total Well Length 765 ft c. Length of Water Column 727.05 ft (a-b) Casing Diameter/Material
4-inch PVC
 b. Water Table Depth 37.95 ft d. Calculated System Volume (see back) 15.1 gal. 20 screen length (ft)

2. WELL PURGE DATA

- a. Purge Method: Geotech bladder pump with drop tube assembly

b. Acceptance Criteria defined (see workplan)

- Temperature ± 3%
 - pH ± 0.1 unit
 - Conductivity ± 3%
 - Turbidity ± 10%
 - ORP ± 10mV
 - Drawdown < 0.3'
 - D.O. ± 10% (values >0.5 mg/L)
- Remove a minimum 1 screen volume

c. Field Testing Equipment used:

Make	Model	Serial Number
YSI	556	22120

Time (24hr)	Volume Removed (gallons)	Temp. (°C)	Conduct. (mS/cm)	DO (mg/L)	pH	ORP (mV)	Turbidity (NTU)	Flow Rate (mL/min)	Depth to water (ft)	Color/Odor
915	-	15.03	0.033	2.76	4.44	305.7	2.85	500	77.97	clear / none
920	5 gal	15.07	0.033	3.03	4.47	311.1	-	500	37.97	"
925	-	15.07	0.033	3.14	4.46	313.9	0.32	500	37.97	"
930	-	15.12	0.033	3.28	4.45	322.4	-	500	37.97	"
935	-	15.10	0.032	3.37	4.44	333.0	0.81	500	37.97	"
940	-	15.05	0.032	3.39	4.43	337.6	-	500	37.97	"

- d. Acceptance criteria pass/fail
- | | | | | |
|-------------------------------------|-------------------------------------|--------------------------|--------------------------|---------------------|
| | Yes | No | N/A | (continued on back) |
| Has required volume been removed | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| Has required turbidity been reached | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| Have parameters stabilized | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
- If no or N/A - Explain below.

3. SAMPLE COLLECTION:

Method: Geotech bladder pump with drop tube assembly

Sample ID	Container Type	No. of Containers	Preservation	Analysis Req.	Time
<u>RE120D3-GW-121217</u>	<u>40-mL vials</u>	<u>3</u>	<u>HCl</u>	<u>VOCs</u>	<u>1035</u>
<u>RE120D3-GW-121217</u>	<u>1-L amber</u>	<u>2</u>	<u>none</u>	<u>1,4-Dioxane</u>	<u>1035</u>

Comments

Signature

Date

12/12/17



Well ID: RE123-D1

Low Flow Ground Water Sample Collection Record

Client: Navy NWIRP Bethpage Date: 12/12/17 Time: Start 1225 am/pm
 Project No: 60266526 Finish 1510 am/pm
 Site Location: MTA Yard
 Weather Conds: 44°F windy Collector(s): Sc

1. WATER LEVEL DATA: (measured from Top of Casing)

- a. Total Well Length 505 ft c. Length of Water Column 456.05 ft (a-b) Casing Diameter/Material 4-inch PVC
 b. Water Table Depth 48.98 ft d. Calculated System Volume (see back) 13.1 gal. 20 screen length (ft)

2. WELL PURGE DATA

- a. Purge Method: Geotech bladder pump with drop tube assembly
- b. Acceptance Criteria defined (see workplan)
- Temperature ± 3%
 - pH ± 0.1 unit
 - Conductivity ± 3%
 - Turbidity ± 10%
 - ORP ± 10mV
 - Drawdown < 0.3'
 - D.O. ± 10% (values >0.5 mg/L)
- Remove a minimum 1 screen volume

c. Field Testing Equipment used:

Make	Model	Serial Number
<u>YSI</u>	<u>556</u>	
<u>Professional Plus</u>		<u>11D100371</u>

Time (24hr)	Volume Removed (gallons)	Temp. (°C)	Conduct. (mS/cm)	DO (mg/L)	pH	ORP (mV)	Turbidity (NTU)	Flow Rate (mL/min)	Depth to water (ft)	Color/Odor
1245	-	13.3	0.140	12.45	5.58	430.3	-	250	48.98	clear / none
1250	-	13.0	0.138	10.25	5.61	430.8	2.94	250	48.98	"
1300	-	12.3	0.134	8.88	5.64	432.6	-	200	48.98	"
1310	-	14.0	0.139	7.57	5.63	431.5	1.77	100	48.98	"
1320	-	13.9	0.138	6.79	5.61	430.0	-	100	48.98	"
1330										

- d. Acceptance criteria pass/fail
- | | | | | |
|-------------------------------------|-------------------------------------|--------------------------|--------------------------|---------------------|
| | Yes | No | N/A | (continued on back) |
| Has required volume been removed | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| Has required turbidity been reached | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| Have parameters stabilized | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
- If no or N/A - Explain below.

3. SAMPLE COLLECTION:

Method: Geotech bladder pump with drop tube assembly

Sample ID	Container Type	No. of Containers	Preservation	Analysis Req.	Time
<u>RE123D1-GW-121217</u>	<u>40-mL vials</u>	<u>3</u>	<u>HCl</u>	<u>VOCs</u>	<u>1500</u>
<u>RE123D1-GW-121217</u>	<u>1-L amber</u>	<u>2</u>	<u>none</u>	<u>1,4-Dioxane</u>	<u>1500</u>

Comments _____

Signature _____ Date 12/12/17



Well ID: RE12302

Low Flow Ground Water Sample Collection Record

Client: Navy NWIRP Bethpage Date: 12/12/17 Time: Start 1235 am/pm
 Project No: 60266526 Finish _____ am/pm
 Site Location: MTA Yard
 Weather Conds: Cloudy, 44°F, Windy Collector(s): FB

1. WATER LEVEL DATA: (measured from Top of Casing)

a. Total Well Length 660 ft c. Length of Water Column 609.99 ft (a-b) Casing Diameter/Material 4-inch PVC
 b. Water Table Depth 50.01 ft d. Calculated System Volume (see back) 13.1 gal. 20 screen length (ft)

2. WELL PURGE DATA

a. Purge Method: Geotech bladder pump with drop tube assembly

b. Acceptance Criteria defined (see workplan)

- Temperature ± 3%
 - pH ± 0.1 unit
 - Conductivity ± 3%
 - Turbidity ± 10%
 - ORP ± 10mV
 - Drawdown < 0.3'
 - D.O. ± 10% (values >0.5 mg/L)
- Remove a minimum 1 screen volume

c. Field Testing Equipment used:

Make	Model	Serial Number
YSI	556	22120
QED	MP10	U53213x

Time (24hr)	Volume Removed (gallons)	Temp. (°C)	Conduct. (mS/cm)	DO (mg/L)	pH	ORP (mV)	Turbidity (NTU)	Flow Rate (mL/min)	Depth to water (ft)	Color/Odor
1250	—	14.23	0.037	4.68	5.26	280.0	-	700	49.82	clear
1255	-	14.74	0.036	4.60	5.27	280.2	0.86	700	49.81	"
1300	-	14.71	0.036	4.56	5.28	281.0	-	700	49.81	"
1305	-	14.68	0.036	5.62	5.24	289.6	0.91	700	49.84	"
1310	-	14.59	0.037	6.48	5.21	290.7	-	700	49.85	"
1315	5 Gal	14.56	0.037	7.01	5.20	295.4	0.74	700	49.86	"

d. Acceptance criteria pass/fail

	Yes	No	N/A
Has required volume been removed	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Has required turbidity been reached	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Have parameters stabilized	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

If no or N/A - Explain below.


(continued on back)

3. SAMPLE COLLECTION:

Method: Geotech bladder pump with drop tube assembly

Sample ID	Container Type	No. of Containers	Preservation	Analysis Req.	Time
RE12302-GW-121217	40-mL vials	3	HCl	VOCs	1400
RE12302-GW-121217	1-L amber	2	none	1,4-Dioxane	1400

Comments

Signature: 

Date: 12/12/2017



RESOLUTION
CONSULTANTS

Well ID: RE123D3

Low Flow Ground Water Sample Collection Record

Client: Navy NWIRP Bethpage Date: 12/12/17 Time: Start 1215 am/pm
 Project No: 60266526 Finish 1430 am/pm
 Site Location: MTA Yard
 Weather Conds: 40 sun Collector(s): S. Wright

1. WATER LEVEL DATA: (measured from Top of Casing)

a. Total Well Length 840 ft c. Length of Water Column 789.93ft (a-b) Casing Diameter/Material
 4-inch PVC
 b. Water Table Depth 50.07 ft d. Calculated System Volume (see back) 13.1 gal. 20 screen length (ft)

2. WELL PURGE DATA

a. Purge Method: Geotech bladder pump with drop tube assembly

b. Acceptance Criteria defined (see workplan)

- Temperature ± 3%
 - pH ± 0.1 unit
 - Conductivity ± 3%
 - Turbidity ± 10%
 - ORP ± 10mV
 - Drawdown < 0.3'
 - D.O. ± 10% (values >0.5 mg/L)
- Remove a minimum 1 screen volume

c. Field Testing Equipment used:

Make	Model	Serial Number
YSI	556	10M100165

Time (24hr)	Volume Removed (gallons)	Temp. (°C)	Conduct. (mS/cm)	DO (mg/L)	pH	ORP (mV)	Turbidity (NTU)	Flow Rate (mL/min)	Depth to water (ft)	Color/Odor
1240	—	9.51	0.037	21.30	5.36	131.6	—	450	50.30	CLEAR/NONE
1245		11.22	0.040	4.94	4.90	114.8	—	450	50.30	CLEAR/NONE
1250		11.09	0.041	2.21	4.98	10.5	8.20	450	50.30	CLEAR/NONE
1255		11.17	0.041	0.75	5.04	-55.1	—	450	50.30	CLEAR/NONE
1300		11.04	0.040	0.59	5.02	-71.3	—	450	50.30	CLEAR/NONE
1305		11.00	0.042	0.49	5.05	-76.7	20.5	450	50.31	CLEAR/NONE

d. Acceptance criteria pass/fail

	Yes	No	N/A
Has required volume been removed	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Has required turbidity been reached	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Have parameters stabilized	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

If no or N/A - Explain below.

(continued on back)

3. SAMPLE COLLECTION:

Method: Geotech bladder pump with drop tube assembly

Sample ID	Container Type	No. of Containers	Preservation	Analysis Req.	Time
<u>RE123D3-GW-1217</u>	<u>40-mL vials</u>	<u>3</u>	<u>HCl</u>	<u>VOCs</u>	<u>1420</u>
<u>RE123D3-GW-1217</u>	<u>1-L amber</u>	<u>2</u>	<u>none</u>	<u>1,4-Dioxane</u>	<u>1420</u>

Comments

Signature

Date

12-12-17



RESOLUTION
CONSULTANTS

Well ID: RE103D1

Low Flow Ground Water Sample Collection Record

Client: Navy NWIRP Bethpage Date: 12/13/17 Time: Start 0800 am/pm
 Project No: 60266526 Finish 1640 am/pm
 Site Location: ~~100A Convent Rd~~ Avoca Ave
 Weather Conds: 20s, SUN, COLD Collector(s): S. WRIGHT

1. WATER LEVEL DATA: (measured from Top of Casing)

a. Total Well Length 645 ft c. Length of Water Column 603.5 ft (a-b) Casing Diameter/Material 4-inch PVC
 b. Water Table Depth 41.50 ft d. Calculated System Volume (see back) 13.1 gal. 20 screen length (ft)
9.8 15

2. WELL PURGE DATA

a. Purge Method: Geotech bladder pump with drop tube assembly

b. Acceptance Criteria defined (see workplan)
 - Temperature ± 3% - Turbidity ± 10% - D.O. ± 10% (values >0.5 mg/L)
 - pH ± 0.1 unit - ORP ± 10mV Remove a minimum 1 screen volume
 - Conductivity ± 3% - Drawdown < 0.3'

c. Field Testing Equipment used:

Make	Model	Serial Number
YSI	556	11D 100371

Time (24hr)	Volume Removed (gallons)	Temp. (°C)	Conduct. (mS/cm)	DO (mg/L)	pH	ORP (mV)	Turbidity (NTU)	Flow Rate (mL/min)	Depth to water (ft)	Color/Odor
0820	---	4.2	21.28							CLEAR/NONE
0820	---	-0.4	0.049	21.28	4.65	371.6	---	100	41.50	CLEAR/NONE

d. Acceptance criteria pass/fail

	Yes	No	N/A
Has required volume been removed	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Has required turbidity been reached	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Have parameters stabilized	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

If no or N/A - Explain below.

3. SAMPLE COLLECTION:

Method: Geotech bladder pump with drop tube assembly

Sample ID	Container Type	No. of Containers	Preservation	Analysis Req.	Time
<u>RE103D1-6W-121317</u>	<u>40-mL vials</u>	<u>3</u>	<u>HCl</u>	<u>VOCs</u>	<u>1030</u>
<u>RE103D1-6W-121317</u>	<u>1-L amber</u>	<u>2</u>	<u>none</u>	<u>1,4-Dioxane</u>	<u>1030</u>

Comments _____

Signature _____ Date 12-13-17



RESOLUTION
CONSULTANTS

Well ID: RE103 DZ

Low Flow Ground Water Sample Collection Record

Client: Navy NWIRP Bethpage Date: 12/13/17 Time: Start 0830 am/pm
 Project No: 60266526 Finish 1010 am/pm
 Site Location: AVOCA Ave
 Weather Conds: Partly Sunny, 21°C, Wind 18 mph WNW Collector(s): E.B., J.G., S.W.

1. WATER LEVEL DATA: (measured from Top of Casing)

- a. Total Well Length 1673 ft c. Length of Water Column 631.7 ft (a-b) Casing Diameter/Material 4-inch PVC
 b. Water Table Depth 41.30 ft d. Calculated System Volume (see back) 13.1 gal. 20 screen length (ft)

2. WELL PURGE DATA

- a. Purge Method: Geotech bladder pump with drop tube assembly
 b. Acceptance Criteria defined (see workplan)
 - Temperature ± 3% - Turbidity ± 10% - D.O. ± 10% (values >0.5 mg/L)
 - pH ± 0.1 unit - ORP ± 10mV Remove a minimum 1 screen volume
 - Conductivity ± 3% - Drawdown < 0.3'

c. Field Testing Equipment used:

Make	Model	Serial Number
YSI	556	

Time (24hr)	Volume Removed (gallons)	Temp. (°C)	Conduct. (mS/cm)	DO (mg/L)	pH	ORP (mV)	Turbidity (NTU)	Flow Rate (mL/min)	Depth to water (ft)	Color/Odor
<u>0830</u>	<u>Start</u>									
<u>10:00</u>	<u>13.1</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>6.72</u>	<u>700</u>	<u>41.27</u>	<u>clear/none</u>

- d. Acceptance criteria pass/fail
- | | | | | |
|-------------------------------------|-------------------------------------|--------------------------|--------------------------|---------------------|
| | Yes | No | N/A | (continued on back) |
| Has required volume been removed | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| Has required turbidity been reached | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| Have parameters stabilized | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
- If no or N/A - Explain below.

3. SAMPLE COLLECTION:

Method: Geotech bladder pump with drop tube assembly

Sample ID	Container Type	No. of Containers	Preservation	Analysis Req.	Time
<u>RE103DZ-GW-121317</u>	<u>40-mL vials</u>	<u>3</u>	<u>HCl</u>	<u>VOCs</u>	<u>1000</u>
<u>RE103DZ-GW-121317</u>	<u>1-L amber</u>	<u>2</u>	<u>none</u>	<u>1,4-Dioxane</u>	<u>1000</u>

Comments: Tanner getting flow cell to un-freeze, not working properly

Signature: [Signature] Date: 12/13/17



RESOLUTION
CONSULTANTS

Well ID: RE103-D3

Low Flow Ground Water Sample Collection Record

Client: Navy NWIRP Bethpage Date: 12/13/17 Time: Start 0830 am/pm
 Project No: 60266526 Finish 940 am/pm
 Site Location: Avenue Ave
 Weather Conds: Partly Sunny, 21°F, Wind 18 mph WNW Collector(s): F.B.J (, S.W)

1. WATER LEVEL DATA: (measured from Top of Casing)

- a. Total Well Length 735 ft c. Length of Water Column 692.28 ft (a-b) Casing Diameter/Material 4-inch PVC
 b. Water Table Depth 42.72 ft d. Calculated System Volume (see back) 9.8 gal. 15 screen length (ft)

2. WELL PURGE DATA

- a. Purge Method: Geotech bladder pump with drop tube assembly
 b. Acceptance Criteria defined (see workplan)
 - Temperature ± 3% - Turbidity ± 10% - D.O. ± 10% (values >0.5 mg/L)
 - pH ± 0.1 unit - ORP ± 10mV Remove a minimum 1 screen volume
 - Conductivity ± 3% - Drawdown < 0.3'

c. Field Testing Equipment used:

Make	Model	Serial Number
YSI	556	

Time (24hr)	Volume Removed (gallons)	Temp. (°C)	Conduct. (mS/cm)	DO (mg/L)	pH	ORP (mV)	Turbidity (NTU)	Flow Rate (mL/min)	Depth to water (ft)	Color/Odor
0830	Start									
0930	10.0	-	-	-	-	-	23.4	700	42.67	clear/none

- d. Acceptance criteria pass/fail
- | | Yes | No | N/A |
|-------------------------------------|-------------------------------------|--------------------------|--------------------------|
| Has required volume been removed | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Has required turbidity been reached | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Have parameters stabilized | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
- If no or N/A - Explain below.

3. SAMPLE COLLECTION:

Method: Geotech bladder pump with drop tube assembly

Sample ID	Container Type	No. of Containers	Preservation	Analysis Req.	Time
<u>RE103D3-GW-121317</u>	<u>40-mL vials</u>	<u>3</u>	<u>HCl</u>	<u>VOCs</u>	<u>950</u>
<u>RE103D3-GW-121317</u>	<u>1-L amber</u>	<u>2</u>	<u>none</u>	<u>1,4-Dioxane</u>	<u>950</u>

Comments: The flow cell froze, unable to take readings

Signature: [Signature] Date: 12/13/17



RESOLUTION CONSULTANTS

Well ID: BE117-D1

Low Flow Ground Water Sample Collection Record

Client: Navy NWIRP Bethpage Date: 12/13/17 Time: Start 1200 am/pm
 Project No: 60266526 Finish _____ am/pm
 Site Location: Susan Court
 Weather Conds: 25° cloudy, 25 mph wind WNW Collector(s): F. Bell, J. Christopher

1. WATER LEVEL DATA: (measured from Top of Casing)

a. Total Well Length 575 ft c. Length of Water Column 552.8 ft (a-b) Casing Diameter/Material 4-inch PVC
 b. Water Table Depth 22.19 ft d. Calculated System Volume (see back) _____ gal. _____ screen length (ft)

2. WELL PURGE DATA

a. Purge Method: Geotech bladder pump with drop tube assembly

- b. Acceptance Criteria defined (see workplan)
- Temperature ± 3%
 - pH ± 0.1 unit
 - Conductivity ± 3%
 - Turbidity ± 10%
 - ORP ± 10mV
 - Drawdown < 0.3'
 - D.O. ± 10% (values >0.5 mg/L)
- Remove a minimum 1 screen volume

c. Field Testing Equipment used:

Make	Model	Serial Number
YSI	556	

Time (24hr)	Volume Removed (gallons)	Temp. (°C)	Conduct. (mS/cm)	DO (mg/L)	pH	ORP (mV)	Turbidity (NTU)	Flow Rate (mL/min)	Depth to water (ft)	Color/Odor
1200	-	9.41	0.030	4.22	4.21	226.5	12.8	450	22.19	clear/none
1225	-	9.70	0.028	4.24	4.10	220.7	-	450	22.20	"
1230	-	9.60	0.028	3.96	4.05	219.2	5.71	500	22.20	"
1235	-	9.75	0.028	3.96	4.05	216.9	-	550	22.20	"
1240	5 Gal	9.65	0.028	3.74	4.05	214.4	3.61	700	22.19	"
1245	-	9.79	0.029	3.66	4.06	213.1	-	700	22.19	"

d. Acceptance criteria pass/fail

	Yes	No	N/A
Has required volume been removed	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Has required turbidity been reached	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Have parameters stabilized	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

If no or N/A - Explain below.

3. SAMPLE COLLECTION:

Method: Geotech bladder pump with drop tube assembly

Sample ID	Container Type	No. of Containers	Preservation	Analysis Req.	Time
<u>BE117D1-GW-12/13/17</u>	<u>40-mL vials</u>	<u>3</u>	<u>HCl</u>	<u>VOCs</u>	<u>1330</u>
<u>BE117D1-GW-12/13/17</u>	<u>1-L amber</u>	<u>2</u>	<u>none</u>	<u>1,4-Dioxane</u>	<u>1330</u>

Comments _____

Signature [Signature] Date 12/13/17



RESOLUTION CONSULTANTS

Well ID: RE117D2

Low Flow Ground Water Sample Collection Record

Client: Navy NWIRP Bethpage Date: 12/13/17 Time: Start 1145 am/pm
 Project No: 60266526 Finish 1400 am/pm
 Site Location: _____
 Weather Conds: 20s, sun Collector(s): S. WRIGHT

1. WATER LEVEL DATA: (measured from Top of Casing)

a. Total Well Length 760 ft c. Length of Water Column 738.42 ft (a-b) Casing Diameter/Material 4-inch PVC
 b. Water Table Depth 21.58 ft d. Calculated System Volume (see back) 13.1 gal. 20 screen length (ft)

2. WELL PURGE DATA

a. Purge Method: Geotech bladder pump with drop tube assembly

b. Acceptance Criteria defined (see workplan)

- Temperature ± 3%
 - pH ± 0.1 unit
 - Conductivity ± 3%
 - Turbidity ± 10%
 - ORP ± 10mV
 - Drawdown < 0.3'
 - D.O. ± 10% (values >0.5 mg/L)
- Remove a minimum 1 screen volume

c. Field Testing Equipment used:

Make	Model	Serial Number
YSI	556	10M1285

Time (24hr)	Volume Removed (gallons)	Temp. (°C)	Conduct. (mS/cm)	DO (mg/L)	pH	ORP (mV)	Turbidity (NTU)	Flow Rate (mL/min)	Depth to water (ft)	Color/Odor
1215	—	7.54	0.029	18.39	4.93	144.4	—	400	21.58	CLEAR/NONE
1220		8.95	0.030	3.65	4.49	164.4	—	400	21.58	CLEAR/NONE
1225		9.11	0.030	2.22	4.34	188.4	4.24	450	21.58	CLEAR/NONE
1230		9.65	0.031	2.11	4.30	197.9	—	450	21.58	CLEAR/NONE
1235		9.66	0.031	1.90	4.24	213.6	—	400	21.59	CLEAR/NONE
1240		9.67	0.032	1.66	4.18	223.1	3.66	400	21.59	CLEAR/NONE

d. Acceptance criteria pass/fail

	Yes	No	N/A
Has required volume been removed	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Has required turbidity been reached	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Have parameters stabilized	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

If no or N/A - Explain below.

3. SAMPLE COLLECTION:

Method: Geotech bladder pump with drop tube assembly

Sample ID	Container Type	No. of Containers	Preservation	Analysis Req.	Time
<u>RE117D2-GW-121317</u>	<u>40-mL vials</u>	<u>3</u>	<u>HCl</u>	<u>VOCs</u>	<u>1400</u>
<u>RE117D2-GW-121317</u>	<u>1-L amber</u>	<u>2</u>	<u>none</u>	<u>1,4-Dioxane</u>	<u>1406</u>

Comments _____

Signature _____ Date 12-13-17

Appendix B

Analytical Data Validation – Resolution Consultants

DATA VALIDATION REPORT

Project:	Regional Groundwater Investigation — Naval Weapons Industrial Reserve Plant Bethpage	
Laboratory:	Katahdin Analytical	
Sample Delivery Groups:	TK1493, TK1558, TK1661, and TK1751	
Analyses/Method:	Volatile Organic Compounds by United States Environmental Protection Agency (U.S. EPA) SW-846 Method 8260C, and 1,4-Dioxane by U.S. EPA SW-846 Method 8270D via Selective Ion Monitoring	
Validation Level:	Stage 3 Validation Electronic and Manual	
Project Number:	0888812477.SA.DV	
Prepared by:	Dana Miller/Resolution Consultants	Completed on: 03/06/2018
Reviewed by:	Tina Cantwell/Resolution Consultants	

SUMMARY

This report summarizes data review findings for the December 2017 groundwater quarterly event (samples listed below) collected by Resolution Consultants from the Regional Groundwater Investigation — Naval Weapons Industrial Reserve Plant (NWIRP) Bethpage Site on 5 to 13 December 2017 in accordance with the following Uniform Federal Policy (UFP) Sampling and Analysis Plans:

- *Sampling and Analysis Plan, Bethpage, New York.* (Resolution Consultants April 2013).
- *UFP SAP Addendum, Installation of Vertical Profile Borings and Monitoring Wells, Operable Unit 2, NWIRP Bethpage, New York.* (Resolution Consultants November 2013).
- *UFP SAP Addendum, Inclusion of Additional Target Analytes for Volatile Organics Analyses, NWIRP Bethpage OU2, Bethpage, New York.* (Resolution Consultants August 2014).

Sample Identification	Matrix/Sample Type	Analysis
TB01-WQ-120517	Trip blank	8260C
RE104D1-GW-120517	Groundwater	8260C/8270D_SIM
RE104D2-GW-120517	Groundwater	8260C/8270D_SIM
RE104D3-GW-120517	Groundwater	8260C/8270D_SIM
DUP01-GW-120517	Duplicate of RE105D1-GW-120517	8260C/8270D_SIM
RE105D1-GW-120517	Groundwater	8260C/8270D_SIM
RE105D2-GW-120517	Groundwater	8260C/8270D_SIM
RE108D1-GW-120617	Groundwater	8260C/8270D_SIM
RE108D2-GW-120617	Groundwater	8260C/8270D_SIM

Sample Identification	Matrix/Sample Type	Analysis
RE122D1-GW-120617	Groundwater	8260C/8270D_SIM
RE122D2-GW-120617	Groundwater	8260C/8270D_SIM
RE122D3-GW-120617	Groundwater	8260C/8270D_SIM
FB01-WQ-120717	Field blank	8260C/8270D_SIM
TB02-WQ-120717	Trip blank	8260C
RE126D1-GW-120717	Groundwater	8260C/8270D_SIM
RE126D2-GW-120717	Groundwater	8260C/8270D_SIM
RE126D3-GW-120717	Groundwater	8260C/8270D_SIM
RE131D1-GW-120717	Groundwater	8260C/8270D_SIM
RE131D2-GW-120717	Groundwater	8260C/8270D_SIM
RE131D3-GW-120717	Groundwater	8260C/8270D_SIM
TB03-WQ-120817	Trip blank	8260C
RE109D1-GW-121117	Groundwater	8260C/8270D_SIM
RE109D2-GW-121117	Groundwater	8260C/8270D_SIM
DUP02-WQ-121117	Duplicate of RE109D3-GW-121117	8260C/8270D_SIM
RE109D3-GW-121117	Groundwater	8260C/8270D_SIM
RE125D1-GW-121117	Groundwater	8260C/8270D_SIM
RE125D2-GW-121117	Groundwater	8260C/8270D_SIM
RE125D3-GW-121117	Groundwater	8260C/8270D_SIM
TT101D-GW-120817	Groundwater	8260C/8270D_SIM
TT101D1-GW-120817	Groundwater	8260C/8270D_SIM
TT101D2-GW-120817	Groundwater	8260C/8270D_SIM
TB04-WQ-121217	Trip blank	8260C
RE103D1-GW-121317	Groundwater	8260C/8270D_SIM
RE103D2-GW-121317	Groundwater	8260C/8270D_SIM
RE103D3-GW-121317	Groundwater	8260C/8270D_SIM
RE117D1-GW-121317	Groundwater	8260C/8270D_SIM
RE117D2-GW-121317	Groundwater	8260C/8270D_SIM
RE120D1-GW-121217	Groundwater	8260C/8270D_SIM
RE120D2-GW-121217	Groundwater	8260C/8270D_SIM
RE120D3-GW-121217	Groundwater	8260C/8270D_SIM
RE123D1-GW-121217	Groundwater	8260C/8270D_SIM
RE123D2-GW-121217	Groundwater	8260C/8270D_SIM
RE123D3-GW-121217	Groundwater	8260C/8270D_SIM

Note:

SIM = Selective Ion Monitoring

Data validation activities were conducted using the following guidance documents: *Test Methods for Evaluating Solid Waste, Physical/Chemical Methods SW-846, specifically Method 8260C, Volatile Organic Compounds by Gas Chromatography/Mass Spectrometry* (U.S. EPA 2006), *SW-846 Method 8270D, Semi volatile Organic Compounds by Gas Chromatograph/Mass Spectrometry* (U.S. EPA 2014), *National Functional Guidelines for Superfund Organic Methods Data Review* (U.S. EPA January 2017), *Guidance for Labeling Externally Validated Laboratory Analytical Data for Superfund Use* (U.S. EPA January 2009), and *Department of Defense (DoD) Quality Systems Manual for Environmental Laboratories, Version 4.2* (DoD October 2010). In the absence of method-specific information, laboratory quality control (QC) limits, project-specific requirements, and/or professional judgment were used as appropriate.

REVIEW ELEMENTS

The data were evaluated based on the following parameters (where applicable to the method):

- ✓ Data completeness (chain-of-custody)/sample integrity
- ✓ Holding times and sample preservation
- ✓ Gas chromatography/Mass spectrometer performance checks
- ✓ Initial calibration /initial calibration verification /continuing calibration verification
- ✓ Laboratory blanks/field blanks/trip blanks
- ✗ Surrogate spike recovery
- ✗ Matrix spike and/or matrix spike duplicate result
- ✓ Laboratory control sample /laboratory control sample duplicate result
- ✓ Field duplicate
- ✓ Internal standard
- ✓ Sample results/reporting issues

The symbol (✓) indicates that no validation qualifiers were applied based on this parameter. Acceptable data parameters for which all criteria were met, no qualification was performed, and/or non-conformance or other issues that were noted during validation, but did not result in qualification of data are not discussed further. The symbol (X) indicates that a QC non-conformance resulted in the qualification of data. Any QC non-conformance that resulted in the qualification of data is discussed below.

RESULTS

Surrogate Spike Recovery

Surrogates provide information needed to assess the accuracy of analyses. Known amounts of surrogate compounds, which are not likely to be found in the actual samples, are added to each organic sample to check for accuracy. If surrogate percent recoveries (%Rs) are close to the known concentrations, the reported target compound concentrations are assumed to be accurate. Data qualification on the basis of surrogate recovery was as follows:

Surrogate Spike Recovery Non-Conformance Chart:

Criteria	Action	
	Detected	Non-Detected
Lower Limit \leq %R or RPD \leq Upper Limit	No qualification	No qualification
% R > Upper Limit	J	No qualification
20% < %R < Lower Limit	J	UJ
% R < 20%	J	Rejected

Notes:

%R = Percent recovery
J = Estimated value

RPD = Relative percent difference
UJ = Undetected and estimated

Surrogate spike recovery non-conformance is summarized in Attachment A in Table A-1.

Matrix Spike/Matrix Spike Duplicate Results

MS/MSDs are generated to provide information about the effect of each sample matrix on the sample preparation and the measurement methodology. MS/MSD percent %Rs assess the effect of the sample matrix on the accuracy of the analytical results and %Rs above the laboratory control limit could indicate a potential high result bias while %Rs below QC limits could indicate a potential low result bias. The relative percent differences (RPDs) between the MS and MSD results are evaluated to assess sample precision. The MS/MSD %Rs and RPDs were reviewed for conformance with the QC acceptance criteria. Data qualification to the analytes associated with the specific MS/MSD non-conformances were as follows:

Matrix Spike/Matrix Spike Duplicate Non-Conformances Chart:

Criteria	Action	
	Detected Compounds	Non-Detected Compounds
%R or RPD > Upper Limit	J	No qualification
20% \leq %R < Lower Limit	J	UJ
%R < 20%	J	Rejected

Notes:

%R	=	Percent recovery
RPD	=	Relative percent difference
J	=	Estimated
UJ	=	Undetected and estimated

MS/MSD non-conformances are summarized in Attachment A in Table A-2.

Qualification Actions

The data were reviewed independently from the laboratory to assess data quality. All compounds detected at concentrations less than the limit of quantitation but greater than the method detection limit were qualified by the laboratory as estimated (J). This "J" qualifier was retained during data validation. Any sample that was analyzed at a dilution because of high concentrations of target or non-target analytes was checked to confirm that the results and/or sample-specific limit of quantitation and limit of detections were adjusted accordingly by the laboratory.

No results were rejected; therefore, analytical completeness was calculated to be 100 percent. Data not qualified during data review are considered usable by the project. The remaining results qualified as estimated may be high or low, but the data are usable for their intended purpose, according to U.S. EPA and Department of Defense guidelines. Attachment B provides a summary of all qualified results during this data review.

ATTACHMENTS

Attachment A: Non-Conformance Summary Table

Attachment B: Qualified Results Summary after Data Review

Attachment C: Analytical Data Results

Attachment A
Non-Conformance Summary Table

Table A-1 Surrogate Spike Recovery Non-Conformance							
SDG	Sample ID	Laboratory ID	Batch	Surrogate	%R	%R Control Limit	Qualifier
TK1751	RE103D1-GW-121317	TK1751-10	WG220732	1,2-DICHLOROETHANE-D4	127	70-120	Detects: J
TK1751	RE103D2-GW-121317	TK1751-9	WG220732	1,2-DICHLOROETHANE-D4	124	70-120	Detects: J
TK1751	RE120D1-GW-121217	TK1751-2	WG220732	1,2-DICHLOROETHANE-D4	124	70-120	Detects: J
TK1751	RE120D2-GW-121217	TK1751-4	WG220732	1,2-DICHLOROETHANE-D4	121	70-120	Detects: J

Notes:

SDG = Sample delivery group
ID = Identification
%R = Percent recovery
J = Positive result qualified estimated and may be biased high.

Table A-2 Matrix Spike/Matrix Spike Duplicate Percent Recovery Non-Conformance								
SDG	Method	Spiked Sample ID	Analyte	Sample Result (UG_L)	MS %R	MSD %R	%R Limit	Qualifier
SK1820	8270D_SIM	TT101D2-GW-120817	1,4-Dioxane	4.8	0	0	10-90	J

Notes:

SDG = Sample delivery group
ID = Identification
UG_L = Micrograms per liter
MS = Matrix spike
MSD = Matrix spike duplicate
%R = Percent recovery
SIM = Selective ion monitoring
Bold = %R outside the 10-90% control limits
J = Analyte in associated sample qualified estimated "J" because %R is lower than the control limit and may be biased low.

Attachment B
Qualified Results Summary after Data Review

Table B-1
Qualified Summary Results after Data Review

SDG	Sample ID	Lab ID	Sample Date	DF	Analyte	Result	Units	Lab Qualifier	Validator Qualifier	Final Qualifier	RC
TK1751	RE103D1-GW-121317	TK1751-10	12/13/2017	1	TETRACHLOROETHENE	4	UG_L		J	J	s
TK1751	RE103D1-GW-121317	TK1751-10	12/13/2017	1	CIS-1,2-DICHLOROETHENE	2.7	UG_L		J	J	s
TK1751	RE103D1-GW-121317	TK1751-10	12/13/2017	1	1,2-DICHLOROETHENE, TOTAL	2.7	UG_L		J	J	s
TK1751	RE103D1-GW-121317	TK1751-10	12/13/2017	1	CHLOROFORM	0.6	UG_L	J	J	J	s
TK1751	RE103D1-GW-121317	TK1751-10	12/13/2017	1	1,1,1-TRICHLOROETHANE	0.29	UG_L	J	J	J	s
TK1751	RE103D1-GW-121317	TK1751-10	12/13/2017	1	1,1-DICHLOROETHANE	0.87	UG_L	J	J	J	s
TK1751	RE103D1-GW-121317	TK1751-10	12/13/2017	1	1,1-DICHLOROETHENE	5	UG_L		J	J	s
TK1751	RE103D1-GW-121317	TK1751-10	12/13/2017	1	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	5.6	UG_L		J	J	s
TK1751	RE103D1-GW-121317	TK1751-10	12/13/2017	1	1,1,2-TRICHLOROETHANE	0.54	UG_L	J	J	J	s
TK1751	RE103D2-GW-121317	TK1751-9	12/13/2017	1	TETRACHLOROETHENE	0.64	UG_L	J	J	J	s
TK1751	RE103D2-GW-121317	TK1751-9	12/13/2017	1	CIS-1,2-DICHLOROETHENE	0.66	UG_L	J	J	J	s
TK1751	RE103D2-GW-121317	TK1751-9	12/13/2017	1	1,2-DICHLOROETHENE, TOTAL	0.66	UG_L	J	J	J	s
TK1751	RE103D2-GW-121317	TK1751-9	12/13/2017	1	CARBON TETRACHLORIDE	0.31	UG_L	J	J	J	s
TK1751	RE103D2-GW-121317	TK1751-9	12/13/2017	1	CHLOROFORM	0.72	UG_L	J	J	J	s
TK1751	RE103D2-GW-121317	TK1751-9	12/13/2017	1	1,1-DICHLOROETHANE	0.56	UG_L	J	J	J	s
TK1751	RE103D2-GW-121317	TK1751-9	12/13/2017	1	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	0.53	UG_L	J	J	J	s
TK1751	RE103D2-GW-121317	TK1751-9	12/13/2017	1	1,1,2-TRICHLOROETHANE	2	UG_L		J	J	s
TK1751	RE103D2-GW-121317	TK1751-9	12/13/2017	1	1,1,2-TRICHLOROETHANE	0.36	UG_L	J	J	J	s
TK1751	RE120D1-GW-121217	TK1751-2	12/12/2017	1	TETRACHLOROETHENE	2.5	UG_L		J	J	s
TK1751	RE120D1-GW-121217	TK1751-2	12/12/2017	1	CIS-1,2-DICHLOROETHENE	3.6	UG_L		J	J	s
TK1751	RE120D1-GW-121217	TK1751-2	12/12/2017	1	1,2-DICHLOROETHENE, TOTAL	3.6	UG_L		J	J	s
TK1751	RE120D1-GW-121217	TK1751-2	12/12/2017	1	CARBON TETRACHLORIDE	0.48	UG_L	J	J	J	s
TK1751	RE120D1-GW-121217	TK1751-2	12/12/2017	1	CHLOROFORM	0.74	UG_L	J	J	J	s
TK1751	RE120D1-GW-121217	TK1751-2	12/12/2017	1	1,1,1-TRICHLOROETHANE	0.94	UG_L	J	J	J	s
TK1751	RE120D1-GW-121217	TK1751-2	12/12/2017	1	1,1-DICHLOROETHANE	2.2	UG_L		J	J	s
TK1751	RE120D1-GW-121217	TK1751-2	12/12/2017	1	1,1-DICHLOROETHENE	14	UG_L		J	J	s
TK1751	RE120D1-GW-121217	TK1751-2	12/12/2017	1	TRICHLOROFLUOROMETHANE	0.27	UG_L	J	J	J	s
TK1751	RE120D1-GW-121217	TK1751-2	12/12/2017	1	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	18	UG_L		J	J	s
TK1751	RE120D1-GW-121217	TK1751-2	12/12/2017	1	1,1,2-TRICHLOROETHANE	0.94	UG_L	J	J	J	s
TK1751	RE120D2-GW-121217	TK1751-4	12/12/2017	1	TETRACHLOROETHENE	3.7	UG_L		J	J	s
TK1751	RE120D2-GW-121217	TK1751-4	12/12/2017	1	CIS-1,2-DICHLOROETHENE	3.3	UG_L		J	J	s
TK1751	RE120D2-GW-121217	TK1751-4	12/12/2017	1	1,2-DICHLOROETHENE, TOTAL	3.3	UG_L		J	J	s
TK1751	RE120D2-GW-121217	TK1751-4	12/12/2017	1	CARBON TETRACHLORIDE	0.62	UG_L	J	J	J	s
TK1751	RE120D2-GW-121217	TK1751-4	12/12/2017	1	CHLOROFORM	0.72	UG_L	J	J	J	s
TK1751	RE120D2-GW-121217	TK1751-4	12/12/2017	1	1,1,1-TRICHLOROETHANE	0.27	UG_L	J	J	J	s
TK1751	RE120D2-GW-121217	TK1751-4	12/12/2017	1	1,1-DICHLOROETHANE	0.74	UG_L	J	J	J	s
TK1751	RE120D2-GW-121217	TK1751-4	12/12/2017	1	1,1-DICHLOROETHENE	4.1	UG_L		J	J	s
TK1751	RE120D2-GW-121217	TK1751-4	12/12/2017	1	DICHLORODIFLUOROMETHANE	0.26	UG_L	J	J	J	s

Table B-1
Qualified Summary Results after Data Review

SDG	Sample ID	Lab ID	Sample Date	DF	Analyte	Result	Units	Lab Qualifier	Validator Qualifier	Final Qualifier	RC
TK1751	RE120D2-GW-121217	TK1751-4	12/12/2017	1	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	15	UG_L		J	J	s
TK1751	RE120D2-GW-121217	TK1751-4	12/12/2017	1	1,1,2-TRICHLOROETHANE	0.46	UG_L	J	J	J	s
TK1661	TT101D2-GW-120817	TK1661-2	12/8/2017	1	1,4-DIOXANE	4.8	UG_L	MM	J	J	m

Notes:

SDG = Sample delivery group

ID = Identification

DF = Dilution factor

RC = Reason code

UG_L = Micrograms per liter

U = **Undetected** — The analyte was analyzed but undetected at the listed limit of quantitation.

J = **Estimated Value** — One or more quality control parameters were outside control limits or the analyte concentration was less than the limit of quantitation.

M = Indicates that the analyte was detected outside of the control limits in the matrix spike/matrix spike duplicate prepared and/or analyzed concurrently with the native sample (laboratory qualifier).

Qualification Reason Code:

s = Surrogate spike percent recovery outlier

m = Matrix spike/matrix spike duplicate percent recovery

Attachment C
Analytical Data Results

December 2017
Final Results after Data Review
NWIRP Bethpage OU 2 Regional Groundwater Investigation

Sample Delivery Group Sample Identification Sample Date Sample Type				TK1493 DUP01-GW-120517 12/5/2017 Field Duplicate		
Method	Analyte	CAS No	Units	Result	Qual	RC
8260C	1,1,1-TRICHLOROETHANE	71-55-6	UG L	0.27	J	
8260C	1,1,2,2-TETRACHLOROETHANE	79-34-5	UG L	0.5	U	
8260C	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	76-13-1	UG L	4.6		
8260C	1,1,2-TRICHLOROETHANE	79-00-5	UG L	0.5	U	
8260C	1,1-DICHLOROETHANE	75-34-3	UG L	0.5	U	
8260C	1,1-DICHLOROETHENE	75-35-4	UG L	0.81	J	
8260C	1,2,4-TRICHLOROBENZENE	120-82-1	UG L	0.5	U	
8260C	1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	UG L	0.75	U	
8260C	1,2-DIBROMOETHANE	106-93-4	UG L	0.5	U	
8260C	1,2-DICHLOROBENZENE	95-50-1	UG L	0.5	U	
8260C	1,2-DICHLOROETHANE	107-06-2	UG L	0.5	U	
8260C	1,2-DICHLOROETHENE, TOTAL	540-59-0	UG L	1.4	J	
8260C	1,2-DICHLOROPROPANE	78-87-5	UG L	0.5	U	
8260C	1,3-DICHLOROBENZENE	541-73-1	UG L	0.5	U	
8260C	1,4-DICHLOROBENZENE	106-46-7	UG L	0.5	U	
8260C	2-BUTANONE	78-93-3	UG L	2.5	U	
8260C	2-HEXANONE	591-78-6	UG L	2.5	U	
8260C	4-METHYL-2-PENTANONE	108-10-1	UG L	2.5	U	
8260C	ACETONE	67-64-1	UG L	2.5	U	
8260C	BENZENE	71-43-2	UG L	0.5	U	
8260C	BROMODICHLOROMETHANE	75-27-4	UG L	0.5	U	
8260C	BROMOFORM	75-25-2	UG L	0.5	U	
8260C	BROMOMETHANE	74-83-9	UG L	1	U	
8260C	CARBON DISULFIDE	75-15-0	UG L	0.5	U	
8260C	CARBON TETRACHLORIDE	56-23-5	UG L	0.5	U	
8260C	CHLOROBENZENE	108-90-7	UG L	0.5	U	
8260C	CHLOROETHANE	75-00-3	UG L	1	U	
8260C	CHLOROFORM	67-66-3	UG L	0.5	U	
8260C	CHLOROMETHANE	74-87-3	UG L	1	U	
8260C	CIS-1,2-DICHLOROETHENE	156-59-2	UG L	1.4		
8260C	CIS-1,3-DICHLOROPROPENE	10061-01-5	UG L	0.5	U	
8260C	CYCLOHEXANE	110-82-7	UG L	0.5	U	
8260C	DIBROMOCHLOROMETHANE	124-48-1	UG L	0.5	U	
8260C	DICHLORODIFLUOROMETHANE	75-71-8	UG L	0.39	J	
8260C	ETHYLBENZENE	100-41-4	UG L	0.5	U	
8260C	ISOPROPYLBENZENE	98-82-8	UG L	0.5	U	
8260C	M- AND P-XYLENE	108-38-3/106-42	UG L	1	U	
8260C	METHYL ACETATE	79-20-9	UG L	0.75	U	
8260C	METHYL CYCLOHEXANE	108-87-2	UG L	0.5	U	
8260C	METHYL TERT-BUTYL ETHER	1634-04-4	UG L	0.5	U	
8260C	METHYLENE CHLORIDE	75-09-2	UG L	2.5	U	
8260C	O-XYLENE	95-47-6	UG L	0.5	U	
8260C	STYRENE	100-42-5	UG L	0.5	U	
8260C	TETRACHLOROETHENE	127-18-4	UG L	0.4	J	
8260C	TOLUENE	108-88-3	UG L	0.5	U	
8260C	TRANS-1,2-DICHLOROETHENE	156-60-5	UG L	0.5	U	
8260C	TRANS-1,3-DICHLOROPROPENE	10061-02-6	UG L	0.5	U	
8260C	TRICHLOROETHENE	79-01-6	UG L	100		
8260C	TRICHLOROFLUOROMETHANE	75-69-4	UG L	1	U	
8260C	VINYL CHLORIDE	75-01-4	UG L	1	U	
8260C	XYLENES, TOTAL	1330-20-7	UG L	1.5	U	
8270D SIM	1,4-DIOXANE	123-91-1	UG L	12		

Notes:

UG_L = Micrograms per liter
NA = Not applicable
Qual = Final qualifiers (See Attachment)
RC = Reason codes (See Attachment)

December 2017
Final Results after Data Review
NWIRP Bethpage OU 2 Regional Groundwater Investigation

Sample Delivery Group Sample Identification Sample Date Sample Type				TK1493 RE104D1-GW-120517 12/5/2017 Groundwater		
Method	Analyte	CAS No	Units	Result	Qual	RC
8260C	1,1,1-TRICHLOROETHANE	71-55-6	UG L	0.5	U	
8260C	1,1,2,2-TETRACHLOROETHANE	79-34-5	UG L	0.5	U	
8260C	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	76-13-1	UG L	2.1		
8260C	1,1,2-TRICHLOROETHANE	79-00-5	UG L	0.5	U	
8260C	1,1-DICHLOROETHANE	75-34-3	UG L	0.5	U	
8260C	1,1-DICHLOROETHENE	75-35-4	UG L	0.58	J	
8260C	1,2,4-TRICHLOROBENZENE	120-82-1	UG L	0.5	U	
8260C	1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	UG L	0.75	U	
8260C	1,2-DIBROMOETHANE	106-93-4	UG L	0.5	U	
8260C	1,2-DICHLOROBENZENE	95-50-1	UG L	0.5	U	
8260C	1,2-DICHLOROETHANE	107-06-2	UG L	0.5	U	
8260C	1,2-DICHLOROETHENE, TOTAL	540-59-0	UG L	0.73	J	
8260C	1,2-DICHLOROPROPANE	78-87-5	UG L	0.5	U	
8260C	1,3-DICHLOROBENZENE	541-73-1	UG L	0.5	U	
8260C	1,4-DICHLOROBENZENE	106-46-7	UG L	0.5	U	
8260C	2-BUTANONE	78-93-3	UG L	2.5	U	
8260C	2-HEXANONE	591-78-6	UG L	2.5	U	
8260C	4-METHYL-2-PENTANONE	108-10-1	UG L	2.5	U	
8260C	ACETONE	67-64-1	UG L	2.5	U	
8260C	BENZENE	71-43-2	UG L	0.5	U	
8260C	BROMODICHLOROMETHANE	75-27-4	UG L	0.5	U	
8260C	BROMOFORM	75-25-2	UG L	0.5	U	
8260C	BROMOMETHANE	74-83-9	UG L	1	U	
8260C	CARBON DISULFIDE	75-15-0	UG L	0.5	U	
8260C	CARBON TETRACHLORIDE	56-23-5	UG L	0.5	U	
8260C	CHLOROBENZENE	108-90-7	UG L	0.5	U	
8260C	CHLOROETHANE	75-00-3	UG L	1	U	
8260C	CHLOROFORM	67-66-3	UG L	0.5	U	
8260C	CHLOROMETHANE	74-87-3	UG L	1	U	
8260C	CIS-1,2-DICHLOROETHENE	156-59-2	UG L	0.73	J	
8260C	CIS-1,3-DICHLOROPROPENE	10061-01-5	UG L	0.5	U	
8260C	CYCLOHEXANE	110-82-7	UG L	0.5	U	
8260C	DIBROMOCHLOROMETHANE	124-48-1	UG L	0.5	U	
8260C	DICHLORODIFLUOROMETHANE	75-71-8	UG L	0.25	J	
8260C	ETHYLBENZENE	100-41-4	UG L	0.5	U	
8260C	ISOPROPYLBENZENE	98-82-8	UG L	0.5	U	
8260C	M- AND P-XYLENE	108-38-3/106-42	UG L	1	U	
8260C	METHYL ACETATE	79-20-9	UG L	0.75	U	
8260C	METHYL CYCLOHEXANE	108-87-2	UG L	0.5	U	
8260C	METHYL TERT-BUTYL ETHER	1634-04-4	UG L	0.5	U	
8260C	METHYLENE CHLORIDE	75-09-2	UG L	2.5	U	
8260C	O-XYLENE	95-47-6	UG L	0.5	U	
8260C	STYRENE	100-42-5	UG L	0.5	U	
8260C	TETRACHLOROETHENE	127-18-4	UG L	2.9		
8260C	TOLUENE	108-88-3	UG L	0.5	U	
8260C	TRANS-1,2-DICHLOROETHENE	156-60-5	UG L	0.5	U	
8260C	TRANS-1,3-DICHLOROPROPENE	10061-02-6	UG L	0.5	U	
8260C	TRICHLOROETHENE	79-01-6	UG L	69		
8260C	TRICHLOROFLUOROMETHANE	75-69-4	UG L	1	U	
8260C	VINYL CHLORIDE	75-01-4	UG L	1	U	
8260C	XYLENES, TOTAL	1330-20-7	UG L	1.5	U	
8270D SIM	1,4-DIOXANE	123-91-1	UG L	9.5		

Notes:

UG_L = Micrograms per liter
NA = Not applicable
Qual = Final qualifiers (See Attachment)
RC = Reason codes (See Attachment)

December 2017
Final Results after Data Review
NWIRP Bethpage OU 2 Regional Groundwater Investigation

Sample Delivery Group Sample Identification Sample Date Sample Type				TK1493 RE104D2-GW-120517 12/5/2017 Groundwater		
Method	Analyte	CAS No	Units	Result	Qual	RC
8260C	1,1,1-TRICHLOROETHANE	71-55-6	UG L	0.5	U	
8260C	1,1,2,2-TETRACHLOROETHANE	79-34-5	UG L	0.5	U	
8260C	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	76-13-1	UG L	0.5	U	
8260C	1,1,2-TRICHLOROETHANE	79-00-5	UG L	0.5	U	
8260C	1,1-DICHLOROETHANE	75-34-3	UG L	0.5	U	
8260C	1,1-DICHLOROETHENE	75-35-4	UG L	0.5	U	
8260C	1,2,4-TRICHLOROBENZENE	120-82-1	UG L	0.5	U	
8260C	1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	UG L	0.75	U	
8260C	1,2-DIBROMOETHANE	106-93-4	UG L	0.5	U	
8260C	1,2-DICHLOROBENZENE	95-50-1	UG L	0.5	U	
8260C	1,2-DICHLOROETHANE	107-06-2	UG L	0.5	U	
8260C	1,2-DICHLOROETHENE, TOTAL	540-59-0	UG L	9.1		
8260C	1,2-DICHLOROPROPANE	78-87-5	UG L	0.5	U	
8260C	1,3-DICHLOROBENZENE	541-73-1	UG L	0.5	U	
8260C	1,4-DICHLOROBENZENE	106-46-7	UG L	0.5	U	
8260C	2-BUTANONE	78-93-3	UG L	2.5	U	
8260C	2-HEXANONE	591-78-6	UG L	2.5	U	
8260C	4-METHYL-2-PENTANONE	108-10-1	UG L	2.5	U	
8260C	ACETONE	67-64-1	UG L	2.5	U	
8260C	BENZENE	71-43-2	UG L	0.5	U	
8260C	BROMODICHLOROMETHANE	75-27-4	UG L	0.5	U	
8260C	BROMOFORM	75-25-2	UG L	0.5	U	
8260C	BROMOMETHANE	74-83-9	UG L	1	U	
8260C	CARBON DISULFIDE	75-15-0	UG L	0.5	U	
8260C	CARBON TETRACHLORIDE	56-23-5	UG L	0.5	U	
8260C	CHLOROBENZENE	108-90-7	UG L	0.5	U	
8260C	CHLOROETHANE	75-00-3	UG L	1	U	
8260C	CHLOROFORM	67-66-3	UG L	1.2		
8260C	CHLOROMETHANE	74-87-3	UG L	1	U	
8260C	CIS-1,2-DICHLOROETHENE	156-59-2	UG L	9.1		
8260C	CIS-1,3-DICHLOROPROPENE	10061-01-5	UG L	0.5	U	
8260C	CYCLOHEXANE	110-82-7	UG L	0.5	U	
8260C	DIBROMOCHLOROMETHANE	124-48-1	UG L	0.5	U	
8260C	DICHLORODIFLUOROMETHANE	75-71-8	UG L	1	U	
8260C	ETHYLBENZENE	100-41-4	UG L	0.5	U	
8260C	ISOPROPYLBENZENE	98-82-8	UG L	0.5	U	
8260C	M- AND P-XYLENE	108-38-3/106-42	UG L	1	U	
8260C	METHYL ACETATE	79-20-9	UG L	0.75	U	
8260C	METHYL CYCLOHEXANE	108-87-2	UG L	0.5	U	
8260C	METHYL TERT-BUTYL ETHER	1634-04-4	UG L	0.5	U	
8260C	METHYLENE CHLORIDE	75-09-2	UG L	2.5	U	
8260C	O-XYLENE	95-47-6	UG L	0.5	U	
8260C	STYRENE	100-42-5	UG L	0.5	U	
8260C	TETRACHLOROETHENE	127-18-4	UG L	0.5	U	
8260C	TOLUENE	108-88-3	UG L	0.5	U	
8260C	TRANS-1,2-DICHLOROETHENE	156-60-5	UG L	0.5	U	
8260C	TRANS-1,3-DICHLOROPROPENE	10061-02-6	UG L	0.5	U	
8260C	TRICHLOROETHENE	79-01-6	UG L	27		
8260C	TRICHLOROFLUOROMETHANE	75-69-4	UG L	1	U	
8260C	VINYL CHLORIDE	75-01-4	UG L	1	U	
8260C	XYLENES, TOTAL	1330-20-7	UG L	1.5	U	
8270D SIM	1,4-DIOXANE	123-91-1	UG L	0.87		

Notes:

UG_L = Micrograms per liter
NA = Not applicable
Qual = Final qualifiers (See Attachment)
RC = Reason codes (See Attachment)

December 2017
Final Results after Data Review
NWIRP Bethpage OU 2 Regional Groundwater Investigation

Sample Delivery Group Sample Identification Sample Date Sample Type				TK1493 RE104D3-GW-120517 12/5/2017 Groundwater		
Method	Analyte	CAS No	Units	Result	Qual	RC
8260C	1,1,1-TRICHLOROETHANE	71-55-6	UG L	0.5	U	
8260C	1,1,2,2-TETRACHLOROETHANE	79-34-5	UG L	0.5	U	
8260C	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	76-13-1	UG L	0.5	U	
8260C	1,1,2-TRICHLOROETHANE	79-00-5	UG L	0.5	U	
8260C	1,1-DICHLOROETHANE	75-34-3	UG L	0.5	U	
8260C	1,1-DICHLOROETHENE	75-35-4	UG L	0.5	U	
8260C	1,2,4-TRICHLOROBENZENE	120-82-1	UG L	0.5	U	
8260C	1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	UG L	0.75	U	
8260C	1,2-DIBROMOETHANE	106-93-4	UG L	0.5	U	
8260C	1,2-DICHLOROBENZENE	95-50-1	UG L	0.5	U	
8260C	1,2-DICHLOROETHANE	107-06-2	UG L	0.5	U	
8260C	1,2-DICHLOROETHENE, TOTAL	540-59-0	UG L	1	U	
8260C	1,2-DICHLOROPROPANE	78-87-5	UG L	0.5	U	
8260C	1,3-DICHLOROBENZENE	541-73-1	UG L	0.5	U	
8260C	1,4-DICHLOROBENZENE	106-46-7	UG L	0.5	U	
8260C	2-BUTANONE	78-93-3	UG L	2.5	U	
8260C	2-HEXANONE	591-78-6	UG L	2.5	U	
8260C	4-METHYL-2-PENTANONE	108-10-1	UG L	2.5	U	
8260C	ACETONE	67-64-1	UG L	2.5	U	
8260C	BENZENE	71-43-2	UG L	0.5	U	
8260C	BROMODICHLOROMETHANE	75-27-4	UG L	0.5	U	
8260C	BROMOFORM	75-25-2	UG L	0.5	U	
8260C	BROMOMETHANE	74-83-9	UG L	1	U	
8260C	CARBON DISULFIDE	75-15-0	UG L	0.5	U	
8260C	CARBON TETRACHLORIDE	56-23-5	UG L	0.5	U	
8260C	CHLOROBENZENE	108-90-7	UG L	0.5	U	
8260C	CHLOROETHANE	75-00-3	UG L	1	U	
8260C	CHLOROFORM	67-66-3	UG L	0.5	U	
8260C	CHLOROMETHANE	74-87-3	UG L	1	U	
8260C	CIS-1,2-DICHLOROETHENE	156-59-2	UG L	0.5	U	
8260C	CIS-1,3-DICHLOROPROPENE	10061-01-5	UG L	0.5	U	
8260C	CYCLOHEXANE	110-82-7	UG L	0.5	U	
8260C	DIBROMOCHLOROMETHANE	124-48-1	UG L	0.5	U	
8260C	DICHLORODIFLUOROMETHANE	75-71-8	UG L	1	U	
8260C	ETHYLBENZENE	100-41-4	UG L	0.5	U	
8260C	ISOPROPYLBENZENE	98-82-8	UG L	0.5	U	
8260C	M- AND P-XYLENE	108-38-3/106-42	UG L	1	U	
8260C	METHYL ACETATE	79-20-9	UG L	0.75	U	
8260C	METHYL CYCLOHEXANE	108-87-2	UG L	0.5	U	
8260C	METHYL TERT-BUTYL ETHER	1634-04-4	UG L	0.5	U	
8260C	METHYLENE CHLORIDE	75-09-2	UG L	2.5	U	
8260C	O-XYLENE	95-47-6	UG L	0.5	U	
8260C	STYRENE	100-42-5	UG L	0.5	U	
8260C	TETRACHLOROETHENE	127-18-4	UG L	0.5	U	
8260C	TOLUENE	108-88-3	UG L	0.5	U	
8260C	TRANS-1,2-DICHLOROETHENE	156-60-5	UG L	0.5	U	
8260C	TRANS-1,3-DICHLOROPROPENE	10061-02-6	UG L	0.5	U	
8260C	TRICHLOROETHENE	79-01-6	UG L	0.5	U	
8260C	TRICHLOROFLUOROMETHANE	75-69-4	UG L	1	U	
8260C	VINYL CHLORIDE	75-01-4	UG L	1	U	
8260C	XYLENES, TOTAL	1330-20-7	UG L	1.5	U	
8270D SIM	1,4-DIOXANE	123-91-1	UG L	0.17	U	

Notes:

- UG_L = Micrograms per liter
- NA = Not applicable
- Qual = Final qualifiers (See Attachment)
- RC = Reason codes (See Attachment)

December 2017
Final Results after Data Review
NWIRP Bethpage OU 2 Regional Groundwater Investigation

Sample Delivery Group Sample Identification Sample Date Sample Type				TK1493 RE105D1-GW-120517 12/5/2017 Groundwater		
Method	Analyte	CAS No	Units	Result	Qual	RC
8260C	1,1,1-TRICHLOROETHANE	71-55-6	UG L	0.5	U	
8260C	1,1,2,2-TETRACHLOROETHANE	79-34-5	UG L	0.5	U	
8260C	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	76-13-1	UG L	4.7		
8260C	1,1,2-TRICHLOROETHANE	79-00-5	UG L	0.5	U	
8260C	1,1-DICHLOROETHANE	75-34-3	UG L	0.5	U	
8260C	1,1-DICHLOROETHENE	75-35-4	UG L	0.74	J	
8260C	1,2,4-TRICHLOROBENZENE	120-82-1	UG L	0.5	U	
8260C	1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	UG L	0.75	U	
8260C	1,2-DIBROMOETHANE	106-93-4	UG L	0.5	U	
8260C	1,2-DICHLOROBENZENE	95-50-1	UG L	0.5	U	
8260C	1,2-DICHLOROETHANE	107-06-2	UG L	0.5	U	
8260C	1,2-DICHLOROETHENE, TOTAL	540-59-0	UG L	1.3	J	
8260C	1,2-DICHLOROPROPANE	78-87-5	UG L	0.5	U	
8260C	1,3-DICHLOROBENZENE	541-73-1	UG L	0.5	U	
8260C	1,4-DICHLOROBENZENE	106-46-7	UG L	0.5	U	
8260C	2-BUTANONE	78-93-3	UG L	2.5	U	
8260C	2-HEXANONE	591-78-6	UG L	2.5	U	
8260C	4-METHYL-2-PENTANONE	108-10-1	UG L	2.5	U	
8260C	ACETONE	67-64-1	UG L	2.5	U	
8260C	BENZENE	71-43-2	UG L	0.5	U	
8260C	BROMODICHLOROMETHANE	75-27-4	UG L	0.5	U	
8260C	BROMOFORM	75-25-2	UG L	0.5	U	
8260C	BROMOMETHANE	74-83-9	UG L	1	U	
8260C	CARBON DISULFIDE	75-15-0	UG L	0.5	U	
8260C	CARBON TETRACHLORIDE	56-23-5	UG L	0.5	U	
8260C	CHLOROBENZENE	108-90-7	UG L	0.5	U	
8260C	CHLOROETHANE	75-00-3	UG L	1	U	
8260C	CHLOROFORM	67-66-3	UG L	0.5	U	
8260C	CHLOROMETHANE	74-87-3	UG L	1	U	
8260C	CIS-1,2-DICHLOROETHENE	156-59-2	UG L	1.3		
8260C	CIS-1,3-DICHLOROPROPENE	10061-01-5	UG L	0.5	U	
8260C	CYCLOHEXANE	110-82-7	UG L	0.5	U	
8260C	DIBROMOCHLOROMETHANE	124-48-1	UG L	0.5	U	
8260C	DICHLORODIFLUOROMETHANE	75-71-8	UG L	0.47	J	
8260C	ETHYLBENZENE	100-41-4	UG L	0.5	U	
8260C	ISOPROPYLBENZENE	98-82-8	UG L	0.5	U	
8260C	M- AND P-XYLENE	108-38-3/106-42	UG L	1	U	
8260C	METHYL ACETATE	79-20-9	UG L	0.75	U	
8260C	METHYL CYCLOHEXANE	108-87-2	UG L	0.5	U	
8260C	METHYL TERT-BUTYL ETHER	1634-04-4	UG L	0.5	U	
8260C	METHYLENE CHLORIDE	75-09-2	UG L	2.5	U	
8260C	O-XYLENE	95-47-6	UG L	0.5	U	
8260C	STYRENE	100-42-5	UG L	0.5	U	
8260C	TETRACHLOROETHENE	127-18-4	UG L	0.5	U	
8260C	TOLUENE	108-88-3	UG L	0.5	U	
8260C	TRANS-1,2-DICHLOROETHENE	156-60-5	UG L	0.5	U	
8260C	TRANS-1,3-DICHLOROPROPENE	10061-02-6	UG L	0.5	U	
8260C	TRICHLOROETHENE	79-01-6	UG L	100		
8260C	TRICHLOROFLUOROMETHANE	75-69-4	UG L	1	U	
8260C	VINYL CHLORIDE	75-01-4	UG L	1	U	
8260C	XYLENES, TOTAL	1330-20-7	UG L	1.5	U	
8270D SIM	1,4-DIOXANE	123-91-1	UG L	12		

Notes:

UG_L = Micrograms per liter
NA = Not applicable
Qual = Final qualifiers (See Attachment)
RC = Reason codes (See Attachment)

December 2017
Final Results after Data Review
NWIRP Bethpage OU 2 Regional Groundwater Investigation

Sample Delivery Group Sample Identification Sample Date Sample Type				TK1493 RE105D2-GW-120517 12/5/2017 Groundwater		
Method	Analyte	CAS No	Units	Result	Qual	RC
8260C	1,1,1-TRICHLOROETHANE	71-55-6	UG L	2	U	
8260C	1,1,2,2-TETRACHLOROETHANE	79-34-5	UG L	2	U	
8260C	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	76-13-1	UG L	14		
8260C	1,1,2-TRICHLOROETHANE	79-00-5	UG L	2	U	
8260C	1,1-DICHLOROETHANE	75-34-3	UG L	2	U	
8260C	1,1-DICHLOROETHENE	75-35-4	UG L	7.7		
8260C	1,2,4-TRICHLOROBENZENE	120-82-1	UG L	2	U	
8260C	1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	UG L	3	U	
8260C	1,2-DIBROMOETHANE	106-93-4	UG L	2	U	
8260C	1,2-DICHLOROBENZENE	95-50-1	UG L	2	U	
8260C	1,2-DICHLOROETHANE	107-06-2	UG L	2	U	
8260C	1,2-DICHLOROETHENE, TOTAL	540-59-0	UG L	3.6	J	
8260C	1,2-DICHLOROPROPANE	78-87-5	UG L	2	U	
8260C	1,3-DICHLOROBENZENE	541-73-1	UG L	2	U	
8260C	1,4-DICHLOROBENZENE	106-46-7	UG L	2	U	
8260C	2-BUTANONE	78-93-3	UG L	10	U	
8260C	2-HEXANONE	591-78-6	UG L	10	U	
8260C	4-METHYL-2-PENTANONE	108-10-1	UG L	10	U	
8260C	ACETONE	67-64-1	UG L	10	U	
8260C	BENZENE	71-43-2	UG L	2	U	
8260C	BROMODICHLOROMETHANE	75-27-4	UG L	2	U	
8260C	BROMOFORM	75-25-2	UG L	2	U	
8260C	BROMOMETHANE	74-83-9	UG L	4	U	
8260C	CARBON DISULFIDE	75-15-0	UG L	2	U	
8260C	CARBON TETRACHLORIDE	56-23-5	UG L	2	U	
8260C	CHLOROBENZENE	108-90-7	UG L	2	U	
8260C	CHLOROETHANE	75-00-3	UG L	4	U	
8260C	CHLOROFORM	67-66-3	UG L	1.4	J	
8260C	CHLOROMETHANE	74-87-3	UG L	4	U	
8260C	CIS-1,2-DICHLOROETHENE	156-59-2	UG L	3.6	J	
8260C	CIS-1,3-DICHLOROPROPENE	10061-01-5	UG L	2	U	
8260C	CYCLOHEXANE	110-82-7	UG L	2	U	
8260C	DIBROMOCHLOROMETHANE	124-48-1	UG L	2	U	
8260C	DICHLORODIFLUOROMETHANE	75-71-8	UG L	4	U	
8260C	ETHYLBENZENE	100-41-4	UG L	2	U	
8260C	ISOPROPYLBENZENE	98-82-8	UG L	2	U	
8260C	M- AND P-XYLENE	108-38-3/106-42	UG L	4	U	
8260C	METHYL ACETATE	79-20-9	UG L	3	U	
8260C	METHYL CYCLOHEXANE	108-87-2	UG L	2	U	
8260C	METHYL TERT-BUTYL ETHER	1634-04-4	UG L	2	U	
8260C	METHYLENE CHLORIDE	75-09-2	UG L	10	U	
8260C	O-XYLENE	95-47-6	UG L	2	U	
8260C	STYRENE	100-42-5	UG L	2	U	
8260C	TETRACHLOROETHENE	127-18-4	UG L	2.2	J	
8260C	TOLUENE	108-88-3	UG L	2	U	
8260C	TRANS-1,2-DICHLOROETHENE	156-60-5	UG L	2	U	
8260C	TRANS-1,3-DICHLOROPROPENE	10061-02-6	UG L	2	U	
8260C	TRICHLOROETHENE	79-01-6	UG L	1900		
8260C	TRICHLOROFLUOROMETHANE	75-69-4	UG L	4	U	
8260C	VINYL CHLORIDE	75-01-4	UG L	4	U	
8260C	XYLENES, TOTAL	1330-20-7	UG L	6	U	
8270D SIM	1,4-DIOXANE	123-91-1	UG L	13		

Notes:

UG_L = Micrograms per liter
NA = Not applicable
Qual = Final qualifiers (See Attachment)
RC = Reason codes (See Attachment)

December 2017
Final Results after Data Review
NWIRP Bethpage OU 2 Regional Groundwater Investigation

Sample Delivery Group Sample Identification Sample Date Sample Type				TK1493 RE108D1-GW-120617 12/6/2017 Groundwater		
Method	Analyte	CAS No	Units	Result	Qual	RC
8260C	1,1,1-TRICHLOROETHANE	71-55-6	UG L	0.5	U	
8260C	1,1,2,2-TETRACHLOROETHANE	79-34-5	UG L	0.5	U	
8260C	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	76-13-1	UG L	0.44	J	
8260C	1,1,2-TRICHLOROETHANE	79-00-5	UG L	0.5	U	
8260C	1,1-DICHLOROETHANE	75-34-3	UG L	0.5	U	
8260C	1,1-DICHLOROETHENE	75-35-4	UG L	0.5	U	
8260C	1,2,4-TRICHLOROBENZENE	120-82-1	UG L	0.5	U	
8260C	1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	UG L	0.75	U	
8260C	1,2-DIBROMOETHANE	106-93-4	UG L	0.5	U	
8260C	1,2-DICHLOROBENZENE	95-50-1	UG L	0.5	U	
8260C	1,2-DICHLOROETHANE	107-06-2	UG L	0.5	U	
8260C	1,2-DICHLOROETHENE, TOTAL	540-59-0	UG L	1	U	
8260C	1,2-DICHLOROPROPANE	78-87-5	UG L	0.5	U	
8260C	1,3-DICHLOROBENZENE	541-73-1	UG L	0.5	U	
8260C	1,4-DICHLOROBENZENE	106-46-7	UG L	0.5	U	
8260C	2-BUTANONE	78-93-3	UG L	2.5	U	
8260C	2-HEXANONE	591-78-6	UG L	2.5	U	
8260C	4-METHYL-2-PENTANONE	108-10-1	UG L	2.5	U	
8260C	ACETONE	67-64-1	UG L	2.5	U	
8260C	BENZENE	71-43-2	UG L	0.5	U	
8260C	BROMODICHLOROMETHANE	75-27-4	UG L	0.5	U	
8260C	BROMOFORM	75-25-2	UG L	0.5	U	
8260C	BROMOMETHANE	74-83-9	UG L	1	U	
8260C	CARBON DISULFIDE	75-15-0	UG L	0.5	U	
8260C	CARBON TETRACHLORIDE	56-23-5	UG L	0.5	U	
8260C	CHLOROBENZENE	108-90-7	UG L	0.5	U	
8260C	CHLOROETHANE	75-00-3	UG L	1	U	
8260C	CHLOROFORM	67-66-3	UG L	0.5	U	
8260C	CHLOROMETHANE	74-87-3	UG L	1	U	
8260C	CIS-1,2-DICHLOROETHENE	156-59-2	UG L	0.5	U	
8260C	CIS-1,3-DICHLOROPROPENE	10061-01-5	UG L	0.5	U	
8260C	CYCLOHEXANE	110-82-7	UG L	0.5	U	
8260C	DIBROMOCHLOROMETHANE	124-48-1	UG L	0.5	U	
8260C	DICHLORODIFLUOROMETHANE	75-71-8	UG L	1	U	
8260C	ETHYLBENZENE	100-41-4	UG L	0.5	U	
8260C	ISOPROPYLBENZENE	98-82-8	UG L	0.5	U	
8260C	M- AND P-XYLENE	108-38-3/106-42	UG L	1	U	
8260C	METHYL ACETATE	79-20-9	UG L	0.75	U	
8260C	METHYL CYCLOHEXANE	108-87-2	UG L	0.5	U	
8260C	METHYL TERT-BUTYL ETHER	1634-04-4	UG L	0.5	U	
8260C	METHYLENE CHLORIDE	75-09-2	UG L	2.5	U	
8260C	O-XYLENE	95-47-6	UG L	0.5	U	
8260C	STYRENE	100-42-5	UG L	0.5	U	
8260C	TETRACHLOROETHENE	127-18-4	UG L	1.2		
8260C	TOLUENE	108-88-3	UG L	0.5	U	
8260C	TRANS-1,2-DICHLOROETHENE	156-60-5	UG L	0.5	U	
8260C	TRANS-1,3-DICHLOROPROPENE	10061-02-6	UG L	0.5	U	
8260C	TRICHLOROETHENE	79-01-6	UG L	51		
8260C	TRICHLOROFLUOROMETHANE	75-69-4	UG L	1	U	
8260C	VINYL CHLORIDE	75-01-4	UG L	1	U	
8260C	XYLENES, TOTAL	1330-20-7	UG L	1.5	U	
8270D SIM	1,4-DIOXANE	123-91-1	UG L	8.4		

Notes:

UG_L = Micrograms per liter
 NA = Not applicable
 Qual = Final qualifiers (See Attachment)
 RC = Reason codes (See Attachment)

December 2017
Final Results after Data Review
NWIRP Bethpage OU 2 Regional Groundwater Investigation

Sample Delivery Group Sample Identification Sample Date Sample Type				TK1493 RE108D2-GW-120617 12/6/2017 Groundwater		
Method	Analyte	CAS No	Units	Result	Qual	RC
8260C	1,1,1-TRICHLOROETHANE	71-55-6	UG L	20	U	
8260C	1,1,2,2-TETRACHLOROETHANE	79-34-5	UG L	20	U	
8260C	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	76-13-1	UG L	20	U	
8260C	1,1,2-TRICHLOROETHANE	79-00-5	UG L	20	U	
8260C	1,1-DICHLOROETHANE	75-34-3	UG L	20	U	
8260C	1,1-DICHLOROETHENE	75-35-4	UG L	20	U	
8260C	1,2,4-TRICHLOROBENZENE	120-82-1	UG L	20	U	
8260C	1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	UG L	30	U	
8260C	1,2-DIBROMOETHANE	106-93-4	UG L	20	U	
8260C	1,2-DICHLOROBENZENE	95-50-1	UG L	20	U	
8260C	1,2-DICHLOROETHANE	107-06-2	UG L	20	U	
8260C	1,2-DICHLOROETHENE, TOTAL	540-59-0	UG L	40	U	
8260C	1,2-DICHLOROPROPANE	78-87-5	UG L	20	U	
8260C	1,3-DICHLOROBENZENE	541-73-1	UG L	20	U	
8260C	1,4-DICHLOROBENZENE	106-46-7	UG L	20	U	
8260C	2-BUTANONE	78-93-3	UG L	100	U	
8260C	2-HEXANONE	591-78-6	UG L	100	U	
8260C	4-METHYL-2-PENTANONE	108-10-1	UG L	100	U	
8260C	ACETONE	67-64-1	UG L	100	U	
8260C	BENZENE	71-43-2	UG L	20	U	
8260C	BROMODICHLOROMETHANE	75-27-4	UG L	20	U	
8260C	BROMOFORM	75-25-2	UG L	20	U	
8260C	BROMOMETHANE	74-83-9	UG L	40	U	
8260C	CARBON DISULFIDE	75-15-0	UG L	20	U	
8260C	CARBON TETRACHLORIDE	56-23-5	UG L	20	U	
8260C	CHLOROBENZENE	108-90-7	UG L	20	U	
8260C	CHLOROETHANE	75-00-3	UG L	40	U	
8260C	CHLOROFORM	67-66-3	UG L	20	U	
8260C	CHLOROMETHANE	74-87-3	UG L	40	U	
8260C	CIS-1,2-DICHLOROETHENE	156-59-2	UG L	20	U	
8260C	CIS-1,3-DICHLOROPROPENE	10061-01-5	UG L	20	U	
8260C	CYCLOHEXANE	110-82-7	UG L	20	U	
8260C	DIBROMOCHLOROMETHANE	124-48-1	UG L	20	U	
8260C	DICHLORODIFLUOROMETHANE	75-71-8	UG L	40	U	
8260C	ETHYLBENZENE	100-41-4	UG L	20	U	
8260C	ISOPROPYLBENZENE	98-82-8	UG L	20	U	
8260C	M- AND P-XYLENE	108-38-3/106-42	UG L	40	U	
8260C	METHYL ACETATE	79-20-9	UG L	30	U	
8260C	METHYL CYCLOHEXANE	108-87-2	UG L	20	U	
8260C	METHYL TERT-BUTYL ETHER	1634-04-4	UG L	20	U	
8260C	METHYLENE CHLORIDE	75-09-2	UG L	100	U	
8260C	O-XYLENE	95-47-6	UG L	20	U	
8260C	STYRENE	100-42-5	UG L	20	U	
8260C	TETRACHLOROETHENE	127-18-4	UG L	20	U	
8260C	TOLUENE	108-88-3	UG L	20	U	
8260C	TRANS-1,2-DICHLOROETHENE	156-60-5	UG L	20	U	
8260C	TRANS-1,3-DICHLOROPROPENE	10061-02-6	UG L	20	U	
8260C	TRICHLOROETHENE	79-01-6	UG L	3100		
8260C	TRICHLOROFLUOROMETHANE	75-69-4	UG L	40	U	
8260C	VINYL CHLORIDE	75-01-4	UG L	40	U	
8260C	XYLENES, TOTAL	1330-20-7	UG L	60	U	
8270D SIM	1,4-DIOXANE	123-91-1	UG L	9.9		

Notes:

UG_L = Micrograms per liter
NA = Not applicable
Qual = Final qualifiers (See Attachment)
RC = Reason codes (See Attachment)

December 2017
Final Results after Data Review
NWIRP Bethpage OU 2 Regional Groundwater Investigation

Sample Delivery Group Sample Identification Sample Date Sample Type				TK1493 RE122D1-GW-120617 12/6/2017 Groundwater		
Method	Analyte	CAS No	Units	Result	Qual	RC
8260C	1,1,1-TRICHLOROETHANE	71-55-6	UG L	0.5	U	
8260C	1,1,2,2-TETRACHLOROETHANE	79-34-5	UG L	0.5	U	
8260C	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	76-13-1	UG L	3.8		
8260C	1,1,2-TRICHLOROETHANE	79-00-5	UG L	0.5	U	
8260C	1,1-DICHLOROETHANE	75-34-3	UG L	0.5	U	
8260C	1,1-DICHLOROETHENE	75-35-4	UG L	1		
8260C	1,2,4-TRICHLOROBENZENE	120-82-1	UG L	0.5	U	
8260C	1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	UG L	0.75	U	
8260C	1,2-DIBROMOETHANE	106-93-4	UG L	0.5	U	
8260C	1,2-DICHLOROBENZENE	95-50-1	UG L	0.5	U	
8260C	1,2-DICHLOROETHANE	107-06-2	UG L	0.5	U	
8260C	1,2-DICHLOROETHENE, TOTAL	540-59-0	UG L	2.3		
8260C	1,2-DICHLOROPROPANE	78-87-5	UG L	0.5	U	
8260C	1,3-DICHLOROBENZENE	541-73-1	UG L	0.5	U	
8260C	1,4-DICHLOROBENZENE	106-46-7	UG L	0.5	U	
8260C	2-BUTANONE	78-93-3	UG L	2.5	U	
8260C	2-HEXANONE	591-78-6	UG L	2.5	U	
8260C	4-METHYL-2-PENTANONE	108-10-1	UG L	2.5	U	
8260C	ACETONE	67-64-1	UG L	2.5	U	
8260C	BENZENE	71-43-2	UG L	0.5	U	
8260C	BROMODICHLOROMETHANE	75-27-4	UG L	0.5	U	
8260C	BROMOFORM	75-25-2	UG L	0.5	U	
8260C	BROMOMETHANE	74-83-9	UG L	1	U	
8260C	CARBON DISULFIDE	75-15-0	UG L	0.5	U	
8260C	CARBON TETRACHLORIDE	56-23-5	UG L	0.51	J	
8260C	CHLOROBENZENE	108-90-7	UG L	0.5	U	
8260C	CHLOROETHANE	75-00-3	UG L	1	U	
8260C	CHLOROFORM	67-66-3	UG L	0.57	J	
8260C	CHLOROMETHANE	74-87-3	UG L	1	U	
8260C	CIS-1,2-DICHLOROETHENE	156-59-2	UG L	2		
8260C	CIS-1,3-DICHLOROPROPENE	10061-01-5	UG L	0.5	U	
8260C	CYCLOHEXANE	110-82-7	UG L	0.5	U	
8260C	DIBROMOCHLOROMETHANE	124-48-1	UG L	0.5	U	
8260C	DICHLORODIFLUOROMETHANE	75-71-8	UG L	1	U	
8260C	ETHYLBENZENE	100-41-4	UG L	0.5	U	
8260C	ISOPROPYLBENZENE	98-82-8	UG L	0.5	U	
8260C	M- AND P-XYLENE	108-38-3/106-42	UG L	1	U	
8260C	METHYL ACETATE	79-20-9	UG L	0.75	U	
8260C	METHYL CYCLOHEXANE	108-87-2	UG L	0.5	U	
8260C	METHYL TERT-BUTYL ETHER	1634-04-4	UG L	0.5	U	
8260C	METHYLENE CHLORIDE	75-09-2	UG L	2.5	U	
8260C	O-XYLENE	95-47-6	UG L	0.5	U	
8260C	STYRENE	100-42-5	UG L	0.5	U	
8260C	TETRACHLOROETHENE	127-18-4	UG L	1.6		
8260C	TOLUENE	108-88-3	UG L	0.5	U	
8260C	TRANS-1,2-DICHLOROETHENE	156-60-5	UG L	0.28	J	
8260C	TRANS-1,3-DICHLOROPROPENE	10061-02-6	UG L	0.5	U	
8260C	TRICHLOROETHENE	79-01-6	UG L	490		
8260C	TRICHLOROFLUOROMETHANE	75-69-4	UG L	1	U	
8260C	VINYL CHLORIDE	75-01-4	UG L	1	U	
8260C	XYLENES, TOTAL	1330-20-7	UG L	1.5	U	
8270D SIM	1,4-DIOXANE	123-91-1	UG L	10		

Notes:

UG_L = Micrograms per liter
NA = Not applicable
Qual = Final qualifiers (See Attachment)
RC = Reason codes (See Attachment)

December 2017
Final Results after Data Review
NWIRP Bethpage OU 2 Regional Groundwater Investigation

Sample Delivery Group Sample Identification Sample Date Sample Type				TK1493 RE122D2-GW-120617 12/6/2017 Groundwater		
Method	Analyte	CAS No	Units	Result	Qual	RC
8260C	1,1,1-TRICHLOROETHANE	71-55-6	UG L	2	U	
8260C	1,1,2,2-TETRACHLOROETHANE	79-34-5	UG L	2	U	
8260C	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	76-13-1	UG L	8.2		
8260C	1,1,2-TRICHLOROETHANE	79-00-5	UG L	1.7	J	
8260C	1,1-DICHLOROETHANE	75-34-3	UG L	2	U	
8260C	1,1-DICHLOROETHENE	75-35-4	UG L	4.5		
8260C	1,2,4-TRICHLOROBENZENE	120-82-1	UG L	2	U	
8260C	1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	UG L	3	U	
8260C	1,2-DIBROMOETHANE	106-93-4	UG L	2	U	
8260C	1,2-DICHLOROETHANE	95-50-1	UG L	2	U	
8260C	1,2-DICHLOROETHANE	107-06-2	UG L	2	U	
8260C	1,2-DICHLOROETHENE, TOTAL	540-59-0	UG L	3.3	J	
8260C	1,2-DICHLOROPROPANE	78-87-5	UG L	2	U	
8260C	1,3-DICHLOROBENZENE	541-73-1	UG L	2	U	
8260C	1,4-DICHLOROBENZENE	106-46-7	UG L	2	U	
8260C	2-BUTANONE	78-93-3	UG L	10	U	
8260C	2-HEXANONE	591-78-6	UG L	10	U	
8260C	4-METHYL-2-PENTANONE	108-10-1	UG L	10	U	
8260C	ACETONE	67-64-1	UG L	10	U	
8260C	BENZENE	71-43-2	UG L	2	U	
8260C	BROMODICHLOROMETHANE	75-27-4	UG L	2	U	
8260C	BROMOFORM	75-25-2	UG L	2	U	
8260C	BROMOMETHANE	74-83-9	UG L	4	U	
8260C	CARBON DISULFIDE	75-15-0	UG L	2	U	
8260C	CARBON TETRACHLORIDE	56-23-5	UG L	2	U	
8260C	CHLOROBENZENE	108-90-7	UG L	2	U	
8260C	CHLOROETHANE	75-00-3	UG L	4	U	
8260C	CHLOROFORM	67-66-3	UG L	2	J	
8260C	CHLOROMETHANE	74-87-3	UG L	4	U	
8260C	CIS-1,2-DICHLOROETHENE	156-59-2	UG L	3.3	J	
8260C	CIS-1,3-DICHLOROPROPENE	10061-01-5	UG L	2	U	
8260C	CYCLOHEXANE	110-82-7	UG L	2	U	
8260C	DIBROMOCHLOROMETHANE	124-48-1	UG L	2	U	
8260C	DICHLORODIFLUOROMETHANE	75-71-8	UG L	4	U	
8260C	ETHYLBENZENE	100-41-4	UG L	2	U	
8260C	ISOPROPYLBENZENE	98-82-8	UG L	2	U	
8260C	M- AND P-XYLENE	108-38-3/106-42	UG L	4	U	
8260C	METHYL ACETATE	79-20-9	UG L	3	U	
8260C	METHYL CYCLOHEXANE	108-87-2	UG L	2	U	
8260C	METHYL TERT-BUTYL ETHER	1634-04-4	UG L	2	U	
8260C	METHYLENE CHLORIDE	75-09-2	UG L	10	U	
8260C	O-XYLENE	95-47-6	UG L	2	U	
8260C	STYRENE	100-42-5	UG L	2	U	
8260C	TETRACHLOROETHENE	127-18-4	UG L	2	U	
8260C	TOLUENE	108-88-3	UG L	2	U	
8260C	TRANS-1,2-DICHLOROETHENE	156-60-5	UG L	2	U	
8260C	TRANS-1,3-DICHLOROPROPENE	10061-02-6	UG L	2	U	
8260C	TRICHLOROETHENE	79-01-6	UG L	3200		
8260C	TRICHLOROFLUOROMETHANE	75-69-4	UG L	4	U	
8260C	VINYL CHLORIDE	75-01-4	UG L	4	U	
8260C	XYLENES, TOTAL	1330-20-7	UG L	6	U	
8270D SIM	1,4-DIOXANE	123-91-1	UG L	14		

Notes:

UG_L = Micrograms per liter
NA = Not applicable
Qual = Final qualifiers (See Attachment)
RC = Reason codes (See Attachment)

December 2017
Final Results after Data Review
NWIRP Bethpage OU 2 Regional Groundwater Investigation

Sample Delivery Group Sample Identification Sample Date Sample Type				TK1493 RE122D3-GW-120617 12/6/2017 Groundwater		
Method	Analyte	CAS No	Units	Result	Qual	RC
8260C	1,1,1-TRICHLOROETHANE	71-55-6	UG L	0.5	U	
8260C	1,1,2,2-TETRACHLOROETHANE	79-34-5	UG L	0.5	U	
8260C	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	76-13-1	UG L	0.5	U	
8260C	1,1,2-TRICHLOROETHANE	79-00-5	UG L	0.5	U	
8260C	1,1-DICHLOROETHANE	75-34-3	UG L	0.5	U	
8260C	1,1-DICHLOROETHENE	75-35-4	UG L	0.5	U	
8260C	1,2,4-TRICHLOROETHENE	120-82-1	UG L	0.5	U	
8260C	1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	UG L	0.75	U	
8260C	1,2-DIBROMOETHANE	106-93-4	UG L	0.5	U	
8260C	1,2-DICHLOROETHANE	107-06-2	UG L	0.5	U	
8260C	1,2-DICHLOROETHENE, TOTAL	540-59-0	UG L	1	U	
8260C	1,2-DICHLOROPROPANE	78-87-5	UG L	0.5	U	
8260C	1,3-DICHLOROETHANE	541-73-1	UG L	0.5	U	
8260C	1,4-DICHLOROETHANE	106-46-7	UG L	0.5	U	
8260C	2-BUTANONE	78-93-3	UG L	2.5	U	
8260C	2-HEXANONE	591-78-6	UG L	2.5	U	
8260C	4-METHYL-2-PENTANONE	108-10-1	UG L	2.5	U	
8260C	ACETONE	67-64-1	UG L	2.5	U	
8260C	BENZENE	71-43-2	UG L	0.5	U	
8260C	BROMODICHLOROMETHANE	75-27-4	UG L	0.5	U	
8260C	BROMOFORM	75-25-2	UG L	0.5	U	
8260C	BROMOMETHANE	74-83-9	UG L	1	U	
8260C	CARBON DISULFIDE	75-15-0	UG L	0.5	U	
8260C	CARBON TETRACHLORIDE	56-23-5	UG L	0.5	U	
8260C	CHLOROETHANE	108-90-7	UG L	0.5	U	
8260C	CHLOROETHANE	75-00-3	UG L	1	U	
8260C	CHLOROFORM	67-66-3	UG L	0.5	U	
8260C	CHLOROMETHANE	74-87-3	UG L	1	U	
8260C	CIS-1,2-DICHLOROETHENE	156-59-2	UG L	0.5	U	
8260C	CIS-1,3-DICHLOROPROPENE	10061-01-5	UG L	0.5	U	
8260C	CYCLOHEXANE	110-82-7	UG L	0.5	U	
8260C	DIBROMOCHLOROMETHANE	124-48-1	UG L	0.5	U	
8260C	DICHLORODIFLUOROMETHANE	75-71-8	UG L	1	U	
8260C	ETHYLBENZENE	100-41-4	UG L	0.5	U	
8260C	ISOPROPYLBENZENE	98-82-8	UG L	0.5	U	
8260C	M- AND P-XYLENE	108-38-3/106-42	UG L	1	U	
8260C	METHYL ACETATE	79-20-9	UG L	0.75	U	
8260C	METHYL CYCLOHEXANE	108-87-2	UG L	0.5	U	
8260C	METHYL TERT-BUTYL ETHER	1634-04-4	UG L	0.5	U	
8260C	METHYLENE CHLORIDE	75-09-2	UG L	2.5	U	
8260C	O-XYLENE	95-47-6	UG L	0.5	U	
8260C	STYRENE	100-42-5	UG L	0.5	U	
8260C	TETRACHLOROETHENE	127-18-4	UG L	0.5	U	
8260C	TOLUENE	108-88-3	UG L	0.5	U	
8260C	TRANS-1,2-DICHLOROETHENE	156-60-5	UG L	0.5	U	
8260C	TRANS-1,3-DICHLOROPROPENE	10061-02-6	UG L	0.5	U	
8260C	TRICHLOROETHENE	79-01-6	UG L	4.2		
8260C	TRICHLOROFLUOROMETHANE	75-69-4	UG L	1	U	
8260C	VINYL CHLORIDE	75-01-4	UG L	1	U	
8260C	XYLENES, TOTAL	1330-20-7	UG L	1.5	U	
8270D SIM	1,4-DIOXANE	123-91-1	UG L	0.17	U	

Notes:

UG_L = Micrograms per liter
NA = Not applicable
Qual = Final qualifiers (See Attachment)
RC = Reason codes (See Attachment)

December 2017
Final Results after Data Review
NWIRP Bethpage OU 2 Regional Groundwater Investigation

Sample Delivery Group Sample Identification Sample Date Sample Type				TK1493 TB01-WQ-120517 12/5/2017 Trip Blank		
Method	Analyte	CAS No	Units	Result	Qual	RC
8260C	1,1,1-TRICHLOROETHANE	71-55-6	UG L	0.5	U	
8260C	1,1,2,2-TETRACHLOROETHANE	79-34-5	UG L	0.5	U	
8260C	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	76-13-1	UG L	0.5	U	
8260C	1,1,2-TRICHLOROETHANE	79-00-5	UG L	0.5	U	
8260C	1,1-DICHLOROETHANE	75-34-3	UG L	0.5	U	
8260C	1,1-DICHLOROETHENE	75-35-4	UG L	0.5	U	
8260C	1,2,4-TRICHLOROBENZENE	120-82-1	UG L	0.5	U	
8260C	1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	UG L	0.75	U	
8260C	1,2-DIBROMOETHANE	106-93-4	UG L	0.5	U	
8260C	1,2-DICHLOROBENZENE	95-50-1	UG L	0.5	U	
8260C	1,2-DICHLOROETHANE	107-06-2	UG L	0.5	U	
8260C	1,2-DICHLOROETHENE, TOTAL	540-59-0	UG L	1	U	
8260C	1,2-DICHLOROPROPANE	78-87-5	UG L	0.5	U	
8260C	1,3-DICHLOROBENZENE	541-73-1	UG L	0.5	U	
8260C	1,4-DICHLOROBENZENE	106-46-7	UG L	0.5	U	
8260C	2-BUTANONE	78-93-3	UG L	2.5	U	
8260C	2-HEXANONE	591-78-6	UG L	2.5	U	
8260C	4-METHYL-2-PENTANONE	108-10-1	UG L	2.5	U	
8260C	ACETONE	67-64-1	UG L	2.5	U	
8260C	BENZENE	71-43-2	UG L	0.5	U	
8260C	BROMODICHLOROMETHANE	75-27-4	UG L	0.5	U	
8260C	BROMOFORM	75-25-2	UG L	0.5	U	
8260C	BROMOMETHANE	74-83-9	UG L	1	U	
8260C	CARBON DISULFIDE	75-15-0	UG L	0.5	U	
8260C	CARBON TETRACHLORIDE	56-23-5	UG L	0.5	U	
8260C	CHLOROBENZENE	108-90-7	UG L	0.5	U	
8260C	CHLOROETHANE	75-00-3	UG L	1	U	
8260C	CHLOROFORM	67-66-3	UG L	0.5	U	
8260C	CHLOROMETHANE	74-87-3	UG L	1	U	
8260C	CIS-1,2-DICHLOROETHENE	156-59-2	UG L	0.5	U	
8260C	CIS-1,3-DICHLOROPROPENE	10061-01-5	UG L	0.5	U	
8260C	CYCLOHEXANE	110-82-7	UG L	0.5	U	
8260C	DIBROMOCHLOROMETHANE	124-48-1	UG L	0.5	U	
8260C	DICHLORODIFLUOROMETHANE	75-71-8	UG L	1	U	
8260C	ETHYLBENZENE	100-41-4	UG L	0.5	U	
8260C	ISOPROPYLBENZENE	98-82-8	UG L	0.5	U	
8260C	M- AND P-XYLENE	108-38-3/106-42	UG L	1	U	
8260C	METHYL ACETATE	79-20-9	UG L	0.75	U	
8260C	METHYL CYCLOHEXANE	108-87-2	UG L	0.5	U	
8260C	METHYL TERT-BUTYL ETHER	1634-04-4	UG L	0.5	U	
8260C	METHYLENE CHLORIDE	75-09-2	UG L	2.5	U	
8260C	O-XYLENE	95-47-6	UG L	0.5	U	
8260C	STYRENE	100-42-5	UG L	0.5	U	
8260C	TETRACHLOROETHENE	127-18-4	UG L	0.5	U	
8260C	TOLUENE	108-88-3	UG L	0.5	U	
8260C	TRANS-1,2-DICHLOROETHENE	156-60-5	UG L	0.5	U	
8260C	TRANS-1,3-DICHLOROPROPENE	10061-02-6	UG L	0.5	U	
8260C	TRICHLOROETHENE	79-01-6	UG L	0.5	U	
8260C	TRICHLOROFLUOROMETHANE	75-69-4	UG L	1	U	
8260C	VINYL CHLORIDE	75-01-4	UG L	1	U	
8260C	XYLENES, TOTAL	1330-20-7	UG L	1.5	U	
8270D SIM	1,4-DIOXANE	123-91-1	UG L	NA		

Notes:

UG_L = Micrograms per liter
NA = Not applicable
Qual = Final qualifiers (See Attachment)
RC = Reason codes (See Attachment)

December 2017
Final Results after Data Review
NWIRP Bethpage OU 2 Regional Groundwater Investigation

Sample Delivery Group Sample Identification Sample Date Sample Type				TK1558 FB01-WQ-120717 12/7/2017 Field Blank		
Method	Analyte	CAS No	Units	Result	Qual	RC
8260C	1,1,1-TRICHLOROETHANE	71-55-6	UG L	0.5	U	
8260C	1,1,2,2-TETRACHLOROETHANE	79-34-5	UG L	0.5	U	
8260C	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	76-13-1	UG L	0.5	U	
8260C	1,1,2-TRICHLOROETHANE	79-00-5	UG L	0.5	U	
8260C	1,1-DICHLOROETHANE	75-34-3	UG L	0.5	U	
8260C	1,1-DICHLOROETHENE	75-35-4	UG L	0.5	U	
8260C	1,2,4-TRICHLOROBENZENE	120-82-1	UG L	0.5	U	
8260C	1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	UG L	0.75	U	
8260C	1,2-DIBROMOETHANE	106-93-4	UG L	0.5	U	
8260C	1,2-DICHLOROBENZENE	95-50-1	UG L	0.5	U	
8260C	1,2-DICHLOROETHANE	107-06-2	UG L	0.5	U	
8260C	1,2-DICHLOROETHENE, TOTAL	540-59-0	UG L	1	U	
8260C	1,2-DICHLOROPROPANE	78-87-5	UG L	0.5	U	
8260C	1,3-DICHLOROBENZENE	541-73-1	UG L	0.5	U	
8260C	1,4-DICHLOROBENZENE	106-46-7	UG L	0.5	U	
8260C	2-BUTANONE	78-93-3	UG L	2.5	U	
8260C	2-HEXANONE	591-78-6	UG L	2.5	U	
8260C	4-METHYL-2-PENTANONE	108-10-1	UG L	2.5	U	
8260C	ACETONE	67-64-1	UG L	2.5	U	
8260C	BENZENE	71-43-2	UG L	0.5	U	
8260C	BROMODICHLOROMETHANE	75-27-4	UG L	0.5	U	
8260C	BROMOFORM	75-25-2	UG L	0.5	U	
8260C	BROMOMETHANE	74-83-9	UG L	1	U	
8260C	CARBON DISULFIDE	75-15-0	UG L	0.5	U	
8260C	CARBON TETRACHLORIDE	56-23-5	UG L	0.5	U	
8260C	CHLOROBENZENE	108-90-7	UG L	0.5	U	
8260C	CHLOROETHANE	75-00-3	UG L	1	U	
8260C	CHLOROFORM	67-66-3	UG L	0.5	U	
8260C	CHLOROMETHANE	74-87-3	UG L	1	U	
8260C	CIS-1,2-DICHLOROETHENE	156-59-2	UG L	0.5	U	
8260C	CIS-1,3-DICHLOROPROPENE	10061-01-5	UG L	0.5	U	
8260C	CYCLOHEXANE	110-82-7	UG L	0.5	U	
8260C	DIBROMOCHLOROMETHANE	124-48-1	UG L	0.5	U	
8260C	DICHLORODIFLUOROMETHANE	75-71-8	UG L	1	U	
8260C	ETHYLBENZENE	100-41-4	UG L	0.5	U	
8260C	ISOPROPYLBENZENE	98-82-8	UG L	0.5	U	
8260C	M- AND P-XYLENE	108-38-3/106-42	UG L	1	U	
8260C	METHYL ACETATE	79-20-9	UG L	0.75	U	
8260C	METHYL CYCLOHEXANE	108-87-2	UG L	0.5	U	
8260C	METHYL TERT-BUTYL ETHER	1634-04-4	UG L	0.5	U	
8260C	METHYLENE CHLORIDE	75-09-2	UG L	2.5	U	
8260C	O-XYLENE	95-47-6	UG L	0.5	U	
8260C	STYRENE	100-42-5	UG L	0.5	U	
8260C	TETRACHLOROETHENE	127-18-4	UG L	0.5	U	
8260C	TOLUENE	108-88-3	UG L	0.28	J	
8260C	TRANS-1,2-DICHLOROETHENE	156-60-5	UG L	0.5	U	
8260C	TRANS-1,3-DICHLOROPROPENE	10061-02-6	UG L	0.5	U	
8260C	TRICHLOROETHENE	79-01-6	UG L	0.5	U	
8260C	TRICHLOROFLUOROMETHANE	75-69-4	UG L	1	U	
8260C	VINYL CHLORIDE	75-01-4	UG L	1	U	
8260C	XYLENES, TOTAL	1330-20-7	UG L	1.5	U	
8270D SIM	1,4-DIOXANE	123-91-1	UG L	0.18	U	

Notes:

UG_L = Micrograms per liter
NA = Not applicable
Qual = Final qualifiers (See Attachment)
RC = Reason codes (See Attachment)

December 2017
Final Results after Data Review
NWIRP Bethpage OU 2 Regional Groundwater Investigation

Sample Delivery Group Sample Identification Sample Date Sample Type				TK1558 RE126D1-GW-120717 12/7/2017 Groundwater		
Method	Analyte	CAS No	Units	Result	Qual	RC
8260C	1,1,1-TRICHLOROETHANE	71-55-6	UG L	0.5	U	
8260C	1,1,2,2-TETRACHLOROETHANE	79-34-5	UG L	0.5	U	
8260C	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	76-13-1	UG L	0.79	J	
8260C	1,1,2-TRICHLOROETHANE	79-00-5	UG L	0.5	U	
8260C	1,1-DICHLOROETHANE	75-34-3	UG L	0.5	U	
8260C	1,1-DICHLOROETHENE	75-35-4	UG L	0.4	J	
8260C	1,2,4-TRICHLOROETHENE	120-82-1	UG L	0.5	U	
8260C	1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	UG L	0.75	U	
8260C	1,2-DIBROMOETHANE	106-93-4	UG L	0.5	U	
8260C	1,2-DICHLOROETHANE	95-50-1	UG L	0.5	U	
8260C	1,2-DICHLOROETHANE	107-06-2	UG L	0.5	U	
8260C	1,2-DICHLOROETHENE, TOTAL	540-59-0	UG L	0.38	J	
8260C	1,2-DICHLOROPROPANE	78-87-5	UG L	0.5	U	
8260C	1,3-DICHLOROETHANE	541-73-1	UG L	0.5	U	
8260C	1,4-DICHLOROETHANE	106-46-7	UG L	0.5	U	
8260C	2-BUTANONE	78-93-3	UG L	2.5	U	
8260C	2-HEXANONE	591-78-6	UG L	2.5	U	
8260C	4-METHYL-2-PENTANONE	108-10-1	UG L	2.5	U	
8260C	ACETONE	67-64-1	UG L	2.5	U	
8260C	BENZENE	71-43-2	UG L	0.5	U	
8260C	BROMODICHLOROMETHANE	75-27-4	UG L	0.5	U	
8260C	BROMOFORM	75-25-2	UG L	0.5	U	
8260C	BROMOMETHANE	74-83-9	UG L	1	U	
8260C	CARBON DISULFIDE	75-15-0	UG L	0.5	U	
8260C	CARBON TETRACHLORIDE	56-23-5	UG L	0.5	U	
8260C	CHLOROETHANE	108-90-7	UG L	0.5	U	
8260C	CHLOROETHANE	75-00-3	UG L	1	U	
8260C	CHLOROFORM	67-66-3	UG L	0.5	U	
8260C	CHLOROMETHANE	74-87-3	UG L	1	U	
8260C	CIS-1,2-DICHLOROETHENE	156-59-2	UG L	0.38	J	
8260C	CIS-1,3-DICHLOROPROPENE	10061-01-5	UG L	0.5	U	
8260C	CYCLOHEXANE	110-82-7	UG L	0.5	U	
8260C	DIBROMOCHLOROMETHANE	124-48-1	UG L	0.5	U	
8260C	DICHLORODIFLUOROMETHANE	75-71-8	UG L	1	U	
8260C	ETHYLBENZENE	100-41-4	UG L	0.5	U	
8260C	ISOPROPYLBENZENE	98-82-8	UG L	0.5	U	
8260C	M- AND P-XYLENE	108-38-3/106-42	UG L	1	U	
8260C	METHYL ACETATE	79-20-9	UG L	0.75	U	
8260C	METHYL CYCLOHEXANE	108-87-2	UG L	0.5	U	
8260C	METHYL TERT-BUTYL ETHER	1634-04-4	UG L	0.5	U	
8260C	METHYLENE CHLORIDE	75-09-2	UG L	2.5	U	
8260C	O-XYLENE	95-47-6	UG L	0.5	U	
8260C	STYRENE	100-42-5	UG L	0.5	U	
8260C	TETRACHLOROETHENE	127-18-4	UG L	0.93	J	
8260C	TOLUENE	108-88-3	UG L	0.5	U	
8260C	TRANS-1,2-DICHLOROETHENE	156-60-5	UG L	0.5	U	
8260C	TRANS-1,3-DICHLOROPROPENE	10061-02-6	UG L	0.5	U	
8260C	TRICHLOROETHENE	79-01-6	UG L	85		
8260C	TRICHLOROFLUOROMETHANE	75-69-4	UG L	1	U	
8260C	VINYL CHLORIDE	75-01-4	UG L	1	U	
8260C	XYLENES, TOTAL	1330-20-7	UG L	1.5	U	
8270D SIM	1,4-DIOXANE	123-91-1	UG L	9.1		

Notes:

- UG_L = Micrograms per liter
- NA = Not applicable
- Qual = Final qualifiers (See Attachment)
- RC = Reason codes (See Attachment)

December 2017
Final Results after Data Review
NWIRP Bethpage OU 2 Regional Groundwater Investigation

Sample Delivery Group Sample Identification Sample Date Sample Type				TK1558 RE126D2-GW-120717 12/7/2017 Groundwater		
Method	Analyte	CAS No	Units	Result	Qual	RC
8260C	1,1,1-TRICHLOROETHANE	71-55-6	UG L	0.49	J	
8260C	1,1,2,2-TETRACHLOROETHANE	79-34-5	UG L	0.5	U	
8260C	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	76-13-1	UG L	1.1		
8260C	1,1,2-TRICHLOROETHANE	79-00-5	UG L	0.35	J	
8260C	1,1-DICHLOROETHANE	75-34-3	UG L	1.5		
8260C	1,1-DICHLOROETHENE	75-35-4	UG L	1.2		
8260C	1,2,4-TRICHLOROBENZENE	120-82-1	UG L	0.5	U	
8260C	1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	UG L	0.75	U	
8260C	1,2-DIBROMOETHANE	106-93-4	UG L	0.5	U	
8260C	1,2-DICHLOROBENZENE	95-50-1	UG L	0.5	U	
8260C	1,2-DICHLOROETHANE	107-06-2	UG L	0.5	U	
8260C	1,2-DICHLOROETHENE, TOTAL	540-59-0	UG L	1.7	J	
8260C	1,2-DICHLOROPROPANE	78-87-5	UG L	0.5	U	
8260C	1,3-DICHLOROBENZENE	541-73-1	UG L	0.5	U	
8260C	1,4-DICHLOROBENZENE	106-46-7	UG L	0.5	U	
8260C	2-BUTANONE	78-93-3	UG L	2.5	U	
8260C	2-HEXANONE	591-78-6	UG L	2.5	U	
8260C	4-METHYL-2-PENTANONE	108-10-1	UG L	2.5	U	
8260C	ACETONE	67-64-1	UG L	2.5	U	
8260C	BENZENE	71-43-2	UG L	0.5	U	
8260C	BROMODICHLOROMETHANE	75-27-4	UG L	0.5	U	
8260C	BROMOFORM	75-25-2	UG L	0.5	U	
8260C	BROMOMETHANE	74-83-9	UG L	1	U	
8260C	CARBON DISULFIDE	75-15-0	UG L	0.5	U	
8260C	CARBON TETRACHLORIDE	56-23-5	UG L	0.46	J	
8260C	CHLOROBENZENE	108-90-7	UG L	0.5	U	
8260C	CHLOROETHANE	75-00-3	UG L	1	U	
8260C	CHLOROFORM	67-66-3	UG L	0.51	J	
8260C	CHLOROMETHANE	74-87-3	UG L	1	U	
8260C	CIS-1,2-DICHLOROETHENE	156-59-2	UG L	1.7		
8260C	CIS-1,3-DICHLOROPROPENE	10061-01-5	UG L	0.5	U	
8260C	CYCLOHEXANE	110-82-7	UG L	0.5	U	
8260C	DIBROMOCHLOROMETHANE	124-48-1	UG L	0.5	U	
8260C	DICHLORODIFLUOROMETHANE	75-71-8	UG L	1	U	
8260C	ETHYLBENZENE	100-41-4	UG L	0.5	U	
8260C	ISOPROPYLBENZENE	98-82-8	UG L	0.5	U	
8260C	M- AND P-XYLENE	108-38-3/106-42	UG L	1	U	
8260C	METHYL ACETATE	79-20-9	UG L	0.75	U	
8260C	METHYL CYCLOHEXANE	108-87-2	UG L	0.5	U	
8260C	METHYL TERT-BUTYL ETHER	1634-04-4	UG L	0.5	U	
8260C	METHYLENE CHLORIDE	75-09-2	UG L	2.5	U	
8260C	O-XYLENE	95-47-6	UG L	0.5	U	
8260C	STYRENE	100-42-5	UG L	0.5	U	
8260C	TETRACHLOROETHENE	127-18-4	UG L	0.56	J	
8260C	TOLUENE	108-88-3	UG L	0.5	U	
8260C	TRANS-1,2-DICHLOROETHENE	156-60-5	UG L	0.5	U	
8260C	TRANS-1,3-DICHLOROPROPENE	10061-02-6	UG L	0.5	U	
8260C	TRICHLOROETHENE	79-01-6	UG L	450		
8260C	TRICHLOROFLUOROMETHANE	75-69-4	UG L	1	U	
8260C	VINYL CHLORIDE	75-01-4	UG L	1	U	
8260C	XYLENES, TOTAL	1330-20-7	UG L	1.5	U	
8270D SIM	1,4-DIOXANE	123-91-1	UG L	8.2		

Notes:

- UG_L = Micrograms per liter
- NA = Not applicable
- Qual = Final qualifiers (See Attachment)
- RC = Reason codes (See Attachment)

December 2017
Final Results after Data Review
NWIRP Bethpage OU 2 Regional Groundwater Investigation

Sample Delivery Group Sample Identification Sample Date Sample Type				TK1558 RE126D3-GW-120717 12/7/2017 Groundwater		
Method	Analyte	CAS No	Units	Result	Qual	RC
8260C	1,1,1-TRICHLOROETHANE	71-55-6	UG L	0.5	U	
8260C	1,1,2,2-TETRACHLOROETHANE	79-34-5	UG L	0.5	U	
8260C	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	76-13-1	UG L	0.7	J	
8260C	1,1,2-TRICHLOROETHANE	79-00-5	UG L	0.5	U	
8260C	1,1-DICHLOROETHANE	75-34-3	UG L	0.5	U	
8260C	1,1-DICHLOROETHENE	75-35-4	UG L	0.37	J	
8260C	1,2,4-TRICHLOROBENZENE	120-82-1	UG L	0.5	U	
8260C	1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	UG L	0.75	U	
8260C	1,2-DIBROMOETHANE	106-93-4	UG L	0.5	U	
8260C	1,2-DICHLOROBENZENE	95-50-1	UG L	0.5	U	
8260C	1,2-DICHLOROETHANE	107-06-2	UG L	0.5	U	
8260C	1,2-DICHLOROETHENE, TOTAL	540-59-0	UG L	1	U	
8260C	1,2-DICHLOROPROPANE	78-87-5	UG L	0.5	U	
8260C	1,3-DICHLOROBENZENE	541-73-1	UG L	0.5	U	
8260C	1,4-DICHLOROBENZENE	106-46-7	UG L	0.5	U	
8260C	2-BUTANONE	78-93-3	UG L	2.5	U	
8260C	2-HEXANONE	591-78-6	UG L	2.5	U	
8260C	4-METHYL-2-PENTANONE	108-10-1	UG L	2.5	U	
8260C	ACETONE	67-64-1	UG L	2.5	U	
8260C	BENZENE	71-43-2	UG L	0.5	U	
8260C	BROMODICHLOROMETHANE	75-27-4	UG L	0.5	U	
8260C	BROMOFORM	75-25-2	UG L	0.5	U	
8260C	BROMOMETHANE	74-83-9	UG L	1	U	
8260C	CARBON DISULFIDE	75-15-0	UG L	0.5	U	
8260C	CARBON TETRACHLORIDE	56-23-5	UG L	0.5	U	
8260C	CHLOROBENZENE	108-90-7	UG L	0.5	U	
8260C	CHLOROETHANE	75-00-3	UG L	1	U	
8260C	CHLOROFORM	67-66-3	UG L	0.5	U	
8260C	CHLOROMETHANE	74-87-3	UG L	1	U	
8260C	CIS-1,2-DICHLOROETHENE	156-59-2	UG L	0.5	U	
8260C	CIS-1,3-DICHLOROPROPENE	10061-01-5	UG L	0.5	U	
8260C	CYCLOHEXANE	110-82-7	UG L	0.5	U	
8260C	DIBROMOCHLOROMETHANE	124-48-1	UG L	0.5	U	
8260C	DICHLORODIFLUOROMETHANE	75-71-8	UG L	1	U	
8260C	ETHYLBENZENE	100-41-4	UG L	0.5	U	
8260C	ISOPROPYLBENZENE	98-82-8	UG L	0.5	U	
8260C	M- AND P-XYLENE	108-38-3/106-42	UG L	1	U	
8260C	METHYL ACETATE	79-20-9	UG L	0.75	U	
8260C	METHYL CYCLOHEXANE	108-87-2	UG L	0.5	U	
8260C	METHYL TERT-BUTYL ETHER	1634-04-4	UG L	0.5	U	
8260C	METHYLENE CHLORIDE	75-09-2	UG L	2.5	U	
8260C	O-XYLENE	95-47-6	UG L	0.5	U	
8260C	STYRENE	100-42-5	UG L	0.5	U	
8260C	TETRACHLOROETHENE	127-18-4	UG L	2.4		
8260C	TOLUENE	108-88-3	UG L	0.5	U	
8260C	TRANS-1,2-DICHLOROETHENE	156-60-5	UG L	0.5	U	
8260C	TRANS-1,3-DICHLOROPROPENE	10061-02-6	UG L	0.5	U	
8260C	TRICHLOROETHENE	79-01-6	UG L	4.3		
8260C	TRICHLOROFLUOROMETHANE	75-69-4	UG L	1	U	
8260C	VINYL CHLORIDE	75-01-4	UG L	1	U	
8260C	XYLENES, TOTAL	1330-20-7	UG L	1.5	U	
8270D SIM	1,4-DIOXANE	123-91-1	UG L	2.5		

Notes:

- UG_L = Micrograms per liter
- NA = Not applicable
- Qual = Final qualifiers (See Attachment)
- RC = Reason codes (See Attachment)

December 2017
Final Results after Data Review
NWIRP Bethpage OU 2 Regional Groundwater Investigation

Sample Delivery Group Sample Identification Sample Date Sample Type				TK1558 RE131D1-GW-120717 12/7/2017 Groundwater		
Method	Analyte	CAS No	Units	Result	Qual	RC
8260C	1,1,1-TRICHLOROETHANE	71-55-6	UG L	0.5	U	
8260C	1,1,2,2-TETRACHLOROETHANE	79-34-5	UG L	0.5	U	
8260C	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	76-13-1	UG L	3.8		
8260C	1,1,2-TRICHLOROETHANE	79-00-5	UG L	0.5	U	
8260C	1,1-DICHLOROETHANE	75-34-3	UG L	0.5	J	
8260C	1,1-DICHLOROETHENE	75-35-4	UG L	0.72	J	
8260C	1,2,4-TRICHLOROBENZENE	120-82-1	UG L	0.5	U	
8260C	1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	UG L	0.75	U	
8260C	1,2-DIBROMOETHANE	106-93-4	UG L	0.5	U	
8260C	1,2-DICHLOROBENZENE	95-50-1	UG L	0.5	U	
8260C	1,2-DICHLOROETHANE	107-06-2	UG L	0.5	U	
8260C	1,2-DICHLOROETHENE, TOTAL	540-59-0	UG L	4.6		
8260C	1,2-DICHLOROPROPANE	78-87-5	UG L	0.5	U	
8260C	1,3-DICHLOROBENZENE	541-73-1	UG L	0.5	U	
8260C	1,4-DICHLOROBENZENE	106-46-7	UG L	0.5	U	
8260C	2-BUTANONE	78-93-3	UG L	2.5	U	
8260C	2-HEXANONE	591-78-6	UG L	2.5	U	
8260C	4-METHYL-2-PENTANONE	108-10-1	UG L	2.5	U	
8260C	ACETONE	67-64-1	UG L	2.5	U	
8260C	BENZENE	71-43-2	UG L	0.5	U	
8260C	BROMODICHLOROMETHANE	75-27-4	UG L	0.5	U	
8260C	BROMOFORM	75-25-2	UG L	0.5	U	
8260C	BROMOMETHANE	74-83-9	UG L	1	U	
8260C	CARBON DISULFIDE	75-15-0	UG L	0.5	U	
8260C	CARBON TETRACHLORIDE	56-23-5	UG L	0.5	U	
8260C	CHLOROBENZENE	108-90-7	UG L	0.5	U	
8260C	CHLOROETHANE	75-00-3	UG L	1	U	
8260C	CHLOROFORM	67-66-3	UG L	2.4		
8260C	CHLOROMETHANE	74-87-3	UG L	1	U	
8260C	CIS-1,2-DICHLOROETHENE	156-59-2	UG L	4.6		
8260C	CIS-1,3-DICHLOROPROPENE	10061-01-5	UG L	0.5	U	
8260C	CYCLOHEXANE	110-82-7	UG L	0.5	U	
8260C	DIBROMOCHLOROMETHANE	124-48-1	UG L	0.5	U	
8260C	DICHLORODIFLUOROMETHANE	75-71-8	UG L	1	U	
8260C	ETHYLBENZENE	100-41-4	UG L	0.5	U	
8260C	ISOPROPYLBENZENE	98-82-8	UG L	0.5	U	
8260C	M- AND P-XYLENE	108-38-3/106-42	UG L	1	U	
8260C	METHYL ACETATE	79-20-9	UG L	0.75	U	
8260C	METHYL CYCLOHEXANE	108-87-2	UG L	0.5	U	
8260C	METHYL TERT-BUTYL ETHER	1634-04-4	UG L	0.5	U	
8260C	METHYLENE CHLORIDE	75-09-2	UG L	2.5	U	
8260C	O-XYLENE	95-47-6	UG L	0.5	U	
8260C	STYRENE	100-42-5	UG L	0.5	U	
8260C	TETRACHLOROETHENE	127-18-4	UG L	10		
8260C	TOLUENE	108-88-3	UG L	0.5	U	
8260C	TRANS-1,2-DICHLOROETHENE	156-60-5	UG L	0.5	U	
8260C	TRANS-1,3-DICHLOROPROPENE	10061-02-6	UG L	0.5	U	
8260C	TRICHLOROETHENE	79-01-6	UG L	140		
8260C	TRICHLOROFLUOROMETHANE	75-69-4	UG L	1	U	
8260C	VINYL CHLORIDE	75-01-4	UG L	1	U	
8260C	XYLENES, TOTAL	1330-20-7	UG L	1.5	U	
8270D SIM	1,4-DIOXANE	123-91-1	UG L	16		

Notes:

UG_L = Micrograms per liter
NA = Not applicable
Qual = Final qualifiers (See Attachment)
RC = Reason codes (See Attachment)

December 2017
Final Results after Data Review
NWIRP Bethpage OU 2 Regional Groundwater Investigation

Sample Delivery Group Sample Identification Sample Date Sample Type				TK1558 RE131D2-GW-120717 12/7/2017 Groundwater		
Method	Analyte	CAS No	Units	Result	Qual	RC
8260C	1,1,1-TRICHLOROETHANE	71-55-6	UG L	0.5	U	
8260C	1,1,2,2-TETRACHLOROETHANE	79-34-5	UG L	0.5	U	
8260C	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	76-13-1	UG L	160		
8260C	1,1,2-TRICHLOROETHANE	79-00-5	UG L	0.5	U	
8260C	1,1-DICHLOROETHANE	75-34-3	UG L	0.5	U	
8260C	1,1-DICHLOROETHENE	75-35-4	UG L	2.3		
8260C	1,2,4-TRICHLOROBENZENE	120-82-1	UG L	0.5	U	
8260C	1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	UG L	0.75	U	
8260C	1,2-DIBROMOETHANE	106-93-4	UG L	0.5	U	
8260C	1,2-DICHLOROBENZENE	95-50-1	UG L	0.5	U	
8260C	1,2-DICHLOROETHANE	107-06-2	UG L	0.46	J	
8260C	1,2-DICHLOROETHENE, TOTAL	540-59-0	UG L	4.3		
8260C	1,2-DICHLOROPROPANE	78-87-5	UG L	0.5	U	
8260C	1,3-DICHLOROBENZENE	541-73-1	UG L	0.5	U	
8260C	1,4-DICHLOROBENZENE	106-46-7	UG L	0.5	U	
8260C	2-BUTANONE	78-93-3	UG L	2.5	U	
8260C	2-HEXANONE	591-78-6	UG L	2.5	U	
8260C	4-METHYL-2-PENTANONE	108-10-1	UG L	2.5	U	
8260C	ACETONE	67-64-1	UG L	2.5	U	
8260C	BENZENE	71-43-2	UG L	0.5	U	
8260C	BROMODICHLOROMETHANE	75-27-4	UG L	0.5	U	
8260C	BROMOFORM	75-25-2	UG L	0.5	U	
8260C	BROMOMETHANE	74-83-9	UG L	1	U	
8260C	CARBON DISULFIDE	75-15-0	UG L	0.5	U	
8260C	CARBON TETRACHLORIDE	56-23-5	UG L	0.5	U	
8260C	CHLOROBENZENE	108-90-7	UG L	0.5	U	
8260C	CHLOROETHANE	75-00-3	UG L	1	U	
8260C	CHLOROFORM	67-66-3	UG L	0.37	J	
8260C	CHLOROMETHANE	74-87-3	UG L	1	U	
8260C	CIS-1,2-DICHLOROETHENE	156-59-2	UG L	4.3		
8260C	CIS-1,3-DICHLOROPROPENE	10061-01-5	UG L	0.5	U	
8260C	CYCLOHEXANE	110-82-7	UG L	0.5	U	
8260C	DIBROMOCHLOROMETHANE	124-48-1	UG L	0.5	U	
8260C	DICHLORODIFLUOROMETHANE	75-71-8	UG L	1	U	
8260C	ETHYLBENZENE	100-41-4	UG L	0.5	U	
8260C	ISOPROPYLBENZENE	98-82-8	UG L	0.5	U	
8260C	M- AND P-XYLENE	108-38-3/106-42	UG L	1	U	
8260C	METHYL ACETATE	79-20-9	UG L	0.75	U	
8260C	METHYL CYCLOHEXANE	108-87-2	UG L	0.5	U	
8260C	METHYL TERT-BUTYL ETHER	1634-04-4	UG L	0.5	U	
8260C	METHYLENE CHLORIDE	75-09-2	UG L	2.5	U	
8260C	O-XYLENE	95-47-6	UG L	0.5	U	
8260C	STYRENE	100-42-5	UG L	0.5	U	
8260C	TETRACHLOROETHENE	127-18-4	UG L	6.7		
8260C	TOLUENE	108-88-3	UG L	0.5	U	
8260C	TRANS-1,2-DICHLOROETHENE	156-60-5	UG L	0.5	U	
8260C	TRANS-1,3-DICHLOROPROPENE	10061-02-6	UG L	0.5	U	
8260C	TRICHLOROETHENE	79-01-6	UG L	67		
8260C	TRICHLOROFLUOROMETHANE	75-69-4	UG L	1	U	
8260C	VINYL CHLORIDE	75-01-4	UG L	1	U	
8260C	XYLENES, TOTAL	1330-20-7	UG L	1.5	U	
8270D SIM	1,4-DIOXANE	123-91-1	UG L	15		

Notes:

UG_L = Micrograms per liter
NA = Not applicable
Qual = Final qualifiers (See Attachment)
RC = Reason codes (See Attachment)

December 2017
Final Results after Data Review
NWIRP Bethpage OU 2 Regional Groundwater Investigation

Sample Delivery Group Sample Identification Sample Date Sample Type				TK1558 RE131D3-GW-120717 12/7/2017 Groundwater		
Method	Analyte	CAS No	Units	Result	Qual	RC
8260C	1,1,1-TRICHLOROETHANE	71-55-6	UG L	0.5	U	
8260C	1,1,2,2-TETRACHLOROETHANE	79-34-5	UG L	0.5	U	
8260C	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	76-13-1	UG L	140		
8260C	1,1,2-TRICHLOROETHANE	79-00-5	UG L	0.5	U	
8260C	1,1-DICHLOROETHANE	75-34-3	UG L	0.5	U	
8260C	1,1-DICHLOROETHENE	75-35-4	UG L	1.5		
8260C	1,2,4-TRICHLOROBENZENE	120-82-1	UG L	0.5	U	
8260C	1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	UG L	0.75	U	
8260C	1,2-DIBROMOETHANE	106-93-4	UG L	0.5	U	
8260C	1,2-DICHLOROBENZENE	95-50-1	UG L	0.5	U	
8260C	1,2-DICHLOROETHANE	107-06-2	UG L	0.5	U	
8260C	1,2-DICHLOROETHENE, TOTAL	540-59-0	UG L	0.47	J	
8260C	1,2-DICHLOROPROPANE	78-87-5	UG L	0.5	U	
8260C	1,3-DICHLOROBENZENE	541-73-1	UG L	0.5	U	
8260C	1,4-DICHLOROBENZENE	106-46-7	UG L	0.5	U	
8260C	2-BUTANONE	78-93-3	UG L	2.5	U	
8260C	2-HEXANONE	591-78-6	UG L	2.5	U	
8260C	4-METHYL-2-PENTANONE	108-10-1	UG L	2.5	U	
8260C	ACETONE	67-64-1	UG L	2.5	U	
8260C	BENZENE	71-43-2	UG L	0.5	U	
8260C	BROMODICHLOROMETHANE	75-27-4	UG L	0.5	U	
8260C	BROMOFORM	75-25-2	UG L	0.5	U	
8260C	BROMOMETHANE	74-83-9	UG L	1	U	
8260C	CARBON DISULFIDE	75-15-0	UG L	0.5	U	
8260C	CARBON TETRACHLORIDE	56-23-5	UG L	0.5	U	
8260C	CHLOROBENZENE	108-90-7	UG L	0.5	U	
8260C	CHLOROETHANE	75-00-3	UG L	1	U	
8260C	CHLOROFORM	67-66-3	UG L	0.5	U	
8260C	CHLOROMETHANE	74-87-3	UG L	1	U	
8260C	CIS-1,2-DICHLOROETHENE	156-59-2	UG L	0.47	J	
8260C	CIS-1,3-DICHLOROPROPENE	10061-01-5	UG L	0.5	U	
8260C	CYCLOHEXANE	110-82-7	UG L	0.5	U	
8260C	DIBROMOCHLOROMETHANE	124-48-1	UG L	0.5	U	
8260C	DICHLORODIFLUOROMETHANE	75-71-8	UG L	1	U	
8260C	ETHYLBENZENE	100-41-4	UG L	0.5	U	
8260C	ISOPROPYLBENZENE	98-82-8	UG L	0.5	U	
8260C	M- AND P-XYLENE	108-38-3/106-42	UG L	1	U	
8260C	METHYL ACETATE	79-20-9	UG L	0.75	U	
8260C	METHYL CYCLOHEXANE	108-87-2	UG L	0.5	U	
8260C	METHYL TERT-BUTYL ETHER	1634-04-4	UG L	0.5	U	
8260C	METHYLENE CHLORIDE	75-09-2	UG L	2.5	U	
8260C	O-XYLENE	95-47-6	UG L	0.5	U	
8260C	STYRENE	100-42-5	UG L	0.5	U	
8260C	TETRACHLOROETHENE	127-18-4	UG L	2.2		
8260C	TOLUENE	108-88-3	UG L	0.5	U	
8260C	TRANS-1,2-DICHLOROETHENE	156-60-5	UG L	0.5	U	
8260C	TRANS-1,3-DICHLOROPROPENE	10061-02-6	UG L	0.5	U	
8260C	TRICHLOROETHENE	79-01-6	UG L	9.5		
8260C	TRICHLOROFLUOROMETHANE	75-69-4	UG L	1	U	
8260C	VINYL CHLORIDE	75-01-4	UG L	1	U	
8260C	XYLENES, TOTAL	1330-20-7	UG L	1.5	U	
8270D SIM	1,4-DIOXANE	123-91-1	UG L	2.8		

Notes:

UG_L = Micrograms per liter
NA = Not applicable
Qual = Final qualifiers (See Attachment)
RC = Reason codes (See Attachment)

December 2017
Final Results after Data Review
NWIRP Bethpage OU 2 Regional Groundwater Investigation

Sample Delivery Group Sample Identification Sample Date Sample Type				TK1558 TB02-WQ-120717 12/7/2017 Trip Blank		
Method	Analyte	CAS No	Units	Result	Qual	RC
8260C	1,1,1-TRICHLOROETHANE	71-55-6	UG L	0.5	U	
8260C	1,1,2,2-TETRACHLOROETHANE	79-34-5	UG L	0.5	U	
8260C	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	76-13-1	UG L	0.5	U	
8260C	1,1,2-TRICHLOROETHANE	79-00-5	UG L	0.5	U	
8260C	1,1-DICHLOROETHANE	75-34-3	UG L	0.5	U	
8260C	1,1-DICHLOROETHENE	75-35-4	UG L	0.5	U	
8260C	1,2,4-TRICHLOROBENZENE	120-82-1	UG L	0.5	U	
8260C	1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	UG L	0.75	U	
8260C	1,2-DIBROMOETHANE	106-93-4	UG L	0.5	U	
8260C	1,2-DICHLOROBENZENE	95-50-1	UG L	0.5	U	
8260C	1,2-DICHLOROETHANE	107-06-2	UG L	0.5	U	
8260C	1,2-DICHLOROETHENE, TOTAL	540-59-0	UG L	1	U	
8260C	1,2-DICHLOROPROPANE	78-87-5	UG L	0.5	U	
8260C	1,3-DICHLOROBENZENE	541-73-1	UG L	0.5	U	
8260C	1,4-DICHLOROBENZENE	106-46-7	UG L	0.5	U	
8260C	2-BUTANONE	78-93-3	UG L	2.5	U	
8260C	2-HEXANONE	591-78-6	UG L	2.5	U	
8260C	4-METHYL-2-PENTANONE	108-10-1	UG L	2.5	U	
8260C	ACETONE	67-64-1	UG L	2.5	U	
8260C	BENZENE	71-43-2	UG L	0.5	U	
8260C	BROMODICHLOROMETHANE	75-27-4	UG L	0.5	U	
8260C	BROMOFORM	75-25-2	UG L	0.5	U	
8260C	BROMOMETHANE	74-83-9	UG L	1	U	
8260C	CARBON DISULFIDE	75-15-0	UG L	0.5	U	
8260C	CARBON TETRACHLORIDE	56-23-5	UG L	0.5	U	
8260C	CHLOROBENZENE	108-90-7	UG L	0.5	U	
8260C	CHLOROETHANE	75-00-3	UG L	1	U	
8260C	CHLOROFORM	67-66-3	UG L	0.5	U	
8260C	CHLOROMETHANE	74-87-3	UG L	1	U	
8260C	CIS-1,2-DICHLOROETHENE	156-59-2	UG L	0.5	U	
8260C	CIS-1,3-DICHLOROPROPENE	10061-01-5	UG L	0.5	U	
8260C	CYCLOHEXANE	110-82-7	UG L	0.5	U	
8260C	DIBROMOCHLOROMETHANE	124-48-1	UG L	0.5	U	
8260C	DICHLORODIFLUOROMETHANE	75-71-8	UG L	1	U	
8260C	ETHYLBENZENE	100-41-4	UG L	0.5	U	
8260C	ISOPROPYLBENZENE	98-82-8	UG L	0.5	U	
8260C	M- AND P-XYLENE	108-38-3/106-42	UG L	1	U	
8260C	METHYL ACETATE	79-20-9	UG L	0.75	U	
8260C	METHYL CYCLOHEXANE	108-87-2	UG L	0.5	U	
8260C	METHYL TERT-BUTYL ETHER	1634-04-4	UG L	0.5	U	
8260C	METHYLENE CHLORIDE	75-09-2	UG L	2.5	U	
8260C	O-XYLENE	95-47-6	UG L	0.5	U	
8260C	STYRENE	100-42-5	UG L	0.5	U	
8260C	TETRACHLOROETHENE	127-18-4	UG L	0.5	U	
8260C	TOLUENE	108-88-3	UG L	0.5	U	
8260C	TRANS-1,2-DICHLOROETHENE	156-60-5	UG L	0.5	U	
8260C	TRANS-1,3-DICHLOROPROPENE	10061-02-6	UG L	0.5	U	
8260C	TRICHLOROETHENE	79-01-6	UG L	0.5	U	
8260C	TRICHLOROFLUOROMETHANE	75-69-4	UG L	1	U	
8260C	VINYL CHLORIDE	75-01-4	UG L	1	U	
8260C	XYLENES, TOTAL	1330-20-7	UG L	1.5	U	
8270D SIM	1,4-DIOXANE	123-91-1	UG L	NA		

Notes:

UG_L = Micrograms per liter
NA = Not applicable
Qual = Final qualifiers (See Attachment)
RC = Reason codes (See Attachment)

December 2017
Final Results after Data Review
NWIRP Bethpage OU 2 Regional Groundwater Investigation

Sample Delivery Group Sample Identification Sample Date Sample Type				TK1661 DUP02-WQ-121117 12/11/2017 Field Duplicate		
Method	Analyte	CAS No	Units	Result	Qual	RC
8260C	1,1,1-TRICHLOROETHANE	71-55-6	UG L	0.42	J	
8260C	1,1,2,2-TETRACHLOROETHANE	79-34-5	UG L	0.5	U	
8260C	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	76-13-1	UG L	3.1		
8260C	1,1,2-TRICHLOROETHANE	79-00-5	UG L	0.5	U	
8260C	1,1-DICHLOROETHANE	75-34-3	UG L	0.5	U	
8260C	1,1-DICHLOROETHENE	75-35-4	UG L	0.5	U	
8260C	1,2,4-TRICHLOROBENZENE	120-82-1	UG L	0.5	U	
8260C	1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	UG L	0.75	U	
8260C	1,2-DIBROMOETHANE	106-93-4	UG L	0.5	U	
8260C	1,2-DICHLOROBENZENE	95-50-1	UG L	0.5	U	
8260C	1,2-DICHLOROETHANE	107-06-2	UG L	0.5	U	
8260C	1,2-DICHLOROETHENE, TOTAL	540-59-0	UG L	0.86	J	
8260C	1,2-DICHLOROPROPANE	78-87-5	UG L	0.5	U	
8260C	1,3-DICHLOROBENZENE	541-73-1	UG L	0.5	U	
8260C	1,4-DICHLOROBENZENE	106-46-7	UG L	0.5	U	
8260C	2-BUTANONE	78-93-3	UG L	2.5	U	
8260C	2-HEXANONE	591-78-6	UG L	2.5	U	
8260C	4-METHYL-2-PENTANONE	108-10-1	UG L	2.5	U	
8260C	ACETONE	67-64-1	UG L	2.5	U	
8260C	BENZENE	71-43-2	UG L	0.5	U	
8260C	BROMODICHLOROMETHANE	75-27-4	UG L	0.5	U	
8260C	BROMOFORM	75-25-2	UG L	0.5	U	
8260C	BROMOMETHANE	74-83-9	UG L	1	U	
8260C	CARBON DISULFIDE	75-15-0	UG L	0.5	U	
8260C	CARBON TETRACHLORIDE	56-23-5	UG L	0.6	J	
8260C	CHLOROBENZENE	108-90-7	UG L	0.5	U	
8260C	CHLOROETHANE	75-00-3	UG L	1	U	
8260C	CHLOROFORM	67-66-3	UG L	0.5	U	
8260C	CHLOROMETHANE	74-87-3	UG L	1	U	
8260C	CIS-1,2-DICHLOROETHENE	156-59-2	UG L	0.86	J	
8260C	CIS-1,3-DICHLOROPROPENE	10061-01-5	UG L	0.5	U	
8260C	CYCLOHEXANE	110-82-7	UG L	0.5	U	
8260C	DIBROMOCHLOROMETHANE	124-48-1	UG L	0.5	U	
8260C	DICHLORODIFLUOROMETHANE	75-71-8	UG L	0.4	J	
8260C	ETHYLBENZENE	100-41-4	UG L	0.5	U	
8260C	ISOPROPYLBENZENE	98-82-8	UG L	0.5	U	
8260C	M- AND P-XYLENE	108-38-3/106-42	UG L	1	U	
8260C	METHYL ACETATE	79-20-9	UG L	0.75	U	
8260C	METHYL CYCLOHEXANE	108-87-2	UG L	0.5	U	
8260C	METHYL TERT-BUTYL ETHER	1634-04-4	UG L	0.5	U	
8260C	METHYLENE CHLORIDE	75-09-2	UG L	2.5	U	
8260C	O-XYLENE	95-47-6	UG L	0.5	U	
8260C	STYRENE	100-42-5	UG L	0.5	U	
8260C	TETRACHLOROETHENE	127-18-4	UG L	0.6	J	
8260C	TOLUENE	108-88-3	UG L	0.5	U	
8260C	TRANS-1,2-DICHLOROETHENE	156-60-5	UG L	0.5	U	
8260C	TRANS-1,3-DICHLOROPROPENE	10061-02-6	UG L	0.5	U	
8260C	TRICHLOROETHENE	79-01-6	UG L	66		
8260C	TRICHLOROFLUOROMETHANE	75-69-4	UG L	1	U	
8260C	VINYL CHLORIDE	75-01-4	UG L	1	U	
8260C	XYLENES, TOTAL	1330-20-7	UG L	1.5	U	
8270D SIM	1,4-DIOXANE	123-91-1	UG L	8.5		

Notes:

- UG_L = Micrograms per liter
- NA = Not applicable
- Qual = Final qualifiers (See Attachment)
- RC = Reason codes (See Attachment)

December 2017
Final Results after Data Review
NWIRP Bethpage OU 2 Regional Groundwater Investigation

Sample Delivery Group Sample Identification Sample Date Sample Type				TK1661 RE109D1-GW-121117 12/11/2017 Groundwater		
Method	Analyte	CAS No	Units	Result	Qual	RC
8260C	1,1,1-TRICHLOROETHANE	71-55-6	UG L	0.5	U	
8260C	1,1,2,2-TETRACHLOROETHANE	79-34-5	UG L	0.5	U	
8260C	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	76-13-1	UG L	0.83	J	
8260C	1,1,2-TRICHLOROETHANE	79-00-5	UG L	0.5	U	
8260C	1,1-DICHLOROETHANE	75-34-3	UG L	0.5	U	
8260C	1,1-DICHLOROETHENE	75-35-4	UG L	0.5	U	
8260C	1,2,4-TRICHLOROBENZENE	120-82-1	UG L	0.5	U	
8260C	1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	UG L	0.75	U	
8260C	1,2-DIBROMOETHANE	106-93-4	UG L	0.5	U	
8260C	1,2-DICHLOROBENZENE	95-50-1	UG L	0.5	U	
8260C	1,2-DICHLOROETHANE	107-06-2	UG L	0.5	U	
8260C	1,2-DICHLOROETHENE, TOTAL	540-59-0	UG L	1	U	
8260C	1,2-DICHLOROPROPANE	78-87-5	UG L	0.5	U	
8260C	1,3-DICHLOROBENZENE	541-73-1	UG L	0.5	U	
8260C	1,4-DICHLOROBENZENE	106-46-7	UG L	0.5	U	
8260C	2-BUTANONE	78-93-3	UG L	2.5	U	
8260C	2-HEXANONE	591-78-6	UG L	2.5	U	
8260C	4-METHYL-2-PENTANONE	108-10-1	UG L	2.5	U	
8260C	ACETONE	67-64-1	UG L	2.5	U	
8260C	BENZENE	71-43-2	UG L	0.5	U	
8260C	BROMODICHLOROMETHANE	75-27-4	UG L	0.5	U	
8260C	BROMOFORM	75-25-2	UG L	0.5	U	
8260C	BROMOMETHANE	74-83-9	UG L	1	U	
8260C	CARBON DISULFIDE	75-15-0	UG L	0.5	U	
8260C	CARBON TETRACHLORIDE	56-23-5	UG L	0.5	U	
8260C	CHLOROBENZENE	108-90-7	UG L	0.5	U	
8260C	CHLOROETHANE	75-00-3	UG L	1	U	
8260C	CHLOROFORM	67-66-3	UG L	0.5	U	
8260C	CHLOROMETHANE	74-87-3	UG L	1	U	
8260C	CIS-1,2-DICHLOROETHENE	156-59-2	UG L	0.5	U	
8260C	CIS-1,3-DICHLOROPROPENE	10061-01-5	UG L	0.5	U	
8260C	CYCLOHEXANE	110-82-7	UG L	0.5	U	
8260C	DIBROMOCHLOROMETHANE	124-48-1	UG L	0.5	U	
8260C	DICHLORODIFLUOROMETHANE	75-71-8	UG L	1	U	
8260C	ETHYLBENZENE	100-41-4	UG L	0.5	U	
8260C	ISOPROPYLBENZENE	98-82-8	UG L	0.5	U	
8260C	M- AND P-XYLENE	108-38-3/106-42	UG L	1	U	
8260C	METHYL ACETATE	79-20-9	UG L	0.75	U	
8260C	METHYL CYCLOHEXANE	108-87-2	UG L	0.5	U	
8260C	METHYL TERT-BUTYL ETHER	1634-04-4	UG L	0.5	U	
8260C	METHYLENE CHLORIDE	75-09-2	UG L	2.5	U	
8260C	O-XYLENE	95-47-6	UG L	0.5	U	
8260C	STYRENE	100-42-5	UG L	0.5	U	
8260C	TETRACHLOROETHENE	127-18-4	UG L	0.65	J	
8260C	TOLUENE	108-88-3	UG L	0.5	U	
8260C	TRANS-1,2-DICHLOROETHENE	156-60-5	UG L	0.5	U	
8260C	TRANS-1,3-DICHLOROPROPENE	10061-02-6	UG L	0.5	U	
8260C	TRICHLOROETHENE	79-01-6	UG L	26		
8260C	TRICHLOROFLUOROMETHANE	75-69-4	UG L	1	U	
8260C	VINYL CHLORIDE	75-01-4	UG L	1	U	
8260C	XYLENES, TOTAL	1330-20-7	UG L	1.5	U	
8270D SIM	1,4-DIOXANE	123-91-1	UG L	8.4		

Notes:

UG_L = Micrograms per liter
 NA = Not applicable
 Qual = Final qualifiers (See Attachment)
 RC = Reason codes (See Attachment)

December 2017
Final Results after Data Review
NWIRP Bethpage OU 2 Regional Groundwater Investigation

Sample Delivery Group Sample Identification Sample Date Sample Type				TK1661 RE109D2-GW-121117 12/11/2017 Groundwater		
Method	Analyte	CAS No	Units	Result	Qual	RC
8260C	1,1,1-TRICHLOROETHANE	71-55-6	UG L	0.5	U	
8260C	1,1,2,2-TETRACHLOROETHANE	79-34-5	UG L	0.5	U	
8260C	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	76-13-1	UG L	0.91	J	
8260C	1,1,2-TRICHLOROETHANE	79-00-5	UG L	0.5	U	
8260C	1,1-DICHLOROETHANE	75-34-3	UG L	0.5	U	
8260C	1,1-DICHLOROETHENE	75-35-4	UG L	0.5	U	
8260C	1,2,4-TRICHLOROBENZENE	120-82-1	UG L	0.5	U	
8260C	1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	UG L	0.75	U	
8260C	1,2-DIBROMOETHANE	106-93-4	UG L	0.5	U	
8260C	1,2-DICHLOROBENZENE	95-50-1	UG L	0.5	U	
8260C	1,2-DICHLOROETHANE	107-06-2	UG L	0.5	U	
8260C	1,2-DICHLOROETHENE, TOTAL	540-59-0	UG L	0.23	J	
8260C	1,2-DICHLOROPROPANE	78-87-5	UG L	0.5	U	
8260C	1,3-DICHLOROBENZENE	541-73-1	UG L	0.5	U	
8260C	1,4-DICHLOROBENZENE	106-46-7	UG L	0.5	U	
8260C	2-BUTANONE	78-93-3	UG L	2.5	U	
8260C	2-HEXANONE	591-78-6	UG L	2.5	U	
8260C	4-METHYL-2-PENTANONE	108-10-1	UG L	2.5	U	
8260C	ACETONE	67-64-1	UG L	2.5	U	
8260C	BENZENE	71-43-2	UG L	0.5	U	
8260C	BROMODICHLOROMETHANE	75-27-4	UG L	0.5	U	
8260C	BROMOFORM	75-25-2	UG L	0.5	U	
8260C	BROMOMETHANE	74-83-9	UG L	1	U	
8260C	CARBON DISULFIDE	75-15-0	UG L	0.5	U	
8260C	CARBON TETRACHLORIDE	56-23-5	UG L	0.5	U	
8260C	CHLOROBENZENE	108-90-7	UG L	0.5	U	
8260C	CHLOROETHANE	75-00-3	UG L	1	U	
8260C	CHLOROFORM	67-66-3	UG L	0.5	U	
8260C	CHLOROMETHANE	74-87-3	UG L	1	U	
8260C	CIS-1,2-DICHLOROETHENE	156-59-2	UG L	0.23	J	
8260C	CIS-1,3-DICHLOROPROPENE	10061-01-5	UG L	0.5	U	
8260C	CYCLOHEXANE	110-82-7	UG L	0.5	U	
8260C	DIBROMOCHLOROMETHANE	124-48-1	UG L	0.5	U	
8260C	DICHLORODIFLUOROMETHANE	75-71-8	UG L	1	U	
8260C	ETHYLBENZENE	100-41-4	UG L	0.5	U	
8260C	ISOPROPYLBENZENE	98-82-8	UG L	0.5	U	
8260C	M- AND P-XYLENE	108-38-3/106-42	UG L	1	U	
8260C	METHYL ACETATE	79-20-9	UG L	0.75	U	
8260C	METHYL CYCLOHEXANE	108-87-2	UG L	0.5	U	
8260C	METHYL TERT-BUTYL ETHER	1634-04-4	UG L	0.5	U	
8260C	METHYLENE CHLORIDE	75-09-2	UG L	2.5	U	
8260C	O-XYLENE	95-47-6	UG L	0.5	U	
8260C	STYRENE	100-42-5	UG L	0.5	U	
8260C	TETRACHLOROETHENE	127-18-4	UG L	0.5	U	
8260C	TOLUENE	108-88-3	UG L	0.5	U	
8260C	TRANS-1,2-DICHLOROETHENE	156-60-5	UG L	0.5	U	
8260C	TRANS-1,3-DICHLOROPROPENE	10061-02-6	UG L	0.5	U	
8260C	TRICHLOROETHENE	79-01-6	UG L	29		
8260C	TRICHLOROFLUOROMETHANE	75-69-4	UG L	1	U	
8260C	VINYL CHLORIDE	75-01-4	UG L	1	U	
8260C	XYLENES, TOTAL	1330-20-7	UG L	1.5	U	
8270D SIM	1,4-DIOXANE	123-91-1	UG L	7.6		

Notes:

UG_L = Micrograms per liter
NA = Not applicable
Qual = Final qualifiers (See Attachment)
RC = Reason codes (See Attachment)

December 2017
Final Results after Data Review
NWIRP Bethpage OU 2 Regional Groundwater Investigation

Sample Delivery Group Sample Identification Sample Date Sample Type				TK1661 RE109D3-GW-121117 12/11/2017 Groundwater		
Method	Analyte	CAS No	Units	Result	Qual	RC
8260C	1,1,1-TRICHLOROETHANE	71-55-6	UG L	0.47	J	
8260C	1,1,2,2-TETRACHLOROETHANE	79-34-5	UG L	0.5	U	
8260C	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	76-13-1	UG L	3.5		
8260C	1,1,2-TRICHLOROETHANE	79-00-5	UG L	0.5	U	
8260C	1,1-DICHLOROETHANE	75-34-3	UG L	0.5	U	
8260C	1,1-DICHLOROETHENE	75-35-4	UG L	0.5	U	
8260C	1,2,4-TRICHLOROBENZENE	120-82-1	UG L	0.5	U	
8260C	1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	UG L	0.75	U	
8260C	1,2-DIBROMOETHANE	106-93-4	UG L	0.5	U	
8260C	1,2-DICHLOROBENZENE	95-50-1	UG L	0.5	U	
8260C	1,2-DICHLOROETHANE	107-06-2	UG L	0.5	U	
8260C	1,2-DICHLOROETHENE, TOTAL	540-59-0	UG L	0.88	J	
8260C	1,2-DICHLOROPROPANE	78-87-5	UG L	0.5	U	
8260C	1,3-DICHLOROBENZENE	541-73-1	UG L	0.5	U	
8260C	1,4-DICHLOROBENZENE	106-46-7	UG L	0.5	U	
8260C	2-BUTANONE	78-93-3	UG L	2.5	U	
8260C	2-HEXANONE	591-78-6	UG L	2.5	U	
8260C	4-METHYL-2-PENTANONE	108-10-1	UG L	2.5	U	
8260C	ACETONE	67-64-1	UG L	2.5	U	
8260C	BENZENE	71-43-2	UG L	0.5	U	
8260C	BROMODICHLOROMETHANE	75-27-4	UG L	0.5	U	
8260C	BROMOFORM	75-25-2	UG L	0.5	U	
8260C	BROMOMETHANE	74-83-9	UG L	1	U	
8260C	CARBON DISULFIDE	75-15-0	UG L	0.5	U	
8260C	CARBON TETRACHLORIDE	56-23-5	UG L	0.66	J	
8260C	CHLOROBENZENE	108-90-7	UG L	0.5	U	
8260C	CHLOROETHANE	75-00-3	UG L	1	U	
8260C	CHLOROFORM	67-66-3	UG L	0.5	U	
8260C	CHLOROMETHANE	74-87-3	UG L	1	U	
8260C	CIS-1,2-DICHLOROETHENE	156-59-2	UG L	0.88	J	
8260C	CIS-1,3-DICHLOROPROPENE	10061-01-5	UG L	0.5	U	
8260C	CYCLOHEXANE	110-82-7	UG L	0.5	U	
8260C	DIBROMOCHLOROMETHANE	124-48-1	UG L	0.5	U	
8260C	DICHLORODIFLUOROMETHANE	75-71-8	UG L	0.38	J	
8260C	ETHYLBENZENE	100-41-4	UG L	0.5	U	
8260C	ISOPROPYLBENZENE	98-82-8	UG L	0.5	U	
8260C	M- AND P-XYLENE	108-38-3/106-42	UG L	1	U	
8260C	METHYL ACETATE	79-20-9	UG L	0.75	U	
8260C	METHYL CYCLOHEXANE	108-87-2	UG L	0.5	U	
8260C	METHYL TERT-BUTYL ETHER	1634-04-4	UG L	0.5	U	
8260C	METHYLENE CHLORIDE	75-09-2	UG L	2.5	U	
8260C	O-XYLENE	95-47-6	UG L	0.5	U	
8260C	STYRENE	100-42-5	UG L	0.5	U	
8260C	TETRACHLOROETHENE	127-18-4	UG L	0.55	J	
8260C	TOLUENE	108-88-3	UG L	0.5	U	
8260C	TRANS-1,2-DICHLOROETHENE	156-60-5	UG L	0.5	U	
8260C	TRANS-1,3-DICHLOROPROPENE	10061-02-6	UG L	0.5	U	
8260C	TRICHLOROETHENE	79-01-6	UG L	65		
8260C	TRICHLOROFLUOROMETHANE	75-69-4	UG L	1	U	
8260C	VINYL CHLORIDE	75-01-4	UG L	1	U	
8260C	XYLENES, TOTAL	1330-20-7	UG L	1.5	U	
8270D SIM	1,4-DIOXANE	123-91-1	UG L	9.1		

Notes:

UG_L = Micrograms per liter
NA = Not applicable
Qual = Final qualifiers (See Attachment)
RC = Reason codes (See Attachment)

December 2017
Final Results after Data Review
NWIRP Bethpage OU 2 Regional Groundwater Investigation

Sample Delivery Group Sample Identification Sample Date Sample Type				TK1661 RE125D1-GW-121117 12/11/2017 Groundwater		
Method	Analyte	CAS No	Units	Result	Qual	RC
8260C	1,1,1-TRICHLOROETHANE	71-55-6	UG L	0.5	U	
8260C	1,1,2,2-TETRACHLOROETHANE	79-34-5	UG L	0.5	U	
8260C	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	76-13-1	UG L	9		
8260C	1,1,2-TRICHLOROETHANE	79-00-5	UG L	0.5	U	
8260C	1,1-DICHLOROETHANE	75-34-3	UG L	1.8		
8260C	1,1-DICHLOROETHENE	75-35-4	UG L	2.2		
8260C	1,2,4-TRICHLOROBENZENE	120-82-1	UG L	0.5	U	
8260C	1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	UG L	0.75	U	
8260C	1,2-DIBROMOETHANE	106-93-4	UG L	0.5	U	
8260C	1,2-DICHLOROBENZENE	95-50-1	UG L	0.5	U	
8260C	1,2-DICHLOROETHANE	107-06-2	UG L	0.5	U	
8260C	1,2-DICHLOROETHENE, TOTAL	540-59-0	UG L	4.1		
8260C	1,2-DICHLOROPROPANE	78-87-5	UG L	0.5	U	
8260C	1,3-DICHLOROBENZENE	541-73-1	UG L	0.5	U	
8260C	1,4-DICHLOROBENZENE	106-46-7	UG L	0.5	U	
8260C	2-BUTANONE	78-93-3	UG L	2.5	U	
8260C	2-HEXANONE	591-78-6	UG L	2.5	U	
8260C	4-METHYL-2-PENTANONE	108-10-1	UG L	2.5	U	
8260C	ACETONE	67-64-1	UG L	2.5	U	
8260C	BENZENE	71-43-2	UG L	0.5	U	
8260C	BROMODICHLOROMETHANE	75-27-4	UG L	0.5	U	
8260C	BROMOFORM	75-25-2	UG L	0.5	U	
8260C	BROMOMETHANE	74-83-9	UG L	1	U	
8260C	CARBON DISULFIDE	75-15-0	UG L	0.5	U	
8260C	CARBON TETRACHLORIDE	56-23-5	UG L	0.5	U	
8260C	CHLOROBENZENE	108-90-7	UG L	0.5	U	
8260C	CHLOROETHANE	75-00-3	UG L	1	U	
8260C	CHLOROFORM	67-66-3	UG L	0.83	J	
8260C	CHLOROMETHANE	74-87-3	UG L	1	U	
8260C	CIS-1,2-DICHLOROETHENE	156-59-2	UG L	4.1		
8260C	CIS-1,3-DICHLOROPROPENE	10061-01-5	UG L	0.5	U	
8260C	CYCLOHEXANE	110-82-7	UG L	0.5	U	
8260C	DIBROMOCHLOROMETHANE	124-48-1	UG L	0.5	U	
8260C	DICHLORODIFLUOROMETHANE	75-71-8	UG L	0.46	J	
8260C	ETHYLBENZENE	100-41-4	UG L	0.5	U	
8260C	ISOPROPYLBENZENE	98-82-8	UG L	0.5	U	
8260C	M- AND P-XYLENE	108-38-3/106-42	UG L	1	U	
8260C	METHYL ACETATE	79-20-9	UG L	0.75	U	
8260C	METHYL CYCLOHEXANE	108-87-2	UG L	0.5	U	
8260C	METHYL TERT-BUTYL ETHER	1634-04-4	UG L	0.5	U	
8260C	METHYLENE CHLORIDE	75-09-2	UG L	2.5	U	
8260C	O-XYLENE	95-47-6	UG L	0.5	U	
8260C	STYRENE	100-42-5	UG L	0.5	U	
8260C	TETRACHLOROETHENE	127-18-4	UG L	4.7		
8260C	TOLUENE	108-88-3	UG L	0.5	U	
8260C	TRANS-1,2-DICHLOROETHENE	156-60-5	UG L	0.5	U	
8260C	TRANS-1,3-DICHLOROPROPENE	10061-02-6	UG L	0.5	U	
8260C	TRICHLOROETHENE	79-01-6	UG L	140		
8260C	TRICHLOROFLUOROMETHANE	75-69-4	UG L	1	U	
8260C	VINYL CHLORIDE	75-01-4	UG L	1	U	
8260C	XYLENES, TOTAL	1330-20-7	UG L	1.5	U	
8270D SIM	1,4-DIOXANE	123-91-1	UG L	14		

Notes:

UG_L = Micrograms per liter
NA = Not applicable
Qual = Final qualifiers (See Attachment)
RC = Reason codes (See Attachment)

December 2017
Final Results after Data Review
NWIRP Bethpage OU 2 Regional Groundwater Investigation

Sample Delivery Group Sample Identification Sample Date Sample Type				TK1661 RE125D2-GW-121117 12/11/2017 Groundwater		
Method	Analyte	CAS No	Units	Result	Qual	RC
8260C	1,1,1-TRICHLOROETHANE	71-55-6	UG L	0.47	J	
8260C	1,1,2,2-TETRACHLOROETHANE	79-34-5	UG L	0.5	U	
8260C	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	76-13-1	UG L	17		
8260C	1,1,2-TRICHLOROETHANE	79-00-5	UG L	0.5	U	
8260C	1,1-DICHLOROETHANE	75-34-3	UG L	0.73	J	
8260C	1,1-DICHLOROETHENE	75-35-4	UG L	6.1		
8260C	1,2,4-TRICHLOROBENZENE	120-82-1	UG L	0.5	U	
8260C	1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	UG L	0.75	U	
8260C	1,2-DIBROMOETHANE	106-93-4	UG L	0.5	U	
8260C	1,2-DICHLOROBENZENE	95-50-1	UG L	0.5	U	
8260C	1,2-DICHLOROETHANE	107-06-2	UG L	0.5	U	
8260C	1,2-DICHLOROETHENE, TOTAL	540-59-0	UG L	3.7		
8260C	1,2-DICHLOROPROPANE	78-87-5	UG L	0.5	U	
8260C	1,3-DICHLOROBENZENE	541-73-1	UG L	0.5	U	
8260C	1,4-DICHLOROBENZENE	106-46-7	UG L	0.5	U	
8260C	2-BUTANONE	78-93-3	UG L	2.5	U	
8260C	2-HEXANONE	591-78-6	UG L	2.5	U	
8260C	4-METHYL-2-PENTANONE	108-10-1	UG L	2.5	U	
8260C	ACETONE	67-64-1	UG L	2.5	U	
8260C	BENZENE	71-43-2	UG L	0.5	U	
8260C	BROMODICHLOROMETHANE	75-27-4	UG L	0.5	U	
8260C	BROMOFORM	75-25-2	UG L	0.5	U	
8260C	BROMOMETHANE	74-83-9	UG L	1	U	
8260C	CARBON DISULFIDE	75-15-0	UG L	0.5	U	
8260C	CARBON TETRACHLORIDE	56-23-5	UG L	0.5	U	
8260C	CHLOROBENZENE	108-90-7	UG L	0.5	U	
8260C	CHLOROETHANE	75-00-3	UG L	1	U	
8260C	CHLOROFORM	67-66-3	UG L	0.44	J	
8260C	CHLOROMETHANE	74-87-3	UG L	1	U	
8260C	CIS-1,2-DICHLOROETHENE	156-59-2	UG L	3.7		
8260C	CIS-1,3-DICHLOROPROPENE	10061-01-5	UG L	0.5	U	
8260C	CYCLOHEXANE	110-82-7	UG L	0.5	U	
8260C	DIBROMOCHLOROMETHANE	124-48-1	UG L	0.5	U	
8260C	DICHLORODIFLUOROMETHANE	75-71-8	UG L	0.53	J	
8260C	ETHYLBENZENE	100-41-4	UG L	0.5	U	
8260C	ISOPROPYLBENZENE	98-82-8	UG L	0.5	U	
8260C	M- AND P-XYLENE	108-38-3/106-42	UG L	1	U	
8260C	METHYL ACETATE	79-20-9	UG L	0.75	U	
8260C	METHYL CYCLOHEXANE	108-87-2	UG L	0.5	U	
8260C	METHYL TERT-BUTYL ETHER	1634-04-4	UG L	0.5	U	
8260C	METHYLENE CHLORIDE	75-09-2	UG L	2.5	U	
8260C	O-XYLENE	95-47-6	UG L	0.5	U	
8260C	STYRENE	100-42-5	UG L	0.5	U	
8260C	TETRACHLOROETHENE	127-18-4	UG L	2.1		
8260C	TOLUENE	108-88-3	UG L	0.5	U	
8260C	TRANS-1,2-DICHLOROETHENE	156-60-5	UG L	0.5	U	
8260C	TRANS-1,3-DICHLOROPROPENE	10061-02-6	UG L	0.5	U	
8260C	TRICHLOROETHENE	79-01-6	UG L	200		
8260C	TRICHLOROFLUOROMETHANE	75-69-4	UG L	1	U	
8260C	VINYL CHLORIDE	75-01-4	UG L	1	U	
8260C	XYLENES, TOTAL	1330-20-7	UG L	1.5	U	
8270D SIM	1,4-DIOXANE	123-91-1	UG L	17		

Notes:

UG_L = Micrograms per liter
NA = Not applicable
Qual = Final qualifiers (See Attachment)
RC = Reason codes (See Attachment)

December 2017
Final Results after Data Review
NWIRP Bethpage OU 2 Regional Groundwater Investigation

Sample Delivery Group Sample Identification Sample Date Sample Type				TK1661 RE125D3-GW-121117 12/11/2017 Groundwater		
Method	Analyte	CAS No	Units	Result	Qual	RC
8260C	1,1,1-TRICHLOROETHANE	71-55-6	UG L	0.5	U	
8260C	1,1,2,2-TETRACHLOROETHANE	79-34-5	UG L	0.5	U	
8260C	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	76-13-1	UG L	35		
8260C	1,1,2-TRICHLOROETHANE	79-00-5	UG L	0.5	U	
8260C	1,1-DICHLOROETHANE	75-34-3	UG L	0.5	U	
8260C	1,1-DICHLOROETHENE	75-35-4	UG L	1		
8260C	1,2,4-TRICHLOROBENZENE	120-82-1	UG L	0.5	U	
8260C	1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	UG L	0.75	U	
8260C	1,2-DIBROMOETHANE	106-93-4	UG L	0.5	U	
8260C	1,2-DICHLOROBENZENE	95-50-1	UG L	0.5	U	
8260C	1,2-DICHLOROETHANE	107-06-2	UG L	0.5	U	
8260C	1,2-DICHLOROETHENE, TOTAL	540-59-0	UG L	1.7	J	
8260C	1,2-DICHLOROPROPANE	78-87-5	UG L	0.5	U	
8260C	1,3-DICHLOROBENZENE	541-73-1	UG L	0.5	U	
8260C	1,4-DICHLOROBENZENE	106-46-7	UG L	0.5	U	
8260C	2-BUTANONE	78-93-3	UG L	2.5	U	
8260C	2-HEXANONE	591-78-6	UG L	2.5	U	
8260C	4-METHYL-2-PENTANONE	108-10-1	UG L	2.5	U	
8260C	ACETONE	67-64-1	UG L	2.5	U	
8260C	BENZENE	71-43-2	UG L	0.5	U	
8260C	BROMODICHLOROMETHANE	75-27-4	UG L	0.5	U	
8260C	BROMOFORM	75-25-2	UG L	0.5	U	
8260C	BROMOMETHANE	74-83-9	UG L	1	U	
8260C	CARBON DISULFIDE	75-15-0	UG L	0.5	U	
8260C	CARBON TETRACHLORIDE	56-23-5	UG L	0.35	J	
8260C	CHLOROBENZENE	108-90-7	UG L	0.5	U	
8260C	CHLOROETHANE	75-00-3	UG L	1	U	
8260C	CHLOROFORM	67-66-3	UG L	0.34	J	
8260C	CHLOROMETHANE	74-87-3	UG L	1	U	
8260C	CIS-1,2-DICHLOROETHENE	156-59-2	UG L	1.7		
8260C	CIS-1,3-DICHLOROPROPENE	10061-01-5	UG L	0.5	U	
8260C	CYCLOHEXANE	110-82-7	UG L	0.5	U	
8260C	DIBROMOCHLOROMETHANE	124-48-1	UG L	0.5	U	
8260C	DICHLORODIFLUOROMETHANE	75-71-8	UG L	0.26	J	
8260C	ETHYLBENZENE	100-41-4	UG L	0.5	U	
8260C	ISOPROPYLBENZENE	98-82-8	UG L	0.5	U	
8260C	M- AND P-XYLENE	108-38-3/106-42	UG L	1	U	
8260C	METHYL ACETATE	79-20-9	UG L	0.75	U	
8260C	METHYL CYCLOHEXANE	108-87-2	UG L	0.5	U	
8260C	METHYL TERT-BUTYL ETHER	1634-04-4	UG L	0.5	U	
8260C	METHYLENE CHLORIDE	75-09-2	UG L	2.5	U	
8260C	O-XYLENE	95-47-6	UG L	0.5	U	
8260C	STYRENE	100-42-5	UG L	0.5	U	
8260C	TETRACHLOROETHENE	127-18-4	UG L	1.7		
8260C	TOLUENE	108-88-3	UG L	0.5	U	
8260C	TRANS-1,2-DICHLOROETHENE	156-60-5	UG L	0.5	U	
8260C	TRANS-1,3-DICHLOROPROPENE	10061-02-6	UG L	0.5	U	
8260C	TRICHLOROETHENE	79-01-6	UG L	150		
8260C	TRICHLOROFLUOROMETHANE	75-69-4	UG L	1	U	
8260C	VINYL CHLORIDE	75-01-4	UG L	1	U	
8260C	XYLENES, TOTAL	1330-20-7	UG L	1.5	U	
8270D SIM	1,4-DIOXANE	123-91-1	UG L	4.6		

Notes:

UG_L = Micrograms per liter
NA = Not applicable
Qual = Final qualifiers (See Attachment)
RC = Reason codes (See Attachment)

December 2017
Final Results after Data Review
NWIRP Bethpage OU 2 Regional Groundwater Investigation

Sample Delivery Group Sample Identification Sample Date Sample Type				TK1661 TB03-WQ-120817 12/8/2017 Trip Blank		
Method	Analyte	CAS No	Units	Result	Qual	RC
8260C	1,1,1-TRICHLOROETHANE	71-55-6	UG L	0.5	U	
8260C	1,1,2,2-TETRACHLOROETHANE	79-34-5	UG L	0.5	U	
8260C	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	76-13-1	UG L	0.5	U	
8260C	1,1,2-TRICHLOROETHANE	79-00-5	UG L	0.5	U	
8260C	1,1-DICHLOROETHANE	75-34-3	UG L	0.5	U	
8260C	1,1-DICHLOROETHENE	75-35-4	UG L	0.5	U	
8260C	1,2,4-TRICHLOROBENZENE	120-82-1	UG L	0.5	U	
8260C	1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	UG L	0.75	U	
8260C	1,2-DIBROMOETHANE	106-93-4	UG L	0.5	U	
8260C	1,2-DICHLOROBENZENE	95-50-1	UG L	0.5	U	
8260C	1,2-DICHLOROETHANE	107-06-2	UG L	0.5	U	
8260C	1,2-DICHLOROETHENE, TOTAL	540-59-0	UG L	1	U	
8260C	1,2-DICHLOROPROPANE	78-87-5	UG L	0.5	U	
8260C	1,3-DICHLOROBENZENE	541-73-1	UG L	0.5	U	
8260C	1,4-DICHLOROBENZENE	106-46-7	UG L	0.5	U	
8260C	2-BUTANONE	78-93-3	UG L	2.5	U	
8260C	2-HEXANONE	591-78-6	UG L	2.5	U	
8260C	4-METHYL-2-PENTANONE	108-10-1	UG L	2.5	U	
8260C	ACETONE	67-64-1	UG L	2.5	U	
8260C	BENZENE	71-43-2	UG L	0.5	U	
8260C	BROMODICHLOROMETHANE	75-27-4	UG L	0.5	U	
8260C	BROMOFORM	75-25-2	UG L	0.5	U	
8260C	BROMOMETHANE	74-83-9	UG L	1	U	
8260C	CARBON DISULFIDE	75-15-0	UG L	0.5	U	
8260C	CARBON TETRACHLORIDE	56-23-5	UG L	0.5	U	
8260C	CHLOROBENZENE	108-90-7	UG L	0.5	U	
8260C	CHLOROETHANE	75-00-3	UG L	1	U	
8260C	CHLOROFORM	67-66-3	UG L	0.5	U	
8260C	CHLOROMETHANE	74-87-3	UG L	1	U	
8260C	CIS-1,2-DICHLOROETHENE	156-59-2	UG L	0.5	U	
8260C	CIS-1,3-DICHLOROPROPENE	10061-01-5	UG L	0.5	U	
8260C	CYCLOHEXANE	110-82-7	UG L	0.5	U	
8260C	DIBROMOCHLOROMETHANE	124-48-1	UG L	0.5	U	
8260C	DICHLORODIFLUOROMETHANE	75-71-8	UG L	1	U	
8260C	ETHYLBENZENE	100-41-4	UG L	0.5	U	
8260C	ISOPROPYLBENZENE	98-82-8	UG L	0.5	U	
8260C	M- AND P-XYLENE	108-38-3/106-42	UG L	1	U	
8260C	METHYL ACETATE	79-20-9	UG L	0.75	U	
8260C	METHYL CYCLOHEXANE	108-87-2	UG L	0.5	U	
8260C	METHYL TERT-BUTYL ETHER	1634-04-4	UG L	0.5	U	
8260C	METHYLENE CHLORIDE	75-09-2	UG L	2.5	U	
8260C	O-XYLENE	95-47-6	UG L	0.5	U	
8260C	STYRENE	100-42-5	UG L	0.5	U	
8260C	TETRACHLOROETHENE	127-18-4	UG L	0.5	U	
8260C	TOLUENE	108-88-3	UG L	0.5	U	
8260C	TRANS-1,2-DICHLOROETHENE	156-60-5	UG L	0.5	U	
8260C	TRANS-1,3-DICHLOROPROPENE	10061-02-6	UG L	0.5	U	
8260C	TRICHLOROETHENE	79-01-6	UG L	0.5	U	
8260C	TRICHLOROFLUOROMETHANE	75-69-4	UG L	1	U	
8260C	VINYL CHLORIDE	75-01-4	UG L	1	U	
8260C	XYLENES, TOTAL	1330-20-7	UG L	1.5	U	
8270D SIM	1,4-DIOXANE	123-91-1	UG L	NA		

Notes:

UG_L = Micrograms per liter
NA = Not applicable
Qual = Final qualifiers (See Attachment)
RC = Reason codes (See Attachment)

December 2017
Final Results after Data Review
NWIRP Bethpage OU 2 Regional Groundwater Investigation

Sample Delivery Group Sample Identification Sample Date Sample Type				TK1661 TT101D1-GW-120817 12/8/2017 Groundwater		
Method	Analyte	CAS No	Units	Result	Qual	RC
8260C	1,1,1-TRICHLOROETHANE	71-55-6	UG L	0.54	J	
8260C	1,1,2,2-TETRACHLOROETHANE	79-34-5	UG L	0.5	U	
8260C	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	76-13-1	UG L	15		
8260C	1,1,2-TRICHLOROETHANE	79-00-5	UG L	0.47	J	
8260C	1,1-DICHLOROETHANE	75-34-3	UG L	1.1		
8260C	1,1-DICHLOROETHENE	75-35-4	UG L	6.3		
8260C	1,2,4-TRICHLOROBENZENE	120-82-1	UG L	0.5	U	
8260C	1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	UG L	0.75	U	
8260C	1,2-DIBROMOETHANE	106-93-4	UG L	0.5	U	
8260C	1,2-DICHLOROBENZENE	95-50-1	UG L	0.5	U	
8260C	1,2-DICHLOROETHANE	107-06-2	UG L	0.5	U	
8260C	1,2-DICHLOROETHENE, TOTAL	540-59-0	UG L	1.9	J	
8260C	1,2-DICHLOROPROPANE	78-87-5	UG L	0.5	U	
8260C	1,3-DICHLOROBENZENE	541-73-1	UG L	0.5	U	
8260C	1,4-DICHLOROBENZENE	106-46-7	UG L	0.5	U	
8260C	2-BUTANONE	78-93-3	UG L	2.5	U	
8260C	2-HEXANONE	591-78-6	UG L	2.5	U	
8260C	4-METHYL-2-PENTANONE	108-10-1	UG L	2.5	U	
8260C	ACETONE	67-64-1	UG L	2.5	U	
8260C	BENZENE	71-43-2	UG L	0.5	U	
8260C	BROMODICHLOROMETHANE	75-27-4	UG L	0.5	U	
8260C	BROMOFORM	75-25-2	UG L	0.5	U	
8260C	BROMOMETHANE	74-83-9	UG L	1	U	
8260C	CARBON DISULFIDE	75-15-0	UG L	0.5	U	
8260C	CARBON TETRACHLORIDE	56-23-5	UG L	1.4		
8260C	CHLOROBENZENE	108-90-7	UG L	0.5	U	
8260C	CHLOROETHANE	75-00-3	UG L	1	U	
8260C	CHLOROFORM	67-66-3	UG L	0.92	J	
8260C	CHLOROMETHANE	74-87-3	UG L	1	U	
8260C	CIS-1,2-DICHLOROETHENE	156-59-2	UG L	1.9		
8260C	CIS-1,3-DICHLOROPROPENE	10061-01-5	UG L	0.5	U	
8260C	CYCLOHEXANE	110-82-7	UG L	0.5	U	
8260C	DIBROMOCHLOROMETHANE	124-48-1	UG L	0.5	U	
8260C	DICHLORODIFLUOROMETHANE	75-71-8	UG L	1.2	J	
8260C	ETHYLBENZENE	100-41-4	UG L	0.5	U	
8260C	ISOPROPYLBENZENE	98-82-8	UG L	0.5	U	
8260C	M- AND P-XYLENE	108-38-3/106-42	UG L	1	U	
8260C	METHYL ACETATE	79-20-9	UG L	0.75	U	
8260C	METHYL CYCLOHEXANE	108-87-2	UG L	0.5	U	
8260C	METHYL TERT-BUTYL ETHER	1634-04-4	UG L	0.5	U	
8260C	METHYLENE CHLORIDE	75-09-2	UG L	2.5	U	
8260C	O-XYLENE	95-47-6	UG L	0.5	U	
8260C	STYRENE	100-42-5	UG L	0.5	U	
8260C	TETRACHLOROETHENE	127-18-4	UG L	0.5	U	
8260C	TOLUENE	108-88-3	UG L	0.5	U	
8260C	TRANS-1,2-DICHLOROETHENE	156-60-5	UG L	0.5	U	
8260C	TRANS-1,3-DICHLOROPROPENE	10061-02-6	UG L	0.5	U	
8260C	TRICHLOROETHENE	79-01-6	UG L	170		
8260C	TRICHLOROFLUOROMETHANE	75-69-4	UG L	1	U	
8260C	VINYL CHLORIDE	75-01-4	UG L	1	U	
8260C	XYLENES, TOTAL	1330-20-7	UG L	1.5	U	
8270D SIM	1,4-DIOXANE	123-91-1	UG L	12		

Notes:

UG_L = Micrograms per liter
NA = Not applicable
Qual = Final qualifiers (See Attachment)
RC = Reason codes (See Attachment)

December 2017
Final Results after Data Review
NWIRP Bethpage OU 2 Regional Groundwater Investigation

Sample Delivery Group Sample Identification Sample Date Sample Type				TK1661 TT101D2-GW-120817 12/8/2017 Groundwater		
Method	Analyte	CAS No	Units	Result	Qual	RC
8260C	1,1,1-TRICHLOROETHANE	71-55-6	UG L	0.39	J	
8260C	1,1,2,2-TETRACHLOROETHANE	79-34-5	UG L	0.5	U	
8260C	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	76-13-1	UG L	25		
8260C	1,1,2-TRICHLOROETHANE	79-00-5	UG L	0.66	J	
8260C	1,1-DICHLOROETHANE	75-34-3	UG L	1.1		
8260C	1,1-DICHLOROETHENE	75-35-4	UG L	5.8		
8260C	1,2,4-TRICHLOROBENZENE	120-82-1	UG L	0.5	U	
8260C	1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	UG L	0.75	U	
8260C	1,2-DIBROMOETHANE	106-93-4	UG L	0.5	U	
8260C	1,2-DICHLOROBENZENE	95-50-1	UG L	0.5	U	
8260C	1,2-DICHLOROETHANE	107-06-2	UG L	0.5	U	
8260C	1,2-DICHLOROETHENE, TOTAL	540-59-0	UG L	1.9	J	
8260C	1,2-DICHLOROPROPANE	78-87-5	UG L	0.5	U	
8260C	1,3-DICHLOROBENZENE	541-73-1	UG L	0.5	U	
8260C	1,4-DICHLOROBENZENE	106-46-7	UG L	0.5	U	
8260C	2-BUTANONE	78-93-3	UG L	2.5	U	
8260C	2-HEXANONE	591-78-6	UG L	2.5	U	
8260C	4-METHYL-2-PENTANONE	108-10-1	UG L	2.5	U	
8260C	ACETONE	67-64-1	UG L	2.5	U	
8260C	BENZENE	71-43-2	UG L	0.5	U	
8260C	BROMODICHLOROMETHANE	75-27-4	UG L	0.5	U	
8260C	BROMOFORM	75-25-2	UG L	0.5	U	
8260C	BROMOMETHANE	74-83-9	UG L	1	U	
8260C	CARBON DISULFIDE	75-15-0	UG L	0.5	U	
8260C	CARBON TETRACHLORIDE	56-23-5	UG L	1.1		
8260C	CHLOROBENZENE	108-90-7	UG L	0.5	U	
8260C	CHLOROETHANE	75-00-3	UG L	1	U	
8260C	CHLOROFORM	67-66-3	UG L	0.97	J	
8260C	CHLOROMETHANE	74-87-3	UG L	1	U	
8260C	CIS-1,2-DICHLOROETHENE	156-59-2	UG L	1.9		
8260C	CIS-1,3-DICHLOROPROPENE	10061-01-5	UG L	0.5	U	
8260C	CYCLOHEXANE	110-82-7	UG L	0.5	U	
8260C	DIBROMOCHLOROMETHANE	124-48-1	UG L	0.5	U	
8260C	DICHLORODIFLUOROMETHANE	75-71-8	UG L	1	U	
8260C	ETHYLBENZENE	100-41-4	UG L	0.5	U	
8260C	ISOPROPYLBENZENE	98-82-8	UG L	0.5	U	
8260C	M- AND P-XYLENE	108-38-3/106-42	UG L	1	U	
8260C	METHYL ACETATE	79-20-9	UG L	0.75	U	
8260C	METHYL CYCLOHEXANE	108-87-2	UG L	0.5	U	
8260C	METHYL TERT-BUTYL ETHER	1634-04-4	UG L	0.5	U	
8260C	METHYLENE CHLORIDE	75-09-2	UG L	2.5	U	
8260C	O-XYLENE	95-47-6	UG L	0.5	U	
8260C	STYRENE	100-42-5	UG L	0.5	U	
8260C	TETRACHLOROETHENE	127-18-4	UG L	1.4		
8260C	TOLUENE	108-88-3	UG L	0.5	U	
8260C	TRANS-1,2-DICHLOROETHENE	156-60-5	UG L	0.5	U	
8260C	TRANS-1,3-DICHLOROPROPENE	10061-02-6	UG L	0.5	U	
8260C	TRICHLOROETHENE	79-01-6	UG L	840		
8260C	TRICHLOROFLUOROMETHANE	75-69-4	UG L	1	U	
8260C	VINYL CHLORIDE	75-01-4	UG L	1	U	
8260C	XYLENES, TOTAL	1330-20-7	UG L	1.5	U	
8270D SIM	1,4-DIOXANE	123-91-1	UG L	4.8		

Notes:

- UG_L = Micrograms per liter
- NA = Not applicable
- Qual = Final qualifiers (See Attachment)
- RC = Reason codes (See Attachment)

December 2017
Final Results after Data Review
NWIRP Bethpage OU 2 Regional Groundwater Investigation

Sample Delivery Group Sample Identification Sample Date Sample Type				TK1661 TT101D-GW-120817 12/8/2017 Groundwater		
Method	Analyte	CAS No	Units	Result	Qual	RC
8260C	1,1,1-TRICHLOROETHANE	71-55-6	UG L	0.5	U	
8260C	1,1,2,2-TETRACHLOROETHANE	79-34-5	UG L	0.5	U	
8260C	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	76-13-1	UG L	13		
8260C	1,1,2-TRICHLOROETHANE	79-00-5	UG L	0.5	U	
8260C	1,1-DICHLOROETHANE	75-34-3	UG L	0.74	J	
8260C	1,1-DICHLOROETHENE	75-35-4	UG L	3		
8260C	1,2,4-TRICHLOROBENZENE	120-82-1	UG L	0.5	U	
8260C	1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	UG L	0.75	U	
8260C	1,2-DIBROMOETHANE	106-93-4	UG L	0.5	U	
8260C	1,2-DICHLOROBENZENE	95-50-1	UG L	0.5	U	
8260C	1,2-DICHLOROETHANE	107-06-2	UG L	0.5	U	
8260C	1,2-DICHLOROETHENE, TOTAL	540-59-0	UG L	2.9		
8260C	1,2-DICHLOROPROPANE	78-87-5	UG L	0.5	U	
8260C	1,3-DICHLOROBENZENE	541-73-1	UG L	0.5	U	
8260C	1,4-DICHLOROBENZENE	106-46-7	UG L	0.5	U	
8260C	2-BUTANONE	78-93-3	UG L	2.5	U	
8260C	2-HEXANONE	591-78-6	UG L	2.5	U	
8260C	4-METHYL-2-PENTANONE	108-10-1	UG L	2.5	U	
8260C	ACETONE	67-64-1	UG L	2.5	U	
8260C	BENZENE	71-43-2	UG L	0.5	U	
8260C	BROMODICHLOROMETHANE	75-27-4	UG L	0.5	U	
8260C	BROMOFORM	75-25-2	UG L	0.5	U	
8260C	BROMOMETHANE	74-83-9	UG L	1	U	
8260C	CARBON DISULFIDE	75-15-0	UG L	0.5	U	
8260C	CARBON TETRACHLORIDE	56-23-5	UG L	0.5	U	
8260C	CHLOROBENZENE	108-90-7	UG L	0.5	U	
8260C	CHLOROETHANE	75-00-3	UG L	1	U	
8260C	CHLOROFORM	67-66-3	UG L	0.5	U	
8260C	CHLOROMETHANE	74-87-3	UG L	1	U	
8260C	CIS-1,2-DICHLOROETHENE	156-59-2	UG L	2.9		
8260C	CIS-1,3-DICHLOROPROPENE	10061-01-5	UG L	0.5	U	
8260C	CYCLOHEXANE	110-82-7	UG L	0.5	U	
8260C	DIBROMOCHLOROMETHANE	124-48-1	UG L	0.5	U	
8260C	DICHLORODIFLUOROMETHANE	75-71-8	UG L	1.8	J	
8260C	ETHYLBENZENE	100-41-4	UG L	0.5	U	
8260C	ISOPROPYLBENZENE	98-82-8	UG L	0.5	U	
8260C	M- AND P-XYLENE	108-38-3/106-42	UG L	1	U	
8260C	METHYL ACETATE	79-20-9	UG L	0.75	U	
8260C	METHYL CYCLOHEXANE	108-87-2	UG L	0.5	U	
8260C	METHYL TERT-BUTYL ETHER	1634-04-4	UG L	0.5	U	
8260C	METHYLENE CHLORIDE	75-09-2	UG L	2.5	U	
8260C	O-XYLENE	95-47-6	UG L	0.5	U	
8260C	STYRENE	100-42-5	UG L	0.5	U	
8260C	TETRACHLOROETHENE	127-18-4	UG L	0.5	U	
8260C	TOLUENE	108-88-3	UG L	0.5	U	
8260C	TRANS-1,2-DICHLOROETHENE	156-60-5	UG L	0.5	U	
8260C	TRANS-1,3-DICHLOROPROPENE	10061-02-6	UG L	0.5	U	
8260C	TRICHLOROETHENE	79-01-6	UG L	66		
8260C	TRICHLOROFLUOROMETHANE	75-69-4	UG L	1	U	
8260C	VINYL CHLORIDE	75-01-4	UG L	1	U	
8260C	XYLENES, TOTAL	1330-20-7	UG L	1.5	U	
8270D SIM	1,4-DIOXANE	123-91-1	UG L	8.5		

Notes:

UG_L = Micrograms per liter
NA = Not applicable
Qual = Final qualifiers (See Attachment)
RC = Reason codes (See Attachment)

December 2017
Final Results after Data Review
NWIRP Bethpage OU 2 Regional Groundwater Investigation

Sample Delivery Group Sample Identification Sample Date Sample Type				TK1751 RE103D1-GW-121317 12/13/2017 Groundwater		
Method	Analyte	CAS No	Units	Result	Qual	RC
8260C	1,1,1-TRICHLOROETHANE	71-55-6	UG L	0.29	J	s
8260C	1,1,2,2-TETRACHLOROETHANE	79-34-5	UG L	0.5	U	
8260C	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	76-13-1	UG L	5.6	J	s
8260C	1,1,2-TRICHLOROETHANE	79-00-5	UG L	0.54	J	s
8260C	1,1-DICHLOROETHANE	75-34-3	UG L	0.87	J	s
8260C	1,1-DICHLOROETHENE	75-35-4	UG L	5	J	s
8260C	1,2,4-TRICHLOROETHENE	120-82-1	UG L	0.5	U	
8260C	1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	UG L	0.75	U	
8260C	1,2-DIBROMOETHANE	106-93-4	UG L	0.5	U	
8260C	1,2-DICHLOROETHANE	95-50-1	UG L	0.5	U	
8260C	1,2-DICHLOROETHANE	107-06-2	UG L	0.5	U	
8260C	1,2-DICHLOROETHENE, TOTAL	540-59-0	UG L	2.7	J	s
8260C	1,2-DICHLOROPROPANE	78-87-5	UG L	0.5	U	
8260C	1,3-DICHLOROETHANE	541-73-1	UG L	0.5	U	
8260C	1,4-DICHLOROETHANE	106-46-7	UG L	0.5	U	
8260C	2-BUTANONE	78-93-3	UG L	2.5	U	
8260C	2-HEXANONE	591-78-6	UG L	2.5	U	
8260C	4-METHYL-2-PENTANONE	108-10-1	UG L	2.5	U	
8260C	ACETONE	67-64-1	UG L	2.5	U	
8260C	BENZENE	71-43-2	UG L	0.5	U	
8260C	BROMODICHLOROMETHANE	75-27-4	UG L	0.5	U	
8260C	BROMOFORM	75-25-2	UG L	0.5	U	
8260C	BROMOMETHANE	74-83-9	UG L	1	U	
8260C	CARBON DISULFIDE	75-15-0	UG L	0.5	U	
8260C	CARBON TETRACHLORIDE	56-23-5	UG L	0.5	U	
8260C	CHLOROETHANE	108-90-7	UG L	0.5	U	
8260C	CHLOROETHANE	75-00-3	UG L	1	U	
8260C	CHLOROFORM	67-66-3	UG L	0.6	J	s
8260C	CHLOROMETHANE	74-87-3	UG L	1	U	
8260C	CIS-1,2-DICHLOROETHENE	156-59-2	UG L	2.7	J	s
8260C	CIS-1,3-DICHLOROPROPENE	10061-01-5	UG L	0.5	U	
8260C	CYCLOHEXANE	110-82-7	UG L	0.5	U	
8260C	DIBROMOCHLOROMETHANE	124-48-1	UG L	0.5	U	
8260C	DICHLORODIFLUOROMETHANE	75-71-8	UG L	1	U	
8260C	ETHYLBENZENE	100-41-4	UG L	0.5	U	
8260C	ISOPROPYLBENZENE	98-82-8	UG L	0.5	U	
8260C	M- AND P-XYLENE	108-38-3/106-42	UG L	1	U	
8260C	METHYL ACETATE	79-20-9	UG L	0.75	U	
8260C	METHYL CYCLOHEXANE	108-87-2	UG L	0.5	U	
8260C	METHYL TERT-BUTYL ETHER	1634-04-4	UG L	0.5	U	
8260C	METHYLENE CHLORIDE	75-09-2	UG L	2.5	U	
8260C	O-XYLENE	95-47-6	UG L	0.5	U	
8260C	STYRENE	100-42-5	UG L	0.5	U	
8260C	TETRACHLOROETHENE	127-18-4	UG L	4	J	s
8260C	TOLUENE	108-88-3	UG L	0.5	U	
8260C	TRANS-1,2-DICHLOROETHENE	156-60-5	UG L	0.5	U	
8260C	TRANS-1,3-DICHLOROPROPENE	10061-02-6	UG L	0.5	U	
8260C	TRICHLOROETHENE	79-01-6	UG L	720	J	s
8260C	TRICHLOROFLUOROMETHANE	75-69-4	UG L	1	U	
8260C	VINYL CHLORIDE	75-01-4	UG L	1	U	
8260C	XYLENES, TOTAL	1330-20-7	UG L	1.5	U	
8270D SIM	1,4-DIOXANE	123-91-1	UG L	19		

Notes:

UG_L = Micrograms per liter
NA = Not applicable
Qual = Final qualifiers (See Attachment)
RC = Reason codes (See Attachment)

December 2017
Final Results after Data Review
NWIRP Bethpage OU 2 Regional Groundwater Investigation

Sample Delivery Group Sample Identification Sample Date Sample Type				TK1751 RE103D2-GW-121317 12/13/2017 Groundwater		
Method	Analyte	CAS No	Units	Result	Qual	RC
8260C	1,1,1-TRICHLOROETHANE	71-55-6	UG L	0.5	U	
8260C	1,1,2,2-TETRACHLOROETHANE	79-34-5	UG L	0.5	U	
8260C	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	76-13-1	UG L	2	J	s
8260C	1,1,2-TRICHLOROETHANE	79-00-5	UG L	0.36	J	s
8260C	1,1-DICHLOROETHANE	75-34-3	UG L	0.56	J	s
8260C	1,1-DICHLOROETHENE	75-35-4	UG L	0.53	J	s
8260C	1,2,4-TRICHLOROETHENE	120-82-1	UG L	0.5	U	
8260C	1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	UG L	0.75	U	
8260C	1,2-DIBROMOETHANE	106-93-4	UG L	0.5	U	
8260C	1,2-DICHLOROETHANE	95-50-1	UG L	0.5	U	
8260C	1,2-DICHLOROETHANE	107-06-2	UG L	0.5	U	
8260C	1,2-DICHLOROETHENE, TOTAL	540-59-0	UG L	0.66	J	s
8260C	1,2-DICHLOROPROPANE	78-87-5	UG L	0.5	U	
8260C	1,3-DICHLOROETHANE	541-73-1	UG L	0.5	U	
8260C	1,4-DICHLOROETHANE	106-46-7	UG L	0.5	U	
8260C	2-BUTANONE	78-93-3	UG L	2.5	U	
8260C	2-HEXANONE	591-78-6	UG L	2.5	U	
8260C	4-METHYL-2-PENTANONE	108-10-1	UG L	2.5	U	
8260C	ACETONE	67-64-1	UG L	2.5	U	
8260C	BENZENE	71-43-2	UG L	0.5	U	
8260C	BROMODICHLOROMETHANE	75-27-4	UG L	0.5	U	
8260C	BROMOFORM	75-25-2	UG L	0.5	U	
8260C	BROMOMETHANE	74-83-9	UG L	1	U	
8260C	CARBON DISULFIDE	75-15-0	UG L	0.5	U	
8260C	CARBON TETRACHLORIDE	56-23-5	UG L	0.31	J	s
8260C	CHLOROETHANE	108-90-7	UG L	0.5	U	
8260C	CHLOROETHANE	75-00-3	UG L	1	U	
8260C	CHLOROFORM	67-66-3	UG L	0.72	J	s
8260C	CHLOROMETHANE	74-87-3	UG L	1	U	
8260C	CIS-1,2-DICHLOROETHENE	156-59-2	UG L	0.66	J	s
8260C	CIS-1,3-DICHLOROPROPENE	10061-01-5	UG L	0.5	U	
8260C	CYCLOHEXANE	110-82-7	UG L	0.5	U	
8260C	DIBROMOCHLOROMETHANE	124-48-1	UG L	0.5	U	
8260C	DICHLORODIFLUOROMETHANE	75-71-8	UG L	1	U	
8260C	ETHYLBENZENE	100-41-4	UG L	0.5	U	
8260C	ISOPROPYLBENZENE	98-82-8	UG L	0.5	U	
8260C	M- AND P-XYLENE	108-38-3/106-42	UG L	1	U	
8260C	METHYL ACETATE	79-20-9	UG L	0.75	U	
8260C	METHYL CYCLOHEXANE	108-87-2	UG L	0.5	U	
8260C	METHYL TERT-BUTYL ETHER	1634-04-4	UG L	0.5	U	
8260C	METHYLENE CHLORIDE	75-09-2	UG L	2.5	U	
8260C	O-XYLENE	95-47-6	UG L	0.5	U	
8260C	STYRENE	100-42-5	UG L	0.5	U	
8260C	TETRACHLOROETHENE	127-18-4	UG L	0.64	J	s
8260C	TOLUENE	108-88-3	UG L	0.5	U	
8260C	TRANS-1,2-DICHLOROETHENE	156-60-5	UG L	0.5	U	
8260C	TRANS-1,3-DICHLOROPROPENE	10061-02-6	UG L	0.5	U	
8260C	TRICHLOROETHENE	79-01-6	UG L	530	J	s
8260C	TRICHLOROFLUOROMETHANE	75-69-4	UG L	1	U	
8260C	VINYL CHLORIDE	75-01-4	UG L	1	U	
8260C	XYLENES, TOTAL	1330-20-7	UG L	1.5	U	
8270D SIM	1,4-DIOXANE	123-91-1	UG L	1.9		

Notes:

- UG_L = Micrograms per liter
- NA = Not applicable
- Qual = Final qualifiers (See Attachment)
- RC = Reason codes (See Attachment)

December 2017
Final Results after Data Review
NWIRP Bethpage OU 2 Regional Groundwater Investigation

Sample Delivery Group Sample Identification Sample Date Sample Type				TK1751 RE103D3-GW-121317 12/13/2017 Groundwater		
Method	Analyte	CAS No	Units	Result	Qual	RC
8260C	1,1,1-TRICHLOROETHANE	71-55-6	UG L	0.5	U	
8260C	1,1,2,2-TETRACHLOROETHANE	79-34-5	UG L	0.5	U	
8260C	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	76-13-1	UG L	2		
8260C	1,1,2-TRICHLOROETHANE	79-00-5	UG L	0.5	U	
8260C	1,1-DICHLOROETHANE	75-34-3	UG L	0.5	U	
8260C	1,1-DICHLOROETHENE	75-35-4	UG L	0.5	U	
8260C	1,2,4-TRICHLOROBENZENE	120-82-1	UG L	0.5	U	
8260C	1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	UG L	0.75	U	
8260C	1,2-DIBROMOETHANE	106-93-4	UG L	0.5	U	
8260C	1,2-DICHLOROBENZENE	95-50-1	UG L	0.5	U	
8260C	1,2-DICHLOROETHANE	107-06-2	UG L	0.5	U	
8260C	1,2-DICHLOROETHENE, TOTAL	540-59-0	UG L	0.58	J	
8260C	1,2-DICHLOROPROPANE	78-87-5	UG L	0.5	U	
8260C	1,3-DICHLOROBENZENE	541-73-1	UG L	0.5	U	
8260C	1,4-DICHLOROBENZENE	106-46-7	UG L	0.5	U	
8260C	2-BUTANONE	78-93-3	UG L	2.5	U	
8260C	2-HEXANONE	591-78-6	UG L	2.5	U	
8260C	4-METHYL-2-PENTANONE	108-10-1	UG L	2.5	U	
8260C	ACETONE	67-64-1	UG L	2.5	U	
8260C	BENZENE	71-43-2	UG L	0.5	U	
8260C	BROMODICHLOROMETHANE	75-27-4	UG L	0.5	U	
8260C	BROMOFORM	75-25-2	UG L	0.5	U	
8260C	BROMOMETHANE	74-83-9	UG L	1	U	
8260C	CARBON DISULFIDE	75-15-0	UG L	0.5	U	
8260C	CARBON TETRACHLORIDE	56-23-5	UG L	0.5	U	
8260C	CHLOROBENZENE	108-90-7	UG L	0.5	U	
8260C	CHLOROETHANE	75-00-3	UG L	1	U	
8260C	CHLOROFORM	67-66-3	UG L	0.51	J	
8260C	CHLOROMETHANE	74-87-3	UG L	1	U	
8260C	CIS-1,2-DICHLOROETHENE	156-59-2	UG L	0.58	J	
8260C	CIS-1,3-DICHLOROPROPENE	10061-01-5	UG L	0.5	U	
8260C	CYCLOHEXANE	110-82-7	UG L	0.5	U	
8260C	DIBROMOCHLOROMETHANE	124-48-1	UG L	0.5	U	
8260C	DICHLORODIFLUOROMETHANE	75-71-8	UG L	1	U	
8260C	ETHYLBENZENE	100-41-4	UG L	0.5	U	
8260C	ISOPROPYLBENZENE	98-82-8	UG L	0.5	U	
8260C	M- AND P-XYLENE	108-38-3/106-42	UG L	1	U	
8260C	METHYL ACETATE	79-20-9	UG L	0.75	U	
8260C	METHYL CYCLOHEXANE	108-87-2	UG L	0.5	U	
8260C	METHYL TERT-BUTYL ETHER	1634-04-4	UG L	0.5	U	
8260C	METHYLENE CHLORIDE	75-09-2	UG L	2.5	U	
8260C	O-XYLENE	95-47-6	UG L	0.5	U	
8260C	STYRENE	100-42-5	UG L	0.5	U	
8260C	TETRACHLOROETHENE	127-18-4	UG L	0.5	U	
8260C	TOLUENE	108-88-3	UG L	0.5	U	
8260C	TRANS-1,2-DICHLOROETHENE	156-60-5	UG L	0.5	U	
8260C	TRANS-1,3-DICHLOROPROPENE	10061-02-6	UG L	0.5	U	
8260C	TRICHLOROETHENE	79-01-6	UG L	390		
8260C	TRICHLOROFLUOROMETHANE	75-69-4	UG L	1	U	
8260C	VINYL CHLORIDE	75-01-4	UG L	1	U	
8260C	XYLENES, TOTAL	1330-20-7	UG L	1.5	U	
8270D SIM	1,4-DIOXANE	123-91-1	UG L	1.1		

Notes:

UG_L = Micrograms per liter
NA = Not applicable
Qual = Final qualifiers (See Attachment)
RC = Reason codes (See Attachment)

December 2017
Final Results after Data Review
NWIRP Bethpage OU 2 Regional Groundwater Investigation

Sample Delivery Group Sample Identification Sample Date Sample Type				TK1751 RE117D1-GW-121317 12/13/2017 Groundwater		
Method	Analyte	CAS No	Units	Result	Qual	RC
8260C	1,1,1-TRICHLOROETHANE	71-55-6	UG L	0.5	U	
8260C	1,1,2,2-TETRACHLOROETHANE	79-34-5	UG L	0.5	U	
8260C	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	76-13-1	UG L	0.5	U	
8260C	1,1,2-TRICHLOROETHANE	79-00-5	UG L	0.5	U	
8260C	1,1-DICHLOROETHANE	75-34-3	UG L	0.5	U	
8260C	1,1-DICHLOROETHENE	75-35-4	UG L	0.5	U	
8260C	1,2,4-TRICHLOROBENZENE	120-82-1	UG L	0.5	U	
8260C	1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	UG L	0.75	U	
8260C	1,2-DIBROMOETHANE	106-93-4	UG L	0.5	U	
8260C	1,2-DICHLOROBENZENE	95-50-1	UG L	0.5	U	
8260C	1,2-DICHLOROETHANE	107-06-2	UG L	0.5	U	
8260C	1,2-DICHLOROETHENE, TOTAL	540-59-0	UG L	1	U	
8260C	1,2-DICHLOROPROPANE	78-87-5	UG L	0.5	U	
8260C	1,3-DICHLOROBENZENE	541-73-1	UG L	0.5	U	
8260C	1,4-DICHLOROBENZENE	106-46-7	UG L	0.5	U	
8260C	2-BUTANONE	78-93-3	UG L	2.5	U	
8260C	2-HEXANONE	591-78-6	UG L	2.5	U	
8260C	4-METHYL-2-PENTANONE	108-10-1	UG L	2.5	U	
8260C	ACETONE	67-64-1	UG L	2.5	U	
8260C	BENZENE	71-43-2	UG L	0.5	U	
8260C	BROMODICHLOROMETHANE	75-27-4	UG L	0.5	U	
8260C	BROMOFORM	75-25-2	UG L	0.5	U	
8260C	BROMOMETHANE	74-83-9	UG L	1	U	
8260C	CARBON DISULFIDE	75-15-0	UG L	0.5	U	
8260C	CARBON TETRACHLORIDE	56-23-5	UG L	0.5	U	
8260C	CHLOROBENZENE	108-90-7	UG L	0.5	U	
8260C	CHLOROETHANE	75-00-3	UG L	1	U	
8260C	CHLOROFORM	67-66-3	UG L	0.5	U	
8260C	CHLOROMETHANE	74-87-3	UG L	1	U	
8260C	CIS-1,2-DICHLOROETHENE	156-59-2	UG L	0.5	U	
8260C	CIS-1,3-DICHLOROPROPENE	10061-01-5	UG L	0.5	U	
8260C	CYCLOHEXANE	110-82-7	UG L	0.5	U	
8260C	DIBROMOCHLOROMETHANE	124-48-1	UG L	0.5	U	
8260C	DICHLORODIFLUOROMETHANE	75-71-8	UG L	1	U	
8260C	ETHYLBENZENE	100-41-4	UG L	0.5	U	
8260C	ISOPROPYLBENZENE	98-82-8	UG L	0.5	U	
8260C	M- AND P-XYLENE	108-38-3/106-42	UG L	1	U	
8260C	METHYL ACETATE	79-20-9	UG L	0.75	U	
8260C	METHYL CYCLOHEXANE	108-87-2	UG L	0.5	U	
8260C	METHYL TERT-BUTYL ETHER	1634-04-4	UG L	0.5	U	
8260C	METHYLENE CHLORIDE	75-09-2	UG L	2.5	U	
8260C	O-XYLENE	95-47-6	UG L	0.5	U	
8260C	STYRENE	100-42-5	UG L	0.5	U	
8260C	TETRACHLOROETHENE	127-18-4	UG L	0.5	U	
8260C	TOLUENE	108-88-3	UG L	0.5	U	
8260C	TRANS-1,2-DICHLOROETHENE	156-60-5	UG L	0.5	U	
8260C	TRANS-1,3-DICHLOROPROPENE	10061-02-6	UG L	0.5	U	
8260C	TRICHLOROETHENE	79-01-6	UG L	13		
8260C	TRICHLOROFLUOROMETHANE	75-69-4	UG L	1	U	
8260C	VINYL CHLORIDE	75-01-4	UG L	1	U	
8260C	XYLENES, TOTAL	1330-20-7	UG L	1.5	U	
8270D SIM	1,4-DIOXANE	123-91-1	UG L	0.18	U	

Notes:

UG_L = Micrograms per liter
NA = Not applicable
Qual = Final qualifiers (See Attachment)
RC = Reason codes (See Attachment)

December 2017
Final Results after Data Review
NWIRP Bethpage OU 2 Regional Groundwater Investigation

Sample Delivery Group Sample Identification Sample Date Sample Type				TK1751 RE117D2-GW-121317 12/13/2017 Groundwater		
Method	Analyte	CAS No	Units	Result	Qual	RC
8260C	1,1,1-TRICHLOROETHANE	71-55-6	UG L	0.5	U	
8260C	1,1,2,2-TETRACHLOROETHANE	79-34-5	UG L	0.5	U	
8260C	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	76-13-1	UG L	0.5	U	
8260C	1,1,2-TRICHLOROETHANE	79-00-5	UG L	0.5	U	
8260C	1,1-DICHLOROETHANE	75-34-3	UG L	0.5	U	
8260C	1,1-DICHLOROETHENE	75-35-4	UG L	0.5	U	
8260C	1,2,4-TRICHLOROBENZENE	120-82-1	UG L	0.5	U	
8260C	1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	UG L	0.75	U	
8260C	1,2-DIBROMOETHANE	106-93-4	UG L	0.5	U	
8260C	1,2-DICHLOROBENZENE	95-50-1	UG L	0.5	U	
8260C	1,2-DICHLOROETHANE	107-06-2	UG L	0.5	U	
8260C	1,2-DICHLOROETHENE, TOTAL	540-59-0	UG L	1	U	
8260C	1,2-DICHLOROPROPANE	78-87-5	UG L	0.5	U	
8260C	1,3-DICHLOROBENZENE	541-73-1	UG L	0.5	U	
8260C	1,4-DICHLOROBENZENE	106-46-7	UG L	0.5	U	
8260C	2-BUTANONE	78-93-3	UG L	2.5	U	
8260C	2-HEXANONE	591-78-6	UG L	2.5	U	
8260C	4-METHYL-2-PENTANONE	108-10-1	UG L	2.5	U	
8260C	ACETONE	67-64-1	UG L	2.5	U	
8260C	BENZENE	71-43-2	UG L	0.5	U	
8260C	BROMODICHLOROMETHANE	75-27-4	UG L	0.5	U	
8260C	BROMOFORM	75-25-2	UG L	0.5	U	
8260C	BROMOMETHANE	74-83-9	UG L	1	U	
8260C	CARBON DISULFIDE	75-15-0	UG L	0.5	U	
8260C	CARBON TETRACHLORIDE	56-23-5	UG L	0.5	U	
8260C	CHLOROBENZENE	108-90-7	UG L	0.5	U	
8260C	CHLOROETHANE	75-00-3	UG L	1	U	
8260C	CHLOROFORM	67-66-3	UG L	0.5	U	
8260C	CHLOROMETHANE	74-87-3	UG L	1	U	
8260C	CIS-1,2-DICHLOROETHENE	156-59-2	UG L	0.5	U	
8260C	CIS-1,3-DICHLOROPROPENE	10061-01-5	UG L	0.5	U	
8260C	CYCLOHEXANE	110-82-7	UG L	0.5	U	
8260C	DIBROMOCHLOROMETHANE	124-48-1	UG L	0.5	U	
8260C	DICHLORODIFLUOROMETHANE	75-71-8	UG L	1	U	
8260C	ETHYLBENZENE	100-41-4	UG L	0.5	U	
8260C	ISOPROPYLBENZENE	98-82-8	UG L	0.5	U	
8260C	M- AND P-XYLENE	108-38-3/106-42	UG L	1	U	
8260C	METHYL ACETATE	79-20-9	UG L	0.75	U	
8260C	METHYL CYCLOHEXANE	108-87-2	UG L	0.5	U	
8260C	METHYL TERT-BUTYL ETHER	1634-04-4	UG L	0.5	U	
8260C	METHYLENE CHLORIDE	75-09-2	UG L	2.5	U	
8260C	O-XYLENE	95-47-6	UG L	0.5	U	
8260C	STYRENE	100-42-5	UG L	0.5	U	
8260C	TETRACHLOROETHENE	127-18-4	UG L	0.5	U	
8260C	TOLUENE	108-88-3	UG L	0.5	U	
8260C	TRANS-1,2-DICHLOROETHENE	156-60-5	UG L	0.5	U	
8260C	TRANS-1,3-DICHLOROPROPENE	10061-02-6	UG L	0.5	U	
8260C	TRICHLOROETHENE	79-01-6	UG L	0.5	U	
8260C	TRICHLOROFLUOROMETHANE	75-69-4	UG L	1	U	
8260C	VINYL CHLORIDE	75-01-4	UG L	1	U	
8260C	XYLENES, TOTAL	1330-20-7	UG L	1.5	U	
8270D SIM	1,4-DIOXANE	123-91-1	UG L	0.17	U	

Notes:

UG_L = Micrograms per liter
NA = Not applicable
Qual = Final qualifiers (See Attachment)
RC = Reason codes (See Attachment)

December 2017
Final Results after Data Review
NWIRP Bethpage OU 2 Regional Groundwater Investigation

Sample Delivery Group Sample Identification Sample Date Sample Type				TK1751 RE120D1-GW-121217 12/12/2017 Groundwater		
Method	Analyte	CAS No	Units	Result	Qual	RC
8260C	1,1,1-TRICHLOROETHANE	71-55-6	UG L	0.94	J	s
8260C	1,1,2,2-TETRACHLOROETHANE	79-34-5	UG L	0.5	U	
8260C	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	76-13-1	UG L	18	J	s
8260C	1,1,2-TRICHLOROETHANE	79-00-5	UG L	0.94	J	s
8260C	1,1-DICHLOROETHANE	75-34-3	UG L	2.2	J	s
8260C	1,1-DICHLOROETHENE	75-35-4	UG L	14	J	s
8260C	1,2,4-TRICHLOROBENZENE	120-82-1	UG L	0.5	U	
8260C	1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	UG L	0.75	U	
8260C	1,2-DIBROMOETHANE	106-93-4	UG L	0.5	U	
8260C	1,2-DICHLOROETHANE	107-06-2	UG L	0.5	U	
8260C	1,2-DICHLOROETHENE, TOTAL	540-59-0	UG L	3.6	J	s
8260C	1,2-DICHLOROPROPANE	78-87-5	UG L	0.5	U	
8260C	1,3-DICHLOROBENZENE	541-73-1	UG L	0.5	U	
8260C	1,4-DICHLOROBENZENE	106-46-7	UG L	0.5	U	
8260C	2-BUTANONE	78-93-3	UG L	2.5	U	
8260C	2-HEXANONE	591-78-6	UG L	2.5	U	
8260C	4-METHYL-2-PENTANONE	108-10-1	UG L	2.5	U	
8260C	ACETONE	67-64-1	UG L	2.5	U	
8260C	BENZENE	71-43-2	UG L	0.5	U	
8260C	BROMODICHLOROMETHANE	75-27-4	UG L	0.5	U	
8260C	BROMOFORM	75-25-2	UG L	0.5	U	
8260C	BROMOMETHANE	74-83-9	UG L	1	U	
8260C	CARBON DISULFIDE	75-15-0	UG L	0.5	U	
8260C	CARBON TETRACHLORIDE	56-23-5	UG L	0.48	J	s
8260C	CHLOROBENZENE	108-90-7	UG L	0.5	U	
8260C	CHLOROETHANE	75-00-3	UG L	1	U	
8260C	CHLOROFORM	67-66-3	UG L	0.74	J	s
8260C	CHLOROMETHANE	74-87-3	UG L	1	U	
8260C	CIS-1,2-DICHLOROETHENE	156-59-2	UG L	3.6	J	s
8260C	CIS-1,3-DICHLOROPROPENE	10061-01-5	UG L	0.5	U	
8260C	CYCLOHEXANE	110-82-7	UG L	0.5	U	
8260C	DIBROMOCHLOROMETHANE	124-48-1	UG L	0.5	U	
8260C	DICHLORODIFLUOROMETHANE	75-71-8	UG L	1	U	
8260C	ETHYLBENZENE	100-41-4	UG L	0.5	U	
8260C	ISOPROPYLBENZENE	98-82-8	UG L	0.5	U	
8260C	M- AND P-XYLENE	108-38-3/106-42	UG L	1	U	
8260C	METHYL ACETATE	79-20-9	UG L	0.75	U	
8260C	METHYL CYCLOHEXANE	108-87-2	UG L	0.5	U	
8260C	METHYL TERT-BUTYL ETHER	1634-04-4	UG L	0.5	U	
8260C	METHYLENE CHLORIDE	75-09-2	UG L	2.5	U	
8260C	O-XYLENE	95-47-6	UG L	0.5	U	
8260C	STYRENE	100-42-5	UG L	0.5	U	
8260C	TETRACHLOROETHENE	127-18-4	UG L	2.5	J	s
8260C	TOLUENE	108-88-3	UG L	0.5	U	
8260C	TRANS-1,2-DICHLOROETHENE	156-60-5	UG L	0.5	U	
8260C	TRANS-1,3-DICHLOROPROPENE	10061-02-6	UG L	0.5	U	
8260C	TRICHLOROETHENE	79-01-6	UG L	990	J	s
8260C	TRICHLOROFLUOROMETHANE	75-69-4	UG L	0.27	J	s
8260C	VINYL CHLORIDE	75-01-4	UG L	1	U	
8260C	XYLENES, TOTAL	1330-20-7	UG L	1.5	U	
8270D SIM	1,4-DIOXANE	123-91-1	UG L	25		

Notes:

UG_L = Micrograms per liter
NA = Not applicable
Qual = Final qualifiers (See Attachment)
RC = Reason codes (See Attachment)

December 2017
Final Results after Data Review
NWIRP Bethpage OU 2 Regional Groundwater Investigation

Sample Delivery Group Sample Identification Sample Date Sample Type				TK1751 RE120D2-GW-121217 12/12/2017 Groundwater		
Method	Analyte	CAS No	Units	Result	Qual	RC
8260C	1,1,1-TRICHLOROETHANE	71-55-6	UG L	0.27	J	s
8260C	1,1,2,2-TETRACHLOROETHANE	79-34-5	UG L	0.5	U	
8260C	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	76-13-1	UG L	15	J	s
8260C	1,1,2-TRICHLOROETHANE	79-00-5	UG L	0.46	J	s
8260C	1,1-DICHLOROETHANE	75-34-3	UG L	0.74	J	s
8260C	1,1-DICHLOROETHENE	75-35-4	UG L	4.1	J	s
8260C	1,2,4-TRICHLOROBENZENE	120-82-1	UG L	0.5	U	
8260C	1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	UG L	0.75	U	
8260C	1,2-DIBROMOETHANE	106-93-4	UG L	0.5	U	
8260C	1,2-DICHLOROBENZENE	95-50-1	UG L	0.5	U	
8260C	1,2-DICHLOROETHANE	107-06-2	UG L	0.5	U	
8260C	1,2-DICHLOROETHENE, TOTAL	540-59-0	UG L	3.3	J	s
8260C	1,2-DICHLOROPROPANE	78-87-5	UG L	0.5	U	
8260C	1,3-DICHLOROBENZENE	541-73-1	UG L	0.5	U	
8260C	1,4-DICHLOROBENZENE	106-46-7	UG L	0.5	U	
8260C	2-BUTANONE	78-93-3	UG L	2.5	U	
8260C	2-HEXANONE	591-78-6	UG L	2.5	U	
8260C	4-METHYL-2-PENTANONE	108-10-1	UG L	2.5	U	
8260C	ACETONE	67-64-1	UG L	2.5	U	
8260C	BENZENE	71-43-2	UG L	0.5	U	
8260C	BROMODICHLOROMETHANE	75-27-4	UG L	0.5	U	
8260C	BROMOFORM	75-25-2	UG L	0.5	U	
8260C	BROMOMETHANE	74-83-9	UG L	1	U	
8260C	CARBON DISULFIDE	75-15-0	UG L	0.5	U	
8260C	CARBON TETRACHLORIDE	56-23-5	UG L	0.62	J	s
8260C	CHLOROBENZENE	108-90-7	UG L	0.5	U	
8260C	CHLOROETHANE	75-00-3	UG L	1	U	
8260C	CHLOROFORM	67-66-3	UG L	0.72	J	s
8260C	CHLOROMETHANE	74-87-3	UG L	1	U	
8260C	CIS-1,2-DICHLOROETHENE	156-59-2	UG L	3.3	J	s
8260C	CIS-1,3-DICHLOROPROPENE	10061-01-5	UG L	0.5	U	
8260C	CYCLOHEXANE	110-82-7	UG L	0.5	U	
8260C	DIBROMOCHLOROMETHANE	124-48-1	UG L	0.5	U	
8260C	DICHLORODIFLUOROMETHANE	75-71-8	UG L	0.26	J	s
8260C	ETHYLBENZENE	100-41-4	UG L	0.5	U	
8260C	ISOPROPYLBENZENE	98-82-8	UG L	0.5	U	
8260C	M- AND P-XYLENE	108-38-3/106-42	UG L	1	U	
8260C	METHYL ACETATE	79-20-9	UG L	0.75	U	
8260C	METHYL CYCLOHEXANE	108-87-2	UG L	0.5	U	
8260C	METHYL TERT-BUTYL ETHER	1634-04-4	UG L	0.5	U	
8260C	METHYLENE CHLORIDE	75-09-2	UG L	2.5	U	
8260C	O-XYLENE	95-47-6	UG L	0.5	U	
8260C	STYRENE	100-42-5	UG L	0.5	U	
8260C	TETRACHLOROETHENE	127-18-4	UG L	3.7	J	s
8260C	TOLUENE	108-88-3	UG L	0.5	U	
8260C	TRANS-1,2-DICHLOROETHENE	156-60-5	UG L	0.5	U	
8260C	TRANS-1,3-DICHLOROPROPENE	10061-02-6	UG L	0.5	U	
8260C	TRICHLOROETHENE	79-01-6	UG L	710	J	s
8260C	TRICHLOROFLUOROMETHANE	75-69-4	UG L	1	U	
8260C	VINYL CHLORIDE	75-01-4	UG L	1	U	
8260C	XYLENES, TOTAL	1330-20-7	UG L	1.5	U	
8270D SIM	1,4-DIOXANE	123-91-1	UG L	16		

Notes:

UG_L = Micrograms per liter
 NA = Not applicable
 Qual = Final qualifiers (See Attachment)
 RC = Reason codes (See Attachment)

December 2017
Final Results after Data Review
NWIRP Bethpage OU 2 Regional Groundwater Investigation

Sample Delivery Group Sample Identification Sample Date Sample Type				TK1751 RE120D3-GW-121217 12/12/2017 Groundwater		
Method	Analyte	CAS No	Units	Result	Qual	RC
8260C	1,1,1-TRICHLOROETHANE	71-55-6	UG L	0.5	U	
8260C	1,1,2,2-TETRACHLOROETHANE	79-34-5	UG L	0.5	U	
8260C	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	76-13-1	UG L	0.76	J	
8260C	1,1,2-TRICHLOROETHANE	79-00-5	UG L	0.5	U	
8260C	1,1-DICHLOROETHANE	75-34-3	UG L	0.5	U	
8260C	1,1-DICHLOROETHENE	75-35-4	UG L	0.5	U	
8260C	1,2,4-TRICHLOROENZENE	120-82-1	UG L	0.5	U	
8260C	1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	UG L	0.75	U	
8260C	1,2-DIBROMOETHANE	106-93-4	UG L	0.5	U	
8260C	1,2-DICHLOROENZENE	95-50-1	UG L	0.5	U	
8260C	1,2-DICHLOROETHANE	107-06-2	UG L	0.5	U	
8260C	1,2-DICHLOROETHENE, TOTAL	540-59-0	UG L	1	U	
8260C	1,2-DICHLOROPROPANE	78-87-5	UG L	0.5	U	
8260C	1,3-DICHLOROENZENE	541-73-1	UG L	0.5	U	
8260C	1,4-DICHLOROENZENE	106-46-7	UG L	0.5	U	
8260C	2-BUTANONE	78-93-3	UG L	2.5	U	
8260C	2-HEXANONE	591-78-6	UG L	2.5	U	
8260C	4-METHYL-2-PENTANONE	108-10-1	UG L	2.5	U	
8260C	ACETONE	67-64-1	UG L	2.5	U	
8260C	BENZENE	71-43-2	UG L	0.5	U	
8260C	BROMODICHLOROMETHANE	75-27-4	UG L	0.5	U	
8260C	BROMOFORM	75-25-2	UG L	0.5	U	
8260C	BROMOMETHANE	74-83-9	UG L	1	U	
8260C	CARBON DISULFIDE	75-15-0	UG L	0.5	U	
8260C	CARBON TETRACHLORIDE	56-23-5	UG L	0.5	U	
8260C	CHLOROENZENE	108-90-7	UG L	0.5	U	
8260C	CHLOROETHANE	75-00-3	UG L	1	U	
8260C	CHLOROFORM	67-66-3	UG L	0.5	U	
8260C	CHLOROMETHANE	74-87-3	UG L	1	U	
8260C	CIS-1,2-DICHLOROETHENE	156-59-2	UG L	0.5	U	
8260C	CIS-1,3-DICHLOROPROPENE	10061-01-5	UG L	0.5	U	
8260C	CYCLOHEXANE	110-82-7	UG L	0.5	U	
8260C	DIBROMOCHLOROMETHANE	124-48-1	UG L	0.5	U	
8260C	DICHLORODIFLUOROMETHANE	75-71-8	UG L	1	U	
8260C	ETHYLBENZENE	100-41-4	UG L	0.5	U	
8260C	ISOPROPYLBENZENE	98-82-8	UG L	0.5	U	
8260C	M- AND P-XYLENE	108-38-3/106-42	UG L	1	U	
8260C	METHYL ACETATE	79-20-9	UG L	0.75	U	
8260C	METHYL CYCLOHEXANE	108-87-2	UG L	0.5	U	
8260C	METHYL TERT-BUTYL ETHER	1634-04-4	UG L	0.5	U	
8260C	METHYLENE CHLORIDE	75-09-2	UG L	2.5	U	
8260C	O-XYLENE	95-47-6	UG L	0.5	U	
8260C	STYRENE	100-42-5	UG L	0.5	U	
8260C	TETRACHLOROETHENE	127-18-4	UG L	0.5	U	
8260C	TOLUENE	108-88-3	UG L	0.5	U	
8260C	TRANS-1,2-DICHLOROETHENE	156-60-5	UG L	0.5	U	
8260C	TRANS-1,3-DICHLOROPROPENE	10061-02-6	UG L	0.5	U	
8260C	TRICHLOROETHENE	79-01-6	UG L	28		
8260C	TRICHLOROFLUOROMETHANE	75-69-4	UG L	1	U	
8260C	VINYL CHLORIDE	75-01-4	UG L	1	U	
8260C	XYLENES, TOTAL	1330-20-7	UG L	1.5	U	
8270D SIM	1,4-DIOXANE	123-91-1	UG L	0.38		

Notes:

UG_L = Micrograms per liter
NA = Not applicable
Qual = Final qualifiers (See Attachment)
RC = Reason codes (See Attachment)

December 2017
Final Results after Data Review
NWIRP Bethpage OU 2 Regional Groundwater Investigation

Sample Delivery Group Sample Identification Sample Date Sample Type				TK1751 RE123D1-GW-121217 12/12/2017 Groundwater		
Method	Analyte	CAS No	Units	Result	Qual	RC
8260C	1,1,1-TRICHLOROETHANE	71-55-6	UG L	0.5	U	
8260C	1,1,2,2-TETRACHLOROETHANE	79-34-5	UG L	0.5	U	
8260C	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	76-13-1	UG L	0.5	U	
8260C	1,1,2-TRICHLOROETHANE	79-00-5	UG L	0.5	U	
8260C	1,1-DICHLOROETHANE	75-34-3	UG L	0.5	U	
8260C	1,1-DICHLOROETHENE	75-35-4	UG L	0.5	U	
8260C	1,2,4-TRICHLOROBENZENE	120-82-1	UG L	0.5	U	
8260C	1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	UG L	0.75	U	
8260C	1,2-DIBROMOETHANE	106-93-4	UG L	0.5	U	
8260C	1,2-DICHLOROBENZENE	95-50-1	UG L	0.5	U	
8260C	1,2-DICHLOROETHANE	107-06-2	UG L	0.5	U	
8260C	1,2-DICHLOROETHENE, TOTAL	540-59-0	UG L	1	U	
8260C	1,2-DICHLOROPROPANE	78-87-5	UG L	0.5	U	
8260C	1,3-DICHLOROBENZENE	541-73-1	UG L	0.5	U	
8260C	1,4-DICHLOROBENZENE	106-46-7	UG L	0.5	U	
8260C	2-BUTANONE	78-93-3	UG L	2.5	U	
8260C	2-HEXANONE	591-78-6	UG L	2.5	U	
8260C	4-METHYL-2-PENTANONE	108-10-1	UG L	2.5	U	
8260C	ACETONE	67-64-1	UG L	2.5	U	
8260C	BENZENE	71-43-2	UG L	0.5	U	
8260C	BROMODICHLOROMETHANE	75-27-4	UG L	0.5	U	
8260C	BROMOFORM	75-25-2	UG L	0.5	U	
8260C	BROMOMETHANE	74-83-9	UG L	1	U	
8260C	CARBON DISULFIDE	75-15-0	UG L	0.5	U	
8260C	CARBON TETRACHLORIDE	56-23-5	UG L	0.5	U	
8260C	CHLOROBENZENE	108-90-7	UG L	0.5	U	
8260C	CHLOROETHANE	75-00-3	UG L	1	U	
8260C	CHLOROFORM	67-66-3	UG L	0.5	U	
8260C	CHLOROMETHANE	74-87-3	UG L	1	U	
8260C	CIS-1,2-DICHLOROETHENE	156-59-2	UG L	0.5	U	
8260C	CIS-1,3-DICHLOROPROPENE	10061-01-5	UG L	0.5	U	
8260C	CYCLOHEXANE	110-82-7	UG L	0.5	U	
8260C	DIBROMOCHLOROMETHANE	124-48-1	UG L	0.5	U	
8260C	DICHLORODIFLUOROMETHANE	75-71-8	UG L	1	U	
8260C	ETHYLBENZENE	100-41-4	UG L	0.5	U	
8260C	ISOPROPYLBENZENE	98-82-8	UG L	0.5	U	
8260C	M- AND P-XYLENE	108-38-3/106-42	UG L	1	U	
8260C	METHYL ACETATE	79-20-9	UG L	0.75	U	
8260C	METHYL CYCLOHEXANE	108-87-2	UG L	0.5	U	
8260C	METHYL TERT-BUTYL ETHER	1634-04-4	UG L	0.5	U	
8260C	METHYLENE CHLORIDE	75-09-2	UG L	2.5	U	
8260C	O-XYLENE	95-47-6	UG L	0.5	U	
8260C	STYRENE	100-42-5	UG L	0.5	U	
8260C	TETRACHLOROETHENE	127-18-4	UG L	0.5	U	
8260C	TOLUENE	108-88-3	UG L	0.5	U	
8260C	TRANS-1,2-DICHLOROETHENE	156-60-5	UG L	0.5	U	
8260C	TRANS-1,3-DICHLOROPROPENE	10061-02-6	UG L	0.5	U	
8260C	TRICHLOROETHENE	79-01-6	UG L	8.4		
8260C	TRICHLOROFLUOROMETHANE	75-69-4	UG L	1	U	
8260C	VINYL CHLORIDE	75-01-4	UG L	1	U	
8260C	XYLENES, TOTAL	1330-20-7	UG L	1.5	U	
8270D SIM	1,4-DIOXANE	123-91-1	UG L	6.2		

Notes:

UG_L = Micrograms per liter
NA = Not applicable
Qual = Final qualifiers (See Attachment)
RC = Reason codes (See Attachment)

December 2017
Final Results after Data Review
NWIRP Bethpage OU 2 Regional Groundwater Investigation

Sample Delivery Group Sample Identification Sample Date Sample Type				TK1751 RE123D2-GW-121217 12/12/2017 Groundwater		
Method	Analyte	CAS No	Units	Result	Qual	RC
8260C	1,1,1-TRICHLOROETHANE	71-55-6	UG L	0.5	U	
8260C	1,1,2,2-TETRACHLOROETHANE	79-34-5	UG L	0.5	U	
8260C	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	76-13-1	UG L	0.5	U	
8260C	1,1,2-TRICHLOROETHANE	79-00-5	UG L	0.5	U	
8260C	1,1-DICHLOROETHANE	75-34-3	UG L	0.5	U	
8260C	1,1-DICHLOROETHENE	75-35-4	UG L	0.5	U	
8260C	1,2,4-TRICHLOROETHENE	120-82-1	UG L	0.5	U	
8260C	1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	UG L	0.75	U	
8260C	1,2-DIBROMOETHANE	106-93-4	UG L	0.5	U	
8260C	1,2-DICHLOROETHANE	107-06-2	UG L	0.5	U	
8260C	1,2-DICHLOROETHENE, TOTAL	540-59-0	UG L	1	U	
8260C	1,2-DICHLOROPROPANE	78-87-5	UG L	0.5	U	
8260C	1,3-DICHLOROETHANE	541-73-1	UG L	0.5	U	
8260C	1,4-DICHLOROETHANE	106-46-7	UG L	0.5	U	
8260C	2-BUTANONE	78-93-3	UG L	2.5	U	
8260C	2-HEXANONE	591-78-6	UG L	2.5	U	
8260C	4-METHYL-2-PENTANONE	108-10-1	UG L	2.5	U	
8260C	ACETONE	67-64-1	UG L	2.5	U	
8260C	BENZENE	71-43-2	UG L	0.5	U	
8260C	BROMODICHLOROMETHANE	75-27-4	UG L	0.5	U	
8260C	BROMOFORM	75-25-2	UG L	0.5	U	
8260C	BROMOMETHANE	74-83-9	UG L	1	U	
8260C	CARBON DISULFIDE	75-15-0	UG L	0.5	U	
8260C	CARBON TETRACHLORIDE	56-23-5	UG L	0.5	U	
8260C	CHLOROETHANE	108-90-7	UG L	0.5	U	
8260C	CHLOROETHANE	75-00-3	UG L	1	U	
8260C	CHLOROFORM	67-66-3	UG L	0.5	U	
8260C	CHLOROMETHANE	74-87-3	UG L	1	U	
8260C	CIS-1,2-DICHLOROETHENE	156-59-2	UG L	0.5	U	
8260C	CIS-1,3-DICHLOROPROPENE	10061-01-5	UG L	0.5	U	
8260C	CYCLOHEXANE	110-82-7	UG L	0.5	U	
8260C	DIBROMOCHLOROMETHANE	124-48-1	UG L	0.5	U	
8260C	DICHLORODIFLUOROMETHANE	75-71-8	UG L	1	U	
8260C	ETHYLBENZENE	100-41-4	UG L	0.5	U	
8260C	ISOPROPYLBENZENE	98-82-8	UG L	0.5	U	
8260C	M- AND P-XYLENE	108-38-3/106-42	UG L	1	U	
8260C	METHYL ACETATE	79-20-9	UG L	0.75	U	
8260C	METHYL CYCLOHEXANE	108-87-2	UG L	0.5	U	
8260C	METHYL TERT-BUTYL ETHER	1634-04-4	UG L	0.5	U	
8260C	METHYLENE CHLORIDE	75-09-2	UG L	2.5	U	
8260C	O-XYLENE	95-47-6	UG L	0.5	U	
8260C	STYRENE	100-42-5	UG L	0.5	U	
8260C	TETRACHLOROETHENE	127-18-4	UG L	1.3		
8260C	TOLUENE	108-88-3	UG L	0.5	U	
8260C	TRANS-1,2-DICHLOROETHENE	156-60-5	UG L	0.5	U	
8260C	TRANS-1,3-DICHLOROPROPENE	10061-02-6	UG L	0.5	U	
8260C	TRICHLOROETHENE	79-01-6	UG L	2.1		
8260C	TRICHLOROFLUOROMETHANE	75-69-4	UG L	1	U	
8260C	VINYL CHLORIDE	75-01-4	UG L	1	U	
8260C	XYLENES, TOTAL	1330-20-7	UG L	1.5	U	
8270D SIM	1,4-DIOXANE	123-91-1	UG L	1.1		

Notes:

- UG_L = Micrograms per liter
- NA = Not applicable
- Qual = Final qualifiers (See Attachment)
- RC = Reason codes (See Attachment)

December 2017
Final Results after Data Review
NWIRP Bethpage OU 2 Regional Groundwater Investigation

Sample Delivery Group Sample Identification Sample Date Sample Type				TK1751 RE123D3-GW-121217 12/12/2017 Groundwater		
Method	Analyte	CAS No	Units	Result	Qual	RC
8260C	1,1,1-TRICHLOROETHANE	71-55-6	UG L	0.5	U	
8260C	1,1,2,2-TETRACHLOROETHANE	79-34-5	UG L	0.5	U	
8260C	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	76-13-1	UG L	0.5	U	
8260C	1,1,2-TRICHLOROETHANE	79-00-5	UG L	0.5	U	
8260C	1,1-DICHLOROETHANE	75-34-3	UG L	0.5	U	
8260C	1,1-DICHLOROETHENE	75-35-4	UG L	0.5	U	
8260C	1,2,4-TRICHLOROBENZENE	120-82-1	UG L	0.5	U	
8260C	1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	UG L	0.75	U	
8260C	1,2-DIBROMOETHANE	106-93-4	UG L	0.5	U	
8260C	1,2-DICHLOROBENZENE	95-50-1	UG L	0.5	U	
8260C	1,2-DICHLOROETHANE	107-06-2	UG L	0.5	U	
8260C	1,2-DICHLOROETHENE, TOTAL	540-59-0	UG L	1	U	
8260C	1,2-DICHLOROPROPANE	78-87-5	UG L	0.5	U	
8260C	1,3-DICHLOROBENZENE	541-73-1	UG L	0.5	U	
8260C	1,4-DICHLOROBENZENE	106-46-7	UG L	0.5	U	
8260C	2-BUTANONE	78-93-3	UG L	2.5	U	
8260C	2-HEXANONE	591-78-6	UG L	2.5	U	
8260C	4-METHYL-2-PENTANONE	108-10-1	UG L	2.5	U	
8260C	ACETONE	67-64-1	UG L	2.5	U	
8260C	BENZENE	71-43-2	UG L	0.5	U	
8260C	BROMODICHLOROMETHANE	75-27-4	UG L	0.5	U	
8260C	BROMOFORM	75-25-2	UG L	0.5	U	
8260C	BROMOMETHANE	74-83-9	UG L	1	U	
8260C	CARBON DISULFIDE	75-15-0	UG L	0.5	U	
8260C	CARBON TETRACHLORIDE	56-23-5	UG L	0.5	U	
8260C	CHLOROBENZENE	108-90-7	UG L	0.5	U	
8260C	CHLOROETHANE	75-00-3	UG L	1	U	
8260C	CHLOROFORM	67-66-3	UG L	0.5	U	
8260C	CHLOROMETHANE	74-87-3	UG L	1	U	
8260C	CIS-1,2-DICHLOROETHENE	156-59-2	UG L	0.5	U	
8260C	CIS-1,3-DICHLOROPROPENE	10061-01-5	UG L	0.5	U	
8260C	CYCLOHEXANE	110-82-7	UG L	0.5	U	
8260C	DIBROMOCHLOROMETHANE	124-48-1	UG L	0.5	U	
8260C	DICHLORODIFLUOROMETHANE	75-71-8	UG L	1	U	
8260C	ETHYLBENZENE	100-41-4	UG L	0.5	U	
8260C	ISOPROPYLBENZENE	98-82-8	UG L	0.5	U	
8260C	M- AND P-XYLENE	108-38-3/106-42	UG L	1	U	
8260C	METHYL ACETATE	79-20-9	UG L	0.75	U	
8260C	METHYL CYCLOHEXANE	108-87-2	UG L	0.5	U	
8260C	METHYL TERT-BUTYL ETHER	1634-04-4	UG L	0.5	U	
8260C	METHYLENE CHLORIDE	75-09-2	UG L	2.5	U	
8260C	O-XYLENE	95-47-6	UG L	0.5	U	
8260C	STYRENE	100-42-5	UG L	0.5	U	
8260C	TETRACHLOROETHENE	127-18-4	UG L	0.5	U	
8260C	TOLUENE	108-88-3	UG L	0.5	U	
8260C	TRANS-1,2-DICHLOROETHENE	156-60-5	UG L	0.5	U	
8260C	TRANS-1,3-DICHLOROPROPENE	10061-02-6	UG L	0.5	U	
8260C	TRICHLOROETHENE	79-01-6	UG L	0.5	U	
8260C	TRICHLOROFLUOROMETHANE	75-69-4	UG L	1	U	
8260C	VINYL CHLORIDE	75-01-4	UG L	1	U	
8260C	XYLENES, TOTAL	1330-20-7	UG L	1.5	U	
8270D SIM	1,4-DIOXANE	123-91-1	UG L	0.18	U	

Notes:

UG_L = Micrograms per liter
 NA = Not applicable
 Qual = Final qualifiers (See Attachment)
 RC = Reason codes (See Attachment)

December 2017
Final Results after Data Review
NWIRP Bethpage OU 2 Regional Groundwater Investigation

Sample Delivery Group Sample Identification Sample Date Sample Type				TK1751 TB04-WQ-121217 12/12/2017 Trip Blank		
Method	Analyte	CAS No	Units	Result	Qual	RC
8260C	1,1,1-TRICHLOROETHANE	71-55-6	UG L	0.5	U	
8260C	1,1,2,2-TETRACHLOROETHANE	79-34-5	UG L	0.5	U	
8260C	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	76-13-1	UG L	0.5	U	
8260C	1,1,2-TRICHLOROETHANE	79-00-5	UG L	0.5	U	
8260C	1,1-DICHLOROETHANE	75-34-3	UG L	0.5	U	
8260C	1,1-DICHLOROETHENE	75-35-4	UG L	0.5	U	
8260C	1,2,4-TRICHLOROBENZENE	120-82-1	UG L	0.5	U	
8260C	1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	UG L	0.75	U	
8260C	1,2-DIBROMOETHANE	106-93-4	UG L	0.5	U	
8260C	1,2-DICHLOROBENZENE	95-50-1	UG L	0.5	U	
8260C	1,2-DICHLOROETHANE	107-06-2	UG L	0.5	U	
8260C	1,2-DICHLOROETHENE, TOTAL	540-59-0	UG L	1	U	
8260C	1,2-DICHLOROPROPANE	78-87-5	UG L	0.5	U	
8260C	1,3-DICHLOROBENZENE	541-73-1	UG L	0.5	U	
8260C	1,4-DICHLOROBENZENE	106-46-7	UG L	0.5	U	
8260C	2-BUTANONE	78-93-3	UG L	2.5	U	
8260C	2-HEXANONE	591-78-6	UG L	2.5	U	
8260C	4-METHYL-2-PENTANONE	108-10-1	UG L	2.5	U	
8260C	ACETONE	67-64-1	UG L	2.5	U	
8260C	BENZENE	71-43-2	UG L	0.5	U	
8260C	BROMODICHLOROMETHANE	75-27-4	UG L	0.5	U	
8260C	BROMOFORM	75-25-2	UG L	0.5	U	
8260C	BROMOMETHANE	74-83-9	UG L	1	U	
8260C	CARBON DISULFIDE	75-15-0	UG L	0.5	U	
8260C	CARBON TETRACHLORIDE	56-23-5	UG L	0.5	U	
8260C	CHLOROBENZENE	108-90-7	UG L	0.5	U	
8260C	CHLOROETHANE	75-00-3	UG L	1	U	
8260C	CHLOROFORM	67-66-3	UG L	0.5	U	
8260C	CHLOROMETHANE	74-87-3	UG L	1	U	
8260C	CIS-1,2-DICHLOROETHENE	156-59-2	UG L	0.5	U	
8260C	CIS-1,3-DICHLOROPROPENE	10061-01-5	UG L	0.5	U	
8260C	CYCLOHEXANE	110-82-7	UG L	0.5	U	
8260C	DIBROMOCHLOROMETHANE	124-48-1	UG L	0.5	U	
8260C	DICHLORODIFLUOROMETHANE	75-71-8	UG L	1	U	
8260C	ETHYLBENZENE	100-41-4	UG L	0.5	U	
8260C	ISOPROPYLBENZENE	98-82-8	UG L	0.5	U	
8260C	M- AND P-XYLENE	108-38-3/106-42	UG L	1	U	
8260C	METHYL ACETATE	79-20-9	UG L	0.75	U	
8260C	METHYL CYCLOHEXANE	108-87-2	UG L	0.5	U	
8260C	METHYL TERT-BUTYL ETHER	1634-04-4	UG L	0.5	U	
8260C	METHYLENE CHLORIDE	75-09-2	UG L	2.5	U	
8260C	O-XYLENE	95-47-6	UG L	0.5	U	
8260C	STYRENE	100-42-5	UG L	0.5	U	
8260C	TETRACHLOROETHENE	127-18-4	UG L	0.5	U	
8260C	TOLUENE	108-88-3	UG L	0.5	U	
8260C	TRANS-1,2-DICHLOROETHENE	156-60-5	UG L	0.5	U	
8260C	TRANS-1,3-DICHLOROPROPENE	10061-02-6	UG L	0.5	U	
8260C	TRICHLOROETHENE	79-01-6	UG L	0.5	U	
8260C	TRICHLOROFLUOROMETHANE	75-69-4	UG L	1	U	
8260C	VINYL CHLORIDE	75-01-4	UG L	1	U	
8260C	XYLENES, TOTAL	1330-20-7	UG L	1.5	U	
8270D SIM	1,4-DIOXANE	123-91-1	UG L	NA		

Notes:

UG_L = Micrograms per liter
NA = Not applicable
Qual = Final qualifiers (See Attachment)
RC = Reason codes (See Attachment)

Attachment
Final Qualifier Codes and Explanations

Qualifier	Explanation
J	The analyte was positively identified; the associated numerical value is the approximate concentration of the analyte in the sample.
UJ	The analyte was not detected above the reported sample quantitation limit. However, the reported quantitation limit is approximate and may or may not represent the actual quantitation limit necessary to accurately and precisely measure the analyte in the sample.
U	The analyte was analyzed for, but was not detected above the reported sample quantitation limit.

Attachment
Reason Codes and Explanations

Reason Code	Explanation
be	Equipment blank contamination
bf	Field blank contamination
bl	Laboratory blank contamination
bm	Missing Blank Information
bt	Trip blank contamination
c	Calibration issue
cr	Chromatographic resolution
d	Reporting limit raised due to chromatographic interference
dt	Dissolved result > total over limit
e	Ether interference
ej	Above calibration range; result estimated.
f	Presumed contamination from FB or ER.
fd	Field duplicate RPDs
h	Holding times
hs	Headspace greater than 6mm in all sample vials
i	Internal standard areas
ii	Injection internal standard area or retention time exceedance
it	Instrument Tune
k	Estimated Maximum Possible Concentrations (EMPC)
l	LCS recoveries
lc	Labeled compound recovery
ld	Laboratory duplicate RPDs (matrix duplicate, MSD, LCSD)
lp	Laboratory control sample/laboratory control sample duplicate RPDs
m	Matrix spike recovery
mc	Deviation from the method
md	MS/MSD precision
nb	Negative laboratory blank contamination
p	Chemical preservation issue
p-h	Uncertainty near detection limit (< Reporting Limit), historical reason code applied.
pe	Post Extraction Spike
q	Quantitation issue
r	Dual column RPD
rt	SIM ions not within + 2 seconds
s	Surrogate recovery
sp	Sample preparation issue
su	Evidence of ion suppression
t	Temperature Preservation Issue
x	Low % solids
y	Serial dilution results
z	ICS results

Appendix C
Analytical Data Validation – ARCADIS

Navy Wells-

Operable Unit 2

Data Review


Bethpage, New York

Volatile and Semi-volatile Analyses

SDGs #JC57674 and JC57675

Analyses Performed By:
Accutest-SGS Laboratories
Dayton, New Jersey

Report #29118R
Review Level: Tier II
Project: NY001496.23TM.NAVI4



SUMMARY

This data quality assessment summarizes the review of Sample Delivery Groups (SDGs) # JC57674 and JC57675 for samples collected in association with the Navy Wells located at the Bethpage Site. The review was conducted as a Tier II evaluation and included review of data package completeness. Only analytical data associated with constituents of concern were reviewed for this validation. Field documentation was not included in this review. Included with this assessment are the validation annotated sample result sheets, and chain of custody. Analyses were performed on the following samples:

SDG Number	Sample ID	Lab ID	Matrix	Sample Collection Date	Parent Sample	Analysis				
						VOC	SVOC	PCB	MET	MISC
JC57674	BPOW 5-7	JC57674-1	Water	12/18/2017		X	X			
	TB121817AD1	JC57674-2	Water	12/18/2017		X				
JC57675	BPOW 6-5	JC57675-1	Water	12/18/2017		X	X			
	BPOW 6-6	JC57675-2	Water	12/18/2017		X	X			
	TB121817PP1	JC57675-3	Water	12/18/2017		X				

Note:

1. EPA Method 522 Semi-volatile analysis for 1,4-Dioxane was performed by GEL Laboratories, LLC, located in Charleston, South Carolina (subcontracted via SGS-Accutest Laboratory). The associated SDGs are: JC57674X/440529 and JC57675X/440526.

ANALYTICAL DATA PACKAGE DOCUMENTATION

The table below is the evaluation of the data package completeness.

Items Reviewed	Reported		Performance Acceptable		Not Required
	No	Yes	No	Yes	
1. Sample receipt condition		X		X	
2. Requested analyses and sample results		X		X	
3. Master tracking list		X		X	
4. Methods of analysis		X		X	
5. Reporting limits		X		X	
6. Sample collection date		X		X	
7. Laboratory sample received date		X		X	
8. Sample preservation verification (as applicable)		X		X	
9. Sample preparation/extraction/analysis dates		X		X	
10. Fully executed Chain-of-Custody (COC) form		X		X	
11. Narrative summary of QA or sample problems provided		X		X	
12. Data Package Completeness and Compliance		X		X	

Note:

QA - Quality Assurance

ORGANIC ANALYSIS INTRODUCTION

Analyses were performed according to United States Environmental Protection Agency (USEPA) methods 524.2 and 522-Selected Ion Monitoring (SIM). Data were reviewed in accordance with USEPA National Functional Guidelines of October 1999.

The data review process is an evaluation of data on a technical basis rather than a determination of contract compliance. As such, the standards against which the data are being weighed may differ from those specified in the analytical method. It is assumed that the data package represents the best efforts of the laboratory and had already been subjected to adequate and sufficient quality review prior to submission.

During the review process, laboratory qualified and unqualified data are verified against the supporting documentation. Based on this evaluation, qualifier codes may be added, deleted, or modified by the data reviewer. Results are qualified with the following codes in accordance with USEPA National Functional Guidelines:

- Concentration (C) Qualifiers
 - U The compound was analyzed for but not detected. The associated value is the compound quantitation limit.
 - B The compound has been found in the sample as well as its associated blank, its presence in the sample may be suspect.
- Quantitation (Q) Qualifiers
 - E The compound was quantitated above the calibration range.
 - D Concentration is based on a diluted sample analysis.
- Validation Qualifiers
 - J The compound was positively identified; however, the associated numerical value is an estimated concentration only.
 - UJ The compound was not detected above the reported sample quantitation limit. However, the reported limit is approximate and may or may not represent the actual limit of quantitation.
 - JN The analysis indicates the presence of a compound for which there is presumptive evidence to make a tentative identification. The associated numerical value is an estimated concentration only.
 - UB Compound considered non-detect at the listed value due to associated blank contamination.
 - N The analysis indicates the presence of a compound for which there is presumptive evidence to make a tentative identification.
 - R The sample results are rejected.

Two facts should be noted by all data users. First, the "R" flag means that the associated value is unusable. In other words, due to significant quality control (QC) problems, the analysis is invalid and

provides no information as to whether the compound is present or not. "R" values should not appear on data tables because they cannot be relied upon, even as a last resort. The second fact to keep in mind is that no compound concentration, even if it has passed all QC tests, is guaranteed to be accurate. Strict QC serves to increase confidence in data but any value potentially contains error.

VOLATILE ORGANIC COMPOUNDS (VOC) ANALYSES

1. Holding Times

The specified holding times for the following methods are presented in the following table.

Method	Matrix	Holding Time	Preservation
EPA 524.2	Water	14 days from collection to analysis	Cool to <6 °C; preserved to a pH of less than 2 s.u.

Note:

s.u. = Standard units

All samples were analyzed within the specified holding time criteria.

2. Blank Contamination

Quality assurance (QA) blanks (i.e., method and rinse blanks) are prepared to identify any contamination which may have been introduced into the samples during sample preparation or field activity. Method blanks measure laboratory contamination. Rinse blanks measure contamination of samples during field operations.

A blank action level (BAL) of five times the concentration of a detected compound in an associated blank (common laboratory contaminant compounds are calculated at ten times) is calculated for QA blanks containing concentrations greater than the method detection limit (MDL). The BAL is compared to the associated sample results to determine the appropriate qualification of the sample results, if needed.

Compounds were not detected above the MDL in the associated blanks; therefore, detected sample results were not associated with blank contamination.

3. Surrogates/System Monitoring Compounds

All samples to be analyzed for organic compounds are spiked with surrogate compounds prior to sample preparation to evaluate overall laboratory performance and efficiency of the analytical technique. VOC analysis requires that all surrogates associated with the analysis exhibit recoveries within the laboratory-established acceptance limits.

All surrogate recoveries were within control limits.

4. Matrix Spike/Matrix Spike Duplicate (MS/MSD) Analysis

MS/MSD data are used to assess the precision and accuracy of the analytical method. The compounds used to perform the MS/MSD analysis must exhibit a percent recovery within the laboratory-established acceptance limits. The relative percent difference (RPD) between the MS/MSD recoveries must exhibit an RPD within the laboratory-established acceptance limits.

Note: The MS/MSD recovery control limits do not apply for MS/MSD performed on sample locations where the compound concentration detected in the parent sample exceeds the MS/MSD concentration by a factor of four or greater.

A MS was not performed on a sample location associated with either SDG.

5. Laboratory Control Sample (LCS) Analysis

The LCS analysis is used to assess the precision and accuracy of the analytical method independent of matrix interferences. The compounds associated with the LCS analysis must exhibit a percent recovery within the laboratory-established acceptance limits.

Sample locations associated with LCS analysis exhibiting recoveries outside of the control limits presented in the following table.

Sample Locations	Compound	LCS Recovery
<u>SDG JC57674:</u> BPOW 5-7 TB121817AD1	Bromomethane	>UL
<u>SDG JC57675:</u> BPOW 6-5 BPOW 6-6 TB121817PP1		

The criteria used to evaluate the LCS recoveries are presented in the following table. In the case of an LCS deviation, the sample results are qualified as documented in the table below.

Control Limit	Sample Result	Qualification
> the upper control limit (UL)	Non-detect	No Action
	Detect	J
< the lower control limit (LL) but > 10%	Non-detect	UJ
	Detect	J
< 10%	Non-detect	R
	Detect	J

6. Field Duplicate Analysis

Field duplicate analysis is used to assess the overall precision of the field sampling procedures and analytical method. A control limit of 30% for water matrices is applied to the RPD between the parent sample and the field duplicate. In the instance when the parent and/or duplicate sample concentrations are less than or equal to 5 times the RL, a control limit of two times the RL is applied for water matrices.

A field duplicate was not collected with a sample location associated with either SDG.

7. Laboratory Duplicate Analysis

The laboratory duplicate relative percent difference (RPD) criterion is applied when parent and duplicate sample concentrations are greater than or equal to 5 times the RL. A control limit of 20% for water matrices is applied when the criteria above is true. In the instance when the parent and/or duplicate sample concentrations are less than or equal to 5 times the RL, a control limit of two times the RL is applied for water matrices.

A laboratory duplicate was not performed on a sample location associated with either SDG.

8. System Performance and Overall Assessment

Tentatively identified compounds (TICs) were not identified in any of the sample locations.

Overall system performance was acceptable. Other than for those deviations specifically mentioned in this review, the overall data quality is within the guidelines specified in the method.

DATA VALIDATION CHECKLIST FOR VOCs

VOCs: EPA 524.2	Reported		Performance Acceptable		Not Required
	No	Yes	No	Yes	
GAS CHROMATOGRAPHY/MASS SPECTROMETRY (GC/MS)					
Tier II Validation					
Holding times		X		X	
Reporting limits (units)		X		X	
Blanks					
A. Method blanks		X		X	
B. Equipment blanks					X
C. Trip blanks		X		X	
Laboratory Control Sample (LCS) %R		X	X		
Laboratory Control Sample Duplicate(LCSD) %R					X
LCS/LCSD Precision (RPD)					X
Matrix Spike (MS) %R					X
Matrix Spike Duplicate(MSD) %R					X
MS/MSD Precision (RPD)					X
Field/Lab Duplicate (RPD)					X
Surrogate Spike Recoveries		X		X	
Dilution Factor		X		X	
Moisture Content					X

Notes:

RPD Relative percent difference

%R Percent recovery

SEMI-VOLATILE ORGANIC COMPOUNDS (SVOC) ANALYSES

1. Holding Times

The specified holding times for the following methods are presented in the following table.

Method	Matrix	Holding Time	Preservation
EPA 522-SIM	Water	28 days from collection to extraction and 28 days from extraction to analysis	Cool to <6 °C; preserved with Sodium Bisulfate (NaHSO ₄) to a pH of less than 4 s.u.

Note:

s.u. = Standard units

All samples were analyzed within the specified holding time criteria.

2. Blank Contamination

Quality assurance (QA) blanks (i.e., method and rinse blanks) are prepared to identify any contamination which may have been introduced into the samples during sample preparation or field activity. Method blanks measure laboratory contamination. Rinse blanks measure contamination of samples during field operations.

A blank action level (BAL) of five times the concentration of a detected compound in an associated blank (common laboratory contaminant compounds are calculated at ten times) is calculated for QA blanks containing concentrations greater than the method detection limit (MDL). The BAL is compared to the associated sample results to determine the appropriate qualification of the sample results, if needed.

Compounds were not detected above the MDL in the associated blanks; therefore, detected sample results were not associated with blank contamination.

3. Surrogates/System Monitoring Compounds

All samples to be analyzed for organic compounds are spiked with surrogate compounds prior to sample preparation to evaluate overall laboratory performance and efficiency of the analytical technique. SVOC analysis requires that two of the three SVOC surrogate compounds within each fraction exhibit recoveries within the laboratory-established acceptance limits.

All surrogate recoveries were within control limits.

4. Matrix Spike/Matrix Spike Duplicate (MS/MSD) Analysis

MS/MSD data are used to assess the precision and accuracy of the analytical method. The compounds used to perform the MS/MSD analysis must exhibit a percent recovery within the laboratory-established acceptance limits. The relative percent difference (RPD) between the MS/MSD recoveries must exhibit an RPD within the laboratory-established acceptance limits.

Note: The MS/MSD recovery control limits do not apply for MS/MSD performed on sample locations where the compound concentration detected in the parent sample exceeds the MS/MSD concentration by a factor of four or greater.

A MS/MSD was not performed on a sample location associated with either SDG.

5. Laboratory Control Sample (LCS) Analysis

The LCS analysis is used to assess the precision and accuracy of the analytical method independent of matrix interferences. The compounds associated with the LCS analysis must exhibit a percent recovery within the laboratory-established acceptance limits.

All compounds associated with the LCS analysis exhibited recoveries within the control limits.

6. Field Duplicate Analysis

Field duplicate analysis is used to assess the overall precision of the field sampling procedures and analytical method. A control limit of 30% for water matrices is applied to the RPD between the parent sample and the field duplicate. In the instance when the parent and/or duplicate sample concentrations are less than or equal to 5 times the RL, a control limit of two times the RL is applied for water matrices.

A field duplicate was not collected with a sample location associated with either SDG.

7. System Performance and Overall Assessment

Overall system performance was acceptable. Other than for those deviations specifically mentioned in this review, the overall data quality is within the guidelines specified in the method.

DATA VALIDATION CHECKLIST FOR SVOCs

SVOCs: EPA 522-SIM	Reported		Performance Acceptable		Not Required
	No	Yes	No	Yes	
GAS CHROMATOGRAPHY/MASS SPECTROMETRY (GC/MS)					
Tier II Validation					
Holding times		X		X	
Reporting limits (units)		X		X	
Blanks					
A. Method blanks		X		X	
B. Equipment blanks					X
Laboratory Control Sample (LCS) %R		X		X	
Laboratory Control Sample Duplicate(LCSD) %R					X
LCS/LCSD Precision (RPD)					X
Matrix Spike (MS) %R					X
Matrix Spike Duplicate(MSD) %R					X
MS/MSD Precision (RPD)					X
Field/Lab Duplicate (RPD)					X
Surrogate Spike Recoveries		X		X	
Dilution Factor		X		X	
Moisture Content					X

Notes:

%R Percent recovery

RPD Relative percent difference

VALIDATION PERFORMED BY: Lisa Horton

SIGNATURE:



DATE: February 16, 2018

PEER REVIEW: Todd Church

DATE: February 19, 2018

CHAIN OF CUSTODY CORRECTED SAMPLE ANALYSIS DATA SHEETS

Report of Analysis

Client Sample ID: BPOW 5-7	Date Sampled: 12/18/17
Lab Sample ID: JC57674-1	Date Received: 12/19/17
Matrix: AQ - Ground Water	Percent Solids: n/a
Method: EPA 524.2 REV 4.1	
Project: Navy Wells OU2, Bethpage, NY	

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 ^a	4D84511.D	1	12/22/17 18:53	BK	n/a	n/a	V4D3646
Run #2							

Run #	Purge Volume
Run #1	5.0 ml
Run #2	

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	5.0	3.8	ug/l	
78-93-3	2-Butanone	ND	5.0	2.5	ug/l	
71-43-2	Benzene	ND	0.50	0.26	ug/l	
75-27-4	Bromodichloromethane	ND	0.50	0.36	ug/l	
75-25-2	Bromoform	ND	0.50	0.40	ug/l	
74-83-9	Bromomethane ^b	ND	0.50	0.081	ug/l	
75-15-0	Carbon disulfide	ND	0.50	0.39	ug/l	
108-90-7	Chlorobenzene	ND	0.50	0.27	ug/l	
75-00-3	Chloroethane	ND	0.50	0.071	ug/l	
67-66-3	Chloroform	ND	0.50	0.33	ug/l	
74-87-3	Chloromethane	ND	0.50	0.39	ug/l	
56-23-5	Carbon tetrachloride	ND	0.50	0.13	ug/l	
75-34-3	1,1-Dichloroethane	ND	0.50	0.13	ug/l	
75-35-4	1,1-Dichloroethylene	ND	0.50	0.23	ug/l	
107-06-2	1,2-Dichloroethane	ND	0.50	0.28	ug/l	
78-87-5	1,2-Dichloropropane	ND	0.50	0.29	ug/l	
124-48-1	Dibromochloromethane	ND	0.50	0.094	ug/l	
156-60-5	trans-1,2-Dichloroethylene	ND	0.50	0.098	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	0.50	0.26	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	0.14	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	0.25	ug/l	
100-41-4	Ethylbenzene	ND	0.50	0.26	ug/l	
76-13-1	Freon 113	ND	1.0	0.27	ug/l	
591-78-6	2-Hexanone	ND	2.0	1.3	ug/l	
75-09-2	Methylene chloride	ND	0.50	0.37	ug/l	
108-10-1	4-Methyl-2-pentanone	ND	2.0	1.5	ug/l	
100-42-5	Styrene	ND	0.50	0.21	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	0.50	0.12	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.50	0.099	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	0.50	0.12	ug/l	
127-18-4	Tetrachloroethylene	ND	0.50	0.12	ug/l	
108-88-3	Toluene	ND	0.50	0.13	ug/l	

ND = Not detected

MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: BPOW 5-7 Lab Sample ID: JC57674-1 Matrix: AQ - Ground Water Method: EPA 524.2 REV 4.1 Project: Navy Wells OU2, Bethpage, NY	Date Sampled: 12/18/17 Date Received: 12/19/17 Percent Solids: n/a
--	---

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethylene	ND	0.50	0.11	ug/l	
75-01-4	Vinyl chloride	ND	0.50	0.056	ug/l	
	m,p-Xylene	ND	0.50	0.26	ug/l	
95-47-6	o-Xylene	ND	0.50	0.24	ug/l	
CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits		
2199-69-1	1,2-Dichlorobenzene-d4	78%		70-130%		
460-00-4	4-Bromofluorobenzene	75%		70-130%		
CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q	
	system artifact	5.12	.66	ug/l	J	
	Total TIC, Volatile		0	ug/l		

- (a) EPA 524.2 is not a certified method for non-potable water samples.
- (b) This compound in BS is outside in house QC limits bias high.

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.1
4

Report of Analysis

Client Sample ID: TB121817AD1		Date Sampled: 12/18/17
Lab Sample ID: JC57674-2		Date Received: 12/19/17
Matrix: AQ - Trip Blank Water		Percent Solids: n/a
Method: EPA 524.2 REV 4.1		
Project: Navy Wells OU2, Bethpage, NY		

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethylene	ND	0.50	0.11	ug/l	
75-01-4	Vinyl chloride	ND	0.50	0.056	ug/l	
	m,p-Xylene	ND	0.50	0.26	ug/l	
95-47-6	o-Xylene	ND	0.50	0.24	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2199-69-1	1,2-Dichlorobenzene-d4	78%		70-130%
460-00-4	4-Bromofluorobenzene	75%		70-130%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

(a) EPA 524.2 is not a certified method for non-potable water samples.

(b) This compound in BS is outside in house QC limits bias high.

ND = Not detected MDL = Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

4.2
4



CHAIN OF CUSTODY

ACCUTEST

410529
2235 Route 130, Dayton, NJ 08810
TEL: 732-329-0200 FAX: 732-329-3499/1480
www.sgs.com

Client / Reporting Information Company Name: SGS Accutest Street Address: 2235 Route 130 City: Dayton State: NJ Zip: 08810 Project Contact: Kristin Degraw E-mail: kdegraw@sgs.com Phone #: 732-329-0200 Fax #: _____ Sampler(s) Name(s): AD		Project Information Project Name: Northrup Grumman, Navy Wells OU2, Bethpage, NY Street: _____ City: _____ State: _____ Billing Information (if different from Report to): Company Name: _____ Street Address: _____ City: _____ State: _____ Zip: _____ Attention: _____		Requested Analysis (see TEST CODE sheet) Matrix Codes: DW - Drinking Water GW - Ground Water WW - Wastewater SW - Surface Water SO - Soil SL - Sludge SED - Sediment OL - Oil LIQ - Other Liquid AIR - Air SOL - Other Solid WP - Wipe FB - Field Blank EB - Equipment Blank RB - Rinse Blank TB - Trip Blank LAB USE ONLY	
Accutest Sample # 1X BPOW 5-7		Field ID / Point of Collection MEQMD\Val # _____ Date: 12/18/17 Time: 3:40:00 PM AD AQ 2		Number of preserved Bottles Na Bill# _____ ENCORE _____ MEQH _____ DI Water _____ NONE _____ H2SO4 _____ HNO3 _____ HCl _____ NaOH _____	
Approved By (SGS Accutest PM) / Date: _____		Data Deliverable Information <input type="checkbox"/> Commercial "A" (Level 1) <input type="checkbox"/> NYASP Category A <input type="checkbox"/> Commercial "B" (Level 2) <input type="checkbox"/> NYASP Category B <input type="checkbox"/> FULLT1 (Level 3+4) <input type="checkbox"/> State Forms <input type="checkbox"/> NJ Reduced <input type="checkbox"/> EDD Format <input type="checkbox"/> Commercial "C" <input checked="" type="checkbox"/> Other, COMMC+ Commercial "A" = Results Only Commercial "B" = Results + QC Summary Commercial "C" = Results + QC Summary + Partial Raw data NJ Reduced = Results + QC Summary + Partial Raw data			
Turnaround Time (Business days) _____		Comments / Special Instructions _____			
Emergency & Rush T/A data available VIA Lablink <input checked="" type="checkbox"/> Std. 10 Business Days <input type="checkbox"/> 5 Day RUSH <input type="checkbox"/> 3 Day EMERGENCY <input type="checkbox"/> 2 Day EMERGENCY <input type="checkbox"/> 1 Day EMERGENCY <input checked="" type="checkbox"/> other Z1		Sample Custody must be documented below each time samples change possession, including courier delivery. Received By: FEDEX Date Time: _____ Relinquished by Sampler: _____ Date Time: _____ Received By: _____ Date Time: _____ Relinquished by Sampler: _____ Date Time: _____ Received By: HR Date Time: 12-21-17 Relinquished by Sampler: _____ Date Time: _____ Received By: _____ Date Time: _____ Relinquished by Sampler: _____ Date Time: _____			
Relinquished by: _____ Relinquished by Sampler: _____ Relinquished by: _____		Received By: _____ Date Time: _____ Received By: _____ Date Time: _____			
Relinquished by: _____ Relinquished by Sampler: _____ Relinquished by: _____		Received By: _____ Date Time: _____ Received By: _____ Date Time: _____			
Relinquished by: _____ Relinquished by Sampler: _____ Relinquished by: _____		Received By: _____ Date Time: _____ Received By: _____ Date Time: _____			
Relinquished by: _____ Relinquished by Sampler: _____ Relinquished by: _____		Received By: _____ Date Time: _____ Received By: _____ Date Time: _____			



GEL LABORATORIES LLC

2040 Savage Road Charleston SC 29407 - (843) 556-8171 - www.gel.com

Qualifier Definition Report for

ACTL003 SGS Accutest

Client SDG: JC57674X GEL Work Order: 440529

The Qualifiers in this report are defined as follows:

- * Indicates that a quality control analyte recovery is outside of specified acceptance criteria.
- ** Indicates the analyte is a surrogate compound.
- J Indicates an estimated value. The result was greater than the detection limit, but less than the reporting limit or indicates that the analyte recovery in the MS or MSD is outside of specified acceptance criteria.
- U Indicates the target analyte was analyzed for but not detected above the detection limit.
- DL Indicates that sample is diluted.
- RA Indicates that sample is re-analyzed without re-extraction.
- RE Indicates that sample is re-extracted.

Review/Validation

GEL requires all analytical data to be verified by a qualified data reviewer. In addition, all CLP-like deliverables receive a third level review of the fractional data package.

The following data validator verified the information presented in this data report:

Signature: 

Name: Barbara Bailey

Date: 17 JAN 2018

Title: Data Validator

**Semi-Volatile
Certificate of Analysis
Sample Summary**

SDG Number: JC57674X
 Lab Sample ID: 440529001

 Client ID: BPOW 5-7
 Batch ID: 1730571
 Run Date: 01/12/2018 00:39
 Prep Date: 01/11/2018 11:30
 Data File: s011118.B\s6a1127.D

Date Collected: 12/18/2017 15:40
 Date Received: 12/21/2017 09:55
 Client: ACTL003
 Method: EPA 522
 Inst: MSD6.I
 Analyst: JMB3
 Aliquot: 100 mL
 Rtx-624

Matrix: WATER

 Project: ACTL00316
 SOP Ref: GL-OA-E-073
 Dilution: 1
 Inj. Vol: 1 uL
 Final Volume: 2 mL

CAS No.	Parname	Qualifier	Result	Units	MDL	LOD	LOQ
123-91-1	1,4-Dioxane	U	0.100	ug/L	0.100	0.100	0.200

2

Report of Analysis

Client Sample ID: BPOW 6-5		Date Sampled: 12/18/17
Lab Sample ID: JC57675-1		Date Received: 12/19/17
Matrix: AQ - Ground Water		Percent Solids: n/a
Method: EPA 524.2 REV 4.1		
Project: Navy Wells OU2, Bethpage, NY		

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethylene	ND	0.50	0.11	ug/l	
75-01-4	Vinyl chloride	ND	0.50	0.056	ug/l	
	m,p-Xylene	ND	0.50	0.26	ug/l	
95-47-6	o-Xylene	ND	0.50	0.24	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2199-69-1	1,2-Dichlorobenzene-d4	78%		70-130%
460-00-4	4-Bromofluorobenzene	74%		70-130%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

(a) EPA 524.2 is not a certified method for non-potable water samples.

(b) This compound in BS is outside in house QC limits bias high.

ND = Not detected MDL = Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

4.1
4

Report of Analysis

Client Sample ID: BPOW 6-6		Date Sampled: 12/18/17
Lab Sample ID: JC57675-2		Date Received: 12/19/17
Matrix: AQ - Ground Water		Percent Solids: n/a
Method: EPA 524.2 REV 4.1		
Project: Navy Wells OU2, Bethpage, NY		

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethylene	ND	0.50	0.11	ug/l	
75-01-4	Vinyl chloride	ND	0.50	0.056	ug/l	
	m,p-Xylene	ND	0.50	0.26	ug/l	
95-47-6	o-Xylene	ND	0.50	0.24	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2199-69-1	1,2-Dichlorobenzene-d4	74%		70-130%
460-00-4	4-Bromofluorobenzene	75%		70-130%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

(a) EPA 524.2 is not a certified method for non-potable water samples.

(b) This compound in BS is outside in house QC limits bias high.

ND = Not detected MDL = Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

4.2
4

Report of Analysis

Client Sample ID: TB121817PP1		Date Sampled: 12/18/17
Lab Sample ID: JC57675-3		Date Received: 12/19/17
Matrix: AQ - Trip Blank Water		Percent Solids: n/a
Method: EPA 524.2 REV 4.1		
Project: Navy Wells OU2, Bethpage, NY		

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethylene	ND	0.50	0.11	ug/l	
75-01-4	Vinyl chloride	ND	0.50	0.056	ug/l	
	m,p-Xylene	ND	0.50	0.26	ug/l	
95-47-6	o-Xylene	ND	0.50	0.24	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2199-69-1	1,2-Dichlorobenzene-d4	74%		70-130%
460-00-4	4-Bromofluorobenzene	76%		70-130%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
	system artifact	5.15	.81	ug/l	J
	Total TIC, Volatile		0	ug/l	

- (a) EPA 524.2 is not a certified method for non-potable water samples.
- (b) This compound in BS is outside in house QC limits bias high.

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.3
4



CHAIN OF CUSTODY

ACCUTEST

2235 Route 130, Dayton, NJ 08810
TEL: 732-329-0200 FAX: 732-329-3499/3480
www.sgs.com

440526

Client / Reporting Information Company Name: SGS Accutest Street Address: 2235 Route 130 City: Dayton State: NJ Zip: 08810 Project Contact: Kristin Degraw E-mail: kd@sgs.com Phone #: 732-329-0200 Fax #: _____ Sample(s) Name(s): CK		Project Information Project Name: Northrup Grumman, Navy Wells OU2, Bethpage, NY Street: _____ City: _____ State: _____ Billing Information (if different from Report to): Company Name: _____ Street Address: _____ City: _____ State: _____ Zip: _____ Attention: _____		Requested Analysis (see TEST CODE sheet) Matrix Codes: DW - Drinking Water GW - Ground Water WW - Water SW - Surface Water SO - Soil SL - Sludge SED - Sediment OI - Oil LIQ - Other Liquid AIR - Air SOL - Other Solid WIP - Wipes FB - Field Blank EB - Equipment Blank RB - Rinse Blank TB - Trip Blank LAB USE ONLY	
Collection Date: 12/18/17 Time: 4:00:00 PM Date: 12/18/17 Time: 4:10:00 PM		Number of preserved Bottles MEHQ: 2 H2SO4: 2 HNO3: 2 DI Water: 2 NONE: 2 ENCORE: 2 No Baffle: 2		Matrix Matrix: AQ # of bottles: 2 Matrix: AQ # of bottles: 2	
Turnaround Time (Business days) <input type="checkbox"/> Std. 10 Business Days <input type="checkbox"/> 5 Day RUSH <input type="checkbox"/> 3 Day EMERGENCY <input type="checkbox"/> 2 Day EMERGENCY <input type="checkbox"/> 1 Day EMERGENCY <input checked="" type="checkbox"/> other 21 Emergency & Rush T/A <i>digitally signed</i> VIA Lablink		Data Deliverable Information <input type="checkbox"/> Commercial "A" (Level 1) <input type="checkbox"/> NYASP Category A <input type="checkbox"/> Commercial "B" (Level 2) <input type="checkbox"/> NYASP Category B <input type="checkbox"/> FULLT1 (Level 3+4) <input type="checkbox"/> State Forms <input type="checkbox"/> NJ Reduced <input type="checkbox"/> EDD Format <input type="checkbox"/> Commercial "C" <input checked="" type="checkbox"/> Other COMM+ Commercial "A" = Results Only Commercial "B" = Results + QC Summary NJ Reduced = Results + QC Summary + Partial Raw data		Comments / Special Instructions	
Approved By (SGS Accutest PNI) / Date: Date To: 12-21-17 Date Time: 12-21-17 11:53 Date Time: 12-21-17 9:55 Date Time: 12-21-17		Sample Custody must be documented below each time samples change possession, including courier delivery. Received By: 1795 Received By: 1795 Date Time: 12-21-17 Date Time: 12-21-17 Date Time: 12-21-17 Date Time: 12-21-17 Date Time: 12-21-17 Date Time: 12-21-17		Received By: 2 Received By: 4 Received By: 4 Received By: 4	
Relinquished by Sampler: Date Time: 12-21-17 Date Time: 12-21-17 Date Time: 12-21-17 Date Time: 12-21-17 Date Time: 12-21-17 Date Time: 12-21-17		Relinquished by Sampler: Date Time: 12-21-17 Date Time: 12-21-17 Date Time: 12-21-17 Date Time: 12-21-17 Date Time: 12-21-17 Date Time: 12-21-17		Relinquished By: 2 Relinquished By: 4 Relinquished By: 4 Relinquished By: 4	
Relinquished by: Date Time: 12-21-17 Date Time: 12-21-17 Date Time: 12-21-17 Date Time: 12-21-17 Date Time: 12-21-17 Date Time: 12-21-17		Relinquished by: Date Time: 12-21-17 Date Time: 12-21-17 Date Time: 12-21-17 Date Time: 12-21-17 Date Time: 12-21-17 Date Time: 12-21-17		Relinquished By: 2 Relinquished By: 4 Relinquished By: 4 Relinquished By: 4	
Emergency & Rush T/A <i>digitally signed</i> VIA Lablink		Sample Custody must be documented below each time samples change possession, including courier delivery.		Comments / Special Instructions	



GEL LABORATORIES LLC

2040 Savage Road Charleston SC 29407 - (843) 556-8171 - www.gel.com

Qualifier Definition Report for

ACTL003 SGS Accutest

Client SDG: JC57675X GEL Work Order: 440526

The Qualifiers in this report are defined as follows:

- * Indicates that a quality control analyte recovery is outside of specified acceptance criteria.
- ** Indicates the analyte is a surrogate compound.
- J Indicates an estimated value. The result was greater than the detection limit, but less than the reporting limit or indicates that the analyte recovery in the MS or MSD is outside of specified acceptance criteria.
- Q LCS recovery not within control limits
- U Indicates the target analyte was analyzed for but not detected above the detection limit.
- DL Indicates that sample is diluted.
- RA Indicates that sample is re-analyzed without re-extraction.
- RE Indicates that sample is re-extracted.

Review/Validation

GEL requires all analytical data to be verified by a qualified data reviewer. In addition, all CLP-like deliverables receive a third level review of the fractional data package.

The following data validator verified the information presented in this data report:

Signature: 

Name: Barbara Bailey

Date: 17 JAN 2018

Title: Data Validator

**Semi-Volatile
Certificate of Analysis
Sample Summary**

SDG Number: JC57675X
 Lab Sample ID: 440526001

 Client ID: BPOW 6-5
 Batch ID: 1731657
 Run Date: 01/15/2018 18:33
 Prep Date: 01/15/2018 11:45
 Data File: s011518.B\s6a1507.D

Date Collected: 12/18/2017 16:00
 Date Received: 12/21/2017 09:55
 Client: ACTL003
 Method: EPA 522
 Inst: MSD6.I
 Analyst: JMB3
 Aliquot: 100 mL
 Rtx-624

Matrix: WATER

 Project: ACTL00316
 SOP Ref: GL-OA-E-073
 Dilution: 1
 Inj. Vol: 1 uL
 Final Volume: 2 mL

CAS No.	Parname	Qualifier	Result	Units	MDL	LOD	LOQ
123-91-1	1,4-Dioxane	U	0.100	ug/L	0.100	0.100	0.200



**Semi-Volatile
Certificate of Analysis
Sample Summary**

SDG Number: JC57675X
 Lab Sample ID: 440526002

 Client ID: BPOW 6-6
 Batch ID: 1730571
 Run Date: 01/11/2018 23:48
 Prep Date: 01/11/2018 11:30
 Data File: s011118.B\s6a1125.D

Date Collected: 12/18/2017 16:10
 Date Received: 12/21/2017 09:55
 Client: ACTL003
 Method: EPA 522
 Inst: MSD6.I
 Analyst: JMB3
 Aliquot: 100 mL
 Rtx-624

Matrix: WATER

 Project: ACTL00316
 SOP Ref: GL-OA-E-073
 Dilution: 1
 Inj. Vol: 1 uL
 Final Volume: 2 mL

CAS No.	Parname	Qualifier	Result	Units	MDL	LOD	LOQ
123-91-1	1,4-Dioxane	U	0.100	ug/L	0.100	0.100	0.200

2

Navy Wells-

Operable Unit 2

Data Review

Bethpage, New York

Volatile and Semi-volatile Analyses

SDGs #JC57844 and JC58120

Analyses Performed By:
Accutest-SGS Laboratories
Dayton, New Jersey

Report #29119R
Review Level: Tier II
Project: NY001496.23TM.NAVI4



SUMMARY

This data quality assessment summarizes the review of Sample Delivery Groups (SDGs) #JC57844 and JC58120 for samples collected in association with the Navy Wells located at the Bethpage Site. The review was conducted as a Tier II evaluation and included review of data package completeness. Only analytical data associated with constituents of concern were reviewed for this validation. Field documentation was not included in this review. Included with this assessment are the validation annotated sample result sheets, and chain of custody. Analyses were performed on the following samples:

SDG Number	Sample ID	Lab ID	Matrix	Sample Collection Date	Parent Sample	Analysis				
						VOC 8260C	SVOC 8270D	VOC 524.2	SVOC 522	MISC
JC57844	RE114D2	JC57844-1	Water	12/20/2017		X	X			
	RE114D3	JC57844-2	Water	12/20/2017		X	X			
	BPOW 5-4	JC57844-3	Water	12/20/2017		X*		X*	X	
	FB122017AR1	JC57844-4	Water	12/20/2017		X	X			
	TB122017AD1	JC57844-5	Water	12/20/2017		X				
JC58120	BPOW 5-1	JC58120-1	Water	12/27/2017				X	X	
	BPOW 5-2	JC58120-2	Water	12/27/2017				X	X	
	BPOW 5-3	JC58120-3	Water	12/27/2017				X	X	
	REP122717AR-1	JC58120-4	Water	12/27/2017	BPOW 5-3			X	X	
	TB122717PP-1	JC58120-5	Water	12/27/2017				X		

Notes:

- (*) The Arcadis field technician inadvertently requested sample location BPOW 5-4 be analyzed by VOC Method 8260C, instead of Method 524.2. The error was not realized until the 8260C analysis was performed. The Arcadis Task Manager requested Method 524.2 be run on this sample as well; both analytical results are presented in the data package.
- EPA Method 522 Semi-volatile analysis for 1,4-Dioxane was performed by GEL Laboratories, LLC, located in Charleston, South Carolina (subcontracted via SGS-Accutest Laboratory). The associated SDGs are: JC57844X/440721 and JC58120X/440883.
- In SDG JC57844, matrix spike /matrix spike duplicate (MS/MSD) analysis was performed on sample location RE114D2 for VOC and SVOC analyses.

4. In SDG JC58120, matrix spike /matrix spike duplicate (MS/MSD) analysis was performed on sample location BPOW 5-1 for VOC and SVOC analyses.

ANALYTICAL DATA PACKAGE DOCUMENTATION

The table below is the evaluation of the data package completeness.

Items Reviewed	Reported		Performance Acceptable		Not Required
	No	Yes	No	Yes	
1. Sample receipt condition		X		X	
2. Requested analyses and sample results		X		X	
3. Master tracking list		X		X	
4. Methods of analysis		X		X	
5. Reporting limits		X		X	
6. Sample collection date		X		X	
7. Laboratory sample received date		X		X	
8. Sample preservation verification (as applicable)		X		X	
9. Sample preparation/extraction/analysis dates		X		X	
10. Fully executed Chain-of-Custody (COC) form		X		X	
11. Narrative summary of QA or sample problems provided		X		X	
12. Data Package Completeness and Compliance		X		X	

Note:

QA - Quality Assurance

- The Arcadis field technician inadvertently requested sample location BPOW 5-4 be analyzed by VOC Method 8260C, instead of Method 524.2. The error was not realized until the 8260C analysis was performed. The Arcadis Task Manager requested Method 524.2 be run on this sample; both analytical results are presented in the data package.

ORGANIC ANALYSIS INTRODUCTION

Analyses were performed according to United States Environmental Protection Agency (USEPA) methods SW-846 8260C and SW-846 8270D-Selected Ion Monitoring (SIM) and USEPA Methods 524.2 and 522-SIM. Data were reviewed in accordance with USEPA National Functional Guidelines of October 1999.

The data review process is an evaluation of data on a technical basis rather than a determination of contract compliance. As such, the standards against which the data are being weighed may differ from those specified in the analytical method. It is assumed that the data package represents the best efforts of the laboratory and had already been subjected to adequate and sufficient quality review prior to submission.

During the review process, laboratory qualified and unqualified data are verified against the supporting documentation. Based on this evaluation, qualifier codes may be added, deleted, or modified by the data reviewer. Results are qualified with the following codes in accordance with USEPA National Functional Guidelines:

- Concentration (C) Qualifiers
 - U The compound was analyzed for but not detected. The associated value is the compound quantitation limit.
 - B The compound has been found in the sample as well as its associated blank, its presence in the sample may be suspect.
- Quantitation (Q) Qualifiers
 - E The compound was quantitated above the calibration range.
 - D Concentration is based on a diluted sample analysis.
- Validation Qualifiers
 - J The compound was positively identified; however, the associated numerical value is an estimated concentration only.
 - UJ The compound was not detected above the reported sample quantitation limit. However, the reported limit is approximate and may or may not represent the actual limit of quantitation.
 - JN The analysis indicates the presence of a compound for which there is presumptive evidence to make a tentative identification. The associated numerical value is an estimated concentration only.
 - UB Compound considered non-detect at the listed value due to associated blank contamination.
 - N The analysis indicates the presence of a compound for which there is presumptive evidence to make a tentative identification.
 - R The sample results are rejected.

Two facts should be noted by all data users. First, the "R" flag means that the associated value is unusable. In other words, due to significant quality control (QC) problems, the analysis is invalid and

provides no information as to whether the compound is present or not. "R" values should not appear on data tables because they cannot be relied upon, even as a last resort. The second fact to keep in mind is that no compound concentration, even if it has passed all QC tests, is guaranteed to be accurate. Strict QC serves to increase confidence in data but any value potentially contains error.

VOLATILE ORGANIC COMPOUNDS (VOC) ANALYSES

1. Holding Times

The specified holding times for the following methods are presented in the following table.

Method	Matrix	Holding Time	Preservation
EPA 524.2	Water	14 days from collection to analysis	Cool to <6 °C; preserved to a pH of less than 2 s.u.
SW-846 8260C	Water	14 days from collection to analysis	Cool to <6 °C; preserved to a pH of less than 2 s.u.

Note:

s.u. = Standard units

Note: The Arcadis field technician inadvertently requested sample location BPOW 5-4 be analyzed by VOC Method 8260C, instead of Method 524.2. The error was not realized until the 8260C analysis was performed. The Arcadis Task Manager requested Method 524.2 be run on this sample as well; however, the sample was out of hold by one day. Both analytical results are presented in the data package.

The analyses that exceeded the holding are presented in the following table.

Sample Locations	Holding Time	Criteria
<u>SDG JC57844:</u> BPOW 5-4 (Method 524.2)	15 Days	<14 Days

Sample results associated with sample locations analyzed by analytical method 524.2 were qualified, as specified in the table below. All other holding times were met.

Criteria	Qualification	
	Detected Analytes	Non-detect Analytes
Analysis completed less than two times holding time	J	UJ
Analysis completed greater than two times holding time	J	R

All samples were analyzed by Method 8260C in SDG JC57844, and all samples analyzed by Method 524.2 in SDG JC58120 were within the specified holding time criteria.

2. Blank Contamination

Quality assurance (QA) blanks (i.e., method and rinse blanks) are prepared to identify any contamination which may have been introduced into the samples during sample preparation or field activity. Method blanks measure laboratory contamination. Rinse blanks measure contamination of samples during field operations.

A blank action level (BAL) of five times the concentration of a detected compound in an associated blank (common laboratory contaminant compounds are calculated at ten times) is calculated for QA blanks containing concentrations greater than the method detection limit (MDL). The BAL is compared to the associated sample results to determine the appropriate qualification of the sample results, if needed.

All compounds associated with the QA blanks exhibited a concentration less than the MDL, with the exception of the compounds listed in the following table. Sample results associated with QA blank contamination that were greater than the BAL resulted in the removal of the laboratory qualifier (B) of data. Sample results less than the BAL associated with the following sample locations were qualified as listed in the following table.

Sample Locations	Analytes	Sample Result	Qualification
SDG JC57844: (8260C analysis) RE114D2 RE114D3 BPOW 5-4	Methylene chloride (Trip Blank/Field Blank)	Detected sample results <RL and <BAL	"UB" at the RL
	TIC: Alkane-Hexane (RT 3.56)	Detected sample results less than 5 times blank result	R

Notes:

RL =Reporting limit

Compounds were not detected above the MDL in the associated blanks; therefore, detected sample results were not associated with blank contamination in SDG JC58120.

3. Surrogates/System Monitoring Compounds

All samples to be analyzed for organic compounds are spiked with surrogate compounds prior to sample preparation to evaluate overall laboratory performance and efficiency of the analytical technique. VOC analysis requires that all surrogates associated with the analysis exhibit recoveries within the laboratory-established acceptance limits.

All surrogate recoveries were within control limits.

4. Matrix Spike/Matrix Spike Duplicate (MS/MSD) Analysis

MS/MSD data are used to assess the precision and accuracy of the analytical method. The compounds used to perform the MS/MSD analysis must exhibit a percent recovery within the laboratory-established

acceptance limits. The relative percent difference (RPD) between the MS/MSD recoveries must exhibit an RPD within the laboratory-established acceptance limits.

Note: The MS/MSD recovery control limits do not apply for MS/MSD performed on sample locations where the compound concentration detected in the parent sample exceeds the MS/MSD concentration by a factor of four or greater.

Sample locations associated with the MS/MSD exhibiting recoveries outside of the control limits are presented in the following table.

Sample Locations	Compound	MS Recovery	MSD Recovery
<u>SDG JC57844:</u> RE114D2 (8260C)	Bromomethane	AC	>UL
	Chloroethane	>UL	>UL
	Chloromethane	AC	>UL
	Vinyl chloride	AC	>UL
<u>SDG JC58120:</u> BPOW 5-1	2-Butanone	>UL	AC
	Bromoform	AC	>UL
	2-Hexanone	>UL	>UL
	4-Methyl-2-pentanone	>UL	>UL
	1,1,2,2-Tetrachloroethane	>UL	>UL
	1,1,2-Trichloroethane	AC	>UL

Note:

AC =Acceptable

The criteria used to evaluate the MS/MSD recoveries are presented in the following table. In the case of an MS/MSD deviation, the sample results are qualified as documented in the table below.

Control Limit	Sample Result	Qualification
> the upper control limit (UL)	Non-detect	No Action
	Detect	J
< the lower control limit (LL) but > 10%	Non-detect	UJ
	Detect	J
< 10%	Non-detect	R
	Detect	J

Control Limit	Sample Result	Qualification
Parent sample concentration > four times the MS/MSD spiking solution concentration.	Detect	No Action
	Non-detect	

5. Laboratory Control Sample/Laboratory Sample Duplicate (LCS/LCSD) Analysis

The LCS/LCSD analysis is used to assess the precision and accuracy of the analytical method independent of matrix interferences. The compounds associated with the LCS/LCSD analysis must exhibit a percent recovery within the laboratory-established acceptance limits.

All compounds associated with the LCS/LCSD analysis for Sample BPOW 5-4 (Method 524.2) exhibited recoveries within the control limits in SDG JC57844.

All compounds associated with the LCS analysis exhibited recoveries within the control limits in SDG JC58120.

Sample locations associated with LCS analysis exhibiting recoveries outside of the control limits presented in the following table.

Sample Locations	Compound	LCS Recovery
<u>SDG JC57844:</u> <u>(8260C)</u> RE114D2 RE114D3 BPOW 5-4 FB122017AR1 TB122017AD1	Acetone	>UL

The criteria used to evaluate the LCS recoveries are presented in the following table. In the case of an LCS deviation, the sample results are qualified as documented in the table below.

Control Limit	Sample Result	Qualification
> the upper control limit (UL)	Non-detect	No Action
	Detect	J
< the lower control limit (LL) but > 10%	Non-detect	UJ
	Detect	J
< 10%	Non-detect	R

Control Limit	Sample Result	Qualification
	Detect	J

6. Field Duplicate Analysis

Field duplicate analysis is used to assess the overall precision of the field sampling procedures and analytical method. A control limit of 30% for water matrices is applied to the RPD between the parent sample and the field duplicate. In the instance when the parent and/or duplicate sample concentrations are less than or equal to 5 times the RL, a control limit of two times the RL is applied for water matrices.

Results for duplicate samples are summarized in the following table.

Sample ID/Duplicate ID	Compound	Sample Result	Duplicate Result	RPD
SDG JC58120: BPOW 5-3/ REP122717AR-1	All compounds	U	U	AC

Notes:

AC = Acceptable

The calculated RPDs between the parent sample and field duplicate were acceptable.

A field duplicate was not collected with a sample location associated with SDG JC57844.

7. Laboratory Duplicate Analysis

The laboratory duplicate relative percent difference (RPD) criterion is applied when parent and duplicate sample concentrations are greater than or equal to 5 times the RL. A control limit of 20% for water matrices is applied when the criteria above is true. In the instance when the parent and/or duplicate sample concentrations are less than or equal to 5 times the RL, a control limit of two times the RL is applied for water matrices.

A laboratory duplicate was not performed on a sample location associated with either SDG.

8. System Performance and Overall Assessment

Tentatively identified compounds (TICs) were not identified in any of the sample locations.

Continuing calibration review/validation is not included in a Tier II validation. However, the laboratory provided continuing calibration information in the case narrative, therefore it was evaluated.

In SDG JC57844: The case narrative states the continuing calibration associated with all sample locations analyzed by Method 8260C had percent difference (%D) exceedances with an increase in sensitivity for the compounds: Acetone, 2-Butanone, Chloroethane, 2-Hexanone (>20%). These compounds were not

arcadis.com

detected in the sample locations, and therefore, required no qualification. The case narrative also states the continuing calibration associated with sample BPOW, analyzed by Method 524.2, had percent difference (%D) exceedance with an increase in sensitivity for the compound Bromoform. This compound was not detected in the sample location, and therefore, required no qualification.

Overall system performance was acceptable. Other than for those deviations specifically mentioned in this review, the overall data quality is within the guidelines specified in the method.

DATA VALIDATION CHECKLIST FOR VOCs

VOCs: EPA 524.2 and 8260C	Reported		Performance Acceptable		Not Required
	No	Yes	No	Yes	
GAS CHROMATOGRAPHY/MASS SPECTROMETRY (GC/MS)					
Tier II Validation					
Holding times		X	X		
Reporting limits (units)		X		X	
Blanks					
A. Method blanks		X		X	
B. Equipment blanks		X	X		
C. Trip blanks		X	X		
Laboratory Control Sample (LCS) %R		X	X		
Laboratory Control Sample Duplicate(LCSD) %R		X		X	
LCS/LCSD Precision (RPD)					X
Matrix Spike (MS) %R		X	X		
Matrix Spike Duplicate(MSD) %R		X	X		
MS/MSD Precision (RPD)		X		X	
Field/Lab Duplicate (RPD)					X
Surrogate Spike Recoveries		X		X	
Dilution Factor		X		X	
Moisture Content					X

Notes:

RPD Relative percent difference

%R Percent recovery

SEMI-VOLATILE ORGANIC COMPOUNDS (SVOC) ANALYSES

1. Holding Times

The specified holding times for the following methods are presented in the following table.

Method	Matrix	Holding Time	Preservation
EPA 522-SIM	Water	28 days from collection to extraction and 28 days from extraction to analysis	Cool to <6 °C; preserved with Sodium Bisulfate (NaHSO ₄) to a pH of less than 4 s.u.
SW-846 8270D-SIM	Water	7 days from collection to extraction and 40 days from extraction to analysis	Cool to <6 °C

Note:

s.u. = Standard units

All samples were analyzed within the specified holding time criteria.

2. Blank Contamination

Quality assurance (QA) blanks (i.e., method and rinse blanks) are prepared to identify any contamination which may have been introduced into the samples during sample preparation or field activity. Method blanks measure laboratory contamination. Rinse blanks measure contamination of samples during field operations.

A blank action level (BAL) of five times the concentration of a detected compound in an associated blank (common laboratory contaminant compounds are calculated at ten times) is calculated for QA blanks containing concentrations greater than the method detection limit (MDL). The BAL is compared to the associated sample results to determine the appropriate qualification of the sample results, if needed.

Compounds were not detected above the MDL in the associated blanks; therefore, detected sample results were not associated with blank contamination.

3. Surrogates/System Monitoring Compounds

All samples to be analyzed for organic compounds are spiked with surrogate compounds prior to sample preparation to evaluate overall laboratory performance and efficiency of the analytical technique. SVOC analysis requires that two of the three SVOC surrogate compounds within each fraction exhibit recoveries within the laboratory-established acceptance limits.

All surrogate recoveries were within control limits.

4. Matrix Spike/Matrix Spike Duplicate (MS/MSD) Analysis

MS/MSD data are used to assess the precision and accuracy of the analytical method. The compounds used to perform the MS/MSD analysis must exhibit a percent recovery within the laboratory-established acceptance limits. The relative percent difference (RPD) between the MS/MSD recoveries must exhibit an RPD within the laboratory-established acceptance limits.

Note: The MS/MSD recovery control limits do not apply for MS/MSD performed on sample locations where the compound concentration detected in the parent sample exceeds the MS/MSD concentration by a factor of four or greater.

Sample locations associated with the MS/MSD exhibiting recoveries outside of the control limits are presented in the following table.

Sample Locations	Compound	MS Recovery	MSD Recovery
SDG JC57844: (8270D-SIM) RE114D2	1,4-Dioxane	AC	<10%

Note:

AC = Acceptable

The criteria used to evaluate the MS/MSD recoveries are presented in the following table. In the case of an MS/MSD deviation, the sample results are qualified as documented in the table below.

Control Limit	Sample Result	Qualification
> the upper control limit (UL)	Non-detect	No Action
	Detect	J
< the lower control limit (LL) but > 10%	Non-detect	UJ
	Detect	J
< 10%	Non-detect	R
	Detect	J
Parent sample concentration > four times the MS/MSD spiking solution concentration.	Detect	No Action
	Non-detect	

The MS/MSD exhibited acceptable recoveries and RPD between the MS/MSD recoveries in SDG JC58120.

5. Laboratory Control Sample (LCS) Analysis

The LCS analysis is used to assess the precision and accuracy of the analytical method independent of matrix interferences. The compounds associated with the LCS analysis must exhibit a percent recovery within the laboratory-established acceptance limits.

All compounds associated with the LCS analysis exhibited recoveries within the control limits.

6. Field Duplicate Analysis

Field duplicate analysis is used to assess the overall precision of the field sampling procedures and analytical method. A control limit of 30% for water matrices is applied to the RPD between the parent sample and the field duplicate. In the instance when the parent and/or duplicate sample concentrations are less than or equal to 5 times the RL, a control limit of two times the RL is applied for water matrices.

Results for duplicate samples are summarized in the following table.

Sample ID/Duplicate ID	Compound	Sample Result	Duplicate Result	RPD
<u>SDG JC58120:</u> BPOW 5-3/ REP122717AR-1	1,4-Dioxane	2.00	1.86	AC

Notes:

AC = Acceptable

The calculated RPDs between the parent sample and field duplicate were acceptable.

A field duplicate was not collected with a sample location associated with SDG JC57844.

7. System Performance and Overall Assessment

Overall system performance was acceptable. Other than for those deviations specifically mentioned in this review, the overall data quality is within the guidelines specified in the method.

DATA VALIDATION CHECKLIST FOR SVOCs

SVOCs: EPA 522-SIM and 8270D-SIM	Reported		Performance Acceptable		Not Required
	No	Yes	No	Yes	
GAS CHROMATOGRAPHY/MASS SPECTROMETRY (GC/MS)					
Tier II Validation					
Holding times		X		X	
Reporting limits (units)		X		X	
Blanks					
A. Method blanks		X		X	
B. Equipment blanks		X		X	
Laboratory Control Sample (LCS) %R		X		X	
Laboratory Control Sample Duplicate(LCSD) %R					X
LCS/LCSD Precision (RPD)					X
Matrix Spike (MS) %R		X		X	
Matrix Spike Duplicate(MSD) %R		X	X		
MS/MSD Precision (RPD)		X		X	
Field/Lab Duplicate (RPD)					X
Surrogate Spike Recoveries		X		X	
Dilution Factor		X		X	
Moisture Content					X

Notes:

%R Percent recovery

RPD Relative percent difference

VALIDATION PERFORMED BY: Lisa Horton

SIGNATURE:



DATE: February 27, 2018

PEER REVIEW: Todd Church

DATE: February 27, 2018

CHAIN OF CUSTODY CORRECTED SAMPLE ANALYSIS DATA SHEETS



ACCUTEST

CHAIN OF CUSTODY

SGS Accutest New Jersey - Dayton
2235 Route 130, Dayton, NJ 08810
TEL: 732-329-0200 FAX: 732-329-3499/3480
www.sgs.com

FED-EX Tracking COC#
Accutest Quote #
Accutest Job # JC57844

Client / Reporting Information, Project Information, Requested Analysis, Matrix Codes, Collection table with columns for Date, Time, Sampled by, Metric, # of bottles, and various analysis codes.

Turnaround Time (Business days), Data Deliverable Information, Comments / Special Instructions (11 2 coolers!!)

Sample Custody must be documented below each time samples change possession, including courier delivery. Includes fields for Requisitioned By, Received By, Date/Time, and Cooler Temp.

5.1 5

JC57844: Chain of Custody

Page 1 of 3



Report of Analysis

Client Sample ID: RE114D2		Date Sampled: 12/20/17
Lab Sample ID: JC57844-1		Date Received: 12/21/17
Matrix: AQ - Ground Water		Percent Solids: n/a
Method: SW846 8260C		
Project: Navy Wells OU2, Bethpage, NY		

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethene	84.0	1.0	0.27	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.62	ug/l	
	m,p-Xylene	ND	1.0	0.43	ug/l	
95-47-6	o-Xylene	ND	1.0	0.22	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	109%		80-120%
17060-07-0	1,2-Dichloroethane-D4	108%		81-124%
2037-26-5	Toluene-D8	97%		80-120%
460-00-4	4-Bromofluorobenzene	101%		80-120%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
	system artifact	.94	12	ug/l	J
110-54-3	alkane-Hexane	3.56	7.9	ug/l	JN R
	Total TIC, Volatile		7.9	ug/l	J

- (a) Associated CCV and BS outside of control limits high, sample was ND.
- (b) Associated CCV outside of control limits high, sample was ND.

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.1
4

Report of Analysis

Client Sample ID: RE114D2	Date Sampled: 12/20/17
Lab Sample ID: JC57844-1	Date Received: 12/21/17
Matrix: AQ - Ground Water	Percent Solids: n/a
Method: SW846 8270D BY SIM SW846 3510C	
Project: Navy Wells OU2, Bethpage, NY	

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	4M74837.D	1	01/04/18 05:19	CS	12/27/17 12:00	OP8921A	E4M3506
Run #2							

Run #	Initial Volume	Final Volume
Run #1	1000 ml	1.0 ml
Run #2		

CAS No.	Compound	Result	RL	MDL	Units	Q
123-91-1	1,4-Dioxane ^a	2.65	0.10	0.049	ug/l	J
CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits		
4165-60-0	Nitrobenzene-d5	75%		29-124%		
321-60-8	2-Fluorobiphenyl	65%		23-122%		
1718-51-0	Terphenyl-d14	85%		22-130%		

(a) Associated CCV outside of control limits low.

ND = Not detected	MDL = Method Detection Limit	J = Indicates an estimated value
RL = Reporting Limit		B = Indicates analyte found in associated method blank
E = Indicates value exceeds calibration range		N = Indicates presumptive evidence of a compound

4.1
4

Report of Analysis

Client Sample ID: RE114D3	Date Sampled: 12/20/17
Lab Sample ID: JC57844-2	Date Received: 12/21/17
Matrix: AQ - Ground Water	Percent Solids: n/a
Method: SW846 8260C	
Project: Navy Wells OU2, Bethpage, NY	

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethene	51.2	1.0	0.27	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.62	ug/l	
	m,p-Xylene	ND	1.0	0.43	ug/l	
95-47-6	o-Xylene	ND	1.0	0.22	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	108%		80-120%
17060-07-0	1,2-Dichloroethane-D4	109%		81-124%
2037-26-5	Toluene-D8	98%		80-120%
460-00-4	4-Bromofluorobenzene	102%		80-120%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
	system artifact	.94	26	ug/l	J
110-54-3	alkane-Hexane	3.56	9.1	ug/l	JN
	Total TIC, Volatile		9.1	ug/l	J

(a) Associated CCV and BS outside of control limits high, sample was ND.

(b) Associated CCV outside of control limits high, sample was ND.

ND = Not detected MDL = Method Detection Limit
 RL = Reporting Limit

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

4.2
4

Report of Analysis

Client Sample ID: RE114D3	Date Sampled: 12/20/17
Lab Sample ID: JC57844-2	Date Received: 12/21/17
Matrix: AQ - Ground Water	Percent Solids: n/a
Method: SW846 8270D BY SIM SW846 3510C	
Project: Navy Wells OU2, Bethpage, NY	

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	4M74838.D	1	01/04/18 05:49	CS	12/27/17 12:00	OP8921A	E4M3506
Run #2							

Run #	Initial Volume	Final Volume
Run #1	1000 ml	1.0 ml
Run #2		

CAS No.	Compound	Result	RL	MDL	Units	Q
123-91-1	1,4-Dioxane ^a	2.09	0.10	0.049	ug/l	
CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits		
4165-60-0	Nitrobenzene-d5	76%		29-124%		
321-60-8	2-Fluorobiphenyl	66%		23-122%		
1718-51-0	Terphenyl-d14	86%		22-130%		

(a) Associated CCV outside of control limits low.

ND = Not detected	MDL = Method Detection Limit	J = Indicates an estimated value
RL = Reporting Limit		B = Indicates analyte found in associated method blank
E = Indicates value exceeds calibration range		N = Indicates presumptive evidence of a compound

4.2
4

Report of Analysis

Client Sample ID: BPOW 5-4	Date Sampled: 12/20/17
Lab Sample ID: JC57844-3	Date Received: 12/21/17
Matrix: AQ - Ground Water	Percent Solids: n/a
Method: EPA 524.2 REV 4.1	
Project: Navy Wells OU2, Bethpage, NY	

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 ^a	1B113307.D	1	01/04/18 15:11	BK	n/a	n/a	V1B5413
Run #2							

Run #	Purge Volume
Run #1	5.0 ml
Run #2	

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	5.0	3.8	ug/l	J
78-93-3	2-Butanone	ND	5.0	2.5	ug/l	
71-43-2	Benzene	ND	0.50	0.26	ug/l	
75-27-4	Bromodichloromethane	ND	0.50	0.36	ug/l	
75-25-2	Bromoform ^b	ND	0.50	0.40	ug/l	
74-83-9	Bromomethane	ND	0.50	0.081	ug/l	
75-15-0	Carbon disulfide	ND	0.50	0.39	ug/l	
108-90-7	Chlorobenzene	ND	0.50	0.27	ug/l	
75-00-3	Chloroethane	ND	0.50	0.071	ug/l	
67-66-3	Chloroform	ND	0.50	0.33	ug/l	
74-87-3	Chloromethane	ND	0.50	0.39	ug/l	
56-23-5	Carbon tetrachloride	ND	0.50	0.13	ug/l	
75-34-3	1,1-Dichloroethane	ND	0.50	0.13	ug/l	
75-35-4	1,1-Dichloroethylene	ND	0.50	0.23	ug/l	
107-06-2	1,2-Dichloroethane	ND	0.50	0.28	ug/l	
78-87-5	1,2-Dichloropropane	ND	0.50	0.29	ug/l	
124-48-1	Dibromochloromethane	ND	0.50	0.094	ug/l	
156-60-5	trans-1,2-Dichloroethylene	ND	0.50	0.098	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	0.50	0.26	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	0.14	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	0.25	ug/l	
100-41-4	Ethylbenzene	ND	0.50	0.26	ug/l	
76-13-1	Freon 113	ND	1.0	0.27	ug/l	
591-78-6	2-Hexanone	ND	2.0	1.3	ug/l	
75-09-2	Methylene chloride	ND	0.50	0.37	ug/l	
108-10-1	4-Methyl-2-pentanone	ND	2.0	1.5	ug/l	
100-42-5	Styrene	ND	0.50	0.21	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	0.50	0.12	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.50	0.099	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	0.50	0.12	ug/l	
127-18-4	Tetrachloroethylene	ND	0.50	0.12	ug/l	J
108-88-3	Toluene	ND	0.50	0.13	ug/l	J

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.3
4

Report of Analysis

Client Sample ID: BPOW 5-4		Date Sampled: 12/20/17
Lab Sample ID: JC57844-3		Date Received: 12/21/17
Matrix: AQ - Ground Water		Percent Solids: n/a
Method: EPA 524.2 REV 4.1		
Project: Navy Wells OU2, Bethpage, NY		

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethylene	ND	0.50	0.11	ug/l	J
75-01-4	Vinyl chloride	ND	0.50	0.056	ug/l	J
	m,p-Xylene	ND	0.50	0.26	ug/l	J
95-47-6	o-Xylene	ND	0.50	0.24	ug/l	J

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2199-69-1	1,2-Dichlorobenzene-d4	95%		70-130%
460-00-4	4-Bromofluorobenzene	82%		70-130%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

- (a) Sample analyzed outside the holding time per client's request.
- (b) Associated CCV outside of control limits high, sample was ND.

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.3
4

ANALYSIS OF SAMPLE BPOW5-4 BY METHOD 524.2 WAS PERFORMED ONE DAY OUT OF HOLD THEREFORE THE RESULTS WERE QUALIFIED AS ESTIMATED

SGS North America Inc.

Report of Analysis

Page 1 of 2

Client Sample ID: BPOW 5-4	Date Sampled: 12/20/17
Lab Sample ID: JC57844-3	Date Received: 12/21/17
Matrix: AQ - Ground Water	Percent Solids: n/a
Method: SW846 8260C	
Project: Navy Wells OU2, Bethpage, NY	

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	3C141725.D	1	01/03/18 04:22	PS	n/a	n/a	V3C6418
Run #2							

Run #	Purge Volume
Run #1	5.0 ml
Run #2	

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone ^a	ND	10	5.0	ug/l	
71-43-2	Benzene	ND	0.50	0.17	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.22	ug/l	
75-25-2	Bromoform	ND	1.0	0.42	ug/l	
74-83-9	Bromomethane	ND	2.0	1.4	ug/l	
78-93-3	2-Butanone (MEK) ^b	ND	10	4.8	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.50	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.34	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.24	ug/l	
75-00-3	Chloroethane ^b	ND	1.0	0.59	ug/l	
67-66-3	Chloroform	ND	1.0	0.29	ug/l	
74-87-3	Chloromethane	ND	1.0	0.53	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.16	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.21	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.20	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.47	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.50	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.40	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.24	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.25	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.22	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.22	ug/l	
76-13-1	Freon 113	ND	5.0	1.2	ug/l	
591-78-6	2-Hexanone ^b	ND	5.0	3.3	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	3.0	ug/l	
75-09-2	Methylene chloride	4.3	2.0	1.0	ug/l	UB
100-42-5	Styrene	ND	1.0	0.24	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.17	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.50	ug/l	
108-88-3	Toluene	ND	1.0	0.25	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.25	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.24	ug/l	

ND = Not detected MDL = Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

ANALYSIS OF SAMPLE BPOW5-4 BY METHOD 524.2 WAS PERFORMED ONE DAY OUT OF HOLD THEREFORE THE RESULTS WERE QUALIFIED AS ESTIMATED

SGS North America Inc.

Report of Analysis

Page 2 of 2

Client Sample ID: BPOW 5-4	Date Sampled: 12/20/17
Lab Sample ID: JC57844-3	Date Received: 12/21/17
Matrix: AQ - Ground Water	Percent Solids: n/a
Method: SW846 8260C	
Project: Navy Wells OU2, Bethpage, NY	

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethene	ND	1.0	0.27	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.62	ug/l	
	m,p-Xylene	ND	1.0	0.43	ug/l	
95-47-6	o-Xylene	ND	1.0	0.22	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	108%		80-120%
17060-07-0	1,2-Dichloroethane-D4	107%		81-124%
2037-26-5	Toluene-D8	96%		80-120%
460-00-4	4-Bromofluorobenzene	100%		80-120%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
	system artifact	.94	12	ug/l	J
	system artifact	.97	17	ug/l	J
110-54-3	alkane-Hexane	3.56	9.9	ug/l	JN R
	system artifact	8.92	8.7	ug/l	J
	Total TIC, Volatile		9.9	ug/l	J

(a) Associated CCV and BS outside of control limits high, sample was ND.

(b) Associated CCV outside of control limits high, sample was ND.

ND = Not detected MDL = Method Detection Limit
 RL = Reporting Limit

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: FB122017AR1	Date Sampled: 12/20/17
Lab Sample ID: JC57844-4	Date Received: 12/21/17
Matrix: AQ - Field Blank Water	Percent Solids: n/a
Method: SW846 8260C	
Project: Navy Wells OU2, Bethpage, NY	

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	3C141722.D	1	01/03/18 03:00	PS	n/a	n/a	V3C6418
Run #2							

Run #	Purge Volume
Run #1	5.0 ml
Run #2	

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone ^a	ND	10	5.0	ug/l	
71-43-2	Benzene	ND	0.50	0.17	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.22	ug/l	
75-25-2	Bromoform	ND	1.0	0.42	ug/l	
74-83-9	Bromomethane	ND	2.0	1.4	ug/l	
78-93-3	2-Butanone (MEK) ^b	ND	10	4.8	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.50	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.34	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.24	ug/l	
75-00-3	Chloroethane ^b	ND	1.0	0.59	ug/l	
67-66-3	Chloroform	ND	1.0	0.29	ug/l	
74-87-3	Chloromethane	ND	1.0	0.53	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.16	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.21	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.20	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.47	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.50	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.40	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.24	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.25	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.22	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.22	ug/l	
76-13-1	Freon 113	ND	5.0	1.2	ug/l	
591-78-6	2-Hexanone ^b	ND	5.0	3.3	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	3.0	ug/l	
75-09-2	Methylene chloride	6.0	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.24	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.17	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.50	ug/l	
108-88-3	Toluene	ND	1.0	0.25	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.25	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.24	ug/l	

ND = Not detected MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: FB122017AR1	Date Sampled: 12/20/17
Lab Sample ID: JC57844-4	Date Received: 12/21/17
Matrix: AQ - Field Blank Water	Percent Solids: n/a
Method: SW846 8260C	
Project: Navy Wells OU2, Bethpage, NY	

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethene	ND	1.0	0.27	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.62	ug/l	
	m,p-Xylene	ND	1.0	0.43	ug/l	
95-47-6	o-Xylene	ND	1.0	0.22	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	109%		80-120%
17060-07-0	1,2-Dichloroethane-D4	108%		81-124%
2037-26-5	Toluene-D8	96%		80-120%
460-00-4	4-Bromofluorobenzene	102%		80-120%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
	system artifact	.94	25	ug/l	J
110-54-3	alkane-Hexane	3.56	10	ug/l	JN
	system artifact	8.92	6.4	ug/l	J
	Total TIC, Volatile		10	ug/l	J N

- (a) Associated CCV and BS outside of control limits high, sample was ND.
- (b) Associated CCV outside of control limits high, sample was ND.

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.4
4

Report of Analysis

Client Sample ID: FB122017AR1	Date Sampled: 12/20/17
Lab Sample ID: JC57844-4	Date Received: 12/21/17
Matrix: AQ - Field Blank Water	Percent Solids: n/a
Method: SW846 8270D BY SIM SW846 3510C	
Project: Navy Wells OU2, Bethpage, NY	

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	4M74839.D	1	01/04/18 06:20	CS	12/27/17 12:00	OP8921A	E4M3506
Run #2							

Run #	Initial Volume	Final Volume
Run #1	950 ml	1.0 ml
Run #2		

CAS No.	Compound	Result	RL	MDL	Units	Q
123-91-1	1,4-Dioxane ^a	ND	0.11	0.051	ug/l	
CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits		
4165-60-0	Nitrobenzene-d5	79%		29-124%		
321-60-8	2-Fluorobiphenyl	67%		23-122%		
1718-51-0	Terphenyl-d14	93%		22-130%		

(a) Associated CCV outside of control limits low.

ND = Not detected	MDL = Method Detection Limit	J = Indicates an estimated value
RL = Reporting Limit		B = Indicates analyte found in associated method blank
E = Indicates value exceeds calibration range		N = Indicates presumptive evidence of a compound

4.4
4

Report of Analysis

Client Sample ID: TB122017AD1		
Lab Sample ID: JC57844-5		Date Sampled: 12/20/17
Matrix: AQ - Trip Blank Water		Date Received: 12/21/17
Method: SW846 8260C		Percent Solids: n/a
Project: Navy Wells OU2, Bethpage, NY		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	3C141723.D	1	01/03/18 03:27	PS	n/a	n/a	V3C6418
Run #2							

Run #	Purge Volume
Run #1	5.0 ml
Run #2	

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone ^a	ND	10	5.0	ug/l	
71-43-2	Benzene	ND	0.50	0.17	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.22	ug/l	
75-25-2	Bromoform	ND	1.0	0.42	ug/l	
74-83-9	Bromomethane	ND	2.0	1.4	ug/l	
78-93-3	2-Butanone (MEK) ^b	ND	10	4.8	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.50	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.34	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.24	ug/l	
75-00-3	Chloroethane ^b	ND	1.0	0.59	ug/l	
67-66-3	Chloroform	ND	1.0	0.29	ug/l	
74-87-3	Chloromethane	ND	1.0	0.53	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.16	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.21	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.20	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.47	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.50	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.40	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.24	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.25	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.22	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.22	ug/l	
76-13-1	Freon 113	ND	5.0	1.2	ug/l	
591-78-6	2-Hexanone ^b	ND	5.0	3.3	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	3.0	ug/l	
75-09-2	Methylene chloride	4.4	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.24	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.17	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.50	ug/l	
108-88-3	Toluene	ND	1.0	0.25	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.25	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.24	ug/l	

ND = Not detected MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: TB122017AD1		Date Sampled: 12/20/17
Lab Sample ID: JC57844-5		Date Received: 12/21/17
Matrix: AQ - Trip Blank Water		Percent Solids: n/a
Method: SW846 8260C		
Project: Navy Wells OU2, Bethpage, NY		

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethene	ND	1.0	0.27	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.62	ug/l	
	m,p-Xylene	ND	1.0	0.43	ug/l	
95-47-6	o-Xylene	ND	1.0	0.22	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	108%		80-120%
17060-07-0	1,2-Dichloroethane-D4	107%		81-124%
2037-26-5	Toluene-D8	97%		80-120%
460-00-4	4-Bromofluorobenzene	103%		80-120%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
	system artifact	.94	24	ug/l	J
110-54-3	alkane-Hexane	3.56	9.1	ug/l	JN
	system artifact	8.92	7.5	ug/l	J
	Total TIC, Volatile		9.1	ug/l	J

- (a) Associated CCV and BS outside of control limits high, sample was ND.
- (b) Associated CCV outside of control limits high, sample was ND.

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.5
4



CHAIN OF CUSTODY

Handwritten initials

4410721

2235 Route 130, Dayton, NJ 08810
TEL: 732-329-0200 FAX: 732-329-3499/3480

Client / Reporting Information Company Name: SGS North America Inc. Street Address: 2235 Route 130 City: Dayton State: NJ Zip: 08810 Project Contact: Kristin Dsgraw E-mail: Kristin.Dsgraw@sgs.com Phone #: 732-329-0200 Sample(s) Name(s): AR		Project Information Project Name: Northrup Grumman, Navy Wells OJ2, Bethpage, NY Billing Information (if different from Report to) Company Name: Street Address: City: State: Zip: Attention: Project Manager:		Bottle Order Control # JC57844X SGS Job # Requested Analysis (see TEST CODE sheet)		Matrix Codes DW - Drinking Water GW - Ground Water WW - Wastewater SW - Surface Water SO - Soil SL - Sludge SED - Sediment LIQ - Other Liquid AIR - Air SOL - Other Solid WP - Wipe FB - Field Blank RE - Rinse Blank TB - Trip Blank LAB USE ONLY
Field ID / Point of Collection BPOW 5-4	Date 12/20/17	Time 12:40:00 PM	Matrix AQ	# of bottles 2	Number of preserved Bottles H ₂ O NaOH HNO ₃ H ₂ SO ₄ DI Water MEQH ENCORE Na Br/Cl 2	
Turnaround Time (Business days) <input type="checkbox"/> Std. 10 Business Days <input type="checkbox"/> 5 Day RUSH <input type="checkbox"/> 3 Day EMERGENCY <input type="checkbox"/> 2 Day EMERGENCY <input type="checkbox"/> 1 Day EMERGENCY <input checked="" type="checkbox"/> other 21 Emergency & Rush T/A, detachable VIA Lablink		Approved By (SGS PM): / Date: _____ _____ _____ _____		Data Deliverable Information <input type="checkbox"/> Commercial "A" (Level 1) <input type="checkbox"/> Commercial "B" (Level 2) <input type="checkbox"/> FULLT1 (Level 3+4) <input type="checkbox"/> NJ Reduced <input type="checkbox"/> Commercial "C" <input type="checkbox"/> NYASP Category A <input type="checkbox"/> NYASP Category B <input type="checkbox"/> State Forms <input type="checkbox"/> EDD Format <input checked="" type="checkbox"/> Other COMM+ Commercial "A" = Results Only Commercial "B" = Results + QC Summary Commercial "C" = Results + QC Summary + Partial Raw data NJ Reduced = Results + QC Summary + Partial Raw data		
Sample Custody must be documented below each time samples change possession, including courier delivery.						
Relinquished by Sampler: <i>[Signature]</i> Date Time: 12/20/17 1700	Relinquished By: FED EX Date Time: 1	Relinquished by: <i>[Signature]</i> Date Time: 3	Relinquished By: 186 Date Time: 4	Relinquished by: <i>[Signature]</i> Date Time: 5	Relinquished By: 4 Date Time: 4	
Received By: <i>[Signature]</i> Date Time: 12/20/17 5:45		Received By: <i>[Signature]</i> Date Time: 4		Received By: <i>[Signature]</i> Date Time: 4		
Relinquished by: 5		Relinquished by: 4		Relinquished by: 4		
Relinquished by: 5		Relinquished by: 4		Relinquished by: 4		
Relinquished by: 5		Relinquished by: 4		Relinquished by: 4		



GEL LABORATORIES LLC

2040 Savage Road Charleston SC 29407 - (843) 556-8171 - www.gel.com

Qualifier Definition Report for

ACTL003 SGS Accutest

Client SDG: JC57844X GEL Work Order: 440721

The Qualifiers in this report are defined as follows:

- * Indicates that a quality control analyte recovery is outside of specified acceptance criteria.
- ** Indicates the analyte is a surrogate compound.
- J Indicates an estimated value. The result was greater than the detection limit, but less than the reporting limit or indicates that the analyte recovery in the MS or MSD is outside of specified acceptance criteria.
- U Indicates the target analyte was analyzed for but not detected above the detection limit.
- DL Indicates that sample is diluted.
- RA Indicates that sample is re-analyzed without re-extraction.
- RE Indicates that sample is re-extracted.

Review/Validation

GEL requires all analytical data to be verified by a qualified data reviewer. In addition, all CLP-like deliverables receive a third level review of the fractional data package.

The following data validator verified the information presented in this data report:

Signature: 

Name: Barbara Bailey

Date: 19 JAN 2018

Title: Data Validator

**Semi-Volatile
Certificate of Analysis
Sample Summary**

SDG Number: JC57844X
 Lab Sample ID: 440721001
 Client Sample: 3X
 Client ID: BPOW 5-4
 Batch ID: 1730571
 Run Date: 01/12/2018 01:31
 Prep Date: 01/11/2018 11:30
 Data File: s011118.B\s6a1129.D

Date Collected: 12/20/2017 12:40
 Date Received: 12/27/2017 08:45
 Client: ACTL003
 Method: EPA 522
 Inst: MSD6.I
 Analyst: JMB3
 Aliquot: 100 mL
 Rx-624

Matrix: WATER
 Project: ACTL00316
 SOP Ref: GL-OA-E-073
 Dilution: 1
 Inj. Vol: 1 uL
 Final Volume: 2 mL

CAS No.	Parname	Qualifier	Result	Units	MDL	LOD	LOQ
123-91-1	1,4-Dioxane		1.27	ug/L	0.100	0.100	0.200

2

Report of Analysis

Client Sample ID: BPOW 5-1		Date Sampled: 12/27/17
Lab Sample ID: JC58120-1		Date Received: 12/28/17
Matrix: AQ - Ground Water		Percent Solids: n/a
Method: EPA 524.2 REV 4.1		
Project: Navy Wells OU2, Bethpage, NY		

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethylene	ND	0.50	0.11	ug/l	
75-01-4	Vinyl chloride	ND	0.50	0.056	ug/l	
	m,p-Xylene	ND	0.50	0.26	ug/l	
95-47-6	o-Xylene	ND	0.50	0.24	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2199-69-1	1,2-Dichlorobenzene-d4	98%		70-130%
460-00-4	4-Bromofluorobenzene	95%		70-130%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

(a) EPA 524.2 is not a certified method for non-potable water samples.

ND = Not detected MDL = Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

4.1
4

Report of Analysis

Client Sample ID: BPOW 5-2		Date Sampled: 12/27/17
Lab Sample ID: JC58120-2		Date Received: 12/28/17
Matrix: AQ - Ground Water		Percent Solids: n/a
Method: EPA 524.2 REV 4.1		
Project: Navy Wells OU2, Bethpage, NY		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 ^a	1B113239.D	1	12/29/17 13:23	BK	n/a	n/a	V1B5409
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	5.0	3.8	ug/l	
78-93-3	2-Butanone	ND	5.0	2.5	ug/l	
71-43-2	Benzene	ND	0.50	0.26	ug/l	
75-27-4	Bromodichloromethane	ND	0.50	0.36	ug/l	
75-25-2	Bromoform	ND	0.50	0.40	ug/l	
74-83-9	Bromomethane	ND	0.50	0.081	ug/l	
75-15-0	Carbon disulfide	ND	0.50	0.39	ug/l	
108-90-7	Chlorobenzene	ND	0.50	0.27	ug/l	
75-00-3	Chloroethane	ND	0.50	0.071	ug/l	
67-66-3	Chloroform	ND	0.50	0.33	ug/l	
74-87-3	Chloromethane	ND	0.50	0.39	ug/l	
56-23-5	Carbon tetrachloride	ND	0.50	0.13	ug/l	
75-34-3	1,1-Dichloroethane	ND	0.50	0.13	ug/l	
75-35-4	1,1-Dichloroethylene	ND	0.50	0.23	ug/l	
107-06-2	1,2-Dichloroethane	ND	0.50	0.28	ug/l	
78-87-5	1,2-Dichloropropane	ND	0.50	0.29	ug/l	
124-48-1	Dibromochloromethane	ND	0.50	0.094	ug/l	
156-60-5	trans-1,2-Dichloroethylene	ND	0.50	0.098	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	0.50	0.26	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	0.14	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	0.25	ug/l	
100-41-4	Ethylbenzene	ND	0.50	0.26	ug/l	
76-13-1	Freon 113	ND	1.0	0.27	ug/l	
591-78-6	2-Hexanone	ND	2.0	1.3	ug/l	
75-09-2	Methylene chloride	ND	0.50	0.37	ug/l	
108-10-1	4-Methyl-2-pentanone	ND	2.0	1.5	ug/l	
100-42-5	Styrene	ND	0.50	0.21	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	0.50	0.12	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.50	0.099	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	0.50	0.12	ug/l	
127-18-4	Tetrachloroethylene	ND	0.50	0.12	ug/l	
108-88-3	Toluene	ND	0.50	0.13	ug/l	

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.2
4

Report of Analysis

Client Sample ID: BPOW 5-2		Date Sampled: 12/27/17
Lab Sample ID: JC58120-2		Date Received: 12/28/17
Matrix: AQ - Ground Water		Percent Solids: n/a
Method: EPA 524.2 REV 4.1		
Project: Navy Wells OU2, Bethpage, NY		

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethylene	ND	0.50	0.11	ug/l	
75-01-4	Vinyl chloride	ND	0.50	0.056	ug/l	
	m,p-Xylene	ND	0.50	0.26	ug/l	
95-47-6	o-Xylene	ND	0.50	0.24	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2199-69-1	1,2-Dichlorobenzene-d4	96%		70-130%
460-00-4	4-Bromofluorobenzene	93%		70-130%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

(a) EPA 524.2 is not a certified method for non-potable water samples.

ND = Not detected MDL = Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

4.2
4

Report of Analysis

Client Sample ID: BPOW 5-3		Date Sampled: 12/27/17
Lab Sample ID: JC58120-3		Date Received: 12/28/17
Matrix: AQ - Ground Water		Percent Solids: n/a
Method: EPA 524.2 REV 4.1		
Project: Navy Wells OU2, Bethpage, NY		

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethylene	ND	0.50	0.11	ug/l	
75-01-4	Vinyl chloride	ND	0.50	0.056	ug/l	
	m,p-Xylene	ND	0.50	0.26	ug/l	
95-47-6	o-Xylene	ND	0.50	0.24	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2199-69-1	1,2-Dichlorobenzene-d4	97%		70-130%
460-00-4	4-Bromofluorobenzene	93%		70-130%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

(a) EPA 524.2 is not a certified method for non-potable water samples.

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.3
4

Report of Analysis

Client Sample ID: REP122717AR-1		Date Sampled: 12/27/17
Lab Sample ID: JC58120-4		Date Received: 12/28/17
Matrix: AQ - Ground Water		Percent Solids: n/a
Method: EPA 524.2 REV 4.1		
Project: Navy Wells OU2, Bethpage, NY		

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethylene	ND	0.50	0.11	ug/l	
75-01-4	Vinyl chloride	ND	0.50	0.056	ug/l	
	m,p-Xylene	ND	0.50	0.26	ug/l	
95-47-6	o-Xylene	ND	0.50	0.24	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2199-69-1	1,2-Dichlorobenzene-d4	98%		70-130%
460-00-4	4-Bromofluorobenzene	94%		70-130%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

(a) EPA 524.2 is not a certified method for non-potable water samples.

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.4
4

Report of Analysis

Client Sample ID: TB122717PP-1		Date Sampled: 12/27/17
Lab Sample ID: JC58120-5		Date Received: 12/28/17
Matrix: AQ - Trip Blank Water		Percent Solids: n/a
Method: EPA 524.2 REV 4.1		
Project: Navy Wells OU2, Bethpage, NY		

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethylene	ND	0.50	0.11	ug/l	
75-01-4	Vinyl chloride	ND	0.50	0.056	ug/l	
	m,p-Xylene	ND	0.50	0.26	ug/l	
95-47-6	o-Xylene	ND	0.50	0.24	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2199-69-1	1,2-Dichlorobenzene-d4	96%		70-130%
460-00-4	4-Bromofluorobenzene	93%		70-130%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

(a) EPA 524.2 is not a certified method for non-potable water samples.

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.5
4

GEL LABORATORIES LLC

2040 Savage Road Charleston SC 29407 - (843) 556-8171 - www.gel.com

Qualifier Definition Report for

ACTL003 SGS Accutest

Client SDG: JC58120X GEL Work Order: 440883

The Qualifiers in this report are defined as follows:

- * Indicates that a quality control analyte recovery is outside of specified acceptance criteria.
- ** Indicates the analyte is a surrogate compound.
- U Indicates the target analyte was analyzed for but not detected above the detection limit.
- DL Indicates that sample is diluted.
- RA Indicates that sample is re-analyzed without re-extraction.
- RE Indicates that sample is re-extracted.

Review/Validation

GEL requires all analytical data to be verified by a qualified data reviewer. In addition, all CLP-like deliverables receive a third level review of the fractional data package.

The following data validator verified the information presented in this data report:

Signature: 

Name: Barbara Bailey

Date: 19 JAN 2018

Title: Data Validator

**Semi-Volatile
Certificate of Analysis
Sample Summary**

SDG Number: JC58120X
 Lab Sample ID: 440883001

 Client ID: BPOW 5-1
 Batch ID: 1731657
 Run Date: 01/15/2018 19:23
 Prep Date: 01/15/2018 11:45
 Data File: s011518.B\s6a1509.D

Date Collected: 12/27/2017 12:50
 Date Received: 12/30/2017 09:05
 Client: ACTL003
 Method: EPA 522
 Inst: MSD6.I
 Analyst: JMB3
 Aliquot: 100 mL
 Rtx-624

Matrix: WATER

 Project: ACTL00316
 SOP Ref: GL-OA-E-073
 Dilution: 1
 Inj. Vol: 1 uL
 Final Volume: 2 mL

CAS No.	Parname	Qualifier	Result	Units	MDL	LOD	LOQ
123-91-1	1,4-Dioxane	U	0.100	ug/L	0.100	0.100	0.200

2

**Semi-Volatile
Certificate of Analysis
Sample Summary**

SDG Number: JC58120X
 Lab Sample ID: 440883002

 Client ID: BPOW 5-2
 Batch ID: 1731657
 Run Date: 01/15/2018 21:06
 Prep Date: 01/15/2018 11:45
 Data File: s011518.B\s6a1513.D

Date Collected: 12/27/2017 15:25
 Date Received: 12/30/2017 09:05
 Client: ACTL003
 Method: EPA 522
 Inst: MSD6.I
 Analyst: JMB3
 Aliquot: 100 mL
 Rtx-624

Matrix: WATER

 Project: ACTL00316
 SOP Ref: GL-OA-E-073
 Dilution: 1
 Inj. Vol: 1 uL
 Final Volume: 2 mL

CAS No.	Parname	Qualifier	Result	Units	MDL	LOD	LOQ
123-91-1	1,4-Dioxane	U	0.100	ug/L	0.100	0.100	0.200

2

**Semi-Volatile
Certificate of Analysis
Sample Summary**

SDG Number: JC58120X
 Lab Sample ID: 440883003

 Client ID: BPOW 5-3
 Batch ID: 1731657
 Run Date: 01/15/2018 21:57
 Prep Date: 01/15/2018 11:45
 Data File: s011518.B\s6a1515.D

Date Collected: 12/27/2017 15:00
 Date Received: 12/30/2017 09:05
 Client: ACTL003
 Method: EPA 522
 Inst: MSD6.I
 Analyst: JMB3
 Aliquot: 100 mL
 Rtx-624

Matrix: WATER

 Project: ACTL00316
 SOP Ref: GL-OA-E-073
 Dilution: 1
 Inj. Vol: 1 uL
 Final Volume: 2 mL

CAS No.	Parname	Qualifier	Result	Units	MDL	LOD	LOQ
123-91-1	1,4-Dioxane		2.00	ug/L	0.100	0.100	0.200

2

**Semi-Volatile
Certificate of Analysis
Sample Summary**

SDG Number: JC58120X
 Lab Sample ID: 440883004

 Client ID: REP122717AR-1
 Batch ID: 1731657
 Run Date: 01/15/2018 22:48
 Prep Date: 01/15/2018 11:45
 Data File: s011518.B\s6a1517.D

Date Collected: 12/27/2017 12:00
 Date Received: 12/30/2017 09:05
 Client: ACTL003
 Method: EPA 522
 Inst: MSD6.I
 Analyst: JMB3
 Aliquot: 100 mL
 Rx-624

Matrix: WATER

 Project: ACTL00316
 SOP Ref: GL-OA-E-073
 Dilution: 1
 Inj. Vol: 1 uL
 Final Volume: 2 mL

CAS No.	Parname	Qualifier	Result	Units	MDL	LOD	LOQ
123-91-1	1,4-Dioxane		1.86	ug/L	0.100	0.100	0.200

2

Navy Wells-

Operable Unit 2

Data Review

Bethpage, New York

Volatile and Semi-Volatile Analyses

SDGs #JC57176 and JC57177

Analyses Performed By:
Accutest-SGS Laboratories
Dayton, New Jersey

Report #29162R
Review Level: Tier II
Project: NY001496.23TM.NAVI4



SUMMARY

This data quality assessment summarizes the review of Sample Delivery Groups (SDGs) #JC57176 and JC57177 samples collected in association with the Navy Wells at the Bethpage, NY site. The review was conducted as a Tier II evaluation and included review of data package completeness. Only analytical data associated with constituents of concern were reviewed for this validation. Field documentation was not included in this review. Included with this assessment are the validation annotated sample result sheets, and chain of custody. Analyses were performed on the following samples:

SDG Number	Sample ID	Lab ID	Matrix	Sample Collection Date	Parent Sample	Analysis				
						VOC	SVOC	PCB	MET	MISC
JC57176	RE129D1	JC57176-1	Water	12/11/2017		X	X			
	RE129D2	JC57176-2	Water	12/11/2017		X	X			
	FB121117AR1	JC57176-3	Water	12/11/2017		X	X			
	TB121117AD1	JC57176-4	Water	12/11/2017		X				
JC57177	BPOW 5-5	JC57177-1	Water	12/7/2017		X*	X**			
	BPOW 5-6	JC57177-2	Water	12/7/2017		X*	X**			
	TB121117PP1	JC57177-3	Water	12/7/2017		X*				

Notes:

1. (*) Sample locations analyzed by Method 524.4.
2. EPA Method 522 Semi-volatile analysis for 1,4-Dioxane was performed by GEL Laboratories, LLC, located in Charleston, South Carolina (subcontracted via SGS-Accutest Laboratory). The associated SDG is: JC57177X/440061. (**) Sample locations analyzed by USEPA Method 522.

ANALYTICAL DATA PACKAGE DOCUMENTATION

The table below is the evaluation of the data package completeness.

Items Reviewed	Reported		Performance Acceptable		Not Required
	No	Yes	No	Yes	
1. Sample receipt condition		X		X	
2. Requested analyses and sample results		X		X	
3. Master tracking list		X		X	
4. Methods of analysis		X		X	
5. Reporting limits		X		X	
6. Sample collection date		X		X	
7. Laboratory sample received date		X		X	
8. Sample preservation verification (as applicable)		X		X	
9. Sample preparation/extraction/analysis dates		X		X	
10. Fully executed Chain-of-Custody (COC) form		X		X	
11. Narrative summary of QA or sample problems provided		X		X	
12. Data Package Completeness and Compliance		X		X	

Note:

QA - Quality Assurance

ORGANIC ANALYSIS INTRODUCTION

Analyses were performed according to United States Environmental Protection Agency (USEPA) SW-846 methods 8260C and 8270D-Selected Ion Monitoring (SIM), and USEPA methods 524.2 and 522-SIM. Data were reviewed in accordance with USEPA National Functional Guidelines of October 1999.

The data review process is an evaluation of data on a technical basis rather than a determination of contract compliance. As such, the standards against which the data are being weighed may differ from those specified in the analytical method. It is assumed that the data package represents the best efforts of the laboratory and had already been subjected to adequate and sufficient quality review prior to submission.

During the review process, laboratory qualified and unqualified data are verified against the supporting documentation. Based on this evaluation, qualifier codes may be added, deleted, or modified by the data reviewer. Results are qualified with the following codes in accordance with USEPA National Functional Guidelines:

- Concentration (C) Qualifiers
 - U The compound was analyzed for but not detected. The associated value is the compound quantitation limit.
 - B The compound has been found in the sample as well as its associated blank, its presence in the sample may be suspect.
- Quantitation (Q) Qualifiers
 - E The compound was quantitated above the calibration range.
 - D Concentration is based on a diluted sample analysis.
- Validation Qualifiers
 - J The compound was positively identified; however, the associated numerical value is an estimated concentration only.
 - UJ The compound was not detected above the reported sample quantitation limit. However, the reported limit is approximate and may or may not represent the actual limit of quantitation.
 - JN The analysis indicates the presence of a compound for which there is presumptive evidence to make a tentative identification. The associated numerical value is an estimated concentration only.
 - UB Compound considered non-detect at the listed value due to associated blank contamination.
 - N The analysis indicates the presence of a compound for which there is presumptive evidence to make a tentative identification.
 - R The sample results are rejected.

Two facts should be noted by all data users. First, the "R" flag means that the associated value is unusable. In other words, due to significant quality control (QC) problems, the analysis is invalid and

provides no information as to whether the compound is present or not. "R" values should not appear on data tables because they cannot be relied upon, even as a last resort. The second fact to keep in mind is that no compound concentration, even if it has passed all QC tests, is guaranteed to be accurate. Strict QC serves to increase confidence in data but any value potentially contains error.

VOLATILE ORGANIC COMPOUNDS (VOC) ANALYSES

1. Holding Times

The specified holding times for the following methods are presented in the following table.

Method	Matrix	Holding Time	Preservation
SW-846 8260C	Water	14 days from collection to analysis	Cool to <6 °C; preserved to a pH of less than 2 s.u.
EPA 524.2			

Note:

s.u. = Standard units

All samples were analyzed within the specified holding time criteria.

2. Blank Contamination

Quality assurance (QA) blanks (i.e., method and rinse blanks) are prepared to identify any contamination which may have been introduced into the samples during sample preparation or field activity. Method blanks measure laboratory contamination. Rinse blanks measure contamination of samples during field operations.

A blank action level (BAL) of five times the concentration of a detected compound in an associated blank (common laboratory contaminant compounds are calculated at ten times) is calculated for QA blanks containing concentrations greater than the method detection limit (MDL). The BAL is compared to the associated sample results to determine the appropriate qualification of the sample results, if needed.

Compounds were not detected above the MDL in the associated blanks; therefore, detected sample results were not associated with blank contamination.

3. Surrogates/System Monitoring Compounds

All samples to be analyzed for organic compounds are spiked with surrogate compounds prior to sample preparation to evaluate overall laboratory performance and efficiency of the analytical technique. VOC analysis requires that all surrogates associated with the analysis exhibit recoveries within the laboratory-established acceptance limits.

All surrogate recoveries were within control limits.

4. Matrix Spike/Matrix Spike Duplicate (MS/MSD) Analysis

MS/MSD data are used to assess the precision and accuracy of the analytical method. The compounds used to perform the MS/MSD analysis must exhibit a percent recovery within the laboratory-established acceptance limits. The relative percent difference (RPD) between the MS/MSD recoveries must exhibit an RPD within the laboratory-established acceptance limits.

Note: The MS/MSD recovery control limits do not apply for MS/MSD performed on sample locations where the compound concentration detected in the parent sample exceeds the MS/MSD concentration by a factor of four or greater.

A MS/MSD was not performed on a sample location associated with either SDG.

5. Laboratory Control Sample (LCS) Analysis

The LCS analysis is used to assess the precision and accuracy of the analytical method independent of matrix interferences. The compounds associated with the LCS analysis must exhibit a percent recovery within the laboratory-established acceptance limits.

All compounds associated with the LCS analysis exhibited acceptable recoveries in both SDGs.

6. Field Duplicate Analysis

Field duplicate analysis is used to assess the overall precision of the field sampling procedures and analytical method. A control limit of 30% for water matrices is applied to the RPD between the parent sample and the field duplicate. In the instance when the parent and/or duplicate sample concentrations are less than or equal to 5 times the RL, a control limit of two times the RL is applied for water matrices.

A field duplicate was not collected with a sample location associated with the SDGs validated in the report.

7. Laboratory Duplicate Analysis

The laboratory duplicate relative percent difference (RPD) criterion is applied when parent and duplicate sample concentrations are greater than or equal to 5 times the RL. A control limit of 20% for water matrices is applied when the criteria above is true. In the instance when the parent and/or duplicate sample concentrations are less than or equal to 5 times the RL, a control limit of two times the RL is applied for water matrices.

A laboratory duplicate was not performed on a sample location associated with either SDGs.

8. System Performance and Overall Assessment

Tentatively identified compounds (TICs) were not detected in any of the sample locations.

Continuing calibration review/validation is not included in a Tier II validation. However, the laboratory provided continuing calibration information in the case narrative, therefore it was evaluated.

In SDG JC56177: The case narrative states the continuing calibration associated with the data had percent difference (%D) exceedances with an increase sensitivity for Bromoform (>20%). This compound in all the sample locations was not detected; therefore, qualification was not necessary.

Overall system performance was acceptable. Other than for those deviations specifically mentioned in this review, the overall data quality is within the guidelines specified in the method.

DATA VALIDATION CHECKLIST FOR VOCs

VOCs: SW-846 8260C and 524.2	Reported		Performance Acceptable		Not Required
	No	Yes	No	Yes	
GAS CHROMATOGRAPHY/MASS SPECTROMETRY (GC/MS)					
Tier II Validation					
Holding times		X		X	
Reporting limits (units)		X		X	
Blanks					
A. Method blanks		X		X	
B. Equipment blanks		X		X	
C. Trip blanks		X		X	
Laboratory Control Sample (LCS) %R		X		X	
Laboratory Control Sample Duplicate(LCSD) %R					X
LCS/LCSD Precision (RPD)					X
Matrix Spike (MS) %R					X
Matrix Spike Duplicate(MSD) %R					X
MS/MSD Precision (RPD)					X
Field/Lab Duplicate (RPD)					X
Surrogate Spike Recoveries		X		X	
Dilution Factor		X		X	
Moisture Content					X

Notes:

RPD Relative percent difference

%R Percent recovery

SEMI-VOLATILE ORGANIC COMPOUNDS (SVOC) ANALYSES

1. Holding Times

The specified holding times for the following methods are presented in the following table.

Method	Matrix	Holding Time	Preservation
SW-846 8270D-SIM	Water	14 days from collection to extraction and 40 days from extraction to analysis	Cool to <6 °C
EPA 522-SIM	Water	28 days from collection to extraction and 28 days from extraction to analysis	Cool to <6 °C; preserved with Sodium Bisulfate (NaHSO ₄) to a pH of less than 4 s.u.

All samples were analyzed within the specified holding time criteria.

2. Blank Contamination

Quality assurance (QA) blanks (i.e., method and rinse blanks) are prepared to identify any contamination which may have been introduced into the samples during sample preparation or field activity. Method blanks measure laboratory contamination. Rinse blanks measure contamination of samples during field operations.

A blank action level (BAL) of five times the concentration of a detected compound in an associated blank (common laboratory contaminant compounds are calculated at ten times) is calculated for QA blanks containing concentrations greater than the method detection limit (MDL). The BAL is compared to the associated sample results to determine the appropriate qualification of the sample results, if needed.

Compounds were not detected above the MDL in the associated blanks; therefore, detected sample results were not associated with blank contamination.

3. Surrogates/System Monitoring Compounds

All samples to be analyzed for organic compounds are spiked with surrogate compounds prior to sample preparation to evaluate overall laboratory performance and efficiency of the analytical technique. SVOC analysis requires that two of the three SVOC surrogate compounds within each fraction exhibit recoveries within the laboratory-established acceptance limits.

All surrogate recoveries were within control limits.

4. Matrix Spike/Matrix Spike Duplicate (MS/MSD) Analysis

MS/MSD data are used to assess the precision and accuracy of the analytical method. The compounds used to perform the MS/MSD analysis must exhibit a percent recovery within the laboratory-established acceptance limits. The relative percent difference (RPD) between the MS/MSD recoveries must exhibit an RPD within the laboratory-established acceptance limits.

Note: The MS/MSD recovery control limits do not apply for MS/MSD performed on sample locations where the compound concentration detected in the parent sample exceeds the MS/MSD concentration by a factor of four or greater.

A MS/MSD was not performed on a sample location associated with either SDG.

5. Laboratory Control Sample/Laboratory Control Sample Duplicate (LCS/LCSD) Analysis

The LCS/LCSD analysis is used to assess the precision and accuracy of the analytical method independent of matrix interferences. The compounds associated with the LCS/LCSD analysis must exhibit a percent recovery within the laboratory-established acceptance limits.

All compounds associated with the LCS and/or LCSD analysis exhibited recoveries within the control limits in both SDGs.

6. Field Duplicate Analysis

Field duplicate analysis is used to assess the overall precision of the field sampling procedures and analytical method. A control limit of 30% for water matrices is applied to the RPD between the parent sample and the field duplicate. In the instance when the parent and/or duplicate sample concentrations are less than or equal to 5 times the RL, a control limit of two times the RL is applied for water matrices.

A field duplicate was not collected with a sample location associated with either SDG validated in this report.

7. System Performance and Overall Assessment

Overall system performance was acceptable. Other than for those deviations specifically mentioned in this review, the overall data quality is within the guidelines specified in the method.

DATA VALIDATION CHECKLIST FOR SVOCs

SVOCs: SW-846 8270D-SIM and 522	Reported		Performance Acceptable		Not Required
	No	Yes	No	Yes	
GAS CHROMATOGRAPHY/MASS SPECTROMETRY (GC/MS)					
Tier II Validation					
Holding times		X		X	
Reporting limits (units)		X		X	
Blanks					
A. Method blanks		X		X	
B. Equipment blanks		X		X	
Laboratory Control Sample (LCS) %R		X		X	
Laboratory Control Sample Duplicate(LCSD) %R		X		X	
LCS/LCSD Precision (RPD)		X		X	
Matrix Spike (MS) %R					X
Matrix Spike Duplicate(MSD) %R					X
MS/MSD Precision (RPD)					X
Field/Lab Duplicate (RPD)					X
Surrogate Spike Recoveries		X		X	
Dilution Factor		X		X	
Moisture Content					X

Notes:

%R Percent recovery

RPD Relative percent difference

VALIDATION PERFORMED BY: Lisa Horton

SIGNATURE:



DATE: February 2, 2018

PEER REVIEW: Todd Church

DATE: February 4, 2018

CHAIN OF CUSTODY CORRECTED SAMPLE ANALYSIS DATA SHEETS

Report of Analysis

Client Sample ID: RE129D1		Date Sampled: 12/11/17
Lab Sample ID: JC57176-1		Date Received: 12/12/17
Matrix: AQ - Ground Water		Percent Solids: n/a
Method: SW846 8260C		
Project: Navy Wells OU2, Bethpage, NY		

Run #1	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	4B78035.D	1	12/20/17 21:28	HT	n/a	n/a	V4B3201
Run #2							

Run #1	Purge Volume
Run #1	5.0 ml
Run #2	

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	10	5.0	ug/l	
71-43-2	Benzene	ND	0.50	0.17	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.22	ug/l	
75-25-2	Bromoform	ND	1.0	0.42	ug/l	
74-83-9	Bromomethane	ND	2.0	1.4	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	4.8	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.50	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.34	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.24	ug/l	
75-00-3	Chloroethane	ND	1.0	0.59	ug/l	
67-66-3	Chloroform	ND	1.0	0.29	ug/l	
74-87-3	Chloromethane	ND	1.0	0.53	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.16	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.21	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.20	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.47	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.50	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.40	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.24	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.25	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.22	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.22	ug/l	
76-13-1	Freon 113	ND	5.0	1.2	ug/l	
591-78-6	2-Hexanone	ND	5.0	3.3	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	3.0	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.24	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.17	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.50	ug/l	
108-88-3	Toluene	ND	1.0	0.25	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.25	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.24	ug/l	

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: RE129D1		Date Sampled: 12/11/17
Lab Sample ID: JC57176-1		Date Received: 12/12/17
Matrix: AQ - Ground Water		Percent Solids: n/a
Method: SW846 8260C		
Project: Navy Wells OU2, Bethpage, NY		

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethene	ND	1.0	0.27	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.62	ug/l	
	m,p-Xylene	ND	1.0	0.43	ug/l	
95-47-6	o-Xylene	ND	1.0	0.22	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	98%		80-120%
17060-07-0	1,2-Dichloroethane-D4	100%		81-124%
2037-26-5	Toluene-D8	99%		80-120%
460-00-4	4-Bromofluorobenzene	100%		80-120%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

ND = Not detected MDL = Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

4.1
4

Report of Analysis

Client Sample ID: RE129D1	Date Sampled: 12/11/17
Lab Sample ID: JC57176-1	Date Received: 12/12/17
Matrix: AQ - Ground Water	Percent Solids: n/a
Method: SW846 8270D BY SIM SW846 3510C	
Project: Navy Wells OU2, Bethpage, NY	

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	3M73180.D	1	12/27/17 15:25	NAP	12/15/17 00:35	OP8684	E3M3512
Run #2							

	Initial Volume	Final Volume
Run #1	1000 ml	1.0 ml
Run #2		

CAS No.	Compound	Result	RL	MDL	Units	Q
123-91-1	1,4-Dioxane	ND	0.10	0.049	ug/l	
CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits		
4165-60-0	Nitrobenzene-d5	75%		29-124%		
321-60-8	2-Fluorobiphenyl	55%		23-122%		
1718-51-0	Terphenyl-d14	77%		22-130%		

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: RE129D2 Lab Sample ID: JC57176-2 Matrix: AQ - Ground Water Method: SW846 8260C Project: Navy Wells OU2, Bethpage, NY	Date Sampled: 12/11/17 Date Received: 12/12/17 Percent Solids: n/a
---	---

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethene	ND	1.0	0.27	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.62	ug/l	
	m,p-Xylene	ND	1.0	0.43	ug/l	
95-47-6	o-Xylene	ND	1.0	0.22	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	97%		80-120%
17060-07-0	1,2-Dichloroethane-D4	102%		81-124%
2037-26-5	Toluene-D8	95%		80-120%
460-00-4	4-Bromofluorobenzene	102%		80-120%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.2
4

Report of Analysis

Client Sample ID: RE129D2	Date Sampled: 12/11/17
Lab Sample ID: JC57176-2	Date Received: 12/12/17
Matrix: AQ - Ground Water	Percent Solids: n/a
Method: SW846 8270D BY SIM SW846 3510C	
Project: Navy Wells OU2, Bethpage, NY	

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	3M73181.D	1	12/27/17 15:57	NAP	12/15/17 00:35	OP8684	E3M3512
Run #2							

	Initial Volume	Final Volume
Run #1	1000 ml	1.0 ml
Run #2		

CAS No.	Compound	Result	RL	MDL	Units	Q
123-91-1	1,4-Dioxane	ND	0.10	0.049	ug/l	
CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits		
4165-60-0	Nitrobenzene-d5	84%		29-124%		
321-60-8	2-Fluorobiphenyl	61%		23-122%		
1718-51-0	Terphenyl-d14	79%		22-130%		

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.2
4

Report of Analysis

Client Sample ID: FB121117AR1 Lab Sample ID: JC57176-3 Matrix: AQ - Field Blank Water Method: SW846 8260C Project: Navy Wells OU2, Bethpage, NY	Date Sampled: 12/11/17 Date Received: 12/12/17 Percent Solids: n/a
--	---

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethene	ND	1.0	0.27	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.62	ug/l	
	m,p-Xylene	ND	1.0	0.43	ug/l	
95-47-6	o-Xylene	ND	1.0	0.22	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	98%		80-120%
17060-07-0	1,2-Dichloroethane-D4	99%		81-124%
2037-26-5	Toluene-D8	98%		80-120%
460-00-4	4-Bromofluorobenzene	99%		80-120%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

ND = Not detected MDL = Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

4.3
4

Report of Analysis

Client Sample ID: FB121117AR1	Date Sampled: 12/11/17
Lab Sample ID: JC57176-3	Date Received: 12/12/17
Matrix: AQ - Field Blank Water	Percent Solids: n/a
Method: SW846 8270D BY SIM SW846 3510C	
Project: Navy Wells OU2, Bethpage, NY	

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	3M73182.D	1	12/27/17 16:28	NAP	12/15/17 00:35	OP8684	E3M3512
Run #2							

	Initial Volume	Final Volume
Run #1	1000 ml	1.0 ml
Run #2		

CAS No.	Compound	Result	RL	MDL	Units	Q
123-91-1	1,4-Dioxane	ND	0.10	0.049	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
4165-60-0	Nitrobenzene-d5	78%		29-124%
321-60-8	2-Fluorobiphenyl	54%		23-122%
1718-51-0	Terphenyl-d14	92%		22-130%

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.3
4

Report of Analysis

Client Sample ID: TB121117AD1 Lab Sample ID: JC57176-4 Matrix: AQ - Trip Blank Water Method: SW846 8260C Project: Navy Wells OU2, Bethpage, NY	Date Sampled: 12/11/17 Date Received: 12/12/17 Percent Solids: n/a
---	---

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethene	ND	1.0	0.27	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.62	ug/l	
	m,p-Xylene	ND	1.0	0.43	ug/l	
95-47-6	o-Xylene	ND	1.0	0.22	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	97%		80-120%
17060-07-0	1,2-Dichloroethane-D4	101%		81-124%
2037-26-5	Toluene-D8	97%		80-120%
460-00-4	4-Bromofluorobenzene	104%		80-120%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.4
4



ACCUTEST

CHAIN OF CUSTODY

SGS Accutest New Jersey - Dayton
2235 Route 130, Dayton, NJ 08810
TEL: 732-329-0200 FAX: 732-329-3499/3480
www.sgs.com

60244-Navy

PAGE 1 OF 1

FED-EX Tracking #
Accutest Quote #
Bottle Order Control #
Accutest Job # JC57177

Client / Reporting Information Project Information Requested Analysis (see TEST CODE sheet) Matrix Codes

Company Name: Arcadis
Project Name: AGMNYM72080 // OU2 Navy Outpost & Monitoring Wells
Street Address: 2 Huntington Quad, Suite 1S10
City: Melville NY
Project #: NY001496
Client Purchase Order #: NAVI3
Company Name: Arcadis, U.S., Inc.
Street Address: 630 Plaza Drive, Suite 600
City: Highlands Ranch, CO 80129
Project Manager: Carlo San Giovanni
Attention: Accounts Payable

Table with columns: Accutest Sample #, Field ID / Point of Collection, MECHDI Vial #, Date, Time, Sampled by, Matrix, # of bottles, HCl, NaOH, HNO3, H2SO4, H2O2, DI Water, MECH, ENCORE, NURSOL. Rows 1-3 contain sample data for BPOW 5-5, BPOW 5-6, and TB121117PPA.

Turnaround Time (Business days) Data Deliverable Information Comments / Special Instructions

Turnaround Time options: Std. 15 Business Days, Std. 10 Business Days (by Contract only), 10 Day RUSH, 5 Day RUSH, 3 Day EMERGENCY, 2 Day EMERGENCY, 1 Day EMERGENCY.
Data Deliverable Information: Commercial "A" (Level 1), Commercial "B" (Level 2), FULLT1 (Level 3+4), NJ Reduced, Commercial "C", NYASP Category A, NYASP Category B, State Forms, EDD Format-EQUIS 6, Other COMMC+.

Sample Custody must be documented below each time samples change possession, including courier delivery.
Relinquished By: [Signature] Date Time: 12-11-17 1900
Received By: [Signature] Date Time: 12/12/17 11:15
Relinquished By: [Signature] Date Time: 12/12/17/1805
Received By: [Signature] Date Time: [Blank]

JC57177: Chain of Custody

Page 1 of 2



5.1
5

Report of Analysis

Client Sample ID: BPOW 5-5		Date Sampled: 12/11/17
Lab Sample ID: JC57177-1		Date Received: 12/12/17
Matrix: AQ - Ground Water		Percent Solids: n/a
Method: EPA 524.2 REV 4.1		
Project: Navy Wells OU2, Bethpage, NY		

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethylene	ND	0.50	0.11	ug/l	
75-01-4	Vinyl chloride	ND	0.50	0.056	ug/l	
	m,p-Xylene	ND	0.50	0.26	ug/l	
95-47-6	o-Xylene	ND	0.50	0.24	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2199-69-1	1,2-Dichlorobenzene-d4	89%		70-130%
460-00-4	4-Bromofluorobenzene	97%		70-130%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

(a) EPA 524.2 is not a certified method for non-potable water samples.

(b) Associated CCV outside of control limits high, sample was ND.

ND = Not detected MDL = Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

4.1
4

Report of Analysis

Client Sample ID: BPOW 5-6		Date Sampled: 12/11/17
Lab Sample ID: JC57177-2		Date Received: 12/12/17
Matrix: AQ - Ground Water		Percent Solids: n/a
Method: EPA 524.2 REV 4.1		
Project: Navy Wells OU2, Bethpage, NY		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 ^a	1B113043.D	1	12/15/17 19:38	BK	n/a	n/a	V1B5400
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	5.0	3.8	ug/l	
78-93-3	2-Butanone	ND	5.0	2.5	ug/l	
71-43-2	Benzene	ND	0.50	0.26	ug/l	
75-27-4	Bromodichloromethane	ND	0.50	0.36	ug/l	
75-25-2	Bromoform ^b	ND	0.50	0.40	ug/l	
74-83-9	Bromomethane	ND	0.50	0.081	ug/l	
75-15-0	Carbon disulfide	ND	0.50	0.39	ug/l	
108-90-7	Chlorobenzene	ND	0.50	0.27	ug/l	
75-00-3	Chloroethane	ND	0.50	0.071	ug/l	
67-66-3	Chloroform	ND	0.50	0.33	ug/l	
74-87-3	Chloromethane	ND	0.50	0.39	ug/l	
56-23-5	Carbon tetrachloride	ND	0.50	0.13	ug/l	
75-34-3	1,1-Dichloroethane	ND	0.50	0.13	ug/l	
75-35-4	1,1-Dichloroethylene	ND	0.50	0.23	ug/l	
107-06-2	1,2-Dichloroethane	ND	0.50	0.28	ug/l	
78-87-5	1,2-Dichloropropane	ND	0.50	0.29	ug/l	
124-48-1	Dibromochloromethane	ND	0.50	0.094	ug/l	
156-60-5	trans-1,2-Dichloroethylene	ND	0.50	0.098	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	0.50	0.26	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	0.14	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	0.25	ug/l	
100-41-4	Ethylbenzene	ND	0.50	0.26	ug/l	
76-13-1	Freon 113	ND	1.0	0.27	ug/l	
591-78-6	2-Hexanone	ND	2.0	1.3	ug/l	
75-09-2	Methylene chloride	ND	0.50	0.37	ug/l	
108-10-1	4-Methyl-2-pentanone	ND	2.0	1.5	ug/l	
100-42-5	Styrene	ND	0.50	0.21	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	0.50	0.12	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.50	0.099	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	0.50	0.12	ug/l	
127-18-4	Tetrachloroethylene	ND	0.50	0.12	ug/l	
108-88-3	Toluene	ND	0.50	0.13	ug/l	

ND = Not detected MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: BPOW 5-6		Date Sampled: 12/11/17
Lab Sample ID: JC57177-2		Date Received: 12/12/17
Matrix: AQ - Ground Water		Percent Solids: n/a
Method: EPA 524.2 REV 4.1		
Project: Navy Wells OU2, Bethpage, NY		

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethylene	ND	0.50	0.11	ug/l	
75-01-4	Vinyl chloride	ND	0.50	0.056	ug/l	
	m,p-Xylene	ND	0.50	0.26	ug/l	
95-47-6	o-Xylene	ND	0.50	0.24	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2199-69-1	1,2-Dichlorobenzene-d4	87%		70-130%
460-00-4	4-Bromofluorobenzene	94%		70-130%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

- (a) EPA 524.2 is not a certified method for non-potable water samples.
- (b) Associated CCV outside of control limits high, sample was ND.

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.2
4

Report of Analysis

Client Sample ID: TB121117PP1		Date Sampled: 12/11/17
Lab Sample ID: JC57177-3		Date Received: 12/12/17
Matrix: AQ - Trip Blank Water		Percent Solids: n/a
Method: EPA 524.2 REV 4.1		
Project: Navy Wells OU2, Bethpage, NY		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 ^a	1B113044.D	1	12/15/17 20:10	BK	n/a	n/a	V1B5400
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	5.0	3.8	ug/l	
78-93-3	2-Butanone	ND	5.0	2.5	ug/l	
71-43-2	Benzene	ND	0.50	0.26	ug/l	
75-27-4	Bromodichloromethane	ND	0.50	0.36	ug/l	
75-25-2	Bromoform ^b	ND	0.50	0.40	ug/l	
74-83-9	Bromomethane	ND	0.50	0.081	ug/l	
75-15-0	Carbon disulfide	ND	0.50	0.39	ug/l	
108-90-7	Chlorobenzene	ND	0.50	0.27	ug/l	
75-00-3	Chloroethane	ND	0.50	0.071	ug/l	
67-66-3	Chloroform	ND	0.50	0.33	ug/l	
74-87-3	Chloromethane	ND	0.50	0.39	ug/l	
56-23-5	Carbon tetrachloride	ND	0.50	0.13	ug/l	
75-34-3	1,1-Dichloroethane	ND	0.50	0.13	ug/l	
75-35-4	1,1-Dichloroethylene	ND	0.50	0.23	ug/l	
107-06-2	1,2-Dichloroethane	ND	0.50	0.28	ug/l	
78-87-5	1,2-Dichloropropane	ND	0.50	0.29	ug/l	
124-48-1	Dibromochloromethane	ND	0.50	0.094	ug/l	
156-60-5	trans-1,2-Dichloroethylene	ND	0.50	0.098	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	0.50	0.26	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	0.14	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	0.25	ug/l	
100-41-4	Ethylbenzene	ND	0.50	0.26	ug/l	
76-13-1	Freon 113	ND	1.0	0.27	ug/l	
591-78-6	2-Hexanone	ND	2.0	1.3	ug/l	
75-09-2	Methylene chloride	ND	0.50	0.37	ug/l	
108-10-1	4-Methyl-2-pentanone	ND	2.0	1.5	ug/l	
100-42-5	Styrene	ND	0.50	0.21	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	0.50	0.12	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.50	0.099	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	0.50	0.12	ug/l	
127-18-4	Tetrachloroethylene	ND	0.50	0.12	ug/l	
108-88-3	Toluene	ND	0.50	0.13	ug/l	

ND = Not detected MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: TB121117PP1		Date Sampled: 12/11/17
Lab Sample ID: JC57177-3		Date Received: 12/12/17
Matrix: AQ - Trip Blank Water		Percent Solids: n/a
Method: EPA 524.2 REV 4.1		
Project: Navy Wells OU2, Bethpage, NY		

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethylene	ND	0.50	0.11	ug/l	
75-01-4	Vinyl chloride	ND	0.50	0.056	ug/l	
	m,p-Xylene	ND	0.50	0.26	ug/l	
95-47-6	o-Xylene	ND	0.50	0.24	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2199-69-1	1,2-Dichlorobenzene-d4	84%		70-130%
460-00-4	4-Bromofluorobenzene	95%		70-130%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

- (a) EPA 524.2 is not a certified method for non-potable water samples.
- (b) Associated CCV outside of control limits high, sample was ND.

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.3
4

2235 Route 130, Dayton, NJ 08810
 TEL: 732-329-0200 FAX: 732-329-3499/3480
 www.sgs.com

Client / Reporting Information		Project Information		Requested Analysis (see TEST CODE sheet)		Matrix Codes	
Company Name: SGS Accutest Street Address: 2235 Route 130 City: Dayton State: NJ Zip: 08810 Project Contact: Kristin Degraw@sgs.com Phone #: 732-329-0200 Sampler(s) Name(s): CK		Project Name: Northrup Grumman, Navy Wells OJ2, Bethpage, NY Street: _____ City: _____ State: _____ Billing Information (if different from Report to): Company Name: _____ Street Address: _____ City: _____ State: _____ Zip: _____ Attention: _____		Requested Analysis: SB522SIM14DIOX		Matrix Codes: DW - Drinking Water GW - Ground Water WW - Water SW - Surface Water SO - Soil SL - Sludge SED - Sediment OI - Oil LIQ - Other Liquid AIR - Air SOL - Other Solid WP - Wipe FB - Field Blank EB - Equipment Blank RB - Rinse Blank TB - Trip Blank LAB USE ONLY	
Turnaround Time (Business days): _____ Approved By (SGS Accutest PM): _____ Date: _____ Sample Custody must be documented below each time samples change possession, including courier delivery.		Data Deliverable Information: <input type="checkbox"/> Commercial "A" (Level 1) <input type="checkbox"/> Commercial "B" (Level 2) <input type="checkbox"/> FULLT1 (Level 3+4) <input type="checkbox"/> NJ Reduced <input type="checkbox"/> Commercial "C" Commercial "A" = Results Only Commercial "B" = Results + QC Summary Commercial "C" = Results + QC Summary + Partial Raw data		Number of preserved Bottles: NaOH _____ HCl _____ H2SO4 _____ HNO3 _____ DI Water _____ MEQH _____ ENCORE _____ Nabilint _____		Comments / Special Instructions	
Relinquished by Sampler: _____ Date Time: 12-17-17	Relinquished by Sampler: _____ Date Time: _____	Relinquished by: FEDEX Date Time: 12-17-17	Relinquished by: _____ Date Time: _____	Relinquished by: _____ Date Time: _____	Relinquished by: _____ Date Time: _____	Relinquished by: _____ Date Time: _____	Relinquished by: _____ Date Time: _____
Relinquished by: _____ Date Time: _____	Relinquished by: _____ Date Time: _____	Relinquished by: _____ Date Time: _____	Relinquished by: _____ Date Time: _____	Relinquished by: _____ Date Time: _____	Relinquished by: _____ Date Time: _____	Relinquished by: _____ Date Time: _____	Relinquished by: _____ Date Time: _____

GEL LABORATORIES LLC

2040 Savage Road Charleston SC 29407 - (843) 556-8171 - www.gel.com

Qualifier Definition Report for

ACTL003 SGS Accutest

Client SDG: JC57177X GEL Work Order: 440061

The Qualifiers in this report are defined as follows:

- * Indicates that a quality control analyte recovery is outside of specified acceptance criteria.
- ** Indicates the analyte is a surrogate compound.
- J Indicates an estimated value. The result was greater than the detection limit, but less than the reporting limit or indicates that the analyte recovery in the MS or MSD is outside of specified acceptance criteria.
- U Indicates the target analyte was analyzed for but not detected above the detection limit.
- DL Indicates that sample is diluted.
- RA Indicates that sample is re-analyzed without re-extraction.
- RE Indicates that sample is re-extracted.

Review/Validation

GEL requires all analytical data to be verified by a qualified data reviewer. In addition, all CLP-like deliverables receive a third level review of the fractional data package.

The following data validator verified the information presented in this data report:

Signature: *Cameron Bearden*

Name: Cameron Bearden

Date: 05 JAN 2018

Title: Group Leader

**Semi-Volatile
Certificate of Analysis
Sample Summary**

SDG Number: JC57177X
 Lab Sample ID: 440061001

 Client ID: BPOW5-5
 Batch ID: 1728612
 Run Date: 01/02/2018 21:30
 Prep Date: 01/02/2018 08:40
 Data File: s010218.B\s6a0211.D

Date Collected: 12/11/2017 15:50
 Date Received: 12/14/2017 08:55
 Client: ACTL003
 Method: EPA 522
 Inst: MSD6.I
 Analyst: JMB3
 Aliquot: 100 mL
 Rtx-624

Matrix: WATER

 Project: ACTL00316
 SOP Ref: GL-OA-E-073
 Dilution: 1
 Inj. Vol: 1 uL
 Final Volume: 2 mL

CAS No.	Parname	Qualifier	Result	Units	MDL	LOD	LOQ
123-91-1	1,4-Dioxane		1.41	ug/L	0.100	0.100	0.200

2

**Semi-Volatile
Certificate of Analysis
Sample Summary**

SDG Number: JC57177X
 Lab Sample ID: 440061002

 Client ID: BPOW5-6
 Batch ID: 1728612
 Run Date: 01/02/2018 22:22
 Prep Date: 01/02/2018 08:40
 Data File: s010218.B\s6a0213.D

Date Collected: 12/11/2017 15:40
 Date Received: 12/14/2017 08:55
 Client: ACTL003
 Method: EPA 522
 Inst: MSD6.I
 Analyst: JMB3
 Aliquot: 100 mL
 Rtx-624

Matrix: WATER

 Project: ACTL00316
 SOP Ref: GL-OA-E-073
 Dilution: 1
 Inj. Vol: 1 uL
 Final Volume: 2 mL

CAS No.	Parname	Qualifier	Result	Units	MDL	LOD	LOQ
123-91-1	1,4-Dioxane	J	0.118	ug/L	0.100	0.100	0.200

2

Navy Wells-

Operable Unit 2

Data Review

Bethpage, New York

Volatile and Semi-volatile Analyses

SDGs #JC57292 and JC57497

Analyses Performed By:
Accutest-SGS Laboratories
Dayton, New Jersey

Report #29117R
Review Level: Tier II
Project: NY001496.23TM.NAVI4



SUMMARY

This data quality assessment summarizes the review of Sample Delivery Groups (SDGs) #JC57292 and JC57497 for samples collected in association with the Navy Wells located at the Bethpage Site. The review was conducted as a Tier II evaluation and included review of data package completeness. Only analytical data associated with constituents of concern were reviewed for this validation. Field documentation was not included in this review. Included with this assessment are the validation annotated sample result sheets, and chain of custody. Analyses were performed on the following samples:

SDG Number	Sample ID	Lab ID	Matrix	Sample Collection Date	Parent Sample	Analysis				
						VOC	SVOC	PCB	MET	MISC
JC57292	BPOW 6-1	JC57292-1	Water	12/12/2017		X	X			
	BPOW 6-2	JC57292-2	Water	12/12/2017		X	X			
	TB121217PP1	JC57292-3	Water	12/12/2017		X				
JC57497	BPOW 6-4	JC57497-1	Water	12/14/2017		X	X			
	BPOW 6-3	JC57497-2	Water	12/14/2017		X	X			
	TB121417PP1	JC57497-3	Water	12/14/2017		X				

Notes:

1. EPA Method 522 Semi-volatile analysis for 1,4-Dioxane was performed by GEL Laboratories, LLC, located in Charleston, South Carolina (subcontracted via SGS-Accutest Laboratory). The associated SDGs are: JC57292X/440179 and JC57497X/440303.

ANALYTICAL DATA PACKAGE DOCUMENTATION

The table below is the evaluation of the data package completeness.

Items Reviewed	Reported		Performance Acceptable		Not Required
	No	Yes	No	Yes	
1. Sample receipt condition		X		X	
2. Requested analyses and sample results		X		X	
3. Master tracking list		X		X	
4. Methods of analysis		X		X	
5. Reporting limits		X		X	
6. Sample collection date		X		X	
7. Laboratory sample received date		X		X	
8. Sample preservation verification (as applicable)		X		X	
9. Sample preparation/extraction/analysis dates		X		X	
10. Fully executed Chain-of-Custody (COC) form		X		X	
11. Narrative summary of QA or sample problems provided		X		X	
12. Data Package Completeness and Compliance		X		X	

Note:

QA - Quality Assurance

ORGANIC ANALYSIS INTRODUCTION

Analyses were performed according to United States Environmental Protection Agency (USEPA) methods 524.2 and 522-Selected Ion Monitoring (SIM). Data were reviewed in accordance with USEPA National Functional Guidelines of October 1999.

The data review process is an evaluation of data on a technical basis rather than a determination of contract compliance. As such, the standards against which the data are being weighed may differ from those specified in the analytical method. It is assumed that the data package represents the best efforts of the laboratory and had already been subjected to adequate and sufficient quality review prior to submission.

During the review process, laboratory qualified and unqualified data are verified against the supporting documentation. Based on this evaluation, qualifier codes may be added, deleted, or modified by the data reviewer. Results are qualified with the following codes in accordance with USEPA National Functional Guidelines:

- Concentration (C) Qualifiers
 - U The compound was analyzed for but not detected. The associated value is the compound quantitation limit.
 - B The compound has been found in the sample as well as its associated blank, its presence in the sample may be suspect.
- Quantitation (Q) Qualifiers
 - E The compound was quantitated above the calibration range.
 - D Concentration is based on a diluted sample analysis.
- Validation Qualifiers
 - J The compound was positively identified; however, the associated numerical value is an estimated concentration only.
 - UJ The compound was not detected above the reported sample quantitation limit. However, the reported limit is approximate and may or may not represent the actual limit of quantitation.
 - JN The analysis indicates the presence of a compound for which there is presumptive evidence to make a tentative identification. The associated numerical value is an estimated concentration only.
 - UB Compound considered non-detect at the listed value due to associated blank contamination.
 - N The analysis indicates the presence of a compound for which there is presumptive evidence to make a tentative identification.
 - R The sample results are rejected.

Two facts should be noted by all data users. First, the "R" flag means that the associated value is unusable. In other words, due to significant quality control (QC) problems, the analysis is invalid and

provides no information as to whether the compound is present or not. "R" values should not appear on data tables because they cannot be relied upon, even as a last resort. The second fact to keep in mind is that no compound concentration, even if it has passed all QC tests, is guaranteed to be accurate. Strict QC serves to increase confidence in data but any value potentially contains error.

VOLATILE ORGANIC COMPOUNDS (VOC) ANALYSES

1. Holding Times

The specified holding times for the following methods are presented in the following table.

Method	Matrix	Holding Time	Preservation
EPA 524.2	Water	14 days from collection to analysis	Cool to <6 °C; preserved to a pH of less than 2 s.u.

Note:

s.u. = Standard units

All samples were analyzed within the specified holding time criteria.

2. Blank Contamination

Quality assurance (QA) blanks (i.e., method and rinse blanks) are prepared to identify any contamination which may have been introduced into the samples during sample preparation or field activity. Method blanks measure laboratory contamination. Rinse blanks measure contamination of samples during field operations.

A blank action level (BAL) of five times the concentration of a detected compound in an associated blank (common laboratory contaminant compounds are calculated at ten times) is calculated for QA blanks containing concentrations greater than the method detection limit (MDL). The BAL is compared to the associated sample results to determine the appropriate qualification of the sample results, if needed.

Compounds were not detected above the MDL in the associated blanks; therefore, detected sample results were not associated with blank contamination.

3. Surrogates/System Monitoring Compounds

All samples to be analyzed for organic compounds are spiked with surrogate compounds prior to sample preparation to evaluate overall laboratory performance and efficiency of the analytical technique. VOC analysis requires that all surrogates associated with the analysis exhibit recoveries within the laboratory-established acceptance limits.

All surrogate recoveries were within control limits.

4. Matrix Spike/Matrix Spike Duplicate (MS/MSD) Analysis

MS/MSD data are used to assess the precision and accuracy of the analytical method. The compounds used to perform the MS/MSD analysis must exhibit a percent recovery within the laboratory-established acceptance limits. The relative percent difference (RPD) between the MS/MSD recoveries must exhibit an RPD within the laboratory-established acceptance limits.

Note: The MS/MSD recovery control limits do not apply for MS/MSD performed on sample locations where the compound concentration detected in the parent sample exceeds the MS/MSD concentration by a factor of four or greater.

A MS was not performed on a sample location associated with either SDG.

5. Laboratory Control Sample (LCS) Analysis

The LCS analysis is used to assess the precision and accuracy of the analytical method independent of matrix interferences. The compounds associated with the LCS analysis must exhibit a percent recovery within the laboratory-established acceptance limits.

All compounds associated with the LCS analysis exhibited recoveries within the control limits.

6. Field Duplicate Analysis

Field duplicate analysis is used to assess the overall precision of the field sampling procedures and analytical method. A control limit of 30% for water matrices is applied to the RPD between the parent sample and the field duplicate. In the instance when the parent and/or duplicate sample concentrations are less than or equal to 5 times the RL, a control limit of two times the RL is applied for water matrices.

A field duplicate was not collected with a sample location associated with either SDG.

7. Laboratory Duplicate Analysis

The laboratory duplicate relative percent difference (RPD) criterion is applied when parent and duplicate sample concentrations are greater than or equal to 5 times the RL. A control limit of 20% for water matrices is applied when the criteria above is true. In the instance when the parent and/or duplicate sample concentrations are less than or equal to 5 times the RL, a control limit of two times the RL is applied for water matrices.

A laboratory duplicate was not performed on a sample location associated with either SDG.

8. System Performance and Overall Assessment

Tentatively identified compounds (TICs) were not identified in any of the sample locations.

Overall system performance was acceptable. Other than for those deviations specifically mentioned in this review, the overall data quality is within the guidelines specified in the method.

DATA VALIDATION CHECKLIST FOR VOCs

VOCs: EPA 524.2	Reported		Performance Acceptable		Not Required
	No	Yes	No	Yes	
GAS CHROMATOGRAPHY/MASS SPECTROMETRY (GC/MS)					
Tier II Validation					
Holding times		X		X	
Reporting limits (units)		X		X	
Blanks					
A. Method blanks		X		X	
B. Equipment blanks					X
C. Trip blanks		X		X	
Laboratory Control Sample (LCS) %R		X		X	
Laboratory Control Sample Duplicate(LCSD) %R					X
LCS/LCSD Precision (RPD)					X
Matrix Spike (MS) %R					X
Matrix Spike Duplicate(MSD) %R					X
MS/MSD Precision (RPD)					X
Field/Lab Duplicate (RPD)					X
Surrogate Spike Recoveries		X		X	
Dilution Factor		X		X	
Moisture Content					X

Notes:

RPD Relative percent difference

%R Percent recovery

SEMI-VOLATILE ORGANIC COMPOUNDS (SVOC) ANALYSES

1. Holding Times

The specified holding times for the following methods are presented in the following table.

Method	Matrix	Holding Time	Preservation
EPA 522-SIM	Water	28 days from collection to extraction and 28 days from extraction to analysis	Cool to <6 °C; preserved with Sodium Bisulfate (NaHSO ₄) to a pH of less than 4 s.u.

Note:

s.u. = Standard units

All samples were analyzed within the specified holding time criteria.

2. Blank Contamination

Quality assurance (QA) blanks (i.e., method and rinse blanks) are prepared to identify any contamination which may have been introduced into the samples during sample preparation or field activity. Method blanks measure laboratory contamination. Rinse blanks measure contamination of samples during field operations.

A blank action level (BAL) of five times the concentration of a detected compound in an associated blank (common laboratory contaminant compounds are calculated at ten times) is calculated for QA blanks containing concentrations greater than the method detection limit (MDL). The BAL is compared to the associated sample results to determine the appropriate qualification of the sample results, if needed.

Compounds were not detected above the MDL in the associated blanks; therefore, detected sample results were not associated with blank contamination.

3. Surrogates/System Monitoring Compounds

All samples to be analyzed for organic compounds are spiked with surrogate compounds prior to sample preparation to evaluate overall laboratory performance and efficiency of the analytical technique. SVOC analysis requires that two of the three SVOC surrogate compounds within each fraction exhibit recoveries within the laboratory-established acceptance limits.

All surrogate recoveries were within control limits.

4. Matrix Spike/Matrix Spike Duplicate (MS/MSD) Analysis

MS/MSD data are used to assess the precision and accuracy of the analytical method. The compounds used to perform the MS/MSD analysis must exhibit a percent recovery within the laboratory-established acceptance limits. The relative percent difference (RPD) between the MS/MSD recoveries must exhibit an RPD within the laboratory-established acceptance limits.

Note: The MS/MSD recovery control limits do not apply for MS/MSD performed on sample locations where the compound concentration detected in the parent sample exceeds the MS/MSD concentration by a factor of four or greater.

A MS/MSD was not performed on a sample location associated with either SDG.

5. Laboratory Control Sample (LCS) Analysis

The LCS analysis is used to assess the precision and accuracy of the analytical method independent of matrix interferences. The compounds associated with the LCS analysis must exhibit a percent recovery within the laboratory-established acceptance limits.

All compounds associated with the LCS analysis exhibited recoveries within the control limits.

6. Field Duplicate Analysis

Field duplicate analysis is used to assess the overall precision of the field sampling procedures and analytical method. A control limit of 30% for water matrices is applied to the RPD between the parent sample and the field duplicate. In the instance when the parent and/or duplicate sample concentrations are less than or equal to 5 times the RL, a control limit of two times the RL is applied for water matrices.

A field duplicate was not collected with a sample location associated with either SDG.

7. System Performance and Overall Assessment

Overall system performance was acceptable. Other than for those deviations specifically mentioned in this review, the overall data quality is within the guidelines specified in the method.

DATA VALIDATION CHECKLIST FOR SVOCs

SVOCs: EPA 522-SIM	Reported		Performance Acceptable		Not Required
	No	Yes	No	Yes	
GAS CHROMATOGRAPHY/MASS SPECTROMETRY (GC/MS)					
Tier II Validation					
Holding times		X		X	
Reporting limits (units)		X		X	
Blanks					
A. Method blanks		X		X	
B. Equipment blanks					X
Laboratory Control Sample (LCS) %R		X		X	
Laboratory Control Sample Duplicate(LCSD) %R					X
LCS/LCSD Precision (RPD)					X
Matrix Spike (MS) %R					X
Matrix Spike Duplicate(MSD) %R					X
MS/MSD Precision (RPD)					X
Field/Lab Duplicate (RPD)					X
Surrogate Spike Recoveries		X		X	
Dilution Factor		X		X	
Moisture Content					X

Notes:

%R Percent recovery

RPD Relative percent difference

VALIDATION PERFORMED BY: Lisa Horton

SIGNATURE:



DATE: February 16, 2018

PEER REVIEW: Todd Church

DATE: February 19, 2018

CHAIN OF CUSTODY CORRECTED SAMPLE ANALYSIS DATA SHEETS



ACCUTEST

aw
wfb

CHAIN OF CUSTODY

SGS Accutest New Jersey - Dayton
2235 Route 130, Dayton, NJ 08810
TEL: 732-329-0200 FAX: 732-329-3499/3480
www.sgs.com



Client / Reporting Information		Project Information		Requested Analysis (see TEST CODE sheet)										Matrix Codes																	
Company Name Arcadis		Project Name: AGMNYM72080 // OU2 Navy Outpost & Monitoring Wells		V5242NG360W+40 VC82602NG36GW+40 SB522SIM14DIOX (GEL Lab) B8270SIM14DIOX (SGS Lab)										DW - Drinking Water GW - Ground Water WW - Waste Water SW - Surface Water SO - Soil SL - Sludge SED - Sediment OI - Oil LIQ - Other Liquid AIR - Air SOL - Other Solid WP - Wipe FB - Field Blank EB - Equipment Blank RB - Rinse Blank TB - Trip Blank																	
Street Address 2 Huntington Quad, Suite 1S10		Street Bethpage																													
City State Zip Melville NY 11747		City State Bethpage NY																													
Billing Information (if different from Report to) Company Name Arcadis, U.S., Inc.		Billing Information (if different from Report to) Street Address 630 Plaza Drive, Suite 600																													
Project Contact Soma Das, soma.das@arcadis.com		Project # NY001496.2374 NAVI2		Client Purchase Order # 630 Plaza Drive, Suite 600		City State Zip Highlands Ranch, CO 80129		Work Authorization # NY001496_2015.10.30		Attention: Carlo San Giovanni		Accounts Payable		Matrix Codes																	
Phone # 631-249-7600		Fax # 631-249-7610		Client Purchase Order #		City State Zip		Work Authorization #		Attention:		Accounts Payable		Matrix Codes																	
Sampler(s) Name(s) Pat Porzani 516-297-0477		Project Manager Carlo San Giovanni		Collection		Number of preserved Bottles										LAB USE ONLY															
Field ID / Point of Collection		MECHDI Val #		Date		Time		Sampled by		Matrix		# of bottles		HCl		NH ₄ OH		HNO ₃		H ₂ SO ₄		H ₂ O ₂		DI Water		METH		ENCORE		NalOH	
1 BPOW G-1				12-12-17		1350		CK		GW		5		3																	
2 BPOW G-2				12-12-17		1355		PP		GL		5		7																	
3 TB121217PP2				12-12-17		1230		-		TB		2		2																	
Turnaround Time (Business days)		Approved By (Accountant PM) / Date:		Data Deliverable Information		Comments / Special Instructions		Commercial "A" (Level 1)		Commercial "B" (Level 2)		FULLTY (Level 3+4)		NJ Reduced		Commercial "C"		NYASP Category A		NYASP Category B		State Forms		EDD Format-EquiS 6		Other COMMC+		INITIAL ASSESSMENT 28/17		LABEL VERIFICATION	
<input type="checkbox"/> Std. 15 Business Days <input checked="" type="checkbox"/> Std. 10 Business Days (by Contract only) <input type="checkbox"/> 10 Day RUSH <input type="checkbox"/> 5 Day RUSH <input type="checkbox"/> 3 Day EMERGENCY <input type="checkbox"/> 2 Day EMERGENCY <input type="checkbox"/> 1 Day EMERGENCY Emergency & Rush T/A data available VIA Lablink								<input type="checkbox"/> Commercial "A" (Level 1) <input type="checkbox"/> Commercial "B" (Level 2) <input type="checkbox"/> FULLTY (Level 3+4) <input type="checkbox"/> NJ Reduced <input type="checkbox"/> Commercial "C"		<input type="checkbox"/> NYASP Category A <input type="checkbox"/> NYASP Category B <input type="checkbox"/> State Forms <input checked="" type="checkbox"/> EDD Format-EquiS 6 <input type="checkbox"/> Other COMMC+																					
Relinquished By Sampler: Pat Porzani		Date Time: 12-12-17 1830		Received By: Chris Sant		Date Time: 12/13/17 10:33		Relinquished By: Chris Sant		Date Time: 12/13/17		Received By: [Signature]		Date Time:		Received By:		Custody Seal #		<input checked="" type="checkbox"/> Intact <input type="checkbox"/> Not Intact		Preserved where applicable		On Ice		Cooler Temp. 1.9°C					
3 Relinquished By Sampler:		Date Time:		Received By:		Date Time:		Relinquished By:		Date Time:		Received By:		Date Time:		Received By:		Custody Seal #		<input type="checkbox"/> Intact <input type="checkbox"/> Not Intact		Preserved where applicable		On Ice		Cooler Temp.					
5 Relinquished By:		Date Time:		Received By:		Date Time:		Relinquished By:		Date Time:		Received By:		Date Time:		Received By:		Custody Seal #		<input type="checkbox"/> Intact <input type="checkbox"/> Not Intact		Preserved where applicable		On Ice		Cooler Temp.					

5.1
5



Report of Analysis

Client Sample ID: BPOW 6-1		Date Sampled: 12/12/17
Lab Sample ID: JC57292-1		Date Received: 12/13/17
Matrix: AQ - Ground Water		Percent Solids: n/a
Method: EPA 524.2 REV 4.1		
Project: Navy Wells OU2, Bethpage, NY		

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethylene	ND	0.50	0.11	ug/l	
75-01-4	Vinyl chloride	ND	0.50	0.056	ug/l	
	m,p-Xylene	ND	0.50	0.26	ug/l	
95-47-6	o-Xylene	ND	0.50	0.24	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2199-69-1	1,2-Dichlorobenzene-d4	87%		70-130%
460-00-4	4-Bromofluorobenzene	83%		70-130%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

(a) EPA 524.2 is not a certified method for non-potable water samples.

ND = Not detected MDL = Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

4.1
4

Report of Analysis

Client Sample ID:	BPOW 6-2	Date Sampled:	12/12/17
Lab Sample ID:	JC57292-2	Date Received:	12/13/17
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	EPA 524.2 REV 4.1		
Project:	Navy Wells OU2, Bethpage, NY		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 ^a	1B113070.D	1	12/19/17 19:56	BK	n/a	n/a	V1B5401
Run #2							

Run #	Purge Volume
Run #1	5.0 ml
Run #2	

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	5.0	3.8	ug/l	
78-93-3	2-Butanone	ND	5.0	2.5	ug/l	
71-43-2	Benzene	ND	0.50	0.26	ug/l	
75-27-4	Bromodichloromethane	ND	0.50	0.36	ug/l	
75-25-2	Bromoform	ND	0.50	0.40	ug/l	
74-83-9	Bromomethane	ND	0.50	0.081	ug/l	
75-15-0	Carbon disulfide	ND	0.50	0.39	ug/l	
108-90-7	Chlorobenzene	ND	0.50	0.27	ug/l	
75-00-3	Chloroethane	ND	0.50	0.071	ug/l	
67-66-3	Chloroform	ND	0.50	0.33	ug/l	
74-87-3	Chloromethane	ND	0.50	0.39	ug/l	
56-23-5	Carbon tetrachloride	ND	0.50	0.13	ug/l	
75-34-3	1,1-Dichloroethane	ND	0.50	0.13	ug/l	
75-35-4	1,1-Dichloroethylene	ND	0.50	0.23	ug/l	
107-06-2	1,2-Dichloroethane	ND	0.50	0.28	ug/l	
78-87-5	1,2-Dichloropropane	ND	0.50	0.29	ug/l	
124-48-1	Dibromochloromethane	ND	0.50	0.094	ug/l	
156-60-5	trans-1,2-Dichloroethylene	ND	0.50	0.098	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	0.50	0.26	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	0.14	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	0.25	ug/l	
100-41-4	Ethylbenzene	ND	0.50	0.26	ug/l	
76-13-1	Freon 113	ND	1.0	0.27	ug/l	
591-78-6	2-Hexanone	ND	2.0	1.3	ug/l	
75-09-2	Methylene chloride	ND	0.50	0.37	ug/l	
108-10-1	4-Methyl-2-pentanone	ND	2.0	1.5	ug/l	
100-42-5	Styrene	ND	0.50	0.21	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	0.50	0.12	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.50	0.099	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	0.50	0.12	ug/l	
127-18-4	Tetrachloroethylene	ND	0.50	0.12	ug/l	
108-88-3	Toluene	ND	0.50	0.13	ug/l	

ND = Not detected MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: BPOW 6-2		Date Sampled: 12/12/17
Lab Sample ID: JC57292-2		Date Received: 12/13/17
Matrix: AQ - Ground Water		Percent Solids: n/a
Method: EPA 524.2 REV 4.1		
Project: Navy Wells OU2, Bethpage, NY		

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethylene	ND	0.50	0.11	ug/l	
75-01-4	Vinyl chloride	ND	0.50	0.056	ug/l	
	m,p-Xylene	ND	0.50	0.26	ug/l	
95-47-6	o-Xylene	ND	0.50	0.24	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2199-69-1	1,2-Dichlorobenzene-d4	93%		70-130%
460-00-4	4-Bromofluorobenzene	86%		70-130%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

(a) EPA 524.2 is not a certified method for non-potable water samples.

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.2
4

Report of Analysis

Client Sample ID: TB121217PP1		Date Sampled: 12/12/17
Lab Sample ID: JC57292-3		Date Received: 12/13/17
Matrix: AQ - Trip Blank Water		Percent Solids: n/a
Method: EPA 524.2 REV 4.1		
Project: Navy Wells OU2, Bethpage, NY		

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethylene	ND	0.50	0.11	ug/l	
75-01-4	Vinyl chloride	ND	0.50	0.056	ug/l	
	m,p-Xylene	ND	0.50	0.26	ug/l	
95-47-6	o-Xylene	ND	0.50	0.24	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2199-69-1	1,2-Dichlorobenzene-d4	84%		70-130%
460-00-4	4-Bromofluorobenzene	76%		70-130%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

(a) EPA 524.2 is not a certified method for non-potable water samples.

ND = Not detected MDL = Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

GEL LABORATORIES LLC

2040 Savage Road Charleston SC 29407 - (843) 556-8171 - www.gel.com

Qualifier Definition Report for

ACTL003 SGS Accutest

Client SDG: JC57292X GEL Work Order: 440179

The Qualifiers in this report are defined as follows:

- * Indicates that a quality control analyte recovery is outside of specified acceptance criteria.
- ** Indicates the analyte is a surrogate compound.
- J Indicates an estimated value. The result was greater than the detection limit, but less than the reporting limit or indicates that the analyte recovery in the MS or MSD is outside of specified acceptance criteria.
- U Indicates the target analyte was analyzed for but not detected above the detection limit.
- DL Indicates that sample is diluted.
- RA Indicates that sample is re-analyzed without re-extraction.
- RE Indicates that sample is re-extracted.

Review/Validation

GEL requires all analytical data to be verified by a qualified data reviewer. In addition, all CLP-like deliverables receive a third level review of the fractional data package.

The following data validator verified the information presented in this data report:

Signature: *Cameron Bearden*

Name: Cameron Bearden

Date: 08 JAN 2018

Title: Group Leader

**Semi-Volatile
Certificate of Analysis
Sample Summary**

SDG Number: JC57292X
 Lab Sample ID: 440179001

 Client ID: BPOW 6-1
 Batch ID: 1728612
 Run Date: 01/02/2018 23:13
 Prep Date: 01/02/2018 08:40
 Data File: s010218.B\s6a0215.D

Date Collected: 12/12/2017 13:50
 Date Received: 12/15/2017 09:05
 Client: ACTL003
 Method: EPA 522
 Inst: MSD6.I
 Analyst: JMB3
 Aliquot: 100 mL
 Rx-624

Matrix: WATER

 Project: ACTL00316
 SOP Ref: GL-OA-E-073
 Dilution: 1
 Inj. Vol: 1 uL
 Final Volume: 2 mL

CAS No.	Parname	Qualifier	Result	Units	MDL	LOD	LOQ
123-91-1	1,4-Dioxane	U	0.100	ug/L	0.100	0.100	0.200

2

**Semi-Volatile
Certificate of Analysis
Sample Summary**

SDG Number: JC57292X
 Lab Sample ID: 440179002

 Client ID: BPOW 6-2
 Batch ID: 1728612
 Run Date: 01/03/2018 00:07
 Prep Date: 01/02/2018 08:40
 Data File: s010218.B\s6a0217.D

Date Collected: 12/12/2017 13:55
 Date Received: 12/15/2017 09:05
 Client: ACTL003
 Method: EPA 522
 Inst: MSD6.I
 Analyst: JMB3
 Aliquot: 100 mL
 Rx-624

Matrix: WATER

 Project: ACTL00316
 SOP Ref: GL-OA-E-073
 Dilution: 1
 Inj. Vol: 1 uL
 Final Volume: 2 mL

CAS No.	Parname	Qualifier	Result	Units	MDL	LOD	LOQ
123-91-1	1,4-Dioxane	U	0.100	ug/L	0.100	0.100	0.200

2

*cu
wsp*

FED-EX Tracking #		Bottle Order Control #	
Accutest Quote #		Accutest Job # JCS7497	
Client / Reporting Information		Project Information	
Company Name Arcadis		Project Name AGNMY72080 // OU2 Navy Outpost & Monitoring Wells	
Street Address 2 Huntington Quad, Suite 1S10		Street Navy Wells OU2 -Bethpage, New York	
City State Zip Melville NY 11747		Billing Information (if different from Report to) Company Name Arcadis, U.S., Inc.	
Project Contact Soma Das, soma.das@arcadis.com		Project # NY001496, 23TH NAVI3	
Phone # 631-249-7800		Street Address 630 Plaza Drive, Suite 600	
Fax # 631-249-7810		City State Zip Highlands Ranch, CO 80129	
E-mail Phone #		Client Purchase Order # Work Authorization #: NY001496_2015.10.30	
Project Manager Carlo San Giovanni		Attention: Accounts Payable	
Turnaround Time (Business days)		Data Deliverable Information	
<input type="checkbox"/> Std. 15 Business Days <input checked="" type="checkbox"/> Std. 10 Business Days (by Contract only) <input type="checkbox"/> 10 Day RUSH <input type="checkbox"/> 5 Day RUSH <input type="checkbox"/> 3 Day EMERGENCY <input type="checkbox"/> 2 Day EMERGENCY <input type="checkbox"/> 1 Day EMERGENCY		<input type="checkbox"/> Commercial "A" (Level 1) <input type="checkbox"/> NYASP Category A <input type="checkbox"/> Commercial "B" (Level 2) <input type="checkbox"/> NYASP Category B <input type="checkbox"/> FULLT1 (Level 3+4) <input type="checkbox"/> State Forms <input type="checkbox"/> NJ Reduced <input checked="" type="checkbox"/> EDD Format-EQUS 6 <input type="checkbox"/> Commercial "C" <input checked="" type="checkbox"/> Other COMMC+	
Approved By (Accutest PMI): / Date:		Comments / Special Instructions	
		INITIAL ASSESSMENT <i>3B/ce</i>	
		LABEL VERIFICATION	
Sample Custody must be documented below each time samples change possession, including courier delivery.			
Relinquished By Sampler: <i>Pat [Signature]</i>	Date Time: 12-14-17 1730	Received By: <i>[Signature]</i>	Date Time: 12/15/17 1800
Relinquished By Sampler: 3	Date Time:	Received By: 3	Date Time:
Relinquished By:	Date Time:	Received By: 5	Date Time:
Custody Seal # 99		<input type="checkbox"/> Intact Preserved where applicable <input type="checkbox"/> Not Intact	
On Ice <input checked="" type="checkbox"/>		Cooler Temp. 2.00/5.9	

5.1
5

Report of Analysis

Client Sample ID: BPOW 6-4		Date Sampled: 12/14/17
Lab Sample ID: JC57497-1		Date Received: 12/15/17
Matrix: AQ - Ground Water		Percent Solids: n/a
Method: EPA 524.2 REV 4.1		
Project: Navy Wells OU2, Bethpage, NY		

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethylene	ND	0.50	0.11	ug/l	
75-01-4	Vinyl chloride	ND	0.50	0.056	ug/l	
	m,p-Xylene	ND	0.50	0.26	ug/l	
95-47-6	o-Xylene	ND	0.50	0.24	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2199-69-1	1,2-Dichlorobenzene-d4	90%		70-130%
460-00-4	4-Bromofluorobenzene	83%		70-130%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

(a) EPA 524.2 is not a certified method for non-potable water samples.

ND = Not detected MDL = Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

4.1
4

Report of Analysis

Client Sample ID: BPOW 6-3	Date Sampled: 12/14/17
Lab Sample ID: JC57497-2	Date Received: 12/15/17
Matrix: AQ - Ground Water	Percent Solids: n/a
Method: EPA 524.2 REV 4.1	
Project: Navy Wells OU2, Bethpage, NY	

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 ^a	1B113073.D	1	12/19/17 21:31	BK	n/a	n/a	V1B5401
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	5.0	3.8	ug/l	
78-93-3	2-Butanone	ND	5.0	2.5	ug/l	
71-43-2	Benzene	ND	0.50	0.26	ug/l	
75-27-4	Bromodichloromethane	ND	0.50	0.36	ug/l	
75-25-2	Bromoform	ND	0.50	0.40	ug/l	
74-83-9	Bromomethane	ND	0.50	0.081	ug/l	
75-15-0	Carbon disulfide	ND	0.50	0.39	ug/l	
108-90-7	Chlorobenzene	ND	0.50	0.27	ug/l	
75-00-3	Chloroethane	ND	0.50	0.071	ug/l	
67-66-3	Chloroform	ND	0.50	0.33	ug/l	
74-87-3	Chloromethane	ND	0.50	0.39	ug/l	
56-23-5	Carbon tetrachloride	ND	0.50	0.13	ug/l	
75-34-3	1,1-Dichloroethane	ND	0.50	0.13	ug/l	
75-35-4	1,1-Dichloroethylene	ND	0.50	0.23	ug/l	
107-06-2	1,2-Dichloroethane	ND	0.50	0.28	ug/l	
78-87-5	1,2-Dichloropropane	ND	0.50	0.29	ug/l	
124-48-1	Dibromochloromethane	ND	0.50	0.094	ug/l	
156-60-5	trans-1,2-Dichloroethylene	ND	0.50	0.098	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	0.50	0.26	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	0.14	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	0.25	ug/l	
100-41-4	Ethylbenzene	ND	0.50	0.26	ug/l	
76-13-1	Freon 113	ND	1.0	0.27	ug/l	
591-78-6	2-Hexanone	ND	2.0	1.3	ug/l	
75-09-2	Methylene chloride	ND	0.50	0.37	ug/l	
108-10-1	4-Methyl-2-pentanone	ND	2.0	1.5	ug/l	
100-42-5	Styrene	ND	0.50	0.21	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	0.50	0.12	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.50	0.099	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	0.50	0.12	ug/l	
127-18-4	Tetrachloroethylene	ND	0.50	0.12	ug/l	
108-88-3	Toluene	ND	0.50	0.13	ug/l	

ND = Not detected MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: BPOW 6-3		Date Sampled: 12/14/17
Lab Sample ID: JC57497-2		Date Received: 12/15/17
Matrix: AQ - Ground Water		Percent Solids: n/a
Method: EPA 524.2 REV 4.1		
Project: Navy Wells OU2, Bethpage, NY		

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethylene	ND	0.50	0.11	ug/l	
75-01-4	Vinyl chloride	ND	0.50	0.056	ug/l	
	m,p-Xylene	ND	0.50	0.26	ug/l	
95-47-6	o-Xylene	ND	0.50	0.24	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2199-69-1	1,2-Dichlorobenzene-d4	93%		70-130%
460-00-4	4-Bromofluorobenzene	83%		70-130%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

(a) EPA 524.2 is not a certified method for non-potable water samples.

ND = Not detected MDL = Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

4.2
4

Report of Analysis

Client Sample ID: TB121417PP1		Date Sampled: 12/14/17
Lab Sample ID: JC57497-3		Date Received: 12/15/17
Matrix: AQ - Trip Blank Water		Percent Solids: n/a
Method: EPA 524.2 REV 4.1		
Project: Navy Wells OU2, Bethpage, NY		

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethylene	ND	0.50	0.11	ug/l	
75-01-4	Vinyl chloride	ND	0.50	0.056	ug/l	
	m,p-Xylene	ND	0.50	0.26	ug/l	
95-47-6	o-Xylene	ND	0.50	0.24	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2199-69-1	1,2-Dichlorobenzene-d4	91%		70-130%
460-00-4	4-Bromofluorobenzene	81%		70-130%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

(a) EPA 524.2 is not a certified method for non-potable water samples.

ND = Not detected MDL = Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

4.3
4



ACCUTEST

CHAIN OF CUSTODY

8/12/2017 440500
440179 Page 1 of 1

2235 Route 130, Dayton, NJ 08810
TEL: 732-329-0200 FAX: 732-329-3499/3180
www.sgs.com

Client / Reporting Information Company Name: SGS Accutest Street Address: 2235 Route 130 City: Dayton State: NJ Zip: 08810 Project Contact: Kristin Degraw E-mail: Kristin.Degraw@sgs.com Phone #: 732-329-0200 Fax #: _____ Sampler(s) Name(s): PP Phone: _____		Project Information Project Name: Northrup Gumman, Navy Wells OU2, Belthpage, NY Street: _____ City: _____ State: _____ Billing Information (if different from Report to) Company Name: _____ Street Address: _____ City: _____ State: _____ Zip: _____ Attention: _____		Bottle Order Control #: _____ SGS Account Job: JC57497X	
Requested Analysis (see TEST CODE sheet) Matrix Codes: DW - Drinking Water, GW - Ground Water, WW - Water, SW - Surface Water, SO - Soil, SL - Sludge, SED - Sediment, OI - Oil, LIQ - Other Liquid, SOL - Other Solid, WP - Wipe, FB - Field Blank, EB - Equipment Blank, RB - Rinse Blank, TB - Trip Blank		Requested Analysis (see TEST CODE sheet)		Matrix Codes: LAB USE ONLY	
Turnaround Time (Business days) <input type="checkbox"/> Std. 10 Business Days <input type="checkbox"/> 5 Day RUSH <input type="checkbox"/> 3 Day EMERGENCY <input type="checkbox"/> 2 Day EMERGENCY <input checked="" type="checkbox"/> 1 Day EMERGENCY <input type="checkbox"/> other 21 Emergency & Rush T/A data available via Lablink	Approved By (SGS Account PM) / Date: _____	Data Deliverable Information <input type="checkbox"/> Commercial "A" (Level 1) <input type="checkbox"/> NYASP Category A <input type="checkbox"/> Commercial "B" (Level 2) <input type="checkbox"/> NYASP Category B <input type="checkbox"/> FULLT1 (Level 3+4) <input type="checkbox"/> State Forms <input type="checkbox"/> NJ Reduced <input type="checkbox"/> EDD Format <input type="checkbox"/> Commercial "C" <input checked="" type="checkbox"/> Other COMMC+ Commercial "A" = Results Only Commercial "B" = Results + QC Summary Commercial "C" = Results + QC Summary + Partial Raw data		Comments / Special Instructions	
MECH/DI/Vial # Date Time Matrix # of bottles Na Bluff ENCORE MEOH DI Water NONE H2SO4 HNO3 NaOH	Collection Date Time Matrix # of bottles Na Bluff ENCORE MEOH DI Water NONE H2SO4 HNO3 NaOH	Number of preserved Bottles		Comments / Special Instructions	
Field ID / Point of Collection BPOW 6-4 BPOW 6-3	Date 12/14/17 12/14/17	Time 3:15:00 PM 3:20:00 PM	Matrix # of bottles 2 2	Comments / Special Instructions	
Sample Custody must be documented below each time samples change possession, including courier delivery.					
Relinquished by Sampler: _____ Date Tr: 12-18-17	Received By: FED EX Date Time: _____	Relinquished By: _____ Date Time: _____	Received By: _____ Date Time: _____	Relinquished By: _____ Date Time: _____	Received By: _____ Date Time: _____
Relinquished by: _____ Date Time: _____	Relinquished By: _____ Date Time: _____	Relinquished By: _____ Date Time: _____	Relinquished By: _____ Date Time: _____	Relinquished By: _____ Date Time: _____	Relinquished By: _____ Date Time: _____
Relinquished by: _____ Date Time: _____	Relinquished By: _____ Date Time: _____	Relinquished By: _____ Date Time: _____	Relinquished By: _____ Date Time: _____	Relinquished By: _____ Date Time: _____	Relinquished By: _____ Date Time: _____



GEL LABORATORIES LLC

2040 Savage Road Charleston SC 29407 - (843) 556-8171 - www.gel.com

Qualifier Definition Report for

ACTL003 SGS Accutest

Client SDG: JC57497X GEL Work Order: 440303

The Qualifiers in this report are defined as follows:

- * Indicates that a quality control analyte recovery is outside of specified acceptance criteria.
- ** Indicates the analyte is a surrogate compound.
- J Indicates an estimated value. The result was greater than the detection limit, but less than the reporting limit or indicates that the analyte recovery in the MS or MSD is outside of specified acceptance criteria.
- U Indicates the target analyte was analyzed for but not detected above the detection limit.
- DL Indicates that sample is diluted.
- RA Indicates that sample is re-analyzed without re-extraction.
- RE Indicates that sample is re-extracted.

Review/Validation

GEL requires all analytical data to be verified by a qualified data reviewer. In addition, all CLP-like deliverables receive a third level review of the fractional data package.

The following data validator verified the information presented in this data report:

Signature: 

Name: Barbara Bailey

Date: 11 JAN 2018

Title: Data Validator

**Semi-Volatile
Certificate of Analysis
Sample Summary**

SDG Number: JC57497X
 Lab Sample ID: 440303001

 Client ID: BPOW 6-4
 Batch ID: 1729872
 Run Date: 01/10/2018 04:46
 Prep Date: 01/09/2018 10:00
 Data File: s010918.B\s6a0924.D

Date Collected: 12/14/2017 15:15
 Date Received: 12/19/2017 09:50
 Client: ACTL003
 Method: EPA 522
 Inst: MSD6.I
 Analyst: JMB3
 Aliquot: 100 mL
 Rtx-624

Matrix: WATER

 Project: ACTL00316
 SOP Ref: GL-OA-E-073
 Dilution: 1
 Inj. Vol: 1 uL
 Final Volume: 2 mL

CAS No.	Parname	Qualifier	Result	Units	MDL	LOD	LOQ
123-91-1	1,4-Dioxane	J	0.141	ug/L	0.100	0.100	0.200

2

**Semi-Volatile
Certificate of Analysis
Sample Summary**

SDG Number: JC57497X
 Lab Sample ID: 440303002

 Client ID: BPOW 6-3
 Batch ID: 1729872
 Run Date: 01/10/2018 06:04
 Prep Date: 01/09/2018 10:00
 Data File: s010918.B\s6a0926.D

Date Collected: 12/14/2017 15:20
 Date Received: 12/19/2017 09:50
 Client: ACTL003
 Method: EPA 522
 Inst: MSD6.I
 Analyst: JMB3
 Aliquot: 100 mL
 Rx-624

Matrix: WATER

 Project: ACTL00316
 SOP Ref: GL-OA-E-073
 Dilution: 1
 Inj. Vol: 1 uL
 Final Volume: 2 mL

CAS No.	Parname	Qualifier	Result	Units	MDL	LOD	LOQ
123-91-1	1,4-Dioxane	U	0.100	ug/L	0.100	0.100	0.200

2

Navy Wells-

Operable Unit 2

Data Review

Bethpage, New York

Volatile and Semi-volatile Analyses

SDGs #JC57674 and JC57675

Analyses Performed By:
Accutest-SGS Laboratories
Dayton, New Jersey

Report #29118R
Review Level: Tier II
Project: NY001496.23TM.NAVI4



SUMMARY

This data quality assessment summarizes the review of Sample Delivery Groups (SDGs) # JC57674 and JC57675 for samples collected in association with the Navy Wells located at the Bethpage Site. The review was conducted as a Tier II evaluation and included review of data package completeness. Only analytical data associated with constituents of concern were reviewed for this validation. Field documentation was not included in this review. Included with this assessment are the validation annotated sample result sheets, and chain of custody. Analyses were performed on the following samples:

SDG Number	Sample ID	Lab ID	Matrix	Sample Collection Date	Parent Sample	Analysis				
						VOC	SVOC	PCB	MET	MISC
JC57674	BPOW 5-7	JC57674-1	Water	12/18/2017		X	X			
	TB121817AD1	JC57674-2	Water	12/18/2017		X				
JC57675	BPOW 6-5	JC57675-1	Water	12/18/2017		X	X			
	BPOW 6-6	JC57675-2	Water	12/18/2017		X	X			
	TB121817PP1	JC57675-3	Water	12/18/2017		X				

Note:

1. EPA Method 522 Semi-volatile analysis for 1,4-Dioxane was performed by GEL Laboratories, LLC, located in Charleston, South Carolina (subcontracted via SGS-Accutest Laboratory). The associated SDGs are: JC57674X/440529 and JC57675X/440526.

ANALYTICAL DATA PACKAGE DOCUMENTATION

The table below is the evaluation of the data package completeness.

Items Reviewed	Reported		Performance Acceptable		Not Required
	No	Yes	No	Yes	
1. Sample receipt condition		X		X	
2. Requested analyses and sample results		X		X	
3. Master tracking list		X		X	
4. Methods of analysis		X		X	
5. Reporting limits		X		X	
6. Sample collection date		X		X	
7. Laboratory sample received date		X		X	
8. Sample preservation verification (as applicable)		X		X	
9. Sample preparation/extraction/analysis dates		X		X	
10. Fully executed Chain-of-Custody (COC) form		X		X	
11. Narrative summary of QA or sample problems provided		X		X	
12. Data Package Completeness and Compliance		X		X	

Note:

QA - Quality Assurance

ORGANIC ANALYSIS INTRODUCTION

Analyses were performed according to United States Environmental Protection Agency (USEPA) methods 524.2 and 522-Selected Ion Monitoring (SIM). Data were reviewed in accordance with USEPA National Functional Guidelines of October 1999.

The data review process is an evaluation of data on a technical basis rather than a determination of contract compliance. As such, the standards against which the data are being weighed may differ from those specified in the analytical method. It is assumed that the data package represents the best efforts of the laboratory and had already been subjected to adequate and sufficient quality review prior to submission.

During the review process, laboratory qualified and unqualified data are verified against the supporting documentation. Based on this evaluation, qualifier codes may be added, deleted, or modified by the data reviewer. Results are qualified with the following codes in accordance with USEPA National Functional Guidelines:

- Concentration (C) Qualifiers
 - U The compound was analyzed for but not detected. The associated value is the compound quantitation limit.
 - B The compound has been found in the sample as well as its associated blank, its presence in the sample may be suspect.
- Quantitation (Q) Qualifiers
 - E The compound was quantitated above the calibration range.
 - D Concentration is based on a diluted sample analysis.
- Validation Qualifiers
 - J The compound was positively identified; however, the associated numerical value is an estimated concentration only.
 - UJ The compound was not detected above the reported sample quantitation limit. However, the reported limit is approximate and may or may not represent the actual limit of quantitation.
 - JN The analysis indicates the presence of a compound for which there is presumptive evidence to make a tentative identification. The associated numerical value is an estimated concentration only.
 - UB Compound considered non-detect at the listed value due to associated blank contamination.
 - N The analysis indicates the presence of a compound for which there is presumptive evidence to make a tentative identification.
 - R The sample results are rejected.

Two facts should be noted by all data users. First, the "R" flag means that the associated value is unusable. In other words, due to significant quality control (QC) problems, the analysis is invalid and

provides no information as to whether the compound is present or not. "R" values should not appear on data tables because they cannot be relied upon, even as a last resort. The second fact to keep in mind is that no compound concentration, even if it has passed all QC tests, is guaranteed to be accurate. Strict QC serves to increase confidence in data but any value potentially contains error.

VOLATILE ORGANIC COMPOUNDS (VOC) ANALYSES

1. Holding Times

The specified holding times for the following methods are presented in the following table.

Method	Matrix	Holding Time	Preservation
EPA 524.2	Water	14 days from collection to analysis	Cool to <6 °C; preserved to a pH of less than 2 s.u.

Note:

s.u. = Standard units

All samples were analyzed within the specified holding time criteria.

2. Blank Contamination

Quality assurance (QA) blanks (i.e., method and rinse blanks) are prepared to identify any contamination which may have been introduced into the samples during sample preparation or field activity. Method blanks measure laboratory contamination. Rinse blanks measure contamination of samples during field operations.

A blank action level (BAL) of five times the concentration of a detected compound in an associated blank (common laboratory contaminant compounds are calculated at ten times) is calculated for QA blanks containing concentrations greater than the method detection limit (MDL). The BAL is compared to the associated sample results to determine the appropriate qualification of the sample results, if needed.

Compounds were not detected above the MDL in the associated blanks; therefore, detected sample results were not associated with blank contamination.

3. Surrogates/System Monitoring Compounds

All samples to be analyzed for organic compounds are spiked with surrogate compounds prior to sample preparation to evaluate overall laboratory performance and efficiency of the analytical technique. VOC analysis requires that all surrogates associated with the analysis exhibit recoveries within the laboratory-established acceptance limits.

All surrogate recoveries were within control limits.

4. Matrix Spike/Matrix Spike Duplicate (MS/MSD) Analysis

MS/MSD data are used to assess the precision and accuracy of the analytical method. The compounds used to perform the MS/MSD analysis must exhibit a percent recovery within the laboratory-established acceptance limits. The relative percent difference (RPD) between the MS/MSD recoveries must exhibit an RPD within the laboratory-established acceptance limits.

Note: The MS/MSD recovery control limits do not apply for MS/MSD performed on sample locations where the compound concentration detected in the parent sample exceeds the MS/MSD concentration by a factor of four or greater.

A MS was not performed on a sample location associated with either SDG.

5. Laboratory Control Sample (LCS) Analysis

The LCS analysis is used to assess the precision and accuracy of the analytical method independent of matrix interferences. The compounds associated with the LCS analysis must exhibit a percent recovery within the laboratory-established acceptance limits.

Sample locations associated with LCS analysis exhibiting recoveries outside of the control limits presented in the following table.

Sample Locations	Compound	LCS Recovery
<u>SDG JC57674:</u> BPOW 5-7 TB121817AD1	Bromomethane	>UL
<u>SDG JC57675:</u> BPOW 6-5 BPOW 6-6 TB121817PP1		

The criteria used to evaluate the LCS recoveries are presented in the following table. In the case of an LCS deviation, the sample results are qualified as documented in the table below.

Control Limit	Sample Result	Qualification
> the upper control limit (UL)	Non-detect	No Action
	Detect	J
< the lower control limit (LL) but > 10%	Non-detect	UJ
	Detect	J
< 10%	Non-detect	R
	Detect	J

6. Field Duplicate Analysis

Field duplicate analysis is used to assess the overall precision of the field sampling procedures and analytical method. A control limit of 30% for water matrices is applied to the RPD between the parent sample and the field duplicate. In the instance when the parent and/or duplicate sample concentrations are less than or equal to 5 times the RL, a control limit of two times the RL is applied for water matrices.

A field duplicate was not collected with a sample location associated with either SDG.

7. Laboratory Duplicate Analysis

The laboratory duplicate relative percent difference (RPD) criterion is applied when parent and duplicate sample concentrations are greater than or equal to 5 times the RL. A control limit of 20% for water matrices is applied when the criteria above is true. In the instance when the parent and/or duplicate sample concentrations are less than or equal to 5 times the RL, a control limit of two times the RL is applied for water matrices.

A laboratory duplicate was not performed on a sample location associated with either SDG.

8. System Performance and Overall Assessment

Tentatively identified compounds (TICs) were not identified in any of the sample locations.

Overall system performance was acceptable. Other than for those deviations specifically mentioned in this review, the overall data quality is within the guidelines specified in the method.

DATA VALIDATION CHECKLIST FOR VOCs

VOCs: EPA 524.2	Reported		Performance Acceptable		Not Required
	No	Yes	No	Yes	
GAS CHROMATOGRAPHY/MASS SPECTROMETRY (GC/MS)					
Tier II Validation					
Holding times		X		X	
Reporting limits (units)		X		X	
Blanks					
A. Method blanks		X		X	
B. Equipment blanks					X
C. Trip blanks		X		X	
Laboratory Control Sample (LCS) %R		X	X		
Laboratory Control Sample Duplicate(LCSD) %R					X
LCS/LCSD Precision (RPD)					X
Matrix Spike (MS) %R					X
Matrix Spike Duplicate(MSD) %R					X
MS/MSD Precision (RPD)					X
Field/Lab Duplicate (RPD)					X
Surrogate Spike Recoveries		X		X	
Dilution Factor		X		X	
Moisture Content					X

Notes:

RPD Relative percent difference

%R Percent recovery

SEMI-VOLATILE ORGANIC COMPOUNDS (SVOC) ANALYSES

1. Holding Times

The specified holding times for the following methods are presented in the following table.

Method	Matrix	Holding Time	Preservation
EPA 522-SIM	Water	28 days from collection to extraction and 28 days from extraction to analysis	Cool to <6 °C; preserved with Sodium Bisulfate (NaHSO ₄) to a pH of less than 4 s.u.

Note:

s.u. = Standard units

All samples were analyzed within the specified holding time criteria.

2. Blank Contamination

Quality assurance (QA) blanks (i.e., method and rinse blanks) are prepared to identify any contamination which may have been introduced into the samples during sample preparation or field activity. Method blanks measure laboratory contamination. Rinse blanks measure contamination of samples during field operations.

A blank action level (BAL) of five times the concentration of a detected compound in an associated blank (common laboratory contaminant compounds are calculated at ten times) is calculated for QA blanks containing concentrations greater than the method detection limit (MDL). The BAL is compared to the associated sample results to determine the appropriate qualification of the sample results, if needed.

Compounds were not detected above the MDL in the associated blanks; therefore, detected sample results were not associated with blank contamination.

3. Surrogates/System Monitoring Compounds

All samples to be analyzed for organic compounds are spiked with surrogate compounds prior to sample preparation to evaluate overall laboratory performance and efficiency of the analytical technique. SVOC analysis requires that two of the three SVOC surrogate compounds within each fraction exhibit recoveries within the laboratory-established acceptance limits.

All surrogate recoveries were within control limits.

4. Matrix Spike/Matrix Spike Duplicate (MS/MSD) Analysis

MS/MSD data are used to assess the precision and accuracy of the analytical method. The compounds used to perform the MS/MSD analysis must exhibit a percent recovery within the laboratory-established acceptance limits. The relative percent difference (RPD) between the MS/MSD recoveries must exhibit an RPD within the laboratory-established acceptance limits.

Note: The MS/MSD recovery control limits do not apply for MS/MSD performed on sample locations where the compound concentration detected in the parent sample exceeds the MS/MSD concentration by a factor of four or greater.

A MS/MSD was not performed on a sample location associated with either SDG.

5. Laboratory Control Sample (LCS) Analysis

The LCS analysis is used to assess the precision and accuracy of the analytical method independent of matrix interferences. The compounds associated with the LCS analysis must exhibit a percent recovery within the laboratory-established acceptance limits.

All compounds associated with the LCS analysis exhibited recoveries within the control limits.

6. Field Duplicate Analysis

Field duplicate analysis is used to assess the overall precision of the field sampling procedures and analytical method. A control limit of 30% for water matrices is applied to the RPD between the parent sample and the field duplicate. In the instance when the parent and/or duplicate sample concentrations are less than or equal to 5 times the RL, a control limit of two times the RL is applied for water matrices.

A field duplicate was not collected with a sample location associated with either SDG.

7. System Performance and Overall Assessment

Overall system performance was acceptable. Other than for those deviations specifically mentioned in this review, the overall data quality is within the guidelines specified in the method.

DATA VALIDATION CHECKLIST FOR SVOCs

SVOCs: EPA 522-SIM	Reported		Performance Acceptable		Not Required
	No	Yes	No	Yes	

GAS CHROMATOGRAPHY/MASS SPECTROMETRY (GC/MS)					
---	--	--	--	--	--

Tier II Validation					
Holding times		X		X	
Reporting limits (units)		X		X	
Blanks					
A. Method blanks		X		X	
B. Equipment blanks					X
Laboratory Control Sample (LCS) %R		X		X	
Laboratory Control Sample Duplicate(LCSD) %R					X
LCS/LCSD Precision (RPD)					X
Matrix Spike (MS) %R					X
Matrix Spike Duplicate(MSD) %R					X
MS/MSD Precision (RPD)					X
Field/Lab Duplicate (RPD)					X
Surrogate Spike Recoveries		X		X	
Dilution Factor		X		X	
Moisture Content					X

Notes:

%R Percent recovery

RPD Relative percent difference

VALIDATION PERFORMED BY: Lisa Horton

SIGNATURE:



DATE: February 16, 2018

PEER REVIEW: Todd Church

DATE: February 19, 2018

CHAIN OF CUSTODY CORRECTED SAMPLE ANALYSIS DATA SHEETS

Report of Analysis

Client Sample ID: BPOW 5-7		Date Sampled: 12/18/17
Lab Sample ID: JC57674-1		Date Received: 12/19/17
Matrix: AQ - Ground Water		Percent Solids: n/a
Method: EPA 524.2 REV 4.1		
Project: Navy Wells OU2, Bethpage, NY		

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethylene	ND	0.50	0.11	ug/l	
75-01-4	Vinyl chloride	ND	0.50	0.056	ug/l	
	m,p-Xylene	ND	0.50	0.26	ug/l	
95-47-6	o-Xylene	ND	0.50	0.24	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2199-69-1	1,2-Dichlorobenzene-d4	78%		70-130%
460-00-4	4-Bromofluorobenzene	75%		70-130%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
	system artifact	5.12	.66	ug/l	J
	Total TIC, Volatile		0	ug/l	

- (a) EPA 524.2 is not a certified method for non-potable water samples.
- (b) This compound in BS is outside in house QC limits bias high.

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: TB121817AD1		Date Sampled: 12/18/17
Lab Sample ID: JC57674-2		Date Received: 12/19/17
Matrix: AQ - Trip Blank Water		Percent Solids: n/a
Method: EPA 524.2 REV 4.1		
Project: Navy Wells OU2, Bethpage, NY		

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethylene	ND	0.50	0.11	ug/l	
75-01-4	Vinyl chloride	ND	0.50	0.056	ug/l	
	m,p-Xylene	ND	0.50	0.26	ug/l	
95-47-6	o-Xylene	ND	0.50	0.24	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2199-69-1	1,2-Dichlorobenzene-d4	78%		70-130%
460-00-4	4-Bromofluorobenzene	75%		70-130%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

- (a) EPA 524.2 is not a certified method for non-potable water samples.
- (b) This compound in BS is outside in house QC limits bias high.

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.2
4

GEL LABORATORIES LLC

2040 Savage Road Charleston SC 29407 - (843) 556-8171 - www.gel.com

Qualifier Definition Report for

ACTL003 SGS Accutest

Client SDG: JC57674X GEL Work Order: 440529

The Qualifiers in this report are defined as follows:

- * Indicates that a quality control analyte recovery is outside of specified acceptance criteria.
- ** Indicates the analyte is a surrogate compound.
- J Indicates an estimated value. The result was greater than the detection limit, but less than the reporting limit or indicates that the analyte recovery in the MS or MSD is outside of specified acceptance criteria.
- U Indicates the target analyte was analyzed for but not detected above the detection limit.
- DL Indicates that sample is diluted.
- RA Indicates that sample is re-analyzed without re-extraction.
- RE Indicates that sample is re-extracted.

Review/Validation

GEL requires all analytical data to be verified by a qualified data reviewer. In addition, all CLP-like deliverables receive a third level review of the fractional data package.

The following data validator verified the information presented in this data report:

Signature: 

Name: Barbara Bailey

Date: 17 JAN 2018

Title: Data Validator

**Semi-Volatile
Certificate of Analysis
Sample Summary**

SDG Number: JC57674X
 Lab Sample ID: 440529001

 Client ID: BPOW 5-7
 Batch ID: 1730571
 Run Date: 01/12/2018 00:39
 Prep Date: 01/11/2018 11:30
 Data File: s011118.B\s6a1127.D

Date Collected: 12/18/2017 15:40
 Date Received: 12/21/2017 09:55
 Client: ACTL003
 Method: EPA 522
 Inst: MSD6.I
 Analyst: JMB3
 Aliquot: 100 mL
 Rtx-624

Matrix: WATER

 Project: ACTL00316
 SOP Ref: GL-OA-E-073
 Dilution: 1
 Inj. Vol: 1 uL
 Final Volume: 2 mL

CAS No.	Parname	Qualifier	Result	Units	MDL	LOD	LOQ
123-91-1	1,4-Dioxane	U	0.100	ug/L	0.100	0.100	0.200

2

Report of Analysis

Client Sample ID: BPOW 6-5		Date Sampled: 12/18/17
Lab Sample ID: JC57675-1		Date Received: 12/19/17
Matrix: AQ - Ground Water		Percent Solids: n/a
Method: EPA 524.2 REV 4.1		
Project: Navy Wells OU2, Bethpage, NY		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 ^a	4D84513.D	1	12/22/17 19:58	BK	n/a	n/a	V4D3646
Run #2							

Run #	Purge Volume
Run #1	5.0 ml
Run #2	

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	5.0	3.8	ug/l	
78-93-3	2-Butanone	ND	5.0	2.5	ug/l	
71-43-2	Benzene	ND	0.50	0.26	ug/l	
75-27-4	Bromodichloromethane	ND	0.50	0.36	ug/l	
75-25-2	Bromoform	ND	0.50	0.40	ug/l	
74-83-9	Bromomethane ^b	ND	0.50	0.081	ug/l	
75-15-0	Carbon disulfide	ND	0.50	0.39	ug/l	
108-90-7	Chlorobenzene	ND	0.50	0.27	ug/l	
75-00-3	Chloroethane	ND	0.50	0.071	ug/l	
67-66-3	Chloroform	ND	0.50	0.33	ug/l	
74-87-3	Chloromethane	ND	0.50	0.39	ug/l	
56-23-5	Carbon tetrachloride	ND	0.50	0.13	ug/l	
75-34-3	1,1-Dichloroethane	ND	0.50	0.13	ug/l	
75-35-4	1,1-Dichloroethylene	ND	0.50	0.23	ug/l	
107-06-2	1,2-Dichloroethane	ND	0.50	0.28	ug/l	
78-87-5	1,2-Dichloropropane	ND	0.50	0.29	ug/l	
124-48-1	Dibromochloromethane	ND	0.50	0.094	ug/l	
156-60-5	trans-1,2-Dichloroethylene	ND	0.50	0.098	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	0.50	0.26	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	0.14	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	0.25	ug/l	
100-41-4	Ethylbenzene	ND	0.50	0.26	ug/l	
76-13-1	Freon 113	ND	1.0	0.27	ug/l	
591-78-6	2-Hexanone	ND	2.0	1.3	ug/l	
75-09-2	Methylene chloride	ND	0.50	0.37	ug/l	
108-10-1	4-Methyl-2-pentanone	ND	2.0	1.5	ug/l	
100-42-5	Styrene	ND	0.50	0.21	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	0.50	0.12	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.50	0.099	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	0.50	0.12	ug/l	
127-18-4	Tetrachloroethylene	ND	0.50	0.12	ug/l	
108-88-3	Toluene	ND	0.50	0.13	ug/l	

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: BPOW 6-5		Date Sampled: 12/18/17
Lab Sample ID: JC57675-1		Date Received: 12/19/17
Matrix: AQ - Ground Water		Percent Solids: n/a
Method: EPA 524.2 REV 4.1		
Project: Navy Wells OU2, Bethpage, NY		

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethylene	ND	0.50	0.11	ug/l	
75-01-4	Vinyl chloride	ND	0.50	0.056	ug/l	
	m,p-Xylene	ND	0.50	0.26	ug/l	
95-47-6	o-Xylene	ND	0.50	0.24	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2199-69-1	1,2-Dichlorobenzene-d4	78%		70-130%
460-00-4	4-Bromofluorobenzene	74%		70-130%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

- (a) EPA 524.2 is not a certified method for non-potable water samples.
- (b) This compound in BS is outside in house QC limits bias high.

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.1
4

Report of Analysis

Client Sample ID: BPOW 6-6		Date Sampled: 12/18/17
Lab Sample ID: JC57675-2		Date Received: 12/19/17
Matrix: AQ - Ground Water		Percent Solids: n/a
Method: EPA 524.2 REV 4.1		
Project: Navy Wells OU2, Bethpage, NY		

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethylene	ND	0.50	0.11	ug/l	
75-01-4	Vinyl chloride	ND	0.50	0.056	ug/l	
	m,p-Xylene	ND	0.50	0.26	ug/l	
95-47-6	o-Xylene	ND	0.50	0.24	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2199-69-1	1,2-Dichlorobenzene-d4	74%		70-130%
460-00-4	4-Bromofluorobenzene	75%		70-130%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

(a) EPA 524.2 is not a certified method for non-potable water samples.

(b) This compound in BS is outside in house QC limits bias high.

ND = Not detected MDL = Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

4.2
4

Report of Analysis

Client Sample ID: TB121817PP1	Date Sampled: 12/18/17
Lab Sample ID: JC57675-3	Date Received: 12/19/17
Matrix: AQ - Trip Blank Water	Percent Solids: n/a
Method: EPA 524.2 REV 4.1	
Project: Navy Wells OU2, Bethpage, NY	

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 ^a	4D84515.D	1	12/22/17 21:02	BK	n/a	n/a	V4D3646
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	5.0	3.8	ug/l	
78-93-3	2-Butanone	ND	5.0	2.5	ug/l	
71-43-2	Benzene	ND	0.50	0.26	ug/l	
75-27-4	Bromodichloromethane	ND	0.50	0.36	ug/l	
75-25-2	Bromoform	ND	0.50	0.40	ug/l	
74-83-9	Bromomethane ^b	ND	0.50	0.081	ug/l	
75-15-0	Carbon disulfide	ND	0.50	0.39	ug/l	
108-90-7	Chlorobenzene	ND	0.50	0.27	ug/l	
75-00-3	Chloroethane	ND	0.50	0.071	ug/l	
67-66-3	Chloroform	ND	0.50	0.33	ug/l	
74-87-3	Chloromethane	ND	0.50	0.39	ug/l	
56-23-5	Carbon tetrachloride	ND	0.50	0.13	ug/l	
75-34-3	1,1-Dichloroethane	ND	0.50	0.13	ug/l	
75-35-4	1,1-Dichloroethylene	ND	0.50	0.23	ug/l	
107-06-2	1,2-Dichloroethane	ND	0.50	0.28	ug/l	
78-87-5	1,2-Dichloropropane	ND	0.50	0.29	ug/l	
124-48-1	Dibromochloromethane	ND	0.50	0.094	ug/l	
156-60-5	trans-1,2-Dichloroethylene	ND	0.50	0.098	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	0.50	0.26	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	0.14	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	0.25	ug/l	
100-41-4	Ethylbenzene	ND	0.50	0.26	ug/l	
76-13-1	Freon 113	ND	1.0	0.27	ug/l	
591-78-6	2-Hexanone	ND	2.0	1.3	ug/l	
75-09-2	Methylene chloride	ND	0.50	0.37	ug/l	
108-10-1	4-Methyl-2-pentanone	ND	2.0	1.5	ug/l	
100-42-5	Styrene	ND	0.50	0.21	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	0.50	0.12	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.50	0.099	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	0.50	0.12	ug/l	
127-18-4	Tetrachloroethylene	ND	0.50	0.12	ug/l	
108-88-3	Toluene	ND	0.50	0.13	ug/l	

ND = Not detected

MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: TB121817PP1		Date Sampled: 12/18/17
Lab Sample ID: JC57675-3		Date Received: 12/19/17
Matrix: AQ - Trip Blank Water		Percent Solids: n/a
Method: EPA 524.2 REV 4.1		
Project: Navy Wells OU2, Bethpage, NY		

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethylene	ND	0.50	0.11	ug/l	
75-01-4	Vinyl chloride	ND	0.50	0.056	ug/l	
	m,p-Xylene	ND	0.50	0.26	ug/l	
95-47-6	o-Xylene	ND	0.50	0.24	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2199-69-1	1,2-Dichlorobenzene-d4	74%		70-130%
460-00-4	4-Bromofluorobenzene	76%		70-130%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
	system artifact	5.15	.81	ug/l	J
	Total TIC, Volatile		0	ug/l	

- (a) EPA 524.2 is not a certified method for non-potable water samples.
- (b) This compound in BS is outside in house QC limits bias high.

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.3
4



CHAIN OF CUSTODY

ACCUTEST

2235 Route 130, Dayton, NJ 08810
TEL: 732-329-0200 FAX: 732-329-3499/3480
www.sgs.com

440526

Client / Reporting Information Company Name: SGS Accutest Street Address: 2235 Route 130 City: Dayton State: NJ Zip: 08810 Project Contact: Kristin Degraw E-mail: kd@sgs.com Phone #: 732-329-0200 Fax #: _____ Sample(s) Name(s): CK		Project Information Project Name: Northrup Grumman, Navy Wells OU2, Bethpage, NY Street: _____ City: _____ State: _____ Billing Information (if different from Report to): Company Name: _____ Street Address: _____ City: _____ State: _____ Zip: _____ Attention: _____		Bottle Order Control #: _____ SGS Accutest Quote #: JC57675X	
Requested Analysis (see TEST CODE sheet) Matrix Codes: DW - Drinking Water GW - Ground Water WW - Water SW - Surface Water SO - Soil SL - Sludge SED - Sediment OI - Oil LIQ - Other Liquid AIR - Air SOL - Other Solid W/P - Wipes FB - Field Blank EB - Equipment Blank RB - Rinse Blank TB - Trip Blank		Requested Analysis (see TEST CODE sheet)		Matrix Codes: DW - Drinking Water GW - Ground Water WW - Water SW - Surface Water SO - Soil SL - Sludge SED - Sediment OI - Oil LIQ - Other Liquid AIR - Air SOL - Other Solid W/P - Wipes FB - Field Blank EB - Equipment Blank RB - Rinse Blank TB - Trip Blank	
Collection Date: 12/18/17 Time: 4:00:00 PM Date: 12/18/17 Time: 4:10:00 PM		Matrix: AQ AQ # of bottles: 2 2		Number of preserved bottles: No. Baffle: 2 ENCORE: _____ MECH: _____ DI Water: _____ NONE: _____ H2SO4: _____ HNO3: _____ NaOH: _____ HCl: _____	
Approved By (SGS Accutest PNI) / Date: _____ <input type="checkbox"/> Std. 10 Business Days <input type="checkbox"/> 5 Day RUSH <input type="checkbox"/> 3 Day EMERGENCY <input type="checkbox"/> 2 Day EMERGENCY <input checked="" type="checkbox"/> 1 Day EMERGENCY <input type="checkbox"/> other 21 Emergency & Rush T/A <i>digitally signed</i> VIA Lablink		Data Deliverable Information: <input type="checkbox"/> Commercial "A" (Level 1) <input type="checkbox"/> Commercial "B" (Level 2) <input type="checkbox"/> FULLT1 (Level 3+4) <input type="checkbox"/> NJ Reduced <input type="checkbox"/> Commercial "C" <input type="checkbox"/> NYASP Category A <input type="checkbox"/> NYASP Category B <input type="checkbox"/> State Forms <input type="checkbox"/> EDD Format <input checked="" type="checkbox"/> Other: COMM+ Commercial "A" = Results Only Commercial "B" = Results + QC Summary NJ Reduced = Results + QC Summary + Partial Raw data		Comments / Special Instructions	
Turnaround Time (Business days)		Date Tm: 12-21-17 Date Time: 12-21-17 9:55 Date Time: 12-21-17		Date Time: _____ Date Time: _____	
Relinquished by Sampler: _____ Relinquished by Sampler: _____ Relinquished by: _____		Received By: 1795 Received By: 12-21-17 Received By: 12-21-17 9:55 Received By: 12-21-17		Received By: 2 Received By: 4	
Relinquished by: _____ Relinquished by: _____		Relinquished By: _____ Relinquished By: _____ Relinquished By: _____		Relinquished By: _____ Relinquished By: _____ Relinquished By: _____	
Relinquished by: _____ Relinquished by: _____		Relinquished By: _____ Relinquished By: _____ Relinquished By: _____		Relinquished By: _____ Relinquished By: _____ Relinquished By: _____	

GEL LABORATORIES LLC

2040 Savage Road Charleston SC 29407 - (843) 556-8171 - www.gel.com

Qualifier Definition Report for

ACTL003 SGS Accutest

Client SDG: JC57675X GEL Work Order: 440526

The Qualifiers in this report are defined as follows:

- * Indicates that a quality control analyte recovery is outside of specified acceptance criteria.
- ** Indicates the analyte is a surrogate compound.
- J Indicates an estimated value. The result was greater than the detection limit, but less than the reporting limit or indicates that the analyte recovery in the MS or MSD is outside of specified acceptance criteria.
- Q LCS recovery not within control limits
- U Indicates the target analyte was analyzed for but not detected above the detection limit.
- DL Indicates that sample is diluted.
- RA Indicates that sample is re-analyzed without re-extraction.
- RE Indicates that sample is re-extracted.

Review/Validation

GEL requires all analytical data to be verified by a qualified data reviewer. In addition, all CLP-like deliverables receive a third level review of the fractional data package.

The following data validator verified the information presented in this data report:

Signature: 

Name: Barbara Bailey

Date: 17 JAN 2018

Title: Data Validator

**Semi-Volatile
Certificate of Analysis
Sample Summary**

SDG Number: JC57675X
 Lab Sample ID: 440526001

 Client ID: BPOW 6-5
 Batch ID: 1731657
 Run Date: 01/15/2018 18:33
 Prep Date: 01/15/2018 11:45
 Data File: s011518.B\s6a1507.D

Date Collected: 12/18/2017 16:00
 Date Received: 12/21/2017 09:55
 Client: ACTL003
 Method: EPA 522
 Inst: MSD6.I
 Analyst: JMB3
 Aliquot: 100 mL
 Rtx-624

Matrix: WATER

 Project: ACTL00316
 SOP Ref: GL-OA-E-073
 Dilution: 1
 Inj. Vol: 1 uL
 Final Volume: 2 mL

CAS No.	Parname	Qualifier	Result	Units	MDL	LOD	LOQ
123-91-1	1,4-Dioxane	U	0.100	ug/L	0.100	0.100	0.200

2

**Semi-Volatile
Certificate of Analysis
Sample Summary**

SDG Number: JC57675X
 Lab Sample ID: 440526002

 Client ID: BPOW 6-6
 Batch ID: 1730571
 Run Date: 01/11/2018 23:48
 Prep Date: 01/11/2018 11:30
 Data File: s011118.B\s6a1125.D

Date Collected: 12/18/2017 16:10
 Date Received: 12/21/2017 09:55
 Client: ACTL003
 Method: EPA 522
 Inst: MSD6.I
 Analyst: JMB3
 Aliquot: 100 mL
 Rtx-624

Matrix: WATER

 Project: ACTL00316
 SOP Ref: GL-OA-E-073
 Dilution: 1
 Inj. Vol: 1 uL
 Final Volume: 2 mL

CAS No.	Parname	Qualifier	Result	Units	MDL	LOD	LOQ
123-91-1	1,4-Dioxane	U	0.100	ug/L	0.100	0.100	0.200

2

Navy Wells-

Operable Unit 2

Data Review

Bethpage, New York

Volatile and Semi-Volatile Analyses

SDGs #JC57298 and JC57500

Analyses Performed By:
Accutest-SGS Laboratories
Dayton, New Jersey

Report #29115R
Review Level: Tier II
Project: NY001496.23TM.NAVI4



SUMMARY

This data quality assessment summarizes the review of Sample Delivery Groups (SDGs) #JC57298 and JC57500 samples collected in association with the Navy Wells at the Bethpage, NY site. The review was conducted as a Tier II evaluation and included review of data package completeness. Only analytical data associated with constituents of concern were reviewed for this validation. Field documentation was not included in this review. Included with this assessment are the validation annotated sample result sheets, and chain of custody. Analyses were performed on the following samples:

SDG Number	Sample ID	Lab ID	Matrix	Sample Collection Date	Parent Sample	Analysis				
						VOC	SVOC	PCB	MET	MISC
JC57298	RE133D1	JC57298-1	Water	12/12/2017		X	X			
	RE133D2	JC57298-2	Water	12/12/2017		X	X			
	FB121217JC1	JC57298-3	Water	12/12/2017		X	X			
	TB121217AR1	JC57298-4	Water	12/12/2017		X				
JC57500	RE124D1	JC57500-1	Water	12/14/2017		X	X			
	RE124D2	JC57500-2	Water	12/14/2017		X	X			
	FB121417AR1	JC57500-3	Water	12/14/2017		X	X			
	TB121417JC1	JC57500-4	Water	12/14/2017		X				

Note:

1. Matrix spike (MS) analysis was performed on sample location RE133D1 for VOC analysis.

ANALYTICAL DATA PACKAGE DOCUMENTATION

The table below is the evaluation of the data package completeness.

Items Reviewed	Reported		Performance Acceptable		Not Required
	No	Yes	No	Yes	
1. Sample receipt condition		X		X	
2. Requested analyses and sample results		X		X	
3. Master tracking list		X		X	
4. Methods of analysis		X		X	
5. Reporting limits		X		X	
6. Sample collection date		X		X	
7. Laboratory sample received date		X		X	
8. Sample preservation verification (as applicable)		X		X	
9. Sample preparation/extraction/analysis dates		X		X	
10. Fully executed Chain-of-Custody (COC) form		X		X	
11. Narrative summary of QA or sample problems provided		X		X	
12. Data Package Completeness and Compliance		X		X	

Note:

QA - Quality Assurance

ORGANIC ANALYSIS INTRODUCTION

Analyses were performed according to United States Environmental Protection Agency (USEPA) SW-846 methods 8260C and 8270D-Selected Ion Monitoring (SIM). Data were reviewed in accordance with USEPA National Functional Guidelines of October 1999.

The data review process is an evaluation of data on a technical basis rather than a determination of contract compliance. As such, the standards against which the data are being weighed may differ from those specified in the analytical method. It is assumed that the data package represents the best efforts of the laboratory and had already been subjected to adequate and sufficient quality review prior to submission.

During the review process, laboratory qualified and unqualified data are verified against the supporting documentation. Based on this evaluation, qualifier codes may be added, deleted, or modified by the data reviewer. Results are qualified with the following codes in accordance with USEPA National Functional Guidelines:

- Concentration (C) Qualifiers
 - U The compound was analyzed for but not detected. The associated value is the compound quantitation limit.
 - B The compound has been found in the sample as well as its associated blank, its presence in the sample may be suspect.
- Quantitation (Q) Qualifiers
 - E The compound was quantitated above the calibration range.
 - D Concentration is based on a diluted sample analysis.
- Validation Qualifiers
 - J The compound was positively identified; however, the associated numerical value is an estimated concentration only.
 - UJ The compound was not detected above the reported sample quantitation limit. However, the reported limit is approximate and may or may not represent the actual limit of quantitation.
 - JN The analysis indicates the presence of a compound for which there is presumptive evidence to make a tentative identification. The associated numerical value is an estimated concentration only.
 - UB Compound considered non-detect at the listed value due to associated blank contamination.
 - N The analysis indicates the presence of a compound for which there is presumptive evidence to make a tentative identification.
 - R The sample results are rejected.

Two facts should be noted by all data users. First, the "R" flag means that the associated value is unusable. In other words, due to significant quality control (QC) problems, the analysis is invalid and

provides no information as to whether the compound is present or not. "R" values should not appear on data tables because they cannot be relied upon, even as a last resort. The second fact to keep in mind is that no compound concentration, even if it has passed all QC tests, is guaranteed to be accurate. Strict QC serves to increase confidence in data but any value potentially contains error.

VOLATILE ORGANIC COMPOUNDS (VOC) ANALYSES

1. Holding Times

The specified holding times for the following methods are presented in the following table.

Method	Matrix	Holding Time	Preservation
SW-846 8260C	Water	14 days from collection to analysis	Cool to <6 °C; preserved to a pH of less than 2 s.u.

Note:

s.u. = Standard units

All samples were analyzed within the specified holding time criteria.

2. Blank Contamination

Quality assurance (QA) blanks (i.e., method and rinse blanks) are prepared to identify any contamination which may have been introduced into the samples during sample preparation or field activity. Method blanks measure laboratory contamination. Rinse blanks measure contamination of samples during field operations.

A blank action level (BAL) of five times the concentration of a detected compound in an associated blank (common laboratory contaminant compounds are calculated at ten times) is calculated for QA blanks containing concentrations greater than the method detection limit (MDL). The BAL is compared to the associated sample results to determine the appropriate qualification of the sample results, if needed.

Compounds were not detected above the MDL in the associated blanks; therefore, detected sample results were not associated with blank contamination.

3. Surrogates/System Monitoring Compounds

All samples to be analyzed for organic compounds are spiked with surrogate compounds prior to sample preparation to evaluate overall laboratory performance and efficiency of the analytical technique. VOC analysis requires that all surrogates associated with the analysis exhibit recoveries within the laboratory-established acceptance limits.

All surrogate recoveries were within control limits.

4. Matrix Spike/Matrix Spike Duplicate (MS/MSD) Analysis

MS/MSD data are used to assess the precision and accuracy of the analytical method. The compounds used to perform the MS/MSD analysis must exhibit a percent recovery within the laboratory-established acceptance limits. The relative percent difference (RPD) between the MS/MSD recoveries must exhibit an RPD within the laboratory-established acceptance limits.

Note: The MS/MSD recovery control limits do not apply for MS/MSD performed on sample locations where the compound concentration detected in the parent sample exceeds the MS/MSD concentration by a factor of four or greater.

The MS exhibited acceptable recoveries in SDG JC57298.

A MS/MSD was not performed on a sample location associated with SDG JC57500.

5. Laboratory Control Sample (LCS) Analysis

The LCS analysis is used to assess the precision and accuracy of the analytical method independent of matrix interferences. The compounds associated with the LCS analysis must exhibit a percent recovery within the laboratory-established acceptance limits.

All compounds associated with the LCS analysis exhibited acceptable recoveries in both SDGs.

6. Field Duplicate Analysis

Field duplicate analysis is used to assess the overall precision of the field sampling procedures and analytical method. A control limit of 30% for water matrices is applied to the RPD between the parent sample and the field duplicate. In the instance when the parent and/or duplicate sample concentrations are less than or equal to 5 times the RL, a control limit of two times the RL is applied for water matrices.

A field duplicate was not collected with a sample location associated with either SDG.

7. Laboratory Duplicate Analysis

The laboratory duplicate relative percent difference (RPD) criterion is applied when parent and duplicate sample concentrations are greater than or equal to 5 times the RL. A control limit of 20% for water matrices is applied when the criteria above is true. In the instance when the parent and/or duplicate sample concentrations are less than or equal to 5 times the RL, a control limit of two times the RL is applied for water matrices.

The laboratory duplicate performed on sample location RE113D2 (SDG JC57298) exhibited acceptable RPDs.

A laboratory duplicate was not performed on a sample location associated with SDG JC57500.

8. System Performance and Overall Assessment

Tentatively identified compounds (TICs) were not detected in any of the sample locations.

Continuing calibration review/validation is not included in a Tier II validation. However, the laboratory provided continuing calibration information in the case narrative, therefore it was evaluated.

In SDG JC57500: The case narrative states the continuing calibration associated with sample locations RE124D2, FB121417AR1 and TB121417JC had percent difference (%D) exceedances with an increase in sensitivity for Acetone and Trichloroethene (>20%). These compounds were not detected in the samples; therefore, qualification of the data was not necessary.

Overall system performance was acceptable. Other than for those deviations specifically mentioned in this review, the overall data quality is within the guidelines specified in the method.

DATA VALIDATION CHECKLIST FOR VOCs

VOCs: SW-846 8260C	Reported		Performance Acceptable		Not Required
	No	Yes	No	Yes	
GAS CHROMATOGRAPHY/MASS SPECTROMETRY (GC/MS)					
Tier II Validation					
Holding times		X		X	
Reporting limits (units)		X		X	
Blanks					
A. Method blanks		X		X	
B. Equipment blanks		X		X	
C. Trip blanks		X		X	
Laboratory Control Sample (LCS) %R		X		X	
Laboratory Control Sample Duplicate(LCSD) %R					X
LCS/LCSD Precision (RPD)					X
Matrix Spike (MS) %R		X		X	
Matrix Spike Duplicate(MSD) %R					X
MS/MSD Precision (RPD)					X
Field/Lab Duplicate (RPD)		X		X	
Surrogate Spike Recoveries		X		X	
Dilution Factor		X		X	
Moisture Content					X

Notes:

RPD Relative percent difference

%R Percent recovery

SEMI-VOLATILE ORGANIC COMPOUNDS (SVOC) ANALYSES

1. Holding Times

The specified holding times for the following methods are presented in the following table.

Method	Matrix	Holding Time	Preservation
SW-846 8270D-SIM	Water	7 days from collection to extraction and 40 days from extraction to analysis	Cool to <6 °C

All samples were analyzed within the specified holding time criteria.

Note: In SDG JC57500, sample RE124D1 was re-extracted 20 days out of hold (as a confirmation run) due to surrogate failure in the original analysis. Results from the original analysis were reported.

2. Blank Contamination

Quality assurance (QA) blanks (i.e., method and rinse blanks) are prepared to identify any contamination which may have been introduced into the samples during sample preparation or field activity. Method blanks measure laboratory contamination. Rinse blanks measure contamination of samples during field operations.

A blank action level (BAL) of five times the concentration of a detected compound in an associated blank (common laboratory contaminant compounds are calculated at ten times) is calculated for QA blanks containing concentrations greater than the method detection limit (MDL). The BAL is compared to the associated sample results to determine the appropriate qualification of the sample results, if needed.

Compounds were not detected above the MDL in the associated blanks; therefore, detected sample results were not associated with blank contamination.

3. Surrogates/System Monitoring Compounds

All samples to be analyzed for organic compounds are spiked with surrogate compounds prior to sample preparation to evaluate overall laboratory performance and efficiency of the analytical technique. SVOC analysis requires that two of the three SVOC surrogate compounds within each fraction exhibit recoveries within the laboratory-established acceptance limits.

All surrogate recoveries were within control limits in SDG JC57298.

Sample locations associated with surrogates exhibiting recoveries outside of the control limits presented in the following table.

Sample Locations	Surrogate	Recovery
SDG JC57500:	Nitrobenzene-d5	< 10%
RE124D1	2-Fluorobiphenyl	

Sample Locations	Surrogate	Recovery
	Terphenyl-d14	

The criteria used to evaluate the surrogate recoveries are presented in the following table. In the case of a surrogate deviation, the sample results associated with the deviant fraction are qualified as documented in the table below.

Control Limit	Sample Result	Qualification
> UL	Non-detect	No Action
	Detect	J
< LL but > 10%	Non-detect	UJ
	Detect	J
< 10%	Non-detect	R
	Detect	J
Surrogates diluted below the calibration curve due to the high concentration of a target compounds	Non-detect	J ¹
	Detect	

4. Matrix Spike/Matrix Spike Duplicate (MS/MSD) Analysis

MS/MSD data are used to assess the precision and accuracy of the analytical method. The compounds used to perform the MS/MSD analysis must exhibit a percent recovery within the laboratory-established acceptance limits. The relative percent difference (RPD) between the MS/MSD recoveries must exhibit an RPD within the laboratory-established acceptance limits.

Note: The MS/MSD recovery control limits do not apply for MS/MSD performed on sample locations where the compound concentration detected in the parent sample exceeds the MS/MSD concentration by a factor of four or greater.

A MS/MSD was not performed on a sample location associated with either SDG.

5. Laboratory Control Sample/Laboratory Control Sample Duplicate (LCS/LCSD) Analysis

The LCS/LCSD analysis is used to assess the precision and accuracy of the analytical method independent of matrix interferences. The compounds associated with the LCS/LCSD analysis must exhibit a percent recovery within the laboratory-established acceptance limits.

All compounds associated with the LCS/LCSD analysis exhibited recoveries within the control limits in both SDGs.

Sample locations associated with LCS/LCSD recoveries exhibiting an RPD greater than of the control limit presented in the following table.

Sample Locations	Compound
<u>SDG JC57298:</u> RE133D1 RE133D2 FB121217JC1	1,4-Dioxane

The criteria used to evaluate the RPD between the LCS/LCSD recoveries are presented in the following table. In the case of an RPD deviation, the sample results are qualified as documented in the table below.

Control Limit	Sample Result	Qualification
> UL	Non-detect	UJ
	Detect	J

6. Field Duplicate Analysis

Field duplicate analysis is used to assess the overall precision of the field sampling procedures and analytical method. A control limit of 30% for water matrices is applied to the RPD between the parent sample and the field duplicate. In the instance when the parent and/or duplicate sample concentrations are less than or equal to 5 times the RL, a control limit of two times the RL is applied for water matrices.

A field duplicate was not collected with a sample location associated with either SDG.

7. System Performance and Overall Assessment

Overall system performance was acceptable. Other than for those deviations specifically mentioned in this review, the overall data quality is within the guidelines specified in the method.

DATA VALIDATION CHECKLIST FOR SVOCs

SVOCs: SW-846 8270D-SIM	Reported		Performance Acceptable		Not Required
	No	Yes	No	Yes	
GAS CHROMATOGRAPHY/MASS SPECTROMETRY (GC/MS)					
Tier II Validation					
Holding times		X		X	
Reporting limits (units)		X		X	
Blanks					
A. Method blanks		X		X	
B. Equipment blanks		X		X	
Laboratory Control Sample (LCS) %R		X		X	
Laboratory Control Sample Duplicate(LCSD) %R		X		X	
LCS/LCSD Precision (RPD)		X	X		
Matrix Spike (MS) %R					X
Matrix Spike Duplicate(MSD) %R					X
MS/MSD Precision (RPD)					X
Field/Lab Duplicate (RPD)					X
Surrogate Spike Recoveries		X	X		
Dilution Factor		X		X	
Moisture Content					X

Notes:

%R Percent recovery

RPD Relative percent difference

VALIDATION PERFORMED BY: Lisa Horton

SIGNATURE:



DATE: February 16, 2018

PEER REVIEW: Todd Church

DATE: February 19, 2018

CHAIN OF CUSTODY CORRECTED SAMPLE ANALYSIS DATA SHEETS

Report of Analysis

Client Sample ID: RE133D1 Lab Sample ID: JC57298-1 Matrix: AQ - Ground Water Method: SW846 8260C Project: Navy Wells OU2, Bethpage, NY	Date Sampled: 12/12/17 Date Received: 12/13/17 Percent Solids: n/a
---	---

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethene	ND	1.0	0.27	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.62	ug/l	
	m,p-Xylene	ND	1.0	0.43	ug/l	
95-47-6	o-Xylene	ND	1.0	0.22	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	98%		80-120%
17060-07-0	1,2-Dichloroethane-D4	99%		81-124%
2037-26-5	Toluene-D8	94%		80-120%
460-00-4	4-Bromofluorobenzene	103%		80-120%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

ND = Not detected MDL = Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

4.1
4

Report of Analysis

Client Sample ID: RE133D1	Date Sampled: 12/12/17
Lab Sample ID: JC57298-1	Date Received: 12/13/17
Matrix: AQ - Ground Water	Percent Solids: n/a
Method: SW846 8270D BY SIM SW846 3510C	
Project: Navy Wells OU2, Bethpage, NY	

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	3P64626.D	1	01/12/18 15:07	RK	12/16/17 17:00	OP8726A	E3P3058
Run #2							

Run #	Initial Volume	Final Volume
Run #1	1000 ml	1.0 ml
Run #2		

CAS No.	Compound	Result	RL	MDL	Units	Q
123-91-1	1,4-Dioxane	ND	0.10	0.049	ug/l	J

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
4165-60-0	Nitrobenzene-d5	54%		29-124%
321-60-8	2-Fluorobiphenyl	55%		23-122%
1718-51-0	Terphenyl-d14	50%		22-130%

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.1
4

Report of Analysis

Client Sample ID: RE133D2	Date Sampled: 12/12/17
Lab Sample ID: JC57298-2	Date Received: 12/13/17
Matrix: AQ - Ground Water	Percent Solids: n/a
Method: SW846 8260C	
Project: Navy Wells OU2, Bethpage, NY	

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethene	ND	1.0	0.27	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.62	ug/l	
	m,p-Xylene	ND	1.0	0.43	ug/l	
95-47-6	o-Xylene	ND	1.0	0.22	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	97%		80-120%
17060-07-0	1,2-Dichloroethane-D4	99%		81-124%
2037-26-5	Toluene-D8	94%		80-120%
460-00-4	4-Bromofluorobenzene	104%		80-120%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

ND = Not detected MDL = Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

4.2
4

Report of Analysis

Client Sample ID: RE133D2	Date Sampled: 12/12/17
Lab Sample ID: JC57298-2	Date Received: 12/13/17
Matrix: AQ - Ground Water	Percent Solids: n/a
Method: SW846 8270D BY SIM SW846 3510C	
Project: Navy Wells OU2, Bethpage, NY	

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	3P64627.D	1	01/12/18 15:39	RK	12/16/17 17:00	OP8726A	E3P3058
Run #2							

	Initial Volume	Final Volume
Run #1	1000 ml	1.0 ml
Run #2		

CAS No.	Compound	Result	RL	MDL	Units	Q
123-91-1	1,4-Dioxane	ND	0.10	0.049	ug/l	J

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
4165-60-0	Nitrobenzene-d5	57%		29-124%
321-60-8	2-Fluorobiphenyl	60%		23-122%
1718-51-0	Terphenyl-d14	53%		22-130%

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.2
4

Report of Analysis

Client Sample ID: FB121217JC1	Date Sampled: 12/12/17
Lab Sample ID: JC57298-3	Date Received: 12/13/17
Matrix: AQ - Field Blank Water	Percent Solids: n/a
Method: SW846 8260C	
Project: Navy Wells OU2, Bethpage, NY	

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethene	ND	1.0	0.27	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.62	ug/l	
	m,p-Xylene	ND	1.0	0.43	ug/l	
95-47-6	o-Xylene	ND	1.0	0.22	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	97%		80-120%
17060-07-0	1,2-Dichloroethane-D4	97%		81-124%
2037-26-5	Toluene-D8	97%		80-120%
460-00-4	4-Bromofluorobenzene	104%		80-120%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

ND = Not detected MDL = Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: FB121217JC1	Date Sampled: 12/12/17
Lab Sample ID: JC57298-3	Date Received: 12/13/17
Matrix: AQ - Field Blank Water	Percent Solids: n/a
Method: SW846 8270D BY SIM SW846 3510C	
Project: Navy Wells OU2, Bethpage, NY	

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	3P64625.D	1	01/12/18 14:34	RK	12/16/17 17:00	OP8726A	E3P3058
Run #2							

	Initial Volume	Final Volume
Run #1	1000 ml	1.0 ml
Run #2		

CAS No.	Compound	Result	RL	MDL	Units	Q
123-91-1	1,4-Dioxane	ND	0.10	0.049	ug/l	J

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
4165-60-0	Nitrobenzene-d5	57%		29-124%
321-60-8	2-Fluorobiphenyl	60%		23-122%
1718-51-0	Terphenyl-d14	53%		22-130%

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.3
4

Report of Analysis

Client Sample ID: TB121217AR1	Date Sampled: 12/12/17
Lab Sample ID: JC57298-4	Date Received: 12/13/17
Matrix: AQ - Trip Blank Water	Percent Solids: n/a
Method: SW846 8260C	
Project: Navy Wells OU2, Bethpage, NY	

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethene	ND	1.0	0.27	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.62	ug/l	
	m,p-Xylene	ND	1.0	0.43	ug/l	
95-47-6	o-Xylene	ND	1.0	0.22	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	97%		80-120%
17060-07-0	1,2-Dichloroethane-D4	98%		81-124%
2037-26-5	Toluene-D8	95%		80-120%
460-00-4	4-Bromofluorobenzene	103%		80-120%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

ND = Not detected MDL = Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

4.4
4

Report of Analysis

Client Sample ID: RE124D1	Date Sampled: 12/14/17
Lab Sample ID: JC57500-1	Date Received: 12/15/17
Matrix: AQ - Ground Water	Percent Solids: n/a
Method: SW846 8260C	
Project: Navy Wells OU2, Bethpage, NY	

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethene	3.9	1.0	0.27	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.62	ug/l	
	m,p-Xylene	ND	1.0	0.43	ug/l	
95-47-6	o-Xylene	ND	1.0	0.22	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	105%		80-120%
17060-07-0	1,2-Dichloroethane-D4	95%		81-124%
2037-26-5	Toluene-D8	92%		80-120%
460-00-4	4-Bromofluorobenzene	97%		80-120%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: RE124D1	Date Sampled: 12/14/17
Lab Sample ID: JC57500-1	Date Received: 12/15/17
Matrix: AQ - Ground Water	Percent Solids: n/a
Method: SW846 8270D BY SIM SW846 3510C	
Project: Navy Wells OU2, Bethpage, NY	

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 ^a	3P64658.D	1	01/14/18 06:52	SB	12/20/17 06:45	OP8766	E3P3059
Run #2 ^b	4P25130.D	1	01/18/18 13:06	SB	01/10/18 10:00	OP9189A	E4P1404

Run #	Initial Volume	Final Volume
Run #1	980 ml	1.0 ml
Run #2	1000 ml	1.0 ml

CAS No.	Compound	Result	RL	MDL	Units	Q
123-91-1	1,4-Dioxane ^a	ND	0.10	0.050	ug/l	R

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
4165-60-0	Nitrobenzene-d5	0% ^c	61%	29-124%
321-60-8	2-Fluorobiphenyl	0% ^c	54%	23-122%
1718-51-0	Terphenyl-d14	2% ^c	61%	22-130%

- (a) Surrogate recovery indicates possible low bias. Sample reextracted outside holding time.
- (b) Confirmation run.
- (c) Outside of in house control limits.

ND = Not detected	MDL = Method Detection Limit	J = Indicates an estimated value
RL = Reporting Limit		B = Indicates analyte found in associated method blank
E = Indicates value exceeds calibration range		N = Indicates presumptive evidence of a compound

4.1
4

Report of Analysis

Client Sample ID: RE124D2		Date Sampled: 12/14/17
Lab Sample ID: JC57500-2		Date Received: 12/15/17
Matrix: AQ - Ground Water		Percent Solids: n/a
Method: SW846 8260C		
Project: Navy Wells OU2, Bethpage, NY		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	1A177315.D	1	12/27/17 01:10	GA	n/a	n/a	V1A7531
Run #2							

Run #	Purge Volume
Run #1	5.0 ml
Run #2	

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone ^a	ND	10	5.0	ug/l	
71-43-2	Benzene	ND	0.50	0.17	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.22	ug/l	
75-25-2	Bromoform	ND	1.0	0.42	ug/l	
74-83-9	Bromomethane	ND	2.0	1.4	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	4.8	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.50	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.34	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.24	ug/l	
75-00-3	Chloroethane	ND	1.0	0.59	ug/l	
67-66-3	Chloroform	ND	1.0	0.29	ug/l	
74-87-3	Chloromethane	ND	1.0	0.53	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.16	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.21	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.20	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.47	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.50	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.40	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.24	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.25	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.22	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.22	ug/l	
76-13-1	Freon 113	ND	5.0	1.2	ug/l	
591-78-6	2-Hexanone	ND	5.0	3.3	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	3.0	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.24	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.17	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.50	ug/l	
108-88-3	Toluene	ND	1.0	0.25	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.25	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.24	ug/l	

ND = Not detected MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: RE124D2	Date Sampled: 12/14/17
Lab Sample ID: JC57500-2	Date Received: 12/15/17
Matrix: AQ - Ground Water	Percent Solids: n/a
Method: SW846 8260C	
Project: Navy Wells OU2, Bethpage, NY	

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethene ^a	ND	1.0	0.27	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.62	ug/l	
	m,p-Xylene	ND	1.0	0.43	ug/l	
95-47-6	o-Xylene	ND	1.0	0.22	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	101%		80-120%
17060-07-0	1,2-Dichloroethane-D4	92%		81-124%
2037-26-5	Toluene-D8	92%		80-120%
460-00-4	4-Bromofluorobenzene	96%		80-120%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

(a) Associated CCV outside of control limits high, sample was ND.

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.2
4

Report of Analysis

Client Sample ID: RE124D2	Date Sampled: 12/14/17
Lab Sample ID: JC57500-2	Date Received: 12/15/17
Matrix: AQ - Ground Water	Percent Solids: n/a
Method: SW846 8270D BY SIM SW846 3510C	
Project: Navy Wells OU2, Bethpage, NY	

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	3M73278.D	1	01/03/18 08:04	CS	12/20/17 01:30	OP8766	E3M3517
Run #2							

	Initial Volume	Final Volume
Run #1	1000 ml	1.0 ml
Run #2		

CAS No.	Compound	Result	RL	MDL	Units	Q
123-91-1	1,4-Dioxane	ND	0.10	0.049	ug/l	
CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits		
4165-60-0	Nitrobenzene-d5	69%		29-124%		
321-60-8	2-Fluorobiphenyl	44%		23-122%		
1718-51-0	Terphenyl-d14	37%		22-130%		

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.2
4

Report of Analysis

Client Sample ID: FB121417AR1		Date Sampled: 12/14/17
Lab Sample ID: JC57500-3		Date Received: 12/15/17
Matrix: AQ - Field Blank Water		Percent Solids: n/a
Method: SW846 8260C		
Project: Navy Wells OU2, Bethpage, NY		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	1A177316.D	1	12/27/17 01:40	GA	n/a	n/a	V1A7531
Run #2							

Run #	Purge Volume
Run #1	5.0 ml
Run #2	

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone ^a	ND	10	5.0	ug/l	
71-43-2	Benzene	ND	0.50	0.17	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.22	ug/l	
75-25-2	Bromoform	ND	1.0	0.42	ug/l	
74-83-9	Bromomethane	ND	2.0	1.4	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	4.8	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.50	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.34	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.24	ug/l	
75-00-3	Chloroethane	ND	1.0	0.59	ug/l	
67-66-3	Chloroform	ND	1.0	0.29	ug/l	
74-87-3	Chloromethane	ND	1.0	0.53	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.16	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.21	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.20	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.47	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.50	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.40	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.24	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.25	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.22	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.22	ug/l	
76-13-1	Freon 113	ND	5.0	1.2	ug/l	
591-78-6	2-Hexanone	ND	5.0	3.3	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	3.0	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.24	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.17	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.50	ug/l	
108-88-3	Toluene	ND	1.0	0.25	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.25	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.24	ug/l	

ND = Not detected MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: FB121417AR1	Date Sampled: 12/14/17
Lab Sample ID: JC57500-3	Date Received: 12/15/17
Matrix: AQ - Field Blank Water	Percent Solids: n/a
Method: SW846 8260C	
Project: Navy Wells OU2, Bethpage, NY	

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethene ^a	ND	1.0	0.27	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.62	ug/l	
	m,p-Xylene	ND	1.0	0.43	ug/l	
95-47-6	o-Xylene	ND	1.0	0.22	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	102%		80-120%
17060-07-0	1,2-Dichloroethane-D4	93%		81-124%
2037-26-5	Toluene-D8	92%		80-120%
460-00-4	4-Bromofluorobenzene	96%		80-120%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

(a) Associated CCV outside of control limits high, sample was ND.

ND = Not detected MDL = Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

4.3
4

Report of Analysis

Client Sample ID: FB121417AR1	Date Sampled: 12/14/17
Lab Sample ID: JC57500-3	Date Received: 12/15/17
Matrix: AQ - Field Blank Water	Percent Solids: n/a
Method: SW846 8270D BY SIM SW846 3510C	
Project: Navy Wells OU2, Bethpage, NY	

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	3M73279.D	1	01/03/18 08:35	CS	12/20/17 01:30	OP8766	E3M3517
Run #2							

	Initial Volume	Final Volume
Run #1	900 ml	1.0 ml
Run #2		

CAS No.	Compound	Result	RL	MDL	Units	Q
123-91-1	1,4-Dioxane	ND	0.11	0.054	ug/l	
CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits		
4165-60-0	Nitrobenzene-d5	91%		29-124%		
321-60-8	2-Fluorobiphenyl	64%		23-122%		
1718-51-0	Terphenyl-d14	69%		22-130%		

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.3
4

Report of Analysis

Client Sample ID: TB121417JC1		Date Sampled: 12/14/17
Lab Sample ID: JC57500-4		Date Received: 12/15/17
Matrix: AQ - Trip Blank Water		Percent Solids: n/a
Method: SW846 8260C		
Project: Navy Wells OU2, Bethpage, NY		

Run #1	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #2	1A177317.D	1	12/27/17 02:10	GA	n/a	n/a	V1A7531

Run #1	Purge Volume
Run #2	5.0 ml

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone ^a	ND	10	5.0	ug/l	
71-43-2	Benzene	ND	0.50	0.17	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.22	ug/l	
75-25-2	Bromoform	ND	1.0	0.42	ug/l	
74-83-9	Bromomethane	ND	2.0	1.4	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	4.8	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.50	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.34	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.24	ug/l	
75-00-3	Chloroethane	ND	1.0	0.59	ug/l	
67-66-3	Chloroform	ND	1.0	0.29	ug/l	
74-87-3	Chloromethane	ND	1.0	0.53	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.16	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.21	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.20	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.47	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.50	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.40	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.24	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.25	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.22	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.22	ug/l	
76-13-1	Freon 113	ND	5.0	1.2	ug/l	
591-78-6	2-Hexanone	ND	5.0	3.3	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	3.0	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.24	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.17	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.50	ug/l	
108-88-3	Toluene	ND	1.0	0.25	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.25	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.24	ug/l	

ND = Not detected MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: TB121417JC1 Lab Sample ID: JC57500-4 Matrix: AQ - Trip Blank Water Method: SW846 8260C Project: Navy Wells OU2, Bethpage, NY	Date Sampled: 12/14/17 Date Received: 12/15/17 Percent Solids: n/a
---	---

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethene ^a	ND	1.0	0.27	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.62	ug/l	
	m,p-Xylene	ND	1.0	0.43	ug/l	
95-47-6	o-Xylene	ND	1.0	0.22	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	104%		80-120%
17060-07-0	1,2-Dichloroethane-D4	92%		81-124%
2037-26-5	Toluene-D8	92%		80-120%
460-00-4	4-Bromofluorobenzene	95%		80-120%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

(a) Associated CCV outside of control limits high, sample was ND.

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.4
4

Navy Wells-

Operable Unit 2

Data Review

Bethpage, New York

Volatile and Semi-Volatile Analyses

SDGs #JC57758 and JC58051

Analyses Performed By:
Accutest-SGS Laboratories
Dayton, New Jersey

Report #29116R
Review Level: Tier II
Project: NY001496.23TM.NAVI4



SUMMARY

This data quality assessment summarizes the review of Sample Delivery Groups (SDGs) #JC57758 and JC58051 for samples collected in association with the Navy Wells located at the Bethpage, New York site. The review was conducted as a Tier II evaluation and included review of data package completeness. Only analytical data associated with constituents of concern were reviewed for this validation. Field documentation was not included in this review. Included with this assessment are the validation annotated sample result sheets, and chain of custody. Analyses were performed on the following samples:

SDG Number	Sample ID	Lab ID	Matrix	Sample Collection Date	Parent Sample	Analysis				
						VOC	SVOC	PCB	MET	MISC
JC57758	RE-106D2	JC57758-1	Water	12/19/2017		X	X			
	RE-106D3	JC57758-2	Water	12/19/2017		X	X			
	FB121917AR1	JC57758-3	Water	12/19/2017		X	X			
	TB121917AR1	JC57758-4	Water	12/19/2017		X				
	REP121917CK1	JC57758-5	Water	12/19/2017	RE-106D3	X	X			
JC58051	RE109D3	JC58051-1	Water	12/26/2017		X	X			
	RE109D2	JC58051-2	Water	12/26/2017		X	X			
	RE109D1	JC58051-3	Water	12/26/2017		X	X			
	TB122617AD1	JC58051-4	Water	12/26/2017		X				
	FB122817AD	JC58051-5	Water	12/26/2017		X	X			

Note:

1. Sample location TB121917AR1 was inadvertently logged-in at the laboratory as TB121817AR1.

ANALYTICAL DATA PACKAGE DOCUMENTATION

The table below is the evaluation of the data package completeness.

Items Reviewed	Reported		Performance Acceptable		Not Required
	No	Yes	No	Yes	
1. Sample receipt condition		X		X	
2. Requested analyses and sample results		X		X	
3. Master tracking list		X		X	
4. Methods of analysis		X		X	
5. Reporting limits		X		X	
6. Sample collection date		X		X	
7. Laboratory sample received date		X		X	
8. Sample preservation verification (as applicable)		X		X	
9. Sample preparation/extraction/analysis dates		X		X	
10. Fully executed Chain-of-Custody (COC) form		X		X	
11. Narrative summary of QA or sample problems provided		X		X	
12. Data Package Completeness and Compliance		X		X	

Note:

QA - Quality Assurance

ORGANIC ANALYSIS INTRODUCTION

Analyses were performed according to United States Environmental Protection Agency (USEPA) methods 8260C and 8270D-Selected Ion Monitoring (SIM). Data were reviewed in accordance with USEPA National Functional Guidelines of October 1999.

The data review process is an evaluation of data on a technical basis rather than a determination of contract compliance. As such, the standards against which the data are being weighed may differ from those specified in the analytical method. It is assumed that the data package represents the best efforts of the laboratory and had already been subjected to adequate and sufficient quality review prior to submission.

During the review process, laboratory qualified and unqualified data are verified against the supporting documentation. Based on this evaluation, qualifier codes may be added, deleted, or modified by the data reviewer. Results are qualified with the following codes in accordance with USEPA National Functional Guidelines:

- Concentration (C) Qualifiers
 - U The compound was analyzed for but not detected. The associated value is the compound quantitation limit.
 - B The compound has been found in the sample as well as its associated blank, its presence in the sample may be suspect.
- Quantitation (Q) Qualifiers
 - E The compound was quantitated above the calibration range.
 - D Concentration is based on a diluted sample analysis.
- Validation Qualifiers
 - J The compound was positively identified; however, the associated numerical value is an estimated concentration only.
 - UJ The compound was not detected above the reported sample quantitation limit. However, the reported limit is approximate and may or may not represent the actual limit of quantitation.
 - JN The analysis indicates the presence of a compound for which there is presumptive evidence to make a tentative identification. The associated numerical value is an estimated concentration only.
 - UB Compound considered non-detect at the listed value due to associated blank contamination.
 - N The analysis indicates the presence of a compound for which there is presumptive evidence to make a tentative identification.
 - R The sample results are rejected.

Two facts should be noted by all data users. First, the "R" flag means that the associated value is unusable. In other words, due to significant quality control (QC) problems, the analysis is invalid and

provides no information as to whether the compound is present or not. "R" values should not appear on data tables because they cannot be relied upon, even as a last resort. The second fact to keep in mind is that no compound concentration, even if it has passed all QC tests, is guaranteed to be accurate. Strict QC serves to increase confidence in data but any value potentially contains error.

VOLATILE ORGANIC COMPOUNDS (VOC) ANALYSES

1. Holding Times

The specified holding times for the following methods are presented in the following table.

Method	Matrix	Holding Time	Preservation
SW-846 8260C	Water	14 days from collection to analysis	Cool to <6 °C; preserved to a pH of less than 2 s.u.

Note:

s.u. = Standard units

All samples were analyzed within the specified holding time criteria.

2. Blank Contamination

Quality assurance (QA) blanks (i.e., method and rinse blanks) are prepared to identify any contamination which may have been introduced into the samples during sample preparation or field activity. Method blanks measure laboratory contamination. Rinse blanks measure contamination of samples during field operations.

A blank action level (BAL) of five times the concentration of a detected compound in an associated blank (common laboratory contaminant compounds are calculated at ten times) is calculated for QA blanks containing concentrations greater than the method detection limit (MDL). The BAL is compared to the associated sample results to determine the appropriate qualification of the sample results, if needed.

Compounds were not detected above the MDL in the associated blanks; therefore, detected sample results were not associated with blank contamination in SDG JC57758.

Compounds were detected in the associated QA blanks; however, the associated sample results were greater than the BAL and/or were non-detect. No qualification of the sample results was required in SDG JC58051.

3. Surrogates/System Monitoring Compounds

All samples to be analyzed for organic compounds are spiked with surrogate compounds prior to sample preparation to evaluate overall laboratory performance and efficiency of the analytical technique. VOC analysis requires that all surrogates associated with the analysis exhibit recoveries within the laboratory-established acceptance limits.

All surrogate recoveries were within control limits.

4. Matrix Spike/Matrix Spike Duplicate (MS/MSD) Analysis

MS/MSD data are used to assess the precision and accuracy of the analytical method. The compounds used to perform the MS/MSD analysis must exhibit a percent recovery within the laboratory-established

acceptance limits. The relative percent difference (RPD) between the MS/MSD recoveries must exhibit an RPD within the laboratory-established acceptance limits.

Note: The MS/MSD recovery control limits do not apply for MS/MSD performed on sample locations where the compound concentration detected in the parent sample exceeds the MS/MSD concentration by a factor of four or greater.

A MS/MSD was not performed on a sample location associated with either SDG.

5. Laboratory Control Sample (LCS) Analysis

The LCS analysis is used to assess the precision and accuracy of the analytical method independent of matrix interferences. The compounds associated with the LCS analysis must exhibit a percent recovery within the laboratory-established acceptance limits.

Sample locations associated with LCS analysis exhibiting recoveries outside of the control limits presented in the following table.

Sample Locations	Compound	LCS Recovery
SDG JC57758: REP121917CK1	2-Butanone	>UL
	2-Hexanone	

The criteria used to evaluate the LCS recoveries are presented in the following table. In the case of an LCS deviation, the sample results are qualified as documented in the table below.

Control Limit	Sample Result	Qualification
> the upper control limit (UL)	Non-detect	No Action
	Detect	J
< the lower control limit (LL) but > 10%	Non-detect	UJ
	Detect	J
< 10%	Non-detect	R
	Detect	J

All compounds associated with the LCS analysis exhibited recoveries within the control limits in SDG JC58051.

6. Field Duplicate Analysis

Field duplicate analysis is used to assess the overall precision of the field sampling procedures and analytical method. A control limit of 30% for water matrices is applied to the RPD between the parent sample and the field duplicate. In the instance when the parent and/or duplicate sample concentrations are less than or equal to 5 times the RL, a control limit of two times the RL is applied for water matrices.

Results for duplicate samples are summarized in the following table.

Sample ID/Duplicate ID	Compound	Sample Result	Duplicate Result	RPD
SDG JC57758: RE106D3/ REP121917CK1	1,1-Dichloroethane	0.38 J	0.40 J	AC
	1,1-Dichloroethene	1.1	1.1	AC
	cis-1,2-Dichloroethene	3.5	3.5	AC
	1,2-Dichloropropane	1.1	1.1	AC
	Freon 113	70.4	72.3	2.7%
	Tetrachloroethane	59.8	60.5	1.2%
	Trichloroethene	84.9	86.3	1.6%

Notes:

AC = Acceptable

The calculated RPDs between the parent sample and field duplicate were acceptable.

A field duplicate was not collected with a sample location associated with SDG JC58051.

7. Laboratory Duplicate Analysis

The laboratory duplicate relative percent difference (RPD) criterion is applied when parent and duplicate sample concentrations are greater than or equal to 5 times the RL. A control limit of 20% for water matrices is applied when the criteria above is true. In the instance when the parent and/or duplicate sample concentrations are less than or equal to 5 times the RL, a control limit of two times the RL is applied for water matrices.

A laboratory duplicate was not performed on a sample location associated with either SDG.

8. System Performance and Overall Assessment

Tentatively identified compounds (TICs) were not detected in any of the sample locations.

Continuing calibration review/validation is not included in a Tier II validation. However, the laboratory provided continuing calibration information in the case narrative, therefore it was evaluated.

In SDG JC57758: The case narrative states the continuing calibration associated with sample locations RE106D2, RE106D3, FB121917AR1 and TB121917AR1 had percent difference (%D) exceedances with an increase in sensitivity for the compounds: 1,1-Dichloroethane, 1,1-Dichloroethene and trans-1,2-Dichloroethene (>20%). Compounds not detected in the sample locations require no qualification. The compounds 1,1-Dichloroethane and 1,1-Dichloroethene were detected in sample location RE106D3; therefore, these compounds were qualified as estimate.

In SDG JC57051: The case narrative states the continuing calibration associated with all sample locations had a percent difference (%D) exceedance with a decrease sensitivity for Acetone (>20%). Therefore, Acetone, in all the sample locations was qualified as estimate within this SDG.

Overall system performance was acceptable. Other than for those deviations specifically mentioned in this review, the overall data quality is within the guidelines specified in the method.

DATA VALIDATION CHECKLIST FOR VOCs

VOCs: SW-846 8260C	.2Reported		Performance Acceptable		Not Required
	No	Yes	No	Yes	
GAS CHROMATOGRAPHY/MASS SPECTROMETRY (GC/MS)					
Tier II Validation					
Holding times		X		X	
Reporting limits (units)		X		X	
Blanks					
A. Method blanks		X		X	
B. Equipment blanks		X	X		
C. Trip blanks		X		X	
Laboratory Control Sample (LCS) %R		X	X		
Laboratory Control Sample Duplicate(LCSD) %R					X
LCS/LCSD Precision (RPD)					X
Matrix Spike (MS) %R					X
Matrix Spike Duplicate(MSD) %R					X
MS/MSD Precision (RPD)					X
Field/Lab Duplicate (RPD)		X		X	
Surrogate Spike Recoveries		X		X	
Dilution Factor		X		X	
Moisture Content					X

Notes:

RPD Relative percent difference

%R Percent recovery

SEMI-VOLATILE ORGANIC COMPOUNDS (SVOC) ANALYSES

1. Holding Times

The specified holding times for the following methods are presented in the following table.

Method	Matrix	Holding Time	Preservation
SW-846 8270D-SIM	Water	14 days from collection to extraction and 40 days from extraction to analysis	Cool to <6 °C

All samples were analyzed within the specified holding time criteria.

2. Blank Contamination

Quality assurance (QA) blanks (i.e., method and rinse blanks) are prepared to identify any contamination which may have been introduced into the samples during sample preparation or field activity. Method blanks measure laboratory contamination. Rinse blanks measure contamination of samples during field operations.

A blank action level (BAL) of five times the concentration of a detected compound in an associated blank (common laboratory contaminant compounds are calculated at ten times) is calculated for QA blanks containing concentrations greater than the method detection limit (MDL). The BAL is compared to the associated sample results to determine the appropriate qualification of the sample results, if needed.

Compounds were not detected above the MDL in the associated blanks; therefore, detected sample results were not associated with blank contamination with SDG JC57758.

Compounds were detected in the associated QA blanks; however, the associated sample results were greater than the BAL and/or were non-detect. No qualification of the sample results was required in SDG JC58051.

3. Surrogates/System Monitoring Compounds

All samples to be analyzed for organic compounds are spiked with surrogate compounds prior to sample preparation to evaluate overall laboratory performance and efficiency of the analytical technique. SVOC analysis requires that two of the three SVOC surrogate compounds within each fraction exhibit recoveries within the laboratory-established acceptance limits.

All surrogate recoveries were within control limits.

4. Matrix Spike/Matrix Spike Duplicate (MS/MSD) Analysis

MS/MSD data are used to assess the precision and accuracy of the analytical method. The compounds used to perform the MS/MSD analysis must exhibit a percent recovery within the laboratory-established acceptance limits. The relative percent difference (RPD) between the MS/MSD recoveries must exhibit an RPD within the laboratory-established acceptance limits.

Note: The MS/MSD recovery control limits do not apply for MS/MSD performed on sample locations where the compound concentration detected in the parent sample exceeds the MS/MSD concentration by a factor of four or greater.

A MS was not performed on a sample location associated with either SDG.

5. Laboratory Control Sample (LCS) Analysis

The LCS analysis is used to assess the precision and accuracy of the analytical method independent of matrix interferences. The compounds associated with the LCS analysis must exhibit a percent recovery within the laboratory-established acceptance limits.

All compounds associated with the LCS analysis exhibited recoveries within the control limits.

6. Field Duplicate Analysis

Field duplicate analysis is used to assess the overall precision of the field sampling procedures and analytical method. A control limit of 30% for water matrices is applied to the RPD between the parent sample and the field duplicate. In the instance when the parent and/or duplicate sample concentrations are less than or equal to 5 times the RL, a control limit of two times the RL is applied for water matrices.

Results for duplicate samples are summarized in the following table.

Sample ID/Duplicate ID	Compound	Sample Result	Duplicate Result	RPD
<u>SDG JC57758:</u> RE106D3/ REP121917CK1	1,4-Dioxane	6.50	7.16	9.7%

The calculated RPDs between the parent sample and field duplicate were acceptable.

A field duplicate was not collected with a sample location associated with SDG JC58051.

7. System Performance and Overall Assessment

Overall system performance was acceptable. Other than for those deviations specifically mentioned in this review, the overall data quality is within the guidelines specified in the method.

DATA VALIDATION CHECKLIST FOR SVOCs

SVOCs: SW-846 8270D-SIM	Reported		Performance Acceptable		Not Required
	No	Yes	No	Yes	
GAS CHROMATOGRAPHY/MASS SPECTROMETRY (GC/MS)					
Tier II Validation					
Holding times		X		X	
Reporting limits (units)		X		X	
Blanks					
A. Method blanks		X	X		
B. Equipment blanks		X		X	
Laboratory Control Sample (LCS) %R		X		X	
Laboratory Control Sample Duplicate(LCSD) %R					X
LCS/LCSD Precision (RPD)					X
Matrix Spike (MS) %R					X
Matrix Spike Duplicate(MSD) %R					X
MS/MSD Precision (RPD)					X
Field/Lab Duplicate (RPD)		X		X	
Surrogate Spike Recoveries		X		X	
Dilution Factor		X		X	
Moisture Content					X

Notes:

%R Percent recovery

RPD Relative percent difference

VALIDATION PERFORMED BY: Lisa Horton

SIGNATURE:



DATE: February 26, 2018

PEER REVIEW: Todd Church

DATE: February 27, 2018

CHAIN OF CUSTODY CORRECTED SAMPLE ANALYSIS DATA SHEETS

Report of Analysis

Client Sample ID: RE106D2 Lab Sample ID: JC57758-1 Matrix: AQ - Ground Water Method: SW846 8260C Project: Navy Wells OU2, Bethpage, NY	Date Sampled: 12/19/17 Date Received: 12/20/17 Percent Solids: n/a
---	---

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethene	37.2	1.0	0.27	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.62	ug/l	
	m,p-Xylene	ND	1.0	0.43	ug/l	
95-47-6	o-Xylene	ND	1.0	0.22	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	106%		80-120%
17060-07-0	1,2-Dichloroethane-D4	110%		81-124%
2037-26-5	Toluene-D8	102%		80-120%
460-00-4	4-Bromofluorobenzene	103%		80-120%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

(a) Associated CCV outside of control limits high, sample was ND.

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: RE106D2	Date Sampled: 12/19/17
Lab Sample ID: JC57758-1	Date Received: 12/20/17
Matrix: AQ - Ground Water	Percent Solids: n/a
Method: SW846 8270D BY SIM SW846 3510C	
Project: Navy Wells OU2, Bethpage, NY	

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	4M74981.D	2	01/08/18 23:50	CS	12/26/17 00:45	OP8890A	E4M3512
Run #2							

	Initial Volume	Final Volume
Run #1	1000 ml	1.0 ml
Run #2		

CAS No.	Compound	Result	RL	MDL	Units	Q
123-91-1	1,4-Dioxane	6.35	0.20	0.098	ug/l	
CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits		
4165-60-0	Nitrobenzene-d5	67%		29-124%		
321-60-8	2-Fluorobiphenyl	57%		23-122%		
1718-51-0	Terphenyl-d14	63%		22-130%		

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.1
4

Report of Analysis

Client Sample ID: RE106D3	Date Sampled: 12/19/17
Lab Sample ID: JC57758-2	Date Received: 12/20/17
Matrix: AQ - Ground Water	Percent Solids: n/a
Method: SW846 8260C	
Project: Navy Wells OU2, Bethpage, NY	

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	2E139648.D	1	12/30/17 09:02	JP	n/a	n/a	V2E6094
Run #2							

Run #	Purge Volume
Run #1	5.0 ml
Run #2	

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	10	5.0	ug/l	
71-43-2	Benzene	ND	0.50	0.17	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.22	ug/l	
75-25-2	Bromoform	ND	1.0	0.42	ug/l	
74-83-9	Bromomethane	ND	2.0	1.4	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	4.8	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.50	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.34	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.24	ug/l	
75-00-3	Chloroethane	ND	1.0	0.59	ug/l	
67-66-3	Chloroform	ND	1.0	0.29	ug/l	
74-87-3	Chloromethane	ND	1.0	0.53	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.16	ug/l	
75-34-3	1,1-Dichloroethane ^a	0.38	1.0	0.21	ug/l	J
107-06-2	1,2-Dichloroethane	ND	1.0	0.20	ug/l	
75-35-4	1,1-Dichloroethene ^a	1.1	1.0	0.47	ug/l	J
156-59-2	cis-1,2-Dichloroethene	3.5	1.0	0.50	ug/l	
156-60-5	trans-1,2-Dichloroethene ^b	ND	1.0	0.40	ug/l	
78-87-5	1,2-Dichloropropane	1.1	1.0	0.24	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.25	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.22	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.22	ug/l	
76-13-1	Freon 113	70.4	5.0	1.2	ug/l	
591-78-6	2-Hexanone	ND	5.0	3.3	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	3.0	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.24	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.17	ug/l	
127-18-4	Tetrachloroethene	59.8	1.0	0.50	ug/l	
108-88-3	Toluene	ND	1.0	0.25	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.25	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.24	ug/l	

ND = Not detected MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: RE106D3 Lab Sample ID: JC57758-2 Matrix: AQ - Ground Water Method: SW846 8260C Project: Navy Wells OU2, Bethpage, NY	Date Sampled: 12/19/17 Date Received: 12/20/17 Percent Solids: n/a
---	---

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethene	84.9	1.0	0.27	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.62	ug/l	
	m,p-Xylene	ND	1.0	0.43	ug/l	
95-47-6	o-Xylene	ND	1.0	0.22	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	107%		80-120%
17060-07-0	1,2-Dichloroethane-D4	108%		81-124%
2037-26-5	Toluene-D8	103%		80-120%
460-00-4	4-Bromofluorobenzene	104%		80-120%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

- (a) Associated CCV outside of control limits high.
- (b) Associated CCV outside of control limits high, sample was ND.

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.2
4

Report of Analysis

Client Sample ID: RE106D3	Date Sampled: 12/19/17
Lab Sample ID: JC57758-2	Date Received: 12/20/17
Matrix: AQ - Ground Water	Percent Solids: n/a
Method: SW846 8270D BY SIM SW846 3510C	
Project: Navy Wells OU2, Bethpage, NY	

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	4M74980.D	2	01/08/18 23:16	CS	12/26/17 00:45	OP8890A	E4M3512
Run #2							

	Initial Volume	Final Volume
Run #1	970 ml	1.0 ml
Run #2		

CAS No.	Compound	Result	RL	MDL	Units	Q
123-91-1	1,4-Dioxane	6.50	0.21	0.10	ug/l	
CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits		
4165-60-0	Nitrobenzene-d5	76%		29-124%		
321-60-8	2-Fluorobiphenyl	65%		23-122%		
1718-51-0	Terphenyl-d14	65%		22-130%		

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.2
4

Report of Analysis

Client Sample ID: FB121917AR1	Date Sampled: 12/19/17
Lab Sample ID: JC57758-3	Date Received: 12/20/17
Matrix: AQ - Field Blank Water	Percent Solids: n/a
Method: SW846 8260C	
Project: Navy Wells OU2, Bethpage, NY	

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethene	ND	1.0	0.27	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.62	ug/l	
	m,p-Xylene	ND	1.0	0.43	ug/l	
95-47-6	o-Xylene	ND	1.0	0.22	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	105%		80-120%
17060-07-0	1,2-Dichloroethane-D4	108%		81-124%
2037-26-5	Toluene-D8	102%		80-120%
460-00-4	4-Bromofluorobenzene	103%		80-120%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

(a) Associated CCV outside of control limits high, sample was ND.

ND = Not detected MDL = Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

4.3
4

Report of Analysis

Client Sample ID: FB121917AR1	Date Sampled: 12/19/17
Lab Sample ID: JC57758-3	Date Received: 12/20/17
Matrix: AQ - Field Blank Water	Percent Solids: n/a
Method: SW846 8270D BY SIM SW846 3510C	
Project: Navy Wells OU2, Bethpage, NY	

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	4M74937.D	1	01/07/18 19:12	KLS	12/26/17 00:45	OP8890A	E4M3510
Run #2							

Run #	Initial Volume	Final Volume
Run #1	1000 ml	1.0 ml
Run #2		

CAS No.	Compound	Result	RL	MDL	Units	Q
123-91-1	1,4-Dioxane	ND	0.10	0.049	ug/l	
CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits		
4165-60-0	Nitrobenzene-d5	78%		29-124%		
321-60-8	2-Fluorobiphenyl	63%		23-122%		
1718-51-0	Terphenyl-d14	84%		22-130%		

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.3
4

Report of Analysis

TB121917AR1

Client Sample ID: TB121817AR1		Date Sampled: 12/19/17
Lab Sample ID: JC57758-4		Date Received: 12/20/17
Matrix: AQ - Trip Blank Water		Percent Solids: n/a
Method: SW846 8260C		
Project: Navy Wells OU2, Bethpage, NY		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	2E139646.D	1	12/30/17 08:07	JP	n/a	n/a	V2E6094
Run #2							

Run #	Purge Volume
Run #1	5.0 ml
Run #2	

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	10	5.0	ug/l	
71-43-2	Benzene	ND	0.50	0.17	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.22	ug/l	
75-25-2	Bromoform	ND	1.0	0.42	ug/l	
74-83-9	Bromomethane	ND	2.0	1.4	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	4.8	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.50	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.34	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.24	ug/l	
75-00-3	Chloroethane	ND	1.0	0.59	ug/l	
67-66-3	Chloroform	ND	1.0	0.29	ug/l	
74-87-3	Chloromethane	ND	1.0	0.53	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.16	ug/l	
75-34-3	1,1-Dichloroethane ^a	ND	1.0	0.21	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.20	ug/l	
75-35-4	1,1-Dichloroethene ^a	ND	1.0	0.47	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.50	ug/l	
156-60-5	trans-1,2-Dichloroethene ^a	ND	1.0	0.40	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.24	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.25	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.22	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.22	ug/l	
76-13-1	Freon 113	ND	5.0	1.2	ug/l	
591-78-6	2-Hexanone	ND	5.0	3.3	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	3.0	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.24	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.17	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.50	ug/l	
108-88-3	Toluene	ND	1.0	0.25	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.25	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.24	ug/l	

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.4
4

Report of Analysis

TB121917AR1

Client Sample ID: TB121817AR1		Date Sampled: 12/19/17
Lab Sample ID: JC57758-4		Date Received: 12/20/17
Matrix: AQ - Trip Blank Water		Percent Solids: n/a
Method: SW846 8260C		
Project: Navy Wells OU2, Bethpage, NY		

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethene	ND	1.0	0.27	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.62	ug/l	
	m,p-Xylene	ND	1.0	0.43	ug/l	
95-47-6	o-Xylene	ND	1.0	0.22	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	105%		80-120%
17060-07-0	1,2-Dichloroethane-D4	109%		81-124%
2037-26-5	Toluene-D8	102%		80-120%
460-00-4	4-Bromofluorobenzene	105%		80-120%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

(a) Associated CCV outside of control limits high, sample was ND.

ND = Not detected MDL = Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

4.4
4

Report of Analysis

Client Sample ID: REP121917CK1		Date Sampled: 12/19/17
Lab Sample ID: JC57758-5		Date Received: 12/20/17
Matrix: AQ - Ground Water		Percent Solids: n/a
Method: SW846 8260C		
Project: Navy Wells OU2, Bethpage, NY		

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethene	86.3	1.0	0.27	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.62	ug/l	
	m,p-Xylene	ND	1.0	0.43	ug/l	
95-47-6	o-Xylene	ND	1.0	0.22	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	105%		80-120%
17060-07-0	1,2-Dichloroethane-D4	108%		81-124%
2037-26-5	Toluene-D8	102%		80-120%
460-00-4	4-Bromofluorobenzene	105%		80-120%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

(a) Associated CCV and BS outside of control limits high, sample was ND.

ND = Not detected MDL = Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

4.5
4

Report of Analysis

Client Sample ID: REP121917CK1	Date Sampled: 12/19/17
Lab Sample ID: JC57758-5	Date Received: 12/20/17
Matrix: AQ - Ground Water	Percent Solids: n/a
Method: SW846 8270D BY SIM SW846 3510C	
Project: Navy Wells OU2, Bethpage, NY	

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	4M74979.D	2	01/08/18 22:44	CS	12/26/17 00:45	OP8890A	E4M3512
Run #2							

	Initial Volume	Final Volume
Run #1	1000 ml	1.0 ml
Run #2		

CAS No.	Compound	Result	RL	MDL	Units	Q
123-91-1	1,4-Dioxane	7.16	0.20	0.098	ug/l	
CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits		
4165-60-0	Nitrobenzene-d5	87%		29-124%		
321-60-8	2-Fluorobiphenyl	71%		23-122%		
1718-51-0	Terphenyl-d14	63%		22-130%		

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.5
4



ACCUTEST

GW
FB
WB

CHAIN OF CUSTODY

SGS Accutest New Jersey - Dayton
2235 Route 130, Dayton, NJ 08810
TEL: 732-329-0200 FAX: 732-329-3499/3480
www.sgs.com

FED-EX Tracking	COC # Navy	Bottle Order Control #
Accutest Quote #		Accutest Job #
		358051

Client / Reporting Information		Project Information		Requested Analysis (see TEST CODE sheet)										Matrix Codes																					
Company Name Arcadis		Project Name: AGMNYM72080 // OU2 Navy Outpost & Monitoring Wells Navy Wells OU2 -Bethpage, New York		<table border="1"> <tr><td>VS242NG360W+40</td><td>VC82602NG36GW+40</td><td>SB822SIM14DIOX (GEL Lab)</td><td>BB270SIM14DIOX (SGS Lab)</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> </table>										VS242NG360W+40	VC82602NG36GW+40	SB822SIM14DIOX (GEL Lab)	BB270SIM14DIOX (SGS Lab)																		DW - Drinking Water GW - Ground Water WW - Surface Water SW - Surface Water SO - Soil SL - Sludge SED - Sediment OL - Oil LIQ - Other Liquid AIR - Air SOL - Other Solid WP - Wipe FB - Field Blank EB - Equipment Blank RB - Rinse Blank TB - Trip Blank
VS242NG360W+40	VC82602NG36GW+40	SB822SIM14DIOX (GEL Lab)	BB270SIM14DIOX (SGS Lab)																																
Street Address 2 Huntington Quad, Suite 1510		Street: Bethpage NY																																	
City State Zip Melville NY 11747		Billing Information (if different from Report to) Company Name Arcadis, U.S., Inc.																																	
Project Contact Soma Das, soma.das@arcadis.com		Project # NY001496.2517 NAVJ2																																	
Phone # Fax # 631-249-7600 631-249-7610		Special Address 630 Plaza Drive, Suite 600																																	
Work Authorization # NY001496_2015.10.30		City State Zip Highlands Ranch, CO 80129																																	
Client Purchase Order #		Project Manager Carlo San Giovanni																																	
Alteration Accounts Payable																																			
Account Name	Field ID / Point of Collection	MEQHDV Val #	Date	Time	Sampled by	Matrix	# of bottles	HC	NO3	NO2	NO3+NO2	NO3+NO2+NO	AMON	AMON+AMON	AMON+AMON+AMON	AMON+AMON+AMON+AMON	AMON+AMON+AMON+AMON+AMON	AMON+AMON+AMON+AMON+AMON+AMON	AMON+AMON+AMON+AMON+AMON+AMON+AMON	AMON+AMON+AMON+AMON+AMON+AMON+AMON+AMON	LAB USE ONLY														
1	RE109D3		12/24/17	1310	AD	GW	5	3													ES7														
2	RE109D2		12/24/17	1305	AR	GW	5	3													V608														
3	RE109D1		12/24/17	1315	PP	GW	5	3																											
4	TB122617AD1		12/24/17	0800		TB	2	2																											
5	TB122617AD		12/24/17	0945	AD	FB	5	3																											

INITIAL ASSESSMENT 3/1/18
LABEL VERIFICATION

<input type="checkbox"/> Std. 15 Business Days <input checked="" type="checkbox"/> Std. 10 Business Days (by Contract only) <input type="checkbox"/> 10 Day RUSH <input type="checkbox"/> 5 Day RUSH <input type="checkbox"/> 3 Day EMERGENCY <input type="checkbox"/> 2 Day EMERGENCY <input type="checkbox"/> 1 Day EMERGENCY Emergency & Rush T/A date available via Lablink	Approved By (Accutest PM) / Date: _____ _____	<input type="checkbox"/> Commercial "A" (Level 1) <input type="checkbox"/> Commercial "B" (Level 2) <input type="checkbox"/> FULLT (Level 3+4) <input type="checkbox"/> NJ Reduced <input type="checkbox"/> Commercial "C" Commercial "A" - Results Only Commercial "B" - Results + QC Summary NJ Reduced - Results + QC Summary + Partial Raw data	<input type="checkbox"/> NYASP Category A <input type="checkbox"/> NYASP Category B <input type="checkbox"/> State Forms <input checked="" type="checkbox"/> EDD Format-EQUIS 6 <input checked="" type="checkbox"/> Other COMMC+	Comments / Special Instructions Z cooler!!
--	---	--	--	---

Relinquished by Sampler: 1 <i>[Signature]</i> Date Time: 12/26/17 1630	Received By: 1 <i>[Signature]</i> Date Time: 12/27/17 10:20	Relinquished by Sampler: 3 <i>[Signature]</i> Date Time: 12/27/17 1615	Received By: 3 <i>[Signature]</i> Date Time: 12/27/17 1615	Relinquished by Sampler: 5 <i>[Signature]</i> Date Time: 12/27/17 1615	Received By: 5 <i>[Signature]</i> Date Time: 12/27/17 1615
---	--	---	---	---	---



5.1
5

Report of Analysis

Client Sample ID: RE109D3	Date Sampled: 12/26/17
Lab Sample ID: JC58051-1	Date Received: 12/27/17
Matrix: AQ - Ground Water	Percent Solids: n/a
Method: SW846 8260C	
Project: Navy Wells OU2, Bethpage, NY	

Run #1	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	2A184438.D	1	01/05/18 02:39	BM	n/a	n/a	V2A7793
Run #2							

Run #1	Purge Volume
Run #1	5.0 ml
Run #2	

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone ^a	ND	10	5.0	ug/l	J
71-43-2	Benzene	ND	0.50	0.17	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.22	ug/l	
75-25-2	Bromoform	ND	1.0	0.42	ug/l	
74-83-9	Bromomethane	ND	2.0	1.4	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	4.8	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.50	ug/l	
56-23-5	Carbon tetrachloride	0.70	1.0	0.34	ug/l	J
108-90-7	Chlorobenzene	ND	1.0	0.24	ug/l	
75-00-3	Chloroethane	ND	1.0	0.59	ug/l	
67-66-3	Chloroform	ND	1.0	0.29	ug/l	
74-87-3	Chloromethane	ND	1.0	0.53	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.16	ug/l	
75-34-3	1,1-Dichloroethane	0.23	1.0	0.21	ug/l	J
107-06-2	1,2-Dichloroethane	ND	1.0	0.20	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.47	ug/l	
156-59-2	cis-1,2-Dichloroethene	1.0	1.0	0.50	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.40	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.24	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.25	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.22	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.22	ug/l	
76-13-1	Freon 113	3.1	5.0	1.2	ug/l	J
591-78-6	2-Hexanone	ND	5.0	3.3	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	3.0	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.24	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.17	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.50	ug/l	
108-88-3	Toluene	ND	1.0	0.25	ug/l	
71-55-6	1,1,1-Trichloroethane	0.50	1.0	0.25	ug/l	J
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.24	ug/l	

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: RE109D3 Lab Sample ID: JC58051-1 Matrix: AQ - Ground Water Method: SW846 8260C Project: Navy Wells OU2, Bethpage, NY	Date Sampled: 12/26/17 Date Received: 12/27/17 Percent Solids: n/a
---	---

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethene	57.8	1.0	0.27	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.62	ug/l	
	m,p-Xylene	ND	1.0	0.43	ug/l	
95-47-6	o-Xylene	ND	1.0	0.22	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	106%		80-120%
17060-07-0	1,2-Dichloroethane-D4	95%		81-124%
2037-26-5	Toluene-D8	96%		80-120%
460-00-4	4-Bromofluorobenzene	98%		80-120%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

(a) Associated CCV outside of control limits low.

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: RE109D3	Date Sampled: 12/26/17
Lab Sample ID: JC58051-1	Date Received: 12/27/17
Matrix: AQ - Ground Water	Percent Solids: n/a
Method: SW846 8270D BY SIM SW846 3510C	
Project: Navy Wells OU2, Bethpage, NY	

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	F173480.D	1	01/09/18 10:24	AC	12/29/17 15:00	OP8987A	EF7364
Run #2	3P64703.D	1	01/16/18 13:42	SB	12/29/17 15:00	OP8987A	E3P3062

Run #	Initial Volume	Final Volume
Run #1	1000 ml	1.0 ml
Run #2	1000 ml	1.0 ml

CAS No.	Compound	Result	RL	MDL	Units	Q
123-91-1	1,4-Dioxane	3.69	1.0	0.049	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
4165-60-0	Nitrobenzene-d5	64%	58%	29-124%
321-60-8	2-Fluorobiphenyl	64%	46%	23-122%
1718-51-0	Terphenyl-d14	44%	32%	22-130%

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.1
4

Report of Analysis

Client Sample ID: RE109D2		Date Sampled: 12/26/17
Lab Sample ID: JC58051-2		Date Received: 12/27/17
Matrix: AQ - Ground Water		Percent Solids: n/a
Method: SW846 8260C		
Project: Navy Wells OU2, Bethpage, NY		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	2A184439.D	1	01/05/18 03:07	BM	n/a	n/a	V2A7793
Run #2							

Run #	Purge Volume
Run #1	5.0 ml
Run #2	

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone ^a	ND	10	5.0	ug/l	J
71-43-2	Benzene	ND	0.50	0.17	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.22	ug/l	
75-25-2	Bromoform	ND	1.0	0.42	ug/l	
74-83-9	Bromomethane	ND	2.0	1.4	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	4.8	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.50	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.34	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.24	ug/l	
75-00-3	Chloroethane	ND	1.0	0.59	ug/l	
67-66-3	Chloroform	ND	1.0	0.29	ug/l	
74-87-3	Chloromethane	ND	1.0	0.53	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.16	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.21	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.20	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.47	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.50	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.40	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.24	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.25	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.22	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.22	ug/l	
76-13-1	Freon 113	ND	5.0	1.2	ug/l	
591-78-6	2-Hexanone	ND	5.0	3.3	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	3.0	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.24	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.17	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.50	ug/l	
108-88-3	Toluene	ND	1.0	0.25	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.25	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.24	ug/l	

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.2
4

Report of Analysis

Client Sample ID: RE109D2	Date Sampled: 12/26/17
Lab Sample ID: JC58051-2	Date Received: 12/27/17
Matrix: AQ - Ground Water	Percent Solids: n/a
Method: SW846 8260C	
Project: Navy Wells OU2, Bethpage, NY	

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethene	30.2	1.0	0.27	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.62	ug/l	
	m,p-Xylene	ND	1.0	0.43	ug/l	
95-47-6	o-Xylene	ND	1.0	0.22	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	104%		80-120%
17060-07-0	1,2-Dichloroethane-D4	94%		81-124%
2037-26-5	Toluene-D8	97%		80-120%
460-00-4	4-Bromofluorobenzene	95%		80-120%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

(a) Associated CCV outside of control limits low.

ND = Not detected MDL = Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

4.2
4

Report of Analysis

Client Sample ID: RE109D2	Date Sampled: 12/26/17
Lab Sample ID: JC58051-2	Date Received: 12/27/17
Matrix: AQ - Ground Water	Percent Solids: n/a
Method: SW846 8270D BY SIM SW846 3510C	
Project: Navy Wells OU2, Bethpage, NY	

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	F173481.D	1	01/09/18 10:54	AC	12/29/17 15:00	OP8987A	EF7364
Run #2	3P64704.D	1	01/16/18 14:12	SB	12/29/17 15:00	OP8987A	E3P3062

Run #	Initial Volume	Final Volume
Run #1	990 ml	1.0 ml
Run #2	990 ml	1.0 ml

CAS No.	Compound	Result	RL	MDL	Units	Q
123-91-1	1,4-Dioxane	3.59	1.0	0.049	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
4165-60-0	Nitrobenzene-d5	69%	59%	29-124%
321-60-8	2-Fluorobiphenyl	72%	47%	23-122%
1718-51-0	Terphenyl-d14	78%	48%	22-130%

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.2
4

Report of Analysis

Client Sample ID: RE109D1		Date Sampled: 12/26/17
Lab Sample ID: JC58051-3		Date Received: 12/27/17
Matrix: AQ - Ground Water		Percent Solids: n/a
Method: SW846 8260C		
Project: Navy Wells OU2, Bethpage, NY		

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethene	21.3	1.0	0.27	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.62	ug/l	
	m,p-Xylene	ND	1.0	0.43	ug/l	
95-47-6	o-Xylene	ND	1.0	0.22	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	104%		80-120%
17060-07-0	1,2-Dichloroethane-D4	94%		81-124%
2037-26-5	Toluene-D8	96%		80-120%
460-00-4	4-Bromofluorobenzene	99%		80-120%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

(a) Associated CCV outside of control limits low.

ND = Not detected
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

MDL = Method Detection Limit
 J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: RE109D1	Date Sampled: 12/26/17
Lab Sample ID: JC58051-3	Date Received: 12/27/17
Matrix: AQ - Ground Water	Percent Solids: n/a
Method: SW846 8270D BY SIM SW846 3510C	
Project: Navy Wells OU2, Bethpage, NY	

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	F173482.D	1	01/09/18 11:24	AC	12/29/17 15:00	OP8987A	EF7364
Run #2	3P64705.D	1	01/16/18 14:43	SB	12/29/17 15:00	OP8987A	E3P3062

Run #	Initial Volume	Final Volume
Run #1	1000 ml	1.0 ml
Run #2	1000 ml	1.0 ml

CAS No.	Compound	Result	RL	MDL	Units	Q
123-91-1	1,4-Dioxane	3.32	1.0	0.049	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
4165-60-0	Nitrobenzene-d5	69%	58%	29-124%
321-60-8	2-Fluorobiphenyl	70%	45%	23-122%
1718-51-0	Terphenyl-d14	71%	44%	22-130%

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.3
4

Report of Analysis

Client Sample ID: TB122617AD1		Date Sampled: 12/26/17
Lab Sample ID: JC58051-4		Date Received: 12/27/17
Matrix: AQ - Trip Blank Water		Percent Solids: n/a
Method: SW846 8260C		
Project: Navy Wells OU2, Bethpage, NY		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	2A184441.D	1	01/05/18 04:04	BM	n/a	n/a	V2A7793
Run #2							

Run #	Purge Volume
Run #1	5.0 ml
Run #2	

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone ^a	ND	10	5.0	ug/l	J
71-43-2	Benzene	ND	0.50	0.17	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.22	ug/l	
75-25-2	Bromoform	ND	1.0	0.42	ug/l	
74-83-9	Bromomethane	ND	2.0	1.4	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	4.8	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.50	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.34	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.24	ug/l	
75-00-3	Chloroethane	ND	1.0	0.59	ug/l	
67-66-3	Chloroform	ND	1.0	0.29	ug/l	
74-87-3	Chloromethane	ND	1.0	0.53	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.16	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.21	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.20	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.47	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.50	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.40	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.24	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.25	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.22	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.22	ug/l	
76-13-1	Freon 113	ND	5.0	1.2	ug/l	
591-78-6	2-Hexanone	ND	5.0	3.3	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	3.0	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.24	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.17	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.50	ug/l	
108-88-3	Toluene	ND	1.0	0.25	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.25	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.24	ug/l	

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.4
4

Report of Analysis

Client Sample ID: TB122617AD1	Date Sampled: 12/26/17
Lab Sample ID: JC58051-4	Date Received: 12/27/17
Matrix: AQ - Trip Blank Water	Percent Solids: n/a
Method: SW846 8260C	
Project: Navy Wells OU2, Bethpage, NY	

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethene	ND	1.0	0.27	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.62	ug/l	
	m,p-Xylene	ND	1.0	0.43	ug/l	
95-47-6	o-Xylene	ND	1.0	0.22	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	104%		80-120%
17060-07-0	1,2-Dichloroethane-D4	94%		81-124%
2037-26-5	Toluene-D8	96%		80-120%
460-00-4	4-Bromofluorobenzene	99%		80-120%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

(a) Associated CCV outside of control limits low.

ND = Not detected MDL = Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

4.4
4

Report of Analysis

Client Sample ID: FB122617AD Lab Sample ID: JC58051-5 Matrix: AQ - Field Blank Water Method: SW846 8260C Project: Navy Wells OU2, Bethpage, NY	Date Sampled: 12/26/17 Date Received: 12/27/17 Percent Solids: n/a
---	---

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethene	ND	1.0	0.27	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.62	ug/l	
	m,p-Xylene	ND	1.0	0.43	ug/l	
95-47-6	o-Xylene	ND	1.0	0.22	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	105%		80-120%
17060-07-0	1,2-Dichloroethane-D4	96%		81-124%
2037-26-5	Toluene-D8	96%		80-120%
460-00-4	4-Bromofluorobenzene	97%		80-120%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

(a) Associated CCV outside of control limits low.

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.5
4

Report of Analysis

Client Sample ID: FB122617AD	Date Sampled: 12/26/17
Lab Sample ID: JC58051-5	Date Received: 12/27/17
Matrix: AQ - Field Blank Water	Percent Solids: n/a
Method: SW846 8270D BY SIM SW846 3510C	
Project: Navy Wells OU2, Bethpage, NY	

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	3P64706.D	1	01/16/18 15:13	SB	12/29/17 15:00	OP8987A	E3P3062
Run #2							

	Initial Volume	Final Volume
Run #1	1000 ml	1.0 ml
Run #2		

CAS No.	Compound	Result	RL	MDL	Units	Q
123-91-1	1,4-Dioxane	ND	0.10	0.049	ug/l	
CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits		
4165-60-0	Nitrobenzene-d5	57%		29-124%		
321-60-8	2-Fluorobiphenyl	45%		23-122%		
1718-51-0	Terphenyl-d14	53%		22-130%		

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.5
4

Navy Wells-

Operable Unit 2

Data Review

Bethpage, New York

Volatile and Semi-volatile Analyses

SDGs #JC57844 and JC58120

Analyses Performed By:
Accutest-SGS Laboratories
Dayton, New Jersey

Report #29119R
Review Level: Tier II
Project: NY001496.23TM.NAVI4



SUMMARY

This data quality assessment summarizes the review of Sample Delivery Groups (SDGs) #JC57844 and JC58120 for samples collected in association with the Navy Wells located at the Bethpage Site. The review was conducted as a Tier II evaluation and included review of data package completeness. Only analytical data associated with constituents of concern were reviewed for this validation. Field documentation was not included in this review. Included with this assessment are the validation annotated sample result sheets, and chain of custody. Analyses were performed on the following samples:

SDG Number	Sample ID	Lab ID	Matrix	Sample Collection Date	Parent Sample	Analysis				
						VOC 8260C	SVOC 8270D	VOC 524.2	SVOC 522	MISC
JC57844	RE114D2	JC57844-1	Water	12/20/2017		X	X			
	RE114D3	JC57844-2	Water	12/20/2017		X	X			
	BPOW 5-4	JC57844-3	Water	12/20/2017		X*		X*	X	
	FB122017AR1	JC57844-4	Water	12/20/2017		X	X			
	TB122017AD1	JC57844-5	Water	12/20/2017		X				
JC58120	BPOW 5-1	JC58120-1	Water	12/27/2017				X	X	
	BPOW 5-2	JC58120-2	Water	12/27/2017				X	X	
	BPOW 5-3	JC58120-3	Water	12/27/2017				X	X	
	REP122717AR-1	JC58120-4	Water	12/27/2017	BPOW 5-3			X	X	
	TB122717PP-1	JC58120-5	Water	12/27/2017				X		

Notes:

- (*) The Arcadis field technician inadvertently requested sample location BPOW 5-4 be analyzed by VOC Method 8260C, instead of Method 524.2. The error was not realized until the 8260C analysis was performed. The Arcadis Task Manager requested Method 524.2 be run on this sample as well; both analytical results are presented in the data package.
- EPA Method 522 Semi-volatile analysis for 1,4-Dioxane was performed by GEL Laboratories, LLC, located in Charleston, South Carolina (subcontracted via SGS-Accutest Laboratory). The associated SDGs are: JC57844X/440721 and JC58120X/440883.
- In SDG JC57844, matrix spike /matrix spike duplicate (MS/MSD) analysis was performed on sample location RE114D2 for VOC and SVOC analyses.

4. In SDG JC58120, matrix spike /matrix spike duplicate (MS/MSD) analysis was performed on sample location BPOW 5-1 for VOC and SVOC analyses.

ANALYTICAL DATA PACKAGE DOCUMENTATION

The table below is the evaluation of the data package completeness.

Items Reviewed	Reported		Performance Acceptable		Not Required
	No	Yes	No	Yes	
1. Sample receipt condition		X		X	
2. Requested analyses and sample results		X		X	
3. Master tracking list		X		X	
4. Methods of analysis		X		X	
5. Reporting limits		X		X	
6. Sample collection date		X		X	
7. Laboratory sample received date		X		X	
8. Sample preservation verification (as applicable)		X		X	
9. Sample preparation/extraction/analysis dates		X		X	
10. Fully executed Chain-of-Custody (COC) form		X		X	
11. Narrative summary of QA or sample problems provided		X		X	
12. Data Package Completeness and Compliance		X		X	

Note:

QA - Quality Assurance

- The Arcadis field technician inadvertently requested sample location BPOW 5-4 be analyzed by VOC Method 8260C, instead of Method 524.2. The error was not realized until the 8260C analysis was performed. The Arcadis Task Manager requested Method 524.2 be run on this sample; both analytical results are presented in the data package.

ORGANIC ANALYSIS INTRODUCTION

Analyses were performed according to United States Environmental Protection Agency (USEPA) methods SW-846 8260C and SW-846 8270D-Selected Ion Monitoring (SIM) and USEPA Methods 524.2 and 522-SIM. Data were reviewed in accordance with USEPA National Functional Guidelines of October 1999.

The data review process is an evaluation of data on a technical basis rather than a determination of contract compliance. As such, the standards against which the data are being weighed may differ from those specified in the analytical method. It is assumed that the data package represents the best efforts of the laboratory and had already been subjected to adequate and sufficient quality review prior to submission.

During the review process, laboratory qualified and unqualified data are verified against the supporting documentation. Based on this evaluation, qualifier codes may be added, deleted, or modified by the data reviewer. Results are qualified with the following codes in accordance with USEPA National Functional Guidelines:

- Concentration (C) Qualifiers
 - U The compound was analyzed for but not detected. The associated value is the compound quantitation limit.
 - B The compound has been found in the sample as well as its associated blank, its presence in the sample may be suspect.
- Quantitation (Q) Qualifiers
 - E The compound was quantitated above the calibration range.
 - D Concentration is based on a diluted sample analysis.
- Validation Qualifiers
 - J The compound was positively identified; however, the associated numerical value is an estimated concentration only.
 - UJ The compound was not detected above the reported sample quantitation limit. However, the reported limit is approximate and may or may not represent the actual limit of quantitation.
 - JN The analysis indicates the presence of a compound for which there is presumptive evidence to make a tentative identification. The associated numerical value is an estimated concentration only.
 - UB Compound considered non-detect at the listed value due to associated blank contamination.
 - N The analysis indicates the presence of a compound for which there is presumptive evidence to make a tentative identification.
 - R The sample results are rejected.

Two facts should be noted by all data users. First, the "R" flag means that the associated value is unusable. In other words, due to significant quality control (QC) problems, the analysis is invalid and

provides no information as to whether the compound is present or not. "R" values should not appear on data tables because they cannot be relied upon, even as a last resort. The second fact to keep in mind is that no compound concentration, even if it has passed all QC tests, is guaranteed to be accurate. Strict QC serves to increase confidence in data but any value potentially contains error.

VOLATILE ORGANIC COMPOUNDS (VOC) ANALYSES

1. Holding Times

The specified holding times for the following methods are presented in the following table.

Method	Matrix	Holding Time	Preservation
EPA 524.2	Water	14 days from collection to analysis	Cool to <6 °C; preserved to a pH of less than 2 s.u.
SW-846 8260C	Water	14 days from collection to analysis	Cool to <6 °C; preserved to a pH of less than 2 s.u.

Note:

s.u. = Standard units

Note: The Arcadis field technician inadvertently requested sample location BPOW 5-4 be analyzed by VOC Method 8260C, instead of Method 524.2. The error was not realized until the 8260C analysis was performed. The Arcadis Task Manager requested Method 524.2 be run on this sample as well; however, the sample was out of hold by one day. Both analytical results are presented in the data package.

The analyses that exceeded the holding are presented in the following table.

Sample Locations	Holding Time	Criteria
<u>SDG JC57844:</u> BPOW 5-4 (Method 524.2)	15 Days	<14 Days

Sample results associated with sample locations analyzed by analytical method 524.2 were qualified, as specified in the table below. All other holding times were met.

Criteria	Qualification	
	Detected Analytes	Non-detect Analytes
Analysis completed less than two times holding time	J	UJ
Analysis completed greater than two times holding time	J	R

All samples were analyzed by Method 8260C in SDG JC57844, and all samples analyzed by Method 524.2 in SDG JC58120 were within the specified holding time criteria.

2. Blank Contamination

Quality assurance (QA) blanks (i.e., method and rinse blanks) are prepared to identify any contamination which may have been introduced into the samples during sample preparation or field activity. Method blanks measure laboratory contamination. Rinse blanks measure contamination of samples during field operations.

A blank action level (BAL) of five times the concentration of a detected compound in an associated blank (common laboratory contaminant compounds are calculated at ten times) is calculated for QA blanks containing concentrations greater than the method detection limit (MDL). The BAL is compared to the associated sample results to determine the appropriate qualification of the sample results, if needed.

All compounds associated with the QA blanks exhibited a concentration less than the MDL, with the exception of the compounds listed in the following table. Sample results associated with QA blank contamination that were greater than the BAL resulted in the removal of the laboratory qualifier (B) of data. Sample results less than the BAL associated with the following sample locations were qualified as listed in the following table.

Sample Locations	Analytes	Sample Result	Qualification
SDG JC57844: (8260C analysis) RE114D2 RE114D3 BPOW 5-4	Methylene chloride (Trip Blank/Field Blank)	Detected sample results <RL and <BAL	"UB" at the RL
	TIC: Alkane-Hexane (RT 3.56)	Detected sample results less than 5 times blank result	R

Notes:

RL =Reporting limit

Compounds were not detected above the MDL in the associated blanks; therefore, detected sample results were not associated with blank contamination in SDG JC58120.

3. Surrogates/System Monitoring Compounds

All samples to be analyzed for organic compounds are spiked with surrogate compounds prior to sample preparation to evaluate overall laboratory performance and efficiency of the analytical technique. VOC analysis requires that all surrogates associated with the analysis exhibit recoveries within the laboratory-established acceptance limits.

All surrogate recoveries were within control limits.

4. Matrix Spike/Matrix Spike Duplicate (MS/MSD) Analysis

MS/MSD data are used to assess the precision and accuracy of the analytical method. The compounds used to perform the MS/MSD analysis must exhibit a percent recovery within the laboratory-established

acceptance limits. The relative percent difference (RPD) between the MS/MSD recoveries must exhibit an RPD within the laboratory-established acceptance limits.

Note: The MS/MSD recovery control limits do not apply for MS/MSD performed on sample locations where the compound concentration detected in the parent sample exceeds the MS/MSD concentration by a factor of four or greater.

Sample locations associated with the MS/MSD exhibiting recoveries outside of the control limits are presented in the following table.

Sample Locations	Compound	MS Recovery	MSD Recovery
<u>SDG JC57844:</u> RE114D2 (8260C)	Bromomethane	AC	>UL
	Chloroethane	>UL	>UL
	Chloromethane	AC	>UL
	Vinyl chloride	AC	>UL
<u>SDG JC58120:</u> BPOW 5-1	2-Butanone	>UL	AC
	Bromoform	AC	>UL
	2-Hexanone	>UL	>UL
	4-Methyl-2-pentanone	>UL	>UL
	1,1,2,2-Tetrachloroethane	>UL	>UL
	1,1,2-Trichloroethane	AC	>UL

Note:

AC =Acceptable

The criteria used to evaluate the MS/MSD recoveries are presented in the following table. In the case of an MS/MSD deviation, the sample results are qualified as documented in the table below.

Control Limit	Sample Result	Qualification
> the upper control limit (UL)	Non-detect	No Action
	Detect	J
< the lower control limit (LL) but > 10%	Non-detect	UJ
	Detect	J
< 10%	Non-detect	R
	Detect	J

Control Limit	Sample Result	Qualification
Parent sample concentration > four times the MS/MSD spiking solution concentration.	Detect	No Action
	Non-detect	

5. Laboratory Control Sample/Laboratory Sample Duplicate (LCS/LCSD) Analysis

The LCS/LCSD analysis is used to assess the precision and accuracy of the analytical method independent of matrix interferences. The compounds associated with the LCS/LCSD analysis must exhibit a percent recovery within the laboratory-established acceptance limits.

All compounds associated with the LCS/LCSD analysis for Sample BPOW 5-4 (Method 524.2) exhibited recoveries within the control limits in SDG JC57844.

All compounds associated with the LCS analysis exhibited recoveries within the control limits in SDG JC58120.

Sample locations associated with LCS analysis exhibiting recoveries outside of the control limits presented in the following table.

Sample Locations	Compound	LCS Recovery
<u>SDG JC57844:</u> <u>(8260C)</u> RE114D2 RE114D3 BPOW 5-4 FB122017AR1 TB122017AD1	Acetone	>UL

The criteria used to evaluate the LCS recoveries are presented in the following table. In the case of an LCS deviation, the sample results are qualified as documented in the table below.

Control Limit	Sample Result	Qualification
> the upper control limit (UL)	Non-detect	No Action
	Detect	J
< the lower control limit (LL) but > 10%	Non-detect	UJ
	Detect	J
< 10%	Non-detect	R

Control Limit	Sample Result	Qualification
	Detect	J

6. Field Duplicate Analysis

Field duplicate analysis is used to assess the overall precision of the field sampling procedures and analytical method. A control limit of 30% for water matrices is applied to the RPD between the parent sample and the field duplicate. In the instance when the parent and/or duplicate sample concentrations are less than or equal to 5 times the RL, a control limit of two times the RL is applied for water matrices.

Results for duplicate samples are summarized in the following table.

Sample ID/Duplicate ID	Compound	Sample Result	Duplicate Result	RPD
SDG JC58120: BPOW 5-3/ REP122717AR-1	All compounds	U	U	AC

Notes:

AC = Acceptable

The calculated RPDs between the parent sample and field duplicate were acceptable.

A field duplicate was not collected with a sample location associated with SDG JC57844.

7. Laboratory Duplicate Analysis

The laboratory duplicate relative percent difference (RPD) criterion is applied when parent and duplicate sample concentrations are greater than or equal to 5 times the RL. A control limit of 20% for water matrices is applied when the criteria above is true. In the instance when the parent and/or duplicate sample concentrations are less than or equal to 5 times the RL, a control limit of two times the RL is applied for water matrices.

A laboratory duplicate was not performed on a sample location associated with either SDG.

8. System Performance and Overall Assessment

Tentatively identified compounds (TICs) were not identified in any of the sample locations.

Continuing calibration review/validation is not included in a Tier II validation. However, the laboratory provided continuing calibration information in the case narrative, therefore it was evaluated.

In SDG JC57844: The case narrative states the continuing calibration associated with all sample locations analyzed by Method 8260C had percent difference (%D) exceedances with an increase in sensitivity for the compounds: Acetone, 2-Butanone, Chloroethane, 2-Hexanone (>20%). These compounds were not

arcadis.com

detected in the sample locations, and therefore, required no qualification. The case narrative also states the continuing calibration associated with sample BPOW, analyzed by Method 524.2, had percent difference (%D) exceedance with an increase in sensitivity for the compound Bromoform. This compound was not detected in the sample location, and therefore, required no qualification.

Overall system performance was acceptable. Other than for those deviations specifically mentioned in this review, the overall data quality is within the guidelines specified in the method.

DATA VALIDATION CHECKLIST FOR VOCs

VOCs: EPA 524.2 and 8260C	Reported		Performance Acceptable		Not Required
	No	Yes	No	Yes	
GAS CHROMATOGRAPHY/MASS SPECTROMETRY (GC/MS)					
Tier II Validation					
Holding times		X	X		
Reporting limits (units)		X		X	
Blanks					
A. Method blanks		X		X	
B. Equipment blanks		X	X		
C. Trip blanks		X	X		
Laboratory Control Sample (LCS) %R		X	X		
Laboratory Control Sample Duplicate(LCSD) %R		X		X	
LCS/LCSD Precision (RPD)					X
Matrix Spike (MS) %R		X	X		
Matrix Spike Duplicate(MSD) %R		X	X		
MS/MSD Precision (RPD)		X		X	
Field/Lab Duplicate (RPD)					X
Surrogate Spike Recoveries		X		X	
Dilution Factor		X		X	
Moisture Content					X

Notes:

RPD Relative percent difference

%R Percent recovery

SEMI-VOLATILE ORGANIC COMPOUNDS (SVOC) ANALYSES

1. Holding Times

The specified holding times for the following methods are presented in the following table.

Method	Matrix	Holding Time	Preservation
EPA 522-SIM	Water	28 days from collection to extraction and 28 days from extraction to analysis	Cool to <6 °C; preserved with Sodium Bisulfate (NaHSO ₄) to a pH of less than 4 s.u.
SW-846 8270D-SIM	Water	7 days from collection to extraction and 40 days from extraction to analysis	Cool to <6 °C

Note:

s.u. = Standard units

All samples were analyzed within the specified holding time criteria.

2. Blank Contamination

Quality assurance (QA) blanks (i.e., method and rinse blanks) are prepared to identify any contamination which may have been introduced into the samples during sample preparation or field activity. Method blanks measure laboratory contamination. Rinse blanks measure contamination of samples during field operations.

A blank action level (BAL) of five times the concentration of a detected compound in an associated blank (common laboratory contaminant compounds are calculated at ten times) is calculated for QA blanks containing concentrations greater than the method detection limit (MDL). The BAL is compared to the associated sample results to determine the appropriate qualification of the sample results, if needed.

Compounds were not detected above the MDL in the associated blanks; therefore, detected sample results were not associated with blank contamination.

3. Surrogates/System Monitoring Compounds

All samples to be analyzed for organic compounds are spiked with surrogate compounds prior to sample preparation to evaluate overall laboratory performance and efficiency of the analytical technique. SVOC analysis requires that two of the three SVOC surrogate compounds within each fraction exhibit recoveries within the laboratory-established acceptance limits.

All surrogate recoveries were within control limits.

4. Matrix Spike/Matrix Spike Duplicate (MS/MSD) Analysis

MS/MSD data are used to assess the precision and accuracy of the analytical method. The compounds used to perform the MS/MSD analysis must exhibit a percent recovery within the laboratory-established acceptance limits. The relative percent difference (RPD) between the MS/MSD recoveries must exhibit an RPD within the laboratory-established acceptance limits.

Note: The MS/MSD recovery control limits do not apply for MS/MSD performed on sample locations where the compound concentration detected in the parent sample exceeds the MS/MSD concentration by a factor of four or greater.

Sample locations associated with the MS/MSD exhibiting recoveries outside of the control limits are presented in the following table.

Sample Locations	Compound	MS Recovery	MSD Recovery
SDG JC57844: (8270D-SIM) RE114D2	1,4-Dioxane	AC	<10%

Note:

AC = Acceptable

The criteria used to evaluate the MS/MSD recoveries are presented in the following table. In the case of an MS/MSD deviation, the sample results are qualified as documented in the table below.

Control Limit	Sample Result	Qualification
> the upper control limit (UL)	Non-detect	No Action
	Detect	J
< the lower control limit (LL) but > 10%	Non-detect	UJ
	Detect	J
< 10%	Non-detect	R
	Detect	J
Parent sample concentration > four times the MS/MSD spiking solution concentration.	Detect	No Action
	Non-detect	

The MS/MSD exhibited acceptable recoveries and RPD between the MS/MSD recoveries in SDG JC58120.

5. Laboratory Control Sample (LCS) Analysis

The LCS analysis is used to assess the precision and accuracy of the analytical method independent of matrix interferences. The compounds associated with the LCS analysis must exhibit a percent recovery within the laboratory-established acceptance limits.

All compounds associated with the LCS analysis exhibited recoveries within the control limits.

6. Field Duplicate Analysis

Field duplicate analysis is used to assess the overall precision of the field sampling procedures and analytical method. A control limit of 30% for water matrices is applied to the RPD between the parent sample and the field duplicate. In the instance when the parent and/or duplicate sample concentrations are less than or equal to 5 times the RL, a control limit of two times the RL is applied for water matrices.

Results for duplicate samples are summarized in the following table.

Sample ID/Duplicate ID	Compound	Sample Result	Duplicate Result	RPD
<u>SDG JC58120:</u> BPOW 5-3/ REP122717AR-1	1,4-Dioxane	2.00	1.86	AC

Notes:

AC = Acceptable

The calculated RPDs between the parent sample and field duplicate were acceptable.

A field duplicate was not collected with a sample location associated with SDG JC57844.

7. System Performance and Overall Assessment

Overall system performance was acceptable. Other than for those deviations specifically mentioned in this review, the overall data quality is within the guidelines specified in the method.

DATA VALIDATION CHECKLIST FOR SVOCs

SVOCs: EPA 522-SIM and 8270D-SIM	Reported		Performance Acceptable		Not Required
	No	Yes	No	Yes	
GAS CHROMATOGRAPHY/MASS SPECTROMETRY (GC/MS)					
Tier II Validation					
Holding times		X		X	
Reporting limits (units)		X		X	
Blanks					
A. Method blanks		X		X	
B. Equipment blanks		X		X	
Laboratory Control Sample (LCS) %R		X		X	
Laboratory Control Sample Duplicate(LCSD) %R					X
LCS/LCSD Precision (RPD)					X
Matrix Spike (MS) %R		X		X	
Matrix Spike Duplicate(MSD) %R		X	X		
MS/MSD Precision (RPD)		X		X	
Field/Lab Duplicate (RPD)					X
Surrogate Spike Recoveries		X		X	
Dilution Factor		X		X	
Moisture Content					X

Notes:

%R Percent recovery

RPD Relative percent difference

VALIDATION PERFORMED BY: Lisa Horton

SIGNATURE:



DATE: February 27, 2018

PEER REVIEW: Todd Church

DATE: February 27, 2018

CHAIN OF CUSTODY CORRECTED SAMPLE ANALYSIS DATA SHEETS



ACCUTEST

CHAIN OF CUSTODY

SGS Accutest New Jersey - Dayton
2235 Route 130, Dayton, NJ 08810
TEL: 732-329-0200 FAX: 732-329-3499/3480
www.sgs.com

Account Order Control #
Account Quote #
Account Job #
JC57844

Client / Reporting Information
Project Information
Requested Analysis (see TEST CODE sheet)
Matrix Codes
Company Name: Arcadis
Project Name: AGMNYM72080 // OU2 Navy Outpost & Monitoring Wells
Street Address: 2 Huntington Quad, Suite 1S10
City: Melville, NY 11747
Billing Information: Bethpage, NY
Company Name: Arcadis, U.S., Inc.
Street Address: 630 Plaza Drive, Suite 600
City: Highlands Ranch, CO 80129
Project Manager: Carlo San Giovanni
Accounts Payable

Table with columns: Access Point #, Field ID / Point of Collection, MECHDI Vial #, Date, Time, Sampled by, Matrix, # of bottles, and various analysis codes (V5242NG36GW+40, etc.). Includes handwritten entries for samples 1-5.

Turnaround Time (Business days)
Approved By (Accutest PM) / Date:
Data Deliverable Information
Commercial "A" (Level 1)
Commercial "B" (Level 2)
Commercial "C"
NYASP Category A
NYASP Category B
Slate Forms
EDD Format-EDMS 6
Other COMMC+
Comments / Special Instructions: // 2 coolers!! RE 114D2 MS/MSP

Sample Custody must be documented below each time samples change possession, including courier delivery.
Received by: 1, 2, 3, 4, 5, 6
Date/Time: 12/20/17 17:00

5.1 5



Report of Analysis

Client Sample ID: RE114D2 Lab Sample ID: JC57844-1 Matrix: AQ - Ground Water Method: SW846 8260C Project: Navy Wells OU2, Bethpage, NY	Date Sampled: 12/20/17 Date Received: 12/21/17 Percent Solids: n/a
---	---

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethene	84.0	1.0	0.27	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.62	ug/l	
	m,p-Xylene	ND	1.0	0.43	ug/l	
95-47-6	o-Xylene	ND	1.0	0.22	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	109%		80-120%
17060-07-0	1,2-Dichloroethane-D4	108%		81-124%
2037-26-5	Toluene-D8	97%		80-120%
460-00-4	4-Bromofluorobenzene	101%		80-120%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
	system artifact	.94	12	ug/l	J
110-54-3	alkane-Hexane	3.56	7.9	ug/l	JN
	Total TIC, Volatile		7.9	ug/l	J

(a) Associated CCV and BS outside of control limits high, sample was ND.

(b) Associated CCV outside of control limits high, sample was ND.

ND = Not detected MDL = Method Detection Limit
 RL = Reporting Limit

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

4.1
4

Report of Analysis

Client Sample ID: RE114D2	Date Sampled: 12/20/17
Lab Sample ID: JC57844-1	Date Received: 12/21/17
Matrix: AQ - Ground Water	Percent Solids: n/a
Method: SW846 8270D BY SIM SW846 3510C	
Project: Navy Wells OU2, Bethpage, NY	

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	4M74837.D	1	01/04/18 05:19	CS	12/27/17 12:00	OP8921A	E4M3506
Run #2							

Run #	Initial Volume	Final Volume
Run #1	1000 ml	1.0 ml
Run #2		

CAS No.	Compound	Result	RL	MDL	Units	Q
123-91-1	1,4-Dioxane ^a	2.65	0.10	0.049	ug/l	J
CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits		
4165-60-0	Nitrobenzene-d5	75%		29-124%		
321-60-8	2-Fluorobiphenyl	65%		23-122%		
1718-51-0	Terphenyl-d14	85%		22-130%		

(a) Associated CCV outside of control limits low.

ND = Not detected	MDL = Method Detection Limit	J = Indicates an estimated value
RL = Reporting Limit		B = Indicates analyte found in associated method blank
E = Indicates value exceeds calibration range		N = Indicates presumptive evidence of a compound

4.1
4

Report of Analysis

Client Sample ID: RE114D3	Date Sampled: 12/20/17
Lab Sample ID: JC57844-2	Date Received: 12/21/17
Matrix: AQ - Ground Water	Percent Solids: n/a
Method: SW846 8260C	
Project: Navy Wells OU2, Bethpage, NY	

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	3C141724.D	1	01/03/18 03:54	PS	n/a	n/a	V3C6418
Run #2							

Run #	Purge Volume
Run #1	5.0 ml
Run #2	

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone ^a	ND	10	5.0	ug/l	
71-43-2	Benzene	ND	0.50	0.17	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.22	ug/l	
75-25-2	Bromoform	ND	1.0	0.42	ug/l	
74-83-9	Bromomethane	ND	2.0	1.4	ug/l	
78-93-3	2-Butanone (MEK) ^b	ND	10	4.8	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.50	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.34	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.24	ug/l	
75-00-3	Chloroethane ^b	ND	1.0	0.59	ug/l	
67-66-3	Chloroform	ND	1.0	0.29	ug/l	
74-87-3	Chloromethane	ND	1.0	0.53	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.16	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.21	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.20	ug/l	
75-35-4	1,1-Dichloroethene	0.98	1.0	0.47	ug/l	J
156-59-2	cis-1,2-Dichloroethene	0.78	1.0	0.50	ug/l	J
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.40	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.24	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.25	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.22	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.22	ug/l	
76-13-1	Freon 113	13.7	5.0	1.2	ug/l	
591-78-6	2-Hexanone ^b	ND	5.0	3.3	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	3.0	ug/l	
75-09-2	Methylene chloride	4.3	2.0	1.0	ug/l	UB
100-42-5	Styrene	ND	1.0	0.24	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.17	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.50	ug/l	
108-88-3	Toluene	ND	1.0	0.25	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.25	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.24	ug/l	

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.2
4

Report of Analysis

Client Sample ID: RE114D3		Date Sampled: 12/20/17
Lab Sample ID: JC57844-2		Date Received: 12/21/17
Matrix: AQ - Ground Water		Percent Solids: n/a
Method: SW846 8260C		
Project: Navy Wells OU2, Bethpage, NY		

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethene	51.2	1.0	0.27	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.62	ug/l	
	m,p-Xylene	ND	1.0	0.43	ug/l	
95-47-6	o-Xylene	ND	1.0	0.22	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	108%		80-120%
17060-07-0	1,2-Dichloroethane-D4	109%		81-124%
2037-26-5	Toluene-D8	98%		80-120%
460-00-4	4-Bromofluorobenzene	102%		80-120%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
	system artifact	.94	26	ug/l	J
110-54-3	alkane-Hexane	3.56	9.1	ug/l	JN
	Total TIC, Volatile		9.1	ug/l	J

- (a) Associated CCV and BS outside of control limits high, sample was ND.
- (b) Associated CCV outside of control limits high, sample was ND.

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.2
4

Report of Analysis

Client Sample ID: RE114D3	Date Sampled: 12/20/17
Lab Sample ID: JC57844-2	Date Received: 12/21/17
Matrix: AQ - Ground Water	Percent Solids: n/a
Method: SW846 8270D BY SIM SW846 3510C	
Project: Navy Wells OU2, Bethpage, NY	

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	4M74838.D	1	01/04/18 05:49	CS	12/27/17 12:00	OP8921A	E4M3506
Run #2							

Run #	Initial Volume	Final Volume
Run #1	1000 ml	1.0 ml
Run #2		

CAS No.	Compound	Result	RL	MDL	Units	Q
123-91-1	1,4-Dioxane ^a	2.09	0.10	0.049	ug/l	
CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits		
4165-60-0	Nitrobenzene-d5	76%		29-124%		
321-60-8	2-Fluorobiphenyl	66%		23-122%		
1718-51-0	Terphenyl-d14	86%		22-130%		

(a) Associated CCV outside of control limits low.

ND = Not detected	MDL = Method Detection Limit	J = Indicates an estimated value
RL = Reporting Limit		B = Indicates analyte found in associated method blank
E = Indicates value exceeds calibration range		N = Indicates presumptive evidence of a compound

4.2
4

Report of Analysis

Client Sample ID: BPOW 5-4	Date Sampled: 12/20/17
Lab Sample ID: JC57844-3	Date Received: 12/21/17
Matrix: AQ - Ground Water	Percent Solids: n/a
Method: EPA 524.2 REV 4.1	
Project: Navy Wells OU2, Bethpage, NY	

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 ^a	1B113307.D	1	01/04/18 15:11	BK	n/a	n/a	V1B5413
Run #2							

Run #	Purge Volume
Run #1	5.0 ml
Run #2	

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	5.0	3.8	ug/l	J
78-93-3	2-Butanone	ND	5.0	2.5	ug/l	
71-43-2	Benzene	ND	0.50	0.26	ug/l	
75-27-4	Bromodichloromethane	ND	0.50	0.36	ug/l	
75-25-2	Bromoform ^b	ND	0.50	0.40	ug/l	
74-83-9	Bromomethane	ND	0.50	0.081	ug/l	
75-15-0	Carbon disulfide	ND	0.50	0.39	ug/l	
108-90-7	Chlorobenzene	ND	0.50	0.27	ug/l	
75-00-3	Chloroethane	ND	0.50	0.071	ug/l	
67-66-3	Chloroform	ND	0.50	0.33	ug/l	
74-87-3	Chloromethane	ND	0.50	0.39	ug/l	
56-23-5	Carbon tetrachloride	ND	0.50	0.13	ug/l	
75-34-3	1,1-Dichloroethane	ND	0.50	0.13	ug/l	
75-35-4	1,1-Dichloroethylene	ND	0.50	0.23	ug/l	
107-06-2	1,2-Dichloroethane	ND	0.50	0.28	ug/l	
78-87-5	1,2-Dichloropropane	ND	0.50	0.29	ug/l	
124-48-1	Dibromochloromethane	ND	0.50	0.094	ug/l	
156-60-5	trans-1,2-Dichloroethylene	ND	0.50	0.098	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	0.50	0.26	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	0.14	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	0.25	ug/l	
100-41-4	Ethylbenzene	ND	0.50	0.26	ug/l	
76-13-1	Freon 113	ND	1.0	0.27	ug/l	
591-78-6	2-Hexanone	ND	2.0	1.3	ug/l	
75-09-2	Methylene chloride	ND	0.50	0.37	ug/l	
108-10-1	4-Methyl-2-pentanone	ND	2.0	1.5	ug/l	
100-42-5	Styrene	ND	0.50	0.21	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	0.50	0.12	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.50	0.099	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	0.50	0.12	ug/l	
127-18-4	Tetrachloroethylene	ND	0.50	0.12	ug/l	J
108-88-3	Toluene	ND	0.50	0.13	ug/l	J

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: BPOW 5-4		Date Sampled: 12/20/17
Lab Sample ID: JC57844-3		Date Received: 12/21/17
Matrix: AQ - Ground Water		Percent Solids: n/a
Method: EPA 524.2 REV 4.1		
Project: Navy Wells OU2, Bethpage, NY		

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethylene	ND	0.50	0.11	ug/l	J
75-01-4	Vinyl chloride	ND	0.50	0.056	ug/l	J
	m,p-Xylene	ND	0.50	0.26	ug/l	J
95-47-6	o-Xylene	ND	0.50	0.24	ug/l	J

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2199-69-1	1,2-Dichlorobenzene-d4	95%		70-130%
460-00-4	4-Bromofluorobenzene	82%		70-130%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

- (a) Sample analyzed outside the holding time per client's request.
- (b) Associated CCV outside of control limits high, sample was ND.

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.3
4

Report of Analysis

Client Sample ID: BPOW 5-4	Date Sampled: 12/20/17
Lab Sample ID: JC57844-3	Date Received: 12/21/17
Matrix: AQ - Ground Water	Percent Solids: n/a
Method: SW846 8260C	
Project: Navy Wells OU2, Bethpage, NY	

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	3C141725.D	1	01/03/18 04:22	PS	n/a	n/a	V3C6418
Run #2							

Run #	Purge Volume
Run #1	5.0 ml
Run #2	

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone ^a	ND	10	5.0	ug/l	
71-43-2	Benzene	ND	0.50	0.17	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.22	ug/l	
75-25-2	Bromoform	ND	1.0	0.42	ug/l	
74-83-9	Bromomethane	ND	2.0	1.4	ug/l	
78-93-3	2-Butanone (MEK) ^b	ND	10	4.8	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.50	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.34	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.24	ug/l	
75-00-3	Chloroethane ^b	ND	1.0	0.59	ug/l	
67-66-3	Chloroform	ND	1.0	0.29	ug/l	
74-87-3	Chloromethane	ND	1.0	0.53	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.16	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.21	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.20	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.47	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.50	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.40	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.24	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.25	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.22	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.22	ug/l	
76-13-1	Freon 113	ND	5.0	1.2	ug/l	
591-78-6	2-Hexanone ^b	ND	5.0	3.3	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	3.0	ug/l	
75-09-2	Methylene chloride	4.3	2.0	1.0	ug/l	UB
100-42-5	Styrene	ND	1.0	0.24	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.17	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.50	ug/l	
108-88-3	Toluene	ND	1.0	0.25	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.25	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.24	ug/l	

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.3
4

Report of Analysis

Client Sample ID: BPOW 5-4		Date Sampled: 12/20/17
Lab Sample ID: JC57844-3		Date Received: 12/21/17
Matrix: AQ - Ground Water		Percent Solids: n/a
Method: SW846 8260C		
Project: Navy Wells OU2, Bethpage, NY		

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethene	ND	1.0	0.27	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.62	ug/l	
	m,p-Xylene	ND	1.0	0.43	ug/l	
95-47-6	o-Xylene	ND	1.0	0.22	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	108%		80-120%
17060-07-0	1,2-Dichloroethane-D4	107%		81-124%
2037-26-5	Toluene-D8	96%		80-120%
460-00-4	4-Bromofluorobenzene	100%		80-120%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
	system artifact	.94	12	ug/l	J
	system artifact	.97	17	ug/l	J
110-54-3	alkane-Hexane	3.56	9.9	ug/l	JN R
	system artifact	8.92	8.7	ug/l	J
	Total TIC, Volatile		9.9	ug/l	J

- (a) Associated CCV and BS outside of control limits high, sample was ND.
- (b) Associated CCV outside of control limits high, sample was ND.

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.3
4

Report of Analysis

Client Sample ID: FB122017AR1	Date Sampled: 12/20/17
Lab Sample ID: JC57844-4	Date Received: 12/21/17
Matrix: AQ - Field Blank Water	Percent Solids: n/a
Method: SW846 8260C	
Project: Navy Wells OU2, Bethpage, NY	

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethene	ND	1.0	0.27	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.62	ug/l	
	m,p-Xylene	ND	1.0	0.43	ug/l	
95-47-6	o-Xylene	ND	1.0	0.22	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	109%		80-120%
17060-07-0	1,2-Dichloroethane-D4	108%		81-124%
2037-26-5	Toluene-D8	96%		80-120%
460-00-4	4-Bromofluorobenzene	102%		80-120%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
	system artifact	.94	25	ug/l	J
110-54-3	alkane-Hexane	3.56	10	ug/l	JN
	system artifact	8.92	6.4	ug/l	J
	Total TIC, Volatile		10	ug/l	J N

- (a) Associated CCV and BS outside of control limits high, sample was ND.
- (b) Associated CCV outside of control limits high, sample was ND.

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.4
4

Report of Analysis

Client Sample ID: FB122017AR1	Date Sampled: 12/20/17
Lab Sample ID: JC57844-4	Date Received: 12/21/17
Matrix: AQ - Field Blank Water	Percent Solids: n/a
Method: SW846 8270D BY SIM SW846 3510C	
Project: Navy Wells OU2, Bethpage, NY	

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	4M74839.D	1	01/04/18 06:20	CS	12/27/17 12:00	OP8921A	E4M3506
Run #2							

Run #	Initial Volume	Final Volume
Run #1	950 ml	1.0 ml
Run #2		

CAS No.	Compound	Result	RL	MDL	Units	Q
123-91-1	1,4-Dioxane ^a	ND	0.11	0.051	ug/l	
CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits		
4165-60-0	Nitrobenzene-d5	79%		29-124%		
321-60-8	2-Fluorobiphenyl	67%		23-122%		
1718-51-0	Terphenyl-d14	93%		22-130%		

(a) Associated CCV outside of control limits low.

ND = Not detected	MDL = Method Detection Limit	J = Indicates an estimated value
RL = Reporting Limit		B = Indicates analyte found in associated method blank
E = Indicates value exceeds calibration range		N = Indicates presumptive evidence of a compound

4.4
4

Report of Analysis

Client Sample ID: TB122017AD1		Date Sampled: 12/20/17
Lab Sample ID: JC57844-5		Date Received: 12/21/17
Matrix: AQ - Trip Blank Water		Percent Solids: n/a
Method: SW846 8260C		
Project: Navy Wells OU2, Bethpage, NY		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	3C141723.D	1	01/03/18 03:27	PS	n/a	n/a	V3C6418
Run #2							

Run #	Purge Volume
Run #1	5.0 ml
Run #2	

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone ^a	ND	10	5.0	ug/l	
71-43-2	Benzene	ND	0.50	0.17	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.22	ug/l	
75-25-2	Bromoform	ND	1.0	0.42	ug/l	
74-83-9	Bromomethane	ND	2.0	1.4	ug/l	
78-93-3	2-Butanone (MEK) ^b	ND	10	4.8	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.50	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.34	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.24	ug/l	
75-00-3	Chloroethane ^b	ND	1.0	0.59	ug/l	
67-66-3	Chloroform	ND	1.0	0.29	ug/l	
74-87-3	Chloromethane	ND	1.0	0.53	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.16	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.21	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.20	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.47	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.50	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.40	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.24	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.25	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.22	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.22	ug/l	
76-13-1	Freon 113	ND	5.0	1.2	ug/l	
591-78-6	2-Hexanone ^b	ND	5.0	3.3	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	3.0	ug/l	
75-09-2	Methylene chloride	4.4	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.24	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.17	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.50	ug/l	
108-88-3	Toluene	ND	1.0	0.25	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.25	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.24	ug/l	

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: TB122017AD1		Date Sampled: 12/20/17
Lab Sample ID: JC57844-5		Date Received: 12/21/17
Matrix: AQ - Trip Blank Water		Percent Solids: n/a
Method: SW846 8260C		
Project: Navy Wells OU2, Bethpage, NY		

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethene	ND	1.0	0.27	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.62	ug/l	
	m,p-Xylene	ND	1.0	0.43	ug/l	
95-47-6	o-Xylene	ND	1.0	0.22	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	108%		80-120%
17060-07-0	1,2-Dichloroethane-D4	107%		81-124%
2037-26-5	Toluene-D8	97%		80-120%
460-00-4	4-Bromofluorobenzene	103%		80-120%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
	system artifact	.94	24	ug/l	J
110-54-3	alkane-Hexane	3.56	9.1	ug/l	JN
	system artifact	8.92	7.5	ug/l	J
	Total TIC, Volatile		9.1	ug/l	J

- (a) Associated CCV and BS outside of control limits high, sample was ND.
- (b) Associated CCV outside of control limits high, sample was ND.

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.5
4



CHAIN OF CUSTODY
4410721

BR

2235 Route 130, Dayton, NJ 08810
TEL: 732-329-0200 FAX: 732-329-3499/3480

Client / Reporting Information Company Name: SGS North America Inc. Street Address: 2235 Route 130 City: Dayton State: NJ Zip: 08810 Project Contact: Kristin Desgraw E-mail: Kristin.Desgraw@sgs.com Phone #: 732-329-0200 Sampler(s) Name(s): AR		Project Information Project Name: Northrup Grumman, Navy Wells OJ2, Bethpage, NY Billing Information (if different from Report to) Company Name: Street Address: City: State: Zip: Attention: Project Manager:		Bottle Order Control # JC57844X SGS Job # Requested Analysis (see TEST CODE sheet)		Matrix Codes DW - Drinking Water GW - Ground Water MW - Water SW - Surface Water SO - Soil SL - Sludge SED - Sediment LIQ - Other Liquid AIR - Air SOL - Other Solid WP - Wipe FB - Field Blank RE - Rinse Blank TB - Trip Blank
Field ID / Point of Collection BPOW 5-4	Date 12/20/17	Time 12:40:00 PM	Matrix AQ	# of bottles 2	Number of preserved Bottles Na Brill 2 ENCORE MEQH DI Water NONE H2SO4 HNO3 NaOH	
Approved By (SGS P.M.): / Date: <input type="checkbox"/> Std. 10 Business Days <input type="checkbox"/> 5 Day RUSH <input type="checkbox"/> 3 Day EMERGENCY <input type="checkbox"/> 2 Day EMERGENCY <input type="checkbox"/> 1 Day EMERGENCY <input checked="" type="checkbox"/> other 21 Emergency & Rush T/A, detachable VIA Lablink	Data Deliverable Information <input type="checkbox"/> Commercial "A" (Level 1) <input type="checkbox"/> Commercial "B" (Level 2) <input type="checkbox"/> FULLT1 (Level 3+4) <input type="checkbox"/> NJ Reduced <input type="checkbox"/> Commercial "C" <input type="checkbox"/> NYASP Category A <input type="checkbox"/> NYASP Category B <input type="checkbox"/> State Forms <input type="checkbox"/> EDD Format <input checked="" type="checkbox"/> Other COMM+ Commercial "A" = Results Only Commercial "B" = Results + QC Summary Commercial "C" = Results + QC Summary + Partial Raw data		Turnaround Time (Business days)			Comments / Special Instructions
Relinquished by Sampler: 12/20/17 Date Time:	Received By: FED EX Date Time:	Relinquished by: 186 Date Time:	Relinquished By: 12/20/17 3:45 Date Time:	Received By: Chakris Tople Date Time:	Received By: 4 Date Time:	
Relinquished by: 5	Relinquished by: 3	Relinquished by: 1	Relinquished by: 4	Relinquished by: 4	Relinquished by: 4	



GEL LABORATORIES LLC

2040 Savage Road Charleston SC 29407 - (843) 556-8171 - www.gel.com

Qualifier Definition Report for

ACTL003 SGS Accutest

Client SDG: JC57844X GEL Work Order: 440721

The Qualifiers in this report are defined as follows:

- * Indicates that a quality control analyte recovery is outside of specified acceptance criteria.
- ** Indicates the analyte is a surrogate compound.
- J Indicates an estimated value. The result was greater than the detection limit, but less than the reporting limit or indicates that the analyte recovery in the MS or MSD is outside of specified acceptance criteria.
- U Indicates the target analyte was analyzed for but not detected above the detection limit.
- DL Indicates that sample is diluted.
- RA Indicates that sample is re-analyzed without re-extraction.
- RE Indicates that sample is re-extracted.

Review/Validation

GEL requires all analytical data to be verified by a qualified data reviewer. In addition, all CLP-like deliverables receive a third level review of the fractional data package.

The following data validator verified the information presented in this data report:

Signature: *Barbara Bailey*

Name: **Barbara Bailey**

Date: **19 JAN 2018**

Title: **Data Validator**

**Semi-Volatile
Certificate of Analysis
Sample Summary**

SDG Number: JC57844X
 Lab Sample ID: 440721001
 Client Sample: 3X
 Client ID: BPOW 5-4
 Batch ID: 1730571
 Run Date: 01/12/2018 01:31
 Prep Date: 01/11/2018 11:30
 Data File: s011118.B\s6a1129.D

Date Collected: 12/20/2017 12:40
 Date Received: 12/27/2017 08:45
 Client: ACTL003
 Method: EPA 522
 Inst: MSD6.I
 Analyst: JMB3
 Aliquot: 100 mL
 Rx-624

Matrix: WATER
 Project: ACTL00316
 SOP Ref: GL-OA-E-073
 Dilution: 1
 Inj. Vol: 1 uL
 Final Volume: 2 mL

CAS No.	Parname	Qualifier	Result	Units	MDL	LOD	LOQ
123-91-1	1,4-Dioxane		1.27	ug/L	0.100	0.100	0.200

2

Report of Analysis

Client Sample ID: BPOW 5-1		Date Sampled: 12/27/17
Lab Sample ID: JC58120-1		Date Received: 12/28/17
Matrix: AQ - Ground Water		Percent Solids: n/a
Method: EPA 524.2 REV 4.1		
Project: Navy Wells OU2, Bethpage, NY		

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethylene	ND	0.50	0.11	ug/l	
75-01-4	Vinyl chloride	ND	0.50	0.056	ug/l	
	m,p-Xylene	ND	0.50	0.26	ug/l	
95-47-6	o-Xylene	ND	0.50	0.24	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2199-69-1	1,2-Dichlorobenzene-d4	98%		70-130%
460-00-4	4-Bromofluorobenzene	95%		70-130%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

(a) EPA 524.2 is not a certified method for non-potable water samples.

ND = Not detected MDL = Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

4.1
4

Report of Analysis

Client Sample ID: BPOW 5-2		Date Sampled: 12/27/17
Lab Sample ID: JC58120-2		Date Received: 12/28/17
Matrix: AQ - Ground Water		Percent Solids: n/a
Method: EPA 524.2 REV 4.1		
Project: Navy Wells OU2, Bethpage, NY		

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethylene	ND	0.50	0.11	ug/l	
75-01-4	Vinyl chloride	ND	0.50	0.056	ug/l	
	m,p-Xylene	ND	0.50	0.26	ug/l	
95-47-6	o-Xylene	ND	0.50	0.24	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2199-69-1	1,2-Dichlorobenzene-d4	96%		70-130%
460-00-4	4-Bromofluorobenzene	93%		70-130%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

(a) EPA 524.2 is not a certified method for non-potable water samples.

ND = Not detected MDL = Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

4.2
4

Report of Analysis

Client Sample ID: BPOW 5-3		Date Sampled: 12/27/17
Lab Sample ID: JC58120-3		Date Received: 12/28/17
Matrix: AQ - Ground Water		Percent Solids: n/a
Method: EPA 524.2 REV 4.1		
Project: Navy Wells OU2, Bethpage, NY		

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethylene	ND	0.50	0.11	ug/l	
75-01-4	Vinyl chloride	ND	0.50	0.056	ug/l	
	m,p-Xylene	ND	0.50	0.26	ug/l	
95-47-6	o-Xylene	ND	0.50	0.24	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2199-69-1	1,2-Dichlorobenzene-d4	97%		70-130%
460-00-4	4-Bromofluorobenzene	93%		70-130%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

(a) EPA 524.2 is not a certified method for non-potable water samples.

ND = Not detected MDL = Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

4.3
4

Report of Analysis

Client Sample ID: REP122717AR-1		Date Sampled: 12/27/17
Lab Sample ID: JC58120-4		Date Received: 12/28/17
Matrix: AQ - Ground Water		Percent Solids: n/a
Method: EPA 524.2 REV 4.1		
Project: Navy Wells OU2, Bethpage, NY		

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethylene	ND	0.50	0.11	ug/l	
75-01-4	Vinyl chloride	ND	0.50	0.056	ug/l	
	m,p-Xylene	ND	0.50	0.26	ug/l	
95-47-6	o-Xylene	ND	0.50	0.24	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2199-69-1	1,2-Dichlorobenzene-d4	98%		70-130%
460-00-4	4-Bromofluorobenzene	94%		70-130%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

(a) EPA 524.2 is not a certified method for non-potable water samples.

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.4
4

Report of Analysis

Client Sample ID: TB122717PP-1		Date Sampled: 12/27/17
Lab Sample ID: JC58120-5		Date Received: 12/28/17
Matrix: AQ - Trip Blank Water		Percent Solids: n/a
Method: EPA 524.2 REV 4.1		
Project: Navy Wells OU2, Bethpage, NY		

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethylene	ND	0.50	0.11	ug/l	
75-01-4	Vinyl chloride	ND	0.50	0.056	ug/l	
	m,p-Xylene	ND	0.50	0.26	ug/l	
95-47-6	o-Xylene	ND	0.50	0.24	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2199-69-1	1,2-Dichlorobenzene-d4	96%		70-130%
460-00-4	4-Bromofluorobenzene	93%		70-130%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

(a) EPA 524.2 is not a certified method for non-potable water samples.

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.5
4



CHAIN OF CUSTODY

440883

2235 Route 130, Dayton, NJ 08810
TEL: 732-329-0200 FAX: 732-329-0992/1480

Client / Reporting Information Company Name: SGS North America Inc. Street Address: 2235 Route 130 City: Dayton State: NJ Zip: 08810 Project Contact: Kristin.Degrave@sgs.com Phone #: 732-329-0200 Sampler(s) Name(s): AR		Project Information Project Name: Northrup Grumman, Navy Wells O2, Bethpage, NY Street: _____ City: _____ State: _____ Zip: _____ Billing Information (if different from Report to): Company Name: _____ Street Address: _____ City: _____ State: _____ Zip: _____ Attention: _____		Bottle Order Control #: JC58120X SGS Job #: _____ Requested Analysis (see TEST CODE sheet): _____ Matrix Codes: _____	
Collection Date: 12/27/17 Time: 12:50:00 PM Date: 12/27/17 Time: 12:50:00 PM Date: 12/27/17 Time: 12:50:00 PM Date: 12/27/17 Time: 3:25:00 PM Date: 12/27/17 Time: 3:00:00 PM Date: 12/27/17 Time: 12:00:00 AM		MECH/DI Vial #: _____ Matrix: AQ # of bottles: 2 Matrix: AQ # of bottles: 2		Number of preserved Bottles: NaOH _____ H2SO4 _____ DI Water _____ MCH _____ ENCORR _____ NaBifil _____ SB522S1M14D10X	
Field ID / Point of Collection: BPOW 5-1 BPOW 5-1 BPOW 5-1 BPOW 5-2 BPOW 5-3 REP122717AR-1		Turnaround Time (Business days): _____ Approved By (SGS PM): / Date: _____ <input type="checkbox"/> Std. 10 Business Days <input type="checkbox"/> 5 Day RUSH <input type="checkbox"/> 3 Day EMERGENCY <input type="checkbox"/> 2 Day EMERGENCY <input type="checkbox"/> 1 Day EMERGENCY <input checked="" type="checkbox"/> other 21 Emergency & Rush TLA data available VIA Lablink		Data Deliverable Information: <input type="checkbox"/> Commercial "A" (Level 1) <input type="checkbox"/> Commercial "B" (Level 2) <input type="checkbox"/> FULLTI (Level 3+4) <input type="checkbox"/> NJ Reduced <input type="checkbox"/> Commercial "C" <input checked="" type="checkbox"/> NYASP Category A <input type="checkbox"/> NYASP Category B <input type="checkbox"/> State Forms <input type="checkbox"/> EDD Format <input checked="" type="checkbox"/> Other COMM/C+ Commercial "A" = Results Only Commercial "B" = Results + QC Summary NJ Reduced = Results + QC Summary + Partial Raw data	
Date In: 12/27/17 Date Time: _____ Date Time: _____ Date Time: _____		Date Time: 12/30/17 9052 Date Time: _____ Date Time: _____ Date Time: _____		Comments / Special Instructions: MS/MSD provided for sample -1X (-1XS and -1DX); please use this as MS/MSD for analytical batch	
Relinquished by Sampler: 1103 Relinquished by Sampler: 3 Relinquished by: 5		Relinquished By: FEDEX Relinquished By: 4 Relinquished By: 560		Received By: 11/18 Received By: 4 Received By: 4	



GEL LABORATORIES LLC

2040 Savage Road Charleston SC 29407 - (843) 556-8171 - www.gel.com

Qualifier Definition Report for

ACTL003 SGS Accutest

Client SDG: JC58120X GEL Work Order: 440883

The Qualifiers in this report are defined as follows:

- * Indicates that a quality control analyte recovery is outside of specified acceptance criteria.
- ** Indicates the analyte is a surrogate compound.
- U Indicates the target analyte was analyzed for but not detected above the detection limit.
- DL Indicates that sample is diluted.
- RA Indicates that sample is re-analyzed without re-extraction.
- RE Indicates that sample is re-extracted.

Review/Validation

GEL requires all analytical data to be verified by a qualified data reviewer. In addition, all CLP-like deliverables receive a third level review of the fractional data package.

The following data validator verified the information presented in this data report:

Signature: 

Name: Barbara Bailey

Date: 19 JAN 2018

Title: Data Validator

**Semi-Volatile
Certificate of Analysis
Sample Summary**

SDG Number: JC58120X
 Lab Sample ID: 440883001

 Client ID: BPOW 5-1
 Batch ID: 1731657
 Run Date: 01/15/2018 19:23
 Prep Date: 01/15/2018 11:45
 Data File: s011518.B\s6a1509.D

Date Collected: 12/27/2017 12:50
 Date Received: 12/30/2017 09:05
 Client: ACTL003
 Method: EPA 522
 Inst: MSD6.I
 Analyst: JMB3
 Aliquot: 100 mL
 Rtx-624

Matrix: WATER

 Project: ACTL00316
 SOP Ref: GL-OA-E-073
 Dilution: 1
 Inj. Vol: 1 uL
 Final Volume: 2 mL

CAS No.	Parname	Qualifier	Result	Units	MDL	LOD	LOQ
123-91-1	1,4-Dioxane	U	0.100	ug/L	0.100	0.100	0.200

2

**Semi-Volatile
Certificate of Analysis
Sample Summary**

SDG Number: JC58120X
 Lab Sample ID: 440883002

 Client ID: BPOW 5-2
 Batch ID: 1731657
 Run Date: 01/15/2018 21:06
 Prep Date: 01/15/2018 11:45
 Data File: s011518.B\s6a1513.D

Date Collected: 12/27/2017 15:25
 Date Received: 12/30/2017 09:05
 Client: ACTL003
 Method: EPA 522
 Inst: MSD6.I
 Analyst: JMB3
 Aliquot: 100 mL
 Rx-624

Matrix: WATER

 Project: ACTL00316
 SOP Ref: GL-OA-E-073
 Dilution: 1
 Inj. Vol: 1 uL
 Final Volume: 2 mL

CAS No.	Parname	Qualifier	Result	Units	MDL	LOD	LOQ
123-91-1	1,4-Dioxane	U	0.100	ug/L	0.100	0.100	0.200

2

**Semi-Volatile
Certificate of Analysis
Sample Summary**

SDG Number: JC58120X
 Lab Sample ID: 440883003

 Client ID: BPOW 5-3
 Batch ID: 1731657
 Run Date: 01/15/2018 21:57
 Prep Date: 01/15/2018 11:45
 Data File: s011518.B\s6a1515.D

Date Collected: 12/27/2017 15:00
 Date Received: 12/30/2017 09:05
 Client: ACTL003
 Method: EPA 522
 Inst: MSD6.I
 Analyst: JMB3
 Aliquot: 100 mL
 Rx-624

Matrix: WATER

 Project: ACTL00316
 SOP Ref: GL-OA-E-073
 Dilution: 1
 Inj. Vol: 1 uL
 Final Volume: 2 mL

CAS No.	Parname	Qualifier	Result	Units	MDL	LOD	LOQ
123-91-1	1,4-Dioxane		2.00	ug/L	0.100	0.100	0.200

2

**Semi-Volatile
Certificate of Analysis
Sample Summary**

SDG Number: JC58120X
 Lab Sample ID: 440883004

 Client ID: REP122717AR-1
 Batch ID: 1731657
 Run Date: 01/15/2018 22:48
 Prep Date: 01/15/2018 11:45
 Data File: s011518.B\s6a1517.D

Date Collected: 12/27/2017 12:00
 Date Received: 12/30/2017 09:05
 Client: ACTL003
 Method: EPA 522
 Inst: MSD6.I
 Analyst: JMB3
 Aliquot: 100 mL
 Rtx-624

Matrix: WATER

 Project: ACTL00316
 SOP Ref: GL-OA-E-073
 Dilution: 1
 Inj. Vol: 1 uL
 Final Volume: 2 mL

CAS No.	Parname	Qualifier	Result	Units	MDL	LOD	LOQ
123-91-1	1,4-Dioxane		1.86	ug/L	0.100	0.100	0.200

2

Navy Wells-

Operable Unit 2

Data Review

Bethpage, New York

Volatile and Semi-Volatile Analyses

SDGs # JC56303 and JC56400

Analyses Performed By:
Accutest-SGS Laboratories
Dayton, New Jersey

Report #29157R
Review Level: Tier II
Project: NY001496.23TM.NAVI4



SUMMARY

This data quality assessment summarizes the review of Sample Delivery Groups (SDGs) # JC56303 and JC56400 samples collected in association with the Navy Wells at the Bethpage, NY site. The review was conducted as a Tier II evaluation and included review of data package completeness. Only analytical data associated with constituents of concern were reviewed for this validation. Field documentation was not included in this review. Included with this assessment are the validation annotated sample result sheets, and chain of custody. Analyses were performed on the following samples:

SDG Number	Sample ID	Lab ID	Matrix	Sample Collection Date	Parent Sample	Analysis				
						VOC	SVOC	PCB	MET	MISC
JC56303	RE107D1	JC56303-1	Water	11/29/2017		X	X			
	RE107D2	JC56303-2	Water	11/29/2017		X	X			
	FB112917AR1	JC56303-3	Water	11/29/2017		X	X			
	TB112917DC1	JC56303-4	Water	11/29/2017		X				
	TB112917PP1	JC56303-5	Water	11/29/2017		X				
	FB112917PP1	JC56303-6	Water	11/29/2017		X	X			
	RE114D1	JC56303-7	Water	11/29/2017		X	X			
	REP112917PP1	JC56303-8	Water	11/29/2017	RE114D1	X	X			
JC56400	RE115D1	JC56400-1	Water	11/30/2017		X	X			
	RE115D2	JC56400-2	Water	11/30/2017		X	X			
	TB113017DC1	JC56400-3	Water	11/30/2017		X				
	FB113017DC1	JC56400-4	Water	11/30/2017		X	X			

Note:

1. Matrix spike/matrix spike duplicate (MS/MSD) analysis was performed on sample location RE107D2 for VOC and SVOC analysis.

ANALYTICAL DATA PACKAGE DOCUMENTATION

The table below is the evaluation of the data package completeness.

Items Reviewed	Reported		Performance Acceptable		Not Required
	No	Yes	No	Yes	
1. Sample receipt condition		X		X	
2. Requested analyses and sample results		X		X	
3. Master tracking list		X		X	
4. Methods of analysis		X		X	
5. Reporting limits		X		X	
6. Sample collection date		X		X	
7. Laboratory sample received date		X		X	
8. Sample preservation verification (as applicable)		X		X	
9. Sample preparation/extraction/analysis dates		X		X	
10. Fully executed Chain-of-Custody (COC) form		X		X	
11. Narrative summary of QA or sample problems provided		X		X	
12. Data Package Completeness and Compliance		X		X	

Note:

QA - Quality Assurance

ORGANIC ANALYSIS INTRODUCTION

Analyses were performed according to United States Environmental Protection Agency (USEPA) SW-846 methods 8260C and 8270D-Selected Ion Monitoring (SIM). Data were reviewed in accordance with USEPA National Functional Guidelines of October 1999.

The data review process is an evaluation of data on a technical basis rather than a determination of contract compliance. As such, the standards against which the data are being weighed may differ from those specified in the analytical method. It is assumed that the data package represents the best efforts of the laboratory and had already been subjected to adequate and sufficient quality review prior to submission.

During the review process, laboratory qualified and unqualified data are verified against the supporting documentation. Based on this evaluation, qualifier codes may be added, deleted, or modified by the data reviewer. Results are qualified with the following codes in accordance with USEPA National Functional Guidelines:

- Concentration (C) Qualifiers
 - U The compound was analyzed for but not detected. The associated value is the compound quantitation limit.
 - B The compound has been found in the sample as well as its associated blank, its presence in the sample may be suspect.
- Quantitation (Q) Qualifiers
 - E The compound was quantitated above the calibration range.
 - D Concentration is based on a diluted sample analysis.
- Validation Qualifiers
 - J The compound was positively identified; however, the associated numerical value is an estimated concentration only.
 - UJ The compound was not detected above the reported sample quantitation limit. However, the reported limit is approximate and may or may not represent the actual limit of quantitation.
 - JN The analysis indicates the presence of a compound for which there is presumptive evidence to make a tentative identification. The associated numerical value is an estimated concentration only.
 - UB Compound considered non-detect at the listed value due to associated blank contamination.
 - N The analysis indicates the presence of a compound for which there is presumptive evidence to make a tentative identification.
 - R The sample results are rejected.

Two facts should be noted by all data users. First, the "R" flag means that the associated value is unusable. In other words, due to significant quality control (QC) problems, the analysis is invalid and

provides no information as to whether the compound is present or not. "R" values should not appear on data tables because they cannot be relied upon, even as a last resort. The second fact to keep in mind is that no compound concentration, even if it has passed all QC tests, is guaranteed to be accurate. Strict QC serves to increase confidence in data but any value potentially contains error.

VOLATILE ORGANIC COMPOUNDS (VOC) ANALYSES

1. Holding Times

The specified holding times for the following methods are presented in the following table.

Method	Matrix	Holding Time	Preservation
SW-846 8260C	Water	14 days from collection to analysis	Cool to <6 °C; preserved to a pH of less than 2 s.u.

Note:

s.u. = Standard units

All samples were analyzed within the specified holding time criteria.

2. Blank Contamination

Quality assurance (QA) blanks (i.e., method and rinse blanks) are prepared to identify any contamination which may have been introduced into the samples during sample preparation or field activity. Method blanks measure laboratory contamination. Rinse blanks measure contamination of samples during field operations.

A blank action level (BAL) of five times the concentration of a detected compound in an associated blank (common laboratory contaminant compounds are calculated at ten times) is calculated for QA blanks containing concentrations greater than the method detection limit (MDL). The BAL is compared to the associated sample results to determine the appropriate qualification of the sample results, if needed.

Compounds were not detected above the MDL in the associated blanks; therefore, detected sample results were not associated with blank contamination.

3. Surrogates/System Monitoring Compounds

All samples to be analyzed for organic compounds are spiked with surrogate compounds prior to sample preparation to evaluate overall laboratory performance and efficiency of the analytical technique. VOC analysis requires that all surrogates associated with the analysis exhibit recoveries within the laboratory-established acceptance limits.

All surrogate recoveries were within control limits.

4. Matrix Spike/Matrix Spike Duplicate (MS/MSD) Analysis

MS/MSD data are used to assess the precision and accuracy of the analytical method. The compounds used to perform the MS/MSD analysis must exhibit a percent recovery within the laboratory-established acceptance limits. The relative percent difference (RPD) between the MS/MSD recoveries must exhibit an RPD within the laboratory-established acceptance limits.

Note: The MS/MSD recovery control limits do not apply for MS/MSD performed on sample locations where the compound concentration detected in the parent sample exceeds the MS/MSD concentration by a factor of four or greater.

The MS/MSD exhibited acceptable recoveries and RPD between the MS/MSD recoveries in SDG JC56303.

A MS/MSD was not performed on a sample location associated with SDG JC56400.

5. Laboratory Control Sample (LCS) Analysis

The LCS analysis is used to assess the precision and accuracy of the analytical method independent of matrix interferences. The compounds associated with the LCS analysis must exhibit a percent recovery within the laboratory-established acceptance limits.

All compounds associated with the LCS analysis exhibited acceptable recoveries.

6. Field Duplicate Analysis

Field duplicate analysis is used to assess the overall precision of the field sampling procedures and analytical method. A control limit of 30% for water matrices is applied to the RPD between the parent sample and the field duplicate. In the instance when the parent and/or duplicate sample concentrations are less than or equal to 5 times the RL, a control limit of two times the RL is applied for water matrices.

Results for duplicate samples are summarized in the following table.

Sample ID/Duplicate ID	Compound	Sample Result	Duplicate Result	RPD
SDG JC56303: RE114D1/ REP112917PP1	Carbon tetrachloride	2.7	2.6	AC
	Chloroform	2.5	2.6	
	1,1-Dichloroethane	1.2	1.3	
	1,2-Dichloroethane	0.26 J	0.26 J	
	1,1-Dichloroethene	3.7	3.6	
	cis-1,2-Dichloroethene	4.4	4.3	
	Freon 113	16.3	16.1	
	1,1,1-Trichloroethane	0.45 J	0.48 J	
	1,1,2-Trichloroethane	1.5	1.4	
	Trichloroethene	387	397	2.6%

Note:

AC = Acceptable

The calculated RPDs between the parent sample and field duplicate were acceptable.

A field duplicate was not collected with a sample location associated with SDG JC56400.

7. Laboratory Duplicate Analysis

The laboratory duplicate relative percent difference (RPD) criterion is applied when parent and duplicate sample concentrations are greater than or equal to 5 times the RL. A control limit of 20% for water matrices is applied when the criteria above is true. In the instance when the parent and/or duplicate sample concentrations are less than or equal to 5 times the RL, a control limit of two times the RL is applied for water matrices.

A laboratory duplicate was not performed on a sample location associated with either of the SDGs validated in this report.

8. System Performance and Overall Assessment

Tentatively identified compounds (TICs) were not detected in any of the sample locations.

Sample results associated with compound that exhibited a concentration greater than the linear range of the instrument calibration are summarized in the following table.

Sample ID	Compound	Original Analysis	Diluted Analysis	Reported Analysis
SDG JC56303:				
RE107D2	Trichloroethene	--	226 D	226 D
RE114D1		--	387 D	387 D
REP112917PP1		--	397 D	397 D
SDG JC56400:				
RE115D2	Trichloroethene	--	206 D	206 D

Note: In the instance where both the original analysis and the diluted analysis sample results exhibited a concentration greater than and/or less than the calibration linear range of the instrument; the sample result exhibiting the greatest concentration will be reported as the final result.

Sample results associated with compounds exhibiting concentrations greater than the linear range are qualified as documented in the table below when reported as the final reported sample result.

Reported Sample Results	Qualification
Diluted sample result within calibration range	D
Diluted sample result less than the calibration range	DJ
Diluted sample result greater than the calibration range	EDJ
Original sample result greater than the calibration range	EJ

9. System Performance and Overall Assessment

Continuing calibration review/validation is not included in a Tier II validation. However, the laboratory provided continuing calibration information in the case narrative, therefore it was evaluated.

In SDG JC56303: The case narrative states the continuing calibration associated with the data had percent difference (%D) exceedances with a decrease sensitivity for Acetone (>20%). This compound in all the sample locations was not detected; therefore, acetone was qualified estimate in all sample locations.

In SDG JC56400: The case narrative states the continuing calibration associated with the data had percent difference (%D) exceedances with a decrease sensitivity for Bromoform (>20%). This compound in all the sample locations was not detected; therefore, bromoform was qualified estimate in all sample locations.

Overall system performance was acceptable. Other than for those deviations specifically mentioned in this review, the overall data quality is within the guidelines specified in the method.

DATA VALIDATION CHECKLIST FOR VOCs

VOCs: SW-846 8260C	Reported		Performance Acceptable		Not Required
	No	Yes	No	Yes	
GAS CHROMATOGRAPHY/MASS SPECTROMETRY (GC/MS)					
Tier II Validation					
Holding times		X		X	
Reporting limits (units)		X		X	
Blanks					
A. Method blanks		X		X	
B. Equipment blanks		X		X	
C. Trip blanks		X		X	
Laboratory Control Sample (LCS) %R		X		X	
Laboratory Control Sample Duplicate(LCSD) %R					X
LCS/LCSD Precision (RPD)					X
Matrix Spike (MS) %R		X		X	
Matrix Spike Duplicate(MSD) %R		X		X	
MS/MSD Precision (RPD)		X		X	
Field/Lab Duplicate (RPD)		X		X	
Surrogate Spike Recoveries		X		X	
Dilution Factor		X		X	
Moisture Content					X

Notes:

RPD Relative percent difference

%R Percent recovery

SEMI-VOLATILE ORGANIC COMPOUNDS (SVOC) ANALYSES

1. Holding Times

The specified holding times for the following methods are presented in the following table.

Method	Matrix	Holding Time	Preservation
SW-846 8270D-SIM	Water	14 days from collection to extraction and 40 days from extraction to analysis	Cool to <6 °C

All samples were analyzed within the specified holding time criteria.

2. Blank Contamination

Quality assurance (QA) blanks (i.e., method and rinse blanks) are prepared to identify any contamination which may have been introduced into the samples during sample preparation or field activity. Method blanks measure laboratory contamination. Rinse blanks measure contamination of samples during field operations.

A blank action level (BAL) of five times the concentration of a detected compound in an associated blank (common laboratory contaminant compounds are calculated at ten times) is calculated for QA blanks containing concentrations greater than the method detection limit (MDL). The BAL is compared to the associated sample results to determine the appropriate qualification of the sample results, if needed.

Compounds were not detected above the MDL in the associated blanks; therefore, detected sample results were not associated with blank contamination.

3. Surrogates/System Monitoring Compounds

All samples to be analyzed for organic compounds are spiked with surrogate compounds prior to sample preparation to evaluate overall laboratory performance and efficiency of the analytical technique. SVOC analysis requires that two of the three SVOC surrogate compounds within each fraction exhibit recoveries within the laboratory-established acceptance limits.

All surrogate recoveries were within control limits.

4. Matrix Spike/Matrix Spike Duplicate (MS/MSD) Analysis

MS/MSD data are used to assess the precision and accuracy of the analytical method. The compounds used to perform the MS/MSD analysis must exhibit a percent recovery within the laboratory-established acceptance limits. The relative percent difference (RPD) between the MS/MSD recoveries must exhibit an RPD within the laboratory-established acceptance limits.

Note: The MS/MSD recovery control limits do not apply for MS/MSD performed on sample locations where the compound concentration detected in the parent sample exceeds the MS/MSD concentration by a factor of four or greater.

The MS/MSD exhibited acceptable recoveries and RPD between the MS/MSD recoveries in SDG JC56303.

A MS/MSD was not performed on a sample location associated with SDG JC56400.

5. Laboratory Control Sample/Laboratory Control Sample Duplicate (LCS/LCSD) Analysis

The LCS/LCSD analysis is used to assess the precision and accuracy of the analytical method independent of matrix interferences. The compounds associated with the LCS/LCSD analysis must exhibit a percent recovery within the laboratory-established acceptance limits.

All compounds associated with the LCS/LCSD analysis exhibited recoveries within the control limits in all SDGs.

6. Field Duplicate Analysis

Field duplicate analysis is used to assess the overall precision of the field sampling procedures and analytical method. A control limit of 30% for water matrices is applied to the RPD between the parent sample and the field duplicate. In the instance when the parent and/or duplicate sample concentrations are less than or equal to 5 times the RL, a control limit of two times the RL is applied for water matrices.

Results for duplicate samples are summarized in the following table.

Sample ID/Duplicate ID	Compound	Sample Result	Duplicate Result	RPD
SDG JC56303: RE114D1/ REP112917PP1	1,4-Dioxane	3.13	2.42	25.6%

Notes:

AC = Acceptable

The calculated RPDs between the parent sample and field duplicate were acceptable.

A field duplicate was not collected with a sample location associated with SDG JC56400.

7. System Performance and Overall Assessment

Continuing calibration review/validation is not included in a Tier II validation. However, the laboratory provided continuing calibration information in the case narrative, therefore it was evaluated.

In SDG JC56400: The case narrative states the continuing calibration associated with the FB113017DC1 had percent difference (%D) exceedances with a decrease sensitivity for 1,4-Dioxane (>20%). This compound in FB113017DC1 was not detected; therefore, 1,4-dioxane result was qualified estimate.

Overall system performance was acceptable. Other than for those deviations specifically mentioned in this review, the overall data quality is within the guidelines specified in the method.

DATA VALIDATION CHECKLIST FOR SVOCs

SVOCs: SW-846 8270D-SIM	Reported		Performance Acceptable		Not Required
	No	Yes	No	Yes	
GAS CHROMATOGRAPHY/MASS SPECTROMETRY (GC/MS)					
Tier II Validation					
Holding times		X		X	
Reporting limits (units)		X		X	
Blanks					
A. Method blanks		X		X	
B. Equipment blanks		X		X	
Laboratory Control Sample (LCS) %R		X		X	
Laboratory Control Sample Duplicate(LCSD) %R		X		X	
LCS/LCSD Precision (RPD)		X		X	
Matrix Spike (MS) %R		X		X	
Matrix Spike Duplicate(MSD) %R		X		X	
MS/MSD Precision (RPD)		X		X	
Field/Lab Duplicate (RPD)		X		X	
Surrogate Spike Recoveries		X		X	
Dilution Factor		X		X	
Moisture Content					X

Notes:

%R Percent recovery

RPD Relative percent difference

VALIDATION PERFORMED BY: Lisa Horton

SIGNATURE:



DATE: January 31, 2018

PEER REVIEW: Todd Church

DATE: February 4, 2018

CHAIN OF CUSTODY CORRECTED SAMPLE ANALYSIS DATA SHEETS

Report of Analysis

Client Sample ID: RE107D1		Date Sampled: 11/29/17
Lab Sample ID: JC56303-1		Date Received: 11/30/17
Matrix: AQ - Ground Water		Percent Solids: n/a
Method: SW846 8260C		
Project: Navy Wells OU2, Bethpage, NY		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	2E138860.D	1	12/05/17 16:16	JP	n/a	n/a	V2E6059
Run #2							

Run #	Purge Volume
Run #1	5.0 ml
Run #2	

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone ^a	ND	10	5.0	ug/l	J
71-43-2	Benzene	ND	0.50	0.17	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.22	ug/l	
75-25-2	Bromoform	ND	1.0	0.42	ug/l	
74-83-9	Bromomethane	ND	2.0	1.4	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	4.8	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.50	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.34	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.24	ug/l	
75-00-3	Chloroethane	ND	1.0	0.59	ug/l	
67-66-3	Chloroform	ND	1.0	0.29	ug/l	
74-87-3	Chloromethane	ND	1.0	0.53	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.16	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.21	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.20	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.47	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.50	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.40	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.24	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.25	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.22	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.22	ug/l	
76-13-1	Freon 113	ND	5.0	1.2	ug/l	
591-78-6	2-Hexanone	ND	5.0	3.3	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	3.0	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.24	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.17	ug/l	
127-18-4	Tetrachloroethene	1.3	1.0	0.50	ug/l	
108-88-3	Toluene	ND	1.0	0.25	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.25	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.24	ug/l	

ND = Not detected MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: RE107D1 Lab Sample ID: JC56303-1 Matrix: AQ - Ground Water Method: SW846 8260C Project: Navy Wells OU2, Bethpage, NY	Date Sampled: 11/29/17 Date Received: 11/30/17 Percent Solids: n/a
---	---

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethene	12.7	1.0	0.27	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.62	ug/l	
	m,p-Xylene	ND	1.0	0.43	ug/l	
95-47-6	o-Xylene	ND	1.0	0.22	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	105%		80-120%
17060-07-0	1,2-Dichloroethane-D4	109%		81-124%
2037-26-5	Toluene-D8	101%		80-120%
460-00-4	4-Bromofluorobenzene	102%		80-120%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

(a) Associated CCV outside of control limits low.

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.1
4

Report of Analysis

Client Sample ID: RE107D1	Date Sampled: 11/29/17
Lab Sample ID: JC56303-1	Date Received: 11/30/17
Matrix: AQ - Ground Water	Percent Solids: n/a
Method: SW846 8270D BY SIM SW846 3510C	
Project: Navy Wells OU2, Bethpage, NY	

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	3M72942.D	1	12/12/17 12:02	KM	12/04/17 16:30	OP8345A	E3M3503
Run #2							

	Initial Volume	Final Volume
Run #1	930 ml	1.0 ml
Run #2		

CAS No.	Compound	Result	RL	MDL	Units	Q
123-91-1	1,4-Dioxane	5.18	0.11	0.052	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
4165-60-0	Nitrobenzene-d5	73%		29-124%
321-60-8	2-Fluorobiphenyl	58%		23-122%
1718-51-0	Terphenyl-d14	70%		22-130%

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.1
4

Report of Analysis

Client Sample ID: RE107D2	Date Sampled: 11/29/17
Lab Sample ID: JC56303-2	Date Received: 11/30/17
Matrix: AQ - Ground Water	Percent Solids: n/a
Method: SW846 8260C	
Project: Navy Wells OU2, Bethpage, NY	

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethene	226 ^b	10	2.7	ug/l	D
75-01-4	Vinyl chloride	ND	1.0	0.62	ug/l	
	m,p-Xylene	ND	1.0	0.43	ug/l	
95-47-6	o-Xylene	ND	1.0	0.22	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	103%	104%	80-120%
17060-07-0	1,2-Dichloroethane-D4	106%	108%	81-124%
2037-26-5	Toluene-D8	100%	99%	80-120%
460-00-4	4-Bromofluorobenzene	101%	102%	80-120%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

- (a) Associated CCV outside of control limits low.
- (b) Result is from Run# 2

ND = Not detected MDL = Method Detection Limit
 RL = Reporting Limit

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

4.2
4

Report of Analysis

Client Sample ID: RE107D2	Date Sampled: 11/29/17
Lab Sample ID: JC56303-2	Date Received: 11/30/17
Matrix: AQ - Ground Water	Percent Solids: n/a
Method: SW846 8270D BY SIM SW846 3510C	
Project: Navy Wells OU2, Bethpage, NY	

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	5P45931.D	1	12/15/17 15:10	SB	12/04/17 16:30	OP8345A	E5P2220
Run #2	3M72943.D	1	12/12/17 13:06	KM	12/04/17 16:30	OP8345A	E3M3503

Run #	Initial Volume	Final Volume
Run #1	950 ml	1.0 ml
Run #2	950 ml	1.0 ml

CAS No.	Compound	Result	RL	MDL	Units	Q
123-91-1	1,4-Dioxane	7.21	1.1	0.051	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
4165-60-0	Nitrobenzene-d5	73%	61%	29-124%
321-60-8	2-Fluorobiphenyl	66%	51%	23-122%
1718-51-0	Terphenyl-d14	67%	67%	22-130%

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.2
4

Report of Analysis

Client Sample ID: FB112917AR1	Date Sampled: 11/29/17
Lab Sample ID: JC56303-3	Date Received: 11/30/17
Matrix: AQ - Field Blank Water	Percent Solids: n/a
Method: SW846 8260C	
Project: Navy Wells OU2, Bethpage, NY	

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethene	ND	1.0	0.27	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.62	ug/l	
	m,p-Xylene	ND	1.0	0.43	ug/l	
95-47-6	o-Xylene	ND	1.0	0.22	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	104%		80-120%
17060-07-0	1,2-Dichloroethane-D4	105%		81-124%
2037-26-5	Toluene-D8	99%		80-120%
460-00-4	4-Bromofluorobenzene	101%		80-120%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

(a) Associated CCV outside of control limits low.

ND = Not detected MDL = Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

4.3
4

Report of Analysis

Client Sample ID: FB112917AR1	Date Sampled: 11/29/17
Lab Sample ID: JC56303-3	Date Received: 11/30/17
Matrix: AQ - Field Blank Water	Percent Solids: n/a
Method: SW846 8270D BY SIM SW846 3510C	
Project: Navy Wells OU2, Bethpage, NY	

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	3M72944.D	1	12/12/17 17:20	KM	12/04/17 16:30	OP8345A	E3M3503
Run #2							

	Initial Volume	Final Volume
Run #1	970 ml	1.0 ml
Run #2		

CAS No.	Compound	Result	RL	MDL	Units	Q
123-91-1	1,4-Dioxane	ND	0.10	0.050	ug/l	
CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits		
4165-60-0	Nitrobenzene-d5	61%		29-124%		
321-60-8	2-Fluorobiphenyl	52%		23-122%		
1718-51-0	Terphenyl-d14	70%		22-130%		

ND = Not detected	MDL = Method Detection Limit	J = Indicates an estimated value
RL = Reporting Limit		B = Indicates analyte found in associated method blank
E = Indicates value exceeds calibration range		N = Indicates presumptive evidence of a compound

4.3
4

Report of Analysis

Client Sample ID: TB112917DC1	Date Sampled: 11/29/17
Lab Sample ID: JC56303-4	Date Received: 11/30/17
Matrix: AQ - Trip Blank Water	Percent Solids: n/a
Method: SW846 8260C	
Project: Navy Wells OU2, Bethpage, NY	

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	2E138868.D	1	12/05/17 19:58	JP	n/a	n/a	V2E6059
Run #2							

Run #	Purge Volume
Run #1	5.0 ml
Run #2	

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone ^a	ND	10	5.0	ug/l	J
71-43-2	Benzene	ND	0.50	0.17	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.22	ug/l	
75-25-2	Bromoform	ND	1.0	0.42	ug/l	
74-83-9	Bromomethane	ND	2.0	1.4	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	4.8	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.50	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.34	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.24	ug/l	
75-00-3	Chloroethane	ND	1.0	0.59	ug/l	
67-66-3	Chloroform	ND	1.0	0.29	ug/l	
74-87-3	Chloromethane	ND	1.0	0.53	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.16	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.21	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.20	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.47	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.50	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.40	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.24	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.25	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.22	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.22	ug/l	
76-13-1	Freon 113	ND	5.0	1.2	ug/l	
591-78-6	2-Hexanone	ND	5.0	3.3	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	3.0	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.24	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.17	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.50	ug/l	
108-88-3	Toluene	ND	1.0	0.25	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.25	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.24	ug/l	

ND = Not detected

MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: TB112917DC1	Date Sampled: 11/29/17
Lab Sample ID: JC56303-4	Date Received: 11/30/17
Matrix: AQ - Trip Blank Water	Percent Solids: n/a
Method: SW846 8260C	
Project: Navy Wells OU2, Bethpage, NY	

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethene	ND	1.0	0.27	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.62	ug/l	
	m,p-Xylene	ND	1.0	0.43	ug/l	
95-47-6	o-Xylene	ND	1.0	0.22	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	102%		80-120%
17060-07-0	1,2-Dichloroethane-D4	99%		81-124%
2037-26-5	Toluene-D8	101%		80-120%
460-00-4	4-Bromofluorobenzene	101%		80-120%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

(a) Associated CCV outside of control limits low.

ND = Not detected MDL = Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

4.4
4

Report of Analysis

Client Sample ID: TB112917PP1	Date Sampled: 11/29/17
Lab Sample ID: JC56303-5	Date Received: 11/30/17
Matrix: AQ - Trip Blank Water	Percent Solids: n/a
Method: SW846 8260C	
Project: Navy Wells OU2, Bethpage, NY	

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	2E138869.D	1	12/05/17 20:25	JP	n/a	n/a	V2E6059
Run #2							

Run #	Purge Volume
Run #1	5.0 ml
Run #2	

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone ^a	ND	10	5.0	ug/l	J
71-43-2	Benzene	ND	0.50	0.17	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.22	ug/l	
75-25-2	Bromoform	ND	1.0	0.42	ug/l	
74-83-9	Bromomethane	ND	2.0	1.4	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	4.8	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.50	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.34	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.24	ug/l	
75-00-3	Chloroethane	ND	1.0	0.59	ug/l	
67-66-3	Chloroform	ND	1.0	0.29	ug/l	
74-87-3	Chloromethane	ND	1.0	0.53	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.16	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.21	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.20	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.47	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.50	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.40	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.24	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.25	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.22	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.22	ug/l	
76-13-1	Freon 113	ND	5.0	1.2	ug/l	
591-78-6	2-Hexanone	ND	5.0	3.3	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	3.0	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.24	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.17	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.50	ug/l	
108-88-3	Toluene	ND	1.0	0.25	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.25	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.24	ug/l	

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.5
4

Report of Analysis

Client Sample ID: TB112917PP1	Date Sampled: 11/29/17
Lab Sample ID: JC56303-5	Date Received: 11/30/17
Matrix: AQ - Trip Blank Water	Percent Solids: n/a
Method: SW846 8260C	
Project: Navy Wells OU2, Bethpage, NY	

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethene	ND	1.0	0.27	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.62	ug/l	
	m,p-Xylene	ND	1.0	0.43	ug/l	
95-47-6	o-Xylene	ND	1.0	0.22	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	104%		80-120%
17060-07-0	1,2-Dichloroethane-D4	108%		81-124%
2037-26-5	Toluene-D8	100%		80-120%
460-00-4	4-Bromofluorobenzene	101%		80-120%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

(a) Associated CCV outside of control limits low.

ND = Not detected MDL = Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

4.5
4

Report of Analysis

Client Sample ID: FB112917PP1	Date Sampled: 11/29/17
Lab Sample ID: JC56303-6	Date Received: 11/30/17
Matrix: AQ - Field Blank Water	Percent Solids: n/a
Method: SW846 8260C	
Project: Navy Wells OU2, Bethpage, NY	

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	2E138870.D	1	12/05/17 20:53	JP	n/a	n/a	V2E6059
Run #2							

Run #	Purge Volume
Run #1	5.0 ml
Run #2	

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone ^a	ND	10	5.0	ug/l	J
71-43-2	Benzene	ND	0.50	0.17	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.22	ug/l	
75-25-2	Bromoform	ND	1.0	0.42	ug/l	
74-83-9	Bromomethane	ND	2.0	1.4	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	4.8	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.50	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.34	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.24	ug/l	
75-00-3	Chloroethane	ND	1.0	0.59	ug/l	
67-66-3	Chloroform	ND	1.0	0.29	ug/l	
74-87-3	Chloromethane	ND	1.0	0.53	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.16	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.21	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.20	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.47	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.50	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.40	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.24	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.25	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.22	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.22	ug/l	
76-13-1	Freon 113	ND	5.0	1.2	ug/l	
591-78-6	2-Hexanone	ND	5.0	3.3	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	3.0	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.24	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.17	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.50	ug/l	
108-88-3	Toluene	ND	1.0	0.25	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.25	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.24	ug/l	

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.6
4

Report of Analysis

Client Sample ID: FB112917PP1	Date Sampled: 11/29/17
Lab Sample ID: JC56303-6	Date Received: 11/30/17
Matrix: AQ - Field Blank Water	Percent Solids: n/a
Method: SW846 8260C	
Project: Navy Wells OU2, Bethpage, NY	

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethene	ND	1.0	0.27	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.62	ug/l	
	m,p-Xylene	ND	1.0	0.43	ug/l	
95-47-6	o-Xylene	ND	1.0	0.22	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	104%		80-120%
17060-07-0	1,2-Dichloroethane-D4	105%		81-124%
2037-26-5	Toluene-D8	99%		80-120%
460-00-4	4-Bromofluorobenzene	100%		80-120%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

(a) Associated CCV outside of control limits low.

ND = Not detected MDL = Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

4.6
4

Report of Analysis

Client Sample ID: FB112917PP1	Date Sampled: 11/29/17
Lab Sample ID: JC56303-6	Date Received: 11/30/17
Matrix: AQ - Field Blank Water	Percent Solids: n/a
Method: SW846 8270D BY SIM SW846 3510C	
Project: Navy Wells OU2, Bethpage, NY	

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	3M72945.D	1	12/12/17 17:52	KM	12/04/17 16:30	OP8345A	E3M3503
Run #2							

	Initial Volume	Final Volume
Run #1	1000 ml	1.0 ml
Run #2		

CAS No.	Compound	Result	RL	MDL	Units	Q
123-91-1	1,4-Dioxane	ND	0.10	0.049	ug/l	
CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits		
4165-60-0	Nitrobenzene-d5	66%		29-124%		
321-60-8	2-Fluorobiphenyl	54%		23-122%		
1718-51-0	Terphenyl-d14	83%		22-130%		

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.6
4

Report of Analysis

Client Sample ID: RE114D1	Date Sampled: 11/29/17
Lab Sample ID: JC56303-7	Date Received: 11/30/17
Matrix: AQ - Ground Water	Percent Solids: n/a
Method: SW846 8260C	
Project: Navy Wells OU2, Bethpage, NY	

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	2E138902.D	1	12/06/17 12:30	JP	n/a	n/a	V2E6061
Run #2	2E138903.D	10	12/06/17 12:59	JP	n/a	n/a	V2E6061

Run #	Purge Volume
Run #1	5.0 ml
Run #2	5.0 ml

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone ^a	ND	10	5.0	ug/l	J
71-43-2	Benzene	ND	0.50	0.17	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.22	ug/l	
75-25-2	Bromoform	ND	1.0	0.42	ug/l	
74-83-9	Bromomethane	ND	2.0	1.4	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	4.8	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.50	ug/l	
56-23-5	Carbon tetrachloride	2.7	1.0	0.34	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.24	ug/l	
75-00-3	Chloroethane	ND	1.0	0.59	ug/l	
67-66-3	Chloroform	2.5	1.0	0.29	ug/l	
74-87-3	Chloromethane	ND	1.0	0.53	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.16	ug/l	
75-34-3	1,1-Dichloroethane	1.2	1.0	0.21	ug/l	
107-06-2	1,2-Dichloroethane	0.26	1.0	0.20	ug/l	J
75-35-4	1,1-Dichloroethene	3.7	1.0	0.47	ug/l	
156-59-2	cis-1,2-Dichloroethene	4.4	1.0	0.50	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.40	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.24	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.25	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.22	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.22	ug/l	
76-13-1	Freon 113	16.3	5.0	1.2	ug/l	
591-78-6	2-Hexanone	ND	5.0	3.3	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	3.0	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.24	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.17	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.50	ug/l	
108-88-3	Toluene	ND	1.0	0.25	ug/l	
71-55-6	1,1,1-Trichloroethane	0.45	1.0	0.25	ug/l	J
79-00-5	1,1,2-Trichloroethane	1.5	1.0	0.24	ug/l	

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.7
4

Report of Analysis

Client Sample ID: RE114D1 Lab Sample ID: JC56303-7 Matrix: AQ - Ground Water Method: SW846 8260C Project: Navy Wells OU2, Bethpage, NY	Date Sampled: 11/29/17 Date Received: 11/30/17 Percent Solids: n/a
---	---

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethene	387 ^b	10	2.7	ug/l	D
75-01-4	Vinyl chloride	ND	1.0	0.62	ug/l	
	m,p-Xylene	ND	1.0	0.43	ug/l	
95-47-6	o-Xylene	ND	1.0	0.22	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	106%	107%	80-120%
17060-07-0	1,2-Dichloroethane-D4	106%	110%	81-124%
2037-26-5	Toluene-D8	100%	100%	80-120%
460-00-4	4-Bromofluorobenzene	101%	104%	80-120%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

- (a) Associated CCV outside of control limits low.
- (b) Result is from Run# 2

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.7
4

Report of Analysis

Client Sample ID: RE114D1	Date Sampled: 11/29/17
Lab Sample ID: JC56303-7	Date Received: 11/30/17
Matrix: AQ - Ground Water	Percent Solids: n/a
Method: SW846 8270D BY SIM SW846 3510C	
Project: Navy Wells OU2, Bethpage, NY	

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	3M72946.D	1	12/12/17 18:24	KM	12/04/17 16:30	OP8345A	E3M3503
Run #2							

	Initial Volume	Final Volume
Run #1	1000 ml	1.0 ml
Run #2		

CAS No.	Compound	Result	RL	MDL	Units	Q
123-91-1	1,4-Dioxane	3.13	0.10	0.049	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
4165-60-0	Nitrobenzene-d5	78%		29-124%
321-60-8	2-Fluorobiphenyl	68%		23-122%
1718-51-0	Terphenyl-d14	70%		22-130%

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.7
4

Report of Analysis

Client Sample ID:	REP112917PP1	Date Sampled:	11/29/17
Lab Sample ID:	JC56303-8	Date Received:	11/30/17
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8260C		
Project:	Navy Wells OU2, Bethpage, NY		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	2E138904.D	1	12/06/17 13:27	JP	n/a	n/a	V2E6061
Run #2	2E138905.D	10	12/06/17 13:55	JP	n/a	n/a	V2E6061

Run #	Purge Volume
Run #1	5.0 ml
Run #2	5.0 ml

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone ^a	ND	10	5.0	ug/l	J
71-43-2	Benzene	ND	0.50	0.17	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.22	ug/l	
75-25-2	Bromoform	ND	1.0	0.42	ug/l	
74-83-9	Bromomethane	ND	2.0	1.4	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	4.8	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.50	ug/l	
56-23-5	Carbon tetrachloride	2.6	1.0	0.34	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.24	ug/l	
75-00-3	Chloroethane	ND	1.0	0.59	ug/l	
67-66-3	Chloroform	2.6	1.0	0.29	ug/l	
74-87-3	Chloromethane	ND	1.0	0.53	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.16	ug/l	
75-34-3	1,1-Dichloroethane	1.3	1.0	0.21	ug/l	
107-06-2	1,2-Dichloroethane	0.26	1.0	0.20	ug/l	J
75-35-4	1,1-Dichloroethene	3.6	1.0	0.47	ug/l	
156-59-2	cis-1,2-Dichloroethene	4.3	1.0	0.50	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.40	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.24	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.25	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.22	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.22	ug/l	
76-13-1	Freon 113	16.1	5.0	1.2	ug/l	
591-78-6	2-Hexanone	ND	5.0	3.3	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	3.0	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.24	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.17	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.50	ug/l	
108-88-3	Toluene	ND	1.0	0.25	ug/l	
71-55-6	1,1,1-Trichloroethane	0.48	1.0	0.25	ug/l	J
79-00-5	1,1,2-Trichloroethane	1.4	1.0	0.24	ug/l	

ND = Not detected MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: REP112917PP1		Date Sampled: 11/29/17
Lab Sample ID: JC56303-8		Date Received: 11/30/17
Matrix: AQ - Ground Water		Percent Solids: n/a
Method: SW846 8260C		
Project: Navy Wells OU2, Bethpage, NY		

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethene	397 ^b	10	2.7	ug/l	D
75-01-4	Vinyl chloride	ND	1.0	0.62	ug/l	
	m,p-Xylene	ND	1.0	0.43	ug/l	
95-47-6	o-Xylene	ND	1.0	0.22	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	105%	103%	80-120%
17060-07-0	1,2-Dichloroethane-D4	109%	108%	81-124%
2037-26-5	Toluene-D8	100%	101%	80-120%
460-00-4	4-Bromofluorobenzene	103%	103%	80-120%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

(a) Associated CCV outside of control limits low.

(b) Result is from Run# 2

ND = Not detected MDL = Method Detection Limit
 RL = Reporting Limit

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

4.8
4

Report of Analysis

Client Sample ID: REP112917PP1	Date Sampled: 11/29/17
Lab Sample ID: JC56303-8	Date Received: 11/30/17
Matrix: AQ - Ground Water	Percent Solids: n/a
Method: SW846 8270D BY SIM SW846 3510C	
Project: Navy Wells OU2, Bethpage, NY	

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	3M72947.D	1	12/12/17 18:56	KM	12/04/17 16:30	OP8345A	E3M3503
Run #2							

	Initial Volume	Final Volume
Run #1	1000 ml	1.0 ml
Run #2		

CAS No.	Compound	Result	RL	MDL	Units	Q
123-91-1	1,4-Dioxane	2.42	0.10	0.049	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
4165-60-0	Nitrobenzene-d5	63%		29-124%
321-60-8	2-Fluorobiphenyl	49%		23-122%
1718-51-0	Terphenyl-d14	69%		22-130%

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.8
4



ACCUTEST

CHAIN OF CUSTODY
SGS Accutest New Jersey - Dayton
2235 Route 130, Dayton, NJ 08810
TEL: 732-329-0200 FAX: 732-329-3499/3480
www.sgs.com

Account Quota #
Account Job #
Requested Analysis (see TEST CODE sheet)
Matrix Codes

Client / Reporting Information
Project Information
Requested Analysis (see TEST CODE sheet)
Matrix Codes
Collection table with columns: Field ID / Point of Collection, MECH/DI/Vol #, Date, Time, Sampled by, Matrix, # of bottles, etc.

Turnaround Time (Business days)
Data Deliverable Information
Comments / Special Instructions
INITIAL ASSESSMENT
LABEL VERIFICATION

Sample Custody must be documented below each time samples change possession, including carrier delivery.
Received By, Date Time, etc.

JC56400: Chain of Custody

Page 1 of 2

Report of Analysis

Client Sample ID: RE115D1		Date Sampled: 11/30/17
Lab Sample ID: JC56400-1		Date Received: 12/01/17
Matrix: AQ - Ground Water		Percent Solids: n/a
Method: SW846 8260C		
Project: Navy Wells OU2, Bethpage, NY		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	2B156446.D	1	12/07/17 20:40	EH	n/a	n/a	V2B6958
Run #2							

Run #	Purge Volume
Run #1	5.0 ml
Run #2	

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	10	5.0	ug/l	
71-43-2	Benzene	ND	0.50	0.17	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.22	ug/l	
75-25-2	Bromoform ^a	ND	1.0	0.42	ug/l	J
74-83-9	Bromomethane	ND	2.0	1.4	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	4.8	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.50	ug/l	
56-23-5	Carbon tetrachloride	0.46	1.0	0.34	ug/l	J
108-90-7	Chlorobenzene	ND	1.0	0.24	ug/l	
75-00-3	Chloroethane	ND	1.0	0.59	ug/l	
67-66-3	Chloroform	2.5	1.0	0.29	ug/l	
74-87-3	Chloromethane	ND	1.0	0.53	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.16	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.21	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.20	ug/l	
75-35-4	1,1-Dichloroethene	2.1	1.0	0.47	ug/l	
156-59-2	cis-1,2-Dichloroethene	1.1	1.0	0.50	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.40	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.24	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.25	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.22	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.22	ug/l	
76-13-1	Freon 113	2.9	5.0	1.2	ug/l	J
591-78-6	2-Hexanone	ND	5.0	3.3	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	3.0	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.24	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.17	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.50	ug/l	
108-88-3	Toluene	ND	1.0	0.25	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.25	ug/l	
79-00-5	1,1,2-Trichloroethane	0.53	1.0	0.24	ug/l	J

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: RE115D1	Date Sampled: 11/30/17
Lab Sample ID: JC56400-1	Date Received: 12/01/17
Matrix: AQ - Ground Water	Percent Solids: n/a
Method: SW846 8260C	
Project: Navy Wells OU2, Bethpage, NY	

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethene	59.3	1.0	0.27	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.62	ug/l	
	m,p-Xylene	ND	1.0	0.43	ug/l	
95-47-6	o-Xylene	ND	1.0	0.22	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	117%		80-120%
17060-07-0	1,2-Dichloroethane-D4	114%		81-124%
2037-26-5	Toluene-D8	103%		80-120%
460-00-4	4-Bromofluorobenzene	101%		80-120%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

(a) Associated CCV outside of control limits low.

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: RE115D1	Date Sampled: 11/30/17
Lab Sample ID: JC56400-1	Date Received: 12/01/17
Matrix: AQ - Ground Water	Percent Solids: n/a
Method: SW846 8270D BY SIM SW846 3510C	
Project: Navy Wells OU2, Bethpage, NY	

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	3M73079.D	1	12/19/17 12:04	KM	12/05/17 16:15	OP8420A	E3M3508
Run #2							

	Initial Volume	Final Volume
Run #1	1000 ml	1.0 ml
Run #2		

CAS No.	Compound	Result	RL	MDL	Units	Q
123-91-1	1,4-Dioxane	3.33	0.10	0.049	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
4165-60-0	Nitrobenzene-d5	71%		29-124%
321-60-8	2-Fluorobiphenyl	75%		23-122%
1718-51-0	Terphenyl-d14	92%		22-130%

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.1
4

Report of Analysis

Client Sample ID: RE115D2		Date Sampled: 11/30/17
Lab Sample ID: JC56400-2		Date Received: 12/01/17
Matrix: AQ - Ground Water		Percent Solids: n/a
Method: SW846 8260C		
Project: Navy Wells OU2, Bethpage, NY		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	2B156447.D	1	12/07/17 21:11	EH	n/a	n/a	V2B6958
Run #2 ^a	2B156473.D	10	12/08/17 11:13	EH	n/a	n/a	V2B6960

Run #	Purge Volume
Run #1	5.0 ml
Run #2	5.0 ml

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	10	5.0	ug/l	
71-43-2	Benzene	ND	0.50	0.17	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.22	ug/l	
75-25-2	Bromoform ^b	ND	1.0	0.42	ug/l	J
74-83-9	Bromomethane	ND	2.0	1.4	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	4.8	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.50	ug/l	
56-23-5	Carbon tetrachloride	1.7	1.0	0.34	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.24	ug/l	
75-00-3	Chloroethane	ND	1.0	0.59	ug/l	
67-66-3	Chloroform	0.94	1.0	0.29	ug/l	J
74-87-3	Chloromethane	ND	1.0	0.53	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.16	ug/l	
75-34-3	1,1-Dichloroethane	1.1	1.0	0.21	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.20	ug/l	
75-35-4	1,1-Dichloroethene	8.9	1.0	0.47	ug/l	
156-59-2	cis-1,2-Dichloroethene	2.4	1.0	0.50	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.40	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.24	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.25	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.22	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.22	ug/l	
76-13-1	Freon 113	20.4	5.0	1.2	ug/l	
591-78-6	2-Hexanone	ND	5.0	3.3	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	3.0	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.24	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.17	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.50	ug/l	
108-88-3	Toluene	ND	1.0	0.25	ug/l	
71-55-6	1,1,1-Trichloroethane	0.81	1.0	0.25	ug/l	J
79-00-5	1,1,2-Trichloroethane	0.72	1.0	0.24	ug/l	J

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.2
4

Report of Analysis

Client Sample ID: RE115D2		Date Sampled: 11/30/17
Lab Sample ID: JC56400-2		Date Received: 12/01/17
Matrix: AQ - Ground Water		Percent Solids: n/a
Method: SW846 8260C		
Project: Navy Wells OU2, Bethpage, NY		

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethene	206 ^c	10	2.7	ug/l	D
75-01-4	Vinyl chloride	ND	1.0	0.62	ug/l	
	m,p-Xylene	ND	1.0	0.43	ug/l	
95-47-6	o-Xylene	ND	1.0	0.22	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	117%	106%	80-120%
17060-07-0	1,2-Dichloroethane-D4	113%	106%	81-124%
2037-26-5	Toluene-D8	103%	103%	80-120%
460-00-4	4-Bromofluorobenzene	102%	104%	80-120%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

- (a) Sample analyzed with head-space vial.
- (b) Associated CCV outside of control limits low.
- (c) Result is from Run# 2

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.2
4

Report of Analysis

Client Sample ID: RE115D2	Date Sampled: 11/30/17
Lab Sample ID: JC56400-2	Date Received: 12/01/17
Matrix: AQ - Ground Water	Percent Solids: n/a
Method: SW846 8270D BY SIM SW846 3510C	
Project: Navy Wells OU2, Bethpage, NY	

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	3M73080.D	1	12/19/17 12:36	KM	12/05/17 16:15	OP8420A	E3M3508
Run #2							

Run #	Initial Volume	Final Volume
Run #1	1000 ml	1.0 ml
Run #2		

CAS No.	Compound	Result	RL	MDL	Units	Q
123-91-1	1,4-Dioxane	2.65	0.10	0.049	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
4165-60-0	Nitrobenzene-d5	72%		29-124%
321-60-8	2-Fluorobiphenyl	75%		23-122%
1718-51-0	Terphenyl-d14	76%		22-130%

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.2
4

Report of Analysis

Client Sample ID: TB113017DC1	Date Sampled: 11/30/17
Lab Sample ID: JC56400-3	Date Received: 12/01/17
Matrix: AQ - Trip Blank Water	Percent Solids: n/a
Method: SW846 8260C	
Project: Navy Wells OU2, Bethpage, NY	

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	2B156441.D	1	12/07/17 18:02	EH	n/a	n/a	V2B6958
Run #2							

Run #	Purge Volume
Run #1	5.0 ml
Run #2	

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	10	5.0	ug/l	
71-43-2	Benzene	ND	0.50	0.17	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.22	ug/l	
75-25-2	Bromoform ^a	ND	1.0	0.42	ug/l	J
74-83-9	Bromomethane	ND	2.0	1.4	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	4.8	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.50	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.34	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.24	ug/l	
75-00-3	Chloroethane	ND	1.0	0.59	ug/l	
67-66-3	Chloroform	ND	1.0	0.29	ug/l	
74-87-3	Chloromethane	ND	1.0	0.53	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.16	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.21	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.20	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.47	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.50	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.40	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.24	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.25	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.22	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.22	ug/l	
76-13-1	Freon 113	ND	5.0	1.2	ug/l	
591-78-6	2-Hexanone	ND	5.0	3.3	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	3.0	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.24	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.17	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.50	ug/l	
108-88-3	Toluene	ND	1.0	0.25	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.25	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.24	ug/l	

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.3
 4

Report of Analysis

Client Sample ID: TB113017DC1		Date Sampled: 11/30/17
Lab Sample ID: JC56400-3		Date Received: 12/01/17
Matrix: AQ - Trip Blank Water		Percent Solids: n/a
Method: SW846 8260C		
Project: Navy Wells OU2, Bethpage, NY		

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethene	ND	1.0	0.27	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.62	ug/l	
	m,p-Xylene	ND	1.0	0.43	ug/l	
95-47-6	o-Xylene	ND	1.0	0.22	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	116%		80-120%
17060-07-0	1,2-Dichloroethane-D4	113%		81-124%
2037-26-5	Toluene-D8	103%		80-120%
460-00-4	4-Bromofluorobenzene	100%		80-120%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

(a) Associated CCV outside of control limits low.

ND = Not detected MDL = Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

4.3
4

Report of Analysis

Client Sample ID: FB113017DC1	Date Sampled: 11/30/17
Lab Sample ID: JC56400-4	Date Received: 12/01/17
Matrix: AQ - Field Blank Water	Percent Solids: n/a
Method: SW846 8260C	
Project: Navy Wells OU2, Bethpage, NY	

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethene	ND	1.0	0.27	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.62	ug/l	
	m,p-Xylene	ND	1.0	0.43	ug/l	
95-47-6	o-Xylene	ND	1.0	0.22	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	116%		80-120%
17060-07-0	1,2-Dichloroethane-D4	112%		81-124%
2037-26-5	Toluene-D8	104%		80-120%
460-00-4	4-Bromofluorobenzene	102%		80-120%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

(a) Associated CCV outside of control limits low.

ND = Not detected MDL = Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

4.4
4

Report of Analysis

Client Sample ID: FB113017DC1	Date Sampled: 11/30/17
Lab Sample ID: JC56400-4	Date Received: 12/01/17
Matrix: AQ - Field Blank Water	Percent Solids: n/a
Method: SW846 8270D BY SIM SW846 3510C	
Project: Navy Wells OU2, Bethpage, NY	

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	3M73030.D	1	12/15/17 19:06	KM	12/05/17 16:15	OP8420A	E3M3506
Run #2							

Run #	Initial Volume	Final Volume
Run #1	970 ml	1.0 ml
Run #2		

CAS No.	Compound	Result	RL	MDL	Units	Q
123-91-1	1,4-Dioxane ^a	ND	0.10	0.050	ug/l	J
CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits		
4165-60-0	Nitrobenzene-d5	99%		29-124%		
321-60-8	2-Fluorobiphenyl	77%		23-122%		
1718-51-0	Terphenyl-d14	89%		22-130%		

(a) Associated CCV outside of control limits low.

ND = Not detected	MDL = Method Detection Limit	J = Indicates an estimated value
RL = Reporting Limit		B = Indicates analyte found in associated method blank
E = Indicates value exceeds calibration range		N = Indicates presumptive evidence of a compound

4.4
4

Navy Wells-

Operable Unit 2

Data Review

Bethpage, New York

Volatile and Semi-Volatile Analyses

SDGs # JC56394, JC56402, and JC56403

Analyses Performed By:
Accutest-SGS Laboratories
Dayton, New Jersey

Report #29158R
Review Level: Tier II
Project: NY001496.23TM.NAVI4



SUMMARY

This data quality assessment summarizes the review of Sample Delivery Groups (SDGs) #JC56394, JC56402, and JC56403 samples collected in association with the Navy Wells at the Bethpage, NY site. The review was conducted as a Tier II evaluation and included review of data package completeness. Only analytical data associated with constituents of concern were reviewed for this validation. Field documentation was not included in this review. Included with this assessment are the validation annotated sample result sheets, and chain of custody. Analyses were performed on the following samples:

SDG Number	Sample ID	Lab ID	Matrix	Sample Collection Date	Parent Sample	Analysis				
						VOC	SVOC	PCB	MET	MISC
JC56394	RE107D3	JC56394-1	Water	12/1/2017		X	X			
	FB120117DC1	JC56394-2	Water	12/1/2017		X	X			
	TB120117AR1	JC56394-3	Water	12/1/2017		X				
JC56402	RE106D1	JC56402-1	Water	11/30/2017		X	X			
	FB113017PP1	JC56402-2	Water	11/30/2017		X	X			
	TB113017PP1	JC56402-3	Water	11/30/2017		X				
JC56403	RE130D2	JC56403-1	Water	12/1/2017		X	X			
	RE130D1	JC56403-2	Water	12/1/2017		X	X			
	FB120117PP1	JC56403-3	Water	12/1/2017		X	X			
	TB120117PP1	JC56403-4	Water	12/1/2017		X				

ANALYTICAL DATA PACKAGE DOCUMENTATION

The table below is the evaluation of the data package completeness.

Items Reviewed	Reported		Performance Acceptable		Not Required
	No	Yes	No	Yes	
1. Sample receipt condition		X		X	
2. Requested analyses and sample results		X		X	
3. Master tracking list		X		X	
4. Methods of analysis		X		X	
5. Reporting limits		X		X	
6. Sample collection date		X		X	
7. Laboratory sample received date		X		X	
8. Sample preservation verification (as applicable)		X		X	
9. Sample preparation/extraction/analysis dates		X		X	
10. Fully executed Chain-of-Custody (COC) form		X		X	
11. Narrative summary of QA or sample problems provided		X		X	
12. Data Package Completeness and Compliance		X		X	

Note:

QA - Quality Assurance

ORGANIC ANALYSIS INTRODUCTION

Analyses were performed according to United States Environmental Protection Agency (USEPA) SW-846 methods 8260C and 8270D-Selected Ion Monitoring (SIM). Data were reviewed in accordance with USEPA National Functional Guidelines of October 1999.

The data review process is an evaluation of data on a technical basis rather than a determination of contract compliance. As such, the standards against which the data are being weighed may differ from those specified in the analytical method. It is assumed that the data package represents the best efforts of the laboratory and had already been subjected to adequate and sufficient quality review prior to submission.

During the review process, laboratory qualified and unqualified data are verified against the supporting documentation. Based on this evaluation, qualifier codes may be added, deleted, or modified by the data reviewer. Results are qualified with the following codes in accordance with USEPA National Functional Guidelines:

- Concentration (C) Qualifiers
 - U The compound was analyzed for but not detected. The associated value is the compound quantitation limit.
 - B The compound has been found in the sample as well as its associated blank, its presence in the sample may be suspect.
- Quantitation (Q) Qualifiers
 - E The compound was quantitated above the calibration range.
 - D Concentration is based on a diluted sample analysis.
- Validation Qualifiers
 - J The compound was positively identified; however, the associated numerical value is an estimated concentration only.
 - UJ The compound was not detected above the reported sample quantitation limit. However, the reported limit is approximate and may or may not represent the actual limit of quantitation.
 - JN The analysis indicates the presence of a compound for which there is presumptive evidence to make a tentative identification. The associated numerical value is an estimated concentration only.
 - UB Compound considered non-detect at the listed value due to associated blank contamination.
 - N The analysis indicates the presence of a compound for which there is presumptive evidence to make a tentative identification.
 - R The sample results are rejected.

Two facts should be noted by all data users. First, the "R" flag means that the associated value is unusable. In other words, due to significant quality control (QC) problems, the analysis is invalid and

provides no information as to whether the compound is present or not. "R" values should not appear on data tables because they cannot be relied upon, even as a last resort. The second fact to keep in mind is that no compound concentration, even if it has passed all QC tests, is guaranteed to be accurate. Strict QC serves to increase confidence in data but any value potentially contains error.

VOLATILE ORGANIC COMPOUNDS (VOC) ANALYSES

1. Holding Times

The specified holding times for the following methods are presented in the following table.

Method	Matrix	Holding Time	Preservation
SW-846 8260C	Water	14 days from collection to analysis	Cool to <6 °C; preserved to a pH of less than 2 s.u.

Note:

s.u. = Standard units

All samples were analyzed within the specified holding time criteria.

2. Blank Contamination

Quality assurance (QA) blanks (i.e., method and rinse blanks) are prepared to identify any contamination which may have been introduced into the samples during sample preparation or field activity. Method blanks measure laboratory contamination. Rinse blanks measure contamination of samples during field operations.

A blank action level (BAL) of five times the concentration of a detected compound in an associated blank (common laboratory contaminant compounds are calculated at ten times) is calculated for QA blanks containing concentrations greater than the method detection limit (MDL). The BAL is compared to the associated sample results to determine the appropriate qualification of the sample results, if needed.

Compounds were not detected above the MDL in the associated blanks; therefore, detected sample results were not associated with blank contamination.

3. Surrogates/System Monitoring Compounds

All samples to be analyzed for organic compounds are spiked with surrogate compounds prior to sample preparation to evaluate overall laboratory performance and efficiency of the analytical technique. VOC analysis requires that all surrogates associated with the analysis exhibit recoveries within the laboratory-established acceptance limits.

All surrogate recoveries were within control limits.

4. Matrix Spike/Matrix Spike Duplicate (MS/MSD) Analysis

MS/MSD data are used to assess the precision and accuracy of the analytical method. The compounds used to perform the MS/MSD analysis must exhibit a percent recovery within the laboratory-established acceptance limits. The relative percent difference (RPD) between the MS/MSD recoveries must exhibit an RPD within the laboratory-established acceptance limits.

Note: The MS/MSD recovery control limits do not apply for MS/MSD performed on sample locations where the compound concentration detected in the parent sample exceeds the MS/MSD concentration by a factor of four or greater.

A MS/MSD was not performed on a sample location associated with any of the SDGs validated in this report.

5. Laboratory Control Sample (LCS) Analysis

The LCS analysis is used to assess the precision and accuracy of the analytical method independent of matrix interferences. The compounds associated with the LCS analysis must exhibit a percent recovery within the laboratory-established acceptance limits.

All compounds associated with the LCS analysis exhibited acceptable recoveries.

6. Field Duplicate Analysis

Field duplicate analysis is used to assess the overall precision of the field sampling procedures and analytical method. A control limit of 30% for water matrices is applied to the RPD between the parent sample and the field duplicate. In the instance when the parent and/or duplicate sample concentrations are less than or equal to 5 times the RL, a control limit of two times the RL is applied for water matrices.

A field duplicate was not collected with a sample location associated with any of the SDGs validated in this report.

7. Laboratory Duplicate Analysis

The laboratory duplicate relative percent difference (RPD) criterion is applied when parent and duplicate sample concentrations are greater than or equal to 5 times the RL. A control limit of 20% for water matrices is applied when the criteria above is true. In the instance when the parent and/or duplicate sample concentrations are less than or equal to 5 times the RL, a control limit of two times the RL is applied for water matrices.

A laboratory duplicate was not performed on a sample location associated with any of the SDGs validated in this report.

8. System Performance and Overall Assessment

Tentatively identified compounds (TICs) were not detected in any of the sample locations.

Continuing calibration review/validation is not included in a Tier II validation. However, the laboratory provided continuing calibration information in the case narrative, therefore it was evaluated.

In SDG JC56394: The case narrative states the continuing calibration associated with the data had percent difference (%D) exceedances with an increase sensitivity for Acetone, 2-Butanone, Carbon tetrachloride, 2-Hexanone and 4-Methyl-2-pentanone (>20%). These compounds were not detected in all the sample locations; therefore, qualification was not necessary.

In SDG JC56402: The case narrative states the continuing calibration associated with the data had percent difference (%D) exceedances with a decrease sensitivity for Bromoform (>20%). This compound was not detected in all the sample locations; and was therefore qualified as estimate.

In SDG JC56403: The case narrative states the continuing calibration associated with sample locations RE130D1 and TB120117PP1 had percent difference (%D) exceedances with an increase sensitivity for Acetone (>20%). This compound in these two sample locations was not detected; therefore, qualification was not necessary. Additionally, the case narrative states the continuing calibration associated with sample locations RE130D2 and FB120117PP1 had percent difference (%D) exceedances with a decrease sensitivity for Bromoform (>20%). This compound was not detected in these two sample locations; and was therefore qualified as estimate.

Overall system performance was acceptable. Other than for those deviations specifically mentioned in this review, the overall data quality is within the guidelines specified in the method.

DATA VALIDATION CHECKLIST FOR VOCs

VOCs: SW-846 8260C	Reported		Performance Acceptable		Not Required
	No	Yes	No	Yes	
GAS CHROMATOGRAPHY/MASS SPECTROMETRY (GC/MS)					
Tier II Validation					
Holding times		X		X	
Reporting limits (units)		X		X	
Blanks					
A. Method blanks		X		X	
B. Equipment blanks		X		X	
C. Trip blanks		X		X	
Laboratory Control Sample (LCS) %R		X		X	
Laboratory Control Sample Duplicate(LCSD) %R					X
LCS/LCSD Precision (RPD)					X
Matrix Spike (MS) %R					X
Matrix Spike Duplicate(MSD) %R					X
MS/MSD Precision (RPD)					X
Field/Lab Duplicate (RPD)					X
Surrogate Spike Recoveries		X		X	
Dilution Factor		X		X	
Moisture Content					X

Notes:

RPD Relative percent difference

%R Percent recovery

SEMI-VOLATILE ORGANIC COMPOUNDS (SVOC) ANALYSES

1. Holding Times

The specified holding times for the following methods are presented in the following table.

Method	Matrix	Holding Time	Preservation
SW-846 8270D-SIM	Water	14 days from collection to extraction and 40 days from extraction to analysis	Cool to <6 °C

All samples were analyzed within the specified holding time criteria.

2. Blank Contamination

Quality assurance (QA) blanks (i.e., method and rinse blanks) are prepared to identify any contamination which may have been introduced into the samples during sample preparation or field activity. Method blanks measure laboratory contamination. Rinse blanks measure contamination of samples during field operations.

A blank action level (BAL) of five times the concentration of a detected compound in an associated blank (common laboratory contaminant compounds are calculated at ten times) is calculated for QA blanks containing concentrations greater than the method detection limit (MDL). The BAL is compared to the associated sample results to determine the appropriate qualification of the sample results, if needed.

Compounds were not detected above the MDL in the associated blanks; therefore, detected sample results were not associated with blank contamination.

3. Surrogates/System Monitoring Compounds

All samples to be analyzed for organic compounds are spiked with surrogate compounds prior to sample preparation to evaluate overall laboratory performance and efficiency of the analytical technique. SVOC analysis requires that two of the three SVOC surrogate compounds within each fraction exhibit recoveries within the laboratory-established acceptance limits.

All surrogate recoveries were within control limits.

4. Matrix Spike/Matrix Spike Duplicate (MS/MSD) Analysis

MS/MSD data are used to assess the precision and accuracy of the analytical method. The compounds used to perform the MS/MSD analysis must exhibit a percent recovery within the laboratory-established acceptance limits. The relative percent difference (RPD) between the MS/MSD recoveries must exhibit an RPD within the laboratory-established acceptance limits.

Note: The MS/MSD recovery control limits do not apply for MS/MSD performed on sample locations where the compound concentration detected in the parent sample exceeds the MS/MSD concentration by a factor of four or greater.

A MS/MSD was not performed on a sample location associated with any of the SDGs validated in this report.

5. Laboratory Control Sample/Laboratory Control Sample Duplicate (LCS/LCSD) Analysis

The LCS/LCSD analysis is used to assess the precision and accuracy of the analytical method independent of matrix interferences. The compounds associated with the LCS/LCSD analysis must exhibit a percent recovery within the laboratory-established acceptance limits.

All compounds associated with the LCS/LCSD analysis exhibited recoveries and RPD within the control limits in all the SDGs.

6. Field Duplicate Analysis

Field duplicate analysis is used to assess the overall precision of the field sampling procedures and analytical method. A control limit of 30% for water matrices is applied to the RPD between the parent sample and the field duplicate. In the instance when the parent and/or duplicate sample concentrations are less than or equal to 5 times the RL, a control limit of two times the RL is applied for water matrices.

A field duplicate was not collected with a sample location associated with any of the SDGs validated in this report.

7. System Performance and Overall Assessment

Continuing calibration review/validation is not included in a Tier II validation. However, the laboratory provided continuing calibration information in the case narrative, therefore it was evaluated.

In SDG JC56394: The case narrative states the continuing calibration associated with the RE107D3 had percent difference (%D) exceedance with a decrease sensitivity for 1,4-Dioxane (>20%). This compound in was not detected in this sample; and therefore, the 1,4-dioxane result was qualified as estimate.

In SDG JC56402: The case narrative states the continuing calibration associated with the FB113017PP1 had percent difference (%D) exceedance with a decrease sensitivity for 1,4-Dioxane (>20%). This compound in was not detected in this sample; and therefore, the 1,4-dioxane result was qualified as estimate.

In SDG JC56403: The case narrative states the continuing calibration associated with the RE130D1 had percent difference (%D) exceedance with a decrease sensitivity for 1,4-Dioxane (>20%). This compound in was not detected in this sample; and therefore, the 1,4-dioxane result was qualified as estimate.

Overall system performance was acceptable. Other than for those deviations specifically mentioned in this review, the overall data quality is within the guidelines specified in the method.

DATA VALIDATION CHECKLIST FOR SVOCs

SVOCs: SW-846 8270D-SIM	Reported		Performance Acceptable		Not Required
	No	Yes	No	Yes	
GAS CHROMATOGRAPHY/MASS SPECTROMETRY (GC/MS)					
Tier II Validation					
Holding times		X		X	
Reporting limits (units)		X		X	
Blanks					
A. Method blanks		X		X	
B. Equipment blanks		X		X	
Laboratory Control Sample (LCS) %R		X		X	
Laboratory Control Sample Duplicate(LCSD) %R		X		X	
LCS/LCSD Precision (RPD)		X		X	
Matrix Spike (MS) %R					X
Matrix Spike Duplicate(MSD) %R					X
MS/MSD Precision (RPD)					X
Field/Lab Duplicate (RPD)					X
Surrogate Spike Recoveries		X		X	
Dilution Factor		X		X	
Moisture Content					X

Notes:

%R Percent recovery

RPD Relative percent difference

VALIDATION PERFORMED BY: Lisa Horton

SIGNATURE:



DATE: February 1, 2018

PEER REVIEW: Todd Church

DATE: February 4, 2018

CHAIN OF CUSTODY CORRECTED SAMPLE ANALYSIS DATA SHEETS



ACCUTEST

SW
FB
W/B

CHAIN OF CUSTODY
SGS Accutest New Jersey - Dayton
2235 Route 130, Dayton, NJ 08810
TEL: 732-329-0200 FAX: 732-329-3499/3480
www.sgs.com

FED-EX Tracker: **DOC 84-Rush** Bottle Order Control #
Accutest Quote # **JCS6394** Accutest Job #

Client / Reporting Information		Project Information		Requested Analyticals (see TEST CODE sheet)												Matrix Codes																					
Company Name Arcadis		Project Name: AGMNYM72080 // OU2 Navy Outpost & Monitoring Wells Navy Wells OU2 -Bethpage, New York		V5242NG36GW+40 VC82602NG36GW+40 SB522SIM14DIOX (GEL Lab) B8270SIM14DIOX (SGS Lab)												DW - Drinking Water GW - Ground Water WW - Waste Water SW - Surface Water SO - Soil SL - Sludge SED - Sediment DI - Oil LIQ - Other Liquid AIR - Air SOL - Other Solid WP - Wipe FB - Field Blank EB - Equipment Blank RB - Rinse Blank TB - Trip Blank																					
Street Address 2 Huntington Quad, Suite 1S10		Street Bethpage NY																																			
City, State, Zip Melville NY 11747		Billing Information (if different from Report to) City, State, Zip Bethpage NY																																			
Project Contact Soma Das, soma.das@arcadis.com		Company Name Arcadis, U.S., Inc.																																			
Phone # 631-249-7600		Client Purchase Order # NY001496		Street Address 630 Plaza Drive, Suite 600		City, State, Zip Highlands Ranch, CO 80129		City, State, Zip Bethpage NY		City, State, Zip Bethpage NY																											
Fax # 631-249-7810		Work Authorization # NY001496_2015.10.30		Project Manager Carlo San Giovanni		Attention: Accounts Payable																															
Sample(s) Name(s) Albina Redepage		Project # 212395		MEDNDI Val #		Date		Time		Sampled by		Matrix		# of bottles		HCL		MACH		HNO3		H2O2		H2SO4		HNO2		H2O		METH		ENCORE		NAN/ION		LAB USE ONLY	
1 RE 107D3						12/01/2014		11:25		AR		GW		5		3																		E31			
2 FB 12/01/17 DC 1								8:50		AR		EB		5		2																1344					
3 TB 12/01/17 AK 1								8:00		-		TB		2		2																					

Turnaround Time (Business Days)		Approved By (Accutest PM) / Date:		Date Deliverable Information		Comments / Special Instructions	
<input type="checkbox"/> Std. 15 Business Days <input checked="" type="checkbox"/> Std. 10 Business Days (by Contract only) <input type="checkbox"/> 10 Day RUSH <input type="checkbox"/> 8 Day RUSH <input type="checkbox"/> 3 Day EMERGENCY <input type="checkbox"/> 2 Day EMERGENCY <input type="checkbox"/> 1 Day EMERGENCY <small>Emergency & Rush T/A data available VIA Lablink</small>		<input type="checkbox"/> Commercial "A" (Level 1) <input type="checkbox"/> Commercial "B" (Level 2) <input type="checkbox"/> FULLT1 (Level 2nd) <input type="checkbox"/> NJ Reduced <input type="checkbox"/> Commercial "C" <small>Commercial "A" = Results Only Commercial "B" = Results + QC Summary NJ Reduced = Results + QC Summary + Partial Raw data</small>		<input type="checkbox"/> RYASP Category A <input type="checkbox"/> RYASP Category B <input type="checkbox"/> State Forms <input checked="" type="checkbox"/> EDD Format-EQUS 8 <input checked="" type="checkbox"/> Other COMMC+		INITIAL ASSESSMENT 12/1/14 LABEL VERIFICATION _____	

Sample Custody must be documented below each time samples change possession, including courier delivery.

1	Relinquished by Sample:	Date/Time:	Received By:	Date/Time:	Received By:
1	Albina Redepage	12/01/2014 13:44	[Signature]	12/01/14 11:05	[Signature]
3	Relinquished by Sample:	Date/Time:	Received By:	Date/Time:	Received By:
3					
6	Relinquished by:	Date/Time:	Received By:	Date/Time:	Received By:
6					

Blank
 Not intact
 Preserved where applicable:
 On line:
 Cooler Temp: **3.6/0.2**

5.1
5



Report of Analysis

Client Sample ID: RE107D3		Date Sampled: 12/01/17
Lab Sample ID: JC56394-1		Date Received: 12/01/17
Matrix: AQ - Ground Water		Percent Solids: n/a
Method: SW846 8260C		
Project: Navy Wells OU2, Bethpage, NY		

Run #1	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	D254235.D	1	12/06/17 17:41	TDN	n/a	n/a	VD10251
Run #2							

Run #1	Purge Volume
Run #1	5.0 ml
Run #2	

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone ^a	ND	10	5.0	ug/l	
71-43-2	Benzene	ND	0.50	0.17	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.22	ug/l	
75-25-2	Bromoform	ND	1.0	0.42	ug/l	
74-83-9	Bromomethane	ND	2.0	1.4	ug/l	
78-93-3	2-Butanone (MEK) ^a	ND	10	4.8	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.50	ug/l	
56-23-5	Carbon tetrachloride ^a	ND	1.0	0.34	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.24	ug/l	
75-00-3	Chloroethane	ND	1.0	0.59	ug/l	
67-66-3	Chloroform	ND	1.0	0.29	ug/l	
74-87-3	Chloromethane	ND	1.0	0.53	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.16	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.21	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.20	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.47	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.50	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.40	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.24	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.25	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.22	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.22	ug/l	
76-13-1	Freon 113	3.2	5.0	1.2	ug/l	J
591-78-6	2-Hexanone ^a	ND	5.0	3.3	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK) ^a	ND	5.0	3.0	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.24	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.17	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.50	ug/l	
108-88-3	Toluene	ND	1.0	0.25	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.25	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.24	ug/l	

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: RE107D3	Date Sampled: 12/01/17
Lab Sample ID: JC56394-1	Date Received: 12/01/17
Matrix: AQ - Ground Water	Percent Solids: n/a
Method: SW846 8260C	
Project: Navy Wells OU2, Bethpage, NY	

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethene	ND	1.0	0.27	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.62	ug/l	
	m,p-Xylene	ND	1.0	0.43	ug/l	
95-47-6	o-Xylene	ND	1.0	0.22	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	101%		80-120%
17060-07-0	1,2-Dichloroethane-D4	114%		81-124%
2037-26-5	Toluene-D8	97%		80-120%
460-00-4	4-Bromofluorobenzene	107%		80-120%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
	system artifact	3.80	37	ug/l	J
	Total TIC, Volatile		0	ug/l	

(a) Associated CCV outside of control limits high, sample was ND.

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: RE107D3	Date Sampled: 12/01/17
Lab Sample ID: JC56394-1	Date Received: 12/01/17
Matrix: AQ - Ground Water	Percent Solids: n/a
Method: SW846 8270D BY SIM SW846 3510C	
Project: Navy Wells OU2, Bethpage, NY	

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	3M73035.D	1	12/15/17 22:47	KM	12/05/17 16:15	OP8420A	E3M3506
Run #2							

Run #	Initial Volume	Final Volume
Run #1	1000 ml	1.0 ml
Run #2		

CAS No.	Compound	Result	RL	MDL	Units	Q
123-91-1	1,4-Dioxane ^a	ND	0.10	0.049	ug/l	J
CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits		
4165-60-0	Nitrobenzene-d5	94%		29-124%		
321-60-8	2-Fluorobiphenyl	83%		23-122%		
1718-51-0	Terphenyl-d14	97%		22-130%		

(a) Associated CCV outside of control limits low.

ND = Not detected	MDL = Method Detection Limit	J = Indicates an estimated value
RL = Reporting Limit		B = Indicates analyte found in associated method blank
E = Indicates value exceeds calibration range		N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: FB120117DC1 Lab Sample ID: JC56394-2 Matrix: AQ - Field Blank Water Method: SW846 8260C Project: Navy Wells OU2, Bethpage, NY	Date Sampled: 12/01/17 Date Received: 12/01/17 Percent Solids: n/a
--	---

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethene	ND	1.0	0.27	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.62	ug/l	
	m,p-Xylene	ND	1.0	0.43	ug/l	
95-47-6	o-Xylene	ND	1.0	0.22	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	100%		80-120%
17060-07-0	1,2-Dichloroethane-D4	113%		81-124%
2037-26-5	Toluene-D8	98%		80-120%
460-00-4	4-Bromofluorobenzene	110%		80-120%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
	system artifact	3.79	33	ug/l	J
	Total TIC, Volatile		0	ug/l	

(a) Associated CCV outside of control limits high, sample was ND.

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.2
4

Report of Analysis

Client Sample ID: FB120117DC1	Date Sampled: 12/01/17
Lab Sample ID: JC56394-2	Date Received: 12/01/17
Matrix: AQ - Field Blank Water	Percent Solids: n/a
Method: SW846 8270D BY SIM SW846 3510C	
Project: Navy Wells OU2, Bethpage, NY	

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	3M73199.D	1	12/28/17 12:17	NAP	12/05/17 16:15	OP8420A	E3M3513
Run #2							

	Initial Volume	Final Volume
Run #1	910 ml	1.0 ml
Run #2		

CAS No.	Compound	Result	RL	MDL	Units	Q
123-91-1	1,4-Dioxane	ND	0.11	0.054	ug/l	
CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits		
4165-60-0	Nitrobenzene-d5	88%		29-124%		
321-60-8	2-Fluorobiphenyl	70%		23-122%		
1718-51-0	Terphenyl-d14	83%		22-130%		

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.2
4

Report of Analysis

Client Sample ID: TB120117AR1 Lab Sample ID: JC56394-3 Matrix: AQ - Trip Blank Water Method: SW846 8260C Project: Navy Wells OU2, Bethpage, NY	Date Sampled: 12/01/17 Date Received: 12/01/17 Percent Solids: n/a
---	---

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethene	ND	1.0	0.27	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.62	ug/l	
	m,p-Xylene	ND	1.0	0.43	ug/l	
95-47-6	o-Xylene	ND	1.0	0.22	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	99%		80-120%
17060-07-0	1,2-Dichloroethane-D4	114%		81-124%
2037-26-5	Toluene-D8	96%		80-120%
460-00-4	4-Bromofluorobenzene	108%		80-120%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
	system artifact	3.80	91	ug/l	J
	Total TIC, Volatile		0	ug/l	

(a) Associated CCV outside of control limits high, sample was ND.

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.3
4

Report of Analysis

Client Sample ID: RE106D1		Date Sampled: 11/30/17
Lab Sample ID: JC56402-1		Date Received: 12/01/17
Matrix: AQ - Ground Water		Percent Solids: n/a
Method: SW846 8260C		
Project: Navy Wells OU2, Bethpage, NY		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	2B156445.D	1	12/07/17 20:08	EH	n/a	n/a	V2B6958
Run #2							

Run #	Purge Volume
Run #1	5.0 ml
Run #2	

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	10	5.0	ug/l	
71-43-2	Benzene	ND	0.50	0.17	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.22	ug/l	
75-25-2	Bromoform ^a	ND	1.0	0.42	ug/l	J
74-83-9	Bromomethane	ND	2.0	1.4	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	4.8	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.50	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.34	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.24	ug/l	
75-00-3	Chloroethane	ND	1.0	0.59	ug/l	
67-66-3	Chloroform	ND	1.0	0.29	ug/l	
74-87-3	Chloromethane	ND	1.0	0.53	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.16	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.21	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.20	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.47	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.50	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.40	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.24	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.25	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.22	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.22	ug/l	
76-13-1	Freon 113	ND	5.0	1.2	ug/l	
591-78-6	2-Hexanone	ND	5.0	3.3	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	3.0	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.24	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.17	ug/l	
127-18-4	Tetrachloroethene	0.79	1.0	0.50	ug/l	J
108-88-3	Toluene	ND	1.0	0.25	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.25	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.24	ug/l	

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: RE106D1 Lab Sample ID: JC56402-1 Matrix: AQ - Ground Water Method: SW846 8260C Project: Navy Wells OU2, Bethpage, NY	Date Sampled: 11/30/17 Date Received: 12/01/17 Percent Solids: n/a
---	---

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethene	7.4	1.0	0.27	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.62	ug/l	
	m,p-Xylene	ND	1.0	0.43	ug/l	
95-47-6	o-Xylene	ND	1.0	0.22	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	118%		80-120%
17060-07-0	1,2-Dichloroethane-D4	114%		81-124%
2037-26-5	Toluene-D8	102%		80-120%
460-00-4	4-Bromofluorobenzene	101%		80-120%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

(a) Associated CCV outside of control limits low.

ND = Not detected MDL = Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

4.1
4

Report of Analysis

Client Sample ID: RE106D1	Date Sampled: 11/30/17
Lab Sample ID: JC56402-1	Date Received: 12/01/17
Matrix: AQ - Ground Water	Percent Solids: n/a
Method: SW846 8270D BY SIM SW846 3510C	
Project: Navy Wells OU2, Bethpage, NY	

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	P119434.D	1	12/19/17 17:18	RL	12/05/17 16:15	OP8420A	EP5352
Run #2	3M73033.D	1	12/15/17 21:44	KM	12/05/17 16:15	OP8420A	E3M3506

Run #	Initial Volume	Final Volume
Run #1	1000 ml	1.0 ml
Run #2	1000 ml	1.0 ml

CAS No.	Compound	Result	RL	MDL	Units	Q
123-91-1	1,4-Dioxane	5.53	1.0	0.049	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
4165-60-0	Nitrobenzene-d5	83%	93%	29-124%
321-60-8	2-Fluorobiphenyl	80%	79%	23-122%
1718-51-0	Terphenyl-d14	72%	84%	22-130%

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: FB113017PP1		Date Sampled: 11/30/17
Lab Sample ID: JC56402-2		Date Received: 12/01/17
Matrix: AQ - Field Blank Water		Percent Solids: n/a
Method: SW846 8260C		
Project: Navy Wells OU2, Bethpage, NY		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	2B156443.D	1	12/07/17 19:05	EH	n/a	n/a	V2B6958
Run #2							

Run #	Purge Volume
Run #1	5.0 ml
Run #2	

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	10	5.0	ug/l	
71-43-2	Benzene	ND	0.50	0.17	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.22	ug/l	
75-25-2	Bromoform ^a	ND	1.0	0.42	ug/l	J
74-83-9	Bromomethane	ND	2.0	1.4	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	4.8	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.50	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.34	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.24	ug/l	
75-00-3	Chloroethane	ND	1.0	0.59	ug/l	
67-66-3	Chloroform	ND	1.0	0.29	ug/l	
74-87-3	Chloromethane	ND	1.0	0.53	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.16	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.21	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.20	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.47	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.50	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.40	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.24	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.25	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.22	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.22	ug/l	
76-13-1	Freon 113	ND	5.0	1.2	ug/l	
591-78-6	2-Hexanone	ND	5.0	3.3	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	3.0	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.24	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.17	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.50	ug/l	
108-88-3	Toluene	ND	1.0	0.25	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.25	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.24	ug/l	

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.2
4

Report of Analysis

Client Sample ID: FB113017PP1	Date Sampled: 11/30/17
Lab Sample ID: JC56402-2	Date Received: 12/01/17
Matrix: AQ - Field Blank Water	Percent Solids: n/a
Method: SW846 8260C	
Project: Navy Wells OU2, Bethpage, NY	

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethene	ND	1.0	0.27	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.62	ug/l	
	m,p-Xylene	ND	1.0	0.43	ug/l	
95-47-6	o-Xylene	ND	1.0	0.22	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	117%		80-120%
17060-07-0	1,2-Dichloroethane-D4	112%		81-124%
2037-26-5	Toluene-D8	103%		80-120%
460-00-4	4-Bromofluorobenzene	101%		80-120%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

(a) Associated CCV outside of control limits low.

ND = Not detected MDL = Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

4.2
4

Report of Analysis

Client Sample ID: FB113017PP1	Date Sampled: 11/30/17
Lab Sample ID: JC56402-2	Date Received: 12/01/17
Matrix: AQ - Field Blank Water	Percent Solids: n/a
Method: SW846 8270D BY SIM SW846 3510C	
Project: Navy Wells OU2, Bethpage, NY	

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	3M73034.D	1	12/15/17 22:16	KM	12/05/17 16:15	OP8420A	E3M3506
Run #2							

Run #	Initial Volume	Final Volume
Run #1	980 ml	1.0 ml
Run #2		

CAS No.	Compound	Result	RL	MDL	Units	Q
123-91-1	1,4-Dioxane ^a	ND	0.10	0.050	ug/l	J
CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits		
4165-60-0	Nitrobenzene-d5	93%		29-124%		
321-60-8	2-Fluorobiphenyl	78%		23-122%		
1718-51-0	Terphenyl-d14	103%		22-130%		

(a) Associated CCV outside of control limits low.

ND = Not detected	MDL = Method Detection Limit	J = Indicates an estimated value
RL = Reporting Limit		B = Indicates analyte found in associated method blank
E = Indicates value exceeds calibration range		N = Indicates presumptive evidence of a compound

4.2
4

Report of Analysis

Client Sample ID: TB113017PP1		Date Sampled: 11/30/17
Lab Sample ID: JC56402-3		Date Received: 12/01/17
Matrix: AQ - Trip Blank Water		Percent Solids: n/a
Method: SW846 8260C		
Project: Navy Wells OU2, Bethpage, NY		

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethene	ND	1.0	0.27	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.62	ug/l	
	m,p-Xylene	ND	1.0	0.43	ug/l	
95-47-6	o-Xylene	ND	1.0	0.22	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	118%		80-120%
17060-07-0	1,2-Dichloroethane-D4	114%		81-124%
2037-26-5	Toluene-D8	103%		80-120%
460-00-4	4-Bromofluorobenzene	101%		80-120%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

(a) Associated CCV outside of control limits low.

ND = Not detected MDL = Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

4.3
4

Report of Analysis

Client Sample ID: RE130D2		Date Sampled: 12/01/17
Lab Sample ID: JC56403-1		Date Received: 12/01/17
Matrix: AQ - Ground Water		Percent Solids: n/a
Method: SW846 8260C		
Project: Navy Wells OU2, Bethpage, NY		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	2B156450.D	1	12/07/17 22:46	EH	n/a	n/a	V2B6958
Run #2							

Run #	Purge Volume
Run #1	5.0 ml
Run #2	

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	10	5.0	ug/l	
71-43-2	Benzene	ND	0.50	0.17	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.22	ug/l	
75-25-2	Bromoform ^a	ND	1.0	0.42	ug/l	J
74-83-9	Bromomethane	ND	2.0	1.4	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	4.8	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.50	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.34	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.24	ug/l	
75-00-3	Chloroethane	ND	1.0	0.59	ug/l	
67-66-3	Chloroform	ND	1.0	0.29	ug/l	
74-87-3	Chloromethane	ND	1.0	0.53	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.16	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.21	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.20	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.47	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.50	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.40	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.24	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.25	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.22	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.22	ug/l	
76-13-1	Freon 113	ND	5.0	1.2	ug/l	
591-78-6	2-Hexanone	ND	5.0	3.3	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	3.0	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.24	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.17	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.50	ug/l	
108-88-3	Toluene	ND	1.0	0.25	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.25	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.24	ug/l	

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.1
4

Report of Analysis

Client Sample ID: RE130D2		Date Sampled: 12/01/17
Lab Sample ID: JC56403-1		Date Received: 12/01/17
Matrix: AQ - Ground Water		Percent Solids: n/a
Method: SW846 8260C		
Project: Navy Wells OU2, Bethpage, NY		

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethene	ND	1.0	0.27	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.62	ug/l	
	m,p-Xylene	ND	1.0	0.43	ug/l	
95-47-6	o-Xylene	ND	1.0	0.22	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	120%		80-120%
17060-07-0	1,2-Dichloroethane-D4	115%		81-124%
2037-26-5	Toluene-D8	103%		80-120%
460-00-4	4-Bromofluorobenzene	100%		80-120%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

(a) Associated CCV outside of control limits low.

ND = Not detected MDL = Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

4.1
4

Report of Analysis

Client Sample ID: RE130D2	Date Sampled: 12/01/17
Lab Sample ID: JC56403-1	Date Received: 12/01/17
Matrix: AQ - Ground Water	Percent Solids: n/a
Method: SW846 8270D BY SIM SW846 3510C	
Project: Navy Wells OU2, Bethpage, NY	

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	3M73060.D	1	12/18/17 13:56	KM	12/05/17 16:15	OP8420A	E3M3507
Run #2							

	Initial Volume	Final Volume
Run #1	1000 ml	1.0 ml
Run #2		

CAS No.	Compound	Result	RL	MDL	Units	Q
123-91-1	1,4-Dioxane	ND	0.10	0.049	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
4165-60-0	Nitrobenzene-d5	78%		29-124%
321-60-8	2-Fluorobiphenyl	81%		23-122%
1718-51-0	Terphenyl-d14	101%		22-130%

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.1
4

Report of Analysis

Client Sample ID: RE130D1	Date Sampled: 12/01/17
Lab Sample ID: JC56403-2	Date Received: 12/01/17
Matrix: AQ - Ground Water	Percent Solids: n/a
Method: SW846 8260C	
Project: Navy Wells OU2, Bethpage, NY	

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethene	ND	1.0	0.27	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.62	ug/l	
	m,p-Xylene	ND	1.0	0.43	ug/l	
95-47-6	o-Xylene	ND	1.0	0.22	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	109%		80-120%
17060-07-0	1,2-Dichloroethane-D4	111%		81-124%
2037-26-5	Toluene-D8	104%		80-120%
460-00-4	4-Bromofluorobenzene	107%		80-120%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

(a) Associated CCV outside of control limits high, sample was ND.

ND = Not detected MDL = Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

4.2
4

Report of Analysis

Client Sample ID: RE130D1	Date Sampled: 12/01/17
Lab Sample ID: JC56403-2	Date Received: 12/01/17
Matrix: AQ - Ground Water	Percent Solids: n/a
Method: SW846 8270D BY SIM SW846 3510C	
Project: Navy Wells OU2, Bethpage, NY	

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	3M73038.D	1	12/16/17 00:21	KM	12/05/17 16:15	OP8420A	E3M3506
Run #2							

Run #	Initial Volume	Final Volume
Run #1	1000 ml	1.0 ml
Run #2		

CAS No.	Compound	Result	RL	MDL	Units	Q
123-91-1	1,4-Dioxane ^a	ND	0.10	0.049	ug/l	J
CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits		
4165-60-0	Nitrobenzene-d5	89%		29-124%		
321-60-8	2-Fluorobiphenyl	83%		23-122%		
1718-51-0	Terphenyl-d14	94%		22-130%		

(a) Associated CCV outside of control limits low.

ND = Not detected	MDL = Method Detection Limit	J = Indicates an estimated value
RL = Reporting Limit		B = Indicates analyte found in associated method blank
E = Indicates value exceeds calibration range		N = Indicates presumptive evidence of a compound

4.2
4

Report of Analysis

Client Sample ID: FB120117PP1		
Lab Sample ID: JC56403-3		Date Sampled: 12/01/17
Matrix: AQ - Field Blank Water		Date Received: 12/01/17
Method: SW846 8260C		Percent Solids: n/a
Project: Navy Wells OU2, Bethpage, NY		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	2B156448.D	1	12/07/17 21:43	EH	n/a	n/a	V2B6958
Run #2							

Run #	Purge Volume
Run #1	5.0 ml
Run #2	

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	10	5.0	ug/l	
71-43-2	Benzene	ND	0.50	0.17	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.22	ug/l	
75-25-2	Bromoform ^a	ND	1.0	0.42	ug/l	J
74-83-9	Bromomethane	ND	2.0	1.4	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	4.8	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.50	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.34	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.24	ug/l	
75-00-3	Chloroethane	ND	1.0	0.59	ug/l	
67-66-3	Chloroform	ND	1.0	0.29	ug/l	
74-87-3	Chloromethane	ND	1.0	0.53	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.16	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.21	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.20	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.47	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.50	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.40	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.24	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.25	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.22	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.22	ug/l	
76-13-1	Freon 113	ND	5.0	1.2	ug/l	
591-78-6	2-Hexanone	ND	5.0	3.3	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	3.0	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.24	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.17	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.50	ug/l	
108-88-3	Toluene	ND	1.0	0.25	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.25	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.24	ug/l	

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.3
4

Report of Analysis

Client Sample ID: FB120117PP1 Lab Sample ID: JC56403-3 Matrix: AQ - Field Blank Water Method: SW846 8260C Project: Navy Wells OU2, Bethpage, NY	Date Sampled: 12/01/17 Date Received: 12/01/17 Percent Solids: n/a
--	---

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethene	ND	1.0	0.27	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.62	ug/l	
	m,p-Xylene	ND	1.0	0.43	ug/l	
95-47-6	o-Xylene	ND	1.0	0.22	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	119%		80-120%
17060-07-0	1,2-Dichloroethane-D4	113%		81-124%
2037-26-5	Toluene-D8	105%		80-120%
460-00-4	4-Bromofluorobenzene	102%		80-120%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

(a) Associated CCV outside of control limits low.

ND = Not detected MDL = Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

4.3
4

Report of Analysis

Client Sample ID: FB120117PP1	Date Sampled: 12/01/17
Lab Sample ID: JC56403-3	Date Received: 12/01/17
Matrix: AQ - Field Blank Water	Percent Solids: n/a
Method: SW846 8270D BY SIM SW846 3510C	
Project: Navy Wells OU2, Bethpage, NY	

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	3M73061.D	1	12/18/17 14:28	KM	12/05/17 16:15	OP8420A	E3M3507
Run #2							

Run #	Initial Volume	Final Volume
Run #1	1000 ml	1.0 ml
Run #2		

CAS No.	Compound	Result	RL	MDL	Units	Q
123-91-1	1,4-Dioxane	ND	0.10	0.049	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
4165-60-0	Nitrobenzene-d5	68%		29-124%
321-60-8	2-Fluorobiphenyl	66%		23-122%
1718-51-0	Terphenyl-d14	99%		22-130%

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.3
4

Report of Analysis

Client Sample ID: TB120117PP1		Date Sampled: 12/01/17
Lab Sample ID: JC56403-4		Date Received: 12/01/17
Matrix: AQ - Trip Blank Water		Percent Solids: n/a
Method: SW846 8260C		
Project: Navy Wells OU2, Bethpage, NY		

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethene	ND	1.0	0.27	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.62	ug/l	
	m,p-Xylene	ND	1.0	0.43	ug/l	
95-47-6	o-Xylene	ND	1.0	0.22	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	109%		80-120%
17060-07-0	1,2-Dichloroethane-D4	110%		81-124%
2037-26-5	Toluene-D8	104%		80-120%
460-00-4	4-Bromofluorobenzene	108%		80-120%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

(a) Associated CCV outside of control limits high, sample was ND.

ND = Not detected MDL = Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

4.4
4

Navy Wells-

Operable Unit 2

Data Review

Bethpage, New York

Volatile and Semi-Volatile Analyses

SDGs # JC56628 and JC56636

Analyses Performed By:
Accutest-SGS Laboratories
Dayton, New Jersey

Report #29159R
Review Level: Tier II
Project: NY001496.23TM.NAVI4



SUMMARY

This data quality assessment summarizes the review of Sample Delivery Groups (SDGs) #JC56628 and JC56636 samples collected in association with the Navy Wells at the Bethpage, NY site. The review was conducted as a Tier II evaluation and included review of data package completeness. Only analytical data associated with constituents of concern were reviewed for this validation. Field documentation was not included in this review. Included with this assessment are the validation annotated sample result sheets, and chain of custody. Analyses were performed on the following samples:

SDG Number	Sample ID	Lab ID	Matrix	Sample Collection Date	Parent Sample	Analysis				
						VOC	SVOC	PCB	MET	MISC
JC56628	RE127D1	JC56628-1	Water	12/4/2017		X	X			
	RE127D2	JC56628-2	Water	12/4/2017		X	X			
	FB120417DC1	JC56628-3	Water	12/4/2017		X	X			
	TB120417AR1	JC56628-4	Water	12/4/2017		X				
JC56636	RE118D1	JC56636-1	Water	12/4/2017		X	X			
	TB120417PP1	JC56636-2	Water	12/4/2017		X				
	FB120417PP1	JC56636-3	Water	12/4/2017		X	X			

ANALYTICAL DATA PACKAGE DOCUMENTATION

The table below is the evaluation of the data package completeness.

Items Reviewed	Reported		Performance Acceptable		Not Required
	No	Yes	No	Yes	
1. Sample receipt condition		X		X	
2. Requested analyses and sample results		X		X	
3. Master tracking list		X		X	
4. Methods of analysis		X		X	
5. Reporting limits		X		X	
6. Sample collection date		X		X	
7. Laboratory sample received date		X		X	
8. Sample preservation verification (as applicable)		X		X	
9. Sample preparation/extraction/analysis dates		X		X	
10. Fully executed Chain-of-Custody (COC) form		X		X	
11. Narrative summary of QA or sample problems provided		X		X	
12. Data Package Completeness and Compliance		X		X	

Note:

QA - Quality Assurance

ORGANIC ANALYSIS INTRODUCTION

Analyses were performed according to United States Environmental Protection Agency (USEPA) SW-846 methods 8260C and 8270D-Selected Ion Monitoring (SIM). Data were reviewed in accordance with USEPA National Functional Guidelines of October 1999.

The data review process is an evaluation of data on a technical basis rather than a determination of contract compliance. As such, the standards against which the data are being weighed may differ from those specified in the analytical method. It is assumed that the data package represents the best efforts of the laboratory and had already been subjected to adequate and sufficient quality review prior to submission.

During the review process, laboratory qualified and unqualified data are verified against the supporting documentation. Based on this evaluation, qualifier codes may be added, deleted, or modified by the data reviewer. Results are qualified with the following codes in accordance with USEPA National Functional Guidelines:

- Concentration (C) Qualifiers

U The compound was analyzed for but not detected. The associated value is the compound quantitation limit.

B The compound has been found in the sample as well as its associated blank, its presence in the sample may be suspect.

- Quantitation (Q) Qualifiers

E The compound was quantitated above the calibration range.

D Concentration is based on a diluted sample analysis.

- Validation Qualifiers

J The compound was positively identified; however, the associated numerical value is an estimated concentration only.

UJ The compound was not detected above the reported sample quantitation limit. However, the reported limit is approximate and may or may not represent the actual limit of quantitation.

JN The analysis indicates the presence of a compound for which there is presumptive evidence to make a tentative identification. The associated numerical value is an estimated concentration only.

UB Compound considered non-detect at the listed value due to associated blank contamination.

N The analysis indicates the presence of a compound for which there is presumptive evidence to make a tentative identification.

R The sample results are rejected.

Two facts should be noted by all data users. First, the "R" flag means that the associated value is unusable. In other words, due to significant quality control (QC) problems, the analysis is invalid and

provides no information as to whether the compound is present or not. "R" values should not appear on data tables because they cannot be relied upon, even as a last resort. The second fact to keep in mind is that no compound concentration, even if it has passed all QC tests, is guaranteed to be accurate. Strict QC serves to increase confidence in data but any value potentially contains error.

VOLATILE ORGANIC COMPOUNDS (VOC) ANALYSES

1. Holding Times

The specified holding times for the following methods are presented in the following table.

Method	Matrix	Holding Time	Preservation
SW-846 8260C	Water	14 days from collection to analysis	Cool to <6 °C; preserved to a pH of less than 2 s.u.

Note:

s.u. = Standard units

All samples were analyzed within the specified holding time criteria.

2. Blank Contamination

Quality assurance (QA) blanks (i.e., method and rinse blanks) are prepared to identify any contamination which may have been introduced into the samples during sample preparation or field activity. Method blanks measure laboratory contamination. Rinse blanks measure contamination of samples during field operations.

A blank action level (BAL) of five times the concentration of a detected compound in an associated blank (common laboratory contaminant compounds are calculated at ten times) is calculated for QA blanks containing concentrations greater than the method detection limit (MDL). The BAL is compared to the associated sample results to determine the appropriate qualification of the sample results, if needed.

Compounds were not detected above the MDL in the associated blanks; therefore, detected sample results were not associated with blank contamination.

3. Surrogates/System Monitoring Compounds

All samples to be analyzed for organic compounds are spiked with surrogate compounds prior to sample preparation to evaluate overall laboratory performance and efficiency of the analytical technique. VOC analysis requires that all surrogates associated with the analysis exhibit recoveries within the laboratory-established acceptance limits.

All surrogate recoveries were within control limits.

4. Matrix Spike/Matrix Spike Duplicate (MS/MSD) Analysis

MS/MSD data are used to assess the precision and accuracy of the analytical method. The compounds used to perform the MS/MSD analysis must exhibit a percent recovery within the laboratory-established acceptance limits. The relative percent difference (RPD) between the MS/MSD recoveries must exhibit an RPD within the laboratory-established acceptance limits.

Note: The MS/MSD recovery control limits do not apply for MS/MSD performed on sample locations where the compound concentration detected in the parent sample exceeds the MS/MSD concentration by a factor of four or greater.

A MS/MSD was not performed on a sample location associated with either SDG.

5. Laboratory Control Sample (LCS) Analysis

The LCS analysis is used to assess the precision and accuracy of the analytical method independent of matrix interferences. The compounds associated with the LCS analysis must exhibit a percent recovery within the laboratory-established acceptance limits.

All compounds associated with the LCS analysis exhibited acceptable recoveries.

6. Field Duplicate Analysis

Field duplicate analysis is used to assess the overall precision of the field sampling procedures and analytical method. A control limit of 30% for water matrices is applied to the RPD between the parent sample and the field duplicate. In the instance when the parent and/or duplicate sample concentrations are less than or equal to 5 times the RL, a control limit of two times the RL is applied for water matrices.

A field duplicate was not collected with a sample location associated with the SDGs validated in the report.

7. Laboratory Duplicate Analysis

The laboratory duplicate relative percent difference (RPD) criterion is applied when parent and duplicate sample concentrations are greater than or equal to 5 times the RL. A control limit of 20% for water matrices is applied when the criteria above is true. In the instance when the parent and/or duplicate sample concentrations are less than or equal to 5 times the RL, a control limit of two times the RL is applied for water matrices.

The laboratory duplicate performed on sample location RE127D1 (SDG JC56628) exhibited acceptable RPDs.

A laboratory duplicate was not performed on a sample location associated with SDG JC56636.

8. System Performance and Overall Assessment

Tentatively identified compounds (TICs) were not detected in any of the sample locations.

Continuing calibration review/validation is not included in a Tier II validation. However, the laboratory provided continuing calibration information in the case narrative, therefore it was evaluated.

In SDG JC56628: The case narrative states the continuing calibration associated with the data had percent difference (%D) exceedances with a decrease sensitivity for Acetone (>20%). This compound in all the sample locations was not detected; therefore, acetone was qualified estimate in all sample locations. Additionally, the case narrative states the continuing calibration associated with the data had percent difference (%D) exceedances with an increase sensitivity for Chloroethane (>20%). This compound in all the sample locations was not detected; therefore, qualification was not necessary.

In SDG JC56636: The case narrative states the continuing calibrations associated with all sample locations had percent difference (%D) exceedances with a decrease sensitivity for Acetone (>20%). This compound in all the sample locations was not detected; therefore, acetone was qualified as estimate. Additionally, the case narrative states the continuing calibration associated with sample location FB120417PP1 had percent difference (%D) exceedance with an increase sensitivity for Chloroethane (>20%). This compound in the sample location was not detected; therefore, qualification was not necessary.

Overall system performance was acceptable. Other than for those deviations specifically mentioned in this review, the overall data quality is within the guidelines specified in the method.

DATA VALIDATION CHECKLIST FOR VOCs

VOCs: SW-846 8260C	Reported		Performance Acceptable		Not Required
	No	Yes	No	Yes	
GAS CHROMATOGRAPHY/MASS SPECTROMETRY (GC/MS)					
Tier II Validation					
Holding times		X		X	
Reporting limits (units)		X		X	
Blanks					
A. Method blanks		X		X	
B. Equipment blanks		X		X	
C. Trip blanks		X		X	
Laboratory Control Sample (LCS) %R		X		X	
Laboratory Control Sample Duplicate(LCSD) %R					X
LCS/LCSD Precision (RPD)					X
Matrix Spike (MS) %R					X
Matrix Spike Duplicate(MSD) %R					X
MS/MSD Precision (RPD)					X
Field/Lab Duplicate (RPD)		X		X	
Surrogate Spike Recoveries		X		X	
Dilution Factor		X		X	
Moisture Content					X

Notes:

RPD Relative percent difference

%R Percent recovery

SEMI-VOLATILE ORGANIC COMPOUNDS (SVOC) ANALYSES

1. Holding Times

The specified holding times for the following methods are presented in the following table.

Method	Matrix	Holding Time	Preservation
SW-846 8270D-SIM	Water	14 days from collection to extraction and 40 days from extraction to analysis	Cool to <6 °C

All samples were analyzed within the specified holding time criteria.

2. Blank Contamination

Quality assurance (QA) blanks (i.e., method and rinse blanks) are prepared to identify any contamination which may have been introduced into the samples during sample preparation or field activity. Method blanks measure laboratory contamination. Rinse blanks measure contamination of samples during field operations.

A blank action level (BAL) of five times the concentration of a detected compound in an associated blank (common laboratory contaminant compounds are calculated at ten times) is calculated for QA blanks containing concentrations greater than the method detection limit (MDL). The BAL is compared to the associated sample results to determine the appropriate qualification of the sample results, if needed.

Compounds were not detected above the MDL in the associated blanks; therefore, detected sample results were not associated with blank contamination.

3. Surrogates/System Monitoring Compounds

All samples to be analyzed for organic compounds are spiked with surrogate compounds prior to sample preparation to evaluate overall laboratory performance and efficiency of the analytical technique. SVOC analysis requires that two of the three SVOC surrogate compounds within each fraction exhibit recoveries within the laboratory-established acceptance limits.

All surrogate recoveries were within control limits.

4. Matrix Spike/Matrix Spike Duplicate (MS/MSD) Analysis

MS/MSD data are used to assess the precision and accuracy of the analytical method. The compounds used to perform the MS/MSD analysis must exhibit a percent recovery within the laboratory-established acceptance limits. The relative percent difference (RPD) between the MS/MSD recoveries must exhibit an RPD within the laboratory-established acceptance limits.

Note: The MS/MSD recovery control limits do not apply for MS/MSD performed on sample locations where the compound concentration detected in the parent sample exceeds the MS/MSD concentration by a factor of four or greater.

The MS/MSD exhibited acceptable recoveries and RPD between the MS/MSD recoveries in SDG JC56303.

A MS/MSD was not performed on a sample location associated with either SDG.

5. Laboratory Control Sample (LCS) Analysis

The LCS analysis is used to assess the precision and accuracy of the analytical method independent of matrix interferences. The compounds associated with the LCS analysis must exhibit a percent recovery within the laboratory-established acceptance limits.

All compounds associated with the LCS analysis exhibited recoveries within the control limits in both SDGs.

6. Field Duplicate Analysis

Field duplicate analysis is used to assess the overall precision of the field sampling procedures and analytical method. A control limit of 30% for water matrices is applied to the RPD between the parent sample and the field duplicate. In the instance when the parent and/or duplicate sample concentrations are less than or equal to 5 times the RL, a control limit of two times the RL is applied for water matrices.

A field duplicate was not collected with a sample location associated with either SDG validated in this report.

7. System Performance and Overall Assessment

Overall system performance was acceptable. Other than for those deviations specifically mentioned in this review, the overall data quality is within the guidelines specified in the method.

DATA VALIDATION CHECKLIST FOR SVOCs

SVOCs: SW-846 8270D-SIM	Reported		Performance Acceptable		Not Required
	No	Yes	No	Yes	
GAS CHROMATOGRAPHY/MASS SPECTROMETRY (GC/MS)					
Tier II Validation					
Holding times		X		X	
Reporting limits (units)		X		X	
Blanks					
A. Method blanks		X		X	
B. Equipment blanks		X		X	
Laboratory Control Sample (LCS) %R		X		X	
Laboratory Control Sample Duplicate(LCSD) %R		X		X	
LCS/LCSD Precision (RPD)		X		X	
Matrix Spike (MS) %R					X
Matrix Spike Duplicate(MSD) %R					X
MS/MSD Precision (RPD)					X
Field/Lab Duplicate (RPD)					X
Surrogate Spike Recoveries		X		X	
Dilution Factor		X		X	
Moisture Content					X

Notes:

%R Percent recovery

RPD Relative percent difference

VALIDATION PERFORMED BY: Lisa Horton

SIGNATURE:



DATE: February 1, 2018

PEER REVIEW: Todd Church

DATE: February 4, 2018

CHAIN OF CUSTODY CORRECTED SAMPLE ANALYSIS DATA SHEETS

Report of Analysis

Client Sample ID: RE127D1		Date Sampled: 12/04/17
Lab Sample ID: JC56628-1		Date Received: 12/05/17
Matrix: AQ - Ground Water		Percent Solids: n/a
Method: SW846 8260C		
Project: Navy Wells OU2, Bethpage, NY		

Run #1	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	2A183611.D	1	12/08/17 14:21	HT	n/a	n/a	V2A7757
Run #2							

Run #1	Purge Volume
Run #1	5.0 ml
Run #2	

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone ^a	ND	10	5.0	ug/l	J
71-43-2	Benzene	ND	0.50	0.17	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.22	ug/l	
75-25-2	Bromoform	ND	1.0	0.42	ug/l	
74-83-9	Bromomethane	ND	2.0	1.4	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	4.8	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.50	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.34	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.24	ug/l	
75-00-3	Chloroethane ^b	ND	1.0	0.59	ug/l	
67-66-3	Chloroform	ND	1.0	0.29	ug/l	
74-87-3	Chloromethane	ND	1.0	0.53	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.16	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.21	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.20	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.47	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.50	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.40	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.24	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.25	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.22	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.22	ug/l	
76-13-1	Freon 113	ND	5.0	1.2	ug/l	
591-78-6	2-Hexanone	ND	5.0	3.3	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	3.0	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.24	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.17	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.50	ug/l	
108-88-3	Toluene	ND	1.0	0.25	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.25	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.24	ug/l	

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: RE127D1	Date Sampled: 12/04/17
Lab Sample ID: JC56628-1	Date Received: 12/05/17
Matrix: AQ - Ground Water	Percent Solids: n/a
Method: SW846 8260C	
Project: Navy Wells OU2, Bethpage, NY	

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethene	ND	1.0	0.27	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.62	ug/l	
	m,p-Xylene	ND	1.0	0.43	ug/l	
95-47-6	o-Xylene	ND	1.0	0.22	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	110%		80-120%
17060-07-0	1,2-Dichloroethane-D4	102%		81-124%
2037-26-5	Toluene-D8	98%		80-120%
460-00-4	4-Bromofluorobenzene	101%		80-120%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

- (a) Associated CCV outside of control limits low.
- (b) Associated CCV outside of control limits high, sample was ND.

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.1
4

Report of Analysis

Client Sample ID: RE127D1	Date Sampled: 12/04/17
Lab Sample ID: JC56628-1	Date Received: 12/05/17
Matrix: AQ - Ground Water	Percent Solids: n/a
Method: SW846 8270D BY SIM SW846 3510C	
Project: Navy Wells OU2, Bethpage, NY	

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	3M73092.D	1	12/19/17 20:05	KM	12/08/17 18:45	OP8489A	E3M3508
Run #2							

	Initial Volume	Final Volume
Run #1	980 ml	1.0 ml
Run #2		

CAS No.	Compound	Result	RL	MDL	Units	Q
123-91-1	1,4-Dioxane	ND	0.10	0.050	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
4165-60-0	Nitrobenzene-d5	90%		29-124%
321-60-8	2-Fluorobiphenyl	78%		23-122%
1718-51-0	Terphenyl-d14	92%		22-130%

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: RE127D2	Date Sampled: 12/04/17
Lab Sample ID: JC56628-2	Date Received: 12/05/17
Matrix: AQ - Ground Water	Percent Solids: n/a
Method: SW846 8260C	
Project: Navy Wells OU2, Bethpage, NY	

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethene	ND	1.0	0.27	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.62	ug/l	
	m,p-Xylene	ND	1.0	0.43	ug/l	
95-47-6	o-Xylene	ND	1.0	0.22	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	107%		80-120%
17060-07-0	1,2-Dichloroethane-D4	103%		81-124%
2037-26-5	Toluene-D8	100%		80-120%
460-00-4	4-Bromofluorobenzene	104%		80-120%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

- (a) Associated CCV outside of control limits low.
- (b) Associated CCV outside of control limits high, sample was ND.

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.2
4

Report of Analysis

Client Sample ID: RE127D2	Date Sampled: 12/04/17
Lab Sample ID: JC56628-2	Date Received: 12/05/17
Matrix: AQ - Ground Water	Percent Solids: n/a
Method: SW846 8270D BY SIM SW846 3510C	
Project: Navy Wells OU2, Bethpage, NY	

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	3M73093.D	1	12/19/17 20:37	KM	12/08/17 18:45	OP8489A	E3M3508
Run #2							

Run #	Initial Volume	Final Volume
Run #1	1000 ml	1.0 ml
Run #2		

CAS No.	Compound	Result	RL	MDL	Units	Q
123-91-1	1,4-Dioxane	ND	0.10	0.049	ug/l	
CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits		
4165-60-0	Nitrobenzene-d5	64%		29-124%		
321-60-8	2-Fluorobiphenyl	63%		23-122%		
1718-51-0	Terphenyl-d14	79%		22-130%		

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.2
4

Report of Analysis

Client Sample ID: FB120417DC1		Date Sampled: 12/04/17
Lab Sample ID: JC56628-3		Date Received: 12/05/17
Matrix: AQ - Field Blank Water		Percent Solids: n/a
Method: SW846 8260C		
Project: Navy Wells OU2, Bethpage, NY		

Run #1	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	2A183613.D	1	12/08/17 15:19	HT	n/a	n/a	V2A7757
Run #2							

Run #1	Purge Volume
Run #1	5.0 ml
Run #2	

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone ^a	ND	10	5.0	ug/l	J
71-43-2	Benzene	ND	0.50	0.17	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.22	ug/l	
75-25-2	Bromoform	ND	1.0	0.42	ug/l	
74-83-9	Bromomethane	ND	2.0	1.4	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	4.8	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.50	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.34	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.24	ug/l	
75-00-3	Chloroethane ^b	ND	1.0	0.59	ug/l	
67-66-3	Chloroform	ND	1.0	0.29	ug/l	
74-87-3	Chloromethane	ND	1.0	0.53	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.16	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.21	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.20	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.47	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.50	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.40	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.24	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.25	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.22	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.22	ug/l	
76-13-1	Freon 113	ND	5.0	1.2	ug/l	
591-78-6	2-Hexanone	ND	5.0	3.3	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	3.0	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.24	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.17	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.50	ug/l	
108-88-3	Toluene	ND	1.0	0.25	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.25	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.24	ug/l	

ND = Not detected MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: FB120417DC1	Date Sampled: 12/04/17
Lab Sample ID: JC56628-3	Date Received: 12/05/17
Matrix: AQ - Field Blank Water	Percent Solids: n/a
Method: SW846 8260C	
Project: Navy Wells OU2, Bethpage, NY	

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethene	ND	1.0	0.27	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.62	ug/l	
	m,p-Xylene	ND	1.0	0.43	ug/l	
95-47-6	o-Xylene	ND	1.0	0.22	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	107%		80-120%
17060-07-0	1,2-Dichloroethane-D4	100%		81-124%
2037-26-5	Toluene-D8	100%		80-120%
460-00-4	4-Bromofluorobenzene	103%		80-120%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

- (a) Associated CCV outside of control limits low.
- (b) Associated CCV outside of control limits high, sample was ND.

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.3
4

Report of Analysis

Client Sample ID: FB120417DC1	Date Sampled: 12/04/17
Lab Sample ID: JC56628-3	Date Received: 12/05/17
Matrix: AQ - Field Blank Water	Percent Solids: n/a
Method: SW846 8270D BY SIM SW846 3510C	
Project: Navy Wells OU2, Bethpage, NY	

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	3M73094.D	1	12/19/17 21:09	KM	12/08/17 18:45	OP8489A	E3M3508
Run #2							

Run #	Initial Volume	Final Volume
Run #1	930 ml	1.0 ml
Run #2		

CAS No.	Compound	Result	RL	MDL	Units	Q
123-91-1	1,4-Dioxane	ND	0.11	0.052	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
4165-60-0	Nitrobenzene-d5	84%		29-124%
321-60-8	2-Fluorobiphenyl	74%		23-122%
1718-51-0	Terphenyl-d14	94%		22-130%

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.3
4

Report of Analysis

Client Sample ID: TB120417AR1		Date Sampled: 12/04/17
Lab Sample ID: JC56628-4		Date Received: 12/05/17
Matrix: AQ - Trip Blank Water		Percent Solids: n/a
Method: SW846 8260C		
Project: Navy Wells OU2, Bethpage, NY		

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethene	ND	1.0	0.27	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.62	ug/l	
	m,p-Xylene	ND	1.0	0.43	ug/l	
95-47-6	o-Xylene	ND	1.0	0.22	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	108%		80-120%
17060-07-0	1,2-Dichloroethane-D4	102%		81-124%
2037-26-5	Toluene-D8	100%		80-120%
460-00-4	4-Bromofluorobenzene	104%		80-120%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

- (a) Associated CCV outside of control limits low.
- (b) Associated CCV outside of control limits high, sample was ND.

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.4
4

Report of Analysis

Client Sample ID: RE118D1 Lab Sample ID: JC56636-1 Matrix: AQ - Ground Water Method: SW846 8260C Project: Navy Wells OU2, Bethpage, NY	Date Sampled: 12/04/17 Date Received: 12/05/17 Percent Solids: n/a
---	---

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethene	ND	1.0	0.27	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.62	ug/l	
	m,p-Xylene	ND	1.0	0.43	ug/l	
95-47-6	o-Xylene	ND	1.0	0.22	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	107%		80-120%
17060-07-0	1,2-Dichloroethane-D4	100%		81-124%
2037-26-5	Toluene-D8	101%		80-120%
460-00-4	4-Bromofluorobenzene	102%		80-120%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

(a) Associated CCV outside of control limits low.

ND = Not detected MDL = Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

4.1
4

Report of Analysis

Client Sample ID: RE118D1	Date Sampled: 12/04/17
Lab Sample ID: JC56636-1	Date Received: 12/05/17
Matrix: AQ - Ground Water	Percent Solids: n/a
Method: SW846 8270D BY SIM SW846 3510C	
Project: Navy Wells OU2, Bethpage, NY	

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	3M73095.D	1	12/19/17 21:42	KM	12/08/17 18:45	OP8489A	E3M3508
Run #2							

	Initial Volume	Final Volume
Run #1	1000 ml	1.0 ml
Run #2		

CAS No.	Compound	Result	RL	MDL	Units	Q
123-91-1	1,4-Dioxane	ND	0.10	0.049	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
4165-60-0	Nitrobenzene-d5	82%		29-124%
321-60-8	2-Fluorobiphenyl	72%		23-122%
1718-51-0	Terphenyl-d14	74%		22-130%

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.1
4

Report of Analysis

Client Sample ID: FB120417PP1		
Lab Sample ID: JC56636-2		Date Sampled: 12/04/17
Matrix: AQ - Field Blank Water		Date Received: 12/05/17
Method: SW846 8260C		Percent Solids: n/a
Project: Navy Wells OU2, Bethpage, NY		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	2A183622.D	1	12/08/17 19:40	HT	n/a	n/a	V2A7757
Run #2							

Run #	Purge Volume
Run #1	5.0 ml
Run #2	

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone ^a	ND	10	5.0	ug/l	J
71-43-2	Benzene	ND	0.50	0.17	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.22	ug/l	
75-25-2	Bromoform	ND	1.0	0.42	ug/l	
74-83-9	Bromomethane	ND	2.0	1.4	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	4.8	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.50	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.34	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.24	ug/l	
75-00-3	Chloroethane ^b	ND	1.0	0.59	ug/l	
67-66-3	Chloroform	ND	1.0	0.29	ug/l	
74-87-3	Chloromethane	ND	1.0	0.53	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.16	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.21	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.20	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.47	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.50	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.40	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.24	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.25	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.22	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.22	ug/l	
76-13-1	Freon 113	ND	5.0	1.2	ug/l	
591-78-6	2-Hexanone	ND	5.0	3.3	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	3.0	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.24	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.17	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.50	ug/l	
108-88-3	Toluene	ND	1.0	0.25	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.25	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.24	ug/l	

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.2
4

Report of Analysis

Client Sample ID: FB120417PP1	Date Sampled: 12/04/17
Lab Sample ID: JC56636-2	Date Received: 12/05/17
Matrix: AQ - Field Blank Water	Percent Solids: n/a
Method: SW846 8260C	
Project: Navy Wells OU2, Bethpage, NY	

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethene	ND	1.0	0.27	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.62	ug/l	
	m,p-Xylene	ND	1.0	0.43	ug/l	
95-47-6	o-Xylene	ND	1.0	0.22	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	107%		80-120%
17060-07-0	1,2-Dichloroethane-D4	100%		81-124%
2037-26-5	Toluene-D8	100%		80-120%
460-00-4	4-Bromofluorobenzene	104%		80-120%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

- (a) Associated CCV outside of control limits low.
- (b) Associated CCV outside of control limits high, sample was ND.

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.2
4

Report of Analysis

Client Sample ID: FB120417PP1	Date Sampled: 12/04/17
Lab Sample ID: JC56636-2	Date Received: 12/05/17
Matrix: AQ - Field Blank Water	Percent Solids: n/a
Method: SW846 8270D BY SIM SW846 3510C	
Project: Navy Wells OU2, Bethpage, NY	

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	3M73096.D	1	12/19/17 22:14	KM	12/08/17 18:45	OP8489A	E3M3508
Run #2							

Run #	Initial Volume	Final Volume
Run #1	1000 ml	1.0 ml
Run #2		

CAS No.	Compound	Result	RL	MDL	Units	Q
123-91-1	1,4-Dioxane	ND	0.10	0.049	ug/l	
CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits		
4165-60-0	Nitrobenzene-d5	90%		29-124%		
321-60-8	2-Fluorobiphenyl	76%		23-122%		
1718-51-0	Terphenyl-d14	99%		22-130%		

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.2
4

Report of Analysis

Client Sample ID: TB120417PP1		Date Sampled: 12/04/17
Lab Sample ID: JC56636-3		Date Received: 12/05/17
Matrix: AQ - Trip Blank Water		Percent Solids: n/a
Method: SW846 8260C		
Project: Navy Wells OU2, Bethpage, NY		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	2A183645.D	1	12/11/17 16:42	HT	n/a	n/a	V2A7759
Run #2							

Run #	Purge Volume
Run #1	5.0 ml
Run #2	

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone ^a	ND	10	5.0	ug/l	J
71-43-2	Benzene	ND	0.50	0.17	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.22	ug/l	
75-25-2	Bromoform	ND	1.0	0.42	ug/l	
74-83-9	Bromomethane	ND	2.0	1.4	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	4.8	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.50	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.34	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.24	ug/l	
75-00-3	Chloroethane	ND	1.0	0.59	ug/l	
67-66-3	Chloroform	ND	1.0	0.29	ug/l	
74-87-3	Chloromethane	ND	1.0	0.53	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.16	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.21	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.20	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.47	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.50	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.40	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.24	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.25	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.22	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.22	ug/l	
76-13-1	Freon 113	ND	5.0	1.2	ug/l	
591-78-6	2-Hexanone	ND	5.0	3.3	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	3.0	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.24	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.17	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.50	ug/l	
108-88-3	Toluene	ND	1.0	0.25	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.25	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.24	ug/l	

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.3
 4

Report of Analysis

Client Sample ID: TB120417PP1		Date Sampled: 12/04/17
Lab Sample ID: JC56636-3		Date Received: 12/05/17
Matrix: AQ - Trip Blank Water		Percent Solids: n/a
Method: SW846 8260C		
Project: Navy Wells OU2, Bethpage, NY		

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethene	ND	1.0	0.27	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.62	ug/l	
	m,p-Xylene	ND	1.0	0.43	ug/l	
95-47-6	o-Xylene	ND	1.0	0.22	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	107%		80-120%
17060-07-0	1,2-Dichloroethane-D4	101%		81-124%
2037-26-5	Toluene-D8	100%		80-120%
460-00-4	4-Bromofluorobenzene	101%		80-120%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

(a) Associated CCV outside of control limits low.

ND = Not detected MDL = Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

4.3
4

Navy Wells-

Operable Unit 2

Data Review

Bethpage, New York

Volatile and Semi-Volatile Analyses

SDGs #JC56748 and JC57025

Analyses Performed By:
Accutest-SGS Laboratories
Dayton, New Jersey

Report #29160R
Review Level: Tier II
Project: NY001496.23TM.NAVI4

SUMMARY

This data quality assessment summarizes the review of Sample Delivery Groups (SDGs) #JC56748 and JC57025 samples collected in association with the Navy Wells at the Bethpage, NY site. The review was conducted as a Tier II evaluation and included review of data package completeness. Only analytical data associated with constituents of concern were reviewed for this validation. Field documentation was not included in this review. Included with this assessment are the validation annotated sample result sheets, and chain of custody. Analyses were performed on the following samples:

SDG Number	Sample ID	Lab ID	Matrix	Sample Collection Date	Parent Sample	Analysis				
						VOC	SVOC	PCB	MET	MISC
JC56748	RE121D2	JC56748-1	Water	12/5/2017		X	X			
	FB120517PP1	JC56748-2	Water	12/5/2017		X	X			
	TB120517PP1	JC56748-3	Water	12/5/2017		X				
	RE121D1	JC56748-4	Water	12/5/2017		X	X			
JC57025	TT-102D2	JC57025-1	Water	12/7/2017		X*	X			
	TB120717PP1	JC57025-2	Water	12/7/2017		X*				
	TT-102D	JC57025-3	Water	12/7/2017		X*	X			

Note:

1. (*) Sample locations analyzed by USEPA method 524.4.

ANALYTICAL DATA PACKAGE DOCUMENTATION

The table below is the evaluation of the data package completeness.

Items Reviewed	Reported		Performance Acceptable		Not Required
	No	Yes	No	Yes	
1. Sample receipt condition		X		X	
2. Requested analyses and sample results		X		X	
3. Master tracking list		X		X	
4. Methods of analysis		X		X	
5. Reporting limits		X		X	
6. Sample collection date		X		X	
7. Laboratory sample received date		X		X	
8. Sample preservation verification (as applicable)		X		X	
9. Sample preparation/extraction/analysis dates		X		X	
10. Fully executed Chain-of-Custody (COC) form		X		X	
11. Narrative summary of QA or sample problems provided		X		X	
12. Data Package Completeness and Compliance		X		X	

Note:

QA - Quality Assurance

ORGANIC ANALYSIS INTRODUCTION

Analyses were performed according to United States Environmental Protection Agency (USEPA) SW-846 methods 8260C and 8270D-Selected Ion Monitoring (SIM), and USEPA method 524.2. Data were reviewed in accordance with USEPA National Functional Guidelines of October 1999.

The data review process is an evaluation of data on a technical basis rather than a determination of contract compliance. As such, the standards against which the data are being weighed may differ from those specified in the analytical method. It is assumed that the data package represents the best efforts of the laboratory and had already been subjected to adequate and sufficient quality review prior to submission.

During the review process, laboratory qualified and unqualified data are verified against the supporting documentation. Based on this evaluation, qualifier codes may be added, deleted, or modified by the data reviewer. Results are qualified with the following codes in accordance with USEPA National Functional Guidelines:

- Concentration (C) Qualifiers
 - U The compound was analyzed for but not detected. The associated value is the compound quantitation limit.
 - B The compound has been found in the sample as well as its associated blank, its presence in the sample may be suspect.
- Quantitation (Q) Qualifiers
 - E The compound was quantitated above the calibration range.
 - D Concentration is based on a diluted sample analysis.
- Validation Qualifiers
 - J The compound was positively identified; however, the associated numerical value is an estimated concentration only.
 - UJ The compound was not detected above the reported sample quantitation limit. However, the reported limit is approximate and may or may not represent the actual limit of quantitation.
 - JN The analysis indicates the presence of a compound for which there is presumptive evidence to make a tentative identification. The associated numerical value is an estimated concentration only.
 - UB Compound considered non-detect at the listed value due to associated blank contamination.
 - N The analysis indicates the presence of a compound for which there is presumptive evidence to make a tentative identification.
 - R The sample results are rejected.

Two facts should be noted by all data users. First, the "R" flag means that the associated value is unusable. In other words, due to significant quality control (QC) problems, the analysis is invalid and

provides no information as to whether the compound is present or not. "R" values should not appear on data tables because they cannot be relied upon, even as a last resort. The second fact to keep in mind is that no compound concentration, even if it has passed all QC tests, is guaranteed to be accurate. Strict QC serves to increase confidence in data but any value potentially contains error.

VOLATILE ORGANIC COMPOUNDS (VOC) ANALYSES

1. Holding Times

The specified holding times for the following methods are presented in the following table.

Method	Matrix	Holding Time	Preservation
SW-846 8260C	Water	14 days from collection to analysis	Cool to <6 °C; preserved to a pH of less than 2 s.u.
EPA 524.2	Water	14 days from collection to analysis	Cool to <6 °C; preserved to a pH of less than 2 s.u.

Note:

s.u. = Standard units

All samples were analyzed within the specified holding time criteria.

2. Blank Contamination

Quality assurance (QA) blanks (i.e., method and rinse blanks) are prepared to identify any contamination which may have been introduced into the samples during sample preparation or field activity. Method blanks measure laboratory contamination. Rinse blanks measure contamination of samples during field operations.

A blank action level (BAL) of five times the concentration of a detected compound in an associated blank (common laboratory contaminant compounds are calculated at ten times) is calculated for QA blanks containing concentrations greater than the method detection limit (MDL). The BAL is compared to the associated sample results to determine the appropriate qualification of the sample results, if needed.

Compounds were not detected above the MDL in the associated blanks; therefore, detected sample results were not associated with blank contamination.

3. Surrogates/System Monitoring Compounds

All samples to be analyzed for organic compounds are spiked with surrogate compounds prior to sample preparation to evaluate overall laboratory performance and efficiency of the analytical technique. VOC analysis requires that all surrogates associated with the analysis exhibit recoveries within the laboratory-established acceptance limits.

All surrogate recoveries were within control limits.

4. Matrix Spike/Matrix Spike Duplicate (MS/MSD) Analysis

MS/MSD data are used to assess the precision and accuracy of the analytical method. The compounds used to perform the MS/MSD analysis must exhibit a percent recovery within the laboratory-established acceptance limits. The relative percent difference (RPD) between the MS/MSD recoveries must exhibit an RPD within the laboratory-established acceptance limits.

Note: The MS/MSD recovery control limits do not apply for MS/MSD performed on sample locations where the compound concentration detected in the parent sample exceeds the MS/MSD concentration by a factor of four or greater.

A MS/MSD was not performed on a sample location associated with either SDG.

5. Laboratory Control Sample (LCS) Analysis

The LCS analysis is used to assess the precision and accuracy of the analytical method independent of matrix interferences. The compounds associated with the LCS analysis must exhibit a percent recovery within the laboratory-established acceptance limits.

Sample locations associated with LCS analysis exhibiting recoveries outside of the control limits presented in the following table.

Sample Locations	Compound	LCS Recovery
SDG JC65748: RE121D2 FB120517PP1	Acetone	>UL
TB120517PP1 RE121D1	2-Hexanone	>UL

The criteria used to evaluate the LCS recoveries are presented in the following table. In the case of an LCS deviation, the sample results are qualified as documented in the table below.

Control Limit	Sample Result	Qualification
> the upper control limit (UL)	Non-detect	No Action
	Detect	J
< the lower control limit (LL) but > 10%	Non-detect	UJ
	Detect	J
< 10%	Non-detect	R
	Detect	J

All compounds associated with the LCS analysis exhibited acceptable recoveries in SDG JC57025.

6. Field Duplicate Analysis

Field duplicate analysis is used to assess the overall precision of the field sampling procedures and analytical method. A control limit of 30% for water matrices is applied to the RPD between the parent

sample and the field duplicate. In the instance when the parent and/or duplicate sample concentrations are less than or equal to 5 times the RL, a control limit of two times the RL is applied for water matrices.

A field duplicate was not collected with a sample location associated with the SDGs validated in the report.

7. Laboratory Duplicate Analysis

The laboratory duplicate relative percent difference (RPD) criterion is applied when parent and duplicate sample concentrations are greater than or equal to 5 times the RL. A control limit of 20% for water matrices is applied when the criteria above is true. In the instance when the parent and/or duplicate sample concentrations are less than or equal to 5 times the RL, a control limit of two times the RL is applied for water matrices.

A laboratory duplicate was not performed on a sample location associated with SDG JC56748.

The laboratory duplicate performed on sample location TT-102D2 (SDG JC57025) exhibited acceptable RPDs.

8. System Performance and Overall Assessment

Tentatively identified compounds (TICs) were not detected in any of the sample locations.

Overall system performance was acceptable. Other than for those deviations specifically mentioned in this review, the overall data quality is within the guidelines specified in the method.

DATA VALIDATION CHECKLIST FOR VOCs

VOCs: SW-846 8260C	Reported		Performance Acceptable		Not Required
	No	Yes	No	Yes	
GAS CHROMATOGRAPHY/MASS SPECTROMETRY (GC/MS)					
Tier II Validation					
Holding times		X		X	
Reporting limits (units)		X		X	
Blanks					
A. Method blanks		X		X	
B. Equipment blanks		X		X	
C. Trip blanks		X		X	
Laboratory Control Sample (LCS) %R		X	X		
Laboratory Control Sample Duplicate(LCSD) %R					X
LCS/LCSD Precision (RPD)					X
Matrix Spike (MS) %R					X
Matrix Spike Duplicate(MSD) %R					X
MS/MSD Precision (RPD)					X
Field/Lab Duplicate (RPD)		X		X	
Surrogate Spike Recoveries		X		X	
Dilution Factor		X		X	
Moisture Content					X

Notes:

RPD Relative percent difference

%R Percent recovery

SEMI-VOLATILE ORGANIC COMPOUNDS (SVOC) ANALYSES

1. Holding Times

The specified holding times for the following methods are presented in the following table.

Method	Matrix	Holding Time	Preservation
SW-846 8270D-SIM	Water	14 days from collection to extraction and 40 days from extraction to analysis	Cool to <6 °C

All samples were analyzed within the specified holding time criteria.

2. Blank Contamination

Quality assurance (QA) blanks (i.e., method and rinse blanks) are prepared to identify any contamination which may have been introduced into the samples during sample preparation or field activity. Method blanks measure laboratory contamination. Rinse blanks measure contamination of samples during field operations.

A blank action level (BAL) of five times the concentration of a detected compound in an associated blank (common laboratory contaminant compounds are calculated at ten times) is calculated for QA blanks containing concentrations greater than the method detection limit (MDL). The BAL is compared to the associated sample results to determine the appropriate qualification of the sample results, if needed.

Compounds were not detected above the MDL in the associated blanks; therefore, detected sample results were not associated with blank contamination.

3. Surrogates/System Monitoring Compounds

All samples to be analyzed for organic compounds are spiked with surrogate compounds prior to sample preparation to evaluate overall laboratory performance and efficiency of the analytical technique. SVOC analysis requires that two of the three SVOC surrogate compounds within each fraction exhibit recoveries within the laboratory-established acceptance limits.

All surrogate recoveries were within control limits.

4. Matrix Spike/Matrix Spike Duplicate (MS/MSD) Analysis

MS/MSD data are used to assess the precision and accuracy of the analytical method. The compounds used to perform the MS/MSD analysis must exhibit a percent recovery within the laboratory-established acceptance limits. The relative percent difference (RPD) between the MS/MSD recoveries must exhibit an RPD within the laboratory-established acceptance limits.

Note: The MS/MSD recovery control limits do not apply for MS/MSD performed on sample locations where the compound concentration detected in the parent sample exceeds the MS/MSD concentration by a factor of four or greater.

A MS/MSD was not performed on a sample location associated with either SDG.

5. Laboratory Control Sample/Laboratory Control Sample Duplicate (LCS/LCSD) Analysis

The LCS/LCSD analysis is used to assess the precision and accuracy of the analytical method independent of matrix interferences. The compounds associated with the LCS/LCSD analysis must exhibit a percent recovery within the laboratory-established acceptance limits.

All compounds associated with the LCS and/or LCSD analysis exhibited recoveries within the control limits in both SDGs.

6. Field Duplicate Analysis

Field duplicate analysis is used to assess the overall precision of the field sampling procedures and analytical method. A control limit of 30% for water matrices is applied to the RPD between the parent sample and the field duplicate. In the instance when the parent and/or duplicate sample concentrations are less than or equal to 5 times the RL, a control limit of two times the RL is applied for water matrices.

A field duplicate was not collected with a sample location associated with either SDG validated in this report.

7. System Performance and Overall Assessment

Overall system performance was acceptable. Other than for those deviations specifically mentioned in this review, the overall data quality is within the guidelines specified in the method.

DATA VALIDATION CHECKLIST FOR SVOCs

SVOCs: SW-846 8270D-SIM	Reported		Performance Acceptable		Not Required
	No	Yes	No	Yes	
GAS CHROMATOGRAPHY/MASS SPECTROMETRY (GC/MS)					
Tier II Validation					
Holding times		X		X	
Reporting limits (units)		X		X	
Blanks					
A. Method blanks		X		X	
B. Equipment blanks		X		X	
Laboratory Control Sample (LCS) %R		X		X	
Laboratory Control Sample Duplicate(LCSD) %R		X		X	
LCS/LCSD Precision (RPD)		X		X	
Matrix Spike (MS) %R					X
Matrix Spike Duplicate(MSD) %R					X
MS/MSD Precision (RPD)					X
Field/Lab Duplicate (RPD)					X
Surrogate Spike Recoveries		X		X	
Dilution Factor		X		X	
Moisture Content					X

Notes:

%R Percent recovery

RPD Relative percent difference

VALIDATION PERFORMED BY: Lisa Horton

SIGNATURE:



DATE: February 1, 2018

PEER REVIEW: Todd Church

DATE: February 4, 2018

CHAIN OF CUSTODY CORRECTED SAMPLE ANALYSIS DATA SHEETS

Report of Analysis

Client Sample ID: RE121D2		
Lab Sample ID: JC56748-1		Date Sampled: 12/05/17
Matrix: AQ - Ground Water		Date Received: 12/06/17
Method: SW846 8260C		Percent Solids: n/a
Project: Navy Wells OU2, Bethpage, NY		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	1A176793.D	5	12/10/17 00:00	GA	n/a	n/a	V1A7508
Run #2							

Run #	Purge Volume
Run #1	5.0 ml
Run #2	

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone ^a	ND	50	25	ug/l	
71-43-2	Benzene	ND	2.5	0.87	ug/l	
75-27-4	Bromodichloromethane	ND	5.0	1.1	ug/l	
75-25-2	Bromoform	ND	5.0	2.1	ug/l	
74-83-9	Bromomethane	ND	10	6.9	ug/l	
78-93-3	2-Butanone (MEK)	ND	50	24	ug/l	
75-15-0	Carbon disulfide	ND	10	2.5	ug/l	
56-23-5	Carbon tetrachloride	3.9	5.0	1.7	ug/l	J
108-90-7	Chlorobenzene	ND	5.0	1.2	ug/l	
75-00-3	Chloroethane	ND	5.0	3.0	ug/l	
67-66-3	Chloroform	1.9	5.0	1.4	ug/l	J
74-87-3	Chloromethane	ND	5.0	2.7	ug/l	
124-48-1	Dibromochloromethane	ND	5.0	0.82	ug/l	
75-34-3	1,1-Dichloroethane	ND	5.0	1.0	ug/l	
107-06-2	1,2-Dichloroethane	ND	5.0	1.0	ug/l	
75-35-4	1,1-Dichloroethene	2.7	5.0	2.4	ug/l	J
156-59-2	cis-1,2-Dichloroethene	2.9	5.0	2.5	ug/l	J
156-60-5	trans-1,2-Dichloroethene	ND	5.0	2.0	ug/l	
78-87-5	1,2-Dichloropropane	ND	5.0	1.2	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	5.0	1.3	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	5.0	1.1	ug/l	
100-41-4	Ethylbenzene	ND	5.0	1.1	ug/l	
76-13-1	Freon 113	15.9	25	6.2	ug/l	J
591-78-6	2-Hexanone ^a	ND	25	16	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	25	15	ug/l	
75-09-2	Methylene chloride	ND	10	5.0	ug/l	
100-42-5	Styrene	ND	5.0	1.2	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	5.0	0.84	ug/l	
127-18-4	Tetrachloroethene	ND	5.0	2.5	ug/l	
108-88-3	Toluene	ND	5.0	1.2	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	5.0	1.3	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	5.0	1.2	ug/l	

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: RE121D2 Lab Sample ID: JC56748-1 Matrix: AQ - Ground Water Method: SW846 8260C Project: Navy Wells OU2, Bethpage, NY	Date Sampled: 12/05/17 Date Received: 12/06/17 Percent Solids: n/a
---	---

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethene	754	5.0	1.3	ug/l	
75-01-4	Vinyl chloride	ND	5.0	3.1	ug/l	
	m,p-Xylene	ND	5.0	2.1	ug/l	
95-47-6	o-Xylene	ND	5.0	1.1	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	97%		80-120%
17060-07-0	1,2-Dichloroethane-D4	99%		81-124%
2037-26-5	Toluene-D8	91%		80-120%
460-00-4	4-Bromofluorobenzene	95%		80-120%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

(a) This compound in BS is outside in house QC limits bias high.

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.1
4

Report of Analysis

Client Sample ID: RE121D2	Date Sampled: 12/05/17
Lab Sample ID: JC56748-1	Date Received: 12/06/17
Matrix: AQ - Ground Water	Percent Solids: n/a
Method: SW846 8270D BY SIM SW846 3510C	
Project: Navy Wells OU2, Bethpage, NY	

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	3M73083.D	1	12/19/17 14:13	KM	12/11/17 21:00	OP8570A	E3M3508
Run #2							

	Initial Volume	Final Volume
Run #1	1000 ml	1.0 ml
Run #2		

CAS No.	Compound	Result	RL	MDL	Units	Q
123-91-1	1,4-Dioxane	3.03	0.10	0.049	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
4165-60-0	Nitrobenzene-d5	63%		29-124%
321-60-8	2-Fluorobiphenyl	66%		23-122%
1718-51-0	Terphenyl-d14	82%		22-130%

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.1
4

Report of Analysis

Client Sample ID: FB120517PP1		
Lab Sample ID: JC56748-2		Date Sampled: 12/05/17
Matrix: AQ - Field Blank Water		Date Received: 12/06/17
Method: SW846 8260C		Percent Solids: n/a
Project: Navy Wells OU2, Bethpage, NY		

Run #1	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	1A176794.D	1	12/10/17 00:29	GA	n/a	n/a	V1A7508
Run #2							

Run #1	Purge Volume
Run #1	5.0 ml
Run #2	

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone ^a	ND	10	5.0	ug/l	
71-43-2	Benzene	ND	0.50	0.17	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.22	ug/l	
75-25-2	Bromoform	ND	1.0	0.42	ug/l	
74-83-9	Bromomethane	ND	2.0	1.4	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	4.8	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.50	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.34	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.24	ug/l	
75-00-3	Chloroethane	ND	1.0	0.59	ug/l	
67-66-3	Chloroform	ND	1.0	0.29	ug/l	
74-87-3	Chloromethane	ND	1.0	0.53	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.16	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.21	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.20	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.47	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.50	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.40	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.24	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.25	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.22	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.22	ug/l	
76-13-1	Freon 113	ND	5.0	1.2	ug/l	
591-78-6	2-Hexanone ^a	ND	5.0	3.3	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	3.0	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.24	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.17	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.50	ug/l	
108-88-3	Toluene	ND	1.0	0.25	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.25	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.24	ug/l	

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.2
4

Report of Analysis

Client Sample ID: FB120517PP1 Lab Sample ID: JC56748-2 Matrix: AQ - Field Blank Water Method: SW846 8260C Project: Navy Wells OU2, Bethpage, NY	Date Sampled: 12/05/17 Date Received: 12/06/17 Percent Solids: n/a
--	---

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethene	ND	1.0	0.27	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.62	ug/l	
	m,p-Xylene	ND	1.0	0.43	ug/l	
95-47-6	o-Xylene	ND	1.0	0.22	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	97%		80-120%
17060-07-0	1,2-Dichloroethane-D4	101%		81-124%
2037-26-5	Toluene-D8	91%		80-120%
460-00-4	4-Bromofluorobenzene	95%		80-120%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

(a) This compound in BS is outside in house QC limits bias high.

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.2
4

Report of Analysis

Client Sample ID: FB120517PP1	Date Sampled: 12/05/17
Lab Sample ID: JC56748-2	Date Received: 12/06/17
Matrix: AQ - Field Blank Water	Percent Solids: n/a
Method: SW846 8270D BY SIM SW846 3510C	
Project: Navy Wells OU2, Bethpage, NY	

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	3M73081.D	1	12/19/17 13:08	KM	12/11/17 21:00	OP8570A	E3M3508
Run #2							

	Initial Volume	Final Volume
Run #1	1000 ml	1.0 ml
Run #2		

CAS No.	Compound	Result	RL	MDL	Units	Q
123-91-1	1,4-Dioxane	ND	0.10	0.049	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
4165-60-0	Nitrobenzene-d5	62%		29-124%
321-60-8	2-Fluorobiphenyl	61%		23-122%
1718-51-0	Terphenyl-d14	89%		22-130%

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.2
4

Report of Analysis

Client Sample ID: TB120517PP1		Date Sampled: 12/05/17
Lab Sample ID: JC56748-3		Date Received: 12/06/17
Matrix: AQ - Trip Blank Water		Percent Solids: n/a
Method: SW846 8260C		
Project: Navy Wells OU2, Bethpage, NY		

Run #1	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	1A176795.D	1	12/10/17 00:59	GA	n/a	n/a	V1A7508
Run #2							

Run #1	Purge Volume
Run #1	5.0 ml
Run #2	

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone ^a	ND	10	5.0	ug/l	
71-43-2	Benzene	ND	0.50	0.17	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.22	ug/l	
75-25-2	Bromoform	ND	1.0	0.42	ug/l	
74-83-9	Bromomethane	ND	2.0	1.4	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	4.8	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.50	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.34	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.24	ug/l	
75-00-3	Chloroethane	ND	1.0	0.59	ug/l	
67-66-3	Chloroform	ND	1.0	0.29	ug/l	
74-87-3	Chloromethane	ND	1.0	0.53	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.16	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.21	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.20	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.47	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.50	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.40	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.24	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.25	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.22	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.22	ug/l	
76-13-1	Freon 113	ND	5.0	1.2	ug/l	
591-78-6	2-Hexanone ^a	ND	5.0	3.3	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	3.0	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.24	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.17	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.50	ug/l	
108-88-3	Toluene	ND	1.0	0.25	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.25	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.24	ug/l	

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.3
 4

Report of Analysis

Client Sample ID: TB120517PP1		Date Sampled: 12/05/17
Lab Sample ID: JC56748-3		Date Received: 12/06/17
Matrix: AQ - Trip Blank Water		Percent Solids: n/a
Method: SW846 8260C		
Project: Navy Wells OU2, Bethpage, NY		

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethene	ND	1.0	0.27	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.62	ug/l	
	m,p-Xylene	ND	1.0	0.43	ug/l	
95-47-6	o-Xylene	ND	1.0	0.22	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	96%		80-120%
17060-07-0	1,2-Dichloroethane-D4	101%		81-124%
2037-26-5	Toluene-D8	90%		80-120%
460-00-4	4-Bromofluorobenzene	94%		80-120%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

(a) This compound in BS is outside in house QC limits bias high.

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.3
4

Report of Analysis

Client Sample ID: RE121D1 Lab Sample ID: JC56748-4 Matrix: AQ - Ground Water Method: SW846 8260C Project: Navy Wells OU2, Bethpage, NY	Date Sampled: 12/05/17 Date Received: 12/06/17 Percent Solids: n/a
---	---

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethene	33.8	1.0	0.27	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.62	ug/l	
	m,p-Xylene	ND	1.0	0.43	ug/l	
95-47-6	o-Xylene	ND	1.0	0.22	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	97%		80-120%
17060-07-0	1,2-Dichloroethane-D4	99%		81-124%
2037-26-5	Toluene-D8	91%		80-120%
460-00-4	4-Bromofluorobenzene	96%		80-120%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

(a) This compound in BS is outside in house QC limits bias high.

ND = Not detected MDL = Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

4.4
4

Report of Analysis

Client Sample ID: RE121D1	Date Sampled: 12/05/17
Lab Sample ID: JC56748-4	Date Received: 12/06/17
Matrix: AQ - Ground Water	Percent Solids: n/a
Method: SW846 8270D BY SIM SW846 3510C	
Project: Navy Wells OU2, Bethpage, NY	

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	3M73082.D	1	12/19/17 13:40	KM	12/11/17 21:00	OP8570A	E3M3508
Run #2							

	Initial Volume	Final Volume
Run #1	1000 ml	1.0 ml
Run #2		

CAS No.	Compound	Result	RL	MDL	Units	Q
123-91-1	1,4-Dioxane	4.98	0.10	0.049	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
4165-60-0	Nitrobenzene-d5	68%		29-124%
321-60-8	2-Fluorobiphenyl	72%		23-122%
1718-51-0	Terphenyl-d14	87%		22-130%

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.4
4

Report of Analysis

Client Sample ID: TT-102D2		Date Sampled: 12/07/17
Lab Sample ID: JC57025-1		Date Received: 12/08/17
Matrix: AQ - Ground Water		Percent Solids: n/a
Method: EPA 524.2 REV 4.1		
Project: Navy Wells OU2, Bethpage, NY		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 ^a	4D84428.D	1	12/12/17 12:44	BK	n/a	n/a	V4D3641
Run #2							

Run #	Purge Volume
Run #1	5.0 ml
Run #2	

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	5.0	3.8	ug/l	
78-93-3	2-Butanone	ND	5.0	2.5	ug/l	
71-43-2	Benzene	ND	0.50	0.26	ug/l	
75-27-4	Bromodichloromethane	ND	0.50	0.36	ug/l	
75-25-2	Bromoform	ND	0.50	0.40	ug/l	
74-83-9	Bromomethane	ND	0.50	0.081	ug/l	
75-15-0	Carbon disulfide	ND	0.50	0.39	ug/l	
108-90-7	Chlorobenzene	ND	0.50	0.27	ug/l	
75-00-3	Chloroethane	ND	0.50	0.071	ug/l	
67-66-3	Chloroform	ND	0.50	0.33	ug/l	
74-87-3	Chloromethane	ND	0.50	0.39	ug/l	
56-23-5	Carbon tetrachloride	ND	0.50	0.13	ug/l	
75-34-3	1,1-Dichloroethane	ND	0.50	0.13	ug/l	
75-35-4	1,1-Dichloroethylene	ND	0.50	0.23	ug/l	
107-06-2	1,2-Dichloroethane	ND	0.50	0.28	ug/l	
78-87-5	1,2-Dichloropropane	ND	0.50	0.29	ug/l	
124-48-1	Dibromochloromethane	ND	0.50	0.094	ug/l	
156-60-5	trans-1,2-Dichloroethylene	ND	0.50	0.098	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	0.50	0.26	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	0.14	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	0.25	ug/l	
100-41-4	Ethylbenzene	ND	0.50	0.26	ug/l	
76-13-1	Freon 113	ND	1.0	0.27	ug/l	
591-78-6	2-Hexanone	ND	2.0	1.3	ug/l	
75-09-2	Methylene chloride	ND	0.50	0.37	ug/l	
108-10-1	4-Methyl-2-pentanone	ND	2.0	1.5	ug/l	
100-42-5	Styrene	ND	0.50	0.21	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	0.50	0.12	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.50	0.099	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	0.50	0.12	ug/l	
127-18-4	Tetrachloroethylene	ND	0.50	0.12	ug/l	
108-88-3	Toluene	ND	0.50	0.13	ug/l	

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.1
4

Report of Analysis

Client Sample ID: TT-102D2		Date Sampled: 12/07/17
Lab Sample ID: JC57025-1		Date Received: 12/08/17
Matrix: AQ - Ground Water		Percent Solids: n/a
Method: EPA 524.2 REV 4.1		
Project: Navy Wells OU2, Bethpage, NY		

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethylene	ND	0.50	0.11	ug/l	
75-01-4	Vinyl chloride	ND	0.50	0.056	ug/l	
	m,p-Xylene	ND	0.50	0.26	ug/l	
95-47-6	o-Xylene	ND	0.50	0.24	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2199-69-1	1,2-Dichlorobenzene-d4	93%		70-130%
460-00-4	4-Bromofluorobenzene	88%		70-130%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

(a) EPA 524.2 is not a certified method for non-potable water samples.

ND = Not detected MDL = Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

4.1
4

Report of Analysis

Client Sample ID: TT-102D2	Date Sampled: 12/07/17
Lab Sample ID: JC57025-1	Date Received: 12/08/17
Matrix: AQ - Ground Water	Percent Solids: n/a
Method: SW846 8270D BY SIM SW846 3510C	
Project: Navy Wells OU2, Bethpage, NY	

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	3M73150.D	1	12/26/17 12:51	NAP	12/14/17 09:30	OP8647A	E3M3511
Run #2							

	Initial Volume	Final Volume
Run #1	1000 ml	1.0 ml
Run #2		

CAS No.	Compound	Result	RL	MDL	Units	Q
123-91-1	1,4-Dioxane	ND	0.10	0.049	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
4165-60-0	Nitrobenzene-d5	90%		29-124%
321-60-8	2-Fluorobiphenyl	54%		23-122%
1718-51-0	Terphenyl-d14	78%		22-130%

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.1
4

Report of Analysis

Client Sample ID: TB120717PP1		Date Sampled: 12/07/17
Lab Sample ID: JC57025-2		Date Received: 12/08/17
Matrix: AQ - Trip Blank Water		Percent Solids: n/a
Method: EPA 524.2 REV 4.1		
Project: Navy Wells OU2, Bethpage, NY		

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethylene	ND	0.50	0.11	ug/l	
75-01-4	Vinyl chloride	ND	0.50	0.056	ug/l	
	m,p-Xylene	ND	0.50	0.26	ug/l	
95-47-6	o-Xylene	ND	0.50	0.24	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2199-69-1	1,2-Dichlorobenzene-d4	98%		70-130%
460-00-4	4-Bromofluorobenzene	87%		70-130%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

(a) EPA 524.2 is not a certified method for non-potable water samples.

ND = Not detected MDL = Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

4.2
4

Report of Analysis

Client Sample ID: TT-102D		Date Sampled: 12/07/17
Lab Sample ID: JC57025-3		Date Received: 12/08/17
Matrix: AQ - Ground Water		Percent Solids: n/a
Method: EPA 524.2 REV 4.1		
Project: Navy Wells OU2, Bethpage, NY		

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethylene	ND	0.50	0.11	ug/l	
75-01-4	Vinyl chloride	ND	0.50	0.056	ug/l	
	m,p-Xylene	ND	0.50	0.26	ug/l	
95-47-6	o-Xylene	ND	0.50	0.24	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2199-69-1	1,2-Dichlorobenzene-d4	95%		70-130%
460-00-4	4-Bromofluorobenzene	87%		70-130%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

(a) EPA 524.2 is not a certified method for non-potable water samples.

ND = Not detected MDL = Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

4.3
4

Report of Analysis

Client Sample ID: TT-102D	Date Sampled: 12/07/17
Lab Sample ID: JC57025-3	Date Received: 12/08/17
Matrix: AQ - Ground Water	Percent Solids: n/a
Method: SW846 8270D BY SIM SW846 3510C	
Project: Navy Wells OU2, Bethpage, NY	

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	3M73151.D	1	12/26/17 13:23	NAP	12/14/17 09:30	OP8647A	E3M3511
Run #2							

Run #	Initial Volume	Final Volume
Run #1	1000 ml	1.0 ml
Run #2		

CAS No.	Compound	Result	RL	MDL	Units	Q
123-91-1	1,4-Dioxane	0.122	0.10	0.049	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
4165-60-0	Nitrobenzene-d5	86%		29-124%
321-60-8	2-Fluorobiphenyl	50%		23-122%
1718-51-0	Terphenyl-d14	74%		22-130%

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.3
4

Navy Wells-

Operable Unit 2

Data Review

Bethpage, New York

Volatile and Semi-Volatile Analyses

SDGs #JC57026 and JC57027

Analyses Performed By:
Accutest-SGS Laboratories
Dayton, New Jersey

Report #29161R
Review Level: Tier II
Project: NY001496.23TM.NAVI4



SUMMARY

This data quality assessment summarizes the review of Sample Delivery Groups (SDGs) #JC57026 and JC57027 samples collected in association with the Navy Wells at the Bethpage, NY site. The review was conducted as a Tier II evaluation and included review of data package completeness. Only analytical data associated with constituents of concern were reviewed for this validation. Field documentation was not included in this review. Included with this assessment are the validation annotated sample result sheets, and chain of custody. Analyses were performed on the following samples:

SDG Number	Sample ID	Lab ID	Matrix	Sample Collection Date	Parent Sample	Analysis				
						VOC	SVOC	PCB	MET	MISC
JC57026	RE128D1	JC57026-1	Water	12/7/2017		X	X			
	RE128D2	JC57026-2	Water	12/7/2017		X	X			
	FB120717AD1	JC57026-3	Water	12/7/2017		X	X			
	TB120717AD1	JC57026-4	Water	12/7/2017		X				
JC57027	RE119D1	JC57027-1	Water	12/8/2017		X	X			
	TB120817PP1	JC57027-2	Water	12/8/2017		X				
	FB120817PP1	JC57027-3	Water	12/8/2017		X	X			

Note:

1. Matrix spike/matrix spike duplicate (MS/MSD) analysis was performed on sample location RE128D1 for VOC analysis.

ANALYTICAL DATA PACKAGE DOCUMENTATION

The table below is the evaluation of the data package completeness.

Items Reviewed	Reported		Performance Acceptable		Not Required
	No	Yes	No	Yes	
1. Sample receipt condition		X		X	
2. Requested analyses and sample results		X		X	
3. Master tracking list		X		X	
4. Methods of analysis		X		X	
5. Reporting limits		X		X	
6. Sample collection date		X		X	
7. Laboratory sample received date		X		X	
8. Sample preservation verification (as applicable)		X		X	
9. Sample preparation/extraction/analysis dates		X		X	
10. Fully executed Chain-of-Custody (COC) form		X		X	
11. Narrative summary of QA or sample problems provided		X		X	
12. Data Package Completeness and Compliance		X		X	

Note:

QA - Quality Assurance

ORGANIC ANALYSIS INTRODUCTION

Analyses were performed according to United States Environmental Protection Agency (USEPA) SW-846 methods 8260C and 8270D-Selected Ion Monitoring (SIM). Data were reviewed in accordance with USEPA National Functional Guidelines of October 1999.

The data review process is an evaluation of data on a technical basis rather than a determination of contract compliance. As such, the standards against which the data are being weighed may differ from those specified in the analytical method. It is assumed that the data package represents the best efforts of the laboratory and had already been subjected to adequate and sufficient quality review prior to submission.

During the review process, laboratory qualified and unqualified data are verified against the supporting documentation. Based on this evaluation, qualifier codes may be added, deleted, or modified by the data reviewer. Results are qualified with the following codes in accordance with USEPA National Functional Guidelines:

- Concentration (C) Qualifiers

- U The compound was analyzed for but not detected. The associated value is the compound quantitation limit.

- B The compound has been found in the sample as well as its associated blank, its presence in the sample may be suspect.

- Quantitation (Q) Qualifiers

- E The compound was quantitated above the calibration range.

- D Concentration is based on a diluted sample analysis.

- Validation Qualifiers

- J The compound was positively identified; however, the associated numerical value is an estimated concentration only.

- UJ The compound was not detected above the reported sample quantitation limit. However, the reported limit is approximate and may or may not represent the actual limit of quantitation.

- JN The analysis indicates the presence of a compound for which there is presumptive evidence to make a tentative identification. The associated numerical value is an estimated concentration only.

- UB Compound considered non-detect at the listed value due to associated blank contamination.

- N The analysis indicates the presence of a compound for which there is presumptive evidence to make a tentative identification.

- R The sample results are rejected.

Two facts should be noted by all data users. First, the "R" flag means that the associated value is unusable. In other words, due to significant quality control (QC) problems, the analysis is invalid and

provides no information as to whether the compound is present or not. "R" values should not appear on data tables because they cannot be relied upon, even as a last resort. The second fact to keep in mind is that no compound concentration, even if it has passed all QC tests, is guaranteed to be accurate. Strict QC serves to increase confidence in data but any value potentially contains error.

VOLATILE ORGANIC COMPOUNDS (VOC) ANALYSES

1. Holding Times

The specified holding times for the following methods are presented in the following table.

Method	Matrix	Holding Time	Preservation
SW-846 8260C	Water	14 days from collection to analysis	Cool to <6 °C; preserved to a pH of less than 2 s.u.

Note:

s.u. = Standard units

All samples were analyzed within the specified holding time criteria.

2. Blank Contamination

Quality assurance (QA) blanks (i.e., method and rinse blanks) are prepared to identify any contamination which may have been introduced into the samples during sample preparation or field activity. Method blanks measure laboratory contamination. Rinse blanks measure contamination of samples during field operations.

A blank action level (BAL) of five times the concentration of a detected compound in an associated blank (common laboratory contaminant compounds are calculated at ten times) is calculated for QA blanks containing concentrations greater than the method detection limit (MDL). The BAL is compared to the associated sample results to determine the appropriate qualification of the sample results, if needed.

Compounds were not detected above the MDL in the associated blanks; therefore, detected sample results were not associated with blank contamination.

3. Surrogates/System Monitoring Compounds

All samples to be analyzed for organic compounds are spiked with surrogate compounds prior to sample preparation to evaluate overall laboratory performance and efficiency of the analytical technique. VOC analysis requires that all surrogates associated with the analysis exhibit recoveries within the laboratory-established acceptance limits.

All surrogate recoveries were within control limits.

4. Matrix Spike/Matrix Spike Duplicate (MS/MSD) Analysis

MS/MSD data are used to assess the precision and accuracy of the analytical method. The compounds used to perform the MS/MSD analysis must exhibit a percent recovery within the laboratory-established acceptance limits. The relative percent difference (RPD) between the MS/MSD recoveries must exhibit an RPD within the laboratory-established acceptance limits.

Note: The MS/MSD recovery control limits do not apply for MS/MSD performed on sample locations where the compound concentration detected in the parent sample exceeds the MS/MSD concentration by a factor of four or greater.

The MS/MSD exhibited acceptable recoveries and RPD between the MS/MSD recoveries in SDG JC57026.

A MS/MSD was not performed on a sample location associated with SDG JC57027.

5. Laboratory Control Sample (LCS) Analysis

The LCS analysis is used to assess the precision and accuracy of the analytical method independent of matrix interferences. The compounds associated with the LCS analysis must exhibit a percent recovery within the laboratory-established acceptance limits.

All compounds associated with the LCS analysis exhibited acceptable recoveries.

6. Field Duplicate Analysis

Field duplicate analysis is used to assess the overall precision of the field sampling procedures and analytical method. A control limit of 30% for water matrices is applied to the RPD between the parent sample and the field duplicate. In the instance when the parent and/or duplicate sample concentrations are less than or equal to 5 times the RL, a control limit of two times the RL is applied for water matrices.

A field duplicate was not collected with a sample location associated with the SDGs validated in the report.

7. Laboratory Duplicate Analysis

The laboratory duplicate relative percent difference (RPD) criterion is applied when parent and duplicate sample concentrations are greater than or equal to 5 times the RL. A control limit of 20% for water matrices is applied when the criteria above is true. In the instance when the parent and/or duplicate sample concentrations are less than or equal to 5 times the RL, a control limit of two times the RL is applied for water matrices.

A laboratory duplicate was not performed on a sample location associated with either SDG.

8. System Performance and Overall Assessment

Tentatively identified compounds (TICs) were not detected in any of the sample locations.

Continuing calibration review/validation is not included in a Tier II validation. However, the laboratory provided continuing calibration information in the case narrative, therefore it was evaluated.

In SDG JC57026: The case narrative states the continuing calibration associated with the sample locations FB120717AD1 and TB120717AD1 had percent difference (%D) exceedances with a decrease sensitivity for Acetone and Bromoform (>20%). These compounds were not detected in both samples; therefore, acetone and bromoform were qualified as estimate.

In SDG JC57027: The case narrative states the continuing calibration associated with sample location TB120817PP1 had percent difference (%D) exceedances with a decrease sensitivity for Acetone and

Bromoform (>20%). These compounds in this sample location were not detected; therefore, acetone and bromoform were qualified as estimate.

Overall system performance was acceptable. Other than for those deviations specifically mentioned in this review, the overall data quality is within the guidelines specified in the method.

DATA VALIDATION CHECKLIST FOR VOCs

VOCs: SW-846 8260C	Reported		Performance Acceptable		Not Required
	No	Yes	No	Yes	
GAS CHROMATOGRAPHY/MASS SPECTROMETRY (GC/MS)					
Tier II Validation					
Holding times		X		X	
Reporting limits (units)		X		X	
Blanks					
A. Method blanks		X		X	
B. Equipment blanks		X		X	
C. Trip blanks		X		X	
Laboratory Control Sample (LCS) %R		X		X	
Laboratory Control Sample Duplicate(LCSD) %R					X
LCS/LCSD Precision (RPD)					X
Matrix Spike (MS) %R		X		X	
Matrix Spike Duplicate(MSD) %R		X		X	
MS/MSD Precision (RPD)		X		X	
Field/Lab Duplicate (RPD)					X
Surrogate Spike Recoveries		X		X	
Dilution Factor		X		X	
Moisture Content					X

Notes:

RPD Relative percent difference

%R Percent recovery

SEMI-VOLATILE ORGANIC COMPOUNDS (SVOC) ANALYSES

1. Holding Times

The specified holding times for the following methods are presented in the following table.

Method	Matrix	Holding Time	Preservation
SW-846 8270D-SIM	Water	14 days from collection to extraction and 40 days from extraction to analysis	Cool to <6 °C

All samples were analyzed within the specified holding time criteria.

2. Blank Contamination

Quality assurance (QA) blanks (i.e., method and rinse blanks) are prepared to identify any contamination which may have been introduced into the samples during sample preparation or field activity. Method blanks measure laboratory contamination. Rinse blanks measure contamination of samples during field operations.

A blank action level (BAL) of five times the concentration of a detected compound in an associated blank (common laboratory contaminant compounds are calculated at ten times) is calculated for QA blanks containing concentrations greater than the method detection limit (MDL). The BAL is compared to the associated sample results to determine the appropriate qualification of the sample results, if needed.

Compounds were not detected above the MDL in the associated blanks; therefore, detected sample results were not associated with blank contamination.

3. Surrogates/System Monitoring Compounds

All samples to be analyzed for organic compounds are spiked with surrogate compounds prior to sample preparation to evaluate overall laboratory performance and efficiency of the analytical technique. SVOC analysis requires that two of the three SVOC surrogate compounds within each fraction exhibit recoveries within the laboratory-established acceptance limits.

All surrogate recoveries were within control limits.

4. Matrix Spike/Matrix Spike Duplicate (MS/MSD) Analysis

MS/MSD data are used to assess the precision and accuracy of the analytical method. The compounds used to perform the MS/MSD analysis must exhibit a percent recovery within the laboratory-established acceptance limits. The relative percent difference (RPD) between the MS/MSD recoveries must exhibit an RPD within the laboratory-established acceptance limits.

Note: The MS/MSD recovery control limits do not apply for MS/MSD performed on sample locations where the compound concentration detected in the parent sample exceeds the MS/MSD concentration by a factor of four or greater.

A MS/MSD was not performed on a sample location associated with either SDG.

5. Laboratory Control Sample/ Laboratory Control Sample Duplicate (LCS/LCSD) Analysis

The LCS/LCSD analysis is used to assess the precision and accuracy of the analytical method independent of matrix interferences. The compounds associated with the LCS/LCSD analysis must exhibit a percent recovery within the laboratory-established acceptance limits.

All compounds associated with the LCS/LCSD analysis exhibited recoveries within the control limits in both SDGs.

6. Field Duplicate Analysis

Field duplicate analysis is used to assess the overall precision of the field sampling procedures and analytical method. A control limit of 30% for water matrices is applied to the RPD between the parent sample and the field duplicate. In the instance when the parent and/or duplicate sample concentrations are less than or equal to 5 times the RL, a control limit of two times the RL is applied for water matrices.

A field duplicate was not collected with a sample location associated with either SDG validated in this report.

7. System Performance and Overall Assessment

In SDG JC57026: The case narrative states the continuing calibration associated with all the sample locations had a percent difference (%D) exceedance with a decrease sensitivity for 1,4-Dioxane (>20%). This compound in was not detected in any of the sample locations; and therefore, the 1,4-dioxane results were qualified as estimate.

In SDG JC57027: The case narrative states the continuing calibration associated with all the sample locations had percent difference (%D) exceedance with a decrease sensitivity for 1,4-Dioxane (>20%). This compound was not detected in any of the sample locations; and therefore, the 1,4-dioxane results were qualified as estimate.

Overall system performance was acceptable. Other than for those deviations specifically mentioned in this review, the overall data quality is within the guidelines specified in the method.

DATA VALIDATION CHECKLIST FOR SVOCs

SVOCs: SW-846 8270D-SIM	Reported		Performance Acceptable		Not Required
	No	Yes	No	Yes	
GAS CHROMATOGRAPHY/MASS SPECTROMETRY (GC/MS)					
Tier II Validation					
Holding times		X		X	
Reporting limits (units)		X		X	
Blanks					
A. Method blanks		X		X	
B. Equipment blanks		X		X	
Laboratory Control Sample (LCS) %R		X		X	
Laboratory Control Sample Duplicate(LCSD) %R		X		X	
LCS/LCSD Precision (RPD)		X		X	
Matrix Spike (MS) %R					X
Matrix Spike Duplicate(MSD) %R					X
MS/MSD Precision (RPD)					X
Field/Lab Duplicate (RPD)					X
Surrogate Spike Recoveries		X		X	
Dilution Factor		X		X	
Moisture Content					X

Notes:

%R Percent recovery

RPD Relative percent difference

VALIDATION PERFORMED BY: Lisa Horton

SIGNATURE:



DATE: February 1, 2018

PEER REVIEW: Todd Church

DATE: February 4, 2018

CHAIN OF CUSTODY CORRECTED SAMPLE ANALYSIS DATA SHEETS

Report of Analysis

Client Sample ID: RE128D1	Date Sampled: 12/07/17
Lab Sample ID: JC57026-1	Date Received: 12/08/17
Matrix: AQ - Ground Water	Percent Solids: n/a
Method: SW846 8260C	
Project: Navy Wells OU2, Bethpage, NY	

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethene	ND	1.0	0.27	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.62	ug/l	
	m,p-Xylene	ND	1.0	0.43	ug/l	
95-47-6	o-Xylene	ND	1.0	0.22	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	98%		80-120%
17060-07-0	1,2-Dichloroethane-D4	100%		81-124%
2037-26-5	Toluene-D8	98%		80-120%
460-00-4	4-Bromofluorobenzene	102%		80-120%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

ND = Not detected MDL = Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

4.1
4

Report of Analysis

Client Sample ID: RE128D1	Date Sampled: 12/07/17
Lab Sample ID: JC57026-1	Date Received: 12/08/17
Matrix: AQ - Ground Water	Percent Solids: n/a
Method: SW846 8270D BY SIM SW846 3510C	
Project: Navy Wells OU2, Bethpage, NY	

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	3M73141.D	1	12/22/17 20:05	KM	12/14/17 09:30	OP8647A	E3M3510
Run #2							

Run #	Initial Volume	Final Volume
Run #1	1000 ml	1.0 ml
Run #2		

CAS No.	Compound	Result	RL	MDL	Units	Q
123-91-1	1,4-Dioxane ^a	ND	0.10	0.049	ug/l	J
CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits		
4165-60-0	Nitrobenzene-d5	66%		29-124%		
321-60-8	2-Fluorobiphenyl	68%		23-122%		
1718-51-0	Terphenyl-d14	70%		22-130%		

(a) Associated CCV outside of control limits low.

ND = Not detected	MDL = Method Detection Limit	J = Indicates an estimated value
RL = Reporting Limit		B = Indicates analyte found in associated method blank
E = Indicates value exceeds calibration range		N = Indicates presumptive evidence of a compound

4.1
4

Report of Analysis

Client Sample ID: RE128D2		Date Sampled: 12/07/17
Lab Sample ID: JC57026-2		Date Received: 12/08/17
Matrix: AQ - Ground Water		Percent Solids: n/a
Method: SW846 8260C		
Project: Navy Wells OU2, Bethpage, NY		

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethene	ND	1.0	0.27	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.62	ug/l	
	m,p-Xylene	ND	1.0	0.43	ug/l	
95-47-6	o-Xylene	ND	1.0	0.22	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	98%		80-120%
17060-07-0	1,2-Dichloroethane-D4	101%		81-124%
2037-26-5	Toluene-D8	97%		80-120%
460-00-4	4-Bromofluorobenzene	102%		80-120%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

ND = Not detected MDL = Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

4.2
4

Report of Analysis

Client Sample ID: RE128D2	Date Sampled: 12/07/17
Lab Sample ID: JC57026-2	Date Received: 12/08/17
Matrix: AQ - Ground Water	Percent Solids: n/a
Method: SW846 8270D BY SIM SW846 3510C	
Project: Navy Wells OU2, Bethpage, NY	

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	3M73142.D	1	12/22/17 20:37	KM	12/14/17 09:30	OP8647A	E3M3510
Run #2							

Run #	Initial Volume	Final Volume
Run #1	1000 ml	1.0 ml
Run #2		

CAS No.	Compound	Result	RL	MDL	Units	Q
123-91-1	1,4-Dioxane ^a	ND	0.10	0.049	ug/l	J
CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits		
4165-60-0	Nitrobenzene-d5	61%		29-124%		
321-60-8	2-Fluorobiphenyl	63%		23-122%		
1718-51-0	Terphenyl-d14	77%		22-130%		

(a) Associated CCV outside of control limits low.

ND = Not detected	MDL = Method Detection Limit	J = Indicates an estimated value
RL = Reporting Limit		B = Indicates analyte found in associated method blank
E = Indicates value exceeds calibration range		N = Indicates presumptive evidence of a compound

4.2
4

Report of Analysis

Client Sample ID: FB120717AD1	Date Sampled: 12/07/17
Lab Sample ID: JC57026-3	Date Received: 12/08/17
Matrix: AQ - Field Blank Water	Percent Solids: n/a
Method: SW846 8260C	
Project: Navy Wells OU2, Bethpage, NY	

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethene	ND	1.0	0.27	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.62	ug/l	
	m,p-Xylene	ND	1.0	0.43	ug/l	
95-47-6	o-Xylene	ND	1.0	0.22	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	98%		80-120%
17060-07-0	1,2-Dichloroethane-D4	96%		81-124%
2037-26-5	Toluene-D8	105%		80-120%
460-00-4	4-Bromofluorobenzene	95%		80-120%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

(a) Associated CCV outside of control limits low.

ND = Not detected MDL = Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

4.3
4

Report of Analysis

Client Sample ID: FB120717AD1	Date Sampled: 12/07/17
Lab Sample ID: JC57026-3	Date Received: 12/08/17
Matrix: AQ - Field Blank Water	Percent Solids: n/a
Method: SW846 8270D BY SIM SW846 3510C	
Project: Navy Wells OU2, Bethpage, NY	

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	3M73143.D	1	12/22/17 21:09	KM	12/14/17 09:30	OP8647A	E3M3510
Run #2							

Run #	Initial Volume	Final Volume
Run #1	950 ml	1.0 ml
Run #2		

CAS No.	Compound	Result	RL	MDL	Units	Q
123-91-1	1,4-Dioxane ^a	ND	0.11	0.051	ug/l	J
CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits		
4165-60-0	Nitrobenzene-d5	61%		29-124%		
321-60-8	2-Fluorobiphenyl	63%		23-122%		
1718-51-0	Terphenyl-d14	89%		22-130%		

(a) Associated CCV outside of control limits low.

ND = Not detected	MDL = Method Detection Limit	J = Indicates an estimated value
RL = Reporting Limit		B = Indicates analyte found in associated method blank
E = Indicates value exceeds calibration range		N = Indicates presumptive evidence of a compound

4.3
4

Report of Analysis

Client Sample ID: TB120717AD1		Date Sampled: 12/07/17
Lab Sample ID: JC57026-4		Date Received: 12/08/17
Matrix: AQ - Trip Blank Water		Percent Solids: n/a
Method: SW846 8260C		
Project: Navy Wells OU2, Bethpage, NY		

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethene	ND	1.0	0.27	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.62	ug/l	
	m,p-Xylene	ND	1.0	0.43	ug/l	
95-47-6	o-Xylene	ND	1.0	0.22	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	98%		80-120%
17060-07-0	1,2-Dichloroethane-D4	96%		81-124%
2037-26-5	Toluene-D8	107%		80-120%
460-00-4	4-Bromofluorobenzene	94%		80-120%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

(a) Associated CCV outside of control limits low.

ND = Not detected MDL = Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

4.4
4

Report of Analysis

Client Sample ID: RE119D1		Date Sampled: 12/08/17
Lab Sample ID: JC57027-1		Date Received: 12/08/17
Matrix: AQ - Ground Water		Percent Solids: n/a
Method: SW846 8260C		
Project: Navy Wells OU2, Bethpage, NY		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	1A177091.D	1	12/19/17 21:08	GA	n/a	n/a	V1A7521
Run #2							

Run #	Purge Volume
Run #1	5.0 ml
Run #2	

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	10	5.0	ug/l	
71-43-2	Benzene	ND	0.50	0.17	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.22	ug/l	
75-25-2	Bromoform	ND	1.0	0.42	ug/l	
74-83-9	Bromomethane	ND	2.0	1.4	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	4.8	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.50	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.34	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.24	ug/l	
75-00-3	Chloroethane	ND	1.0	0.59	ug/l	
67-66-3	Chloroform	ND	1.0	0.29	ug/l	
74-87-3	Chloromethane	ND	1.0	0.53	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.16	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.21	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.20	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.47	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.50	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.40	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.24	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.25	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.22	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.22	ug/l	
76-13-1	Freon 113	ND	5.0	1.2	ug/l	
591-78-6	2-Hexanone	ND	5.0	3.3	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	3.0	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.24	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.17	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.50	ug/l	
108-88-3	Toluene	ND	1.0	0.25	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.25	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.24	ug/l	

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.1
4

Report of Analysis

Client Sample ID: RE119D1	Date Sampled: 12/08/17
Lab Sample ID: JC57027-1	Date Received: 12/08/17
Matrix: AQ - Ground Water	Percent Solids: n/a
Method: SW846 8260C	
Project: Navy Wells OU2, Bethpage, NY	

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethene	ND	1.0	0.27	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.62	ug/l	
	m,p-Xylene	ND	1.0	0.43	ug/l	
95-47-6	o-Xylene	ND	1.0	0.22	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	105%		80-120%
17060-07-0	1,2-Dichloroethane-D4	104%		81-124%
2037-26-5	Toluene-D8	90%		80-120%
460-00-4	4-Bromofluorobenzene	93%		80-120%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

ND = Not detected MDL = Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

4.1
4

Report of Analysis

Client Sample ID: RE119D1	Date Sampled: 12/08/17
Lab Sample ID: JC57027-1	Date Received: 12/08/17
Matrix: AQ - Ground Water	Percent Solids: n/a
Method: SW846 8270D BY SIM SW846 3510C	
Project: Navy Wells OU2, Bethpage, NY	

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	4M74638.D	1	12/26/17 13:21	NAP	12/14/17 13:50	OP8652A	E4M3497
Run #2							

Run #	Initial Volume	Final Volume
Run #1	1000 ml	1.0 ml
Run #2		

CAS No.	Compound	Result	RL	MDL	Units	Q
123-91-1	1,4-Dioxane ^a	ND	0.10	0.049	ug/l	J
CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits		
4165-60-0	Nitrobenzene-d5	61%		29-124%		
321-60-8	2-Fluorobiphenyl	71%		23-122%		
1718-51-0	Terphenyl-d14	64%		22-130%		

(a) Associated CCV outside of control limits low.

ND = Not detected	MDL = Method Detection Limit	J = Indicates an estimated value
RL = Reporting Limit		B = Indicates analyte found in associated method blank
E = Indicates value exceeds calibration range		N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: TB120817PP1	Date Sampled: 12/08/17
Lab Sample ID: JC57027-2	Date Received: 12/08/17
Matrix: AQ - Trip Blank Water	Percent Solids: n/a
Method: SW846 8260C	
Project: Navy Wells OU2, Bethpage, NY	

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	A238859.D	1	12/15/17 20:32	GA	n/a	n/a	VA9072
Run #2							

Run #	Purge Volume
Run #1	5.0 ml
Run #2	

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone ^a	ND	10	5.0	ug/l	J
71-43-2	Benzene	ND	0.50	0.17	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.22	ug/l	
75-25-2	Bromoform ^a	ND	1.0	0.42	ug/l	J
74-83-9	Bromomethane	ND	2.0	1.4	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	4.8	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.50	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.34	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.24	ug/l	
75-00-3	Chloroethane	ND	1.0	0.59	ug/l	
67-66-3	Chloroform	ND	1.0	0.29	ug/l	
74-87-3	Chloromethane	ND	1.0	0.53	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.16	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.21	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.20	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.47	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.50	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.40	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.24	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.25	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.22	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.22	ug/l	
76-13-1	Freon 113	ND	5.0	1.2	ug/l	
591-78-6	2-Hexanone	ND	5.0	3.3	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	3.0	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.24	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.17	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.50	ug/l	
108-88-3	Toluene	ND	1.0	0.25	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.25	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.24	ug/l	

ND = Not detected MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: TB120817PP1		Date Sampled: 12/08/17
Lab Sample ID: JC57027-2		Date Received: 12/08/17
Matrix: AQ - Trip Blank Water		Percent Solids: n/a
Method: SW846 8260C		
Project: Navy Wells OU2, Bethpage, NY		

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethene	ND	1.0	0.27	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.62	ug/l	
	m,p-Xylene	ND	1.0	0.43	ug/l	
95-47-6	o-Xylene	ND	1.0	0.22	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	99%		80-120%
17060-07-0	1,2-Dichloroethane-D4	95%		81-124%
2037-26-5	Toluene-D8	106%		80-120%
460-00-4	4-Bromofluorobenzene	96%		80-120%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

(a) Associated CCV outside of control limits low.

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.2
4

Report of Analysis

Client Sample ID: FB120817PP1 Lab Sample ID: JC57027-3 Matrix: AQ - Field Blank Water Method: SW846 8260C Project: Navy Wells OU2, Bethpage, NY	Date Sampled: 12/08/17 Date Received: 12/08/17 Percent Solids: n/a
--	---

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethene	ND	1.0	0.27	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.62	ug/l	
	m,p-Xylene	ND	1.0	0.43	ug/l	
95-47-6	o-Xylene	ND	1.0	0.22	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	99%		80-120%
17060-07-0	1,2-Dichloroethane-D4	102%		81-124%
2037-26-5	Toluene-D8	97%		80-120%
460-00-4	4-Bromofluorobenzene	102%		80-120%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.3
4

Report of Analysis

Client Sample ID: FB120817PP1	Date Sampled: 12/08/17
Lab Sample ID: JC57027-3	Date Received: 12/08/17
Matrix: AQ - Field Blank Water	Percent Solids: n/a
Method: SW846 8270D BY SIM SW846 3510C	
Project: Navy Wells OU2, Bethpage, NY	

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	4M74648.D	1	12/26/17 19:43	NAP	12/14/17 13:50	OP8652A	E4M3497
Run #2							

Run #	Initial Volume	Final Volume
Run #1	1000 ml	1.0 ml
Run #2		

CAS No.	Compound	Result	RL	MDL	Units	Q
123-91-1	1,4-Dioxane ^a	ND	0.10	0.049	ug/l	J
CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits		
4165-60-0	Nitrobenzene-d5	67%		29-124%		
321-60-8	2-Fluorobiphenyl	70%		23-122%		
1718-51-0	Terphenyl-d14	85%		22-130%		

(a) Associated CCV outside of control limits low.

ND = Not detected	MDL = Method Detection Limit	J = Indicates an estimated value
RL = Reporting Limit		B = Indicates analyte found in associated method blank
E = Indicates value exceeds calibration range		N = Indicates presumptive evidence of a compound

4.3
4

Navy Wells-

Operable Unit 2

Data Review

Bethpage, New York

Volatile and Semi-Volatile Analyses

SDGs #JC57176 and JC57177

Analyses Performed By:
Accutest-SGS Laboratories
Dayton, New Jersey

Report #29162R
Review Level: Tier II
Project: NY001496.23TM.NAVI4



SUMMARY

This data quality assessment summarizes the review of Sample Delivery Groups (SDGs) #JC57176 and JC57177 samples collected in association with the Navy Wells at the Bethpage, NY site. The review was conducted as a Tier II evaluation and included review of data package completeness. Only analytical data associated with constituents of concern were reviewed for this validation. Field documentation was not included in this review. Included with this assessment are the validation annotated sample result sheets, and chain of custody. Analyses were performed on the following samples:

SDG Number	Sample ID	Lab ID	Matrix	Sample Collection Date	Parent Sample	Analysis				
						VOC	SVOC	PCB	MET	MISC
JC57176	RE129D1	JC57176-1	Water	12/11/2017		X	X			
	RE129D2	JC57176-2	Water	12/11/2017		X	X			
	FB121117AR1	JC57176-3	Water	12/11/2017		X	X			
	TB121117AD1	JC57176-4	Water	12/11/2017		X				
JC57177	BPOW 5-5	JC57177-1	Water	12/7/2017		X*	X**			
	BPOW 5-6	JC57177-2	Water	12/7/2017		X*	X**			
	TB121117PP1	JC57177-3	Water	12/7/2017		X*				

Notes:

1. (*) Sample locations analyzed by Method 524.4.
2. EPA Method 522 Semi-volatile analysis for 1,4-Dioxane was performed by GEL Laboratories, LLC, located in Charleston, South Carolina (subcontracted via SGS-Accutest Laboratory). The associated SDG is: JC57177X/440061. (**) Sample locations analyzed by USEPA Method 522.

ANALYTICAL DATA PACKAGE DOCUMENTATION

The table below is the evaluation of the data package completeness.

Items Reviewed	Reported		Performance Acceptable		Not Required
	No	Yes	No	Yes	
1. Sample receipt condition		X		X	
2. Requested analyses and sample results		X		X	
3. Master tracking list		X		X	
4. Methods of analysis		X		X	
5. Reporting limits		X		X	
6. Sample collection date		X		X	
7. Laboratory sample received date		X		X	
8. Sample preservation verification (as applicable)		X		X	
9. Sample preparation/extraction/analysis dates		X		X	
10. Fully executed Chain-of-Custody (COC) form		X		X	
11. Narrative summary of QA or sample problems provided		X		X	
12. Data Package Completeness and Compliance		X		X	

Note:

QA - Quality Assurance

ORGANIC ANALYSIS INTRODUCTION

Analyses were performed according to United States Environmental Protection Agency (USEPA) SW-846 methods 8260C and 8270D-Selected Ion Monitoring (SIM), and USEPA methods 524.2 and 522-SIM. Data were reviewed in accordance with USEPA National Functional Guidelines of October 1999.

The data review process is an evaluation of data on a technical basis rather than a determination of contract compliance. As such, the standards against which the data are being weighed may differ from those specified in the analytical method. It is assumed that the data package represents the best efforts of the laboratory and had already been subjected to adequate and sufficient quality review prior to submission.

During the review process, laboratory qualified and unqualified data are verified against the supporting documentation. Based on this evaluation, qualifier codes may be added, deleted, or modified by the data reviewer. Results are qualified with the following codes in accordance with USEPA National Functional Guidelines:

- Concentration (C) Qualifiers
 - U The compound was analyzed for but not detected. The associated value is the compound quantitation limit.
 - B The compound has been found in the sample as well as its associated blank, its presence in the sample may be suspect.
- Quantitation (Q) Qualifiers
 - E The compound was quantitated above the calibration range.
 - D Concentration is based on a diluted sample analysis.
- Validation Qualifiers
 - J The compound was positively identified; however, the associated numerical value is an estimated concentration only.
 - UJ The compound was not detected above the reported sample quantitation limit. However, the reported limit is approximate and may or may not represent the actual limit of quantitation.
 - JN The analysis indicates the presence of a compound for which there is presumptive evidence to make a tentative identification. The associated numerical value is an estimated concentration only.
 - UB Compound considered non-detect at the listed value due to associated blank contamination.
 - N The analysis indicates the presence of a compound for which there is presumptive evidence to make a tentative identification.
 - R The sample results are rejected.

Two facts should be noted by all data users. First, the "R" flag means that the associated value is unusable. In other words, due to significant quality control (QC) problems, the analysis is invalid and

provides no information as to whether the compound is present or not. "R" values should not appear on data tables because they cannot be relied upon, even as a last resort. The second fact to keep in mind is that no compound concentration, even if it has passed all QC tests, is guaranteed to be accurate. Strict QC serves to increase confidence in data but any value potentially contains error.

VOLATILE ORGANIC COMPOUNDS (VOC) ANALYSES

1. Holding Times

The specified holding times for the following methods are presented in the following table.

Method	Matrix	Holding Time	Preservation
SW-846 8260C	Water	14 days from collection to analysis	Cool to <6 °C; preserved to a pH of less than 2 s.u.
EPA 524.2			

Note:

s.u. = Standard units

All samples were analyzed within the specified holding time criteria.

2. Blank Contamination

Quality assurance (QA) blanks (i.e., method and rinse blanks) are prepared to identify any contamination which may have been introduced into the samples during sample preparation or field activity. Method blanks measure laboratory contamination. Rinse blanks measure contamination of samples during field operations.

A blank action level (BAL) of five times the concentration of a detected compound in an associated blank (common laboratory contaminant compounds are calculated at ten times) is calculated for QA blanks containing concentrations greater than the method detection limit (MDL). The BAL is compared to the associated sample results to determine the appropriate qualification of the sample results, if needed.

Compounds were not detected above the MDL in the associated blanks; therefore, detected sample results were not associated with blank contamination.

3. Surrogates/System Monitoring Compounds

All samples to be analyzed for organic compounds are spiked with surrogate compounds prior to sample preparation to evaluate overall laboratory performance and efficiency of the analytical technique. VOC analysis requires that all surrogates associated with the analysis exhibit recoveries within the laboratory-established acceptance limits.

All surrogate recoveries were within control limits.

4. Matrix Spike/Matrix Spike Duplicate (MS/MSD) Analysis

MS/MSD data are used to assess the precision and accuracy of the analytical method. The compounds used to perform the MS/MSD analysis must exhibit a percent recovery within the laboratory-established acceptance limits. The relative percent difference (RPD) between the MS/MSD recoveries must exhibit an RPD within the laboratory-established acceptance limits.

Note: The MS/MSD recovery control limits do not apply for MS/MSD performed on sample locations where the compound concentration detected in the parent sample exceeds the MS/MSD concentration by a factor of four or greater.

A MS/MSD was not performed on a sample location associated with either SDG.

5. Laboratory Control Sample (LCS) Analysis

The LCS analysis is used to assess the precision and accuracy of the analytical method independent of matrix interferences. The compounds associated with the LCS analysis must exhibit a percent recovery within the laboratory-established acceptance limits.

All compounds associated with the LCS analysis exhibited acceptable recoveries in both SDGs.

6. Field Duplicate Analysis

Field duplicate analysis is used to assess the overall precision of the field sampling procedures and analytical method. A control limit of 30% for water matrices is applied to the RPD between the parent sample and the field duplicate. In the instance when the parent and/or duplicate sample concentrations are less than or equal to 5 times the RL, a control limit of two times the RL is applied for water matrices.

A field duplicate was not collected with a sample location associated with the SDGs validated in the report.

7. Laboratory Duplicate Analysis

The laboratory duplicate relative percent difference (RPD) criterion is applied when parent and duplicate sample concentrations are greater than or equal to 5 times the RL. A control limit of 20% for water matrices is applied when the criteria above is true. In the instance when the parent and/or duplicate sample concentrations are less than or equal to 5 times the RL, a control limit of two times the RL is applied for water matrices.

A laboratory duplicate was not performed on a sample location associated with either SDGs.

8. System Performance and Overall Assessment

Tentatively identified compounds (TICs) were not detected in any of the sample locations.

Continuing calibration review/validation is not included in a Tier II validation. However, the laboratory provided continuing calibration information in the case narrative, therefore it was evaluated.

In SDG JC56177: The case narrative states the continuing calibration associated with the data had percent difference (%D) exceedances with an increase sensitivity for Bromoform (>20%). This compound in all the sample locations was not detected; therefore, qualification was not necessary.

Overall system performance was acceptable. Other than for those deviations specifically mentioned in this review, the overall data quality is within the guidelines specified in the method.

DATA VALIDATION CHECKLIST FOR VOCs

VOCs: SW-846 8260C and 524.2	Reported		Performance Acceptable		Not Required
	No	Yes	No	Yes	
GAS CHROMATOGRAPHY/MASS SPECTROMETRY (GC/MS)					
Tier II Validation					
Holding times		X		X	
Reporting limits (units)		X		X	
Blanks					
A. Method blanks		X		X	
B. Equipment blanks		X		X	
C. Trip blanks		X		X	
Laboratory Control Sample (LCS) %R		X		X	
Laboratory Control Sample Duplicate(LCSD) %R					X
LCS/LCSD Precision (RPD)					X
Matrix Spike (MS) %R					X
Matrix Spike Duplicate(MSD) %R					X
MS/MSD Precision (RPD)					X
Field/Lab Duplicate (RPD)					X
Surrogate Spike Recoveries		X		X	
Dilution Factor		X		X	
Moisture Content					X

Notes:

RPD Relative percent difference

%R Percent recovery

SEMI-VOLATILE ORGANIC COMPOUNDS (SVOC) ANALYSES

1. Holding Times

The specified holding times for the following methods are presented in the following table.

Method	Matrix	Holding Time	Preservation
SW-846 8270D-SIM	Water	14 days from collection to extraction and 40 days from extraction to analysis	Cool to <6 °C
EPA 522-SIM	Water	28 days from collection to extraction and 28 days from extraction to analysis	Cool to <6 °C; preserved with Sodium Bisulfate (NaHSO ₄) to a pH of less than 4 s.u.

All samples were analyzed within the specified holding time criteria.

2. Blank Contamination

Quality assurance (QA) blanks (i.e., method and rinse blanks) are prepared to identify any contamination which may have been introduced into the samples during sample preparation or field activity. Method blanks measure laboratory contamination. Rinse blanks measure contamination of samples during field operations.

A blank action level (BAL) of five times the concentration of a detected compound in an associated blank (common laboratory contaminant compounds are calculated at ten times) is calculated for QA blanks containing concentrations greater than the method detection limit (MDL). The BAL is compared to the associated sample results to determine the appropriate qualification of the sample results, if needed.

Compounds were not detected above the MDL in the associated blanks; therefore, detected sample results were not associated with blank contamination.

3. Surrogates/System Monitoring Compounds

All samples to be analyzed for organic compounds are spiked with surrogate compounds prior to sample preparation to evaluate overall laboratory performance and efficiency of the analytical technique. SVOC analysis requires that two of the three SVOC surrogate compounds within each fraction exhibit recoveries within the laboratory-established acceptance limits.

All surrogate recoveries were within control limits.

4. Matrix Spike/Matrix Spike Duplicate (MS/MSD) Analysis

MS/MSD data are used to assess the precision and accuracy of the analytical method. The compounds used to perform the MS/MSD analysis must exhibit a percent recovery within the laboratory-established acceptance limits. The relative percent difference (RPD) between the MS/MSD recoveries must exhibit an RPD within the laboratory-established acceptance limits.

Note: The MS/MSD recovery control limits do not apply for MS/MSD performed on sample locations where the compound concentration detected in the parent sample exceeds the MS/MSD concentration by a factor of four or greater.

A MS/MSD was not performed on a sample location associated with either SDG.

5. Laboratory Control Sample/Laboratory Control Sample Duplicate (LCS/LCSD) Analysis

The LCS/LCSD analysis is used to assess the precision and accuracy of the analytical method independent of matrix interferences. The compounds associated with the LCS/LCSD analysis must exhibit a percent recovery within the laboratory-established acceptance limits.

All compounds associated with the LCS and/or LCSD analysis exhibited recoveries within the control limits in both SDGs.

6. Field Duplicate Analysis

Field duplicate analysis is used to assess the overall precision of the field sampling procedures and analytical method. A control limit of 30% for water matrices is applied to the RPD between the parent sample and the field duplicate. In the instance when the parent and/or duplicate sample concentrations are less than or equal to 5 times the RL, a control limit of two times the RL is applied for water matrices.

A field duplicate was not collected with a sample location associated with either SDG validated in this report.

7. System Performance and Overall Assessment

Overall system performance was acceptable. Other than for those deviations specifically mentioned in this review, the overall data quality is within the guidelines specified in the method.

DATA VALIDATION CHECKLIST FOR SVOCs

SVOCs: SW-846 8270D-SIM and 522	Reported		Performance Acceptable		Not Required
	No	Yes	No	Yes	
GAS CHROMATOGRAPHY/MASS SPECTROMETRY (GC/MS)					
Tier II Validation					
Holding times		X		X	
Reporting limits (units)		X		X	
Blanks					
A. Method blanks		X		X	
B. Equipment blanks		X		X	
Laboratory Control Sample (LCS) %R		X		X	
Laboratory Control Sample Duplicate(LCSD) %R		X		X	
LCS/LCSD Precision (RPD)		X		X	
Matrix Spike (MS) %R					X
Matrix Spike Duplicate(MSD) %R					X
MS/MSD Precision (RPD)					X
Field/Lab Duplicate (RPD)					X
Surrogate Spike Recoveries		X		X	
Dilution Factor		X		X	
Moisture Content					X

Notes:

%R Percent recovery

RPD Relative percent difference

VALIDATION PERFORMED BY: Lisa Horton

SIGNATURE:



DATE: February 2, 2018

PEER REVIEW: Todd Church

DATE: February 4, 2018

CHAIN OF CUSTODY CORRECTED SAMPLE ANALYSIS DATA SHEETS



ACCUTEST

GW
FB
W/B

CHAIN OF CUSTODY
SGS Accutest New Jersey - Dayton
2235 Route 130, Dayton, NJ 08810
TEL: 732-329-0200 FAX: 732-329-3499/3480
www.sgs.com

FED-EX Tracking #	00C 88-11111	Bottle Order Control #	
Account Code #		Account Job #	JC57176

Client / Reporting Information		Project Information		Requested Analysis (see TEST CODE sheet)										Matrix Codes
Company Name Arcadis		Project Name: AGMNYM72080 // OU2 Navy Outpost & Monitoring Wells Navy Wells OU2 -Bethpage, New York												DW - Drinking Water GW - Ground Water WW - Waste Water SW - Surface Water SO - Soil SL - Sludge SED-Sediment OI - Oil LIQ - Other Liquid AIR - Air SOL - Other Solid WP - Wipe FB-Field Blank EB-Equipment Blank RB- Rinse Blank TB-Top Blank
Street Address 2 Huntington Quad, Suite 1S10		Street												
City State Zip Melville NY 11747		City State Bethpage NY												
Billing Information (if different from Report to) Company Name Arcadis, U.S., Inc.		Billing Information (if different from Report to) Street Address 630 Plaza Drive, Suite 600												
Project Contact Soma Das, soma.das@arcadis.com		Project # NY001496.23TH.NAVC3												
Phone # 631-249-7800		Client Purchase Order # 631-249-7810												
Fax # 631-249-7810		Work Authorization # NY001496_2015.10.30												
Sampler(s) Name(s) Albina Radzepska		Project Manager Carlo San Giovanni												
Phone # 465		Attention Accounts Payable												
Turnaround Time (Business days)		Date Deliverable Information												

Access Sample #	Field ID / Point of Collection	MECH/CI Val #	Date	Time	Sampled by	Matrix	# of bottles	TC	NUGH	PHOS	NO3	NO2	NO	AMON	ENCORE	HEAVYMET	LAB USE ONLY
1	RE 129D1		12/11/17	1135	AR	GW	5	3					2				E82
2	RE 129D2			1120	AD	GW	5	3					2				V458
3	FB 12117AD1			800	AD	EB	5	3					2				
4	TB 12117AD1			730	-	TB	2	2									

<input type="checkbox"/> Std. 15 Business Days <input checked="" type="checkbox"/> Std. 10 Business Days (by Contract only) <input type="checkbox"/> 10 Day RUSH <input type="checkbox"/> 5 Day RUSH <input type="checkbox"/> 3 Day EMERGENCY <input type="checkbox"/> 2 Day EMERGENCY <input type="checkbox"/> 1 Day EMERGENCY <small>Emergency & Rush/TIA data available via Lablink</small>	Approved By (Account #): / Date: _____ _____ _____ _____	<input type="checkbox"/> Commercial "A" (Level 1) <input type="checkbox"/> Commercial "B" (Level 2) <input type="checkbox"/> FULL T1 (Level 3+4) <input type="checkbox"/> NJ Reduced <input type="checkbox"/> Commercial "C" <small>Commercial "A" = Results Only Commercial "B" = Results + QC Summary NJ Reduced = Results + QC Summary + Partial Raw data</small>	<input type="checkbox"/> NYASP Category A <input type="checkbox"/> NYASP Category B <input type="checkbox"/> State Forms <input checked="" type="checkbox"/> EOD Format-EQUH # <input checked="" type="checkbox"/> Other COMMC+	Comments / Special Instructions INITIAL ASSESSMENT 3B/JP LABEL VERIFICATION _____
---	---	---	---	--

Requisitioned by Sampler: Albina Radzepska	Date Time: 12/11/17 1500	Received By: Chris Law	Date Time: 12/12/17 11:25	Requisitioned By: Chris Law	Date Time: 12/12/17	Received By: [Signature]
Requisitioned by Sampler: 3	Date Time:	Received By:	Date Time:	Requisitioned By:	Date Time:	Received By:
Requisitioned by Sampler: 6	Date Time:	Received By:	Date Time:	Requisitioned By:	Date Time:	Received By:

<input checked="" type="checkbox"/> Intact <input type="checkbox"/> Not intact	<input type="checkbox"/> Preserved where applicable	<input checked="" type="checkbox"/> Do not	Cooler Temp. 2.1°C
---	---	--	------------------------------



5.1
5

Report of Analysis

Client Sample ID: RE129D1	Date Sampled: 12/11/17
Lab Sample ID: JC57176-1	Date Received: 12/12/17
Matrix: AQ - Ground Water	Percent Solids: n/a
Method: SW846 8260C	
Project: Navy Wells OU2, Bethpage, NY	

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethene	ND	1.0	0.27	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.62	ug/l	
	m,p-Xylene	ND	1.0	0.43	ug/l	
95-47-6	o-Xylene	ND	1.0	0.22	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	98%		80-120%
17060-07-0	1,2-Dichloroethane-D4	100%		81-124%
2037-26-5	Toluene-D8	99%		80-120%
460-00-4	4-Bromofluorobenzene	100%		80-120%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

ND = Not detected MDL = Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

4.1
4

Report of Analysis

Client Sample ID: RE129D1	Date Sampled: 12/11/17
Lab Sample ID: JC57176-1	Date Received: 12/12/17
Matrix: AQ - Ground Water	Percent Solids: n/a
Method: SW846 8270D BY SIM SW846 3510C	
Project: Navy Wells OU2, Bethpage, NY	

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	3M73180.D	1	12/27/17 15:25	NAP	12/15/17 00:35	OP8684	E3M3512
Run #2							

	Initial Volume	Final Volume
Run #1	1000 ml	1.0 ml
Run #2		

CAS No.	Compound	Result	RL	MDL	Units	Q
123-91-1	1,4-Dioxane	ND	0.10	0.049	ug/l	
CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits		
4165-60-0	Nitrobenzene-d5	75%		29-124%		
321-60-8	2-Fluorobiphenyl	55%		23-122%		
1718-51-0	Terphenyl-d14	77%		22-130%		

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: RE129D2		Date Sampled: 12/11/17
Lab Sample ID: JC57176-2		Date Received: 12/12/17
Matrix: AQ - Ground Water		Percent Solids: n/a
Method: SW846 8260C		
Project: Navy Wells OU2, Bethpage, NY		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	4B78036.D	1	12/20/17 21:57	HT	n/a	n/a	V4B3201
Run #2							

Run #	Purge Volume
Run #1	5.0 ml
Run #2	

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	10	5.0	ug/l	
71-43-2	Benzene	ND	0.50	0.17	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.22	ug/l	
75-25-2	Bromoform	ND	1.0	0.42	ug/l	
74-83-9	Bromomethane	ND	2.0	1.4	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	4.8	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.50	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.34	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.24	ug/l	
75-00-3	Chloroethane	ND	1.0	0.59	ug/l	
67-66-3	Chloroform	ND	1.0	0.29	ug/l	
74-87-3	Chloromethane	ND	1.0	0.53	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.16	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.21	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.20	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.47	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.50	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.40	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.24	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.25	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.22	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.22	ug/l	
76-13-1	Freon 113	ND	5.0	1.2	ug/l	
591-78-6	2-Hexanone	ND	5.0	3.3	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	3.0	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.24	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.17	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.50	ug/l	
108-88-3	Toluene	ND	1.0	0.25	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.25	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.24	ug/l	

ND = Not detected

MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: RE129D2	Date Sampled: 12/11/17
Lab Sample ID: JC57176-2	Date Received: 12/12/17
Matrix: AQ - Ground Water	Percent Solids: n/a
Method: SW846 8260C	
Project: Navy Wells OU2, Bethpage, NY	

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethene	ND	1.0	0.27	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.62	ug/l	
	m,p-Xylene	ND	1.0	0.43	ug/l	
95-47-6	o-Xylene	ND	1.0	0.22	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	97%		80-120%
17060-07-0	1,2-Dichloroethane-D4	102%		81-124%
2037-26-5	Toluene-D8	95%		80-120%
460-00-4	4-Bromofluorobenzene	102%		80-120%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

ND = Not detected MDL = Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

4.2
4

Report of Analysis

Client Sample ID: RE129D2	Date Sampled: 12/11/17
Lab Sample ID: JC57176-2	Date Received: 12/12/17
Matrix: AQ - Ground Water	Percent Solids: n/a
Method: SW846 8270D BY SIM SW846 3510C	
Project: Navy Wells OU2, Bethpage, NY	

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	3M73181.D	1	12/27/17 15:57	NAP	12/15/17 00:35	OP8684	E3M3512
Run #2							

Run #	Initial Volume	Final Volume
Run #1	1000 ml	1.0 ml
Run #2		

CAS No.	Compound	Result	RL	MDL	Units	Q
123-91-1	1,4-Dioxane	ND	0.10	0.049	ug/l	
CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits		
4165-60-0	Nitrobenzene-d5	84%		29-124%		
321-60-8	2-Fluorobiphenyl	61%		23-122%		
1718-51-0	Terphenyl-d14	79%		22-130%		

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.2
4

Report of Analysis

Client Sample ID: FB121117AR1	Date Sampled: 12/11/17
Lab Sample ID: JC57176-3	Date Received: 12/12/17
Matrix: AQ - Field Blank Water	Percent Solids: n/a
Method: SW846 8260C	
Project: Navy Wells OU2, Bethpage, NY	

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethene	ND	1.0	0.27	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.62	ug/l	
	m,p-Xylene	ND	1.0	0.43	ug/l	
95-47-6	o-Xylene	ND	1.0	0.22	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	98%		80-120%
17060-07-0	1,2-Dichloroethane-D4	99%		81-124%
2037-26-5	Toluene-D8	98%		80-120%
460-00-4	4-Bromofluorobenzene	99%		80-120%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

ND = Not detected MDL = Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

4.3
4

Report of Analysis

Client Sample ID: FB121117AR1	Date Sampled: 12/11/17
Lab Sample ID: JC57176-3	Date Received: 12/12/17
Matrix: AQ - Field Blank Water	Percent Solids: n/a
Method: SW846 8270D BY SIM SW846 3510C	
Project: Navy Wells OU2, Bethpage, NY	

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	3M73182.D	1	12/27/17 16:28	NAP	12/15/17 00:35	OP8684	E3M3512
Run #2							

Run #	Initial Volume	Final Volume
Run #1	1000 ml	1.0 ml
Run #2		

CAS No.	Compound	Result	RL	MDL	Units	Q
123-91-1	1,4-Dioxane	ND	0.10	0.049	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
4165-60-0	Nitrobenzene-d5	78%		29-124%
321-60-8	2-Fluorobiphenyl	54%		23-122%
1718-51-0	Terphenyl-d14	92%		22-130%

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.3
4

Report of Analysis

Client Sample ID: TB121117AD1 Lab Sample ID: JC57176-4 Matrix: AQ - Trip Blank Water Method: SW846 8260C Project: Navy Wells OU2, Bethpage, NY	Date Sampled: 12/11/17 Date Received: 12/12/17 Percent Solids: n/a
---	---

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethene	ND	1.0	0.27	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.62	ug/l	
	m,p-Xylene	ND	1.0	0.43	ug/l	
95-47-6	o-Xylene	ND	1.0	0.22	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	97%		80-120%
17060-07-0	1,2-Dichloroethane-D4	101%		81-124%
2037-26-5	Toluene-D8	97%		80-120%
460-00-4	4-Bromofluorobenzene	104%		80-120%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

ND = Not detected MDL = Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

4.4
4



ACCUTEST

CHAIN OF CUSTODY

SGS Accutest New Jersey - Dayton
2235 Route 130, Dayton, NJ 08810
TEL: 732-329-0200 FAX: 732-329-3499/3480
www.sgs.com

SGS Navy

FED-EX Tracking #
Bottle Order Control #
Account Quote #
Account Job # JC57177

Client / Reporting Information
Project Information
Requested Analysis (see TEST CODE sheet)
Matrix Codes
Company Name: Arcadis
Project Name: AGMNYM72080 // OU2 Navy Outpost & Monitoring Wells
Street Address: 2 Huntington Quad, Suite 1S10
City: Melville NY
Project #: NY001496.2974 NAVI3
Company Name: Arcadis, U.S., Inc.
Street Address: 630 Plaza Drive, Suite 600
City: Highlands Ranch, CO 80129
Project Manager: Carlo San Giovanni
Accounts Payable

Table with columns: Account Sample #, Field ID / Point of Collection, MECH/DI Val #, Date, Time, Sampled by, Matrix, # of bottles, HCl, HNO3, H2SO4, H3PO4, DI Water, MCHN, ENCODER, Method/Code. Rows 1-3 contain sample data for BPOW 5-5, BPOW 5-6, and TB121117PP2.

Turnaround Time (Business days)
Approved By (Accutest PM): / Date:
Commercial "A" (Level 1)
Commercial "B" (Level 2)
FULL T1 (Level 3+4)
NJ Reduced
Commercial "C"
NYASP Category A
NYASP Category B
State Forms
EDD Format-EQUIS #
Other COMMC+
Commercial "A" = Results Only
Commercial "B" = Results + QC Summary
NJ Reduced = Results + QC Summary + Partial Raw data
Emergency & Rush TIA data available VIA Lablink
Sample Custody must be documented below each time samples change possession, including courier delivery.
Received By: Chris Law 12/12/17 11:15
Received By: Chris Law 12/12/17/RCUS
On Ice: [X]
Cooler Temp: 1.9°C

5.1
5



Report of Analysis

Client Sample ID: BPOW 5-5		Date Sampled: 12/11/17
Lab Sample ID: JC57177-1		Date Received: 12/12/17
Matrix: AQ - Ground Water		Percent Solids: n/a
Method: EPA 524.2 REV 4.1		
Project: Navy Wells OU2, Bethpage, NY		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 ^a	1B113042.D	1	12/15/17 19:06	BK	n/a	n/a	V1B5400
Run #2							

Run #	Purge Volume
Run #1	5.0 ml
Run #2	

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	5.0	3.8	ug/l	
78-93-3	2-Butanone	ND	5.0	2.5	ug/l	
71-43-2	Benzene	ND	0.50	0.26	ug/l	
75-27-4	Bromodichloromethane	ND	0.50	0.36	ug/l	
75-25-2	Bromoform ^b	ND	0.50	0.40	ug/l	
74-83-9	Bromomethane	ND	0.50	0.081	ug/l	
75-15-0	Carbon disulfide	ND	0.50	0.39	ug/l	
108-90-7	Chlorobenzene	ND	0.50	0.27	ug/l	
75-00-3	Chloroethane	ND	0.50	0.071	ug/l	
67-66-3	Chloroform	ND	0.50	0.33	ug/l	
74-87-3	Chloromethane	ND	0.50	0.39	ug/l	
56-23-5	Carbon tetrachloride	ND	0.50	0.13	ug/l	
75-34-3	1,1-Dichloroethane	ND	0.50	0.13	ug/l	
75-35-4	1,1-Dichloroethylene	ND	0.50	0.23	ug/l	
107-06-2	1,2-Dichloroethane	ND	0.50	0.28	ug/l	
78-87-5	1,2-Dichloropropane	ND	0.50	0.29	ug/l	
124-48-1	Dibromochloromethane	ND	0.50	0.094	ug/l	
156-60-5	trans-1,2-Dichloroethylene	ND	0.50	0.098	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	0.50	0.26	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	0.14	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	0.25	ug/l	
100-41-4	Ethylbenzene	ND	0.50	0.26	ug/l	
76-13-1	Freon 113	ND	1.0	0.27	ug/l	
591-78-6	2-Hexanone	ND	2.0	1.3	ug/l	
75-09-2	Methylene chloride	ND	0.50	0.37	ug/l	
108-10-1	4-Methyl-2-pentanone	ND	2.0	1.5	ug/l	
100-42-5	Styrene	ND	0.50	0.21	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	0.50	0.12	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.50	0.099	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	0.50	0.12	ug/l	
127-18-4	Tetrachloroethylene	ND	0.50	0.12	ug/l	
108-88-3	Toluene	ND	0.50	0.13	ug/l	

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.1
4

Report of Analysis

Client Sample ID: BPOW 5-5	Date Sampled: 12/11/17
Lab Sample ID: JC57177-1	Date Received: 12/12/17
Matrix: AQ - Ground Water	Percent Solids: n/a
Method: EPA 524.2 REV 4.1	
Project: Navy Wells OU2, Bethpage, NY	

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethylene	ND	0.50	0.11	ug/l	
75-01-4	Vinyl chloride	ND	0.50	0.056	ug/l	
	m,p-Xylene	ND	0.50	0.26	ug/l	
95-47-6	o-Xylene	ND	0.50	0.24	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2199-69-1	1,2-Dichlorobenzene-d4	89%		70-130%
460-00-4	4-Bromofluorobenzene	97%		70-130%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

- (a) EPA 524.2 is not a certified method for non-potable water samples.
- (b) Associated CCV outside of control limits high, sample was ND.

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.1
4

Report of Analysis

Client Sample ID: BPOW 5-6		Date Sampled: 12/11/17
Lab Sample ID: JC57177-2		Date Received: 12/12/17
Matrix: AQ - Ground Water		Percent Solids: n/a
Method: EPA 524.2 REV 4.1		
Project: Navy Wells OU2, Bethpage, NY		

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethylene	ND	0.50	0.11	ug/l	
75-01-4	Vinyl chloride	ND	0.50	0.056	ug/l	
	m,p-Xylene	ND	0.50	0.26	ug/l	
95-47-6	o-Xylene	ND	0.50	0.24	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2199-69-1	1,2-Dichlorobenzene-d4	87%		70-130%
460-00-4	4-Bromofluorobenzene	94%		70-130%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

- (a) EPA 524.2 is not a certified method for non-potable water samples.
- (b) Associated CCV outside of control limits high, sample was ND.

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.2
4

Report of Analysis

Client Sample ID: TB121117PP1	Date Sampled: 12/11/17
Lab Sample ID: JC57177-3	Date Received: 12/12/17
Matrix: AQ - Trip Blank Water	Percent Solids: n/a
Method: EPA 524.2 REV 4.1	
Project: Navy Wells OU2, Bethpage, NY	

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 ^a	1B113044.D	1	12/15/17 20:10	BK	n/a	n/a	V1B5400
Run #2							

Run #	Purge Volume
Run #1	5.0 ml
Run #2	

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	5.0	3.8	ug/l	
78-93-3	2-Butanone	ND	5.0	2.5	ug/l	
71-43-2	Benzene	ND	0.50	0.26	ug/l	
75-27-4	Bromodichloromethane	ND	0.50	0.36	ug/l	
75-25-2	Bromoform ^b	ND	0.50	0.40	ug/l	
74-83-9	Bromomethane	ND	0.50	0.081	ug/l	
75-15-0	Carbon disulfide	ND	0.50	0.39	ug/l	
108-90-7	Chlorobenzene	ND	0.50	0.27	ug/l	
75-00-3	Chloroethane	ND	0.50	0.071	ug/l	
67-66-3	Chloroform	ND	0.50	0.33	ug/l	
74-87-3	Chloromethane	ND	0.50	0.39	ug/l	
56-23-5	Carbon tetrachloride	ND	0.50	0.13	ug/l	
75-34-3	1,1-Dichloroethane	ND	0.50	0.13	ug/l	
75-35-4	1,1-Dichloroethylene	ND	0.50	0.23	ug/l	
107-06-2	1,2-Dichloroethane	ND	0.50	0.28	ug/l	
78-87-5	1,2-Dichloropropane	ND	0.50	0.29	ug/l	
124-48-1	Dibromochloromethane	ND	0.50	0.094	ug/l	
156-60-5	trans-1,2-Dichloroethylene	ND	0.50	0.098	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	0.50	0.26	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	0.14	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	0.25	ug/l	
100-41-4	Ethylbenzene	ND	0.50	0.26	ug/l	
76-13-1	Freon 113	ND	1.0	0.27	ug/l	
591-78-6	2-Hexanone	ND	2.0	1.3	ug/l	
75-09-2	Methylene chloride	ND	0.50	0.37	ug/l	
108-10-1	4-Methyl-2-pentanone	ND	2.0	1.5	ug/l	
100-42-5	Styrene	ND	0.50	0.21	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	0.50	0.12	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.50	0.099	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	0.50	0.12	ug/l	
127-18-4	Tetrachloroethylene	ND	0.50	0.12	ug/l	
108-88-3	Toluene	ND	0.50	0.13	ug/l	

ND = Not detected MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: TB121117PP1		Date Sampled: 12/11/17
Lab Sample ID: JC57177-3		Date Received: 12/12/17
Matrix: AQ - Trip Blank Water		Percent Solids: n/a
Method: EPA 524.2 REV 4.1		
Project: Navy Wells OU2, Bethpage, NY		

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethylene	ND	0.50	0.11	ug/l	
75-01-4	Vinyl chloride	ND	0.50	0.056	ug/l	
	m,p-Xylene	ND	0.50	0.26	ug/l	
95-47-6	o-Xylene	ND	0.50	0.24	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2199-69-1	1,2-Dichlorobenzene-d4	84%		70-130%
460-00-4	4-Bromofluorobenzene	95%		70-130%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

- (a) EPA 524.2 is not a certified method for non-potable water samples.
- (b) Associated CCV outside of control limits high, sample was ND.

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.3
4

2235 Route 130, Dayton, NJ 08810
 TEL: 732-329-0200 FAX: 732-329-3499/3480
 www.sgs.com

Client / Reporting Information		Project Information		Requested Analysis (see TEST CODE sheet)		Matrix Codes	
Company Name: SGS Accutest Street Address: 2235 Route 130 City: Dayton State: NJ Zip: 08810 Project Contact: Kristin Degraw E-mail: kd@sgs.com Phone #: 732-329-0200 Fax #: _____ Sampler(s) Name(s): CK Phone: _____ Project Manager: _____ Attention: _____		Project Name: Northrup Grumman, Navy Wells OJ2, Bethpage, NY Street: _____ City: _____ State: _____ Billing Information (if different from Report to) Company Name: _____ Street Address: _____ City: _____ State: _____ Zip: _____		Requested Analysis: SB522SIM14DIOX		Matrix Codes: DW - Drinking Water GW - Ground Water WW - Water SW - Surface Water SO - Soil SL - Sludge SED - Sediment OI - Oil LIQ - Other Liquid AIR - Air SOL - Other Solid WP - Waste FB - Field Blank EB - Equipment Blank RB - Rinse Blank TB - Trip Blank LAB USE ONLY	
Turnaround Time (Business days): _____ Approved By (SGS Accutest PM): / Date: _____ <input type="checkbox"/> Std. 10 Business Days <input type="checkbox"/> 5 Day RUSH <input type="checkbox"/> 3 Day EMERGENCY <input type="checkbox"/> 2 Day EMERGENCY <input type="checkbox"/> 1 Day EMERGENCY <input checked="" type="checkbox"/> other 21 Emergency & Rush T/A data available V/A Lablink		Data Deliverable Information: <input type="checkbox"/> Commercial "A" (Level 1) <input type="checkbox"/> Commercial "B" (Level 2) <input type="checkbox"/> FULLT1 (Level 3+4) <input type="checkbox"/> NJ Reduced <input type="checkbox"/> Commercial "C" Commercial "A" = Results Only Commercial "B" = Results + QC Summary Commercial "C" = Results + QC Summary + Partial Raw data		Number of preserved Bottles: HCl _____ HNO3 _____ H2SO4 _____ DI Water _____ MEOH _____ ENCORE _____ Nablunt _____ Matrix # of bottles: 2 2		Comments / Special Instructions	
Relinquished by sampler: _____ Date Time: 12-17-17 17:20 Relinquished by sampler: _____ Date Time: _____ Relinquished by: _____ Date Time: _____		Sample Custody must be documented below each time samples change possession, including courier delivery. Relinquished By: FEDEX Received By: _____ Date Time: _____ Received By: _____ Date Time: _____ Received By: _____ Date Time: _____		Date Time: _____ Date Time: _____ Date Time: _____		Received By: _____ Received By: _____ Received By: _____	
Relinquished by: _____ Date Time: _____ Relinquished by: _____ Date Time: _____ Relinquished by: _____ Date Time: _____		Relinquished By: _____ Date Time: _____ Relinquished By: _____ Date Time: _____ Relinquished By: _____ Date Time: _____		Date Time: _____ Date Time: _____ Date Time: _____		Received By: _____ Received By: _____ Received By: _____	

GEL LABORATORIES LLC

2040 Savage Road Charleston SC 29407 - (843) 556-8171 - www.gel.com

Qualifier Definition Report for

ACTL003 SGS Accutest

Client SDG: JC57177X GEL Work Order: 440061

The Qualifiers in this report are defined as follows:

- * Indicates that a quality control analyte recovery is outside of specified acceptance criteria.
- ** Indicates the analyte is a surrogate compound.
- J Indicates an estimated value. The result was greater than the detection limit, but less than the reporting limit or indicates that the analyte recovery in the MS or MSD is outside of specified acceptance criteria.
- U Indicates the target analyte was analyzed for but not detected above the detection limit.
- DL Indicates that sample is diluted.
- RA Indicates that sample is re-analyzed without re-extraction.
- RE Indicates that sample is re-extracted.

Review/Validation

GEL requires all analytical data to be verified by a qualified data reviewer. In addition, all CLP-like deliverables receive a third level review of the fractional data package.

The following data validator verified the information presented in this data report:

Signature: *Cameron Bearden*

Name: Cameron Bearden

Date: 05 JAN 2018

Title: Group Leader

**Semi-Volatile
Certificate of Analysis
Sample Summary**

SDG Number: JC57177X
 Lab Sample ID: 440061001

 Client ID: BPOW5-5
 Batch ID: 1728612
 Run Date: 01/02/2018 21:30
 Prep Date: 01/02/2018 08:40
 Data File: s010218.B\s6a0211.D

Date Collected: 12/11/2017 15:50
 Date Received: 12/14/2017 08:55
 Client: ACTL003
 Method: EPA 522
 Inst: MSD6.I
 Analyst: JMB3
 Aliquot: 100 mL
 Rx-624

Matrix: WATER

 Project: ACTL00316
 SOP Ref: GL-OA-E-073
 Dilution: 1
 Inj. Vol: 1 uL
 Final Volume: 2 mL

CAS No.	Parname	Qualifier	Result	Units	MDL	LOD	LOQ
123-91-1	1,4-Dioxane		1.41	ug/L	0.100	0.100	0.200

2

**Semi-Volatile
Certificate of Analysis
Sample Summary**

SDG Number: JC57177X
 Lab Sample ID: 440061002

 Client ID: BPOW5-6
 Batch ID: 1728612
 Run Date: 01/02/2018 22:22
 Prep Date: 01/02/2018 08:40
 Data File: s010218.B\s6a0213.D

Date Collected: 12/11/2017 15:40
 Date Received: 12/14/2017 08:55
 Client: ACTL003
 Method: EPA 522
 Inst: MSD6.I
 Analyst: JMB3
 Aliquot: 100 mL
 Rtx-624

Matrix: WATER

 Project: ACTL00316
 SOP Ref: GL-OA-E-073
 Dilution: 1
 Inj. Vol: 1 uL
 Final Volume: 2 mL

CAS No.	Parname	Qualifier	Result	Units	MDL	LOD	LOQ
123-91-1	1,4-Dioxane	J	0.118	ug/L	0.100	0.100	0.200

2

Navy Wells-

Operable Unit 2

Data Review

Bethpage, New York

Volatile and Semi-Volatile Analyses

SDGs #JC56748 and JC57025

Analyses Performed By:
Accutest-SGS Laboratories
Dayton, New Jersey

Report #29160R
Review Level: Tier II
Project: NY001496.23TM.NAVI4



SUMMARY

This data quality assessment summarizes the review of Sample Delivery Groups (SDGs) #JC56748 and JC57025 samples collected in association with the Navy Wells at the Bethpage, NY site. The review was conducted as a Tier II evaluation and included review of data package completeness. Only analytical data associated with constituents of concern were reviewed for this validation. Field documentation was not included in this review. Included with this assessment are the validation annotated sample result sheets, and chain of custody. Analyses were performed on the following samples:

SDG Number	Sample ID	Lab ID	Matrix	Sample Collection Date	Parent Sample	Analysis				
						VOC	SVOC	PCB	MET	MISC
JC56748	RE121D2	JC56748-1	Water	12/5/2017		X	X			
	FB120517PP1	JC56748-2	Water	12/5/2017		X	X			
	TB120517PP1	JC56748-3	Water	12/5/2017		X				
	RE121D1	JC56748-4	Water	12/5/2017		X	X			
JC57025	TT-102D2	JC57025-1	Water	12/7/2017		X*	X			
	TB120717PP1	JC57025-2	Water	12/7/2017		X*				
	TT-102D	JC57025-3	Water	12/7/2017		X*	X			

Note:

1. (*) Sample locations analyzed by USEPA method 524.4.

ANALYTICAL DATA PACKAGE DOCUMENTATION

The table below is the evaluation of the data package completeness.

Items Reviewed	Reported		Performance Acceptable		Not Required
	No	Yes	No	Yes	
1. Sample receipt condition		X		X	
2. Requested analyses and sample results		X		X	
3. Master tracking list		X		X	
4. Methods of analysis		X		X	
5. Reporting limits		X		X	
6. Sample collection date		X		X	
7. Laboratory sample received date		X		X	
8. Sample preservation verification (as applicable)		X		X	
9. Sample preparation/extraction/analysis dates		X		X	
10. Fully executed Chain-of-Custody (COC) form		X		X	
11. Narrative summary of QA or sample problems provided		X		X	
12. Data Package Completeness and Compliance		X		X	

Note:

QA - Quality Assurance

ORGANIC ANALYSIS INTRODUCTION

Analyses were performed according to United States Environmental Protection Agency (USEPA) SW-846 methods 8260C and 8270D-Selected Ion Monitoring (SIM), and USEPA method 524.2. Data were reviewed in accordance with USEPA National Functional Guidelines of October 1999.

The data review process is an evaluation of data on a technical basis rather than a determination of contract compliance. As such, the standards against which the data are being weighed may differ from those specified in the analytical method. It is assumed that the data package represents the best efforts of the laboratory and had already been subjected to adequate and sufficient quality review prior to submission.

During the review process, laboratory qualified and unqualified data are verified against the supporting documentation. Based on this evaluation, qualifier codes may be added, deleted, or modified by the data reviewer. Results are qualified with the following codes in accordance with USEPA National Functional Guidelines:

- Concentration (C) Qualifiers
 - U The compound was analyzed for but not detected. The associated value is the compound quantitation limit.
 - B The compound has been found in the sample as well as its associated blank, its presence in the sample may be suspect.
- Quantitation (Q) Qualifiers
 - E The compound was quantitated above the calibration range.
 - D Concentration is based on a diluted sample analysis.
- Validation Qualifiers
 - J The compound was positively identified; however, the associated numerical value is an estimated concentration only.
 - UJ The compound was not detected above the reported sample quantitation limit. However, the reported limit is approximate and may or may not represent the actual limit of quantitation.
 - JN The analysis indicates the presence of a compound for which there is presumptive evidence to make a tentative identification. The associated numerical value is an estimated concentration only.
 - UB Compound considered non-detect at the listed value due to associated blank contamination.
 - N The analysis indicates the presence of a compound for which there is presumptive evidence to make a tentative identification.
 - R The sample results are rejected.

Two facts should be noted by all data users. First, the "R" flag means that the associated value is unusable. In other words, due to significant quality control (QC) problems, the analysis is invalid and

provides no information as to whether the compound is present or not. "R" values should not appear on data tables because they cannot be relied upon, even as a last resort. The second fact to keep in mind is that no compound concentration, even if it has passed all QC tests, is guaranteed to be accurate. Strict QC serves to increase confidence in data but any value potentially contains error.

VOLATILE ORGANIC COMPOUNDS (VOC) ANALYSES

1. Holding Times

The specified holding times for the following methods are presented in the following table.

Method	Matrix	Holding Time	Preservation
SW-846 8260C	Water	14 days from collection to analysis	Cool to <6 °C; preserved to a pH of less than 2 s.u.
EPA 524.2	Water	14 days from collection to analysis	Cool to <6 °C; preserved to a pH of less than 2 s.u.

Note:

s.u. = Standard units

All samples were analyzed within the specified holding time criteria.

2. Blank Contamination

Quality assurance (QA) blanks (i.e., method and rinse blanks) are prepared to identify any contamination which may have been introduced into the samples during sample preparation or field activity. Method blanks measure laboratory contamination. Rinse blanks measure contamination of samples during field operations.

A blank action level (BAL) of five times the concentration of a detected compound in an associated blank (common laboratory contaminant compounds are calculated at ten times) is calculated for QA blanks containing concentrations greater than the method detection limit (MDL). The BAL is compared to the associated sample results to determine the appropriate qualification of the sample results, if needed.

Compounds were not detected above the MDL in the associated blanks; therefore, detected sample results were not associated with blank contamination.

3. Surrogates/System Monitoring Compounds

All samples to be analyzed for organic compounds are spiked with surrogate compounds prior to sample preparation to evaluate overall laboratory performance and efficiency of the analytical technique. VOC analysis requires that all surrogates associated with the analysis exhibit recoveries within the laboratory-established acceptance limits.

All surrogate recoveries were within control limits.

4. Matrix Spike/Matrix Spike Duplicate (MS/MSD) Analysis

MS/MSD data are used to assess the precision and accuracy of the analytical method. The compounds used to perform the MS/MSD analysis must exhibit a percent recovery within the laboratory-established acceptance limits. The relative percent difference (RPD) between the MS/MSD recoveries must exhibit an RPD within the laboratory-established acceptance limits.

Note: The MS/MSD recovery control limits do not apply for MS/MSD performed on sample locations where the compound concentration detected in the parent sample exceeds the MS/MSD concentration by a factor of four or greater.

A MS/MSD was not performed on a sample location associated with either SDG.

5. Laboratory Control Sample (LCS) Analysis

The LCS analysis is used to assess the precision and accuracy of the analytical method independent of matrix interferences. The compounds associated with the LCS analysis must exhibit a percent recovery within the laboratory-established acceptance limits.

Sample locations associated with LCS analysis exhibiting recoveries outside of the control limits presented in the following table.

Sample Locations	Compound	LCS Recovery
SDG JC65748: RE121D2 FB120517PP1	Acetone	>UL
TB120517PP1 RE121D1	2-Hexanone	>UL

The criteria used to evaluate the LCS recoveries are presented in the following table. In the case of an LCS deviation, the sample results are qualified as documented in the table below.

Control Limit	Sample Result	Qualification
> the upper control limit (UL)	Non-detect	No Action
	Detect	J
< the lower control limit (LL) but > 10%	Non-detect	UJ
	Detect	J
< 10%	Non-detect	R
	Detect	J

All compounds associated with the LCS analysis exhibited acceptable recoveries in SDG JC57025.

6. Field Duplicate Analysis

Field duplicate analysis is used to assess the overall precision of the field sampling procedures and analytical method. A control limit of 30% for water matrices is applied to the RPD between the parent

sample and the field duplicate. In the instance when the parent and/or duplicate sample concentrations are less than or equal to 5 times the RL, a control limit of two times the RL is applied for water matrices.

A field duplicate was not collected with a sample location associated with the SDGs validated in the report.

7. Laboratory Duplicate Analysis

The laboratory duplicate relative percent difference (RPD) criterion is applied when parent and duplicate sample concentrations are greater than or equal to 5 times the RL. A control limit of 20% for water matrices is applied when the criteria above is true. In the instance when the parent and/or duplicate sample concentrations are less than or equal to 5 times the RL, a control limit of two times the RL is applied for water matrices.

A laboratory duplicate was not performed on a sample location associated with SDG JC56748.

The laboratory duplicate performed on sample location TT-102D2 (SDG JC57025) exhibited acceptable RPDs.

8. System Performance and Overall Assessment

Tentatively identified compounds (TICs) were not detected in any of the sample locations.

Overall system performance was acceptable. Other than for those deviations specifically mentioned in this review, the overall data quality is within the guidelines specified in the method.

DATA VALIDATION CHECKLIST FOR VOCs

VOCs: SW-846 8260C	Reported		Performance Acceptable		Not Required
	No	Yes	No	Yes	
GAS CHROMATOGRAPHY/MASS SPECTROMETRY (GC/MS)					
Tier II Validation					
Holding times		X		X	
Reporting limits (units)		X		X	
Blanks					
A. Method blanks		X		X	
B. Equipment blanks		X		X	
C. Trip blanks		X		X	
Laboratory Control Sample (LCS) %R		X	X		
Laboratory Control Sample Duplicate(LCSD) %R					X
LCS/LCSD Precision (RPD)					X
Matrix Spike (MS) %R					X
Matrix Spike Duplicate(MSD) %R					X
MS/MSD Precision (RPD)					X
Field/Lab Duplicate (RPD)		X		X	
Surrogate Spike Recoveries		X		X	
Dilution Factor		X		X	
Moisture Content					X

Notes:

RPD Relative percent difference

%R Percent recovery

SEMI-VOLATILE ORGANIC COMPOUNDS (SVOC) ANALYSES

1. Holding Times

The specified holding times for the following methods are presented in the following table.

Method	Matrix	Holding Time	Preservation
SW-846 8270D-SIM	Water	14 days from collection to extraction and 40 days from extraction to analysis	Cool to <6 °C

All samples were analyzed within the specified holding time criteria.

2. Blank Contamination

Quality assurance (QA) blanks (i.e., method and rinse blanks) are prepared to identify any contamination which may have been introduced into the samples during sample preparation or field activity. Method blanks measure laboratory contamination. Rinse blanks measure contamination of samples during field operations.

A blank action level (BAL) of five times the concentration of a detected compound in an associated blank (common laboratory contaminant compounds are calculated at ten times) is calculated for QA blanks containing concentrations greater than the method detection limit (MDL). The BAL is compared to the associated sample results to determine the appropriate qualification of the sample results, if needed.

Compounds were not detected above the MDL in the associated blanks; therefore, detected sample results were not associated with blank contamination.

3. Surrogates/System Monitoring Compounds

All samples to be analyzed for organic compounds are spiked with surrogate compounds prior to sample preparation to evaluate overall laboratory performance and efficiency of the analytical technique. SVOC analysis requires that two of the three SVOC surrogate compounds within each fraction exhibit recoveries within the laboratory-established acceptance limits.

All surrogate recoveries were within control limits.

4. Matrix Spike/Matrix Spike Duplicate (MS/MSD) Analysis

MS/MSD data are used to assess the precision and accuracy of the analytical method. The compounds used to perform the MS/MSD analysis must exhibit a percent recovery within the laboratory-established acceptance limits. The relative percent difference (RPD) between the MS/MSD recoveries must exhibit an RPD within the laboratory-established acceptance limits.

Note: The MS/MSD recovery control limits do not apply for MS/MSD performed on sample locations where the compound concentration detected in the parent sample exceeds the MS/MSD concentration by a factor of four or greater.

A MS/MSD was not performed on a sample location associated with either SDG.

5. Laboratory Control Sample/Laboratory Control Sample Duplicate (LCS/LCSD) Analysis

The LCS/LCSD analysis is used to assess the precision and accuracy of the analytical method independent of matrix interferences. The compounds associated with the LCS/LCSD analysis must exhibit a percent recovery within the laboratory-established acceptance limits.

All compounds associated with the LCS and/or LCSD analysis exhibited recoveries within the control limits in both SDGs.

6. Field Duplicate Analysis

Field duplicate analysis is used to assess the overall precision of the field sampling procedures and analytical method. A control limit of 30% for water matrices is applied to the RPD between the parent sample and the field duplicate. In the instance when the parent and/or duplicate sample concentrations are less than or equal to 5 times the RL, a control limit of two times the RL is applied for water matrices.

A field duplicate was not collected with a sample location associated with either SDG validated in this report.

7. System Performance and Overall Assessment

Overall system performance was acceptable. Other than for those deviations specifically mentioned in this review, the overall data quality is within the guidelines specified in the method.

DATA VALIDATION CHECKLIST FOR SVOCs

SVOCs: SW-846 8270D-SIM	Reported		Performance Acceptable		Not Required
	No	Yes	No	Yes	
GAS CHROMATOGRAPHY/MASS SPECTROMETRY (GC/MS)					
Tier II Validation					
Holding times		X		X	
Reporting limits (units)		X		X	
Blanks					
A. Method blanks		X		X	
B. Equipment blanks		X		X	
Laboratory Control Sample (LCS) %R		X		X	
Laboratory Control Sample Duplicate(LCSD) %R		X		X	
LCS/LCSD Precision (RPD)		X		X	
Matrix Spike (MS) %R					X
Matrix Spike Duplicate(MSD) %R					X
MS/MSD Precision (RPD)					X
Field/Lab Duplicate (RPD)					X
Surrogate Spike Recoveries		X		X	
Dilution Factor		X		X	
Moisture Content					X

Notes:

%R Percent recovery

RPD Relative percent difference

VALIDATION PERFORMED BY: Lisa Horton

SIGNATURE:



DATE: February 1, 2018

PEER REVIEW: Todd Church

DATE: February 4, 2018

CHAIN OF CUSTODY CORRECTED SAMPLE ANALYSIS DATA SHEETS



ACCUTEST

GW
FB
WTB

CHAIN OF CUSTODY

SGS Accutest New Jersey - Dayton
2235 Route 130, Dayton, NJ 08810
TEL: 732-329-0200 FAX: 732-329-3499/3480
www.sgs.com

SGS 4-Navy

PAGE OF

FED-EX Tracking #		Bottle Order Control #	
Accutest Quote #		Accutest Job # JC56748	
Client / Reporting Information		Project Information	
Company Name Arcadis		Project Name: AGNMY72080 // OU2 Navy Outpost & Monitoring Wells Navy Wells OU2 -Bethpage, New York	
Street Address 2 Huntington Quad, Suite 1S10		Street	
City State Zip Molville NY 11747		City State Bethpage NY	
Project Contact Soma Das, soma.das@arcadis.com		Project # NY001496	
Phone # 631-249-7600		Client Purchase Order # 630 Plaza Drive, Suite 600	
Fax # 631-249-7610		Work Authorization # NY001496_2015.10.30	
Sampler(s) Name(s) Rafael Peraza 516-247-6247		Project Manager Carlo San Giovanni	
		Attention: Accounts Payable	
Turnaround Time (Business days)		Data Deliverable Information	
<input type="checkbox"/> Std. 15 Business Days <input checked="" type="checkbox"/> Std. 10 Business Days (by Contract only) <input type="checkbox"/> 10 Day RUSH <input type="checkbox"/> 5 Day RUSH <input type="checkbox"/> 3 Day EMERGENCY <input type="checkbox"/> 2 Day EMERGENCY <input type="checkbox"/> 1 Day EMERGENCY <small>Emergency & Rush TIA data available via Lablink</small>		<input type="checkbox"/> Commercial "A" (Level 1) <input type="checkbox"/> NYASP Category A <input type="checkbox"/> Commercial "B" (Level 2) <input type="checkbox"/> NYASP Category B <input type="checkbox"/> FULLT+ (Level 3+4) <input type="checkbox"/> State Forms <input type="checkbox"/> NJ Reduced <input checked="" type="checkbox"/> EDD Format-EQUIS 6 <input type="checkbox"/> Commercial "C" <input checked="" type="checkbox"/> Other COMM+ <small>Commercial "A" = Results Only Commercial "B" = Results + QC Summary NJ Reduced = Results + QC Summary + Partial Raw data</small>	
Approved By (Accutest PM): / Date:		Comments / Special Instructions	
		INITIAL ASSESSMENT 2/15/17 LABEL VERIFICATION _____	
Sample Custody must be documented below each time samples change possession, including courier delivery.			
Relinquished by Sampler: 1	Date Time: 12-5-17 20:30	Received By: 1	Date Time: 12-10-17 10:41
Relinquished by Sampler: 3	Date Time:	Received By: 3	Date Time:
Relinquished by: 5	Date Time:	Received By: 5	Date Time:
Custody Seal #		<input checked="" type="checkbox"/> Intact Preserved where applicable <input type="checkbox"/> Not intact <input type="checkbox"/>	
		Qn Ice Cooler Temp. 16.7, 20.1 °C	

JC56748: Chain of Custody

Page 1 of 2

5.1
5

Report of Analysis

Client Sample ID: RE121D2		Date Sampled: 12/05/17
Lab Sample ID: JC56748-1		Date Received: 12/06/17
Matrix: AQ - Ground Water		Percent Solids: n/a
Method: SW846 8260C		
Project: Navy Wells OU2, Bethpage, NY		

Run #1	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	1A176793.D	5	12/10/17 00:00	GA	n/a	n/a	V1A7508
Run #2							

Run #1	Purge Volume
Run #1	5.0 ml
Run #2	

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone ^a	ND	50	25	ug/l	
71-43-2	Benzene	ND	2.5	0.87	ug/l	
75-27-4	Bromodichloromethane	ND	5.0	1.1	ug/l	
75-25-2	Bromoform	ND	5.0	2.1	ug/l	
74-83-9	Bromomethane	ND	10	6.9	ug/l	
78-93-3	2-Butanone (MEK)	ND	50	24	ug/l	
75-15-0	Carbon disulfide	ND	10	2.5	ug/l	
56-23-5	Carbon tetrachloride	3.9	5.0	1.7	ug/l	J
108-90-7	Chlorobenzene	ND	5.0	1.2	ug/l	
75-00-3	Chloroethane	ND	5.0	3.0	ug/l	
67-66-3	Chloroform	1.9	5.0	1.4	ug/l	J
74-87-3	Chloromethane	ND	5.0	2.7	ug/l	
124-48-1	Dibromochloromethane	ND	5.0	0.82	ug/l	
75-34-3	1,1-Dichloroethane	ND	5.0	1.0	ug/l	
107-06-2	1,2-Dichloroethane	ND	5.0	1.0	ug/l	
75-35-4	1,1-Dichloroethene	2.7	5.0	2.4	ug/l	J
156-59-2	cis-1,2-Dichloroethene	2.9	5.0	2.5	ug/l	J
156-60-5	trans-1,2-Dichloroethene	ND	5.0	2.0	ug/l	
78-87-5	1,2-Dichloropropane	ND	5.0	1.2	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	5.0	1.3	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	5.0	1.1	ug/l	
100-41-4	Ethylbenzene	ND	5.0	1.1	ug/l	
76-13-1	Freon 113	15.9	25	6.2	ug/l	J
591-78-6	2-Hexanone ^a	ND	25	16	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	25	15	ug/l	
75-09-2	Methylene chloride	ND	10	5.0	ug/l	
100-42-5	Styrene	ND	5.0	1.2	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	5.0	0.84	ug/l	
127-18-4	Tetrachloroethene	ND	5.0	2.5	ug/l	
108-88-3	Toluene	ND	5.0	1.2	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	5.0	1.3	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	5.0	1.2	ug/l	

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.1
4

Report of Analysis

Client Sample ID: RE121D2	Date Sampled: 12/05/17
Lab Sample ID: JC56748-1	Date Received: 12/06/17
Matrix: AQ - Ground Water	Percent Solids: n/a
Method: SW846 8260C	
Project: Navy Wells OU2, Bethpage, NY	

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethene	754	5.0	1.3	ug/l	
75-01-4	Vinyl chloride	ND	5.0	3.1	ug/l	
	m,p-Xylene	ND	5.0	2.1	ug/l	
95-47-6	o-Xylene	ND	5.0	1.1	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	97%		80-120%
17060-07-0	1,2-Dichloroethane-D4	99%		81-124%
2037-26-5	Toluene-D8	91%		80-120%
460-00-4	4-Bromofluorobenzene	95%		80-120%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

(a) This compound in BS is outside in house QC limits bias high.

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.1
4

Report of Analysis

Client Sample ID: RE121D2	Date Sampled: 12/05/17
Lab Sample ID: JC56748-1	Date Received: 12/06/17
Matrix: AQ - Ground Water	Percent Solids: n/a
Method: SW846 8270D BY SIM SW846 3510C	
Project: Navy Wells OU2, Bethpage, NY	

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	3M73083.D	1	12/19/17 14:13	KM	12/11/17 21:00	OP8570A	E3M3508
Run #2							

Run #	Initial Volume	Final Volume
Run #1	1000 ml	1.0 ml
Run #2		

CAS No.	Compound	Result	RL	MDL	Units	Q
123-91-1	1,4-Dioxane	3.03	0.10	0.049	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
4165-60-0	Nitrobenzene-d5	63%		29-124%
321-60-8	2-Fluorobiphenyl	66%		23-122%
1718-51-0	Terphenyl-d14	82%		22-130%

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.1
4

Report of Analysis

Client Sample ID: FB120517PP1		
Lab Sample ID: JC56748-2		Date Sampled: 12/05/17
Matrix: AQ - Field Blank Water		Date Received: 12/06/17
Method: SW846 8260C		Percent Solids: n/a
Project: Navy Wells OU2, Bethpage, NY		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	1A176794.D	1	12/10/17 00:29	GA	n/a	n/a	V1A7508
Run #2							

Run #	Purge Volume
Run #1	5.0 ml
Run #2	

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone ^a	ND	10	5.0	ug/l	
71-43-2	Benzene	ND	0.50	0.17	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.22	ug/l	
75-25-2	Bromoform	ND	1.0	0.42	ug/l	
74-83-9	Bromomethane	ND	2.0	1.4	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	4.8	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.50	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.34	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.24	ug/l	
75-00-3	Chloroethane	ND	1.0	0.59	ug/l	
67-66-3	Chloroform	ND	1.0	0.29	ug/l	
74-87-3	Chloromethane	ND	1.0	0.53	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.16	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.21	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.20	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.47	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.50	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.40	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.24	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.25	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.22	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.22	ug/l	
76-13-1	Freon 113	ND	5.0	1.2	ug/l	
591-78-6	2-Hexanone ^a	ND	5.0	3.3	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	3.0	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.24	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.17	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.50	ug/l	
108-88-3	Toluene	ND	1.0	0.25	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.25	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.24	ug/l	

ND = Not detected

MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: FB120517PP1	Date Sampled: 12/05/17
Lab Sample ID: JC56748-2	Date Received: 12/06/17
Matrix: AQ - Field Blank Water	Percent Solids: n/a
Method: SW846 8260C	
Project: Navy Wells OU2, Bethpage, NY	

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethene	ND	1.0	0.27	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.62	ug/l	
	m,p-Xylene	ND	1.0	0.43	ug/l	
95-47-6	o-Xylene	ND	1.0	0.22	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	97%		80-120%
17060-07-0	1,2-Dichloroethane-D4	101%		81-124%
2037-26-5	Toluene-D8	91%		80-120%
460-00-4	4-Bromofluorobenzene	95%		80-120%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

(a) This compound in BS is outside in house QC limits bias high.

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.2
4

Report of Analysis

Client Sample ID: FB120517PP1	Date Sampled: 12/05/17
Lab Sample ID: JC56748-2	Date Received: 12/06/17
Matrix: AQ - Field Blank Water	Percent Solids: n/a
Method: SW846 8270D BY SIM SW846 3510C	
Project: Navy Wells OU2, Bethpage, NY	

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	3M73081.D	1	12/19/17 13:08	KM	12/11/17 21:00	OP8570A	E3M3508
Run #2							

	Initial Volume	Final Volume
Run #1	1000 ml	1.0 ml
Run #2		

CAS No.	Compound	Result	RL	MDL	Units	Q
123-91-1	1,4-Dioxane	ND	0.10	0.049	ug/l	
CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits		
4165-60-0	Nitrobenzene-d5	62%		29-124%		
321-60-8	2-Fluorobiphenyl	61%		23-122%		
1718-51-0	Terphenyl-d14	89%		22-130%		

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.2
4

Report of Analysis

Client Sample ID: TB120517PP1		Date Sampled: 12/05/17
Lab Sample ID: JC56748-3		Date Received: 12/06/17
Matrix: AQ - Trip Blank Water		Percent Solids: n/a
Method: SW846 8260C		
Project: Navy Wells OU2, Bethpage, NY		

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethene	ND	1.0	0.27	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.62	ug/l	
	m,p-Xylene	ND	1.0	0.43	ug/l	
95-47-6	o-Xylene	ND	1.0	0.22	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	96%		80-120%
17060-07-0	1,2-Dichloroethane-D4	101%		81-124%
2037-26-5	Toluene-D8	90%		80-120%
460-00-4	4-Bromofluorobenzene	94%		80-120%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

(a) This compound in BS is outside in house QC limits bias high.

ND = Not detected MDL = Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

4.3
4

Report of Analysis

Client Sample ID: RE121D1		
Lab Sample ID: JC56748-4		Date Sampled: 12/05/17
Matrix: AQ - Ground Water		Date Received: 12/06/17
Method: SW846 8260C		Percent Solids: n/a
Project: Navy Wells OU2, Bethpage, NY		

Run #1	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	1A176796.D	1	12/10/17 01:29	GA	n/a	n/a	V1A7508
Run #2							

Run #1	Purge Volume
Run #1	5.0 ml
Run #2	

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone ^a	ND	10	5.0	ug/l	
71-43-2	Benzene	ND	0.50	0.17	ug/l	
75-27-4	Bromodichloromethane	ND	1.0	0.22	ug/l	
75-25-2	Bromoform	ND	1.0	0.42	ug/l	
74-83-9	Bromomethane	ND	2.0	1.4	ug/l	
78-93-3	2-Butanone (MEK)	ND	10	4.8	ug/l	
75-15-0	Carbon disulfide	ND	2.0	0.50	ug/l	
56-23-5	Carbon tetrachloride	0.41	1.0	0.34	ug/l	J
108-90-7	Chlorobenzene	ND	1.0	0.24	ug/l	
75-00-3	Chloroethane	ND	1.0	0.59	ug/l	
67-66-3	Chloroform	0.37	1.0	0.29	ug/l	J
74-87-3	Chloromethane	ND	1.0	0.53	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.16	ug/l	
75-34-3	1,1-Dichloroethane	0.23	1.0	0.21	ug/l	J
107-06-2	1,2-Dichloroethane	ND	1.0	0.20	ug/l	
75-35-4	1,1-Dichloroethene	1.7	1.0	0.47	ug/l	
156-59-2	cis-1,2-Dichloroethene	1.1	1.0	0.50	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.40	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.24	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.25	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.22	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.22	ug/l	
76-13-1	Freon 113	7.9	5.0	1.2	ug/l	
591-78-6	2-Hexanone ^a	ND	5.0	3.3	ug/l	
108-10-1	4-Methyl-2-pentanone(MIBK)	ND	5.0	3.0	ug/l	
75-09-2	Methylene chloride	ND	2.0	1.0	ug/l	
100-42-5	Styrene	ND	1.0	0.24	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.17	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.50	ug/l	
108-88-3	Toluene	ND	1.0	0.25	ug/l	
71-55-6	1,1,1-Trichloroethane	0.35	1.0	0.25	ug/l	J
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.24	ug/l	

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.4
4

Report of Analysis

Client Sample ID: RE121D1	Date Sampled: 12/05/17
Lab Sample ID: JC56748-4	Date Received: 12/06/17
Matrix: AQ - Ground Water	Percent Solids: n/a
Method: SW846 8260C	
Project: Navy Wells OU2, Bethpage, NY	

VOA OU2 GW List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethene	33.8	1.0	0.27	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.62	ug/l	
	m,p-Xylene	ND	1.0	0.43	ug/l	
95-47-6	o-Xylene	ND	1.0	0.22	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	97%		80-120%
17060-07-0	1,2-Dichloroethane-D4	99%		81-124%
2037-26-5	Toluene-D8	91%		80-120%
460-00-4	4-Bromofluorobenzene	96%		80-120%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

(a) This compound in BS is outside in house QC limits bias high.

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.4
4

Report of Analysis

Client Sample ID: RE121D1	Date Sampled: 12/05/17
Lab Sample ID: JC56748-4	Date Received: 12/06/17
Matrix: AQ - Ground Water	Percent Solids: n/a
Method: SW846 8270D BY SIM SW846 3510C	
Project: Navy Wells OU2, Bethpage, NY	

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	3M73082.D	1	12/19/17 13:40	KM	12/11/17 21:00	OP8570A	E3M3508
Run #2							

	Initial Volume	Final Volume
Run #1	1000 ml	1.0 ml
Run #2		

CAS No.	Compound	Result	RL	MDL	Units	Q
123-91-1	1,4-Dioxane	4.98	0.10	0.049	ug/l	
CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits		
4165-60-0	Nitrobenzene-d5	68%		29-124%		
321-60-8	2-Fluorobiphenyl	72%		23-122%		
1718-51-0	Terphenyl-d14	87%		22-130%		

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.4
4

Report of Analysis

Client Sample ID: TT-102D2		Date Sampled: 12/07/17
Lab Sample ID: JC57025-1		Date Received: 12/08/17
Matrix: AQ - Ground Water		Percent Solids: n/a
Method: EPA 524.2 REV 4.1		
Project: Navy Wells OU2, Bethpage, NY		

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethylene	ND	0.50	0.11	ug/l	
75-01-4	Vinyl chloride	ND	0.50	0.056	ug/l	
	m,p-Xylene	ND	0.50	0.26	ug/l	
95-47-6	o-Xylene	ND	0.50	0.24	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2199-69-1	1,2-Dichlorobenzene-d4	93%		70-130%
460-00-4	4-Bromofluorobenzene	88%		70-130%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

(a) EPA 524.2 is not a certified method for non-potable water samples.

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.1
4

Report of Analysis

Client Sample ID: TT-102D2	Date Sampled: 12/07/17
Lab Sample ID: JC57025-1	Date Received: 12/08/17
Matrix: AQ - Ground Water	Percent Solids: n/a
Method: SW846 8270D BY SIM SW846 3510C	
Project: Navy Wells OU2, Bethpage, NY	

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	3M73150.D	1	12/26/17 12:51	NAP	12/14/17 09:30	OP8647A	E3M3511
Run #2							

	Initial Volume	Final Volume
Run #1	1000 ml	1.0 ml
Run #2		

CAS No.	Compound	Result	RL	MDL	Units	Q
123-91-1	1,4-Dioxane	ND	0.10	0.049	ug/l	
CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits		
4165-60-0	Nitrobenzene-d5	90%		29-124%		
321-60-8	2-Fluorobiphenyl	54%		23-122%		
1718-51-0	Terphenyl-d14	78%		22-130%		

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: TB120717PP1		Date Sampled: 12/07/17
Lab Sample ID: JC57025-2		Date Received: 12/08/17
Matrix: AQ - Trip Blank Water		Percent Solids: n/a
Method: EPA 524.2 REV 4.1		
Project: Navy Wells OU2, Bethpage, NY		

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethylene	ND	0.50	0.11	ug/l	
75-01-4	Vinyl chloride	ND	0.50	0.056	ug/l	
	m,p-Xylene	ND	0.50	0.26	ug/l	
95-47-6	o-Xylene	ND	0.50	0.24	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2199-69-1	1,2-Dichlorobenzene-d4	98%		70-130%
460-00-4	4-Bromofluorobenzene	87%		70-130%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

(a) EPA 524.2 is not a certified method for non-potable water samples.

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.2
4

Report of Analysis

Client Sample ID: TT-102D		Date Sampled: 12/07/17
Lab Sample ID: JC57025-3		Date Received: 12/08/17
Matrix: AQ - Ground Water		Percent Solids: n/a
Method: EPA 524.2 REV 4.1		
Project: Navy Wells OU2, Bethpage, NY		

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethylene	ND	0.50	0.11	ug/l	
75-01-4	Vinyl chloride	ND	0.50	0.056	ug/l	
	m,p-Xylene	ND	0.50	0.26	ug/l	
95-47-6	o-Xylene	ND	0.50	0.24	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2199-69-1	1,2-Dichlorobenzene-d4	95%		70-130%
460-00-4	4-Bromofluorobenzene	87%		70-130%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

(a) EPA 524.2 is not a certified method for non-potable water samples.

ND = Not detected MDL = Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

4.3
4

Report of Analysis

Client Sample ID: TT-102D	Date Sampled: 12/07/17
Lab Sample ID: JC57025-3	Date Received: 12/08/17
Matrix: AQ - Ground Water	Percent Solids: n/a
Method: SW846 8270D BY SIM SW846 3510C	
Project: Navy Wells OU2, Bethpage, NY	

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	3M73151.D	1	12/26/17 13:23	NAP	12/14/17 09:30	OP8647A	E3M3511
Run #2							

Run #	Initial Volume	Final Volume
Run #1	1000 ml	1.0 ml
Run #2		

CAS No.	Compound	Result	RL	MDL	Units	Q
123-91-1	1,4-Dioxane	0.122	0.10	0.049	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
4165-60-0	Nitrobenzene-d5	86%		29-124%
321-60-8	2-Fluorobiphenyl	50%		23-122%
1718-51-0	Terphenyl-d14	74%		22-130%

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.3
4

Appendix D

ARCADIS Separate and Ongoing OU2 Monitoring of Navy Wells

Appendix D. Schedule of ARCADIS Separate and Ongoing OU2 Monitoring of Navy wells

Well	Well owner	1st Q	2nd Q	3rd Q	4th Q	VOC Analysis Method
------	------------	-------	-------	-------	-------	---------------------

Outpost wells

BPOW1-1	Navy		X		X	524.2
BPOW1-2	Navy		X		X	524.2
BPOW1-3	Navy		X		X	524.2
BPOW1-4	Navy		X		X	524.2
BPOW1-5	Navy		X		X	524.2
BPOW1-6	Navy		X		X	524.2
BPOW2-1	Navy		X		X	524.2
BPOW2-2	Navy		X		X	524.2
BPOW2-3	Navy		X		X	524.2
BPOW3-1	Navy		X		X	524.2
BPOW3-2	Navy		X		X	524.2
BPOW3-3	Navy		X		X	524.2
BPOW3-4	Navy		X		X	524.2
BPOW4-1R	Navy		X		X	524.2
BPOW4-2R	Navy		X		X	524.2

Semi-annual and annual

FW-03	Navy		X			8260C
GM-15D	Navy		X		X	8260C
GM-15D2	Navy		X		X	8260C
GM-17D	Navy		X		X	8260C
GM-17I	Navy		X		X	8260C
GM-18D	Navy		X		X	8260C
GM-21D	Navy		X			8260C
GM-39DA	Navy		X		X	8260C
GM-39DB	Navy		X		X	8260C
GM-73D	Navy		X		X	8260C
GM-73D2	Navy		X		X	8260C
GM-74D	Navy		X		X	8260C
GM-74D2	Navy		X		X	8260C
GM-74I	Navy		X		X	8260C
GM-75D2	Navy		X		X	8260C
GM-78I	Navy		X			8260C
GM-78S	Navy		X			8260C
GM-79D	Navy		X		X	8260C
GM-79I	Navy		X		X	8260C
HN-24I	Navy		X			8260C
HN-40I	Navy		X			8260C
HN-40S	Navy		X			8260C
HN-42I	Navy		X			8260C
HN-42S	Navy		X			8260C

Above Navy owned wells sampled by ARCADIS and reported by ARCADIS under separate cover.

Q: Quarter

VOC: volatile organic compound

Appendix E

Synoptic Water Levels Measured December 4, 2017

SYNOPTIC WATER LEVELS 12/4/17
 2017 OU2 GROUNDWATER INVESTIGATION
 NWIRP BETHPAGE, NY

Well	Interval (S = <300'; I = 300-500'; D = >500')	Measuring Point (ft amsl)	Depth to water 12/4/2017 (ft bmp)	Water elevation 12/4/2017 (ft amsl)
BPOW 1-1	S	72	31.49	40.51
BPOW 1-2	I	71.82	33.89	37.93
BPOW 1-3	I	71.92	34.10	37.82
BPOW 1-4	I	56.68	14.69	41.99
BPOW 1-5	D	56.75	15.01	41.74
BPOW 1-6	D	57.06	15.26	41.80
BPOW 2-1	I	58.64	21.50	37.14
BPOW 2-2	I	58.5	21.50	37.00
BPOW 2-3	D	57.98	20.60	37.38
BPOW 3-1	I	61.43	25.31	36.12
BPOW 3-2	D	61.82	25.95	35.87
BPOW 3-3	D	60.64	23.29	37.35
BPOW 3-4	D	62.44	25.00	37.44
BPOW 4-1R	D	63.67	26.72	36.95
BPOW 4-2R	D	66.13	26.48	39.65
BPOW 5-1	D	56.12	21.20	34.92
BPOW 5-2	D	56.32	21.35	34.97
BPOW 5-3	D	56.04	21.20	34.84
BPOW5-4	D	53.88	21.22	32.66
BPOW5-5	D	57.58	23.81	33.77
BPOW5-6	D	57.72	24.91	32.81
BPOW5-7	D	55.92	23.31	32.61
BPOW6-1	D	42.93	16.96	25.97
BPOW6-2	D	43.08	17.49	25.59
BPOW6-3	D	39.96	13.13	26.83
BPOW6-4	D	40.02	12.80	27.22
BPOW6-5	D	42.58	15.72	26.86
BPOW6-6	D	42.34	15.79	26.55
FW-01	S	126.1	60.31	65.79
FW-02	S	126.85	60.98	65.87
FW-03	S	125.46	59.49	65.97
GM-15D	I	109.84	50.51	59.33
GM-15D2	D	109.59	52.09	57.50
GM-15S	S	109.44	48.78	60.66
GM-17D	S	115.68	51.27	64.41
GM-17I	S	115.83	44.38	71.45
GM-18D	I	108.88	47.91	60.97
GM-21D	S	109.84	47.01	62.83
GM-21D2	D	104.62	50.25	54.37
GM-21I	S	105.72	44.95	60.77
GM-39D (A)	S	102.23	42.25	59.98
GM-39D2 (B)	I	102.08	43.35	58.73
GM-73D	I	104.87	46.51	58.36
GM-73D2	D	104.62	47.64	56.98
GM-74D	I	107.43	48.80	58.63
GM-74D2	D	107.36	52.82	54.54
GM-74I	S	107.42	46.16	61.26

SYNOPTIC WATER LEVELS 12/4/17
 2017 OU2 GROUNDWATER INVESTIGATION
 NWIRP BETHPAGE, NY

Well	Interval (S = <300'; I = 300-500'; D = >500')	Measuring Point (ft amsl)	Depth to water 12/4/2017 (ft bmp)	Water elevation 12/4/2017 (ft amsl)
GM-75D2	D	93.63	37.73	55.90
GM-78I	S	105.06	44.63	60.43
GM-78S	S	104.94	44.31	60.63
GM-79D	S	101.25	44.80	56.45
GM-79I	S	101.09	43.68	57.41
HN-24I	S	125.8	55.56	70.24
HN-24S	S	122.73	54.10	68.63
HN-27I	S	126.51	60.42	66.09
HN-29D	S	115.50	50.36	65.14
HN-29I	S	116.42	50.15	66.27
HN-40I	S	115.91	52.51	63.40
HN-40S	S	116.35	52.76	63.59
HN-42I	S	119.61	54.45	65.16
HN-42S	S	120.32	55.12	65.20
MW-03	S	122.26	56.05	66.21
MW-04	S	122.77	56.64	66.13
MW-06	S	118.26	52.28	65.98
MW-07	S	118	52.06	65.94
MW-08	S	118.89	52.78	66.11
MW-09	S	119.55	53.37	66.18
MW-10	S	116.6	50.65	65.95
MW-118-5	D	84.17	38.75	45.42
MW-75D2	S	120.55	51.61	68.94
RE103D1	D	93.00	42.62	50.38
RE103D2	D	92.73	42.52	50.21
RE103D3	D	92.76	42.04	50.72
RE104D1	I	89.80	38.23	51.57
RE104D2	D	90.12	41.86	48.26
RE104D3	D	90.20	42.13	48.07
RE105D1	D	87.23	39.70	47.53
RE105D2	D	87.18	40.69	46.49
RE106D1	I	101.19	43.84	57.35
RE106D2	I	101.37	44.21	57.16
RE106D3	D	101.34	44.17	57.17
RE107D1	D	98.92	43.61	55.31
RE107D2	D	98.99	43.89	55.10
RE107D3	D	99.96	45.05	54.91
RE108D1	D	95.38	42.66	52.72
RE108D2	D	95.43	43.40	52.03
RE109D1	D	99.64	46.79	52.85
RE109D2	D	99.80	47.07	52.73
RE109D3	D	99.73	47.07	52.66
RE114D1	D	74.04	32.08	41.96
RE114D2	D	73.96	32.10	41.86
RE114D3	D	74.17	32.45	41.72
RE115D1	D	69.01	29.23	39.78
RE115D2	D	69.01	29.22	39.79

SYNOPTIC WATER LEVELS 12/4/17
 2017 OU2 GROUNDWATER INVESTIGATION
 NWIRP BETHPAGE, NY

Well	Interval (S = <300'; I = 300-500'; D = >500')	Measuring Point (ft amsl)	Depth to water 12/4/2017 (ft bmp)	Water elevation 12/4/2017 (ft amsl)
RE117D1	D	53.81	21.68	32.13
RE117D2	D	53.59	21.35	32.24
RE118D1	D	57.61	24.11	33.50
RE119D1	D	55.61	23.31	32.30
RE120D1	D	85.58	38.43	47.15
RE120D2	D	85.54	38.24	47.30
RE120D3	D	85.70	38.31	47.39
RE121D1	D	79.03	35.37	43.66
RE121D2	D	79.24	35.97	43.27
RE122D1	D	97.42	44.22	53.20
RE122D2	D	97.35	44.56	52.79
RE122D3	D	97.27	44.78	52.49
RE123D1	D	105.49	49.10	56.39
RE123D2	D	106.11	50.18	55.93
RE123D3	D	105.92	50.40	55.52
RE124D1	D	78.26	34.23	44.03
RE124D2	D	77.79	34.14	43.65
RE125D1	I	85.66	36.27	49.39
RE125D2	D	85.76	38.35	47.41
RE125D3	D	85.98	38.59	47.39
RE126D1	D	101.03	47.16	53.87
RE126D2	D	101.39	47.71	53.68
RE126D3	D	101.1	47.46	53.64
RE129D1	D	53.63	21.79	31.84
RE129D2	D	53.52	21.79	31.73
RE131D1	I	85.94	37.86	48.08
RE131D2	D	85.72	38.41	47.31
RE131D3	D	85.9	38.83	47.07
RE137	D	85.15	38.59	46.56
RW1-MW1	I	85.87	40.15	45.72
RW1-MW2	I	87.35	43.68	43.67
RW1-MW3	I	80.34	33.31	47.03
RW2-MW1	D	90.75	43.15	47.60
RW3-MW1	I	92.22	42.02	50.20
RW3-MW2	I	91.98	42.68	49.3
RW3-MW3	I	92.98	42.49	50.49
RW3-MW4	I	92.92	44.12	48.80
TT-101D	I	80.89	34.75	46.14
TT-101D1	D	80.92	35.93	44.99
TT-101D2	D	80.89	36.35	44.54
TT-102D	D	49.96	20.84	29.12
TT-102D2	D	44.12	15.33	28.79
TT-301D	S	128.90	60.13	68.77
TT-301I	S	128.48	59.47	69.01
TT-301S	S	128.88	59.57	69.31
TT-302D	S	116.08	50.84	65.24
TT-302I1	S	115.91	50.30	65.61

SYNOPTIC WATER LEVELS 12/4/17
 2017 OU2 GROUNDWATER INVESTIGATION
 NWIRP BETHPAGE, NY

Well	Interval (S = <300'; I = 300-500'; D = >500')	Measuring Point (ft amsl)	Depth to water 12/4/2017 (ft bmp)	Water elevation 12/4/2017 (ft amsl)
TT-302I2	S	115.91	50.54	65.37
TT-302S	S	116.01	50.27	65.74
TT-303D	S	115.94	50.93	65.01
TT-303I1	S	115.83	50.40	65.43
TT-303I2	S	115.89	50.75	65.14
TT-303S	S	115.65	50.03	65.62
TT-304D	S	116.21	52.08	64.13
TT-304S	S	116	51.30	64.70
TT-305D	I	115.94	51.44	64.50
TT-305I	S	116.16	51.15	65.01
TT-306D	S	118.06	53.78	64.28
TT-306I	S	117.76	53.09	64.67
TT-306S	S	117.82	52.57	65.25
TT-307D	S	114.42	50.50	63.92
TT-307I	S	114.16	50.09	64.07
TT-307S	S	114.39	49.62	64.77
TT-308D	S	130.98	64.40	66.58
TT-308I	S	130.73	64.16	66.57
TT-308S	S	131.05	64.18	66.87
TT-309D	S	131.52	64.91	66.61
TT-309I	S	131.83	65.04	66.79
TT-309S	S	131.77	64.10	67.67
TT-310S	S	129.50	62.08	67.42
TT-311I	S	130.34	63.34	67
TT-311S	S	130.23	63.04	67.19
TT-312I	S	129.95	63.09	66.86
TT-312S	S	129.81	62.55	67.26
TT-313S	S	129.76	62.46	67.3
TT-314I	S	128.69	63.12	65.57
TT-314S	S	128.60	62.96	65.64


NOTES

ft: feet

bgs: below ground surface

amsl: above mean sea level


bmp: below measuring point



**Synoptic Water Levels December 4, 2017 in Shallow Wells
(screened <300 ft bgs)**
NAVAL WEAPONS INDUSTRIAL RESERVE PLANT
BETHPAGE, NEW YORK

CONTRACT NUMBER N62470-11-D8013	CTO NUMBER WE 15
APPROVED BY PS	DATE 4/18/2018
APPROVED BY	DATE
FIGURE NO. 1	REV 0

F:\Projects\Navy\Bethpage\WEXE0817.0_Deliverables\7.2_CADD\GIS_files\Bethpage\MAP_DOCS\MXD\MISC\Wells Inventory\GW_Contours\2018_04\Contours_2018_04_17_DEEP.mxd



Note:
 Water level elevations (ft amsl) are posted in green to the right of well name. Water levels measured December 4, 2017. Potentiometric contours (ft amsl) are dashed to indicate that they are approximate.

Legend

- Monitoring Well
- Deep
- Intermediate
- Shallow



**Synoptic Water Levels December 4, 2017 in Deep Wells
 (screened >500 ft bgs)**
 NAVAL WEAPONS INDUSTRIAL RESERVE PLANT
 BETHPAGE, NEW YORK

CONTRACT NUMBER N62470-11-D8013	CTO NUMBER WE 15
APPROVED BY PS	DATE 4/18/2018
APPROVED BY	DATE
FIGURE NO. 3	REV 0

NEW YORK PROFESSIONAL GEOLOGIST SEAL

As a New York-licensed Professional Geologist, I have reviewed and approve the December 2017 Quarterly Groundwater Sampling Report at Naval Industrial Reserve Plant Bethpage Operable Unit 2, Site 1, and seal it in accordance with Article 145 Section 7209 of the New York State Education Laws. In sealing this document, I certify it was prepared under my direction, the geological information contained in it is true to the best of my knowledge and the geological methods and procedures included herein are consistent with currently accepted geological practices.

It is a violation of this law for any person to alter the contained drawings or the report in any way, unless he or she is acting under the direction of a NY-licensed Professional Geologist.

Name: Brian E. Caldwell
NY PG License Number: 000511
State: New York

BCal
Signature: _____
Aug
Date: _____

