2018 Annual Operations Report

Soil Vapor Extraction Containment System Site 1, Former Drum Marshalling Yard Naval Weapons Industrial Reserve Plant Bethpage, New York

Contract No. N40085-16-D-2288 Contract Task Order No. N4008517F4042

February 2019

Prepared for:



Naval Facilities Engineering Command Mid-Atlantic 9324 Virginia Avenue Norfolk, VA 23511

Prepared by:



KOMAN Government Solutions, LLC 180 Gordon Drive, Suite 110 Exton PA, 19341 (610) 363-3000

2018 Annual Operations Report

Soil Vapor Extraction Containment System Site 1, Former Drum Marshalling Yard Naval Weapons Industrial Reserve Plant Bethpage, New York

Contract No. N40085-16-D-2288 Contract Task Order No. N4008517F4042

February 2019

Prepared for:

Naval Facilities Engineering Command Mid-Atlantic 9324 Virginia Avenue Norfolk, VA 23511



| Sature Schame | 02/26/19 |
|------------------|----------|
| Patrick Schauble | Date |
| Program Manager | |

Stephence Ray
Stephence Roy
Date
Project Manager



TABLE OF CONTENTS

| 1.0 | INT | RODUCTION | 1-1 |
|------------|-------------|---|-----|
| | 1.1 | Site Location | 1-1 |
| | 1.2 | Background | |
| | 1.3 | Project Overview and Objective | |
| 2.0 | 1.4 | SVECS Overview | |
| 2.0 | | ECS OPERATION AND MAINTENANCE | |
| | 2.1 2.2 | Routine Maintenance Activities | |
| 3.0 | | ECS MONITORING | |
| | 3.1 | Monthly Air Quality Monitoring | |
| | 3.2 | Quarterly Air Quality Monitoring of SVEWs | |
| | 3.3 | Quarterly Soil Vapor Pressure Monitoring of SVEWs and Off-site SVPMs | |
| | 3.4 | Annual Vapor Quality Monitoring of Off-site SVPMs | |
| | 3.5 | Soil Vapor Quality Concentration Trends | |
| 4.0 | CO | NCLUSIONS AND RECOMMENDATIONS | 4-1 |
| 5.0 | RE | FERENCES | 5-1 |
| <u>FIG</u> | URES | | |
| FIG | URE 1 | Site Location Map | |
| FIG | URE 2 | Site Area and Vicinity | |
| FIG | URE 3 | Site Plan – Existing SVECS Layout | |
| FIG | URE 4 | System Layout Plan | |
| FIG | URE 5 | 2018 Vapor Analytical Map – Select VOC Concentrations - SVEWs | |
| FIG | URE 6 | 2018 Soil Vapor Pressure Readings – SVPMs | |
| TA] | BLES | | |
| TAF | BLE 1 | Monthly Vapor Analytical Results – October 2018 | |
| | BLE 2 | Monthly Vapor Analytical Results – November 2018 | |
| | BLE 3 | Monthly Vapor Analytical Results – December 2018 | |
| | BLE 4 | 2018 Air Emission and Mass Recovery Summary | |
| | BLE 5 | Quarterly Vapor Analytical Results Summary – Fourth Quarter 2018 | |
| | | | |
| | BLE 6 | Quarterly Vapor Analytical Results through Fourth Quarter 2018 | |
| ΙAΙ | BLE 7 | Quarterly Offsite Soil Vapor Monitoring Results – Fourth Quarter 2018 | |



TABLE 8 Annual Off-site Soil Vapor Analytical Results of SVPMs – February 2018

TABLE 9 Historical Off-site Soil Vapor Analytical Results of SVPMs through December 2018

APPENDICES

APPENDIX A NYSDEC Air Discharge Limit Documentation

APPENDIX B Vapor Concentration Trend Graphs of Select VOCs – SVEWs



Acronyms and Abbreviations

bgs below ground surface
CTO Contract Task Order

DAR Division of Air Resources

DCA dichloroethane
DCE dichloroethene

DoD Department of Defense

ELAP Environmental Laboratory Accreditation Program

FMS Flow Monitoring Station

GOCO Government Owned Contractor Operated

i.w. inches of water column

KGS KOMAN Government Solutions, LLC

NAVFAC Naval Facilities Engineering Command Mid-Atlantic

Navy U.S. Department of the Navy

NELAC National Environmental Accreditation Conference

NG Northrop Grumman

NWIRP Naval Weapons Industrial Reserve Plant

NYSDEC New York State Department of Environmental Conservation

NYSDOH New York State Department of Health

O&M Operation and Maintenance
PCB polychlorinated biphenyls

PCE tetrachloroethene

PID photoionization detector

QA/QC quality assurance/quality control scfm standard cubic feet per minute

SVECS soil vapor extraction containment system

SVEW soil vapor extraction well

SVOC semi-volatile organic compound

SVPM soil vapor pressure monitor

TCA trichloroethane
TCE trichloroethene

TCL target compound list TtEC Tetra Tech EC, Inc.



TtNUS Tetra Tech NUS, Inc.

 $\mu g/m^3$ micrograms per cubic meter

VC vinyl chloride

VGAC vapor–phase granular activated carbon

VOC volatile organic compound



1.0 INTRODUCTION

KOMAN Government Solutions, LLC (KGS) has prepared this 2018 Annual Operations Report for the Soil Vapor Extraction Containment System (SVECS) at Site 1, Former Drum Marshalling Area, at the Naval Weapons Industrial Reserve Plant (NWIRP) in Bethpage, New York. This report has been prepared for the U.S. Department of the Navy (Navy), Naval Facilities Engineering Command (NAVFAC), Mid-Atlantic, under Contract No. N40085-16-D-2288, Contract Task Order (CTO) No. N4008517F4042. This 2018 Annual Operations Report summarizes operations performed in 2018 and details activities that occurred during the Fourth Quarter from October 2018 to December 2018. Data was collected, and operational activities were performed by KGS in accordance with the following documents:

- Final Operation & Maintenance Plan for Soil Vapor Extraction Containment System Site 1, Former Drum Marshalling Yard at Naval Weapons Industrial Reserve Plant Bethpage, New York prepared by Tetra Tech EC, Inc. (TtEC) in 2010, hereafter referred to as the "O&M Manual."
- Final Supplemental Offsite Soil Vapor Intrusion Monitoring Plan for the Soil Vapor Extraction Containment System, Site 1, Former Drum Marshalling Yard at Naval Weapons Industrial Reserve Plant, Bethpage, New York prepared by Tetra Tech NUS, Inc. (TtNUS) in 2012.

The following quarterly reports, along with data collected during the Fourth Quarter (October through December), are used as a basis for this 2018 Annual Operations Report:

- Quarterly Operations Report, First Quarter 2018, Soil Vapor Extraction Containment System Site 1, Former Drum Marshalling Yard, Naval Weapons Industrial Reserve Plant, Bethpage, New York prepared by KGS in May 2018.
- Quarterly Operations Report, Second Quarter 2018, Soil Vapor Extraction Containment System Site 1, Former Drum Marshalling Yard, Naval Weapons Industrial Reserve Plant, Bethpage, New York prepared by KGS in August 2018.
- Quarterly Operations Report, Third Quarter 2018, Soil Vapor Extraction Containment System Site 1, Former Drum Marshalling Yard, Naval Weapons Industrial Reserve Plant, Bethpage, New York prepared by KGS in December 2018.

1.1 Site Location

NWIRP Bethpage is located in east central Nassau County, Long Island, New York, approximately 30 miles east of New York City. In the late 1990s, the Navy's property totaled approximately 109.5 acres and was formerly a Government Owned Contractor-Operated (GOCO) facility that was operated by Northrop Grumman (NG) until September 1998. NWIRP Bethpage was bordered on the north, west, and south by property owned, or formerly owned, by NG that covered approximately 550 acres, and on the east by a residential neighborhood. The Navy currently retains approximately nine acres of the former NWIRP, including Site 1, which lies within the fenced area of NWIRP Bethpage and is located east of Plant No. 3, west of 11th Street, and north of Plant 17 South (**Figures 1 and 2**).



1.2 Background

NWIRP Bethpage was established in 1943. Since inception, the primary mission of the facility was the research, prototyping, testing, design engineering, fabrication, and primary assembly of military aircraft. Historical operations that resulted in hazardous material generation at the facility included metal finishing processes, maintenance operations, painting of aircraft and components, and other activities that involve aircraft manufacturing. Wastes generated by plant operations were disposed of directly into drainage sumps, dry wells, and/or on the ground surface, resulting in the disposal of a number of hazardous wastes, including volatile organic compounds (VOCs), semi-volatile organic compounds (SVOCs), polychlorinated biphenyls (PCBs), and inorganic analytes (chromium and cadmium) at the site. Some of these contaminants have migrated from the source area to surrounding areas, including the soils at these sites and the groundwater beneath and downgradient of the NWIRP Bethpage property. NWIRP Bethpage is currently listed by the New York State Department of Environmental Conservation (NYSDEC) as an "inactive hazardous waste site" (#1-30-003B).

Soils at Site 1 consist mainly of unconsolidated sediments that overlie crystalline bedrock. A clay unit is present near the groundwater table (50 feet below ground surface [bgs]) at the southeast corner of the site. This clay unit is suspected to be a source of chlorinated solvents that are migrating into the overlying soil gas and the source of off-site VOCs in soil vapor (TtEC 2010).

Chlorinated solvents including trichloroethene (TCE), tetrachloroethene (PCE), and 1,1,1-trichloroethane (TCA) have been identified as the VOCs of interest in soil gas at the site. Concentrations greater than 1,000 micrograms per cubic meter (µg/m³) of soil vapor have been directly associated with Site 1 activities and historical environmental data, and based on preliminary screening, exceed guidelines established by the New York State Department of Health (NYSDOH) for sub-slab soil vapor concentrations at the time. Of these compounds, TCE is the primary VOC of concern. Mitigation of TCE contamination in accordance with NYSDOH guidance is expected to remediate other VOCs associated with the site. PCBs, cadmium, and chromium have also been identified in site soils at concentrations requiring remediation. The majority of these chemicals has been detected in the central portion of Site 1 and will be addressed via a separate remediation (TtEC 2010).

Prior to implementation of the SVECS, the mean concentrations of VOCs in soil gas samples collected along the eastern fence-line were 41,128 μ g/m³ of TCE, 381 μ g/m³ of PCE, and 20,634 μ g/m³ of 1,1,1-TCA. The maximum concentrations of VOCs in the soil gas samples were 180,000 μ g/m³ of TCE, 1,200 μ g/m³ of PCE, and 90,000 μ g/m³ of 1,1,1-TCA (TtEC 2010).

1.3 Project Overview and Objective

The remedial objective for this project is to use an on-site soil vapor extraction system to prevent further off-site migration of VOC-contaminated soil vapor and to the extent practical, capture contaminated soil vapor with a TCE concentration greater than $250 \, \mu g/m^3$. A secondary objective of this project is to address soil vapor with a TCE concentration greater than $5 \, \mu g/m^3$. The SVECS is an interim action intended to address migration of VOCs in contaminated soil vapors. It is expected to operate



continuously 24 hours/day, seven days/week, with the exception of maintenance and adjustment periods, until the remedial objectives are met (TtEC 2010).

1.4 SVECS Overview

The SVECS consists of soil vapor extraction, soil vapor monitoring, and soil vapor treatment. Twelve SVE wells (SVEWs) are located along the eastern boundary of Site 1 in six clusters, each consisting of one intermediate well and one deep well. Intermediate wells SVE-101I, SVE-102I, SVE-103I, SVE-104I, SVE-105I, and SVE-106I have a screened interval between 25 and 35 ft bgs. Deep wells SVE-101D, SVE-102D, SVE-103D, SVE-104D, SVE-105D, and SVE-106D have a screened interval between 40 and 60 ft bgs. The groundwater table fluctuates between approximately 50 and 55 feet bgs. Each SVEW is operated at a flow rate such that the combined total flow rate is approximately 300-400 standard cubic feet per minute (scfm) of soil vapor. Each intermediate depth SVEW requires an approximate vacuum of 4 inches of water column (i.w.) and each deep SVEW requires a vacuum of up to 20 i.w. in order to extract the targeted flow rates. These 12 SVEWs have been piped below the ground to the Flow Monitoring Station (FMS), where flow, vacuum, and vapor quality are monitored. Within the FMS, the discharges from the individual SVEWs have been equipped with a 2-inch flow control butterfly valve, a vacuum gauge, and a sampling port. The sampling port is utilized to measure the flow rate from an individual well using a portable velocity meter and to collect vapor samples. All the SVE lines collect into a single manifold within the FMS and from this location a single underground pipeline has been routed approximately 1,400 linear feet to the Treatment Building (Building 03-35). Five additional SVEWs (SV-107D, SV-108D, SV-109D, SV-110D, and SV-111D) were installed in October 2011 to address potential VOCs under Plant No. 3 and the South Warehouse. A site plan depicting well locations is included as Figure 3.

The SVECS is housed within the Treatment Building, an existing and unoccupied building also known as Building 03-35. The treatment system consists of a moisture separator, two SVE blowers, and a 5,000-pound vapor-phase granular activated carbon (VGAC) unit for removal of chlorinated VOCs from the offgas. Soil vapor that enters the Treatment Building first passes through the moisture separator tank where any condensate is separated. To date, no condensate has formed in this tank. The vapor is then passed through an air filter and SVE blower and then treated in the VGAC unit. The treated vapor is discharged from the VGAC via an exhaust stack. The SVECS has a control panel comprised of mechanical interlocks and relays for local operation. A System Layout Plan is presented in **Figure 4**, which also illustrates the design flow rates through the soil vapor extraction and treatment process.

The off-gas from the SVECS is monitored for chlorinated VOCs as identified in the NYSDEC Division of Air Resources (DAR) permit equivalent effluent limitations and updated approval documentation (**Appendix A**) and monitoring requirements (TtEC 2010). Samples are submitted to a National Environmental Laboratory Accreditation Conference (NELAC)-accredited, Department of Defense (DoD) Environmental Laboratory Accreditation Program (ELAP)-certified laboratory, Air Toxics, Inc. located in Folsom, CA, for analysis of VOCs by modified method TO-15. Prior to January 2014, samples were analyzed for target compound list (TCL) VOCs. As of January 2014, upon approval by NYSDEC and NYSDOH, samples are analyzed for site-specific VOCs. The site-specific VOCs are: 1,1,1-TCA,



1-3

1,1-dichloroethane (DCA), 1,1-dichloroethene (DCE), 1,2-DCA, cis-1,2-DCE, PCE, trans-1,2-DCE, TCE, and vinyl chloride (VC).

A total of 18 soil vapor pressure monitor (SVPM) / soil gas monitoring points have been installed in the neighborhood east of Site 1 at NWIRP Bethpage (**Figure 3**). These off-site monitoring points consist of eight previously existing SVPMs as well as 10 SVPMs installed in September 2012. Soil vapor pressure readings from the SVPMs are collected quarterly and used to evaluate the SVECS vacuum field. In addition, analytical results of vapor samples collected annually from these locations and the soil vapor pressure readings are used to further evaluate the SVECS operation and the potential for vapor intrusion.



2.0 SVECS OPERATION AND MAINTENANCE

While designed to run autonomously, the SVECS requires regular visits by an operator to record and adjust operational parameters and to perform scheduled maintenance. The SVECS is equipped with telemetry that will alert an on-call operator in the event of a plant shutdown.

2.1 Routine Maintenance Activities

Routine maintenance activities at the SVECS were performed during the operator's weekly visits during this reporting period. These activities include general site inspections (of the grounds, buildings, doors and locks), collection of operational data (vapor flowrates, pressures, vacuums, temperature and photoionization detector [PID] readings), adjustment of system valves, collection of vapor samples (on a monthly and quarterly basis), collection/disposal of condensate if needed, cleaning of filters, switching of lead/lag blower assignments, and preventive maintenance of system equipment.

2.2 Non-routine Maintenance / Site Activities

The following non-routine activities / repair activities occurred at the SVECS during the 2018 reporting period:

- On 16 January, F&M Mechanical was on site to install two new heating units to replace the
 defective units in the small office building.
- On 19 January, F&M Mechanical was on site to perform temporary repair of the leaking roof of the small office building. Permanent roof repair will be scheduled at a later date when weather permits. During the site visit, F&M Mechanical also replaced 12 light bulbs inside the SVE building.
- On 6 December, F&M Mechanical was on site to repair the overhead door in front of the SVE blower building. The door opener mechanism needed a new belt and the tension was readjusted for proper opening and closing.



2-1

3.0 SVECS MONITORING

Several process vapor samples are collected on a monthly basis to monitor the SVECS operation. These samples consist of an influent sample (as well as a duplicate sample), located immediately prior to the VGAC unit, and an effluent sample, located after the VGAC unit and before the exhaust stack. Vapor samples are also collected from the 12 original SVEWs on a quarterly basis to monitor the capture of the contaminated soil vapor by the SVEWs. In addition, quarterly pressure measurements are collected from the 12 SVEWs and the 18 SVPMs to monitor the SVECS vacuum field, and soil gas sampling from the 18 SVPMs is conducted annually (generally in the winter time-frame) to evaluate the effectiveness of the SVECS. The first annual soil gas sampling event was conducted in the winter 2012-2013. The sixth annual sampling event was conducted in February 2018.

3.1 Monthly Air Quality Monitoring

Analysis of influent and effluent vapor sample locations is performed to evaluate VOC mass removal and the effectiveness of the VGAC adsorption unit. Time-integrated vapor samples are collected using 6-liter summa canisters with 30-minute flow regulators.

Treated off-gas discharged at the exhaust stack is subject to emissions limitations. Initially, discharge goals were derived from calculations submitted by the Navy and accepted by the NYSDEC in its February 2010 DAR permit equivalent application. In September 2011, the Navy submitted an evaluation proposing revised discharge goals (TtNUS 2011), which NYSDEC agreed to in October 2011. A copy of this documentation is included as **Appendix A**.

3.1.1 Fourth Quarter 2018 Summary

A summary of monthly vapor sampling results collected in October, November, and December (Fourth Quarter) is presented in **Tables 1, 2, and 3**, respectively. Emission rate calculations for both the influent stream (prior to VGAC treatment) and effluent stream (following VGAC treatment) and the computed monthly mass recoveries are also presented. Emission rates of the influent stream as well as mass recovery are calculated to monitor progress and determine when influent concentrations have reached levels at which vapor treatment via carbon adsorption is no longer required. The data presented in **Tables 1, 2, and 3** demonstrate that all constituents were within the effluent emission rate guidelines (**Appendix A**). Raw analytical data is provided under a separate cover.

Monthly emission rate calculations for January – September 2018 are included in previously submitted quarterly operations reports as indicated in Section 1.0. Pressure readings from the 18 SVPMs are presented graphically in **Figure 6**.

3.1.2 2018 Annual Summary

Emissions

Table 4 summarizes annual air emissions based on monthly emissions during 2018. Approximately 2.51 lbs of total VOCs were emitted. Annual emissions of reported constituents were within the discharge guidelines as indicated on **Table 4**.



Mass Recovery

Contaminant mass recovery was calculated based on monthly influent concentrations combined with monthly influent flow totals. During 2018, approximately 24.87 lbs of VOCs were removed by the SVECS, for an average monthly mass recovery rate of approximately 2.07 lbs per month. Monthly and annual mass recovery calculations for 2018, are summarized in **Table 4**.

3.2 Quarterly Air Quality Monitoring of SVEWs

Time-integrated vapor samples are collected quarterly using 6-liter summa canisters with 30-minute flow regulators at six intermediate and six deep SVEWs. The samples are collected for the purpose of tracking and documenting the performance of the SVECS (TtEC 2010).

3.2.1 Fourth Quarter 2018 Summary

Quarterly vapor samples were collected on 5 November from the 12 SVEWs. A summary of detected compounds is included as **Table 5**. Raw analytical data is provided under a separate cover.

3.2.2 2018 Annual Summary

Analytical results of select VOCs (1,1,1-TCA, PCE, and TCE) detected at the 12 SVEWs during 2018 are presented graphically in **Figure 5**. Historical analytical results of quarterly vapor samples collected from December 2009 through the Fourth Quarter 2018 are presented in **Table 6**. Concentration trends are discussed below in Section 3.5.

3.3 Quarterly Soil Vapor Pressure Monitoring of SVEWs and Off-site SVPMs

The quarterly vapor pressure readings are collected with the current fourth quarter results presented in Section 3.3.1 and the annual observations are presented in Section 3.3.2.

3.3.1 Fourth Quarter 2018 Summary

Soil vapor pressure readings are collected quarterly from the 12 SVEWs and 18 SVPMs to monitor the SVECS vacuum field. Soil vapor pressure readings from the 12 SVEWs and 18 SVPMs were collected on 5 November. The vapor pressure readings collected from the SVEWs ranged between -2.0 to -13.5 i.w. indicating that a vacuum has been established along the fence line. The vapor pressure readings collected from the SVPMs ranged between -0.01 to -0.19 i.w. indicating that a vacuum has been established in the residential neighborhood. Results of the Fourth Quarter vapor monitoring are presented in **Table 7**.

3.3.2 2018 Annual Summary

The vapor pressure readings collected from the SVPMs ranged between -0.01 to -0.19 i.w. indicating that a vacuum has been established in the residential neighborhood. Pressure readings collected from the 18 SVPMs in 2018 are presented graphically as **Figure 6**. As indicated, the greatest vacuums are typically observed at the SVPM-2001 and SVPM-2002 well clusters. Geographically, these two well clusters are located closest to the row of 12 SVEWs and the FMS.



3.4 Annual Vapor Quality Monitoring of Off-site SVPMs

Time-integrated vapor samples are collected annually using 6-liter summa canisters with 30-minute flow regulators at 18 SVPM locations. The 2018 SVPM analytical results were included in the *Quarterly Operations Report First Quarter 2018*

3.4.1 2018 Vapor Quality Results

Annual vapor samples were collected on 5 February from the 18 SVPM locations. Validated analytical results of samples collected in February 2018 are summarized in **Table 8**.

As shown on **Table 8**, 1,1,1-TCA was detected at an estimated value of 0.95 J μ g/m³ at well SVPM-2007D. PCE was detected at 6 of the 18 locations, with concentrations ranging from 1.0 J μ g/m³ at SVPM-2002D to 4.3 J μ g/m³ at SVPM-2001D. TCE was detected at 7 of 18 locations, with concentrations ranging from 0.43 J μ g/m³ at SVPM-2003D to 68 μ g/m³ at SVPM-2006D. All detected concentrations were well below the NYSDOH sub-slab screening values of 1,000 μ g/m³ for 1,1,1-TCA, 1,000 μ g/m³ for PCE, and 250 μ g/m³ for TCE, as outlined in the *Guidance for Evaluating Soil Vapor Intrusion in the State of New York* (NYSDOH 2006).

Results of quality assurance /quality control (QA/QC) samples, data validation report, and a validated analytical data summary from the January 2018 sampling event are presented in the *Quarterly Operations Report, First Quarter 2018* (KGS 2018).

3.4.2 Historical Vapor Quality Results

Table 9 presents historical vapor quality analytical results collected from the 18 SVPM locations, beginning in October 2008 and including the most recent results obtained in February 2018. As indicated, concentrations observed in February 2018 have dropped substantially from initial concentrations observed in October 2008, and were generally similar to those observed in January 2017 with the following exceptions:

- The concentration of TCE at SVPM-2001D increased from 2.2 J μg/m³ to 4.6 μg/m³ but is still below the baseline concentration of 1,500 μg/m³ in October 2008. Likewise, the concentration of PCE at this location increased from 1.9 J μg/m³ to 4.3 J μg/m³ but is still below the baseline concentration of 720 μg/m³ in October 2008.
- The concentration of TCE at SVPM-2002I increased from 2.4 J μ g/m³ to 4.5 μ g/m³, this is below the baseline concentration observed in October 2008 of 89,000 μ g/m³.
- The concentration of TCE at SVPM-2002D increased from 20 μg/m³ to 42 μg/m³, this is below the baseline concentration observed in October 2008 of 26,000 μg/m³. However, the concentration of PCE at SVPM-2002D decreased from 7.3 μg/m³ to 1.0 J μg/m³
- The concentrations of cis-1,2-DCE, trans-1,2-DCE, and TCE at SVPM-2006D decreased from 400 μ g/m³ to 310 J μ g/m³ for cis-1,2-DCE, decreased from 4.7 μ g/m³ to 2.4 J μ g/m³ for trans-1,2-DCE, and increased from 59 μ g/m³ to 68 μ g/m³ for TCE. The concentrations of cis-1,2-DCE,



trans-1,2-DCE, and TCE exceeded their baseline concentrations observed in October 2008 and the concentration of TCE is the highest observed to date.

1,1,1-TCA was detected for the first time since 2016 at location, SVPM-2007D, at a concentration of 0.95 J μg/m³. This is similar to prior detection for this location, and well below the baseline concentration of 870 μg/m³ observed in October 2008.

In 2008, TCE was detected at all 18 locations, with concentrations ranging from 1.0 µg/m³ (SVPM-2004S) to 89,000 µg/m³ (SVPM-2002I); concentrations exceeded the NYSDOH sub-slab screening value of 250 µg/m³ at nine locations (SVPM-2001S, SVPM-2001I, SVPM-2001D, SVPM-2002S, SVPM-2002I, SVPM-2002D, SVPM-2003D, SVPM-2004I, and SVPM-2004D). In 2013, TCE concentrations ranged from non-detectable levels at 12 locations to 47 µg/m³ (SVPM-2006I), and no locations exceeded the NYSDOH sub-slab screening value of 250 µg/m³. In 2014, TCE was detected at nine of the 18 locations, with concentrations ranging from 0.73 J µg/m³ at SVPM-2003I to 3.7 J µg/m³ at SVPM-2004I and no locations exceeded the NYSDOH sub-slab screening value of 250 µg/m³. In 2015, TCE was detected at two of the 18 locations, with concentrations ranging from 1.5 J µg/m³ at SVPM-2004D to 30 μg/m3 at SVPM-2006D, and no locations exceeded the NYSDOH sub-slab screening value of 250 μg/m³. In 2016, TCE was detected at 17 of the 18 locations, with concentrations ranging from 1.8 J µg/m³ at SVPM-2001S to 61 J µg/m3 at SVPM-2006D, and no locations exceeded the NYSDOH sub-slab screening value of 250 µg/m³. In 2017, TCE was detected at 7 of 18 locations, with concentrations ranging from 0.78 J μg/m³ at SVPM-2001I to 44 μg/m³ at SVPM-2006I, and no locations exceeded the NYSDOH sub-slab screening value of 250 µg/m³. In 2018, TCE was detected at 7 of the 18 locations, with concentrations ranging from 0.43 J µg/m³ at SVPM-2003D to 68 µg/m³ at SVPM-2006D, and no locations exceeded the NYSDOH sub-slab screening value of 250 µg/m³.

In 2008, PCE was detected at all 18 locations, with concentrations ranging from 1.8 µg/m³ (SVPM-2004S) to 5,000 μg/m³ (SVPM-2001I); concentrations exceeded the NYSDOH sub-slab screening value of 1,000 µg/m³ at two locations (SVPM-2001S and SVPM-2001I). In 2013, PCE concentrations ranged from non-detectable levels at seven locations to 2.3 J µg/m³ (SVPM-2004D), and no locations exceeded the NYSDOH sub-slab screening value of 1,000 µg/m³. In 2014, PCE was detected at 15 of the 18 locations, with concentrations ranging from 0.53 J µg/m³ at SVPM-2001D to 2.9 J µg/m³ at SVPM-2004I, and no locations exceeded the NYSDOH sub-slab screening value of 1,000 µg/m³. In 2015, PCE was detected at three of the 18 locations, with concentrations ranging from 1.7 J μg/m³ at SVPM-2006D to 7.1 μg/m³ at SVPM-2004D, and no locations exceeded the NYSDOH sub-slab screening value of 1,000 μg/m³. In 2016, PCE was detected at 15 of the 18 locations, with concentrations ranging from 0.94 J μg/m³ at SVPM-2002S to 6.8 μg/m³ at SVPM-2007S, and no locations exceeded the NYSDOH sub-slab screening value of 1,000 µg/m³. In 2017, PCE was detected at 11 of the 18 locations, with concentrations ranging from 0.59 J μg/m³ at SVPM-2003I to 7.3 μg/m³ at SVPM-2002D, and no locations exceeded the NYSDOH sub-slab screening value of 1,000 µg/m³. In 2018, PCE was detected at 6 of the 18 locations, with concentrations ranging from 1.0 J µg/m³ at SVPM-2002D to 4.3 J µg/m³ at SVPM-2001D, and no locations exceeded the NYSDOH sub-slab screening value of 1,000 μg/m³.

In 2008, 1,1,1-TCA was detected at all 18 locations, with concentrations ranging from 1.4 μ g/m³ (SVPM-2004S) to 52,000 μ g/m³ (SVPM-2002I); concentrations exceeded the NYSDOH sub-slab screening value of 1,000 μ g/m³ at six locations (SVPM-2001S, SVPM-2001I, SVPM-2001D, SVPM-2002S, SVPM-



3-4

2002I, SVPM-2002D). In 2013, 1,1,1-TCA was detected at only one location, SVPM-2007D, at a concentration of 1.3 J μ g/m³, well below the NYSDOH sub-slab screening value of 1,000 μ g/m³. In 2014 and 2015, 1,1,1-TCA was not detected at any location. In 2016, 1,1,1-TCA was only detected in SVPM-2006D at a concentration of 0.59 J μ g/m³. In 2017, 1,1,1-TCA was not detected at any of the SVPM locations. In 2018, 1,1,1-TCA was detected at only one location, SVPM-2007D, at a concentration of 0.95 J μ g/m³, well below the NYSDOH sub-slab screening value of 1,000 μ g/m³.

3.5 Soil Vapor Quality Concentration Trends

Historical vapor analytical results for the 12 SVEWs through the Fourth Quarter are presented in **Table 6**. In addition, concentration trends of select VOCs for the SVECS combined influent (1,1,1-TCA, PCE, TCE, and total VOCs) and each of the 12 SVEWs (1,1,1-TCA, PCE, and TCE) are presented in **Appendix B**. Concentration trends observed in the 12 SVEWs through the Fourth Quarter are discussed below.

- Combined Influent: Overall VOC concentrations in the combined influent during the Fourth Quarter 2018 were consistent with past observations, with total VOC concentrations of 3,472 μg/m³, 3,334 μg/m³, and 2,966 μg/m³ in October, November, and December, respectively. Overall, TCE, PCE and 1,1,1-TCA concentrations remain below baseline concentrations observed in December 2009 (42,000 μg/m³ TCE, 7,900 μg/m³ PCE, and 13,000 μg/m³ 1,1,1-TCA).
- SV-101I: Concentrations observed at this location (7,500 μg/m³ TCE, 91 μg/m³ PCE, and 2,500 μg/m³ 1,1,1-TCA) increased in the Fourth Quarter from concentrations observed in the Third Quarter 2018, however lower than concentrations observed in the Fourth Quarter 2017. All concentrations remain below baseline concentrations observed in December 2009 (180,000 μg/m³ TCE, 1,700 μg/m³ PCE, and 51,000 μg/m³ 1,1,1-TCA).
- SV-101D: Concentrations observed at this location (700 μg/m³ TCE, 190 μg/m³ PCE, and 9.8 μg/m³ 1,1,1-TCA) were higher in the Fourth Quarter from the non-detected concentrations reported in the Third Quarter 2018. The Third Quarter concentrations were most likely erroneous due to a faulty summa cannister. All concentrations remain below baseline concentrations observed in December 2009 (100,000 μg/m³, 3,200 μg/m³, and 26,000 μg/m³, respectively).
- SV-102I: Concentrations observed at this location (24 μg/m³ TCE, 3.4 J μg/m³ PCE, and 1.8 J μg/m³ 1,1,1-TCA) decreased in the Fourth Quarter from the Third Quarter 2018. The concentrations of TCE, PCE, and 1,1,1-TCA are above baseline concentrations observed in December 2009, but below the maximum observed (300 μg/m³ TCE, 17 μg/m³ PCE, and 13 μg/m³ 1,1,1-TCA) in June 2010.
- SV-102D: Concentrations observed at this location (54 μg/m³ TCE, 13 μg/m³ PCE, and 2.2 J μg/m³ 1,1,1-TCA) are similar to concentrations observed in the Third Quarter 2018. Concentrations remain below baseline concentrations observed in December 2009 for TCE and 1,1,1-TCA (440 μg/m³ TCE and 130 μg/m³ 1,1,1-TCA). The concentration of PCE is above the baseline concentration observed in December 2009 (10 μg/m³ PCE) but below the maximum observed in September 2016 (51 μg/m³).



- SV-103I: Concentrations observed at this location (36 μg/m³ TCE, 120 μg/m³ PCE, and 2.4 J μg/m³ 1,1,1-TCA) decreased in the Fourth Quarter from concentrations observed in the Third Quarter 2018. Concentrations remain below baseline concentrations observed in December 2009 (900 μg/m³ TCE, 580 μg/m³ PCE, and 900 μg/m³ 1,1,1-TCA).
- SV-103D: Concentrations observed at this location (460 μg/m³ TCE, 12,000 μg/m³ PCE, and 33 J μg/m³ 1,1,1-TCA) increased for TCE and PCE during the Fourth Quarter from concentrations in the Third Quarter 2018, while concentration of 1,1,1-TCA decreased in the Fourth Quarter 2018. All concentrations remain below baseline concentrations observed in December 2009 (3,100 μg/m³ TCE, 20,000 μg/m³ PCE, and 3,000 μg/m³ 1,1,1-TCA).
- SV-104I: Concentrations observed at this location (33 μg/m³ TCE, 76 μg/m³ PCE, and 3.1 J μg/m³ 1,1,1-TCA) decreased in the Fourth Quarter from concentrations observed in Third Quarter 2018. All concentrations remain below baseline concentrations observed in December 2009 (710 μg/m³ TCE, 3,100 μg/m³ PCE, and 730 μg/m³ 1,1,1-TCA).
- SV-104D: Concentrations observed at this location (210 μg/m³ TCE, 1,500 μg/m³ PCE, and 100 μg/m³ 1,1,1-TCA) decreased during the Fourth Quarter from concentrations observed in the Third Quarter 2018. All concentrations remain below baseline concentrations observed in December 2009 (4,600 μg/m³ TCE, 20,000 μg/m³ PCE, and 3,600 μg/m³ 1,1,1-TCA).
- SV-105I: Concentrations observed at this location (110 μg/m³ TCE, 46 μg/m³ PCE, and 10 μg/m³ 1,1,1-TCA) increased in the Fourth Quarter from concentrations observed in the Third Quarter 2018. The concentrations for 1,1,1-TCA and TCE are above baseline concentrations observed in December 2009 (76 μg/m³ TCE and 9.9 μg/m³ 1,1,1-TCA), but remain below the maximum concentrations recorded in June 2010 (29 μg/m³ TCE and 370 μg/m³ 1,1,1-TCA, respectively. The concentration of PCE remains below the baseline concentration observed in December 2009 of 70 μg/m³.
- SV-105D: Concentrations observed at this location (140 μg/m³ TCE, 140 μg/m³ PCE, and 27 μg/m³ 1,1,1-TCA) were higher in the Fourth Quarter from the non-detected concentrations reported in the Third Quarter 2018. The Third Quarter concentrations were most likely erroneous due to a faulty summa cannister. These concentrations are below baseline concentrations observed in December 2009 (1,700 μg/m³ TCE, 2,100 μg/m³ PCE, and 550 μg/m³ 1,1,1-TCA).
- SV-106I: Concentrations observed at this location (79 μg/m³ TCE, 9.9 μg/m³ PCE, and 4.2 μg/m³ 1,1,1-TCA) decreased in the Fourth Quarter from concentrations observed in the Third Quarter 2018. These concentrations are below baseline concentrations observed in December 2009 (1,900 μg/m³ TCE, 390 μg/m³ PCE, and 220 μg/m³ 1,1,1-TCA).
- SV-106D: Concentrations observed at this location (220 μg/m³ TCE, 37 μg/m³ PCE, and 12 μg/m³ 1,1,1-TCA) increased in the Fourth Quarter for TCE and PCE from concentrations observed in the Third Quarter 2018, while concentration of 1,1,1-TCA decreased in the Fourth Quarter 2018. These concentrations are below baseline concentrations observed in December 2009 (3,400 μg/m³ TCE, 720 μg/m³ PCE, and 340 μg/m³ 1,1,1-TCA).



4.0 CONCLUSIONS AND RECOMMENDATIONS

The intent of the Site 1 SVECS is to prevent further off-site migration of VOC contaminated soil vapor and to the extent practical, capture soil vapor with elevated TCE concentrations. Based on the presence of a vacuum field and the reduction of VOC concentrations to less than the screening values in the off-property area, the SVECS is functioning as designed. Influent vapor analytical data with concentrations of TCE above the project action level (greater than 250 $\mu g/m^3$) indicates that the SVECS should continue to be operated on a full-time basis to achieve continued capture of contaminated soil vapor. Monthly monitoring of the combined influent and effluent as well as quarterly monitoring of individual SVEWs should continue. Quarterly and annual monitoring of the SVPMs should also continue in order to ensure that a measurable vacuum field is being established and that the area is being effectively treated. Additional investigations are currently undergoing by others to further evaluate recent increasing TCE concentration trends in SVPM-2002D and SVPM-2006D and to determine if another source of VOCs in soil vapor is present.



5.0 REFERENCES

New York State Department of Health (NYSDOH). 2006. Guidance for Evaluating Soil Vapor Intrusion in the State of New York. October.

Tetra Tech EC, Inc. (TtEC). 2010. Final Operation & Maintenance Plan for Soil Vapor Extraction Containment System, Site 1, Former Drum Marshalling Yard at Naval Weapons Industrial Reserve Plant, Bethpage, New York. June.

Tetra Tech NUS, Inc. (TtNUS). 2011. Modification to Existing Soil Vapor Extraction Containment System at Site 1 – Former Drum Marshalling Area, Installation of Soil Vapor Extraction Wells SVE-107D to -111D, NWIRP Bethpage, Bethpage, New York. September.

TtNUS. 2012. Final Supplemental Offsite Soil Vapor Intrusion Monitoring Plan for the Soil Vapor Extraction Containment System, Site 1, Former Drum Marshalling Yard at Naval Weapons Industrial Reserve Plant, Bethpage, New York. February.


KGS. 2018. Annual Operations Report, Fourth Quarter 2017, Soil Vapor Extraction Containment System, Site 1, Former Drum Marshalling Yard, Naval Weapons Industrial Reserve Plant, Bethpage, New York. April.


KGS. 2018. Quarterly Operations Report, First Quarter 2018, Soil Vapor Extraction Containment System, Site 1, Former Drum Marshalling Yard, Naval Weapons Industrial Reserve Plant, Bethpage, New York. May.


KGS. 2018. Quarterly Operations Report, Second Quarter 2018, Soil Vapor Extraction Containment System, Site 1, Former Drum Marshalling Yard, Naval Weapons Industrial Reserve Plant, Bethpage, New York. August.


KGS. 2018. Quarterly Operations Report, Third Quarter 2018, Soil Vapor Extraction Containment System, Site 1, Former Drum Marshalling Yard, Naval Weapons Industrial Reserve Plant, Bethpage, New York. December.























Table 1 Soil Vapor Extraction Containment System Site 1, Former Drum Marshalling Yard Naval Weapons Industrial Reserve Plant - Bethpage, NY

Vapor Monitoring Results October 2018

| | | Concen | itration | | | Emission | Rate (1),(2) | | Monthly Mass |
|--------------------------|-------------|-------------|--------------------------|----------|-------------|----------|--------------|----------|--------------|
| Compound | | (ug/ | /m ³) | | Prior to Tr | eatment | Following T | reatment | Recovery (3) |
| | Influent #1 | Influent #2 | Average | Effluent | (lbs/hr) | (lbs/yr) | (lbs/hr) | (lbs/yr) | (lbs) |
| | | | | | | | | | |
| 1,1,1-Trichloroethane | 270 | 270 | 270 | 65 | 0.0003 | 2.6307 | 0.0001 | 0.6333 | 0.2234 |
| 1,1-Dichloroethane | 13 | 13 | 13 | 23 | 0.0000 | 0.1267 | 0.0000 | 0.2241 | 0.0108 |
| 1,1-Dichloroethene | 0 | 0 | 0 | 5.5 | 0.0000 | 0.0000 | 0.0000 | 0.0536 | 0.0000 |
| 1,2-Dichloroethane | 0 | 0 | 0 | 0 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| cis-1,2-Dichloroethene | 280 | 290 | 285 | 360 | 0.0003 | 2.7769 | 0.0004 | 3.5076 | 0.2358 |
| Tetrachloroethene | 1800 | 1700 | 1750 | 0 | 0.0019 | 17.0510 | 0.0000 | 0.0000 | 1.4482 |
| trans-1,2-Dichloroethene | 4.0 J | 4.5 J | 4.3 | 5.7 | 0.0000 | 0.0414 | 0.0000 | 0.0555 | 0.0035 |
| Trichloroethene | 1200 | 1100 | 1150 | 0 | 0.0013 | 11.2050 | 0.0000 | 0.0000 | 0.9517 |
| Vinyl Chloride | 0 | 0 | 0 | 0 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Total VOCs | 3567 | 3378 | 3472 | 459 | 0.0039 | 33.8317 | 0.0005 | 4.4742 | 2.8734 |

Notes:

All samples were analyzed for site-specific VOCs by modified method TO-15.

Average Monthly Vapor Temp (${}^{\circ}$ F) = 112 Average Monthly Flowrate (cfm) = 322 Average Monthly Flowrate (scfm) = 297 Operational Hours for the month = 744

- $(1) \ Emissions \ (lbs/hr) = \ Concentration \ (ug/m^3)^* (lb/454000000ug)^* (0.3048^3 m^3/ft^3)^* exhaust \ flow \ (scfm)^* (60min/hour)^* (1) \ (1$
- (2) Emissions (lbs/yr) = Emissions (lbs/hour)*(8760hours/yr)
- (3) Monthly Mass Removal = AVERAGE FLOWRATE (scfm) * 0.3048^3m³/ft³ * INF AVG CONC (ug/m³) * (lb/454000000ug) * 60 min/hr * OPERATIONAL TIME (hr)

Table 2 Soil Vapor Extraction Containment System Site 1, Former Drum Marshalling Yard Naval Weapons Industrial Reserve Plant - Bethpage, NY Vapor Monitoring Results

November 2018

| | | Concen | tration | | | Emission | Rate (1),(2) | | Monthly Mass |
|--------------------------|-------------|-------------|--------------|----------|--------------|----------|--------------|----------|--------------|
| Compound | | (ug/ | 'm ³) | | Prior to Tre | eatment | Following T | reatment | Recovery (3) |
| | Influent #1 | Influent #2 | Average | Effluent | (lbs/hr) | (lbs/yr) | (lbs/hr) | (lbs/yr) | (lbs) |
| | | | | | | | | | |
| 1,1,1-Trichloroethane | 330 | 280 | 305 | 31 | 0.0003 | 2.9021 | 0.0000 | 0.2950 | 0.2385 |
| 1,1-Dichloroethane | 15 | 14 | 14.5 | 9.0 | 0.0000 | 0.1380 | 0.0000 | 0.0856 | 0.0113 |
| 1,1-Dichloroethene | 0 | 0 | 0 | 0 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| 1,2-Dichloroethane | 0 | 0 | 0 | 0 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| cis-1,2-Dichloroethene | 340 | 300 | 320 | 130 | 0.0003 | 3.0448 | 0.0001 | 1.2370 | 0.2503 |
| Tetrachloroethene | 1800 | 1500 | 1650 | 7.1 | 0.0018 | 15.6998 | 0.0000 | 0.0676 | 1.2904 |
| trans-1,2-Dichloroethene | 5.1 | 3.0 J | 4.1 | 0 | 0.0000 | 0.0385 | 0.0000 | 0.0000 | 0.0032 |
| Trichloroethene | 1100 | 980 | 1040 | 3.3 J | 0.0011 | 9.8956 | 0.0000 | 0.0314 | 0.8133 |
| Vinyl Chloride | 0 | 0 | 0 | 0 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| | | | | | | | | | |
| Total VOCs | 3590 | 3077 | 3334 | 180 | 0.0036 | 31.7189 | 0.0002 | 1.7165 | 2.6070 |

Notes:

All samples were analyzed for site-specific VOCs by modified method TO-15.

Average Monthly Vapor Temp (${}^{\circ}$ F) = 105 Average Monthly Flowrate (cfm) = 311 Average Monthly Flowrate (scfm) = 290 Operational Hours for the month = 720

- (1) Emissions (lbs/hr) = Concentration (ug/m³)*(lb/454000000ug)*(0.3048^3m³/ft³)*exhaust flow (scfm)*(60min/hour)
- (2) Emissions (lbs/yr) = Emissions (lbs/hour)*(8760 hours/yr)
- (3) Monthly Mass Removal = AVERAGE FLOWRATE (scfm) * 0.3048/3m³/ft³ * INF AVG CONC (ug/m³) * (lb/454000000ug) * 60 min/hr * OPERATIONAL TIME (hr)

Table 3 Soil Vapor Extraction Containment System Site 1, Former Drum Marshalling Yard Naval Weapons Industrial Reserve Plant - Bethpage, NY Vapor Monitoring Results

December 2018

| | | Concer | itration | | | Emission | Rate (1),(2) | | Monthly Mass |
|--------------------------|-------------|-------------|--------------|----------|-------------|----------|--------------|----------|--------------|
| Compound | | (ug/ | /m ³) | | Prior to Tr | eatment | Following T | reatment | Recovery (3) |
| | Influent #1 | Influent #2 | Average | Effluent | (lbs/hr) | (lbs/yr) | (lbs/hr) | (lbs/yr) | (lbs) |
| | | | | | | | | | |
| 1,1,1-Trichloroethane | 260 | 270 | 265 | 51 | 0.0003 | 2.5240 | 0.0001 | 0.4857 | 0.2144 |
| 1,1-Dichloroethane | 11.0 | 11 | 11.0 | 13 | 0.0000 | 0.1048 | 0.0000 | 0.1238 | 0.0089 |
| 1,1-Dichloroethene | 1.6 J | 1.4 J | 2 | 3.8 | 0.0000 | 0.0143 | 0.0000 | 0.0362 | 0.0012 |
| 1,2-Dichloroethane | 0.0 | 0.0 | 0.00 | 0 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| cis-1,2-Dichloroethene | 260 | 260 | 260 | 220 | 0.0003 | 2.4764 | 0.0002 | 2.0954 | 0.2103 |
| Tetrachloroethene | 1500 | 1500 | 1500 | 0 | 0.0016 | 14.2867 | 0.0000 | 0.0000 | 1.2134 |
| trans-1,2-Dichloroethene | 3.5 | 3.6 | 3.6 | 3.2 | 0.0000 | 0.0338 | 0.0000 | 0.0305 | 0.0029 |
| Trichloroethene | 910 | 940 | 925 | 0.69 J | 0.0010 | 8.8101 | 0.0000 | 0.0066 | 0.7483 |
| Vinyl Chloride | 0 | 0 | 0 | 0 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Total VOCs | 2946 | 2986 | 2966 | 292 | 0.0032 | 28.2501 | 0.0003 | 2.7782 | 2.3993 |

Notes:

All samples were analyzed for site-specific VOCs by modified method TO-15.

Average Monthly Vapor Temp (${}^{\circ}$ F) = 106 Average Monthly Flowrate (cfm) = 311 Average Monthly Flowrate (scfm) = 291 Operational Hours for the month = 744

- (1) Emissions (lbs/hr) = Concentration (ug/m³)*(lb/454000000ug)*(0.3048^3m³/ft³)*exhaust flow (scfm)*(60min/hour)
- (2) Emissions (lbs/yr) = Emissions (lbs/hour)*(8760 hours/yr)
- (3) Monthly Mass Removal = AVERAGE FLOWRATE (scfm) * 0.3048^3m³/ft³ * INF AVG CONC (ug/m³) * (lb/454000000ug) * 60 min/hr * OPERATIONAL TIME (hr)

Table 4 **Soil Vapor Extraction Containment System** Site 1, Former Drum Marshalling Yard Naval Weapons Industrial Reserve Plant - Bethpage, NY 2018 Air Emission and Mass Recovery Summary

| | , | Effluent on Rate | · · | Effluent on Rate | , | CE Effluent on Rate | _ | ffluent on Rate | | A Effluent on Rate | _ | fluent on Rate | | Cs Effluent on Rate | Mass Recovery (Total VOCs) |
|--------|--------|---------------------|--------|---------------------|--------|------------------------|--------|--------------------|--------|-----------------------|--------|-------------------|--------|------------------------|----------------------------|
| Month | lb/hr | lb/mo | lb/hr | lb/mo | lb/hr | lb/mo | lb/hr | lb/mo | lb/hr | lb/mo | lb/hr | lb/mo | lb/hr | lb/mo | lb/mo |
| Jan-18 | 0.0000 | 0.0038 | 0.0000 | 0.0011 | 0.0001 | 0.0577 | 0.0000 | 0.0004 | 0.0000 | 0.0045 | 0.0000 | 0.0000 | 0.0001 | 0.0682 | 2.1571 |
| Feb-18 | 0.0000 | 0.0045 | 0.0000 | 0.0014 | 0.0001 | 0.0754 | 0.0000 | 0.0000 | 0.0000 | 0.0024 | 0.0000 | 0.0000 | 0.0001 | 0.0851 | 1.7051 |
| Mar-18 | 0.0000 | 0.0012 | 0.0000 | 0.0000 | 0.0000 | 0.0233 | 0.0000 | 0.0000 | 0.0000 | 0.0024 | 0.0000 | 0.0000 | 0.0000 | 0.0270 | 2.9341 |
| Apr-18 | 0.0000 | 0.0069 | 0.0000 | 0.0011 | 0.0001 | 0.0879 | 0.0000 | 0.0006 | 0.0000 | 0.0057 | 0.0000 | 0.0010 | 0.0001 | 0.1047 | 1.7726 |
| May-18 | 0.0000 | 0.0090 | 0.0000 | 0.0031 | 0.0002 | 0.1309 | 0.0000 | 0.0000 | 0.0000 | 0.0098 | 0.0000 | 0.0000 | 0.0002 | 0.1556 | 1.5516 |
| Jun-18 | 0.0000 | 0.0126 | 0.0000 | 0.0031 | 0.0002 | 0.1733 | 0.0000 | 0.0000 | 0.0000 | 0.0173 | 0.0000 | 0.0008 | 0.0003 | 0.2107 | 1.4833 |
| Jul-18 | 0.0000 | 0.0218 | 0.0000 | 0.0038 | 0.0005 | 0.3390 | 0.0000 | 0.0000 | 0.0000 | 0.0339 | 0.0000 | 0.0009 | 0.0005 | 0.4056 | 1.4585 |
| Aug-18 | 0.0000 | 0.0155 | 0.0000 | 0.0033 | 0.0003 | 0.2286 | 0.0000 | 0.0000 | 0.0000 | 0.0278 | 0.0000 | 0.0000 | 0.0004 | 0.2797 | 1.8044 |
| Sep-18 | 0.0000 | 0.0203 | 0.0000 | 0.0037 | 0.0005 | 0.3279 | 0.0000 | 0.0000 | 0.0001 | 0.0554 | 0.0000 | 0.0009 | 0.0006 | 0.4142 | 2.1264 |
| Oct-18 | 0.0000 | 0.0190 | 0.0000 | 0.0046 | 0.0004 | 0.2979 | 0.0000 | 0.0000 | 0.0001 | 0.0538 | 0.0000 | 0.0000 | 0.0005 | 0.3800 | 2.8734 |
| Nov-18 | 0.0000 | 0.0070 | 0.0000 | 0.0000 | 0.0001 | 0.1017 | 0.0000 | 0.0056 | 0.0000 | 0.0242 | 0.0000 | 0.0026 | 0.0002 | 0.1411 | 2.6070 |
| Dec-18 | 0.0000 | 0.0105 | 0.0000 | 0.0031 | 0.0002 | 0.1780 | 0.0000 | 0.0000 | 0.0001 | 0.0413 | 0.0000 | 0.0006 | 0.0003 | 0.2360 | 2.3993 |
| | | 1.1-DCA | | 1.1-DCE | | cis-1.2-DCE | | PCE | | 1.1.1-TCA | | TCE | | Total VOCs | |

0.04

350

0.01

NA

NA

2.02

225

1,971,000

0.28

0.02

175

0.01

2.51

24.87

Notes:

lb/hr = pounds per hour lb/mo = pounds per month

Discharge Goal (lb/hr) (1)

Discharge Goal (lb/yr) (2)

2018 Totals (lb/yr)

lb/yr = pounds per year

PCE = tetrachloroethene

TCA = trichloroethane

TCE = trichloroethene

NA = Not Applicable

Emission Rate (per hr) = average flowrate (scfm) * (0.3048^3)m³/ft³ * Eff conc (ug/m3) * (lb/45400000ug) * 60 min/hr * operational time (hrs)

NA

NA

0.03

Monthly Mass Recovery = average flowrate (scfm) * (0.3048^3) m³/ft³ * Inf avg conc (ug/m³) * (lb/454000000ug) * 60 min/hr * operational time (hrs)

(1) Discharge Goal (lb/hr) as presented in the Modification to Existing Soil Vapor Extraction Containment System at Site 1 - Former Drum Marshalling Area, Installation of Soil Vapor Extraction Wells SVE-107D to -11D, NWIRP Bethpage, Bethpage, NY (Tetra Tech NUS, 2011) and approved via email by NYDEC on 6 October 2011.

(2) Discharge Goal (lb/yr) = Discharge Goal (lb/hr) x 8760 hr/yr.

NA

NA

0.13

Soil Vapor Extraction Containment System Site 1, Former Drum Marshalling Yard

Naval Weapons Industrial Reserve Plant - Bethpage, NY

Fourth Quarter 2018 Vapor Analytical Results Summary of SVE Wells

| Sample ID | SVE 101I | SVE 101D | SVE 102I | SVE 102D | SVE 103I | SVE 103D | SVE 104I | SVE 104D | SVE 105I | SVE 105D | SVE 106I | SVE 106D |
|---------------------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| Sample Date | 11/05/18 | 11/05/18 | 11/05/18 | 11/05/18 | 11/05/18 | 11/05/18 | 11/05/18 | 11/05/18 | 11/05/18 | 11/05/18 | 11/05/18 | 11/05/18 |
| Analysis by TO-15 (μg/m³) | | | | | | | | | | | | |
| 1,1,1-Trichloroethane | 2500 | 9.8 | 1.8 J | 2.2 J | 2.4 J | 33 J | 3.1 J | 100 | 10 | 27 | 4.2 | 12 |
| 1,1-Dichloroethane | 35 | 0.88 J | ND | ND | ND | ND | ND | 15 | 1.6 J | 14 | ND | 7.9 |
| 1,1-Dichloroethene | ND |
| 1,2-Dichloroethane | ND |
| cis-1,2-Dichloroethene | ND | 2.5 J | ND | ND | 2.9 | 340 | 20 | 700 | 3.7 | 18 | 1.5 J | 21 |
| Tetrachloroethene | 91 | 210 | 3.4 J | 13 | 120 | 12,000 | 76 | 1,500 | 46 | 140 | 9.9 | 37 |
| trans-1,2-Dichloroethene | ND | 9.3 | ND | 0.88 J | ND | ND |
| Trichloroethene | 7500 | 700 | 24 | 54 | 36 | 460 | 33 | 210 | 110 | 140 | 79 | 220 |
| Vinyl Chloride | ND |

Notes:

All samples were analyzed for site-specific VOCs by modified method TO-15.

 $\mu g/m^3$ = micrograms per cubic meter

Soil Vapor Extraction Containment System Site 1, Former Drum Marshalling Yard Naval Weapons Industrial Reserve Plant - Bethpage, NY Quarterly Vapor Monitoring Results of SVE Wells Through Fourth Quarter 2018

| Sample ID | | | | | | | | | | SVE 101I | | | | | | | | | |
|---------------------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| Sample Date | 12/21/09 | 03/31/10 | 06/09/10 | 09/16/10 | 12/08/10 | 03/30/11 | 06/28/11 | 09/06/11 | 10/14/11 | 02/10/12 | 05/11/12 | 09/11/12 | 12/05/12 | 01/15/13 | 05/16/13 | 08/27/13 | 11/08/13 | 01/30/14 | 04/10/14 |
| Analysis by TO-15 (μg/m³) | | | | | | | | | | | | | | | | | | | |
| 1,1,1-Trichloroethane | 51000 | 3900 | 2600 | 450 | 850 | 300 | 1 | 0.7 J | 0.7 J | 1500 | 1500 | 3200 | 4400 | 3400 | 1900 | 2200 | 2900 | 2600 | 1200 |
| 1,1-Dichloroethane | 1200 | 65 | 34 | 14 | 31 | 5 | 0.8 J | 0.4 J | 0.4 J | 28 | 28 | 61 | 76 | 62 | 35 | 36 | 57 | 50 | 22 |
| 1,1-Dichloroethene | 250 | ND | ND | 4 | 8 | ND | 0.7 J | 0.4 J | 0.5 J | 7.6 J | 10 | ND | 15 J | ND | 12 J | 8.9 J | 16 J | 11 J | 7.9 J |
| 1,2-Dichloroethane | NR | 30 | ND | 4 | 8 | ND | 0.9 | 0.5 J | 0.5 J | 6.9 J | 6.4 J | 11 J | 14 J | 12 J | 10 J | 8.6 J | 9.2 J | 7.5 J | 4.4 J |
| cis-1,2-Dichloroethene | 480 | 59 | ND | 9 | 15 | 3 | 0.7 J | ND | 0.4 J | 7.1 J | 7.4 J | 20 J | 22 J | 14 J | 6.2 J | 11 J | 22 J | 12 J | 4.2 J |
| Tetrachloroethene | 1700 | 410 | 260 | 36 | 63 | 10 | 1 | ND | 2 | 48 | 46 | 93 | 120 | 80 | 49 | 79 | 100 | 80 | 34 |
| trans-1,2-Dichloroethene | ND | ND | ND | ND | ND | ND | 0.7 J | 0.4 J | 0.4 J | ND |
| Trichloroethene | 180000 | 18000 | 14000 | 1200 | 2400 | 560 | 1 | 0.6 J | 0.6 J | 4200 | 4300 | 7200 | 12000 | 8100 | 5200 | 5400 | 8900 | 7100 | 3300 |
| Vinyl Chloride | ND | ND | ND | ND | ND | ND | 0.5 J | 0.3 J | 0.3 J | ND |

| Sample Date | 07/29/14 | 10/02/14 | 01/12/15 | 05/07/15 | 08/12/15 | 10/29/15 | 01/13/16 | 04/21/16 | 09/13/16 | 11/16/16 | 01/17/17 | 04/26/17 | 08/15/17 | 12/11/17 | 02/06/18 | 05/03/18 | 08/02/18 | 11/05/18 |
|---------------------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| Analysis by TO-15 (μg/m³) | | | | | | | | | | | | | | | | | | |
| 1,1,1-Trichloroethane | 1600 | 2500 | 2000 | 720 | 520 | 2200 | 2700 | 3000 | ND | ND | 1100 | 1400 | 2700 | 4300 | 3600 | 950 | 1900 | 2500 |
| 1,1-Dichloroethane | 29 | 51 | 39 | 15 | 10 | 42 | 45 | 38 | ND | ND | 17 | 22 | 47 | 59 | 43 | 16 | 25 | 35 |
| 1,1-Dichloroethene | 6.2 J | 21 | 11 J | ND | ND | ND | ND | 6.9 J | ND | ND | 4.5 J | 6.0 J | 8.0 J | ND | 8.2 J | ND | ND | ND |
| 1,2-Dichloroethane | 9.2 J | 12 J | 9.8 J | 5.2 J | 3.8 | 15 | 9.0 J | ND | ND | ND | 3.1 J | 4.2 J | 7.0 J | 11 J | 8.6 J | 4.5 J | 10.0 J | ND |
| cis-1,2-Dichloroethene | 8.8 J | 24 | 9.4 J | 4.6 J | 3.8 | 9.2 J | 6.0 J | ND | ND | ND | ND | 4.0 J | 7.0 J | 7.0 J | 6.6 J | 3.2 J | 7.0 J | ND |
| Tetrachloroethene | 67 | 83 | 54 | 31 | 31 | 74 | 83 | 82 | ND | ND | 29 | 41 | 87 | 130 | 100 | 42 | 74 | 91 |
| trans-1,2-Dichloroethene | ND |
| Trichloroethene | 4400 | 6900 | 5300 | 2500 | 1600 | 7600 | 8200 | 7100 | ND | ND | 3400 | 4100 | 7600 | 13000 | 11000 | 3600 | 5300 | 7500 |
| Vinyl Chloride | ND |

Notes:

μg/m³= micrograms per cubic meter

NR = Not Recorded

NA = Data not available

ND = Not detected above method

detection limit

Soil Vapor Extraction Containment System Site 1, Former Drum Marshalling Yard Naval Weapons Industrial Reserve Plant - Bethpage, NY Quarterly Vapor Monitoring Results of SVE Wells Through Fourth Quarter 2018

| Sample ID | | | | | | | | | | SVE 101D | | | | | | | | | |
|---------------------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| Sample Date | 12/21/09 | 03/31/10 | 06/09/10 | 09/16/10 | 12/22/10 | 03/30/11 | 06/28/11 | 09/06/11 | 10/14/11 | 02/10/12 | 05/11/12 | 09/11/12 | 12/05/12 | 01/15/13 | 05/16/13 | 08/27/13 | 11/08/13 | 01/30/14 | 04/10/14 |
| Analysis by TO-15 (μg/m³) | | | | | | | | | | | | | | | | | | | |
| 1,1,1-Trichloroethane | 26000 | 130 | 53 | ND | ND | ND | 3 | 8 | 0.8 J | ND | 3.1 J | 9.9 | 11 | ND | ND | 5.6 | 16 | 14 | 12 |
| 1,1-Dichloroethane | 660 | 3.9 | ND | ND | ND | ND | 2 | 0.9 J | 0.5 J | ND | ND | 1.0 J | 1.1 J | 1.1 J | ND | ND | 1.5 J | 1.4 J | 1.2 J |
| 1,1-Dichloroethene | 180 | 2 | ND | ND | ND | ND | ND | 0.7 J | 0.4 J | ND | 1.0 J | 0.75 J | ND |
| 1,2-Dichloroethane | NR | 0.5 | ND | ND | ND | ND | 2 | 0.5 J | 0.5 J | ND |
| cis-1,2-Dichloroethene | 220 | 8.5 | 7.5 | ND | 3 | ND | 2 | 2 | 0.5 J | ND | ND | 2.1 J | 3.2 | ND | ND | ND | 3.0 J | 4.5 | 3.5 |
| Tetrachloroethene | 3200 | 1200 | 1200 | ND | 4 | ND | 26 | 210 | 2 | ND | 79 | 150 | 170 | 130 | 0.92 J | 73 | 330 | 340 | 270 |
| trans-1,2-Dichloroethene | ND | ND | ND | ND | ND | ND | 2 | 0.6 J | 0.4 J | ND |
| Trichloroethene | 100000 | 1600 | 310 | 3 | 1 | ND | 3 | 120 | 1 J | ND | 200 | 400 | 350 | 120 | ND | 56 | 540 | 680 | 330 |
| Vinyl Chloride | ND | ND | ND | ND | ND | ND | 1 | 0.4 J | 0.3 J | ND |

| Sample Date | 07/29/14 | 10/02/14 | 01/12/15 | 05/07/15 | 08/12/15 | 10/29/15 | 01/13/16 | 04/21/16 | 09/13/16 | 11/16/16 | 01/17/17 | 04/26/17 | 08/15/17 | 12/11/17 | 02/06/18 | 05/03/18 | 08/02/18 | 11/05/18 |
|---------------------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| Analysis by TO-15 (μg/m³) | | | | | | | | | | | | | | | | | | |
| 1,1,1-Trichloroethane | 20 | 19 | 12 | ND | 22 | 22 | 27 | 22 | ND | 20 | 15 | 5.0 | 22 | 20 | 12 | 9.3 | ND | 9.8 |
| 1,1-Dichloroethane | 0.89 J | 1.4 J | ND | ND | 2.5 J | 2.8 J | 2.3 J | 1.7 J | ND | 3.1 | 2.2 J | 0.85 J | 3.0 J | 2.3 J | 2.4 J | 1.8 J | ND | 0.88 J |
| 1,1-Dichloroethene | ND | 0.76 J | 0.80 J | ND | ND | ND | 0.60 J | ND | ND | ND |
| 1,2-Dichloroethane | ND |
| cis-1,2-Dichloroethene | 1.5 J | 4.1 | 2.3 J | ND | 3.3 | 5.9 | 5.8 | 6.4 | ND | 31 | 21 | 3.9 | 14 | 12 | 19 | 4.4 | ND | 2.5 J |
| Tetrachloroethene | 240 | 260 | 200 | 1.0 J | 230 | 250 | 310 | 220 | ND | 300 | 240 | 66 | 250 | 190 | 220 | 190 | ND | 210 |
| trans-1,2-Dichloroethene | ND |
| Trichloroethene | 180 | 410 | 190 | 1.7 J | 450 | 1000 | 2200 | 990 | ND | 970 | 760 | 260 | 1100 | 880 | 900 | 780 | ND | 700 |
| Vinyl Chloride | ND |

Notes:

μg/m³= micrograms per cubic meter

NR = Not Recorded

NA = Data not available

Soil Vapor Extraction Containment System Site 1, Former Drum Marshalling Yard Naval Weapons Industrial Reserve Plant - Bethpage, NY Quarterly Vapor Monitoring Results of SVE Wells Through Fourth Quarter 2018

| Sample ID | | | | | | | | | | SVE 102I | | | | | | | | | |
|---------------------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| Sample Date | 12/21/09 | 03/31/10 | 06/09/10 | 09/16/10 | 12/22/10 | 03/30/11 | 06/28/11 | 09/06/11 | 10/14/11 | 02/10/12 | 05/11/12 | 09/11/12 | 12/05/12 | 01/15/13 | 05/16/13 | 08/27/13 | 11/08/13 | 02/05/14 | 04/10/14 |
| Analysis by TO-15 (μg/m³) | | | | | | | | | | | | | | | | | | | |
| 1,1,1-Trichloroethane | ND | ND | 13 | 3 | ND | NA | 2 | 3 | 2 | ND | 0.60 J | 3.3 J | ND | ND | ND | 1.6 J | ND | ND | 0.95 J |
| 1,1-Dichloroethane | ND | ND | ND | ND | ND | NA | 0.8 J | 0.5 J | 0.5 J | ND |
| 1,1-Dichloroethene | ND | ND | ND | ND | ND | NA | 0.7 J | 0.4 J | 0.4 J | ND |
| 1,2-Dichloroethane | NR | ND | ND | ND | ND | NA | 0.8 | 0.4 J | 0.4 J | ND |
| cis-1,2-Dichloroethene | ND | ND | ND | ND | ND | NA | 0.7 J | 0.5 J | 0.5 J | ND |
| Tetrachloroethene | 2.4 | 1.4 | 17 | 6 | NR | NA | 3 | 6 | 6 | ND | 1.6 J | 6.4 | 1.5 J | 2.4 J | 1.4 J | 3.3 J | 2.6 J | ND | ND |
| trans-1,2-Dichloroethene | ND | ND | ND | ND | ND | NA | 0.7 J | 0.4 J | 0.4 J | ND |
| Trichloroethene | 5.6 | 3.8 | 300 | 88 | 3 | NA | 34 | 76 | 52 | 10 | 26 | 99 | 10 | 10 | 15 | 49 | 21 | 7.6 | 8.0 |
| Vinyl Chloride | ND | ND | ND | ND | ND | NA | 0.5 J | 0.4 J | 0.3 J | ND |

| Sample Date | 07/29/14 | 10/02/14 | 01/12/15 | 05/07/15 | 08/12/15 | 10/29/15 | 01/13/16 | 04/21/16 | 09/13/16 | 11/16/16 | 01/17/17 | 04/26/17 | 08/15/17 | 12/11/17 | 02/06/18 | 05/03/18 | 08/02/18 | 11/05/18 |
|---------------------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| Analysis by TO-15 (μg/m³) | | | | | | | | | | | | | | | | | | |
| 1,1,1-Trichloroethane | 10 | 4.0 J | 0.82 J | 1.6 J | 12 | 2.8 J | 0.87 J | ND | 1.3 J | 1.2 J | 0.54 J | ND | 6.4 | 0.95 J | ND | ND | 7.4 | 1.8 J |
| 1,1-Dichloroethane | ND |
| 1,1-Dichloroethene | ND |
| 1,2-Dichloroethane | ND |
| cis-1,2-Dichloroethene | ND |
| Tetrachloroethene | 10 | 4.8 J | 1.5 J | 2.5 J | 13 | 6.6 | 2.4 J | ND | 2.9 J | 3.2 J | 1.6 J | 1.4 J | 7.8 | 2.7 J | 1.4 J | 1.8 J | 8.1 | 3.4 J |
| trans-1,2-Dichloroethene | ND |
| Trichloroethene | 84 | 39 | 8.0 | 22 | 120 | 40 | 12 | ND | 21 | 24 | 8.4 | 12 | 74 | 15 | 7.9 | 14 | 72 | 24 |
| Vinyl Chloride | ND |

Notes:

μg/m³= micrograms per cubic meter

NR = Not Recorded

NA = Data not available

Soil Vapor Extraction Containment System Site 1, Former Drum Marshalling Yard Naval Weapons Industrial Reserve Plant - Bethpage, NY Quarterly Vapor Monitoring Results of SVE Wells Through Fourth Quarter 2018

| Sample ID | | | SVE 102D | | | | | | | | | | | | | | | | |
|---------------------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| Sample Date | 12/21/09 | 03/31/10 | 06/09/10 | 09/16/10 | 12/08/10 | 03/30/11 | 06/28/11 | 09/06/11 | 10/14/11 | 02/10/12 | 05/11/12 | 09/11/12 | 12/05/12 | 01/15/13 | 05/16/13 | 08/27/13 | 11/08/13 | 01/30/14 | 04/24/14 |
| Analysis by TO-15 (μg/m³) | | | | | | | | | | | | | | | | | | | |
| 1,1,1-Trichloroethane | 130 | 53 | 14 | 7 | 2 | 2 | 6 | 4 | 5 | 1.4 J | 1.2 J | 3.9 J | ND | ND | ND | 2.3 J | 3.1 J | ND | 1.6 J |
| 1,1-Dichloroethane | ND | 2.7 | ND | ND | ND | ND | 1 | 0.6 J | 0.7 J | ND | ND | 0.51 J | 0.95 J | ND | ND | ND | 0.69 J | ND | 0.44 J |
| 1,1-Dichloroethene | ND | ND | ND | ND | ND | ND | 1 | 0.6 J | 0.6 J | ND |
| 1,2-Dichloroethane | NR | ND | ND | ND | ND | ND | 0.9 | 0.5 J | 0.5 J | ND |
| cis-1,2-Dichloroethene | ND | 1.4 | ND | ND | 0.9 | ND | 1 | 0.5 J | 0.9 | ND | ND | 1.1 J | 4.1 | ND | ND | ND | 3.4 | ND | 2.8 J |
| Tetrachloroethene | 10 | 31 | 31 | 19 | 3 | 9 | 25 | 23 | 39 | 5.9 | 6.5 | 24 | 25 | 0.96 J | 1.4 J | 14 | 28 | 2.6 J | 9.6 |
| trans-1,2-Dichloroethene | ND | ND | ND | ND | ND | ND | 1 | 0.5 J | 0.5 J | ND |
| Trichloroethene | 440 | 390 | 190 | 110 | 17 | 21 | 89 | 81 | 87 | 34 | 58 | 170 | 140 | 6.5 | ND | 88 | 160 | 3.9 J | 39 |
| Vinyl Chloride | ND | ND | ND | ND | ND | ND | 0.6 | 0.4 J | 0.3 J | ND |

| Sample Date | 07/29/14 | 10/02/14 | 01/12/15 | 05/07/15 | 08/12/15 | 10/29/15 | 01/13/16 | 04/21/16 | 09/13/16 | 11/16/16 | 01/17/17 | 04/26/17 | 08/15/17 | 12/11/17 | 02/06/18 | 05/03/18 | 08/02/18 | 11/05/18 |
|---------------------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| Analysis by TO-15 (μg/m³) | | | | | | | | | | | | | | | | | | |
| 1,1,1-Trichloroethane | 4.5 | 5.1 | 2.6 J | ND | 5.2 | 4.9 | 3.5 J | 1.1 J | 6.6 | 3.8 J | 2.7 J | 1.8 J | 3.6 J | 1.8 J | 1.8 J | ND | 2.4 J | 2.2 J |
| 1,1-Dichloroethane | ND | ND | ND | ND | ND | 1.0 J | 0.81 J | ND | 0.93 J | 0.95 J | 0.8 J | 0.50 J | ND | ND | ND | ND | ND | ND |
| 1,1-Dichloroethene | ND |
| 1,2-Dichloroethane | ND | 0.38 J | ND | 0.75 J | ND |
| cis-1,2-Dichloroethene | 0.89 J | 3.6 | 1.6 J | ND | 4.2 | 9.3 | 8.9 | 4.4 | 13 | 10 | 5.2 | 2.6 J | 2.2 J | 1.3 J | 1.8 J | ND | 0.86 J | ND |
| Tetrachloroethene | 16 | 20 | 11 | 3.8 J | 22 | 41 | 42 | 18 | 51 | 37 | 26 | 15 | 17 | 15 | 18 | 6.2 | 12 | 13 |
| trans-1,2-Dichloroethene | ND |
| Trichloroethene | 79 | 92 | 36 | 20 | 160 | 180 | 120 | 38 | 150 | 74 | 44 | 48 | 80 | 43 | 61 | 15 | 50 | 54 |
| Vinyl Chloride | ND |

Notes:

μg/m³= micrograms per cubic meter

NR = Not Recorded

NA = Data not available

Soil Vapor Extraction Containment System Site 1, Former Drum Marshalling Yard Naval Weapons Industrial Reserve Plant - Bethpage, NY Quarterly Vapor Monitoring Results of SVE Wells Through Fourth Quarter 2018

| Sample ID | | | | | | | | | | SVE 103I | | | | | | | | | |
|---------------------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| Sample Date | 12/21/09 | 03/31/10 | 06/09/10 | 09/16/10 | 12/08/10 | 03/30/11 | 06/28/11 | 09/06/11 | 10/14/11 | 02/10/12 | 05/11/12 | 09/11/12 | 12/05/12 | 01/15/13 | 05/16/13 | 08/27/13 | 11/08/13 | 01/30/14 | 04/10/14 |
| Analysis by TO-15 (μg/m³) | | | | | | | | | | | | | | | | | | | |
| 1,1,1-Trichloroethane | 900 | ND | ND | ND | ND | ND | 0.9 J | 6 | 6 | ND | 1.6 J | 9.2 | ND | ND | 1.4 J | 4.7 J | 2.8 J | 0.92 J | ND |
| 1,1-Dichloroethane | 26 | ND | ND | ND | ND | ND | 0.6 J | 2 | 2 | ND | 0.75 J | 1.5 J | 0.77 J | ND | ND | 1.5 J | 1.3 J | ND | ND |
| 1,1-Dichloroethene | ND | ND | ND | ND | ND | ND | 0.6 J | 0.6 J | ND |
| 1,2-Dichloroethane | NR | ND | ND | ND | ND | ND | 0.7 J | 0.5 J | ND |
| cis-1,2-Dichloroethene | 58 | ND | ND | 1 | ND | 1 | 0.5 J | 16 | 12 | 18 | 16 | 19 | 6.0 | 2.4 J | 5.0 | 11 | 15 | 6.9 | 3.4 |
| Tetrachloroethene | 580 | ND | ND | ND | ND | 2 | 1 J | 420 | 590 | 140 | 200 | 430 | 120 | 40 | 78 | 220 | 200 | 97 | 40 |
| trans-1,2-Dichloroethene | 580 | ND | ND | ND | ND | ND | 0.6 J | 1 | 1 | ND | 0.85 J | ND | ND |
| Trichloroethene | 900 | 0.9 | ND | ND | ND | ND | 0.9 J | 100 | 97 | 29 | 47 | 130 | 48 | 16 | 35 | 95 | 78 | 46 | 20 |
| Vinyl Chloride | ND | ND | ND | ND | ND | ND | 0.4 J | 0.4 J | 0.3 J | ND |

| Sample Date | 07/29/14 | 10/02/14 | 01/12/15 | 05/07/15 | 08/12/15 | 10/29/15 | 01/13/16 | 04/21/16 | 09/13/16 | 11/16/16 | 01/17/17 | 04/26/17 | 08/15/17 | 12/11/17 | 02/06/18 | 05/03/18 | 08/02/18 | 11/05/18 |
|---------------------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| Analysis by TO-15 (μg/m³) | | | | | | | | | | | | | | | | | | |
| 1,1,1-Trichloroethane | 4.6 | 4.9 | ND | 1.3 J | 6.6 | 3.6 J | 1.2 J | 0.76 J | 6.0 | 2.2 J | 0.73 J | ND | 6.0 | 0.94 J | 0.77 J | ND | 5.8 | 2.4 J |
| 1,1-Dichloroethane | 0.89 J | 2.0 J | ND | 0.68 J | ND | 1.4 J | ND | ND | 1.9 J | 1.1 J | ND | ND | 1.8 J | ND | ND | ND | 1.5 J | ND |
| 1,1-Dichloroethene | ND |
| 1,2-Dichloroethane | ND |
| cis-1,2-Dichloroethene | 4.2 | 6.1 | ND | 11 | 9.3 | 7.3 | 13 | 2.7 J | 5.2 | 2.2 J | 1.8 J | 1.3 J | 5.8 | 0.75 J | 1.4 J | 1.6 J | 3.4 | 2.9 |
| Tetrachloroethene | 150 | 130 | 8.6 | 130 | 290 | 210 | 450 | 71 | 200 | 99 | 70 | 36 | 180 | 56 | 56 | 70 | 200 | 120 |
| trans-1,2-Dichloroethene | ND | 1.3 J | ND | 1.2 J | ND |
| Trichloroethene | 47 | 50 | 4.9 J | 37 | 92 | 74 | 70 | 17 | 67 | 34 | 20 | 9.9 | 63 | 21 | 19 | 17 | 54 | 36 |
| Vinyl Chloride | ND |

Notes:

μg/m³= micrograms per cubic meter

NR = Not Recorded

NA = Data not available

Soil Vapor Extraction Containment System Site 1, Former Drum Marshalling Yard Naval Weapons Industrial Reserve Plant - Bethpage, NY Quarterly Vapor Monitoring Results of SVE Wells Through Fourth Quarter 2018

| Sample ID | | | | | | | | | | SVE 103D | | | | | | | | | |
|---------------------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| Sample Date | 12/21/09 | 03/31/10 | 06/09/10 | 09/16/10 | 12/08/10 | 03/30/11 | 06/28/11 | 09/06/11 | 10/14/11 | 02/10/12 | 05/11/12 | 09/11/12 | 12/05/12 | 01/15/13 | 05/16/13 | 08/27/13 | 11/08/13 | 01/30/14 | 04/10/14 |
| Analysis by TO-15 (μg/m³) | | | | | | | | | | | | | | | | | | | |
| 1,1,1-Trichloroethane | 3000 | 1100 | 230 | ND | 13 | ND | 2 J | 20 | 31 | 7.4 J | 6.9 J | 22 | 190 | ND | 150 | 170 | 200 | 550 | 400 |
| 1,1-Dichloroethane | 82 | 69 | ND | ND | 2 | 2 | 1 J | 4 | 9 | 1.6 J | 1.5 J | 1.9 J | 10 J | ND | 10 | 10 J | 20 J | 50 | 48 |
| 1,1-Dichloroethene | ND | ND | ND | ND | ND | ND | 1 J | 2 | 6 J | ND |
| 1,2-Dichloroethane | NR | ND | ND | ND | ND | ND | 1 J | 1 J | 6 J | ND |
| cis-1,2-Dichloroethene | 420 | 1500 | 370 | ND | 92 | ND | 1 J | 360 | 160 | 290 | 230 | 300 | 750 | ND | 550 | 700 | 2600 | 2100 | 1800 |
| Tetrachloroethene | 20000 | 28000 | 16000 | 9 | 1500 | ND | 3 | 1600 | 6700 | 3800 | 3200 | 4700 | 4600 | 1.6 J | 3300 | 4900 | 17000 | 15000 | 8600 |
| trans-1,2-Dichloroethene | ND | 24 | ND | ND | 1 | ND | 1 J | 3 | 7 J | ND | ND | ND | 8.8 J | ND | 5.7 J | 8.8 J | 18 J | 32 | 18 |
| Trichloroethene | 3100 | 1600 | 640 | 7 | 92 | ND | 2 J | 290 | 240 | 180 | 200 | 480 | 440 | 6.0 | 360 | 660 | 2100 | 1400 | 900 |
| Vinyl Chloride | ND | 5.9 | ND | ND | 2 | ND | 0.8 J | 4 | 5 J | ND | ND | ND | ND | ND | 1.9 J | ND | 14 J | ND | 2.6 J |

| Sample Date | 07/29/14 | 10/02/14 | 01/12/15 | 05/07/15 | 08/12/15 | 10/29/15 | 01/13/16 | 04/21/16 | 09/13/16 | 11/16/16 | 01/17/17 | 04/26/17 | 08/15/17 | 12/11/17 | 02/06/18 | 05/03/18 | 08/02/18 | 11/05/18 |
|---------------------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| Analysis by TO-15 (μg/m³) | | | | | | | | | | | | | | | | | | |
| 1,1,1-Trichloroethane | 25 | 38 | ND | 310 | 26 | 30 J | ND | 38 | ND | 16 J | 11 J | 23 J | 22 | 8.2 J | 63 | 47 | 35 | 33 J |
| 1,1-Dichloroethane | ND | 7.8 J | ND | 24 | ND | ND | ND | ND | ND | 6.2 J | ND | 4.3 J | ND | ND | 4.5 J | ND | ND | ND |
| 1,1-Dichloroethene | ND |
| 1,2-Dichloroethane | ND |
| cis-1,2-Dichloroethene | 280 | 490 | ND | 930 | 310 | 530 | ND | 310 | ND | 340 | 210 | 250 | 180 | 130 | 320 | 210 | 190 | 340 |
| Tetrachloroethene | 6600 | 8900 | ND | 5800 | 8900 | 17000 | ND | 7500 | ND | 12000 | 13000 | 7500 | 6800 | 9200 | 8000 | 7700 | 6900 | 12000 |
| trans-1,2-Dichloroethene | ND | ND | ND | 17 | ND |
| Trichloroethene | 530 | 680 | ND | 580 | 640 | 1200 | ND | 300 | ND | 730 | 620 | 320 | 440 | 420 | 380 | 340 | 340 | 460 |
| Vinyl Chloride | ND |

Notes:

μg/m³= micrograms per cubic meter

NR = Not Recorded

NA = Data not available

Soil Vapor Extraction Containment System Site 1, Former Drum Marshalling Yard Naval Weapons Industrial Reserve Plant - Bethpage, NY Quarterly Vapor Monitoring Results of SVE Wells Through Fourth Quarter 2018

| Sample ID | | | | | | | | | | SVE 104I | | | | | | | | | |
|---------------------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| Sample Date | 12/21/09 | 03/31/10 | 06/09/10 | 09/16/10 | 12/08/10 | 03/30/11 | 06/28/11 | 09/06/11 | 10/14/11 | 02/10/12 | 05/11/12 | 09/11/12 | 12/05/12 | 01/15/13 | 05/16/13 | 08/27/13 | 11/08/13 | 01/30/14 | 04/24/14 |
| Analysis by TO-15 (μg/m³) | | | | | | | | | | | | | | | | | | | |
| 1,1,1-Trichloroethane | 730 | 4.2 | ND | 4 | NR | NA | 1 J | 4 | 2 | ND | ND | 8.3 | ND | ND | ND | 3.1 J | 2.6 J | ND | 9.6 |
| 1,1-Dichloroethane | 24 | 0.54 | ND | ND | ND | NA | 1 J | 0.6 J | 0.5 J | ND | 7.4 |
| 1,1-Dichloroethene | ND | ND | ND | ND | ND | NA | 1 J | ND |
| 1,2-Dichloroethane | NR | ND | ND | ND | ND | NA | 1 J | ND |
| cis-1,2-Dichloroethene | 110 | 14 | ND | 2 | 0.8 | NA | 0.9 J | 2 | 3 | 0.90 J | ND | 5.0 | ND | 2.7 J | ND | 3.3 | 5.3 | ND | 94 |
| Tetrachloroethene | 3100 | 210 | 68 | 96 | 16 | NA | 2 J | 54 | 33 | 12 | ND | 86 | 1.6 J | 4.8 J | 2.3 J | 30 | 36 | ND | 69 |
| trans-1,2-Dichloroethene | 15 | ND | ND | ND | ND | NA | 1 J | 0.5 J | 0.4 J | ND |
| Trichloroethene | 710 | 44 | 60 | 72 | 12 | NA | 2 J | 44 | 25 | 9.6 | ND | 73 | ND | 3.1 J | ND | 30 | 31 | ND | 39 |
| Vinyl Chloride | ND | 0.47 | ND | ND | ND | NA | 0.7 J | 0.3 J | 0.3 J | ND |

| Sample Date | 07/29/14 | 10/02/14 | 01/12/15 | 05/07/15 | 08/12/15 | 10/29/15 | 01/13/16 | 04/21/16 | 09/13/16 | 11/16/16 | 01/17/17 | 04/26/17 | 08/15/17 | 12/11/17 | 02/06/18 | 05/03/18 | 08/02/18 | 11/05/18 |
|---------------------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| Analysis by TO-15 (μg/m³) | | | | | | | | | | | | | | | | | | |
| 1,1,1-Trichloroethane | 17 | 15 | 7.0 | 1.5 J | 8.3 | 4.0 J | 4.6 | 0.48 J | 6.9 | 6.5 | ND | 1.2 J | 7.8 | 1.7 J | 1.3 J | 1.4 J | 9.1 | 3.1 J |
| 1,1-Dichloroethane | 8.7 | 7.7 | 6.6 | ND | ND | ND | 2.9 J | ND | ND | 3.6 | ND | ND | 1.3 J | ND | ND | ND | 1.4 J | ND |
| 1,1-Dichloroethene | ND |
| 1,2-Dichloroethane | ND |
| cis-1,2-Dichloroethene | 160 | 160 | 130 | 7.3 | 4.2 | 6.6 | 54 | 0.92 J | 2.1 J | 110 | ND | 4.1 | 31 | 6.7 | 4.6 | 12 | 27 | 20 |
| Tetrachloroethene | 210 | 190 | 91 | 13 | 82 | 66 | 79 | 10 | 80 | 530 | 0.68 J | 21 | 190 | 90 | 20 | 34 | 96 | 76 |
| trans-1,2-Dichloroethene | 1.8 J | 2.1 J | 1.4 J | ND | ND | ND | ND | ND | ND | 1.2 J | ND |
| Trichloroethene | 110 | 120 | 43 | 17 | 85 | 54 | 35 | 7.6 | 83 | 110 | ND | 15 | 87 | 22 | 11 | 15 | 63 | 33 |
| Vinyl Chloride | ND |

Notes:

μg/m³= micrograms per cubic meter

NR = Not Recorded

NA = Data not available

Soil Vapor Extraction Containment System Site 1, Former Drum Marshalling Yard Naval Weapons Industrial Reserve Plant - Bethpage, NY Quarterly Vapor Monitoring Results of SVE Wells Through Fourth Quarter 2018

| Sample ID | | | | | | | | | | SVE 104D | | | | | | | | | |
|---------------------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| Sample Date | 12/21/09 | 03/31/10 | 06/09/10 | 09/16/10 | 12/22/10 | 03/30/11 | 06/28/11 | 09/06/11 | 10/14/11 | 02/10/12 | 05/11/12 | 09/11/12 | 12/05/12 | 01/15/13 | 05/16/13 | 08/27/13 | 11/08/13 | 01/30/14 | 04/10/14 |
| Analysis by TO-15 (μg/m³) | | | | | | | | | | | | | | | | | | | |
| 1,1,1-Trichloroethane | 3600 | 3000 | 860 | ND | 270 | ND | 370 | 620 | 440 | 520 | 580 | 620 | 920 | 820 | 0.89 J | 500 | 600 | 340 | 84 |
| 1,1-Dichloroethane | 290 | 350 | 140 | ND | 66 | ND | 56 | 110 | 77 | 87 | 95 | 100 | 190 | 160 | ND | 95 | 130 | 56 | 22 |
| 1,1-Dichloroethene | ND | ND | ND | ND | ND | ND | 3 | 7 J | 7 J | 3.0 J | 5.0 J | ND | 11 J | ND | ND | ND | ND | 4.3 J | 1.0 J |
| 1,2-Dichloroethane | NR | ND | ND | ND | ND | ND | 1 J | 5 J | 5 J | ND |
| cis-1,2-Dichloroethene | 2400 | 6600 | 3500 | ND | 1200 | ND | 1000 | 3600 | 2100 | 2200 | 2800 J | 2200 | 4200 | 3700 | 8.6 | 2000 | 3200 | 1600 | 460 |
| Tetrachloroethene | 20000 | 39000 | 21000 | ND | 2400 | ND | 1400 | 5800 | 6300 | 3800 | 4300 | 4600 | 4500 | 4200 | 69 | 2600 | 3900 | 2500 | 780 |
| trans-1,2-Dichloroethene | 130 | 70 | 30 | ND | 13 | ND | 14 | 25 | 22 | 26 | 31 | 27 | 55 | 40 | ND | 24 | 40 | 15 | 3.5 |
| Trichloroethene | 4600 | 6000 | 2400 | ND | 470 | ND | 420 | 1600 | 1300 | 1400 | 1400 | 1700 | 2300 | 2100 | 14 | 1200 | 1600 | 1100 | 430 |
| Vinyl Chloride | ND | 12 | ND | ND | ND | ND | 2 | 5 | 5 J | ND |

| Sample Date | 07/29/14 | 10/02/14 | 01/12/15 | 05/07/15 | 08/12/15 | 10/29/15 | 01/13/16 | 04/21/16 | 09/13/16 | 11/16/16 | 01/17/17 | 04/26/17 | 08/15/17 | 12/11/17 | 02/06/18 | 05/03/18 | 08/02/18 | 11/05/18 |
|---------------------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| Analysis by TO-15 (μg/m³) | | | | | | | | | | | | | | | | | | |
| 1,1,1-Trichloroethane | 930 | 880 | 1.7 J | 350 | 480 | 790 | 760 | 460 | 460 | 710 | 88 | 260 | 390 | 290 | 440 | 520 | 510 | 100 |
| 1,1-Dichloroethane | 120 | 130 | ND | 72 | 77 | 120 | 91 | 54 | 73 | 110 | 11 | 31 | 60 | 44 | 67 | 57 | 59 | 15 |
| 1,1-Dichloroethene | ND | 7.6 J | 1.2 J | 2.9 J | 3.0 J | ND | ND | ND | ND | ND |
| 1,2-Dichloroethane | ND |
| cis-1,2-Dichloroethene | 3300 | 4400 | 21 | 1500 | 2500 | 3600 | 3200 | 1900 | 2400 | 3800 | 400 | 1000 | 2200 | 1600 | 2500 | 2200 | 2300 | 700 |
| Tetrachloroethene | 8200 | 8000 | 120 | 2200 | 5100 | 10000 | 7700 | 4500 | 9400 | 15000 | 1400 | 3000 | 5900 | 7600 | 6000 | 6500 | 6800 | 1500 |
| trans-1,2-Dichloroethene | 34 | 53 | ND | 18 | 39 | 49 | 38 | 30 | 38 | 67 | 6.5 | 16 | 30 | 22 | 37 | 39 | 37 | 9.3 |
| Trichloroethene | 2000 | 2100 | 19 | 1100 | 1200 | 2200 | 1600 | 750 | 1400 | 2200 | 290 | 600 | 980 | 860 | 1100 | 870 | 870 | 210 |
| Vinyl Chloride | ND |

Notes:

μg/m³= micrograms per cubic meter

NR = Not Recorded

NA = Data not available

Soil Vapor Extraction Containment System Site 1, Former Drum Marshalling Yard Naval Weapons Industrial Reserve Plant - Bethpage, NY Quarterly Vapor Monitoring Results of SVE Wells Through Fourth Quarter 2018

| Sample ID | | | | | | | | | | SVE 105I | | | | | | | | | |
|---------------------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| Sample Date | 12/21/09 | 03/31/10 | 06/09/10 | 09/16/10 | 12/08/10 | 03/30/11 | 06/28/11 | 09/06/11 | 10/14/11 | 02/10/12 | 05/11/12 | 09/11/12 | 12/05/12 | 01/15/13 | 05/16/13 | 08/27/13 | 11/08/13 | 01/30/14 | 04/10/14 |
| Analysis by TO-15 (μg/m³) | | | | | | | | | | | | | | | | | | | |
| 1,1,1-Trichloroethane | 9.9 | 11 | 29 | ND | 24 | 1 | 1 J | 21 | 31 | 11 | 13 | 26 | 22 | 22 | 11 | 24 | 18 | 32 | 26 |
| 1,1-Dichloroethane | ND | 5.7 | 13 | ND | 6 | ND | 0.6 J | 5 | 7 | 4.2 | 5.6 | 5.6 | 10 | 12 | 8.8 | 8.0 | 7.4 | 24 | 6.8 |
| 1,1-Dichloroethene | ND | ND | ND | ND | ND | ND | 0.6 J | 0.6 J | 0.5 J | ND |
| 1,2-Dichloroethane | NR | ND | ND | ND | ND | ND | 0.7 J | 0.6 J | 0.5 J | ND |
| cis-1,2-Dichloroethene | ND | 6.6 | 20 | ND | ND | ND | 1 | 10 | 16 | 8.1 | 9.7 | 13 | 16 | 13 | 14 | 14 | 7.4 | 17 | 6.2 |
| Tetrachloroethene | 70 | 9.1 | 240 | ND | 55 | 5 | 2 | 95 | 100 | 31 | 43 | 100 | 77 | 66 | 38 | 91 | 57 | 77 | 48 |
| trans-1,2-Dichloroethene | ND | ND | 1.6 | ND | ND | ND | 0.5 J | 1 | 1 | ND | ND | 1.5 J | ND | ND | ND | ND | 1.0 J | 1.6 J | ND |
| Trichloroethene | 76 | 6.3 | 370 | ND | 120 | 7 | 1 | 170 | 200 | 110 | 140 | 260 | 180 | 160 | 94 | 220 | 140 | 180 | 190 |
| Vinyl Chloride | ND | ND | ND | ND | ND | ND | 0.4 J | 0.4 J | 0.3 J | ND |

| Sample Date | 07/29/14 | 10/02/14 | 01/12/15 | 05/07/15 | 08/12/15 | 10/29/15 | 01/13/16 | 04/21/16 | 09/13/16 | 11/16/16 | 01/17/17 | 04/26/17 | 08/15/17 | 12/11/17 | 02/06/18 | 05/03/18 | 08/02/18 | 11/05/18 |
|---------------------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| Analysis by TO-15 (μg/m³) | | | | | | | | | | | | | | | | | | |
| 1,1,1-Trichloroethane | 17 | 20 | 20 | 25 | 29 | 30 | 12 | 5.0 | 16 | 11 | 5.6 | 4.8 | 13 | 5.6 | 4.9 | 3.5 J | 8.7 | 10 |
| 1,1-Dichloroethane | 7.0 | 8.2 | 8.6 | 22 | 15 | 28 | 17 | 1.5 J | 2.8 | 3.4 | 2.2 J | 2.7 J | 2.1 J | 0.98 J | 3.5 | 0.99 J | 1.2 J | 1.6 J |
| 1,1-Dichloroethene | ND |
| 1,2-Dichloroethane | ND | 1.6 J | ND |
| cis-1,2-Dichloroethene | 9.5 | 12 | 7.5 | 31 | 28 | 23 | 17 | 1.8 J | 7.9 | 5.0 | 2.6 J | 4.2 | 5.1 | 1.9 J | 5.0 | 2.5 J | 1.9 J | 3.7 |
| Tetrachloroethene | 73 | 85 | 51 | 43 | 87 | 66 | 44 | 27 | 64 | 46 | 26 | 17 | 50 | 27 | 21 | 17 | 23 | 46 |
| trans-1,2-Dichloroethene | ND | 2.8 J | ND | ND | ND | 2.3 J | ND | ND | 0.83 J | ND |
| Trichloroethene | 140 | 200 | 130 | 160 | 290 | 240 | 84 | 39 | 250 | 160 | 50 | 38 | 140 | 58 | 40 | 30 | 60 | 110 |
| Vinyl Chloride | ND |

Notes:

μg/m³= micrograms per cubic meter

NR = Not Recorded

NA = Data not available

Soil Vapor Extraction Containment System Site 1, Former Drum Marshalling Yard Naval Weapons Industrial Reserve Plant - Bethpage, NY Quarterly Vapor Monitoring Results of SVE Wells Through Fourth Quarter 2018

| Sample ID | | | | | | | | | | SVE 105D | | | | | | | | | |
|---------------------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| Sample Date | 12/21/09 | 03/31/10 | 06/09/10 | 09/16/10 | 12/08/10 | 03/30/11 | 06/28/11 | 09/06/11 | 12/02/11 | 02/10/12 | 05/11/12 | 09/11/12 | 12/05/12 | 01/15/13 | 05/16/13 | 08/27/13 | 11/08/13 | 01/30/14 | 04/10/14 |
| Analysis by TO-15 (μg/m³) | | | | | | | | | | | | | | | | | | | |
| 1,1,1-Trichloroethane | 550 | 47 | 320 | 1000 | 590 | ND | 1 J | 490 | 930 | 350 | 320 | 270 | 380 | 430 | 160 | 110 | 120 | 190 | ND |
| 1,1-Dichloroethane | 300 | 28 | 270 | 250 | ND | ND | 0.6 J | 74 | 150 | 69 | 78 | 72 | 110 | 110 | 46 | 45 | 70 | 46 | ND |
| 1,1-Dichloroethene | 3.9 | ND | ND | 2 | 4 | 4 | 0.6 J | 6 J | ND | 1.5 J | ND | ND |
| 1,2-Dichloroethane | NR | ND | ND | ND | ND | ND | 4 | 5 J | ND |
| cis-1,2-Dichloroethene | 61 | 36 | 85 | 300 | ND | ND | 0.7 J | 150 | 380 | 190 | 220 | 150 | 210 | 200 | 73 | 76 | 85 | 46 | ND |
| Tetrachloroethene | 2100 | 1.1 | 650 | 270 | 420 | ND | 2 | 240 | 330 | 140 | 220 | 270 | 350 | 330 | 100 | 140 | 260 | 300 | ND |
| trans-1,2-Dichloroethene | 19 | 1.1 | 3.1 | 3 | ND | ND | 0.6 J | 7 J | 3 J | ND | ND | ND | ND | ND | 1.4 J | 2.4 J | 3.6 | 1.3 J | ND |
| Trichloroethene | 1700 | 68 | 200 | 1100 | 1400 | 1 | 2 | 3000 | 7000 | 3600 | 4500 | 2200 | 3800 | 3800 | 1400 | 900 | 1200 | 1900 | 8.5 |
| Vinyl Chloride | ND | ND | ND | ND | ND | ND | 0.4 J | 4 J | ND |

| Sample Date | 07/29/14 | 10/02/14 | 01/12/15 | 05/07/15 | 08/12/15 | 10/29/15 | 01/13/16 | 04/21/16 | 09/13/16 | 11/16/16 | 01/17/17 | 04/26/17 | 08/15/17 | 12/11/17 | 02/06/18 | 05/03/18 | 08/02/18 | 11/05/18 |
|---------------------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| Analysis by TO-15 (μg/m³) | | | | | | | | | | | | | | | | | | |
| 1,1,1-Trichloroethane | 92 | 79 | 4.3 J | 16 | 35 | 52 | 62 | 68 | 47 | 29 | 23 | 38 | 33 | 24 | 28 | 13 | ND | 27 |
| 1,1-Dichloroethane | 36 | 28 | ND | 4.7 | 12 | 30 | 21 | 15 | 22 | 23 | 19 | 21 | 12 | 14 | 12 | 12 | ND | 14 |
| 1,1-Dichloroethene | ND | 2.7 J | ND | ND | ND | ND | ND |
| 1,2-Dichloroethane | ND |
| cis-1,2-Dichloroethene | 50 | 36 | ND | 3.6 | 16 | 22 | 18 | 26 | 31 | 19 | 19 | 32 | 20 | 13 | 17 | 22 | ND | 18 |
| Tetrachloroethene | 140 | 120 | 2.1 J | 18 | 76 | 130 | 140 | 130 | 150 | 110 | 69 | 70 | 120 | 130 | 97 | 48 | ND | 140 |
| trans-1,2-Dichloroethene | 1.3 J | 1.9 J | ND | ND | ND | ND | ND | ND | 1.8 J | 2.0 J | 1.2 J | 1.6 J | ND | ND | ND | ND | ND | 0.88 J |
| Trichloroethene | 650 | 520 | 15 | 75 | 250 | 400 | 410 | 350 | 360 | 210 | 140 | 200 | 310 | 170 | 160 | 57 | ND | 140 |
| Vinyl Chloride | ND |

Notes:

μg/m³= micrograms per cubic meter

NR = Not Recorded

NA = Data not available

Soil Vapor Extraction Containment System Site 1, Former Drum Marshalling Yard Naval Weapons Industrial Reserve Plant - Bethpage, NY Quarterly Vapor Monitoring Results of SVE Wells Through Fourth Quarter 2018

| Sample ID | | | | | | | | | | SVE 106I | | | | | | | | | |
|---------------------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| Sample Date | 12/21/09 | 03/31/10 | 06/09/10 | 09/16/10 | 12/08/10 | 03/30/11 | 06/28/11 | 09/06/11 | 10/14/11 | 02/10/12 | 05/11/12 | 09/11/12 | 12/05/12 | 01/15/13 | 05/16/13 | 08/27/13 | 11/08/13 | 01/30/14 | 04/10/14 |
| Analysis by TO-15 (μg/m³) | | | | | | | | | | | | | | | | | | | |
| 1,1,1-Trichloroethane | 220 | 8.6 | ND | 4 | ND | NA | 6 | 3 | 7 | 1.0 J | 2.2 J | 11 | ND | ND | ND | ND | 18 | 1.4 J | 3.8 J |
| 1,1-Dichloroethane | 120 | ND | ND | 1 | ND | NA | 1 | 0.5 J | 1 | 0.62 J | 0.70 J | 1.6 J | 2.5 J | 1.9 J | ND | ND | 3.8 | ND | 17 |
| 1,1-Dichloroethene | ND | ND | ND | ND | ND | NA | 0.6 J | 2 | 0.6 J | ND |
| 1,2-Dichloroethane | NR | ND | ND | 0.8 | ND | NA | 0.6 J | 0.5 J | 0.6 J | ND |
| cis-1,2-Dichloroethene | 46 | ND | ND | 4 | ND | NA | 6 | 0.5 J | 4 | 1.6 J | 2.3 J | 7.5 | 5.4 | 3.7 | ND | ND | 8.3 | ND | 23 |
| Tetrachloroethene | 390 | 35 | ND | 15 | ND | NA | 15 | 7 | 19 | 4.3 J | 7.2 | 27 | 14 | 7.0 | 0.73 J | ND | 19 | 4.2 J | 6.2 |
| trans-1,2-Dichloroethene | 7.9 | ND | 3.1 | 0.9 | ND | NA | 0.8 | 0.5 J | 0.7 J | ND |
| Trichloroethene | 1900 | 41 | ND | 140 | 10 | NA | 210 | 92 | 190 | 69 | 110 | 260 | 180 | 110 | 5.5 | ND | 210 | 28 | 70 |
| Vinyl Chloride | ND | ND | ND | 0.5 | ND | NA | 0.4 J | 0.3 J | 0.4 J | ND |

| Sample Date | 07/29/14 | 10/02/14 | 01/12/15 | 05/07/15 | 08/12/15 | 10/29/15 | 01/13/16 | 04/21/16 | 09/13/16 | 11/16/16 | 01/17/17 | 04/26/17 | 08/15/17 | 12/11/17 | 02/06/18 | 05/03/18 | 08/02/18 | 11/05/18 |
|---------------------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| Analysis by TO-15 (μg/m³) | | | | | | | | | | | | | | | | | | |
| 1,1,1-Trichloroethane | 8.9 | 2.2 J | ND | 8.0 | 29 | 30 | 2.8 J | 1.5 J | 12 | 7.5 | 5.5 | 2.0 J | 11 | 4.8 | 0.91 J | 2.0 J | 8.8 | 4.2 |
| 1,1-Dichloroethane | 3.9 | 1.1 J | ND | 18 | 2.6 J | 3.4 | 1.2 J | ND | ND | 1.3 J | 2.4 J | 0.56 J | 5.4 | 1.9 J | ND | 1.6 J | 0.69 J | ND |
| 1,1-Dichloroethene | ND |
| 1,2-Dichloroethane | ND | ND | ND | 1.3 J | ND |
| cis-1,2-Dichloroethene | 11 | 3.1 J | ND | 23 | 6.6 | 4.9 | 3.2 | 0.84 J | 3.8 | 3.1 J | 3.2 | 1.5 J | 14 | 3.9 | 0.57 J | 2.2 J | 1.7 J | 1.5 J |
| Tetrachloroethene | 11 | 2.9 J | ND | 14 | 39 | 49 | 11 | 5.1 J | 20 | 6.7 | 4.9 | 3.9 J | 16 | 8.3 | 2.5 J | 4.5 J | 12 | 9.9 |
| trans-1,2-Dichloroethene | ND |
| Trichloroethene | 110 | 16 | 0.87 J | 130 | 560 | 660 | 200 | 40 | 190 | 71 | 53 | 59 | 170 | 83 | 39 | 45 | 88 | 79 |
| Vinyl Chloride | ND |

Notes:

μg/m³= micrograms per cubic meter

NR = Not Recorded

NA = Data not available

Soil Vapor Extraction Containment System Site 1, Former Drum Marshalling Yard Naval Weapons Industrial Reserve Plant - Bethpage, NY Quarterly Vapor Monitoring Results of SVE Wells Through Fourth Quarter 2018

| Sample ID | | | | | | | | | | SVE 106D | | | | | | | | | |
|---------------------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| Sample Date | 12/21/09 | 03/31/10 | 06/09/10 | 09/16/10 | 12/08/10 | 03/30/11 | 06/28/11 | 09/06/11 | 10/14/11 | 02/10/12 | 05/11/12 | 09/11/12 | 12/05/12 | 01/15/13 | 05/16/13 | 08/27/13 | 11/08/13 | 01/30/14 | 04/10/14 |
| Analysis by TO-15 (μg/m³) | | | | | | | | | | | | | | | | | | | |
| 1,1,1-Trichloroethane | 340 | 32 | 30 | 20 | 12 | 9 | 20 | 23 | 29 | ND | 11 | 26 | 18 | ND | ND | 27 | 25 | 5.8 | 6.3 |
| 1,1-Dichloroethane | 250 | 6.3 | ND | 5 | 2 | 5 | 4 | 3 | 3 | ND | 3.0 | 4.3 | 5.8 | ND | ND | 4.9 | 11 | 3.7 | 3.3 |
| 1,1-Dichloroethene | ND | ND | ND | ND | ND | ND | 0.5 J | 0.7 J | 0.8 | ND |
| 1,2-Dichloroethane | NR | ND | ND | ND | ND | ND | ND | 0.6 J | 0.7 J | ND | 2.5 J | ND | ND |
| cis-1,2-Dichloroethene | 79 | 13 | 11 | 13 | 2 | 11 | 11 | 5 | 4 | ND | 4.1 | 7.1 | 8.2 | ND | ND | 10 | 15 | 2.8 J | 3.9 |
| Tetrachloroethene | 720 | 65 | 70 | ND | 13 | 19 | 41 | 8 | 66 | ND | 28 | 62 | 48 | ND | 1.3 J | 50 | 58 | 16 | 17 |
| trans-1,2-Dichloroethene | 15 | ND | ND | ND | ND | ND | 0.6 J | 0.8 | 0.9 | ND | 1.1 J | ND | ND |
| Trichloroethene | 3400 | 600 | 900 | 230 | 130 | 170 | 210 | 260 | 320 | ND | 180 | 380 | 300 | ND | ND | 460 | 440 | 160 | 84 |
| Vinyl Chloride | ND | 1.6 | ND | ND | ND | ND | ND | 0.4 J | 0.5 J | ND |

| Sample Date | 07/29/14 | 10/02/14 | 01/12/15 | 05/07/15 | 08/12/15 | 10/29/15 | 01/13/16 | 04/21/16 | 09/13/16 | 11/16/16 | 01/17/17 | 04/26/17 | 08/15/17 | 12/11/17 | 02/06/18 | 05/03/18 | 08/02/18 | 11/05/18 |
|---------------------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| Analysis by TO-15 (μg/m³) | | | | | | | | | | | | | | | | | | |
| 1,1,1-Trichloroethane | 14 | 28 | ND | 26 | ND | ND | 11 | 7.2 | 30 | 14 | 10 | 7.6 | 18 | 8.3 | 4.6 | 2.2 J | 14 | 12 |
| 1,1-Dichloroethane | 5.1 | 8.9 | ND | 2.6 J | ND | ND | 2.7 J | 13 | 6.8 | 21 | 17 | 2.6 J | 11 | 7.1 | 1.6 J | 2.8 J | 6.1 | 7.9 |
| 1,1-Dichloroethene | ND |
| 1,2-Dichloroethane | ND | 1.1 J | ND |
| cis-1,2-Dichloroethene | 8.4 | 15 | ND | 36 | ND | ND | 3.2 | 24 | 14 | 22 | 20 | 5.6 | 24 | 13 | 5.0 | 4.6 | 16 | 21 |
| Tetrachloroethene | 22 | 60 | ND | 110 | ND | 1.4 J | 33 | 27 | 57 | 33 | 24 | 17 | 44 | 39 | 15 | 9.5 | 26 | 37 |
| trans-1,2-Dichloroethene | ND | 0.63 J | 1.3 J | 2.1 J | ND |
| Trichloroethene | 170 | 370 | 0.56 J | 71 | 1.6 J | ND | 280 | 170 | 450 | 210 | 170 | 190 | 300 | 220 | 140 | 89 | 210 | 220 |
| Vinyl Chloride | ND |

Notes:

μg/m³= micrograms per cubic meter

NR = Not Recorded

NA = Data not available

Soil Vapor Extraction Containment System Site 1, Former Drum Marshalling Yard

Naval Weapons Industrial Reserve Plant - Bethpage, NY Fourth Quarter 2018 Off-site Soil Vapor Monitoring of SVPMs

| SVPM/ SVEW Location | Pressure Reading (i.w.) | Valve Position (% open) |
|---------------------|-------------------------------|----------------------------|
| Monitoring Date: | 11/5/18 | 11/5/18 |
| BPS1-SVPM2001S | -0.06 | |
| BPS1-SVPM2001I | -0.11 | |
| BPS1-SVPM2001D | -0.01 | |
| BPS1-SVPM2002S | -0.05 | |
| BPS1-SVPM2002I | -0.17 | |
| BPS1-SVPM2002D | -0.19 | |
| BPS1-SVPM2003S | -0.03 | |
| BPS1-SVPM2003I | -0.04 | |
| BPS1-SVPM2003D | -0.10 | |
| BPS1-SVPM2004S | -0.01 | |
| BPS1-SVPM2004I | -0.01 | |
| BPS1-SVPM2004D | -0.03 | |
| BPS1-SVPM2006S | -0.01 | |
| BPS1-SVPM2006I | -0.01 | |
| BPS1-SVPM2006D | -0.03 | |
| BPS1-SVPM2007S | -0.01 | |
| BPS1-SVPM2007I | -0.01 | |
| BPS1-SVPM2007D | -0.02 | |
| SV-101I | -2.8 | 40 |
| SV-101D | -11.0 | 50 |
| SV-102I | -2.0 | 40 |
| SV-102D | -6.5 | 40 |
| SV-103I | -3.8 | 40 |
| SV-103D | -10.3 | 40 |
| SV-104I | -5.5 | 40 |
| SV-104D | -9.3 | 40 |
| SV-105I | -1.8 | 40 |
| SV-105D | -9.5 | 50 |
| SV-106I | -2.0 | 40 |
| SV-106D | -13.5 | 40 |

Notes:

i.w. = inches of water column SVEW = soil vapor extraction well SVPM = soil vapor pressure monitor

Pressure readings for the SVPMs were measured using a portable Magnehelic® Differential Pressure Gauge 2000-0, with a range of 0-0.50 i.w. Vacuum readings for SVEWs were recorded from dedicated in-line pressure gauges.

Soil Vapor Extraction Containment System Site 1, Former Drum Marshalling Yard Naval Weapons Industrial Reserve Plant - Bethpage, NY Annual Off-site Vapor Analytical Results Summary of SVPMs February 2018

| Sample ID | Screening | SVPM 2001S | SVPM 2001I | SVPM 2001D | SVPM 2002S | SVPM | 1 20021 | SVPM 2002D | SVPM 2003S | SVPM 2003I | SVPM 2003D | SVPM 2004S | SVPM 2004I | SVPM 2004D | SVPM 2006S | SVPM 2006I | SVPM | 2006D | SVPM 2007S | SVPM 2007IR | SVPM 2007D |
|---------------------------|-----------|------------|------------|------------|------------|----------|-----------------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|----------|-----------------------|------------|-------------|------------|
| Sample Date | Value (1) | 02/05/18 | 02/05/18 | 02/05/18 | 02/05/18 | 02/05/18 | 2/5/2018 Duplicate | 02/05/18 | 02/05/18 | 02/05/18 | 02/05/18 | 02/05/18 | 02/05/18 | 02/05/18 | 02/05/18 | 02/06/18 | 02/05/18 | 2/5/2018 Duplicate | 02/05/18 | 02/05/18 | 02/05/18 |
| Analysis by TO-15 (μg/m³) | | | | | | | | | | | | | | | | | | | | | |
| 1,1,1-Trichloroethane | 1,000 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | 0.95 J |
| 1,1-Dichloroethane | | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| 1,1-Dichloroethene | | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| 1,2-Dichloroethane | | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| cis-1,2-Dichloroethene | | ND | ND | 1.4 J | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | 1.6 J | 240 | 310 J | 430 J | ND | ND | ND |
| Tetrachloroethene | 1,000 | ND | ND | 4.3 J | ND | ND | ND | 1.0 J | ND | ND | ND | ND | ND | 1.4 J | ND | ND | 1.9 J | 2.3 J | ND | 2.2 J | 1.8 J |
| trans-1,2-Dichloroethene | | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | 2.8 J | 2.4 J | 5.4 J | ND | ND | ND |
| Trichloroethene | 250 | ND | ND | 4.6 | ND | 4.5 | 3.4 J | 42 | ND | ND | 0.43 J | ND | ND | ND | 0.93 J | 50 | 68 | 78 | ND | ND | ND |
| Vinyl Chloride | | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |

Notes:

μg/m³ = micrograms per cubic meter

J = Estimated value

ND = Not detected above laboratory method detection limit (MDL)

SVPM = soil vapor pressure monitor

Bolded value indicates detected analyte.

All samples were analyzed for site-specific VOCs by modified method TO-15. Site specific compound specified in the Final Supplemental Offsite Soil Vapor Intrusion Monitoring Plan for the Soil Vapor Extraction Containment System Site 1 – Former Drum Marshalling Area, NWIRP Bethpage, New York (Tetra Tech 2012).

(1) Screening Value is the New York State Department of Health (NYSDOH) air guideline value for subslab.

Soil Vapor Extraction Containment System Site 1, Former Drum Marshalling Yard

Naval Weapons Industrial Reserve Plant - Bethpage, NY Historical Off-site Vapor Analytical Results Summary of SVPMs Through February 2018

| Sample ID | Screening | | | | SVPM | 20015 | | | | | | | | SVPM 200 | 11 | | | | | | | | | SVPM 2001 | D | | | | |
|-----------------------------------|----------------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|------------------------|----------|----------|----------|------------------------|----------|----------|------------------------|----------|----------|------------------------|----------|----------|
| Sample Date | Value ⁽²⁾ | Oct 2008 | 01/15/13 | 01/29/14 | 01/13/15 | 01/14/16 | 09/12/16 | 01/16/17 | 02/05/18 | Oct 2008 | 01/15/13 | 01/29/14 | 01/13/15 | 01/14/16 | 09/12/16 | 01/16/17 | 1/16/2017 Duplicate | 02/05/18 | Oct 2008 | 01/15/13 | 1/15/13 - Duplicate | 01/29/14 | 01/13/15 | 1/13/15 - Duplicate | 01/14/16 | 09/12/16 | 9/12/16 - Duplicate | 01/16/17 | 02/05/18 |
| Analysis by TO-15 (μg/m³) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1,1,1-Trichloroethane (1) | 1,000 | 1,300 | ND | 1,700 | ND | ND | 1,400 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| 1,1-Dichloroethane ⁽¹⁾ | | 11 | ND | 29 | ND | ND | 26 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| 1,1-Dichloroethene ⁽¹⁾ | | 9.2 J | ND | 16 | ND | ND | 17 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| 1,2-Dichloroethane (1) | | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | 1.3 J | ND |
| cis-1,2-Dichloroethene (1) | | 20 | ND | 94 | ND | ND | 73 | ND | ND | ND | ND | ND | 6.3 | ND | ND | 1.9 J | 1.4 J |
| Tetrachloroethene (1) | 1,000 | 4,000 | ND | 1.3 J | ND | ND | 1.1 J | ND | ND | 5,000 | ND | 1.9 J | ND | 1.2 J | 3.6 J | 0.78 J | ND | ND | 720 | ND | ND | 0.53 J | ND | ND | 10 | ND | 2.3 J | 1.9 J | 4.3 J |
| trans-1,2-Dichloroethene (1) | - | 7.9 J | ND | 16 | ND | ND | 11 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| Trichloroethene ⁽¹⁾ | 250 | 1,700 | ND | ND | ND | ND | 1.8 J | ND | ND | 2,700 | ND | ND | ND | ND | 5.0 | 0.87 J | 0.78 J | ND | 1,500 | ND | ND | ND | ND | ND | 3.9 J | ND | 4.0 J | 2.2 J | 4.6 |
| Vinyl Chloride ⁽¹⁾ | | NS | ND | NS | ND | ND | NS | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |

Notes:

μg/m³ = micrograms per cubic meter

J = Estimated value

ND = Not detected above laboratory method detection limit (MDL)

NS = Not sampled

SVPM = soil vapor pressure monitor

- (1) Site specific compound specified in the Final Supplemental Offsite Soil Vapor Intrusion Monitoring Plan for the Soil Vapor Extraction Containment System Site 1 Former Drum Marshalling Area, NWIRP Bethpage, New York (Tetra Tech 2012).
- (2) Screening Value is the New York State Department of Health (NYSDOH) air guideline value for subslab.
- (3) October 2008 data taken from Site 1 Phase II Soil Vapor Report (Tetra Tech 2009).

Soil Vapor Extraction Containment System Site 1, Former Drum Marshalling Yard

Naval Weapons Industrial Reserve Plant - Bethpage, NY Historical Off-site Vapor Analytical Results Summary of SVPMs Through February 2018

| Sample ID | Screening | | | | | SVPM 2002 | 2S | | | | | | | | SVPM | 20021 | | | | | | | | SVPIV | 1 2002D | | | |
|-----------------------------------|----------------------|----------|---------|------------|---------|-----------|------------------------|----------|----------|----------|----------|----------|----------|------------------------|----------|----------|----------|----------|----------|-----------------------|----------|----------|----------|----------|----------|----------|----------|----------|
| Sample Date | Value ⁽²⁾ | Oct 2008 | 01/15/1 | 3 01/29/14 | 01/13/1 | 01/14/16 | 1/14/16 - Duplicate | 09/12/16 | 01/16/17 | 02/05/18 | Oct 2008 | 01/15/13 | 01/29/14 | 1/29/14 - Duplicate | 01/13/15 | 01/14/16 | 09/12/16 | 01/16/17 | 02/05/18 | 2/5/2018 Duplicate | Oct 2008 | 01/15/13 | 01/29/14 | 01/13/15 | 01/14/16 | 09/12/16 | 01/16/17 | 02/05/18 |
| Analysis by TO-15 (μg/m³) | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1,1,1-Trichloroethane (1) | 1,000 | 21,000 | ND | ND | ND | ND | ND | ND | ND | ND | 52,000 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 27,000 | ND |
| 1,1-Dichloroethane (1) | | 170 | ND | ND | ND | ND | ND | ND | ND | ND | 680 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 490 | ND |
| 1,1-Dichloroethene ⁽¹⁾ | | 220 | ND | ND | ND | ND | ND | ND | ND | ND | 890 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 480 | ND |
| 1,2-Dichloroethane ⁽¹⁾ | | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| cis-1,2-Dichloroethene (1) | | 49 J | ND | ND | ND | ND | ND | ND | ND | ND | 170 | ND | ND | ND | ND | ND | ND | ND | ND | ND | 130 | ND |
| Tetrachloroethene (1) | 1,000 | 420 | ND | 2.2 J | ND | ND | ND | 0.94 J | ND | ND | 740 | ND | 1.8 J | ND | ND | ND | ND | 0.67 J | ND | ND | 48 J | ND | 1.8 J | ND | ND | 2.8 J | 7.3 | 1.0 J |
| trans-1,2-Dichloroethene (1) | | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| Trichloroethene (1) | 250 | 34,000 | ND | 1.1 J | ND | ND | ND | 2.5 J | ND | ND | 89,000 | 12 | 1.8 J | 1.4 J | ND | ND | ND | 2.4 J | 4.5 | 3.4 J | 26,000 | ND | ND | ND | ND | 28 | 20 | 42 |
| Vinyl Chloride ⁽¹⁾ | | NS | ND | ND | ND | ND | ND | ND | ND | ND | NS | ND | ND | ND | ND | ND | ND | ND | ND | ND | NS | ND |

Notes:

μg/m³ = micrograms per cubic meter

J = Estimated value

ND = Not detected above laboratory method detection limit (MDL)

NS = Not sampled

SVPM = soil vapor pressure monitor

- (1) Site specific compound specified in the Final Supplemental Offsite Soil Vapor Intrusion Monitoring Plan for the Soil Vapor Extraction Containment System Site 1 Former Drum Marshalling Area, NWIRP Bethpage, New York (Tetra Tech 2012).
- (2) Screening Value is the New York State Department of Health (NYSDOH) air guideline value for subslab.
- (3) October 2008 data taken from Site 1 Phase II Soil Vapor Report (Tetra Tech 2009).

Soil Vapor Extraction Containment System Site 1, Former Drum Marshalling Yard

Naval Weapons Industrial Reserve Plant - Bethpage, NY Historical Off-site Vapor Analytical Results Summary of SVPMs Through February 2018

| Sample ID | Screening | | | | SVPM | 2003S | | | | | | | SVPIV | 1 20031 | | | | | | | SVPM | 2003D | | | |
|---|----------------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| Sample Date | Value ⁽²⁾ | Oct 2008 | 01/16/13 | 01/29/14 | 01/13/15 | 01/14/16 | 09/12/16 | 01/16/17 | 02/05/18 | Oct 2008 | 01/16/13 | 01/29/14 | 01/13/15 | 01/14/16 | 09/12/16 | 01/16/17 | 02/05/18 | Oct 2008 | 01/16/13 | 01/29/14 | 01/13/15 | 01/14/16 | 09/12/16 | 01/16/17 | 02/05/18 |
| Analysis by TO-15 (μg/m³) | | | | | | • | | | | | | | | • | | | | | | | | | | | |
| 1,1,1-Trichloroethane ⁽¹⁾ | 1,000 | 66 | ND | 170 J | ND | 720 J | ND |
| 1,1-Dichloroethane ⁽¹⁾ | | ND | 0.49 J | ND | 8.6 | ND | ND | ND | ND | ND | 0.78 J | ND |
| 1,1-Dichloroethene ⁽¹⁾ | | ND | 2 | ND | 23 | ND |
| 1,2-Dichloroethane ⁽¹⁾ | | ND |
| cis-1,2-Dichloroethene ⁽¹⁾ | | ND | 1.6 | ND |
| Tetrachloroethene ⁽¹⁾ | 1,000 | 19 | 1.6 J | ND | ND | ND | 2.7 J | ND | ND | 14 | 0.97 J | 1.5 J | ND | 0.89 J | 5.5 | 0.59 J | ND | 8.9 | ND | 2.4 J | ND | ND | 5.3 | ND | ND |
| trans-1,2-Dichloroethene ⁽¹⁾ | | ND | 2.3 J | ND |
| Trichloroethene ⁽¹⁾ | 250 | 20 | 4.9 | ND | ND | ND | 4.7 | ND | ND | 82 | ND | 0.73 J | ND | ND | 10 | ND | ND | 710 | ND | ND | ND | ND | 10 | ND | 0.43 J |
| Vinyl Chloride ⁽¹⁾ | | NS | ND | NS | ND | NS | ND |

Notes:

 $\mu g/m^3$ = micrograms per cubic meter

J = Estimated value

ND = Not detected above laboratory method detection limit (MDL)

NS = Not sampled

SVPM = soil vapor pressure monitor

- (1) Site specific compound specified in the Final Supplemental Offsite Soil Vapor Intrusion Monitoring Plan for the Soil Vapor Extraction Containment System Site 1 Former Drum Marshalling Area, NWIRP Bethpage, New York (Tetra Tech 2012).
- (2) Screening Value is the New York State Department of Health (NYSDOH) air guideline value for subslab.
- (3) October 2008 data taken from Site 1 Phase II Soil Vapor Report (Tetra Tech 2009).

Soil Vapor Extraction Containment System Site 1, Former Drum Marshalling Yard

Naval Weapons Industrial Reserve Plant - Bethpage, NY Historical Off-site Vapor Analytical Results Summary of SVPMs Through February 2018

| Sample ID | Screening | | | | SVPM | 20045 | | | | | | | SVPIV | 20041 | | | | | | | SVPM | 2004D | | | |
|--------------------------------------|----------------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| Sample Date | Value ⁽²⁾ | Oct 2008 | 01/16/13 | 01/29/14 | 01/13/15 | 01/14/16 | 09/12/16 | 01/16/17 | 02/05/18 | Oct 2008 | 01/16/13 | 01/29/14 | 01/13/15 | 01/14/16 | 09/12/16 | 01/16/17 | 02/05/18 | Oct 2008 | 01/16/13 | 01/29/14 | 01/13/15 | 01/14/16 | 09/12/16 | 01/16/17 | 02/05/18 |
| Analysis by TO-15 (μg/m³) | | | | | | • | | | | | | | | | | | | | | | | | | | |
| 1,1,1-Trichloroethane ⁽¹⁾ | 1,000 | 1.4 | ND | 460 | ND | 480 | ND |
| 1,1-Dichloroethane ⁽¹⁾ | | ND | 44 | ND | 74 | ND |
| 1,1-Dichloroethene ⁽¹⁾ | | ND | 7.1 | ND |
| 1,2-Dichloroethane ⁽¹⁾ | | 0.25 J | ND |
| cis-1,2-Dichloroethene (1) | | ND | 4.6 | ND |
| Tetrachloroethene ⁽¹⁾ | 1,000 | 1.8 | 1.0 J | 1.3 J | ND | ND | 2.2 J | ND | ND | 1,000 | 0.68 J | 2.9 J | ND | 0.83 J | 2.0 J | ND | ND | 580 | 2.3 J | 1.5 J | 7.1 | 3.6 J | 3.0 J | 0.75 J | 1.4 J |
| trans-1,2-Dichloroethene (1) | | ND | 3.9 | ND |
| Trichloroethene ⁽¹⁾ | 250 | 1.0 | ND | ND | ND | ND | 2.5 J | ND | ND | 550 | ND | 3.7 J | ND | ND | 6.8 | ND | ND | 600 | ND | 0.80 J | 1.5 J | ND | 6.5 | ND | ND |
| Vinyl Chloride ⁽¹⁾ | | NS | ND | NS | ND | NS | ND |

Notes:

 $\mu g/m^3$ = micrograms per cubic meter

J = Estimated value

ND = Not detected above laboratory method detection limit (MDL)

NS = Not sampled

SVPM = soil vapor pressure monitor

- (1) Site specific compound specified in the Final Supplemental Offsite Soil Vapor Intrusion Monitoring Plan for the Soil Vapor Extraction Containment System Site 1 Former Drum Marshalling Area, NWIRP Bethpage, New York (Tetra Tech 2012).
- (2) Screening Value is the New York State Department of Health (NYSDOH) air guideline value for subslab.
- (3) October 2008 data taken from Site 1 Phase II Soil Vapor Report (Tetra Tech 2009).

Soil Vapor Extraction Containment System Site 1, Former Drum Marshalling Yard

Naval Weapons Industrial Reserve Plant - Bethpage, NY Historical Off-site Vapor Analytical Results Summary of SVPMs Through February 2018

| Sample ID | Screening | | | | | SVPM 2006 | S | | | | | | | 9 | SVPM 2006 | il | | | | | | | | SVPM 2 | 2006D | | | | |
|---|----------------------|----------|----------|----------|----------|-----------|----------|----------|------------------------|----------|----------|----------|----------|----------|-----------|------------------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|------------------------|----------|----------|-----------------------|
| Sample Date | Value ⁽²⁾ | Oct 2008 | 01/16/13 | 01/30/14 | 01/13/15 | 01/14/16 | 09/12/16 | 01/16/17 | 1/16/2017 Duplicate | 02/05/18 | Oct 2008 | 01/16/13 | 01/30/14 | 01/13/15 | 01/14/16 | 1/14/16 - Duplicate | 09/12/16 | 01/16/17 | 02/06/18 | Oct 2008 | 01/16/13 | 01/30/14 | 01/13/15 | 01/14/16 | 09/12/16 | 9/12/16 - Duplicate | 01/16/17 | 02/05/18 | 2/5/2018 Duplicate |
| Analysis by TO-15 (μg/m³) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1,1,1-Trichloroethane ⁽¹⁾ | 1,000 | 12 | ND | ND | ND | ND | ND | ND | ND | ND | 22 | ND | ND | ND | ND | ND | ND | ND | ND | 35 | ND | ND | ND | ND | ND | 0.59 J | ND | ND | ND |
| 1,1-Dichloroethane ⁽¹⁾ | | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| 1,1-Dichloroethene ⁽¹⁾ | | ND | ND | ND | ND | ND | ND | ND | ND | ND | 0.62 | ND | ND | ND | ND | ND | ND | ND | ND | 1.2 | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| 1,2-Dichloroethane (1) | | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| cis-1,2-Dichloroethene ⁽¹⁾ | | 4.1 | 5.4 | ND | ND | 3.4 | 3.4 | 2.8 | 2.2 J | 1.6 J | 45 | 340 | 10 | ND | 260 | 280 | 260 | 260 | 240 | 89 | 190 | 22 | 180 | 320 | 320 | 390 | 400 | 310 J | 430 J |
| Tetrachloroethene ⁽¹⁾ | 1,000 | 14 | 1.0 J | 1.4 J | ND | ND | 3.8 J | 0.96 J | 0.77 J | ND | 29 | 1.9 J | 1.5 J | ND | 2.2 J | 2.1 J | 5.1 | 1.5 J | ND | 11 | 1.4 J | ND | 1.7 J | 1.9 J | 3.9 J | 5.3 J | 2.0 J | 1.9 J | 2.3 J |
| trans-1,2-Dichloroethene ⁽¹⁾ | | ND | ND | ND | ND | ND | ND | ND | ND | ND | 1.4 J | 4.6 | ND | ND | 3.4 | 3.6 | 4.0 | 3.6 | 2.8 J | 2.7 | 2.2 J | ND | 2.0 J | 3.3 | 3.5 | 4.4 | 4.7 | 2.4 J | 5.4 J |
| Trichloroethene ⁽¹⁾ | 250 | 32 | ND | 0.80 J | ND | 1.6 J | 8.2 | ND | 0.99 J | 0.9 J | 71 | 47 | 2.9 J | ND | 48 | 61 | 57 | 44 | 50 | 61 | 17 | 2.1 J | 30 | 47 | 61 J | 84 J | 59 | 68 | 78 |
| Vinyl Chloride ⁽¹⁾ | | NS | ND | ND | ND | ND | ND | ND | ND | ND | NS | ND | ND | ND | ND | ND | ND | ND | ND | NS | ND | ND | ND | ND | ND | ND | ND | ND | ND |

Notes:

μg/m³ = micrograms per cubic meter

J = Estimated value

ND = Not detected above laboratory method detection limit (MDL)

NS = Not sampled

SVPM = soil vapor pressure monitor

- (1) Site specific compound specified in the Final Supplemental Offsite Soil Vapor Intrusion Monitoring Plan for the Soil Vapor Extraction Containment System Site 1 Former Drum Marshalling Area, NWIRP Bethpage, New York (Tetra Tech 2012).
- (2) Screening Value is the New York State Department of Health (NYSDOH) air guideline value for subslab.
- (3) October 2008 data taken from Site 1 Phase II Soil Vapor Report (Tetra Tech 2009).

Soil Vapor Extraction Containment System Site 1, Former Drum Marshalling Yard

Naval Weapons Industrial Reserve Plant - Bethpage, NY Historical Off-site Vapor Analytical Results Summary of SVPMs Through February 2018

| Sample ID | Screening | | | | | SVPM 2007 | 'S | | | | | | | SVPM 2 | 2007I/IR | | | | | | | | SVPM | 2007D | | | | |
|---|----------------------|----------|----------|----------|----------|------------------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|------------------------|----------|------------------------|----------|----------|----------|----------|----------|
| Sample Date | Value ⁽²⁾ | Oct 2008 | 01/16/13 | 01/30/14 | 01/14/15 | 1/14/15 - Duplicate | 01/14/16 | 09/12/16 | 01/16/17 | 02/05/18 | Oct 2008 | 01/16/13 | 01/30/14 | 01/14/15 | 01/14/16 | 09/13/16 | 01/16/17 | 02/05/18 | Oct 2008 | 01/16/13 | 1/16/13 - Duplicate | 01/30/14 | 1/30/14 - Duplicate | 01/14/15 | 01/14/16 | 09/13/16 | 01/16/17 | 02/05/18 |
| Analysis by TO-15 (μg/m³) | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1,1,1-Trichloroethane ⁽¹⁾ | 1,000 | 150 | ND | ND | ND | ND | ND | ND | ND | ND | 260 | ND | 870 | 1.3 J | 1.1 J | ND | ND | ND | 0.87 J | ND | ND | 0.95 J |
| 1,1-Dichloroethane ⁽¹⁾ | | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | 3.0 J | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| 1,1-Dichloroethene ⁽¹⁾ | | 0.26 J | ND | ND | ND | ND | ND | ND | ND | ND | 0.69 J | ND | 13 | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| 1,2-Dichloroethane (1) | | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| cis-1,2-Dichloroethene ⁽¹⁾ | | ND | 13 | 2.0 J | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | 4.4 J | ND | ND | ND | ND | 9.8 | 11 | 2.0 J | ND | ND | 3.1 | ND | ND | ND |
| Tetrachloroethene ⁽¹⁾ | 1,000 | 13 | 1.1 J | 1.4 J | ND | ND | 0.89 J | 6.8 | 0.81 J | ND | 25 | 1.8 J | ND | 2.3 J | 2.3 J | ND | 1.7 J | 2.2 J | 5.3 J | 2.2 J | 1.8 J | 1.2 J | ND | ND | 2.0 J | ND | 0.73 J | 1.8 J |
| trans-1,2-Dichloroethene ⁽¹⁾ | | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND | 1.3 J | ND | ND | ND | ND | ND | ND | ND | ND |
| Trichloroethene ⁽¹⁾ | 250 | 29 | 5.0 | 2.5 J | ND | ND | ND | 3.9 J | ND | ND | 87 | ND | ND | ND | 1.9 J | 9.8 | ND | ND | 400 | 5.5 J | 2.9 J | ND | ND | ND | 2.7 J | 8.2 | ND | ND |
| Vinyl Chloride ⁽¹⁾ | | NS | ND | ND | ND | ND | ND | ND | ND | ND | NS | ND | NS | ND | ND | ND | ND | ND | ND | ND | ND | ND |

Notes:

μg/m³ = micrograms per cubic meter

J = Estimated value

ND = Not detected above laboratory method detection limit (MDL)

NS = Not sampled

SVPM = soil vapor pressure monitor

- (1) Site specific compound specified in the Final Supplemental Offsite Soil Vapor Intrusion Monitoring Plan for the Soil Vapor Extraction Containment System Site 1 Former Drum Marshalling Area, NWIRP Bethpage, New York (Tetra Tech 2012).
- (2) Screening Value is the New York State Department of Health (NYSDOH) air guideline value for subslab.
- (3) October 2008 data taken from Site 1 Phase II Soil Vapor Report (Tetra Tech 2009).

APPENDIX A NYSDEC AIR DISCHARGE LIMIT DOCUMENTATION

From: Steven Scharf [mailto:sxscharf@gw.dec.state.ny.us]

Sent: Thursday, October 06, 2011 11:57 AM To: Fly, Lora B CIV NAVFAC MIDLANT, IPTNE

Cc: John Swartwout; Walter Parish; Steven Karpinski; John cofman; klumpe@steelequities.com;

David.Brayack@ttnus.com

Subject: NWIRP Plant 3 Site 1 SVE Modification Plan

Lora,

The New York State Department of Environmental Conservation (NYSDEC), in conjunction with the New York State Department of Health (NYSDOH), have reviewed the Navy Submittal entitled:

" Modification to existing Soil vapor Extraction (SVE) Containment System At Site 1-Former Drum Marshaling Area, Installation of Soil Vapor Extraction Wells SVE-107D to 111D, NWIRP Bethpage, September 2011."

Based on this Departmental review, and the follow up October 6, 2011 tele-conference, this modification work plan is acceptable and can be used for immediate implementation. The NWIRP Site 1 SVE system has redundant blowers and overcapacity, even with the additional SVE wells being added. should the Navy and the new property owner, Steel Equities Inc., for the former Plant 3 complex come to agreement to add SVE piping from the former Plant 3, this would be acceptable. Appropriate plans, consistent with the covenants and restrictions to the deed, should be submitted accordingly.

A letter will not follow this e-mail. If you have any questions, please contact me directly.

Electronic Documentation Information NWIRP Bethpage 130003B-OU1-OMM FOllable Region 1, Nassau (C), Oyster Bay (T)

Thanks,

Steven M. Scharf, P.E.
Project Engineer
New York State Department of
Environmental Conservation
Division of Environmental Remediation
Remedial Action, Bureau A
625 Broadway
Albany, NY 12233-7015
(518)402-9620
Fax: (518)402-9022

4.0 PROPOSED REVISIONS TO VAPOR DISCHARGE GOALS

To determine the continued need for off gas treatment, the quality of the influent vapor stream was initially estimated based on soil gas results and compared to discharge goals. Vapor phase treatment was initially installed for the system based on projected relatively high concentrations of several chemicals including 1,1,1-trichloroethane (TCA), trichloroethene (TCE), and tetrachloroethene (PCE). Since the December 2009 startup, VOC concentrations in the extracted vapors have decreased by approximately 98.3 percent and it is uncertain as to whether vapor phase treatment is still required. Presented below are the December 2009 and March 2011 influent (untreated) VOC concentrations and loadings and current discharge goals.

| | December 2009 I | nfluent VOCs | March 2011 Inf (µg/m | Current | |
|-----------|------------------------|--|-------------------------|--|--|
| Parameter | Concentration (µg/m³)¹ | Loading (pound/ hour) ¹ | Concentration (µg/m³) | Loading (pound/ hour) ⁽²⁾ | Discharge Goal (pound/hour) ⁽³⁾ |
| TCA | 13,000 | 0.074 | 150 | 0.00023 | 0.13 |
| TCE | 42,000 | 0.26 | 460 | 0.00069 | 0.07 |
| PCE | 7,900 | 0.029 | 440 | 0.00066 | 0.0009 |

⁽¹⁾ Initial VOC Loading Rates are from baseline data taken in December 2009. The flow meter was not yet installed when this data was taken, so a value of 385 CFM (flow rate in January 2010) was used to estimate system loading.

A DAR-1 Model Analysis was then conducted using the August 2010 influent vapor concentrations of TCA, TCE, and PCE at a flow rate of 500 CFM. The calculated results were then used to back calculate proposed discharge goals based on an allowance of 100% of the annual guideline concentrations (see Appendix E). The following table provides a summary of the proposed discharge goals.

| | August 2010 Ir (370 CFM | | Percent AGC | Proposed Discharge Goals | | |
|-----------|----------------------------|------------------------------|---------------------------|--|------------------------------|--|
| Parameter | Concentration (µg/m³) | Loading (pounds/ hour) | Using August 2010 Data | Concentration at 500 CFM (µg/m³) | Loading (pounds/ hour) | |
| TCA | 868 | 0.0009 | 0.0004 | None ¹ | 225 | |
| TCE | 4,170 | 0.0039 | 19.4 | 11,000 | 0.02 | |
| PCE | 5,780 | 0.0057 | 14.2 | 22,000 | 0.04 | |

⁽¹⁾ Greater than 100,000 μg/m³. AGC - Annual Guideline Concentration

4-1 CTO-WE06

⁽²⁾ Calculated using a flow rate of 400 CFM.

⁽³⁾ Current discharge goals were based on calculated VOC concentrations using soil gas data from the fence line investigation, a flow rate of 600 CFM, and an assumed treatment efficiency for each VOC of 80 to 90 percent. Based on this evaluation, the existing treatment is no longer required to meet discharge goals.

New York State Department of Environmental Conservation

Division of Environmental Remediation Bureau of Remedial Action A 625 Broadway, 11th Floor

Albany, New York 12233-7015

Phone: (518) 402-9625 • Fax: (518) 402-9022

Website: www.dec.state.ny.us

February 5, 2010

Lora Fly, Project Manager Naval Facilities Engineering Command-Midlant 9742 Maryland Avenue Norfolk, VA 23511-3095

RE: Naval Weapons Industrial Research Plant(NWIRP) Site-Bethpage, NYSDEC No. 1-30-003B.

Dear Ms. Fly:

Tetra Tech FW, on behalf of the Department of the Navy (Navy), has submitted the enclosed New York State Department of Environmental Conservation (NYSDEC) Division of Air Resources (DAR) Air Permit Application as a permit equivalent. This DAR Air permit equivalent is for the soil vapor extraction system at Site 1 of Plant 3 of the former Naval Weapons Industrial Reserve Plant (NWIRP) site in Bethpage, NY. The NYSDEC Division of Environmental Remediation (DER) has reviewed the permit equivalent and, by means of this letter approves the Site 1 remedy air discharge for immediate operation.

The NWIRP Site 1 SVE system utilizes the reasonably available control technology (RACT) with activated carbon. The air discharge will be periodically monitored at start up and will be added for routine monitoring in the operation, maintenance and monitoring (OMM) plan, to be submitted shortly for Departmental review.

If you have any questions, please contact me at your earliest convenience at (518)402-9620.

Sincerely,

Steven M. Scharf, P.F.

Project Engineer

Division of Environmental Remediation

Bureau of Remedial Action A

Enclosure

ec/w/enc: J. Swartwout/S. Scharf/File

W. Parish, Region 1 NYSDEC

A. J. Shah, Region 1 NYSDEC

S. Patselos, Tetra Tech FW

J. Cofman, Northrop Grumman

E docs: Region 1, Nassau, Oyster Bay (T): NWIRP Bethpage 130003B-OUI-OMM



Zip

| DEC ID | APPLICATION ID | | OFFICE USE ONLY |
|--|---|--|---|
| | 111-111/ | | |
| | Section I - Certification | n | |
| | Title V Certification | | |
| certify under penalty of law that this document and all attach that qualified personnel properly gather and evaluate the info | rmation submitted. Based on my indition | v of the nerson of person | s directly responsible for uninerity is |
| that qualified personnel properly gatter and evaluate the information [required pursuant to 6 NYCRR 201-6.3(d)] I beliably be a submitting false information, including the possibility of fines a | eve the information is, true, accurate an | d complete. I am aware | that there are significant penalties f |
| Responsible Official | | Title | |
| Signature | | Date _ | 1 1 |
| | | | |
| | State Facility Certification | | |
| certify that this facility will be operated in conformance | e with all provisions of existing regu | ulations. | |
| Responsible Official | | Title | |
| Signature | | Date | |
| Section | n II - Identification Info | rmation | |
| Title V Facility Permit N/Λ □ New □ Significant Modification □ Ac | dministrative Amendment | | Permit N/A ☐ Modification |
| ☐ New ☐ Significant Modification ☐ Ac ☐ Renewal ☐ Minor Modification ☐ Gene | ☐ New General Perm | - 1110 and 1 | |
| Application involves construction of new facility | ☐ Application in | nvolves construction o | f new emission unit(s) |
| | | | |
| | Owner/Firm | | |
| Name US Navy/NAVFAC Midla | nt | | |
| | Bldg Z-144 | | |
| City Norfolk | State VA | Country (| Zip J3511 - 3.095 Taxpayer ID |
| Owner Classification 🏿 Federal 🗅 Corporation/Partnershi | | u wunicipai | Taxbayerib |
| | Facility | | ☐ Confident |
| Name Naval Weapons Industrial Re | eserve Plant (NWIRP |) Site 1 | |
| Location Address Beth page | | | |
| | New York | | Zip 11714 |
| × 1111 1111 1111 | Project Description | | ☐ Continuation Shee |
| Vanor phase granular activated | danka k carrie l | MC Com s | 21 1025 |
| Asbue buase desumas activated | Carbon to remove | YIJCA HEM S | 8311 (43 |
| | | | |
| Owr | ner/Firm Contact Mailing Ad | dress | |
| Name (Last, First, Middle Initial) Fly, Lora | | Phor | ne No. (75) 444 - 078 1 |
| Affiliation Department of the Navy | Title Remedial | - 3 - 2 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 | |
| Street Address 9742 Maryland Ave. | Bide Z-144 | | |
| City Norfolk | | Country US | Zip 23511-309 |
| and the state of t | acility Contact Mailing Addre | ess | |
| Name (Last, First, Middle Initial) | | | ne No. () |
| Affiliation | Title | Fax | No. () |
| Street Address | | | |

State

Country



| | | DE | CID | | | |
|-----|----|----|-----|---|---|---|
| T.T | TT | T | 1.1 | 1 | T | Г |

| Affected States (Title V Only) N/A Vermont | d:d: |
|--|---------------------------------|
| Vermont | d: |
| Vermont | d: |
| New Hampshire Connecticut New Jersey Ohio Tribal Lan | d: |
| 999 | |
| 7999 | |
| | |
| Facility Description | |
| Facility Description | ☐ Continuation Sheet |
| | C. |
| son vapo semenante de la las longues de la las las las las las las las las las | |
| | |
| | |
| | |
| Compliance Statements (Title V Only) N/A | |
| I certify that as of the date of this application the facility is in compliance with all applicable requirements: YES | ON C |
| If one or more emission units at the facility are not in compliance with all applicable requirements at the time of signi | |
| box must be checked), the noncomplying units must be identified in the "Compliance Plan" block on page 8 of this for plan information required. For all emission units at this facility that are operating in compliance with all applicable | |
| following: | requirements complete the |
| ☐ This facility will continue to be operated and maintained in such a manner as to assure compliance for the di | ration of the permit, excep |
| those units referenced in the compliance plan portion of Section IV of this application. For all emission units, subject to any applicable requirements that will become effective during the term of | f the permit, this facility wil |
| meet all such requirements on a timely basis. | |
| ☐ Compliance certification reports will be submitted at least once a year. Each report will certify compliance | status with respect to each |
| requirement, and the method used to determine the status. | |
| Facility Applicable Federal Requirements N/A | ☐ Continuation Sheet |
| Title Type Part Sub Part Section Sub Division Paragraph Sub Paragraph | Clause Sub Claus |
| | |
| | |
| | |
| | |
| | |
| | |
| Facility State Only Requirements | ☐ Continuation Sheet |
| itle Type Part Sub Part Section Sub Division Paragraph Sub Paragraph | Clause Sub Claus |
| | 555 5.445 |
| | |
| | |
| | |
| | |



| | | EC | IE |) | | |
|---|--|----|----|---|--|--|
| 9 | | | - | | | |

Section III - Facility Information (continued)

| | | | Faci | lity Compl | iance Certifica | ation IV/A | ום | Continuation Sheet(s | | |
|------------------|-------------------|--|--------------|-------------------------|-----------------|------------|-----------------------|----------------------|--|--|
| | | | | Rule | Citation | | | | | |
| Title | Туре | Part | Sub Part | Section | Sub Division | Paragraph | Sub Paragraph | Clause Sub Claus | | |
| ☐ Applicable Fed | deral Requirement | ☐ Capping | CA | S No. | | Co | I ntaminant Name | | | |
| | | | | Monitoring | Information | | | | | |
| Ambient Ai | r Monitoring | ☐ Work F | ractice Invo | olving Speci | fic Operations | □Reco | ord Keeping/Main | tenance Procedures | | |
| | | | | Des | cription | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | - Hilling House | | | | | | | | | |
| | | | | | | | | | | |
| Work Practic | Code | 1 | Process I | Material Description | | | Reference Test Method | | | |
| Туре | Code | | | Description | | | | | | |
| | | Par | ameter | | | | Manufacturar N | lame/Model No. | | |
| C | ode | | | Description | | | Manufacturer N | ame/woder No. | | |
| | | | | | | | | | | |
| | Limi | - Andrewson - Andr | | | | Limi | it Units | | | |
| U | oper | L | ower | Code | | | Description | | | |
| Δ | veraging Method | 1 | | Monitorina | Frequency | | Reporting Re | equirements | | |
| Code | Descrip | | Code | | Description | Co | ode | Description | | |
| | - | | | | | | | | | |

| - | Facility Emissions Summary | | Continua | ation Sheet(s) |
|----------------|--|----------|---------------|----------------|
| 10.00 m | Karanga ang Arma | PTE | | Actual |
| CAS No. | Contaminant Name | (lbs/yr) | Range Code | (lbs/yr) |
| NY075 - 00 - 5 | PM-10 | | | |
| NY075 - 00 - 0 | PARTICULATES | | | |
| 7446 - 09 - 5 | SULFUR DIOXIDE | | | |
| NY210 - 00 - 0 | OXIDES OF NITROGEN | | | |
| 630 - 08 - 0 | CARBON MONOXIDE | | | |
| 7439 - 92 - 1 | LEAD | | | |
| NY998 - 00 - 0 | VOC | 1.222 | | |
| NY100 - 00 - 0 | НАР | 1,813 | | |
| 00071 -55 - 6 | 1,1,1-Trichlorgethane (Methyl Chloroform) | 591 | | |
| | Tetrachloroethylene | 8 | | |
| 00079 01 6 | Trichloroethylene | 1,181 | | |
| 00075 - 34 - 3 | 1.1 - Dichlosoethane | 11 | | |
| | 1.1-Dichlorgethylene (Vinylidine Chloride) | 16 | | |



| | | DE | CID | | |
|---|---|----|-----|---|---|
| - | T | T | T-T | T | T |

Section III - Facility Information

| | Facility Emissions Summary (| continuation) | | |
|--|------------------------------|---------------|---------------|----------|
| oku. | | PTE | | Actual |
| CAS No. | Contaminant Name | (lbs/yr) | Range Code | (lbs/yr) |
| 00540-59 - 0 | cis-1,2-Dichlorcethene | 5 | | |
| 00107-06-2 | 1.a-Dichloroethane | 0 | | |
| 00156-60-5 | trans-1,2-Dichloroethene | 0 | | |
| 00075-01-4 | Vinyl Chloride | 0 | | |
| | | | | |
| 14 14 | | | 1 | |
| | | | | |
| | | | 1 | |
| | | | 1 1 | |
| | | | | |
| | - | | + | |
| | | | | |
| - | | | | |
| | | | - | |
| and the second s | | | 1 | |
| | | | 1 | |
| - | | | 1 | |
| -:- | - | | | - |
| | | | | |
| | | | | |
| 2 1 | | | | |
| 14 12 | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | • |
| 90.00 | | | | |
| | | | | |
| | | | | |
| | | | | |
| E | 6.5 | | | |
| | | | | |
| 4.5 | | | | |
| - 2 - 4 | | | | |
| 4 4 | | | | |



| | D | EC I | D | | | |
|--|---|------|---|---|--|---|
| | | 1. | | T | | Г |

Section IV - Emission Unit Information

| | | Emission Unit Description | ☐ Continuation Sheet(s) |
|---------------|----------------|--------------------------------|-------------------------|
| EMISSION UNIT | 1-00EU1 | Effluent from first soil vapor | extraction blower |
| (BL-1) | | ivated Carton Unit. The emiss | |
| Vapor Phas | e Granular Act | ivated Carton Unit. The emiss | ion point is |
| stack 00 | ST-2 | | 7 |

| | Building | | □ Conti | inuation Sheet(|
|----------|--------------------|-------------|------------|-----------------|
| Building | Building Name | Length (ft) | Width (ft) | Orientation |
| 03-35 | Treatment Building | 60 | 40 | 0 |
| | | | | |

| | | | Emission Poin | t | □ Conti | nuation Sheet |
|------------------------|---------------------|------------------|------------------|------------|-----------------------------------|--------------------|
| EMISSION PT. | OCSTA | | | | | |
| Ground Elev. | Height | Height Above | Inside Diameter | Exit Temp. | Cross S | ection |
| (ft) | (ft) | Structure (ft) | (in) | (°F) | Length (in) | Width (in) |
| | 36 | 6 | 8 | 70 | | |
| Exit Velocity (FPS) | Exit Flow (ACFM) | NYTM (E) (KM) | NYTM (N) (KM) | Building | Distance to Property Line (ft) | Date of Removal |
| 9 | 1,000 | | | 03-35 | 100+ | |
| EMISSION PT. | | | N | | | |
| Ground Elev. | Height | Height Above | Inside Diameter | Exit Temp. | Cross S | ection |
| (ft) | (ft) | Structure (ft) | (in) | (°F) | Length (in) | Width (in) |
| Exit Velocity (FPS) | Exit Flow (ACFM) | NYTM (E) (KM) | NYTM (N) (KM) | Building | Distance to Property Line (ft) | Date of Removal |

| | | | | Emission | Source | ce/Control | | Continuation Sheet(s | | | |
|----------|--------------------------------|--------------|-----------------------|----------|---------------------|---------------------|---------------------|--|--|--|--|
| Emission | Source | Date of | Date of | Date of | | Control Type | Manufa | cturer's Name/Model | | | |
| ID . | Туре | Construction | Operation | Removal | al Code Description | | | No. | | | |
| BL 1/2 | 1 | | | | 048 | Granular Act. Carbo | Tetra | solv Filtration | | | |
| Design | | Design Ca | Design Capacity Units | | | Waste Feed | | Waste Type | | | |
| Capacity | Code | | Description | | Code | Description | Code | Code Description Manufacturer's Name/Mode | | | |
| Emission | mission Source Date of Date of | | Date of | | Control Type | Manufa | cturer's Name/Model | | | | |
| ID | Туре | Construction | | | Code | Description | No. | | | | |
| Design | sign Design Capacity Uni | | pacity Units | | Waste Feed | | | Waste Type | | | |
| Capacity | Code | | Description | | Code | Description | Code | Description | | | |



| | | DE | CID | | |
|-----|----|----|-----|---|---|
| 1-1 | TT | T | 1-1 | П | T |

| Description The Soil Vapor Extraction System will consist of 12 SVE wells (Gintermediate and George), a moisture separator, and 2 soil vapor extraction blowers (BL-L and BL-2) which both vent to a vapor phase granular activated carbon unit for treatment prior to discharge from stack COSTA. The VGAC unit will be a 5,000 pound unit filled with Tetrasolv Virgin Carbon. The VGAC unit has been designed to operate nominally at GCO CFM, with a maximum of 1,000 cFm. Source Classification Total Thruput Thruput Quantity Units |
|---|
| The Soil Vapor Extraction System will consist of 12 SVE wells (6 intermediate and 6 deep), a moisture separator, and 2 soil vapor extraction blowers (81-1 and 81-2) which both vent to a vapor phase granular activated carbon unit for treatment prior to discharge from stack OOST2. The VGAC unit will be a 5,000 pound unit. Filled with Tetrasolv Virgin Carbon. The VGAC unit has been designed to operate nominally at 600 cfm, with a maximum of 1,000 cfm. |
| (odeep), a moisture separator, and a soil vapor extraction blowers (BL-1 and BL-2) which both vent to a vapor phase granular activated carbon unit for treatment prior to discharge from stack COSTA. The VGAC unit will be a 5,000 pound unit. Filled with Tetrasolv Virgin Carbon. The VGAC unit has been designed to operate nominally at GCO cfm, with a maximum of 1,000 cfm. |
| (odeep), a moisture separator, and a soil vapor extraction blowers (BL-1 and BL-2) which both vent to a vapor phase granular activated carbon unit for treatment prior to discharge from stack COSTA. The VGAC unit will be a 5,000 pound unit. Filled with Tetrasolv Virgin Carbon. The VGAC unit has been designed to operate nominally at GCO cfm, with a maximum of 1,000 cfm. |
| Bi-a) which both vent to a vapor phase granular activated carbon unit for treatment prior to discharge from stack OOSTA. The VGAC unit will be a 5,000 pound unit. Filled with Tetrasolv Virgin Carbon. The VGAC unit has been designed to operate nominally at GCO cfm, with a maximum of 1,000 cfm. |
| treatment prior to discharge from stack COSTA. The VGAC unit will be a 5,000 pound unit. Filled with Tetrasolv Virgin Carbon. The VGAC unit has been designed to operate nominally at GCO cfm, with a maximum of 1,000 cfm. |
| 5,000 pound unit. Filled with Tetrasolv Virgin Carbon. The VGAC unit has been designed to operate nominally at 600 cfm, with a maximum of 1,000 cfm. |
| been designed to operate nominally at 600 cfm, with a maximum of 1,000 cfm. |
| The world Constitution |
| Course Classification Total Thruput Thruput Quantity Units |
| Course Classification Total Thruput Thruput Quantity Units |
| |
| Code (SCC) Quantity/Hr Quantity/Yr Code Description |
| |
| □ Confidential Operating Schedule Building Floor/Location |
| Operating at Maximum Capacity Hrs/Day Days/Yr |
| □ Activity with Insignificant Emissions 34 365 03-35 Main |
| Emission Source/Control Identifier(s) |
| BL-1 BL-2 |
| |
| EMISSION UNIT - PROCESS |
| Description |
| |
| |
| |
| |
| |
| Trans. Title |
| |
| |
| Source Classification Total Thruput Thruput Quantity Units |
| Code (SCC) Quantity/Hr Quantity/Yr Code Description |
| |
| ☐ Confidential Operating Schedule Building Floor/Location |
| Operating at Maximum Capacity Hrs/Day Days/Yr |
| □ Activity with Insignificant Emissions |
| Emission Source/Control Identifier(s) |
| |



| | | DE | CID | _ | | _ | - |
|-------|-----|-----|-----|---|-----|---|---|
| - | _ | DL | CID | - | - | - | - |
| 1 ~ 1 | 1 1 | 3-7 | 1-1 | | 100 | 1 | |

| Emission | Emission | | Emission | | Em | ission | Unit App | licable F | ederal Requ | iremen | s 🗆 Co | ontinuat | ion Sheet(s) | |
|----------|----------|---------|----------|--------|-------|--------|----------|-----------|-------------|--------------|--------|------------|--------------|------------|
| Unit | Point | Process | Source | Source | Title | Туре | Part | Sub Part | Section | Sub Division | Parag. | Sub Parag. | Clause | Sub Clause |
| | | | | 1 | | | | | | | | | | |
| A = | | | | | | | | | | | | | | |
| Ψ, | | | | | | | | | | | | | | |
| - | | | | | | | | | | | | | | |

| Emission | Emission | | Emission | Emi | ssion | Unit Stat | e Only R | equirements | 3 | □ Co | ontinuat | ion Sheet(s) |
|----------|---------------------|---------|----------|------|-------|-----------|----------|--------------|--------|------------|----------|--------------|
| Unit | n Emission Point | Process | Source | Туре | Part | Sub Part | Section | Sub Division | Parag. | Sub Parag. | Clause | Sub Clause |
| - | U | | | | | | | 1 | | | | |
| - | | | | | | | | | | | | |
| - | | | | | | | | | | | 1 - 1 | |
| - | | | | | | | | | | | | - (|

| | | | | Emissio | n Unit Co | mpliance C | ertification | ۵(| Continuat | ion Sheet(s |
|----------|---------|---|-----------|--------------------|--------------|---|----------------|---------------------------------------|------------|-------------|
| | | | | | Rule | Citation | | | | |
| Title | | Туре | Part | Sub Part | Section | Sub Division | Paragraph | Sub Paragraph | Clause | Sub Clause |
| (0 | N | ICRR | 212 | ie e | | | | | | |
| □Ap | | e Federal R | equiremer | it 🗆 | State Only F | Requirement | ☐ Capping | | | - |
| Emission | n Unit | Emission Point | Process | Emission Source | CA | S No. | | Contaminant h | Vame | |
| 1-00 | EU1 | COSTA | SVE | | 00079- | 01 - 6 | Tricht | oroethylen | e | |
| | | | | | Monitorin | g Information | on | | | |
| (A) Int | ermitte | us Emission nt Emission vir Monitorin | Testing | g | □ Work I | oring of Proces Practice Involvi d Keeping/Mair | na Specific Op | evice Parameter erations edures | s as Surro | ogate |
| | | | | | Des | cription | | | | |
| Mont | thly | grab sa | mples a | inalyzed | For VOC | s from t | he VGAC | unit influer | it and e | EFFluent |
| Work Pra | ctice | | | Process | | | | Reference T | est Metho | nd |
| Туре | | Code | + | | Description | | | 11010101100 1 | out mound | ,,, |
| | | | Pa | rameter | | | | Manufacturer Na | ama/Mad | ol No |
| | Code | | | | Description | | | Manuacturer Na | ame/iviod | ei ivo. |
| | 23 | | Co | ncentrat | ion | | | | | |
| | | Lim | | | | | Limit | Units | | |
| | Uppe | | | Lower | Code | | | Description | | |
| 30 | 36,000 | | | | 255 | MICTO | grams pe | r cubic me | ter | |
| | Avera | ging Metho | d | | Monitoring | Frequency | | Reporting Re | quiremer | nts |
| Code | | Descri | | Code | | Description | Coc | le | Descripti | on |
| 01 | To | stantane | CUS | 0.5 | Mor | othly | 10 | Hoon | Regut | ST |



| | | D | EC | ID |) | | | |
|-----|---|---|----|----|---|--|---|--|
| 1.1 | T | | | _ | | | - | |

| Determination of Non-Applicability (Title Rule Citation | | y) X/A | | ation Sheet(s |
|--|--------------|--------------------------------|----------------|---------------|
| | | | | A. |
| | aragraph | Sub Paragra | oh Clause | Sub Clause |
| | | | | |
| ne | | Federal Require Requirement | ment | |
| | State Only P | (equirement | | |
| Description | | | | |
| | | | | |
| | | | | |
| | | | | |
| Rule Citation | | | | |
| | ragraph | Sub Paragra | h Clause | Sub Clause |
| | | | | |
| | | ederal Require | ment | |
| | State Only R | Requirement | | |
| Description | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| Process Emissions Summary | | | ☑ Continua | tion Sheet(s) |
| EMISSION UNIT 1 - O O E U 1 | | | PROCESS | SVE |
| CAS No. Contaminant Name % | % | % | ERP | ERP How |
| CAS No. Contaminant Name Thruput | Capture | e Control | (lbs/hr) | Determined |
| 00071-55-6 1.1.1-Trichloroethane | | 80 | 0.34 | 02 |
| PTE Standard | PT | E How | Ac | tual |
| (lbs/hr) (lbs/yr) (standard units) Units | Dete | ermined | (lbs/hr) | (lbs/yr) |
| 0.07 591 | 0 | 29 | | |
| EMISSION UNIT 1 - 0 0 E // 1 | | | PROCESS | SVE |
| % | % | % | ERP | ERP How |
| CAS No. Contaminant Name Thruput | Capture | Control | (lbs/hr) | Determined |
| 00127-18 -4 Tetrachloroethylene | | 80 | 0.00 | 03 |
| PTE Standard | PT | E How | | tual |
| (lbs/hr) (lbs/yr) (standard units) Units | | ermined | (lbs/hr) | (lbs/yr) |
| O.OC BRT 8 | (| 92 | | |
| EMISSION UNIT 1 - 0 0 E U 1 | - | | PROCESS | SVE |
| 0/ | % | % | ERP | ERP How |
| CAS No. Contaminant Name Thruput | Capture | | (lbs/hr) | Determined |
| 00079-01-6 Trichloroethylene | | 80 | 0.67 | 03 |
| PTE Standard | рт | E How | | tual |
| (lbs/hr) (lbs/yr) (standard units) Units | | ermined | (lbs/hr) | (lbs/yr) |
| 0.13 1,181 | 1 | D9 | and a state of | (10 at 11) |



| | | D | EC | ID |) | | |
|---|--|---|----|----|---|--|---|
| - | | | | - | | | Г |

| EMISSION UNIT | Emiss | ☑ Continuation Sheet(s) | | | | | | | |
|---------------|----------------------|-------------------------|-----------|----------|--|--|--|--|--|
| CAS No. | | Contamir | ant Name | | | | | | |
| 00075-34-3 | 1,1-Dichloroet | hane | | | | | | | |
| | | missions | Actual | | | | | | |
| ERP (lbs/yr) | (lbs/hr) | (lbs/yr) | (lbs/hr) | (lbs/yr) | | | | | |
| | BRT | 11 | | | | | | | |
| CAS No. | | Contamir | nant Name | | | | | | |
| 00075-35-4 | 1.1-Dichloroeth | ylene (Vinylidir | Chloride) | | | | | | |
| | PTE Er | missions ' | | Actual | | | | | |
| ERP (lbs/yr) | (lbs/hr) | (lbs/yr) | (lbs/hr) | (lbs/yr) | | | | | |
| | BRT | 16 | | | | | | | |
| CAS No. | | Contamir | nant Name | | | | | | |
| 0054059-0 | cis-1,2-Dichle | oroethene | | | | | | | |
| | | nissions | Actual | | | | | | |
| ERP (lbs/yr) | (lbs/hr) | (lbs/yr) | (lbs/hr) | (lbs/yr) | | | | | |
| | BRT | 5 | | | | | | | |
| CAS No. | | Contaminant Name | | | | | | | |
| 00107-06-2 | 1, 2 - Dichlorothane | | | | | | | | |
| | | nissions | Actual | | | | | | |
| ERP (lbs/yr) | (lbs/hr) | (lbs/yr) | (lbs/hr) | (lbs/yr) | | | | | |
| | BRT | BRT | | | | | | | |

| | | | | | Co | omplian | ce Plar | N/A | | □ Cd | ontinuati | on Sheet(s) |
|---------------|-----------------|------------|---|------------|----------|-------------|--------------|----------------|------------|---------------|------------|-----------------|
| For any em | ssion units | s which ar | e <u>not in c</u> | complian | ce at th | ne time of | oermit ap | plication, the | applica | nt shall comp | lete the | following |
| Consent Order | | Certifi | Certified progress reports are to be submitted every 6 months beginning// | | | | | | | | | |
| Emission | | Emission | | | | | Applicabl | e Federal Requ | irement | | | |
| Unit Process | Source | Title | Туре | Part | Sub Part | Section | Sub Division | Parag. | Sub Parag. | Clause | Sub Clause | |
| + | | | | | | 15 | | | | | | |
| | | Remedi | al Measi | ure / Inte | rmedia | te Milestor | nes | | | R/I | Sc | Date heduled |
| | o _{fe} | | | | | | | | | | 00 | nodulod |
| 50. | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | - | |
| | | | | _ | | | | | | | - | |
| | | | | | | - | | | | | | |
| | | | | | - | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |



| | | | DE | C | D | | | |
|---|---|---|----|----|---|---|--|--|
| - | П | Т | Т | T- | Т | Т | | |

Section IV - Emission Unit Information

| EMISSION UNIT | Emission Unit Emissions Summary (continuation) | | | | | | | | |
|---------------|--|-------------|-----------|--|--|--|--|--|--|
| CAS No. | | Contamir | nant Name | | | | | | |
| 00156-60-5 | trans -1,2 - Dich | | | | | | | | |
| | PTE E | missions | Actual | | | | | | |
| ERP (lbs/yr) | (lbs/hr) | (lbs/yr) | (lbs/hr) | (lbs/yr) | | | | | |
| | BRT | BRT | | | | | | | |
| CAS No. | | | ant Name | | | | | | |
| 00075 01 - 4 | Vinul Chloride | | | | | | | | |
| ERP (lbs/yr) | | missions | Ac | tual | | | | | |
| ERF (IDS/yI) | (lbs/hr) | (lbs/yr) | (lbs/hr) | (lbs/yr) | | | | | |
| | BRT | BRT | | | | | | | |
| CAS No. | | | | | | | | | |
| (4 - (4 - 1) | | te. | | | | | | | |
| ERP (lbs/yr) | PTE E | missions | Actual | | | | | | |
| (,/, | (lbs/hr) | (lbs/yr) | (lbs/hr) | (lbs/yr) | | | | | |
| | | | | | | | | | |
| CAS No. | | Contamin | ant Name | | | | | | |
| | | | | | | | | | |
| ERP (lbs/yr) | | missions | Act | | | | | | |
| | (lbs/hr) | (lbs/yr) | (lbs/hr) | (łbs/yr) | | | | | |
| | | | | | | | | | |
| CAS No. | | Contamin | ant Name | | | | | | |
| | | | | | | | | | |
| ERP (lbs/yr) | | nissions | Act | The state of the s | | | | | |
| | (lbs/hr) | (lbs/yr) | (lbs/hr) | (lbs/yr) | | | | | |
| 04011 | | | | | | | | | |
| CAS No. | | Contamina | ant Name | | | | | | |
| | PTE Er | niecione | Act | ual | | | | | |
| ERP (lbs/yr) | (lbs/hr) | (lbs/yr) | (lbs/hr) | (lbs/yr) | | | | | |
| | (IOS/III) | (losiyi) | (103/111) | (los/yl) | | | | | |
| CAS No. | | Contamina | ant Name | | | | | | |
| | | 33/10/10/10 | | | | | | | |
| | PTE En | nissions | Acti | ual | | | | | |
| ERP (lbs/yr) | (lbs/hr) | (lbs/yr) | (lbs/hr) | (lbs/yr) | | | | | |
| | | | | | | | | | |
| CAS No. | | Contamina | ant Name | | | | | | |
| 4 - | | | | | | | | | |
| CDD (Ib-A-A | PTE En | nissions | Actu | ıal | | | | | |
| ERP (lbs/yr) | (lbs/hr) | (lbs/yr) | (lbs/hr) | (lbs/yr) | | | | | |
| | | | | | | | | | |



| T | | | D | EC | 10 |) | | |
|---|-----|---|---|----|----|---|--|---|
| T | - 1 | T | | | - | | | Г |

| | Reque | st for Emission | Reduction Cred | its | Continuation Sheet(s |
|---|---|---|---|---|---|
| EMISSION UNIT - | | atestas Dadout | an Description | | |
| | Er | nission Reduction | on Description | - | |
| | | | | | |
| | | | | | |
| | Conta | minant Emissio | n Reduction Dat | | |
| | | | | | uction Method |
| Baseline Period/ | 1 | to/ | 1 | | |
| CAS No. | | Contaminant Nam | ie | Netting ERC | (lbs/yr) Offset |
| | | | | | |
| | | | | | |
| | | 4 | | | |
| | Fa | cility to Use Fut | ure Reduction | ADDI IOATION | ID |
| Name | | | 1.111 | APPLICATION | 10 |
| Location Address | | | | | |
| ☐ City / ☐ Town / ☐ Village | | | State | Zip | |
| 2 ony , 2 | | | | | |
| | | | | | *Arc_s |
| | Conta | aminant Emissio | ons Increase Dat | ta | |
| CAS No. | | Contaminant Na | | | (lbs/yr) |
| * * | | | | | |
| | | Statement of C | | 30 | |
| All facilities under the ownership including any compliance certific schedule of a consent order. | of this "ownership/fir cation requirements u | m" are operating <u>in c</u> inder Section 114(a)(| ompliance with all ap (3) of the Clean Air A | pplicable requirements an ct Amendments of 1990, | d state regulations or are meeting the |
| | Source of | f Emission Redu | uction Credit - F | | 11711 |
| Name | | | | PERMIT ID | |
| Location Address | | | | | |
| □ City / □ Town / □ Village | | | State | Zip | C (lbs/yr) |
| | 124.5 | Contaminant Name | | ER(| : (Ine/vr) |
| Emission Unit C | AS No. | Containin | nant Name | Netting | Offset |
| Emission Unit C | AS No. | Containin | nant Name | | |
| Emission Unit C | | Contamin | nant Name | | |




| | | EC |) IE |) | | |
|---|--|----|------|---|--|---|
| - | | | | | | Г |

| □ P.E. Certification (form attached) □ List of Exempt Activities (form attached) □ Plot Plan □ Methods Used to Determine Compliance (form attached) □ Calculations □ Air Quality Model (/ /) □ Confidentiality Justification □ Ambient Air Monitoring Plan (/ /) □ Stack Test Protocols/Reports (/ /) □ Continuous Emissions Monitoring Plans/QA/QC (/ /) □ Operational Flexibility: Description of Alternative Operating Scenarios and Protocols □ Title IV: Application/Registration □ ERC Quantification (form attached) □ Use of ERC(s) (form attached) □ Baseline Period Demonstration □ Analysis of Contemporaneous Emission Increase/Decrease □ LAER Demonstration (/ /) □ Other Document(s): | Supporting Docume | entation | | | |
|--|--|--------------------------|---|-----|---|
| □ List of Exempt Activities (form attached) □ Plot Plan □ Methods Used to Determine Compliance (form attached) □ Calculations □ Air Quality Model (/ /) □ Confidentiality Justification □ Ambient Air Monitoring Plan (/ /) □ Stack Test Protocols/Reports (/ /) □ Continuous Emissions Monitoring Plans/QA/QC (/ /) □ MACT Demonstration (/ /) □ Operational Flexibility: Description of Alternative Operating Scenarios and Protocols □ Title IV: Application/Registration □ ERC Quantification (form attached) □ Use of ERC(s) (form attached) □ Baseline Period Demonstration □ Analysis of Contemporaneous Emission Increase/Decrease □ LAER Demonstration (/ /) □ BACT Demonstration (/ /) | D.B.E. Cartification (form attached) | | | | |
| □ Plot Plan □ Methods Used to Determine Compliance (form attached) □ Calculations □ Air Quality Model (/ /) □ Confidentiality Justification □ Ambient Air Monitoring Plan (/ /) □ Stack Test Protocols/Reports (/ /) □ Continuous Emissions Monitoring Plans/QA/QC (/ /) □ MACT Demonstration (/ /) □ Operational Flexibility: Description of Alternative Operating Scenarios and Protocols □ Title IV: Application/Registration □ ERC Quantification (form attached) □ Use of ERC(s) (form attached) □ Baseline Period Demonstration □ Analysis of Contemporaneous Emission Increase/Decrease □ LAER Demonstration (/ /) □ BACT Demonstration (/ /) | | | | | |
| □ Methods Used to Determine Compliance (form attached) ☒ Calculations □ Air Quality Model (/ /) □ Confidentiality Justification □ Ambient Air Monitoring Plan (/ /) □ Stack Test Protocols/Reports (/ /) □ Continuous Emissions Monitoring Plans/QA/QC (/ /) □ MACT Demonstration (/ /) □ Operational Flexibility: Description of Alternative Operating Scenarios and Protocols □ Title IV: Application/Registration □ ERC Quantification (form attached) □ Use of ERC(s) (form attached) □ Baseline Period Demonstration □ Analysis of Contemporaneous Emission Increase/Decrease □ LAER Demonstration (/ /) □ BACT Demonstration (/ /) | | | | | |
| ☑ Calculations ☐ Air Quality Model (/ /) ☐ Confidentiality Justification ☐ Ambient Air Monitoring Plan (/ /) ☐ Stack Test Protocols/Reports (/ /) ☐ Continuous Emissions Monitoring Plans/QA/QC (/ /) ☐ MACT Demonstration (/ /) ☐ Operational Flexibility: Description of Alternative Operating Scenarios and Protocols ☐ Title IV: Application/Registration ☐ ERC Quantification (form attached) ☐ Use of ERC(s) (form attached) ☐ Baseline Period Demonstration ☐ Analysis of Contemporaneous Emission Increase/Decrease ☐ LAER Demonstration (/ /) ☐ BACT Demonstration (/ /) | | | | | |
| □ Air Quality Model (/ /) □ Confidentiality Justification □ Ambient Air Monitoring Plan (/ /) □ Stack Test Protocols/Reports (/ /) □ Continuous Emissions Monitoring Plans/QA/QC (/ /) □ MACT Demonstration (/ /) □ Operational Flexibility: Description of Alternative Operating Scenarios and Protocols □ Title IV: Application/Registration □ ERC Quantification (form attached) □ Use of ERC(s) (form attached) □ Baseline Period Demonstration □ Analysis of Contemporaneous Emission Increase/Decrease □ LAER Demonstration (/ /) □ BACT Demonstration (/ /) | | | | | |
| □ Confidentiality Justification □ Ambient Air Monitoring Plan (/ /) □ Stack Test Protocols/Reports (/ /) □ Continuous Emissions Monitoring Plans/QA/QC (/ /) □ MACT Demonstration (/ /) □ Operational Flexibility: Description of Alternative Operating Scenarios and Protocols □ Title IV: Application/Registration □ ERC Quantification (form attached) □ Use of ERC(s) (form attached) □ Baseline Period Demonstration □ Analysis of Contemporaneous Emission Increase/Decrease □ LAER Demonstration (/ /) □ BACT Demonstration (/ /) | The state of the s | | | | |
| □ Ambient Air Monitoring Plan (/ /) □ Stack Test Protocols/Reports (/ /) □ Continuous Emissions Monitoring Plans/QA/QC (/ /) □ MACT Demonstration (/ /) □ Operational Flexibility: Description of Alternative Operating Scenarios and Protocols □ Title IV: Application/Registration □ ERC Quantification (form attached) □ Use of ERC(s) (form attached) □ Baseline Period Demonstration □ Analysis of Contemporaneous Emission Increase/Decrease □ LAER Demonstration (/ /) □ BACT Demonstration (/ /) | | | | | |
| □ Stack Test Protocols/Reports (/ /) □ Continuous Emissions Monitoring Plans/QA/QC (/ /) □ MACT Demonstration (/ /) □ Operational Flexibility: Description of Alternative Operating Scenarios and Protocols □ Title IV: Application/Registration □ ERC Quantification (form attached) □ Use of ERC(s) (form attached) □ Baseline Period Demonstration □ Analysis of Contemporaneous Emission Increase/Decrease □ LAER Demonstration (/ /) □ BACT Demonstration (/ /) | (제대) 전 1. 1 전 1 | | | | |
| □ Continuous Emissions Monitoring Plans/QA/QC (/ /) □ MACT Demonstration (/ /) □ Operational Flexibility: Description of Alternative Operating Scenarios and Protocols □ Title IV: Application/Registration □ ERC Quantification (form attached) □ Use of ERC(s) (form attached) □ Baseline Period Demonstration □ Analysis of Contemporaneous Emission Increase/Decrease □ LAER Demonstration (/ /) □ BACT Demonstration (/ /) | | | | | |
| □ MACT Demonstration (/) □ Operational Flexibility: Description of Alternative Operating Scenarios and Protocols □ Title IV: Application/Registration □ ERC Quantification (form attached) □ Use of ERC(s) (form attached) □ Baseline Period Demonstration □ Analysis of Contemporaneous Emission Increase/Decrease □ LAER Demonstration (/ /) □ BACT Demonstration (/ /) | | i | | | |
| □ Operational Flexibility: Description of Alternative Operating Scenarios and Protocols □ Title IV: Application/Registration □ ERC Quantification (form attached) □ Use of ERC(s) (form attached) □ Baseline Period Demonstration □ Analysis of Contemporaneous Emission Increase/Decrease □ LAER Demonstration (/ /) □ BACT Demonstration (/ /) | | | | | |
| □ Title IV: Application/Registration □ ERC Quantification (form attached) □ Use of ERC(s) (form attached) □ Baseline Period Demonstration □ Analysis of Contemporaneous Emission Increase/Decrease □ LAER Demonstration (/ /) □ BACT Demonstration (/ /) | | Commission and Drotocolo | | | |
| □ ERC Quantification (form attached) □ Use of ERC(s) (form attached) □ Baseline Period Demonstration □ Analysis of Contemporaneous Emission Increase/Decrease □ LAER Demonstration (/ /) □ BACT Demonstration (/ /) | | Scenarios and Protocois | | | |
| □ Use of ERC(s) (form attached) □ Baseline Period Demonstration □ Analysis of Contemporaneous Emission Increase/Decrease □ LAER Demonstration (/) □ BACT Demonstration (/) | | | | | |
| □ Baseline Period Demonstration □ Analysis of Contemporaneous Emission Increase/Decrease □ LAER Demonstration (/) □ BACT Demonstration (/) | | | | | |
| □ Analysis of Contemporaneous Emission Increase/Decrease □ LAER Demonstration (/) □ BACT Demonstration (/) | | | | | |
| □ LAER Demonstration (/) □ BACT Demonstration (/) | | | | | |
| □ BACT Demonstration (/) | 이 집에 많은 이번에 이번에 이렇게 되었다. 그렇게 되었다. 그렇게 되었다. 얼마나 되었다. | | | | |
| | | | | | |
| Other Document(s): (| | | | | |
| | ☐ Other Document(s): | | | . / | |
| | | | 1 | | |
| | | 1 | 1 | 1 | |
| | | i | 1 | 1 | |
| | | · · | 1 | 1 | |
| | | | 1 | 1 | |
| | | | 1 | | |
| | - | (| | | |
| | * | | | 1 | _ |
| | _ | | 1 | | _ |
| | | (| | 1 | _ |

APPENDIX B VAPOR CONCENTRATION TREND GRAPHS – SVEWs


Soil Vapor Extraction Containment System Site 1, Former Drum Marshalling Yard Naval Weapons Industrial Reserve Plant - Bethpage, NY Vapor Concentration Trends of Select and Total VOCs SVEWs

COMBINED INFLUENT




Soil Vapor Extraction Containment System Site 1, Former Drum Marshalling Yard Naval Weapons Industrial Reserve Plant - Bethpage, NY Concentration Trends of Select VOCs SVEWs

SV-101I




Soil Vapor Extraction Containment System Site 1, Former Drum Marshalling Yard Naval Weapons Industrial Reserve Plant - Bethpage, NY Concentration Trends of Select VOCs SVEWs


SV-101D




SV-101D (smaller scale)




SV102I




SV-102D




SV-103I




SV103D




SV104I




SV-104D




SV-105I




SV-105D



SV-106I



SV-106D



SV-106D (smaller scale)

