

Pelton, Jason M (DEC)

From: Wu, Ernie <Ernie.Wu@tetrattech.com>
Sent: Wednesday, July 15, 2020 11:17 AM
To: Pelton, Jason M (DEC); Karpinski, Steven (HEALTH); Lovejoy, John (NASSAU); Stein, Carol; Azzam, Nidal; rlenz@oysterbay-ny.gov
Cc: Murray, Brian S CIV NAVFAC MIDLANT, IPTNORTH; Fly, Lora B CIV NAVFAC MIDLANT, IPTNE (lora.fly@navy.mil); Brayack, David; Varricchio, Vin; Francisco, Ben
Subject: Bethpage OU2 - Q2 2020 Form 1 Results (BPOW 5, 6 clusters and TT102 wells)
Attachments: Form 1_BPOW5_6_Q2.pdf; Form 1_TT102 cluster.pdf

ATTENTION: This email came from an external source. Do not open attachments or click on links from unknown senders or unexpected emails.

All:

As per discussions between the Navy and NYSDEC, NYSDEC requested that the Navy submit the validated data as soon as the information is available.

Attached are the Form 1 validated data for Second Quarter 2020 from the following wells:

- Outpost well cluster BPOW 5 (BPOW 5-1, 5-2, 5-3, 5-4, 5-5, 5-6 and 5-7)
- Outpost well cluster BPOW 6 (BPOW 6-1, 6-2, 6-3, 6-4, 6-5 and 6-6)
- Plume monitoring wells TT102D and TT102D2

Form 1 data includes both VOCs and 1,4-dioxane results.

Samples were collected from 04/23/2020 through 04/28/2020.

REP042420ARH1 was collected on BPOW5-7.

REP042820ARH1 was collected on TT102D

Thank you,
Ernie

Ernie Wu | Project Manager | Environmental Scientist
Main: 757.461.3768 | Direct: 757.466.4901 | Fax: 757.461.4148
ernie.wu@tetrattech.com

Tetra Tech, Inc | Norfolk Office
Twin Oaks I, Suite 102, 5700 Lake Wright Drive | Norfolk, VA 23502 | www.tetrattech.com

PLEASE NOTE: This message, including any attachments, may include privileged, confidential and/or inside information. Any distribution or use of this communication by anyone other than the intended recipient is strictly prohibited and may be unlawful. If you are not the intended recipient, please notify the sender by replying to this message and then delete it from your system.

Report of Analysis

Client Sample ID: BPOW5-1	Date Sampled: 04/23/20
Lab Sample ID: JD6452-1	Date Received: 04/24/20
Matrix: AQ - Ground Water	Percent Solids: n/a
Method: EPA 524.2 REV 4.1	
Project: Navy Wells OU2, Bethpage, NY	

Run #1 ^a	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #2	1B123257.D	1	04/28/20 20:52	BK	n/a	n/a	V1B5970

Run #1	Purge Volume
Run #2	5.0 ml

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	5.0	2.5	ug/l	
78-93-3	2-Butanone	ND	5.0	0.43	ug/l	
71-43-2	Benzene	ND	0.50	0.16	ug/l	
75-27-4	Bromodichloromethane	ND	0.50	0.13	ug/l	
75-25-2	Bromoform	ND	0.50	0.27	ug/l	
74-83-9	Bromomethane	ND	0.50	0.18	ug/l	
75-15-0	Carbon disulfide	ND	0.50	0.18	ug/l	
108-90-7	Chlorobenzene	ND	0.50	0.093	ug/l	
75-00-3	Chloroethane	ND	0.50	0.080	ug/l	
67-66-3	Chloroform	ND	0.50	0.17	ug/l	
74-87-3	Chloromethane	ND	0.50	0.13	ug/l	
56-23-5	Carbon tetrachloride	ND	0.50	0.24	ug/l	
75-34-3	1,1-Dichloroethane	ND	0.50	0.22	ug/l	
75-35-4	1,1-Dichloroethylene	ND	0.50	0.19	ug/l	
107-06-2	1,2-Dichloroethane	ND	0.50	0.18	ug/l	
78-87-5	1,2-Dichloropropane	ND	0.50	0.19	ug/l	
124-48-1	Dibromochloromethane	ND	0.50	0.14	ug/l	
156-60-5	trans-1,2-Dichloroethylene	ND	0.50	0.21	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	0.50	0.14	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	0.18	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	0.16	ug/l	
100-41-4	Ethylbenzene	ND	0.50	0.076	ug/l	
76-13-1	Freon 113	ND	1.0	0.34	ug/l	
591-78-6	2-Hexanone	ND	2.0	0.24	ug/l	
75-09-2	Methylene chloride	ND	0.50	0.37	ug/l	
108-10-1	4-Methyl-2-pentanone	ND	2.0	0.22	ug/l	
100-42-5	Styrene	ND	0.50	0.069	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	0.50	0.22	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.50	0.13	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	0.50	0.19	ug/l	
127-18-4	Tetrachloroethylene	ND	0.50	0.23	ug/l	
108-88-3	Toluene	ND	0.50	0.11	ug/l	

ND = Not detected

MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: BPOW5-1 Lab Sample ID: JD6452-1 Matrix: AQ - Ground Water Method: EPA 524.2 REV 4.1 Project: Navy Wells OU2, Bethpage, NY	Date Sampled: 04/23/20 Date Received: 04/24/20 Percent Solids: n/a
--	---

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethylene	ND	0.50	0.20	ug/l	
75-01-4	Vinyl chloride	ND	0.50	0.15	ug/l	
	m,p-Xylene	ND	0.50	0.14	ug/l	
95-47-6	o-Xylene	ND	0.50	0.076	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2199-69-1	1,2-Dichlorobenzene-d4	101%		70-130%
460-00-4	4-Bromofluorobenzene	88%		70-130%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

(a) EPA 524.2 is not a certified method for non-potable water samples.

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	BPOW5-2	Date Sampled:	04/23/20
Lab Sample ID:	JD6452-2	Date Received:	04/24/20
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	EPA 524.2 REV 4.1		
Project:	Navy Wells OU2, Bethpage, NY		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 ^a	1B123258.D	1	04/28/20 21:23	BK	n/a	n/a	V1B5970
Run #2							

Run #	Purge Volume
Run #1	5.0 ml
Run #2	

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	5.0	2.5	ug/l	
78-93-3	2-Butanone	ND	5.0	0.43	ug/l	
71-43-2	Benzene	ND	0.50	0.16	ug/l	
75-27-4	Bromodichloromethane	ND	0.50	0.13	ug/l	
75-25-2	Bromoform	ND	0.50	0.27	ug/l	
74-83-9	Bromomethane	ND	0.50	0.18	ug/l	
75-15-0	Carbon disulfide	ND	0.50	0.18	ug/l	
108-90-7	Chlorobenzene	ND	0.50	0.093	ug/l	
75-00-3	Chloroethane	ND	0.50	0.080	ug/l	
67-66-3	Chloroform	ND	0.50	0.17	ug/l	
74-87-3	Chloromethane	ND	0.50	0.13	ug/l	
56-23-5	Carbon tetrachloride	ND	0.50	0.24	ug/l	
75-34-3	1,1-Dichloroethane	ND	0.50	0.22	ug/l	
75-35-4	1,1-Dichloroethylene	ND	0.50	0.19	ug/l	
107-06-2	1,2-Dichloroethane	ND	0.50	0.18	ug/l	
78-87-5	1,2-Dichloropropane	ND	0.50	0.19	ug/l	
124-48-1	Dibromochloromethane	ND	0.50	0.14	ug/l	
156-60-5	trans-1,2-Dichloroethylene	ND	0.50	0.21	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	0.50	0.14	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	0.18	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	0.16	ug/l	
100-41-4	Ethylbenzene	ND	0.50	0.076	ug/l	
76-13-1	Freon 113	ND	1.0	0.34	ug/l	
591-78-6	2-Hexanone	ND	2.0	0.24	ug/l	
75-09-2	Methylene chloride	ND	0.50	0.37	ug/l	
108-10-1	4-Methyl-2-pentanone	ND	2.0	0.22	ug/l	
100-42-5	Styrene	ND	0.50	0.069	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	0.50	0.22	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.50	0.13	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	0.50	0.19	ug/l	
127-18-4	Tetrachloroethylene	ND	0.50	0.23	ug/l	
108-88-3	Toluene	ND	0.50	0.11	ug/l	

ND = Not detected

MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: BPOW5-2		Date Sampled: 04/23/20
Lab Sample ID: JD6452-2		Date Received: 04/24/20
Matrix: AQ - Ground Water		Percent Solids: n/a
Method: EPA 524.2 REV 4.1		
Project: Navy Wells OU2, Bethpage, NY		

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethylene	ND	0.50	0.20	ug/l	
75-01-4	Vinyl chloride	ND	0.50	0.15	ug/l	
	m,p-Xylene	ND	0.50	0.14	ug/l	
95-47-6	o-Xylene	ND	0.50	0.076	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2199-69-1	1,2-Dichlorobenzene-d4	96%		70-130%
460-00-4	4-Bromofluorobenzene	88%		70-130%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

(a) EPA 524.2 is not a certified method for non-potable water samples.

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.2
4

Report of Analysis

Client Sample ID: BPOW5-3	Date Sampled: 04/23/20
Lab Sample ID: JD6452-3	Date Received: 04/24/20
Matrix: AQ - Ground Water	Percent Solids: n/a
Method: EPA 524.2 REV 4.1	
Project: Navy Wells OU2, Bethpage, NY	

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 ^a	1B123259.D	1	04/28/20 21:54	BK	n/a	n/a	V1B5970
Run #2							

Run #	Purge Volume
Run #1	5.0 ml
Run #2	

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	5.0	2.5	ug/l	
78-93-3	2-Butanone	ND	5.0	0.43	ug/l	
71-43-2	Benzene	ND	0.50	0.16	ug/l	
75-27-4	Bromodichloromethane	ND	0.50	0.13	ug/l	
75-25-2	Bromoform	ND	0.50	0.27	ug/l	
74-83-9	Bromomethane	ND	0.50	0.18	ug/l	
75-15-0	Carbon disulfide	ND	0.50	0.18	ug/l	
108-90-7	Chlorobenzene	ND	0.50	0.093	ug/l	
75-00-3	Chloroethane	ND	0.50	0.080	ug/l	
67-66-3	Chloroform	ND	0.50	0.17	ug/l	
74-87-3	Chloromethane	ND	0.50	0.13	ug/l	
56-23-5	Carbon tetrachloride	ND	0.50	0.24	ug/l	
75-34-3	1,1-Dichloroethane	ND	0.50	0.22	ug/l	
75-35-4	1,1-Dichloroethylene	ND	0.50	0.19	ug/l	
107-06-2	1,2-Dichloroethane	ND	0.50	0.18	ug/l	
78-87-5	1,2-Dichloropropane	ND	0.50	0.19	ug/l	
124-48-1	Dibromochloromethane	ND	0.50	0.14	ug/l	
156-60-5	trans-1,2-Dichloroethylene	ND	0.50	0.21	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	0.50	0.14	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	0.18	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	0.16	ug/l	
100-41-4	Ethylbenzene	ND	0.50	0.076	ug/l	
76-13-1	Freon 113	ND	1.0	0.34	ug/l	
591-78-6	2-Hexanone	ND	2.0	0.24	ug/l	
75-09-2	Methylene chloride	ND	0.50	0.37	ug/l	
108-10-1	4-Methyl-2-pentanone	ND	2.0	0.22	ug/l	
100-42-5	Styrene	ND	0.50	0.069	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	0.50	0.22	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.50	0.13	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	0.50	0.19	ug/l	
127-18-4	Tetrachloroethylene	ND	0.50	0.23	ug/l	
108-88-3	Toluene	ND	0.50	0.11	ug/l	

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: BPOW5-3 Lab Sample ID: JD6452-3 Matrix: AQ - Ground Water Method: EPA 524.2 REV 4.1 Project: Navy Wells OU2, Bethpage, NY	Date Sampled: 04/23/20 Date Received: 04/24/20 Percent Solids: n/a
--	---

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethylene	ND	0.50	0.20	ug/l	
75-01-4	Vinyl chloride	ND	0.50	0.15	ug/l	
	m,p-Xylene	ND	0.50	0.14	ug/l	
95-47-6	o-Xylene	ND	0.50	0.076	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2199-69-1	1,2-Dichlorobenzene-d4	97%		70-130%
460-00-4	4-Bromofluorobenzene	88%		70-130%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

(a) EPA 524.2 is not a certified method for non-potable water samples.

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.3
4

Report of Analysis

Client Sample ID: TB042320MW1	
Lab Sample ID: JD6452-4	Date Sampled: 04/23/20
Matrix: AQ - Trip Blank Water	Date Received: 04/24/20
Method: EPA 524.2 REV 4.1	Percent Solids: n/a
Project: Navy Wells OU2, Bethpage, NY	

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 ^a	1B123248.D	1	04/28/20 16:11	BK	n/a	n/a	V1B5970
Run #2							

Run #	Purge Volume
Run #1	5.0 ml
Run #2	

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	5.0	2.5	ug/l	
78-93-3	2-Butanone	ND	5.0	0.43	ug/l	
71-43-2	Benzene	ND	0.50	0.16	ug/l	
75-27-4	Bromodichloromethane	ND	0.50	0.13	ug/l	
75-25-2	Bromoform	ND	0.50	0.27	ug/l	
74-83-9	Bromomethane	ND	0.50	0.18	ug/l	
75-15-0	Carbon disulfide	ND	0.50	0.18	ug/l	
108-90-7	Chlorobenzene	ND	0.50	0.093	ug/l	
75-00-3	Chloroethane	ND	0.50	0.080	ug/l	
67-66-3	Chloroform	ND	0.50	0.17	ug/l	
74-87-3	Chloromethane	ND	0.50	0.13	ug/l	
56-23-5	Carbon tetrachloride	ND	0.50	0.24	ug/l	
75-34-3	1,1-Dichloroethane	ND	0.50	0.22	ug/l	
75-35-4	1,1-Dichloroethylene	ND	0.50	0.19	ug/l	
107-06-2	1,2-Dichloroethane	ND	0.50	0.18	ug/l	
78-87-5	1,2-Dichloropropane	ND	0.50	0.19	ug/l	
124-48-1	Dibromochloromethane	ND	0.50	0.14	ug/l	
156-60-5	trans-1,2-Dichloroethylene	ND	0.50	0.21	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	0.50	0.14	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	0.18	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	0.16	ug/l	
100-41-4	Ethylbenzene	ND	0.50	0.076	ug/l	
76-13-1	Freon 113	ND	1.0	0.34	ug/l	
591-78-6	2-Hexanone	ND	2.0	0.24	ug/l	
75-09-2	Methylene chloride	ND	0.50	0.37	ug/l	
108-10-1	4-Methyl-2-pentanone	ND	2.0	0.22	ug/l	
100-42-5	Styrene	ND	0.50	0.069	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	0.50	0.22	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.50	0.13	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	0.50	0.19	ug/l	
127-18-4	Tetrachloroethylene	ND	0.50	0.23	ug/l	
108-88-3	Toluene	ND	0.50	0.11	ug/l	

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.4
4

Report of Analysis

Client Sample ID: TB042320MW1 Lab Sample ID: JD6452-4 Matrix: AQ - Trip Blank Water Method: EPA 524.2 REV 4.1 Project: Navy Wells OU2, Bethpage, NY	Date Sampled: 04/23/20 Date Received: 04/24/20 Percent Solids: n/a
--	---

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethylene	ND	0.50	0.20	ug/l	
75-01-4	Vinyl chloride	ND	0.50	0.15	ug/l	
	m,p-Xylene	ND	0.50	0.14	ug/l	
95-47-6	o-Xylene	ND	0.50	0.076	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2199-69-1	1,2-Dichlorobenzene-d4	95%		70-130%
460-00-4	4-Bromofluorobenzene	90%		70-130%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

(a) EPA 524.2 is not a certified method for non-potable water samples.

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.4
4

Report of Analysis

Client Sample ID: FB042320SV1 Lab Sample ID: JD6452-10 Matrix: AQ - Field Blank Water Method: EPA 524.2 REV 4.1 Project: Navy Wells OU2, Bethpage, NY	Date Sampled: 04/23/20 Date Received: 04/24/20 Percent Solids: n/a
--	---

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethylene	ND	0.50	0.20	ug/l	
75-01-4	Vinyl chloride	ND	0.50	0.15	ug/l	
	m,p-Xylene	ND	0.50	0.14	ug/l	
95-47-6	o-Xylene	ND	0.50	0.076	ug/l	
CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits		
2199-69-1	1,2-Dichlorobenzene-d4	92%		70-130%		
460-00-4	4-Bromofluorobenzene	90%		70-130%		
CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q	
	Total TIC, Volatile		0	ug/l		

(a) EPA 524.2 is not a certified method for non-potable water samples.

ND = Not detected	MDL = Method Detection Limit	J = Indicates an estimated value
RL = Reporting Limit		B = Indicates analyte found in associated method blank
E = Indicates value exceeds calibration range		N = Indicates presumptive evidence of a compound

4.10
4

**Semi-Volatile
Certificate of Analysis
Sample Summary**

SDG Number: JD6452X
 Lab Sample ID: 510215001

 Client ID: BPOW5-1
 Batch ID: 1995282
 Run Date: 05/09/2020 03:46
 Prep Date: 05/08/2020 07:30
 Data File: s050820.B\s6e0854.D

Date Collected: 04/23/2020 11:10
 Date Received: 04/28/2020 08:45
 Client: ACTL003
 Method: EPA 522
 Inst: MSD6.I
 Analyst: JMB3
 Aliquot: 100 mL
 Rx-624

Matrix: WATER

 Project: ACTL00316
 SOP Ref: GL-OA-E-073
 Dilution: 1
 Inj. Vol: 1 uL
 Final Volume: 2 mL

CAS No.	Parname	Qualifier	Result	Units	MDL	LOD	LOQ
123-91-1	1,4-Dioxane		0.470	ug/L	0.0400	0.0800	0.200

2

**Semi-Volatile
Certificate of Analysis
Sample Summary**

SDG Number: JD6452X
 Lab Sample ID: 510215002

 Client ID: BPOW5-2
 Batch ID: 1995282
 Run Date: 05/09/2020 04:09
 Prep Date: 05/08/2020 07:30
 Data File: s050820.B\s6e0855.D

Date Collected: 04/23/2020 11:40
 Date Received: 04/28/2020 08:45
 Client: ACTL003
 Method: EPA 522
 Inst: MSD6.I
 Analyst: JMB3
 Aliquot: 100 mL
 Rx-624

Matrix: WATER

 Project: ACTL00316
 SOP Ref: GL-OA-E-073
 Dilution: 1
 Inj. Vol: 1 uL
 Final Volume: 2 mL

CAS No.	Parname	Qualifier	Result	Units	MDL	LOD	LOQ
123-91-1	1,4-Dioxane	U	0.0800	ug/L	0.0400	0.0800	0.200

2

**Semi-Volatile
Certificate of Analysis
Sample Summary**

SDG Number: JD6452X
 Lab Sample ID: 510215003
 Client ID: BPOW5-3
 Batch ID: 1995282
 Run Date: 05/09/2020 04:33
 Prep Date: 05/08/2020 07:30
 Data File: s050820.B\s6e0856.D

Date Collected: 04/23/2020 13:50
 Date Received: 04/28/2020 08:45
 Client: ACTL003
 Method: EPA 522
 Inst: MSD6.I
 Analyst: JMB3
 Aliquot: 100 mL
 Rx-624

Matrix: WATER
 Project: ACTL00316
 SOP Ref: GL-OA-E-073
 Dilution: 1
 Inj. Vol: 1 uL
 Final Volume: 2 mL

CAS No.	Parname	Qualifier	Result	Units	MDL	LOD	LOQ
123-91-1	1,4-Dioxane		1.70	ug/L	0.0400	0.0800	0.200

2

**Semi-Volatile
Certificate of Analysis
Sample Summary**

SDG Number: JD6452X
 Lab Sample ID: 510215008

 Client ID: FB042320SV1
 Batch ID: 1995282
 Run Date: 05/09/2020 09:42
 Prep Date: 05/08/2020 07:30
 Data File: s050820.B\s6e0864.D

Date Collected: 04/23/2020 18:00
 Date Received: 04/28/2020 08:45
 Client: ACTL003
 Method: EPA 522
 Inst: MSD6.I
 Analyst: JMB3
 Aliquot: 100 mL
 Rx-624

Matrix: WATER

 Project: ACTL00316
 SOP Ref: GL-OA-E-073
 Dilution: 1
 Inj. Vol: 1 uL
 Final Volume: 2 mL

CAS No.	Parname	Qualifier	Result	Units	MDL	LOD	LOQ
123-91-1	1,4-Dioxane	U	0.0800	ug/L	0.0400	0.0800	0.200

2

Report of Analysis

Client Sample ID:	TB042420ARH1	Date Sampled:	04/24/20
Lab Sample ID:	JD6499-1	Date Received:	04/25/20
Matrix:	AQ - Trip Blank Water	Percent Solids:	n/a
Method:	EPA 524.2 REV 4.1		
Project:	Navy Wells OU2, Bethpage, NY		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 ^a	1B123273.D	1	04/29/20 15:52	BK	n/a	n/a	V1B5971
Run #2							

Run #	Purge Volume
Run #1	5.0 ml
Run #2	

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	5.0	2.5	ug/l	
78-93-3	2-Butanone	ND	5.0	0.43	ug/l	
71-43-2	Benzene	ND	0.50	0.16	ug/l	
75-27-4	Bromodichloromethane	ND	0.50	0.13	ug/l	
75-25-2	Bromoform	ND	0.50	0.27	ug/l	
74-83-9	Bromomethane	ND	0.50	0.18	ug/l	
75-15-0	Carbon disulfide	ND	0.50	0.18	ug/l	
108-90-7	Chlorobenzene	ND	0.50	0.093	ug/l	
75-00-3	Chloroethane	ND	0.50	0.080	ug/l	
67-66-3	Chloroform	ND	0.50	0.17	ug/l	
74-87-3	Chloromethane	ND	0.50	0.13	ug/l	
56-23-5	Carbon tetrachloride	ND	0.50	0.24	ug/l	
75-34-3	1,1-Dichloroethane	ND	0.50	0.22	ug/l	
75-35-4	1,1-Dichloroethylene	ND	0.50	0.19	ug/l	
107-06-2	1,2-Dichloroethane	ND	0.50	0.18	ug/l	
78-87-5	1,2-Dichloropropane	ND	0.50	0.19	ug/l	
124-48-1	Dibromochloromethane	ND	0.50	0.14	ug/l	
156-60-5	trans-1,2-Dichloroethylene	ND	0.50	0.21	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	0.50	0.14	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	0.18	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	0.16	ug/l	
100-41-4	Ethylbenzene	ND	0.50	0.076	ug/l	
76-13-1	Freon 113	ND	1.0	0.34	ug/l	
591-78-6	2-Hexanone	ND	2.0	0.24	ug/l	
75-09-2	Methylene chloride	ND	0.50	0.37	ug/l	
108-10-1	4-Methyl-2-pentanone	ND	2.0	0.22	ug/l	
100-42-5	Styrene	ND	0.50	0.069	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	0.50	0.22	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.50	0.13	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	0.50	0.19	ug/l	
127-18-4	Tetrachloroethylene	ND	0.50	0.23	ug/l	
108-88-3	Toluene	ND	0.50	0.11	ug/l	

ND = Not detected

MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: TB042420ARH1		Date Sampled: 04/24/20
Lab Sample ID: JD6499-1		Date Received: 04/25/20
Matrix: AQ - Trip Blank Water		Percent Solids: n/a
Method: EPA 524.2 REV 4.1		
Project: Navy Wells OU2, Bethpage, NY		

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethylene	ND	0.50	0.20	ug/l	
75-01-4	Vinyl chloride	ND	0.50	0.15	ug/l	
	m,p-Xylene	ND	0.50	0.14	ug/l	
95-47-6	o-Xylene	ND	0.50	0.076	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2199-69-1	1,2-Dichlorobenzene-d4	89%		70-130%
460-00-4	4-Bromofluorobenzene	84%		70-130%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

(a) EPA 524.2 is not a certified method for non-potable water samples.

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.1
4

Report of Analysis

Client Sample ID: REP042420ARH1 Lab Sample ID: JD6499-2 Matrix: AQ - Water Method: EPA 524.2 REV 4.1 Project: Navy Wells OU2, Bethpage, NY	Date Sampled: 04/24/20 Date Received: 04/25/20 Percent Solids: n/a
---	---

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 ^a	1B123270.D	1	04/29/20 14:18	BK	n/a	n/a	V1B5971
Run #2							

Run #	Purge Volume
Run #1	5.0 ml
Run #2	

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	5.0	2.5	ug/l	
78-93-3	2-Butanone	ND	5.0	0.43	ug/l	
71-43-2	Benzene	ND	0.50	0.16	ug/l	
75-27-4	Bromodichloromethane	ND	0.50	0.13	ug/l	
75-25-2	Bromoform	ND	0.50	0.27	ug/l	
74-83-9	Bromomethane	ND	0.50	0.18	ug/l	
75-15-0	Carbon disulfide	ND	0.50	0.18	ug/l	
108-90-7	Chlorobenzene	ND	0.50	0.093	ug/l	
75-00-3	Chloroethane	ND	0.50	0.080	ug/l	
67-66-3	Chloroform	ND	0.50	0.17	ug/l	
74-87-3	Chloromethane	ND	0.50	0.13	ug/l	
56-23-5	Carbon tetrachloride	ND	0.50	0.24	ug/l	
75-34-3	1,1-Dichloroethane	ND	0.50	0.22	ug/l	
75-35-4	1,1-Dichloroethylene	ND	0.50	0.19	ug/l	
107-06-2	1,2-Dichloroethane	ND	0.50	0.18	ug/l	
78-87-5	1,2-Dichloropropane	ND	0.50	0.19	ug/l	
124-48-1	Dibromochloromethane	ND	0.50	0.14	ug/l	
156-60-5	trans-1,2-Dichloroethylene	ND	0.50	0.21	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	0.50	0.14	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	0.18	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	0.16	ug/l	
100-41-4	Ethylbenzene	ND	0.50	0.076	ug/l	
76-13-1	Freon 113	ND	1.0	0.34	ug/l	
591-78-6	2-Hexanone	ND	2.0	0.24	ug/l	
75-09-2	Methylene chloride	ND	0.50	0.37	ug/l	
108-10-1	4-Methyl-2-pentanone	ND	2.0	0.22	ug/l	
100-42-5	Styrene	ND	0.50	0.069	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	0.50	0.22	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.50	0.13	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	0.50	0.19	ug/l	
127-18-4	Tetrachloroethylene	ND	0.50	0.23	ug/l	
108-88-3	Toluene	ND	0.50	0.11	ug/l	

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.2
4

Report of Analysis

Client Sample ID: REP042420ARH1	Date Sampled: 04/24/20
Lab Sample ID: JD6499-2	Date Received: 04/25/20
Matrix: AQ - Water	Percent Solids: n/a
Method: EPA 524.2 REV 4.1	
Project: Navy Wells OU2, Bethpage, NY	

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethylene	ND	0.50	0.20	ug/l	
75-01-4	Vinyl chloride	ND	0.50	0.15	ug/l	
	m,p-Xylene	ND	0.50	0.14	ug/l	
95-47-6	o-Xylene	ND	0.50	0.076	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2199-69-1	1,2-Dichlorobenzene-d4	89%		70-130%
460-00-4	4-Bromofluorobenzene	86%		70-130%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

(a) EPA 524.2 is not a certified method for non-potable water samples.

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.2
4

Report of Analysis

Client Sample ID: BPOW5-7	Date Sampled: 04/24/20
Lab Sample ID: JD6499-3	Date Received: 04/25/20
Matrix: AQ - Water	Percent Solids: n/a
Method: EPA 524.2 REV 4.1	
Project: Navy Wells OU2, Bethpage, NY	

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 ^a	1B123266.D	1	04/29/20 12:13	BK	n/a	n/a	V1B5971
Run #2							

Run #	Purge Volume
Run #1	5.0 ml
Run #2	

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	5.0	2.5	ug/l	
78-93-3	2-Butanone	ND	5.0	0.43	ug/l	
71-43-2	Benzene	ND	0.50	0.16	ug/l	
75-27-4	Bromodichloromethane	ND	0.50	0.13	ug/l	
75-25-2	Bromoform	ND	0.50	0.27	ug/l	J
74-83-9	Bromomethane	ND	0.50	0.18	ug/l	
75-15-0	Carbon disulfide	ND	0.50	0.18	ug/l	
108-90-7	Chlorobenzene	ND	0.50	0.093	ug/l	
75-00-3	Chloroethane	ND	0.50	0.080	ug/l	
67-66-3	Chloroform	ND	0.50	0.17	ug/l	
74-87-3	Chloromethane	ND	0.50	0.13	ug/l	
56-23-5	Carbon tetrachloride	ND	0.50	0.24	ug/l	
75-34-3	1,1-Dichloroethane	ND	0.50	0.22	ug/l	
75-35-4	1,1-Dichloroethylene	ND	0.50	0.19	ug/l	
107-06-2	1,2-Dichloroethane	ND	0.50	0.18	ug/l	
78-87-5	1,2-Dichloropropane	ND	0.50	0.19	ug/l	
124-48-1	Dibromochloromethane	ND	0.50	0.14	ug/l	J
156-60-5	trans-1,2-Dichloroethylene	ND	0.50	0.21	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	0.50	0.14	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	0.18	ug/l	J
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	0.16	ug/l	
100-41-4	Ethylbenzene	ND	0.50	0.076	ug/l	
76-13-1	Freon 113	ND	1.0	0.34	ug/l	
591-78-6	2-Hexanone	ND	2.0	0.24	ug/l	J
75-09-2	Methylene chloride	ND	0.50	0.37	ug/l	
108-10-1	4-Methyl-2-pentanone	ND	2.0	0.22	ug/l	J
100-42-5	Styrene	ND	0.50	0.069	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	0.50	0.22	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.50	0.13	ug/l	J
79-00-5	1,1,2-Trichloroethane	ND	0.50	0.19	ug/l	J
127-18-4	Tetrachloroethylene	ND	0.50	0.23	ug/l	
108-88-3	Toluene	ND	0.50	0.11	ug/l	

ND = Not detected

MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: BPOW5-7 Lab Sample ID: JD6499-3 Matrix: AQ - Water Method: EPA 524.2 REV 4.1 Project: Navy Wells OU2, Bethpage, NY	Date Sampled: 04/24/20 Date Received: 04/25/20 Percent Solids: n/a
---	---

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethylene	ND	0.50	0.20	ug/l	
75-01-4	Vinyl chloride	ND	0.50	0.15	ug/l	
	m,p-Xylene	ND	0.50	0.14	ug/l	
95-47-6	o-Xylene	ND	0.50	0.076	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2199-69-1	1,2-Dichlorobenzene-d4	92%		70-130%
460-00-4	4-Bromofluorobenzene	87%		70-130%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

(a) EPA 524.2 is not a certified method for non-potable water samples.

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.3
4

Report of Analysis

Client Sample ID: BPOW5-4		Date Sampled: 04/24/20
Lab Sample ID: JD6499-4		Date Received: 04/25/20
Matrix: AQ - Water		Percent Solids: n/a
Method: EPA 524.2 REV 4.1		
Project: Navy Wells OU2, Bethpage, NY		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 ^a	1B123267.D	1	04/29/20 12:45	BK	n/a	n/a	V1B5971
Run #2							

Run #	Purge Volume
Run #1	5.0 ml
Run #2	

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	5.0	2.5	ug/l	
78-93-3	2-Butanone	ND	5.0	0.43	ug/l	
71-43-2	Benzene	ND	0.50	0.16	ug/l	
75-27-4	Bromodichloromethane	ND	0.50	0.13	ug/l	
75-25-2	Bromoform	ND	0.50	0.27	ug/l	
74-83-9	Bromomethane	ND	0.50	0.18	ug/l	
75-15-0	Carbon disulfide	ND	0.50	0.18	ug/l	
108-90-7	Chlorobenzene	ND	0.50	0.093	ug/l	
75-00-3	Chloroethane	ND	0.50	0.080	ug/l	
67-66-3	Chloroform	ND	0.50	0.17	ug/l	
74-87-3	Chloromethane	ND	0.50	0.13	ug/l	
56-23-5	Carbon tetrachloride	ND	0.50	0.24	ug/l	
75-34-3	1,1-Dichloroethane	ND	0.50	0.22	ug/l	
75-35-4	1,1-Dichloroethylene	ND	0.50	0.19	ug/l	
107-06-2	1,2-Dichloroethane	ND	0.50	0.18	ug/l	
78-87-5	1,2-Dichloropropane	ND	0.50	0.19	ug/l	
124-48-1	Dibromochloromethane	ND	0.50	0.14	ug/l	
156-60-5	trans-1,2-Dichloroethylene	ND	0.50	0.21	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	0.50	0.14	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	0.18	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	0.16	ug/l	
100-41-4	Ethylbenzene	ND	0.50	0.076	ug/l	
76-13-1	Freon 113	ND	1.0	0.34	ug/l	
591-78-6	2-Hexanone	ND	2.0	0.24	ug/l	
75-09-2	Methylene chloride	ND	0.50	0.37	ug/l	
108-10-1	4-Methyl-2-pentanone	ND	2.0	0.22	ug/l	
100-42-5	Styrene	ND	0.50	0.069	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	0.50	0.22	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.50	0.13	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	0.50	0.19	ug/l	
127-18-4	Tetrachloroethylene	ND	0.50	0.23	ug/l	
108-88-3	Toluene	ND	0.50	0.11	ug/l	

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.4
4

Report of Analysis

Client Sample ID: BPOW5-4		Date Sampled: 04/24/20
Lab Sample ID: JD6499-4		Date Received: 04/25/20
Matrix: AQ - Water		Percent Solids: n/a
Method: EPA 524.2 REV 4.1		
Project: Navy Wells OU2, Bethpage, NY		

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethylene	ND	0.50	0.20	ug/l	
75-01-4	Vinyl chloride	ND	0.50	0.15	ug/l	
	m,p-Xylene	ND	0.50	0.14	ug/l	
95-47-6	o-Xylene	ND	0.50	0.076	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2199-69-1	1,2-Dichlorobenzene-d4	93%		70-130%
460-00-4	4-Bromofluorobenzene	86%		70-130%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

(a) EPA 524.2 is not a certified method for non-potable water samples.

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.4
4

Report of Analysis

Client Sample ID:	TB042420BW1	Date Sampled:	04/24/20
Lab Sample ID:	JD6499-5	Date Received:	04/25/20
Matrix:	AQ - Trip Blank Water	Percent Solids:	n/a
Method:	EPA 524.2 REV 4.1		
Project:	Navy Wells OU2, Bethpage, NY		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 ^a	1B123274.D	1	04/29/20 16:23	BK	n/a	n/a	V1B5971
Run #2							

Run #	Purge Volume
Run #1	5.0 ml
Run #2	

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	5.0	2.5	ug/l	
78-93-3	2-Butanone	ND	5.0	0.43	ug/l	
71-43-2	Benzene	ND	0.50	0.16	ug/l	
75-27-4	Bromodichloromethane	ND	0.50	0.13	ug/l	
75-25-2	Bromoform	ND	0.50	0.27	ug/l	
74-83-9	Bromomethane	ND	0.50	0.18	ug/l	
75-15-0	Carbon disulfide	ND	0.50	0.18	ug/l	
108-90-7	Chlorobenzene	ND	0.50	0.093	ug/l	
75-00-3	Chloroethane	ND	0.50	0.080	ug/l	
67-66-3	Chloroform	ND	0.50	0.17	ug/l	
74-87-3	Chloromethane	ND	0.50	0.13	ug/l	
56-23-5	Carbon tetrachloride	ND	0.50	0.24	ug/l	
75-34-3	1,1-Dichloroethane	ND	0.50	0.22	ug/l	
75-35-4	1,1-Dichloroethylene	ND	0.50	0.19	ug/l	
107-06-2	1,2-Dichloroethane	ND	0.50	0.18	ug/l	
78-87-5	1,2-Dichloropropane	ND	0.50	0.19	ug/l	
124-48-1	Dibromochloromethane	ND	0.50	0.14	ug/l	
156-60-5	trans-1,2-Dichloroethylene	ND	0.50	0.21	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	0.50	0.14	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	0.18	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	0.16	ug/l	
100-41-4	Ethylbenzene	ND	0.50	0.076	ug/l	
76-13-1	Freon 113	ND	1.0	0.34	ug/l	
591-78-6	2-Hexanone	ND	2.0	0.24	ug/l	
75-09-2	Methylene chloride	ND	0.50	0.37	ug/l	
108-10-1	4-Methyl-2-pentanone	ND	2.0	0.22	ug/l	
100-42-5	Styrene	ND	0.50	0.069	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	0.50	0.22	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.50	0.13	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	0.50	0.19	ug/l	
127-18-4	Tetrachloroethylene	ND	0.50	0.23	ug/l	
108-88-3	Toluene	ND	0.50	0.11	ug/l	

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.5
4

Report of Analysis

Client Sample ID: TB042420BW1 Lab Sample ID: JD6499-5 Matrix: AQ - Trip Blank Water Method: EPA 524.2 REV 4.1 Project: Navy Wells OU2, Bethpage, NY	Date Sampled: 04/24/20 Date Received: 04/25/20 Percent Solids: n/a
--	---

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethylene	ND	0.50	0.20	ug/l	
75-01-4	Vinyl chloride	ND	0.50	0.15	ug/l	
	m,p-Xylene	ND	0.50	0.14	ug/l	
95-47-6	o-Xylene	ND	0.50	0.076	ug/l	
CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits		
2199-69-1	1,2-Dichlorobenzene-d4	90%		70-130%		
460-00-4	4-Bromofluorobenzene	86%		70-130%		
CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q	
	Total TIC, Volatile		0	ug/l		

(a) EPA 524.2 is not a certified method for non-potable water samples.

ND = Not detected	MDL = Method Detection Limit	J = Indicates an estimated value
RL = Reporting Limit		B = Indicates analyte found in associated method blank
E = Indicates value exceeds calibration range		N = Indicates presumptive evidence of a compound

4.5
4

Report of Analysis

Client Sample ID:	BPOW5-5	Date Sampled:	04/24/20
Lab Sample ID:	JD6499-6	Date Received:	04/25/20
Matrix:	AQ - Water	Percent Solids:	n/a
Method:	EPA 524.2 REV 4.1		
Project:	Navy Wells OU2, Bethpage, NY		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 ^a	1B123268.D	1	04/29/20 13:16	BK	n/a	n/a	V1B5971
Run #2							

Run #	Purge Volume
Run #1	5.0 ml
Run #2	

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	5.0	2.5	ug/l	
78-93-3	2-Butanone	ND	5.0	0.43	ug/l	
71-43-2	Benzene	ND	0.50	0.16	ug/l	
75-27-4	Bromodichloromethane	ND	0.50	0.13	ug/l	
75-25-2	Bromoform	ND	0.50	0.27	ug/l	
74-83-9	Bromomethane	ND	0.50	0.18	ug/l	
75-15-0	Carbon disulfide	ND	0.50	0.18	ug/l	
108-90-7	Chlorobenzene	ND	0.50	0.093	ug/l	
75-00-3	Chloroethane	ND	0.50	0.080	ug/l	
67-66-3	Chloroform	ND	0.50	0.17	ug/l	
74-87-3	Chloromethane	ND	0.50	0.13	ug/l	
56-23-5	Carbon tetrachloride	ND	0.50	0.24	ug/l	
75-34-3	1,1-Dichloroethane	ND	0.50	0.22	ug/l	
75-35-4	1,1-Dichloroethylene	ND	0.50	0.19	ug/l	
107-06-2	1,2-Dichloroethane	ND	0.50	0.18	ug/l	
78-87-5	1,2-Dichloropropane	ND	0.50	0.19	ug/l	
124-48-1	Dibromochloromethane	ND	0.50	0.14	ug/l	
156-60-5	trans-1,2-Dichloroethylene	ND	0.50	0.21	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	0.50	0.14	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	0.18	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	0.16	ug/l	
100-41-4	Ethylbenzene	ND	0.50	0.076	ug/l	
76-13-1	Freon 113	ND	1.0	0.34	ug/l	
591-78-6	2-Hexanone	ND	2.0	0.24	ug/l	
75-09-2	Methylene chloride	ND	0.50	0.37	ug/l	
108-10-1	4-Methyl-2-pentanone	ND	2.0	0.22	ug/l	
100-42-5	Styrene	ND	0.50	0.069	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	0.50	0.22	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.50	0.13	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	0.50	0.19	ug/l	
127-18-4	Tetrachloroethylene	ND	0.50	0.23	ug/l	
108-88-3	Toluene	ND	0.50	0.11	ug/l	

ND = Not detected

MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: BPOW5-5 Lab Sample ID: JD6499-6 Matrix: AQ - Water Method: EPA 524.2 REV 4.1 Project: Navy Wells OU2, Bethpage, NY	Date Sampled: 04/24/20 Date Received: 04/25/20 Percent Solids: n/a
---	---

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethylene	ND	0.50	0.20	ug/l	
75-01-4	Vinyl chloride	ND	0.50	0.15	ug/l	
	m,p-Xylene	ND	0.50	0.14	ug/l	
95-47-6	o-Xylene	ND	0.50	0.076	ug/l	
CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits		
2199-69-1	1,2-Dichlorobenzene-d4	92%		70-130%		
460-00-4	4-Bromofluorobenzene	85%		70-130%		
CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q	
	Total TIC, Volatile		0	ug/l		

(a) EPA 524.2 is not a certified method for non-potable water samples.

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.6
4

Report of Analysis

Client Sample ID:	BPOW5-6	Date Sampled:	04/24/20
Lab Sample ID:	JD6499-7	Date Received:	04/25/20
Matrix:	AQ - Water	Percent Solids:	n/a
Method:	EPA 524.2 REV 4.1		
Project:	Navy Wells OU2, Bethpage, NY		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 ^a	1B123269.D	1	04/29/20 13:47	BK	n/a	n/a	V1B5971
Run #2							

Run #	Purge Volume
Run #1	5.0 ml
Run #2	

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	5.0	2.5	ug/l	
78-93-3	2-Butanone	ND	5.0	0.43	ug/l	
71-43-2	Benzene	ND	0.50	0.16	ug/l	
75-27-4	Bromodichloromethane	ND	0.50	0.13	ug/l	
75-25-2	Bromoform	ND	0.50	0.27	ug/l	
74-83-9	Bromomethane	ND	0.50	0.18	ug/l	
75-15-0	Carbon disulfide	ND	0.50	0.18	ug/l	
108-90-7	Chlorobenzene	ND	0.50	0.093	ug/l	
75-00-3	Chloroethane	ND	0.50	0.080	ug/l	
67-66-3	Chloroform	ND	0.50	0.17	ug/l	
74-87-3	Chloromethane	ND	0.50	0.13	ug/l	
56-23-5	Carbon tetrachloride	ND	0.50	0.24	ug/l	
75-34-3	1,1-Dichloroethane	ND	0.50	0.22	ug/l	
75-35-4	1,1-Dichloroethylene	ND	0.50	0.19	ug/l	
107-06-2	1,2-Dichloroethane	ND	0.50	0.18	ug/l	
78-87-5	1,2-Dichloropropane	ND	0.50	0.19	ug/l	
124-48-1	Dibromochloromethane	ND	0.50	0.14	ug/l	
156-60-5	trans-1,2-Dichloroethylene	ND	0.50	0.21	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	0.50	0.14	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	0.18	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	0.16	ug/l	
100-41-4	Ethylbenzene	ND	0.50	0.076	ug/l	
76-13-1	Freon 113	ND	1.0	0.34	ug/l	
591-78-6	2-Hexanone	ND	2.0	0.24	ug/l	
75-09-2	Methylene chloride	ND	0.50	0.37	ug/l	
108-10-1	4-Methyl-2-pentanone	ND	2.0	0.22	ug/l	
100-42-5	Styrene	ND	0.50	0.069	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	0.50	0.22	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.50	0.13	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	0.50	0.19	ug/l	
127-18-4	Tetrachloroethylene	ND	0.50	0.23	ug/l	
108-88-3	Toluene	ND	0.50	0.11	ug/l	

ND = Not detected

MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: BPOW5-6 Lab Sample ID: JD6499-7 Matrix: AQ - Water Method: EPA 524.2 REV 4.1 Project: Navy Wells OU2, Bethpage, NY	Date Sampled: 04/24/20 Date Received: 04/25/20 Percent Solids: n/a
---	---

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethylene	ND	0.50	0.20	ug/l	
75-01-4	Vinyl chloride	ND	0.50	0.15	ug/l	
	m,p-Xylene	ND	0.50	0.14	ug/l	
95-47-6	o-Xylene	ND	0.50	0.076	ug/l	
CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits		
2199-69-1	1,2-Dichlorobenzene-d4	91%		70-130%		
460-00-4	4-Bromofluorobenzene	86%		70-130%		
CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q	
	Total TIC, Volatile		0	ug/l		

(a) EPA 524.2 is not a certified method for non-potable water samples.

ND = Not detected	MDL = Method Detection Limit	J = Indicates an estimated value
RL = Reporting Limit		B = Indicates analyte found in associated method blank
E = Indicates value exceeds calibration range		N = Indicates presumptive evidence of a compound

4.7
4

**Semi-Volatile
Certificate of Analysis
Sample Summary**

SDG Number: JD6499X
 Lab Sample ID: 510212001

 Client ID: REP042420ARH1
 Batch ID: 1994125
 Run Date: 05/11/2020 16:40
 Prep Date: 05/11/2020 09:00
 Data File: s051120.B\s6e1112.D

Date Collected: 04/24/2020 12:00
 Date Received: 04/28/2020 08:45
 Client: ACTL003
 Method: EPA 522
 Inst: MSD6.I
 Analyst: JMB3
 Aliquot: 100 mL
 Rtx-624

Matrix: WATER

 Project: ACTL00316
 SOP Ref: GL-OA-E-073
 Dilution: 1
 Inj. Vol: 1 uL
 Final Volume: 2 mL

CAS No.	Parname	Qualifier	Result	Units	MDL	LOD	LOQ
123-91-1	1,4-Dioxane	U	0.0800	ug/L	0.0400	0.0800	0.200

2

**Semi-Volatile
Certificate of Analysis
Sample Summary**

SDG Number: JD6499X
 Lab Sample ID: 510212002

 Client ID: BPOW5-7
 Batch ID: 1994125
 Run Date: 05/11/2020 17:06
 Prep Date: 05/11/2020 09:00
 Data File: s051120.B\s6e1113.D

Date Collected: 04/24/2020 11:05
 Date Received: 04/28/2020 08:45
 Client: ACTL003
 Method: EPA 522
 Inst: MSD6.I
 Analyst: JMB3
 Aliquot: 100 mL
 Rtx-624

Matrix: WATER

 Project: ACTL00316
 SOP Ref: GL-OA-E-073
 Dilution: 1
 Inj. Vol: 1 uL
 Final Volume: 2 mL

CAS No.	Parname	Qualifier	Result	Units	MDL	LOD	LOQ
123-91-1	1,4-Dioxane	U	0.0800	ug/L	0.0400	0.0800	0.200

2

**Semi-Volatile
Certificate of Analysis
Sample Summary**

SDG Number: JD6499X
 Lab Sample ID: 510212003
 Client ID: BPOW5-4
 Batch ID: 1994125
 Run Date: 05/11/2020 18:45
 Prep Date: 05/11/2020 09:00
 Data File: s051120.B\s6e1117.D

Date Collected: 04/24/2020 14:10
 Date Received: 04/28/2020 08:45
 Client: ACTL003
 Method: EPA 522
 Inst: MSD6.I
 Analyst: JMB3
 Aliquot: 100 mL
 Rtx-624

Matrix: WATER
 Project: ACTL00316
 SOP Ref: GL-OA-E-073
 Dilution: 1
 Inj. Vol: 1 uL
 Final Volume: 2 mL

CAS No.	Parname	Qualifier	Result	Units	MDL	LOD	LOQ
123-91-1	1,4-Dioxane		0.798	ug/L	0.0400	0.0800	0.200

2

**Semi-Volatile
Certificate of Analysis
Sample Summary**

SDG Number: JD6499X
 Lab Sample ID: 510212004

 Client ID: BPOW5-5
 Batch ID: 1994125
 Run Date: 05/11/2020 19:09
 Prep Date: 05/11/2020 09:00
 Data File: s051120.B\s6e1118.D

Date Collected: 04/24/2020 11:07
 Date Received: 04/28/2020 08:45
 Client: ACTL003
 Method: EPA 522
 Inst: MSD6.I
 Analyst: JMB3
 Aliquot: 100 mL
 Rtx-624

Matrix: WATER

 Project: ACTL00316
 SOP Ref: GL-OA-E-073
 Dilution: 1
 Inj. Vol: 1 uL
 Final Volume: 2 mL

CAS No.	Parname	Qualifier	Result	Units	MDL	LOD	LOQ
123-91-1	1,4-Dioxane		1.06	ug/L	0.0400	0.0800	0.200

2

**Semi-Volatile
Certificate of Analysis
Sample Summary**

SDG Number: JD6499X
 Lab Sample ID: 510212005

 Client ID: BPOW5-6
 Batch ID: 1994125
 Run Date: 05/11/2020 19:33
 Prep Date: 05/11/2020 09:00
 Data File: s051120.B\s6e1119.D

Date Collected: 04/24/2020 10:50
 Date Received: 04/28/2020 08:45
 Client: ACTL003
 Method: EPA 522
 Inst: MSD6.I
 Analyst: JMB3
 Aliquot: 100 mL
 Rtx-624

Matrix: WATER

 Project: ACTL00316
 SOP Ref: GL-OA-E-073
 Dilution: 1
 Inj. Vol: 1 uL
 Final Volume: 2 mL

CAS No.	Parname	Qualifier	Result	Units	MDL	LOD	LOQ
123-91-1	1,4-Dioxane		0.867	ug/L	0.0400	0.0800	0.200

2

Report of Analysis

Client Sample ID: TB042270MW1		Date Sampled: 04/27/20
Lab Sample ID: JD6520-1		Date Received: 04/28/20
Matrix: AQ - Trip Blank Water	Percent Solids: n/a	
Method: EPA 524.2 REV 4.1		
Project: Navy Wells OU2, Bethpage, NY		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 ^a	1B123276.D	1	04/29/20 17:25	BK	n/a	n/a	V1B5971
Run #2							

Run #	Purge Volume
Run #1	5.0 ml
Run #2	

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	5.0	2.5	ug/l	
78-93-3	2-Butanone	ND	5.0	0.43	ug/l	
71-43-2	Benzene	ND	0.50	0.16	ug/l	
75-27-4	Bromodichloromethane	ND	0.50	0.13	ug/l	
75-25-2	Bromoform	ND	0.50	0.27	ug/l	
74-83-9	Bromomethane	ND	0.50	0.18	ug/l	
75-15-0	Carbon disulfide	ND	0.50	0.18	ug/l	
108-90-7	Chlorobenzene	ND	0.50	0.093	ug/l	
75-00-3	Chloroethane	ND	0.50	0.080	ug/l	
67-66-3	Chloroform	ND	0.50	0.17	ug/l	
74-87-3	Chloromethane	ND	0.50	0.13	ug/l	
56-23-5	Carbon tetrachloride	ND	0.50	0.24	ug/l	
75-34-3	1,1-Dichloroethane	ND	0.50	0.22	ug/l	
75-35-4	1,1-Dichloroethylene	ND	0.50	0.19	ug/l	
107-06-2	1,2-Dichloroethane	ND	0.50	0.18	ug/l	
78-87-5	1,2-Dichloropropane	ND	0.50	0.19	ug/l	
124-48-1	Dibromochloromethane	ND	0.50	0.14	ug/l	
156-60-5	trans-1,2-Dichloroethylene	ND	0.50	0.21	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	0.50	0.14	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	0.18	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	0.16	ug/l	
100-41-4	Ethylbenzene	ND	0.50	0.076	ug/l	
76-13-1	Freon 113	ND	1.0	0.34	ug/l	
591-78-6	2-Hexanone	ND	2.0	0.24	ug/l	
75-09-2	Methylene chloride	ND	0.50	0.37	ug/l	
108-10-1	4-Methyl-2-pentanone	ND	2.0	0.22	ug/l	
100-42-5	Styrene	ND	0.50	0.069	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	0.50	0.22	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.50	0.13	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	0.50	0.19	ug/l	
127-18-4	Tetrachloroethylene	ND	0.50	0.23	ug/l	
108-88-3	Toluene	ND	0.50	0.11	ug/l	

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.1
4

Report of Analysis

Client Sample ID: TB042270MW1	Date Sampled: 04/27/20
Lab Sample ID: JD6520-1	Date Received: 04/28/20
Matrix: AQ - Trip Blank Water	Percent Solids: n/a
Method: EPA 524.2 REV 4.1	
Project: Navy Wells OU2, Bethpage, NY	

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethylene	ND	0.50	0.20	ug/l	
75-01-4	Vinyl chloride	ND	0.50	0.15	ug/l	
	m,p-Xylene	ND	0.50	0.14	ug/l	
95-47-6	o-Xylene	ND	0.50	0.076	ug/l	
CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits		
2199-69-1	1,2-Dichlorobenzene-d4	95%		70-130%		
460-00-4	4-Bromofluorobenzene	84%		70-130%		
CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q	
1066-40-6	Silanol, trimethyl-	9.15	1.7	ug/l	JN	
	Total TIC, Volatile		1.7	ug/l	J N	

(a) EPA 524.2 is not a certified method for non-potable water samples.

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.1
4

Report of Analysis

Client Sample ID:	TB042270BW1	Date Sampled:	04/27/20
Lab Sample ID:	JD6520-2	Date Received:	04/28/20
Matrix:	AQ - Trip Blank Water	Percent Solids:	n/a
Method:	EPA 524.2 REV 4.1		
Project:	Navy Wells OU2, Bethpage, NY		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 ^a	1B123277.D	1	04/29/20 17:56	BK	n/a	n/a	V1B5971
Run #2							

Run #	Purge Volume
Run #1	5.0 ml
Run #2	

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	5.0	2.5	ug/l	
78-93-3	2-Butanone	ND	5.0	0.43	ug/l	
71-43-2	Benzene	ND	0.50	0.16	ug/l	
75-27-4	Bromodichloromethane	ND	0.50	0.13	ug/l	
75-25-2	Bromoform	ND	0.50	0.27	ug/l	
74-83-9	Bromomethane	ND	0.50	0.18	ug/l	
75-15-0	Carbon disulfide	ND	0.50	0.18	ug/l	
108-90-7	Chlorobenzene	ND	0.50	0.093	ug/l	
75-00-3	Chloroethane	ND	0.50	0.080	ug/l	
67-66-3	Chloroform	ND	0.50	0.17	ug/l	
74-87-3	Chloromethane	ND	0.50	0.13	ug/l	
56-23-5	Carbon tetrachloride	ND	0.50	0.24	ug/l	
75-34-3	1,1-Dichloroethane	ND	0.50	0.22	ug/l	
75-35-4	1,1-Dichloroethylene	ND	0.50	0.19	ug/l	
107-06-2	1,2-Dichloroethane	ND	0.50	0.18	ug/l	
78-87-5	1,2-Dichloropropane	ND	0.50	0.19	ug/l	
124-48-1	Dibromochloromethane	ND	0.50	0.14	ug/l	
156-60-5	trans-1,2-Dichloroethylene	ND	0.50	0.21	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	0.50	0.14	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	0.18	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	0.16	ug/l	
100-41-4	Ethylbenzene	ND	0.50	0.076	ug/l	
76-13-1	Freon 113	ND	1.0	0.34	ug/l	
591-78-6	2-Hexanone	ND	2.0	0.24	ug/l	
75-09-2	Methylene chloride	ND	0.50	0.37	ug/l	
108-10-1	4-Methyl-2-pentanone	ND	2.0	0.22	ug/l	
100-42-5	Styrene	ND	0.50	0.069	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	0.50	0.22	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.50	0.13	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	0.50	0.19	ug/l	
127-18-4	Tetrachloroethylene	ND	0.50	0.23	ug/l	
108-88-3	Toluene	ND	0.50	0.11	ug/l	

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.2
4

Report of Analysis

Client Sample ID: TB042270BW1 Lab Sample ID: JD6520-2 Matrix: AQ - Trip Blank Water Method: EPA 524.2 REV 4.1 Project: Navy Wells OU2, Bethpage, NY	Date Sampled: 04/27/20 Date Received: 04/28/20 Percent Solids: n/a
--	---

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethylene	ND	0.50	0.20	ug/l	
75-01-4	Vinyl chloride	ND	0.50	0.15	ug/l	
	m,p-Xylene	ND	0.50	0.14	ug/l	
95-47-6	o-Xylene	ND	0.50	0.076	ug/l	
CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits		
2199-69-1	1,2-Dichlorobenzene-d4	90%		70-130%		
460-00-4	4-Bromofluorobenzene	82%		70-130%		
CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q	
1066-40-6	Silanol, trimethyl-	9.14	4.8	ug/l	JN	
	Total TIC, Volatile		4.8	ug/l	JN	

(a) EPA 524.2 is not a certified method for non-potable water samples.

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.2
4

Report of Analysis

Client Sample ID: BPOW6-1	Date Sampled: 04/27/20
Lab Sample ID: JD6520-3	Date Received: 04/28/20
Matrix: AQ - Water	Percent Solids: n/a
Method: EPA 524.2 REV 4.1	
Project: Navy Wells OU2, Bethpage, NY	

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 ^a	1B123278.D	1	04/29/20 18:27	BK	n/a	n/a	V1B5971
Run #2							

Run #	Purge Volume
Run #1	5.0 ml
Run #2	

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	5.0	2.5	ug/l	
78-93-3	2-Butanone	ND	5.0	0.43	ug/l	
71-43-2	Benzene	ND	0.50	0.16	ug/l	
75-27-4	Bromodichloromethane	ND	0.50	0.13	ug/l	
75-25-2	Bromoform	ND	0.50	0.27	ug/l	
74-83-9	Bromomethane	ND	0.50	0.18	ug/l	
75-15-0	Carbon disulfide	ND	0.50	0.18	ug/l	
108-90-7	Chlorobenzene	ND	0.50	0.093	ug/l	
75-00-3	Chloroethane	ND	0.50	0.080	ug/l	
67-66-3	Chloroform	ND	0.50	0.17	ug/l	
74-87-3	Chloromethane	ND	0.50	0.13	ug/l	
56-23-5	Carbon tetrachloride	ND	0.50	0.24	ug/l	
75-34-3	1,1-Dichloroethane	ND	0.50	0.22	ug/l	
75-35-4	1,1-Dichloroethylene	ND	0.50	0.19	ug/l	
107-06-2	1,2-Dichloroethane	ND	0.50	0.18	ug/l	
78-87-5	1,2-Dichloropropane	ND	0.50	0.19	ug/l	
124-48-1	Dibromochloromethane	ND	0.50	0.14	ug/l	
156-60-5	trans-1,2-Dichloroethylene	ND	0.50	0.21	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	0.50	0.14	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	0.18	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	0.16	ug/l	
100-41-4	Ethylbenzene	ND	0.50	0.076	ug/l	
76-13-1	Freon 113	ND	1.0	0.34	ug/l	
591-78-6	2-Hexanone	ND	2.0	0.24	ug/l	
75-09-2	Methylene chloride	ND	0.50	0.37	ug/l	
108-10-1	4-Methyl-2-pentanone	ND	2.0	0.22	ug/l	
100-42-5	Styrene	ND	0.50	0.069	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	0.50	0.22	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.50	0.13	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	0.50	0.19	ug/l	
127-18-4	Tetrachloroethylene	ND	0.50	0.23	ug/l	
108-88-3	Toluene	ND	0.50	0.11	ug/l	

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.3
4

Report of Analysis

Client Sample ID: BPOW6-1 Lab Sample ID: JD6520-3 Matrix: AQ - Water Method: EPA 524.2 REV 4.1 Project: Navy Wells OU2, Bethpage, NY	Date Sampled: 04/27/20 Date Received: 04/28/20 Percent Solids: n/a
---	---

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethylene	ND	0.50	0.20	ug/l	
75-01-4	Vinyl chloride	ND	0.50	0.15	ug/l	
	m,p-Xylene	ND	0.50	0.14	ug/l	
95-47-6	o-Xylene	ND	0.50	0.076	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2199-69-1	1,2-Dichlorobenzene-d4	95%		70-130%
460-00-4	4-Bromofluorobenzene	82%		70-130%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

(a) EPA 524.2 is not a certified method for non-potable water samples.

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.3
4

Report of Analysis

Client Sample ID: BPOW6-2 Lab Sample ID: JD6520-4 Matrix: AQ - Water Method: EPA 524.2 REV 4.1 Project: Navy Wells OU2, Bethpage, NY	Date Sampled: 04/27/20 Date Received: 04/28/20 Percent Solids: n/a
---	---

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 ^a	1B123279.D	1	04/29/20 18:58	BK	n/a	n/a	V1B5971
Run #2							

Run #	Purge Volume
Run #1	5.0 ml
Run #2	

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	5.0	2.5	ug/l	
78-93-3	2-Butanone	ND	5.0	0.43	ug/l	
71-43-2	Benzene	ND	0.50	0.16	ug/l	
75-27-4	Bromodichloromethane	ND	0.50	0.13	ug/l	
75-25-2	Bromoform	ND	0.50	0.27	ug/l	
74-83-9	Bromomethane	ND	0.50	0.18	ug/l	
75-15-0	Carbon disulfide	ND	0.50	0.18	ug/l	
108-90-7	Chlorobenzene	ND	0.50	0.093	ug/l	
75-00-3	Chloroethane	ND	0.50	0.080	ug/l	
67-66-3	Chloroform	ND	0.50	0.17	ug/l	
74-87-3	Chloromethane	ND	0.50	0.13	ug/l	
56-23-5	Carbon tetrachloride	ND	0.50	0.24	ug/l	
75-34-3	1,1-Dichloroethane	ND	0.50	0.22	ug/l	
75-35-4	1,1-Dichloroethylene	ND	0.50	0.19	ug/l	
107-06-2	1,2-Dichloroethane	ND	0.50	0.18	ug/l	
78-87-5	1,2-Dichloropropane	ND	0.50	0.19	ug/l	
124-48-1	Dibromochloromethane	ND	0.50	0.14	ug/l	
156-60-5	trans-1,2-Dichloroethylene	ND	0.50	0.21	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	0.50	0.14	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	0.18	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	0.16	ug/l	
100-41-4	Ethylbenzene	ND	0.50	0.076	ug/l	
76-13-1	Freon 113	ND	1.0	0.34	ug/l	
591-78-6	2-Hexanone	ND	2.0	0.24	ug/l	
75-09-2	Methylene chloride	ND	0.50	0.37	ug/l	
108-10-1	4-Methyl-2-pentanone	ND	2.0	0.22	ug/l	
100-42-5	Styrene	ND	0.50	0.069	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	0.50	0.22	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.50	0.13	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	0.50	0.19	ug/l	
127-18-4	Tetrachloroethylene	ND	0.50	0.23	ug/l	
108-88-3	Toluene	ND	0.50	0.11	ug/l	

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.4
4

Report of Analysis

Client Sample ID: BPOW6-2 Lab Sample ID: JD6520-4 Matrix: AQ - Water Method: EPA 524.2 REV 4.1 Project: Navy Wells OU2, Bethpage, NY	Date Sampled: 04/27/20 Date Received: 04/28/20 Percent Solids: n/a
---	---

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethylene	ND	0.50	0.20	ug/l	
75-01-4	Vinyl chloride	ND	0.50	0.15	ug/l	
	m,p-Xylene	ND	0.50	0.14	ug/l	
95-47-6	o-Xylene	ND	0.50	0.076	ug/l	
CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits		
2199-69-1	1,2-Dichlorobenzene-d4	92%		70-130%		
460-00-4	4-Bromofluorobenzene	85%		70-130%		
CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q	
	Total TIC, Volatile		0	ug/l		

(a) EPA 524.2 is not a certified method for non-potable water samples.

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.4
4

Report of Analysis

Client Sample ID: BPOW6-3	
Lab Sample ID: JD6520-5	Date Sampled: 04/27/20
Matrix: AQ - Water	Date Received: 04/28/20
Method: EPA 524.2 REV 4.1	Percent Solids: n/a
Project: Navy Wells OU2, Bethpage, NY	

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 ^a	1B123280.D	1	04/29/20 19:30	BK	n/a	n/a	V1B5971
Run #2							

Run #	Purge Volume
Run #1	5.0 ml
Run #2	

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	5.0	2.5	ug/l	
78-93-3	2-Butanone	ND	5.0	0.43	ug/l	
71-43-2	Benzene	ND	0.50	0.16	ug/l	
75-27-4	Bromodichloromethane	ND	0.50	0.13	ug/l	
75-25-2	Bromoform	ND	0.50	0.27	ug/l	
74-83-9	Bromomethane	ND	0.50	0.18	ug/l	
75-15-0	Carbon disulfide	ND	0.50	0.18	ug/l	
108-90-7	Chlorobenzene	ND	0.50	0.093	ug/l	
75-00-3	Chloroethane	ND	0.50	0.080	ug/l	
67-66-3	Chloroform	ND	0.50	0.17	ug/l	
74-87-3	Chloromethane	ND	0.50	0.13	ug/l	
56-23-5	Carbon tetrachloride	ND	0.50	0.24	ug/l	
75-34-3	1,1-Dichloroethane	ND	0.50	0.22	ug/l	
75-35-4	1,1-Dichloroethylene	ND	0.50	0.19	ug/l	
107-06-2	1,2-Dichloroethane	ND	0.50	0.18	ug/l	
78-87-5	1,2-Dichloropropane	ND	0.50	0.19	ug/l	
124-48-1	Dibromochloromethane	ND	0.50	0.14	ug/l	
156-60-5	trans-1,2-Dichloroethylene	ND	0.50	0.21	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	0.50	0.14	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	0.18	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	0.16	ug/l	
100-41-4	Ethylbenzene	ND	0.50	0.076	ug/l	
76-13-1	Freon 113	ND	1.0	0.34	ug/l	
591-78-6	2-Hexanone	ND	2.0	0.24	ug/l	
75-09-2	Methylene chloride	ND	0.50	0.37	ug/l	
108-10-1	4-Methyl-2-pentanone	ND	2.0	0.22	ug/l	
100-42-5	Styrene	ND	0.50	0.069	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	0.50	0.22	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.50	0.13	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	0.50	0.19	ug/l	
127-18-4	Tetrachloroethylene	ND	0.50	0.23	ug/l	
108-88-3	Toluene	ND	0.50	0.11	ug/l	

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: BPOW6-3		Date Sampled: 04/27/20
Lab Sample ID: JD6520-5		Date Received: 04/28/20
Matrix: AQ - Water		Percent Solids: n/a
Method: EPA 524.2 REV 4.1		
Project: Navy Wells OU2, Bethpage, NY		

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethylene	ND	0.50	0.20	ug/l	
75-01-4	Vinyl chloride	ND	0.50	0.15	ug/l	
	m,p-Xylene	ND	0.50	0.14	ug/l	
95-47-6	o-Xylene	ND	0.50	0.076	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2199-69-1	1,2-Dichlorobenzene-d4	93%		70-130%
460-00-4	4-Bromofluorobenzene	85%		70-130%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

(a) EPA 524.2 is not a certified method for non-potable water samples.

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.5
4

Report of Analysis

Client Sample ID: BPOW6-4	Date Sampled: 04/27/20
Lab Sample ID: JD6520-6	Date Received: 04/28/20
Matrix: AQ - Water	Percent Solids: n/a
Method: EPA 524.2 REV 4.1	
Project: Navy Wells OU2, Bethpage, NY	

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 ^a	1B123281.D	1	04/29/20 20:01	BK	n/a	n/a	V1B5971
Run #2							

Run #	Purge Volume
Run #1	5.0 ml
Run #2	

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	5.0	2.5	ug/l	
78-93-3	2-Butanone	ND	5.0	0.43	ug/l	
71-43-2	Benzene	ND	0.50	0.16	ug/l	
75-27-4	Bromodichloromethane	ND	0.50	0.13	ug/l	
75-25-2	Bromoform	ND	0.50	0.27	ug/l	
74-83-9	Bromomethane	ND	0.50	0.18	ug/l	
75-15-0	Carbon disulfide	ND	0.50	0.18	ug/l	
108-90-7	Chlorobenzene	ND	0.50	0.093	ug/l	
75-00-3	Chloroethane	ND	0.50	0.080	ug/l	
67-66-3	Chloroform	ND	0.50	0.17	ug/l	
74-87-3	Chloromethane	ND	0.50	0.13	ug/l	
56-23-5	Carbon tetrachloride	ND	0.50	0.24	ug/l	
75-34-3	1,1-Dichloroethane	ND	0.50	0.22	ug/l	
75-35-4	1,1-Dichloroethylene	ND	0.50	0.19	ug/l	
107-06-2	1,2-Dichloroethane	ND	0.50	0.18	ug/l	
78-87-5	1,2-Dichloropropane	ND	0.50	0.19	ug/l	
124-48-1	Dibromochloromethane	ND	0.50	0.14	ug/l	
156-60-5	trans-1,2-Dichloroethylene	ND	0.50	0.21	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	0.50	0.14	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	0.18	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	0.16	ug/l	
100-41-4	Ethylbenzene	ND	0.50	0.076	ug/l	
76-13-1	Freon 113	ND	1.0	0.34	ug/l	
591-78-6	2-Hexanone	ND	2.0	0.24	ug/l	
75-09-2	Methylene chloride	ND	0.50	0.37	ug/l	
108-10-1	4-Methyl-2-pentanone	ND	2.0	0.22	ug/l	
100-42-5	Styrene	ND	0.50	0.069	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	0.50	0.22	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.50	0.13	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	0.50	0.19	ug/l	
127-18-4	Tetrachloroethylene	ND	0.50	0.23	ug/l	
108-88-3	Toluene	ND	0.50	0.11	ug/l	

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.6
4

Report of Analysis

Client Sample ID: BPOW6-4 Lab Sample ID: JD6520-6 Matrix: AQ - Water Method: EPA 524.2 REV 4.1 Project: Navy Wells OU2, Bethpage, NY	Date Sampled: 04/27/20 Date Received: 04/28/20 Percent Solids: n/a
---	---

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethylene	ND	0.50	0.20	ug/l	
75-01-4	Vinyl chloride	ND	0.50	0.15	ug/l	
	m,p-Xylene	ND	0.50	0.14	ug/l	
95-47-6	o-Xylene	ND	0.50	0.076	ug/l	
CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits		
2199-69-1	1,2-Dichlorobenzene-d4	98%		70-130%		
460-00-4	4-Bromofluorobenzene	87%		70-130%		
CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q	
	Total TIC, Volatile		0	ug/l		

(a) EPA 524.2 is not a certified method for non-potable water samples.

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	BPOW6-5	Date Sampled:	04/27/20
Lab Sample ID:	JD6520-7	Date Received:	04/28/20
Matrix:	AQ - Water	Percent Solids:	n/a
Method:	EPA 524.2 REV 4.1		
Project:	Navy Wells OU2, Bethpage, NY		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 ^a	1B123282.D	1	04/29/20 20:32	BK	n/a	n/a	V1B5971
Run #2							

Run #	Purge Volume
Run #1	5.0 ml
Run #2	

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	5.0	2.5	ug/l	
78-93-3	2-Butanone	ND	5.0	0.43	ug/l	
71-43-2	Benzene	ND	0.50	0.16	ug/l	
75-27-4	Bromodichloromethane	ND	0.50	0.13	ug/l	
75-25-2	Bromoform	ND	0.50	0.27	ug/l	
74-83-9	Bromomethane	ND	0.50	0.18	ug/l	
75-15-0	Carbon disulfide	ND	0.50	0.18	ug/l	
108-90-7	Chlorobenzene	ND	0.50	0.093	ug/l	
75-00-3	Chloroethane	ND	0.50	0.080	ug/l	
67-66-3	Chloroform	ND	0.50	0.17	ug/l	
74-87-3	Chloromethane	ND	0.50	0.13	ug/l	
56-23-5	Carbon tetrachloride	ND	0.50	0.24	ug/l	
75-34-3	1,1-Dichloroethane	ND	0.50	0.22	ug/l	
75-35-4	1,1-Dichloroethylene	ND	0.50	0.19	ug/l	
107-06-2	1,2-Dichloroethane	ND	0.50	0.18	ug/l	
78-87-5	1,2-Dichloropropane	ND	0.50	0.19	ug/l	
124-48-1	Dibromochloromethane	ND	0.50	0.14	ug/l	
156-60-5	trans-1,2-Dichloroethylene	ND	0.50	0.21	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	0.50	0.14	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	0.18	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	0.16	ug/l	
100-41-4	Ethylbenzene	ND	0.50	0.076	ug/l	
76-13-1	Freon 113	ND	1.0	0.34	ug/l	
591-78-6	2-Hexanone	ND	2.0	0.24	ug/l	
75-09-2	Methylene chloride	ND	0.50	0.37	ug/l	
108-10-1	4-Methyl-2-pentanone	ND	2.0	0.22	ug/l	
100-42-5	Styrene	ND	0.50	0.069	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	0.50	0.22	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.50	0.13	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	0.50	0.19	ug/l	
127-18-4	Tetrachloroethylene	ND	0.50	0.23	ug/l	
108-88-3	Toluene	ND	0.50	0.11	ug/l	

ND = Not detected

MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: BPOW6-5 Lab Sample ID: JD6520-7 Matrix: AQ - Water Method: EPA 524.2 REV 4.1 Project: Navy Wells OU2, Bethpage, NY	Date Sampled: 04/27/20 Date Received: 04/28/20 Percent Solids: n/a
---	---

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethylene	ND	0.50	0.20	ug/l	
75-01-4	Vinyl chloride	ND	0.50	0.15	ug/l	
	m,p-Xylene	ND	0.50	0.14	ug/l	
95-47-6	o-Xylene	ND	0.50	0.076	ug/l	
CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits		
2199-69-1	1,2-Dichlorobenzene-d4	93%		70-130%		
460-00-4	4-Bromofluorobenzene	84%		70-130%		
CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q	
	Total TIC, Volatile		0	ug/l		

(a) EPA 524.2 is not a certified method for non-potable water samples.

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.7
4

**Semi-Volatile
Certificate of Analysis
Sample Summary**

SDG Number: JD6520X
 Lab Sample ID: 510374001

 Client ID: BPOW6-1
 Batch ID: 1994125
 Run Date: 05/11/2020 19:57
 Prep Date: 05/11/2020 09:00
 Data File: s051120.B\s6e1120.D

Date Collected: 04/27/2020 10:35
 Date Received: 04/30/2020 08:45
 Client: ACTL003
 Method: EPA 522
 Inst: MSD6.I
 Analyst: JMB3
 Aliquot: 100 mL
 Rx-624

Matrix: WATER

 Project: ACTL00316
 SOP Ref: GL-OA-E-073
 Dilution: 1
 Inj. Vol: 1 uL
 Final Volume: 2 mL

CAS No.	Parname	Qualifier	Result	Units	MDL	LOD	LOQ
123-91-1	1,4-Dioxane	U	0.0800	ug/L	0.0400	0.0800	0.200

2

**Semi-Volatile
Certificate of Analysis
Sample Summary**

SDG Number: JD6520X
 Lab Sample ID: 510374002
 Client ID: BPOW6-2
 Batch ID: 1994125
 Run Date: 05/11/2020 21:13
 Prep Date: 05/11/2020 09:00
 Data File: s051120.B\s6e1123.D

Date Collected: 04/27/2020 11:15
 Date Received: 04/30/2020 08:45
 Client: ACTL003
 Method: EPA 522
 Inst: MSD6.I
 Analyst: JMB3
 Aliquot: 100 mL
 Rx-624

Matrix: WATER
 Project: ACTL00316
 SOP Ref: GL-OA-E-073
 Dilution: 1
 Inj. Vol: 1 uL
 Final Volume: 2 mL

CAS No.	Parname	Qualifier	Result	Units	MDL	LOD	LOQ
123-91-1	1,4-Dioxane	U	0.0800	ug/L	0.0400	0.0800	0.200

2

**Semi-Volatile
Certificate of Analysis
Sample Summary**

SDG Number: JD6520X
 Lab Sample ID: 510374003

 Client ID: BPOW6-3
 Batch ID: 1994125
 Run Date: 05/11/2020 21:39
 Prep Date: 05/11/2020 09:00
 Data File: s051120.B\s6e1124.D

Date Collected: 04/27/2020 10:45
 Date Received: 04/30/2020 08:45
 Client: ACTL003
 Method: EPA 522
 Inst: MSD6.I
 Analyst: JMB3
 Aliquot: 100 mL
 Rx-624

Matrix: WATER

 Project: ACTL00316
 SOP Ref: GL-OA-E-073
 Dilution: 1
 Inj. Vol: 1 uL
 Final Volume: 2 mL

CAS No.	Parname	Qualifier	Result	Units	MDL	LOD	LOQ
123-91-1	1,4-Dioxane	U	0.0800	ug/L	0.0400	0.0800	0.200

2

**Semi-Volatile
Certificate of Analysis
Sample Summary**

SDG Number: JD6520X
 Lab Sample ID: 510374004

 Client ID: BPOW6-4
 Batch ID: 1994125
 Run Date: 05/11/2020 22:04
 Prep Date: 05/11/2020 09:00
 Data File: s051120.B\s6e1125.D

Date Collected: 04/27/2020 10:37
 Date Received: 04/30/2020 08:45
 Client: ACTL003
 Method: EPA 522
 Inst: MSD6.I
 Analyst: JMB3
 Aliquot: 100 mL
 Rtx-624

Matrix: WATER

 Project: ACTL00316
 SOP Ref: GL-OA-E-073
 Dilution: 1
 Inj. Vol: 1 uL
 Final Volume: 2 mL

CAS No.	Parname	Qualifier	Result	Units	MDL	LOD	LOQ
123-91-1	1,4-Dioxane	J	0.199	ug/L	0.0400	0.0800	0.200

2

**Semi-Volatile
Certificate of Analysis
Sample Summary**

SDG Number: JD6520X
 Lab Sample ID: 510374005
 Client ID: BPOW6-5
 Batch ID: 1994125
 Run Date: 05/11/2020 22:29
 Prep Date: 05/11/2020 09:00
 Data File: s051120.B\s6e1126.D

Date Collected: 04/27/2020 13:25
 Date Received: 04/30/2020 08:45
 Client: ACTL003
 Method: EPA 522
 Inst: MSD6.I
 Analyst: JMB3
 Aliquot: 100 mL
 Rtx-624

Matrix: WATER
 Project: ACTL00316
 SOP Ref: GL-OA-E-073
 Dilution: 1
 Inj. Vol: 1 uL
 Final Volume: 2 mL

CAS No.	Parname	Qualifier	Result	Units	MDL	LOD	LOQ
123-91-1	1,4-Dioxane	U	0.0800	ug/L	0.0400	0.0800	0.200

2

Report of Analysis

Client Sample ID: BPOW6-6	Date Sampled: 04/28/20
Lab Sample ID: JD6573-1	Date Received: 04/29/20
Matrix: AQ - Water	Percent Solids: n/a
Method: EPA 524.2 REV 4.1	
Project: Navy Wells OU2, Bethpage, NY	

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 ^a	1B123291.D	1	04/30/20 11:57	BK	n/a	n/a	V1B5972
Run #2							

Run #	Purge Volume
Run #1	5.0 ml
Run #2	

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	5.0	2.5	ug/l	
78-93-3	2-Butanone	ND	5.0	0.43	ug/l	
71-43-2	Benzene	ND	0.50	0.16	ug/l	
75-27-4	Bromodichloromethane	ND	0.50	0.13	ug/l	
75-25-2	Bromoform	ND	0.50	0.27	ug/l	
74-83-9	Bromomethane	ND	0.50	0.18	ug/l	
75-15-0	Carbon disulfide	ND	0.50	0.18	ug/l	
108-90-7	Chlorobenzene	ND	0.50	0.093	ug/l	
75-00-3	Chloroethane ^b	ND	0.50	0.080	ug/l	
67-66-3	Chloroform	ND	0.50	0.17	ug/l	
74-87-3	Chloromethane	ND	0.50	0.13	ug/l	
56-23-5	Carbon tetrachloride	ND	0.50	0.24	ug/l	
75-34-3	1,1-Dichloroethane	ND	0.50	0.22	ug/l	
75-35-4	1,1-Dichloroethylene	ND	0.50	0.19	ug/l	
107-06-2	1,2-Dichloroethane	ND	0.50	0.18	ug/l	
78-87-5	1,2-Dichloropropane	ND	0.50	0.19	ug/l	
124-48-1	Dibromochloromethane	ND	0.50	0.14	ug/l	
156-60-5	trans-1,2-Dichloroethylene	ND	0.50	0.21	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	0.50	0.14	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	0.18	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	0.16	ug/l	
100-41-4	Ethylbenzene	ND	0.50	0.076	ug/l	
76-13-1	Freon 113	ND	1.0	0.34	ug/l	
591-78-6	2-Hexanone	ND	2.0	0.24	ug/l	
75-09-2	Methylene chloride	ND	0.50	0.37	ug/l	
108-10-1	4-Methyl-2-pentanone	ND	2.0	0.22	ug/l	
100-42-5	Styrene	ND	0.50	0.069	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	0.50	0.22	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.50	0.13	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	0.50	0.19	ug/l	
127-18-4	Tetrachloroethylene	ND	0.50	0.23	ug/l	
108-88-3	Toluene	ND	0.50	0.11	ug/l	

ND = Not detected

MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: BPOW6-6 Lab Sample ID: JD6573-1 Matrix: AQ - Water Method: EPA 524.2 REV 4.1 Project: Navy Wells OU2, Bethpage, NY	Date Sampled: 04/28/20 Date Received: 04/29/20 Percent Solids: n/a
---	---

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethylene	ND	0.50	0.20	ug/l	
75-01-4	Vinyl chloride	ND	0.50	0.15	ug/l	
	m,p-Xylene	ND	0.50	0.14	ug/l	
95-47-6	o-Xylene	ND	0.50	0.076	ug/l	
CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits		
2199-69-1	1,2-Dichlorobenzene-d4	95%		70-130%		
460-00-4	4-Bromofluorobenzene	85%		70-130%		
CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q	
	Total TIC, Volatile		0	ug/l		

- (a) EPA 524.2 is not a certified method for non-potable water samples.
- (b) Associated CCV outside of control limits high, sample was ND.

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.1
4

Report of Analysis

Client Sample ID: TB042820DC1	Date Sampled: 04/28/20
Lab Sample ID: JD6573-4	Date Received: 04/29/20
Matrix: AQ - Trip Blank Water	Percent Solids: n/a
Method: EPA 524.2 REV 4.1	
Project: Navy Wells OU2, Bethpage, NY	

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 ^a	1B123295.D	1	04/30/20 14:02	BK	n/a	n/a	V1B5972
Run #2							

Run #	Purge Volume
Run #1	5.0 ml
Run #2	

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	5.0	2.5	ug/l	
78-93-3	2-Butanone	ND	5.0	0.43	ug/l	
71-43-2	Benzene	ND	0.50	0.16	ug/l	
75-27-4	Bromodichloromethane	ND	0.50	0.13	ug/l	
75-25-2	Bromoform	ND	0.50	0.27	ug/l	
74-83-9	Bromomethane	ND	0.50	0.18	ug/l	
75-15-0	Carbon disulfide	ND	0.50	0.18	ug/l	
108-90-7	Chlorobenzene	ND	0.50	0.093	ug/l	
75-00-3	Chloroethane ^b	ND	0.50	0.080	ug/l	
67-66-3	Chloroform	ND	0.50	0.17	ug/l	
74-87-3	Chloromethane	ND	0.50	0.13	ug/l	
56-23-5	Carbon tetrachloride	ND	0.50	0.24	ug/l	
75-34-3	1,1-Dichloroethane	ND	0.50	0.22	ug/l	
75-35-4	1,1-Dichloroethylene	ND	0.50	0.19	ug/l	
107-06-2	1,2-Dichloroethane	ND	0.50	0.18	ug/l	
78-87-5	1,2-Dichloropropane	ND	0.50	0.19	ug/l	
124-48-1	Dibromochloromethane	ND	0.50	0.14	ug/l	
156-60-5	trans-1,2-Dichloroethylene	ND	0.50	0.21	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	0.50	0.14	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	0.18	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	0.16	ug/l	
100-41-4	Ethylbenzene	ND	0.50	0.076	ug/l	
76-13-1	Freon 113	ND	1.0	0.34	ug/l	
591-78-6	2-Hexanone	ND	2.0	0.24	ug/l	
75-09-2	Methylene chloride	ND	0.50	0.37	ug/l	
108-10-1	4-Methyl-2-pentanone	ND	2.0	0.22	ug/l	
100-42-5	Styrene	ND	0.50	0.069	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	0.50	0.22	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.50	0.13	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	0.50	0.19	ug/l	
127-18-4	Tetrachloroethylene	ND	0.50	0.23	ug/l	
108-88-3	Toluene	ND	0.50	0.11	ug/l	

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.4
4

Report of Analysis

Client Sample ID: TB042820DC1		Date Sampled: 04/28/20
Lab Sample ID: JD6573-4		Date Received: 04/29/20
Matrix: AQ - Trip Blank Water		Percent Solids: n/a
Method: EPA 524.2 REV 4.1		
Project: Navy Wells OU2, Bethpage, NY		

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethylene	ND	0.50	0.20	ug/l	
75-01-4	Vinyl chloride	ND	0.50	0.15	ug/l	
	m,p-Xylene	ND	0.50	0.14	ug/l	
95-47-6	o-Xylene	ND	0.50	0.076	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2199-69-1	1,2-Dichlorobenzene-d4	89%		70-130%
460-00-4	4-Bromofluorobenzene	85%		70-130%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
1066-40-6	Silanol, trimethyl-	9.16	7.1	ug/l	JN
	Total TIC, Volatile		7.1	ug/l	J N

- (a) EPA 524.2 is not a certified method for non-potable water samples.
- (b) Associated CCV outside of control limits high, sample was ND.

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.4
4

**Semi-Volatile
Certificate of Analysis
Sample Summary**

SDG Number: JD6573X
 Lab Sample ID: 510377001

 Client ID: BPOW6-6
 Batch ID: 1994125
 Run Date: 05/11/2020 22:54
 Prep Date: 05/11/2020 09:00
 Data File: s051120.B\s6e1127.D

Date Collected: 04/28/2020 11:10
 Date Received: 04/30/2020 08:45
 Client: ACTL003
 Method: EPA 522
 Inst: MSD6.I
 Analyst: JMB3
 Aliquot: 100 mL
 Rtx-624

Matrix: WATER

 Project: ACTL00316
 SOP Ref: GL-OA-E-073
 Dilution: 1
 Inj. Vol: 1 uL
 Final Volume: 2 mL

CAS No.	Parname	Qualifier	Result	Units	MDL	LOD	LOQ
123-91-1	1,4-Dioxane	U	0.0800	ug/L	0.0400	0.0800	0.200

2

Report of Analysis

Client Sample ID: TT102D		Date Sampled: 04/28/20
Lab Sample ID: JD6573-2		Date Received: 04/29/20
Matrix: AQ - Water		Percent Solids: n/a
Method: EPA 524.2 REV 4.1		
Project: Navy Wells OU2, Bethpage, NY		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 ^a	1B123292.D	1	04/30/20 12:29	BK	n/a	n/a	V1B5972
Run #2							

Run #	Purge Volume
Run #1	5.0 ml
Run #2	

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	5.0	2.5	ug/l	
78-93-3	2-Butanone	ND	5.0	0.43	ug/l	
71-43-2	Benzene	ND	0.50	0.16	ug/l	
75-27-4	Bromodichloromethane	ND	0.50	0.13	ug/l	
75-25-2	Bromoform	ND	0.50	0.27	ug/l	
74-83-9	Bromomethane	ND	0.50	0.18	ug/l	
75-15-0	Carbon disulfide	ND	0.50	0.18	ug/l	
108-90-7	Chlorobenzene	ND	0.50	0.093	ug/l	
75-00-3	Chloroethane ^b	ND	0.50	0.080	ug/l	
67-66-3	Chloroform	ND	0.50	0.17	ug/l	
74-87-3	Chloromethane	ND	0.50	0.13	ug/l	
56-23-5	Carbon tetrachloride	ND	0.50	0.24	ug/l	
75-34-3	1,1-Dichloroethane	ND	0.50	0.22	ug/l	
75-35-4	1,1-Dichloroethylene	ND	0.50	0.19	ug/l	
107-06-2	1,2-Dichloroethane	ND	0.50	0.18	ug/l	
78-87-5	1,2-Dichloropropane	ND	0.50	0.19	ug/l	
124-48-1	Dibromochloromethane	ND	0.50	0.14	ug/l	
156-60-5	trans-1,2-Dichloroethylene	ND	0.50	0.21	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	0.50	0.14	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	0.18	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	0.16	ug/l	
100-41-4	Ethylbenzene	ND	0.50	0.076	ug/l	
76-13-1	Freon 113	ND	1.0	0.34	ug/l	
591-78-6	2-Hexanone	ND	2.0	0.24	ug/l	
75-09-2	Methylene chloride	ND	0.50	0.37	ug/l	
108-10-1	4-Methyl-2-pentanone	ND	2.0	0.22	ug/l	
100-42-5	Styrene	ND	0.50	0.069	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	0.50	0.22	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.50	0.13	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	0.50	0.19	ug/l	
127-18-4	Tetrachloroethylene	ND	0.50	0.23	ug/l	
108-88-3	Toluene	ND	0.50	0.11	ug/l	

ND = Not detected MDL = Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: TT102D		Date Sampled: 04/28/20
Lab Sample ID: JD6573-2		Date Received: 04/29/20
Matrix: AQ - Water		Percent Solids: n/a
Method: EPA 524.2 REV 4.1		
Project: Navy Wells OU2, Bethpage, NY		

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethylene	ND	0.50	0.20	ug/l	
75-01-4	Vinyl chloride	ND	0.50	0.15	ug/l	
	m,p-Xylene	ND	0.50	0.14	ug/l	
95-47-6	o-Xylene	ND	0.50	0.076	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2199-69-1	1,2-Dichlorobenzene-d4	93%		70-130%
460-00-4	4-Bromofluorobenzene	82%		70-130%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

- (a) EPA 524.2 is not a certified method for non-potable water samples.
- (b) Associated CCV outside of control limits high, sample was ND.

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: TT102D2		Date Sampled: 04/28/20
Lab Sample ID: JD6573-3		Date Received: 04/29/20
Matrix: AQ - Water		Percent Solids: n/a
Method: EPA 524.2 REV 4.1		
Project: Navy Wells OU2, Bethpage, NY		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 ^a	1B123290.D	1	04/30/20 11:26	BK	n/a	n/a	V1B5972
Run #2							

Run #	Purge Volume
Run #1	5.0 ml
Run #2	

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	5.0	2.5	ug/l	
78-93-3	2-Butanone	ND	5.0	0.43	ug/l	
71-43-2	Benzene	ND	0.50	0.16	ug/l	
75-27-4	Bromodichloromethane	ND	0.50	0.13	ug/l	
75-25-2	Bromoform	ND	0.50	0.27	ug/l	J
74-83-9	Bromomethane	ND	0.50	0.18	ug/l	J
75-15-0	Carbon disulfide	ND	0.50	0.18	ug/l	
108-90-7	Chlorobenzene	ND	0.50	0.093	ug/l	
75-00-3	Chloroethane ^b	ND	0.50	0.080	ug/l	
67-66-3	Chloroform	ND	0.50	0.17	ug/l	
74-87-3	Chloromethane	ND	0.50	0.13	ug/l	
56-23-5	Carbon tetrachloride	ND	0.50	0.24	ug/l	
75-34-3	1,1-Dichloroethane	ND	0.50	0.22	ug/l	
75-35-4	1,1-Dichloroethylene	ND	0.50	0.19	ug/l	
107-06-2	1,2-Dichloroethane	ND	0.50	0.18	ug/l	
78-87-5	1,2-Dichloropropane	ND	0.50	0.19	ug/l	
124-48-1	Dibromochloromethane	ND	0.50	0.14	ug/l	
156-60-5	trans-1,2-Dichloroethylene	ND	0.50	0.21	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	0.50	0.14	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	0.18	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	0.16	ug/l	
100-41-4	Ethylbenzene	ND	0.50	0.076	ug/l	
76-13-1	Freon 113	ND	1.0	0.34	ug/l	
591-78-6	2-Hexanone	ND	2.0	0.24	ug/l	
75-09-2	Methylene chloride	ND	0.50	0.37	ug/l	
108-10-1	4-Methyl-2-pentanone	ND	2.0	0.22	ug/l	
100-42-5	Styrene	ND	0.50	0.069	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	0.50	0.22	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.50	0.13	ug/l	J
79-00-5	1,1,2-Trichloroethane	ND	0.50	0.19	ug/l	J
127-18-4	Tetrachloroethylene	ND	0.50	0.23	ug/l	
108-88-3	Toluene	ND	0.50	0.11	ug/l	

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: TT102D2	Date Sampled: 04/28/20
Lab Sample ID: JD6573-3	Date Received: 04/29/20
Matrix: AQ - Water	Percent Solids: n/a
Method: EPA 524.2 REV 4.1	
Project: Navy Wells OU2, Bethpage, NY	

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethylene	ND	0.50	0.20	ug/l	
75-01-4	Vinyl chloride	ND	0.50	0.15	ug/l	
	m,p-Xylene	ND	0.50	0.14	ug/l	
95-47-6	o-Xylene	ND	0.50	0.076	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2199-69-1	1,2-Dichlorobenzene-d4	95%		70-130%
460-00-4	4-Bromofluorobenzene	84%		70-130%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

(a) EPA 524.2 is not a certified method for non-potable water samples.

(b) Associated CCV outside of control limits high, sample was ND.

ND = Not detected MDL = Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

4.3
4

Report of Analysis

Client Sample ID: TB042820ARG	Date Sampled: 04/28/20
Lab Sample ID: JD6573-5	Date Received: 04/29/20
Matrix: AQ - Trip Blank Water	Percent Solids: n/a
Method: EPA 524.2 REV 4.1	
Project: Navy Wells OU2, Bethpage, NY	

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 ^a	1B123296.D	1	04/30/20 14:33	BK	n/a	n/a	V1B5972
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	5.0	2.5	ug/l	
78-93-3	2-Butanone	ND	5.0	0.43	ug/l	
71-43-2	Benzene	ND	0.50	0.16	ug/l	
75-27-4	Bromodichloromethane	ND	0.50	0.13	ug/l	
75-25-2	Bromoform	ND	0.50	0.27	ug/l	
74-83-9	Bromomethane	ND	0.50	0.18	ug/l	
75-15-0	Carbon disulfide	ND	0.50	0.18	ug/l	
108-90-7	Chlorobenzene	ND	0.50	0.093	ug/l	
75-00-3	Chloroethane ^b	ND	0.50	0.080	ug/l	
67-66-3	Chloroform	ND	0.50	0.17	ug/l	
74-87-3	Chloromethane	ND	0.50	0.13	ug/l	
56-23-5	Carbon tetrachloride	ND	0.50	0.24	ug/l	
75-34-3	1,1-Dichloroethane	ND	0.50	0.22	ug/l	
75-35-4	1,1-Dichloroethylene	ND	0.50	0.19	ug/l	
107-06-2	1,2-Dichloroethane	ND	0.50	0.18	ug/l	
78-87-5	1,2-Dichloropropane	ND	0.50	0.19	ug/l	
124-48-1	Dibromochloromethane	ND	0.50	0.14	ug/l	
156-60-5	trans-1,2-Dichloroethylene	ND	0.50	0.21	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	0.50	0.14	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	0.18	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	0.16	ug/l	
100-41-4	Ethylbenzene	ND	0.50	0.076	ug/l	
76-13-1	Freon 113	ND	1.0	0.34	ug/l	
591-78-6	2-Hexanone	ND	2.0	0.24	ug/l	
75-09-2	Methylene chloride	ND	0.50	0.37	ug/l	
108-10-1	4-Methyl-2-pentanone	ND	2.0	0.22	ug/l	
100-42-5	Styrene	ND	0.50	0.069	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	0.50	0.22	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.50	0.13	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	0.50	0.19	ug/l	
127-18-4	Tetrachloroethylene	ND	0.50	0.23	ug/l	
108-88-3	Toluene	ND	0.50	0.11	ug/l	

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.5
4

Report of Analysis

Client Sample ID: TB042820ARG		Date Sampled: 04/28/20
Lab Sample ID: JD6573-5		Date Received: 04/29/20
Matrix: AQ - Trip Blank Water		Percent Solids: n/a
Method: EPA 524.2 REV 4.1		
Project: Navy Wells OU2, Bethpage, NY		

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethylene	ND	0.50	0.20	ug/l	
75-01-4	Vinyl chloride	ND	0.50	0.15	ug/l	
	m,p-Xylene	ND	0.50	0.14	ug/l	
95-47-6	o-Xylene	ND	0.50	0.076	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2199-69-1	1,2-Dichlorobenzene-d4	95%		70-130%
460-00-4	4-Bromofluorobenzene	86%		70-130%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
1066-40-6	Silanol, trimethyl-	9.17	.58	ug/l	JN
	Total TIC, Volatile		.58	ug/l	J N

- (a) EPA 524.2 is not a certified method for non-potable water samples.
- (b) Associated CCV outside of control limits high, sample was ND.

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.5
4

Report of Analysis

Client Sample ID: REP042820ARH1		
Lab Sample ID: JD6573-6		Date Sampled: 04/28/20
Matrix: AQ - Water		Date Received: 04/29/20
Method: EPA 524.2 REV 4.1		Percent Solids: n/a
Project: Navy Wells OU2, Bethpage, NY		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 ^a	1B123298.D	1	04/30/20 15:35	BK	n/a	n/a	V1B5972
Run #2							

Run #	Purge Volume
Run #1	5.0 ml
Run #2	

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
67-64-1	Acetone	ND	5.0	2.5	ug/l	
78-93-3	2-Butanone	ND	5.0	0.43	ug/l	
71-43-2	Benzene	ND	0.50	0.16	ug/l	
75-27-4	Bromodichloromethane	ND	0.50	0.13	ug/l	
75-25-2	Bromoform	ND	0.50	0.27	ug/l	
74-83-9	Bromomethane	ND	0.50	0.18	ug/l	
75-15-0	Carbon disulfide	ND	0.50	0.18	ug/l	
108-90-7	Chlorobenzene	ND	0.50	0.093	ug/l	
75-00-3	Chloroethane ^b	ND	0.50	0.080	ug/l	
67-66-3	Chloroform	ND	0.50	0.17	ug/l	
74-87-3	Chloromethane	ND	0.50	0.13	ug/l	
56-23-5	Carbon tetrachloride	ND	0.50	0.24	ug/l	
75-34-3	1,1-Dichloroethane	ND	0.50	0.22	ug/l	
75-35-4	1,1-Dichloroethylene	ND	0.50	0.19	ug/l	
107-06-2	1,2-Dichloroethane	ND	0.50	0.18	ug/l	
78-87-5	1,2-Dichloropropane	ND	0.50	0.19	ug/l	
124-48-1	Dibromochloromethane	ND	0.50	0.14	ug/l	
156-60-5	trans-1,2-Dichloroethylene	ND	0.50	0.21	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	0.50	0.14	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	0.18	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	0.16	ug/l	
100-41-4	Ethylbenzene	ND	0.50	0.076	ug/l	
76-13-1	Freon 113	ND	1.0	0.34	ug/l	
591-78-6	2-Hexanone	ND	2.0	0.24	ug/l	
75-09-2	Methylene chloride	ND	0.50	0.37	ug/l	
108-10-1	4-Methyl-2-pentanone	ND	2.0	0.22	ug/l	
100-42-5	Styrene	ND	0.50	0.069	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	0.50	0.22	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.50	0.13	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	0.50	0.19	ug/l	
127-18-4	Tetrachloroethylene	ND	0.50	0.23	ug/l	
108-88-3	Toluene	ND	0.50	0.11	ug/l	

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.6
4

Report of Analysis

Client Sample ID: REP042820ARH1	Date Sampled: 04/28/20
Lab Sample ID: JD6573-6	Date Received: 04/29/20
Matrix: AQ - Water	Percent Solids: n/a
Method: EPA 524.2 REV 4.1	
Project: Navy Wells OU2, Bethpage, NY	

VOA OU2 Outpost List

CAS No.	Compound	Result	RL	MDL	Units	Q
79-01-6	Trichloroethylene	ND	0.50	0.20	ug/l	
75-01-4	Vinyl chloride	ND	0.50	0.15	ug/l	
	m,p-Xylene	ND	0.50	0.14	ug/l	
95-47-6	o-Xylene	ND	0.50	0.076	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2199-69-1	1,2-Dichlorobenzene-d4	89%		70-130%
460-00-4	4-Bromofluorobenzene	85%		70-130%

CAS No.	Tentatively Identified Compounds	R. T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

(a) EPA 524.2 is not a certified method for non-potable water samples.

(b) Associated CCV outside of control limits high, sample was ND.

ND = Not detected MDL = Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

4.6
4

Report of Analytical Results

Client: ARCADIS
Lab ID: SN3254-1
Client ID: TT102D
Project: OU2-Northrop Grumman, Bethpage, NY
SDG: SN3254
Lab File ID: G0849.D

Sample Date: 28-APR-20
Received Date: 29-APR-20
Extract Date: 30-APR-20
Extracted By: MR
Extraction Method: SW846 3520C
Lab Prep Batch: WG276741

Analysis Date: 01-MAY-20
Analyst: JCG
Analysis Method: SW846 8270D SIM
Matrix: AQ
% Solids: NA
Report Date: 04-MAY-20

Compound	Qualifier	Result	Units	Dilution	PQL	ADJ PQL	ADJ MDL
1,4-Dioxane		0.64	ug/L	1	.25	0.24	0.080
1,4-Dioxane-D8		107.	%				

Report of Analytical Results

Client: ARCADIS
Lab ID: SN3254-2
Client ID: TT102D2
Project: OU2-Northrop Grumman, Bethpage, NY
SDG: SN3254
Lab File ID: G0850.D

Sample Date: 28-APR-20
Received Date: 29-APR-20
Extract Date: 30-APR-20
Extracted By: MR
Extraction Method: SW846 3520C
Lab Prep Batch: WG276741

Analysis Date: 01-MAY-20
Analyst: JCG
Analysis Method: SW846 8270D SIM
Matrix: AQ
% Solids: NA
Report Date: 04-MAY-20

Compound	Qualifier	Result	Units	Dilution	PQL	ADJ PQL	ADJ MDL
1,4-Dioxane	U	0.23	ug/L	1	.25	0.23	0.079
1,4-Dioxane-D8		98.7	%				

Report of Analytical Results

Client: ARCADIS
Lab ID: SN3254-3
Client ID: REP042820-ARH-1
Project: OU2-Northrop Grumman, Bethpage, NY
SDG: SN3254
Lab File ID: G0851.D

Sample Date: 28-APR-20
Received Date: 29-APR-20
Extract Date: 30-APR-20
Extracted By: MR
Extraction Method: SW846 3520C
Lab Prep Batch: WG276741

Analysis Date: 01-MAY-20
Analyst: JCG
Analysis Method: SW846 8270D SIM
Matrix: AQ
% Solids: NA
Report Date: 04-MAY-20

Compound	Qualifier	Result	Units	Dilution	PQL	ADJ PQL	ADJ MDL
1,4-Dioxane		0.66	ug/L	1	.25	0.24	0.080
1,4-Dioxane-D8		97.4	%				