

Mr. Steven Scharf, P.E.
New York State Department of Environmental Conservation
Division of Environmental Remediation
625 Broadway
Albany, NY 12233-7015



Subject:

Final Closure Report, Former Grumman Plant 2 Soil Vapor Extraction System,
Operable Unit 1, Bethpage, New York.

Dear Mr. Scharf:

On behalf of Northrop Grumman Systems Corporation (Northrop Grumman), ARCADIS has prepared this final closure report providing the results of the field investigation conducted at the Soil Vapor Extraction (SVE) System located at former Grumman Plant 2 building, in Bethpage, New York. The investigation was conducted to determine whether the SVE system remedial objectives and termination criteria have been satisfied. The SVE system is associated with Operable Unit 1 (OU1) of the former Grumman Aerospace Corporation (GAC) State Superfund Site (NYSDEC Site #1-30-003A) (Site).

Background

Figure 1 shows the location of the Site and the Plant 2 SVE system. In 1991, analytical results of soil samples obtained from GAC Remedial Investigation Borings B-2, B-3 and B-5 indicated VOC concentrations (primarily trichloroethene [TCE]) from land surface to depths of 20 ft bls with TCE concentrations ranging up to 1,200,000 micrograms per kilogram ($\mu\text{g}/\text{kg}$) (Geraghty & Miller, Inc 1994).

The Plant 2 SVE system commenced operation on December 6, 1994, initially as an interim remedial measure (IRM), at former Grumman Plant 2. Subsequently, the SVE system was selected by the New York State Department of Environmental Conservation (NYSDEC) as the permanent remedy for OU1, as stated in the March 1995 NYSDC Record of Decision (ROD).

The Plant 2 SVE system consists of a single vapor extraction well (SVE-1); the off-gas treatment via vapor phase granular activated carbon, and several monitoring wells. The SVE system was designed to remove chlorinated volatile organic compounds (VOCs), primarily trichloroethene (TCE), from unsaturated subsurface

ARCADIS
Two Huntington Quadrangle
Suite 1S10
Melville
New York 11747
Tel 631.249.7600
Fax 631.249.7610
www.arcadis-us.com

ENVIRONMENT

Date:
April 16, 2008

Contact:
David E. Stern

Phone:
631-391-5284

Email:
David.stern@arcadis-us.com

Our ref:
NY001464.0608.00003

soil in an area adjacent to the former TCE aboveground storage tank, which had been located at the northern perimeter of former Grumman Plant 2 (Figure 2). The SVE system has operated historically on a continuous and pulsed (i.e., on/off) basis, and is currently in operation.

Plant 2 SVE System Performance Assessment

Table 1 provides the past two years of sampling results of the Plant 2 SVE system influent. Using the airflow rate and VOCs concentrations detected in the SVE system influent, the monthly total VOC mass removal rate for the SVE system in 2006 and 2007 ranged from 0.3 to 1.3 pounds/month (lb/mo). These data are consistent with overall downward and asymptotic trend in VOC concentrations observed over the last seven years and indicate that the system has achieved the limit of its effectiveness.

Well GM-32S (Table 2; Figure 2) has been sampled in accordance with the NYSDEC-approved Groundwater Monitoring Plan (ARCADIS Geraghty & Miller, Inc. 2001; ARCADIS G&M, Inc. 2004; 2006). Since 1998, the analytical results of samples collected have been provided to NYSDEC on a quarterly basis. Based on the most recent three rounds of groundwater samples from Well GM-32S, VOC concentrations have ranged from non-detect to 6.6 micrograms per liter ($\mu\text{g/L}$) (Figure 2) and two of the three results did not exceed the Standards, Criteria, and Guidance Values (SCGs) that are promulgated in 6 NYCRR, Part 703. These data, in conjunction with the soils data (below), indicate that the area subject to the SVE system is not a significant source of VOCs in groundwater.

Based on the above information, it was determined that the Plant 2 SVE system appeared to have achieved the limits of its effectiveness. Therefore, the Former Plant 2 Soil Vapor Extraction System Closure Work Plan (Work Plan) was prepared and submitted on March 5, 2007 to Northrop Grumman and the NYSDEC. With NYSDEC acceptance of the Work Plan, the work was performed in November 2007. In general, the sample collection and analytical methods were implemented as described in the Work Plan, with the minor exceptions noted below.

Plant 2 SVE System Closure Sampling Program

In accordance with the provisions of the Work Plan, the scope of work for investigation of soil and soil gas was implemented, with modifications to the scope of work, based on field conditions, as noted below. Field records and analytical laboratory reports are provided as Attachments 1 and 2, respectively, to this report.

Soil Investigation

The soil component to the closure investigation was conducted by drilling soil vertical profile borings (VPBs) by using direct push technology (e.g. Geoprobe®) and soil samples were collected in Geoprobe Macrocore™ samplers.

Modifications to the work plan included deepening of the shallowest soil samples to an interval of 1 to 3 ft bls due to the presence of a 1-ft thick concrete slab that and terminating the borings at 40 ft bls due to Geoprobe unit refusal.

Soil samples obtained from the VPBs were utilized to characterize borehole geology. Based on these data, the lithologic sequence from land surface downward generally consists of concrete and asphalt, underlain by native soils primarily consisting of interbedded fine to coarse sands.

Two soil borings (SB-1 and SB-2) were completed and four samples per boring were collected for laboratory analysis from each boring (total of eight samples). Soil samples were analyzed for Total Compound List (TCL) volatile organic compounds (VOC) using NYSDEC Method ASP 2000 and validated using United States Environmental Protection Agency (USEPA) 1999 protocols. Sample results are provided in Table 3 and soil boring locations and detected constituents are shown in Figure 2.

Soil Gas Investigation

The soil gas component to the closure investigation was conducted by using direct push technology (e.g. Geoprobe®) and post-run tubing (PRT), with samples collected using SUMMA canisters. Soil gas was sampled at a total of four locations. At each location, samples were collected from 2 ft bls, with samples collected at one location also from 15 and 40 ft bls. Soil gas locations are shown on Figure 3. Soil gas samples were analyzed for TCL VOCs under the USEPA Method TO-15 and validated using USEPA 1999 protocols. Results are provided in Table 4; sample locations and detections are shown on Figure 3.

Discussion of Findings

The March 1995 ROD indicates that the remedial goals for soil were to be those specified in the formerly-used Technical and Administrative Guidance Memorandum (TAGM) #4046. Since that time, the NYSDEC has developed soil cleanup objectives (SCOs) under Part 375 of Section 6 of the New York State Code of Rules and

Regulations (6 NYCRR). The Part 375 SCOs are used to evaluate the soil data presented herein. Based on property usage, the soil samples were compared to the Part 375-6 Remedial Program Soil Cleanup Objectives for Industrial Use (Industrial SCOs). Based on VOCs detected in groundwater (in Well GM-32S), the soil data were also compared to the 6 NYCRR Part 375-6 Remedial Program Soil Cleanup Objectives for Protection of Groundwater (Protection of Groundwater SCOs); SCOs for the VOC analyzed for are presented in Table 3.

No standards currently exist for evaluation of soil gas samples, therefore a correlative evaluation of the soil gas data to soil and groundwater data was performed.

Soil Closure Investigation Findings

Analytical results of soil samples obtained from soil VPBs are provided in Table 3 and on Figure 2 of this report. In general, the soil sampling program indicated no exceedances of the Industrial SCO and only three exceedances of the Protection of Groundwater SCO. Exceedances were limited to the shallowest soil samples and the VOC soil exceedances were consistent with VOCs detected in groundwater. All other samples and compounds analyzed were either non-detect or were detected at a concentration at least a factor of three below SCOs. The data indicate that the SVE system has met the remedial objective in that the results reflect a reduction in VOC concentrations in soil by more than 99 percent (using the maximum soil TCE concentrations detected in 1991 and the 2008 concentration from the same soil horizon). A more detailed evaluation of the soil data is provided below.

For Soil Boring SB-1, the sample obtained from 1 to 3 ft bls exhibited the highest number of detections as well as concentration of total VOCs. In total, 11 constituents were detected, however only four constituent concentrations exceeded 10 µg/kg (1,1,1-trichloroethene [1,1,1-TCA], acetone, tetrachloroethene [PCE], and TCE); and only TCE exceeded the Protection of Groundwater SCO. TCE was detected at the highest concentration (45,000 micrograms per kilogram [µg/kg]). At the 8 to 10 and 18 to 20 ft bls sample intervals, TCE concentrations decreased by two and three orders of magnitude, respectively, compared to the shallow sample and no constituents exceeded the Industrial SCOs. No constituents were detected at the 38 to 40 ft bls sample interval.

Soil Boring SB-02 exhibited detections of five constituents at the 1 to 3 ft bls interval, four of which were detected above 100 µg/kg (i.e., acetone, cis-1,2-dichloroethene [cis, 1,2-DCE], and TCE), with TCE and cis-1,2-DCE detected above the Protection

of Groundwater SCO. Similar to SB-01, TCE was detected at the highest concentration. For the samples obtained from 8 to 10 ft bls; 18 to 20 ft bls; and 38 to 40 ft bls, no constituents were detected.

Soil Gas Closure Investigation Findings

In general, the soil gas sampling program indicated the presence of VOCs, apparently originating from residual VOCs in shallow soils and possibly low concentrations of VOCs in groundwater. It is important to note that reduction of VOCs in soil gas was not specified as an objective of the SVE system. A more detailed evaluation of the soil gas data is provided below.

Five constituents were detected in the soil gas sample obtained from SB-01 with only TCE detected above 100 ug/m^3 . Five constituents were detected the soil gas sample obtained from SB-02 with cis-1,2-DCE and TCE being detected above 100 ug/m^3 . These data show good correlation with the VOC analytical results obtained from the soil samples collected (see above).

A single soil gas sample was collected at 2 ft bls at SG-04C, located south of the SVE system and south of the former TCE tank. Four constituents were detected, with cis-1,2-DCE and TCE being detected above 100 ug/m^3 . Soil gas point SG-04D, located to the east of the former TCE Tank had soil gas samples collected at 2 ft bls, 15 ft bls, and 40 ft bls. Acetone and TCE were detected at all three depths. The highest concentration of acetone was detected at 40 ft bls at 130 ug/m^3 . The highest concentration of TCE was detected at $4,500 \text{ ug/m}^3$ at 2 ft bls. The TCE concentration of $2,500 \text{ ug/m}^3$ at 40 ft bls is likely the result of the partitioning of TCE from shallow groundwater to soil gas, as a similar TCE soil gas concentration is calculated using it's Henry's Law Constant of 0.421 and with a water-table groundwater TCE concentration of 6 ug/L (see above).

At 40 ft bls, benzene, 1,2-dichloropropane, and toluene were detected at concentrations less than 50 ug/m^3 .

Conclusions

Based on the closure data, ARCADIS concludes the following:

1. There were no exceedances of the Part 375 Industrial SCOs.

2. A significant source of VOCs to groundwater is no longer present in the soils within the subject area.
3. The SVE system has achieved its remedial objectives and criteria for permanent termination.

Recommendation

Based on the conclusions presented above, ARCADIS recommends that the Plant 2 SVE system and all attendant features be permanently closed and dismantled, in accordance with prevailing state and local requirements. ARCADIS requests NYSDEC concurrence with this recommendation prior to implementation.

Please contact us if you have any questions or need additional information.

Sincerely,

ARCADIS



David E. Stern
Associate Project Manager/Senior Hydrogeologist



Carlo San Giovanni
Project Manager

Enclosures

Copies:
Walter Parish – NYSDEC Region 1
Bill Spitz, NYSDEC Region 1
Jacqueline Nealon – New York State Department of Health
John Lovejoy – Nassau County Department of Health
Robert Weitzmann – Nassau County Department of Health
John Cofman – Northrop Grumman
Larry Leskovjan – Northrop Grumman
Kent Smith – Northrop Grumman
Kevin Lumpe – Steel Equities
File

Table 1. Mass Loading Rates for SVE System, Plant 2 SVE System, Northrop Grumman Corporation.

Sample ID:	<u>SVE-INFLUENT</u> 3/29/2006		<u>SVE-INFLUENT</u> 8/7/2006		<u>SVE-INFLUENT</u> 4/4/2007		<u>SVE-INFLUENT</u> 7/2/2007	
Date Sampled:	(ppmv)		(ppmv)		(ppmv)		(ppmv)	
Units:	(Lbs/Hr)		(Lbs/Hr)		(Lbs/Hr)		(Lbs/Hr)	
Chloroform	0	0.0000	0	0.0000	0	0.0000	0	0.0000
1,1,1-Trichloroethane	0.0108	0.0000	0.0164	0.0000	0.0066	0.0000	0.0081	0.0000
Trichloroethylene	0.3749	0.0009	0.6908	0.0017	0.1574	0.0004	0.4247	0.0011
Tetrachloroethylene	0	0.0000	0	0.0000	0	0.0000	0	0.0000
TOTAL VOCs:	0.3857		0.7072		0.164		0.4328	
Emissions Rate (Lbs/Hr):	0.0010		0.0018		0.0004		0.0011	
Emissions Rate (Lbs/mo.):	0.69253939		1.26971131		0.2945238		0.77699839	
Emissions Rate (Lbs/yr.):	8.42589597		15.4481542		3.58337289		9.45348042	

Table 2. Concentrations of Volatile Organic Compounds Detected in Well GM-32S, Operable Unit 1, Northrop Grumman Corporation, Bethpage, New York.

CONSTITUENT (Units in ug/L)	NYSDEC Standards Criteria and Guidance Values ⁽¹⁾	WELL:	GM-32S	GM-32S	GM-32S
		SAMPLE ID:	GM-32S	GM-32S	GM-32S
		DATE:	4/18/2005	9/22/2005	03/17/06
Chloromethane	5		<5	<5	< 5
Bromomethane	5		<5	<5	< 5
Vinyl Chloride	2		<2	<2	< 2
Chloroethane	5		<5	<5	< 5
Methylene chloride	5		<5	<5	< 5
Acetone	50		<10	<10	< 10
Carbon disulfide	50		<5	<5	< 5
1,1-Dichloroethene	5		<5	<5	< 5
1,1-Dichloroethane	5		<5	<5	< 5
cis-1,2-Dichloroethene	5		<5	0.6J	< 5
trans-1,2-Dichloroethene	5		<5	<5	< 5
Chloroform	7		<5	<5	< 5
1,2-Dichloroethane	5		<5	<5	< 5
2-Butanone	50		<10	<10	< 10
1,1,1-Trichloroethane	5		<5	<5	< 5
Carbon tetrachloride	5		<5	<5	< 5
Bromodichloromethane	50		<5	<5	< 5
1,2-Dichloropropane	5		<5	<5	< 5
cis-1,3-Dichloropropene	5		<5	<5	< 5
Trichloroethene	5		4J	6	< 5
Dibromochloromethane	5		<5	<5	< 5
1,1,2-Trichloroethane	5		<5	<5	< 5
Benzene	0.7		<0.7	<0.7	< 0.7
trans-1,3-Dichloropropene	5		<5	<5	< 5
Bromoform	50		<5	<5	< 5
4-Methyl-2-pentanone	50		<10	<10	< 10
2-Hexanone	50		<10	<10	< 10
Tetrachloroethene	5		<5	<5	< 5
1,1,2,2-Tetrachloroethane	5		<5	<5	< 5
Toluene	5		<5	<5	< 5
Chlorobenzene	5		<5	<5	< 5
Ethylbenzene	5		<5	<5	< 5
Styrene	5		<5	<5	< 5
Xylene (total)	5		<5	<5	< 5
Vinyl Acetate	NE		<5	<5	< 5
Freon-113 *	5		<5	<5	< 5
Total VOCs			4	6.6	0

⁽¹⁾ Standards, Criteria, and Guidance (SCG) values based on documents referenced in the Groundwater Feasibility Study Report (ARCADIS Geraghty & Miller 2000) that are based on the NYSDEC TOGS (NYSDEC 1998); most stringent value listed.

VOCs Volatile organic compounds

ug/L Micrograms per liter

J Estimated value

NYSDEC New York State Department of Environmental Conservation

* Freon 113 also known as 1,1,1-Trichloro-2,2,2-trifluoroethane.

6 Value exceeds associated SCG value.

NE No SCG established

TOGS Technical and Operational Guidance Series memorandum.

Bold value indicates a detection.

Table 3. Concentrations of Volatile Organic Compounds in Soil Samples, Northrop Grumman Systems Corporation,
Operable Unit 1, Bethpage, New York.

CONSTITUENT (ug/kg)	Sample Location: Sample Depth (ft bls): Sample Date:		SB-01 1-3 11/27/2007	SB-01 8-10 11/27/2007	SB-01 18-20 11/27/2007	SB-01 38-40 11/27/2007
	NYSDEC Soil Industrial Soil Cleanup Obj.	NYSDEC Soil Prot. Groundwater Criteria				
1,1,1-Trichloroethane	1,000,000	680	24 J	< 5.1	< 5.1	< 5.2
1,1,2,2-Tetrachloroethane	NE	NE	< 5.4 J	< 5.1	< 5.1	< 5.2
1,1,2-Trichloroethane	NE	NE	3 J	< 5.1	< 5.1	< 5.2
1,1-Dichloroethane	480,000	270	< 5.4 J	< 5.1	< 5.1	< 5.2
1,1-Dichloroethylene	1,000,000	330	< 5.4 J	< 5.1	< 5.1	< 5.2
1,2-Dichloroethane	60,000	20	< 5.4 J	< 5.1	< 5.1	< 5.2
1,2-Dichloropropane	NE	NE	< 5.4 J	< 5.1	< 5.1	< 5.2
2-Hexanone	NE	NE	< 5.4 J	< 5.1	< 5.1	< 5.2
Acetone	1,000,000	100,000	30 J	< 5.1	< 5.1	< 5.2
Benzene	89,000	60	< 5.4 J	< 5.1	< 5.1	< 5.2
Bromodichloromethane	NE	NE	0.6 J	< 5.1	< 5.1	< 5.2
Bromoform	NE	NE	< 5.4 J	< 5.1	< 5.1	< 5.2
Bromomethane	NE	NE	< 5.4 J	< 5.1	< 5.1	< 5.2
Carbon disulfide	NE	NE	3 J	< 5.1	< 5.1	< 5.2
Carbon tetrachloride	44,000	2,400	< 5.4 J	< 5.1	< 5.1	< 5.2
Chlorobenzene	1,000,000	100,000	< 5.4 J	2 J	< 5.1	< 5.2
Chloroethane	NE	NE	< 5.4 J	< 5.1	< 5.1	< 5.2
Chloroform	700,000	370	2 J	< 5.1	< 5.1	< 5.2
Chloromethane	NE	NE	< 5.4 J	< 5.1	< 5.1	< 5.2
cis-1,2-Dichloroethene	1,000,000	250	2 J	< 5.1	< 5.1	< 5.2
cis-1,3-Dichloropropene	NE	NE	< 5.4 J	< 5.1	< 5.1	< 5.2
Dibromochloromethane	NE	NE	< 5.4 J	< 5.1	< 5.1	< 5.2
Dichlorodifluoromethane	NE	NE	< 5.4 J	< 5.1	< 5.1	< 5.2
Ethylbenzene	780,000	1,000	< 5.4 J	< 5.1	< 5.1	< 5.2
Freon 113	NE	NE	< 5.4 J	< 5.1	< 5.1	< 5.2
Methyl ethyl ketone	1,000,000	100,000	4 J	< 5.1	< 5.1	< 5.2
Methyl isobutylketone (MIBK)	NE	NE	< 5.4 J	< 5.1	< 5.1	< 5.2
Methylene chloride	1,000	100,000	< 5.4 J	< 5.1	< 5.1	< 5.2
Styrene	NE	NE	< 5.4 J	< 5.1	< 5.1	< 5.2
Tetrachloroethene	300,000	19,000	13 J	< 5.1	< 5.1	< 5.2
Toluene	1,000,000	700	3 J	0.4 J	0.4 J	< 5.2
trans-1,2-Dichloroethylene	1,000,000	190	< 5.4 J	< 5.1	< 5.1	< 5.2
trans-1,3-Dichloropropene	NE	NE	< 5.4 J	< 5.1	< 5.1	< 5.2
Trichloroethene	400,000	470	45000 D	180 D	27	< 5.2
Vinyl chloride	27,000	20	< 5.4 J	< 5.1	< 5.1	< 5.2
m&p-Xylenes	NE	1,600	< 5.4 J	< 5.1	< 5.1	< 5.2
o-Xylene	NE	1,600	< 5.4 J	< 5.1	< 5.1	< 5.2
TVOC			45084.6	182.4	27.4	0

Notes and Abbreviations on last page.

Table 3. Concentrations of Volatile Organic Compounds in Soil Samples, Northrop Grumman Systems Corporation, Operable Unit 1, Bethpage, New York.

CONSTITUENT (ug/kg)	Sample Location:		SB-02	SB-02	SB-02	SB-02
	Sample Depth (ft bls):		1-3	8-10	18-20	38-40
	Sample Date:		11/26/2007	11/26/2007	11/26/2007	11/26/2007
	NYSDEC Soil Industrial Soil <u>Cleanup Obj.</u>	NYSDEC Soil Prot. Groundwater <u>Criteria</u>				
1,1,1-Trichloroethane	1,000,000	680	< 5.7	< 5.3	< 5.2	< 5.2
1,1,2,2-Tetrachloroethane	NE	NE	< 5.7	< 5.3	< 5.2	< 5.2
1,1,2-Trichloroethane	NE	NE	< 5.7	< 5.3	< 5.2	< 5.2
1,1-Dichloroethane	480,000	270	< 5.7	< 5.3	< 5.2	< 5.2
1,1-Dichloroethylene	1,000,000	330	1 J	< 5.3	< 5.2	< 5.2
1,2-Dichloroethane	60,000	20	< 5.7	< 5.3	< 5.2	< 5.2
1,2-Dichloropropane	NE	NE	< 5.7	< 5.3	< 5.2	< 5.2
2-Hexanone	NE	NE	< 5.7	< 5.3	< 5.2	< 5.2
Acetone	1,000,000	100,000	110	< 5.3	< 5.2	< 5.2
Benzene	89,000	60	< 5.7	< 5.3	< 5.2	< 5.2
Bromodichloromethane	NE	NE	< 5.7	< 5.3	< 5.2	< 5.2
Bromoform	NE	NE	< 5.7	< 5.3	< 5.2	< 5.2
Bromomethane	NE	NE	< 5.7	< 5.3	< 5.2	< 5.2
Carbon disulfide	NE	NE	2 J	< 5.3	< 5.2	< 5.2
Carbon tetrachloride	44,000	2,400	< 5.7	< 5.3	< 5.2	< 5.2
Chlorobenzene	1,000,000	100,000	< 5.7	< 5.3	< 5.2	< 5.2
Chloroethane	NE	NE	< 5.7	< 5.3	< 5.2	< 5.2
Chloroform	700,000	370	< 5.7	< 5.3	< 5.2	< 5.2
Chloromethane	NE	NE	< 5.7	< 5.3	< 5.2	< 5.2
cis-1,2-Dichloroethene	1,000,000	250	1200 D	< 5.3	< 5.2	< 5.2
cis-1,3-Dichloropropene	NE	NE	< 5.7	< 5.3	< 5.2	< 5.2
Dibromochloromethane	NE	NE	< 5.7	< 5.3	< 5.2	< 5.2
Dichlorodifluoromethane	NE	NE	< 5.7	< 5.3	< 5.2	< 5.2
Ethylbenzene	780,000	1,000	< 5.7	< 5.3	< 5.2	< 5.2
Freon 113	NE	NE	< 5.7	< 5.3	< 5.2	< 5.2
Methyl ethyl ketone	1,000,000	100,000	< 5.7	< 5.3	< 5.2	< 5.2
Methyl isobutylketone (MIBK)	NE	NE	< 5.7	< 5.3	< 5.2	< 5.2
Methylene chloride	1,000	100,000	< 5.7	< 5.3	< 5.2	< 5.2
Styrene	NE	NE	< 5.7	< 5.3	< 5.2	< 5.2
Tetrachloroethene	300,000	19,000	0.8 J	< 5.3	< 5.2	< 5.2
Toluene	1,000,000	700	< 5.7	< 5.3	< 5.2	< 5.2
trans-1,2-Dichloroethylene	1,000,000	190	4 J	< 5.3	< 5.2	< 5.2
trans-1,3-Dichloropropene	NE	NE	< 5.7	< 5.3	< 5.2	< 5.2
Trichloroethene	400,000	470	3100 D	< 5.3	< 5.2	< 5.2
Vinyl chloride	27,000	20	< 5.7	< 5.3	< 5.2	< 5.2
m&p-Xylenes	NE	1,600	< 5.7	< 5.3	< 5.2	< 5.2
o-Xylene	NE	1,600	< 5.7	< 5.3	< 5.2	< 5.2
TVOC			4417.8	0	0	0

Notes and Abbreviations on last page.

Table 3. Concentrations of Volatile Organic Compounds in Soil Samples, Northrop Grumman Systems Corporation, Operable Unit 1, Bethpage, New York.

Notes and Abbreviations:

1. Results validated following protocols specified in Former Plant 2 Soil Vapor Extraction System Closure Plan and Sub-Slab Soil Gas Testing Work Plan.
2. Samples analyzed for the TCL VOCs using NYSDEC ASP 2000 Method OLM4.2.
3. Samples analyzed on a dry weight basis.

Bold value indicates a detection

ASP	Analytical Services Protocol
TCL	Target compound list
VOC	Volatile Organic Compound
ft bls	Feet below land surface
ug/kg	Micrograms per kilogram
TVOC	Total volatile organic compounds
J	Value is estimated
D	Value from a secondary dilution

Table 4. Concentrations of Volatile Organic Compounds in Soil Gas Samples, Northrop Grumman Systems Corporation, Operable Unit 1, Bethpage, New York.

Sample Location:	SB-01	SB-02	SB-04C	SG-04D
Sample Depth (ft bls):	2	2	2	2
Sample Date:	11/27/2007	11/26/2007	11/26/2007	11/27/2007
CONSTITUENT (ug/m ³)				
1,1,1-Trichloroethane	50	< 17	< 17	< 17
1,1,2,2-Tetrachloroethane	< 4.3	< 4.2	< 4.2	< 4.3
1,1,2-Trichloroethane	< 17	< 17	< 17	< 17
1,1-Dichloroethane	< 13	< 12	< 12	< 13
1,1-Dichloroethylene	< 12	< 12	< 12	< 13
1,2-Dichloroethane	< 13	< 12	< 12	< 13
1,2-Dichloropropane	< 14	< 14	< 14	< 15
1,3-Butadiene	< 14	< 13	< 14	< 14
2-Hexanone	< 13	< 12	< 13	< 13
Acetone	39	50	< 33	< 34
Benzene	< 10	< 9.7	< 9.8	< 10
Bromodichloromethane	< 4.2	< 4.1	< 4.1	< 4.2
Bromoform	< 32	< 31	< 32	< 33
Bromomethane	< 12	< 12	< 12	< 12
Carbon disulfide	46	< 9.5	13	75
Carbon tetrachloride	< 3.9	< 3.8	< 3.8	< 4
Chlorobenzene	< 14	< 14	< 14	< 15
Chloroethane	< 16	< 16	< 16	< 17
Chloroform	< 15	< 15	< 15	< 15
Chloromethane	< 13	< 13	< 13	< 13
cis-1,2-Dichloroethene	18	2000 D	710	< 13
cis-1,3-Dichloropropene	< 28	< 28	< 28	< 29
Dibromochloromethane	< 5.3	< 5.2	< 5.2	< 5.4
Ethylbenzene	< 27	< 26	< 27	< 28
Freon 113	< 4.8	< 4.7	< 4.7	< 4.9
Methyl ethyl ketone	< 18	< 18	< 18	< 19
Methyl isobutylketone (MIBK)	< 26	< 25	< 25	< 26
Methyl tert-butyl ether	< 23	< 22	< 22	< 23
Methylene chloride	< 11	< 11	< 11	< 11
Styrene	< 27	< 26	< 26	< 27
Tetrachloroethene	< 4.2	21	5.7	< 4.3
Toluene	< 12	< 11	< 12	< 12
trans-1,2-Dichloroethylene	< 12	< 12	< 12	< 13
trans-1,3-Dichloropropene	< 14	< 14	< 14	< 14
Trichloroethene	15000 D	7500 D	15000 D	4800 D
Trichlorofluoromethane	< 18	< 17	< 17	< 18
Vinyl chloride	< 8	9.9	< 7.8	< 8.1
m&p-Xylenes	< 54	< 53	< 53	< 55
o-Xylene	< 27	< 26	< 27	< 28
TVOC	15153	9580.9	15728.7	4875

Notes and Abbreviations on last page.

Table 4. Concentrations of Volatile Organic Compounds in Soil Gas Samples, Northrop Grumman Systems Corporation, Operable Unit 1, Bethpage, New York.

CONSTITUENT (ug/m ³)	Sample Location: SG-04D	SG-04D(REP)	SG-04D
	Sample Depth (ft bls): 15	15	40
	Sample Date: 11/27/2007	11/27/2007	11/27/2007
1,1,1-Trichloroethane	< 18	< 18	< 19
1,1,2,2-Tetrachloroethane	< 4.4	< 4.4	< 4.7
1,1,2-Trichloroethane	< 18	< 18	< 19
1,1-Dichloroethane	< 13	< 13	< 14
1,1-Dichloroethylene	< 13	< 13	< 14
1,2-Dichloroethane	< 13	< 13	< 14
1,2-Dichloropropane	< 15	< 15	< 16
1,3-Butadiene	< 14	< 14	27
2-Hexanone	< 13	< 13	< 14
Acetone	41	39	130
Benzene	< 10	< 10	31
Bromodichloromethane	< 4.3	< 4.3	< 4.6
Bromoform	< 33	< 33	< 35
Bromomethane	< 12	< 12	< 13
Carbon disulfide	< 10	< 10	< 11
Carbon tetrachloride	< 4	< 4	< 4.3
Chlorobenzene	< 15	< 15	< 16
Chloroethane	< 17	< 17	< 18
Chloroform	< 16	< 16	< 17
Chloromethane	< 13	< 13	< 14
cis-1,2-Dichloroethene	< 13	< 13	< 14
cis-1,3-Dichloropropene	< 29	< 29	< 31
Dibromochloromethane	< 5.5	< 5.5	< 5.8
Ethylbenzene	< 28	< 28	< 30
Freon 113	< 4.9	< 4.9	< 5.2
Methyl ethyl ketone	< 19	< 19	27
Methyl isobutylketone (MIBK)	< 26	< 26	< 28
Methyl tert-butyl ether	< 23	< 23	< 25
Methylene chloride	< 11	< 11	< 12
Styrene	< 27	< 27	< 29
Tetrachloroethene	< 4.4 J	< 4.4 J	< 4.6
Toluene	< 12	< 12	23
trans-1,2-Dichloroethylene	< 13	< 13	< 14
trans-1,3-Dichloropropene	< 15	< 15	< 15
Trichloroethene	170	190	2500 D
Trichlorofluoromethane	< 18	< 18	< 19
Vinyl chloride	< 8.2	< 8.2	< 8.7
m&p-Xylenes	< 56	< 56	< 59
o-Xylene	< 28	< 28	< 30
TVOC	211	229	2738

Notes and Abbreviations on last page.

Table 4. Concentrations of Volatile Organic Compounds in Soil Gas Samples, Northrop Grumman Systems Corporation, Operable Unit 1, Bethpage, New York.

Notes and Abbreviations:

1. Results validated following protocols specified in Former Plant 2 Soil Vapor Extraction System Closure Plan and Sub-Slab Soil Gas Testing Work Plan.
2. Samples analyzed for TCL VOCs using USEPA Method TO-15.

Bold value indicates detection.

USEPA	United States Environmental Protection Agency
ft bls	Feet below land surface
ug/m3	Micrograms per meter cubed
TCL	Total compound list
VOC	Volatile organic compound
TVOC	Total volatile organic compounds
D	Value is from secondary dilution
REP	Field replicate



SITE LOCATION




SOURCE:
USGS 7.5 MIN. AMITYVILLE QUADRANGLE, AMITYVILLE, NY, 1994
USGS 7.5 MIN. FREEPORT QUADRANGLE, FREEPORT, NY, 1994
USGS 7.5 MIN. HICKSVILLE QUADRANGLE, HICKSVILLE, NY, 1967, PHOTOREVISED 1979
USGS 7.5 MIN. HUNTINGTON QUADRANGLE, HUNTINGTON, NY, 1967, PHOTOREVISED 1979



Two Huntington Quadrangle
Suite 1S10, Melville, NY 11747
Tel: 631-249-7600 Fax: 631-249-7610
www.arcadis-us.com

PROJECT MANAGER C. SAN GIOVANNI	DEPARTMENT MANAGER M. WOLFERT	LEAD DESIGN PROF.	CHECKED BY M. REINDL
SHEET TITLE NORTHROP GRUMMAN SYSTEMS CORPORATION OPERABLE UNIT 1 BETHPAGE, NEW YORK		TASK/PHASE NUMBER 00003	DRAWN BY A. SANCHEZ
		PROJECT NUMBER NY001464.0608	DRAWING NUMBER 1



Sample Log

Well/Boring SB-1 Project Name and No. NGC-0U-1

Site Location Bethpage, NY Drilling Started 11/27/07 Drilling Completed 11/27/07

Total Depth Drilled 40 feet Hole Diameter 2 inches Sampling Interval 0-40 feet

Length and Diameter of Sampling Device 5 ft length / 2 In DIAMETER Type of Sampling Device Geoprobe Microcore

Drilling Method Geoprobe Direct Push Drilling Fluid Used None

Drilling Contractor Zebra Driller Evan Moraitis Helper Ryan Heischman

Prepared By John Corral Hammer Weight NA Hammer Drop NA inches

Sample Depth (feet below land surface)		Sample Recovery (feet)	Time/Hydraulic Pressure or Blows per 6 inches	Sample Description	PID (ppm)
From	To				
0	1	1	NA	Concrete	—
1	3	2	NA	top 6" med sand mixed with black asphalt material, ext 18" fine sand + silt with little med sand and fine gravel, qtz, subrounded, moist	0
3	5	2	NA	light brown med to coarse sand, with little black asphalt like material, and some fine to coarse gravel, qtz, subrounded, moist	0
5	6	1	NA	med to coarse sand with some fine gravel, from 5.5' to 5.6' dark brown/black fine to med sand layer, qtz, subrounded, moist;	0
6	8	2	NA	rest same as 5-6 with out dark brown layers	0
8	10	2	NA	same as 5-6 with dark brown sand in the ent at 3" intervals from 8 to 9 ft	0

Sample Log (Cont.d)

Well/Boring SB-1Project Name and No. NGC-OU-1 / NY061464, 0607, 00001Prepared
ByJohn Corral

Sample Depth (feet below land surface)		Sample Recovery (feet)	Time/Hydraulic Pressure or Blows per 6 inches	Sample Description	PID (ppm)
From	To				
10	12.5	1	NA	med to coarse the brown sand with some fine gravel, qtz, subrounded, moist;	0
11	12	1	NA	fine and med sand with little fine gravel tightly packed, qtz, subrounded, moist dry	0
12	15	5	NA	med to coarse brown sand with some fine gravel, qtz, subrounded, moist	0
15	20	5	NA	med to coarse sand with little fine sand fine gravel, qtz, subrounded, dry.	0
20	25	4	NA	med to coarse light brown sand with ^{little} no fine gravel, moist	0
25	30	4	NA	top 3" sand as 20-25 ^{except} two 1" pieces of redish granite like rock from 29.25' to 29.75' is fine sand, qtz, subrounded brown, dry	0
30	35	4	NA	top 3" grey fine sand & silt, next 4 ft med to coarse light brown sand with little fine gravel qtz, subrounded, moist;	0
35	40	4	NA	med brown sand with little fine gravel, qtz, subrounded, dry	0
40 ft	Geoprobe Refusal End of Boring				

Sample Log

Well/Boring SB-2 Project Name and No. N6C-OU-1/NY001464.0607.00001

Site Location Bethpage, NY Drilling Started 11/26/07 Drilling Completed 11/26/07

Total Depth Drilled 40 feet Hole Diameter 2 inches Sampling Interval 0-40 feet

Length and Diameter of Sampling Device 5 ft length / 2 In diameter Type of Sampling Device Geoprobe / Macrocore

Drilling Method Geoprobe Direct Push Drilling Fluid Used None

Drilling Contractor Zebra Driller Evan Moraitis Helper Ryan Heischman

Prepared By John Corral Hammer Weight NA Hammer Drop NA inches

Sample Depth (feet below land surface)		Sample Recovery (feet)	Time/Hydraulic Pressure or Blows per 6 inches	Sample Description	PID (ppm)
From	To				
0	1	1	NA	Concrete	—
1	3	2	NA	Fine sand + silt with little medium sand and fine to medium gravel, qtz, subrounded, moist	0
3	5	2	NA	Med to coarse brown sand with little fine gravel, moist, qtz, subrounded	0
5	10	5	NA	Med to coarse brown sand with little fine gravel qtz, subrounded, moist	0
10	15	5	NA	med to coarse, brown sand with some med to coarse gravel, qtz, subrounded, moist	0
15	20	5	NA	same as 10-15	0
20	25	4	NA	same as 15-20	0
25	30	4	NA	same as 20-25 with little black stained sand from 28-29 ft	0
30	35	3	NA	fine to med gray sand dry, next 2 ft med to coarse brown sand with little fine gravel, qtz, subrounded, moist	0

Well/Boring SB-2 Project Name and No. N6C-04-1
Prepared By John Corral

G:\TECHNICAL\WOLFERT\Technical Forms\2006\Sample Core Log - Sheet1



Infrastructure, environment, facilities

Soil-Vapor Sample Log

Sample ID SB-1(2)
Date 11/27/07
Time 12:30
Weather Sunny, Windy, 50°F

Project Name and Number NGC-OU-1 / NY001464.0607.00001
Sampling Personnel John Corral

DESCRIPTION OF SAMPLE LOCATION

☒ Outdoor
Location <u>Bethpage, NY</u>
Est. depth to water (ft) <u>50</u>
Soil type <u>JHC Hardpan Fine to Med Sand, + Silt</u>
Odor <u>None</u>
Color <u>Dark Brown</u>

☐ Indoor
Location _____
Basement ☐ yes / no
Room size ft x ft _____
Floor material ☐ cement / wood / dirt
Slab Thickness (ft) _____
Visible cracks ☐ yes / no
Sub-slab mater dirt / gravel ☐

PROBE INSTALLATION

Date 11/27/07
Method Geoprobe PRT System (Temporary)
Diameter 1.25"
Depth 2 ft below grade
Packing Material None

PURGE

Date 11/27/07
Time 12:30-12:36
Rate 200 ml/min
Volume 1200 ml

SAMPLE COLLECTION


Sample Time 12:36 - 13:10
Sample Rate Approx 167 ml/min
Sample Volume 6 L

CONTAINER DESCRIPTION

6 L Summa Canister ID # K662

Initial Pressure - 28 In of Hg
Final Pressure - 5 In of Hg

Tracer Gas Test ☐ Pass ☐ Fail ☒ Not Applicable





Infrastructure, environment, facilities

Soil-Vapor Sample Log

Sample ID SB-2(2)
Date 11/26/07
Time 14:20
Weather Cloudy, Humid, 50°F, No Wind

Project Name and Number

Sampling Personnel

NGC-OU-1/NY001464.0607.00001

John Corral

DESCRIPTION OF SAMPLE LOCATION

☒	Outdoor
Location <u>Bethpage, NY</u>	
Est. depth to water (ft) <u>50 ft</u>	
Soil type <u>fine to med sand + silt</u>	
Odor <u>None</u>	
Color <u>Brown</u>	

☐	Indoor
Location _____	
Basement yes / no _____	
Room size ft x ft _____	
Floor material cement / wood / dirt _____	
Slab Thickness (ft) _____	
Visible cracks yes / no _____	
Sub-slab mater dirt / gravel _____	

PROBE INSTALLATION (Temporary)

Date 11/26/07
Method Geoprobe with PRT System
Diameter 1.25"
Depth 2'
Packing Material NA

PURGE

Date 11/26/07
Time 14:20 - 14:30
Rate 125 ml/min
Volume 1,250 ml

SAMPLE COLLECTION

Sample Time 14:42 - 15:12
Sample Rate ~167 ml/min
Sample Volume 6L

CONTAINER DESCRIPTION

6 L Summa Canister

→ ID = K 729 Initial Pressure = 28 PSI
Final Pressure = 4 PSI


Tracer Gas Test

☐ Pass

☐ Fail

☐ Not Applicable

Location Sketch





Infrastructure, environment, facilities

Soil-Vapor Sample Log

Sample ID 56-4C (2) Project Name and Number NGC-OU-1 / NY001464.0607.00001
Date 11/26/07 Sampling Personnel John Corral
Time 3:40
Weather Cloudy, Humid, 50°F, No Wind

DESCRIPTION OF SAMPLE LOCATION

☒ Outdoor
Location <u>Bethpage, NY</u>
Est. depth to water (ft) <u>50</u>
Soil type <u>Fine to med sand + silt</u>
Odor <u>None</u>
Color <u>Brown</u>

☐ Indoor
Location _____
Basement yes / no _____
Room size ft x ft _____
Floor material cement / wood / dirt _____
Slab Thickness (ft) _____
Visible cracks yes / no _____
Sub-slab mater dirt / gravel _____

PROBE INSTALLATION (Temporary)

Date 11/26/07
Method Geoprobe PRT System
Diameter 1.25"
Depth 2 ft
Packing Material NA

PURGE

Date 11/26/07
Time 15:35 - 15:45
Rate 500 ml/min *
Volume ~2500 ml

* Higher Rate to prevent pump from stopping

SAMPLE COLLECTION


Sample Time 15:45 - 16:15
Sample Rate ~16 167 ml/min
Sample Volume 6 Liters

CONTAINER DESCRIPTION

6 L Summa Canister → ID = K675

Starting Pressure = 29 In of Hg
Final Pressure = 5 In of Hg

Tracer Gas Test ☐ Pass ☐ Fail ☐ Not Applicable





Infrastructure, environment, facilities

Soil-Vapor Sample Log

Sample ID SG-4D(2)
Date 11/27/07
Time 13:30
Weather Sunny, Windy, 50°F

Project Name and Number NGL-OU-1 / NY001464.0607.00001
Sampling Personnel John Corral

DESCRIPTION OF SAMPLE LOCATION

☒ Outdoor
Location <u>Bethpage, NY</u>
Est. depth to water (ft) <u>50</u>
Soil type <u>fine to medium sand + silt</u>
Odor <u>None</u>
Color <u>Brown</u>

☐ Indoor
Location _____
Basement yes / no _____
Room size ft x ft _____
Floor material cement / wood / dirt _____
Slab Thickness (ft) _____
Visible cracks yes / no _____
Sub-slab mater dirt / gravel _____

PROBE INSTALLATION (Temporary)

Date 11/27/07
Method Geoprobe PRT System
Diameter 1.25" Diameter
Depth 2 ft
Packing Material NA

PURGE

Date 11/27/07
Time 13:29 - 13:35
Rate 200 ml/min
Volume 1200 ml

SAMPLE COLLECTION

Sample Time 13:36 - 14:06
Sample Rate 167 ml/min
Sample Volume 6 Liters

CONTAINER DESCRIPTION

6 L Summa Canister


Initial Pressure 29" In of Hg
Final Pressure 5" In of Hg

Tracer Gas Test

☐ Pass

☐ Fail

☐ Not Applicable





Infrastructure, environment, facilities

Soil-Vapor Sample Log

Sample ID SG-4D(1S)
Date 11/27/07
Time 14:50
Weather Sunny, Windy, 50°F

Project Name and Number NGC-OU-1 / NY001464.0607.00001
Sampling Personnel John Corral

DESCRIPTION OF SAMPLE LOCATION

☒ Outdoor
Location <u>Bethpage, NY</u>
Est. depth to water (ft) <u>50</u>
Soil type <u>med to coarse sand with little fine gravel</u>
Odor <u>None</u>
Color <u>brown</u>

☐ Indoor
Location _____
Basement yes / no _____
Room size ft x ft _____
Floor material cement / wood / dirt _____
Slab Thickness (ft) _____
Visible cracks yes / no _____
Sub-slab mater dirt / gravel _____

PROBE INSTALLATION (Temporary)

Date 11/27/07
Method Geoprobe PRT System
Diameter 1.25"
Depth 15 ft
Packing Material NA

PURGE

Date 11/27/07
Time 2. 14:48 - 15:07
Rate 162 ml/min
Volume ~3000 ml

SAMPLE COLLECTION


Sample Time 15:07 - 15:37
Sample Rate ~ 167 ml/min
Sample Volume 6 L

CONTAINER DESCRIPTION

6 L Summa Canister

Tracer Gas Test

→ ID K705 - REP112707 Initial Pressure 29 In Hg Final Pressure 5
→ ID K707 - SG-4D(1S) Initial Pressure 29 In Hg Final Pressure 5 In Hg
[] Pass [] Fail [] Not Applicable





Infrastructure, environment, facilities

Soil-Vapor Sample Log

Sample ID SG-40(40)
Date 11/27/07
Time 14:20
Weather Clear, windy, 45°F

Project Name and Number

NGC-OU-1/NY001464.0607.00001

Sampling Personnel

John Corral

DESCRIPTION OF SAMPLE LOCATION

☒ Outdoor
Location <u>Bethpage, NY</u>
Est. depth to water (ft) <u>50 ft</u>
Soil type <u>med sand</u>
Odor <u>None</u>
Color <u>brown</u>

☐ Indoor
Location _____
Basement yes / no _____
Room size ft x ft _____
Floor material cement / wood / dirt _____
Slab Thickness (ft) _____
Visible cracks yes / no _____
Sub-slab mater dirt / gravel _____

PROBE INSTALLATION (Temporary)

Date 11/27/07
Method Geoprobe PRT System
Diameter 1.25"
Depth 40 ft
Packing Material None

PURGE

Date 11/27/07
Time 16:20-16:40
Rate 194 ml/min
Volume ~ 3900 ml

SAMPLE COLLECTION

Sample Time 16:40-17:15
Sample Rate ~167 ml/min
Sample Volume 6L

CONTAINER DESCRIPTION

6 L Summa Canister

Initial Pressure = 29 In of Hg
Final Pressure = 5 In of Hg


Tracer Gas Test

☐ Pass

☐ Fail

☐ Not Applicable

Location Sketch





CHAIN-OF-CUSTODY RECORD

Page 1 of 1


Laboratory Task Order No./P.O. No. NGC-011-11118

Project Number/Name NGC-011-1/NY00 1164, 0607, 0001

Project Location Bethpage NY
Laboratory Columbia Analytical Services

Project Manager Dave Stern

Sampler(s)/Affiliation JHK / Arcadis



Sample ID/Location	Matrix	Date/Time Sampled	Lab ID	Remarks	Total
SB-2(1-3)	S	11/26/07			2
SB-2(8-10)	S				2
SB-2(18-20)	S				2
SB-2(38-40)	S				2
FB112607	L				3
TB112607	L				3
Total No. of Bottles/Containers					14

Sample Matrix: L = Liquid; S = Solid; A = Air

Relinquished by: John Carroll Organization: Arcadis Date: 11/26/07 Time: 6:30 Seal Intact? Yes No N/A

Received by: _____ Organization: _____ Date: _____ Time: _____ Seal Intact? Yes No N/A

Relinquished by: _____ Organization: _____ Date: _____ Time: _____ Seal Intact? Yes No N/A

Received by: _____ Organization: _____ Date: _____ Time: _____ Seal Intact? Yes No N/A

Special Instructions/Remarks: Please send results to Melissa Reindl, Use Normal Turn Around Time

Delivery Method: ☐ In Person ☒ Common Carrier ☐ Lab Courier ☐ Other ☐ SPECIFY _____



Sampler(s)/Affiliation
THK / Arcad's

Project Number/Name	ANALYSIS / METHOD / SIZE
N6C-DM-1/NY001464.0607.0001	SF USEPA Method TO-15 TCL UGS GL SIMMA CANISTER
Project Location Bethpage, NY	
Laboratory Columbia Analytical Services (Raritan)	
Project Manager Dave Stern	
Sampler(s)/Affiliation JHK / Arcad's	

TOTAL NO. OF BOTTLES/CONTAINERS = 2

Sample Matrix: L = Liquid; S = Solid; A = Air

Relinquished by: <u>John Corral</u>	Organization: <u>Arcad's</u>	Date <u>11/26/07</u>	Time <u>6:30</u>	Seal Intact?
Received by: _____	Organization: _____	Date <u>/ /</u>	Time _____	Yes No N/A
Relinquished by: _____	Organization: _____	Date <u>/ /</u>	Time _____	Seal Intact?
Received by: _____	Organization: _____	Date <u>/ /</u>	Time _____	Yes No N/A

Special Instructions/Remarks:

marks: _____

Please send Results to Melissa Reindl, Use Normal Turn Around Time



ANALYSIS / METHOD / SIZE

Project Location Bethpage, NY

Laboratory Columbia Analytical Services

Project Manager Dave Stern

Sampler(s)/Affiliation
JHC / Arcadis

[illegible]

Relinquished by: <u>John Corral</u>	Organization: <u>Arcadis</u>	Date <u>11/28/07</u>	Time <u>12:00</u>	Seal Intact? Yes No N/A
Received by: _____	Organization: _____	Date _____	Time _____	
Relinquished by: _____	Organization: _____	Date _____	Time _____	Seal Intact? Yes No N/A
Received by: _____	Organization: _____	Date _____	Time _____	

Special Instructions/Remarks:
Please Send Results To Melissa Riedl, Please Use Normal Turn Around Time

Delivery Method: ☐ In Person ☒ Common Carrier FED EX ☐ Lab Courier ☐ Other _____
SPECIFY SPECIFY