455 Phillip Street, Unit 100A Waterloo, Ontario N2L 3X2 Canada www.ghd.com



GHD Reference No: 006883

April 01, 2024

Mr. Aiden Conway Emergency Remedial Response Division United States Environmental Protection Agency Region II 290 Broadway, 20<sup>th</sup> Floor New York, New York 10007-1866

## 4th Quarterly Monitoring Event Results – Trial/Partial Biosparge System Shutdown Hooker Chemical/Ruco Polymer Corporation Site Index No. II CERCLA-02-2001-2018

Dear Mr. Conway

This submittal provides the monitoring results for the fourth quarterly monitoring event pursuant to the Trial/Partial Biosparge System Shutdown Work Plan dated May 27, 2022 (Work Plan) for the Hooker/Ruco Site in Hicksville, New York, on behalf of Glenn Springs Holdings, Inc. (GSH). The United States Environmental Protection Agency (USEPA) approved the Work Plan on August 18, 2022

The trial shutdown commenced on January 25, 2023. Injection wells IW-3 and IW-4, associated with the north injection well fence, and injection wells IW-16 and IW-17, associated with the middle injection well fence, were shut down. The location of the injection well fences are shown on Figure 1.

Quarterly groundwater sampling for vinyl chloride monomer (VCM), trichloroethylene (TCE), and tetrachloroethylene (PCE) is occurring in each of the following monitoring wells during the trial/partial shutdown; MW-61(D2), MW-70(D1 and D2), MW-72(D1 and D2), MW-76 (D1, and D2), MW-81 (D1 and D2), MW-83(D2), MW-75(D1), and MW-87(D2). The locations of the monitored wells are presented on Figure 1.

Sample collection for the first three quarterly events occurred April 19 to May 15, August 8, and October 25 to November 16, 2023.

Sample collection for the fourth quarterly event occurred on February 1 and 2, 2024. Results are presented in Table 1, as well as results from the previous quarterly event and the two most recent events pre-shutdown. A Quality Assurance/Quality Control (QA/QC) review of the February 2024 results is provided in Attachment A. The electronic deliverables were provided electronically to the USEPA on April 1, 2024. The results are discussed below.

→ The Power of Commitment

## North Injection Well Fence

A summary of VCM concentrations for monitoring wells proximate to the north injection well fence is illustrated in the table below.

	Monitoring Well VCM Concentrations (µg/L) Proximate to North Injection Well Fence									
	Pre-Sh	utdown		Post Shutdown						
Well	April 2022	October 2022	April 2023	August 2023	October 2023	February 2024				
MW-75D1	ND	5.5	ND	ND	ND	ND				
MW-72D1	ND	ND	2.1	3.1	3.7	3.3/3.1				
MW-72D2	ND	ND	ND	ND	ND	ND				
MW-70D1	7.1J	ND	1.2	2.9	2.1	6.3				
MW-70D2	ND	ND	ND	ND	ND	ND				
MW-76D1	25	16	12	9.6	9.6	10				
MW-76D2	ND	ND	ND	ND	ND	ND				

As shown in the table:

- VCM was not detected in MW-75D1, MW-70D2, MW-72D2, and MW-76D2 in the four post-shutdown sampling events.
- VCM concentrations in MW-76D1 have decreased (25 μg/L to 10 μg/L) and are stable based on the last three events.
- VCM increased in MW-72D1 from non-detect pre-shutdown to 2.1 μg/L in April 2023, 3.1 μg/L in August 2023, 3.7 μg/L in October 2023, but slightly decreased to 3.3/3.1 μg/L in February 2024.
- VCM concentrations in MW-70D1 post-shutdown have increased slightly from 1.2 μg/L in April 2023, to 2.9 μg/L in August 2023, then decreased slightly to 2.1 μg/L in October 2023, and then increased to 6.3 μg/L in February 2024. The February 2024 concentration is still lower than the April 2022 concentration of 7.1J μg/L.

## South Injection Well Fence

Monitoring wells associated with the trial shut down monitoring for the south injection well fence are MW-61(D2), MW-81(D1 and D2), MW-83(D2), and MW-87(D2). As shown in the summary table below, VCM was not detected (1 µg/L) in any of these wells in the first two quarterly monitoring events.

	Monitoring Well VCM Concentrations (µg/L) Proximate to South Injection Well Fence								
\A/=!!	Pre-SI	nutdown	Post-Shutdown						
Well	April 2022	October 2022	April 2023	August 2023	October 2023	February 2024			
MW-87D2	ND	ND	ND	ND	ND	ND			
MW-83D2	ND	ND	ND	ND	ND	ND			
MW-61D2	ND	ND	ND	ND	ND	ND			
MW-81D1	ND	ND	ND	ND	ND	ND			
MW-81D2	ND	ND	ND	ND	ND	ND			

## → The Power of Commitment

## **Dissolved Oxygen Monitoring**

Dissolved oxygen (DO) concentrations for this quarter as well as results from the first quarterly event and the three most recent events pre-shutdown are presented in Table 1. As shown in Table 1, the DO concentrations are generally stable and for the first three post-shutdown events, all exceeded the target concentration of 2 milligrams/liter  $(mg/L)^1$  with the exception of MW-70D1 (1.82 mg/L in August 2023 and 1.95 mg/L in February 2024) and MW-70D2 (1.95 mg/L in February 2024).

## Recommendations

As stated in the Work Plan, rebound for the purpose of the trial shutdown is defined as follows:

- The VCM concentration does not increase above 2 µg/L for two consecutive events at wells MW-61, MW-70, MW-72, MW-76D2, MW-81, and MW-83
- The VCM concentration does not increase in well MW-76D1


Based on the data, some rebound may be occurring MW-72D1; however, concentrations are low and within the typical range of fluctuation observed at the monitoring wells over time. The detection of VCM marginally above 2  $\mu$ g/L in MW-70D1 starting in August 2023 may be indicative of rebound as defined in the Work Plan; however, these concentrations are below the April 2022 concentration. Further monitoring will assist in determining VCM concentration trends on these wells and if any action needs to be implemented.

Based on the post-shutdown monitoring results collected to date, the following is recommended:

- continue monitoring and sampling per the Work Plan
- no change to the trial shutdown scope of work is required at this time

The next (fifth) quarterly sampling event is scheduled for April 2024 in conjunction with the first semi-annual sampling event.

<sup>&</sup>lt;sup>1</sup> Target DO concentration per the "100% Final Design Report, Off-Site Groundwater Biosparge Phase I Treatment System", May 2005, where DO concentration is sufficient for VCM to biodegrade.



Should you have any questions on the above, please do not hesitate to contact the undersigned at 519-340-4313 or email john.pentilchuk@GHD.com.

Regards

Kenthe

John Pentilchuk Project Director


+1 519 340-4313 john.pentilchuk@ghd.com


JS/kf/14

Encl.

- c: M. Wieder (USEPA)
  - S. Scharf (NYSDEC)
    - R. Ockerby (NYSDOH)
    - J. Watts-Gravette (US Navy)
    - E. Hannon (Northrop Grumman)
    - T. Troutman (Covestro)
    - T. Kelly (Nassau County)
    - P. Bluestein (GSH)

## → The Power of Commitment





GH

125

NAD83 NEW YORK STATE PLANES,

LONG ISLAND, US FOOT

250 ft

Date May 2022

FIGURE 1

INJECTION AND MONITORING WELL LOCATIONS

## Filename: \\ghdnef\ghdlCA\Waterloo\Projects\662\006883\Digital\_Design\ACAD\Figures\LTR005\006883-GHD-00-00-LTR-EN-D103\_WA-005.DWG Plot Date: 03 May 2022 3:31 PM

## Analytical Results Trial/Partial Biosparge System Shutdown Hooker Ruco Site Hicksville, New York

Well	Date Sampled	PCE (µg/L)	TCE (µg/L)	VCM (µg/L)	DO <sup>(1)</sup> (mg/L)
MW-61D2	2/2/2024	85	55	2.0U	10.70
	11/3/2023	130	63	4.0U	14.37
	8/8/2023	93	63	1.0U	NM
	4/20/2023	92	60	1.0U	9.00
	10/27/2022	74	58	1.0U	7.17
	4/21/2021	66.1	42.3	1.0U	4.31
MW-70D1	2/1/2024	1.0U	1.0U	6.3	1.95
	10/30/2023	1.0U	1.0U	2.1	5.99
	8/8/2023	1.0U	1.0U	2.9	1.82
	4/20/2023	1.0U	1.0U	1.2	4.34
	10/25/2022	0.36U	0.46U	1.0U	2.73
	5/10/2022	1.0U	1.0U	7.1J	3.77
MW-70D2	2/1/2024	1.0U	1.0U	1.0U	1.95
	10/30/2023	1.0U	1.0U	1.0U	6.88
	8/8/2023	1.7	0.47J	1.0U	8.89
	4/20/2023	4.9	4.5	1.0U	3.68
	10/25/2022	1.9	3.4	1.0U	1.40
	5/10/2022	3.3	5.2	1.0UJ	4.85
MW-72D1	2/1/2024	0.49J/0.48J	1.6/1.6	3.3/3.1	3.24
	10/30/2023	1.0U	2.6	3.7	8.21
	8/8/2023	0.36J	2.4	3.1	5.24
	4/20/2023	1.0U	1.4	2.1	13.07
	5/15/2020	1.0U	1.0U	1.0U	9.43
	10/14/2019	1.0U	1.0U	1.0U	0.64
MW-72D2	2/1/2024	30	2.9	1.0U	3.65
	10/30/2023	20	3	1.0U	7.72
	8/8/2023	12	2.8	1.0U	3.09
	4/20/2023	16	3.1	1.0U	6.97
	10/25/2022	13	3.2	1.0U	6.34
	5/11/2022	37	5.6	1.0U	10.49
MW-75D1	2/1/2024	1.0U	1.0U	1.0U	2.42
	10/30/2023	1.0U	1.0U	1.0U	4.39
	8/8/2023	1.0U	1.0U	1.0U	4.22
	4/20/2023	1.0U	1.0U	1.0U	5.37
	10/25/2022	0.36U	0.46U	5.5	0.98
	5/11/2022	1.0U	1.0U	1.0UJ	8.27

## Analytical Results Trial/Partial Biosparge System Shutdown Hooker Ruco Site Hicksville, New York

Well	Date Sampled	PCE (µg/L)	TCE (µg/L)	VCM (µg/L)	DO <sup>(1)</sup> (mg/L)
MW-76D1	2/1/2024	1.0U	1.2	10	2.98
	10/30/2023	1.0U	1.2	9.6	6.42
	8/8/2023	1.0U	1.4	9.6	7.26
	4/20/2023	1.0U	1.1	12	6.21
	10/25/2022	1.0U	1.3	16	4.99
	5/11/2022	1.0U	0.99J	25J	2.15
MW-76D2	2/1/2024	20	9.0	1.0U	2.27
	10/30/2023	13	7.7	1.0U	5.95
	8/8/2023	1.6	1.0U	1.0U	9.59
	4/20/2023	1.2	1.0U	1.0U	5.69
	10/25/2022	8.1	4.2	1.0U	4.02
	5/11/2022	1.7	0.97J	1.0U	2.48
MW-81D1	2/2/2024	19	19	1.0U	10.74
	11/3/2023	27	25	1.0U	14.33
	8/8/2023	26	21	1.0U	13.31
	4/25/2023	30	19	1.0U	20.03
	10/28/2022	27	20	1.0U	9.70
	5/13/2022	40	35	1.0U	15.97
MW-81D2	2/2/2024	28	4.6	1.0U	4.17
	11/3/2023	20	2.7	1.0U	6.81
	8/8/2023	35	23	1.0U	2.35
	4/25/2023	10	8.5	1.0U	3.86
	10/28/2022	21	5.9	1.0U	9.7
	5/13/2022	13	11	1.0U	2.73
MW-83D2	2/1/2024	57	94	4.0U	5.51
	11/3/2023	89	110	1.0U	8.40
	8/8/2023	89	130	1.0U	3.47
	4/21/2023	84	130	1.0U	5.87
	10/28/2022	69	120	1.8U	7.44
	5/12/2022	140	130	4.0U	6.99
MW-87D2	2/1/2024	210	20	5.0U	5.32
	11/3/2023	250	18	1.0U	8.09
	8/8/2023	230	16	1.0U	6.82
	4/21/2023	190	13	1.0U	6.10
	10/27/2022	200	22	3.6U	3.46
	5/13/2022	180	20	5.0U	7.00

## Analytical Results Trial/Partial Biosparge System Shutdown Hooker Ruco Site Hicksville, New York

Well	Date Sampled	PCE (µg/L)	TCE (µg/L)	VCM (µg/L)	DO <sup>(1)</sup> (mg/L)	
Notes:			(10),	(10),		
(1)	<ul> <li>Dissolved oxygen m retrieved from well s</li> </ul>			super sleeve	e sampler	
U	- Not detected at asso	ociated valu	е			
J	- Estimated concentra	ation				
NM	- Not measured due t	o super slee	eve sampler	<sup>-</sup> tearing dur	ing retrieval	
	- Post-shutdown sam		Shutdown	commence	d January 25, 2023	
	- Pre-shutdown samp	ling event				

# Attachment A

## February 2024 Analytical Data Validation

→ The Power of Commitment



# **Data Validation Report**

## March 14, 2024

То	John Pentilchuk	Contact No.	716-205-1990
From	Michelle Kukta/cs/12	Email	Michelle.Kukta@ghd.com
Subject	Analytical Results and Full Validation OU-3 Trial Shutdown Groundwater Monitoring Glenn Springs Holdings, Inc Hooker Chemical/Ruco Polymer Superfund Site Hicksville, New York February 2024	Project No.	11224973

The services undertaken by GHD in connection with preparing this report were limited to those specifically detailed in the report and are subject to the scope limitations set out in the report.

## 1. Introduction

This document details a full validation of analytical results for groundwater samples collected in support of the OU-3 Trial Shutdown Groundwater Monitoring at the Hicksville, New York site during February 2024. Samples were submitted to Eurofins Buffalo laboratory located in Amherst, New York. A sample collection and analysis summary is presented in Table 1. The validated analytical results are summarized in Table 2. A summary of the analytical methodology is presented in Table 3.

Full Contract Laboratory Program (CLP) equivalent raw data deliverables were provided by the laboratory. Evaluation of the data was based on information obtained from the finished data sheets, raw data, chain of custody forms, calibration data, blank data, recovery data from surrogate spikes/laboratory control samples (LCS)/matrix spike (MS) samples, and field quality assurance/quality control (QA/QC) samples. The assessment of analytical and in-house data included checks for data consistency (by observing comparability of duplicate analyses), adherence to accuracy and precision criteria, and transmittal errors.

The QA/QC criteria by which these data have been assessed are outlined in the analytical method referenced in Table 3 and applicable guidance from the documents entitled:

- i) "Hooker Chemicals/Ruco Polymers Superfund Site Quality Assurance Project Plan (QAPP)", Revision 5, July 2022
- ii) "National Functional Guidelines for Organic Superfund Methods Data Review", United States Environmental Protection Agency (USEPA), 540-R-20-005, November 2020

## 2. Sample Holding Time and Preservation

The sample holding time criteria for the analysis is summarized in Table 3. Sample chain of custody documents and analytical reports were used to determine sample holding times. All samples were analyzed within the required holding time.

All samples were properly preserved, delivered on ice, and stored by the laboratory at the required temperature (0-6°C).

# 3. Gas Chromatography/Mass Spectrometer (GC/MS) – Tuning and Mass Calibration

## 3.1 Organic Analyses

Prior to volatile organic compound (VOC) analysis, GC/MS instrumentation is tuned to ensure optimization over the mass range of interest. To evaluate instrument tuning, the method requires the analysis of the specific tuning compound bromofluorobenzene (BFB). The resulting spectra must meet the criteria cited in the method before analysis is initiated. Analysis of the tuning compound must then be repeated every 12 hours throughout sample analysis to ensure the continued optimization of the instrument.

The tuning compound was analyzed at the required frequency throughout VOC analysis periods. All tuning criteria were met indicating that proper optimization of the instrumentation was achieved.

## 4. Initial Calibration - Organic Analyses

To quantify VOCs of interest in samples, calibration of the GC/MS over a specific concentration range must be performed. Initially, a five-point calibration curve containing all compounds of interest is analyzed to characterize instrument response for each analyte over a specific concentration range. Linearity of the calibration curve and instrument sensitivity are evaluated against the following criteria:

- i) All relative response factors (RRFs) must be greater than or equal to the method acceptance criteria
- ii) The percent relative standard deviation (%RSD) values must not exceed 20.0 percent or a minimum coefficient of determination (R<sup>2</sup>) of 0.990 if linear and quadratic regression calibration curves are used

The initial calibration data for VOCs were reviewed. All compounds met the criteria for sensitivity and linearity.

## 5. Continuing Calibration - Organic Analyses

To ensure that instrument calibration for VOC analyses is acceptable throughout the sample analysis period, continuing calibration standards must be analyzed and compared to the initial calibration curve every 12 hours. Stability of the calibration curve and instrument sensitivity are evaluated against the following criteria:

- i) All RRF values must meet the criteria outlined in the analytical method
- ii) Percent difference (%D) values must not exceed 20 percent, or the criteria outlined in the analytical method

Calibration standards were analyzed at the required frequency, and most results met the method criteria for instrument sensitivity and stability. One compound in a calibration standard was outside of the criteria and showed some variability from the initial calibration. Sample results associated with outlying percent difference value were qualified as estimated (see Table 4).

## 6. Laboratory Blank Analyses

Method blanks are prepared from a purified matrix and analyzed with investigative samples to determine the existence and magnitude of sample contamination introduced during the analytical procedures.

For this study, laboratory method blanks were analyzed at a minimum frequency of 1 per analytical batch.

All method blank results were non-detect, indicating that laboratory contamination was not a factor for this investigation.

## 7. Surrogate Spike Recoveries

In accordance with the method employed, all samples, blanks, and QC samples analyzed for organics are spiked with surrogate compounds prior to sample analysis. Surrogate recoveries provide a means to evaluate the effects of laboratory performance on individual sample matrices.

All samples submitted for VOC determinations were spiked with the appropriate number of surrogate compounds prior to sample analysis.

Surrogate recoveries were assessed against laboratory control limits. All surrogate recoveries were within the laboratory control limits.

## 8. Internal Standards (IS) Analyses

IS data were evaluated for all VOC sample analyses.

To ensure that changes in the GC/MS sensitivity and response do not affect sample analysis results, IS compounds are added to each sample prior to analysis. All results are then calculated as a ratio of the IS responses.

The sample IS results were evaluated against the following criteria:

- i) The retention time of the IS must not vary more than ±10 seconds from the associated calibration standard.
- ii) IS area counts must not vary by more than a factor of two (50 percent to +100 percent) from the associated calibration standard.

All organic IS recoveries and retention times met the above criteria.

## 9. Laboratory Control Sample Analyses

LCS are prepared and analyzed as samples to assess the analytical efficiencies of the methods employed, independent of sample matrix effects.

For this study, LCS were analyzed at a minimum frequency of 1 per analytical batch.

The LCS contained all compounds of interest. All LCS recoveries were within the laboratory control limits, demonstrating acceptable analytical accuracy.

## 10. Matrix Spike/Matrix Spike Duplicate (MS/MSD) Analyses

To evaluate the effects of sample matrices on the preparation process, measurement procedures, and accuracy of a particular analysis, samples are spiked with a known concentration of the analyte of concern and analyzed as MS/MSD samples. The RPD between the MS and MSD is used to assess analytical precision. If only the MS or MSD recovery was outside of control limits, no qualification of the data was performed based on the acceptable recovery of the companion spike and the acceptable RPD. High MS recoveries do not impact any associated non-detect sample results.

MS/MSD analyses were performed as specified in Table 1.

The MS/MSD samples were spiked with all compounds of interest. All percent recoveries and RPD values were within the laboratory control limits, demonstrating acceptable analytical accuracy and precision.

## 11. Field QA/QC Samples

The field QA/QC consisted of two trip blank samples and one field duplicate sample set.

## 11.1 Trip Blank Sample Analysis

To evaluate contamination from sample collection, transportation, storage, and analytical activities, two trip blank samples were submitted to the laboratory for analysis. All results were non-detect for the compounds of interest.

## 11.2 Field Duplicate Sample Analysis

To assess the analytical and sampling protocol precision, one field duplicate sample set was collected and submitted "blind" to the laboratory, as specified in Table 1. The RPDs associated with the duplicate sample must be less than 50 percent for water samples. If the reported concentration in either the investigative sample or its duplicate is less than five times the reporting limit (RL), the evaluation criterion is the RL value.

All field duplicate results were within acceptable agreement and met the above criteria, demonstrating acceptable sampling and analytical precision.

## 12. Analyte Reporting

The laboratory reported detected results down to the sample-specific method detection limit (MDL) for each analyte. Positive analyte detections less than the RL but greater than the MDL were qualified as estimated (J) in Table 2. Non-detect results were presented as non-detect at the RL in Table 2.

## 13. Target Compound Identification

To minimize erroneous compound identification during organic analyses, qualitative criteria including compound retention time and mass spectra were evaluated according to the identification criteria established by the method. The samples identified in Table 1 were reviewed. The organic compounds reported adhered to the specified identification criteria.

## 14. Conclusion

Based on the assessment detailed in the foregoing, the data summarized in Table 2 are acceptable with the specific qualifications noted herein.

Regards,

Michelle I

Michelle Kukta Data Management Team Leader - Chemistry and Data Validation

## Sample Collection and Analysis Summary OU-3 Trial Shutdown Groundwater Monitoring Glenn Springs Holdings, Inc. - Hooker Chemical/Ruco Polymer Superfund Site Hicksville, New York February 2024

#### Parameter

Sample Identification	Location	Matrix	Collection Date (mm/dd/yyyy)	Collection Time (hr:min)	VOCS	Comments
GW020124KT001	MW-76D1	Groundwater	02/01/2024	08:50	х	
GW020124KT002	MW-76D2	Groundwater	02/01/2024	09:15	Х	
GW020124KT003	MW-75D1	Groundwater	02/01/2024	09:45	Х	
GW020124KT004	MW-72D1	Groundwater	02/01/2024	10:30	Х	
GW020124KT005	MW-72D2	Groundwater	02/01/2024	10:50	Х	
GW020124KT006	MW-70D1	Groundwater	02/01/2024	11:25	Х	MS/MSD
GW020124KT007	MW-70D2	Groundwater	02/01/2024	12:00	Х	
GW020124KT008	MW-87D2	Groundwater	02/01/2024	13:20	Х	
GW020124KT009	MW-83D2	Groundwater	02/01/2024	13:45	Х	
GW020124KT00X	MW-72D1	Groundwater	02/01/2024	00:00	Х	FD(GW020124KT004)
GW020124KT010	MW-81D1	Groundwater	02/01/2024	14:25	Х	
GW020224KT011	MW-81D2	Groundwater	02/02/2024	08:00	Х	
GW020224KT012	MW-61D2	Groundwater	02/02/2024	08:20	Х	
TRIP BLANK-01	-	Water	02/01/2024	-	Х	Trip Blank
TRIPBLANK-02	-	Water	02/02/2024	-	Х	Trip Blank

#### Notes:

FD - Field Duplicate Sample of sample in parenthesis

MS/MSD - Matrix Spike/Matrix Spike Duplicate

VOCs - Volatile Organic Compounds

- Not applicable

-

	Location ID: Sample Name: Sample Date:	MW-61D2 GW020224KT012 02/02/2024	MW-70D1 GW020124KT006 02/01/2024	MW-70D2 GW020124KT007 02/01/2024	MW-72D1 GW020124KT004 02/01/2024	MW-72D1 GW020124KT00X 02/01/2024 Duplicate
Parameters	Unit					
Volatile Organic Compounds						
1,1,1-Trichloroethane	μg/L	2.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,1,2,2-Tetrachloroethane	μg/L	2.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,1,2-Trichloroethane	μg/L	2.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,1-Dichloroethane	µg/L	2.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,1-Dichloroethene	µg/L	2.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,2-Dichloroethane	µg/L	2.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,2-Dichloroethene (total)	µg/L	3.9 J	1.3 J	2.0 U	1.1 J	1.1 J
1,2-Dichloropropane	µg/L	2.0 U	1.0 U	1.0 U	1.0 U	1.0 U
2-Butanone (Methyl ethyl ketone) (MEK)	µg/L	20 U	10 U	10 U	10 U	10 U
2-Hexanone	μg/L	10 UJ	5.0 U	5.0 U	5.0 U	5.0 U
4-Methyl-2-pentanone (Methyl isobutyl keto	one) (MIBK) µg/L	10 U	5.0 U	5.0 U	5.0 U	5.0 U
Acetone	μg/L	52	25	55	61	64
Benzene	µg/L	2.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Bromodichloromethane	µg/L	2.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Bromoform	µg/L	2.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Bromomethane (Methyl bromide)	µg/L	2.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Carbon disulfide	µg/L	2.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Carbon tetrachloride	μg/L	2.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Chlorobenzene	μg/L	2.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Chloroethane	μg/L	2.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Chloroform (Trichloromethane)	µg/L	2.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Chloromethane (Methyl chloride)	μg/L	2.0 U	1.0 U	1.0 U	1.0 U	1.0 U
cis-1,2-Dichloroethene	μg/L	3.9	1.3	1.0 U	1.1	1.1
cis-1,3-Dichloropropene	μg/L	2.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Dibromochloromethane	μg/L	2.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Ethylbenzene	µg/L	2.0 U	1.0 U	1.0 U	1.0 U	1.0 U

	Location ID: Sample Name: Sample Date:	MW-61D2 GW020224KT012 02/02/2024	MW-70D1 GW020124KT006 02/01/2024	MW-70D2 GW020124KT007 02/01/2024	MW-72D1 GW020124KT004 02/01/2024	MW-72D1 GW020124KT00X 02/01/2024 Duplicate
Parameters	Unit					
Volatile Organic Compounds						
m&p-Xylenes	μg/L	4.0 U	2.0 U	2.0 U	2.0 U	2.0 U
Methylene chloride	µg/L	2.0 U	1.0 U	1.0 U	1.0 U	1.0 U
o-Xylene	µg/L	2.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Styrene	µg/L	2.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Tetrachloroethene	μg/L	85	1.0 U	1.0 U	0.49 J	0.48 J
Toluene	µg/L	2.0 U	1.0 U	1.0 U	1.0 U	1.0 U
trans-1,2-Dichloroethene	µg/L	2.0 U	1.0 U	1.0 U	1.0 U	1.0 U
trans-1,3-Dichloropropene	μg/L	2.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Trichloroethene	μg/L	55	1.0 U	1.0 U	1.6	1.6
Vinyl chloride	μg/L	2.0 U	6.3	1.0 U	3.3	3.1
Xylenes (total)	μg/L	4.0 U	2.0 U	2.0 U	2.0 U	2.0 U

Location II Sample Nam Sample Dat	e:	MW-72D2 GW020124KT005 02/01/2024	MW-75D1 GW020124KT003 02/01/2024	MW-76D1 GW020124KT001 02/01/2024	MW-76D2 GW020124KT002 02/01/2024	MW-81D1 GW020124KT010 02/01/2024
Parameters	Unit					
Volatile Organic Compounds						
1,1,1-Trichloroethane	µg/L	1.0 U				
1,1,2,2-Tetrachloroethane	µg/L	1.0 U				
1,1,2-Trichloroethane	µg/L	1.0 U				
1,1-Dichloroethane	µg/L	1.0 U				
1,1-Dichloroethene	µg/L	1.0 U				
1,2-Dichloroethane	µg/L	1.0 U				
1,2-Dichloroethene (total)	µg/L	2.8	2.0 U	2.4	1.1 J	1.4 J
1,2-Dichloropropane	µg/L	1.0 U				
2-Butanone (Methyl ethyl ketone) (MEK)	µg/L	10 U				
2-Hexanone	µg/L	5.0 U				
4-Methyl-2-pentanone (Methyl isobutyl ketone) (MIBK)	µg/L	5.0 U				
Acetone	µg/L	73	64	66	30	59
Benzene	µg/L	1.0 U	1.0	1.0 U	1.0 U	1.0 U
Bromodichloromethane	µg/L	1.0 U				
Bromoform	µg/L	1.0 U				
Bromomethane (Methyl bromide)	µg/L	1.0 U				
Carbon disulfide	µg/L	1.0 U				
Carbon tetrachloride	µg/L	1.0 U				
Chlorobenzene	µg/L	1.0 U				
Chloroethane	µg/L	1.0 U	1.0 U	1.0 U	1.0 U	0.32 J
Chloroform (Trichloromethane)	µg/L	1.0 U				
Chloromethane (Methyl chloride)	µg/L	1.0 U				
cis-1,2-Dichloroethene	µg/L	2.8	1.0 U	2.4	1.1	1.4
cis-1,3-Dichloropropene	µg/L	1.0 U				
Dibromochloromethane	µg/L	1.0 U				
Ethylbenzene	µg/L	1.0 U				

	Location ID: Sample Name: Sample Date:	MW-72D2 GW020124KT005 02/01/2024	MW-75D1 GW020124KT003 02/01/2024	MW-76D1 GW020124KT001 02/01/2024	MW-76D2 GW020124KT002 02/01/2024	MW-81D1 GW020124KT010 02/01/2024
Parameters	Unit					
Volatile Organic Compounds						
m&p-Xylenes	μg/L	2.0 U				
Methylene chloride	μg/L	1.0 U				
o-Xylene	μg/L	1.0 U				
Styrene	μg/L	1.0 U				
Tetrachloroethene	μg/L	30	1.0 U	1.0 U	20	19
Toluene	μg/L	1.0 U				
trans-1,2-Dichloroethene	μg/L	1.0 U				
trans-1,3-Dichloropropene	μg/L	1.0 U				
Trichloroethene	μg/L	2.9	1.0 U	1.2	9.0	19
Vinyl chloride	μg/L	1.0 U	1.0 U	10	1.0 U	1.0 U
Xylenes (total)	μg/L	2.0 U				

Locatio Sample N Sample	lame:	MW-81D2 GW020224KT011 02/02/2024	MW-83D2 GW020124KT009 02/01/2024	MW-87D2 GW020124KT008 02/01/2024	Trip Blank TRIP BLANK-01 02/01/2024	Trip Blank TRIPBLANK-02 02/02/2024
Parameters	Unit					
Volatile Organic Compounds						
1,1,1-Trichloroethane	µg/L	1.0 U	4.0 U	5.0 U	1.0 U	1.0 U
1,1,2,2-Tetrachloroethane	μg/L	1.0 U	4.0 U	5.0 U	1.0 U	1.0 U
1,1,2-Trichloroethane	μg/L	1.0 U	4.0 U	5.0 U	1.0 U	1.0 U
1,1-Dichloroethane	µg/L	0.55 J	4.0 U	5.0 U	1.0 U	1.0 U
1,1-Dichloroethene	μg/L	1.0 U	4.0 U	5.0 U	1.0 U	1.0 U
1,2-Dichloroethane	µg/L	1.0 U	4.0 U	5.0 U	1.0 U	1.0 U
1,2-Dichloroethene (total)	µg/L	7.7	11	18	2.0 U	2.0 U
1,2-Dichloropropane	µg/L	1.0 U	4.0 U	5.0 U	1.0 U	1.0 U
2-Butanone (Methyl ethyl ketone) (MEK)	µg/L	10 U	40 U	50 U	10 U	10 U
2-Hexanone	µg/L	5.0 UJ	20 U	25 U	5.0 U	5.0 U
4-Methyl-2-pentanone (Methyl isobutyl ketone) (MIBK)	µg/L	5.0 U	20 U	25 U	5.0 U	5.0 U
Acetone	µg/L	18	49	47 J	10 U	10 U
Benzene	µg/L	1.0 U	4.0 U	5.0 U	1.0 U	1.0 U
Bromodichloromethane	µg/L	1.0 U	4.0 U	5.0 U	1.0 U	1.0 U
Bromoform	µg/L	1.0 U	4.0 U	5.0 U	1.0 U	1.0 U
Bromomethane (Methyl bromide)	µg/L	1.0 U	4.0 U	5.0 U	1.0 U	1.0 U
Carbon disulfide	µg/L	1.0 U	4.0 U	5.0 U	1.0 U	1.0 U
Carbon tetrachloride	µg/L	1.0 U	4.0 U	5.0 U	1.0 U	1.0 U
Chlorobenzene	µg/L	1.0 U	4.0 U	5.0 U	1.0 U	1.0 U
Chloroethane	µg/L	1.0 U	4.0 U	5.0 U	1.0 U	1.0 U
Chloroform (Trichloromethane)	µg/L	1.0 U	4.0 U	5.0 U	1.0 U	1.0 U
Chloromethane (Methyl chloride)	µg/L	1.0 U	4.0 U	5.0 U	1.0 U	1.0 U
cis-1,2-Dichloroethene	µg/L	7.7	11	18	1.0 U	1.0 U
cis-1,3-Dichloropropene	µg/L	1.0 U	4.0 U	5.0 U	1.0 U	1.0 U
Dibromochloromethane	µg/L	1.0 U	4.0 U	5.0 U	1.0 U	1.0 U
Ethylbenzene	µg/L	1.0 U	4.0 U	5.0 U	1.0 U	1.0 U

#### Analytical Results Summary OU-3 Trial Shutdown Groundwater Monitoring Glenn Springs Holdings, Inc. - Hooker Chemical/Ruco Polymer Superfund Site Hicksville, New York February 2024

	Location ID: Sample Name: Sample Date:	MW-81D2 GW020224KT011 02/02/2024	MW-83D2 GW020124KT009 02/01/2024	MW-87D2 GW020124KT008 02/01/2024	Trip Blank TRIP BLANK-01 02/01/2024	Trip Blank TRIPBLANK-02 02/02/2024
Parameters	Unit					
Volatile Organic Compounds						
m&p-Xylenes	µg/L	2.0 U	8.0 U	10 U	2.0 U	2.0 U
Methylene chloride	µg/L	1.0 U	4.0 U	5.0 U	1.0 U	1.0 U
o-Xylene	µg/L	1.0 U	4.0 U	5.0 U	1.0 U	1.0 U
Styrene	µg/L	1.0 U	4.0 U	5.0 U	1.0 U	1.0 U
Tetrachloroethene	µg/L	28	57	210	1.0 U	1.0 U
Toluene	µg/L	1.0 U	4.0 U	5.0 U	1.0 U	1.0 U
trans-1,2-Dichloroethene	µg/L	1.0 U	4.0 U	5.0 U	1.0 U	1.0 U
trans-1,3-Dichloropropene	µg/L	1.0 U	4.0 U	5.0 U	1.0 U	1.0 U
Trichloroethene	µg/L	4.6	94	20	1.0 U	1.0 U
Vinyl chloride	µg/L	1.0 U	4.0 U	5.0 U	1.0 U	1.0 U
Xylenes (total)	µg/L	2.0 U	8.0 U	10 U	2.0 U	2.0 U

#### Notes:

U - Not detected at the associated reporting limit

J - Estimated concentration

UJ - Not detected; associated reporting limit is estimated

## Analytical Methods OU-3 Trial Shutdown Groundwater Monitoring Glenn Springs Holdings, Inc. - Hooker Chemical/Ruco Polymer Superfund Site Hicksville, New York February 2024

			Holding Time
			Collection to Analysis
Parameter	Method	Matrix	(Days)
Volatile Organic Compounds (VOCs)	SW-846 8260C	Groundwater	14

#### Method Reference:

SW-846 - "Test Methods for Evaluating Solid Waste, Physical/Chemical Methods", SW-846, Third Edition, 1986, with subsequent revisions

Page 1 of 1

#### Table 4

## Qualified Sample Results Due to Outlying Continuing Calibration Results OU-3 Trial Shutdown Groundwater Monitoring Glenn Springs Holdings, Inc. - Hooker Chemical/ruco Polymer Superfund Site Hicksville, New York February 2024

	Calibration Date				Qualified		
Parameter	Analyte	(mm/dd/yyyy)	%D	Associated Sample ID	Result	Units	
VOCs	2-Hexanone	02/06/2024	23	GW020224KT011 GW020224KT012	5.0 UJ 10 UJ	μg/L μg/L	

#### Notes:

- %D Percent difference
- UJ Not detected; associated reporting limit is estimated
- VOCs Volatile Organic Compounds