

**PHASE II INVESTIGATION REPORT FOR**

**NASSAU COUNTY SECTION 11  
BLOCK 7  
LOT 13-15, 69-72**

**67 Sylvester Street  
Westbury, New York**

**NEW CASSEL INDUSTRIAL AREA (SITE NO.130043)  
INACTIVE HAZARDOUS WASTE DISPOSAL SITE**

**NASSAU COUNTY, NEW YORK**

**November 1994**

## CONTENTS

|             |                          |
|-------------|--------------------------|
| SECTION 1.0 | EXECUTIVE SUMMARY        |
| SECTION 2.0 | INTRODUCTION             |
| SECTION 3.0 | PURPOSE OF INVESTIGATION |
| SECTION 4.0 | SCOPE OF WORK            |
| SECTION 5.0 | SITE ASSESSMENT          |
| SECTION 6.0 | CONCLUSIONS              |

## APPENDICES

- A. Subsurface Logs
- B. Laboratory Data
- C. Environmental Audit Report

## FIGURES

| FIGURE<br>NUMBER | TITLE                                          |
|------------------|------------------------------------------------|
| 1                | Site Location Map                              |
| 2                | New Cassel Industrial Area                     |
| 3                | Location of Groundwater Monitoring Wells       |
| 4                | Tax Map                                        |
| 5                | Location of RCRA and FINDS Sites               |
| 6                | Geological Cross Section of Site Area          |
| 7                | New Cassel Water Level Contours March 13, 1986 |

## 1.0 EXECUTIVE SUMMARY

In 1988, the New Cassel Industrial Area (NCIA), located in the Town of North Hempstead, Nassau County, New York (Figure 1) was designated an Inactive Hazardous Waste Site (Site No.130043) by the New York State Department of Environmental Conservation (NYSDEC). The decision to declare the New Cassel Industrial Area as such was based on a report entitled the "Investigation of Contaminated Aquifer Segments, Nassau County, N.Y." prepared by the Nassau County Department of Health (NCDH) in June, 1986. In that investigation, the Upper Glacial Aquifer under the NCIA was generally found to contain volatile organic compounds (VOCs).

In the autumn of 1993 and summer of 1994, New York State Department of Environmental Conservation (NYSDEC) performed additional sampling of the soils and groundwater. The purpose of that testing was to identify the sources for the groundwater contamination. One of the sites investigated was 67 Sylvester Street where soil and groundwater samples were collected by the State. The soil samples did not contain any volatile organic compounds (VOCs).

The tenant at 67 Sylvester Street (SITE) commissioned Anson Environmental Ltd. to perform this environmental investigation. The purpose of this investigation was to demonstrate that:

- (a) the soils on SITE were not contaminated with volatile organic compounds,
- (b) the SITE is not a source of groundwater contamination, and
- (c) the SITE should be segregated from the NCIA and removed from the NYSDEC listing of Inactive Hazardous Waste Disposal Sites.

This investigation included sampling of two drywells, the abandoned leaching pool, subsurface soil sampling on SITE and sampling of three groundwater monitoring wells into the Upper Glacial Aquifer. These samples were analyzed for the presence of volatile organic compounds.

The results of the July 25 and September 28 and 29, 1994 sampling of the subsurface soil and groundwater conducted by Anson Environmental Ltd. did not indicate any influence by the operations by Doak Pharmacal on the

groundwater quality beneath the SITE. Anson Environmental Ltd. split groundwater and drywell sediment samples with the NYSDEC's representatives Lawler, Matusky & Skelly Engineers (LMS). The soil and groundwater results concur with the findings of the LMS/NYSDEC which found contamination of the groundwater in the Upper Glacial Aquifer upgradient of the SITE but no contamination in the soils on SITE, thus indicating that the source of groundwater contamination is offsite.

All of the following samples had concentrations of volatile organic compounds below the method detection limits:

Abandoned Leaching Pool (0-2 feet and 2-4 feet)  
Drywells #1 and #2 (0-2 feet, 4-6 feet and 8-10 feet)  
GP#1 (15-17 feet)  
GP#2 (15-17 feet)  
GP#3 (15-17 feet and 30-32 feet)  
GP#4 (15-17 feet)

These soils data indicate that there are no volatile organic compounds in the subsurface soils at 15 to 17 feet or in the abandoned leaching pool or drywells. Therefore, the SITE cannot be a source of groundwater contamination.

The drywell results were consistent with the findings of the LMS/NYSDEC for soil samples split with Anson Environmental Ltd. on July 25, 1994. These surface soil samples collected from the bottoms of the two drywells did not identify volatile organic compounds above the detection limits. LMS/NYSDEC's sample number SGP-109 collected at 20-22 feet below grade were below detection limits for benzene, toluene, ethyl benzene and xylenes (BTEX) and only had extremely low concentrations of 1,1,1-trichloroethane (1.6 µg/Kg) and tetrachloroethane (0.7 µg/Kg). These concentrations are far below the allowable NY State limits in soil of 800 µg/Kg and 1400 µg/Kg respectively.

The laboratory results of Anson Environmental Ltd. and LMS/NYSDEC indicate that there is a plume of groundwater contamination flowing under the SITE. The source of this groundwater is not from the SITE but is upgradient of it. These data coupled with the findings of the soil sampling of Anson Environmental Ltd. and LMS/NYSDEC indicate that the SITE is not a source of groundwater contamination and therefore, is a candidate for

segregation and delisting.

The results of this investigation, combined with the results of the LMS/NYSDEC study "Preliminary Site Assessment Report, New Cassel Industrial Area Site", dated October 1994), provide the necessary data to warrant the segregation and delisting of the SITE from the NYSDEC's list of Inactive Hazardous Waste Sites. Moreover, 67 Sylvester Street should not be identified as a potentially responsible party for the groundwater remediation in the NCIA.

## 2.0 INTRODUCTION

In the early 1980's, NCDH used an industrial survey to develop an inventory of chemical compounds used in ten areas of Nassau County. This listing was compared to groundwater quality in those areas. Groundwater monitoring wells were installed and groundwater sampled and analyzed using USEPA Method 8260 for volatile organic compounds. Wells were categorized according to "total volatile organics ( $\mu\text{g/l}$ )" and "individual chemical compounds ( $\mu\text{g/l}$ )". The concentrations for the "ambient/near ambient category" ranged from non-detected to ten  $\mu\text{g/l}$  for total volatile organics and non-detected to five  $\mu\text{g/l}$  for individual chemicals.

One of the areas investigated by NCDH was NCIA, the boundaries of which are described in Section 3.0 and are shown on Figure 2. In 1988, the New York State Department of Environmental Conservation classified this area an Inactive Hazardous Waste Disposal Site (Site No. 130043) because of the presence of volatile organic compounds (volatile organic compounds) in monitoring wells in the Upper Glacial and Magothy Aquifers. In the 39 groundwater monitoring wells which were sampled, 36 had concentrations of volatile organic compounds that ranged from two to nine thousand and eight hundred parts per billion. The other three wells had concentrations of zero parts per billion.

The NCDH wells surrounding the central portion of NCIA had concentrations of volatile organic compounds that ranged from one hundred to twenty-eight hundred parts per billion ( $\mu\text{g/L}$ ). These wells were located in the Upper Glacial Aquifer.

The tenant on the property, Doak Pharmacal Inc., commissioned Anson Environmental Ltd. to perform an investigation to provide NYSDEC with additional data to justify segregation of the SITE from the listing of Inactive Hazardous Waste Disposal Sites and remove it from that listing. Anson Environmental Ltd.'s investigation included the installation of three groundwater monitoring wells and the sampling of drywells and collection of subsurface soil samples. Two rounds of groundwater samples were collected for laboratory analyses for volatile organic compounds in July. The drywells were sampled for VOCs in July. The subsurface soil samples were collected in September and were also analyzed for VOCs. The analyses were performed by EcoTest Laboratories of North Babylon, New York, a NYSDEC-certified laboratory.

Prior to the installation of the wells, a visual inspection of the SITE was conducted. There was no visible evidence of surface discharges.

The SITE is completely covered by pavement or by the building.

Nassau County tax maps (Figure 4) identify the SITE as:

Section: 11

Block: 7

Lots: 13-15

Lots: 69-72

### **SECTION 3.0 PURPOSE OF THE INVESTIGATION**

The objectives of this environmental investigation were to evaluate the soil and groundwater conditions under the SITE in order to determine if the SITE is a candidate for segregation from the New Cassel Industrial Area and removal from the State's listing of Inactive Hazardous Waste Disposal Sites.

In order to accomplish these objectives, a SITE investigation was performed by searching the NYSDEC and NCDH files for information as well as SITE reconnaissance and sampling. Emphasis was placed on identifying and quantifying the SITE's hydrogeologic and soil chemical characteristics utilizing SITE specific data gathered in 1994. These data were used to

determine the propriety of segregating the SITE from the listing of Inactive Hazardous Waste Disposal Sites.

## **SECTION 4.0 FIELD INVESTIGATIONS**

### **4.1 Soil Investigations**

On September 28 and 29, 1994, four soil borings were installed using a Geoprobe to determine if volatile organic compounds were present in the soils on SITE. Borings GP#1, GP#2, and GP#4 were all installed to a depth of 17 feet, with soil samples collected at 1-3 feet and 15-17 feet at each sampling location. Boring GP#3 was installed to a depth of 32 feet, with soil samples collected at 1-3, 15-17 and 30-32 feet. In GP#3 elevated headspace readings were obtained using the field organic vapor meter (OVM) for soils collected at 15-17 feet; therefore, a sample was also collected at 30-32 feet. The purpose of this additional sample was to better define the conditions on SITE.

Borings were installed into the abandoned leaching pool (LP#1) and two drywells (DW#1 and DW#2) located in the parking lot on the southeast side of Doak Pharmacal (see Figure 2). Samples collected from the abandoned leaching pool LP#1 were obtained at 0-2 and 2-4 (boring construction began at 2.4 feet below grade). Borings from drywells DW#1 and DW#2 began construction from the bottom of the drywells at 17.4 feet and 18.4 feet below grade, respectively. Samples collected were obtained at 4-6 feet and 8-10 feet for each drywell. Headspace readings obtained from the abandoned leaching pool and drywell samples were all at background levels.

All soil samples collected were kept in a cooler on ice and delivered to EcoTest Laboratories for volatile organic compounds (VOC's) analysis via EPA method 8260.

Laboratory results for these samples are summarized in the attached Table 1. These tables only contain the volatile organic compounds identified above the method detection limit of the laboratory.

Trace levels of VOC's were detected in soil samples GP#1 (1-3 feet below grade), GP#2 (1-3 feet below grade) and GP#3 (1-3 feet below grade).

However, all levels were below the recommended New York State cleanup standards for soils. All of the following samples had concentrations of VOCs below the method detection limits:

Abandoned Leaching Pool (0-2 feet and 2-4 feet)  
Drywells #1 and #2 (4-6 feet and 8-10 feet)  
GP#1 (15-17 feet)  
GP#2 (15-17 feet)  
GP#3 (15-17 feet and 30-32 feet)  
GP#4 (15-17 feet)

These soils data indicate that there are no volatile organic compounds in the subsurface soils at 15 to 17 feet or in the abandoned leaching pool or drywells. These findings are consistent with those of LMS/NYSDEC as sample number SGP-109 collected at 20-22 feet below grade was below detection limits for benzene, toluene, ethyl benzene and xylenes (BTEX) and had extremely low concentrations of 1,1,1-trichloroethane (1.6 µg/Kg) and tetrachloroethane (0.7 µg/Kg). These concentrations are far below the allowable state limits in soil of 800 µg/Kg and 1400 µg/Kg respectively.

The drywell results were consistent with the findings of the LMS/NYSDEC October 1994 findings for samples split with Anson Environmental Ltd. in July 25, 1994. These surface soil samples collected from the bottoms of the two drywells did not identify any VOCs above the detection limits. Drywell samples collected on September 28th by Anson Environmental Ltd. produced results identical to those of July 25th. If the site were a source of groundwater contamination, the levels of volatile organic compounds in the soil would be expected to be higher than the levels identified in the sampling.

Laboratory data sheets are presented in the Appendix of this report.

## **4.2 Groundwater Investigations**

Three groundwater monitoring wells were installed by Miller Environmental Group, Calverton, New York in June 1994 under the supervision of Anson Environmental Ltd. The locations of the wells are shown in Figure 3 along with two wells installed by Nassau County. The locations of these wells were selected based on their proximity to the



SITE, the results of the June 1986 NCDH study and the direction of groundwater flow.

#### **4.2.1 Groundwater Monitoring Well Installation**

Prior to installation of the wells, a SITE reconnaissance was conducted with an organic vapor detector (OVM 580B). The readings did not exceed background levels of 0.5 parts per million.

The wells were installed using a 6-inch inner diameter (I.D.) hollow-stem auger. Prior to the installation of each well, the augers were steam-cleaned to prevent cross-contamination. Cuttings from the auger were selected at two to five foot intervals for analysis by screening the head space in partially filled sample bags using an organic vapor detector OVM 580B. The purpose of this screening was to determine if the cuttings were contaminated with volatile organic compounds. The drill cuttings were stockpiled on plastic sheets on site until the analysis with the OVM 580B was completed. If it had been determined that the soil was contaminated, the cuttings would have been disposed of by a licensed hauler of hazardous waste.

The wells were constructed using a 4-inch I.D., Schedule 40, flush-joint, internally threaded PVC casing and well screen. The well construction was consistent for all three wells (see boring logs and well construction diagrams, Appendix A). It is important to note that no glue was used in any of the well installations. The well screens are 20 feet in length and are set ten feet above and ten feet below the groundwater table. This well design was chosen to detect any contamination, either dissolved or floating at the groundwater interface, as well as, allow sampling of the groundwater in the Upper Glacial Aquifer per USEPA and NYSDEC sampling protocols.

During drilling, groundwater was encountered at an average depth of approximately 54 feet. The screen annulus was sand packed to approximately five feet above the top of the screen, followed by a five-foot thick layer of bentonite pellets. Since the OVM 580B analysis did not indicate the presence of volatile organic compounds in the soil, the drill cuttings were used to backfill the remainder of the annulus to land surface. A flush-mounted, bolted steel cap was installed and was set in a

concrete collar.

The wells were developed in June 1994 using a stainless steel Grundfoss submersible pump. The pump was decontaminated with Alconox and distilled water prior to development of each well. A well development plan was followed which ensured a good hydraulic interconnection between the well screens and the surrounding formation. Sufficient water was pumped from each well until development water was clear and colorless for at least five minutes.

The tops of the well casings were surveyed to the nearest one hundredth (0.01) of a foot and used as a measuring point. The depths to water were measured in July 1994. These data were used to determine the direction of groundwater flow.

#### **4.2.2 Groundwater Sampling Program**

Anson Environmental Ltd. sampled the three wells using USEPA and NYSDEC approved sampling protocols. Prior to sampling each time in July 1994, three to five well volumes were evacuated from each well. This water was evacuated using a bailer. The groundwater samples were collected from each well using a dedicated, disposable Teflon bailer. In order to prevent cross-contamination, the bailer and other sampling equipment were decontaminated after the collection of each groundwater sample. This decontamination process consisted of a tap water and non-phosphate detergent wash, distilled water rinse and air drying. Samples were packed in an ice-filled cooler and transported to Ecotest Laboratories for laboratory analysis. Strict chain-of-custody procedures were used from the time of collection through laboratory analysis. EcoTest Laboratories participates in the USEPA's certified laboratory program and is utilized by NYSDEC to analyze state collected samples.

Floating product was neither observed during well development nor during the July groundwater samplings.

#### **4.2.3 Groundwater Sampling Laboratory Data**

Anson Environmental Ltd. sampled the three groundwater monitoring wells (MW-1, MW-2 and MW-3) at the SITE on July 12 and July 25, 1994. On July 25th, sampling of two wells (MW-1 and MW-2) was conducted and the

sample material was split with LMS/NYSDEC. All samples were analyzed via EPA method 8260. Table 2 (July 12th and 25th samplings) summarizes the concentrations of volatile organic compounds identified in the groundwater.

The data indicate the presence of several volatile organic compounds which are common in the Upper Glacial Aquifer in the NCIA. The levels of compounds detected are consistent in both samplings. The primary compounds identified are tetrachloroethylene, 1,1,1-trichloroethane and 1,1-dichloroethane.

Prior to the sampling conducted in July 1994, LMS/NYSDEC collected a groundwater sample from GP-38 in October 1993. This Geoprobe sampling point is upgradient of MW-1 on the Doak property, located approximately 375 feet northeast. (See Figure 5 which was assembled from LMS/NYSDEC Drawing number DWG#650027-4). The levels of volatile organic compounds detected at GP-38 were comparable to the levels found nine months later at MW-1 (see Table 3 below).

**Table 3. Groundwater sampling results from LMS/NYSDEC October 1993 and July 1994 investigations.**

|                           | Upgradient<br>Doak MW-1<br>7/25/94<br>(ug/L) | Upgradient<br>GP-38<br>10/1/93<br>(ug/L) |
|---------------------------|----------------------------------------------|------------------------------------------|
| <b>VOLATILE COMPOUNDS</b> |                                              |                                          |
| 1,1-Dichloroethane        | BQL                                          | 33                                       |
| cis-1,2-Dichloroethene    | BQL                                          | 26                                       |
| 1,1-Dichloroethene        | 25.9                                         | 22                                       |
| Tetrachloroethene         | 63                                           | 65                                       |
| 1,1,1-Trichloroethane     | 134                                          | 160                                      |
| Trichloroethylene         | 14                                           | 43                                       |

BQL = below quantitation limits

Laboratory data from samples collected by Anson Environmental Ltd. and LMS/NYSDEC indicate that there is a plume of contamination flowing under the SITE. Conservatively speaking, the horizontal component of groundwater flow in the New Cassel area is less than one foot per day. There are 270 days between the two sampling events during which the groundwater flowed approximately 375 feet downgradient. The

groundwater contamination detected at GP-38 flowed to MW-1 and will continue in a downgradient direction as time passes.

Although some levels of contamination detected in the groundwater samples collected from downgradient wells appear to be slightly higher for some VOCs than upgradient well, the main influence of contamination appears to be from an upgradient and off SITE source.

The source of the contamination is upgradient and off SITE. In addition, the volatile organic compounds identified in the groundwater at the SITE are not and never have been used by Doak Pharmacal.

## **SECTION 5.0 SITE ASSESSMENT**

### **5.1 Description of New Cassel Industrial Area**

The boundaries of NCIA are approximately (see Figure 1):

- Wantagh Parkway on the east
- Bond Street on the west
- Summa Avenue on the north
- Old Country Road on the south

The NCIA is located in an area that has mixed land use. NCIA is mainly industrial and is bounded to the north by residential use and to the south by commercial and institutional establishments located along Old Country Road. The use of the SITE is consistent with the surrounding properties.

The SITE is essentially level topographically and contains one building with the remaining portion of the SITE being paved with asphalt.

There are no surface water bodies either on the SITE or within a one mile radius of the SITE.

There are five public water supply wells located within a two mile radius, although none are located within the New Cassel Industrial Area itself. Two public supply wells, N5655 and N6819, are located directly north of the NCIA, one, N8497 is located to the west, and two wells, N8956 and N8957 are located to the southwest of the NCIA.

## **5.2 SITE History**

The property at 67 Sylvester Street is approximately 17,500 square feet in size of which 10,800 square feet is a single story building built on slab. The remainder of the property is paved with asphalt for parking. There are offices along the Sylvester Street side (eastern side) of the building. There is assembly space in the remainder of the building. The building is heated by fuel oil and has a 550 gallon underground storage tank on the Sylvester Street side of the building. The SITE was connected to Nassau County Sewer System in 1990.

In the assembly operations space, cosmetics such as, shampoos and creams are mixed and inserted mechanically into tubes and bottles at the assembly work stations. The walls in the storage areas are lined with steel shelving units with raw materials and finished products. There are four 55-gallon drums of coal tar distillate on SITE in June 1994. Coal tar distillate is mixed with some shampoos as a dandruff control compound. The drums were stored in a separate room with a ceiling vent and fan and berm where the floor meets the walls. The floor is concrete and there were no floor drains observed. The absence of floor drains was substantiated by LMS/NYSDEC in their October 1994 report.

The facility and SITE undergo close scrutiny by the US Department of Agriculture's Food and Drug Administration (FDA). The FDA periodically inspects the facility to make sure that the facility meets cleanliness standards and quality control requirements of that agency.

The majority of the SITE is paved or covered by the building. There were two drywells observed in the parking area for collection of stormwater runoff and a dumpster. Anson Environmental Ltd. and the NYSDEC split samples of the sediment in those two drywells on July 25th. Laboratory analysis was via EPA method 8260 for volatile organic compounds. Laboratory results indicated that volatile organic compounds were at or below the method detection limit of 5 parts per billion.

## **5.3 Spills Data, RCRA Sites, FINDS Sites and CERCLIS Sites**

As part of the SITE assessment, a search was conducted by Agency Information Consultants of the United States Environmental Protection

Agency's files, New York State Department of Environmental Conservation spills logs as well as, a search of other databases for environmental problem sites and activities in the NCIA (Appendix C).

The report indicated that, in the area of the SITE, there are no National Priorities List sites, six federal CERCLIS sites, 112 FINDS facilities, 115 RCRA reporting facilities and no National Spill Reports.

The USEPA's National Priorities (Superfund) List includes sites that are uncontrolled or abandoned hazardous waste sites identified for priority remedial actions under the federal Superfund program.

The Facility Index System (FINDS) includes any property that the USEPA has investigated, reviewed or been made aware of as part of its regulatory program.

The CERCLIS list is a compilation of sites that the USEPA has investigated for a release or threatened release of hazardous substances. This listing was compiled as a part of Comprehensive Environmental Response, Compensation and Liability Act of 1980, also known as the federal "Superfund Act".

The RCRA database includes sites known by the USEPA to generate, store, transport, treat or dispose of hazardous materials. The federal Resource Conservation and Recovery Act (RCRA) program created this database which tracks hazardous materials from "cradle to grave".

The National Spill Reports lists sites where oil and hazardous materials have been spilled. This listing is a compilation of reports made by federal agencies such as, USEPA, US Coast Guard, US Department of Transportation and/or National Response Center.

### **5.3.1 Spills, Finds, RCRA and CERCLIS Sites Within 1/4 Mile of SITE**

The following sites, which are contained in the above listings, are either located upgradient of the Site or within a one-quarter mile radius. The locations of the sites are shown on Figure 5. The database(s) which had information on these sites are identified below their addresses.

1. Advance Food Service Co., Inc.

2. All-Tronics, Inc

45 Bond Street  
Westbury, NY  
FINDS, RCRA

750 Summa Ave.  
Westbury, NY  
FINDS, RCRA

3. Auto Plaza Dodge  
26 Bond Street  
Westbury, NY  
FINDS, RCRA

4. Fine Art Auto Body  
90 New York Avenue  
Westbury, NY  
FINDS, RCRA

5. Huron Tool & Cutter Grinding Co.  
75 State Street  
Westbury, NY  
FINDS, RCRA

6. Kleartone Inc.  
695 Summa Avenue  
Westbury, NY  
FINDS, RCRA

7. Long Island French Quality  
997 Prospect Street  
Westbury, NY  
FINDS, RCRA

8. Marvex Corp.  
89 Frost Street  
Westbury, NY  
FINDS

9. Metco Inc.  
1101 Prospect Avenue  
Westbury, NY  
FINDS, RCRA

10. Metpar Steel Products Corp.  
97 State Street  
Westbury, NY  
FINDS, RCRA

11. Molla Inc.  
110 State Street  
Westbury, NY  
FINDS, RCRA

12. Perkin-Elmer Corp.  
1101 Prospect Avenue  
Westbury, NY  
FINDS

13. S&B Machine Works, Inc.  
111 New York Avenue  
Westbury, NY  
FINDS, RCRA

14. Shell Foam Corp.  
112 State Street  
Westbury, NY  
FINDS

15. Skelton Screw Machine Inc.  
100 New York Avenue  
Westbury, NY  
FINDS, RCRA

16. Tishcon Corp.  
29 New York Avenue  
Westbury, NY  
FINDS, RCRA

### 5.3.2 Spills, Finds, RCRA and CERCLIS Sites Greater than 1/4 Mile From SITE

The following facilities are located more than one-quarter mile of and upgradient of the SITE. These facilities, should they experience a discharge to the Upper Glacial Aquifer, would influence the water quality of the New Cassel Industrial Area and possibly the SITE.

Brinkmann Instruments  
Cantiague Rock Road  
Westbury, NY  
FINDS

College House Manufacturing Inc.  
601 Cantiague Rock Road  
Westbury, NY  
FINDS, RCRA

Cork Foundation Co.  
Cantiague Rock Road  
Westbury, NY  
FINDS

John Hassall, Inc.  
Cantiague Rock Road  
Westbury, NY  
FINDS, RCRA, CERCLIS

K.D.C. Enterprises, Ltd.  
Cantiague Rock Road  
Westbury, NY  
RCRA

Nathan Lagin Co., Inc.  
95 Cantiague Rock Road  
Westbury, NY

Solvent Finishers, Inc.  
Cantiague Rock Road  
Westbury, NY  
FINDS, RCRA

Air Techniques Inc.  
70 Cantiague Rock Road  
Westbury, NY  
CERCLIS

Alsy Manufacturing  
270 Duffy Avenue  
Hicksville, NY  
CERCLIS

Depew Manufacturing  
359 Duffy Avenue  
Hicksville, NY

MEK Spill  
530 West John Street  
Hicksville, NY

AGO Associates  
449 West John Street  
Hicksville, NY

Anchor Chemical  
West John Street  
Hicksville, NY  
CERCLIS

Servo Corp.  
111 New South Road  
Hicksville, NY  
CERCLIS



## **5.4 SITE Geology**

The SITE is situated on outwash plain deposits south of the Ronkonkoma recessional moraine. These deposits consist of a mixture of coarse sand and gravel and constitute the sediments of the Upper Glacial Aquifer.

Figure 6 is a generalized geological cross-section trending north to south across Long Island which shows a southward sloping wedge of unconsolidated deposits unconformably overlying a crystalline bedrock of metamorphic and igneous rock.

As illustrated in the figure, there are three main hydraulically connected aquifers underlying Long Island: the Upper Glacial, Magothy and Lloyd Aquifers. The unconsolidated deposits are late Cretaceous, Pleistocene and Recent in age. The total thickness of the unconsolidated deposits under the site is approximately 1,000 feet.

### **5.4.1 Upper Cretaceous Series**

#### **Raritan Formation**

The Raritan formation of Late Cretaceous age is the deepest formation of unconsolidated deposits in the site area. It rests directly on the crystalline bedrock and is unconformably overlain by the Magothy formation. The Raritan formation occurs beneath the entire area of Long Island but does not outcrop. Formation thickness ranges from 300 to 600 feet and is approximately 415 feet thick below the site. The formation is divided into a lower unit (the Lloyd sand member) and an upper unit (Raritan clay).

The clay member functions as an aquiclude (confining unit), successfully separating the Lloyd sand member from the overlying Magothy. The clay member also retards the movement of salt water from the Lloyd sand member on southeastern Long Island. At the site Raritan clay is approximately 175 feet thick.

#### **Recent Deposits**

The Recent deposits, not including soil and artificial fill, occur beneath bays, in marshlands, on barrier beaches and in stream valleys. Recent deposits are the uppermost and stratigraphically the youngest sediments and are immediately underlain by outwash. The Recent deposits reach a

maximum thickness of about 40 feet and are too thin to be represented on geological cross-sections.

## **5.5 Groundwater**

The Aquifer system underlying Nassau County is composed of three main water bearing units: the Upper Glacial Aquifer, the Magothy Aquifer and the Lloyd Aquifer. Of main concern in this study are the two uppermost Aquifers, the Upper Glacial and the Magothy, since they are the main supply for drinking water in the area. The Upper Glacial Aquifer consists mainly of sand and gravel deposits with some cobbles in an unstratified mixture. In the New Cassel area the Upper Glacial Aquifer is about 50 feet thick, according to the United States Geological Survey (USGS) map for this area. This approximate thickness was confirmed with the three wells installed at the SITE. According to the boring logs (Appendix A), fine sand with silt and clay began to be encountered at depths of 50 to 60 feet. The finer sand, with traces of silt and clay is indicative of the Magothy Aquifer. The scattered clay layers in the Magothy are not continuous in the NCIA. The Magothy Aquifer is approximately 500 feet thick in this portion of Nassau County.

Regional groundwater flow in the New Cassel Area is toward the southwest, according to the Nassau County Department of Public Works groundwater elevation maps. This flow direction was confirmed by the NCDH study conducted in 1984 to 1985 (see Figure 7). According to the NCDH study vertical flow in the New Cassel area is not consistent.

### **5.5.1 Locations, Depths and Numbers of Monitoring Wells**

Stratigraphy and water table contours for the New Cassel Industrial Area have been established in the area by the Nassau County Department of Health and Department of Public Works and in the LMS/NYSDEC October 1994. In addition, an extensive system of monitoring wells (Figure 7) has been installed by Nassau County some of which were used to collect unfiltered groundwater samples to establish the dissolved concentrations of volatile organic chemicals and the apparent sources of contamination with regard to the New Cassel Industrial Area.

Presently, there are very few, if any, private wells utilizing the Upper Glacial Aquifer for domestic water supply within the village of New

Cassel. The majority of wells used for public water supply are screened in the Magothy Aquifer. There are five public water supply wells located within two miles of the site, although none are located within the NCIA itself. Two public supply wells, N5655 and N6819, are located northeast of the Site, one, N8497 is located to the west, and two wells, N8956 and N8957 are located to the southwest of the Site.

#### **5.5.2 Direction of Groundwater Flow**

According to the water level contours identified in the Nassau County 1986 study, groundwater in the NCIA flows in a southwesterly direction (see Figure 7).

This information is confirmed by the water level readings taken by Anson Environmental Ltd. in October 1989, May 1990, December 1991, May 1992, November 1992 as well as, by LMS/NYSDEC 1994 data.

### **6.0 CONCLUSION**

The following data support the segregation and delisting of 67 Sylvester Street:

1. The soil samples collected on SITE did not contain any volatile organic compounds at 15-17 feet below grade. These data are supported by sampling performed by LMS/NYSDEC.
2. Sediment samples collected from the two drywells on SITE also did not contain any volatile organic compounds.
3. The abandoned leaching pool samples did not contain any volatile organic compounds.
4. Due to the absence of SITE soil contamination, groundwater contamination identified in the upgradient and downgradient wells on SITE is from an upgradient source(s). This was substantiated by using the data assembled by LMS/NYSDEC during their October 1993 and July 1994 samplings.
5. The volatile organic compounds identified in the groundwater were

never used by Doak Pharmacal.

Based on this evidence, 67 Sylvester Street should be segregated from the New Cassel Industrial Area and removed from the list of Inactive Hazardous Waste Disposal Sites.

Doak Pharmaceuticals  
67 Sylvester Street  
Westbury, NY

Table 1 Subsurface Soil Sampling Results

|                           | LP#1(0-2)<br>9/28/94<br>(ug/Kg) | LP#1(2-4)<br>9/28/94<br>(ug/Kg) | DW#1(4-6)<br>9/28/94<br>(ug/Kg) | DW#1(8-10)<br>9/28/94<br>(ug/Kg) | DW#2(4-6)<br>9/28/94<br>(ug/Kg) | Cleanup<br>TAGM<br>(ug/Kg) |
|---------------------------|---------------------------------|---------------------------------|---------------------------------|----------------------------------|---------------------------------|----------------------------|
| sampling point            |                                 |                                 |                                 |                                  |                                 |                            |
| sampling date             |                                 |                                 |                                 |                                  |                                 |                            |
| <b>VOLATILE COMPOUNDS</b> |                                 |                                 |                                 |                                  |                                 |                            |
| 1,1-Dichloroethane        | ND                              | ND                              | ND                              | ND                               | ND                              | 200                        |
| cis-1,2-Dichloroethene    | ND                              | ND                              | ND                              | ND                               | ND                              | 300                        |
| 1,1-Dichloroethene        | ND                              | ND                              | ND                              | ND                               | ND                              | 400                        |
| Tetrachloroethene         | ND                              | ND                              | ND                              | ND                               | ND                              | 1400                       |
| 1,1,1-Trichloroethane     | ND                              | ND                              | ND                              | ND                               | ND                              | 800                        |
| Trichloroethylene         | ND                              | ND                              | ND                              | ND                               | ND                              | 700                        |
| Chloroethane              | ND                              | ND                              | ND                              | ND                               | ND                              | 1900                       |
| TOTAL                     |                                 |                                 |                                 |                                  |                                 |                            |

|                        | DW#2(8-10)<br>9/28/94<br>(ug/Kg) | GP#1(1-3)<br>9/29/94<br>(ug/Kg) | GP#1(15-17)<br>9/29/94<br>(ug/Kg) | GP#2(1-3)<br>9/28/94<br>(ug/Kg) | GP#2(15-17)<br>9/29/94<br>(ug/Kg) | Recommended<br>Cleanup<br>TAGM<br>(ug/Kg) |
|------------------------|----------------------------------|---------------------------------|-----------------------------------|---------------------------------|-----------------------------------|-------------------------------------------|
| sampling point         |                                  |                                 |                                   |                                 |                                   |                                           |
| sampling data          |                                  |                                 |                                   |                                 |                                   |                                           |
| 1,1-Dichloroethane     | ND                               | ND                              | ND                                | ND                              | ND                                | 200                                       |
| cis-1,2-Dichloroethene | ND                               | ND                              | ND                                | ND                              | ND                                | 300                                       |
| 1,1-Dichloroethene     | ND                               | ND                              | ND                                | ND                              | ND                                | 400                                       |
| Tetrachloroethene      | ND                               | 11                              | ND                                | 11                              | ND                                | 1400                                      |
| 1,1,1-Trichloroethane  | ND                               | ND                              | ND                                | ND                              | ND                                | 800                                       |
| Trichloroethylene      | ND                               | 5                               | ND                                | 9                               | ND                                | 700                                       |
| Chloroethane           | ND                               | ND                              | ND                                | ND                              | ND                                | 1900                                      |

**NOTES:**

GP#=geoprobe soil samples with (1-3) equaling depth in feet sample obtained

LP#=leaching pool (sampling began at 2.4 &amp; 4.8 feet below grade for LP#1)

DW#=drywell (sampling began at 17.1 &amp; 18.4 feet below grade for DW#1 &amp; DW#2,respectively)

Doak Pharmaceuticals  
67 Sylvester Street  
Westbury, NY

Cont. Table 1 Subsurface Soil Sampling Results

| sampling point<br>sampling data | GP#3(1-3)          | GP#3(15-17)        | GP#3(30-32)        | GP#4(1-3)          | GP#4(15-17)        | Recommended<br>Cleanup<br>TAGM |
|---------------------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------------------|
|                                 | 9/29/94<br>(ug/Kg) | 9/29/94<br>(ug/Kg) | 9/29/94<br>(ug/Kg) | 9/29/94<br>(ug/Kg) | 9/29/94<br>(ug/Kg) | (ug/Kg)                        |
| VOLATILE COMPOUNDS              |                    |                    |                    |                    |                    |                                |
| 1,1-Dichloroethane              | ND                 | ND                 | ND                 | ND                 | ND                 | 200                            |
| cis-1,2-Dichloroethene          | ND                 | ND                 | ND                 | ND                 | ND                 | 300                            |
| 1,1-Dichloroethene              | ND                 | ND                 | ND                 | ND                 | ND                 | 400                            |
| Tetrachloroethene               | ND                 | ND                 | ND                 | ND                 | ND                 | 1400                           |
| 1,1,1-Trichloroethane           | ND                 | ND                 | ND                 | ND                 | ND                 | 800                            |
| Trichlorotethylene              | 7                  | ND                 | ND                 | ND                 | ND                 | 700                            |
| Chloroethane                    | ND                 | ND                 | ND                 | ND                 | ND                 | 1900                           |
| TOTAL                           | 7                  | ND                 | ND                 | ND                 | ND                 |                                |

NOTES:

GP#=geoprobe soil samples with (1-3) equaling depth in feet sample obtained  
LP#=leaching pool (sampling began at 2.4 & 4.8 feet below grade for LP#1)  
DW#=drywell (sampling began at 17.1 & 18.4 feet below grade for DW#1 & DW#2,respectively)

| Upgradient | Downgradient | Cross Gradient | NYSDEC                |
|------------|--------------|----------------|-----------------------|
| WELL#1     | WELL#2       | WELL#3         | Groundwater Standards |
| 7/12/94    | 7/12/94      | 7/12/94        | (ug/L)                |
| (ug/L)     | (ug/L)       | (ug/L)         | (ug/L)                |

| VOLATILE COMPOUNDS     | Upgradient | LMS/NYSDEC | Downgradient | LMS/NYSDEC | NYSDEC                |
|------------------------|------------|------------|--------------|------------|-----------------------|
|                        | WELL#1     | WELL#1     | WELL#2       | WELL#2     | Groundwater Standards |
|                        | 7/25/94    | 7/25/94    | 7/25/94      | 7/25/94    | (ug/L)                |
|                        | (ug/L)     | (ug/L)     | (ug/L)       | (ug/L)     |                       |
| 1,1-Dichloroethane     | 7          | BQL        | 96           | 88         | 5                     |
| cis-1,2-Dichloroethene | 5          | BQL        | 11           | 12         | 5                     |
| 1,1-Dichloroethene     | 17         | 25.9       | 45           | 57         | 5                     |
| Tetrachloroethene      | 63         | 63         | 35           | 42         | 5                     |
| 1,1,1-Trichloroethane  | 200        | 134        | 250          | 490        | 5                     |
| Trichloroethylene      | 13         | 14         | 24           | 30         | 5                     |
| Chloroethane           | ND         | BQL        | 3            | BQL        | 5                     |

BQL = below quantitation limits    ND = not detected




Figure 1 Site Location

Anson Environmental







Figure 2 New Cassel Industrial Area

Anson Environmental







Figure 4 Tax Map

Anson Environmental Ltd.



**Figure 5 Location of Spills, RCRA Facilities  
and FINDS Sites**

# Long Island





Figure 6 Typical  
Geological Conditions  
near NCIA




Figure 7 New Cassel Water Level Contours  
(From: LMS/NYSDEC October 1994 Report.

Anson Environmental Ltd.

## **Appendix A Subsurface Logs**

## SUBSURFACE LOG

PROJECT: Doak Pharmaceuticals

DRILL TYPE: Hollow Stem Auger

DATE: 6/27/94

BOTTOM OF BORING (BOB): 65'

BORING NO.: MW#1

SAMPLER TYPE: NA

RECORDED BY: Dennis Madigan

WEATHER: Sunny and Hot

DRILLER: Miller Env.

| SAMPLE NO. | DEPTH FROM-TO FEET | RECOV. (ft) | NO.OF BLOWS Per 6" | HNU (ppm) | SAMPLE DESCRIPTION                                      |
|------------|--------------------|-------------|--------------------|-----------|---------------------------------------------------------|
| 1          | 1'-5'              | - - - -     | - -                | 0.00      | dark yellow-brown coarse SAND and pebbles poorly sorted |
| 2          | 5'-10'             | - - - -     | - -                | 0.00      | yellowish brown coarse SAND and pebbles poorly sorted   |
| 3          | 10'-15'            | - - - -     | - -                | 0.00      | brown-yellow coarse SAND poorly sorted                  |
| 4          | 20'-25'            | - - - -     | - -                | 0.00      | brown-yellow coarse-med SAND well sorted                |
| 5          | 25'-30'            | ----        | --                 | 0.00      | brown-yellow coarse-med SAND some peb                   |



| SAMPLE NO. | DEPTH FROM-TO FEET | RECOV. (ft) | NO.OF BLOWS Per 6" | HNU (ppm) | SAMPLE DESCRIPTION                        |
|------------|--------------------|-------------|--------------------|-----------|-------------------------------------------|
| 6          | 30'-35'            | ----        | --                 | 0.00      | brown-yellow coarse SAND poorly sorted    |
| 7          | 35-40              | ----        | --                 | 0.00      | brown-yellow coarse SAND poorly sort      |
| 8          | 40-45              | ----        | --                 | 0.00      | yellow-brown coarse SAND +peb poorly sort |
| 9          | 45'-50'            | ----        | --                 | 0.00      | yellow med. SAND well sorted              |
| 10         | 50'-55'            | ----        | --                 | 0.00      | yellow med. SAND well sorted              |
| 11         | 55'-60'            | ----        | --                 | 0.00      | brown-yellow med.-fine SAND well sorted   |
| 12         | 60'-65'            | ----        | --                 | 0.00      | brown-yellow med-fine SAND well sort.     |

# SUBSURFACE LOG

PROJECT: DOAK PHARMACEUTICALS

DRILL TYPE: Hollow Stem Auger

DATE: 6 / 27 /94

BOTTOM OF BORING (BOB): 65'

BORING NO.: MW# 2

SAMPLER TYPE: Split Spoon

RECORDED BY: Dennis Madigan

WEATHER: sunny hot & humid

DRILLER: MILLER ENV.

| SAMPLE NO. | DEPTH FROM-TO FEET | RECOV. (ft) | NO.OF BLOWS Per 6" | HNU (ppm) | SAMPLE DESCRIPTION                                       |
|------------|--------------------|-------------|--------------------|-----------|----------------------------------------------------------|
|            | 1 - 5              | --          | --                 | 0.00      | Dark yellowish brown with pebbles, coarse, poorly sorted |
|            | 5 - 10             | --          | --                 | 0.00      | Yellowish brown with pebbles, coarse sand, poorly sorted |
|            | 10 - 15            | --          | --                 | 0.00      | Yellowish brown with pebbles, coarse sand, poorly sorted |
|            | 15 -20             | --          | --                 | 0.00      | Yellowish brown with pebbles, coarse sand, poorly sorted |
|            | 20 -25             | --          | --                 | 0.00      | Yellowish brown with pebbles, coarse sand, well sorted   |
|            | 25 - 30            | --          | --                 | 0.00      | Yellow, coarse sand , well sorted                        |
|            | 30 - 35            | --          | --                 | 0.00      | Yellow, medium to coarse sand , well sorted              |
|            | 35 - 40            | --          | --                 | 0.00      | Brownish Yellow , medium to coarse sand , well sorted    |

| DEPTH<br>NO. | DEPTH<br>FROM-TO<br>FEET | RECOV.<br>(ft) | NO. OF<br>BLOWS<br>Per 6" | HNU<br>(ppm) | SAMPLE DESCRIPTION                                          |
|--------------|--------------------------|----------------|---------------------------|--------------|-------------------------------------------------------------|
|              | 40 - 45                  | --             | --                        | 0.00         | Brownish Yellow , medium to<br>coarse sand, poorly sorted   |
|              | 45 - 50                  | --             | --                        | 0.00         | dark yellowish brown, medium to<br>coarse sand, well sorted |
|              | 50 - 55                  | --             | --                        | 0.00         | dark yellowish brown, medium<br>to coarse sand, well sorted |
|              | 55 - 60                  | --             | --                        | 0.00         | yellowish brown, medium<br>to coarse sand, well sorted      |
|              | 60 - 65                  | --             | --                        | 0.00         | yellowish brown, medium<br>to coarse sand, well sorted      |

## SUBSURFACE LOG

PROJECT: DOAK PHARMACEUTICALS

DRILL TYPE: Hollow Stem Auger

DATE: 6 / 27 /94

BOTTOM OF BORING (BOB): 65'

BORING NO.: MW# 3

SAMPLER TYPE: Split Spoon

RECORDED BY: Dennis Madigan

WEATHER: sunny hot & humid

DRILLER: MILLER ENV.

| SAMPLE NO. | DEPTH FROM-TO FEET | RECOV. (ft) | NO.OF BLOWS Per 6" | HNU (ppm) | SAMPLE DESCRIPTION                                                |
|------------|--------------------|-------------|--------------------|-----------|-------------------------------------------------------------------|
|            | 1 - 5              | --          | --                 | 0.00      | brown with pebbles, coarse sand, poorly sorted                    |
|            | 5 - 10             | --          | --                 | 0.00      | Yellowish brown with pebbles, coarse sand, well sorted            |
|            | 10 - 15            | --          | --                 | 0.00      | dark Yellowish brown with pebbles, coarse sand, poorly sorted     |
|            | 15 -20             | --          | --                 | 0.00      | Yellowish brown with pebbles, coarse sand, poorly sorted          |
|            | 20 -25             | --          | --                 | 0.00      | Yellowish brown with pebbles, coarse sand,poorly sorted           |
|            | 25 - 30            | --          | --                 | 0.00      | Yellowish brown with pebbles, coarse sand,poorly sorted           |
|            | 30 - 35            | --          | --                 | 0.00      | Yellowish brown with pebbles, coarse sand,well sorted             |
|            | 35 - 40            | --          | --                 | 0.00      | Brownish Yellow with pebbles, medium to coarse sand , well sorted |

| DEPTH<br>NO. | DEPTH<br>FROM-TO<br>FEET | RECOV.<br>(ft) | NO. OF<br>BLOWS<br>Per 6" | HNU<br>(ppm) | SAMPLE DESCRIPTION                                           |
|--------------|--------------------------|----------------|---------------------------|--------------|--------------------------------------------------------------|
|              | 40 - 45                  | --             | --                        | 0.00         | Yellowish brown with pebbles,<br>coarse sand,poorly sorted   |
|              | 45 - 50                  | --             | --                        | 0.00         | Brownish Yellow with pebbles,<br>coarse sand , poorly sorted |
|              | 50 - 55                  | --             | --                        | 0.00         | very pale brown, medium<br>to coarse sand, well sorted       |
|              | 55 - 60                  | --             | --                        | 0.00         | very pale brown, medium<br>to fine sand, well sorted         |
|              | 60 - 65                  | --             | --                        | 0.00         | very pale brown, medium<br>to fine sand, well sorted         |

## **Appendix B**

## **Laboratory Data**

**Groundwater Samples  
July 12, 1994**

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (516) 422-5777 • FAX (516) 422-5770

LAB NO. C943033/1

07/15/94

Anson Environmental Ltd.  
33 Gerard Street, Suite 100  
Huntington, NY 11743

ATTN: Fritz Gros-Daillon

SOURCE OF SAMPLE: Doak #94052

COLLECTED BY: Client

DATE COL'D: 07/12/94 RECEIVED: 07/12/94

SAMPLE: Wastewater sample, Doak MW#1, 12:45

## ANALYTICAL PARAMETERS

|                      |      |    |
|----------------------|------|----|
| Benzene              | ug/L | <1 |
| Bromobenzene         | ug/L | <1 |
| Bromochloromethane   | ug/L | <1 |
| Bromodichloromethane | ug/L | <1 |
| Bromoform            | ug/L | <1 |
| n-Butylbenzene       | ug/L | <1 |
| tert-Butylbenzene    | ug/L | <1 |
| sec-Butylbenzene     | ug/L | <1 |
| Carbon Tetrachloride | ug/L | <1 |
| Chlorobenzene        | ug/L | <1 |
| Chloroform           | ug/L | 1  |
| 4-Chlorotoluene      | ug/L | <1 |
| 2-Chlorotoluene      | ug/L | <1 |
| Chlorodibromomethane | ug/L | <1 |
| 1,2 Dibromoethane    | ug/L | <1 |
| Dibromomethane       | ug/L | <1 |
| 1,3 Dichlorobenzene  | ug/L | <1 |
| 1,2 Dichlorobenzene  | ug/L | <1 |
| 1,4 Dichlorobenzene  | ug/L | <1 |
| 1,1 Dichloroethane   | ug/L | 12 |
| 1,2 Dichloroethane   | ug/L | <1 |
| c-1,2-Dichloroethene | ug/L | 6  |
| t-1,2-Dichloroethene | ug/L | <1 |
| 1,1 Dichloroethene   | ug/L | 23 |
| 1,3-Dichloropropane  | ug/L | <1 |

## ANALYTICAL PARAMETERS

|                       |      |     |
|-----------------------|------|-----|
| 1,2 Dichloropropane   | ug/L | <1  |
| 2,2-Dichloropropane   | ug/L | <1  |
| 1,1-Dichloropropene   | ug/L | <1  |
| 1,3-Dichloropropene   | ug/L | <1  |
| Ethyl Benzene         | ug/L | <1  |
| Hexachlorobutadiene   | ug/L | <1  |
| Isopropylbenzene      | ug/L | <1  |
| p-Isopropyltoluene    | ug/L | <1  |
| Methylene Chloride    | ug/L | <1  |
| Naphthalene           | ug/L | <1  |
| n-Propylbenzene       | ug/L | <1  |
| Styrene               | ug/L | <1  |
| 1112Tetrachloroethane | ug/L | <1  |
| 1122Tetrachloroethane | ug/L | <1  |
| Tetrachloroethene     | ug/L | 88  |
| Toluene               | ug/L | <1  |
| 123-Trichlorobenzene  | ug/L | <1  |
| 124-Trichlorobenzene  | ug/L | <1  |
| 111 Trichloroethane   | ug/L | 320 |
| 112 Trichloroethane   | ug/L | <1  |
| Trichloroethylene     | ug/L | 14  |
| 123-Trichloropropane  | ug/L | <1  |
| 124-Trimethylbenzene  | ug/L | <1  |
| Dibromochloropropane  | ug/L | <1  |

cc:

REMARKS: Analysis performed by GCMS, EPA method 8260.  
Page 1 of 2.

DIRECTOR \_\_\_\_\_





377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (516) 422-5777 • FAX (516) 422-5770

LAB NO. C943033/1

07/15/94

Anson Environmental Ltd.  
33 Gerard Street, Suite 100  
Huntington, NY 11743  
ATTN: Fritzi Gros-Daillon

SOURCE OF SAMPLE: Doak #94052

COLLECTED BY: Client DATE COL'D: 07/12/94 RECEIVED: 07/12/94

SAMPLE: Wastewater sample, Doak MW#1, 12:45


## ANALYTICAL PARAMETERS

|                       |      |    |
|-----------------------|------|----|
| 135-Trimethylbenzene  | ug/L | <1 |
| o Xylene              | ug/L | <1 |
| m + p Xylene          | ug/L | <2 |
| Xylene                | ug/L | <3 |
| Bromomethane          | ug/L | <1 |
| Chloroethane          | ug/L | 1  |
| Chloromethane         | ug/L | <1 |
| Dichlorodifluomethane | ug/L | <1 |
| Vinyl Chloride        | ug/L | <1 |

## ANALYTICAL PARAMETERS

cc:

REMARKS: Analysis performed by GCMS, EPA method 8260.  
Page 2 of 2.

DIRECTOR \_\_\_\_\_  


377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (516) 422-5777 • FAX (516) 422-5770

LAB NO. C943033/2

07/15/94

Anson Environmental Ltd.  
33 Gerard Street, Suite 100  
Huntington, NY 11743  
ATTN: Fritz Gros-Daillon

SOURCE OF SAMPLE: Doak #94052

COLLECTED BY: Client

DATE COL'D: 07/12/94 RECEIVED: 07/12/94

SAMPLE: Wastewater sample, Doak MW#2, 12:45

## ANALYTICAL PARAMETERS

|                      |      |     |
|----------------------|------|-----|
| Benzene              | ug/L | <1  |
| Bromobenzene         | ug/L | <1  |
| Bromochloromethane   | ug/L | <1  |
| Bromodichloromethane | ug/L | <1  |
| Bromoform            | ug/L | <1  |
| n-Butylbenzene       | ug/L | <1  |
| tert-Butylbenzene    | ug/L | <1  |
| sec-Butylbenzene     | ug/L | <1  |
| Carbon Tetrachloride | ug/L | <1  |
| Chlorobenzene        | ug/L | <1  |
| Chloroform           | ug/L | 2   |
| 4-Chlorotoluene      | ug/L | <1  |
| 2-Chlorotoluene      | ug/L | <1  |
| Chlorodibromomethane | ug/L | <1  |
| 1,2 Dibromoethane    | ug/L | <1  |
| Dibromomethane       | ug/L | <1  |
| 1,3 Dichlorobenzene  | ug/L | <1  |
| 1,2 Dichlorobenzene  | ug/L | <1  |
| 1,4 Dichlorobenzene  | ug/L | <1  |
| 1,1 Dichloroethane   | ug/L | 130 |
| 1,2 Dichloroethane   | ug/L | <1  |
| c-1,2-Dichloroethene | ug/L | 8   |
| t-1,2-Dichloroethene | ug/L | <1  |
| 1,1 Dichloroethene   | ug/L | 32  |
| 1,3-Dichloropropane  | ug/L | <1  |

## ANALYTICAL PARAMETERS

|                       |      |     |
|-----------------------|------|-----|
| 1,2 Dichloropropane   | ug/L | <1  |
| 2,2-Dichloropropane   | ug/L | <1  |
| 1,1-Dichloropropene   | ug/L | <1  |
| 1,3-Dichloropropene   | ug/L | <1  |
| Ethyl Benzene         | ug/L | <1  |
| Hexachlorobutadiene   | ug/L | <1  |
| Isopropylbenzene      | ug/L | <1  |
| p-Isopropyltoluene    | ug/L | <1  |
| Methylene Chloride    | ug/L | <1  |
| Naphthalene           | ug/L | <1  |
| n-Propylbenzene       | ug/L | <1  |
| Styrene               | ug/L | <1  |
| 1112Tetrachloroethane | ug/L | <1  |
| 1122Tetrachloroethane | ug/L | <1  |
| Tetrachloroethene     | ug/L | 24  |
| Toluene               | ug/L | <1  |
| 123-Trichlorobenzene  | ug/L | <1  |
| 124-Trichlorobenzene  | ug/L | <1  |
| 111 Trichloroethane   | ug/L | 450 |
| 112 Trichloroethane   | ug/L | <1  |
| Trichloroethylene     | ug/L | 20  |
| 123-Trichloropropane  | ug/L | <1  |
| 124-Trimethylbenzene  | ug/L | <1  |
| Dibromochloropropane  | ug/L | <1  |

cc:

REMARKS: Analysis performed by GCMS, EPA method 8260.

Page 1 of 2.

DIRECTOR

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (516) 422-5777 • FAX (516) 422-5770

LAB NO. C943033/2

07/15/94

Anson Environmental Ltd.  
33 Gerard Street, Suite 100  
Huntington, NY 11743  
ATTN: Fritz Gros-Daillon

SOURCE OF SAMPLE: Doak #94052

COLLECTED BY: Client DATE COL'D: 07/12/94 RECEIVED: 07/12/94

SAMPLE: Wastewater sample, Doak MW#2, 12:45

## ANALYTICAL PARAMETERS

|                       |      |    |
|-----------------------|------|----|
| 135-Trimethylbenzene  | ug/L | <1 |
| o Xylene              | ug/L | <1 |
| m + p Xylene          | ug/L | <2 |
| Xylene                | ug/L | <3 |
| Bromomethane          | ug/L | <1 |
| Chloroethane          | ug/L | 6  |
| Chloromethane         | ug/L | <1 |
| Dichlorodifluomethane | ug/L | <1 |
| Vinyl Chloride        | ug/L | <1 |

## ANALYTICAL PARAMETERS

cc:

REMARKS: Analysis performed by GCMS, EPA method 8260.

Page 2 of 2.

DIRECTOR 

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (516) 422-5777 • FAX (516) 422-5770

LAB NO. C943033/3

07/15/94

Anson Environmental Ltd.  
33 Gerard Street, Suite 100  
Huntington, NY 11743  
ATTN: Fritzi Gros-Daillon


SOURCE OF SAMPLE: Doak #94052  
COLLECTED BY: Client DATE COL'D: 07/12/94 RECEIVED: 07/12/94

SAMPLE: Wastewater sample, Doak MW#3, 1:35

| ANALYTICAL PARAMETERS |      |     | ANALYTICAL PARAMETERS     |      |     |
|-----------------------|------|-----|---------------------------|------|-----|
| Benzene               | ug/L | <1  | 1,2 Dichloropropane       | ug/L | <1  |
| Bromobenzene          | ug/L | <1  | 2,2-Dichloropropane       | ug/L | <1  |
| Bromochloromethane    | ug/L | <1  | 1,1-Dichloropropene       | ug/L | <1  |
| Bromodichloromethane  | ug/L | <1  | 1,3-Dichloropropene       | ug/L | <1  |
| Bromoform             | ug/L | <1  | Ethyl Benzene             | ug/L | <1  |
| n-Butylbenzene        | ug/L | <1  | Hexachlorobutadiene       | ug/L | <1  |
| tert-Butylbenzene     | ug/L | <1  | Isopropylbenzene          | ug/L | <1  |
| sec-Butylbenzene      | ug/L | <1  | p-Isopropyltoluene        | ug/L | <1  |
| Carbon Tetrachloride  | ug/L | <1  | Methylene Chloride        | ug/L | <1  |
| Chlorobenzene         | ug/L | <1  | Naphthalene               | ug/L | <1  |
| Chloroform            | ug/L | 2   | n-Propylbenzene           | ug/L | <1  |
| 4-Chlorotoluene       | ug/L | <1  | Styrene                   | ug/L | <1  |
| 2-Chlorotoluene       | ug/L | <1  | 1,1,2-Tetrachloroethane   | ug/L | <1  |
| Chlorodibromomethane  | ug/L | <1  | 1,1,2,2-Tetrachloroethane | ug/L | <1  |
| 1,2 Dibromoethane     | ug/L | <1  | Tetrachloroethene         | ug/L | 12  |
| Dibromomethane        | ug/L | <1  | Toluene                   | ug/L | <1  |
| 1,3 Dichlorobenzene   | ug/L | <1  | 1,2,3-Trichlorobenzene    | ug/L | <1  |
| 1,2 Dichlorobenzene   | ug/L | <1  | 1,2,4-Trichlorobenzene    | ug/L | <1  |
| 1,4 Dichlorobenzene   | ug/L | <1  | 1,1,1-Trichloroethane     | ug/L | 150 |
| 1,1 Dichloroethane    | ug/L | 83  | 1,1,2-Trichloroethane     | ug/L | <1  |
| 1,2 Dichloroethane    | ug/L | <1  | Trichloroethylene         | ug/L | 70  |
| c-1,2-Dichloroethene  | ug/L | 330 | 1,2,3-Trichloropropane    | ug/L | <1  |
| t-1,2-Dichloroethene  | ug/L | <1  | 1,2,4-Trimethylbenzene    | ug/L | <1  |
| 1,1 Dichloroethene    | ug/L | 5   | Dibromochloropropane      | ug/L | <1  |
| 1,3-Dichloropropane   | ug/L | <1  |                           |      |     |

cc:

REMARKS: Analysis performed by GCMS, EPA method 8260.  
Page 1 of 2.

DIRECTOR 

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (516) 422-5777 • FAX (516) 422-5770

LAB NO. C943033/3

07/15/94

Anson Environmental Ltd.  
33 Gerard Street, Suite 100  
Huntington, NY 11743  
ATTN: Fritz Gros-Daillon

SOURCE OF SAMPLE: Doak #94052

COLLECTED BY: Client

DATE COL'D: 07/12/94 RECEIVED: 07/12/94

SAMPLE: Wastewater sample, Doak MW#3, 1:35

## ANALYTICAL PARAMETERS

|                       |      |    |
|-----------------------|------|----|
| 135-Trimethylbenzene  | ug/L | <1 |
| o Xylene              | ug/L | <1 |
| m + p Xylene          | ug/L | <2 |
| Xylene                | ug/L | <3 |
| Bromomethane          | ug/L | <1 |
| Chloroethane          | ug/L | 22 |
| Chloromethane         | ug/L | <1 |
| Dichlorodifluomethane | ug/L | <1 |
| Vinyl Chloride        | ug/L | <1 |

## ANALYTICAL PARAMETERS

CC:

REMARKS: Analysis performed by GCMS, EPA method 8260.  
Page 2 of 2.

DIRECTOR 

**Groundwater Samples  
July 25, 1994**

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (516) 422-5777 • FAX (516) 422-5770

LAB NO.C943251/5

08/03/94

Anson Environmental Ltd.  
33 Gerard Street, Suite 100  
Huntington, NY 11743  
ATTN: Dean Anson

SOURCE OF SAMPLE: Doak #94052

COLLECTED BY: Client

DATE COL'D:07/25/94 RECEIVED:07/25/94

SAMPLE: Wastewater sample, Trip Blank

## ANALYTICAL PARAMETERS

|                      |      |    |
|----------------------|------|----|
| Benzene              | ug/L | <1 |
| Bromobenzene         | ug/L | <1 |
| Bromochloromethane   | ug/L | <1 |
| Bromodichloromethane | ug/L | <1 |
| Bromoform            | ug/L | <1 |
| n-Butylbenzene       | ug/L | <1 |
| tert-Butylbenzene    | ug/L | <1 |
| sec-Butylbenzene     | ug/L | <1 |
| Carbon Tetrachloride | ug/L | <1 |
| Chlorobenzene        | ug/L | <1 |
| Chloroform           | ug/L | <1 |
| 4-Chlorotoluene      | ug/L | <1 |
| 2-Chlorotoluene      | ug/L | <1 |
| Chlorodibromomethane | ug/L | <1 |
| 1,2 Dibromoethane    | ug/L | <1 |
| Dibromomethane       | ug/L | <1 |
| 1,3 Dichlorobenzene  | ug/L | <1 |
| 1,2 Dichlorobenzene  | ug/L | <1 |
| 1,4 Dichlorobenzene  | ug/L | <1 |
| 1,1 Dichloroethane   | ug/L | <1 |
| 1,2 Dichloroethane   | ug/L | <1 |
| c-1,2-Dichloroethene | ug/L | <1 |
| t-1,2-Dichloroethene | ug/L | <1 |
| 1,1 Dichloroethene   | ug/L | <1 |
| 1,3-Dichloropropane  | ug/L | <1 |


## ANALYTICAL PARAMETERS

|                      |      |    |
|----------------------|------|----|
| 1,2 Dichloropropane  | ug/L | <1 |
| 2,2-Dichloropropane  | ug/L | <1 |
| 1,1-Dichloropropene  | ug/L | <1 |
| 1,3-Dichloropropene  | ug/L | <1 |
| Ethyl Benzene        | ug/L | <1 |
| Hexachlorobutadiene  | ug/L | <1 |
| Isopropylbenzene     | ug/L | <1 |
| p-Isopropyltoluene   | ug/L | <1 |
| Methylene Chloride   | ug/L | <1 |
| Naphthalene          | ug/L | <1 |
| n-Propylbenzene      | ug/L | <1 |
| Styrene              | ug/L | <1 |
| 1112Tetrachloroethan | ug/L | <1 |
| 1122Tetrachloroethan | ug/L | <1 |
| Tetrachloroethene    | ug/L | <1 |
| Toluene              | ug/L | <1 |
| 123-Trichlorobenzene | ug/L | <1 |
| 124-Trichlorobenzene | ug/L | <1 |
| 111 Trichloroethane  | ug/L | <1 |
| 112 Trichloroethane  | ug/L | <1 |
| Trichloroethylene    | ug/L | <1 |
| 123-Trichloropropane | ug/L | <1 |
| 124-Trimethylbenzene | ug/L | <1 |
| Dibromochloropropane | ug/L | <1 |

cc:

REMARKS: Analysis performed by GCMS, EPA method 8260.  
Page 1 of 2.

DIRECTOR



377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (516) 422-5777 • FAX (516) 422-5770

LAB NO.C943251/5

08/03/94

Anson Environmental Ltd.  
33 Gerard Street, Suite 100  
Huntington, NY 11743  
ATTN: Dean Anson

SOURCE OF SAMPLE: Doak #94052  
COLLECTED BY: Client DATE COL'D:07/25/94 RECEIVED:07/25/94

SAMPLE: Wastewater sample, Trip Blank

ANALYTICAL PARAMETERS

|                       |      |    |
|-----------------------|------|----|
| 135-Trimethylbenzene  | ug/L | <1 |
| o Xylene              | ug/L | <1 |
| m + p Xylene          | ug/L | <2 |
| Xylene                | ug/L | <3 |
| Bromomethane          | ug/L | <1 |
| Chloroethane          | ug/L | <1 |
| Chloromethane         | ug/L | <1 |
| Dichlorodifluomethane | ug/L | <1 |
| Vinyl Chloride        | ug/L | <1 |

ANALYTICAL PARAMETERS

cc:

REMARKS: Analysis performed by GCMS, EPA method 8260.  
Page 2 of 2.

DIRECTOR 



377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (516) 422-5777 • FAX (516) 422-5770

LAB NO.C943251/1

08/03/94

Anson Environmental Ltd.  
33 Gerard Street, Suite 100  
Huntington, NY 11743  
ATTN: Fritzi Gros-Daillon

SOURCE OF SAMPLE: Doak #94052

COLLECTED BY: Client

DATE COL'D:07/25/94 RECEIVED:07/25/94

SAMPLE: Wastewater sample, Doak MW#1, 11:35

## ANALYTICAL PARAMETERS


|                      |      |    |
|----------------------|------|----|
| Benzene              | ug/L | <1 |
| Bromobenzene         | ug/L | <1 |
| Bromochloromethane   | ug/L | <1 |
| Bromodichloromethane | ug/L | <1 |
| Bromoform            | ug/L | <1 |
| n-Butylbenzene       | ug/L | <1 |
| tert-Butylbenzene    | ug/L | <1 |
| sec-Butylbenzene     | ug/L | <1 |
| Carbon Tetrachloride | ug/L | <1 |
| Chlorobenzene        | ug/L | <1 |
| Chloroform           | ug/L | <1 |
| 4-Chlorotoluene      | ug/L | <1 |
| 2-Chlorotoluene      | ug/L | <1 |
| Chlorodibromomethane | ug/L | <1 |
| 1,2 Dibromoethane    | ug/L | <1 |
| Dibromomethane       | ug/L | <1 |
| 1,3 Dichlorobenzene  | ug/L | <1 |
| 1,2 Dichlorobenzene  | ug/L | <1 |
| 1,4 Dichlorobenzene  | ug/L | <1 |
| 1,1 Dichloroethane   | ug/L | 7  |
| 1,2 Dichloroethane   | ug/L | <1 |
| c-1,2-Dichloroethene | ug/L | 5  |
| t-1,2-Dichloroethene | ug/L | <1 |
| 1,1 Dichloroethene   | ug/L | 17 |
| 1,3-Dichloropropane  | ug/L | <1 |

## ANALYTICAL PARAMETERS

|                      |      |     |
|----------------------|------|-----|
| 1,2 Dichloropropane  | ug/L | <1  |
| 2,2-Dichloropropane  | ug/L | <1  |
| 1,1-Dichloropropene  | ug/L | <1  |
| 1,3-Dichloropropene  | ug/L | <1  |
| Ethyl Benzene        | ug/L | <1  |
| Hexachlorobutadiene  | ug/L | <1  |
| Isopropylbenzene     | ug/L | <1  |
| p-Isopropyltoluene   | ug/L | <1  |
| Methylene Chloride   | ug/L | <1  |
| Naphthalene          | ug/L | <1  |
| n-Propylbenzene      | ug/L | <1  |
| Styrene              | ug/L | <1  |
| 1112Tetrachloroethan | ug/L | <1  |
| 1122Tetrachloroethan | ug/L | <1  |
| Tetrachloroethene    | ug/L | 63  |
| Toluene              | ug/L | <1  |
| 123-Trichlorobenzene | ug/L | <1  |
| 124-Trichlorobenzene | ug/L | <1  |
| 111 Trichloroethane  | ug/L | 200 |
| 112 Trichloroethane  | ug/L | <1  |
| Trichloroethylene    | ug/L | 13  |
| 123-Trichloropropane | ug/L | <1  |
| 124-Trimethylbenzene | ug/L | <1  |
| Dibromochloropropane | ug/L | <1  |

cc:

REMARKS: Analysis performed by GCMS, EPA method 8260.  
Page 1 of 2.

DIRECTOR 

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (516) 422-5777 • FAX (516) 422-5770

LAB NO.C943251/1

08/03/94

Anson Environmental Ltd.  
33 Gerard Street, Suite 100  
Huntington, NY 11743  
ATTN: Fritz Gros-Daillon

SOURCE OF SAMPLE: Doak #94052  
COLLECTED BY: Client DATE COL'D:07/25/94 RECEIVED:07/25/94

SAMPLE: Wastewater sample, Doak MW#1, 11:35

ANALYTICAL PARAMETERS

|                       |      |    |
|-----------------------|------|----|
| 135-Trimethylbenzene  | ug/L | <1 |
| o Xylene              | ug/L | <1 |
| m + p Xylene          | ug/L | <2 |
| Xylene                | ug/L | <3 |
| Bromomethane          | ug/L | <1 |
| Chloroethane          | ug/L | <1 |
| Chloromethane         | ug/L | <1 |
| Dichlorodifluomethane | ug/L | <1 |
| Vinyl Chloride        | ug/L | <1 |

ANALYTICAL PARAMETERS

cc:

REMARKS: Analysis performed by GCMS, EPA method 8260.  
Page 2 of 2.

DIRECTOR



377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (516) 422-5777 • FAX (516) 422-5770

LAB NO. C943251/2

08/03/94

Anson Environmental Ltd.  
33 Gerard Street, Suite 100  
Huntington, NY 11743  
ATTN: Fritzi Gros-Daillon

SOURCE OF SAMPLE: Doak #94052

COLLECTED BY: Client

DATE COL'D: 07/25/94 RECEIVED: 07/25/94

SAMPLE: Wastewater sample, Doak MW#2, 1:05

## ANALYTICAL PARAMETERS


|                      |      |    |
|----------------------|------|----|
| Benzene              | ug/L | <1 |
| Bromobenzene         | ug/L | <1 |
| Bromochloromethane   | ug/L | <1 |
| Bromodichloromethane | ug/L | <1 |
| Bromoform            | ug/L | <1 |
| n-Butylbenzene       | ug/L | <1 |
| tert-Butylbenzene    | ug/L | <1 |
| sec-Butylbenzene     | ug/L | <1 |
| Carbon Tetrachloride | ug/L | <1 |
| Chlorobenzene        | ug/L | <1 |
| Chloroform           | ug/L | 2  |
| 4-Chlorotoluene      | ug/L | <1 |
| 2-Chlorotoluene      | ug/L | <1 |
| Chlorodibromomethane | ug/L | <1 |
| 1,2 Dibromoethane    | ug/L | <1 |
| Dibromomethane       | ug/L | <1 |
| 1,3 Dichlorobenzene  | ug/L | <1 |
| 1,2 Dichlorobenzene  | ug/L | <1 |
| 1,4 Dichlorobenzene  | ug/L | <1 |
| 1,1 Dichloroethane   | ug/L | 96 |
| 1,2 Dichloroethane   | ug/L | <1 |
| c-1,2-Dichloroethene | ug/L | 11 |
| t-1,2-Dichloroethene | ug/L | <1 |
| 1,1 Dichloroethene   | ug/L | 45 |
| 1,3-Dichloropropane  | ug/L | <1 |

## ANALYTICAL PARAMETERS

|                      |      |     |
|----------------------|------|-----|
| 1,2 Dichloropropane  | ug/L | <1  |
| 2,2-Dichloropropane  | ug/L | <1  |
| 1,1-Dichloropropene  | ug/L | <1  |
| 1,3-Dichloropropene  | ug/L | <1  |
| Ethyl Benzene        | ug/L | <1  |
| Hexachlorobutadiene  | ug/L | <1  |
| Isopropylbenzene     | ug/L | <1  |
| p-Isopropyltoluene   | ug/L | <1  |
| Methylene Chloride   | ug/L | <1  |
| Naphthalene          | ug/L | <1  |
| n-Propylbenzene      | ug/L | <1  |
| Styrene              | ug/L | <1  |
| 1112Tetrachloroethan | ug/L | <1  |
| 1122Tetrachloroethan | ug/L | <1  |
| Tetrachloroethene    | ug/L | 35  |
| Toluene              | ug/L | <1  |
| 123-Trichlorobenzene | ug/L | <1  |
| 124-Trichlorobenzene | ug/L | <1  |
| 111 Trichloroethane  | ug/L | 250 |
| 112 Trichloroethane  | ug/L | <1  |
| Trichloroethylene    | ug/L | 24  |
| 123-Trichloropropane | ug/L | <1  |
| 124-Trimethylbenzene | ug/L | <1  |
| Dibromochloropropane | ug/L | <1  |

cc:

REMARKS: Analysis performed by GCMS, EPA method 8260.  
Page 1 of 2.

DIRECTOR 

rn=

16540

NYSDOH ID# 10320

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (516) 422-5777 • FAX (516) 422-5770

LAB NO.C943251/2

08/03/94

Anson Environmental Ltd.  
33 Gerard Street, Suite 100  
Huntington, NY 11743  
ATTN: Fritz Gros-Daillon

SOURCE OF SAMPLE: Doak #94052

COLLECTED BY: Client

DATE COL'D:07/25/94 RECEIVED:07/25/94

SAMPLE: Wastewater sample, Doak MW#2, 1:05


## ANALYTICAL PARAMETERS

|                       |      |    |
|-----------------------|------|----|
| 135-Trimethylbenzene  | ug/L | <1 |
| o Xylene              | ug/L | <1 |
| m + p Xylene          | ug/L | <2 |
| Xylene                | ug/L | <3 |
| Bromomethane          | ug/L | <1 |
| Chloroethane          | ug/L | 3  |
| Chloromethane         | ug/L | <1 |
| Dichlorodifluomethane | ug/L | <1 |
| Vinyl Chloride        | ug/L | <1 |

## ANALYTICAL PARAMETERS

cc:

REMARKS: Analysis performed by GCMS, EPA method 8260.  
Page 2 of 2.

DIRECTOR 

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (516) 422-5777 • FAX (516) 422-5770

LAB NO.C943251/3

08/03/94

Anson Environmental Ltd.  
33 Gerard Street, Suite 100  
Huntington, NY 11743

ATTN: Dean Anson

SOURCE OF SAMPLE: Doak #94052

COLLECTED BY: Client

DATE COL'D:07/25/94 RECEIVED:07/25/94

SAMPLE: Soil sample, Doak DW#1-S, 1:30

## ANALYTICAL PARAMETERS

|                      |       |    |
|----------------------|-------|----|
| Benzene              | ug/Kg | <2 |
| Bromobenzene         | ug/Kg | <2 |
| Bromochloromethane   | ug/Kg | <2 |
| Bromodichloromethane | ug/Kg | <2 |
| Bromoform            | ug/Kg | <2 |
| n-Butylbenzene       | ug/Kg | <2 |
| tert-Butylbenzene    | ug/Kg | <2 |
| sec-Butylbenzene     | ug/Kg | <2 |
| Carbon Tetrachloride | ug/Kg | <2 |
| Chlorobenzene        | ug/Kg | <2 |
| Chloroform           | ug/Kg | <2 |
| 4-Chlorotoluene      | ug/Kg | <2 |
| 2-Chlorotoluene      | ug/Kg | <2 |
| Chlorodibromomethane | ug/Kg | <2 |
| 1,2 Dibromoethane    | ug/Kg | <2 |
| Dibromomethane       | ug/Kg | <2 |
| 1,3 Dichlorobenzene  | ug/Kg | <2 |
| 1,2 Dichlorobenzene  | ug/Kg | <2 |
| 1,4 Dichlorobenzene  | ug/Kg | <2 |
| 1,1 Dichloroethane   | ug/Kg | <2 |
| 1,2 Dichloroethane   | ug/Kg | <2 |
| c-1,2-Dichloroethene | ug/Kg | <2 |
| t-1,2-Dichloroethene | ug/Kg | <2 |
| 1,1 Dichloroethene   | ug/Kg | <2 |
| 1,3-Dichloropropane  | ug/Kg | <2 |


## ANALYTICAL PARAMETERS

|                       |       |    |
|-----------------------|-------|----|
| 1,2 Dichloropropane   | ug/Kg | <2 |
| 2,2-Dichloropropane   | ug/Kg | <2 |
| 1,1-Dichloropropene   | ug/Kg | <2 |
| 1,3-Dichloropropene   | ug/Kg | <2 |
| Ethyl Benzene         | ug/Kg | <2 |
| Hexachlorobutadiene   | ug/Kg | <2 |
| Isopropylbenzene      | ug/Kg | <2 |
| p-Isopropyltoluene    | ug/Kg | <2 |
| Methylene Chloride    | ug/Kg | <2 |
| Naphthalene           | ug/Kg | <2 |
| n-Propylbenzene       | ug/Kg | <2 |
| Styrene               | ug/Kg | <2 |
| 1112Tetrachloroethane | ug/Kg | <2 |
| 1122Tetrachloroethane | ug/Kg | <2 |
| Tetrachloroethene     | ug/Kg | <2 |
| Toluene               | ug/Kg | <2 |
| 123-Trichlorobenzene  | ug/Kg | <2 |
| 124-Trichlorobenzene  | ug/Kg | <2 |
| 111 Trichloroethane   | ug/Kg | <2 |
| 112 Trichloroethane   | ug/Kg | <2 |
| Trichloroethylene     | ug/Kg | <2 |
| 123-Trichloropropane  | ug/Kg | <2 |
| 124-Trimethylbenzene  | ug/Kg | <2 |
| Dibromochloropropane  | ug/Kg | <2 |

cc:

REMARKS: Analysis performed by GCMS, EPA method 8260.  
Page 1 of 2.

DIRECTOR



377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (516) 422-5777 • FAX (516) 422-5770

LAB NO.C943251/3

08/03/94

Anson Environmental Ltd.  
33 Gerard Street, Suite 100  
Huntington, NY 11743  
ATTN: Dean Anson

SOURCE OF SAMPLE: Doak #94052  
COLLECTED BY: Client DATE COL'D:07/25/94 RECEIVED:07/25/94

SAMPLE: Soil sample, Doak DW#1-S, 1:30

ANALYTICAL PARAMETERS

|                      |       |    |
|----------------------|-------|----|
| 135-Trimethylbenzene | ug/Kg | <2 |
| o Xylene             | ug/Kg | <2 |
| m + p Xylene         | ug/Kg | <4 |
| Xylene               | ug/Kg | <6 |
| Bromomethane         | ug/Kg | <2 |
| Chloroethane         | ug/Kg | <2 |
| Chloromethane        | ug/Kg | <2 |
| Dichlordifluomethane | ug/Kg | <2 |
| Vinyl Chloride       | ug/Kg | <2 |

ANALYTICAL PARAMETERS

cc:

REMARKS: Analysis performed by GCMS, EPA method 8260.  
Page 2 of 2.

DIRECTOR



377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (516) 422-5777 • FAX (516) 422-5770

LAB NO.C943251/4

08/03/94

Anson Environmental Ltd.  
33 Gerard Street, Suite 100  
Huntington, NY 11743

ATTN: Dean Anson

SOURCE OF SAMPLE: Doak #94052

COLLECTED BY: Client

DATE COL'D:07/25/94 RECEIVED:07/25/94

SAMPLE: Soil sample, Doak DW#2-S, 2:05

## ANALYTICAL PARAMETERS

|                      |       |    |
|----------------------|-------|----|
| Benzene              | ug/Kg | <2 |
| Bromobenzene         | ug/Kg | <2 |
| Bromochloromethane   | ug/Kg | <2 |
| Bromodichloromethane | ug/Kg | <2 |
| Bromoform            | ug/Kg | <2 |
| n-Butylbenzene       | ug/Kg | <2 |
| tert-Butylbenzene    | ug/Kg | <2 |
| sec-Butylbenzene     | ug/Kg | <2 |
| Carbon Tetrachloride | ug/Kg | <2 |
| Chlorobenzene        | ug/Kg | <2 |
| Chloroform           | ug/Kg | <2 |
| 4-Chlorotoluene      | ug/Kg | <2 |
| 2-Chlorotoluene      | ug/Kg | <2 |
| Chlorodibromomethane | ug/Kg | <2 |
| 1,2 Dibromoethane    | ug/Kg | <2 |
| Dibromomethane       | ug/Kg | <2 |
| 1,3 Dichlorobenzene  | ug/Kg | <2 |
| 1,2 Dichlorobenzene  | ug/Kg | <2 |
| 1,4 Dichlorobenzene  | ug/Kg | <2 |
| 1,1 Dichloroethane   | ug/Kg | <2 |
| 1,2 Dichloroethane   | ug/Kg | <2 |
| c-1,2-Dichloroethene | ug/Kg | <2 |
| t-1,2-Dichloroethene | ug/Kg | <2 |
| 1,1 Dichloroethene   | ug/Kg | <2 |
| 1,3-Dichloropropane  | ug/Kg | <2 |

## ANALYTICAL PARAMETERS

|                       |       |    |
|-----------------------|-------|----|
| 1,2 Dichloropropane   | ug/Kg | <2 |
| 2,2-Dichloropropane   | ug/Kg | <2 |
| 1,1-Dichloropropene   | ug/Kg | <2 |
| 1,3-Dichloropropene   | ug/Kg | <2 |
| Ethyl Benzene         | ug/Kg | <2 |
| Hexachlorobutadiene   | ug/Kg | <2 |
| Isopropylbenzene      | ug/Kg | <2 |
| p-Isopropyltoluene    | ug/Kg | <2 |
| Methylene Chloride    | ug/Kg | <2 |
| Naphthalene           | ug/Kg | <2 |
| n-Propylbenzene       | ug/Kg | <2 |
| Styrene               | ug/Kg | <2 |
| 1112Tetrachloroethane | ug/Kg | <2 |
| 1122Tetrachloroethane | ug/Kg | <2 |
| Tetrachloroethene     | ug/Kg | <2 |
| Toluene               | ug/Kg | <2 |
| 123-Trichlorobenzene  | ug/Kg | <2 |
| 124-Trichlorobenzene  | ug/Kg | <2 |
| 111 Trichloroethane   | ug/Kg | <2 |
| 112 Trichloroethane   | ug/Kg | <2 |
| Trichloroethylene     | ug/Kg | <2 |
| 123-Trichloropropane  | ug/Kg | <2 |
| 124-Trimethylbenzene  | ug/Kg | <2 |
| Dibromochloropropane  | ug/Kg | <2 |

cc:

REMARKS: Analysis performed by GCMS, EPA method 8260.  
Page 1 of 2.

DIRECTOR



377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (516) 422-5777 • FAX (516) 422-5770

LAB NO.C943251/4

08/03/94

Anson Environmental Ltd.  
33 Gerard Street, Suite 100  
Huntington, NY 11743  
ATTN: Dean Anson

SOURCE OF SAMPLE: Doak #94052  
COLLECTED BY: Client DATE COL'D:07/25/94 RECEIVED:07/25/94

SAMPLE: Soil sample, Doak DW#2-S, 2:05

## ANALYTICAL PARAMETERS

|                       |       |    |
|-----------------------|-------|----|
| 135-Trimethylbenzene  | ug/Kg | <2 |
| o Xylene              | ug/Kg | <2 |
| m + p Xylene          | ug/Kg | <4 |
| Xylene                | ug/Kg | <6 |
| Bromomethane          | ug/Kg | <2 |
| Chloroethane          | ug/Kg | <2 |
| Chloromethane         | ug/Kg | <2 |
| Dichlorodifluomethane | ug/Kg | <2 |
| Vinyl Chloride        | ug/Kg | <2 |

## ANALYTICAL PARAMETERS

cc:

REMARKS: Analysis performed by GCMS, EPA method 8260.  
Page 2 of 2.

DIRECTOR





**Groundwater and Soil Samples  
Collected by LMS/NYSDEC  
July 25, 1994**

TABLE 5-20 (Page 2 of 2)

# GEOPROBE CHLORINATED HYDROCARBONS DATA SUMMARY (JUNE & JULY 1994)

Soil Sample Results  
New Cassel Industrial Area

| Sample Point I.D. | Actual Sample Depth | Vinyl chloride | 1,1-DCE | Methylene chloride | 1,2-DCE | 1,1-DCA | 1,2-DCE | 1,1,1-TCA | Carbon tetrachloride | 1,2-DCA | TCF | PCF  |
|-------------------|---------------------|----------------|---------|--------------------|---------|---------|---------|-----------|----------------------|---------|-----|------|
| SGP-79            | 27-29               | ND             | ND      | ND                 | ND      | ND      | ND      | ND        | ND                   | ND      | ND  | ND   |
| SGP-80            | 25-27               | ND             | ND      | ND                 | ND      | 4.5     | ND      | 1.6       | ND                   | ND      | ND  | ND   |
| SGP-80            | 50-52               | ND             | ND      | ND                 | ND      | 7.6     | ND      | 68 E      | ND                   | ND      | ND  | ND   |
| SGP-81            | 25-27               | ND             | ND      | ND                 | ND      | ND      | ND      | ND        | ND                   | ND      | ND  | ND   |
| SGP-81            | 47-49               | ND             | ND      | ND                 | ND      | ND      | ND      | 2.6       | ND                   | ND      | ND  | ND   |
| SGP-82            | 25-27               | ND             | ND      | ND                 | ND      | ND      | ND      | ND        | ND                   | ND      | ND  | ND   |
| SGP-83            | 25-27               | ND             | ND      | ND                 | ND      | ND      | ND      | ND        | ND                   | ND      | ND  | ND   |
| SGP-86            | 25-27               | ND             | ND      | ND                 | ND      | ND      | ND      | ND        | ND                   | ND      | ND  | ND   |
| SGP-86            | 50-52               | ND             | ND      | ND                 | ND      | ND      | ND      | ND        | ND                   | ND      | ND  | ND   |
| SGP-88            | 25-27               | ND             | ND      | ND                 | ND      | ND      | ND      | ND        | ND                   | ND      | ND  | ND   |
| SGP-88            | 50-52               | ND             | ND      | ND                 | ND      | ND      | ND      | ND        | ND                   | ND      | ND  | ND   |
| SGP-89            | 19-21               | ND             | ND      | ND                 | ND      | ND      | ND      | 1.7       | ND                   | ND      | ND  | 0.8  |
| SGP-90            | 25-27               | ND             | ND      | ND                 | ND      | ND      | ND      | ND        | ND                   | ND      | ND  | ND   |
| SGP-91            | 25-27               | ND             | ND      | ND                 | ND      | ND      | ND      | ND        | ND                   | ND      | ND  | ND   |
| SGP-93            | 25-27               | ND             | ND      | ND                 | ND      | ND      | ND      | ND        | ND                   | ND      | ND  | ND   |
| SGP-94            | 24-26               | ND             | ND      | ND                 | ND      | ND      | ND      | ND        | ND                   | ND      | ND  | ND   |
| SGP-95            | 25-27               | ND             | ND      | ND                 | ND      | ND      | ND      | ND        | ND                   | ND      | ND  | ND   |
| SGP-97            | 25-27               | ND             | ND      | ND                 | ND      | ND      | ND      | ND        | ND                   | ND      | ND  | ND   |
| SGP-97            | 50-52               | ND             | ND      | ND                 | ND      | ND      | ND      | ND        | ND                   | ND      | ND  | 0.5  |
| SGP-100           | 17-19               | ND             | ND      | ND                 | ND      | ND      | ND      | ND        | ND                   | ND      | ND  | ND   |
| SGP-101           | 17-19               | ND             | ND      | ND                 | ND      | ND      | ND      | 2.0       | ND                   | ND      | ND  | 0.6  |
| SGP-101           | 25-27               | ND             | ND      | ND                 | ND      | ND      | ND      | 0.5       | ND                   | ND      | ND  | ND   |
| SGP-103           | 13-16               | ND             | ND      | ND                 | ND      | ND      | ND      | ND        | ND                   | ND      | ND  | 5.8  |
| SGP-103           | 25-27               | ND             | ND      | ND                 | ND      | ND      | ND      | ND        | ND                   | ND      | ND  | ND   |
| SGP-104           | 17-19               | ND             | ND      | ND                 | ND      | ND      | ND      | 4.0       | ND                   | ND      | ND  | 37.0 |
| SGP-104           | 25-27               | ND             | ND      | ND                 | ND      | ND      | ND      | ND        | ND                   | ND      | ND  | ND   |
| SGP-108           | 20-22               | ND             | ND      | ND                 | ND      | ND      | ND      | ND        | ND                   | ND      | ND  | ND   |
| SGP-109           | 20-22               | ND             | ND      | ND                 | ND      | ND      | ND      | 1.6       | ND                   | ND      | ND  | 0.7  |
| SGP-118           | 3-4                 | ND             | ND      | ND                 | ND      | ND      | ND      | ND        | ND                   | ND      | ND  | ND   |
| SGP-119           | 12-14               | ND             | ND      | ND                 | ND      | ND      | ND      | ND        | ND                   | ND      | ND  | ND   |
| SGP-123           | 17-19               | ND             | ND      | ND                 | ND      | ND      | ND      | ND        | ND                   | ND      | ND  | ND   |

Source:  
Preliminary Site Assessment Report  
New Cassel Industrial Area Site  
Prepared by:  
Lawler, Matusky & Skelly Engineers  
October 1994

TABLE 5-22 (Page 3 of 3)

**GEOPROBE BTEX DATA SUMMARY (JUNE & JULY 1994)**  
**Soil Sample Results**  
**New Cassel Industrial Area**

| Sample<br>Point I.D. | Actual Sample<br>Depth | Benzene | Toluene | Chlorobenzene | Ethylbenzene | m,p-Xylene | o-Xylene | m-Dichlorobenzene | p-Dichlorobenzene | o-Dichlorobenzene |
|----------------------|------------------------|---------|---------|---------------|--------------|------------|----------|-------------------|-------------------|-------------------|
| SGP-103              | 13-16                  | ND      | ND      | ND            | ND           | ND         | ND       | ND                | ND                | ND                |
| SGP-103              | 25-27                  | ND      | ND      | ND            | ND           | ND         | ND       | ND                | ND                | ND                |
| SGP-104              | 17-19                  | ND      | ND      | ND            | ND           | 5.2        | 2.7      | ND                | ND                | ND                |
| SGP-104              | 25-27                  | -       | ND      | ND            | ND           | ND         | ND       | ND                | ND                | ND                |
| SGP-108              | 20-22                  | ND      | ND      | ND            | ND           | ND         | ND       | ND                | ND                | ND                |
| SGP-109              | 20-22                  | ND      | ND      | ND            | ND           | ND         | ND       | ND                | ND                | ND                |
| SGP-118              | 3-4                    | ND      | ND      | ND            | ND           | ND         | ND       | -                 | -                 | -                 |
| SGP-119              | 12-14                  | ND      | ND      | ND            | ND           | ND         | ND       | -                 | -                 | -                 |
| SGP-123              | 17-19                  | ND      | ND      | ND            | ND           | ND         | ND       | -                 | -                 | -                 |

Source:  
Preliminary Site Assessment Report  
New Cassel Industrial Area Site  
Prepared by:  
Lawlor, Matusky & Skelly Engineers  
October 1994

All data in µg/l.  
-.- Isomers of dichlorobenzene were not analyzed for due to absence of chlorobenzene.  
ND - Not detected.  
BQL - Below the quantitation limit.  
Data No NC-DATA XLS Soils 10/12/94 11 04 15 AM

**Soil Samples  
September 1994**

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (516) 422-5777 • FAX (516) 422-5770

LAB NO. C944301/16

10/10/94

Anson Environmental Ltd.  
33 Gerard Street, Suite 100  
Huntington, NY 11743

ATTN: Fritzi Gros-Daillon

SOURCE OF SAMPLE: Doak, #94052

COLLECTED BY: Client

DATE COL'D: 09/29/94 RECEIVED: 09/29/94

SAMPLE: Soil sample, GP#1 (1-3), 8:05 am

## ANALYTICAL PARAMETERS

|                      |       |    |
|----------------------|-------|----|
| Benzene              | ug/Kg | <2 |
| Bromobenzene         | ug/Kg | <2 |
| Bromochloromethane   | ug/Kg | <2 |
| Bromodichloromethane | ug/Kg | <2 |
| Bromoform            | ug/Kg | <2 |
| n-Butylbenzene       | ug/Kg | <2 |
| tert-Butylbenzene    | ug/Kg | <2 |
| sec-Butylbenzene     | ug/Kg | <2 |
| Carbon Tetrachloride | ug/Kg | <2 |
| Chlorobenzene        | ug/Kg | <2 |
| Chloroform           | ug/Kg | <2 |
| 4-Chlorotoluene      | ug/Kg | <2 |
| 2-Chlorotoluene      | ug/Kg | <2 |
| Chlorodibromomethane | ug/Kg | <2 |
| 1,2 Dibromoethane    | ug/Kg | <2 |
| Dibromomethane       | ug/Kg | <2 |
| 1,3 Dichlorobenzene  | ug/Kg | <2 |
| 1,2 Dichlorobenzene  | ug/Kg | <2 |
| 1,4 Dichlorobenzene  | ug/Kg | <2 |
| 1,1 Dichloroethane   | ug/Kg | <2 |
| 1,2 Dichloroethane   | ug/Kg | <2 |
| c-1,2-Dichloroethene | ug/Kg | <2 |
| t-1,2-Dichloroethene | ug/Kg | <2 |
| 1,1 Dichloroethene   | ug/Kg | <2 |
| 1,3-Dichloropropane  | ug/Kg | <2 |


## ANALYTICAL PARAMETERS

|                       |       |    |
|-----------------------|-------|----|
| 1,2 Dichloropropane   | ug/Kg | <2 |
| 2,2-Dichloropropane   | ug/Kg | <2 |
| 1,1-Dichloropropene   | ug/Kg | <2 |
| 1,3-Dichloropropene   | ug/Kg | <2 |
| Ethyl Benzene         | ug/Kg | <2 |
| Hexachlorobutadiene   | ug/Kg | <2 |
| Isopropylbenzene      | ug/Kg | <2 |
| p-Isopropyltoluene    | ug/Kg | <2 |
| Methylene Chloride    | ug/Kg | 3  |
| Naphthalene           | ug/Kg | <2 |
| n-Propylbenzene       | ug/Kg | <2 |
| Styrene               | ug/Kg | <2 |
| 1112Tetrachloroethane | ug/Kg | <2 |
| 1122Tetrachloroethane | ug/Kg | <2 |
| Tetrachloroethene     | ug/Kg | 11 |
| Toluene               | ug/Kg | <2 |
| 123-Trichlorobenzene  | ug/Kg | <2 |
| 124-Trichlorobenzene  | ug/Kg | <2 |
| 111 Trichloroethane   | ug/Kg | <2 |
| 112 Trichloroethane   | ug/Kg | <2 |
| Trichloroethylene     | ug/Kg | 5  |
| 123-Trichloropropane  | ug/Kg | <2 |
| 124-Trimethylbenzene  | ug/Kg | <2 |
| Dibromochloropropane  | ug/Kg | <2 |

cc:

REMARKS: Analysis performed by GCMS, EPA method 8260.  
Page 1 of 2.

DIRECTOR



377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (516) 422-5777 • FAX (516) 422-5770

LAB NO.C944301/16

10/10/94

Anson Environmental Ltd.  
33 Gerard Street, Suite 100  
Huntington, NY 11743  
ATTN: Fritz Gros-Daillon

SOURCE OF SAMPLE: Doak, #94052

COLLECTED BY: Client

DATE COL'D:09/29/94 RECEIVED:09/29/94

SAMPLE: Soil sample, GP#1 (1-3), 8:05 am

## ANALYTICAL PARAMETERS

|                       |       |    |
|-----------------------|-------|----|
| 135-Trimethylbenzene  | ug/Kg | <2 |
| o Xylene              | ug/Kg | <2 |
| m + p Xylene          | ug/Kg | <4 |
| Xylene                | ug/Kg | <6 |
| Bromomethane          | ug/Kg | <2 |
| Chloroethane          | ug/Kg | <2 |
| Chloromethane         | ug/Kg | <2 |
| Dichlorodifluomethane | ug/Kg | <2 |
| Vinyl Chloride        | ug/Kg | <2 |

## ANALYTICAL PARAMETERS

cc:

REMARKS: Analysis performed by GCMS, EPA method 8260.  
Page 2 of 2.

DIRECTOR

rn= 21272

NYSDOH ID# 10320

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (516) 422-5777 • FAX (516) 422-5770

LAB NO.C944301/17

10/10/94

Anson Environmental Ltd.  
33 Gerard Street, Suite 100  
Huntington, NY 11743  
ATTN: Fritzi Gros-Daillon

SOURCE OF SAMPLE: Doak, #94052

COLLECTED BY: Client

DATE COL'D:09/29/94 RECEIVED:09/29/94

SAMPLE: Soil sample, GP#1 (15-17), 8:30 am

## ANALYTICAL PARAMETERS

|                      |       |    |
|----------------------|-------|----|
| Benzene              | ug/Kg | <2 |
| Bromobenzene         | ug/Kg | <2 |
| Bromochloromethane   | ug/Kg | <2 |
| Bromodichloromethane | ug/Kg | <2 |
| Bromoform            | ug/Kg | <2 |
| n-Butylbenzene       | ug/Kg | <2 |
| tert-Butylbenzene    | ug/Kg | <2 |
| sec-Butylbenzene     | ug/Kg | <2 |
| Carbon Tetrachloride | ug/Kg | <2 |
| Chlorobenzene        | ug/Kg | <2 |
| Chloroform           | ug/Kg | <2 |
| 4-Chlorotoluene      | ug/Kg | <2 |
| 2-Chlorotoluene      | ug/Kg | <2 |
| Chlorodibromomethane | ug/Kg | <2 |
| 1,2 Dibromoethane    | ug/Kg | <2 |
| Dibromomethane       | ug/Kg | <2 |
| 1,3 Dichlorobenzene  | ug/Kg | <2 |
| 1,2 Dichlorobenzene  | ug/Kg | <2 |
| 1,4 Dichlorobenzene  | ug/Kg | <2 |
| 1,1 Dichloroethane   | ug/Kg | <2 |
| 1,2 Dichloroethane   | ug/Kg | <2 |
| c-1,2-Dichloroethene | ug/Kg | <2 |
| t-1,2-Dichloroethene | ug/Kg | <2 |
| 1,1 Dichloroethene   | ug/Kg | <2 |
| 1,3-Dichloropropane  | ug/Kg | <2 |

## ANALYTICAL PARAMETERS

|                       |       |
|-----------------------|-------|
| 1,2 Dichloropropane   | ug/Kg |
| 2,2-Dichloropropane   | ug/Kg |
| 1,1-Dichloropropene   | ug/Kg |
| 1,3-Dichloropropene   | ug/Kg |
| Ethyl Benzene         | ug/Kg |
| Hexachlorobutadiene   | ug/Kg |
| Isopropylbenzene      | ug/Kg |
| p-Isopropyltoluene    | ug/Kg |
| Methylene Chloride    | ug/Kg |
| Naphthalene           | ug/Kg |
| n-Propylbenzene       | ug/Kg |
| Styrene               | ug/Kg |
| 1112Tetrachloroethane | ug/Kg |
| 1122Tetrachloroethane | ug/Kg |
| Tetrachloroethene     | ug/Kg |
| Toluene               | ug/Kg |
| 123-Trichlorobenzene  | ug/Kg |
| 124-Trichlorobenzene  | ug/Kg |
| 111 Trichloroethane   | ug/Kg |
| 112 Trichloroethane   | ug/Kg |
| Trichloroethylene     | ug/Kg |
| 123-Trichloropropane  | ug/Kg |
| 124-Trimethylbenzene  | ug/Kg |
| Dibromochloropropane  | ug/Kg |

cc:

REMARKS: Analysis performed by GCMS, EPA method 8260.  
Page 1 of 2.

DIRECTOR



377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (516) 422-5777 • FAX (516) 422-5770

LAB NO.C944301/17

10/10/94

Anson Environmental Ltd.  
33 Gerard Street, Suite 100  
Huntington, NY 11743  
ATTN: Fritzi Gros-Daillon

SOURCE OF SAMPLE: Doak, #94052  
COLLECTED BY: Client DATE COL'D:09/29/94 RECEIVED:09/29/94

SAMPLE: Soil sample, GP#1 (15-17), 8:30 am

ANALYTICAL PARAMETERS

|                       |       |    |
|-----------------------|-------|----|
| 135-Trimethylbenzene  | ug/Kg | <2 |
| o Xylene              | ug/Kg | <2 |
| m + p Xylene          | ug/Kg | <4 |
| Xylene                | ug/Kg | <6 |
| Bromomethane          | ug/Kg | <2 |
| Chloroethane          | ug/Kg | <2 |
| Chloromethane         | ug/Kg | <2 |
| Dichlorodifluomethane | ug/Kg | <2 |
| Vinyl Chloride        | ug/Kg | <2 |

ANALYTICAL PARAMETERS

cc:

REMARKS: Analysis performed by GCMS, EPA method 8260  
Page 2 of 2.

DIRECTOR

rn=

21274

NYSDOH ID# 10320



377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (516) 422-5777 • FAX (516) 422-5770

LAB NO.C944301/14

10/10/94

Anson Environmental Ltd.  
33 Gerard Street, Suite 100  
Huntington, NY 11743  
ATTN: Fritzi Gros-Daillon

SOURCE OF SAMPLE: Doak. #94052

COLLECTED BY: Client

DATE COL'D:09/28/94 RECEIVED:09/29/94

SAMPLE: Soil sample, GP#2 (1-3). 2:40 pm

## ANALYTICAL PARAMETERS

|                      |       |    |
|----------------------|-------|----|
| Benzene              | ug/Kg | <2 |
| Bromobenzene         | ug/Kg | <2 |
| Bromochloromethane   | ug/Kg | <2 |
| Bromodichloromethane | ug/Kg | <2 |
| Bromoform            | ug/Kg | <2 |
| n-Butylbenzene       | ug/Kg | <2 |
| tert-Butylbenzene    | ug/Kg | <2 |
| sec-Butylbenzene     | ug/Kg | <2 |
| Carbon Tetrachloride | ug/Kg | <2 |
| Chlorobenzene        | ug/Kg | <2 |
| Chloroform           | ug/Kg | <2 |
| 4-Chlorotoluene      | ug/Kg | <2 |
| 2-Chlorotoluene      | ug/Kg | <2 |
| Chlorodibromomethane | ug/Kg | <2 |
| 1,2 Dibromoethane    | ug/Kg | <2 |
| Dibromomethane       | ug/Kg | <2 |
| 1,3 Dichlorobenzene  | ug/Kg | <2 |
| 1,2 Dichlorobenzene  | ug/Kg | <2 |
| 1,4 Dichlorobenzene  | ug/Kg | <2 |
| 1,1 Dichloroethane   | ug/Kg | <2 |
| 1,2 Dichloroethane   | ug/Kg | <2 |
| c-1,2-Dichloroethene | ug/Kg | <2 |
| t-1,2-Dichloroethene | ug/Kg | <2 |
| 1,1 Dichloroethene   | ug/Kg | <2 |
| 1,3-Dichloropropane  | ug/Kg | <2 |

## ANALYTICAL PARAMETERS

|                          |       |
|--------------------------|-------|
| 1,2 Dichloropropane      | ug/Kg |
| 2,2-Dichloropropane      | ug/Kg |
| 1,1-Dichloropropene      | ug/Kg |
| 1,3-Dichloropropene      | ug/Kg |
| Ethyl Benzene            | ug/Kg |
| Hexachlorobutadiene      | ug/Kg |
| Isopropylbenzene         | ug/Kg |
| p-Isopropyltoluene       | ug/Kg |
| Methylene Chloride       | ug/Kg |
| Naphthalene              | ug/Kg |
| n-Propylbenzene          | ug/Kg |
| Styrene                  | ug/Kg |
| 1,1,2Tetrachloroethane   | ug/Kg |
| 1,1,2,2Tetrachloroethane | ug/Kg |
| Tetrachloroethene        | ug/Kg |
| Toluene                  | ug/Kg |
| 1,2,3-Trichlorobenzene   | ug/Kg |
| 1,2,4-Trichlorobenzene   | ug/Kg |
| 1,1,1 Trichloroethane    | ug/Kg |
| 1,1,2 Trichloroethane    | ug/Kg |
| Trichloroethylene        | ug/Kg |
| 1,2,3-Trichloropropane   | ug/Kg |
| 1,2,4-Trimethylbenzene   | ug/Kg |
| Dibromochloropropane     | ug/Kg |

cc:

REMARKS: Analysis performed by GCMS, EPA method 8260.  
Page 1 of 2.

DIRECTOR



377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (516) 422-5777 • FAX (516) 422-577

LAB NO.C944301/14

10/10/94

Anson Environmental Ltd.  
33 Gerard Street, Suite 100  
Huntington, NY 11743  
ATTN: Fritzi Gros-Daillon

SOURCE OF SAMPLE: Doak, #94052

COLLECTED BY: Client

DATE COL'D:09/28/94 RECEIVED:09/29

SAMPLE: Soil sample, GP#2 (1-3), 2:40 pm

## ANALYTICAL PARAMETERS

|                       |       |    |
|-----------------------|-------|----|
| 135-Trimethylbenzene  | ug/Kg | <2 |
| o Xylene              | ug/Kg | <2 |
| m + p Xylene          | ug/Kg | <4 |
| Xylene                | ug/Kg | <6 |
| Bromomethane          | ug/Kg | <2 |
| Chloroethane          | ug/Kg | <2 |
| Chloromethane         | ug/Kg | <2 |
| Dichlorodifluomethane | ug/Kg | <2 |
| Vinyl Chloride        | ug/Kg | <2 |

## ANALYTICAL PARAMETERS

cc:

REMARKS: Analysis performed by GCMS, EPA method 8260.  
Page 2 of 2.

DIRECTOR 

rn=

21268

NYSDOH ID# 10320

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (516) 422-5777 • FAX (516) 422-5770

LAB NO. C944301/15

10/10/94

Anson Environmental Ltd.  
33 Gerard Street, Suite 100  
Huntington, NY 11743  
ATTN: Fritzi Gros-Daillon

SOURCE OF SAMPLE: Doak, #94052

COLLECTED BY: Client

DATE COL'D: 09/28/94 RECEIVED: 09/29/94

SAMPLE: Soil sample, GP#2 (15-17), 3:00 pm

## ANALYTICAL PARAMETERS

|                      |       |    |
|----------------------|-------|----|
| Benzene              | ug/Kg | <2 |
| Bromobenzene         | ug/Kg | <2 |
| Bromochloromethane   | ug/Kg | <2 |
| Bromodichloromethane | ug/Kg | <2 |
| Bromoform            | ug/Kg | <2 |
| n-Butylbenzene       | ug/Kg | <2 |
| tert-Butylbenzene    | ug/Kg | <2 |
| sec-Butylbenzene     | ug/Kg | <2 |
| Carbon Tetrachloride | ug/Kg | <2 |
| Chlorobenzene        | ug/Kg | <2 |
| Chloroform           | ug/Kg | <2 |
| 4-Chlorotoluene      | ug/Kg | <2 |
| 2-Chlorotoluene      | ug/Kg | <2 |
| Chlorodibromomethane | ug/Kg | <2 |
| 1,2 Dibromoethane    | ug/Kg | <2 |
| Dibromomethane       | ug/Kg | <2 |
| 1,3 Dichlorobenzene  | ug/Kg | <2 |
| 1,2 Dichlorobenzene  | ug/Kg | <2 |
| 1,4 Dichlorobenzene  | ug/Kg | <2 |
| 1,1 Dichloroethane   | ug/Kg | <2 |
| 1,2 Dichloroethane   | ug/Kg | <2 |
| c-1,2-Dichloroethene | ug/Kg | <2 |
| t-1,2-Dichloroethene | ug/Kg | <2 |
| i,1 Dichloroethene   | ug/Kg | <2 |
| 1,3-Dichloropropane  | ug/Kg | <2 |

## ANALYTICAL PARAMETERS

|                       |       |
|-----------------------|-------|
| 1,2 Dichloropropane   | ug/Kg |
| 2,2-Dichloropropane   | ug/Kg |
| 1,1-Dichloropropene   | ug/Kg |
| i,3-Dichloropropene   | ug/Kg |
| Ethyl Benzene         | ug/Kg |
| Hexachlorobutadiene   | ug/Kg |
| Isopropylbenzene      | ug/Kg |
| p-Isopropyltoluene    | ug/Kg |
| Methylene Chloride    | ug/Kg |
| Naphthalene           | ug/Kg |
| n-Propylbenzene       | ug/Kg |
| Styrene               | ug/Kg |
| 1112Tetrachloroethane | ug/Kg |
| 1122Tetrachloroethane | ug/Kg |
| Tetrachloroethene     | ug/Kg |
| Toluene               | ug/Kg |
| 123-Trichlorobenzene  | ug/Kg |
| 124-Trichlorobenzene  | ug/Kg |
| 111 Trichloroethane   | ug/Kg |
| 112 Trichloroethane   | ug/Kg |
| Trichloroethylene     | ug/Kg |
| 123-Trichloropropane  | ug/Kg |
| 124-Trimethylbenzene  | ug/Kg |
| Dibromochloropropane  | ug/Kg |

cc:

REMARKS: Analysis performed by GCMS, EPA method 8260.  
Page 1 of 2.

DIRECTOR



377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (516) 422-5777 • FAX (516) 422-5770

LAB NO.C944301/15

10/10/94

Anson Environmental Ltd.  
33 Gerard Street, Suite 100  
Huntington, NY 11743  
ATTN: Fritz Gros-Daillon

SOURCE OF SAMPLE: Doak, #94052

COLLECTED BY: Client

DATE COL'D:09/28/94 RECEIVED:09/29/9

SAMPLE: Soil sample, GP#2 (15-17), 3:00 pm

## ANALYTICAL PARAMETERS

|                       |       |    |
|-----------------------|-------|----|
| 135-Trimethylbenzene  | ug/Kg | <2 |
| o Xylene              | ug/Kg | <2 |
| m + p Xylene          | ug/Kg | <4 |
| Xylene                | ug/Kg | <6 |
| Bromomethane          | ug/Kg | <2 |
| Chloroethane          | ug/Kg | <2 |
| Chloromethane         | ug/Kg | <2 |
| Dichlorodifluomethane | ug/Kg | <2 |
| Vinyl Chloride        | ug/Kg | <2 |

## ANALYTICAL PARAMETERS

cc:

REMARKS: Analysis performed by GCMS, EPA method 8260.  
Page 2 of 2.

DIRECTOR

rn=

21270

NYSDOH ID# 10320

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (516) 422-5777 • FAX (516) 422-5770

LAB NO. C944301/20

10/10/94

Anson Environmental Ltd.  
33 Gerard Street, Suite 100  
Huntington, NY 11743  
ATTN: Fritzi Gros-Daillon

SOURCE OF SAMPLE: Doak, #94052

COLLECTED BY: Client

DATE COL'D: 09/29/94 RECEIVED: 09/29/94

SAMPLE: Soil sample, GP#3 (1-3)

## ANALYTICAL PARAMETERS

|                      |       |    |
|----------------------|-------|----|
| Benzene              | ug/Kg | <5 |
| Bromobenzene         | ug/Kg | <5 |
| Bromochloromethane   | ug/Kg | <5 |
| Bromodichloromethane | ug/Kg | <5 |
| Bromoform            | ug/Kg | <5 |
| n-Butylbenzene       | ug/Kg | <5 |
| tert-Butylbenzene    | ug/Kg | <5 |
| sec-Butylbenzene     | ug/Kg | <5 |
| Carbon Tetrachloride | ug/Kg | <5 |
| Chlorobenzene        | ug/Kg | <5 |
| Chloroform           | ug/Kg | <5 |
| 4-Chlorotoluene      | ug/Kg | <5 |
| 2-Chlorotoluene      | ug/Kg | <5 |
| Chlorodibromomethane | ug/Kg | <5 |
| 1,2 Dibromoethane    | ug/Kg | <5 |
| Dibromomethane       | ug/Kg | <5 |
| 1,3 Dichlorobenzene  | ug/Kg | <5 |
| 1,2 Dichlorobenzene  | ug/Kg | <5 |
| 1,4 Dichlorobenzene  | ug/Kg | <5 |
| 1,1 Dichloroethane   | ug/Kg | <5 |
| 1,2 Dichloroethane   | ug/Kg | <5 |
| c-1,2-Dichloroethene | ug/Kg | <5 |
| t-1,2-Dichloroethene | ug/Kg | <5 |
| 1,1 Dichloroethene   | ug/Kg | <5 |
| 1,3-Dichloropropane  | ug/Kg | <5 |

## ANALYTICAL PARAMETERS

|                       |       |
|-----------------------|-------|
| 1,2 Dichloropropane   | ug/Kg |
| 2,2-Dichloropropane   | ug/Kg |
| 1,1-Dichloropropene   | ug/Kg |
| 1,3-Dichloropropene   | ug/Kg |
| Ethyl Benzene         | ug/Kg |
| Hexachlorobutadiene   | ug/Kg |
| Isopropylbenzene      | ug/Kg |
| p-Isopropyltoluene    | ug/Kg |
| Methylene Chloride    | ug/Kg |
| Naphthalene           | ug/Kg |
| n-Propylbenzene       | ug/Kg |
| Styrene               | ug/Kg |
| 1112Tetrachloroethane | ug/Kg |
| 1122Tetrachloroethane | ug/Kg |
| Tetrachloroethene     | ug/Kg |
| Toluene               | ug/Kg |
| 123-Trichlorobenzene  | ug/Kg |
| 124-Trichlorobenzene  | ug/Kg |
| 111 Trichloroethane   | ug/Kg |
| 112 Trichloroethane   | ug/Kg |
| Trichloroethylene     | ug/Kg |
| 123-Trichloropropane  | ug/Kg |
| 124-Trimethylbenzene  | ug/Kg |
| Dibromochloropropane  | ug/Kg |

cc:

REMARKS: Analysis performed by GCMS, EPA method 8260.  
Page 1 of 2.

DIRECTOR



377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (516) 422-5777 • FAX (516) 422-5770

LAB NO. C944301/20

10/10/94

Anson Environmental Ltd.  
33 Gerard Street, Suite 100  
Huntington, NY 11743  
ATTN: Fritzi Gros-Daillon

SOURCE OF SAMPLE: Doak, #94052

COLLECTED BY: Client

DATE COL'D: 09/29/94 RECEIVED: 09/29/94

SAMPLE: Soil sample, GP#3 (1-3)

## ANALYTICAL PARAMETERS

|                         |       |     |
|-------------------------|-------|-----|
| 135-Trimethylbenzene    | ug/Kg | <5  |
| o Xylene                | ug/Kg | <5  |
| m + p Xylene            | ug/Kg | <10 |
| Xylene                  | ug/Kg | <5  |
| Bromomethane            | ug/Kg | <5  |
| Chloroethane            | ug/Kg | <5  |
| Chloromethane           | ug/Kg | <5  |
| Dichlorodifluoromethane | ug/Kg | <5  |
| Vinyl Chloride          | ug/Kg | <5  |

## ANALYTICAL PARAMETERS

cc:

REMARKS: Analysis performed by GCMS, EPA method 8260.  
Page 2 of 2.

DIRECTOR

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (516) 422-5777 • FAX (516) 422-5770

LAB NO. C944301/21

10/10/94

Anson Environmental Ltd.  
33 Gerard Street, Suite 100  
Huntington, NY 11743  
ATTN: Fritz Gros-Daillon

SOURCE OF SAMPLE: Doak, #94052

COLLECTED BY: Client

DATE COL'D: 09/29/94 RECEIVED: 09/29/94

SAMPLE: Soil sample, GP#3 (15-17)

## ANALYTICAL PARAMETERS

|                      |       |    |
|----------------------|-------|----|
| Benzene              | ug/Kg | <2 |
| Bromobenzene         | ug/Kg | <2 |
| Bromochloromethane   | ug/Kg | <2 |
| Bromodichloromethane | ug/Kg | <2 |
| Bromoform            | ug/Kg | <2 |
| n-Butylbenzene       | ug/Kg | <2 |
| tert-Butylbenzene    | ug/Kg | <2 |
| sec-Butylbenzene     | ug/Kg | <2 |
| Carbon Tetrachloride | ug/Kg | <2 |
| Chlorobenzene        | ug/Kg | <2 |
| Chloroform           | ug/Kg | <2 |
| 4-Chlorotoluene      | ug/Kg | <2 |
| 2-Chlorotoluene      | ug/Kg | <2 |
| Chlorodibromomethane | ug/Kg | <2 |
| 1,2 Dibromoethane    | ug/Kg | <2 |
| Dibromomethane       | ug/Kg | <2 |
| 1,3 Dichlorobenzene  | ug/Kg | <2 |
| 1,2 Dichlorobenzene  | ug/Kg | <2 |
| 1,4 Dichlorobenzene  | ug/Kg | <2 |
| 1,1 Dichloroethane   | ug/Kg | <2 |
| 1,2 Dichloroethane   | ug/Kg | <2 |
| c-1,2-Dichloroethene | ug/Kg | <2 |
| t-1,2-Dichloroethene | ug/Kg | <2 |
| 1,1 Dichloroethene   | ug/Kg | <2 |
| 1,3-Dichloropropane  | ug/Kg | <2 |

## ANALYTICAL PARAMETERS

|                           |       |
|---------------------------|-------|
| 1,2 Dichloropropane       | ug/Kg |
| 2,2-Dichloropropane       | ug/Kg |
| 1,1-Dichloropropene       | ug/Kg |
| 1,3-Dichloropropene       | ug/Kg |
| Ethyl Benzene             | ug/Kg |
| Hexachlorobutadiene       | ug/Kg |
| Isopropylbenzene          | ug/Kg |
| p-Isopropyltoluene        | ug/Kg |
| Methylene Chloride        | ug/Kg |
| Naphthalene               | ug/Kg |
| n-Propylbenzene           | ug/Kg |
| Styrene                   | ug/Kg |
| 1,1,2-Tetrachloroethane   | ug/Kg |
| 1,1,2,2-Tetrachloroethane | ug/Kg |
| Tetrachloroethene         | ug/Kg |
| Toluene                   | ug/Kg |
| 1,2,3-Trichlorobenzene    | ug/Kg |
| 1,2,4-Trichlorobenzene    | ug/Kg |
| 1,1,1-Trichloroethane     | ug/Kg |
| 1,1,2-Trichloroethane     | ug/Kg |
| Trichloroethylene         | ug/Kg |
| 1,2,3-Trichloropropane    | ug/Kg |
| 1,2,4-Trimethylbenzene    | ug/Kg |
| Dibromochloropropane      | ug/Kg |

cc:

REMARKS: Analysis performed by GCMS, EPA method 8260.  
Page 1 of 2.

DIRECTOR



377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (516) 422-5777 • FAX (516) 422-5770

LAB NO.C944301/21

10/10/94

Anson Environmental Ltd.  
33 Gerard Street, Suite 100  
Huntington, NY 11743

ATTN: Fritzi Gros-Daillon

SOURCE OF SAMPLE: Doak, #94052

COLLECTED BY: Client DATE COL'D:09/29/94 RECEIVED:09/29/94

SAMPLE: Soil sample, GP#3 (15-17)

ANALYTICAL PARAMETERS

|                       |       |    |
|-----------------------|-------|----|
| 135-Trimethylbenzene  | ug/Kg | <2 |
| o Xylene              | ug/Kg | <2 |
| m + p Xylene          | ug/Kg | <4 |
| Xylene                | ug/Kg | <6 |
| Bromomethane          | ug/Kg | <2 |
| Chloroethane          | ug/Kg | <2 |
| Chloromethane         | ug/Kg | <2 |
| Dichlorodifluomethane | ug/Kg | <2 |
| Vinyl Chloride        | ug/Kg | <2 |

ANALYTICAL PARAMETERS

cc:

REMARKS: Analysis performed by GCMS, EPA method 8260.  
Page 2 of 2.

DIRECTOR





377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (516) 422-5777 • FAX (516) 422-5770

LAB NO. C944301/22

10/10/94

Anson Environmental Ltd.  
33 Gerard Street, Suite 100  
Huntington, NY 11743

ATTN: Fritzi Gros-Daillon

SOURCE OF SAMPLE: Doak, #94052

COLLECTED BY: Client

DATE COL'D: 09/29/94 RECEIVED: 09/29/94

SAMPLE: Soil sample, GP#3 (30-32)

## ANALYTICAL PARAMETERS

|                      |       |    |
|----------------------|-------|----|
| Benzene              | ug/Kg | <2 |
| Bromobenzene         | ug/Kg | <2 |
| Bromochloromethane   | ug/Kg | <2 |
| Bromodichloromethane | ug/Kg | <2 |
| Bromoform            | ug/Kg | <2 |
| n-Butylbenzene       | ug/Kg | <2 |
| tert-Butylbenzene    | ug/Kg | <2 |
| sec-Butylbenzene     | ug/Kg | <2 |
| Carbon Tetrachloride | ug/Kg | <2 |
| Chlorobenzene        | ug/Kg | <2 |
| Chloroform           | ug/Kg | <2 |
| 4-Chlorotoluene      | ug/Kg | <2 |
| 2-Chlorotoluene      | ug/Kg | <2 |
| Chlorodibromomethane | ug/Kg | <2 |
| 1,2 Dibromoethane    | ug/Kg | <2 |
| Dibromomethane       | ug/Kg | <2 |
| 1,3 Dichlorobenzene  | ug/Kg | <2 |
| 1,2 Dichlorobenzene  | ug/Kg | <2 |
| 1,4 Dichlorobenzene  | ug/Kg | <2 |
| 1,1 Dichloroethane   | ug/Kg | <2 |
| 1,2 Dichloroethane   | ug/Kg | <2 |
| c-1,2-Dichloroethene | ug/Kg | <2 |
| t-1,2-Dichloroethene | ug/Kg | <2 |
| 1,1 Dichloroethene   | ug/Kg | <2 |
| 1,3-Dichloropropane  | ug/Kg | <2 |


## ANALYTICAL PARAMETERS

|                           |       |
|---------------------------|-------|
| 1,2 Dichloropropane       | ug/Kg |
| 2,2-Dichloropropane       | ug/Kg |
| 1,1-Dichloropropene       | ug/Kg |
| 1,3-Dichloropropene       | ug/Kg |
| Ethyl Benzene             | ug/Kg |
| Hexachlorobutadiene       | ug/Kg |
| Isopropylbenzene          | ug/Kg |
| p-Isopropyltoluene        | ug/Kg |
| Methylene Chloride        | ug/Kg |
| Naphthalene               | ug/Kg |
| n-Propylbenzene           | ug/Kg |
| Styrene                   | ug/Kg |
| 1,1,2-Tetrachloroethane   | ug/Kg |
| 1,1,2,2-Tetrachloroethane | ug/Kg |
| Tetrachloroethene         | ug/Kg |
| Toluene                   | ug/Kg |
| 1,2,3-Trichlorobenzene    | ug/Kg |
| 1,2,4-Trichlorobenzene    | ug/Kg |
| 1,1,1 Trichloroethane     | ug/Kg |
| 1,1,2 Trichloroethane     | ug/Kg |
| Trichloroethylene         | ug/Kg |
| 1,2,3-Trichloropropane    | ug/Kg |
| 1,2,4-Trimethylbenzene    | ug/Kg |
| Dibromochloropropane      | ug/Kg |

cc:

REMARKS: Analysis performed by GCMS, EPA method 8260.  
Page 1 of 2.

DIRECTOR



377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (516) 422-5777 • FAX (516) 422-5777

LAB NO. C944301/22

10/10/94

Anson Environmental Ltd.  
33 Gerard Street, Suite 100  
Huntington, NY 11743  
ATTN: Fritz Gros-Daillon

SOURCE OF SAMPLE: Doak, #94052  
COLLECTED BY: Client DATE COL'D: 09/29/94 RECEIVED: 09/29/94

SAMPLE: Soil sample, GP#3 (30-32)


## ANALYTICAL PARAMETERS

|                         |       |    |
|-------------------------|-------|----|
| 1,3,5-Trimethylbenzene  | ug/Kg | <2 |
| o Xylene                | ug/Kg | <2 |
| m + p Xylene            | ug/Kg | <4 |
| Xylene                  | ug/Kg | <6 |
| Bromomethane            | ug/Kg | <2 |
| Chloroethane            | ug/Kg | <2 |
| Chloromethane           | ug/Kg | <2 |
| Dichlorodifluoromethane | ug/Kg | <2 |
| Vinyl Chloride          | ug/Kg | <2 |

## ANALYTICAL PARAMETERS

cc:

REMARKS: Analysis performed by GCMS, EPA method 8260.  
Page 2 of 2.

DIRECTOR 

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (516) 422-5777 • FAX (516) 422-5770

LAB NO. C944301/18

10/10/94

Anson Environmental Ltd.  
33 Gerard Street, Suite 100  
Huntington, NY 11743

ATTN: Fritzi Gros-Daillon

SOURCE OF SAMPLE: Doak, #94052

COLLECTED BY: Client

DATE COL'D: 09/29/94 RECEIVED: 09/29/94

SAMPLE: Soil sample, GP#4 (1-3), 9:00 am

## ANALYTICAL PARAMETERS

|                      |       |    |
|----------------------|-------|----|
| Benzene              | ug/Kg | <2 |
| Bromobenzene         | ug/Kg | <2 |
| Bromochloromethane   | ug/Kg | <2 |
| Bromodichloromethane | ug/Kg | <2 |
| Bromoform            | ug/Kg | <2 |
| n-Butylbenzene       | ug/Kg | <2 |
| tert-Butylbenzene    | ug/Kg | <2 |
| sec-Butylbenzene     | ug/Kg | <2 |
| Carbon Tetrachloride | ug/Kg | <2 |
| Chlorobenzene        | ug/Kg | <2 |
| Chloroform           | ug/Kg | <2 |
| 4-Chlorotoluene      | ug/Kg | <2 |
| 2-Chlorotoluene      | ug/Kg | <2 |
| Chlorodibromomethane | ug/Kg | <2 |
| 1,2 Dibromoethane    | ug/Kg | <2 |
| Dibromomethane       | ug/Kg | <2 |
| 1,3 Dichlorobenzene  | ug/Kg | <2 |
| 1,2 Dichlorobenzene  | ug/Kg | <2 |
| 1,4 Dichlorobenzene  | ug/Kg | <2 |
| 1,1 Dichloroethane   | ug/Kg | <2 |
| 1,2 Dichloroethane   | ug/Kg | <2 |
| c-1,2-Dichloroethene | ug/Kg | <2 |
| t-1,2-Dichloroethene | ug/Kg | <2 |
| 1,1 Dichloroethene   | ug/Kg | <2 |
| 1,3-Dichloropropane  | ug/Kg | <2 |

## ANALYTICAL PARAMETERS

|                           |       |    |
|---------------------------|-------|----|
| 1,2 Dichloropropane       | ug/Kg | <2 |
| 2,2-Dichloropropane       | ug/Kg | <2 |
| 1,1-Dichloropropene       | ug/Kg | <2 |
| 1,3-Dichloropropene       | ug/Kg | <2 |
| Ethyl Benzene             | ug/Kg | <2 |
| Hexachlorobutadiene       | ug/Kg | <2 |
| Isopropylbenzene          | ug/Kg | <2 |
| p-Isopropyltoluene        | ug/Kg | <2 |
| Methylene Chloride        | ug/Kg | <2 |
| Naphthalene               | ug/Kg | <2 |
| n-Propylbenzene           | ug/Kg | <2 |
| Styrene                   | ug/Kg | <2 |
| 1,1,2-Tetrachloroethane   | ug/Kg | <2 |
| 1,1,2,2-Tetrachloroethane | ug/Kg | <2 |
| Tetrachloroethene         | ug/Kg | <2 |
| Toluene                   | ug/Kg | <2 |
| 1,2,3-Trichlorobenzene    | ug/Kg | <2 |
| 1,2,4-Trichlorobenzene    | ug/Kg | <2 |
| 1,1,1-Trichloroethane     | ug/Kg | <2 |
| 1,1,2-Trichloroethane     | ug/Kg | <2 |
| Trichloroethylene         | ug/Kg | <2 |
| 1,2,3-Trichloropropane    | ug/Kg | <2 |
| 1,2,4-Trimethylbenzene    | ug/Kg | <2 |
| Dibromochloropropane      | ug/Kg | <2 |

cc:

REMARKS: Analysis performed by GCMS, EPA method 8260.  
Page 1 of 2.

DIRECTOR

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (516) 422-5777 • FAX (516) 422-5770

LAB NO.C944301/18

10/10/94

Anson Environmental Ltd.  
33 Gerard Street, Suite 100  
Huntington, NY 11743  
ATTN: Fritz Gros-Daillon

SOURCE OF SAMPLE: Doak, #94052

COLLECTED BY: Client

DATE COL'D:09/29/94 RECEIVED:09/29/94

SAMPLE: Soil sample, GP#4 (1-3), 9:00 am

## ANALYTICAL PARAMETERS

|                       |       |    |
|-----------------------|-------|----|
| 135-Trimethylbenzene  | ug/Kg | <2 |
| o Xylene              | ug/Kg | <2 |
| m + p Xylene          | ug/Kg | <4 |
| Xylene                | ug/Kg | <6 |
| Bromomethane          | ug/Kg | <2 |
| Chloroethane          | ug/Kg | <2 |
| Chloromethane         | ug/Kg | <2 |
| Dichlorodifluomethane | ug/Kg | <2 |
| Vinyl Chloride        | ug/Kg | <2 |

## ANALYTICAL PARAMETERS

cc:

REMARKS: Analysis performed by GCMS, EPA method 8260.  
Page 2 of 2.

DIRECTOR 

rn=

21276

NYSDOH ID# 10320

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (516) 422-5777 • FAX (516) 422-5770

LAB NO.C944301/19

10/10/94

Anson Environmental Ltd.  
33 Gerard Street, Suite 100  
Huntington, NY 11743

ATTN: Fritzi Gros-Daillon

SOURCE OF SAMPLE: Doak, #94052

COLLECTED BY: Client

DATE COL'D:09/29/94 RECEIVED:09/29/94

SAMPLE: Soil sample, GP#4 (15-17), 9:20 am

## ANALYTICAL PARAMETERS

|                      |       |    |
|----------------------|-------|----|
| Benzene              | ug/Kg | <2 |
| Bromobenzene         | ug/Kg | <2 |
| Bromochloromethane   | ug/Kg | <2 |
| Bromodichloromethane | ug/Kg | <2 |
| Bromoform            | ug/Kg | <2 |
| n-Butylbenzene       | ug/Kg | <2 |
| tert-Butylbenzene    | ug/Kg | <2 |
| sec-Butylbenzene     | ug/Kg | <2 |
| Carbon Tetrachloride | ug/Kg | <2 |
| Chlorobenzene        | ug/Kg | <2 |
| Chloroform           | ug/Kg | <2 |
| 4-Chlorotoluene      | ug/Kg | <2 |
| 2-Chlorotoluene      | ug/Kg | <2 |
| Chlorodibromomethane | ug/Kg | <2 |
| 1,2 Dibromoethane    | ug/Kg | <2 |
| Dibromomethane       | ug/Kg | <2 |
| 1,3 Dichlorobenzene  | ug/Kg | <2 |
| 1,2 Dichlorobenzene  | ug/Kg | <2 |
| 1,4 Dichlorobenzene  | ug/Kg | <2 |
| 1,1 Dichloroethane   | ug/Kg | <2 |
| 1,2 Dichloroethane   | ug/Kg | <2 |
| c-1,2-Dichloroethene | ug/Kg | <2 |
| t-1,2-Dichloroethene | ug/Kg | <2 |
| 1,1 Dichloroethene   | ug/Kg | <2 |
| 1,3-Dichloropropane  | ug/Kg | <2 |

## ANALYTICAL PARAMETERS

|                          |       |    |
|--------------------------|-------|----|
| 1,2 Dichloropropane      | ug/Kg | <2 |
| 2,2-Dichloropropane      | ug/Kg | <2 |
| 1,1-Dichloropropene      | ug/Kg | <2 |
| 1,3-Dichloropropene      | ug/Kg | <2 |
| Ethyl Benzene            | ug/Kg | <2 |
| Hexachlorobutadiene      | ug/Kg | <2 |
| Isopropylbenzene         | ug/Kg | <2 |
| p-Isopropyltoluene       | ug/Kg | <2 |
| Methylene Chloride       | ug/Kg | <2 |
| Naphthalene              | ug/Kg | <2 |
| n-Propylbenzene          | ug/Kg | <2 |
| Styrene                  | ug/Kg | <2 |
| 1,1,2Tetrachloroethane   | ug/Kg | <2 |
| 1,1,2,2Tetrachloroethane | ug/Kg | <2 |
| Tetrachloroethene        | ug/Kg | <2 |
| Toluene                  | ug/Kg | <2 |
| 1,2,3-Trichlorobenzene   | ug/Kg | <2 |
| 1,2,4-Trichlorobenzene   | ug/Kg | <2 |
| 1,1,1 Trichloroethane    | ug/Kg | <2 |
| 1,1,2 Trichloroethane    | ug/Kg | <2 |
| Trichloroethylene        | ug/Kg | <2 |
| 1,2,3-Trichloropropane   | ug/Kg | <2 |
| 1,2,4-Trimethylbenzene   | ug/Kg | <2 |
| Dibromochloropropane     | ug/Kg | <2 |

cc:

REMARKS: Analysis performed by GCMS, EPA method 8260.  
Page 1 of 2.

DIRECTOR



377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (516) 422-5777 • FAX (516) 422-5770

LAB NO.C944301/19

10/10/94

Anson Environmental Ltd.  
33 Gerard Street, Suite 100  
Huntington, NY 11743  
ATTN: Fritzi Gros-Daillon

SOURCE OF SAMPLE: Doak, #94052

COLLECTED BY: Client DATE COL'D:09/29/94 RECEIVED:09/29/94

SAMPLE: Soil sample, GP#4 (15-17), 9:20 am

ANALYTICAL PARAMETERS

|                       |       |    |
|-----------------------|-------|----|
| 135-Trimethylbenzene  | ug/Kg | <2 |
| o Xylene              | ug/Kg | <2 |
| m + p Xylene          | ug/Kg | <4 |
| Xylene                | ug/Kg | <6 |
| Bromomethane          | ug/Kg | <2 |
| Chloroethane          | ug/Kg | <2 |
| Chloromethane         | ug/Kg | <2 |
| Dichlorodifluomethane | ug/Kg | <2 |
| Vinyl Chloride        | ug/Kg | <2 |

ANALYTICAL PARAMETERS

cc:

REMARKS: Analysis performed by GCMS, EPA method 8260.  
Page 2 of 2.

DIRECTOR



**Drywell Samples  
September 1994**

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (516) 422-5777 • FAX (516) 422-5770

LAB NO. C944301/10

10/10/94

Anson Environmental Ltd.  
33 Gerard Street, Suite 100  
Huntington, NY 11743

ATTN: Fritzi Gros-Daillon

SOURCE OF SAMPLE: Doak, #94052

COLLECTED BY: Client

DATE COL'D: 09/28/94 RECEIVED: 09/29/94

SAMPLE: Soil sample, DW#1 (4-6), 11:50 am

## ANALYTICAL PARAMETERS

|                      |       |    |
|----------------------|-------|----|
| Benzene              | ug/Kg | <2 |
| Bromobenzene         | ug/Kg | <2 |
| Bromochloromethane   | ug/Kg | <2 |
| Bromodichloromethane | ug/Kg | <2 |
| Bromoform            | ug/Kg | <2 |
| n-Butylbenzene       | ug/Kg | <2 |
| tert-Butylbenzene    | ug/Kg | <2 |
| sec-Butylbenzene     | ug/Kg | <2 |
| Carbon Tetrachloride | ug/Kg | <2 |
| Chlorobenzene        | ug/Kg | <2 |
| Chloroform           | ug/Kg | <2 |
| 4-Chlorotoluene      | ug/Kg | <2 |
| 2-Chlorotoluene      | ug/Kg | <2 |
| Chlorodibromomethane | ug/Kg | <2 |
| 1,2 Dibromoethane    | ug/Kg | <2 |
| Dibromomethane       | ug/Kg | <2 |
| 1,3 Dichlorobenzene  | ug/Kg | <2 |
| 1,2 Dichlorobenzene  | ug/Kg | <2 |
| 1,4 Dichlorobenzene  | ug/Kg | <2 |
| 1,1 Dichloroethane   | ug/Kg | <2 |
| 1,2 Dichloroethane   | ug/Kg | <2 |
| c-1,2-Dichloroethene | ug/Kg | <2 |
| t-1,2-Dichloroethene | ug/Kg | <2 |
| 1,1 Dichloroethene   | ug/Kg | <2 |
| 1,3-Dichloropropane  | ug/Kg | <2 |

## ANALYTICAL PARAMETERS

|                           |       |    |
|---------------------------|-------|----|
| 1,2 Dichloropropane       | ug/Kg | <2 |
| 2,2-Dichloropropane       | ug/Kg | <2 |
| 1,1-Dichloropropene       | ug/Kg | <2 |
| 1,3-Dichloropropene       | ug/Kg | <2 |
| Ethyl Benzene             | ug/Kg | <2 |
| Hexachlorobutadiene       | ug/Kg | <2 |
| Isopropylbenzene          | ug/Kg | <2 |
| p-Isopropyltoluene        | ug/Kg | <2 |
| Methylene Chloride        | ug/Kg | <2 |
| Naphthalene               | ug/Kg | <2 |
| n-Propylbenzene           | ug/Kg | <2 |
| Styrene                   | ug/Kg | <2 |
| 1,1,2-Tetrachloroethane   | ug/Kg | <2 |
| 1,1,2,2-Tetrachloroethane | ug/Kg | <2 |
| Tetrachloroethene         | ug/Kg | <2 |
| Toluene                   | ug/Kg | <2 |
| 1,2,3-Trichlorobenzene    | ug/Kg | <2 |
| 1,2,4-Trichlorobenzene    | ug/Kg | <2 |
| 1,1,1-Trichloroethane     | ug/Kg | <2 |
| 1,1,2-Trichloroethane     | ug/Kg | <2 |
| Trichloroethylene         | ug/Kg | <2 |
| 1,2,3-Trichloropropane    | ug/Kg | <2 |
| 1,2,4-Trimethylbenzene    | ug/Kg | <2 |
| Dibromochloropropane      | ug/Kg | <2 |

cc:

REMARKS: Analysis performed by GCMS, EPA method 8260.  
Page 1 of 2.

DIRECTOR



rn=

21259

NYSDOH ID# 10320



**ECOTEST** LABORATORIES, INC.

ENVIRONMENTAL TESTING

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (516) 422-5777 • FAX (516) 422-5770

LAB NO.C944301/10

10/10/94

Anson Environmental Ltd.  
33 Gerard Street, Suite 100  
Huntington, NY 11743  
ATTN: Fritzi Gros-Daillon

SOURCE OF SAMPLE: Doak, #94052

COLLECTED BY: Client DATE COL'D:09/28/94 RECEIVED:09/29/94

SAMPLE: Soil sample, DW#1 (4-6), 11:50 am

ANALYTICAL PARAMETERS

|                       |       |    |
|-----------------------|-------|----|
| 135-Trimethylbenzene  | ug/Kg | <2 |
| o Xylene              | ug/Kg | <2 |
| m + p Xylene          | ug/Kg | <4 |
| Xylene                | ug/Kg | <6 |
| Bromomethane          | ug/Kg | <2 |
| Chloroethane          | ug/Kg | <2 |
| Chloromethane         | ug/Kg | <2 |
| Dichlorodifluomethane | ug/Kg | <2 |
| Vinyl Chloride        | ug/Kg | <2 |

ANALYTICAL PARAMETERS

cc:

REMARKS: Analysis performed by GCMS, EPA method 8260.  
Page 2 of 2.

DIRECTOR



rn=

21260

NYSDOH ID# 10320

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (516) 422-5777 • FAX (516) 422-5770

LAB NO. C944301/11

10/10/94

Anson Environmental Ltd.  
33 Gerard Street, Suite 100  
Huntington, NY 11743  
ATTN: Fritzi Gros-Daillon

SOURCE OF SAMPLE: Doak, #94052

COLLECTED BY: Client

DATE COL'D: 09/28/94 RECEIVED: 09/29/94

SAMPLE: Soil sample, DW#1 (8-10), 12:20 pm

## ANALYTICAL PARAMETERS

|                      |       |    |
|----------------------|-------|----|
| Benzene              | ug/Kg | <2 |
| Bromobenzene         | ug/Kg | <2 |
| Bromochloromethane   | ug/Kg | <2 |
| Bromodichloromethane | ug/Kg | <2 |
| Bromoform            | ug/Kg | <2 |
| n-Butylbenzene       | ug/Kg | <2 |
| tert-Butylbenzene    | ug/Kg | <2 |
| sec-Butylbenzene     | ug/Kg | <2 |
| Carbon Tetrachloride | ug/Kg | <2 |
| Chlorobenzene        | ug/Kg | <2 |
| Chloroform           | ug/Kg | <2 |
| 4-Chlorotoluene      | ug/Kg | <2 |
| 2-Chlorotoluene      | ug/Kg | <2 |
| Chlorodibromomethane | ug/Kg | <2 |
| 1,2 Dibromoethane    | ug/Kg | <2 |
| Dibromomethane       | ug/Kg | <2 |
| 1,3 Dichlorobenzene  | ug/Kg | <2 |
| 1,2 Dichlorobenzene  | ug/Kg | <2 |
| 1,4 Dichlorobenzene  | ug/Kg | <2 |
| 1,1 Dichloroethane   | ug/Kg | <2 |
| 1,2 Dichloroethane   | ug/Kg | <2 |
| c-1,2-Dichloroethene | ug/Kg | <2 |
| t-1,2-Dichloroethene | ug/Kg | <2 |
| 1,1 Dichloroethene   | ug/Kg | <2 |
| 1,3-Dichloropropane  | ug/Kg | <2 |

## ANALYTICAL PARAMETERS

|                          |       |    |
|--------------------------|-------|----|
| 1,2 Dichloropropane      | ug/Kg | <2 |
| 2,2-Dichloropropane      | ug/Kg | <2 |
| 1,1-Dichloropropene      | ug/Kg | <2 |
| 1,3-Dichloropropene      | ug/Kg | <2 |
| Ethyl Benzene            | ug/Kg | <2 |
| Hexachlorobutadiene      | ug/Kg | <2 |
| Isopropylbenzene         | ug/Kg | <2 |
| p-Isopropyltoluene       | ug/Kg | <2 |
| Methylene Chloride       | ug/Kg | <2 |
| Naphthalene              | ug/Kg | <2 |
| n-Propylbenzene          | ug/Kg | <2 |
| Styrene                  | ug/Kg | <2 |
| 1,1,2Tetrachloroethane   | ug/Kg | <2 |
| 1,1,2,2Tetrachloroethane | ug/Kg | <2 |
| Tetrachloroethene        | ug/Kg | <2 |
| Toluene                  | ug/Kg | <2 |
| 1,2,3-Trichlorobenzene   | ug/Kg | <2 |
| 1,2,4-Trichlorobenzene   | ug/Kg | <2 |
| 1,1,1 Trichloroethane    | ug/Kg | <2 |
| 1,1,2 Trichloroethane    | ug/Kg | <2 |
| Trichloroethylene        | ug/Kg | <2 |
| 1,2,3-Trichloropropane   | ug/Kg | <2 |
| 1,2,4-Trimethylbenzene   | ug/Kg | <2 |
| Dibromochloropropane     | ug/Kg | <2 |

cc:

REMARKS: Analysis performed by GCMS, EPA method 8260.  
Page 1 of 2.

DIRECTOR

rn=

21261

NYSDOH ID# 10320

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (516) 422-5777 • FAX (516) 422-5770

LAB NO.C944301/11

10/10/94

Anson Environmental Ltd.  
33 Gerard Street, Suite 100  
Huntington, NY 11743  
ATTN: Fritzi Gros-Daillon

SOURCE OF SAMPLE: Doak, #94052

COLLECTED BY: Client DATE COL'D:09/28/94 RECEIVED:09/29/94

SAMPLE: Soil sample, DW#1 (8-10), 12:20 pm

ANALYTICAL PARAMETERS

|                       |       |    |
|-----------------------|-------|----|
| 135-Trimethylbenzene  | ug/Kg | <2 |
| o Xylene              | ug/Kg | <2 |
| m + p Xylene          | ug/Kg | <4 |
| Xylene                | ug/Kg | <6 |
| Bromomethane          | ug/Kg | <2 |
| Chloroethane          | ug/Kg | <2 |
| Chloromethane         | ug/Kg | <2 |
| Dichlorodifluomethane | ug/Kg | <2 |
| Vinyl Chloride        | ug/Kg | <2 |

ANALYTICAL PARAMETERS

cc:

REMARKS: Analysis performed by GCMS, EPA method 8260.  
Page 2 of 2.

DIRECTOR



377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (516) 422-5777 • FAX (516) 422-5770

LAB NO. C944301/12

10/10/94

Anson Environmental Ltd.  
33 Gerard Street, Suite 100  
Huntington, NY 11743

ATTN: Fritzi Gros-Daillon

SOURCE OF SAMPLE: Doak, #94052

COLLECTED BY: Client

DATE COL'D: 09/28/94 RECEIVED: 09/29/94

SAMPLE: Soil sample, DW#2 (4-6), 2:00 pm

## ANALYTICAL PARAMETERS

|                      |       |    |
|----------------------|-------|----|
| Benzene              | ug/Kg | <2 |
| Bromobenzene         | ug/Kg | <2 |
| Bromochloromethane   | ug/Kg | <2 |
| Bromodichloromethane | ug/Kg | <2 |
| Bromoform            | ug/Kg | <2 |
| n-Butylbenzene       | ug/Kg | <2 |
| tert-Butylbenzene    | ug/Kg | <2 |
| sec-Butylbenzene     | ug/Kg | <2 |
| Carbon Tetrachloride | ug/Kg | <2 |
| Chlorobenzene        | ug/Kg | <2 |
| Chloroform           | ug/Kg | <2 |
| 4-Chlorotoluene      | ug/Kg | <2 |
| 2-Chlorotoluene      | ug/Kg | <2 |
| Chlorodibromomethane | ug/Kg | <2 |
| 1,2 Dibromoethane    | ug/Kg | <2 |
| Dibromomethane       | ug/Kg | <2 |
| 1,3 Dichlorobenzene  | ug/Kg | <2 |
| 1,2 Dichlorobenzene  | ug/Kg | <2 |
| 1,4 Dichlorobenzene  | ug/Kg | <2 |
| 1,1 Dichloroethane   | ug/Kg | <2 |
| 1,2 Dichloroethane   | ug/Kg | <2 |
| c-1,2-Dichloroethene | ug/Kg | <2 |
| t-1,2-Dichloroethene | ug/Kg | <2 |
| 1,1 Dichloroethene   | ug/Kg | <2 |
| 1,3-Dichloropropane  | ug/Kg | <2 |

## ANALYTICAL PARAMETERS

|                       |       |    |
|-----------------------|-------|----|
| 1,2 Dichloropropane   | ug/Kg | <2 |
| 2,2-Dichloropropane   | ug/Kg | <2 |
| 1,1-Dichloropropene   | ug/Kg | <2 |
| 1,3-Dichloropropene   | ug/Kg | <2 |
| Ethyl Benzene         | ug/Kg | <2 |
| Hexachlorobutadiene   | ug/Kg | <2 |
| Isopropylbenzene      | ug/Kg | <2 |
| p-Isopropyltoluene    | ug/Kg | <2 |
| Methylene Chloride    | ug/Kg | <2 |
| Naphthalene           | ug/Kg | <2 |
| n-Propylbenzene       | ug/Kg | <2 |
| Styrene               | ug/Kg | <2 |
| 1112Tetrachloroethane | ug/Kg | <2 |
| 1122Tetrachloroethane | ug/Kg | <2 |
| Tetrachloroethene     | ug/Kg | <2 |
| Toluene               | ug/Kg | <2 |
| 123-Trichlorobenzene  | ug/Kg | <2 |
| 124-Trichlorobenzene  | ug/Kg | <2 |
| 111 Trichloroethane   | ug/Kg | <2 |
| 112 Trichloroethane   | ug/Kg | <2 |
| Trichloroethylene     | ug/Kg | <2 |
| 123-Trichloropropane  | ug/Kg | <2 |
| 124-Trimethylbenzene  | ug/Kg | <2 |
| Dibromochloropropane  | ug/Kg | <2 |

cc:

REMARKS: Analysis performed by GCMS, EPA method 8260.  
Page 1 of 2.

DIRECTOR



377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (516) 422-5777 • FAX (516) 422-5770

LAB NO.C944301/12

10/10/94

Anson Environmental Ltd.  
33 Gerard Street, Suite 100  
Huntington, NY 11743  
ATTN: Fritzi Gros-Daillon

SOURCE OF SAMPLE: Doak, #94052

COLLECTED BY: Client

DATE COL'D:09/28/94 RECEIVED:09/29/94

SAMPLE: Soil sample, DW#2 (4-6), 2:00 pm

## ANALYTICAL PARAMETERS

|                       |       |    |
|-----------------------|-------|----|
| 135-Trimethylbenzene  | ug/Kg | <2 |
| o Xylene              | ug/Kg | <2 |
| m + p Xylene          | ug/Kg | <4 |
| Xylene                | ug/Kg | <6 |
| Bromomethane          | ug/Kg | <2 |
| Chloroethane          | ug/Kg | <2 |
| Chloromethane         | ug/Kg | <2 |
| Dichlorodifluomethane | ug/Kg | <2 |
| Vinyl Chloride        | ug/Kg | <2 |

## ANALYTICAL PARAMETERS

cc:

REMARKS: Analysis performed by GCMS, EPA method 8260.  
Page 2 of 2.

DIRECTOR



377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (516) 422-5777 • FAX (516) 422-5770

LAB NO.C944301/13

10/10/94

Anson Environmental Ltd.  
33 Gerard Street, Suite 100  
Huntington, NY 11743

ATTN: Fritzi Gros-Daillon

SOURCE OF SAMPLE: Doak, #94052

COLLECTED BY: Client

DATE COL'D:09/28/94 RECEIVED:09/29/94

SAMPLE: Soil sample, DW#2 (8-10). 2:10 pm

## ANALYTICAL PARAMETERS

|                      |       |    |
|----------------------|-------|----|
| Benzene              | ug/Kg | <2 |
| Bromobenzene         | ug/Kg | <2 |
| Bromochloromethane   | ug/Kg | <2 |
| Bromodichloromethane | ug/Kg | <2 |
| Bromoform            | ug/Kg | <2 |
| n-Butylbenzene       | ug/Kg | <2 |
| tert-Butylbenzene    | ug/Kg | <2 |
| sec-Butylbenzene     | ug/Kg | <2 |
| Carbon Tetrachloride | ug/Kg | <2 |
| Chlorobenzene        | ug/Kg | <2 |
| Chloroform           | ug/Kg | <2 |
| 4-Chlorotoluene      | ug/Kg | <2 |
| 2-Chlorotoluene      | ug/Kg | <2 |
| Chlorodibromomethane | ug/Kg | <2 |
| 1,2 Dibromoethane    | ug/Kg | <2 |
| Dibromomethane       | ug/Kg | <2 |
| 1,3 Dichlorobenzene  | ug/Kg | <2 |
| 1,2 Dichlorobenzene  | ug/Kg | <2 |
| 1,4 Dichlorobenzene  | ug/Kg | <2 |
| 1,1 Dichloroethane   | ug/Kg | <2 |
| 1,2 Dichloroethane   | ug/Kg | <2 |
| c-1,2-Dichloroethene | ug/Kg | <2 |
| t-1,2-Dichloroethene | ug/Kg | <2 |
| 1,1 Dichloroethene   | ug/Kg | <2 |
| 1,3-Dichloropropane  | ug/Kg | <2 |

## ANALYTICAL PARAMETERS

|                      |       |    |
|----------------------|-------|----|
| 1,2 Dichloropropane  | ug/Kg | <2 |
| 2,2-Dichloropropane  | ug/Kg | <2 |
| 1,1-Dichloropropene  | ug/Kg | <2 |
| 1,3-Dichloropropene  | ug/Kg | <2 |
| Ethyl Benzene        | ug/Kg | <2 |
| Hexachlorobutadiene  | ug/Kg | <2 |
| Isopropylbenzene     | ug/Kg | <2 |
| p-Isopropyltoluene   | ug/Kg | <2 |
| Methylene Chloride   | ug/Kg | <2 |
| Naphthalene          | ug/Kg | <2 |
| n-Propylbenzene      | ug/Kg | <2 |
| Styrene              | ug/Kg | <2 |
| 1112Tetrachloroethan | ug/Kg | <2 |
| 1122Tetrachloroethan | ug/Kg | <2 |
| Tetrachloroethene    | ug/Kg | <2 |
| Toluene              | ug/Kg | <2 |
| 123-Trichlorobenzene | ug/Kg | <2 |
| 124-Trichlorobenzene | ug/Kg | <2 |
| 111 Trichloroethane  | ug/Kg | <2 |
| 112 Trichloroethane  | ug/Kg | <2 |
| Trichloroethylene    | ug/Kg | <2 |
| 123-Trichloropropane | ug/Kg | <2 |
| 124-Trimethylbenzene | ug/Kg | <2 |
| Dibromochloropropane | ug/Kg | <2 |

cc:

REMARKS: Analysis performed by GCMS, EPA method 8260.  
Page 1 of 2.

DIRECTOR



377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (516) 422-5777 • FAX (516) 422-5770

LAB NO. C944301/13

10/10/94

Anson Environmental Ltd.  
33 Gerard Street, Suite 100  
Huntington, NY 11743  
ATTN: Fritzi Gros-Daillon

SOURCE OF SAMPLE: Doak, #94052  
COLLECTED BY: Client DATE COL'D: 09/28/94 RECEIVED: 09/29/94

SAMPLE: Soil sample, DW#2 (8-10), 2:10 pm

## ANALYTICAL PARAMETERS

|                       |       |    |
|-----------------------|-------|----|
| 135-Trimethylbenzene  | ug/Kg | <2 |
| o Xylene              | ug/Kg | <2 |
| m + p Xylene          | ug/Kg | <4 |
| Xylene                | ug/Kg | <6 |
| Bromomethane          | ug/Kg | <2 |
| Chloroethane          | ug/Kg | <2 |
| Chloromethane         | ug/Kg | <2 |
| Dichlorodifluomethane | ug/Kg | <2 |
| Vinyl Chloride        | ug/Kg | <2 |

## ANALYTICAL PARAMETERS

cc:

REMARKS: Analysis performed by GCMS, EPA method 8260.  
Page 2 of 2.

DIRECTOR 

**Leaching Pool Sample  
September 1994**



377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (516) 422-5777 • FAX (516) 422-5770

LAB NO.C944301/6

10/10/94

Anson Environmental Ltd.  
33 Gerard Street, Suite 100  
Huntington, NY 11743  
ATTN: Fritzi Gros-Daillon

SOURCE OF SAMPLE: Doak, #94052

COLLECTED BY: Client

DATE COL'D:09/28/94 RECEIVED:09/29/94

SAMPLE: Soil sample, LP#1 (0-2), 10:30 am

## ANALYTICAL PARAMETERS

|                      |       |    |
|----------------------|-------|----|
| Benzene              | ug/Kg | <2 |
| Bromobenzene         | ug/Kg | <2 |
| Bromochloromethane   | ug/Kg | <2 |
| Bromodichloromethane | ug/Kg | <2 |
| Bromoform            | ug/Kg | <2 |
| n-Butylbenzene       | ug/Kg | <2 |
| tert-Butylbenzene    | ug/Kg | <2 |
| sec-Butylbenzene     | ug/Kg | <2 |
| Carbon Tetrachloride | ug/Kg | <2 |
| Chlorobenzene        | ug/Kg | <2 |
| Chloroform           | ug/Kg | <2 |
| 4-Chlorotoluene      | ug/Kg | <2 |
| 2-Chlorotoluene      | ug/Kg | <2 |
| Chlorodibromomethane | ug/Kg | <2 |
| 1,2 Dibromoethane    | ug/Kg | <2 |
| Dibromomethane       | ug/Kg | <2 |
| 1,3 Dichlorobenzene  | ug/Kg | <2 |
| 1,2 Dichlorobenzene  | ug/Kg | <2 |
| 1,4 Dichlorobenzene  | ug/Kg | <2 |
| 1,1 Dichloroethane   | ug/Kg | <2 |
| 1,2 Dichloroethane   | ug/Kg | <2 |
| c-1,2-Dichloroethene | ug/Kg | <2 |
| t-1,2-Dichloroethene | ug/Kg | <2 |
| 1,1 Dichloroethene   | ug/Kg | <2 |
| 1,3-Dichloropropane  | ug/Kg | <2 |

## ANALYTICAL PARAMETERS

|                      |       |    |
|----------------------|-------|----|
| 1,2 Dichloropropane  | ug/Kg | <2 |
| 2,2-Dichloropropane  | ug/Kg | <2 |
| 1,1-Dichloropropene  | ug/Kg | <2 |
| 1,3-Dichloropropene  | ug/Kg | <2 |
| Ethyl Benzene        | ug/Kg | <2 |
| Hexachlorobutadiene  | ug/Kg | <2 |
| Isopropylbenzene     | ug/Kg | <2 |
| p-Isopropyltoluene   | ug/Kg | <2 |
| Methylene Chloride   | ug/Kg | <2 |
| Naphthalene          | ug/Kg | <2 |
| n-Propylbenzene      | ug/Kg | <2 |
| Styrene              | ug/Kg | <2 |
| 1112Tetrachloroethan | ug/Kg | <2 |
| 1122Tetrachloroethan | ug/Kg | <2 |
| Tetrachloroethene    | ug/Kg | <2 |
| Toluene              | ug/Kg | <2 |
| 123-Trichlorobenzene | ug/Kg | <2 |
| 124-Trichlorobenzene | ug/Kg | <2 |
| 111 Trichloroethane  | ug/Kg | <2 |
| 112 Trichloroethane  | ug/Kg | <2 |
| Trichloroethylene    | ug/Kg | <2 |
| 123-Trichloropropane | ug/Kg | <2 |
| 124-Trimethylbenzene | ug/Kg | <2 |
| Dibromochloropropane | ug/Kg | <2 |

cc:

REMARKS: Analysis performed by GCMS, EPA method 8260.  
Page 1 of 2.

DIRECTOR

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (516) 422-5777 • FAX (516) 422-5770

LAB NO.C944301/6

10/10/94

Anson Environmental Ltd.  
33 Gerard Street, Suite 100  
Huntington, NY 11743  
ATTN: Fritzi Gros-Daillon

SOURCE OF SAMPLE: Doak, #94052  
COLLECTED BY: Client DATE COL'D:09/28/94 RECEIVED:09/29/94

SAMPLE: Soil sample, LP#1 (0-2), 10:30 am

ANALYTICAL PARAMETERS

|                       |       |    |
|-----------------------|-------|----|
| 135-Trimethylbenzene  | ug/Kg | <2 |
| o Xylene              | ug/Kg | <2 |
| m + p Xylene          | ug/Kg | <4 |
| Xylene                | ug/Kg | <6 |
| Bromomethane          | ug/Kg | <2 |
| Chloroethane          | ug/Kg | <2 |
| Chloromethane         | ug/Kg | <2 |
| Dichlorodifluomethane | ug/Kg | <2 |
| Vinyl Chloride        | ug/Kg | <2 |

ANALYTICAL PARAMETERS

cc:

REMARKS: Analysis performed by GCMS, EPA method 8260.  
Page 2 of 2.

DIRECTOR



377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (516) 422-5777 • FAX (516) 422-5770

LAB NO.C944301/7

10/10/94

Anson Environmental Ltd.  
33 Gerard Street, Suite 100  
Huntington, NY 11743  
ATTN: Fritzi Gros-Daillon

SOURCE OF SAMPLE: Doak, #94052

COLLECTED BY: Client

DATE COL'D:09/28/94 RECEIVED:09/29/94

SAMPLE: Soil sample, LP#1 (2-4), 10:35 am

## ANALYTICAL PARAMETERS

|                      |       |    |
|----------------------|-------|----|
| Benzene              | ug/Kg | <2 |
| Bromobenzene         | ug/Kg | <2 |
| Bromochloromethane   | ug/Kg | <2 |
| Bromodichloromethane | ug/Kg | <2 |
| Bromoform            | ug/Kg | <2 |
| n-Butylbenzene       | ug/Kg | <2 |
| tert-Butylbenzene    | ug/Kg | <2 |
| sec-Butylbenzene     | ug/Kg | <2 |
| Carbon Tetrachloride | ug/Kg | <2 |
| Chlorobenzene        | ug/Kg | <2 |
| Chloroform           | ug/Kg | <2 |
| 4-Chlorotoluene      | ug/Kg | <2 |
| 2-Chlorotoluene      | ug/Kg | <2 |
| Chlorodibromomethane | ug/Kg | <2 |
| 1,2 Dibromoethane    | ug/Kg | <2 |
| Dibromomethane       | ug/Kg | <2 |
| 1,3 Dichlorobenzene  | ug/Kg | <2 |
| 1,2 Dichlorobenzene  | ug/Kg | <2 |
| 1,4 Dichlorobenzene  | ug/Kg | <2 |
| 1,1 Dichloroethane   | ug/Kg | <2 |
| 1,2 Dichloroethane   | ug/Kg | <2 |
| c-1,2-Dichloroethene | ug/Kg | <2 |
| t-1,2-Dichloroethene | ug/Kg | <2 |
| 1,1 Dichloroethene   | ug/Kg | <2 |
| 1,3-Dichloropropane  | ug/Kg | <2 |


## ANALYTICAL PARAMETERS

|                          |       |    |
|--------------------------|-------|----|
| 1,2 Dichloropropane      | ug/Kg | <2 |
| 2,2-Dichloropropane      | ug/Kg | <2 |
| 1,1-Dichloropropene      | ug/Kg | <2 |
| 1,3-Dichloropropene      | ug/Kg | <2 |
| Ethyl Benzene            | ug/Kg | <2 |
| Hexachlorobutadiene      | ug/Kg | <2 |
| Isopropylbenzene         | ug/Kg | <2 |
| p-Isopropyltoluene       | ug/Kg | <2 |
| Methylene Chloride       | ug/Kg | <2 |
| Naphthalene              | ug/Kg | <2 |
| n-Propylbenzene          | ug/Kg | <2 |
| Styrene                  | ug/Kg | <2 |
| 1,1,2Tetrachloroethane   | ug/Kg | <2 |
| 1,1,2,2Tetrachloroethane | ug/Kg | <2 |
| Tetrachloroethene        | ug/Kg | <2 |
| Toluene                  | ug/Kg | <2 |
| 1,2,3-Trichlorobenzene   | ug/Kg | <2 |
| 1,2,4-Trichlorobenzene   | ug/Kg | <2 |
| 1,1,1 Trichloroethane    | ug/Kg | <2 |
| 1,1,2 Trichloroethane    | ug/Kg | <2 |
| Trichloroethylene        | ug/Kg | <2 |
| 1,2,3-Trichloropropane   | ug/Kg | <2 |
| 1,2,4-Trimethylbenzene   | ug/Kg | <2 |
| Dibromochloropropane     | ug/Kg | <2 |

cc:

REMARKS: Analysis performed by GCMS, EPA method 8260.  
Page 1 of 2.

DIRECTOR



377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (516) 422-5777 • FAX (516) 422-5770

LAB NO.C944301/7

10/10/94

Anson Environmental Ltd.  
33 Gerard Street, Suite 100  
Huntington, NY 11743  
ATTN: Fritz Gros-Daillon

SOURCE OF SAMPLE: Doak, #94052

COLLECTED BY: Client DATE COL'D:09/28/94 RECEIVED:09/29/94

SAMPLE: Soil sample, LP#1 (2-4), 10:35 am

ANALYTICAL PARAMETERS

|                       |       |    |
|-----------------------|-------|----|
| 135-Trimethylbenzene  | ug/Kg | <2 |
| o Xylene              | ug/Kg | <2 |
| m + p Xylene          | ug/Kg | <4 |
| Xylene                | ug/Kg | <6 |
| Bromomethane          | ug/Kg | <2 |
| Chloroethane          | ug/Kg | <2 |
| Chloromethane         | ug/Kg | <2 |
| Dichlorodifluomethane | ug/Kg | <2 |
| Vinyl Chloride        | ug/Kg | <2 |

ANALYTICAL PARAMETERS

cc:

REMARKS: Analysis performed by GCMS, EPA method 8260.  
Page 2 of 2.

DIRECTOR



## **Appendix C**

# **Environmental Audit Report**

## I. SUMMARY

This Report is a compilation of federal environmental data which identifies environmental problem sites and activities from the records of the United States Environmental Protection Agency (US EPA). The data contained in this Report is the result of a search by EAI's Environmental Data Systems of the following US EPA records:

1. National Priorities List (NPL)
2. Facilities Index System (FINDS)
3. Comprehensive Environmental Response, Compensation  
and Liability Index System (CERCLIS)
4. Resource Conservation and Recovery Act (RCRA)  
Notification System
5. National Spill Reports System

A search of these databases identified: 0 NPL sites, 112 FINDS sites, 2 CERCLIS sites, 107 RCRA facilities and 0 National Spill Reports. The records of each of the foregoing sites and operators are contained in Section II of this report. The listed Sites are located within the zip code area stated at the beginning of each report sub-section. Section III contains 0 misidentified records of sites which appear to be located on or near the subject property.

---

II. REGULATORY INFORMATION  
1. US EPA NPL DATABASE

WESTBURY, NY 11590  
County: NASSAU

The National Priorities (Superfund) List (NPL) is EPA's database of uncontrolled or abandoned hazardous waste sites identified for priority remedial actions under the Superfund Program. A site, to be included on the NPL, must either meet or surpass a predetermined hazard ranking systems score, or be chosen as a state's top-priority site, or meet all three of the following criteria: (1) the US Department of Health and Human Services issues a health advisory recommending that people be removed from the site to avoid exposure; (2) EPA determines that the site represents a significant threat; and (3) EPA determines that remedial action is more cost-effective than removal action.

A review of the 1989 National Priorities List revealed the following Superfund sites located within the stated zip code areas:  
11590

0 Sites found for the area specified.

II. REGULATORY INFORMATION  
2. US EPA FINDS DATABASE

F

WESTBURY, NY 11590  
County: NASSAU

The Facility Index System (FINDS) is a compilation of any property or site which the EPA has investigated, reviewed or been made aware of in connection with its various regulatory programs. Each record indicates the EPA Program Office that may have files on the site or facility.

A study of the 1989 FINDS Database revealed the following sites located within the stated zip code areas:

11590

| <u>FACILITY ADDRESS</u>                                                                                                                                                                                                                              | <u>FINDS Sites</u> | <u>EPA ID#</u> |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------|----------------|
| A. W. FUEL OIL CORPORATION<br>75 GARDEN STREET<br>WESTBURY, NY 11590<br>EPA Responsible Office:<br>Federal Underground Injection System, Office of Drinking Water                                                                                    |                    | NYD013370895   |
| <hr/>                                                                                                                                                                                                                                                |                    |                |
| ADCHEM CORP<br>625 MAIN STREET<br>WESTBURY, NY 11590<br>Latitude: 404506 Longitude: 0733536<br>EPA Responsible Office:<br>Hazardous Waste Data Management System, Office of Solid Waste(RCRA)<br>Compliance Data System, Office of Air and Radiation |                    | NYD049207236   |



FACILITY ADDRESSEPA ID#

ADVANCE FOOD SERVICE CO INC  
750 SUMMA AVENUE  
WESTBURY, NY 11590

NYD002035467

Latitude: 404506 Longitude: 0733536

EPA Responsible Office:

Hazardous Waste Data Management System, Office of Solid Waste(RCRA)

---

AIRCRAFT TURBINE SERVICE DIV A  
1100 SHAMES DRIVE  
WESTBURY, NY 11590

NYD072378425

Latitude: 404506 Longitude: 0733536

EPA Responsible Office:

Hazardous Waste Data Management System, Office of Solid Waste(RCRA)

Permit Compliance System, Office of Water Enforcement and Permits

Federal Underground Injection System, Office of Drinking Water

---

ALL-TRONICS INC  
45 BOND STREET  
WESTBURY, NY 11590

NYD002035137

Latitude: 404506 Longitude: 0733536

EPA Responsible Office:

Hazardous Waste Data Management System, Office of Solid Waste(RCRA)

Office of Regional Counsel

---

AMC JEEP  
52 RUSHMORE ST  
WESTBURY, NY 11590

NYD068007947

EPA Responsible Office:

Hazardous Waste Data Management System, Office of Solid Waste(RCRA)

FACILITY ADDRESS

EPA ID#

AMOCO SERVICE STATION  
880 OLD COUNTRY RD  
WESTBURY, NY 11590

NYD981565674

EPA Responsible Office:

Hazardous Waste Data Management System, Office of Solid Waste(RCRA)

---

AMOCO SERVICE STATION  
JERICHO TPKE & ASCOT  
WESTBURY, NY 11590

NYD981876337

EPA Responsible Office:

Hazardous Waste Data Management System, Office of Solid Waste(RCRA)

---

ARKWIN INDUSTRIES INC  
686 MAIN STREET  
WESTBURY, NY 11590

NYD002037513

Latitude: 404506 Longitude: 0733536

EPA Responsible Office:

Hazardous Waste Data Management System, Office of Solid Waste(RCRA)

---

ASTRO READY MIX INC  
482 GRAND BLVD  
WESTBURY, NY 11590

NYD045864279

EPA Responsible Office:

Compliance Data System, Office of Air and Radiation

---

ATLAS GRAPHICS INC  
567 MAIN ST  
WESTBURY, NY 11590

NYD060317898

Latitude: 404506 Longitude: 0733536

EPA Responsible Office:

Hazardous Waste Data Management System, Office of Solid Waste(RCRA)

FACILITY ADDRESSEPA ID#

ATTONITO CO INC  
100 URBAN AVE  
WESTBURY, NY 11590

NYD013371141

EPA Responsible Office:

Compliance Data System, Office of Air and Radiation

---

AUTO PLAZA DODGE  
26 BOND ST  
WESTBURY, NY 11590

NYD981487853

EPA Responsible Office:

Hazardous Waste Data Management System, Office of Solid Waste(RCRA)

---

AVON REPRODUCTIONS  
25 KINKEL STREET  
WESTBURY, NY 11590

NYD002042984

EPA Responsible Office:

Hazardous Waste Data Management System, Office of Solid Waste(RCRA)

---

B & L COLLISION INC  
69 KINKEL STREET  
WESTBURY, NY 11590

NYD981484579

EPA Responsible Office:

Hazardous Waste Data Management System, Office of Solid Waste(RCRA)

---

BERCO INDUSTRIES CORP  
1250 SHAMES DRIVE  
WESTBURY, NY 11590

NYD002043404

Latitude: 404506 Longitude: 0733536

EPA Responsible Office:

Hazardous Waste Data Management System, Office of Solid Waste(RCRA)

FACILITY ADDRESS

EPA ID#

BILT RITE STEEL  
599 UNION AVENUE  
WESTBURY, NY 11590

NYD986877777

EPA Responsible Office:

Hazardous Waste Data Management System, Office of Solid Waste(RCRA)

BIOCHEMICAL DIAGNOSTICS INC  
CANTIAGUE RD  
WESTBURY, NY 11590

NYD002054351

Latitude: 405248 Longitude: 0725112

EPA Responsible Office:

Hazardous Waste Data Management System, Office of Solid Waste(RCRA)

BOBB HOWARD OF WESTBURY INC  
JERICHO TPKE & POWELL'S LANE  
WESTBURY, NY 11590

NYD013371299

EPA Responsible Office:

Hazardous Waste Data Management System, Office of Solid Waste(RCRA)

BONDED PACKAGING CORP  
460 GRAND BLVD  
WESTBURY, NY 11590

NYD013371307

EPA Responsible Office:

Compliance Data System, Office of Air and Radiation

BOWLING GREEN I ELEMENTARY SCH  
STEWART AVENUE  
WESTBURY, NY 11590

NYD100373950

EPA Responsible Office:

Hazardous Waste Data Management System, Office of Solid Waste(RCRA)

## FINDS Sites

FACILITY ADDRESS

EPA ID#

BUDGET RENT A CAR  
638 SUNRISE HIGHWAY  
ROCKVILLE CENTRE, NY 11590

NYD982721060

EPA Responsible Office:

Hazardous Waste Data Management System, Office of Solid Waste(RCRA)

CADDYLAKE SYSTEMS INC  
201 MONTROSE ROAD  
WESTBURY, NY 11590

NYD013371356

EPA Responsible Office:

Hazardous Waste Data Management System, Office of Solid Waste(RCRA)

CARMEN CLEANERS  
796 CARMEN AVE  
WESTBURY, NY 11590

NYD980772479

Latitude: 404506 Longitude: 0733536

EPA Responsible Office:

Hazardous Waste Data Management System, Office of Solid Waste(RCRA)

COLLEGE HOUSE MANUFACTURING IN  
601 CANTIAGUE ROAD  
WESTBURY, NY 11590

NYD005906904

Latitude: 404506 Longitude: 0733536

EPA Responsible Office:

Hazardous Waste Data Management System, Office of Solid Waste(RCRA)

## FINDS Sites

FACILITY ADDRESS

EPA ID#

CONSO LAB SUPPLY COMPANY  
425 MERRICK AVENUE  
WESTBURY, NY 11590

NYD013590955

Latitude: 404506 Longitude: 0733536

EPA Responsible Office:

Hazardous Waste Data Management System, Office of Solid Waste(RCRA)

CONTEMPORARY PACKAGING CORP  
90 HOPPER ST  
WESTBURY, NY 11590

NYD054997069

Latitude: 404506 Longitude: 0733536

EPA Responsible Office:

Hazardous Waste Data Management System, Office of Solid Waste(RCRA)

CONTEMPORARY PACKAGING  
110 HOPPER STREET  
WESTBURY, NY 11590

NYD986873917

EPA Responsible Office:

Compliance Data System, Office of Air and Radiation

CORK FOUNDATION COMPANY  
CANTIAGUE ROAD  
WESTBURY, NY 11590

NYD002050763

Latitude: 404628 Longitude: 0733325

EPA Responsible Office:

Hazardous Waste Data Management System, Office of Solid Waste(RCRA)

Permit Compliance System, Office of Water Enforcement and Permits

Federal Underground Injection System, Office of Drinking Water

## FINDS Sites

FACILITY ADDRESS

EPA ID#

DAIL CHEVROLET INC

NYD041425760

290 POST AVE

WESTBURY, NY 11590

EPA Responsible Office:

Hazardous Waste Data Management System, Office of Solid Waste(RCRA)

DIONICS INCORPORATED

NYD047645262

65 RUSHMORE STREET

WESTBURY, NY 11590

Latitude: 404517 Longitude: 0733352

EPA Responsible Office:

Hazardous Waste Data Management System, Office of Solid Waste(RCRA)

DRI-CLAVE CORP

NYD981882871

54 KINREL STREET

WESTBURY, NY 11590

EPA Responsible Office:

Pesticides and TSCA Enforcement System, Office of Pesticides and  
Toxic Substances

DUFFY-THOMPSON

NYD986874600

483 GRAND BLVD

WESTBURY, NY 11590

EPA Responsible Office:

Compliance Data System, Office of Air and Radiation

EMILE'S CLEANERS

NYD981086143

586 OLD COUNTRY ROAD

WESTBURY, NY 11590

EPA Responsible Office:

Hazardous Waste Data Management System, Office of Solid Waste(RCRA)

FACILITY ADDRESSEPA ID#

DAIL CHEVROLET INC  
290 POST AVE  
WESTBURY, NY 11590

NYD041425760

EPA Responsible Office:

Hazardous Waste Data Management System, Office of Solid Waste(RCRA)

DIONICS INCORPORATED  
65 RUSHMORE STREET  
WESTBURY, NY 11590

NYD047645262

Latitude: 404517 Longitude: 0733352

EPA Responsible Office:

Hazardous Waste Data Management System, Office of Solid Waste(RCRA)

DRI-CLAVE CORP  
54 KINREL STREET  
WESTBURY, NY 11590

NYD981882871

EPA Responsible Office:

Pesticides and TSCA Enforcement System, Office of Pesticides and  
Toxic Substances

DUFFY-THOMPSON  
483 GRAND BLVD  
WESTBURY, NY 11590

NYD986874600

EPA Responsible Office:

Compliance Data System, Office of Air and Radiation

EMILE'S CLEANERS  
586 OLD COUNTRY ROAD  
WESTBURY, NY 11590

NYD981086143

EPA Responsible Office:

Hazardous Waste Data Management System, Office of Solid Waste(RCRA)



FACILITY ADDRESSEPA ID#

FINE ART AUTO BODY INC  
90 NEW YORK AVE  
WESTBURY, NY 11590

NYD107655953

EPA Responsible Office:

Hazardous Waste Data Management System, Office of Solid Waste(RCRA)

---

FRANK'S AUTO BODY INC  
340 MAPLE AVENUE  
WESTBURY, NY 11590

NYD981130040

EPA Responsible Office:

Hazardous Waste Data Management System, Office of Solid Waste(RCRA)

---

GENERAL INSTRUMENT CORP/DISCRE  
172 SPRUCE STREET  
WESTBURY, NY 11590

NYD000348474

Latitude: 404520 Longitude: 0733500

EPA Responsible Office:

Hazardous Waste Data Management System, Office of Solid Waste(RCRA)

---

GIFFORDS ENERGY CORP  
91 MAGNOLIA AVE  
WESTBURY, NY 11590

NYD982270118

EPA Responsible Office:

Hazardous Waste Data Management System, Office of Solid Waste(RCRA)

FACILITY ADDRESSEPA ID#

HELMSMAN USA  
80 SERVICE RD

NYD980480461

WESTBURY, NY 11590

Latitude: 404506 Longitude: 0733536

EPA Responsible Office:

Pesticides and TSCA Enforcement System, Office of Pesticides and  
Toxic Substances

---

HEMPSTEAD RESOURCE RECOVERY  
600 AVENUE C @ STEWART AVE  
WESTBURY, NY 11590

NYD980215511

EPA Responsible Office:

Hazardous Waste Data Management System, Office of Solid Waste(RCRA)  
Compliance Data System, Office of Air and Radiation

---

HEMPSTEAD RRF  
STEWART AVENUE

NYD986873990

WESTBURY, NY 11590

EPA Responsible Office:

Compliance Data System, Office of Air and Radiation

---

HICKSVILLE AUTO BODY INC  
603 MAIN ST  
WESTBURY, NY 11590

NYD981483381

EPA Responsible Office:

Hazardous Waste Data Management System, Office of Solid Waste(RCRA)

---

## FACILITY ADDRESS

## EPA ID#

HOWARD PHIPPS ESTATE

NYD982719239

55 POST RD

WESTBURY, NY 11590

EPA Responsible Office:

Hazardous Waste Data Management System, Office of Solid Waste(RCRA)

HURON TOOL &amp; CUTTER GRINDING C

NYD002413102

75 STATE STREET

WESTBURY, NY 11590

Latitude: 404506 Longitude: 0733536

EPA Responsible Office:

Hazardous Waste Data Management System, Office of Solid Waste(RCRA)

I M C MAGNETICS CORP

NYD002041895

570 MAIN STREET

WESTBURY, NY 11590

Latitude: 404506 Longitude: 0733536

EPA Responsible Office:

Hazardous Waste Data Management System, Office of Solid Waste(RCRA)

ISLAND TRANSPORTATION CORP

NYD020576898

299 MAIN STREET

WESTBURY, NY 11590

Latitude: 404506 Longitude: 0733536

EPA Responsible Office:

Hazardous Waste Data Management System, Office of Solid Waste(RCRA)

Compliance Data System, Office of Air and Radiation

JOHN HASSAL, INC  
CANTIAGUE ROCK ROAD  
WESTBURY, NY 11590

NYD002045417

Latitude: 404611 Longitude: 0733251

EPA Responsible Office:

Hazardous Waste Data Management System, Office of Solid Waste(RCRA)  
Superfund - Hazardous Waste-Superfund

---

JOLEA ENT LTD D/B/A WESTBURY V  
123 POST AVE  
WESTBURY, NY 11590

NYD121843098

EPA Responsible Office:

Hazardous Waste Data Management System, Office of Solid Waste(RCRA)

KERI MOTORS INC  
15 URBAN AVENUE  
WESTBURY, NY 11590

NYD981087257

EPA Responsible Office:

Hazardous Waste Data Management System, Office of Solid Waste(RCRA)

KLEAR TONE TRANSPARNT PDTS  
695 SUMMA AVENUE  
WESTBURY, NY 11590

NYD002059624

Latitude: 404506 Longitude: 0733536

EPA Responsible Office:

Hazardous Waste Data Management System, Office of Solid Waste(RCRA)  
Permit Compliance System, Office of Water Enforcement and Permits  
Compliance Data System, Office of Air and Radiation

---

## FINDS Sites

FACILITY ADDRESS

EPA ID#

LAWN-A-MAT CHEM & EQUIP CORP  
54 KINKET ST  
WESTBURY, NY 11590

NYD982175226

EPA Responsible Office:

Pesticides and TSCA Enforcement System, Office of Pesticides and  
Toxic Substances

---

LEWIS CLEANERS  
836 CARMAN AVE  
WESTBURY, NY 11590

NYD050201250

EPA Responsible Office:

Hazardous Waste Data Management System, Office of Solid Waste(RCRA)

---

LONG ISLAND FRENCH QUALITY CLE  
997 PROSPECT ST  
WESTBURY, NY 11590

NYD981490774

EPA Responsible Office:

Hazardous Waste Data Management System, Office of Solid Waste(RCRA)

---

MARVEX CORP  
89 FROST STREET  
NEW CASSEL, NY 11590

NYD986873701

EPA Responsible Office:

Compliance Data System, Office of Air and Radiation

---

MATH ASSOCIATES INC  
2200 SHAMES DR  
WESTBURY, NY 11590

NYD081515017

EPA Responsible Office:

Hazardous Waste Data Management System, Office of Solid Waste(RCRA)

---

FACILITY ADDRESSEPA ID#

MEDFARE INC  
51 RUSHMORE STREET  
WESTBURY, NY 11590

NYD079815056

EPA Responsible Office:

Hazardous Waste Data Management System, Office of Solid Waste(RCRA)

---

METCO INCORPORATION  
1101 PROSPECT AVENUE  
WESTBURY, NY 11590

NYD057731663

Latitude: 404506 Longitude: 0733536

EPA Responsible Office:

Permit Compliance System, Office of Water Enforcement and Permits

Federal Underground Injection System, Office of Drinking Water

Chemicals in Commerce Information System, Office of Toxic Substances

---

METCO INCORPORATED  
325 DUFFY AVENUE  
WESTBURY, NY 11590

NYD097521967

EPA Responsible Office:

Permit Compliance System, Office of Water Enforcement and Permits

Federal Underground Injection System, Office of Drinking Water

---

METPAR STEEL PRODUCTS CORP  
97 STATE STREET  
WESTBURY, NY 11590

NYD002041945

Latitude: 404526 Longitude: 0733334

EPA Responsible Office:

Hazardous Waste Data Management System, Office of Solid Waste(RCRA)

Compliance Data System, Office of Air and Radiation

STATE SYSTEM - State Offices

## FINDS Sites

| <u>FACILITY ADDRESS</u>                                                                                                                                                                                     | <u>EPA ID#</u> |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|
| MIDBURY INDUSTRIES INC<br>73 RUSHMORE STREET<br>WESTBURY, NY 11590<br>Latitude: 404506 Longitude: 0733536<br>EPA Responsible Office:<br>Hazardous Waste Data Management System, Office of Solid Waste(RCRA) | NYD000021253   |
| <hr/>                                                                                                                                                                                                       |                |
| MOLLA INC.<br>110 STATE STREET<br>WESTBURY LI, NY 11590<br>Latitude: 404506 Longitude: 0733536<br>EPA Responsible Office:<br>Hazardous Waste Data Management System, Office of Solid Waste(RCRA)            | NYD002051076   |
| <hr/>                                                                                                                                                                                                       |                |
| MOLTY-STRYK<br>49 SYLVESTER STREET<br>WESTBURY, NY 11590<br>Latitude: 404506 Longitude: 0733536<br>EPA Responsible Office:<br>Hazardous Waste Data Management System, Office of Solid Waste(RCRA)           | NYD980534184   |
| <hr/>                                                                                                                                                                                                       |                |
| NASSAU SULKY MFG CO INC<br>86 MAGNOLIA AVE<br>WESTBUSY, NY 11590<br>EPA Responsible Office:<br>Hazardous Waste Data Management System, Office of Solid Waste(RCRA)                                          | NYD089391882   |
| <hr/>                                                                                                                                                                                                       |                |

## FINDS Sites

## FACILITY ADDRESS

## EPA ID#

NATHAN LAGIN CO INC  
95 CANTIAGUE ROAD  
WESTBURY, NY 11590

NYD002043123

Latitude: 404506 Longitude: 0733536

EPA Responsible Office:

Hazardous Waste Data Management System, Office of Solid Waste(RCRA)

---

NEW YORK TESTING LABS  
81 URBAN AVE  
WESTBURY, NY 11590

NYD077515237

Latitude: 404506 Longitude: 0733536

EPA Responsible Office:

Hazardous Waste Data Management System, Office of Solid Waste(RCRA)

---

NEW YORK UNIVERSITY/ DEPT. APP  
425 MERRICK AVE.  
WESTBURY, NY 11590

NYD980642862

Latitude: 404506 Longitude: 0733536

EPA Responsible Office:

Hazardous Waste Data Management System, Office of Solid Waste(RCRA)

---

PAR X CLEANERS  
749 OLD COUNTRY RD  
WESTBURY, NY 11590

NYD064736184

EPA Responsible Office:

Hazardous Waste Data Management System, Office of Solid Waste(RCRA)



FACILITY ADDRESSEPA ID#

PARFUSE CORP

NYD072388044

65 KINKEL STREET

WESTBURY, NY 11590

Latitude: 404506 Longitude: 0733536

EPA Responsible Office:

Hazardous Waste Data Management System, Office of Solid Waste(RCRA)

PARKLAND SC

NYD030265912

865 CARMAN AVENUE

WESTBURY, NY 11590

EPA Responsible Office:

Hazardous Waste Data Management System, Office of Solid Waste(RCRA)

PERKIN-ELMER CORPORATION

NYD131318651

1101 PROSPECT AVENUE

WESTBURY, NY 11590

EPA Responsible Office:

Compliance Data System, Office of Air and Radiation

PERMAFUSE CORP THE

NYD002038784

675 MAIN STREET

WESTBURY, NY 11590

Latitude: 404506 Longitude: 0733536

EPA Responsible Office:

Hazardous Waste Data Management System, Office of Solid Waste(RCRA)

Pesticides and TSCA Enforcement System, Office of Pesticides and

Toxic Substances

## FINDS Sites

| FACILITY ADDRESS                                                                                                                                                                                          | EPA ID#      |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|
| PETE'S TOWING<br>29 RUSHMORE STREET<br>WESTBURY, NY 11590<br>EPA Responsible Office:<br>Hazardous Waste Data Management System, Office of Solid Waste(RCRA)                                               | NYD981130073 |
| PETRO<br>522 GRAND AVENUE<br>WESTBURY, NY 11590<br>EPA Responsible Office:<br>Hazardous Waste Data Management System, Office of Solid Waste(RCRA)                                                         | NYD030286348 |
| PIONEER CORPORATION<br>2000 SHAMES DR<br>WESTBURY, NY 11590<br>Latitude: 404506 Longitude: 0733536<br>EPA Responsible Office:<br>Hazardous Waste Data Management System, Office of Solid Waste(RCRA)      | NYD002042158 |
| PITTSTON PETROLEUM INC<br>80 GARDEN STREET<br>WESTBURY, NY 11590<br>Latitude: 404506 Longitude: 0733536<br>EPA Responsible Office:<br>Hazardous Waste Data Management System, Office of Solid Waste(RCRA) | NYD000689042 |
| PLAZA PONTIAC ISUZU<br>1015 OLD COUNTRY ROAD<br>WESTBURY, NY 11590<br>EPA Responsible Office:<br>Hazardous Waste Data Management System, Office of Solid Waste(RCRA)                                      | NYD153503206 |

| FACILITY ADDRESS                                                                                                                                                                                            | EPA ID#      |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|
| POETS CORNER DRY CLEANERS<br>625 OLD COUNTRY ROAD<br>WESTBURY, NY 11590<br>EPA Responsible Office:<br>Hazardous Waste Data Management System, Office of Solid Waste(RCRA)                                   | NYD061878203 |
| POST CLEANERS<br>317 POST AVENUE<br>WESTBURY, NY 11590<br>EPA Responsible Office:<br>Hazardous Waste Data Management System, Office of Solid Waste(RCRA)                                                    | NYD054993001 |
| PRECISION MECHANISMS CORP<br>44 BROOKLYN AVE<br>WESTBURY, NY 11590<br>Latitude: 404506 Longitude: 0733536<br>EPA Responsible Office:<br>Hazardous Waste Data Management System, Office of Solid Waste(RCRA) | NYD002033231 |
| QUALITY CLEANERS<br>179 SCHOOL STREET<br>WESTBURY, NY 11590<br>EPA Responsible Office:<br>Hazardous Waste Data Management System, Office of Solid Waste(RCRA)                                               | NYD981486350 |
| RED COACH SHELL<br>379 GLEN COVE RD<br>WESTBURY, NY 11590<br>EPA Responsible Office:<br>Hazardous Waste Data Management System, Office of Solid Waste(RCRA)                                                 | NYD981492747 |

FACILITY ADDRESSEPA ID#

RODALE ELECTRONICS CORP  
475 UNION AVE  
WESTBURY, NY 11590

NYD002060598

Latitude: 404506 Longitude: 0733536

EPA Responsible Office:

Hazardous Waste Data Management System, Office of Solid Waste(RCRA)

---

S & B MACHINE WORKS INC  
111 NEW YORK AVENUE  
WESTBURY, NY 11590

NYD981870165

EPA Responsible Office:

Hazardous Waste Data Management System, Office of Solid Waste(RCRA)

---

S.S. PREMISES C/O SHELL OIL CO  
427 OLD COUNTRY ROAD & BERT  
WESTBURY, NY 11590

NYD981133333

EPA Responsible Office:

Hazardous Waste Data Management System, Office of Solid Waste(RCRA)

---

S.S. PREMISES C/O SHELL OIL CO  
OLD COUNTRY & GRAND SWC  
WESTBURY, NY 11590

NYD981483498

EPA Responsible Office:

Hazardous Waste Data Management System, Office of Solid Waste(RCRA)

---

SALISBURY CENTRAL BOCES  
VALENTINE & PLAINS RD  
WESTBURY, NY 11590

NYD054979992

EPA Responsible Office:

Hazardous Waste Data Management System, Office of Solid Waste(RCRA)

FACILITY ADDRESSEPA ID#

SANDERSON A & COMPANY LTD C/O  
S. SERVICE RD LONG ISLAND EXP  
WESTBURY, NY 11590

NYD982176893

EPA Responsible Office:

Pesticides and TSCA Enforcement System, Office of Pesticides and  
Toxic Substances

---

SCHWEBER ELECTRONICS  
34 JERICHO TURNPIKE  
WESTBURY, NY 11590

NYD981132830

EPA Responsible Office:

Hazardous Waste Data Management System, Office of Solid Waste(RCRA)

---

SCIBELLI BROTHERS INC  
15 KINKEL STREET  
WESTBURY, NY 11590

NYD068039544

EPA Responsible Office:

Hazardous Waste Data Management System, Office of Solid Waste(RCRA)

---

SENATOR PRINTING CORP  
134 LINDEN AVENUE  
WESTBURY, NY 11590

NYD002057974

EPA Responsible Office:

Hazardous Waste Data Management System, Office of Solid Waste(RCRA)

---

SERVICE STATION  
50 OLD COUNTRY RD  
WESTBURY, NY 11590

NYD000702373

Latitude: 404506 Longitude: 0733536

EPA Responsible Office:

Hazardous Waste Data Management System, Office of Solid Waste(RCRA)

---

## FINDS Sites

FACILITY ADDRESSEPA ID#

SHELL FOAM CORP

NYD982176976

112 STATE ST

WESTBURY, NY 11590

EPA Responsible Office:

Pesticides and TSCA Enforcement System, Office of Pesticides and  
Toxic Substances

SHOREWOOD PACKAGING CORP

NYD981136468

1038 BRUSH HOLLOW RD

WESTBURY, NY 11590

EPA Responsible Office:

Permit Compliance System, Office of Water Enforcement and Permits

SIR SPEEDY

NYD106843675

282 POST AVE

WESTBURY, NY 11590

EPA Responsible Office:

Hazardous Waste Data Management System, Office of Solid Waste(RCRA)

SKEEM CLEANERS

NYD981141336

622 UNION AVE

WESTBURY, NY 11590

EPA Responsible Office:

Hazardous Waste Data Management System, Office of Solid Waste(RCRA)

SKETON SCREW MACHINE INC

NYD002056661

100 NEW YORK AVENUE

WESTBURY, NY 11590

EPA Responsible Office:

Hazardous Waste Data Management System, Office of Solid Waste(RCRA)

## FINDS Sites

| FACILITY ADDRESS                                                                                                                                                                                       | EPA ID#      |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|
| SLANTCO MANUFACTURING<br>1500 SHAMES DRIVE<br>WESTBURY, NY 11590<br>EPA Responsible Office:<br>Hazardous Waste Data Management System, Office of Solid Waste(RCRA)                                     | NYD980567051 |
| SOLVENT FINISHERS INC<br>CANTIAGUE ROAD<br>WESTBURY, NY 11590<br>Latitude: 404506 Longitude: 0733536<br>EPA Responsible Office:<br>Hazardous Waste Data Management System, Office of Solid Waste(RCRA) | NYD065942815 |
| SPECTRONICS CORPORATION<br>956 BRUSH HOLLOW ROAD<br>WESTBURY, NY 11590<br>EPA Responsible Office:<br>Hazardous Waste Data Management System, Office of Solid Waste(RCRA)                               | NYD002044410 |
| TAPEMANKER SALES CO INC<br>47 KINGEL STREET<br>WESTBURY, NY 11590<br>EPA Responsible Office:<br>Hazardous Waste Data Management System, Office of Solid Waste(RCRA)                                    | NYD056689201 |
| TISHCON CORPORATION<br>29 NEW YORK AVENUE<br>WESTBURY, NY 11590<br>EPA Responsible Office:<br>Hazardous Waste Data Management System, Office of Solid Waste(RCRA)                                      | NYD092660240 |

## FINDS Sites

FACILITY ADDRESS

EPA ID#

UNIFLEX INC DELAWARE  
474 GRAND BLVD  
WESTBURY, NY 11590

NYD002046662

Latitude: 404506 Longitude: 0733536

EPA Responsible Office:

Hazardous Waste Data Management System, Office of Solid Waste(RCRA)  
Compliance Data System, Office of Air and Radiation

---

US POSTAL SERVICE  
360 MAPLE AVENUE  
WESTBURY, NY 11590

NY1180410952

EPA Responsible Office:

Compliance Data System, Office of Air and Radiation

UTILITY MGF. CO INC  
700 MAIN ST  
WESTBURY, NY 11590

NYD057731853

Latitude: 404506 Longitude: 0733536

EPA Responsible Office:

Pesticides and TSCA Enforcement System, Office of Pesticides and  
Toxic Substances

---

VILLAGE AUTO BODY WORKS, INC  
248 WINTHROP AVENUE  
WESTBURY, NY 11590

NYD061956355

EPA Responsible Office:

Hazardous Waste Data Management System, Office of Solid Waste(RCRA)



## FINDS Sites

FACILITY ADDRESS

EPA ID#

W TRESFER CLARKE HIGH SCHOOL  
EDGEWOOD DRIVE  
WESTBURY, NY 11590

NYD120743588

EPA Responsible Office:

Hazardous Waste Data Management System, Office of Solid Waste(RCRA)

WALTER H. KESSLER CO. INC.  
160 HICKS STREET  
WESTBURY, NY 11590

NYD002041416

Latitude: 404506 Longitude: 0733536

EPA Responsible Office:

Hazardous Waste Data Management System, Office of Solid Waste(RCRA)

WESTBURY ALLOYS CORP  
750 SHAMES DRIVE  
WESTBURY, NY 11590

NYD049204787

Latitude: 404506 Longitude: 0733536

EPA Responsible Office:

Hazardous Waste Data Management System, Office of Solid Waste(RCRA)  
Compliance Data System, Office of Air and Radiation

WESTBURY AUTO PAINTING INC  
1099 OLD COUNTRY ROAD  
WESTBURY, NY 11590

NYD054992839

EPA Responsible Office:

Hazardous Waste Data Management System, Office of Solid Waste(RCRA)

## FINDS Sites

FACILITY ADDRESS

EPA ID#

WESTBURY VALET AKA JOLEA ENTER  
123 POST AVE  
WESTBURY, NY 11590

NYD013374129

EPA Responsible Office:

Hazardous Waste Data Management System, Office of Solid Waste(RCRA)

WESTLY DISPLAYS INC  
589 MAIN STREET  
WESTBURY, NY 11590

NYD002019024

Latitude: 404506 Longitude: 0733536

EPA Responsible Office:

Hazardous Waste Data Management System, Office of Solid Waste(RCRA)

ZORMS CLEANERS  
263 POST AVENUE  
WESTBURY, NY 11590

NYD981081755

EPA Responsible Office:

Hazardous Waste Data Management System, Office of Solid Waste(RCRA)

112 Sites found for the area specified.

II. REGULATORY INFORMATION  
3. US EPA CERCLIS DATABASEFARRELL FRITZ/KLEARTONE  
695 SUMMA AVENUE  
WESTBURY, NY 11590  
County: NASSAU

The CERCLIS List is a compilation by EPA of the sites which EPA has investigated or is currently investigating for a release or threatened release of hazardous substances pursuant to the Comprehensive Environmental Response, Compensation and Liability Act of 1980 (Superfund Act).

A review of the 1989 CERCLIS Database revealed the following sites within the stated zip code areas:  
11590

| FACILITY ADDRESS                                                          | CERCLIS Sites                            | EPA ID#      |
|---------------------------------------------------------------------------|------------------------------------------|--------------|
| JOHN HASSALL<br>CONTIAGUE ROCK RD<br>WESTBURY, NY 11590<br>County: NASSAU |                                          | NYD002045417 |
| Classification:                                                           | No Determination                         |              |
| Status:                                                                   | Has never been on the proposed final NPL |              |
| Event Discovery:                                                          | EPA, Fund Financed                       |              |
|                                                                           | Actual Completion Date: 10/01/80         |              |
| Preliminary Assessment:                                                   | EPA, Fund Financed                       |              |
|                                                                           | Actual Start Date: 09/05/86              |              |
|                                                                           | Actual Completion Date: 09/24/86         |              |
| Screening Site Inspection:                                                | EPA, Fund Financed                       |              |
|                                                                           | Actual Start Date: 06/10/88              |              |
|                                                                           | Actual Completion Date: 06/20/88         |              |

FACILITY ADDRESSEPA ID#

BRIKMAN INSTRUMENTS  
CANTIAGUE ROCK ROAD  
WESTBURY, NY 11590  
County: NASSAU

NYD152088142

|                         |                                          |
|-------------------------|------------------------------------------|
| Classification:         | No Determination                         |
| Status:                 | Has never been on the proposed final NFL |
| Event Discovery:        | EPA, Fund Financed                       |
|                         | Actual Completion Date: 02/01/89         |
| Preliminary Assessment: | EPA, Fund Financed                       |
|                         | Actual Start Date: 03/01/89              |
|                         | Actual Completion Date: 05/22/89         |

NFA. At the conclusion of a preliminary assessment, no further action is anticipated for this site or no hazard was identified.

---

2 Sites found for the area specified.

II. REGULATORY INFORMATION  
4. US EPA RCRA DATABASEFARRELL FRITZ/KLEARTONE  
695 SUMMA AVENUE  
WESTBURY, NY 11590  
County: NASSAU

The EPA's Resource Conservation and Recovery Act (RCRA) Program identifies and tracks hazardous waste from the point of generation to the point of disposal. The RCRA Facilities database is a compilation by EPA of reporting facilities that generate, store, transport treat or dispose of hazardous waste.

A review of the 1989 RCRA Database revealed the following facilities located within the stated zip code areas:  
11590

| <u>FACILITY ADDRESS</u>                                                                                                                                                                                                  | <u>RCRA Sites</u> | <u>EPA ID#</u> |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|----------------|
| MIDBURY INDUSTRIES INC<br>73 RUSHMORE STREET<br>WESTBURY, NY 11590<br>County: NASSAU<br>SIC Code: 3079<br>This facility generates at least 1000 kg/mo non-acutely hazardous waste or 1 kg/mo of acutely hazardous waste. |                   | NYD000021253   |

Non-respondent facility  
RCRA Permit Status: No Permit Status Information

---

FACILITY ADDRESS

EPA ID#

GENERAL INSTRUMENT CORP/DISCRETE SEMICON  
172 SPRUCE STREET  
WESTBURY, NY 11590

NYD000348474

County: NASSAU  
SIC Code: 3679

This facility generates at least 1000 kg/mo non-acutely  
hazardous waste or 1 kg/mo of acutely hazardous waste.

Existing Facility (In operation on or before 11/19/80)

This facility is engaged in the treatment, storage, and/or  
disposal of hazardous waste.

RCRA Permit Status: Operating Facility/ Permit Candidate

---

PITTSTON PETROLEUM INC  
80 GARDEN STREET  
WESTBURY, NY 11590

NYD000689042

County: NASSAU

This facility generates at least 1000 kg/mo non-acutely  
hazardous waste or 1 kg/mo of acutely hazardous waste.

RCRA Permit Status: No Permit Status Information

---

SERVICE STATION  
50 OLD COUNTRY RD  
WESTBURY, NY 11590

NYD000702373

County: NASSAU

This facility generates at least 1000 kg/mo non-acutely  
hazardous waste or 1 kg/mo of acutely hazardous waste.

RCRA Permit Status: No Permit Status Information

---

WESTLY DISPLAYS INC  
589 MAIN STREET  
WESTBURY, NY 11590

NYD002019024

County: NASSAU  
SIC Code: 3993

Non-handler (I.E. other than RCRA regulated waste handler)  
RCRA Permit Status: No Permit Status Information

---

PRECISION MECHANISMS CORP  
44 BROOKLYN AVE  
WESTBURY, NY 11590

NYD002033231

County: NASSAU  
SIC Code: 3566

This facility generates at least 1000 kg/mo non-acutely  
hazardous waste or 1 kg/mo of acutely hazardous waste.

RCRA Permit Status: No Permit Status Information

---

ALL-TONICS INC  
45 BOND STREET  
WESTBURY, NY 11590

NYD002035137

County: NASSAU  
SIC Code: 3679

This facility generates at least 1000 kg/mo non-acutely  
hazardous waste or 1 kg/mo of acutely hazardous waste.

RCRA Permit Status: No Permit Status Information

---

FACILITY ADDRESSEPA ID#

ADVANCE FOOD SERVICE CO INC  
750 SUMMA AVENUE  
WESTBURY, NY 11590

NYD002035467

County: NASSAU  
SIC Code: 3431

This facility generates at least 100 kg/mo but less than  
1000 kg/mo of non-acutely hazardous waste.

RCRA Permit Status: No Permit Status Information

---

ARKWIN INDUSTRIES INC  
686 MAIN STREET  
WESTBURY, NY 11590

NYD002037513

County: NASSAU  
SIC Code: 3728

This facility generates at least 1000 kg/mo non-acutely  
hazardous waste or 1 kg/mo of acutely hazardous waste.

RCRA Permit Status: No Permit Status Information

---

PERMAFUSE CORP THE  
675 MAIN STREET  
WESTBURY, NY 11590

NYD002038784

County: NASSAU  
SIC Code: 3292

This facility generates at least 1000 kg/mo non-acutely  
hazardous waste or 1 kg/mo of acutely hazardous waste.

RCRA Permit Status: No Permit Status Information

---

WALTER H. KESSLER CO., INC.  
160 HICKS STREET  
WESTBURY, NY 11590

NYD002041416

County: NASSAU

This facility generates at least 1000 kg/mo non-acutely  
hazardous waste or 1 kg/mo of acutely hazardous waste.

RCRA Permit Status: No Permit Status Information

---



FACILITY ADDRESSEPA ID#

I M C MAGNETICS CORP  
570 MAIN STREET  
WESTBURY, NY 11590

NYD002041895

County: NASSAU  
SIC Code: 3621

This facility generates at least 1000 Kg/mo non-acutely  
hazardous waste or 1 Kg/mo of acutely hazardous waste.

RCRA Permit Status: No Permit Status Information

---

METPAR STEEL PRODUCTS CORP  
97 STATE STREET  
WESTBURY, NY 11590

NYD002041945

County: NASSAU  
SIC Code: 3431

This facility generates at least 1000 Kg/mo non-acutely  
hazardous waste or 1 Kg/mo of acutely hazardous waste.

RCRA Permit Status: No Permit Status Information

---

PIONEER CORPORATION  
2000 SHAMES DR  
WESTBURY, NY 11590

NYD002042158

County: NASSAU  
SIC Code: 3541

This facility generates at least 1000 Kg/mo non-acutely  
hazardous waste or 1 Kg/mo of acutely hazardous waste.

RCRA Permit Status: No Permit Status Information

---

AVON REPRODUCTIONS  
25 KINKEL STREET  
WESTBURY, NY 11590

NYD002042984

County: NASSAU

This facility generates at least 1000 Kg/mo non-acutely  
hazardous waste or 1 Kg/mo of acutely hazardous waste.

RCRA Permit Status: No Permit Status Information

---

NATHAN LAGIN CO. INC.  
95 CANTIAGUE ROAD  
WESTBURY, NY 11590

NYD002043123

County: NASSAU  
SIC Code: 3641

This facility generates at least 1000 kg/mo non-acutely  
hazardous waste or 1 kg/mo of acutely hazardous waste.

RCRA Permit Status: No Permit Status Information

---

BERCO INDUSTRIES CORP  
1250 SHAMES DRIVE  
WESTBURY, NY 11590

NYD002043404

County: NASSAU  
SIC Code: 3069

This facility generates at least 1000 kg/mo non-acutely  
hazardous waste or 1 kg/mo of acutely hazardous waste.

Closed non-TSD facility

RCRA Permit Status: No Permit Status Information

---

SPECTRONICS CORPORATION  
956 BRUSH HOLLOW ROAD  
WESTBURY, NY 11590

NYD002044410

County: NASSAU

This facility generates at least 1000 kg/mo non-acutely  
hazardous waste or 1 kg/mo of acutely hazardous waste.

RCRA Permit Status: No Permit Status Information

---

FACILITY ADDRESSEPA ID#

JOHN HASSAL, INC  
CANTIAGUE ROCK ROAD  
WESTBURY, NY 11590

NYD002045417

County: NASSAU  
SIC Code: 3452

This facility generates at least 1000 kg/mo non-acutely  
hazardous waste or 1 kg/mo of acutely hazardous waste.

RCRA Permit Status: Protective/Precautionary Filer

---

UNIFLEX INC DELAWARE  
474 GRAND BLVD  
WESTBURY, NY 11590

NYD002046662

County: NASSAU  
SIC Code: 3079

This facility generates at least 1000 kg/mo non-acutely  
hazardous waste or 1 kg/mo of acutely hazardous waste.

RCRA Permit Status: No Permit Status Information

---

K.D.C. ENTERPRISES, LTD.  
CANTIAGUE ROAD  
WESTBURY, NY 11590

NYD002050763

County: NASSAU

This facility generates at least 1000 kg/mo non-acutely  
hazardous waste or 1 kg/mo of acutely hazardous waste.

RCRA Permit Status: No Permit Status Information

---

MOLLA INC.  
110 STATE STREET  
WESTBURY LI, NY 11590

NYD002051076

County: NASSAU  
SIC Code: 2514

This facility generates at least 1000 kg/mo non-acutely  
hazardous waste or 1 kg/mo of acutely hazardous waste.

RCRA Permit Status: No Permit Status Information

---

BRINKMANN INSTRUMENTS INC.  
CANTIAGUE ROCK ROAD  
WESTBURY, NY 11590

NYD002054351

County: NASSAU  
SIC Code: 2833

This facility generates at least 100 kg/mo but less than  
1000 kg/mo of non-acutely hazardous waste.

Existing Facility (In operation on or before 11/19/80)

This facility is engaged in the off-site transportation of  
hazardous waste by air, rail, road (highway), and/or water.

This facility has underground injection wells.

RCRA Permit Status: Closure Certified

---

SKELTON SCREW MACHINE INC.  
100 NEW YORK AVENUE  
WESTBURY, NY 11590

NYD002056661

County: NASSAU

This facility generates at least 1000 kg/mo non-acutely  
hazardous waste or 1 kg/mo of acutely hazardous waste.

RCRA Permit Status: No Permit Status Information

---

SENATOR PRINTING CORP  
134 LINDEN AVE  
WESTBURY, NY 11590

NYD002057974

County: NASSAU

RCRA Permit Status: No Permit Status Information

---

FACILITY ADDRESSEPA ID#

KLEAR TONE TRANSPARNT PDTS  
695 SUMMA AVENUE  
WESTBURY, NY 11590

NYD002059624

County: NASSAU  
SIC Code: 2643

This facility generates at least 1000 kg/mo non-acutely  
hazardous waste or 1 kg/mo of acutely hazardous waste.

This facility is engaged in the treatment, storage, and/or  
disposal of hazardous waste.

RCRA Permit Status: No Permit Status Information

---

RODALE ELECTRONICS CORP  
475 UNION AVE  
WESTBURY, NY 11590

NYD002060598

County: NASSAU  
SIC Code: 3662

This facility generates at least 1000 kg/mo non-acutely  
hazardous waste or 1 kg/mo of acutely hazardous waste.

RCRA Permit Status: No Permit Status Information

---

HURON TOOL & CUTTER GRINDING CO  
75 STATE STREET  
WESTBURY, NY 11590

NYD002413102

County: NASSAU

This facility generates at least 1000 kg/mo non-acutely  
hazardous waste or 1 kg/mo of acutely hazardous waste.

RCRA Permit Status: No Permit Status Information

---

## FACILITY ADDRESS

EPA ID#

COLLEGE HOUSE MANUFACTURING INC  
601 CANTIAGUE ROAD  
WESTBURY, NY 11590  
County: NASSAU

NYD005906904

This facility generates at least 1000 kg/mo non-acutely  
hazardous waste or 1 kg/mo of acutely hazardous waste.

RCRA Permit Status: No Permit Status Information

---

SYOSSET TRUCK SALES INC.  
1561 STEWART AVENUE  
WESTBURY, NY 11590  
County: CAYUGA

NYD013241575

This facility generates at least 100 kg/mo but less than  
1000 kg/mo of non-acutely hazardous waste.

RCRA Permit Status: No Permit Status Information

---

CADDYLAK SYSTEMS INC  
201 MONTROSE ROAD  
WESTBURY, NY 11590

NYD013371356

County: NASSAU

This facility generates at least 1000 kg/mo non-acutely  
hazardous waste or 1 kg/mo of acutely hazardous waste.

RCRA Permit Status: No Permit Status Information

---

WESTBURY TOP CLEANERS, INC.  
123 POST AVENUE  
WESTBURY, NY 11590

NYD013374129

County: NASSAU

This facility generates at least 1000 kg/mo non-acutely  
hazardous waste or 1 kg/mo of acutely hazardous waste.

RCRA Permit Status: No Permit Status Information

---

FACILITY ADDRESSEPA ID#

CONSO LAB SUPPLY COMPANY  
425 MERRICK AVENUE  
WESTBURY, NY 11590

NYD013590955

County: NASSAU

This facility generates at least 1000 kg/mo non-acutely  
hazardous waste or 1 kg/mo of acutely hazardous waste.

RCRA Permit Status: No Permit Status Information

---

ISLAND TRANSPORTATION CORP  
299 MAIN STREET  
WESTBURY, NY 11590

NYD020576898

County: NASSAU

SIC Code: 4231

This facility is engaged in the off-site transportation of  
hazardous waste by air, rail, road (highway), and/or water.

RCRA Permit Status: No Permit Status Information

---

PARKLAND SC  
865 CARMAN AVENUE  
WESTBURY, NY 11590

NYD030265912

County: NASSAU

This facility generates at least 1000 kg/mo non-acutely  
hazardous waste or 1 kg/mo of acutely hazardous waste.

RCRA Permit Status: No Permit Status Information

FACILITY ADDRESSEPA ID#

NATIONWIDE ULTRASEAL

NYD030280184

84 SYLVESTER ST.

WESTBURY, NY 11590

County: NASSAU

This facility generates at least 100 kg/mo but less than  
1000 kg/mo of non-acutely hazardous waste.

RCRA Permit Status: No Permit Status Information

PETRO

NYD030286348

522 GRAND AVENUE

WESTBURY, NY 11590

County: NASSAU

This facility generates at least 1000 kg/mo non-acutely  
hazardous waste or 1 kg/mo of acutely hazardous waste.

RCRA Permit Status: No Permit Status Information

DIAL CHEVROLET, INC.

NYD041425760

290 POST AVE.

WESTBURY, NY 11590

County: NASSAU

This facility generates at least 100 kg/mo but less than  
1000 kg/mo of non-acutely hazardous waste.

RCRA Permit Status: No Permit Status Information



## FACILITY ADDRESS

EPA ID#

DIONICS INCORPORATED  
65 RUSHMORE STREET  
WESTBURY, NY 11590

NYD047645262

County: NASSAU  
SIC Code: 3674

This facility generates at least 1000 kg/mo non-actively hazardous waste or 1 kg/mo of acutely hazardous waste.

Closed Facility (Previously had interim status or an EPA Permit, but no longer has either.)

This facility has underground injection wells.

RCRA Permit Status: Closure Certified

---

FRAN-CHAR PRESS INC  
200 MONTROSE RD  
WESTBURY, NY 11590

NYD047669965

County: NASSAU

This facility generates at least 1000 kg/mo non-actively hazardous waste or 1 kg/mo of acutely hazardous waste.

RCRA Permit Status: No Permit Status Information

---

WESTBURY ALLOYS CORP  
750 SHAMES DRIVE  
WESTBURY, NY 11590

NYD049204787

County: NASSAU

This facility generates at least 1000 kg/mo non-actively hazardous waste or 1 kg/mo of acutely hazardous waste.

This facility is engaged in the off-site transportation of hazardous waste by air, rail, road (highway), and/or water.

This facility is engaged in the treatment, storage, and/or disposal of hazardous waste.

RCRA exempt recycler  
RCRA Permit Status: No Permit Status Information

---

FACILITY ADDRESS

EPA ID#

ADICHEM CORP

NYD049207236

625 MAIN STREET

WESTBURY, NY 11590

County: NASSAU

SIC Code: 2891

This facility generates at least 1000 kg/mo non-acutely hazardous waste or 1 kg/mo of acutely hazardous waste.

RCRA Permit Status: No Permit Status Information

---

LEWIS CLEANERS

NYD050201250

836 CARMEN AVENUE

WESTBURY, NY 11590

County: NASSAU

This facility generates at least 1000 kg/mo non-acutely hazardous waste or 1 kg/mo of acutely hazardous waste.

RCRA Permit Status: No Permit Status Information

---

SALISBURY CENTER BOCES C/O EMS DIST

NYD054979992

VALENTINE &amp; PLAINS RD

WESTBURY, NY 11590

County: NASSAU

This facility generates at least 1000 kg/mo non-acutely hazardous waste or 1 kg/mo of acutely hazardous waste.

RCRA Permit Status: No Permit Status Information

---

WESTBURY AUTO PAINTING INC

NYD054992839

1099 OLD COUNTRY ROAD

WESTBURY, NY 11590

County: NASSAU

This facility generates at least 1000 kg/mo non-acutely hazardous waste or 1 kg/mo of acutely hazardous waste.

RCRA Permit Status: No Permit Status Information

---

## POST CLEANERS

NYD054993001

317 POST AVE

WESTBURY, NY 11590

County: NASSAU

This facility generates at least 1000 Kg/mo non-acutely hazardous waste or 1 Kg/mo of acutely hazardous waste.

RCRA Permit Status: No Permit Status Information

## CONTEMPORARY PACKAGING CORP

NYD054997069

90 HOPPER ST

WESTBURY, NY 11590

County: NASSAU

SIC Code: 2643

This facility generates at least 1000 Kg/mo non-acutely hazardous waste or 1 Kg/mo of acutely hazardous waste.

RCRA Permit Status: No Permit Status Information

## TAPEMAKER SALES CO INC

NYD056689201

47 KINKEL STREET

WESTBURY, NY 11590

County: NASSAU

This facility generates at least 1000 Kg/mo non-acutely hazardous waste or 1 Kg/mo of acutely hazardous waste.

RCRA Permit Status: No Permit Status Information

## ATLAS GRAPHICS INC

NYD060317898

567 MAIN ST

WESTBURY, NY 11590

County: NASSAU

This facility generates at least 1000 Kg/mo non-acutely hazardous waste or 1 Kg/mo of acutely hazardous waste.

RCRA Permit Status: No Permit Status Information

FACILITY ADDRESS

EPA ID#

B & G LIGHTING & SIGN SERVICES, INC.  
51 URBAN AVENUE  
WESTBURY, NY 11590

NYD060345998

County: NASSAU

This facility generates at least 100 kg/mo but less than  
1000 kg/mo of non-acutely hazardous waste.

RCRA Permit Status: No Permit Status Information

---

POETS CORNER DRY CLEANERS  
625 OLD COUNTRY ROAD  
WESTBURY, NY 11590

NYD061878203

County: NASSAU

This facility generates at least 1000 kg/mo non-acutely  
hazardous waste or 1 kg/mo of acutely hazardous waste.

RCRA Permit Status: No Permit Status Information

---

VILLAGE AUTO BODY WORKS INC  
248 WINTHROP AVENUE  
WESTBURY, NY 11590

NYD061956355

County: NASSAU

This facility generates at least 1000 kg/mo non-acutely  
hazardous waste or 1 kg/mo of acutely hazardous waste.

RCRA Permit Status: No Permit Status Information

---

PAR X CLEANERS  
749 OLD COUNTRY ROAD  
WESTBURY, NY 11590

NYD064736184

County: NASSAU

This facility generates at least 1000 kg/mo non-acutely  
hazardous waste or 1 kg/mo of acutely hazardous waste.

RCRA Permit Status: No Permit Status Information

---

FACILITY ADDRESSEPA ID#

SOLVENT FINISHERS INC

NYD065942815

CANTIAGUE ROAD

WESTBURY, NY 11590

County: NASSAU

SIC Code: 7399

RCRA Permit Status: No Permit Status Information

AMC JEEP

NYD068007947

52 RUSHMORE STREET

WESTBURY, NY 11590

County: NASSAU

This facility generates at least 1000 kg/mo non-acutely hazardous waste or 1 kg/mo of acutely hazardous waste.

RCRA Permit Status: No Permit Status Information

SCIBELLI BROTHERS INC

NYD068039544

15 KINKEL STREET

WESTBURY, NY 11590

County: NASSAU

This facility generates at least 1000 kg/mo non-acutely hazardous waste or 1 kg/mo of acutely hazardous waste.

RCRA Permit Status: No Permit Status Information

AIRCRAFT TURBINE SERVICE DIV AIRWORK

NYD072378425

1100 SHAMES DRIVE

WESTBURY, NY 11590

County: NASSAU

This facility generates at least 1000 kg/mo non-acutely hazardous waste or 1 kg/mo of acutely hazardous waste.

RCRA Permit Status: No Permit Status Information

FACILITY ADDRESS

EPA ID#

PARFUSE CORP  
65 KINKEL STREET  
WESTBURY, NY 11590

NYD072388044

County: NASSAU

This facility generates at least 1000 kg/mo non-acute  
hazardous waste or 1 kg/mo of acutely hazardous waste.

RCRA Permit Status: No Permit Status Information

NEW YORK TESTING LABS  
81 URBAN AVE  
WESTBURY, NY 11590

NYD077515237

County: NASSAU

SIC Code: 7397

This facility generates at least 100 kg/mo but less than  
1000 kg/mo of non-acute hazardous waste.

RCRA Permit Status: No Permit Status Information

MEDFARE, INC  
51 RUSHMORE STREET  
WESTBURY, NY 11590

NYD079815056

County: NASSAU

This facility generates at least 1000 kg/mo non-acute  
hazardous waste or 1 kg/mo of acutely hazardous waste.

RCRA Permit Status: No Permit Status Information

MATH ASSOCIATES INC  
2200 SHAMES DRIVE  
WESTBURY, NY 11590

NYD081515017

County: NASSAU

This facility generates at least 1000 kg/mo non-acute  
hazardous waste or 1 kg/mo of acutely hazardous waste.

RCRA Permit Status: No Permit Status Information

FACILITY ADDRESSEPA ID#

HARRIS CORP/GSSD FLT #5  
1200 PROSPECT AVENUE  
WESTBURY, NY 11590

NYD082788043

County: NASSAU

Non-handler (I.E. other than RCRA regulated waste handler)

RCRA Permit Status: No Permit Status Information

---

NASSAU SULKY MFG. CO., INC.  
86 MAGNOLIA AVENUE  
WESTBURY, NY 11590

NYD089391882

County: NASSAU

This facility generates at least 100 kg/mo but less than  
1000 kg/mo of non-acutely hazardous waste.

RCRA Permit Status: No Permit Status Information

---

TISHCON CORP  
29 NEW YORK AVENUE  
WESTBURY, NY 11590

NYD092660240

County: NASSAU

This facility generates at least 1000 kg/mo non-acutely  
hazardous waste or 1 kg/mo of acutely hazardous waste.

RCRA Permit Status: No Permit Status Information

---

AMERICAN MUFFLER SHOP  
815 OLD COUNTRY ROAD  
WESTBURY, NY 11590

NYD096917539

County: NASSAU

This facility generates at least 100 kg/mo but less than  
1000 kg/mo of non-acutely hazardous waste.

RCRA Permit Status: No Permit Status Information

FACILITY ADDRESS

EPA ID#

FINE ART AUTO BODY INC  
90 NEW YORK AVE  
WESTBURY, NY 11590

NYD107655953

County: NASSAU

This facility generates at least 100 kg/mo but less than  
1000 kg/mo of non-acutely hazardous waste.

RCRA Permit Status: No Permit Status Information

---

W TRESFER CLARKE HIGH SCHOOL  
EDGEWOOD DRIVE  
WESTBURY, NY 11590

NYD120743588

County: NASSAU

This facility generates at least 1000 kg/mo non-acutely  
hazardous waste or 1 kg/mo of acutely hazardous waste.

RCRA Permit Status: No Permit Status Information

---

JOLEA ENT LTD D/B/A WESTBURY VALET  
123 POST AVENUE  
WESTBURY, NY 11590

NYD121843098

County: NASSAU

This facility generates at least 1000 kg/mo non-acutely  
hazardous waste or 1 kg/mo of acutely hazardous waste.

RCRA Permit Status: No Permit Status Information

---

METCO DIV. PERKIN-ELMER CORP.  
1101 PROSPECT AVENUE  
WESTBURY, NY 11590

NYD131318651

County: NASSAU

This facility generates at least 100 kg/mo but less than  
1000 kg/mo of non-acutely hazardous waste.

RCRA Permit Status: No Permit Status Information



FACILITY ADDRESSEPA ID#

PLAZA PONTIAC ISUZU  
1015 OLD COUNTRY ROAD  
WESTBURY, NY 11590

NYD153503206

County: NASSAU

This facility generates at least 1000 kg/mo non-acutely  
hazardous waste or 1 kg/mo of acutely hazardous waste.

RCRA Permit Status: No Permit Status Information

---

HEMPSTEAD RESOURCE RECOVERY  
600 AVENUE C @ STEWART AVE  
WESTBURY, NY 11590

NYD980215511

County: NASSAU

This facility generates at least 1000 kg/mo non-acutely  
hazardous waste or 1 kg/mo of acutely hazardous waste.

RCRA Permit Status: No Permit Status Information

---

MOLTY-STRYK  
49 SYLVESTER STREET  
WESTBURY, NY 11590

NYD980534184

County: NASSAU

This facility generates at least 1000 kg/mo non-acutely  
hazardous waste or 1 kg/mo of acutely hazardous waste.

RCRA Permit Status: No Permit Status Information

---

SLANTCO MANUFACTURING  
1500 SHAMES DRIVE  
WESTBURY, NY 11590

NYD980567051

County: NASSAU

This facility generates at least 1000 kg/mo non-acutely  
hazardous waste or 1 kg/mo of acutely hazardous waste.

RCRA Permit Status: No Permit Status Information

FACILITY ADDRESSEPA ID#

NEW YORK UNIVERSITY/ DEPT. APPLIED SCI.  
425 MERRICK AVE.  
WESTBURY, NY 11590

NYD980642862

County: NASSAU

This facility generates at least 1000 kg/mo non-acutely  
hazardous waste or 1 kg/mo of acutely hazardous waste.

RCRA Permit Status: No Permit Status Information

---

CARMEN CLEANERS  
796 CARMAN AVENUE  
WESTBURY, NY 11590

NYD980772479

County: NASSAU

This facility generates at least 1000 kg/mo non-acutely  
hazardous waste or 1 kg/mo of acutely hazardous waste.

RCRA Permit Status: No Permit Status Information

---

ZORNS CLEANERS  
263 POST AVE.  
WESTBURY,, NY 11590

NYD981081755

County: NASSAU

This facility generates at least 1000 kg/mo non-acutely  
hazardous waste or 1 kg/mo of acutely hazardous waste.

RCRA Permit Status: No Permit Status Information

---

EMILE'S CLEANERS  
586 OLD COUNTRY RD  
WESTBURY, NY 11590

NYD981086143

County: NASSAU

This facility generates at least 1000 kg/mo non-acutely  
hazardous waste or 1 kg/mo of acutely hazardous waste.

RCRA Permit Status: No Permit Status Information

---

FACILITY ADDRESS

EPA ID#

KERI MOTORS INC  
15 URBAN AVE  
WESTBURY, NY 11590

NYD981087257

County: NASSAU

This facility generates at least 1000 kg/mo non-acutely  
hazardous waste or 1 kg/mo of acutely hazardous waste.

RCRA Permit Status: No Permit Status Information

---

FRANK'S AUTO BODY INC  
340 MAPLE AVENUE  
WESTBURY, NY 11590

NYD981130040

County: NASSAU

This facility generates at least 1000 kg/mo non-acutely  
hazardous waste or 1 kg/mo of acutely hazardous waste.

RCRA Permit Status: No Permit Status Information

---

PETE'S TOWING  
29 RUSHMORE STREET  
WESTBURY, NY 11590

NYD981130073

County: NASSAU

This facility generates at least 1000 kg/mo non-acutely  
hazardous waste or 1 kg/mo of acutely hazardous waste.

RCRA Permit Status: No Permit Status Information

---

SCHWEBER ELECTRONICS  
34 JERICHO TURNPIKE  
WESTBURY, NY 11590

NYD981132830

County: NASSAU

This facility generates at least 100 kg/mo but less than  
1000 kg/mo of non-acutely hazardous waste.

RCRA Permit Status: No Permit Status Information

FACILITY ADDRESS

EPA ID#

S. S. PREMISES  
427 OLD COUNTRY ROAD  
WESTBURY, NY 11590

NYD981133333

County: NASSAU

This facility generates at least 1000 kg/mo non-acutely  
hazardous waste or 1 kg/mo of acutely hazardous waste.

RCRA Permit Status: No Permit Status Information

SKEEM CLEANERS  
622 UNION AVE  
WESTBURY, NY 11590

NYD981141336

County: NASSAU

This facility generates at least 1000 kg/mo non-acutely  
hazardous waste or 1 kg/mo of acutely hazardous waste.

RCRA Permit Status: No Permit Status Information

HICKSVILLE AUTO BODY, INC.  
603 MAIN STREET  
WESTBURY, NY 11590

NYD981483381

County: NASSAU

This facility generates at least 100 kg/mo but less than  
1000 kg/mo of non-acutely hazardous waste.

RCRA Permit Status: No Permit Status Information

S.S. PREMISES C/O SHELL OIL CO  
OLD COUNTRY & GRAND SWC  
WESTBURY, NY 11590

NYD981483498

County: NASSAU

Non-handler (I.E. other than RCRA regulated waste handler)

RCRA Permit Status: No Permit Status Information

B & L COLLISION, INC.  
69 KINKEL STREET  
WESTBURY, NY 11590

NYD981484579

County: NASSAU

This facility generates at least 100 kg/mo but less than  
1000 kg/mo of non-acutely hazardous waste.

RCRA Permit Status: No Permit Status Information

ULTIMATE COLLISION REPAIRS, INC.  
88 KINKEL STREET  
WESTBURY, NY 11590

NYD981485519

County: NASSAU

This facility generates at least 100 kg/mo but less than  
1000 kg/mo of non-acutely hazardous waste.

RCRA Permit Status: No Permit Status Information

QUALITY CLEANERS  
179 SCHOOL ST.  
WESTBURY, NY 11590

NYD981486350

County: NASSAU

This facility generates at least 1000 kg/mo non-acutely  
hazardous waste or 1 kg/mo of acutely hazardous waste.

RCRA Permit Status: No Permit Status Information

AUTO PLAZA DODGE  
26 BOND STREET  
WESTBURY, NY 11590

NYD981487853

County: NASSAU

This facility generates at least 1000 kg/mo non-acutely  
hazardous waste or 1 kg/mo of acutely hazardous waste.

RCRA Permit Status: No Permit Status Information

LONG ISLAND FRENCH QUALITY CLEANERS  
997 PROSPECT AVENUE  
WESTBURY, NY 11590

NYD981490774

County: NASSAU

RCRA Permit Status: No Permit Status Information

---

RED COACH SHELL  
379 GLEN COVE ROAD  
WESTBURY, NY 11590

NYD981492747

County: NASSAU

This facility generates at least 1000 kg/mo non-acutely  
hazardous waste or 1 kg/mo of acutely hazardous waste.

RCRA Permit Status: No Permit Status Information

---

S & J AUTO BODY & FENDER REPAIR CO.  
51 URBAN AVENUE  
WESTBURY, NY 11590

NYD981555832

County: NASSAU

This facility generates at least 100 kg/mo but less than  
1000 kg/mo of non-acutely hazardous waste.

RCRA Permit Status: No Permit Status Information

---

AMOCO SERVICE STATION  
880 OLD COUNTRY ROAD  
WESTBURY, NY 11590

NYD981565674

County: NASSAU

This facility generates at least 1000 kg/mo non-acutely  
hazardous waste or 1 kg/mo of acutely hazardous waste.

RCRA Permit Status: No Permit Status Information

NASSAU TECH COUNTY CENTER BOCES  
1196 PROSPECT AVENUE  
WESTBURY, NY 11590

NYD981567100

County: NASSAU

This facility generates at least 100 Kg/mo but less than  
1000 Kg/mo of non-acutely hazardous waste.

RCRA Permit Status: No Permit Status Information

---

S & B MACHINE WORKS INC  
111 NEW YORK AVENUE  
WESTBURY, NY 11590

NYD981870165

County: NASSAU

This facility generates at least 1000 Kg/mo non-acutely  
hazardous waste or 1 Kg/mo of acutely hazardous waste.

RCRA Permit Status: No Permit Status Information

---

NASSAU POLICE FLEET SERVICE  
MITCHEL FIELD, HANGAR TWO  
GARDEN CITY, NY 11590

NYD981874431

County: NASSAU

This facility generates at least 100 Kg/mo but less than  
1000 Kg/mo of non-acutely hazardous waste.

RCRA Permit Status: No Permit Status Information

---

AMOCO SERVICE STATION  
JERICHO TPKE & ASCOT  
WESTBURY, NY 11590

NYD981876337

County: NASSAU

This facility generates at least 1000 Kg/mo non-acutely  
hazardous waste or 1 Kg/mo of acutely hazardous waste.

RCRA Permit Status: No Permit Status Information

FACILITY ADDRESSEPA ID#

803 LAUNDRAMAT CORP  
803 CARMAN AVENUE  
WESTBURY, NY 11590

NYD981876618

County: NASSAU

This facility generates at least 1000 kg/mo non-acutely  
hazardous waste or 1 kg/mo of acutely hazardous waste.

RCRA Permit Status: No Permit Status Information

---

GIFFORDS ENERGY CORP  
91 MAGNOLIA AVE  
WESTBURY, NY 11590

NYD982270118

County: NASSAU

Non-handler (I.E. other than RCRA regulated waste handler)

RCRA Permit Status: No Permit Status Information

---

PETE'S TOWING  
79 MAGNOLIA AVENUE  
WESTBURY, NY 11590

NYD982282501

County: NASSAU

This facility generates at least 100 kg/mo but less than  
1000 kg/mo of non-acutely hazardous waste.

RCRA Permit Status: No Permit Status Information

---

AVANEL INDUSTRY  
121 HOPPER AVENUE  
WESTBURY, NY 11590

NYD982532954

County: NASSAU

RCRA Permit Status: No Permit Status Information



FACILITY ADDRESSEPA ID#

HERTZ CORPORATION  
20 BROOKLYN AVENUE  
WESTBURY, NY 11590

NYD982533929

County: NASSAU

This facility generates at least 100 kg/mo but less than  
1000 kg/mo of non-acutely hazardous waste.

RCRA Permit Status: No Permit Status Information

---

HOWARD PHIPPS ESTATE  
55 POST RD.  
WESTBURY, NY 11590

NYD982719239

County: NASSAU

This facility generates at least 1000 kg/mo non-acutely  
hazardous waste or 1 kg/mo of acutely hazardous waste.

RCRA Permit Status: No Permit Status Information

---

JESCO COMPANY  
1099 OLD COUNTRY ROAD  
WESTBURY, NY 11590

NYD986873180

County: NASSAU

This facility generates at least 1000 kg/mo non-acutely  
hazardous waste or 1 kg/mo of acutely hazardous waste.

RCRA Permit Status: No Permit Status Information

---

CONTINENTAL BANK  
84 SYLVESTER AVE  
WESTBURY, NY 11590

NYD986873354

County: NASSAU

This facility generates at least 1000 kg/mo non-acutely  
hazardous waste or 1 kg/mo of acutely hazardous waste.

RCRA Permit Status: No Permit Status Information

---

FACILITY ADDRESS

EPA ID#

NYS DEPT OF ENVIR CONSER-REG I  
UNION AVE & MAPLE ST  
WESTBURY, NY 11590

NYD986877744

County: NASSAU

This facility generates at least 1000 Kg/mo non-acutely  
hazardous waste or 1 Kg/mo of acutely hazardous waste.

RCRA Permit Status: No Permit Status Information

BILT RITE STEEL  
599 UNION AVENUE  
WESTBURY, NY 11590

NYD986877777

County: NASSAU

This facility generates at least 1000 Kg/mo non-acutely  
hazardous waste or 1 Kg/mo of acutely hazardous waste.

RCRA Permit Status: No Permit Status Information

107 Sites found for the area specified.