

**Quarterly Monitoring Report
First Quarter 2007
Soil Vapor Extraction and Air Sparging System
Tishcon Corporation
30 - 36 New York Avenue and 31 - 33 Brooklyn Avenue
Westbury, New York**

May 2007

Prepared for:

**TISHCON CORPORATION
30 New York Avenue
Westbury, New York 11590**

Prepared by:

**CA RICH CONSULTANTS, INC.
17 Dupont Street
Plainview, New York 11803**



May 11, 2007

NYSDEC
625 Broadway
Albany, New York 12233-7014

Attention: Carl Hoffman

Re: **First Quarter 2007 Quarterly Monitoring Report**
Soil Vapor Extraction and Air Sparging System
Tishcon Corporation
30 - 36 New York Ave. and 31 - 33 Brooklyn Ave.
Westbury, New York
NYSDEC Site No.: 130043E / Tishcon File# 58

Dear Mr. Hoffman:

Attached is a copy of our First Quarter 2007, Quarterly Monitoring Report for the above-referenced Site.

The on-site AS/SVE system has been turned off since May 30, 2006. The concentration of 1,1,1-TCA in the on-site wells (NC-24, TW-1 MDCW-1S, MDCW-1I, and MDWC-1D) have ranged from near drinking water standards to non-detect during the past quarter. We will monitor the wells again in June 2007 and compare these readings to earlier measurements.

The Air Sparging system continues to be effective in removing 1,1,1-TCA from the off-site groundwater. Based on the first quarter 2007 laboratory results, the termination criteria have been achieved in the five on-site compliance wells and three of the six off-site compliance wells.


With continued operation of the air sparging unit, we expect the concentrations of VOCs in the off-site wells to continue to decrease. As such, we request that the site's classification be changed from class 2 to class 4 on the NYSDEC Registry.

If there are any questions regarding this Report, please do not hesitate to call our Office.

Sincerely,

CA RICH CONSULTANTS, INC.

A handwritten signature in black ink, appearing to read "Eric A. Weinstock".
Eric A. Weinstock
Vice President



cc: Joseph Jones
Lawrence Schnapf, Esq.
Kamal Chopra
Joe Elbaz
Alali Tamuno, Esq.
Richard Fedigan

Attachments

TABLE OF CONTENTS

Section	Page
1.0 INTRODUCTION	1
2.0 OPERATIONAL HISTORY OF THE REMEDIATION SYSTEM	2
3.0 GROUNDWATER MONITORING PROCEDURES	3
4.0 SOIL VAPOR MONITORING PROCEDURES	4
5.0 REMEDIATION SYSTEM EQUIPMENT TERMINATION CRITERIA	5
6.0 CONCLUSIONS	7
7.0 REFERENCES	8

FIGURES

1. Groundwater Monitoring Well Location Map
2. Air Sparge Point and Soil Vapor Extraction Well System "As Built"

TABLES

1. Summary of Analytical Detections in Groundwater Samples
2. Soil Vapor Extraction Readings

APPENDICES

- A. Groundwater Laboratory Data
- B. Soil Vapor Extraction Laboratory Data

**First Quarter 2007 Quarterly Monitoring Report
Soil Vapor Extraction and Air Sparging System
Tishcon Corporation
30 - 36 New York Avenue and 31 - 33 Brooklyn Avenue
Westbury, New York**

1.0 INTRODUCTION

The following Quarterly Monitoring Report has been prepared by CA RICH Consultants, Inc. (CA RICH) on behalf of the Tishcon Corporation (Tishcon). This document was prepared in accordance with an Order on Consent, Index Number W1-0799-98-02, and addresses the remediation of the remaining soil contamination below one former cesspool and the remediation of groundwater contamination below Tishcon's property boundaries. For the purposes of this document, the contaminants of concern are 1,1,1-trichloroethane (1,1,1-TCA) and its degradation products.

During the summer of 1996, a Focused Remedial Investigation (R.I.) for soil contamination and identification of source areas was performed. Based on the results of the initial R.I., an Interim Remedial Measure (IRM) was performed to remove contaminated soil from two on-site storm drains and from the bottom of the out-of-service cesspool.

A second Remedial Investigation was performed during 1998. Concurrent with the Remedial Investigation, a Remedial Design Investigation was performed to collect additional subsurface information from the layout of the on-site remediation system. A follow-up phase of the remedial investigation was performed during June of 1999. A map illustrating the location of the site wells is included as Figure 1.

Installation of the on-site remediation system began during August 1999 and consisted of the installation of the Soil Vapor Extraction (SVE) wells and Air Sparging (AS) points. The installation of the underground piping, the SVE blower and the air sparging compressor was completed during December 1999. An off-site extension of the system was placed into operation in August 2004. A layout of the SVE wells and AS points is presented on Figure 2 .

The following documents prepared for this site should be reviewed for additional details:

- CA RICH, November 1995, Focused Remedial Investigation Work Plan, Sampling and Analysis Plan and Health and Safety Plan;
- CA RICH, May 1997, Final Focused Remedial Investigation Report;
- CA RICH, November 1997, Focused Remedial Investigation Work Plan for On-Site Groundwater;
- CA RICH, April 1998, Final Interim Remedial Measures Report;
- CA RICH, July 1998, Remedial Design Investigation Work Plan;
- CA RICH, July 1999, Final Remedial Investigation Report for On-Site Groundwater;
- CA RICH, August 1999, Remedial Design Report; and
- CA RICH, March 2000, Final Engineering Report and Operations & Maintenance Manual, Soil Vapor Extraction and Air Sparging System.

- CA RICH, November 2004, Final Engineering Report and Operations & Maintenance Manual, On-Site and Off-Site Soil Vapor Extraction and Air Sparging System.
- CA RICH, July 2006, On-Site Air Sparging/Soil Vapor Extraction System Closure Report, Tishcon Corporation, 30 New York Avenue, Westbury, NY, Site No.: 130043E.
- CA RICH, April 2007, Site Management Plan Tishcon Corporation, 30 New York Avenue, Westbury, NY, Site No.: 130043E.

2.0 OPERATIONAL HISTORY OF THE REMEDIATION SYSTEM

Installation of the remediation system began in the summer of 1999 and was completed in December 1999. A pilot test of both the SVE and the AS units was performed in December of 1999. Results of the pilot tests are included in the Final Engineering Report and Operations & Maintenance Manual. Both the SVE and the AS systems were placed into continuous operation on January 5, 2000.

The components of the system consist of four soil vapor extraction (SVE) well couplets and 11 air sparge (AS) points. Each SVE couplet consists of one-deep, and one to two-shallow SVE well screens. The soil vapor is extracted using a Fuji Model VFC604A-7W, 4½-horsepower blower located in the equipment shed. The soil vapor passes through a moisture knock-out drum, into the blower and flows through a series of three vapor-phase carbon units located outside of the shed.

The SVE unit has remained in continuous operation since the start up date with the exception of a one-week period in the first half of June 2000 when the system was shut off for repairs. The valves to SVE wells V-1, V-2, V-3 and V-4 are all set to the open position. The SVE blower has been operating at a flow rate of approximately 165 cfm.

Air sparging was initially achieved using an Ingersol-Rand type T-30, model 2545, 10-horsepower reciprocating compressor. The deep sparge points – S-1, S-2, and S-3 – received injected air continuously through a dedicated pressure regulator. Points S-4, S-5, S-8 and S-9 were connected to a solenoid valve. Points S-6, S-7, S-10 and S-11 were connected to a second solenoid valve. An electromechanical timer opened and closed these valves at ½-hour intervals sending compressed air to each set of points through a shared regulator in an alternating fashion.

The air sparging unit has remained in continuous operation with the exception of the following time intervals when the compressor was off for repairs:

- a one-week period in June, 2000;
- March 21, 2001 to March 28, 2001;
- May 15, 2001 to June 19, 2001;
- June 18, 2002 to June 25, 2002;
- June 28, 2004 to August 18, 2004; and
- December 14, 2005 to December 23, 2005
- August 2, 2006 to August 10, 2006

During the air compressor repairs completed on June 19, 2001, the pressure regulators were also replaced by the compressor repair company. When the compressor was restarted, the regulator serving points S-1, S-2 and S-3 was not set to the proper pressure setting. As such, these points were not receiving an adequate flow of air. As a result, the concentration of 1,1,1-TCA in some of the wells increased during the third quarter 2001. On November 15, 2001, we visited the site and reset the pressure setting for the deep zone of sparge points. During the June 18 to 25, 2002

compressor repairs, the SVE lines were inspected. Several cracked portions of the PVC lines were repaired during this time period as well.

On October 23, 2002, the valves to sparge points S-1, 2 and 5 were turned off. This allowed a greater volume of air to be injected into sparge points S-3 and 4, which are located adjacent to monitoring well NC-24.

On May 13, 2003, the valves to S-1, 3, and 5 were turned on and S-3 and S-4 were turned off. On July 30, 2003, a flow indicator and flow regulator was added to sparge points S-1 and S-3 to equalize the injection of air at these locations. No modifications were made during the fourth quarter of 2003.

On March 4, 2004, points S-1, S-3 and S-4 were left on with relatively equal air flow. The remaining points were turned off.

During February 2002, two multi-depth well clusters were installed off-site along Old Country Road. These wells, identified as MDCW-2S, I & D and 3S, I & D, have well screens set at 50 to 65, 75 to 85 and 100 to 110 feet below grade. The first quarter 2002 sampling event was the first time these wells were sampled. Off site well clusters MDCW2 and 3 were sampled in the first quarter and second quarter 2002. These wells were sampled again during the first quarter and third quarter 2004 sampling rounds and are now sampled on a quarterly basis.

Installation of the required off-site SVE/AS points and construction of the off-site utility line were completed and went into full operation in August 2004. On-site air sparge point S-3 developed a crack in the casing and was replaced with a new sparge point. A new Curtis™ 20-HP rotary screw air compressor was also installed. Under the current configuration, air is supplied to all 11 on-site and 4 off-site sparge points concurrently. The air compressor cycles off to rest 4 times a day for a period of approximately 2 hours.

The first quarter 2006 quarterly monitoring indicated that the termination criteria for the on-site wells have been achieved. A closure report for the on-site SVE system was also submitted to the NYSDEC (Ref. 11). As such, on May 30, 2006, the on-site AS/SVE was turned off. The valves to on-site SVE wells V-3 and V-4 were set in the closed position. The valves to on-site sparge points S-4 through S-11 were also set to the closed position.

The extracted soil vapor is treated on-site using two 55-gallon drums of vapor-phase, granular activated carbon arranged in series that are supplied by General Carbon Corporation. During the past quarter of operation, no liquid was measured in the moisture knock-out drum.

3.0 GROUNDWATER MONITORING PROCEDURES

During the course of work at this site, numerous wells were installed at different points in time. For the purposes of this Report, the groundwater analytical results from the November 1998 Remedial Investigation will serve as a starting point with regard to plotting the data versus time. As part of the Remedial Design, a series of compliance wells were designated. The network of on-site compliance wells consists of the following:

- AIMW-11A
- AIMW-11B
- TW-1
- MDCW-1S
- MDCW-1I
- MDCW-1D
- NC-24

A map illustrating the locations of these wells is presented on Figure 1. On November 10, 1999, CA RICH returned to these compliance wells and collected a final round of pre-start up samples to serve as a base line for the remediation system.

During February 2002, CA RICH installed two additional well clusters along Old Country Road. As the off-site extension of the AS/SVE system is now in operation, the following wells were added to the network of monitoring wells and comprise the off-site compliance wells.

- MDCW-2S
- MDCW-2I
- MDCW-2D
- MDCW-3S
- MDCW-3I
- MDCW-3D

CA RICH performed the first quarter 2007 round of groundwater sampling on March 20 and 21, 2007. Three casing volumes of groundwater were purged from each of these wells using a Grundfos™ groundwater sampling pump. Two 40-mil vials were then filled directly from the pump discharge and placed in a cooler with ice packs. The purge water was containerized and sampled as well. All samples were transported under chain-of-custody documentation by an over-night courier to Accutest Laboratories in New Jersey.

3.1 Summary of Results

The results of the sampling program are presented on a well-by-well basis on Table 1, pages 1 through 14. In addition to the tabular presentation, plots for the concentration of the compounds 1,1,1-TCA; 1,1-dichloroethane (1,1-DCA); and 1,1-dichlorethene (1,1-DCE) versus time are also included.

On-Site Wells – As shown on the data plots, the air sparging system has resulted in a significant improvement in the quality of the groundwater below this site since the operation of the equipment was initiated. The on-site portion of the AS/SVE system has achieved the termination criteria set forth in the OM&M Plan and was shut off on May 30, 2006. The concentration of 1,1,1-TCA in the on-site wells (NC-24, TW-1 MDCW-1S, MDCW-1I, and MDWC-1D) have ranged from 11.7 ug/l to non-detect during the past quarter.

Off-Site Wells – The effects of the on-site air sparging system between March 2002 and March 2004 have migrated off-site and resulted in an improvement in the quality of the groundwater below Old Country Road. This is most noticeable in the data plots for wells MDCW-2s, 2i, and 3i.

The off-site compliance wells installed along Old Country Road were sampled on March 20, 2007. The concentrations of 1,1,1-TCA in the shallow or "s" (55 to 65 feet below grade) wells continue to display an overall decreasing trend. The intermediate or "i" (75-85 feet below grade) wells have significantly lower concentrations since the activation of the air sparging system; however, the results of the last sampling has seen a slight increase in 1,1,1 – TCA concentrations in MDCW-3I. The concentrations in the deep or "d" zone (100 to 110 feet below grade) have remained very low during all sampling rounds.

4.0 SOIL VAPOR MONITORING PROCEDURES

On March 22, 2007, one soil vapor sample was collected from the SVE blower discharge using a Summa canister and analyzed for via EPA Method TO-15. The SUMMA canister was connected to a sample port located between the blower discharge and the first carbon unit. In addition to the SUMMA canister sample, field readings were also measured using an HNU with an 11.7ev bulb.

Results of the soil vapor sampling program are summarized on Table 2. In addition, plots of the laboratory results and the HNU readings versus days in operation are included. The initial sample collected during the December 22, 1999 pilot test contained 3,690,390 ug/m³ of total VOCs -- 2,400,000 ug/m³ of which were 1,1,1-TCA. These concentrations decreased during the first three quarters of operation, to a total VOC concentration of 1,364 ug/m³. Since that time, the concentration of total VOCs has fluctuated between 420 ug/m³ and 24,350 ug/m³. The most recent sample contained 851.8 ug/m³ of total VOCs, of which 311.2 ug/m³ were 1,1,1-TCA.

As described in the O&M Manual, extracted soil vapor samples are collected on a quarterly basis. The results were added to Table 2 and plotted. This information will be included in future quarterly reports.

5.0 REMEDIATION SYSTEM EQUIPMENT TERMINATION CRITERIA

5.1 SVE Unit Termination Criteria

The following termination criteria were developed in the Final Engineering Report and Operations & Maintenance Manual.

Total VOC measurements using an HNU will be collected on a frequency of at least once per week (weather permitting) during the first month the system is in full operation. After the first month, HNU readings will be collected either monthly or as needed to evaluate the progress of the cleanup. In addition to the HNU readings, absorbent tube samples will be collected on a monthly basis for the first 3 months of operation and then quarterly thereafter.

As the operation of the SVE unit progresses, the HNU and absorbent tube data will be plotted versus time of operation on graphs. Once the levels of total VOCs in the SVE wells decrease to a near constant or asymptotic concentration, operation of the system will be suspended. An asymptotic condition shall be defined as three consecutive quarterly concentrations with a net decrease of 10 percent or less of total VOCs. Graphs of the concentration of total VOCs versus time will be compiled after each round of monitoring.

A soil boring will then be placed in the out-of-service cesspool that houses the SVE wells. Soil samples will be collected at 15 to 17 feet, 20 to 22 feet, 25 to 27 feet, 30 to 32 feet, 35 to 37 feet, 40 to 42 feet, 45 to 47 feet and 50 to 52 feet below grade and analyzed for halogenated volatile organics. If the concentration of TCA and its degradation products in these samples do not exceed the NYSDEC TAGM (Ref. 6) Cleanup Objectives, the system will remain off and the cleanup of the unsaturated zone will be deemed complete. If the levels exceed the Cleanup Objectives, the SVE system will be restarted and the monitoring program will continue. The same criteria will be used to determine when additional soil samples should be collected.

The SVE system also serves to capture off gassing contaminants from the AS system. Therefore, aside from the criteria described above, the SVE system will remain in operation as long as the AS system described in the next section is in operation.

Based on the data collected to date, the termination criteria have been met for the on-site wells, but have not been met for the off-site wells.

5.2 AS System Termination Criteria

The following termination criteria were developed in the Final Engineering Report and Operations & Maintenance Manual.

The on-site multi-depth well cluster (MDCW-1), well NC-24, well TW-1, AIMW-11A and AIMW-11B will serve as compliance points for the operation of this remediation system. Prior to start up of the AS system, "base line" samples were collected on November 10, 1999 from these compliance wells. The sample from AIMW-11A will serve as an upgradient monitoring point to determine the quality of ground water entering the property from upgradient sources of contamination.

Once placed in full operation, the compliance wells will be sampled on a quarterly basis and analyzed for halogenated volatile organics using EPA method 8010, 8021 or a similar, approved method. Graphs of the concentration of total VOCs versus time will be compiled after each round of quarterly monitoring. The system will be kept in operation until the concentration of TCA and its degradation products meets the criteria established in the Record Of Decision (ROD) for this project. Specifically, the SVE/AS system will operate until the on-site and shallow groundwater meets the New York State Standards, Criteria, and Guidance (SCGs), or the NYSDEC concludes that further operation of the system is no longer effective.

The AS/SVE system will remain in operation until the groundwater samples from the compliance wells indicate that: 1) they meet the SCGs for TCA and its degradation products; 2) the data shows that TCA and its degradation products have reached an asymptotic condition and is no longer effectively removing the contaminants of concern; or, 3) the on-site and down-gradient groundwater contamination is at or less than the up-gradient groundwater contamination at the time of re-evaluation.

Based on the data collected to date, we have achieved the termination criteria outlined in the Final Engineering Report and Operations & Maintenance Manual in the five on-site compliance wells and three of the six off-site compliance wells. In addition, 1,1,1-TCA was not detected in the deep on-site compliance well.

Compliance Well Number	1st Qtr 2007 Concentration	Concentration in Upgradient Well AIMW-11A (Shallow) Well AIMW-11B (Deep)	Meets Criteria
<u>On-Site</u>			
MDCW-1s	TCA = ND	TCA = 3.6 ug/l	Yes
MDCW-1i	TCA = ND	TCA = 3.6 ug/l	Yes
NC-24	TCA = 2.0 ug/l	TCA = 3.6 ug/l	Yes*
TW-1	TCA = 11.7 ug/l	TCA = 3.6 ug/l	Yes*
MDCW-1d	TCA = ND	TCA = 1.4 ug/l	Yes

* - This well appears to have achieved an asymptotic condition

** - The drinking water standard for TCA is 5.0 ug/l

Compliance Well Number	1st Qtr 2007 Concentration	Concentration in Upgradient		Meets Criteria
		Well AIMW-11A (Shallow)	Well AIMW-11B (Deep)	
<u>Off-Site</u>				
MDCW-2s	TCA = 5.0 ug/l	TCA = 3.6 ug/l		Yes**
MDCW-2i	TCA = 153 ug/l	TCA = 3.6 ug/l		No
MDCW-3s	TCA = 10.3 ug/l	TCA = 3.6 ug/l		No
MDCW-3i	TCA = 51.6 ug/l	TCA = 3.6 ug/l		No
MDCW-2d	TCA = 0.94 ug/l	TCA = 1.4 ug/l		Yes**
MDCW-3d	TCA = 1.5 ug/l	TCA = 1.4 ug/l		Yes**

* - This well appears to have achieved an asymptotic condition

** - The drinking water standard for TCA is 5.0 ug/l


6.0 CONCLUSIONS

The SVE unit appears to be very effective in removing 1,1,1-TCA from the soil underlying the former cesspool. During the first quarter 2007, the concentrations of total VOCs in the extracted soil vapor decreased from 885 ug/m³ to 851.8 ug/m³. On May 2, 2006, we installed a closure boring in the former cesspool at location V-3 in accordance with the OM&M Plan. The results were submitted in a separate closure report. Based on those results and the results of the first quarter 2006 groundwater samples, operation of the on-site AS/SVE system was terminated on May 30, 2006.

During the course of this project, the Air Sparging system also appears to have been very effective in removing 1,1,1-TCA from the groundwater below the property. Based on the first quarter 2007 laboratory results, the termination criteria have been achieved in the five on-site compliance wells and three of the six off-site compliance wells.

With continued operation of the air sparging unit, we expect the concentrations of VOCs in the off-site wells to continue to decrease. Groundwater samples from the on-site groundwater wells have remained in compliance since the operation of the on-site system was terminated. The off-site system, however, will remain on.

Figures




LEGEND

- 2-INCH DIAMETER MULTI-DEPTH WELL CLUSTER
- ⊗ EXISTING NCDH/USGS MONITORING WELL
- ◆ WATER TABLE MONITORING WELL

CA RICH CONSULTANTS, INC.

Certified Ground-Water and Environmental Specialists
17 Dupont Street, Plainview, New York 11803

NAME	EXISTING GROUNDWATER MONITORING WELL LOCATIONS	DATE 10/29/04
SCALE	AS SHOWN	
FIGURE	1	DRAWN BY S.T.M.
DRAWING NO.	30-36 NEW YORK AVENUE 31-33 BROOKLYN AVENUE WESTBURY, NEW YORK	APPR'D BY E.A.W.
	1154-1A	



Tables and Data Plots

Table 1
Summary of Analytical Detections in Well MDCW-1s
for Volatile Organic Compounds in Groundwater
Westcon Corporation, 10-34 New York Avenue & 31-32 Brooklyn Avenue
Westbury, New York

Well ID	MDCW-1s																										
Comments	Groundwater data																										
Depth in feet	51'-62 ft																										
Date Sampled	1/11/09	5/27/09	9/6/10	12/15/10	1/20/11	1/20/11	1/20/11	1/20/11	1/20/11	1/20/11	1/20/11	1/20/11	1/20/11	1/20/11	1/20/11	1/20/11	1/20/11	1/20/11	1/20/11	1/20/11	1/20/11	1/20/11	1/20/11	1/20/11	1/20/11	1/20/11	
Days since system start up	-413	-56	76	168	285	343	441	558	830	714	811	1077	1175	1357	1547	1817	1955	1963	1721	1866	2045	2171	2287	2442	2466	2532	2964
Days since filter sample	0	357	489	581	678	795	854	952	1043	1127	1224	1398	1480	1480	1480	1480	1480	1480	1480	1480	1480	1480	1480	1480	1480	1480	1480
Variable Observations (EPA Method HDO 6021)	up†																										
Vinyl Chloride	ND																										
Methylchloroethane	ND																										
Trichloroethylene	ND																										
1,1-Dichloroethene	1.700	3.420	55.1	8.2	11.3	9.8	108	68.5	106	3.3	1.3	1.3	34.7	26.4	2.5	ND											
trans-1,2-Dichloroethene	ND																										
trans-2,3-Dichloroethene	ND																										
1,1,1-Trichloroethane	ND																										
1,1,2-Trichloroethane	ND																										
cis-1,2-Dichloroethene	ND																										
cis-1,3-Dichloroethene	ND																										
Tetrahaloethene	ND																										


Notes:
 ND = indicates compound analyzed but not detected at laboratory detection level
 up† = micrograms per liter or parts per billion

Date of System Start Up: 01/15/2000

NYSDC Technical and Operational Guidance Series, (1.1)

Ambient Water Quality Standards and Guidance Values, 10-22-93

User's Enclosed/Tetrahaloethene



Concentration in up†

Time in days since water system started up

0 500 1000 1500 2000 2500 3000 3500 4000 4500 5000 5500 6000 6500 7000 7500 8000




Table 1
Summary of Analytical Detectors in Well MDCW-1
for Volatile Organic Compounds in Groundwater
Tishcon Corporation, 38-36 New York Avenue & 31-33 Brooklyn Avenue
Westbury, New York

Well ID	MDCW-1	MDCW-1																													
Comments																															
Depth in feet	72.42 ft																														
Date Sampled	1/11/1996	1/11/1996	1/11/1996	1/11/1996	1/11/1996	1/11/1996	1/11/1996	1/11/1996	1/11/1996	1/11/1996	1/11/1996	1/11/1996	1/11/1996	1/11/1996	1/11/1996	1/11/1996	1/11/1996	1/11/1996	1/11/1996	1/11/1996	1/11/1996	1/11/1996	1/11/1996	1/11/1996	1/11/1996	1/11/1996	1/11/1996	1/11/1996	1/11/1996		
Days since system start up	413	58	168	285	343	441	538	611	714	807	907	1007	1107	1207	1307	1407	1507	1607	1707	1807	1907	2007	2107	2207	2307	2407	2507	2607	2707		
Days since water sample	0	357	468	678	854	962	1083	1127	1224	1320	1400	1490	1580	1670	1770	1860	1960	2060	2160	2260	2360	2460	2560	2660	2760	2860	2960	3060	3160		
Volatiles Organics (EPA METHOD 821)	ug/l	ug/l																													
Very Chlorinated Organic Compounds	ND	ND	ND																												
Methylene Chloride	ND	ND	ND																												
Trichlorofluoromethane	ND	ND	ND																												
1,1,1-Dichloroethane	ND	ND	ND																												
1,1,1-Dichloroethane	ND	ND	ND																												
trans-1,2-Dichloroethene	ND	ND	ND																												
1,1,2,2-Tetrachloroethene	ND	ND	ND																												
1,1,2-Trichloroethane	ND	ND	ND																												
cis-1,2-Dichloroethene	ND	ND	ND																												
cis-1,2-Dichloroethene	ND	ND	ND																												
Notes																															

*NYSDEC Technical and Operational Guidance Series (1.1)

†Ambient Water Quality Standards and Guidance Values 10/22/93

‡Under Excuse/Tishcon-GM-2000

Date of systems start up 0/105/2000

ug/l indicates compound analyzed but not detected at laboratory detection level



Prepared by CA Rich Consultants Inc.

Concentration = ug/l




Table 1
Summary of Analytical Detection in Well MDCW-1d
for Volatile Organics Contaminants in Groundwater
Tishcon Corporation, 36-38 New York Avenue, • 31-33 Brooklyn Avenue
Westbury, New York


Well ID	MDCW-1d	MDCW-1d	MDCW-1d	MDCW-1d	MDCW-1d	MDCW-1d	MDCW-1d	MDCW-1d	MDCW-1d	MDCW-1d	MDCW-1d	MDCW-1d	MDCW-1d	MDCW-1d	MDCW-1d	MDCW-1d	MDCW-1d	MDCW-1d	MDCW-1d	MDCW-1d	MDCW-1d	MDCW-1d	MDCW-1d	NYDEC	
Date Sampled	1 Chr 2000	1 Chr 2000	4 Chr 2000	4 Chr 2000	1 Chr 2001	4 Chr 2001	4 Chr 2001	4 Chr 2001	1 Chr 2002	1 Chr 2002	1 Chr 2002	1 Chr 2002	2 Chr 2002	3 Chr 2002	4 Chr 2002	TODS* values									
Days since initial sample	0	357	489	561	678	768	825	951	1106	1300	1500	1700	1880	2120	2360	2600	2846	3086	3326	3566	3806	3946	4086	4226	
Days since final sample	0	357	489	561	678	768	825	951	1106	1300	1500	1700	1880	2120	2360	2600	2846	3086	3326	3566	3806	3946	4086	4226	
Volatile Organic Compounds (EPA-ME-1HD-R02)	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)
Vinyl Chloride	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Chloroethane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,1-Dichloroethane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,1-Dichloroethene	0.73	0.69	0.53	1.1	0.56	0.53	ND	ND																	
trans-1,2-Dichloroethene	44	44	1.4	1.4	1.0	0.90	ND	ND																	
cis-1,2-Dichloroethene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,1,1-Trichloroethane	ND	3.8	2.3	2.7	1.1	2.5	5.2	6.0	1.6	ND	ND														
1,1,2-Trichloroethane	ND	3	1	4	ND	ND																			
cis-1,2-Dichlorotetraene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Tetrachloroethene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Notes:	ND indicates compound analyzed but not detected at laboratory detection level																								
ND indicates compound analyzed but not detected at laboratory detection level																									
ND indicates compound analyzed but not detected at laboratory detection level																									
Date of system start up	01/05/2000																								

*NYSDEC Technical and Operational Guidance Series (11)


User Encapsulation/Media Data


01/05/2000

MDCW-1d 1111Cサンプル



Prepared by C A Rich Consultants, Inc.










Table 1
Summary of Analytical Developments in Well A/MW-11a
for Volatile Organics Compounds in Groundwater
Titancon Corporation, 30-38 New York Avenue & 31-33 Brooklyn Avenue
Westbury, New York

卷之三

AIMW-11a
1:100 w/w, time



AIMW-11a
1:100 w/w, time






Table 1
Summary of Analytical Detections in Well MDCW-2s
for Volatile Organics Compounds in Groundwater
Tishcon Corporation, 30-35 New York Avenue & 31-33 Brooklyn Avenue
Westbury, New York

Well ID	MDCW-2s	MDCW-2s	MDCW-2s	MDCW-2s	MDCW-2s	MDCW-2s	MDCW-2s	MDCW-2s	MDCW-2s	MDCW-2s	MDCW-2s	MDCW-2s	MDCW-2s	MDCW-2s	NYSDEC TOGS* values
Comments	Initial sample	2 Qtr 2002	1 Qtr 2004	3 Qtr 2004	4 Qtr 2004	1 Qtr 2005	2 Qtr 2005	3 Qtr 2005	4 Qtr 2005	1 Qtr 2006	2 Qtr 2006	3 Qtr 2006	4 Qtr 2006	1 Qtr 2007	
Depth in feet	55-65 ft.	55-65 ft.	55-65 ft.	55-65 ft.	55-65 ft.	55-65 ft.	55-65 ft.	55-65 ft.	55-65 ft.	55-65 ft.	55-65 ft.	55-65 ft.	55-65 ft.	55-65 ft.	
Date Sampled	03/05/2002	06/19/2002	03/30/2004	09/21/2004	12/14/2004	03/22/2005	06/21/2005	09/11/2005	12/14/2005	03/20/2006	06/26/2006	09/22/2006	12/20/2006	03/20/2007	
Days since system start up	810	896	1546	1721	1805	1903	1994	2086	2170	2266	2364	2450	2541	2631	
Days since initial sample	0	86	736	911	995	1093	1184	1276	1360	1436	1554	1640	1731	1821	
Volatile Organics (EPA METHOD 8021)															
Units	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l
Vinyl Chloride	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Chloroethane	5.9	ND	5												
Methylene Chloride	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5
Trichlorofluoromethane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5
1,1-Dichloroethene	694	759	8.2	8.2	ND	ND	3.5	4.8	8.8	3.2	2.5	5.8	3.1	2.4	5
1,1-Dichloroethane	571	297	2.8	6.7	5.8	ND	2.9	2.7	11.1	1.8	3.7	2.2	2.0	5	
trans-1,2-Dichloroethane	10.5	ND	5												
1,2-Dichloroethane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5
1,1,1-Trichloroethane	3,830	3010	22.3	33.5	16.6	ND	9.0	12.1	20.2	5.7	5.9	11.4	6.1	5.0	5
Trichloroethene	109	30.3	ND	ND	2.6	ND	ND	6.4	16.2	9.0	5.3	10.8	17.0	16.3	15.7
1,1,2-Trichloroethane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5
cis-1,2-Dichloroethene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5
Tetrachloroethene	16.8	ND	76	37.7	34.9	ND	37.4	34.1	24.3	39.5	27	26.2	32.7	32.7	5

Notes


ND - Indicates compound analyzed but not detected at laboratory detection level.
 ug/l - micrograms per liter or parts per billion
 Date of system start up: 01/05/2000

*NYSDEC Technical and Operational Guidance Series (1.1.1)
 Ambient Water Quality Standards and Guidance Values, 10-22-93

UserEnteredTimestamp:04/04/2007

MDCW-2S

1,1,1-TCA versus time






Table 1
Summary of Analytical Detections in Well MDCW-2i
for Volatile Organic Compounds in Groundwater
Tishcon Corporation, 30-36 New York Avenue & 31-33 Brooklyn Avenue
Westbury, New York

Well ID	MDCW-2i	MDCW-2i	MDCW-2i	MDCW-2i	MDCW-2i	MDCW-2i	MDCW-2i	MDCW-2i	MDCW-2i	MDCW-2i	MDCW-2i	MDCW-2i	NYSDEC TOGS ^a values
Comments	Initial sample	2 Qtr 2002	1 Qtr 2004	3 Qtr 2004	4 Qtr 2004	1 Qtr 2005	2 Qtr 2005	3 Qtr 2005	4 Qtr 2005	1 Qtr 2006	2 Qtr 2006	3 Qtr 2006	4 Qtr 2006
Depth in feet	75-85 ft.	75-85 ft.	75-85 ft.	75-85 ft.	75-85 ft.	75-85 ft.	75-85 ft.	75-85 ft.	75-85 ft.	75-85 ft.	75-85 ft.	75-85 ft.	75-85 ft.
Date Sampled	03/25/2002	06/19/2002	03/30/2004	09/21/2004	12/14/2004	03/22/2005	06/21/2005	09/21/2005	12/14/2005	03/20/2006	06/26/2006	09/20/2006	12/20/2006
Days since system start up	810	896	1546	1721	1805	1903	1994	2170	2266	2450	2541	2631	2721
Days since initial sample	0	86	736	911	995	1093	1184	1360	1456	1554	1640	1731	1821
Volatile Organics (EPA METHOD 8021)	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l
Units	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Vinyl Chloride	ND	ND	ND	ND	ND	10.9	ND						
Chloroethane	ND	ND	ND	ND	ND	7.9	ND						
Methylene Chloride	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Trichlorofluoromethane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,1-Dichloroethene	2.540	971	1100	470	1080	552	377	467	295	186	183	247	196
1,1-Dichloroethane	4.670	2990	1220	1100	1080	1080	1080	1080	1080	1080	1080	1080	1080
trans-1,2-Dichloroethene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2-Dichloroethane	ND	ND	ND	ND	ND	13.9	ND						
1,1,1-Trichloroethane	7.640	6370	2760	1230	456	362	156	130	156	142	142	194	194
1,1,2-Trichloroethene	44.4	ND	ND	ND	43.2	ND	23.6	22.3	50.2	27	43.7	9.6	11.4
cis-1,2-Dichloroethene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Tetrachloroethene	26.8	ND	ND	ND	ND	5.1	ND	ND	7.2	6.4	16.1	6.6	3.9


Notes
ND Indicates compound analyzed but not detected at laboratory detection level
ug/l micrograms per liter or parts per billion.
Date of system start up: 01/05/2000

^aNYSDEC Technical and Operational Guidance Series (11.1)
Ambient Water Quality Standards and Guidance Values; 10-22-93

Users\Er\clts\Tishcon\GAM-data

MDCW-2i

1,1-TCA versus time



Concentration in ug/l

Time in days (zero days equals system start up)





Table 1
Summary of Analytical Detections in Well MDCW-2d
for Volatile Organics Compounds in Groundwater
Tishcon Corporation, 30-36 New York Avenue & 31-33 Brooklyn Avenue
Westbury, New York

Well ID	MDCW-2d	MDCW-2d	MDCW-2d	MDCW-2d	MDCW-2d	MDCW-2d	MDCW-2d	MDCW-2d	MDCW-2d	MDCW-2d	MDCW-2d	MDCW-2d	MDCW-2d	MDCW-2d	MDCW-2d	MDCW-2d	NYSDEC TOGS* values
Comments	Initial sample	2 Qtr 2002	1 Qtr 2004	3 Qtr 2004	4 Qtr 2004	1 Qtr 2005	2 Qtr 2005	3 Qtr 2005	4 Qtr 2005	1 Qtr 2006	2 Qtr 2006	3 Qtr 2006	4 Qtr 2006	1 Qtr 2007	2 Qtr 2007	3 Qtr 2007	100-110 ft.
Depth in feet	100-110 ft.	100-110 ft.	100-110 ft.	100-110 ft.	100-110 ft.	100-110 ft.	100-110 ft.	100-110 ft.	100-110 ft.	100-110 ft.	100-110 ft.	100-110 ft.	100-110 ft.	100-110 ft.	100-110 ft.	100-110 ft.	
Date Sampled	06/19/2002	03/30/2004	09/21/2004	12/14/2004	03/22/2005	06/21/2005	09/21/2005	12/15/2005	03/20/2006	06/26/2006	09/20/2006	03/20/2007	06/26/2007	09/20/2007	12/20/2007	03/20/2008	03/20/2008
Days since system start up	810	1546	1721	1805	1903	1984	2086	2171	2266	2364	2450	2541	2631	2731	2821	2911	2900
Days since initial sample	0	86	736	911	995	1093	1184	1276	1361	1456	1554	1640	1731	1821	1911	2000	2090
Volatile Organics (EPA METHOD 8021)	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l
Units	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Vinyl Chloride	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Chloroethane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Methylene Chloride	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Trichlorofluoromethane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,1-Dichloroethene	1.7	2.0	ND														
1,1-Dichloroethane	4.5	3.5	2.2	1.7	1.4	ND											
trans-1,2-Dichloroethene	3.6	3.3	ND														
1,2-Dichloroethane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,1,1-Trichloroethane	5.8	3.7	1.7	1.5	1.3	ND	ND	0.82	1.1	ND	ND	0.93	1.3	0.94	ND	ND	ND
1,1,2-Trichloroethane	7.7	7.8	6.4	6.4	4.6	6.2	6.2	5.0	7.0	4.8	4.9	5.1	4.1	3.3	3.9	ND	ND
cis-1,2-Dichloroethene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Tetrachloroethene	6.4	8.2	2.3	2.9	2.9	3.7	3.7	2.5	3.9	1.9	1.9	1.9	1.7	1.6	2.0	2.0	ND


Notes
 ND Indicates compound analyzed but not detected at laboratory detection level.
 ug/micrograms per liter or parts per billion
 Date of system start up 01/05/2000

*NYSDEC Technical and Operational Guidance Series (111)
 Ambient Water Quality Standards and Guidance Values; 10-22-93

User's Enclosed\Tables\OM&data

MDCW-2D


1,1,1-TCA versus time



Concentration in ug/l

MDCW-2D

1:1-DCE versus time



MDCW-2D

1:1-DCE versus time




Table 1
Summary of Analytical Detections in Well MDCW-3s
for Volatile Organics Compounds in Groundwater
Tishcon Corporation, 30-36 New York Avenue & 31-33 Brooklyn Avenue
Westbury, New York

Well ID	MDCW-3s	MDCW-3s	MDCW-3s	MDCW-3s	MDCW-3s	MDCW-3s	MDCW-3s	MDCW-3s	MDCW-3s	MDCW-3s	MDCW-3s	MDCW-3s	MDCW-3s	NYSDEC
Comments	Initial sample	2 Qtr 2002	1 Qtr 2004	3 Qtr 2004	4 Qtr 2004	1 Qtr 2005	2 Qtr 2005	3 Qtr 2005	4 Qtr 2005	1 Qtr 2005	2 Qtr 2006	3 Qtr 2006	4 Qtr 2006	TOGS ^a values
Depth in feet	55-65 ft	55-65 ft	55-65 ft	55-65 ft	55-65 ft	55-65 ft	55-65 ft	55-65 ft	55-65 ft	55-65 ft	55-65 ft	55-65 ft	55-65 ft	1 Qtr 2007
Date Sampled	03/25/2002	06/19/2002	03/30/2004	09/21/2004	12/14/2004	03/22/2005	06/21/2005	08/20/2005	12/14/2005	03/20/2006	06/26/2006	09/20/2006	12/20/2006	03/20/2007
Days since system start up	810	896	1546	1721	1805	1903	1994	2085	2170	2266	2450	2541	2631	12/20/2007
Days since initial sample	0	86	736	911	995	1093	1184	1275	1360	1456	1554	1640	1731	1821
Volatile Organics (EPA METHOD 6021)	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l
Vinyl Chloride	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Chloroethane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Trichloroethane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,1-Dichloroethane	23.0	24.8	78.1	72.4	12.7	41.5	14.8	16.4	10.3	7.2	8.2	3.8	4.8	5
1,1-Dichloroethene	37.5	36.9	1.8	50.8	78.6	49.6	54.5	140	102	53.1	62.4	55.7	25.8	33.3
trans-1,2-Dichloroethene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,1,2-Dichloroethene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,1,1-Trichloroethane	165	119	8.3	109	157	79.1	93.1	43.9	22.7	16.3	18.8	8.2	10.3	5
Trichloroethene	3.1	ND	ND	281	285	81.4	33.3	80.7	75.7	42.9	23.4	14.4	14.1	5
1,1,2-Trichloroethane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
cis-1,2-Dichloroethene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Tetrachloroethene	2.3	6.5	67.5	35.0	13.3	4.9	7.6	8.3	5.7	2.6	2.5	1.9	1.7	5


Notes:
ND = Indicates compound analyzed but not detected at laboratory detection level.
ug/l = micrograms per liter or parts per billion
Date of system start up = 01/05/2000

^aNYSDEC Technical and Operational Guidance Series (1,1)
Ambient Water Quality Standards and Guidance Values, 10-22-93

UserEnteredTishconQ&M-data

MDCW-3S


1,1,1-TCA versus time



Concentration in ug/l

MDCW-3S

1,1-DCA versus time



MDCW-3S

1,1-DCE versus time




Table 1
Summary of Analytical Detections in Well MDCW-3i
for Volatile Organics Compounds in Groundwater
Tishcon Corporation, 30-36 New York Avenue & 31-33 Brooklyn Avenue
Westbury, New York

Well ID	MDCW-3i	MDCW-3i	MDCW-3i	MDCW-3i	MDCW-3i	MDCW-3i	MDCW-3i	MDCW-3i	MDCW-3i	MDCW-3i	MDCW-3i	MDCW-3i	MDCW-3i	MDCW-3i	NYSDEC TOGS ^a values
Comments	Initial sample	2 Qtr 2002	1 Qtr 2004	3 Qtr 2004	4 Qtr 2004	1 Qtr 2005	2 Qtr 2005	3 Qtr 2005	4 Qtr 2005	1 Qtr 2005	2 Qtr 2006	3 Qtr 2006	4 Qtr 2006	1 Qtr 2007	75-85 ft.
Depth in feet	75-85 ft.	75-85 ft.	75-85 ft.	75-85 ft.	75-85 ft.	75-85 ft.	75-85 ft.	75-85 ft.	75-85 ft.	75-85 ft.	75-85 ft.	75-85 ft.	75-85 ft.	75-85 ft.	75-85 ft.
Date Sampled	03/25/2002	06/19/2002	03/30/2004	09/21/2004	12/14/2004	03/22/2005	06/21/2005	09/21/2005	12/14/2005	03/20/2006	06/26/2006	09/20/2006	12/20/2006	03/20/2007	
Days since system start up	810	896	1546	1721	1805	1903	1984	2086	2170	2266	2364	2450	2541	2631	
Days since initial sample	0	86	736	911	995	1093	1184	1276	1360	1456	1554	1640	1731	1821	
Volatile Organics (EPA METHOD 021)															
Units	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l
Vinyl Chloride	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Chloroethane	2.3	ND	ND	1.1	ND	2									
Methylene Chloride	154	ND	5												
Trichlorofluoromethane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5
1,1-Dichlorethane	1210	ND	ND	38.4	28.9	19.0	16.7	19.4	17.2	13.7	11.3	11.9	11.3	11.3	5
1,1-Dichlorethane	2030	1760	93.8	71.0	67.5	70.4	61.0	68.8	49.7	50.5	68.2	58.2	67.6	58.2	5
trans-1,2-Dichlorethane	10.9	ND	5												
1,2-Dichlorethane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.6
1,1,1-Trichlorethane	5680	5290	408	254.0	92.2	86.9	53.4	85.8	30.3	4.5	38.6	43.1	46.3	51.6	5
Trichlorethane	4.9	ND	ND	11.7	4.1	6.8	2.1	2.0	1.3	1.1	1.9	1.4	1.6	ND	5
1,1,2-Trichlorethane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5
cis-1,2-Dichlorethane	ND	ND	ND	ND	24.9	10	5.5	4.5	3.0	2.2	2.8	1.7	2.3	1.5	5
Tetrachloroethene	11.6	ND	ND	ND	43.8	13.8	8.7	4.9	6.3	5.5	7.2	4.8	8.0	5.2	5


Notes
ND = Indicates compound analyzed but not detected at laboratory detection level
ug/l, micrograms per liter or parts per billion
Date of system start up: 01/05/2000

^aNYSDEC Technical and Operational Guidance Series (1.1.1)
Ambient Water Quality Standards and Guidance Values: 10-22-93

Users:Enrces/TishconQ&M\data

MDCW-3i

1,1,1-TCA versus time




Concentration in ug/l

MDCW-3I

1:1-DCA

versus time



MDCW-3I

1:1-DCE

versus time




Table 1
Summary of Analytical Detections in Well MDCW-3d
for Volatile Organics Compounds in Groundwater
Tishcon Corporation, 30-36 New York Avenue & 31-33 Brooklyn Avenue
Westbury, New York

Well ID	MDCW-3d	MDCW-3d	MDCW-3d	MDCW-3d	MDCW-3d	MDCW-3d	MDCW-3d	MDCW-3d	MDCW-3d	MDCW-3d	MDCW-3d	MDCW-3d	MDCW-3d	MDCW-3d	MDCW-3d	NYSDEC
Comments	Initial sample	2 Qtr 2002	1 Qtr 2002	3 Qtr 2002	4 Qtr 2004	1 Qtr 2005	2 Qtr 2005	3 Qtr 2005	4 Qtr 2005	1 Qtr 2006	2 Qtr 2006	3 Qtr 2006	4 Qtr 2006	1 Qtr 2007	2 Qtr 2007	TOG's ^a values
Depth in feet	100-110 ft	100-110 ft	100-110 ft	100-110 ft	100-110 ft	100-110 ft	100-110 ft	100-110 ft	100-110 ft	100-110 ft	100-110 ft	100-110 ft	100-110 ft	100-110 ft	100-110 ft	100-110 ft
Date Sampled	03/25/2002	06/19/2002	03/30/2004	09/21/2004	12/14/2004	03/22/2005	06/21/2005	09/21/2005	12/14/2005	03/20/2006	06/26/2006	09/20/2006	12/20/2006	03/20/2007	12/20/2007	12/20/2007
Days since system start up	810	896	1546	1721	1805	1903	1984	2086	2170	2266	2364	2450	2541	2631	2721	2800
Days since initial sample	0	86	736	911	995	1093	1184	1276	1360	1456	1554	1640	1731	1821	1911	2000
Volatile Organics (EPA METHOD 021)	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l
Viny Chloride	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Chloroethane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Trichloroethane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,1-Dichloroethane	1.4	ND														
1,1-Dichloroethene	1.8	2.8	1.1	ND												
trans-1,2-Dichloroethene	1.5	1.0	ND													
1,2-Dibromoethane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,1,1-Trichloroethane	6.3	4.8	2.3	ND	0.98	ND	1.4	2.8	1.1	1.5	1.4	2.0	1.2	1.5	1.5	1.6
Trichloroethene	9.0	11.3	8.5	13.2	11.2	8.4	5.7	6.3	5.9	8.2	8.1	7.5	6.4	6.3	6.5	6.5
1,1,2-Trichloroethane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
cis-1,2-Dichloroethene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Tetraethene	1.3	1.9	2.6	1.3	1.2	1.6	1.9	1.0	1.5	1.3	1.0	1.2	1.0	1.2	1.0	1.5

Notes
 ND Indicates compound analyzed but not detected at laboratory detection level.
 ug/l micrograms per liter or parts per billion.
 Date of system start up: 01/05/2000


^aNYSDEC Technical and Operational Guidance Series (1.1)
 Ambient Water Quality Standards and Guidance Values, 10-22-93

Users\crich\Tishcon\Q\AM-data

MDCW-3D


1,1,1-TCA versus time

Concentration in ug/l



Concentration in ug/l

MDCW-3D
1,1-DCA versus time



MDCW-3D
1,1-DCE versus time




Table 1
Summary of Analytical Detections in Well NC-11
for Volatile Organic Compounds in Groundwater
Tishcon Corporation, 30-36 New York Avenue & 31-33 Brooklyn Avenue
Westbury, New York

Well ID	NC-11								
Comments	3 Qtr 2002	4 Qtr 2004	1 Qtr 2005	2 Qtr 2005	3 Qtr 2005	4 Qtr 2005	1 Qtr 2006	2 Qtr 2006	3 Qtr 2006
Depth in feet	51-65 ft								
Date Sampled	08/21/2004	12/14/2004	03/22/2005	06/21/2005	09/21/2005	12/14/2005	03/20/2006	06/26/2006	09/20/2006
Days since system start up	1721	1805	1903	1994	2086	2170	2266	2450	2541
Days since initial sample	0	965	1093	1184	1276	1360	1456	1640	1731
Volatile Organics (EPA METHOD 8021)									
Units	ug/l								
Vinyl Chloride	ND								
Chloroethane	ND								
Methylene Chloride	ND								
Trichloroethane	ND								
1,1-Dichloroethane	2.9	2.8	4.1	11.6	1.9	12.0	8.9	2.7	1.3
1,1-Dichloroethene	ND	ND	1.5	1.1	2.9	ND	4.6	3.2	3.8
trans-1,2-Dichloroethene	ND								
1,1,2-Dichloroethane	ND								
1,1,1-Trichloroethane	5.2	4.4	12.9	6.3	19.4	2.9	18.8	11.0	15.4
1,1,2-Trichloroethane	2.6	2.0	20.0	13.5	21.7	2.4	15.9	27.8	34.8
cis-1,2-Dichloroethene	ND								
Tetrachloroethene	0.92	0.82	5.9	2.9	5.6	1.2	4.8	7.1	9.6

Notes:

ND: Indicates compound analyzed but not detected at laboratory detection level.
 ug/l: micrograms per liter or parts per billion
 Date of system start up: 01/05/2000

*NYSDEC Technical and Operational Guidance Series (1,1,1)
 Ambient Water Quality Standards and Guidance Values, 10-22-93

Users/Erin/Downloads/NC-11

1,1,1-TCA versus time

100


80

60

40


20

0



NC-11

1,1-DCA versus time



NC-11

1,1-DCE versus time




Table 2
Tishcon Corporation
Soil Vapor Extraction Readings

Date	Number of Days in Operation	HNU Before Carbon*	1,1,1-TCA Before Carbon**	1,1-DCA Before Carbon**	1,2-DCA Before Carbon**	Chloroethane Before Carbon**	PCE Before Carbon**	TCE Before Carbon**	1,1-DCE Before Carbon**	Vinyl Chloride Before Carbon**	Total VOCs Before Carbon**	Comments
12/22/99	0	50	2,400,000	1,000,000	390	180,000	ND	ND	110,000	ND	3,690,390	Pilot test & tube sample
01/05/00	1	30										System start-up
01/11/00	6	60										System running continuously
01/12/00	7	25										
01/13/00	8	40										
01/21/00	16	40										
01/26/00	21	25	290,000	31,000	42	1,000	ND	ND	11,000	ND	333,042	Collected tube sample
02/03/00	29	20										
02/10/00	36	15										
02/14/00	40	3										
02/29/00	55	13	67,000	8,500	ND	ND	ND	130	3,200	ND	78,830	Collected tube sample
03/10/00	65	11										
03/20/00	75	8										
03/21/00	76	8	77,000	8,900	59	210	ND	ND	2,400	ND	88,569	Collected tube sample
03/28/00	83	3										
03/31/00	86	5										
04/08/00	94	3										
04/14/00	100	6										
04/21/00	107	6										
05/03/00	119	9										
06/01/00	148	3										
06/07/00	154	3										
06/16/00	163	2										
06/21/00	168	4.5	14,000	1,600	ND	210	ND	460	3,600	ND	19,870	Collected tube sample
06/30/00	177	3										
09/27/00	266	2	320	1,000	ND	ND	ND	44	ND	ND	1,364	Collected tube sample
12/13/00	343	3	22,000	4,300	370	ND	ND	ND	1,000	ND	27,670	Collected tube sample
03/29/01	449	2	12,300	1,300	ND	ND	ND	ND	5	ND	13,605	Collected tube sample
06/27/01	539	2	5,800	690	ND	ND	ND	ND	ND	ND	6,490	Collected tube sample
09/26/01	630	1	20,000	2,000	ND	ND	950	510	890	ND	24,350	Collected tube sample
12/19/01	714	1	18,000	3,100	ND	ND	920	260	1,100	ND	23,380	Collected tube sample
03/25/02	810	1.5	4,400	670	ND	ND	190	81	330	ND	5,671	Collected tube sample
06/18/02	895	1	6,100	1,100	ND	ND	420	ND	540	ND	8,160	Collected tube sample
09/18/02	987	1	4,600	690	ND	ND	1,000	370	260	ND	6,920	Collected tube sample
12/17/02	1077	0.2	3,600	1,000	ND	ND	1,000	640	510	ND	6,750	Collected tube sample
04/04/03	1185	0.2	420	ND	ND	ND	ND	ND	ND	ND	420	Collected tube sample
06/24/03	1266	0	ND	ND	ND	ND	ND	ND	ND	ND	770	First time hit for Chloroform
09/25/03	1359	0	930	ND	ND	ND	ND	ND	ND	ND	930	Collected tube sample
12/18/03	1443	0	800	300	ND	ND	410	ND	ND	ND	1,510	Collected tube sample
03/18/04	1534	0	260	130	ND	ND	ND	ND	ND	ND	390	Collected tube sample
06/09/04	1617	0.2	2,700	790	ND	ND	550	360	ND	ND	4,400	Collected tube sample
09/22/04	1722	MM	550	250	ND	ND	140	ND	ND	ND	940	Collected tube sample
12/14/04	1805	0	580	190	ND	ND	55	ND	94	ND	919	Collected tube sample
03/25/05	1906	0	220	75	ND	ND	ND	ND	130	ND	425	Collected tube sample
06/21/05	1994	0	840	310	ND	ND	120	87	74	ND	1,431	Collected tube sample
09/20/05	2085	0	540	260	ND	ND	100	ND	150	ND	1,050	Collected tube sample
12/20/05	2176	0	1,000	480	ND	ND	210	130	320	ND	2,140	Collected Summa canister sample
03/21/06	2267	0	721	366	ND	ND	159	76.5	294	ND	1,617	Collected Summa canister sample
06/26/06	2364	0	300	231	2.4	ND	156	118	330	15	1,152	Collected Summa canister sample
09/21/06	2451	0	376.67	141.79	ND	ND	251.05	80.60	154.83	ND	1,005	Collected Summa canister sample
12/21/06	2542	0	349.40	158.00	ND	ND	196.8	53.70	127	ND	885	Collected Summa canister sample
03/22/07	2633	0	311.2	166.1	0.8	5.3	135.7	52.7	178.7	1.3	851.8	Collected Summa canister sample

Notes * - HNU field meter with 11.7 ev lamp measures total VOCs in PPM

** - All laboratory analyses reported in ug/m³


ND - Not detected at the laboratory detection level

MM - Meter malfunctioned on sampling date


Prepared by CA Rich Consultants Inc.

**Tishcon Corporation
Soil Vapor Extraction Readings**

HNU readings versus time of operation



Laboratory readings versus time of operation



**Appendix A
Groundwater Laboratory Data**



04/16/07

Technical Report for

C. A. Rich Consultants

Tishcon Corp., Westbury, NY

Tishcon NYA O & M

Accutest Job Number: J56826



Sampling Dates: 03/20/07 - 03/21/07

Report to:

C. A. Rich Consultants
17 Dupont Street
Plainview, NY 11803

ATTN: Eric Weinstock

Total number of pages in report: 38



Test results contained within this data package meet the requirements of the National Environmental Laboratory Accreditation Conference and/or state specific certification programs as applicable.

Vincent J. Pugliese
President



Certifications: NJ(12129), NY(10983), CA, CT, DE, FL, IL, IN, KS, KY, LA, MA, MD, MI, MT, NC, PA, RI, SC, TN, VA, WV

This report shall not be reproduced, except in its entirety, without the written approval of Accutest Laboratories.

Table of Contents

-1-

Section 1: Sample Summary	3
Section 2: Sample Results	5
2.1: J56826-1: MDCW-1S	6
2.2: J56826-2: MDCW-1I	8
2.3: J56826-3: MDCW-1D	10
2.4: J56826-4: NC-24	12
2.5: J56826-5: AIMW-11A	14
2.6: J56826-6: AIMW-11B	16
2.7: J56826-7: TW-1	18
2.8: J56826-8: PURGE WATER 3/21/07	20
2.9: J56826-9: MDCW-3S	22
2.10: J56826-10: MDCW-3I	24
2.11: J56826-11: MDCW-3D	26
2.12: J56826-12: MDCW-2S	28
2.13: J56826-13: MDCW-2I	30
2.14: J56826-14: MDCW-2D	32
2.15: J56826-15: NC-11	34
Section 3: Misc. Forms	36
3.1: Chain of Custody	37

Sample Summary

C. A. Rich Consultants

Job No: J56826

Tishcon Corp., Westbury, NY
Project No: Tishcon NYA O & M

Sample Number	Collected Date	Time By	Received	Matrix Code Type	Client Sample ID	
J56826-1	03/21/07	10:10 MY	03/23/07	AQ	Ground Water	MDCW-1S
J56826-2	03/21/07	10:45 MY	03/23/07	AQ	Ground Water	MDCW-1I
J56826-3	03/21/07	11:25 MY	03/23/07	AQ	Ground Water	MDCW-1D
J56826-4	03/21/07	12:00 MY	03/23/07	AQ	Ground Water	NC-24
J56826-5	03/21/07	12:26 MY	03/23/07	AQ	Ground Water	AIMW-11A
J56826-6	03/21/07	12:47 MY	03/23/07	AQ	Ground Water	AIMW-11B
J56826-7	03/21/07	13:05 MY	03/23/07	AQ	Ground Water	TW-1
J56826-8	03/21/07	00:00 MY	03/23/07	AQ	Ground Water	PURGE WATER 3/21/07
J56826-9	03/20/07	07:20 MY	03/23/07	AQ	Ground Water	MDCW-3S
J56826-10	03/20/07	07:50 MY	03/23/07	AQ	Ground Water	MDCW-3I
J56826-11	03/20/07	08:35 MY	03/23/07	AQ	Ground Water	MDCW-3D
J56826-12	03/20/07	09:28 MY	03/23/07	AQ	Ground Water	MDCW-2S
J56826-13	03/20/07	09:40 MY	03/23/07	AQ	Ground Water	MDCW-2I

Accutest Laboratories

Sample Summary

(continued)


C. A. Rich Consultants

Job No: J56826

Tishcon Corp., Westbury, NY

Project No: Tishcon NYA O & M

Sample Number	Collected Date	Time By	Received	Matrix Code	Type	Client Sample ID
J56826-14	03/20/07	10:12 MY	03/23/07	AQ	Ground Water	MDCW-2D
J56826-15	03/20/07	10:39 MY	03/23/07	AQ	Ground Water	NC-11



Misc. Forms

Custody Documents and Other Forms

Includes the following where applicable:

- Chain of Custody



CHAIN OF CUSTODY

2235 Route 130, Dayton NJ 08810
TEL: 732-329-0200 FAX: 732-329-3499/3480
www.accutest.com

Client / Reporting Information			Project Information			FEC-EX Tracking #		Bottle Order Control #								
Company Name: CA Rich Consultants, Inc Address: 17 Dupont Street City: Plainview State: NY Zip: 11803 Project Contact: Eric Wurster E-mail: ewurster@archimic.com Phone #: 516-576-8044 Fax #: 516-576-0693 Sampler's Name: Mike Payer/Jason Cooper			Project Name: Tishcon NYA OEM Street: New York Ave City: Westbury State: NY Project #: Tishcon NYA OEM Client Purchase Order #:			FEC-EX Tracking #		Bottle Order Control #								
						<input type="checkbox"/> PAG <input type="checkbox"/> 602 <input type="checkbox"/> IMP <input type="checkbox"/> TMA <input type="checkbox"/> TOL <input type="checkbox"/> PRP <input type="checkbox"/> TMS <input type="checkbox"/> ARIE <input type="checkbox"/> DBO <input type="checkbox"/> EDO <input type="checkbox"/> NFO <input type="checkbox"/> NFR <input type="checkbox"/> >15 <input type="checkbox"/> EDD <input type="checkbox"/> TOC <input type="checkbox"/> PRV <input type="checkbox"/> PAGF <input type="checkbox"/> BII <input type="checkbox"/> PRM <input type="checkbox"/> PAGH		Accutest Quote #: J56826 Accutest Job #:								
Accutest Sample #			Field ID / Point of Collection			Requested Analysis		Matrix Codes								
SUMMA #			Collection			Number of preserved Bottles										
MEOH Val #			Date	Time	Sampled By	Matrix	# of bottles	No	NaOH	Hg	Mercury	NH3	As	PCP		
- 1	MACW-13		3/21/07	10:10	NY	GW	3	X								899D
- 2	MACW-11		3/21/07	10:45	NY	GW	3	X								
- 3	MACW-10		3/21/07	11:25	NY	GW	3	X								
- 4	NC-24		3/21/07	12:00	NY	GW	3	X								
- 5	AIMW-11A		3/21/07	12:16	NY	GW	3	X								
- 6	AIMW-11B		3/21/07	12:47	NY	GW	3	X								
- 7	TW-1		3/21/07	13:05	NY	GW	3	X								
- 8	Pump Water 3/21/07		3/21/07	—	NY	GW	3	X								
Turnaround Time (Business Days)			Data Deliverable Information			Comments / Remarks										
<input checked="" type="checkbox"/> Std. 15 Business Days <input type="checkbox"/> 10 Day RUSH <input type="checkbox"/> 5 Day RUSH <input type="checkbox"/> 3 Day EMERGENCY <input type="checkbox"/> 2 Day EMERGENCY <input type="checkbox"/> 1 Day EMERGENCY <input type="checkbox"/> Other _____			<input checked="" type="checkbox"/> Commercial "A" <input type="checkbox"/> Commercial "B" <input type="checkbox"/> NJ Reduced <input type="checkbox"/> NJ Full <input type="checkbox"/> Other _____			<input type="checkbox"/> FULL CLP <input type="checkbox"/> NYASP Category A <input type="checkbox"/> NYASP Category B <input type="checkbox"/> State Forms <input type="checkbox"/> EDD Format _____			#VOC-8021 Halogenated only AIMW-11A sample time = 1226							
Emergency & Rush T/A data available VIA LabLink																
Sample Custody must be documented below each time samples change possession, including courier delivery.																
Refined/Used by Sender: 1. <i>Mike Payer</i>	Date/Time: 3/22/07	Received by: 1. UPS	Relinquished by: 2. UPS	Date/Time: 3/23/07	Received by: 2. <i>Mallins</i>											
Relinquished by: 3.	Date/Time:	Received by: 3.	Relinquished by: 4.	Date/Time:	Received by: 4.											
Relinquished by: 5.	Date/Time:	Received by: 5.	Custody Seal #:	Preserved where applicable <input type="checkbox"/> On Ice <input type="checkbox"/> Colder Temp. 3.4 °C												

J56826: Chain of Custody
Page 1 of 2



CHAIN OF CUSTODY

2235 Route 130, Dayton NJ 08810
TEL: 732-329-0200 FAX: 732-329-3499/3480
www.accutest.com

FED-EX Tracking #	Bottle Order Control #
Accutest Quote #	Accutest Job # J56826

Client / Reporting Information		Project Information		Requested Analysis		Matrix Codes	
Company Name CA Rich Consultants, Inc.	Project Name Tishcon NYA O&R	City Plainview	State NY	Zip 11803	City Westbury	State NY	
Address 17 Duport Street	Street New York Ave						
City Plainview	State NY	City Westbury	State NY				
Project Contact Eric Wernstuck	E-mail ewernstuck@carichinc.com	Project # Tishcon NYA O&R					
Phone # 516-576-8844	Fax # 516-576-0093						
Sampler's Name Mike Poyer, Jason Cooper	Clien Purchase Order #						
Field ID / Point of Collection		SUMMA #	Collection	# of bottles	Number of preserved Bottles		
		MECH/Vial #	Date Time Sampled By	Matrix	ea new glass plastic metal	ea 0.25 ea 0.5 ea 1 ea 2 ea 5 ea 10 ea 20 ea 50 ea 100 ea 200 ea 500 ea 1000 ea	
- 9	MWCW-3S		3/20/07 0730 NY	GW	3 X	X	
- 10	MWCW-3I		3/20/07 0750 NY	GW	3 X	X	
- 11	MWCW-3D		3/20/07 0835 NY	GW	3 X	X	
- 12	MWCW-2S		3/20/07 0928 NY	GW	3 X	X	
- 13	MWCW-2I		3/20/07 0940 NY	GW	3 X	X	
- 14	MWCW-2D		3/20/07 10:12 NY	GW	3 X	X	
- 15	NC-H		3/20/07 10:39 NY	GW	3 X	X	


Turnaround Time (Business Days)		Data Deliverable Information		Comments / Remarks	
<input checked="" type="checkbox"/> Std. 15 Business Days	Approved By / Date:	<input checked="" type="checkbox"/> Commercial "A"	<input type="checkbox"/> FULL CLP	* VOC - 8021 Halogenated only	
<input type="checkbox"/> 10 Day RUSH		<input checked="" type="checkbox"/> Commercial "B"	<input type="checkbox"/> NYASF Category A		
<input type="checkbox"/> 5 Day RUSH		<input type="checkbox"/> NJ Reduced	<input type="checkbox"/> NYASP Category B		
<input type="checkbox"/> 3 Day EMERGENCY		<input type="checkbox"/> NJ Full	<input type="checkbox"/> State Forms		
<input type="checkbox"/> 2 Day EMERGENCY		<input type="checkbox"/> Other _____	<input type="checkbox"/> EDD Forms		
<input type="checkbox"/> 1 Day EMERGENCY		Commercial "A" = Results Only			
<input type="checkbox"/> Other					

Emergency & Rush T/A data available VIA LabLink					
Sample Custody must be documented below each time samples change possession, including courier delivery.					
Received by Sampler: <i>John Poyer</i>	Date Time 3/22/07	Received by: UPS	Relinquished by: UPS	Date Time c/o 3/23/07	Received by <i>Matthews</i>
Relinquished by: 3	Date Time 3	Received by	Relinquished by 4	Date Time 4	Received by 4
Relinquished by 5	Date Time 5	Received by	Custody Seal #	Preserved where applicable <input type="checkbox"/>	On ice <input type="checkbox"/> Cooler Temp. 34°C

3.1

3

J56826: Chain of Custody
Page 2 of 2



IT'S ALL IN THE CHEMISTRY

Sample Results

Report of Analysis

Accutest Laboratories

Report of Analysis

Page 1 of 2

Client Sample ID: MDCW-1S
Lab Sample ID: J56826-1
Matrix: AQ - Ground Water
Method: SW846 8260B
Project: Tishcon Corp., Westbury, NY

Date Sampled: 03/21/07
Date Received: 03/23/07
Percent Solids: n/a

Run #1	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #2	A120509.D	1	03/30/07	ECC	n/a	n/a	VA4093

Purge Volume	
Run #1	5.0 ml
Run #2	

VOA Halogenated List

CAS No.	Compound	Result	RL	MDL	Units	Q
75-27-4	Bromodichloromethane	ND	1.0	0.17	ug/l	
75-25-2	Bromoform	ND	4.0	0.54	ug/l	
74-83-9	Bromomethane	ND	2.0	0.22	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.29	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.22	ug/l	
75-00-3	Chloroethane	ND	1.0	0.56	ug/l	
110-75-8	2-Chloroethyl vinyl ether	ND	10	0.68	ug/l	
67-66-3	Chloroform	ND	1.0	0.22	ug/l	
74-87-3	Chloromethane	ND	1.0	0.35	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.19	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.20	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.32	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.24	ug/l	
75-71-8	Dichlorodifluoromethane	ND	5.0	0.75	ug/l	
75-34-3	1,1-Dichloroethane	0.77	1.0	0.23	ug/l	J
107-06-2	1,2-Dichloroethane	ND	1.0	0.29	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.33	ug/l	
156-59-2	cis-1,2-Dichloroethene	1.4	1.0	0.18	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.42	ug/l	
540-59-0	1,2-Dichloroethene (total)	1.4	1.0	0.18	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.20	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.15	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.20	ug/l	
75-09-2	Methylene chloride	ND	2.0	0.27	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.28	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.28	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.28	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.32	ug/l	
79-01-6	Trichloroethene	ND	1.0	0.29	ug/l	
75-69-4	Trichlorofluoromethane	ND	5.0	0.25	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.29	ug/l	

ND = Not detected MDL - Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Accutest Laboratories

Report of Analysis

Page 2 of 2

Client Sample ID:	MDCW-1S	Date Sampled:	03/21/07
Lab Sample ID:	J56826-1	Date Received:	03/23/07
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8260B		
Project:	Tishcon Corp., Westbury, NY		

VOA Halogenated List

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	105%		76-123%
17060-07-0	1,2-Dichloroethane-D4	124%		63-140%
2037-26-5	Toluene-D8	106%		78-117%
460-00-4	4-Bromofluorobenzene	109%		73-125%

ND = Not detected MDL - Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

Accutest Laboratories

Report of Analysis

Page 1 of 2

Client Sample ID: MDCW-1I
Lab Sample ID: J56826-2
Matrix: AQ - Ground Water
Method: SW846 8260B
Project: Tishcon Corp., Westbury, NY

Date Sampled: 03/21/07
Date Received: 03/23/07
Percent Solids: n/a

Run #1	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #2	A120510.D	1	03/30/07	ECC	n/a	n/a	VA4093

Purge Volume	
Run #1	5.0 ml
Run #2	

VOA Halogenated List

CAS No.	Compound	Result	RL	MDL	Units	Q
75-27-4	Bromodichloromethane	ND	1.0	0.17	ug/l	
75-25-2	Bromoform	ND	4.0	0.54	ug/l	
74-83-9	Bromomethane	ND	2.0	0.22	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.29	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.22	ug/l	
75-00-3	Chloroethane	ND	1.0	0.56	ug/l	
110-75-8	2-Chloroethyl vinyl ether	ND	10	0.68	ug/l	
67-66-3	Chloroform	ND	1.0	0.22	ug/l	
74-87-3	Chloromethane	ND	1.0	0.35	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.19	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.20	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.32	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.24	ug/l	
75-71-8	Dichlorodifluoromethane	ND	5.0	0.75	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.23	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.29	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.33	ug/l	
156-59-2	cis-1,2-Dichloroethene	1.7	1.0	0.18	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.42	ug/l	
540-59-0	1,2-Dichloroethene (total)	1.7	1.0	0.18	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.20	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.15	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.20	ug/l	
75-09-2	Methylene chloride	ND	2.0	0.27	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.28	ug/l	
127-18-4	Tetrachloroethene	0.37	1.0	0.28	ug/l	J
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.28	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.32	ug/l	
79-01-6	Trichloroethene	ND	1.0	0.29	ug/l	
75-69-4	Trichlorofluoromethane	ND	5.0	0.25	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.29	ug/l	

ND = Not detected

MDL - Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Accutest Laboratories

Report of Analysis

Page 2 of 2

Client Sample ID: MDCW-1I	Date Sampled: 03/21/07
Lab Sample ID: J56826-2	Date Received: 03/23/07
Matrix: AQ - Ground Water	Percent Solids: n/a
Method: SW846 8260B	
Project: Tishcon Corp., Westbury, NY	

VOA Halogenated List

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	106%		76-123%
17060-07-0	1,2-Dichloroethane-D4	126%		63-140%
2037-26-5	Toluene-D8	106%		78-117%
460-00-4	4-Bromofluorobenzene	112%		73-125%

ND = Not detected MDL - Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

Accutest Laboratories

Report of Analysis

Page 1 of 2

Client Sample ID: MDCW-1D
Lab Sample ID: J56826-3
Matrix: AQ - Ground Water
Method: SW846 8260B
Project: Tishcon Corp., Westbury, NY

Date Sampled: 03/21/07
Date Received: 03/23/07
Percent Solids: n/a

Run #1	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #2	A120511.D	1	03/30/07	ECC	n/a	n/a	VA4093

Purge Volume	
Run #1	5.0 ml
Run #2	

VOA Halogenated List

CAS No.	Compound	Result	RL	MDL	Units	Q
75-27-4	Bromodichloromethane	ND	1.0	0.17	ug/l	
75-25-2	Bromoform	ND	4.0	0.54	ug/l	
74-83-9	Bromomethane	ND	2.0	0.22	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.29	ug/l	
108-90-7	Chlorobenzene	0.45	1.0	0.22	ug/l	J
75-00-3	Chloroethane	ND	1.0	0.56	ug/l	
110-75-8	2-Chloroethyl vinyl ether	ND	10	0.68	ug/l	
67-66-3	Chloroform	ND	1.0	0.22	ug/l	
74-87-3	Chloromethane	ND	1.0	0.35	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.19	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.20	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.32	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.24	ug/l	
75-71-8	Dichlorodifluoromethane	ND	5.0	0.75	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.23	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.29	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.33	ug/l	
156-59-2	cis-1,2-Dichloroethene	0.33	1.0	0.18	ug/l	J
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.42	ug/l	
540-59-0	1,2-Dichloroethene (total)	0.33	1.0	0.18	ug/l	J
78-87-5	1,2-Dichloropropane	ND	1.0	0.20	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.15	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.20	ug/l	
75-09-2	Methylene chloride	ND	2.0	0.27	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.28	ug/l	
127-18-4	Tetrachloroethene	0.64	1.0	0.28	ug/l	J
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.28	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.32	ug/l	
79-01-6	Trichloroethene	1.6	1.0	0.29	ug/l	
75-69-4	Trichlorofluoromethane	ND	5.0	0.25	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.29	ug/l	

ND = Not detected MDL - Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Accutest Laboratories

Report of Analysis

Page 2 of 2

Client Sample ID: MDCW-1D	Date Sampled: 03/21/07
Lab Sample ID: J56826-3	Date Received: 03/23/07
Matrix: AQ - Ground Water	Percent Solids: n/a
Method: SW846 8260B	
Project: Tishcon Corp., Westbury, NY	

VOA Halogenated List

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	108%		76-123%
17060-07-0	1,2-Dichloroethane-D4	129%		63-140%
2037-26-5	Toluene-D8	107%		78-117%
460-00-4	4-Bromofluorobenzene	111%		73-125%

ND = Not detected MDL - Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

Accutest Laboratories

Report of Analysis

Page 1 of 2

Client Sample ID: NC-24
Lab Sample ID: J56826-4
Matrix: AQ - Ground Water
Method: SW846 8260B
Project: Tishcon Corp., Westbury, NY

Date Sampled: 03/21/07
Date Received: 03/23/07
Percent Solids: n/a

Run #1	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #2	A120512.D	1	03/30/07	ECC	n/a	n/a	VA4093

Purge Volume	
Run #1	5.0 ml
Run #2	

VOA Halogenated List

CAS No.	Compound	Result	RL	MDL	Units	Q
75-27-4	Bromodichloromethane	ND	1.0	0.17	ug/l	
75-25-2	Bromoform	ND	4.0	0.54	ug/l	
74-83-9	Bromomethane	ND	2.0	0.22	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.29	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.22	ug/l	
75-00-3	Chloroethane	ND	1.0	0.56	ug/l	
110-75-8	2-Chloroethyl vinyl ether	ND	10	0.68	ug/l	
67-66-3	Chloroform	ND	1.0	0.22	ug/l	
74-87-3	Chloromethane	ND	1.0	0.35	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.19	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.20	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.32	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.24	ug/l	
75-71-8	Dichlorodifluoromethane	ND	5.0	0.75	ug/l	
75-34-3	1,1-Dichloroethane	13.4	1.0	0.23	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.29	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.33	ug/l	
156-59-2	cis-1,2-Dichloroethene	1.0	1.0	0.18	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.42	ug/l	
540-59-0	1,2-Dichloroethene (total)	1.0	1.0	0.18	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.20	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.15	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.20	ug/l	
75-09-2	Methylene chloride	ND	2.0	0.27	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.28	ug/l	
127-18-4	Tetrachloroethene	0.54	1.0	0.28	ug/l	J
71-55-6	1,1,1-Trichloroethane	2.0	1.0	0.28	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.32	ug/l	
79-01-6	Trichloroethene	ND	1.0	0.29	ug/l	
75-69-4	Trichlorofluoromethane	ND	5.0	0.25	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.29	ug/l	

ND = Not detected MDL - Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Accutest Laboratories

Report of Analysis

Page 2 of 2

Client Sample ID:	NC-24	Date Sampled:	03/21/07
Lab Sample ID:	J56826-4	Date Received:	03/23/07
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8260B		
Project:	Tishcon Corp., Westbury, NY		

VOA Halogenated List

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	108%		76-123%
17060-07-0	1,2-Dichloroethane-D4	130%		63-140%
2037-26-5	Toluene-D8	107%		78-117%
460-00-4	4-Bromofluorobenzene	113%		73-125%

ND = Not detected MDL - Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

Accutest Laboratories

Report of Analysis

Page 1 of 2

Client Sample ID: AIMW-11A
Lab Sample ID: J56826-5
Matrix: AQ - Ground Water
Method: SW846 8260B
Project: Tishcon Corp., Westbury, NY

Date Sampled: 03/21/07
Date Received: 03/23/07
Percent Solids: n/a

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	A120513.D	1	03/30/07	ECC	n/a	n/a	VA4093
Run #2							

Purge Volume	
Run #1	5.0 ml
Run #2	

VOA Halogenated List

CAS No.	Compound	Result	RL	MDL	Units	Q
75-27-4	Bromodichloromethane	ND	1.0	0.17	ug/l	
75-25-2	Bromoform	ND	4.0	0.54	ug/l	
74-83-9	Bromomethane	ND	2.0	0.22	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.29	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.22	ug/l	
75-00-3	Chloroethane	ND	1.0	0.56	ug/l	
110-75-8	2-Chloroethyl vinyl ether	ND	10	0.68	ug/l	
67-66-3	Chloroform	ND	1.0	0.22	ug/l	
74-87-3	Chloromethane	ND	1.0	0.35	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.19	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.20	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.32	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.24	ug/l	
75-71-8	Dichlorodifluoromethane	ND	5.0	0.75	ug/l	
75-34-3	1,1-Dichloroethane	1.2	1.0	0.23	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.29	ug/l	
75-35-4	1,1-Dichloroethene	3.3	1.0	0.33	ug/l	
156-59-2	cis-1,2-Dichloroethene	1.9	1.0	0.18	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.42	ug/l	
540-59-0	1,2-Dichloroethene (total)	1.9	1.0	0.18	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.20	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.15	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.20	ug/l	
75-09-2	Methylene chloride	ND	2.0	0.27	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.28	ug/l	
127-18-4	Tetrachloroethene	12.4	1.0	0.28	ug/l	
71-55-6	1,1,1-Trichloroethane	3.6	1.0	0.28	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.32	ug/l	
79-01-6	Trichloroethene	3.4	1.0	0.29	ug/l	
75-69-4	Trichlorofluoromethane	ND	5.0	0.25	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.29	ug/l	

ND = Not detected MDL - Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound



Accutest Laboratories

Report of Analysis

Page 2 of 2

Client Sample ID:	AIMW-11A	Date Sampled:	03/21/07
Lab Sample ID:	J56826-5	Date Received:	03/23/07
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8260B		
Project:	Tishcon Corp., Westbury, NY		

VOA Halogenated List

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	107%		76-123%
17060-07-0	1,2-Dichloroethane-D4	130%		63-140%
2037-26-5	Toluene-D8	106%		78-117%
460-00-4	4-Bromofluorobenzene	112%		73-125%

ND = Not detected MDL - Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

Accutest Laboratories

Report of Analysis

Page 1 of 2

Client Sample ID: AIMW-11B
Lab Sample ID: J56826-6
Matrix: AQ - Ground Water
Method: SW846 8260B
Project: Tishcon Corp., Westbury, NY

Date Sampled: 03/21/07
Date Received: 03/23/07
Percent Solids: n/a

Run #1	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #2	A120515.D	1	03/30/07	ECC	n/a	n/a	VA4093

Purge Volume	
Run #1	5.0 ml
Run #2	

VOA Halogenated List

CAS No.	Compound	Result	RL	MDL	Units	Q
75-27-4	Bromodichloromethane	ND	1.0	0.17	ug/l	
75-25-2	Bromoform	ND	4.0	0.54	ug/l	
74-83-9	Bromomethane	ND	2.0	0.22	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.29	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.22	ug/l	
75-00-3	Chloroethane	ND	1.0	0.56	ug/l	
110-75-8	2-Chloroethyl vinyl ether	ND	10	0.68	ug/l	
67-66-3	Chloroform	ND	1.0	0.22	ug/l	
74-87-3	Chloromethane	ND	1.0	0.35	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.19	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.20	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.32	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.24	ug/l	
75-71-8	Dichlorodifluoromethane	ND	5.0	0.75	ug/l	
75-34-3	1,1-Dichloroethane	1.2	1.0	0.23	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.29	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.33	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.18	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.42	ug/l	
540-59-0	1,2-Dichloroethene (total)	ND	1.0	0.18	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.20	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.15	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.20	ug/l	
75-09-2	Methylene chloride	ND	2.0	0.27	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.28	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.28	ug/l	
71-55-6	1,1,1-Trichloroethane	1.4	1.0	0.28	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.32	ug/l	
79-01-6	Trichloroethene	1.4	1.0	0.29	ug/l	
75-69-4	Trichlorofluoromethane	ND	5.0	0.25	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.29	ug/l	

ND = Not detected MDL - Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Accutest Laboratories

Report of Analysis

Page 2 of 2

Client Sample ID:	AIMW-11B	Date Sampled:	03/21/07
Lab Sample ID:	J56826-6	Date Received:	03/23/07
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8260B		
Project:	Tishcon Corp., Westbury, NY		

VOA Halogenated List

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	107%		76-123%
17060-07-0	1,2-Dichloroethane-D4	132%		63-140%
2037-26-5	Toluene-D8	107%		78-117%
460-00-4	4-Bromofluorobenzene	115%		73-125%

ND = Not detected MDL - Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

Accutest Laboratories

Report of Analysis

Page 1 of 2

Client Sample ID:	TW-1	Date Sampled:	03/21/07
Lab Sample ID:	J56826-7	Date Received:	03/23/07
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8260B		
Project:	Tishcon Corp., Westbury, NY		

Run #1	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
	A120516.D	1	03/30/07	ECC	n/a	n/a	VA4093
Run #2							

Purge Volume	
Run #1	5.0 ml
Run #2	

VOA Halogenated List

CAS No.	Compound	Result	RL	MDL	Units	Q
75-27-4	Bromodichloromethane	ND	1.0	0.17	ug/l	
75-25-2	Bromoform	ND	4.0	0.54	ug/l	
74-83-9	Bromomethane	ND	2.0	0.22	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.29	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.22	ug/l	
75-00-3	Chloroethane	ND	1.0	0.56	ug/l	
110-75-8	2-Chloroethyl vinyl ether	ND	10	0.68	ug/l	
67-66-3	Chloroform	ND	1.0	0.22	ug/l	
74-87-3	Chloromethane	ND	1.0	0.35	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.19	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.20	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.32	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.24	ug/l	
75-71-8	Dichlorodifluoromethane	ND	5.0	0.75	ug/l	
75-34-3	1,1-Dichloroethane	9.5	1.0	0.23	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.29	ug/l	
75-35-4	1,1-Dichloroethene	6.5	1.0	0.33	ug/l	
156-59-2	cis-1,2-Dichloroethene	2.8	1.0	0.18	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.42	ug/l	
540-59-0	1,2-Dichloroethene (total)	2.8	1.0	0.18	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.20	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.15	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.20	ug/l	
75-09-2	Methylene chloride	ND	2.0	0.27	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.28	ug/l	
127-18-4	Tetrachloroethene	2.4	1.0	0.28	ug/l	
71-55-6	1,1,1-Trichloroethane	11.7	1.0	0.28	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.32	ug/l	
79-01-6	Trichloroethene	1.9	1.0	0.29	ug/l	
75-69-4	Trichlorofluoromethane	ND	5.0	0.25	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.29	ug/l	

ND = Not detected MDL - Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Accutest Laboratories

Report of Analysis

Page 2 of 2

Client Sample ID:	TW-1	Date Sampled:	03/21/07
Lab Sample ID:	J56826-7	Date Received:	03/23/07
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8260B		
Project:	Tishcon Corp., Westbury, NY		

VOA Halogenated List

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	108%		76-123%
17060-07-0	1,2-Dichloroethane-D4	132%		63-140%
2037-26-5	Toluene-D8	107%		78-117%
460-00-4	4-Bromofluorobenzene	115%		73-125%

ND = Not detected MDL - Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

Accutest Laboratories

Report of Analysis

Page 1 of 2

Client Sample ID: PURGE WATER 3/21/07

Lab Sample ID: J56826-8

Date Sampled: 03/21/07

Matrix: AQ - Ground Water

Date Received: 03/23/07

Method: SW846 8260B

Percent Solids: n/a

Project: Tishcon Corp., Westbury, NY

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	A120517.D	1	03/30/07	ECC	n/a	n/a	VA4093
Run #2							

Purge Volume

Run #1 5.0 ml

Run #2

VOA Halogenated List

CAS No.	Compound	Result	RL	MDL	Units	Q
75-27-4	Bromodichloromethane	ND	1.0	0.17	ug/l	
75-25-2	Bromoform	ND	4.0	0.54	ug/l	
74-83-9	Bromomethane	ND	2.0	0.22	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.29	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.22	ug/l	
75-00-3	Chloroethane	ND	1.0	0.56	ug/l	
110-75-8	2-Chloroethyl vinyl ether	ND	10	0.68	ug/l	
67-66-3	Chloroform	ND	1.0	0.22	ug/l	
74-87-3	Chloromethane	ND	1.0	0.35	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.19	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.20	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.32	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.24	ug/l	
75-71-8	Dichlorodifluoromethane	ND	5.0	0.75	ug/l	
75-34-3	1,1-Dichloroethane	18.9	1.0	0.23	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.29	ug/l	
75-35-4	1,1-Dichloroethene	2.7	1.0	0.33	ug/l	
156-59-2	cis-1,2-Dichloroethene	0.54	1.0	0.18	ug/l	J
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.42	ug/l	
540-59-0	1,2-Dichloroethene (total)	0.54	1.0	0.18	ug/l	J
78-87-5	1,2-Dichloropropane	ND	1.0	0.20	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.15	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.20	ug/l	
75-09-2	Methylene chloride	ND	2.0	0.27	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.28	ug/l	
127-18-4	Tetrachloroethene	2.0	1.0	0.28	ug/l	
71-55-6	1,1,1-Trichloroethane	10.6	1.0	0.28	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.32	ug/l	
79-01-6	Trichloroethene	3.7	1.0	0.29	ug/l	
75-69-4	Trichlorofluoromethane	ND	5.0	0.25	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.29	ug/l	

ND = Not detected

MDL - Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Accutest Laboratories

Report of Analysis

Page 2 of 2

Client Sample ID:	PURGE WATER 3/21/07	Date Sampled:	03/21/07
Lab Sample ID:	J56826-8	Date Received:	03/23/07
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8260B		
Project:	Tishcon Corp., Westbury, NY		

VOA Halogenated List

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	109%		76-123%
17060-07-0	1,2-Dichloroethane-D4	133%		63-140%
2037-26-5	Toluene-D8	108%		78-117%
460-00-4	4-Bromofluorobenzene	109%		73-125%

ND = Not detected MDL - Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

Accutest Laboratories

Report of Analysis

Page 1 of 2

Client Sample ID: MDCW-3S
Lab Sample ID: J56826-9
Matrix: AQ - Ground Water
Method: SW846 8260B
Project: Tishcon Corp., Westbury, NY

Date Sampled: 03/20/07
Date Received: 03/23/07
Percent Solids: n/a

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	1C37192.D	1	04/02/07	DTM	n/a	n/a	V1C1486
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

VOA Halogenated List

CAS No.	Compound	Result	RL	MDL	Units	Q
75-27-4	Bromodichloromethane	ND	1.0	0.17	ug/l	
75-25-2	Bromoform	ND	4.0	0.54	ug/l	
74-83-9	Bromomethane	ND	2.0	0.22	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.29	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.22	ug/l	
75-00-3	Chloroethane	ND	1.0	0.56	ug/l	
110-75-8	2-Chloroethyl vinyl ether	ND	10	0.68	ug/l	
67-66-3	Chloroform	0.49	1.0	0.22	ug/l	J
74-87-3	Chloromethane	ND	1.0	0.35	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.19	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.20	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.32	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.24	ug/l	
75-71-8	Dichlorodifluoromethane	ND	5.0	0.75	ug/l	
75-34-3	1,1-Dichloroethane	33.3	1.0	0.23	ug/l	
107-06-2	1,2-Dichloroethane	0.57	1.0	0.29	ug/l	J
75-35-4	1,1-Dichloroethene	4.8	1.0	0.33	ug/l	
156-59-2	cis-1,2-Dichloroethene	2.1	1.0	0.18	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.42	ug/l	
540-59-0	1,2-Dichloroethene (total)	2.1	1.0	0.18	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.20	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.15	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.20	ug/l	
75-09-2	Methylene chloride	ND	2.0	0.27	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.28	ug/l	
127-18-4	Tetrachloroethene	1.7	1.0	0.28	ug/l	
71-55-6	1,1,1-Trichloroethane	10.3	1.0	0.28	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.32	ug/l	
79-01-6	Trichloroethene	14.1	1.0	0.29	ug/l	
75-69-4	Trichlorofluoromethane	ND	5.0	0.25	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.29	ug/l	

ND = Not detected MDL - Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Accutest Laboratories

Report of Analysis

Page 2 of 2

Client Sample ID:	MDCW-3S	Date Sampled:	03/20/07
Lab Sample ID:	J56826-9	Date Received:	03/23/07
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8260B		
Project:	Tishcon Corp., Westbury, NY		

VOA Halogenated List

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	95%		76-123%
17060-07-0	1,2-Dichloroethane-D4	100%		63-140%
2037-26-5	Toluene-D8	93%		78-117%
460-00-4	4-Bromofluorobenzene	108%		73-125%

ND = Not detected MDL - Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

Accutest Laboratories

Report of Analysis

Page 1 of 2

Client Sample ID: MDCW-3I
Lab Sample ID: J56826-10
Matrix: AQ - Ground Water
Method: SW846 8260B
Project: Tishcon Corp., Westbury, NY

Date Sampled: 03/20/07
Date Received: 03/23/07
Percent Solids: n/a

Run #1	File ID 1C37199.D	DF 1	Analyzed 04/02/07	By DTM	Prep Date n/a	Prep Batch n/a	Analytical Batch V1C1486
Run #2							

Purge Volume	
Run #1	5.0 ml
Run #2	

VOA Halogenated List

CAS No.	Compound	Result	RL	MDL	Units	Q
75-27-4	Bromodichloromethane	ND	1.0	0.17	ug/l	
75-25-2	Bromoform	ND	4.0	0.54	ug/l	
74-83-9	Bromomethane	ND	2.0	0.22	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.29	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.22	ug/l	
75-00-3	Chloroethane	ND	1.0	0.56	ug/l	
110-75-8	2-Chloroethyl vinyl ether	ND	10	0.68	ug/l	
67-66-3	Chloroform	0.29	1.0	0.22	ug/l	J
74-87-3	Chloromethane	ND	1.0	0.35	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.19	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.20	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.32	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.24	ug/l	
75-71-8	Dichlorodifluoromethane	ND	5.0	0.75	ug/l	
75-34-3	1,1-Dichloroethane	67.6	1.0	0.23	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.29	ug/l	
75-35-4	1,1-Dichloroethene	3.8	1.0	0.33	ug/l	
156-59-2	cis-1,2-Dichloroethene	1.5	1.0	0.18	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.42	ug/l	
540-59-0	1,2-Dichloroethene (total)	1.5	1.0	0.18	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.20	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.15	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.20	ug/l	
75-09-2	Methylene chloride	ND	2.0	0.27	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.28	ug/l	
127-18-4	Tetrachloroethene	5.2	1.0	0.28	ug/l	
71-55-6	1,1,1-Trichloroethane	51.6	1.0	0.28	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.32	ug/l	
79-01-6	Trichloroethene	0.97	1.0	0.29	ug/l	J
75-69-4	Trichlorofluoromethane	ND	5.0	0.25	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.29	ug/l	

ND = Not detected MDL - Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Accutest Laboratories

Report of Analysis

Page 2 of 2

Client Sample ID:	MDCW-3I	Date Sampled:	03/20/07
Lab Sample ID:	J56826-10	Date Received:	03/23/07
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8260B		
Project:	Tishcon Corp., Westbury, NY		

VOA Halogenated List

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	93%		76-123%
17060-07-0	1,2-Dichloroethane-D4	97%		63-140%
2037-26-5	Toluene-D8	93%		78-117%
460-00-4	4-Bromofluorobenzene	111%		73-125%

ND = Not detected MDL - Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

Accutest Laboratories

Report of Analysis

Page 1 of 2

Client Sample ID: MDCW-3D
Lab Sample ID: J56826-11
Matrix: AQ - Ground Water
Method: SW846 8260B
Project: Tishcon Corp., Westbury, NY

Date Sampled: 03/20/07
Date Received: 03/23/07
Percent Solids: n/a

Run #1	File ID A120540.D	DF 1	Analyzed 03/30/07	By ECC	Prep Date n/a	Prep Batch n/a	Analytical Batch VA4094
Run #2							

Purge Volume	
Run #1	5.0 ml
Run #2	

VOA Halogenated List

CAS No.	Compound	Result	RL	MDL	Units	Q
75-27-4	Bromodichloromethane	ND	1.0	0.17	ug/l	
75-25-2	Bromoform	ND	4.0	0.54	ug/l	
74-83-9	Bromomethane	ND	2.0	0.22	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.29	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.22	ug/l	
75-00-3	Chloroethane	ND	1.0	0.56	ug/l	
110-75-8	2-Chloroethyl vinyl ether	ND	10	0.68	ug/l	
67-66-3	Chloroform	ND	1.0	0.22	ug/l	
74-87-3	Chloromethane	ND	1.0	0.35	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.19	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.20	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.32	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.24	ug/l	
75-71-8	Dichlorodifluoromethane	ND	5.0	0.75	ug/l	
75-34-3	1,1-Dichloroethane	0.68	1.0	0.23	ug/l	J
107-06-2	1,2-Dichloroethane	ND	1.0	0.29	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.33	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.18	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.42	ug/l	
540-59-0	1,2-Dichloroethene (total)	ND	1.0	0.18	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.20	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.15	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.20	ug/l	
75-09-2	Methylene chloride	ND	2.0	0.27	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.28	ug/l	
127-18-4	Tetrachloroethene	1.2	1.0	0.28	ug/l	
71-55-6	1,1,1-Trichloroethane	1.5	1.0	0.28	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.32	ug/l	
79-01-6	Trichloroethene	6.3	1.0	0.29	ug/l	
75-69-4	Trichlorofluoromethane	ND	5.0	0.25	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.29	ug/l	

ND = Not detected MDL - Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Accutest Laboratories

Report of Analysis

Page 2 of 2

Client Sample ID:	MDCW-3D	Date Sampled:	03/20/07
Lab Sample ID:	J56826-11	Date Received:	03/23/07
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8260B		
Project:	Tishcon Corp., Westbury, NY		

VOA Halogenated List

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	109%		76-123%
17060-07-0	1,2-Dichloroethane-D4	133%		63-140%
2037-26-5	Toluene-D8	106%		78-117%
460-00-4	4-Bromofluorobenzene	114%		73-125%

ND = Not detected MDL - Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

Accutest Laboratories

Report of Analysis

Page 1 of 2

Client Sample ID: MDCW-2S
Lab Sample ID: J56826-12
Matrix: AQ - Ground Water
Method: SW846 8260B
Project: Tishcon Corp., Westbury, NY

Date Sampled: 03/20/07
Date Received: 03/23/07
Percent Solids: n/a

Run #1	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #2	A120541.D	1	03/30/07	ECC	n/a	n/a	VA4094

Purge Volume	
Run #1	5.0 ml
Run #2	

VOA Halogenated List

CAS No.	Compound	Result	RL	MDL	Units	Q
75-27-4	Bromodichloromethane	ND	1.0	0.17	ug/l	
75-25-2	Bromoform	ND	4.0	0.54	ug/l	
74-83-9	Bromomethane	ND	2.0	0.22	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.29	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.22	ug/l	
75-00-3	Chloroethane	ND	1.0	0.56	ug/l	
110-75-8	2-Chloroethyl vinyl ether	ND	10	0.68	ug/l	
67-66-3	Chloroform	ND	1.0	0.22	ug/l	
74-87-3	Chloromethane	ND	1.0	0.35	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.19	ug/l	
95-50-1	1,2-Dichlorobenzene	0.57	1.0	0.20	ug/l	J
541-73-1	1,3-Dichlorobenzene	0.32	1.0	0.32	ug/l	J
106-46-7	1,4-Dichlorobenzene	0.37	1.0	0.24	ug/l	J
75-71-8	Dichlorodifluoromethane	ND	5.0	0.75	ug/l	
75-34-3	1,1-Dichloroethane	2.0	1.0	0.23	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.29	ug/l	
75-35-4	1,1-Dichloroethene	2.4	1.0	0.33	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.18	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.42	ug/l	
540-59-0	1,2-Dichloroethene (total)	ND	1.0	0.18	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.20	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.15	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.20	ug/l	
75-09-2	Methylene chloride	ND	2.0	0.27	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.28	ug/l	
127-18-4	Tetrachloroethene	32.7	1.0	0.28	ug/l	
71-55-6	1,1,1-Trichloroethane	5.0	1.0	0.28	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.32	ug/l	
79-01-6	Trichloroethene	15.7	1.0	0.29	ug/l	
75-69-4	Trichlorofluoromethane	ND	5.0	0.25	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.29	ug/l	

ND = Not detected MDL - Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Accutest Laboratories

Report of Analysis

Page 2 of 2

Client Sample ID: MDCW-2S	Date Sampled: 03/20/07
Lab Sample ID: J56826-12	Date Received: 03/23/07
Matrix: AQ - Ground Water	Percent Solids: n/a
Method: SW846 8260B	
Project: Tishcon Corp., Westbury, NY	

VOA Halogenated List

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	108%		76-123%
17060-07-0	1,2-Dichloroethane-D4	134%		63-140%
2037-26-5	Toluene-D8	108%		78-117%
460-00-4	4-Bromofluorobenzene	96%		73-125%

ND = Not detected MDL - Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

Accutest Laboratories

Report of Analysis

Page 1 of 2

Client Sample ID: MDCW-2I
Lab Sample ID: J56826-13
Matrix: AQ - Ground Water
Method: SW846 8260B
Project: Tishcon Corp., Westbury, NY

Date Sampled: 03/20/07
Date Received: 03/23/07
Percent Solids: n/a

Run #1	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #2	1C37190.D	2	04/02/07	DTM	n/a	n/a	V1C1486

Purge Volume	
Run #1	5.0 ml
Run #2	

VOA Halogenated List

CAS No.	Compound	Result	RL	MDL	Units	Q
75-27-4	Bromodichloromethane	ND	2.0	0.35	ug/l	
75-25-2	Bromoform	ND	8.0	1.1	ug/l	
74-83-9	Bromomethane	ND	4.0	0.45	ug/l	
56-23-5	Carbon tetrachloride	ND	2.0	0.58	ug/l	
108-90-7	Chlorobenzene	ND	2.0	0.45	ug/l	
75-00-3	Chloroethane	ND	2.0	1.1	ug/l	
110-75-8	2-Chloroethyl vinyl ether	ND	20	1.4	ug/l	
67-66-3	Chloroform	0.52	2.0	0.43	ug/l	J
74-87-3	Chloromethane	ND	2.0	0.70	ug/l	
124-48-1	Dibromochloromethane	ND	2.0	0.38	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	2.0	0.41	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	2.0	0.63	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	2.0	0.48	ug/l	
75-71-8	Dichlorodifluoromethane	ND	10	1.5	ug/l	
75-34-3	1,1-Dichloroethane	259	2.0	0.47	ug/l	
107-06-2	1,2-Dichloroethane	ND	2.0	0.59	ug/l	
75-35-4	1,1-Dichloroethene	59.5	2.0	0.65	ug/l	
156-59-2	cis-1,2-Dichloroethene	3.9	2.0	0.36	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	2.0	0.84	ug/l	
540-59-0	1,2-Dichloroethene (total)	3.9	2.0	0.36	ug/l	
78-87-5	1,2-Dichloropropane	ND	2.0	0.40	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	2.0	0.30	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	2.0	0.40	ug/l	
75-09-2	Methylene chloride	ND	4.0	0.53	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	2.0	0.55	ug/l	
127-18-4	Tetrachloroethene	5.0	2.0	0.55	ug/l	
71-55-6	1,1,1-Trichloroethane	153	2.0	0.55	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	2.0	0.63	ug/l	
79-01-6	Trichloroethene	11.4	2.0	0.58	ug/l	
75-69-4	Trichlorofluoromethane	ND	10	0.51	ug/l	
75-01-4	Vinyl chloride	ND	2.0	0.58	ug/l	

ND = Not detected MDL - Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Accutest Laboratories

Report of Analysis

Page 2 of 2

Client Sample ID:	MDCW-2I	Date Sampled:	03/20/07
Lab Sample ID:	J56826-13	Date Received:	03/23/07
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8260B		
Project:	Tishcon Corp., Westbury, NY		

VOA Halogenated List

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	94%		76-123%
17060-07-0	1,2-Dichloroethane-D4	96%		63-140%
2037-26-5	Toluene-D8	91%		78-117%
460-00-4	4-Bromofluorobenzene	107%		73-125%

ND = Not detected MDL - Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

Accutest Laboratories

Report of Analysis

Page 1 of 2

Client Sample ID: MDCW-2D
Lab Sample ID: J56826-14
Matrix: AQ - Ground Water
Method: SW846 8260B
Project: Tishcon Corp., Westbury, NY

Date Sampled: 03/20/07
Date Received: 03/23/07
Percent Solids: n/a

Run #1	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #2	A120543.D	1	03/30/07	ECC	n/a	n/a	VA4094

Purge Volume	
Run #1	5.0 ml
Run #2	

VOA Halogenated List

CAS No.	Compound	Result	RL	MDL	Units	Q
75-27-4	Bromodichloromethane	ND	1.0	0.17	ug/l	
75-25-2	Bromoform	ND	4.0	0.54	ug/l	
74-83-9	Bromomethane	ND	2.0	0.22	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.29	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.22	ug/l	
75-00-3	Chloroethane	ND	1.0	0.56	ug/l	
110-75-8	2-Chloroethyl vinyl ether	ND	10	0.68	ug/l	
67-66-3	Chloroform	ND	1.0	0.22	ug/l	
74-87-3	Chloromethane	ND	1.0	0.35	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.19	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.20	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.32	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.24	ug/l	
75-71-8	Dichlorodifluoromethane	ND	5.0	0.75	ug/l	
75-34-3	1,1-Dichloroethane	0.34	1.0	0.23	ug/l	J
107-06-2	1,2-Dichloroethane	ND	1.0	0.29	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.33	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.18	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.42	ug/l	
540-59-0	1,2-Dichloroethene (total)	ND	1.0	0.18	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.20	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.15	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.20	ug/l	
75-09-2	Methylene chloride	ND	2.0	0.27	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.28	ug/l	
127-18-4	Tetrachloroethene	2.0	1.0	0.28	ug/l	
71-55-6	1,1,1-Trichloroethane	0.94	1.0	0.28	ug/l	J
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.32	ug/l	
79-01-6	Trichloroethene	3.9	1.0	0.29	ug/l	
75-69-4	Trichlorofluoromethane	ND	5.0	0.25	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.29	ug/l	

ND = Not detected

MDL - Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Accutest Laboratories

Report of Analysis

Page 2 of 2

Client Sample ID:	MDCW-2D	Date Sampled:	03/20/07
Lab Sample ID:	J56826-14	Date Received:	03/23/07
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8260B		
Project:	Tishcon Corp., Westbury, NY		

VOA Halogenated List

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	103%		76-123%
17060-07-0	1,2-Dichloroethane-D4	120%		63-140%
2037-26-5	Toluene-D8	106%		78-117%
460-00-4	4-Bromofluorobenzene	110%		73-125%

ND = Not detected MDL - Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

Accutest Laboratories

Report of Analysis

Page 1 of 2

Client Sample ID: NC-11
Lab Sample ID: J56826-15
Matrix: AQ - Ground Water
Method: SW846 8260B
Project: Tishcon Corp., Westbury, NY

Date Sampled: 03/20/07
Date Received: 03/23/07
Percent Solids: n/a

Run #1	File ID A120530.D	DF 1	Analyzed 03/30/07	By ECC	Prep Date n/a	Prep Batch n/a	Analytical Batch VA4094
Run #2							

Purge Volume	
Run #1	5.0 ml
Run #2	

VOA Halogenated List

CAS No.	Compound	Result	RL	MDL	Units	Q
75-27-4	Bromodichloromethane	ND	1.0	0.17	ug/l	
75-25-2	Bromoform	ND	4.0	0.54	ug/l	
74-83-9	Bromomethane	ND	2.0	0.22	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.29	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.22	ug/l	
75-00-3	Chloroethane	ND	1.0	0.56	ug/l	
110-75-8	2-Chloroethyl vinyl ether	ND	10	0.68	ug/l	
67-66-3	Chloroform	ND	1.0	0.22	ug/l	
74-87-3	Chloromethane	ND	1.0	0.35	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.19	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.20	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.32	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.24	ug/l	
75-71-8	Dichlorodifluoromethane	ND	5.0	0.75	ug/l	
75-34-3	1,1-Dichloroethane	3.6	1.0	0.23	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.29	ug/l	
75-35-4	1,1-Dichloroethene	1.3	1.0	0.33	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.18	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.42	ug/l	
540-59-0	1,2-Dichloroethene (total)	ND	1.0	0.18	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.20	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.15	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.20	ug/l	
75-09-2	Methylene chloride	ND	2.0	0.27	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.28	ug/l	
127-18-4	Tetrachloroethene	7.1	1.0	0.28	ug/l	
71-55-6	1,1,1-Trichloroethane	10.7	1.0	0.28	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.32	ug/l	
79-01-6	Trichloroethene	26.5	1.0	0.29	ug/l	
75-69-4	Trichlorofluoromethane	ND	5.0	0.25	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.29	ug/l	

ND = Not detected MDL - Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Accutest Laboratories

Report of Analysis

Page 2 of 2

Client Sample ID:	NC-11	Date Sampled:	03/20/07
Lab Sample ID:	J56826-15	Date Received:	03/23/07
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8260B		
Project:	Tishcon Corp., Westbury, NY		

VOA Halogenated List

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	105%		76-123%
17060-07-0	1,2-Dichloroethane-D4	122%		63-140%
2037-26-5	Toluene-D8	106%		78-117%
460-00-4	4-Bromofluorobenzene	113%		73-125%

ND = Not detected MDL - Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

Sample Summary

C. A. Rich Consultants

Job No: J56826

Tishcon Corp., Westbury, NY
Project No: Tishcon NYA O & M

Sample Number	Collected Date	Time By	Received	Matrix Code Type	Client Sample ID
J56826-1	03/21/07	10:10 MY	03/23/07	AQ Ground Water	MDCW-1S
J56826-2	03/21/07	10:45 MY	03/23/07	AQ Ground Water	MDCW-1I
J56826-3	03/21/07	11:25 MY	03/23/07	AQ Ground Water	MDCW-1D
J56826-4	03/21/07	12:00 MY	03/23/07	AQ Ground Water	NC-24
J56826-5	03/21/07	12:26 MY	03/23/07	AQ Ground Water	AIMW-11A
J56826-6	03/21/07	12:47 MY	03/23/07	AQ Ground Water	AIMW-11B
J56826-7	03/21/07	13:05 MY	03/23/07	AQ Ground Water	TW-1
J56826-8	03/21/07	00:00 MY	03/23/07	AQ Ground Water	PURGE WATER 3/21/07
J56826-9	03/20/07	07:20 MY	03/23/07	AQ Ground Water	MDCW-3S
J56826-10	03/20/07	07:50 MY	03/23/07	AQ Ground Water	MDCW-3I
J56826-11	03/20/07	08:35 MY	03/23/07	AQ Ground Water	MDCW-3D
J56826-12	03/20/07	09:28 MY	03/23/07	AQ Ground Water	MDCW-2S
J56826-13	03/20/07	09:40 MY	03/23/07	AQ Ground Water	MDCW-2I

Sample Summary

(continued)

C. A. Rich Consultants

Job No: J56826

Tishcon Corp., Westbury, NY

Project No: Tishcon NYA O & M

Sample Number	Collected Date	Time By	Received	Matrix Code	Type	Client Sample ID
J56826-14	03/20/07	10:12 MY	03/23/07	AQ	Ground Water	MDCW-2D
J56826-15	03/20/07	10:39 MY	03/23/07	AQ	Ground Water	NC-11

Report of Analysis

Page 1 of 2

Client Sample ID:	MDCW-1S	Date Sampled:	03/21/07
Lab Sample ID:	J56826-1	Date Received:	03/23/07
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8260B		
Project:	Tishcon Corp., Westbury, NY		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	A120509.D	1	03/30/07	ECC	n/a	n/a	VA4093
Run #2							

Run #	Purge Volume
Run #1	5.0 ml
Run #2	

VOA Halogenated List

CAS No.	Compound	Result	RL	MDL	Units	Q
75-27-4	Bromodichloromethane	ND	1.0	0.17	ug/l	
75-25-2	Bromoform	ND	4.0	0.54	ug/l	
74-83-9	Bromomethane	ND	2.0	0.22	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.29	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.22	ug/l	
75-00-3	Chloroethane	ND	1.0	0.56	ug/l	
110-75-8	2-Chloroethyl vinyl ether	ND	10	0.68	ug/l	
67-66-3	Chloroform	ND	1.0	0.22	ug/l	
74-87-3	Chloromethane	ND	1.0	0.35	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.19	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.20	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.32	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.24	ug/l	
75-71-8	Dichlorodifluoromethane	ND	5.0	0.75	ug/l	
75-34-3	1,1-Dichloroethane	0.77	1.0	0.23	ug/l	J
107-06-2	1,2-Dichloroethane	ND	1.0	0.29	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.33	ug/l	
156-59-2	cis-1,2-Dichloroethene	1.4	1.0	0.18	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.42	ug/l	
540-59-0	1,2-Dichloroethene (total)	1.4	1.0	0.18	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.20	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.15	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.20	ug/l	
75-09-2	Methylene chloride	ND	2.0	0.27	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.28	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.28	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.28	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.32	ug/l	
79-01-6	Trichloroethene	ND	1.0	0.29	ug/l	
75-69-4	Trichlorofluoromethane	ND	5.0	0.25	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.29	ug/l	

ND = Not detected MDL - Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Page 2 of 2

Client Sample ID:	MDCW-1S	Date Sampled:	03/21/07
Lab Sample ID:	J56826-1	Date Received:	03/23/07
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8260B		
Project:	Tishcon Corp., Westbury, NY		

VOA Halogenated List

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	105%		76-123%
17060-07-0	1,2-Dichloroethane-D4	124%		63-140%
2037-26-5	Toluene-D8	106%		78-117%
460-00-4	4-Bromofluorobenzene	109%		73-125%

ND = Not detected MDL - Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Page 1 of 2

Client Sample ID:	MDCW-11		Date Sampled:	03/21/07			
Lab Sample ID:	J56826-2		Date Received:	03/23/07			
Matrix:	AQ - Ground Water		Percent Solids:	n/a			
Method:	SW846 8260B						
Project:	Tishcon Corp., Westbury, NY						
Run #1	File ID A120510.D	DF 1	Analyzed 03/30/07	By ECC	Prep Date n/a	Prep Batch n/a	Analytical Batch VA4093
Run #2							
Run #1	Purge Volume 5.0 ml						
Run #2							

VOA Halogenated List

CAS No.	Compound	Result	RL	MDL	Units	Q
75-27-4	Bromodichloromethane	ND	1.0	0.17	ug/l	
75-25-2	Bromoform	ND	4.0	0.54	ug/l	
74-83-9	Bromomethane	ND	2.0	0.22	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.29	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.22	ug/l	
75-00-3	Chloroethane	ND	1.0	0.56	ug/l	
110-75-8	2-Chloroethyl vinyl ether	ND	10	0.68	ug/l	
67-66-3	Chloroform	ND	1.0	0.22	ug/l	
74-87-3	Chloromethane	ND	1.0	0.35	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.19	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.20	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.32	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.24	ug/l	
75-71-8	Dichlorodifluoromethane	ND	5.0	0.75	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.23	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.29	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.33	ug/l	
156-59-2	cis-1,2-Dichloroethene	1.7	1.0	0.18	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.42	ug/l	
540-59-0	1,2-Dichloroethene (total)	1.7	1.0	0.18	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.20	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.15	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.20	ug/l	
75-09-2	Methylene chloride	ND	2.0	0.27	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.28	ug/l	
127-18-4	Tetrachloroethene	0.37	1.0	0.28	ug/l	J
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.28	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.32	ug/l	
79-01-6	Trichloroethene	ND	1.0	0.29	ug/l	
75-69-4	Trichlorofluoromethane	ND	5.0	0.25	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.29	ug/l	

ND = Not detected MDL - Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Page 2 of 2

Client Sample ID:	MDCW-II	Date Sampled:	03/21/07
Lab Sample ID:	J56826-2	Date Received:	03/23/07
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8260B		
Project:	Tishcon Corp., Westbury, NY		

VOA Halogenated List

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	106%		76-123%
17060-07-0	1,2-Dichloroethane-D4	126%		63-140%
2037-26-5	Toluene-D8	106%		78-117%
460-00-4	4-Bromofluorobenzene	112%		73-125%

ND = Not detected MDL - Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Page 1 of 2

Client Sample ID:	MDCW-1D	Date Sampled:	03/21/07
Lab Sample ID:	J56826-3	Date Received:	03/23/07
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8260B		
Project:	Tishcon Corp., Westbury, NY		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	A120511.D	1	03/30/07	ECC	n/a	n/a	VA4093
Run #2							

Run #	Purge Volume
Run #1	5.0 ml
Run #2	

VOA Halogenated List

CAS No.	Compound	Result	RL	MDL	Units	Q
75-27-4	Bromodichloromethane	ND	1.0	0.17	ug/l	
75-25-2	Bromoform	ND	4.0	0.54	ug/l	
74-83-9	Bromomethane	ND	2.0	0.22	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.29	ug/l	
108-90-7	Chlorobenzene	0.45	1.0	0.22	ug/l	J
75-00-3	Chloroethane	ND	1.0	0.56	ug/l	
110-75-8	2-Chloroethyl vinyl ether	ND	10	0.68	ug/l	
67-66-3	Chloroform	ND	1.0	0.22	ug/l	
74-87-3	Chloromethane	ND	1.0	0.35	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.19	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.20	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.32	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.24	ug/l	
75-71-8	Dichlorodifluoromethane	ND	5.0	0.75	ug/l	
75-34-3	1,1-Dichloroethane	ND	1.0	0.23	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.29	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.33	ug/l	
156-59-2	cis-1,2-Dichloroethene	0.33	1.0	0.18	ug/l	J
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.42	ug/l	
540-59-0	1,2-Dichloroethene (total)	0.33	1.0	0.18	ug/l	J
78-87-5	1,2-Dichloropropane	ND	1.0	0.20	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.15	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.20	ug/l	
75-09-2	Methylene chloride	ND	2.0	0.27	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.28	ug/l	
127-18-4	Tetrachloroethene	0.64	1.0	0.28	ug/l	J
71-55-6	1,1,1-Trichloroethane	ND	1.0	0.28	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.32	ug/l	
79-01-6	Trichloroethene	1.6	1.0	0.29	ug/l	
75-69-4	Trichlorofluoromethane	ND	5.0	0.25	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.29	ug/l	

ND = Not detected MDL - Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Page 2 of 2

Client Sample ID:	MDCW-1D	Date Sampled:	03/21/07
Lab Sample ID:	J56826-3	Date Received:	03/23/07
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8260B		
Project:	Tishcon Corp., Westbury, NY		

VOA Halogenated List

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	108%		76-123%
17060-07-0	1,2-Dichloroethane-D4	129%		63-140%
2037-26-5	Toluene-D8	107%		78-117%
460-00-4	4-Bromofluorobenzene	111%		73-125%

ND = Not detected MDL - Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Page 1 of 2

Client Sample ID:	NC-24	Date Sampled:	03/21/07
Lab Sample ID:	J56826-4	Date Received:	03/23/07
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8260B		
Project:	Tishcon Corp., Westbury, NY		

Run #1	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	A120512.D	1	03/30/07	ECC	n/a	n/a	VA4093
Run #2							

Run #1	Purge Volume
Run #1	5.0 ml
Run #2	

VOA Halogenated List

CAS No.	Compound	Result	RL	MDL	Units	Q
75-27-4	Bromodichloromethane	ND	1.0	0.17	ug/l	
75-25-2	Bromoform	ND	4.0	0.54	ug/l	
74-83-9	Bromomethane	ND	2.0	0.22	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.29	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.22	ug/l	
75-00-3	Chloroethane	ND	1.0	0.56	ug/l	
110-75-8	2-Chloroethyl vinyl ether	ND	10	0.68	ug/l	
67-66-3	Chloroform	ND	1.0	0.22	ug/l	
74-87-3	Chloromethane	ND	1.0	0.35	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.19	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.20	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.32	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.24	ug/l	
75-71-8	Dichlorodifluoromethane	ND	5.0	0.75	ug/l	
75-34-3	1,1-Dichloroethane	13.4	1.0	0.23	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.29	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.33	ug/l	
156-59-2	cis-1,2-Dichloroethene	1.0	1.0	0.18	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.42	ug/l	
540-59-0	1,2-Dichloroethene (total)	1.0	1.0	0.18	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.20	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.15	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.20	ug/l	
75-09-2	Methylene chloride	ND	2.0	0.27	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.28	ug/l	
127-18-4	Tetrachloroethene	0.54	1.0	0.28	ug/l	J
71-55-6	1,1,1-Trichloroethane	2.0	1.0	0.28	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.32	ug/l	
79-01-6	Trichloroethene	ND	1.0	0.29	ug/l	
75-69-4	Trichlorofluoromethane	ND	5.0	0.25	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.29	ug/l	

ND = Not detected MDL - Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Page 2 of 2

Client Sample ID:	NC-24	Date Sampled:	03/21/07
Lab Sample ID:	J56826-4	Date Received:	03/23/07
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8260B		
Project:	Tishcon Corp., Westbury, NY		

VOA Halogenated List

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	108%		76-123%
17060-07-0	1,2-Dichloroethane-D4	130%		63-140%
2037-26-5	Toluene-D8	107%		78-117%
460-00-4	4-Bromofluorobenzene	113%		73-125%

ND = Not detected MDL - Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Page 1 of 2

Client Sample ID:	TW-1		Date Sampled:	03/21/07			
Lab Sample ID:	J56826-7		Date Received:	03/23/07			
Matrix:	AQ - Ground Water		Percent Solids:	n/a			
Method:	SW846 8260B						
Project:	Tishcon Corp., Westbury, NY						
Run #1	File ID A120516.D	DF 1	Analyzed 03/30/07	By ECC	Prep Date n/a	Prep Batch n/a	Analytical Batch VA4093
Run #2							
Run #1	Purge Volume 5.0 ml						
Run #2							

VOA Halogenated List

CAS No.	Compound	Result	RL	MDL	Units	Q
75-27-4	Bromodichloromethane	ND	1.0	0.17	ug/l	
75-25-2	Bromoform	ND	4.0	0.54	ug/l	
74-83-9	Bromomethane	ND	2.0	0.22	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.29	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.22	ug/l	
75-00-3	Chloroethane	ND	1.0	0.56	ug/l	
110-75-8	2-Chloroethyl vinyl ether	ND	10	0.68	ug/l	
67-66-3	Chloroform	ND	1.0	0.22	ug/l	
74-87-3	Chloromethane	ND	1.0	0.35	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.19	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.20	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.32	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.24	ug/l	
75-71-8	Dichlorodifluoromethane	ND	5.0	0.75	ug/l	
75-34-3	1,1-Dichloroethane	9.5	1.0	0.23	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.29	ug/l	
75-35-4	1,1-Dichloroethene	6.5	1.0	0.33	ug/l	
156-59-2	cis-1,2-Dichloroethene	2.8	1.0	0.18	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.42	ug/l	
540-59-0	1,2-Dichloroethene (total)	2.8	1.0	0.18	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.20	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.15	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.20	ug/l	
75-09-2	Methylene chloride	ND	2.0	0.27	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.28	ug/l	
127-18-4	Tetrachloroethene	2.4	1.0	0.28	ug/l	
71-55-6	1,1,1-Trichloroethane	11.7	1.0	0.28	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.32	ug/l	
79-01-6	Trichloroethene	1.9	1.0	0.29	ug/l	
75-69-4	Trichlorofluoromethane	ND	5.0	0.25	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.29	ug/l	

ND = Not detected MDL - Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Page 2 of 2

Client Sample ID:	TW-1	Date Sampled:	03/21/07
Lab Sample ID:	J56826-7	Date Received:	03/23/07
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8260B		
Project:	Tishcon Corp., Westbury, NY		

VOA Halogenated List

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	108%		76-123%
17060-07-0	1,2-Dichloroethane-D4	132%		63-140%
2037-26-5	Toluene-D8	107%		78-117%
460-00-4	4-Bromofluorobenzene	115%		73-125%

ND = Not detected MDL - Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Page 1 of 2

Client Sample ID:	AIMW-11A	Date Sampled:	03/21/07
Lab Sample ID:	J56826-5	Date Received:	03/23/07
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8260B		
Project:	Tishcon Corp., Westbury, NY		

Run #1	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	A120513.D	1	03/30/07	ECC	n/a	n/a	VA4093

Run #1	Purge Volume
Run #1	5.0 ml
Run #2	

VOA Halogenated List

CAS No.	Compound	Result	RL	MDL	Units	Q
75-27-4	Bromodichloromethane	ND	1.0	0.17	ug/l	
75-25-2	Bromoform	ND	4.0	0.54	ug/l	
74-83-9	Bromomethane	ND	2.0	0.22	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.29	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.22	ug/l	
75-00-3	Chloroethane	ND	1.0	0.56	ug/l	
110-75-8	2-Chloroethyl vinyl ether	ND	10	0.68	ug/l	
67-66-3	Chloroform	ND	1.0	0.22	ug/l	
74-87-3	Chloromethane	ND	1.0	0.35	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.19	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.20	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.32	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.24	ug/l	
75-71-8	Dichlorodifluoromethane	ND	5.0	0.75	ug/l	
75-34-3	1,1-Dichloroethane	1.2	1.0	0.23	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.29	ug/l	
75-35-4	1,1-Dichloroethene	3.3	1.0	0.33	ug/l	
156-59-2	cis-1,2-Dichloroethene	1.9	1.0	0.18	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.42	ug/l	
540-59-0	1,2-Dichloroethene (total)	1.9	1.0	0.18	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.20	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.15	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.20	ug/l	
75-09-2	Methylene chloride	ND	2.0	0.27	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.28	ug/l	
127-18-4	Tetrachloroethene	12.4	1.0	0.28	ug/l	
71-55-6	1,1,1-Trichloroethane	3.6	1.0	0.28	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.32	ug/l	
79-01-6	Trichloroethene	3.4	1.0	0.29	ug/l	
75-69-4	Trichlorofluoromethane	ND	5.0	0.25	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.29	ug/l	

ND = Not detected MDL - Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Page 2 of 2

Client Sample ID:	AIMW-11A	Date Sampled:	03/21/07
Lab Sample ID:	J56826-5	Date Received:	03/23/07
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8260B		
Project:	Tishcon Corp., Westbury, NY		

VOA Halogenated List

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	107%		76-123%
17060-07-0	1,2-Dichloroethane-D4	130%		63-140%
2037-26-5	Toluene-D8	106%		78-117%
460-00-4	4-Bromofluorobenzene	112%		73-125%

ND = Not detected MDL - Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

Report of Analysis

Page 1 of 2

Client Sample ID:	AIMW-11B	Date Sampled:	03/21/07
Lab Sample ID:	J56826-6	Date Received:	03/23/07
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8260B		
Project:	Tishcon Corp., Westbury, NY		

Run #1	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
	A120515.D	1	03/30/07	ECC	n/a	n/a	VA4093
Run #2							

Run #1	Purge Volume
Run #1	5.0 ml
Run #2	

VOA Halogenated List

CAS No.	Compound	Result	RL	MDL	Units	Q
75-27-4	Bromodichloromethane	ND	1.0	0.17	ug/l	
75-25-2	Bromoform	ND	4.0	0.54	ug/l	
74-83-9	Bromomethane	ND	2.0	0.22	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.29	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.22	ug/l	
75-00-3	Chloroethane	ND	1.0	0.56	ug/l	
110-75-8	2-Chloroethyl vinyl ether	ND	10	0.68	ug/l	
67-66-3	Chloroform	ND	1.0	0.22	ug/l	
74-87-3	Chloromethane	ND	1.0	0.35	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.19	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.20	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.32	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.24	ug/l	
75-71-8	Dichlorodifluoromethane	ND	5.0	0.75	ug/l	
75-34-3	1,1-Dichloroethane	1.2	1.0	0.23	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.29	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.33	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.18	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.42	ug/l	
540-59-0	1,2-Dichloroethene (total)	ND	1.0	0.18	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.20	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.15	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.20	ug/l	
75-09-2	Methylene chloride	ND	2.0	0.27	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.28	ug/l	
127-18-4	Tetrachloroethene	ND	1.0	0.28	ug/l	
71-55-6	1,1,1-Trichloroethane	1.4	1.0	0.28	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.32	ug/l	
79-01-6	Trichloroethene	1.4	1.0	0.29	ug/l	
75-69-4	Trichlorofluoromethane	ND	5.0	0.25	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.29	ug/l	

ND = Not detected MDL - Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Page 2 of 2

Client Sample ID:	AIMW-11B	Date Sampled:	03/21/07
Lab Sample ID:	J56826-6	Date Received:	03/23/07
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8260B		
Project:	Tishcon Corp., Westbury, NY		

VOA Halogenated List

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	107%		76-123%
17060-07-0	1,2-Dichloroethane-D4	132%		63-140%
2037-26-5	Toluene-D8	107%		78-117%
460-00-4	4-Bromofluorobenzene	115%		73-125%

ND = Not detected MDL - Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Page 1 of 2

Client Sample ID: PURGE WATER 3/21/07

Lab Sample ID: J56826-8

Date Sampled: 03/21/07

Matrix: AQ - Ground Water

Date Received: 03/23/07

Method: SW846 8260B

Percent Solids: n/a

Project: Tishcon Corp., Westbury, NY

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	A120517.D	1	03/30/07	ECC	n/a	n/a	VA4093
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

VOA Halogenated List

CAS No.	Compound	Result	RL	MDL	Units	Q
75-27-4	Bromodichloromethane	ND	1.0	0.17	ug/l	
75-25-2	Bromoform	ND	4.0	0.54	ug/l	
74-83-9	Bromomethane	ND	2.0	0.22	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.29	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.22	ug/l	
75-00-3	Chloroethane	ND	1.0	0.56	ug/l	
110-75-8	2-Chloroethyl vinyl ether	ND	10	0.68	ug/l	
67-66-3	Chloroform	ND	1.0	0.22	ug/l	
74-87-3	Chloromethane	ND	1.0	0.35	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.19	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.20	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.32	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.24	ug/l	
75-71-8	Dichlorodifluoromethane	ND	5.0	0.75	ug/l	
75-34-3	1,1-Dichloroethane	18.9	1.0	0.23	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.29	ug/l	
75-35-4	1,1-Dichloroethene	2.7	1.0	0.33	ug/l	
156-59-2	cis-1,2-Dichloroethene	0.54	1.0	0.18	ug/l	J
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.42	ug/l	
540-59-0	1,2-Dichloroethene (total)	0.54	1.0	0.18	ug/l	J
78-87-5	1,2-Dichloropropane	ND	1.0	0.20	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.15	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.20	ug/l	
75-09-2	Methylene chloride	ND	2.0	0.27	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.28	ug/l	
127-18-4	Tetrachloroethene	2.0	1.0	0.28	ug/l	
71-55-6	1,1,1-Trichloroethane	10.6	1.0	0.28	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.32	ug/l	
79-01-6	Trichloroethene	3.7	1.0	0.29	ug/l	
75-69-4	Trichlorofluoromethane	ND	5.0	0.25	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.29	ug/l	

ND = Not detected MDL - Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Page 2 of 2

Client Sample ID:	PURGE WATER 3/21/07
Lab Sample ID:	J56826-8
Matrix:	AQ - Ground Water
Method:	SW846 8260B
Project:	Tishcon Corp., Westbury, NY

Date Sampled:	03/21/07
Date Received:	03/23/07
Percent Solids:	n/a

VOA Halogenated List

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	109%		76-123%
17060-07-0	1,2-Dichloroethane-D4	133%		63-140%
2037-26-5	Toluene-D8	108%		78-117%
460-00-4	4-Bromofluorobenzene	109%		73-125%

ND = Not detected MDL - Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Page 1 of 2

Client Sample ID:	MDCW-2S	Date Sampled:	03/20/07
Lab Sample ID:	J56826-12	Date Received:	03/23/07
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8260B		
Project:	Tishcon Corp., Westbury, NY		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	A120541.D	1	03/30/07	ECC	n/a	n/a	VA4094
Run #2							

Run #	Purge Volume
Run #1	5.0 ml
Run #2	

VOA Halogenated List

CAS No.	Compound	Result	RL	MDL	Units	Q
75-27-4	Bromodichloromethane	ND	1.0	0.17	ug/l	
75-25-2	Bromoform	ND	4.0	0.54	ug/l	
74-83-9	Bromomethane	ND	2.0	0.22	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.29	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.22	ug/l	
75-00-3	Chloroethane	ND	1.0	0.56	ug/l	
110-75-8	2-Chloroethyl vinyl ether	ND	10	0.68	ug/l	
67-66-3	Chloroform	ND	1.0	0.22	ug/l	
74-87-3	Chloromethane	ND	1.0	0.35	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.19	ug/l	
95-50-1	1,2-Dichlorobenzene	0.57	1.0	0.20	ug/l	J
541-73-1	1,3-Dichlorobenzene	0.32	1.0	0.32	ug/l	J
106-46-7	1,4-Dichlorobenzene	0.37	1.0	0.24	ug/l	J
75-71-8	Dichlorodifluoromethane	ND	5.0	0.75	ug/l	
75-34-3	1,1-Dichloroethane	2.0	1.0	0.23	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.29	ug/l	
75-35-4	1,1-Dichloroethene	2.4	1.0	0.33	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.18	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.42	ug/l	
540-59-0	1,2-Dichloroethene (total)	ND	1.0	0.18	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.20	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.15	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.20	ug/l	
75-09-2	Methylene chloride	ND	2.0	0.27	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.28	ug/l	
127-18-4	Tetrachloroethene	32.7	1.0	0.28	ug/l	
71-55-6	1,1,1-Trichloroethane	5.0	1.0	0.28	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.32	ug/l	
79-01-6	Trichloroethene	15.7	1.0	0.29	ug/l	
75-69-4	Trichlorofluoromethane	ND	5.0	0.25	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.29	ug/l	

ND = Not detected MDL - Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Page 2 of 2

Client Sample ID:	MDCW-2S	Date Sampled:	03/20/07
Lab Sample ID:	J56826-12	Date Received:	03/23/07
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8260B		
Project:	Tishcon Corp., Westbury, NY		

VOA Halogenated List

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	108%		76-123%
17060-07-0	1,2-Dichloroethane-D4	134%		63-140%
2037-26-5	Toluene-D8	108%		78-117%
460-00-4	4-Bromofluorobenzene	96%		73-125%

ND = Not detected MDL - Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Page 1 of 2

Client Sample ID:	MDCW-21	Date Sampled:	03/20/07
Lab Sample ID:	J56826-13	Date Received:	03/23/07
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8260B		
Project:	Tishcon Corp., Westbury, NY		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	1C37190.D	2	04/02/07	DTM	n/a	n/a	V1C1486
Run #2							

Run #	Purge Volume
Run #1	5.0 ml
Run #2	

VOA Halogenated List

CAS No.	Compound	Result	RL	MDL	Units	Q
75-27-4	Bromodichloromethane	ND	2.0	0.35	ug/l	
75-25-2	Bromoform	ND	8.0	1.1	ug/l	
74-83-9	Bromomethane	ND	4.0	0.45	ug/l	
56-23-5	Carbon tetrachloride	ND	2.0	0.58	ug/l	
108-90-7	Chlorobenzene	ND	2.0	0.45	ug/l	
75-00-3	Chloroethane	ND	2.0	1.1	ug/l	
110-75-8	2-Chloroethyl vinyl ether	ND	20	1.4	ug/l	
67-66-3	Chloroform	0.52	2.0	0.43	ug/l	J
74-87-3	Chloromethane	ND	2.0	0.70	ug/l	
124-48-1	Dibromochloromethane	ND	2.0	0.38	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	2.0	0.41	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	2.0	0.63	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	2.0	0.48	ug/l	
75-71-8	Dichlorodifluoromethane	ND	10	1.5	ug/l	
75-34-3	1,1-Dichloroethane	259	2.0	0.47	ug/l	
107-06-2	1,2-Dichloroethane	ND	2.0	0.59	ug/l	
75-35-4	1,1-Dichloroethene	59.5	2.0	0.65	ug/l	
156-59-2	cis-1,2-Dichloroethene	3.9	2.0	0.36	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	2.0	0.84	ug/l	
540-59-0	1,2-Dichloroethene (total)	3.9	2.0	0.36	ug/l	
78-87-5	1,2-Dichloropropane	ND	2.0	0.40	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	2.0	0.30	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	2.0	0.40	ug/l	
75-09-2	Methylene chloride	ND	4.0	0.53	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	2.0	0.55	ug/l	
127-18-4	Tetrachloroethene	5.0	2.0	0.55	ug/l	
71-55-6	1,1,1-Trichloroethane	153	2.0	0.55	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	2.0	0.63	ug/l	
79-01-6	Trichloroethene	11.4	2.0	0.58	ug/l	
75-69-4	Trichlorofluoromethane	ND	10	0.51	ug/l	
75-01-4	Vinyl chloride	ND	2.0	0.58	ug/l	

ND = Not detected MDL - Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Page 2 of 2

Client Sample ID:	MDCW-2I	Date Sampled:	03/20/07
Lab Sample ID:	J56826-13	Date Received:	03/23/07
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8260B		
Project:	Tishcon Corp., Westbury, NY		

VOA Halogenated List

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	94%		76-123%
17060-07-0	1,2-Dichloroethane-D4	96%		63-140%
2037-26-5	Toluene-D8	91%		78-117%
460-00-4	4-Bromofluorobenzene	107%		73-125%

ND = Not detected MDL - Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Page 1 of 2

Client Sample ID:	MDCW-2D	Date Sampled:	03/20/07
Lab Sample ID:	J56826-14	Date Received:	03/23/07
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8260B		
Project:	Tishcon Corp., Westbury, NY		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	A120543.D	1	03/30/07	ECC	n/a	n/a	VA4094
Run #2							

Run #	Purge Volume
Run #1	5.0 ml
Run #2	

VOA Halogenated List

CAS No.	Compound	Result	RL	MDL	Units	Q
75-27-4	Bromodichloromethane	ND	1.0	0.17	ug/l	
75-25-2	Bromoform	ND	4.0	0.54	ug/l	
74-83-9	Bromomethane	ND	2.0	0.22	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.29	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.22	ug/l	
75-00-3	Chloroethane	ND	1.0	0.56	ug/l	
110-75-8	2-Chloroethyl vinyl ether	ND	10	0.68	ug/l	
67-66-3	Chloroform	ND	1.0	0.22	ug/l	
74-87-3	Chloromethane	ND	1.0	0.35	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.19	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.20	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.32	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.24	ug/l	
75-71-8	Dichlorodifluoromethane	ND	5.0	0.75	ug/l	
75-34-3	1,1-Dichloroethane	0.34	1.0	0.23	ug/l	J
107-06-2	1,2-Dichloroethane	ND	1.0	0.29	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.33	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.18	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.42	ug/l	
540-59-0	1,2-Dichloroethene (total)	ND	1.0	0.18	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.20	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.15	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.20	ug/l	
75-09-2	Methylene chloride	ND	2.0	0.27	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.28	ug/l	
127-18-4	Tetrachloroethene	2.0	1.0	0.28	ug/l	
71-55-6	1,1,1-Trichloroethane	0.94	1.0	0.28	ug/l	J
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.32	ug/l	
79-01-6	Trichloroethene	3.9	1.0	0.29	ug/l	
75-69-4	Trichlorofluoromethane	ND	5.0	0.25	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.29	ug/l	

ND = Not detected MDL - Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Page 2 of 2

Client Sample ID:	MDCW-2D	Date Sampled:	03/20/07
Lab Sample ID:	J56826-14	Date Received:	03/23/07
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8260B		
Project:	Tishcon Corp., Westbury, NY		

VOA Halogenated List

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	103%		76-123%
17060-07-0	1,2-Dichloroethane-D4	120%		63-140%
2037-26-5	Toluene-D8	106%		78-117%
460-00-4	4-Bromofluorobenzene	110%		73-125%

ND = Not detected MDL - Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Page 1 of 2

Client Sample ID:	MDCW-3S	Date Sampled:	03/20/07
Lab Sample ID:	J56826-9	Date Received:	03/23/07
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8260B		
Project:	Tishcon Corp., Westbury, NY		
Run #1	File ID 1C37192.D	DF 1	Analyzed 04/02/07
Run #2			
	Purge Volume		
Run #1	5.0 ml		
Run #2			

VOA Halogenated List

CAS No.	Compound	Result	RL	MDL	Units	Q
75-27-4	Bromodichloromethane	ND	1.0	0.17	ug/l	
75-25-2	Bromoform	ND	4.0	0.54	ug/l	
74-83-9	Bromomethane	ND	2.0	0.22	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.29	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.22	ug/l	
75-00-3	Chloroethane	ND	1.0	0.56	ug/l	
110-75-8	2-Chloroethyl vinyl ether	ND	10	0.68	ug/l	
67-66-3	Chloroform	0.49	1.0	0.22	ug/l	J
74-87-3	Chloromethane	ND	1.0	0.35	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.19	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.20	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.32	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.24	ug/l	
75-71-8	Dichlorodifluoromethane	ND	5.0	0.75	ug/l	
75-34-3	1,1-Dichloroethane	33.3	1.0	0.23	ug/l	
107-06-2	1,2-Dichloroethane	0.57	1.0	0.29	ug/l	J
75-35-4	1,1-Dichloroethene	4.8	1.0	0.33	ug/l	
156-59-2	cis-1,2-Dichloroethene	2.1	1.0	0.18	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.42	ug/l	
540-59-0	1,2-Dichloroethene (total)	2.1	1.0	0.18	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.20	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.15	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.20	ug/l	
75-09-2	Methylene chloride	ND	2.0	0.27	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.28	ug/l	
127-18-4	Tetrachloroethene	1.7	1.0	0.28	ug/l	
71-55-6	1,1,1-Trichloroethane	10.3	1.0	0.28	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.32	ug/l	
79-01-6	Trichloroethene	14.1	1.0	0.29	ug/l	
75-69-4	Trichlorofluoromethane	ND	5.0	0.25	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.29	ug/l	

ND = Not detected MDL - Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Page 2 of 2

Client Sample ID:	MDCW-3S	Date Sampled:	03/20/07
Lab Sample ID:	J56826-9	Date Received:	03/23/07
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8260B		
Project:	Tishcon Corp., Westbury, NY		

VOA Halogenated List

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	95%		76-123%
17060-07-0	1,2-Dichloroethane-D4	100%		63-140%
2037-26-5	Toluene-D8	93%		78-117%
460-00-4	4-Bromofluorobenzene	108%		73-125%

ND = Not detected MDL - Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Page 1 of 2

Client Sample ID:	MDCW-3I		Date Sampled:	03/20/07			
Lab Sample ID:	J56826-10		Date Received:	03/23/07			
Matrix:	AQ - Ground Water		Percent Solids:	n/a			
Method:	SW846 8260B						
Project:	Tishcon Corp., Westbury, NY						
Run #1	File ID 1C37199.D	DF 1	Analyzed 04/02/07	By DTM	Prep Date n/a	Prep Batch n/a	Analytical Batch V1C1486
Run #2							
Run #1	Purge Volume 5.0 ml						
Run #2							

VOA Halogenated List

CAS No.	Compound	Result	RL	MDL	Units	Q
75-27-4	Bromodichloromethane	ND	1.0	0.17	ug/l	
75-25-2	Bromoform	ND	4.0	0.54	ug/l	
74-83-9	Bromomethane	ND	2.0	0.22	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.29	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.22	ug/l	
75-00-3	Chloroethane	ND	1.0	0.56	ug/l	
110-75-8	2-Chloroethyl vinyl ether	ND	10	0.68	ug/l	
67-66-3	Chloroform	0.29	1.0	0.22	ug/l	J
74-87-3	Chloromethane	ND	1.0	0.35	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.19	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.20	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.32	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.24	ug/l	
75-71-8	Dichlorodifluoromethane	ND	5.0	0.75	ug/l	
75-34-3	1,1-Dichloroethane	67.6	1.0	0.23	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.29	ug/l	
75-35-4	1,1-Dichloroethene	3.8	1.0	0.33	ug/l	
156-59-2	cis-1,2-Dichloroethene	1.5	1.0	0.18	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.42	ug/l	
540-59-0	1,2-Dichloroethene (total)	1.5	1.0	0.18	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.20	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.15	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.20	ug/l	
75-09-2	Methylene chloride	ND	2.0	0.27	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.28	ug/l	
127-18-4	Tetrachloroethene	5.2	1.0	0.28	ug/l	
71-55-6	1,1,1-Trichloroethane	51.6	1.0	0.28	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.32	ug/l	
79-01-6	Trichloroethene	0.97	1.0	0.29	ug/l	J
75-69-4	Trichlorofluoromethane	ND	5.0	0.25	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.29	ug/l	

ND = Not detected MDL - Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Page 2 of 2

Client Sample ID:	MDCW-3I	Date Sampled:	03/20/07
Lab Sample ID:	J56826-10	Date Received:	03/23/07
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8260B		
Project:	Tishcon Corp., Westbury, NY		

VOA Halogenated List

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	93%		76-123%
17060-07-0	1,2-Dichloroethane-D4	97%		63-140%
2037-26-5	Toluene-D8	93%		78-117%
460-00-4	4-Bromofluorobenzene	111%		73-125%

ND = Not detected MDL - Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

Report of Analysis

Page 1 of 2

Client Sample ID:	MDCW-3D	Date Sampled:	03/20/07
Lab Sample ID:	J56826-11	Date Received:	03/23/07
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8260B		
Project:	Tishcon Corp., Westbury, NY		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	A120540.D	1	03/30/07	ECC	n/a	n/a	VA4094
Run #2							

Run #	Purge Volume
Run #1	5.0 ml
Run #2	

VOA Halogenated List

CAS No.	Compound	Result	RL	MDL	Units	Q
75-27-4	Bromodichloromethane	ND	1.0	0.17	ug/l	
75-25-2	Bromoform	ND	4.0	0.54	ug/l	
74-83-9	Bromomethane	ND	2.0	0.22	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.29	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.22	ug/l	
75-00-3	Chloroethane	ND	1.0	0.56	ug/l	
110-75-8	2-Chloroethyl vinyl ether	ND	10	0.68	ug/l	
67-66-3	Chloroform	ND	1.0	0.22	ug/l	
74-87-3	Chloromethane	ND	1.0	0.35	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.19	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.20	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.32	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.24	ug/l	
75-71-8	Dichlorodifluoromethane	ND	5.0	0.75	ug/l	
75-34-3	1,1-Dichloroethane	0.68	1.0	0.23	ug/l	J
107-06-2	1,2-Dichloroethane	ND	1.0	0.29	ug/l	
75-35-4	1,1-Dichloroethene	ND	1.0	0.33	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.18	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.42	ug/l	
540-59-0	1,2-Dichloroethene (total)	ND	1.0	0.18	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.20	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.15	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.20	ug/l	
75-09-2	Methylene chloride	ND	2.0	0.27	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.28	ug/l	
127-18-4	Tetrachloroethene	1.2	1.0	0.28	ug/l	
71-55-6	1,1,1-Trichloroethane	1.5	1.0	0.28	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.32	ug/l	
79-01-6	Trichloroethene	6.3	1.0	0.29	ug/l	
75-69-4	Trichlorofluoromethane	ND	5.0	0.25	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.29	ug/l	

ND = Not detected MDL - Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Page 2 of 2

Client Sample ID:	MDCW-3D	Date Sampled:	03/20/07
Lab Sample ID:	J56826-11	Date Received:	03/23/07
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8260B		
Project:	Tishcon Corp., Westbury, NY		

VOA Halogenated List

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	109%		76-123%
17060-07-0	1,2-Dichloroethane-D4	133%		63-140%
2037-26-5	Toluene-D8	106%		78-117%
460-00-4	4-Bromofluorobenzene	114%		73-125%

ND = Not detected MDL - Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Page 1 of 2

Client Sample ID:	NC-11	Date Sampled:	03/20/07
Lab Sample ID:	J56826-15	Date Received:	03/23/07
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8260B		
Project:	Tishcon Corp., Westbury, NY		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	A120530.D	1	03/30/07	ECC	n/a	n/a	VA4094
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

VOA Halogenated List

CAS No.	Compound	Result	RL	MDL	Units	Q
75-27-4	Bromodichloromethane	ND	1.0	0.17	ug/l	
75-25-2	Bromoform	ND	4.0	0.54	ug/l	
74-83-9	Bromomethane	ND	2.0	0.22	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.29	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.22	ug/l	
75-00-3	Chloroethane	ND	1.0	0.56	ug/l	
110-75-8	2-Chloroethyl vinyl ether	ND	10	0.68	ug/l	
67-66-3	Chloroform	ND	1.0	0.22	ug/l	
74-87-3	Chloromethane	ND	1.0	0.35	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.19	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.20	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.32	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.24	ug/l	
75-71-8	Dichlorodifluoromethane	ND	5.0	0.75	ug/l	
75-34-3	1,1-Dichloroethane	3.6	1.0	0.23	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.29	ug/l	
75-35-4	1,1-Dichloroethene	1.3	1.0	0.33	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.18	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.42	ug/l	
540-59-0	1,2-Dichloroethene (total)	ND	1.0	0.18	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.20	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.15	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.20	ug/l	
75-09-2	Methylene chloride	ND	2.0	0.27	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.28	ug/l	
127-18-4	Tetrachloroethene	7.1	1.0	0.28	ug/l	
71-55-6	1,1,1-Trichloroethane	10.7	1.0	0.28	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.32	ug/l	
79-01-6	Trichloroethene	26.5	1.0	0.29	ug/l	
75-69-4	Trichlorofluoromethane	ND	5.0	0.25	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.29	ug/l	

ND = Not detected MDL - Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound



CHAIN OF CUSTODY

2235 Route 130, Dayton NJ 08810
TEL. 732-329-0200 FAX: 732-329-3499/3480
www.accutest.com

Client / Reporting Information				Project Information				FED-EX Tracking #				Bottle Order Control #							
Company Name: CA Rich Consultants, Inc Address: 17 Dupont Street City: Plainview State: NY Zip: 11803 Project Contact: Eric Wenzel E-mail: ewenzel@accutest.com Phone #: 516-576-8041 Sampler's Name: Mike Payer / Jason Cooper				Project Name: Tishcon NYA OEM Street: New York Ave City: Westbury State: NY Project #: Tishcon NYA OEM Fax #: 516-576-0693 Client Purchase Order #:								Requested Analysis: <input type="checkbox"/> PAUG <input type="checkbox"/> PAAC <input type="checkbox"/> PAOC <input type="checkbox"/> BOD <input type="checkbox"/> TGA <input type="checkbox"/> MWG <input type="checkbox"/> STARS <input type="checkbox"/> MIRE <input type="checkbox"/> BTEX <input type="checkbox"/> TOC <input type="checkbox"/> PH+P- <input type="checkbox"/> TIC <input type="checkbox"/> AN <input type="checkbox"/> NOX <input type="checkbox"/> NO2 <input type="checkbox"/> D2C <input type="checkbox"/> TOC <input type="checkbox"/> PH+P- <input type="checkbox"/> ASH <input type="checkbox"/> BN <input type="checkbox"/> PAOC <input type="checkbox"/> STARS <input type="checkbox"/> EPA <input type="checkbox"/> MECH <input type="checkbox"/> MECH <input type="checkbox"/> MECH <input type="checkbox"/> 6260 <input type="checkbox"/> UNIE <input type="checkbox"/> TGA <input type="checkbox"/> MWG <input type="checkbox"/> 8260 <input type="checkbox"/> TOC <input type="checkbox"/> PH+P- <input type="checkbox"/> 8270 <input type="checkbox"/> TOC <input type="checkbox"/> PH+P- <input type="checkbox"/> 8270 <input type="checkbox"/> TOC <input type="checkbox"/> PH+P- <input type="checkbox"/> 8270 <input type="checkbox"/> TOC <input type="checkbox"/> PH+P-				Matrix Codes: DW - Drinking Water GW - Ground Water MW - Water SW - Surface Water SO - Soil SL - Sludge DI - Oil LIQ - Other Liquid AIR - Air SOL - Other Solid WP - Wipe LAB USE ONLY			
Accutest Sample # Field ID / Point of Collection SUMMA # MECH Val #				Collection				Number of preserved Bottles											
				Date	Time	Sampled By	Matrix	# of bottles	1C	MECH	MECH	MECH	MECH	MECH	MECH	MECH			
- 1	MDCW-13	3/21/07	10:10	^{NY} ^{SC}	GW	3	X												
- 2	MDCW-11	3/21/07	10:45	^{NY} ^{SC}	GW	3	X												
- 3	MDCW-14	3/21/07	11:25	^{NY} ^{SC}	GW	3	X												
- 4	NC-24	3/21/07	12:00	^{NY} ^{SC}	GW	3	X												
- 5	AIMW-11A	3/21/07	12:16	^{NY} ^{SC}	GW	3	X												
- 6	AIMW-11B	3/21/07	12:47	^{NY} ^{SC}	GW	3	X												
- 7	TW-1	3/21/07	13:05	^{NY} ^{SC}	GW	3	X												
- 8	Purge Water	3/21/07	—	^{NY} ^{SC}	GW	3	X												
Turnaround Time (Business Days)								Data Deliverable Information								Comments / Remarks			
<input checked="" type="checkbox"/> Std. 15 Business Days <input type="checkbox"/> 10 Day RUSH <input type="checkbox"/> 5 Day RUSH <input type="checkbox"/> 3 Day EMERGENCY <input type="checkbox"/> 2 Day EMERGENCY <input type="checkbox"/> 1 Day EMERGENCY <input type="checkbox"/> Other				Approved By: _____				<input checked="" type="checkbox"/> Commercial "A" <input type="checkbox"/> Commercial "B" <input type="checkbox"/> NJ Reduced <input type="checkbox"/> NJ Full <input type="checkbox"/> Other _____				<input type="checkbox"/> FULL CLP <input type="checkbox"/> NYASP Category A <input type="checkbox"/> NYASP Category B <input type="checkbox"/> State Forms <input type="checkbox"/> EDD Format _____				VOC-8021 Halogenated only AIMW-11B sample time = 12:26			
Emergency & Rush T/A data available VIA LabLink								Sample Custody must be documented below each time samples change possession, including courier delivery											
Relinquished by Sampler: <i>Great Corp</i> Relinquished by Date Time: 3/22/07 Relinquished by: 1		Received by: UPS Received by Date Time: 3/23/07 Received by: 2		Relinquished by: UPS Relinquished by Date Time: 3/23/07 Relinquished by: 3		Custody Seal #:		Preserved where applicable: <input type="checkbox"/> Date Time: 3/23/07 Received by: 4		Date Time: 3/23/07 Received by: 2		Date Time: 3/23/07 Received by: 4		Date: 3/23/07 Cooler Temp: 3.4°C					
																Relinquished by Date Time: 3/23/07 Relinquished by: 5			
																		Received by Date Time: 3/23/07 Received by: 5	

J56826: Chain of Custody

Page 1 of 2



CHAIN OF CUSTODY

2235 Route 130, Dayton NJ 08810
TEL: 732-329-0200 FAX: 732-329-3499/3480
www.accutest.com

Client / Reporting Information			Project Information			FED-EX Tracking #		Bottle Order Control #		J56826 DW - Drinking Water GW - Ground Water WW - Water SW - Surface Water SO - Soil SL - Sludge CI - Oil LIQ - Other Liquid AIR - Air SOL - Other Solid WF - Wipe LAB USE ONLY							
Company Name		Project Name															
CA Rich Consultants, Inc.		Tishcon NYA Ofm															
Address		Street		New York Ave													
City	State	Zip	City	State													
Plainview	NY	11803	Westbury	NY													
Project Contact	E-mail	Project #															
Eric Wenstock	ewenstock@carichconsultants.com	Tishcon NYA Ofm															
Phone #	Fax #	516-570-0093															
Sampler's Name		Client Purchase Order #															
Mike Krycer, Eric Wenstock, Cooper																	
Accutest Sample #	Field ID / Point of Collection	SUMMA #	MECH Val #	Collection		Number of preserved Bottles											
				Date	Time	Sampled By	Mainx	# of bottles	No	High	Med	Low	Below	None			
- 9	MNCW-35			3/20/07	0720	NY	GW	3	X			X					
- 10	MNCW-31			3/20/07	0750	NY	GW	3	X			X					
- 11	MNCW-30			3/20/07	0835	NY	GW	3	X			X					
- 12	MNCW-25			3/20/07	0928	NY	GW	3	X			X					
- 13	MNCW-21			3/20/07	0940	NY	GW	3	X			X					
- 14	MNCW-20			3/20/07	10:12	NY	GW	3	X			X					
- 15	NC-H			3/20/07	10:39	NY	GW	3	X			X					
Turnaround Time (Business Days)				Data Deliverable Information						Comments / Remarks							
<input checked="" type="checkbox"/> Std 15 Business Days <input type="checkbox"/> 10 Day RUSH <input type="checkbox"/> 5 Day RUSH <input type="checkbox"/> 3 Day EMERGENCY <input type="checkbox"/> 2 Day EMERGENCY <input type="checkbox"/> 1 Day EMERGENCY <input type="checkbox"/> Other _____				Approved By: _____ <input checked="" type="checkbox"/> Commercial "A" <input type="checkbox"/> Commercial "B" <input type="checkbox"/> NJ Reduced <input type="checkbox"/> NJ Full <input type="checkbox"/> Other _____ Commercial "A" = Results Only						<input type="checkbox"/> FULL CLP <input type="checkbox"/> NYASP Category A <input type="checkbox"/> NYASP Category B <input type="checkbox"/> State Forms <input type="checkbox"/> EDD Format _____							
										VOC - 8021 Halogenated only							
Emergency & Rush T/A data available VIA LabLink																	
Sample Custody must be documented below each time samples change possession, including courier delivery																	
Relinquished by Sampler		Date Time	Received by	Custody Seal #		Relinquished by		Date Time		Received by		Relinquished by		Date Time		Received by	
<i>John C. Cooper</i>		3/22/07	1	UPS		2		3/23/07		2		3		3/23/07		2	
Relinquished by		Date Time	Received by			Relinquished by				Received by						Received by	
3			3			4						4					
Relinquished by		Date Time	Received by			Custody Seal #				Preserved where applicable		On ice				Cooler Temp	
5			5							<input type="checkbox"/>		12		3.4°C			

J56826: Chain of Custody

Page 2 of 2

Report of Analysis

Page 2 of 2

Client Sample ID:	NC-11	Date Sampled:	03/20/07
Lab Sample ID:	J56826-15	Date Received:	03/23/07
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8260B		
Project:	Tishcon Corp., Westbury, NY		

VOA Halogenated List

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	105%		76-123%
17060-07-0	1,2-Dichloroethane-D4	122%		63-140%
2037-26-5	Toluene-D8	106%		78-117%
460-00-4	4-Bromofluorobenzene	113%		73-125%

ND = Not detected MDL - Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Appendix B
Soil Vapor Extraction Laboratory Data

ECOTEST ID	271214	SOURCE OF SAMPLE	Tishcon System Raw			
SAMPLE ID		System Raw				
DATE SAMPLED	3/21/2007	MATRIX	Air			
ANALYTICAL METHOD	EPA TO-15	DATE OF ANALYSIS	CONC PPBV	RLR PPBV	CONC UG/M3	RLR UG/M3
ANALYTE	CAS NO					
1,1 Dichloroethane	75-34-3	3/22/2007	41	0.2	166.1	0.8
1,1 Dichloroethene	75-35-4	3/22/2007	45	0.2	178.7	0.8
1,2 Dibromoethane	106-93-4	3/22/2007	< 0.2	0.2	< 1.5	1.5
1,2 Dichlorobenzene (v)	95-50-1	3/22/2007	< 0.2	0.2	< 1.2	1.2
1,2 Dichloroethane	107-06-2	3/22/2007	< 0.2	0.2	< 0.8	0.8
1,2-Dichloropropane	78-87-5	3/22/2007	< 0.2	0.2	< 0.9	0.9
1,2-Dichlorotetrafluoroethane	76-14-2	3/22/2007	< 0.2	0.2	< 1.4	1.4
1,3 Butadiene	106-99-0	3/22/2007	< 1	1	< 2.2	2.2
1,3 Dichlorobenzene (v)	541-73-1	3/22/2007	< 0.2	0.2	< 1.2	1.2
1,4 Dichlorobenzene (v)	106-46-7	3/22/2007	< 0.2	0.2	< 1.2	1.2
1,4-Dioxane	123-91-1	3/22/2007	< 1	1	< 3.6	3.6
111 Trichloroethane	71-55-6	3/22/2007	57	0.2	311.2	1.1
112 Trichloroethane	79-00-5	3/22/2007	< 0.2	0.2	< 1.1	1.1
1122Tetrachloroethane	79-34-5	3/22/2007	< 0.2	0.2	< 1.4	1.4
124-Trimethylbenzene	95-63-6	3/22/2007	< 0.2	0.2	< 1.0	1.0
135-Trimethylbenzene	108-67-8	3/22/2007	< 0.2	0.2	< 1.0	1.0
2,2,4-Trimethylpentane	540-84-1	3/22/2007	< 0.2	0.2	< 0.9	0.9
2-Hexanone	591-78-6	3/22/2007	< 0.5	0.5	< 2.0	2.0
3-Chloropropene	107-05-1	3/22/2007	< 0.5	0.5	< 1.6	1.6
Acetone	67-64-1	3/22/2007	< 1	1	< 2.4	2.4
Acrylonitrile	107-13-1	3/22/2007	< 1	1	< 2.2	2.2
Benzene	71-43-2	3/22/2007	< 0.2	0.2	< 0.6	0.6
Benzyl Chloride	100-44-7	3/22/2007	< 5	5	< 25.9	25.9
Bromodichloromethane	75-27-4	3/22/2007	< 0.2	0.2	< 1.3	1.3
Bromoform	75-25-2	3/22/2007	< 0.2	0.2	< 2.1	2.1
Bromomethane	74-83-9	3/22/2007	< 1	1	< 3.9	3.9
c-1,2-Dichloroethene	156-59-2	3/22/2007	3.2	0.4	12.7	1.6
c-1,3Dichloropropene	10061-01-5	3/22/2007	< 0.2	0.2	< 0.9	0.9
Carbon disulfide	75-15-0	3/22/2007	2.1	0.2	6.5	0.6
Carbon Tetrachloride	56-23-5	3/22/2007	< 0.2	0.2	< 1.3	1.3
Chlorobenzene	108-90-7	3/22/2007	< 0.2	0.2	< 0.9	0.9
Chlorodibromomethane	124-48-1	3/22/2007	< 0.2	0.2	< 1.7	1.7
Chloroethane	75-00-3	3/22/2007	< 2	2	< 5.3	5.3
Chloroform	67-66-3	3/22/2007	19	0.2	92.5	1.0
Chloromethane	74-87-3	3/22/2007	< 0.4	0.4	< 0.8	0.8
Cyclohexane	110-82-7	3/22/2007	< 0.5	0.5	< 1.7	1.7
Dichlordifluoromethane	75-71-8	3/22/2007	< 1	1	< 4.9	4.9
Ethyl Acetate	141-78-6	3/22/2007	< 5	5	< 18.0	18.0
Ethyl alcohol	64-17-5	3/22/2007	< 2	2	< 3.8	3.8
Ethyl Benzene	100-41-4	3/22/2007	< 0.2	0.2	< 0.9	0.9
Freon 113	76-13-1	3/22/2007	< 0.2	0.2	< 1.5	1.5
Heptane	142-82-5	3/22/2007	< 0.5	0.5	< 2.0	2.0
Hexachlorobutadiene	87-68-3	3/22/2007	< 0.2	0.2	< 2.1	2.1
Hexane	110-54-3	3/22/2007	< 0.5	0.5	< 1.8	1.8
Isopropyl Alcohol	67-63-0	3/22/2007	< 5	5	< 12.3	12.3
m + p Xylene	XYL-MP	3/22/2007	< 0.2	0.2	< 0.9	0.9
Methyl Ethyl Ketone	78-93-3	3/22/2007	< 1	1	< 2.9	2.9
Methylene Chloride	75-09-2	3/22/2007	< 0.2	0.2	< 0.7	0.7
Methylisobutylketone	108-10-1	3/22/2007	< 1	1	< 4.1	4.1
o Xylene	95-47-6	3/22/2007	< 0.2	0.2	< 0.9	0.9
p-Ethyltoluene	622-96-8	3/22/2007	< 0.2	0.2	< 1.0	1.0
Propylene	115-07-1	3/22/2007	< 1	1	< 1.7	1.7
Styrene	100-42-5	3/22/2007	< 0.2	0.2	< 0.9	0.9
t-1,2-Dichloroethene	156-60-5	3/22/2007	< 0.2	0.2	< 0.8	0.8
t-1,3Dichloropropene	10061-02-6	3/22/2007	< 0.2	0.2	< 0.9	0.9
tert.ButylMethylEther	1634-04-4	3/22/2007	< 0.2	0.2	< 0.7	0.7
tert. Butyl Alcohol	75-65-0	3/22/2007	< 2	2	< 6.1	6.1
Tetrachloroethene	127-18-4	3/22/2007	20	0.2	135.7	1.4
Tetrahydrofuran	109-99-9	3/22/2007	< 2	2	< 5.9	5.9
Toluene	108-88-3	3/22/2007	< 0.2	0.2	< 0.8	0.8
Trichloroethene	79-01-6	3/22/2007	9.8	0.2	52.7	1.1
Trichlorofluoromethane	75-69-4	3/22/2007	< 0.2	0.2	< 1.1	1.1
Vinyl Acetate	108-05-4	3/22/2007	< 0.5	0.5	< 1.8	1.8
Vinyl Bromide	593-60-2	3/22/2007	< 0.2	0.2	< 0.9	0.9
Vinyl Chloride	75-01-4	3/22/2007	< 0.5	0.5	< 1.3	1.3

271214

12

ECOTEST LABORATORIES INC.

377 Sheffield Ave.
North Babylon, NY 11703

tel. 631-422-5777, fax 631-422-5770, Email ECOTESTLAB@aol.com

CANISTER SAMPLING DATA SHEET

CANISTER SERIAL NO.

SAMPLE TRAIN SERIAL NO.

FLOW

EcoTest 33

N/A

grab

This above referenced Summa can and sample train was received in good condition

DATE: 3/20/2007

CLIENT: CA Rich

CLIENTS AGENT:

SIGNED: Jason T. Cooper Jason T. Cooper

Client agrees to pay all replacement costs associated with loss or damage of canister and sample train. Client acknowledges that this canister is valid for a maximum of 30 days from the date of evacuation. Client is responsible for any vacuum loss or contamination while in clients custody.

VAC leaving EcoTest:

29" Hg

PERSON RECEIVING REPORT:

Date Evacuated:

3/20/2007

ANALYSIS:

VAC/PRES returned EcoTest:

TAT:

CANISTER SERIAL NO.

EcoTest 33

SAMPLE TRAIN SERIAL NO.

N/A

RETURNED IN GOOD CONDITION TO ECOTEST LABORATORIES INC.

DATE: 3/22/07 14:52

SIGNED: for ECOTEST LABS.

ALL INFORMATION BELOW MUST BE PROVIDED BY CLIENT:

CLIENT	CA Rich	SAMPLE TYPE
SOURCE	Tishcon Syst. Raw	CHECK ONE
SAMPLE	System Raw	AMBIENT AIR
DATE SAMPLED	3/21/07	SUB SLAB VAPOR
TIME SAMPLING STARTED:	11:05 A.M.	VAPOR WELL
TIME SAMPLING FINISHED:	11:05 A.M.	Remediation Syst.
TEMPERATURE SAMPLING STARTED:	50° F	EXPECTED CONC
TEMPERATURE SAMPLING FINISHED:	50° F	CHECK ONE
DATE:	3/22/07	LOW
CLIENT:	CA Rich	MEDIUM
CLIENTS AGENT:	Tishcon	HIGH
SIGNED:	<i>Jason T. Cooper</i>	

Relinquished by [Signature] [3/22/07 14:52] Rel'd by [Signature]

ECOTEST LABORATORIES, INC.

ENVIRONMENTAL TESTING

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777• FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com
LAB NO. 271214.00 03/26/07C.A. Rich Consultants, Incorporated
17 Dupont Street
Plainview, NY 11803

ATTN: Jason Cooper PO#:

SOURCE OF SAMPLE: Tishcon System Raw

SOURCE OF SAMPLE:

COLLECTED BY: Client DATE COL'D:03/21/07 RECEIVED:03/22/07
TIME COL'D:1105

MATRIX:Air SAMPLE: System Raw

ANALYTICAL PARAMETERS	UNITS	RESULT	FLAG	DATE OF ANALYSIS	RL	ANALYTICAL METHOD
Propylene	ppbv	< 1		03/22/07	1	EPATO-15
Dichlordinfluoromethane	ppbv	< 1		03/22/07	1	EPATO-15
1,2-Dichlorotetrafluoroethane	ppbv	< 0.2		03/22/07	0.2	EPATO-15
Chloromethane	ppbv	< 0.4		03/22/07	0.4	EPATO-15
1,3 Butadiene	ppbv	< 1		03/22/07	1	EPATO-15
Vinyl Chloride	ppbv	< 0.5		03/22/07	0.5	EPATO-15
Bromomethane	ppbv	< 1		03/22/07	1	EPATO-15
Chloroethane	ppbv	< 2		03/22/07	2	EPATO-15
Vinyl Bromide	ppbv	< 0.2		03/22/07	0.2	EPATO-15
Trichlorofluoromethane	ppbv	< 0.2		03/22/07	0.2	EPATO-15
Ethyl alcohol	ppbv	< 2		03/22/07	2	EPATO-15
Freon 113	ppbv	< 0.2		03/22/07	0.2	EPATO-15
1,1 Dichloroethene	ppbv	45		03/22/07	0.2	EPATO-15
Acetone	ppbv	< 1		03/22/07	1	EPATO-15
Carbon disulfide	ppbv	2.1		03/22/07	0.2	EPATO-15
Isopropyl Alcohol	ppbv	< 5		03/22/07	5	EPATO-15
3-Chloropropene	ppbv	< 0.5		03/22/07	0.5	EPATO-15
Methylene Chloride	ppbv	< 0.2		03/22/07	0.2	EPATO-15
tert. Butyl Alcohol	ppbv	< 2		03/22/07	2	EPATO-15
tert. ButylMethylEther	ppbv	< 0.2		03/22/07	0.2	EPATO-15
t-1,2-Dichloroethene	ppbv	< 0.2		03/22/07	0.2	EPATO-15
Acrylonitrile	ppbv	< 1		03/22/07	1	EPATO-15
Hexane	ppbv	< 0.5		03/22/07	0.5	EPATO-15
Vinyl Acetate	ppbv	< 0.5		03/22/07	0.5	EPATO-15
1,1 Dichloroethane	ppbv	41		03/22/07	0.2	EPATO-15
cc:						

LRL=Laboratory Reporting Limit

REMARKS:

DIRECTOR

ECOTEST LABORATORIES, INC.

ENVIRONMENTAL TESTING

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777• FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO. 271214.00

03/26/07

C.A. Rich Consultants, Incorporated
17 Dupont Street
Plainview, NY 11803

ATTN: Jason Cooper

PO#:

SOURCE OF SAMPLE: Tishcon System Raw

SOURCE OF SAMPLE:

COLLECTED BY: Client

DATE COL'D:03/21/07 RECEIVED:03/22/07

TIME COL'D:1105

MATRIX:Air

SAMPLE: System Raw

ANALYTICAL PARAMETERS	UNITS	RESULT	FLAG	DATE OF ANALYSIS	LRL	ANALYTIC	METHOD
Propylene	ppbv	< 1		03/22/07	1	EPATO-15	
Dichlordinfluoromethane	ppbv	< 1		03/22/07	1	EPATO-15	
1,2-Dichlorotetrafluoroethane	ppbv	< 0.2		03/22/07	0.2	EPATO-15	
Chloromethane	ppbv	< 0.4		03/22/07	0.4	EPATO-15	
1,3 Butadiene	ppbv	< 1		03/22/07	1	EPATO-15	
Vinyl Chloride	ppbv	< 0.5		03/22/07	0.5	EPATO-15	
Bromomethane	ppbv	< 1		03/22/07	1	EPATO-15	
Chloroethane	ppbv	< 2		03/22/07	2	EPATO-15	
Vinyl Bromide	ppbv	< 0.2		03/22/07	0.2	EPATO-15	
Trichlorofluoromethane	ppbv	< 0.2		03/22/07	0.2	EPATO-15	
Ethyl alcohol	ppbv	< 2		03/22/07	2	EPATO-15	
Freon 113	ppbv	< 0.2		03/22/07	0.2	EPATO-15	
1,1 Dichloroethene	ppbv	45		03/22/07	0.2	EPATO-15	
Acetone	ppbv	< 1		03/22/07	1	EPATO-15	
Carbon disulfide	ppbv	2.1		03/22/07	0.2	EPATO-15	
Isopropyl Alcohol	ppbv	< 5		03/22/07	5	EPATO-15	
3-Chloropropene	ppbv	< 0.5		03/22/07	0.5	EPATO-15	
Methylene Chloride	ppbv	< 0.2		03/22/07	0.2	EPATO-15	
tert. Butyl Alcohol	ppbv	< 2		03/22/07	2	EPATO-15	
tert. ButylMethylEther	ppbv	< 0.2		03/22/07	0.2	EPATO-15	
t-1,2-Dichloroethene	ppbv	< 0.2		03/22/07	0.2	EPATO-15	
Acrylonitrile	ppbv	< 1		03/22/07	1	EPATO-15	
Hexane	ppbv	< 0.5		03/22/07	0.5	EPATO-15	
Vinyl Acetate	ppbv	< 0.5		03/22/07	0.5	EPATO-15	
1,1 Dichloroethane	ppbv	41		03/22/07	0.2	EPATO-15	

cc:

LRL=Laboratory Reporting Limit

REMARKS:

DIRECTOR

rn = 6919

NYSDOH ID # 10320

Page 1 of 3

ECOTEST LABORATORIES, INC.

ENVIRONMENTAL TESTING

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777• FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com
LAB NO. 271214.00 03/26/07C.A. Rich Consultants, Incorporated
17 Dupont Street
Plainview, NY 11803

ATTN: Jason Cooper PO#:

SOURCE OF SAMPLE: Tishcon System Raw

SOURCE OF SAMPLE:

COLLECTED BY: Client DATE COL'D:03/21/07 RECEIVED:03/22/07
TIME COL'D:1105

MATRIX: Air SAMPLE: System Raw

ANALYTICAL PARAMETERS	UNITS	RESULT	FLAG	DATE OF ANALYSIS	LRL	ANALYTICAL METHOD
c-1,2-Dichloroethene	ppbv	3.2		03/22/07	0.4	EPATO-15
Methyl Ethyl Ketone	ppbv	< 1		03/22/07	1	EPATO-15
Methyl Acetate	ppbv	< 5		03/22/07	5	EPATO-15
Tetrahydrofuran	ppbv	< 2		03/22/07	2	EPATO-15
Chloroform	ppbv	19		03/22/07	0.2	EPATO-15
Cyclohexane	ppbv	< 0.5		03/22/07	0.5	EPATO-15
111 Trichloroethane	ppbv	57		03/22/07	0.2	EPATO-15
Carbon Tetrachloride	ppbv	< 0.2		03/22/07	0.2	EPATO-15
benzene	ppbv	< 0.2		03/22/07	0.2	EPATO-15
2,4-Trimethylpentane	ppbv	< 0.2		03/22/07	0.2	EPATO-15
1,2 Dichloroethane	ppbv	< 0.2		03/22/07	0.2	EPATO-15
heptane	ppbv	< 0.5		03/22/07	0.5	EPATO-15
Trichloroethene	ppbv	9.8		03/22/07	0.2	EPATO-15
1,2 Dichloropropane	ppbv	< 0.2		03/22/07	0.2	EPATO-15
1,4-Dioxane	ppbv	< 1		03/22/07	1	EPATO-15
Bromodichloromethane	ppbv	< 0.2		03/22/07	0.2	EPATO-15
-1,3Dichloropropene	ppbv	< 0.2		03/22/07	0.2	EPATO-15
Methylisobutylketone	ppbv	< 1		03/22/07	1	EPATO-15
oluene	ppbv	< 0.2		03/22/07	0.2	EPATO-15
-1,3Dichloropropene	ppbv	< 0.2		03/22/07	0.2	EPATO-15
112 Trichloroethane	ppbv	< 0.2		03/22/07	0.2	EPATO-15
Tetrachloroethene	ppbv	20		03/22/07	0.2	EPATO-15
-Hexanone	ppbv	< 0.5		03/22/07	0.5	EPATO-15
Chlorodibromomethane	ppbv	< 0.2		03/22/07	0.2	EPATO-15
1,2 Dibromoethane	ppbv	< 0.2		03/22/07	0.2	EPATO-15
cc:						

LRL=Laboratory Reporting Limit

REMARKS:

DIRECTOR

ECOTEST LABORATORIES, INC.**ENVIRONMENTAL TESTING**

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777• FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO.271214.00

03/26/07

C.A. Rich Consultants, Incorporated
17 Dupont Street
Plainview, NY 11803

ATTN: Jason Cooper

PO#:

SOURCE OF SAMPLE: Tishcon System Raw

SOURCE OF SAMPLE:

COLLECTED BY: Client

DATE COL'D:03/21/07 RECEIVED:03/22/07

TIME COL'D:1105

MATRIX:Air SAMPLE: System Raw

ANALYTICAL PARAMETERS	UNITS	RESULT	FLAG	DATE OF ANALYSIS	RLR	ANALYTICAL METHOD
c-1,2-Dichloroethene	ppbv	3.2		03/22/07	0.4	EPATO-15
Methyl Ethyl Ketone	ppbv	< 1		03/22/07	1	EPATO-15
Ethyl Acetate	ppbv	< 5		03/22/07	5	EPATO-15
Tetrahydrofuran	ppbv	< 2		03/22/07	2	EPATO-15
Chloroform	ppbv	19		03/22/07	0.2	EPATO-15
Cyclohexane	ppbv	< 0.5		03/22/07	0.5	EPATO-15
1,1,1 Trichloroethane	ppbv	57		03/22/07	0.2	EPATO-15
Carbon Tetrachloride	ppbv	< 0.2		03/22/07	0.2	EPATO-15
Benzene	ppbv	< 0.2		03/22/07	0.2	EPATO-15
2,2,4-Trimethylpentane	ppbv	< 0.2		03/22/07	0.2	EPATO-15
1,2 Dichloroethane	ppbv	< 0.2		03/22/07	0.2	EPATO-15
Heptane	ppbv	< 0.5		03/22/07	0.5	EPATO-15
Trichloroethene	ppbv	9.8		03/22/07	0.2	EPATO-15
1,2 Dichloropropane	ppbv	< 0.2		03/22/07	0.2	EPATO-15
1,4-Dioxane	ppbv	< 1		03/22/07	1	EPATO-15
Bromodichloromethane	ppbv	< 0.2		03/22/07	0.2	EPATO-15
c-1,3Dichloropropene	ppbv	< 0.2		03/22/07	0.2	EPATO-15
Methylisobutylketone	ppbv	< 1		03/22/07	1	EPATO-15
Toluene	ppbv	< 0.2		03/22/07	0.2	EPATO-15
t-1,3Dichloropropene	ppbv	< 0.2		03/22/07	0.2	EPATO-15
112 Trichloroethane	ppbv	< 0.2		03/22/07	0.2	EPATO-15
Tetrachloroethene	ppbv	20		03/22/07	0.2	EPATO-15
2-Hexanone	ppbv	< 0.5		03/22/07	0.5	EPATO-15
Chlorodibromomethane	ppbv	< 0.2		03/22/07	0.2	EPATO-15
1,2 Dibromoethane	ppbv	< 0.2		03/22/07	0.2	EPATO-15
cc:						

LRL=Laboratory Reporting Limit

REMARKS:

DIRECTOR

ECOTEST LABORATORIES, INC.

ENVIRONMENTAL TESTING

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777• FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO. 271214.00

03/26/07

C.A. Rich Consultants, Incorporated

17 Dupont Street

Plainview, NY 11803

ATTN: Jason Cooper

PO#:

■ SOURCE OF SAMPLE: Tishcon System Raw

■ SOURCE OF SAMPLE:

COLLECTED BY: Client DATE COL'D:03/21/07 RECEIVED:03/22/07
TIME COL'D:1105

■ MATRIX: Air SAMPLE: System Raw

ANALYTICAL PARAMETERS	UNITS	RESULT	DATE OF ANALYSIS	RLR	ANALYTICAL METHOD
Chlorobenzene	ppbv	< 0.2	03/22/07	0.2	EPATO-15
Methyl Benzene	ppbv	< 0.2	03/22/07	0.2	EPATO-15
m + p Xylene	ppbv	< 0.2	03/22/07	0.2	EPATO-15
o Xylene	ppbv	< 0.2	03/22/07	0.2	EPATO-15
Styrene	ppbv	< 0.2	03/22/07	0.2	EPATO-15
Chloroform	ppbv	< 0.2	03/22/07	0.2	EPATO-15
1,1,2,2-Tetrachloroethane	ppbv	< 0.2	03/22/07	0.2	EPATO-15
p-Ethyltoluene	ppbv	< 0.2	03/22/07	0.2	EPATO-15
3,5-Trimethylbenzene	ppbv	< 0.2	03/22/07	0.2	EPATO-15
1,2,4-Trimethylbenzene	ppbv	< 0.2	03/22/07	0.2	EPATO-15
1,3 Dichlorobenzene (v)	ppbv	< 0.2	03/22/07	0.2	EPATO-15
1,4 Dichlorobenzene (v)	ppbv	< 0.2	03/22/07	0.2	EPATO-15
Benzyl Chloride	ppbv	< 5	03/22/07	5	EPATO-15
1,2 Dichlorobenzene (v)	ppbv	< 0.2	03/22/07	0.2	EPATO-15
Hexachlorobutadiene	ppbv	< 0.2	03/22/07	0.2	EPATO-15

cc:

RLR=Laboratory Reporting Limit

REMARKS:

DIRECTOR

ECOTEST LABORATORIES, INC.**ENVIRONMENTAL TESTING**

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777• FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO. 271214.00

03/26/07

C.A. Rich Consultants, Incorporated
17 Dupont Street
Plainview, NY 11803

ATTN: Jason Cooper

PO#:

SOURCE OF SAMPLE: Tishcon System Raw

SOURCE OF SAMPLE:

COLLECTED BY: Client DATE COL'D:03/21/07 RECEIVED:03/22/07

TIME COL'D:1105

MATRIX: Air SAMPLE: System Raw

ANALYTICAL PARAMETERS	UNITS	RESULT	DATE OF ANALYSIS	ANALYTICAL METHOD
Chlorobenzene	ppbv	< 0.2	03/22/07	0.2 EPATO-15
Ethyl Benzene	ppbv	< 0.2	03/22/07	0.2 EPATO-15
m + p Xylene	ppbv	< 0.2	03/22/07	0.2 EPATO-15
o Xylene	ppbv	< 0.2	03/22/07	0.2 EPATO-15
Styrene	ppbv	< 0.2	03/22/07	0.2 EPATO-15
Bromoform	ppbv	< 0.2	03/22/07	0.2 EPATO-15
1,1,2,2Tetrachloroethane	ppbv	< 0.2	03/22/07	0.2 EPATO-15
p-Ethyltoluene	ppbv	< 0.2	03/22/07	0.2 EPATO-15
1,35-Trimethylbenzene	ppbv	< 0.2	03/22/07	0.2 EPATO-15
1,24-Trimethylbenzene	ppbv	< 0.2	03/22/07	0.2 EPATO-15
1,3 Dichlorobenzene (v)	ppbv	< 0.2	03/22/07	0.2 EPATO-15
1,4 Dichlorobenzene (v)	ppbv	< 0.2	03/22/07	0.2 EPATO-15
Benzyl Chloride	ppbv	< 5	03/22/07	5 EPATO-15
1,2 Dichlorobenzene (v)	ppbv	< 0.2	03/22/07	0.2 EPATO-15
Hexachlorobutadiene	ppbv	< 0.2	03/22/07	0.2 EPATO-15

cc:

LRL=Laboratory Reporting Limit

REMARKS:

DIRECTOR