


RICH
ENVIRONMENTAL SPECIALISTS

**Third Quarter 2007 Quarterly Monitoring Report
Soil Vapor Extraction and Air Sparging System
Tishcon Corporation
30 - 36 New York Avenue and 31 - 33 Brooklyn Avenue
Westbury, New York**

November 2007

Prepared for:

**TISHCON CORPORATION
30 New York Avenue
Westbury, New York 11590**



Prepared by:

**CA RICH CONSULTANTS, INC.
17 Dupont Street
Plainview, New York 11803**



November 9, 2007

NYSDEC
625 Broadway
Albany, New York 12233-7014

Attention: Carl Hoffman

**Re: Third Quarter 2007 Quarterly Monitoring Report
Soil Vapor Extraction and Air Sparging System
Tishcon Corporation
30 - 36 New York Ave. and 31 - 33 Brooklyn Ave.
Westbury, New York
NYSDEC Site No.: 130043E / Tishcon File# 58**

Dear Mr. Hoffman:

Attached is a copy of our Third Quarter 2007, Quarterly Monitoring Report for the above-referenced Site.

The on-site AS/SVE system has been turned off since May 30, 2006. The concentration of 1,1,1-TCA in the on-site wells (NC-24, TW-1 MDCW-1S, MDCW-1I, and MDWC-1D) have ranged from non-detect to near drinking water standards for one year after termination of the system. As such, the on-site wells are no longer included in the quarterly monitoring network.

The Air Sparging system continues to be effective in removing 1,1,1-TCA from the off-site groundwater. Based on the second quarter 2007 laboratory results, the termination criteria have been achieved in the five on-site compliance wells and three of the six off-site compliance wells. The highest 1,1,1-TCA groundwater reading was 64.6 ug/L in well MDCW-2I.

With continued operation of the air sparging unit, we expect the concentrations of VOCs in the off-site wells to continue to decrease. As such, we request that the site's classification be changed from class 2 to class 4 on the NYSDEC Registry.

If there are any questions regarding this Report, please do not hesitate to call our Office.

Sincerely,

CA RICH CONSULTANTS, INC.

A handwritten signature in black ink, appearing to read "Eric A. Weinstock".

Eric A. Weinstock
Vice President

cc: Joseph Jones
Lawrence Schnapf, Esq.
Kamal Chopra
Joe Elbaz
Alali Tamuno, Esq.
Richard Fedigan

Attachments

TABLE OF CONTENTS

Section	Page
1.0 INTRODUCTION	1
2.0 OPERATIONAL HISTORY OF THE REMEDIATION SYSTEM	2
3.0 GROUNDWATER MONITORING PROCEDURES	3
4.0 SOIL VAPOR MONITORING PROCEDURES	4
5.0 REMEDIATION SYSTEM EQUIPMENT TERMINATION CRITERIA	5
6.0 CONCLUSIONS	7
7.0 REFERENCES	8

FIGURES

1. Groundwater Monitoring Well Location Map
2. Air Sparge Point and Soil Vapor Extraction Well System "As Built"

TABLES

1. Summary of Analytical Detections in Groundwater Samples
2. Soil Vapor Extraction Readings

APPENDICES

- A. Groundwater Laboratory Data
- B. Soil Vapor Extraction Laboratory Data

**Third Quarter 2007 Quarterly Monitoring Report
Soil Vapor Extraction and Air Sparging System
Tishcon Corporation
30 - 36 New York Avenue and 31 - 33 Brooklyn Avenue
Westbury, New York**

1.0 INTRODUCTION

The following Quarterly Monitoring Report has been prepared by CA RICH Consultants, Inc. (CA RICH) on behalf of the Tishcon Corporation (Tishcon). This document was prepared in accordance with an Order on Consent, Index Number W1-0799-98-02, and addresses the remediation of the remaining soil contamination below one former cesspool and the remediation of groundwater contamination below Tishcon's property boundaries. For the purposes of this document, the contaminants of concern are 1,1,1-trichloroethane (1,1,1-TCA) and its degradation products.

During the summer of 1996, a Focused Remedial Investigation (R.I.) for soil contamination and identification of source areas was performed. Based on the results of the initial R.I., an Interim Remedial Measure (IRM) was performed to remove contaminated soil from two on-site storm drains and from the bottom of the out-of-service cesspool.

A second Remedial Investigation was performed during 1998. Concurrent with the Remedial Investigation, a Remedial Design Investigation was performed to collect additional subsurface information from the layout of the on-site remediation system. A follow-up phase of the remedial investigation was performed during June of 1999. A map illustrating the location of the site wells is included as Figure 1.

Installation of the on-site remediation system began during August 1999 and consisted of the installation of the Soil Vapor Extraction (SVE) wells and Air Sparging (AS) points. The installation of the underground piping, the SVE blower and the air sparging compressor was completed during December 1999. An off-site extension of the system was placed into operation in August 2004. A layout of the SVE wells and AS points is presented on Figure 2 .

The following documents prepared for this site should be reviewed for additional details:

- CA RICH, November 1995, Focused Remedial Investigation Work Plan, Sampling and Analysis Plan and Health and Safety Plan;
- CA RICH, May 1997, Final Focused Remedial Investigation Report;
- CA RICH, November 1997, Focused Remedial Investigation Work Plan for On-Site Groundwater;
- CA RICH, April 1998, Final Interim Remedial Measures Report;
- CA RICH, July 1998, Remedial Design Investigation Work Plan;
- CA RICH, July 1999, Final Remedial Investigation Report for On-Site Groundwater;
- CA RICH, August 1999, Remedial Design Report; and
- CA RICH, March 2000, Final Engineering Report and Operations & Maintenance Manual, Soil Vapor Extraction and Air Sparging System.

- CA RICH, November 2004, Final Engineering Report and Operations & Maintenance Manual, On-Site and Off-Site Soil Vapor Extraction and Air Sparging System.
- CA RICH, July 2006, On-Site Air Sparging/Soil Vapor Extraction System Closure Report, Tishcon Corporation, 30 New York Avenue, Westbury, NY, Site No.: 130043E.
- CA RICH, April 2007, Site Management Plan Tishcon Corporation, 30 New York Avenue, Westbury, NY, Site No.: 130043E.

2.0 OPERATIONAL HISTORY OF THE REMEDIATION SYSTEM

Installation of the remediation system began in the summer of 1999 and was completed in December 1999. A pilot test of both the SVE and the AS units was performed in December of 1999. Results of the pilot tests are included in the Final Engineering Report and Operations & Maintenance Manual. Both the SVE and the AS systems were placed into continuous operation on January 5, 2000.

The components of the system consist of four soil vapor extraction (SVE) well couplets and 11 air sparge (AS) points. Each SVE couplet consists of one-deep, and one to two-shallow SVE well screens. The soil vapor is extracted using a Fuji Model VFC604A-7W, 4½-horsepower blower located in the equipment shed. The soil vapor passes through a moisture knock-out drum, into the blower and flows through a series of three vapor-phase carbon units located outside of the shed.

The SVE unit has remained in continuous operation since the start up date with the exception of a one-week period in the first half of June 2000 when the system was shut off for repairs. The valves to SVE wells V-1, V-2, V-3 and V-4 are all set to the open position. The SVE blower has been operating at a flow rate of approximately 165 cfm.

Air sparging was initially achieved using an Ingersol-Rand type T-30, model 2545, 10-horsepower reciprocating compressor. The deep sparge points – S-1, S-2, and S-3 – received injected air continuously through a dedicated pressure regulator. Points S-4, S-5, S-8 and S-9 were connected to a solenoid valve. Points S-6, S-7, S-10 and S-11 were connected to a second solenoid valve. An electromechanical timer opened and closed these valves at ½-hour intervals sending compressed air to each set of points through a shared regulator in an alternating fashion.

The air sparging unit has remained in continuous operation with the exception of the following time intervals when the compressor was off for repairs:

- a one-week period in June, 2000;
- March 21, 2001 to March 28, 2001;
- May 15, 2001 to June 19, 2001;
- June 18, 2002 to June 25, 2002;
- June 28, 2004 to August 18, 2004; and
- December 14, 2005 to December 23, 2005
- August 2, 2006 to August 10, 2006

During the air compressor repairs completed on June 19, 2001, the pressure regulators were also replaced by the compressor repair company. When the compressor was restarted, the regulator serving points S-1, S-2 and S-3 was not set to the proper pressure setting. As such, these points were not receiving an adequate flow of air. As a result, the concentration of 1,1,1-TCA in some of the wells increased during the third quarter 2001. On November 15, 2001, we visited the site and reset the pressure setting for the deep zone of sparge points. During the June 18 to 25, 2002 compressor repairs, the SVE lines were inspected. Several cracked portions of the PVC lines were repaired during this time period as well.

On October 23, 2002, the valves to sparge points S-1, 2 and 5 were turned off. This allowed a greater volume of air to be injected into sparge points S-3 and 4, which are located adjacent to monitoring well NC-24.

On May 13, 2003, the valves to S-1, 3, and 5 were turned on and S-3 and S-4 were turned off. On July 30, 2003, a flow indicator and flow regulator was added to sparge points S-1 and S-3 to equalize the injection of air at these locations. No modifications were made during the fourth quarter of 2003.

On March 4, 2004, points S-1, S-3 and S-4 were left on with relatively equal air flow. The remaining points were turned off.

During February 2002, two multi-depth well clusters were installed off-site along Old Country Road. These wells, identified as MDCW-2S, I & D and 3S, I & D, have well screens set at 50 to 65, 75 to 85 and 100 to 110 feet below grade. The first quarter 2002 sampling event was the first time these wells were sampled. Off site well clusters MDCW2 and 3 were sampled in the first quarter and second quarter 2002. These wells were sampled again during the first quarter and third quarter 2004 sampling rounds and are now sampled on a quarterly basis.

Installation of the required off-site SVE/AS points and construction of the off-site utility line were completed and went into full operation in August 2004. On-site air sparge point S-3 developed a crack in the casing and was replaced with a new sparge point. A new Curtis™ 20-HP rotary screw air compressor was also installed. Under the current configuration, air is supplied to all 11 on-site and 4 off-site sparge points concurrently. The air compressor cycles off to rest 4 times a day for a period of approximately 2 hours.

The first quarter 2006 quarterly monitoring indicated that the termination criteria for the on-site wells have been achieved. A closure report for the on-site SVE system was also submitted to the NYSDEC (Ref. 11). As such, on May 30, 2006, the on-site AS/SVE was turned off. The valves to on-site SVE wells V-3 and V-4 were set in the closed position. The valves to on-site sparge points S-4 through S-11 were also set to the closed position.

The extracted soil vapor is treated on-site using two 55-gallon drums of vapor-phase, granular activated carbon arranged in series that are supplied by General Carbon Corporation. During the past quarter of operation, no liquid was measured in the moisture knock-out drum.

3.0 GROUNDWATER MONITORING PROCEDURES

During the course of work at this site, numerous wells were installed at different points in time. For the purposes of this Report, the groundwater analytical results from the November 1998 Remedial Investigation will serve as a starting point with regard to plotting the data versus time. As part of the Remedial Design, a series of compliance wells were designated. The network of on-site compliance wells consists of the following:

- AIMW-11A
- AIMW-11B
- TW-1
- MDCW-1S
- MDCW-1I
- MDCW-1D
- NC-24

A map illustrating the locations of these wells is presented on Figure 1. On November 10, 1999, CA RICH returned to these compliance wells and collected a final round of pre-start up samples to serve as a base line for the remediation system.

During February 2002, CA RICH installed two additional well clusters along Old Country Road. As the off-site extension of the AS/SVE system is now in operation, the following wells were added to the network of monitoring wells and comprise the off-site compliance wells.

- MDCW-2S
- MDCW-2I
- MDCW-2D
- MDCW-3S
- MDCW-3I
- MDCW-3D

CA RICH performed the second quarter 2007 round of groundwater sampling on June 21, 2007. Three casing volumes of groundwater were purged from each of these wells using a Grundfos™ groundwater sampling pump. Two 40-mil vials were then filled directly from the pump discharge and placed in a cooler with ice packs. The purge water was containerized and sampled as well. All samples were transported under chain-of-custody documentation by an over-night courier to Accutest Laboratories in New Jersey.

3.1 Summary of Results

The results of the sampling program are presented on a well-by-well basis on Table 1, pages 1 through 14. In addition to the tabular presentation, plots for the concentration of the compounds 1,1,1-TCA; 1,1-dichloroethane (1,1-DCA); and 1,1-dichlorethene (1,1-DCE) versus time are also included.

On-Site Wells – As shown on the data plots, the air sparging system has resulted in a significant improvement in the quality of the groundwater below this site since the operation of the equipment was initiated. The on-site portion of the AS/SVE system has achieved the termination criteria set forth in the OM&M Plan and was shut off on May 30, 2006. As such, wells NC-24, TW-1 MDCW-1S, MDCW-1I, and MDWC-1D are no longer included in the network of quarterly monitoring wells.

Off-Site Wells – The effects of the on-site and off-site air sparging system have resulted in an improvement in the quality of the groundwater below Old Country Road.

The off-site compliance wells installed along Old Country Road were sampled on September 21, 2007. The concentrations of 1,1,1-TCA in the shallow or "s" (55 to 65 feet below grade) wells continue to display an overall decreasing trend and are now at or below the groundwater standard for 1,1,1-TCA. The intermediate or "i" (75-85 feet below grade) wells have significantly lower concentrations since the activation of the air sparging system; the results of the last sampling revealed 1,1,1-TCA concentrations of 64.6 ug/l at well MDCW-2I and 35.5 ug/l at well MDCW-3I. The concentrations in the deep or "d" zone (100 to 110 feet below grade) have remained very low during all sampling rounds and are also below groundwater standards.

4.0 SOIL VAPOR MONITORING PROCEDURES

On September 21, 2007, one soil vapor sample was collected from the SVE blower discharge using a SUMMA canister and analyzed for via EPA Method TO-15. The SUMMA canister was connected to a sample port located between the blower discharge and the first carbon unit. In addition to the SUMMA canister sample, field readings were also measured using an HNU with an 11.7ev bulb.

Results of the soil vapor sampling program are summarized on Table 2. In addition, plots of the laboratory results and the HNU readings versus days in operation are included. The initial sample collected during the December 22, 1999 pilot test contained 3,690,390 ug/m³ of total VOCs -- 2,400,000 ug/m³ of which were 1,1,1-TCA. These concentrations decreased during the first three quarters of operation, to a total VOC concentration of 1,364 ug/m³. Since that time, the concentration of total VOCs has fluctuated between 420 ug/m³ and 24,350 ug/m³. The most recent sample contained 1,274.5 ug/m³ of total VOCs, of which 387.59 ug/m³ were 1,1,1-TCA.

As described in the O&M Manual, extracted soil vapor samples are collected on a quarterly basis. The results were added to Table 2 and plotted. This information will be included in future quarterly reports.

5.0 REMEDIATION SYSTEM EQUIPMENT TERMINATION CRITERIA

5.1 SVE Unit Termination Criteria

The following termination criteria were developed in the Final Engineering Report and Operations & Maintenance Manual.

Total VOC measurements using an HNU will be collected on a frequency of at least once per week (weather permitting) during the first month the system is in full operation. After the first month, HNU readings will be collected either monthly or as needed to evaluate the progress of the cleanup. In addition to the HNU readings, absorbent tube samples will be collected on a monthly basis for the first 3 months of operation and then quarterly thereafter.

As the operation of the SVE unit progresses, the HNU and absorbent tube data will be plotted versus time of operation on graphs. Once the levels of total VOCs in the SVE wells decrease to a near constant or asymptotic concentration, operation of the system will be suspended. An asymptotic condition shall be defined as three consecutive quarterly concentrations with a net decrease of 10 percent or less of total VOCs. Graphs of the concentration of total VOCs versus time will be compiled after each round of monitoring.

A soil boring will then be placed in the out-of-service cesspool that houses the SVE wells. Soil samples will be collected at 15 to 17 feet, 20 to 22 feet, 25 to 27 feet, 30 to 32 feet, 35 to 37 feet, 40 to 42 feet, 45 to 47 feet and 50 to 52 feet below grade and analyzed for halogenated volatile organics. If the concentration of TCA and its degradation products in these samples do not exceed the NYSDEC TAGM (Ref. 6) Cleanup Objectives, the system will remain off and the cleanup of the unsaturated zone will be deemed complete. If the levels exceed the Cleanup Objectives, the SVE system will be restarted and the monitoring program will continue. The same criteria will be used to determine when additional soil samples should be collected.

The SVE system also serves to capture off gassing contaminants from the AS system. Therefore, aside from the criteria described above, the SVE system will remain in operation as long as the AS system described in the next section is in operation.

Based on the data collected to date, the termination criteria have been met for the on-site wells, but have not been met for the off-site wells.

5.2 AS System Termination Criteria

The following termination criteria were developed in the Final Engineering Report and Operations & Maintenance Manual.

The on-site multi-depth well cluster (MDCW-1), well NC-24, well TW-1, AIMW-11A and AIMW-11B will serve as compliance points for the operation of this remediation system. Prior to start up of the AS system, "base line" samples were collected on November 10, 1999 from these compliance wells. The sample from AIMW-11A will serve as an upgradient monitoring point to determine the quality of ground water entering the property from upgradient sources of contamination.

Once placed in full operation, the compliance wells will be sampled on a quarterly basis and analyzed for halogenated volatile organics using EPA method 8010, 8021 or a similar, approved method. Graphs of the concentration of total VOCs versus time will be compiled after each round of quarterly monitoring. The system will be kept in operation until the concentration of TCA and its degradation products meets the criteria established in the Record Of Decision (ROD) for this project. Specifically, the SVE/AS system will operate until the on-site and shallow groundwater meets the New York State Standards, Criteria, and Guidance (SCGs), or the NYSDEC concludes that further operation of the system is no longer effective.

The AS/SVE system will remain in operation until the groundwater samples from the compliance wells indicate that: 1) they meet the SCGs for TCA and its degradation products; 2) the data shows that TCA and its degradation products have reached an asymptotic condition and is no longer effectively removing the contaminants of concern; or, 3) the on-site and down-gradient groundwater contamination is at or less than the up-gradient groundwater contamination at the time of re-evaluation.

Based on the data collected to date, we have achieved the termination criteria outlined in the Final Engineering Report and Operations & Maintenance Manual in the five on-site compliance wells and three of the six off-site compliance wells. In addition, 1,1,1-TCA was not detected in the deep on-site compliance well.

Compliance Well Number	1st Qtr 2007 Concentration	Concentration in Upgradient Well AIMW-11A (Shallow) Well AIMW-11B (Deep)	Meets Criteria
<u>On-Site</u>			
MDCW-1s	TCA = ND	TCA = 3.6 ug/l	Yes
MDCW-1i	TCA = ND	TCA = 3.6 ug/l	Yes
NC-24	TCA = 2.0 ug/l	TCA = 3.6 ug/l	Yes
TW-1	TCA = 11.7 ug/l	TCA = 3.6 ug/l	Yes*
MDCW-1d	TCA = ND	TCA = 1.4 ug/l	Yes

* - This well appears to have achieved an asymptotic condition

<u>Compliance Well Number</u>	<u>3rd Qtr 2007 Concentration</u>	<u>Concentration in Upgradient Well AIMW-11A (Shallow)</u> <u>Well AIMW-11B (Deep)</u>	<u>Meets Criteria</u>
<u>Off-Site</u>			
MDCW-2s	TCA = 5.2 ug/l	TCA = 4.5 ug/l	No
MDCW-2i	TCA = 64.6 ug/l	TCA = 4.5 ug/l	No
MDCW-3s	TCA = 4.7 ug/l	TCA = 4.5 ug/l	Yes**
MDCW-3i	TCA = 35.5 ug/l	TCA = 4.5 ug/l	No
MDCW-2d	TCA = 3.3 ug/l	TCA = 4.3 ug/l	Yes
MDCW-3d	TCA = 2.4 ug/l	TCA = 4.3 ug/l	Yes

** - The drinking water standard for TCA is 5.0 ug/l

6.0 CONCLUSIONS

The SVE unit appears to be very effective in removing 1,1,1-TCA from the soil underlying the former cesspool. During the third quarter 2007, the concentrations of total VOCs in the extracted soil vapor increased from 1,075.1 ug/m³ to 1,274.5 ug/m³. The majority of this increase, however, is due to a rise in the concentration of PCE, a chemical not used by Tishcon in the past. On May 2, 2006, we installed a closure boring in the former cesspool at location V-3 in accordance with the OM&M Plan. The results were submitted in a separate closure report. Based on the those results and the results of the first quarter 2006 groundwater samples, operation of the on-site AS/SVE system was terminated on May 30, 2006.

During the course of this project, the Air Sparging system also appears to have been very effective in removing 1,1,1-TCA from the groundwater below the property. Based on the third quarter 2007 laboratory results, the termination criteria have been achieved in the five on-site compliance wells and three of the six off-site compliance wells.


With continued operation of the air sparging unit, we expect the concentrations of VOCs in the off-site wells to continue to decrease. Groundwater samples from the on-site groundwater wells have remained in compliance for one year after the operation of the on-site system was terminated. The off-site system, however, remains on.

7.0 REFERENCES


1. CA RICH, November 1995, Focused Remedial Investigation Work Plan, Sampling and Analysis Plan and Health and Safety Plan, Tishcon Corporation, 30-36 New York Avenue and 31-33 Brooklyn Avenue, Westbury, New York.
2. CA RICH, April 1998, Final Interim Remedial Measures Report, Tishcon Corporation, 30-36 New York Avenue and 31-33 Brooklyn Avenue, Westbury, New York.
3. CA RICH, May 1997, Final Focused Remedial Investigation Report, Tishcon Corporation, 30-36 New York Avenue and 31-33 Brooklyn Avenue, Westbury, New York.
4. CA RICH, November 1997, Focused Remedial Investigation Work Plan for On-Site Ground Water, Tishcon Corporation, 30-36 New York Avenue and 31-33 Brooklyn Avenue, Westbury, New York.
5. CA RICH, July 1998, Remedial Design Investigation Work Plan, Tishcon Corporation, 30-36 New York Avenue and 31-33 Brooklyn Avenue, Westbury, New York.
6. NYSDEC, January 24, 1994, Department's Technical And Guidance Memorandum: Determination of Soil Cleanup Objectives and Cleanup Levels.
7. CA RICH, July 1999, Final Remedial Investigation Report for On-Site Groundwater, Tishcon Corporation, 30-36 New York Avenue and 31-33 Brooklyn Avenue, Westbury, New York.
8. CA RICH, August 1999, Remedial Design Report, Tishcon Corporation, 30-36 New York Avenue and 31-33 Brooklyn Avenue, Westbury, New York.
9. CA RICH, March 2000, Final Engineering Report and Operations & Maintenance Manual, Tishcon Corporation, 30-36 New York Avenue and 31-33 Brooklyn Avenue, Westbury, New York.
10. CA RICH, November 2004, Final Engineering Report and Operations & Maintenance Manual for On-Site and Off-Site Soil Vapor Extraction and Air Sparging System, Tishcon Corporation, 30-36 New York Avenue and 31-33 Brooklyn Avenue, Westbury, New York.
11. CA RICH, July 2006, On-Site Air Sparging/Soil Vapor Extraction System Closure Report, Tishcon Corporation, 30 New York Avenue, Westbury, NY, Site No.: 130043E

Users\ERIC\Docs\Tishcon\Qtr Mon Rpt\NYA-3rd qtr 2007


Figures




CA RICH CONSULTANTS, INC.													
Certified Ground-Water and Environmental Specialists 17 Dupont Street, Plainview, New York 11803													
LEGEND													
■ 2-INCH DIAMETER MULTI-DEPTH WELL CLUSTER	DATE 10/29/04												
⊗ EXISTING NCDH/USGS MONITORING WELL	SCALE AS SHOWN												
◆ WATER TABLE MONITORING WELL	DRAWN BY S.T.M.												
<table border="1"> <thead> <tr> <th>FIGURE</th><th>1</th><th>DRAWN NO.</th><th>1154-1A</th><th>DRAWR BY</th><th>E.A.W.</th></tr> </thead> <tbody> <tr> <td>DRAWING NO.</td><td>30-36 NEW YORK AVENUE 31-33 BROOKLYN AVENUE WESTBURY, NEW YORK</td><td></td><td></td><td></td><td></td></tr> </tbody> </table>		FIGURE	1	DRAWN NO.	1154-1A	DRAWR BY	E.A.W.	DRAWING NO.	30-36 NEW YORK AVENUE 31-33 BROOKLYN AVENUE WESTBURY, NEW YORK				
FIGURE	1	DRAWN NO.	1154-1A	DRAWR BY	E.A.W.								
DRAWING NO.	30-36 NEW YORK AVENUE 31-33 BROOKLYN AVENUE WESTBURY, NEW YORK												




Tables and Data Plots



MDCW-1
1:100,000 Scale








Table 1
Summary of Analytical Detections in Well TW-1
for Volatile Organic Compounds in Groundwater
Tishcon Corporation, 30-35 New York Avenue & 31-33 Brooklyn Avenue
Westbury, New York


Sample ID	TW-1	TW-1	TW-1	TW-1	TW-1	TW-1	TW-1	TW-1	TW-1	TW-1	TW-1	TW-1	TW-1	TW-1	TW-1	TW-1	TW-1	TW-1	TW-1	TW-1	TW-1	TW-1	TW-1	TW-1
Comments:																								
Depth in feet	51-43 ft	51-43 ft	51-43 ft	51-43 ft	51-43 ft	51-43 ft	51-43 ft	51-43 ft	51-43 ft	51-43 ft	51-43 ft	51-43 ft	51-43 ft	51-43 ft	51-43 ft	51-43 ft	51-43 ft	51-43 ft	51-43 ft	51-43 ft	51-43 ft	51-43 ft	51-43 ft	
Drill Survey	1110/66	413	0025/7000	0671/7000	0576/2000	1213/3000	0371/2000	0707/3000	0576/2000	0575/2000	1211/7000	0355/2000	0654/2000	1211/7000	0355/2000	0654/2000	1211/7000	0355/2000	0654/2000	1211/7000	0355/2000	0654/2000	1211/7000	0355/2000
Drill Hole Number Change	-413	-251	-86	-58	-86	-255	-441	-538	-630	-661	-114	-811	-115	-115	-115	-115	-115	-115	-115	-115	-115	-115	-115	-115
Volatile Organics (EPA METHOD 8271)																								
Viol. Cholor	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Chlorobenzene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Methylchlorobenzene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Trifluorobromomethane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,1-Dichloroethane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,1,1-Trichloroethane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,1,2-Trichloroethane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,1,2,2-Tetrachloroethane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Note: ND = Indicates compound unable to be measured at laboratory detection level. ppt = microgram per liter or parts per billion. Date of system start up: 01/05/2000.																								

Notes:
ppt = microgram per liter or parts per billion.
Date of system start up: 01/05/2000.

NYSDC Technical and Operational Guidance Scheme (1.1)


Adapted Water Quality Standards and Guidance Values (10/22/93)

Laboratory Test/ID/Matrix



TW-1

1,000 mg/m³ time ave.



AIMW-11a

1100E actual time





Table 1
Summary of Analytical Detections in Well AMW-11b
for Volatile Organics Compounds in Groundwater
Tishcon Corporation, 30-35 New York Avenue & 31-33 Brooklyn Avenue
Westbury, New York

Well ID	Antibiotic	Aromatic hydrocarbons	Aromatic sulfides	Aromatic thioethers	Aromatic acids	Aromatic alcohols	Aliphatic sulfides	Aliphatic thioethers	Aliphatic acids	Aliphatic alcohols	Organic acids	Inorganic acids	Nitrogen	Total organic carbon	TDS	TOC	TOC/TOC values
Depth in feet	78.46 ft	78.46 ft	78.46 ft	78.46 ft	78.46 ft	78.46 ft	78.46 ft	78.46 ft	78.46 ft	78.46 ft	78.46 ft	78.46 ft	78.46 ft	78.46 ft	78.46 ft	78.46 ft	
Date Sampled	11/18/96	07/07/00	06/27/00	06/27/00	06/27/00	06/27/00	06/27/00	06/27/00	06/27/00	06/27/00	06/27/00	06/27/00	06/27/00	06/27/00	06/27/00	06/27/00	
Date system start up	413	46	76	168	295	341	539	600	714	811	896	947	1077	1175	1386	1694	2451
Date system start up range	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Volatile Organics (EPA METHOD 8021)	ND ^a	ND ^a	ND ^a	ND ^a	ND ^a	ND ^a	ND ^a	ND ^a	ND ^a	ND ^a	ND ^a	ND ^a	ND ^a	ND ^a	ND ^a	ND ^a	ND ^a
Urethane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Chloroform	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Methylene Chloride	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Trichloroethylene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Tetrachloroethylene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,1-Dichloroethene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,1,1-Trichloroethane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,1,2-Trichloroethane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,1,2,2-Tetrachloroethene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,1,1,2-Tetrachloroethane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Notes:	ND indicates compound analyzed but not detected at laboratory detection level																
ug/l	micrograms per liter or parts per billion																
Date of system start up	01/06/2000																

AMW-11b
TURBIDITY 2 mg/L

Units: English/Turbo/On/Off/Off







Table 1
Summary of Analytical Detections in Well MDCW-2s
for Volatile Organics Compounds in Groundwater
Tishcon Corporation, 30-36 New York Avenue & 31-33 Brooklyn Avenue
Westbury, New York

Well ID	Comments	MDCW-2s	MDCW-2s	MDCW-2s	MDCW-2s	MDCW-2s	MDCW-2s	MDCW-2s	MDCW-2s	MDCW-2s	MDCW-2s	MDCW-2s	MDCW-2s	MDCW-2s	NYSDEC values		
		Initial sample	2 Qtr 2002	1Qtr 2004	3 Qtr 2004	4 Qtr 2004	1Qtr 2005	2 Qtr 2005	3 Qtr 2005	4 Qtr 2005	1 Qtr 2006	2 Qtr 2006	3 Qtr 2006	4 Qtr 2006	1 Qtr 2007	2 Qtr 2007	TGGS*
Depth in feet	55-65 ft	55-65 ft	55-65 ft	55-65 ft	55-65 ft	55-65 ft	55-65 ft	55-65 ft	55-65 ft	55-65 ft	55-65 ft	55-65 ft	55-65 ft	55-65 ft	55-65 ft	55-65 ft	
Date Sampled	03/25/2002	06/19/2002	03/20/2004	09/21/2004	12/14/2004	03/22/2005	06/21/2005	09/21/2005	12/14/2005	03/20/2006	06/26/2006	09/20/2006	12/20/2006	03/20/2007	06/21/2007	09/21/2007	
Days since system start up	810	896	1546	1721	1805	1903	1994	2086	2170	2286	2364	2505	2631	2724	2816	2816	
Days since initial sample	0	86	736	911	995	1093	1184	1276	1360	1456	1554	1640	1731	1821	1914	2006	
Volatile Organics (EPA METHOD 8021)																	
UHIs	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	
Vinyl Chloride	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
Chloroethane	5.9	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
Methylene Chloride	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
Trichlorofluoromethane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
1,1-Dichloroethene	694	759	8.2	13.1	8.2	13.1	3.5	4.8	8.8	3.2	2.5	5.8	3.1	2.4	2.2	3.0	5
trans-1,1-Dichloroethane	571	297	2.8	6.7	5.8	6.7	2.9	2.9	2.7	11.1	ND	1.8	3.7	2.2	2.0	2.3	5
trans-1,2-Dichloroethene	10.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
1,2-Dichloroethane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
1,1,1-Trichloroethane	3,830	22.3	33.5	16.6	9.0	12.1	20.2	5.7	5.9	11.4	6.1	5.0	4.1	5.2	5	5	
Trichloroethene	109	30.3	ND	2.6	ND	6.4	16.2	9.0	5.3	10.8	17.0	16.3	15.7	13.2	15.3	5	
1,1,2-Trichloroethane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
cis-1,2-Dichloroethene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
Tetrachloroethene	16.8	ND	7.6	37.7	34.9	ND	37.4	34.3	34.1	39.5	27	27.6	26.2	32.7	41.0	32.9	5


Notes:
 ND: Indicates compound analyzed but not detected at laboratory detection level.
 ug/l: micromograms per liter, or parts per billion
 Date of system start up: 01/05/2000

*NYSDEC Technical and Operational Guidance Series (1.1.1)
 Ambient Water Quality Standards and Guidance Values, 10-22-53

User@Ericast@tishcon.com\AM-data



MDCW-2S
1,1-DCE versus time



MDCW-2S
1,1-DCE versus time




Table 1
Summary of Analytical Detections in Well MDCW-2i
for Volatile Organic Compounds in Groundwater
Tishcon Corporation, 30-36 New York Avenue & 31-33 Brooklyn Avenue
Westbury, New York


Well ID	MDCW-2i	MDCW-2i	MDCW-2i	MDCW-2i	MDCW-2i	MDCW-2i	MDCW-2i	MDCW-2i	MDCW-2i	MDCW-2i	MDCW-2i	MDCW-2i	MDCW-2i	MDCW-2i	MDCW-2i	MDCW-2i	MDCW-2i
Comments	Initial sample	2 Qtr 2002	1 Qtr 2004	3 Qtr 2004	4 Qtr 2004	1 Qtr 2005	2 Qtr 2005	3 Qtr 2005	4 Qtr 2005	1 Qtr 2006	2 Qtr 2006	3 Qtr 2006	4 Qtr 2006	1 Qtr 2007	2 Qtr 2007	3 Qtr 2007	NYSDEC TOGS ^a values
Depth in feet	75-85 ft	75-85 ft	75-85 ft	75-85 ft	75-85 ft	75-85 ft	75-85 ft	75-85 ft	75-85 ft	75-85 ft	75-85 ft	75-85 ft	75-85 ft	75-85 ft	75-85 ft	75-85 ft	75-85 ft
Date Sampled	03/25/2002	06/19/2002	03/30/2002	09/21/2004	12/14/2004	03/22/2005	06/21/2005	09/21/2005	12/14/2005	03/20/2006	06/26/2006	09/20/2006	12/20/2006	03/20/2007	06/21/2007	09/21/2007	09/21/2007
Days since system start up	810	886	86	1721	1805	1903	1994	2086	2170	2266	2364	2450	2541	2631	2724	2816	2816
Days since initial sample	0	86	736	911	995	1093	1184	1276	1360	1456	1554	1640	1731	1821	1914	2006	2006
Volatile Organics (EPA METHOD 8021)																	
Units	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l
Vinyl Chloride	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Chloroethane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Methylene Chloride	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Trichlorofluoromethane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,1-Dichloroethene	2.540	971	1100	470	1220	1080	552	377	467	295	186	183	247	196	252	259	248
1,1-Dichloroethane	4.670	2990	ND														
trans-1,2-Dichloroethene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2-Dichloroethane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,1,1-Trichloroethane	7.640	6370	2760	1230	456	362	236	22.3	50.2	27	43.7	9.6	20.6	11.4	30.9	15.1	64.6
Trichloroethylene	44.4	ND															
1,1,2-Trichloroethane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
cis-1,2-Dichloroethene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Tetrachloroethene	26.8	ND															

Notes:

ND: Indicates compound analyzed but not detected at laboratory detection level
 ug: micrograms per liter or parts per billion.
 Date of system start up: 01/05/2000

*NYSDEC Technical and Operational Guidance Series (1-1.1)
 Ambient Water Quality Standards and Guidance Values; 10-22-93

User@E:\class\Tishcon\QAM-data



MDCW-2I

1,1-DCA versus time




Table 1
Summary of Analytical Detections in Well MDCW-2d
for Volatile Organics Compounds in Groundwater
Tishcon Corporation, 30-36 New York Avenue & 31-33 Brooklyn Avenue
Westbury, New York

Well ID	MDCW-2d	MDCW-2d	MDCW-2d	MDCW-2d	MDCW-2d	MDCW-2d	MDCW-2d	MDCW-2d	MDCW-2d	MDCW-2d	MDCW-2d	MDCW-2d	MDCW-2d	MDCW-2d	MDCW-2d	NYSDEC values
Comments	Initial sample	2 Qtr 2002	1 Qtr 2004	3 Qtr 2004	4 Qtr 2004	1 Qtr 2005	2 Qtr 2005	3 Qtr 2005	1 Qtr 2006	2 Qtr 2006	3 Qtr 2006	4 Qtr 2006	1 Qtr 2007	2 Qtr 2007	3 Qtr 2007	TGGS*
Depth in feet	100-110 ft	100-110 ft	100-110 ft	100-110 ft	100-110 ft	100-110 ft	100-110 ft	100-110 ft	100-110 ft	100-110 ft	100-110 ft	100-110 ft	100-110 ft	100-110 ft	100-110 ft	100-110 ft
Date Sampled	03/25/2002	06/19/2002	03/30/2004	09/21/2004	12/14/2004	03/22/2005	06/21/2005	03/21/2005	03/20/2006	06/26/2006	09/20/2006	12/20/2006	03/20/2007	06/21/2007	09/21/2007	
Days since system start up	810	86	736	911	1721	1805	1903	1984	2086	2266	2364	2450	2541	2631	2724	2816
Days since initial sample	0				995	1093	1184	1276	1361	1456	1534	1640	1731	1821	1914	2006
Volatile Organics (EPA METHOD 8021)	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l
Vinyl Chloride	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Chloroethane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Methylene Chloride	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Trichloroethane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,1-Dichloroethene	1.7	2.0	ND													
1,1-Dichloroethane	4.5	3.5	2.2	1.7	1.4	ND	ND	0.60	1.6	ND	ND	ND	ND	0.34	0.81	1.5
trans-1,2-Dichloroethene	3.6	3.3	ND													
1,2-Dichloroethane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,1-Trichloroethane	5.8	3.7	1.7	1.5	1.3	ND	ND	0.82	1.1	ND	ND	ND	ND	0.93	1.3	2.4
Trichloroethene	7.7	7.8	6.4	6.2	4.6	6.2	6.2	5.0	7.0	4.8	4.9	5.1	4.1	3.3	3.9	3.4
1,1,2-Trichloroethane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
cis-1,2-Dichloroethene	ND	ND	ND	ND	0.90	1.1	ND	ND	1.5	ND						
Tetrachloroethene	6.4	8.2	2.3	2.9	3.7	2.5	3.7	2.5	3.9	1.9	1.9	1.7	1.6	2.0	2.0	2.1

Notes


ND - Indicates compound analyzed but not detected at laboratory detection level.
 ug/l - micrograms per liter or parts per billion.
 Date of system start up - 01/05/2000

*NYSDEC Technical and Operational Guidance Series (1.1.1)
 Ambient Water Quality Standards and Guidance Values, 10-22-93

Users\Eric\Downloads\4-4.xls

MDCW-2D

1,1,1-TCA versus time



Concentration in ug/l




Table 1
Summary of Analytical Detections in Well MDCW-3s
for Volatile Organics Compounds in Groundwater
Tishcon Corporation, 30-36 New York Avenue & 31-33 Brooklyn Avenue
Westbury, New York

Well ID	Comments	MDCW-3s	MDCW-3s	MDCW-3s	MDCW-3s	MDCW-3s	MDCW-3s	MDCW-3s	MDCW-3s	MDCW-3s	MDCW-3s	MDCW-3s	MDCW-3s	MDCW-3s	MDCW-3s	MDCW-3s	MDCW-3s	MDCW-3s	NYSDEC
		Initial sample	2 Qtr 2002	1 Qtr 2004	4 Qtr 2004	1 Qtr 2005	2 Qtr 2005	3 Qtr 2005	4 Qtr 2005	1 Qtr 2006	2 Qtr 2006	3 Qtr 2006	4 Qtr 2006	1 Qtr 2007	2 Qtr 2007	3 Qtr 2007	TGGS*		
Depth in feet	55.65 ft.	55.65 ft.	55.65 ft.	55.65 ft.	55.65 ft.	55.65 ft.	55.65 ft.	55.65 ft.	55.65 ft.	55.65 ft.	55.65 ft.	55.65 ft.	55.65 ft.	55.65 ft.	55.65 ft.	55.65 ft.	55.65 ft.	55.65 ft.	
Date Sampled	06/19/2002	03/03/2002	09/21/2004	12/14/2004	03/22/2005	06/21/2005	09/20/2005	12/14/2005	03/20/2006	06/26/2006	09/20/2006	12/20/2006	03/20/2007	06/21/2007	09/21/2007	06/21/2007	09/21/2007	09/21/2007	
Days since system start up	810	696	1546	1721	1803	1994	2085	2170	2266	2354	2450	2631	2724	2816	2890	2974	3050	3130	
Days since initial sample	0	86	736	911	995	1093	1184	1275	1360	1456	1554	1640	1731	1821	1914	2006	2098	2190	
Volatile Organics (EPA METHOD 8021)	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	
Vinyl Chloride	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
Chloroethane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
Methylene Chloride	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
Trichlorofluoromethane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
1,1-Dichloroethene	23.2	24.8	1.6	78.1	72.4	12.7	41.5	14.8	16.4	10.3	7.2	8.2	3.8	1.8	1.7	5	5	5	
1,1-Dichloroethane	37.5	36.9	1.8	50.8	78.6	49.6	54.5	14.0	10.2	53.1	62.4	55.7	25.8	33.3	25.8	16.1	5	5	
trans-1,2-Dichloroethene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
1,2-Dichloroethane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
1,1,1-Trichloroethane	165	119	8.3	109	157	79.1	93.1	22.7	16.3	18.8	8.2	10.3	5.0	4.7	5	5	5	5	
Trichloroethene	3.1	ND	ND	ND	285	81.4	33.3	80.7	75.7	42.9	23.4	26.6	14.4	14.1	9.8	12.0	5	5	
1,1,2-Trichloroethane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
cis-1,2-Dichloroethene	ND	ND	ND	ND	8.7	4.6	3.0	9.9	8.6	4.7	4.7	3.3	1.3	1.0	5	5	5	5	
Tetrachloroethene	2.3	ND	6.5	67.5	35.0	13.3	4.9	7.6	8.3	5.7	2.6	2.5	1.9	1.7	ND	2	2	2	


Notes:
ND = Indicates compound analyzed but not detected at laboratory detection level.
ug/l = micrograms per liter or parts per billion.
Date of system start up: 01/05/2000

*NYSDEC Technical and Operational Guidance Series (1.1.1)
Ambient Water Quality Standards and Guidance Values, 10-22-93


UsersExcel1stTishconO&M-data

MDCW-3S

1,1,1-TCA versus time



MDCW-3S
1,1-DCA versus time



MDCW-3S
1,1-DCE versus time




Table 1
Summary of Analytical Detections in Well MDCW-3i
for Volatile Organic Compounds in Groundwater
Tishcon Corporation, 30-36 New York Avenue & 31-33 Brooklyn Avenue
Westbury, New York

Well ID	MDCW-3i	MDCW-3i	MDCW-3i	MDCW-3i	MDCW-3i	MDCW-3i	MDCW-3i	MDCW-3i	MDCW-3i	MDCW-3i	MDCW-3i	MDCW-3i	MDCW-3i	NYSDEC
Comments	Initial sample	2 Qtr 2002	1 Qtr 2004	3 Qtr 2004	4 Qtr 2004	1 Qtr 2005	2 Qtr 2005	3 Qtr 2005	4 Qtr 2005	1 Qtr 2006	2 Qtr 2006	3 Qtr 2006	4 Qtr 2006	2 Qtr 2007
Depth in feet	75.85 ft	75.85 ft	75.85 ft	75.85 ft	75.85 ft	75.85 ft	75.85 ft	75.85 ft	75.85 ft	75.85 ft	75.85 ft	75.85 ft	75.85 ft	TGGS values
Date Sampled	03/25/2002	06/19/2002	03/30/2004	09/21/2004	12/14/2004	03/22/2005	06/21/2005	09/21/2005	12/14/2005	03/20/2006	06/26/2006	09/20/2006	12/20/2006	03/20/2007
Days since system start up	810	896	1546	1721	1805	1903	1994	2086	2170	2266	2364	2450	2541	2724
Days since initial sample	0	86	736	911	995	1093	1184	1276	1360	1456	1554	1640	1731	1914
Volatile Organics (EPA METHOD 8021)	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l
Vinyl Chloride	2.3	ND												
Chloroethane	154	ND												
Methylene Chloride	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Trichloroethane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,1-Dichloroethene	12.0	ND	61.4	38.4	28.9	19.0	16.7	19.4	11.5	17.2	13.7	11.3	11.9	5.4
1,1-Dichloroethane	20.30	1760	53.8	71.0	67.5	70.4	61.0	68.8	45.3	40.7	50.5	68.2	58.2	67.6
trans-1,2-Dichloroethane	10.9	ND												
1,2-Dichloroethane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.6
1,1,1-Trichloroethane	5660	5290	408	254.0	92.2	86.9	53.4	30.3	4.5	38.6	43.1	46.3	51.6	35.5
1,1,2-Trichloroethane	4.9	ND	11.7	4.1	6.8	2.1	2.0	1.3	1.1	1.9	1.4	1.6	ND	0.44
cis-1,2-Dichloroethene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Tetrachloroethene	11.6	ND	ND	ND	24.9	10	5.5	4.5	3.0	2.2	1.7	1.5	0.6	1.0
				43.8	13.8	8.7	4.9	6.3	4.9	5.5	7.2	4.8	8.0	5.2
														2.2


Notes:
 ND = Indicates compound analyzed but not detected at laboratory detection level
 ug/l = micrograms per liter or parts per billion.
 Date of system start up: 01/05/2000

*NYSDEC Technical and Operational Guidance Series (1.1.1)
 Ambient Water Quality Standards and Guidance Values, 10-22-93

User@ENcts1\Tishcon\O&M\data


MDCW-3i

1,1,1-TCA versus time




Concentration in ug/l

MDCW-3I
1,1-DCE versus time



MDCW-3I
1,1-DCE versus time



Concentration in ug/l

Concentration in ug/l

Table 1
Summary of Analytical Detections in Well MDCW-3d
for Volatile Organics Compounds in Groundwater
Tishcon Corporation, 30-36 New York Avenue & 31-33 Brooklyn Avenue
Westbury, New York

Well ID	MDCW-3d	MDCW-3d	MDCW-3d	MDCW-3d	MDCW-3d	MDCW-3d	MDCW-3d	MDCW-3d	MDCW-3d	MDCW-3d	MDCW-3d	MDCW-3d	NYSDEC TOGs* values
Comments	Initial sample	2 Qtr 2002	3 Qtr 2002	4 Qtr 2004	1 Qtr 2005	2 Qtr 2005	3 Qtr 2005	4 Qtr 2005	1 Qtr 2006	2 Qtr 2006	3 Qtr 2006	4 Qtr 2006	2 Qtr 2007
Depth in feet	100-110 ft	100-110 ft	100-110 ft	100-110 ft	100-110 ft	100-110 ft	100-110 ft	100-110 ft	100-110 ft	100-110 ft	100-110 ft	100-110 ft	100-110 ft
Date Sampled	06/19/2002	03/30/2004	09/21/2004	12/14/2004	03/22/2005	06/21/2005	09/11/2005	12/14/2005	03/20/2006	06/06/2006	09/20/2006	12/20/2006	03/20/2007
Days since system start up	810	856	1546	1721	1805	1903	1994	2086	2170	2266	2364	2550	2814
Days since initial sample	0	86	736	911	995	1093	1184	1276	1360	1456	1554	1640	1731
Volatile Organics (EPA METHOD 8021)	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l
Vinyl Chloride	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Chloroethane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Methylene Chloride	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Trichloroethane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,1-Dichloroethene	1.4	ND											
1,1-Dichloroethane	1.8	2.8	1.1	ND									
trans-1,2-Dichloroethene	1.5	1.0	ND										
1,2-Dichloroethane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,1,1-Trichloroethane	6.3	2.3	ND	0.98	ND	1.4	ND	1.5	1.1	2.0	1.2	1.5	2.4
Trichloroethene	9.0	8.5	13.2	11.2	8.4	5.7	6.3	5.9	8.2	8.1	7.5	6.4	6.3
cis-1,2-Dichloroethene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Tetrachloroethene	1.3	1.9	2.6	1.3	1.0	1.2	1.6	1.9	1.0	1.5	1.3	1.0	1.2

Notes:
ND = Indicates compound analyzed but not detected at laboratory detection level.

ug/l = micrograms per liter or parts per billion.


Date of system start up: 01/05/2000

*NYSDEC Technical and Operational Guidance Series (1.1)
Ambient Water Quality Standards and Guidance Values: 10-22-93


Users/Ernest/lnrcon/ORM-data

MDCW-3D

1,1,1-TCA versus time



MDCW-3D
1,1-DCA versus time



MDCW-3D
1,1-DCE versus time





Table 1
Summary of Analytical Detections in Well NC-11
for Volatile Organics Compounds in Groundwater
Tishcon Corporation, 30-36 New York Avenue & 31-33 Brooklyn Avenue
Westbury, New York

Well ID	Comments	NC-11		NC-11		NC-11		NC-11		NC-11		NC-11	
		4 Qtr 2004	51-65 ft	4 Qtr 2005	51-65 ft	4 Qtr 2005	51-65 ft	4 Qtr 2005	51-65 ft	4 Qtr 2006	51-65 ft	4 Qtr 2006	51-65 ft
Depth in feet	51-65 ft												
Date Sampled	09/21/2004	12/14/2004	03/22/2005	06/21/2005	09/21/2005	1903	1984	2086	2170	2266	2450	2541	2724
Days since system start up	1721	1805	1093	1093	1184	1276	1360	1456	1554	1640	1731	1821	2816
Days since initial sample	0												2006
Volatile Organics (EPA METHOD 8021)													
Vinyl Chloride	ug/l	ug/l	ug/l	ND	ND	ug/l	ND	ug/l	ND	ug/l	ND	ug/l	ug/l
Chloroethane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	2
Methylene Chloride	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5
Trichlorofluoromethane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5
1,1-Dichloroethene	2.9	2.8	7.5	4.1	11.6	1.9	12.0	8.9	2.7	1.3	5.7	3.1	5
1,1-Dichloroethene	ND	ND	ND	ND	ND	1.5	1.1	4.6	3.2	3.8	ND	3.6	2.5
Trans-1,2-Dichloroethene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.74	5
1,2-Dichloroethene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5
1,1,1-Trichloroethane	5.2	4.4	12.9	6.3	19.4	2.9	16.8	11.0	15.4	1.4	10.7	6.7	2.2
Trichloroethene	2.6	2.0	20.0	13.5	21.7	2.4	15.9	27.8	34.8	4.1	26.5	9.6	4.5
1,1,2-Trichloroethane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5
cis-1,2-Dichloroethene	ND	ND	ND	ND	ND	0.46	ND	ND	ND	ND	ND	ND	5
Tetrachloroethene	0.92	0.82	5.9	2.9	5.6	1.2	4.8	7.1	2.2	7.1	3.5	2.7	5

Notes:
 ND: Indicates compound analyzed but not detected at laboratory detection level.
 ug/l: micrograms per liter or parts per billion.
 Date of system start up: 01/05/2000

*NYSDEC Technical and Operational Guidance Series (1.1)
 Ambient Water Quality Standards and Guidance Values: 10-22-93


Users@Ericks1\Tishcon\QAM-data



Concentration in ug/l


NC-11

1,1-DCA versus time



NC-11

1,1-DCE versus time




Concentration in ug/l


Concentration in ug/l

Tishcon Corporation
Soil Vapor Extraction Readings

HNU readings versus time of operation



Laboratory readings versus time of operation



Appendix A
Groundwater Laboratory Data

Sample Summary

C. A. Rich Consultants

Job No: J72700

Tishcon Corp., Westbury, NY
Project No: Tishcon NYA O&M

Sample Number	Collected Date	Time By	Received	Matrix Code	Type	Client Sample ID
J72700-1	09/21/07	09:45 MY	09/27/07	AQ	Ground Water	MDCW-3S
J72700-2	09/21/07	09:40 MY	09/27/07	AQ	Ground Water	MDCW-3I
J72700-3	09/21/07	10:14 MY	09/27/07	AQ	Ground Water	MDCW-3D
J72700-4	09/21/07	11:16 MY	09/27/07	AQ	Ground Water	MDCW-2S
J72700-5	09/21/07	11:31 MY	09/27/07	AQ	Ground Water	MDCW-2I
J72700-6	09/21/07	11:49 MY	09/27/07	AQ	Ground Water	MDCW-2D
J72700-7	09/21/07	12:40 MY	09/27/07	AQ	Ground Water	NC-11
J72700-8	09/21/07	13:15 MY	09/27/07	AQ	Ground Water	AIMW-11A
J72700-9	09/21/07	13:40 MY	09/27/07	AQ	Ground Water	AIMW-11B
J72700-10	09/21/07	14:00 MY	09/27/07	AQ	Ground Water	PURGE WATER

Report of Analysis

Page 1 of 2

Client Sample ID:	MDCW-3S	Date Sampled:	09/21/07
Lab Sample ID:	J72700-1	Date Received:	09/27/07
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8260B		
Project:	Tishcon Corp., Westbury, NY		
Run #1	File ID 3A42680.D	DF 1	Analyzed 10/04/07
Run #2			
	Purge Volume		
Run #1	5.0 ml		
Run #2			

VOA Halogenated List

CAS No.	Compound	Result	RL	MDL	Units	Q
75-27-4	Bromodichloromethane	ND	1.0	0.15	ug/l	
75-25-2	Bromoform	ND	4.0	0.34	ug/l	
74-83-9	Bromomethane	ND	2.0	0.38	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.19	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.19	ug/l	
75-00-3	Chloroethane	ND	1.0	0.67	ug/l	
110-75-8	2-Chloroethyl vinyl ether	ND	10	0.80	ug/l	
67-66-3	Chloroform	0.40	1.0	0.25	ug/l	J
74-87-3	Chloromethane	ND	1.0	0.30	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.28	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.20	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.21	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.17	ug/l	
75-71-8	Dichlorodifluoromethane	ND	5.0	1.0	ug/l	
75-34-3	1,1-Dichloroethane	16.1	1.0	0.20	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.29	ug/l	
75-35-4	1,1-Dichloroethene	1.7	1.0	0.28	ug/l	
156-59-2	cis-1,2-Dichloroethene	1.0	1.0	0.27	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.32	ug/l	
540-59-0	1,2-Dichloroethene (total)	1.0	1.0	0.27	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.24	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.13	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.17	ug/l	
75-09-2	Methylene chloride	ND	2.0	0.21	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.80	ug/l	
127-18-4	Tetrachloroethene	1.8	1.0	0.28	ug/l	
71-55-6	1,1,1-Trichloroethane	4.7	1.0	0.30	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.49	ug/l	
79-01-6	Trichloroethene	12.0	1.0	0.26	ug/l	
75-69-4	Trichlorofluoromethane	ND	5.0	0.26	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.22	ug/l	

ND = Not detected MDL - Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Page 2 of 2

Client Sample ID:	MDCW-3S	Date Sampled:	09/21/07
Lab Sample ID:	J72700-1	Date Received:	09/27/07
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8260B		
Project:	Tishcon Corp., Westbury, NY		

VOA Halogenated List

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	91%		76-123%
17060-07-0	1,2-Dichloroethane-D4	102%		63-140%
2037-26-5	Toluene-D8	82%		78-117%
460-00-4	4-Bromofluorobenzene	89%		73-125%

ND = Not detected MDL - Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

Report of Analysis

Page 1 of 2

Client Sample ID:	MDCW-3I		Date Sampled:	09/21/07	
Lab Sample ID:	J72700-2		Date Received:	09/27/07	
Matrix:	AQ - Ground Water		Percent Solids:	n/a	
Method:	SW846 8260B				
Project:	Tishcon Corp., Westbury, NY				
Run #1	File ID 3A42695.D	DF 1	Analyzed 10/04/07	By JLI	Prep Date n/a
Run #2					Prep Batch n/a
	Purge Volume			Analytical Batch V3A1787	
Run #1	5.0 ml				
Run #2					

VOA Halogenated List

CAS No.	Compound	Result	RL	MDL	Units	Q
75-27-4	Bromodichloromethane	ND	1.0	0.15	ug/l	
75-25-2	Bromoform	ND	4.0	0.34	ug/l	
74-83-9	Bromomethane	ND	2.0	0.38	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.19	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.19	ug/l	
75-00-3	Chloroethane	ND	1.0	0.67	ug/l	
110-75-8	2-Chloroethyl vinyl ether	ND	10	0.80	ug/l	
67-66-3	Chloroform	ND	1.0	0.25	ug/l	
74-87-3	Chloromethane	ND	1.0	0.30	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.28	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.20	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.21	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.17	ug/l	
75-71-8	Dichlorodifluoromethane	ND	5.0	1.0	ug/l	
75-34-3	1,1-Dichloroethane	65.3	1.0	0.20	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.29	ug/l	
75-35-4	1,1-Dichloroethene	5.4	1.0	0.28	ug/l	
156-59-2	cis-1,2-Dichloroethene	1.0	1.0	0.27	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.32	ug/l	
540-59-0	1,2-Dichloroethene (total)	1.0	1.0	0.27	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.24	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.13	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.17	ug/l	
75-09-2	Methylene chloride	ND	2.0	0.21	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.80	ug/l	
127-18-4	Tetrachloroethene	2.2	1.0	0.28	ug/l	
71-55-6	1,1,1-Trichloroethane	35.5	1.0	0.30	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.49	ug/l	
79-01-6	Trichloroethene	0.44	1.0	0.26	ug/l	J
75-69-4	Trichlorofluoromethane	ND	5.0	0.26	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.22	ug/l	

ND = Not detected MDL - Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Page 2 of 2

Client Sample ID:	MDCW-3I	Date Sampled:	09/21/07
Lab Sample ID:	J72700-2	Date Received:	09/27/07
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8260B		
Project:	Tishcon Corp., Westbury, NY		

VOA Halogenated List

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	98%		76-123%
17060-07-0	1,2-Dichloroethane-D4	120%		63-140%
2037-26-5	Toluene-D8	91%		78-117%
460-00-4	4-Bromofluorobenzene	93%		73-125%

ND = Not detected MDL - Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Page 1 of 2

Client Sample ID:	MDCW-3D	Date Sampled:	09/21/07
Lab Sample ID:	J72700-3	Date Received:	09/27/07
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8260B		
Project:	Tishcon Corp., Westbury, NY		
Run #1	File ID 3A42696.D	DF 1	Analyzed 10/04/07
Run #2			
Purge Volume			
Run #1	5.0 ml		
Run #2			

VOA Halogenated List

CAS No.	Compound	Result	RL	MDL	Units	Q
75-27-4	Bromodichloromethane	ND	1.0	0.15	ug/l	
75-25-2	Bromoform	ND	4.0	0.34	ug/l	
74-83-9	Bromomethane	ND	2.0	0.38	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.19	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.19	ug/l	
75-00-3	Chloroethane	ND	1.0	0.67	ug/l	
110-75-8	2-Chloroethyl vinyl ether	ND	10	0.80	ug/l	
67-66-3	Chloroform	ND	1.0	0.25	ug/l	
74-87-3	Chloromethane	ND	1.0	0.30	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.28	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.20	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.21	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.17	ug/l	
75-71-8	Dichlorodifluoromethane	ND	5.0	1.0	ug/l	
75-34-3	1,1-Dichloroethane	1.4	1.0	0.20	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.29	ug/l	
75-35-4	1,1-Dichloroethene	0.96	1.0	0.28	ug/l	J
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.27	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.32	ug/l	
540-59-0	1,2-Dichloroethene (total)	ND	1.0	0.27	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.24	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.13	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.17	ug/l	
75-09-2	Methylene chloride	ND	2.0	0.21	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.80	ug/l	
127-18-4	Tetrachloroethene	2.0	1.0	0.28	ug/l	
71-55-6	1,1,1-Trichloroethane	2.4	1.0	0.30	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.49	ug/l	
79-01-6	Trichloroethene	4.4	1.0	0.26	ug/l	
75-69-4	Trichlorofluoromethane	ND	5.0	0.26	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.22	ug/l	

ND = Not detected MDL - Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Page 2 of 2

Client Sample ID:	MDCW-3D	Date Sampled:	09/21/07
Lab Sample ID:	J72700-3	Date Received:	09/27/07
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8260B		
Project:	Tishcon Corp., Westbury, NY		

VOA Halogenated List

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	96%		76-123%
17060-07-0	1,2-Dichloroethane-D4	119%		63-140%
2037-26-5	Toluene-D8	90%		78-117%
460-00-4	4-Bromofluorobenzene	90%		73-125%

ND = Not detected MDL - Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

Report of Analysis

Page 1 of 2

Client Sample ID:	MDCW-2S		Date Sampled:	09/21/07	
Lab Sample ID:	J72700-4		Date Received:	09/27/07	
Matrix:	AQ - Ground Water		Percent Solids:	n/a	
Method:	SW846 8260B				
Project:	Tishcon Corp., Westbury, NY				
Run #1	File ID A127402.D	DF 1	Analyzed 10/05/07	By ECC	Prep Date n/a
Run #2					Prep Batch n/a
	Purge Volume			Analytical Batch VA4390	
Run #1	5.0 ml				
Run #2					

VOA Halogenated List

CAS No.	Compound	Result	RL	MDL	Units	Q
75-27-4	Bromodichloromethane	ND	1.0	0.15	ug/l	
75-25-2	Bromoform	ND	4.0	0.34	ug/l	
74-83-9	Bromomethane	ND	2.0	0.38	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.19	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.19	ug/l	
75-00-3	Chloroethane	ND	1.0	0.67	ug/l	
110-75-8	2-Chloroethyl vinyl ether	ND	10	0.80	ug/l	
67-66-3	Chloroform	ND	1.0	0.25	ug/l	
74-87-3	Chloromethane	ND	1.0	0.30	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.28	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.20	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.21	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.17	ug/l	
75-71-8	Dichlorodifluoromethane	ND	5.0	1.0	ug/l	
75-34-3	1,1-Dichloroethane	3.2	1.0	0.20	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.29	ug/l	
75-35-4	1,1-Dichloroethene	3.0	1.0	0.28	ug/l	
156-59-2	cis-1,2-Dichloroethene	0.35	1.0	0.27	ug/l	J
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.32	ug/l	
540-59-0	1,2-Dichloroethene (total)	0.35	1.0	0.27	ug/l	J
78-87-5	1,2-Dichloropropane	ND	1.0	0.24	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.13	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.17	ug/l	
75-09-2	Methylene chloride	ND	2.0	0.21	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.80	ug/l	
127-18-4	Tetrachloroethene	32.9	1.0	0.28	ug/l	
71-55-6	1,1,1-Trichloroethane	5.2	1.0	0.30	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.49	ug/l	
79-01-6	Trichloroethene	15.3	1.0	0.26	ug/l	
75-69-4	Trichlorofluoromethane	ND	5.0	0.26	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.22	ug/l	

ND = Not detected

MDL - Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Page 2 of 2

Client Sample ID:	MDCW-2S	Date Sampled:	09/21/07
Lab Sample ID:	J72700-4	Date Received:	09/27/07
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8260B		
Project:	Tishcon Corp., Westbury, NY		

VOA Halogenated List

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	95%		76-123%
17060-07-0	1,2-Dichloroethane-D4	99%		63-140%
2037-26-5	Toluene-D8	98%		78-117%
460-00-4	4-Bromofluorobenzene	89%		73-125%

ND = Not detected MDL - Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Page 1 of 2

Client Sample ID:	MDCW-2I		Date Sampled:	09/21/07	
Lab Sample ID:	J72700-5		Date Received:	09/27/07	
Matrix:	AQ - Ground Water		Percent Solids:	n/a	
Method:	SW846 8260B				
Project:	Tishcon Corp., Westbury, NY				
Run #1	File ID 3A42685.D	DF 2	Analyzed 10/04/07	By JLI	Prep Date n/a
Run #2					Prep Batch n/a
	Purge Volume			Analytical Batch V3A1787	
Run #1	5.0 ml				
Run #2					

VOA Halogenated List

CAS No.	Compound	Result	RL	MDL	Units	Q
75-27-4	Bromodichloromethane	ND	2.0	0.29	ug/l	
75-25-2	Bromoform	ND	8.0	0.67	ug/l	
74-83-9	Bromomethane	ND	4.0	0.76	ug/l	
56-23-5	Carbon tetrachloride	ND	2.0	0.37	ug/l	
108-90-7	Chlorobenzene	ND	2.0	0.37	ug/l	
75-00-3	Chloroethane	ND	2.0	1.3	ug/l	
110-75-8	2-Chloroethyl vinyl ether	ND	20	1.6	ug/l	
67-66-3	Chloroform	ND	2.0	0.51	ug/l	
74-87-3	Chloromethane	ND	2.0	0.61	ug/l	
124-48-1	Dibromochloromethane	ND	2.0	0.56	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	2.0	0.39	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	2.0	0.41	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	2.0	0.33	ug/l	
75-71-8	Dichlorodifluoromethane	ND	10	2.1	ug/l	
75-34-3	1,1-Dichloroethane	248	2.0	0.40	ug/l	
107-06-2	1,2-Dichloroethane	ND	2.0	0.57	ug/l	
75-35-4	1,1-Dichloroethene	17.9	2.0	0.55	ug/l	
156-59-2	cis-1,2-Dichloroethene	2.2	2.0	0.54	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	2.0	0.63	ug/l	
540-59-0	1,2-Dichloroethene (total)	2.2	2.0	0.54	ug/l	
78-87-5	1,2-Dichloropropane	ND	2.0	0.48	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	2.0	0.27	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	2.0	0.34	ug/l	
75-09-2	Methylene chloride	ND	4.0	0.42	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	2.0	1.6	ug/l	
127-18-4	Tetrachloroethene	9.2	2.0	0.56	ug/l	
71-55-6	1,1,1-Trichloroethane	64.6	2.0	0.60	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	2.0	0.99	ug/l	
79-01-6	Trichloroethene	15.1	2.0	0.51	ug/l	
75-69-4	Trichlorofluoromethane	ND	10	0.53	ug/l	
75-01-4	Vinyl chloride	ND	2.0	0.45	ug/l	

ND = Not detected MDL - Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Page 2 of 2

Client Sample ID:	MDCW-21	Date Sampled:	09/21/07
Lab Sample ID:	J72700-5	Date Received:	09/27/07
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8260B		
Project:	Tishcon Corp., Westbury, NY		

VOA Halogenated List

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	88%		76-123%
17060-07-0	1,2-Dichloroethane-D4	97%		63-140%
2037-26-5	Toluene-D8	80%		78-117%
460-00-4	4-Bromofluorobenzene	90%		73-125%

ND = Not detected MDL - Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Page 1 of 2

Client Sample ID:	MDCW-2D			Date Sampled:	09/21/07		
Lab Sample ID:	J72700-6			Date Received:	09/27/07		
Matrix:	AQ - Ground Water			Percent Solids:	n/a		
Method:	SW846 8260B						
Project:	Tishcon Corp., Westbury, NY						
Run #1	File ID A127401.D	DF 1	Analyzed 10/05/07	By ECC	Prep Date n/a	Prep Batch n/a	Analytical Batch VA4390
Run #2							
	Purge Volume						
Run #1	5.0 ml						
Run #2							

VOA Halogenated List

CAS No.	Compound	Result	RL	MDL	Units	Q
75-27-4	Bromodichloromethane	ND	1.0	0.15	ug/l	
75-25-2	Bromoform	ND	4.0	0.34	ug/l	
74-83-9	Bromomethane	ND	2.0	0.38	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.19	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.19	ug/l	
75-00-3	Chloroethane	ND	1.0	0.67	ug/l	
110-75-8	2-Chloroethyl vinyl ether	ND	10	0.80	ug/l	
67-66-3	Chloroform	ND	1.0	0.25	ug/l	
74-87-3	Chloromethane	ND	1.0	0.30	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.28	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.20	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.21	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.17	ug/l	
75-71-8	Dichlorodifluoromethane	ND	5.0	1.0	ug/l	
75-34-3	1,1-Dichloroethane	1.5	1.0	0.20	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.29	ug/l	
75-35-4	1,1-Dichloroethene	1.7	1.0	0.28	ug/l	
156-59-2	cis-1,2-Dichloroethene	0.82	1.0	0.27	ug/l	J
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.32	ug/l	
540-59-0	1,2-Dichloroethene (total)	0.82	1.0	0.27	ug/l	J
78-87-5	1,2-Dichloropropane	ND	1.0	0.24	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.13	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.17	ug/l	
75-09-2	Methylene chloride	ND	2.0	0.21	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.80	ug/l	
127-18-4	Tetrachloroethene	4.1	1.0	0.28	ug/l	
71-55-6	1,1,1-Trichloroethane	3.3	1.0	0.30	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.49	ug/l	
79-01-6	Trichloroethene	3.4	1.0	0.26	ug/l	
75-69-4	Trichlorofluoromethane	ND	5.0	0.26	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.22	ug/l	

ND = Not detected MDL - Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Page 2 of 2

Client Sample ID:	MDCW-2D	Date Sampled:	09/21/07
Lab Sample ID:	J72700-6	Date Received:	09/27/07
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8260B		
Project:	Tishcon Corp., Westbury, NY		

VOA Halogenated List

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	95%		76-123%
17060-07-0	1,2-Dichloroethane-D4	100%		63-140%
2037-26-5	Toluene-D8	96%		78-117%
460-00-4	4-Bromofluorobenzene	92%		73-125%

ND = Not detected MDL - Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Page 1 of 2

Client Sample ID:	NC-11	Date Sampled:	09/21/07
Lab Sample ID:	J72700-7	Date Received:	09/27/07
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8260B		
Project:	Tishcon Corp., Westbury, NY		
Run #1	File ID 3A42686.D	DF 1	Analyzed 10/04/07
Run #2			
	Purge Volume		
Run #1	5.0 ml		
Run #2			

VOA Halogenated List

CAS No.	Compound	Result	RL	MDL	Units	Q
75-27-4	Bromodichloromethane	ND	1.0	0.15	ug/l	
75-25-2	Bromoform	ND	4.0	0.34	ug/l	
74-83-9	Bromomethane	ND	2.0	0.38	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.19	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.19	ug/l	
75-00-3	Chloroethane	ND	1.0	0.67	ug/l	
110-75-8	2-Chloroethyl vinyl ether	ND	10	0.80	ug/l	
67-66-3	Chloroform	ND	1.0	0.25	ug/l	
74-87-3	Chloromethane	ND	1.0	0.30	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.28	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.20	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.21	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.17	ug/l	
75-71-8	Dichlorodifluoromethane	ND	5.0	1.0	ug/l	
75-34-3	1,1-Dichloroethane	0.74	1.0	0.20	ug/l	J
107-06-2	1,2-Dichloroethane	ND	1.0	0.29	ug/l	
75-35-4	1,1-Dichloroethene	3.1	1.0	0.28	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.27	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.32	ug/l	
540-59-0	1,2-Dichloroethene (total)	ND	1.0	0.27	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.24	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.13	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.17	ug/l	
75-09-2	Methylene chloride	ND	2.0	0.21	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.80	ug/l	
127-18-4	Tetrachloroethene	2.7	1.0	0.28	ug/l	
71-55-6	1,1,1-Trichloroethane	2.2	1.0	0.30	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.49	ug/l	
79-01-6	Trichloroethene	4.5	1.0	0.26	ug/l	
75-69-4	Trichlorofluoromethane	ND	5.0	0.26	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.22	ug/l	

ND = Not detected MDL - Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Page 2 of 2

Client Sample ID:	NC-11	Date Sampled:	09/21/07
Lab Sample ID:	J72700-7	Date Received:	09/27/07
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8260B		
Project:	Tishcon Corp., Westbury, NY		

VOA Halogenated List

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	89%		76-123%
17060-07-0	1,2-Dichloroethane-D4	100%		63-140%
2037-26-5	Toluene-D8	83%		78-117%
460-00-4	4-Bromofluorobenzene	90%		73-125%

ND = Not detected MDL - Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Page 1 of 2

Client Sample ID:	AIMW-11A	Date Sampled:	09/21/07
Lab Sample ID:	J72700-8	Date Received:	09/27/07
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8260B		
Project:	Tishcon Corp., Westbury, NY		
Run #1	File ID 3A42687.D	DF 1	Analyzed 10/04/07
Run #2			
	Purge Volume		
Run #1	5.0 ml		
Run #2			

VOA Halogenated List

CAS No.	Compound	Result	RL	MDL	Units	Q
75-27-4	Bromodichloromethane	ND	1.0	0.15	ug/l	
75-25-2	Bromoform	ND	4.0	0.34	ug/l	
74-83-9	Bromomethane	ND	2.0	0.38	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.19	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.19	ug/l	
75-00-3	Chloroethane	ND	1.0	0.67	ug/l	
110-75-8	2-Chloroethyl vinyl ether	ND	10	0.80	ug/l	
67-66-3	Chloroform	ND	1.0	0.25	ug/l	
74-87-3	Chloromethane	ND	1.0	0.30	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.28	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.20	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.21	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.17	ug/l	
75-71-8	Dichlorodifluoromethane	ND	5.0	1.0	ug/l	
75-34-3	1,1-Dichloroethane	1.5	1.0	0.20	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.29	ug/l	
75-35-4	1,1-Dichloroethene	4.4	1.0	0.28	ug/l	
156-59-2	cis-1,2-Dichloroethene	2.6	1.0	0.27	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.32	ug/l	
540-59-0	1,2-Dichloroethene (total)	2.6	1.0	0.27	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.24	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.13	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.17	ug/l	
75-09-2	Methylene chloride	ND	2.0	0.21	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.80	ug/l	
127-18-4	Tetrachloroethene	14.3	1.0	0.28	ug/l	
71-55-6	1,1,1-Trichloroethane	4.5	1.0	0.30	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.49	ug/l	
79-01-6	Trichloroethene	3.4	1.0	0.26	ug/l	
75-69-4	Trichlorofluoromethane	ND	5.0	0.26	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.22	ug/l	

ND = Not detected MDL - Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Page 2 of 2

Client Sample ID:	AIMW-11A	Date Sampled:	09/21/07
Lab Sample ID:	J72700-8	Date Received:	09/27/07
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8260B		
Project:	Tishcon Corp., Westbury, NY		

VOA Halogenated List

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	90%		76-123%
17060-07-0	1,2-Dichloroethane-D4	103%		63-140%
2037-26-5	Toluene-D8	86%		78-117%
460-00-4	4-Bromofluorobenzene	90%		73-125%

ND = Not detected MDL - Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

Report of Analysis

Page 1 of 2

Client Sample ID:	AIMW-11B	Date Sampled:	09/21/07
Lab Sample ID:	J72700-9	Date Received:	09/27/07
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8260B		
Project:	Tishcon Corp., Westbury, NY		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	3A42688.D	1	10/04/07	JLI	n/a	n/a	V3A1787
Run #2							

Run #	Purge Volume
Run #1	5.0 ml
Run #2	

VOA Halogenated List

CAS No.	Compound	Result	RL	MDL	Units	Q
75-27-4	Bromodichloromethane	ND	1.0	0.15	ug/l	
75-25-2	Bromoform	ND	4.0	0.34	ug/l	
74-83-9	Bromomethane	ND	2.0	0.38	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.19	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.19	ug/l	
75-00-3	Chloroethane	ND	1.0	0.67	ug/l	
110-75-8	2-Chloroethyl vinyl ether	ND	10	0.80	ug/l	
67-66-3	Chloroform	ND	1.0	0.25	ug/l	
74-87-3	Chloromethane	ND	1.0	0.30	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.28	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.20	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.21	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.17	ug/l	
75-71-8	Dichlorodifluoromethane	ND	5.0	1.0	ug/l	
75-34-3	1,1-Dichloroethane	3.1	1.0	0.20	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.29	ug/l	
75-35-4	1,1-Dichloroethene	1.1	1.0	0.28	ug/l	
156-59-2	cis-1,2-Dichloroethene	ND	1.0	0.27	ug/l	
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.32	ug/l	
540-59-0	1,2-Dichloroethene (total)	ND	1.0	0.27	ug/l	
78-87-5	1,2-Dichloropropane	ND	1.0	0.24	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.13	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.17	ug/l	
75-09-2	Methylene chloride	ND	2.0	0.21	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.80	ug/l	
127-18-4	Tetrachloroethene	0.69	1.0	0.28	ug/l	J
71-55-6	1,1,1-Trichloroethane	4.3	1.0	0.30	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.49	ug/l	
79-01-6	Trichloroethene	1.8	1.0	0.26	ug/l	
75-69-4	Trichlorofluoromethane	ND	5.0	0.26	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.22	ug/l	

ND = Not detected MDL - Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Page 2 of 2

Client Sample ID:	AIMW-11B	Date Sampled:	09/21/07
Lab Sample ID:	J72700-9	Date Received:	09/27/07
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8260B		
Project:	Tishcon Corp., Westbury, NY		

VOA Halogenated List

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	92%		76-123%
17060-07-0	1,2-Dichloroethane-D4	107%		63-140%
2037-26-5	Toluene-D8	87%		78-117%
460-00-4	4-Bromofluorobenzene	90%		73-125%

ND = Not detected MDL - Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

Report of Analysis

Page 1 of 2

Client Sample ID:	PURGE WATER			Date Sampled:	09/21/07		
Lab Sample ID:	J72700-10			Date Received:	09/27/07		
Matrix:	AQ - Ground Water			Percent Solids:	n/a		
Method:	SW846 8260B						
Project:	Tishcon Corp., Westbury, NY						
Run #1	File ID 3A42689.D	DF 1	Analyzed 10/04/07	By JLI	Prep Date n/a	Prep Batch n/a	Analytical Batch V3A1787
Run #2							
Purge Volume							
Run #1	5.0 ml						
Run #2							

VOA Halogenated List

CAS No.	Compound	Result	RL	MDL	Units	Q
75-27-4	Bromodichloromethane	ND	1.0	0.15	ug/l	
75-25-2	Bromoform	ND	4.0	0.34	ug/l	
74-83-9	Bromomethane	ND	2.0	0.38	ug/l	
56-23-5	Carbon tetrachloride	ND	1.0	0.19	ug/l	
108-90-7	Chlorobenzene	ND	1.0	0.19	ug/l	
75-00-3	Chloroethane	ND	1.0	0.67	ug/l	
110-75-8	2-Chloroethyl vinyl ether	ND	10	0.80	ug/l	
67-66-3	Chloroform	ND	1.0	0.25	ug/l	
74-87-3	Chloromethane	ND	1.0	0.30	ug/l	
124-48-1	Dibromochloromethane	ND	1.0	0.28	ug/l	
95-50-1	1,2-Dichlorobenzene	ND	1.0	0.20	ug/l	
541-73-1	1,3-Dichlorobenzene	ND	1.0	0.21	ug/l	
106-46-7	1,4-Dichlorobenzene	ND	1.0	0.17	ug/l	
75-71-8	Dichlorodifluoromethane	ND	5.0	1.0	ug/l	
75-34-3	1,1-Dichloroethane	24.6	1.0	0.20	ug/l	
107-06-2	1,2-Dichloroethane	ND	1.0	0.29	ug/l	
75-35-4	1,1-Dichloroethene	2.0	1.0	0.28	ug/l	
156-59-2	cis-1,2-Dichloroethene	0.50	1.0	0.27	ug/l	J
156-60-5	trans-1,2-Dichloroethene	ND	1.0	0.32	ug/l	
540-59-0	1,2-Dichloroethene (total)	0.50	1.0	0.27	ug/l	J
78-87-5	1,2-Dichloropropane	ND	1.0	0.24	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND	1.0	0.13	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND	1.0	0.17	ug/l	
75-09-2	Methylene chloride	ND	2.0	0.21	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND	1.0	0.80	ug/l	
127-18-4	Tetrachloroethene	2.7	1.0	0.28	ug/l	
71-55-6	1,1,1-Trichloroethane	7.7	1.0	0.30	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	1.0	0.49	ug/l	
79-01-6	Trichloroethene	3.7	1.0	0.26	ug/l	
75-69-4	Trichlorofluoromethane	ND	5.0	0.26	ug/l	
75-01-4	Vinyl chloride	ND	1.0	0.22	ug/l	

ND = Not detected MDL - Method Detection Limit

J = Indicates an estimated value

RL = Reporting Limit

B = Indicates analyte found in associated method blank

E = Indicates value exceeds calibration range

N = Indicates presumptive evidence of a compound

Report of Analysis

Page 2 of 2

Client Sample ID:	PURGE WATER	Date Sampled:	09/21/07
Lab Sample ID:	J72700-10	Date Received:	09/27/07
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8260B		
Project:	Tishcon Corp., Westbury, NY		

VOA Halogenated List

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	93%		76-123%
17060-07-0	1,2-Dichloroethane-D4	111%		63-140%
2037-26-5	Toluene-D8	86%		78-117%
460-00-4	4-Bromofluorobenzene	90%		73-125%

ND = Not detected MDL - Method Detection Limit
RL = Reporting Limit
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound



CHAIN OF CUSTODY

2235 Route 130, Dayton NJ 08810
TEL: 732-329-0200 FAX: 732-329-3499/3480
www.accutest.com

6

Client / Reporting Information			Project Information							FED-EX Tracking #			Bottle Order Control #			
Company Name CA Rich Consultants, Inc	Project Name Tishcon		Address 17 Dayton Street	Street New York Ave		City Plumview	State NY	Zip 11803	City Westbury	State NY		Accutest Quote # J72700	Bottle Order Job # J72700			
Project Contact Eric Wenstock	E-mail ewenstock@caroline.com		Project # NY-Tishcon NYA O&M													
Phone # 516-576-8844	Fax # 516-576-0093															
Sampler's Name Mike Tayer/Jason Cooper			Client Purchase Order #													
Accutest Sample #	Field ID / Point of Collection	SUMMA #	Collection									Requested Analysis	Matrix Codes			
			Date	Time	Sampled By	Matrix	# of bottles	g	High	Med	Low	None	Personal	MEOH	BRINE	
-1	MACW-35		9/21/07	0945	<input checked="" type="checkbox"/> MY	<input checked="" type="checkbox"/> GW	3	3					X			
-2	MACW-31		9/21/07	0940	<input checked="" type="checkbox"/> MY	<input checked="" type="checkbox"/> GW	3	3					X			
-3	MACW-30		9/21/07	1014	<input checked="" type="checkbox"/> MY	<input checked="" type="checkbox"/> GW	3	3					X			
-4	MACW-25		9/21/07	1116	<input checked="" type="checkbox"/> MY	<input checked="" type="checkbox"/> GW	3	3					X			
-5	MACW-21		9/21/07	1131	<input checked="" type="checkbox"/> MY	<input checked="" type="checkbox"/> GW	3	3					X			
-6	MACW-20		9/21/07	1149	<input checked="" type="checkbox"/> MY	<input checked="" type="checkbox"/> GW	3	3					X			
-7	NC-11		9/21/07	1240	<input checked="" type="checkbox"/> SE	<input checked="" type="checkbox"/> GW	3	3					X			
-8	AIMW-11A		9/21/07	1315	<input checked="" type="checkbox"/> MY	<input checked="" type="checkbox"/> GW	3	3					X			
-9	AIMW-11B		9/21/07	1340	<input checked="" type="checkbox"/> MY	<input checked="" type="checkbox"/> GW	3	3					X			
-10	Purge Water		9/21/07	1400	<input checked="" type="checkbox"/> NT	<input checked="" type="checkbox"/> GW	3	3					X			
Turnaround Time (Business Days)			Data Deliverable Information							Comments / Remarks						
<input type="checkbox"/> Std. 15 Business Days	Approved By / Date		<input type="checkbox"/> Commercial "A" <input type="checkbox"/> FULL CLP <input type="checkbox"/> Commercial "B" <input type="checkbox"/> NYASP Category A <input type="checkbox"/> NJ Reduced <input type="checkbox"/> NYASP Category B <input type="checkbox"/> NJ Full <input type="checkbox"/> State Forms <input type="checkbox"/> Other <input type="checkbox"/> EDD Format							NOC 8021 Halogenated only 2051						
Emergency & Rush T/A data available VIA LabLink																
Sample Custody must be documented below each time samples change possession, including courier delivery.																
Relinquished by Sampler <i>John T. Coyle</i>	Date Time <i>9/26/07 10:00</i>	Received by <i>FEUX</i>	Reinquished by <i>2 FEUX</i>	Date Time <i>10/9/07 7:40</i>	Received by <i>2</i>											
Relinquished by <i></i>	Date Time <i></i>	Received by <i></i>	Reinquished by <i></i>	Date Time <i></i>	Received by <i></i>											
Relinquished by <i></i>	Date Time <i></i>	Received by <i></i>	Custody Seal # <i></i>	Preserved when applicable		On Ice <input type="checkbox"/>	Cooler Temp <i>3 P.C.</i>									
5			5													

2A

J72700: Chain of Custody

Page 1 of 1



NEW YORK STATE
DEPARTMENT OF
ENVIRONMENTAL CONSERVATION

Spill Incidents Database Search Details

Spill Record

Administrative Information

DEC Region: 2

Spill Number: 9910103

Spill Date/Time

Spill Date: 11/17/1999 **Spill Time:** 04:00 PM

Call Received Date: 11/19/1999 **Call Received Time:** 06:42 PM

Location

Spill Name: FORMER GAS STATION

Address: 3443 ATLANTIC AVE

City: BROOKLYN **County:** Kings

Spill Description

Material Spilled:

Gasoline

Amount Spilled:

0.0000 Gal.

Cause: Tank Failure

Source: Gasoline Station

Resource Affected: Groundwater

Waterbody:

Record Close

Date Spill Closed: Not closed

If you have questions about this reported incident, please contact the Regional Office where the incident occurred.



NYC BUILDINGS

[CLICK HERE TO SIGN UP FOR BUILDINGS NEWS](#)

NYC Department of Buildings Property Profile Overview

3443 ATLANTIC AVENUE

ATLANTIC AVENUE 3443 - 3461
AUTUMN AVENUE 311 - 321
LINCOLN AVENUE 302 - 312

BROOKLYN 11208

Health Area : 3900
Census Tract : 1184
Community Board : 305
Buildings on Lot : 1

BIN# 3327235

Tax Block : 4149
Tax Lot : 50
Condo : NO
Vacant : NO

[View DCP Addresses...](#) [Browse Block](#)

[View Certificates of Occupancy](#)

Cross Street(s): AUTUMN AVENUE, LINCOLN AVENUE

DOB Special Place Name:

DOB Building Remarks:

Landmark Status:

Local Law: NO
SRO Restricted: NO
UB Restricted: NO
Little 'E' Restricted: N/A
Legal Adult Use: NO
Additional BINs for Building: NONE

Special Status: N/A

Loft Law: NO
TA Restricted: NO

Grandfathered Sign: NO
City Owned: NO

Special District: NONE

Department of Finance Building Classification: G1-GARAGE/GAS STAT'

Please Note: The Department of Finance's building classification information shows a building's tax status, which may not be the same as the structure. To determine the legal use of a structure, research the records of the Department of Buildings.

	Total	Open	Elevator Records
Complaints	0	0	Electrical Applications
Violations-DOB	20	10	Permits In-Process / Issued
Violations-ECB	0	0	Illuminated Signs Annual Permits
Jobs/Filings	1		Plumbing Inspections
PRA / ARA Jobs	0		Open Plumbing Jobs / Work Types
Total Jobs	1		Facades
Actions	101		Marquee Annual Permits
			Boiler Records
			DEP Boiler Information

OR Enter Action Type:

OR Select from List:

Select...

AND [Show Actions](#)

If you have any questions please review these Frequently Asked Questions, the Glossary, or call the 311 Citizen Service Center by dialing 311 or (212) NEW YORK outside of New York City.

Appendix B
Soil Vapor Extraction Laboratory Data

ECOTEST LABORATORIES, INC.

ENVIRONMENTAL TESTING

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777• FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO. 274318.00

10/02/07

C.A. Rich Consultants, Incorporated
17 Dupont Street
Plainview, NY 11803

ATTN: Eric Weinstock PO#:

SOURCE OF SAMPLE: Tishcon

SOURCE OF SAMPLE:

COLLECTED BY: Client DATE COL'D:09/21/07 RECEIVED:09/27/07
TIME COL'D:1400

MATRIX:Air SAMPLE: RAW-9/21/07

ANALYTICAL PARAMETERS	UNITS	RESULT	DATE OF ANALYSIS	FLAG	LRL	ANALYTICAL METHOD
Propylene	ppbv	< 1	09/28/07	1		EPATO-15
1,1-chlordifluoromethane	ppbv	1.2	09/28/07	1		EPATO-15
1,2-Dichlorotetrafluoroethane	ppbv	< 0.2	09/28/07	0.2		EPATO-15
Chloromethane	ppbv	< 0.4	09/28/07	0.4		EPATO-15
1,3 Butadiene	ppbv	< 1	09/28/07	1		EPATO-15
1-nitropropane	ppbv	< 0.5	09/28/07	0.5		EPATO-15
Bromomethane	ppbv	< 1	09/28/07	1		EPATO-15
Chloroethane	ppbv	< 2	09/28/07	2		EPATO-15
1-nitroethane	ppbv	< 0.2	09/28/07	0.2		EPATO-15
Trichlorofluoromethane	ppbv	1.6	09/28/07	0.2		EPATO-15
Ethyl alcohol	ppbv	< 2	09/28/07	2		EPATO-15
Freon 113	ppbv	< 0.2	09/28/07	0.2		EPATO-15
1,1-Dichloroethene	ppbv	49	09/28/07	0.2		EPATO-15
Acetone	ppbv	7.4	09/28/07	1		EPATO-15
Carbon disulfide	ppbv	< 0.2	09/28/07	0.2		EPATO-15
Isopropyl Alcohol	ppbv	< 5	09/28/07	5		EPATO-15
3-Chloropropene	ppbv	< 0.5	09/28/07	0.5		EPATO-15
Methylene Chloride	ppbv	< 0.2	09/28/07	0.2		EPATO-15
tert. Butyl Alcohol	ppbv	< 2	09/28/07	2		EPATO-15
tert. ButylMethylEther	ppbv	< 0.2	09/28/07	0.2		EPATO-15
1,1,2-Dichloroethene	ppbv	< 0.2	09/28/07	0.2		EPATO-15
2-cyanoacrylonitrile	ppbv	< 1	09/28/07	1		EPATO-15
Exane	ppbv	< 0.5	09/28/07	0.5		EPATO-15
Vinyl Acetate	ppbv	< 0.5	09/28/07	0.5		EPATO-15
1,1-Dichloroethane	ppbv	52	09/28/07	0.2		EPATO-15
cc:						

LRL=Laboratory Reporting Limit

REMARKS: Grab Sample.

DIRECTOR

ECOTEST LABORATORIES, INC.

ENVIRONMENTAL TESTING

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777• FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO. 274318.00

10/02/07

C.A. Rich Consultants, Incorporated
17 Dupont Street
Plainview, NY 11803

ATTN: Eric Weinstock

PO#:

SOURCE OF SAMPLE: Tishcon

SOURCE OF SAMPLE:

COLLECTED BY: Client DATE COL'D:09/21/07 RECEIVED:09/27/07
TIME COL'D:1400

MATRIX: Air SAMPLE: RAW-9/21/07

ANALYTICAL PARAMETERS	UNITS	RESULT	DATE OF ANALYSIS	LRL	ANALYTICAL METHOD
c-1,2-Dichloroethene	ppbv	9.7	09/28/07	0.4	EPATO-15
ethyl Ethyl Ketone	ppbv	< 1	09/28/07	1	EPATO-15
ethyl Acetate	ppbv	< 5	09/28/07	5	EPATO-15
Tetrahydrofuran	ppbv	< 2	09/28/07	2	EPATO-15
chloroform	ppbv	5.0	09/28/07	0.2	EPATO-15
cyclohexane	ppbv	< 0.5	09/28/07	0.5	EPATO-15
1,1 Trichloroethane	ppbv	71	09/28/07	0.2	EPATO-15
Carbon Tetrachloride	ppbv	< 0.2	09/28/07	0.2	EPATO-15
benzene	ppbv	< 0.2	09/28/07	0.2	EPATO-15
2,2,4-Trimethylpentane	ppbv	< 0.2	09/28/07	0.2	EPATO-15
1,2 Dichloroethane	ppbv	< 0.2	09/28/07	0.2	EPATO-15
eptane	ppbv	< 0.5	09/28/07	0.5	EPATO-15
chloroethene	ppbv	18	09/28/07	0.2	EPATO-15
1,2 Dichloropropane	ppbv	< 0.2	09/28/07	0.2	EPATO-15
1,4-Dioxane	ppbv	< 1	09/28/07	1	EPATO-15
romodichloromethane	ppbv	< 0.2	09/28/07	0.2	EPATO-15
c-1,3Dichloropropene	ppbv	< 0.2	09/28/07	0.2	EPATO-15
Methylisobutylketone	ppbv	< 1	09/28/07	1	EPATO-15
oluene	ppbv	0.9	09/28/07	0.2	EPATO-15
1,3Dichloropropene	ppbv	< 0.2	09/28/07	0.2	EPATO-15
112 Trichloroethane	ppbv	< 0.2	09/28/07	0.2	EPATO-15
Tetrachloroethene	ppbv	42	09/28/07	0.2	EPATO-15
-Hexanone	ppbv	< 0.5	09/28/07	0.5	EPATO-15
Chlorodibromomethane	ppbv	< 0.2	09/28/07	0.2	EPATO-15
1,2 Dibromoethane	ppbv	< 0.2	09/28/07	0.2	EPATO-15

cc:

LRL=Laboratory Reporting Limit

REMARKS: Grab Sample.

DIRECTOR

ECOTEST LABORATORIES, INC.

ENVIRONMENTAL TESTING

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777 • FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO. 274318.00

10/02/07

C.A. Rich Consultants, Incorporated

17 Dupont Street

Plainview, NY 11803

ATTN: Eric Weinstock

PO#:

SOURCE OF SAMPLE: Tishcon

SOURCE OF SAMPLE:

COLLECTED BY: Client DATE COL'D:09/21/07 RECEIVED:09/27/07
TIME COL'D:1400

MATRIX: Air SAMPLE: RAW-9/21/07

ANALYTICAL PARAMETERS	UNITS	RESULT	DATE OF ANALYSIS	RLR	ANALYTICAL METHOD
Chlorobenzene	ppbv	< 0.2	09/28/07	0.2	EPATO-15
methyl Benzene	ppbv	1.1	09/28/07	0.2	EPATO-15
+p Xylene	ppbv	3.8	09/28/07	0.2	EPATO-15
o Xylene	ppbv	4.8	09/28/07	0.2	EPATO-15
Tytrene	ppbv	< 0.2	09/28/07	0.2	EPATO-15
romoform	ppbv	< 0.2	09/28/07	0.2	EPATO-15
1,1,2,2Tetrachloroethane	ppbv	< 0.2	09/28/07	0.2	EPATO-15
p-Ethyltoluene	ppbv	7.5	09/28/07	0.2	EPATO-15
3,5-Trimethylbenzene	ppbv	5.7	09/28/07	0.2	EPATO-15
2,4-Trimethylbenzene	ppbv	7.8	09/28/07	0.2	EPATO-15
1,3 Dichlorobenzene (v)	ppbv	< 0.2	09/28/07	0.2	EPATO-15
1,4 Dichlorobenzene (v)	ppbv	< 0.2	09/28/07	0.2	EPATO-15
enzyll Chloride	ppbv	< 5	09/28/07	5	EPATO-15
1,2 Dichlorobenzene (v)	ppbv	< 0.2	09/28/07	0.2	EPATO-15
hexachlorobutadiene	ppbv	< 0.2	09/28/07	0.2	EPATO-15

cc:

LRL=Laboratory Reporting Limit

REMARKS: Grab Sample.

DIRECTOR

SOURCE OF SAMPLE	
Tishcon	
ALL CONCENTRATIONS IN UG/M3	
	A W - 9 / 2 1 / 0 7
Sample ID	
ANALYTE	
1,1 Dichloroethane	210.65
1,1 Dichloroethene	194.53
1,2 Dibromoethane	< 1.54
1,2 Dichlorobenzene (v)	< 1.20
1,2 Dichloroethane	< 0.81
1,2 Dichloropropane	< 0.92
1,2-Dichlorotetrafluoroethane	< 1.40
1,3 Butadiene	< 2.21
1,3 Dichlorobenzene (v)	< 1.20
1,4 Dichlorobenzene (v)	< 1.20
1,4-Dioxane	< 3.60
111 Trichloroethane	387.59
112 Trichloroethane	< 1.09
1122Tetrachloroethane	< 1.37
124-Trimethylbenzene	38.37
135-Trimethylbenzene	28.04
2,2,4-Trimethylpentane	< 0.93
2-Hexanone	< 2.05
3-Chloropropene	< 1.57
Acetone	17.60
Acrylonitrile	< 2.17
Benzene	< 0.64
Benzyl Chloride	< 25.90
Bromodichloromethane	< 1.33
Bromoform	< 2.07
Bromomethane	< 3.88
c-1,2-Dichloroethene	38.48
c-1,3Dichloropropene	< 0.91
Carbon disulfide	< 0.62
Carbon Tetrachloride	< 1.26
Chlorobenzene	< 0.92
Chlorodibromomethane	< 1.69

Chloroethane	< 5.28
Chloroform	24.35
Chloromethane	< 0.83
Cyclohexane	< 1.72
Dichlordifluoromethane	5.94
Ethyl Acetate	< 18.01
Ethyl alcohol	< 3.77
Ethyl Benzene	4.77
Freon 113	< 1.53
Heptane	< 2.05
Hexachlorobutadiene	< 2.13
Hexane	< 1.76
Isopropyl Alcohol	< 12.28
m + p Xylene	16.52
Methyl Ethyl Ketone	< 2.95
Methylene Chloride	< 0.69
Methylisobutylketone	< 4.10
o Xylene	20.86
p-Ethyltoluene	36.83
Propylene	< 1.72
Styrene	< 0.85
t-1,2-Dichloroethene	< 0.79
t-1,3Dichloropropene	< 0.91
ter.ButylMethylEther	< 0.70
tert. Butyl Alcohol	< 6.06
Tetrachloroethene	284.97
Tetrahydrofuran	< 5.89
Toluene	3.39
Trichloroethene	96.71
Trichlorofluoromethane	9.00
Vinyl Acetate	< 1.76
Vinyl Bromide	< 0.88
Vinyl Chloride	< 1.28

SOURCE OF SAMPLE	
Tishcon	
ALL CONCENTRATIONS IN UG/M3	
	A W - 9 / 2 1 / 0
Sample ID	7
ANALYTE	
1,1 Dichloroethane	210.65
1,1 Dichloroethene	194.53
1,2 Dibromoethane	< 1.54
1,2 Dichlorobenzene (v)	< 1.20
1,2 Dichloroethane	< 0.81
1,2 Dichloropropane	< 0.92
1,2-Dichlorotetrafluoroethane	< 1.40
1,3 Butadiene	< 2.21
1,3 Dichlorobenzene (v)	< 1.20
1,4 Dichlorobenzene (v)	< 1.20
1,4-Dioxane	< 3.60
111 Trichloroethane	387.59
112 Trichloroethane	< 1.09
1122Tetrachloroethane	< 1.37
124-Trimethylbenzene	38.37
135-Trimethylbenzene	28.04
2,2,4-Trimethylpentane	< 0.93
2-Hexanone	< 2.05
3-Chloropropene	< 1.57
Acetone	17.60
Acrylonitrile	< 2.17
Benzene	< 0.64
Benzyl Chloride	< 25.90
Bromodichloromethane	< 1.33
Bromoform	< 2.07
Bromomethane	< 3.88
c-1,2-Dichloroethene	38.48
c-1,3Dichloropropene	< 0.91
Carbon disulfide	< 0.62
Carbon Tetrachloride	< 1.26
Chlorobenzene	< 0.92
Chlorodibromomethane	< 1.69

Chloroethane	< 5.28
Chloroform	24.35
Chloromethane	< 0.83
Cyclohexane	< 1.72
Dichlordifluoromethane	5.94
Ethyl Acetate	< 18.01
Ethyl alcohol	< 3.77
Ethyl Benzene	4.77
Freon 113	< 1.53
Heptane	< 2.05
Hexachlorobutadiene	< 2.13
Hexane	< 1.76
Isopropyl Alcohol	< 12.28
m + p Xylene	16.52
Methyl Ethyl Ketone	< 2.95
Methylene Chloride	< 0.69
Methylisobutylketone	< 4.10
o Xylene	20.86
p-Ethyltoluene	36.83
Propylene	< 1.72
Styrene	< 0.85
t-1,2-Dichloroethene	< 0.79
t-1,3Dichloropropene	< 0.91
ter.ButylMethylEther	< 0.70
tert. Butyl Alcohol	< 6.06
Tetrachloroethene	284.97
Tetrahydrofuran	< 5.89
Toluene	3.39
Trichloroethene	96.71
Trichlorofluoromethane	9.00
Vinyl Acetate	< 1.76
Vinyl Bromide	< 0.88
Vinyl Chloride	< 1.28

274318

20

ECOTEST LABORATORIES INC.

377 Sheffield Ave.
North Babylon, NY 11703
tel. 631-422-5777, fax 631-422-5770, Email ECOTESTLAB@aol.com

CANISTER SAMPLING DATA SHEET

CANISTER SERIAL NO.

SAMPLE TRAIN SERIAL NO.

FLOW

EcoTest 18

NA

Grab

This above referenced Summa can and sample train was received in good condition

DATE: 9/19/2007

CLIENT: CA Rich

CLIENTS AGENT: Michael Yager

SIGNED: Michael Yager

Client agrees to pay all replacement costs associated with loss or damage of canister and sample train. Client acknowledges that this canister is valid for a maximum of 30 days from the date of evacuation. Client is responsible for any vacuum loss or contamination while in clients custody.

VAC leaving EcoTest:

29" Hg

PERSON RECEIVING REPORT: Eric Weinstock

Date Evacuated:

9/19/2007

ANALYSIS: T015

VAC/PRES returned EcoTest:

0

TAT: standard

CANISTER SERIAL NO.

18

SAMPLE TRAIN SERIAL NO.

N/A

RETURNED IN GOOD CONDITION TO ECOTEST LABORATORIES INC.

DATE:

9/19/07 15:49

SIGNED: for ECOTEST LABS.

ALL INFORMATION BELOW MUST BE PROVIDED BY CLIENT:

CLIENT	CA Rich Consultants, Inc.	SAMPLE TYPE	
SOURCE	Tishcon	CHECK ONE	
SAMPLE	RAW-92107	AMBIENT AIR	
DATE SAMPLED	9/21/07	SUB SLAB VAPOR	
TIME SAMPLING STARTED:	2pm	VAPOR WELL	
TIME SAMPLING FINISHED:		Remed. System - Raw Air	
TEMPERATURE SAMPLING STARTED:	85°F	EXPECTED CONC	
TEMPERATURE SAMPLING FINISHED:	85°F	CHECK ONE	
DATE:	9/1	LOW	
CLIENT:	CA Rich Consultants, Inc.	MEDIUM	X
CLIENTS AGENT:		HIGH	
SIGNED:	Jason T. Cox		