



33 Gerard Street • Suite 100
Huntington, New York 11743
516•351•3555
Fax 516•351•3615

PHASE II INVESTIGATION

UTILITY MANUFACTURING/FORMER WONDER KING

**700-712 Main Street
Westbury, New York 11590**

**New York State Department of Environmental Conservation
New Cassel Industrial Area "P" Site Investigation**

**Prepared by:
Anson Environmental Ltd.
33 Gerard Street, Suite 100
Huntington, New York 11743**

October 1995

- Groundwater Remediation • Hazardous Waste Investigation • Site Investigation and Remediation •
- Asbestos Management • Wetland Investigation •

CONTENTS

- SECTION 1.0 EXECUTIVE SUMMARY
- SECTION 2.0 INTRODUCTION
- SECTION 3.0 PURPOSE OF INVESTIGATION
- SECTION 4.0 SCOPE OF WORK
- SECTION 5.0 SITE ASSESSMENT
- SECTION 6.0 CONCLUSION

APPENDICES

Figures

- Figure 1 Location of New Cassel Industrial Area (NCIA)
- Figure 2 Site Location of 700-712 Main Street, Westbury
- Figure 3 Sampling Locations
- Figure 4 General Geological Diagram of Site
- Figure 5 Generalized Geological Cross-Section of Long Island
- Figure 6 Sampling Diagram (near former cesspool)
- Figure 7 Subsurface Soil Boring Locations
- Figure 8 Drywell and Sampling Locations

Tables

- Table 1 Soil Boring Laboratory Results
- Table 2 Drywell Laboratory Results

1.0 EXECUTIVE SUMMARY

The New Cassel Industrial Area (NCIA) is located in the Town of North Hempstead, Nassau County, New York (Figure 1). Approximately 200 industrial or commercial businesses occupy this 170-acre site. The Nassau County Department of Health (NCDH), in conjunction with Dvirk and Bartilucci Engineers, conducted a subsurface investigation of the NCIA in 1986 to evaluate groundwater quality in the vicinity of this site which was found to possess groundwater contamination problems. The investigation identified fairly extensive halogenated volatile organic contamination of groundwater beneath the site and recommended further study. NCDH also petitioned the New York State Department of Environmental Conservation (NYSDEC) to classify the site as an Inactive Hazardous Waste Disposal Site, which it did (Class 2) in 1988.

Subsequently, numerous owners of properties within the site have petitioned NYSDEC to segregate and delist their properties from the Class 2 registry. NYSDEC has delisted many of the properties for which it received petitions with the qualification that if the pending site investigation showed these properties to be the source of the contamination, they would be relisted.

The NYSDEC performed additional investigations during the summer and autumn of 1993 and summer of 1994. As a result of those investigations, seven Principally Responsible Parties (PRPs) and four "P" sites were identified. The "P" site designation related to sites where additional information was necessary to determine if they were a source of groundwater contamination.

Utility Manufacturing, (Utility), located at 700-712 Main Street, was one of the properties which was delisted. (See Figure 2). Following the NYSDEC February 1995 site investigation report, the site was designated a "P" site. The owners of Utility Mfg. commissioned Anson Environmental Ltd. (AEL) to perform this Phase II investigation. The purpose of this study was to determine the presence of soil contamination, if any, the extent of contamination and the impact on the underlying groundwater quality.

AEL prepared a work plan for the site and submitted it for NYSDEC's

review. The plan was implemented in October 1995.

AEL conducted a subsurface soil investigation through the six drywells on site and in locations adjacent to current and former drywell locations. The sampling locations are shown on Figure 3. The sampling locations of 10 feet and 30 feet below the bottom of the drywell (25 and 45 feet below grade) and at 10 feet and 30 feet below grade at soil boring locations produced a comprehensive subsurface evaluation of the site. Groundwater samples were collected at 60, 75 and 95 feet below grade in the same six locations as the soil borings.

The samples were forwarded to a New York State certified laboratory for analysis for the presence of volatile organic compounds. In all the soil samples (through the drywells and independent locations), there were no volatile organic compounds detected above the Recommended NYSDEC Soil Cleanup Guidelines (TAGM, January 1994). The volatile organic compounds detected in the groundwater samples were determined to be entering and leaving the site at the same concentrations.

The soil borings and subsequent sampling events provided important subsurface geological data. Approximately 200 feet south of the northern edge of the site, a subsurface clay layer begins at approximately 35 feet below grade. This clay layer continues to the southern property line and south onto other properties. It appears that this clay layer is interspersed with pockets of fine sand. (See Figure 4). It is likely that the nature of this clay layer would inhibit the natural flow of the groundwater under the site; therefore, slight increases in the concentration of DNAPL compounds would be expected. The levels of the VOCs present in the groundwater under this site do not indicate that this site is a source of the overall degradation of the groundwater quality in the Block 328 section of the NCIA.

The subsurface soil investigation did not indicate a source of VOCs at a level which would cause groundwater degradation and, as stated above, the groundwater quality is essentially the same upgradient of the site and downgradient of the operations portion of the site. As such, we recommend that 700-712 Main Street continue its delisted status and the "P" designation be removed.

2.0 INTRODUCTION

The NYSDEC Site Investigation Report located a contamination plume beneath the east side of Bond Street between Main Street and Old Country Road, (Figure 2). The report indicates that a possible source for this plume was the property at 700-712 Main Street, which had a history of waste discharge to several on-site cesspools and drywells. NCDH oversaw a removal action in late 1989 in which the cesspools and drywells were pumped and cleaned. Analysis of water and sludge from the cesspools and drywells indicated dichlorobenzene, 1,1,1-TCA, PCE, TCE, 1,2-DCE, and toluene contamination before the cleanup project. Post cleanup sampling confirmed the removal of the VOCs. As part of the NYSDEC study in 1993 and 1994, several additional Geoprobe groundwater samples were collected on the property. The analysis of these samples did not indicate that these areas are a source of soil or groundwater contamination. These findings confirmed the work completed by the owner in 1989 and 1990.

The owners of Utility commissioned Anson Environmental Ltd. to perform an additional investigation to provide NYSDEC with the data required to justify segregation and delisting of the property from the Inactive Hazardous Waste Disposal sites designation for the entire NCIA. This investigation was completed and the site was delisted in 1992.

With the subsequent NYSDEC investigation of the NCIA, the property owners requested that additional investigative work be completed to remove the property from the new "P" designation and to continue its current delisted status. AEL's most recent investigation was coordinated with the NYSDEC's Project Manager for the "P" site investigations. The sampling work plan was reviewed by the NYSDEC and included the soil sampling beneath six on-site drywells and six soil borings located throughout the site from which groundwater samples were also obtained.

Prior to the soil boring survey, a visual inspection of the site was conducted. There was neither visible evidence of surface discharges nor any abandoned drums. The majority of the site is paved or covered by the main building and several sea containers in which packaging materials are stored.

SECTION 3.0 PURPOSE OF THE INVESTIGATION

The purpose of this Phase II Investigation was to determine the soil and groundwater conditions under the site in order to provide additional data for the continued delisting and removal of the "P" designation. The NCIA (Figure 1) is bounded by the Wantagh Parkway on the east, Grand Boulevard on the west, Long Island Rail Road on the north and Old Country Road on the south.

The overall investigation objectives were:

- to determine if groundwater and soil on the site have been contaminated;
- to determine the nature of soils contamination at the site, including horizontal and vertical distribution; and
- to evaluate on-site and off-site impacts from any such contamination.

In order to accomplish these objectives, a site investigation was performed. Emphasis was placed on identifying and quantifying the site's hydrogeologic and chemical (volatile organic compounds only) characteristics utilizing area wide data gathered in 1994 by the NYSDEC in conjunction with site specific data gathered in October 1995.

SECTION 4.0 SCOPE OF WORK

4.1 SAMPLING PROGRAM

On October 4, 5, 6 & 9, 1995, AEL sampled the groundwater and soil using USEPA and NYSDEC approved sampling protocols. To collect the samples, a vehicle-mounted Geoprobe unit was used. Soil samples were collected using a clean drive point sampler with a sample tube measuring approximately 1 1/8" in diameter by 24" in length. The large bore drive point sampler was first driven to the desired sampling depth and then opened and driven two feet further. Each of the samplers was fitted with a new acetate liner prior to use. The acetate liner assisted in the removal of the soil sample from the tube and insured sample integrity.

To collect the groundwater samples, a clean Geoprobe screen point sampler was driven to the desired depth and then retracted approximately 2 feet. The stainless steel screen was then pushed into the void by using chase rods from the surface. The groundwater samples were brought to

the surface via a clean 3/8" polyethylene tubing fitted with a stainless steel bottom check valve. All groundwater sample points were purged to reduce turbidity prior to obtaining samples.

All sampling tools were decontaminated with tap water and a non-phosphate detergent wash, then rinsed with distilled water and allowed to air dry. This procedure was conducted between each probe hole along with discarding all polyethylene tubing and acetate liners after each use.

All probe holes (approximately 1 1/2" in diameter) were backfilled with indigenous soil and/or clean sand. The pavement was repaired with either ready mix concrete or cold patch asphalt, depending upon existing pavement.

The six (6) on-site drywells were sampled to a depth of 10 feet and 30 feet below the bottom sediment within each individual drywell. The samples were collected at 25 and 45 feet below grade. This was accomplished by use of the Geoprobe unit. The soil samples were analyzed via EPA method 8010.

A total of six (6) soil borings were installed onsite, the locations of which can be seen in Figure 3. At each of the soil boring locations, the Geoprobe unit was used to collect soil samples at depths of 10 feet and 30 feet below grade. The highest head space reading of the two soil samples was determined in the field by use of an organic volatile meter (OVM) model 580B. The sample with the highest head space reading was sent to the laboratory for analysis. If there was no reading above background, the deepest sample (30 feet) was submitted for analysis.

Each of the six (6) above mentioned soil borings were extended to a depth of 95 feet below grade where a groundwater sample was collected. While retrieving the rods, two (2) additional groundwater samples were collected at depths of 75 feet and 60 feet below grade. This resulted in the overall collection of eighteen (18) groundwater samples (3 samples from each of 6 locations), all of which were analyzed via EPA method 601.

All samples were packed in an ice filled cooler and picked-up the same day by a Laboratory Resources Inc. representative for laboratory analysis. Strict chain-of-custody procedures were used from the time of collection through laboratory analysis. Laboratory Resources is a New York State

certified laboratory and participates in the USEPA's laboratory program.

SECTION 5.0 SITE ASSESSMENT

5.1 SITE DESCRIPTION (700-712 Main Street)

This property is located on the south side of Main Street, east of Bond Street in the New Cassel Industrial Area. The facility consists of a two-story building on a paved lot with designated parking in the front of the building. In the rear (south side) of the building, there are several sea containers used for storage of the raw materials used in packaging the finished goods manufactured by Utility Manufacturing.

5.2 SITE HISTORY

The original one-story brick building located at 700 Main Street was constructed in 1967. Prior to the construction of the building in 1967, the property was undeveloped. The first tenant was a government contractor, Radalabs. Radalabs manufactured telephones and communications equipment for the U.S. Defense program. Radalabs occupied the building for five (5) years and sublet the building to International Textile Machinery (ITM). ITM rebuilt and sold textile knitting machinery. Utility became the sublessee to ITM in October 1975. In February 1976, Utility moved in and ITM moved out of the building. Utility purchased the building in March 1978. In October 1975, Utility acquired the company, Wonder King, and sold products under the name of Utility/Wonder King. The second story addition to the building was built in 1989.

Today, the Utility Manufacturing facility consists of a 20,000 square foot main floor manufacturing and storage facility, a 10,000 square foot second floor for offices, a technical laboratory, silk screening operation and storage area. This company manufactures a variety of cleaning and lubricating products primarily for commercial and industrial customers.

The office space is carpeted and has 2 foot x 2 foot ceiling tiles. There are five skylights in the workspace. There was no visible suspect asbestos containing material. The entire facility is heated with natural gas. Large space heaters hang from the ceiling in the manufacturing area. Excellent housekeeping practices were observed throughout the facility.

The company utilizes a number of hazardous materials which are inventoried annually for the Nassau County Department of Health (NCDH). Periodic inspections are made of the facility by NCDH. There are several employee "Right to Know" stations with the appropriate safety material and material safety data sheets posted. The company utilizes Safety Kleen for disposal and recycling of the mineral spirits used in the cleaning of the silk screens.

There are two 4000 gallon underground storage tanks which are registered with NCDH. The raw materials which are stored in tanks within the facility are also registered and inspected periodically. These tanks passed tightness testing in October 1995. There is an explosion-proof room with air-driven mixers and filling machines for the methyl ethyl ketone products. The only raw material which is permitted to be stored in 55-gallon drums on pallets in the rear of the facility is an inert, vaseline-type product which is used in the manufacture of solder flux.

There are several sea containers in the rear of the facility in which old machines, plastic containers and lids for the various products and packaging materials are stored. The rear of the building is paved with asphalt and/or concrete. There are two HVAC units on the roof, manufactured by Carrier.

There are two 250-gallon product blending tanks on site. The plant manager's office is located in an elevated mezzanine above the manufacturing area. Most of the machinery is located along the walls with finished product and raw material storage in the center of the space. There are no floor drains in the building.

PREVIOUS ENVIRONMENTAL INVESTIGATIONS ONSITE

This facility was subject to an investigation of contamination in the sanitary system in 1988. Sampling was conducted by H2M Group and, with the concurrence of NCDH, a remediation plan was implemented. The cleanup was completed to the satisfaction of NCDH in 1990.

5.3 SPILLS DATA, RCRA SITES, FINDS SITES AND CERCLIS SITES

As part of the site assessment, a search was conducted by Environmental Audits, Inc. of the United States Environmental Protection Agency's files,

New York State Department of Environmental Conservation spills logs as well as, a search of other databases for environmental problem sites and activities in the NCIA.

The report indicated that, in the area of the site, there are no National Priorities List sites, two federal CERCLIS sites, 112 FINDS facilities, 107 RCRA reporting facilities and no National Spill Reports.

The USEPA's National Priorities (Superfund) List includes sites that are uncontrolled or abandoned hazardous waste sites identified for priority remedial actions under the federal Superfund program.

The Facility Index System (FINDS) includes any property that the USEPA has investigated, reviewed or been made aware of as part of its regulatory program.

The CERCLIS list is a compilation of sites that the USEPA has investigated for a release or threatened release of hazardous substances. This listing was compiled as a part of Comprehensive Environmental Response, Compensation and Liability Act of 1980, also known as the federal "Superfund Act".

The RCRA database includes sites known by the USEPA to generate, store, transport, treat or dispose of hazardous materials. The federal Resource Conservation and Recovery Act (RCRA) program created this database which tracks hazardous materials from "cradle to grave".

The National Spill Reports lists sites where oil and hazardous materials have been spilled. This listing is a compilation of reports made by federal agencies such as, USEPA, US Coast Guard, US Department of Transportation and/or National Response Center.

5.3.1 Spills, Finds, RCRA and CERCLIS sites Greater than 1/4 Mile From site

The following facilities are located more than one-quarter mile of and upgradient of the site. These facilities, should they experience a discharge to the Upper Glacial Aquifer, would influence the water quality of the New Cassel Industrial Area and possibly the site.

Brinkmann Instruments
Cantiague Rock Road
Westbury, NY
FINDS

Cork Foundation Co.
Cantiague Rock Road
Westbury, NY
FINDS

K.D.C. Enterprises, Ltd.
Cantiague Rock Road
Westbury, NY
RCRA, CERCLIS

Solvent Finishers, Inc.
Cantiague Rock Road
Westbury, NY
FINDS, RCRA

College House Manufacturing Inc.
601 Cantiague Rock Road
Westbury, NY
FINDS, RCRA

John Hassal, Inc.
Cantiague Rock Road
Westbury, NY
FINDS, RCRA, CERCLIS

Nathan Lagin Co., Inc.
95 Cantiague Rock Road
Westbury, NY

5.4 SITE GEOLOGY

The site is situated on outwash plain deposits south of the Ronkonkoma recessional moraine. These deposits consist of a mixture of coarse sand and gravel and constitute the sediments of the Upper Glacial Aquifer.

Figure 5 is a generalized geological cross-section trending north to south across Long Island which shows a southward sloping wedge of unconsolidated deposits unconformably overlying a crystalline bedrock of metamorphic and igneous rock.

As illustrated in the figure, there are three main hydraulically connected aquifers underlying Long Island: the Upper Glacial, Magothy and Lloyd Aquifers. The unconsolidated deposits are late Cretaceous, Pleistocene and Recent in age. The total thickness of the unconsolidated deposits under the site is approximately 1,000 feet.

5.4.1 Upper Cretaceous Series

Raritan Formation

The Raritan formation of Late Cretaceous age is the deepest formation of unconsolidated deposits in the site area. It rests directly on the crystalline bedrock and is unconformably overlain by the Magothy formation. The Raritan formation occurs beneath the entire area of Long Island but does not outcrop. Formation thickness ranges from 300 to 600 feet and is approximately 415 feet thick below the site. The formation is divided into a lower unit (the Lloyd sand member) and an upper unit (Raritan clay).

The clay member functions as an aquiclude (confining unit), successfully separating the Lloyd sand member from the overlying Magothy. The clay member also retards the movement of salt water from the Lloyd sand member on southeastern Long Island. At the site Raritan clay is approximately 175 feet thick.

Recent Deposits

The Recent deposits, not including soil and artificial fill, occur beneath bays, in marshlands, on barrier beaches and in stream valleys. Recent deposits are the uppermost and stratigraphically the youngest sediments and are immediately underlain by outwash. The Recent deposits reach a maximum thickness of about 40 feet and are too thin to be represented on geological cross-sections.

5.5 GROUNDWATER

The Aquifer system underlying Nassau County is composed of three main water bearing units: the Upper Glacial Aquifer, the Magothy Aquifer and the Lloyd Aquifer. Of main concern in this study are the two uppermost Aquifers, the Upper Glacial and the Magothy, since they are the main supply for drinking water in the area. The Upper Glacial Aquifer consists mainly of sand and gravel deposits with some cobbles in an unstratified mixture. In the New Cassel area the Upper Glacial Aquifer is about 50 feet thick, according to the United States Geological Survey (USGS) map for this area. This approximate thickness was confirmed with the monitoring wells installed throughout the NCIA. According to the boring logs for the soil borings conducted as part of this investigation, fine sand with silt and clay began to be encountered at depths of 35 feet approximately 100

feet south of Main Street. The soil is primarily sand and gravel on the northern half of the site. Soil borings conducted by AEL and the NYSDEC confirm the presence of a clay layer under the southern half of the property. There appear to be interspersed sand pockets or layers.

Regional groundwater flow in the New Cassel Area is toward the southwest, according to the Nassau County Department of Public Works groundwater elevation maps. This flow direction was confirmed by the NCDH study conducted in 1984 to 1985 and several subsequent studies by the NYSDEC. According to the NCDH study vertical flow in the New Cassel area is not consistent.

5.5.1 Locations, Depths and Numbers of Monitoring Wells

Stratigraphy and water table contours for the New Cassel Industrial Area have been established in the area by the Nassau County Department of Health and Department of Public Works. In addition, an extensive system of monitoring wells has been installed by Nassau County some of which were used to collect unfiltered groundwater samples to establish the dissolved concentrations of volatile organic chemicals and the apparent sources of contamination with regard to the New Cassel Industrial Area.

Presently, there may be one private well utilizing the Upper Glacial Aquifer for domestic water supply within the village of New Cassel. This well is located in the residential area to the north (upgradient) of the NCIA. The majority of wells used for public water supply are screened in the Magothy Aquifer. There are five public water supply wells located in the vicinity of the NCIA. Two public supply wells, N5655 and N6819, are located directly north of the NCIA, one, N8497 is located to the west, and two wells, N8956 and N8957 are located to the southwest of the NCIA.

5.5.2 Direction of Groundwater Flow

According to the water level contours identified in the Nassau County 1986 study, groundwater in the New Cassel flows in a southwesterly direction. AEL studies in the NCIA confirmed this flow pattern.

5.6 SAMPLE RESULTS

5.6.1 Sampling Event

According to the LMS report prepared for the NYSDEC in February 1995, Utility Manufacturing Company is most likely the source for the GP-1/GP-39 plume. This report states the following: "this total PCE plume contains low to moderate levels of most chlorinated solvents. Owing to the complex geology below this part of the eastern section, a definitive conclusion as to the source of the observed contamination **cannot** be made."

To establish a definitive conclusion as to the source of the observed contamination, soil samples and groundwater samples were collected at several locations throughout the site. Sampling points and depths were selected by the NYSDEC.

The laboratory results of the groundwater and soil sampling completed on October 9, 1995 are presented in the appendix and summarized below. Analysis of all samples was performed by Laboratory Resources Inc. The samples were designated by soil boring number (SB 1-6) and drywell number (DW 1-6).

Soil Boring #1 at 30 feet below grade was located near the former cesspools. (See Figure 6). There were no VOCs detected by the laboratory above the method detection limit which confirmed that this area is not source for contamination. Previous investigations by the NYSDEC also indicated that this area is not a source for contamination.

To further confirm that the site is not source of groundwater contamination, soil samples were collected at depths of 10 feet and 30 feet below grade at each soil boring location. (See Figure 7). In addition, soil samples were obtained at 10 feet and 30 feet below the bottom sediment in each of the six (6) drywells. (See Figure 8). All of the soil samples obtained were significantly below the recommended soil cleanup objectives. Therefore, the six (6) on-site drywells and soils associated with the six boring locations are not sources of groundwater contamination.

Groundwater samples taken at each of the soil borings indicate elevated

levels of tetrachloroethene, trichloroethene and 1,1,1 trichloroethane at all depths sampled (Table 1). Upgradient borings (SB's 1, 2), in relation to groundwater flow, have elevated levels of these compounds which indicate an off-site source. However, directly downgradient borings (SB's 6, 4) have statistically comparable levels of these compounds as compared to the upgradient groundwater samples.

The premise for the slightly higher levels of VOCs at the downgradient points is due to the complex geology beneath the site. A heterogeneous clay lense mixed with very fine silt and areas of fine sand was encountered beneath the site. The clay lense was first encountered at SB #2. The upper portion of this lens is located at approximately 32 feet below grade. The lower portion of the lens extends to an estimated depth of 95 feet at SB #6. This was confirmed by Geoprobe boring logs of the site, the boring log for Anson MW #9 and the LMS report of the NCIA prepared for the NYSDEC in 1995.

As the groundwater encounters this clay formation, it would take the path of least resistance. This path would be either under the formation or around the formation. Some of the groundwater will slowly flow through this layer due to the low hydraulic conductivity associated with silts and clays.

When the contaminants carried from some off-site source permeate through this clay layer beneath the site, the high surface area per unit volume of the clay tends to trap the contamination (Fetter, 1994). This combined with the slowing of the groundwater beneath the site explains why there are slightly higher concentrations of contamination found at the downgradient groundwater points, and not a result of any on-site sources.

6.0 CONCLUSION

The results of the October 4, 5, 6 and 9, 1995 sampling at 700-712 Main Street indicate that there is no soil contamination which would contribute to groundwater deterioration in the NCIA. The groundwater contamination at the Utility Manufacturing/former Wonder King Chemical site is likely the result of off-site source, as determined by upgradient samples. This groundwater contamination encounters a clay lense beneath the site which causes the groundwater flow to slow and holds the contamination. As a result, slightly higher levels of VOCs are found in downgradient water

samples at the site.

Based on the results of the soil samples it can be concluded that the groundwater contamination is not a result of soil contamination at 700-712 Main Street. Therefore, the site is not a source for the groundwater contamination or the GP-1/GP-39 plume. As a result, the site should maintain its currently delisted status and be removed from the list of designated "P" sites.




Figure 1 Site Location

Anson Environmental




Figure 2 New Cassel Industrial Area

Anson Environmental






Figure 3 - Soil Sample Locations
Anson Environmental Ltd.

Figure 4 - Geologic Conditions Beneath the Site



Note: The clay lense beneath the site was determined by Geoprobe
boring logs, the boring log for Anson MW #9 and the LMS report of the NCIA
prepared for the NYSDEC in 1995.




LEGEND

- UG - Upper Glacial Aquifer
- Gc - Gardiners Clay
- Mg - Monmouth Greensand
- M - Magathy Aquifer
- Rc - Raritan Confining Unit
- L - Lloyd Aquifer
- Br - Bedfrock

TITLE:	
GEOLOGICAL CROSS SECTION	
ANSON ENVIRONMENTAL LTD.	
FIGURE NO.	5


FROM: D. A. Smolensky, H.T. Buxton, and P.K. Shernoff, 1989,
Hydrogeologic Framework of Long Island, New York,
USGS Hydrologic Investigations, Atlas HA-709.

Figure 6- Former On-Site Cesspools




* Fine grained clay-rich sediment particles have surfaces that can hold harmful substances extracted from the water, such as toxic chemicals or heavy metals, (Coch, 1995).

Figure 7 - Soil Boring Locations



Note: The clay lense beneath the site was determined by Geoprobe boring logs, the boring log for Anson MW #9 and the LMS report of the NCIA prepared for the NYSDEC in 1995.

Figure 8- Location of Drywells and Samples



LABORATORY SHEETS

All DW samples-add 10 feet
depth

ORGANICS ANALYSIS DATA SHEET-VOLATILE COMPOUNDS

Ex: this

Sample is 25 ft bgs
Client Sample ID No.

Lab Name: LRI

Lab Sample ID: T510161-1

Matrix: [soil/water] SOIL

Lab File ID: > I2816

Sample wt/vol: 5.0 [g/mL] G

Run Type: 8010VOA

Level: [low/med] LOW

Date Received: 10/10/95

% Moisture: 7.1

Date Analyzed : 10/19/95

GC Column: DB-VRX ID: 0.45 (mm)

Dilution Factor: 1.0

CONCENTRATION UNITS:

CAS NO.	COMPOUND	UG/KG	Q
---------	----------	-------	---

74-87-3-----Chloromethane		.541	U
74-83-9-----Bromomethane		.541	U
124-48-1-----Chlorodibromomethane		.541	U
75-01-4-----Vinyl chloride		.541	U
75-00-3-----Chloroethane		.541	U
110-75-8-----2-Chloroethyl vinyl ether		.541	U
75-09-2-----Methylene chloride	14	.541	U
75-69-4-----Trichlorofluoromethane		.541	U
75-35-4-----1,1-Dichloroethene		.541	U
75-34-3-----1,1-Dichloroethane		.541	U
156-60-5-----trans-1,2-Dichloroethene		.541	U
67-66-3-----Chloroform		.541	U
107-06-2-----1,2-Dichloroethane		.541	U
71-55-6-----1,1,1-Trichloroethane		.541	U
56-23-5-----Carbon tetrachloride		.541	U
75-27-4-----Bromodichloromethane		.541	U
78-87-5-----1,2-Dichloropropene		.541	U
79-01-6-----Trichloroethene		.541	U
10061-02-6-----trans-1,3-Dichloropropene		.541	U
10061-01-5-----cis-1,3-Dichloropropene		.541	U
79-00-5-----1,1,2-Trichloroethane		.541	U
75-25-2-----Bromoform		.541	U
127-18-4-----Tetrachloroethene		.541	U
108-90-7-----Chlorobenzene		.541	U
541-73-1-----1,3-Dichlorobenzene		.541	U
106-46-7-----1,4-Dichlorobenzene		.541	U
95-50-1-----1,2-Dichlorobenzene		.541	U
79-34-5-----1,1,2,2-Tetrachloroethane		.541	U

SADF: 1.08

Page 1 of 1

Total Hit(s): 1

ORGANICS ANALYSIS DATA SHEET-VOLATILE COMPOUNDS

Client Sample ID No.

Lab Name: LRI

Lab Sample ID: T510161-2

Matrix: [soil/water] SOIL

Sample wt/vol: 5.0 [g/mL] G Run Type: 8010VDA

Level: [low/med] LOW Date Received: 10/10/95

% Moisture: 15.5 Date Analyzed : 10/19/95

GC Column: DB-URX ID: 0.45 (mm) Dilution Factor: 1.0

CONCENTRATION UNITS:

CAS NO.	COMPOUND	UG/KG	Q
74-87-3	Chloromethane	.591	U
74-83-9	Bromomethane	.591	U
124-48-1	Chlorodibromomethane	.591	U
75-01-4	Vinyl chloride	.591	U
75-00-3	Chloroethane	.591	U
110-75-8	2-Chloroethyl vinyl ether	.591	U
75-09-2	Methylene chloride	14	1
75-69-4	Trichlorofluoromethane	.591	U
75-35-4	1,1-Dichloroethene	.591	U
75-34-3	1,1-Dichloroethane	.591	U
156-60-5	trans-1,2-Dichloroethene	.591	U
67-66-3	Chloroform	.591	U
107-06-2	1,2-Dichloroethane	.591	U
71-55-6	1,1,1-Trichloroethane	.591	U
56-23-5	Carbon tetrachloride	.591	U
75-27-4	Bromodichloromethane	.591	U
78-87-5	1,2-Dichloropropane	.591	U
79-01-6	Trichloroethene	.591	U
110061-02-6	trans-1,3-Dichloropropene	.591	U
110061-01-5	cis-1,3-Dichloropropene	.591	U
79-00-5	1,1,2-Trichloroethane	.591	U
75-25-2	Bromoform	.591	U
127-18-4	Tetrachloroethene	.591	U
108-90-7	Chlorobenzene	.591	U
541-73-1	1,3-Dichlorobenzene	.591	U
106-46-7	1,4-Dichlorobenzene	.591	U
95-50-1	1,2-Dichlorobenzene	.591	U
79-34-5	1,1,2,2-Tetrachloroethane	.591	U

ORGANICS ANALYSIS DATA SHEET-VOLATILE COMPOUNDS

	Client Sample ID No.
Lab Name: LRI	
Lab Sample ID: T510161-3	IDW#2(10 ¹)
Matrix: [soil/water] SOIL	Lab File ID: >I2818
Sample wt/vol: 5.0	[g/mL] G
Run Type: 8010VOA	
Level: [low/med] LOW	Date Received: 10/10/95
% Moisture: 13.9	Date Analyzed : 10/19/95
GC Column: DB-VRX ID: 0.45 (mm)	Dilution Factor: 1.0

CONCENTRATION UNITS:

CAS NO.	COMPOUND	UG/KG	Q
---------	----------	-------	---

74-87-3-----Chloromethane		.581	U
74-83-9-----Bromomethane		.581	U
124-48-1-----Chlorodibromomethane		.581	U
75-01-4-----Vinyl chloride		.581	U
75-00-3-----Chloroethane		.581	U
110-75-8-----2-Chloroethyl vinyl ether		.581	U
75-09-2-----Methylene chloride	13	.581	I
75-69-4-----Trichlorofluoromethane		.581	U
75-35-4-----1,1-Dichloroethene		.581	U
75-34-3-----1,1-Dichloroethane		.581	U
156-60-5-----trans-1,2-Dichloroethene		.581	U
67-66-3-----Chloroform		.581	U
107-06-2-----1,2-Dichloroethane		.581	U
71-55-6-----1,1,1-Trichloroethane		.581	U
56-23-5-----Carbon tetrachloride		.581	U
75-27-4-----Bromodichloromethane		.581	U
78-87-5-----1,2-Dichloropropane		.581	U
79-01-6-----Trichloroethene		.581	U
110061-02-6-----trans-1,3-Dichloropropene		.581	U
110061-01-5-----cis-1,3-Dichloropropene		.581	U
79-00-5-----1,1,2-Trichloroethane		.581	U
75-25-2-----Bromoform		.581	U
127-18-4-----Tetrachloroethene	.61	.61	I
108-90-7-----Chlorobenzene		.581	U
541-73-1-----1,3-Dichlorobenzene		.581	U
106-46-7-----1,4-Dichlorobenzene		.581	U
95-50-1-----1,2-Dichlorobenzene		.581	U
79-34-5-----1,1,2,2-Tetrachloroethane		.581	U

SADF: 1.16

Page 1 of 1

Total Hit(s): 2

ORGANICS ANALYSIS DATA SHEET-VOLATILE COMPOUNDS

Lab Name:	LRI	Client Sample ID No.	
Lab Sample ID:	T510161-4	DW#2(30')	
Matrix:	[soil/water] SOIL	Lab File ID: >I2819	
Sample wt/vol:	5.0	[g/mL] G	
Run Type:	8010V0A		
Level:	[low/med] LOW	Date Received: 10/10/95	
% Moisture:	12.9	Date Analyzed : 10/19/95	
GC Column:	DB-VRX	ID: 0.45 (mm)	Dilution Factor: 1.0

CONCENTRATION UNITS:

CAS NO.	COMPOUND	UG/KG	Q
74-87-3-----Chloromethane	.571	U	
74-83-9-----Bromomethane	.571	U	
124-48-1-----Chlorodibromomethane	.571	U	
75-01-4-----Vinyl chloride	.571	U	
75-00-3-----Chloroethane	.571	U	
110-75-8-----2-Chloroethyl vinyl ether	.571	U	
75-09-2-----Methylene chloride	19	I	
75-69-4-----Trichlorofluoromethane	.571	U	
75-35-4-----1,1-Dichloroethene	.571	U	
75-34-3-----1,1-Dichloroethane	.571	U	
156-60-5-----trans-1,2-Dichloroethene	.571	U	
67-66-3-----Chloroform	.571	U	
107-06-2-----1,2-Dichloroethane	.571	U	
71-55-6-----1,1,1-Trichloroethane	.571	U	
56-23-5-----Carbon tetrachloride	.571	U	
75-27-4-----Bromodichloromethane	.571	U	
78-87-5-----1,2-Dichloropropane	.571	U	
79-01-6-----Trichloroethene	.571	U	
10061-02-6-----trans-1,3-Dichloropropene	.571	U	
10061-01-5-----cis-1,3-Dichloropropene	.571	U	
79-00-5-----1,1,2-Trichloroethane	.571	U	
75-25-2-----Bromoform	.571	U	
127-18-4-----Tetrachloroethene	.571	U	
108-90-7-----Chlorobenzene	.571	U	
541-73-1-----1,3-Dichlorobenzene	.571	U	
106-46-7-----1,4-Dichlorobenzene	.571	U	
95-50-1-----1,2-Dichlorobenzene	.571	U	
79-34-5-----1,1,2,2-Tetrachloroethane	.571	U	

SADF: 1.15

Page 1 of 1

Total Hit(s): 1

ORGANICS ANALYSIS DATA SHEET-VOLATILE COMPOUNDS

Lab Name: LRI Client Sample ID No. _____
 Lab Sample ID: T510161-5 DW#3(10')
 Matrix: [soil/water] SOIL Lab File ID: >I2820
 Sample wt/vol: 5.0 [g/mL] G Run Type: 8010VDA
 Level: [low/med] LOW Date Received: 10/10/95
 % Moisture: 5.0 Date Analyzed : 10/20/95
 GC Column: DB-VRX ID: 0.45 (mm) Dilution Factor: 1.0

CONCENTRATION UNITS:

CAS NO.	COMPOUND	UG/KG	Q
74-87-3-----Chloromethane		.531	U
74-83-9-----Bromomethane		.531	U
124-48-1-----Chlorodibromomethane		.531	U
75-01-4-----Vinyl chloride		.531	U
75-00-3-----Chloroethane		.531	U
110-75-8-----2-Chloroethyl vinyl ether		.531	U
75-09-2-----Methylene chloride		12	
75-69-4-----Trichlorofluoromethane		.531	U
75-35-4-----1,1-Dichloroethene		.531	U
75-34-3-----1,1-Dichloroethane		.531	U
156-60-5-----trans-1,2-Dichloroethene		.531	U
67-66-3-----Chloroform		.531	U
107-06-2-----1,2-Dichloroethane		.531	U
71-55-6-----1,1,1-Trichloroethane		.531	U
56-23-5-----Carbon tetrachloride		.531	U
75-27-4-----Bromodichloromethane		.531	U
78-87-5-----1,2-Dichloropropane		.531	U
79-01-6-----Trichloroethene		.531	U
110061-02-6-----trans-1,3-Dichloropropene		.531	U
110061-01-5-----cis-1,3-Dichloropropene		.531	U
79-00-5-----1,1,2-Trichloroethane		.531	U
75-25-2-----Bromoform		.531	U
127-18-4-----Tetrachloroethene		.531	U
108-90-7-----Chlorobenzene		.531	U
541-73-1-----1,3-Dichlorobenzene		.531	U
106-46-7-----1,4-Dichlorobenzene		.531	U
95-50-1-----1,2-Dichlorobenzene		.531	U
79-34-5-----1,1,2,2-Tetrachloroethane		.531	U

SADF: 1.05

Page 1 of 1

Total Hit(s): 1

ORGANICS ANALYSIS DATA SHEET-VOLATILE COMPOUNDS

Client Sample ID No. _____

Lab Name: LRI

Lab Sample ID: T510161-6

Matrix: [soil/water] SOIL

Sample wt/vol: 5.0 [g/mL] G Run Type: 8010VDA

Level: (low med) LOW Date Received: 10/10/95

% Moisture: 12.6 Date Analyzed : 10/20/95

GC Column: DB-VRX ID: 0.45 (mm) Dilution Factor: 1.0

CONCENTRATION UNITS:

CHS #O.	COMPOUND	UG/KG	Q
74-84-3	Chloromethane	.521	U
74-83-9	Bromomethane	.521	U
124-48-1	Chlorodibromomethane	.521	U
54-11-4	Methyl chloride	.521	U
75-00-3	Chloroethane	.521	U
107-07-1	1-Chloroethyl vinyl ether	.521	U
107-06-2	1,1-Dichloroethane	15	I
107-07-1	Trichlorofluoromethane	.521	S
76-34-3	1,1-Dichloroethene	.521	U
196-60-6	trans-1,2-Dichloroethene	.521	U
54-08-3	Chloroform	.521	U
107-05-2	1,2-Dichloroethane	.521	U
75-06-6	1,1,1-Trichloroethane	.521	U
66-23-5	Carbon tetrachloride	.521	U
96-27-4	Bromoacetyl chloride	.521	U
78-87-5	1,1-Dichloropropene	.521	U
	Trichloroethylene	.521	U
	trans-1,3-Dichloropropene	.521	U
110-12-2	trans-1,3-Dichloropropene	.521	U
	1,1,2-Trichloroethene	.521	U
	1,1,1,2-Tetrachloroethane	.521	U
	1,1,1,2-Tetrachloroethene	.521	U
	Chlorobenzene	.521	U
	1,1,2,2-Tetrachlorobenzene	.521	U
	1,1,2,2-Tetrachloroethane	.521	U

ORGANICS ANALYSIS DATA SHEET-VOLATILE COMPOUNDS

Client Sample ID No.

Lab Name: LRI

Lab Sample ID: T510161-7

Matrix: [soil/water] SOIL

Sample wt/vol: 5.0 [g/mL] G Run Type: 8010VDA

Level: [low/med] LOW Date Received: 10/10/95

% Moisture: 7.1 Date Analyzed : 10/20/95

GC Column: DB-VRX ID: 0.45 (mm) Dilution Factor: 1.0

CONCENTRATION UNITS:

CAS NO.	COMPOUND	UG/KG	Q
74-87-3	Chloromethane	.541	U
74-83-9	Bromomethane	.541	U
124-48-1	Chlorodibromomethane	.541	U
75-01-4	Vinyl chloride	.541	U
75-00-3	Chloroethane	.541	U
110-75-8	2-Chloroethyl vinyl ether	.541	U
75-09-2	Methylene chloride	14	I
75-69-4	Trichlorofluoromethane	.541	U
75-35-4	1,1-Dichloroethene	.541	U
75-34-3	1,1-Dichloroethane	.541	U
156-60-5	trans-1,2-Dichloroethene	.541	U
67-66-3	Chloroform	.541	U
107-06-2	1,2-Dichloroethane	.541	U
71-55-6	1,1,1-Trichloroethane	.541	U
56-23-5	Carbon tetrachloride	.541	U
75-27-4	Bromodichloromethane	.541	U
28-87-5	1,2-Dichloropropane	.541	U
79-01-6	Trichloroethene	.541	U
110061-02-6	trans-1,3-Dichloropropene	.541	U
110061-01-5	cis-1,3-Dichloropropene	.541	U
79-00-5	1,1,2-Trichloroethane	.541	U
75-25-2	Bromoform	.541	U
127-18-4	Tetrachloroethene	2.2	I
108-90-7	Chlorobenzene	.541	U
541-73-1	1,3-Dichlorobenzene	.541	U
106-46-7	1,4-Dichlorobenzene	.541	U
95-50-1	1,2-Dichlorobenzene	.541	U
79-34-5	1,1,2,2-Tetrachloroethane	.541	U

ORGANICS ANALYSIS DATA SHEET-VOLATILE COMPOUNDS

Lab Name:	LRI	Client Sample ID No.
Lab Sample ID:	T510161-8	IDW#4(30')
Matrix:	[soil/water] SOIL	Lab File ID: >I2823
Sample wt/vol:	5.0 [g/mL]	Run Type: 8010V0A
Level:	[low/med] LOW	Date Received: 10/10/95
% Moisture:	3.2	Date Analyzed : 10/20/95
GC Column:	DB-VRX ID: 0.45 (mm)	Dilution Factor: 1.0

CONCENTRATION UNITS:

CAS NO.	COMPOUND	UG/KG	Q
---------	----------	-------	---

74-87-3-----Chloromethane		.521	U
74-83-9-----Bromomethane		.521	U
124-48-1-----Chlorodibromomethane		.521	U
75-01-4-----Vinyl chloride		.521	U
75-00-3-----Chloroethane		.521	U
110-75-8-----2-Chloroethyl vinyl ether		.521	U
75-09-2-----Methylene chloride	10	.521	U
75-69-4-----Trichlorofluoromethane		.521	U
75-35-4-----1,1-Dichloroethene		.521	U
75-34-3-----1,1-Dichloroethane		.521	U
156-60-5-----trans-1,2-Dichloroethene		.521	U
67-66-3-----Chloroform		.521	U
107-06-2-----1,2-Dichloroethane		.521	U
71-55-6-----1,1,1-Trichloroethane		.521	U
56-23-5-----Carbon tetrachloride		.521	U
75-27-4-----Bromodichloromethane		.521	U
78-87-5-----1,2-Dichloropropene		.521	U
79-01-6-----Trichloroethene		.521	U
10061-02-6-----trans-1,3-Dichloropropene		.521	U
10061-01-5-----cis-1,3-Dichloropropene		.521	U
79-00-5-----1,1,2-Trichloroethane		.521	U
75-25-2-----Bromoform		.521	U
127-18-4-----Tetrachloroethene	1.8	.521	U
108-90-7-----Chlorobenzene		.521	U
541-73-1-----1,3-Dichlorobenzene		.521	U
106-46-7-----1,4-Dichlorobenzene		.521	U
95-50-1-----1,2-Dichlorobenzene		.521	U
79-34-5-----1,1,2,2-Tetrachloroethane		.521	U

SADF: 1.04

Page 1 of 1

Total Hit(s): 2

DRKANES ANALYSIS DATA SHEET-VOLATILE COMPOUNDS

Client Sample ID No.

Lab Name: LRI

Lab Sample ID: P10161-9

Matrix: 1:101:water 1:101

Sample wt/vol: 5.0 [g/mL] G

Conc: (Low/med) LOW

% Nitrogen: 2.6

GC Column: DB-5WX ID: 0.45 (mm)

Lab File ID: X12870

Run Type: 8010VDA

Date Received: 10/10/95

Date Analyzed : 10/23/95

Dilution Factor: 1.0

CONCENTRATION UNITS:

UG/KG M

IAS#	COMPOUND		
74-87-3	-Chloromethane	.541	U
74-87-9	-Bromomethane	.541	U
124-48-1	-Chlorodibromomethane	.541	U
75-01-4	-Vinyl chloride	.541	U
75-00-3	-Chloroethane	.541	U
110-75-8	-2-Chloroethyl vinyl ether	.541	U
75-09-2	-Methylene chloride	11	I
75-09-4	-Trichlorofluoromethane	.541	U
75-35-4	-1,1-Dichloroethene	.541	U
75-34-3	-1,1-Dichloroethane	.541	U
196-60-5	-trans-1,2-Dichloroethene	.541	U
67-64-3	-Chloroform	.541	U
100-08-2	-1,2-Dichloroethane	.541	U
71-55-6	-1,1,1-Trichloroethane	.541	U
56-23-5	-Carbon tetrachloride	.541	U
75-27-4	-Bromodichloromethane	.541	U
78-87-9	-1,2-Dichloropropane	.541	U
79-01-6	-Trichloroethene	.33	I J
110061-02-6	-trans-1,3-Dichloropropene	.541	U
110061-01-5	-cis-1,3-Dichloropropene	.541	U
77-00-5	-1,1,2-Trichloroethane	.541	U
75-29-2	-Bromoform	.541	U
127-18-4	-Tetrachloroethene	.88	I
108-90-7	-Chlorobenzene	.541	U
541-23-1	-1,3-Dichlorobenzene	.541	U
106-46-7	-1,4-Dichlorobenzene	.541	U
99-50-1	-1,2-Dichlorobenzene	.541	U
79-34-5	-1,1,2,2-Tetrachloroethane	.541	U

RDF: 1.08

Page 1 of 1

Total Hit(s): 3

ORGANICS ANALYSIS DATA SHEET-VOLATILE COMPOUNDS

Client Sample ID No. _____

Lab Name: LRI

Lab Sample ID: T510161-10 | IDW#5(30')

Matrix: [soil/water] SOIL | Lab File ID: > I2825

Sample wt/vol: 5.0 [g/mL] G Run Type: 8010VDA

Level: [low/med] LOW Date Received: 10/10/95

% Moisture: 6.0 Date Analyzed : 10/20/95

GC Column: DB-URX ID: 0.45 (mm) Dilution Factor: 1.0

CONCENTRATION UNITS:

CAS NO.	COMPOUND	UG/KG	Q
74-87-3-----	Chloromethane	.53	U
74-83-9-----	Bromomethane	.53	U
124-48-1-----	Chlorodibromomethane	.53	U
75-01-4-----	Vinyl chloride	.53	U
75-00-3-----	Chloroethane	.53	U
110-75-8-----	2-Chloroethyl vinyl ether	.53	U
75-09-2-----	Methylene chloride	13	I
75-69-4-----	Trichlorofluoromethane	.53	U
75-35-4-----	1,1-Dichloroethene	.53	U
75-34-3-----	1,1-Dichloroethane	.53	U
156-60-5-----	trans-1,2-Dichloroethene	.53	U
67-66-3-----	Chloroform	.53	U
107-06-2-----	1,2-Dichloroethane	.53	U
71-55-6-----	1,1,1-Trichloroethane	.53	U
56-23-5-----	Carbon tetrachloride	.53	U
75-27-4-----	Bromodichloromethane	.53	U
78-87-5-----	1,2-Dichloropropane	.53	U
79-01-6-----	Trichloroethene	1.0	I
110061-02-6-----	trans-1,3-Dichloropropene	.53	U
110061-01-5-----	cis-1,3-Dichloropropene	.53	U
79-00-5-----	1,1,2-Trichloroethane	.53	U
75-25-2-----	Bromoform	.53	U
127-18-4-----	Tetrachloroethene	1.9	I
108-90-7-----	Chlorobenzene	.53	U
541-73-1-----	1,3-Dichlorobenzene	.53	U
106-46-7-----	1,4-Dichlorobenzene	.53	U
95-50-1-----	1,2-Dichlorobenzene	.53	U
79-34-5-----	1,1,2,2-Tetrachloroethane	.53	U

ORGANICS ANALYSIS DATA SHEET-VOLATILE COMPOUNDS

Client Sample ID No.

Lab Name: LR1
 Lab Sample ID: T510161-11
 Matrix: [soil/water] SOIL
 Sample wt/vol: 5.0 [g/mL] G Run Type: 8010VOA
 Level: [low/med] LOW Date Received: 10/10/95
 % Moisture: 4.2 Date Analyzed : 10/20/95
 GC Column: DB-VRX ID: 0.45 (mm) Dilution Factor: 1.0

CONCENTRATION UNITS:

CAS NO.	COMPOUND	UG/KG	Q
24-87-3-----Chloromethane		.521	U
74-83-9-----Bromomethane		.521	U
124-48-1-----Chlorodibromomethane		.521	U
75-01-4-----Vinyl chloride		.521	U
75-00-3-----Chloroethane		.521	U
110-75-8-----2-Chloroethyl vinyl ether		.521	U
75-09-2-----Methylene chloride	13	.521	U
75-69-4-----Trichlorofluoromethane		.521	U
75-35-4-----1,1-Dichloroethene		.521	U
75-34-3-----1,1-Dichloroethane		.521	U
156-60-5-----trans-1,2-Dichloroethene		.521	U
67-66-3-----Chloroform		.521	U
107-06-2-----1,2-Dichloroethane		.521	U
71-55-6-----1,1,1-Trichloroethane		.521	U
56-23-5-----Carbon tetrachloride		.521	U
75-27-4-----Bromodichloromethane		.521	U
78-87-5-----1,2-Dichloropropane		.521	U
79-01-6-----Trichloroethene		.521	U
110061-02-6-----trans-1,3-Dichloropropene		.521	U
110061-01-5-----cis-1,3-Dichloropropene		.521	U
79-00-5-----1,1,2-Trichloroethane		.521	U
75-25-2-----Bromoform		.521	U
127-18-4-----Tetrachloroethene	2.7	.521	U
108-90-7-----Chlorobenzene		.521	U
541-23-1-----1,3-Dichlorobenzene		.521	U
106-46-7-----1,4-Dichlorobenzene		.521	U
95-50-1-----1,2-Dichlorobenzene		.521	U
79-34-5-----1,1,2,2-Tetrachloroethane		.521	U

ORGANICS ANALYSIS DATA SHEET-VOLATILE COMPOUNDS

Client Sample ID No.

Lab Name: LRI
 Lab Sample ID: T510161-12
 Matrix: [soil/water] SOIL
 Sample wt/vol: 5.0 [g/mL] G Run Type: 8010VOA
 Level: [low/med] LOW Date Received: 10/10/95
 % Moisture: 9.5 Date Analyzed : 10/20/95
 GC Column: DB-VRX ID: 0.45 (mm) Dilution Factor: 1.0

CONCENTRATION UNITS:

CAS NO.	COMPOUND	UG/KG	Q
74-87-3	Chloromethane	.55	U
24-83-9	Bromomethane	.55	U
124-48-1	Chlorodibromomethane	.55	U
75-01-4	Vinyl chloride	.55	U
75-00-3	Chloroethane	.55	U
110-75-8	2-Chloroethyl vinyl ether	.55	U
75-09-2	Methylene chloride	14	
75-69-4	Trichlorofluoromethane	.55	U
75-35-4	1,1-Dichloroethene	.55	U
75-34-3	1,1-Dichloroethane	.55	U
156-60-5	trans-1,2-Dichloroethene	.55	U
67-66-3	Chloroform	.55	U
107-06-2	1,2-Dichloroethane	.55	U
71-55-6	1,1,1-Trichloroethane	.55	U
56-23-5	Carbon tetrachloride	.55	U
75-27-4	Bromodichloromethane	.55	U
78-87-5	1,2-Dichloropropane	.55	U
79-01-6	Trichloroethene	.55	U
10061-02-6	trans-1,3-Dichloropropene	.55	U
10061-01-5	cis-1,3-Dichloropropene	.55	U
79-00-5	1,1,2-Trichloroethane	.55	U
75-25-2	Bromoform	.55	U
127-18-4	Tetrachloroethene	.60	
108-90-7	Chlorobenzene	.55	U
541-73-1	1,3-Dichlorobenzene	.55	U
106-46-7	1,4-Dichlorobenzene	.55	U
95-50-1	1,2-Dichlorobenzene	.55	U
79-34-5	1,1,2,2-Tetrachloroethane	.55	U

ORGANIC ANALYSIS DATA SHEET-VOLATILE COMPOUNDS

Sample ID: 15B41030

Sample Date: 10/12/95

Material: Coal-tar

Sample weight: 5.0 mg/mL G

Dissolve: 1 g dissolved 1 mL

% Moisture: 2.2

IR Spectrum: DB-5WX ID: 0.45 mm)

Client Sample ID No.

15B41030

Lab File ID: 12668

Run Type: 8010VVA

Date Received: 10/05/95

Date Analyzed: 10/12/95

Dilution Factor: 1.0

CONCENTRATION UNITS:

AS (%)	COMPUND	PPM	US/KG
	72-3-5-----Chloromethane	.511	U
	74-83-9-----Bromomethane	.511	U
	127-48-1-----Chlorodibromomethane	.511	U
	" 111-4-----Vinyl chloride	.511	U
	75-00-5-----Chloroethane	.511	U
	110-73-8-----2-chloroethyl vinyl ether	.511	U
	28-19-2-----Methylene chloride	22	U
	61-67-4-----Trichlorofluoromethane	.511	U
	75-35-4-----1,1-Dichloroethene	.511	U
	75-14-3-----1,1-Dichloroethane	.511	U
	157-60-5-----trans-1,2-Dichloroethene	.511	U
	67-63-2-----Trifluorom	.511	U
	157-60-2-----1,2-Dichloroethane	.511	U
	71-43-6-----1,1,1-Trichloroethane	.511	U
	58-23-5-----Carbon tetrachloride	.511	U
	95-17-4-----Bromodichloromethane	.511	U
	28-88-5-----1,2-Dichloropropane	.511	U
	79-11-6-----Trichloroethene	.511	U
	130061-02-6-----trans-1,3-Dichloropropene	.511	U
	111061-01-9-----cis-1,3-Dichloropropene	.511	U
	202-00-5-----1,1,2-Trichloroethane	.511	U
	75-10-2-----Bromoterm	.511	U
	127-18-4-----Tetrachloroethene	.511	U
	58-70-7-----Tetrafluorobenzene	.511	U
	54-1-1-----1,3-Dichlorobenzene	.511	U
	106-46-1-----1,4-Dichlorobenzene	.511	U
	99-50-1-----1,2-Dichlorobenzene	.511	U
	192-34-5-----1,1,2,2-Tetrachloroethane	.511	U

Search: 1.02

Page 1 of 1

Total Hit(s): 1

ORGANICS ANALYSIS DATA SHEET-VOLATILE COMPOUNDS

Client Sample ID No. _____

Lab Name: LRI

Lab Sample ID: T510090-02
ISB#1(60')

Matrix: [soil/water] WATER Lab File ID: >I2642

Sample wt/vol: 5.0 [g/mL] ML Run Type: 601VOA

Level: [low/med] LOW Date Received: 10/05/95

% Moisture: NA Date Analyzed : 10/10/95

GC Column : DB-VRX ID: 0.45 (mm) Dilution Factor: 1.0

CONCENTRATION UNITS:

CAS NO.	COMPOUND	UG/L	Q
74-87-3-----Chloromethane	.521	U	
74-83-9-----Bromomethane	1.001	U	
124-48-1-----Chlorodibromomethane	.671	U	
75-01-4-----Vinyl chloride	.501	U	
75-00-3-----Chloroethane	.751	U	
75-09-2-----Methylene chloride	3.7	I	
100-75-8-----2-Chloroethyl vinyl ether	1.001	U	
75-69-4-----Trichlorofluoromethane	.941	U	
75-71-8-----Dichlorodifluoromethane	.101	U	
75-35-4-----1,1-Dichloroethene	1.001	U	
75-34-3-----1,1-Dichloroethane	.591	U	
156-60-5-----trans-1,2-Dichloroethene	.841	U	
67-66-3-----Chloroform	.371	U	
107-06-2-----1,2-Dichloroethane	.581	U	
71-55-6-----1,1,1-Trichloroethane	4.3	I	
56-23-5-----Carbon tetrachloride	.721	U	
75-27-4-----Bromodichloromethane	.531	U	
78-87-5-----1,2-Dichloropropane	.311	U	
10061-01-5-----cis-1,3-Dichloropropene	.551	U	
79-01-6-----Trichloroethene	.94	I	
10061-02-6-----trans-1,3-Dichloropropene	.471	U	
79-00-5-----1,1,2-Trichloroethane	1.601	U	
75-25-2-----Bromoform	.221	U	
127-18-4-----Tetrachloroethene	13	I	
108-90-7-----Chlorobenzene	.091	U	
541-73-1-----1,3-Dichlorobenzene	.181	U	
106-46-7-----1,4-Dichlorobenzene	.231	U	
95-50-1-----1,2-Dichlorobenzene	.151	U	
79-34-5-----1,1,2,2-Tetrachloroethane	.131	U	

SADF: 1.00

Page 1 of 1

Total Hit(s): 4

ORGANICS ANALYSIS DATA SHEET-VOLATILE COMPOUNDS

Lab Name: LRI Client Sample ID No.
 Lab Sample ID: T510090-03 ISB#1(75')
 Matrix: [soil/water] WATER Lab File ID: >I2643
 Sample wt/vol: 5.0 [g/mL] ML Run Type: 601VDA
 Level: [low/med] LOW Date Received: 10/05/95
 % Moisture: NA Date Analyzed : 10/11/95
 GC Column : DB-VRX ID: 0.45 (mm) Dilution Factor: 1.0

CONCENTRATION UNITS:

CAS NO.	COMPOUND	UG/L	Q
74-87-3-----Chloromethane		.52	U
74-83-9-----Bromomethane		1.00	U
124-48-1-----Chlorodibromomethane		.67	U
75-01-4-----Vinyl chloride		.50	U
75-00-3-----Chloroethane		.75	U
75-09-2-----Methylene chloride		.80	J
100-75-8-----2-Chloroethyl vinyl ether		1.00	U
75-69-4-----Trichlorofluoromethane		.94	U
75-71-8-----Dichlorodifluoromethane		.10	U
75-35-4-----1,1-Dichloroethene		1.00	U
75-34-3-----1,1-Dichloroethane		.59	U
156-60-5-----trans-1,2-Dichloroethene		.84	U
67-66-3-----Chloroform		.37	U
107-06-2-----1,2-Dichloroethane		.58	U
71-55-6-----1,1,1-Trichloroethane		11	I
56-23-5-----Carbon tetrachloride		.72	U
75-27-4-----Bromodichloromethane		.53	U
78-87-5-----1,2-Dichloropropane		.31	U
10061-01-5-----cis-1,3-Dichloropropene		.55	U
79-01-6-----Trichloroethene		1.4	I
10061-02-6-----trans-1,3-Dichloropropene		.47	U
79-00-5-----1,1,2-Trichloroethane		1.60	U
75-25-2-----Bromoform		.22	U
127-18-4-----Tetrachloroethene		2.2	I
108-90-7-----Chlorobenzene		.09	U
541-73-1-----1,3-Dichlorobenzene		.18	U
106-46-7-----1,4-Dichlorobenzene		.23	U
95-50-1-----1,2-Dichlorobenzene		.15	U
79-34-5-----1,1,2,2-Tetrachloroethane		.13	U

SADF: 1.00

Page 1 of 1

Total Hit(s): 4

ORGANICS ANALYSIS DATA SHEET-VOLATILE COMPOUNDS

		Client Sample ID No.		
Lab Name:	LRI			
Lab Sample ID:	T510090-04	ISB#1(95')		
Matrix: [soil/water]	WATER	Lab File ID: >I2644		
Sample wt/vol:	5.0	[g/mL] ML		
Run Type:	601VOA			
Level:	[low/med] LOW			
Date Received:	10/05/95			
% Moisture:	NA			
Date Analyzed :	10/11/95			
GC Column :	DB-VRX	ID: 0.45 (mm)	Dilution Factor:	1.0

CAS NO.	COMPOUND	CONCENTRATION UNITS:		
		UG/L	Q	
74-87-3-----Chloromethane		.52	I	
74-83-9-----Bromomethane		1.00	I	
124-48-1-----Chlorodibromomethane		.67	I	
75-01-4-----Vinyl chloride		.50	I	
75-00-3-----Chloroethane		.75	I	
75-09-2-----Methylene chloride		.88	I	
100-75-8-----2-Chloroethyl vinyl ether		1.00	I	
75-69-4-----Trichlorofluoromethane		.94	I	
75-71-8-----Dichlorodifluoromethane		.10	I	
75-35-4-----1,1-Dichloroethene		1.00	I	
75-34-3-----1,1-Dichloroethane		.59	I	
156-60-5-----trans-1,2-Dichloroethene		.84	I	
67-66-3-----Chloroform		.37	I	
107-06-2-----1,2-Dichloroethane		.58	I	
71-55-6-----1,1,1-Trichloroethane		1.2	I	
56-23-5-----Carbon tetrachloride		.72	I	
75-27-4-----Bromodichloromethane		.53	I	
78-87-5-----1,2-Dichloropropane		.31	I	
10061-01-5-----cis-1,3-Dichloropropene		.55	I	
79-01-6-----Trichloroethene		.53	I	
10061-02-6-----trans-1,3-Dichloropropene		.47	I	
79-00-5-----1,1,2-Trichloroethane		1.60	I	
75-25-2-----Bromoform		.22	I	
127-18-4-----Tetrachloroethene		3.1	I	
108-90-7-----Chlorobenzene		.09	I	
541-73-1-----1,3-Dichlorobenzene		.18	I	
106-46-7-----1,4-Dichlorobenzene		.23	I	
95-50-1-----1,2-Dichlorobenzene		.15	I	
79-34-5-----1,1,2,2-Tetrachloroethane		.13	I	

SADF: 1.00

Page 1 of 1

Total Hit(s): 2

ORGANICS ANALYSIS DATA SHEET-VOLATILE COMPOUNDS

Client Sample ID No.

Lab Name: LRI

Lab Sample ID: T510090-05

ISB#2(30')

Matrix: [soil/water] SOIL

Lab File ID: >I2669

Sample wt/vol: 5.0 [g/mL] G

Run Type: DL8010VOA

Level: [low/med] LOW

Date Received: 10/05/95

% Moisture: 3.1

Date Analyzed : 10/12/95

GC Column: DB-VRX ID: 0.45 (mm) Dilution Factor: 1.0

CONCENTRATION UNITS:

CAS NO.	COMPOUND	UG/KG	Q
74-87-3-----Chloromethane	.521	U	
74-83-9-----Bromomethane	.521	U	
124-48-1-----Chlorodibromomethane	.521	U	
75-01-4-----Vinyl chloride	.521	U	
75-00-3-----Chloroethane	.521	U	
110-75-8-----2-Chloroethyl vinyl ether	.521	U	
75-09-2-----Methylene chloride	27		
75-69-4-----Trichlorofluoromethane	.521	U	
75-35-4-----1,1-Dichloroethene	.521	U	
75-34-3-----1,1-Dichloroethane	.521	U	
156-60-5-----trans-1,2-Dichloroethene	.521	U	
67-66-3-----Chloroform	.521	U	
107-06-2-----1,2-Dichloroethane	.521	U	
71-55-6-----1,1,1-Trichloroethane	.521	U	
56-23-5-----Carbon tetrachloride	.521	U	
75-27-4-----Bromodichloromethane	.521	U	
78-87-5-----1,2-Dichloropropane	.521	U	
79-01-6-----Trichloroethene	.521	U	
110061-02-6-----trans-1,3-Dichloropropene	.521	U	
110061-01-5-----cis-1,3-Dichloropropene	.521	U	
79-00-5-----1,1,2-Trichloroethane	.521	U	
75-25-2-----Bromoform	.521	U	
127-18-4-----Tetrachloroethene	.521	U	
108-90-7-----Chlorobenzene	.521	U	
541-73-1-----1,3-Dichlorobenzene	.521	U	
106-46-7-----1,4-Dichlorobenzene	.521	U	
95-50-1-----1,2-Dichlorobenzene	.521	U	
79-34-5-----1,1,2,2-Tetrachloroethane	.521	U	

SADF: 1.03

Page 1 of 1

Total Hit(s): 1

ORGANICS ANALYSIS DATA (100 ET-VOLATILE COMPOUNDS)

		Client Sample ID No.	
Lab Name:	LRI		
Lab Sample ID:	T510089-01		ISB#2(60')
Matrix: [soil/water] WATER		Lab File ID:	>I2645
Sample wt/vol:	5.0	[g/mL]	ML
Run Type:	601VOA		
Level: [low/med] LOW	Date Received: 10/05/95		
% Moisture: NA	Date Analyzed : 10/11/95		
GC Column :	DB-VRX	ID:	0.45 (nm)
		Dilution Factor:	1.0

CONCENTRATION UNITS:

CAS NO.	COMPOUND	UG/L	Q
74-87-3-----	Chloromethane	.52	U
74-83-9-----	Bromomethane	1.00	U
124-48-1-----	Chlorodibromomethane	.67	U
75-01-4-----	Vinyl chloride	.50	U
75-00-3-----	Chloroethane	.75	U
75-09-2-----	Methylene chloride	.88	U
100-75-8-----	2-Chloroethyl vinyl ether	1.00	U
75-69-4-----	Trichlorofluoromethane	.94	U
75-71-8-----	Dichlorodifluoromethane	.10	U
75-35-4-----	1,1-Dichloroethene	1.00	U
75-34-3-----	1,1-Dichloroethane	.59	U
156-60-5-----	trans-1,2-Dichloroethene	.84	U
67-66-3-----	Chloroform	.37	U
107-06-2-----	1,2-Dichloroethane	.58	U
71-55-6-----	1,1,1-Trichloroethane	4.0	
56-23-5-----	Carbon tetrachloride	.72	U
75-27-4-----	Bromodichloromethane	.53	U
78-87-5-----	1,2-Dichloropropane	.31	U
10061-01-5-----	cis-1,3-Dichloropropene	.55	U
79-01-6-----	Trichloroethene	5.4	
10061-02-6-----	trans-1,3-Dichloropropene	.47	U
79-00-5-----	1,1,2-Trichloroethane	1.60	U
75-25-2-----	Bromoform	.22	U
127-18-4-----	Tetrachloroethene	100	
108-90-7-----	Chlorobenzene	.09	U
541-73-1-----	1,3-Dichlorobenzene	.18	U
106-46-7-----	1,4-Dichlorobenzene	.23	U
95-50-1-----	1,2-Dichlorobenzene	.15	U
79-34-5-----	1,1,2,2-Tetrachloroethane	.13	U

SADF: 1.00

ORGANICS ANALYSIS DATA SHEET-VOLATILE COMPOUNDS

Client Sample ID No.
 Lab Name: LRI
 Lab Sample ID: T510089-02
 Matrix: [soil/water] WATER
 Sample wt/vol: 5.0 [g/mL] ML Run Type: 601V0A
 Level: [low/med] LOW Date Received: 10/05/95
 % Moisture: NA Date Analyzed : 10/11/95
 GC Column : DB-URX ID: 0.45 (nm) Dilution Factor: 1.0

CONCENTRATION UNITS:

CAS NO.	COMPOUND	UG/L	Q
74-87-3-----Chloromethane	.521	U	
74-83-9-----Bromomethane	1.001	U	
124-48-1-----Chlorodibromomethane	.671	U	
75-01-4-----Vinyl chloride	.501	U	
75-00-3-----Chloroethane	.751	U	
75-02-2-----Methylene chloride	3.0	I	
100-75-8-----2-Chloroethyl vinyl ether	1.001	U	
75-69-4-----Trichlorofluoromethane	.941	U	
75-71-8-----Dichlorodifluoromethane	.101	U	
75-35-4-----1,1-Dichloroethene	1.001	U	
75-34-3-----1,1-Dichloroethane	.591	U	
156-60-5-----trans-1,2-Dichloroethene	.841	U	
67-66-3-----Chloroform	.371	U	
107-06-2-----1,2-Dichloroethane	1.2	I	
71-55-6-----1,1,1-Trichloroethane	.371	U	
56-23-5-----Carbon tetrachloride	.721	U	
75-27-4-----Bromodichloromethane	.531	U	
78-87-5-----1,2-Dichloropropane	.311	U	
110061-01-5-----cis-1,3-Dichloropropene	.551	U	
79-01-6-----Trichloroethene	1.3	I	
110061-02-6-----trans-1,3-Dichloropropene	.471	U	
79-00-5-----1,1,2-Trichloroethane	1.601	U	
75-25-2-----Bromoform	.221	U	
127-18-4-----Tetrachloroethene	19	I	
108-90-7-----Chlorobenzene	.091	U	
541-73-1-----1,3-Dichlorobenzene	.181	U	
106-46-7-----1,4-Dichlorobenzene	.231	U	
95-50-1-----1,2-Dichlorobenzene	.151	U	
79-34-5-----1,1,2,2-Tetrachloroethane	.131	U	

SADF: 1.00

Page 1 of 1

Total Hit(s): 4

ORGANICS ANALYSIS DATA SHEET-VOLATILE COMPOUNDS

Lab Name: LRI Client Sample ID No.
 Lab Sample ID: T510089-03 ISB#2(85')
 Matrix: [soil/water] WATER Lab File ID: >I2647
 Sample wt/vol: 5.0 [g/mL] ML Run Type: 601VDA
 Level: [low/med] LOW Date Received: 10/05/95
 % Moisture: NA Date Analyzed : 10/11/95
 GC Column : DB-VRX ID: 0.45 (mm) Dilution Factor: 1.0

CONCENTRATION UNITS:

CAS NO.	COMPOUND	UG/L	Q
74-87-3-----Chloromethane	.52	U	
74-83-9-----Bromomethane	1.00	U	
124-48-1-----Chlorodibromomethane	.67	U	
75-01-4-----Vinyl chloride	.50	U	
75-00-3-----Chloroethane	.75	U	
75-09-2-----Methylene chloride	3.0	U	
100-75-8-----2-Chloroethyl vinyl ether	1.00	U	
75-69-4-----Trichlorofluoromethane	.94	U	
75-71-8-----Dichlorodifluoromethane	.10	U	
75-35-4-----1,1-Dichloroethene	1.00	U	
75-34-3-----1,1-Dichloroethane	.59	U	
156-60-5-----trans-1,2-Dichloroethene	.84	U	
67-66-3-----Chloroform	.37	U	
107-06-2-----1,2-Dichloroethane	1.7	U	
71-55-6-----1,1,1-Trichloroethane	.37	U	
56-23-5-----Carbon tetrachloride	.72	U	
75-27-4-----Bromodichloromethane	.53	U	
78-87-5-----1,2-Dichloropropane	.31	U	
110061-01-5-----cis-1,3-Dichloropropene	.55	U	
79-01-6-----Trichloroethene	1.3	U	
110061-02-6-----trans-1,3-Dichloropropene	.47	U	
79-00-5-----1,1,2-Trichloroethane	1.60	U	
75-25-2-----Bromoform	.22	U	
127-18-4-----Tetrachloroethene	39	U	
108-90-7-----Chlorobenzene	.09	U	
541-73-1-----1,3-Dichlorobenzene	.18	U	
106-46-7-----1,4-Dichlorobenzene	.23	U	
95-50-1-----1,2-Dichlorobenzene	.15	U	
79-34-5-----1,1,2,2-Tetrachloroethane	.13	U	

SADF: 1.00

Page 1 of 1

Total Hit(s): 4

ORGANICS ANALYSIS DATA SHEET-VOLATILE COMPOUNDS

Lab Name:	LRI	Client Sample ID No.
Lab Sample ID:	T510089-04	15B#3(30')
Matrix:	[soil/water] SOIL	Lab File ID: >I2648
Sample wt/vol:	5.0	[g/mL] G Run Type: 8010VOA
Level:	[low/med] LOW	Date Received: 10/05/95
% Moisture:	3.3	Date Analyzed : 10/11/95
GC Column:	DB-VRX ID: 0.45 (mm)	Dilution Factor: 1.0

CONCENTRATION UNITS:

CAS NO.	COMPOUND	UG/KG	Q
74-87-3-----Chloromethane	.521	U	
74-83-9-----Bromomethane	.521	U	
124-48-1-----Chlorodibromomethane	.521	U	
75-01-4-----Vinyl chloride	.521	U	
75-00-3-----Chloroethane	.521	U	
110-75-8-----2-Chloroethyl vinyl ether	.521	U	
75-09-2-----Methylene chloride	12	I	
75-69-4-----Trichlorofluoromethane	.521	U	
75-35-4-----1,1-Dichloroethene	.521	U	
75-34-3-----1,1-Dichloroethane	.521	U	
156-60-5-----trans-1,2-Dichloroethene	.521	U	
67-66-3-----Chloroform	.521	U	
107-06-2-----1,2-Dichloroethane	.521	U	
71-55-6-----1,1,1-Trichloroethane	.521	U	
56-23-5-----Carbon tetrachloride	.521	U	
75-27-4-----Bromodichloromethane	.521	U	
78-87-5-----1,2-Dichloropropane	.521	U	
79-01-6-----Trichloroethene	.521	U	
110061-02-6-----trans-1,3-Dichloropropene	.521	U	
110061-01-5-----cis-1,3-Dichloropropene	.521	U	
79-00-5-----1,1,2-Trichloroethane	.521	U	
75-25-2-----Bromoform	.521	U	
127-18-4-----Tetrachloroethene	.99	I	
108-90-7-----Chlorobenzene	.521	U	
541-73-1-----1,3-Dichlorobenzene	.521	U	
106-46-7-----1,4-Dichlorobenzene	.521	U	
95-50-1-----1,2-Dichlorobenzene	.521	U	
79-34-5-----1,1,2,2-Tetrachloroethane	.521	U	

SADF: 1.03

Page 1 of 1

Total Hit(s): 2

DIVERGENT ANALYSIS DATA SHEET-SOLVENTABLE COMPOUNDS

Client Sample ID No.

Sample ID: 151

15B#3(60')

Matrix: Deionized WATER

Lab File ID: >12/68

Sample wt/vol: 5.0 [g/mL] ML

Run Type: 601V0A

Level: Low/med] LUW

Date Received: 10/06/95

% Moisture: NA

Date Analyzed : 10/18/95

GL Column: DB-VRX ID: 0.45 (mm)

Dilution Factor: 1.0

CONCENTRATION UNITS:

CAS RN.	COMPOUND	UG/L	U
74-87-3	Chloromethane	.521	U
74-81-9	Bromomethane	1.001	U
124-48-1	Chlorodibromomethane	.671	U
75-01-4	Vinyl chloride	.501	U
75-00-3	Chloroethane	.751	U
75-00-2	Methylene chloride	.881	U
100-25-8	2-Chloroethyl vinyl ether	1.001	U
75-69-4	Trichlorofluoromethane	.941	U
75-21-8	Dichlorodifluoromethane	.101	U
75-35-4	1,1-Dichloroethene	1.001	U
75-34-3	1,1-Dichloroethane	.591	U
126-60-5	trans-1,2-Dichloroethene	.841	U
67-66-3	Chloroform	.321	U
112-06-2	1,2-Dichloroethane	.581	U
71-55-6	1,1,1-Trichloroethane	20	I
56-23-5	Carbon tetrachloride	.721	U
79-22-4	Bromodichloromethane	.531	U
78-87-5	1,2-Dichloropropane	.311	U
100061-01-9	cis-1,3-Dichloropropene	.551	U
79-01-6	Trichloroethene	.73	I
100061-02-6	trans-1,3-Dichloropropene	.471	U
79-00-5	1,1,2-Trichloroethane	1.601	U
75-25-2	Bromoform	.221	U
727-18-4	tetrachloroethene	.94	I
108-90-2	Chlorobenzene	.091	U
541-75-1	1,3-Dichlorobenzene	.181	U
106-46-2	1,4-Dichlorobenzene	.231	U
95-50-1	1,2-Dichlorobenzene	.151	U
79-34-5	1,1,2,2-Tetrachloroethane	.131	U

SAUF: 1.00

Page 1 of 1

Total Hit(s): 3

ORGANICS ANALYSIS DATA SHEET-VOLATILE COMPOUNDS

Client Sample ID No.

Lab Name: LRI

15B#3(25')

Lab Sample ID: 1510129-2

Lab File ID: >12/69

Matrix: [soil/water] WATER

Sample wt/vol: 5.0 [g/mL] ML

Run Type: 601V0A

Level: [low/med] LUW

Date Received: 10/06/95

% Moisture: NA

Date Analyzed : 10/18/95

GL Column : DB-VRX ID: 0.45 (mm)

Dilution Factor: 1.0

CONCENTRATION UNITS:

GAS NO.	COMPOUND	UG/L	Q
74-87-3-----Chloromethane	.521	U	1
74-85-9-----Bromomethane	1.001	U	1
124-48-1-----Chlorodibromomethane	.621	U	1
75-01-4-----Vinyl chloride	.501	U	1
75-00-3-----Chloroethane	.751	U	1
75-09-2-----Methylene chloride	4.3	1	1
108-25-8-----2-Chloroethyl vinyl ether	1.001	U	1
75-69-4-----Trichlorofluoromethane	.941	U	1
29-21-8-----Dichlorodifluoromethane	.101	U	1
75-35-4-----1,1-Dichloroethene	1.001	U	1
75-34-3-----1,1-Dichloroethane	.591	U	1
156-60-5-----trans-1,2-Dichloroethene	.841	U	1
67-66-3-----Chloroform	.371	U	1
107-06-2-----1,2-Dichloroethane	.581	U	1
71-55-6-----1,1,1-Trichloroethane	18	1	1
56-23-5-----Carbon tetrachloride	.721	U	1
75-27-4-----Bromodichloromethane	.531	U	1
78-87-5-----1,2-Dichloropropane	.311	U	1
10061-01-5-----cis-1,3-Dichloropropene	.551	U	1
79-01-6-----Trichloroethene	4.3	1	1
10061-01-6-----trans-1,3-Dichloropropene	.471	U	1
79-00-5-----1,1,2-Trichloroethane	1.601	U	1
75-25-2-----Bromoform	.221	U	1
127-18-4-----tetrachloroethene	.79	1	1
108-90-2-----Chlorobenzene	.091	U	1
541-73-1-----1,3-Dichlorobenzene	.181	U	1
106-46-2-----1,4-Dichlorobenzene	.231	U	1
95-50-1-----1,2-Dichlorobenzene	.151	U	1
79-34-5-----1,1,2,2-Tetrachloroethane	.131	U	1

SAUF: 1.00

Page 1 of 1

Total Hit(s): 4

ORGANICS ANALYSIS DATA SHEET-VOLATILE COMPOUNDS

Lab Name: LRI Client Sample ID No.
 Lab Sample ID: 1510129-3 LS#3(95')
 Matrix: [soil/water] WATER Lab File ID: >12720
 Sample wt/vol: 5.0 [g/mL] ML Run Type: 601VOA
 Level: [low/med] LUW Date Received: 10/06/95
 % Moisture: NA Date Analyzed : 10/18/95
 GL Column : DB-VRX ID: 0.45 (mm) Dilution Factor: 1.0

CONCENTRATION UNITS:

LAS NU.	COMPOUND	UG/L	M
74-87-3	Chloromethane	.521	U
74-83-9	Bromomethane	1.001	U
124-48-1	Chlorodibromomethane	.671	U
75-01-4	Vinyl chloride	.501	U
29-00-3	Chloroethane	.751	U
75-09-2	Methylene chloride	1.9	I
100-75-8	2-Chloroethyl vinyl ether	1.001	U
75-69-4	Trichlorofluoromethane	.941	U
75-71-8	Dichlorodifluoromethane	.101	U
75-35-4	1,1-Dichloroethene	1.001	U
75-34-3	1,1-Dichloroethane	.591	U
156-60-5	trans-1,2-Dichloroethene	.841	U
67-66-3	Chloroform	.321	U
107-06-2	1,2-Dichloroethane	.581	U
71-55-6	1,1,1-Trichloroethane	16	I
56-23-5	Carbon tetrachloride	.721	U
75-22-4	Bromodichloromethane	.531	U
28-87-9	1,2-Dichloropropane	.311	U
110061-01-5	cis-1,3-Dichloropropene	.551	U
79-01-6	Trichloroethene	3.5	I
110061-02-6	trans-1,3-Dichloropropene	.421	U
79-00-5	1,1,2-Trichloroethane	1.601	U
75-25-2	Bromoform	.221	U
122-18-4	tetrachloroethene	100	I
108-90-2	Chlorobenzene	.091	U
541-73-1	1,3-Dichlorobenzene	.181	U
106-46-7	1,4-Dichlorobenzene	.231	U
95-50-1	1,2-Dichlorobenzene	.151	U
79-34-5	1,1,2,2-Tetrachloroethane	.131	U

GADF: 1.00

Page 1 of 1

Total Hit(s): 4

ORGANIC ANALYSIS DATA SHEET-VOLATILE COMPOUNDS

Lab Name: LRI
 Lab Sample ID: 1510129-4
 Matrix: [soil/water] SOIL
 Sample wt/vol: 5.0 [g/mL] G Run Type: 8010V0A
 Level: [low/med] LOW Date Received: 10/06/95
 % Moisture: 8.7 Date Analyzed : 10/18/95
 GC Col. dn: DB-VRX ID: 0.45 (mm) Dilution Factor: 1.0

CONCENTRATION UNITS:

IAS (RT)	COMPOUND	UG/KG	U
	/4-87-3-----Chloromethane	.551	U
	/4-81-9-----Bromomethane	.551	U
124-48-1-----	Chlorodibromomethane	.551	U
/5-01-4-----	Vinyl chloride	.551	U
/5-00-3-----	Chloroethane	.551	U
110-75-8-----	2-Chloroethyl vinyl ether	.551	U
/5-09-2-----	Methylene chloride	2.6	I
/5-69-4-----	Trichlorofluoromethane	.551	U
/5-35-4-----	1,1-Dichloroethene	.551	U
/5-34-3-----	1,1-Dichloroethane	.551	U
150-60-5-----	trans-1,2-Dichloroethene	.551	U
67-66-2-----	Chloroform	.551	U
107-06-2-----	1,2-Dichloroethane	.551	U
/1-55-6-----	1,1,1-Trichloroethane	.551	U
56-23-5-----	Carbon tetrachloride	.551	U
/5-27-4-----	Bromodichloromethane	.551	U
/8-87-5-----	1,2-Dichloropropane	.551	U
/9-01-6-----	Trichloroethene	.551	U
110061-02-6-----	trans-1,3-Dichloropropene	.551	U
110061-01-5-----	cis-1,3-Dichloropropene	.551	U
/9-00-5-----	1,1,2-Trichloroethane	.551	U
/5-25-2-----	Bromoform	.551	U
127-18-4-----	Tetrachloroethene	.551	U
108-90-7-----	Chlorobenzene	.551	U
541-23-1-----	1,3-Dichlorobenzene	.551	U
106-46-7-----	1,4-Dichlorobenzene	.551	U
95-50-1-----	1,2-Dichlorobenzene	.551	U
/9-54-5-----	1,1,2,2-Tetrachloroethane	.551	U

SPARE: 1.10

Page 1 of 1

Total Hit(s): 1

ORGANICS ANALYSIS DATA SHEET-VOLATILE COMPOUNDS

Client Sample ID No. _____
 Lab Name: LRI
 Lab Sample ID: 1510132-1
 Matrix: Soil/Water) WATER
 Sample wt/vol: 5.0 [g/mL] ML Run Type: 60100A
 Serial: Low/Med) LUW Date Received: 10/06/95
 % Moisture: NH Date Analyzed : 10/18/95
 SL Solution : DB-URX ID: 0.45 (mm) Dilution Factor: 1.0

CONCENTRATION UNITS:

CAS #J.	COMPOUND	UG/L	U
74-87-3-----Chloromethane		.521	U
74-87-9-----Bromomethane		1.001	U
124-48-1-----Chlorodibromomethane		.621	U
79-01-4-----Vinyl chloride		.501	U
75-00-3-----Chloroethane		.751	U
75-09-2-----Methylene chloride		1.6	I
100-75-8-----2-Chloroethyl vinyl ether		1.001	U
79-69-4-----Trichlorofluoromethane		.941	U
79-21-8-----Dichlorodifluoromethane		.101	U
75-35-4-----1,1-Dichloroethene		1.001	U
75-34-3-----1,1-Dichloroethane		2.4	I
156-60-5-----trans-1,2-Dichloroethene		.841	U
67-66-3-----Chloroform		.371	U
107-06-2-----1,2-Dichloroethane		.581	U
21-55-6-----1,1,1-Trichloroethane		22	I
56-23-5-----Carbon tetrachloride		.721	U
79-27-4-----Bromodichloromethane		.531	U
78-87-5-----1,2-Dichloropropane		.311	U
10061-01-5-----cis-1,3-Dichloropropene		.551	U
79-11-6-----Trichloroethene		8.4	I
10061-02-6-----trans-1,3-Dichloropropene		.471	U
79-00-5-----1,1,2-Trichloroethane		1.601	U
75-25-2-----Bromoform		.221	U
122-18-4-----Tetrachloroethene		110	I
108-90-2-----Chlorobenzene		.091	U
541-73-1-----1,3-Dichlorobenzene		.181	U
106-46-2-----1,4-Dichlorobenzene		.231	U
95-50-1-----1,2-Dichlorobenzene		.151	U
79-34-5-----1,1,2,2-Tetrachloroethane		.131	U

GRADE: 1.00

Page 1 of 1

Total Hit(s): 5

ORGANICS ANALYSIS DATA SHEET-VOLATILE COMPOUNDS

Client Sample ID No.

Lab Name: LRI

Lab Sample ID: 1510152-2

Matrix: liquid/water] WATER

Sample wt/vol: 5.0 [g/mL] ML

Level: [low/med] LOW

% Moisture: NA

GC Column : DB-170X ID: 0.45 (mm)

15B#4(25')

Lab File ID: >12/93

Run Type: 601V0A

Date Received: 10/06/95

Date Analyzed : 10/19/95

Dilution Factor: 1.0

CONCENTRATION UNITS:

CAS NO.	COMPOUND	UG/L	U
74-87-3-----Chloromethane	.521	U	
74-85-9-----Bromomethane	1.001	U	
124-48-1-----Chlorodibromomethane	.621	U	
79-01-4-----Vinyl chloride	.501	U	
75-00-3-----Chloroethane	.751	U	
75-09-2-----Methylene chloride	2.2	U	
108-79-8-----2-Chloroethyl vinyl ether	1.001	U	
75-69-4-----Trichlorofluoromethane	.941	U	
76-21-8-----Dichlorodifluoromethane	.101	U	
76-35-4-----1,1-Dichloroethene	1.001	U	
76-34-3-----1,1-Dichloroethane	3.8	U	
156-60-5-----trans-1,2-Dichloroethene	.841	U	
67-66-3-----Chloroform	.321	U	
107-06-2-----1,2-Dichloroethane	.581	U	
71-55-6-----1,1,1-Trichloroethane	10	U	
56-23-5-----Carbon tetrachloride	.721	U	
75-27-4-----Bromodichloromethane	.531	U	
78-87-5-----1,2-Dichloropropane	.311	U	
110061-01-5-----cis-1,3-Dichloropropene	.551	U	
79-01-6-----Trichloroethene	1.2	U	
110061-02-6-----trans-1,3-Dichloropropene	.421	U	
79-00-5-----1,1,2-Trichloroethane	1.601	U	
76-25-2-----Bromoform	.221	U	
127-18-4-----tetrachloroethene	24	U	
108-90-7-----Chlorobenzene	.091	U	
541-73-1-----1,3-Dichlorobenzene	.181	U	
106-46-7-----1,4-Dichlorobenzene	.231	U	
95-50-1-----1,2-Dichlorobenzene	.151	U	
79-34-5-----1,1,2,2-Tetrachloroethane	.131	U	

SAUF: 1.00

Page 1 of 1

Total Hit(s): 5

ORGANICS ANALYSIS DATA SHEET-VOLATILE COMPOUNDS

Client Sample ID No. _____

Lab Name: LRI
Lab Sample ID: 1510132-3
Matrix: [soil/water] WATER
Sample wt/vol: 5.0 [g/mL] ML
Level: Low/med) LDW
% Moisture: NA
GC Column : DB-VRX ID: 0.45 (mm)
Run Type: 601V0A
Date Received: 10/06/95
Date Analyzed : 10/19/95
Dilution Factor: 1.0

CONCENTRATION UNITS:

CAS NO.	COMPOUND	UG/L	U
74-87-3	Chloromethane	.521	U
74-83-9	Bromomethane	1.001	U
124-48-1	Chlorodibromomethane	.621	U
75-01-4	Vinyl chloride	.501	U
75-00-3	Chloroethane	.751	U
75-09-2	Methylene chloride	1.9	U
100-79-8	2-Chloroethyl vinyl ether	1.001	U
75-69-4	Trichlorofluoromethane	.941	U
75-71-8	Dichlorodifluoromethane	.101	U
75-35-4	1,1-Dichloroethene	1.001	U
75-34-3	1,1-Dichloroethane	4.2	U
126-60-5	trans-1,2-Dichloroethene	.841	U
67-66-3	Chloroform	.371	U
102-06-2	1,2-Dichloroethane	.581	U
71-59-6	1,1,1-Trichloroethane	13	U
56-23-5	Carbon tetrachloride	.721	U
75-27-4	Bromodichloromethane	.531	U
78-87-5	1,2-Dichloropropane	.311	U
10061-01-5	cis-1,3-Dichloropropene	.551	U
79-01-6	Trichloroethene	.29	U
10061-02-6	trans-1,3-Dichloropropene	.421	U
79-00-5	1,1,2-Trichloroethane	1.601	U
79-25-2	Bromoform	.221	U
127-18-4	tetrachloroethene	20	U
108-90-7	Chlorobenzene	.091	U
541-73-1	1,3-Dichlorobenzene	.181	U
100-46-7	1,4-Dichlorobenzene	.231	U
95-70-1	1,2-Dichlorobenzene	.151	U
79-34-5	1,1,2,2-Tetrachloroethane	.131	U

DADE: 1.00

Page 1 of 1

Total Hit(s): 5

ORGANICS ANALYSIS DATA SHEET-VOLATILE COMPOUNDS

Lab Name: LRI Client Sample ID No.
 Lab Sample ID: TS10152-2 15B#5(10')
 Matrix: [soil/water] SOIL Lab File ID: >12801
 Sample wt/vol: 5.0 [g/mL] G Run Type: 8010VOA
 Level: [low/med] LUW Date Received: 10/06/95
 % Moisture: 9.4 Date Analyzed : 10/19/95
 GC Column: DB-URX ID: 0.45 (mm) Dilution Factor: 1.0

CONCENTRATION UNITS:

CAS NO.	COMPOUND	UG/KG	U
74-87-3-----Chloromethane	.55	U	1
74-85-9-----Bromomethane	.55	U	1
124-48-1-----Chlorodibromomethane	.55	U	1
75-01-4-----Vinyl chloride	.55	U	1
75-00-3-----Chloroethane	.55	U	1
110-25-8-----2-Chloroethyl vinyl ether	.55	U	1
75-09-2-----Methylene chloride	3.4	1	1
75-69-4-----Trichlorofluoromethane	.55	U	1
75-35-4-----1,1-Dichloroethene	.55	U	1
75-54-3-----1,1-Dichloroethane	.55	U	1
156-60-5-----trans-1,2-Dichloroethene	.55	U	1
67-66-3-----Chloroform	.55	U	1
101-06-2-----1,2-Dichloroethane	.55	U	1
71-55-6-----1,1,1-Trichloroethane	.55	U	1
56-23-5-----Carbon tetrachloride	.55	U	1
75-27-4-----Bromodichloromethane	.55	U	1
75-87-5-----1,2-Dichloropropane	.55	U	1
79-01-6-----Trichloroethene	.55	U	1
110061-02-6-----trans-1,3-Dichloropropene	.55	U	1
110061-01-5-----cis-1,3-Dichloropropene	.55	U	1
79-00-5-----1,1,2-Trichloroethane	.55	U	1
75-25-2-----Bromoform	.55	U	1
127-18-4-----Tetrachloroethene	46	1	1
108-90-7-----Chlorobenzene	.55	U	1
541-73-1-----1,3-Dichlorobenzene	.55	U	1
106-46-7-----1,4-Dichlorobenzene	.55	U	1
95-50-1-----1,2-Dichlorobenzene	.55	U	1
79-34-5-----1,1,2,2-Tetrachloroethane	.55	U	1

SADP: 1.10

Page 1 of 1

Total Hit(s): 2

ORGANICS ANALYSIS DATA SHEET-VOLATILE COMPOUNDS

Client Sample ID No. _____
 Lab Name: ERI
 Lab Sample ID: 1510152-4
 Matrix: [soil/water] WATER
 Sample wt/vol: 5.0 [g/mL] ML
 Level: [low/med] LOW
 % Moisture: NA
 GL Column : DB-VRX ID: 0.45 (mm) Dilution Factor: 1.0
 Lab File ID: >12/95
 Run Type: 601V0A
 Date Received: 10/06/95
 Date Analyzed : 10/19/95

CONCENTRATION UNITS:

CAS NO.	COMPOUND	UG/L	U
74-87-3	Chloromethane	.521	U
74-85-9	Bromomethane	1.001	U
124-48-1	Chlorodibromomethane	.671	U
75-01-4	Vinyl chloride	.501	U
75-00-3	Chloroethane	.751	U
75-09-2	Methylene chloride	.53	I J
100-75-8	2-Chloroethyl vinyl ether	1.001	U
75-69-4	Trichlorofluoromethane	.941	U
25-71-8	Dichlorodifluoromethane	.101	U
75-35-4	1,1-Dichloroethene	1.001	U
75-34-3	1,1-Dichloroethane	2.6	I
156-68-7	trans-1,2-Dichloroethene	.841	U
67-64-2	Chlorotform	.371	U
107-06-2	1,2-Dichloroethane	.581	U
71-55-6	1,1,1-Trichloroethane	6.2	I
56-22-5	Carbon tetrachloride	.721	U
75-21-4	Bromodichloromethane	.531	U
106-47-0	1,2-Dichloropropane	.311	U
106-40-1	cis-1,3-Dichloropropene	.551	U
79-01-6	1Trichloroethene	2.5	I
110061-02-6	trans-1,3-Dichloropropene	.471	U
79-00-5	1,1,2-Trichloroethane	1.661	U
75-23-2	Chlorotform	.221	U
75-00-4	alpha,beta-dichloroethene	.24	I
106-45-7	1,1-Dichlorobenzene	.091	U
106-43-9	1,2-Dichlorobenzene	.181	U
106-46-7	1,4-Dichlorobenzene	.231	U
106-47-0	1,2-Dichlorobenzene	.151	U
75-54-5	1,1,2,2-Tetrachloroethane	.131	U

Dilution: 1.00

Page 1 of 1

Total Hit(s): 5

ORGANICS ANALYSIS DATA SHEET-VOLATILE COMPOUNDS

Lab Name: LRI
 Lab Sample ID: 1510132-5
 Matrix: [soil/water] WATER
 Sample wt/vol: 5.0 [g/mL] ML
 Level: [low/med] LOW
 % Moisture: NA
 GL Column : DB-VRX ID: 0.45 (mm) Dilution Factor: 1.0

Client Sample ID No.
15B#5(25')
Lab File ID: >12796

Run Type: 601VDA
Date Received: 10/06/95
Date Analyzed : 10/19/95

CONCENTRATION UNITS:

CAS NO.	COMPOUND	UG/L	U
74-87-3-----Chloromethane	.521	U	1
74-83-9-----Bromomethane	1.001	U	1
124-48-1-----Chlorodibromomethane	.671	U	1
75-01-4-----Vinyl chloride	.501	U	1
75-00-3-----Chloroethane	.751	U	1
75-09-2-----Methylene chloride	.881	U	1
100-26-8-----2-Chloroethyl vinyl ether	1.001	U	1
75-69-4-----Trichlorofluoromethane	.941	U	1
75-21-8-----Dichlorodifluoromethane	.101	U	1
75-35-4-----1,1-Dichloroethene	1.001	U	1
75-34-3-----1,1-Dichloroethane	.62	U	1
126-60-5-----trans-1,2-Dichloroethene	.841	U	1
67-66-3-----Chloroform	.371	U	1
107-06-2-----1,2-Dichloroethane	.581	U	1
71-55-6-----1,1,1-Trichloroethane	8.7	U	1
56-23-9-----Carbon tetrachloride	.721	U	1
75-22-4-----Bromodichloromethane	.531	U	1
78-87-5-----1,2-Dichloropropane	.311	U	1
110061-01-5-----cis-1,3-Dichloropropene	.551	U	1
79-01-6-----Trichloroethene	1.9	U	1
110061-02-6-----trans-1,3-Dichloropropene	.471	U	1
79-00-5-----1,1,2-Trichloroethane	1.601	U	1
75-25-2-----Bromoform	.221	U	1
122-18-4-----Tetrachloroethene	12	U	1
108-90-7-----Chlorobenzene	.091	U	1
541-23-1-----1,3-Dichlorobenzene	.181	U	1
106-46-2-----1,4-Dichlorobenzene	.231	U	1
95-50-1-----1,2-Dichlorobenzene	.151	U	1
79-34-5-----1,1,2,2-Tetrachloroethane	.131	U	1

SumDF: 1.00

Page 1 of 1

Total Hit(s): 4

ORGANICS ANALYSIS DATA SHEET-VOLATILE COMPOUNDS

Lab Name: LRI Client Sample ID No.
 Lab Sample ID: T510132-6 ISB#5(95')
 Matrix: [soil/water] WATER Lab File ID: >I2797
 Sample wt/vol: 5.0 [g/mL] ML Run Type: 601VOS
 Level: [low/med] LOW Date Received: 10/06/95
 % Moisture: NA Date Analyzed : 10/19/95
 GC Column : DB-VRX ID: 0.45 (mm) Dilution Factor: 1.0

CONCENTRATION UNITS:

CAS NO.	COMPOUND	UG/L	Q
74-87-3-----	Chloromethane	.52	U
74-83-9-----	Bromomethane	1.00	U
124-48-1-----	Chlorodibromomethane	.67	U
75-01-4-----	Vinyl chloride	.50	U
75-00-3-----	Chloroethane	.75	U
75-09-2-----	Methylene chloride	1.3	I
100-75-8-----	2-Chloroethyl vinyl ether	1.00	U
75-69-4-----	Trichlorofluoromethane	.94	U
75-71-8-----	Dichlorodifluoromethane	.10	U
75-35-4-----	1,1-Dichloroethene	1.00	U
75-34-3-----	1,1-Dichloroethane	5.7	I
156-60-5-----	trans-1,2-Dichloroethene	.84	U
67-66-3-----	Chloroform	.37	U
107-06-2-----	1,2-Dichloroethane	.58	U
71-55-6-----	1,1,1-Trichloroethane	13	I
56-23-5-----	Carbon tetrachloride	.72	U
75-27-4-----	Bromodichloromethane	.53	U
78-87-5-----	1,2-Dichloropropane	.31	U
10061-01-5-----	cis-1,3-Dichloropropene	.55	U
79-01-6-----	Trichloroethene	.44	I J
10061-02-6-----	trans-1,3-Dichloropropene	.47	U
79-00-5-----	1,1,2-Trichloroethane	1.60	U
75-25-2-----	Bromoform	.22	U
127-18-4-----	Tetrachloroethene	14	I
108-90-7-----	Chlorobenzene	.09	U
541-73-1-----	1,3-Dichlorobenzene	.18	U
106-46-7-----	1,4-Dichlorobenzene	.23	U
95-50-1-----	1,2-Dichlorobenzene	.15	U
79-34-5-----	1,1,2,2-Tetrachloroethane	.13	U

SADF: 1.00

Page 1 of 1

Total Hit(s): 5

ORGANICS ANALYSIS DATA SHEET-VOLATILE COMPOUNDS

		Client Sample ID No.	
Lab Name:	LRI		
Lab Sample ID:	1510152-8		15B#6(30')
Matrix:	[soil/water] SOIL	Lab File ID: >I2802	
Sample wt/vol:	5.0	[g/mL]	G
Level:	[low/med] LOW	Run Type: 8010VDA	
% Moisture:	2.9	Date Received: 10/06/95	
GL Column:	DB-VRX	ID: 0.45 (mm)	Dilution Factor: 1.0

CONCENTRATION UNITS:

LAS NO.	COMPOUND	UG/KG	U
74-87-3-----Chloromethane		.511	U
74-83-9-----Bromomethane		.511	U
124-48-1-----Chlorodibromomethane		.511	U
75-01-4-----Vinyl chloride		.511	U
75-00-3-----Chloroethane		.511	U
110-75-8-----2-Chloroethyl vinyl ether		.511	U
75-09-2-----Methylene chloride		4.2	I
75-69-4-----Trichlorofluoromethane		.511	U
75-35-4-----1,1-Dichloroethene		.511	U
75-34-3-----1,1-Dichloroethane		.511	U
156-60-5-----trans-1,2-Dichloroethene		.511	U
67-66-3-----Chloroform		.511	U
107-06-2-----1,2-Dichloroethane		.511	U
71-55-6-----1,1,1-Trichloroethane		.511	U
56-23-5-----Carbon tetrachloride		.511	U
75-27-4-----Bromodichloromethane		.511	U
28-87-5-----1,2-Dichloropropane		.511	U
79-01-6-----Trichloroethene		.511	U
110061-02-6-----trans-1,3-Dichloropropene		.511	U
110061-01-5-----cis-1,3-Dichloropropene		.511	U
79-00-5-----1,1,2-Trichloroethane		.511	U
75-25-2-----Bromoform		.511	U
127-18-4-----Tetrachloroethene		.511	U
108-90-7-----Chlorobenzene		.511	U
541-23-1-----1,3-Dichlorobenzene		.511	U
106-46-7-----1,4-Dichlorobenzene		.511	U
95-50-1-----1,2-Dichlorobenzene		.511	U
79-34-5-----1,1,2,2-Tetrachloroethane		.511	U

SCALE: 1.03

Page 1 of 1

Total Hit(s): 1

ORGANICS ANALYSIS DATA SHEET-VOLATILE COMPOUNDS

		Client Sample ID No.	
Lab Name:	LRI		
Lab Sample ID:	1510133-1		TSB#6(60')
Matrix:	(soil/water) WATER	Lab File ID: >12/98	
Sample wt/vol:	5.0	[g/mL]	ML
Level:	Low/med	LUW	Date Received: 10/06/95
% Moisture:	NA	Date Analyzed : 10/19/95	
GC Column :	DB-VRX	ID: 0.45 (mm)	Dilution Factor: 1.0

CONCENTRATION UNITS:

CAS NO.	COMPOUND	UG/L	U
74-87-3	Chloromethane	.521	U
74-85-9	Bromomethane	1.001	U
124-48-1	Chlorodibromomethane	.621	U
75-01-4	Vinyl chloride	.501	U
75-00-3	Chloroethane	.751	U
75-09-2	Methylene chloride	.881	U
100-75-8	2-Chloroethyl vinyl ether	1.001	U
75-69-4	Trichlorofluoromethane	.941	U
75-71-8	Dichlorodifluoromethane	.101	U
75-35-4	1,1-Dichloroethene	1.001	U
75-34-3	1,1-Dichloroethane	.99	I
156-60-5	trans-1,2-Dichloroethene	.841	U
67-66-3	Chloroform	.371	U
107-06-2	1,2-Dichloroethane	.581	U
71-55-6	1,1,1-Trichloroethane	12	I
56-23-5	Carbon tetrachloride	.721	U
75-27-4	Bromodichloromethane	.531	U
78-87-5	1,2-Dichloropropane	.311	U
10061-01-5	cis-1,3-Dichloropropene	.551	U
79-01-6	Trichloroethene	3.4	I
10061-02-6	trans-1,3-Dichloropropene	.421	U
79-00-5	1,1,2-Trichloroethane	1.601	U
75-25-2	Bromoform	.221	U
127-18-4	Tetrachloroethene	.35	I
100-90-2	Chlorobenzene	.091	U
541-73-1	1,3-Dichlorobenzene	.181	U
100-46-2	1,4-Dichlorobenzene	.231	U
95-50-1	1,2-Dichlorobenzene	.151	U
79-34-5	1,1,2,2-Tetrachloroethane	.131	U

SCALE: 1.00

Page 1 of 1

Total Hit(s): 4

ORGANICS ANALYSIS DATA SHEET-VOLATILE COMPOUNDS

Client Sample ID No. _____

Lab Name: LRI

Lab Sample ID: T510133-2

Matrix: [soil/water] WATER

Sample wt/vol: 5.0 [g/mL] ML Run Type: 601VOA

Level: [low/med] LOW Date Received: 10/06/95

% Moisture: NA Date Analyzed : 10/19/95

GC Column : DB-VRX ID: 0.45 (mm) Dilution Factor: 1.0

CONCENTRATION UNITS:

CAS NO.	COMPOUND	UG/L	Q
74-87-3-----	Chloromethane	.52	U
74-83-9-----	Bromomethane	1.00	U
124-48-1-----	Chlorodibromomethane	.67	U
75-01-4-----	Vinyl chloride	.50	U
75-00-3-----	Chloroethane	.75	U
75-09-2-----	Methylene chloride	2.8	U
100-75-8-----	2-Chloroethyl vinyl ether	1.00	U
75-69-4-----	Trichlorofluoromethane	.94	U
75-71-8-----	Dichlorodifluoromethane	.10	U
75-35-4-----	1,1-Dichloroethene	1.00	U
75-34-3-----	1,1-Dichloroethane	.90	U
156-60-5-----	trans-1,2-Dichloroethene	.84	U
67-66-3-----	Chloroform	.37	U
107-06-2-----	1,2-Dichloroethane	.58	U
71-55-6-----	1,1,1-Trichloroethane	6.1	U
56-23-5-----	Carbon tetrachloride	.72	U
75-27-4-----	Bromodichloromethane	.53	U
78-87-5-----	1,2-Dichloropropane	.31	U
10061-01-5-----	cis-1,3-Dichloropropene	.55	U
79-01-6-----	Trichloroethene	2.3	U
10061-02-6-----	trans-1,3-Dichloropropene	.47	U
79-00-5-----	1,1,2-Trichloroethane	1.60	U
75-25-2-----	Bromoform	.22	U
127-18-4-----	Tetrachloroethene	62	U
108-90-7-----	Chlorobenzene	.09	U
541-73-1-----	1,3-Dichlorobenzene	.18	U
106-46-7-----	1,4-Dichlorobenzene	.23	U
95-50-1-----	1,2-Dichlorobenzene	.15	U
79-34-5-----	1,1,2,2-Tetrachloroethane	.13	U

ORGANICS ANALYSIS DATA SHEET-VOLATILE COMPOUNDS

Lab Name: LR1 Client Sample ID No.
 Lab Sample ID: 1510133-3 ISB#6(95')
 Matrix: [soil/water] WATER Lab File ID: >12800
 Sample wt/vol: 5.0 [g/mL] ML Run Type: 601VOA
 Level: [low/med] LUW Date Received: 10/06/95
 % Moisture: NA Date Analyzed : 10/19/95
 GL Column : DB-VRX ID: 0.45 (mm) Dilution Factor: 1.0

CONCENTRATION UNITS:

CAS RN.	COMPOUND	UG/L	U
74-87-3	Chloromethane	.521	U
74-83-9	Bromomethane	1.001	U
124-48-1	Chlorodibromomethane	.671	U
75-01-4	Vinyl chloride	.501	U
75-00-3	Chloroethane	.751	U
75-09-2	Methylene chloride	2.6	I
100-75-8	2-Chloroethyl vinyl ether	1.001	U
75-69-4	Trichlorofluoromethane	.941	U
75-71-8	Dichlorodifluoromethane	.101	U
75-35-4	1,1-Dichloroethene	1.001	U
75-34-3	1,1-Dichloroethane	.92	I
156-60-5	trans-1,2-Dichloroethene	.841	U
67-66-3	Chloroform	.371	U
107-06-2	1,2-Dichloroethane	.581	U
71-65-6	1,1,1-Trichloroethane	6.3	I
56-23-5	Carbon tetrachloride	.721	U
75-27-4	Bromodichloromethane	.531	U
78-87-5	1,2-Dichloropropane	.311	U
110061-01-5	cis-1,3-Dichloropropene	.551	U
29-01-6	Trichloroethene	1.1	I
110061-02-6	trans-1,3-Dichloropropene	.471	U
79-00-5	1,1,2-Trichloroethane	1.601	U
75-25-2	Bromoform	.221	U
127-18-4	tetrachloroethene	19	I
108-90-2	Chlorobenzene	.091	U
541-73-1	1,3-Dichlorobenzene	.181	U
106-46-2	1,4-Dichlorobenzene	.231	U
95-50-1	1,2-Dichlorobenzene	.151	U
79-34-5	1,1,2,2-Tetrachloroethane	.131	U

SAUF: 1.00

Page 1 of 1

Total Hit(s): 5

ORGANICS ANALYSIS DATA SHEET-VOLATILE COMPOUNDS

METHOD BLANK

Lab Name: LRI

Lab Sample ID: VBLK-QI1010

VBLK10

Matrix: [soil/water] WATER

Lab File ID: >I2628

Sample wt/vol: 5.0 [g/mL] ML

Run Type: 601VOA

Level: [low/med] LOW

Date Received:

% Moisture: NA

Date Analyzed : 10/10/95

GC Column : DB-VRX ID: 0.45 (mm) Dilution Factor: 1.0

CONCENTRATION UNITS:

CAS NO. COMPOUND UG/L Q

74-87-3-----Chloromethane	.521	U
74-83-9-----Bromomethane	1.001	U
124-48-1-----Chlorodibromomethane	.671	U
75-01-4-----Vinyl chloride	.501	U
75-00-3-----Chloroethane	.751	U
75-09-2-----Methylene chloride	.881	U
100-75-8-----2-Chloroethyl vinyl ether	1.001	U
75-69-4-----Trichlorofluoromethane	.941	U
75-71-8-----Dichlorodifluoromethane	.101	U
75-35-4-----1,1-Dichloroethene	1.001	U
75-34-3-----1,1-Dichloroethane	.591	U
156-60-5-----trans-1,2-Dichloroethene	.841	U
67-66-3-----Chloroform	.371	U
107-06-2-----1,2-Dichloroethane	.581	U
71-55-6-----1,1,1-Trichloroethane	.371	U
56-23-5-----Carbon tetrachloride	.721	U
75-27-4-----Bromodichloromethane	.531	U
78-87-5-----1,2-Dichloropropane	.311	U
10061-01-5-----cis-1,3-Dichloropropene	.551	U
79-01-6-----Trichloroethene	.531	U
10061-02-6-----trans-1,3-Dichloropropene	.471	U
79-00-5-----1,1,2-Trichloroethane	1.601	U
75-25-2-----Bromoform	.221	U
127-18-4-----Tetrachloroethene	.501	U
108-90-7-----Chlorobenzene	.091	U
541-73-1-----1,3-Dichlorobenzene	.181	U
106-46-7-----1,4-Dichlorobenzene	.231	U
95-50-1-----1,2-Dichlorobenzene	.151	U
79-34-5-----1,1,2,2-Tetrachloroethane	.131	U

SADF: 1.00

Page 1 of 1

Total Hit(s): 0

ORGANICS ANALYSIS DATA SHEET-VOLATILE COMPOUNDS

METHOD BLANK

Lab Name: LRI

Lab Sample ID: VBLK-QI1010

VBLK10

Matrix: [soil/water] SOIL

Lab File ID: > I2629

Sample wt/vol: 5.0 [g/mL] G Run Type: 8010VOA

Level: [low/med] LOW

Date Received:

% Moisture: NA

Date Analyzed : 10/10/95

GC Column: DB-VRX ID: 0.45 (mm) Dilution Factor: 1.0

CONCENTRATION UNITS:

CAS NO.	COMPOUND	UG/KG	Q
---------	----------	-------	---

74-87-3-----Chloromethane	.501	U
74-83-9-----Bromomethane	.501	U
124-48-1-----Chlorodibromomethane	.501	U
75-01-4-----Vinyl chloride	.501	U
75-00-3-----Chloroethane	.501	U
110-75-8-----2-Chloroethyl vinyl ether	.501	U
75-09-2-----Methylene chloride	.501	U
75-69-4-----Trichlorofluoromethane	.501	U
75-35-4-----1,1-Dichloroethene	.501	U
75-34-3-----1,1-Dichloroethane	.501	U
156-60-5-----trans-1,2-Dichloroethene	.501	U
67-66-3-----Chloroform	.501	U
107-06-2-----1,2-Dichloroethane	.501	U
71-55-6-----1,1,1-Trichloroethane	.501	U
56-23-5-----Carbon tetrachloride	.501	U
75-27-4-----Bromodichloromethane	.501	U
28-87-5-----1,2-Dichloropropene	.501	U
79-01-6-----Trichloroethene	.501	U
10061-02-6-----trans-1,3-Dichloropropene	.501	U
10061-01-5-----cis-1,3-Dichloropropene	.501	U
79-00-5-----1,1,2-Trichloroethane	.501	U
75-25-2-----Bromoform	.501	U
127-18-4-----Tetrachloroethene	.501	U
108-90-7-----Chlorobenzene	.501	U
541-73-1-----1,3-Dichlorobenzene	.501	U
106-46-7-----1,4-Dichlorobenzene	.501	U
95-50-1-----1,2-Dichlorobenzene	.501	U
79-34-5-----1,1,2,2-Tetrachloroethane	.501	U

SADF: 1.00

Page 1 of 1

Total Hit(s): 0

ORGANICS ANALYSIS DATA SHEET-VOLATILE COMPOUNDS

METHOD BLANK

Lab Name: LRI

Lab Sample ID: UBLK-QH1u17

UBLK17

Matrix: [soil/water] WATER

Lab File ID: >12/58

Sample wt/vol: 5.0 [g/mL] ML

Run Type: 601VDA

Level: Low/med) LOW

Date Received:

% Moisture: NA

Date Analyzed : 10/17/95

GC Column : DB-VRX ID: 0.45 (mm)

Dilution Factor: 1.0

CONCENTRATION UNITS:

CAS NO.	COMPOUND	UG/L	U
74-87-3	Chloromethane	.521	U
74-83-9	Bromomethane	1.001	U
124-48-1	Chlorodibromomethane	.671	U
75-01-4	Vinyl chloride	.501	U
75-00-3	Chloroethane	.751	U
76-09-2	Methylene chloride	.881	U
108-76-8	2-Chloroethyl vinyl ether	1.001	U
75-69-4	Trichlorofluoromethane	.941	U
75-71-8	Dichlorodifluoromethane	.101	U
75-35-4	1,1-Dichloroethene	1.001	U
75-34-3	1,1-Dichloroethane	.591	U
156-60-5	trans-1,2-Dichloroethene	.841	U
67-66-3	Chloroform	.371	U
107-06-2	1,2-Dichloroethane	.581	U
71-55-6	1,1,1-Trichloroethane	.371	U
56-23-5	Carbon tetrachloride	.721	U
75-27-4	Bromodichloromethane	.531	U
78-87-5	1,2-Dichloropropane	.311	U
10061-01-5	cis-1,3-Dichloropropene	.551	U
79-01-6	Trichloroethene	.531	U
10061-02-6	trans-1,3-Dichloropropene	.471	U
79-00-5	1,1,2-Trichloroethane	1.601	U
75-25-2	Bromoform	.221	U
122-18-4	tetrachloroethene	.501	U
108-90-7	Chlorobenzene	.091	U
541-73-1	1,3-Dichlorobenzene	.181	U
106-46-7	1,4-Dichlorobenzene	.231	U
95-50-1	1,2-Dichlorobenzene	.151	U
79-34-5	1,1,2,2-Tetrachloroethane	.131	U

SAUF: 1.00

Page 1 of 1

Total Hit(s): 0

ORIGANICS ANALYSIS DATA SHEET-VOLATILE COMPOUNDS

METHOD BLANK

Lab Name: LRI

Lab Sample ID: UBLK-UH1017

Matrix: [soil/water] SUL

Lab File ID: X12757

Sample wt/vol: 5.0

[g/mL] G

Run Type: BU10V0A

Level: [low/med] LOW

Date Received:

% Moisture: NA

Date Analyzed : 10/17/95

GC Column: DB-VRX ID: 0.45 (mm)

Dilution Factor: 1.0

CONCENTRATION UNITS:

IASI NO.	COMPOUND	UG/KG	U
74-87-3-----Chloromethane		.501	U
74-83-9-----Bromomethane		.501	U
124-48-1-----Chlorodibromomethane		.501	U
75-01-4-----Vinyl chloride		.501	U
75-00-3-----Chloroethane		.501	U
110-75-8-----2-Chloroethyl vinyl ether		.501	U
76-09-2-----Methylene chloride		.501	U
75-69-4-----Trichlorofluoromethane		.501	U
75-35-4-----1,1-Dichloroethene		.501	U
75-34-3-----1,1-Dichloroethane		.501	U
156-60-5-----trans-1,2-Dichloroethene		.501	U
67-66-3-----Chloroform		.501	U
107-06-2-----1,2-Dichloroethane		.501	U
71-55-6-----1,1,1-Trichloroethane		.501	U
56-23-5-----Carbon tetrachloride		.501	U
75-27-4-----Bromodichloromethane		.501	U
28-82-5-----1,2-Dichloropropane		.501	U
79-01-6-----Trichloroethene		.501	U
110061-02-6-----trans-1,3-Dichloropropene		.501	U
110061-01-5-----cis-1,3-Dichloropropene		.501	U
79-00-5-----1,1,2-Trichloroethane		.501	U
75-25-2-----Bromoform		.501	U
121-18-4-----Tetrachloroethene		.501	U
108-90-7-----Chlorobenzene		.501	U
541-23-1-----1,3-Dichlorobenzene		.501	U
106-46-7-----1,4-Dichlorobenzene		.501	U
95-50-1-----1,2-Dichlorobenzene		.501	U
79-54-5-----1,1,2,2-Tetrachloroethane		.501	U

DAUF: 1.00

Page 1 of 1

Total Hit(s): 0

ORGANICS ANALYSIS DATA SHEET-VOLATILE COMPOUNDS

METHOD BLANK

Lab Name: LRI

Lab Sample ID: VBLK-WH1018

Matrix: [soil/water] WATER

Sample wt/vol: 5.0 [g/mL] ML

Level: [low/med] LOW

% Moisture: NA

GC Column : DB-5RX ID: 0.45 (mm)

VBLK18

Lab File ID: >12/85

Run Type: 601UOA

Date Received:

Date Analyzed : 10/18/95

Dilution Factor: 1.0

CONCENTRATION UNITS:

LAS RU.	COMPOUND	UG/L	uL
	74-87-3-----Chloromethane	.521	U
	74-83-9-----Bromomethane	1.001	U
	124-48-1-----Chlorodibromomethane	.671	U
	75-01-4-----Vinyl chloride	.501	U
	75-00-3-----Chloroethane	.751	U
	75-09-2-----Methylene chloride	.881	U
	100-75-8-----2-Chloroethyl vinyl ether	1.001	U
	75-69-4-----Trichlorofluoromethane	.941	U
	75-21-8-----Dichlorodifluoromethane	.101	U
	75-35-4-----1,1-Dichloroethene	1.001	U
	75-34-3-----1,1-Dichloroethane	.591	U
	156-60-5-----trans-1,2-Dichloroethene	.841	U
	67-66-3-----Chloroform	.371	U
	102-06-2-----1,2-Dichloroethane	.581	U
	71-55-6-----1,1,1-Trichloroethane	.371	U
	56-23-5-----Carbon tetrachloride	.721	U
	75-27-4-----Bromodichloromethane	.531	U
	78-87-5-----1,2-Dichloropropane	.311	U
	110061-01-5-----cis-1,3-Dichloropropene	.551	U
	79-01-6-----Trichloroethene	.531	U
	110061-01-6-----trans-1,3-Dichloropropene	.471	U
	79-00-5-----1,1,2-Trichloroethane	1.601	U
	75-25-2-----Bromoform	.221	U
	127-18-4-----tetrachloroethene	.501	U
	108-90-7-----Chlorobenzene	.091	U
	541-73-1-----1,3-Dichlorobenzene	.181	U
	100-46-7-----1,4-Dichlorobenzene	.231	U
	95-50-1-----1,2-Dichlorobenzene	.151	U
	79-34-5-----1,1,2,2-Tetrachloroethane	.131	U

SAFETY: 1.00

ORGANICS ANALYSIS DATA SHEET-VOLATILE COMPOUNDS

METHOD BLANK

Lab Name: LRI

Lab Sample ID: MBLK-UH1018

Matrix: (soil/water) SOIL

Sample wt/vol: 5.0 [g/mL] G

Level: (low/med) LOW

% Moisture: NA

GC Column: DB-VRX ID: 0.45 (mm) Dilution Factor: 1.0

Lab File ID: >I2/84

Run Type: 8010VUA

Date Received:

Date Analyzed : 10/18/95

CONCENTRATION UNITS:

GAS NO.	COMPOUND	UG/KG	U
	74-87-3-----Chloromethane	.501	U
	74-83-9-----Bromomethane	.501	U
	124-48-1-----Chlorodibromomethane	.501	U
	75-01-4-----Vinyl chloride	.501	U
	75-00-3-----Chloroethane	.501	U
	110-75-8-----2-Chloroethyl vinyl ether	.501	U
	25-09-2-----Methylene chloride	.501	U
	25-69-4-----Trichlorofluoromethane	.501	U
	25-35-4-----1,1-Dichloroethene	.501	U
	75-34-3-----1,1-Dichloroethane	.501	U
	116-60-5-----trans-1,2-Dichloroethene	.501	U
	67-66-3-----Chloroform	.501	U
	107-06-2-----1,2-Dichloroethane	.501	U
	71-55-6-----1,1,1-Trichloroethane	.501	U
	56-23-5-----Carbon tetrachloride	.501	U
	75-27-4-----Bromodichloromethane	.501	U
	78-87-5-----1,2-Dichloropropane	.501	U
	79-01-6-----trichloroethene	.501	U
	10061-02-6-----trans-1,3-Dichloropropene	.501	U
	10061-01-5-----cis-1,3-Dichloropropene	.501	U
	29-00-5-----1,1,2-Trichloroethane	.501	U
	75-25-2-----Bromoform	.501	U
	127-18-4-----Tetrachloroethene	.501	U
	108-90-2-----Chlorobenzene	.501	U
	541-73-1-----1,3-Dichlorobenzene	.501	U
	106-46-7-----1,4-Dichlorobenzene	.501	U
	95-50-1-----1,2-Dichlorobenzene	.501	U
	79-34-5-----1,1,2,2-Tetrachloroethane	.501	U

SDOF: 1.00

Page 1 of 1

Total Hit(s): 0

ORGANICS ANALYSIS DATA SHEET-VOLATILE COMPOUNDS

METHOD BLANK

Lab Name: LRI

Lab Sample ID: UBLK-WH101B

Matrix: (soil/water) WATER

Sample wt/vol: 5.0

[g/mL] ML

Run Type: 601V0A

Level: (low/med) LOW

Date Received:

% Moisture: NA

Date Analyzed : 10/18/95

GC Column : DB-VRX ID: 0.45 (mm)

Dilution Factor: 1.0

CONCENTRATION UNITS:

CAS NO.	COMPOUND	UG/L	U
74-82-3-----Chloromethane	.521	U	
74-83-9-----Bromomethane	1.001	U	
124-48-1-----Chlorodibromomethane	.621	U	
75-01-4-----Vinyl chloride	.501	U	
75-00-3-----Chloroethane	.751	U	
75-09-2-----Methylene chloride	.881	U	
108-75-8-----2-Chloroethyl vinyl ether	1.001	U	
75-69-4-----Trichlorofluoromethane	.941	U	
79-71-8-----Dichlorodifluoromethane	.101	U	
75-35-4-----1,1-Dichloroethene	1.001	U	
75-34-3-----1,1-Dichloroethane	.591	U	
196-60-5-----trans-1,2-Dichloroethene	.841	U	
67-66-3-----Chloroform	.371	U	
107-06-2-----1,2-Dichloroethane	.581	U	
71-55-6-----1,1,1-Trichloroethane	.321	U	
56-23-9-----Carbon tetrachloride	.721	U	
75-27-4-----Bromodichloromethane	.531	U	
78-87-5-----1,2-Dichloropropane	.311	U	
110061-01-5-----cis-1,3-Dichloropropene	.551	U	
79-01-6-----Trichloroethene	.531	U	
110061-02-6-----trans-1,3-Dichloropropene	.471	U	
79-00-5-----1,1,2-Trichloroethane	1.601	U	
75-25-2-----Bromoform	.221	U	
127-18-4-----Tetrachloroethene	.501	U	
108-90-2-----Chlorobenzene	.091	U	
541-23-1-----1,3-Dichlorobenzene	.181	U	
106-46-7-----1,4-Dichlorobenzene	.231	U	
95-50-1-----1,2-Dichlorobenzene	.151	U	
79-34-5-----1,1,2,2-Tetrachloroethane	.131	U	

DADF: 1.00

Page 1 of 1

Total Hit(s): 0

ORGANICS ANALYSIS DATA SHEET-VOLATILE COMPOUNDS

METHOD BLANK

Lab Name: LRI
 Lab Sample ID: VBLK-QH1019
 Matrix: [soil/water] SOIL
 Sample wt/vol: 5.0 [g/mL] G Run Type: 8010VOA
 Level: [low/med] LOW Date Received:
 % Moisture: NA Date Analyzed : 10/19/95
 GC Column: DB-VRX ID: 0.45 (mm) Dilution Factor: 1.0

CONCENTRATION UNITS:

CAS NO.	COMPOUND	UG/KG	Q
---------	----------	-------	---

74-87-3-----Chloromethane		.501	U
74-83-9-----Bromomethane		.501	U
124-48-1-----Chlorodibromomethane		.501	U
75-01-4-----Vinyl chloride		.501	U
75-00-3-----Chloroethane		.501	U
110-75-8-----2-Chloroethyl vinyl ether		.501	U
75-09-2-----Methylene chloride		.501	U
75-69-4-----Trichlorofluoromethane		.501	U
75-35-4-----1,1-Dichloroethene		.501	U
75-34-3-----1,1-Dichloroethane		.501	U
156-60-5-----trans-1,2-Dichloroethene		.501	U
67-66-3-----Chloroform		.501	U
107-06-2-----1,2-Dichloroethane		.501	U
71-55-6-----1,1,1-Trichloroethane		.501	U
56-23-5-----Carbon tetrachloride		.501	U
75-27-4-----Bromodichloromethane		.501	U
78-87-5-----1,2-Dichloropropane		.501	U
79-01-6-----Trichloroethene		.501	U
10061-02-6-----trans-1,3-Dichloropropene		.501	U
10061-01-5-----cis-1,3-Dichloropropene		.501	U
79-00-5-----1,1,2-Trichloroethane		.501	U
75-25-2-----Bromoform		.501	U
122-18-4-----Tetrachloroethene		.501	U
108-90-7-----Chlorobenzene		.501	U
541-73-1-----1,3-Dichlorobenzene		.501	U
106-46-7-----1,4-Dichlorobenzene		.501	U
95-50-1-----1,2-Dichlorobenzene		.501	U
79-34-5-----1,1,2,2-Tetrachloroethane		.501	U

SADF: 1.00

Page 1 of 1

Total Hit(s): 0

IRRIGANT'S ANALYSIS DATA SHEET-VOLATILE COMPOUNDS

METHOD BLANK

Lab Name: CRI

Lab Sample ID: VBLK-WH1023

VBLK23

Matrix: [soil/water] SUL

Lab File ID: >12862

Sample wt/vol: 5.0 [g/mL] G

Run Type: 80100VA

Level: [lowmed] LOW

Date Received:

% Moisture: NA

Date Analyzed : 10/23/95

GC Column: DB-VRX ID: 0.45 (mm)

Dilution Factor: 1.0

CONCENTRATION UNITS:

IAS #S.	COMPOUND	UG/KG
---------	----------	-------

	/4-87-3-----Chloromethane	.501 U
	/4-83-9-----Bromomethane	.501 U
124-48-1-----	Chlorodibromomethane	.501 U
75-01-4-----	Vinyl chloride	.501 U
75-00-3-----	Chloroethane	.501 U
110-25-8-----	2-Chloroethyl vinyl ether	.501 U
75-09-2-----	Methylene chloride	.501 U
75-69-4-----	Trichlorofluoromethane	.501 U
75-36-4-----	1,1-Dichloroethene	.501 U
75-34-5-----	1,1-Dichloroethane	.501 U
156-60-5-----	trans-1,2-Dichloroethene	.501 U
67-66-3-----	Chloroform	.501 U
107-06-2-----	1,2-Dichloroethane	.501 U
71-55-6-----	1,1,1-Trichloroethane	.501 U
56-23-5-----	Carbon tetrachloride	.501 U
75-27-4-----	Bromodichloromethane	.501 U
78-82-5-----	1,2-Dichloropropane	.501 U
79-01-6-----	Trichloroethene	.501 U
110061-02-6-----	trans-1,3-Dichloropropene	.501 U
110061-01-5-----	cis-1,3-Dichloropropene	.501 U
79-00-5-----	1,1,2-Trichloroethane	.501 U
75-25-2-----	Bromoform	.501 U
127-18-4-----	Tetrachloroethene	.501 U
108-90-2-----	Chlorobenzene	.501 U
541-73-1-----	1,3-Dichlorobenzene	.501 U
106-46-2-----	1,4-Dichlorobenzene	.501 U
95-60-1-----	1,2-Dichlorobenzene	.501 U
79-34-5-----	1,1,2,2-Tetrachloroethane	.501 U

DF: 1.00

Page 1 of 1

Total Hit(s): 0