

November 11, 2019

Ms. Kerry Maloney, P.G.
NYSDEC, Division of Environmental Remediation
Division of Environmental Remediation
625 Broadway
Albany, New York 12233-7015

Via email: Kerry.maloney@dec.ny.gov

Re: Progress Report: October 2019
Frost Street Sites: Site ID#s 1-30043 I, L, M
New Cassel Industrial Area, Westbury, New York

Dear Ms. Maloney:

EnSafe Inc. is pleased to submit this Progress Report for the Frost Street Sites (Site ID#s 1-30043 I, L, M) for operation, maintenance, and monitoring (OM&M) activities completed in October 2019 for the onsite air sparge/soil vapor extraction (AS/SVE) and groundwater extraction systems.

Air Sparge/Soil Vapor Extraction System – Operable Unit 1

- AS/SVE system operations continued this month, per the OM&M Manual. During periodic visits, system parameters were logged on dedicated forms (Appendix A). No alarm calls were received in October 2019.
- Quantitative sampling of the SVE system granular activated carbon influent and effluent air flow was conducted on October 17, 2019, using Summa canisters. These samples were obtained by EnviroTrac, submitted to Phoenix Environmental Laboratories, and analyzed by Method TO-15. Results are included in Appendix B.
 - Photoionization detector readings and influent concentrations of Frost Street-related contaminants of concern (tetrachloroethene, trichloroethene, cis-1,2-dichloroethene, and vinyl chloride [17,363 µg/m³]) continue to indicate significant mass extraction.
 - Effluent concentrations are below the carbon exchange indicator concentrations. The cis-1,2-dichloroethene concentration is approaching the concentration, so a carbon exchanged is being scheduled for early 2020.

Frost Street Sites Effluent Compliance			
System Flow Rate =		800 ft ³ /m	
Compound	Annual Mass Emission Limit (lbs/year)	Carbon Exchange Required Indicator Concentration (µg/m ³) ²	October 2019 Effluent Concentration (µg/m ³)
Trichloroethene	500	19,000	16.1
Tetrachloroethene	1,000	38,000	5.52
Vinyl Chloride	100	3,800	ND
Cis-1,2-Dichloroethene ¹	100	3,800	2,330

Notes:

Source of Mass Emission Limit: Part 212-2.2 Table 2 — High Toxicity Air Contaminant List

1 Cis-1,2-dichloroethene is not a listed HTAC, so the default is 100 lbs/year.

2 These limits were calculated based on Frost Street-specific system operations (i.e., flow rate) in order to remain below the annual HTAC emissions listed in Part 212-2.2 Table 2. Remaining below these concentrations ensures that annual emissions will not exceed the limit which demonstrates compliance with Part 212 without having to perform compound-specific analyses.

Groundwater Extraction System – Operable Unit 2

The pumps in EX-1A, EX-1B, EX-1C, and EX-1D operated near design flow rates (30, 30, 48, and 48 gallons per minute, respectively) for all of October except for October 16 (7:30 pm) to October 18 (10:00 am) when the system was down or at reduced capacity due to weather (high winds and subsequent power outage).

EnSafe collected and prepared the additional information requested by NYSDEC on February 21, 2019, (additional pressure transducer data and groundwater elevation maps) to facilitate review and comment on the *Expanded Pumping Test Summary, Findings, and Recommendations*, submitted on August 10, 2018. This information was transmitted to NYSDEC on March 22, 2019.

Groundwater Monitoring

The third quarter 2019 groundwater sampling event was completed the week of September 16, 2019. The data will be submitted in a forthcoming report, once available.

If you have any questions or require additional information, please do not hesitate to contact me at 860-665-1140 or astark@ensafe.com.

Sincerely,

EnSafe, Inc., by



Alexandra Stark, P.E.

Attachments

Copies: A. Tamuno, Esq., NYSDEC
C. Bethoney, NYSDOH
J. Nealon, NYSDOH
R. Putnam, NCDOH
J. Vasquez, U.S. EPA
T. Pupilla, Sanders Equities
K. Maldonado, Esq.
J. Privitera, Esq.
P. Coop, EnSafe
J. Wilkinson, Envirotrac

Via email to amtamuno@gw.dec.state.ny.us
Via email to charlotte.bethoney@health.ny.gov
Via email to jacquelyn.nealon@health.ny.gov
Via email to rputnam@nassaucountyny.gov
Via email to vazquez.julio@epa.gov
Via email to tpupilla@sandersequities.com
Via email to kevinmaldonado64@yahoo.com
Via email to privitera@mltw.com
Via email to pcoop@ensafe.com
Via email to jamesw@envirotrac.com

Appendix A
AS/SVE System Operation and Maintenance Logs

Operation & Maintenance Data Sheet
Ensafe-Frost Street
101 Frost Street
Westbury, NY

EnviroTrac Environmental Services
5 Old Dock Road, Yaphank, NY 11980
(631)924-3001, Fax (631)924-5001

Date: 2-Oct
Weather / Temp: Sunny / 70 DEG
Technician / Operator: JW

Arrival Time: 9:30
Departure Time: 10:30

System Status					
	Arrival	Departure		Arrival	Departure
SVE Blower 1 (ON/OFF)	ON	ON	Sensaphone (ON/OFF)	ON	ON
SVE Blower 2 (ON/OFF)	OFF	OFF	Surge Protection (ON/OFF)	ON	ON
AS Compressor 1 (ON/OFF)	OFF	OFF	Lightning Protection (White/Black)	White	White
AS Compressor 2 (ON/OFF)	ON	ON			
Soil Vapor Extraction System					
Blower Air Velocity/Flow Rate (fpm)/(cfm)	4700	923	Blower 1 Total Runtime (hrs)	56,352.4	
Blower 1 Fresh Air Valve Open (%)	0		Blower 2 Total Runtime (hrs)	54,550.6	
Blower 2 Fresh Air Valve Open (%)	0		Blower 1 Air Filter Differential Pressure ("H2O)	0	
Moisture Separator Vacuum ("Hg)	3		Blower 2 Air Filter Differential Pressure ("H2O)	0	
VGAC-1 Influent Vacuum ("H2O)	34		VGAC-1 Influent PID (ppm)	3.0	
VGAC-1 Effluent Vacuum ("H2O)	35		VGAC-1 Effluent PID (ppm)	0.0	
VGAC-2 Influent Vacuum ("H2O)	30		VGAC-2 Influent PID (ppm)	3.0	
VGAC-2 Effluent Vacuum ("H2O)	35		VGAC-2 Effluent PID (ppm)	0.0	
VGAC-3 Influent Vacuum ("H2O)	40		VGAC-3 Influent PID (ppm)	0.0	
VGAC-3 Effluent Vacuum ("H2O)	45		VGAC-3 Effluent PID (ppm)	0.0	
VGAC-3 Influent Temp (DegF)	NA		Blower Effluent PID (ppm)	0.0	
Blower Effluent Pressure ("H2O)	15				
Transfer Pump Total Runtime (hrs)	25,035.9		Condensate Storage Tank Level (gal)	100	
SVE Manifold Legs - Vacuum/Flow Rate/PID					
	Vacuum	Velocity	Flow Rate	PID	
SVE-1 ("H2O)/(FPM)/(cfm)/(ppm)	38	6000	131	SVE-4 ("H2O)/(FPM)/(cfm)/(ppm)	32
SVE-2 ("H2O)/(FPM)/(cfm)/(ppm)	38	3500	76	SVE-5 ("H2O)/(FPM)/(cfm)/(ppm)	32
SVE-3 ("H2O)/(FPM)/(cfm)/(ppm)	30	4500	98	SVE-6B ("H2O)/(FPM)/(cfm)/(ppm)	34
SVE-3A ("H2O)/(FPM)/(cfm)/(ppm)	30	3600	79	SVE-7 ("H2O)/(FPM)/(cfm)/(ppm)	30
Air Sparge System					
Compressor 1 Pressure (psi)	Off for repairs		Compressor 2 Pressure (psi)	82	
Compressor 1 Temperature (degF)	Off for repairs		Compressor 2 Temperature (degF)	191	
Compressor 1 Runtime (hrs)	27,317		Compressor 2 Runtime (hrs)	35,122	
Manifold Regulator Pressure (psi)	80				
AS Manifold Legs - Pressure/Flow Rate					
	Pressure	Flow Rate		Pressure	Flow Rate
AS-1 (psi)/(cfm)	15	8	AS-11 (psi)/(cfm)	15	4
AS-2 (psi)/(cfm)	15	5	AS-12B (psi)/(cfm)	15	5
AS-3 (psi)/(cfm)	15	4	AS-13B (psi)/(cfm)	16	6
AS-4 (psi)/(cfm)			AS-14 (psi)/(cfm)	15	10
AS-5 (psi)/(cfm)	15	6	AS-15 (psi)/(cfm)	15	8
AS-6 (psi)/(cfm)	15	6	AS-16B (psi)/(cfm)	15	8
AS-7 (psi)/(cfm)	16	7	AS-17 (psi)/(cfm)	15	6
AS-8 (psi)/(cfm)	16	8	AS-18 (psi)/(cfm)	16	6
AS-9 (psi)/(cfm)	17	7	AS-19 (psi)/(cfm)	15	6
AS-10B (psi)/(cfm)	16	8			

Notes, Comments & Observations:

AS-4 pipe cracked on manifold, shut off.

Operation & Maintenance Data Sheet
Ensafe-Frost Street
101 Frost Street
Westbury, NY

EnviroTrac Environmental Services
5 Old Dock Road, Yaphank, NY 11980
(631)924-3001, Fax (631)924-5001

Date: 9-Oct
Weather / Temp: Rain / 60 DEG
Technician / Operator: JW

Arrival Time: 9:00
Departure Time: 10:00

System Status					
	Arrival	Departure		Arrival	Departure
SVE Blower 1 (ON/OFF)	ON	ON	Sensaphone (ON/OFF)	ON	ON
SVE Blower 2 (ON/OFF)	OFF	OFF	Surge Protection (ON/OFF)	ON	ON
AS Compressor 1 (ON/OFF)	OFF	OFF	Lightning Protection (White/Black)	White	White
AS Compressor 2 (ON/OFF)	ON	ON			
Soil Vapor Extraction System					
Blower Air Velocity/Flow Rate (fpm)/(cfm)	4800	942	Blower 1 Total Runtime (hrs)	56,439.3	
Blower 1 Fresh Air Valve Open (%)	0		Blower 2 Total Runtime (hrs)	54,634.4	
Blower 2 Fresh Air Valve Open (%)	0		Blower 1 Air Filter Differential Pressure ("H2O)	0	
Moisture Separator Vacuum ("Hg)	3		Blower 2 Air Filter Differential Pressure ("H2O)	0	
VGAC-1 Influent Vacuum ("H2O)	34		VGAC-1 Influent PID (ppm)	3.5	
VGAC-1 Effluent Vacuum ("H2O)	35		VGAC-1 Effluent PID (ppm)	0.0	
VGAC-2 Influent Vacuum ("H2O)	30		VGAC-2 Influent PID (ppm)	3.5	
VGAC-2 Effluent Vacuum ("H2O)	35		VGAC-2 Effluent PID (ppm)	0.0	
VGAC-3 Influent Vacuum ("H2O)	40		VGAC-3 Influent PID (ppm)	0.0	
VGAC-3 Effluent Vacuum ("H2O)	45		VGAC-3 Effluent PID (ppm)	0.0	
VGAC-3 Influent Temp (DegF)	NA		Blower Effluent PID (ppm)	0.0	
Blower Effluent Pressure ("H2O)	15				
Transfer Pump Total Runtime (hrs)	25,035.9		Condensate Storage Tank Level (gal)	100	
SVE Manifold Legs - Vacuum/Flow Rate/PID					
	Vacuum	Velocity	Flow Rate	PID	
SVE-1 ("H2O)/(FPM)/(cfm)/(ppm)	38	5800	127	SVE-4 ("H2O)/(FPM)/(cfm)/(ppm)	32
SVE-2 ("H2O)/(FPM)/(cfm)/(ppm)	38	3700	81	SVE-5 ("H2O)/(FPM)/(cfm)/(ppm)	32
SVE-3 ("H2O)/(FPM)/(cfm)/(ppm)	30	4000	87	SVE-6B ("H2O)/(FPM)/(cfm)/(ppm)	34
SVE-3A ("H2O)/(FPM)/(cfm)/(ppm)	30	3500	76	SVE-7 ("H2O)/(FPM)/(cfm)/(ppm)	30
Air Sparge System					
Compressor 1 Pressure (psi)	Off for repairs		Compressor 2 Pressure (psi)	90	
Compressor 1 Temperature (degF)	Off for repairs		Compressor 2 Temperature (degF)	180	
Compressor 1 Runtime (hrs)	27,317		Compressor 2 Runtime (hrs)	35,293	
Manifold Regulator Pressure (psi)	80				
AS Manifold Legs - Pressure/Flow Rate					
	Pressure	Flow Rate		Pressure	Flow Rate
AS-1 (psi)/(cfm)	15	8	AS-11 (psi)/(cfm)	15	4
AS-2 (psi)/(cfm)	15	5	AS-12B (psi)/(cfm)	15	5
AS-3 (psi)/(cfm)	15	4	AS-13B (psi)/(cfm)	16	6
AS-4 (psi)/(cfm)			AS-14 (psi)/(cfm)	15	10
AS-5 (psi)/(cfm)	15	7	AS-15 (psi)/(cfm)	15	8
AS-6 (psi)/(cfm)	15	5	AS-16B (psi)/(cfm)	15	8
AS-7 (psi)/(cfm)	15	7	AS-17 (psi)/(cfm)	15	7
AS-8 (psi)/(cfm)	15	8	AS-18 (psi)/(cfm)	16	6
AS-9 (psi)/(cfm)	17	7	AS-19 (psi)/(cfm)	15	6
AS-10B (psi)/(cfm)	16	8			

Notes, Comments & Observations:

AS-4 pipe cracked on manifold, shut off.

Operation & Maintenance Data Sheet
Ensafe-Frost Street
101 Frost Street
Westbury, NY

EnviroTrac Environmental Services
5 Old Dock Road, Yaphank, NY 11980
(631)924-3001, Fax (631)924-5001

Date: 17-Oct
Weather / Temp: Cloudy / 50 DEG
Technician / Operator: JW

Arrival Time: 9:30
Departure Time: 10:30

System Status					
	Arrival	Departure		Arrival	Departure
SVE Blower 1 (ON/OFF)	ON	ON	Sensaphone (ON/OFF)	ON	ON
SVE Blower 2 (ON/OFF)	OFF	OFF	Surge Protection (ON/OFF)	ON	ON
AS Compressor 1 (ON/OFF)	OFF	OFF	Lightning Protection (White/Black)	White	White
AS Compressor 2 (ON/OFF)	ON	ON			
Soil Vapor Extraction System					
Blower Air Velocity/Flow Rate (fpm)/(cfm)	4800	942	Blower 1 Total Runtime (hrs)	56,439.3	
Blower 1 Fresh Air Valve Open (%)	0		Blower 2 Total Runtime (hrs)	54,634.4	
Blower 2 Fresh Air Valve Open (%)	0		Blower 1 Air Filter Differential Pressure ("H2O)	0	
Moisture Separator Vacuum ("Hg)	3		Blower 2 Air Filter Differential Pressure ("H2O)	0	
VGAC-1 Influent Vacuum ("H2O)	34		VGAC-1 Influent PID (ppm)	3.5	
VGAC-1 Effluent Vacuum ("H2O)	35		VGAC-1 Effluent PID (ppm)	0.0	
VGAC-2 Influent Vacuum ("H2O)	30		VGAC-2 Influent PID (ppm)	3.5	
VGAC-2 Effluent Vacuum ("H2O)	35		VGAC-2 Effluent PID (ppm)	0.0	
VGAC-3 Influent Vacuum ("H2O)	40		VGAC-3 Influent PID (ppm)	0.0	
VGAC-3 Effluent Vacuum ("H2O)	45		VGAC-3 Effluent PID (ppm)	0.0	
VGAC-3 Influent Temp (DegF)	NA		Blower Effluent PID (ppm)	0.0	
Blower Effluent Pressure ("H2O)	15				
Transfer Pump Total Runtime (hrs)	25,035.9		Condensate Storage Tank Level (gal)	100	
SVE Manifold Legs - Vacuum/Flow Rate/PID					
	Vacuum	Velocity	Flow Rate	PID	
SVE-1 ("H2O)/(FPM)/(cfm)/(ppm)	40	6000	131	SVE-4 ("H2O)/(FPM)/(cfm)/(ppm)	36
SVE-2 ("H2O)/(FPM)/(cfm)/(ppm)	42	3700	81	SVE-5 ("H2O)/(FPM)/(cfm)/(ppm)	36
SVE-3 ("H2O)/(FPM)/(cfm)/(ppm)	36	4600	100	SVE-6B ("H2O)/(FPM)/(cfm)/(ppm)	36
SVE-3A ("H2O)/(FPM)/(cfm)/(ppm)	36	4200	92	SVE-7 ("H2O)/(FPM)/(cfm)/(ppm)	36
Air Sparge System					
Compressor 1 Pressure (psi)	Off for repairs		Compressor 2 Pressure (psi)	90	
Compressor 1 Temperature (degF)	Off for repairs		Compressor 2 Temperature (degF)	180	
Compressor 1 Runtime (hrs)	27,317		Compressor 2 Runtime (hrs)	35,293	
Manifold Regulator Pressure (psi)	80				
AS Manifold Legs - Pressure/Flow Rate					
	Pressure	Flow Rate		Pressure	Flow Rate
AS-1 (psi)/(cfm)	17	8	AS-11 (psi)/(cfm)	16	5
AS-2 (psi)/(cfm)	17	5	AS-12B (psi)/(cfm)	17	7
AS-3 (psi)/(cfm)	16	10	AS-13B (psi)/(cfm)	16	8
AS-4 (psi)/(cfm)			AS-14 (psi)/(cfm)	15	10
AS-5 (psi)/(cfm)	17	10	AS-15 (psi)/(cfm)	15	8
AS-6 (psi)/(cfm)	15	7	AS-16B (psi)/(cfm)	15	8
AS-7 (psi)/(cfm)	17	8	AS-17 (psi)/(cfm)	15	5
AS-8 (psi)/(cfm)	18	8	AS-18 (psi)/(cfm)	16	6
AS-9 (psi)/(cfm)	18	12	AS-19 (psi)/(cfm)	15	7
AS-10B (psi)/(cfm)	16	8			

Notes, Comments & Observations:

AS-4 pipe cracked on manifold, shut off.

Operation & Maintenance Data Sheet
Ensafe-Frost Street
101 Frost Street
Westbury, NY

EnviroTrac Environmental Services
5 Old Dock Road, Yaphank, NY 11980
(631)924-3001, Fax (631)924-5001

Date: 23-Oct
Weather / Temp: Clear / 65 DEG
Technician / Operator: JW

Arrival Time: 9:00
Departure Time: 11:30

System Status					
	Arrival	Departure		Arrival	Departure
SVE Blower 1 (ON/OFF)	OFF	ON	Sensaphone (ON/OFF)	ON	ON
SVE Blower 2 (ON/OFF)	ON	OFF	Surge Protection (ON/OFF)	ON	ON
AS Compressor 1 (ON/OFF)	OFF	OFF	Lightning Protection (White/Black)	White	White
AS Compressor 2 (ON/OFF)	ON	ON			
Soil Vapor Extraction System					
Blower Air Velocity/Flow Rate (fpm)/(cfm)	4150	815	Blower 1 Total Runtime (hrs)	56,605.6	
Blower 1 Fresh Air Valve Open (%)	0		Blower 2 Total Runtime (hrs)	54,801.1	
Blower 2 Fresh Air Valve Open (%)	0		Blower 1 Air Filter Differential Pressure ("H2O)	0	
Moisture Separator Vacuum ("Hg)	3		Blower 2 Air Filter Differential Pressure ("H2O)	0	
VGAC-1 Influent Vacuum ("H2O)	34		VGAC-1 Influent PID (ppm)	6.0	
VGAC-1 Effluent Vacuum ("H2O)	35		VGAC-1 Effluent PID (ppm)	0.0	
VGAC-2 Influent Vacuum ("H2O)	30		VGAC-2 Influent PID (ppm)	6.0	
VGAC-2 Effluent Vacuum ("H2O)	35		VGAC-2 Effluent PID (ppm)	0.0	
VGAC-3 Influent Vacuum ("H2O)	40		VGAC-3 Influent PID (ppm)	0.0	
VGAC-3 Effluent Vacuum ("H2O)	45		VGAC-3 Effluent PID (ppm)	0.0	
VGAC-3 Influent Temp (DegF)	NA		Blower Effluent PID (ppm)	0.0	
Blower Effluent Pressure ("H2O)	15				
Transfer Pump Total Runtime (hrs)	25,035.9		Condensate Storage Tank Level (gal)	100	
SVE Manifold Legs - Vacuum/Flow Rate/PID					
	Vacuum	Velocity	Flow Rate	PID	
SVE-1 ("H2O)/(FPM)/(cfm)/(ppm)	40	7000	153	5.0	SVE-4 ("H2O)/(FPM)/(cfm)/(ppm)
SVE-2 ("H2O)/(FPM)/(cfm)/(ppm)	44	4000	87	8.6	SVE-5 ("H2O)/(FPM)/(cfm)/(ppm)
SVE-3 ("H2O)/(FPM)/(cfm)/(ppm)	36	4700	103	0.0	SVE-6B ("H2O)/(FPM)/(cfm)/(ppm)
SVE-3A ("H2O)/(FPM)/(cfm)/(ppm)	34	4100	89	0.0	SVE-7 ("H2O)/(FPM)/(cfm)/(ppm)
Air Sparge System					
Compressor 1 Pressure (psi)	Off for repairs		Compressor 2 Pressure (psi)	94	
Compressor 1 Temperature (degF)	Off for repairs		Compressor 2 Temperature (degF)	185	
Compressor 1 Runtime (hrs)	27,317		Compressor 2 Runtime (hrs)	35,610	
Manifold Regulator Pressure (psi)	82				
AS Manifold Legs - Pressure/Flow Rate					
	Pressure	Flow Rate		Pressure	Flow Rate
AS-1 (psi)/(cfm)	17	10	AS-11 (psi)/(cfm)	16	8
AS-2 (psi)/(cfm)	16	6	AS-12B (psi)/(cfm)	16	7
AS-3 (psi)/(cfm)	16	5	AS-13B (psi)/(cfm)	15	10
AS-4 (psi)/(cfm)			AS-14 (psi)/(cfm)	15	10
AS-5 (psi)/(cfm)	17	6	AS-15 (psi)/(cfm)	17	12
AS-6 (psi)/(cfm)	17	7	AS-16B (psi)/(cfm)	15	9
AS-7 (psi)/(cfm)	16	4	AS-17 (psi)/(cfm)	16	5
AS-8 (psi)/(cfm)	17	8	AS-18 (psi)/(cfm)	15	5
AS-9 (psi)/(cfm)	17	10	AS-19 (psi)/(cfm)	15	4
AS-10B (psi)/(cfm)	15	9			

Notes, Comments & Observations:

Repaired AS-4 manifold piping, will turn back on next week.

Collected monthly samples

Operation & Maintenance Data Sheet
Ensafe-Frost Street
101 Frost Street
Westbury, NY

EnviroTrac Environmental Services
5 Old Dock Road, Yaphank, NY 11980
(631)924-3001, Fax (631)924-5001

Date: 30-Oct
Weather / Temp: Cloudy / 55 DEG
Technician / Operator: JW

Arrival Time: 9:00
Departure Time: 10:00

System Status					
	Arrival	Departure		Arrival	Departure
SVE Blower 1 (ON/OFF)	ON	ON	Sensaphone (ON/OFF)	ON	ON
SVE Blower 2 (ON/OFF)	OFF	OFF	Surge Protection (ON/OFF)	ON	ON
AS Compressor 1 (ON/OFF)	OFF	OFF	Lightning Protection (White/Black)	White	White
AS Compressor 2 (ON/OFF)	ON	ON			
Soil Vapor Extraction System					
Blower Air Velocity/Flow Rate (fpm)/(cfm)	4800	942	Blower 1 Total Runtime (hrs)	56,688.9	
Blower 1 Fresh Air Valve Open (%)	0		Blower 2 Total Runtime (hrs)	54,885.1	
Blower 2 Fresh Air Valve Open (%)	0		Blower 1 Air Filter Differential Pressure ("H2O)	0	
Moisture Separator Vacuum ("Hg)	3		Blower 2 Air Filter Differential Pressure ("H2O)	0	
VGAC-1 Influent Vacuum ("H2O)	34		VGAC-1 Influent PID (ppm)	2.7	
VGAC-1 Effluent Vacuum ("H2O)	35		VGAC-1 Effluent PID (ppm)	0.0	
VGAC-2 Influent Vacuum ("H2O)	30		VGAC-2 Influent PID (ppm)	2.7	
VGAC-2 Effluent Vacuum ("H2O)	35		VGAC-2 Effluent PID (ppm)	0.0	
VGAC-3 Influent Vacuum ("H2O)	40		VGAC-3 Influent PID (ppm)	0.0	
VGAC-3 Effluent Vacuum ("H2O)	45		VGAC-3 Effluent PID (ppm)	0.0	
VGAC-3 Influent Temp (DegF)	NA		Blower Effluent PID (ppm)	0.0	
Blower Effluent Pressure ("H2O)	15				
Transfer Pump Total Runtime (hrs)	25,035.9		Condensate Storage Tank Level (gal)	100	
SVE Manifold Legs - Vacuum/Flow Rate/PID					
	Vacuum	Velocity	Flow Rate	PID	
SVE-1 ("H2O)/(FPM)/(cfm)/(ppm)	42	6500	142	SVE-4 ("H2O)/(FPM)/(cfm)/(ppm)	35
SVE-2 ("H2O)/(FPM)/(cfm)/(ppm)	44	400	9	SVE-5 ("H2O)/(FPM)/(cfm)/(ppm)	36
SVE-3 ("H2O)/(FPM)/(cfm)/(ppm)	36	4700	103	SVE-6B ("H2O)/(FPM)/(cfm)/(ppm)	34
SVE-3A ("H2O)/(FPM)/(cfm)/(ppm)	34	4200	92	SVE-7 ("H2O)/(FPM)/(cfm)/(ppm)	36
Air Sparge System					
Compressor 1 Pressure (psi)	Off for repairs		Compressor 2 Pressure (psi)	94	
Compressor 1 Temperature (degF)	Off for repairs		Compressor 2 Temperature (degF)	185	
Compressor 1 Runtime (hrs)	27,317		Compressor 2 Runtime (hrs)	35,777	
Manifold Regulator Pressure (psi)	84				
AS Manifold Legs - Pressure/Flow Rate					
	Pressure	Flow Rate		Pressure	Flow Rate
AS-1 (psi)/(cfm)	17	10	AS-11 (psi)/(cfm)	16	4
AS-2 (psi)/(cfm)	16	6	AS-12B (psi)/(cfm)	17	6
AS-3 (psi)/(cfm)	16	5	AS-13B (psi)/(cfm)	15	9
AS-4 (psi)/(cfm)	15	4	AS-14 (psi)/(cfm)	16	9
AS-5 (psi)/(cfm)	17	6	AS-15 (psi)/(cfm)	17	10
AS-6 (psi)/(cfm)	17	7	AS-16B (psi)/(cfm)	15	9
AS-7 (psi)/(cfm)	17	4	AS-17 (psi)/(cfm)	16	4
AS-8 (psi)/(cfm)	17	8	AS-18 (psi)/(cfm)	15	4
AS-9 (psi)/(cfm)	16	10	AS-19 (psi)/(cfm)	15	4
AS-10B (psi)/(cfm)	15	9			

Notes, Comments & Observations: _____

Appendix B
AS/SVE System Influent/Effluent Sampling
Laboratory Analytical Results



Wednesday, October 30, 2019

Attn: James Wilkinson
EnviroTrac
5 Old Dock Rd
Yaphank, NY 11980

Project ID: ENSAFE-WESTBURY
SDG ID: GCE47375
Sample ID#s: CE47375 - CE47376

This laboratory is in compliance with the NELAC requirements of procedures used except where indicated.

This report contains results for the parameters tested, under the sampling conditions described on the Chain Of Custody, as received by the laboratory. This report is incomplete unless all pages indicated in the pagination at the bottom of the page are included.

A scanned version of the COC form accompanies the analytical report and is an exact duplicate of the original.

If you are the client above and have any questions concerning this testing, please do not hesitate to contact Phoenix Client Services at ext.200. The contents of this report cannot be discussed with anyone other than the client listed above without their written consent.

Sincerely yours,

A handwritten signature in black ink that reads "Phyllis Shiller".

Phyllis Shiller

Laboratory Director

NELAC - #NY11301
CT Lab Registration #PH-0618
MA Lab Registration #M-CT007
ME Lab Registration #CT-007
NH Lab Registration #213693-A,B

NJ Lab Registration #CT-003
NY Lab Registration #11301
PA Lab Registration #68-03530
RI Lab Registration #63
UT Lab Registration #CT00007
VT Lab Registration #VT11301



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823



Sample Id Cross Reference

October 30, 2019

SDG I.D.: GCE47375

Project ID: ENSAFE-WESTBURY

Client Id	Lab Id	Matrix
SVE EFFLUENT	CE47375	AIR
SVE INFLUENT	CE47376	AIR



Environmental Laboratories, Inc.

587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

October 30, 2019

FOR: Attn: James Wilkinson
EnviroTrac
5 Old Dock Rd
Yaphank, NY 11980

Sample Information

Matrix: AIR
Location Code: ENVIROTR
Rush Request: Standard
P.O.#:
Canister Id: 775
Project ID: ENSAFE-WESTBURY
Client ID: SVE EFFLUENT

Custody Information

Collected by: JW
Received by: CP
Analyzed by: see "By" below

Date

Time

10/17/19 12:11

10/24/19 16:40

SDG ID: GCE47375

Phoenix ID: CE47375

Laboratory Data

Parameter	ppbv Result	ppbv RL	ug/m3 Result	ug/m3 RL	Date/Time	By	Dilution
Volatiles (TO15)							
1,1,1,2-Tetrachloroethane	ND	0.729	ND	5.00	10/26/19	KCA	5
1,1,1-Trichloroethane	ND	0.917	ND	5.00	10/26/19	KCA	5
1,1,2,2-Tetrachloroethane	ND	0.729	ND	5.00	10/26/19	KCA	5
1,1,2-Trichloroethane	ND	0.917	ND	5.00	10/26/19	KCA	5
1,1-Dichloroethane	ND	1.24	ND	5.02	10/26/19	KCA	5
1,1-Dichloroethene	0.485	0.252	1.92	1.00	10/26/19	KCA	5
1,2,4-Trichlorobenzene	ND	0.674	ND	5.00	10/26/19	KCA	5
1,2,4-Trimethylbenzene	ND	1.02	ND	5.01	10/26/19	KCA	5
1,2-Dibromoethane(EDB)	ND	0.651	ND	5.00	10/26/19	KCA	5
1,2-Dichlorobenzene	ND	0.832	ND	5.00	10/26/19	KCA	5
1,2-Dichloroethane	ND	1.24	ND	5.02	10/26/19	KCA	5
1,2-dichloropropane	ND	1.08	ND	4.99	10/26/19	KCA	5
1,2-Dichlorotetrafluoroethane	ND	0.716	ND	5.00	10/26/19	KCA	5
1,3,5-Trimethylbenzene	ND	1.02	ND	5.01	10/26/19	KCA	5
1,3-Butadiene	ND	2.26	ND	5.00	10/26/19	KCA	5
1,3-Dichlorobenzene	ND	0.832	ND	5.00	10/26/19	KCA	5
1,4-Dichlorobenzene	ND	0.832	ND	5.00	10/26/19	KCA	5
1,4-Dioxane	ND	1.39	ND	5.01	10/26/19	KCA	5
2-Hexanone(MBK)	ND	1.22	ND	4.99	10/26/19	KCA	5
4-Ethyltoluene	ND	1.02	ND	5.01	10/26/19	KCA	5
4-Isopropyltoluene	ND	0.911	ND	5.00	10/26/19	KCA	5
4-Methyl-2-pentanone(MIBK)	ND	1.22	ND	4.99	10/26/19	KCA	5
Acetone	2.90	2.11	6.88	5.01	10/26/19	KCA	5
Acrylonitrile	ND	2.31	ND	5.01	10/26/19	KCA	5
Benzene	ND	1.57	ND	5.01	10/26/19	KCA	5
Benzyl chloride	ND	0.966	ND	5.00	10/26/19	KCA	5

Parameter	ppbv Result	ppbv RL	ug/m3 Result	ug/m3 RL	Date/Time	By	Dilution
Bromodichloromethane	ND	0.747	ND	5.00	10/26/19	KCA	5
Bromoform	ND	0.484	ND	5.00	10/26/19	KCA	5
Bromomethane	ND	1.29	ND	5.01	10/26/19	KCA	5
Carbon Disulfide	ND	1.61	ND	5.01	10/26/19	KCA	5
Carbon Tetrachloride	ND	0.159	ND	1.00	10/26/19	KCA	5
Chlorobenzene	ND	1.09	ND	5.01	10/26/19	KCA	5
Chloroethane	ND	1.90	ND	5.01	10/26/19	KCA	5
Chloroform	ND	1.02	ND	4.98	10/26/19	KCA	5
Chloromethane	ND	2.42	ND	4.99	10/26/19	KCA	5
Cis-1,2-Dichloroethene	589	1.51	2330	5.98	10/28/19	KCA	30
cis-1,3-Dichloropropene	ND	1.10	ND	4.99	10/26/19	KCA	5
Cyclohexane	ND	1.45	ND	4.99	10/26/19	KCA	5
Dibromochloromethane	ND	0.587	ND	5.00	10/26/19	KCA	5
Dichlorodifluoromethane	ND	1.01	ND	4.99	10/26/19	KCA	5
Ethanol	4.09	2.66	7.70	5.01	10/26/19	KCA	5
Ethyl acetate	ND	1.39	ND	5.01	10/26/19	KCA	5
Ethylbenzene	ND	1.15	ND	4.99	10/26/19	KCA	5
Heptane	ND	1.22	ND	5.00	10/26/19	KCA	5
Hexachlorobutadiene	ND	0.469	ND	5.00	10/26/19	KCA	5
Hexane	ND	1.42	ND	5.00	10/26/19	KCA	5
Isopropylalcohol	ND	2.04	ND	5.01	10/26/19	KCA	5
Isopropylbenzene	ND	1.02	ND	5.01	10/26/19	KCA	5
m,p-Xylene	ND	1.15	ND	4.99	10/26/19	KCA	5
Methyl Ethyl Ketone	ND	1.70	ND	5.01	10/26/19	KCA	5
Methyl tert-butyl ether(MTBE)	ND	1.39	ND	5.01	10/26/19	KCA	5
Methylene Chloride	ND	4.32	ND	15.0	10/26/19	KCA	5
n-Butylbenzene	ND	0.911	ND	5.00	10/26/19	KCA	5
o-Xylene	ND	1.15	ND	4.99	10/26/19	KCA	5
Propylene	ND	2.91	ND	5.01	10/26/19	KCA	5
sec-Butylbenzene	ND	0.911	ND	5.00	10/26/19	KCA	5
Styrene	ND	1.17	ND	4.98	10/26/19	KCA	5
Tetrachloroethene	0.815	0.184	5.52	1.25	10/26/19	KCA	5
Tetrahydrofuran	ND	1.70	ND	5.01	10/26/19	KCA	5
Toluene	ND	1.33	ND	5.01	10/26/19	KCA	5
Trans-1,2-Dichloroethene	8.31	1.26	32.9	4.99	10/26/19	KCA	5
trans-1,3-Dichloropropene	ND	1.10	ND	4.99	10/26/19	KCA	5
Trichloroethene	2.99	0.186	16.1	1.00	10/26/19	KCA	5
Trichlorofluoromethane	1.48	0.891	8.31	5.00	10/26/19	KCA	5
Trichlorotrifluoroethane	0.780	0.653	5.97	5.00	10/26/19	KCA	5
Vinyl Chloride	ND	0.391	ND	1.00	10/26/19	KCA	5
<u>QA/QC Surrogates/Internals</u>							
% Bromofluorobenzene (5x)	93	%	93	%	10/26/19	KCA	5
% IS-1,4-Difluorobenzene (5x)	99	%	99	%	10/26/19	KCA	5
% IS-Bromochloromethane (5x)	73	%	73	%	10/26/19	KCA	5
% IS-Chlorobenzene-d5 (5x)	103	%	103	%	10/26/19	KCA	5
% Bromofluorobenzene (30x)	97	%	97	%	10/28/19	KCA	30
% IS-1,4-Difluorobenzene (30x)	111	%	111	%	10/28/19	KCA	30
% IS-Bromochloromethane (30x)	92	%	92	%	10/28/19	KCA	30
% IS-Chlorobenzene-d5 (30x)	112	%	112	%	10/28/19	KCA	30

Parameter	ppbv Result	ppbv RL	ug/m3 Result	ug/m3 RL	Date/Time	By	Dilution
-----------	----------------	------------	-----------------	-------------	-----------	----	----------

1 = This parameter is not certified by the primary accrediting authority (NY NELAC) for this matrix. NY NELAC does not offer certification for all parameters at this time.

RL/PQL=Reporting/Practical Quantitation Level (Equivalent to NELAC LOQ, Limit of Quantitation) ND=Not Detected at RL/PQL
BRL=Below Reporting Level L=Biased Low

QA/QC Surrogates: Surrogates are compounds (preceded with a %) added by the lab to determine analysis efficiency. Surrogate results(%) listed in the report are not "detected" compounds.

Comments:

If you are the client above and have any questions concerning this testing, please do not hesitate to contact Phoenix Client Services at ext.200. The contents of this report cannot be discussed with anyone other than the client listed above without their written consent.



Phyllis Shiller, Laboratory Director

October 30, 2019

Reviewed and Released by: Greg Lawrence, Assistant Lab Director



Environmental Laboratories, Inc.

587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

October 30, 2019

FOR: Attn: James Wilkinson
EnviroTrac
5 Old Dock Rd
Yaphank, NY 11980

Sample Information

Matrix: AIR
Location Code: ENVIROTR
Rush Request: Standard
P.O.#:
Canister Id: 749
Project ID: ENSAFE-WESTBURY
Client ID: SVE INFLUENT

Custody Information

Collected by: JW
Received by: CP
Analyzed by: see "By" below

Date

Time

10/17/19 12:01

10/24/19 16:40

SDG ID: GCE47375

Phoenix ID: CE47376

Laboratory Data

Parameter	ppbv Result	ppbv RL	ug/m3 Result	ug/m3 RL	Date/Time	By	Dilution
Volatiles (TO15)							
1,1,1,2-Tetrachloroethane	ND	0.729	ND	5.00	10/26/19	KCA	5
1,1,1-Trichloroethane	ND	0.917	ND	5.00	10/26/19	KCA	5
1,1,2,2-Tetrachloroethane	ND	0.729	ND	5.00	10/26/19	KCA	5
1,1,2-Trichloroethane	ND	0.917	ND	5.00	10/26/19	KCA	5
1,1-Dichloroethane	ND	1.24	ND	5.02	10/26/19	KCA	5
1,1-Dichloroethene	ND	0.252	ND	1.00	10/26/19	KCA	5
1,2,4-Trichlorobenzene	ND	0.674	ND	5.00	10/26/19	KCA	5
1,2,4-Trimethylbenzene	ND	1.02	ND	5.01	10/26/19	KCA	5
1,2-Dibromoethane(EDB)	ND	0.651	ND	5.00	10/26/19	KCA	5
1,2-Dichlorobenzene	ND	0.832	ND	5.00	10/26/19	KCA	5
1,2-Dichloroethane	ND	1.24	ND	5.02	10/26/19	KCA	5
1,2-dichloropropane	ND	1.08	ND	4.99	10/26/19	KCA	5
1,2-Dichlorotetrafluoroethane	ND	0.716	ND	5.00	10/26/19	KCA	5
1,3,5-Trimethylbenzene	ND	1.02	ND	5.01	10/26/19	KCA	5
1,3-Butadiene	ND	2.26	ND	5.00	10/26/19	KCA	5
1,3-Dichlorobenzene	ND	0.832	ND	5.00	10/26/19	KCA	5
1,4-Dichlorobenzene	ND	0.832	ND	5.00	10/26/19	KCA	5
1,4-Dioxane	ND	1.39	ND	5.01	10/26/19	KCA	5
2-Hexanone(MBK)	ND	1.22	ND	4.99	10/26/19	KCA	5
4-Ethyltoluene	ND	1.02	ND	5.01	10/26/19	KCA	5
4-Isopropyltoluene	ND	0.911	ND	5.00	10/26/19	KCA	5
4-Methyl-2-pentanone(MIBK)	ND	1.22	ND	4.99	10/26/19	KCA	5
Acetone	6.68	2.11	15.9	5.01	10/26/19	KCA	5
Acrylonitrile	ND	2.31	ND	5.01	10/26/19	KCA	5
Benzene	ND	1.57	ND	5.01	10/26/19	KCA	5
Benzyl chloride	ND	0.966	ND	5.00	10/26/19	KCA	5

Parameter	ppbv Result	ppbv RL	ug/m3 Result	ug/m3 RL	Date/Time	By	Dilution
Bromodichloromethane	ND	0.747	ND	5.00	10/26/19	KCA	5
Bromoform	ND	0.484	ND	5.00	10/26/19	KCA	5
Bromomethane	ND	1.29	ND	5.01	10/26/19	KCA	5
Carbon Disulfide	ND	1.61	ND	5.01	10/26/19	KCA	5
Carbon Tetrachloride	ND	0.159	ND	1.00	10/26/19	KCA	5
Chlorobenzene	ND	1.09	ND	5.01	10/26/19	KCA	5
Chloroethane	ND	1.90	ND	5.01	10/26/19	KCA	5
Chloroform	ND	1.02	ND	4.98	10/26/19	KCA	5
Chloromethane	ND	2.42	ND	4.99	10/26/19	KCA	5
Cis-1,2-Dichloroethene	120	0.252	475	1.00	10/26/19	KCA	5
cis-1,3-Dichloropropene	ND	1.10	ND	4.99	10/26/19	KCA	5
Cyclohexane	ND	1.45	ND	4.99	10/26/19	KCA	5
Dibromochloromethane	ND	0.587	ND	5.00	10/26/19	KCA	5
Dichlorodifluoromethane	ND	1.01	ND	4.99	10/26/19	KCA	5
Ethanol	6.88	2.66	13.0	5.01	10/26/19	KCA	5
Ethyl acetate	ND	1.39	ND	5.01	10/26/19	KCA	5
Ethylbenzene	ND	1.15	ND	4.99	10/26/19	KCA	5
Heptane	ND	1.22	ND	5.00	10/26/19	KCA	5
Hexachlorobutadiene	ND	0.469	ND	5.00	10/26/19	KCA	5
Hexane	ND	1.42	ND	5.00	10/26/19	KCA	5
Isopropylalcohol	3.55	2.04	8.72	5.01	10/26/19	KCA	5
Isopropylbenzene	ND	1.02	ND	5.01	10/26/19	KCA	5
m,p-Xylene	ND	1.15	ND	4.99	10/26/19	KCA	5
Methyl Ethyl Ketone	ND	1.70	ND	5.01	10/26/19	KCA	5
Methyl tert-butyl ether(MTBE)	ND	1.39	ND	5.01	10/26/19	KCA	5
Methylene Chloride	ND	4.32	ND	15.0	10/26/19	KCA	5
n-Butylbenzene	ND	0.911	ND	5.00	10/26/19	KCA	5
o-Xylene	ND	1.15	ND	4.99	10/26/19	KCA	5
Propylene	ND	2.91	ND	5.01	10/26/19	KCA	5
sec-Butylbenzene	ND	0.911	ND	5.00	10/26/19	KCA	5
Styrene	ND	1.17	ND	4.98	10/26/19	KCA	5
Tetrachloroethene	2340	2.77	15900	18.8	10/28/19	KCA	75
Tetrahydrofuran	ND	1.70	ND	5.01	10/26/19	KCA	5
Toluene	ND	1.33	ND	5.01	10/26/19	KCA	5
Trans-1,2-Dichloroethene	1.54	1.26	6.10	4.99	10/26/19	KCA	5
trans-1,3-Dichloropropene	ND	1.10	ND	4.99	10/26/19	KCA	5
Trichloroethene	184	0.186	988	1.00	10/26/19	KCA	5
Trichlorofluoromethane	ND	0.891	ND	5.00	10/26/19	KCA	5
Trichlorotrifluoroethane	ND	0.653	ND	5.00	10/26/19	KCA	5
Vinyl Chloride	ND	0.391	ND	1.00	10/26/19	KCA	5
<u>QA/QC Surrogates/Internals</u>							
% Bromofluorobenzene (5x)	102	%	102	%	10/26/19	KCA	5
% IS-1,4-Difluorobenzene (5x)	69	%	69	%	10/26/19	KCA	5
% IS-Bromochloromethane (5x)	80	%	80	%	10/26/19	KCA	5
% IS-Chlorobenzene-d5 (5x)	93	%	93	%	10/26/19	KCA	5
% Bromofluorobenzene (75x)	104	%	104	%	10/28/19	KCA	75
% IS-1,4-Difluorobenzene (75x)	104	%	104	%	10/28/19	KCA	75
% IS-Bromochloromethane (75x)	113	%	113	%	10/28/19	KCA	75
% IS-Chlorobenzene-d5 (75x)	91	%	91	%	10/28/19	KCA	75

Parameter	ppbv Result	ppbv RL	ug/m3 Result	ug/m3 RL	Date/Time	By	Dilution
-----------	----------------	------------	-----------------	-------------	-----------	----	----------

1 = This parameter is not certified by the primary accrediting authority (NY NELAC) for this matrix. NY NELAC does not offer certification for all parameters at this time.

RL/PQL=Reporting/Practical Quantitation Level (Equivalent to NELAC LOQ, Limit of Quantitation) ND=Not Detected at RL/PQL
BRL=Below Reporting Level L=Biased Low

QA/QC Surrogates: Surrogates are compounds (preceded with a %) added by the lab to determine analysis efficiency. Surrogate results(%) listed in the report are not "detected" compounds.

Comments:

If you are the client above and have any questions concerning this testing, please do not hesitate to contact Phoenix Client Services at ext.200. The contents of this report cannot be discussed with anyone other than the client listed above without their written consent.



Phyllis Shiller, Laboratory Director

October 30, 2019

Reviewed and Released by: Greg Lawrence, Assistant Lab Director



Environmental Laboratories, Inc.

587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

QA/QC Report

October 30, 2019

QA/QC Data

SDG I.D.: GCE47375

Parameter	Blk ppbv	Blk RL ppbv	Blk ug/m3	Blk RL ug/m3	LCS %	Sample Result ug/m3	Sample Dup ug/m3	Sample Result ppbv	Sample Dup ppbv	DUP RPD	% Rec Limits	% RPD Limits
QA/QC Batch 503555 (ppbv), QC Sample No: CE47380 (CE47375 (5X) , CE47376 (5X))												
<u>Volatiles</u>												
1,1,1,2-Tetrachloroethane	ND	0.150	ND	1.03	97	ND	ND	ND	ND	NC	70 - 130	25
1,1,1-Trichloroethane	ND	0.180	ND	0.98	99	ND	ND	ND	ND	NC	70 - 130	25
1,1,2,2-Tetrachloroethane	ND	0.150	ND	1.03	93	ND	ND	ND	ND	NC	70 - 130	25
1,1,2-Trichloroethane	ND	0.180	ND	0.98	95	ND	ND	ND	ND	NC	70 - 130	25
1,1-Dichloroethane	ND	0.250	ND	1.01	98	ND	ND	ND	ND	NC	70 - 130	25
1,1-Dichloroethene	ND	0.050	ND	0.20	98	ND	ND	ND	ND	NC	70 - 130	25
1,2,4-Trichlorobenzene	ND	0.130	ND	0.96	84	ND	ND	ND	ND	NC	70 - 130	25
1,2,4-Trimethylbenzene	ND	0.200	ND	0.98	103	1.88	1.94	0.383	0.394	NC	70 - 130	25
1,2-Dibromoethane(EDB)	ND	0.130	ND	1.00	102	ND	ND	ND	ND	NC	70 - 130	25
1,2-Dichlorobenzene	ND	0.170	ND	1.02	98	ND	ND	ND	ND	NC	70 - 130	25
1,2-Dichloroethane	ND	0.250	ND	1.01	106	ND	ND	ND	ND	NC	70 - 130	25
1,2-dichloropropane	ND	0.220	ND	1.02	105	ND	ND	ND	ND	NC	70 - 130	25
1,2-Dichlorotetrafluoroethane	ND	0.140	ND	0.98	88	ND	ND	ND	ND	NC	70 - 130	25
1,3,5-Trimethylbenzene	ND	0.200	ND	0.98	100	ND	ND	ND	ND	NC	70 - 130	25
1,3-Butadiene	ND	0.450	ND	0.99	87	ND	ND	ND	ND	NC	70 - 130	25
1,3-Dichlorobenzene	ND	0.170	ND	1.02	91	ND	ND	ND	ND	NC	70 - 130	25
1,4-Dichlorobenzene	ND	0.170	ND	1.02	98	79.3	80.5	13.2	13.4	1.5	70 - 130	25
1,4-Dioxane	ND	0.280	ND	1.01	113	ND	ND	ND	ND	NC	70 - 130	25
2-Hexanone(MBK)	ND	0.240	ND	0.98	83	ND	ND	ND	ND	NC	70 - 130	25
4-Ethyltoluene	ND	0.200	ND	0.98	94	1.03	1.07	0.210	0.217	NC	70 - 130	25
4-Isopropyltoluene	ND	0.180	ND	0.99	99	ND	ND	ND	ND	NC	70 - 130	25
4-Methyl-2-pentanone(MIBK)	ND	0.240	ND	0.98	98	ND	ND	ND	ND	NC	70 - 130	25
Acetone	ND	0.420	ND	1.00	113	161	156	67.7	65.8	2.8	70 - 130	25
Acrylonitrile	ND	0.460	ND	1.00	88	ND	ND	ND	ND	NC	70 - 130	25
Benzene	ND	0.310	ND	0.99	94	ND	ND	ND	ND	NC	70 - 130	25
Benzyl chloride	ND	0.190	ND	0.98	119	ND	ND	ND	ND	NC	70 - 130	25
Bromodichloromethane	ND	0.150	ND	1.00	107	ND	ND	ND	ND	NC	70 - 130	25
Bromoform	ND	0.097	ND	1.00	112	ND	ND	ND	ND	NC	70 - 130	25
Bromomethane	ND	0.260	ND	1.01	94	ND	ND	ND	ND	NC	70 - 130	25
Carbon Disulfide	ND	0.320	ND	1.00	94	ND	ND	ND	ND	NC	70 - 130	25
Carbon Tetrachloride	ND	0.032	ND	0.20	110	0.50	0.45	0.080	0.072	NC	70 - 130	25
Chlorobenzene	ND	0.220	ND	1.01	100	ND	ND	ND	ND	NC	70 - 130	25
Chloroethane	ND	0.380	ND	1.00	93	ND	ND	ND	ND	NC	70 - 130	25
Chloroform	ND	0.200	ND	0.98	105	ND	ND	ND	ND	NC	70 - 130	25
Chloromethane	ND	0.480	ND	0.99	71	1.40	1.41	0.679	0.682	NC	70 - 130	25
Cis-1,2-Dichloroethene	ND	0.256	ND	1.01	105	ND	ND	ND	ND	NC	70 - 130	25
cis-1,3-Dichloropropene	ND	0.220	ND	1.00	108	ND	ND	ND	ND	NC	70 - 130	25
Cyclohexane	ND	0.290	ND	1.00	98	ND	ND	ND	ND	NC	70 - 130	25
Dibromochloromethane	ND	0.120	ND	1.02	109	ND	ND	ND	ND	NC	70 - 130	25
Dichlorodifluoromethane	ND	0.200	ND	0.99	112	2.02	1.98	0.408	0.400	NC	70 - 130	25
Ethanol	ND	0.530	ND	1.00	99	12.6	12.0	6.68	6.39	4.4	70 - 130	25

QA/QC Data

SDG I.D.: GCE47375

Parameter	Blk ppbv	Blk RL ppbv	Blk ug/m3	Blk RL ug/m3	LCS %	Sample Result ug/m3	Sample Dup ug/m3	Sample Result ppbv	Sample Dup ppbv	DUP RPD	% Rec Limits	% RPD Limits
Ethyl acetate	ND	0.280	ND	1.01	105	8.25	8.17	2.29	2.27	0.9	70 - 130	25
Ethylbenzene	ND	0.230	ND	1.00	97	ND	ND	ND	ND	NC	70 - 130	25
Heptane	ND	0.240	ND	0.98	97	ND	ND	ND	ND	NC	70 - 130	25
Hexachlorobutadiene	ND	0.094	ND	1.00	88	ND	ND	ND	ND	NC	70 - 130	25
Hexane	ND	0.280	ND	0.99	113	1.26	1.35	0.358	0.383	NC	70 - 130	25
Isopropylalcohol	ND	0.410	ND	1.01	91	7.17	7.10	2.92	2.89	1.0	70 - 130	25
Isopropylbenzene	ND	0.200	ND	0.98	103	ND	ND	ND	ND	NC	70 - 130	25
m,p-Xylene	ND	0.230	ND	1.00	104	2.48	2.60	0.572	0.598	NC	70 - 130	25
Methyl Ethyl Ketone	ND	0.340	ND	1.00	99	1.95	1.88	0.663	0.637	NC	70 - 130	25
Methyl tert-butyl ether(MTBE)	ND	0.280	ND	1.01	91	ND	ND	ND	ND	NC	70 - 130	25
Methylene Chloride	ND	0.860	ND	2.99	99	ND	ND	ND	ND	NC	70 - 130	25
n-Butylbenzene	ND	0.180	ND	0.99	99	ND	ND	ND	ND	NC	70 - 130	25
o-Xylene	ND	0.230	ND	1.00	107	ND	1.05	ND	0.242	NC	70 - 130	25
Propylene	ND	0.580	ND	1.00	107	ND	ND	ND	ND	NC	70 - 130	25
sec-Butylbenzene	ND	0.180	ND	0.99	97	ND	ND	ND	ND	NC	70 - 130	25
Styrene	ND	0.230	ND	0.98	99	ND	ND	ND	ND	NC	70 - 130	25
Tetrachloroethene	ND	0.037	ND	0.25	101	1.15	1.16	0.169	0.171	NC	70 - 130	25
Tetrahydrofuran	ND	0.340	ND	1.00	92	4.04	4.27	1.37	1.45	NC	70 - 130	25
Toluene	ND	0.270	ND	1.02	106	2.20	2.27	0.585	0.602	NC	70 - 130	25
Trans-1,2-Dichloroethene	ND	0.250	ND	0.99	93	ND	ND	ND	ND	NC	70 - 130	25
trans-1,3-Dichloropropene	ND	0.220	ND	1.00	101	ND	ND	ND	ND	NC	70 - 130	25
Trichloroethene	ND	0.037	ND	0.20	102	0.24	0.25	0.045	0.047	NC	70 - 130	25
Trichlorofluoromethane	ND	0.180	ND	1.01	96	1.86	1.79	0.332	0.319	NC	70 - 130	25
Trichlorotrifluoroethane	ND	0.130	ND	1.00	97	ND	ND	ND	ND	NC	70 - 130	25
Vinyl Chloride	ND	0.078	ND	0.20	85	ND	ND	ND	ND	NC	70 - 130	25
% Bromofluorobenzene	92	%	92	%	100	99	98	99	98	NC	70 - 130	25
% IS-1,4-Difluorobenzene	141	%	141	%	86	103	105	103	105	NC	60 - 140	25
% IS-Bromochloromethane	165	%	165	%	79	99	103	99	103	NC	60 - 140	25
% IS-Chlorobenzene-d5	130	%	130	%	91	105	106	105	106	NC	60 - 140	25

QA/QC Batch 503564 (ppbv), QC Sample No: CE47404 (CE47375 (30X) , CE47376 (75X))

Volatiles

Cis-1,2-Dichloroethene	ND	0.256	ND	1.01	107	ND	ND	ND	ND	NC	70 - 130	25
Tetrachloroethene	ND	0.037	ND	0.25	105	165	165	24.3	24.4	0.4	70 - 130	25
% Bromofluorobenzene	94	%	94	%	100	106	106	106	106	NC	70 - 130	25
% IS-1,4-Difluorobenzene	121	%	121	%	78	97	97	97	97	NC	60 - 140	25
% IS-Bromochloromethane	132	%	132	%	71	101	99	101	99	NC	60 - 140	25
% IS-Chlorobenzene-d5	114	%	114	%	83	92	92	92	92	NC	60 - 140	25

s = This parameter is outside laboratory Blank Surrogate specified recovery limits.

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

RPD - Relative Percent Difference

LCS - Laboratory Control Sample

LCSD - Laboratory Control Sample Duplicate

MS - Matrix Spike

MS Dup - Matrix Spike Duplicate

NC - No Criteria

Intf - Interference



Phyllis Shiller, Laboratory Director
October 30, 2019

Wednesday, October 30, 2019

Criteria: None

State: NY

SampNo	Acode	Phoenix Analyte	Criteria	Result	RL	Criteria	RL Criteria	Analysis Units
--------	-------	-----------------	----------	--------	----	----------	----------------	-------------------

*** No Data to Display ***

Sample Criteria Exceedances Report

GCE47375 - ENVIROTR

Phoenix Laboratories does not assume responsibility for the data contained in this exceedance report. It is provided as an additional tool to identify requested criteria exceedances. All efforts are made to ensure the accuracy of the data (obtained from appropriate agencies). A lack of exceedence information does not necessarily suggest conformance to the criteria. It is ultimately the site professional's responsibility to determine appropriate compliance.



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823



Analysis Comments

October 30, 2019

SDG I.D.: GCE47375

The following analysis comments are made regarding exceptions to criteria not already noted in the Analysis Report or QA/QC Report: None.

PHOENIX

Environmental Laboratories, Inc.

NY/NJ CHAIN OF CUSTODY RECORD

587 East Middle Turnpike, P.O. Box 370, Manchester, CT 06040
Email: info@phoenixlabs.com Fax (860) 645-0823

Client Services (860) 645-8726

Customer: Allied Pollution Control

Address: 1273 Route 311

Patterson, NY 12563

Project:

Report to: Mr. John Muro II

Invoice to: Mr. John Muro II

Phone #: 845-878-0007

Fax #: 845-878-2104

Client Sample Information - Identification

Date: 10/24/19

Analysis Request

Matrix Code:

DW=Drinking Water GW=Ground Water SW=Surface Water WW=Waste Water

RW=Raw Water SE=Sediment SL=Sludge S=Soil SD=Solid W=Wipe

OL=Oil B=Bulk L=Liquid

PHOENIX USE ONLY

Customer Sample Identification

Sample Matrix

Date Sampled

Time Sampled

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X



Environmental Laboratories, Inc.

587 East Middle Turnpike, P.O. Box 370, Manchester, CT 06040

Telephone: 860/645-1102 • Fax: 860/645-0823

email: greg@phoenixlabs.com

800-827-5426

Report to: Jane Wilkison
Customer: EnviroTrac
Address: 5 Old Dock Rd
Yaphant, NY 11980

CHAIN OF CUSTODY RECORD

AIR ANALYSES

Data Delivery:
 Fax #:
 Email:
 Phone #:

janeuw@envirotrac.com

Page 1 of

P.O. #

TO-15

TO-14

TO-13

TO-12

TO-11

TO-10

TO-9

TO-8

TO-7

TO-6

TO-5

TO-4

TO-3

TO-2

TO-1

TO-0

TO-1

TO-2

TO-3

TO-4

TO-5

TO-6

TO-7

TO-8

TO-9

TO-10

TO-11

TO-12

TO-13

TO-14

TO-15

TO-16

TO-17

TO-18

TO-19

TO-20

TO-21

TO-22

TO-23

TO-24

TO-25

TO-26

TO-27

TO-28

TO-29

TO-30

TO-31

TO-32

TO-33

TO-34

TO-35

TO-36

TO-37

TO-38

TO-39

TO-40

TO-41

TO-42

TO-43

TO-44

TO-45

TO-46

TO-47

TO-48

TO-49

TO-50

TO-51

TO-52

TO-53

TO-54

TO-55

TO-56

TO-57

TO-58

TO-59

TO-60

TO-61

TO-62

TO-63

TO-64

TO-65

TO-66

TO-67

TO-68

TO-69

TO-70

TO-71

TO-72

TO-73

TO-74

TO-75

TO-76

TO-77

TO-78

TO-79

TO-80

TO-81

TO-82

TO-83

TO-84

TO-85

TO-86

TO-87

TO-88

TO-89

TO-90

TO-91

TO-92

TO-93

TO-94

TO-95

TO-96

TO-97

TO-98

TO-99

TO-100

TO-101

TO-102

TO-103

TO-104

TO-105

TO-106

TO-107

TO-108

TO-109

TO-110

TO-111

TO-112

TO-113

TO-114

TO-115

TO-116

TO-117

TO-118

TO-119

TO-120

TO-121

TO-122

TO-123

TO-124

TO-125

TO-126

TO-127

TO-128

TO-129

TO-130

TO-131

TO-132

TO-133

TO-134

TO-135

TO-136

TO-137

TO-138

TO-139

TO-140

TO-141

TO-142

TO-143

TO-144

TO-145

TO-146

TO-147

TO-148

TO-149

TO-150

TO-151

TO-152

TO-153

TO-154

TO-155

TO-156

TO-157

TO-158

TO-159

TO-160

TO-161

TO-162

TO-163

TO-164

TO-165

TO-166

TO-167

TO-168

TO-169

TO-170

TO-171

TO-172

TO-173

TO-174

TO-175

TO-176

TO-177

TO-178

TO-179

TO-180

TO-181

TO-182

TO-183

TO-184

TO-185

TO-186

TO-187

TO-188

TO-189

TO-190

TO-191

TO-192

TO-193

TO-194

TO-195

TO-196

TO-197

TO-198

TO-199

TO-200

TO-201

TO-202

TO-203

TO-204

TO-205

TO-206

TO-207

TO-208

TO-209

TO-210

TO-211

TO-212

TO-213

TO-214

TO-215

TO-216

TO-217

TO-218

TO-219

TO-220

TO-221

TO-222

TO-223

TO-224

TO-225

TO-226

TO-227

TO-228

TO-229

TO-230

TO-231

TO-232

TO-233

TO-234

TO-235

TO-236

TO-237

TO-238

TO-239

TO-240

TO-241

TO-242

TO-243

TO-244

TO-245

TO-246

TO-247

TO-248

TO-249

TO-250

TO-251

TO-252

TO-253

TO-254

TO-255

TO-256

TO-257

TO-258

TO-259

TO-260

TO-261

TO-262

TO-263

TO-264

TO-265

TO-266

TO-267

TO-268

TO-269

TO-270

TO-271

TO-272

TO-273