

December 10, 2025

Mr. Christopher Aucoin, PhD
NYSDEC, Division of Environmental Remediation
Division of Environmental Remediation
625 Broadway
Albany, New York 12233-7015

Via email: Christopher.Aucoin@dec.ny.gov

Re: Progress Report: November 2025
Frost Street Sites: Site ID Nos. 1-30043 I, L, M
New Cassel Industrial Area, Westbury, New York

Dear Mr. Aucoin,

EnSafe Inc. is pleased to submit this Progress Report for the Frost Street Sites (Site ID Nos. 1-30043 I, L, M) for operation, maintenance, and monitoring (OM&M) activities completed in November 2025 for the onsite air sparge/soil vapor extraction (AS/SVE) and groundwater extraction systems.

Air Sparge/Soil Vapor Extraction System – Operable Unit 1

- AS/SVE system operations continued this month, per the OM&M Manual. During periodic visits, system parameters were logged on dedicated forms (Appendix A). During the month of November, one alarm call was received due to a power outage; the system was restarted.
- Quantitative sampling of the SVE system granular activated carbon influent and effluent air flow was conducted on November 7 using Summa canisters. These samples were obtained by EnviroTrac, submitted to Pace Analytical Laboratories, and analyzed by Method TO-15. Results are included in Appendix B.
 - Photoionization detector readings (PID) and influent concentrations of Frost Street-related contaminants of concern (tetrachloroethene, trichloroethene, and cis-1,2-dichloroethene [12,242 micrograms per cubic meter]) continue to indicate significant mass extraction.
 - Effluent concentrations are below the carbon exchange indicator concentrations as shown in the table. However, PID readings and effluent concentrations indicate breakthrough has occurred and a carbon exchange is scheduled for December 17, 2025.

Frost Street Sites Effluent Compliance			
System Flow Rate =		800 ft ³ /min	
Compound	Annual Mass Emission Limit ¹ (lbs/year)	Carbon Exchange Required Indicator Concentration (µg/m ³) ²	November 2025 Effluent Concentration (µg/m ³)
Trichloroethene	500	19,000	3,150
Tetrachloroethene	1,000	38,000	22,600
Vinyl Chloride	100	3,800	ND
Cis-1,2-Dichloroethene ³	100	3,800	607

Notes:

ft/min cubic feet per minute

lbs/year pounds per year

µg/m³ micrograms per cubic meter

ND not detected

1 Source of Mass Emission Limit: Part 212-2.2 Table 2 — High Toxicity Air Contaminant List

2 These limits were calculated based on Frost Street-specific system operations (i.e., flow rate) to remain below the annual HTAC emissions listed in Part 212-2.2 Table 2. Remaining below these concentrations ensures that annual emissions will not exceed the limit, which demonstrates compliance with Part 212 without having to perform compound-specific analyses.

3 Cis-1,2-dichloroethene is not a listed HTAC, so the default is 100 lbs/year.

Groundwater Extraction System – Operable Unit 2

The pumps in EX-1A, EX-1B, EX-1C, and EX-1D operated near design flow rates (30, 30, 48, and 48 gallons per minute, respectively) for all of November. To date, over 563 million gallons of groundwater have been removed by this system. Mass removal will be presented in the December monthly report using analytical data from the quarterly samples collected at the end of December.

Groundwater Sampling

The next groundwater sampling event (fifth quarter) is scheduled for the second quarter of 2026.

If you have any questions or require additional information, please do not hesitate to contact me at 860-665-1140 or astark@ensafe.com.

Sincerely,
EnSafe Inc., by



Alexandra Stark, P.E.
Attachments

Copies: A. Tamuno, Esq., NYSDEC
M. Dolan, NYSDOH
S. Selmer, NYSDOH

Via email to amtamuno@gw.dec.state.ny.us
Via email to michele.dolan@health.ny.gov
Via email to stephanie.selmer@health.ny.gov



R. Putnam, NCDOH	<i>Via email to rputnam@nassaucountyny.gov</i>
A. Conway, U.S. EPA	<i>Via email to conway.aidan@epa.gov</i>
T. Pupilla, Sanders Equities	<i>Via email to tpupilla@sandersequities.com</i>
M. Peters, The West Firm	<i>Via email to mpeters@westfirmllaw.com</i>
P. Coop, EnSafe	<i>Via email to pcoop@ensafe.com</i>
J. Wilkinson, Envirotrac	<i>Via email to jamesw@envirotrac.com</i>

Appendix A
AS/SVE System Operation and Maintenance Logs

Ensafe-Frost Street
101 Frost Street
Westbury, NY

5 Old Dock Road, Yaphank, NY 11980
(631)924-3001, Fax (631)924-5001

Arrival Time: 10:00
Departure Time: 13:45

System Status											
	Arrival		Departure			Arrival		Departure			
SVE Blower 1	(ON/OFF)	OFF	ON	AS Compressor 1	(ON/OFF)	ON	ON				
SVE Blower 2	(ON/OFF)	ON	OFF	AS Compressor 2	(ON/OFF)	OFF	OFF				
				Air Cooler	(ON/OFF)	ON	ON				
Soil Vapor Extraction System											
Blower Air Velocity/Flow Rate (fpm)/(cfm)	4200		825		Blower 1 Total Runtime (hrs)	80,698.9					
Blower 1 Fresh Air Valve Open (%)	0				Blower 2 Total Runtime (hrs)	79,527.7					
Blower 2 Fresh Air Valve Open (%)	0				Blower 1 Air Filter Differential Pressure ("H2O)	0					
Blower Inlet Vacuum ("H2O)	45				Blower 2 Air Filter Differential Pressure ("H2O)	0					
Moisture Separator Vacuum ("Hg)	3				VGAC-1 Influent PID (ppm)	3					
VGAC-1 Influent Vacuum ("H2O)	38				VGAC-1 Effluent PID (ppm)	0					
VGAC-1 Effluent Vacuum ("H2O)	48				VGAC-2 Influent PID (ppm)	3					
VGAC-2 Influent Vacuum ("H2O)	38				VGAC-2 Effluent PID (ppm)	0					
VGAC-2 Effluent Vacuum ("H2O)	40				VGAC-3 Influent PID (ppm)	0					
VGAC-3 Influent Vacuum ("H2O)	48				VGAC-3 Effluent PID (ppm)	4					
VGAC-3 Effluent Vacuum ("H2O)	49				Blower Effluent PID (ppm)	4					
VGAC-3 Influent Temp (DegF)					Transfer Pump Total Runtime (hrs)	25,328.1					
Blower Effluent Pressure ("H2O)	7				Condensate Storage Tank Level (gal)	220					
SVE Manifold Legs - Vacuum/Flow Rate/PID											
	<u>Vacuum</u>	<u>Velocity</u>	<u>Flow Rate</u>	<u>PID</u>		<u>Vacuum</u>	<u>Velocity</u>	<u>Flow Rate</u>	<u>PID</u>		
SVE-1	("H2O)/(FPM)/(cfm)/(ppm)	43	6500	142	6	SVE-4	("H2O)/(FPM)/(cfm)/(ppm)	36	4200	92	0
SVE-2	("H2O)/(FPM)/(cfm)/(ppm)	45	4000	87	3	SVE-5	("H2O)/(FPM)/(cfm)/(ppm)	44	2500	55	0
SVE-3	("H2O)/(FPM)/(cfm)/(ppm)	36	5000	109	1	SVE-6B	("H2O)/(FPM)/(cfm)/(ppm)	43	5800	127	7
SVE-3A	("H2O)/(FPM)/(cfm)/(ppm)	34	4200	92	0	SVE-7	("H2O)/(FPM)/(cfm)/(ppm)	38	2500	55	0
Air Sparge System											
Compressor 1 Pressure (psi)	16				Compressor 2 Pressure (psi)	Off					
Compressor 1 Runtime (hrs)	38,362.5				Compressor 2 Temperature (degF)	Off					
Air Cooler Inlet Temperature (degF)	140				Compressor 2 Regulator Pressure (psi)	Off					
Air Cooler Outlet Temperature (degF)	75				Compressor 2 Runtime (hrs)	40,734					
Air Cooler Inlet Pressure (psi)	16				AS Manifold Temperature (degF)	66					
Air Cooler Outlet Pressure (psi)	17.5				AS Manifold Pressure	16					
AS Manifold Legs - Pressure/Flow Rate											
	<u>Pressure</u>	<u>Flow Rate</u>				<u>Pressure</u>	<u>Flow Rate</u>				
AS-1	(psi)/(cfm)	17	9	AS-11	(psi)/(cfm)	14	9				
AS-2	(psi)/(cfm)	15	8	AS-12B	(psi)/(cfm)	16	10				
AS-3	(psi)/(cfm)	10	10	AS-13B	(psi)/(cfm)	15	11				
AS-4	(psi)/(cfm)	15	9	AS-14	(psi)/(cfm)	15	10				
AS-5	(psi)/(cfm)	16	11	AS-15	(psi)/(cfm)	14	10				
AS-6	(psi)/(cfm)	16	12	AS-16B	(psi)/(cfm)	14	10				
AS-7	(psi)/(cfm)	145	7	AS-17	(psi)/(cfm)	15	10				
AS-8	(psi)/(cfm)	15	10	AS-18	(psi)/(cfm)	15	10				
AS-9	(psi)/(cfm)	16	11	AS-19	(psi)/(cfm)	12	6				
AS-10B	(psi)/(cfm)	14	10								

Notes, Comments & Observations:

Switched GAC-3 to pressure side of blowers following O&M.

Inspection, Maintenance, Lubrication Schedule
Ensafe-Frost Street
101 Frost Street
Westbury, NY

EnviroTrac Environmental Services
5 Old Dock Road, Yaphank, NY 11980
(631)924-3001, Fax (631)924-5001

Date:
Weather / Temp:
Technician / Operator:

7-Nov
Cloudy/ 45 DEG
JW

Arrival Time:
Departure Time:

10:00
13:45

Maintenance Item	Perform	Completed (yes/no)	Comments
SVE Blower B-1			
-Inspect	Weekly	Y	
-Lubricate	As Required	N	Oil changed on 4/30/25
-Inspect Air Filter	Weekly	Y	
-Amp Draw	Quarterly	N	
-Inspect Belts	Weekly	Y	
SVE Blower B-2			
-Inspect	Weekly	Y	
-Lubricate	As Required	N	New oil and blower installed on 7/23/25.
-Inspect Air Filter	Weekly	Y	
-Amp Draw	Quarterly	N	
-Inspect Belts	Weekly	N	
SVE Piping			
-Inspect	Weekly	Y	
-Valves	Weekly	Y	
Phase Separator/Storage Tank			
-Inspect	Weekly	Y	
-Check Level Switches	As Required	Y	
-Inspect water storage tank	Weekly	Y	
-Pump water to sewer drain	As Required	Y	
AS Compressor 1			
-Inspect	Weekly	Y	
-Lubricate	As Required	N	Oil changed on 8/13/25
-Inspect Filters	Weekly	Y	
-Amp Draw	Quarterly	N	
AS Compressor 2			
-Inspect	Weekly	Y	
-Lubricate	As Required	N	
-Inspect Filters	Weekly	N	
-Amp Draw	Quarterly	N	
Air Cooler			
-Inspect	Weekly	Y	
-Inspect Filters	Weekly	Y	
-Amp Draw	Quarterly	N	
AS Piping			
-Inspect	Weekly	Y	
-Valves	Weekly	Y	
-Drain Filters/Collectors	Weekly	Y	
-Drain Pressure Tank	Weekly	Y	

ALARM VISIT LOG
AS/SVE SYSTEM
101 FROST STREET, WESTBURY, NY

[illegible]

Appendix B
AS/SVE System Vapor Influent/Effluent Sampling
Laboratory Analytical Results



ANALYTICAL REPORT

Lab Number:	L2571579
Client:	Envirotrac Ltd. 5 Old Dock Road Yaphank, NY 11980
ATTN:	Jim Wilkinson
Phone:	(631) 924-3001
Project Name:	FROST ST. 001
Project Number:	Not Specified
Report Date:	11/17/25

The original project report/data package is held by Pace Analytical Services. This report/data package is paginated and should be reproduced only in its entirety. Pace Analytical Services holds no responsibility for results and/or data that are not consistent with the original.

Certifications & Approvals: NH ELAP (2249).

120 Forbes Boulevard, Mansfield, MA 02048-1806
508-822-9300 (Fax) 508-822-3288 800-624-9220 - www.pacelabs.com



Project Name: FROST ST. 001
Project Number: Not Specified

Lab Number: L2571579
Report Date: 11/17/25

Lab Sample ID	Client ID	Matrix	Sample Location	Collection Date/Time	Receive Date
L2571579-01	SVE EFFLUENT	SOIL_VAPOR	WESTBURY, NY	11/07/25 10:32	11/10/25
L2571579-02	SVE INFLUENT	SOIL_VAPOR	WESTBURY, NY	11/07/25 10:40	11/10/25

Project Name: FROST ST. 001
Project Number: Not Specified

Lab Number: L2571579
Report Date: 11/17/25

Case Narrative

The samples were received in accordance with the Chain of Custody and no significant deviations were encountered during the preparation or analysis unless otherwise noted. Sample Receipt, Container Information, and the Chain of Custody are located at the back of the report.

Results contained within this report relate only to the samples submitted under this Pace Lab Number and meet NELAP requirements for all NELAP accredited parameters unless otherwise noted in the following narrative. The data presented in this report is organized by parameter (i.e. VOC, SVOC, etc.). Sample specific Quality Control data (i.e. Surrogate Spike Recovery) is reported at the end of the target analyte list for each individual sample, followed by the Laboratory Batch Quality Control at the end of each parameter. Tentatively Identified Compounds (TICs), if requested, are reported for compounds identified to be present and are not part of the method/program Target Compound List, even if only a subset of the TCL are being reported. If a sample was re-analyzed or re-extracted due to a required quality control corrective action and if both sets of data are reported, the Laboratory ID of the re-analysis or re-extraction is designated with an "R" or "RE", respectively.

When multiple Batch Quality Control elements are reported (e.g. more than one LCS), the associated samples for each element are noted in the grey shaded header line of each data table. Any Laboratory Batch, Sample Specific % recovery or RPD value that is outside the listed Acceptance Criteria is bolded in the report. In reference to questions H (CAM) or 4 (RCP) when "NO" is checked, the performance criteria for CAM and RCP methods allow for some quality control failures to occur and still be within method compliance. In these instances, the specific failure is not narrated but noted in the associated QC Outlier Summary Report, located directly after the Case Narrative. QC information is also incorporated in the Data Usability Assessment table (Format 11) of our Data Merger tool, where it can be reviewed in conjunction with the sample result, associated regulatory criteria and any associated data usability implications.

Soil/sediments and solids are reported on a dry weight basis unless otherwise noted. Tissues are reported "as received" or on a wet weight basis, unless otherwise noted. Definitions of all data qualifiers and acronyms used in this report are provided in the Glossary located at the back of the report.

HOLD POLICY - For samples submitted on hold, Pace's policy is to hold samples (with the exception of Air canisters) free of charge for 21 calendar days from the date the project is completed. After 21 calendar days, we will dispose of all samples submitted including those put on hold unless you have contacted your Pace Project Manager and made arrangements for Pace to continue to hold the samples. Air canisters will be disposed after 3 business days from the date the project is completed.

Please contact Project Management at 800-624-9220 with any questions.

Project Name: FROST ST. 001
Project Number: Not Specified

Lab Number: L2571579
Report Date: 11/17/25

Case Narrative (continued)

Volatile Organics in Air

Canisters were released from the laboratory on November 5, 2025. The canister certification data is provided as an addendum.

L2571579-01D and -02D: The samples have elevated detection limits due to the dilution required by the elevated concentrations of target compounds in the samples.

I, the undersigned, attest under the pains and penalties of perjury that, to the best of my knowledge and belief and based upon my personal inquiry of those responsible for providing the information contained in this analytical report, such information is accurate and complete. This certificate of analysis is not complete unless this page accompanies any and all pages of this report.

Authorized Signature:



Jennifer Jerome

Title: Technical Director/Representative

Date: 11/17/25

AIR

Project Name: FROST ST. 001**Lab Number:** L2571579**Project Number:** Not Specified**Report Date:** 11/17/25**SAMPLE RESULTS**

Lab ID: L2571579-01 D

Client ID: SVE EFFLUENT

Sample Location: WESTBURY, NY

Date Collected: 11/07/25 10:32

Date Received: 11/10/25

Field Prep: Not Specified

Sample Depth:

Matrix: Soil_Vapor

Analytical Method: 48,TO-15

Analytical Date: 11/17/25 04:24

Analyst: TPH

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air - Mansfield Air Lab								
Dichlorodifluoromethane	ND	13.2	--	ND	65.3	--		66.14
Chloromethane	ND	13.2	--	ND	27.3	--		66.14
Freon-114	ND	13.2	--	ND	92.3	--		66.14
Vinyl chloride	ND	13.2	--	ND	33.7	--		66.14
1,3-Butadiene	ND	13.2	--	ND	29.2	--		66.14
Bromomethane	ND	13.2	--	ND	51.3	--		66.14
Chloroethane	ND	13.2	--	ND	34.8	--		66.14
Ethanol	ND	331	--	ND	624	--		66.14
Vinyl bromide	ND	13.2	--	ND	57.7	--		66.14
Acetone	147	66.1	--	349	157	--		66.14
Trichlorofluoromethane	ND	13.2	--	ND	74.2	--		66.14
Isopropanol	210	66.1	--	516	162	--		66.14
1,1-Dichloroethene	ND	13.2	--	ND	52.3	--		66.14
Tertiary butyl Alcohol	251	33.1	--	761	100	--		66.14
Methylene chloride	ND	33.1	--	ND	115	--		66.14
3-Chloropropene	ND	13.2	--	ND	41.3	--		66.14
Carbon disulfide	ND	13.2	--	ND	41.1	--		66.14
Freon-113	ND	13.2	--	ND	101	--		66.14
trans-1,2-Dichloroethene	ND	13.2	--	ND	52.3	--		66.14
1,1-Dichloroethane	ND	13.2	--	ND	53.4	--		66.14
Methyl tert butyl ether	ND	13.2	--	ND	47.6	--		66.14
2-Butanone	ND	33.1	--	ND	97.6	--		66.14
cis-1,2-Dichloroethene	153	13.2	--	607	52.3	--		66.14



Project Name: FROST ST. 001**Lab Number:** L2571579**Project Number:** Not Specified**Report Date:** 11/17/25**SAMPLE RESULTS**

Lab ID: L2571579-01 D

Client ID: SVE EFFLUENT

Sample Location: WESTBURY, NY

Date Collected: 11/07/25 10:32

Date Received: 11/10/25

Field Prep: Not Specified

Sample Depth:

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air - Mansfield Air Lab								
Ethyl Acetate	ND	33.1	--	ND	119	--		66.14
Chloroform	ND	13.2	--	ND	64.5	--		66.14
Tetrahydrofuran	ND	33.1	--	ND	97.6	--		66.14
1,2-Dichloroethane	ND	13.2	--	ND	53.4	--		66.14
n-Hexane	25.8	13.2	--	90.9	46.5	--		66.14
1,1,1-Trichloroethane	ND	13.2	--	ND	72.0	--		66.14
Benzene	ND	13.2	--	ND	42.2	--		66.14
Carbon tetrachloride	ND	13.2	--	ND	83.0	--		66.14
Cyclohexane	ND	13.2	--	ND	45.4	--		66.14
1,2-Dichloropropane	ND	13.2	--	ND	61.0	--		66.14
Bromodichloromethane	ND	13.2	--	ND	88.4	--		66.14
1,4-Dioxane	ND	13.2	--	ND	47.6	--		66.14
Trichloroethene	586	13.2	--	3150	70.9	--		66.14
2,2,4-Trimethylpentane	ND	13.2	--	ND	61.7	--		66.14
Heptane	ND	13.2	--	ND	54.1	--		66.14
cis-1,3-Dichloropropene	ND	13.2	--	ND	59.9	--		66.14
4-Methyl-2-pentanone	ND	33.1	--	ND	136	--		66.14
trans-1,3-Dichloropropene	ND	13.2	--	ND	59.9	--		66.14
1,1,2-Trichloroethane	ND	13.2	--	ND	72.0	--		66.14
Toluene	ND	13.2	--	ND	49.7	--		66.14
2-Hexanone	ND	13.2	--	ND	54.1	--		66.14
Dibromochloromethane	ND	13.2	--	ND	112	--		66.14
1,2-Dibromoethane	ND	13.2	--	ND	101	--		66.14
Tetrachloroethene	3340	13.2	--	22600	89.5	--		66.14
Chlorobenzene	ND	13.2	--	ND	60.8	--		66.14
Ethylbenzene	ND	13.2	--	ND	57.3	--		66.14



Project Name: FROST ST. 001**Lab Number:** L2571579**Project Number:** Not Specified**Report Date:** 11/17/25**SAMPLE RESULTS**

Lab ID: L2571579-01 D

Date Collected: 11/07/25 10:32

Client ID: SVE EFFLUENT

Date Received: 11/10/25

Sample Location: WESTBURY, NY

Field Prep: Not Specified

Sample Depth:

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air - Mansfield Air Lab								
p/m-Xylene	ND	26.4	--	ND	115	--		66.14
Bromoform	ND	13.2	--	ND	136	--		66.14
Styrene	ND	13.2	--	ND	56.2	--		66.14
1,1,2,2-Tetrachloroethane	ND	13.2	--	ND	90.6	--		66.14
o-Xylene	ND	13.2	--	ND	57.3	--		66.14
4-Ethyltoluene	ND	13.2	--	ND	64.9	--		66.14
1,3,5-Trimethylbenzene	ND	13.2	--	ND	64.9	--		66.14
1,2,4-Trimethylbenzene	ND	13.2	--	ND	64.9	--		66.14
Benzyl chloride	ND	13.2	--	ND	68.3	--		66.14
1,3-Dichlorobenzene	ND	13.2	--	ND	79.4	--		66.14
1,4-Dichlorobenzene	ND	13.2	--	ND	79.4	--		66.14
1,2-Dichlorobenzene	ND	13.2	--	ND	79.4	--		66.14
1,2,4-Trichlorobenzene	ND	13.2	--	ND	98.0	--		66.14
Naphthalene	ND	12.6	--	ND	66.1	--		66.14
Hexachlorobutadiene	ND	13.2	--	ND	141	--		66.14

Internal Standard	% Recovery	Qualifier	Acceptance Criteria
1,4-Difluorobenzene	89		60-140
Bromochloromethane	98		60-140
chlorobenzene-d5	87		60-140



Project Name: FROST ST. 001**Lab Number:** L2571579**Project Number:** Not Specified**Report Date:** 11/17/25**SAMPLE RESULTS**

Lab ID: L2571579-02 D

Client ID: SVE INFLUENT

Sample Location: WESTBURY, NY

Date Collected: 11/07/25 10:40

Date Received: 11/10/25

Field Prep: Not Specified

Sample Depth:

Matrix: Soil_Vapor

Analytical Method: 48,TO-15

Analytical Date: 11/17/25 05:01

Analyst: TPH

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air - Mansfield Air Lab								
Dichlorodifluoromethane	ND	6.60	--	ND	32.6	--		32.98
Chloromethane	ND	6.60	--	ND	13.6	--		32.98
Freon-114	ND	6.60	--	ND	46.1	--		32.98
Vinyl chloride	ND	6.60	--	ND	16.9	--		32.98
1,3-Butadiene	ND	6.60	--	ND	14.6	--		32.98
Bromomethane	ND	6.60	--	ND	25.6	--		32.98
Chloroethane	ND	6.60	--	ND	17.4	--		32.98
Ethanol	ND	165	--	ND	311	--		32.98
Vinyl bromide	ND	6.60	--	ND	28.9	--		32.98
Acetone	112	33.0	--	266	78.4	--		32.98
Trichlorofluoromethane	ND	6.60	--	ND	37.1	--		32.98
Isopropanol	95.1	33.0	--	234	81.1	--		32.98
1,1-Dichloroethene	ND	6.60	--	ND	26.2	--		32.98
Tertiary butyl Alcohol	83.2	16.5	--	252	50.0	--		32.98
Methylene chloride	ND	16.5	--	ND	57.3	--		32.98
3-Chloropropene	ND	6.60	--	ND	20.7	--		32.98
Carbon disulfide	ND	6.60	--	ND	20.6	--		32.98
Freon-113	ND	6.60	--	ND	50.6	--		32.98
trans-1,2-Dichloroethene	ND	6.60	--	ND	26.2	--		32.98
1,1-Dichloroethane	ND	6.60	--	ND	26.7	--		32.98
Methyl tert butyl ether	ND	6.60	--	ND	23.8	--		32.98
2-Butanone	ND	16.5	--	ND	48.7	--		32.98
cis-1,2-Dichloroethene	44.8	6.60	--	178	26.2	--		32.98



Project Name: FROST ST. 001**Lab Number:** L2571579**Project Number:** Not Specified**Report Date:** 11/17/25**SAMPLE RESULTS**

Lab ID: L2571579-02 D

Client ID: SVE INFLUENT

Sample Location: WESTBURY, NY

Date Collected: 11/07/25 10:40

Date Received: 11/10/25

Field Prep: Not Specified

Sample Depth:

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air - Mansfield Air Lab								
Ethyl Acetate	ND	16.5	--	ND	59.5	--		32.98
Chloroform	ND	6.60	--	ND	32.2	--		32.98
Tetrahydrofuran	ND	16.5	--	ND	48.7	--		32.98
1,2-Dichloroethane	ND	6.60	--	ND	26.7	--		32.98
n-Hexane	8.41	6.60	--	29.6	23.3	--		32.98
1,1,1-Trichloroethane	ND	6.60	--	ND	36.0	--		32.98
Benzene	ND	6.60	--	ND	21.1	--		32.98
Carbon tetrachloride	ND	6.60	--	ND	41.5	--		32.98
Cyclohexane	ND	6.60	--	ND	22.7	--		32.98
1,2-Dichloropropane	ND	6.60	--	ND	30.5	--		32.98
Bromodichloromethane	ND	6.60	--	ND	44.2	--		32.98
1,4-Dioxane	ND	6.60	--	ND	23.8	--		32.98
Trichloroethene	105	6.60	--	564	35.5	--		32.98
2,2,4-Trimethylpentane	ND	6.60	--	ND	30.8	--		32.98
Heptane	ND	6.60	--	ND	27.0	--		32.98
cis-1,3-Dichloropropene	ND	6.60	--	ND	30.0	--		32.98
4-Methyl-2-pentanone	ND	16.5	--	ND	67.6	--		32.98
trans-1,3-Dichloropropene	ND	6.60	--	ND	30.0	--		32.98
1,1,2-Trichloroethane	ND	6.60	--	ND	36.0	--		32.98
Toluene	ND	6.60	--	ND	24.9	--		32.98
2-Hexanone	ND	6.60	--	ND	27.0	--		32.98
Dibromochloromethane	ND	6.60	--	ND	56.2	--		32.98
1,2-Dibromoethane	ND	6.60	--	ND	50.7	--		32.98
Tetrachloroethene	1700	6.60	--	11500	44.8	--		32.98
Chlorobenzene	ND	6.60	--	ND	30.4	--		32.98
Ethylbenzene	ND	6.60	--	ND	28.7	--		32.98



Project Name: FROST ST. 001**Lab Number:** L2571579**Project Number:** Not Specified**Report Date:** 11/17/25**SAMPLE RESULTS**

Lab ID: L2571579-02 D

Date Collected: 11/07/25 10:40

Client ID: SVE INFLUENT

Date Received: 11/10/25

Sample Location: WESTBURY, NY

Field Prep: Not Specified

Sample Depth:

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air - Mansfield Air Lab								
p/m-Xylene	ND	13.2	--	ND	57.3	--		32.98
Bromoform	ND	6.60	--	ND	68.2	--		32.98
Styrene	ND	6.60	--	ND	28.1	--		32.98
1,1,2,2-Tetrachloroethane	ND	6.60	--	ND	45.3	--		32.98
o-Xylene	ND	6.60	--	ND	28.7	--		32.98
4-Ethyltoluene	ND	6.60	--	ND	32.4	--		32.98
1,3,5-Trimethylbenzene	ND	6.60	--	ND	32.4	--		32.98
1,2,4-Trimethylbenzene	ND	6.60	--	ND	32.4	--		32.98
Benzyl chloride	ND	6.60	--	ND	34.2	--		32.98
1,3-Dichlorobenzene	ND	6.60	--	ND	39.7	--		32.98
1,4-Dichlorobenzene	ND	6.60	--	ND	39.7	--		32.98
1,2-Dichlorobenzene	ND	6.60	--	ND	39.7	--		32.98
1,2,4-Trichlorobenzene	ND	6.60	--	ND	49.0	--		32.98
Naphthalene	ND	6.27	--	ND	32.9	--		32.98
Hexachlorobutadiene	ND	6.60	--	ND	70.4	--		32.98

Internal Standard	% Recovery	Qualifier	Acceptance Criteria
1,4-Difluorobenzene	97		60-140
Bromochloromethane	101		60-140
chlorobenzene-d5	94		60-140



Project Name: FROST ST. 001

Lab Number: L2571579

Project Number: Not Specified

Report Date: 11/17/25

Method Blank Analysis Batch Quality Control

Analytical Method: 48,TO-15

Analytical Date: 11/16/25 19:52

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air - Mansfield Air Lab for sample(s): 01-02 Batch: WG2142401-4								
Dichlorodifluoromethane	ND	0.200	--	ND	0.989	--		1
Chloromethane	ND	0.200	--	ND	0.413	--		1
Freon-114	ND	0.200	--	ND	1.40	--		1
Vinyl chloride	ND	0.200	--	ND	0.511	--		1
1,3-Butadiene	ND	0.200	--	ND	0.442	--		1
Bromomethane	ND	0.200	--	ND	0.777	--		1
Chloroethane	ND	0.200	--	ND	0.528	--		1
Ethanol	ND	5.00	--	ND	9.42	--		1
Vinyl bromide	ND	0.200	--	ND	0.874	--		1
Acetone	ND	1.00	--	ND	2.38	--		1
Trichlorofluoromethane	ND	0.200	--	ND	1.12	--		1
Isopropanol	ND	1.00	--	ND	2.46	--		1
1,1-Dichloroethene	ND	0.200	--	ND	0.793	--		1
Tertiary butyl Alcohol	ND	0.500	--	ND	1.52	--		1
Methylene chloride	ND	0.500	--	ND	1.74	--		1
3-Chloropropene	ND	0.200	--	ND	0.626	--		1
Carbon disulfide	ND	0.200	--	ND	0.623	--		1
Freon-113	ND	0.200	--	ND	1.53	--		1
trans-1,2-Dichloroethene	ND	0.200	--	ND	0.793	--		1
1,1-Dichloroethane	ND	0.200	--	ND	0.809	--		1
Methyl tert butyl ether	ND	0.200	--	ND	0.721	--		1
2-Butanone	ND	0.500	--	ND	1.47	--		1
cis-1,2-Dichloroethene	ND	0.200	--	ND	0.793	--		1
Ethyl Acetate	ND	0.500	--	ND	1.80	--		1
Chloroform	ND	0.200	--	ND	0.977	--		1



Project Name: FROST ST. 001**Lab Number:** L2571579**Project Number:** Not Specified**Report Date:** 11/17/25

Method Blank Analysis Batch Quality Control

Analytical Method: 48,TO-15

Analytical Date: 11/16/25 19:52

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air - Mansfield Air Lab for sample(s): 01-02 Batch: WG2142401-4								
Tetrahydrofuran	ND	0.500	--	ND	1.47	--		1
1,2-Dichloroethane	ND	0.200	--	ND	0.809	--		1
n-Hexane	ND	0.200	--	ND	0.705	--		1
1,1,1-Trichloroethane	ND	0.200	--	ND	1.09	--		1
Benzene	ND	0.200	--	ND	0.639	--		1
Carbon tetrachloride	ND	0.200	--	ND	1.26	--		1
Cyclohexane	ND	0.200	--	ND	0.688	--		1
1,2-Dichloropropane	ND	0.200	--	ND	0.924	--		1
Bromodichloromethane	ND	0.200	--	ND	1.34	--		1
1,4-Dioxane	ND	0.200	--	ND	0.721	--		1
Trichloroethene	ND	0.200	--	ND	1.07	--		1
2,2,4-Trimethylpentane	ND	0.200	--	ND	0.934	--		1
Heptane	ND	0.200	--	ND	0.820	--		1
cis-1,3-Dichloropropene	ND	0.200	--	ND	0.908	--		1
4-Methyl-2-pentanone	ND	0.500	--	ND	2.05	--		1
trans-1,3-Dichloropropene	ND	0.200	--	ND	0.908	--		1
1,1,2-Trichloroethane	ND	0.200	--	ND	1.09	--		1
Toluene	ND	0.200	--	ND	0.754	--		1
2-Hexanone	ND	0.200	--	ND	0.820	--		1
Dibromochloromethane	ND	0.200	--	ND	1.70	--		1
1,2-Dibromoethane	ND	0.200	--	ND	1.54	--		1
Tetrachloroethene	ND	0.200	--	ND	1.36	--		1
Chlorobenzene	ND	0.200	--	ND	0.921	--		1
Ethylbenzene	ND	0.200	--	ND	0.869	--		1
p/m-Xylene	ND	0.400	--	ND	1.74	--		1



Project Name: FROST ST. 001**Lab Number:** L2571579**Project Number:** Not Specified**Report Date:** 11/17/25

Method Blank Analysis Batch Quality Control

Analytical Method: 48,TO-15

Analytical Date: 11/16/25 19:52

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air - Mansfield Air Lab for sample(s): 01-02 Batch: WG2142401-4								
Bromoform	ND	0.200	--	ND	2.07	--		1
Styrene	ND	0.200	--	ND	0.852	--		1
1,1,2,2-Tetrachloroethane	ND	0.200	--	ND	1.37	--		1
o-Xylene	ND	0.200	--	ND	0.869	--		1
4-Ethyltoluene	ND	0.200	--	ND	0.983	--		1
1,3,5-Trimethylbenzene	ND	0.200	--	ND	0.983	--		1
1,2,4-Trimethylbenzene	ND	0.200	--	ND	0.983	--		1
Benzyl chloride	ND	0.200	--	ND	1.04	--		1
1,3-Dichlorobenzene	ND	0.200	--	ND	1.20	--		1
1,4-Dichlorobenzene	ND	0.200	--	ND	1.20	--		1
1,2-Dichlorobenzene	ND	0.200	--	ND	1.20	--		1
1,2,4-Trichlorobenzene	ND	0.200	--	ND	1.48	--		1
Naphthalene	ND	0.190	--	ND	0.996	--		1
Hexachlorobutadiene	ND	0.200	--	ND	2.13	--		1



Lab Control Sample Analysis **Batch Quality Control**

Project Name: FROST ST. 001

Project Number: Not Specified

Lab Number: L2571579

Report Date: 11/17/25

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics in Air - Mansfield Air Lab Associated sample(s): 01-02 Batch: WG2142401-3								
Dichlorodifluoromethane	103		-		70-130	-		
Chloromethane	116		-		70-130	-		
Freon-114	126		-		70-130	-		
Vinyl chloride	113		-		70-130	-		
1,3-Butadiene	122		-		70-130	-		
Bromomethane	126		-		70-130	-		
Chloroethane	107		-		70-130	-		
Ethanol	75		-		40-160	-		
Vinyl bromide	89		-		70-130	-		
Acetone	85		-		40-160	-		
Trichlorofluoromethane	91		-		70-130	-		
Isopropanol	74		-		40-160	-		
1,1-Dichloroethene	95		-		70-130	-		
Tertiary butyl Alcohol	72		-		70-130	-		
Methylene chloride	111		-		70-130	-		
3-Chloropropene	91		-		70-130	-		
Carbon disulfide	99		-		70-130	-		
Freon-113	93		-		70-130	-		
trans-1,2-Dichloroethene	88		-		70-130	-		

Lab Control Sample Analysis **Batch Quality Control**

Project Name: FROST ST. 001

Project Number: Not Specified

Lab Number: L2571579

Report Date: 11/17/25

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics in Air - Mansfield Air Lab Associated sample(s): 01-02 Batch: WG2142401-3								
1,1-Dichloroethane	89		-		70-130	-		
Methyl tert butyl ether	93		-		70-130	-		
2-Butanone	94		-		70-130	-		
cis-1,2-Dichloroethene	91		-		70-130	-		
Ethyl Acetate	90		-		70-130	-		
Chloroform	107		-		70-130	-		
Tetrahydrofuran	98		-		70-130	-		
1,2-Dichloroethane	89		-		70-130	-		
n-Hexane	118		-		70-130	-		
1,1,1-Trichloroethane	117		-		70-130	-		
Benzene	122		-		70-130	-		
Carbon tetrachloride	120		-		70-130	-		
Cyclohexane	119		-		70-130	-		
1,2-Dichloropropane	109		-		70-130	-		
Bromodichloromethane	129		-		70-130	-		
1,4-Dioxane	108		-		70-130	-		
Trichloroethene	119		-		70-130	-		
2,2,4-Trimethylpentane	117		-		70-130	-		
Heptane	119		-		70-130	-		

Lab Control Sample Analysis **Batch Quality Control**

Project Name: FROST ST. 001

Project Number: Not Specified

Lab Number: L2571579

Report Date: 11/17/25

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics in Air - Mansfield Air Lab Associated sample(s): 01-02 Batch: WG2142401-3								
cis-1,3-Dichloropropene	135	Q	-		70-130	-		
4-Methyl-2-pentanone	118		-		70-130	-		
trans-1,3-Dichloropropene	147	Q	-		70-130	-		
1,1,2-Trichloroethane	114		-		70-130	-		
Toluene	104		-		70-130	-		
2-Hexanone	106		-		70-130	-		
Dibromochloromethane	107		-		70-130	-		
1,2-Dibromoethane	110		-		70-130	-		
Tetrachloroethene	106		-		70-130	-		
Chlorobenzene	107		-		70-130	-		
Ethylbenzene	102		-		70-130	-		
p/m-Xylene	104		-		70-130	-		
Bromoform	100		-		70-130	-		
Styrene	106		-		70-130	-		
1,1,2,2-Tetrachloroethane	120		-		70-130	-		
o-Xylene	107		-		70-130	-		
4-Ethyltoluene	100		-		70-130	-		
1,3,5-Trimethylbenzene	108		-		70-130	-		
1,2,4-Trimethylbenzene	109		-		70-130	-		

Lab Control Sample Analysis **Batch Quality Control**

Project Name: FROST ST. 001

Project Number: Not Specified

Lab Number: L2571579

Report Date: 11/17/25

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics in Air - Mansfield Air Lab Associated sample(s): 01-02 Batch: WG2142401-3								
Benzyl chloride	79		-		70-130	-		
1,3-Dichlorobenzene	105		-		70-130	-		
1,4-Dichlorobenzene	103		-		70-130	-		
1,2-Dichlorobenzene	99		-		70-130	-		
1,2,4-Trichlorobenzene	103		-		70-130	-		
Naphthalene	83		-		70-130	-		
Hexachlorobutadiene	98		-		70-130	-		

Project Name: FROST ST. 001

Lab Number: Serial_No:11172518:27
L2571579

Project Number:

Report Date: 11/17/25

Canister and Flow Controller Information

Samplenum	Client ID	Media ID	Media Type	Date Prepared	Bottle Order	Cleaning Batch ID	Can Leak Check	Initial Pressure (in. Hg)	Pressure on Receipt	Flow Controller Leak Chk	Flow Out mL/min	Flow In	% RPD
L2571579-01	SVE EFFLUENT	02143	Flow 1	11/05/25	543079		-	-	-	Pass	160	162	1
L2571579-01	SVE EFFLUENT	4792	3.0L Can	11/05/25	543079	L2522581-04	Pass	-29.2	-4.3	-	-	-	-
L2571579-02	SVE INFLUENT	0747	Flow 1	11/05/25	543079		-	-	-	Pass	160	159	1
L2571579-02	SVE INFLUENT	4554	3.0L Can	11/05/25	543079	L2522581-04	Pass	-29.2	-3.7	-	-	-	-

Project Name: BATCH CANISTER CERTIFICATION
Project Number: CANISTER QC BAT

Lab Number: L2522581
Report Date: 11/17/25

Air Canister Certification Results

Lab ID: L2522581-04
Client ID: CAN 4957 SHELF 18
Sample Location:

Date Collected: 04/12/25 13:00
Date Received: 04/12/25
Field Prep: Not Specified

Sample Depth:
Matrix: Air
Analytical Method: 48,TO-15
Analytical Date: 04/16/25 22:29
Analyst: KJD

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air - Mansfield Air Lab								
Chlorodifluoromethane	ND	0.200	--	ND	0.707	--		1
Propylene	ND	0.500	--	ND	0.861	--		1
Propane	ND	0.500	--	ND	0.902	--		1
Dichlorodifluoromethane	ND	0.200	--	ND	0.989	--		1
Chloromethane	ND	0.200	--	ND	0.413	--		1
Freon-114	ND	0.200	--	ND	1.40	--		1
Methanol	10.5	5.00	--	13.8	6.55	--	B	1
Vinyl chloride	ND	0.200	--	ND	0.511	--		1
1,3-Butadiene	ND	0.200	--	ND	0.442	--		1
Butane	ND	0.200	--	ND	0.475	--		1
Bromomethane	ND	0.200	--	ND	0.777	--		1
Chloroethane	ND	0.200	--	ND	0.528	--		1
Ethanol	ND	5.00	--	ND	9.42	--		1
Dichlorofluoromethane	ND	0.200	--	ND	0.842	--		1
Vinyl bromide	ND	0.200	--	ND	0.874	--		1
Acrolein	ND	0.500	--	ND	1.15	--		1
Acetone	ND	1.00	--	ND	2.38	--		1
Acetonitrile	ND	0.200	--	ND	0.336	--		1
Trichlorofluoromethane	ND	0.200	--	ND	1.12	--		1
Isopropanol	ND	1.00	--	ND	2.46	--		1
Acrylonitrile	ND	0.500	--	ND	1.09	--		1
Pentane	ND	0.200	--	ND	0.590	--		1
Ethyl ether	ND	0.200	--	ND	0.606	--		1
1,1-Dichloroethene	ND	0.200	--	ND	0.793	--		1



Project Name: BATCH CANISTER CERTIFICATION
Project Number: CANISTER QC BAT

Lab Number: L2522581
Report Date: 11/17/25

Air Canister Certification Results

Lab ID: L2522581-04
Client ID: CAN 4957 SHELF 18
Sample Location:

Date Collected: 04/12/25 13:00
Date Received: 04/12/25
Field Prep: Not Specified

Sample Depth:

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air - Mansfield Air Lab								
Tertiary butyl Alcohol	ND	0.500	--	ND	1.52	--		1
Methylene chloride	ND	0.500	--	ND	1.74	--		1
3-Chloropropene	ND	0.200	--	ND	0.626	--		1
Carbon disulfide	ND	0.200	--	ND	0.623	--		1
Freon-113	ND	0.200	--	ND	1.53	--		1
trans-1,2-Dichloroethene	ND	0.200	--	ND	0.793	--		1
1,1-Dichloroethane	ND	0.200	--	ND	0.809	--		1
Methyl tert butyl ether	ND	0.200	--	ND	0.721	--		1
Xylenes, total	ND	0.600	--	ND	0.869	--		1
2-Butanone	ND	0.500	--	ND	1.47	--		1
cis-1,2-Dichloroethene	ND	0.200	--	ND	0.793	--		1
Ethyl Acetate	ND	0.500	--	ND	1.80	--		1
Chloroform	ND	0.200	--	ND	0.977	--		1
Tetrahydrofuran	ND	0.500	--	ND	1.47	--		1
2,2-Dichloropropane	ND	0.200	--	ND	0.924	--		1
1,2-Dichloroethane	ND	0.200	--	ND	0.809	--		1
n-Hexane	ND	0.200	--	ND	0.705	--		1
Diisopropyl ether	ND	0.200	--	ND	0.836	--		1
tert-Butyl Ethyl Ether	ND	0.200	--	ND	0.836	--		1
1,2-Dichloroethene (total)	ND	1.00	--	ND	1.00	--		1
1,1,1-Trichloroethane	ND	0.200	--	ND	1.09	--		1
1,1-Dichloropropene	ND	0.200	--	ND	0.908	--		1
Benzene	ND	0.200	--	ND	0.639	--		1
Carbon tetrachloride	ND	0.200	--	ND	1.26	--		1
Cyclohexane	ND	0.200	--	ND	0.688	--		1
tert-Amyl Methyl Ether	ND	0.200	--	ND	0.836	--		1
Dibromomethane	ND	0.200	--	ND	1.42	--		1



Project Name: BATCH CANISTER CERTIFICATION
Project Number: CANISTER QC BAT

Lab Number: L2522581
Report Date: 11/17/25

Air Canister Certification Results

Lab ID: L2522581-04
Client ID: CAN 4957 SHELF 18
Sample Location:

Date Collected: 04/12/25 13:00
Date Received: 04/12/25
Field Prep: Not Specified

Sample Depth:

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air - Mansfield Air Lab								
1,2-Dichloropropane	ND	0.200	--	ND	0.924	--		1
Bromodichloromethane	ND	0.200	--	ND	1.34	--		1
1,4-Dioxane	ND	0.200	--	ND	0.721	--		1
Trichloroethene	ND	0.200	--	ND	1.07	--		1
2,2,4-Trimethylpentane	ND	0.200	--	ND	0.934	--		1
Methyl Methacrylate	ND	0.500	--	ND	2.05	--		1
Heptane	ND	0.200	--	ND	0.820	--		1
cis-1,3-Dichloropropene	ND	0.200	--	ND	0.908	--		1
4-Methyl-2-pentanone	ND	0.500	--	ND	2.05	--		1
trans-1,3-Dichloropropene	ND	0.200	--	ND	0.908	--		1
1,1,2-Trichloroethane	ND	0.200	--	ND	1.09	--		1
Toluene	ND	0.200	--	ND	0.754	--		1
1,3-Dichloropropane	ND	0.200	--	ND	0.924	--		1
2-Hexanone	ND	0.200	--	ND	0.820	--		1
Dibromochloromethane	ND	0.200	--	ND	1.70	--		1
1,2-Dibromoethane	ND	0.200	--	ND	1.54	--		1
Butyl acetate	ND	0.500	--	ND	2.38	--		1
Octane	ND	0.200	--	ND	0.934	--		1
Tetrachloroethene	ND	0.200	--	ND	1.36	--		1
1,1,1,2-Tetrachloroethane	ND	0.200	--	ND	1.37	--		1
Chlorobenzene	ND	0.200	--	ND	0.921	--		1
Ethylbenzene	ND	0.200	--	ND	0.869	--		1
p/m-Xylene	ND	0.400	--	ND	1.74	--		1
Bromoform	ND	0.200	--	ND	2.07	--		1
Styrene	ND	0.200	--	ND	0.852	--		1
1,1,2,2-Tetrachloroethane	ND	0.200	--	ND	1.37	--		1
o-Xylene	ND	0.200	--	ND	0.869	--		1



Project Name: BATCH CANISTER CERTIFICATION
Project Number: CANISTER QC BAT

Lab Number: L2522581
Report Date: 11/17/25

Air Canister Certification Results

Lab ID: L2522581-04
Client ID: CAN 4957 SHELF 18
Sample Location:

Date Collected: 04/12/25 13:00
Date Received: 04/12/25
Field Prep: Not Specified

Sample Depth:

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air - Mansfield Air Lab								
1,2,3-Trichloropropane	ND	0.200	--	ND	1.21	--		1
Nonane	ND	0.200	--	ND	1.05	--		1
Isopropylbenzene	ND	0.200	--	ND	0.983	--		1
Bromobenzene	ND	0.200	--	ND	0.793	--		1
2-Chlorotoluene	ND	0.200	--	ND	1.04	--		1
n-Propylbenzene	ND	0.200	--	ND	0.983	--		1
4-Chlorotoluene	ND	0.200	--	ND	1.04	--		1
4-Ethyltoluene	ND	0.200	--	ND	0.983	--		1
1,3,5-Trimethylbenzene	ND	0.200	--	ND	0.983	--		1
tert-Butylbenzene	ND	0.200	--	ND	1.10	--		1
1,2,4-Trimethylbenzene	ND	0.200	--	ND	0.983	--		1
Decane	ND	0.200	--	ND	1.16	--		1
Benzyl chloride	ND	0.200	--	ND	1.04	--		1
1,3-Dichlorobenzene	ND	0.200	--	ND	1.20	--		1
1,4-Dichlorobenzene	ND	0.200	--	ND	1.20	--		1
sec-Butylbenzene	ND	0.200	--	ND	1.10	--		1
p-Isopropyltoluene	ND	0.200	--	ND	1.10	--		1
1,2-Dichlorobenzene	ND	0.200	--	ND	1.20	--		1
n-Butylbenzene	ND	0.200	--	ND	1.10	--		1
1,2-Dibromo-3-chloropropane	ND	0.200	--	ND	1.93	--		1
Undecane	ND	0.200	--	ND	1.28	--		1
Dodecane	ND	0.200	--	ND	1.39	--		1
1,2,4-Trichlorobenzene	ND	0.200	--	ND	1.48	--		1
Naphthalene	ND	0.200	--	ND	0.996	--		1
1,2,3-Trichlorobenzene	ND	0.200	--	ND	1.48	--		1
Hexachlorobutadiene	ND	0.200	--	ND	2.13	--		1



Project Name: BATCH CANISTER CERTIFICATION**Lab Number:** L2522581**Project Number:** CANISTER QC BAT**Report Date:** 11/17/25**Air Canister Certification Results**

Lab ID: L2522581-04

Date Collected: 04/12/25 13:00

Client ID: CAN 4957 SHELF 18

Date Received: 04/12/25

Sample Location:

Field Prep: Not Specified

Sample Depth:

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air - Mansfield Air Lab								

	Results	Qualifier	Units	RDL	Dilution Factor
Tentatively Identified Compounds					
Cyclotrisiloxane, Hexamethyl-	1.9	NJ	ppbV		1

Internal Standard	% Recovery	Qualifier	Acceptance Criteria
1,4-Difluorobenzene	96		60-140
Bromochloromethane	95		60-140
chlorobenzene-d5	93		60-140



Project Name: BATCH CANISTER CERTIFICATION
Project Number: CANISTER QC BAT

Lab Number: L2522581
Report Date: 11/17/25

Air Canister Certification Results

Lab ID: L2522581-04
Client ID: CAN 4957 SHELF 18
Sample Location:

Date Collected: 04/12/25 13:00
Date Received: 04/12/25
Field Prep: Not Specified

Sample Depth:

Matrix: Air
Anaytical Method: 48,TO-15
Analytical Date: 04/17/25 19:10
Analyst: KJD

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air - Mansfield Air Lab								
Vinyl acetate	ND	1.00	--	ND	3.52	--		1

Internal Standard	% Recovery	Qualifier	Acceptance Criteria
1,4-Difluorobenzene	100		60-140
Bromochloromethane	99		60-140
chlorobenzene-d5	103		60-140



Project Name: BATCH CANISTER CERTIFICATION
Project Number: CANISTER QC BAT

Lab Number: L2522581
Report Date: 11/17/25

Air Canister Certification Results

Lab ID: L2522581-04
Client ID: CAN 4957 SHELF 18
Sample Location:

Date Collected: 04/12/25 13:00
Date Received: 04/12/25
Field Prep: Not Specified

Sample Depth:

Matrix: Air
Analytical Method: 48,TO-15-SIM
Analytical Date: 04/16/25 22:29
Analyst: KJD

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air by SIM - Mansfield Air Lab								
Dichlorodifluoromethane	ND	0.200	--	ND	0.989	--		1
Chloromethane	ND	0.200	--	ND	0.413	--		1
Freon-114	ND	0.050	--	ND	0.349	--		1
Vinyl chloride	ND	0.020	--	ND	0.051	--		1
1,3-Butadiene	ND	0.020	--	ND	0.044	--		1
Bromomethane	ND	0.020	--	ND	0.078	--		1
Chloroethane	ND	0.100	--	ND	0.264	--		1
Acetone	ND	1.00	--	ND	2.38	--		1
Trichlorofluoromethane	ND	0.050	--	ND	0.281	--		1
Acrylonitrile	ND	0.500	--	ND	1.09	--		1
1,1-Dichloroethene	ND	0.020	--	ND	0.079	--		1
Methylene chloride	ND	0.500	--	ND	1.74	--		1
Freon-113	ND	0.050	--	ND	0.383	--		1
trans-1,2-Dichloroethene	ND	0.020	--	ND	0.079	--		1
1,1-Dichloroethane	ND	0.020	--	ND	0.081	--		1
Methyl tert butyl ether	ND	0.200	--	ND	0.721	--		1
2-Butanone	ND	0.500	--	ND	1.47	--		1
cis-1,2-Dichloroethene	ND	0.020	--	ND	0.079	--		1
Chloroform	ND	0.020	--	ND	0.098	--		1
1,2-Dichloroethane	ND	0.020	--	ND	0.081	--		1
Benzene	ND	0.100	--	ND	0.319	--		1
Carbon tetrachloride	ND	0.020	--	ND	0.126	--		1
1,2-Dichloropropane	ND	0.020	--	ND	0.092	--		1
Bromodichloromethane	ND	0.020	--	ND	0.134	--		1



Project Name: BATCH CANISTER CERTIFICATION
Project Number: CANISTER QC BAT

Lab Number: L2522581
Report Date: 11/17/25

Air Canister Certification Results

Lab ID: L2522581-04
Client ID: CAN 4957 SHELF 18
Sample Location:

Date Collected: 04/12/25 13:00
Date Received: 04/12/25
Field Prep: Not Specified

Sample Depth:

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air by SIM - Mansfield Air Lab								
1,4-Dioxane	ND	0.100	--	ND	0.360	--		1
Trichloroethene	ND	0.020	--	ND	0.107	--		1
cis-1,3-Dichloropropene	ND	0.020	--	ND	0.091	--		1
4-Methyl-2-pentanone	ND	0.500	--	ND	2.05	--		1
trans-1,3-Dichloropropene	ND	0.020	--	ND	0.091	--		1
1,1,2-Trichloroethane	ND	0.020	--	ND	0.109	--		1
Toluene	ND	0.100	--	ND	0.377	--		1
Dibromochloromethane	ND	0.020	--	ND	0.170	--		1
1,2-Dibromoethane	ND	0.020	--	ND	0.154	--		1
Tetrachloroethene	ND	0.020	--	ND	0.136	--		1
1,1,1,2-Tetrachloroethane	ND	0.020	--	ND	0.137	--		1
Chlorobenzene	ND	0.100	--	ND	0.461	--		1
Ethylbenzene	ND	0.020	--	ND	0.087	--		1
p/m-Xylene	ND	0.040	--	ND	0.174	--		1
Bromoform	ND	0.020	--	ND	0.207	--		1
Styrene	ND	0.020	--	ND	0.085	--		1
1,1,1,2,2-Tetrachloroethane	ND	0.020	--	ND	0.137	--		1
o-Xylene	ND	0.020	--	ND	0.087	--		1
Isopropylbenzene	ND	0.200	--	ND	0.983	--		1
4-Ethyltoluene	ND	0.020	--	ND	0.098	--		1
1,3,5-Trimethybenzene	ND	0.020	--	ND	0.098	--		1
1,2,4-Trimethylbenzene	ND	0.020	--	ND	0.098	--		1
Benzyl chloride	ND	0.100	--	ND	0.518	--		1
1,3-Dichlorobenzene	ND	0.020	--	ND	0.120	--		1
1,4-Dichlorobenzene	ND	0.020	--	ND	0.120	--		1
sec-Butylbenzene	ND	0.200	--	ND	1.10	--		1
p-Isopropyltoluene	ND	0.200	--	ND	1.10	--		1



Project Name: BATCH CANISTER CERTIFICATION
Project Number: CANISTER QC BAT

Lab Number: L2522581
Report Date: 11/17/25

Air Canister Certification Results

Lab ID: L2522581-04
Client ID: CAN 4957 SHELF 18
Sample Location:

Date Collected: 04/12/25 13:00
Date Received: 04/12/25
Field Prep: Not Specified

Sample Depth:

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air by SIM - Mansfield Air Lab								
1,2-Dichlorobenzene	ND	0.020	--	ND	0.120	--		1
n-Butylbenzene	ND	0.200	--	ND	1.10	--		1
1,2,4-Trichlorobenzene	ND	0.050	--	ND	0.371	--		1
Naphthalene	ND	0.050	--	ND	0.262	--		1
1,2,3-Trichlorobenzene	ND	0.050	--	ND	0.371	--		1
Hexachlorobutadiene	ND	0.050	--	ND	0.533	--		1

Internal Standard	% Recovery	Qualifier	Acceptance Criteria
1,4-difluorobenzene	94		60-140
bromochloromethane	95		60-140
chlorobenzene-d5	90		60-140



Project Name: BATCH CANISTER CERTIFICATION
Project Number: CANISTER QC BAT

Lab Number: L2522581
Report Date: 11/17/25

Air Canister Certification Results

Lab ID: L2522581-04
Client ID: CAN 4957 SHELF 18
Sample Location:

Date Collected: 04/12/25 13:00
Date Received: 04/12/25
Field Prep: Not Specified

Sample Depth:

Matrix: Air
Analytical Method: 48,TO-15-SIM
Analytical Date: 04/17/25 19:10
Analyst: KJD

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air by SIM - Mansfield Air Lab								
Acrolein	ND	0.050	--	ND	0.115	--		1
1,1,1-Trichloroethane	ND	0.020	--	ND	0.109	--		1

Internal Standard	% Recovery	Qualifier	Acceptance Criteria
1,4-difluorobenzene	99		60-140
bromochloromethane	98		60-140
chlorobenzene-d5	102		60-140



Project Name: FROST ST. 001
Project Number: Not Specified

Sample Receipt and Container Information

Were project specific reporting limits specified? YES

Cooler Information

Cooler	Custody Seal
NA	Absent

Container Information

Container ID	Container Type	Cooler	Initial pH	Final pH	Temp deg C	Pres	Seal	Frozen Date/Time	Analysis(*)
L2571579-01A	Canister - 3L (Batch Certified)	NA	NA			Y	Absent		TO15-LL(30)
L2571579-02A	Canister - 3L (Batch Certified)	NA	NA			Y	Absent		TO15-LL(30)

*Values in parentheses indicate holding time in days



Project Name: FROST ST. 001**Lab Number:** L2571579**Project Number:** Not Specified**Report Date:** 11/17/25

GLOSSARY

Acronyms

DL	- Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the limit of quantitation (LOQ). The DL includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)
EDL	- Estimated Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The EDL includes any adjustments from dilutions, concentrations or moisture content, where applicable. The use of EDLs is specific to the analysis of PAHs using Solid-Phase Microextraction (SPME).
EMPC	- Estimated Maximum Possible Concentration: The concentration that results from the signal present at the retention time of an analyte when the ions meet all of the identification criteria except the ion abundance ratio criteria. An EMPC is a worst-case estimate of the concentration.
EPA	- Environmental Protection Agency.
LCS	- Laboratory Control Sample: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
LCSD	- Laboratory Control Sample Duplicate: Refer to LCS.
LFB	- Laboratory Fortified Blank: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
LOD	- Limit of Detection: This value represents the level to which a target analyte can reliably be detected for a specific analyte in a specific matrix by a specific method. The LOD includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)
LOQ	- Limit of Quantitation: The value at which an instrument can accurately measure an analyte at a specific concentration. The LOQ includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.) Limit of Quantitation: The value at which an instrument can accurately measure an analyte at a specific concentration. The LOQ includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)
MDL	- Method Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The MDL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
MS	- Matrix Spike Sample: A sample prepared by adding a known mass of target analyte to a specified amount of matrix sample for which an independent estimate of target analyte concentration is available. For Method 332.0, the spike recovery is calculated using the native concentration, including estimated values.
MSD	- Matrix Spike Sample Duplicate: Refer to MS.
NA	- Not Applicable.
NC	- Not Calculated: Term is utilized when one or more of the results utilized in the calculation are non-detect at the parameter's reporting unit.
NDPA/DPA	- N-Nitrosodiphenylamine/Diphenylamine.
NI	- Not Ignitable.
NP	- Non-Plastic: Term is utilized for the analysis of Atterberg Limits in soil.
NR	- No Results: Term is utilized when 'No Target Compounds Requested' is reported for the analysis of Volatile or Semivolatile Organic TIC only requests.
RL	- Reporting Limit: The value at which an instrument can accurately measure an analyte at a specific concentration. The RL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
RPD	- Relative Percent Difference: The results from matrix and/or matrix spike duplicates are primarily designed to assess the precision of analytical results in a given matrix and are expressed as relative percent difference (RPD). Values which are less than five times the reporting limit for any individual parameter are evaluated by utilizing the absolute difference between the values; although the RPD value will be provided in the report.
SRM	- Standard Reference Material: A reference sample of a known or certified value that is of the same or similar matrix as the associated field samples.
STLP	- Semi-dynamic Tank Leaching Procedure per EPA Method 1315.
TEF	- Toxic Equivalency Factors: The values assigned to each dioxin and furan to evaluate their toxicity relative to 2,3,7,8-TCDD.
TEQ	- Toxic Equivalent: The measure of a sample's toxicity derived by multiplying each dioxin and furan by its corresponding TEF and then summing the resulting values.
TIC	- Tentatively Identified Compound: A compound that has been identified to be present and is not part of the target compound list (TCL) for the method and/or program. All TICs are qualitatively identified and reported as estimated concentrations.

Report Format: Data Usability Report

Project Name: FROST ST. 001**Lab Number:** L2571579**Project Number:** Not Specified**Report Date:** 11/17/25**Footnotes**

- 1 - The reference for this analyte should be considered modified since this analyte is absent from the target analyte list of the original method.

Terms

Analytical Method: Both the document from which the method originates and the analytical reference method. (Example: EPA 8260B is shown as 1,8260B.) The codes for the reference method documents are provided in the References section of the Addendum.

Chlordane: The target compound Chlordane (CAS No. 57-74-9) is reported for GC ECD analyses. Per EPA, this compound "refers to a mixture of chlordane isomers, other chlorinated hydrocarbons and numerous other components." (Reference: USEPA Toxicological Review of Chlordane, In Support of Summary Information on the Integrated Risk Information System (IRIS), December 1997.)

Difference: With respect to Total Oxidizable Precursor (TOP) Assay analysis, the difference is defined as the Post-Treatment value minus the Pre-Treatment value.

Final pH: As it pertains to Sample Receipt & Container Information section of the report, Final pH reflects pH of container determined after adjustment at the laboratory, if applicable. If no adjustment required, value reflects Initial pH.

Frozen Date/Time: With respect to Volatile Organics in soil, Frozen Date/Time reflects the date/time at which associated Reagent Water-preserved vials were initially frozen. Note: If frozen date/time is beyond 48 hours from sample collection, value will be reflected in 'bold'.

Gasoline Range Organics (GRO): Gasoline Range Organics (GRO) results include all chromatographic peaks eluting from Methyl tert butyl ether through Naphthalene, with the exception of GRO analysis in support of State of Ohio programs, which includes all chromatographic peaks eluting from Hexane through Dodecane.

Initial pH: As it pertains to Sample Receipt & Container Information section of the report, Initial pH reflects pH of container determined upon receipt, if applicable.

PAH Total: With respect to Alkylated PAH analyses, the 'PAHs, Total' result is defined as the summation of results for all or a subset of the following compounds: Naphthalene, C1-C4 Naphthalenes, 2-Methylnaphthalene, 1-Methylnaphthalene, Biphenyl, Acenaphthylene, Acenaphthene, Fluorene, C1-C3 Fluorenes, Phenanthrene, C1-C4 Phenanthrenes/Anthracenes, Anthracene, Fluoranthene, Pyrene, C1-C4 Fluoranthenes/Pyrenes, Benz(a)anthracene, Chrysene, C1-C4 Chrysenes, Benzo(b)fluoranthene, Benzo(j)+(k)fluoranthene, Benzo(e)pyrene, Benzo(a)pyrene, Perylene, Indeno(1,2,3-cd)pyrene, Dibenz(ah)+(ac)anthracene, Benzo(g,h,i)perylene. If a 'Total' result is requested, the results of its individual components will also be reported.

PFAS Total: With respect to PFAS analyses, the 'PFAS, Total (5)' result is defined as the summation of results for: PFHpA, PFHxS, PFOA, PFNA and PFOS. In addition, the 'PFAS, Total (6)' result is defined as the summation of results for: PFHpA, PFHxS, PFOA, PFNA, PFDA and PFOS. For MassDEP DW compliance analysis only, the 'PFAS, Total (6)' result is defined as the summation of results at or above the RL. Note: If a 'Total' result is requested, the results of its individual components will also be reported.

Total: With respect to Organic analyses, a 'Total' result is defined as the summation of results for individual isomers or Aroclors. If a 'Total' result is requested, the results of its individual components will also be reported. This is applicable to 'Total' results for methods 8260, 8081 and 8082.

Data Qualifiers

- A** - Spectra identified as "Aldol Condensates" are byproducts of the extraction/concentration procedures when acetone is introduced in the process.
- B** - The analyte was detected above the reporting limit in the associated method blank. Flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For MCP-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For DOD-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank AND the analyte was detected above one-half the reporting limit (or above the reporting limit for common lab contaminants) in the associated method blank. For NJ-Air-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte above the reporting limit. For NJ-related projects (excluding Air), flag only applies to associated field samples that have detectable concentrations of the analyte, which was detected above the reporting limit in the associated method blank or above five times the reporting limit for common lab contaminants (Phthalates, Acetone, Methylene Chloride, 2-Butanone).
- C** - Co-elution: The target analyte co-elutes with a known lab standard (i.e. surrogate, internal standards, etc.) for co-extracted analyses.
- D** - Concentration of analyte was quantified from diluted analysis. Flag only applies to field samples that have detectable concentrations of the analyte.
- E** - Concentration of analyte exceeds the range of the calibration curve and/or linear range of the instrument.
- F** - The ratio of quantifier ion response to qualifier ion response falls outside of the laboratory criteria. Results are considered to be an estimated maximum concentration.
- G** - The concentration may be biased high due to matrix interferences (i.e. co-elution) with non-target compound(s). The result should be considered estimated.
- H** - The analysis of pH was performed beyond the regulatory-required holding time of 15 minutes from the time of sample collection.
- I** - The lower value for the two columns has been reported due to obvious interference.
- J** - Estimated value. This represents an estimated concentration for Tentatively Identified Compounds (TICs).
- M** - Reporting Limit (RL) exceeds the MCP CAM Reporting Limit for this analyte.

Report Format: Data Usability Report



Project Name: FROST ST. 001**Lab Number:** L2571579**Project Number:** Not Specified**Report Date:** 11/17/25**Data Qualifiers**

- ND** - Not detected at the reporting limit (RL) for the sample.
- NJ** - Presumptive evidence of compound. This represents an estimated concentration for Tentatively Identified Compounds (TICs), where the identification is based on a mass spectral library search.
- P** - The RPD between the results for the two columns exceeds the method-specified criteria.
- Q** - The quality control sample exceeds the associated acceptance criteria. For DOD-related projects, LCS and/or Continuing Calibration Standard exceedences are also qualified on all associated sample results. Note: This flag is not applicable for matrix spike recoveries when the sample concentration is greater than 4x the spike added or for batch duplicate RPD when the sample concentrations are less than 5x the RL. (Metals only.)
- R** - Analytical results are from sample re-analysis.
- RE** - Analytical results are from sample re-extraction.
- S** - Analytical results are from modified screening analysis.
- V** - The surrogate associated with this target analyte has a recovery outside the QC acceptance limits. (Applicable to MassDEP DW Compliance samples only.)
- Z** - The batch matrix spike and/or duplicate associated with this target analyte has a recovery/RPD outside the QC acceptance limits. (Applicable to MassDEP DW Compliance samples only.)

Project Name: FROST ST. 001**Lab Number:** L2571579**Project Number:** Not Specified**Report Date:** 11/17/25

REFERENCES

- 48 Compendium of Methods for the Determination of Toxic Organic Compounds in Ambient Air. Second Edition. EPA/625/R-96/010b, January 1999.

LIMITATION OF LIABILITIES

Pace Analytical Services performs services with reasonable care and diligence normal to the analytical testing laboratory industry. In the event of an error, the sole and exclusive responsibility of Pace Analytical Services shall be to re-perform the work at it's own expense. In no event shall Pace Analytical Services be held liable for any incidental, consequential or special damages, including but not limited to, damages in any way connected with the use of, interpretation of, information or analysis provided by Pace Analytical Services.

We strongly urge our clients to comply with EPA protocol regarding sample volume, preservation, cooling, containers, sampling procedures, holding time and splitting of samples in the field.



Pace Analytical Services LLCFacility: **Northeast**Department: **Quality Assurance**Title: **Certificate/Approval Program Summary**ID No.: **17873**Revision **28**Published Date: **07/25/2025**Page **1** of **2****Certification Information**

The following analytes are not included in our Primary NELAP Scope of Accreditation:

Westborough Facility – 8 Walkup Dr. Westborough, MA 01581**EPA 624.1:** m/p-xylene, o-xylene, Naphthalene**EPA 625.1:** alpha-Terpineol**EPA 8260D:** NPW: 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene; SCM: Iodomethane (methyl iodide), 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene.**EPA 8270E:** NPW: Dimethylnaphthalene, 1,4-Diphenylhydrazine, alpha-Terpineol, Azobenzene; SCM: Dimethylnaphthalene, 1,4-Diphenylhydrazine.**SM4500:** NPW: Amenable Cyanide; SCM: Total Phosphorus, TKN, NO₂, NO₃.**Mansfield Facility – 320 Forbes Blvd. Mansfield, MA 02048****SM 2540D:** TSS.**EPA TO-15:** Halothane, 2,4,4-Trimethyl-2-pentene, 2,4,4-Trimethyl-1-pentene, Thiophene, 2-Methylthiophene,

3-Methylthiophene, 2-Ethylthiophene, 1,2,3-Trimethylbenzene, Indan, Indene, 1,2,4,5-Tetramethylbenzene, Benzothiophene, 1-Methylnaphthalene.

MADEP-APH.**Nonpotable Water:** **EPA RSK-175 Dissolved Gases****Biological Tissue Matrix:** EPA 3050B**Mansfield Facility – 120 Forbes Blvd. Mansfield, MA 02048****EPA TO-15:** Halothane, 2,4,4-Trimethyl-2-pentene, 2,4,4-Trimethyl-1-pentene, Thiophene, 2-Methylthiophene,

3-Methylthiophene, 2-Ethylthiophene, 1,2,3-Trimethylbenzene, Indan, Indene, 1,2,4,5-Tetramethylbenzene, Benzothiophene, 1-Methylnaphthalene.

Nonpotable Water: **EPA RSK-175 Dissolved Gases**

The following test method is not included in our New Jersey Secondary NELAP Scope of Accreditation:

Mansfield Facility – 320 Forbes Blvd. Mansfield, MA 02048**Determination of Selected Perfluorinated Alkyl Substances by Solid Phase Extraction and Liquid Chromatography/Tandem Mass Spectrometry Isotope Dilution (via Alpha SOP 23528)**

The following analytes are included in our Massachusetts DEP Scope of Accreditation

Westborough Facility – 8 Walkup Dr. Westborough, MA 01581**Drinking Water****EPA 300.0:** Chloride, Nitrate-N, Fluoride, Sulfate; **EPA 353.2:** Nitrate-N, Nitrite-N; **SM4500NO3-F:** Nitrate-N, Nitrite-N; **SM4500F-C, SM4500CN-CE, EPA 180.1, SM2130B, SM4500Cl-D, SM2320B, SM2540C, SM4500H-B, SM4500NO2-B****EPA 524.2:** THMs and VOCs; **EPA 504.1:** EDB, DBCP.**Microbiology:** **SM9215B; SM9223-P/A, SM9223B-Colilert-QT, SM9222D.****Non-Potable Water****SM4500H,B, EPA 120.1, SM2510B, SM2540C, SM2320B, SM4500CL-E, SM4500F-BC, SM4500NH3-BH:** Ammonia-N and Kjeldahl-N, **EPA 350.1:** Ammonia-N, **LACHAT 10-107-06-1-B:** Ammonia-N, **EPA 351.1, SM4500NO3-F, EPA 353.2:** Nitrate-N, **SM4500P-E, SM4500P-B, E, SM4500SO4-E, SM5220D, EPA 410.4, SM5210B, SM5310C, SM4500CL-D, SM4500CL-G, EPA 1664, EPA 420.1, SM4500-CN-CE, SM2540D, EPA 300:** Chloride, Sulfate, Nitrate.**EPA 624.1:** Volatile Halocarbons & Aromatics,**EPA 608.3:** Chlordane, Toxaphene, Aldrin, alpha-BHC, beta-BHC, gamma-BHC, delta-BHC, Dieldrin, DDD, DDE, DDT, Endosulfan I, Endosulfan II, Endosulfan sulfate, Endrin, Endrin Aldehyde, Heptachlor, Heptachlor Epoxide, PCBs**EPA 625.1:** SVOC (Acid/Base/Neutral Extractables).**Microbiology:** **SM9223B-Colilert-QT; Enterolert-QT.****Mansfield Facility – 320 Forbes Blvd. Mansfield, MA 02048****Drinking Water****EPA 200.7:** Al, Ba, Cd, Cr, Cu, Fe, Mn, Ni, Na, Ag, Ca, Zn. **EPA 200.8:** Al, Sb, As, Ba, Be, Cd, Cr, Cu, Pb, Mn, Ni, Se, Ag, TL, Zn. **EPA 245.1 Hg. EPA 522, EPA 537.1.****Non-Potable Water****EPA 200.7:** Al, Sb, As, Be, Cd, Ca, Cr, Co, Cu, Fe, Pb, Mg, Mn, Mo, Ni, K, Se, Ag, Na, Sr, TL, Ti, V, Zn.**EPA 200.8:** Al, Sb, As, Be, Cd, Ca, Cr, Cu, Fe, Pb, Mg, Mn, Ni, K, Se, Ag, Na, TL, Zn.**EPA 245.1:** Hg. **EPA 245.7:** Hg.**SM2340B**

Pace Analytical Services LLCID No.: **17873**Facility: **Northeast**

Revision 28

Department: **Quality Assurance**

Published Date: 07/25/2025

Title: **Certificate/Approval Program Summary**

Page 2 of 2

Certification IDs:**Westborough Facility – 8 Walkup Dr. Westborough, MA 01581**

CT PH-0826, IL 200077, IN C-MA-03, KY KY98045, ME MA00086, MD 348, MA M-MA086, NH 2064, NJ MA935, NY 11148, NC (DW) 25700, NC (NPW/SCM) 666, OR MA-1316, PA 68-03671, RI LAO00065, TX T104704476, VT VT-0935, VA 460195

Mansfield Facility – 320 Forbes Blvd. Mansfield, MA 02048

MA M-MA00030, CT PH-0825, ANAB/DoD L2474, IL 200081, IN C-MA-04, KY KY98046, LA 85084, ME MA00030, MI 9110, MN 025-999-495, NH 2062, NJ MA015, NY 11627, NC (NPW/SCM) 685, OR MA-0262, PA 68-02089, RI LAO00299, TX T-104704419, VT VT-0015, VA 460194, WA C954

Mansfield Facility – 120 Forbes Blvd. Mansfield, MA 02048

ANAB/DoD L2474, LA 245052, ME MA01156, MN 025-999-498, NH 2249, NJ MA025, NY 12191, OR 4203, TX T104704583, VA 460311, WA C1104.

For a complete listing of analytes and methods, please contact your Project Manager.



Sample Delivery Group Summary

Pace Job Number : L2571579

Received : 10-NOV-2025

Account Name : Envirotrac Ltd.

Reviewer : Christopher J Anderson

Project Number :

Project Name : FROST ST. 001

Delivery Information

Samples Delivered By : Pace Courier

Chain of Custody : Present

Cooler Information

Cooler	Seal/Seal#	Preservation	Temperature(°C)	Additional Information
NA	Absent/			

Condition Information

- | | |
|--|-----|
| 1) All samples on COC received? | YES |
| 2) Extra samples received? | NO |
| 3) Are there any sample container discrepancies? | NO |
| 4) Are there any discrepancies between COC & sample labels? | NO |
| 5) Are samples in appropriate containers for requested analysis? | YES |
| 6) Are samples properly preserved for requested analysis? | YES |
| 7) Are samples within holding time for requested analysis? | YES |
| 8) All sampling equipment returned? | YES |

Volatile Organics/VPH

- | | |
|--|----|
| 1) Reagent Water Vials Frozen by Client? | NA |
|--|----|