

Via email to rob.decandia@dec.ny.gov

April 11, 2019

Mr. Robert D. DeCandia Jr. P.E.
NYSDEC, Division of Environmental Remediation
Division of Environmental Remediation
625 Broadway
Albany, New York 12233-7015

Re: Progress Report: March 2019
Frost Street Sites: Site ID #s 1-30043 I, L, M
New Cassel Industrial Area, Westbury, New York

Dear Mr. DeCandia:

EnSafe Inc. is pleased to submit this Progress Report for the Frost Street Sites (Site ID #s 1-30043 I, L, M) for work completed in March 2019.

Soil Vapor Extraction (SVE)/Air Sparge (AS) System Operation and Maintenance (O&M) (OU1)

- Operations continued this month, per the O&M Manual. During periodic O&M visits, system parameters were logged on dedicated O&M forms (**Appendix A**). One alarm call was received in March 2019 due to a high moisture level alarm and was rectified by restarting the system.
- The Frost Street Parties submitted a proposal for system reconfiguration/optimization to support site redevelopment efforts on September 27, 2018. NYSDEC preliminary comments were received via email on December 20, 2018; once a formal comment letter is received, the Frost Street Parties will prepare a response and/or revised proposal, as needed.
- Quantitative sampling of the SVE system granular activated carbon influent and effluent air flow was conducted on March 21, 2019, using Summa canisters. These samples were obtained by EnviroTrac, submitted to Phoenix Environmental Laboratories, and analyzed by Method TO-15. Results are included in **Appendix B**.
 - Photoionization detector readings continue to indicate significant mass extraction. It should be noted: the system air samples were collected shortly after AS startup after completion of groundwater sampling activities, therefore the low results are not considered representative of site conditions.

| Frost Street Sites Effluent Compliance | | | |
|---|---------------------------------------|--|--|
| System Flow Rate = | | 800 | ft ³ /m |
| Compound | Annual Mass Emission Limit (lbs/year) | Carbon Exchange Required Indicator Concentration (µg/m ³) ² | March 2019 Effluent Concentration (µg/m ³) |
| Trichloroethene | 500 | 19,000 | ND |
| Tetrachloroethene | 1,000 | 38,000 | 0.94 |
| Vinyl Chloride | 100 | 3,800 | ND |
| Cis-1,2-Dichloroethene ¹ | 100 | 3,800 | 0.35 |

Notes:

Source of Mass Emission Limit: Part 212-2.2 Table 2 - High Toxicity Air Contaminant List

- 1 Cis-1,2-dichloroethene is not a listed HTAC, so the default is 100 lbs/year.
- 2 These limits were calculated based on Frost Street-specific system operations (i.e., flow rate) in order to remain below the annual HTAC emissions listed in Part 212-2.2 Table 2. Remaining below these concentrations ensures that annual emissions will not exceed the limit which demonstrates compliance with Part 212 without having to perform compound-specific analyses.

Groundwater Extraction/Hydraulic Containment System Installation (OU2)

Currently, the pumps in EX-1A, EX-1C, and EX-1D are operating near design flow rates. The EX-1A pump was replaced and put into service on April 9, 2019. The pump in EX-1B failed in late January 2019 and was pulled on April 3, 2019; it is currently being diagnosed to determine the cause of the failure.

EnSafe collected and prepared the additional information requested by NYSDEC on February 21, 2019, (additional pressure transducer data and groundwater elevation maps) to facilitate review and comment on the *Expanded Pumping Test Summary, Findings, and Recommendations*, submitted on August 10, 2018. This information was transmitted to NYSDEC on March 22, 2019.

Groundwater Monitoring

- The first quarter 2019 sampling event was completed the week of March 18, 2019; results will be submitting in a forthcoming report when available.

If you have any questions or require additional information, please do not hesitate to contact me at 860-665-1140 or astark@ensafe.com.

Sincerely,

EnSafe, Inc., by



Alexandra Stark, P.E.

Attachments

Copies: A. Tamuno, Esq., NYSDEC
C. Bethoney, NYSDOH
J. Nealon, NYSDOH
R. Putnam, NCDOH
J. Vasquez, U.S. EPA
T. Pupilla, Sanders Equities
K. Maldonado, Esq.
J. Privitera, Esq.
P. Coop, EnSafe
J. Wilkinson, Envirotrac

Via email to amtamuno@gw.dec.state.ny.us
Via email to charlotte.bethoney@health.ny.gov
Via email to jacquelyn.nealon@health.ny.gov
Via email to rputnam@nassaucountyny.gov
Via email to vazquez.julio@epa.gov
Via email to tpupilla@sandersequities.com
Via email to kevinmaldonado64@yahoo.com
Via email to privitera@mltw.com
Via email to pcoop@ensafe.com
Via email to jamesw@envirotrac.com

Appendix A
SVE/AS System O&M Logs

Operation & Maintenance Data Sheet
Ensafe-Frost Street
101 Frost Street
Westbury, NY

EnviroTrac Environmental Services
5 Old Dock Road, Yaphank, NY 11980
(631)924-3001, Fax (631)924-5001

Date: 7-Mar
Weather / Temp: Clear / 35 DEG
Technician / Operator: JW

Arrival Time: 11:00
Departure Time: 11:30

| System Status | | | | | |
|---|-----------------|-----------|--|---------------------------------|-----------|
| | Arrival | Departure | | Arrival | Departure |
| SVE Blower 1 (ON/OFF) | ON | ON | Sensaphone (ON/OFF) | ON | ON |
| SVE Blower 2 (ON/OFF) | OFF | OFF | Surge Protection (ON/OFF) | ON | ON |
| AS Compressor 1 (ON/OFF) | OFF | OFF | Lightning Protection (White/Black) | White | White |
| AS Compressor 2 (ON/OFF) | ON | ON | | | |
| Soil Vapor Extraction System | | | | | |
| Blower Air Velocity/Flow Rate (fpm)/(cfm) | 4600 | 903 | Blower 1 Total Runtime (hrs) | 53,920.5 | |
| Blower 1 Fresh Air Valve Open (%) | 0 | | Blower 2 Total Runtime (hrs) | 52,259.4 | |
| Blower 2 Fresh Air Valve Open (%) | 0 | | Blower 1 Air Filter Differential Pressure ("H2O) | 0 | |
| Moisture Separator Vacuum ("Hg) | 4.5 | | Blower 2 Air Filter Differential Pressure ("H2O) | 0 | |
| VGAC-1 Influent Vacuum ("H2O) | 50 | | VGAC-1 Influent PID (ppm) | 4.5 | |
| VGAC-1 Effluent Vacuum ("H2O) | 55 | | VGAC-1 Effluent PID (ppm) | 0.0 | |
| VGAC-2 Influent Vacuum ("H2O) | 50 | | VGAC-2 Influent PID (ppm) | 4.5 | |
| VGAC-2 Effluent Vacuum ("H2O) | 55 | | VGAC-2 Effluent PID (ppm) | 0.0 | |
| VGAC-3 Influent Pressure ("H2O) | 6 | | VGAC-3 Influent PID (ppm) | 0.0 | |
| VGAC-3 Effluent Pressure ("H2O) | 2 | | VGAC-3 Effluent PID (ppm) | 0.0 | |
| VGAC-3 Influent Temp (DegF) | 135 | | Blower Effluent PID (ppm) | 0.0 | |
| Blower Effluent Pressure ("H2O) | 17 | | | | |
| Transfer Pump Total Runtime (hrs) | 25,034.9 | | Condensate Storage Tank Level (gal) | 20 | |
| SVE Manifold Legs - Vacuum/Flow Rate/PID | | | | | |
| | Vacuum | Velocity | Flow Rate | PID | |
| SVE-1 ("H2O)/(FPM)/(cfm)/(ppm) | 54 | 8000 | 175 | SVE-4 ("H2O)/(FPM)/(cfm)/(ppm) | 48 |
| SVE-2 ("H2O)/(FPM)/(cfm)/(ppm) | 56 | 5000 | 109 | SVE-5 ("H2O)/(FPM)/(cfm)/(ppm) | 48 |
| SVE-3 ("H2O)/(FPM)/(cfm)/(ppm) | 48 | 5500 | 120 | SVE-6B ("H2O)/(FPM)/(cfm)/(ppm) | 46 |
| SVE-3A ("H2O)/(FPM)/(cfm)/(ppm) | 48 | 4500 | 98 | SVE-7 ("H2O)/(FPM)/(cfm)/(ppm) | 48 |
| Air Sparge System | | | | | |
| Compressor 1 Pressure (psi) | Off for repairs | | Compressor 2 Pressure (psi) | 92 | |
| Compressor 1 Temperature (degF) | Off for repairs | | Compressor 2 Temperature (degF) | 173 | |
| Compressor 1 Runtime (hrs) | 27,317 | | Compressor 2 Runtime (hrs) | 31,292 | |
| Manifold Regulator Pressure (psi) | 80 | | | | |
| AS Manifold Legs - Pressure/Flow Rate | | | | | |
| | Pressure | Flow Rate | | Pressure | Flow Rate |
| AS-1 (psi)/(cfm) | 20 | 5 | AS-11 (psi)/(cfm) | 18 | 7 |
| AS-2 (psi)/(cfm) | 18 | 5 | AS-12B (psi)/(cfm) | 16 | 6 |
| AS-3 (psi)/(cfm) | 17 | 9 | AS-13B (psi)/(cfm) | 16 | 6 |
| AS-4 (psi)/(cfm) | 16 | 10 | AS-14 (psi)/(cfm) | 16 | 8 |
| AS-5 (psi)/(cfm) | 16 | 10 | AS-15 (psi)/(cfm) | 16 | 8 |
| AS-6 (psi)/(cfm) | 16 | 8 | AS-16B (psi)/(cfm) | 16 | 8 |
| AS-7 (psi)/(cfm) | 16 | 8 | AS-17 (psi)/(cfm) | 17 | 4 |
| AS-8 (psi)/(cfm) | 18 | 10 | AS-18 (psi)/(cfm) | 17 | 6 |
| AS-9 (psi)/(cfm) | 18 | 9 | AS-19 (psi)/(cfm) | 17 | 8 |
| AS-10B (psi)/(cfm) | 16 | 6 | | | |

Notes, Comments & Observations:

LGAC drum leaking from hole in center of drum.

Operation & Maintenance Data Sheet
Ensafe-Frost Street
101 Frost Street
Westbury, NY

EnviroTrac Environmental Services
5 Old Dock Road, Yaphank, NY 11980
(631)924-3001, Fax (631)924-5001

Date: 15-Mar
Weather / Temp: Clear / 45 DEG
Technician / Operator: JW

Arrival Time: 9:00
Departure Time: 10:30

| System Status | | | | | |
|---|-----------------|-----------|--|---------------------------------|-----------|
| | Arrival | Departure | | Arrival | Departure |
| SVE Blower 1 (ON/OFF) | ON | ON | Sensaphone (ON/OFF) | ON | ON |
| SVE Blower 2 (ON/OFF) | OFF | OFF | Surge Protection (ON/OFF) | ON | ON |
| AS Compressor 1 (ON/OFF) | OFF | OFF | Lightning Protection (White/Black) | White | White |
| AS Compressor 2 (ON/OFF) | ON | ON | | | |
| Soil Vapor Extraction System | | | | | |
| Blower Air Velocity/Flow Rate (fpm)/(cfm) | 4600 | 903 | Blower 1 Total Runtime (hrs) | 54,016.6 | |
| Blower 1 Fresh Air Valve Open (%) | 0 | | Blower 2 Total Runtime (hrs) | 52,293.7 | |
| Blower 2 Fresh Air Valve Open (%) | 0 | | Blower 1 Air Filter Differential Pressure ("H2O) | 0 | |
| Moisture Separator Vacuum ("Hg) | 4 | | Blower 2 Air Filter Differential Pressure ("H2O) | 0 | |
| VGAC-1 Influent Vacuum ("H2O) | 50 | | VGAC-1 Influent PID (ppm) | 2.4 | |
| VGAC-1 Effluent Vacuum ("H2O) | 55 | | VGAC-1 Effluent PID (ppm) | 0.0 | |
| VGAC-2 Influent Vacuum ("H2O) | 50 | | VGAC-2 Influent PID (ppm) | 2.4 | |
| VGAC-2 Effluent Vacuum ("H2O) | 55 | | VGAC-2 Effluent PID (ppm) | 0.0 | |
| VGAC-3 Influent Pressure ("H2O) | 6 | | VGAC-3 Influent PID (ppm) | 0.0 | |
| VGAC-3 Effluent Pressure ("H2O) | 2 | | VGAC-3 Effluent PID (ppm) | 0.0 | |
| VGAC-3 Influent Temp (DegF) | 135 | | Blower Effluent PID (ppm) | 0.0 | |
| Blower Effluent Pressure ("H2O) | 17 | | | | |
| Transfer Pump Total Runtime (hrs) | 25,035.9 | | Condensate Storage Tank Level (gal) | 20 | |
| SVE Manifold Legs - Vacuum/Flow Rate/PID | | | | | |
| | Vacuum | Velocity | Flow Rate | PID | |
| SVE-1 ("H2O)/(FPM)/(cfm)/(ppm) | 54 | 8000 | 175 | SVE-4 ("H2O)/(FPM)/(cfm)/(ppm) | 48 |
| SVE-2 ("H2O)/(FPM)/(cfm)/(ppm) | 56 | 5000 | 109 | SVE-5 ("H2O)/(FPM)/(cfm)/(ppm) | 48 |
| SVE-3 ("H2O)/(FPM)/(cfm)/(ppm) | 48 | 5500 | 120 | SVE-6B ("H2O)/(FPM)/(cfm)/(ppm) | 46 |
| SVE-3A ("H2O)/(FPM)/(cfm)/(ppm) | 48 | 4500 | 98 | SVE-7 ("H2O)/(FPM)/(cfm)/(ppm) | 48 |
| Air Sparge System | | | | | |
| Compressor 1 Pressure (psi) | Off for repairs | | Compressor 2 Pressure (psi) | 87 | |
| Compressor 1 Temperature (degF) | Off for repairs | | Compressor 2 Temperature (degF) | 161 | |
| Compressor 1 Runtime (hrs) | 27,317 | | Compressor 2 Runtime (hrs) | 31,423 | |
| Manifold Regulator Pressure (psi) | 80 | | | | |
| AS Manifold Legs - Pressure/Flow Rate | | | | | |
| | Pressure | Flow Rate | | Pressure | Flow Rate |
| AS-1 (psi)/(cfm) | 20 | 5 | AS-11 (psi)/(cfm) | 17 | 8 |
| AS-2 (psi)/(cfm) | 18 | 5 | AS-12B (psi)/(cfm) | 16 | 6 |
| AS-3 (psi)/(cfm) | 17 | 9 | AS-13B (psi)/(cfm) | 16 | 6 |
| AS-4 (psi)/(cfm) | 16 | 10 | AS-14 (psi)/(cfm) | 16 | 8 |
| AS-5 (psi)/(cfm) | 16 | 10 | AS-15 (psi)/(cfm) | 16 | 8 |
| AS-6 (psi)/(cfm) | 16 | 8 | AS-16B (psi)/(cfm) | 16 | 8 |
| AS-7 (psi)/(cfm) | 16 | 8 | AS-17 (psi)/(cfm) | 17 | 4 |
| AS-8 (psi)/(cfm) | 16 | 10 | AS-18 (psi)/(cfm) | 17 | 6 |
| AS-9 (psi)/(cfm) | 16 | 9 | AS-19 (psi)/(cfm) | 17 | 8 |
| AS-10B (psi)/(cfm) | 16 | 6 | | | |

Notes, Comments & Observations:

System off upon arrival, high level alarm on moisture separator but no water in tank.

Float switch wiring shorted out, repaired and restarted system.

Operation & Maintenance Data Sheet
Ensafe-Frost Street
101 Frost Street
Westbury, NY

EnviroTrac Environmental Services
5 Old Dock Road, Yaphank, NY 11980
(631)924-3001, Fax (631)924-5001

Date: 21-Mar
Weather / Temp: Rain / 45 DEG
Technician / Operator: JW

Arrival Time: 15:20
Departure Time: 16:20

| System Status | | | | | |
|---|-----------------|-----------|--|----------|---------------------------------|
| | Arrival | Departure | | Arrival | Departure |
| SVE Blower 1 (ON/OFF) | ON | OFF | Sensaphone (ON/OFF) | ON | ON |
| SVE Blower 2 (ON/OFF) | OFF | ON | Surge Protection (ON/OFF) | ON | ON |
| AS Compressor 1 (ON/OFF) | OFF | OFF | Lightning Protection (White/Black) | White | White |
| AS Compressor 2 (ON/OFF) | OFF | ON | | | |
| Soil Vapor Extraction System | | | | | |
| Blower Air Velocity/Flow Rate (fpm)/(cfm) | 4500 | 884 | Blower 1 Total Runtime (hrs) | 54,082.0 | |
| Blower 1 Fresh Air Valve Open (%) | 0 | | Blower 2 Total Runtime (hrs) | 52,347.7 | |
| Blower 2 Fresh Air Valve Open (%) | 0 | | Blower 1 Air Filter Differential Pressure ("H2O) | 0 | |
| Moisture Separator Vacuum ("Hg) | 4 | | Blower 2 Air Filter Differential Pressure ("H2O) | 0 | |
| VGAC-1 Influent Vacuum ("H2O) | 50 | | VGAC-1 Influent PID (ppm) | 3.2 | |
| VGAC-1 Effluent Vacuum ("H2O) | 55 | | VGAC-1 Effluent PID (ppm) | 0.0 | |
| VGAC-2 Influent Vacuum ("H2O) | 50 | | VGAC-2 Influent PID (ppm) | 3.2 | |
| VGAC-2 Effluent Vacuum ("H2O) | 55 | | VGAC-2 Effluent PID (ppm) | 0.0 | |
| VGAC-3 Influent Pressure ("H2O) | 6 | | VGAC-3 Influent PID (ppm) | 0.0 | |
| VGAC-3 Effluent Pressure ("H2O) | 2 | | VGAC-3 Effluent PID (ppm) | 0.0 | |
| VGAC-3 Influent Temp (DegF) | 118 | | Blower Effluent PID (ppm) | 0.0 | |
| Blower Effluent Pressure ("H2O) | 17 | | | | |
| Transfer Pump Total Runtime (hrs) | 25,035.9 | | Condensate Storage Tank Level (gal) | 100 | |
| SVE Manifold Legs - Vacuum/Flow Rate/PID | | | | | |
| | Vacuum | Velocity | Flow Rate | PID | |
| SVE-1 ("H2O)/(FPM)/(cfm)/(ppm) | 52 | 8000 | 175 | 6.8 | SVE-4 ("H2O)/(FPM)/(cfm)/(ppm) |
| SVE-2 ("H2O)/(FPM)/(cfm)/(ppm) | 55 | 4500 | 98 | 2.2 | SVE-5 ("H2O)/(FPM)/(cfm)/(ppm) |
| SVE-3 ("H2O)/(FPM)/(cfm)/(ppm) | 57 | 5100 | 111 | 1.5 | SVE-6B ("H2O)/(FPM)/(cfm)/(ppm) |
| SVE-3A ("H2O)/(FPM)/(cfm)/(ppm) | 46 | 4300 | 94 | 0.0 | SVE-7 ("H2O)/(FPM)/(cfm)/(ppm) |
| Air Sparge System | | | | | |
| Compressor 1 Pressure (psi) | Off for repairs | | Compressor 2 Pressure (psi) | 89 | |
| Compressor 1 Temperature (degF) | Off for repairs | | Compressor 2 Temperature (degF) | 171 | |
| Compressor 1 Runtime (hrs) | 27,317 | | Compressor 2 Runtime (hrs) | 31,512 | |
| Manifold Regulator Pressure (psi) | 80 | | | | |
| AS Manifold Legs - Pressure/Flow Rate | | | | | |
| | Pressure | Flow Rate | | Pressure | Flow Rate |
| AS-1 (psi)/(cfm) | 19 | 5 | AS-11 (psi)/(cfm) | 18 | 8 |
| AS-2 (psi)/(cfm) | 18 | 4 | AS-12B (psi)/(cfm) | 18 | 6 |
| AS-3 (psi)/(cfm) | 17 | 7 | AS-13B (psi)/(cfm) | 17 | 5 |
| AS-4 (psi)/(cfm) | 16 | 9 | AS-14 (psi)/(cfm) | 18 | 6 |
| AS-5 (psi)/(cfm) | 19 | 10 | AS-15 (psi)/(cfm) | 18 | 7 |
| AS-6 (psi)/(cfm) | 19 | 8 | AS-16B (psi)/(cfm) | 17 | 7 |
| AS-7 (psi)/(cfm) | 18 | 8 | AS-17 (psi)/(cfm) | 18 | 4 |
| AS-8 (psi)/(cfm) | 18 | 8 | AS-18 (psi)/(cfm) | 17 | 6 |
| AS-9 (psi)/(cfm) | 18 | 9 | AS-19 (psi)/(cfm) | 18 | 8 |
| AS-10B (psi)/(cfm) | 17 | 7 | | | |

Notes, Comments & Observations: _____

Restarted AS compressor after GW gauging event.

Operation & Maintenance Data Sheet
Ensafe-Frost Street
101 Frost Street
Westbury, NY

EnviroTrac Environmental Services
5 Old Dock Road, Yaphank, NY 11980
(631)924-3001, Fax (631)924-5001

Date: 27-Mar
Weather / Temp: Clear / 40 DEG
Technician / Operator: JW

Arrival Time: 9:00
Departure Time: 10:00

| System Status | | | | | |
|---|-----------------|-----------|--|----------|---------------------------------|
| | Arrival | Departure | | Arrival | Departure |
| SVE Blower 1 (ON/OFF) | ON | OFF | Sensaphone (ON/OFF) | ON | ON |
| SVE Blower 2 (ON/OFF) | OFF | ON | Surge Protection (ON/OFF) | ON | ON |
| AS Compressor 1 (ON/OFF) | OFF | OFF | Lightning Protection (White/Black) | White | White |
| AS Compressor 2 (ON/OFF) | ON | ON | | | |
| Soil Vapor Extraction System | | | | | |
| Blower Air Velocity/Flow Rate (fpm)/(cfm) | 4600 | 903 | Blower 1 Total Runtime (hrs) | 54,133.9 | |
| Blower 1 Fresh Air Valve Open (%) | 0 | | Blower 2 Total Runtime (hrs) | 52,401.7 | |
| Blower 2 Fresh Air Valve Open (%) | 0 | | Blower 1 Air Filter Differential Pressure ("H2O) | 0 | |
| Moisture Separator Vacuum ("Hg) | 4 | | Blower 2 Air Filter Differential Pressure ("H2O) | 0 | |
| VGAC-1 Influent Vacuum ("H2O) | 50 | | VGAC-1 Influent PID (ppm) | 3.4 | |
| VGAC-1 Effluent Vacuum ("H2O) | 55 | | VGAC-1 Effluent PID (ppm) | 0.0 | |
| VGAC-2 Influent Vacuum ("H2O) | 50 | | VGAC-2 Influent PID (ppm) | 3.4 | |
| VGAC-2 Effluent Vacuum ("H2O) | 55 | | VGAC-2 Effluent PID (ppm) | 0.0 | |
| VGAC-3 Influent Pressure ("H2O) | 6 | | VGAC-3 Influent PID (ppm) | 0.0 | |
| VGAC-3 Effluent Pressure ("H2O) | 2 | | VGAC-3 Effluent PID (ppm) | 0.0 | |
| VGAC-3 Influent Temp (DegF) | 118 | | Blower Effluent PID (ppm) | 0.0 | |
| Blower Effluent Pressure ("H2O) | 17 | | | | |
| Transfer Pump Total Runtime (hrs) | 25,035.9 | | Condensate Storage Tank Level (gal) | 100 | |
| SVE Manifold Legs - Vacuum/Flow Rate/PID | | | | | |
| | Vacuum | Velocity | Flow Rate | PID | |
| SVE-1 ("H2O)/(FPM)/(cfm)/(ppm) | 52 | 8000 | 175 | 6.8 | SVE-4 ("H2O)/(FPM)/(cfm)/(ppm) |
| SVE-2 ("H2O)/(FPM)/(cfm)/(ppm) | 54 | 4500 | 98 | 2.2 | SVE-5 ("H2O)/(FPM)/(cfm)/(ppm) |
| SVE-3 ("H2O)/(FPM)/(cfm)/(ppm) | 57 | 5100 | 111 | 1.5 | SVE-6B ("H2O)/(FPM)/(cfm)/(ppm) |
| SVE-3A ("H2O)/(FPM)/(cfm)/(ppm) | 46 | 4300 | 94 | 0.0 | SVE-7 ("H2O)/(FPM)/(cfm)/(ppm) |
| Air Sparge System | | | | | |
| Compressor 1 Pressure (psi) | Off for repairs | | Compressor 2 Pressure (psi) | 92 | |
| Compressor 1 Temperature (degF) | Off for repairs | | Compressor 2 Temperature (degF) | 187 | |
| Compressor 1 Runtime (hrs) | 27,317 | | Compressor 2 Runtime (hrs) | 31,618 | |
| Manifold Regulator Pressure (psi) | 78 | | | | |
| AS Manifold Legs - Pressure/Flow Rate | | | | | |
| | Pressure | Flow Rate | | Pressure | Flow Rate |
| AS-1 (psi)/(cfm) | 16 | 5 | AS-11 (psi)/(cfm) | 18 | 8 |
| AS-2 (psi)/(cfm) | 16 | 7 | AS-12B (psi)/(cfm) | 16 | 6 |
| AS-3 (psi)/(cfm) | 16 | 7 | AS-13B (psi)/(cfm) | 16 | 5 |
| AS-4 (psi)/(cfm) | 14 | 10 | AS-14 (psi)/(cfm) | 16 | 6 |
| AS-5 (psi)/(cfm) | 16 | 8 | AS-15 (psi)/(cfm) | 16 | 7 |
| AS-6 (psi)/(cfm) | 16 | 6 | AS-16B (psi)/(cfm) | 15 | 7 |
| AS-7 (psi)/(cfm) | 16 | 8 | AS-17 (psi)/(cfm) | 16 | 4 |
| AS-8 (psi)/(cfm) | 16 | 10 | AS-18 (psi)/(cfm) | 16 | 6 |
| AS-9 (psi)/(cfm) | 16 | 10 | AS-19 (psi)/(cfm) | 15 | 8 |
| AS-10B (psi)/(cfm) | 14 | 7 | | | |

Notes, Comments & Observations: _____

**ALARM VISIT LOG
AS/SVE SYSTEM
101 FROST STREET, WESTBURY, NY**

Appendix B
SVE System Influent/Effluent Sampling (TO-15)
Laboratory Analytical Results



Thursday, March 28, 2019

Attn: James Wilkinson
EnviroTrac
5 Old Dock Rd
Yaphank, NY 11980

Project ID: ENSAFE-WESTBURY
SDG ID: GCC74954
Sample ID#s: CC74954 - CC74955

This laboratory is in compliance with the NELAC requirements of procedures used except where indicated.

This report contains results for the parameters tested, under the sampling conditions described on the Chain Of Custody, as received by the laboratory. This report is incomplete unless all pages indicated in the pagination at the bottom of the page are included.

A scanned version of the COC form accompanies the analytical report and is an exact duplicate of the original.

If you are the client above and have any questions concerning this testing, please do not hesitate to contact Phoenix Client Services at ext.200. The contents of this report cannot be discussed with anyone other than the client listed above without their written consent.

Sincerely yours,

A handwritten signature in black ink that reads "Phyllis Shiller".

Phyllis Shiller

Laboratory Director

NELAC - #NY11301
CT Lab Registration #PH-0618
MA Lab Registration #M-CT007
ME Lab Registration #CT-007
NH Lab Registration #213693-A,B

NJ Lab Registration #CT-003
NY Lab Registration #11301
PA Lab Registration #68-03530
RI Lab Registration #63
UT Lab Registration #CT00007
VT Lab Registration #VT11301



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823



Sample Id Cross Reference

March 28, 2019

SDG I.D.: GCC74954

Project ID: ENSAFE-WESTBURY

| Client Id | Lab Id | Matrix |
|--------------|---------|--------|
| SVE EFFLUENT | CC74954 | AIR |
| SVE INFLUENT | CC74955 | AIR |



Environmental Laboratories, Inc.

587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

March 28, 2019

FOR: Attn: James Wilkinson
EnviroTrac
5 Old Dock Rd
Yaphank, NY 11980

Sample Information

Matrix: AIR
Location Code: ENVIROTR
Rush Request: Standard
P.O.#:
Canister Id: 732

Project ID: ENSAFE-WESTBURY
Client ID: SVE EFFLUENT

Custody Information

Collected by: JW
Received by: SW
Analyzed by: see "By" below

Date

Time

03/21/19 15:46

03/26/19 15:33

SDG ID: GCC74954

Phoenix ID: CC74954

Laboratory Data

| Parameter | ppbv Result | ppbv RL | ug/m3 Result | ug/m3 RL | Date/Time | By | Dilution |
|-------------------------------|----------------|------------|-----------------|-------------|-----------|-----|----------|
| Volatiles (TO15) | | | | | | | |
| 1,1,1,2-Tetrachloroethane | ND | 0.146 | ND | 1.00 | 03/27/19 | KCA | 1 |
| 1,1,1-Trichloroethane | ND | 0.183 | ND | 1.00 | 03/27/19 | KCA | 1 |
| 1,1,2,2-Tetrachloroethane | ND | 0.146 | ND | 1.00 | 03/27/19 | KCA | 1 |
| 1,1,2-Trichloroethane | ND | 0.183 | ND | 1.00 | 03/27/19 | KCA | 1 |
| 1,1-Dichloroethane | ND | 0.247 | ND | 1.00 | 03/27/19 | KCA | 1 |
| 1,1-Dichloroethene | ND | 0.051 | ND | 0.20 | 03/27/19 | KCA | 1 |
| 1,2,4-Trichlorobenzene | ND | 0.135 | ND | 1.00 | 03/27/19 | KCA | 1 |
| 1,2,4-Trimethylbenzene | ND | 0.204 | ND | 1.00 | 03/27/19 | KCA | 1 |
| 1,2-Dibromoethane(EDB) | ND | 0.130 | ND | 1.00 | 03/27/19 | KCA | 1 |
| 1,2-Dichlorobenzene | ND | 0.166 | ND | 1.00 | 03/27/19 | KCA | 1 |
| 1,2-Dichloroethane | ND | 0.247 | ND | 1.00 | 03/27/19 | KCA | 1 |
| 1,2-dichloropropane | ND | 0.217 | ND | 1.00 | 03/27/19 | KCA | 1 |
| 1,2-Dichlorotetrafluoroethane | ND | 0.143 | ND | 1.00 | 03/27/19 | KCA | 1 |
| 1,3,5-Trimethylbenzene | ND | 0.204 | ND | 1.00 | 03/27/19 | KCA | 1 |
| 1,3-Butadiene | ND | 0.452 | ND | 1.00 | 03/27/19 | KCA | 1 |
| 1,3-Dichlorobenzene | ND | 0.166 | ND | 1.00 | 03/27/19 | KCA | 1 |
| 1,4-Dichlorobenzene | ND | 0.166 | ND | 1.00 | 03/27/19 | KCA | 1 |
| 1,4-Dioxane | ND | 0.278 | ND | 1.00 | 03/27/19 | KCA | 1 |
| 2-Hexanone(MBK) | ND | 0.244 | ND | 1.00 | 03/27/19 | KCA | 1 |
| 4-Ethyltoluene | ND | 0.204 | ND | 1.00 | 03/27/19 | KCA | 1 |
| 4-Isopropyltoluene | ND | 0.182 | ND | 1.00 | 03/27/19 | KCA | 1 |
| 4-Methyl-2-pentanone(MIBK) | ND | 0.244 | ND | 1.00 | 03/27/19 | KCA | 1 |
| Acetone | 66.9 | 2.11 | 159 | 5.01 | 03/27/19 | KCA | 5 |
| Acrylonitrile | ND | 0.461 | ND | 1.00 | 03/27/19 | KCA | 1 |
| Benzene | 3.29 | 0.313 | 10.5 | 1.00 | 03/27/19 | KCA | 1 |
| Benzyl chloride | ND | 0.193 | ND | 1.00 | 03/27/19 | KCA | 1 |

| Parameter | ppbv Result | ppbv RL | ug/m3 Result | ug/m3 RL | Date/Time | By | Dilution |
|--|----------------|------------|-----------------|-------------|-----------|-----|----------|
| Bromodichloromethane | ND | 0.149 | ND | 1.00 | 03/27/19 | KCA | 1 |
| Bromoform | ND | 0.097 | ND | 1.00 | 03/27/19 | KCA | 1 |
| Bromomethane | ND | 0.258 | ND | 1.00 | 03/27/19 | KCA | 1 |
| Carbon Disulfide | ND | 0.321 | ND | 1.00 | 03/27/19 | KCA | 1 |
| Carbon Tetrachloride | ND | 0.032 | ND | 0.20 | 03/27/19 | KCA | 1 |
| Chlorobenzene | ND | 0.217 | ND | 1.00 | 03/27/19 | KCA | 1 |
| Chloroethane | ND | 0.379 | ND | 1.00 | 03/27/19 | KCA | 1 |
| Chloroform | ND | 0.205 | ND | 1.00 | 03/27/19 | KCA | 1 |
| Chloromethane | 2.06 | 0.485 | 4.25 | 1.00 | 03/27/19 | KCA | 1 |
| Cis-1,2-Dichloroethene | 0.088 | 0.051 | 0.35 | 0.20 | 03/27/19 | KCA | 1 |
| cis-1,3-Dichloropropene | ND | 0.221 | ND | 1.00 | 03/27/19 | KCA | 1 |
| Cyclohexane | ND | 0.291 | ND | 1.00 | 03/27/19 | KCA | 1 |
| Dibromochloromethane | ND | 0.118 | ND | 1.00 | 03/27/19 | KCA | 1 |
| Dichlorodifluoromethane | 0.446 | 0.202 | 2.20 | 1.00 | 03/27/19 | KCA | 1 |
| Ethanol | 2.17 | 0.531 | 4.09 | 1.00 | 03/27/19 | KCA | 1 |
| Ethyl acetate | ND | 0.278 | ND | 1.00 | 03/27/19 | KCA | 1 |
| Ethylbenzene | ND | 0.230 | ND | 1.00 | 03/27/19 | KCA | 1 |
| Heptane | ND | 0.244 | ND | 1.00 | 03/27/19 | KCA | 1 |
| Hexachlorobutadiene | ND | 0.094 | ND | 1.00 | 03/27/19 | KCA | 1 |
| Hexane | ND | 0.284 | ND | 1.00 | 03/27/19 | KCA | 1 |
| Isopropylalcohol | 1.60 | 0.407 | 3.93 | 1.00 | 03/27/19 | KCA | 1 |
| Isopropylbenzene | 0.646 | 0.204 | 3.17 | 1.00 | 03/27/19 | KCA | 1 |
| m,p-Xylene | ND | 0.230 | ND | 1.00 | 03/27/19 | KCA | 1 |
| Methyl Ethyl Ketone | 1.21 | 0.339 | 3.57 | 1.00 | 03/27/19 | KCA | 1 |
| Methyl tert-butyl ether(MTBE) | ND | 0.278 | ND | 1.00 | 03/27/19 | KCA | 1 |
| Methylene Chloride | ND | 0.864 | ND | 3.00 | 03/27/19 | KCA | 1 |
| n-Butylbenzene | ND | 0.182 | ND | 1.00 | 03/27/19 | KCA | 1 |
| o-Xylene | ND | 0.230 | ND | 1.00 | 03/27/19 | KCA | 1 |
| Propylene | ND | 0.581 | ND | 1.00 | 03/27/19 | KCA | 1 |
| sec-Butylbenzene | ND | 0.182 | ND | 1.00 | 03/27/19 | KCA | 1 |
| Styrene | ND | 0.235 | ND | 1.00 | 03/27/19 | KCA | 1 |
| Tetrachloroethene | 0.138 | 0.037 | 0.94 | 0.25 | 03/27/19 | KCA | 1 |
| Tetrahydrofuran | ND | 0.339 | ND | 1.00 | 03/27/19 | KCA | 1 |
| Toluene | ND | 0.266 | ND | 1.00 | 03/27/19 | KCA | 1 |
| Trans-1,2-Dichloroethene | ND | 0.252 | ND | 1.00 | 03/27/19 | KCA | 1 |
| trans-1,3-Dichloropropene | ND | 0.221 | ND | 1.00 | 03/27/19 | KCA | 1 |
| Trichloroethene | ND | 0.037 | ND | 0.20 | 03/27/19 | KCA | 1 |
| Trichlorofluoromethane | ND | 0.178 | ND | 1.00 | 03/27/19 | KCA | 1 |
| Trichlorotrifluoroethane | ND | 0.131 | ND | 1.00 | 03/27/19 | KCA | 1 |
| Vinyl Chloride | ND | 0.078 | ND | 0.20 | 03/27/19 | KCA | 1 |
| <u>QA/QC Surrogates/Internals</u> | | | | | | | |
| % Bromofluorobenzene | 94 | % | 94 | % | 03/27/19 | KCA | 1 |
| % IS-1,4-Difluorobenzene | 93 | % | 93 | % | 03/27/19 | KCA | 1 |
| % IS-Bromochloromethane | 86 | % | 86 | % | 03/27/19 | KCA | 1 |
| % IS-Chlorobenzene-d5 | 102 | % | 102 | % | 03/27/19 | KCA | 1 |
| % Bromofluorobenzene (5x) | 99 | % | 99 | % | 03/27/19 | KCA | 5 |
| % IS-1,4-Difluorobenzene (5x) | 117 | % | 117 | % | 03/27/19 | KCA | 5 |
| % IS-Bromochloromethane (5x) | 117 | % | 117 | % | 03/27/19 | KCA | 5 |
| % IS-Chlorobenzene-d5 (5x) | 119 | % | 119 | % | 03/27/19 | KCA | 5 |

| Parameter | ppbv Result | ppbv RL | ug/m3 Result | ug/m3 RL | Date/Time | By | Dilution |
|-----------|----------------|------------|-----------------|-------------|-----------|----|----------|
|-----------|----------------|------------|-----------------|-------------|-----------|----|----------|

1 = This parameter is not certified by the primary accrediting authority (NY NELAC) for this matrix. NY NELAC does not offer certification for all parameters at this time.

RL/PQL=Reporting/Practical Quantitation Level (Equivalent to NELAC LOQ, Limit of Quantitation) ND=Not Detected at RL/PQL
BRL=Below Reporting Level L=Biased Low

QA/QC Surrogates: Surrogates are compounds (preceded with a %) added by the lab to determine analysis efficiency. Surrogate results(%) listed in the report are not "detected" compounds.

Comments:

If you are the client above and have any questions concerning this testing, please do not hesitate to contact Phoenix Client Services at ext.200. The contents of this report cannot be discussed with anyone other than the client listed above without their written consent.



Phyllis Shiller, Laboratory Director

March 28, 2019

Reviewed and Released by: Greg Lawrence, Assistant Lab Director



Environmental Laboratories, Inc.

587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

March 28, 2019

FOR: Attn: James Wilkinson
EnviroTrac
5 Old Dock Rd
Yaphank, NY 11980

Sample Information

Matrix: AIR
Location Code: ENVIROTR
Rush Request: Standard
P.O.#:
Canister Id: 819
Project ID: ENSAFE-WESTBURY
Client ID: SVE INFLUENT

Custody Information

Collected by: JW
Received by: SW
Analyzed by: see "By" below

Date

Time

03/21/19

15:51

03/26/19

15:33

SDG ID: GCC74954

Phoenix ID: CC74955

Laboratory Data

| Parameter | ppbv Result | ppbv RL | ug/m3 Result | ug/m3 RL | Date/Time | By | Dilution |
|-------------------------------|----------------|------------|-----------------|-------------|-----------|-----|----------|
| Volatiles (TO15) | | | | | | | |
| 1,1,1,2-Tetrachloroethane | ND | 0.146 | ND | 1.00 | 03/27/19 | KCA | 1 |
| 1,1,1-Trichloroethane | ND | 0.183 | ND | 1.00 | 03/27/19 | KCA | 1 |
| 1,1,2,2-Tetrachloroethane | ND | 0.146 | ND | 1.00 | 03/27/19 | KCA | 1 |
| 1,1,2-Trichloroethane | ND | 0.183 | ND | 1.00 | 03/27/19 | KCA | 1 |
| 1,1-Dichloroethane | ND | 0.247 | ND | 1.00 | 03/27/19 | KCA | 1 |
| 1,1-Dichloroethene | ND | 0.051 | ND | 0.20 | 03/27/19 | KCA | 1 |
| 1,2,4-Trichlorobenzene | ND | 0.135 | ND | 1.00 | 03/27/19 | KCA | 1 |
| 1,2,4-Trimethylbenzene | ND | 0.204 | ND | 1.00 | 03/27/19 | KCA | 1 |
| 1,2-Dibromoethane(EDB) | ND | 0.130 | ND | 1.00 | 03/27/19 | KCA | 1 |
| 1,2-Dichlorobenzene | ND | 0.166 | ND | 1.00 | 03/27/19 | KCA | 1 |
| 1,2-Dichloroethane | ND | 0.247 | ND | 1.00 | 03/27/19 | KCA | 1 |
| 1,2-dichloropropane | ND | 0.217 | ND | 1.00 | 03/27/19 | KCA | 1 |
| 1,2-Dichlorotetrafluoroethane | ND | 0.143 | ND | 1.00 | 03/27/19 | KCA | 1 |
| 1,3,5-Trimethylbenzene | ND | 0.204 | ND | 1.00 | 03/27/19 | KCA | 1 |
| 1,3-Butadiene | ND | 0.452 | ND | 1.00 | 03/27/19 | KCA | 1 |
| 1,3-Dichlorobenzene | ND | 0.166 | ND | 1.00 | 03/27/19 | KCA | 1 |
| 1,4-Dichlorobenzene | ND | 0.166 | ND | 1.00 | 03/27/19 | KCA | 1 |
| 1,4-Dioxane | ND | 0.278 | ND | 1.00 | 03/27/19 | KCA | 1 |
| 2-Hexanone(MBK) | ND | 0.244 | ND | 1.00 | 03/27/19 | KCA | 1 |
| 4-Ethyltoluene | ND | 0.204 | ND | 1.00 | 03/27/19 | KCA | 1 |
| 4-Isopropyltoluene | ND | 0.182 | ND | 1.00 | 03/27/19 | KCA | 1 |
| 4-Methyl-2-pentanone(MIBK) | ND | 0.244 | ND | 1.00 | 03/27/19 | KCA | 1 |
| Acetone | 4.91 | 0.421 | 11.7 | 1.00 | 03/27/19 | KCA | 1 |
| Acrylonitrile | ND | 0.461 | ND | 1.00 | 03/27/19 | KCA | 1 |
| Benzene | 0.326 | 0.313 | 1.04 | 1.00 | 03/27/19 | KCA | 1 |
| Benzyl chloride | ND | 0.193 | ND | 1.00 | 03/27/19 | KCA | 1 |

| Parameter | ppbv Result | ppbv RL | ug/m3 Result | ug/m3 RL | Date/Time | By | Dilution |
|--|----------------|------------|-----------------|-------------|-----------|-----|----------|
| Bromodichloromethane | ND | 0.149 | ND | 1.00 | 03/27/19 | KCA | 1 |
| Bromoform | ND | 0.097 | ND | 1.00 | 03/27/19 | KCA | 1 |
| Bromomethane | ND | 0.258 | ND | 1.00 | 03/27/19 | KCA | 1 |
| Carbon Disulfide | ND | 0.321 | ND | 1.00 | 03/27/19 | KCA | 1 |
| Carbon Tetrachloride | 0.061 | 0.032 | 0.38 | 0.20 | 03/27/19 | KCA | 1 |
| Chlorobenzene | ND | 0.217 | ND | 1.00 | 03/27/19 | KCA | 1 |
| Chloroethane | ND | 0.379 | ND | 1.00 | 03/27/19 | KCA | 1 |
| Chloroform | ND | 0.205 | ND | 1.00 | 03/27/19 | KCA | 1 |
| Chloromethane | 0.578 | 0.485 | 1.19 | 1.00 | 03/27/19 | KCA | 1 |
| Cis-1,2-Dichloroethene | ND | 0.051 | ND | 0.20 | 03/27/19 | KCA | 1 |
| cis-1,3-Dichloropropene | ND | 0.221 | ND | 1.00 | 03/27/19 | KCA | 1 |
| Cyclohexane | ND | 0.291 | ND | 1.00 | 03/27/19 | KCA | 1 |
| Dibromochloromethane | ND | 0.118 | ND | 1.00 | 03/27/19 | KCA | 1 |
| Dichlorodifluoromethane | 0.411 | 0.202 | 2.03 | 1.00 | 03/27/19 | KCA | 1 |
| Ethanol | 4.98 | 0.531 | 9.38 | 1.00 | 03/27/19 | KCA | 1 |
| Ethyl acetate | ND | 0.278 | ND | 1.00 | 03/27/19 | KCA | 1 |
| Ethylbenzene | ND | 0.230 | ND | 1.00 | 03/27/19 | KCA | 1 |
| Heptane | ND | 0.244 | ND | 1.00 | 03/27/19 | KCA | 1 |
| Hexachlorobutadiene | ND | 0.094 | ND | 1.00 | 03/27/19 | KCA | 1 |
| Hexane | 2.41 | 0.284 | 8.49 | 1.00 | 03/27/19 | KCA | 1 |
| Isopropylalcohol | ND | 0.407 | ND | 1.00 | 03/27/19 | KCA | 1 |
| Isopropylbenzene | ND | 0.204 | ND | 1.00 | 03/27/19 | KCA | 1 |
| m,p-Xylene | ND | 0.230 | ND | 1.00 | 03/27/19 | KCA | 1 |
| Methyl Ethyl Ketone | ND | 0.339 | ND | 1.00 | 03/27/19 | KCA | 1 |
| Methyl tert-butyl ether(MTBE) | ND | 0.278 | ND | 1.00 | 03/27/19 | KCA | 1 |
| Methylene Chloride | 3.57 | 0.864 | 12.4 | 3.00 | 03/27/19 | KCA | 1 |
| n-Butylbenzene | ND | 0.182 | ND | 1.00 | 03/27/19 | KCA | 1 |
| o-Xylene | ND | 0.230 | ND | 1.00 | 03/27/19 | KCA | 1 |
| Propylene | ND | 0.581 | ND | 1.00 | 03/27/19 | KCA | 1 |
| sec-Butylbenzene | ND | 0.182 | ND | 1.00 | 03/27/19 | KCA | 1 |
| Styrene | ND | 0.235 | ND | 1.00 | 03/27/19 | KCA | 1 |
| Tetrachloroethene | 0.076 | 0.037 | 0.52 | 0.25 | 03/27/19 | KCA | 1 |
| Tetrahydrofuran | ND | 0.339 | ND | 1.00 | 03/27/19 | KCA | 1 |
| Toluene | 0.343 | 0.266 | 1.29 | 1.00 | 03/27/19 | KCA | 1 |
| Trans-1,2-Dichloroethene | ND | 0.252 | ND | 1.00 | 03/27/19 | KCA | 1 |
| trans-1,3-Dichloropropene | ND | 0.221 | ND | 1.00 | 03/27/19 | KCA | 1 |
| Trichloroethene | ND | 0.037 | ND | 0.20 | 03/27/19 | KCA | 1 |
| Trichlorofluoromethane | 0.198 | 0.178 | 1.11 | 1.00 | 03/27/19 | KCA | 1 |
| Trichlorotrifluoroethane | ND | 0.131 | ND | 1.00 | 03/27/19 | KCA | 1 |
| Vinyl Chloride | ND | 0.078 | ND | 0.20 | 03/27/19 | KCA | 1 |
| <u>QA/QC Surrogates/Internals</u> | | | | | | | |
| % Bromofluorobenzene | 97 | % | 97 | % | 03/27/19 | KCA | 1 |
| % IS-1,4-Difluorobenzene | 95 | % | 95 | % | 03/27/19 | KCA | 1 |
| % IS-Bromochloromethane | 94 | % | 94 | % | 03/27/19 | KCA | 1 |
| % IS-Chlorobenzene-d5 | 102 | % | 102 | % | 03/27/19 | KCA | 1 |

| Parameter | ppbv Result | ppbv RL | ug/m3 Result | ug/m3 RL | Date/Time | By | Dilution |
|-----------|----------------|------------|-----------------|-------------|-----------|----|----------|
|-----------|----------------|------------|-----------------|-------------|-----------|----|----------|

1 = This parameter is not certified by the primary accrediting authority (NY NELAC) for this matrix. NY NELAC does not offer certification for all parameters at this time.

RL/PQL=Reporting/Practical Quantitation Level (Equivalent to NELAC LOQ, Limit of Quantitation) ND=Not Detected at RL/PQL
BRL=Below Reporting Level L=Biased Low

QA/QC Surrogates: Surrogates are compounds (preceded with a %) added by the lab to determine analysis efficiency. Surrogate results(%) listed in the report are not "detected" compounds.

Comments:

If you are the client above and have any questions concerning this testing, please do not hesitate to contact Phoenix Client Services at ext.200. The contents of this report cannot be discussed with anyone other than the client listed above without their written consent.



Phyllis Shiller, Laboratory Director

March 28, 2019

Reviewed and Released by: Greg Lawrence, Assistant Lab Director



Environmental Laboratories, Inc.

587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823



Canister Sampling Information

March 28, 2019

FOR: Attn: James Wilkinson
EnviroTrac
5 Old Dock Rd
Yaphank, NY 11980

Location Code: ENVIROTR

SDG I.D.: GCC74954

Project ID: ENSAFE-WESTBURY

| Client Id | Lab Id | Canister | | Reg. Id | Chk Out Date | Laboratory | | | | | Field | | | | |
|--------------|---------|----------|------|---------|--------------|------------|-------|----------|---------|----------|----------|--------|---------------------|-------------------|--|
| | | Id | Type | | | Out Hg | In Hg | Out Flow | In Flow | Flow RPD | Start Hg | End Hg | Sampling Start Date | Sampling End Date | |
| SVE EFFLUENT | CC74954 | 732 | 1.4L | | 03/19/19 | -30 | - | | GRAB | | - | - | 03/21/19 15:45 | 03/21/19 15:46 | |
| SVE INFLUENT | CC74955 | 819 | 1.4L | | 03/19/19 | -30 | - | | GRAB | | - | - | 03/21/19 15:50 | 03/21/19 15:51 | |



Environmental Laboratories, Inc.

587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

QA/QC Report

March 28, 2019

QA/QC Data

SDG I.D.: GCC74954

| Parameter | Blk ppbv | Blk RL ppbv | Blk ug/m3 | Blk RL ug/m3 | LCS % | Sample Result ug/m3 | Sample Dup ug/m3 | Sample Result ppbv | Sample Dup ppbv | DUP RPD | % Rec Limits | % RPD Limits |
|---|-------------|-------------------|--------------|--------------------|----------|---------------------------|------------------------|--------------------------|-----------------------|------------|--------------------|--------------------|
| QA/QC Batch 472000 (ppbv), QC Sample No: CC75176 (CC74954 (1X, 5X) , CC74955) | | | | | | | | | | | | |
| Volatiles | | | | | | | | | | | | |
| 1,1,1,2-Tetrachloroethane | ND | 0.150 | ND | 1.03 | 102 | ND | ND | ND | ND | NC | 70 - 130 | 25 |
| 1,1,1-Trichloroethane | ND | 0.180 | ND | 0.98 | 90 | ND | ND | ND | ND | NC | 70 - 130 | 25 |
| 1,1,2,2-Tetrachloroethane | ND | 0.150 | ND | 1.03 | 101 | ND | ND | ND | ND | NC | 70 - 130 | 25 |
| 1,1,2-Trichloroethane | ND | 0.180 | ND | 0.98 | 106 | ND | ND | ND | ND | NC | 70 - 130 | 25 |
| 1,1-Dichloroethane | ND | 0.250 | ND | 1.01 | 90 | ND | ND | ND | ND | NC | 70 - 130 | 25 |
| 1,1-Dichloroethene | ND | 0.050 | ND | 0.20 | 90 | ND | ND | ND | ND | NC | 70 - 130 | 25 |
| 1,2,4-Trichlorobenzene | ND | 0.130 | ND | 0.96 | 138 | ND | ND | ND | ND | NC | 70 - 130 | 25 |
| 1,2,4-Trimethylbenzene | ND | 0.200 | ND | 0.98 | 120 | ND | ND | ND | ND | NC | 70 - 130 | 25 |
| 1,2-Dibromoethane(EDB) | ND | 0.130 | ND | 1.00 | 107 | ND | ND | ND | ND | NC | 70 - 130 | 25 |
| 1,2-Dichlorobenzene | ND | 0.170 | ND | 1.02 | 108 | ND | ND | ND | ND | NC | 70 - 130 | 25 |
| 1,2-Dichloroethane | ND | 0.250 | ND | 1.01 | 91 | ND | ND | ND | ND | NC | 70 - 130 | 25 |
| 1,2-dichloropropane | ND | 0.220 | ND | 1.02 | 109 | ND | ND | ND | ND | NC | 70 - 130 | 25 |
| 1,2-Dichlorotetrafluoroethane | ND | 0.140 | ND | 0.98 | 97 | ND | ND | ND | ND | NC | 70 - 130 | 25 |
| 1,3,5-Trimethylbenzene | ND | 0.200 | ND | 0.98 | 112 | ND | ND | ND | ND | NC | 70 - 130 | 25 |
| 1,3-Butadiene | ND | 0.450 | ND | 0.99 | 93 | ND | ND | ND | ND | NC | 70 - 130 | 25 |
| 1,3-Dichlorobenzene | ND | 0.170 | ND | 1.02 | 108 | ND | ND | ND | ND | NC | 70 - 130 | 25 |
| 1,4-Dichlorobenzene | ND | 0.170 | ND | 1.02 | 111 | ND | ND | ND | ND | NC | 70 - 130 | 25 |
| 1,4-Dioxane | ND | 0.280 | ND | 1.01 | 109 | ND | ND | ND | ND | NC | 70 - 130 | 25 |
| 2-Hexanone(MBK) | ND | 0.240 | ND | 0.98 | 111 | ND | ND | ND | ND | NC | 70 - 130 | 25 |
| 4-Ethyltoluene | ND | 0.200 | ND | 0.98 | 108 | ND | ND | ND | ND | NC | 70 - 130 | 25 |
| 4-Isopropyltoluene | ND | 0.180 | ND | 0.99 | 117 | ND | ND | ND | ND | NC | 70 - 130 | 25 |
| 4-Methyl-2-pentanone(MIBK) | ND | 0.240 | ND | 0.98 | 107 | ND | ND | ND | ND | NC | 70 - 130 | 25 |
| Acetone | ND | 0.420 | ND | 1.00 | 95 | 12.2 | 14.8 | 5.12 | 6.24 | 19.7 | 70 - 130 | 25 |
| Acrylonitrile | ND | 0.460 | ND | 1.00 | 97 | ND | ND | ND | ND | NC | 70 - 130 | 25 |
| Benzene | ND | 0.310 | ND | 0.99 | 96 | ND | ND | ND | ND | NC | 70 - 130 | 25 |
| Benzyl chloride | ND | 0.190 | ND | 0.98 | 123 | ND | ND | ND | ND | NC | 70 - 130 | 25 |
| Bromodichloromethane | ND | 0.150 | ND | 1.00 | 106 | ND | ND | ND | ND | NC | 70 - 130 | 25 |
| Bromoform | ND | 0.097 | ND | 1.00 | 101 | ND | ND | ND | ND | NC | 70 - 130 | 25 |
| Bromomethane | ND | 0.260 | ND | 1.01 | 93 | ND | ND | ND | ND | NC | 70 - 130 | 25 |
| Carbon Disulfide | ND | 0.320 | ND | 1.00 | 94 | ND | ND | ND | ND | NC | 70 - 130 | 25 |
| Carbon Tetrachloride | ND | 0.032 | ND | 0.20 | 94 | 0.41 | 0.43 | 0.065 | 0.069 | NC | 70 - 130 | 25 |
| Chlorobenzene | ND | 0.220 | ND | 1.01 | 110 | ND | ND | ND | ND | NC | 70 - 130 | 25 |
| Chloroethane | ND | 0.380 | ND | 1.00 | 94 | ND | ND | ND | ND | NC | 70 - 130 | 25 |
| Chloroform | ND | 0.200 | ND | 0.98 | 99 | ND | ND | ND | ND | NC | 70 - 130 | 25 |
| Chloromethane | ND | 0.480 | ND | 0.99 | 84 | 1.22 | 1.29 | 0.590 | 0.627 | NC | 70 - 130 | 25 |
| Cis-1,2-Dichloroethene | ND | 0.256 | ND | 1.01 | 96 | ND | ND | ND | ND | NC | 70 - 130 | 25 |
| cis-1,3-Dichloropropene | ND | 0.220 | ND | 1.00 | 115 | ND | ND | ND | ND | NC | 70 - 130 | 25 |
| Cyclohexane | ND | 0.290 | ND | 1.00 | 107 | ND | ND | ND | ND | NC | 70 - 130 | 25 |
| Dibromochloromethane | ND | 0.120 | ND | 1.02 | 107 | ND | ND | ND | ND | NC | 70 - 130 | 25 |
| Dichlorodifluoromethane | ND | 0.200 | ND | 0.99 | 103 | 2.27 | 2.26 | 0.460 | 0.457 | NC | 70 - 130 | 25 |
| Ethanol | ND | 0.530 | ND | 1.00 | 113 | 32.6 | 33.0 | 17.3 | 17.5 | 1.1 | 70 - 130 | 25 |

QA/QC Data

SDG I.D.: GCC74954

| Parameter | Blk ppbv | Blk RL ppbv | Blk ug/m3 | Blk RL ug/m3 | LCS % | Sample Result ug/m3 | Sample Dup ug/m3 | Sample Result ppbv | Sample Dup ppbv | DUP RPD | % Rec Limits | % RPD Limits |
|-------------------------------|-------------|-------------------|--------------|--------------------|----------|---------------------------|------------------------|--------------------------|-----------------------|------------|--------------------|--------------------|
| Ethyl acetate | ND | 0.280 | ND | 1.01 | 86 | ND | ND | ND | ND | NC | 70 - 130 | 25 |
| Ethylbenzene | ND | 0.230 | ND | 1.00 | 107 | ND | ND | ND | ND | NC | 70 - 130 | 25 |
| Heptane | ND | 0.240 | ND | 0.98 | 105 | 1.06 | 0.99 | 0.260 | 0.242 | NC | 70 - 130 | 25 |
| Hexachlorobutadiene | ND | 0.094 | ND | 1.00 | 112 | ND | ND | ND | ND | NC | 70 - 130 | 25 |
| Hexane | ND | 0.280 | ND | 0.99 | 106 | 2.60 | 2.62 | 0.738 | 0.744 | NC | 70 - 130 | 25 |
| Isopropylalcohol | ND | 0.410 | ND | 1.01 | 95 | 13.4 | 13.1 | 5.46 | 5.35 | 2.0 | 70 - 130 | 25 |
| Isopropylbenzene | ND | 0.200 | ND | 0.98 | 111 | ND | ND | ND | ND | NC | 70 - 130 | 25 |
| m,p-Xylene | ND | 0.230 | ND | 1.00 | 114 | ND | ND | ND | ND | NC | 70 - 130 | 25 |
| Methyl Ethyl Ketone | ND | 0.340 | ND | 1.00 | 103 | 5.42 | 5.54 | 1.84 | 1.88 | 2.2 | 70 - 130 | 25 |
| Methyl tert-butyl ether(MTBE) | ND | 0.280 | ND | 1.01 | 91 | ND | ND | ND | ND | NC | 70 - 130 | 25 |
| Methylene Chloride | ND | 0.860 | ND | 2.99 | 86 | ND | ND | ND | ND | NC | 70 - 130 | 25 |
| n-Butylbenzene | ND | 0.180 | ND | 0.99 | 113 | ND | ND | ND | ND | NC | 70 - 130 | 25 |
| o-Xylene | ND | 0.230 | ND | 1.00 | 113 | ND | ND | ND | ND | NC | 70 - 130 | 25 |
| Propylene | ND | 0.580 | ND | 1.00 | 101 | ND | ND | ND | ND | NC | 70 - 130 | 25 |
| sec-Butylbenzene | ND | 0.180 | ND | 0.99 | 105 | ND | ND | ND | ND | NC | 70 - 130 | 25 |
| Styrene | ND | 0.230 | ND | 0.98 | 116 | ND | ND | ND | ND | NC | 70 - 130 | 25 |
| Tetrachloroethene | ND | 0.037 | ND | 0.25 | 110 | ND | ND | ND | ND | NC | 70 - 130 | 25 |
| Tetrahydrofuran | ND | 0.340 | ND | 1.00 | 95 | ND | ND | ND | ND | NC | 70 - 130 | 25 |
| Toluene | ND | 0.270 | ND | 1.02 | 116 | 11.3 | 11.0 | 3.00 | 2.91 | 3.0 | 70 - 130 | 25 |
| Trans-1,2-Dichloroethene | ND | 0.250 | ND | 0.99 | 92 | ND | ND | ND | ND | NC | 70 - 130 | 25 |
| trans-1,3-Dichloropropene | ND | 0.220 | ND | 1.00 | 108 | ND | ND | ND | ND | NC | 70 - 130 | 25 |
| Trichloroethene | ND | 0.037 | ND | 0.20 | 111 | ND | ND | ND | ND | NC | 70 - 130 | 25 |
| Trichlorofluoromethane | ND | 0.180 | ND | 1.01 | 86 | 1.39 | 1.14 | 0.248 | 0.203 | NC | 70 - 130 | 25 |
| Trichlorotrifluoroethane | ND | 0.130 | ND | 1.00 | 87 | ND | ND | ND | ND | NC | 70 - 130 | 25 |
| Vinyl Chloride | ND | 0.078 | ND | 0.20 | 89 | ND | ND | ND | ND | NC | 70 - 130 | 25 |
| % Bromofluorobenzene | 88 | % | 88 | % | 104 | 94 | 100 | 94 | 100 | NC | 70 - 130 | 25 |
| % IS-1,4-Difluorobenzene | 112 | % | 112 | % | 88 | 94 | 96 | 94 | 96 | NC | 60 - 140 | 25 |
| % IS-Bromochloromethane | 107 | % | 107 | % | 87 | 91 | 91 | 91 | 91 | NC | 60 - 140 | 25 |
| % IS-Chlorobenzene-d5 | 114 | % | 114 | % | 95 | 102 | 97 | 102 | 97 | NC | 60 - 140 | 25 |

I = This parameter is outside laboratory LCS/LCSD specified recovery limits.

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

RPD - Relative Percent Difference

LCS - Laboratory Control Sample

LCSD - Laboratory Control Sample Duplicate

MS - Matrix Spike

MS Dup - Matrix Spike Duplicate

NC - No Criteria

Intf - Interference


Phyllis Shiller, Laboratory Director
March 28, 2019

Thursday, March 28, 2019

Criteria: None

State: NY

Sample Criteria Exceedances Report

GCC74954 - ENVIROTR

| SampNo | Acode | Phoenix Analyte | Criteria | Result | RL | Criteria | RL Criteria | Analysis Units |
|----------------------------|-------|-----------------|----------|--------|----|----------|----------------|-------------------|
| *** No Data to Display *** | | | | | | | | |

Phoenix Laboratories does not assume responsibility for the data contained in this exceedance report. It is provided as an additional tool to identify requested criteria exceedences. All efforts are made to ensure the accuracy of the data (obtained from appropriate agencies). A lack of exceedence information does not necessarily suggest conformance to the criteria. It is ultimately the site professional's responsibility to determine appropriate compliance.



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823



Analysis Comments

March 28, 2019

SDG I.D.: GCC74954

The following analysis comments are made regarding exceptions to criteria not already noted in the Analysis Report or QA/QC Report: None.

