

August 10, 2020

Ms. Kerry Maloney, P.G.
NYSDEC, Division of Environmental Remediation
Division of Environmental Remediation
625 Broadway
Albany, New York 12233-7015

Via email: Kerry.maloney@dec.ny.gov

Re: Progress Report: July 2020
Frost Street Sites: Site ID#s 1-30043 I, L, M
New Cassel Industrial Area, Westbury, New York

Dear Ms. Maloney:

EnSafe Inc. is pleased to submit this Progress Report for the Frost Street Sites (Site ID#s 1-30043 I, L, M) for operation, maintenance, and monitoring (OM&M) activities completed in July 2020 for the onsite air sparge/soil vapor extraction (AS/SVE) and groundwater extraction systems.

Air Sparge/Soil Vapor Extraction System – Operable Unit 1

- AS/SVE system operations continued this month, per the OM&M Manual. During periodic visits, system parameters were logged on dedicated forms (Appendix A). One alarm call was received due to the Hydrovane overheating; this alarm was rectified by adding oil, performing maintenance, and restarting the Hydrovane.
- Quantitative sampling of the SVE system granular activated carbon influent and effluent air flow was conducted on July 30, 2020, using Summa canisters. These samples were obtained by EnviroTrac, submitted to Phoenix Environmental Laboratories, and analyzed by Method TO-15. Results are included in Appendix B.
 - Photoionization detector readings and influent concentrations of Frost Street-related contaminants of concern (tetrachloroethene, trichloroethene, and cis-1,2-dichloroethene [1,427 µg/m³]) continue to indicate significant mass extraction.
 - Effluent concentrations are below the carbon exchange indicator concentrations, as shown below.

Frost Street Sites Effluent Compliance			
System Flow Rate =		800 ft ³ /min	
Compound	Annual Mass Emission Limit ¹ (lbs/year)	Carbon Exchange Required Indicator Concentration (µg/m ³) ²	July 2020 Effluent Concentration (µg/m ³)
Trichloroethene	500	19,000	5.18
Tetrachloroethene	1,000	38,000	25.1
Vinyl Chloride	100	3,800	ND
Cis-1,2-Dichloroethene ³	100	3,800	263

Notes:

ft/min cubic feet per minute

lbs/year pounds per year

µg/m³ micrograms per cubic meter

- 1 Source of Mass Emission Limit: Part 212-2.2 Table 2 — High Toxicity Air Contaminant List
- 2 These limits were calculated based on Frost Street-specific system operations (i.e., flow rate) in order to remain below the annual HTAC emissions listed in Part 212-2.2 Table 2. Remaining below these concentrations ensures that annual emissions will not exceed the limit which demonstrates compliance with Part 212 without having to perform compound-specific analyses.
- 3 Cis-1,2-dichloroethene is not a listed HTAC, so the default is 100 lbs/year.

Groundwater Extraction System – Operable Unit 2

The pumps in EX-1A, EX-1B, EX-1C, and EX-1D operated near design flow rates (30, 30, 48, and 48 gallons per minute, respectively) for all of July except for thirty minutes on the afternoon of July 6 (3:00 to 3:30 pm), due to a power outage from a brief thunderstorm.

EnSafe collected and prepared the additional information requested by NYSDEC on February 21, 2019, (additional pressure transducer data and groundwater elevation maps) to facilitate review and comment on the *Expanded Pumping Test Summary, Findings, and Recommendations*, submitted on August 10, 2018. This information was transmitted to NYSDEC on March 22, 2019.

If you have any questions or require additional information, please do not hesitate to contact me at 860-665-1140 or astark@ensafe.com.

Sincerely,

EnSafe, Inc., by



Alexandra Stark, P.E.

Attachments

Copies:	A. Tamuno, Esq., NYSDEC	<i>Via email to amtamuno@gw.dec.state.ny.us</i>
	C. Bethoney, NYSDOH	<i>Via email to charlotte.bethoney@health.ny.gov</i>
	J. Nealon, NYSDOH	<i>Via email to jacquelyn.nealon@health.ny.gov</i>
	R. Putnam, NCDOH	<i>Via email to rputnam@nassaucountyny.gov</i>
	J. Vasquez, U.S. EPA	<i>Via email to vazquez.julio@epa.gov</i>
	T. Pupilla, Sanders Equities	<i>Via email to tpupilla@sandersequities.com</i>
	K. Maldonado, Esq.	<i>Via email to kevinmaldonado64@yahoo.com</i>
	J. Privitera, Esq.	<i>Via email to privitera@mltw.com</i>
	P. Coop, EnSafe	<i>Via email to pcoop@ensafe.com</i>
	J. Wilkinson, Envirotrac	<i>Via email to jamesw@envirotrac.com</i>

Appendix A
AS/SVE System Operation and Maintenance Logs

Operation & Maintenance Data Sheet
 Ensafe-Frost Street
 101 Frost Street
 Westbury, NY

EnviroTrac Environmental Services
 5 Old Dock Road, Yaphank, NY 11980
 (631)924-3001, Fax (631)924-5001

Date: 10-Jul
Weather / Temp: Rain / 70 DEG
Technician / Operator: JW

Arrival Time: 10:00
Departure Time: 11:00

System Status					
	Arrival	Departure		Arrival	Departure
SVE Blower 1 (ON/OFF)	OFF	OFF	Sensaphone (ON/OFF)	ON	ON
SVE Blower 2 (ON/OFF)	ON	ON	Surge Protection (ON/OFF)	ON	ON
AS Compressor 1 (ON/OFF)	OFF	OFF	Lightning Protection (White/Black)	White	White
AS Compressor 2 (ON/OFF)	OFF	ON			
Soil Vapor Extraction System					
Blower Air Velocity/Flow Rate (fpm)/cfm)	4600	903	Blower 1 Total Runtime (hrs)	59,459.0	
Blower 1 Fresh Air Valve Open (%)	0		Blower 2 Total Runtime (hrs)	57,370.4	
Blower 2 Fresh Air Valve Open (%)	0		Blower 1 Air Filter Differential Pressure ("H2O)	0	
Moisture Separator Vacuum ("Hg)	3		Blower 2 Air Filter Differential Pressure ("H2O)	0	
VGAC-1 Influent Vacuum ("H2O)	58		VGAC-1 Influent PID (ppm)	1.4	
VGAC-1 Effluent Vacuum ("H2O)	60		VGAC-1 Effluent PID (ppm)	0.0	
VGAC-2 Influent Vacuum ("H2O)	52		VGAC-2 Influent PID (ppm)	1.4	
VGAC-2 Effluent Vacuum ("H2O)	64		VGAC-2 Effluent PID (ppm)	0.0	
VGAC-3 Influent Vacuum ("H2O)	70		VGAC-3 Influent PID (ppm)	0.0	
VGAC-3 Effluent Vacuum ("H2O)	75		VGAC-3 Effluent PID (ppm)	0.0	
VGAC-3 Influent Temp (DegF)	NA		Blower Effluent PID (ppm)	0.0	
Blower Effluent Pressure ("H2O)	10				
Transfer Pump Total Runtime (hrs)	25,041.0		Condensate Storage Tank Level (gal)	100	
SVE Manifold Legs - Vacuum/Flow Rate/PID					
	Vacuum	Velocity	Flow Rate	PID	
SVE-1 ("H2O)/(FPM)/(cfm)/(ppm)	40	6500	142		SVE-4 ("H2O)/(FPM)/(cfm)/(ppm)
SVE-2 ("H2O)/(FPM)/(cfm)/(ppm)	44	4000	87		SVE-5 ("H2O)/(FPM)/(cfm)/(ppm)
SVE-3 ("H2O)/(FPM)/(cfm)/(ppm)	35	4500	98		SVE-6B ("H2O)/(FPM)/(cfm)/(ppm)
SVE-3A ("H2O)/(FPM)/(cfm)/(ppm)	32	4000	87		SVE-7 ("H2O)/(FPM)/(cfm)/(ppm)
Air Sparge System					
Compressor 1 Pressure (psi)	Off for repairs			Compressor 2 Pressure (psi)	
Compressor 1 Temperature (degF)	Off for repairs			Compressor 2 Temperature (degF)	
Compressor 1 Runtime (hrs)	27,317			Compressor 2 Runtime (hrs)	39,285
Manifold Regulator Pressure (psi)					
AS Manifold Legs - Pressure/Flow Rate					
	Pressure	Flow Rate		Pressure	Flow Rate
AS-1 (psi)/(cfm)			AS-11 (psi)/(cfm)		
AS-2 (psi)/(cfm)			AS-12B (psi)/(cfm)		
AS-3 (psi)/(cfm)			AS-13B (psi)/(cfm)		
AS-4 (psi)/(cfm)			AS-14 (psi)/(cfm)		
AS-5 (psi)/(cfm)			AS-15 (psi)/(cfm)		
AS-6 (psi)/(cfm)			AS-16B (psi)/(cfm)		
AS-7 (psi)/(cfm)			AS-17 (psi)/(cfm)		
AS-8 (psi)/(cfm)			AS-18 (psi)/(cfm)		
AS-9 (psi)/(cfm)			AS-19 (psi)/(cfm)		
AS-10B (psi)/(cfm)					

Notes, Comments & Observations: _____

Hydrovane off for repairs. _____

Blower 1 off for repairs. _____

Inspection, Maintenance, Lubrication Schedule
 Ensaf-Frost Street
 101 Frost Street
 Westbury, NY

EnviroTrac Environmental Services
 5 Old Dock Road, Yaphank, NY 11980
 (631)924-3001, Fax (631)924-5001

Date: 10-Jul
Weather / Temp: Rain / 70 DEG
Technician / Operator: JW

Arrival Time: 10:00
Departure Time: 11:00

Maintenance Item	Perform	Completed (yes/no)	Comments
SVE Blower B-1			
-Inspect	Weekly	N	Off for repairs.
-Lubricate	As Required	N	
-Inspect Air Filter	Weekly	N	
-Amp Draw	Quarterly	N	
-Inspect Belts	Weekly	N	
SVE Blower B-2			
-Inspect	Weekly	Y	
-Lubricate	As Required	N	
-Inspect Air Filter	Weekly	Y	
-Amp Draw	Quarterly	N	
-Inspect Belts	Weekly	Y	
SVE Piping			
-Inspect	Weekly	Y	
-Valves	Weekly	Y	
Phase Separator/Storage Tank			
-Inspect	Weekly	Y	
-Check Level Switches	As Required	Y	
-Inspect water storage tank	Weekly	Y	
-Pump water to sewer drain	As Required	Y	
AS Compressor 1			
-Inspect	Weekly	N	Off for repairs.
-Lubricate	As Required	N	
-Inspect Filters	Weekly	N	
-Amp Draw	Quarterly	N	
AS Compressor 2			
-Inspect	Weekly	N	Off for repairs.
-Lubricate	As Required	N	
-Inspect Filters	Weekly	N	
-Amp Draw	Quarterly	N	
AS Piping			
-Inspect	Weekly	Y	
-Valves	Weekly	Y	
-Drain Filters/Collectors	Weekly	Y	
-Drain Pressure Tank	Weekly	Y	

Operation & Maintenance Data Sheet
 Ensafe-Frost Street
 101 Frost Street
 Westbury, NY

EnviroTrac Environmental Services
 5 Old Dock Road, Yaphank, NY 11980
 (631)924-3001, Fax (631)924-5001

Date: 22-Jul
 Weather / Temp: Clear / 80 DEG
 Technician / Operator: JW

Arrival Time: 10:00
 Departure Time: 11:30

System Status									
	Arrival	Departure		Arrival	Departure				
SVE Blower 1 (ON/OFF)	OFF	OFF	Sensaphone (ON/OFF)	ON	ON				
SVE Blower 2 (ON/OFF)	ON	ON	Surge Protection (ON/OFF)	ON	ON				
AS Compressor 1 (ON/OFF)	OFF	OFF	Lightning Protection (White/Black)	White	White				
AS Compressor 2 (ON/OFF)	OFF	ON							
Soil Vapor Extraction System									
Blower Air Velocity/Flow Rate (fpm)/(cfm)	4700	923	Blower 1 Total Runtime (hrs)	59,459.0					
Blower 1 Fresh Air Valve Open (%)	0		Blower 2 Total Runtime (hrs)	57,658.9					
Blower 2 Fresh Air Valve Open (%)	0		Blower 1 Air Filter Differential Pressure ("H2O)	0					
Moisture Separator Vacuum ("Hg)	3		Blower 2 Air Filter Differential Pressure ("H2O)	0					
VGAC-1 Influent Vacuum ("H2O)	58		VGAC-1 Influent PID (ppm)	2.0					
VGAC-1 Effluent Vacuum ("H2O)	60		VGAC-1 Effluent PID (ppm)	1.0					
VGAC-2 Influent Vacuum ("H2O)	52		VGAC-2 Influent PID (ppm)	2.0					
VGAC-2 Effluent Vacuum ("H2O)	64		VGAC-2 Effluent PID (ppm)	1.0					
VGAC-3 Influent Vacuum ("H2O)	70		VGAC-3 Influent PID (ppm)	1.0					
VGAC-3 Effluent Vacuum ("H2O)	75		VGAC-3 Effluent PID (ppm)	0.0					
VGAC-3 Influent Temp (DegF)	NA		Blower Effluent PID (ppm)	0.0					
Blower Effluent Pressure ("H2O)	10								
Transfer Pump Total Runtime (hrs)	25,041.0		Condensate Storage Tank Level (gal)	100					
SVE Manifold Legs - Vacuum/Flow Rate/PID									
	Vacuum	Velocity	Flow Rate	PID		Vacuum	Velocity	Flow Rate	PID
SVE-1 ("H2O)/(FPM)/(cfm)/(ppm)	42	6000	131		SVE-4 ("H2O)/(FPM)/(cfm)/(ppm)	34	4000	87	
SVE-2 ("H2O)/(FPM)/(cfm)/(ppm)	44	4000	87		SVE-5 ("H2O)/(FPM)/(cfm)/(ppm)	34	2900	63	
SVE-3 ("H2O)/(FPM)/(cfm)/(ppm)	34	4600	100		SVE-6B ("H2O)/(FPM)/(cfm)/(ppm)	34	6000	131	
SVE-3A ("H2O)/(FPM)/(cfm)/(ppm)	32	4200	92		SVE-7 ("H2O)/(FPM)/(cfm)/(ppm)	35	2900	63	
Air Sparge System									
Compressor 1 Pressure (psi)	Off for repairs			Compressor 2 Pressure (psi)					
Compressor 1 Temperature (degF)	Off for repairs			Compressor 2 Temperature (degF)					
Compressor 1 Runtime (hrs)	27,317			Compressor 2 Runtime (hrs)	39,285				
Manifold Regulator Pressure (psi)									
AS Manifold Legs - Pressure/Flow Rate									
	Pressure	Flow Rate		Pressure	Flow Rate				
AS-1 (psi)/(cfm)			AS-11 (psi)/(cfm)						
AS-2 (psi)/(cfm)			AS-12B (psi)/(cfm)						
AS-3 (psi)/(cfm)			AS-13B (psi)/(cfm)						
AS-4 (psi)/(cfm)			AS-14 (psi)/(cfm)						
AS-5 (psi)/(cfm)			AS-15 (psi)/(cfm)						
AS-6 (psi)/(cfm)			AS-16B (psi)/(cfm)						
AS-7 (psi)/(cfm)			AS-17 (psi)/(cfm)						
AS-8 (psi)/(cfm)			AS-18 (psi)/(cfm)						
AS-9 (psi)/(cfm)			AS-19 (psi)/(cfm)						
AS-10B (psi)/(cfm)									

Notes, Comments & Observations:

Hydrovane off for repairs.

Removed pulley and bearing plate from Blower #1. Rear bearing or gears appear to be damaged too, unable to repair.

Inspection, Maintenance, Lubrication Schedule
Ensafe-Frost Street
101 Frost Street
Westbury, NY

EnviroTrac Environmental Services
5 Old Dock Road, Yaphank, NY 11980
(631)924-3001, Fax (631)924-5001

Date: 22-Jul
Weather / Temp: Clear / 80 DEG
Technician / Operator: JW

Arrival Time: 10:00
Departure Time: 11:30

Maintenance Item	Perform	Completed (yes/no)	Comments
SVE Blower B-1			
-Inspect	Weekly	N	Off for repairs.
-Lubricate	As Required	N	
-Inspect Air Filter	Weekly	N	
-Amp Draw	Quarterly	N	
-Inspect Belts	Weekly	N	
SVE Blower B-2			
-Inspect	Weekly	Y	
-Lubricate	As Required	N	
-Inspect Air Filter	Weekly	Y	
-Amp Draw	Quarterly	N	
-Inspect Belts	Weekly	Y	
SVE Piping			
-Inspect	Weekly	Y	
-Valves	Weekly	Y	
Phase Separator/Storage Tank			
-Inspect	Weekly	Y	
-Check Level Switches	As Required	Y	
-Inspect water storage tank	Weekly	Y	
-Pump water to sewer drain	As Required	Y	
AS Compressor 1			
-Inspect	Weekly	N	Off for repairs.
-Lubricate	As Required	N	
-Inspect Filters	Weekly	N	
-Amp Draw	Quarterly	N	
AS Compressor 2			
-Inspect	Weekly	N	Off for repairs.
-Lubricate	As Required	N	
-Inspect Filters	Weekly	N	
-Amp Draw	Quarterly	N	
AS Piping			
-Inspect	Weekly	Y	
-Valves	Weekly	Y	
-Drain Filters/Collectors	Weekly	Y	
-Drain Pressure Tank	Weekly	Y	

Operation & Maintenance Data Sheet
 Ensae-Frost Street
 101 Frost Street
 Westbury, NY

EnviroTrac Environmental Services
 5 Old Dock Road, Yaphank, NY 11980
 (631)924-3001, Fax (631)924-5001

Date: 30-Jul
Weather / Temp: Sunny / 90 DEG
Technician / Operator: JW

Arrival Time: 9:00
Departure Time: 13:00

System Status									
	Arrival	Departure		Arrival	Departure				
SVE Blower 1 (ON/OFF)	OFF	OFF	Sensaphone (ON/OFF)	ON	ON				
SVE Blower 2 (ON/OFF)	ON	ON	Surge Protection (ON/OFF)	ON	ON				
AS Compressor 1 (ON/OFF)	OFF	OFF	Lightning Protection (White/Black)	White	White				
AS Compressor 2 (ON/OFF)	OFF	ON							
Soil Vapor Extraction System									
Blower Air Velocity/Flow Rate (fpm)/(cfm)	4600	903	Blower 1 Total Runtime (hrs)	59,459.0					
Blower 1 Fresh Air Valve Open (%)	0		Blower 2 Total Runtime (hrs)	57,850.2					
Blower 2 Fresh Air Valve Open (%)	0		Blower 1 Air Filter Differential Pressure ("H2O)	0					
Moisture Separator Vacuum ("Hg)	3		Blower 2 Air Filter Differential Pressure ("H2O)	0					
VGAC-1 Influent Vacuum ("H2O)	58		VGAC-1 Influent PID (ppm)	1.1					
VGAC-1 Effluent Vacuum ("H2O)	60		VGAC-1 Effluent PID (ppm)	0.0					
VGAC-2 Influent Vacuum ("H2O)	52		VGAC-2 Influent PID (ppm)	1.1					
VGAC-2 Effluent Vacuum ("H2O)	64		VGAC-2 Effluent PID (ppm)	0.0					
VGAC-3 Influent Vacuum ("H2O)	70		VGAC-3 Influent PID (ppm)	0.0					
VGAC-3 Effluent Vacuum ("H2O)	75		VGAC-3 Effluent PID (ppm)	0.0					
VGAC-3 Influent Temp (DegF)	NA		Blower Effluent PID (ppm)	0.0					
Blower Effluent Pressure ("H2O)	10								
Transfer Pump Total Runtime (hrs)	25,041.0		Condensate Storage Tank Level (gal)	100					
SVE Manifold Legs - Vacuum/Flow Rate/PID									
	Vacuum	Velocity	Flow Rate	PID		Vacuum	Velocity	Flow Rate	PID
SVE-1 ("H2O)/(FPM)/(cfm)/(ppm)	40	6500	142	1.5	SVE-4 ("H2O)/(FPM)/(cfm)/(ppm)	34	4000	87	1.0
SVE-2 ("H2O)/(FPM)/(cfm)/(ppm)	44	4000	87	2.0	SVE-5 ("H2O)/(FPM)/(cfm)/(ppm)	34	2800	61	1.0
SVE-3 ("H2O)/(FPM)/(cfm)/(ppm)	35	4600	100	0.0	SVE-6B ("H2O)/(FPM)/(cfm)/(ppm)	34	6000	131	2.0
SVE-3A ("H2O)/(FPM)/(cfm)/(ppm)	32	4000	87	0.0	SVE-7 ("H2O)/(FPM)/(cfm)/(ppm)	35	2900	63	0.0
Air Sparge System									
Compressor 1 Pressure (psi)	Off for repairs			Compressor 2 Pressure (psi)	79				
Compressor 1 Temperature (degF)	Off for repairs			Compressor 2 Temperature (degF)	201				
Compressor 1 Runtime (hrs)	27,317			Compressor 2 Runtime (hrs)	39,286				
Manifold Regulator Pressure (psi)	60								
AS Manifold Legs - Pressure/Flow Rate									
	Pressure	Flow Rate		Pressure	Flow Rate				
AS-1 (psi)/(cfm)	16	7	AS-11 (psi)/(cfm)	15	5				
AS-2 (psi)/(cfm)	16	4	AS-12B (psi)/(cfm)	16	8				
AS-3 (psi)/(cfm)	16	9	AS-13B (psi)/(cfm)	16	7				
AS-4 (psi)/(cfm)	15	0	AS-14 (psi)/(cfm)	17	10				
AS-5 (psi)/(cfm)	16	9	AS-15 (psi)/(cfm)	15	9				
AS-6 (psi)/(cfm)	16	6	AS-16B (psi)/(cfm)	16	7				
AS-7 (psi)/(cfm)	16	7	AS-17 (psi)/(cfm)	17	6				
AS-8 (psi)/(cfm)	15	9	AS-18 (psi)/(cfm)	16	7				
AS-9 (psi)/(cfm)	15	7	AS-19 (psi)/(cfm)	15	8				
AS-10B (psi)/(cfm)	17	10							

Notes, Comments & Observations:

Replaced Hydrovane intake air filter, cleaned aftercooler, and added oil. Restarted compressor.

Collected monthly air samples.

Inspection, Maintenance, Lubrication Schedule
Ensafe-Frost Street
101 Frost Street
Westbury, NY

EnviroTrac Environmental Services
5 Old Dock Road, Yaphank, NY 11980
(631)924-3001, Fax (631)924-5001

Date: 30-Jul
Weather / Temp: Sunny / 90 DEG
Technician / Operator: JW

Arrival Time: 9:00
Departure Time: 13:00

Maintenance Item	Perform	Completed (yes/no)	Comments
SVE Blower B-1			
-Inspect	Weekly	N	Off for repairs.
-Lubricate	As Required	N	
-Inspect Air Filter	Weekly	N	
-Amp Draw	Quarterly	N	
-Inspect Belts	Weekly	N	
SVE Blower B-2			
-Inspect	Weekly	Y	
-Lubricate	As Required	N	
-Inspect Air Filter	Weekly	Y	
-Amp Draw	Quarterly	N	
-Inspect Belts	Weekly	Y	
SVE Piping			
-Inspect	Weekly	Y	
-Valves	Weekly	Y	
Phase Separator/Storage Tank			
-Inspect	Weekly	Y	
-Check Level Switches	As Required	Y	
-Inspect water storage tank	Weekly	Y	
-Pump water to sewer drain	As Required	Y	
AS Compressor 1			
-Inspect	Weekly	N	Off for repairs.
-Lubricate	As Required	N	
-Inspect Filters	Weekly	N	
-Amp Draw	Quarterly	N	
AS Compressor 2			
-Inspect	Weekly	Y	
-Lubricate	As Required	Y	Added oil.
-Inspect Filters	Weekly	Y	Replaced air intake filter.
-Amp Draw	Quarterly	N	
AS Piping			
-Inspect	Weekly	Y	
-Valves	Weekly	Y	
-Drain Filters/Collectors	Weekly	Y	
-Drain Pressure Tank	Weekly	Y	

ALARM VISIT LOG
AS/SVE SYSTEM
101 FROST STREET, WESTBURY, NY

[illegible]

Appendix B
AS/SVE System Influent/Effluent Sampling
Laboratory Analytical Results



Friday, August 07, 2020

Attn: James Wilkinson
EnviroTrac
5 Old Dock Rd
Yaphank, NY 11980

Project ID: ENSAFE WESTBURY
SDG ID: GCG48025
Sample ID#s: CG48025 - CG48026

This laboratory is in compliance with the NELAC requirements of procedures used except where indicated.

This report contains results for the parameters tested, under the sampling conditions described on the Chain Of Custody, as received by the laboratory. This report is incomplete unless all pages indicated in the pagination at the bottom of the page are included.

A scanned version of the COC form accompanies the analytical report and is an exact duplicate of the original.

If you are the client above and have any questions concerning this testing, please do not hesitate to contact Phoenix Client Services at ext.200. The contents of this report cannot be discussed with anyone other than the client listed above without their written consent.

Sincerely yours,

A handwritten signature in black ink, appearing to read "Phyllis Shiller".

Phyllis Shiller

Laboratory Director

NELAC - #NY11301
CT Lab Registration #PH-0618
MA Lab Registration #M-CT007
ME Lab Registration #CT-007
NH Lab Registration #213693-A,B

NJ Lab Registration #CT-003
NY Lab Registration #11301
PA Lab Registration #68-03530
RI Lab Registration #63
UT Lab Registration #CT00007
VT Lab Registration #VT11301



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823



Sample Id Cross Reference

August 07, 2020

SDG I.D.: GCG48025

Project ID: ENSAFE WESTBURY

Client Id	Lab Id	Matrix
SVE INFLUENT	CG48025	AIR
SVE EFFLUENT	CG48026	AIR



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823



Analysis Report

August 07, 2020

FOR: Attn: James Wilkinson
EnviroTrac
5 Old Dock Rd
Yaphank, NY 11980

Sample Information

Matrix: AIR
Location Code: ENVIOTR
Rush Request: Standard
P.O.#:
Canister Id: 751

Custody Information

Collected by: JW
Received by: B
Analyzed by: see "By" below

Date

07/30/20 12:31
08/05/20 16:20

Time

Project ID: ENSAFE WESTBURY
Client ID: SVE INFLUENT

Laboratory Data

SDG ID: GCG48025
Phoenix ID: CG48025

Parameter	ppbv Result	ppbv RL	ug/m3 Result	ug/m3 RL	Date/Time	By	Dilution
<u>Volatiles (TO15)</u>							
1,1,1,2-Tetrachloroethane	ND	0.146	ND	1.00	08/06/20	KCA	1
1,1,1-Trichloroethane	0.263	0.183	1.43	1.00	08/06/20	KCA	1
1,1,2,2-Tetrachloroethane	ND	0.146	ND	1.00	08/06/20	KCA	1
1,1,2-Trichloroethane	ND	0.183	ND	1.00	08/06/20	KCA	1
1,1-Dichloroethane	ND	0.247	ND	1.00	08/06/20	KCA	1
1,1-Dichloroethene	ND	0.051	ND	0.20	08/06/20	KCA	1
1,2,4-Trichlorobenzene	ND	0.135	ND	1.00	08/06/20	KCA	1
1,2,4-Trimethylbenzene	ND	0.204	ND	1.00	08/06/20	KCA	1
1,2-Dibromoethane(EDB)	ND	0.130	ND	1.00	08/06/20	KCA	1
1,2-Dichlorobenzene	ND	0.166	ND	1.00	08/06/20	KCA	1
1,2-Dichloroethane	ND	0.247	ND	1.00	08/06/20	KCA	1
1,2-dichloropropane	ND	0.217	ND	1.00	08/06/20	KCA	1
1,2-Dichlorotetrafluoroethane	ND	0.143	ND	1.00	08/06/20	KCA	1
1,3,5-Trimethylbenzene	ND	0.204	ND	1.00	08/06/20	KCA	1
1,3-Butadiene	ND	0.452	ND	1.00	08/06/20	KCA	1
1,3-Dichlorobenzene	ND	0.166	ND	1.00	08/06/20	KCA	1
1,4-Dichlorobenzene	ND	0.166	ND	1.00	08/06/20	KCA	1
1,4-Dioxane	ND	0.278	ND	1.00	08/06/20	KCA	1
2-Hexanone(MBK)	ND	0.244	ND	1.00	08/06/20	KCA	1
4-Ethyltoluene	ND	0.204	ND	1.00	08/06/20	KCA	1
4-Isopropyltoluene	ND	0.182	ND	1.00	08/06/20	KCA	1
4-Methyl-2-pentanone(MIBK)	0.340	0.244	1.39	1.00	08/06/20	KCA	1
Acetone	13.5	0.421	32.0	1.00	08/06/20	KCA	1
Acrylonitrile	ND	0.461	ND	1.00	08/06/20	KCA	1
Benzene	ND	0.313	ND	1.00	08/06/20	KCA	1
Benzyl chloride	ND	0.193	ND	1.00	08/06/20	KCA	1

Parameter	ppbv Result	ppbv RL	ug/m3 Result	ug/m3 RL	Date/Time	By	
Bromodichloromethane	ND	0.149	ND	1.00	08/06/20	KCA	1
Bromoform	ND	0.097	ND	1.00	08/06/20	KCA	1
Bromomethane	ND	0.258	ND	1.00	08/06/20	KCA	1
Carbon Disulfide	ND	0.321	ND	1.00	08/06/20	KCA	1
Carbon Tetrachloride	0.070	0.032	0.44	0.20	08/06/20	KCA	1
Chlorobenzene	ND	0.217	ND	1.00	08/06/20	KCA	1
Chloroethane	ND	0.379	ND	1.00	08/06/20	KCA	1
Chloroform	ND	0.205	ND	1.00	08/06/20	KCA	1
Chloromethane	ND	0.485	ND	1.00	08/06/20	KCA	1
Cis-1,2-Dichloroethene	6.72	0.051	26.6	0.20	08/06/20	KCA	1
cis-1,3-Dichloropropene	ND	0.221	ND	1.00	08/06/20	KCA	1
Cyclohexane	ND	0.291	ND	1.00	08/06/20	KCA	1
Dibromochloromethane	ND	0.118	ND	1.00	08/06/20	KCA	1
Dichlorodifluoromethane	0.388	0.202	1.92	1.00	08/06/20	KCA	1
Ethanol	13.8	0.531	26.0	1.00	08/06/20	KCA	1 1
Ethyl acetate	ND	0.278	ND	1.00	08/06/20	KCA	1 1
Ethylbenzene	ND	0.230	ND	1.00	08/06/20	KCA	1
Heptane	ND	0.244	ND	1.00	08/06/20	KCA	1
Hexachlorobutadiene	ND	0.094	ND	1.00	08/06/20	KCA	1
Hexane	ND	0.284	ND	1.00	08/06/20	KCA	1
Isopropylalcohol	3.99	0.407	9.8	1.00	08/06/20	KCA	1
Isopropylbenzene	ND	0.204	ND	1.00	08/06/20	KCA	1
m,p-Xylene	ND	0.230	ND	1.00	08/06/20	KCA	1
Methyl Ethyl Ketone	2.52	0.339	7.43	1.00	08/06/20	KCA	1
Methyl tert-butyl ether(MTBE)	ND	0.278	ND	1.00	08/06/20	KCA	1
Methylene Chloride	ND	0.864	ND	3.00	08/06/20	KCA	1
n-Butylbenzene	ND	0.182	ND	1.00	08/06/20	KCA	1 1
o-Xylene	ND	0.230	ND	1.00	08/06/20	KCA	1
Propylene	ND	0.581	ND	1.00	08/06/20	KCA	1 1
sec-Butylbenzene	ND	0.182	ND	1.00	08/06/20	KCA	1 1
Styrene	ND	0.235	ND	1.00	08/06/20	KCA	1
Tetrachloroethene	192	0.184	1300	1.25	08/05/20	KCA	5
Tetrahydrofuran	2.64	0.339	7.78	1.00	08/06/20	KCA	1 1
Toluene	0.277	0.266	1.04	1.00	08/06/20	KCA	1
Trans-1,2-Dichloroethene	ND	0.252	ND	1.00	08/06/20	KCA	1
trans-1,3-Dichloropropene	ND	0.221	ND	1.00	08/06/20	KCA	1
Trichloroethene	18.6	0.037	100	0.20	08/06/20	KCA	1
Trichlorofluoromethane	0.261	0.178	1.47	1.00	08/06/20	KCA	1
Trichlorotrifluoroethane	ND	0.131	ND	1.00	08/06/20	KCA	1
Vinyl Chloride	ND	0.078	ND	0.20	08/06/20	KCA	1
<u>QA/QC Surrogates/Internals</u>							
% Bromofluorobenzene	104	%	104	%	08/06/20	KCA	1
% IS-1,4-Difluorobenzene	94	%	94	%	08/06/20	KCA	1
% IS-Bromochloromethane	96	%	96	%	08/06/20	KCA	1
% IS-Chlorobenzene-d5	94	%	94	%	08/06/20	KCA	1
% Bromofluorobenzene (5x)	102	%	102	%	08/05/20	KCA	5
% IS-1,4-Difluorobenzene (5x)	94	%	94	%	08/05/20	KCA	5
% IS-Bromochloromethane (5x)	96	%	96	%	08/05/20	KCA	5
% IS-Chlorobenzene-d5 (5x)	93	%	93	%	08/05/20	KCA	5

Parameter	ppbv Result	ppbv RL	ug/m3 Result	ug/m3 RL	Date/Time	By
-----------	----------------	------------	-----------------	-------------	-----------	----


1 = This parameter is not certified by the primary accrediting authority (NY NELAC) for this matrix. NY NELAC does not offer certification for all parameters at this time.

RL/PQL=Reporting/Practical Quantitation Level (Equivalent to NELAC LOQ, Limit of Quantitation) ND=Not Detected at RL/PQL
BRL=Below Reporting Level L=Biased Low

QA/QC Surrogates: Surrogates are compounds (preceded with a %) added by the lab to determine analysis efficiency. Surrogate results(%) listed in the report are not "detected" compounds.

Comments:

If you are the client above and have any questions concerning this testing, please do not hesitate to contact Phoenix Client Services at ext.200. The contents of this report cannot be discussed with anyone other than the client listed above without their written consent.



Phyllis Shiller, Laboratory Director

August 07, 2020

Reviewed and Released by: Rashmi Makol, Project Manager



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823



Analysis Report

August 07, 2020

FOR: Attn: James Wilkinson
EnviroTrac
5 Old Dock Rd
Yaphank, NY 11980

Sample Information

Matrix: AIR
Location Code: ENVIOTR
Rush Request: Standard
P.O.#:
Canister Id: 847

Custody Information

Collected by: JW
Received by: B
Analyzed by: see "By" below

Date

07/30/20 12:25
08/05/20 16:20

Time

Laboratory Data

SDG ID: GCG48025
Phoenix ID: CG48026

Project ID: ENSAFE WESTBURY
Client ID: SVE EFFLUENT

Parameter	ppbv Result	ppbv RL	ug/m3 Result	ug/m3 RL	Date/Time	By	Dilution
<u>Volatiles (TO15)</u>							
1,1,1,2-Tetrachloroethane	ND	0.146	ND	1.00	08/06/20	KCA	1
1,1,1-Trichloroethane	ND	0.183	ND	1.00	08/06/20	KCA	1
1,1,2,2-Tetrachloroethane	ND	0.146	ND	1.00	08/06/20	KCA	1
1,1,2-Trichloroethane	ND	0.183	ND	1.00	08/06/20	KCA	1
1,1-Dichloroethane	ND	0.247	ND	1.00	08/06/20	KCA	1
1,1-Dichloroethene	ND	0.051	ND	0.20	08/06/20	KCA	1
1,2,4-Trichlorobenzene	ND	0.135	ND	1.00	08/06/20	KCA	1
1,2,4-Trimethylbenzene	ND	0.204	ND	1.00	08/06/20	KCA	1
1,2-Dibromoethane(EDB)	ND	0.130	ND	1.00	08/06/20	KCA	1
1,2-Dichlorobenzene	ND	0.166	ND	1.00	08/06/20	KCA	1
1,2-Dichloroethane	ND	0.247	ND	1.00	08/06/20	KCA	1
1,2-dichloropropane	ND	0.217	ND	1.00	08/06/20	KCA	1
1,2-Dichlorotetrafluoroethane	ND	0.143	ND	1.00	08/06/20	KCA	1
1,3,5-Trimethylbenzene	ND	0.204	ND	1.00	08/06/20	KCA	1
1,3-Butadiene	ND	0.452	ND	1.00	08/06/20	KCA	1
1,3-Dichlorobenzene	ND	0.166	ND	1.00	08/06/20	KCA	1
1,4-Dichlorobenzene	ND	0.166	ND	1.00	08/06/20	KCA	1
1,4-Dioxane	ND	0.278	ND	1.00	08/06/20	KCA	1
2-Hexanone(MBK)	ND	0.244	ND	1.00	08/06/20	KCA	1
4-Ethyltoluene	ND	0.204	ND	1.00	08/06/20	KCA	1
4-Isopropyltoluene	ND	0.182	ND	1.00	08/06/20	KCA	1
4-Methyl-2-pentanone(MIBK)	ND	0.244	ND	1.00	08/06/20	KCA	1
Acetone	2.69	0.421	6.39	1.00	08/06/20	KCA	1
Acrylonitrile	ND	0.461	ND	1.00	08/06/20	KCA	1
Benzene	ND	0.313	ND	1.00	08/06/20	KCA	1
Benzyl chloride	ND	0.193	ND	1.00	08/06/20	KCA	1

Parameter	ppbv Result	ppbv RL	ug/m3 Result	ug/m3 RL	Date/Time	By	
Bromodichloromethane	ND	0.149	ND	1.00	08/06/20	KCA	1
Bromoform	ND	0.097	ND	1.00	08/06/20	KCA	1
Bromomethane	ND	0.258	ND	1.00	08/06/20	KCA	1
Carbon Disulfide	ND	0.321	ND	1.00	08/06/20	KCA	1
Carbon Tetrachloride	ND	0.032	ND	0.20	08/06/20	KCA	1
Chlorobenzene	ND	0.217	ND	1.00	08/06/20	KCA	1
Chloroethane	ND	0.379	ND	1.00	08/06/20	KCA	1
Chloroform	ND	0.205	ND	1.00	08/06/20	KCA	1
Chloromethane	ND	0.485	ND	1.00	08/06/20	KCA	1
Cis-1,2-Dichloroethene	66.4	0.252	263	1.00	08/05/20	KCA	5
cis-1,3-Dichloropropene	ND	0.221	ND	1.00	08/06/20	KCA	1
Cyclohexane	ND	0.291	ND	1.00	08/06/20	KCA	1
Dibromochloromethane	ND	0.118	ND	1.00	08/06/20	KCA	1
Dichlorodifluoromethane	0.369	0.202	1.82	1.00	08/06/20	KCA	1
Ethanol	59.6	2.66	112	5.01	08/05/20	KCA	5 1
Ethyl acetate	ND	0.278	ND	1.00	08/06/20	KCA	1 1
Ethylbenzene	ND	0.230	ND	1.00	08/06/20	KCA	1
Heptane	ND	0.244	ND	1.00	08/06/20	KCA	1
Hexachlorobutadiene	ND	0.094	ND	1.00	08/06/20	KCA	1
Hexane	ND	0.284	ND	1.00	08/06/20	KCA	1
Isopropylalcohol	6.28	0.407	15.4	1.00	08/06/20	KCA	1
Isopropylbenzene	ND	0.204	ND	1.00	08/06/20	KCA	1
m,p-Xylene	ND	0.230	ND	1.00	08/06/20	KCA	1
Methyl Ethyl Ketone	ND	0.339	ND	1.00	08/06/20	KCA	1
Methyl tert-butyl ether(MTBE)	ND	0.278	ND	1.00	08/06/20	KCA	1
Methylene Chloride	ND	0.864	ND	3.00	08/06/20	KCA	1
n-Butylbenzene	ND	0.182	ND	1.00	08/06/20	KCA	1 1
o-Xylene	ND	0.230	ND	1.00	08/06/20	KCA	1
Propylene	ND	0.581	ND	1.00	08/06/20	KCA	1 1
sec-Butylbenzene	ND	0.182	ND	1.00	08/06/20	KCA	1 1
Styrene	ND	0.235	ND	1.00	08/06/20	KCA	1
Tetrachloroethene	3.70	0.037	25.1	0.25	08/06/20	KCA	1
Tetrahydrofuran	ND	0.339	ND	1.00	08/06/20	KCA	1 1
Toluene	ND	0.266	ND	1.00	08/06/20	KCA	1
Trans-1,2-Dichloroethene	0.751	0.252	2.98	1.00	08/06/20	KCA	1
trans-1,3-Dichloropropene	ND	0.221	ND	1.00	08/06/20	KCA	1
Trichloroethene	0.965	0.037	5.18	0.20	08/06/20	KCA	1
Trichlorofluoromethane	ND	0.178	ND	1.00	08/06/20	KCA	1
Trichlorotrifluoroethane	ND	0.131	ND	1.00	08/06/20	KCA	1
Vinyl Chloride	ND	0.078	ND	0.20	08/06/20	KCA	1
<u>QA/QC Surrogates/Internals</u>							
% Bromofluorobenzene	102	%	102	%	08/06/20	KCA	1
% IS-1,4-Difluorobenzene	94	%	94	%	08/06/20	KCA	1
% IS-Bromochloromethane	95	%	95	%	08/06/20	KCA	1
% IS-Chlorobenzene-d5	93	%	93	%	08/06/20	KCA	1
% Bromofluorobenzene (5x)	102	%	102	%	08/05/20	KCA	5
% IS-1,4-Difluorobenzene (5x)	93	%	93	%	08/05/20	KCA	5
% IS-Bromochloromethane (5x)	95	%	95	%	08/05/20	KCA	5
% IS-Chlorobenzene-d5 (5x)	90	%	90	%	08/05/20	KCA	5

Parameter	ppbv Result	ppbv RL	ug/m3 Result	ug/m3 RL	Date/Time	By
-----------	----------------	------------	-----------------	-------------	-----------	----


1 = This parameter is not certified by the primary accrediting authority (NY NELAC) for this matrix. NY NELAC does not offer certification for all parameters at this time.

RL/PQL=Reporting/Practical Quantitation Level (Equivalent to NELAC LOQ, Limit of Quantitation) ND=Not Detected at RL/PQL
BRL=Below Reporting Level L=Biased Low

QA/QC Surrogates: Surrogates are compounds (preceded with a %) added by the lab to determine analysis efficiency. Surrogate results(%) listed in the report are not "detected" compounds.

Comments:

If you are the client above and have any questions concerning this testing, please do not hesitate to contact Phoenix Client Services at ext.200. The contents of this report cannot be discussed with anyone other than the client listed above without their written consent.



Phyllis Shiller, Laboratory Director

August 07, 2020

Reviewed and Released by: Rashmi Makol, Project Manager



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823



Canister Sampling Information

August 07, 2020

FOR: Attn: James Wilkinson
EnviroTrac
5 Old Dock Rd
Yaphank, NY 11980

Location Code: ENVIOTR

SDG I.D.: GCG48025

Project ID: ENSAFE WESTBURY

Client Id	Lab Id	Canister		Reg. Id	Chk Out Date	Laboratory					Field			
		Id	Type			Out Hg	In Hg	Out Flow	In Flow	Flow RPD	Start Hg	End Hg	Sampling Start Date	Sampling End Date
SVE INFLUENT	CG48025	751	1.4L		07/22/20	-30	-4		B SAM				07/30/20 12:30	07/30/20 12:31
SVE EFFLUENT	CG48026	847	1.4L		07/22/20	-30	0		B SAM				07/30/20 12:25	07/30/20 12:26



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823



QA/QC Report

August 07, 2020

QA/QC Data

SDG I.D.: GCG48025

Parameter	Blk ppbv	Blk RL ppbv	Blk ug/m3	Blk RL ug/m3	LCS %	Sample Result ug/m3	Sample Dup ug/m3	Sample Result ppbv	Sample Dup ppbv	DUP RPD	% Rec Limits	% RPD Limits
QA/QC Batch 540342 (ppbv), QC Sample No: CG48026 (CG48025 (1X, 5X) , CG48026 (1X, 5X))												
Volatiles												
1,1,1,2-Tetrachloroethane	ND	0.150	ND	1.03	100	ND	ND	ND	ND	NC	70 - 130	25
1,1,1-Trichloroethane	ND	0.180	ND	0.98	92	ND	ND	ND	ND	NC	70 - 130	25
1,1,2,2-Tetrachloroethane	ND	0.150	ND	1.03	106	ND	ND	ND	ND	NC	70 - 130	25
1,1,2-Trichloroethane	ND	0.180	ND	0.98	96	ND	ND	ND	ND	NC	70 - 130	25
1,1-Dichloroethane	ND	0.250	ND	1.01	92	ND	ND	ND	ND	NC	70 - 130	25
1,1-Dichloroethene	ND	0.050	ND	0.20	98	ND	ND	ND	ND	NC	70 - 130	25
1,2,4-Trichlorobenzene	ND	0.130	ND	0.96	96	ND	ND	ND	ND	NC	70 - 130	25
1,2,4-Trimethylbenzene	ND	0.200	ND	0.98	99	ND	ND	ND	ND	NC	70 - 130	25
1,2-Dibromoethane(EDB)	ND	0.130	ND	1.00	97	ND	ND	ND	ND	NC	70 - 130	25
1,2-Dichlorobenzene	ND	0.170	ND	1.02	102	ND	ND	ND	ND	NC	70 - 130	25
1,2-Dichloroethane	ND	0.250	ND	1.01	91	ND	ND	ND	ND	NC	70 - 130	25
1,2-dichloropropane	ND	0.220	ND	1.02	93	ND	ND	ND	ND	NC	70 - 130	25
1,2-Dichlorotetrafluoroethane	ND	0.140	ND	0.98	100	ND	ND	ND	ND	NC	70 - 130	25
1,3,5-Trimethylbenzene	ND	0.200	ND	0.98	100	ND	ND	ND	ND	NC	70 - 130	25
1,3-Butadiene	ND	0.450	ND	0.99	99	ND	ND	ND	ND	NC	70 - 130	25
1,3-Dichlorobenzene	ND	0.170	ND	1.02	100	ND	ND	ND	ND	NC	70 - 130	25
1,4-Dichlorobenzene	ND	0.170	ND	1.02	103	ND	ND	ND	ND	NC	70 - 130	25
1,4-Dioxane	ND	0.280	ND	1.01	95	ND	ND	ND	ND	NC	70 - 130	25
2-Hexanone(MBK)	ND	0.240	ND	0.98	94	ND	ND	ND	ND	NC	70 - 130	25
4-Ethyltoluene	ND	0.200	ND	0.98	100	ND	ND	ND	ND	NC	70 - 130	25
4-Isopropyltoluene	ND	0.180	ND	0.99	93	ND	ND	ND	ND	NC	70 - 130	25
4-Methyl-2-pentanone(MIBK)	ND	0.240	ND	0.98	93	ND	ND	ND	ND	NC	70 - 130	25
Acetone	ND	0.420	ND	1.00	104	6.39	6.50	2.69	2.74	1.8	70 - 130	25
Acrylonitrile	ND	0.460	ND	1.00	82	ND	ND	ND	ND	NC	70 - 130	25
Benzene	ND	0.310	ND	0.99	89	ND	ND	ND	ND	NC	70 - 130	25
Benzyl chloride	ND	0.190	ND	0.98	113	ND	ND	ND	ND	NC	70 - 130	25
Bromodichloromethane	ND	0.150	ND	1.00	98	ND	ND	ND	ND	NC	70 - 130	25
Bromoform	ND	0.097	ND	1.00	100	ND	ND	ND	ND	NC	70 - 130	25
Bromomethane	ND	0.260	ND	1.01	98	ND	ND	ND	ND	NC	70 - 130	25
Carbon Disulfide	ND	0.320	ND	1.00	97	ND	ND	ND	ND	NC	70 - 130	25
Carbon Tetrachloride	ND	0.032	ND	0.20	96	ND	ND	ND	ND	NC	70 - 130	25
Chlorobenzene	ND	0.220	ND	1.01	99	ND	ND	ND	ND	NC	70 - 130	25
Chloroethane	ND	0.380	ND	1.00	101	ND	ND	ND	ND	NC	70 - 130	25
Chloroform	ND	0.200	ND	0.98	93	ND	ND	ND	ND	NC	70 - 130	25
Chloromethane	ND	0.480	ND	0.99	97	ND	ND	ND	ND	NC	70 - 130	25
Cis-1,2-Dichloroethene	ND	0.256	ND	1.01	91	262	260	66.1	65.7	0.6	70 - 130	25
cis-1,3-Dichloropropene	ND	0.220	ND	1.00	95	ND	ND	ND	ND	NC	70 - 130	25
Cyclohexane	ND	0.290	ND	1.00	88	ND	ND	ND	ND	NC	70 - 130	25
Dibromochloromethane	ND	0.120	ND	1.02	102	ND	ND	ND	ND	NC	70 - 130	25
Dichlorodifluoromethane	ND	0.200	ND	0.99	73	1.82	1.95	0.369	0.395	NC	70 - 130	25
Ethanol	ND	0.530	ND	1.00	165	106 E	108	56.4 E	57.2	1.4	70 - 130	25

QA/QC Data


SDG I.D.: GCG48025

Parameter	Blk ppbv	Blk RL ppbv	Blk ug/m3	Blk RL ug/m3	LCS %	Sample Result ug/m3	Sample Dup ug/m3	Sample Result ppbv	Sample Dup ppbv	DUP RPD	% Rec Limits	% RPD Limits
Ethyl acetate	ND	0.280	ND	1.01	91	ND	ND	ND	ND	NC	70 - 130	25
Ethylbenzene	ND	0.230	ND	1.00	97	ND	ND	ND	ND	NC	70 - 130	25
Heptane	ND	0.240	ND	0.98	89	ND	ND	ND	ND	NC	70 - 130	25
Hexachlorobutadiene	ND	0.094	ND	1.00	98	ND	ND	ND	ND	NC	70 - 130	25
Hexane	ND	0.280	ND	0.99	90	ND	ND	ND	ND	NC	70 - 130	25
Isopropylalcohol	ND	0.410	ND	1.01	148	15.4	15.4	6.28	6.27	0.2	70 - 130	25
Isopropylbenzene	ND	0.200	ND	0.98	94	ND	ND	ND	ND	NC	70 - 130	25
m,p-Xylene	ND	0.230	ND	1.00	99	ND	ND	ND	ND	NC	70 - 130	25
Methyl Ethyl Ketone	ND	0.340	ND	1.00	89	ND	ND	ND	ND	NC	70 - 130	25
Methyl tert-butyl ether(MTBE)	ND	0.280	ND	1.01	89	ND	ND	ND	ND	NC	70 - 130	25
Methylene Chloride	ND	0.860	ND	2.99	95	ND	ND	ND	ND	NC	70 - 130	25
n-Butylbenzene	ND	0.180	ND	0.99	98	ND	ND	ND	ND	NC	70 - 130	25
o-Xylene	ND	0.230	ND	1.00	98	ND	ND	ND	ND	NC	70 - 130	25
Propylene	ND	0.580	ND	1.00	93	ND	ND	ND	ND	NC	70 - 130	25
sec-Butylbenzene	ND	0.180	ND	0.99	99	ND	ND	ND	ND	NC	70 - 130	25
Styrene	ND	0.230	ND	0.98	95	ND	ND	ND	ND	NC	70 - 130	25
Tetrachloroethene	ND	0.037	ND	0.25	96	25.1	24.5	3.70	3.62	2.2	70 - 130	25
Tetrahydrofuran	ND	0.340	ND	1.00	87	ND	ND	ND	ND	NC	70 - 130	25
Toluene	ND	0.270	ND	1.02	93	ND	ND	ND	ND	NC	70 - 130	25
Trans-1,2-Dichloroethene	ND	0.250	ND	0.99	94	2.98	2.91	0.751	0.734	NC	70 - 130	25
trans-1,3-Dichloropropene	ND	0.220	ND	1.00	93	ND	ND	ND	ND	NC	70 - 130	25
Trichloroethene	ND	0.037	ND	0.20	97	5.18	5.04	0.965	0.938	2.8	70 - 130	25
Trichlorofluoromethane	ND	0.180	ND	1.01	99	ND	ND	ND	ND	NC	70 - 130	25
Trichlorotrifluoroethane	ND	0.130	ND	1.00	97	ND	ND	ND	ND	NC	70 - 130	25
Vinyl Chloride	ND	0.078	ND	0.20	100	ND	ND	ND	ND	NC	70 - 130	25
% Bromofluorobenzene	99	%	99	%	103	102	101	102	101	NC	70 - 130	25
% IS-1,4-Difluorobenzene	97	%	97	%	106	94	92	94	92	NC	60 - 140	25
% IS-Bromochloromethane	98	%	98	%	107	95	93	95	93	NC	60 - 140	25
% IS-Chlorobenzene-d5	95	%	95	%	110	93	92	93	92	NC	60 - 140	25

I = This parameter is outside laboratory LCS/LCSD specified recovery limits.

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

RPD - Relative Percent Difference
 LCS - Laboratory Control Sample
 LCSD - Laboratory Control Sample Duplicate
 MS - Matrix Spike
 MS Dup - Matrix Spike Duplicate
 NC - No Criteria
 Intf - Interference


 Phyllis Shiller, Laboratory Director
 August 07, 2020

Friday, August 07, 2020

Criteria: None
State: NY

Sample Criteria Exceedances Report
GCG48025 - ENVIROTR

SampNo	Acode	Phoenix Analyte	Criteria	Result	RL	Criteria	RL Criteria	Analysis Units
--------	-------	-----------------	----------	--------	----	----------	----------------	-------------------

*** No Data to Display ***

Phoenix Laboratories does not assume responsibility for the data contained in this exceedance report. It is provided as an additional tool to identify requested criteria exceedences. All efforts are made to ensure the accuracy of the data (obtained from appropriate agencies). A lack of exceedence information does not necessarily suggest conformance to the criteria. It is ultimately the site professional's responsibility to determine appropriate compliance.



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823



Analysis Comments

August 07, 2020

SDG I.D.: GCG48025

The following analysis comments are made regarding exceptions to criteria not already noted in the Analysis Report or QA/QC Report: None.

