

July 8, 2022

Ms. Kerry Maloney, P.G.
NYSDEC, Division of Environmental Remediation
Division of Environmental Remediation
625 Broadway
Albany, New York 12233-7015

Via email: Kerry.maloney@dec.ny.gov

Re: Progress Report: June 2022
Frost Street Sites: Site ID Nos. 1-30043 I, L, M
New Cassel Industrial Area, Westbury, New York

Dear Ms. Maloney:

EnSafe Inc. is pleased to submit this Progress Report for the Frost Street Sites (Site ID Nos. 1-30043 I, L, M) for operation, maintenance, and monitoring (OM&M) activities completed in June 2022 for the onsite air sparge/soil vapor extraction (AS/SVE) and groundwater extraction systems.

Air Sparge/Soil Vapor Extraction System – Operable Unit 1

- AS/SVE system operations continued this month, per the OM&M Manual. During periodic visits, system parameters were logged on dedicated forms (Appendix A). During the month of June, no alarm calls were received.
- Quantitative sampling of the SVE system granular activated carbon influent and effluent air flow was conducted on June 2 using Summa canisters. These samples were obtained by EnviroTrac, submitted to Phoenix Environmental Laboratories, and analyzed by Method TO-15. Results are included in Appendix B.
 - Photoionization detector (PID) readings and influent concentrations of Frost Street-related contaminants of concern (tetrachloroethene, trichloroethene, and cis-1,2-dichloroethene [4,745 µg/m³]) continue to indicate significant mass extraction.
 - Effluent concentrations are below the carbon exchange indicator concentrations, as shown below.

Frost Street Sites Effluent Compliance			
System Flow Rate =		800 ft ³ /min	
Compound	Annual Mass Emission Limit ¹ (lbs/year)	Carbon Exchange Required Indicator Concentration (µg/m ³) ²	June 2022 Effluent Concentration (µg/m ³)
Trichloroethene	500	19,000	19.1
Tetrachloroethene	1,000	38,000	124
Vinyl Chloride	100	3,800	ND
Cis-1,2-Dichloroethene ³	100	3,800	630

Notes:

ft/min cubic feet per minute

lbs/year pounds per year

µg/m³ micrograms per cubic meter

1 Source of Mass Emission Limit: Part 212-2.2 Table 2 — High Toxicity Air Contaminant List

2 These limits were calculated based on Frost Street-specific system operations (i.e., flow rate) in order to remain below the annual HTAC emissions listed in Part 212-2.2 Table 2. Remaining below these concentrations ensures that annual emissions will not exceed the limit which demonstrates compliance with Part 212 without having to perform compound-specific analyses.

3 Cis-1,2-dichloroethene is not a listed HTAC, so the default is 100 lbs/year.

Groundwater Extraction System – Operable Unit 2

The pumps in EX-1A, EX-1B, EX-1C, and EX-1D operated near design flow rates (30, 30, 48, and 48 gallons per minute, respectively) for all of June except for June 26 at 2:15 PM to June 27 at 10:40 AM due to a power outage. To date, over 295 million gallons of water have been removed by this system.

Quarterly samples were collected from each operational extraction well on June 30 and analyzed for VOCs; a summary of the detected values is provided below. This data continues to indicate significant mass extraction. Full results for these events are provided in Appendix C; historical data is graphed in Appendix D.

Groundwater Extraction System Individual Extraction Well Data – Volatile Organic Compounds (ppb)				
Analyte	EX-1A	EX-1B	EX-1C	EX-1D
1,1,1-Trichloroethane	ND	ND	ND	0.61
1,1-Dichloroethane	ND	ND	ND	0.46
1,1-Dichloroethene	ND	ND	0.4	5.1
Carbon Tetrachloride	ND	ND	ND	0.51
Chloroform	ND	ND	ND	0.90
cis-1,2-Dichloroethene	2.2	6.7	0.92	4.0
Tetrachloroethene	32	190	34	76
Trichloroethene	2.9	9.4	3.7	21
Total VOCs	37.1	206.1	39.02	108.58

EnSafe collected and prepared the additional information requested by NYSDEC on February 21, 2019, (additional pressure transducer data and groundwater elevation maps) to facilitate review and comment on the *Expanded Pumping Test Summary, Findings, and Recommendations*, submitted on August 10, 2018. This information was transmitted to NYSDEC on March 22, 2019.

If you have any questions or require additional information, please do not hesitate to contact me at 860-665-1140 or astark@ensafe.com.

Sincerely,

EnSafe, Inc., by



Alexandra Stark, P.E.

Attachments

Copies:	A. Tamuno, Esq., NYSDEC	<i>Via email to amtamuno@gw.dec.state.ny.us</i>
	C. Bethoney, NYSDOH	<i>Via email to charlotte.bethoney@health.ny.gov</i>
	J. Nealon, NYSDOH	<i>Via email to jacquelyn.nealon@health.ny.gov</i>
	R. Putnam, NCDOH	<i>Via email to rputnam@nassaucountyny.gov</i>
	J. Vazquez, U.S. EPA	<i>Via email to vazquez.julio@epa.gov</i>
	T. Pupilla, Sanders Equities	<i>Via email to tpupilla@sandersequities.com</i>
	J. Privitera, Esq.	<i>Via email to jprivitera@woh.com</i>
	P. Coop, EnSafe	<i>Via email to pcoop@ensafe.com</i>
	J. Wilkinson, Envirotrac	<i>Via email to jamesw@envirotrac.com</i>

Appendix A
AS/SVE System Operation and Maintenance Logs

Ensafe-Frost Street
101 Frost Street
Westbury, NY

5 Old Dock Road, Yaphank, NY 11980
(631)924-3001, Fax (631)924-5001

Date: 2-Jun
Weather / Temp: Clear / 76 DEG
Technician / Operator: JW

Arrival Time: 14:00
Departure Time: 15:00

System Status											
		Arrival		Departure				Arrival		Departure	
SVE Blower 1 (ON/OFF)		OFF		OFF		AS Compressor 1 (ON/OFF)		ON		ON	
SVE Blower 2 (ON/OFF)		ON		ON		AS Compressor 2 (ON/OFF)		OFF		OFF	
				Air Cooler (ON/OFF)				ON		ON	
Soil Vapor Extraction System											
Blower Air Velocity/Flow Rate (fpm)/(cfm)		4500		884		Blower 1 Total Runtime (hrs)				65,435.8	
Blower 1 Fresh Air Valve Open (%)		0				Blower 2 Total Runtime (hrs)				66,282.0	
Blower 2 Fresh Air Valve Open (%)		0				Blower 1 Air Filter Differential Pressure ("H2O)				0	
Blower Inlet Vacuum ("H2O)		53				Blower 2 Air Filter Differential Pressure ("H2O)				0	
Moisture Separator Vacuum ("Hg)		3.5				VGAC-1 Influent PID (ppm)				1.0	
VGAC-1 Influent Vacuum ("H2O)		44				VGAC-1 Effluent PID (ppm)				0.0	
VGAC-1 Effluent Vacuum ("H2O)		38				VGAC-2 Influent PID (ppm)				1.0	
VGAC-2 Influent Vacuum ("H2O)		40				VGAC-2 Effluent PID (ppm)				0.0	
VGAC-2 Effluent Vacuum ("H2O)		36				VGAC-3 Influent PID (ppm)				0.0	
VGAC-3 Influent Vacuum ("H2O)		50				VGAC-3 Effluent PID (ppm)				0.0	
VGAC-3 Effluent Vacuum ("H2O)		54				Blower Effluent PID (ppm)				0.0	
VGAC-3 Influent Temp (DegF)						Transfer Pump Total Runtime (hrs)				25,076.8	
Blower Effluent Pressure ("H2O)		9				Condensate Storage Tank Level (gal)				0	
SVE Manifold Legs - Vacuum/Flow Rate/PID											
		Vacuum	Velocity	Flow Rate	PID			Vacuum	Velocity	Flow Rate	PID
SVE-1	("H2O)/(FPM)/(cfm)/(ppm)	42	6600	144	0.0	SVE-4	("H2O)/(FPM)/(cfm)/(ppm)	36	4000	87	0.0
SVE-2	("H2O)/(FPM)/(cfm)/(ppm)	44	4000	87	2.0	SVE-5	("H2O)/(FPM)/(cfm)/(ppm)	45	2900	63	0.0
SVE-3	("H2O)/(FPM)/(cfm)/(ppm)	36	4600	100	0.0	SVE-6B	("H2O)/(FPM)/(cfm)/(ppm)	42	5800	127	5.0
SVE-3A	("H2O)/(FPM)/(cfm)/(ppm)	34	4000	87	0.0	SVE-7	("H2O)/(FPM)/(cfm)/(ppm)	36	2900	63	0.0
Air Sparge System											
Compressor 1 Pressure (psi)		15.5				Compressor 2 Pressure (psi)				Off	
Compressor 1 Runtime (hrs)		10,179.3				Compressor 2 Temperature (degF)				Off	
Air Cooler Inlet Temperature (degF)		220				Compressor 2 Regulator Pressure (psi)				Off	
Air Cooler Outlet Temperature (degF)		100				Compressor 2 Runtime (hrs)				40,734	
Air Cooler Inlet Pressure (psi)		18				AS Manifold Temperature (degF)				70	
Air Cooler Outlet Pressure (psi)		16				AS Manifold Pressure				16	
AS Manifold Legs - Pressure/Flow Rate											
		Pressure		Flow Rate				Pressure		Flow Rate	
AS-1	(psi)/(cfm)	2		10		AS-11	(psi)/(cfm)	15		4	
AS-2	(psi)/(cfm)	0		10		AS-12B	(psi)/(cfm)	16		11	
AS-3	(psi)/(cfm)	0		8		AS-13B	(psi)/(cfm)	16		12	
AS-4	(psi)/(cfm)	15		10		AS-14	(psi)/(cfm)	16		14	
AS-5	(psi)/(cfm)	16		10		AS-15	(psi)/(cfm)	17		14	
AS-6	(psi)/(cfm)	17		10		AS-16B	(psi)/(cfm)	16		10	
AS-7	(psi)/(cfm)	16		10		AS-17	(psi)/(cfm)	17		10	
AS-8	(psi)/(cfm)	13		10		AS-18	(psi)/(cfm)	13		14	
AS-9	(psi)/(cfm)	16		10		AS-19	(psi)/(cfm)	13		9	
AS-10B	(psi)/(cfm)	15		10							

Notes, Comments & Observations:

Inspection, Maintenance, Lubrication Schedule
Ensafe-Frost Street
101 Frost Street
Westbury, NY

EnviroTrac Environmental Services
5 Old Dock Road, Yaphank, NY 11980
(631)924-3001, Fax (631)924-5001

Date: 2-Jun
Weather / Temp: Clear / 76 DEG
Technician / Operator: JW

Arrival Time: 14:00
Departure Time: 15:00

Maintenance Item	Perform	Completed (yes/no)	Comments
SVE Blower B-1			
-Inspect	Weekly	Y	
-Lubricate	As Required	N	Oil changed on 4/27/22
-Inspect Air Filter	Weekly	Y	
-Amp Draw	Quarterly	N	
-Inspect Belts	Weekly	Y	
SVE Blower B-2			
-Inspect	Weekly	Y	
-Lubricate	As Required	N	Oil changed on 4/27/22
-Inspect Air Filter	Weekly	Y	
-Amp Draw	Quarterly	Y	24.1 Amps
-Inspect Belts	Weekly	Y	
SVE Piping			
-Inspect	Weekly	Y	
-Valves	Weekly	Y	
Phase Separator/Storage Tank			
-Inspect	Weekly	Y	
-Check Level Switches	As Required	Y	
-Inspect water storage tank	Weekly	Y	
-Pump water to sewer drain	As Required	N	
AS Compressor 1			
-Inspect	Weekly	Y	
-Lubricate	As Required	N	Oil changed on 1/24/22
-Inspect Filters	Weekly	Y	
-Amp Draw	Quarterly	N	26.0 Amps
AS Compressor 2			
-Inspect	Weekly	Y	
-Lubricate	As Required	N	
-Inspect Filters	Weekly	N	
-Amp Draw	Quarterly	N	
Air Cooler			
-Inspect	Weekly	Y	
-Inspect Filters	Weekly	Y	
-Amp Draw	Quarterly	N	
AS Piping			
-Inspect	Weekly	Y	
-Valves	Weekly	Y	
-Drain Filters/Collectors	Weekly	Y	
-Drain Pressure Tank	Weekly	Y	

Appendix B
AS/SVE System Influent/Effluent Sampling
Laboratory Analytical Results



Friday, June 10, 2022

Attn: James Wilkinson
EnviroTrac
5 Old Dock Rd
Yaphank, NY 11980

Project ID: ENSAFE WESTBURY
SDG ID: GCL50595
Sample ID#s: CL50595 - CL50596

This laboratory is in compliance with the NELAC requirements of procedures used except where indicated.

This report contains results for the parameters tested, under the sampling conditions described on the Chain Of Custody, as received by the laboratory. This report is incomplete unless all pages indicated in the pagination at the bottom of the page are included.

A scanned version of the COC form accompanies the analytical report and is an exact duplicate of the original.

If you are the client above and have any questions concerning this testing, please do not hesitate to contact Phoenix Client Services at ext.200. The contents of this report cannot be discussed with anyone other than the client listed above without their written consent.

Sincerely yours,

A handwritten signature in black ink, appearing to read "Phyllis Shiller".

Phyllis Shiller

Laboratory Director

NELAC - #NY11301
CT Lab Registration #PH-0618
MA Lab Registration #M-CT007
ME Lab Registration #CT-007
NH Lab Registration #213693-A,B

NJ Lab Registration #CT-003
NY Lab Registration #11301
PA Lab Registration #68-03530
RI Lab Registration #63
UT Lab Registration #CT00007
VT Lab Registration #VT11301



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823



Sample Id Cross Reference

June 10, 2022

SDG I.D.: GCL50595

Project ID: ENSAFE WESTBURY

Client Id	Lab Id	Matrix
SVE EFFLUENT	CL50595	AIR
SVE INFLUENT	CL50596	AIR



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823



Analysis Report

June 10, 2022

FOR: Attn: James Wilkinson
EnviroTrac
5 Old Dock Rd
Yaphank, NY 11980

Sample Information

Matrix: AIR
Location Code: ENVIOTR
Rush Request: Standard
P.O.#:
Canister Id: 733

Custody Information

Collected by: JW
Received by: SW
Analyzed by: see "By" below

Date

06/02/22 14:31
06/07/22 17:09

Time

Project ID: ENSAFE WESTBURY
Client ID: SVE EFFLUENT

Laboratory Data

SDG ID: GCL50595
Phoenix ID: CL50595

Parameter	ppbv Result	ppbv RL	ug/m3 Result	ug/m3 RL	Date/Time	By	Dilution
<u>Volatiles (TO15)</u>							
1,1,1,2-Tetrachloroethane	ND	0.729	ND	5.00	06/08/22	KCA	5
1,1,1-Trichloroethane	ND	0.917	ND	5.00	06/08/22	KCA	5
1,1,2,2-Tetrachloroethane	ND	0.729	ND	5.00	06/08/22	KCA	5
1,1,2-Trichloroethane	ND	0.917	ND	5.00	06/08/22	KCA	5
1,1-Dichloroethane	ND	1.24	ND	5.02	06/08/22	KCA	5
1,1-Dichloroethene	ND	0.252	ND	1.00	06/08/22	KCA	5
1,2,4-Trichlorobenzene	ND	0.674	ND	5.00	06/08/22	KCA	5
1,2,4-Trimethylbenzene	ND	1.02	ND	5.01	06/08/22	KCA	5
1,2-Dibromoethane(EDB)	ND	0.651	ND	5.00	06/08/22	KCA	5
1,2-Dichlorobenzene	ND	0.832	ND	5.00	06/08/22	KCA	5
1,2-Dichloroethane	ND	1.24	ND	5.02	06/08/22	KCA	5
1,2-dichloropropane	ND	1.08	ND	4.99	06/08/22	KCA	5
1,2-Dichlorotetrafluoroethane	ND	0.716	ND	5.00	06/08/22	KCA	5
1,3,5-Trimethylbenzene	ND	1.02	ND	5.01	06/08/22	KCA	5
1,3-Butadiene	ND	2.26	ND	5.00	06/08/22	KCA	5
1,3-Dichlorobenzene	ND	0.832	ND	5.00	06/08/22	KCA	5
1,4-Dichlorobenzene	ND	0.832	ND	5.00	06/08/22	KCA	5
1,4-Dioxane	ND	1.39	ND	5.01	06/08/22	KCA	5
2-Hexanone(MBK)	ND	1.22	ND	4.99	06/08/22	KCA	5
4-Ethyltoluene	ND	1.02	ND	5.01	06/08/22	KCA	5
4-Isopropyltoluene	ND	0.911	ND	5.00	06/08/22	KCA	5
4-Methyl-2-pentanone(MIBK)	ND	1.22	ND	4.99	06/08/22	KCA	5
Acetone	6.15	2.11	14.6	5.01	06/08/22	KCA	5
Acrylonitrile	ND	2.31	ND	5.01	06/08/22	KCA	5
Benzene	ND	1.57	ND	5.01	06/08/22	KCA	5
Benzyl chloride	ND	0.966	ND	5.00	06/08/22	KCA	5

Parameter	ppbv Result	ppbv RL	ug/m3 Result	ug/m3 RL	Date/Time	By	Dilution	
Bromodichloromethane	ND	0.747	ND	5.00	06/08/22	KCA	5	
Bromoform	ND	0.484	ND	5.00	06/08/22	KCA	5	
Bromomethane	ND	1.29	ND	5.01	06/08/22	KCA	5	
Carbon Disulfide	ND	1.61	ND	5.01	06/08/22	KCA	5	
Carbon Tetrachloride	ND	0.159	ND	1.00	06/08/22	KCA	5	
Chlorobenzene	ND	1.09	ND	5.01	06/08/22	KCA	5	
Chloroethane	ND	1.90	ND	5.01	06/08/22	KCA	5	
Chloroform	ND	1.02	ND	4.98	06/08/22	KCA	5	
Chloromethane	ND	2.42	ND	4.99	06/08/22	KCA	5	
Cis-1,2-Dichloroethene	159	0.252	630	1.00	06/08/22	KCA	5	
cis-1,3-Dichloropropene	ND	1.10	ND	4.99	06/08/22	KCA	5	
Cyclohexane	ND	1.45	ND	4.99	06/08/22	KCA	5	
Dibromochloromethane	ND	0.587	ND	5.00	06/08/22	KCA	5	
Dichlorodifluoromethane	ND	1.01	ND	4.99	06/08/22	KCA	5	
Ethanol	5.98	2.66	11.3	5.01	06/08/22	KCA	5	1
Ethyl acetate	ND	1.39	ND	5.01	06/08/22	KCA	5	1
Ethylbenzene	ND	1.15	ND	4.99	06/08/22	KCA	5	
Heptane	ND	1.22	ND	5.00	06/08/22	KCA	5	
Hexachlorobutadiene	ND	0.469	ND	5.00	06/08/22	KCA	5	
Hexane	ND	1.42	ND	5.00	06/08/22	KCA	5	
Isopropylalcohol	ND	2.04	ND	5.01	06/08/22	KCA	5	
Isopropylbenzene	ND	1.02	ND	5.01	06/08/22	KCA	5	
m,p-Xylene	ND	1.15	ND	4.99	06/08/22	KCA	5	
Methyl Ethyl Ketone	ND	1.70	ND	5.01	06/08/22	KCA	5	
Methyl tert-butyl ether(MTBE)	ND	1.39	ND	5.01	06/08/22	KCA	5	
Methylene Chloride	ND	4.32	ND	15.0	06/08/22	KCA	5	
n-Butylbenzene	ND	0.911	ND	5.00	06/08/22	KCA	5	1
o-Xylene	ND	1.15	ND	4.99	06/08/22	KCA	5	
Propylene	ND	2.91	ND	5.01	06/08/22	KCA	5	1
sec-Butylbenzene	ND	0.911	ND	5.00	06/08/22	KCA	5	1
Styrene	ND	1.17	ND	4.98	06/08/22	KCA	5	
Tetrachloroethene	18.3	0.184	124	1.25	06/08/22	KCA	5	
Tetrahydrofuran	ND	1.70	ND	5.01	06/08/22	KCA	5	1
Toluene	ND	1.33	ND	5.01	06/08/22	KCA	5	
Trans-1,2-Dichloroethene	1.31	1.26	5.19	4.99	06/08/22	KCA	5	
trans-1,3-Dichloropropene	ND	1.10	ND	4.99	06/08/22	KCA	5	
Trichloroethene	3.56	0.185	19.1	0.99	06/08/22	KCA	5	
Trichlorofluoromethane	ND	0.891	ND	5.00	06/08/22	KCA	5	
Trichlorotrifluoroethane	ND	0.653	ND	5.00	06/08/22	KCA	5	
Vinyl Chloride	ND	0.390	ND	1.00	06/08/22	KCA	5	
<u>QA/QC Surrogates/Internals</u>								
% Bromofluorobenzene (5x)	91	%	91	%	06/08/22	KCA	5	
% IS-1,4-Difluorobenzene (5x)	99	%	99	%	06/08/22	KCA	5	
% IS-Bromochloromethane (5x)	100	%	100	%	06/08/22	KCA	5	
% IS-Chlorobenzene-d5 (5x)	96	%	96	%	06/08/22	KCA	5	

Parameter	ppbv Result	ppbv RL	ug/m3 Result	ug/m3 RL	Date/Time	By	Dilution
-----------	----------------	------------	-----------------	-------------	-----------	----	----------

1 = This parameter is not certified by the primary accrediting authority (NY NELAC) for this matrix. NY NELAC does not offer certification for all parameters at this time.


RL/PQL=Reporting/Practical Quantitation Level (Equivalent to NELAC LOQ, Limit of Quantitation) ND=Not Detected at RL/PQL
BRL=Below Reporting Level L=Biased Low

QA/QC Surrogates: Surrogates are compounds (preceded with a %) added by the lab to determine analysis efficiency. Surrogate results(%) listed in the report are not "detected" compounds.

Comments:

Elevated reporting limits have been reported due to the presence of reported target compounds in the TO15 list above the calibration. Sample was run at an initial dilution.

If you are the client above and have any questions concerning this testing, please do not hesitate to contact Phoenix Client Services at ext.200. The contents of this report cannot be discussed with anyone other than the client listed above without their written consent.



Phyllis Shiller, Laboratory Director

June 10, 2022

Reviewed and Released by: Rashmi Makol, Project Manager



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823



Analysis Report

June 10, 2022

FOR: Attn: James Wilkinson
EnviroTrac
5 Old Dock Rd
Yaphank, NY 11980

Sample Information

Matrix: AIR
Location Code: ENVIOTR
Rush Request: Standard
P.O.#:
Canister Id: 834

Custody Information

Collected by: JW
Received by: SW
Analyzed by: see "By" below

Date

06/02/22 14:36
06/07/22 17:09

Time

Project ID: ENSAFE WESTBURY
Client ID: SVE INFLUENT

Laboratory Data

SDG ID: GCL50595
Phoenix ID: CL50596

Parameter	ppbv Result	ppbv RL	ug/m3 Result	ug/m3 RL	Date/Time	By	Dilution
<u>Volatiles (TO15)</u>							
1,1,1,2-Tetrachloroethane	ND	0.729	ND	5.00	06/08/22	KCA	5
1,1,1-Trichloroethane	ND	0.917	ND	5.00	06/08/22	KCA	5
1,1,2,2-Tetrachloroethane	ND	0.729	ND	5.00	06/08/22	KCA	5
1,1,2-Trichloroethane	ND	0.917	ND	5.00	06/08/22	KCA	5
1,1-Dichloroethane	ND	1.24	ND	5.02	06/08/22	KCA	5
1,1-Dichloroethene	ND	0.252	ND	1.00	06/08/22	KCA	5
1,2,4-Trichlorobenzene	ND	0.674	ND	5.00	06/08/22	KCA	5
1,2,4-Trimethylbenzene	ND	1.02	ND	5.01	06/08/22	KCA	5
1,2-Dibromoethane(EDB)	ND	0.651	ND	5.00	06/08/22	KCA	5
1,2-Dichlorobenzene	ND	0.832	ND	5.00	06/08/22	KCA	5
1,2-Dichloroethane	ND	1.24	ND	5.02	06/08/22	KCA	5
1,2-dichloropropane	ND	1.08	ND	4.99	06/08/22	KCA	5
1,2-Dichlorotetrafluoroethane	ND	0.716	ND	5.00	06/08/22	KCA	5
1,3,5-Trimethylbenzene	ND	1.02	ND	5.01	06/08/22	KCA	5
1,3-Butadiene	ND	2.26	ND	5.00	06/08/22	KCA	5
1,3-Dichlorobenzene	ND	0.832	ND	5.00	06/08/22	KCA	5
1,4-Dichlorobenzene	ND	0.832	ND	5.00	06/08/22	KCA	5
1,4-Dioxane	ND	1.39	ND	5.01	06/08/22	KCA	5
2-Hexanone(MBK)	ND	1.22	ND	4.99	06/08/22	KCA	5
4-Ethyltoluene	ND	1.02	ND	5.01	06/08/22	KCA	5
4-Isopropyltoluene	ND	0.911	ND	5.00	06/08/22	KCA	5
4-Methyl-2-pentanone(MIBK)	ND	1.22	ND	4.99	06/08/22	KCA	5
Acetone	17.4	2.11	41.3	5.01	06/08/22	KCA	5
Acrylonitrile	ND	2.31	ND	5.01	06/08/22	KCA	5
Benzene	ND	1.57	ND	5.01	06/08/22	KCA	5
Benzyl chloride	ND	0.966	ND	5.00	06/08/22	KCA	5

Parameter	ppbv Result	ppbv RL	ug/m3 Result	ug/m3 RL	Date/Time	By	Dilution	
Bromodichloromethane	ND	0.747	ND	5.00	06/08/22	KCA	5	
Bromoform	ND	0.484	ND	5.00	06/08/22	KCA	5	
Bromomethane	ND	1.29	ND	5.01	06/08/22	KCA	5	
Carbon Disulfide	ND	1.61	ND	5.01	06/08/22	KCA	5	
Carbon Tetrachloride	ND	0.159	ND	1.00	06/08/22	KCA	5	
Chlorobenzene	ND	1.09	ND	5.01	06/08/22	KCA	5	
Chloroethane	ND	1.90	ND	5.01	06/08/22	KCA	5	
Chloroform	ND	1.02	ND	4.98	06/08/22	KCA	5	
Chloromethane	ND	2.42	ND	4.99	06/08/22	KCA	5	
Cis-1,2-Dichloroethene	16.3	0.252	64.6	1.00	06/08/22	KCA	5	
cis-1,3-Dichloropropene	ND	1.10	ND	4.99	06/08/22	KCA	5	
Cyclohexane	ND	1.45	ND	4.99	06/08/22	KCA	5	
Dibromochloromethane	ND	0.587	ND	5.00	06/08/22	KCA	5	
Dichlorodifluoromethane	ND	1.01	ND	4.99	06/08/22	KCA	5	
Ethanol	586	53.1	1100	100	06/09/22	KCA	100	1
Ethyl acetate	ND	1.39	ND	5.01	06/08/22	KCA	5	1
Ethylbenzene	ND	1.15	ND	4.99	06/08/22	KCA	5	
Heptane	ND	1.22	ND	5.00	06/08/22	KCA	5	
Hexachlorobutadiene	ND	0.469	ND	5.00	06/08/22	KCA	5	
Hexane	ND	1.42	ND	5.00	06/08/22	KCA	5	
Isopropylalcohol	31.2	2.04	76.6	5.01	06/08/22	KCA	5	
Isopropylbenzene	ND	1.02	ND	5.01	06/08/22	KCA	5	
m,p-Xylene	ND	1.15	ND	4.99	06/08/22	KCA	5	
Methyl Ethyl Ketone	1.75	1.70	5.16	5.01	06/08/22	KCA	5	
Methyl tert-butyl ether(MTBE)	ND	1.39	ND	5.01	06/08/22	KCA	5	
Methylene Chloride	ND	4.32	ND	15.0	06/08/22	KCA	5	
n-Butylbenzene	ND	0.911	ND	5.00	06/08/22	KCA	5	1
o-Xylene	ND	1.15	ND	4.99	06/08/22	KCA	5	
Propylene	ND	2.91	ND	5.01	06/08/22	KCA	5	1
sec-Butylbenzene	ND	0.911	ND	5.00	06/08/22	KCA	5	1
Styrene	ND	1.17	ND	4.98	06/08/22	KCA	5	
Tetrachloroethene	657	3.69	4450	25.0	06/09/22	KCA	100	
Tetrahydrofuran	ND	1.70	ND	5.01	06/08/22	KCA	5	1
Toluene	ND	1.33	ND	5.01	06/08/22	KCA	5	
Trans-1,2-Dichloroethene	ND	1.26	ND	4.99	06/08/22	KCA	5	
trans-1,3-Dichloropropene	ND	1.10	ND	4.99	06/08/22	KCA	5	
Trichloroethene	42.8	0.185	230	0.99	06/08/22	KCA	5	
Trichlorofluoromethane	ND	0.891	ND	5.00	06/08/22	KCA	5	
Trichlorotrifluoroethane	ND	0.653	ND	5.00	06/08/22	KCA	5	
Vinyl Chloride	ND	0.390	ND	1.00	06/08/22	KCA	5	
<u>QA/QC Surrogates/Internals</u>								
% Bromofluorobenzene (5x)	90	%	90	%	06/08/22	KCA	5	
% IS-1,4-Difluorobenzene (5x)	93	%	93	%	06/08/22	KCA	5	
% IS-Bromochloromethane (5x)	98	%	98	%	06/08/22	KCA	5	
% IS-Chlorobenzene-d5 (5x)	104	%	104	%	06/08/22	KCA	5	
% Bromofluorobenzene (100x)	91	%	91	%	06/09/22	KCA	100	
% IS-1,4-Difluorobenzene (100x)	105	%	105	%	06/09/22	KCA	100	
% IS-Bromochloromethane (100x)	105	%	105	%	06/09/22	KCA	100	
% IS-Chlorobenzene-d5 (100x)	109	%	109	%	06/09/22	KCA	100	

Parameter	ppbv Result	ppbv RL	ug/m3 Result	ug/m3 RL	Date/Time	By	Dilution
-----------	----------------	------------	-----------------	-------------	-----------	----	----------

1 = This parameter is not certified by the primary accrediting authority (NY NELAC) for this matrix. NY NELAC does not offer certification for all parameters at this time.

RL/PQL=Reporting/Practical Quantitation Level (Equivalent to NELAC LOQ, Limit of Quantitation) ND=Not Detected at RL/PQL
BRL=Below Reporting Level L=Biased Low

QA/QC Surrogates: Surrogates are compounds (preceded with a %) added by the lab to determine analysis efficiency. Surrogate results(%) listed in the report are not "detected" compounds.

Comments:

If you are the client above and have any questions concerning this testing, please do not hesitate to contact Phoenix Client Services at ext.200.
The contents of this report cannot be discussed with anyone other than the client listed above without their written consent.



Phyllis Shiller, Laboratory Director

June 10, 2022

Reviewed and Released by: Rashmi Makol, Project Manager



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823



Canister Sampling Information

June 10, 2022

FOR: Attn: James Wilkinson
EnviroTrac
5 Old Dock Rd
Yaphank, NY 11980

Location Code: ENVIOTR

SDG I.D.: GCL50595

Project ID: ENSAFE WESTBURY

Client Id	Lab Id	Canister		Reg. Id	Chk Out Date	Laboratory					Field			
		Id	Type			Out Hg	In Hg	Out Flow	In Flow	Flow RPD	Start Hg	End Hg	Sampling Start Date	Sampling End Date
SVE EFFLUENT	CL50595	733	1.4L		06/01/22	-30	-3	NA					06/02/22 14:33	06/02/22 14:31
SVE INFLUENT	CL50596	834	1.4L		06/01/22	-30	-5	NA					06/02/22 14:35	06/02/22 14:36



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823



QA/QC Report

June 10, 2022

QA/QC Data

SDG I.D.: GCL50595

Parameter	Blk ppbv	Blk RL ppbv	Blk ug/m3	Blk RL ug/m3	LCS %	Sample Result ug/m3	Sample Dup ug/m3	Sample Result ppbv	Sample Dup ppbv	DUP RPD	% Rec Limits	% RPD Limits
-----------	-------------	-------------------	--------------	--------------------	----------	---------------------------	------------------------	--------------------------	-----------------------	------------	--------------------	--------------------

QA/QC Batch 628437 (ppbv), QC Sample No: CL51367 (CL50596 (100X))

Volatiles

Ethanol	ND	0.750	ND	1.41	93	72.9	74.0	38.7	39.3	1.5	70 - 130	25
Tetrachloroethene	ND	0.100	ND	0.68	89	53.3	53.4	7.87	7.88	0.1	70 - 130	25
% Bromofluorobenzene	94	%	94	%	103	99	97	99	97	NC	70 - 130	25
% IS-1,4-Difluorobenzene	102	%	102	%	113	100	100	100	100	NC	60 - 140	25
% IS-Bromochloromethane	101	%	101	%	105	98	98	98	98	NC	60 - 140	25
% IS-Chlorobenzene-d5	102	%	102	%	118	102	105	102	105	NC	60 - 140	25

QA/QC Batch 628255 (ppbv), QC Sample No: CL51871 (CL50595 (5X) , CL50596 (5X))

Volatiles

1,1,1,2-Tetrachloroethane	ND	0.150	ND	1.03	91	ND	ND	ND	ND	NC	70 - 130	25
1,1,1-Trichloroethane	ND	0.180	ND	0.98	86	ND	ND	ND	ND	NC	70 - 130	25
1,1,2,2-Tetrachloroethane	ND	0.150	ND	1.03	94	ND	ND	ND	ND	NC	70 - 130	25
1,1,2-Trichloroethane	ND	0.180	ND	0.98	91	ND	ND	ND	ND	NC	70 - 130	25
1,1-Dichloroethane	ND	0.250	ND	1.01	85	ND	ND	ND	ND	NC	70 - 130	25
1,1-Dichloroethene	ND	0.050	ND	0.20	84	ND	ND	ND	ND	NC	70 - 130	25
1,2,4-Trichlorobenzene	ND	0.130	ND	0.96	106	ND	ND	ND	ND	NC	70 - 130	25
1,2,4-Trimethylbenzene	ND	0.200	ND	0.98	100	ND	ND	ND	ND	NC	70 - 130	25
1,2-Dibromoethane(EDB)	ND	0.130	ND	1.00	89	ND	ND	ND	ND	NC	70 - 130	25
1,2-Dichlorobenzene	ND	0.170	ND	1.02	93	ND	ND	ND	ND	NC	70 - 130	25
1,2-Dichloroethane	ND	0.250	ND	1.01	85	ND	ND	ND	ND	NC	70 - 130	25
1,2-dichloropropane	ND	0.220	ND	1.02	85	ND	ND	ND	ND	NC	70 - 130	25
1,2-Dichlorotetrafluoroethane	ND	0.140	ND	0.98	89	ND	ND	ND	ND	NC	70 - 130	25
1,3,5-Trimethylbenzene	ND	0.200	ND	0.98	99	ND	ND	ND	ND	NC	70 - 130	25
1,3-Butadiene	ND	0.450	ND	0.99	85	ND	ND	ND	ND	NC	70 - 130	25
1,3-Dichlorobenzene	ND	0.170	ND	1.02	99	ND	ND	ND	ND	NC	70 - 130	25
1,4-Dichlorobenzene	ND	0.170	ND	1.02	97	ND	ND	ND	ND	NC	70 - 130	25
1,4-Dioxane	ND	0.280	ND	1.01	91	ND	ND	ND	ND	NC	70 - 130	25
2-Hexanone(MBK)	ND	0.240	ND	0.98	89	ND	ND	ND	ND	NC	70 - 130	25
4-Ethyltoluene	ND	0.200	ND	0.98	103	ND	ND	ND	ND	NC	70 - 130	25
4-Isopropyltoluene	ND	0.180	ND	0.99	90	ND	ND	ND	ND	NC	70 - 130	25
4-Methyl-2-pentanone(MIBK)	ND	0.240	ND	0.98	88	ND	ND	ND	ND	NC	70 - 130	25
Acetone	ND	0.420	ND	1.00	84	20.9	20.8	8.80	8.78	0.2	70 - 130	25
Acrylonitrile	ND	0.460	ND	1.00	83	ND	ND	ND	ND	NC	70 - 130	25
Benzene	ND	0.310	ND	0.99	84	ND	ND	ND	ND	NC	70 - 130	25
Benzyl chloride	ND	0.190	ND	0.98	96	ND	ND	ND	ND	NC	70 - 130	25
Bromodichloromethane	ND	0.150	ND	1.00	90	ND	ND	ND	ND	NC	70 - 130	25
Bromoform	ND	0.097	ND	1.00	99	ND	ND	ND	ND	NC	70 - 130	25
Bromomethane	ND	0.260	ND	1.01	86	ND	ND	ND	ND	NC	70 - 130	25
Carbon Disulfide	ND	0.320	ND	1.00	88	ND	ND	ND	ND	NC	70 - 130	25
Carbon Tetrachloride	ND	0.032	ND	0.20	88	0.48	0.47	0.077	0.075	NC	70 - 130	25
Chlorobenzene	ND	0.220	ND	1.01	92	ND	ND	ND	ND	NC	70 - 130	25
Chloroethane	ND	0.380	ND	1.00	85	ND	ND	ND	ND	NC	70 - 130	25

QA/QC Data

SDG I.D.: GCL50595

Parameter	Blk ppbv	Blk RL ppbv	Blk ug/m3	Blk RL ug/m3	LCS %	Sample Result ug/m3	Sample Dup ug/m3	Sample Result ppbv	Sample Dup ppbv	DUP RPD	% Rec Limits	% RPD Limits
Chloroform	ND	0.200	ND	0.98	84	ND	ND	ND	ND	NC	70 - 130	25
Chloromethane	ND	0.480	ND	0.99	85	1.21	1.05	0.586	0.508	NC	70 - 130	25
Cis-1,2-Dichloroethene	ND	0.050	ND	0.20	87	ND	ND	ND	ND	NC	70 - 130	25
cis-1,3-Dichloropropene	ND	0.220	ND	1.00	89	ND	ND	ND	ND	NC	70 - 130	25
Cyclohexane	ND	0.290	ND	1.00	78	ND	ND	ND	ND	NC	70 - 130	25
Dibromochloromethane	ND	0.120	ND	1.02	89	ND	ND	ND	ND	NC	70 - 130	25
Dichlorodifluoromethane	ND	0.200	ND	0.99	89	2.54	2.26	0.513	0.458	NC	70 - 130	25
Ethanol	ND	0.530	ND	1.00	80	38.4	32.6	20.4	17.3	16.4	70 - 130	25
Ethyl acetate	ND	0.280	ND	1.01	81	ND	ND	ND	ND	NC	70 - 130	25
Ethylbenzene	ND	0.230	ND	1.00	95	ND	ND	ND	ND	NC	70 - 130	25
Heptane	ND	0.240	ND	0.98	93	ND	ND	ND	ND	NC	70 - 130	25
Hexachlorobutadiene	ND	0.094	ND	1.00	94	ND	ND	ND	ND	NC	70 - 130	25
Hexane	ND	0.280	ND	0.99	88	1.01	1.03	0.286	0.292	NC	70 - 130	25
Isopropylalcohol	ND	0.410	ND	1.01	84	3.12	3.00	1.27	1.22	NC	70 - 130	25
Isopropylbenzene	ND	0.200	ND	0.98	90	ND	ND	ND	ND	NC	70 - 130	25
m,p-Xylene	ND	0.230	ND	1.00	103	1.03	ND	0.237	ND	NC	70 - 130	25
Methyl Ethyl Ketone	ND	0.340	ND	1.00	85	1.40	1.32	0.474	0.448	NC	70 - 130	25
Methyl tert-butyl ether(MTBE)	ND	0.280	ND	1.01	83	ND	ND	ND	ND	NC	70 - 130	25
Methylene Chloride	ND	0.860	ND	2.99	84	ND	ND	ND	ND	NC	70 - 130	25
n-Butylbenzene	ND	0.180	ND	0.99	87	ND	ND	ND	ND	NC	70 - 130	25
o-Xylene	ND	0.230	ND	1.00	99	ND	ND	ND	ND	NC	70 - 130	25
Propylene	ND	0.580	ND	1.00	91	ND	ND	ND	ND	NC	70 - 130	25
sec-Butylbenzene	ND	0.180	ND	0.99	92	ND	ND	ND	ND	NC	70 - 130	25
Styrene	ND	0.230	ND	0.98	101	ND	ND	ND	ND	NC	70 - 130	25
Tetrachloroethene	ND	0.037	ND	0.25	91	2.56	2.11	0.378	0.312	19.1	70 - 130	25
Tetrahydrofuran	ND	0.340	ND	1.00	84	ND	ND	ND	ND	NC	70 - 130	25
Toluene	ND	0.270	ND	1.02	90	10.2	9.6	2.71	2.54	6.5	70 - 130	25
Trans-1,2-Dichloroethene	ND	0.250	ND	0.99	82	ND	ND	ND	ND	NC	70 - 130	25
trans-1,3-Dichloropropene	ND	0.220	ND	1.00	84	ND	ND	ND	ND	NC	70 - 130	25
Trichloroethene	ND	0.037	ND	0.20	92	ND	ND	ND	ND	NC	70 - 130	25
Trichlorofluoromethane	ND	0.180	ND	1.01	86	ND	1.16	ND	0.207	NC	70 - 130	25
Trichlorotrifluoroethane	ND	0.130	ND	1.00	89	ND	ND	ND	ND	NC	70 - 130	25
Vinyl Chloride	ND	0.078	ND	0.20	87	ND	ND	ND	ND	NC	70 - 130	25
% Bromofluorobenzene	92	%	92	%	103	100	97	100	97	NC	70 - 130	25
% IS-1,4-Difluorobenzene	107	%	107	%	120	92	96	92	96	NC	60 - 140	25
% IS-Bromochloromethane	106	%	106	%	111	96	99	96	99	NC	60 - 140	25
% IS-Chlorobenzene-d5	106	%	106	%	122	93	96	93	96	NC	60 - 140	25

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

RPD - Relative Percent Difference

LCS - Laboratory Control Sample

LCSD - Laboratory Control Sample Duplicate

MS - Matrix Spike

MS Dup - Matrix Spike Duplicate

NC - No Criteria

Intf - Interference


Phyllis Shiller, Laboratory Director
June 10, 2022

Friday, June 10, 2022

Criteria: None
State: NY

Sample Criteria Exceedances Report
GCL50595 - ENVIROTR

SampNo	Acode	Phoenix Analyte	Criteria	Result	RL	Criteria	RL Criteria	Analysis Units
--------	-------	-----------------	----------	--------	----	----------	----------------	-------------------

*** No Data to Display ***

Phoenix Laboratories does not assume responsibility for the data contained in this exceedance report. It is provided as an additional tool to identify requested criteria exceedences. All efforts are made to ensure the accuracy of the data (obtained from appropriate agencies). A lack of exceedence information does not necessarily suggest conformance to the criteria. It is ultimately the site professional's responsibility to determine appropriate compliance.



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823



Analysis Comments

June 10, 2022

SDG I.D.: GCL50595

The following analysis comments are made regarding exceptions to criteria not already noted in the Analysis Report or QA/QC Report: None.

Appendix C
Groundwater Extraction System Water Samples
Laboratory Analytical Results



Thursday, July 07, 2022

Attn: James Wilkinson
EnviroTrac
5 Old Dock Rd
Yaphank, NY 11980

Project ID: FROST STREET-OU2
SDG ID: GCL67786
Sample ID#s: CL67786 - CL67790

This laboratory is in compliance with the NELAC requirements of procedures used except where indicated.

This report contains results for the parameters tested, under the sampling conditions described on the Chain Of Custody, as received by the laboratory. This report is incomplete unless all pages indicated in the pagination at the bottom of the page are included.

A scanned version of the COC form accompanies the analytical report and is an exact duplicate of the original.

If you are the client above and have any questions concerning this testing, please do not hesitate to contact Phoenix Client Services at ext.200. The contents of this report cannot be discussed with anyone other than the client listed above without their written consent.

Sincerely yours,

A handwritten signature in black ink, appearing to read "Phyllis Shiller".

Phyllis Shiller

Laboratory Director

NELAC - #NY11301
CT Lab Registration #PH-0618
MA Lab Registration #M-CT007
ME Lab Registration #CT-007
NH Lab Registration #213693-A,B

NJ Lab Registration #CT-003
NY Lab Registration #11301
PA Lab Registration #68-03530
RI Lab Registration #63
UT Lab Registration #CT00007
VT Lab Registration #VT11301



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823



Sample Id Cross Reference

July 07, 2022

SDG I.D.: GCL67786

Project ID: FROST STREET-OU2

Client Id	Lab Id	Matrix
EX-1A	CL67786	GROUND WATER
EX-1B	CL67787	GROUND WATER
EX-1C	CL67788	GROUND WATER
EX-1D	CL67789	GROUND WATER
TRIP BLANK	CL67790	GROUND WATER



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823



Analysis Report

July 07, 2022

FOR: Attn: James Wilkinson
EnviroTrac
5 Old Dock Rd
Yaphank, NY 11980

Sample Information

Matrix: GROUND WATER
Location Code: ENVIOTR
Rush Request: Standard
P.O.#:

Custody Information

Collected by:
Received by: CP
Analyzed by: see "By" below

Date

06/30/22
06/30/22

Time

8:00
16:30

Laboratory Data

SDG ID: GCL67786
Phoenix ID: CL67786

Project ID: FROST STREET-OU2
Client ID: EX-1A

Parameter	Result	RL/ PQL	LOD/ MDL	Units	Dilution	Date/Time	By	Reference
<u>Volatiles</u>								
1,1,1-Trichloroethane	ND	0.50	0.25	ug/L	1	07/01/22	MH	E624.1
1,1,2,2-tetrachloroethane	ND	0.50	0.25	ug/L	1	07/01/22	MH	E624.1
1,1,2-Trichloroethane	ND	0.50	0.25	ug/L	1	07/01/22	MH	E624.1
1,1-Dichloroethane	ND	0.50	0.25	ug/L	1	07/01/22	MH	E624.1
1,1-Dichloroethene	ND	0.50	0.25	ug/L	1	07/01/22	MH	E624.1
1,2-Dichlorobenzene	ND	0.50	0.25	ug/L	1	07/01/22	MH	E624.1
1,2-Dichloroethane	ND	0.50	0.25	ug/L	1	07/01/22	MH	E624.1
1,2-Dichloropropane	ND	0.50	0.25	ug/L	1	07/01/22	MH	E624.1
1,3-Dichlorobenzene	ND	0.50	0.25	ug/L	1	07/01/22	MH	E624.1
1,4-Dichlorobenzene	ND	0.50	0.25	ug/L	1	07/01/22	MH	E624.1
Benzene	ND	0.50	0.25	ug/L	1	07/01/22	MH	E624.1
Bromodichloromethane	ND	0.50	0.25	ug/L	1	07/01/22	MH	E624.1
Bromoform	ND	0.50	0.25	ug/L	1	07/01/22	MH	E624.1
Bromomethane	ND	0.50	0.50	ug/L	1	07/01/22	MH	E624.1
Carbon disulfide	ND	0.50	0.25	ug/L	1	07/01/22	MH	E624.1
Carbon tetrachloride	ND	0.50	0.25	ug/L	1	07/01/22	MH	E624.1
Chlorobenzene	ND	0.50	0.25	ug/L	1	07/01/22	MH	E624.1
Chloroethane	ND	0.50	0.25	ug/L	1	07/01/22	MH	E624.1
Chloroform	ND	0.50	0.25	ug/L	1	07/01/22	MH	E624.1
Chloromethane	ND	0.50	0.25	ug/L	1	07/01/22	MH	E624.1
cis-1,2-Dichloroethene	2.2	0.50	0.25	ug/L	1	07/01/22	MH	E624.1
cis-1,3-Dichloropropene	ND	0.40	0.25	ug/L	1	07/01/22	MH	E624.1
Dibromochloromethane	ND	0.50	0.25	ug/L	1	07/01/22	MH	E624.1
Ethylbenzene	ND	0.50	0.25	ug/L	1	07/01/22	MH	E624.1
m&p-Xylene	ND	0.50	0.42	ug/L	1	07/01/22	MH	E624.1
Methyl tert-butyl ether (MTBE)	ND	1.0	0.50	ug/L	1	07/01/22	MH	E624.1

Parameter	Result	RL/ PQL	LOD/ MDL	Units	Dilution	Date/Time	By	Reference
Methylene chloride	ND	0.50	0.25	ug/L	1	07/01/22	MH	E624.1
Naphthalene	ND	1.0	1.0	ug/L	1	07/01/22	MH	E624.1
o-Xylene	ND	0.50	0.45	ug/L	1	07/01/22	MH	E624.1
Tetrachloroethene	32	0.50	0.25	ug/L	1	07/01/22	MH	E624.1
Toluene	ND	0.50	0.25	ug/L	1	07/01/22	MH	E624.1
trans-1,2-Dichloroethene	ND	0.50	0.25	ug/L	1	07/01/22	MH	E624.1
trans-1,3-Dichloropropene	ND	0.40	0.25	ug/L	1	07/01/22	MH	E624.1
Trichloroethene	2.9	0.50	0.25	ug/L	1	07/01/22	MH	E624.1
Trichlorofluoromethane	ND	0.50	0.25	ug/L	1	07/01/22	MH	E624.1
Vinyl chloride	ND	0.50	0.25	ug/L	1	07/01/22	MH	E624.1
<u>QA/QC Surrogates</u>								
% 1,2-dichlorobenzene-d4	116			%	1	07/01/22	MH	70 - 130 %
% Bromofluorobenzene	99			%	1	07/01/22	MH	70 - 130 %
% Dibromofluoromethane	93			%	1	07/01/22	MH	70 - 130 %
% Toluene-d8	98			%	1	07/01/22	MH	70 - 130 %

RL/PQL=Reporting/Practical Quantitation Level (Equivalent to NELAC LOQ, Limit of Quantitation) ND=Not Detected at RL/PQL
 BRL=Below Reporting Level L=Biased Low LOD=Limit of Detection MDL=Method Detection Limit1

QA/QC Surrogates: Surrogates are compounds (preceded with a %) added by the lab to determine analysis efficiency. Surrogate results(%) listed in the report are not "detected" compounds.

Comments:

624 Analyses:

Acrylonitrile, 2-Chloroethyl vinyl ether and Acrolein could not be analyzed due to HCL preserved vial, these compounds can only be analyzed on an AS IS vial.

If you are the client above and have any questions concerning this testing, please do not hesitate to contact Phoenix Client Services at ext.200. The contents of this report cannot be discussed with anyone other than the client listed above without their written consent.



Phyllis Shiller, Laboratory Director

July 07, 2022

Reviewed and Released by: Rashmi Makol, Project Manager



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823



Analysis Report

July 07, 2022

FOR: Attn: James Wilkinson
EnviroTrac
5 Old Dock Rd
Yaphank, NY 11980

Sample Information

Matrix: GROUND WATER
Location Code: ENVIOTR
Rush Request: Standard
P.O.#:

Custody Information

Collected by:
Received by: CP
Analyzed by: see "By" below

Date

06/30/22
06/30/22

Time

8:02
16:30

Laboratory Data

SDG ID: GCL67786
Phoenix ID: CL67787

Project ID: FROST STREET-OU2
Client ID: EX-1B

Parameter	Result	RL/ PQL	LOD/ MDL	Units	Dilution	Date/Time	By	Reference
<u>Volatiles</u>								
1,1,1-Trichloroethane	ND	0.50	0.25	ug/L	1	07/01/22	MH	E624.1
1,1,2,2-tetrachloroethane	ND	0.50	0.25	ug/L	1	07/01/22	MH	E624.1
1,1,2-Trichloroethane	ND	0.50	0.25	ug/L	1	07/01/22	MH	E624.1
1,1-Dichloroethane	ND	0.50	0.25	ug/L	1	07/01/22	MH	E624.1
1,1-Dichloroethene	ND	0.50	0.25	ug/L	1	07/01/22	MH	E624.1
1,2-Dichlorobenzene	ND	0.50	0.25	ug/L	1	07/01/22	MH	E624.1
1,2-Dichloroethane	ND	0.50	0.25	ug/L	1	07/01/22	MH	E624.1
1,2-Dichloropropane	ND	0.50	0.25	ug/L	1	07/01/22	MH	E624.1
1,3-Dichlorobenzene	ND	0.50	0.25	ug/L	1	07/01/22	MH	E624.1
1,4-Dichlorobenzene	ND	0.50	0.25	ug/L	1	07/01/22	MH	E624.1
Benzene	ND	0.50	0.25	ug/L	1	07/01/22	MH	E624.1
Bromodichloromethane	ND	0.50	0.25	ug/L	1	07/01/22	MH	E624.1
Bromoform	ND	0.50	0.25	ug/L	1	07/01/22	MH	E624.1
Bromomethane	ND	0.50	0.50	ug/L	1	07/01/22	MH	E624.1
Carbon disulfide	ND	0.50	0.25	ug/L	1	07/01/22	MH	E624.1
Carbon tetrachloride	ND	0.50	0.25	ug/L	1	07/01/22	MH	E624.1
Chlorobenzene	ND	0.50	0.25	ug/L	1	07/01/22	MH	E624.1
Chloroethane	ND	0.50	0.25	ug/L	1	07/01/22	MH	E624.1
Chloroform	ND	0.50	0.25	ug/L	1	07/01/22	MH	E624.1
Chloromethane	ND	0.50	0.25	ug/L	1	07/01/22	MH	E624.1
cis-1,2-Dichloroethene	6.7	0.50	0.25	ug/L	1	07/01/22	MH	E624.1
cis-1,3-Dichloropropene	ND	0.40	0.25	ug/L	1	07/01/22	MH	E624.1
Dibromochloromethane	ND	0.50	0.25	ug/L	1	07/01/22	MH	E624.1
Ethylbenzene	ND	0.50	0.25	ug/L	1	07/01/22	MH	E624.1
m&p-Xylene	ND	0.50	0.42	ug/L	1	07/01/22	MH	E624.1
Methyl tert-butyl ether (MTBE)	ND	1.0	0.50	ug/L	1	07/01/22	MH	E624.1

Parameter	Result	RL/ PQL	LOD/ MDL	Units	Dilution	Date/Time	By	Reference
Methylene chloride	ND	0.50	0.25	ug/L	1	07/01/22	MH	E624.1
Naphthalene	ND	1.0	1.0	ug/L	1	07/01/22	MH	E624.1
o-Xylene	ND	0.50	0.45	ug/L	1	07/01/22	MH	E624.1
Tetrachloroethene	190	5.0	2.5	ug/L	10	07/02/22	MH	E624.1
Toluene	ND	0.50	0.25	ug/L	1	07/01/22	MH	E624.1
trans-1,2-Dichloroethene	ND	0.50	0.25	ug/L	1	07/01/22	MH	E624.1
trans-1,3-Dichloropropene	ND	0.40	0.25	ug/L	1	07/01/22	MH	E624.1
Trichloroethene	9.4	0.50	0.25	ug/L	1	07/01/22	MH	E624.1
Trichlorofluoromethane	ND	0.50	0.25	ug/L	1	07/01/22	MH	E624.1
Vinyl chloride	ND	0.50	0.25	ug/L	1	07/01/22	MH	E624.1
<u>QA/QC Surrogates</u>								
% 1,2-dichlorobenzene-d4	101			%	1	07/01/22	MH	70 - 130 %
% Bromofluorobenzene	100			%	1	07/01/22	MH	70 - 130 %
% Dibromofluoromethane	93			%	1	07/01/22	MH	70 - 130 %
% Toluene-d8	98			%	1	07/01/22	MH	70 - 130 %
% 1,2-dichlorobenzene-d4 (10x)	100			%	10	07/02/22	MH	70 - 130 %
% Bromofluorobenzene (10x)	101			%	10	07/02/22	MH	70 - 130 %
% Dibromofluoromethane (10x)	96			%	10	07/02/22	MH	70 - 130 %
% Toluene-d8 (10x)	100			%	10	07/02/22	MH	70 - 130 %

RL/PQL=Reporting/Practical Quantitation Level (Equivalent to NELAC LOQ, Limit of Quantitation) ND=Not Detected at RL/PQL

BRL=Below Reporting Level L=Biased Low LOD=Limit of Detection MDL=Method Detection Limit1


QA/QC Surrogates: Surrogates are compounds (preceded with a %) added by the lab to determine analysis efficiency. Surrogate results(%) listed in the report are not "detected" compounds.

Comments:

624 Analyses:

Acrylonitrile, 2-Chloroethyl vinyl ether and Acrolein could not be analyzed due to HCL preserved vial, these compounds can only be analyzed on an AS IS vial.

If you are the client above and have any questions concerning this testing, please do not hesitate to contact Phoenix Client Services at ext.200. The contents of this report cannot be discussed with anyone other than the client listed above without their written consent.



Phyllis Shiller, Laboratory Director

July 07, 2022

Reviewed and Released by: Rashmi Makol, Project Manager



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823



Analysis Report

July 07, 2022

FOR: Attn: James Wilkinson
EnviroTrac
5 Old Dock Rd
Yaphank, NY 11980

Sample Information

Matrix: GROUND WATER
Location Code: ENVIOTR
Rush Request: Standard
P.O.#:

Custody Information

Collected by:
Received by: CP
Analyzed by: see "By" below

Date

06/30/22
06/30/22

Time

8:04
16:30

Laboratory Data

SDG ID: GCL67786
Phoenix ID: CL67788

Project ID: FROST STREET-OU2
Client ID: EX-1C

Parameter	Result	RL/ PQL	LOD/ MDL	Units	Dilution	Date/Time	By	Reference
<u>Volatiles</u>								
1,1,1-Trichloroethane	ND	0.50	0.25	ug/L	1	07/01/22	MH	E624.1
1,1,2,2-tetrachloroethane	ND	0.50	0.25	ug/L	1	07/01/22	MH	E624.1
1,1,2-Trichloroethane	ND	0.50	0.25	ug/L	1	07/01/22	MH	E624.1
1,1-Dichloroethane	ND	0.50	0.25	ug/L	1	07/01/22	MH	E624.1
1,1-Dichloroethene	0.40	0.50	0.25	ug/L	1	07/01/22	MH	E624.1
1,2-Dichlorobenzene	ND	0.50	0.25	ug/L	1	07/01/22	MH	E624.1
1,2-Dichloroethane	ND	0.50	0.25	ug/L	1	07/01/22	MH	E624.1
1,2-Dichloropropane	ND	0.50	0.25	ug/L	1	07/01/22	MH	E624.1
1,3-Dichlorobenzene	ND	0.50	0.25	ug/L	1	07/01/22	MH	E624.1
1,4-Dichlorobenzene	ND	0.50	0.25	ug/L	1	07/01/22	MH	E624.1
Benzene	ND	0.50	0.25	ug/L	1	07/01/22	MH	E624.1
Bromodichloromethane	ND	0.50	0.25	ug/L	1	07/01/22	MH	E624.1
Bromoform	ND	0.50	0.25	ug/L	1	07/01/22	MH	E624.1
Bromomethane	ND	0.50	0.50	ug/L	1	07/01/22	MH	E624.1
Carbon disulfide	ND	0.50	0.25	ug/L	1	07/01/22	MH	E624.1
Carbon tetrachloride	ND	0.50	0.25	ug/L	1	07/01/22	MH	E624.1
Chlorobenzene	ND	0.50	0.25	ug/L	1	07/01/22	MH	E624.1
Chloroethane	ND	0.50	0.25	ug/L	1	07/01/22	MH	E624.1
Chloroform	ND	0.50	0.25	ug/L	1	07/01/22	MH	E624.1
Chloromethane	ND	0.50	0.25	ug/L	1	07/01/22	MH	E624.1
cis-1,2-Dichloroethene	0.92	0.50	0.25	ug/L	1	07/01/22	MH	E624.1
cis-1,3-Dichloropropene	ND	0.40	0.25	ug/L	1	07/01/22	MH	E624.1
Dibromochloromethane	ND	0.50	0.25	ug/L	1	07/01/22	MH	E624.1
Ethylbenzene	ND	0.50	0.25	ug/L	1	07/01/22	MH	E624.1
m&p-Xylene	ND	0.50	0.42	ug/L	1	07/01/22	MH	E624.1
Methyl tert-butyl ether (MTBE)	ND	1.0	0.50	ug/L	1	07/01/22	MH	E624.1

Parameter	Result	RL/ PQL	LOD/ MDL	Units	Dilution	Date/Time	By	Reference
Methylene chloride	ND	0.50	0.25	ug/L	1	07/01/22	MH	E624.1
Naphthalene	ND	1.0	1.0	ug/L	1	07/01/22	MH	E624.1
o-Xylene	ND	0.50	0.45	ug/L	1	07/01/22	MH	E624.1
Tetrachloroethene	34	0.50	0.25	ug/L	1	07/01/22	MH	E624.1
Toluene	ND	0.50	0.25	ug/L	1	07/01/22	MH	E624.1
trans-1,2-Dichloroethene	ND	0.50	0.25	ug/L	1	07/01/22	MH	E624.1
trans-1,3-Dichloropropene	ND	0.40	0.25	ug/L	1	07/01/22	MH	E624.1
Trichloroethene	3.7	0.50	0.25	ug/L	1	07/01/22	MH	E624.1
Trichlorofluoromethane	ND	0.50	0.25	ug/L	1	07/01/22	MH	E624.1
Vinyl chloride	ND	0.50	0.25	ug/L	1	07/01/22	MH	E624.1
<u>QA/QC Surrogates</u>								
% 1,2-dichlorobenzene-d4	100			%	1	07/01/22	MH	70 - 130 %
% Bromofluorobenzene	100			%	1	07/01/22	MH	70 - 130 %
% Dibromofluoromethane	93			%	1	07/01/22	MH	70 - 130 %
% Toluene-d8	98			%	1	07/01/22	MH	70 - 130 %

RL/PQL=Reporting/Practical Quantitation Level (Equivalent to NELAC LOQ, Limit of Quantitation) ND=Not Detected at RL/PQL
 BRL=Below Reporting Level L=Biased Low J=Estimated Below RL LOD=Limit of Detection MDL=Method Detection Limit1
 QA/QC Surrogates: Surrogates are compounds (preceded with a %) added by the lab to determine analysis efficiency. Surrogate results(%) listed in the report are not "detected" compounds.

Comments:

624 Analyses:

Acrylonitrile, 2-Chloroethyl vinyl ether and Acrolein could not be analyzed due to HCL preserved vial, these compounds can only be analyzed on an AS IS vial.

If you are the client above and have any questions concerning this testing, please do not hesitate to contact Phoenix Client Services at ext.200. The contents of this report cannot be discussed with anyone other than the client listed above without their written consent.



Phyllis Shiller, Laboratory Director

July 07, 2022

Reviewed and Released by: Rashmi Makol, Project Manager



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823



Analysis Report

July 07, 2022

FOR: Attn: James Wilkinson
EnviroTrac
5 Old Dock Rd
Yaphank, NY 11980

Sample Information

Matrix: GROUND WATER
Location Code: ENVIOTR
Rush Request: Standard
P.O.#:

Custody Information

Collected by:
Received by: CP
Analyzed by: see "By" below

Date

06/30/22
06/30/22

Time

8:06
16:30

Laboratory Data

SDG ID: GCL67786
Phoenix ID: CL67789

Project ID: FROST STREET-OU2
Client ID: EX-1D

Parameter	Result	RL/ PQL	LOD/ MDL	Units	Dilution	Date/Time	By	Reference
<u>Volatiles</u>								
1,1,1-Trichloroethane	0.61	0.50	0.25	ug/L	1	07/01/22	MH	E624.1
1,1,2,2-tetrachloroethane	ND	0.50	0.25	ug/L	1	07/01/22	MH	E624.1
1,1,2-Trichloroethane	ND	0.50	0.25	ug/L	1	07/01/22	MH	E624.1
1,1-Dichloroethane	0.46	0.50	0.25	ug/L	1	07/01/22	MH	E624.1
1,1-Dichloroethene	5.1	0.50	0.25	ug/L	1	07/01/22	MH	E624.1
1,2-Dichlorobenzene	ND	0.50	0.25	ug/L	1	07/01/22	MH	E624.1
1,2-Dichloroethane	ND	0.50	0.25	ug/L	1	07/01/22	MH	E624.1
1,2-Dichloropropane	ND	0.50	0.25	ug/L	1	07/01/22	MH	E624.1
1,3-Dichlorobenzene	ND	0.50	0.25	ug/L	1	07/01/22	MH	E624.1
1,4-Dichlorobenzene	ND	0.50	0.25	ug/L	1	07/01/22	MH	E624.1
Benzene	ND	0.50	0.25	ug/L	1	07/01/22	MH	E624.1
Bromodichloromethane	ND	0.50	0.25	ug/L	1	07/01/22	MH	E624.1
Bromoform	ND	0.50	0.25	ug/L	1	07/01/22	MH	E624.1
Bromomethane	ND	0.50	0.50	ug/L	1	07/01/22	MH	E624.1
Carbon disulfide	ND	0.50	0.25	ug/L	1	07/01/22	MH	E624.1
Carbon tetrachloride	0.51	0.50	0.25	ug/L	1	07/01/22	MH	E624.1
Chlorobenzene	ND	0.50	0.25	ug/L	1	07/01/22	MH	E624.1
Chloroethane	ND	0.50	0.25	ug/L	1	07/01/22	MH	E624.1
Chloroform	0.90	0.50	0.25	ug/L	1	07/01/22	MH	E624.1
Chloromethane	ND	0.50	0.25	ug/L	1	07/01/22	MH	E624.1
cis-1,2-Dichloroethene	4.0	0.50	0.25	ug/L	1	07/01/22	MH	E624.1
cis-1,3-Dichloropropene	ND	0.40	0.25	ug/L	1	07/01/22	MH	E624.1
Dibromochloromethane	ND	0.50	0.25	ug/L	1	07/01/22	MH	E624.1
Ethylbenzene	ND	0.50	0.25	ug/L	1	07/01/22	MH	E624.1
m&p-Xylene	ND	0.50	0.42	ug/L	1	07/01/22	MH	E624.1
Methyl tert-butyl ether (MTBE)	ND	1.0	0.50	ug/L	1	07/01/22	MH	E624.1

Parameter	Result	RL/ PQL	LOD/ MDL	Units	Dilution	Date/Time	By	Reference
Methylene chloride	ND	0.50	0.25	ug/L	1	07/01/22	MH	E624.1
Naphthalene	ND	1.0	1.0	ug/L	1	07/01/22	MH	E624.1
o-Xylene	ND	0.50	0.45	ug/L	1	07/01/22	MH	E624.1
Tetrachloroethene	76	0.50	0.25	ug/L	1	07/01/22	MH	E624.1
Toluene	ND	0.50	0.25	ug/L	1	07/01/22	MH	E624.1
trans-1,2-Dichloroethene	ND	0.50	0.25	ug/L	1	07/01/22	MH	E624.1
trans-1,3-Dichloropropene	ND	0.40	0.25	ug/L	1	07/01/22	MH	E624.1
Trichloroethene	21	0.50	0.25	ug/L	1	07/01/22	MH	E624.1
Trichlorofluoromethane	ND	0.50	0.25	ug/L	1	07/01/22	MH	E624.1
Vinyl chloride	ND	0.50	0.25	ug/L	1	07/01/22	MH	E624.1
<u>QA/QC Surrogates</u>								
% 1,2-dichlorobenzene-d4	102			%	1	07/01/22	MH	70 - 130 %
% Bromofluorobenzene	98			%	1	07/01/22	MH	70 - 130 %
% Dibromofluoromethane	93			%	1	07/01/22	MH	70 - 130 %
% Toluene-d8	99			%	1	07/01/22	MH	70 - 130 %

RL/PQL=Reporting/Practical Quantitation Level (Equivalent to NELAC LOQ, Limit of Quantitation) ND=Not Detected at RL/PQL
 BRL=Below Reporting Level L=Biased Low J=Estimated Below RL LOD=Limit of Detection MDL=Method Detection Limit1
 QA/QC Surrogates: Surrogates are compounds (preceded with a %) added by the lab to determine analysis efficiency. Surrogate results(%) listed in the report are not "detected" compounds.

Comments:

624 Analyses:

Acrylonitrile, 2-Chloroethyl vinyl ether and Acrolein could not be analyzed due to HCL preserved vial, these compounds can only be analyzed on an AS IS vial.

If you are the client above and have any questions concerning this testing, please do not hesitate to contact Phoenix Client Services at ext.200. The contents of this report cannot be discussed with anyone other than the client listed above without their written consent.



Phyllis Shiller, Laboratory Director

July 07, 2022

Reviewed and Released by: Rashmi Makol, Project Manager



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823



Analysis Report

July 07, 2022

FOR: Attn: James Wilkinson
EnviroTrac
5 Old Dock Rd
Yaphank, NY 11980

Sample Information

Matrix: GROUND WATER
Location Code: ENVIOTR
Rush Request: Standard
P.O.#:

Custody Information

Collected by:
Received by: CP
Analyzed by: see "By" below

Date

06/30/22

Time

16:30

Laboratory Data

SDG ID: GCL67786
Phoenix ID: CL67790

Project ID: FROST STREET-OU2
Client ID: TRIP BLANK

Parameter	Result	RL/ PQL	LOD/ MDL	Units	Dilution	Date/Time	By	Reference
<u>Volatiles</u>								
1,1,1-Trichloroethane	ND	0.50	0.25	ug/L	1	07/01/22	MH	E624.1
1,1,2,2-tetrachloroethane	ND	0.50	0.25	ug/L	1	07/01/22	MH	E624.1
1,1,2-Trichloroethane	ND	0.50	0.25	ug/L	1	07/01/22	MH	E624.1
1,1-Dichloroethane	ND	0.50	0.25	ug/L	1	07/01/22	MH	E624.1
1,1-Dichloroethene	ND	0.50	0.25	ug/L	1	07/01/22	MH	E624.1
1,2-Dichlorobenzene	ND	0.50	0.25	ug/L	1	07/01/22	MH	E624.1
1,2-Dichloroethane	ND	0.50	0.25	ug/L	1	07/01/22	MH	E624.1
1,2-Dichloropropane	ND	0.50	0.25	ug/L	1	07/01/22	MH	E624.1
1,3-Dichlorobenzene	ND	0.50	0.25	ug/L	1	07/01/22	MH	E624.1
1,4-Dichlorobenzene	ND	0.50	0.25	ug/L	1	07/01/22	MH	E624.1
Benzene	ND	0.50	0.25	ug/L	1	07/01/22	MH	E624.1
Bromodichloromethane	ND	0.50	0.25	ug/L	1	07/01/22	MH	E624.1
Bromoform	ND	0.50	0.25	ug/L	1	07/01/22	MH	E624.1
Bromomethane	ND	0.50	0.50	ug/L	1	07/01/22	MH	E624.1
Carbon disulfide	ND	0.50	0.25	ug/L	1	07/01/22	MH	E624.1
Carbon tetrachloride	ND	0.50	0.25	ug/L	1	07/01/22	MH	E624.1
Chlorobenzene	ND	0.50	0.25	ug/L	1	07/01/22	MH	E624.1
Chloroethane	ND	0.50	0.25	ug/L	1	07/01/22	MH	E624.1
Chloroform	ND	0.50	0.25	ug/L	1	07/01/22	MH	E624.1
Chloromethane	ND	0.50	0.25	ug/L	1	07/01/22	MH	E624.1
cis-1,2-Dichloroethene	ND	0.50	0.25	ug/L	1	07/01/22	MH	E624.1
cis-1,3-Dichloropropene	ND	0.40	0.25	ug/L	1	07/01/22	MH	E624.1
Dibromochloromethane	ND	0.50	0.25	ug/L	1	07/01/22	MH	E624.1
Ethylbenzene	ND	0.50	0.25	ug/L	1	07/01/22	MH	E624.1
m&p-Xylene	ND	0.50	0.42	ug/L	1	07/01/22	MH	E624.1
Methyl tert-butyl ether (MTBE)	ND	1.0	0.50	ug/L	1	07/01/22	MH	E624.1

Client ID: TRIP BLANK

Parameter	Result	RL/ PQL	LOD/ MDL	Units	Dilution	Date/Time	By	Reference
Methylene chloride	ND	0.50	0.25	ug/L	1	07/01/22	MH	E624.1
Naphthalene	ND	1.0	1.0	ug/L	1	07/01/22	MH	E624.1
o-Xylene	ND	0.50	0.45	ug/L	1	07/01/22	MH	E624.1
Tetrachloroethene	ND	0.50	0.25	ug/L	1	07/01/22	MH	E624.1
Toluene	ND	0.50	0.25	ug/L	1	07/01/22	MH	E624.1
trans-1,2-Dichloroethene	ND	0.50	0.25	ug/L	1	07/01/22	MH	E624.1
trans-1,3-Dichloropropene	ND	0.40	0.25	ug/L	1	07/01/22	MH	E624.1
Trichloroethene	ND	0.50	0.25	ug/L	1	07/01/22	MH	E624.1
Trichlorofluoromethane	ND	0.50	0.25	ug/L	1	07/01/22	MH	E624.1
Vinyl chloride	ND	0.50	0.25	ug/L	1	07/01/22	MH	E624.1
<u>QA/QC Surrogates</u>								
% 1,2-dichlorobenzene-d4	100			%	1	07/01/22	MH	70 - 130 %
% Bromofluorobenzene	99			%	1	07/01/22	MH	70 - 130 %
% Dibromofluoromethane	91			%	1	07/01/22	MH	70 - 130 %
% Toluene-d8	99			%	1	07/01/22	MH	70 - 130 %

RL/PQL=Reporting/Practical Quantitation Level (Equivalent to NELAC LOQ, Limit of Quantitation) ND=Not Detected at RL/PQL
 BRL=Below Reporting Level L=Biased Low LOD=Limit of Detection MDL=Method Detection Limit1

QA/QC Surrogates: Surrogates are compounds (preceded with a %) added by the lab to determine analysis efficiency. Surrogate results(%) listed in the report are not "detected" compounds.

Comments:

TRIP BLANK INCLUDED.

624 Analyses:

Acrylonitrile, 2-Chloroethyl vinyl ether and Acrolein could not be analyzed due to HCL preserved vial, these compounds can only be analyzed on an AS IS vial.

If you are the client above and have any questions concerning this testing, please do not hesitate to contact Phoenix Client Services at ext.200. The contents of this report cannot be discussed with anyone other than the client listed above without their written consent.



Phyllis Shiller, Laboratory Director

July 07, 2022

Reviewed and Released by: Rashmi Makol, Project Manager



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823



QA/QC Report

July 07, 2022

QA/QC Data

SDG I.D.: GCL67786

Parameter	Blank	Blk RL	LCS %	LCSD %	LCS RPD	MS %	MSD %	MS RPD	% Rec Limits	% RPD Limits
QA/QC Batch 631409 (ug/L), QC Sample No: CL67580 (CL67786, CL67787, CL67788, CL67789, CL67790)										
Volatiles - Ground Water										
1,1,1-Trichloroethane	ND	1.0	90	91	1.1	91	93	2.2	75 - 125	20
1,1,2,2-Tetrachloroethane	ND	0.50	101	119	16.4	99	103	4.0	60 - 140	20
1,1,2-Trichloroethane	ND	1.0	97	97	0.0	94	98	4.2	71 - 129	20
1,1-Dichloroethane	ND	1.0	93	92	1.1	92	92	0.0	72 - 128	20
1,1-Dichloroethene	ND	1.0	94	97	3.1	95	98	3.1	50 - 150	20
1,2-Dichlorobenzene	ND	1.0	97	111	13.5	92	96	4.3	63 - 137	20
1,2-Dichloroethane	ND	1.0	104	102	1.9	101	105	3.9	68 - 132	20
1,2-Dichloropropane	ND	1.0	96	95	1.0	95	97	2.1	40 - 160	20
1,3-Dichlorobenzene	ND	1.0	92	107	15.1	87	91	4.5	73 - 127	20
1,4-Dichlorobenzene	ND	1.0	95	98	3.1	89	92	3.3	63 - 137	20
Benzene	ND	0.70	95	95	0.0	94	98	4.2	64 - 136	20
Bromodichloromethane	ND	0.50	93	92	1.1	89	93	4.4	65 - 135	20
Bromoform	ND	1.0	89	87	2.3	81	86	6.0	71 - 129	20
Bromomethane	ND	1.0	41	43	4.8	37	47	23.8	40 - 160	20 m,r
Carbon Disulfide	ND	1.0	82	82	0.0	76	80	5.1	70 - 130	30
Carbon tetrachloride	ND	1.0	86	87	1.2	86	86	0.0	73 - 127	20
Chlorobenzene	ND	1.0	96	96	0.0	94	96	2.1	66 - 134	20
Chloroethane	ND	1.0	74	69	7.0	78	74	5.3	40 - 160	20
Chloroform	ND	1.0	97	95	2.1	96	97	1.0	67 - 133	20
Chloromethane	ND	1.0	84	83	1.2	84	87	3.5	40 - 160	20
cis-1,2-Dichloroethene	ND	1.0	96	97	1.0	93	95	2.1	69 - 131	20
cis-1,3-Dichloropropene	ND	0.40	92	91	1.1	82	85	3.6	40 - 160	20
Dibromochloromethane	ND	0.50	91	89	2.2	87	90	3.4	67 - 133	20
Ethylbenzene	ND	1.0	94	94	0.0	91	95	4.3	59 - 141	20
m&p-Xylene	ND	1.0	94	94	0.0	91	95	4.3	70 - 130	30
Methyl t-butyl ether (MTBE)	ND	1.0	108	107	0.9	102	107	4.8	70 - 130	30
Methylene chloride	ND	1.0	106	105	0.9	103	106	2.9	60 - 140	20
Naphthalene	ND	1.0	107	125	15.5	100	108	7.7	70 - 130	30
o-Xylene	ND	1.0	92	92	0.0	88	93	5.5	70 - 130	30
Tetrachloroethene	ND	1.0	88	88	0.0	90	94	4.3	73 - 127	20
Toluene	ND	1.0	93	93	0.0	92	96	4.3	74 - 126	20
trans-1,2-Dichloroethene	ND	1.0	95	95	0.0	91	94	3.2	69 - 131	20
trans-1,3-Dichloropropene	ND	0.40	91	91	0.0	82	85	3.6	50 - 150	20
Trichloroethene	ND	1.0	93	94	1.1	93	96	3.2	66 - 134	20
Trichlorofluoromethane	ND	1.0	91	92	1.1	95	96	1.0	48 - 152	20
Vinyl chloride	ND	1.0	85	84	1.2	86	89	3.4	40 - 160	20
% 1,2-dichlorobenzene-d4	101	%	100	117	15.7	101	101	0.0	70 - 130	30
% Bromofluorobenzene	99	%	101	101	0.0	100	101	1.0	70 - 130	30
% Dibromofluoromethane	95	%	95	95	0.0	96	94	2.1	70 - 130	30
% Toluene-d8	99	%	98	98	0.0	99	99	0.0	70 - 130	30

QA/QC Data

SDG I.D.: GCL67786

Parameter	Blk		LCS %	LCSD %	LCS RPD	MS %	MSD %	MS RPD	% Rec Limits	% RPD Limits
	Blank	RL								

Comment:

A blank MS/MSD was analyzed with this batch.

QA/QC Batch 631649 (ug/L), QC Sample No: CL69025 (CL67787 (10X))

Volatiles - Ground Water

Tetrachloroethene	ND	1.0	92	104	12.2				73 - 127	20
% 1,2-dichlorobenzene-d4	100	%	99	100	1.0				70 - 130	30
% Bromofluorobenzene	101	%	102	101	1.0				70 - 130	30
% Dibromofluoromethane	95	%	98	98	0.0				70 - 130	30
% Toluene-d8	102	%	99	101	2.0				70 - 130	30

Comment:

The MS/MSD are not reported for this batch.

m = This parameter is outside laboratory MS/MSD specified recovery limits.

r = This parameter is outside laboratory RPD specified recovery limits.

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

RPD - Relative Percent Difference

LCS - Laboratory Control Sample

LCSD - Laboratory Control Sample Duplicate

MS - Matrix Spike

MS Dup - Matrix Spike Duplicate

NC - No Criteria

Intf - Interference

Phyllis Shiller, Laboratory Director
July 07, 2022

Thursday, July 07, 2022

Criteria: None
State: NY

Sample Criteria Exceedances Report
GCL67786 - ENVIOTR

SampNo	Acode	Phoenix Analyte	Criteria	Result	RL	Criteria	RL Criteria	Analysis Units
--------	-------	-----------------	----------	--------	----	----------	----------------	-------------------

*** No Data to Display ***

Phoenix Laboratories does not assume responsibility for the data contained in this exceedance report. It is provided as an additional tool to identify requested criteria exceedences. All efforts are made to ensure the accuracy of the data (obtained from appropriate agencies). A lack of exceedence information does not necessarily suggest conformance to the criteria. It is ultimately the site professional's responsibility to determine appropriate compliance.



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823



Analysis Comments

July 07, 2022

SDG I.D.: GCL67786

The following analysis comments are made regarding exceptions to criteria not already noted in the Analysis Report or QA/QC Report: None.



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823



NY Temperature Narration

July 07, 2022

SDG I.D.: GCL67786

The samples in this delivery group were received at 1.3°C.
(Note acceptance criteria for relevant matrices is above freezing up to 6°C)

Bobbi Aloisa

From: Bobbi Aloisa
Sent: Thursday, June 30, 2022 9:31 PM
To: James Wilkinson, PE; Bobbi Aloisa
Subject: 624
Attachments: GCL67786-ChainofCustody-1.pdf

Hi James

We can't report the following compounds (listed below) on the attached chain for samples that required 624 because we did not receive 2 "as is" vials in addition to the HCL for the sample that is being requested for 624 VOC's. We need 2 "as is" vials and 3 "hcl" vials when running samples for method 624. If these compounds are not constituents of concern then it might not be a problem. Please see below. The vials were all checked by the VOA department and they are HCL.

624 Analyses:

Acrylonitrile, 2-Chloroethyl vinyl ether and Acrolein could not be analyzed due to HCL preserved vial, these compounds can only be analyzed on an AS IS vial

Please LMK if you have any questions

Bobbi

Bobbi Aloisa

Vice President | Director of Client Services

Phoenix Environmental Laboratories, Inc.

587 East Middle Turnpike | Manchester, CT 06040

Direct Line: (860)-645-8728

www.phoenixlabs.com





CHAIN OF CUSTODY RECORD

587 East Middle Turnpike, P.O. Box 370, Manchester, CT 06040
Email: info@phoenixlabs.com Fax (860) 645-0823
Client Services (860) 645-8726

Coolant: Yes ☒ No ☐
IPK ☒ ICE ☐
Temp / 3 °C Pg of

Data Delivery/Contact Options:

Fax: ☐
Phone: ☐
Email: jamesw@envirotrac.com

Project P.O.:

Project: Frost Street - OU2

Report to: Jim Wilkinson

Invoice to: EnviroTrac

QUOTE #

Customer: EnviroTrac

Address: 5 Old Dock Road

Yaphank, NY 11980

Sampler's Signature: *[Signature]* Date: 6/30/22

Matrix Code: GW=Ground Water SW=Surface Water WW=Waste Water
RW=Raw Water SE=Sediment SL=Sludge S=Soil SD=Solid W=Wipe Oil=Oil
B=Bulk L=Liquid

PHOENIX USE ONLY SAMPLE #	Customer Sample Identification	Sample Matrix	Date Sampled	Time Sampled
077780	EX-1A	GW	6/30/2022	8:00
077787	EX-1B	GW	6/30/2022	8:02
077788	EX-1C	GW	6/30/2022	8:04
077789	EX-1D	GW	6/30/2022	8:06
077790	TRIP BLANK			


Analysis Request
VOCs EPA 624.1 + de 1,2-dichloroethene

GL Amber 8 oz. with H ₂ O	GL Soil Container ()	GL Soil Container ()	GL Amber 100ml ()	PL H ₂ SO ₄ ()	PL HNO ₃ 250ml ()	PL NaOH 250ml ()	Bacteria Bottle with 100ml
GL VOA Vials ()	GL Soil Container ()	GL Soil Container ()	GL Amber 100ml ()	PL H ₂ SO ₄ ()	PL HNO ₃ 250ml ()	PL NaOH 250ml ()	Bacteria Bottle with 100ml
GL VOA Vials ()	GL Soil Container ()	GL Soil Container ()	GL Amber 100ml ()	PL H ₂ SO ₄ ()	PL HNO ₃ 250ml ()	PL NaOH 250ml ()	Bacteria Bottle with 100ml
GL VOA Vials ()	GL Soil Container ()	GL Soil Container ()	GL Amber 100ml ()	PL H ₂ SO ₄ ()	PL HNO ₃ 250ml ()	PL NaOH 250ml ()	Bacteria Bottle with 100ml
GL VOA Vials ()	GL Soil Container ()	GL Soil Container ()	GL Amber 100ml ()	PL H ₂ SO ₄ ()	PL HNO ₃ 250ml ()	PL NaOH 250ml ()	Bacteria Bottle with 100ml


Relinquished by: <i>[Signature]</i>	Accepted by: <i>[Signature]</i>	Date: 6/30/22	Time: 16:44
Comments, Special Requirements or Regulations:		Turnaround: ☐ 1 Day* ☐ 2 Days* ☐ 3 Days* ☒ Standard ☐ Other	* SURCHARGE APPLIES
State where samples were collected: NY		* SURCHARGE APPLIES	

Appendix D
Groundwater Extraction Well Sampling
Historical Results


EX-1A




EX-1B



EX-1C



EX-1D



All Wells - Total VOCs

