

December 10, 2020

Ms. Kerry Maloney, P.G.
NYSDEC, Division of Environmental Remediation
Division of Environmental Remediation
625 Broadway
Albany, New York 12233-7015

Via email: Kerry.maloney@dec.ny.gov

Re: Progress Report: November 2020
Frost Street Sites: Site ID#s 1-30043 I, L, M
New Cassel Industrial Area, Westbury, New York

Dear Ms. Maloney:

EnSafe Inc. is pleased to submit this Progress Report for the Frost Street Sites (Site ID#s 1-30043 I, L, M) for operation, maintenance, and monitoring (OM&M) activities completed in November 2020 for the onsite air sparge/soil vapor extraction (AS/SVE) and groundwater extraction systems.

Air Sparge/Soil Vapor Extraction System – Operable Unit 1

- AS/SVE system operations continued this month, per the OM&M Manual. During periodic visits, system parameters were logged on dedicated forms (Appendix A).
 - The AS portion of the system resumed operation on November 19 after the minimum pressure valve was replaced. The new compressor will be installed the week of January 5, 2021, as described in the November Progress Report. The downtime anticipated for this work is approximately 1 week.
- Quantitative sampling of the SVE system granular activated carbon influent and effluent air flow was conducted on November 19, 2020, using Summa canisters. These samples were obtained by EnviroTrac, submitted to Phoenix Environmental Laboratories, and analyzed by Method TO-15. Results are included in Appendix B.
 - Photoionization detector (PID) readings and influent concentrations of Frost Street-related contaminants of concern (tetrachloroethene, trichloroethene, and cis-1,2-dichloroethene [2,311 µg/m³]) continue to indicate mass extraction but at a lower rate, which is expected considering the AS portion of the system had only just been made operational that day.

- Effluent concentrations are below the carbon exchange indicator concentrations, as shown below. Because effluent concentrations are higher than influent concentrations for these compounds and PID readings indicate breakthrough has begun, a carbon exchange has been scheduled for January 5, 2021.

Frost Street Sites Effluent Compliance			
System Flow Rate =		800 ft ³ /min	
Compound	Annual Mass Emission Limit ¹ (lbs/year)	Carbon Exchange Required Indicator Concentration (µg/m ³) ²	November 2020 Effluent Concentration (µg/m ³)
Trichloroethene	500	19,000	1,300
Tetrachloroethene	1,000	38,000	2,490
Vinyl Chloride	100	3,800	ND
Cis-1,2-Dichloroethene ³	100	3,800	342

Notes:

ft/min cubic feet per minute

lbs/year pounds per year

µg/m³ micrograms per cubic meter

- 1 Source of Mass Emission Limit: Part 212-2.2 Table 2 — High Toxicity Air Contaminant List
- 2 These limits were calculated based on Frost Street-specific system operations (i.e., flow rate) in order to remain below the annual HTAC emissions listed in Part 212-2.2 Table 2. Remaining below these concentrations ensures that annual emissions will not exceed the limit which demonstrates compliance with Part 212 without having to perform compound-specific analyses.
- 3 Cis-1,2-dichloroethene is not a listed HTAC, so the default is 100 lbs/year.

Groundwater Extraction System – Operable Unit 2

The pumps in EX-1A, EX-1B, EX-1C, and EX-1D operated near design flow rates (30, 30, 48, and 48 gallons per minute, respectively) for all of November.

EnSafe collected and prepared the additional information requested by NYSDEC on February 21, 2019, (additional pressure transducer data and groundwater elevation maps) to facilitate review and comment on the *Expanded Pumping Test Summary, Findings, and Recommendations*, submitted on August 10, 2018. This information was transmitted to NYSDEC on March 22, 2019.

Groundwater Monitoring

The third quarter 2020 groundwater sampling event was completed the week of September 21; analytical data was submitted to NYSDEC on October 30, full results will be submitted in a forthcoming report

If you have any questions or require additional information, please do not hesitate to contact me at 860-665-1140 or astark@ensafe.com.

Sincerely,

EnSafe, Inc., by



Alexandra Stark, P.E.

Attachments

Copies:	A. Tamuno, Esq., NYSDEC	<i>Via email to amtamuno@gw.dec.state.ny.us</i>
	C. Bethoney, NYSDOH	<i>Via email to charlotte.bethoney@health.ny.gov</i>
	J. Nealon, NYSDOH	<i>Via email to jacquelyn.nealon@health.ny.gov</i>
	R. Putnam, NCDOH	<i>Via email to rputnam@nassaucountyny.gov</i>
	J. Vasquez, U.S. EPA	<i>Via email to vazquez.julio@epa.gov</i>
	T. Pupilla, Sanders Equities	<i>Via email to tpupilla@sandersequities.com</i>
	K. Maldonado, Esq.	<i>Via email to kevinmaldonado64@yahoo.com</i>
	J. Privitera, Esq.	<i>Via email to jprivitera@woh.com</i>
	P. Coop, EnSafe	<i>Via email to pcoop@ensafe.com</i>
	J. Wilkinson, Envirotrac	<i>Via email to jamesw@envirotrac.com</i>

Appendix A
AS/SVE System Operation and Maintenance Logs

Operation & Maintenance Data Sheet

Ensafe-Frost Street
101 Frost Street
Westbury, NY

EnviroTrac Environmental Services

5 Old Dock Road, Yaphank, NY 11980
(631)924-3001, Fax (631)924-5001

Date: 19-Nov
Weather / Temp: Cloudy / 50 DEG
Technician / Operator: JW

Arrival Time: 11:00
Departure Time: 12:30

System Status									
	Arrival		Departure			Arrival		Departure	
SVE Blower 1 (ON/OFF)	OFF		OFF		Sensaphone (ON/OFF)	ON		ON	
SVE Blower 2 (ON/OFF)	ON		ON		Surge Protection (ON/OFF)	ON		ON	
AS Compressor 1 (ON/OFF)	OFF		OFF		Lightning Protection (White/Black)	White		White	
AS Compressor 2 (ON/OFF)	ON		ON						
Soil Vapor Extraction System									
Blower Air Velocity/Flow Rate (fpm)/(cfm)	4500		884		Blower 1 Total Runtime (hrs)	59,737.3			
Blower 1 Fresh Air Valve Open (%)	0				Blower 2 Total Runtime (hrs)	60,177.9			
Blower 2 Fresh Air Valve Open (%)	0				Blower 1 Air Filter Differential Pressure ("H2O)	0			
Moisture Separator Vacuum ("Hg)	3				Blower 2 Air Filter Differential Pressure ("H2O)	0			
VGAC-1 Influent Vacuum ("H2O)	50				VGAC-1 Effluent PID (ppm)	2.4			
VGAC-1 Effluent Vacuum ("H2O)	55				VGAC-1 Effluent PID (ppm)	2.0			
VGAC-2 Influent Vacuum ("H2O)	55				VGAC-2 Influent PID (ppm)	2.4			
VGAC-2 Effluent Vacuum ("H2O)	59				VGAC-2 Effluent PID (ppm)	2.0			
VGAC-3 Influent Vacuum ("H2O)	70				VGAC-3 Influent PID (ppm)	2.0			
VGAC-3 Effluent Vacuum ("H2O)	74				VGAC-3 Effluent PID (ppm)	1.0			
VGAC-3 Influent Temp (DegF)	NA				Blower Effluent PID (ppm)	1.0			
Blower Effluent Pressure ("H2O)	10								
Transfer Pump Total Runtime (hrs)	25,041.1				Condensate Storage Tank Level (gal)	150			
SVE Manifold Legs - Vacuum/Flow Rate/PID									
	Vacuum	Velocity	Flow Rate	PID		Vacuum	Velocity	Flow Rate	PID
SVE-1 ("H2O)/(FPM)/(cfm)/(ppm)	46	6800	148	1.9	SVE-4 ("H2O)/(FPM)/(cfm)/(ppm)	38	4000	87	1.0
SVE-2 ("H2O)/(FPM)/(cfm)/(ppm)	48	4000	87	2.2	SVE-5 ("H2O)/(FPM)/(cfm)/(ppm)	38	2700	59	2.0
SVE-3 ("H2O)/(FPM)/(cfm)/(ppm)	40	4800	105	0.0	SVE-6B ("H2O)/(FPM)/(cfm)/(ppm)	38	6000	131	4.0
SVE-3A ("H2O)/(FPM)/(cfm)/(ppm)	40	4000	87	0.0	SVE-7 ("H2O)/(FPM)/(cfm)/(ppm)	40	2700	59	0.0
Air Sparge System									
Compressor 1 Pressure (psi)	Off for repairs				Compressor 2 Pressure (psi)	78			
Compressor 1 Temperature (degF)	Off for repairs				Compressor 2 Temperature (degF)	171			
Compressor 1 Runtime (hrs)	27,317				Compressor 2 Runtime (hrs)	39,291			
Manifold Regulator Pressure (psi)	55								
AS Manifold Legs - Pressure/Flow Rate									
	Pressure		Flow Rate			Pressure		Flow Rate	
AS-1 (psi)/(cfm)	19		7		AS-11 (psi)/(cfm)	18		9	
AS-2 (psi)/(cfm)	18		5		AS-12B (psi)/(cfm)	19		8	
AS-3 (psi)/(cfm)	17		12		AS-13B (psi)/(cfm)	17		6	
AS-4 (psi)/(cfm)	15		4		AS-14 (psi)/(cfm)	18		10	
AS-5 (psi)/(cfm)	19		10		AS-15 (psi)/(cfm)	19		9	
AS-6 (psi)/(cfm)	19		8		AS-16B (psi)/(cfm)	16		8	
AS-7 (psi)/(cfm)	19		9		AS-17 (psi)/(cfm)	18		5	
AS-8 (psi)/(cfm)	17		10		AS-18 (psi)/(cfm)	17		8	
AS-9 (psi)/(cfm)	19		10		AS-19 (psi)/(cfm)	17		10	
AS-10B (psi)/(cfm)	17		10						

Notes, Comments & Observations:

Collected monthly air samples.

Hydrovane compressor was repaired on 11/18.

Inspection, Maintenance, Lubrication Schedule
Ensafe-Frost Street
101 Frost Street
Westbury, NY

EnviroTrac Environmental Services
5 Old Dock Road, Yaphank, NY 11980
(631)924-3001, Fax (631)924-5001

Date: 19-Nov
Weather / Temp: Cloudy / 50 DEG
Technician / Operator: JW

Arrival Time: 11:00
Departure Time: 12:30

Maintenance Item	Perform	Completed (yes/no)	Comments
SVE Blower B-1			
-Inspect	Weekly	Y	
-Lubricate	As Required	N	
-Inspect Air Filter	Weekly	Y	
-Amp Draw	Quarterly	N	
-Inspect Belts	Weekly	Y	
SVE Blower B-2			
-Inspect	Weekly	Y	
-Lubricate	As Required	N	
-Inspect Air Filter	Weekly	Y	
-Amp Draw	Quarterly	N	
-Inspect Belts	Weekly	Y	
SVE Piping			
-Inspect	Weekly	Y	
-Valves	Weekly	Y	
Phase Separator/Storage Tank			
-Inspect	Weekly	Y	
-Check Level Switches	As Required	Y	
-Inspect water storage tank	Weekly	Y	
-Pump water to sewer drain	As Required	Y	
AS Compressor 1			
-Inspect	Weekly	N	Off for repairs.
-Lubricate	As Required	N	
-Inspect Filters	Weekly	N	
-Amp Draw	Quarterly	N	
AS Compressor 2			
-Inspect	Weekly	Y	Replaced minimum pressure valve on 11/18.
-Lubricate	As Required	Y	Changed oil and filters on 11/18.
-Inspect Filters	Weekly	Y	
-Amp Draw	Quarterly	Y	
AS Piping			
-Inspect	Weekly	Y	
-Valves	Weekly	Y	
-Drain Filters/Collectors	Weekly	Y	
-Drain Pressure Tank	Weekly	Y	

Operation & Maintenance Data Sheet
 Ensafe-Frost Street
 101 Frost Street
 Westbury, NY

EnviroTrac Environmental Services
 5 Old Dock Road, Yaphank, NY 11980
 (631)924-3001, Fax (631)924-5001

Date: 30-Nov
Weather / Temp: Clear / 40 DEG
Technician / Operator: JW

Arrival Time: 9:00
Departure Time: 10:00

System Status									
	Arrival		Departure			Arrival		Departure	
SVE Blower 1 (ON/OFF)	OFF		ON		Sensaphone (ON/OFF)	ON		ON	
SVE Blower 2 (ON/OFF)	ON		OFF		Surge Protection (ON/OFF)	ON		ON	
AS Compressor 1 (ON/OFF)	OFF		OFF		Lightning Protection (White/Black)	White		White	
AS Compressor 2 (ON/OFF)	ON		ON						
Soil Vapor Extraction System									
Blower Air Velocity/Flow Rate (fpm)/cfm)	4500		884		Blower 1 Total Runtime (hrs)	59,868.6			
Blower 1 Fresh Air Valve Open (%)	0				Blower 2 Total Runtime (hrs)	60308.4			
Blower 2 Fresh Air Valve Open (%)	0				Blower 1 Air Filter Differential Pressure ("H2O)	0			
Moisture Separator Vacuum ("Hg)	3				Blower 2 Air Filter Differential Pressure ("H2O)	0			
VGAC-1 Influent Vacuum ("H2O)	50				VGAC-1 Influent PID (ppm)	4.1			
VGAC-1 Effluent Vacuum ("H2O)	55				VGAC-1 Effluent PID (ppm)	2.0			
VGAC-2 Influent Vacuum ("H2O)	55				VGAC-2 Influent PID (ppm)	4.1			
VGAC-2 Effluent Vacuum ("H2O)	58				VGAC-2 Effluent PID (ppm)	2.0			
VGAC-3 Influent Vacuum ("H2O)	70				VGAC-3 Influent PID (ppm)	2.0			
VGAC-3 Effluent Vacuum ("H2O)	72				VGAC-3 Effluent PID (ppm)	1.0			
VGAC-3 Influent Temp (DegF)	NA				Blower Effluent PID (ppm)	1.0			
Blower Effluent Pressure ("H2O)	10								
Transfer Pump Total Runtime (hrs)	25,042.1				Condensate Storage Tank Level (gal)	300			
SVE Manifold Legs - Vacuum/Flow Rate/PID									
	Vacuum	Velocity	Flow Rate	PID		Vacuum	Velocity	Flow Rate	PID
SVE-1 ("H2O)/(FPM)/(cfm)/(ppm)	44	6500	142		SVE-4 ("H2O)/(FPM)/(cfm)/(ppm)	36	3800	83	
SVE-2 ("H2O)/(FPM)/(cfm)/(ppm)	46	4000	87		SVE-5 ("H2O)/(FPM)/(cfm)/(ppm)	38	2700	59	
SVE-3 ("H2O)/(FPM)/(cfm)/(ppm)	38	4600	100		SVE-6B ("H2O)/(FPM)/(cfm)/(ppm)	38	6000	131	
SVE-3A ("H2O)/(FPM)/(cfm)/(ppm)	36	3900	85		SVE-7 ("H2O)/(FPM)/(cfm)/(ppm)	38	2700	59	
Air Sparge System									
Compressor 1 Pressure (psi)	Off for repairs				Compressor 2 Pressure (psi)	83			
Compressor 1 Temperature (degF)	Off for repairs				Compressor 2 Temperature (degF)	181			
Compressor 1 Runtime (hrs)	27,317				Compressor 2 Runtime (hrs)	39,553			
Manifold Regulator Pressure (psi)	75								
AS Manifold Legs - Pressure/Flow Rate									
	Pressure		Flow Rate			Pressure		Flow Rate	
AS-1 (psi)/(cfm)	17		12		AS-11 (psi)/(cfm)	15		10	
AS-2 (psi)/(cfm)	16		8		AS-12B (psi)/(cfm)	16		10	
AS-3 (psi)/(cfm)	15		8		AS-13B (psi)/(cfm)	15		11	
AS-4 (psi)/(cfm)	14		4		AS-14 (psi)/(cfm)	15		11	
AS-5 (psi)/(cfm)	17		7		AS-15 (psi)/(cfm)	15		10	
AS-6 (psi)/(cfm)	16		0		AS-16B (psi)/(cfm)	15		10	
AS-7 (psi)/(cfm)	16		5		AS-17 (psi)/(cfm)	16		6	
AS-8 (psi)/(cfm)	15		10		AS-18 (psi)/(cfm)	15		8	
AS-9 (psi)/(cfm)	16		8		AS-19 (psi)/(cfm)	14		4	
AS-10B (psi)/(cfm)	15		11						

Notes, Comments & Observations:

Switched GAC-3 to pressure side of blower after O&M.

Inspection, Maintenance, Lubrication Schedule

Ensafe-Frost Street
101 Frost Street
Westbury, NY

EnviroTrac Environmental Services

5 Old Dock Road, Yaphank, NY 11980
(631)924-3001, Fax (631)924-5001

Date: 30-Nov
Weather / Temp: Clear / 40 DEG
Technician / Operator: JW

Arrival Time: 9:00
Departure Time: 10:00

Maintenance Item	Perform	Completed (yes/no)	Comments
SVE Blower B-1			
-Inspect	Weekly	Y	
-Lubricate	As Required	N	
-Inspect Air Filter	Weekly	Y	
-Amp Draw	Quarterly	N	
-Inspect Belts	Weekly	Y	
SVE Blower B-2			
-Inspect	Weekly	Y	
-Lubricate	As Required	N	
-Inspect Air Filter	Weekly	Y	
-Amp Draw	Quarterly	N	
-Inspect Belts	Weekly	Y	
SVE Piping			
-Inspect	Weekly	Y	
-Valves	Weekly	Y	
Phase Separator/Storage Tank			
-Inspect	Weekly	Y	
-Check Level Switches	As Required	Y	
-Inspect water storage tank	Weekly	Y	
-Pump water to sewer drain	As Required	Y	
AS Compressor 1			
-Inspect	Weekly	N	Off for repairs.
-Lubricate	As Required	N	
-Inspect Filters	Weekly	N	
-Amp Draw	Quarterly	N	
AS Compressor 2			
-Inspect	Weekly	Y	
-Lubricate	As Required	N	
-Inspect Filters	Weekly	Y	
-Amp Draw	Quarterly	Y	
AS Piping			
-Inspect	Weekly	Y	
-Valves	Weekly	Y	
-Drain Filters/Collectors	Weekly	Y	
-Drain Pressure Tank	Weekly	Y	

Appendix B
AS/SVE System Influent/Effluent Sampling
Laboratory Analytical Results



Monday, November 30, 2020

Attn: James Wilkinson
EnviroTrac
5 Old Dock Rd
Yaphank, NY 11980

Project ID: ENSAFE WESTBURY
SDG ID: GCH19649
Sample ID#s: CH19649 - CH19650

This laboratory is in compliance with the NELAC requirements of procedures used except where indicated.

This report contains results for the parameters tested, under the sampling conditions described on the Chain Of Custody, as received by the laboratory. This report is incomplete unless all pages indicated in the pagination at the bottom of the page are included.

A scanned version of the COC form accompanies the analytical report and is an exact duplicate of the original.

If you are the client above and have any questions concerning this testing, please do not hesitate to contact Phoenix Client Services at ext.200. The contents of this report cannot be discussed with anyone other than the client listed above without their written consent.

Sincerely yours,

A handwritten signature in black ink, appearing to read "Phyllis Shiller".

Phyllis Shiller

Laboratory Director

NELAC - #NY11301
CT Lab Registration #PH-0618
MA Lab Registration #M-CT007
ME Lab Registration #CT-007
NH Lab Registration #213693-A,B

NJ Lab Registration #CT-003
NY Lab Registration #11301
PA Lab Registration #68-03530
RI Lab Registration #63
UT Lab Registration #CT00007
VT Lab Registration #VT11301



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823



Sample Id Cross Reference

November 30, 2020

SDG I.D.: GCH19649

Project ID: ENSAFE WESTBURY

Client Id	Lab Id	Matrix
SVE EFFLUENT	CH19649	AIR
SVE INFLUENT	CH19650	AIR



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823



Analysis Report

November 30, 2020

FOR: Attn: James Wilkinson
EnviroTrac
5 Old Dock Rd
Yaphank, NY 11980

Sample Information

Matrix: AIR
Location Code: ENVIOTR
Rush Request: Standard
P.O.#:
Canister Id: 777

Custody Information

Collected by: JW
Received by: CP
Analyzed by: see "By" below

Date Time
11/19/20 12:01
11/24/20 14:26

Laboratory Data

SDG ID: GCH19649
Phoenix ID: CH19649

Project ID: ENSAFE WESTBURY
Client ID: SVE EFFLUENT

Parameter	ppbv Result	ppbv RL	ug/m3 Result	ug/m3 RL	Date/Time	By	Dilution
Volatiles (TO15)							
1,1,1,2-Tetrachloroethane	ND	0.146	ND	1.00	11/25/20	KCA	1
1,1,1-Trichloroethane	2.19	0.183	11.9	1.00	11/25/20	KCA	1
1,1,2,2-Tetrachloroethane	ND	0.146	ND	1.00	11/25/20	KCA	1
1,1,2-Trichloroethane	ND	0.183	ND	1.00	11/25/20	KCA	1
1,1-Dichloroethane	ND	0.247	ND	1.00	11/25/20	KCA	1
1,1-Dichloroethene	ND	0.051	ND	0.20	11/25/20	KCA	1
1,2,4-Trichlorobenzene	ND	0.135	ND	1.00	11/25/20	KCA	1
1,2,4-Trimethylbenzene	ND	0.204	ND	1.00	11/25/20	KCA	1
1,2-Dibromoethane(EDB)	ND	0.130	ND	1.00	11/25/20	KCA	1
1,2-Dichlorobenzene	ND	0.166	ND	1.00	11/25/20	KCA	1
1,2-Dichloroethane	ND	0.247	ND	1.00	11/25/20	KCA	1
1,2-dichloropropane	ND	0.217	ND	1.00	11/25/20	KCA	1
1,2-Dichlorotetrafluoroethane	ND	0.143	ND	1.00	11/25/20	KCA	1
1,3,5-Trimethylbenzene	ND	0.204	ND	1.00	11/25/20	KCA	1
1,3-Butadiene	ND	0.452	ND	1.00	11/25/20	KCA	1
1,3-Dichlorobenzene	ND	0.166	ND	1.00	11/25/20	KCA	1
1,4-Dichlorobenzene	ND	0.166	ND	1.00	11/25/20	KCA	1
1,4-Dioxane	ND	0.278	ND	1.00	11/25/20	KCA	1
2-Hexanone(MBK)	ND	0.244	ND	1.00	11/25/20	KCA	1
4-Ethyltoluene	ND	0.204	ND	1.00	11/25/20	KCA	1
4-Isopropyltoluene	ND	0.182	ND	1.00	11/25/20	KCA	1
4-Methyl-2-pentanone(MIBK)	ND	0.244	ND	1.00	11/25/20	KCA	1
Acetone	0.978	0.421	2.32	1.00	11/25/20	KCA	1
Acrylonitrile	ND	0.461	ND	1.00	11/25/20	KCA	1
Benzene	ND	0.313	ND	1.00	11/25/20	KCA	1
Benzyl chloride	ND	0.193	ND	1.00	11/25/20	KCA	1

Parameter	ppbv Result	ppbv RL	ug/m3 Result	ug/m3 RL	Date/Time	By	Dilution	
Bromodichloromethane	ND	0.149	ND	1.00	11/25/20	KCA	1	
Bromoform	ND	0.097	ND	1.00	11/25/20	KCA	1	
Bromomethane	ND	0.258	ND	1.00	11/25/20	KCA	1	
Carbon Disulfide	ND	0.321	ND	1.00	11/25/20	KCA	1	
Carbon Tetrachloride	0.262	0.032	1.65	0.20	11/25/20	KCA	1	
Chlorobenzene	ND	0.217	ND	1.00	11/25/20	KCA	1	
Chloroethane	ND	0.379	ND	1.00	11/25/20	KCA	1	
Chloroform	0.348	0.205	1.70	1.00	11/25/20	KCA	1	
Chloromethane	ND	0.485	ND	1.00	11/25/20	KCA	1	
Cis-1,2-Dichloroethene	86.2	0.252	342	1.00	11/25/20	KCA	5	
cis-1,3-Dichloropropene	ND	0.221	ND	1.00	11/25/20	KCA	1	
Cyclohexane	ND	0.291	ND	1.00	11/25/20	KCA	1	
Dibromochloromethane	ND	0.118	ND	1.00	11/25/20	KCA	1	
Dichlorodifluoromethane	0.456	0.202	2.25	1.00	11/25/20	KCA	1	
Ethanol	2.11	0.531	3.97	1.00	11/25/20	KCA	1	1
Ethyl acetate	ND	0.278	ND	1.00	11/25/20	KCA	1	1
Ethylbenzene	ND	0.230	ND	1.00	11/25/20	KCA	1	
Heptane	ND	0.244	ND	1.00	11/25/20	KCA	1	
Hexachlorobutadiene	ND	0.094	ND	1.00	11/25/20	KCA	1	
Hexane	ND	0.284	ND	1.00	11/25/20	KCA	1	
Isopropylalcohol	0.661	0.407	1.62	1.00	11/25/20	KCA	1	
Isopropylbenzene	ND	0.204	ND	1.00	11/25/20	KCA	1	
m,p-Xylene	ND	0.230	ND	1.00	11/25/20	KCA	1	
Methyl Ethyl Ketone	ND	0.339	ND	1.00	11/25/20	KCA	1	
Methyl tert-butyl ether(MTBE)	ND	0.278	ND	1.00	11/25/20	KCA	1	
Methylene Chloride	ND	0.864	ND	3.00	11/25/20	KCA	1	
n-Butylbenzene	ND	0.182	ND	1.00	11/25/20	KCA	1	1
o-Xylene	ND	0.230	ND	1.00	11/25/20	KCA	1	
Propylene	ND	0.581	ND	1.00	11/25/20	KCA	1	1
sec-Butylbenzene	ND	0.182	ND	1.00	11/25/20	KCA	1	1
Styrene	ND	0.235	ND	1.00	11/25/20	KCA	1	
Tetrachloroethene	368	0.553	2490	3.75	11/26/20	KCA	15	
Tetrahydrofuran	0.663	0.339	1.95	1.00	11/25/20	KCA	1	1
Toluene	ND	0.266	ND	1.00	11/25/20	KCA	1	
Trans-1,2-Dichloroethene	0.971	0.252	3.85	1.00	11/25/20	KCA	1	
trans-1,3-Dichloropropene	ND	0.221	ND	1.00	11/25/20	KCA	1	
Trichloroethene	242	0.559	1300	3.00	11/26/20	KCA	15	
Trichlorofluoromethane	0.356	0.178	2.00	1.00	11/25/20	KCA	1	
Trichlorotrifluoroethane	0.149	0.131	1.14	1.00	11/25/20	KCA	1	
Vinyl Chloride	ND	0.078	ND	0.20	11/25/20	KCA	1	
<u>QA/QC Surrogates/Internals</u>								
% Bromofluorobenzene	103	%	103	%	11/25/20	KCA	1	
% IS-1,4-Difluorobenzene	88	%	88	%	11/25/20	KCA	1	
% IS-Bromochloromethane	90	%	90	%	11/25/20	KCA	1	
% IS-Chlorobenzene-d5	96	%	96	%	11/25/20	KCA	1	
% Bromofluorobenzene (5x)	103	%	103	%	11/25/20	KCA	5	
% IS-1,4-Difluorobenzene (5x)	73	%	73	%	11/25/20	KCA	5	
% IS-Bromochloromethane (5x)	75	%	75	%	11/25/20	KCA	5	
% IS-Chlorobenzene-d5 (5x)	74	%	74	%	11/25/20	KCA	5	

Parameter	ppbv Result	ppbv RL	ug/m3 Result	ug/m3 RL	Date/Time	By	Dilution
% Bromofluorobenzene (15x)	100	%	100	%	11/26/20	KCA	15
% IS-1,4-Difluorobenzene (15x)	99	%	99	%	11/26/20	KCA	15
% IS-Bromochloromethane (15x)	98	%	98	%	11/26/20	KCA	15
% IS-Chlorobenzene-d5 (15x)	98	%	98	%	11/26/20	KCA	15

1 = This parameter is not certified by the primary accrediting authority (NY NELAC) for this matrix. NY NELAC does not offer certification for all parameters at this time.

RL/PQL=Reporting/Practical Quantitation Level (Equivalent to NELAC LOQ, Limit of Quantitation) ND=Not Detected at RL/PQL
BRL=Below Reporting Level L=Biased Low

QA/QC Surrogates: Surrogates are compounds (preceded with a %) added by the lab to determine analysis efficiency. Surrogate results(%) listed in the report are not "detected" compounds.

Comments:

If you are the client above and have any questions concerning this testing, please do not hesitate to contact Phoenix Client Services at ext.200. The contents of this report cannot be discussed with anyone other than the client listed above without their written consent.



Phyllis Shiller, Laboratory Director

November 30, 2020

Reviewed and Released by: Rashmi Makol, Project Manager



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823



Analysis Report

November 30, 2020

FOR: Attn: James Wilkinson
EnviroTrac
5 Old Dock Rd
Yaphank, NY 11980

Sample Information

Matrix: AIR
Location Code: ENVIOTR
Rush Request: Standard
P.O.#:
Canister Id: 827

Custody Information

Collected by: JW
Received by: CP
Analyzed by: see "By" below

Date

11/19/20 12:06
11/24/20 14:26

Time

Project ID: ENSAFE WESTBURY
Client ID: SVE INFLUENT

Laboratory Data

SDG ID: GCH19649
Phoenix ID: CH19650

Parameter	ppbv Result	ppbv RL	ug/m3 Result	ug/m3 RL	Date/Time	By	Dilution
<u>Volatiles (TO15)</u>							
1,1,1,2-Tetrachloroethane	ND	0.146	ND	1.00	11/25/20	KCA	1
1,1,1-Trichloroethane	0.461	0.183	2.51	1.00	11/25/20	KCA	1
1,1,2,2-Tetrachloroethane	ND	0.146	ND	1.00	11/25/20	KCA	1
1,1,2-Trichloroethane	ND	0.183	ND	1.00	11/25/20	KCA	1
1,1-Dichloroethane	ND	0.247	ND	1.00	11/25/20	KCA	1
1,1-Dichloroethene	ND	0.051	ND	0.20	11/25/20	KCA	1
1,2,4-Trichlorobenzene	ND	0.135	ND	1.00	11/25/20	KCA	1
1,2,4-Trimethylbenzene	ND	0.204	ND	1.00	11/25/20	KCA	1
1,2-Dibromoethane(EDB)	ND	0.130	ND	1.00	11/25/20	KCA	1
1,2-Dichlorobenzene	ND	0.166	ND	1.00	11/25/20	KCA	1
1,2-Dichloroethane	ND	0.247	ND	1.00	11/25/20	KCA	1
1,2-dichloropropane	ND	0.217	ND	1.00	11/25/20	KCA	1
1,2-Dichlorotetrafluoroethane	ND	0.143	ND	1.00	11/25/20	KCA	1
1,3,5-Trimethylbenzene	ND	0.204	ND	1.00	11/25/20	KCA	1
1,3-Butadiene	ND	0.452	ND	1.00	11/25/20	KCA	1
1,3-Dichlorobenzene	ND	0.166	ND	1.00	11/25/20	KCA	1
1,4-Dichlorobenzene	ND	0.166	ND	1.00	11/25/20	KCA	1
1,4-Dioxane	ND	0.278	ND	1.00	11/25/20	KCA	1
2-Hexanone(MBK)	ND	0.244	ND	1.00	11/25/20	KCA	1
4-Ethyltoluene	ND	0.204	ND	1.00	11/25/20	KCA	1
4-Isopropyltoluene	ND	0.182	ND	1.00	11/25/20	KCA	1
4-Methyl-2-pentanone(MIBK)	ND	0.244	ND	1.00	11/25/20	KCA	1
Acetone	3.14	0.421	7.45	1.00	11/25/20	KCA	1
Acrylonitrile	ND	0.461	ND	1.00	11/25/20	KCA	1
Benzene	ND	0.313	ND	1.00	11/25/20	KCA	1
Benzyl chloride	ND	0.193	ND	1.00	11/25/20	KCA	1

Parameter	ppbv Result	ppbv RL	ug/m3 Result	ug/m3 RL	Date/Time	By	Dilution
Bromodichloromethane	ND	0.149	ND	1.00	11/25/20	KCA	1
Bromoform	ND	0.097	ND	1.00	11/25/20	KCA	1
Bromomethane	ND	0.258	ND	1.00	11/25/20	KCA	1
Carbon Disulfide	ND	0.321	ND	1.00	11/25/20	KCA	1
Carbon Tetrachloride	0.069	0.032	0.43	0.20	11/25/20	KCA	1
Chlorobenzene	ND	0.217	ND	1.00	11/25/20	KCA	1
Chloroethane	ND	0.379	ND	1.00	11/25/20	KCA	1
Chloroform	ND	0.205	ND	1.00	11/25/20	KCA	1
Chloromethane	ND	0.485	ND	1.00	11/25/20	KCA	1
Cis-1,2-Dichloroethene	4.00	0.051	15.8	0.20	11/25/20	KCA	1
cis-1,3-Dichloropropene	ND	0.221	ND	1.00	11/25/20	KCA	1
Cyclohexane	ND	0.291	ND	1.00	11/25/20	KCA	1
Dibromochloromethane	ND	0.118	ND	1.00	11/25/20	KCA	1
Dichlorodifluoromethane	0.378	0.202	1.87	1.00	11/25/20	KCA	1
Ethanol	3.69	0.531	6.95	1.00	11/25/20	KCA	1
Ethyl acetate	ND	0.278	ND	1.00	11/25/20	KCA	1
Ethylbenzene	ND	0.230	ND	1.00	11/25/20	KCA	1
Heptane	ND	0.244	ND	1.00	11/25/20	KCA	1
Hexachlorobutadiene	ND	0.094	ND	1.00	11/25/20	KCA	1
Hexane	ND	0.284	ND	1.00	11/25/20	KCA	1
Isopropylalcohol	1.33	0.407	3.27	1.00	11/25/20	KCA	1
Isopropylbenzene	ND	0.204	ND	1.00	11/25/20	KCA	1
m,p-Xylene	ND	0.230	ND	1.00	11/25/20	KCA	1
Methyl Ethyl Ketone	0.876	0.339	2.58	1.00	11/25/20	KCA	1
Methyl tert-butyl ether(MTBE)	ND	0.278	ND	1.00	11/25/20	KCA	1
Methylene Chloride	ND	0.864	ND	3.00	11/25/20	KCA	1
n-Butylbenzene	ND	0.182	ND	1.00	11/25/20	KCA	1
o-Xylene	ND	0.230	ND	1.00	11/25/20	KCA	1
Propylene	ND	0.581	ND	1.00	11/25/20	KCA	1
sec-Butylbenzene	ND	0.182	ND	1.00	11/25/20	KCA	1
Styrene	ND	0.235	ND	1.00	11/25/20	KCA	1
Tetrachloroethene	316	0.738	2140	5.00	11/26/20	KCA	20
Tetrahydrofuran	0.374	0.339	1.10	1.00	11/25/20	KCA	1
Toluene	0.451	0.266	1.70	1.00	11/25/20	KCA	1
Trans-1,2-Dichloroethene	ND	0.252	ND	1.00	11/25/20	KCA	1
trans-1,3-Dichloropropene	ND	0.221	ND	1.00	11/25/20	KCA	1
Trichloroethene	28.9	0.037	155	0.20	11/25/20	KCA	1
Trichlorofluoromethane	0.329	0.178	1.85	1.00	11/25/20	KCA	1
Trichlorotrifluoroethane	ND	0.131	ND	1.00	11/25/20	KCA	1
Vinyl Chloride	ND	0.078	ND	0.20	11/25/20	KCA	1
<u>QA/QC Surrogates/Internals</u>							
% Bromofluorobenzene	103	%	103	%	11/25/20	KCA	1
% IS-1,4-Difluorobenzene	90	%	90	%	11/25/20	KCA	1
% IS-Bromochloromethane	93	%	93	%	11/25/20	KCA	1
% IS-Chlorobenzene-d5	94	%	94	%	11/25/20	KCA	1
% Bromofluorobenzene (20x)	99	%	99	%	11/26/20	KCA	20
% IS-1,4-Difluorobenzene (20x)	99	%	99	%	11/26/20	KCA	20
% IS-Bromochloromethane (20x)	98	%	98	%	11/26/20	KCA	20
% IS-Chlorobenzene-d5 (20x)	96	%	96	%	11/26/20	KCA	20

Parameter	ppbv Result	ppbv RL	ug/m3 Result	ug/m3 RL	Date/Time	By	Dilution
-----------	----------------	------------	-----------------	-------------	-----------	----	----------


1 = This parameter is not certified by the primary accrediting authority (NY NELAC) for this matrix. NY NELAC does not offer certification for all parameters at this time.

RL/PQL=Reporting/Practical Quantitation Level (Equivalent to NELAC LOQ, Limit of Quantitation) ND=Not Detected at RL/PQL
BRL=Below Reporting Level L=Biased Low

QA/QC Surrogates: Surrogates are compounds (preceded with a %) added by the lab to determine analysis efficiency. Surrogate results(%) listed in the report are not "detected" compounds.

Comments:

If you are the client above and have any questions concerning this testing, please do not hesitate to contact Phoenix Client Services at ext.200. The contents of this report cannot be discussed with anyone other than the client listed above without their written consent.



Phyllis Shiller, Laboratory Director

November 30, 2020

Reviewed and Released by: Rashmi Makol, Project Manager



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823



Canister Sampling Information

November 30, 2020

FOR: Attn: James Wilkinson
EnviroTrac
5 Old Dock Rd
Yaphank, NY 11980

Location Code: ENVIOTR

SDG I.D.: GCH19649

Project ID: ENSAFE WESTBURY

Client Id	Lab Id	Canister		Reg. Id	Chk Out Date	Laboratory					Field			
		Id	Type			Out Hg	In Hg	Out Flow	In Flow	Flow RPD	Start Hg	End Hg	Sampling Start Date	Sampling End Date
SVE EFFLUENT	CH19649	777	1.4L		11/16/20	-30	0		B SAM				11/19/20 12:00	11/19/20 12:01
SVE INFLUENT	CH19650	827	1.4L		11/16/20	-30	0		B SAM				11/19/20 12:05	11/19/20 12:06



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823



QA/QC Report

November 30, 2020

QA/QC Data

SDG I.D.: GCH19649

Parameter	Blk ppbv	Blk RL ppbv	Blk ug/m3	Blk RL ug/m3	LCS %	Sample Result ug/m3	Sample Dup ug/m3	Sample Result ppbv	Sample Dup ppbv	DUP RPD	% Rec Limits	% RPD Limits
QA/QC Batch 554589 (ppbv), QC Sample No: CH19652 (CH19649 (1X, 5X) , CH19650)												
Volatiles												
1,1,1,2-Tetrachloroethane	ND	0.150	ND	1.03	100	ND	ND	ND	ND	NC	70 - 130	25
1,1,1-Trichloroethane	ND	0.180	ND	0.98	101	ND	ND	ND	ND	NC	70 - 130	25
1,1,2,2-Tetrachloroethane	ND	0.150	ND	1.03	95	ND	ND	ND	ND	NC	70 - 130	25
1,1,2-Trichloroethane	ND	0.180	ND	0.98	97	ND	ND	ND	ND	NC	70 - 130	25
1,1-Dichloroethane	ND	0.250	ND	1.01	91	ND	ND	ND	ND	NC	70 - 130	25
1,1-Dichloroethene	ND	0.050	ND	0.20	109	ND	ND	ND	ND	NC	70 - 130	25
1,2,4-Trichlorobenzene	ND	0.130	ND	0.96	77	ND	ND	ND	ND	NC	70 - 130	25
1,2,4-Trimethylbenzene	ND	0.200	ND	0.98	101	ND	ND	ND	ND	NC	70 - 130	25
1,2-Dibromoethane(EDB)	ND	0.130	ND	1.00	103	ND	ND	ND	ND	NC	70 - 130	25
1,2-Dichlorobenzene	ND	0.170	ND	1.02	98	ND	ND	ND	ND	NC	70 - 130	25
1,2-Dichloroethane	ND	0.250	ND	1.01	106	ND	ND	ND	ND	NC	70 - 130	25
1,2-dichloropropane	ND	0.220	ND	1.02	92	ND	ND	ND	ND	NC	70 - 130	25
1,2-Dichlorotetrafluoroethane	ND	0.140	ND	0.98	95	ND	ND	ND	ND	NC	70 - 130	25
1,3,5-Trimethylbenzene	ND	0.200	ND	0.98	101	ND	ND	ND	ND	NC	70 - 130	25
1,3-Butadiene	ND	0.450	ND	0.99	95	ND	ND	ND	ND	NC	70 - 130	25
1,3-Dichlorobenzene	ND	0.170	ND	1.02	99	ND	ND	ND	ND	NC	70 - 130	25
1,4-Dichlorobenzene	ND	0.170	ND	1.02	96	ND	ND	ND	ND	NC	70 - 130	25
1,4-Dioxane	ND	0.280	ND	1.01	102	ND	ND	ND	ND	NC	70 - 130	25
2-Hexanone(MBK)	ND	0.240	ND	0.98	110	ND	ND	ND	ND	NC	70 - 130	25
4-Ethyltoluene	ND	0.200	ND	0.98	100	ND	ND	ND	ND	NC	70 - 130	25
4-Isopropyltoluene	ND	0.180	ND	0.99	96	ND	ND	ND	ND	NC	70 - 130	25
4-Methyl-2-pentanone(MIBK)	ND	0.240	ND	0.98	105	ND	ND	ND	ND	NC	70 - 130	25
Acetone	ND	0.420	ND	1.00	94	6.43	6.05	2.71	2.55	6.1	70 - 130	25
Acrylonitrile	ND	0.460	ND	1.00	82	ND	ND	ND	ND	NC	70 - 130	25
Benzene	ND	0.310	ND	0.99	84	ND	ND	ND	ND	NC	70 - 130	25
Benzyl chloride	ND	0.190	ND	0.98	118	ND	ND	ND	ND	NC	70 - 130	25
Bromodichloromethane	ND	0.150	ND	1.00	107	ND	ND	ND	ND	NC	70 - 130	25
Bromoform	ND	0.097	ND	1.00	107	ND	ND	ND	ND	NC	70 - 130	25
Bromomethane	ND	0.260	ND	1.01	98	ND	ND	ND	ND	NC	70 - 130	25
Carbon Disulfide	ND	0.320	ND	1.00	96	ND	ND	ND	ND	NC	70 - 130	25
Carbon Tetrachloride	ND	0.032	ND	0.20	105	0.52	0.52	0.083	0.083	NC	70 - 130	25
Chlorobenzene	ND	0.220	ND	1.01	95	ND	ND	ND	ND	NC	70 - 130	25
Chloroethane	ND	0.380	ND	1.00	98	ND	ND	ND	ND	NC	70 - 130	25
Chloroform	ND	0.200	ND	0.98	98	ND	ND	ND	ND	NC	70 - 130	25
Chloromethane	ND	0.480	ND	0.99	103	ND	ND	ND	ND	NC	70 - 130	25
Cis-1,2-Dichloroethene	ND	0.050	ND	0.20	79	ND	ND	ND	ND	NC	70 - 130	25
cis-1,3-Dichloropropene	ND	0.220	ND	1.00	101	ND	ND	ND	ND	NC	70 - 130	25
Cyclohexane	ND	0.290	ND	1.00	98	ND	ND	ND	ND	NC	70 - 130	25
Dibromochloromethane	ND	0.120	ND	1.02	112	ND	ND	ND	ND	NC	70 - 130	25
Dichlorodifluoromethane	ND	0.200	ND	0.99	104	2.06	1.94	0.417	0.392	NC	70 - 130	25
Ethanol	ND	0.530	ND	1.00	145	54.6	54.6	29.0	29.0	0.0	70 - 130	25

QA/QC Data

SDG I.D.: GCH19649

Parameter	Blk ppbv	Blk RL ppbv	Blk ug/m3	Blk RL ug/m3	LCS %	Sample Result ug/m3	Sample Dup ug/m3	Sample Result ppbv	Sample Dup ppbv	DUP RPD	% Rec Limits	% RPD Limits
Ethyl acetate	ND	0.280	ND	1.01	86	ND	ND	ND	ND	NC	70 - 130	25
Ethylbenzene	ND	0.230	ND	1.00	97	ND	ND	ND	ND	NC	70 - 130	25
Heptane	ND	0.240	ND	0.98	99	ND	ND	ND	ND	NC	70 - 130	25
Hexachlorobutadiene	ND	0.094	ND	1.00	77	ND	ND	ND	ND	NC	70 - 130	25
Hexane	ND	0.280	ND	0.99	102	ND	ND	ND	ND	NC	70 - 130	25
Isopropylalcohol	ND	0.410	ND	1.01	111	3.96	3.96	1.61	1.61	NC	70 - 130	25
Isopropylbenzene	ND	0.200	ND	0.98	97	ND	ND	ND	ND	NC	70 - 130	25
m,p-Xylene	ND	0.230	ND	1.00	99	ND	ND	ND	ND	NC	70 - 130	25
Methyl Ethyl Ketone	ND	0.340	ND	1.00	93	ND	ND	ND	ND	NC	70 - 130	25
Methyl tert-butyl ether(MTBE)	ND	0.280	ND	1.01	97	ND	ND	ND	ND	NC	70 - 130	25
Methylene Chloride	ND	0.860	ND	2.99	104	ND	ND	ND	ND	NC	70 - 130	25
n-Butylbenzene	ND	0.180	ND	0.99	103	ND	ND	ND	ND	NC	70 - 130	25
o-Xylene	ND	0.230	ND	1.00	99	ND	ND	ND	ND	NC	70 - 130	25
Propylene	ND	0.580	ND	1.00	97	ND	ND	ND	ND	NC	70 - 130	25
sec-Butylbenzene	ND	0.180	ND	0.99	97	ND	ND	ND	ND	NC	70 - 130	25
Styrene	ND	0.230	ND	0.98	97	ND	ND	ND	ND	NC	70 - 130	25
Tetrahydrofuran	ND	0.340	ND	1.00	92	ND	ND	ND	ND	NC	70 - 130	25
Toluene	ND	0.270	ND	1.02	96	1.31	1.26	0.347	0.335	NC	70 - 130	25
Trans-1,2-Dichloroethene	ND	0.250	ND	0.99	96	ND	ND	ND	ND	NC	70 - 130	25
trans-1,3-Dichloropropene	ND	0.220	ND	1.00	106	ND	ND	ND	ND	NC	70 - 130	25
Trichloroethene	ND	0.037	ND	0.20	98	0.26	0.21	0.049	0.039	NC	70 - 130	25
Trichlorofluoromethane	ND	0.180	ND	1.01	111	1.53	1.54	0.273	0.274	NC	70 - 130	25
Trichlorotrifluoroethane	ND	0.130	ND	1.00	103	ND	ND	ND	ND	NC	70 - 130	25
Vinyl Chloride	ND	0.078	ND	0.20	95	ND	ND	ND	ND	NC	70 - 130	25
% Bromofluorobenzene	101	%	101	%	103	101	103	101	103	NC	70 - 130	25
% IS-1,4-Difluorobenzene	93	%	93	%	93	78	79	78	79	NC	60 - 140	25
% IS-Bromochloromethane	92	%	92	%	91	77	77	77	77	NC	60 - 140	25
% IS-Chlorobenzene-d5	94	%	94	%	97	80	80	80	80	NC	60 - 140	25

QA/QC Batch 554738 (ppbv), QC Sample No: CH20833 (CH19649 (15X) , CH19650 (20X))


Volatiles

Tetrachloroethene	ND	0.037	ND	0.25	102	ND	ND	ND	ND	NC	70 - 130	25
Trichloroethene	ND	0.037	ND	0.20	100	0.21	ND	0.039	ND	NC	70 - 130	25
% Bromofluorobenzene	99	%	99	%	108	102	102	102	102	NC	70 - 130	25
% IS-1,4-Difluorobenzene	103	%	103	%	99	93	94	93	94	NC	60 - 140	25
% IS-Bromochloromethane	101	%	101	%	98	90	92	90	92	NC	60 - 140	25
% IS-Chlorobenzene-d5	103	%	103	%	101	92	94	92	94	NC	60 - 140	25

I = This parameter is outside laboratory LCS/LCSD specified recovery limits.

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

RPD - Relative Percent Difference
LCS - Laboratory Control Sample
LCSD - Laboratory Control Sample Duplicate
MS - Matrix Spike
MS Dup - Matrix Spike Duplicate
NC - No Criteria
Intf - Interference


Phyllis Shiller, Laboratory Director
November 30, 2020

Criteria: None
State: NY

Sample Criteria Exceedances Report
GCH19649 - ENVIROTR

SampNo	Acode	Phoenix Analyte	Criteria	Result	RL	Criteria	RL Criteria	Analysis Units
--------	-------	-----------------	----------	--------	----	----------	----------------	-------------------

*** No Data to Display ***

Phoenix Laboratories does not assume responsibility for the data contained in this exceedance report. It is provided as an additional tool to identify requested criteria exceedences. All efforts are made to ensure the accuracy of the data (obtained from appropriate agencies). A lack of exceedence information does not necessarily suggest conformance to the criteria. It is ultimately the site professional's responsibility to determine appropriate compliance.



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823



Analysis Comments

November 30, 2020

SDG I.D.: GCH19649

The following analysis comments are made regarding exceptions to criteria not already noted in the Analysis Report or QA/QC Report: None.

