




WALDEN ASSOCIATES

Certified Mail Return Receipt # 7012 3050 0000 4697 2491

August 7, 2014
SPGL0100.02



Mr. Jeffrey Dyber, P.E.
New York State Department of
Environmental Conservation
Bureau of Eastern Remedial Action
Division of Environmental Remediation
625 Broadway, 11th Floor
Albany, New York 12233-7015

Re: Quarterly Groundwater Monitoring Report – 1st Quarter 2014
New Cassel Industrial Area, Westbury, New York
Frost Street Sites, Site IDs # 1-30-043 I, L, M

Dear Mr. Dyber:

This letter report presents the results of the first quarter 2014 groundwater sampling event at the Frost Street Sites. Walden Environmental Engineering, PLLC (Walden) is implementing the long-term groundwater monitoring program in accordance with the NYSDEC-approved *Final Engineering Report and Operation, Maintenance and Monitoring Plan* (O,M&M Plan, Walden, June 2006) to evaluate the effectiveness of the soil vapor extraction/air sparging (SVE/AS) system at the Frost Street Sites. The SVE/AS system was installed at the Frost Street Sites as part of the remedy selected in NYSDEC's March 2000 Record of Decision for Operable Unit 02 – Combined Groundwater.

Quarterly groundwater sampling was conducted on March 25-27, 2014 in accordance with the O,M&M Plan. Refer to Figure 1 for the locations of all 29 Site-related monitoring wells included in the Frost Street Sites monitoring well network. During the March 2014 sampling event, groundwater samples were collected from the eight Site-related groundwater monitoring wells which are sampled quarterly. Refer to attached Tables 1-3 for information on the monitoring wells, historic water level elevations and historic volatile organic compound (VOC) concentrations at each of the 29 monitoring wells that make up the Frost Street Sites groundwater monitoring network.

Field Work Summary

The field work completed during the first quarter 2014 sampling event is described below. Detailed groundwater sampling procedures are outlined in the O,M&M Plan.

- Walden collected groundwater samples from eight Site-related monitoring wells (MW-1A, MW-2A, MW-2B, MW-4A, MW-4B, MW-6A, MW-8A and MW-8B) on March 26 and 27, 2014. No groundwater samples were collected on March 25th due to equipment problems.
- Quality control samples were also collected during this quarterly sampling event. Trip blank, equipment blank, and blind field duplicate (Duplicate 1 03272014 and Duplicate 2 03272014) samples were collected on March 26 and 27, 2014.
- A minimum of three volumes of groundwater were purged from each well using a submersible pump. During purging, the turbidity, specific conductance, pH and temperature of groundwater in each monitoring well was measured at intervals of one volume, two volumes, three volumes, and so on, with a pre-calibrated instrument. The objective of the purging and parameter-monitoring process is to ensure that representative groundwater samples have a turbidity value of 50 NTUs or less, wherever reasonably possible.
- Approximately 250 gallons of accumulated purge water was temporarily stored in an upright polypropylene tank, filtered through activated carbon, and then discharged into the NCDPW municipal sewage collection system via the sewer manhole located at the end of Main Street, behind the Century 21 building and just west of the 101 Frost Street sewer line clean-out in accordance with NCDPW authorization.
- The groundwater samples were submitted to TestAmerica Laboratories, Inc., of Amherst, New York, a NYSDOH ELAP CLP laboratory. The groundwater samples were analyzed for TCL VOCs CLP (OLM 4.2 List) with Superfund equivalent deliverables in accordance with NYSDEC Analytical Services Protocol (ASP) Category B.
- Walden recorded static groundwater elevation measurements from the 29 Site-related monitoring wells using an electric water level probe on March 27, 2014.

Summary of Analytical Results

Tables 4 and 5 summarize the water level elevations (Table 4) and VOC concentrations (Table 5) in the 29 Site-related monitoring wells for all quarterly and annual groundwater monitoring events conducted since the SVE/AS system started operating in September 2005.

The first quarter 2014 groundwater monitoring results are summarized as follows:

- The March 2014 water table elevations decreased an average of 1.20 feet compared with the fourth quarter 2013 elevations measured in October 2013. The quarterly water levels are summarized in Table 4.
- The validated March 2014 quarterly sampling groundwater monitoring analytical data was submitted to NYSDEC on May 23, 2014 per the Electronic Data Deliverable (EDD) requirements. The original laboratory data analytical report was previously submitted to NYSDEC as Appendix E of the April 2014 progress report (dated May 9, 2014).
- The quarterly groundwater analytical results are summarized in Table 5. The analytical data are flagged with appropriate qualifiers based on the data validation report discussed below. The VOC concentration trends will be evaluated in the annual groundwater monitoring report prepared after annual sampling is completed in the third quarter of 2014. This trend analysis will facilitate the continued evaluation of the effectiveness of the SVE/AS system in removing VOCs from the subsurface and the overall improvement in groundwater quality.

Data Validation Summary

The TestAmerica analytical data packages for the March 2014 samples collected from MW-1A, MW-2A/B, MW-4A/B, MW-6A and MW-8A/B were submitted to an independent data validator (Ms. Lori Beyer) for evaluation in accordance with USEPA's (Region II) *Contract Laboratory Program National Functional Guidelines for Organic Data Review*. The data validation report was previously submitted to NYSDEC as Appendix E of the May 2014 progress report (dated June 9, 2014). The data validator evaluated the analytical laboratory's ability to meet the data quality objectives provided in the QAPP. Non-compliant data was flagged in accordance with NYSDEC ASP and corrective action was undertaken to rectify any problems. All of the data were determined to be usable; none of the results were rejected.

Matrix spike/matrix spike duplicate (MS/MSD) and laboratory control sample analysis indicated that quality control requirements were met for this round of groundwater sampling. The method blank, field blank and trip blank analyses yielded acceptable results.

All of the groundwater samples were initially analyzed undiluted except for the samples from MW-2A, MW-4A and MW-8A. In cases where the initial analyses resulted in analyte concentrations exceeding the instrument's linear calibration range, a secondary diluted reanalysis was performed.

Jeffrey Dyber, P.E.

NYSDEC

August 7, 2014

- 4 -




Recommendations

Walden recommends that the SVE/AS system continue to operate as PCE/TCE concentrations continue to decrease in monitoring wells located within the designed radius of influence of the system.

If you have any questions or comments on this quarterly groundwater monitoring report, please feel free to contact Kristin Scroope or me.

Very truly yours,

Walden Associates


Joseph M. Heaney, III P.E.
Principal

Encl.

cc: A. Tamuno, Esq.
G. Bobersky
J. Nealon
J. DeFranco
H. Szenicer, Esq.
C. Anderson
K. Maldonado, Esq.
J. Privitera, Esq.
J. LaPoma, USEPA
C. Wise, Ensafé

Z:\Spgl100 - Frost St\Quarterly-Annual GW Monitoring Report\2014\1st Quarter 2014\Frost St 1st Qtr 2014 GW Monitoring Report 8.7.2014.docx

TABLES

- 1 Summary of Groundwater Monitoring Well Information
- 2 Historic Water Table Elevation Data
- 3 Historic Groundwater Monitoring Data
- 4 Quarterly Water Level Measurements
- 5 Quarterly Groundwater Monitoring Results

FIGURES

- 1 Site Related Monitoring Wells
- 2 89 & 101 Frost Street Drywell Locations
- 3 SVE System Well Points

TABLES

**FROST STREET SITES
WESTBURY, NEW YORK**

TABLE 1

SUMMARY OF GROUNDWATER MONITORING WELL INFORMATION

Well ID	Date Installed	Designed Well Depth (feet BG)	Measured Well Depth (feet BG)	Screen Interval (feet BG)	Well Diameter (feet)	Well Elevation (6/13/03 & 10/15/07 Surveys)
On-site Monitoring Wells						
FSMW-2A ¹	8/14/1998	70	68	60-70	4	126.33
FSMW-2B ¹	8/11/1998	125	118	114-124	2	126.04
FSMW-3A ²	8/7/1998	71	71	60-70	2	127.45
FSMW-3B ²	8/4/1998	146	143	135-145	2	127.62
FSMW-4A ²	8/6/1998	71	71	60-70	2	125.3
FSMW-4B ²	8/5/1998	148	147	137-147	2	124.86
FSMW-8A ⁵	8/13/1998	75	73	64-74	2	122.95
FSMW-8B ⁵	8/12/1998	143	140	132-142	2	123.08
FSMW-9A ³	8/19/1998	71	70	60-70	2	125.38
FSMW-9B ³	8/31/1998	140	136	137-147	2	125.27
FSMW-10A ⁶	8/17/1998	71	71	60-70	2	124.87
FSMW-10B ⁶	8/31/1998	148	143	137-147	2	124.93
FSMW-10B ^{7A}	8/19/2007	148	145	135-145	2	125.02
FSMW-11 ⁵	6/2/2003	150	150	139-149	2	120.8
FSMW-12 ⁵	6/4/2003	150	150	139-149	2	122.55
Upgradient/Sidegradient Monitoring Wells						
FSMW-1A ¹	8/18/1998	69	69	58-68	2	127.31
FSMW-1B ¹	8/10/1998	129	128	117-127	2	127.37
LRF-1 ¹	2/12/1997	65	70	45-65	4	126.91
Downgradient Monitoring Wells						
FSMW-5A ³	8/21/1998	71	70	60-70	2	119.55
FSMW-5B ³	8/19/1998	143	137	130-140	2	119.53
FSMW-6A ⁴	8/26/1998	70	71	59-69	2	120.45
FSMW-6B ⁴	8/25/1998	148	146	137-147	2	120.61
FSMW-7A ⁴	8/24/1998	71	70	60-70	2	122.66
FSMW-7B ⁴	8/24/1998	147	145	136-146	2	122.68
FSMW-13A ⁷	12/7/2004	80	80	69-79	2	119.35
FSMW-13B ⁷	11/24/2004	130	130	119-129	2	119.18
FSMW-13C ⁷	12/2/2004	250	250	239-249	2	119.12
FSMW-14A ⁸	11/19/2004	130	130	119-129	2	118.53
FSMW-14B ⁸	12/8/2004	170	170	159-169	2	118.73
FSMW-14C ⁸	12/14/2004	250	250	239-249	2	118.42

* - Reinstalled Well

Note:

The monitoring well locations are shown on Figure 1

BG = Below Grade

¹ = 101 Frost Street

² = 89 Frost Street

³ = Toyota

⁴ = Old Country Road

⁵ = Century 21

⁶ = 770 Main Street

⁷ = Nassau County Court House

⁸ = Hyacinth Street

**FROST STREET SITES
WESTBURY, NEW YORK**

**TABLE 2
HISTORIC WATER TABLE ELEVATION DATA**

Well ID	Designed Well Depth (feet BG)	Measured Well Depth (feet BG)	Screen Interval (feet BG)	Well Diameter (feet)	Well Elevation (6/13/03 Survey) (feet AMSL)	DTW (EBG) 9/11/1998 (feet BG)	Water Table Elevation (feet AMSL)	DTW (EBG) 1/1/2000 (feet BG)	Water Table Elevation (feet AMSL)	DTW (EBG) 6/1/2001 (feet BG)	Water Table Elevation (feet AMSL)	DTW (Walden) 1/5/2005 (feet BG)	Water Table Elevation (feet AMSL)
FSMW-1A ¹	69	69	58-68	2	127.31	54.49	72.82	no data	no data	56.15	71.16	57.1	70.21
FSMW-1B ¹	129	128	117-127	2	127.37	54.61	72.76	no data	no data	56.3	71.07	57.1	70.27
LRF-1 ¹	no data	70	50-70	4	126.91	53.89	73.02	no data	no data	55.74	71.17	no data	no data
FSMW-2A ¹	70	68	60-70	4	126.33	54.67	71.66	no data	no data	55.05	71.28	no data	no data
FSMW-2B ¹	125	118	114-124	2	126.04	55.3	70.74	no data	no data	55.28	70.76	no data	no data
FSMW-3A ²	71	71	60-70	2	127.45	55.04	72.41	no data	no data	56.57	70.88	55.3	72.15
FSMW-3B ²	146	143	135-145	2	127.62	55.04	72.58	no data	no data	57.22	70.4	57.3	70.32
FSMW-4A ²	71	71	60-70	2	125.3	53.09	72.21	no data	no data	54.64	70.66	55.1	70.2
FSMW-4B ²	148	147	137-147	2	124.86	56.43	68.43	no data	no data	54.32	70.54	55.5	69.36
FSMW-5A ³	71	70	60-70	2	119.55	47.13	72.42	no data	no data	49.38	70.17	49.3	70.25
FSMW-5B ³	143	137	130-140	2	119.53	47.24	72.29	no data	no data	49.44	70.09	49.8	69.73
FSMW-6A ⁴	70	71	59-69	2	120.45	48.53	71.92	51.6	68.85	50.41	70.04	50.9	69.55
FSMW-6B ⁴	148	146	137-147	2	120.61	48.92	71.69	52	68.61	50.96	69.65	51.4	69.21
FSMW-7A ⁴	71	70	60-70	2	122.66	51.06	71.6	54.39	68.27	53.16	69.5	53.5	69.16
FSMW-7B ⁴	147	145	136-146	2	122.68	51.35	71.33	54.4	68.28	53.51	69.17	54	68.68
FSMW-8A ⁴	75	73	64-74	2	122.95	51.1	71.85	no data	no data	52.71	70.24	53	69.95
FSMW-8B ⁴	143	140	132-142	2	123.08	51.33	71.75	no data	no data	52.86	70.22	53.2	69.88
FSMW-9A ⁵	71	70	60-70	2	125.38	53.09	72.29	no data	no data	54.85	70.53	55.2	70.18
FSMW-9B ⁵	140	136	137-147	2	125.27	52.73	72.54	no data	no data	54.94	70.33	55.2	70.07
FSMW-10A ⁶	71	71	60-70	2	124.87	51.98	72.89	no data	no data	54.25	70.62	54.7	70.17
FSMW-10B ⁶	148	143	137-147	2	124.93	51.6	73.33	no data	no data	53.81	71.12	54.9	70.03
FSMW-11 ⁶	140	140	130-140	2	120.8	NA	NA	NA	NA	NA	NA	51.2	69.6
FSMW-12 ⁵	150	150	139-149	2	122.55	NA	NA	NA	NA	NA	NA	53.5	69.05
FSMW-13A ⁷	80	80	69-79	2	not surveyed	NA	NA	NA	NA	NA	NA	50.6	not surveyed
FSMW-13B ⁷	130	130	119-129	2	not surveyed	NA	NA	NA	NA	NA	NA	50.6	not surveyed
FSMW-13C ⁷	250	250	239-249	2	not surveyed	NA	NA	NA	NA	NA	NA	50.6	not surveyed
FSMW-14A ⁸	130	130	119-129	2	not surveyed	NA	NA	NA	NA	NA	NA	50.1	not surveyed
FSMW-14B ⁸	170	170	159-169	2	not surveyed	NA	NA	NA	NA	NA	NA	50.5	not surveyed
FSMW-14C ⁸	250	250	239-249	2	not surveyed	NA	NA	NA	NA	NA	NA	50.5	not surveyed

Note:

The monitoring well locations are shown on Figure 1.

DTW = depth to water

BG = Below Grade

AMSL = Above Mean Sea Level

9/1/98, 1/1/00, 6/1/01 water levels measured by EBG

1/5/05 water levels measured by Walden

no data: No monitoring information is available for this well.

NA: Well was not present when sampling was conducted.

¹ = 101 Frost Street

² = 89 Frost Street

³ = Toyota

⁴ = Old Country Road

⁵ = Century 21

⁶ = 770 Main Street

⁷ = Nassau County Court

⁸ = Hyacinth

FROST STREET SITES
WESTBURY, NEW YORK

TABLE 3 - HISTORIC GROUNDWATER SAMPLING RESULTS (ug/l)

Compound	NYSDEC Class GA GW Standard	MW-1A 2005	MW-1A 2003	MW-1A 1998	LRF-1 2005	LRF-1 2003	LRF-1 1998	MW-1B 2005	MW-1B 2003	MW-1B 1998	MW-2A 2005	MW-2A 2003	MW-2A 1998	MW-2B 2005	MW-2B 2003	MW-2B 1998	MW-3A 2005	MW-3A 2003	MW-3A 1998	MW-3B 2005	MW-3B 2003	MW-3B 1998
		58-68	58-68	58-68	45-65	45-65	45-65	117-127	117-127	117-127	60-70	60-70	60-70	114-124	114-124	114-124	60-70	60-70	60-70	135-145	135-145	135-145
Chloromethane		ND	ND	10u	ND	ND	20u	ND	ND	10u	NA	ND	2500u	NA	ND	10u	ND	ND	10u	ND	ND	10u
Bromomethane	5	ND	ND	10u	ND	ND	20u	ND	ND	10u	NA	ND	2500u	NA	ND	10u	ND	ND	10u	ND	ND	10u
Vinyl chloride	2	ND	ND	10u	ND	ND	20u	ND	ND	10u	NA	ND	2500u	NA	ND	10u	ND	ND	10u	ND	ND	10u
Chloroethane	50	ND	ND	10u	ND	ND	20u	ND	ND	10u	NA	ND	2500u	NA	ND	10u	ND	ND	10u	ND	ND	10u
Methylene chloride	5	ND	ND	10u	ND	0.4j	2 j	ND	ND	10u	NA	50j	410j	NA	2j	10u	ND	6j	10u	ND	ND	10u
Acetone	50	ND	ND	10u	ND	ND	20u	ND	0.5b	10u	NA	ND	2500u	NA	ND	10u	ND	ND	10u	ND	ND	10u
Carbon disulfide	50	ND	ND	10u	ND	ND	20u	ND	ND	10u	NA	ND	180j	NA	ND	10u	ND	ND	10u	ND	ND	10u
1,1-Dichloroethene	5	ND	ND	10u	ND	1j	20u	ND	ND	10u	NA	ND	2500u	NA	ND	10u	ND	ND	10u	ND	ND	10u
1,1-Dichloroethane	5	ND	ND	10u	ND	ND	5j	ND	ND	10u	NA	ND	2500u	NA	ND	10u	ND	ND	10u	ND	ND	10u
Chloroform	7	ND	ND	10u	ND	ND	20u	ND	ND	10u	NA	ND	2500u	NA	ND	10u	ND	ND	10u	ND	ND	10u
1,2-Dichloroethane	5	ND	ND	10u	ND	ND	20u	ND	ND	10u	NA	ND	2500u	NA	ND	10u	ND	ND	0.6j	ND	ND	10u
2-Butanone (MEK)	50	ND	ND	10u	ND	ND	20u	ND	ND	10u	NA	ND	2500u	NA	240	10u	ND	ND	10u	ND	ND	10u
1,1,1-Trichloroethane	5	11	22	4j	19	16	130	ND	ND	10u	NA	ND	2500u	NA	ND	1j	ND	ND	5j	ND	ND	10u
Carbon tetrachloride	5	ND	ND	10u	ND	ND	20u	ND	ND	10u	NA	ND	2500u	NA	ND	10u	ND	ND	10u	ND	ND	10u
Bromodichloromethane	50	ND	ND	10u	ND	ND	20u	ND	ND	10u	NA	ND	2500u	NA	ND	10u	ND	ND	10u	ND	ND	10u
1,2-Dichloropropane	1	ND	ND	10u	ND	ND	20u	ND	ND	10u	NA	ND	2500u	NA	ND	10u	ND	ND	10u	ND	ND	10u
trans-1,3-Dichloropropene	0.4	ND	ND	10u	ND	ND	20u	ND	ND	10u	NA	63j	2500u	NA	ND	10u	ND	ND	10u	ND	ND	10u
Trichloroethene	5	1	1j	0.9	9	76	1j	ND	ND	10u	NA	ND	2500u	NA	ND	10u	7	10j	3j	6	2j	10u
Dibromochloromethane	5	ND	ND	10u	ND	ND	20u	ND	ND	10u	NA	ND	2500u	NA	ND	10u	ND	ND	10u	ND	ND	10u
1,1,2-Trichloroethane	1	ND	ND	10u	ND	ND	20u	ND	ND	10u	NA	ND	2500u	NA	ND	10u	ND	ND	0.9j	ND	ND	10u
Benzene	0.7	ND	ND	10u	ND	ND	20u	ND	ND	10u	NA	ND	2500u	NA	ND	10u	ND	ND	10u	ND	ND	10u
trans-1,3-Dichloropropene	0.4	ND	ND	10u	ND	ND	20u	ND	ND	10u	NA	ND	2500u	NA	ND	10u	ND	ND	10u	ND	ND	10u
Bromoform	50	ND	ND	10u	ND	ND	20u	ND	ND	10u	NA	ND	2500u	NA	ND	10u	ND	ND	10u	ND	ND	10u
4-Methyl-2-pentanone (MIBK)	50	ND	ND	10u	ND	ND	20u	ND	ND	10u	NA	ND	2500u	NA	ND	10u	ND	ND	10u	ND	ND	10u
2-Hexanone		ND	ND	10u	ND	ND	20u	ND	ND	10u	NA	ND	2500u	NA	ND	10u	ND	ND	10u	ND	ND	10u
Tetrachloroethene	5	16	25	4j	56	39	29	1	ND	10u	NA	4,700	18,000	NA	4j	50	610	580	75	ND	3j	2j
1,1,2,2-Tetrachloroethane	5	ND	ND	10u	ND	ND	20u	ND	ND	10u	NA	ND	2500u	NA	ND	10u	ND	ND	10u	ND	ND	10u
Toluene	5	4	ND	1j	ND	ND	20u	1	ND	10u	NA	ND	2500u	NA	ND	10u	4	ND	4j	1	0.5j	10u
Chlorobenzene	5	ND	ND	10u	ND	ND	20u	ND	ND	10u	NA	ND	2500u	NA	ND	10u	ND	ND	10u	ND	ND	10u
Ethylbenzene	5	ND	ND	10u	ND	ND	20u	ND	ND	10u	NA	ND	2500u	NA	ND	10u	ND	ND	10u	ND	ND	10u
Styrene		ND	ND	10u	ND	ND	20u	ND	ND	10u	NA	ND	2500u	NA	ND	10u	ND	ND	0.6j	ND	ND	10u
Xylenes (total)	15	ND	ND	10u	ND	ND	20u	ND	ND	10u	NA	ND	2500u	NA	ND	10u	ND	ND	10u	ND	ND	10u
trans-1,2-Dichloroethene	5	ND	ND	10u	ND	ND	20u	ND	ND	10u	NA	ND	2500u	NA	ND	10u	ND	ND	10u	ND	ND	10u
trans-1,3-Dichloroethene	5	ND	ND	10u	ND	ND	20u	ND	ND	10u	NA	ND	2500u	NA	ND	10u	ND	ND	10u	ND	ND	10u

Notes:
1. Monitoring well depths and installation dates are summarized in Table 1.
2. The monitoring well locations are shown on Figure 1.
3. MW-1A/B through MW-10A/B and LRF-1 were sampled by Walden in April 2003.
4. MW-1A/B and MW-12 were installed on June 2-6, 2003 and sampled on June 17, 2003.
5. MW-1 through MW-14 and LRF-1 were sampled by Walden in January 2005.
6. The 1998 (September) and 2000 (January) sampling was conducted by LMS.

ND - Not Detected
NA - Not Applicable (not sampled)
BOLD values - Concentration exceeds NYSED Class GA GW standard
U - Analyte not detected at or above the reporting limit
J - Result is less than the Reporting Limit, but greater than or equal to the method detection limit
B - Result is less than the CRDL RL, but greater than or equal to the IDL MDL

**FROST STREET SITES
WESTBURY, NEW YORK**

TABLE 3 - HISTORIC GROUNDWATER SAMPLING RESULTS (ug/l)

Compound	Screened Interval Unit	NYSDC Class GA GW Standard	MW-4A		MW-4B		MW-5A		MW-5B		MW-6A		MW-6B		MW-6B	
			2005	2003	2005	1998	2005	2003	2005	1998	2005	2003	2005	2003	2005	1998
			60-70 µg/L		137-147 µg/L		60-70 µg/L		130-140 µg/L		51-69 µg/L		137-147 µg/L			
Chloromethane			ND	ND	ND	10u	ND	ND	ND	10u	ND	ND	ND	ND	ND	20u
Bromomethane		5	ND	ND	ND	10u	ND	ND	ND	10u	ND	ND	ND	ND	ND	20u
Vinyl chloride		2	ND	ND	ND	10u	ND	ND	ND	10u	ND	ND	ND	ND	ND	20u
Chloroethane		50	ND	ND	ND	10u	ND	ND	ND	10u	ND	ND	ND	ND	ND	20u
Methylene chloride		5	ND	4600j	16000j	10u	ND	0.6j	ND	0.7j	ND	0.4j	ND	ND	ND	10u
Acetone		50	8,200	ND	10000u	10u	9	ND	ND	60j	ND	ND	ND	ND	ND	120j
Carbon disulfide		50	ND	ND	10000u	10u	ND	ND	ND	10u	ND	ND	ND	ND	ND	20u
1,1-Dichloroethene		5	ND	ND	10000u	10u	ND	ND	ND	10u	ND	ND	ND	ND	ND	20u
1,1-Dichloroethane		5	ND	ND	10000u	10u	ND	ND	ND	10u	ND	ND	ND	ND	ND	20u
Chloroform		7	ND	ND	10000u	10u	ND	ND	ND	10u	ND	ND	ND	ND	ND	20u
1,2-Dichloroethane		5	ND	ND	6600j	10u	ND	ND	ND	10u	ND	ND	ND	ND	ND	7j
2-Butanone (MEK)		50	ND	ND	10000u	10u	ND	ND	ND	10u	ND	ND	ND	ND	ND	20u
1,1,1-Trichloroethane		5	ND	ND	10000u	10u	ND	ND	ND	10u	ND	ND	ND	ND	ND	3j
Carbon tetrachloride		5	ND	ND	10000u	10u	ND	ND	ND	10u	ND	ND	ND	ND	ND	20u
Bromochloromethane		50	ND	ND	10000u	10u	ND	ND	ND	10u	ND	ND	ND	ND	ND	20u
1,2-Dichloropropane		1	ND	ND	10000u	10u	ND	ND	ND	10u	ND	ND	ND	ND	ND	20u
cis-1,2-Dichloropropene		0.4	ND	ND	10000u	10u	ND	ND	ND	10u	ND	ND	ND	ND	ND	20u
Trichloroethene		5	4,100	2800j	16000j	1	9j	5j	ND	3j	ND	ND	ND	6	3j	9j
Dibromochloromethane		5	ND	ND	10000u	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	20u
1,1,2-Trichloroethane		1	ND	ND	10000u	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	20u
Benzene		0.7	ND	ND	10000u	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	20u
trans-1,3-Dichloropropene		0.4	ND	ND	10000u	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	20u
Bromoform		50	ND	ND	10000u	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	20u
4-Methyl-2-pentanone (MIBK)		50	ND	ND	10000u	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	20u
2-Hexanone			ND	ND	10000u	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	20u
Tetrachloroethene		5	74,000	40,000	120,000	32	230	26	ND	ND	ND	ND	ND	3	14	52
1,1,2,2-Tetrachloroethane		5	ND	ND	10000u	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	20u
Trichloroethene		5	ND	ND	10000u	1	ND	10u	1	ND	0.7j	4	ND	ND	ND	1j
Chlorobenzene		5	ND	ND	10000u	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	20u
Ethylbenzene		5	ND	ND	10000u	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	20u
Styrene		5	ND	ND	10000u	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	20u
Xylenes (total)		15	ND	ND	10000u	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	20u
cis-1,2-Dichloroethene		5	ND	180j	10000u	ND	ND	ND	ND	ND	ND	ND	ND	1	ND	ND
trans-1,2-Dichloroethene		5	ND	ND	10000u	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	20u

Notes:

- Monitoring well depths and installation dates are summarized in Table 1
 - The monitoring well locations are shown on Figure 1
 - MW-1A through MW-10A, B and LER-1 were sampled by Walden in April 2003
 - MW-11 and MW-12 were installed on June 2-6, 2003 and sampled on June 17, 2003
 - MW-1 through MW-14 and LER-1 were sampled by Walden in January, 2005
 - The 1998 (September) and 2000 (January) sampling was conducted by LMS
- ND - Not Detected
 NA - Not Applicable (not sampled)
 Bold values - Concentration exceeds NYSDC Class GA GW standard
 U - Analyte not detected at or above the reporting limit
 J - Result is less than the Reporting Limit, but greater than or equal to the method detection limit
 B - Result is less than the CRDL RL, but greater than or equal to the MDL MDL

FROST STREET SITES
WESTBURY, NEW YORK

TABLE 3 - HISTORIC GROUNDWATER SAMPLING RESULTS (ug/l)

Compound	NYDEC Class GA GW Standard	MW-7A 2005	MW-7A 2000	MW-7A 1998	MW-7B 2005	MW-7B 2000	MW-7B 1998	MW-8A 2005	MW-8A 1998	MW-9B 2005	MW-9B 1998	MW-9A 2005	MW-9A 1998	MW-10B 2005	MW-10B 1998
Screened Interval Units		60-70 µg/L		135-146 µg/L		64-71 µg/L		132-142 µg/L		60-70 µg/L		137-147 µg/L			
Chloromethane		ND	ND	10u	ND	ND	10u	ND	ND	5000u	ND	ND	5000u	ND	10u
Bromomethane	5	ND	ND	10u	ND	ND	10u	ND	ND	5000u	ND	ND	5000u	ND	10u
Vinyl chloride	2	ND	ND	10u	ND	ND	10u	ND	ND	5000u	ND	ND	5000u	ND	10u
Chloroethane	50	ND	ND	10u	ND	ND	10u	ND	ND	5000u	ND	ND	5000u	ND	10u
Methylene chloride	5	ND	ND	10u	ND	ND	10u	ND	ND	5000u	ND	ND	5000u	ND	10u
Acetone	50	ND	ND	10u	ND	ND	10u	ND	ND	5000u	ND	ND	5000u	ND	10u
Carbon disulfide	50	ND	ND	10u	ND	ND	10u	ND	ND	5000u	ND	ND	5000u	ND	10u
1,1-Dichloroethene	5	ND	ND	10u	ND	ND	10u	ND	ND	5000u	ND	ND	5000u	ND	10u
1,1-Dichloroethane	5	ND	ND	10u	ND	ND	10u	ND	ND	5000u	ND	ND	5000u	ND	10u
Chloroform	7	ND	ND	10u	ND	ND	10u	ND	ND	5000u	ND	ND	5000u	ND	10u
1,2-Dichloroethane	5	ND	ND	10u	ND	ND	10u	ND	ND	5000u	ND	ND	5000u	ND	10u
2-Butanone (MEK)	50	ND	ND	10u	ND	ND	10u	ND	ND	5000u	ND	ND	5000u	ND	10u
1,1,1-Trichloroethane	5	ND	ND	10u	ND	ND	10u	ND	ND	5000u	ND	ND	5000u	ND	10u
Carbon tetrachloride	5	ND	ND	10u	ND	ND	10u	ND	ND	5000u	ND	ND	5000u	ND	10u
Bromodichloromethane	50	ND	ND	10u	ND	ND	10u	ND	ND	5000u	ND	ND	5000u	ND	10u
1,2-Dichloropropane	1	ND	ND	10u	ND	ND	10u	ND	ND	5000u	ND	ND	5000u	ND	10u
cis-1,2-Dichloropropene	0.4	ND	ND	10u	ND	ND	10u	ND	ND	5000u	ND	ND	5000u	ND	10u
Trichloroethene	5	ND	ND	10u	ND	ND	10u	ND	ND	5000u	ND	ND	5000u	ND	10u
Dichloromethane	5	ND	ND	10u	ND	ND	10u	ND	ND	5000u	ND	ND	5000u	ND	10u
1,1,2-Trichloroethane	1	ND	ND	10u	ND	ND	10u	ND	ND	5000u	ND	ND	5000u	ND	10u
Benzene	0.7	ND	ND	10u	ND	ND	10u	ND	ND	5000u	ND	ND	5000u	ND	10u
trans-1,3-Dichloropropene	0.4	ND	ND	10u	ND	ND	10u	ND	ND	5000u	ND	ND	5000u	ND	10u
Bromoforn	50	ND	ND	10u	ND	ND	10u	ND	ND	5000u	ND	ND	5000u	ND	10u
4-Methyl-2-pentanone (MIBK)	50	ND	ND	10u	ND	ND	10u	ND	ND	5000u	ND	ND	5000u	ND	10u
2-Hexanone		ND	ND	10u	ND	ND	10u	ND	ND	5000u	ND	ND	5000u	ND	10u
Tetrachloroethene	5	1	2	ND	ND	ND	10u	ND	ND	5000u	ND	ND	5000u	ND	10u
1,1,2,2-Tetrachloroethane	5	ND	ND	10u	ND	ND	10u	ND	ND	5000u	ND	ND	5000u	ND	10u
Toluene	5	3	ND	ND	ND	ND	0.9	ND	ND	5000u	ND	ND	5000u	ND	10u
Chlorobenzene	5	ND	ND	10u	ND	ND	10u	ND	ND	5000u	ND	ND	5000u	ND	10u
Ethylbenzene	5	ND	ND	10u	ND	ND	10u	ND	ND	5000u	ND	ND	5000u	ND	10u
Styrene	15	ND	ND	10u	ND	ND	0.7	ND	ND	5000u	ND	ND	5000u	ND	10u
Xylenes (total)	5	ND	ND	10u	ND	ND	10u	ND	ND	5000u	ND	ND	5000u	ND	10u
trans-1,2-Dichloroethene	5	ND	ND	10u	ND	ND	10u	ND	ND	5000u	ND	ND	5000u	ND	10u

Notes:

- Monitoring well depths and installation dates are summarized in Table 1
- The monitoring well locations are shown on Figure 1.
- MW-1A, B and MW-12 were installed on June 2-6, 2003 and sampled on June 17, 2003
- MW-11 and MW-12 were installed on June 2-6, 2003 and sampled on June 17, 2003
- MW-1 through MW-14 and LRF-1 were sampled by Walden in January, 2005
- The 1998 (September) and 2000 (January) sampling was conducted by LMS

ND - Not Detected

NA - Not Applicable (not sampled)

Bold values = Concentration exceeds NYDEC Class GA GW standard

U = Analyte not detected at or above the reporting limit.

J = Result is less than the Reporting Limit, but greater than or equal to the method detection limit.

B = Result is less than the CRDL RL, but greater than or equal to the IDL MDL.

FROST STREET SITES
WESTBURY, NEW YORK

TABLE 3 - HISTORIC GROUNDWATER SAMPLING RESULTS (ug/l)

Compound	NYSDEC Class GA GW Standard	MW-10A 2003	MW-10A 1998	MW-10B 2003	MW-10B 1998	MW-11 2003	MW-11 1998	MW-12 2003	MW-12 1998	MW-13A 2003	MW-13A 1998	MW-13B 2003	MW-13B 1998	MW-14A 2003	MW-14A 1998	MW-14B 2003	MW-14B 1998	MW-14C 2003	MW-14C 1998
Screened Interval		60-70 ug/L		137-147 ug/L		139-149 ug/L		139-149 ug/L		69-79 ug/L	119-129 ug/L	119-129 ug/L	119-129 ug/L	119-129 ug/L	119-129 ug/L	119-129 ug/L	119-129 ug/L	119-129 ug/L	119-129 ug/L
Chloromethane		ND	100u	ND	10u	ND	10u	ND	10u	ND	10u	ND	10u	ND	10u	ND	10u	ND	10u
Bromomethane	5	ND	100u	ND	10u	ND	10u	ND	10u	ND	10u	ND	10u	ND	10u	ND	10u	ND	10u
Vinyl chloride	2	ND	100u	ND	10u	ND	10u	ND	10u	ND	10u	ND	10u	ND	10u	ND	10u	ND	10u
Chloroethane	50	ND	100u	ND	10u	ND	10u	ND	10u	ND	10u	ND	10u	ND	10u	ND	10u	ND	10u
Methylene chloride	5	ND	100u	ND	10u	ND	10u	ND	10u	ND	10u	ND	10u	ND	10u	ND	10u	ND	10u
Acetone	50	ND	100u	ND	10u	ND	10u	ND	10u	ND	10u	ND	10u	ND	10u	ND	10u	ND	10u
Carbon disulfide	50	ND	100u	ND	10u	ND	10u	ND	10u	ND	10u	ND	10u	ND	10u	ND	10u	ND	10u
1,1-Dichloroethene	5	ND	100u	ND	10u	ND	10u	ND	10u	ND	10u	ND	10u	ND	10u	ND	10u	ND	10u
1,1-Dichloroethane	5	ND	100u	ND	10u	ND	10u	ND	10u	ND	10u	ND	10u	ND	10u	ND	10u	ND	10u
Chloroform	7	ND	100u	ND	10u	ND	10u	ND	10u	ND	10u	ND	10u	ND	10u	ND	10u	ND	10u
1,2-Dichloroethane	5	ND	100u	ND	10u	ND	10u	ND	10u	ND	10u	ND	10u	ND	10u	ND	10u	ND	10u
2-Butanone (MEK)	50	ND	100u	ND	10u	ND	10u	ND	10u	ND	10u	ND	10u	ND	10u	ND	10u	ND	10u
1,1,1-Trichloroethane	5	ND	100u	ND	10u	ND	10u	ND	10u	ND	10u	ND	10u	ND	10u	ND	10u	ND	10u
Carbon tetrachloride	5	ND	100u	ND	10u	ND	10u	ND	10u	ND	10u	ND	10u	ND	10u	ND	10u	ND	10u
Bromochloromethane	50	ND	100u	ND	10u	ND	10u	ND	10u	ND	10u	ND	10u	ND	10u	ND	10u	ND	10u
1,2-Dichloropropane	1	ND	100u	ND	10u	ND	10u	ND	10u	ND	10u	ND	10u	ND	10u	ND	10u	ND	10u
cis-1,3-Dichloropropene	0.4	ND	100u	ND	10u	ND	10u	ND	10u	ND	10u	ND	10u	ND	10u	ND	10u	ND	10u
Trichloroethene	5	ND	100u	ND	10u	ND	10u	ND	10u	ND	10u	ND	10u	ND	10u	ND	10u	ND	10u
Dibromochloromethane	5	ND	100u	ND	10u	ND	10u	ND	10u	ND	10u	ND	10u	ND	10u	ND	10u	ND	10u
1,1,2-Trichloroethane	1	ND	100u	ND	10u	ND	10u	ND	10u	ND	10u	ND	10u	ND	10u	ND	10u	ND	10u
Benzene	0.7	ND	100u	ND	10u	ND	10u	ND	10u	ND	10u	ND	10u	ND	10u	ND	10u	ND	10u
trans-1,3-Dichloropropene	0.4	ND	100u	ND	10u	ND	10u	ND	10u	ND	10u	ND	10u	ND	10u	ND	10u	ND	10u
Bromoform	50	ND	100u	ND	10u	ND	10u	ND	10u	ND	10u	ND	10u	ND	10u	ND	10u	ND	10u
4-Methyl-2-pentanone (MIBK)	50	ND	100u	ND	10u	ND	10u	ND	10u	ND	10u	ND	10u	ND	10u	ND	10u	ND	10u
2-Hexanone		ND	100u	ND	10u	ND	10u	ND	10u	ND	10u	ND	10u	ND	10u	ND	10u	ND	10u
Tetrachloroethene	5	6	11	110u	5	31	5u	1	1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,1,2,2-Tetrachloroethane	5	ND	100u	ND	10u	ND	10u	ND	10u	ND	10u	ND	10u	ND	10u	ND	10u	ND	10u
Toluene	5	4	ND	100u	3	ND	9j	1	ND	1	ND	ND	ND	ND	ND	ND	ND	ND	ND
Chlorobenzene	5	ND	100u	ND	10u	ND	10u	ND	10u	ND	10u	ND	10u	ND	10u	ND	10u	ND	10u
Ethylbenzene	5	ND	100u	ND	10u	ND	10u	ND	10u	ND	10u	ND	10u	ND	10u	ND	10u	ND	10u
Styrene	5	ND	100u	ND	10u	ND	10u	ND	10u	ND	10u	ND	10u	ND	10u	ND	10u	ND	10u
Xylenes (total)	15	ND	100u	ND	10u	ND	10u	ND	10u	ND	10u	ND	10u	ND	10u	ND	10u	ND	10u
cis-1,2-Dichloroethene	5	ND	100u	ND	10u	ND	10u	ND	10u	ND	10u	ND	10u	ND	10u	ND	10u	ND	10u
trans-1,2-Dichloroethene	5	ND	100u	ND	10u	ND	10u	ND	10u	ND	10u	ND	10u	ND	10u	ND	10u	ND	10u

Notes:
1. Monitoring well depths and installation dates are summarized in Table 1.
2. The monitoring well locations are shown on Figure 1.
3. MW-10A through MW-10B and LPE-1 were sampled in April 2003.
4. MW-11 and MW-12 were installed on June 2-6, 2003 and sampled on June 17, 2003.
5. MW-1 through MW-14 and LPE-1 were sampled by Walden in January 2005.
6. The 1998 (September) and 2000 (January) sampling was conducted by LMS.

ND = Not Detected
NA = Not Applicable (not sampled)
Bold values = Concentration exceeds NYSDEC Class GA GW standard
U = Analyte not detected at or above the reporting limit
j = Result is less than the Reporting Limit, but greater than or equal to the method detection limit
B = Result is less than the CDDL RL, but greater than or equal to the IDL NDL

FROST STREET SITES
WESTBURY, NEW YORK

TABLE 4

QUARTERLY WATER LEVEL MEASUREMENTS

Well ID	Well Elevation (6013SL 181507 & 181508 Survey) (feet AMSL)	DTW (Valdem) (feet BGL)	Water Table Elevation 9/12/06 91246 (feet AMSL)	DTW (Valdem) (feet BGL)	Water Table Elevation 12/5/06 125206 (feet BGL)	DTW (Valdem) (feet BGL)	Water Table Elevation 12/5/06 125206 (feet AMSL)	DTW (Valdem) (feet BGL)	Water Table Elevation 3/6/07 36207 (feet BGL)	DTW (Valdem) (feet BGL)	Water Table Elevation 5/2/07 52207 (feet AMSL)	DTW (Valdem) (feet BGL)	Water Table Elevation 8/31/07 831207 (feet AMSL)	DTW (Valdem) (feet BGL)	Water Table Elevation 12/12/07 121207 (feet BGL)	DTW (Valdem) (feet BGL)	Water Table Elevation 3/7/08 37208 (feet AMSL)	DTW (Valdem) (feet BGL)	Water Table Elevation 6/12/08 612208 (feet AMSL)
FSWV-1A ¹	127.29	57.1	70.21	52.72	76.79	52.61	74.70	51.60	75.71	50.70	76.61	51.25	74.96	51.21	76.10	51.15	76.16		
FSWV-1B ¹	127.34	57.1	70.27	52.92	76.83	52.73	74.64	51.73	75.64	50.91	76.46	51.52	75.83	51.45	75.92	51.31	76.06		
LHP-1 ¹	126.91	no data	no data	52.38	76.75	52.26	74.65	51.26	75.65	50.26	76.35	51.01	75.90	50.87	76.04	50.82	76.09		
FSWV-2A ¹	126.33	no data	no data	51.81	76.22	51.61	74.72	50.72	75.61	49.77	76.36	50.41	75.92	50.31	76.02	50.25	76.08		
FSWV-2B ¹	126.04	no data	no data	52.16	7.18	51.97	74.07	51.94	75.04	50.10	75.94	50.77	75.27	50.85	75.19	50.59	75.45		
FSWV-3A ¹	127.45	55.3	72.15	53.30	76.15	53.25	74.20	52.10	75.26	51.13	76.30	51.89	75.56	51.60	75.85	51.60	75.76		
FSWV-3B ¹	127.53	57.3	70.32	53.51	76.11	53.25	74.37	52.25	75.37	51.48	76.14	52.07	75.55	52.05	75.57	51.89	75.73		
FSWV-4A ¹	123.25	55.1	70.20	51.70	7.60	51.00	74.30	50.01	74.69	49.45	75.85	50.14	75.16	49.64	75.66	50.00	75.20		
FSWV-4B ¹	124.86	55.5	69.36	50.90	7.96	51.10	73.76	49.76	75.10	48.84	76.02	49.94	74.92	49.51	75.35	49.38	75.48		
FSWV-5A ¹	119.3	49.5	70.25	45.62	75.51	45.42	74.13	44.36	75.19	43.69	75.86	44.50	75.05	44.41	75.15	44.29	75.26		
FSWV-5B ¹	119.19	49.8	69.72	45.70	75.11	45.46	73.97	44.54	74.99	43.77	75.76	44.50	75.05	44.50	75.05	44.33	75.20		
FSWV-6A ¹	120.44	50.9	69.55	46.56	75.19	47.57	72.88	45.59	74.86	44.70	75.75	45.55	74.90	45.50	74.94	45.38	75.07		
FSWV-6B ¹	120.61	51.4	69.21	47.13	7.61	47.40	73.21	46.06	74.55	43.25	75.36	46.01	74.60	46.04	74.57	45.85	74.75		
FSWV-7A ¹	122.46	51.9	69.16	49.25	76.01	48.05	73.71	48.17	74.49	47.24	75.32	48.17	74.49	48.10	74.56	48.04	74.62		
FSWV-7B ¹	122.68	54	68.68	49.56	7.12	49.37	73.31	49.30	73.38	48.44	74.24	48.57	74.11	48.18	74.50	48.25	74.45		
FSWV-8A ¹	122.95	55	69.95	49.15	7.42	48.93	74.02	48.99	74.86	47.13	75.82	47.90	75.05	47.97	74.98	47.74	75.21		
FSWV-8B ¹	123.07	55.2	69.88	49.25	7.11	49.04	74.15	48.94	74.93	47.26	75.82	48.00	75.08	48.30	74.78	47.83	75.25		
FSWV-9B ¹	124.28	55.2	70.07	51.35	75.05	51.68	73.59	50.19	75.08	49.55	75.83	50.32	75.06	51.05	74.33	50.16	75.22		
FSWV-10A ¹	124.87	54.7	70.17	50.80	74.07	50.65	74.22	49.81	75.08	48.85	76.02	49.51	75.36	49.48	75.39	49.24	75.53		
FSWV-10B ¹	125.02	54.9	70.03	50.98	7.05	50.81	74.12	49.84	75.09	49.02	75.91	49.71	75.22	49.85	75.08	49.50	75.45		
FSWV-11 ¹	129.8	51.2	69.60	47.14	75.46	46.95	73.88	46.05	74.75	45.25	75.57	46.00	74.89	46.00	74.80	45.82	74.98		
FSWV-12 ¹	122.55	53.5	69.05	49.13	7.12	48.93	73.62	48.93	74.50	47.23	75.32	48.00	74.55	48.06	74.49	47.85	74.70		
FSWV-12A ¹	119.25	50.6	not surveyed	46.07	not surveyed	46.31	not surveyed	45.05	not surveyed	44.26	not surveyed	45.07	74.28	45.01	74.24	44.93	74.42		
FSWV-13B ¹	119.18	50.6	not surveyed	46.01	not surveyed	46.42	not surveyed	44.97	not surveyed	44.29	not surveyed	44.97	74.21	44.92	74.26	44.84	74.34		
FSWV-14C ¹	119.07	50.6	not surveyed	46.75	not surveyed	46.49	not surveyed	45.52	not surveyed	44.90	not surveyed	45.54	74.38	45.38	74.74	45.29	75.75		
FSWV-14A ¹	118.39	50.1	not surveyed	45.5	not surveyed	45.1	not surveyed	44.43	not surveyed	43.68	not surveyed	44.46	74.06	44.38	74.14	44.22	74.20		
FSWV-14B ¹	118.57	50.5	not surveyed	45.91	not surveyed	45.52	not surveyed	44.81	not surveyed	44.10	not surveyed	44.93	73.80	44.73	74.00	44.70	74.03		
FSWV-14C ¹	118.42	50.5	not surveyed	46.22	not surveyed	45.69	not surveyed	44.97	not surveyed	44.35	not surveyed	45.00	73.42	44.84	73.58	44.83	73.59		

Note:
The monitoring well locations are shown on Figure 1
DTW = depth to water
BGL = Below Grade
AMSL = Above Mean Sea Level
no data: No monitoring information is available for this well

*Monitoring Wells were not accessible at the time the water levels were being measured

** - NYSDEC datalogger in well

1 - 101 Frost Street
2 - 89 Frost Street
3 - Totoca
4 - Old Country Road
5 - Century 21
6 - 770 Main Street
7 - Nassau County Court
8 - 11 Acem

FROST STREET SITES
WESTBURY, NEW YORK

TABLE 4
QUARTERLY WATER LEVEL MEASUREMENTS

Well ID	Well Elevation (612150, 101450 & 101450 Survey) (feet AMSL)	DTW (Walden) 9/23/2008 (feet BGL)	Water Table Elevation 9/23/2008 (feet AMSL)	DTW (Walden) 12/1/2008 (feet BGL)	Water Table Elevation 12/1/2008 (feet AMSL)	DTW (Walden) 3/27/2009 (feet BGL)	Water Table Elevation 3/27/2009 (feet AMSL)	DTW (Walden) 6/12/2009 (feet BGL)	Water Table Elevation 6/12/2009 (feet AMSL)	DTW (Walden) 10/25/2009 (feet BGL)	Water Table Elevation 10/25/2009 (feet AMSL)	DTW (Walden) 12/18/2009 (feet BGL)	Water Table Elevation 12/18/2009 (feet AMSL)	DTW (Walden) 3/11/2010 (feet BGL)	Water Table Elevation 3/11/2010 (feet AMSL)	DTW (Walden) 6/17/2010 (feet BGL)	Water Table Elevation 6/17/2010 (feet AMSL)	DTW (Walden) 9/29/2010 (feet BGL)	Water Table Elevation 9/29/2010 (feet AMSL)
FSNW-1A ¹	127.29	51.52	75.79	51.08	75.59	51.77	75.86	51.77	75.52	no data*	no data	51.59	75.70	51.09	76.29	48.18	76.11	49.29	76.00
FSNW-1B ¹	127.24	51.71	75.66	52.14	75.19	52.02	75.69	52.02	75.32	no data*	no data	51.74	75.60	51.09	76.25	48.53	76.81	49.70	77.64
1BPT ¹	126.91	51.14	75.77	51.50	75.4	51.45	75.81	51.45	75.46	no data*	no data	51.24	75.67	50.63	76.26	no data*	no data	48.42	78.49
FSNW-2A ¹	126.33	50.84	75.49	50.90	75.4	50.38	75.93	50.79	75.54	51.05	75.38	50.56	75.77	49.99	76.34	47.17	79.16	48.14	78.19
FSNW-2B ¹	126.04	50.95	75.09	51.55	74.49	50.87	75.17	51.20	74.83	50.70	75.34	51.05	74.99	50.32	75.72	47.32	78.72	48.41	77.63
FSNW-3A ¹	127.45	52.00	75.35	52.32	75.3	51.78	75.67	52.23	75.24	52.05	75.40	51.97	75.48	51.46	75.99	48.59	78.86	49.66	77.79
FSNW-3B ¹	127.53	52.23	75.30	52.54	74.9	51.90	75.63	52.28	75.25	52.33	75.20	52.33	75.20	51.44	76.09	48.94	78.59	50.05	77.48
FSNW-4A ¹	125.25	50.37	74.95	50.34	74.4	49.80	75.45	50.30	74.95	50.12	75.13	49.89	75.56	49.55	75.70	46.30	76.59	47.65	77.60
FSNW-4B ¹	124.86	49.73	75.13	50.15	74.3	49.81	75.05	49.83	75.03	49.87	74.99	49.70	75.16	49.38	75.48	46.59	76.47	47.33	77.53
FSNW-5A ¹	119.3	44.45	75.00	44.98	74.32	44.45	74.83	44.66	74.64	44.79	74.51	44.53	74.77	43.64	75.66	41.31	77.99	42.11	77.19
FSNW-5B ¹	119.39	44.62	74.91	45.02	74.7	44.50	74.69	44.89	74.60	44.70	74.49	44.49	74.78	43.62	75.57	41.25	77.94	42.08	77.16
FSNW-6A ¹	120.44	45.53	74.92	46.38	74.6	45.85	74.59	46.00	72.44	46.10	74.34	45.73	74.69	44.79	75.65	42.60	77.84	43.31	77.13
FSNW-6B ¹	120.61	46.07	74.54	46.78	73.0	46.13	74.48	46.50	74.31	46.43	74.18	46.22	74.39	45.22	75.39	43.02	77.59	43.71	76.90
FSNW-7A ¹	122.46	48.22	74.44	48.81	73.5	48.20	74.26	48.38	74.08	48.54	73.92	48.27	74.19	47.12	75.34	44.98	77.48	45.89	76.57
FSNW-7B ¹	122.68	48.59	74.09	49.20	73.4	48.49	74.19	48.68	74.00	48.85	73.83	48.71	73.97	47.14	75.15	43.42	77.26	48.23	76.45
FSNW-8A ¹	122.95	48.61	74.94	48.48	74.7	47.90	75.05	48.22	74.73	48.24	74.71	48.00	74.95	47.30	75.65	44.74	78.21	45.67	77.28
FSNW-8B ¹	123.07	48.16	74.92	48.61	74.6	48.05	75.02	48.33	74.76	48.43	74.64	48.19	74.88	47.39	75.88	44.87	78.20	45.84	77.23
FSNW-9A ¹	123.4	50.56	74.82	50.71	74.0	50.18	75.22	50.35	74.83	50.42	74.95	50.27	75.13	49.73	75.67	47.05	78.35	48.02	77.38
FSNW-9B ¹	123.28	50.19	75.08	50.61	74.07	50.02	75.26	50.32	74.96	50.31	74.97	50.15	75.13	49.61	75.67	46.88	78.40	47.99	77.38
FSNW-10A ¹	123.87	49.61	75.26	50.01	74.6	49.50	75.37	49.78	75.09	49.85	75.02	49.66	75.21	49.05	75.82	46.35	78.52	47.36	77.51
FSNW-10B ¹	125.02	49.85	75.08	50.31	74.3	49.70	75.32	50.04	74.98	50.07	74.95	49.94	75.03	49.14	75.88	46.57	78.45	47.66	77.36
FSNW-11 ¹	120.8	46.06	74.74	46.55	74.5	45.96	74.84	46.10	74.70	46.23	74.56	46.02	74.78	45.10	75.70	42.80	78.00	43.55	77.25
FSNW-12 ¹	122.55	48.07	74.48	48.77	73.3	48.12	74.43	48.31	74.24	48.49	74.06	48.27	74.28	47.19	75.26	43.00	77.55	43.77	76.78
FSNW-13A ¹	119.23	44.96	74.39	45.83	73.62	45.19	74.06	45.01	74.24	45.49	73.36	45.16	74.09	44.06	75.19	43.03	77.22	42.42	76.83
FSNW-13B ¹	119.18	44.96	74.22	45.81	73.37	45.13	74.05	44.95	74.20	45.43	73.75	45.03	74.10	44.05	75.15	42.09	77.18	42.43	76.75
FSNW-13C ¹	119.07	45.70	73.42	46.31	72.6	45.32	73.75	45.68	73.39	45.75	73.32	45.30	73.77	44.21	74.86	42.21	76.86	43.41	75.66
FSNW-14A ¹	118.59	44.56	74.16	45.20	73.0	44.49	73.90	44.33	74.06	44.82	73.57	44.55	73.84	43.35	75.04	41.41	76.98	41.83	76.56
FSNW-14B ¹	118.57	44.83	73.74	45.51	73.6	44.83	73.72	44.83	73.74	45.66	73.51	45.37**	73.20	43.67	74.90	41.83	76.74	42.66	75.91
FSNW-14C ¹	118.42	45.14	73.38	45.72	72.3	44.74	73.68	44.32	74.30	45.18	73.34	**	**	43.85	74.37	41.96	76.46	42.53	75.87

FROST STREET SITES
WESTBURY, NEW YORK

TABLE 4
QUARTERLY WATER LEVEL MEASUREMENTS

Well Elevation (101500 Survey) (feet AMSL)	DTW (Wadden) 12/17/2010 (feet BGL)	Water Table Elevation 4/1/2011 (feet AMSL)	DTW (Wadden) 7/8/2011 (feet BGL)	Water Table Elevation 7/8/2011 (feet AMSL)	DTW (Wadden) 12/27/2011 (feet BGL)	Water Table Elevation 12/27/2011 (feet AMSL)	DTW (Wadden) 4/1/2012 (feet BGL)	Water Table Elevation 4/1/2012 (feet AMSL)	DTW (Wadden) 7/24/2012 (feet BGL)	Water Table Elevation 7/24/2012 (feet AMSL)	DTW (Wadden) 11/16/2012 (feet BGL)	Water Table Elevation 11/16/2012 (feet AMSL)	DTW (Wadden) 7/17/2013 (feet BGL)	Water Table Elevation 7/17/2013 (feet AMSL)	DTW (Wadden) 10/28/2013 (feet BGL)	Water Table Elevation 10/28/2013 (feet AMSL)	DTW (Wadden) 3/27/2014 (feet BGL)	Water Table Elevation 3/27/2014 (feet AMSL)
FSHW-1A ¹	127.29	58.58	76.39	59.89	48.27	79.02	49.48	77.81	49.38	77.91	50.01	77.28	50.24	77.05	52.25	75.04	53.50	73.79
FSHW-1B ¹	127.24	58.51	76.83	51.01	48.41	78.93	49.66	77.68	49.53	77.81	52.37	74.97	50.45	76.89	52.45	74.89	53.45	73.89
LSF-1 ¹	126.91	49.87	77.08	50.14	no data ²	no data ²	no data ²	no data ²	49.02	77.89	49.70	77.21	49.09	77.01	51.95	74.96	53.19	73.72
FSHW-2A ¹	126.83	49.13	77.29	49.44	47.20	79.13	48.50	77.83	48.28	78.05	48.99	77.34	49.23	77.08	52.85	73.48	52.63	73.68
FSHW-2B ¹	126.04	49.28	76.66	50.25	47.74	78.50	48.94	77.10	48.78	77.26	49.34	76.50	49.70	76.34	51.59	74.45	53.12	72.92
FSHW-3A ¹	127.45	50.65	76.80	50.88	48.65	78.80	49.88	77.57	49.71	77.74	50.41	77.04	50.61	76.84	52.70	74.75	54.00	73.45
FSHW-3B ¹	127.53	50.81	76.72	51.14	48.91	78.62	50.16	77.37	50.12	77.41	54.06	73.47	51.10	76.43	53.00	74.55	54.38	73.25
FSHW-4A ¹	127.25	48.64	76.61	51.07	46.70	78.55	48.00	77.25	47.56	77.69	48.47	76.78	48.80	76.45	50.73	74.52	52.62	72.63
FSHW-4B ¹	124.86	48.41	76.45	48.61	46.25	78.40	47.71	77.15	47.74	77.12	48.27	76.59	48.43	76.41	50.55	74.31	52.20	72.66
FSHW-5A ¹	119.3	43.17	76.13	42.86	41.25	78.05	42.74	76.56	42.59	76.91	43.25	76.07	43.20	76.10	45.46	73.84	46.55	72.15
FSHW-6B ¹	119.19	43.08	76.11	43.47	40.41	78.78	42.63	76.46	42.41	76.78	44.18	74.61	44.23	73.97	45.79	73.80	46.55	72.64
FSHW-6A ¹	120.44	44.41	76.03	44.80	42.63	77.79	44.09	76.35	43.71	76.73	44.52	75.92	44.43	76.01	46.82	73.62	48.25	72.19
FSHW-4B ²	120.61	44.87	75.74	45.28	43.00	77.61	44.42	76.19	44.18	76.45	44.91	75.70	45.05	75.58	47.27	73.34	47.75	72.86
FSHW-5A ²	122.46	47.33	75.13	47.19	45.05	77.41	46.44	76.02	46.13	76.33	46.85	75.61	46.93	75.53	49.28	73.18	50.14	72.32
FSHW-7B ¹	122.68	46.90	75.78	47.65	45.43	77.25	46.81	75.87	46.60	76.08	47.30	75.38	47.50	75.18	49.66	73.02	50.57	72.11
FSHW-8A ¹	122.95	46.66	75.29	48.82	44.68	78.27	45.10	77.85	45.85	77.10	46.75	76.20	46.71	76.24	48.87	74.08	50.30	72.65
FSHW-4B ²	125.07	46.81	76.36	47.10	44.84	78.23	46.25	76.82	46.04	77.03	46.58	76.59	46.90	76.17	49.02	74.05	50.35	72.72
FSHW-9A ¹	125.4	48.98	76.42	49.66	46.97	78.45	45.56	77.04	48.11	77.29	48.81	76.59	49.05	76.55	51.10	74.30	52.50	72.80
FSHW-9B ¹	125.28	48.80	76.48	49.12	46.87	78.41	45.23	77.05	48.04	77.24	48.85	76.43	48.92	76.36	51.02	74.26	53.03	72.25
FSHW-3B ²	124.87	48.80	76.07	48.81	46.26	78.61	47.68	77.19	47.45	77.42	48.15	76.72	48.38	76.49	50.44	74.43	51.80	73.07
FSHW-10B ¹	125.02	48.33	76.49	48.80	46.62	78.40	47.90	77.12	47.74	77.28	48.42	76.60	48.65	76.37	50.68	74.34	52.19	72.83
FSHW-11 ¹	120.8	44.65	76.15	45.02	42.82	77.98	44.20	76.60	43.95	76.85	44.72	76.68	44.78	76.02	46.95	73.85	48.11	72.69
FSHW-12 ¹	123.55	45.77	76.78	47.22	45.01	77.54	46.40	76.15	46.17	76.58	46.40	76.15	46.95	75.60	49.21	73.44	50.24	72.31
FSHW-13A ¹	119.23	43.83	75.42	44.26	42.05	77.29	43.51	75.74	43.21	76.04	43.95	75.50	44.00	75.25	46.24	73.01	47.22	72.05
FSHW-13B ¹	119.18	43.73	75.45	44.27	42.02	77.16	43.46	75.72	43.20	75.98	43.95	75.25	44.20	74.98	46.16	73.02	47.19	71.99
FSHW-13C ¹	119.07	44.41	74.66	44.97	42.49	76.58	43.89	75.18	43.89	75.18	43.99	74.68	44.92	74.15	46.45	72.62	47.73	71.34
FSHW-14A ¹	118.59	43.22	75.17	43.62	41.39	77.00	42.84	75.55	42.60	75.79	43.30	75.09	43.43	74.96	45.55	72.84	46.54	71.85
FSHW-14B ¹	118.57	43.51	75.06	44.28	41.75	76.84	43.13	75.44	42.96	75.61	43.62	74.95	43.85	74.72	45.81	72.76	46.86	71.71
FSHW-14C ¹	118.42	43.89	74.53	44.34	41.92	76.50	43.34	75.08	43.33	75.09	43.83	74.49	44.36	74.06	45.90	72.52	47.20	71.22

FROST STREET SITES
WESTBURY, NEW YORK

TABLE 5

QUARTERLY GROUNDWATER MONITORING RESULTS

Compound	NYSDEC Class GA GW Standard	Mar-14 58-68 µg/L	Q	Mar-14 Q	Q	Jul-13 58-68 µg/L	Q	Nov-12 58-68 µg/L	Q	Jul-12 58-68 µg/L	Q	Apr-12 58-68 µg/L	Q	Mar-11 58-68 µg/L	Q	Mar-11 Q	Q	Dec-10 58-68 µg/L	Q	Dec-10 Q	Q	Jun-10 58-68 µg/L	Q	Mar-10 58-68 µg/L	Q	Dec-09 58-68 µg/L	Q		
Sample Date Screen Interval Unit																													
1,1,1-Trichloroethane	5	2.1	U	2.1	U	2.1	U	2.1	U	2.1	U	2.1	U	2.1	U	0.30	J	0.22	J	0.25	J	0.10	U	0.10	U	0.10	U	0.33	J
1,1,2,2-Tetrachloroethane	5	1.5	U	1.5	U	1.5	U	1.5	U	1.5	U	1.5	U	1.5	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
1,1,2-Trichloroethane	1	1.9	U	1.9	U	1.9	U	1.9	U	1.9	U	1.9	U	1.9	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
1,1-Dichloroethane	5	1.7	U	1.7	U	1.7	U	1.7	U	1.7	U	1.7	U	1.7	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
1,1-Dichloroethene	5	2.5	U	2.5	U	2.5	U	2.5	U	2.5	U	2.5	U	2.5	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
1,2-Dichloroethane	5	0.83	U	0.83	U	0.83	U	0.83	U	0.83	U	0.83	U	0.83	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
1,2-Dichloropropane	1	1.7	U	1.7	U	1.7	U	1.7	U	1.7	U	1.7	U	1.7	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
2-Butanone (MEK)	50	1.5	U	1.5	U	1.5	U	1.5	U	1.5	U	1.5	U	1.5	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
2-Hexanone	1.8	1.8	U	1.8	U	1.8	U	1.8	U	1.8	U	1.8	U	1.8	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
4-Methyl-2-pentanone (MIBK)	50	1.7	U	1.7	U	1.7	U	1.7	U	1.7	U	1.7	U	1.7	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
Acetone	50	1.9	U	1.9	U	1.9	U	1.9	U	1.9	U	1.9	U	1.9	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
Benzene	0.7	1.6	U	1.6	U	1.6	U	1.6	U	1.6	U	1.6	U	1.6	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
Dichlorobromomethane	50	1.5	U	1.5	U	1.5	U	1.5	U	1.5	U	1.5	U	1.5	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
Bromoforn	50	5.0	U	5.0	U	5.0	U	5.0	U	5.0	U	5.0	U	5.0	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
Bromomethane	5	4.3	U	4.3	U	4.3	U	4.3	U	4.3	U	4.3	U	4.3	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
Carbon disulfide	50	2.1	U	2.1	U	2.1	U	2.1	U	2.1	U	2.1	U	2.1	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
Carbon tetrachloride	5	2.0	U	2.0	U	2.0	U	2.0	U	2.0	U	2.0	U	2.0	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
Chlorobenzene	5	1.6	U	1.6	U	1.6	U	1.6	U	1.6	U	1.6	U	1.6	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
Chlorodibromomethane	5	1.7	U	1.7	U	1.7	U	1.7	U	1.7	U	1.7	U	1.7	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
Chloroethane	50	2.5	U	2.5	U	2.5	U	2.5	U	2.5	U	2.5	U	2.5	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
Chloroform	7	1.9	U	1.9	U	1.9	U	1.9	U	1.9	U	1.9	U	1.9	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
Chloromethane	2.3	U	2.3	U	2.3	U	2.3	U	2.3	U	2.3	U	2.3	U	2.3	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	
cis-1,2-Dichloroethene	5	1.8	U	1.8	U	1.8	U	1.8	U	1.8	U	1.8	U	1.8	U	0.10	U	0.10	U	0.10	U	0.32	J	0.10	U	0.10	U	0.10	U
cis-1,3-Dichloropropene	0.4	1.4	U	1.4	U	1.4	U	1.4	U	1.4	U	1.4	U	1.4	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
Ethylbenzene	5	1.6	U	1.6	U	1.6	U	1.6	U	1.6	U	1.6	U	1.6	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
Methylene chloride	5	1.3	U	1.3	U	1.3	U	1.3	U	1.3	U	1.3	U	1.3	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
Styrene	5	1.7	U	1.7	U	1.7	U	1.7	U	1.7	U	1.7	U	1.7	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
Tetrachloroethene	5	2.4	J	2.1	U	2.6	J	3.0	U	2.1	J	2.1	U	2.1	U	6.0	U	4.4	J	6.1	J	7.3	J	27	U	65	J	30	J
Toluene	5	1.6	U	1.6	U	1.6	U	1.6	U	1.6	U	1.6	U	1.6	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
trans-1,2-Dichloroethene	5	1.9	U	1.9	U	1.9	U	1.9	U	1.9	U	1.9	U	1.9	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
trans-1,3-Dichloropropene	0.4	1.6	U	1.6	U	1.6	U	1.6	U	1.6	U	1.6	U	1.6	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
Trichloroethene	5	1.9	U	1.9	U	1.9	U	1.9	U	1.9	U	1.9	U	1.9	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
Vinyl chloride	2	2.3	U	2.3	U	2.3	U	2.3	U	2.3	U	2.3	U	2.3	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
Xylenes (total)	1.5	0.82	U	0.82	U	0.82	U	0.82	U	0.82	U	0.82	U	0.82	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U

Notes:
The monitoring well locations are shown on Figure 1.
Quarterly groundwater sampling beginning in August 2006 was conducted by Walken.
Q = data qualifier
J = analyte was not detected above the reported sample quantitation limit
U = analyte was positively identified in the appropriate concentration limit
B = The analyte was found in the associated blank, as well as in the sample
UJ = analyte was not detected above the reported sample quantitation limit; the reported quantitation limit is approximate
D = analyte concentration was obtained from diluted sample analysis
R = The sample results are rejected due to the inability of the analysis to meet quality control criteria
* = Surrogate exceeds the control limit

FROST STREET SITES
WESTBURY, NEW YORK

TABLE 5

QUARTERLY GROUNDWATER MONITORING RESULTS

Compound	NYSDEC Class GA GW Standard	Duplicate 12/16/09	Q	MW-1A	Q	MW-1A	Q	MW-1A	Q	MW-1A	Q	Duplicate 3/5/08	Q	MW-1A	Q	MW-1A	Q	MW-1A	Q	MW-1A	Q	MW-1A	Q
Sample Date		Dec-09	Sep-09	Jun-09	Mar-09	Dec-08	Sep-08	Jun-08	Mar-08	Dec-07	Aug-07	May-07	Feb-07	Nov-06	Aug-06								
Screen Interval		58-68	58-68	58-68	58-68	58-68	58-68	58-68	58-68	58-68	58-68	58-68	58-68	58-68	58-68								
Units		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L								
1,1,1-Trichloroethane	5	0.10	U	0.40	J	0.54	J	0.10	U	0.10	U	0.93	J	0.20	U	0.20	U	0.10	U	0.10	U	50	U
1,1,2,2-Tetrachloroethane	5	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.20	U	0.20	U	0.20	U	0.10	U	0.10	U	50	U
1,1,2-Trichloroethane	1	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	50	U
1,1-Dichloroethane	5	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	50	U
1,1-Dichloroethene	5	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	50	U
1,2-Dichloroethane	5	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	50	U
1,2-Dichloroethene	5	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	50	U
1,2-Dichloropropane	1	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	50	U
2-Butanone (MEK)	50	0.10	U*	0.10	U*	0.10	U*	0.10	U*	0.10	U*	0.10	U*	0.10	U*	0.10	U*	0.10	U*	0.10	U*	50	U
2-Hexanone		0.10	U*	0.10	U*	0.10	U*	0.10	U*	0.10	U*	0.10	U*	0.10	U*	0.10	U*	0.10	U*	0.10	U*	50	U
4-Methyl-2-pentanone (MIBK)	50	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	50	U
Acetone	50	1.5	JB*	0.78	JB*	1.0	JB*	0.76	JB*	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	50	U
Benzene	0.7	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	50	U
Dichlorobromomethane	50	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	50	U
Bromoform	50	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	50	U
Bromomethane	5	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	50	U
Carbon disulfide	50	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	50	U
Carbon tetrachloride	5	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	50	U
Chlorobenzene	5	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	50	U
Chlorodibromomethane	5	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	50	U
Chloroethane	50	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	50	U
Chloroform	7	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	50	U
Chloromethane		0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	50	U
cis-1,2-Dichloroethane	5	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	50	U
cis-1,3-Dichloropropene	0.4	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	50	U
Ethylbenzene	5	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	50	U
Methylene chloride	5	0.53	JB	0.38	JB	0.33	JB	0.10	U	0.10	U	0.24	JB	0.10	U	0.10	U	0.10	U	0.10	U	50	U
Styrene	5	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	50	U
Tetrachloroethane	5	30		56		63		75	B	71		51		190		210		250		340		740	
Toluene	5	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	50	U
trans-1,2-Dichloroethene	5	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	50	U
trans-1,3-Dichloropropene	0.4	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	50	U
Trichloroethene	5	1.6	J	3.0	J	1.7	J	2.5	J	1.7	J	1.5	J	3.7	J	4.6	J	5.1	J	9.9	J	31	J
Vinyl chloride	2	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	50	U
Xylenes (total)	15	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	50	U

TABLE 5

QUARTERLY GROUNDWATER MONITORING RESULTS

Z. Scott/100 - First Six Quarters - Annual GW Monitoring Report 2014 | 1st Quarter 2014 Table 5 (cont.) Monitoring Results 7/20/2014

TABLE 5

QUARTERLY GROUNDWATER MONITORING RESULTS

Compound	NYSDEC Class GA GV Standard	LRF-1	Q	Duplicate 10/27/2013	Q	LRF-1	Q	LRF-1	Q	LRF-4	Q	LRF-1	Q	LRF-1	Q	LRF-1	Q
Sample Date	Screen Interval	Oct-13 45-65	Oct-13 45-65	Oct-13 45-65	Nov-12 45-65	Sep-10 45-65	Sep-10 45-65	Sep-09 45-65	Sep-09 45-65	Sep-08 45-65	Aug-07 45-65	Aug-07 45-65	Aug-06 45-65				
Units		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L				
1,1,1-Trichloroethane	5	2.1	U	2.1	U	2.1	U	0.21	J	0.10	U	0.10	U	1.6	J	100	U
1,1,2,2-Tetrachloroethane	5	1.5	U	1.5	U	1.5	U	0.10	U	0.10	U	0.10	U	0.10	U	100	U
1,1,2-Trichloroethane	1	1.9	U	1.9	U	1.9	U	0.10	U	0.10	U	0.10	U	0.10	U	100	U
1,1-Dichloroethane	5	1.7	U	1.7	U	1.7	U	0.10	U	0.10	U	0.10	U	0.10	U	100	U
1,1-Dichloroethene	5	2.5	U	2.5	U	2.5	U	0.10	U	0.10	U	0.10	U	0.10	U	100	U
1,2-Dichloroethane	5	0.83	U	0.83	U	0.83	U	0.10	U	0.10	U	0.10	U	0.10	U	100	U
1,2-Dichloropropane	1	1.7	U	1.7	U	1.7	U	0.10	U	0.10	U	0.10	U	0.10	U	100	U
2-Butanone (MEK)	50	1.5	U	1.5	U	1.5	U	0.10	U	0.10	U	0.10	U	0.10	U	100	U
2-Hexanone		1.8	U	1.8	U	1.8	U	0.10	U	0.10	U	0.10	U	0.10	U	100	U
4-Methyl-2-pentanone (MIBK)	50	1.7	U	1.7	U	1.7	U	0.10	U	0.10	U	0.10	U	0.10	U	100	U
Acetone	50	1.9	U	1.9	U	1.9	U	1.4	J	0.10	U*	0.10	U	0.10	U	100	U
Benzene	6.7	1.6	U	1.6	U	1.6	U	0.10	U	0.10	U	0.10	U	0.10	U	100	U
Dichlorobromomethane	50	1.5	U	1.5	U	1.5	U	0.10	U	0.10	U	0.10	U	0.10	U	100	U
Bromoforn	50	5.0	U	5.0	U	5.0	U	0.10	U	0.10	U	0.10	U	0.10	U	100	U
Bromomethane	5	4.3	U	4.3	U	4.3	U	0.10	U	0.10	U	0.10	U	0.10	U	100	U
Carbon disulfide	50	2.1	U	2.1	U	2.1	U	0.10	U	0.10	U	0.10	U	0.10	U	100	U
Carbon tetrachloride	5	2.0	U	2.0	U	2.0	U	0.10	U	0.10	U	0.10	U	0.10	U	100	U
Chlorobenzene	5	1.6	U	1.6	U	1.6	U	0.10	U	0.10	U	0.10	U	0.10	U	100	U
Chlorodibromomethane	5	1.7	U	1.7	U	1.7	U	0.10	U	0.10	U	0.10	U	0.10	U	100	U
Chloroethane	50	2.5	U	2.5	U	2.5	U	0.10	U	0.10	U	0.10	U	0.10	U	100	U
Chloroform	7	1.9	U	1.9	U	1.9	U	0.10	U	0.10	U	0.10	U	0.10	U	100	U
Chloromethane		2.3	U	2.3	U	2.3	U	0.10	U*	0.10	U	0.10	U	0.10	U	100	U
cis-1,2-Dichloroethene	5	1.8	U	1.8	U	1.8	U	0.17	J	0.16	J	0.10	U	0.10	U	100	U
cis-1,3-Dichloropropene	6.4	1.4	U	1.4	U	1.4	U	0.10	U	0.10	U	0.10	U	0.10	U	100	U
Ethylbenzene	5	1.6	U	1.6	U	1.6	U	0.10	U	0.10	U	0.10	U	0.10	U	100	U
Methylene chloride	5	1.3	U	1.3	U	1.3	U	0.22	JB	0.40	JB	0.10	U	0.10	U	100	U
Styrene	5	1.7	U	1.7	U	1.7	U	0.10	U	0.10	U	0.10	U	0.10	U	100	U
Tetrachloroethene	5	4.9	J	5.1	J	7.7	J	33		210		220		710	J	890	U
Toluene	5	1.6	U	1.6	U	2.0	J	0.10	U	0.10	U	0.10	U	0.10	U	100	U
trans-1,2-Dichloroethene	5	1.9	U	1.9	U	1.9	U	0.10	U	0.10	U	0.10	U	0.10	U	100	U
trans-1,3-Dichloropropene	6.4	1.6	U	1.6	U	1.6	U	0.10	U	0.10	U	0.10	U	0.10	U	100	U
Trichloroethene	5	1.9	U	1.9	U	1.9	U	2.8	J	24		37		73	J	33	J
Vinyl chloride	2	2.3	U	2.3	U	2.3	U	0.10	U*	0.10	U	0.10	U	0.10	U	100	U
Xylenes (total)	15	0.82	U	0.82	U	0.82	U	0.10	U	0.10	U	0.10	U	0.10	U	100	U

Z. Spyll00 • Front St Quarterly • Annual GW Monitoring Report 2014 1st Quarter 2014 Table 5 Curb Monitoring Results 7/30/2014

TABLES

[illegible]

TABLES

QUARTERLY GROUNDWATER MONITORING RESULTS

2. Sep 100 - First 3 Quarterly - Annual GW Monitoring Report 2014 1st Quarter 2014 Table 4 Only Monitoring Results 7/30/2014

FROST STREET SITES
WESTBURY, NEW YORK

TABLE 5

QUARTERLY GROUNDWATER MONITORING RESULTS

Compound	NYSDEC Class GA GW Standard	MW-2B	Q	MW-2B	Q	MW-2B	Q	MW-2B	Q	MW-2B	Q	MW-2B	Q	MW-2B	Q	MW-2B	Q	MW-2B	Q	MW-2B	Q
Sample Date		Sep-09	Jun-09	Jun-09	Dec-08	Sep-08	Jun-08	Mar-08	Dec-07	Nov-07	Aug-07	May-07	Feb-07	Nov-06	Aug-06						
Screen Interval		114-124	114-124	114-124	114-124	114-124	114-124	114-124	114-124	114-124	114-124	114-124	114-124	114-124	114-124						
Units		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L						
1,1,1-Trichloroethane	5	0.10	U	0.10	U	0.10	U	0.10	U	5	U	0.10	U	10	U	10	U	10	U	10	U
1,1,2,2-Tetrachloroethane	5	0.10	U	0.10	U	0.10	U	0.10	U	5	U	0.10	U	10	U	10	U	10	U	10	U
1,1,2-Trichloroethane	1	0.10	U	0.10	U	0.10	U	0.10	U	5	U	0.10	U	10	U	10	U	10	U	10	U
1,1-Dichloroethane	5	0.10	U	0.10	U	0.10	U	0.10	U	5	U	0.10	U	10	U	10	U	10	U	10	U
1,1-Dichloroethene	5	0.10	U	0.10	U	0.10	U	0.10	U	5	U	0.10	U	10	U	10	U	10	U	10	U
1,2-Dichloroethane	5	0.10	U	0.10	U	0.10	U	0.10	U	5	U	0.10	U	10	U	10	U	10	U	10	U
1,2-Dichloroethene	1	0.10	U	0.10	U	0.10	U	0.10	U	5	U	0.10	U	10	U	10	U	10	U	10	U
2-Butanone (MEK)	50	0.10	U	0.10	U	0.10	U	0.10	U	10	U	0.10	U	10	U	10	U	10	U	10	U
2-Hexanone		0.10	U	0.10	U	0.10	U	0.10	U	10	U	0.10	U	10	U	10	U	10	U	10	U
4-Methyl-2-pentanone (MIBK)	50	0.10	U	0.10	U	0.10	U	0.10	U	10	U	0.10	U	10	U	10	U	10	U	10	U
Acetone	50	0.4	JB	0.45	JB	10	U	10	U	10	U	10	U	10	U	10	U	10	U	10	U
Benzene	0.7	0.10	U	0.10	U	0.10	U	0.10	U	10	U	0.10	U	10	U	10	U	10	U	10	U
Dichlorobromomethane	50	0.10	U	0.10	U	0.10	U	0.10	U	10	U	0.10	U	10	U	10	U	10	U	10	U
Bromoform	50	0.10	U	0.10	U	0.10	U	0.10	U	10	U	0.10	U	10	U	10	U	10	U	10	U
Bromomethane	5	0.10	U	0.10	U	0.10	U	0.10	U	10	U	0.10	U	10	U	10	U	10	U	10	U
Carbon disulfide	50	0.10	U	0.10	U	0.10	U	0.10	U	10	U	0.10	U	10	U	10	U	10	U	10	U
Carbon tetrachloride	5	0.10	U	0.10	U	0.10	U	0.10	U	10	U	0.10	U	10	U	10	U	10	U	10	U
Chlorobenzene	5	0.10	U	0.10	U	0.10	U	0.10	U	10	U	0.10	U	10	U	10	U	10	U	10	U
Chlorobromomethane	5	0.10	U	0.10	U	0.10	U	0.10	U	10	U	0.10	U	10	U	10	U	10	U	10	U
Chloroethane	50	0.10	U	0.10	U	0.10	U	0.10	U	10	U	0.10	U	10	U	10	U	10	U	10	U
Chloroform	7	0.10	U	0.10	U	0.10	U	0.10	U	10	U	0.10	U	10	U	10	U	10	U	10	U
Chloromethane		0.10	U	0.10	U	0.10	U	0.10	U	10	U	0.10	U	10	U	10	U	10	U	10	U
cis-1,2-Dichloroethene	5	0.10	U	0.10	U	0.10	U	0.10	U	10	U	0.10	U	10	U	10	U	10	U	10	U
cis-1,3-Dichloropropene	0.4	0.10	U	0.10	U	0.10	U	0.10	U	10	U	0.10	U	10	U	10	U	10	U	10	U
Ethylbenzene	5	0.10	U	0.10	U	0.10	U	0.10	U	10	U	0.10	U	10	U	10	U	10	U	10	U
Methylene chloride	5	0.38	JB	0.39	JB	10	U	10	U	10	U	0.10	U	10	U	10	U	10	U	10	U
Styrene	5	0.10	U	0.10	U	0.10	U	0.10	U	10	U	0.10	U	10	U	10	U	10	U	10	U
Tetrachloroethene	5	2.7	J	4.4	J	5.1		9.0	J	4.7	J	4.4	J	5.1		13		2.1	J	2.0	J
Toluene	5	0.10	U	0.10	U	0.10	U	0.10	U	10	U	0.10	U	10	U	10	U	0.10	U	10	U
trans-1,2-Dichloroethene	5	0.10	U	0.10	U	0.10	U	0.10	U	10	U	0.10	U	10	U	10	U	0.10	U	10	U
trans-1,3-Dichloropropene	0.4	0.10	U	0.10	U	0.10	U	0.10	U	10	U	0.10	U	10	U	10	U	0.10	U	10	U
Trichloroethene	5	0.10	U	0.10	U	0.10	U	0.10	U	10	U	0.10	U	10	U	10	U	0.10	U	10	U
Vinyl chloride	2	0.10	U	0.10	U	0.10	U	0.10	U	10	U	0.10	U	10	U	10	U	0.10	U	10	U
Nylenes (total)	15	0.10	U	0.10	U	0.10	U	0.10	U	10	U	0.10	U	10	U	10	U	0.10	U	10	U

TABLE 5

Compound	NYSDRC Class GA GW Standard	MW-3A												MW-3B												Duplicate 9/23/08											
		Q		MW-3A		Q		MW-3A		Q		MW-3A		Q		MW-3B		Q		MW-3B		Q		MW-3B		Q		MW-3B		Q							
		Q	MW-3A	Q	MW-3A	Q	MW-3A	Q	MW-3A	Q	MW-3A	Q	MW-3A	Q	MW-3A	Q	MW-3B	Q	MW-3B	Q	MW-3B	Q	MW-3B	Q	MW-3B	Q	MW-3B	Q	MW-3B	Q	MW-3B						
Sample Date		Oct-13	60-70	Nov-12	60-70	Sep-10	60-70	Sep-09	60-70	Sep-08	60-70	Aug-07	60-70	Aug-06	135-145	135-145	135-145	135-145	Sep-08	135-145	Sep-07	135-145	135-145	135-145	135-145	135-145	135-145	135-145	135-145	135-145							
Screen Interval		60-70	60-70	60-70	60-70	60-70	60-70	60-70	60-70	60-70	60-70	60-70	60-70	60-70	60-70	60-70	60-70	60-70	60-70	60-70	60-70	60-70	60-70	60-70	60-70	60-70	60-70	60-70	60-70	60-70							
Units		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L							
1,1,1,1-Tetrachloroethane	5	2.1	U	2.1	U	0.13	U	0.10	U	0.10	U	0.10	U	200	U	2.1	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U						
1,1,1,2-Tetrachloroethane	5	1.5	U	1.5	U	0.13	U	0.10	U	0.10	U	0.10	U	200	U	1.5	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U						
1,1,1,2-Trichloroethane	1	1.9	U	1.9	U	0.13	U	0.10	U	0.10	U	0.10	U	200	U	1.9	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U						
1,1,1-Dichloroethane	5	1.7	U	1.7	U	0.13	U	0.10	U	0.10	U	0.10	U	200	U	1.7	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U						
1,1-Dichloroethene	5	2.5	U	2.5	U	0.13	U	0.10	U	0.10	U	0.10	U	200	U	2.5	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U						
1,2-Dichloroethane	5	0.83	U	0.83	U	0.13	U	0.10	U	0.10	U	0.10	U	200	U	0.83	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U						
1,2-Dichloropropene	1	1.7	U	1.7	U	0.13	U	0.10	U	0.10	U	0.10	U	200	U	1.7	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U						
2-Butanone (MEK)	50	1.5	U	1.5	U	0.13	U	0.10	U	0.10	U	0.10	U	200	U	1.5	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U						
2-Hexanone	50	1.8	U	1.8	U	0.13	U	0.10	U	0.10	U	0.10	U	200	U	1.8	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U						
4-Methyl-2-pentanone (MIBK)	50	1.7	U	1.7	U	0.13	U	0.10	U	0.10	U	0.10	U	200	U	1.7	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U						
Acetone	50	1.9	U	1.9	U	1.1	J	0.10	U	0.10	U	0.10	U	200	U	1.9	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U						
Benzene	0.7	1.6	U	1.6	U																																

FROST STREET SITES
WESTBURY, NEW YORK

TABLE 5

QUARTERLY GROUNDWATER MONITORING RESULTS

Compound	NYSDEC Class GA GW Standard	MW-4A	Q	Duplicate 2/27/2014	Q	MW-4A	Q	MW-4A	Q	Duplicate 7/13/2012	Q	MW-4A	Q	Duplicate 4/10/12	Q	MW-4A	Q	Duplicate 12/22/11	Q	MW-4A	Q	Duplicate 4/1/11		
Sample Date		Mar-14		Mar-14		Oct-13		Jul-13		Nov-12		Jul-12		Apr-12		Dec-11		Dec-11		Mar-11		Mar-11		
Screen Interval		60-70		60-70		60-70		60-70		60-70		60-70		60-70		60-70		60-70		60-70		60-70		
Units		µg/L		µg/L		µg/L		µg/L		µg/L		µg/L		µg/L		µg/L		µg/L		µg/L		µg/L		
1,1,1-Trichloroethane	5	840	U	840	U	840	U	1100	U	84	U	170	U	530	U	2.1	U	2.1	U	4.0	U	4.0	U	
1,1,2,2-Tetrachloroethane	5	600	U	600	U	600	U	750	U	60	U	120	U	380	U	380	U	1.5	U	4.0	U	4.0	U	
1,1,2-Trichloroethane	1	760	U	760	U	760	U	950	U	76	U	150	U	480	U	480	U	1.9	U	4.0	U	4.0	U	
1,1-Dichloroethane	5	680	U	680	U	680	U	850	U	68	U	140	U	430	U	430	U	1.7	U	4.0	U	4.0	U	
1,1-Dichloroethene	5	1000	U	1000	U	1000	U	1300	U	100	U	200	U	630	U	630	U	2.5	U	4.0	U	4.0	U	
1,2-Dichloroethane	5	330	U	330	U	330	U	420	U	33	U	66	U	210	U	210	U	0.83	U	4.0	U	4.0	U	
1,2-Dichloropropane	1	680	U	680	U	680	U	850	U	68	U	140	U	430	U	430	U	1.7	U	4.0	U	4.0	U	
2-Butanone (MEK)	50	600	U	600	U	600	U	750	U	60	U	120	U	380	U	380	U	1.5	U	4.0	U	4.0	U	
2-Hexanone	720	U	720	U	720	U	900	U	72	U	140	U	450	U	450	U	1.8	U	1.8	U	4.0	U	4.0	U
4-Methyl-2-pentanone (MIBK)	50	680	U	680	U	680	U	850	U	68	U	140	U	430	U	430	U	1.7	U	4.0	U	4.0	U	
Acetone	50	760	U	760	U	760	U	950	U	76	U	150	U	480	U	480	U	1.9	U	7.1	U	12	U	
Benzene	0.7	640	U	640	U	640	U	800	U	64	U	130	U	400	U	400	U	1.6	U	4.0	U	4.0	U	
Dichlorobromomethane	50	600	U	600	U	600	U	750	U	60	U	120	U	380	U	380	U	1.5	U	4.0	U	4.0	U	
Bromoform	50	2000	U	2000	U	2000	U	2500	U	200	U	400	U	1300	U	1300	U	5.0	U	4.0	U	4.0	U	
Bromomethane	5	1700	U	1700	U	1700	U	2200	U	170	U	340	U	1100	U	1100	U	4.3	U	4.0	U	4.0	U	
Carbon disulfide	50	840	U	840	U	840	U	1100	U	84	U	170	U	530	U	530	U	2.1	U	3.1	U	24	U	
Carbon tetrachloride	5	800	U	800	U	800	U	1000	U	80	U	160	U	500	U	500	U	2.0	U	4.0	U	4.0	U	
Chlorobenzene	5	640	U	640	U	640	U	800	U	64	U	130	U	400	U	400	U	1.6	U	4.0	U	4.0	U	
Chlorodibromomethane	5	680	U	680	U	680	U	850	U	68	U	140	U	430	U	430	U	1.7	U	4.0	U	4.0	U	
Chloroethane	50	1000	U	1000	U	1000	U	1300	U	100	U	200	U	630	U	630	U	2.5	U	4.0	U	4.0	U	
Chloroform	7	760	U	760	U	760	U	950	U	76	U	150	U	480	U	480	U	1.9	U	4.0	U	4.0	U	
Chloromethane	920	U	920	U	920	U	1200	U	92	U	180	U	580	U	580	U	2.3	U	2.3	U	4.0	U	4.0	U
cis-1,2-Dichloroethene	5	720	U	720	U	720	U	900	U	72	U	140	U	430	U	430	U	1.7	U	150	J	160	J	
cis-1,3-Dichloropropene	0.4	560	U	560	U	560	U	700	U	56	U	110	U	350	U	350	U	1.4	U	4.0	U	4.0	U	
Ethylbenzene	5	640	U	640	U	640	U	800	U	64	U	130	U	400	U	400	U	1.6	U	4.0	U	4.0	U	
Methylene chloride	5	520	U	520	U	520	U	650	U	52	U	100	U	330	U	330	U	1.3	U	71	U	89	U	
Styrene	5	680	U	680	U	680	U	850	U	68	U	140	U	430	U	430	U	1.7	U	4.0	U	4.0	U	
Tetrachloroethene	5	76,000	D	76,000	D	51,000	D	80,000	D	62,000	D	69,000	D	35,000	D	30,000	D	29,000	D	57,000	D	69,000	D	
Toluene	5	640	U	640	U	640	U	800	U	64	U	130	U	400	U	400	U	1.6	U	4.0	U	4.0	U	
trans-1,2-Dichloroethene	5	760	U	760	U	760	U	950	U	76	U	150	U	480	U	480	U	1.9	U	4.0	U	4.0	U	
trans-1,3-Dichloropropene	0.4	640	U	640	U	640	U	800	U	64	U	130	U	400	U	400	U	1.6	U	4.0	U	4.0	U	
Trichloroethene	5	2,400	J	2,400	J	760	U	950	U	2,100	U	1,900	U	1,300	J	1,100	J	570	D	1,300	D	600	J	
Vinyl chloride	2	920	U	920	U	920	U	1200	U	92	U	180	U	580	U	580	U	2.3	U	4.0	U	5.0	J	
Vinyl chloride	15	330	U	330	U	330	U	410	U	33	U	65	U	200	U	200	U	0.82	U	4.0	U	4.0	U	

TABLE 5

QUARTERLY GROUNDWATER MONITORING RESULTS

[illegible]

FROST STREET SITES
WESTBURY, NEW YORK

TABLE 5
QUARTERLY GROUNDWATER MONITORING RESULTS

Compound	NYSDEC Class GA GW Standard	MW-4A	Q	MW-4A	Q	MW-4A	Q	MW-4A	Q	MW-4A	Q	MW-4A	Q	MW-4A	Q
Sample Date		Jan-08		Mar-08		Dec-07		Aug-07		Nov-07		Feb-07		Nov-06	
Screen Interval		60-70		60-70		60-70		60-70		60-70		60-70		60-70	
Units		µg/L		µg/L		µg/L		µg/L		µg/L		µg/L		µg/L	
1,1,1-Trichloroethane	5	1.0	U	40	U	5	U	0.10	U	2000	U	2000	U	5	J
1,1,2,2-Tetrachloroethane	5	1.0	U	40	U	5	U	0.10	U	2000	U	2000	U	10	U
1,1,2-Trichloroethane	1	1.0	U	40	U	5	U	0.10	U	2000	U	2000	U	10	U
1,1-Dichloroethane	5	1.0	U	40	U	5	U	0.10	U	2000	U	2000	U	10	U
1,1-Dichloroethene	5	1.0	U	40	U	5	U	0.10	U	2000	U	2000	U	10	U
1,2-Dichloroethane	5	1.0	U	40	U	5	U	0.10	U	2000	U	2000	U	10	U
1,2-Dichloropropane	1	1.0	U	40	U	5	U	0.10	U	2000	U	2000	U	10	U
2-Butanone (MEK)	50	1.0	U	40	U	5	U	0.10	U	2000	U	2000	U	10	U
2-Hexanone		1.0	U	40	U	10	U	0.10	U	2000	U	2000	U	10	U
4-Methyl-2-pentanone (MIBK)	50	1.0	U	40	U	10	U	0.10	U	2000	U	2000	U	10	U
Acetone	50	1.0	U	40	U	10	U	0.10	U	2000	U	2000	U	10	U
Benzene	6.7	1.0	U	40	U	5	U	0.10	U	2000	U	2000	U	10	U
Dichlorobromomethane	50	1.0	U	40	U	5	U	0.10	U	2000	U	2000	U	10	U
Bromoform	50	1.0	U	40	U	5	U	0.10	U	2000	U	2000	U	10	U
Bromomethane	5	1.0	U	40	U	5	U	0.10	U	2000	U	2000	U	10	U
Carbon disulfide	50	1.0	U	40	U	5	U	0.10	U	2000	U	2000	U	10	U
Carbon tetrachloride	5	1.0	U	40	U	5	U	0.10	U	2000	U	2000	U	10	U
Chlorobenzene	5	1.0	U	40	U	5.5	U	5.1	J	2000	U	2000	U	10	U
Chlorodibromomethane	5	1.0	U	40	U	5	U	0.10	U	2000	U	2000	U	10	U
Chloroethane	50	1.0	U	40	U	5	U	0.10	U	2000	U	2000	U	10	U
Chloroform	7	1.0	U	40	U	5	U	0.10	U	2000	U	2000	U	10	U
Chloromethane		1.0	U	40	U	5	U	0.10	U	2000	U	2000	U	10	U
cis-1,2-Dichloroethene	5	92	J	24	J	110		66	J	2000	U	2000	U	71	
cis-1,3-Dichloropropene	0.4	1.0	U	40	U	5	U	0.10	U	2000	U	2000	U	10	U
Ethylbenzene	5	1.0	U	40	U	5	U	0.10	U	2000	U	2000	U	0.7	J
Methylene chloride	5	24	JB	40	U	5	U	0.10	U	2000	U	2000	U	10	U
Styrene	5	1.0	U	40	U	5	U	0.10	U	2000	U	2000	U	10	U
Tetrachloroethene	5	55,000		50,000		48,000		46,000		22,000		18,000		79,000	
Toluene	5	1.0	U	40	U	1.5	J	2.0	J	2000	U	2000	U	4	J
trans-1,2-Dichloroethene	5	1.0	U	40	U	5	U	0.10	U	2000	U	2000	U	0.8	J
trans-1,3-Dichloropropene	6.4	1.0	U	40	U	5	U	0.10	U	2000	U	2000	U	10	U
Trichloroethene	5	260		230	J	600	J	720	J	360	J	280	J	1,600	J
Vinyl chloride	2	1.0	U	40	U	5	U	0.10	U	2000	U	2000	U	10	U
Nylenes (total)	1.5	1.0	U	40	U	0.53	J	0.58	J	2000	U	2000	U	2	J

FROST STREET SITES
WESTBURY, NEW YORK

TABLE 5

QUARTERLY GROUNDWATER MONITORING RESULTS

Compound	NYSDCC Class GA GW Standard	MW-4B Q	MW-4B Q	Duplicate 10/25/2013	MW-4B Q	MW-4B Q	MW-4B Q	MW-4B Q	MW-4B Q	Duplicate 12/22/11	MW-4B Q	MW-4B Q	Duplicate 7/27/11	MW-4B Q	MW-4B Q	MW-4B Q	MW-4B Q
Sample Date Screen Interval Units		Mar-14 137-147 µg/L	Oct-13 137-147 µg/L	Oct-13 137-147 µg/L	Jul-13 137-147 µg/L	Nov-12 137-147 µg/L	Jul-12 137-147 µg/L	Apr-12 137-147 µg/L	Dec-11 137-147 µg/L	Dec-11 137-147 µg/L	Jul-11 137-147 µg/L	Mar-11 137-147 µg/L	Dec-10 137-147 µg/L	Jul-10 137-147 µg/L	Mar-10 137-147 µg/L	Oct-09 137-147 µg/L	Jul-09 137-147 µg/L
1,1,1-Trichloroethane	5	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1
1,1,2,2-Tetrachloroethane	5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5
1,1,2-Trichloroethane	1	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9
1,1-Dichloroethane	5	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7
1,1-Dichloroethene	5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5
1,2-Dichloroethane	5	0.83	0.83	0.83	0.83	0.83	0.83	0.83	0.83	0.83	0.83	0.83	0.83	0.83	0.83	0.83	0.83
1,2-Dichloropropane	1	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7
2-Butanone (MEK)	50	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5
2-Hexanone		1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8
4-Methyl-2-pentanone (MIBK)	50	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7
Acetone	50	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9
Benzene	0.7	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6
Dichlorobromomethane	50	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5
Bromoforn	50	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0
Bromomethane	5	4.3	4.3	4.3	4.3	4.3	4.3	4.3	4.3	4.3	4.3	4.3	4.3	4.3	4.3	4.3	4.3
Carbon disulfide	50	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1
Carbon tetrachloride	5	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0
Chlorobenzene	5	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6
Chlorodibromomethane	5	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7
Chloroethane	50	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5
Chloroform	7	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9
Chloromethane		2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3
cis-1,2-Dichloroethene	5	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8
cis-1,3-Dichloropropene	0.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4
Ethylbenzene	5	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6
Methylene chloride	5	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3
Styrene	5	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7
Tetrachloroethene	5	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7
Toluene	5	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6
trans-1,2-Dichloroethene	5	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9
trans-1,3-Dichloropropene	0.4	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6
Trichloroethene	5	7.9	7.9	7.9	7.9	7.9	7.9	7.9	7.9	7.9	7.9	7.9	7.9	7.9	7.9	7.9	7.9
Vinyl chloride	2	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3
Xylenes (total)	15	0.82	0.82	0.82	0.82	0.82	0.82	0.82	0.82	0.82	0.82	0.82	0.82	0.82	0.82	0.82	0.82

FROST STREET SITES
WESTBURY, NEW YORK

TABLE 5
QUARTERLY GROUNDWATER MONITORING RESULTS

Compound	NYSDDEC Class GA GW (Standard)	MW-1B	Q	Duplicate 3/9/10	Q	MW-1B	Q	Duplicate 9/22/09	Q	MW-1B	Q	MW-1B	Q	Duplicate 12/10/08	Q	MW-1B	Q	Duplicate 6/10/08	Q	MW-1B	Q	Duplicate 3/6/08	Q	MW-1B	Q
Sample Date		Mar-10		Mar-10		Sep-09		Sep-09		Jun-09		Mar-09		Dec-08		Sep-08		Jun-08		Jun-08		Mar-08		Mar-08	
Screen Interval		137-147		137-147		137-147		137-147		137-147		137-147		137-147		137-147		137-147		137-147		137-147		137-147	
Units		µg/L		µg/L		µg/L		µg/L		µg/L		µg/L		µg/L		µg/L		µg/L		µg/L		µg/L		µg/L	
1,1,1-Trichloroethane	5	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
1,1,2,2-Tetrachloroethane	5	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
1,1,2-Trichloroethane	1	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
1,1-Dichloroethane	5	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
1,1-Dichloroethene	5	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
1,2-Dichloroethane	5	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
1,2-Dichloropropane	1	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
2-Butanone (MEK)	50	0.10	U*	0.10	U*	0.10	U*	0.10	U*	0.10	U*	0.10	U*	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
2-Hexanone		0.10	U*	0.10	U*	0.10	U*	0.10	U*	0.10	U*	0.10	U*	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
4-Methyl-2-pentanone (MIBK)	50	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U*	0.10	U*	0.10	U	0.10	U	0.10	U	0.10	U
Acetone	50	0.10	U*	0.48	JB*	0.39	JB*	0.82	JB*	0.93	JB*	1.6	JB	0.45	JB	0.10	U*	0.10	U	0.10	U	0.10	U	0.10	U
Benzene	0.7	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
Dichlorobromomethane	50	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
Bromoform	50	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
Bromomethane	5	0.10	U*	0.10	U*	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
Carbon disulfide	50	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
Carbon tetrachloride	5	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
Chlorobenzene	5	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
Chlorodibromomethane	5	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
Chloroethane	50	0.33	J	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U*	0.10	U	0.10	U	0.10	U	0.10	U
Chloroform	7	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
Chloromethane		0.10	U*	0.10	U*	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
cis-1,2-Dichloroethene	5	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
cis-1,3-Dichloropropene	0.4	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
Ethylbenzene	5	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
Methylene chloride	5	0.36	JB	0.38	JB	0.46	JB	0.41	JB	0.39	JB	0.36	JB	0.10	U	0.10	U	0.10	U	0.26	JB	0.10	U	0.10	U
Styrene	5	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
Tetrachloroethene	5	5.0	J	5.1	J	10	J	28	J	27	J	19	J	63	B	33	B	62	J	33	J	44	J	50	J
Toluene	5	0.10	U	0.10	U	0.10	U	0.10	U	0.13	J	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
trans-1,2-Dichloroethene	5	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
trans-1,3-Dichloropropene	0.4	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
Trichloroethene	5	0.77	J	0.78	J	0.26	J	0.47	J	0.49	J	0.29	J	0.53	J	0.63	J	0.63	J	0.34	J	1.0	J	0.98	J
Vinyl chloride	2	0.10	U*	0.10	U*	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
Xylenes (total)	15	0.10	U	0.10	U	0.10	U	0.10	U	0.12	J	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U

FROST STREET SITES
WESTBURY, NEW YORK

TABLE 5
QUARTERLY GROUNDWATER MONITORING RESULTS

Compound	NYSDEC Class GA GW Standard	MW-1B	Q	MW-4B	Q	MW-4B	Q	MW-4B	Q	MW-4B	Q	MW-4B	Q
Sample Date		Dec-07		Aug-07		Feb-07		Nov-06		Aug-06			
Screen Interval		137-147		137-147		137-147		137-147		137-147			
Units		µg/L		µg/L		µg/L		µg/L		µg/L			
1,1,1-Trichloroethane	5	5	U	0.10	U	10	U	10	U	10	U	10	U
1,1,2,2-Tetrachloroethane	5	5	U	0.10	U	10	U	10	U	10	U	10	U
1,2-Trichloroethane	1	5	U	0.10	U	10	U	10	U	10	U	10	U
1,1-Dichloroethane	5	5	U	0.10	U	10	U	10	U	10	U	10	U
1,1-Dichloroethene	5	5	U	0.10	U	10	U	10	U	10	U	10	U
1,2-Dichloroethane	5	5	U	0.10	U	10	U	10	U	10	U	10	U
1,2-Dichloropropane	1	5	U	0.10	U	10	U	10	U	10	U	10	U
2-Butanone (MEK)	50	10	U	0.10	U	10	U	10	U	10	U	10	U
2-Hexanone		10	U	0.10	U	10	U	10	U	10	U	10	U
4-Methyl-2-pentanone (MTBK)	50	10	U	0.10	U	10	U	10	U	10	U	10	U
Acetone	50	10	U	0.10	U	10	U	10	U	10	U	10	U
Benzene	0.7	5	U	0.10	U	10	U	10	U	10	U	10	U
Dichlorobromomethane	50	5	U	0.10	U	10	U	10	U	10	U	10	U
Bromoform	50	5	U	0.10	U	10	U	10	U	10	U	10	U
Bromomethane	5	5	U	0.10	U	10	U	10	U	10	U	10	U
Carbon disulfide	50	5	U	0.10	U	10	U	10	U	10	U	10	U
Carbon tetrachloride	5	5	U	0.10	U	10	U	10	U	10	U	10	U
Chlorobenzene	5	5	U	0.10	U	10	U	10	U	10	U	10	U
Chlorodibromomethane	5	5	U	0.10	U	10	U	10	U	10	U	10	U
Chloroethane	50	5	U	0.10	U	10	U	10	U	10	U	10	U
Chloroform	7	5	U	0.10	U	10	U	10	U	10	U	10	U
Chloromethane		5	U	0.10	U	10	U	10	U	10	U	10	U
cis-1,2-Dichloroethene	5	5	U	0.10	U	10	U	10	U	10	U	10	U
cis-1,3-Dichloropropene	0.4	5	U	0.10	U	10	U	10	U	10	U	10	U
Ethylbenzene	5	5	U	0.10	U	10	U	10	U	10	U	10	U
Methylene chloride	5	5	U	0.10	U	10	U	10	U	10	U	10	U
Styrene	5	5	U	0.10	U	10	U	10	U	10	U	10	U
Tetrachloroethene	5	40	25	11	26	28	49						
Toluene	5	5	U	0.10	U	10	U	10	U	10	U	10	U
trans-1,2-Dichloroethene	5	5	U	0.10	U	13	0.15	10	U	10	U	10	U
trans-1,3-Dichloropropene	0.4	5	U	0.10	U	10	U	10	U	10	U	10	U
Trichloroethene	5	5	U	0.49	1	10	0.7	10	0.8	10	10	10	10
Vinyl chloride	2	5	U	0.10	U	10	U	10	U	10	U	10	U
Nylenes (total)	15	5	U	0.10	U	10	U	10	U	10	U	10	U

FROST STREET SITES
WESTBURY, NEW YORK

TABLE 5
QUARTERLY GROUNDWATER MONITORING RESULTS

Compound	NYSDDEC Class GA GW Standard	MW-6A	Q	MW-6A	Q	MW-6A	Q	MW-6A	Q	MW-6A	Q	MW-6A	Q	MW-6A	Q	MW-6A	Q	MW-6A	Q	MW-6A	Q	MW-6A	Q	MW-6A	Q	MW-6A	Q
Sample Date Screen Interval Unit		Mar-14 56-59 µg/L	Oct-13 56-59 µg/L	Jul-13 56-59 µg/L	Nov-12 56-59 µg/L	Jul-12 56-59 µg/L	Apr-12 56-59 µg/L	Dec-11 56-59 µg/L	Duplicate 12/23/2011 µg/L	Q	MW-6A	Q	Jul-11 56-59 µg/L	Mar-11 56-59 µg/L	Dec-10 56-59 µg/L	Sep-10 56-59 µg/L	Mar-10 56-59 µg/L	Dec-09 56-59 µg/L	Sep-09 56-59 µg/L								
1,1,1-Trichloroethane	5	2.1	U	2.1	U	2.1	U	2.1	U	2.1	U	2.1	U	2.1	U	2.1	U	2.1	U	2.1	U	2.1	U	2.1	U	2.1	U
1,1,2,2-Tetrachloroethane	5	1.5	U	1.5	U	1.5	U	1.5	U	1.5	U	1.5	U	1.5	U	1.5	U	1.5	U	1.5	U	1.5	U	1.5	U	1.5	U
1,1,2-Trichloroethane	1	1.9	U	1.9	U	1.9	U	1.9	U	1.9	U	1.9	U	1.9	U	1.9	U	1.9	U	1.9	U	1.9	U	1.9	U	1.9	U
1,1,1-Dichloroethane	5	1.7	U	1.7	U	1.7	U	1.7	U	1.7	U	1.7	U	1.7	U	1.7	U	1.7	U	1.7	U	1.7	U	1.7	U	1.7	U
1,1-Dichloroethene	5	2.5	U	2.5	U	2.5	U	2.5	U	2.5	U	2.5	U	2.5	U	2.5	U	2.5	U	2.5	U	2.5	U	2.5	U	2.5	U
1,2-Dichloroethane	5	0.83	U	0.83	U	0.83	U	0.83	U	0.83	U	0.83	U	0.83	U	0.83	U	0.83	U	0.83	U	0.83	U	0.83	U	0.83	U
1,2-Dichloropropane	1	1.7	U	1.7	U	1.7	U	1.7	U	1.7	U	1.7	U	1.7	U	1.7	U	1.7	U	1.7	U	1.7	U	1.7	U	1.7	U
2-Butanone (MEK)	50	1.5	UJ	1.5	U	1.5	UJ	1.5	UJ	1.5	UJ	1.5	UJ	1.5	UJ	1.5	UJ	1.5	UJ	1.5	UJ	1.5	UJ	1.5	UJ	1.5	UJ
2-Hexanone		1.8	U	1.8	U	1.8	UJ	1.8	UJ	1.8	UJ	1.8	UJ	1.8	UJ	1.8	UJ	1.8	UJ	1.8	UJ	1.8	UJ	1.8	UJ	1.8	UJ
4-Methyl-2-pentanone (MIBK)	50	1.7	U	1.7	U	1.7	U	1.7	U	1.7	U	1.7	U	1.7	U	1.7	U	1.7	U	1.7	U	1.7	U	1.7	U	1.7	U
Acetone	50	1.9	U	1.9	U	1.9	UJ	1.9	UJ	1.9	UJ	1.9	UJ	1.9	UJ	1.9	UJ	1.9	UJ	1.9	UJ	1.9	UJ	1.9	UJ	1.9	UJ
Benzene	0.7	1.6	U	1.6	U	1.6	U	1.6	U	1.6	U	1.6	U	1.6	U	1.6	U	1.6	U	1.6	U	1.6	U	1.6	U	1.6	U
Dichlorobromomethane	50	1.5	U	1.5	U	1.5	U	1.5	U	1.5	U	1.5	U	1.5	U	1.5	U	1.5	U	1.5	U	1.5	U	1.5	U	1.5	U
Bromoforn	50	5.0	U	5.0	UJ	5.0	UJ	5.0	UJ	5.0	UJ	5.0	UJ	5.0	UJ	5.0	UJ	5.0	UJ	5.0	UJ	5.0	UJ	5.0	UJ	5.0	UJ
Bromomethane	5	4.3	UJ	4.3	U	4.3	U	4.3	U	4.3	U	4.3	U	4.3	U	4.3	U	4.3	U	4.3	U	4.3	U	4.3	U	4.3	U
Carbon disulfide	50	2.1	U	2.1	U	2.1	U	2.1	U	2.1	U	2.1	U	2.1	U	2.1	U	2.1	U	2.1	U	2.1	U	2.1	U	2.1	U
Carbon tetrachloride	5	2.0	U	2.0	U	2.0	U	2.0	U	2.0	U	2.0	U	2.0	U	2.0	U	2.0	U	2.0	U	2.0	U	2.0	U	2.0	U
Chlorobenzene	5	1.6	U	1.6	U	1.6	U	1.6	U	1.6	U	1.6	U	1.6	U	1.6	U	1.6	U	1.6	U	1.6	U	1.6	U	1.6	U
Chlorodibromomethane	5	1.7	U	1.7	U	1.7	U	1.7	U	1.7	U	1.7	U	1.7	U	1.7	U	1.7	U	1.7	U	1.7	U	1.7	U	1.7	U
Chloroethane	50	2.5	U	2.5	U	2.5	U	2.5	U	2.5	U	2.5	U	2.5	U	2.5	U	2.5	U	2.5	U	2.5	U	2.5	U	2.5	U
Chloroform	7	1.9	U	1.9	U	1.9	U	1.9	U	1.9	U	1.9	U	1.9	U	1.9	U	1.9	U	1.9	U	1.9	U	1.9	U	1.9	U
Chloromethane		2.3	U	2.3	U	2.3	U	2.3	U	2.3	U	2.3	U	2.3	U	2.3	U	2.3	U	2.3	U	2.3	U	2.3	U	2.3	U
cis-1,2-Dichloroethene	5	1.8	U	1.8	U	1.8	U	1.8	U	1.8	U	1.8	U	1.8	U	1.8	U	1.8	U	1.8	U	1.8	U	1.8	U	1.8	U
cis-1,3-Dichloropropene	0.4	1.4	U	1.4	U	1.4	U	1.4	U	1.4	U	1.4	U	1.4	U	1.4	U	1.4	U	1.4	U	1.4	U	1.4	U	1.4	U
Ethylbenzene	5	1.6	U	1.6	U	1.6	U	1.6	U	1.6	U	1.6	U	1.6	U	1.6	U	1.6	U	1.6	U	1.6	U	1.6	U	1.6	U
Methylene chloride	5	1.3	U	1.3	U	1.3	U	1.3	U	1.3	U	1.3	U	1.3	U	1.3	U	1.3	U	1.3	U	1.3	U	1.3	U	1.3	U
Styrene	5	1.7	U	1.7	U	1.7	U	1.7	U	1.7	U	1.7	U	1.7	U	1.7	U	1.7	U	1.7	U	1.7	U	1.7	U	1.7	U
Tetrachloroethene	5	7.8	J	2.1	U	2.1	J	7.3	J	2.1	U	2.4	J	4.9	J	4.3	J	4.3	J	4.3	J	4.3	J	4.3	J	4.3	J
Toluene	5	1.6	U	1.6	U	1.6	U	1.6	U	1.6	U	1.6	U	1.6	U	1.6	U	1.6	U	1.6	U	1.6	U	1.6	U	1.6	U
trans-1,2-Dichloroethene	5	1.9	U	1.9	U	1.9	U	1.9	U	1.9	U	1.9	U	1.9	U	1.9	U	1.9	U	1.9	U	1.9	U	1.9	U	1.9	U
trans-1,3-Dichloropropene	0.4	1.6	U	1.6	U	1.6	U	1.6	U	1.6	U	1.6	U	1.6	U	1.6	U	1.6	U	1.6	U	1.6	U	1.6	U	1.6	U
Trichloroethene	5	1.9	U	1.9	U	1.9	U	1.9	U	1.9	U	1.9	U	1.9	U	1.9	U	1.9	U	1.9	U	1.9	U	1.9	U	1.9	U
Vinyl chloride	2	2.3	U	2.3	U	2.3	U	2.3	U	2.3	U	2.3	U	2.3	U	2.3	U	2.3	U	2.3	U	2.3	U	2.3	U	2.3	U
Xylenes (total)	15	0.82	U	0.82	U	0.82	U	0.82	U	0.82	U	0.82	U	0.82	U	0.82	U	0.82	U	0.82	U	0.82	U	0.82	U	0.82	U

TABLE 5

QUARTERLY GROUNDWATER MONITORING RESULTS

2. See 1120 - First St Quarter's - Annual GW Monitoring Record 2014 1st Quarter 2014 Table 5 Clerk's Monitoring Results 7.30.2014

TABLES

Compound	NYSDEC Class GA GW Simulant	MW-6B µg/L	Q	MW-6B µg/L	Q	MW-4B µg/L	Q	MW-6B µg/L	Q	MW-6B µg/L	Q	MW-4B µg/L
	Sample Date	Oct-13	Nov-12	Sep-10	Sep-09	Sep-08	Sep-07	Sep-06	Sep-05	Sep-04	Sep-03	Sep-02
	Screen Interval	137-147	137-147	137-147	137-147	137-147	137-147	137-147	137-147	137-147	137-147	137-147
	Units	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
		5	2.1	U	0.10	U	0.10	U	0.10	U	0.10	U
1	1-Trichloroethane	5	1.5	U	0.10	U	0.10	U	0.10	U	0.10	U
2	2-Tetrachloroethane	5	1.5	U	0.10	U	0.10	U	0.10	U	0.10	U
3	1,1,2-Trichloroethane	1	1.9	U	0.10	U	0.10	U	0.10	U	0.10	U
4	1,1-Dichloroethane	5	1.7	U	0.10	U	0.10	U	0.10	U	0.10	U
5	1,1,1-Dichloroethene	5	2.5	U	0.10	U	0.10	U	0.10	U	0.10	U
6	1,1,2-Dichloroethene	5	0.83	U	0.10	U	0.10	U	0.10	U	0.10	U
7	1,2-Dichloropropane	1	1.7	U	0.10	U	0.10	U	0.10	U	0.10	U
8	2-Butanone (MEK)	50	1.5	U	0.10	U	0.10	U*	0.10	U	0.10	U
9	2-Hexanone	50	1.8	U	0.10	U	0.10	U*	0.10	U	0.10	U
10	4-Methyl-2-pentanone (MIBK)	50	1.7	U	0.10	U	0.10	U	0.10	U	0.10	U
11	Acetone	50	1.9	U	0.10	U	0.10	J	1.5	J*	0.88	J*
12	Benzene	0.7	1.6	U	0.10	U	0.10	U	0.10	U	0.10	U
13	Dichlorobromomethane	50	1.5	U	0.10	U	0.10	U	0.10	U	0.10	U
14	Bromoform	50	5.0	U	0.10	U	0.10	U	0.10	U	0.10	U
15	Bromomethane	5	4.3	U	0.10	U	0.10	U	0.10	U	0.10	U
16	Carbon disulfide	50	2.1	U	0.10	U	0.10	U	0.10	U	0.10	U
17	Carbon tetrachloride	5	2.0	U	0.10	U	0.10	U	0.10	U	0.10	U
18	Chlorobenzene	5	1.6	U	0.10	U	0.10	U	0.10	U	0.10	U
19	Chlorodibromomethane	5	1.7	U	0.10	U	0.10	U	0.10	U	0.10	U
20	Chloroethane	50	2.5	U	0.10	U	0.10	U	0.10	U	0.10	U
21	Chloroform	7	1.9	U	0.10	U	0.10	U	0.10	U	0.10	U
22	Chloromethane		2.3	U	0.18	J*	0.10	U	0.10	U	0.10	U
23	cis-1,2-Dichloroethene	5	1.8	U	0.10	U	0.10	U	0.10	U	0.10	U
24	cis-1,3-Dichloropropene	0.4	1.4	U	0.10	U	0.10	U	0.10	U	0.10	U
25	Ethylbenzene	5	1.6	U	0.10	U	0.10	U	0.10	U	0.10	U
26	Methylene chloride	5	1.3	U	0.30	JB	0.42	JB	0.38	JB	0.51	JB
27	Styrene	5	1.7	U	0.10	U	0.10	U	0.10	U	0.10	U
28	Tetrachloroethene	5	67	U	110		7.7	J	6.9	J	15	J
29	Toluene	5	1.6	U	0.11	J	0.18	J	0.17	J	0.10	U
30	trans-1,2-Dichloroethene	5	1.9	U	0.10	U	0.10	U	0.10	U	0.10	U
31	trans-1,3-Dichloropropene	0.4	1.6	U	0.10	U	0.10	U	0.10	U	0.10	U
32	Trichloroethene	5	1.9	U	0.26	J	3.7	J	1.8	J	1.7	J
33	Vinyl chloride	2	2.3	U	0.10	U*	0.10	U	0.10	U	0.10	U
34	Xylenes (total)	15	0.82	U	0.82	U	0.10	U	0.10	U	0.10	U

FROST STREET SITES
WESTBURY, NEW YORK

TABLE 5

QUARTERLY GROUNDWATER MONITORING RESULTS

Compound	NYSDEC Class CA GW Standard	MW-7A	Q	MW-7A	Q	MW-7A	Q	MW-7A	Q	MW-7A	Q	MW-7B	Q	MW-7B	Q	Duplicate 9/25/09	MW-7A	Q	MW-7A	Q	MW-7A	Q	MW-7B	Q	MW-7B	Q	Duplicate 9/18/08	MW-7B	Q	MW-7B	Q
Sample Date Screen Interval Units		04-13 00-70 pp/L		04-13 00-70 pp/L		04-13 00-70 pp/L		04-13 00-70 pp/L		04-13 00-70 pp/L		04-13 00-70 pp/L		04-13 00-70 pp/L		04-13 00-70 pp/L		04-13 00-70 pp/L		04-13 00-70 pp/L		04-13 00-70 pp/L		04-13 00-70 pp/L		04-13 00-70 pp/L		04-13 00-70 pp/L		04-13 00-70 pp/L	
1,1,1-Trichloroethane	5	2.1	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
1,1,2,2-Tetrachloroethane	5	1.5	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
1,1,2-Trichloroethane	1	1.9	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
1,1-Dichloroethane	5	1.7	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
1,1-Dichloroethene	5	2.5	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
1,2-Dichloroethane	5	0.83	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
1,2-Dichloropropane	1	1.7	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
2-Butanone (MEK)	50	1.5	U	0.10	U*	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
2-Hexanone		1.8	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
4-Methyl-2-pentanone (MIBK)	50	1.7	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
Acetone	50	1.9	U	1.0	JB*	0.74	JB	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
Benzene	0.7	1.6	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
Dichlorobromomethane	50	1.5	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
Bromoform	50	5.0	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
Bromomethane	5	4.3	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
Carbon disulfide	50	2.1	U	0.10	U*	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
Carbon tetrachloride	5	2.0	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
Chlorobenzene	5	1.6	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
Chlorodibromomethane	5	1.7	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
Chloroethane	50	2.5	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
Chloroform	7	1.9	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
Chloromethane		2.3	U	0.10	U*	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
cis-1,2-Dichloroethene	5	1.8	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
cis-1,3-Dichloropropene	0.4	1.4	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
Ethylbenzene	5	1.6	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
Methylene chloride	5	1.3	U	0.27	JB	0.43	JB	0.39	JB	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
Styrene	5	1.7	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
Tetrachloroethene	5	2.1	U	1.8	JB	0.45	J	0.67	J	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
Toluene	5	1.6	U	0.18	J	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
trans-1,2-Dichloroethene	5	1.9	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
trans-1,3-Dichloropropene	0.4	1.6	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
Trichloroethene	5	1.9	U	0.10	U	0.10	U	0.19	J	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
Vinyl chloride	2	2.3	U	0.10	U*	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
Xylenes (total)	15	0.82	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U

FROST STREET SITES
WESTBURY, NEW YORK

TABLE 5
QUARTERLY GROUNDWATER MONITORING RESULTS

Compound	NYSDEC Class GA GW Standard	MW-8A	Q	MW-8A	Q	MW-8A	Q	Duplicate 7/25/2012	Q	MW-8A	Q	MW-8A	Q	MW-8A	Q	Duplicate 7/28/11	Q	MW-8A	Q	Duplicate 3/3/11	Q	MW-8A	Q
Sample Date		Mar-14	64-74	Mar-14	64-74	Mar-14	64-74	Jul-12	64-74	Apr-12	64-74	Dec-11	64-74	Jul-11	64-74	Jul-11	132-142	Mar-11	64-74	Mar-11	64-74	Dec-10	64-74
Screen Interval		µg/L		µg/L		µg/L		µg/L		µg/L		µg/L		µg/L		µg/L		µg/L		µg/L		µg/L	
Unit		µg/L		µg/L		µg/L		µg/L		µg/L		µg/L		µg/L		µg/L		µg/L		µg/L		µg/L	
1,1,1-Trichloroethane	5	21	U	21	U	110	U	2.1	U	2.1	U	2.1	U	2.1	U	2.1	U	0.10	U	0.10	U	0.10	U
1,1,2,2-Tetrachloroethane	5	15	U	15	U	75	U	1.5	U	1.5	U	1.5	U	1.5	U	1.5	U	0.10	U	0.10	U	0.10	U
1,1,2-Trichloroethane	1	19	U	19	U	95	U	1.9	U	1.9	U	1.9	U	1.9	U	1.9	U	0.10	U	0.10	U	0.10	U
1,1-Dichloroethane	5	17	U	17	U	85	U	1.7	U	1.7	U	1.7	U	1.7	U	1.7	U	0.10	U	0.10	U	0.10	U
1,1-Dichloroethene	5	25	U	25	U	130	U	2.5	U	2.5	U	2.5	U	2.5	U	2.5	U	0.10	U	0.10	U	0.10	U
1,2-Dichloroethane	5	8.3	U	8.3	U	42	U	0.83	U	0.83	U	0.83	U	0.83	U	0.83	U	0.10	U	0.10	U	0.10	U
1,2-Dichloropropane	1	17	U	17	U	85	U	1.7	U	1.7	U	1.7	U	1.7	U	1.7	U	0.10	U	0.10	U	0.10	U
2-Butanone (MEK)	50	15	UJ	15	UJ	75	U	1.5	UJ	1.5	UJ	1.5	UJ	1.5	UJ	1.5	UJ	0.10	UJ	0.10	UJ	0.10	UJ
2-Hexanone	18	U	18	U	90	U	1.8	U	1.8	U	1.8	U	1.8	U	1.8	U	0.10	U	0.10	U	0.10	U	
4-Methyl-2-pentanone (MIBK)	50	17	U	17	U	85	U	1.7	U	1.7	U	1.7	U	1.7	U	1.7	U	0.10	U	0.10	U	0.10	U
Acetone	50	19	U	19	U	95	U	1.9	U	1.9	U	1.9	UJ	1.9	UJ	1.9	UJ	0.78	UJ	0.54	UJ	0.24	UJ
Benzene	0.7	16	U	16	U	80	U	1.6	U	1.6	U	1.6	U	1.6	U	1.6	U	0.10	U	1.2	J	0.10	U
Dichlorobromomethane	50	15	U	15	U	75	U	1.5	U	1.5	U	1.5	U	1.5	U	1.5	U	0.10	U	0.10	U	0.10	U
Bromofom	50	50	U	50	U	250	U	5.0	UJ	5.0	UJ	5.0	U	5.0	U	5.0	U	0.10	U	0.10	U	0.10	U
Bromomethane	5	43	UJ	43	UJ	220	U	4.3	U	4.3	U	4.3	U	4.3	UJ	4.3	U	0.10	U	0.10	U	0.10	U
Carbon disulfide	50	21	U	21	U	110	U	2.1	U	2.1	U	2.1	U	2.1	U	2.1	U	0.10	U	0.25	U	0.10	U
Carbon tetrachloride	5	20	U	20	U	100	U	2.0	U	2.0	U	2.0	U	2.0	U	2.0	U	0.10	U	0.10	U	0.10	U
Chlorobenzene	5	16	U	16	U	80	U	1.6	U	1.6	U	1.6	U	1.6	U	1.6	U	0.10	U	0.10	U	0.10	U
Chlorodibromomethane	5	17	U	17	U	85	U	1.7	U	1.7	U	1.7	U	1.7	U	1.7	U	0.10	U	0.10	U	0.10	U
Chloroethane	50	25	U	25	U	130	U	2.5	U	2.5	U	2.5	U	2.5	U	2.5	U	0.10	UJ	0.10	UJ	0.10	U
Chloroform	7	19	U	19	U	95	U	1.9	U	1.9	U	1.9	U	1.9	U	1.9	U	0.10	U	0.10	U	0.10	U
Chloromethane	23	U	23	U	120	U	23	U	2.3	U	2.3	U	2.3	U	2.3	U	2.3	U	0.10	U	0.10	U	
cis-1,2-Dichloroethene	5	190		190		170	J	150		40		28		27		4.9	J	1.8	U	0.12	J	0.26	J
cis-1,3-Dichloropropene	0.4	14	U	14	U	70	U	1.4	U	1.4	U	1.4	U	1.4	U	1.4	U	0.10	U	0.10	U	0.10	U
Ethylbenzene	5	16	U	16	U	80	U	1.6	U	1.6	U	1.6	U	1.6	U	1.6	U	0.10	U	0.10	U	0.10	U
Methylene chloride	5	13	U	13	U	65	U	1.3	U	1.3	U	1.3	U	1.3	U	1.3	U	0.46	U	0.36	U	0.30	U
Styrene	5	17	U	17	U	85	U	1.7	U	1.7	U	1.7	U	1.7	U	1.7	U	0.10	U	0.10	U	0.10	U
Tetrachloroethene	5	1,600		1,700		9,600		7,200	D	1,000	D	770	D	770	D	84		21		15		12	
Toluene	5	16	U	16	U	80	U	1.6	U	1.6	U	1.6	U	1.6	U	1.6	U	0.10	U	0.10	U	0.10	U
trans-1,2-Dichloroethene	5	19	U	19	U	95	U	1.9	U	1.9	U	1.9	U	1.9	U	1.9	U	0.10	U	0.10	U	0.10	U
trans-1,3-Dichloropropene	0.4	16	U	16	U	80	U	1.6	U	1.6	U	1.6	U	1.6	U	1.6	U	0.10	U	0.10	U	0.10	U
Trichloroethene	5	140		130		280	J	230		53		45		44		8.9	J	1.9	U	0.10	U	0.13	J
Vinyl chloride	2	23	U	23	U	120	U	23	U	2.3	U	2.3	U	2.3	U	2.3	U	0.10	U	0.10	U	0.10	U
Xylenes (total)	15	8.2	U	8.2	U	41	U	8.2	U	0.82	U	0.82	U	0.82	U	0.82	U	0.82	U	0.10	U	0.34	J

FROST STREET SITES
WESTBURY, NEW YORK

TABLE 5
QUARTERLY GROUNDWATER MONITORING RESULTS

Compound	NYSDEC Class GA GW Standard	MW-8A	Q	Duplicate 9/24/10	Q	MW-8A	Q	Duplicate 12/15/09	Q	MW-8A	Q	Duplicate 9/23/09	Q	MW-8A	Q	Duplicate 12/9/08	Q	MW-8A	Q	Duplicate 9/17/08	Q
Sample Date Screen Interval Units		Sep-10 64-74 µg/L		Sep-10 64-74 µg/L		Jun-10 64-74 µg/L		Dec-09 64-74 µg/L		Sep-09 64-74 µg/L		Sep-09 64-74 µg/L		Jun-09 64-74 µg/L		Mar-09 64-74 µg/L		Dec-08 64-74 µg/L		Sep-08 64-74 µg/L	
1,1,1-Trichloroethane	5	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
1,1,2,2-Tetrachloroethane	5	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
1,1,2-Trichloroethane	1	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
1,1-Dichloroethane	5	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
1,1-Dichloroethene	5	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
1,2-Dichloropropane	5	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
2-Butanone (MEK)	50	0.10	U	0.10	U	0.10	U*	0.10	U*	0.10	U*	0.10	U*	0.10	U*	0.10	U	0.10	U	0.10	U
2-Hexanone		0.10	U	0.10	U	0.10	U*	0.10	U*	0.10	U*	0.10	U*	0.10	U*	0.10	U	0.10	U	0.10	U
4-Methyl-2-pentanone (MIBK)	50	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U*	0.10	U*	0.10	U
Acetone	50	1.2	J	1.1	J	0.10	U*	0.42	JB*	0.95	JB*	1.2	JB*	0.48	JB*	1.0	JB*	0.10	U	0.10	U
Benzene	0.7	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
Dichlorobromomethane	50	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
Bromoform	50	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
Bromomethane	5	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
Carbon disulfide	50	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
Carbon tetrachloride	5	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
Chlorobenzene	5	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
Chlorodibromomethane	5	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
Chloroethane	50	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
Chloroform	7	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
Chloromethane		0.28	J*	0.29	J*	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
cis-1,2-Dichloroethene	5	0.10	U	0.10	U	0.10	U	0.10	U	0.21	J	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
cis-1,3-Dichloropropene	0.4	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
Ethylbenzene	5	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
Methylene chloride	5	0.27	JB	0.23	JB	0.25	JB	0.40	JB	0.53	JB	0.43	JB	0.40	JB	0.40	JB	0.10	U	0.37	JB
Styrene	5	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
Tetrachloroethene	5	10		9.9	J	17		20		20		20		39		29		62		75	
Toluene	5	0.15	J	0.12	J	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
trans-1,2-Dichloroethene	5	0.10	U	0.10	U	0.10	U	0.10	U	0.13	J	0.16	J	0.10	U	0.10	U	0.10	U	0.10	U
trans-1,3-Dichloropropene	0.4	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
Trichloroethene	5	0.34	J	0.38	J	0.64	J	0.82	J	1.1	J	0.98	J	0.93	J	1.3	J	2.3	J	3.6	J
Vinyl chloride	2	0.10	U*	0.10	U*	0.10	U*	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
Xylenes (total)	15	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U

TABLE 5

QUARTERLY GROUNDWATER MONITORING RESULTS

2. See [100]. First SI Quarterly-Annual GIV Monitoring Report 2014 1st Quarter 2014 Table 5 Qury Monitoring Results 7.30.2014

TABLE 5

QUARTERLY GROUNDWATER MONITORING RESULTS

Z. Spill00 - First 51 Quarterly - Annual GW Monitoring Report 2014 1st Quarter 2014 Table 5 Qdly Monitoring Results 7/30/2014

TABLES

[illegible]

TABLE 5

QUARTERLY GROUNDWATER MONITORING RESULTS

Compound	Sample Date Screen Interval Units	NYSDEC Class GA GW Standard	MW-8B		MW-8B		MW-8B		MW-8B	
			Feb-07		Nov-06		Nov-06		Nov-06	
			132-142		132-142		132-142		132-142	
			µg/L		µg/L		µg/L		µg/L	
1,1,1-Trichloroethane		5	10	U	10	U	10	U	10	U
1,1,2,2-Tetrachloroethane		5	10	U	10	U	10	U	10	U
1,1,2-Trichloroethane		1	10	U	10	U	10	U	10	U
1,1-Dichloroethane		5	10	U	10	U	10	U	10	U
1,1-Dichloroethene		5	10	U	10	U	10	U	10	U
1,2-Dichloroethane		5	10	U	10	U	10	U	10	U
1,2-Dichloropropane		1	10	U	10	U	10	U	10	U
2-Butanone (MEK)		50	10	U	10	U	10	U	10	U
2-Hexanone		10	10	U	10	U	10	U	10	U
4-Methyl-2-pentanone (MIBK)		50	10	U	10	U	10	U	10	U
Acetone		50	10	U	10	U	10	U	10	U
Benzene		0.7	10	U	10	U	10	U	10	U
Dichloromethane		50	10	U	10	U	10	U	10	U
Bromoform		50	10	U	10	U	10	U	10	U
Bromomethane		5	10	U	10	U	10	U	10	U
Carbon disulfide		50	10	U	10	U	10	U	10	U
Carbon tetrachloride		5	10	U	10	U	10	U	10	U
Chlorobenzene		5	10	U	10	U	10	U	10	U
Chlorodibromomethane		5	10	U	10	U	10	U	10	U
Chloroethane		50	10	U	10	U	10	U	10	U
Chloroform		7	10	U	10	U	10	U	10	U
Chloromethane			10	U	10	U	10	U	10	U
cis-1,2-Dichloroethene		5	10	U	10	U	10	U	10	U
cis-1,3-Dichloropropene		0.4	10	U	10	U	10	U	10	U
Ethylbenzene		5	10	U	10	U	10	U	10	U
Methylene chloride		5	10	U	10	U	10	U	10	U
Styrene		5	10	U	10	U	10	U	10	U
Tetrachloroethene		5	18		10	U	3	J	17	
Toluene		5	10	U	10	U	10	U	10	U
trans-1,2-Dichloroethene		5	10	U	10	U	10	U	10	U
trans-1,3-Dichloropropene		0.4	10	U	10	U	10	U	10	U
Trichlorobenzene		5	1.2	J	2	J	2	J	1	J
Vinyl chloride		2	10	U	10	U	10	U	10	U
Xylenes (total)		15	10	U	10	U	10	U	10	U

FROST STREET SITES
WESTBURY, NEW YORK

TABLE 5
QUARTERLY GROUNDWATER MONITORING RESULTS

Compound	NYSDC Class GA GW Standard	MW-9A	Q	MW-9A	Q	MW-9A	Q	MW-9A	Q	MW-9A	Q	MW-9A	Q	MW-9A	Q	MW-9B	Q	MW-9B	Q	MW-9B	Q	MW-9B	Q	MW-9B	Q
Sample Date Screen Interval		Oct-13 60-70		Sep-09 60-70		Sep-08 60-70		Aug-07 60-70		Aug-06 60-70		Oct-13 137-147		Nov-12 137-147		Sep-10 137-147		Sep-09 137-147		Sep-08 137-147		Aug-07 137-147		Aug-06 137-147	
Units		µg/L		µg/L		µg/L		µg/L		µg/L		µg/L		µg/L		µg/L		µg/L		µg/L		µg/L		µg/L	
1,1,1-Trichloroethane	5	11	U	2.1	U	0.10	U	0.10	U	0.10	U	2.1	U	2.1	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
1,1,2,2-Tetrachloroethane	5	7.5	U	1.5	U	0.10	U	0.10	U	0.10	U	1.5	U	1.5	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
1,1,2-Trichloroethane	1	9.5	U	1.9	U	0.10	U	0.10	U	0.10	U	1.9	U	1.9	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
1,1-Dichloroethane	5	8.5	U	1.7	U	0.10	U	0.10	U	0.10	U	1.7	U	1.7	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
1,1-Dichloroethene	5	13	U	2.5	U	0.10	U	0.10	U	0.10	U	2.5	U	2.5	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
1,2-Dichloroethane	5	4.2	U	0.83	U	0.10	U	0.10	U	0.10	U	0.83	U	0.83	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
1,2-Dichloropropane	1	8.5	U	1.7	U	0.10	U	0.10	U	0.10	U	1.7	U	1.7	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
2-Butanone (MEK)	50	7.5	U	1.5	U	0.10	U	0.10	U	0.10	U	1.5	U	1.5	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
2-Hexanone		9.0	U	1.8	U	0.10	U	0.10	U	0.10	U	1.8	U	1.8	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
4-NMethyl-2-pentanone (MIBK)	50	8.5	U	1.7	U	0.10	U	0.10	U	0.10	U	1.7	U	1.7	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
Acetone	50	9.5	U	1.9	U	0.10	U	0.10	U	0.10	U	4.1	U	1.9	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
Benzene	0.7	8.0	U	1.6	U	0.10	U	0.10	U	0.10	U	1.6	U	1.6	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
Dichlorobromomethane	50	7.5	U	1.5	U	0.10	U	0.10	U	0.10	U	1.5	U	1.5	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
Bromoform	50	25	U	5.0	U	0.10	U	0.10	U	0.10	U	5.0	U	5.0	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
Bromomethane	5	22	U	4.3	U	0.10	U	0.10	U	0.10	U	4.3	U	4.3	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
Carbon disulfide	50	11	U	2.1	U	0.10	U	0.10	U	0.10	U	2.1	U	2.1	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
Carbon tetrachloride	5	10	U	2.0	U	0.10	U	0.10	U	0.10	U	2.0	U	2.0	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
Chlorobenzene	5	8.0	U	1.6	U	0.10	U	0.10	U	0.10	U	1.6	U	1.6	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
Chlorodibromomethane	5	8.5	U	1.7	U	0.10	U	0.10	U	0.10	U	1.7	U	1.7	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
Chloroethane	50	13	U	2.5	U	0.10	U	0.10	U	0.10	U	2.5	U	2.5	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
Chloroform	7	9.5	U	1.9	U	0.10	U	0.10	U	0.10	U	1.9	U	1.9	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
Chloromethane		12	U	2.3	U	0.10	U	0.10	U	0.10	U	2.3	U	2.3	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
cis-1,2-Dichloroethene	5	320	U	270	D	0.22	J	0.1	J	0.10	U	1.8	U	1.8	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
cis-1,3-Dichloropropene	0.4	7.0	U	1.4	U	0.10	U	0.10	U	0.10	U	1.4	U	1.4	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
Ethylbenzene	5	8.0	U	1.6	U	0.10	U	0.10	U	0.10	U	1.6	U	1.6	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
Methylene chloride	5	6.5	U	1.3	U	0.23	JB	0.42	JB	0.10	U	1.3	U	1.3	U	0.28	JB	0.4	JB	0.46	JB	0.10	U	0.10	U
Styrene	5	8.5	U	1.7	U	0.10	U	0.10	U	0.10	U	1.7	U	1.7	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
Tetrachloroethene	5	770	U	440	D	16	B	28	U	52	U	2.1	U	14	U	7.2	JB	9.3	J	10	J	29	U	25	U
Toluene	5	8.0	U	2.0	J	0.33	J	0.13	J	0.10	U	1.6	U	1.6	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
trans-1,2-Dichloroethene	5	9.5	U	1.9	U	0.10	U	0.10	U	0.10	U	1.9	U	1.9	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
trans-1,3-Dichloropropene	0.4	8.0	U	1.6	U	0.10	U	0.10	U	0.10	U	1.6	U	1.6	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
Trichloroethene	5	160	U	190	U	0.32	J	0.28	J	0.59	J	36	J	1.9	U	0.24	J	0.47	J	0.49	J	0.50	J*	1.1	J
Vinyl chloride	2	12	U	2.3	U	0.10	U	0.10	U	0.10	U	2.3	U	2.3	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
Xylenes (total)	15	4.1	U	0.82	U	0.10	U	0.10	U	0.10	U	0.82	U	0.82	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U

TABLE 5

QUARTERLY GROUNDWATER MONITORING RESULTS

Compound	INVSPEC Class GA GW Standard	MW-10A Q	MW-10A Q	Duplicate 11/16/2012	MW-10A Q	Duplicate 9/23/10	MW-10A Q	MW-10A Q	Duplicate 9/23/08	MW-10A Q	MW-10A Q	MW-10A Q
Sample Date Screen Interval Unit		Oct-13 60-70 µg/L	Nov-12 60-70 µg/L	Nov-12 60-70 µg/L	Sep-10 60-70 µg/L	Sep-10 60-70 µg/L	Sep-09 60-70 µg/L	Sep-08 60-70 µg/L	Sep-08 60-70 µg/L	Aug-07 60-70 µg/L	Aug-06 60-70 µg/L	
1,1,1-Trichloroethane	5	2.1	U	2.1	U	0.10	U	0.10	U	0.10	U	U
1,1,2,2-Tetrachloroethane	5	1.5	U	1.5	U	0.10	U	0.10	U	0.10	U	U
1,1,2-Trichloroethane	1	1.9	U	1.9	U	0.10	U	0.10	U	0.10	U	U
1,1-Dichloroethane	5	1.7	U	1.7	U	0.10	U	0.10	U	0.10	U	U
1,1-Dichloroethene	5	2.5	U	2.5	U	0.10	U	0.10	U	0.10	U	U
1,2-Dichloroethane	5	0.83	U	0.83	U	0.10	U	0.10	U	0.10	U	U
1,2-Dichloropropane	1	1.7	U	1.7	U	0.10	U	0.10	U	0.10	U	U
2-Butanone (MEK)	50	1.5	U	1.5	U	0.10	U	0.10	U	0.10	U	U
2-Hexanone		1.8	U	1.8	U	0.10	U	0.10	U	0.10	U	U
4-Methyl-2-pentanone (MIBK)	50	1.7	U	1.7	U	0.10	U	0.10	U	0.10	U	U
Acetone	50	1.9	U	1.9	U	1.6	J	1.1	J	0.10	U	U
Benzene	0.7	1.6	U	1.6	U	0.10	U	0.10	U	0.10	U	U
Dichlorobromomethane	50	1.5	U	1.5	U	0.10	U	0.10	U	0.10	U	U
Bromoform	50	5.0	U	5.0	U	0.10	U	0.10	U	0.10	U	U
Bromomethane	5	4.3	U	4.3	U	0.10	U	0.10	U	0.10	U	U
Carbon disulfide	50	2.1	U	2.1	U	0.10	U	0.10	U	0.10	U	U
Carbon tetrachloride	5	2.0	U	2.0	U	0.10	U	0.10	U	0.10	U	U
Chlorobenzene	5	1.6	U	1.6	U	0.10	U	0.10	U	0.10	U	U
Chlorodibromomethane	5	1.7	U	1.7	U	0.10	U	0.10	U	0.10	U	U
Chloroethane	50	2.5	U	2.5	U	0.10	U	0.10	U	0.10	U	U
Chloroform	7	1.9	U	1.9	U	0.10	U	0.10	U	0.10	U	U
Chloromethane		2.3	U	2.3	U	0.25	J*	0.20	J*	0.10	U	U
cis-1,2-Dichloroethene	5	1.8	U	1.8	U	0.17	J	0.15	J	0.10	U	U
cis-1,3-Dichloropropene	0.4	1.4	U	1.4	U	0.10	U	0.10	U	0.10	U	U
Ethylbenzene	5	1.6	U	1.6	U	0.10	U	0.10	U	0.10	U	U
Methylene chloride	5	1.3	U	1.3	U	0.26	JB	0.25	JB	0.10	U	U
Styrene	5	1.7	U	1.7	U	0.10	U	0.10	U	0.10	U	U
Tetrachloroethene	5	1.40	U	1.2	U	200	B	44	B	11	72	87
Toluene	5	1.6	U	1.6	U	0.10	U	0.10	U	0.10	U	U
trans-1,2-Dichloroethene	5	1.9	U	1.9	U	0.10	U	0.10	U	0.10	U	U
trans-1,3-Dichloropropene	0.4	1.6	U	1.6	U	0.10	U	0.10	U	0.10	U	U
Trichloroethene	5	2.3	J	1.9	U	1.9	J	2.0	J	0.54	J	2
Vinyl chloride	2	2.3	U	2.3	U	0.10	U*	0.10	U	0.10	U	U
Xylenes (total)	15	0.82	U	0.82	U	0.10	U	0.10	U	0.10	U	U

FROST STREET SITES
WESTBURY, NEW YORK

TABLE 5

QUARTERLY GROUNDWATER MONITORING RESULTS

Compound	NYSDEC Class GA GW Standard	MW-10B	Q	MW-11B	Q	MW-10B	Q	MW-10B	Q	MW-10B	Q	MW-11	Q	Duplicate 10/23/2013	Q	MW-11	Q	MW-11	Q	MW-11	Q	MW-11	Q	MW-11	Q	MW-11	Q	MW-11	Q
Sample Date		Sep-09		Sep-10		Sep-09		Sep-08		Aug-07		Oct-13		Oct-13		Sep-10		Sep-09		Aug-07		Aug-06							
Screen Interval		137-147		137-147		137-147		137-147		137-147		137-149		137-149		137-149		137-149		137-149		137-149		137-149		137-149		137-149	
Units		µg/L		µg/L		µg/L		µg/L		µg/L		µg/L		µg/L		µg/L		µg/L		µg/L		µg/L		µg/L		µg/L		µg/L	
1,1,1-Trichloroethane	5	2.1	U	0.10	U	0.10	U	0.10	U	0.10	U	2.1	U	2.1	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	10	U
1,1,2,2-Tetrachloroethane	5	1.5	U	0.10	U	0.10	U	0.10	U	0.10	U	1.5	U	1.5	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	10	U
1,1,2-Trichloroethane	1	1.9	U	0.10	U	0.10	U	0.10	U	0.10	U	1.9	U	1.9	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	10	U
1,1-Dichloroethane	5	1.7	U	0.27	J	0.27	J	0.73	J	0.73	J	1.7	U	1.7	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	10	U
1,1-Dichloroethene	5	2.5	U	0.11	J	0.12	J	0.10	U	0.10	U	2.5	U	2.5	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	10	U
1,2-Dichloroethane	5	0.83	U	0.10	U	0.10	U	0.10	U	0.10	U	0.83	U	0.83	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	10	U
1,2-Dichloropropane	1	1.7	U	0.10	U	0.10	U	0.10	U	0.10	U	1.7	U	1.7	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	10	U
2-Butanone (MEK)	50	1.5	U	0.10	U	0.10	U*	0.10	U	0.10	U	1.5	U	1.5	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	10	U
2-Hexanone		1.8	U	0.10	U	0.10	U*	0.10	U	0.10	U	1.8	U	1.8	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	10	U
4-Methyl-2-pentanone (MIBK)	50	1.7	U	0.10	U	0.10	U	0.10	U	0.10	U	1.7	U	1.7	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	10	U
Acetone	50	1.9	U	1.2	J	0.62	JB*	0.10	U*	0.10	U	1.9	U	1.9	U	1.6	J	1.5	U	0.10	U	0.10	U	0.10	U	0.10	U	10	U
Benzene	0.7	1.6	U	0.10	U	0.10	U	0.10	U	0.10	U	1.6	U	1.6	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	10	U
Dichlorobromomethane	50	1.5	U	0.10	U	0.10	U	0.10	U	0.10	U	1.5	U	1.5	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	10	U
Bromoform	50	5.0	U	0.10	U	0.10	U	0.10	U	0.10	U	5.0	U	5.0	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	10	U
Bromomethane	5	4.3	UJ	0.10	U	0.10	U	0.10	U	0.10	U	4.3	U	4.3	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	10	U
Carbon disulfide	50	2.1	U	0.10	U	0.10	U	0.10	U	0.10	U	2.1	U	2.1	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	10	U
Carbon tetrachloride	5	2.0	U	0.10	U	0.10	U	0.10	U	0.10	U	2.0	U	2.0	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	1.3	J
Chlorobenzene	5	1.6	U	0.10	U	0.10	U	0.10	U	0.10	U	1.6	U	1.6	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	10	U
Chlorodibromomethane	5	1.7	U	0.10	U	0.10	U	0.10	U	0.10	U	1.7	U	1.7	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	10	U
Chloroethane	50	2.5	U	0.10	U	0.10	U	0.10	U	0.10	U	2.5	U	2.5	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	10	U
Chloroform	7	1.9	U	0.10	U	0.10	U	0.10	U	0.10	U	1.9	U	1.9	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	10	U
Chloromethane		2.3	U	0.10	U*	0.10	U	0.10	U	0.10	U	2.3	U	2.3	U	0.10	U*	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	10	U
cis-1,2-Dichloroethene	5	1.8	U	0.10	U	0.10	U	0.10	U	0.10	U	1.8	U	1.8	U	0.22	J	0.34	J	0.59	J	0.95	J	10	U	0.10	U	10	U
cis-1,3-Dichloropropene	0.4	1.4	U	0.10	U	0.10	U	0.10	U	0.10	U	1.4	U	1.4	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	10	U
Ethylbenzene	5	1.6	U	0.10	U	0.10	U	0.10	U	0.10	U	1.6	U	1.6	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	10	U
Methylene chloride	5	1.3	U	0.28	JB	0.34	JB	0.47	JB	0.10	U	1.3	U	1.3	U	0.27	JB	0.41	JB	0.10	U	0.10	U	0.10	U	0.10	U	10	U
Styrene	5	1.7	U	0.10	U	0.10	U	0.10	U	0.10	U	1.7	U	1.7	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	10	U
Tetrachloroethene	5	2.1	U	0.86	J	0.55	J	0.10	U	0.34	J	2.5	J	2.5	J	2.3	J	3.3	J	3.0	J	6.9	J	5	J	10	U	10	U
Toluene	5	1.6	U	0.10	U	0.10	U	0.10	U	0.10	U	1.6	U	1.6	U	0.10	U	0.29	J	0.10	U	0.10	U	0.10	U	0.10	U	10	U
trans-1,2-Dichloroethene	5	1.9	U	0.10	U	0.10	U	0.10	U	0.10	U	1.9	U	1.9	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	10	U
trans-1,3-Dichloropropene	0.4	1.6	U	0.10	U	0.10	U	0.10	U	0.10	U	1.6	U	1.6	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	10	U
Trichloroethene	5	1.9	U	1.3	J	1.3	J	1.3	J	1.6	J	4.8	J	4.9	J	3.0	J	4	J	13	22	21	10	U	10	U	10	U	
Vinyl chloride	2	2.3	U	0.10	U*	0.10	U	0.10	U	0.10	U	2.3	U	2.3	U	0.10	U*	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	10	U
Xylenes (total)	15	0.82	U	0.10	U	0.10	U	0.10	U	0.10	U	0.82	U	0.82	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U	10	U

TABLES

[illegible]

QUARTERLY GROUNDWATER MONITORING RESULTS

Z. Szallasi • First St Quarterly • Annual GW Monitoring Report 2014 | at Quarter 2014 Table 5 Qdrly Monitoring Results 7/30/2014

FROST STREET SITES
WESTBURY, NEW YORK

TABLE 5
QUARTERLY GROUNDWATER MONITORING RESULTS

Compound	NYSDEC Class GAGW Standard	MW-13C		Q	MW-13C		Q	MW-13C		Q	MW-13C		Q	MW-13C		Q	MW-13C
		Oct-13 239-249	Oct-13 239-249		Nov-12 239-249	Sep-10 239-249		Sep-09 239-249	Sep-08 239-249		Aug-07 239-249	Aug-06 239-249					
Sample Date	Screen Interval	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
Unit																	
1,1,1-Trichloroethane	5	4.2	U	2.1	U	2.1	U	1.1	J	1.2	J	1.4	J	1.8	J	40	U
1,1,2,2-Tetrachloroethane	5	3.0	U	1.5	U	1.5	U	0.10	U	0.5	U	0.10	U	0.10	U	40	U
1,1,2-Trichloroethane	1	3.8	U	1.9	U	1.9	U	0.20	J	0.5	U	0.10	U	0.10	U	40	U
1,1-Dichloroethane	5	3.4	U	1.7	U	1.7	U	1.3	J	1.1	J	0.88	J	0.72	J	40	U
1,1-Dichloroethene	5	5.0	UJ	2.6	J	2.5	U	4.4	J	4.5	J	0.10	U	5.3	J	40	U
1,2-Dichloroethane	5	1.7	U	0.83	U	0.83	U	0.10	U	0.5	U	0.10	U	0.10	U	40	U
1,2-Dichloropropane	1	3.4	U	1.7	U	1.7	U	0.10	U	0.5	U	0.10	U	0.10	U	40	U
2-Butanone (MEK)	50	3.0	U	1.5	U	1.5	U	0.10	U*	0.5	U	0.10	U	0.10	U	40	U
2-Hexanone		3.6	U	1.8	U	1.8	U	0.10	U	0.5	U	0.10	U	0.10	U	40	U
4-Methyl-2-pentanone (MIBK)	50	3.4	U	1.7	U	1.7	U	0.10	U	0.5	U	0.10	U	0.10	U	40	U
Acetone	50	3.8	U	2.1	U	1.9	U	0.96	JB*	3.8	J	0.10	U*	0.10	U	40	U
Benzene	5	3.2	U	1.6	U	1.6	U	0.10	U	0.5	U	0.10	U	0.10	U	40	U
Dichlorobromomethane	50	3.0	U	1.5	U	1.5	U	0.10	U	0.5	U	0.10	U	0.10	U	40	U
Bromoform	50	10	U	5.0	U	5.0	UJ	0.10	U	0.5	U	0.10	U	0.10	U	40	U
Bromomethane	5	8.6	U	4.3	U	4.3	U	0.10	U	0.5	U	0.10	U	0.10	U	40	UJ
Carbon disulfide	50	4.2	U	2.1	U	2.1	U	0.10	U*	0.5	U	0.10	U	0.10	U	40	U
Carbon tetrachloride	5	6.0	J	6.9	J	2.0	U	20		16	J	28		36		42	
Chlorobenzene	5	3.2	U	1.6	U	1.6	U	0.10	U	0.5	U	0.10	U	0.10	U	40	U
Chlorodibromomethane	5	3.4	U	1.7	U	1.7	U	0.10	U	0.5	U	0.10	U	0.10	U	40	U
Chloroethane	50	5.0	U	2.5	U	2.5	U	0.10	U	0.5	U	0.10	U	0.10	U	40	UJ
Chloroform	7	3.8	U	3.5	J	1.9	U	2.1	J	2.1	J	1.60	J	1.7	J	1	J
Chloromethane		4.6	U	2.3	U	2.3	U	0.10	U*	0.5	U	0.10	U	0.10	U	40	U
cis-1,2-Dichloroethene	5	79		78		1.8	U	53		39	J	28		20		15	J
cis-1,3-Dichloropropene	5	2.8	U	1.4	U	1.4	U	0.10	U	0.5	U	0.10	U	0.10	U	40	U
Ethylbenzene	5	3.2	U	1.6	U	1.6	U	0.10	U	0.5	U	0.10	U	0.10	U	40	U
Methylene chloride	5	2.6	U	1.3	U	1.3	U	0.23	JB	8.4	JB	0.42	JB	0.10	U	40	U
Styrene	5	3.4	U	1.7	U	1.7	U	0.10	U	0.5	U	0.10	U	0.10	U	40	U
Tetrachloroethene	5	64		70		640	J	100	B	96		67		88		89	
Toluene	5	3.2	U	1.6	U	1.6	U	0.11	J	0.5	U	0.10	U	0.10	U	40	U
trans-1,2-Dichloroethene	5	3.8	U	1.9	U	1.9	U	0.55	J	0.93	J	2.0	J	0.10	U	40	U
trans-1,3-Dichloropropene	5	3.2	U	1.6	U	1.6	U	0.10	U	0.5	U	0.10	U	0.10	U	40	U
Trichloroethene	5	390		410	D	13		560		510		410		530		500	
Vinyl chloride	2	4.6	U	2.3	U	2.3	U	0.10	U*	0.5	U	0.10	U	0.10	U	40	U
Xylenes (total)	5	1.6	U	0.82	U	0.82	U	0.10	U	0.5	U	0.10	U	0.10	U	40	U

TABLE 5

QUARTERLY GROUNDWATER MONITORING RESULTS

Z. Song (ed.) - Front St Quarterly - Annual CW Monitoring Report 2014 1st Quarter 2014 Table 5 Qtrly Monitoring Results 7.30.2014

QUARTERLY GROUNDWATER MONITORING RESULTS

2. See 100 - First St Quarterly - Annual GW Monitoring Report 2014 1st Quarter 2014 Table 5 Q4th Monitoring Results 7/30/2014


FROST STREET SITES
WESTBURY, NEW YORK

TABLE 5

QUARTERLY GROUNDWATER MONITORING RESULTS

Compound	NYSDEC Class CA GW Standard	Oct-13		Nov-12		Sep-10		Sep-09		Sep-08		Aug-07	
		MW-14C	Q	MW-14C	Q	MW-14C	Q	MW-14C	Q	MW-14C	Q	MW-14C	Q
		239-249	µg/L	239-249	µg/L	239-249	µg/L	239-249	µg/L	239-249	µg/L	239-249	µg/L
		239-249	µg/L	239-249	µg/L	239-249	µg/L	239-249	µg/L	239-249	µg/L	239-249	µg/L
1,1,1-Trichloroethane	5	2.1	U	0.91	J	0.86	J	0.85	J	1.3	J	1.9	J
1,1,2,2-Tetrachloroethane	5	1.5	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
1,1,2-Trichloroethane	1	1.9	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
1,1-Dichloroethane	5	1.7	U	2.0	J	1.8	J	1.8	J	2.4	J	3.1	J
1,1-Dichloroethene	5	2.5	U	3.8	J	3.2	J	3.2	J	4.0	J	5.5	J
1,2-Dichloroethane	5	0.83	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
1,2-Dichloropropane	1	1.7	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
2-Butanone (MEK)	50	1.5	U	0.10	U*	0.10	U	0.10	U	0.10	U	0.10	U
2-Hexanone		1.8	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
4-Methyl-2-pentanone (MIBK)	50	1.7	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
Acetone	50	1.9	U	1.2	JB*	0.10	U	0.10	U	0.10	U	0.10	U
Benzene	0.7	1.6	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
Dichlorobromomethane	50	1.5	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
Bromoform	50	5.0	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
Bromomethane	5	4.3	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
Carbon disulfide	50	2.1	U	0.10	U*	0.10	U	0.10	U	0.10	U	0.10	U
Carbon tetrachloride	5	7.6	J	12	18	16	16	16	J	26	33	45	
Chlorobenzene	5	1.6	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
Chlorodibromomethane	5	1.7	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
Chloroethane	50	2.5	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
Chloroform	7	1.9	U	1.4	J	1.1	J	1	J	1.1	J	1.3	J
Chloromethane		2.3	U	0.10	U*	0.10	U	0.10	U	0.10	U	0.10	U
cis-1,2-Dichloroethene	5	18	16	9.9	J	5.6	J	5.5	J	7.1	J	6.2	J
cis-1,3-Dichloropropene	6.4	1.4	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
Ethylbenzene	5	1.6	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
Methylene chloride	5	1.3	U	0.30	JB	0.4	JB	0.39	JB	0.10	U	0.10	U
Styrene	5	1.7	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
Tetrachloroethene	5	20	29	25	B	21	23	23		28	37	36	
Toluene	5	1.6	U	0.10	U	0.11	J	0.10	U	0.10	U	0.10	U
trans-1,2-Dichloroethene	5	1.9	U	0.15	J	0.13	J	0.14	J	0.10	U	0.10	U
trans-1,3-Dichloropropene	6.4	1.6	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U
Trichloroethene	5	120	130	130	90	90	90	90		140	160	140	
Vinyl chloride	2	2.3	U	0.10	U*	0.10	U	0.10	U	0.10	U	0.10	U
Xylenes (total)	15	0.82	U	0.10	U	0.10	U	0.10	U	0.10	U	0.10	U

FIGURES



Notes: Aerial photos obtained from
the New York State GIS Clearinghouse

Creation date: 12/19/2007 Print Date: 12/19/2007

Author: CAM Job No: SPGL0100

PDF: G:\SPGL\GIS\Frost Street Maps\AnnualReport_Dec2007\SiteRelatedMWs.pdf

Map: G:\SPGL\GIS\Frost Street Maps\AnnualReport_Dec2007\SiteRelatedMWs.mxd


WALDEN ENVIRONMENTAL ENGINEERING, PLLC
 16 SPRING STREET
 OYSTER BAY, NEW YORK
 P: (516) 624-7200 F: (516) 624-3219
 WWW.WALDENENVIRONMENTAL.COM


Frost Street Sites

Westbury, New York

Figure 1 - Site Related Monitoring Wells

Legend

-  Monitoring Wells
-  Approx. Limits of Onsite Study Area



LEGEND

- DW ⊕ EXISTING DRYWELL
- G — UNDERGROUND GAS LINE
- WV • WATER VALVE
- W — UNDERGROUND WATER LINE
- CURB
- RETAINING WALL
- — — PROPERTY LINE

NOTES

1. DATE OF SURVEY: OCT. 12, 1998 AND DEC. 1, 1998.
2. PROPERTY LINES ARE APPROXIMATE FROM TAX MAPS.
3. VERTICAL DATUM: NGVD 1929.
4. HORIZONTAL DATUM: N.A.D. 1927 NEW YORK STATE PLANE COORDINATE SYSTEM — LONG ISLAND ZONE, FROM MASSAU COUNTY MONUMENTS.
5. BASEMAP WAS DRAWN BY YEC, INC. DECEMBER 1998.

FOR:
 NEXT MILLENNIUM REALTY, LLC
 101 FROST STREET ASSOCIATES
 Frost Street Sites
 Westbury, New York

WALDEN ENVIRONMENTAL ENGINEERING, PLLC
 16 Spring Street
 Oyster Bay, New York 11771
 P: (516) 624-7200 F: (516) 624-3219
 www.walden-assoc.com





Notes: Aerial photos obtained from the New York State GIS Clearinghouse

Creation date: 4/4/2007

Print Date: 2/26/08

Author: MDC

Job No: SPGL0100

PDF: G:\SPGL\GIS\Frost Street Maps\AnnualReport_Doc2007\ave_as_well locations.pdf

Map: G:\SPGL\GIS\Frost Street Maps\AnnualReport_Doc2007\ave_as_well locations.mxd


WALDEN ENVIRONMENTAL ENGINEERING, PLLC
 16 SPRING STREET
 OYSTER BAY, NEW YORK
 P: (516) 624-7200 F: (516) 624-3219
 WWW.WALDENENVIRONMENTAL.COM

Frost Street Sites

Westbury, New York

Figure 3
SVE/AS Well Locations

Legend

--- Approx. Limits of Onsite Study Area

⊕ Air Sparge

⊕ SVE