

RICH
ENVIRONMENTAL SPECIALISTS

December 5, 2007

NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION
DIVISION OF ENVIRONMENTAL REMEDIATION
Bureau of Eastern Remedial Action
625 Broadway, 11th Floor
Albany, New York 12233-7015

Attention: Joseph Jones, Project Manager
Remedial Section A

Re: **Progress Report - November 2007**
299 Main St., Site 1-30-043S
New Cassel Industrial Area
Agreement Index # W1-1072-05-07

Dear Mr. Jones:

In accordance with the above referenced Agreement, CA RICH is pleased to provide you with the following Progress Report. This Report includes selected work items outlined in Section III Progress Reports pursuant to the above-referenced Agreement.

During the past month the following activities were performed:

- Working in cooperation with the Nassau County Department of Health (NCDH) the private on-site sanitary system was investigated and bottom sediment samples were collected from the primary and secondary cesspools. Enclosed please find a copy of our correspondence with NCDH along with the sample results.
- The on-Site SVE system continues to be monitored and has been in full-time operation since November 1, 2006. Enclosed is a graphical analysis illustrating the VOC removal efficiency of the SVE system. Based upon sample data, we intend on continuing to operate the SVE system as is and will collect the next quarterly soil vapor sample in January 2008.

The following work is planned December-January:

- Working in cooperation with the NCDH, the former sanitary system will be cleaned out and abandoned in accordance with Nassau County Department of Health On-site Sanitary System Abandonment Procedures. All remedial work on the sanitary system will be conducted under the direct oversight and witnessed by a NCDH representative. All correspondences between NCDH and CA RICH will be forwarded to NYSDEC for their permanent record. NYSDEC will also be notified when any on-site remedial work is scheduled between NCDH and CA RICH.

We trust the level of detail provided herein is sufficient at this time. If there is a need for further detail, please contact us.

Yours sincerely,

CA-RICH CONSULTANTS, INC.



Steve Sobstyl
Project Manager

SS/sm

cc: see attached distribution

NT Server\Files\Users\Proj\299 MAIN ST\MPR 2007\Oct-07 Progress Rept

Distribution List

299 Main Street, NCIA #1-30-043S, Westbury NY

Joe Jones **NYSDEC**
Division of Environmental Remediation
Bureau of Eastern Remedial Action
625 Broadway/11th Floor
Albany, New York 12233-7015

Guy Bobersky, P.E. **NYSDEC**
Division of Environmental Remediation
Bureau of Eastern Remedial Action
625 Broadway/11th Floor
Albany, New York 12233-7015

Peter Scully, Regional Director
NYSDEC
SUNY at Stony Brook
50 Circle Road
Stony Brook, NY 11790-3409

Gary Litwin
Bureau of Environmental Exposure Investigation
NYSDOH
Flanigan Square
547 River Street
Troy, New York 12180-2216

Via email: amtamuno@gw.dec.state.ny.us Alali M. Tamuno, Esq. Senior Attorney
NYSDEC
Division of Environmental Enforcement
200 White Plains Road/5th Floor
Tarrytown, New York 10591-5803
(914) 332-5116

Lawrence P. Schnapf, Esq.
Attorney at Law
55 East 87th Street, # 8B
New York, NY 11028
(212) 996-5395

Charlotte A. Biblow, Esq.
Farrell Fritz, P.C.
1320 RexCorp Plaza
Uniondale, NY 11556-0111
(516) 227-0686

Samuel Padilla
Alex Holuka
19 Liberty LTD
299 Main Street
Westbury, NY 11590

299 Main Street
New Cassell Industrial Area
Westbury, New York
Site No. 1-30-0438

Soil Vapor Quality Analytical Data in ug/cubic meter

SVE SYSTEM

Date	Days Since System Start Up	Benzene	Toluene	Ethyl Benzene	Total Xylene	PCE	TCE	C-1,2 DCE	Total VOC's	Comments
5/2/2006	-179	3163	286407	18243	61244	312	107	32908	402384	Pilot Test
11/1/2006	0	1276	229665	69408	456330	339	381	8727	766126	System start-up Baseline
12/11/2006	40	< 12	35015	16484	195570	447	4674	2538	254728	1st quarterly sample
--	--	--	--	--	--	--	--	--	--	System down 2/28/07
--	--	--	--	--	--	--	--	--	--	System re-started 4/6/07
4/30/2007	179	< 12	866	2212	35637	230	3223	2023	44191	2nd quarterly sample
7/24/2007	263	< 12	71	273	6692	257	4889	2895	15077	3rd quarterly sample
10/17/2007	306	< 3.19	26	108	1695	448	2580	1745	6602	4th quarterly sample


Notes:

Time 0 = System activation date- 11/01/06

Air samples were collected using Summa canisters.

Results reported in micro grams per cubic meter (ug/m3).

Total VOC Concentrations VS. Time





December 5, 2007

NASSAU COUNTY DEPARTMENT OF HEALTH
240 Old Country Road
Mineola, New York 11501

Attention: John Lovejoy

Re: **RESULTS: Sanitary System Samples**
299 Main Street
Westbury, NY 11590

Dear Mr. Lovejoy:


Attached are the sample results for the sanitary system associated with the above-referenced premises. Sample ID # PCP-01 refers to the primary cesspool bottom sediment, sample ID # SCP-02 refers to the bottom sediment from the secondary cesspool and sample ID # CP-01(L) refers to the standing liquid in the primary cesspool. The secondary cesspool did not contain any standing liquid. All samples were collected in the presence of Wayne Kempinski of your Office. Also attached please find a copy of the letter to Peter Witkowski (Cedar Creek W.P.C.P) that requests approval for the liquid wastewater to be accepted at the County's Cedar Creek Water Pollution Control Plant.

Based upon these sample results the two (2) cesspools will be cleaned out in accordance with Nassau County Department of Health On-site Sanitary Abandonment Procedures. Enclosed please find Figure 1 which illustrates the location of the cesspools. We are currently awaiting approval from a solid waste disposal facility to accept the solid waste. Once we receive approval, we will mobilize a high vacuum Guzzler® and a liquid pump truck to the Site to cleanout both cesspools. We will notify the Department once the work is scheduled so that you have an opportunity to witness the cleanout and have the option to collect split endpoint soil samples.

We have also enclosed the required Nassau County plan review fee of \$125. If you have any questions or need additional information, please do not hesitate to call our Office.



Sincerely,

CARICH CONSULTANTS, INC.


Steve Sobstyl
Project Manager

Enclosures

cc: Joe Jones, NYSDEC
Sam Padilla
Alex Holuka
Larry Schnapf, Esq.



Legend

○ CESSPOOL LOCATION



Scale in Feet

CA RICH CONSULTANTS, INC.

Certified Ground-Water and Environmental Specialists
17 Dupont Street, Plainview, New York 11803

TITLE:	LOCATION OF SANITARY SYSTEM		DATE:	12/05/07
			SCALE:	AS SHOWN
FIGURE:	1	DRAWN BY: J.T.C.		
DWG NO.	2007-10	APPR. BY: S.T.S.		
		299 MAIN STREET WESTBURY, NEW YORK		

ECOTEST LABORATORIES, INC.

ENVIRONMENTAL TESTING

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777 • FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO.274893.01

11/21/07

C.A. Rich Consultants, Incorporated
17 Dupont Street
Plainview, NY 11803

ATTN: Steve Sobstyl

PO#:

SOURCE OF SAMPLE: 299 Main Street-19 Liberty LDT, #299 Main Street

SOURCE OF SAMPLE:

COLLECTED BY: Client

DATE COL'D:11/08/07 RECEIVED:11/08/07

TIME COL'D:1040

MATRIX:Soil

SAMPLE: PCP-01

Results reported on a dry weight basis

ANALYTICAL PARAMETERS	UNITS	RESULT	FLAG	DATE OF ANALYSIS	LRL	ANALYTICAL METHOD
Vinyl Chloride	ug/Kg	< 180		11/15/07	175.43	EPA8260
Trichlorofluoromethane	ug/Kg	< 180		11/15/07	175.43	EPA8260
1,1 Dichloroethene	ug/Kg	< 180		11/15/07	175.43	EPA8260
Methylene Chloride	ug/Kg	< 180		11/15/07	175.43	EPA8260
t-1,2-Dichloroethene	ug/Kg	< 180		11/15/07	175.43	EPA8260
1,1 Dichloroethane	ug/Kg	< 180		11/15/07	175.43	EPA8260
2,2-Dichloropropane	ug/Kg	< 180		11/15/07	175.43	EPA8260
c-1,2-Dichloroethene	ug/Kg	< 180		11/15/07	175.43	EPA8260
Bromochloromethane	ug/Kg	< 180		11/15/07	175.43	EPA8260
Chloroform	ug/Kg	< 180		11/15/07	175.43	EPA8260
111 Trichloroethane	ug/Kg	< 180		11/15/07	175.43	EPA8260
1,1-Dichloropropene	ug/Kg	< 180		11/15/07	175.43	EPA8260
Carbon Tetrachloride	ug/Kg	< 180		11/15/07	175.43	EPA8260
Benzene	ug/Kg	< 180		11/15/07	175.43	EPA8260
1,2 Dichloroethane	ug/Kg	< 180		11/15/07	175.43	EPA8260
Trichloroethene	ug/Kg	< 180		11/15/07	175.43	EPA8260
1,2 Dichloropropane	ug/Kg	< 180		11/15/07	175.43	EPA8260
Bromodichloromethane	ug/Kg	< 180		11/15/07	175.43	EPA8260
Dibromomethane	ug/Kg	< 180		11/15/07	175.43	EPA8260
Toluene	ug/Kg	28000		11/15/07	175.43	EPA8260
112 Trichloroethane	ug/Kg	< 180		11/15/07	175.43	EPA8260
Tetrachloroethene	ug/Kg	< 180		11/15/07	175.43	EPA8260
1,3-Dichloropropane	ug/Kg	< 180		11/15/07	175.43	EPA8260
Chlorodibromomethane	ug/Kg	< 180		11/15/07	175.43	EPA8260
1,2 Dibromoethane	ug/Kg	< 180		11/15/07	175.43	EPA8260

cc:

LRL=Laboratory Reporting Limit

REMARKS:

DIRECTOR



ECOTEST LABORATORIES, INC.

ENVIRONMENTAL TESTING

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777 • FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO.274893.01

11/21/07

C.A. Rich Consultants, Incorporated
17 Dupont Street
Plainview, NY 11803

ATTN: Steve Sobstyl

PO#:

SOURCE OF SAMPLE: 299 Main Street-19 Liberty LDT, #299 Main Street

SOURCE OF SAMPLE:

COLLECTED BY: Client

DATE COL'D:11/08/07 RECEIVED:11/08/07

TIME COL'D:1040

MATRIX:Soil

SAMPLE: PCP-01

Results reported on a dry weight basis


ANALYTICAL PARAMETERS	UNITS	RESULT	FLAG	DATE OF ANALYSIS	LRL	ANALYTICAL METHOD
1112Tetrachloroethane	ug/Kg	< 180		11/15/07	175.43	EPA8260
Chlorobenzene	ug/Kg	< 180		11/15/07	175.43	EPA8260
Ethyl Benzene	ug/Kg	350		11/15/07	175.43	EPA8260
m + p Xylene	ug/Kg	1600		11/15/07	350.87	EPA8260
o Xylene	ug/Kg	790		11/15/07	175.43	EPA8260
Styrene	ug/Kg	< 180		11/15/07	175.43	EPA8260
Bromoform	ug/Kg	< 180		11/15/07	175.43	EPA8260
Isopropylbenzene	ug/Kg	180		11/15/07	175.43	EPA8260
1122Tetrachloroethane	ug/Kg	< 180		11/15/07	175.43	EPA8260
Bromobenzene	ug/Kg	< 180		11/15/07	175.43	EPA8260
123-Trichloropropane	ug/Kg	< 180		11/15/07	175.43	EPA8260
n-Propylbenzene	ug/Kg	610		11/15/07	175.43	EPA8260
2-Chlorotoluene	ug/Kg	< 180		11/15/07	175.43	EPA8260
135-Trimethylbenzene	ug/Kg	3000		11/15/07	175.43	EPA8260
4-Chlorotoluene	ug/Kg	< 180		11/15/07	175.43	EPA8260
tert-Butylbenzene	ug/Kg	< 180		11/15/07	175.43	EPA8260
124-Trimethylbenzene	ug/Kg	7000		11/15/07	175.43	EPA8260
sec-Butylbenzene	ug/Kg	540		11/15/07	175.43	EPA8260
p-Isopropyltoluene	ug/Kg	2800		11/15/07	175.43	EPA8260
1,2 Dichlorobenzene (v)	ug/Kg	< 180		11/15/07	175.43	EPA8260
1,3 Dichlorobenzene (v)	ug/Kg	< 180		11/15/07	175.43	EPA8260
1,4 Dichlorobenzene (v)	ug/Kg	4600		11/15/07	175.43	EPA8260
DBCP	ug/Kg	< 180		11/15/07	175.43	EPA8260
124-Trichlorobenzene (v)	ug/Kg	< 180		11/15/07	175.43	EPA8260
Hexachlorobutadiene	ug/Kg	< 180		11/15/07	175.43	EPA8260

cc:

LRL=Laboratory Reporting Limit

REMARKS:

DIRECTOR



ECOTEST LABORATORIES, INC.

ENVIRONMENTAL TESTING

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777 • FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com
LAB NO.274893.01 11/21/07

C.A. Rich Consultants, Incorporated
17 Dupont Street
Plainview, NY 11803

ATTN: Steve Sobstyl

PO#:

SOURCE OF SAMPLE: 299 Main Street-19 Liberty LDT, #299 Main Street

SOURCE OF SAMPLE:

COLLECTED BY: Client

DATE COL'D:11/08/07 RECEIVED:11/08/07

TIME COL'D:1040

MATRIX:Soil SAMPLE: PCP-01

Results reported on a dry weight basis

ANALYTICAL PARAMETERS	UNITS	RESULT	FLAG	DATE OF ANALYSIS	LRL	ANALYTICAL METHOD
Naphthalene(v)	ug/Kg	4700		11/15/07	175.43	EPA8260
123-Trichlorobenzene	ug/Kg	< 180		11/15/07	175.43	EPA8260
c-1,3Dichloropropene	ug/Kg	< 180		11/15/07	175.43	EPA8260
t-1,3Dichloropropene	ug/Kg	< 180		11/15/07	175.43	EPA8260
Acetone	ug/Kg	< 1800		11/15/07	1754.3	EPA8260
% Solids		57		11/09/07	0.1	SM182540G

cc:

LRL=Laboratory Reporting Limit

REMARKS:

DIRECTOR



ECOTEST LABORATORIES, INC.

ENVIRONMENTAL TESTING

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777 • FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO.274893.01

11/21/07

C.A. Rich Consultants, Incorporated
17 Dupont Street
Plainview, NY 11803

ATTN: Steve Sobstyl

PO#:

SOURCE OF SAMPLE: 299 Main Street-19 Liberty LDT, #299 Main Street

SOURCE OF SAMPLE:

COLLECTED BY: Client

DATE COL'D:11/08/07 RECEIVED:11/08/07

TIME COL'D:1040

MATRIX:Soil

SAMPLE: PCP-01

Results reported on a dry weight basis


ANALYTICAL PARAMETERS	UNITS	RESULT	FLAG	DATE OF ANALYSIS	LRL	ANALYTICAL METHOD
Bis(2-chloroethyl)ether	ug/Kg	< 260		11/16/07	263.15	EPA8270
1,3 Dichlorobenzene(sv)	ug/Kg	< 260		11/16/07	263.15	EPA8270
1,4 Dichlorobenzene(sv)	ug/Kg	< 260		11/16/07	263.15	EPA8270
Carbazole	ug/Kg	< 260		11/16/07	263.15	EPA8270
1,2 Dichlorobenzene(sv)	ug/Kg	< 260		11/16/07	263.15	EPA8270
Bis(2-chloroisopropyl)ether	ug/Kg	< 260		11/16/07	263.15	EPA8270
N-Nitrosodi-n-propylamine	ug/Kg	< 260		11/16/07	263.15	EPA8270
Hexachloroethane	ug/Kg	< 260		11/16/07	263.15	EPA8270
Nitrobenzene	ug/Kg	< 260		11/16/07	263.15	EPA8270
Isophorone	ug/Kg	< 260		11/16/07	263.15	EPA8270
Bis(2-chloroethoxy)methane	ug/Kg	< 260		11/16/07	263.15	EPA8270
124-Trichlorobenzene (sv)	ug/Kg	< 260		11/16/07	263.15	EPA8270
Naphthalene(sv)	ug/Kg	1100		11/16/07	263.15	EPA8270
4-Chloroaniline	ug/Kg	< 260		11/16/07	263.15	EPA8270
Hexachlorobutadiene	ug/Kg	< 260		11/16/07	263.15	EPA8270
2-Methylnaphthalene	ug/Kg	1300		11/16/07	263.15	EPA8270
Hexachlorocyclopentadiene	ug/Kg	< 2600		11/16/07	2631.5	EPA8270
2-Chloronaphthalene	ug/Kg	< 260		11/16/07	263.15	EPA8270
2-Nitroaniline	ug/Kg	< 260		11/16/07	263.15	EPA8270
Dimethyl Phthalate	ug/Kg	< 260		11/16/07	263.15	EPA8270
Acenaphthylene	ug/Kg	< 260		11/16/07	263.15	EPA8270
2,6-Dinitrotoluene	ug/Kg	< 260		11/16/07	263.15	EPA8270
3-Nitroaniline	ug/Kg	< 260		11/16/07	263.15	EPA8270
Acenaphthene	ug/Kg	< 260		11/16/07	263.15	EPA8270
Dibenzofuran	ug/Kg	< 260		11/16/07	263.15	EPA8270

cc:

LRL=Laboratory Reporting Limit

REMARKS:

DIRECTOR



377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777 • FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO.274893.01

11/21/07

C.A. Rich Consultants, Incorporated
17 Dupont Street
Plainview, NY 11803

ATTN: Steve Sobstyl

PO#:

SOURCE OF SAMPLE: 299 Main Street-19 Liberty LDT, #299 Main Street

SOURCE OF SAMPLE:

COLLECTED BY: Client

DATE COL'D:11/08/07 RECEIVED:11/08/07

TIME COL'D:1040

MATRIX:Soil

SAMPLE: PCP-01

Results reported on a dry weight basis

ANALYTICAL PARAMETERS	UNITS	RESULT	FLAG	DATE OF ANALYSIS	LRL	ANALYTICAL METHOD
2,4-Dinitrotoluene	ug/Kg	< 260		11/16/07	263.15	EPA8270
Diethyl Phthalate	ug/Kg	< 260		11/16/07	263.15	EPA8270
4-Chlorophenyl phenyl ether	ug/Kg	< 260		11/16/07	263.15	EPA8270
Fluorene	ug/Kg	< 260		11/16/07	263.15	EPA8270
4-Nitroaniline	ug/Kg	< 260		11/16/07	263.15	EPA8270
N-Nitrosodiphenylamine	ug/Kg	< 260		11/16/07	263.15	EPA8270
4-Bromophenyl phenyl ether	ug/Kg	< 260		11/16/07	263.15	EPA8270
Hexachlorobenzene	ug/Kg	< 260		11/16/07	263.15	EPA8270
Phenanthrene	ug/Kg	930		11/16/07	263.15	EPA8270
Anthracene	ug/Kg	< 260		11/16/07	263.15	EPA8270
Di-n-Butyl Phthalate	ug/Kg	< 260		11/16/07	263.15	EPA8270
Fluoranthene	ug/Kg	440		11/16/07	263.15	EPA8270
Pyrene	ug/Kg	820	*	11/16/07	263.15	EPA8270
BenzylButylPhthalate	ug/Kg	370	*	11/16/07	263.15	EPA8270
3,3'-Dichlorobenzidine	ug/Kg	< 2600	**	11/16/07	2631.5	EPA8270
Benzo(a)anthracene	ug/Kg	< 260	*	11/16/07	263.15	EPA8270

cc:

LRL=Laboratory Reporting Limit

REMARKS:

*,**Estimated due to low internal standard, *34% & **18%.
Low recovery due to interference. QC limit is 50%.

DIRECTOR

ECOTEST LABORATORIES, INC.

ENVIRONMENTAL TESTING

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777 • FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO.274893.01

11/21/07

C.A. Rich Consultants, Incorporated
17 Dupont Street
Plainview, NY 11803

ATTN: Steve Sobstyl

PO#:

SOURCE OF SAMPLE: 299 Main Street-19 Liberty LDT, #299 Main Street

SOURCE OF SAMPLE:

COLLECTED BY: Client

DATE COL'D:11/08/07 RECEIVED:11/08/07

TIME COL'D:1040

MATRIX:Soil

SAMPLE: PCP-01

Results reported on a dry weight basis


ANALYTICAL PARAMETERS	UNITS	RESULT	FLAG	DATE OF		ANALYTICAL
				ANALYSIS	LRL	
Chrysene	ug/Kg	300	*	11/16/07	263.15	EPA8270
Bis(2-ethylhexyl)phthalate	ug/Kg	9300	*	11/16/07	263.15	EPA8270
Di-n-octyl Phthalate	ug/Kg	< 260	**	11/16/07	263.15	EPA8270
Benzo(b)fluoranthene	ug/Kg	< 260	***	11/16/07	263.15	EPA8270
Benzo(k)fluoranthene	ug/Kg	320	***	11/16/07	263.15	EPA8270
Benzo(a)pyrene	ug/Kg	< 260	**	11/16/07	263.15	EPA8270
Indeno(1,2,3-cd)pyrene	ug/Kg	< 260	**	11/16/07	263.15	EPA8270
Dibenzo(a,h)anthracene	ug/Kg	< 260	**	11/16/07	263.15	EPA8270
Benzo(ghi)perylene	ug/Kg	< 260	**	11/16/07	263.15	EPA8270
Arsenic as As	mg/Kg	3.9		11/12/07	1.7543	EPA6010B
Barium as Ba	mg/Kg	81		11/12/07	0.8771	EPA6010B
Chromium as Cr	mg/Kg	10		11/12/07	0.8771	EPA6010B
Cadmium as Cd	mg/Kg	5.3		11/12/07	0.8771	EPA6010B
Lead as Pb	mg/Kg	120		11/12/07	0.8771	EPA6010B
Mercury as Hg	mg/Kg	0.16		11/13/07	0.0087	EPA7470
Selenium as Se	mg/Kg	< 1.8		11/12/07	1.7543	EPA6010B
Silver as Ag	mg/Kg	< 0.88		11/12/07	0.8771	EPA6010B

cc:

LRL=Laboratory Reporting Limit

REMARKS: #Results estimated due to unobtainable method requirement of a 50% split between peaks with the same isomers.
*,**Estimated due to low internal standard, *34% & **18%.
Low recovery due to interference. QC limit is 50%.

DIRECTOR



ECOTEST LABORATORIES, INC.

ENVIRONMENTAL TESTING

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777 • FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO.274893.02

11/21/07

C.A. Rich Consultants, Incorporated
17 Dupont Street
Plainview, NY 11803

ATTN: Steve Sobstyl

PO#:

SOURCE OF SAMPLE: 299 Main Street-19 Liberty LDT, #299 Main Street

SOURCE OF SAMPLE:

COLLECTED BY: Client

DATE COL'D:11/08/07 RECEIVED:11/08/07

TIME COL'D:1000

MATRIX:Soil

SAMPLE: SCP-02

Results reported on a dry weight basis


ANALYTICAL PARAMETERS	UNITS	RESULT	FLAG	DATE OF ANALYSIS	LRL	ANALYTICAL METHOD
Vinyl Chloride	ug/Kg	< 160		11/15/07	158.73	EPA8260
Trichlorofluoromethane	ug/Kg	< 160		11/15/07	158.73	EPA8260
1,1 Dichloroethene	ug/Kg	< 160		11/15/07	158.73	EPA8260
Methylene Chloride	ug/Kg	< 160		11/15/07	158.73	EPA8260
t-1,2-Dichloroethene	ug/Kg	< 160		11/15/07	158.73	EPA8260
1,1 Dichloroethane	ug/Kg	< 160		11/15/07	158.73	EPA8260
2,2-Dichloropropane	ug/Kg	< 160		11/15/07	158.73	EPA8260
c-1,2-Dichloroethene	ug/Kg	< 160		11/15/07	158.73	EPA8260
Bromochloromethane	ug/Kg	< 160		11/15/07	158.73	EPA8260
Chloroform	ug/Kg	< 160		11/15/07	158.73	EPA8260
111 Trichloroethane	ug/Kg	< 160		11/15/07	158.73	EPA8260
1,1-Dichloropropene	ug/Kg	< 160		11/15/07	158.73	EPA8260
Carbon Tetrachloride	ug/Kg	< 160		11/15/07	158.73	EPA8260
Benzene	ug/Kg	< 160		11/15/07	158.73	EPA8260
1,2 Dichloroethane	ug/Kg	< 160		11/15/07	158.73	EPA8260
Trichloroethene	ug/Kg	< 160		11/15/07	158.73	EPA8260
1,2 Dichloropropane	ug/Kg	< 160		11/15/07	158.73	EPA8260
Bromodichloromethane	ug/Kg	< 160		11/15/07	158.73	EPA8260
Dibromomethane	ug/Kg	< 160		11/15/07	158.73	EPA8260
Toluene	ug/Kg	1000		11/15/07	158.73	EPA8260
112 Trichloroethane	ug/Kg	< 160		11/15/07	158.73	EPA8260
Tetrachloroethene	ug/Kg	< 160		11/15/07	158.73	EPA8260
1,3-Dichloropropane	ug/Kg	< 160		11/15/07	158.73	EPA8260
Chlorodibromomethane	ug/Kg	< 160		11/15/07	158.73	EPA8260
1,2 Dibromoethane	ug/Kg	< 160		11/15/07	158.73	EPA8260

cc:

LRL=Laboratory Reporting Limit

REMARKS:

DIRECTOR



ECOTEST LABORATORIES, INC.

ENVIRONMENTAL TESTING

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777 • FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO.274893.02

11/21/07

C.A. Rich Consultants, Incorporated
17 Dupont Street
Plainview, NY 11803
ATTN: Steve Sobstyl

P0#:

SOURCE OF SAMPLE: 299 Main Street-19 Liberty LDT, #299 Main Street

SOURCE OF SAMPLE:

COLLECTED BY: Client

DATE COL'D:11/08/07 RECEIVED:11/08/07

TIME COL'D:1000

MATRIX:Soil

SAMPLE: SCP-02

Results reported on a dry weight basis


ANALYTICAL PARAMETERS	UNITS	RESULT	FLAG	DATE OF ANALYSIS	LRL	ANALYTICAL METHOD
1112Tetrachloroethane	ug/Kg	< 160		11/15/07	158.73	EPA8260
Chlorobenzene	ug/Kg	< 160		11/15/07	158.73	EPA8260
Ethyl Benzene	ug/Kg	< 160		11/15/07	158.73	EPA8260
m + p Xylene	ug/Kg	540		11/15/07	317.46	EPA8260
o Xylene	ug/Kg	320		11/15/07	158.73	EPA8260
Styrene	ug/Kg	< 160		11/15/07	158.73	EPA8260
Bromoform	ug/Kg	< 160		11/15/07	158.73	EPA8260
Isopropylbenzene	ug/Kg	270		11/15/07	158.73	EPA8260
1122Tetrachloroethane	ug/Kg	< 160		11/15/07	158.73	EPA8260
Bromobenzene	ug/Kg	< 160		11/15/07	158.73	EPA8260
123-Trichloropropane	ug/Kg	< 160		11/15/07	158.73	EPA8260
n-Propylbenzene	ug/Kg	1200		11/15/07	158.73	EPA8260
2-Chlorotoluene	ug/Kg	< 160		11/15/07	158.73	EPA8260
135-Trimethylbenzene	ug/Kg	8100		11/15/07	158.73	EPA8260
4-Chlorotoluene	ug/Kg	< 160		11/15/07	158.73	EPA8260
tert-Butylbenzene	ug/Kg	440		11/15/07	158.73	EPA8260
124-Trimethylbenzene	ug/Kg	13000		11/15/07	158.73	EPA8260
sec-Butylbenzene	ug/Kg	1500		11/15/07	158.73	EPA8260
p-Isopropyltoluene	ug/Kg	9000		11/15/07	158.73	EPA8260
1,2 Dichlorobenzene (v)	ug/Kg	970		11/15/07	158.73	EPA8260
1,3 Dichlorobenzene (v)	ug/Kg	< 160		11/15/07	158.73	EPA8260
1,4 Dichlorobenzene (v)	ug/Kg	1500		11/15/07	158.73	EPA8260
DBCP	ug/Kg	< 160		11/15/07	158.73	EPA8260
124-Trichlorobenzene (v)	ug/Kg	220		11/15/07	158.73	EPA8260
Hexachlorobutadiene	ug/Kg	< 160		11/15/07	158.73	EPA8260

cc:

LRL=Laboratory Reporting Limit

REMARKS:

DIRECTOR



ECOTEST LABORATORIES, INC.

ENVIRONMENTAL TESTING

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777 • FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO.274893.02

11/21/07

C.A. Rich Consultants, Incorporated
17 Dupont Street
Plainview, NY 11803
ATTN: Steve Sobstyl P0#:

SOURCE OF SAMPLE: 299 Main Street-19 Liberty LDT, #299 Main Street

SOURCE OF SAMPLE:

COLLECTED BY: Client DATE COL'D:11/08/07 RECEIVED:11/08/07

TIME COL'D:1000

MATRIX:Soil SAMPLE: SCP-02

Results reported on a dry weight basis


ANALYTICAL PARAMETERS	UNITS	RESULT	FLAG	DATE OF ANALYSIS	LRL	ANALYTICAL METHOD
Naphthalene(v)	ug/Kg	840		11/15/07	158.73	EPA8260
123-Trichlorobenzene	ug/Kg	< 160		11/15/07	158.73	EPA8260
c-1,3Dichloropropene	ug/Kg	< 160		11/15/07	158.73	EPA8260
t-1,3Dichloropropene	ug/Kg	< 160		11/15/07	158.73	EPA8260
Acetone	ug/Kg	< 1600		11/15/07	1587.3	EPA8260
% Solids		63		11/09/07	0.1	SM182540G

cc:

LRL=Laboratory Reporting Limit

REMARKS:

DIRECTOR



ECOTEST LABORATORIES, INC.

ENVIRONMENTAL TESTING

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777 • FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO.274893.02

11/21/07

C.A. Rich Consultants, Incorporated
17 Dupont Street
Plainview, NY 11803

ATTN: Steve Sobstyl

PO#:

SOURCE OF SAMPLE: 299 Main Street-19 Liberty LDT, #299 Main Street

SOURCE OF SAMPLE:

COLLECTED BY: Client

DATE COL'D:11/08/07 RECEIVED:11/08/07

TIME COL'D:1000

MATRIX:Soil

SAMPLE: SCP-02

Results reported on a dry weight basis


ANALYTICAL PARAMETERS	UNITS	RESULT	FLAG	DATE OF ANALYSIS	LRL	ANALYTICAL METHOD
Bis(2-chloroethyl)ether	ug/Kg	< 2400		11/16/07	2380.9	EPA8270
1,3 Dichlorobenzene(sv)	ug/Kg	< 2400		11/16/07	2380.9	EPA8270
1,4 Dichlorobenzene(sv)	ug/Kg	< 2400		11/16/07	2380.9	EPA8270
Carbazole	ug/Kg	< 2400		11/16/07	2380.9	EPA8270
1,2 Dichlorobenzene(sv)	ug/Kg	< 2400		11/16/07	2380.9	EPA8270
Bis(2-chloroisopropyl)ether	ug/Kg	< 2400		11/16/07	2380.9	EPA8270
N-Nitrosodi-n-propylamine	ug/Kg	< 2400		11/16/07	2380.9	EPA8270
Hexachloroethane	ug/Kg	< 2400		11/16/07	2380.9	EPA8270
Nitrobenzene	ug/Kg	< 2400		11/16/07	2380.9	EPA8270
Isophorone	ug/Kg	< 2400		11/16/07	2380.9	EPA8270
Bis(2-chloroethoxy)methane	ug/Kg	< 2400		11/16/07	2380.9	EPA8270
124-Trichlorobenzene (sv)	ug/Kg	< 2400		11/16/07	2380.9	EPA8270
Naphthalene(sv)	ug/Kg	< 2400		11/16/07	2380.9	EPA8270
4-Chloroaniline	ug/Kg	< 2400		11/16/07	2380.9	EPA8270
Hexachlorobutadiene	ug/Kg	< 2400		11/16/07	2380.9	EPA8270
2-Methylnaphthalene	ug/Kg	< 2400		11/16/07	2380.9	EPA8270
Hexachlorocyclopentadiene	ug/Kg	< 24000		11/16/07	2380.9	EPA8270
2-Chloronaphthalene	ug/Kg	< 2400		11/16/07	2380.9	EPA8270
2-Nitroaniline	ug/Kg	< 2400		11/16/07	2380.9	EPA8270
Dimethyl Phthalate	ug/Kg	< 2400		11/16/07	2380.9	EPA8270
Acenaphthylene	ug/Kg	< 2400		11/16/07	2380.9	EPA8270
2,6-Dinitrotoluene	ug/Kg	< 2400		11/16/07	2380.9	EPA8270
3-Nitroaniline	ug/Kg	< 2400		11/16/07	2380.9	EPA8270
Acenaphthene	ug/Kg	< 2400		11/16/07	2380.9	EPA8270
Dibenzofuran	ug/Kg	< 2400		11/16/07	2380.9	EPA8270

cc:

LRL=Laboratory Reporting Limit

REMARKS:

DIRECTOR



ECOTEST LABORATORIES, INC.

ENVIRONMENTAL TESTING

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777 • FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO.274893.02

11/21/07

C.A. Rich Consultants, Incorporated
17 Dupont Street
Plainview, NY 11803

ATTN: Steve Sobstyl

P0#:

SOURCE OF SAMPLE: 299 Main Street-19 Liberty LDT, #299 Main Street

SOURCE OF SAMPLE:

COLLECTED BY: Client

DATE COL'D:11/08/07 RECEIVED:11/08/07

TIME COL'D:1000

MATRIX:Soil

SAMPLE: SCP-02

Results reported on a dry weight basis

ANALYTICAL PARAMETERS	UNITS	RESULT	FLAG	DATE OF ANALYSIS	LRL	ANALYTICAL METHOD
2,4-Dinitrotoluene	ug/Kg	< 2400		11/16/07	2380.9	EPA8270
Diethyl Phthalate	ug/Kg	< 2400		11/16/07	2380.9	EPA8270
4-Chlorophenyl phenyl ether	ug/Kg	< 2400		11/16/07	2380.9	EPA8270
Fluorene	ug/Kg	< 2400		11/16/07	2380.9	EPA8270
4-Nitroaniline	ug/Kg	< 2400		11/16/07	2380.9	EPA8270
N-Nitrosodiphenylamine	ug/Kg	< 2400		11/16/07	2380.9	EPA8270
4-Bromophenyl phenyl ether	ug/Kg	< 2400		11/16/07	2380.9	EPA8270
Hexachlorobenzene	ug/Kg	< 2400		11/16/07	2380.9	EPA8270
Phenanthrene	ug/Kg	< 2400		11/16/07	2380.9	EPA8270
Anthracene	ug/Kg	< 2400		11/16/07	2380.9	EPA8270
Di-n-Butyl Phthalate	ug/Kg	< 2400		11/16/07	2380.9	EPA8270
Fluoranthene	ug/Kg	< 2400		11/16/07	2380.9	EPA8270
Pyrene	ug/Kg	< 2400		11/16/07	2380.9	EPA8270
BenzylButylPhthalate	ug/Kg	< 2400		11/16/07	2380.9	EPA8270
3,3'-Dichlorobenzidine	ug/Kg	< 24000	*	11/16/07	2380.9	EPA8270
Benzo(a)anthracene	ug/Kg	< 2400		11/16/07	2380.9	EPA8270


cc:

LRL=Laboratory Reporting Limit

REMARKS: Elevated detection level due to interference.

*Estimated due to low internal standard recovery, *46%. Low recovery due to interference. QC limit is 50%.

DIRECTOR



ECOTEST LABORATORIES, INC.

ENVIRONMENTAL TESTING

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777 • FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO.274893.02

11/21/07

C.A. Rich Consultants, Incorporated
17 Dupont Street
Plainview, NY 11803

ATTN: Steve Sobstyl

PO#:

SOURCE OF SAMPLE: 299 Main Street-19 Liberty LDT, #299 Main Street

SOURCE OF SAMPLE:

COLLECTED BY: Client DATE COL'D:11/08/07 RECEIVED:11/08/07
TIME COL'D:1000

MATRIX:Soil SAMPLE: SCP-02

Results reported on a dry weight basis

ANALYTICAL PARAMETERS	UNITS	RESULT	FLAG	DATE OF ANALYSIS	LRL	ANALYTICAL METHOD
Chrysene	ug/Kg	< 2400		11/16/07	2380.9	EPA8270
Bis(2-ethylhexyl)phthalate	ug/Kg	22000		11/16/07	2380.9	EPA8270
Di-n-octyl Phthalate	ug/Kg	< 2400	*	11/16/07	2380.9	EPA8270
Benzo(b)fluoranthene	ug/Kg	< 2400	*	11/16/07	2380.9	EPA8270
Benzo(k)fluoranthene	ug/Kg	< 2400	*	11/16/07	2380.9	EPA8270
Benzo(a)pyrene	ug/Kg	< 2400	*	11/16/07	2380.9	EPA8270
Indeno(1,2,3-cd)pyrene	ug/Kg	< 2400	*	11/16/07	2380.9	EPA8270
Dibenzo(a,h)anthracene	ug/Kg	< 2400	*	11/16/07	2380.9	EPA8270
Benzo(ghi)perylene	ug/Kg	< 2400	*	11/16/07	2380.9	EPA8270
Arsenic as As	mg/Kg	3.3		11/12/07	1.5873	EPA6010B
Barium as Ba	mg/Kg	170		11/12/07	0.7936	EPA6010B
Chromium as Cr	mg/Kg	21		11/12/07	0.7936	EPA6010B
Cadmium as Cd	mg/Kg	11		11/12/07	0.7936	EPA6010B
Lead as Pb	mg/Kg	170		11/12/07	0.7936	EPA6010B
Mercury as Hg	mg/Kg	0.10		11/13/07	0.0079	EPA7470
Selenium as Se	mg/Kg	< 1.6		11/12/07	1.5873	EPA6010B
Silver as Ag	mg/Kg	< 0.79		11/12/07	0.7936	EPA6010B


cc:

LRL=Laboratory Reporting Limit

REMARKS:

*Estimated due to low internal standard recovery, *46%. Low recovery due to interference. QC limit is 50%.

DIRECTOR



rn = 34026

NYSDOH ID # 10320

Page 6 of 6



December 5, 2007

Mr. Peter Witkowski
COUNTY OF NASSAU DEPARTMENT OF PUBLIC WORKS
CEDAR CREEK WATER POLLUTION CONTROL PLANT
3340 Merrick Road
Wantagh, NY 11793

Re: **Sanitary Wastewater**
299 Main Street - Westbury, NY 11590

Dear Mr. Witkowski:

The above-referenced premises was recently connected to the Nassau County sewer system. Attached are the sample results for the standing wastewater within the sanitary leaching pool. The sample was collected in the presence of Wayne Kempinski of the Nassau County Department of Health.

At this time we request that you review the sample results for approval to be accepted at the County's Cedar Creek Water Pollution Control Plant. We estimate the volume of liquid to be on the order of 1,500 gallons.

If you have any questions or need additional information, please do not hesitate to call our Office.

Sincerely,

CARICH CONSULTANTS, INC.

Steve Sobstyl
Project Manager

Enclosure

cc: John Lovejoy, NCDH
Joe Jones, NYSDEC
Sam Padilla
Alex Holuka
Larry Schnapf, Esq.

ECOTEST LABORATORIES, INC.

ENVIRONMENTAL TESTING

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777 • FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO.274893.04

11/21/07

C.A. Rich Consultants, Incorporated

17 Dupont Street

Plainview, NY 11803

ATTN: Steve Sobstyl

PO#:

SOURCE OF SAMPLE: 299 Main Street-19 Liberty LDT, #299 Main Street

SOURCE OF SAMPLE:

COLLECTED BY: Client DATE COL'D:11/08/07 RECEIVED:11/08/07

TIME COL'D:1025

MATRIX:Water SAMPLE: CP-01(L)


ANALYTICAL PARAMETERS	UNITS	RESULT	FLAG	DATE OF ANALYSIS	LRL	ANALYTICAL METHOD
Vinyl Chloride	ug/L	< 5		11/15/07	5	EPA8260
Trichlorofluoromethane	ug/L	< 5		11/15/07	5	EPA8260
1,1 Dichloroethene	ug/L	< 5		11/15/07	5	EPA8260
Methylene Chloride	ug/L	< 5		11/15/07	5	EPA8260
t-1,2-Dichloroethene	ug/L	< 5		11/15/07	5	EPA8260
1,1 Dichloroethane	ug/L	< 5		11/15/07	5	EPA8260
2,2-Dichloropropane	ug/L	< 5		11/15/07	5	EPA8260
c-1,2-Dichloroethene	ug/L	< 5		11/15/07	5	EPA8260
Bromochloromethane	ug/L	< 5		11/15/07	5	EPA8260
Chloroform	ug/L	< 5		11/15/07	5	EPA8260
111 Trichloroethane	ug/L	< 5		11/15/07	5	EPA8260
1,1-Dichloropropene	ug/L	< 5		11/15/07	5	EPA8260
Carbon Tetrachloride	ug/L	< 5		11/15/07	5	EPA8260
Benzene	ug/L	< 5		11/15/07	5	EPA8260
1,2 Dichloroethane	ug/L	< 5		11/15/07	5	EPA8260
Trichloroethene	ug/L	< 5		11/15/07	5	EPA8260
1,2 Dichloropropane	ug/L	< 5		11/15/07	5	EPA8260
Bromodichloromethane	ug/L	< 5		11/15/07	5	EPA8260
Dibromomethane	ug/L	< 5		11/15/07	5	EPA8260
Toluene	ug/L	49		11/15/07	5	EPA8260
112 Trichloroethane	ug/L	< 5		11/15/07	5	EPA8260
Tetrachloroethene	ug/L	< 5		11/15/07	5	EPA8260
1,3-Dichloropropane	ug/L	< 5		11/15/07	5	EPA8260
Chlorodibromomethane	ug/L	< 5		11/15/07	5	EPA8260
1,2 Dibromoethane	ug/L	< 5		11/15/07	5	EPA8260

cc:

LRL=Laboratory Reporting Limit

REMARKS:

DIRECTOR



ECOTEST LABORATORIES, INC.

ENVIRONMENTAL TESTING

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777 • FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO.274893.04

11/21/07

C.A. Rich Consultants, Incorporated

17 Dupont Street

Plainview, NY 11803

ATTN: Steve Sobstyl

PO#:

SOURCE OF SAMPLE: 299 Main Street-19 Liberty LDT, #299 Main Street

SOURCE OF SAMPLE:

COLLECTED BY: Client

DATE COL'D:11/08/07 RECEIVED:11/08/07

TIME COL'D:1025

MATRIX:Water

SAMPLE: CP-01(L)


ANALYTICAL PARAMETERS	UNITS	RESULT	FLAG	DATE OF ANALYSIS	LRL	ANALYTICAL METHOD
1112Tetrachloroethane	ug/L	< 5		11/15/07	5	EPA8260
Chlorobenzene	ug/L	< 5		11/15/07	5	EPA8260
Ethyl Benzene	ug/L	< 5		11/15/07	5	EPA8260
m + p Xylene	ug/L	< 10		11/15/07	10	EPA8260
o Xylene	ug/L	< 5		11/15/07	5	EPA8260
Styrene	ug/L	< 5		11/15/07	5	EPA8260
Bromoform	ug/L	< 5		11/15/07	5	EPA8260
Isopropylbenzene	ug/L	< 5		11/15/07	5	EPA8260
1122Tetrachloroethane	ug/L	< 5		11/15/07	5	EPA8260
Bromobenzene	ug/L	< 5		11/15/07	5	EPA8260
123-Trichloropropane	ug/L	< 5		11/15/07	5	EPA8260
n-Propylbenzene	ug/L	< 5		11/15/07	5	EPA8260
2-Chlorotoluene	ug/L	< 5		11/15/07	5	EPA8260
135-Trimethylbenzene	ug/L	< 5		11/15/07	5	EPA8260
4-Chlorotoluene	ug/L	< 5		11/15/07	5	EPA8260
tert-Butylbenzene	ug/L	< 5		11/15/07	5	EPA8260
124-Trimethylbenzene	ug/L	< 5		11/15/07	5	EPA8260
sec-Butylbenzene	ug/L	< 5		11/15/07	5	EPA8260
p-Isopropyltoluene	ug/L	10		11/15/07	5	EPA8260
1,2 Dichlorobenzene (v)	ug/L	< 5		11/15/07	5	EPA8260
1,3 Dichlorobenzene (v)	ug/L	< 5		11/15/07	5	EPA8260
1,4 Dichlorobenzene (v)	ug/L	32		11/15/07	5	EPA8260
DBCP	ug/L	< 5		11/15/07	5	EPA8260
124-Trichlorobenzene (v)	ug/L	< 5		11/15/07	5	EPA8260
Hexachlorobutadiene	ug/L	< 5		11/15/07	5	EPA8260

cc:

LRL=Laboratory Reporting Limit

REMARKS:

DIRECTOR



ECOTEST LABORATORIES, INC.

ENVIRONMENTAL TESTING

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777 • FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO.274893.04

11/21/07

C.A. Rich Consultants, Incorporated
17 Dupont Street
Plainview, NY 11803
ATTN: Steve Sobstyl

PO#:

SOURCE OF SAMPLE: 299 Main Street-19 Liberty LDT, #299 Main Street

SOURCE OF SAMPLE:

COLLECTED BY: Client DATE COL'D:11/08/07 RECEIVED:11/08/07

TIME COL'D:1025

MATRIX:Water SAMPLE: CP-01(L)


ANALYTICAL PARAMETERS	UNITS	RESULT	FLAG	DATE OF ANALYSIS	LRL	ANALYTICAL METHOD
Naphthalene(v)	ug/L	< 5		11/15/07	5	EPA8260
123-Trichlorobenzene	ug/L	< 5		11/15/07	5	EPA8260
c-1,3Dichloropropene	ug/L	< 5		11/15/07	5	EPA8260
t-1,3Dichloropropene	ug/L	< 5		11/15/07	5	EPA8260
Acetone	ug/L	< 50		11/15/07	50	EPA8260

cc:

LRL=Laboratory Reporting Limit

REMARKS:

DIRECTOR



ECOTEST LABORATORIES, INC.

ENVIRONMENTAL TESTING

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777 • FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO.274893.04

11/21/07

C.A. Rich Consultants, Incorporated
17 Dupont Street
Plainview, NY 11803

ATTN: Steve Sobstyl

PO#:

SOURCE OF SAMPLE: 299 Main Street-19 Liberty LDT, #299 Main Street

SOURCE OF SAMPLE:

COLLECTED BY: Client

DATE COL'D:11/08/07 RECEIVED:11/08/07

TIME COL'D:1025

MATRIX:Water

SAMPLE: CP-01(L)

ANALYTICAL PARAMETERS	UNITS	RESULT	FLAG	DATE OF ANALYSIS	LRL	ANALYTICAL METHOD
Arsenic as As	mg/L	0.005		11/12/07	0.005	EPA200.7
Barium as Ba	mg/L	0.031		11/12/07	0.005	EPA200.7
Cadmium as Cd	mg/L	< 0.005		11/12/07	0.005	EPA200.7
Chromium as Cr	mg/L	< 0.005		11/12/07	0.005	EPA200.7
Lead as Pb	mg/L	0.022		11/12/07	0.005	EPA200.7
Mercury as Hg	mg/L	< 0.00025		11/13/07	0.0002	EPA245.2
Selenium as Se	mg/L	< 0.01		11/12/07	0.01	EPA200.7
Silver as Ag	mg/L	< 0.005		11/12/07	0.005	EPA200.7
pH (lab) units		7.3		11/08/07	0.1	SM4500HB

cc:

LRL=Laboratory Reporting Limit

REMARKS:

DIRECTOR





December 5, 2007

Mr. Peter Witkowski
COUNTY OF NASSAU DEPARTMENT OF PUBLIC WORKS
CEDAR CREEK WATER POLLUTION CONTROL PLANT
3340 Merrick Road
Wantagh, NY 11793

Re: **Sanitary Wastewater**
299 Main Street - Westbury, NY 11590

Dear Mr. Witkowski:

The above-referenced premises was recently connected to the Nassau County sewer system. Attached are the sample results for the standing wastewater within the sanitary leaching pool. The sample was collected in the presence of Wayne Kempiski of the Nassau County Department of Health.

At this time we request that you review the sample results for approval to be accepted at the County's Cedar Creek Water Pollution Control Plant. We estimate the volume of liquid to be on the order of 1,500 gallons.

If you have any questions or need additional information, please do not hesitate to call our Office.

Sincerely,

CARICH CONSULTANTS, INC.

Steve Sobstyl
Project Manager

Enclosure

cc: John Lovejoy, NCDH
Joe Jones, NYSDEC
Sam Padilla
Alex Holuka
Larry Schnapf, Esq.

ECOTEST LABORATORIES, INC.

ENVIRONMENTAL TESTING

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777 • FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO.274893.04

11/21/07

C.A. Rich Consultants, Incorporated
17 Dupont Street
Plainview, NY 11803

ATTN: Steve Sobstyl

PO#:

SOURCE OF SAMPLE: 299 Main Street-19 Liberty LDT, #299 Main Street

SOURCE OF SAMPLE:

COLLECTED BY: Client

DATE COL'D:11/08/07 RECEIVED:11/08/07

TIME COL'D:1025

MATRIX:Water

SAMPLE: CP-01(L)

ANALYTICAL PARAMETERS	UNITS	RESULT	FLAG	DATE OF ANALYSIS	LRL	ANALYTICAL METHOD
Vinyl Chloride	ug/L	< 5		11/15/07	5	EPA8260
Trichlorofluoromethane	ug/L	< 5		11/15/07	5	EPA8260
1,1 Dichloroethene	ug/L	< 5		11/15/07	5	EPA8260
Methylene Chloride	ug/L	< 5		11/15/07	5	EPA8260
t-1,2-Dichloroethene	ug/L	< 5		11/15/07	5	EPA8260
1,1 Dichloroethane	ug/L	< 5		11/15/07	5	EPA8260
2,2-Dichloropropane	ug/L	< 5		11/15/07	5	EPA8260
c-1,2-Dichloroethene	ug/L	< 5		11/15/07	5	EPA8260
Bromochloromethane	ug/L	< 5		11/15/07	5	EPA8260
Chloroform	ug/L	< 5		11/15/07	5	EPA8260
111 Trichloroethane	ug/L	< 5		11/15/07	5	EPA8260
1,1-Dichloropropene	ug/L	< 5		11/15/07	5	EPA8260
Carbon Tetrachloride	ug/L	< 5		11/15/07	5	EPA8260
Benzene	ug/L	< 5		11/15/07	5	EPA8260
1,2 Dichloroethane	ug/L	< 5		11/15/07	5	EPA8260
Trichloroethene	ug/L	< 5		11/15/07	5	EPA8260
1,2 Dichloropropane	ug/L	< 5		11/15/07	5	EPA8260
Bromodichloromethane	ug/L	< 5		11/15/07	5	EPA8260
Dibromomethane	ug/L	< 5		11/15/07	5	EPA8260
Toluene	ug/L	49		11/15/07	5	EPA8260
112 Trichloroethane	ug/L	< 5		11/15/07	5	EPA8260
Tetrachloroethene	ug/L	< 5		11/15/07	5	EPA8260
1,3-Dichloropropane	ug/L	< 5		11/15/07	5	EPA8260
Chlorodibromomethane	ug/L	< 5		11/15/07	5	EPA8260
1,2 Dibromoethane	ug/L	< 5		11/15/07	5	EPA8260

cc:

LRL=Laboratory Reporting Limit

REMARKS:

DIRECTOR

ECOTEST LABORATORIES, INC.

ENVIRONMENTAL TESTING

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777 • FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO.274893.04

11/21/07

C.A. Rich Consultants, Incorporated
17 Dupont Street
Plainview, NY 11803

ATTN: Steve Sobstyl

PO#:

SOURCE OF SAMPLE: 299 Main Street-19 Liberty LDT, #299 Main Street

SOURCE OF SAMPLE:

COLLECTED BY: Client

DATE COL'D:11/08/07 RECEIVED:11/08/07

TIME COL'D:1025

MATRIX:Water

SAMPLE: CP-01(L)

ANALYTICAL PARAMETERS	UNITS	RESULT	FLAG	DATE OF ANALYSIS	LRL	ANALYTICAL METHOD
1112Tetrachloroethane	ug/L	< 5		11/15/07	5	EPA8260
Chlorobenzene	ug/L	< 5		11/15/07	5	EPA8260
Ethyl Benzene	ug/L	< 5		11/15/07	5	EPA8260
m + p Xylene	ug/L	< 10		11/15/07	10	EPA8260
o Xylene	ug/L	< 5		11/15/07	5	EPA8260
Styrene	ug/L	< 5		11/15/07	5	EPA8260
Bromoform	ug/L	< 5		11/15/07	5	EPA8260
Isopropylbenzene	ug/L	< 5		11/15/07	5	EPA8260
1122Tetrachloroethane	ug/L	< 5		11/15/07	5	EPA8260
Bromobenzene	ug/L	< 5		11/15/07	5	EPA8260
123-Trichloropropane	ug/L	< 5		11/15/07	5	EPA8260
n-Propylbenzene	ug/L	< 5		11/15/07	5	EPA8260
2-Chlorotoluene	ug/L	< 5		11/15/07	5	EPA8260
135-Trimethylbenzene	ug/L	< 5		11/15/07	5	EPA8260
4-Chlorotoluene	ug/L	< 5		11/15/07	5	EPA8260
tert-Butylbenzene	ug/L	< 5		11/15/07	5	EPA8260
124-Trimethylbenzene	ug/L	< 5		11/15/07	5	EPA8260
sec-Butylbenzene	ug/L	< 5		11/15/07	5	EPA8260
p-Isopropyltoluene	ug/L	10		11/15/07	5	EPA8260
1,2 Dichlorobenzene (v)	ug/L	< 5		11/15/07	5	EPA8260
1,3 Dichlorobenzene (v)	ug/L	< 5		11/15/07	5	EPA8260
1,4 Dichlorobenzene (v)	ug/L	32		11/15/07	5	EPA8260
DBCP	ug/L	< 5		11/15/07	5	EPA8260
124-Trichlorobenzene (v)	ug/L	< 5		11/15/07	5	EPA8260
Hexachlorobutadiene	ug/L	< 5		11/15/07	5	EPA8260

cc:

LRL=Laboratory Reporting Limit

REMARKS:

DIRECTOR

ECOTEST LABORATORIES, INC.

ENVIRONMENTAL TESTING

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777 • FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO.274893.04

11/21/07

C.A. Rich Consultants, Incorporated
17 Dupont Street
Plainview, NY 11803

ATTN: Steve Sobstyl

PO#:

SOURCE OF SAMPLE: 299 Main Street-19 Liberty LDT, #299 Main Street

SOURCE OF SAMPLE:

COLLECTED BY: Client

DATE COL'D:11/08/07 RECEIVED:11/08/07

TIME COL'D:1025

MATRIX:Water

SAMPLE: CP-01(L)


ANALYTICAL PARAMETERS	UNITS	RESULT	FLAG	DATE OF ANALYSIS	LRL	ANALYTICAL METHOD
Naphthalene(v)	ug/L	< 5		11/15/07	5	EPA8260
123-Trichlorobenzene	ug/L	< 5		11/15/07	5	EPA8260
c-1,3Dichloropropene	ug/L	< 5		11/15/07	5	EPA8260
t-1,3Dichloropropene	ug/L	< 5		11/15/07	5	EPA8260
Acetone	ug/L	< 50		11/15/07	50	EPA8260

cc:

LRL=Laboratory Reporting Limit

REMARKS:

DIRECTOR



rn = 34031

NYSDOH ID # 10320

Page 3 of 4

ECOTEST LABORATORIES, INC.

ENVIRONMENTAL TESTING

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777 • FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO.274893.04

11/21/07

C.A. Rich Consultants, Incorporated
17 Dupont Street
Plainview, NY 11803

ATTN: Steve Sobstyl

PO#:

SOURCE OF SAMPLE: 299 Main Street-19 Liberty LDT, #299 Main Street

SOURCE OF SAMPLE:

COLLECTED BY: Client

DATE COL'D:11/08/07 RECEIVED:11/08/07

TIME COL'D:1025

MATRIX:Water

SAMPLE: CP-01(L)

ANALYTICAL PARAMETERS	UNITS	RESULT	FLAG	DATE OF ANALYSIS	LRL	ANALYTICAL METHOD
Arsenic as As	mg/L	0.005		11/12/07	0.005	EPA200.7
Barium as Ba	mg/L	0.031		11/12/07	0.005	EPA200.7
Cadmium as Cd	mg/L	< 0.005		11/12/07	0.005	EPA200.7
Chromium as Cr	mg/L	< 0.005		11/12/07	0.005	EPA200.7
Lead as Pb	mg/L	0.022		11/12/07	0.005	EPA200.7
Mercury as Hg	mg/L	< 0.00025		11/13/07	0.0002	EPA245.2
Selenium as Se	mg/L	< 0.01		11/12/07	0.01	EPA200.7
Silver as Ag	mg/L	< 0.005		11/12/07	0.005	EPA200.7
pH (lab) units		7.3		11/08/07	0.1	SM4500HB

cc:

LRL=Laboratory Reporting Limit

REMARKS:

DIRECTOR

