




RICH
ENVIRONMENTAL SPECIALISTS



July 9, 2008

NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION
DIVISION OF ENVIRONMENTAL REMEDIATION
Bureau of Eastern Remedial Action
625 Broadway, 11th Floor
Albany, New York 12233-7015

Attention: Joseph Jones, Project Manager
Remedial Section A

Re: **Progress Report: May-June 2008**
299 Main St., Site 1-30-043S
New Cassel Industrial Area
Agreement Index # W1-1072-05-07

Dear Mr. Jones:

In accordance with the above referenced Agreement, CA RICH is pleased to provide you with the following Progress Report. This Report includes selected work items outlined in Section III Progress Reports pursuant to the above-referenced Agreement.

During the past month the following activities were performed:

- Working in cooperation with the Nassau County Department of Health the former sanitary system was abandoned and the Closure Report was submitted.
- The SVE system continues to be monitored and has been in full-time operation since November 1, 2006.

The following work is planned July:

- We intend on continuing to operate the SVE system as is and will collect the next quarterly soil vapor sample in July 2008.

We trust the level of detail provided herein is sufficient at this time. If there is a need for further detail, please contact us.

Yours sincerely,

CA RICH CONSULTANTS, INC.



Steve Sobstyl
Project Manager

SS/sm

Attachments

cc: see attached distribution

NT Server\Files\Users\Proj\299 MAIN St\MPR 2008\June-08 Progress Rept

Distribution List

299 Main Street, NCIA #1-30-043S, Westbury NY

Joe Jones **NYSDEC**
Division of Environmental Remediation
Bureau of Eastern Remedial Action
625 Broadway/11th Floor
Albany, New York 12233-7015

Guy Bobersky, P.E. **NYSDEC**
Division of Environmental Remediation
Bureau of Eastern Remedial Action
625 Broadway/11th Floor
Albany, New York 12233-7015

Peter Scully, Regional Director
NYSDEC
SUNY at Stony Brook
50 Circle Road
Stony Brook, NY 11790-3409

Gary Litwin
Bureau of Environmental Exposure Investigation
NYSDOH
Flanigan Square
547 River Street
Troy, New York 12180-2216

Via email: amtamuno@gw.dec.state.ny.us Alali M. Tamuno, Esq. Senior Attorney
NYSDEC
Division of Environmental Enforcement
200 White Plains Road/5th Floor
Tarrytown, New York 10591-5803
(914) 332-5116

Lawrence P. Schnapf, Esq.
Attorney at Law
55 East 87th Street, # 8B
New York, NY 11028
(212) 996-5395

Charlotte A. Biblow, Esq.
Farrell Fritz, P.C.
1320 RexCorp Plaza
Uniondale, NY 11556-0111
(516) 227-0686


Samuel Padilla
Alex Holuka
19 Liberty LTD
299 Main Street
Westbury, NY 11590



CARICH
ENVIRONMENTAL SPECIALISTS

July 8, 2008

NASSAU COUNTY DEPARTMENT OF HEALTH
Bureau of Environmental Protection
106 Charles Lindberg Boulevard
Uniondale, New York 11553



Attention: John Lovejoy

Re: **FINAL SUMMARY REPORT**
On-Site Sanitary System Cleanout & Abandonment
299 Main Street
Westbury, New York 11590

Dear Mr. Lovejoy:

As requested, CA RICH Consultants, Inc. is please to provide you with this Final Summary Report in connection with the cleanout and proper abandonment of the on-Site sanitary system located at the above-referenced Site. Please be advised that upon cleanout of the two sanitary leaching pools, the secondary cesspool identified as "SCP-02" was converted to receive stormwater roof drainage in accordance with the Nassau County Plumbers Handbook - Appendix A-1.

As you know, the cleanout of the two (2) cesspools was completed on January 24, 2008 and post remediation soil samples were collected in your presence. The sample results indicate levels of volatile organic compounds ("VOCs") that are below applicable NYSDEC TAGM # 4046 Soil Cleanup Objectives. Based upon these sample results and your letter dated February 8, 2008, the primary cesspool "PCP-01" structure was properly abandoned and backfilled with clean sand. The secondary cesspool identified as "SCP-02" was converted to receive stormwater roof drainage in accordance with applicable Nassau County regulations. Attached for the County's permanent record are copies of the following documents:

- 1) A Site Plan (Figure 1) along with selected site photographs.
- 2) Initial sludge/liquid sample laboratory data sheets.
- 3) Post remedial endpoint soil sample laboratory data sheets.
- 4) Liquid waste disposal approval from NCDPW – Bay Park Scavenger Waste Disposal Facility.
- 5) Liquid waste disposal receipt for 2,000 gallons of sanitary wastewater.
- 6) Solid waste disposal manifest for 13.17 tons of sanitary soil/sludge.

If you require any additional detail, please do not hesitate to contact us.



Sincerely,

CARICH CONSULTANTS, INC.


Steve Sobstyl
Sr. Project Manager


Enclosures

cc: Joe Jones, NYSDEC
Samuel Padilla
Alex Holuka
Lawrence P. Schnapf, Esq.
Charlotte A. Biblow, Esq.



Legend

○ CESSPOOL LOCATION



Scale in Feet

CA RICH CONSULTANTS, INC.

Certified Ground-Water and Environmental Specialists
17 Dupont Street, Plainview, New York 11803

TITLE: LOCATION OF SANITARY SYSTEM		DATE: 12/05/07
FIGURE: 1		SCALE As Shown
DWG NO. 2007-10	299 MAIN STREET WESTBURY, NEW YORK	DRAWN BY: J.T.C.
		APPR. BY: S.T.S.



1. Active cleanout of the primary cesspool
"PCP-01", January 24, 2008.



2. Active cleanout of the secondary cesspool
"SCP-02", January 24, 2008.



3. View of post remediation endpoint soil samples.

INITIAL SLUDGE/LIQUID SAMPLE LABORATORY DATA

ECOTEST LABORATORIES, INC.

ENVIRONMENTAL TESTING

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777 • FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO. 274893.01

11/21/07

C.A. Rich Consultants, Incorporated
17 Dupont Street
Plainview, NY 11803

ATTN: Steve Sobstyl

PO#:

SOURCE OF SAMPLE: 299 Main Street-19 Liberty LDT, #299 Main Street

SOURCE OF SAMPLE:

COLLECTED BY: Client

DATE COL'D: 11/08/07 RECEIVED: 11/08/07

TIME COL'D: 1040

MATRIX: Soil SAMPLE: PCP-01

Results reported on a dry weight basis

ANALYTICAL PARAMETERS	UNITS	RESULT	FLAG	DATE OF ANALYSIS	LRL	ANALYTICAL METHOD
Vinyl Chloride	ug/Kg	< 180		11/15/07	175.43	EPA8260
Trichlorofluoromethane	ug/Kg	< 180		11/15/07	175.43	EPA8260
1,1 Dichloroethene	ug/Kg	< 180		11/15/07	175.43	EPA8260
Ethylene Chloride	ug/Kg	< 180		11/15/07	175.43	EPA8260
1,2-Dichloroethene	ug/Kg	< 180		11/15/07	175.43	EPA8260
1,1 Dichloroethane	ug/Kg	< 180		11/15/07	175.43	EPA8260
1,2-Dichloropropane	ug/Kg	< 180		11/15/07	175.43	EPA8260
1,1,2-Dichloroethene	ug/Kg	< 180		11/15/07	175.43	EPA8260
Bromochloromethane	ug/Kg	< 180		11/15/07	175.43	EPA8260
Chloroform	ug/Kg	< 180		11/15/07	175.43	EPA8260
1,1,1 Trichloroethane	ug/Kg	< 180		11/15/07	175.43	EPA8260
1,1-Dichloropropene	ug/Kg	< 180		11/15/07	175.43	EPA8260
Carbon Tetrachloride	ug/Kg	< 180		11/15/07	175.43	EPA8260
Benzene	ug/Kg	< 180		11/15/07	175.43	EPA8260
1,2 Dichloroethane	ug/Kg	< 180		11/15/07	175.43	EPA8260
Trichloroethene	ug/Kg	< 180		11/15/07	175.43	EPA8260
1,2 Dichloropropane	ug/Kg	< 180		11/15/07	175.43	EPA8260
Bromodichloromethane	ug/Kg	< 180		11/15/07	175.43	EPA8260
Dibromomethane	ug/Kg	< 180		11/15/07	175.43	EPA8260
Toluene	ug/Kg	28000		11/15/07	175.43	EPA8260
1,1,2 Trichloroethane	ug/Kg	< 180		11/15/07	175.43	EPA8260
Tetrachloroethene	ug/Kg	< 180		11/15/07	175.43	EPA8260
1,3-Dichloropropane	ug/Kg	< 180		11/15/07	175.43	EPA8260
Chlorodibromomethane	ug/Kg	< 180		11/15/07	175.43	EPA8260
1,2 Dibromoethane	ug/Kg	< 180		11/15/07	175.43	EPA8260

cc:

LRL=Laboratory Reporting Limit

REMARKS:

DIRECTOR

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777 • FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO. 274893.01

11/21/07

C.A. Rich Consultants, Incorporated
17 Dupont Street
Plainview, NY 11803

ATTN: Steve Sobstyl

PO#:

SOURCE OF SAMPLE: 299 Main Street-19 Liberty LDT, #299 Main Street

SOURCE OF SAMPLE:

COLLECTED BY: Client

DATE COL'D: 11/08/07 RECEIVED: 11/08/07

TIME COL'D: 1040

MATRIX: Soil SAMPLE: PCP-01

Results reported on a dry weight basis

ANALYTICAL PARAMETERS	UNITS	RESULT	FLAG	DATE OF ANALYSIS	LRL	ANALYTICAL METHOD
1,1,2,2-Tetrachloroethane	ug/Kg	< 180		11/15/07	175.43	EPA8260
Chlorobenzene	ug/Kg	< 180		11/15/07	175.43	EPA8260
Ethyl Benzene	ug/Kg	350		11/15/07	175.43	EPA8260
m + p Xylene	ug/Kg	1600		11/15/07	350.87	EPA8260
o Xylene	ug/Kg	790		11/15/07	175.43	EPA8260
Styrene	ug/Kg	< 180		11/15/07	175.43	EPA8260
Bromoform	ug/Kg	< 180		11/15/07	175.43	EPA8260
Isopropylbenzene	ug/Kg	180		11/15/07	175.43	EPA8260
1,1,2,2-Tetrachloroethane	ug/Kg	< 180		11/15/07	175.43	EPA8260
Bromobenzene	ug/Kg	< 180		11/15/07	175.43	EPA8260
2,3-Trichloropropane	ug/Kg	< 180		11/15/07	175.43	EPA8260
n-Propylbenzene	ug/Kg	610		11/15/07	175.43	EPA8260
2-Chlorotoluene	ug/Kg	< 180		11/15/07	175.43	EPA8260
3,5-Trimethylbenzene	ug/Kg	3000		11/15/07	175.43	EPA8260
4-Chlorotoluene	ug/Kg	< 180		11/15/07	175.43	EPA8260
tert-Butylbenzene	ug/Kg	< 180		11/15/07	175.43	EPA8260
2,4-Trimethylbenzene	ug/Kg	7000		11/15/07	175.43	EPA8260
sec-Butylbenzene	ug/Kg	540		11/15/07	175.43	EPA8260
p-Isopropyltoluene	ug/Kg	2800		11/15/07	175.43	EPA8260
1,2-Dichlorobenzene (v)	ug/Kg	< 180		11/15/07	175.43	EPA8260
1,3-Dichlorobenzene (v)	ug/Kg	< 180		11/15/07	175.43	EPA8260
1,4-Dichlorobenzene (v)	ug/Kg	4600		11/15/07	175.43	EPA8260
ABCP	ug/Kg	< 180		11/15/07	175.43	EPA8260
2,4-Trichlorobenzene (v)	ug/Kg	< 180		11/15/07	175.43	EPA8260
hexachlorobutadiene	ug/Kg	< 180		11/15/07	175.43	EPA8260

cc:

LRL=Laboratory Reporting Limit

REMARKS:

DIRECTOR

ECOTEST LABORATORIES, INC.

ENVIRONMENTAL TESTING

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777 • FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO. 274893.01

11/21/07

C.A. Rich Consultants, Incorporated
17 Dupont Street
Plainview, NY 11803

ATTN: Steve Sobstyl

P0#:

SOURCE OF SAMPLE: 299 Main Street-19 Liberty LDT, #299 Main Street

SOURCE OF SAMPLE:

COLLECTED BY: Client

DATE COL'D: 11/08/07 RECEIVED: 11/08/07

TIME COL'D: 1040

MATRIX: Soil

SAMPLE: PCP-01

Results reported on a dry weight basis

ANALYTICAL PARAMETERS	UNITS	RESULT	FLAG	DATE OF ANALYSIS	LRL	ANALYTICAL METHOD
Naphthalene(v)	ug/Kg	4700		11/15/07	175.43	EPA8260
123-Trichlorobenzene	ug/Kg	< 180		11/15/07	175.43	EPA8260
m-1,3Dichloropropene	ug/Kg	< 180		11/15/07	175.43	EPA8260
p-1,3Dichloropropene	ug/Kg	< 180		11/15/07	175.43	EPA8260
Acetone	ug/Kg	< 1800		11/15/07	1754.3	EPA8260
% Solids		57		11/09/07	0.1	SM182540G

cc:

LRL=Laboratory Reporting Limit

REMARKS:

DIRECTOR

ECOTEST LABORATORIES, INC.

ENVIRONMENTAL TESTING

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777 • FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO.274893.01

11/21/07

C.A. Rich Consultants, Incorporated
17 Dupont Street
Plainview, NY 11803

ATTN: Steve Sobstyl

PO#:

SOURCE OF SAMPLE: 299 Main Street-19 Liberty LDT, #299 Main Street

SOURCE OF SAMPLE:

COLLECTED BY: Client

DATE COL'D:11/08/07 RECEIVED:11/08/07

TIME COL'D:1040

MATRIX:Soil SAMPLE: PCP-01

Results reported on a dry weight basis


ANALYTICAL PARAMETERS	UNITS	RESULT	FLAG	DATE OF ANALYSIS	LRL	ANALYTICAL METHOD
Bis(2-chloroethyl)ether	ug/Kg	< 260		11/16/07	263.15	EPA8270
1,3 Dichlorobenzene(sv)	ug/Kg	< 260		11/16/07	263.15	EPA8270
1,4 Dichlorobenzene(sv)	ug/Kg	< 260		11/16/07	263.15	EPA8270
Carbazole	ug/Kg	< 260		11/16/07	263.15	EPA8270
1,2 Dichlorobenzene(sv)	ug/Kg	< 260		11/16/07	263.15	EPA8270
Bis(2-chloroisopropyl)ether	ug/Kg	< 260		11/16/07	263.15	EPA8270
Nitrosodi-n-propylamine	ug/Kg	< 260		11/16/07	263.15	EPA8270
Hexachloroethane	ug/Kg	< 260		11/16/07	263.15	EPA8270
Nitrobenzene	ug/Kg	< 260		11/16/07	263.15	EPA8270
sophorone	ug/Kg	< 260		11/16/07	263.15	EPA8270
Bis(2-chloroethoxy)methane	ug/Kg	< 260		11/16/07	263.15	EPA8270
1,2,4-Trichlorobenzene (sv)	ug/Kg	< 260		11/16/07	263.15	EPA8270
aphthalene(sv)	ug/Kg	1100		11/16/07	263.15	EPA8270
4-Chloroaniline	ug/Kg	< 260		11/16/07	263.15	EPA8270
Hexachlorobutadiene	ug/Kg	< 260		11/16/07	263.15	EPA8270
Methylnaphthalene	ug/Kg	1300		11/16/07	263.15	EPA8270
hexachlorocyclopentadiene	ug/Kg	< 2600		11/16/07	2631.5	EPA8270
2-Chloronaphthalene	ug/Kg	< 260		11/16/07	263.15	EPA8270
Nitroaniline	ug/Kg	< 260		11/16/07	263.15	EPA8270
dimethyl Phthalate	ug/Kg	< 260		11/16/07	263.15	EPA8270
Acenaphthylene	ug/Kg	< 260		11/16/07	263.15	EPA8270
2,6-Dinitrotoluene	ug/Kg	< 260		11/16/07	263.15	EPA8270
Nitroaniline	ug/Kg	< 260		11/16/07	263.15	EPA8270
Acenaphthene	ug/Kg	< 260		11/16/07	263.15	EPA8270
Dibenzofuran	ug/Kg	< 260		11/16/07	263.15	EPA8270

cc:

LRL=Laboratory Reporting Limit

REMARKS:

DIRECTOR



rn = 34018

NYSDOH ID # 10320

Page 4 of 6

ECOTEST LABORATORIES, INC.

ENVIRONMENTAL TESTING

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777 • FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO.274893.01

11/21/07

C.A. Rich Consultants, Incorporated

17 Dupont Street

Plainview, NY 11803

ATTN: Steve Sobstyl

PO#:

SOURCE OF SAMPLE: 299 Main Street-19 Liberty LDT, #299 Main Street

SOURCE OF SAMPLE:

COLLECTED BY: Client

DATE COL'D:11/08/07 RECEIVED:11/08/07

TIME COL'D:1040

MATRIX:Soil

SAMPLE: PCP-01

Results reported on a dry weight basis

ANALYTICAL PARAMETERS	UNITS	RESULT	FLAG	DATE OF ANALYSIS	LRL	ANALYTICAL METHOD
2,4-Dinitrotoluene	ug/Kg	< 260		11/16/07	263.15	EPA8270
Diethyl Phthalate	ug/Kg	< 260		11/16/07	263.15	EPA8270
4-Chlorophenyl phenyl ether	ug/Kg	< 260		11/16/07	263.15	EPA8270
Fluorene	ug/Kg	< 260		11/16/07	263.15	EPA8270
4-Nitroaniline	ug/Kg	< 260		11/16/07	263.15	EPA8270
N-Nitrosodiphenylamine	ug/Kg	< 260		11/16/07	263.15	EPA8270
4-Bromophenyl phenyl ether	ug/Kg	< 260		11/16/07	263.15	EPA8270
Hexachlorobenzene	ug/Kg	< 260		11/16/07	263.15	EPA8270
Phenanthrene	ug/Kg	930		11/16/07	263.15	EPA8270
Anthracene	ug/Kg	< 260		11/16/07	263.15	EPA8270
Di-n-Butyl Phthalate	ug/Kg	< 260		11/16/07	263.15	EPA8270
Fluoranthene	ug/Kg	440		11/16/07	263.15	EPA8270
Pyrene	ug/Kg	820	*	11/16/07	263.15	EPA8270
BenzylButylPhthalate	ug/Kg	370	*	11/16/07	263.15	EPA8270
3,3'-Dichlorobenzidine	ug/Kg	< 2600	**	11/16/07	2631.5	EPA8270
Benzo(a)anthracene	ug/Kg	< 260	*	11/16/07	263.15	EPA8270

cc:

LRL=Laboratory Reporting Limit

REMARKS:

*,**Estimated due to low internal standard, *34% & **18%.
Low recovery due to interference. QC limit is 50%.

DIRECTOR

ECOTEST LABORATORIES, INC.

ENVIRONMENTAL TESTING

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777 • FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO. 274893.01

11/21/07

C.A. Rich Consultants, Incorporated
17 Dupont Street
Plainview, NY 11803

ATTN: Steve Sobstyl

PO#:

SOURCE OF SAMPLE: 299 Main Street-19 Liberty LDT, #299 Main Street

SOURCE OF SAMPLE:

COLLECTED BY: Client

DATE COL'D: 11/08/07 RECEIVED: 11/08/07

TIME COL'D: 1040

MATRIX: Soil

SAMPLE: PCP-01

Results reported on a dry weight basis

ANALYTICAL PARAMETERS	UNITS	RESULT	FLAG	DATE OF ANALYSIS	LRL	ANALYTICAL METHOD
Chrysene	ug/Kg	300	*	11/16/07	263.15	EPA8270
Bis(2-ethylhexyl)phthalate	ug/Kg	9300	*	11/16/07	263.15	EPA8270
Di-n-octyl Phthalate	ug/Kg	< 260	**	11/16/07	263.15	EPA8270
Benzo(b)fluoranthene	ug/Kg	< 260	***	11/16/07	263.15	EPA8270
Benzo(k)fluoranthene	ug/Kg	320	***	11/16/07	263.15	EPA8270
Benzo(a)pyrene	ug/Kg	< 260	**	11/16/07	263.15	EPA8270
Indeno(1,2,3-cd)pyrene	ug/Kg	< 260	**	11/16/07	263.15	EPA8270
Dibenzo(a,h)anthracene	ug/Kg	< 260	**	11/16/07	263.15	EPA8270
Benzo(ghi)perylene	ug/Kg	< 260	**	11/16/07	263.15	EPA8270
Arsenic as As	mg/Kg	3.9		11/12/07	1.7543	EPA6010B
Barium as Ba	mg/Kg	81		11/12/07	0.8771	EPA6010B
Chromium as Cr	mg/Kg	10		11/12/07	0.8771	EPA6010B
Cadmium as Cd	mg/Kg	5.3		11/12/07	0.8771	EPA6010B
Lead as Pb	mg/Kg	120		11/12/07	0.8771	EPA6010B
Mercury as Hg	mg/Kg	0.16		11/13/07	0.0087	EPA7470
Selenium as Se	mg/Kg	< 1.8		11/12/07	1.7543	EPA6010B
Silver as Ag	mg/Kg	< 0.88		11/12/07	0.8771	EPA6010B

cc:

LRL=Laboratory Reporting Limit

REMARKS: #Results estimated due to unobtainable method requirement of a 50% split between peaks with the same isomers.
*,**Estimated due to low internal standard, *34% & **18%.
Low recovery due to interference. QC limit is 50%.

DIRECTOR

Page 6 of 6

rn = 34020

NYSDOH ID # 10320

ECOTEST LABORATORIES, INC.

ENVIRONMENTAL TESTING

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777 • FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO.274893.02

11/21/07

C.A. Rich Consultants, Incorporated

17 Dupont Street

Plainview, NY 11803

ATTN: Steve Sobstyl

PO#:

SOURCE OF SAMPLE: 299 Main Street-19 Liberty LDT, #299 Main Street

SOURCE OF SAMPLE:

COLLECTED BY: Client

DATE COL'D:11/08/07 RECEIVED:11/08/07

TIME COL'D:1000

MATRIX:Soil

SAMPLE: SCP-02

Results reported on a dry weight basis

ANALYTICAL PARAMETERS	UNITS	RESULT	FLAG	DATE OF ANALYSIS	LRL	ANALYTICAL METHOD
Vinyl Chloride	ug/Kg	< 160		11/15/07	158.73	EPA8260
Trichlorofluoromethane	ug/Kg	< 160		11/15/07	158.73	EPA8260
1,1 Dichloroethene	ug/Kg	< 160		11/15/07	158.73	EPA8260
Methylene Chloride	ug/Kg	< 160		11/15/07	158.73	EPA8260
t-1,2-Dichloroethene	ug/Kg	< 160		11/15/07	158.73	EPA8260
1,1 Dichloroethane	ug/Kg	< 160		11/15/07	158.73	EPA8260
2,2-Dichloropropane	ug/Kg	< 160		11/15/07	158.73	EPA8260
c-1,2-Dichloroethene	ug/Kg	< 160		11/15/07	158.73	EPA8260
Bromochloromethane	ug/Kg	< 160		11/15/07	158.73	EPA8260
Chloroform	ug/Kg	< 160		11/15/07	158.73	EPA8260
1,1,1 Trichloroethane	ug/Kg	< 160		11/15/07	158.73	EPA8260
1,1-Dichloropropene	ug/Kg	< 160		11/15/07	158.73	EPA8260
Carbon Tetrachloride	ug/Kg	< 160		11/15/07	158.73	EPA8260
Benzene	ug/Kg	< 160		11/15/07	158.73	EPA8260
1,2 Dichloroethane	ug/Kg	< 160		11/15/07	158.73	EPA8260
Trichloroethene	ug/Kg	< 160		11/15/07	158.73	EPA8260
2,2 Dichloropropane	ug/Kg	< 160		11/15/07	158.73	EPA8260
Bromodichloromethane	ug/Kg	< 160		11/15/07	158.73	EPA8260
Dibromomethane	ug/Kg	< 160		11/15/07	158.73	EPA8260
Toluene	ug/Kg	1000		11/15/07	158.73	EPA8260
1,1,2 Trichloroethane	ug/Kg	< 160		11/15/07	158.73	EPA8260
Tetrachloroethene	ug/Kg	< 160		11/15/07	158.73	EPA8260
1,3-Dichloropropane	ug/Kg	< 160		11/15/07	158.73	EPA8260
Chlorodibromomethane	ug/Kg	< 160		11/15/07	158.73	EPA8260
1,2 Dibromoethane	ug/Kg	< 160		11/15/07	158.73	EPA8260

cc:

LRL=Laboratory Reporting Limit

REMARKS:

DIRECTOR

ECOTEST LABORATORIES, INC.

ENVIRONMENTAL TESTING

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777 • FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO.274893.02

11/21/07

C.A. Rich Consultants, Incorporated

17 Dupont Street

Plainview, NY 11803

ATTN: Steve Sobstyl

PO#:

SOURCE OF SAMPLE: 299 Main Street-19 Liberty LDT, #299 Main Street

SOURCE OF SAMPLE:

COLLECTED BY: Client

DATE COL'D:11/08/07 RECEIVED:11/08/07

TIME COL'D:1000

MATRIX:Soil

SAMPLE: SCP-02

Results reported on a dry weight basis

ANALYTICAL PARAMETERS	UNITS	RESULT	FLAG	DATE OF ANALYSIS	LRL	ANALYTICAL METHOD
1112Tetrachloroethane	ug/Kg	< 160		11/15/07	158.73	EPA8260
Chlorobenzene	ug/Kg	< 160		11/15/07	158.73	EPA8260
Ethyl Benzene	ug/Kg	< 160		11/15/07	158.73	EPA8260
m + p Xylene	ug/Kg	540		11/15/07	317.46	EPA8260
o Xylene	ug/Kg	320		11/15/07	158.73	EPA8260
Styrene	ug/Kg	< 160		11/15/07	158.73	EPA8260
Bromoform	ug/Kg	< 160		11/15/07	158.73	EPA8260
Isopropylbenzene	ug/Kg	270		11/15/07	158.73	EPA8260
1122Tetrachloroethane	ug/Kg	< 160		11/15/07	158.73	EPA8260
Bromobenzene	ug/Kg	< 160		11/15/07	158.73	EPA8260
123-Trichloropropane	ug/Kg	< 160		11/15/07	158.73	EPA8260
n-Propylbenzene	ug/Kg	1200		11/15/07	158.73	EPA8260
2-Chlorotoluene	ug/Kg	< 160		11/15/07	158.73	EPA8260
135-Trimethylbenzene	ug/Kg	8100		11/15/07	158.73	EPA8260
4-Chlorotoluene	ug/Kg	< 160		11/15/07	158.73	EPA8260
tert-Butylbenzene	ug/Kg	440		11/15/07	158.73	EPA8260
124-Trimethylbenzene	ug/Kg	13000		11/15/07	158.73	EPA8260
sec-Butylbenzene	ug/Kg	1500		11/15/07	158.73	EPA8260
Isopropyltoluene	ug/Kg	9000		11/15/07	158.73	EPA8260
1,2 Dichlorobenzene (v)	ug/Kg	970		11/15/07	158.73	EPA8260
1,3 Dichlorobenzene (v)	ug/Kg	< 160		11/15/07	158.73	EPA8260
1,4 Dichlorobenzene (v)	ug/Kg	1500		11/15/07	158.73	EPA8260
BGP	ug/Kg	< 160		11/15/07	158.73	EPA8260
124-Trichlorobenzene (v)	ug/Kg	220		11/15/07	158.73	EPA8260
Hexachlorobutadiene	ug/Kg	< 160		11/15/07	158.73	EPA8260

cc:

LRL=Laboratory Reporting Limit

REMARKS:

DIRECTOR

ECOTEST LABORATORIES, INC.

ENVIRONMENTAL TESTING

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777 • FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO.274893.02

11/21/07

C.A. Rich Consultants, Incorporated

17 Dupont Street

Plainview, NY 11803

ATTN: Steve Sobstyl

PO#:

SOURCE OF SAMPLE: 299 Main Street-19 Liberty LDT, #299 Main Street

SOURCE OF SAMPLE:

COLLECTED BY: Client DATE COL'D:11/08/07 RECEIVED:11/08/07

TIME COL'D:1000

MATRIX:Soil SAMPLE: SCP-02

Results reported on a dry weight basis

ANALYTICAL PARAMETERS	UNITS	RESULT	FLAG	DATE OF ANALYSIS	LRL	ANALYTICAL METHOD
Naphthalene(v)	ug/Kg	840		11/15/07	158.73	EPA8260
-123-Trichlorobenzene	ug/Kg	< 160		11/15/07	158.73	EPA8260
c-1,3Dichloropropene	ug/Kg	< 160		11/15/07	158.73	EPA8260
t-1,3Dichloropropene	ug/Kg	< 160		11/15/07	158.73	EPA8260
Acetone	ug/Kg	< 1600		11/15/07	1587.3	EPA8260
% Solids		63		11/09/07	0.1	SM182540G

cc:

LRL=Laboratory Reporting Limit

REMARKS:

DIRECTOR

ECOTEST LABORATORIES, INC.

ENVIRONMENTAL TESTING

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777 • FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO.274893.02

11/21/07

C.A. Rich Consultants, Incorporated

17 Dupont Street

Plainview, NY 11803

ATTN: Steve Sobstyl

P0#:

SOURCE OF SAMPLE: 299 Main Street-19 Liberty LDT, #299 Main Street

SOURCE OF SAMPLE:

COLLECTED BY: Client

DATE COL'D:11/08/07 RECEIVED:11/08/07

TIME COL'D:1000

MATRIX:Soil

SAMPLE: SCP-02

Results reported on a dry weight basis


ANALYTICAL PARAMETERS	UNITS	RESULT	FLAG	DATE OF ANALYSIS	LRL	ANALYTICAL METHOD
Bis(2-chloroethyl)ether	ug/Kg	< 2400		11/16/07	2380.9	EPA8270
1,3 Dichlorobenzene(sv)	ug/Kg	< 2400		11/16/07	2380.9	EPA8270
1,4 Dichlorobenzene(sv)	ug/Kg	< 2400		11/16/07	2380.9	EPA8270
Carbazole	ug/Kg	< 2400		11/16/07	2380.9	EPA8270
1,2 Dichlorobenzene(sv)	ug/Kg	< 2400		11/16/07	2380.9	EPA8270
Bis(2-chloroisopropyl)ether	ug/Kg	< 2400		11/16/07	2380.9	EPA8270
N-Nitrosodi-n-propylamine	ug/Kg	< 2400		11/16/07	2380.9	EPA8270
Hexachloroethane	ug/Kg	< 2400		11/16/07	2380.9	EPA8270
Nitrobenzene	ug/Kg	< 2400		11/16/07	2380.9	EPA8270
Isophorone	ug/Kg	< 2400		11/16/07	2380.9	EPA8270
Bis(2-chloroethoxy)methane	ug/Kg	< 2400		11/16/07	2380.9	EPA8270
124-Trichlorobenzene (sv)	ug/Kg	< 2400		11/16/07	2380.9	EPA8270
Naphthalene(sv)	ug/Kg	< 2400		11/16/07	2380.9	EPA8270
4-Chloroaniline	ug/Kg	< 2400		11/16/07	2380.9	EPA8270
Hexachlorobutadiene	ug/Kg	< 2400		11/16/07	2380.9	EPA8270
2-Methylnaphthalene	ug/Kg	< 2400		11/16/07	2380.9	EPA8270
Hexachlorocyclopentadiene	ug/Kg	< 24000		11/16/07	2380.9	EPA8270
2-Chloronaphthalene	ug/Kg	< 2400		11/16/07	2380.9	EPA8270
2-Nitroaniline	ug/Kg	< 2400		11/16/07	2380.9	EPA8270
Dimethyl Phthalate	ug/Kg	< 2400		11/16/07	2380.9	EPA8270
Acenaphthylene	ug/Kg	< 2400		11/16/07	2380.9	EPA8270
2,6-Dinitrotoluene	ug/Kg	< 2400		11/16/07	2380.9	EPA8270
3-Nitroaniline	ug/Kg	< 2400		11/16/07	2380.9	EPA8270
Acenaphthene	ug/Kg	< 2400		11/16/07	2380.9	EPA8270
Dibenzofuran	ug/Kg	< 2400		11/16/07	2380.9	EPA8270

cc:

LRL=Laboratory Reporting Limit

REMARKS:

DIRECTOR



ECOTEST LABORATORIES, INC.

ENVIRONMENTAL TESTING

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777 • FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO.274893.02

11/21/07

C.A. Rich Consultants, Incorporated
17 Dupont Street
Plainview, NY 11803

ATTN: Steve Sobstyl

PO#:

SOURCE OF SAMPLE: 299 Main Street-19 Liberty LDT, #299 Main Street

SOURCE OF SAMPLE:

COLLECTED BY: Client

DATE COL'D:11/08/07 RECEIVED:11/08/07

TIME COL'D:1000

MATRIX:Soil

SAMPLE: SCP-02

Results reported on a dry weight basis

ANALYTICAL PARAMETERS	UNITS	RESULT	FLAG	DATE OF ANALYSIS	LRL	ANALYTICAL METHOD
2,4-Dinitrotoluene	ug/Kg	< 2400		11/16/07	2380.9	EPA8270
-Diethyl Phthalate	ug/Kg	< 2400		11/16/07	2380.9	EPA8270
4-Chlorophenyl phenyl ether	ug/Kg	< 2400		11/16/07	2380.9	EPA8270
Fluorene	ug/Kg	< 2400		11/16/07	2380.9	EPA8270
-4-Nitroaniline	ug/Kg	< 2400		11/16/07	2380.9	EPA8270
N-Nitrosodiphenylamine	ug/Kg	< 2400		11/16/07	2380.9	EPA8270
4-Bromophenyl phenyl ether	ug/Kg	< 2400		11/16/07	2380.9	EPA8270
Hexachlorobenzene	ug/Kg	< 2400		11/16/07	2380.9	EPA8270
Phenanthrene	ug/Kg	< 2400		11/16/07	2380.9	EPA8270
Anthracene	ug/Kg	< 2400		11/16/07	2380.9	EPA8270
Di-n-Butyl Phthalate	ug/Kg	< 2400		11/16/07	2380.9	EPA8270
-Fluoranthene	ug/Kg	< 2400		11/16/07	2380.9	EPA8270
Pyrene	ug/Kg	< 2400		11/16/07	2380.9	EPA8270
BenzylButylPhthalate	ug/Kg	< 2400		11/16/07	2380.9	EPA8270
-3,3'-Dichlorobenzidine	ug/Kg	< 24000	*	11/16/07	2380.9	EPA8270
Benzo(a)anthracene	ug/Kg	< 2400		11/16/07	2380.9	EPA8270


cc:

LRL=Laboratory Reporting Limit

REMARKS: Elevated detection level due to interference.

*Estimated due to low internal standard recovery, *46%. Low recovery due to interference. QC limit is 50%.

DIRECTOR



ECOTEST LABORATORIES, INC.

ENVIRONMENTAL TESTING

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777 • FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO.274893.02

11/21/07

C.A. Rich Consultants, Incorporated
17 Dupont Street
Plainview, NY 11803

ATTN: Steve Sobstyl

PO#:

SOURCE OF SAMPLE: 299 Main Street-19 Liberty LDT, #299 Main Street

SOURCE OF SAMPLE:

COLLECTED BY: Client

DATE COL'D:11/08/07 RECEIVED:11/08/07

TIME COL'D:1000

MATRIX:Soil

SAMPLE: SCP-02

Results reported on a dry weight basis

ANALYTICAL PARAMETERS	UNITS	RESULT	FLAG	DATE OF		ANALYTICAL
				ANALYSIS	LRL	
Chrysene	ug/Kg	< 2400		11/16/07	2380.9	EPA8270
Bis(2-ethylhexyl)phthalate	ug/Kg	22000		11/16/07	2380.9	EPA8270
Di-n-octyl Phthalate	ug/Kg	< 2400	*	11/16/07	2380.9	EPA8270
Benzo(b)fluoranthene	ug/Kg	< 2400	*	11/16/07	2380.9	EPA8270
Benzo(k)fluoranthene	ug/Kg	< 2400	*	11/16/07	2380.9	EPA8270
Benzo(a)pyrene	ug/Kg	< 2400	*	11/16/07	2380.9	EPA8270
Indeno(1,2,3-cd)pyrene	ug/Kg	< 2400	*	11/16/07	2380.9	EPA8270
Dibenzo(a,h)anthracene	ug/Kg	< 2400	*	11/16/07	2380.9	EPA8270
Benzo(ghi)perylene	ug/Kg	< 2400	*	11/16/07	2380.9	EPA8270
Arsenic as As	mg/Kg	3.3		11/12/07	1.5873	EPA6010B
Barium as Ba	mg/Kg	170		11/12/07	0.7936	EPA6010B
Chromium as Cr	mg/Kg	21		11/12/07	0.7936	EPA6010B
Cadmium as Cd	mg/Kg	11		11/12/07	0.7936	EPA6010B
Lead as Pb	mg/Kg	170		11/12/07	0.7936	EPA6010B
Mercury as Hg	mg/Kg	0.10		11/13/07	0.0079	EPA7470
Selenium as Se	mg/Kg	< 1.6		11/12/07	1.5873	EPA6010B
Silver as Ag	mg/Kg	< 0.79		11/12/07	0.7936	EPA6010B

cc:

LRL=Laboratory Reporting Limit

REMARKS:

*Estimated due to low internal standard recovery, *46%. Low recovery due to interference. QC limit is 50%.

DIRECTOR





December 5, 2007

Mr. Peter Witkowski
COUNTY OF NASSAU DEPARTMENT OF PUBLIC WORKS
CEDAR CREEK WATER POLLUTION CONTROL PLANT
3340 Merrick Road
Wantagh, NY 11793

Re: **Sanitary Wastewater**
299 Main Street - Westbury, NY 11590

Dear Mr. Witkowski:

The above-referenced premises was recently connected to the Nassau County sewer system. Attached are the sample results for the standing wastewater within the sanitary leaching pool. The sample was collected in the presence of Wayne Kempski of the Nassau County Department of Health.

At this time we request that you review the sample results for approval to be accepted at the County's Cedar Creek Water Pollution Control Plant. We estimate the volume of liquid to be on the order of 1,500 gallons.

If you have any questions or need additional information, please do not hesitate to call our Office.

Sincerely,

CARICH CONSULTANTS, INC.

Steve Sobstyl
Project Manager

Enclosure

cc: John Lovejoy, NCDH
Joe Jones, NYSDEC
Sam Padilla
Alex Holuka
Larry Schnapf, Esq.

ECOTEST LABORATORIES, INC.**ENVIRONMENTAL TESTING**

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777 • FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO.274893.04

11/21/07

C.A. Rich Consultants, Incorporated
17 Dupont Street
Plainview, NY 11803

ATTN: Steve Sobstyl

PO#:

SOURCE OF SAMPLE: 299 Main Street-19 Liberty LDT, #299 Main Street

SOURCE OF SAMPLE:

COLLECTED BY: Client DATE COL'D:11/08/07 RECEIVED:11/08/07

TIME COL'D:1025

MATRIX:Water SAMPLE: CP-01(L)


ANALYTICAL PARAMETERS	UNITS	RESULT	FLAG	DATE OF ANALYSIS	LRL	ANALYTICAL METHOD
Vinyl Chloride	ug/L	< 5		11/15/07	5	EPA8260
Trichlorofluoromethane	ug/L	< 5		11/15/07	5	EPA8260
1,1 Dichloroethene	ug/L	< 5		11/15/07	5	EPA8260
Methylene Chloride	ug/L	< 5		11/15/07	5	EPA8260
1,2-Dichloroethene	ug/L	< 5		11/15/07	5	EPA8260
1,1 Dichloroethane	ug/L	< 5		11/15/07	5	EPA8260
2,2-Dichloropropane	ug/L	< 5		11/15/07	5	EPA8260
c-1,2-Dichloroethene	ug/L	< 5		11/15/07	5	EPA8260
Bromochloromethane	ug/L	< 5		11/15/07	5	EPA8260
Chloroform	ug/L	< 5		11/15/07	5	EPA8260
1,1,1 Trichloroethane	ug/L	< 5		11/15/07	5	EPA8260
1,1-Dichloropropene	ug/L	< 5		11/15/07	5	EPA8260
Carbon Tetrachloride	ug/L	< 5		11/15/07	5	EPA8260
Benzene	ug/L	< 5		11/15/07	5	EPA8260
1,2 Dichloroethane	ug/L	< 5		11/15/07	5	EPA8260
Trichloroethene	ug/L	< 5		11/15/07	5	EPA8260
1,2 Dichloropropane	ug/L	< 5		11/15/07	5	EPA8260
Bromodichloromethane	ug/L	< 5		11/15/07	5	EPA8260
Dibromomethane	ug/L	< 5		11/15/07	5	EPA8260
Toluene	ug/L	49		11/15/07	5	EPA8260
1,1,2 Trichloroethane	ug/L	< 5		11/15/07	5	EPA8260
Tetrachloroethene	ug/L	< 5		11/15/07	5	EPA8260
1,3-Dichloropropane	ug/L	< 5		11/15/07	5	EPA8260
Chlorodibromomethane	ug/L	< 5		11/15/07	5	EPA8260
1,2 Dibromoethane	ug/L	< 5		11/15/07	5	EPA8260

cc:

LRL=Laboratory Reporting Limit

REMARKS:

DIRECTOR



ECOTEST LABORATORIES, INC.

ENVIRONMENTAL TESTING

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777 • FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO.274893.04

11/21/07

C.A. Rich Consultants, Incorporated
17 Dupont Street
Plainview, NY 11803
ATTN: Steve Sobstyl

PO#:

SOURCE OF SAMPLE: 299 Main Street-19 Liberty LDT, #299 Main Street
SOURCE OF SAMPLE:

COLLECTED BY: Client DATE COL'D:11/08/07 RECEIVED:11/08/07
TIME COL'D:1025

MATRIX:Water SAMPLE: CP-01(L)

ANALYTICAL PARAMETERS	UNITS	RESULT	FLAG	DATE OF ANALYSIS	LRL	ANALYTICAL METHOD
1112Tetrachloroethane	ug/L	< 5		11/15/07	5	EPA8260
Chlorobenzene	ug/L	< 5		11/15/07	5	EPA8260
Ethyl Benzene	ug/L	< 5		11/15/07	5	EPA8260
m + p Xylene	ug/L	< 10		11/15/07	10	EPA8260
o Xylene	ug/L	< 5		11/15/07	5	EPA8260
Styrene	ug/L	< 5		11/15/07	5	EPA8260
Bromoform	ug/L	< 5		11/15/07	5	EPA8260
Isopropylbenzene	ug/L	< 5		11/15/07	5	EPA8260
1122Tetrachloroethane	ug/L	< 5		11/15/07	5	EPA8260
Bromobenzene	ug/L	< 5		11/15/07	5	EPA8260
123-Trichloropropane	ug/L	< 5		11/15/07	5	EPA8260
n-Propylbenzene	ug/L	< 5		11/15/07	5	EPA8260
2-Chlorotoluene	ug/L	< 5		11/15/07	5	EPA8260
135-Trimethylbenzene	ug/L	< 5		11/15/07	5	EPA8260
4-Chlorotoluene	ug/L	< 5		11/15/07	5	EPA8260
tert-Butylbenzene	ug/L	< 5		11/15/07	5	EPA8260
124-Trimethylbenzene	ug/L	< 5		11/15/07	5	EPA8260
sec-Butylbenzene	ug/L	< 5		11/15/07	5	EPA8260
Isopropyltoluene	ug/L	10		11/15/07	5	EPA8260
1,2 Dichlorobenzene (v)	ug/L	< 5		11/15/07	5	EPA8260
1,3 Dichlorobenzene (v)	ug/L	< 5		11/15/07	5	EPA8260
1,4 Dichlorobenzene (v)	ug/L	32		11/15/07	5	EPA8260
BCP	ug/L	< 5		11/15/07	5	EPA8260
124-Trichlorobenzene (v)	ug/L	< 5		11/15/07	5	EPA8260
Hexachlorobutadiene	ug/L	< 5		11/15/07	5	EPA8260

cc:

LRL=Laboratory Reporting Limit

REMARKS:

DIRECTOR

ECOTEST LABORATORIES, INC.

ENVIRONMENTAL TESTING

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777 • FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO.274893.04

11/21/07

C.A. Rich Consultants, Incorporated

17 Dupont Street

Plainview, NY 11803

ATTN: Steve Sobstyl

PO#:

SOURCE OF SAMPLE: 299 Main Street-19 Liberty LDT, #299 Main Street

SOURCE OF SAMPLE:

COLLECTED BY: Client DATE COL'D:11/08/07 RECEIVED:11/08/07

TIME COL'D:1025

MATRIX:Water SAMPLE: CP-01(L)

ANALYTICAL PARAMETERS	UNITS	RESULT	FLAG	DATE OF ANALYSIS	LRL	ANALYTICAL METHOD
Naphthalene(v)	ug/L	< 5		11/15/07	5	EPA8260
123-Trichlorobenzene	ug/L	< 5		11/15/07	5	EPA8260
c-1,3Dichloropropene	ug/L	< 5		11/15/07	5	EPA8260
t-1,3Dichloropropene	ug/L	< 5		11/15/07	5	EPA8260
Acetone	ug/L	< 50		11/15/07	50	EPA8260

cc:

LRL=Laboratory Reporting Limit

REMARKS:

DIRECTOR



ECOTEST LABORATORIES, INC.

ENVIRONMENTAL TESTING

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777 • FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO.274893.04

11/21/07

C.A. Rich Consultants, Incorporated

17 Dupont Street

Plainview, NY 11803

ATTN: Steve Sobstyl

PO#:

SOURCE OF SAMPLE: 299 Main Street-19 Liberty LDT, #299 Main Street

SOURCE OF SAMPLE:

COLLECTED BY: Client DATE COL'D:11/08/07 RECEIVED:11/08/07

TIME COL'D:1025

MATRIX:Water SAMPLE: CP-01(L)

ANALYTICAL PARAMETERS	UNITS	RESULT	FLAG	DATE OF ANALYSIS	LRL	ANALYTICAL METHOD
Arsenic as As	mg/L	0.005		11/12/07	0.005	EPA200.7
Barium as Ba	mg/L	0.031		11/12/07	0.005	EPA200.7
Cadmium as Cd	mg/L	< 0.005		11/12/07	0.005	EPA200.7
Chromium as Cr	mg/L	< 0.005		11/12/07	0.005	EPA200.7
Lead as Pb	mg/L	0.022		11/12/07	0.005	EPA200.7
Mercury as Hg	mg/L	< 0.00025		11/13/07	0.0002	EPA245.2
Selenium as Se	mg/L	< 0.01		11/12/07	0.01	EPA200.7
Silver as Ag	mg/L	< 0.005		11/12/07	0.005	EPA200.7
pH (lab) units		7.3		11/08/07	0.1	SM4500HB

cc:

LRL=Laboratory Reporting Limit

REMARKS:

DIRECTOR

**POST REMEDIATION ENDPOINT
SOIL SAMPLE
LABORATORY DATA**

ECOTEST LABORATORIES, INC.

ENVIRONMENTAL TESTING

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777 • FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO.280339.02

01/29/08

C.A. Rich Consultants, Incorporated
17 Dupont Street
Plainview, NY 11803

ATTN: Steve Sobstyl

PO#:

SOURCE OF SAMPLE: 299 Main Street, #299 Main Street Sanitary

SOURCE OF SAMPLE:

COLLECTED BY: Client

DATE COL'D:01/24/08 RECEIVED:01/24/08

TIME COL'D:1200

MATRIX:Soil

SAMPLE: PCP-01 EP(19')

Results reported on a dry weight basis

ANALYTICAL PARAMETERS	UNITS	RESULT	FLAG	DATE OF ANALYSIS	LRL	ANALYTICAL METHOD
Vinyl Chloride	ug/Kg	< 5.4		01/26/08	5.4347	EPA8260
Trichlorofluoromethane	ug/Kg	< 5.4		01/26/08	5.4347	EPA8260
1,1 Dichloroethene	ug/Kg	< 5.4		01/26/08	5.4347	EPA8260
Methylene Chloride	ug/Kg	< 5.4		01/26/08	5.4347	EPA8260
t-1,2-Dichloroethene	ug/Kg	< 5.4		01/26/08	5.4347	EPA8260
1,1 Dichloroethane	ug/Kg	< 5.4		01/26/08	5.4347	EPA8260
2,2-Dichloropropane	ug/Kg	< 5.4		01/26/08	5.4347	EPA8260
c-1,2-Dichloroethene	ug/Kg	< 5.4		01/26/08	5.4347	EPA8260
Bromochloromethane	ug/Kg	< 5.4		01/26/08	5.4347	EPA8260
Chloroform	ug/Kg	< 5.4		01/26/08	5.4347	EPA8260
111 Trichloroethane	ug/Kg	< 5.4		01/26/08	5.4347	EPA8260
1,1-Dichloropropene	ug/Kg	< 5.4		01/26/08	5.4347	EPA8260
Carbon Tetrachloride	ug/Kg	< 5.4		01/26/08	5.4347	EPA8260
Benzene	ug/Kg	< 5.4		01/26/08	5.4347	EPA8260
1,2 Dichloroethane	ug/Kg	< 5.4		01/26/08	5.4347	EPA8260
Trichloroethene	ug/Kg	< 5.4		01/26/08	5.4347	EPA8260
1,2 Dichloropropane	ug/Kg	< 5.4		01/26/08	5.4347	EPA8260
Bromodichloromethane	ug/Kg	< 5.4		01/26/08	5.4347	EPA8260
Dibromomethane	ug/Kg	< 5.4		01/26/08	5.4347	EPA8260
Toluene	ug/Kg	< 5.4		01/26/08	5.4347	EPA8260
112 Trichloroethane	ug/Kg	< 5.4		01/26/08	5.4347	EPA8260
Tetrachloroethene	ug/Kg	< 5.4		01/26/08	5.4347	EPA8260
1,3-Dichloropropane	ug/Kg	< 5.4		01/26/08	5.4347	EPA8260
Chlorodibromomethane	ug/Kg	< 5.4		01/26/08	5.4347	EPA8260
1,2 Dibromoethane	ug/Kg	< 5.4		01/26/08	5.4347	EPA8260

cc:

LRL=Laboratory Reporting Limit

REMARKS:

DIRECTOR

ECOTEST LABORATORIES, INC.

ENVIRONMENTAL TESTING

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777 • FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO.280339.02

01/29/08

C.A. Rich Consultants, Incorporated
17 Dupont Street
Plainview, NY 11803

ATTN: Steve Sobstyl

PO#:

SOURCE OF SAMPLE: 299 Main Street, #299 Main Street Sanitary

SOURCE OF SAMPLE:

COLLECTED BY: Client

DATE COL'D:01/24/08 RECEIVED:01/24/08

TIME COL'D:1200

MATRIX:Soil

SAMPLE: PCP-01 EP(19')

Results reported on a dry weight basis

ANALYTICAL PARAMETERS	UNITS	RESULT	FLAG	DATE OF ANALYSIS	LRL	ANALYTICAL METHOD
1112Tetrachloroethane	ug/Kg	< 5.4		01/26/08	5.4347	EPA8260
Chlorobenzene	ug/Kg	< 5.4		01/26/08	5.4347	EPA8260
Ethyl Benzene	ug/Kg	< 5.4		01/26/08	5.4347	EPA8260
m + p Xylene	ug/Kg	< 11		01/26/08	10.869	EPA8260
o Xylene	ug/Kg	< 5.4		01/26/08	5.4347	EPA8260
Styrene	ug/Kg	< 5.4		01/26/08	5.4347	EPA8260
Bromoform	ug/Kg	< 5.4		01/26/08	5.4347	EPA8260
Isopropylbenzene	ug/Kg	< 5.4		01/26/08	5.4347	EPA8260
1122Tetrachloroethane	ug/Kg	< 5.4		01/26/08	5.4347	EPA8260
Bromobenzene	ug/Kg	< 5.4		01/26/08	5.4347	EPA8260
123-Trichloropropane	ug/Kg	< 5.4		01/26/08	5.4347	EPA8260
n-Propylbenzene	ug/Kg	< 5.4		01/26/08	5.4347	EPA8260
2-Chlorotoluene	ug/Kg	< 5.4		01/26/08	5.4347	EPA8260
135-Trimethylbenzene	ug/Kg	< 5.4		01/26/08	5.4347	EPA8260
4-Chlorotoluene	ug/Kg	< 5.4		01/26/08	5.4347	EPA8260
tert-Butylbenzene	ug/Kg	< 5.4		01/26/08	5.4347	EPA8260
124-Trimethylbenzene	ug/Kg	< 5.4		01/26/08	5.4347	EPA8260
sec-Butylbenzene	ug/Kg	< 5.4		01/26/08	5.4347	EPA8260
p-Isopropyltoluene	ug/Kg	< 5.4		01/26/08	5.4347	EPA8260
1,2 Dichlorobenzene (v)	ug/Kg	< 5.4		01/26/08	5.4347	EPA8260
1,3 Dichlorobenzene (v)	ug/Kg	< 5.4		01/26/08	5.4347	EPA8260
1,4 Dichlorobenzene (v)	ug/Kg	< 5.4		01/26/08	5.4347	EPA8260
DBCP	ug/Kg	< 5.4		01/26/08	5.4347	EPA8260
124-Trichlorobenzene (v)	ug/Kg	26		01/26/08	5.4347	EPA8260
Hexachlorobutadiene	ug/Kg	< 5.4		01/26/08	5.4347	EPA8260

cc:

LRL=Laboratory Reporting Limit

REMARKS:

DIRECTOR

ECOTEST LABORATORIES, INC.

ENVIRONMENTAL TESTING

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777 • FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO.280339.02

01/29/08

C.A. Rich Consultants, Incorporated
17 Dupont Street
Plainview, NY 11803

ATTN: Steve Sobstyl

P0#:

SOURCE OF SAMPLE: 299 Main Street, #299 Main Street Sanitary

SOURCE OF SAMPLE:

COLLECTED BY: Client DATE COL'D:01/24/08 RECEIVED:01/24/08

TIME COL'D:1200

MATRIX:Soil SAMPLE: PCP-01 EP(19')

Results reported on a dry weight basis

ANALYTICAL PARAMETERS	UNITS	RESULT	FLAG	DATE OF ANALYSIS	LRL	ANALYTICAL METHOD
Naphthalene(v)	ug/Kg	< 5.4		01/26/08	5.4347	EPA8260
123-Trichlorobenzene	ug/Kg	< 5.4		01/26/08	5.4347	EPA8260
c-1,3Dichloropropene	ug/Kg	< 5.4		01/26/08	5.4347	EPA8260
t-1,3Dichloropropene	ug/Kg	< 5.4		01/26/08	5.4347	EPA8260
Acetone	ug/Kg	< 54		01/26/08	54.347	EPA8260
% Solids		92		01/28/08	0.1	SM182540G

cc:

LRL=Laboratory Reporting Limit

REMARKS:

DIRECTOR

ECOTEST LABORATORIES, INC.

ENVIRONMENTAL TESTING

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777 • FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO.280339.01

01/29/08

C.A. Rich Consultants, Incorporated
17 Dupont Street
Plainview, NY 11803

ATTN: Steve Sobstyl

PO#:

SOURCE OF SAMPLE: 299 Main Street, #299 Main Street Sanitary

SOURCE OF SAMPLE:

COLLECTED BY: Client DATE COL'D:01/24/08 RECEIVED:01/24/08

TIME COL'D:1010

MATRIX:Soil SAMPLE: SCP-02 EP(17')

Results reported on a dry weight basis

ANALYTICAL PARAMETERS	UNITS	RESULT	FLAG	DATE OF ANALYSIS	LRL	ANALYTICAL METHOD
Vinyl Chloride	ug/Kg	< 5.3		01/26/08	5.2631	EPA8260
Trichlorofluoromethane	ug/Kg	< 5.3		01/26/08	5.2631	EPA8260
1,1 Dichloroethene	ug/Kg	< 5.3		01/26/08	5.2631	EPA8260
Methylene Chloride	ug/Kg	< 5.3		01/26/08	5.2631	EPA8260
t-1,2-Dichloroethene	ug/Kg	< 5.3		01/26/08	5.2631	EPA8260
1,1 Dichloroethane	ug/Kg	< 5.3		01/26/08	5.2631	EPA8260
2,2-Dichloropropane	ug/Kg	< 5.3		01/26/08	5.2631	EPA8260
c-1,2-Dichloroethene	ug/Kg	< 5.3		01/26/08	5.2631	EPA8260
Bromochloromethane	ug/Kg	< 5.3		01/26/08	5.2631	EPA8260
Chloroform	ug/Kg	< 5.3		01/26/08	5.2631	EPA8260
111 Trichloroethane	ug/Kg	< 5.3		01/26/08	5.2631	EPA8260
1,1-Dichloropropene	ug/Kg	< 5.3		01/26/08	5.2631	EPA8260
Carbon Tetrachloride	ug/Kg	< 5.3		01/26/08	5.2631	EPA8260
Benzene	ug/Kg	< 5.3		01/26/08	5.2631	EPA8260
1,2 Dichloroethane	ug/Kg	< 5.3		01/26/08	5.2631	EPA8260
Trichloroethene	ug/Kg	< 5.3		01/26/08	5.2631	EPA8260
1,2 Dichloropropane	ug/Kg	< 5.3		01/26/08	5.2631	EPA8260
Bromodichloromethane	ug/Kg	< 5.3		01/26/08	5.2631	EPA8260
Dibromomethane	ug/Kg	< 5.3		01/26/08	5.2631	EPA8260
Toluene	ug/Kg	< 5.3		01/26/08	5.2631	EPA8260
112 Trichloroethane	ug/Kg	< 5.3		01/26/08	5.2631	EPA8260
Tetrachloroethene	ug/Kg	< 5.3		01/26/08	5.2631	EPA8260
1,3-Dichloropropane	ug/Kg	< 5.3		01/26/08	5.2631	EPA8260
Chlorodibromomethane	ug/Kg	< 5.3		01/26/08	5.2631	EPA8260
1,2 Dibromoethane	ug/Kg	< 5.3		01/26/08	5.2631	EPA8260

cc:

LRL=Laboratory Reporting Limit

REMARKS:

DIRECTOR

ECOTEST LABORATORIES, INC.

ENVIRONMENTAL TESTING

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777 • FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO.280339.01

01/29/08

C.A. Rich Consultants, Incorporated
17 Dupont Street

Plainview, NY 11803

ATTN: Steve Sobstyl

PO#:

SOURCE OF SAMPLE: 299 Main Street, #299 Main Street Sanitary

SOURCE OF SAMPLE:

COLLECTED BY: Client DATE COL'D:01/24/08 RECEIVED:01/24/08

TIME COL'D:1010

MATRIX:Soil SAMPLE: SCP-02 EP(17')

Results reported on a dry weight basis

ANALYTICAL PARAMETERS	UNITS	RESULT	FLAG	DATE OF ANALYSIS	LRL	ANALYTICAL METHOD
1112Tetrachloroethane	ug/Kg	< 5.3		01/26/08	5.2631	EPA8260
Chlorobenzene	ug/Kg	< 5.3		01/26/08	5.2631	EPA8260
Ethyl Benzene	ug/Kg	< 5.3		01/26/08	5.2631	EPA8260
m + p Xylene	ug/Kg	< 11		01/26/08	10.526	EPA8260
o Xylene	ug/Kg	< 5.3		01/26/08	5.2631	EPA8260
Styrene	ug/Kg	< 5.3		01/26/08	5.2631	EPA8260
Bromoform	ug/Kg	< 5.3		01/26/08	5.2631	EPA8260
Isopropylbenzene	ug/Kg	< 5.3		01/26/08	5.2631	EPA8260
1122Tetrachloroethane	ug/Kg	< 5.3		01/26/08	5.2631	EPA8260
Bromobenzene	ug/Kg	< 5.3		01/26/08	5.2631	EPA8260
123-Trichloropropane	ug/Kg	< 5.3		01/26/08	5.2631	EPA8260
n-Propylbenzene	ug/Kg	< 5.3		01/26/08	5.2631	EPA8260
2-Chlorotoluene	ug/Kg	< 5.3		01/26/08	5.2631	EPA8260
135-Trimethylbenzene	ug/Kg	< 5.3		01/26/08	5.2631	EPA8260
4-Chlorotoluene	ug/Kg	< 5.3		01/26/08	5.2631	EPA8260
tert-Butylbenzene	ug/Kg	< 5.3		01/26/08	5.2631	EPA8260
124-Trimethylbenzene	ug/Kg	< 5.3		01/26/08	5.2631	EPA8260
sec-Butylbenzene	ug/Kg	< 5.3		01/26/08	5.2631	EPA8260
p-Isopropyltoluene	ug/Kg	< 5.3		01/26/08	5.2631	EPA8260
1,2 Dichlorobenzene (v)	ug/Kg	< 5.3		01/26/08	5.2631	EPA8260
1,3 Dichlorobenzene (v)	ug/Kg	< 5.3		01/26/08	5.2631	EPA8260
1,4 Dichlorobenzene (v)	ug/Kg	< 5.3		01/26/08	5.2631	EPA8260
DBCP	ug/Kg	< 5.3		01/26/08	5.2631	EPA8260
124-Trichlorobenzene (v)	ug/Kg	< 5.3		01/26/08	5.2631	EPA8260
Hexachlorobutadiene	ug/Kg	< 5.3		01/26/08	5.2631	EPA8260

cc:

LRL=Laboratory Reporting Limit

REMARKS:

DIRECTOR

ECOTEST LABORATORIES, INC.

ENVIRONMENTAL TESTING

377 SHEFFIELD AVE. • N. BABYLON, N.Y. 11703 • (631) 422-5777 • FAX (631) 422-5770

Email: ecotestlab@aol.com Website: www.ecotestlabs.com

LAB NO.280339.01

01/29/08

C.A. Rich Consultants, Incorporated
17 Dupont Street
Plainview, NY 11803

ATTN: Steve Sobstyl

PO#:

SOURCE OF SAMPLE: 299 Main Street, #299 Main Street Sanitary

SOURCE OF SAMPLE:

COLLECTED BY: Client DATE COL'D:01/24/08 RECEIVED:01/24/08

TIME COL'D:1010

MATRIX:Soil SAMPLE: SCP-02 EP(17')

Results reported on a dry weight basis

ANALYTICAL PARAMETERS	UNITS	RESULT	FLAG	DATE OF ANALYSIS	LRL	ANALYTICAL METHOD
Naphthalene(v)	ug/Kg	< 5.3		01/26/08	5.2631	EPA8260
123-Trichlorobenzene	ug/Kg	< 5.3		01/26/08	5.2631	EPA8260
c-1,3Dichloropropene	ug/Kg	< 5.3		01/26/08	5.2631	EPA8260
t-1,3Dichloropropene	ug/Kg	< 5.3		01/26/08	5.2631	EPA8260
Acetone	ug/Kg	< 53		01/26/08	52.631	EPA8260
% Solids		95		01/28/08	0.1	SM182540G

cc:

LRL=Laboratory Reporting Limit

REMARKS:

DIRECTOR

WASTE DISPOSAL APPROVALS & MANIFESTS



COUNTY OF NASSAU
DEPARTMENT OF PUBLIC WORKS
1194 Prospect Avenue
Westbury, New York 11590-2723

December 14, 2007

Mr. Steve Sobstyl
C. A. Rich, Environmental Specialists
17 Dupont Street
Plainview, New York 11803

Re: Disposal of Cesspool Wastewater
299 Main Street, Westbury, New York

Dear Mr. Sobstyl:

This letter is in response to your letter dated December 5, 2007, requesting approval to dispose of approximately 1500 gallons of wastewater from a cesspool closure at 299 Main Street, Westbury, to the County's Bay Park Scavenger Waste Disposal Facility.

The request is hereby approved. The approval is based on the laboratory analysis of the wastewater and the non-hazardous nature of the wastes. This approval is limited to only the liquid phase wastes pumped from the above referenced facility.

This Department reserves the right to cancel this temporary approval at any time. The wastewater must be pumped and transported by a New York State Department of Environmental Conservation approved and Nassau County permitted company.

Payment for the disposal will be made by disposal tickets purchased by your company for disposal of scavenger waste at the Bay Park facility.

If you have any questions concerning the above matter, please call me at (516) 571-7352.

Very truly yours,

A handwritten signature in black ink, reading "Peter J. Witkowski".

Peter J. Witkowski
Director of Hazardous Waste Services

PJW:jld

- c. Joseph L. Davenport, NCDPW
Richard Cotugno, NCDPW
Chuck Durante, NCDPW

RECEIVED
DEC 17 2007
BY: _____

31006

County of Nassau
Department of Public Works

Manifest No. 04774

Bay Park Sewage Treatment Plant
Septage/Scavenger Waste Facility
Load Manifest

Date: 1/24/08
Disposal Company Name: ANCS
Disposal Company Address: 10-2 DUBON CT
FARMINGDALE NY 11735
Telephone Number: _____
Permit Number: #115

Section I

Below please indicate the source and type of the acceptable wastewater to be discharged at the Bay Park STP
Septage/Scavenger Waste Facility.

Name/Firm/Establishment: PADILLA CONST
Address: 299 MARV ST
Town/Village: WESTBURY NY Zip Code: _____
Telephone Number: _____

Type of Waste Removed: ☒ Septage Tank Cleanout
☐ Grease Trap/Interceptor Cleanout
☐ Other (describe below)

Description: _____

Volume of Waste Removed: 2000 gal Gallons

Section II

Was liquid decanted after removal from the above referenced source location and prior to disposal at the BPSTP
Septage/Scavenger Waste Facility?

☐ Yes
☒ No

If, Yes, where and how was decanted liquid disposed of

Section III

I (we) the undersigned, assert that the volume to be disposed of at the BPSTP Septage/Scavenger Waste Facility contains no material or components not permitted by the Nassau County Sewer Ordinance (No.266-1985 and successors) and was generated and collected only in Nassau County. I (we) understand that there can be significant civil and/or criminal penalties for any violations of federal, state and local laws, rules and regulations governing the disposal of said wastes.

Signature

Print Name

Date

AQUA NOVA COMMERCIAL SERVICES
 10-2 DUBON COURT
 FARMINGDALE, NY 11735
 631-293-2627

JOB WORK ORDER

3/006

Arrived on job 7:45 A.M. / P.M.
 Left job 2:15 A.M. / P.M.

MECHANIC

HELPER

DATE

1/24/08

JOB NAME 30114-1 (CUST) / AARCO		JOB PHONE
ADDRESS 299 MAIN ST		☐ LATE NIGHT ☐ SUNDAY ☐ HOLIDAY
CITY WESTBURY		
BILL TO		PHONE
ADDRESS		☐ NEW ☐ REFERRAL ☐ REPEAT

PUMPING

CHEMICALS

LINE CLEANING

SINK TUB TOILET

LABOR

OTHER

SUB TOTAL

TAX

TOTAL

Purchaser shall provide access to job site. It shall be the obligation of the Purchaser to inform the Service Company of any above or below ground or hidden perils. The Seller shall not be responsible for damage above or below ground to property or hidden perils. Signor assumes liability representatively and personally for payment of contract amount.

NOTATION: Buyer is responsible to ensure that all hazardous materials are properly identified and labeled. Buyer is responsible for obtaining all necessary permits and approvals for the work to be performed.

DATE PAID

CHECK NO.

AMT. REC'D.

☐ CASH ☐ M.C. ☐ VISA ☐ LEFT BILL

GENERATOR SIGNED STATEMENT



I, AARCO, hereby affirm that I am the owner, or user, of the Individual Sewage Disposal Facility (septic tank/leaching facilities) located at the address of the invoice and:
 (1). That the facilities to be pumped contain only sanitary sewage; (2). That I have not been notified by the Suffolk County Department of Health or the Nassau County Department of Health to have this system pumped by a licensed industrial hauler. That neither I nor any person in my family or in my employ have added any chemical solvent waste or industrial wastes of any kind to the facility to be pumped and that I make this Statement knowing that the waste will be disposed of at a Municipal Septage Treatment Facility and that in the event that any chemical solvent waste or industrial waste of any kind have been added, legal action may be undertaken by the appropriate regulatory agency against any or all parties involved.

"I, hereby affirm under penalty of perjury that information provided on this form is true to the best of my knowledge and belief. False statements made herein are punishable as a Class A misdemeanor pursuant to Section 210.45 of the Penal Law".

Customer's Signature

Date

Please print or type
(Form designed for use on elite (12-pitch) typewriter.)

NON-HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No.	Manifest Doc. No.	2. Page 1 of
3. Generator's Name and Mailing Address 239 Main Westbury NY		43195		
4. Generator's Phone ()		ECAA 428 -		
5. Transporter 1 Company Name AARCO ENVIRONMENTAL SERVICES CORP.		6. US EPA ID Number N Y R 0 0 0 1 0 7 3 2 6	A. Transporter's Phone 631-586-5900	
7. Transporter 2 Company Name		8. US EPA ID Number	B. Transporter's Phone	
9. Designated Facility Name and Site Address R6M Earth Care Nicols Rd Deer Park NY		10. US EPA ID Number	C. Facility's Phone	
11. Waste Shipping Name and Description		12. Containers No. Type	13. Total Quantity	14. Unit Wt/Vol
a. drain sludge (non haz-mat)		01	TT	0016 Y
b.				
c.				
d.				
D. Additional Descriptions for Materials Listed Above		E. Handling Codes for Wastes Listed Above		
15. Special Handling Instructions and Additional Information EMERGENCY PHONE # 631-586-5900				
16. GENERATOR'S CERTIFICATION: I certify the materials described above on this manifest are not subject to federal regulations for reporting proper disposal of Hazardous Waste.				
Printed/Typed Name STEVE SOBSTIL		Signature 		Month Day Year 10/24/08
17. Transporter 1 Acknowledgement of Receipt of Materials				
Printed/Typed Name Michal Bonislowski		Signature 		Month Day Year 10/24/08
18. Transporter 2 Acknowledgement of Receipt of Materials				
Printed/Typed Name		Signature		Month Day Year
19. Discrepancy Indication Space				
20. Facility Owner or Operator: Certification of receipt of waste materials covered by this manifest except as noted in Item 19.				
Printed/Typed Name Robert T. McCreary		Signature 		Month Day Year 01/24/08

ORIGINAL - RETURN TO GENERATOR

CUSTOMER COPY

TELEPHONES

I 10 Sand Company

170 Cabot Street
West Babylon, New York 11704

CARICH
299 Main St
Westbury NY

Office - 631-249-4108
Scalehouse - 631-694-2822
Landfill - 631-694-2848

CUSTOMER NO.	P.O. NUMBER	TRUCK NO.	TYPE OF SALE	JOB NO.	OUR ORDER NUMBER	TICKET NO.
910000		0	PUBLIC SCALES		011800	641124

CUSTOMER NAME:

MATERIAL SALE - CASH

DATE	TAX PERCENTAGE	TRUCK CODE	MATERIAL CODE
1/24/08	Y		000

MATERIAL DESCRIPTION

WEIGHT

DELIVERY ADDRESS

RECEIVED BY:

RECEIVED BY:

CARRIER SIGNATURE: *[Signature]*

CUSTOMER SIGNATURE: *[Signature]*

SEE REVERSE SIDE FOR COLLECTION TERMS

GROSS	TARE	NET	UNIT	WEIGHED BY
36.56		1.00	UNIT	C
IN	OUT	CHECK NO./CHARGE TYPE	LICENSE NO.	
	12:51		81220	

VEHICLE GROSS WEIGHT 73120

TOTAL TODAY

QUANTITY THIS ORDER TODAY

LOADS THIS ORDER TODAY