

Monitoring and Sampling Report
January through March 2008
NYSDEC Spill #130049
American Drive-In Cleaners
3801 Hempstead Turnpike
Levittown, NY

Report Date: May 2008

Regulatory Contact: NYSDEC - Division of Environmental Remediation
625 Broadway
Albany, NY 12233-7017
ATTN: Payson Long

**Monitoring and
Sampling Results**

Number of wells: Twenty-one monitoring wells (MW-1S, 1I, 2S, 3S, 4S, 4I, 5S, 6S, 6I, 7S, 7D, 7I, 8S, 8I, 9S, 9I, 9D, 10S, 10I, 11S, 12S)

Liquid Phase Hydrocarbons: On January 25, 2008, liquid-phase hydrocarbons (LPH) were not detected (ND) in any of the gauged wells.

Water Table Elevation: On January 25, 2008, depth to water ranged from 22.12 feet below grade (ft.b.g.) (MW-3S) to 31.17 ft.b.g. (MW-7I).

Groundwater Flow: Southeast

Groundwater Gradient: .001ft/ft

Groundwater Sampling: Nineteen (19) wells (MW-1S, 1I, 3S, 4S, 4I, 6S, 6I, 7S, 7D, 7I, 8S, 8I, 9S, 9I, 9D, 10S, 10I, 11S, 12S) were sampled on January 25, 2008. MW-2S could not be located and MW-5S was dry and therefore these samples could not be taken during this sampling event. The samples were analyzed for VOC's via EPA Method 8260.

Maximum PCE Concentration: 350 micrograms per liter (ug/L) (MW-8I)

Site History:

Prior to 1981, wastewater was drained from the building into several cesspools located north and east of the building. Additionally, tetrachloroethene (PCE) contamination was found in soil located near the northwest corner of American Drive-In Cleaners (site).

In September 1990, five monitoring wells were installed, hydraulically down gradient from the site. Samples from some of the monitoring wells detected contamination of PCE.

In December 1990, soil vapor samples and surface soil samples were taken near the northwest corner of the site, which came back positive for PCE contamination.

In December 1991, the site was listed as a NYSDEC Class 2 Inactive Hazardous Waste disposal site.

In response to a subsurface investigation conducted in January 1998, an Interim Remedial Measure (IRM) was undertaken in August of 1999 to address the contamination found.

In January 2001, the NYSDEC and NYSDOH divided the American Drive-In Cleaners site into two operable units. The area north of Hempstead Turnpike was identified as Operable Unit 1 (OU-1) and the area south of Hempstead Turnpike was identified as Operable Unit 2 (OU-2).

In March 2001, a remediation plan was established for OU-1. It included in-situ chemical oxidation, soil vapor extraction, on-site groundwater extraction and treatment and long term groundwater monitoring solutions. EnviroTrac under the direction of the NYSDEC, installed a SVE system in February 2001. The system has been employed to treat the PCE impacted groundwater beneath OU-1.

In June 2001, the United States Environmental Protection Agency (EPA) installed a new SVE blower and a 2,000 pound granulated activated carbon vessel adsorber (GAC) to treat the high concentrations of PCE and its breakdown products in the extracted vapor stream. EnviroTrac operates and maintains the SVE system since June 1, 2007.



**Monitoring and Sampling Report
January through March 2008
NYSDEC Spill #130049
American Drive-In Cleaners
3801 Hempstead Turnpike
Levittown, NY**


Site Notes: Weekly operation and maintenance (O&M) of the soil vapor extraction (SVE) system was conducted. SVE system data table is attached. Groundwater monitoring and sampling was conducted on January 25, 2008.

Future Plans: Groundwater monitoring and sampling will continue on a quarterly basis, with the next sampling event scheduled for April 2008. The system will be pulsed on a monthly basis starting in April 2008. In order to throttle the SVE system, a variable frequency drive (VFD) is slated to be installed in April 2008. Indoor air quality and sub-slab vapor sampling will also be conducted in May 2008.

Recommendations: Groundwater should continue to be monitored on a quarterly basis. Based on the results of the future monitoring events, a deep monitoring well might have to be installed downgradient of MW-8I to further delineate the vertical extent of the dissolved phase PCE contamination. The results of the upcoming vapor monitoring event should be evaluated to determine possible modifications to the existing SVE and vapor mitigation systems.

List of Attachments:

Figures:	Figure 1 - Site Plan Figure 2 - Groundwater Gradient Map January 25, 2008 Figure 3 - Summary of PCE Concentrations in Groundwater January 25, 2008
Tables:	Table 1 - Summary of Groundwater Gauging Data Table 2 - Summary of Groundwater Analytical Results Table 3 - Soil Vapor Extraction System Data
Appendices	Appendix A - Analytical Report- Groundwater Sampling



LEGEND:
 ⊕ MW-7S = EXISTING MONITORING WELL
 (S=SHALLOW, I=INTERMEDIATE, D=DEEP)
 ⊞ ITHS IRRIGATION WELL

EnviroTrac
 ENVIRONMENTAL SERVICES
 5 OLD DOCK ROAD, YAPHANK, NEW YORK 11980
 PHONE: (631)924-3001 FAX: (631)924-5001

0 100 FT. 200

REVISION DATE:
JANUARY 10, 2008



SCALE:
1" = 200 FEET

REVISED BY: TB

3801 HEMPSTEAD TURNPIKE
LEVITTOWN, NEW YORK

SITE PLAN

FIGURE #
1



LEGEND:

⊕ MW-7S = EXISTING MONITORING WELL
(S=SHALLOW, I=INTERMEDIATE, D=DEEP)

⊞ ITHS IRRIGATION WELL

CONTOUR CONSTRUCTION = 1.00 FEET

NM = NOT MEASURED

* - NOT USED IN CONTOUR CONSTRUCTION

SAMPLE WELL:

⊕ MW-10I = WELL IDENTIFICATION
52.59 = WATER TABLE ELEVATION

EnviroTrac
ENVIRONMENTAL SERVICES

5 OLD DOCK ROAD, YAPHANK, NEW YORK 11980
PHONE: (631)924-3001 FAX: (631)924-5001

0 100 FT. 200

REVISION DATE:
APRIL 10, 2008


SCALE:
1" = 200 FEET

REVISED BY: TB

AMERICAN DRIVE-IN CLEANERS
3801 HEMPSTEAD TURNPIKE
LEVITTOWN, NEW YORK

GROUNDWATER GRADIENT MAP
JANUARY 25, 2008

FIGURE #
2



LEGEND:

⊕ MW-7S = EXISTING MONITORING WELL
(S=SHALLOW,I=INTERMEDIATE,D=DEEP)

⊞ ITHS IRRIGATION WELL

NS = NOT SAMPLED
ND = NOT DETECTED
PCE = TETRACHLOROETHANE

SAMPLE WELL:

⊕ MW-10 = WELL IDENTIFICATION
ND = PCE RESULTS IN ug/L

Table 1

**Summary of Groundwater Gauging Data
NYSDEC Spill #130049
American Drive-In Cleaners
3801 Hempstead Turnpike
Levittown, NY**

Well	Date	Gauge Point Elevation (ft.)	Depth to Water (ft.)	Water Level Elevation (ft.)
MW-1S	10/25/07	81.57	27.71	53.86
	1/25/08		28.05	53.52
MW-1I	10/25/07	81.26	27.51	53.75
	1/25/08		28.05	53.21
MW-2S	1/25/08	74.42	NM	NM
MW-3S	1/25/08	74.72	22.12	52.60
MW-4S	1/25/08	81.91	29.43	52.48
MW-4I	1/25/08	82.76	30.47	52.29
MW-5	1/25/08	82.76	DRY	DRY
MW-6S	10/25/07	85.79	30.85	54.94
	1/25/08		30.98	54.81
MW-6I	10/25/07	85.61	30.62	54.99
	1/25/08		30.74	54.87
MW-7S	10/25/07	85.02	30.80	54.22
	1/25/08		31.09	53.93
MW-7I	10/25/07	85.11	30.89	54.22
	1/25/08		31.17	53.94
MW-7D	10/25/07	85.02	30.82	54.20
	1/25/08		31.10	53.92
MW-8S	10/25/07	81.10	27.53	53.57
	1/25/08		27.86	53.24
MW-8I	10/25/07	81.08	27.72	53.36
	1/25/08		27.95	53.13
MW-9S	1/25/08	78.31	25.81	52.50
MW-9I	1/25/08	78.24	25.42	52.82
MW-9D	1/25/08	78.07	25.64	52.43
MW-10S	10/25/07	80.75	26.92	53.83
	1/25/08		27.24	53.51
MW-10I	10/25/07	80.45	26.79	53.66
	1/25/08		27.86	52.59
MW-11S	1/25/08	83.04	32.34	50.70
MW-12S	1/25/08	80.92	30.19	50.73

Notes:

- 1. NS = No Top of Casing Survey Data Available**
- 2. NA = Not Available**
- 3. NM = Not Measured**
- 4. Survey Information Provided by YEC, Inc.**



Table 2

Summary of Groundwater Analytical Results
NYSDEC Spill #130049
American Drive-In Cleaners
3801 Hempstead Turnpike
Levittown, NY

Analytical Parameter	Units	Date Sampled	MW-1I	MW-1S	MW-2S	MW-3S	MW-4I	MW-4S	MW-5S	MW-6I	MW-6S	MW-7D	MW-7I	MW-7S	MW-8I	MW-8S	MW-9D	MW-9I	MW-9S	MW-10I	MW-10S	MW-11S	MW-12S	IW	DUP	NYSDEC TAGM #4046 Groundwater Standards	
Tetrachloroethene	ug/L	1990	NA	274	NA	NA	NA	64	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	5	
		1/20/98	NA	260	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		
		2/25/98	NA	NA	NA	NA	NA	NA	76	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		
		3/18/98	ND	180	ND	ND	NA	40	ND	ND	34	NA	120	6800	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		
		4/22/98	ND	250	ND	ND	NA	130	ND	ND	8	NA	130	5200	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		
		2/3/99	2	360	ND	ND	NA	580	ND	ND	2	2	1400	16000	180	1500	ND	ND	150	NA	NA	NA	NA	NA	NA		
		7/30/99	NA	NA	NA	NA	NA	380	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	21	NA		
		1/20/00	NA	NA	NA	NA	NA	180	NA	NA	NA	NA	1600	3400	NA	570	NA	NA	74	NA	NA	NA	NA	4	NA		
		9/14/04	ND	ND	NA	NA	0.62 J	1.0 J	NA	NS	NS	0.51 J	1800 D	0.77J	NS	ND	ND	ND	2.6 J	1.9 J	12	ND	NA	3.8 J	3.0 J		
		9/6/05	ND	ND	NA	NA	NS	NS	NA	NS	NS	NS	NS	NS	NS	NS	ND	ND	0.82 J	NS	NS	NS	NA	NS	NS		
		9/7/05	NS	NS	NA	NA	ND	8.8	NA	NS	NS	0.90 J	77	1.2	NS	ND	NS	NS	NS	1.3	2	ND	NA	NS	ND		
		10/26/07	ND	ND	NA	NA	NS	NS	NA	ND	ND	ND	ND	220	570	ND	NS	NS	NS	ND	ND	NS	NA	NS	NS		
		1/25/08	ND	ND	NA	ND	ND	ND	NM	ND	ND	ND	120	ND	350	ND	ND	ND	ND	ND	ND	ND	ND	NS	NS		
Toluene	ug/L	9/14/04	ND	ND	NA	NA	ND	0.50 J	NA	NS	NS	0.53 J	ND	ND	NS	ND	0.57 J	0.53 J	ND	ND	ND	0.50 J	NA	ND	0.57 J	5	
1/25/08	ND	ND	NA	ND	ND	ND	ND	NM	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NS	NS			
Xylenes (total)	ug/L	9/14/04	ND	ND	NA	NA	ND	0.56 J	NA	NS	NS	0.66 J	0.82 J	ND	NS	ND	0.56 J	0.65 J	ND	0.56 J	ND	0.84 J	NA	ND	0.55 J	5	
Acetone	ug/L	1/25/08	ND	ND	NA	ND	ND	ND	NM	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NS	NS	50	
		9/14/04	ND	ND	NA	NA	ND	ND	NA	NS	NS	2.2 J	ND	0.86 J	NS	ND	ND	ND	ND	ND	ND	ND	NA	ND	2.2 J		
1,1-Dichloroethane	ug/L	2/4/99	NA	NA	NA	NA	NA	NA	NA	NA	NA	ND	ND	ND	ND	27	NA	NA	4	NA	NA	NA	NA	NA	NA	5	
		1/20/00	NA	NA	NA	NA	NA	ND	NA	NA	NA	NA	ND	140	NA	10	NA	NA	1	NA	NA	NA	NA	NA	NA		
		9/14/04	ND	ND	NA	NA	ND	ND	NA	NS	NS	ND	ND	0.51 J	NS	ND	ND	ND	ND	ND	ND	ND	NA	ND	ND		
		9/6/05	ND	ND	NA	NA	NS	NS	NA	NS	NS	NS	NS	NS	NS	NS	0.53 J	ND	ND	NS	NS	NS	NA	NS	NS		
		9/7/05	NS	NS	NA	NA	ND	ND	NA	NS	NS	ND	ND	ND	NS	ND	NS	NS	NS	ND	1.4	ND	NA	NS	ND		
		1/25/08	ND	ND	NA	ND	ND	ND	NM	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NS	NS		
Chloroform	ug/L	9/14/04	ND	ND	NA	NA	ND	ND	NA	NS	NS	ND	ND	0.84 J	NS	ND	ND	0.57 J	ND	ND	0.79 J	ND	NA	ND	ND	7	
		9/6/05	ND	0.62 J	NA	NA	NS	NS	NA	NS	NS	NS	NS	NS	NS	NS	ND	1.3	ND	NS	NS	NS	NA	NS	NS		
		9/7/05	NS	NS	NA	NA	ND	ND	NA	NS	NS	ND	ND	0.81 J	NS	ND	NS	NS	NS	ND	3.3	ND	NA	NS	ND		
		1/25/08	ND	ND	NA	ND	ND	ND	NM	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NS	NS		
		3/18/98	ND	4	ND	ND	NA	ND	ND	ND	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		
111-Trichloroethane	ug/L	4/22/99	ND	6	ND	ND	NA	NA	NA	1	ND	NA	ND	ND	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	5	
		2/3/99	ND	9	ND	ND	NA	ND	ND	ND	ND	ND	ND	ND	ND	26	ND	ND	4	NA	NA	NA	NA	NA	NA		
		7/30/99	NA	NA	NA	NA	NA	2	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	ND	NA		
		1/20/00	NA	NA	NA	NA	NA	1	NA	NA	NA	NA	ND	230	NA	14	NA	NA	3	NA	NA	NA	NA	NA	NA		
		9/14/04	ND	ND	NA	NA	ND	ND	NA	NS	NS	ND	ND	0.87 J	NS	ND	ND	ND	ND	ND	ND	ND	NA	ND	ND		
		9/7/05	NS	NS	NA	NA	ND	ND	NA	NS	NS	ND	ND	ND	NS	ND	NS	NS	NS	ND	1.5	ND	NA	NS	ND		
		1/25/08	ND	ND	NA	ND	ND	ND	NM	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NS	NS		
		9/14/04	ND	ND	NA	NA	ND	ND	NA	NS	NS	0.93 J	ND	ND	NS	ND	ND	ND	ND	ND	ND	ND	NA	ND	ND		
Methylene Chloride	ug/L	1/25/08	ND	ND	NA	ND	ND	ND	NM	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NS	NS	5	
		9/6/05	ND	ND	NA	NA	NS	NS	NA	NS	NS	NS	NS	NS	NS	NS	ND	ND	1.6	NS	NS	NS	NA	NS	NS		
Chloromethane	ug/L	1/25/08	ND	ND	NA	ND	ND	ND	NM	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NS	NS	-
		9/6/05	ND	0.90 J	NA	NA	NS	NS	NA	NS	NS	NS	NS	NS	NS	NS	ND	ND	ND	NS	NS	NS	NA	NS	NS		
Dibromochloromethane	ug/L	9/7/05	NS	NS	NA	NA	ND	ND	NA	NS	NS	ND	ND	ND	NS	ND	NS	NS	NS	ND	ND	0.65 J	NA	NS	ND	-	
		1/25/08	ND	ND	NA	ND	ND	ND	NM	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NS	NS		
		9/6/05	ND	1.1	NA	NA	NS	NS	NA	NS	NS	NS	NS	NS	NS	NS	ND	ND	ND	NS	NS	NS	NA	NS	NS		
Bromoform	ug/L	9/7/05	NS	NS	NA	NA	ND	ND	NA	NS	NS	ND	ND	ND	NS	ND	NS	NS	NS	ND	ND	0.87J	NA	NS	ND	-	
		1/25/08	ND	ND	NA	ND	ND	ND	NM	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NS	NS		
		9/7/05	NS	NS	NA	NA	ND	ND	NA	NS	NS	ND	ND	ND	NS	ND	NS	NS	NS	ND	ND	0.67 J	ND	NA	NS		ND
Carbon Tetrachloride	ug/L	1/25/08	ND	ND	NA	ND	ND	ND	NM	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NS	NS	5	
		9/7/05	NS	NS	NA	NA	ND	ND	NA	NS	NS	ND	ND	ND	NS	ND	NS	NS	NS	ND	ND	ND	NA	NS	ND		

- Notes:
- 1. VOCs = Volatile Organic Compounds
 - 2. Concentration Units = ug/L (micrograms per liter)
 - 3. Laboratory analysis via EPA Method 8260 (Full List).
 - 4. ND = Not Detected above the method detection limit of the laboratory
 - 5. - = NYSDEC TAGM #4046 Groundwater Standard not established
 - 6. Shaded values indicate concentrations at or above the NYSDEC TAGM #4046 Groundwater Standards.
 - 7. NS = Not sampled
 - 8. NA = Not available

Table 3
Soil Vapor Extraction System Data

Former American Drive-In Cleaners
3801 Hempstead Turnpike
Levittown, New York
NYSDEC Site # 130049

Date:	1/2/2008	1/10/2008	1/17/2008	1/23/2008	1/28/2008	2/5/2008	2/11/2008	2/18/2008	2/26/2008	3/3/2008	3/13/2008	3/20/2008	3/25/2008	4/4/2008
Technician:	MA	SS	SS	SS	MRP	MA	MR	MR	MB	MR	DW	DW	DW	DW
SVE System														
Vacuum (in H2O)														
Total Combined	7.01	7.46	7.18	7.93	6.9	8.82	8.14	8.08	8.05	8.12	8.6	9.0	8.7	6.4
ADC 9 & 11	5.76	5.88	5.29	6.02	5.0	6.66	6.01	6.14	6.57	6.47	6.9	6.7	6.9	6
SVE-1	5.63	5.44	5.28	5.08	4.5	5.95	4.90	5.12	5.58	5.68	6.0	5.9	6.5	4.8
SVE-2	4.26	4.48	4.19	4.83	2.3	4.70	5.21	4.99	4.49	4.32	3.5	5.1	5.0	4.6
SVE-3	4.16	4.51	4.2	4.08	2.0	4.39	4.13	3.84	3.40	3.5	3.6	5.0	4.9	4.1
SVE-4	2.59	3	3.08	3.06	2.5	3.11	3.04	3.46	3.28	3.13	3.0	3.4	3.8	2.4
SVE-5	1.01	1.09	1.13	1.08	1.0	1.28	1.20	1.06	1.11	1.08	1.3	1.7	1.9	1.5
SVE-6	1.4	1.28	1.09	1.19	1.0	1.27	1.00	1.15	1.15	1.01	0.9	1.5	1.2	1
SVE-7	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF
SVE Blower Before Filter	100	88	58	58	93	42	46	42	41	44	45	43	46	44
SVE Blower After Filter	95	74	62	64	97	45	48	45	45	45	48	45	47	46
Flow (CFM)														
Total Combined	376	451	422	431	358	470	425	442	452	449	443	445	457	431
ADC 9 & 11	22.0	26.5	25.9	27.1	19.2	27.8	27.5	27.5	27.1	27.1	26.3	30.0	25.4	28.2
SVE-1	86.0	93.4	92.7	95.1	86.0	98.5	98.5	97.5	99.2	99.0	99.5	95.5	97.5	96.0
SVE-2	61.0	69.3	68.2	67.4	42.8	68.5	68.5	67.9	69.5	72.0	73.0	69.0	69.0	73.0
SVE-3	60.0	74.6	78.0	79.7	62.1	81.5	80.5	82.0	79.2	76.5	73.5	74.5	76.0	78.5
SVE-4	58.0	71.8	74.2	79.8	65.0	64.5	66.2	64.2	65.1	65.3	64.0	62.0	63.0	65.0
SVE-5	36.0	50.1	48.7	42	44.2	34.0	34.0	33.8	36.8	37.5	37.2	34.1	34.7	37.2
SVE-6	32.0	28.9	29.9	28.6	29.1	49.1	41.8	41.5	42.6	42.6	42.0	38.4	39.8	41.4
SVE-7	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF
Temperature (F)														
At Effluent Discharge	88	90	90	92	96	85	79	78	77	76	78	78	79	80
PID Reading (PPM)														
Influent	3.1	2	2	2.5	2	2	0	0	0	0	0	0.0	0.0	0.0
Effluent	0	0	0	0	0	1	0	0	0	0	0	0	0	0
Hour Meter Reading	39,495.2	39,689.4	39,839.1	39,991.8	40,119.4	40,312.9	40,441.9	40,579.2	40,763.5	40,893.2	41133.4	41,369.1	41,483.8	41,727.3
Comments	Clean Inlet Filter					Need to Adjust Blower Belt	Blower belt adjusted							Shut system down upon departure

Appendix A



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06040
Tel. (860) 645-1102 Fax (860) 645-0823



Draft Progress Report

February 05, 2008

FOR: Attn: Mr. James VanHorn
EnviroTrac
5 Old Dock Rd
Yaphank, NY 11980

Sample Information

Matrix: GROUND WATER
Location Code: ENVIROTR
Rush Request: RUSH
P.O.#:

Custody Information

Collected by:
Received by: LB
Analyzed by: see "By" below

Date

01/25/08
01/31/08

Time

11:05
16:30

Laboratory Data

SDG I.D.: GAJ95632

Phoenix I.D.: AJ95632

Client ID: AMERICAN DRIVE IN CLEANERS MW-7S

Parameter	Result	RL	Units	Date	Time	By	Reference
<u>Volatiles</u>							
1,1,1,2-Tetrachloroethane	ND	5	ug/L	02/01/08		R/J	SW8260
1,1,1-Trichloroethane	ND	5	ug/L	02/01/08		R/J	SW8260
1,1,2,2-Tetrachloroethane	ND	5	ug/L	02/01/08		R/J	SW8260
1,1,2-Trichloroethane	ND	5	ug/L	02/01/08		R/J	SW8260
1,1-Dichloroethane	ND	5	ug/L	02/01/08		R/J	SW8260
1,1-Dichloroethene	ND	5	ug/L	02/01/08		R/J	SW8260
1,1-Dichloropropene	ND	5	ug/L	02/01/08		R/J	SW8260
1,2,3-Trichlorobenzene	ND	5	ug/L	02/01/08		R/J	SW8260
1,2,3-Trichloropropane	ND	5	ug/L	02/01/08		R/J	SW8260
1,2,4-Trichlorobenzene	ND	5	ug/L	02/01/08		R/J	SW8260
1,2,4-Trimethylbenzene	ND	5	ug/L	02/01/08		R/J	SW8260
1,2-Dibromo-3-chloropropane	ND	5	ug/L	02/01/08		R/J	SW8260
1,2-Dichlorobenzene	ND	5	ug/L	02/01/08		R/J	SW8260
1,2-Dichloroethane	ND	5	ug/L	02/01/08		R/J	SW8260
1,2-Dichloropropane	ND	5	ug/L	02/01/08		R/J	SW8260
1,3,5-Trimethylbenzene	ND	5	ug/L	02/01/08		R/J	SW8260
1,3-Dichlorobenzene	ND	5	ug/L	02/01/08		R/J	SW8260
1,3-Dichloropropane	ND	5	ug/L	02/01/08		R/J	SW8260
1,4-Dichlorobenzene	ND	5	ug/L	02/01/08		R/J	SW8260
2,2-Dichloropropane	ND	5	ug/L	02/01/08		R/J	SW8260
2-Chlorotoluene	ND	5	ug/L	02/01/08		R/J	SW8260
2-Hexanone	ND	25	ug/L	02/01/08		R/J	SW8260
2-Isopropyltoluene	ND	5	ug/L	02/01/08		R/J	SW8260
4-Chlorotoluene	ND	5	ug/L	02/01/08		R/J	SW8260
4-Methyl-2-pentanone	ND	25	ug/L	02/01/08		R/J	SW8260
Acetone	ND	50	ug/L	02/01/08		R/J	SW8260
Acrylonitrile	ND	10	ug/L	02/01/08		R/J	SW8260
Benzene	ND	5	ug/L	02/01/08		R/J	SW8260
Bromobenzene	ND	5	ug/L	02/01/08		R/J	SW8260

Parameter	Result	RL	Units	Date	Time	By	Reference
Bromochloromethane	ND	5	ug/L	02/01/08		R/J	SW8260
Bromodichloromethane	ND	5	ug/L	02/01/08		R/J	SW8260
Bromoform	ND	5	ug/L	02/01/08		R/J	SW8260
Bromomethane	ND	5	ug/L	02/01/08		R/J	SW8260
Carbon Disulfide	ND	5	ug/L	02/01/08		R/J	SW8260
Carbon tetrachloride	ND	5	ug/L	02/01/08		R/J	SW8260
Chlorobenzene	ND	5	ug/L	02/01/08		R/J	SW8260
Chloroethane	ND	5	ug/L	02/01/08		R/J	SW8260
Chloroform	ND	5	ug/L	02/01/08		R/J	SW8260
Chloromethane	ND	5	ug/L	02/01/08		R/J	SW8260
cis-1,2-Dichloroethene	ND	5	ug/L	02/01/08		R/J	SW8260
cis-1,3-Dichloropropene	ND	5	ug/L	02/01/08		R/J	SW8260
Dibromochloromethane	ND	5	ug/L	02/01/08		R/J	SW8260
Dibromoethane	ND	5	ug/L	02/01/08		R/J	SW8260
Dibromomethane	ND	5	ug/L	02/01/08		R/J	SW8260
Dichlorodifluoromethane	ND	5	ug/L	02/01/08		R/J	SW8260
Ethylbenzene	ND	5	ug/L	02/01/08		R/J	SW8260
Hexachlorobutadiene	ND	5	ug/L	02/01/08		R/J	SW8260
Isopropylbenzene	ND	5	ug/L	02/01/08		R/J	SW8260
m&p-Xylene	ND	5	ug/L	02/01/08		R/J	SW8260
Methyl Ethyl Ketone	ND	60	ug/L	02/01/08		R/J	SW8260
Methyl t-butyl ether (MTBE)	ND	10	ug/L	02/01/08		R/J	SW8260
Methylene chloride	ND	5	ug/L	02/01/08		R/J	SW8260
n-Butylbenzene	ND	5	ug/L	02/01/08		R/J	SW8260
n-Propylbenzene	ND	5	ug/L	02/01/08		R/J	SW8260
Naphthalene	ND	5	ug/L	02/01/08		R/J	SW8260
o-Xylene	ND	5	ug/L	02/01/08		R/J	SW8260
p-Isopropyltoluene	ND	5	ug/L	02/01/08		R/J	SW8260
sec-Butylbenzene	ND	5	ug/L	02/01/08		R/J	SW8260
Styrene	ND	5	ug/L	02/01/08		R/J	SW8260
tert-Butylbenzene	ND	5	ug/L	02/01/08		R/J	SW8260
Tetrachloroethene	ND	5	ug/L	02/01/08		R/J	SW8260
Tetrahydrofuran (THF)	ND	10	ug/L	02/01/08		R/J	SW8260
Toluene	ND	5	ug/L	02/01/08		R/J	SW8260
Total Xylenes	ND	5	ug/L	02/01/08		R/J	SW8260
trans-1,2-Dichloroethene	ND	5	ug/L	02/01/08		R/J	SW8260
trans-1,3-Dichloropropene	ND	5	ug/L	02/01/08		R/J	SW8260
trans-1,4-dichloro-2-butene	ND	10	ug/L	02/01/08		R/J	SW8260
Trichloroethene	ND	5	ug/L	02/01/08		R/J	SW8260
Trichlorofluoromethane	ND	5	ug/L	02/01/08		R/J	SW8260
Trichlorotrifluoroethane	ND	5	ug/L	02/01/08		R/J	SW8260
Vinyl chloride	ND	5	ug/L	02/01/08		R/J	SW8260
<u>QA/QC Surrogates</u>							
% 1,2-dichlorobenzene-d4	101		%	02/01/08		R/J	SW8260
% Bromofluorobenzene	97		%	02/01/08		R/J	SW8260
% Dibromofluoromethane	98		%	02/01/08		R/J	SW8260
% Toluene-d8	102		%	02/01/08		R/J	SW8260


Parameter	Result	RL	Units	Date	Time	By	Reference
-----------	--------	----	-------	------	------	----	-----------

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Limit RL=Reporting Limit

PLEASE NOTE: THIS PROGRESS REPORT IS CONSIDERED PRELIMINARY DATA. THE RESULTS ENTERED HAVE NOT BEEN EXAMINED BY OUR QA/QC DEPARTMENT.



Phyllis Shiller, Laboratory Director

February 05, 2008



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06040
Tel. (860) 645-1102 Fax (860) 645-0823



Draft Progress Report

February 05, 2008

FOR: Attn: Mr. James VanHorn
EnviroTrac
5 Old Dock Rd
Yaphank, NY 11980

Sample Information	Custody Information	Date	Time
Matrix: GROUND WATER	Collected by:	01/25/08	11:10
Location Code: ENVIROTR	Received by: LB	01/31/08	16:30
Rush Request: RUSH	Analyzed by: see "By" below		
P.O.#:			

Laboratory Data

SDG I.D.: GAJ95632
Phoenix I.D.: AJ95633

Client ID: AMERICAN DRIVE IN CLEANERS MW-7I

Parameter	Result	RL	Units	Date	Time	By	Reference
Volatiles							
1,1,1,2-Tetrachloroethane	ND	5	ug/L	02/01/08		R/J	SW8260
1,1,1-Trichloroethane	ND	5	ug/L	02/01/08		R/J	SW8260
1,1,2,2-Tetrachloroethane	ND	5	ug/L	02/01/08		R/J	SW8260
1,1,2-Trichloroethane	ND	5	ug/L	02/01/08		R/J	SW8260
1,1-Dichloroethane	ND	5	ug/L	02/01/08		R/J	SW8260
1,1-Dichloroethene	ND	5	ug/L	02/01/08		R/J	SW8260
1,1-Dichloropropene	ND	5	ug/L	02/01/08		R/J	SW8260
1,2,3-Trichlorobenzene	ND	5	ug/L	02/01/08		R/J	SW8260
1,2,3-Trichloropropane	ND	5	ug/L	02/01/08		R/J	SW8260
1,2,4-Trichlorobenzene	ND	5	ug/L	02/01/08		R/J	SW8260
1,2,4-Trimethylbenzene	ND	5	ug/L	02/01/08		R/J	SW8260
1,2-Dibromo-3-chloropropane	ND	5	ug/L	02/01/08		R/J	SW8260
1,2-Dichlorobenzene	ND	5	ug/L	02/01/08		R/J	SW8260
1,2-Dichloroethane	ND	5	ug/L	02/01/08		R/J	SW8260
1,2-Dichloropropane	ND	5	ug/L	02/01/08		R/J	SW8260
1,3,5-Trimethylbenzene	ND	5	ug/L	02/01/08		R/J	SW8260
1,3-Dichlorobenzene	ND	5	ug/L	02/01/08		R/J	SW8260
1,3-Dichloropropane	ND	5	ug/L	02/01/08		R/J	SW8260
1,4-Dichlorobenzene	ND	5	ug/L	02/01/08		R/J	SW8260
2,2-Dichloropropane	ND	5	ug/L	02/01/08		R/J	SW8260
2-Chlorotoluene	ND	5	ug/L	02/01/08		R/J	SW8260
2-Hexanone	ND	25	ug/L	02/01/08		R/J	SW8260
2-Isopropyltoluene	ND	5	ug/L	02/01/08		R/J	SW8260
4-Chlorotoluene	ND	5	ug/L	02/01/08		R/J	SW8260
4-Methyl-2-pentanone	ND	25	ug/L	02/01/08		R/J	SW8260
Acetone	ND	50	ug/L	02/01/08		R/J	SW8260
Acrylonitrile	ND	10	ug/L	02/01/08		R/J	SW8260
Benzene	ND	5	ug/L	02/01/08		R/J	SW8260
Bromobenzene	ND	5	ug/L	02/01/08		R/J	SW8260

Parameter	Result	RL	Units	Date	Time	By	Reference
Bromochloromethane	ND	5	ug/L	02/01/08		R/J	SW8260
Bromodichloromethane	ND	5	ug/L	02/01/08		R/J	SW8260
Bromoform	ND	5	ug/L	02/01/08		R/J	SW8260
Bromomethane	ND	5	ug/L	02/01/08		R/J	SW8260
Carbon Disulfide	ND	5	ug/L	02/01/08		R/J	SW8260
Carbon tetrachloride	ND	5	ug/L	02/01/08		R/J	SW8260
Chlorobenzene	ND	5	ug/L	02/01/08		R/J	SW8260
Chloroethane	ND	5	ug/L	02/01/08		R/J	SW8260
Chloroform	ND	5	ug/L	02/01/08		R/J	SW8260
Chloromethane	ND	5	ug/L	02/01/08		R/J	SW8260
cis-1,2-Dichloroethene	ND	5	ug/L	02/01/08		R/J	SW8260
cis-1,3-Dichloropropene	ND	5	ug/L	02/01/08		R/J	SW8260
Dibromochloromethane	ND	5	ug/L	02/01/08		R/J	SW8260
Dibromoethane	ND	5	ug/L	02/01/08		R/J	SW8260
Dibromomethane	ND	5	ug/L	02/01/08		R/J	SW8260
Dichlorodifluoromethane	ND	5	ug/L	02/01/08		R/J	SW8260
Ethylbenzene	ND	5	ug/L	02/01/08		R/J	SW8260
Hexachlorobutadiene	ND	5	ug/L	02/01/08		R/J	SW8260
Isopropylbenzene	ND	5	ug/L	02/01/08		R/J	SW8260
m&p-Xylene	ND	5	ug/L	02/01/08		R/J	SW8260
Methyl Ethyl Ketone	ND	60	ug/L	02/01/08		R/J	SW8260
Methyl t-butyl ether (MTBE)	ND	10	ug/L	02/01/08		R/J	SW8260
Methylene chloride	ND	5	ug/L	02/01/08		R/J	SW8260
n-Butylbenzene	ND	5	ug/L	02/01/08		R/J	SW8260
n-Propylbenzene	ND	5	ug/L	02/01/08		R/J	SW8260
Naphthalene	ND	5	ug/L	02/01/08		R/J	SW8260
o-Xylene	ND	5	ug/L	02/01/08		R/J	SW8260
p-Isopropyltoluene	ND	5	ug/L	02/01/08		R/J	SW8260
sec-Butylbenzene	ND	5	ug/L	02/01/08		R/J	SW8260
Styrene	ND	5	ug/L	02/01/08		R/J	SW8260
tert-Butylbenzene	ND	5	ug/L	02/01/08		R/J	SW8260
Tetrachloroethene	120	5	ug/L	02/01/08		R/J	SW8260
Tetrahydrofuran (THF)	ND	10	ug/L	02/01/08		R/J	SW8260
Toluene	ND	5	ug/L	02/01/08		R/J	SW8260
Total Xylenes	ND	5	ug/L	02/01/08		R/J	SW8260
trans-1,2-Dichloroethene	ND	5	ug/L	02/01/08		R/J	SW8260
trans-1,3-Dichloropropene	ND	5	ug/L	02/01/08		R/J	SW8260
trans-1,4-dichloro-2-butene	ND	10	ug/L	02/01/08		R/J	SW8260
Trichloroethene	ND	5	ug/L	02/01/08		R/J	SW8260
Trichlorofluoromethane	ND	5	ug/L	02/01/08		R/J	SW8260
Trichlorotrifluoroethane	ND	5	ug/L	02/01/08		R/J	SW8260
Vinyl chloride	ND	5	ug/L	02/01/08		R/J	SW8260
<u>QA/QC Surrogates</u>							
% 1,2-dichlorobenzene-d4	101		%	02/01/08		R/J	SW8260
% Bromofluorobenzene	95		%	02/01/08		R/J	SW8260
% Dibromofluoromethane	100		%	02/01/08		R/J	SW8260
% Toluene-d8	98		%	02/01/08		R/J	SW8260


Parameter	Result	RL	Units	Date	Time	By	Reference
-----------	--------	----	-------	------	------	----	-----------

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Limit RL=Reporting Limit

PLEASE NOTE: THIS PROGRESS REPORT IS CONSIDERED PRELIMINARY DATA. THE RESULTS ENTERED HAVE NOT BEEN EXAMINED BY OUR QA/QC DEPARTMENT.



Phyllis Shiller, Laboratory Director

February 05, 2008



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06040
Tel. (860) 645-1102 Fax (860) 645-0823



Draft Progress Report

February 05, 2008

FOR: Attn: Mr. James VanHorn
EnviroTrac
5 Old Dock Rd
Yaphank, NY 11980

Sample Information

Matrix: GROUND WATER
Location Code: ENVIROTR
Rush Request: RUSH
P.O.#:

Custody Information

Collected by:
Received by: LB
Analyzed by: see "By" below

Date

01/25/08
01/31/08

Time

11:15
16:30

Laboratory Data

SDG I.D.: GAJ95632

Phoenix I.D.: AJ95634

Client ID: AMERICAN DRIVE IN CLEANERS MW-7D

Parameter	Result	RL	Units	Date	Time	By	Reference
-----------	--------	----	-------	------	------	----	-----------

Volatiles

1,1,1,2-Tetrachloroethane	ND	5	ug/L	02/01/08		R/J	SW8260
1,1,1-Trichloroethane	ND	5	ug/L	02/01/08		R/J	SW8260
1,1,2,2-Tetrachloroethane	ND	5	ug/L	02/01/08		R/J	SW8260
1,1,2-Trichloroethane	ND	5	ug/L	02/01/08		R/J	SW8260
1,1-Dichloroethane	ND	5	ug/L	02/01/08		R/J	SW8260
1,1-Dichloroethene	ND	5	ug/L	02/01/08		R/J	SW8260
1,1-Dichloropropene	ND	5	ug/L	02/01/08		R/J	SW8260
1,2,3-Trichlorobenzene	ND	5	ug/L	02/01/08		R/J	SW8260
1,2,3-Trichloropropane	ND	5	ug/L	02/01/08		R/J	SW8260
1,2,4-Trichlorobenzene	ND	5	ug/L	02/01/08		R/J	SW8260
1,2,4-Trimethylbenzene	ND	5	ug/L	02/01/08		R/J	SW8260
1,2-Dibromo-3-chloropropane	ND	5	ug/L	02/01/08		R/J	SW8260
1,2-Dichlorobenzene	ND	5	ug/L	02/01/08		R/J	SW8260
1,2-Dichloroethane	ND	5	ug/L	02/01/08		R/J	SW8260
1,2-Dichloropropane	ND	5	ug/L	02/01/08		R/J	SW8260
1,3,5-Trimethylbenzene	ND	5	ug/L	02/01/08		R/J	SW8260
1,3-Dichlorobenzene	ND	5	ug/L	02/01/08		R/J	SW8260
1,3-Dichloropropane	ND	5	ug/L	02/01/08		R/J	SW8260
1,4-Dichlorobenzene	ND	5	ug/L	02/01/08		R/J	SW8260
2,2-Dichloropropane	ND	5	ug/L	02/01/08		R/J	SW8260
2-Chlorotoluene	ND	5	ug/L	02/01/08		R/J	SW8260
2-Hexanone	ND	25	ug/L	02/01/08		R/J	SW8260
2-Isopropyltoluene	ND	5	ug/L	02/01/08		R/J	SW8260
4-Chlorotoluene	ND	5	ug/L	02/01/08		R/J	SW8260
4-Methyl-2-pentanone	ND	25	ug/L	02/01/08		R/J	SW8260
Acetone	ND	50	ug/L	02/01/08		R/J	SW8260
Acrylonitrile	ND	10	ug/L	02/01/08		R/J	SW8260
Benzene	ND	5	ug/L	02/01/08		R/J	SW8260
Bromobenzene	ND	5	ug/L	02/01/08		R/J	SW8260

Parameter	Result	RL	Units	Date	Time	By	Reference
Bromochloromethane	ND	5	ug/L	02/01/08		R/J	SW8260
Bromodichloromethane	ND	5	ug/L	02/01/08		R/J	SW8260
Bromoform	ND	5	ug/L	02/01/08		R/J	SW8260
Bromomethane	ND	5	ug/L	02/01/08		R/J	SW8260
Carbon Disulfide	ND	5	ug/L	02/01/08		R/J	SW8260
Carbon tetrachloride	ND	5	ug/L	02/01/08		R/J	SW8260
Chlorobenzene	ND	5	ug/L	02/01/08		R/J	SW8260
Chloroethane	ND	5	ug/L	02/01/08		R/J	SW8260
Chloroform	ND	5	ug/L	02/01/08		R/J	SW8260
Chloromethane	ND	5	ug/L	02/01/08		R/J	SW8260
cis-1,2-Dichloroethene	ND	5	ug/L	02/01/08		R/J	SW8260
cis-1,3-Dichloropropene	ND	5	ug/L	02/01/08		R/J	SW8260
Dibromochloromethane	ND	5	ug/L	02/01/08		R/J	SW8260
Dibromoethane	ND	5	ug/L	02/01/08		R/J	SW8260
Dibromomethane	ND	5	ug/L	02/01/08		R/J	SW8260
Dichlorodifluoromethane	ND	5	ug/L	02/01/08		R/J	SW8260
Ethylbenzene	ND	5	ug/L	02/01/08		R/J	SW8260
Hexachlorobutadiene	ND	5	ug/L	02/01/08		R/J	SW8260
Isopropylbenzene	ND	5	ug/L	02/01/08		R/J	SW8260
m&p-Xylene	ND	5	ug/L	02/01/08		R/J	SW8260
Methyl Ethyl Ketone	ND	60	ug/L	02/01/08		R/J	SW8260
Methyl t-butyl ether (MTBE)	ND	10	ug/L	02/01/08		R/J	SW8260
Methylene chloride	ND	5	ug/L	02/01/08		R/J	SW8260
n-Butylbenzene	ND	5	ug/L	02/01/08		R/J	SW8260
n-Propylbenzene	ND	5	ug/L	02/01/08		R/J	SW8260
Naphthalene	ND	5	ug/L	02/01/08		R/J	SW8260
o-Xylene	ND	5	ug/L	02/01/08		R/J	SW8260
p-Isopropyltoluene	ND	5	ug/L	02/01/08		R/J	SW8260
sec-Butylbenzene	ND	5	ug/L	02/01/08		R/J	SW8260
Styrene	ND	5	ug/L	02/01/08		R/J	SW8260
tert-Butylbenzene	ND	5	ug/L	02/01/08		R/J	SW8260
Tetrachloroethene	ND	5	ug/L	02/01/08		R/J	SW8260
Tetrahydrofuran (THF)	ND	10	ug/L	02/01/08		R/J	SW8260
Toluene	ND	5	ug/L	02/01/08		R/J	SW8260
Total Xylenes	ND	5	ug/L	02/01/08		R/J	SW8260
trans-1,2-Dichloroethene	ND	5	ug/L	02/01/08		R/J	SW8260
trans-1,3-Dichloropropene	ND	5	ug/L	02/01/08		R/J	SW8260
trans-1,4-dichloro-2-butene	ND	10	ug/L	02/01/08		R/J	SW8260
Trichloroethene	ND	5	ug/L	02/01/08		R/J	SW8260
Trichlorofluoromethane	ND	5	ug/L	02/01/08		R/J	SW8260
Trichlorotrifluoroethane	ND	5	ug/L	02/01/08		R/J	SW8260
Vinyl chloride	ND	5	ug/L	02/01/08		R/J	SW8260
<u>QA/QC Surrogates</u>							
% 1,2-dichlorobenzene-d4	102		%	02/01/08		R/J	SW8260
% Bromofluorobenzene	95		%	02/01/08		R/J	SW8260
% Dibromofluoromethane	102		%	02/01/08		R/J	SW8260
% Toluene-d8	100		%	02/01/08		R/J	SW8260


Parameter	Result	RL	Units	Date	Time	By	Reference
-----------	--------	----	-------	------	------	----	-----------

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Limit RL=Reporting Limit

PLEASE NOTE: THIS PROGRESS REPORT IS CONSIDERED PRELIMINARY DATA. THE RESULTS ENTERED HAVE NOT BEEN EXAMINED BY OUR QA/QC DEPARTMENT.



Phyllis Shiller, Laboratory Director

February 05, 2008



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06040
Tel. (860) 645-1102 Fax (860) 645-0823



Draft Progress Report

February 05, 2008

FOR: Attn: Mr. James VanHorn
EnviroTrac
5 Old Dock Rd
Yaphank, NY 11980

Sample Information

Matrix: GROUND WATER
Location Code: ENVIROTR
Rush Request: RUSH
P.O.#:

Custody Information

Collected by:
Received by: LB
Analyzed by: see "By" below

Date

01/25/08
01/31/08

Time

11:25
16:30

Laboratory Data

SDG I.D.: GAJ95632

Phoenix I.D.: AJ95635

Client ID: AMERICAN DRIVE IN CLEANERS MW-6S

Parameter	Result	RL	Units	Date	Time	By	Reference
<u>Volatiles</u>							
1,1,1,2-Tetrachloroethane	ND	5	ug/L	02/01/08		R/J	SW8260
1,1,1-Trichloroethane	ND	5	ug/L	02/01/08		R/J	SW8260
1,1,2,2-Tetrachloroethane	ND	5	ug/L	02/01/08		R/J	SW8260
1,1,2-Trichloroethane	ND	5	ug/L	02/01/08		R/J	SW8260
1,1-Dichloroethane	ND	5	ug/L	02/01/08		R/J	SW8260
1,1-Dichloroethene	ND	5	ug/L	02/01/08		R/J	SW8260
1,1-Dichloropropene	ND	5	ug/L	02/01/08		R/J	SW8260
1,2,3-Trichlorobenzene	ND	5	ug/L	02/01/08		R/J	SW8260
1,2,3-Trichloropropane	ND	5	ug/L	02/01/08		R/J	SW8260
1,2,4-Trichlorobenzene	ND	5	ug/L	02/01/08		R/J	SW8260
1,2,4-Trimethylbenzene	ND	5	ug/L	02/01/08		R/J	SW8260
1,2-Dibromo-3-chloropropane	ND	5	ug/L	02/01/08		R/J	SW8260
1,2-Dichlorobenzene	ND	5	ug/L	02/01/08		R/J	SW8260
1,2-Dichloroethane	ND	5	ug/L	02/01/08		R/J	SW8260
1,2-Dichloropropane	ND	5	ug/L	02/01/08		R/J	SW8260
1,3,5-Trimethylbenzene	ND	5	ug/L	02/01/08		R/J	SW8260
1,3-Dichlorobenzene	ND	5	ug/L	02/01/08		R/J	SW8260
1,3-Dichloropropane	ND	5	ug/L	02/01/08		R/J	SW8260
1,4-Dichlorobenzene	ND	5	ug/L	02/01/08		R/J	SW8260
2,2-Dichloropropane	ND	5	ug/L	02/01/08		R/J	SW8260
2-Chlorotoluene	ND	5	ug/L	02/01/08		R/J	SW8260
2-Hexanone	ND	25	ug/L	02/01/08		R/J	SW8260
2-Isopropyltoluene	ND	5	ug/L	02/01/08		R/J	SW8260
4-Chlorotoluene	ND	5	ug/L	02/01/08		R/J	SW8260
4-Methyl-2-pentanone	ND	25	ug/L	02/01/08		R/J	SW8260
Acetone	ND	50	ug/L	02/01/08		R/J	SW8260
Acrylonitrile	ND	10	ug/L	02/01/08		R/J	SW8260
Benzene	ND	5	ug/L	02/01/08		R/J	SW8260
Bromobenzene	ND	5	ug/L	02/01/08		R/J	SW8260

Parameter	Result	RL	Units	Date	Time	By	Reference
Bromochloromethane	ND	5	ug/L	02/01/08		R/J	SW8260
Bromodichloromethane	ND	5	ug/L	02/01/08		R/J	SW8260
Bromoform	ND	5	ug/L	02/01/08		R/J	SW8260
Bromomethane	ND	5	ug/L	02/01/08		R/J	SW8260
Carbon Disulfide	ND	5	ug/L	02/01/08		R/J	SW8260
Carbon tetrachloride	ND	5	ug/L	02/01/08		R/J	SW8260
Chlorobenzene	ND	5	ug/L	02/01/08		R/J	SW8260
Chloroethane	ND	5	ug/L	02/01/08		R/J	SW8260
Chloroform	ND	5	ug/L	02/01/08		R/J	SW8260
Chloromethane	ND	5	ug/L	02/01/08		R/J	SW8260
cis-1,2-Dichloroethene	ND	5	ug/L	02/01/08		R/J	SW8260
cis-1,3-Dichloropropene	ND	5	ug/L	02/01/08		R/J	SW8260
Dibromochloromethane	ND	5	ug/L	02/01/08		R/J	SW8260
Dibromoethane	ND	5	ug/L	02/01/08		R/J	SW8260
Dibromomethane	ND	5	ug/L	02/01/08		R/J	SW8260
Dichlorodifluoromethane	ND	5	ug/L	02/01/08		R/J	SW8260
Ethylbenzene	ND	5	ug/L	02/01/08		R/J	SW8260
Hexachlorobutadiene	ND	5	ug/L	02/01/08		R/J	SW8260
Isopropylbenzene	ND	5	ug/L	02/01/08		R/J	SW8260
m&p-Xylene	ND	5	ug/L	02/01/08		R/J	SW8260
Methyl Ethyl Ketone	ND	60	ug/L	02/01/08		R/J	SW8260
Methyl t-butyl ether (MTBE)	ND	10	ug/L	02/01/08		R/J	SW8260
Methylene chloride	ND	5	ug/L	02/01/08		R/J	SW8260
n-Butylbenzene	ND	5	ug/L	02/01/08		R/J	SW8260
n-Propylbenzene	ND	5	ug/L	02/01/08		R/J	SW8260
Naphthalene	ND	5	ug/L	02/01/08		R/J	SW8260
o-Xylene	ND	5	ug/L	02/01/08		R/J	SW8260
p-Isopropyltoluene	ND	5	ug/L	02/01/08		R/J	SW8260
sec-Butylbenzene	ND	5	ug/L	02/01/08		R/J	SW8260
Styrene	ND	5	ug/L	02/01/08		R/J	SW8260
tert-Butylbenzene	ND	5	ug/L	02/01/08		R/J	SW8260
Tetrachloroethene	ND	5	ug/L	02/01/08		R/J	SW8260
Tetrahydrofuran (THF)	ND	10	ug/L	02/01/08		R/J	SW8260
Toluene	ND	5	ug/L	02/01/08		R/J	SW8260
Total Xylenes	ND	5	ug/L	02/01/08		R/J	SW8260
trans-1,2-Dichloroethene	ND	5	ug/L	02/01/08		R/J	SW8260
trans-1,3-Dichloropropene	ND	5	ug/L	02/01/08		R/J	SW8260
trans-1,4-dichloro-2-butene	ND	10	ug/L	02/01/08		R/J	SW8260
Trichloroethene	ND	5	ug/L	02/01/08		R/J	SW8260
Trichlorofluoromethane	ND	5	ug/L	02/01/08		R/J	SW8260
Trichlorotrifluoroethane	ND	5	ug/L	02/01/08		R/J	SW8260
Vinyl chloride	ND	5	ug/L	02/01/08		R/J	SW8260
<u>QA/OC Surrogates</u>							
% 1,2-dichlorobenzene-d4	98		%	02/01/08		R/J	SW8260
% Bromofluorobenzene	96		%	02/01/08		R/J	SW8260
% Dibromofluoromethane	108		%	02/01/08		R/J	SW8260
% Toluene-d8	98		%	02/01/08		R/J	SW8260


Parameter	Result	RL	Units	Date	Time	By	Reference
-----------	--------	----	-------	------	------	----	-----------

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Limit RL=Reporting Limit

PLEASE NOTE: THIS PROGRESS REPORT IS CONSIDERED PRELIMINARY DATA. THE RESULTS ENTERED HAVE NOT BEEN EXAMINED BY OUR QA/QC DEPARTMENT.



Phyllis Shiller, Laboratory Director

February 05, 2008



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06040
Tel. (860) 645-1102 Fax (860) 645-0823



Draft Progress Report

February 05, 2008

FOR: Attn: Mr. James VanHorn
EnviroTrac
5 Old Dock Rd
Yaphank, NY 11980

<u>Sample Information</u>	<u>Custody Information</u>	<u>Date</u>	<u>Time</u>
Matrix: GROUND WATER	Collected by:	01/25/08	11:30
Location Code: ENVIROTR	Received by: LB	01/31/08	16:30
Rush Request: RUSH	Analyzed by: see "By" below		
P.O.#:			

Laboratory Data

SDG I.D.: GAJ95632
Phoenix I.D.: AJ95636

Client ID: AMERICAN DRIVE IN CLEANERS MW-6I

Parameter	Result	RL	Units	Date	Time	By	Reference
-----------	--------	----	-------	------	------	----	-----------

Volatiles

1,1,1,2-Tetrachloroethane	ND	5	ug/L	02/01/08		R/J	SW8260
1,1,1-Trichloroethane	ND	5	ug/L	02/01/08		R/J	SW8260
1,1,2,2-Tetrachloroethane	ND	5	ug/L	02/01/08		R/J	SW8260
1,1,2-Trichloroethane	ND	5	ug/L	02/01/08		R/J	SW8260
1,1-Dichloroethane	ND	5	ug/L	02/01/08		R/J	SW8260
1,1-Dichloroethene	ND	5	ug/L	02/01/08		R/J	SW8260
1,1-Dichloropropene	ND	5	ug/L	02/01/08		R/J	SW8260
1,2,3-Trichlorobenzene	ND	5	ug/L	02/01/08		R/J	SW8260
1,2,3-Trichloropropane	ND	5	ug/L	02/01/08		R/J	SW8260
1,2,4-Trichlorobenzene	ND	5	ug/L	02/01/08		R/J	SW8260
1,2,4-Trimethylbenzene	ND	5	ug/L	02/01/08		R/J	SW8260
1,2-Dibromo-3-chloropropane	ND	5	ug/L	02/01/08		R/J	SW8260
1,2-Dichlorobenzene	ND	5	ug/L	02/01/08		R/J	SW8260
1,2-Dichloroethane	ND	5	ug/L	02/01/08		R/J	SW8260
1,2-Dichloropropane	ND	5	ug/L	02/01/08		R/J	SW8260
1,3,5-Trimethylbenzene	ND	5	ug/L	02/01/08		R/J	SW8260
1,3-Dichlorobenzene	ND	5	ug/L	02/01/08		R/J	SW8260
1,3-Dichloropropane	ND	5	ug/L	02/01/08		R/J	SW8260
1,4-Dichlorobenzene	ND	5	ug/L	02/01/08		R/J	SW8260
2,2-Dichloropropane	ND	5	ug/L	02/01/08		R/J	SW8260
2-Chlorotoluene	ND	5	ug/L	02/01/08		R/J	SW8260
2-Hexanone	ND	25	ug/L	02/01/08		R/J	SW8260
2-Isopropyltoluene	ND	5	ug/L	02/01/08		R/J	SW8260
4-Chlorotoluene	ND	5	ug/L	02/01/08		R/J	SW8260
4-Methyl-2-pentanone	ND	25	ug/L	02/01/08		R/J	SW8260
Acetone	ND	50	ug/L	02/01/08		R/J	SW8260
Acrylonitrile	ND	10	ug/L	02/01/08		R/J	SW8260
Benzene	ND	5	ug/L	02/01/08		R/J	SW8260
Bromobenzene	ND	5	ug/L	02/01/08		R/J	SW8260

Parameter	Result	RL	Units	Date	Time	By	Reference
Bromochloromethane	ND	5	ug/L	02/01/08		R/J	SW8260
Bromodichloromethane	ND	5	ug/L	02/01/08		R/J	SW8260
Bromoform	ND	5	ug/L	02/01/08		R/J	SW8260
Bromomethane	ND	5	ug/L	02/01/08		R/J	SW8260
Carbon Disulfide	ND	5	ug/L	02/01/08		R/J	SW8260
Carbon tetrachloride	ND	5	ug/L	02/01/08		R/J	SW8260
Chlorobenzene	ND	5	ug/L	02/01/08		R/J	SW8260
Chloroethane	ND	5	ug/L	02/01/08		R/J	SW8260
Chloroform	ND	5	ug/L	02/01/08		R/J	SW8260
Chloromethane	ND	5	ug/L	02/01/08		R/J	SW8260
cis-1,2-Dichloroethene	ND	5	ug/L	02/01/08		R/J	SW8260
cis-1,3-Dichloropropene	ND	5	ug/L	02/01/08		R/J	SW8260
Dibromochloromethane	ND	5	ug/L	02/01/08		R/J	SW8260
Dibromoethane	ND	5	ug/L	02/01/08		R/J	SW8260
Dibromomethane	ND	5	ug/L	02/01/08		R/J	SW8260
Dichlorodifluoromethane	ND	5	ug/L	02/01/08		R/J	SW8260
Ethylbenzene	ND	5	ug/L	02/01/08		R/J	SW8260
Hexachlorobutadiene	ND	5	ug/L	02/01/08		R/J	SW8260
Isopropylbenzene	ND	5	ug/L	02/01/08		R/J	SW8260
m&p-Xylene	ND	5	ug/L	02/01/08		R/J	SW8260
Methyl Ethyl Ketone	ND	60	ug/L	02/01/08		R/J	SW8260
Methyl t-butyl ether (MTBE)	ND	10	ug/L	02/01/08		R/J	SW8260
Methylene chloride	ND	5	ug/L	02/01/08		R/J	SW8260
n-Butylbenzene	ND	5	ug/L	02/01/08		R/J	SW8260
n-Propylbenzene	ND	5	ug/L	02/01/08		R/J	SW8260
Naphthalene	ND	5	ug/L	02/01/08		R/J	SW8260
o-Xylene	ND	5	ug/L	02/01/08		R/J	SW8260
p-Isopropyltoluene	ND	5	ug/L	02/01/08		R/J	SW8260
sec-Butylbenzene	ND	5	ug/L	02/01/08		R/J	SW8260
Styrene	ND	5	ug/L	02/01/08		R/J	SW8260
tert-Butylbenzene	ND	5	ug/L	02/01/08		R/J	SW8260
Tetrachloroethene	ND	5	ug/L	02/01/08		R/J	SW8260
Tetrahydrofuran (THF)	ND	10	ug/L	02/01/08		R/J	SW8260
Toluene	ND	5	ug/L	02/01/08		R/J	SW8260
Total Xylenes	ND	5	ug/L	02/01/08		R/J	SW8260
trans-1,2-Dichloroethene	ND	5	ug/L	02/01/08		R/J	SW8260
trans-1,3-Dichloropropene	ND	5	ug/L	02/01/08		R/J	SW8260
trans-1,4-dichloro-2-butene	ND	10	ug/L	02/01/08		R/J	SW8260
Trichloroethene	ND	5	ug/L	02/01/08		R/J	SW8260
Trichlorofluoromethane	ND	5	ug/L	02/01/08		R/J	SW8260
Trichlorotrifluoroethane	ND	5	ug/L	02/01/08		R/J	SW8260
Vinyl chloride	ND	5	ug/L	02/01/08		R/J	SW8260
<u>QA/OC Surrogates</u>							
% 1,2-dichlorobenzene-d4	102		%	02/01/08		R/J	SW8260
% Bromofluorobenzene	97		%	02/01/08		R/J	SW8260
% Dibromofluoromethane	99		%	02/01/08		R/J	SW8260
% Toluene-d8	99		%	02/01/08		R/J	SW8260


Parameter	Result	RL	Units	Date	Time	By	Reference
-----------	--------	----	-------	------	------	----	-----------

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Limit RL=Reporting Limit

PLEASE NOTE: THIS PROGRESS REPORT IS CONSIDERED PRELIMINARY DATA. THE RESULTS ENTERED HAVE NOT BEEN EXAMINED BY OUR QA/QC DEPARTMENT.



Phyllis Shiller, Laboratory Director

February 05, 2008



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06040
Tel. (860) 645-1102 Fax (860) 645-0823



Draft Progress Report

February 05, 2008

FOR: Attn: Mr. James VanHorn
EnviroTrac
5 Old Dock Rd
Yaphank, NY 11980

Sample Information

Matrix: GROUND WATER
Location Code: ENVIROTR
Rush Request: RUSH
P.O.#:

Custody Information

Collected by:
Received by: LB
Analyzed by: see "By" below

Date

01/25/08
01/31/08

Time

12:25
16:30

Laboratory Data

SDG I.D.: GAJ95632

Phoenix I.D.: AJ95637

Client ID: AMERICAN DRIVE IN CLEANERS MW-11

Parameter	Result	RL	Units	Date	Time	By	Reference
<u>Volatiles</u>							
1,1,1,2-Tetrachloroethane	ND	5	ug/L	02/01/08		R/J	SW8260
1,1,1-Trichloroethane	ND	5	ug/L	02/01/08		R/J	SW8260
1,1,2,2-Tetrachloroethane	ND	5	ug/L	02/01/08		R/J	SW8260
1,1,2-Trichloroethane	ND	5	ug/L	02/01/08		R/J	SW8260
1,1-Dichloroethane	ND	5	ug/L	02/01/08		R/J	SW8260
1,1-Dichloroethene	ND	5	ug/L	02/01/08		R/J	SW8260
1,1-Dichloropropene	ND	5	ug/L	02/01/08		R/J	SW8260
1,2,3-Trichlorobenzene	ND	5	ug/L	02/01/08		R/J	SW8260
1,2,3-Trichloropropane	ND	5	ug/L	02/01/08		R/J	SW8260
1,2,4-Trichlorobenzene	ND	5	ug/L	02/01/08		R/J	SW8260
1,2,4-Trimethylbenzene	ND	5	ug/L	02/01/08		R/J	SW8260
1,2-Dibromo-3-chloropropane	ND	5	ug/L	02/01/08		R/J	SW8260
1,2-Dichlorobenzene	ND	5	ug/L	02/01/08		R/J	SW8260
1,2-Dichloroethane	ND	5	ug/L	02/01/08		R/J	SW8260
1,2-Dichloropropane	ND	5	ug/L	02/01/08		R/J	SW8260
1,3,5-Trimethylbenzene	ND	5	ug/L	02/01/08		R/J	SW8260
1,3-Dichlorobenzene	ND	5	ug/L	02/01/08		R/J	SW8260
1,3-Dichloropropane	ND	5	ug/L	02/01/08		R/J	SW8260
1,4-Dichlorobenzene	ND	5	ug/L	02/01/08		R/J	SW8260
2,2-Dichloropropane	ND	5	ug/L	02/01/08		R/J	SW8260
2-Chlorotoluene	ND	5	ug/L	02/01/08		R/J	SW8260
2-Hexanone	ND	25	ug/L	02/01/08		R/J	SW8260
2-Isopropyltoluene	ND	5	ug/L	02/01/08		R/J	SW8260
4-Chlorotoluene	ND	5	ug/L	02/01/08		R/J	SW8260
4-Methyl-2-pentanone	ND	25	ug/L	02/01/08		R/J	SW8260
Acetone	ND	50	ug/L	02/01/08		R/J	SW8260
Acrylonitrile	ND	10	ug/L	02/01/08		R/J	SW8260
Benzene	ND	5	ug/L	02/01/08		R/J	SW8260
Bromobenzene	ND	5	ug/L	02/01/08		R/J	SW8260

Parameter	Result	RL	Units	Date	Time	By	Reference
Bromochloromethane	ND	5	ug/L	02/01/08		R/J	SW8260
Bromodichloromethane	ND	5	ug/L	02/01/08		R/J	SW8260
Bromoform	ND	5	ug/L	02/01/08		R/J	SW8260
Bromomethane	ND	5	ug/L	02/01/08		R/J	SW8260
Carbon Disulfide	ND	5	ug/L	02/01/08		R/J	SW8260
Carbon tetrachloride	ND	5	ug/L	02/01/08		R/J	SW8260
Chlorobenzene	ND	5	ug/L	02/01/08		R/J	SW8260
Chloroethane	ND	5	ug/L	02/01/08		R/J	SW8260
Chloroform	ND	5	ug/L	02/01/08		R/J	SW8260
Chloromethane	ND	5	ug/L	02/01/08		R/J	SW8260
cis-1,2-Dichloroethene	ND	5	ug/L	02/01/08		R/J	SW8260
cis-1,3-Dichloropropene	ND	5	ug/L	02/01/08		R/J	SW8260
Dibromochloromethane	ND	5	ug/L	02/01/08		R/J	SW8260
Dibromoethane	ND	5	ug/L	02/01/08		R/J	SW8260
Dibromomethane	ND	5	ug/L	02/01/08		R/J	SW8260
Dichlorodifluoromethane	ND	5	ug/L	02/01/08		R/J	SW8260
Ethylbenzene	ND	5	ug/L	02/01/08		R/J	SW8260
Hexachlorobutadiene	ND	5	ug/L	02/01/08		R/J	SW8260
Isopropylbenzene	ND	5	ug/L	02/01/08		R/J	SW8260
m&p-Xylene	ND	5	ug/L	02/01/08		R/J	SW8260
Methyl Ethyl Ketone	ND	60	ug/L	02/01/08		R/J	SW8260
Methyl t-butyl ether (MTBE)	ND	10	ug/L	02/01/08		R/J	SW8260
Methylene chloride	ND	5	ug/L	02/01/08		R/J	SW8260
n-Butylbenzene	ND	5	ug/L	02/01/08		R/J	SW8260
n-Propylbenzene	ND	5	ug/L	02/01/08		R/J	SW8260
Naphthalene	ND	5	ug/L	02/01/08		R/J	SW8260
o-Xylene	ND	5	ug/L	02/01/08		R/J	SW8260
p-Isopropyltoluene	ND	5	ug/L	02/01/08		R/J	SW8260
sec-Butylbenzene	ND	5	ug/L	02/01/08		R/J	SW8260
Styrene	ND	5	ug/L	02/01/08		R/J	SW8260
tert-Butylbenzene	ND	5	ug/L	02/01/08		R/J	SW8260
Tetrachloroethene	ND	5	ug/L	02/01/08		R/J	SW8260
Tetrahydrofuran (THF)	ND	10	ug/L	02/01/08		R/J	SW8260
Toluene	ND	5	ug/L	02/01/08		R/J	SW8260
Total Xylenes	ND	5	ug/L	02/01/08		R/J	SW8260
trans-1,2-Dichloroethene	ND	5	ug/L	02/01/08		R/J	SW8260
trans-1,3-Dichloropropene	ND	5	ug/L	02/01/08		R/J	SW8260
trans-1,4-dichloro-2-butene	ND	10	ug/L	02/01/08		R/J	SW8260
Trichloroethene	ND	5	ug/L	02/01/08		R/J	SW8260
Trichlorofluoromethane	ND	5	ug/L	02/01/08		R/J	SW8260
Trichlorotrifluoroethane	ND	5	ug/L	02/01/08		R/J	SW8260
Vinyl chloride	ND	5	ug/L	02/01/08		R/J	SW8260
<u>QA/OC Surrogates</u>							
% 1,2-dichlorobenzene-d4	104		%	02/01/08		R/J	SW8260
% Bromofluorobenzene	100		%	02/01/08		R/J	SW8260
% Dibromofluoromethane	86		%	02/01/08		R/J	SW8260
% Toluene-d8	102		%	02/01/08		R/J	SW8260


Parameter	Result	RL	Units	Date	Time	By	Reference
-----------	--------	----	-------	------	------	----	-----------

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Limit RL=Reporting Limit

PLEASE NOTE: THIS PROGRESS REPORT IS CONSIDERED PRELIMINARY DATA. THE RESULTS ENTERED HAVE NOT BEEN EXAMINED BY OUR QA/QC DEPARTMENT.



Phyllis Shiller, Laboratory Director

February 05, 2008



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06040
Tel. (860) 645-1102 Fax (860) 645-0823



Draft Progress Report

February 05, 2008

FOR: Attn: Mr. James VanHorn
EnviroTrac
5 Old Dock Rd
Yaphank, NY 11980

Sample Information

Matrix: GROUND WATER
Location Code: ENVIROTR
Rush Request: RUSH
P.O.#:

Custody Information

Collected by:
Received by: LB
Analyzed by: see "By" below

Date

01/25/08
01/31/08

Time

12:30
16:30

Laboratory Data

SDG I.D.: GAJ95632

Phoenix I.D.: AJ95638

Client ID: AMERICAN DRIVE IN CLEANERS MW-1S

Parameter	Result	RL	Units	Date	Time	By	Reference
-----------	--------	----	-------	------	------	----	-----------

Volatiles

1,1,1,2-Tetrachloroethane	ND	5	ug/L	02/01/08		R/J	SW8260
1,1,1-Trichloroethane	ND	5	ug/L	02/01/08		R/J	SW8260
1,1,2,2-Tetrachloroethane	ND	5	ug/L	02/01/08		R/J	SW8260
1,1,2-Trichloroethane	ND	5	ug/L	02/01/08		R/J	SW8260
1,1-Dichloroethane	ND	5	ug/L	02/01/08		R/J	SW8260
1,1-Dichloroethene	ND	5	ug/L	02/01/08		R/J	SW8260
1,1-Dichloropropene	ND	5	ug/L	02/01/08		R/J	SW8260
1,2,3-Trichlorobenzene	ND	5	ug/L	02/01/08		R/J	SW8260
1,2,3-Trichloropropane	ND	5	ug/L	02/01/08		R/J	SW8260
1,2,4-Trichlorobenzene	ND	5	ug/L	02/01/08		R/J	SW8260
1,2,4-Trimethylbenzene	ND	5	ug/L	02/01/08		R/J	SW8260
1,2-Dibromo-3-chloropropane	ND	5	ug/L	02/01/08		R/J	SW8260
1,2-Dichlorobenzene	ND	5	ug/L	02/01/08		R/J	SW8260
1,2-Dichloroethane	ND	5	ug/L	02/01/08		R/J	SW8260
1,2-Dichloropropane	ND	5	ug/L	02/01/08		R/J	SW8260
1,3,5-Trimethylbenzene	ND	5	ug/L	02/01/08		R/J	SW8260
1,3-Dichlorobenzene	ND	5	ug/L	02/01/08		R/J	SW8260
1,3-Dichloropropane	ND	5	ug/L	02/01/08		R/J	SW8260
1,4-Dichlorobenzene	ND	5	ug/L	02/01/08		R/J	SW8260
2,2-Dichloropropane	ND	5	ug/L	02/01/08		R/J	SW8260
2-Chlorotoluene	ND	5	ug/L	02/01/08		R/J	SW8260
2-Hexanone	ND	25	ug/L	02/01/08		R/J	SW8260
2-Isopropyltoluene	ND	5	ug/L	02/01/08		R/J	SW8260
4-Chlorotoluene	ND	5	ug/L	02/01/08		R/J	SW8260
4-Methyl-2-pentanone	ND	25	ug/L	02/01/08		R/J	SW8260
Acetone	ND	50	ug/L	02/01/08		R/J	SW8260
Acrylonitrile	ND	10	ug/L	02/01/08		R/J	SW8260
Benzene	ND	5	ug/L	02/01/08		R/J	SW8260
Bromobenzene	ND	5	ug/L	02/01/08		R/J	SW8260

Parameter	Result	RL	Units	Date	Time	By	Reference
Bromochloromethane	ND	5	ug/L	02/01/08		R/J	SW8260
Bromodichloromethane	ND	5	ug/L	02/01/08		R/J	SW8260
Bromoform	ND	5	ug/L	02/01/08		R/J	SW8260
Bromomethane	ND	5	ug/L	02/01/08		R/J	SW8260
Carbon Disulfide	ND	5	ug/L	02/01/08		R/J	SW8260
Carbon tetrachloride	ND	5	ug/L	02/01/08		R/J	SW8260
Chlorobenzene	ND	5	ug/L	02/01/08		R/J	SW8260
Chloroethane	ND	5	ug/L	02/01/08		R/J	SW8260
Chloroform	ND	5	ug/L	02/01/08		R/J	SW8260
Chloromethane	ND	5	ug/L	02/01/08		R/J	SW8260
cis-1,2-Dichloroethene	ND	5	ug/L	02/01/08		R/J	SW8260
cis-1,3-Dichloropropene	ND	5	ug/L	02/01/08		R/J	SW8260
Dibromochloromethane	ND	5	ug/L	02/01/08		R/J	SW8260
Dibromoethane	ND	5	ug/L	02/01/08		R/J	SW8260
Dibromomethane	ND	5	ug/L	02/01/08		R/J	SW8260
Dichlorodifluoromethane	ND	5	ug/L	02/01/08		R/J	SW8260
Ethylbenzene	ND	5	ug/L	02/01/08		R/J	SW8260
Hexachlorobutadiene	ND	5	ug/L	02/01/08		R/J	SW8260
Isopropylbenzene	ND	5	ug/L	02/01/08		R/J	SW8260
m&p-Xylene	ND	5	ug/L	02/01/08		R/J	SW8260
Methyl Ethyl Ketone	ND	60	ug/L	02/01/08		R/J	SW8260
Methyl t-butyl ether (MTBE)	ND	10	ug/L	02/01/08		R/J	SW8260
Methylene chloride	ND	5	ug/L	02/01/08		R/J	SW8260
n-Butylbenzene	ND	5	ug/L	02/01/08		R/J	SW8260
n-Propylbenzene	ND	5	ug/L	02/01/08		R/J	SW8260
Naphthalene	ND	5	ug/L	02/01/08		R/J	SW8260
o-Xylene	ND	5	ug/L	02/01/08		R/J	SW8260
p-Isopropyltoluene	ND	5	ug/L	02/01/08		R/J	SW8260
sec-Butylbenzene	ND	5	ug/L	02/01/08		R/J	SW8260
Styrene	ND	5	ug/L	02/01/08		R/J	SW8260
tert-Butylbenzene	ND	5	ug/L	02/01/08		R/J	SW8260
Tetrachloroethene	ND	5	ug/L	02/01/08		R/J	SW8260
Tetrahydrofuran (THF)	ND	10	ug/L	02/01/08		R/J	SW8260
Toluene	ND	5	ug/L	02/01/08		R/J	SW8260
Total Xylenes	ND	5	ug/L	02/01/08		R/J	SW8260
trans-1,2-Dichloroethene	ND	5	ug/L	02/01/08		R/J	SW8260
trans-1,3-Dichloropropene	ND	5	ug/L	02/01/08		R/J	SW8260
trans-1,4-dichloro-2-butene	ND	10	ug/L	02/01/08		R/J	SW8260
Trichloroethene	ND	5	ug/L	02/01/08		R/J	SW8260
Trichlorofluoromethane	ND	5	ug/L	02/01/08		R/J	SW8260
Trichlorotrifluoroethane	ND	5	ug/L	02/01/08		R/J	SW8260
Vinyl chloride	ND	5	ug/L	02/01/08		R/J	SW8260
<u>QA/QC Surrogates</u>							
% 1,2-dichlorobenzene-d4	102		%	02/01/08		R/J	SW8260
% Bromofluorobenzene	96		%	02/01/08		R/J	SW8260
% Dibromofluoromethane	105		%	02/01/08		R/J	SW8260
% Toluene-d8	98		%	02/01/08		R/J	SW8260


Parameter	Result	RL	Units	Date	Time	By	Reference
-----------	--------	----	-------	------	------	----	-----------

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Limit RL=Reporting Limit

PLEASE NOTE: THIS PROGRESS REPORT IS CONSIDERED PRELIMINARY DATA. THE RESULTS ENTERED HAVE NOT BEEN EXAMINED BY OUR QA/QC DEPARTMENT.



Phyllis Shiller, Laboratory Director

February 05, 2008



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06040
Tel. (860) 645-1102 Fax (860) 645-0823



Draft Progress Report

February 05, 2008

FOR: Attn: Mr. James VanHorn
EnviroTrac
5 Old Dock Rd
Yaphank, NY 11980

Sample Information

Matrix: GROUND WATER
Location Code: ENVIROTR
Rush Request: RUSH
P.O.#:

Custody Information

Collected by:
Received by: LB
Analyzed by: see "By" below

Date

01/25/08
01/31/08

Time

12:40
16:30

Laboratory Data

SDG I.D.: GAJ95632

Phoenix I.D.: AJ95639

Client ID: AMERICAN DRIVE IN CLEANERS MW-10S

Parameter	Result	RL	Units	Date	Time	By	Reference
<u>Volatiles</u>							
1,1,1,2-Tetrachloroethane	ND	5	ug/L	02/01/08		R/J	SW8260
1,1,1-Trichloroethane	ND	5	ug/L	02/01/08		R/J	SW8260
1,1,2,2-Tetrachloroethane	ND	5	ug/L	02/01/08		R/J	SW8260
1,1,2-Trichloroethane	ND	5	ug/L	02/01/08		R/J	SW8260
1,1-Dichloroethane	ND	5	ug/L	02/01/08		R/J	SW8260
1,1-Dichloroethene	ND	5	ug/L	02/01/08		R/J	SW8260
1,1-Dichloropropene	ND	5	ug/L	02/01/08		R/J	SW8260
1,2,3-Trichlorobenzene	ND	5	ug/L	02/01/08		R/J	SW8260
1,2,3-Trichloropropane	ND	5	ug/L	02/01/08		R/J	SW8260
1,2,4-Trichlorobenzene	ND	5	ug/L	02/01/08		R/J	SW8260
1,2,4-Trimethylbenzene	ND	5	ug/L	02/01/08		R/J	SW8260
1,2-Dibromo-3-chloropropane	ND	5	ug/L	02/01/08		R/J	SW8260
1,2-Dichlorobenzene	ND	5	ug/L	02/01/08		R/J	SW8260
1,2-Dichloroethane	ND	5	ug/L	02/01/08		R/J	SW8260
1,2-Dichloropropane	ND	5	ug/L	02/01/08		R/J	SW8260
1,3,5-Trimethylbenzene	ND	5	ug/L	02/01/08		R/J	SW8260
1,3-Dichlorobenzene	ND	5	ug/L	02/01/08		R/J	SW8260
1,3-Dichloropropane	ND	5	ug/L	02/01/08		R/J	SW8260
1,4-Dichlorobenzene	ND	5	ug/L	02/01/08		R/J	SW8260
2,2-Dichloropropane	ND	5	ug/L	02/01/08		R/J	SW8260
2-Chlorotoluene	ND	5	ug/L	02/01/08		R/J	SW8260
2-Hexanone	ND	25	ug/L	02/01/08		R/J	SW8260
2-Isopropyltoluene	ND	5	ug/L	02/01/08		R/J	SW8260
4-Chlorotoluene	ND	5	ug/L	02/01/08		R/J	SW8260
4-Methyl-2-pentanone	ND	25	ug/L	02/01/08		R/J	SW8260
Acetone	ND	50	ug/L	02/01/08		R/J	SW8260
Acrylonitrile	ND	10	ug/L	02/01/08		R/J	SW8260
Benzene	ND	5	ug/L	02/01/08		R/J	SW8260
Bromobenzene	ND	5	ug/L	02/01/08		R/J	SW8260

Parameter	Result	RL	Units	Date	Time	By	Reference
Bromochloromethane	ND	5	ug/L	02/01/08		R/J	SW8260
Bromodichloromethane	ND	5	ug/L	02/01/08		R/J	SW8260
Bromoform	ND	5	ug/L	02/01/08		R/J	SW8260
Bromomethane	ND	5	ug/L	02/01/08		R/J	SW8260
Carbon Disulfide	ND	5	ug/L	02/01/08		R/J	SW8260
Carbon tetrachloride	ND	5	ug/L	02/01/08		R/J	SW8260
Chlorobenzene	ND	5	ug/L	02/01/08		R/J	SW8260
Chloroethane	ND	5	ug/L	02/01/08		R/J	SW8260
Chloroform	ND	5	ug/L	02/01/08		R/J	SW8260
Chloromethane	ND	5	ug/L	02/01/08		R/J	SW8260
cis-1,2-Dichloroethene	ND	5	ug/L	02/01/08		R/J	SW8260
cis-1,3-Dichloropropene	ND	5	ug/L	02/01/08		R/J	SW8260
Dibromochloromethane	ND	5	ug/L	02/01/08		R/J	SW8260
Dibromoethane	ND	5	ug/L	02/01/08		R/J	SW8260
Dibromomethane	ND	5	ug/L	02/01/08		R/J	SW8260
Dichlorodifluoromethane	ND	5	ug/L	02/01/08		R/J	SW8260
Ethylbenzene	ND	5	ug/L	02/01/08		R/J	SW8260
Hexachlorobutadiene	ND	5	ug/L	02/01/08		R/J	SW8260
Isopropylbenzene	ND	5	ug/L	02/01/08		R/J	SW8260
m&p-Xylene	ND	5	ug/L	02/01/08		R/J	SW8260
Methyl Ethyl Ketone	ND	60	ug/L	02/01/08		R/J	SW8260
Methyl t-butyl ether (MTBE)	ND	10	ug/L	02/01/08		R/J	SW8260
Methylene chloride	ND	5	ug/L	02/01/08		R/J	SW8260
n-Butylbenzene	ND	5	ug/L	02/01/08		R/J	SW8260
n-Propylbenzene	ND	5	ug/L	02/01/08		R/J	SW8260
Naphthalene	ND	5	ug/L	02/01/08		R/J	SW8260
o-Xylene	ND	5	ug/L	02/01/08		R/J	SW8260
p-Isopropyltoluene	ND	5	ug/L	02/01/08		R/J	SW8260
sec-Butylbenzene	ND	5	ug/L	02/01/08		R/J	SW8260
Styrene	ND	5	ug/L	02/01/08		R/J	SW8260
tert-Butylbenzene	ND	5	ug/L	02/01/08		R/J	SW8260
Tetrachloroethene	ND	5	ug/L	02/01/08		R/J	SW8260
Tetrahydrofuran (THF)	ND	10	ug/L	02/01/08		R/J	SW8260
Toluene	ND	5	ug/L	02/01/08		R/J	SW8260
Total Xylenes	ND	5	ug/L	02/01/08		R/J	SW8260
trans-1,2-Dichloroethene	ND	5	ug/L	02/01/08		R/J	SW8260
trans-1,3-Dichloropropene	ND	5	ug/L	02/01/08		R/J	SW8260
trans-1,4-dichloro-2-butene	ND	10	ug/L	02/01/08		R/J	SW8260
Trichloroethene	ND	5	ug/L	02/01/08		R/J	SW8260
Trichlorofluoromethane	ND	5	ug/L	02/01/08		R/J	SW8260
Trichlorotrifluoroethane	ND	5	ug/L	02/01/08		R/J	SW8260
Vinyl chloride	ND	5	ug/L	02/01/08		R/J	SW8260
<u>QA/QC Surrogates</u>							
% 1,2-dichlorobenzene-d4	101		%	02/01/08		R/J	SW8260
% Bromofluorobenzene	96		%	02/01/08		R/J	SW8260
% Dibromofluoromethane	110		%	02/01/08		R/J	SW8260
% Toluene-d8	98		%	02/01/08		R/J	SW8260


Parameter	Result	RL	Units	Date	Time	By	Reference
-----------	--------	----	-------	------	------	----	-----------

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Limit RL=Reporting Limit

PLEASE NOTE: THIS PROGRESS REPORT IS CONSIDERED PRELIMINARY DATA. THE RESULTS ENTERED HAVE NOT BEEN EXAMINED BY OUR QA/QC DEPARTMENT.



Phyllis Shiller, Laboratory Director

February 05, 2008



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06040
Tel. (860) 645-1102 Fax (860) 645-0823



Draft Progress Report

February 05, 2008

FOR: Attn: Mr. James VanHorn
EnviroTrac
5 Old Dock Rd
Yaphank, NY 11980

<u>Sample Information</u>	<u>Custody Information</u>	<u>Date</u>	<u>Time</u>
Matrix: GROUND WATER	Collected by:	01/25/08	12:45
Location Code: ENVIROTR	Received by: LB	01/31/08	16:30
Rush Request: RUSH	Analyzed by: see "By" below		
P.O.#:			

Laboratory Data

SDG I.D.: GAJ95632
Phoenix I.D.: AJ95640

Client ID: AMERICAN DRIVE IN CLEANERS MW-101

Parameter	Result	RL	Units	Date	Time	By	Reference
<u>Volatiles</u>							
1,1,1,2-Tetrachloroethane	ND	5	ug/L	02/01/08		R/J	SW8260
1,1,1-Trichloroethane	ND	5	ug/L	02/01/08		R/J	SW8260
1,1,2,2-Tetrachloroethane	ND	5	ug/L	02/01/08		R/J	SW8260
1,1,2-Trichloroethane	ND	5	ug/L	02/01/08		R/J	SW8260
1,1-Dichloroethane	ND	5	ug/L	02/01/08		R/J	SW8260
1,1-Dichloroethene	ND	5	ug/L	02/01/08		R/J	SW8260
1,1-Dichloropropene	ND	5	ug/L	02/01/08		R/J	SW8260
1,2,3-Trichlorobenzene	ND	5	ug/L	02/01/08		R/J	SW8260
1,2,3-Trichloropropane	ND	5	ug/L	02/01/08		R/J	SW8260
1,2,4-Trichlorobenzene	ND	5	ug/L	02/01/08		R/J	SW8260
1,2,4-Trimethylbenzene	ND	5	ug/L	02/01/08		R/J	SW8260
1,2-Dibromo-3-chloropropane	ND	5	ug/L	02/01/08		R/J	SW8260
1,2-Dichlorobenzene	ND	5	ug/L	02/01/08		R/J	SW8260
1,2-Dichloroethane	ND	5	ug/L	02/01/08		R/J	SW8260
1,2-Dichloropropane	ND	5	ug/L	02/01/08		R/J	SW8260
1,3,5-Trimethylbenzene	ND	5	ug/L	02/01/08		R/J	SW8260
1,3-Dichlorobenzene	ND	5	ug/L	02/01/08		R/J	SW8260
1,3-Dichloropropane	ND	5	ug/L	02/01/08		R/J	SW8260
1,4-Dichlorobenzene	ND	5	ug/L	02/01/08		R/J	SW8260
2,2-Dichloropropane	ND	5	ug/L	02/01/08		R/J	SW8260
2-Chlorotoluene	ND	5	ug/L	02/01/08		R/J	SW8260
2-Hexanone	ND	25	ug/L	02/01/08		R/J	SW8260
2-Isopropyltoluene	ND	5	ug/L	02/01/08		R/J	SW8260
4-Chlorotoluene	ND	5	ug/L	02/01/08		R/J	SW8260
4-Methyl-2-pentanone	ND	25	ug/L	02/01/08		R/J	SW8260
Acetone	ND	50	ug/L	02/01/08		R/J	SW8260
Acrylonitrile	ND	10	ug/L	02/01/08		R/J	SW8260
Benzene	ND	5	ug/L	02/01/08		R/J	SW8260
Bromobenzene	ND	5	ug/L	02/01/08		R/J	SW8260

Parameter	Result	RL	Units	Date	Time	By	Reference
Bromochloromethane	ND	5	ug/L	02/01/08		R/J	SW8260
Bromodichloromethane	ND	5	ug/L	02/01/08		R/J	SW8260
Bromoform	ND	5	ug/L	02/01/08		R/J	SW8260
Bromomethane	ND	5	ug/L	02/01/08		R/J	SW8260
Carbon Disulfide	ND	5	ug/L	02/01/08		R/J	SW8260
Carbon tetrachloride	ND	5	ug/L	02/01/08		R/J	SW8260
Chlorobenzene	ND	5	ug/L	02/01/08		R/J	SW8260
Chloroethane	ND	5	ug/L	02/01/08		R/J	SW8260
Chloroform	ND	5	ug/L	02/01/08		R/J	SW8260
Chloromethane	ND	5	ug/L	02/01/08		R/J	SW8260
cis-1,2-Dichloroethene	ND	5	ug/L	02/01/08		R/J	SW8260
cis-1,3-Dichloropropene	ND	5	ug/L	02/01/08		R/J	SW8260
Dibromochloromethane	ND	5	ug/L	02/01/08		R/J	SW8260
Dibromoethane	ND	5	ug/L	02/01/08		R/J	SW8260
Dibromomethane	ND	5	ug/L	02/01/08		R/J	SW8260
Dichlorodifluoromethane	ND	5	ug/L	02/01/08		R/J	SW8260
Ethylbenzene	ND	5	ug/L	02/01/08		R/J	SW8260
Hexachlorobutadiene	ND	5	ug/L	02/01/08		R/J	SW8260
Isopropylbenzene	ND	5	ug/L	02/01/08		R/J	SW8260
m&p-Xylene	ND	5	ug/L	02/01/08		R/J	SW8260
Methyl Ethyl Ketone	ND	60	ug/L	02/01/08		R/J	SW8260
Methyl t-butyl ether (MTBE)	ND	10	ug/L	02/01/08		R/J	SW8260
Methylene chloride	ND	5	ug/L	02/01/08		R/J	SW8260
n-Butylbenzene	ND	5	ug/L	02/01/08		R/J	SW8260
n-Propylbenzene	ND	5	ug/L	02/01/08		R/J	SW8260
Naphthalene	ND	5	ug/L	02/01/08		R/J	SW8260
o-Xylene	ND	5	ug/L	02/01/08		R/J	SW8260
p-Isopropyltoluene	ND	5	ug/L	02/01/08		R/J	SW8260
sec-Butylbenzene	ND	5	ug/L	02/01/08		R/J	SW8260
Styrene	ND	5	ug/L	02/01/08		R/J	SW8260
tert-Butylbenzene	ND	5	ug/L	02/01/08		R/J	SW8260
Tetrachloroethene	ND	5	ug/L	02/01/08		R/J	SW8260
Tetrahydrofuran (THF)	ND	10	ug/L	02/01/08		R/J	SW8260
Toluene	ND	5	ug/L	02/01/08		R/J	SW8260
Total Xylenes	ND	5	ug/L	02/01/08		R/J	SW8260
trans-1,2-Dichloroethene	ND	5	ug/L	02/01/08		R/J	SW8260
trans-1,3-Dichloropropene	ND	5	ug/L	02/01/08		R/J	SW8260
trans-1,4-dichloro-2-butene	ND	10	ug/L	02/01/08		R/J	SW8260
Trichloroethene	ND	5	ug/L	02/01/08		R/J	SW8260
Trichlorofluoromethane	ND	5	ug/L	02/01/08		R/J	SW8260
Trichlorotrifluoroethane	ND	5	ug/L	02/01/08		R/J	SW8260
Vinyl chloride	ND	5	ug/L	02/01/08		R/J	SW8260
<u>QA/QC Surrogates</u>							
% 1,2-dichlorobenzene-d4	100		%	02/01/08		R/J	SW8260
% Bromofluorobenzene	96		%	02/01/08		R/J	SW8260
% Dibromofluoromethane	107		%	02/01/08		R/J	SW8260
% Toluene-d8	99		%	02/01/08		R/J	SW8260


Parameter	Result	RL	Units	Date	Time	By	Reference
-----------	--------	----	-------	------	------	----	-----------

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Limit RL=Reporting Limit

PLEASE NOTE: THIS PROGRESS REPORT IS CONSIDERED PRELIMINARY DATA. THE RESULTS ENTERED HAVE NOT BEEN EXAMINED BY OUR QA/QC DEPARTMENT.



Phyllis Shiller, Laboratory Director

February 05, 2008



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06040
Tel. (860) 645-1102 Fax (860) 645-0823



Draft Progress Report

February 05, 2008

FOR: Attn: Mr. James VanHorn
EnviroTrac
5 Old Dock Rd
Yaphank, NY 11980

<u>Sample Information</u>	<u>Custody Information</u>	<u>Date</u>	<u>Time</u>
Matrix: GROUND WATER	Collected by:	01/25/08	12:50
Location Code: ENVIROTR	Received by: LB	01/31/08	16:30
Rush Request: RUSH	Analyzed by: see "By" below		
P.O.#:			

Laboratory Data

SDG I.D.: GAJ95632
Phoenix I.D.: AJ95641

Client ID: AMERICAN DRIVE IN CLEANERS MW-8S

Parameter	Result	RL	Units	Date	Time	By	Reference
<u>Volatiles</u>							
1,1,1,2-Tetrachloroethane	ND	5	ug/L	02/01/08		R/J	SW8260
1,1,1-Trichloroethane	ND	5	ug/L	02/01/08		R/J	SW8260
1,1,2,2-Tetrachloroethane	ND	5	ug/L	02/01/08		R/J	SW8260
1,1,2-Trichloroethane	ND	5	ug/L	02/01/08		R/J	SW8260
1,1-Dichloroethane	ND	5	ug/L	02/01/08		R/J	SW8260
1,1-Dichloroethene	ND	5	ug/L	02/01/08		R/J	SW8260
1,1-Dichloropropene	ND	5	ug/L	02/01/08		R/J	SW8260
1,2,3-Trichlorobenzene	ND	5	ug/L	02/01/08		R/J	SW8260
1,2,3-Trichloropropane	ND	5	ug/L	02/01/08		R/J	SW8260
1,2,4-Trichlorobenzene	ND	5	ug/L	02/01/08		R/J	SW8260
1,2,4-Trimethylbenzene	ND	5	ug/L	02/01/08		R/J	SW8260
1,2-Dibromo-3-chloropropane	ND	5	ug/L	02/01/08		R/J	SW8260
1,2-Dichlorobenzene	ND	5	ug/L	02/01/08		R/J	SW8260
1,2-Dichloroethane	ND	5	ug/L	02/01/08		R/J	SW8260
1,2-Dichloropropane	ND	5	ug/L	02/01/08		R/J	SW8260
1,3,5-Trimethylbenzene	ND	5	ug/L	02/01/08		R/J	SW8260
1,3-Dichlorobenzene	ND	5	ug/L	02/01/08		R/J	SW8260
1,3-Dichloropropane	ND	5	ug/L	02/01/08		R/J	SW8260
1,4-Dichlorobenzene	ND	5	ug/L	02/01/08		R/J	SW8260
2,2-Dichloropropane	ND	5	ug/L	02/01/08		R/J	SW8260
2-Chlorotoluene	ND	5	ug/L	02/01/08		R/J	SW8260
2-Hexanone	ND	25	ug/L	02/01/08		R/J	SW8260
2-Isopropyltoluene	ND	5	ug/L	02/01/08		R/J	SW8260
4-Chlorotoluene	ND	5	ug/L	02/01/08		R/J	SW8260
4-Methyl-2-pentanone	ND	25	ug/L	02/01/08		R/J	SW8260
Acetone	ND	50	ug/L	02/01/08		R/J	SW8260
Acrylonitrile	ND	10	ug/L	02/01/08		R/J	SW8260
Benzene	ND	5	ug/L	02/01/08		R/J	SW8260
Bromobenzene	ND	5	ug/L	02/01/08		R/J	SW8260

Parameter	Result	RL	Units	Date	Time	By	Reference
Bromochloromethane	ND	5	ug/L	02/01/08		R/J	SW8260
Bromodichloromethane	ND	5	ug/L	02/01/08		R/J	SW8260
Bromoform	ND	5	ug/L	02/01/08		R/J	SW8260
Bromomethane	ND	5	ug/L	02/01/08		R/J	SW8260
Carbon Disulfide	ND	5	ug/L	02/01/08		R/J	SW8260
Carbon tetrachloride	ND	5	ug/L	02/01/08		R/J	SW8260
Chlorobenzene	ND	5	ug/L	02/01/08		R/J	SW8260
Chloroethane	ND	5	ug/L	02/01/08		R/J	SW8260
Chloroform	ND	5	ug/L	02/01/08		R/J	SW8260
Chloromethane	ND	5	ug/L	02/01/08		R/J	SW8260
cis-1,2-Dichloroethene	ND	5	ug/L	02/01/08		R/J	SW8260
cis-1,3-Dichloropropene	ND	5	ug/L	02/01/08		R/J	SW8260
Dibromochloromethane	ND	5	ug/L	02/01/08		R/J	SW8260
Dibromoethane	ND	5	ug/L	02/01/08		R/J	SW8260
Dibromomethane	ND	5	ug/L	02/01/08		R/J	SW8260
Dichlorodifluoromethane	ND	5	ug/L	02/01/08		R/J	SW8260
Ethylbenzene	ND	5	ug/L	02/01/08		R/J	SW8260
Hexachlorobutadiene	ND	5	ug/L	02/01/08		R/J	SW8260
Isopropylbenzene	ND	5	ug/L	02/01/08		R/J	SW8260
m&p-Xylene	ND	5	ug/L	02/01/08		R/J	SW8260
Methyl Ethyl Ketone	ND	60	ug/L	02/01/08		R/J	SW8260
Methyl t-butyl ether (MTBE)	ND	10	ug/L	02/01/08		R/J	SW8260
Methylene chloride	ND	5	ug/L	02/01/08		R/J	SW8260
n-Butylbenzene	ND	5	ug/L	02/01/08		R/J	SW8260
n-Propylbenzene	ND	5	ug/L	02/01/08		R/J	SW8260
Naphthalene	ND	5	ug/L	02/01/08		R/J	SW8260
o-Xylene	ND	5	ug/L	02/01/08		R/J	SW8260
p-Isopropyltoluene	ND	5	ug/L	02/01/08		R/J	SW8260
sec-Butylbenzene	ND	5	ug/L	02/01/08		R/J	SW8260
Styrene	ND	5	ug/L	02/01/08		R/J	SW8260
tert-Butylbenzene	ND	5	ug/L	02/01/08		R/J	SW8260
Tetrachloroethene	ND	5	ug/L	02/01/08		R/J	SW8260
Tetrahydrofuran (THF)	ND	10	ug/L	02/01/08		R/J	SW8260
Toluene	ND	5	ug/L	02/01/08		R/J	SW8260
Total Xylenes	ND	5	ug/L	02/01/08		R/J	SW8260
trans-1,2-Dichloroethene	ND	5	ug/L	02/01/08		R/J	SW8260
trans-1,3-Dichloropropene	ND	5	ug/L	02/01/08		R/J	SW8260
trans-1,4-dichloro-2-butene	ND	10	ug/L	02/01/08		R/J	SW8260
Trichloroethene	ND	5	ug/L	02/01/08		R/J	SW8260
Trichlorofluoromethane	ND	5	ug/L	02/01/08		R/J	SW8260
Trichlorotrifluoroethane	ND	5	ug/L	02/01/08		R/J	SW8260
Vinyl chloride	ND	5	ug/L	02/01/08		R/J	SW8260
<u>QA/QC Surrogates</u>							
% 1,2-dichlorobenzene-d4	101		%	02/01/08		R/J	SW8260
% Bromofluorobenzene	99		%	02/01/08		R/J	SW8260
% Dibromofluoromethane	103		%	02/01/08		R/J	SW8260
% Toluene-d8	100		%	02/01/08		R/J	SW8260

Parameter	Result	RL	Units	Date	Time	By	Reference
-----------	--------	----	-------	------	------	----	-----------

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Limit RL=Reporting Limit

PLEASE NOTE: THIS PROGRESS REPORT IS CONSIDERED PRELIMINARY DATA. THE RESULTS ENTERED HAVE NOT BEEN EXAMINED BY OUR QA/QC DEPARTMENT.



Phyllis Shiller, Laboratory Director

February 05, 2008



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06040
Tel. (860) 645-1102 Fax (860) 645-0823



Draft Progress Report

February 05, 2008

FOR: Attn: Mr. James VanHorn
EnviroTrac
5 Old Dock Rd
Yaphank, NY 11980

<u>Sample Information</u>	<u>Custody Information</u>	<u>Date</u>	<u>Time</u>
Matrix: GROUND WATER	Collected by:	01/25/08	12:55
Location Code: ENVIROTR	Received by: LB	01/31/08	16:30
Rush Request: RUSH	Analyzed by: see "By" below		
P.O.#:			

Laboratory Data

SDG I.D.: GAJ95632
Phoenix I.D.: AJ95642

Client ID: AMERICAN DRIVE IN CLEANERS MW-8I

Parameter	Result	RL	Units	Date	Time	By	Reference
-----------	--------	----	-------	------	------	----	-----------

Volatiles

1,1,1,2-Tetrachloroethane	ND	5	ug/L	02/01/08		R/J	SW8260
1,1,1-Trichloroethane	ND	5	ug/L	02/01/08		R/J	SW8260
1,1,2,2-Tetrachloroethane	ND	5	ug/L	02/01/08		R/J	SW8260
1,1,2-Trichloroethane	ND	5	ug/L	02/01/08		R/J	SW8260
1,1-Dichloroethane	ND	5	ug/L	02/01/08		R/J	SW8260
1,1-Dichloroethene	ND	5	ug/L	02/01/08		R/J	SW8260
1,1-Dichloropropene	ND	5	ug/L	02/01/08		R/J	SW8260
1,2,3-Trichlorobenzene	ND	5	ug/L	02/01/08		R/J	SW8260
1,2,3-Trichloropropane	ND	5	ug/L	02/01/08		R/J	SW8260
1,2,4-Trichlorobenzene	ND	5	ug/L	02/01/08		R/J	SW8260
1,2,4-Trimethylbenzene	ND	5	ug/L	02/01/08		R/J	SW8260
1,2-Dibromo-3-chloropropane	ND	5	ug/L	02/01/08		R/J	SW8260
1,2-Dichlorobenzene	ND	5	ug/L	02/01/08		R/J	SW8260
1,2-Dichloroethane	ND	5	ug/L	02/01/08		R/J	SW8260
1,2-Dichloropropane	ND	5	ug/L	02/01/08		R/J	SW8260
1,3,5-Trimethylbenzene	ND	5	ug/L	02/01/08		R/J	SW8260
1,3-Dichlorobenzene	ND	5	ug/L	02/01/08		R/J	SW8260
1,3-Dichloropropane	ND	5	ug/L	02/01/08		R/J	SW8260
1,4-Dichlorobenzene	ND	5	ug/L	02/01/08		R/J	SW8260
2,2-Dichloropropane	ND	5	ug/L	02/01/08		R/J	SW8260
2-Chlorotoluene	ND	5	ug/L	02/01/08		R/J	SW8260
2-Hexanone	ND	25	ug/L	02/01/08		R/J	SW8260
2-Isopropyltoluene	ND	5	ug/L	02/01/08		R/J	SW8260
4-Chlorotoluene	ND	5	ug/L	02/01/08		R/J	SW8260
4-Methyl-2-pentanone	ND	25	ug/L	02/01/08		R/J	SW8260
Acetone	ND	50	ug/L	02/01/08		R/J	SW8260
Acrylonitrile	ND	10	ug/L	02/01/08		R/J	SW8260
Benzene	ND	5	ug/L	02/01/08		R/J	SW8260
Bromobenzene	ND	5	ug/L	02/01/08		R/J	SW8260

Parameter	Result	RL	Units	Date	Time	By	Reference
Bromochloromethane	ND	5	ug/L	02/01/08		R/J	SW8260
Bromodichloromethane	ND	5	ug/L	02/01/08		R/J	SW8260
Bromoform	ND	5	ug/L	02/01/08		R/J	SW8260
Bromomethane	ND	5	ug/L	02/01/08		R/J	SW8260
Carbon Disulfide	ND	5	ug/L	02/01/08		R/J	SW8260
Carbon tetrachloride	ND	5	ug/L	02/01/08		R/J	SW8260
Chlorobenzene	ND	5	ug/L	02/01/08		R/J	SW8260
Chloroethane	ND	5	ug/L	02/01/08		R/J	SW8260
Chloroform	ND	5	ug/L	02/01/08		R/J	SW8260
Chloromethane	ND	5	ug/L	02/01/08		R/J	SW8260
cis-1,2-Dichloroethene	ND	5	ug/L	02/01/08		R/J	SW8260
cis-1,3-Dichloropropene	ND	5	ug/L	02/01/08		R/J	SW8260
Dibromochloromethane	ND	5	ug/L	02/01/08		R/J	SW8260
Dibromoethane	ND	5	ug/L	02/01/08		R/J	SW8260
Dibromomethane	ND	5	ug/L	02/01/08		R/J	SW8260
Dichlorodifluoromethane	ND	5	ug/L	02/01/08		R/J	SW8260
Ethylbenzene	ND	5	ug/L	02/01/08		R/J	SW8260
Hexachlorobutadiene	ND	5	ug/L	02/01/08		R/J	SW8260
Isopropylbenzene	ND	5	ug/L	02/01/08		R/J	SW8260
m&p-Xylene	ND	5	ug/L	02/01/08		R/J	SW8260
Methyl Ethyl Ketone	ND	60	ug/L	02/01/08		R/J	SW8260
Methyl t-butyl ether (MTBE)	ND	10	ug/L	02/01/08		R/J	SW8260
Methylene chloride	ND	5	ug/L	02/01/08		R/J	SW8260
n-Butylbenzene	ND	5	ug/L	02/01/08		R/J	SW8260
n-Propylbenzene	ND	5	ug/L	02/01/08		R/J	SW8260
Naphthalene	ND	5	ug/L	02/01/08		R/J	SW8260
o-Xylene	ND	5	ug/L	02/01/08		R/J	SW8260
p-Isopropyltoluene	ND	5	ug/L	02/01/08		R/J	SW8260
sec-Butylbenzene	ND	5	ug/L	02/01/08		R/J	SW8260
Styrene	ND	5	ug/L	02/01/08		R/J	SW8260
tert-Butylbenzene	ND	5	ug/L	02/01/08		R/J	SW8260
Tetrachloroethene	350	25	ug/L	02/01/08		R/J	SW8260
Tetrahydrofuran (THF)	ND	10	ug/L	02/01/08		R/J	SW8260
Toluene	ND	5	ug/L	02/01/08		R/J	SW8260
Total Xylenes	ND	5	ug/L	02/01/08		R/J	SW8260
trans-1,2-Dichloroethene	ND	5	ug/L	02/01/08		R/J	SW8260
trans-1,3-Dichloropropene	ND	5	ug/L	02/01/08		R/J	SW8260
trans-1,4-dichloro-2-butene	ND	10	ug/L	02/01/08		R/J	SW8260
Trichloroethene	ND	5	ug/L	02/01/08		R/J	SW8260
Trichlorofluoromethane	ND	5	ug/L	02/01/08		R/J	SW8260
Trichlorotrifluoroethane	ND	5	ug/L	02/01/08		R/J	SW8260
Vinyl chloride	ND	5	ug/L	02/01/08		R/J	SW8260
<u>QA/OC Surrogates</u>							
% 1,2-dichlorobenzene-d4	99		%	02/01/08		R/J	SW8260
% Bromofluorobenzene	101		%	02/01/08		R/J	SW8260
% Dibromofluoromethane	74		%	02/01/08		R/J	SW8260
% Toluene-d8	101		%	02/01/08		R/J	SW8260


Parameter	Result	RL	Units	Date	Time	By	Reference
-----------	--------	----	-------	------	------	----	-----------

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Limit RL=Reporting Limit

PLEASE NOTE: THIS PROGRESS REPORT IS CONSIDERED PRELIMINARY DATA. THE RESULTS ENTERED HAVE NOT BEEN EXAMINED BY OUR QA/QC DEPARTMENT.



Phyllis Shiller, Laboratory Director

February 05, 2008



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06040
Tel. (860) 645-1102 Fax (860) 645-0823



Draft Progress Report

February 05, 2008

FOR: Attn: Mr. James VanHorn
EnviroTrac
5 Old Dock Rd
Yaphank, NY 11980

Sample Information

Matrix: GROUND WATER
Location Code: ENVIROTR
Rush Request: RUSH
P.O.#:

Custody Information

Collected by:
Received by: LB
Analyzed by: see "By" below

Date

01/25/08
01/31/08

Time

13:25
16:30

Laboratory Data

SDG I.D.: GAJ95632

Phoenix I.D.: AJ95643

Client ID: AMERICAN DRIVE IN CLEANERS MW-4S

Parameter	Result	RL	Units	Date	Time	By	Reference
-----------	--------	----	-------	------	------	----	-----------

Volatiles

1,1,1,2-Tetrachloroethane	ND	5	ug/L	02/01/08		R/J	SW8260
1,1,1-Trichloroethane	ND	5	ug/L	02/01/08		R/J	SW8260
1,1,2,2-Tetrachloroethane	ND	5	ug/L	02/01/08		R/J	SW8260
1,1,2-Trichloroethane	ND	5	ug/L	02/01/08		R/J	SW8260
1,1-Dichloroethane	ND	5	ug/L	02/01/08		R/J	SW8260
1,1-Dichloroethene	ND	5	ug/L	02/01/08		R/J	SW8260
1,1-Dichloropropene	ND	5	ug/L	02/01/08		R/J	SW8260
1,2,3-Trichlorobenzene	ND	5	ug/L	02/01/08		R/J	SW8260
1,2,3-Trichloropropane	ND	5	ug/L	02/01/08		R/J	SW8260
1,2,4-Trichlorobenzene	ND	5	ug/L	02/01/08		R/J	SW8260
1,2,4-Trimethylbenzene	ND	5	ug/L	02/01/08		R/J	SW8260
1,2-Dibromo-3-chloropropane	ND	5	ug/L	02/01/08		R/J	SW8260
1,2-Dichlorobenzene	ND	5	ug/L	02/01/08		R/J	SW8260
1,2-Dichloroethane	ND	5	ug/L	02/01/08		R/J	SW8260
1,2-Dichloropropane	ND	5	ug/L	02/01/08		R/J	SW8260
1,3,5-Trimethylbenzene	ND	5	ug/L	02/01/08		R/J	SW8260
1,3-Dichlorobenzene	ND	5	ug/L	02/01/08		R/J	SW8260
1,3-Dichloropropane	ND	5	ug/L	02/01/08		R/J	SW8260
1,4-Dichlorobenzene	ND	5	ug/L	02/01/08		R/J	SW8260
2,2-Dichloropropane	ND	5	ug/L	02/01/08		R/J	SW8260
2-Chlorotoluene	ND	5	ug/L	02/01/08		R/J	SW8260
2-Hexanone	ND	25	ug/L	02/01/08		R/J	SW8260
2-Isopropyltoluene	ND	5	ug/L	02/01/08		R/J	SW8260
4-Chlorotoluene	ND	5	ug/L	02/01/08		R/J	SW8260
4-Methyl-2-pentanone	ND	25	ug/L	02/01/08		R/J	SW8260
Acetone	ND	50	ug/L	02/01/08		R/J	SW8260
Acrylonitrile	ND	10	ug/L	02/01/08		R/J	SW8260
Benzene	ND	5	ug/L	02/01/08		R/J	SW8260
Bromobenzene	ND	5	ug/L	02/01/08		R/J	SW8260

Parameter	Result	RL	Units	Date	Time	By	Reference
Bromochloromethane	ND	5	ug/L	02/01/08		R/J	SW8260
Bromodichloromethane	ND	5	ug/L	02/01/08		R/J	SW8260
Bromoform	ND	5	ug/L	02/01/08		R/J	SW8260
Bromomethane	ND	5	ug/L	02/01/08		R/J	SW8260
Carbon Disulfide	ND	5	ug/L	02/01/08		R/J	SW8260
Carbon tetrachloride	ND	5	ug/L	02/01/08		R/J	SW8260
Chlorobenzene	ND	5	ug/L	02/01/08		R/J	SW8260
Chloroethane	ND	5	ug/L	02/01/08		R/J	SW8260
Chloroform	ND	5	ug/L	02/01/08		R/J	SW8260
Chloromethane	ND	5	ug/L	02/01/08		R/J	SW8260
cis-1,2-Dichloroethene	ND	5	ug/L	02/01/08		R/J	SW8260
cis-1,3-Dichloropropene	ND	5	ug/L	02/01/08		R/J	SW8260
Dibromochloromethane	ND	5	ug/L	02/01/08		R/J	SW8260
Dibromoethane	ND	5	ug/L	02/01/08		R/J	SW8260
Dibromomethane	ND	5	ug/L	02/01/08		R/J	SW8260
Dichlorodifluoromethane	ND	5	ug/L	02/01/08		R/J	SW8260
Ethylbenzene	ND	5	ug/L	02/01/08		R/J	SW8260
Hexachlorobutadiene	ND	5	ug/L	02/01/08		R/J	SW8260
Isopropylbenzene	ND	5	ug/L	02/01/08		R/J	SW8260
m&p-Xylene	ND	5	ug/L	02/01/08		R/J	SW8260
Methyl Ethyl Ketone	ND	60	ug/L	02/01/08		R/J	SW8260
Methyl t-butyl ether (MTBE)	ND	10	ug/L	02/01/08		R/J	SW8260
Methylene chloride	ND	5	ug/L	02/01/08		R/J	SW8260
n-Butylbenzene	ND	5	ug/L	02/01/08		R/J	SW8260
n-Propylbenzene	ND	5	ug/L	02/01/08		R/J	SW8260
Naphthalene	ND	5	ug/L	02/01/08		R/J	SW8260
o-Xylene	ND	5	ug/L	02/01/08		R/J	SW8260
p-Isopropyltoluene	ND	5	ug/L	02/01/08		R/J	SW8260
sec-Butylbenzene	ND	5	ug/L	02/01/08		R/J	SW8260
Styrene	ND	5	ug/L	02/01/08		R/J	SW8260
tert-Butylbenzene	ND	5	ug/L	02/01/08		R/J	SW8260
Tetrachloroethene	ND	5	ug/L	02/01/08		R/J	SW8260
Tetrahydrofuran (THF)	ND	10	ug/L	02/01/08		R/J	SW8260
Toluene	ND	5	ug/L	02/01/08		R/J	SW8260
Total Xylenes	ND	5	ug/L	02/01/08		R/J	SW8260
trans-1,2-Dichloroethene	ND	5	ug/L	02/01/08		R/J	SW8260
trans-1,3-Dichloropropene	ND	5	ug/L	02/01/08		R/J	SW8260
trans-1,4-dichloro-2-butene	ND	10	ug/L	02/01/08		R/J	SW8260
Trichloroethene	ND	5	ug/L	02/01/08		R/J	SW8260
Trichlorofluoromethane	ND	5	ug/L	02/01/08		R/J	SW8260
Trichlorotrifluoroethane	ND	5	ug/L	02/01/08		R/J	SW8260
Vinyl chloride	ND	5	ug/L	02/01/08		R/J	SW8260
<u>QA/QC Surrogates</u>							
% 1,2-dichlorobenzene-d4	103		%	02/01/08		R/J	SW8260
% Bromofluorobenzene	98		%	02/01/08		R/J	SW8260
% Dibromofluoromethane	92		%	02/01/08		R/J	SW8260
% Toluene-d8	101		%	02/01/08		R/J	SW8260


Parameter	Result	RL	Units	Date	Time	By	Reference
-----------	--------	----	-------	------	------	----	-----------

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Limit RL=Reporting Limit

PLEASE NOTE: THIS PROGRESS REPORT IS CONSIDERED PRELIMINARY DATA. THE RESULTS ENTERED HAVE NOT BEEN EXAMINED BY OUR QA/QC DEPARTMENT.



Phyllis Shiller, Laboratory Director

February 05, 2008



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06040
Tel. (860) 645-1102 Fax (860) 645-0823



Draft Progress Report

February 05, 2008

FOR: Attn: Mr. James VanHorn
EnviroTrac
5 Old Dock Rd
Yaphank, NY 11980

Sample Information

Matrix: GROUND WATER
Location Code: ENVIROTR
Rush Request: RUSH
P.O.#:

Custody Information

Collected by:
Received by: LB
Analyzed by: see "By" below

Date

01/25/08
01/31/08

Time

13:35
16:30

Laboratory Data

SDG I.D.: GAJ95632

Phoenix I.D.: AJ95644

Client ID: AMERICAN DRIVE IN CLEANERS MW-4I

Parameter	Result	RL	Units	Date	Time	By	Reference
<u>Volatiles</u>							
1,1,1,2-Tetrachloroethane	ND	5	ug/L	02/01/08		R/J	SW8260
1,1,1-Trichloroethane	ND	5	ug/L	02/01/08		R/J	SW8260
1,1,2,2-Tetrachloroethane	ND	5	ug/L	02/01/08		R/J	SW8260
1,1,2-Trichloroethane	ND	5	ug/L	02/01/08		R/J	SW8260
1,1-Dichloroethane	ND	5	ug/L	02/01/08		R/J	SW8260
1,1-Dichloroethene	ND	5	ug/L	02/01/08		R/J	SW8260
1,1-Dichloropropene	ND	5	ug/L	02/01/08		R/J	SW8260
1,2,3-Trichlorobenzene	ND	5	ug/L	02/01/08		R/J	SW8260
1,2,3-Trichloropropane	ND	5	ug/L	02/01/08		R/J	SW8260
1,2,4-Trichlorobenzene	ND	5	ug/L	02/01/08		R/J	SW8260
1,2,4-Trimethylbenzene	ND	5	ug/L	02/01/08		R/J	SW8260
1,2-Dibromo-3-chloropropane	ND	5	ug/L	02/01/08		R/J	SW8260
1,2-Dichlorobenzene	ND	5	ug/L	02/01/08		R/J	SW8260
1,2-Dichloroethane	ND	5	ug/L	02/01/08		R/J	SW8260
1,2-Dichloropropane	ND	5	ug/L	02/01/08		R/J	SW8260
1,3,5-Trimethylbenzene	ND	5	ug/L	02/01/08		R/J	SW8260
1,3-Dichlorobenzene	ND	5	ug/L	02/01/08		R/J	SW8260
1,3-Dichloropropane	ND	5	ug/L	02/01/08		R/J	SW8260
1,4-Dichlorobenzene	ND	5	ug/L	02/01/08		R/J	SW8260
2,2-Dichloropropane	ND	5	ug/L	02/01/08		R/J	SW8260
2-Chlorotoluene	ND	5	ug/L	02/01/08		R/J	SW8260
2-Hexanone	ND	25	ug/L	02/01/08		R/J	SW8260
2-Isopropyltoluene	ND	5	ug/L	02/01/08		R/J	SW8260
4-Chlorotoluene	ND	5	ug/L	02/01/08		R/J	SW8260
4-Methyl-2-pentanone	ND	25	ug/L	02/01/08		R/J	SW8260
Acetone	ND	50	ug/L	02/01/08		R/J	SW8260
Acrylonitrile	ND	10	ug/L	02/01/08		R/J	SW8260
Benzene	ND	5	ug/L	02/01/08		R/J	SW8260
Bromobenzene	ND	5	ug/L	02/01/08		R/J	SW8260

Parameter	Result	RL	Units	Date	Time	By	Reference
Bromochloromethane	ND	5	ug/L	02/01/08		R/J	SW8260
Bromodichloromethane	ND	5	ug/L	02/01/08		R/J	SW8260
Bromoform	ND	5	ug/L	02/01/08		R/J	SW8260
Bromomethane	ND	5	ug/L	02/01/08		R/J	SW8260
Carbon Disulfide	ND	5	ug/L	02/01/08		R/J	SW8260
Carbon tetrachloride	ND	5	ug/L	02/01/08		R/J	SW8260
Chlorobenzene	ND	5	ug/L	02/01/08		R/J	SW8260
Chloroethane	ND	5	ug/L	02/01/08		R/J	SW8260
Chloroform	ND	5	ug/L	02/01/08		R/J	SW8260
Chloromethane	ND	5	ug/L	02/01/08		R/J	SW8260
cis-1,2-Dichloroethene	ND	5	ug/L	02/01/08		R/J	SW8260
cis-1,3-Dichloropropene	ND	5	ug/L	02/01/08		R/J	SW8260
Dibromochloromethane	ND	5	ug/L	02/01/08		R/J	SW8260
Dibromoethane	ND	5	ug/L	02/01/08		R/J	SW8260
Dibromomethane	ND	5	ug/L	02/01/08		R/J	SW8260
Dichlorodifluoromethane	ND	5	ug/L	02/01/08		R/J	SW8260
Ethylbenzene	ND	5	ug/L	02/01/08		R/J	SW8260
Hexachlorobutadiene	ND	5	ug/L	02/01/08		R/J	SW8260
Isopropylbenzene	ND	5	ug/L	02/01/08		R/J	SW8260
m&p-Xylene	ND	5	ug/L	02/01/08		R/J	SW8260
Methyl Ethyl Ketone	ND	60	ug/L	02/01/08		R/J	SW8260
Methyl t-butyl ether (MTBE)	ND	10	ug/L	02/01/08		R/J	SW8260
Methylene chloride	ND	5	ug/L	02/01/08		R/J	SW8260
n-Butylbenzene	ND	5	ug/L	02/01/08		R/J	SW8260
n-Propylbenzene	ND	5	ug/L	02/01/08		R/J	SW8260
Naphthalene	ND	5	ug/L	02/01/08		R/J	SW8260
o-Xylene	ND	5	ug/L	02/01/08		R/J	SW8260
p-Isopropyltoluene	ND	5	ug/L	02/01/08		R/J	SW8260
sec-Butylbenzene	ND	5	ug/L	02/01/08		R/J	SW8260
Styrene	ND	5	ug/L	02/01/08		R/J	SW8260
tert-Butylbenzene	ND	5	ug/L	02/01/08		R/J	SW8260
Tetrachloroethene	ND	5	ug/L	02/01/08		R/J	SW8260
Tetrahydrofuran (THF)	ND	10	ug/L	02/01/08		R/J	SW8260
Toluene	ND	5	ug/L	02/01/08		R/J	SW8260
Total Xylenes	ND	5	ug/L	02/01/08		R/J	SW8260
trans-1,2-Dichloroethene	ND	5	ug/L	02/01/08		R/J	SW8260
trans-1,3-Dichloropropene	ND	5	ug/L	02/01/08		R/J	SW8260
trans-1,4-dichloro-2-butene	ND	10	ug/L	02/01/08		R/J	SW8260
Trichloroethene	ND	5	ug/L	02/01/08		R/J	SW8260
Trichlorofluoromethane	ND	5	ug/L	02/01/08		R/J	SW8260
Trichlorotrifluoroethane	ND	5	ug/L	02/01/08		R/J	SW8260
Vinyl chloride	ND	5	ug/L	02/01/08		R/J	SW8260
<u>QA/QC Surrogates</u>							
% 1,2-dichlorobenzene-d4	103		%	02/01/08		R/J	SW8260
% Bromofluorobenzene	97		%	02/01/08		R/J	SW8260
% Dibromofluoromethane	115		%	02/01/08		R/J	SW8260
% Toluene-d8	99		%	02/01/08		R/J	SW8260


Parameter	Result	RL	Units	Date	Time	By	Reference
-----------	--------	----	-------	------	------	----	-----------

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Limit RL=Reporting Limit

PLEASE NOTE: THIS PROGRESS REPORT IS CONSIDERED PRELIMINARY DATA. THE RESULTS ENTERED HAVE NOT BEEN EXAMINED BY OUR QA/QC DEPARTMENT.



Phyllis Shiller, Laboratory Director

February 05, 2008



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06040
Tel. (860) 645-1102 Fax (860) 645-0823



Draft Progress Report

February 05, 2008

FOR: Attn: Mr. James VanHorn
EnviroTrac
5 Old Dock Rd
Yaphank, NY 11980

<u>Sample Information</u>	<u>Custody Information</u>	<u>Date</u>	<u>Time</u>
Matrix: GROUND WATER	Collected by:	01/25/08	13:55
Location Code: ENVIROTR	Received by: LB	01/31/08	16:30
Rush Request: RUSH	Analyzed by: see "By" below		
P.O.#:			

Laboratory Data

SDG I.D.: GAJ95632
Phoenix I.D.: AJ95645

Client ID: AMERICAN DRIVE IN CLEANERS MW-9S

Parameter	Result	RL	Units	Date	Time	By	Reference
<u>Volatiles</u>							
1,1,1,2-Tetrachloroethane	ND	5	ug/L	02/01/08		R/J	SW8260
1,1,1-Trichloroethane	ND	5	ug/L	02/01/08		R/J	SW8260
1,1,2,2-Tetrachloroethane	ND	5	ug/L	02/01/08		R/J	SW8260
1,1,2-Trichloroethane	ND	5	ug/L	02/01/08		R/J	SW8260
1,1-Dichloroethane	ND	5	ug/L	02/01/08		R/J	SW8260
1,1-Dichloroethene	ND	5	ug/L	02/01/08		R/J	SW8260
1,1-Dichloropropene	ND	5	ug/L	02/01/08		R/J	SW8260
1,2,3-Trichlorobenzene	ND	5	ug/L	02/01/08		R/J	SW8260
1,2,3-Trichloropropane	ND	5	ug/L	02/01/08		R/J	SW8260
1,2,4-Trichlorobenzene	ND	5	ug/L	02/01/08		R/J	SW8260
1,2,4-Trimethylbenzene	ND	5	ug/L	02/01/08		R/J	SW8260
1,2-Dibromo-3-chloropropane	ND	5	ug/L	02/01/08		R/J	SW8260
1,2-Dichlorobenzene	ND	5	ug/L	02/01/08		R/J	SW8260
1,2-Dichloroethane	ND	5	ug/L	02/01/08		R/J	SW8260
1,2-Dichloropropane	ND	5	ug/L	02/01/08		R/J	SW8260
1,3,5-Trimethylbenzene	ND	5	ug/L	02/01/08		R/J	SW8260
1,3-Dichlorobenzene	ND	5	ug/L	02/01/08		R/J	SW8260
1,3-Dichloropropane	ND	5	ug/L	02/01/08		R/J	SW8260
1,4-Dichlorobenzene	ND	5	ug/L	02/01/08		R/J	SW8260
2,2-Dichloropropane	ND	5	ug/L	02/01/08		R/J	SW8260
2-Chlorotoluene	ND	5	ug/L	02/01/08		R/J	SW8260
2-Hexanone	ND	25	ug/L	02/01/08		R/J	SW8260
2-Isopropyltoluene	ND	5	ug/L	02/01/08		R/J	SW8260
4-Chlorotoluene	ND	5	ug/L	02/01/08		R/J	SW8260
4-Methyl-2-pentanone	ND	25	ug/L	02/01/08		R/J	SW8260
Acetone	ND	50	ug/L	02/01/08		R/J	SW8260
Acrylonitrile	ND	10	ug/L	02/01/08		R/J	SW8260
Benzene	ND	5	ug/L	02/01/08		R/J	SW8260
Bromobenzene	ND	5	ug/L	02/01/08		R/J	SW8260

Parameter	Result	RL	Units	Date	Time	By	Reference
Bromochloromethane	ND	5	ug/L	02/01/08		R/J	SW8260
Bromodichloromethane	ND	5	ug/L	02/01/08		R/J	SW8260
Bromoform	ND	5	ug/L	02/01/08		R/J	SW8260
Bromomethane	ND	5	ug/L	02/01/08		R/J	SW8260
Carbon Disulfide	ND	5	ug/L	02/01/08		R/J	SW8260
Carbon tetrachloride	ND	5	ug/L	02/01/08		R/J	SW8260
Chlorobenzene	ND	5	ug/L	02/01/08		R/J	SW8260
Chloroethane	ND	5	ug/L	02/01/08		R/J	SW8260
Chloroform	ND	5	ug/L	02/01/08		R/J	SW8260
Chloromethane	ND	5	ug/L	02/01/08		R/J	SW8260
cis-1,2-Dichloroethene	ND	5	ug/L	02/01/08		R/J	SW8260
cis-1,3-Dichloropropene	ND	5	ug/L	02/01/08		R/J	SW8260
Dibromochloromethane	ND	5	ug/L	02/01/08		R/J	SW8260
Dibromoethane	ND	5	ug/L	02/01/08		R/J	SW8260
Dibromomethane	ND	5	ug/L	02/01/08		R/J	SW8260
Dichlorodifluoromethane	ND	5	ug/L	02/01/08		R/J	SW8260
Ethylbenzene	ND	5	ug/L	02/01/08		R/J	SW8260
Hexachlorobutadiene	ND	5	ug/L	02/01/08		R/J	SW8260
Isopropylbenzene	ND	5	ug/L	02/01/08		R/J	SW8260
m&p-Xylene	ND	5	ug/L	02/01/08		R/J	SW8260
Methyl Ethyl Ketone	ND	60	ug/L	02/01/08		R/J	SW8260
Methyl t-butyl ether (MTBE)	ND	10	ug/L	02/01/08		R/J	SW8260
Methylene chloride	ND	5	ug/L	02/01/08		R/J	SW8260
n-Butylbenzene	ND	5	ug/L	02/01/08		R/J	SW8260
n-Propylbenzene	ND	5	ug/L	02/01/08		R/J	SW8260
Naphthalene	ND	5	ug/L	02/01/08		R/J	SW8260
o-Xylene	ND	5	ug/L	02/01/08		R/J	SW8260
p-Isopropyltoluene	ND	5	ug/L	02/01/08		R/J	SW8260
sec-Butylbenzene	ND	5	ug/L	02/01/08		R/J	SW8260
Styrene	ND	5	ug/L	02/01/08		R/J	SW8260
tert-Butylbenzene	ND	5	ug/L	02/01/08		R/J	SW8260
Tetrachloroethene	ND	5	ug/L	02/01/08		R/J	SW8260
Tetrahydrofuran (THF)	ND	10	ug/L	02/01/08		R/J	SW8260
Toluene	ND	5	ug/L	02/01/08		R/J	SW8260
Total Xylenes	ND	5	ug/L	02/01/08		R/J	SW8260
trans-1,2-Dichloroethene	ND	5	ug/L	02/01/08		R/J	SW8260
trans-1,3-Dichloropropene	ND	5	ug/L	02/01/08		R/J	SW8260
trans-1,4-dichloro-2-butene	ND	10	ug/L	02/01/08		R/J	SW8260
Trichloroethene	ND	5	ug/L	02/01/08		R/J	SW8260
Trichlorofluoromethane	ND	5	ug/L	02/01/08		R/J	SW8260
Trichlorotrifluoroethane	ND	5	ug/L	02/01/08		R/J	SW8260
Vinyl chloride	ND	5	ug/L	02/01/08		R/J	SW8260
<u>QA/OC Surrogates</u>							
% 1,2-dichlorobenzene-d4	102		%	02/01/08		R/J	SW8260
% Bromofluorobenzene	95		%	02/01/08		R/J	SW8260
% Dibromofluoromethane	94		%	02/01/08		R/J	SW8260
% Toluene-d8	99		%	02/01/08		R/J	SW8260


Parameter	Result	RL	Units	Date	Time	By	Reference
-----------	--------	----	-------	------	------	----	-----------

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Limit RL=Reporting Limit

PLEASE NOTE: THIS PROGRESS REPORT IS CONSIDERED PRELIMINARY DATA. THE RESULTS ENTERED HAVE NOT BEEN EXAMINED BY OUR QA/QC DEPARTMENT.



Phyllis Shiller, Laboratory Director

February 05, 2008



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06040
Tel. (860) 645-1102 Fax (860) 645-0823



Draft Progress Report

February 05, 2008

FOR: Attn: Mr. James VanHorn
EnviroTrac
5 Old Dock Rd
Yaphank, NY 11980

Sample Information

Matrix: GROUND WATER
Location Code: ENVIROTR
Rush Request: RUSH
P.O.#:

Custody Information

Collected by:
Received by: LB
Analyzed by: see "By" below

Date

01/25/08
01/31/08

Time

14:10
16:30

Laboratory Data

SDG I.D.: GAJ95632

Phoenix I.D.: AJ95646

Client ID: AMERICAN DRIVE IN CLEANERS MW-9I

Parameter	Result	RL	Units	Date	Time	By	Reference
<u>Volatiles</u>							
1,1,1,2-Tetrachloroethane	ND	5	ug/L	02/01/08		R/J	SW8260
1,1,1-Trichloroethane	ND	5	ug/L	02/01/08		R/J	SW8260
1,1,2,2-Tetrachloroethane	ND	5	ug/L	02/01/08		R/J	SW8260
1,1,2-Trichloroethane	ND	5	ug/L	02/01/08		R/J	SW8260
1,1-Dichloroethane	ND	5	ug/L	02/01/08		R/J	SW8260
1,1-Dichloroethene	ND	5	ug/L	02/01/08		R/J	SW8260
1,1-Dichloropropene	ND	5	ug/L	02/01/08		R/J	SW8260
1,2,3-Trichlorobenzene	ND	5	ug/L	02/01/08		R/J	SW8260
1,2,3-Trichloropropane	ND	5	ug/L	02/01/08		R/J	SW8260
1,2,4-Trichlorobenzene	ND	5	ug/L	02/01/08		R/J	SW8260
1,2,4-Trimethylbenzene	ND	5	ug/L	02/01/08		R/J	SW8260
1,2-Dibromo-3-chloropropane	ND	5	ug/L	02/01/08		R/J	SW8260
1,2-Dichlorobenzene	ND	5	ug/L	02/01/08		R/J	SW8260
1,2-Dichloroethane	ND	5	ug/L	02/01/08		R/J	SW8260
1,2-Dichloropropane	ND	5	ug/L	02/01/08		R/J	SW8260
1,3,5-Trimethylbenzene	ND	5	ug/L	02/01/08		R/J	SW8260
1,3-Dichlorobenzene	ND	5	ug/L	02/01/08		R/J	SW8260
1,3-Dichloropropane	ND	5	ug/L	02/01/08		R/J	SW8260
1,4-Dichlorobenzene	ND	5	ug/L	02/01/08		R/J	SW8260
2,2-Dichloropropane	ND	5	ug/L	02/01/08		R/J	SW8260
2-Chlorotoluene	ND	5	ug/L	02/01/08		R/J	SW8260
2-Hexanone	ND	25	ug/L	02/01/08		R/J	SW8260
2-Isopropyltoluene	ND	5	ug/L	02/01/08		R/J	SW8260
4-Chlorotoluene	ND	5	ug/L	02/01/08		R/J	SW8260
4-Methyl-2-pentanone	ND	25	ug/L	02/01/08		R/J	SW8260
Acetone	ND	50	ug/L	02/01/08		R/J	SW8260
Acrylonitrile	ND	10	ug/L	02/01/08		R/J	SW8260
Benzene	ND	5	ug/L	02/01/08		R/J	SW8260
Bromobenzene	ND	5	ug/L	02/01/08		R/J	SW8260

Parameter	Result	RL	Units	Date	Time	By	Reference
Bromochloromethane	ND	5	ug/L	02/01/08		R/J	SW8260
Bromodichloromethane	ND	5	ug/L	02/01/08		R/J	SW8260
Bromoform	ND	5	ug/L	02/01/08		R/J	SW8260
Bromomethane	ND	5	ug/L	02/01/08		R/J	SW8260
Carbon Disulfide	ND	5	ug/L	02/01/08		R/J	SW8260
Carbon tetrachloride	ND	5	ug/L	02/01/08		R/J	SW8260
Chlorobenzene	ND	5	ug/L	02/01/08		R/J	SW8260
Chloroethane	ND	5	ug/L	02/01/08		R/J	SW8260
Chloroform	ND	5	ug/L	02/01/08		R/J	SW8260
Chloromethane	ND	5	ug/L	02/01/08		R/J	SW8260
cis-1,2-Dichloroethene	ND	5	ug/L	02/01/08		R/J	SW8260
cis-1,3-Dichloropropene	ND	5	ug/L	02/01/08		R/J	SW8260
Dibromochloromethane	ND	5	ug/L	02/01/08		R/J	SW8260
Dibromoethane	ND	5	ug/L	02/01/08		R/J	SW8260
Dibromomethane	ND	5	ug/L	02/01/08		R/J	SW8260
Dichlorodifluoromethane	ND	5	ug/L	02/01/08		R/J	SW8260
Ethylbenzene	ND	5	ug/L	02/01/08		R/J	SW8260
Hexachlorobutadiene	ND	5	ug/L	02/01/08		R/J	SW8260
Isopropylbenzene	ND	5	ug/L	02/01/08		R/J	SW8260
m&p-Xylene	ND	5	ug/L	02/01/08		R/J	SW8260
Methyl Ethyl Ketone	ND	60	ug/L	02/01/08		R/J	SW8260
Methyl t-butyl ether (MTBE)	ND	10	ug/L	02/01/08		R/J	SW8260
Methylene chloride	ND	5	ug/L	02/01/08		R/J	SW8260
n-Butylbenzene	ND	5	ug/L	02/01/08		R/J	SW8260
n-Propylbenzene	ND	5	ug/L	02/01/08		R/J	SW8260
Naphthalene	ND	5	ug/L	02/01/08		R/J	SW8260
o-Xylene	ND	5	ug/L	02/01/08		R/J	SW8260
p-Isopropyltoluene	ND	5	ug/L	02/01/08		R/J	SW8260
sec-Butylbenzene	ND	5	ug/L	02/01/08		R/J	SW8260
Styrene	ND	5	ug/L	02/01/08		R/J	SW8260
tert-Butylbenzene	ND	5	ug/L	02/01/08		R/J	SW8260
Tetrachloroethene	ND	5	ug/L	02/01/08		R/J	SW8260
Tetrahydrofuran (THF)	ND	10	ug/L	02/01/08		R/J	SW8260
Toluene	ND	5	ug/L	02/01/08		R/J	SW8260
Total Xylenes	ND	5	ug/L	02/01/08		R/J	SW8260
trans-1,2-Dichloroethene	ND	5	ug/L	02/01/08		R/J	SW8260
trans-1,3-Dichloropropene	ND	5	ug/L	02/01/08		R/J	SW8260
trans-1,4-dichloro-2-butene	ND	10	ug/L	02/01/08		R/J	SW8260
Trichloroethene	ND	5	ug/L	02/01/08		R/J	SW8260
Trichlorofluoromethane	ND	5	ug/L	02/01/08		R/J	SW8260
Trichlorotrifluoroethane	ND	5	ug/L	02/01/08		R/J	SW8260
Vinyl chloride	ND	5	ug/L	02/01/08		R/J	SW8260
<u>QA/QC Surrogates</u>							
% 1,2-dichlorobenzene-d4	100		%	02/01/08		R/J	SW8260
% Bromofluorobenzene	97		%	02/01/08		R/J	SW8260
% Dibromofluoromethane	103		%	02/01/08		R/J	SW8260
% Toluene-d8	100		%	02/01/08		R/J	SW8260


Parameter	Result	RL	Units	Date	Time	By	Reference
-----------	--------	----	-------	------	------	----	-----------

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Limit RL=Reporting Limit

PLEASE NOTE: THIS PROGRESS REPORT IS CONSIDERED PRELIMINARY DATA. THE RESULTS ENTERED HAVE NOT BEEN EXAMINED BY OUR QA/QC DEPARTMENT.



Phyllis Shiller, Laboratory Director

February 05, 2008



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06040
Tel. (860) 645-1102 Fax (860) 645-0823



Draft Progress Report

February 05, 2008

FOR: Attn: Mr. James VanHorn
EnviroTrac
5 Old Dock Rd
Yaphank, NY 11980

<u>Sample Information</u>	<u>Custody Information</u>	<u>Date</u>	<u>Time</u>
Matrix: GROUND WATER	Collected by:	01/25/08	14:25
Location Code: ENVIROTR	Received by: LB	01/31/08	16:30
Rush Request: RUSH	Analyzed by: see "By" below		
P.O.#:			

Laboratory Data

SDG I.D.: GAJ95632
Phoenix I.D.: AJ95647

Client ID: AMERICAN DRIVE IN CLEANERS MW-9D

Parameter	Result	RL	Units	Date	Time	By	Reference
<u>Volatiles</u>							
1,1,1,2-Tetrachloroethane	ND	5	ug/L	02/01/08		R/J	SW8260
1,1,1-Trichloroethane	ND	5	ug/L	02/01/08		R/J	SW8260
1,1,2,2-Tetrachloroethane	ND	5	ug/L	02/01/08		R/J	SW8260
1,1,2-Trichloroethane	ND	5	ug/L	02/01/08		R/J	SW8260
1,1-Dichloroethane	ND	5	ug/L	02/01/08		R/J	SW8260
1,1-Dichloroethene	ND	5	ug/L	02/01/08		R/J	SW8260
1,1-Dichloropropene	ND	5	ug/L	02/01/08		R/J	SW8260
1,2,3-Trichlorobenzene	ND	5	ug/L	02/01/08		R/J	SW8260
1,2,3-Trichloropropane	ND	5	ug/L	02/01/08		R/J	SW8260
1,2,4-Trichlorobenzene	ND	5	ug/L	02/01/08		R/J	SW8260
1,2,4-Trimethylbenzene	ND	5	ug/L	02/01/08		R/J	SW8260
1,2-Dibromo-3-chloropropane	ND	5	ug/L	02/01/08		R/J	SW8260
1,2-Dichlorobenzene	ND	5	ug/L	02/01/08		R/J	SW8260
1,2-Dichloroethane	ND	5	ug/L	02/01/08		R/J	SW8260
1,2-Dichloropropane	ND	5	ug/L	02/01/08		R/J	SW8260
1,3,5-Trimethylbenzene	ND	5	ug/L	02/01/08		R/J	SW8260
1,3-Dichlorobenzene	ND	5	ug/L	02/01/08		R/J	SW8260
1,3-Dichloropropane	ND	5	ug/L	02/01/08		R/J	SW8260
1,4-Dichlorobenzene	ND	5	ug/L	02/01/08		R/J	SW8260
2,2-Dichloropropane	ND	5	ug/L	02/01/08		R/J	SW8260
2-Chlorotoluene	ND	5	ug/L	02/01/08		R/J	SW8260
2-Hexanone	ND	25	ug/L	02/01/08		R/J	SW8260
2-Isopropyltoluene	ND	5	ug/L	02/01/08		R/J	SW8260
4-Chlorotoluene	ND	5	ug/L	02/01/08		R/J	SW8260
4-Methyl-2-pentanone	ND	25	ug/L	02/01/08		R/J	SW8260
Acetone	ND	50	ug/L	02/01/08		R/J	SW8260
Acrylonitrile	ND	10	ug/L	02/01/08		R/J	SW8260
Benzene	ND	5	ug/L	02/01/08		R/J	SW8260
Bromobenzene	ND	5	ug/L	02/01/08		R/J	SW8260

Parameter	Result	RL	Units	Date	Time	By	Reference
Bromochloromethane	ND	5	ug/L	02/01/08		R/J	SW8260
Bromodichloromethane	ND	5	ug/L	02/01/08		R/J	SW8260
Bromoform	ND	5	ug/L	02/01/08		R/J	SW8260
Bromomethane	ND	5	ug/L	02/01/08		R/J	SW8260
Carbon Disulfide	ND	5	ug/L	02/01/08		R/J	SW8260
Carbon tetrachloride	ND	5	ug/L	02/01/08		R/J	SW8260
Chlorobenzene	ND	5	ug/L	02/01/08		R/J	SW8260
Chloroethane	ND	5	ug/L	02/01/08		R/J	SW8260
Chloroform	ND	5	ug/L	02/01/08		R/J	SW8260
Chloromethane	ND	5	ug/L	02/01/08		R/J	SW8260
cis-1,2-Dichloroethene	ND	5	ug/L	02/01/08		R/J	SW8260
cis-1,3-Dichloropropene	ND	5	ug/L	02/01/08		R/J	SW8260
Dibromochloromethane	ND	5	ug/L	02/01/08		R/J	SW8260
Dibromoethane	ND	5	ug/L	02/01/08		R/J	SW8260
Dibromomethane	ND	5	ug/L	02/01/08		R/J	SW8260
Dichlorodifluoromethane	ND	5	ug/L	02/01/08		R/J	SW8260
Ethylbenzene	ND	5	ug/L	02/01/08		R/J	SW8260
Hexachlorobutadiene	ND	5	ug/L	02/01/08		R/J	SW8260
Isopropylbenzene	ND	5	ug/L	02/01/08		R/J	SW8260
m&p-Xylene	ND	5	ug/L	02/01/08		R/J	SW8260
Methyl Ethyl Ketone	ND	60	ug/L	02/01/08		R/J	SW8260
Methyl t-butyl ether (MTBE)	ND	10	ug/L	02/01/08		R/J	SW8260
Methylene chloride	ND	5	ug/L	02/01/08		R/J	SW8260
n-Butylbenzene	ND	5	ug/L	02/01/08		R/J	SW8260
n-Propylbenzene	ND	5	ug/L	02/01/08		R/J	SW8260
Naphthalene	ND	5	ug/L	02/01/08		R/J	SW8260
o-Xylene	ND	5	ug/L	02/01/08		R/J	SW8260
p-Isopropyltoluene	ND	5	ug/L	02/01/08		R/J	SW8260
sec-Butylbenzene	ND	5	ug/L	02/01/08		R/J	SW8260
Styrene	ND	5	ug/L	02/01/08		R/J	SW8260
tert-Butylbenzene	ND	5	ug/L	02/01/08		R/J	SW8260
Tetrachloroethene	ND	5	ug/L	02/01/08		R/J	SW8260
Tetrahydrofuran (THF)	ND	10	ug/L	02/01/08		R/J	SW8260
Toluene	ND	5	ug/L	02/01/08		R/J	SW8260
Total Xylenes	ND	5	ug/L	02/01/08		R/J	SW8260
trans-1,2-Dichloroethene	ND	5	ug/L	02/01/08		R/J	SW8260
trans-1,3-Dichloropropene	ND	5	ug/L	02/01/08		R/J	SW8260
trans-1,4-dichloro-2-butene	ND	10	ug/L	02/01/08		R/J	SW8260
Trichloroethene	ND	5	ug/L	02/01/08		R/J	SW8260
Trichlorofluoromethane	ND	5	ug/L	02/01/08		R/J	SW8260
Trichlorotrifluoroethane	ND	5	ug/L	02/01/08		R/J	SW8260
Vinyl chloride	ND	5	ug/L	02/01/08		R/J	SW8260
<u>QA/QC Surrogates</u>							
% 1,2-dichlorobenzene-d4	103		%	02/01/08		R/J	SW8260
% Bromofluorobenzene	97		%	02/01/08		R/J	SW8260
% Dibromofluoromethane	96		%	02/01/08		R/J	SW8260
% Toluene-d8	100		%	02/01/08		R/J	SW8260


Parameter	Result	RL	Units	Date	Time	By	Reference
-----------	--------	----	-------	------	------	----	-----------

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Limit RL=Reporting Limit

PLEASE NOTE: THIS PROGRESS REPORT IS CONSIDERED PRELIMINARY DATA. THE RESULTS ENTERED HAVE NOT BEEN EXAMINED BY OUR QA/QC DEPARTMENT.



Phyllis/Shiller, Laboratory Director

February 05, 2008



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06040
Tel. (860) 645-1102 Fax (860) 645-0823



Draft Progress Report

February 05, 2008

FOR: Attn: Mr. James VanHorn
EnviroTrac
5 Old Dock Rd
Yaphank, NY 11980

Sample Information

Matrix: GROUND WATER
Location Code: ENVIOTR
Rush Request: RUSH
P.O.#:

Custody Information

Collected by:
Received by: LB
Analyzed by: see "By" below

Date

01/25/08
01/31/08

Time

14:45
16:30

Laboratory Data

SDG I.D.: GAJ95632

Phoenix I.D.: AJ95648

Client ID: AMERICAN DRIVE IN CLEANERS MW-3S

Parameter	Result	RL	Units	Date	Time	By	Reference
-----------	--------	----	-------	------	------	----	-----------

Volatiles

1,1,1,2-Tetrachloroethane	ND	5	ug/L	02/01/08		R/J	SW8260
1,1,1-Trichloroethane	ND	5	ug/L	02/01/08		R/J	SW8260
1,1,2,2-Tetrachloroethane	ND	5	ug/L	02/01/08		R/J	SW8260
1,1,2-Trichloroethane	ND	5	ug/L	02/01/08		R/J	SW8260
1,1-Dichloroethane	ND	5	ug/L	02/01/08		R/J	SW8260
1,1-Dichloroethene	ND	5	ug/L	02/01/08		R/J	SW8260
1,1-Dichloropropene	ND	5	ug/L	02/01/08		R/J	SW8260
1,2,3-Trichlorobenzene	ND	5	ug/L	02/01/08		R/J	SW8260
1,2,3-Trichloropropane	ND	5	ug/L	02/01/08		R/J	SW8260
1,2,4-Trichlorobenzene	ND	5	ug/L	02/01/08		R/J	SW8260
1,2,4-Trimethylbenzene	ND	5	ug/L	02/01/08		R/J	SW8260
1,2-Dibromo-3-chloropropane	ND	5	ug/L	02/01/08		R/J	SW8260
1,2-Dichlorobenzene	ND	5	ug/L	02/01/08		R/J	SW8260
1,2-Dichloroethane	ND	5	ug/L	02/01/08		R/J	SW8260
1,2-Dichloropropane	ND	5	ug/L	02/01/08		R/J	SW8260
1,3,5-Trimethylbenzene	ND	5	ug/L	02/01/08		R/J	SW8260
1,3-Dichlorobenzene	ND	5	ug/L	02/01/08		R/J	SW8260
1,3-Dichloropropane	ND	5	ug/L	02/01/08		R/J	SW8260
1,4-Dichlorobenzene	ND	5	ug/L	02/01/08		R/J	SW8260
2,2-Dichloropropane	ND	5	ug/L	02/01/08		R/J	SW8260
2-Chlorotoluene	ND	5	ug/L	02/01/08		R/J	SW8260
2-Hexanone	ND	25	ug/L	02/01/08		R/J	SW8260
2-Isopropyltoluene	ND	5	ug/L	02/01/08		R/J	SW8260
4-Chlorotoluene	ND	5	ug/L	02/01/08		R/J	SW8260
4-Methyl-2-pentanone	ND	25	ug/L	02/01/08		R/J	SW8260
Acetone	ND	50	ug/L	02/01/08		R/J	SW8260
Acrylonitrile	ND	10	ug/L	02/01/08		R/J	SW8260
Benzene	ND	5	ug/L	02/01/08		R/J	SW8260
Bromobenzene	ND	5	ug/L	02/01/08		R/J	SW8260

Parameter	Result	RL	Units	Date	Time	By	Reference
Bromochloromethane	ND	5	ug/L	02/01/08		R/J	SW8260
Bromodichloromethane	ND	5	ug/L	02/01/08		R/J	SW8260
Bromoform	ND	5	ug/L	02/01/08		R/J	SW8260
Bromomethane	ND	5	ug/L	02/01/08		R/J	SW8260
Carbon Disulfide	ND	5	ug/L	02/01/08		R/J	SW8260
Carbon tetrachloride	ND	5	ug/L	02/01/08		R/J	SW8260
Chlorobenzene	ND	5	ug/L	02/01/08		R/J	SW8260
Chloroethane	ND	5	ug/L	02/01/08		R/J	SW8260
Chloroform	ND	5	ug/L	02/01/08		R/J	SW8260
Chloromethane	ND	5	ug/L	02/01/08		R/J	SW8260
cis-1,2-Dichloroethene	ND	5	ug/L	02/01/08		R/J	SW8260
cis-1,3-Dichloropropene	ND	5	ug/L	02/01/08		R/J	SW8260
Dibromochloromethane	ND	5	ug/L	02/01/08		R/J	SW8260
Dibromoethane	ND	5	ug/L	02/01/08		R/J	SW8260
Dibromomethane	ND	5	ug/L	02/01/08		R/J	SW8260
Dichlorodifluoromethane	ND	5	ug/L	02/01/08		R/J	SW8260
Ethylbenzene	ND	5	ug/L	02/01/08		R/J	SW8260
Hexachlorobutadiene	ND	5	ug/L	02/01/08		R/J	SW8260
Isopropylbenzene	ND	5	ug/L	02/01/08		R/J	SW8260
m&p-Xylene	ND	5	ug/L	02/01/08		R/J	SW8260
Methyl Ethyl Ketone	ND	60	ug/L	02/01/08		R/J	SW8260
Methyl t-butyl ether (MTBE)	ND	10	ug/L	02/01/08		R/J	SW8260
Methylene chloride	ND	5	ug/L	02/01/08		R/J	SW8260
n-Butylbenzene	ND	5	ug/L	02/01/08		R/J	SW8260
n-Propylbenzene	ND	5	ug/L	02/01/08		R/J	SW8260
Naphthalene	ND	5	ug/L	02/01/08		R/J	SW8260
o-Xylene	ND	5	ug/L	02/01/08		R/J	SW8260
p-Isopropyltoluene	ND	5	ug/L	02/01/08		R/J	SW8260
sec-Butylbenzene	ND	5	ug/L	02/01/08		R/J	SW8260
Styrene	ND	5	ug/L	02/01/08		R/J	SW8260
tert-Butylbenzene	ND	5	ug/L	02/01/08		R/J	SW8260
Tetrachloroethene	ND	5	ug/L	02/01/08		R/J	SW8260
Tetrahydrofuran (THF)	ND	10	ug/L	02/01/08		R/J	SW8260
Toluene	ND	5	ug/L	02/01/08		R/J	SW8260
Total Xylenes	ND	5	ug/L	02/01/08		R/J	SW8260
trans-1,2-Dichloroethene	ND	5	ug/L	02/01/08		R/J	SW8260
trans-1,3-Dichloropropene	ND	5	ug/L	02/01/08		R/J	SW8260
trans-1,4-dichloro-2-butene	ND	10	ug/L	02/01/08		R/J	SW8260
Trichloroethene	ND	5	ug/L	02/01/08		R/J	SW8260
Trichlorofluoromethane	ND	5	ug/L	02/01/08		R/J	SW8260
Trichlorotrifluoroethane	ND	5	ug/L	02/01/08		R/J	SW8260
Vinyl chloride	ND	5	ug/L	02/01/08		R/J	SW8260
<u>QA/QC Surrogates</u>							
% 1,2-dichlorobenzene-d4	98		%	02/01/08		R/J	SW8260
% Bromofluorobenzene	96		%	02/01/08		R/J	SW8260
% Dibromofluoromethane	109		%	02/01/08		R/J	SW8260
% Toluene-d8	101		%	02/01/08		R/J	SW8260

Parameter	Result	RL	Units	Date	Time	By	Reference
-----------	--------	----	-------	------	------	----	-----------

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Limit RL=Reporting Limit

PLEASE NOTE: THIS PROGRESS REPORT IS CONSIDERED PRELIMINARY DATA. THE RESULTS ENTERED HAVE NOT BEEN EXAMINED BY OUR QA/QC DEPARTMENT.



Phyllis/Shiller, Laboratory Director

February 05, 2008



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06040
Tel. (860) 645-1102 Fax (860) 645-0823



Draft Progress Report

February 05, 2008

FOR: Attn: Mr. James VanHorn
EnviroTrac
5 Old Dock Rd
Yaphank, NY 11980

Sample Information

Matrix: GROUND WATER
Location Code: ENVIROTR
Rush Request: RUSH
P.O.#:

Custody Information

Collected by:
Received by: LB
Analyzed by: see "By" below

Date

01/25/08
01/31/08

Time

15:15
16:30

Laboratory Data

SDG I.D.: GAJ95632

Phoenix I.D.: AJ95649

Client ID: AMERICAN DRIVE IN CLEANERS MW-11S

Parameter	Result	RL	Units	Date	Time	By	Reference
-----------	--------	----	-------	------	------	----	-----------

Volatiles

1,1,1,2-Tetrachloroethane	ND	5	ug/L	02/05/08		R/J	SW8260
1,1,1-Trichloroethane	ND	5	ug/L	02/05/08		R/J	SW8260
1,1,2,2-Tetrachloroethane	ND	5	ug/L	02/05/08		R/J	SW8260
1,1,2-Trichloroethane	ND	5	ug/L	02/05/08		R/J	SW8260
1,1-Dichloroethane	ND	5	ug/L	02/05/08		R/J	SW8260
1,1-Dichloroethene	ND	5	ug/L	02/05/08		R/J	SW8260
1,1-Dichloropropene	ND	5	ug/L	02/05/08		R/J	SW8260
1,2,3-Trichlorobenzene	ND	5	ug/L	02/05/08		R/J	SW8260
1,2,3-Trichloropropane	ND	5	ug/L	02/05/08		R/J	SW8260
1,2,4-Trichlorobenzene	ND	5	ug/L	02/05/08		R/J	SW8260
1,2,4-Trimethylbenzene	ND	5	ug/L	02/05/08		R/J	SW8260
1,2-Dibromo-3-chloropropane	ND	5	ug/L	02/05/08		R/J	SW8260
1,2-Dichlorobenzene	ND	5	ug/L	02/05/08		R/J	SW8260
1,2-Dichloroethane	ND	5	ug/L	02/05/08		R/J	SW8260
1,2-Dichloropropane	ND	5	ug/L	02/05/08		R/J	SW8260
1,3,5-Trimethylbenzene	ND	5	ug/L	02/05/08		R/J	SW8260
1,3-Dichlorobenzene	ND	5	ug/L	02/05/08		R/J	SW8260
1,3-Dichloropropane	ND	5	ug/L	02/05/08		R/J	SW8260
1,4-Dichlorobenzene	ND	5	ug/L	02/05/08		R/J	SW8260
2,2-Dichloropropane	ND	5	ug/L	02/05/08		R/J	SW8260
2-Chlorotoluene	ND	5	ug/L	02/05/08		R/J	SW8260
2-Hexanone	ND	25	ug/L	02/05/08		R/J	SW8260
2-Isopropyltoluene	ND	5	ug/L	02/05/08		R/J	SW8260
4-Chlorotoluene	ND	5	ug/L	02/05/08		R/J	SW8260
4-Methyl-2-pentanone	ND	25	ug/L	02/05/08		R/J	SW8260
Acetone	ND	50	ug/L	02/05/08		R/J	SW8260
Acrylonitrile	ND	10	ug/L	02/05/08		R/J	SW8260
Benzene	ND	5	ug/L	02/05/08		R/J	SW8260
Bromobenzene	ND	5	ug/L	02/05/08		R/J	SW8260


Parameter	Result	RL	Units	Date	Time	By	Reference
-----------	--------	----	-------	------	------	----	-----------

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Limit RL=Reporting Limit

PLEASE NOTE: THIS PROGRESS REPORT IS CONSIDERED PRELIMINARY DATA. THE RESULTS ENTERED HAVE NOT BEEN EXAMINED BY OUR QA/QC DEPARTMENT.



Phyllis Shiller, Laboratory Director

February 05, 2008

Parameter	Result	RL	Units	Date	Time	By	Reference
Bromochloromethane	ND	5	ug/L	02/05/08		R/J	SW8260
Bromodichloromethane	ND	5	ug/L	02/05/08		R/J	SW8260
Bromoform	ND	5	ug/L	02/05/08		R/J	SW8260
Bromomethane	ND	5	ug/L	02/05/08		R/J	SW8260
Carbon Disulfide	ND	5	ug/L	02/05/08		R/J	SW8260
Carbon tetrachloride	ND	5	ug/L	02/05/08		R/J	SW8260
Chlorobenzene	ND	5	ug/L	02/05/08		R/J	SW8260
Chloroethane	ND	5	ug/L	02/05/08		R/J	SW8260
Chloroform	ND	5	ug/L	02/05/08		R/J	SW8260
Chloromethane	ND	5	ug/L	02/05/08		R/J	SW8260
cis-1,2-Dichloroethene	ND	5	ug/L	02/05/08		R/J	SW8260
cis-1,3-Dichloropropene	ND	5	ug/L	02/05/08		R/J	SW8260
Dibromochloromethane	ND	5	ug/L	02/05/08		R/J	SW8260
Dibromoethane	ND	5	ug/L	02/05/08		R/J	SW8260
Dibromomethane	ND	5	ug/L	02/05/08		R/J	SW8260
Dichlorodifluoromethane	ND	5	ug/L	02/05/08		R/J	SW8260
Ethylbenzene	ND	5	ug/L	02/05/08		R/J	SW8260
Hexachlorobutadiene	ND	5	ug/L	02/05/08		R/J	SW8260
Isopropylbenzene	ND	5	ug/L	02/05/08		R/J	SW8260
m&p-Xylene	ND	5	ug/L	02/05/08		R/J	SW8260
Methyl Ethyl Ketone	ND	60	ug/L	02/05/08		R/J	SW8260
Methyl t-butyl ether (MTBE)	ND	10	ug/L	02/05/08		R/J	SW8260
Methylene chloride	ND	5	ug/L	02/05/08		R/J	SW8260
n-Butylbenzene	ND	5	ug/L	02/05/08		R/J	SW8260
n-Propylbenzene	ND	5	ug/L	02/05/08		R/J	SW8260
Naphthalene	ND	5	ug/L	02/05/08		R/J	SW8260
o-Xylene	ND	5	ug/L	02/05/08		R/J	SW8260
p-Isopropyltoluene	ND	5	ug/L	02/05/08		R/J	SW8260
sec-Butylbenzene	ND	5	ug/L	02/05/08		R/J	SW8260
Styrene	ND	5	ug/L	02/05/08		R/J	SW8260
tert-Butylbenzene	ND	5	ug/L	02/05/08		R/J	SW8260
Tetrachloroethene	ND	5	ug/L	02/05/08		R/J	SW8260
Tetrahydrofuran (THF)	ND	10	ug/L	02/05/08		R/J	SW8260
Toluene	ND	5	ug/L	02/05/08		R/J	SW8260
Total Xylenes	ND	5	ug/L	02/05/08		R/J	SW8260
trans-1,2-Dichloroethene	ND	5	ug/L	02/05/08		R/J	SW8260
trans-1,3-Dichloropropene	ND	5	ug/L	02/05/08		R/J	SW8260
trans-1,4-dichloro-2-butene	ND	10	ug/L	02/05/08		R/J	SW8260
Trichloroethene	ND	5	ug/L	02/05/08		R/J	SW8260
Trichlorofluoromethane	ND	5	ug/L	02/05/08		R/J	SW8260
Trichlorotrifluoroethane	ND	5	ug/L	02/05/08		R/J	SW8260
Vinyl chloride	ND	5	ug/L	02/05/08		R/J	SW8260
<u>QA/OC Surrogates</u>							
% 1,2-dichlorobenzene-d4	100		%	02/05/08		R/J	SW8260
% Bromofluorobenzene	100		%	02/05/08		R/J	SW8260
% Dibromofluoromethane	97		%	02/05/08		R/J	SW8260
% Toluene-d8	101		%	02/05/08		R/J	SW8260


Parameter	Result	RL	Units	Date	Time	By	Reference
-----------	--------	----	-------	------	------	----	-----------

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Limit RL=Reporting Limit

PLEASE NOTE: THIS PROGRESS REPORT IS CONSIDERED PRELIMINARY DATA. THE RESULTS ENTERED HAVE NOT BEEN EXAMINED BY OUR QA/QC DEPARTMENT.



Phyllis Shiller, Laboratory Director

February 05, 2008



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06040
Tel. (860) 645-1102 Fax (860) 645-0823



Draft Progress Report

February 05, 2008

FOR: Attn: Mr. James VanHorn
EnviroTrac
5 Old Dock Rd
Yaphank, NY 11980

Sample Information

Matrix: GROUND WATER
Location Code: ENVIROTR
Rush Request: RUSH
P.O.#:

Custody Information

Collected by:
Received by: LB
Analyzed by: see "By" below

Date

01/25/08
01/31/08

Time

15:30
16:30

Laboratory Data

SDG I.D.: GAJ95632

Phoenix I.D.: AJ95650

Client ID: AMERICAN DRIVE IN CLEANERS MW-12S

Parameter	Result	RL	Units	Date	Time	By	Reference
-----------	--------	----	-------	------	------	----	-----------

Volatiles

1,1,1,2-Tetrachloroethane	ND	5	ug/L	02/01/08		R/J	SW8260
1,1,1-Trichloroethane	ND	5	ug/L	02/01/08		R/J	SW8260
1,1,2,2-Tetrachloroethane	ND	5	ug/L	02/01/08		R/J	SW8260
1,1,2-Trichloroethane	ND	5	ug/L	02/01/08		R/J	SW8260
1,1-Dichloroethane	ND	5	ug/L	02/01/08		R/J	SW8260
1,1-Dichloroethene	ND	5	ug/L	02/01/08		R/J	SW8260
1,1-Dichloropropene	ND	5	ug/L	02/01/08		R/J	SW8260
1,2,3-Trichlorobenzene	ND	5	ug/L	02/01/08		R/J	SW8260
1,2,3-Trichloropropane	ND	5	ug/L	02/01/08		R/J	SW8260
1,2,4-Trichlorobenzene	ND	5	ug/L	02/01/08		R/J	SW8260
1,2,4-Trimethylbenzene	ND	5	ug/L	02/01/08		R/J	SW8260
1,2-Dibromo-3-chloropropane	ND	5	ug/L	02/01/08		R/J	SW8260
1,2-Dichlorobenzene	ND	5	ug/L	02/01/08		R/J	SW8260
1,2-Dichloroethane	ND	5	ug/L	02/01/08		R/J	SW8260
1,2-Dichloropropane	ND	5	ug/L	02/01/08		R/J	SW8260
1,3,5-Trimethylbenzene	ND	5	ug/L	02/01/08		R/J	SW8260
1,3-Dichlorobenzene	ND	5	ug/L	02/01/08		R/J	SW8260
1,3-Dichloropropane	ND	5	ug/L	02/01/08		R/J	SW8260
1,4-Dichlorobenzene	ND	5	ug/L	02/01/08		R/J	SW8260
2,2-Dichloropropane	ND	5	ug/L	02/01/08		R/J	SW8260
2-Chlorotoluene	ND	5	ug/L	02/01/08		R/J	SW8260
2-Hexanone	ND	25	ug/L	02/01/08		R/J	SW8260
2-Isopropyltoluene	ND	5	ug/L	02/01/08		R/J	SW8260
4-Chlorotoluene	ND	5	ug/L	02/01/08		R/J	SW8260
4-Methyl-2-pentanone	ND	25	ug/L	02/01/08		R/J	SW8260
Acetone	ND	50	ug/L	02/01/08		R/J	SW8260
Acrylonitrile	ND	10	ug/L	02/01/08		R/J	SW8260
Benzene	ND	5	ug/L	02/01/08		R/J	SW8260
Bromobenzene	ND	5	ug/L	02/01/08		R/J	SW8260

Parameter	Result	RL	Units	Date	Time	By	Reference
Bromochloromethane	ND	5	ug/L	02/01/08		R/J	SW8260
Bromodichloromethane	ND	5	ug/L	02/01/08		R/J	SW8260
Bromoform	ND	5	ug/L	02/01/08		R/J	SW8260
Bromomethane	ND	5	ug/L	02/01/08		R/J	SW8260
Carbon Disulfide	ND	5	ug/L	02/01/08		R/J	SW8260
Carbon tetrachloride	ND	5	ug/L	02/01/08		R/J	SW8260
Chlorobenzene	ND	5	ug/L	02/01/08		R/J	SW8260
Chloroethane	ND	5	ug/L	02/01/08		R/J	SW8260
Chloroform	ND	5	ug/L	02/01/08		R/J	SW8260
Chloromethane	ND	5	ug/L	02/01/08		R/J	SW8260
cis-1,2-Dichloroethene	ND	5	ug/L	02/01/08		R/J	SW8260
cis-1,3-Dichloropropene	ND	5	ug/L	02/01/08		R/J	SW8260
Dibromochloromethane	ND	5	ug/L	02/01/08		R/J	SW8260
Dibromoethane	ND	5	ug/L	02/01/08		R/J	SW8260
Dibromomethane	ND	5	ug/L	02/01/08		R/J	SW8260
Dichlorodifluoromethane	ND	5	ug/L	02/01/08		R/J	SW8260
Ethylbenzene	ND	5	ug/L	02/01/08		R/J	SW8260
Hexachlorobutadiene	ND	5	ug/L	02/01/08		R/J	SW8260
Isopropylbenzene	ND	5	ug/L	02/01/08		R/J	SW8260
m&p-Xylene	ND	5	ug/L	02/01/08		R/J	SW8260
Methyl Ethyl Ketone	ND	60	ug/L	02/01/08		R/J	SW8260
Methyl t-butyl ether (MTBE)	ND	10	ug/L	02/01/08		R/J	SW8260
Methylene chloride	ND	5	ug/L	02/01/08		R/J	SW8260
n-Butylbenzene	ND	5	ug/L	02/01/08		R/J	SW8260
n-Propylbenzene	ND	5	ug/L	02/01/08		R/J	SW8260
Naphthalene	ND	5	ug/L	02/01/08		R/J	SW8260
o-Xylene	ND	5	ug/L	02/01/08		R/J	SW8260
p-Isopropyltoluene	ND	5	ug/L	02/01/08		R/J	SW8260
sec-Butylbenzene	ND	5	ug/L	02/01/08		R/J	SW8260
Styrene	ND	5	ug/L	02/01/08		R/J	SW8260
tert-Butylbenzene	ND	5	ug/L	02/01/08		R/J	SW8260
Tetrachloroethene	ND	5	ug/L	02/01/08		R/J	SW8260
Tetrahydrofuran (THF)	ND	10	ug/L	02/01/08		R/J	SW8260
Toluene	ND	5	ug/L	02/01/08		R/J	SW8260
Total Xylenes	ND	5	ug/L	02/01/08		R/J	SW8260
trans-1,2-Dichloroethene	ND	5	ug/L	02/01/08		R/J	SW8260
trans-1,3-Dichloropropene	ND	5	ug/L	02/01/08		R/J	SW8260
trans-1,4-dichloro-2-butene	ND	10	ug/L	02/01/08		R/J	SW8260
Trichloroethene	ND	5	ug/L	02/01/08		R/J	SW8260
Trichlorofluoromethane	ND	5	ug/L	02/01/08		R/J	SW8260
Trichlorotrifluoroethane	ND	5	ug/L	02/01/08		R/J	SW8260
Vinyl chloride	ND	5	ug/L	02/01/08		R/J	SW8260
<u>QA/QC Surrogates</u>							
% 1,2-dichlorobenzene-d4	104		%	02/01/08		R/J	SW8260
% Bromofluorobenzene	97		%	02/01/08		R/J	SW8260
% Dibromofluoromethane	107		%	02/01/08		R/J	SW8260
% Toluene-d8	98		%	02/01/08		R/J	SW8260