

Monitoring and Sampling Report
April through June 2008
NYSDEC Spill #130049
American Drive-In Cleaners
3801 Hempstead Turnpike
Levittown, NY

Report Date: July 2008

Regulatory Contact: NYSDEC - Division of Environmental Remediation
625 Broadway
Albany, NY 12233-7017
ATTN: Payson Long

Monitoring and Sampling Results:

Number of wells: Twenty-one monitoring wells (MW-1S, 1I, 2S, 3S, 4S, 4I, 5S, 6S, 6I, 7S, 7D, 7I, 8S, 8I, 9S, 9I, 9D, 10S, 10I, 11S, 12S)

Liquid Phase Hydrocarbons: On April 29, 2008, liquid-phase hydrocarbons (LPH) were not detected (ND) in any of the gauged wells.

Water Table Elevation: On April 29, 2008 depth to water ranged from 20.31 feet below grade (ft.b.g.) (MW-3S) to 30.82 ft.b.g. (MW-11I).

Groundwater Flow: Southeast

Groundwater Gradient: .002 ft/ft

Groundwater Sampling: Nineteen (19) wells (MW-1S, 1I, 3S, 4S, 4I, 6S, 6I, 7S, 7D, 7I, 8S, 8I, 9S, 9I, 9D, 10S, 10I, 11S, 12S) were sampled on April 30 and May 1, 2008. MW-2S could not be located and MW-5S was dry and therefore these samples could not be taken during this sampling event. The samples were analyzed for volatile organic compounds (VOCs) via EPA Method 8260.

Maximum PCE Concentration: 200 micrograms per liter (ug/L) (MW-8I)

Vapor Monitoring Results:

Number of vapor points: Five (5) sub-slab (SS-1, SS-2, SS-3, SS-4, SS-5) and five (5) indoor air sampling points (IA-1, IA-2, IA-3, IA-4, IA-5)

Vapor Sampling: Five (5) vapor samples were collected directly below sub-slab (SS-1, SS-2, SS-3, SS-4 and SS-5) and five (5) indoor air quality samples (IA-1, IA-2, IA-3, IA-4, IA-5) were collected on May 8, 2008 utilizing Summa canisters with eight (8) hour regulators. These samples were analyzed for VOCs via EPA Method TO-15.

Maximum PCE Concentration: 3,400 micrograms per cubic meter (ug/m³) (SS-4)

Site History:

Prior to 1981, wastewater was drained from the building into several cesspools located north and east of the building. Additionally, tetrachloroethene (PCE) contamination was found in soil located near the northwest corner of American Drive-In Cleaners (site).

In September 1990, five monitoring wells were installed, hydraulically down gradient from the site. Samples from some of the monitoring wells detected contamination of PCE.

In December 1990, soil vapor samples and surface soil samples were taken near the northwest corner of the site, which came back positive for PCE contamination.

In December 1991, the site was listed as a NYSDEC Class 2 Inactive Hazardous Waste disposal site.

In response to a subsurface investigation conducted in January 1998, an Interim Remedial Measure (IRM) was undertaken in August of 1999 to address the contamination found.

In January 2001, the NYSDEC and NYSDOH divided the American Drive-In Cleaners site into two operable units. The area north of Hempstead Turnpike was identified as Operable Unit 1 (OU-1) and the area south of Hempstead Turnpike was identified as Operable Unit 2 (OU-2).

In March 2001, a remediation plan was established for OU-1. It included in-situ chemical oxidation, soil vapor extraction, on-site groundwater extraction and treatment and long term groundwater monitoring solutions. EnviroTrac under the direction of the NYSDEC, installed a SVE system in February 2001. The system has been employed to treat the PCE impacted groundwater beneath OU-1.

In June 2001, the United States Environmental Protection Agency (EPA) installed a new SVE blower and a 2,000 pound granulated activated carbon vessel adsorber (GAC) to treat the high concentrations of PCE and its breakdown products in the extracted vapor stream. EnviroTrac operates and maintains the SVE system since June 1, 2007.

Monitoring and Sampling Report
April through June 2008
NYSDEC Spill #130049
American Drive-In Cleaners
3801 Hempstead Turnpike
Levittown, NY



Site Notes: In order to pulse the SVE system the system was shutdown on April 4, 2008 and was restarted on May 13, 2008. At that point weekly operation and maintenance (O&M) of the soil vapor extraction (SVE) system was conducted. SVE system data table is attached. Groundwater monitoring and sampling was conducted from April 29 to May 1, 2008. In order to throttle the SVE system, a variable frequency drive (VFD) was installed on April 30, 2008. Indoor air quality and sub-slab vapor sampling was conducted on May 8, 2008.

Future Plans: Groundwater monitoring and sampling will continue on a quarterly basis, with the next sampling event scheduled for July 2008.

Recommendations: Groundwater monitoring will continue on a quarterly basis. Based on the results of the future monitoring events, a deep monitoring well might have to be installed downgradient of MW-8I to further delineate the vertical extent of the dissolved phase PCE contamination. The results of the vapor monitoring event were evaluated and confirm the need for the continued operation of the sub-slab vapor mitigation system. The SVE system should continue to be pulsed on a monthly basis until SVE-6 can be integrated into the vapor mitigation system and influence testing confirms that the vapor mitigation system is providing adequate protection against vapor intrusion.


List of Attachments:

Figures:	Figure 1 - Site Plan Figure 2 - Groundwater Gradient Map April 2008 Figure 3 - Summary of PCE Concentrations in Groundwater April 30 and May 1, 2008 Figure 4 - Sub-Slab Vapor Concentrations May 8, 2008 Figure 5 - Indoor Air Vapor Concentrations May 8, 2008
Tables:	Table 1 - Summary of Groundwater Gauging Data Table 2 - Summary of Groundwater Analytical Results Table 3 - Soil Vapor Extraction System Data Table 4 - Summary of Soil Vapor Extraction System Analytical Data on May 13, 2008 Table 5 - Summary of Sub-Slab Vapor Sampling Analytical Results on May 8, 2008 Table 6 - Summary of Indoor Air Analytical Results on May 8, 2008
Appendices	Appendix A - Analytical Reports



LEGEND:

- MW-7S = EXISTING MONITORING WELL
(S=SHALLOW,I=INTERMEDIATE,D=DEEP)
- ⊞ ITHS IRRIGATION WELL



LEGEND:

● MW-7S = EXISTING MONITORING WELL
(S=SHALLOW,I=INTERMEDIATE,D=DEEP)

▣ ITHS IRRIGATION WELL


CONTOUR CONSTRUCTION = 1.00 FEET

NM = NOT MEASURED

* = NOT USED IN CONTOUR CONSTRUCTION

SAMPLE WELL:

● MW-10I = WELL IDENTIFICATION
53.66 = WATER TABLE ELEVATION



LEGEND:


● MW-7S = EXISTING MONITORING WELL
(S=SHALLOW,I=INTERMEDIATE,D=DEEP)

⊞ ITHS IRRIGATION WELL

NS = NOT SAMPLED
ND = NOT DETECTED
PCE = TETRACHLOROETHANE

SAMPLE WELL:

⊕ MW-10I = WELL IDENTIFICATION
ND = PCE RESULTS IN ug/L






Table 1

Summary of Groundwater Gauging Data
NYSDEC Spill #130049
American Drive-In Cleaners
3801 Hempstead Turnpike
Levittown, NY

Well	Date	Gauge Point Elevation (ft.)	Depth to Water (ft.)	Depth to Bottom (ft.)	Water Level Elevation (ft.)
MW-1S	10/25/07	81.57	27.71	33.91	53.86
	1/25/08		28.05		53.52
	4/29/08		26.45		55.12
MW-1I	10/25/07	81.26	27.51	77.96	53.75
	1/25/08		28.05		53.21
	4/29/08		26.08		55.18
MW-2S	1/25/08	74.42	NM	NM	NM
	4/29/08		NM		NM
MW-3S	1/25/08	74.72	22.12	33.42	52.60
	4/29/08		20.31		54.41
MW-4S	1/25/08	81.91	29.43	38.28	52.48
	4/29/08		27.91		54.00
MW-4I	1/25/08	82.76	30.47	80.68	52.29
	4/29/08		28.92		53.84
MW-5	1/25/08	82.76	DRY	21.76	DRY
	4/29/08		DRY		DRY
MW-6S	10/25/07	85.79	30.85	42.00	54.94
	1/25/08		30.98		54.81
	4/29/08		29.72		56.07
MW-6I	10/25/07	85.61	30.62	81.10	54.99
	1/25/08		30.74		54.87
	4/29/08		29.48		56.13
MW-7S	10/25/07	85.02	30.80	42.60	54.22
	1/25/08		31.09		53.93
	4/29/08		29.65		55.37
MW-7I	10/25/07	85.11	30.89	81.69	54.22
	1/25/08		31.17		53.94
	4/29/08		29.75		55.36
MW-7D	10/25/07	85.02	30.82	102.00	54.20
	1/25/08		31.10		53.92
	4/29/08		29.59		55.43
MW-8S	10/25/07	81.10	27.53	37.65	53.57
	1/25/08		27.86		53.24
	4/29/08		26.24		54.86
MW-8I	10/25/07	81.08	27.72	78.90	53.36
	1/25/08		27.95		53.13
	4/29/08		26.38		54.70
MW-9S	1/25/08	78.31	25.81	36.30	52.50
	4/29/08		24.18		54.13
MW-9I	1/25/08	78.24	25.42	76.38	52.82
	4/29/08		23.43		54.81
MW-9D	1/25/08	78.07	25.64	117.95	52.43
	4/29/08		24.11		53.96
MW-10S	10/25/07	80.75	26.92	33.25	53.83
	1/25/08		27.24		53.51
	4/29/08		25.69		55.06
MW-10I	10/25/07	80.45	26.79	80.60	53.66
	1/25/08		27.86		52.59
	4/29/08		26.79		53.66
MW-11S	1/25/08	83.04	32.34	39.81	50.70
	4/29/08		30.82		52.22
MW-12S	1/25/08	80.92	30.19	39.73	50.73
	4/29/08		28.74		52.18

Notes:

1. NS = No Top of Casing Survey Data Available
2. NA = Not Available
3. NM = Not Measured
4. Survey Information Provided by YEC, Inc.

Table 2

Summary of Groundwater Analytical Results
NYSDEC Spill #130049
American Drive-In Cleaners
3801 Hempstead Turnpike
Levittown, NY

Analytical Parameter	Units	Date Sampled	MW-1I	MW-1S	MW-2S	MW-3S	MW-4I	MW-4S	MW-5S	MW-6I	MW-6S	MW-7D	MW-7I	MW-7S	MW-8I	MW-8S	MW-9D	MW-9I	MW-9S	MW-10I	MW-10S	MW-11S	MW-12S	IW	DUP	NYSDEC TAGM #4046 Groundwater Standards
Tetrachloroethene	ug/L	1990	NA	274	NA	NA	NA	64	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	5
		1/20/98	NA	260	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
		2/25/98	NA	NA	NA	NA	NA	76	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
		3/18/98	ND	180	ND	ND	NA	40	ND	ND	34	NA	120	6800	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
		4/22/98	ND	250	ND	ND	NA	130	ND	ND	8	NA	130	5200	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
		2/3/99	2	360	ND	ND	NA	580	ND	ND	2	2	1400	16000	180	1500	ND	ND	150	NA	NA	NA	NA	NA	NA	
		7/30/99	NA	NA	NA	NA	NA	380	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	21	NA	
		1/20/00	NA	NA	NA	NA	NA	180	NA	NA	NA	NA	1600	3400	NA	570	NA	NA	74	NA	NA	NA	NA	4	NA	
		9/14/04	ND	ND	NA	NA	0.62 J	1.0 J	NA	NS	NS	0.51 J	1800 D	0.77J	NS	ND	ND	ND	2.6 J	1.9 J	12	ND	NA	3.8 J	3.0 J	
		9/6/05	ND	ND	NA	NA	NS	NS	NA	NS	NS	NS	NS	NS	NS	NS	ND	ND	0.82 J	NS	NS	NS	NA	NS	NS	
		9/7/05	NS	NS	NA	NA	ND	8.8	NA	NS	NS	0.90 J	77	1.2	NS	ND	NS	NS	NS	1.3	2	ND	NA	NS	ND	
		10/26/07	ND	ND	NA	NA	NS	NS	NA	ND	ND	ND	220	570	ND	NS	NS	NS	NS	ND	ND	NS	NA	NS	NS	
		1/25/08	ND	ND	NA	ND	ND	ND	NM	ND	ND	ND	120	ND	350	ND	ND	ND	ND	ND	ND	ND	ND	NS	NS	
		4/30/08	ND	ND	NA	ND	ND	ND	NS	ND	ND	ND	34	ND	200	ND	ND	ND	ND	ND	ND	ND	ND	NS	NS	
Toluene	ug/L	9/14/04	ND	ND	NA	NA	ND	0.50 J	NA	NS	NS	0.53 J	ND	ND	NS	ND	0.57 J	0.53 J	ND	ND	ND	0.50 J	NA	ND	0.57 J	5
		1/25/08	ND	ND	NA	ND	ND	ND	NM	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NS	NS	
		4/30/08	ND	ND	NA	ND	ND	ND	NS	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NS	NS	
Xylenes (total)	ug/L	9/14/04	ND	ND	NA	NA	ND	0.56 J	NA	NS	NS	0.66 J	0.82 J	ND	NS	ND	0.56 J	0.65 J	ND	0.56 J	ND	0.84 J	NA	ND	0.55 J	5
		1/25/08	ND	ND	NA	ND	ND	ND	NM	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NS	NS	
		4/30/08	ND	ND	NA	ND	ND	ND	NS	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NS	NS	
Acetone	ug/L	9/14/04	ND	ND	NA	NA	ND	ND	NA	NS	NS	2.2 J	ND	0.86 J	NS	ND	ND	ND	ND	ND	ND	ND	NA	ND	2.2 J	50
		1/25/08	ND	ND	NA	ND	ND	ND	NM	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NS	NS	
		4/30/08	ND	ND	NA	ND	ND	ND	NS	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NS	NS	
1,1-Dichloroethane	ug/L	2/4/99	NA	NA	NA	NA	NA	NA	NA	NA	NA	ND	ND	ND	ND	27	NA	NA	4	NA	NA	NA	NA	NA	NA	5
		1/20/00	NA	NA	NA	NA	NA	ND	NA	NA	NA	NA	ND	NA	10	NA	NA	1	NA	NA	NA	NA	NA	NA	NA	
		9/14/04	ND	ND	NA	NA	ND	ND	NA	NS	NS	ND	ND	0.51 J	NS	ND	ND	ND	ND	ND	ND	ND	NA	ND	ND	
		9/6/05	ND	ND	NA	NA	NS	NS	NA	NS	NS	NS	NS	NS	NS	NS	0.53 J	ND	ND	NS	NS	NS	NA	NS	NS	
		9/7/05	NS	NS	NA	NA	ND	ND	NA	NS	NS	ND	ND	ND	NS	ND	NS	NS	ND	1.4	ND	ND	NA	NS	ND	
		1/25/08	ND	ND	NA	ND	ND	ND	NM	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NS	NS	
		4/30/08	ND	ND	NA	ND	ND	ND	NS	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NS	NS	
Chloroform	ug/L	9/14/04	ND	ND	NA	NA	ND	ND	NA	NS	NS	ND	ND	0.84 J	NS	ND	ND	0.57 J	ND	ND	0.79 J	ND	NA	ND	ND	7
		9/6/05	ND	0.62 J	NA	NA	NS	NS	NA	NS	NS	NS	NS	NS	NS	NS	ND	1.3	ND	NS	NS	NS	NA	NS	NS	
		9/7/05	NS	NS	NA	NA	ND	ND	NA	NS	NS	ND	ND	0.81 J	NS	ND	NS	NS	NS	ND	3.3	ND	NA	NS	ND	
		1/25/08	ND	ND	NA	ND	ND	ND	NM	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NS	NS	
111-Trichloroethane	ug/L	3/18/98	ND	4	ND	ND	NA	ND	ND	ND	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	5
		4/22/99	ND	6	ND	ND	NA	NA	NA	1	ND	NA	ND	ND	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
		2/3/99	ND	9	ND	ND	NA	ND	ND	ND	ND	ND	ND	ND	26	ND	ND	4	NA	NA	NA	NA	NA	NA	NA	
		7/30/99	NA	NA	NA	NA	NA	2	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	ND	NA	
		1/20/00	NA	NA	NA	NA	NA	1	NA	NA	NA	NA	ND	230	NA	14	NA	NA	3	NA	NA	NA	NA	NA	NA	
		9/14/04	ND	ND	NA	NA	ND	ND	NA	NS	NS	ND	ND	0.87 J	NS	ND	ND	ND	ND	ND	ND	ND	NA	ND	ND	
		9/7/05	NS	NS	NA	NA	ND	ND	NA	NS	NS	ND	ND	ND	NS	ND	NS	NS	ND	1.5	ND	ND	NA	NS	ND	
		1/25/08	ND	ND	NA	ND	ND	ND	NM	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NS	NS	
		4/30/08	ND	ND	NA	ND	ND	ND	NS	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NS	NS	
Methylene Chloride	ug/L	9/14/04	ND	ND	NA	NA	ND	ND	NA	NS	NS	0.93 J	ND	ND	NS	ND	ND	ND	ND	ND	ND	ND	NA	ND	ND	5
		1/25/08	ND	ND	NA	ND	ND	ND	NM	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NS	NS	
		4/30/08	ND	NS	NA	ND	ND	ND	NS	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NS	NS	
Chloromethane	ug/L	9/6/05	ND	ND	NA	NA	NS	NS	NA	NS	NS	NS	NS	NS	NS	NS	ND	ND	1.6	NS	NS	NS	NA	NS	NS	-
		1/25/08	ND	ND	NA	ND	ND	ND	NM	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NS	NS	
		4/30/08	ND	ND	NA	ND	ND	ND	NS	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NS	NS	
Dibromochloromethane	ug/L	9/6/05	ND	0.90 J	NA	NA	NS	NS	NA	NS	NS	NS	NS	NS	NS	NS	ND	ND	NS	NS	NS	NS	NA	NS	NS	-
		9/7/05	NS	NS	NA	NA	ND	ND	NA	NS	NS	ND	ND	ND	NS	ND	NS	NS	ND	ND	0.65 J	NA	NS	NS	ND	
		1/25/08	ND	ND	NA	ND	ND	ND	NM	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NS	NS	
		4/30/08	ND	ND	NA	ND	ND	ND	NS	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NS	NS	
Bromoform	ug/L	9/6/05	ND	1.1	NA	NA	NS	NS	NA	NS	NS	NS	NS	NS	NS	NS	ND	ND	NS	NS	NS	NS	NA	NS	NS	-
		9/7/05	NS	NS	NA	NA	ND	ND	NA	NS	NS	ND	ND	ND	NS	ND	NS	NS	NS	ND	ND	0.87J	NA	NS	ND	
		1/25/08	ND	ND	NA	ND	ND	ND	NM	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NS	NS	
		4/30/08	ND	ND	NA	ND	ND	ND	NS	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NS	NS	
Carbon Tetrachloride	ug/L	9/7/05	NS	NS	NA	NA	ND	ND	NA	NS	NS	ND	ND	ND	NS	ND	NS	NS	NS	ND	0.67 J	ND	NA	NS	ND	5
		1/25/08	ND	ND	NA	ND	ND	ND	NM	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NS	NS	
		4/30/08	ND	ND	NA	ND	ND	ND	NS	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NS	NS	

- Notes:
- 1. VOCs = Volatile Organic Compounds
 - 2. Concentration Units = ug/L (micrograms per liter)
 - 3. Laboratory analysis via EPA Method 8260 (Full List).
 - 4. ND = Not Detected above the method detection limit of the laboratory
 - 5. - = NYSDEC TAGM #4046 Groundwater Standard not established
 - 6. Shaded values indicate concentrations at or above the NYSDEC TAGM #4046 Groundwater Standards.
 - 7. NS = Not sampled
 - 8. NA = Not available

Table 3
Soil Vapor Extraction System Data

Former American Drive-In Cleaners
3801 Hempstead Turnpike
Levittown, New York
NYSDEC Site # 130049

Date:	5/13/2008	5/23/2008	6/19/2008	6/24/2008
Technician:	SS	DW	DW	DW
SVE System				
Vacuum (in H2O)				
Total Combined	8	3.2	4.2	3.80
ADC 9 & 11	2.1	2.8	2.9	2.67
SVE-1	3.2	2.0	2.5	2.22
SVE-2	1.4	1.4	1.7	1.35
SVE-3	1.8	1.7	1.8	1.83
SVE-4	1.3	1.5	1.9	1.33
SVE-5	0.7	0.6	1.1	0.77
SVE-6	0.5	0.4	0.9	0.68
SVE-7	1.4	1.5	1.8	1.25
SVE Blower Before Filter	NM	9.5	9.2	8.54
SVE Blower After Filter	NM	12.5	15.6	12.86
Flow (CFM)				
Total Combined	277	285	292	306
ADC 9 & 11	13.8	19.4	18.3	19.5
SVE-1	17.2	73.1	85.9	83.5
SVE-2	44.7	46.1	57.1	55.0
SVE-3	48.5	48.1	44.5	52.5
SVE-4	45.4	43.8	51.7	54.5
SVE-5	20.8	25.9	32.0	35.5
SVE-6	27.1	26.8	34.1	32.3
SVE-7	16.35	26.4	27.3	32.1
Temperature (F)				
At Effluent Discharge	100	88	96	100
PID Reading (PPM)				
Influent	1.6	0.0	0.0	8.3
Effluent	0.0	0.0	0.0	0.0
Hour Meter Reading				
	41,782.3	41,830.90	41,990.9	42,039.6
Comments			Changed Blower Oil	

Table 4

Summary of Vapor Sampling Analytical Results on May 13, 2008

**American Drive-In Cleaners
3801 Hempstead Turnpike
Levittown, NY
NYSDEC Spill # 130049**

Analytical Parameter	SVE-7	SVE-2	SVE-5	SVE-6 (6OH ₂)	SVE-4	SVE-3	SVE-1	ADC-9	ADC-11	POST GAC	SVE-6 (4OH ₂)
Tetrachloroethene	ND	ND	61	730	130	55	43	75	49	25	850
Trichloroethene	ND	ND	ND	25	ND	ND	ND	ND	ND	ND	28

Notes:

1. Concentration units = ug/m³ (micrograms per cubic meter of air)
2. Laboratory analysis via EPA Method TO-15 Full List
3. ND = Not Detected above the method detection limit of the laboratory



Table 5

Summary of Sub-Slab Vapor Sampling Analytical Results on May 8, 2008

American Drive-In Cleaners
3801 Hempstead Turnpike
Levittown, NY
NYSDEC Spill #130049

Analytical Parameter	SS-1	SS-2	SS-3	SS-4	SS-5	SS-5 Duplicate	NYSDOH Air Quality Guidelines
Tetrachloroethene	220	370	760	3,400	590	600	-
Trichloroethene	5.3	4.4	6.1	24	11	12	-
cis-1,2-Dichloroethene	3.7	ND	ND	ND	8.5	8.6	-

Notes:

1. Concentration units = $\mu\text{g}/\text{m}^3$ (micrograms per cubic meter of air)
2. Laboratory analysis via EPA Method TO-15
3. ND = Not Detected above the method detection limit of the laboratory
4. - = New York State Department of Health (NYSDOH) Air Quality Guidelines not established



Table 6

Summary of Indoor Air Sampling Analytical Results on May 8, 2008

American Drive-In Cleaners
3801 Hempstead Turnpike
Levittown, NY
NYSDEC Spill # 130049

Analytical Parameter	IA-1	IA-2	IA-3	IA-4	IA-5	NYSDOH Indoor Air Guidelines
Tetrachloroethene	22	18	12	3.0	0.42	100
Trichloroethene	0.60	0.65	0.70	0.21	ND	5

Notes:

1. Concentration units = ug/m³ (micrograms per cubic meter of air)
2. Laboratory analysis via EPA Method TO-15
3. ND = Not Detected above the method detection limit of the laboratory
4. NYSDOH = New York State Department of Health



Appendix A



RECEIVED
MAY 19 2008
BY: _____

Tuesday, May 13, 2008

Attn: Mr. Jim VanHorn
EnviroTrac
5 Old Dock Rd
Yaphank, NY 11980

Client ID: NYSDEC-AMERICAN DRIVE-IN CLEANERS
Sample ID#s: AQ25988 - AQ26006

This laboratory is in compliance with the QA/QC procedures outlined in EPA 600/4-79-019, Handbook for Analytical Quality in Water and Waste Water, March 1979, SW846 QA/QC and NELAC requirements of procedures used.

This report contains results for the parameters tested, under the sampling conditions described on the Chain Of Custody, as received by the laboratory.

If you have any questions concerning this testing, please do not hesitate to contact Phoenix Client Services at ext. 200.

Sincerely yours,

A handwritten signature in black ink that reads "Phyllis Shiller". The signature is written in a cursive style.

Phyllis Shiller
Laboratory Director

CT Lab Registration #PH-0618
MA Lab Registration #MA-CT-007
NY Lab Registration #11301
RI Lab Registration #63
NH Lab Registration #213693-A,B
ME Lab Registration #CT-007
NJ Lab Registration #CT-003
PA Lab Registration #68-03530



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06040
Tel. (860) 645-1102 Fax (860) 645-0823



Analysis Report

May 13, 2008

FOR: Attn: Mr. Jim VanHorn
EnviroTrac
5 Old Dock Rd
Yaphank, NY 11980

Sample Information

Matrix: GROUND WATER
Location Code: ENVIOTR
Rush Request:
P.O.#:

Custody Information

Collected by:
Received by: LB
Analyzed by: see "By" below

<u>Date</u>	<u>Time</u>
04/30/08	8:30
05/05/08	17:00

Laboratory Data

SDG I.D.: GAQ25988
Phoenix I.D.: AQ25988

Client ID: NYSDEC-AMERICAN DRIVE-IN CLEANERS MW-4S

Parameter	Result	RL	Units	Date	Time	By	Reference
<u>Volatiles</u>							
1,1,1,2-Tetrachloroethane	ND	5	ug/L	05/07/08		R/J	SW8260
1,1,1-Trichloroethane	ND	5	ug/L	05/07/08		R/J	SW8260
1,1,2,2-Tetrachloroethane	ND	5	ug/L	05/07/08		R/J	SW8260
1,1,2-Trichloroethane	ND	5	ug/L	05/07/08		R/J	SW8260
1,1-Dichloroethane	ND	5	ug/L	05/07/08		R/J	SW8260
1,1-Dichloroethene	ND	5	ug/L	05/07/08		R/J	SW8260
1,1-Dichloropropene	ND	5	ug/L	05/07/08		R/J	SW8260
1,2,3-Trichlorobenzene	ND	5	ug/L	05/07/08		R/J	SW8260
1,2,3-Trichloropropane	ND	5	ug/L	05/07/08		R/J	SW8260
1,2,4-Trichlorobenzene	ND	5	ug/L	05/07/08		R/J	SW8260
1,2,4-Trimethylbenzene	ND	5	ug/L	05/07/08		R/J	SW8260
1,2-Dibromo-3-chloropropane	ND	5	ug/L	05/07/08		R/J	SW8260
1,2-Dichlorobenzene	ND	5	ug/L	05/07/08		R/J	SW8260
1,2-Dichloroethane	ND	5	ug/L	05/07/08		R/J	SW8260
1,2-Dichloropropane	ND	5	ug/L	05/07/08		R/J	SW8260
1,3,5-Trimethylbenzene	ND	5	ug/L	05/07/08		R/J	SW8260
1,3-Dichlorobenzene	ND	5	ug/L	05/07/08		R/J	SW8260
1,3-Dichloropropane	ND	5	ug/L	05/07/08		R/J	SW8260
1,4-Dichlorobenzene	ND	5	ug/L	05/07/08		R/J	SW8260
2,2-Dichloropropane	ND	5	ug/L	05/07/08		R/J	SW8260
2-Chlorotoluene	ND	5	ug/L	05/07/08		R/J	SW8260
2-Hexanone	ND	25	ug/L	05/07/08		R/J	SW8260
2-Isopropyltoluene	ND	5	ug/L	05/07/08		R/J	SW8260
4-Chlorotoluene	ND	5	ug/L	05/07/08		R/J	SW8260
4-Methyl-2-pentanone	ND	25	ug/L	05/07/08		R/J	SW8260
Acetone	ND	50	ug/L	05/07/08		R/J	SW8260
Acrylonitrile	ND	10	ug/L	05/07/08		R/J	SW8260
Benzene	ND	5	ug/L	05/07/08		R/J	SW8260
Bromobenzene	ND	5	ug/L	05/07/08		R/J	SW8260


Parameter	Result	RL	Units	Date	Time	By	Reference
Bromochloromethane	ND	5	ug/L	05/07/08		R/J	SW8260
Bromodichloromethane	ND	5	ug/L	05/07/08		R/J	SW8260
Bromoform	ND	5	ug/L	05/07/08		R/J	SW8260
Bromomethane	ND	5	ug/L	05/07/08		R/J	SW8260
Carbon Disulfide	ND	5	ug/L	05/07/08		R/J	SW8260
Carbon tetrachloride	ND	5	ug/L	05/07/08		R/J	SW8260
Chlorobenzene	ND	5	ug/L	05/07/08		R/J	SW8260
Chloroethane	ND	5	ug/L	05/07/08		R/J	SW8260
Chloroform	ND	5	ug/L	05/07/08		R/J	SW8260
Chloromethane	ND	5	ug/L	05/07/08		R/J	SW8260
cis-1,2-Dichloroethene	ND	5	ug/L	05/07/08		R/J	SW8260
cis-1,3-Dichloropropene	ND	5	ug/L	05/07/08		R/J	SW8260
Dibromochloromethane	ND	5	ug/L	05/07/08		R/J	SW8260
Dibromoethane	ND	5	ug/L	05/07/08		R/J	SW8260
Dibromomethane	ND	5	ug/L	05/07/08		R/J	SW8260
Dichlorodifluoromethane	ND	5	ug/L	05/07/08		R/J	SW8260
Ethylbenzene	ND	5	ug/L	05/07/08		R/J	SW8260
Hexachlorobutadiene	ND	5	ug/L	05/07/08		R/J	SW8260
Isopropylbenzene	ND	5	ug/L	05/07/08		R/J	SW8260
m&p-Xylene	ND	5	ug/L	05/07/08		R/J	SW8260
Methyl Ethyl Ketone	ND	60	ug/L	05/07/08		R/J	SW8260
Methyl t-butyl ether (MTBE)	ND	10	ug/L	05/07/08		R/J	SW8260
Methylene chloride	ND	5	ug/L	05/07/08		R/J	SW8260
n-Butylbenzene	ND	5	ug/L	05/07/08		R/J	SW8260
n-Propylbenzene	ND	5	ug/L	05/07/08		R/J	SW8260
Naphthalene	ND	5	ug/L	05/07/08		R/J	SW8260
o-Xylene	ND	5	ug/L	05/07/08		R/J	SW8260
p-Isopropyltoluene	ND	5	ug/L	05/07/08		R/J	SW8260
sec-Butylbenzene	ND	5	ug/L	05/07/08		R/J	SW8260
Styrene	ND	5	ug/L	05/07/08		R/J	SW8260
tert-Butylbenzene	ND	5	ug/L	05/07/08		R/J	SW8260
Tetrachloroethene	ND	5	ug/L	05/07/08		R/J	SW8260
Tetrahydrofuran (THF)	ND	10	ug/L	05/07/08		R/J	SW8260
Toluene	ND	5	ug/L	05/07/08		R/J	SW8260
Total Xylenes	ND	5	ug/L	05/07/08		R/J	SW8260
trans-1,2-Dichloroethene	ND	5	ug/L	05/07/08		R/J	SW8260
trans-1,3-Dichloropropene	ND	5	ug/L	05/07/08		R/J	SW8260
trans-1,4-dichloro-2-butene	ND	10	ug/L	05/07/08		R/J	SW8260
Trichloroethene	ND	5	ug/L	05/07/08		R/J	SW8260
Trichlorofluoromethane	ND	5	ug/L	05/07/08		R/J	SW8260
Trichlorotrifluoroethane	ND	5	ug/L	05/07/08		R/J	SW8260
Vinyl chloride	ND	5	ug/L	05/07/08		R/J	SW8260
QA/QC Surrogates							
% 1,2-dichlorobenzene-d4	104		%	05/07/08		R/J	SW8260
% Bromofluorobenzene	97		%	05/07/08		R/J	SW8260
% Dibromofluoromethane	101		%	05/07/08		R/J	SW8260
% Toluene-d8	105		%	05/07/08		R/J	SW8260

Parameter	Result	RL	Units	Date	Time	By	Reference
-----------	--------	----	-------	------	------	----	-----------

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level



Phyllis Shiller, Laboratory Director

May 13, 2008



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06040
Tel. (860) 645-1102 Fax (860) 645-0823



Analysis Report

May 13, 2008

FOR: Attn: Mr. Jim VanHorn
EnviroTrac
5 Old Dock Rd
Yaphank, NY 11980

Sample Information

Matrix: GROUND WATER
Location Code: ENVIROTR
Rush Request:
P.O.#:

Custody Information

Collected by:
Received by: LB
Analyzed by: see "By" below

Date Time

04/30/08 9:00
05/05/08 17:00

Laboratory Data

SDG I.D.: GAQ25988
Phoenix I.D.: AQ25989

Client ID: NYSDEC-AMERICAN DRIVE-IN CLEANERS MW-4I

Parameter	Result	RL	Units	Date	Time	By	Reference
<u>Volatiles</u>							
1,1,1,2-Tetrachloroethane	ND	5	ug/L	05/07/08		R/J	SW8260
1,1,1-Trichloroethane	ND	5	ug/L	05/07/08		R/J	SW8260
1,1,2,2-Tetrachloroethane	ND	5	ug/L	05/07/08		R/J	SW8260
1,1,2-Trichloroethane	ND	5	ug/L	05/07/08		R/J	SW8260
1,1-Dichloroethane	ND	5	ug/L	05/07/08		R/J	SW8260
1,1-Dichloroethene	ND	5	ug/L	05/07/08		R/J	SW8260
1,1-Dichloropropene	ND	5	ug/L	05/07/08		R/J	SW8260
1,2,3-Trichlorobenzene	ND	5	ug/L	05/07/08		R/J	SW8260
1,2,3-Trichloropropane	ND	5	ug/L	05/07/08		R/J	SW8260
1,2,4-Trichlorobenzene	ND	5	ug/L	05/07/08		R/J	SW8260
1,2,4-Trimethylbenzene	ND	5	ug/L	05/07/08		R/J	SW8260
1,2-Dibromo-3-chloropropane	ND	5	ug/L	05/07/08		R/J	SW8260
1,2-Dichlorobenzene	ND	5	ug/L	05/07/08		R/J	SW8260
1,2-Dichloroethane	ND	5	ug/L	05/07/08		R/J	SW8260
1,2-Dichloropropane	ND	5	ug/L	05/07/08		R/J	SW8260
1,3,5-Trimethylbenzene	ND	5	ug/L	05/07/08		R/J	SW8260
1,3-Dichlorobenzene	ND	5	ug/L	05/07/08		R/J	SW8260
1,3-Dichloropropane	ND	5	ug/L	05/07/08		R/J	SW8260
1,4-Dichlorobenzene	ND	5	ug/L	05/07/08		R/J	SW8260
2,2-Dichloropropane	ND	5	ug/L	05/07/08		R/J	SW8260
2-Chlorotoluene	ND	5	ug/L	05/07/08		R/J	SW8260
2-Hexanone	ND	25	ug/L	05/07/08		R/J	SW8260
2-Isopropyltoluene	ND	5	ug/L	05/07/08		R/J	SW8260
4-Chlorotoluene	ND	5	ug/L	05/07/08		R/J	SW8260
4-Methyl-2-pentanone	ND	25	ug/L	05/07/08		R/J	SW8260
Acetone	ND	50	ug/L	05/07/08		R/J	SW8260
Acrylonitrile	ND	10	ug/L	05/07/08		R/J	SW8260
Benzene	ND	5	ug/L	05/07/08		R/J	SW8260
Bromobenzene	ND	5	ug/L	05/07/08		R/J	SW8260

Parameter	Result	RL	Units	Date	Time	By	Reference
Bromochloromethane	ND	5	ug/L	05/07/08		R/J	SW8260
Bromodichloromethane	ND	5	ug/L	05/07/08		R/J	SW8260
Bromoform	ND	5	ug/L	05/07/08		R/J	SW8260
Bromomethane	ND	5	ug/L	05/07/08		R/J	SW8260
Carbon Disulfide	ND	5	ug/L	05/07/08		R/J	SW8260
Carbon tetrachloride	ND	5	ug/L	05/07/08		R/J	SW8260
Chlorobenzene	ND	5	ug/L	05/07/08		R/J	SW8260
Chloroethane	ND	5	ug/L	05/07/08		R/J	SW8260
Chloroform	ND	5	ug/L	05/07/08		R/J	SW8260
Chloromethane	ND	5	ug/L	05/07/08		R/J	SW8260
cis-1,2-Dichloroethene	ND	5	ug/L	05/07/08		R/J	SW8260
cis-1,3-Dichloropropene	ND	5	ug/L	05/07/08		R/J	SW8260
Dibromochloromethane	ND	5	ug/L	05/07/08		R/J	SW8260
Dibromoethane	ND	5	ug/L	05/07/08		R/J	SW8260
Dibromomethane	ND	5	ug/L	05/07/08		R/J	SW8260
Dichlorodifluoromethane	ND	5	ug/L	05/07/08		R/J	SW8260
Ethylbenzene	ND	5	ug/L	05/07/08		R/J	SW8260
Hexachlorobutadiene	ND	5	ug/L	05/07/08		R/J	SW8260
Isopropylbenzene	ND	5	ug/L	05/07/08		R/J	SW8260
m&p-Xylene	ND	5	ug/L	05/07/08		R/J	SW8260
Methyl Ethyl Ketone	ND	60	ug/L	05/07/08		R/J	SW8260
Methyl t-butyl ether (MTBE)	ND	10	ug/L	05/07/08		R/J	SW8260
Methylene chloride	ND	5	ug/L	05/07/08		R/J	SW8260
n-Butylbenzene	ND	5	ug/L	05/07/08		R/J	SW8260
n-Propylbenzene	ND	5	ug/L	05/07/08		R/J	SW8260
Naphthalene	ND	5	ug/L	05/07/08		R/J	SW8260
o-Xylene	ND	5	ug/L	05/07/08		R/J	SW8260
p-Isopropyltoluene	ND	5	ug/L	05/07/08		R/J	SW8260
sec-Butylbenzene	ND	5	ug/L	05/07/08		R/J	SW8260
Styrene	ND	5	ug/L	05/07/08		R/J	SW8260
tert-Butylbenzene	ND	5	ug/L	05/07/08		R/J	SW8260
Tetrachloroethene	ND	5	ug/L	05/07/08		R/J	SW8260
Tetrahydrofuran (THF)	ND	10	ug/L	05/07/08		R/J	SW8260
Toluene	ND	5	ug/L	05/07/08		R/J	SW8260
Total Xylenes	ND	5	ug/L	05/07/08		R/J	SW8260
trans-1,2-Dichloroethene	ND	5	ug/L	05/07/08		R/J	SW8260
trans-1,3-Dichloropropene	ND	5	ug/L	05/07/08		R/J	SW8260
trans-1,4-dichloro-2-butene	ND	10	ug/L	05/07/08		R/J	SW8260
Trichloroethene	ND	5	ug/L	05/07/08		R/J	SW8260
Trichlorofluoromethane	ND	5	ug/L	05/07/08		R/J	SW8260
Trichlorotrifluoroethane	ND	5	ug/L	05/07/08		R/J	SW8260
Vinyl chloride	ND	5	ug/L	05/07/08		R/J	SW8260
QA/QC Surrogates							
% 1,2-dichlorobenzene-d4	101		%	05/07/08		R/J	SW8260
% Bromofluorobenzene	93		%	05/07/08		R/J	SW8260
% Dibromofluoromethane	104		%	05/07/08		R/J	SW8260
% Toluene-d8	97		%	05/07/08		R/J	SW8260

Parameter	Result	RL	Units	Date	Time	By	Reference
-----------	--------	----	-------	------	------	----	-----------

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level



Phyllis Shiller, Laboratory Director

May 13, 2008



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06040
Tel. (860) 645-1102 Fax (860) 645-0823



Analysis Report

May 13, 2008

FOR: Attn: Mr. Jim VanHorn
EnviroTrac
5 Old Dock Rd
Yaphank, NY 11980

Sample Information

Matrix: GROUND WATER
Location Code: ENVIROTR
Rush Request:
P.O.#:

Custody Information

Collected by:
Received by: LB
Analyzed by: see "By" below

Date Time

04/30/08 10:00
05/05/08 17:00

Laboratory Data

SDG I.D.: GAQ25988
Phoenix I.D.: AQ25990

Client ID: NYSDEC-AMERICAN DRIVE-IN CLEANERS MW-9S

Parameter	Result	RL	Units	Date	Time	By	Reference
Volatiles							
1,1,1,2-Tetrachloroethane	ND	5	ug/L	05/07/08		R/J	SW8260
1,1,1-Trichloroethane	ND	5	ug/L	05/07/08		R/J	SW8260
1,1,2,2-Tetrachloroethane	ND	5	ug/L	05/07/08		R/J	SW8260
1,1,2-Trichloroethane	ND	5	ug/L	05/07/08		R/J	SW8260
1,1-Dichloroethane	ND	5	ug/L	05/07/08		R/J	SW8260
1,1-Dichloroethene	ND	5	ug/L	05/07/08		R/J	SW8260
1,1-Dichloropropene	ND	5	ug/L	05/07/08		R/J	SW8260
1,2,3-Trichlorobenzene	ND	5	ug/L	05/07/08		R/J	SW8260
1,2,3-Trichloropropane	ND	5	ug/L	05/07/08		R/J	SW8260
1,2,4-Trichlorobenzene	ND	5	ug/L	05/07/08		R/J	SW8260
1,2,4-Trimethylbenzene	ND	5	ug/L	05/07/08		R/J	SW8260
1,2-Dibromo-3-chloropropane	ND	5	ug/L	05/07/08		R/J	SW8260
1,2-Dichlorobenzene	ND	5	ug/L	05/07/08		R/J	SW8260
1,2-Dichloroethane	ND	5	ug/L	05/07/08		R/J	SW8260
1,2-Dichloropropane	ND	5	ug/L	05/07/08		R/J	SW8260
1,3,5-Trimethylbenzene	ND	5	ug/L	05/07/08		R/J	SW8260
1,3-Dichlorobenzene	ND	5	ug/L	05/07/08		R/J	SW8260
1,3-Dichloropropane	ND	5	ug/L	05/07/08		R/J	SW8260
1,4-Dichlorobenzene	ND	5	ug/L	05/07/08		R/J	SW8260
2,2-Dichloropropane	ND	5	ug/L	05/07/08		R/J	SW8260
2-Chlorotoluene	ND	5	ug/L	05/07/08		R/J	SW8260
2-Hexanone	ND	25	ug/L	05/07/08		R/J	SW8260
2-Isopropyltoluene	ND	5	ug/L	05/07/08		R/J	SW8260
4-Chlorotoluene	ND	5	ug/L	05/07/08		R/J	SW8260
4-Methyl-2-pentanone	ND	25	ug/L	05/07/08		R/J	SW8260
Acetone	ND	50	ug/L	05/07/08		R/J	SW8260
Acrylonitrile	ND	10	ug/L	05/07/08		R/J	SW8260
Benzene	ND	5	ug/L	05/07/08		R/J	SW8260
Bromobenzene	ND	5	ug/L	05/07/08		R/J	SW8260

Parameter	Result	RL	Units	Date	Time	By	Reference
Bromochloromethane	ND	5	ug/L	05/07/08		R/J	SW8260
Bromodichloromethane	ND	5	ug/L	05/07/08		R/J	SW8260
Bromoform	ND	5	ug/L	05/07/08		R/J	SW8260
Bromomethane	ND	5	ug/L	05/07/08		R/J	SW8260
Carbon Disulfide	ND	5	ug/L	05/07/08		R/J	SW8260
Carbon tetrachloride	ND	5	ug/L	05/07/08		R/J	SW8260
Chlorobenzene	ND	5	ug/L	05/07/08		R/J	SW8260
Chloroethane	ND	5	ug/L	05/07/08		R/J	SW8260
Chloroform	ND	5	ug/L	05/07/08		R/J	SW8260
Chloromethane	ND	5	ug/L	05/07/08		R/J	SW8260
cis-1,2-Dichloroethene	ND	5	ug/L	05/07/08		R/J	SW8260
cis-1,3-Dichloropropene	ND	5	ug/L	05/07/08		R/J	SW8260
Dibromochloromethane	ND	5	ug/L	05/07/08		R/J	SW8260
Dibromoethane	ND	5	ug/L	05/07/08		R/J	SW8260
Dibromomethane	ND	5	ug/L	05/07/08		R/J	SW8260
Dichlorodifluoromethane	ND	5	ug/L	05/07/08		R/J	SW8260
Ethylbenzene	ND	5	ug/L	05/07/08		R/J	SW8260
Hexachlorobutadiene	ND	5	ug/L	05/07/08		R/J	SW8260
Isopropylbenzene	ND	5	ug/L	05/07/08		R/J	SW8260
m&p-Xylene	ND	5	ug/L	05/07/08		R/J	SW8260
Methyl Ethyl Ketone	ND	60	ug/L	05/07/08		R/J	SW8260
Methyl t-butyl ether (MTBE)	ND	10	ug/L	05/07/08		R/J	SW8260
Methylene chloride	ND	5	ug/L	05/07/08		R/J	SW8260
n-Butylbenzene	ND	5	ug/L	05/07/08		R/J	SW8260
n-Propylbenzene	ND	5	ug/L	05/07/08		R/J	SW8260
Naphthalene	ND	5	ug/L	05/07/08		R/J	SW8260
o-Xylene	ND	5	ug/L	05/07/08		R/J	SW8260
p-Isopropyltoluene	ND	5	ug/L	05/07/08		R/J	SW8260
sec-Butylbenzene	ND	5	ug/L	05/07/08		R/J	SW8260
Styrene	ND	5	ug/L	05/07/08		R/J	SW8260
tert-Butylbenzene	ND	5	ug/L	05/07/08		R/J	SW8260
Tetrachloroethene	ND	5	ug/L	05/07/08		R/J	SW8260
Tetrahydrofuran (THF)	ND	10	ug/L	05/07/08		R/J	SW8260
Toluene	ND	5	ug/L	05/07/08		R/J	SW8260
Total Xylenes	ND	5	ug/L	05/07/08		R/J	SW8260
trans-1,2-Dichloroethene	ND	5	ug/L	05/07/08		R/J	SW8260
trans-1,3-Dichloropropene	ND	5	ug/L	05/07/08		R/J	SW8260
trans-1,4-dichloro-2-butene	ND	10	ug/L	05/07/08		R/J	SW8260
Trichloroethene	ND	5	ug/L	05/07/08		R/J	SW8260
Trichlorofluoromethane	ND	5	ug/L	05/07/08		R/J	SW8260
Trichlorotrifluoroethane	ND	5	ug/L	05/07/08		R/J	SW8260
Vinyl chloride	ND	5	ug/L	05/07/08		R/J	SW8260
QA/QC Surrogates							
% 1,2-dichlorobenzene-d4	103		%	05/07/08		R/J	SW8260
% Bromofluorobenzene	96		%	05/07/08		R/J	SW8260
% Dibromofluoromethane	101		%	05/07/08		R/J	SW8260
% Toluene-d8	108		%	05/07/08		R/J	SW8260

Parameter	Result	RL	Units	Date	Time	By	Reference
-----------	--------	----	-------	------	------	----	-----------

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level



Phyllis Shiller, Laboratory Director

May 13, 2008



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06040
Tel. (860) 645-1102 Fax (860) 645-0823



Analysis Report

May 13, 2008

FOR: Attn: Mr. Jim VanHorn
EnviroTrac
5 Old Dock Rd
Yaphank, NY 11980

Sample Information

Matrix: GROUND WATER
Location Code: ENVIOTR
Rush Request:
P.O.#:

Custody Information

Collected by:
Received by: LB
Analyzed by: see "By" below

Date Time

04/30/08 10:20
05/05/08 17:00

Laboratory Data

SDG I.D.: GAQ25988
Phoenix I.D.: AQ25991

Client ID: NYSDEC-AMERICAN DRIVE-IN CLEANERS MW-9I

Parameter	Result	RL	Units	Date	Time	By	Reference
<u>Volatiles</u>							
1,1,1,2-Tetrachloroethane	ND	5	ug/L	05/07/08		R/J	SW8260
1,1,1-Trichloroethane	ND	5	ug/L	05/07/08		R/J	SW8260
1,1,2,2-Tetrachloroethane	ND	5	ug/L	05/07/08		R/J	SW8260
1,1,2-Trichloroethane	ND	5	ug/L	05/07/08		R/J	SW8260
1,1-Dichloroethane	ND	5	ug/L	05/07/08		R/J	SW8260
1,1-Dichloroethene	ND	5	ug/L	05/07/08		R/J	SW8260
1,1-Dichloropropene	ND	5	ug/L	05/07/08		R/J	SW8260
1,2,3-Trichlorobenzene	ND	5	ug/L	05/07/08		R/J	SW8260
1,2,3-Trichloropropane	ND	5	ug/L	05/07/08		R/J	SW8260
1,2,4-Trichlorobenzene	ND	5	ug/L	05/07/08		R/J	SW8260
1,2,4-Trimethylbenzene	ND	5	ug/L	05/07/08		R/J	SW8260
1,2-Dibromo-3-chloropropane	ND	5	ug/L	05/07/08		R/J	SW8260
1,2-Dichlorobenzene	ND	5	ug/L	05/07/08		R/J	SW8260
1,2-Dichloroethane	ND	5	ug/L	05/07/08		R/J	SW8260
1,2-Dichloropropane	ND	5	ug/L	05/07/08		R/J	SW8260
1,3,5-Trimethylbenzene	ND	5	ug/L	05/07/08		R/J	SW8260
1,3-Dichlorobenzene	ND	5	ug/L	05/07/08		R/J	SW8260
1,3-Dichloropropane	ND	5	ug/L	05/07/08		R/J	SW8260
1,4-Dichlorobenzene	ND	5	ug/L	05/07/08		R/J	SW8260
2,2-Dichloropropane	ND	5	ug/L	05/07/08		R/J	SW8260
2-Chlorotoluene	ND	5	ug/L	05/07/08		R/J	SW8260
2-Hexanone	ND	25	ug/L	05/07/08		R/J	SW8260
2-Isopropyltoluene	ND	5	ug/L	05/07/08		R/J	SW8260
4-Chlorotoluene	ND	5	ug/L	05/07/08		R/J	SW8260
4-Methyl-2-pentanone	ND	25	ug/L	05/07/08		R/J	SW8260
Acetone	ND	50	ug/L	05/07/08		R/J	SW8260
Acrylonitrile	ND	10	ug/L	05/07/08		R/J	SW8260
Benzene	ND	5	ug/L	05/07/08		R/J	SW8260
Bromobenzene	ND	5	ug/L	05/07/08		R/J	SW8260


Parameter	Result	RL	Units	Date	Time	By	Reference
Bromochloromethane	ND	5	ug/L	05/07/08		R/J	SW8260
Bromodichloromethane	ND	5	ug/L	05/07/08		R/J	SW8260
Bromoform	ND	5	ug/L	05/07/08		R/J	SW8260
Bromomethane	ND	5	ug/L	05/07/08		R/J	SW8260
Carbon Disulfide	ND	5	ug/L	05/07/08		R/J	SW8260
Carbon tetrachloride	ND	5	ug/L	05/07/08		R/J	SW8260
Chlorobenzene	ND	5	ug/L	05/07/08		R/J	SW8260
Chloroethane	ND	5	ug/L	05/07/08		R/J	SW8260
Chloroform	ND	5	ug/L	05/07/08		R/J	SW8260
Chloromethane	ND	5	ug/L	05/07/08		R/J	SW8260
cis-1,2-Dichloroethene	ND	5	ug/L	05/07/08		R/J	SW8260
cis-1,3-Dichloropropene	ND	5	ug/L	05/07/08		R/J	SW8260
Dibromochloromethane	ND	5	ug/L	05/07/08		R/J	SW8260
Dibromoethane	ND	5	ug/L	05/07/08		R/J	SW8260
Dibromomethane	ND	5	ug/L	05/07/08		R/J	SW8260
Dichlorodifluoromethane	ND	5	ug/L	05/07/08		R/J	SW8260
Ethylbenzene	ND	5	ug/L	05/07/08		R/J	SW8260
Hexachlorobutadiene	ND	5	ug/L	05/07/08		R/J	SW8260
Isopropylbenzene	ND	5	ug/L	05/07/08		R/J	SW8260
m&p-Xylene	ND	5	ug/L	05/07/08		R/J	SW8260
Methyl Ethyl Ketone	ND	60	ug/L	05/07/08		R/J	SW8260
Methyl t-butyl ether (MTBE)	ND	10	ug/L	05/07/08		R/J	SW8260
Methylene chloride	ND	5	ug/L	05/07/08		R/J	SW8260
n-Butylbenzene	ND	5	ug/L	05/07/08		R/J	SW8260
n-Propylbenzene	ND	5	ug/L	05/07/08		R/J	SW8260
Naphthalene	ND	5	ug/L	05/07/08		R/J	SW8260
o-Xylene	ND	5	ug/L	05/07/08		R/J	SW8260
p-Isopropyltoluene	ND	5	ug/L	05/07/08		R/J	SW8260
sec-Butylbenzene	ND	5	ug/L	05/07/08		R/J	SW8260
Styrene	ND	5	ug/L	05/07/08		R/J	SW8260
tert-Butylbenzene	ND	5	ug/L	05/07/08		R/J	SW8260
Tetrachloroethene	ND	5	ug/L	05/07/08		R/J	SW8260
Tetrahydrofuran (THF)	ND	10	ug/L	05/07/08		R/J	SW8260
Toluene	ND	5	ug/L	05/07/08		R/J	SW8260
Total Xylenes	ND	5	ug/L	05/07/08		R/J	SW8260
trans-1,2-Dichloroethene	ND	5	ug/L	05/07/08		R/J	SW8260
trans-1,3-Dichloropropene	ND	5	ug/L	05/07/08		R/J	SW8260
trans-1,4-dichloro-2-butene	ND	10	ug/L	05/07/08		R/J	SW8260
Trichloroethene	ND	5	ug/L	05/07/08		R/J	SW8260
Trichlorofluoromethane	ND	5	ug/L	05/07/08		R/J	SW8260
Trichlorotrifluoroethane	ND	5	ug/L	05/07/08		R/J	SW8260
Vinyl chloride	ND	5	ug/L	05/07/08		R/J	SW8260
<u>QA/QC Surrogates</u>							
% 1,2-dichlorobenzene-d4	104		%	05/07/08		R/J	SW8260
% Bromofluorobenzene	90		%	05/07/08		R/J	SW8260
% Dibromofluoromethane	105		%	05/07/08		R/J	SW8260
% Toluene-d8	100		%	05/07/08		R/J	SW8260

Parameter	Result	RL	Units	Date	Time	By	Reference
-----------	--------	----	-------	------	------	----	-----------

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level



Phyllis Shiller, Laboratory Director

May 13, 2008



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06040
Tel. (860) 645-1102 Fax (860) 645-0823



Analysis Report

May 13, 2008

FOR: Attn: Mr. Jim VanHorn
EnviroTrac
5 Old Dock Rd
Yaphank, NY 11980

Sample Information

Matrix: GROUND WATER
Location Code: ENVIROTR
Rush Request:
P.O.#:

Custody Information

Collected by:
Received by: LB
Analyzed by: see "By" below

Date	Time
04/30/08	11:00
05/05/08	17:00

Laboratory Data

SDG I.D.: GAQ25988
Phoenix I.D.: AQ25992

Client ID: NYSDEC-AMERICAN DRIVE-IN CLEANERS MW-9D

Parameter	Result	RL	Units	Date	Time	By	Reference
Volatiles							
1,1,1,2-Tetrachloroethane	ND	5	ug/L	05/07/08		R/J	SW8260
1,1,1-Trichloroethane	ND	5	ug/L	05/07/08		R/J	SW8260
1,1,2,2-Tetrachloroethane	ND	5	ug/L	05/07/08		R/J	SW8260
1,1,2-Trichloroethane	ND	5	ug/L	05/07/08		R/J	SW8260
1,1-Dichloroethane	ND	5	ug/L	05/07/08		R/J	SW8260
1,1-Dichloroethene	ND	5	ug/L	05/07/08		R/J	SW8260
1,1-Dichloropropene	ND	5	ug/L	05/07/08		R/J	SW8260
1,2,3-Trichlorobenzene	ND	5	ug/L	05/07/08		R/J	SW8260
1,2,3-Trichloropropane	ND	5	ug/L	05/07/08		R/J	SW8260
1,2,4-Trichlorobenzene	ND	5	ug/L	05/07/08		R/J	SW8260
1,2,4-Trimethylbenzene	ND	5	ug/L	05/07/08		R/J	SW8260
1,2-Dibromo-3-chloropropane	ND	5	ug/L	05/07/08		R/J	SW8260
1,2-Dichlorobenzene	ND	5	ug/L	05/07/08		R/J	SW8260
1,2-Dichloroethane	ND	5	ug/L	05/07/08		R/J	SW8260
1,2-Dichloropropane	ND	5	ug/L	05/07/08		R/J	SW8260
1,3,5-Trimethylbenzene	ND	5	ug/L	05/07/08		R/J	SW8260
1,3-Dichlorobenzene	ND	5	ug/L	05/07/08		R/J	SW8260
1,3-Dichloropropane	ND	5	ug/L	05/07/08		R/J	SW8260
1,4-Dichlorobenzene	ND	5	ug/L	05/07/08		R/J	SW8260
2,2-Dichloropropane	ND	5	ug/L	05/07/08		R/J	SW8260
2-Chlorotoluene	ND	5	ug/L	05/07/08		R/J	SW8260
2-Hexanone	ND	25	ug/L	05/07/08		R/J	SW8260
2-Isopropyltoluene	ND	5	ug/L	05/07/08		R/J	SW8260
4-Chlorotoluene	ND	5	ug/L	05/07/08		R/J	SW8260
4-Methyl-2-pentanone	ND	25	ug/L	05/07/08		R/J	SW8260
Acetone	ND	50	ug/L	05/07/08		R/J	SW8260
Acrylonitrile	ND	10	ug/L	05/07/08		R/J	SW8260
Benzene	ND	5	ug/L	05/07/08		R/J	SW8260
Bromobenzene	ND	5	ug/L	05/07/08		R/J	SW8260


Parameter	Result	RL	Units	Date	Time	By	Reference
Bromochloromethane	ND	5	ug/L	05/07/08		R/J	SW8260
Bromodichloromethane	ND	5	ug/L	05/07/08		R/J	SW8260
Bromoform	ND	5	ug/L	05/07/08		R/J	SW8260
Bromomethane	ND	5	ug/L	05/07/08		R/J	SW8260
Carbon Disulfide	ND	5	ug/L	05/07/08		R/J	SW8260
Carbon tetrachloride	ND	5	ug/L	05/07/08		R/J	SW8260
Chlorobenzene	ND	5	ug/L	05/07/08		R/J	SW8260
Chloroethane	ND	5	ug/L	05/07/08		R/J	SW8260
Chloroform	ND	5	ug/L	05/07/08		R/J	SW8260
Chloromethane	ND	5	ug/L	05/07/08		R/J	SW8260
cis-1,2-Dichloroethene	ND	5	ug/L	05/07/08		R/J	SW8260
cis-1,3-Dichloropropene	ND	5	ug/L	05/07/08		R/J	SW8260
Dibromochloromethane	ND	5	ug/L	05/07/08		R/J	SW8260
Dibromoethane	ND	5	ug/L	05/07/08		R/J	SW8260
Dibromomethane	ND	5	ug/L	05/07/08		R/J	SW8260
Dichlorodifluoromethane	ND	5	ug/L	05/07/08		R/J	SW8260
Ethylbenzene	ND	5	ug/L	05/07/08		R/J	SW8260
Hexachlorobutadiene	ND	5	ug/L	05/07/08		R/J	SW8260
Isopropylbenzene	ND	5	ug/L	05/07/08		R/J	SW8260
m&p-Xylene	ND	5	ug/L	05/07/08		R/J	SW8260
Methyl Ethyl Ketone	ND	60	ug/L	05/07/08		R/J	SW8260
Methyl t-butyl ether (MTBE)	ND	10	ug/L	05/07/08		R/J	SW8260
Methylene chloride	ND	5	ug/L	05/07/08		R/J	SW8260
n-Butylbenzene	ND	5	ug/L	05/07/08		R/J	SW8260
n-Propylbenzene	ND	5	ug/L	05/07/08		R/J	SW8260
Naphthalene	ND	5	ug/L	05/07/08		R/J	SW8260
o-Xylene	ND	5	ug/L	05/07/08		R/J	SW8260
p-Isopropyltoluene	ND	5	ug/L	05/07/08		R/J	SW8260
sec-Butylbenzene	ND	5	ug/L	05/07/08		R/J	SW8260
Styrene	ND	5	ug/L	05/07/08		R/J	SW8260
tert-Butylbenzene	ND	5	ug/L	05/07/08		R/J	SW8260
Tetrachloroethene	ND	5	ug/L	05/07/08		R/J	SW8260
Tetrahydrofuran (THF)	ND	10	ug/L	05/07/08		R/J	SW8260
Toluene	ND	5	ug/L	05/07/08		R/J	SW8260
Total Xylenes	ND	5	ug/L	05/07/08		R/J	SW8260
trans-1,2-Dichloroethene	ND	5	ug/L	05/07/08		R/J	SW8260
trans-1,3-Dichloropropene	ND	5	ug/L	05/07/08		R/J	SW8260
trans-1,4-dichloro-2-butene	ND	10	ug/L	05/07/08		R/J	SW8260
Trichloroethene	ND	5	ug/L	05/07/08		R/J	SW8260
Trichlorofluoromethane	ND	5	ug/L	05/07/08		R/J	SW8260
Trichlorotrifluoroethane	ND	5	ug/L	05/07/08		R/J	SW8260
Vinyl chloride	ND	5	ug/L	05/07/08		R/J	SW8260
QA/QC Surrogates							
% 1,2-dichlorobenzene-d4	105		%	05/07/08		R/J	SW8260
% Bromofluorobenzene	94		%	05/07/08		R/J	SW8260
% Dibromofluoromethane	102		%	05/07/08		R/J	SW8260
% Toluene-d8	104		%	05/07/08		R/J	SW8260

Parameter	Result	RL	Units	Date	Time	By	Reference
-----------	--------	----	-------	------	------	----	-----------

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level



Phyllis Shiller, Laboratory Director

May 13, 2008



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06040
Tel. (860) 645-1102 Fax (860) 645-0823



Analysis Report

May 13, 2008

FOR: Attn: Mr. Jim VanHorn
EnviroTrac
5 Old Dock Rd
Yaphank, NY 11980

Sample Information

Matrix: GROUND WATER
Location Code: ENVIOTR
Rush Request:
P.O.#:

Custody Information

Collected by:
Received by: LB
Analyzed by: see "By" below

Date Time

04/30/08 12:40
05/05/08 17:00

Laboratory Data

SDG I.D.: GAQ25988
Phoenix I.D.: AQ25993

Client ID: NYSDEC-AMERICAN DRIVE-IN CLEANERS MW-3S

Parameter	Result	RL	Units	Date	Time	By	Reference
<u>Volatiles</u>							
1,1,1,2-Tetrachloroethane	ND	5	ug/L	05/07/08		R/J	SW8260
1,1,1-Trichloroethane	ND	5	ug/L	05/07/08		R/J	SW8260
1,1,2,2-Tetrachloroethane	ND	5	ug/L	05/07/08		R/J	SW8260
1,1,2-Trichloroethane	ND	5	ug/L	05/07/08		R/J	SW8260
1,1-Dichloroethane	ND	5	ug/L	05/07/08		R/J	SW8260
1,1-Dichloroethene	ND	5	ug/L	05/07/08		R/J	SW8260
1,1-Dichloropropene	ND	5	ug/L	05/07/08		R/J	SW8260
1,2,3-Trichlorobenzene	ND	5	ug/L	05/07/08		R/J	SW8260
1,2,3-Trichloropropane	ND	5	ug/L	05/07/08		R/J	SW8260
1,2,4-Trichlorobenzene	ND	5	ug/L	05/07/08		R/J	SW8260
1,2,4-Trimethylbenzene	ND	5	ug/L	05/07/08		R/J	SW8260
1,2-Dibromo-3-chloropropane	ND	5	ug/L	05/07/08		R/J	SW8260
1,2-Dichlorobenzene	ND	5	ug/L	05/07/08		R/J	SW8260
1,2-Dichloroethane	ND	5	ug/L	05/07/08		R/J	SW8260
1,2-Dichloropropane	ND	5	ug/L	05/07/08		R/J	SW8260
1,3,5-Trimethylbenzene	ND	5	ug/L	05/07/08		R/J	SW8260
1,3-Dichlorobenzene	ND	5	ug/L	05/07/08		R/J	SW8260
1,3-Dichloropropane	ND	5	ug/L	05/07/08		R/J	SW8260
1,4-Dichlorobenzene	ND	5	ug/L	05/07/08		R/J	SW8260
2,2-Dichloropropane	ND	5	ug/L	05/07/08		R/J	SW8260
2-Chlorotoluene	ND	5	ug/L	05/07/08		R/J	SW8260
2-Hexanone	ND	25	ug/L	05/07/08		R/J	SW8260
2-Isopropyltoluene	ND	5	ug/L	05/07/08		R/J	SW8260
4-Chlorotoluene	ND	5	ug/L	05/07/08		R/J	SW8260
4-Methyl-2-pentanone	ND	25	ug/L	05/07/08		R/J	SW8260
Acetone	ND	50	ug/L	05/07/08		R/J	SW8260
Acrylonitrile	ND	10	ug/L	05/07/08		R/J	SW8260
Benzene	ND	5	ug/L	05/07/08		R/J	SW8260
Bromobenzene	ND	5	ug/L	05/07/08		R/J	SW8260


Parameter	Result	RL	Units	Date	Time	By	Reference
Bromochloromethane	ND	5	ug/L	05/07/08		R/J	SW8260
Bromodichloromethane	ND	5	ug/L	05/07/08		R/J	SW8260
Bromoform	ND	5	ug/L	05/07/08		R/J	SW8260
Bromomethane	ND	5	ug/L	05/07/08		R/J	SW8260
Carbon Disulfide	ND	5	ug/L	05/07/08		R/J	SW8260
Carbon tetrachloride	ND	5	ug/L	05/07/08		R/J	SW8260
Chlorobenzene	ND	5	ug/L	05/07/08		R/J	SW8260
Chloroethane	ND	5	ug/L	05/07/08		R/J	SW8260
Chloroform	ND	5	ug/L	05/07/08		R/J	SW8260
Chloromethane	ND	5	ug/L	05/07/08		R/J	SW8260
cis-1,2-Dichloroethene	ND	5	ug/L	05/07/08		R/J	SW8260
cis-1,3-Dichloropropene	ND	5	ug/L	05/07/08		R/J	SW8260
Dibromochloromethane	ND	5	ug/L	05/07/08		R/J	SW8260
Dibromoethane	ND	5	ug/L	05/07/08		R/J	SW8260
Dibromomethane	ND	5	ug/L	05/07/08		R/J	SW8260
Dichlorodifluoromethane	ND	5	ug/L	05/07/08		R/J	SW8260
Ethylbenzene	ND	5	ug/L	05/07/08		R/J	SW8260
Hexachlorobutadiene	ND	5	ug/L	05/07/08		R/J	SW8260
Isopropylbenzene	ND	5	ug/L	05/07/08		R/J	SW8260
m&p-Xylene	ND	5	ug/L	05/07/08		R/J	SW8260
Methyl Ethyl Ketone	ND	60	ug/L	05/07/08		R/J	SW8260
Methyl t-butyl ether (MTBE)	ND	10	ug/L	05/07/08		R/J	SW8260
Methylene chloride	ND	5	ug/L	05/07/08		R/J	SW8260
n-Butylbenzene	ND	5	ug/L	05/07/08		R/J	SW8260
n-Propylbenzene	ND	5	ug/L	05/07/08		R/J	SW8260
Naphthalene	ND	5	ug/L	05/07/08		R/J	SW8260
o-Xylene	ND	5	ug/L	05/07/08		R/J	SW8260
p-Isopropyltoluene	ND	5	ug/L	05/07/08		R/J	SW8260
sec-Butylbenzene	ND	5	ug/L	05/07/08		R/J	SW8260
Styrene	ND	5	ug/L	05/07/08		R/J	SW8260
tert-Butylbenzene	ND	5	ug/L	05/07/08		R/J	SW8260
Tetrachloroethene	ND	5	ug/L	05/07/08		R/J	SW8260
Tetrahydrofuran (THF)	ND	10	ug/L	05/07/08		R/J	SW8260
Toluene	ND	5	ug/L	05/07/08		R/J	SW8260
Total Xylenes	ND	5	ug/L	05/07/08		R/J	SW8260
trans-1,2-Dichloroethene	ND	5	ug/L	05/07/08		R/J	SW8260
trans-1,3-Dichloropropene	ND	5	ug/L	05/07/08		R/J	SW8260
trans-1,4-dichloro-2-butene	ND	10	ug/L	05/07/08		R/J	SW8260
Trichloroethene	ND	5	ug/L	05/07/08		R/J	SW8260
Trichlorofluoromethane	ND	5	ug/L	05/07/08		R/J	SW8260
Trichlorotrifluoroethane	ND	5	ug/L	05/07/08		R/J	SW8260
Vinyl chloride	ND	5	ug/L	05/07/08		R/J	SW8260
QA/QC Surrogates							
% 1,2-dichlorobenzene-d4	103		%	05/07/08		R/J	SW8260
% Bromofluorobenzene	92		%	05/07/08		R/J	SW8260
% Dibromofluoromethane	103		%	05/07/08		R/J	SW8260
% Toluene-d8	98		%	05/07/08		R/J	SW8260

Parameter	Result	RL	Units	Date	Time	By	Reference
-----------	--------	----	-------	------	------	----	-----------

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level



Phyllis Shiller, Laboratory Director

May 13, 2008



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06040
Tel. (860) 645-1102 Fax (860) 645-0823



Analysis Report

May 13, 2008

FOR: Attn: Mr. Jim VanHorn
EnviroTrac
5 Old Dock Rd
Yaphank, NY 11980

Sample Information

Matrix: GROUND WATER
Location Code: ENVIROTR
Rush Request:
P.O.#:

Custody Information

Collected by:
Received by: LB
Analyzed by: see "By" below

<u>Date</u>	<u>Time</u>
04/30/08	13:30
05/05/08	17:00

Laboratory Data

SDG I.D.: GAQ25988
Phoenix I.D.: AQ25994

Client ID: NYSDEC-AMERICAN DRIVE-IN CLEANERS MW-12S

Parameter	Result	RL	Units	Date	Time	By	Reference
<u>Volatiles</u>							
1,1,1,2-Tetrachloroethane	ND	5	ug/L	05/07/08		R/J	SW8260
1,1,1-Trichloroethane	ND	5	ug/L	05/07/08		R/J	SW8260
1,1,2,2-Tetrachloroethane	ND	5	ug/L	05/07/08		R/J	SW8260
1,1,2-Trichloroethane	ND	5	ug/L	05/07/08		R/J	SW8260
1,1-Dichloroethane	ND	5	ug/L	05/07/08		R/J	SW8260
1,1-Dichloroethene	ND	5	ug/L	05/07/08		R/J	SW8260
1,1-Dichloropropene	ND	5	ug/L	05/07/08		R/J	SW8260
1,2,3-Trichlorobenzene	ND	5	ug/L	05/07/08		R/J	SW8260
1,2,3-Trichloropropane	ND	5	ug/L	05/07/08		R/J	SW8260
1,2,4-Trichlorobenzene	ND	5	ug/L	05/07/08		R/J	SW8260
1,2,4-Trimethylbenzene	ND	5	ug/L	05/07/08		R/J	SW8260
1,2-Dibromo-3-chloropropane	ND	5	ug/L	05/07/08		R/J	SW8260
1,2-Dichlorobenzene	ND	5	ug/L	05/07/08		R/J	SW8260
1,2-Dichloroethane	ND	5	ug/L	05/07/08		R/J	SW8260
1,2-Dichloropropane	ND	5	ug/L	05/07/08		R/J	SW8260
1,3,5-Trimethylbenzene	ND	5	ug/L	05/07/08		R/J	SW8260
1,3-Dichlorobenzene	ND	5	ug/L	05/07/08		R/J	SW8260
1,3-Dichloropropane	ND	5	ug/L	05/07/08		R/J	SW8260
1,4-Dichlorobenzene	ND	5	ug/L	05/07/08		R/J	SW8260
2,2-Dichloropropane	ND	5	ug/L	05/07/08		R/J	SW8260
2-Chlorotoluene	ND	5	ug/L	05/07/08		R/J	SW8260
2-Hexanone	ND	25	ug/L	05/07/08		R/J	SW8260
2-Isopropyltoluene	ND	5	ug/L	05/07/08		R/J	SW8260
4-Chlorotoluene	ND	5	ug/L	05/07/08		R/J	SW8260
4-Methyl-2-pentanone	ND	25	ug/L	05/07/08		R/J	SW8260
Acetone	ND	50	ug/L	05/07/08		R/J	SW8260
Acrylonitrile	ND	10	ug/L	05/07/08		R/J	SW8260
Benzene	ND	5	ug/L	05/07/08		R/J	SW8260
Bromobenzene	ND	5	ug/L	05/07/08		R/J	SW8260


Parameter	Result	RL	Units	Date	Time	By	Reference
Bromochloromethane	ND	5	ug/L	05/07/08		R/J	SW8260
Bromodichloromethane	ND	5	ug/L	05/07/08		R/J	SW8260
Bromoform	ND	5	ug/L	05/07/08		R/J	SW8260
Bromomethane	ND	5	ug/L	05/07/08		R/J	SW8260
Carbon Disulfide	ND	5	ug/L	05/07/08		R/J	SW8260
Carbon tetrachloride	ND	5	ug/L	05/07/08		R/J	SW8260
Chlorobenzene	ND	5	ug/L	05/07/08		R/J	SW8260
Chloroethane	ND	5	ug/L	05/07/08		R/J	SW8260
Chloroform	ND	5	ug/L	05/07/08		R/J	SW8260
Chloromethane	ND	5	ug/L	05/07/08		R/J	SW8260
cis-1,2-Dichloroethene	ND	5	ug/L	05/07/08		R/J	SW8260
cis-1,3-Dichloropropene	ND	5	ug/L	05/07/08		R/J	SW8260
Dibromochloromethane	ND	5	ug/L	05/07/08		R/J	SW8260
Dibromoethane	ND	5	ug/L	05/07/08		R/J	SW8260
Dibromomethane	ND	5	ug/L	05/07/08		R/J	SW8260
Dichlorodifluoromethane	ND	5	ug/L	05/07/08		R/J	SW8260
Ethylbenzene	ND	5	ug/L	05/07/08		R/J	SW8260
Hexachlorobutadiene	ND	5	ug/L	05/07/08		R/J	SW8260
Isopropylbenzene	ND	5	ug/L	05/07/08		R/J	SW8260
m&p-Xylene	ND	5	ug/L	05/07/08		R/J	SW8260
Methyl Ethyl Ketone	ND	60	ug/L	05/07/08		R/J	SW8260
Methyl t-butyl ether (MTBE)	ND	10	ug/L	05/07/08		R/J	SW8260
Methylene chloride	ND	5	ug/L	05/07/08		R/J	SW8260
n-Butylbenzene	ND	5	ug/L	05/07/08		R/J	SW8260
n-Propylbenzene	ND	5	ug/L	05/07/08		R/J	SW8260
Naphthalene	ND	5	ug/L	05/07/08		R/J	SW8260
o-Xylene	ND	5	ug/L	05/07/08		R/J	SW8260
p-Isopropyltoluene	ND	5	ug/L	05/07/08		R/J	SW8260
sec-Butylbenzene	ND	5	ug/L	05/07/08		R/J	SW8260
Styrene	ND	5	ug/L	05/07/08		R/J	SW8260
tert-Butylbenzene	ND	5	ug/L	05/07/08		R/J	SW8260
Tetrachloroethene	ND	5	ug/L	05/07/08		R/J	SW8260
Tetrahydrofuran (THF)	ND	10	ug/L	05/07/08		R/J	SW8260
Toluene	ND	5	ug/L	05/07/08		R/J	SW8260
Total Xylenes	ND	5	ug/L	05/07/08		R/J	SW8260
trans-1,2-Dichloroethene	ND	5	ug/L	05/07/08		R/J	SW8260
trans-1,3-Dichloropropene	ND	5	ug/L	05/07/08		R/J	SW8260
trans-1,4-dichloro-2-butene	ND	10	ug/L	05/07/08		R/J	SW8260
Trichloroethene	ND	5	ug/L	05/07/08		R/J	SW8260
Trichlorofluoromethane	ND	5	ug/L	05/07/08		R/J	SW8260
Trichlorotrifluoroethane	ND	5	ug/L	05/07/08		R/J	SW8260
Vinyl chloride	ND	5	ug/L	05/07/08		R/J	SW8260
QA/QC Surrogates							
% 1,2-dichlorobenzene-d4	102		%	05/07/08		R/J	SW8260
% Bromofluorobenzene	100		%	05/07/08		R/J	SW8260
% Dibromofluoromethane	98		%	05/07/08		R/J	SW8260
% Toluene-d8	109		%	05/07/08		R/J	SW8260

Parameter	Result	RL	Units	Date	Time	By	Reference
-----------	--------	----	-------	------	------	----	-----------

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level



Phyllis Shiller, Laboratory Director

May 13, 2008



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06040
Tel. (860) 645-1102 Fax (860) 645-0823



Analysis Report

May 13, 2008

FOR: Attn: Mr. Jim VanHorn
EnviroTrac
5 Old Dock Rd
Yaphank, NY 11980

Sample Information

Matrix: GROUND WATER
Location Code: ENVIOTR
Rush Request:
P.O.#:

Custody Information

Collected by:
Received by: LB
Analyzed by: see "By" below

Date Time
04/30/08 13:00
05/05/08 17:00

Laboratory Data

SDG I.D.: GAQ25988
Phoenix I.D.: AQ25995

Client ID: NYSDEC-AMERICAN DRIVE-IN CLEANERS MW-11S

Parameter	Result	RL	Units	Date	Time	By	Reference
Volatiles							
1,1,1,2-Tetrachloroethane	ND	5	ug/L	05/07/08		R/J	SW8260
1,1,1-Trichloroethane	ND	5	ug/L	05/07/08		R/J	SW8260
1,1,2,2-Tetrachloroethane	ND	5	ug/L	05/07/08		R/J	SW8260
1,1,2-Trichloroethane	ND	5	ug/L	05/07/08		R/J	SW8260
1,1-Dichloroethane	ND	5	ug/L	05/07/08		R/J	SW8260
1,1-Dichloroethene	ND	5	ug/L	05/07/08		R/J	SW8260
1,1-Dichloropropene	ND	5	ug/L	05/07/08		R/J	SW8260
1,2,3-Trichlorobenzene	ND	5	ug/L	05/07/08		R/J	SW8260
1,2,3-Trichloropropane	ND	5	ug/L	05/07/08		R/J	SW8260
1,2,4-Trichlorobenzene	ND	5	ug/L	05/07/08		R/J	SW8260
1,2,4-Trimethylbenzene	ND	5	ug/L	05/07/08		R/J	SW8260
1,2-Dibromo-3-chloropropane	ND	5	ug/L	05/07/08		R/J	SW8260
1,2-Dichlorobenzene	ND	5	ug/L	05/07/08		R/J	SW8260
1,2-Dichloroethane	ND	5	ug/L	05/07/08		R/J	SW8260
1,2-Dichloropropane	ND	5	ug/L	05/07/08		R/J	SW8260
1,3,5-Trimethylbenzene	ND	5	ug/L	05/07/08		R/J	SW8260
1,3-Dichlorobenzene	ND	5	ug/L	05/07/08		R/J	SW8260
1,3-Dichloropropane	ND	5	ug/L	05/07/08		R/J	SW8260
1,4-Dichlorobenzene	ND	5	ug/L	05/07/08		R/J	SW8260
2,2-Dichloropropane	ND	5	ug/L	05/07/08		R/J	SW8260
2-Chlorotoluene	ND	5	ug/L	05/07/08		R/J	SW8260
2-Hexanone	ND	25	ug/L	05/07/08		R/J	SW8260
2-Isopropyltoluene	ND	5	ug/L	05/07/08		R/J	SW8260
4-Chlorotoluene	ND	5	ug/L	05/07/08		R/J	SW8260
4-Methyl-2-pentanone	ND	25	ug/L	05/07/08		R/J	SW8260
Acetone	ND	50	ug/L	05/07/08		R/J	SW8260
Acrylonitrile	ND	10	ug/L	05/07/08		R/J	SW8260
Benzene	ND	5	ug/L	05/07/08		R/J	SW8260
Bromobenzene	ND	5	ug/L	05/07/08		R/J	SW8260


Parameter	Result	RL	Units	Date	Time	By	Reference
Bromochloromethane	ND	5	ug/L	05/07/08		R/J	SW8260
Bromodichloromethane	ND	5	ug/L	05/07/08		R/J	SW8260
Bromoform	ND	5	ug/L	05/07/08		R/J	SW8260
Bromomethane	ND	5	ug/L	05/07/08		R/J	SW8260
Carbon Disulfide	ND	5	ug/L	05/07/08		R/J	SW8260
Carbon tetrachloride	ND	5	ug/L	05/07/08		R/J	SW8260
Chlorobenzene	ND	5	ug/L	05/07/08		R/J	SW8260
Chloroethane	ND	5	ug/L	05/07/08		R/J	SW8260
Chloroform	ND	5	ug/L	05/07/08		R/J	SW8260
Chloromethane	ND	5	ug/L	05/07/08		R/J	SW8260
cis-1,2-Dichloroethene	ND	5	ug/L	05/07/08		R/J	SW8260
cis-1,3-Dichloropropene	ND	5	ug/L	05/07/08		R/J	SW8260
Dibromochloromethane	ND	5	ug/L	05/07/08		R/J	SW8260
Dibromoethane	ND	5	ug/L	05/07/08		R/J	SW8260
Dibromomethane	ND	5	ug/L	05/07/08		R/J	SW8260
Dichlorodifluoromethane	ND	5	ug/L	05/07/08		R/J	SW8260
Ethylbenzene	ND	5	ug/L	05/07/08		R/J	SW8260
Hexachlorobutadiene	ND	5	ug/L	05/07/08		R/J	SW8260
Isopropylbenzene	ND	5	ug/L	05/07/08		R/J	SW8260
m&p-Xylene	ND	5	ug/L	05/07/08		R/J	SW8260
Methyl Ethyl Ketone	ND	60	ug/L	05/07/08		R/J	SW8260
Methyl t-butyl ether (MTBE)	ND	10	ug/L	05/07/08		R/J	SW8260
Methylene chloride	ND	5	ug/L	05/07/08		R/J	SW8260
n-Butylbenzene	ND	5	ug/L	05/07/08		R/J	SW8260
n-Propylbenzene	ND	5	ug/L	05/07/08		R/J	SW8260
Naphthalene	ND	5	ug/L	05/07/08		R/J	SW8260
o-Xylene	ND	5	ug/L	05/07/08		R/J	SW8260
p-Isopropyltoluene	ND	5	ug/L	05/07/08		R/J	SW8260
sec-Butylbenzene	ND	5	ug/L	05/07/08		R/J	SW8260
Styrene	ND	5	ug/L	05/07/08		R/J	SW8260
tert-Butylbenzene	ND	5	ug/L	05/07/08		R/J	SW8260
Tetrachloroethene	ND	5	ug/L	05/07/08		R/J	SW8260
Tetrahydrofuran (THF)	ND	10	ug/L	05/07/08		R/J	SW8260
Toluene	ND	5	ug/L	05/07/08		R/J	SW8260
Total Xylenes	ND	5	ug/L	05/07/08		R/J	SW8260
trans-1,2-Dichloroethene	ND	5	ug/L	05/07/08		R/J	SW8260
trans-1,3-Dichloropropene	ND	5	ug/L	05/07/08		R/J	SW8260
trans-1,4-dichloro-2-butene	ND	10	ug/L	05/07/08		R/J	SW8260
Trichloroethene	ND	5	ug/L	05/07/08		R/J	SW8260
Trichlorofluoromethane	ND	5	ug/L	05/07/08		R/J	SW8260
Trichlorotrifluoroethane	ND	5	ug/L	05/07/08		R/J	SW8260
Vinyl chloride	ND	5	ug/L	05/07/08		R/J	SW8260
<u>QA/QC Surrogates</u>							
% 1,2-dichlorobenzene-d4	100		%	05/07/08		R/J	SW8260
% Bromofluorobenzene	91		%	05/07/08		R/J	SW8260
% Dibromofluoromethane	98		%	05/07/08		R/J	SW8260
% Toluene-d8	97		%	05/07/08		R/J	SW8260

Parameter	Result	RL	Units	Date	Time	By	Reference
-----------	--------	----	-------	------	------	----	-----------

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level



Phyllis Shiller, Laboratory Director

May 13, 2008



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06040
Tel. (860) 645-1102 Fax (860) 645-0823



Analysis Report

May 13, 2008

FOR: Attn: Mr. Jim VanHorn
EnviroTrac
5 Old Dock Rd
Yaphank, NY 11980

Sample Information

Matrix: GROUND WATER
Location Code: ENVIROTR
Rush Request:
P.O.#:

Custody Information

Collected by:
Received by: LB
Analyzed by: see "By" below

Date

04/30/08
05/05/08

Time

14:00
17:00

Laboratory Data

SDG I.D.: GAQ25988
Phoenix I.D.: AQ25996

Client ID: NYSDEC-AMERICAN DRIVE-IN CLEANERS MW-1S

Parameter	Result	RL	Units	Date	Time	By	Reference
<u>Volatiles</u>							
1,1,1,2-Tetrachloroethane	ND	5	ug/L	05/07/08		R/J	SW8260
1,1,1-Trichloroethane	ND	5	ug/L	05/07/08		R/J	SW8260
1,1,2,2-Tetrachloroethane	ND	5	ug/L	05/07/08		R/J	SW8260
1,1,2-Trichloroethane	ND	5	ug/L	05/07/08		R/J	SW8260
1,1-Dichloroethane	ND	5	ug/L	05/07/08		R/J	SW8260
1,1-Dichloroethene	ND	5	ug/L	05/07/08		R/J	SW8260
1,1-Dichloropropene	ND	5	ug/L	05/07/08		R/J	SW8260
1,2,3-Trichlorobenzene	ND	5	ug/L	05/07/08		R/J	SW8260
1,2,3-Trichloropropane	ND	5	ug/L	05/07/08		R/J	SW8260
1,2,4-Trichlorobenzene	ND	5	ug/L	05/07/08		R/J	SW8260
1,2,4-Trimethylbenzene	ND	5	ug/L	05/07/08		R/J	SW8260
1,2-Dibromo-3-chloropropane	ND	5	ug/L	05/07/08		R/J	SW8260
1,2-Dichlorobenzene	ND	5	ug/L	05/07/08		R/J	SW8260
1,2-Dichloroethane	ND	5	ug/L	05/07/08		R/J	SW8260
1,2-Dichloropropane	ND	5	ug/L	05/07/08		R/J	SW8260
1,3,5-Trimethylbenzene	ND	5	ug/L	05/07/08		R/J	SW8260
1,3-Dichlorobenzene	ND	5	ug/L	05/07/08		R/J	SW8260
1,3-Dichloropropane	ND	5	ug/L	05/07/08		R/J	SW8260
1,4-Dichlorobenzene	ND	5	ug/L	05/07/08		R/J	SW8260
2,2-Dichloropropane	ND	5	ug/L	05/07/08		R/J	SW8260
2-Chlorotoluene	ND	5	ug/L	05/07/08		R/J	SW8260
2-Hexanone	ND	25	ug/L	05/07/08		R/J	SW8260
2-Isopropyltoluene	ND	5	ug/L	05/07/08		R/J	SW8260
4-Chlorotoluene	ND	5	ug/L	05/07/08		R/J	SW8260
4-Methyl-2-pentanone	ND	25	ug/L	05/07/08		R/J	SW8260
Acetone	ND	50	ug/L	05/07/08		R/J	SW8260
Acrylonitrile	ND	10	ug/L	05/07/08		R/J	SW8260
Benzene	ND	5	ug/L	05/07/08		R/J	SW8260
Bromobenzene	ND	5	ug/L	05/07/08		R/J	SW8260

Parameter	Result	RL	Units	Date	Time	By	Reference
Bromochloromethane	ND	5	ug/L	05/07/08		R/J	SW8260
Bromodichloromethane	ND	5	ug/L	05/07/08		R/J	SW8260
Bromoform	ND	5	ug/L	05/07/08		R/J	SW8260
Bromomethane	ND	5	ug/L	05/07/08		R/J	SW8260
Carbon Disulfide	ND	5	ug/L	05/07/08		R/J	SW8260
Carbon tetrachloride	ND	5	ug/L	05/07/08		R/J	SW8260
Chlorobenzene	ND	5	ug/L	05/07/08		R/J	SW8260
Chloroethane	ND	5	ug/L	05/07/08		R/J	SW8260
Chloroform	ND	5	ug/L	05/07/08		R/J	SW8260
Chloromethane	ND	5	ug/L	05/07/08		R/J	SW8260
cis-1,2-Dichloroethene	ND	5	ug/L	05/07/08		R/J	SW8260
cis-1,3-Dichloropropene	ND	5	ug/L	05/07/08		R/J	SW8260
Dibromochloromethane	ND	5	ug/L	05/07/08		R/J	SW8260
Dibromoethane	ND	5	ug/L	05/07/08		R/J	SW8260
Dibromomethane	ND	5	ug/L	05/07/08		R/J	SW8260
Dichlorodifluoromethane	ND	5	ug/L	05/07/08		R/J	SW8260
Ethylbenzene	ND	5	ug/L	05/07/08		R/J	SW8260
Hexachlorobutadiene	ND	5	ug/L	05/07/08		R/J	SW8260
Isopropylbenzene	ND	5	ug/L	05/07/08		R/J	SW8260
m&p-Xylene	ND	5	ug/L	05/07/08		R/J	SW8260
Methyl Ethyl Ketone	ND	60	ug/L	05/07/08		R/J	SW8260
Methyl t-butyl ether (MTBE)	ND	10	ug/L	05/07/08		R/J	SW8260
Methylene chloride	ND	5	ug/L	05/07/08		R/J	SW8260
n-Butylbenzene	ND	5	ug/L	05/07/08		R/J	SW8260
n-Propylbenzene	ND	5	ug/L	05/07/08		R/J	SW8260
Naphthalene	ND	5	ug/L	05/07/08		R/J	SW8260
o-Xylene	ND	5	ug/L	05/07/08		R/J	SW8260
p-Isopropyltoluene	ND	5	ug/L	05/07/08		R/J	SW8260
sec-Butylbenzene	ND	5	ug/L	05/07/08		R/J	SW8260
Styrene	ND	5	ug/L	05/07/08		R/J	SW8260
tert-Butylbenzene	ND	5	ug/L	05/07/08		R/J	SW8260
Tetrachloroethene	ND	5	ug/L	05/07/08		R/J	SW8260
Tetrahydrofuran (THF)	ND	10	ug/L	05/07/08		R/J	SW8260
Toluene	ND	5	ug/L	05/07/08		R/J	SW8260
Total Xylenes	ND	5	ug/L	05/07/08		R/J	SW8260
trans-1,2-Dichloroethene	ND	5	ug/L	05/07/08		R/J	SW8260
trans-1,3-Dichloropropene	ND	5	ug/L	05/07/08		R/J	SW8260
trans-1,4-dichloro-2-butene	ND	10	ug/L	05/07/08		R/J	SW8260
Trichloroethene	ND	5	ug/L	05/07/08		R/J	SW8260
Trichlorofluoromethane	ND	5	ug/L	05/07/08		R/J	SW8260
Trichlorotrifluoroethane	ND	5	ug/L	05/07/08		R/J	SW8260
Vinyl chloride	ND	5	ug/L	05/07/08		R/J	SW8260
QA/QC Surrogates							
% 1,2-dichlorobenzene-d4	105		%	05/07/08		R/J	SW8260
% Bromofluorobenzene	94		%	05/07/08		R/J	SW8260
% Dibromofluoromethane	106		%	05/07/08		R/J	SW8260
% Toluene-d8	103		%	05/07/08		R/J	SW8260

Parameter	Result	RL	Units	Date	Time	By	Reference
-----------	--------	----	-------	------	------	----	-----------

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level



Phyllis Shiller, Laboratory Director

May 13, 2008



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06040
Tel. (860) 645-1102 Fax (860) 645-0823



Analysis Report

May 13, 2008

FOR: Attn: Mr. Jim VanHorn
EnviroTrac
5 Old Dock Rd
Yaphank, NY 11980

Sample Information

Matrix: GROUND WATER
Location Code: ENVIROTR
Rush Request:
P.O.#:

Custody Information

Collected by:
Received by: LB
Analyzed by: see "By" below

<u>Date</u>	<u>Time</u>
04/30/08	14:00
05/05/08	17:00

Laboratory Data

SDG I.D.: GAQ25988
Phoenix I.D.: AQ25997

Client ID: NYSDEC-AMERICAN DRIVE-IN CLEANERS MW-11

Parameter	Result	RL	Units	Date	Time	By	Reference
<u>Volatiles</u>							
1,1,1,2-Tetrachloroethane	ND	5	ug/L	05/07/08		R/J	SW8260
1,1,1-Trichloroethane	ND	5	ug/L	05/07/08		R/J	SW8260
1,1,2,2-Tetrachloroethane	ND	5	ug/L	05/07/08		R/J	SW8260
1,1,2-Trichloroethane	ND	5	ug/L	05/07/08		R/J	SW8260
1,1-Dichloroethane	ND	5	ug/L	05/07/08		R/J	SW8260
1,1-Dichloroethene	ND	5	ug/L	05/07/08		R/J	SW8260
1,1-Dichloropropene	ND	5	ug/L	05/07/08		R/J	SW8260
1,2,3-Trichlorobenzene	ND	5	ug/L	05/07/08		R/J	SW8260
1,2,3-Trichloropropane	ND	5	ug/L	05/07/08		R/J	SW8260
1,2,4-Trichlorobenzene	ND	5	ug/L	05/07/08		R/J	SW8260
1,2,4-Trimethylbenzene	ND	5	ug/L	05/07/08		R/J	SW8260
1,2-Dibromo-3-chloropropane	ND	5	ug/L	05/07/08		R/J	SW8260
1,2-Dichlorobenzene	ND	5	ug/L	05/07/08		R/J	SW8260
1,2-Dichloroethane	ND	5	ug/L	05/07/08		R/J	SW8260
1,2-Dichloropropane	ND	5	ug/L	05/07/08		R/J	SW8260
1,3,5-Trimethylbenzene	ND	5	ug/L	05/07/08		R/J	SW8260
1,3-Dichlorobenzene	ND	5	ug/L	05/07/08		R/J	SW8260
1,3-Dichloropropane	ND	5	ug/L	05/07/08		R/J	SW8260
1,4-Dichlorobenzene	ND	5	ug/L	05/07/08		R/J	SW8260
2,2-Dichloropropane	ND	5	ug/L	05/07/08		R/J	SW8260
2-Chlorotoluene	ND	5	ug/L	05/07/08		R/J	SW8260
2-Hexanone	ND	25	ug/L	05/07/08		R/J	SW8260
2-Isopropyltoluene	ND	5	ug/L	05/07/08		R/J	SW8260
4-Chlorotoluene	ND	5	ug/L	05/07/08		R/J	SW8260
4-Methyl-2-pentanone	ND	25	ug/L	05/07/08		R/J	SW8260
Acetone	ND	50	ug/L	05/07/08		R/J	SW8260
Acrylonitrile	ND	10	ug/L	05/07/08		R/J	SW8260
Benzene	ND	5	ug/L	05/07/08		R/J	SW8260
Bromobenzene	ND	5	ug/L	05/07/08		R/J	SW8260

Parameter	Result	RL	Units	Date	Time	By	Reference
Bromochloromethane	ND	5	ug/L	05/07/08		R/J	SW8260
Bromodichloromethane	ND	5	ug/L	05/07/08		R/J	SW8260
Bromoform	ND	5	ug/L	05/07/08		R/J	SW8260
Bromomethane	ND	5	ug/L	05/07/08		R/J	SW8260
Carbon Disulfide	ND	5	ug/L	05/07/08		R/J	SW8260
Carbon tetrachloride	ND	5	ug/L	05/07/08		R/J	SW8260
Chlorobenzene	ND	5	ug/L	05/07/08		R/J	SW8260
Chloroethane	ND	5	ug/L	05/07/08		R/J	SW8260
Chloroform	ND	5	ug/L	05/07/08		R/J	SW8260
Chloromethane	ND	5	ug/L	05/07/08		R/J	SW8260
cis-1,2-Dichloroethene	ND	5	ug/L	05/07/08		R/J	SW8260
cis-1,3-Dichloropropene	ND	5	ug/L	05/07/08		R/J	SW8260
Dibromochloromethane	ND	5	ug/L	05/07/08		R/J	SW8260
Dibromoethane	ND	5	ug/L	05/07/08		R/J	SW8260
Dibromomethane	ND	5	ug/L	05/07/08		R/J	SW8260
Dichlorodifluoromethane	ND	5	ug/L	05/07/08		R/J	SW8260
Ethylbenzene	ND	5	ug/L	05/07/08		R/J	SW8260
Hexachlorobutadiene	ND	5	ug/L	05/07/08		R/J	SW8260
Isopropylbenzene	ND	5	ug/L	05/07/08		R/J	SW8260
m&p-Xylene	ND	5	ug/L	05/07/08		R/J	SW8260
Methyl Ethyl Ketone	ND	60	ug/L	05/07/08		R/J	SW8260
Methyl t-butyl ether (MTBE)	ND	10	ug/L	05/07/08		R/J	SW8260
Methylene chloride	ND	5	ug/L	05/07/08		R/J	SW8260
n-Butylbenzene	ND	5	ug/L	05/07/08		R/J	SW8260
n-Propylbenzene	ND	5	ug/L	05/07/08		R/J	SW8260
Naphthalene	ND	5	ug/L	05/07/08		R/J	SW8260
o-Xylene	ND	5	ug/L	05/07/08		R/J	SW8260
p-Isopropyltoluene	ND	5	ug/L	05/07/08		R/J	SW8260
sec-Butylbenzene	ND	5	ug/L	05/07/08		R/J	SW8260
Styrene	ND	5	ug/L	05/07/08		R/J	SW8260
tert-Butylbenzene	ND	5	ug/L	05/07/08		R/J	SW8260
Tetrachloroethene	ND	5	ug/L	05/07/08		R/J	SW8260
Tetrahydrofuran (THF)	ND	10	ug/L	05/07/08		R/J	SW8260
Toluene	ND	5	ug/L	05/07/08		R/J	SW8260
Total Xylenes	ND	5	ug/L	05/07/08		R/J	SW8260
trans-1,2-Dichloroethene	ND	5	ug/L	05/07/08		R/J	SW8260
trans-1,3-Dichloropropene	ND	5	ug/L	05/07/08		R/J	SW8260
trans-1,4-dichloro-2-butene	ND	10	ug/L	05/07/08		R/J	SW8260
Trichloroethene	ND	5	ug/L	05/07/08		R/J	SW8260
Trichlorofluoromethane	ND	5	ug/L	05/07/08		R/J	SW8260
Trichlorotrifluoroethane	ND	5	ug/L	05/07/08		R/J	SW8260
Vinyl chloride	ND	5	ug/L	05/07/08		R/J	SW8260
<u>QA/QC Surrogates</u>							
% 1,2-dichlorobenzene-d4	102		%	05/07/08		R/J	SW8260
% Bromofluorobenzene	95		%	05/07/08		R/J	SW8260
% Dibromofluoromethane	98		%	05/07/08		R/J	SW8260
% Toluene-d8	98		%	05/07/08		R/J	SW8260

Parameter	Result	RL	Units	Date	Time	By	Reference
-----------	--------	----	-------	------	------	----	-----------

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level



Phyllis Shiller, Laboratory Director

May 13, 2008



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06040
Tel. (860) 645-1102 Fax (860) 645-0823



Analysis Report

May 13, 2008

FOR: Attn: Mr. Jim VanHorn
EnviroTrac
5 Old Dock Rd
Yaphank, NY 11980

Sample Information

Matrix: GROUND WATER
Location Code: ENVIOTR
Rush Request:
P.O.#:

Custody Information

Collected by:
Received by: LB
Analyzed by: see "By" below

<u>Date</u>	<u>Time</u>
04/30/08	14:50
05/05/08	17:00

Laboratory Data

SDG I.D.: GAQ25988
Phoenix I.D.: AQ25998

Client ID: NYSDEC-AMERICAN DRIVE-IN CLEANERS MW-10S

Parameter	Result	RL	Units	Date	Time	By	Reference
<u>Volatiles</u>							
1,1,1,2-Tetrachloroethane	ND	5	ug/L	05/08/08		R/J	SW8260
1,1,1-Trichloroethane	ND	5	ug/L	05/08/08		R/J	SW8260
1,1,2,2-Tetrachloroethane	ND	5	ug/L	05/08/08		R/J	SW8260
1,1,2-Trichloroethane	ND	5	ug/L	05/08/08		R/J	SW8260
1,1-Dichloroethane	ND	5	ug/L	05/08/08		R/J	SW8260
1,1-Dichloroethene	ND	5	ug/L	05/08/08		R/J	SW8260
1,1-Dichloropropene	ND	5	ug/L	05/08/08		R/J	SW8260
1,2,3-Trichlorobenzene	ND	5	ug/L	05/08/08		R/J	SW8260
1,2,3-Trichloropropane	ND	5	ug/L	05/08/08		R/J	SW8260
1,2,4-Trichlorobenzene	ND	5	ug/L	05/08/08		R/J	SW8260
1,2,4-Trimethylbenzene	ND	5	ug/L	05/08/08		R/J	SW8260
1,2-Dibromo-3-chloropropane	ND	5	ug/L	05/08/08		R/J	SW8260
1,2-Dichlorobenzene	ND	5	ug/L	05/08/08		R/J	SW8260
1,2-Dichloroethane	ND	5	ug/L	05/08/08		R/J	SW8260
1,2-Dichloropropane	ND	5	ug/L	05/08/08		R/J	SW8260
1,3,5-Trimethylbenzene	ND	5	ug/L	05/08/08		R/J	SW8260
1,3-Dichlorobenzene	ND	5	ug/L	05/08/08		R/J	SW8260
1,3-Dichloropropane	ND	5	ug/L	05/08/08		R/J	SW8260
1,4-Dichlorobenzene	ND	5	ug/L	05/08/08		R/J	SW8260
2,2-Dichloropropane	ND	5	ug/L	05/08/08		R/J	SW8260
2-Chlorotoluene	ND	5	ug/L	05/08/08		R/J	SW8260
2-Hexanone	ND	25	ug/L	05/08/08		R/J	SW8260
2-Isopropyltoluene	ND	5	ug/L	05/08/08		R/J	SW8260
4-Chlorotoluene	ND	5	ug/L	05/08/08		R/J	SW8260
4-Methyl-2-pentanone	ND	25	ug/L	05/08/08		R/J	SW8260
Acetone	ND	50	ug/L	05/08/08		R/J	SW8260
Acrylonitrile	ND	10	ug/L	05/08/08		R/J	SW8260
Benzene	ND	5	ug/L	05/08/08		R/J	SW8260
Bromobenzene	ND	5	ug/L	05/08/08		R/J	SW8260

Parameter	Result	RL	Units	Date	Time	By	Reference
Bromochloromethane	ND	5	ug/L	05/08/08		R/J	SW8260
Bromodichloromethane	ND	5	ug/L	05/08/08		R/J	SW8260
Bromoform	ND	5	ug/L	05/08/08		R/J	SW8260
Bromomethane	ND	5	ug/L	05/08/08		R/J	SW8260
Carbon Disulfide	ND	5	ug/L	05/08/08		R/J	SW8260
Carbon tetrachloride	ND	5	ug/L	05/08/08		R/J	SW8260
Chlorobenzene	ND	5	ug/L	05/08/08		R/J	SW8260
Chloroethane	ND	5	ug/L	05/08/08		R/J	SW8260
Chloroform	ND	5	ug/L	05/08/08		R/J	SW8260
Chloromethane	ND	5	ug/L	05/08/08		R/J	SW8260
cis-1,2-Dichloroethene	ND	5	ug/L	05/08/08		R/J	SW8260
cis-1,3-Dichloropropene	ND	5	ug/L	05/08/08		R/J	SW8260
Dibromochloromethane	ND	5	ug/L	05/08/08		R/J	SW8260
Dibromoethane	ND	5	ug/L	05/08/08		R/J	SW8260
Dibromomethane	ND	5	ug/L	05/08/08		R/J	SW8260
Dichlorodifluoromethane	ND	5	ug/L	05/08/08		R/J	SW8260
Ethylbenzene	ND	5	ug/L	05/08/08		R/J	SW8260
Hexachlorobutadiene	ND	5	ug/L	05/08/08		R/J	SW8260
Isopropylbenzene	ND	5	ug/L	05/08/08		R/J	SW8260
m&p-Xylene	ND	5	ug/L	05/08/08		R/J	SW8260
Methyl Ethyl Ketone	ND	60	ug/L	05/08/08		R/J	SW8260
Methyl t-butyl ether (MTBE)	ND	10	ug/L	05/08/08		R/J	SW8260
Methylene chloride	ND	5	ug/L	05/08/08		R/J	SW8260
n-Butylbenzene	ND	5	ug/L	05/08/08		R/J	SW8260
n-Propylbenzene	ND	5	ug/L	05/08/08		R/J	SW8260
Naphthalene	ND	5	ug/L	05/08/08		R/J	SW8260
o-Xylene	ND	5	ug/L	05/08/08		R/J	SW8260
p-Isopropyltoluene	ND	5	ug/L	05/08/08		R/J	SW8260
sec-Butylbenzene	ND	5	ug/L	05/08/08		R/J	SW8260
Styrene	ND	5	ug/L	05/08/08		R/J	SW8260
tert-Butylbenzene	ND	5	ug/L	05/08/08		R/J	SW8260
Tetrachloroethene	ND	5	ug/L	05/08/08		R/J	SW8260
Tetrahydrofuran (THF)	ND	10	ug/L	05/08/08		R/J	SW8260
Toluene	ND	5	ug/L	05/08/08		R/J	SW8260
Total Xylenes	ND	5	ug/L	05/08/08		R/J	SW8260
trans-1,2-Dichloroethene	ND	5	ug/L	05/08/08		R/J	SW8260
trans-1,3-Dichloropropene	ND	5	ug/L	05/08/08		R/J	SW8260
trans-1,4-dichloro-2-butene	ND	10	ug/L	05/08/08		R/J	SW8260
Trichloroethene	ND	5	ug/L	05/08/08		R/J	SW8260
Trichlorofluoromethane	ND	5	ug/L	05/08/08		R/J	SW8260
Trichlorotrifluoroethane	ND	5	ug/L	05/08/08		R/J	SW8260
Vinyl chloride	ND	5	ug/L	05/08/08		R/J	SW8260
<u>QA/QC Surrogates</u>							
% 1,2-dichlorobenzene-d4	101		%	05/08/08		R/J	SW8260
% Bromofluorobenzene	96		%	05/08/08		R/J	SW8260
% Dibromofluoromethane	98		%	05/08/08		R/J	SW8260
% Toluene-d8	104		%	05/08/08		R/J	SW8260

Parameter	Result	RL	Units	Date	Time	By	Reference
-----------	--------	----	-------	------	------	----	-----------

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level



Phyllis Shiller, Laboratory Director

May 13, 2008



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06040
Tel. (860) 645-1102 Fax (860) 645-0823



NY # 11301

Analysis Report

May 13, 2008

FOR: Attn: Mr. Jim VanHorn
EnviroTrac
5 Old Dock Rd
Yaphank, NY 11980

Sample Information

Matrix: GROUND WATER
Location Code: ENVIROTR
Rush Request:
P.O.#:

Custody Information

Collected by:
Received by: LB
Analyzed by: see "By" below

Date Time

04/30/08 15:00
05/05/08 17:00

Laboratory Data

SDG I.D.: GAQ25988
Phoenix I.D.: AQ25999

Client ID: NYSDEC-AMERICAN DRIVE-IN CLEANERS MW-10I

Parameter	Result	RL	Units	Date	Time	By	Reference
<u>Volatiles</u>							
1,1,1,2-Tetrachloroethane	ND	5	ug/L	05/07/08		R/J	SW8260
1,1,1-Trichloroethane	ND	5	ug/L	05/07/08		R/J	SW8260
1,1,2,2-Tetrachloroethane	ND	5	ug/L	05/07/08		R/J	SW8260
1,1,2-Trichloroethane	ND	5	ug/L	05/07/08		R/J	SW8260
1,1-Dichloroethane	ND	5	ug/L	05/07/08		R/J	SW8260
1,1-Dichloroethene	ND	5	ug/L	05/07/08		R/J	SW8260
1,1-Dichloropropene	ND	5	ug/L	05/07/08		R/J	SW8260
1,2,3-Trichlorobenzene	ND	5	ug/L	05/07/08		R/J	SW8260
1,2,3-Trichloropropane	ND	5	ug/L	05/07/08		R/J	SW8260
1,2,4-Trichlorobenzene	ND	5	ug/L	05/07/08		R/J	SW8260
1,2,4-Trimethylbenzene	ND	5	ug/L	05/07/08		R/J	SW8260
1,2-Dibromo-3-chloropropane	ND	5	ug/L	05/07/08		R/J	SW8260
1,2-Dichlorobenzene	ND	5	ug/L	05/07/08		R/J	SW8260
1,2-Dichloroethane	ND	5	ug/L	05/07/08		R/J	SW8260
1,2-Dichloropropane	ND	5	ug/L	05/07/08		R/J	SW8260
1,3,5-Trimethylbenzene	ND	5	ug/L	05/07/08		R/J	SW8260
1,3-Dichlorobenzene	ND	5	ug/L	05/07/08		R/J	SW8260
1,3-Dichloropropane	ND	5	ug/L	05/07/08		R/J	SW8260
1,4-Dichlorobenzene	ND	5	ug/L	05/07/08		R/J	SW8260
2,2-Dichloropropane	ND	5	ug/L	05/07/08		R/J	SW8260
2-Chlorotoluene	ND	5	ug/L	05/07/08		R/J	SW8260
2-Hexanone	ND	25	ug/L	05/07/08		R/J	SW8260
2-Isopropyltoluene	ND	5	ug/L	05/07/08		R/J	SW8260
4-Chlorotoluene	ND	5	ug/L	05/07/08		R/J	SW8260
4-Methyl-2-pentanone	ND	25	ug/L	05/07/08		R/J	SW8260
Acetone	ND	50	ug/L	05/07/08		R/J	SW8260
Acrylonitrile	ND	10	ug/L	05/07/08		R/J	SW8260
Benzene	ND	5	ug/L	05/07/08		R/J	SW8260
Bromobenzene	ND	5	ug/L	05/07/08		R/J	SW8260

Parameter	Result	RL	Units	Date	Time	By	Reference
Bromochloromethane	ND	5	ug/L	05/07/08		R/J	SW8260
Bromodichloromethane	ND	5	ug/L	05/07/08		R/J	SW8260
Bromoform	ND	5	ug/L	05/07/08		R/J	SW8260
Bromomethane	ND	5	ug/L	05/07/08		R/J	SW8260
Carbon Disulfide	ND	5	ug/L	05/07/08		R/J	SW8260
Carbon tetrachloride	ND	5	ug/L	05/07/08		R/J	SW8260
Chlorobenzene	ND	5	ug/L	05/07/08		R/J	SW8260
Chloroethane	ND	5	ug/L	05/07/08		R/J	SW8260
Chloroform	ND	5	ug/L	05/07/08		R/J	SW8260
Chloromethane	ND	5	ug/L	05/07/08		R/J	SW8260
cis-1,2-Dichloroethene	ND	5	ug/L	05/07/08		R/J	SW8260
cis-1,3-Dichloropropene	ND	5	ug/L	05/07/08		R/J	SW8260
Dibromochloromethane	ND	5	ug/L	05/07/08		R/J	SW8260
Dibromoethane	ND	5	ug/L	05/07/08		R/J	SW8260
Dibromomethane	ND	5	ug/L	05/07/08		R/J	SW8260
Dichlorodifluoromethane	ND	5	ug/L	05/07/08		R/J	SW8260
Ethylbenzene	ND	5	ug/L	05/07/08		R/J	SW8260
Hexachlorobutadiene	ND	5	ug/L	05/07/08		R/J	SW8260
Isopropylbenzene	ND	5	ug/L	05/07/08		R/J	SW8260
m&p-Xylene	ND	5	ug/L	05/07/08		R/J	SW8260
Methyl Ethyl Ketone	ND	60	ug/L	05/07/08		R/J	SW8260
Methyl t-butyl ether (MTBE)	ND	10	ug/L	05/07/08		R/J	SW8260
Methylene chloride	ND	5	ug/L	05/07/08		R/J	SW8260
n-Butylbenzene	ND	5	ug/L	05/07/08		R/J	SW8260
n-Propylbenzene	ND	5	ug/L	05/07/08		R/J	SW8260
Naphthalene	ND	5	ug/L	05/07/08		R/J	SW8260
o-Xylene	ND	5	ug/L	05/07/08		R/J	SW8260
p-Isopropyltoluene	ND	5	ug/L	05/07/08		R/J	SW8260
sec-Butylbenzene	ND	5	ug/L	05/07/08		R/J	SW8260
Styrene	ND	5	ug/L	05/07/08		R/J	SW8260
tert-Butylbenzene	ND	5	ug/L	05/07/08		R/J	SW8260
Tetrachloroethene	ND	5	ug/L	05/07/08		R/J	SW8260
Tetrahydrofuran (THF)	ND	10	ug/L	05/07/08		R/J	SW8260
Toluene	ND	5	ug/L	05/07/08		R/J	SW8260
Total Xylenes	ND	5	ug/L	05/07/08		R/J	SW8260
trans-1,2-Dichloroethene	ND	5	ug/L	05/07/08		R/J	SW8260
trans-1,3-Dichloropropene	ND	5	ug/L	05/07/08		R/J	SW8260
trans-1,4-dichloro-2-butene	ND	10	ug/L	05/07/08		R/J	SW8260
Trichloroethene	ND	5	ug/L	05/07/08		R/J	SW8260
Trichlorofluoromethane	ND	5	ug/L	05/07/08		R/J	SW8260
Trichlorotrifluoroethane	ND	5	ug/L	05/07/08		R/J	SW8260
Vinyl chloride	ND	5	ug/L	05/07/08		R/J	SW8260
QA/QC Surrogates							
% 1,2-dichlorobenzene-d4	100		%	05/07/08		R/J	SW8260
% Bromofluorobenzene	94		%	05/07/08		R/J	SW8260
% Dibromofluoromethane	100		%	05/07/08		R/J	SW8260
% Toluene-d8	98		%	05/07/08		R/J	SW8260

Parameter	Result	RL	Units	Date	Time	By	Reference
-----------	--------	----	-------	------	------	----	-----------

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level



Phyllis Shiller, Laboratory Director

May 13, 2008



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06040
Tel. (860) 645-1102 Fax (860) 645-0823



Analysis Report

May 13, 2008

FOR: Attn: Mr. Jim VanHorn
EnviroTrac
5 Old Dock Rd
Yaphank, NY 11980

Sample Information

Matrix: GROUND WATER
Location Code: ENVIOTR
Rush Request:
P.O.#:

Custody Information

Collected by:
Received by: LB
Analyzed by: see "By" below

<u>Date</u>	<u>Time</u>
04/30/08	9:03
05/05/08	17:00

Laboratory Data

SDG I.D.: GAQ25988
Phoenix I.D.: AQ26000

Client ID: NYSDEC-AMERICAN DRIVE-IN CLEANERS MW-6I

Parameter	Result	RL	Units	Date	Time	By	Reference
<u>Volatiles</u>							
1,1,1,2-Tetrachloroethane	ND	5	ug/L	05/08/08		R/J	SW8260
1,1,1-Trichloroethane	ND	5	ug/L	05/08/08		R/J	SW8260
1,1,2,2-Tetrachloroethane	ND	5	ug/L	05/08/08		R/J	SW8260
1,1,2-Trichloroethane	ND	5	ug/L	05/08/08		R/J	SW8260
1,1-Dichloroethane	ND	5	ug/L	05/08/08		R/J	SW8260
1,1-Dichloroethene	ND	5	ug/L	05/08/08		R/J	SW8260
1,1-Dichloropropene	ND	5	ug/L	05/08/08		R/J	SW8260
1,2,3-Trichlorobenzene	ND	5	ug/L	05/08/08		R/J	SW8260
1,2,3-Trichloropropane	ND	5	ug/L	05/08/08		R/J	SW8260
1,2,4-Trichlorobenzene	ND	5	ug/L	05/08/08		R/J	SW8260
1,2,4-Trimethylbenzene	ND	5	ug/L	05/08/08		R/J	SW8260
1,2-Dibromo-3-chloropropane	ND	5	ug/L	05/08/08		R/J	SW8260
1,2-Dichlorobenzene	ND	5	ug/L	05/08/08		R/J	SW8260
1,2-Dichloroethane	ND	5	ug/L	05/08/08		R/J	SW8260
1,2-Dichloropropane	ND	5	ug/L	05/08/08		R/J	SW8260
1,3,5-Trimethylbenzene	ND	5	ug/L	05/08/08		R/J	SW8260
1,3-Dichlorobenzene	ND	5	ug/L	05/08/08		R/J	SW8260
1,3-Dichloropropane	ND	5	ug/L	05/08/08		R/J	SW8260
1,4-Dichlorobenzene	ND	5	ug/L	05/08/08		R/J	SW8260
2,2-Dichloropropane	ND	5	ug/L	05/08/08		R/J	SW8260
2-Chlorotoluene	ND	5	ug/L	05/08/08		R/J	SW8260
2-Hexanone	ND	25	ug/L	05/08/08		R/J	SW8260
2-Isopropyltoluene	ND	5	ug/L	05/08/08		R/J	SW8260
4-Chlorotoluene	ND	5	ug/L	05/08/08		R/J	SW8260
4-Methyl-2-pentanone	ND	25	ug/L	05/08/08		R/J	SW8260
Acetone	ND	50	ug/L	05/08/08		R/J	SW8260
Acrylonitrile	ND	10	ug/L	05/08/08		R/J	SW8260
Benzene	ND	5	ug/L	05/08/08		R/J	SW8260
Bromobenzene	ND	5	ug/L	05/08/08		R/J	SW8260

Parameter	Result	RL	Units	Date	Time	By	Reference
Bromochloromethane	ND	5	ug/L	05/08/08		R/J	SW8260
Bromodichloromethane	ND	5	ug/L	05/08/08		R/J	SW8260
Bromoform	ND	5	ug/L	05/08/08		R/J	SW8260
Bromomethane	ND	5	ug/L	05/08/08		R/J	SW8260
Carbon Disulfide	ND	5	ug/L	05/08/08		R/J	SW8260
Carbon tetrachloride	ND	5	ug/L	05/08/08		R/J	SW8260
Chlorobenzene	ND	5	ug/L	05/08/08		R/J	SW8260
Chloroethane	ND	5	ug/L	05/08/08		R/J	SW8260
Chloroform	ND	5	ug/L	05/08/08		R/J	SW8260
Chloromethane	ND	5	ug/L	05/08/08		R/J	SW8260
cis-1,2-Dichloroethene	ND	5	ug/L	05/08/08		R/J	SW8260
cis-1,3-Dichloropropene	ND	5	ug/L	05/08/08		R/J	SW8260
Dibromochloromethane	ND	5	ug/L	05/08/08		R/J	SW8260
Dibromoethane	ND	5	ug/L	05/08/08		R/J	SW8260
Dibromomethane	ND	5	ug/L	05/08/08		R/J	SW8260
Dichlorodifluoromethane	ND	5	ug/L	05/08/08		R/J	SW8260
Ethylbenzene	ND	5	ug/L	05/08/08		R/J	SW8260
Hexachlorobutadiene	ND	5	ug/L	05/08/08		R/J	SW8260
Isopropylbenzene	ND	5	ug/L	05/08/08		R/J	SW8260
m&p-Xylene	ND	5	ug/L	05/08/08		R/J	SW8260
Methyl Ethyl Ketone	ND	60	ug/L	05/08/08		R/J	SW8260
Methyl t-butyl ether (MTBE)	ND	10	ug/L	05/08/08		R/J	SW8260
Methylene chloride	ND	5	ug/L	05/08/08		R/J	SW8260
n-Butylbenzene	ND	5	ug/L	05/08/08		R/J	SW8260
n-Propylbenzene	ND	5	ug/L	05/08/08		R/J	SW8260
Naphthalene	ND	5	ug/L	05/08/08		R/J	SW8260
o-Xylene	ND	5	ug/L	05/08/08		R/J	SW8260
p-Isopropyltoluene	ND	5	ug/L	05/08/08		R/J	SW8260
sec-Butylbenzene	ND	5	ug/L	05/08/08		R/J	SW8260
Styrene	ND	5	ug/L	05/08/08		R/J	SW8260
tert-Butylbenzene	ND	5	ug/L	05/08/08		R/J	SW8260
Tetrachloroethene	ND	5	ug/L	05/08/08		R/J	SW8260
Tetrahydrofuran (THF)	ND	10	ug/L	05/08/08		R/J	SW8260
Toluene	ND	5	ug/L	05/08/08		R/J	SW8260
Total Xylenes	ND	5	ug/L	05/08/08		R/J	SW8260
trans-1,2-Dichloroethene	ND	5	ug/L	05/08/08		R/J	SW8260
trans-1,3-Dichloropropene	ND	5	ug/L	05/08/08		R/J	SW8260
trans-1,4-dichloro-2-butene	ND	10	ug/L	05/08/08		R/J	SW8260
Trichloroethene	ND	5	ug/L	05/08/08		R/J	SW8260
Trichlorofluoromethane	ND	5	ug/L	05/08/08		R/J	SW8260
Trichlorotrifluoroethane	ND	5	ug/L	05/08/08		R/J	SW8260
Vinyl chloride	ND	5	ug/L	05/08/08		R/J	SW8260
QA/QC Surrogates							
% 1,2-dichlorobenzene-d4	103		%	05/08/08		R/J	SW8260
% Bromofluorobenzene	94		%	05/08/08		R/J	SW8260
% Dibromofluoromethane	101		%	05/08/08		R/J	SW8260
% Toluene-d8	100		%	05/08/08		R/J	SW8260

Parameter	Result	RL	Units	Date	Time	By	Reference
-----------	--------	----	-------	------	------	----	-----------

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level



Phyllis Shiller, Laboratory Director

May 13, 2008



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06040
Tel. (860) 645-1102 Fax (860) 645-0823



Analysis Report

May 13, 2008

FOR: Attn: Mr. Jim VanHorn
EnviroTrac
5 Old Dock Rd
Yaphank, NY 11980

Sample Information

Matrix: GROUND WATER
Location Code: ENVIROTR
Rush Request:
P.O.#:

Custody Information

Collected by:
Received by: LB
Analyzed by: see "By" below

Date	Time
04/30/08	9:45
05/05/08	17:00

Laboratory Data

SDG I.D.: GAQ25988
Phoenix I.D.: AQ26001

Client ID: NYSDEC-AMERICAN DRIVE-IN CLEANERS MW-6S

Parameter	Result	RL	Units	Date	Time	By	Reference
<u>Volatiles</u>							
1,1,1,2-Tetrachloroethane	ND	5	ug/L	05/07/08		R/J	SW8260
1,1,1-Trichloroethane	ND	5	ug/L	05/07/08		R/J	SW8260
1,1,2,2-Tetrachloroethane	ND	5	ug/L	05/07/08		R/J	SW8260
1,1,2-Trichloroethane	ND	5	ug/L	05/07/08		R/J	SW8260
1,1-Dichloroethane	ND	5	ug/L	05/07/08		R/J	SW8260
1,1-Dichloroethene	ND	5	ug/L	05/07/08		R/J	SW8260
1,1-Dichloropropene	ND	5	ug/L	05/07/08		R/J	SW8260
1,2,3-Trichlorobenzene	ND	5	ug/L	05/07/08		R/J	SW8260
1,2,3-Trichloropropane	ND	5	ug/L	05/07/08		R/J	SW8260
1,2,4-Trichlorobenzene	ND	5	ug/L	05/07/08		R/J	SW8260
1,2,4-Trimethylbenzene	ND	5	ug/L	05/07/08		R/J	SW8260
1,2-Dibromo-3-chloropropane	ND	5	ug/L	05/07/08		R/J	SW8260
1,2-Dichlorobenzene	ND	5	ug/L	05/07/08		R/J	SW8260
1,2-Dichloroethane	ND	5	ug/L	05/07/08		R/J	SW8260
1,2-Dichloropropane	ND	5	ug/L	05/07/08		R/J	SW8260
1,3,5-Trimethylbenzene	ND	5	ug/L	05/07/08		R/J	SW8260
1,3-Dichlorobenzene	ND	5	ug/L	05/07/08		R/J	SW8260
1,3-Dichloropropane	ND	5	ug/L	05/07/08		R/J	SW8260
1,4-Dichlorobenzene	ND	5	ug/L	05/07/08		R/J	SW8260
2,2-Dichloropropane	ND	5	ug/L	05/07/08		R/J	SW8260
2-Chlorotoluene	ND	5	ug/L	05/07/08		R/J	SW8260
2-Hexanone	ND	25	ug/L	05/07/08		R/J	SW8260
2-Isopropyltoluene	ND	5	ug/L	05/07/08		R/J	SW8260
4-Chlorotoluene	ND	5	ug/L	05/07/08		R/J	SW8260
4-Methyl-2-pentanone	ND	25	ug/L	05/07/08		R/J	SW8260
Acetone	ND	50	ug/L	05/07/08		R/J	SW8260
Acrylonitrile	ND	10	ug/L	05/07/08		R/J	SW8260
Benzene	ND	5	ug/L	05/07/08		R/J	SW8260
Bromobenzene	ND	5	ug/L	05/07/08		R/J	SW8260


Parameter	Result	RL	Units	Date	Time	By	Reference
Bromochloromethane	ND	5	ug/L	05/07/08		R/J	SW8260
Bromodichloromethane	ND	5	ug/L	05/07/08		R/J	SW8260
Bromoform	ND	5	ug/L	05/07/08		R/J	SW8260
Bromomethane	ND	5	ug/L	05/07/08		R/J	SW8260
Carbon Disulfide	ND	5	ug/L	05/07/08		R/J	SW8260
Carbon tetrachloride	ND	5	ug/L	05/07/08		R/J	SW8260
Chlorobenzene	ND	5	ug/L	05/07/08		R/J	SW8260
Chloroethane	ND	5	ug/L	05/07/08		R/J	SW8260
Chloroform	ND	5	ug/L	05/07/08		R/J	SW8260
Chloromethane	ND	5	ug/L	05/07/08		R/J	SW8260
cis-1,2-Dichloroethene	ND	5	ug/L	05/07/08		R/J	SW8260
cis-1,3-Dichloropropene	ND	5	ug/L	05/07/08		R/J	SW8260
Dibromochloromethane	ND	5	ug/L	05/07/08		R/J	SW8260
Dibromoethane	ND	5	ug/L	05/07/08		R/J	SW8260
Dibromomethane	ND	5	ug/L	05/07/08		R/J	SW8260
Dichlorodifluoromethane	ND	5	ug/L	05/07/08		R/J	SW8260
Ethylbenzene	ND	5	ug/L	05/07/08		R/J	SW8260
Hexachlorobutadiene	ND	5	ug/L	05/07/08		R/J	SW8260
Isopropylbenzene	ND	5	ug/L	05/07/08		R/J	SW8260
m&p-Xylene	ND	5	ug/L	05/07/08		R/J	SW8260
Methyl Ethyl Ketone	ND	60	ug/L	05/07/08		R/J	SW8260
Methyl t-butyl ether (MTBE)	ND	10	ug/L	05/07/08		R/J	SW8260
Methylene chloride	ND	5	ug/L	05/07/08		R/J	SW8260
n-Butylbenzene	ND	5	ug/L	05/07/08		R/J	SW8260
n-Propylbenzene	ND	5	ug/L	05/07/08		R/J	SW8260
Naphthalene	ND	5	ug/L	05/07/08		R/J	SW8260
o-Xylene	ND	5	ug/L	05/07/08		R/J	SW8260
p-Isopropyltoluene	ND	5	ug/L	05/07/08		R/J	SW8260
sec-Butylbenzene	ND	5	ug/L	05/07/08		R/J	SW8260
Styrene	ND	5	ug/L	05/07/08		R/J	SW8260
tert-Butylbenzene	ND	5	ug/L	05/07/08		R/J	SW8260
Tetrachloroethene	ND	5	ug/L	05/07/08		R/J	SW8260
Tetrahydrofuran (THF)	ND	10	ug/L	05/07/08		R/J	SW8260
Toluene	ND	5	ug/L	05/07/08		R/J	SW8260
Total Xylenes	ND	5	ug/L	05/07/08		R/J	SW8260
trans-1,2-Dichloroethene	ND	5	ug/L	05/07/08		R/J	SW8260
trans-1,3-Dichloropropene	ND	5	ug/L	05/07/08		R/J	SW8260
trans-1,4-dichloro-2-butene	ND	10	ug/L	05/07/08		R/J	SW8260
Trichloroethene	ND	5	ug/L	05/07/08		R/J	SW8260
Trichlorofluoromethane	ND	5	ug/L	05/07/08		R/J	SW8260
Trichlorotrifluoroethane	ND	5	ug/L	05/07/08		R/J	SW8260
Vinyl chloride	ND	5	ug/L	05/07/08		R/J	SW8260
QA/QC Surrogates							
% 1,2-dichlorobenzene-d4	103		%	05/07/08		R/J	SW8260
% Bromofluorobenzene	94		%	05/07/08		R/J	SW8260
% Dibromofluoromethane	100		%	05/07/08		R/J	SW8260
% Toluene-d8	98		%	05/07/08		R/J	SW8260

Parameter	Result	RL	Units	Date	Time	By	Reference
-----------	--------	----	-------	------	------	----	-----------

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level



Phyllis Shiller, Laboratory Director

May 13, 2008



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06040
Tel. (860) 645-1102 Fax (860) 645-0823



Analysis Report

May 13, 2008

FOR: Attn: Mr. Jim VanHorn
EnviroTrac
5 Old Dock Rd
Yaphank, NY 11980

Sample Information

Matrix: GROUND WATER
Location Code: ENVIOTR
Rush Request:
P.O.#:

Custody Information

Collected by:
Received by: LB
Analyzed by: see "By" below

Date	Time
04/30/08	10:09
05/05/08	17:00

Laboratory Data

SDG I.D.: GAQ25988
Phoenix I.D.: AQ26002

Client ID: NYSDEC-AMERICAN DRIVE-IN CLEANERS MW-7S

Parameter	Result	RL	Units	Date	Time	By	Reference
Volatiles							
1,1,1,2-Tetrachloroethane	ND	5	ug/L	05/07/08		R/J	SW8260
1,1,1-Trichloroethane	ND	5	ug/L	05/07/08		R/J	SW8260
1,1,2,2-Tetrachloroethane	ND	5	ug/L	05/07/08		R/J	SW8260
1,1,2-Trichloroethane	ND	5	ug/L	05/07/08		R/J	SW8260
1,1-Dichloroethane	ND	5	ug/L	05/07/08		R/J	SW8260
1,1-Dichloroethene	ND	5	ug/L	05/07/08		R/J	SW8260
1,1-Dichloropropene	ND	5	ug/L	05/07/08		R/J	SW8260
1,2,3-Trichlorobenzene	ND	5	ug/L	05/07/08		R/J	SW8260
1,2,3-Trichloropropane	ND	5	ug/L	05/07/08		R/J	SW8260
1,2,4-Trichlorobenzene	ND	5	ug/L	05/07/08		R/J	SW8260
1,2,4-Trimethylbenzene	ND	5	ug/L	05/07/08		R/J	SW8260
1,2-Dibromo-3-chloropropane	ND	5	ug/L	05/07/08		R/J	SW8260
1,2-Dichlorobenzene	ND	5	ug/L	05/07/08		R/J	SW8260
1,2-Dichloroethane	ND	5	ug/L	05/07/08		R/J	SW8260
1,2-Dichloropropane	ND	5	ug/L	05/07/08		R/J	SW8260
1,3,5-Trimethylbenzene	ND	5	ug/L	05/07/08		R/J	SW8260
1,3-Dichlorobenzene	ND	5	ug/L	05/07/08		R/J	SW8260
1,3-Dichloropropane	ND	5	ug/L	05/07/08		R/J	SW8260
1,4-Dichlorobenzene	ND	5	ug/L	05/07/08		R/J	SW8260
2,2-Dichloropropane	ND	5	ug/L	05/07/08		R/J	SW8260
2-Chlorotoluene	ND	5	ug/L	05/07/08		R/J	SW8260
2-Hexanone	ND	25	ug/L	05/07/08		R/J	SW8260
2-Isopropyltoluene	ND	5	ug/L	05/07/08		R/J	SW8260
4-Chlorotoluene	ND	5	ug/L	05/07/08		R/J	SW8260
4-Methyl-2-pentanone	ND	25	ug/L	05/07/08		R/J	SW8260
Acetone	ND	50	ug/L	05/07/08		R/J	SW8260
Acrylonitrile	ND	10	ug/L	05/07/08		R/J	SW8260
Benzene	ND	5	ug/L	05/07/08		R/J	SW8260
Bromobenzene	ND	5	ug/L	05/07/08		R/J	SW8260


Parameter	Result	RL	Units	Date	Time	By	Reference
Bromochloromethane	ND	5	ug/L	05/07/08		R/J	SW8260
Bromodichloromethane	ND	5	ug/L	05/07/08		R/J	SW8260
Bromoform	ND	5	ug/L	05/07/08		R/J	SW8260
Bromomethane	ND	5	ug/L	05/07/08		R/J	SW8260
Carbon Disulfide	ND	5	ug/L	05/07/08		R/J	SW8260
Carbon tetrachloride	ND	5	ug/L	05/07/08		R/J	SW8260
Chlorobenzene	ND	5	ug/L	05/07/08		R/J	SW8260
Chloroethane	ND	5	ug/L	05/07/08		R/J	SW8260
Chloroform	ND	5	ug/L	05/07/08		R/J	SW8260
Chloromethane	ND	5	ug/L	05/07/08		R/J	SW8260
cis-1,2-Dichloroethene	ND	5	ug/L	05/07/08		R/J	SW8260
cis-1,3-Dichloropropene	ND	5	ug/L	05/07/08		R/J	SW8260
Dibromochloromethane	ND	5	ug/L	05/07/08		R/J	SW8260
Dibromoethane	ND	5	ug/L	05/07/08		R/J	SW8260
Dibromomethane	ND	5	ug/L	05/07/08		R/J	SW8260
Dichlorodifluoromethane	ND	5	ug/L	05/07/08		R/J	SW8260
Ethylbenzene	ND	5	ug/L	05/07/08		R/J	SW8260
Hexachlorobutadiene	ND	5	ug/L	05/07/08		R/J	SW8260
Isopropylbenzene	ND	5	ug/L	05/07/08		R/J	SW8260
m&p-Xylene	ND	5	ug/L	05/07/08		R/J	SW8260
Methyl Ethyl Ketone	ND	60	ug/L	05/07/08		R/J	SW8260
Methyl t-butyl ether (MTBE)	ND	10	ug/L	05/07/08		R/J	SW8260
Methylene chloride	ND	5	ug/L	05/07/08		R/J	SW8260
n-Butylbenzene	ND	5	ug/L	05/07/08		R/J	SW8260
n-Propylbenzene	ND	5	ug/L	05/07/08		R/J	SW8260
Naphthalene	ND	5	ug/L	05/07/08		R/J	SW8260
o-Xylene	ND	5	ug/L	05/07/08		R/J	SW8260
p-Isopropyltoluene	ND	5	ug/L	05/07/08		R/J	SW8260
sec-Butylbenzene	ND	5	ug/L	05/07/08		R/J	SW8260
Styrene	ND	5	ug/L	05/07/08		R/J	SW8260
tert-Butylbenzene	ND	5	ug/L	05/07/08		R/J	SW8260
Tetrachloroethene	ND	5	ug/L	05/07/08		R/J	SW8260
Tetrahydrofuran (THF)	ND	10	ug/L	05/07/08		R/J	SW8260
Toluene	ND	5	ug/L	05/07/08		R/J	SW8260
Total Xylenes	ND	5	ug/L	05/07/08		R/J	SW8260
trans-1,2-Dichloroethene	ND	5	ug/L	05/07/08		R/J	SW8260
trans-1,3-Dichloropropene	ND	5	ug/L	05/07/08		R/J	SW8260
trans-1,4-dichloro-2-butene	ND	10	ug/L	05/07/08		R/J	SW8260
Trichloroethene	ND	5	ug/L	05/07/08		R/J	SW8260
Trichlorofluoromethane	ND	5	ug/L	05/07/08		R/J	SW8260
Trichlorotrifluoroethane	ND	5	ug/L	05/07/08		R/J	SW8260
Vinyl chloride	ND	5	ug/L	05/07/08		R/J	SW8260
QA/QC Surrogates							
% 1,2-dichlorobenzene-d4	102		%	05/07/08		R/J	SW8260
% Bromofluorobenzene	98		%	05/07/08		R/J	SW8260
% Dibromofluoromethane	109		%	05/07/08		R/J	SW8260
% Toluene-d8	108		%	05/07/08		R/J	SW8260

Parameter	Result	RL	Units	Date	Time	By	Reference
-----------	--------	----	-------	------	------	----	-----------

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level



Phyllis Shiller, Laboratory Director

May 13, 2008



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06040
Tel. (860) 645-1102 Fax (860) 645-0823



Analysis Report

May 13, 2008

FOR: Attn: Mr. Jim VanHorn
EnviroTrac
5 Old Dock Rd
Yaphank, NY 11980

Sample Information

Matrix: GROUND WATER
Location Code: ENVIROTR
Rush Request:
P.O.#:

Custody Information

Collected by:
Received by: LB
Analyzed by: see "By" below

Date Time

04/30/08 10:45
05/05/08 17:00

Laboratory Data

SDG I.D.: GAQ25988
Phoenix I.D.: AQ26003

Client ID: NYSDEC-AMERICAN DRIVE-IN CLEANERS MW-71

Parameter	Result	RL	Units	Date	Time	By	Reference
<u>Volatiles</u>							
1,1,1,2-Tetrachloroethane	ND	5	ug/L	05/07/08		R/J	SW8260
1,1,1-Trichloroethane	ND	5	ug/L	05/07/08		R/J	SW8260
1,1,2,2-Tetrachloroethane	ND	5	ug/L	05/07/08		R/J	SW8260
1,1,2-Trichloroethane	ND	5	ug/L	05/07/08		R/J	SW8260
1,1-Dichloroethane	ND	5	ug/L	05/07/08		R/J	SW8260
1,1-Dichloroethene	ND	5	ug/L	05/07/08		R/J	SW8260
1,1-Dichloropropene	ND	5	ug/L	05/07/08		R/J	SW8260
1,2,3-Trichlorobenzene	ND	5	ug/L	05/07/08		R/J	SW8260
1,2,3-Trichloropropane	ND	5	ug/L	05/07/08		R/J	SW8260
1,2,4-Trichlorobenzene	ND	5	ug/L	05/07/08		R/J	SW8260
1,2,4-Trimethylbenzene	ND	5	ug/L	05/07/08		R/J	SW8260
1,2-Dibromo-3-chloropropane	ND	5	ug/L	05/07/08		R/J	SW8260
1,2-Dichlorobenzene	ND	5	ug/L	05/07/08		R/J	SW8260
1,2-Dichloroethane	ND	5	ug/L	05/07/08		R/J	SW8260
1,2-Dichloropropane	ND	5	ug/L	05/07/08		R/J	SW8260
1,3,5-Trimethylbenzene	ND	5	ug/L	05/07/08		R/J	SW8260
1,3-Dichlorobenzene	ND	5	ug/L	05/07/08		R/J	SW8260
1,3-Dichloropropane	ND	5	ug/L	05/07/08		R/J	SW8260
1,4-Dichlorobenzene	ND	5	ug/L	05/07/08		R/J	SW8260
2,2-Dichloropropane	ND	5	ug/L	05/07/08		R/J	SW8260
2-Chlorotoluene	ND	5	ug/L	05/07/08		R/J	SW8260
2-Hexanone	ND	25	ug/L	05/07/08		R/J	SW8260
2-Isopropyltoluene	ND	5	ug/L	05/07/08		R/J	SW8260
4-Chlorotoluene	ND	5	ug/L	05/07/08		R/J	SW8260
4-Methyl-2-pentanone	ND	25	ug/L	05/07/08		R/J	SW8260
Acetone	ND	50	ug/L	05/07/08		R/J	SW8260
Acrylonitrile	ND	10	ug/L	05/07/08		R/J	SW8260
Benzene	ND	5	ug/L	05/07/08		R/J	SW8260
Bromobenzene	ND	5	ug/L	05/07/08		R/J	SW8260


Parameter	Result	RL	Units	Date	Time	By	Reference
Bromochloromethane	ND	5	ug/L	05/07/08		R/J	SW8260
Bromodichloromethane	ND	5	ug/L	05/07/08		R/J	SW8260
Bromoform	ND	5	ug/L	05/07/08		R/J	SW8260
Bromomethane	ND	5	ug/L	05/07/08		R/J	SW8260
Carbon Disulfide	ND	5	ug/L	05/07/08		R/J	SW8260
Carbon tetrachloride	ND	5	ug/L	05/07/08		R/J	SW8260
Chlorobenzene	ND	5	ug/L	05/07/08		R/J	SW8260
Chloroethane	ND	5	ug/L	05/07/08		R/J	SW8260
Chloroform	ND	5	ug/L	05/07/08		R/J	SW8260
Chloromethane	ND	5	ug/L	05/07/08		R/J	SW8260
cis-1,2-Dichloroethene	ND	5	ug/L	05/07/08		R/J	SW8260
cis-1,3-Dichloropropene	ND	5	ug/L	05/07/08		R/J	SW8260
Dibromochloromethane	ND	5	ug/L	05/07/08		R/J	SW8260
Dibromoethane	ND	5	ug/L	05/07/08		R/J	SW8260
Dibromomethane	ND	5	ug/L	05/07/08		R/J	SW8260
Dichlorodifluoromethane	ND	5	ug/L	05/07/08		R/J	SW8260
Ethylbenzene	ND	5	ug/L	05/07/08		R/J	SW8260
Hexachlorobutadiene	ND	5	ug/L	05/07/08		R/J	SW8260
Isopropylbenzene	ND	5	ug/L	05/07/08		R/J	SW8260
m&p-Xylene	ND	5	ug/L	05/07/08		R/J	SW8260
Methyl Ethyl Ketone	ND	60	ug/L	05/07/08		R/J	SW8260
Methyl t-butyl ether (MTBE)	ND	10	ug/L	05/07/08		R/J	SW8260
Methylene chloride	ND	5	ug/L	05/07/08		R/J	SW8260
n-Butylbenzene	ND	5	ug/L	05/07/08		R/J	SW8260
n-Propylbenzene	ND	5	ug/L	05/07/08		R/J	SW8260
Naphthalene	ND	5	ug/L	05/07/08		R/J	SW8260
o-Xylene	ND	5	ug/L	05/07/08		R/J	SW8260
p-Isopropyltoluene	ND	5	ug/L	05/07/08		R/J	SW8260
sec-Butylbenzene	ND	5	ug/L	05/07/08		R/J	SW8260
Styrene	ND	5	ug/L	05/07/08		R/J	SW8260
tert-Butylbenzene	ND	5	ug/L	05/07/08		R/J	SW8260
Tetrachloroethene	34	5	ug/L	05/07/08		R/J	SW8260
Tetrahydrofuran (THF)	ND	10	ug/L	05/07/08		R/J	SW8260
Toluene	ND	5	ug/L	05/07/08		R/J	SW8260
Total Xylenes	ND	5	ug/L	05/07/08		R/J	SW8260
trans-1,2-Dichloroethene	ND	5	ug/L	05/07/08		R/J	SW8260
trans-1,3-Dichloropropene	ND	5	ug/L	05/07/08		R/J	SW8260
trans-1,4-dichloro-2-butene	ND	10	ug/L	05/07/08		R/J	SW8260
Trichloroethene	ND	5	ug/L	05/07/08		R/J	SW8260
Trichlorofluoromethane	ND	5	ug/L	05/07/08		R/J	SW8260
Trichlorotrifluoroethane	ND	5	ug/L	05/07/08		R/J	SW8260
Vinyl chloride	ND	5	ug/L	05/07/08		R/J	SW8260
<u>QA/QC Surrogates</u>							
% 1,2-dichlorobenzene-d4	102		%	05/07/08		R/J	SW8260
% Bromofluorobenzene	94		%	05/07/08		R/J	SW8260
% Dibromofluoromethane	100		%	05/07/08		R/J	SW8260
% Toluene-d8	98		%	05/07/08		R/J	SW8260

Parameter	Result	RL	Units	Date	Time	By	Reference
-----------	--------	----	-------	------	------	----	-----------

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level



Phyllis Shiller, Laboratory Director

May 13, 2008



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06040
Tel. (860) 645-1102 Fax (860) 645-0823



Analysis Report

May 13, 2008

FOR: Attn: Mr. Jim VanHorn
EnviroTrac
5 Old Dock Rd
Yaphank, NY 11980

Sample Information

Matrix: GROUND WATER
Location Code: ENVIOTR
Rush Request:
P.O.#:

Custody Information

Collected by:
Received by: LB
Analyzed by: see "By" below

Date Time
04/30/08 11:35
05/05/08 17:00

Laboratory Data

SDG I.D.: GAQ25988
Phoenix I.D.: AQ26004

Client ID: NYSDEC-AMERICAN DRIVE-IN CLEANERS MW-7D

Parameter	Result	RL	Units	Date	Time	By	Reference
Volatiles							
1,1,1,2-Tetrachloroethane	ND	5	ug/L	05/07/08		R/J	SW8260
1,1,1-Trichloroethane	ND	5	ug/L	05/07/08		R/J	SW8260
1,1,2,2-Tetrachloroethane	ND	5	ug/L	05/07/08		R/J	SW8260
1,1,2-Trichloroethane	ND	5	ug/L	05/07/08		R/J	SW8260
1,1-Dichloroethane	ND	5	ug/L	05/07/08		R/J	SW8260
1,1-Dichloroethene	ND	5	ug/L	05/07/08		R/J	SW8260
1,1-Dichloropropene	ND	5	ug/L	05/07/08		R/J	SW8260
1,2,3-Trichlorobenzene	ND	5	ug/L	05/07/08		R/J	SW8260
1,2,3-Trichloropropane	ND	5	ug/L	05/07/08		R/J	SW8260
1,2,4-Trichlorobenzene	ND	5	ug/L	05/07/08		R/J	SW8260
1,2,4-Trimethylbenzene	ND	5	ug/L	05/07/08		R/J	SW8260
1,2-Dibromo-3-chloropropane	ND	5	ug/L	05/07/08		R/J	SW8260
1,2-Dichlorobenzene	ND	5	ug/L	05/07/08		R/J	SW8260
1,2-Dichloroethane	ND	5	ug/L	05/07/08		R/J	SW8260
1,2-Dichloropropane	ND	5	ug/L	05/07/08		R/J	SW8260
1,3,5-Trimethylbenzene	ND	5	ug/L	05/07/08		R/J	SW8260
1,3-Dichlorobenzene	ND	5	ug/L	05/07/08		R/J	SW8260
1,3-Dichloropropane	ND	5	ug/L	05/07/08		R/J	SW8260
1,4-Dichlorobenzene	ND	5	ug/L	05/07/08		R/J	SW8260
2,2-Dichloropropane	ND	5	ug/L	05/07/08		R/J	SW8260
2-Chlorotoluene	ND	5	ug/L	05/07/08		R/J	SW8260
2-Hexanone	ND	25	ug/L	05/07/08		R/J	SW8260
2-Isopropyltoluene	ND	5	ug/L	05/07/08		R/J	SW8260
4-Chlorotoluene	ND	5	ug/L	05/07/08		R/J	SW8260
4-Methyl-2-pentanone	ND	25	ug/L	05/07/08		R/J	SW8260
Acetone	ND	50	ug/L	05/07/08		R/J	SW8260
Acrylonitrile	ND	10	ug/L	05/07/08		R/J	SW8260
Benzene	ND	5	ug/L	05/07/08		R/J	SW8260
Bromobenzene	ND	5	ug/L	05/07/08		R/J	SW8260


Parameter	Result	RL	Units	Date	Time	By	Reference
Bromochloromethane	ND	5	ug/L	05/07/08		R/J	SW8260
Bromodichloromethane	ND	5	ug/L	05/07/08		R/J	SW8260
Bromoform	ND	5	ug/L	05/07/08		R/J	SW8260
Bromomethane	ND	5	ug/L	05/07/08		R/J	SW8260
Carbon Disulfide	ND	5	ug/L	05/07/08		R/J	SW8260
Carbon tetrachloride	ND	5	ug/L	05/07/08		R/J	SW8260
Chlorobenzene	ND	5	ug/L	05/07/08		R/J	SW8260
Chloroethane	ND	5	ug/L	05/07/08		R/J	SW8260
Chloroform	ND	5	ug/L	05/07/08		R/J	SW8260
Chloromethane	ND	5	ug/L	05/07/08		R/J	SW8260
cis-1,2-Dichloroethene	ND	5	ug/L	05/07/08		R/J	SW8260
cis-1,3-Dichloropropene	ND	5	ug/L	05/07/08		R/J	SW8260
Dibromochloromethane	ND	5	ug/L	05/07/08		R/J	SW8260
Dibromoethane	ND	5	ug/L	05/07/08		R/J	SW8260
Dibromomethane	ND	5	ug/L	05/07/08		R/J	SW8260
Dichlorodifluoromethane	ND	5	ug/L	05/07/08		R/J	SW8260
Ethylbenzene	ND	5	ug/L	05/07/08		R/J	SW8260
Hexachlorobutadiene	ND	5	ug/L	05/07/08		R/J	SW8260
Isopropylbenzene	ND	5	ug/L	05/07/08		R/J	SW8260
m&p-Xylene	ND	5	ug/L	05/07/08		R/J	SW8260
Methyl Ethyl Ketone	ND	60	ug/L	05/07/08		R/J	SW8260
Methyl t-butyl ether (MTBE)	ND	10	ug/L	05/07/08		R/J	SW8260
Methylene chloride	ND	5	ug/L	05/07/08		R/J	SW8260
n-Butylbenzene	ND	5	ug/L	05/07/08		R/J	SW8260
n-Propylbenzene	ND	5	ug/L	05/07/08		R/J	SW8260
Naphthalene	ND	5	ug/L	05/07/08		R/J	SW8260
o-Xylene	ND	5	ug/L	05/07/08		R/J	SW8260
p-Isopropyltoluene	ND	5	ug/L	05/07/08		R/J	SW8260
sec-Butylbenzene	ND	5	ug/L	05/07/08		R/J	SW8260
Styrene	ND	5	ug/L	05/07/08		R/J	SW8260
tert-Butylbenzene	ND	5	ug/L	05/07/08		R/J	SW8260
Tetrachloroethene	ND	5	ug/L	05/07/08		R/J	SW8260
Tetrahydrofuran (THF)	ND	10	ug/L	05/07/08		R/J	SW8260
Toluene	ND	5	ug/L	05/07/08		R/J	SW8260
Total Xylenes	ND	5	ug/L	05/07/08		R/J	SW8260
trans-1,2-Dichloroethene	ND	5	ug/L	05/07/08		R/J	SW8260
trans-1,3-Dichloropropene	ND	5	ug/L	05/07/08		R/J	SW8260
trans-1,4-dichloro-2-butene	ND	10	ug/L	05/07/08		R/J	SW8260
Trichloroethene	ND	5	ug/L	05/07/08		R/J	SW8260
Trichlorofluoromethane	ND	5	ug/L	05/07/08		R/J	SW8260
Trichlorotrifluoroethane	ND	5	ug/L	05/07/08		R/J	SW8260
Vinyl chloride	ND	5	ug/L	05/07/08		R/J	SW8260
<u>QA/QC Surrogates</u>							
% 1,2-dichlorobenzene-d4	100		%	05/07/08		R/J	SW8260
% Bromofluorobenzene	94		%	05/07/08		R/J	SW8260
% Dibromofluoromethane	99		%	05/07/08		R/J	SW8260
% Toluene-d8	103		%	05/07/08		R/J	SW8260

Parameter	Result	RL	Units	Date	Time	By	Reference
-----------	--------	----	-------	------	------	----	-----------

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level



Phyllis Shiller, Laboratory Director

May 13, 2008



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06040
Tel. (860) 645-1102 Fax (860) 645-0823



Analysis Report

May 13, 2008

FOR: Attn: Mr. Jim VanHorn
EnviroTrac
5 Old Dock Rd
Yaphank, NY 11980

Sample Information

Matrix: GROUND WATER
Location Code: ENVIROTR
Rush Request:
P.O.#:

Custody Information

Collected by:
Received by: LB
Analyzed by: see "By" below

<u>Date</u>	<u>Time</u>
04/30/08	12:30
05/05/08	17:00

Laboratory Data

SDG I.D.: GAQ25988
Phoenix I.D.: AQ26005

Client ID: NYSDEC-AMERICAN DRIVE-IN CLEANERS MW-8S

Parameter	Result	RL	Units	Date	Time	By	Reference
<u>Volatiles</u>							
1,1,1,2-Tetrachloroethane	ND	5	ug/L	05/07/08		R/J	SW8260
1,1,1-Trichloroethane	ND	5	ug/L	05/07/08		R/J	SW8260
1,1,2,2-Tetrachloroethane	ND	5	ug/L	05/07/08		R/J	SW8260
1,1,2-Trichloroethane	ND	5	ug/L	05/07/08		R/J	SW8260
1,1-Dichloroethane	ND	5	ug/L	05/07/08		R/J	SW8260
1,1-Dichloroethene	ND	5	ug/L	05/07/08		R/J	SW8260
1,1-Dichloropropene	ND	5	ug/L	05/07/08		R/J	SW8260
1,2,3-Trichlorobenzene	ND	5	ug/L	05/07/08		R/J	SW8260
1,2,3-Trichloropropane	ND	5	ug/L	05/07/08		R/J	SW8260
1,2,4-Trichlorobenzene	ND	5	ug/L	05/07/08		R/J	SW8260
1,2,4-Trimethylbenzene	ND	5	ug/L	05/07/08		R/J	SW8260
1,2-Dibromo-3-chloropropane	ND	5	ug/L	05/07/08		R/J	SW8260
1,2-Dichlorobenzene	ND	5	ug/L	05/07/08		R/J	SW8260
1,2-Dichloroethane	ND	5	ug/L	05/07/08		R/J	SW8260
1,2-Dichloropropane	ND	5	ug/L	05/07/08		R/J	SW8260
1,3,5-Trimethylbenzene	ND	5	ug/L	05/07/08		R/J	SW8260
1,3-Dichlorobenzene	ND	5	ug/L	05/07/08		R/J	SW8260
1,3-Dichloropropane	ND	5	ug/L	05/07/08		R/J	SW8260
1,4-Dichlorobenzene	ND	5	ug/L	05/07/08		R/J	SW8260
2,2-Dichloropropane	ND	5	ug/L	05/07/08		R/J	SW8260
2-Chlorotoluene	ND	5	ug/L	05/07/08		R/J	SW8260
2-Hexanone	ND	25	ug/L	05/07/08		R/J	SW8260
2-Isopropyltoluene	ND	5	ug/L	05/07/08		R/J	SW8260
4-Chlorotoluene	ND	5	ug/L	05/07/08		R/J	SW8260
4-Methyl-2-pentanone	ND	25	ug/L	05/07/08		R/J	SW8260
Acetone	ND	50	ug/L	05/07/08		R/J	SW8260
Acrylonitrile	ND	10	ug/L	05/07/08		R/J	SW8260
Benzene	ND	5	ug/L	05/07/08		R/J	SW8260
Bromobenzene	ND	5	ug/L	05/07/08		R/J	SW8260


Parameter	Result	RL	Units	Date	Time	By	Reference
Bromochloromethane	ND	5	ug/L	05/07/08		R/J	SW8260
Bromodichloromethane	ND	5	ug/L	05/07/08		R/J	SW8260
Bromoform	ND	5	ug/L	05/07/08		R/J	SW8260
Bromomethane	ND	5	ug/L	05/07/08		R/J	SW8260
Carbon Disulfide	ND	5	ug/L	05/07/08		R/J	SW8260
Carbon tetrachloride	ND	5	ug/L	05/07/08		R/J	SW8260
Chlorobenzene	ND	5	ug/L	05/07/08		R/J	SW8260
Chloroethane	ND	5	ug/L	05/07/08		R/J	SW8260
Chloroform	ND	5	ug/L	05/07/08		R/J	SW8260
Chloromethane	ND	5	ug/L	05/07/08		R/J	SW8260
cis-1,2-Dichloroethene	ND	5	ug/L	05/07/08		R/J	SW8260
cis-1,3-Dichloropropene	ND	5	ug/L	05/07/08		R/J	SW8260
Dibromochloromethane	ND	5	ug/L	05/07/08		R/J	SW8260
Dibromoethane	ND	5	ug/L	05/07/08		R/J	SW8260
Dibromomethane	ND	5	ug/L	05/07/08		R/J	SW8260
Dichlorodifluoromethane	ND	5	ug/L	05/07/08		R/J	SW8260
Ethylbenzene	ND	5	ug/L	05/07/08		R/J	SW8260
Hexachlorobutadiene	ND	5	ug/L	05/07/08		R/J	SW8260
Isopropylbenzene	ND	5	ug/L	05/07/08		R/J	SW8260
m&p-Xylene	ND	5	ug/L	05/07/08		R/J	SW8260
Methyl Ethyl Ketone	ND	60	ug/L	05/07/08		R/J	SW8260
Methyl t-butyl ether (MTBE)	ND	10	ug/L	05/07/08		R/J	SW8260
Methylene chloride	ND	5	ug/L	05/07/08		R/J	SW8260
n-Butylbenzene	ND	5	ug/L	05/07/08		R/J	SW8260
n-Propylbenzene	ND	5	ug/L	05/07/08		R/J	SW8260
Naphthalene	ND	5	ug/L	05/07/08		R/J	SW8260
o-Xylene	ND	5	ug/L	05/07/08		R/J	SW8260
p-Isopropyltoluene	ND	5	ug/L	05/07/08		R/J	SW8260
sec-Butylbenzene	ND	5	ug/L	05/07/08		R/J	SW8260
Styrene	ND	5	ug/L	05/07/08		R/J	SW8260
tert-Butylbenzene	ND	5	ug/L	05/07/08		R/J	SW8260
Tetrachloroethene	ND	5	ug/L	05/07/08		R/J	SW8260
Tetrahydrofuran (THF)	ND	10	ug/L	05/07/08		R/J	SW8260
Toluene	ND	5	ug/L	05/07/08		R/J	SW8260
Total Xylenes	ND	5	ug/L	05/07/08		R/J	SW8260
trans-1,2-Dichloroethene	ND	5	ug/L	05/07/08		R/J	SW8260
trans-1,3-Dichloropropene	ND	5	ug/L	05/07/08		R/J	SW8260
trans-1,4-dichloro-2-butene	ND	10	ug/L	05/07/08		R/J	SW8260
Trichloroethene	ND	5	ug/L	05/07/08		R/J	SW8260
Trichlorofluoromethane	ND	5	ug/L	05/07/08		R/J	SW8260
Trichlorotrifluoroethane	ND	5	ug/L	05/07/08		R/J	SW8260
Vinyl chloride	ND	5	ug/L	05/07/08		R/J	SW8260
<u>QA/QC Surrogates</u>							
% 1,2-dichlorobenzene-d4	102		%	05/07/08		R/J	SW8260
% Bromofluorobenzene	94		%	05/07/08		R/J	SW8260
% Dibromofluoromethane	101		%	05/07/08		R/J	SW8260
% Toluene-d8	100		%	05/07/08		R/J	SW8260

Parameter	Result	RL	Units	Date	Time	By	Reference
-----------	--------	----	-------	------	------	----	-----------

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level



Phyllis Shiller, Laboratory Director

May 13, 2008



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06040
Tel. (860) 645-1102 Fax (860) 645-0823



Analysis Report

May 13, 2008

FOR: Attn: Mr. Jim VanHorn
EnviroTrac
5 Old Dock Rd
Yaphank, NY 11980

Sample Information

Matrix: GROUND WATER
Location Code: ENVIOTR
Rush Request:
P.O.#:

Custody Information

Collected by:
Received by: LB
Analyzed by: see "By" below

<u>Date</u>	<u>Time</u>
04/30/08	13:30
05/05/08	17:00

Laboratory Data

SDG I.D.: GAQ25988
Phoenix I.D.: AQ26006

Client ID: NYSDEC-AMERICAN DRIVE-IN CLEANERS MW-8I

Parameter	Result	RL	Units	Date	Time	By	Reference
<u>Volatiles</u>							
1,1,1,2-Tetrachloroethane	ND	5	ug/L	05/07/08		R/J	SW8260
1,1,1-Trichloroethane	ND	5	ug/L	05/07/08		R/J	SW8260
1,1,2,2-Tetrachloroethane	ND	5	ug/L	05/07/08		R/J	SW8260
1,1,2-Trichloroethane	ND	5	ug/L	05/07/08		R/J	SW8260
1,1-Dichloroethane	ND	5	ug/L	05/07/08		R/J	SW8260
1,1-Dichloroethene	ND	5	ug/L	05/07/08		R/J	SW8260
1,1-Dichloropropene	ND	5	ug/L	05/07/08		R/J	SW8260
1,2,3-Trichlorobenzene	ND	5	ug/L	05/07/08		R/J	SW8260
1,2,3-Trichloropropane	ND	5	ug/L	05/07/08		R/J	SW8260
1,2,4-Trichlorobenzene	ND	5	ug/L	05/07/08		R/J	SW8260
1,2,4-Trimethylbenzene	ND	5	ug/L	05/07/08		R/J	SW8260
1,2-Dibromo-3-chloropropane	ND	5	ug/L	05/07/08		R/J	SW8260
1,2-Dichlorobenzene	ND	5	ug/L	05/07/08		R/J	SW8260
1,2-Dichloroethane	ND	5	ug/L	05/07/08		R/J	SW8260
1,2-Dichloropropane	ND	5	ug/L	05/07/08		R/J	SW8260
1,3,5-Trimethylbenzene	ND	5	ug/L	05/07/08		R/J	SW8260
1,3-Dichlorobenzene	ND	5	ug/L	05/07/08		R/J	SW8260
1,3-Dichloropropane	ND	5	ug/L	05/07/08		R/J	SW8260
1,4-Dichlorobenzene	ND	5	ug/L	05/07/08		R/J	SW8260
2,2-Dichloropropane	ND	5	ug/L	05/07/08		R/J	SW8260
2-Chlorotoluene	ND	5	ug/L	05/07/08		R/J	SW8260
2-Hexanone	ND	25	ug/L	05/07/08		R/J	SW8260
2-Isopropyltoluene	ND	5	ug/L	05/07/08		R/J	SW8260
4-Chlorotoluene	ND	5	ug/L	05/07/08		R/J	SW8260
4-Methyl-2-pentanone	ND	25	ug/L	05/07/08		R/J	SW8260
Acetone	ND	50	ug/L	05/07/08		R/J	SW8260
Acrylonitrile	ND	10	ug/L	05/07/08		R/J	SW8260
Benzene	ND	5	ug/L	05/07/08		R/J	SW8260
Bromobenzene	ND	5	ug/L	05/07/08		R/J	SW8260


Parameter	Result	RL	Units	Date	Time	By	Reference
Bromochloromethane	ND	5	ug/L	05/07/08		R/J	SW8260
Bromodichloromethane	ND	5	ug/L	05/07/08		R/J	SW8260
Bromoform	ND	5	ug/L	05/07/08		R/J	SW8260
Bromomethane	ND	5	ug/L	05/07/08		R/J	SW8260
Carbon Disulfide	ND	5	ug/L	05/07/08		R/J	SW8260
Carbon tetrachloride	ND	5	ug/L	05/07/08		R/J	SW8260
Chlorobenzene	ND	5	ug/L	05/07/08		R/J	SW8260
Chloroethane	ND	5	ug/L	05/07/08		R/J	SW8260
Chloroform	ND	5	ug/L	05/07/08		R/J	SW8260
Chloromethane	ND	5	ug/L	05/07/08		R/J	SW8260
cis-1,2-Dichloroethene	ND	5	ug/L	05/07/08		R/J	SW8260
cis-1,3-Dichloropropene	ND	5	ug/L	05/07/08		R/J	SW8260
Dibromochloromethane	ND	5	ug/L	05/07/08		R/J	SW8260
Dibromoethane	ND	5	ug/L	05/07/08		R/J	SW8260
Dibromomethane	ND	5	ug/L	05/07/08		R/J	SW8260
Dichlorodifluoromethane	ND	5	ug/L	05/07/08		R/J	SW8260
Ethylbenzene	ND	5	ug/L	05/07/08		R/J	SW8260
Hexachlorobutadiene	ND	5	ug/L	05/07/08		R/J	SW8260
Isopropylbenzene	ND	5	ug/L	05/07/08		R/J	SW8260
m&p-Xylene	ND	5	ug/L	05/07/08		R/J	SW8260
Methyl Ethyl Ketone	ND	60	ug/L	05/07/08		R/J	SW8260
Methyl t-butyl ether (MTBE)	ND	10	ug/L	05/07/08		R/J	SW8260
Methylene chloride	ND	5	ug/L	05/07/08		R/J	SW8260
n-Butylbenzene	ND	5	ug/L	05/07/08		R/J	SW8260
n-Propylbenzene	ND	5	ug/L	05/07/08		R/J	SW8260
Naphthalene	ND	5	ug/L	05/07/08		R/J	SW8260
o-Xylene	ND	5	ug/L	05/07/08		R/J	SW8260
p-Isopropyltoluene	ND	5	ug/L	05/07/08		R/J	SW8260
sec-Butylbenzene	ND	5	ug/L	05/07/08		R/J	SW8260
Styrene	ND	5	ug/L	05/07/08		R/J	SW8260
tert-Butylbenzene	ND	5	ug/L	05/07/08		R/J	SW8260
Tetrachloroethene	200	5	ug/L	05/07/08		R/J	SW8260
Tetrahydrofuran (THF)	ND	10	ug/L	05/07/08		R/J	SW8260
Toluene	ND	5	ug/L	05/07/08		R/J	SW8260
Total Xylenes	ND	5	ug/L	05/07/08		R/J	SW8260
trans-1,2-Dichloroethene	ND	5	ug/L	05/07/08		R/J	SW8260
trans-1,3-Dichloropropene	ND	5	ug/L	05/07/08		R/J	SW8260
trans-1,4-dichloro-2-butene	ND	10	ug/L	05/07/08		R/J	SW8260
Trichloroethene	ND	5	ug/L	05/07/08		R/J	SW8260
Trichlorofluoromethane	ND	5	ug/L	05/07/08		R/J	SW8260
Trichlorotrifluoroethane	ND	5	ug/L	05/07/08		R/J	SW8260
Vinyl chloride	ND	5	ug/L	05/07/08		R/J	SW8260
<u>QA/QC Surrogates</u>							
% 1,2-dichlorobenzene-d4	102		%	05/07/08		R/J	SW8260
% Bromofluorobenzene	100		%	05/07/08		R/J	SW8260
% Dibromofluoromethane	104		%	05/07/08		R/J	SW8260
% Toluene-d8	106		%	05/07/08		R/J	SW8260

Parameter	Result	RL	Units	Date	Time	By	Reference
-----------	--------	----	-------	------	------	----	-----------

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level



Phyllis Shiller, Laboratory Director

May 13, 2008



Environmental Laboratories, Inc.
 587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06040
 Tel. (860) 645-1102 Fax (860) 645-0823



QA/QC Report

May 13, 2008

QA/QC Data

SDG I.D.: GAQ25988

Parameter	Blank	LCS %	LCSD %	LCS RPD	MS Rec %	MS Dup Rec %	RPD
QA/QC Batch 100293, Sample No: AQ25989 (aq25989)							
<u>Volatiles</u>							
1,1,1,2-Tetrachloroethane	ND	108			101	93	8.2
1,1,1-Trichloroethane	ND	111			106	103	2.9
1,1,2,2-Tetrachloroethane	ND	98			102	93	9.2
1,1,2-Trichloroethane	ND	100			99	101	2.0
1,1-Dichloroethane	ND	114			108	100	7.7
1,1-Dichloroethene	ND	93			86	115	28.9
1,1-Dichloropropene	ND	102			102	106	3.8
1,2,3-Trichlorobenzene	ND	91			96	114	17.1
1,2,3-Trichloropropane	ND	114			100	96	4.1
1,2,4-Trichlorobenzene	ND	95			97	107	9.8
1,2,4-Trimethylbenzene	ND	98			99	105	5.9
1,2-Dibromo-3-chloropropane	ND	103			98	92	6.3
1,2-Dichlorobenzene	ND	96			94	97	3.1
1,2-Dichloroethane	ND	102			97	105	7.9
1,2-Dichloropropane	ND	102			99	100	1.0
1,3,5-Trimethylbenzene	ND	99			99	104	4.9
1,3-Dichlorobenzene	ND	98			96	99	3.1
1,3-Dichloropropane	ND	108			104	97	7.0
1,4-Dichlorobenzene	ND	96			95	97	2.1
2,2-Dichloropropane	ND	>130			122	76	46.5
2-Chlorotoluene	ND	99			96	101	5.1
2-Hexanone	ND	103			82	82	0.0
2-Isopropyltoluene	ND	101			98	103	5.0
4-Chlorotoluene	ND	99			100	102	2.0
4-Methyl-2-pentanone	ND	95			93	92	1.1
Acetone	ND	91			57	88	42.8
Acrolein	ND	117			80	89	10.7
Acrylonitrile	ND	107			102	114	11.1
Benzene	ND	98			95	101	6.1
Bromobenzene	ND	99			100	96	4.1
Bromochloromethane	ND	106			99	124	22.4
Bromodichloromethane	ND	104			98	101	3.0
Bromoform	ND	108			100	95	5.1
Bromomethane	ND	86			88	63	33.1
Carbon Disulfide	ND	111			97	107	9.8
Carbon tetrachloride	ND	114			108	103	4.7
Chlorobenzene	ND	99			96	101	5.1
Chloroethane	ND	114			101	17	142.4

3

QA/QC Data

SDG I.D.: GAQ25988

Parameter	Blank	LCS %	LCSD %	LCS RPD	MS Rec %	MS Dup Rec %	RPD
Chloroform	ND	103			94	106	12.0
Chloromethane	ND	111			113	53	72.3
cis-1,2-Dichloroethene	ND	96			93	108	14.9
cis-1,3-Dichloropropene	ND	108			108	101	6.7
Dibromochloromethane	ND	106			100	96	4.1
Dibromoethane	ND	105			104	95	9.0
Dibromomethane	ND	98			94	103	9.1
Dichlorodifluoromethane	ND	>130			177	242	31.0
Ethylbenzene	ND	102			96	102	6.1
Hexachlorobutadiene	ND	101			100	102	2.0
Isopropylbenzene	ND	98			84	84	0.0
m&p-Xylene	ND	101			97	108	10.7
Methyl ethyl ketone	ND	105			84	83	1.2
Methyl t-butyl ether (MTBE)	ND	104			98	68	36.1
Methylene chloride	ND	>130			114	91	22.4
n-Butylbenzene	ND	100			99	106	6.8
n-Propylbenzene	ND	99			98	101	3.0
Naphthalene	ND	89			96	126	27.0
o-Xylene	ND	100			94	104	10.1
p-Isopropyltoluene	ND	101			98	103	5.0
sec-Butylbenzene	ND	89			97	101	4.0
Styrene	ND	101			93	101	8.2
tert-Butylbenzene	ND	97			98	102	4.0
Tetrachloroethene	ND	103			99	99	0.0
Tetrahydrofuran (THF)	ND	93			92	102	10.3
Toluene	ND	98			95	104	9.0
trans-1,2-Dichloroethene	ND	102			93	105	12.1
trans-1,3-Dichloropropene	ND	119			113	97	15.2
trans-1,4-dichloro-2-butene	ND	129			134	82	48.1
Trichloroethene	ND	101			97	102	5.0
Trichlorofluoromethane	ND	>130			107	130	19.4
Trichlorotrifluoroethane	ND	103			89	97	8.6
Vinyl chloride	ND	118			120	98	20.2
% 1,2-dichlorobenzene-d4	100	100			100	99	1.0
% Bromofluorobenzene	94	97			100	102	2.0
% Dibromofluoromethane	89	99			97	108	10.7
% Toluene-d8	106	100			100	102	2.0

3 = This parameter is outside laboratory ms/msd specified limits.

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

RPD - Relative Percent Difference


LCS - Laboratory Control Sample

LCSD - Laboratory Control Sample Duplicate

MS - Matrix Spike

MS Dup - Matrix Spike Duplicate

NC - No Criteria



Phyllis Shiller, Laboratory Director
May 13, 2008



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06040
Tel. (860) 645-1102 Fax (860) 645-0823



NY Temperature Narration

May 13, 2008

SDG I.D.: GAQ25988

The samples in this delivery group were received at 4C.
(Note acceptance criteria is above freezing up to 6C)



CHAIN OF CUSTODY RECORD

587 East Middle Turnpike, P.O. Box 370, Manchester, CT 06040
Email: service@phoenixlabs.com Fax (860) 645-0823

Client Services (860) 645-8726

Temp of

Data Delivery:

☐ Fax #
☐ Email:

Customer: ENVIROTRAC NYSDEC
Address: 5010 DOCK RD.
YAPHANK, NY 11980

Project: NYSDEC-American Drive-In (Crane) Project P.O.
Report to: Jim Ventron Phone #: 631.924.3001
Invoice to: "NYSDEC" Fax #: 631.924.5001

Client Sample - Information - Identification

Sampler's Signature: [Signature] Date: _____

Matrix Code: **DW**=drinking water **WW**=wastewater **S**=soil/solid **O**=other
GW=groundwater **SL**=sludge **A**=air

Phoenix Sample #	Customer Sample Identification	Sample Matrix	Date Sampled	Time Sampled
25988	MW-4S	GW	4-30-01	9:30
25989	MW-4I			9:00
25990	MW-9S			10:00
25991	MW-9I			10:20
25992	MW-9D			11:00
25993	MW-3S			12:40
25994	MW-12S			13:30
25995	MW-11S			13:00
25996	MW-1S			14:00
25997	MW-1E			14:00
25998	MW-10S			14:50
25999	MW-10I			15:00

Relinquished by: [Signature] Date: 5-5-01
Accepted by: [Signature] Date: 5-5-01
Time: 11:45
1700

Comments, Special Requirements or Regulations:

Analysis Request

Soil VOA [Methanol] [S. Bisulfate] [H2O]	
GL Soil container () oz	
40 ml VOA Vial [As is] [HCl]	
GL Amber 100ml [As is] [H2SO4]	
PL As is [] 250ml [] 500ml [] 1000ml	
PL H2SO4 [] 250ml [] 500ml [] 1000ml	
PL HNO3 250ml	
Bacteria Bottle	

MA	CT/RI	Turnaround:	Date:	Time:
☐ RCP Cert.	☐ 1 Day*	☐ 1 Day*		
☐ GW Protect.	☐ 2 Days*	☐ 2 Days*		
☐ GA Mobility	☐ 3 Days*	☐ 3 Days*		
☐ GB Mobility	☒ Standard	☒ Standard		
☐ SW Protect.	☐ Other	☐ Other		
☐ Res. Vol.				
☐ Ind. Vol.				
☐ Res. Criteria				
☐ Other				
* SURCHARGE APPLIES				

MA	CT/RI	Turnaround:	Date:	Time:
☐ RCP Cert.	☐ 1 Day*	☐ 1 Day*		
☐ GW Protect.	☐ 2 Days*	☐ 2 Days*		
☐ GA Mobility	☐ 3 Days*	☐ 3 Days*		
☐ GB Mobility	☒ Standard	☒ Standard		
☐ SW Protect.	☐ Other	☐ Other		
☐ Res. Vol.				
☐ Ind. Vol.				
☐ Res. Criteria				
☐ Other				
* SURCHARGE APPLIES				

State where samples were collected: _____

Data Format

☐ Excel
☐ PDF
☐ GIS/Key
☐ EQUIS
☐ Other

Data Package

☐ ASP-A
☐ NJ Reduced Deliv. *
☐ NJ Hazsite EDD
☐ Phoenix Std Report
☐ Other

Data Delivery:

☐ Fax #:
☐ Email:

Customer: EnviroTrac / NYSDEC
Address: 5 Old Back Rd.
Yaphank, NY 11980

Project: American Drive-In Cleaners - NYSDEC
Report to: Jim VanBuren
Invoice to: 11/11/08
Phone #: 631.924.3001
Fax #: 631.924.5001

Client Sample - Information - Identification

Sampler's Signature: [Signature] Date: 11/11/08

Matrix Code:
DW=drinking water
GW=groundwater
WW=wastewater
SL=sludge
S=soil/solid
O=other
A=air

Phoenix Sample #	Customer Sample Identification	Sample Matrix	Date Sampled	Time Sampled
26000	MW-6I	GW	5-1-08	9:03
26001	MW-6S			9:45
26002	MW-7S			10:09
26003	MW-7I			10:45
26004	MW-7D			11:35
26005	MW-8S			12:30
26006	MW-8I			13:30

Analysis Request

Soil VOA [] Methanol [] S. Bisulfate [] H2O	
GL Soil container () oz	
40 ml VOA Vial [] As is [] HCl	
GL Amber 100ml [] As is [] H2SO4	
PL As is [] 250ml [] 500ml [] 1000ml	
PL H2SO4 [] 250ml [] 500ml [] 1000ml	
PL HNO3 250ml	
Bacteria Bottle	

Relinquished by: [Signature] Accepted by: [Signature]
Date: 5-5-08 Time: 11:45
5508 1700

Turnaround:
☐ 1 Day*
☐ 2 Days*
☐ 3 Days*
☒ Standard
☐ Other
*** SURCHARGE APPLIES**

CT/RI
☐ RCP Cert.
☐ GW Protect.
☐ GA Mobility
☐ GB Mobility
☐ SW Protect.
☐ Res. Vol.
☐ Ind. Vol.
☐ Res. Criteria
☐ Other

MA
☐ MCP Cert.
☐ GW-1
☐ GW-2
☐ GW-3
☐ S-1
☐ S-2
☐ S-3
☐ MWRA eSMART
☐ Other

Data Format
☐ Excel
☐ PDF
☐ GIS/Key
☐ EQUIS
☐ Other

Comments, Special Requirements or Regulations:

Data Package
☐ ASP-A
☐ NJ Reduced Deliv. *
☐ NJ Hazsite EDD
☐ Phoenix Std Report
☐ Other


State where samples were collected: _____

Monday, May 19, 2008

Jim Van Horn
Envirotrac
5 Old Dock Road
Yaphank, NY 11980

TEL: (631) 774-2557
FAX (631) 924-5001

RE: DEC Levittown 3801



Order No.: 0805137

Dear Jim Van Horn:

American Analytical Laboratories, LLC. received 11 sample(s) on 5/13/2008 for the analyses presented in the following report.


Samples were analyzed in accordance with the test procedures documented on the chain of custody and detailed throughout the text of this report.

The results reported herein relate only to the items tested or to the samples as received by the laboratory. This report may not be reproduced, except in full, without the approval of American Analytical Laboratories, LLC and is not considered complete without a cover page and chain of custody documentation. The limits provided in the data package are analytical reporting limits and not Federal or Local mandated values to which the sample results should be compared.

There were no problems with the analyses and all data for associated QC met laboratory specifications. If there are any exceptions a Case Narrative is provided in the report. This package has been reviewed by American Analytical Laboratories' QA Department/Laboratory Director to comply with NELAC standards prior to report submittal.

If you have any questions regarding these tests results, please do not hesitate to call (631) 454-6100 or email me directly at lbeyer@american-analytical.com.

Sincerely,



Lori Beyer
Lab Director

American Analytical Laboratories, LLC.**Date:** 19-May-08

CLIENT: Envirotrac
Project: DEC Levittown 3801
Lab Order: 0805137

Work Order Sample Summary

Lab Sample ID	Client Sample ID	Tag Number	Date Collected	Date Received
0805137-01A	SVE #7		5/13/2008 1:46:00 PM	5/13/2008
0805137-02A	SVE #2		5/13/2008 1:50:00 PM	5/13/2008
0805137-03A	SVE #5		5/13/2008 1:53:00 PM	5/13/2008
0805137-04A	SVE #6 6OH2		5/13/2008 1:55:00 PM	5/13/2008
0805137-05A	SVE #4		5/13/2008 1:58:00 PM	5/13/2008
0805137-06A	SVE #3		5/13/2008 2:04:00 PM	5/13/2008
0805137-07A	SVE #1		5/13/2008 2:07:00 PM	5/13/2008
0805137-08A	ADC #9		5/13/2008 2:15:00 PM	5/13/2008
0805137-09A	ADC #11		5/13/2008 2:18:00 PM	5/13/2008
0805137-10A	Post GAC		5/13/2008 3:03:00 PM	5/13/2008
0805137-12A	SVE #6 4OH2		5/13/2008 2:45:00 PM	5/13/2008



56 TOLEDO STREET • FARMINGDALE, NEW YORK 11735
(631) 454-6100 • FAX (631) 454-8027

NYSDOH 11418
CTDOH PH-0205
NJDEP NY050
PADEP 68-573

TAG # / COC

CHAIN OF CUSTODY / REQUEST FOR ANALYSIS DOCUMENT

CLIENT NAME/ADDRESS <i>Enviro Tech</i>		CONTACT: <i>Jim Van Horn</i> 631-774-2557		SAMPLER (SIGNATURE) <i>[Signature]</i>		SAMPLE(S) SEALED YES NO	
PROJECT LOCATION: <i>DEL Levittown 3801</i>		SAMPLER NAME (PRINT) <i>Jim Van Horn</i>		CORRECT CONTAINER(S) YES NO		FOR METHANOL PRESERVED SAMPLES [VOLATILE VIAL #]	
LABORATORY ID #	MATRIX	# CONTAINERS	SAMPLING DATE/TIME	SAMPLE # - LOCATION	ANALYSIS REQUIRED <i>10-15 M</i> <i>10-17 L</i> <i>10-18 L</i> <i>10-19 L</i> <i>10-20 L</i> <i>10-21 L</i> <i>10-22 L</i> <i>10-23 L</i> <i>10-24 L</i> <i>10-25 L</i> <i>10-26 L</i> <i>10-27 L</i> <i>10-28 L</i> <i>10-29 L</i> <i>10-30 L</i> <i>10-31 L</i> <i>10-32 L</i> <i>10-33 L</i> <i>10-34 L</i> <i>10-35 L</i> <i>10-36 L</i> <i>10-37 L</i> <i>10-38 L</i> <i>10-39 L</i> <i>10-40 L</i> <i>10-41 L</i> <i>10-42 L</i> <i>10-43 L</i> <i>10-44 L</i> <i>10-45 L</i> <i>10-46 L</i> <i>10-47 L</i> <i>10-48 L</i> <i>10-49 L</i> <i>10-50 L</i> <i>10-51 L</i> <i>10-52 L</i> <i>10-53 L</i> <i>10-54 L</i> <i>10-55 L</i> <i>10-56 L</i> <i>10-57 L</i> <i>10-58 L</i> <i>10-59 L</i> <i>10-60 L</i> <i>10-61 L</i> <i>10-62 L</i> <i>10-63 L</i> <i>10-64 L</i> <i>10-65 L</i> <i>10-66 L</i> <i>10-67 L</i> <i>10-68 L</i> <i>10-69 L</i> <i>10-70 L</i> <i>10-71 L</i> <i>10-72 L</i> <i>10-73 L</i> <i>10-74 L</i> <i>10-75 L</i> <i>10-76 L</i> <i>10-77 L</i> <i>10-78 L</i> <i>10-79 L</i> <i>10-80 L</i> <i>10-81 L</i> <i>10-82 L</i> <i>10-83 L</i> <i>10-84 L</i> <i>10-85 L</i> <i>10-86 L</i> <i>10-87 L</i> <i>10-88 L</i> <i>10-89 L</i> <i>10-90 L</i> <i>10-91 L</i> <i>10-92 L</i> <i>10-93 L</i> <i>10-94 L</i> <i>10-95 L</i> <i>10-96 L</i> <i>10-97 L</i> <i>10-98 L</i> <i>10-99 L</i> <i>10-100 L</i> <i>10-101 L</i> <i>10-102 L</i> <i>10-103 L</i> <i>10-104 L</i> <i>10-105 L</i> <i>10-106 L</i> <i>10-107 L</i> <i>10-108 L</i> <i>10-109 L</i> <i>10-110 L</i> <i>10-111 L</i> <i>10-112 L</i> <i>10-113 L</i> <i>10-114 L</i> <i>10-115 L</i> <i>10-116 L</i> <i>10-117 L</i> <i>10-118 L</i> <i>10-119 L</i> <i>10-120 L</i> <i>10-121 L</i> <i>10-122 L</i> <i>10-123 L</i> <i>10-124 L</i> <i>10-125 L</i> <i>10-126 L</i> <i>10-127 L</i> <i>10-128 L</i> <i>10-129 L</i> <i>10-130 L</i> <i>10-131 L</i> <i>10-132 L</i> <i>10-133 L</i> <i>10-134 L</i> <i>10-135 L</i> <i>10-136 L</i> <i>10-137 L</i> <i>10-138 L</i> <i>10-139 L</i> <i>10-140 L</i> <i>10-141 L</i> <i>10-142 L</i> <i>10-143 L</i> <i>10-144 L</i> <i>10-145 L</i> <i>10-146 L</i> <i>10-147 L</i> <i>10-148 L</i> <i>10-149 L</i> <i>10-150 L</i> <i>10-151 L</i> <i>10-152 L</i> <i>10-153 L</i> <i>10-154 L</i> <i>10-155 L</i> <i>10-156 L</i> <i>10-157 L</i> <i>10-158 L</i> <i>10-159 L</i> <i>10-160 L</i> <i>10-161 L</i> <i>10-162 L</i> <i>10-163 L</i> <i>10-164 L</i> <i>10-165 L</i> <i>10-166 L</i> <i>10-167 L</i> <i>10-168 L</i> <i>10-169 L</i> <i>10-170 L</i> <i>10-171 L</i> <i>10-172 L</i> <i>10-173 L</i> <i>10-174 L</i> <i>10-175 L</i> <i>10-176 L</i> <i>10-177 L</i> <i>10-178 L</i> <i>10-179 L</i> <i>10-180 L</i> <i>10-181 L</i> <i>10-182 L</i> <i>10-183 L</i> <i>10-184 L</i> <i>10-185 L</i> <i>10-186 L</i> <i>10-187 L</i> <i>10-188 L</i> <i>10-189 L</i> <i>10-190 L</i> <i>10-191 L</i> <i>10-192 L</i> <i>10-193 L</i> <i>10-194 L</i> <i>10-195 L</i> <i>10-196 L</i> <i>10-197 L</i> <i>10-198 L</i> <i>10-199 L</i> <i>10-200 L</i> <i>10-201 L</i> <i>10-202 L</i> <i>10-203 L</i> <i>10-204 L</i> <i>10-205 L</i> <i>10-206 L</i> <i>10-207 L</i> <i>10-208 L</i> <i>10-209 L</i> <i>10-210 L</i> <i>10-211 L</i> <i>10-212 L</i> <i>10-213 L</i> <i>10-214 L</i> <i>10-215 L</i> <i>10-216 L</i> <i>10-217 L</i> <i>10-218 L</i> <i>10-219 L</i> <i>10-220 L</i> <i>10-221 L</i> <i>10-222 L</i> <i>10-223 L</i> <i>10-224 L</i> <i>10-225 L</i> <i>10-226 L</i> <i>10-227 L</i> <i>10-228 L</i> <i>10-229 L</i> <i>10-230 L</i> <i>10-231 L</i> <i>10-232 L</i> <i>10-233 L</i> <i>10-234 L</i> <i>10-235 L</i> <i>10-236 L</i> <i>10-237 L</i> <i>10-238 L</i> <i>10-239 L</i> <i>10-240 L</i> <i>10-241 L</i> <i>10-242 L</i> <i>10-243 L</i> <i>10-244 L</i> <i>10-245 L</i> <i>10-246 L</i> <i>10-247 L</i> <i>10-248 L</i> <i>10-249 L</i> <i>10-250 L</i> <i>10-251 L</i> <i>10-252 L</i> <i>10-253 L</i> <i>10-254 L</i> <i>10-255 L</i> <i>10-256 L</i> <i>10-257 L</i> <i>10-258 L</i> <i>10-259 L</i> <i>10-260 L</i> <i>10-261 L</i> <i>10-262 L</i> <i>10-263 L</i> <i>10-264 L</i> <i>10-265 L</i> <i>10-266 L</i> <i>10-267 L</i> <i>10-268 L</i> <i>10-269 L</i> <i>10-270 L</i> <i>10-271 L</i> <i>10-272 L</i> <i>10-273 L</i> <i>10-274 L</i> <i>10-275 L</i> <i>10-276 L</i> <i>10-277 L</i> <i>10-278 L</i> <i>10-279 L</i> <i>10-280 L</i> <i>10-281 L</i> <i>10-282 L</i> <i>10-283 L</i> <i>10-284 L</i> <i>10-285 L</i> <i>10-286 L</i> <i>10-287 L</i> <i>10-288 L</i> <i>10-289 L</i> <i>10-290 L</i> <i>10-291 L</i> <i>10-292 L</i> <i>10-293 L</i> <i>10-294 L</i> <i>10-295 L</i> <i>10-296 L</i> <i>10-297 L</i> <i>10-298 L</i> <i>10-299 L</i> <i>10-300 L</i> <i>10-301 L</i> <i>10-302 L</i> <i>10-303 L</i> <i>10-304 L</i> <i>10-305 L</i> <i>10-306 L</i> <i>10-307 L</i> <i>10-308 L</i> <i>10-309 L</i> <i>10-310 L</i> <i>10-311 L</i> <i>10-312 L</i> <i>10-313 L</i> <i>10-314 L</i> <i>10-315 L</i> <i>10-316 L</i> <i>10-317 L</i> <i>10-318 L</i> <i>10-319 L</i> <i>10-320 L</i> <i>10-321 L</i> <i>10-322 L</i> <i>10-323 L</i> <i>10-324 L</i> <i>10-325 L</i> <i>10-326 L</i> <i>10-327 L</i> <i>10-328 L</i> <i>10-329 L</i> <i>10-330 L</i> <i>10-331 L</i> <i>10-332 L</i> <i>10-333 L</i> <i>10-334 L</i> <i>10-335 L</i> <i>10-336 L</i> <i>10-337 L</i> <i>10-338 L</i> <i>10-339 L</i> <i>10-340 L</i> <i>10-341 L</i> <i>10-342 L</i> <i>10-343 L</i> <i>10-344 L</i> <i>10-345 L</i> <i>10-346 L</i> <i>10-347 L</i> <i>10-348 L</i> <i>10-349 L</i> <i>10-350 L</i> <i>10-351 L</i> <i>10-352 L</i> <i>10-353 L</i> <i>10-354 L</i> <i>10-355 L</i> <i>10-356 L</i> <i>10-357 L</i> <i>10-358 L</i> <i>10-359 L</i> <i>10-360 L</i> <i>10-361 L</i> <i>10-362 L</i> <i>10-363 L</i> <i>10-364 L</i> <i>10-365 L</i> <i>10-366 L</i> <i>10-367 L</i> <i>10-368 L</i> <i>10-369 L</i> <i>10-370 L</i> <i>10-371 L</i> <i>10-372 L</i> <i>10-373 L</i> <i>10-374 L</i> <i>10-375 L</i> <i>10-376 L</i> <i>10-377 L</i> <i>10-378 L</i> <i>10-379 L</i> <i>10-380 L</i> <i>10-381 L</i> <i>10-382 L</i> <i>10-383 L</i> <i>10-384 L</i> <i>10-385 L</i> <i>10-386 L</i> <i>10-387 L</i> <i>10-388 L</i> <i>10-389 L</i> <i>10-390 L</i> <i>10-391 L</i> <i>10-392 L</i> <i>10-393 L</i> <i>10-394 L</i> <i>10-395 L</i> <i>10-396 L</i> <i>10-397 L</i> <i>10-398 L</i> <i>10-399 L</i> <i>10-400 L</i> <i>10-401 L</i> <i>10-402 L</i> <i>10-403 L</i> <i>10-404 L</i> <i>10-405 L</i> <i>10-406 L</i> <i>10-407 L</i> <i>10-408 L</i> <i>10-409 L</i> <i>10-410 L</i> <i>10-411 L</i> <i>10-412 L</i> <i>10-413 L</i> <i>10-414 L</i> <i>10-415 L</i> <i>10-416 L</i> <i>10-417 L</i> <i>10-418 L</i> <i>10-419 L</i> <i>10-420 L</i> <i>10-421 L</i> <i>10-422 L</i> <i>10-423 L</i> <i>10-424 L</i> <i>10-425 L</i> <i>10-426 L</i> <i>10-427 L</i> <i>10-428 L</i> <i>10-429 L</i> <i>10-430 L</i> <i>10-431 L</i> <i>10-432 L</i> <i>10-433 L</i> <i>10-434 L</i> <i>10-435 L</i> <i>10-436 L</i> <i>10-437 L</i> <i>10-438 L</i> <i>10-439 L</i> <i>10-440 L</i> <i>10-441 L</i> <i>10-442 L</i> <i>10-443 L</i> <i>10-444 L</i> <i>10-445 L</i> <i>10-446 L</i> <i>10-447 L</i> <i>10-448 L</i> <i>10-449 L</i> <i>10-450 L</i> <i>10-451 L</i> <i>10-452 L</i> <i>10-453 L</i> <i>10-454 L</i> <i>10-455 L</i> <i>10-456 L</i> <i>10-457 L</i> <i>10-458 L</i> <i>10-459 L</i> <i>10-460 L</i> <i>10-461 L</i> <i>10-462 L</i> <i>10-463 L</i> <i>10-464 L</i> <i>10-465 L</i> <i>10-466 L</i> <i>10-467 L</i> <i>10-468 L</i> <i>10-469 L</i> <i>10-470 L</i> <i>10-471 L</i> <i>10-472 L</i> <i>10-473 L</i> <i>10-474 L</i> <i>10-475 L</i> <i>10-476 L</i> <i>10-477 L</i> <i>10-478 L</i> <i>10-479 L</i> <i>10-480 L</i> <i>10-481 L</i> <i>10-482 L</i> <i>10-483 L</i> <i>10-484 L</i> <i>10-485 L</i> <i>10-486 L</i> <i>10-487 L</i> <i>10-488 L</i> <i>10-489 L</i> <i>10-490 L</i> <i>10-491 L</i> <i>10-492 L</i> <i>10-493 L</i> <i>10-494 L</i> <i>10-495 L</i> <i>10-496 L</i> <i>10-497 L</i> <i>10-498 L</i> <i>10-499 L</i> <i>10-500 L</i> <i>10-501 L</i> <i>10-502 L</i> <i>10-503 L</i> <i>10-504 L</i> <i>10-505 L</i> <i>10-506 L</i> <i>10-507 L</i> <i>10-508 L</i> <i>10-509 L</i> <i>10-510 L</i> <i>10-511 L</i> <i>10-512 L</i> <i>10-513 L</i> <i>10-514 L</i> <i>10-515 L</i> <i>10-516 L</i> <i>10-517 L</i> <i>10-518 L</i> <i>10-519 L</i> <i>10-520 L</i> <i>10-521 L</i> <i>10-522 L</i> <i>10-523 L</i> <i>10-524 L</i> <i>10-525 L</i> <i>10-526 L</i> <i>10-527 L</i> <i>10-528 L</i> <i>10-529 L</i> <i>10-530 L</i> <i>10-531 L</i> <i>10-532 L</i> <i>10-533 L</i> <i>10-534 L</i> <i>10-535 L</i> <i>10-536 L</i> <i>10-537 L</i> <i>10-538 L</i> <i>10-539 L</i> <i>10-540 L</i> <i>10-541 L</i> <i>10-542 L</i> <i>10-543 L</i> <i>10-544 L</i> <i>10-545 L</i> <i>10-546 L</i> <i>10-547 L</i> <i>10-548 L</i> <i>10-549 L</i> <i>10-550 L</i> <i>10-551 L</i> <i>10-552 L</i> <i>10-553 L</i> <i>10-554 L</i> <i>10-555 L</i> <i>10-556 L</i> <i>10-557 L</i> <i>10-558 L</i> <i>10-559 L</i> <i>10-560 L</i> <i>10-561 L</i> <i>10-562 L</i> <i>10-563 L</i> <i>10-564 L</i> <i>10-565 L</i> <i>10-566 L</i> <i>10-567 L</i> <i>10-568 L</i> <i>10-569 L</i> <i>10-570 L</i> <i>10-571 L</i> <i>10-572 L</i> <i>10-573 L</i> <i>10-574 L</i> <i>10-575 L</i> <i>10-576 L</i> <i>10-577 L</i> <i>10-578 L</i> <i>10-579 L</i> <i>10-580 L</i> <i>10-581 L</i> <i>10-582 L</i> <i>10-583 L</i> <i>10-584 L</i> <i>10-585 L</i> <i>10-586 L</i> <i>10-587 L</i> <i>10-588 L</i> <i>10-589 L</i> <i>10-590 L</i> <i>10-591 L</i> <i>10-592 L</i> <i>10-593 L</i> <i>10-594 L</i> <i>10-595 L</i> <i>10-596 L</i> <i>10-597 L</i> <i>10-598 L</i> <i>10-599 L</i> <i>10-600 L</i> <i>10-601 L</i> <i>10-602 L</i> <i>10-603 L</i> <i>10-604 L</i> <i>10-605 L</i> <i>10-606 L</i> <i>10-607 L</i> <i>10-608 L</i> <i>10-609 L</i> <i>10-610 L</i> <i>10-611 L</i> <i>10-612 L</i> <i>10-613 L</i> <i>10-614 L</i> <i>10-615 L</i> <i>10-616 L</i> <i>10-617 L</i> <i>10-618 L</i> <i>10-619 L</i> <i>10-620 L</i> <i>10-621 L</i> <i>10-622 L</i> <i>10-623 L</i> <i>10-624 L</i> <i>10-625 L</i> <i>10-626 L</i> <i>10-627 L</i> <i>10-628 L</i> <i>10-629 L</i> <i>10-630 L</i> <i>10-631 L</i> <i>10-632 L</i> <i>10-633 L</i> <i>10-634 L</i> <i>10-635 L</i> <i>10-636 L</i> <i>10-637 L</i> <i>10-638 L</i> <i>10-639 L</i> <i>10-640 L</i> <i>10-641 L</i> <i>10-642 L</i> <i>10-643 L</i> <i>10-644 L</i> <i>10-645 L</i> <i>10-646 L</i> <i>10-647 L</i> <i>10-648 L</i> <i>10-649 L</i> <i>10-650 L</i> <i>10-651 L</i> <i>10-652 L</i> <i>10-653 L</i> <i>10-654 L</i> <i>10-655 L</i> <i>10-656 L</i> <i>10-657 L</i> <i>10-658 L</i> <i>10-659 L</i> <i>10-660 L</i> <i>10-661 L</i> <i>10-662 L</i> <i>10-663 L</i> <i>10-664 L</i> <i>10-665 L</i> <i>10-666 L</i> <i>10-667 L</i> <i>10-668 L</i> <i>10-669 L</i> <i>10-670 L</i> <i>10-671 L</i> <i>10-672 L</i> <i>10-673 L</i> <i>10-674 L</i> <i>10-675 L</i> <i>10-676 L</i> <i>10-677 L</i> <i>10-678 L</i> <i>10-679 L</i> <i>10-680 L</i> <i>10-681 L</i> <i>10-682 L</i> <i>10-683 L</i> <i>10-684 L</i> <i>10-685 L</i> <i>10-686 L</i> <i>10-687 L</i> <i>10-688 L</i> <i>10-689 L</i> <i>10-690 L</i> <i>10-691 L</i> <i>10-692 L</i> <i>10-693 L</i> <i>10-694 L</i> <i>10-695 L</i> <i>10-696 L</i> <i>10-697 L</i> <i>10-698 L</i> <i>10-699 L</i> <i>10-700 L</i> <i>10-701 L</i> <i>10-702 L</i> <i>10-703 L</i> <i>10-704 L</i> <i>10-705 L</i> <i>10-706 L</i> <i>10-707 L</i> <i>10-708 L</i> <i>10-709 L</i> <i>10-710 L</i> <i>10-711 L</i> <i>10-712 L</i> <i>10-713 L</i> <i>10-714 L</i> <i>10-715 L</i> <i>10-716 L</i> <i>10-717 L</i> <i>10-718 L</i> <i>10-719 L</i> <i>10-720 L</i> <i>10-721 L</i> <i>10-722 L</i> <i>10-723 L</i> <i>10-724 L</i> <i>10-725 L</i> <i>10-726 L</i> <i>10-727 L</i> <i>10-728 L</i> <i>10-729 L</i> <i>10-730 L</i> <i>10-731 L</i> <i>10-732 L</i> <i>10-733 L</i> <i>10-734 L</i> <i>10-735 L</i> <i>10-736 L</i> <i>10-737 L</i> <i>10-738 L</i> <i>10-739 L</i> <i>10-740 L</i> <i>10-741 L</i> <i>10-742 L</i> <i>10-743 L</i> <i>10-744 L</i> <i>10-745 L</i> <i>10-746 L</i> <i>10-747 L</i> <i>10-748 L</i> <i>10-749 L</i> <i>10-750 L</i> <i>10-751 L</i> <i>10-752 L</i> <i>10-753 L</i> <i>10-754 L</i> <i>10-755 L</i> <i>10-756 L</i> <i>10-757 L</i> <i>10-758 L</i> <i>10-759 L</i> <i>10-760 L</i> <i>10-761 L</i> <i>10-762 L</i> <i>10-763 L</i> <i>10-764 L</i> <i>10-765 L</i> <i>10-766 L</i> <i>10-767 L</i> <i>10-768 L</i> <i>10-769 L</i> <i>10-770 L</i> <i>10-771 L</i> <i>10-772 L</i> <i>10-773 L</i> <i>10-774 L</i> <i>10-775 L</i> <i>10-776 L</i> <i>10-777 L</i> <i>10-778 L</i> <i>10-779 L</i> <i>10-780 L</i> <i>10-781 L</i> <i>10-782 L</i> <i>10-783 L</i> <i>10-784 L</i> <i>10-785 L</i> <i>10-786 L</i> <i>10-787 L</i> <i>10-788 L</i> <i>10-789 L</i> <i>10-790 L</i> <i>10-791 L</i> <i>10-792 L</i> <i>10-793 L</i> <i>10-794 L</i> <i>10-795 L</i> <i>10-796 L</i> <i>10-797 L</i> <i>10-798 L</i> <i>10-799 L</i> <i>10-800 L</i> <i>10-801 L</i> <i>10-802 L</i> <i>10-803 L</i> <i>10-804 L</i> <i>10-805 L</i> <i>10-806 L</i> <i>10-807 L</i> <i>10-808 L</i> <i>10-809 L</i> <i>10-810 L</i> <i>10-811 L</i> <i>10-812 L</i> <i>10-813 L</i> <i>10-814 L</i> <i>10-815 L</i> <i>10-816 L</i> <i>10-817 L</i> <i>10-818 L</i> <i>10-819 L</i> <i>10-820 L</i> <i>10-821 L</i> <i>10-822 L</i> <i>10-823 L</i> <i>10-824 L</i> <i>10-825 L</i> <i>10-826 L</i> <i>10-827 L</i> <i>10-828 L</i> <i>10-829 L</i> <i>10-830 L</i> <i>10-831 L</i> <i>10-832 L</i> <i>10-833 L</i> <i>10-834 L</i> <i>10-835 L</i> <i>10-836 L</i> <i>10-837 L</i> <i>10-838 L</i> <i>10-839 L</i> <i>10-840 L</i> <i>10-841 L</i> <i>10-842 L</i> <i>10-843 L</i> <i>10-844 L</i> <i>10-845 L</i> <i>10-846 L</i> <i>10-847 L</i> <i>10-848 L</i> <i>10-849 L</i> <i>10-850 L</i> <i>10-851 L</i> <i>10-852 L</i> <i>10-853 L</i> <i>10-854 L</i> <i>10-855 L</i> <i>10-856 L</i> <i>10-857 L</i> <i>10-858 L</i> <i>10-859 L</i> <i>10-860 L</i> <i>10-861 L</i> <i>10-862 L</i> <i>10-863 L</i> <i>10-864 L</i> <i>10-8</i>		

AMERICAN ANALYTICAL LABORATORIES, LLC

56 TOLEDO STREET

FARMINGDALE, NEW YORK 11735

TELEPHONE: (631) 454-6100 FAX: (631) 454-8027

DATA REPORTING QUALIFIERS

For reporting results, the following "Results Qualifiers" are used:

Value	If the result is greater than or equal to the detection limit, report the value.
U	Indicates the compound was analyzed for but was not detected. Report the minimum detection limit for the sample with the U, i.e. "10U". This is not necessarily the instrument detection limit attainable for this particular sample based on any concentration or dilution that may have been required.
J	Indicates an estimated value. The flag is used: (1) When estimating a concentration for a tentatively identified compound (library search hits, where a 1:1 response is assumed.) (2) When the mass spectral data indicated the identification, however the result was less than the specified detection limit greater than zero. If the detection limit was 10ug/L and a concentration of 3ug/L was calculated report as 3J. This flag is used when similar situations arise on any organic parameter i.e. Pesticide, PCBs and others.
B	Indicates the analyte was found in the blank as well as the sample report "10B".
E	Indicates the analytes concentration exceeds the calibrated range of the instrument for that specific analysis.
D	This flag identifies all compounds identified in an analysis at a secondary dilution factor.
P	This flag is used for Pesticide / PCB target analyte when there is >25% difference for detected concentrations between the two GC Columns. The higher of the two values is reported on Form I and flagged with a "P".
N	This flag indicates presumptive evidence of a compound. This is only used for tentatively identified compounds (TICs), where the identification is based on a mass spectral library search. It applies to all TIC results. For generic characterization of a TIC, such as chlorinated hydrocarbon, the flag is not used.
H	Indicates sample was received and/or analyzed outside of the method allowable holding time.

American Analytical Laboratories, LLC.

Date: 19-May-08

CLIENT: Envirotrac
Lab Order: 0805137
Project: DEC Levittown 3801
Lab ID: 0805137-01A

Client Sample ID: SVE #7
Tag Number:
Collection Date: 5/13/2008 1:46:00 PM
Matrix: AIR

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES TO-15M LIST		TO-15		Analyst: LDS		
1,1,1-Trichloroethane	U	1.0		ppbv	1	5/15/2008 9:09:00 AM
1,1,2,2-Tetrachloroethane	U	1.0		ppbv	1	5/15/2008 9:09:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		ppbv	1	5/15/2008 9:09:00 AM
1,1,2-Trichloroethane	U	1.0		ppbv	1	5/15/2008 9:09:00 AM
1,1-Dichloroethane	U	1.0		ppbv	1	5/15/2008 9:09:00 AM
1,1-Dichloroethene	U	1.0		ppbv	1	5/15/2008 9:09:00 AM
1,2,4-Trichlorobenzene	U	1.0		ppbv	1	5/15/2008 9:09:00 AM
1,2,4-Trimethylbenzene	U	1.0		ppbv	1	5/15/2008 9:09:00 AM
1,2-Dibromoethane	U	1.0		ppbv	1	5/15/2008 9:09:00 AM
1,2-Dichlorobenzene	U	1.0		ppbv	1	5/15/2008 9:09:00 AM
1,2-Dichloroethane	U	1.0		ppbv	1	5/15/2008 9:09:00 AM
1,2-Dichloropropane	U	1.0		ppbv	1	5/15/2008 9:09:00 AM
1,3,5-Trimethylbenzene	U	1.0		ppbv	1	5/15/2008 9:09:00 AM
1,3-Dichlorobenzene	U	1.0		ppbv	1	5/15/2008 9:09:00 AM
1,4-Dichlorobenzene	U	1.0		ppbv	1	5/15/2008 9:09:00 AM
alpha-Chlorotoluene	U	1.0		ppbv	1	5/15/2008 9:09:00 AM
Benzene	U	1.0		ppbv	1	5/15/2008 9:09:00 AM
Bromomethane	U	1.0		ppbv	1	5/15/2008 9:09:00 AM
Carbon tetrachloride	U	1.0		ppbv	1	5/15/2008 9:09:00 AM
Chlorobenzene	U	1.0		ppbv	1	5/15/2008 9:09:00 AM
Chloroethane	U	1.0		ppbv	1	5/15/2008 9:09:00 AM
Chloroform	U	1.0		ppbv	1	5/15/2008 9:09:00 AM
Chloromethane	U	1.0		ppbv	1	5/15/2008 9:09:00 AM
Chloroprene	U	1.0		ppbv	1	5/15/2008 9:09:00 AM
cis-1,2-Dichloroethene	U	1.0		ppbv	1	5/15/2008 9:09:00 AM
cis-1,3-Dichloropropene	U	1.0		ppbv	1	5/15/2008 9:09:00 AM
Dichlorodifluoromethane	U	1.0		ppbv	1	5/15/2008 9:09:00 AM
Ethylbenzene	U	1.0		ppbv	1	5/15/2008 9:09:00 AM
Freon-114	U	1.0		ppbv	1	5/15/2008 9:09:00 AM
Hexachlorobutadiene	U	1.0		ppbv	1	5/15/2008 9:09:00 AM
m,p-Xylene	U	2.0		ppbv	1	5/15/2008 9:09:00 AM
Methylene chloride	44	1.0	B	ppbv	1	5/15/2008 9:09:00 AM
o-Xylene	U	1.0		ppbv	1	5/15/2008 9:09:00 AM
p-Ethyltoluene	U	1.0		ppbv	1	5/15/2008 9:09:00 AM
Styrene	U	1.0		ppbv	1	5/15/2008 9:09:00 AM
Tetrachloroethene	U	1.0		ppbv	1	5/15/2008 9:09:00 AM
Toluene	U	1.0		ppbv	1	5/15/2008 9:09:00 AM
trans-1,3-Dichloropropene	U	1.0		ppbv	1	5/15/2008 9:09:00 AM
Trichloroethene	U	1.0		ppbv	1	5/15/2008 9:09:00 AM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.**Date:** 19-May-08

CLIENT: Envirotrac
Lab Order: 0805137
Project: DEC Levittown 3801
Lab ID: 0805137-01A

Client Sample ID: SVE #7
Tag Number:
Collection Date: 5/13/2008 1:46:00 PM
Matrix: AIR

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES TO-15M LIST						Analyst: LDS
Trichlorofluoromethane	U	1.0		ppbv	1	5/15/2008 9:09:00 AM
Vinyl chloride	U	1.0		ppbv	1	5/15/2008 9:09:00 AM
Surr: 4-Bromofluorobenzene	97.5	54-134		%REC	1	5/15/2008 9:09:00 AM
Surr: Dibromofluoromethane	91.5	52-132		%REC	1	5/15/2008 9:09:00 AM
Surr: Toluene-d8	94.2	51-127		%REC	1	5/15/2008 9:09:00 AM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 19-May-08

CLIENT: Envirotrac
Lab Order: 0805137
Project: DEC Levittown 3801
Lab ID: 0805137-02A

Client Sample ID: SVE #2
Tag Number:
Collection Date: 5/13/2008 1:50:00 PM
Matrix: AIR

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES TO-15M LIST		TO-15		Analyst: LDS		
1,1,1-Trichloroethane	U	1.0		ppbv	1	5/15/2008 9:39:00 AM
1,1,2,2-Tetrachloroethane	U	1.0		ppbv	1	5/15/2008 9:39:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		ppbv	1	5/15/2008 9:39:00 AM
1,1,2-Trichloroethane	U	1.0		ppbv	1	5/15/2008 9:39:00 AM
1,1-Dichloroethane	U	1.0		ppbv	1	5/15/2008 9:39:00 AM
1,1-Dichloroethene	U	1.0		ppbv	1	5/15/2008 9:39:00 AM
1,2,4-Trichlorobenzene	U	1.0		ppbv	1	5/15/2008 9:39:00 AM
1,2,4-Trimethylbenzene	U	1.0		ppbv	1	5/15/2008 9:39:00 AM
1,2-Dibromoethane	U	1.0		ppbv	1	5/15/2008 9:39:00 AM
1,2-Dichlorobenzene	U	1.0		ppbv	1	5/15/2008 9:39:00 AM
1,2-Dichloroethane	U	1.0		ppbv	1	5/15/2008 9:39:00 AM
1,2-Dichloropropane	U	1.0		ppbv	1	5/15/2008 9:39:00 AM
1,3,5-Trimethylbenzene	U	1.0		ppbv	1	5/15/2008 9:39:00 AM
1,3-Dichlorobenzene	U	1.0		ppbv	1	5/15/2008 9:39:00 AM
1,4-Dichlorobenzene	U	1.0		ppbv	1	5/15/2008 9:39:00 AM
alpha-Chlorotoluene	U	1.0		ppbv	1	5/15/2008 9:39:00 AM
Benzene	U	1.0		ppbv	1	5/15/2008 9:39:00 AM
Bromomethane	U	1.0		ppbv	1	5/15/2008 9:39:00 AM
Carbon tetrachloride	U	1.0		ppbv	1	5/15/2008 9:39:00 AM
Chlorobenzene	U	1.0		ppbv	1	5/15/2008 9:39:00 AM
Chloroethane	U	1.0		ppbv	1	5/15/2008 9:39:00 AM
Chloroform	U	1.0		ppbv	1	5/15/2008 9:39:00 AM
Chloromethane	U	1.0		ppbv	1	5/15/2008 9:39:00 AM
Chloroprene	U	1.0		ppbv	1	5/15/2008 9:39:00 AM
cis-1,2-Dichloroethene	U	1.0		ppbv	1	5/15/2008 9:39:00 AM
cis-1,3-Dichloropropene	U	1.0		ppbv	1	5/15/2008 9:39:00 AM
Dichlorodifluoromethane	U	1.0		ppbv	1	5/15/2008 9:39:00 AM
Ethylbenzene	U	1.0		ppbv	1	5/15/2008 9:39:00 AM
Freon-114	U	1.0		ppbv	1	5/15/2008 9:39:00 AM
Hexachlorobutadiene	U	1.0		ppbv	1	5/15/2008 9:39:00 AM
m,p-Xylene	U	2.0		ppbv	1	5/15/2008 9:39:00 AM
Methylene chloride	52	1.0	B	ppbv	1	5/15/2008 9:39:00 AM
o-Xylene	U	1.0		ppbv	1	5/15/2008 9:39:00 AM
p-Ethyltoluene	U	1.0		ppbv	1	5/15/2008 9:39:00 AM
Styrene	U	1.0		ppbv	1	5/15/2008 9:39:00 AM
Tetrachloroethene	U	1.0		ppbv	1	5/15/2008 9:39:00 AM
Toluene	U	1.0		ppbv	1	5/15/2008 9:39:00 AM
trans-1,3-Dichloropropene	U	1.0		ppbv	1	5/15/2008 9:39:00 AM
Trichloroethene	U	1.0		ppbv	1	5/15/2008 9:39:00 AM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 19-May-08

CLIENT: Envirotrac
Lab Order: 0805137
Project: DEC Levittown 3801
Lab ID: 0805137-02A

Client Sample ID: SVE #2
Tag Number:
Collection Date: 5/13/2008 1:50:00 PM
Matrix: AIR

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES TO-15M LIST						Analyst: LDS
Trichlorofluoromethane	U	1.0		ppbv	1	5/15/2008 9:39:00 AM
Vinyl chloride	U	1.0		ppbv	1	5/15/2008 9:39:00 AM
Surr: 4-Bromofluorobenzene	98.5	54-134		%REC	1	5/15/2008 9:39:00 AM
Surr: Dibromofluoromethane	86.9	52-132		%REC	1	5/15/2008 9:39:00 AM
Surr: Toluene-d8	93.9	51-127		%REC	1	5/15/2008 9:39:00 AM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 19-May-08

CLIENT: Envirotrac
Lab Order: 0805137
Project: DEC Levittown 3801
Lab ID: 0805137-03A

Client Sample ID: SVE #5
Tag Number:
Collection Date: 5/13/2008 1:53:00 PM
Matrix: AIR

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES TO-15M LIST		TO-15		Analyst: LDS		
1,1,1-Trichloroethane	U	1.0		ppbv	1	5/15/2008 10:09:00 AM
1,1,2,2-Tetrachloroethane	U	1.0		ppbv	1	5/15/2008 10:09:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		ppbv	1	5/15/2008 10:09:00 AM
1,1,2-Trichloroethane	U	1.0		ppbv	1	5/15/2008 10:09:00 AM
1,1-Dichloroethane	U	1.0		ppbv	1	5/15/2008 10:09:00 AM
1,1-Dichloroethene	U	1.0		ppbv	1	5/15/2008 10:09:00 AM
1,2,4-Trichlorobenzene	U	1.0		ppbv	1	5/15/2008 10:09:00 AM
1,2,4-Trimethylbenzene	U	1.0		ppbv	1	5/15/2008 10:09:00 AM
1,2-Dibromoethane	U	1.0		ppbv	1	5/15/2008 10:09:00 AM
1,2-Dichlorobenzene	U	1.0		ppbv	1	5/15/2008 10:09:00 AM
1,2-Dichloroethane	U	1.0		ppbv	1	5/15/2008 10:09:00 AM
1,2-Dichloropropane	U	1.0		ppbv	1	5/15/2008 10:09:00 AM
1,3,5-Trimethylbenzene	U	1.0		ppbv	1	5/15/2008 10:09:00 AM
1,3-Dichlorobenzene	U	1.0		ppbv	1	5/15/2008 10:09:00 AM
1,4-Dichlorobenzene	U	1.0		ppbv	1	5/15/2008 10:09:00 AM
alpha-Chlorotoluene	U	1.0		ppbv	1	5/15/2008 10:09:00 AM
Benzene	U	1.0		ppbv	1	5/15/2008 10:09:00 AM
Bromomethane	U	1.0		ppbv	1	5/15/2008 10:09:00 AM
Carbon tetrachloride	U	1.0		ppbv	1	5/15/2008 10:09:00 AM
Chlorobenzene	U	1.0		ppbv	1	5/15/2008 10:09:00 AM
Chloroethane	U	1.0		ppbv	1	5/15/2008 10:09:00 AM
Chloroform	U	1.0		ppbv	1	5/15/2008 10:09:00 AM
Chloromethane	U	1.0		ppbv	1	5/15/2008 10:09:00 AM
Chloroprene	U	1.0		ppbv	1	5/15/2008 10:09:00 AM
cis-1,2-Dichloroethene	U	1.0		ppbv	1	5/15/2008 10:09:00 AM
cis-1,3-Dichloropropene	U	1.0		ppbv	1	5/15/2008 10:09:00 AM
Dichlorodifluoromethane	U	1.0		ppbv	1	5/15/2008 10:09:00 AM
Ethylbenzene	U	1.0		ppbv	1	5/15/2008 10:09:00 AM
Freon-114	U	1.0		ppbv	1	5/15/2008 10:09:00 AM
Hexachlorobutadiene	U	1.0		ppbv	1	5/15/2008 10:09:00 AM
m,p-Xylene	U	2.0		ppbv	1	5/15/2008 10:09:00 AM
Methylene chloride	53	1.0	B	ppbv	1	5/15/2008 10:09:00 AM
o-Xylene	U	1.0		ppbv	1	5/15/2008 10:09:00 AM
p-Ethyltoluene	U	1.0		ppbv	1	5/15/2008 10:09:00 AM
Styrene	U	1.0		ppbv	1	5/15/2008 10:09:00 AM
Tetrachloroethene	61	1.0		ppbv	1	5/15/2008 10:09:00 AM
Toluene	U	1.0		ppbv	1	5/15/2008 10:09:00 AM
trans-1,3-Dichloropropene	U	1.0		ppbv	1	5/15/2008 10:09:00 AM
Trichloroethene	U	1.0		ppbv	1	5/15/2008 10:09:00 AM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 19-May-08

CLIENT: Envirotrac
Lab Order: 0805137
Project: DEC Levittown 3801
Lab ID: 0805137-03A

Client Sample ID: SVE #5
Tag Number:
Collection Date: 5/13/2008 1:53:00 PM
Matrix: AIR

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES TO-15M LIST		TO-15		Analyst: LDS		
Trichlorofluoromethane	U	1.0		ppbv	1	5/15/2008 10:09:00 AM
Vinyl chloride	U	1.0		ppbv	1	5/15/2008 10:09:00 AM
Surr: 4-Bromofluorobenzene	93.1	54-134		%REC	1	5/15/2008 10:09:00 AM
Surr: Dibromofluoromethane	89.4	52-132		%REC	1	5/15/2008 10:09:00 AM
Surr: Toluene-d8	95.3	51-127		%REC	1	5/15/2008 10:09:00 AM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 19-May-08

CLIENT: Envirotrac
Lab Order: 0805137
Project: DEC Levittown 3801
Lab ID: 0805137-04A

Client Sample ID: SVE #6 6OH2
Tag Number:
Collection Date: 5/13/2008 1:55:00 PM
Matrix: AIR

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES TO-15M LIST		TO-15		Analyst: LDS		
1,1,1-Trichloroethane	U	1.0		ppbv	1	5/15/2008 10:40:00 AM
1,1,2,2-Tetrachloroethane	U	1.0		ppbv	1	5/15/2008 10:40:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		ppbv	1	5/15/2008 10:40:00 AM
1,1,2-Trichloroethane	U	1.0		ppbv	1	5/15/2008 10:40:00 AM
1,1-Dichloroethane	U	1.0		ppbv	1	5/15/2008 10:40:00 AM
1,1-Dichloroethene	U	1.0		ppbv	1	5/15/2008 10:40:00 AM
1,2,4-Trichlorobenzene	U	1.0		ppbv	1	5/15/2008 10:40:00 AM
1,2,4-Trimethylbenzene	U	1.0		ppbv	1	5/15/2008 10:40:00 AM
1,2-Dibromoethane	U	1.0		ppbv	1	5/15/2008 10:40:00 AM
1,2-Dichlorobenzene	U	1.0		ppbv	1	5/15/2008 10:40:00 AM
1,2-Dichloroethane	U	1.0		ppbv	1	5/15/2008 10:40:00 AM
1,2-Dichloropropane	U	1.0		ppbv	1	5/15/2008 10:40:00 AM
1,3,5-Trimethylbenzene	U	1.0		ppbv	1	5/15/2008 10:40:00 AM
1,3-Dichlorobenzene	U	1.0		ppbv	1	5/15/2008 10:40:00 AM
1,4-Dichlorobenzene	U	1.0		ppbv	1	5/15/2008 10:40:00 AM
alpha-Chlorotoluene	U	1.0		ppbv	1	5/15/2008 10:40:00 AM
Benzene	U	1.0		ppbv	1	5/15/2008 10:40:00 AM
Bromomethane	U	1.0		ppbv	1	5/15/2008 10:40:00 AM
Carbon tetrachloride	U	1.0		ppbv	1	5/15/2008 10:40:00 AM
Chlorobenzene	U	1.0		ppbv	1	5/15/2008 10:40:00 AM
Chloroethane	U	1.0		ppbv	1	5/15/2008 10:40:00 AM
Chloroform	U	1.0		ppbv	1	5/15/2008 10:40:00 AM
Chloromethane	U	1.0		ppbv	1	5/15/2008 10:40:00 AM
Chloroprene	U	1.0		ppbv	1	5/15/2008 10:40:00 AM
cis-1,2-Dichloroethene	U	1.0		ppbv	1	5/15/2008 10:40:00 AM
cis-1,3-Dichloropropene	U	1.0		ppbv	1	5/15/2008 10:40:00 AM
Dichlorodifluoromethane	U	1.0		ppbv	1	5/15/2008 10:40:00 AM
Ethylbenzene	U	1.0		ppbv	1	5/15/2008 10:40:00 AM
Freon-114	U	1.0		ppbv	1	5/15/2008 10:40:00 AM
Hexachlorobutadiene	U	1.0		ppbv	1	5/15/2008 10:40:00 AM
m,p-Xylene	U	2.0		ppbv	1	5/15/2008 10:40:00 AM
Methylene chloride	58	1.0	B	ppbv	1	5/15/2008 10:40:00 AM
o-Xylene	U	1.0		ppbv	1	5/15/2008 10:40:00 AM
p-Ethyltoluene	U	1.0		ppbv	1	5/15/2008 10:40:00 AM
Styrene	U	1.0		ppbv	1	5/15/2008 10:40:00 AM
Tetrachloroethene	730	1.0		ppbv	1	5/15/2008 10:40:00 AM
Toluene	U	1.0		ppbv	1	5/15/2008 10:40:00 AM
trans-1,3-Dichloropropene	U	1.0		ppbv	1	5/15/2008 10:40:00 AM
Trichloroethene	25	1.0		ppbv	1	5/15/2008 10:40:00 AM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.**Date:** 19-May-08**CLIENT:** Envirotrac**Client Sample ID:** SVE #6 6OH2**Lab Order:** 0805137**Tag Number:****Project:** DEC Levittown 3801**Collection Date:** 5/13/2008 1:55:00 PM**Lab ID:** 0805137-04A**Matrix:** AIR

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES TO-15M LIST						Analyst: LDS
Trichlorofluoromethane	U	1.0		ppbv	1	5/15/2008 10:40:00 AM
Vinyl chloride	U	1.0		ppbv	1	5/15/2008 10:40:00 AM
Surr: 4-Bromofluorobenzene	94.1	54-134		%REC	1	5/15/2008 10:40:00 AM
Surr: Dibromofluoromethane	91.1	52-132		%REC	1	5/15/2008 10:40:00 AM
Surr: Toluene-d8	93.6	51-127		%REC	1	5/15/2008 10:40:00 AM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 19-May-08

CLIENT: Envirotrac
Lab Order: 0805137
Project: DEC Levittown 3801
Lab ID: 0805137-05A

Client Sample ID: SVE #4
Tag Number:
Collection Date: 5/13/2008 1:58:00 PM
Matrix: AIR

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES TO-15M LIST		TO-15		Analyst: LDS		
1,1,1-Trichloroethane	U	1.0		ppbv	1	5/15/2008 11:10:00 AM
1,1,2,2-Tetrachloroethane	U	1.0		ppbv	1	5/15/2008 11:10:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		ppbv	1	5/15/2008 11:10:00 AM
1,1,2-Trichloroethane	U	1.0		ppbv	1	5/15/2008 11:10:00 AM
1,1-Dichloroethane	U	1.0		ppbv	1	5/15/2008 11:10:00 AM
1,1-Dichloroethene	U	1.0		ppbv	1	5/15/2008 11:10:00 AM
1,2,4-Trichlorobenzene	U	1.0		ppbv	1	5/15/2008 11:10:00 AM
1,2,4-Trimethylbenzene	U	1.0		ppbv	1	5/15/2008 11:10:00 AM
1,2-Dibromoethane	U	1.0		ppbv	1	5/15/2008 11:10:00 AM
1,2-Dichlorobenzene	U	1.0		ppbv	1	5/15/2008 11:10:00 AM
1,2-Dichloroethane	U	1.0		ppbv	1	5/15/2008 11:10:00 AM
1,2-Dichloropropane	U	1.0		ppbv	1	5/15/2008 11:10:00 AM
1,3,5-Trimethylbenzene	U	1.0		ppbv	1	5/15/2008 11:10:00 AM
1,3-Dichlorobenzene	U	1.0		ppbv	1	5/15/2008 11:10:00 AM
1,4-Dichlorobenzene	U	1.0		ppbv	1	5/15/2008 11:10:00 AM
alpha-Chlorotoluene	U	1.0		ppbv	1	5/15/2008 11:10:00 AM
Benzene	U	1.0		ppbv	1	5/15/2008 11:10:00 AM
Bromomethane	U	1.0		ppbv	1	5/15/2008 11:10:00 AM
Carbon tetrachloride	U	1.0		ppbv	1	5/15/2008 11:10:00 AM
Chlorobenzene	U	1.0		ppbv	1	5/15/2008 11:10:00 AM
Chloroethane	U	1.0		ppbv	1	5/15/2008 11:10:00 AM
Chloroform	U	1.0		ppbv	1	5/15/2008 11:10:00 AM
Chloromethane	U	1.0		ppbv	1	5/15/2008 11:10:00 AM
Chloroprene	U	1.0		ppbv	1	5/15/2008 11:10:00 AM
cis-1,2-Dichloroethene	U	1.0		ppbv	1	5/15/2008 11:10:00 AM
cis-1,3-Dichloropropene	U	1.0		ppbv	1	5/15/2008 11:10:00 AM
Dichlorodifluoromethane	U	1.0		ppbv	1	5/15/2008 11:10:00 AM
Ethylbenzene	U	1.0		ppbv	1	5/15/2008 11:10:00 AM
Freon-114	U	1.0		ppbv	1	5/15/2008 11:10:00 AM
Hexachlorobutadiene	U	1.0		ppbv	1	5/15/2008 11:10:00 AM
m,p-Xylene	U	2.0		ppbv	1	5/15/2008 11:10:00 AM
Methylene chloride	54	1.0	B	ppbv	1	5/15/2008 11:10:00 AM
o-Xylene	U	1.0		ppbv	1	5/15/2008 11:10:00 AM
p-Ethyltoluene	U	1.0		ppbv	1	5/15/2008 11:10:00 AM
Styrene	U	1.0		ppbv	1	5/15/2008 11:10:00 AM
Tetrachloroethene	130	1.0		ppbv	1	5/15/2008 11:10:00 AM
Toluene	U	1.0		ppbv	1	5/15/2008 11:10:00 AM
trans-1,3-Dichloropropene	U	1.0		ppbv	1	5/15/2008 11:10:00 AM
Trichloroethene	U	1.0		ppbv	1	5/15/2008 11:10:00 AM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 19-May-08

CLIENT: Envirotrac
Lab Order: 0805137
Project: DEC Levittown 3801
Lab ID: 0805137-05A

Client Sample ID: SVE #4
Tag Number:
Collection Date: 5/13/2008 1:58:00 PM
Matrix: AIR

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES TO-15M LIST		TO-15				Analyst: LDS
Trichlorofluoromethane	U	1.0		ppbv	1	5/15/2008 11:10:00 AM
Vinyl chloride	U	1.0		ppbv	1	5/15/2008 11:10:00 AM
Surr: 4-Bromofluorobenzene	99.1	54-134		%REC	1	5/15/2008 11:10:00 AM
Surr: Dibromofluoromethane	90.2	52-132		%REC	1	5/15/2008 11:10:00 AM
Surr: Toluene-d8	93.8	51-127		%REC	1	5/15/2008 11:10:00 AM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 19-May-08

CLIENT: Envirotrac
Lab Order: 0805137
Project: DEC Levittown 3801
Lab ID: 0805137-06A

Client Sample ID: SVE #3
Tag Number:
Collection Date: 5/13/2008 2:04:00 PM
Matrix: AIR

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES TO-15M LIST		TO-15		Analyst: LDS		
1,1,1-Trichloroethane	U	1.0		ppbv	1	5/15/2008 11:41:00 AM
1,1,2,2-Tetrachloroethane	U	1.0		ppbv	1	5/15/2008 11:41:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		ppbv	1	5/15/2008 11:41:00 AM
1,1,2-Trichloroethane	U	1.0		ppbv	1	5/15/2008 11:41:00 AM
1,1-Dichloroethane	U	1.0		ppbv	1	5/15/2008 11:41:00 AM
1,1-Dichloroethene	U	1.0		ppbv	1	5/15/2008 11:41:00 AM
1,2,4-Trichlorobenzene	U	1.0		ppbv	1	5/15/2008 11:41:00 AM
1,2,4-Trimethylbenzene	U	1.0		ppbv	1	5/15/2008 11:41:00 AM
1,2-Dibromoethane	U	1.0		ppbv	1	5/15/2008 11:41:00 AM
1,2-Dichlorobenzene	U	1.0		ppbv	1	5/15/2008 11:41:00 AM
1,2-Dichloroethane	U	1.0		ppbv	1	5/15/2008 11:41:00 AM
1,2-Dichloropropane	U	1.0		ppbv	1	5/15/2008 11:41:00 AM
1,3,5-Trimethylbenzene	U	1.0		ppbv	1	5/15/2008 11:41:00 AM
1,3-Dichlorobenzene	U	1.0		ppbv	1	5/15/2008 11:41:00 AM
1,4-Dichlorobenzene	U	1.0		ppbv	1	5/15/2008 11:41:00 AM
alpha-Chlorotoluene	U	1.0		ppbv	1	5/15/2008 11:41:00 AM
Benzene	U	1.0		ppbv	1	5/15/2008 11:41:00 AM
Bromomethane	U	1.0		ppbv	1	5/15/2008 11:41:00 AM
Carbon tetrachloride	U	1.0		ppbv	1	5/15/2008 11:41:00 AM
Chlorobenzene	U	1.0		ppbv	1	5/15/2008 11:41:00 AM
Chloroethane	U	1.0		ppbv	1	5/15/2008 11:41:00 AM
Chloroform	U	1.0		ppbv	1	5/15/2008 11:41:00 AM
Chloromethane	U	1.0		ppbv	1	5/15/2008 11:41:00 AM
Chloroprene	U	1.0		ppbv	1	5/15/2008 11:41:00 AM
cis-1,2-Dichloroethene	U	1.0		ppbv	1	5/15/2008 11:41:00 AM
cis-1,3-Dichloropropene	U	1.0		ppbv	1	5/15/2008 11:41:00 AM
Dichlorodifluoromethane	U	1.0		ppbv	1	5/15/2008 11:41:00 AM
Ethylbenzene	U	1.0		ppbv	1	5/15/2008 11:41:00 AM
Freon-114	U	1.0		ppbv	1	5/15/2008 11:41:00 AM
Hexachlorobutadiene	U	1.0		ppbv	1	5/15/2008 11:41:00 AM
m,p-Xylene	U	2.0		ppbv	1	5/15/2008 11:41:00 AM
Methylene chloride	51	1.0	B	ppbv	1	5/15/2008 11:41:00 AM
o-Xylene	U	1.0		ppbv	1	5/15/2008 11:41:00 AM
p-Ethyltoluene	U	1.0		ppbv	1	5/15/2008 11:41:00 AM
Styrene	U	1.0		ppbv	1	5/15/2008 11:41:00 AM
Tetrachloroethene	55	1.0		ppbv	1	5/15/2008 11:41:00 AM
Toluene	U	1.0		ppbv	1	5/15/2008 11:41:00 AM
trans-1,3-Dichloropropene	U	1.0		ppbv	1	5/15/2008 11:41:00 AM
Trichloroethene	U	1.0		ppbv	1	5/15/2008 11:41:00 AM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.**Date:** 19-May-08

CLIENT: Envirotrac
Lab Order: 0805137
Project: DEC Levittown 3801
Lab ID: 0805137-06A

Client Sample ID: SVE #3
Tag Number:
Collection Date: 5/13/2008 2:04:00 PM
Matrix: AIR

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES TO-15M LIST		TO-15		Analyst: LDS		
Trichlorofluoromethane	U	1.0		ppbv	1	5/15/2008 11:41:00 AM
Vinyl chloride	U	1.0		ppbv	1	5/15/2008 11:41:00 AM
Surr: 4-Bromofluorobenzene	96.1	54-134		%REC	1	5/15/2008 11:41:00 AM
Surr: Dibromofluoromethane	91.9	52-132		%REC	1	5/15/2008 11:41:00 AM
Surr: Toluene-d8	92.8	51-127		%REC	1	5/15/2008 11:41:00 AM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 19-May-08

CLIENT:	Envirotrac	Client Sample ID:	SVE #1
Lab Order:	0805137	Tag Number:	
Project:	DEC Levittown 3801	Collection Date:	5/13/2008 2:07:00 PM
Lab ID:	0805137-07A	Matrix:	AIR

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES TO-15M LIST		TO-15		Analyst: LDS		
1,1,1-Trichloroethane	U	1.0		ppbv	1	5/15/2008 12:12:00 PM
1,1,2,2-Tetrachloroethane	U	1.0		ppbv	1	5/15/2008 12:12:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		ppbv	1	5/15/2008 12:12:00 PM
1,1,2-Trichloroethane	U	1.0		ppbv	1	5/15/2008 12:12:00 PM
1,1-Dichloroethane	U	1.0		ppbv	1	5/15/2008 12:12:00 PM
1,1-Dichloroethene	U	1.0		ppbv	1	5/15/2008 12:12:00 PM
1,2,4-Trichlorobenzene	U	1.0		ppbv	1	5/15/2008 12:12:00 PM
1,2,4-Trimethylbenzene	U	1.0		ppbv	1	5/15/2008 12:12:00 PM
1,2-Dibromoethane	U	1.0		ppbv	1	5/15/2008 12:12:00 PM
1,2-Dichlorobenzene	U	1.0		ppbv	1	5/15/2008 12:12:00 PM
1,2-Dichloroethane	U	1.0		ppbv	1	5/15/2008 12:12:00 PM
1,2-Dichloropropane	U	1.0		ppbv	1	5/15/2008 12:12:00 PM
1,3,5-Trimethylbenzene	U	1.0		ppbv	1	5/15/2008 12:12:00 PM
1,3-Dichlorobenzene	U	1.0		ppbv	1	5/15/2008 12:12:00 PM
1,4-Dichlorobenzene	U	1.0		ppbv	1	5/15/2008 12:12:00 PM
alpha-Chlorotoluene	U	1.0		ppbv	1	5/15/2008 12:12:00 PM
Benzene	U	1.0		ppbv	1	5/15/2008 12:12:00 PM
Bromomethane	U	1.0		ppbv	1	5/15/2008 12:12:00 PM
Carbon tetrachloride	U	1.0		ppbv	1	5/15/2008 12:12:00 PM
Chlorobenzene	U	1.0		ppbv	1	5/15/2008 12:12:00 PM
Chloroethane	U	1.0		ppbv	1	5/15/2008 12:12:00 PM
Chloroform	U	1.0		ppbv	1	5/15/2008 12:12:00 PM
Chloromethane	U	1.0		ppbv	1	5/15/2008 12:12:00 PM
Chloroprene	U	1.0		ppbv	1	5/15/2008 12:12:00 PM
cis-1,2-Dichloroethene	U	1.0		ppbv	1	5/15/2008 12:12:00 PM
cis-1,3-Dichloropropene	U	1.0		ppbv	1	5/15/2008 12:12:00 PM
Dichlorodifluoromethane	U	1.0		ppbv	1	5/15/2008 12:12:00 PM
Ethylbenzene	U	1.0		ppbv	1	5/15/2008 12:12:00 PM
Freon-114	U	1.0		ppbv	1	5/15/2008 12:12:00 PM
Hexachlorobutadiene	U	1.0		ppbv	1	5/15/2008 12:12:00 PM
m,p-Xylene	U	2.0		ppbv	1	5/15/2008 12:12:00 PM
Methylene chloride	54	1.0	B	ppbv	1	5/15/2008 12:12:00 PM
o-Xylene	U	1.0		ppbv	1	5/15/2008 12:12:00 PM
p-Ethyltoluene	U	1.0		ppbv	1	5/15/2008 12:12:00 PM
Styrene	U	1.0		ppbv	1	5/15/2008 12:12:00 PM
Tetrachloroethene	43	1.0		ppbv	1	5/15/2008 12:12:00 PM
Toluene	U	1.0		ppbv	1	5/15/2008 12:12:00 PM
trans-1,3-Dichloropropene	U	1.0		ppbv	1	5/15/2008 12:12:00 PM
Trichloroethene	U	1.0		ppbv	1	5/15/2008 12:12:00 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 19-May-08

CLIENT: Envirotrac
Lab Order: 0805137
Project: DEC Levittown 3801
Lab ID: 0805137-07A

Client Sample ID: SVE #1
Tag Number:
Collection Date: 5/13/2008 2:07:00 PM
Matrix: AIR

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES TO-15M LIST						Analyst: LDS
Trichlorofluoromethane	U	1.0		ppbv	1	5/15/2008 12:12:00 PM
Vinyl chloride	U	1.0		ppbv	1	5/15/2008 12:12:00 PM
Surr: 4-Bromofluorobenzene	96.5	54-134		%REC	1	5/15/2008 12:12:00 PM
Surr: Dibromofluoromethane	91.7	52-132		%REC	1	5/15/2008 12:12:00 PM
Surr: Toluene-d8	96.5	51-127		%REC	1	5/15/2008 12:12:00 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 19-May-08

CLIENT: Envirotrac
Lab Order: 0805137
Project: DEC Levittown 3801
Lab ID: 0805137-08A

Client Sample ID: ADC #9
Tag Number:
Collection Date: 5/13/2008 2:15:00 PM
Matrix: AIR

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES TO-15M LIST		TO-15		Analyst: LDS		
1,1,1-Trichloroethane	U	1.0		ppbv	1	5/15/2008 12:42:00 PM
1,1,2,2-Tetrachloroethane	U	1.0		ppbv	1	5/15/2008 12:42:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		ppbv	1	5/15/2008 12:42:00 PM
1,1,2-Trichloroethane	U	1.0		ppbv	1	5/15/2008 12:42:00 PM
1,1-Dichloroethane	U	1.0		ppbv	1	5/15/2008 12:42:00 PM
1,1-Dichloroethene	U	1.0		ppbv	1	5/15/2008 12:42:00 PM
1,2,4-Trichlorobenzene	U	1.0		ppbv	1	5/15/2008 12:42:00 PM
1,2,4-Trimethylbenzene	U	1.0		ppbv	1	5/15/2008 12:42:00 PM
1,2-Dibromoethane	U	1.0		ppbv	1	5/15/2008 12:42:00 PM
1,2-Dichlorobenzene	U	1.0		ppbv	1	5/15/2008 12:42:00 PM
1,2-Dichloroethane	U	1.0		ppbv	1	5/15/2008 12:42:00 PM
1,2-Dichloropropane	U	1.0		ppbv	1	5/15/2008 12:42:00 PM
1,3,5-Trimethylbenzene	U	1.0		ppbv	1	5/15/2008 12:42:00 PM
1,3-Dichlorobenzene	U	1.0		ppbv	1	5/15/2008 12:42:00 PM
1,4-Dichlorobenzene	U	1.0		ppbv	1	5/15/2008 12:42:00 PM
alpha-Chlorotoluene	U	1.0		ppbv	1	5/15/2008 12:42:00 PM
Benzene	U	1.0		ppbv	1	5/15/2008 12:42:00 PM
Bromomethane	U	1.0		ppbv	1	5/15/2008 12:42:00 PM
Carbon tetrachloride	U	1.0		ppbv	1	5/15/2008 12:42:00 PM
Chlorobenzene	U	1.0		ppbv	1	5/15/2008 12:42:00 PM
Chloroethane	U	1.0		ppbv	1	5/15/2008 12:42:00 PM
Chloroform	U	1.0		ppbv	1	5/15/2008 12:42:00 PM
Chloromethane	U	1.0		ppbv	1	5/15/2008 12:42:00 PM
Chloroprene	U	1.0		ppbv	1	5/15/2008 12:42:00 PM
cis-1,2-Dichloroethene	U	1.0		ppbv	1	5/15/2008 12:42:00 PM
cis-1,3-Dichloropropene	U	1.0		ppbv	1	5/15/2008 12:42:00 PM
Dichlorodifluoromethane	U	1.0		ppbv	1	5/15/2008 12:42:00 PM
Ethylbenzene	U	1.0		ppbv	1	5/15/2008 12:42:00 PM
Freon-114	U	1.0		ppbv	1	5/15/2008 12:42:00 PM
Hexachlorobutadiene	U	1.0		ppbv	1	5/15/2008 12:42:00 PM
m,p-Xylene	U	2.0		ppbv	1	5/15/2008 12:42:00 PM
Methylene chloride	52	1.0	B	ppbv	1	5/15/2008 12:42:00 PM
o-Xylene	U	1.0		ppbv	1	5/15/2008 12:42:00 PM
p-Ethyltoluene	U	1.0		ppbv	1	5/15/2008 12:42:00 PM
Styrene	U	1.0		ppbv	1	5/15/2008 12:42:00 PM
Tetrachloroethene	75	1.0		ppbv	1	5/15/2008 12:42:00 PM
Toluene	U	1.0		ppbv	1	5/15/2008 12:42:00 PM
trans-1,3-Dichloropropene	U	1.0		ppbv	1	5/15/2008 12:42:00 PM
Trichloroethene	U	1.0		ppbv	1	5/15/2008 12:42:00 PM

Qualifiers: B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit
U Indicates the compound was analyzed for but not detected

E Value above quantitation range
J Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits
X Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 19-May-08

CLIENT:	Envirotrac	Client Sample ID:	ADC #9
Lab Order:	0805137	Tag Number:	
Project:	DEC Levittown 3801	Collection Date:	5/13/2008 2:15:00 PM
Lab ID:	0805137-08A	Matrix:	AIR

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES TO-15M LIST		TO-15		Analyst: LDS		
Trichlorofluoromethane	U	1.0		ppbv	1	5/15/2008 12:42:00 PM
Vinyl chloride	U	1.0		ppbv	1	5/15/2008 12:42:00 PM
Surr: 4-Bromofluorobenzene	98.2	54-134		%REC	1	5/15/2008 12:42:00 PM
Surr: Dibromofluoromethane	100	52-132		%REC	1	5/15/2008 12:42:00 PM
Surr: Toluene-d8	94.1	51-127		%REC	1	5/15/2008 12:42:00 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 19-May-08

CLIENT: Envirotrac
Lab Order: 0805137
Project: DEC Levittown 3801
Lab ID: 0805137-09A

Client Sample ID: ADC #11
Tag Number:
Collection Date: 5/13/2008 2:18:00 PM
Matrix: AIR

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES TO-15M LIST		TO-15		Analyst: LDS		
1,1,1-Trichloroethane	U	1.0		ppbv	1	5/15/2008 1:39:00 PM
1,1,2,2-Tetrachloroethane	U	1.0		ppbv	1	5/15/2008 1:39:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		ppbv	1	5/15/2008 1:39:00 PM
1,1,2-Trichloroethane	U	1.0		ppbv	1	5/15/2008 1:39:00 PM
1,1-Dichloroethane	U	1.0		ppbv	1	5/15/2008 1:39:00 PM
1,1-Dichloroethene	U	1.0		ppbv	1	5/15/2008 1:39:00 PM
1,2,4-Trichlorobenzene	U	1.0		ppbv	1	5/15/2008 1:39:00 PM
1,2,4-Trimethylbenzene	U	1.0		ppbv	1	5/15/2008 1:39:00 PM
1,2-Dibromoethane	U	1.0		ppbv	1	5/15/2008 1:39:00 PM
1,2-Dichlorobenzene	U	1.0		ppbv	1	5/15/2008 1:39:00 PM
1,2-Dichloroethane	U	1.0		ppbv	1	5/15/2008 1:39:00 PM
1,2-Dichloropropane	U	1.0		ppbv	1	5/15/2008 1:39:00 PM
1,3,5-Trimethylbenzene	U	1.0		ppbv	1	5/15/2008 1:39:00 PM
1,3-Dichlorobenzene	U	1.0		ppbv	1	5/15/2008 1:39:00 PM
1,4-Dichlorobenzene	U	1.0		ppbv	1	5/15/2008 1:39:00 PM
alpha-Chlorotoluene	U	1.0		ppbv	1	5/15/2008 1:39:00 PM
Benzene	U	1.0		ppbv	1	5/15/2008 1:39:00 PM
Bromomethane	U	1.0		ppbv	1	5/15/2008 1:39:00 PM
Carbon tetrachloride	U	1.0		ppbv	1	5/15/2008 1:39:00 PM
Chlorobenzene	U	1.0		ppbv	1	5/15/2008 1:39:00 PM
Chloroethane	U	1.0		ppbv	1	5/15/2008 1:39:00 PM
Chloroform	U	1.0		ppbv	1	5/15/2008 1:39:00 PM
Chloromethane	U	1.0		ppbv	1	5/15/2008 1:39:00 PM
Chloroprene	U	1.0		ppbv	1	5/15/2008 1:39:00 PM
cis-1,2-Dichloroethene	U	1.0		ppbv	1	5/15/2008 1:39:00 PM
cis-1,3-Dichloropropene	U	1.0		ppbv	1	5/15/2008 1:39:00 PM
Dichlorodifluoromethane	U	1.0		ppbv	1	5/15/2008 1:39:00 PM
Ethylbenzene	U	1.0		ppbv	1	5/15/2008 1:39:00 PM
Freon-114	U	1.0		ppbv	1	5/15/2008 1:39:00 PM
Hexachlorobutadiene	U	1.0		ppbv	1	5/15/2008 1:39:00 PM
m,p-Xylene	U	2.0		ppbv	1	5/15/2008 1:39:00 PM
Methylene chloride	52	1.0	B	ppbv	1	5/15/2008 1:39:00 PM
o-Xylene	U	1.0		ppbv	1	5/15/2008 1:39:00 PM
p-Ethyltoluene	U	1.0		ppbv	1	5/15/2008 1:39:00 PM
Styrene	U	1.0		ppbv	1	5/15/2008 1:39:00 PM
Tetrachloroethene	49	1.0		ppbv	1	5/15/2008 1:39:00 PM
Toluene	U	1.0		ppbv	1	5/15/2008 1:39:00 PM
trans-1,3-Dichloropropene	U	1.0		ppbv	1	5/15/2008 1:39:00 PM
Trichloroethene	U	1.0		ppbv	1	5/15/2008 1:39:00 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 19-May-08

CLIENT: Envirotrac
Lab Order: 0805137
Project: DEC Levittown 3801
Lab ID: 0805137-09A

Client Sample ID: ADC #11
Tag Number:
Collection Date: 5/13/2008 2:18:00 PM
Matrix: AIR

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES TO-15M LIST		TO-15		Analyst: LDS		
Trichlorofluoromethane	U	1.0		ppbv	1	5/15/2008 1:39:00 PM
Vinyl chloride	U	1.0		ppbv	1	5/15/2008 1:39:00 PM
Surr: 4-Bromofluorobenzene	99.0	54-134		%REC	1	5/15/2008 1:39:00 PM
Surr: Dibromofluoromethane	89.9	52-132		%REC	1	5/15/2008 1:39:00 PM
Surr: Toluene-d8	94.8	51-127		%REC	1	5/15/2008 1:39:00 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 19-May-08

CLIENT: Envirotrac
Lab Order: 0805137
Project: DEC Levittown 3801
Lab ID: 0805137-10A

Client Sample ID: Post GAC
Tag Number:
Collection Date: 5/13/2008 3:03:00 PM
Matrix: AIR

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES TO-15M LIST		TO-15		Analyst: LDS		
1,1,1-Trichloroethane	U	1.0		ppbv	1	5/15/2008 2:09:00 PM
1,1,2,2-Tetrachloroethane	U	1.0		ppbv	1	5/15/2008 2:09:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		ppbv	1	5/15/2008 2:09:00 PM
1,1,2-Trichloroethane	U	1.0		ppbv	1	5/15/2008 2:09:00 PM
1,1-Dichloroethane	U	1.0		ppbv	1	5/15/2008 2:09:00 PM
1,1-Dichloroethene	U	1.0		ppbv	1	5/15/2008 2:09:00 PM
1,2,4-Trichlorobenzene	U	1.0		ppbv	1	5/15/2008 2:09:00 PM
1,2,4-Trimethylbenzene	U	1.0		ppbv	1	5/15/2008 2:09:00 PM
1,2-Dibromoethane	U	1.0		ppbv	1	5/15/2008 2:09:00 PM
1,2-Dichlorobenzene	U	1.0		ppbv	1	5/15/2008 2:09:00 PM
1,2-Dichloroethane	U	1.0		ppbv	1	5/15/2008 2:09:00 PM
1,2-Dichloropropane	U	1.0		ppbv	1	5/15/2008 2:09:00 PM
1,3,5-Trimethylbenzene	U	1.0		ppbv	1	5/15/2008 2:09:00 PM
1,3-Dichlorobenzene	U	1.0		ppbv	1	5/15/2008 2:09:00 PM
1,4-Dichlorobenzene	U	1.0		ppbv	1	5/15/2008 2:09:00 PM
alpha-Chlorotoluene	U	1.0		ppbv	1	5/15/2008 2:09:00 PM
Benzene	U	1.0		ppbv	1	5/15/2008 2:09:00 PM
Bromomethane	U	1.0		ppbv	1	5/15/2008 2:09:00 PM
Carbon tetrachloride	U	1.0		ppbv	1	5/15/2008 2:09:00 PM
Chlorobenzene	U	1.0		ppbv	1	5/15/2008 2:09:00 PM
Chloroethane	U	1.0		ppbv	1	5/15/2008 2:09:00 PM
Chloroform	U	1.0		ppbv	1	5/15/2008 2:09:00 PM
Chloromethane	U	1.0		ppbv	1	5/15/2008 2:09:00 PM
Chloroprene	U	1.0		ppbv	1	5/15/2008 2:09:00 PM
cis-1,2-Dichloroethene	U	1.0		ppbv	1	5/15/2008 2:09:00 PM
cis-1,3-Dichloropropene	U	1.0		ppbv	1	5/15/2008 2:09:00 PM
Dichlorodifluoromethane	U	1.0		ppbv	1	5/15/2008 2:09:00 PM
Ethylbenzene	U	1.0		ppbv	1	5/15/2008 2:09:00 PM
Freon-114	U	1.0		ppbv	1	5/15/2008 2:09:00 PM
Hexachlorobutadiene	U	1.0		ppbv	1	5/15/2008 2:09:00 PM
m,p-Xylene	U	2.0		ppbv	1	5/15/2008 2:09:00 PM
Methylene chloride	64	1.0	B	ppbv	1	5/15/2008 2:09:00 PM
o-Xylene	U	1.0		ppbv	1	5/15/2008 2:09:00 PM
p-Ethyltoluene	U	1.0		ppbv	1	5/15/2008 2:09:00 PM
Styrene	U	1.0		ppbv	1	5/15/2008 2:09:00 PM
Tetrachloroethene	25	1.0		ppbv	1	5/15/2008 2:09:00 PM
Toluene	U	1.0		ppbv	1	5/15/2008 2:09:00 PM
trans-1,3-Dichloropropene	U	1.0		ppbv	1	5/15/2008 2:09:00 PM
Trichloroethene	U	1.0		ppbv	1	5/15/2008 2:09:00 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.**Date:** 19-May-08

CLIENT: Envirotrac
Lab Order: 0805137
Project: DEC Levittown 3801
Lab ID: 0805137-10A

Client Sample ID: Post GAC
Tag Number:
Collection Date: 5/13/2008 3:03:00 PM
Matrix: AIR

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES TO-15M LIST		TO-15		Analyst: LDS		
Trichlorofluoromethane	U	1.0		ppbv	1	5/15/2008 2:09:00 PM
Vinyl chloride	U	1.0		ppbv	1	5/15/2008 2:09:00 PM
Surr: 4-Bromofluorobenzene	92.8	54-134		%REC	1	5/15/2008 2:09:00 PM
Surr: Dibromofluoromethane	91.5	52-132		%REC	1	5/15/2008 2:09:00 PM
Surr: Toluene-d8	92.9	51-127		%REC	1	5/15/2008 2:09:00 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level

American Analytical Laboratories, LLC.

Date: 19-May-08

CLIENT: Envirotrac
Lab Order: 0805137
Project: DEC Levittown 3801
Lab ID: 0805137-12A

Client Sample ID: SVE #6 4OH2
Tag Number:
Collection Date: 5/13/2008 2:45:00 PM
Matrix: AIR

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES TO-15M LIST		TO-15		Analyst: LDS		
1,1,1-Trichloroethane	U	1.0		ppbv	1	5/15/2008 2:40:00 PM
1,1,2,2-Tetrachloroethane	U	1.0		ppbv	1	5/15/2008 2:40:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		ppbv	1	5/15/2008 2:40:00 PM
1,1,2-Trichloroethane	U	1.0		ppbv	1	5/15/2008 2:40:00 PM
1,1-Dichloroethane	U	1.0		ppbv	1	5/15/2008 2:40:00 PM
1,1-Dichloroethene	U	1.0		ppbv	1	5/15/2008 2:40:00 PM
1,2,4-Trichlorobenzene	U	1.0		ppbv	1	5/15/2008 2:40:00 PM
1,2,4-Trimethylbenzene	U	1.0		ppbv	1	5/15/2008 2:40:00 PM
1,2-Dibromoethane	U	1.0		ppbv	1	5/15/2008 2:40:00 PM
1,2-Dichlorobenzene	U	1.0		ppbv	1	5/15/2008 2:40:00 PM
1,2-Dichloroethane	U	1.0		ppbv	1	5/15/2008 2:40:00 PM
1,2-Dichloropropane	U	1.0		ppbv	1	5/15/2008 2:40:00 PM
1,3,5-Trimethylbenzene	U	1.0		ppbv	1	5/15/2008 2:40:00 PM
1,3-Dichlorobenzene	U	1.0		ppbv	1	5/15/2008 2:40:00 PM
1,4-Dichlorobenzene	U	1.0		ppbv	1	5/15/2008 2:40:00 PM
alpha-Chlorotoluene	U	1.0		ppbv	1	5/15/2008 2:40:00 PM
Benzene	U	1.0		ppbv	1	5/15/2008 2:40:00 PM
Bromomethane	U	1.0		ppbv	1	5/15/2008 2:40:00 PM
Carbon tetrachloride	U	1.0		ppbv	1	5/15/2008 2:40:00 PM
Chlorobenzene	U	1.0		ppbv	1	5/15/2008 2:40:00 PM
Chloroethane	U	1.0		ppbv	1	5/15/2008 2:40:00 PM
Chloroform	U	1.0		ppbv	1	5/15/2008 2:40:00 PM
Chloromethane	U	1.0		ppbv	1	5/15/2008 2:40:00 PM
Chloroprene	U	1.0		ppbv	1	5/15/2008 2:40:00 PM
cis-1,2-Dichloroethene	U	1.0		ppbv	1	5/15/2008 2:40:00 PM
cis-1,3-Dichloropropene	U	1.0		ppbv	1	5/15/2008 2:40:00 PM
Dichlorodifluoromethane	U	1.0		ppbv	1	5/15/2008 2:40:00 PM
Ethylbenzene	U	1.0		ppbv	1	5/15/2008 2:40:00 PM
Freon-114	U	1.0		ppbv	1	5/15/2008 2:40:00 PM
Hexachlorobutadiene	U	1.0		ppbv	1	5/15/2008 2:40:00 PM
m,p-Xylene	U	2.0		ppbv	1	5/15/2008 2:40:00 PM
Methylene chloride	54	1.0	B	ppbv	1	5/15/2008 2:40:00 PM
o-Xylene	U	1.0		ppbv	1	5/15/2008 2:40:00 PM
p-Ethyltoluene	U	1.0		ppbv	1	5/15/2008 2:40:00 PM
Styrene	U	1.0		ppbv	1	5/15/2008 2:40:00 PM
Tetrachloroethene	850	1.0		ppbv	1	5/15/2008 2:40:00 PM
Toluene	U	1.0		ppbv	1	5/15/2008 2:40:00 PM
trans-1,3-Dichloropropene	U	1.0		ppbv	1	5/15/2008 2:40:00 PM
Trichloroethene	28	1.0		ppbv	1	5/15/2008 2:40:00 PM

Qualifiers:
B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit
U Indicates the compound was analyzed for but not detected

E Value above quantitation range
J Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits
X Value exceeds Maximum Contaminant Level



AN ENVIRONMENTAL ANALYTICAL LABORATORY

Air Toxics Ltd. Introduces the Electronic Report

Thank you for choosing Air Toxics Ltd. To better serve our customers, we are providing your report by e-mail. This document is provided in Portable Document Format which can be viewed with Acrobat Reader by Adobe.

This electronic report includes the following:

- Work order Summary;
- Laboratory Narrative;
- Results; and
- Chain of Custody (copy).

180 BLUE RAVINE ROAD, SUITE B FOLSOM, CA - 95630

**(916) 985-1000 .FAX (916) 985-1020
Hours 8:00 A.M to 6:00 P.M. Pacific**



AN ENVIRONMENTAL ANALYTICAL LABORATORY

WORK ORDER #: 0805277

Work Order Summary

CLIENT: Mr. James Van Horn
EnviroTrac Ltd.
5 Old Dock Rd.
Yaphank, NY 11980

BILL TO: Mr. James Van Horn
EnviroTrac Ltd.
5 Old Dock Rd.
Yaphank, NY 11980

PHONE: 631-924-3001

P.O. #

FAX:

PROJECT # 01.DC1018.00 Levittown 3801

DATE RECEIVED: 05/13/2008

CONTACT: Bryanna Langley

DATE COMPLETED: 05/27/2008

<u>FRACTION #</u>	<u>NAME</u>	<u>TEST</u>	<u>RECEIPT VAC./PRES.</u>	<u>FINAL PRESSURE</u>
01A	SS-4	Modified TO-15	9.0 "Hg	5 psi
02A	IA-4	Modified TO-15	6.0 "Hg	5 psi
03A	SS-3	Modified TO-15	6.0 "Hg	5 psi
04A	IA-3	Modified TO-15	6.0 "Hg	5 psi
05A	SS-1	Modified TO-15	5.5 "Hg	5 psi
06A	IA-1	Modified TO-15	0.5 "Hg	5 psi
07A	SS-2	Modified TO-15	8.5 "Hg	5 psi
08A	IA-2	Modified TO-15	5.5 "Hg	5 psi
09A	SS-5	Modified TO-15	6.0 "Hg	5 psi
09AA	SS-5 Lab Duplicate	Modified TO-15	6.0 "Hg	5 psi
10A	IA-5	Modified TO-15	6.0 "Hg	5 psi
11A	Lab Blank	Modified TO-15	NA	NA
12A	CCV	Modified TO-15	NA	NA
13A	LCS	Modified TO-15	NA	NA

CERTIFIED BY:

Laboratory Director

DATE: 05/28/08

Certification numbers: CA NELAP - 02110CA, LA NELAP/LELAP- AI 30763, NJ NELAP - CA004

NY NELAP - 11291, UT NELAP - 9166389892, AZ Licensure AZ0719

Name of Accrediting Agency: NELAP/Florida Department of Health, Scope of Application: Clean Air Act,

Accreditation number: E87680, Effective date: 07/01/07, Expiration date: 06/30/08

Air Toxics Ltd. certifies that the test results contained in this report meet all requirements of the NELAC standards

This report shall not be reproduced, except in full, without the written approval of Air Toxics Ltd.

180 BLUE RAVINE ROAD, SUITE B FOLSOM, CA - 95630

(916) 985-1000 . (800) 985-5955 . FAX (916) 985-1020

LABORATORY NARRATIVE
Modified TO-15 Full Scan/SIM
EnviroTrac Ltd.
Workorder# 0805277

Eight 6 Liter Summa Canister and two 6 Liter Summa Canister (100% Certified) samples were received on May 13, 2008. The laboratory performed analysis via modified EPA Method TO-15 using GC/MS in the Full Scan and SIM acquisition modes. The method involves concentrating up to 1.0 liters of air. The concentrated aliquot is then flash vaporized and swept through a water management system to remove water vapor. Following dehumidification, the sample passes directly into the GC/MS for analysis.

This workorder was independently validated prior to submittal using 'USEPA National Functional Guidelines' as generally applied to the analysis of volatile organic compounds in air. A rules-based, logic driven, independent validation engine was employed to assess completeness, evaluate pass/fail of relevant project quality control requirements and verification of all quantified amounts.

Method modifications taken to run these samples are summarized in the table below. Specific project requirements may over-ride the ATL modifications.

<i>Requirement</i>	<i>TO-15</i>	<i>ATL Modifications</i>
ICAL %RSD acceptance criteria	$\leq 30\%$ RSD with 2 compounds allowed out to $< 40\%$ RSD	For Full Scan: 30% RSD with 4 compounds allowed out to $< 40\%$ RSD For SIM: Project specific; default criteria is $\leq 30\%$ RSD with 10% of compounds allowed out to $< 40\%$ RSD
Daily Calibration	$\pm 30\%$ Difference	For Full Scan: $\leq 30\%$ Difference with four allowed out up to $\leq 40\%$.; flag and narrate outliers For SIM: Project specific; default criteria is $\leq 30\%$ Difference with 10% of compounds allowed out up to $\leq 40\%$.; flag and narrate outliers
Blank and standards	Zero air	Nitrogen
Method Detection Limit	Follow 40CFR Pt.136 App. B	The MDL met all relevant requirements in Method TO-15 (statistical MDL less than the LOQ). The concentration of the spiked replicate may have exceeded 10X the calculated MDL in some cases

Receiving Notes

The Chain of Custody (COC) information for samples IA-2, SS-5 and IA-5 did not match the information on the canister with regard to canister identification. The client was notified of the discrepancy and the information on the canister was used to process and report the samples.

Analytical Notes

There were no analytical discrepancies.

Definition of Data Qualifying Flags

Eight qualifiers may have been used on the data analysis sheets and indicates as follows:

B - Compound present in laboratory blank greater than reporting limit (background subtraction not performed).

J - Estimated value.

E - Exceeds instrument calibration range.

S - Saturated peak.

Q - Exceeds quality control limits.

U - Compound analyzed for but not detected above the reporting limit.

UJ- Non-detected compound associated with low bias in the CCV

N - The identification is based on presumptive evidence.

File extensions may have been used on the data analysis sheets and indicates as follows:

a-File was requantified

b-File was quantified by a second column and detector

r1-File was requantified for the purpose of reissue



AN ENVIRONMENTAL ANALYTICAL LABORATORY

Summary of Detected Compounds

MODIFIED EPA METHOD TO-15 GC/MS SIM/FULL SCAN

Client Sample ID: SS-4

Lab ID#: 0805277-01A

Compound	Rpt. Limit (ppbv)	Amount (ppbv)	Rpt. Limit (uG/m3)	Amount (uG/m3)
Trichloroethene	0.76	4.5	4.1	24
Tetrachloroethene	3.8	510	26	3400

Client Sample ID: IA-4

Lab ID#: 0805277-02A

Compound	Rpt. Limit (ppbv)	Amount (ppbv)	Rpt. Limit (uG/m3)	Amount (uG/m3)
Trichloroethene	0.034	0.039	0.18	0.21
Tetrachloroethene	0.17	0.45	1.1	3.0

Client Sample ID: SS-3

Lab ID#: 0805277-03A

Compound	Rpt. Limit (ppbv)	Amount (ppbv)	Rpt. Limit (uG/m3)	Amount (uG/m3)
Trichloroethene	0.22	1.1	1.2	6.1
Tetrachloroethene	1.1	110	7.6	760

Client Sample ID: IA-3

Lab ID#: 0805277-04A

Compound	Rpt. Limit (ppbv)	Amount (ppbv)	Rpt. Limit (uG/m3)	Amount (uG/m3)
Trichloroethene	0.034	0.13	0.18	0.70
Tetrachloroethene	0.17	1.8	1.1	12

Client Sample ID: SS-1

Lab ID#: 0805277-05A

Compound	Rpt. Limit (ppbv)	Amount (ppbv)	Rpt. Limit (uG/m3)	Amount (uG/m3)
Trichloroethene	0.082	0.98	0.44	5.3
cis-1,2-Dichloroethene	0.41	0.93	1.6	3.7
Tetrachloroethene	0.41	33	2.8	220



AN ENVIRONMENTAL ANALYTICAL LABORATORY

Summary of Detected Compounds MODIFIED EPA METHOD TO-15 GC/MS SIM/FULL SCAN

Client Sample ID: IA-1

Lab ID#: 0805277-06A

Compound	Rpt. Limit (ppbv)	Amount (ppbv)	Rpt. Limit (uG/m3)	Amount (uG/m3)
Trichloroethene	0.027	0.11	0.15	0.60
Tetrachloroethene	0.14	3.3	0.92	22

Client Sample ID: SS-2

Lab ID#: 0805277-07A

Compound	Rpt. Limit (ppbv)	Amount (ppbv)	Rpt. Limit (uG/m3)	Amount (uG/m3)
Trichloroethene	0.12	0.83	0.67	4.4
Tetrachloroethene	0.62	55	4.2	370

Client Sample ID: IA-2

Lab ID#: 0805277-08A

Compound	Rpt. Limit (ppbv)	Amount (ppbv)	Rpt. Limit (uG/m3)	Amount (uG/m3)
Trichloroethene	0.033	0.12	0.18	0.65
Tetrachloroethene	0.16	2.7	1.1	18

Client Sample ID: SS-5

Lab ID#: 0805277-09A

Compound	Rpt. Limit (ppbv)	Amount (ppbv)	Rpt. Limit (uG/m3)	Amount (uG/m3)
Trichloroethene	0.17	2.1	0.90	11
cis-1,2-Dichloroethene	0.84	2.1	3.3	8.5
Tetrachloroethene	0.84	88	5.7	590

Client Sample ID: SS-5 Lab Duplicate

Lab ID#: 0805277-09AA

Compound	Rpt. Limit (ppbv)	Amount (ppbv)	Rpt. Limit (uG/m3)	Amount (uG/m3)
Trichloroethene	0.22	2.1	1.2	12
cis-1,2-Dichloroethene	1.1	2.2	4.4	8.6
Tetrachloroethene	1.1	89	7.6	600



AN ENVIRONMENTAL ANALYTICAL LABORATORY

Summary of Detected Compounds MODIFIED EPA METHOD TO-15 GC/MS SIM/FULL SCAN

Client Sample ID: IA-5

Lab ID#: 0805277-10A

Compound	Rpt. Limit (ppbv)	Amount (ppbv)	Rpt. Limit (uG/m3)	Amount (uG/m3)
Tetrachloroethene	0.42	1.0	2.8	7.1

American Analytical Laboratories, LLC.

Date: 19-May-08

CLIENT:	Envirotrac	Client Sample ID:	SVE #6 4OH2
Lab Order:	0805137	Tag Number:	
Project:	DEC Levittown 3801	Collection Date:	5/13/2008 2:45:00 PM
Lab ID:	0805137-12A	Matrix:	AIR

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES TO-15M LIST		TO-15		Analyst: LDS		
Trichlorofluoromethane	U	1.0		ppbv	1	5/15/2008 2:40:00 PM
Vinyl chloride	U	1.0		ppbv	1	5/15/2008 2:40:00 PM
Surr: 4-Bromofluorobenzene	95.6	54-134		%REC	1	5/15/2008 2:40:00 PM
Surr: Dibromofluoromethane	94.4	52-132		%REC	1	5/15/2008 2:40:00 PM
Surr: Toluene-d8	96.9	51-127		%REC	1	5/15/2008 2:40:00 PM

Qualifiers:	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	S	Spike Recovery outside accepted recovery limits
	U	Indicates the compound was analyzed for but not detected	X	Value exceeds Maximum Contaminant Level



AN ENVIRONMENTAL ANALYTICAL LABORATORY

Client Sample ID: SS-4

Lab ID#: 0805277-01A

MODIFIED EPA METHOD TO-15 GC/MS SIM/FULL SCAN

File Name:	a051627	Date of Collection:	5/8/08
Dil. Factor:	38.2	Date of Analysis:	5/17/08 06:19 AM

Compound	Rpt. Limit (ppbv)	Amount (ppbv)	Rpt. Limit (uG/m3)	Amount (uG/m3)
Trichloroethene	0.76	4.5	4.1	24
Vinyl Chloride	3.8	Not Detected	9.8	Not Detected
trans-1,2-Dichloroethene	3.8	Not Detected	15	Not Detected
cis-1,2-Dichloroethene	3.8	Not Detected	15	Not Detected
Tetrachloroethene	3.8	510	26	3400

Container Type: 6 Liter Summa Canister

Surrogates	%Recovery	Method Limits
1,2-Dichloroethane-d4	102	0-0
Toluene-d8	100	0-0
4-Bromofluorobenzene	90	0-0



AN ENVIRONMENTAL ANALYTICAL LABORATORY

Client Sample ID: IA-4

Lab ID#: 0805277-02A

MODIFIED EPA METHOD TO-15 GC/MS SIM/FULL SCAN

File Name:	a051626	Date of Collection:	5/8/08
Dil. Factor:	1.68	Date of Analysis:	5/17/08 05:40 AM

Compound	Rpt. Limit (ppbv)	Amount (ppbv)	Rpt. Limit (uG/m3)	Amount (uG/m3)
Trichloroethene	0.034	0.039	0.18	0.21
Vinyl Chloride	0.17	Not Detected	0.43	Not Detected
trans-1,2-Dichloroethene	0.17	Not Detected	0.67	Not Detected
cis-1,2-Dichloroethene	0.17	Not Detected	0.67	Not Detected
Tetrachloroethene	0.17	0.45	1.1	3.0

Container Type: 6 Liter Summa Canister

Surrogates	%Recovery	Method Limits
1,2-Dichloroethane-d4	101	0-0
Toluene-d8	100	0-0
4-Bromofluorobenzene	93	0-0



AN ENVIRONMENTAL ANALYTICAL LABORATORY

Client Sample ID: SS-3

Lab ID#: 0805277-03A

MODIFIED EPA METHOD TO-15 GC/MS SIM/FULL SCAN

File Name:	a051625	Date of Collection:	5/8/08
Dil. Factor:	11.2	Date of Analysis:	5/17/08 05:00 AM

Compound	Rpt. Limit (ppbv)	Amount (ppbv)	Rpt. Limit (uG/m3)	Amount (uG/m3)
Trichloroethene	0.22	1.1	1.2	6.1
Vinyl Chloride	1.1	Not Detected	2.9	Not Detected
trans-1,2-Dichloroethene	1.1	Not Detected	4.4	Not Detected
cis-1,2-Dichloroethene	1.1	Not Detected	4.4	Not Detected
Tetrachloroethene	1.1	110	7.6	760

Container Type: 6 Liter Summa Canister

Surrogates	%Recovery	Method Limits
1,2-Dichloroethane-d4	102	0-0
Toluene-d8	100	0-0
4-Bromofluorobenzene	93	0-0



AN ENVIRONMENTAL ANALYTICAL LABORATORY

Client Sample ID: IA-3

Lab ID#: 0805277-04A

MODIFIED EPA METHOD TO-15 GC/MS SIM/FULL SCAN

File Name:	a051624	Date of Collection:	5/8/08
Dil. Factor:	1.68	Date of Analysis:	5/17/08 04:21 AM

Compound	Rpt. Limit (ppbv)	Amount (ppbv)	Rpt. Limit (uG/m3)	Amount (uG/m3)
Trichloroethene	0.034	0.13	0.18	0.70
Vinyl Chloride	0.17	Not Detected	0.43	Not Detected
trans-1,2-Dichloroethene	0.17	Not Detected	0.67	Not Detected
cis-1,2-Dichloroethene	0.17	Not Detected	0.67	Not Detected
Tetrachloroethene	0.17	1.8	1.1	12

Container Type: 6 Liter Summa Canister

Surrogates	%Recovery	Method Limits
1,2-Dichloroethane-d4	101	0-0
Toluene-d8	99	0-0
4-Bromofluorobenzene	93	0-0



AN ENVIRONMENTAL ANALYTICAL LABORATORY

Client Sample ID: SS-1

Lab ID#: 0805277-05A

MODIFIED EPA METHOD TO-15 GC/MS SIM/FULL SCAN

File Name:	a051623	Date of Collection:	5/8/08
Dil. Factor:	4.10	Date of Analysis:	5/17/08 03:41 AM

Compound	Rpt. Limit (ppbv)	Amount (ppbv)	Rpt. Limit (uG/m3)	Amount (uG/m3)
Trichloroethene	0.082	0.98	0.44	5.3
Vinyl Chloride	0.41	Not Detected	1.0	Not Detected
trans-1,2-Dichloroethene	0.41	Not Detected	1.6	Not Detected
cis-1,2-Dichloroethene	0.41	0.93	1.6	3.7
Tetrachloroethene	0.41	33	2.8	220

Container Type: 6 Liter Summa Canister

Surrogates	%Recovery	Method Limits
1,2-Dichloroethane-d4	101	0-0
Toluene-d8	99	0-0
4-Bromofluorobenzene	93	0-0



AN ENVIRONMENTAL ANALYTICAL LABORATORY

Client Sample ID: IA-1

Lab ID#: 0805277-06A

MODIFIED EPA METHOD TO-15 GC/MS SIM/FULL SCAN

File Name:	a051622	Date of Collection:	5/8/08
Dil. Factor:	1.36	Date of Analysis:	5/17/08 03:02 AM

Compound	Rpt. Limit (ppbv)	Amount (ppbv)	Rpt. Limit (uG/m3)	Amount (uG/m3)
Trichloroethene	0.027	0.11	0.15	0.60
Vinyl Chloride	0.14	Not Detected	0.35	Not Detected
trans-1,2-Dichloroethene	0.14	Not Detected	0.54	Not Detected
cis-1,2-Dichloroethene	0.14	Not Detected	0.54	Not Detected
Tetrachloroethene	0.14	3.3	0.92	22

Container Type: 6 Liter Summa Canister

Surrogates	%Recovery	Method Limits
1,2-Dichloroethane-d4	101	0-0
Toluene-d8	99	0-0
4-Bromofluorobenzene	93	0-0



AN ENVIRONMENTAL ANALYTICAL LABORATORY

Client Sample ID: SS-2

Lab ID#: 0805277-07A

MODIFIED EPA METHOD TO-15 GC/MS SIM/FULL SCAN

File Name:	a051621	Date of Collection:	5/8/08
Dil. Factor:	6.23	Date of Analysis:	5/17/08 02:16 AM

Compound	Rpt. Limit (ppbv)	Amount (ppbv)	Rpt. Limit (uG/m3)	Amount (uG/m3)
Trichloroethene	0.12	0.83	0.67	4.4
Vinyl Chloride	0.62	Not Detected	1.6	Not Detected
trans-1,2-Dichloroethene	0.62	Not Detected	2.5	Not Detected
cis-1,2-Dichloroethene	0.62	Not Detected	2.5	Not Detected
Tetrachloroethene	0.62	55	4.2	370

Container Type: 6 Liter Summa Canister

Surrogates	%Recovery	Method Limits
1,2-Dichloroethane-d4	102	0-0
Toluene-d8	99	0-0
4-Bromofluorobenzene	92	0-0



AN ENVIRONMENTAL ANALYTICAL LABORATORY

Client Sample ID: IA-2

Lab ID#: 0805277-08A

MODIFIED EPA METHOD TO-15 GC/MS SIM/FULL SCAN

File Name:	a051620	Date of Collection:	5/8/08
Dil. Factor:	1.64	Date of Analysis:	5/17/08 01:37 AM

Compound	Rpt. Limit (ppbv)	Amount (ppbv)	Rpt. Limit (uG/m3)	Amount (uG/m3)
Trichloroethene	0.033	0.12	0.18	0.65
Vinyl Chloride	0.16	Not Detected	0.42	Not Detected
trans-1,2-Dichloroethene	0.16	Not Detected	0.65	Not Detected
cis-1,2-Dichloroethene	0.16	Not Detected	0.65	Not Detected
Tetrachloroethene	0.16	2.7	1.1	18

Container Type: 6 Liter Summa Canister

Surrogates	%Recovery	Method Limits
1,2-Dichloroethane-d4	101	0-0
Toluene-d8	99	0-0
4-Bromofluorobenzene	91	0-0



AN ENVIRONMENTAL ANALYTICAL LABORATORY

Client Sample ID: SS-5

Lab ID#: 0805277-09A

MODIFIED EPA METHOD TO-15 GC/MS SIM/FULL SCAN

File Name:	a051619	Date of Collection:	5/8/08
Dil. Factor:	8.40	Date of Analysis:	5/17/08 12:58 AM

Compound	Rpt. Limit (ppbv)	Amount (ppbv)	Rpt. Limit (uG/m3)	Amount (uG/m3)
Trichloroethene	0.17	2.1	0.90	11
Vinyl Chloride	0.84	Not Detected	2.1	Not Detected
trans-1,2-Dichloroethene	0.84	Not Detected	3.3	Not Detected
cis-1,2-Dichloroethene	0.84	2.1	3.3	8.5
Tetrachloroethene	0.84	88	5.7	590

Container Type: 6 Liter Summa Canister (100% Certified)

Surrogates	%Recovery	Method Limits
1,2-Dichloroethane-d4	102	0-0
Toluene-d8	99	0-0
4-Bromofluorobenzene	92	0-0



AN ENVIRONMENTAL ANALYTICAL LABORATORY

Client Sample ID: SS-5 Lab Duplicate

Lab ID#: 0805277-09AA

MODIFIED EPA METHOD TO-15 GC/MS SIM/FULL SCAN

MODIFIED BY METHOD TO IS COMB DATA SHEET				
File Name:	a051617		Date of Collection: 5/8/08	
Dil. Factor:	11.2		Date of Analysis: 5/16/08 11:40 PM	
Compound	Rpt. Limit (ppbv)	Amount (ppbv)	Rpt. Limit (uG/m3)	Amount (uG/m3)
Trichloroethene	0.22	2.1	1.2	12
Vinyl Chloride	1.1	Not Detected	2.9	Not Detected
trans-1,2-Dichloroethene	1.1	Not Detected	4.4	Not Detected
cis-1,2-Dichloroethene	1.1	2.2	4.4	8.6
Tetrachloroethene	1.1	89	7.6	600

Container Type: 6 Liter Summa Canister (100% Certified)

Surrogates	%Recovery	Method Limits
1,2-Dichloroethane-d4	101	0-0
Toluene-d8	101	0-0
4-Bromofluorobenzene	92	0-0



AN ENVIRONMENTAL ANALYTICAL LABORATORY

Client Sample ID: IA-5

Lab ID#: 0805277-10A

MODIFIED EPA METHOD TO-15 GC/MS SIM/FULL SCAN

File Name:	a051618	Date of Collection:	5/8/08
Dil. Factor:	4.20	Date of Analysis:	5/17/08 12:19 AM

Compound	Rpt. Limit (ppbv)	Amount (ppbv)	Rpt. Limit (uG/m3)	Amount (uG/m3)
Trichloroethene	0.084	Not Detected	0.45	Not Detected
Vinyl Chloride	0.42	Not Detected	1.1	Not Detected
trans-1,2-Dichloroethene	0.42	Not Detected	1.7	Not Detected
cis-1,2-Dichloroethene	0.42	Not Detected	1.7	Not Detected
Tetrachloroethene	0.42	1.0	2.8	7.1

Container Type: 6 Liter Summa Canister (100% Certified)

Surrogates	%Recovery	Method Limits
1,2-Dichloroethane-d4	101	0-0
Toluene-d8	101	0-0
4-Bromofluorobenzene	92	0-0



AN ENVIRONMENTAL ANALYTICAL LABORATORY

Client Sample ID: Lab Blank

Lab ID#: 0805277-11A

MODIFIED EPA METHOD TO-15 GC/MS SIM/FULL SCAN

File Name:	a051608a	Date of Collection: NA
Dil. Factor:	1.00	Date of Analysis: 5/16/08 04:11 PM

Compound	Rpt. Limit (ppbv)	Amount (ppbv)	Rpt. Limit (uG/m3)	Amount (uG/m3)
Trichloroethene	0.020	Not Detected	0.11	Not Detected
Vinyl Chloride	0.10	Not Detected	0.26	Not Detected
trans-1,2-Dichloroethene	0.10	Not Detected	0.40	Not Detected
cis-1,2-Dichloroethene	0.10	Not Detected	0.40	Not Detected
Tetrachloroethene	0.10	Not Detected	0.68	Not Detected

Container Type: NA - Not Applicable

Surrogates	%Recovery	Method Limits
1,2-Dichloroethane-d4	102	70-130
Toluene-d8	98	70-130
4-Bromofluorobenzene	93	70-130



AN ENVIRONMENTAL ANALYTICAL LABORATORY

Client Sample ID: CCV

Lab ID#: 0805277-12A

MODIFIED EPA METHOD TO-15 GC/MS SIM/FULL SCAN

File Name:	a051605	Date of Collection: NA
Dil. Factor:	1.00	Date of Analysis: 5/16/08 01:37 PM

Compound	%Recovery
Trichloroethene	86
Vinyl Chloride	103
trans-1,2-Dichloroethene	100
cis-1,2-Dichloroethene	97
Tetrachloroethene	96

Container Type: NA - Not Applicable

Surrogates	%Recovery	Method Limits
1,2-Dichloroethane-d4	100	70-130
Toluene-d8	98	70-130
4-Bromofluorobenzene	92	70-130



AN ENVIRONMENTAL ANALYTICAL LABORATORY

Client Sample ID: LCS

Lab ID#: 0805277-13A

MODIFIED EPA METHOD TO-15 GC/MS SIM/FULL SCAN

File Name:	a051606	Date of Collection: NA
Dil. Factor:	1.00	Date of Analysis: 5/16/08 02:25 PM

Compound	%Recovery
Trichloroethene	80
Vinyl Chloride	95
trans-1,2-Dichloroethene	92
cis-1,2-Dichloroethene	91
Tetrachloroethene	90

Container Type: NA - Not Applicable

Surrogates	%Recovery	Method Limits
1,2-Dichloroethane-d4	98	70-130
Toluene-d8	100	70-130
4-Bromofluorobenzene	93	70-130