

**Building Demolition Report
June - September 2012
American Drive-In Cleaners
3801 Hempstead Turnpike
Levittown, NY**

NYSDEC #: 00-25367

SUMMARY

The following report summarizes building demolition activities performed by the property owner's contractors at the American Drive-In Cleaners site located at 3801 Hempstead Turnpike, Levittown, New York from June through September 2012. EnviroTrac Ltd. (EnviroTrac), under New York State Department of Environmental Conservation (NYSDEC) contract number C100902, witnessed the work completed and provided the following documentation:

Demolition of Building - June 28 and 29, 2012

Demolition activities were performed on site by Metro Industrial (Metro) with oversight by the property owner's environmental consultant FPM Group Ltd. (FPM) on June 28 and 29, 2012. Demolition involved the removal of all existing interior and exterior walls of the building. Several stores previously occupied the building which included, American Drive-In Cleaners, A Sub Shop, An Alteration Shop, A Bicycle Shop, and Barber Shop. A representative for the property owner was also present during the demolition.

Following building demolition and limited excavations, FPM collected a total of 10 soil samples from several locations beneath the former walls and floor of the building (**Figure 1**). EnviroTrac collected split samples with FPM for each of the 10 soil samples collected. Samples collected by EnviroTrac were submitted to Test America, a New York State certified laboratory, for analysis of volatile organic compounds (VOCs) using EPA Method 8260B. Refer to **Appendix A** for a copy of the laboratory report and photograph documentation of the demolition activities performed on June 28 and 29, 2012.

Building Footing Removal - July 2, 2012

EnviroTrac witnessed the removal of building footings performed by Metro on July 2, 2012. Metro began by excavating 20 feet of the northeast building footing. Soil in this area was screened for the presence of VOCs using a photo-ionization detector (PID) and readings were 0.0 ppm. The northern and western footing areas were backfilled and excavation debris was removed from the site. The southern footing was then excavated and soils were screened for VOCs with readings of 0.0 ppm. No detectable PID readings were observed during removal of the building footings. Photograph documentation of the footing removals is provided in **Appendix B**.

During footing removal, a previously abandoned fuel oil underground storage tank (UST) was encountered. The tank was located approximately 6 feet below grade and was approximately 5 feet from the western fence and 20 feet from the northern fence. Removal activities were performed on August 20, 2012 and are summarized below.

Removal of Previously Abandoned In-place UST - August 20, 2012

A 5,000-gallon previously abandoned steel UST was removed from the western edge of the former building on August 20, 2012. Removal activities were performed by Eastern Environmental Solutions Inc. (Eastern) with oversight by FPM.



During excavation and removal activities, a plastic bucket encased in wire was encountered and removed. It contained a motor oil container which appeared to be leaking. Surrounding soils were removed and did not appear to be impacted.

Following removal of the UST, Nassau County Department of Health (NCDH) inspected the excavation and approved backfilling. No apparent petroleum impacts were observed and NCDH did not require soil testing. Photograph documentation of the tank removal is provided in **Appendix C**.

Cesspool Remediation - August 21, 2012

Two cesspools located on the northeastern side of the former building were excavated on August 21, 2012 by Eastern with oversight by FPM. An industrial vacuum loader was used to remove soil from the bottom of the cesspools. A bottom composite sample was taken from the Northern Cesspool (CP-N) at 11 feet below grade and soil was screened using a PID. There were no detectable PID readings.

The Southern Cesspool (CP-S) was excavated to a depth of 15 and 25 feet below grade. From the 15 foot base depth a 3 foot diameter hole was excavated to approximately 25 feet below grade. Soil samples were collected from the North, South, East and West of the cesspool at 15 feet and an additional sample was taken from the bottom of the cesspool at 25 feet. The Southern Cesspool was backfilled with clean sand and a 4 inch diameter PVC sleeve was installed in the event that any additional samples needed to be taken in the future.

The laboratory report for the split soil samples collected by EnviroTrac are presented in **Appendix D** along with photograph documentation of the cesspool remediation activities.

ATTACHMENTS

Figure 1 - Site plan with sampling locations on June 28 and 29, 2012

Appendix A - Photograph Documentation of June 28 and 29, 2012 activities and Laboratory Report


Appendix B - Photograph Documentation of July 2, 2012 Building Footing Removal Activities

Appendix C - Photograph Documentation of August 20, 2012 UST Removal Activities

Appendix D - Photograph Documentation of August 21, 2012 Cesspool Remediation Activities and Laboratory Report

SUBMITTED TO

Mr. Payson Long - NYSDEC



- EXCAVATION KEY:
- 1 = 6' X 9' @ 2' DEEP
 - 2 = 9' X 8' @ 2.5' DEEP
 - 3 = 7' X 8' @ 2' DEEP
 - 4 = "CENTERLINE PIT"
 - 5 = "NORTHEAST PIT"

LEGEND:

- [Green Box] = LIMIT OF EXCAVATION
- [Circle with Cross] = SOIL SAMPLE LOCATIONS

EnviroTrac
ENVIRONMENTAL SERVICES
5 OLD DOCK ROAD, YAPHANK, NEW YORK 11980
PHONE: (631)924-3001 FAX: (631)924-5001

0 15 FT. 30

REVISION DATE: OCTOBER 3, 2012

SCALE: 1" = 30 FEET

REVISED BY: TB

3801 HEMPSTEAD TURNPIKE
LEVITTOWN, NEW YORK

SITE PLAN FOR JUNE 28 & 29, 2012

APPENDIX A

**Photograph Documentation on June 28 and 29, 2012
NYSDEC- American Drive-In Cleaners
Levittown, NY
Building Demolition**

Photo 1 - Demolition of the South side of building (front and interior walls)



Photo 2 - View of the West side of the building (former NYSDEC system shed location)



Photo 3 - Former system hosing/piping view from the interior of American Drive-In Cleaners



Photo 4 - Demolition waste from foundation removal (Post demolition)



Photo 5 - FPM installed system shed for adjacent Beverage Center



Photo 6 - Location of former Sub Shop and Cesspools



Photo 7 – Sub-slab depressurization piping for former building



Photo 8 – Piping beneath building




Photo 9 - Soil Stockpile # 1 from excavation/demolition



Photo 10 - Stockpile # 2 from excavation/demolition



Photo 11 – Former Sub Shop post foundation removal and demolition



Photo 12 – View of Western side of the property post excavation



Photo 13 – Site post building demolition



ANALYTICAL REPORT

Job Number: 460-42116-1

Job Description: 130049 American Drive-In C

For:

EnviroTrac, Ltd.
5 Old Dock Road
Yaphank, NY 11980

Attention: Ms. Donna Eschrich



Approved for release.
Jannel O Franklin
Project Manager I
7/24/2012 2:11 PM

Designee for
Larry Decker
Project Manager I
larry.decker@testamericainc.com
07/24/2012

cc: Mr. Payson Long

The test results in this report meet all NELAP requirements unless specified within the case narrative. Pursuant to NELAP, this report may not be reproduced, except in full, without the written approval of the laboratory. All questions regarding this report should be directed to the TestAmerica Edison Project Manager.

TestAmerica Edison Certifications and Approvals: Connecticut: CTDOH #PH-0200, New Jersey: NJDEP (NELAP) #12028, New York: NYDOH (NELAP) #11452, NYDOH (ELAP) #11452, Pennsylvania: PADEP (NELAP) 68-00522 and Rhode Island: RIDOH LAO00132

TestAmerica Laboratories, Inc.

TestAmerica Edison 777 New Durham Road, Edison, NJ 08817
Tel (732) 549-3900 Fax (732) 549-3679 www.testamericainc.com



CASE NARRATIVE

Client: EnviroTrac, Ltd.

Project: 130049 American Drive-In C

Report Number: 460-42116-1

This case narrative is in the form of an exception report, where only the anomalies related to this report, method specific performance and/or QA/QC issues are discussed. If there are no issues to report, this narrative will include a statement that documents that there are no relevant data issues.

It should be noted that samples with elevated Reporting Limits (RLs) as a result of a dilution may not be able to satisfy customer reporting limits in some cases. Such increases in the RLs are unavoidable but acceptable consequence of sample dilution that enables quantification of target analytes or interferences which exceed the calibration range of the instrument.

Calculations are performed before rounding to avoid round-off errors in calculated results.

All holding times were met and proper preservation noted for the methods performed on these samples, unless otherwise detailed in the individual sections below.

RECEIPT

The samples were received on 07/05/2012; the samples arrived in good condition, properly preserved and on ice. The temperature of the coolers at receipt was 1.4 C.

Note: All samples which require thermal preservation are considered acceptable if the arrival temperature is within 2C of the required temperature or method specified range. For samples with a specified temperature of 4C, samples with a temperature ranging from just above freezing temperature of water to 6C shall be acceptable. Samples that are hand delivered immediately following collection may not meet these criteria, however they will be deemed acceptable according to NELAC standards, if there is evidence that the chilling process has begun, such as arrival on ice, etc.

VOLATILE ORGANIC COMPOUNDS (GC-MS)

Samples 460-42116-1 through 460-42116-10 were analyzed for volatile organic compounds (GC-MS) in accordance with EPA SW-846 Method 8260B. The samples were prepared on 07/06/2012 and analyzed on 07/12/2012 and 07/13/2012.

Methylene Chloride was detected in method blank LB3 460-118899/1-A at a level exceeding the reporting limit. If the associated sample reported a result above the MDL and/or RL, the result has been "B" flagged. Acetone was detected in method blank LB3 460-118899/1-A at a level that was above the method detection limit but below the reporting limit. The value should be considered an estimate, and has been flagged "J". If the associated sample reported a result above the MDL and/or RL, the result has been "B" flagged. Acetone was detected in method blank MB 460-119109/5 at a level exceeding the reporting limit. If the associated sample reported a result above the MDL and/or RL, the result has been "B" flagged. Acetone was detected in method blank MB 460-119553/5 at a level exceeding the reporting limit. If the associated sample reported a result above the MDL and/or RL, the result has been "B" flagged. Methylene Chloride was detected in method blank MB 460-119553/5 at a level that was above the method detection limit but below the reporting limit. The value should be considered an estimate, and has been flagged "J". If the associated sample reported a result above the MDL and/or RL, the result has been "B" flagged. Acetone was detected in method blank MB 460-119632/5 at a level exceeding the reporting limit. If the associated sample reported a result above the MDL and/or RL, the result has been "B" flagged. Methylene Chloride was detected in method blank MB 460-119632/5 at a level that was above the method detection limit but below the reporting limit. The value should be considered an estimate, and has been flagged "J". If the associated sample reported a result above the MDL and/or RL, the result has been "B" flagged. Refer to the QC report for details.

The laboratory control sample (LCS) and the laboratory control sample duplicate (LCSD) for batch 119109 exceeded control limits for the following analyte: trans-1,4-Dichloro-2-butene. Refer to the QC report for details.

No other difficulties were encountered during the volatiles analyses.

All other quality control parameters were within the acceptance limits.

PERCENT SOLIDS

Samples 460-42116-1 through 460-42116-10 were analyzed for percent solids in accordance with D2974-87 Modified by ASTM. The samples were analyzed on 07/09/2012.

No difficulties were encountered during the % solids analyses.

All quality control parameters were within the acceptance limits.

EXECUTIVE SUMMARY - Detections

Client: EnviroTrac, Ltd.

Job Number: 460-42116-1

Lab Sample ID Analyte	Client Sample ID	Result	Qualifier	Reporting Limit	Units	Method
460-42116-1						
	CENTERLINE-N WALL					
Methylene Chloride		1.3	B	1.1	ug/Kg	8260B
Acetone		3.4	J B	11	ug/Kg	8260B
Tetrachloroethene		3.2		1.1	ug/Kg	8260B
m&p-Xylene		0.75	J	2.2	ug/Kg	8260B
o-Xylene		0.44	J	1.1	ug/Kg	8260B
1,4-Dichlorobenzene		0.33	J	1.1	ug/Kg	8260B
1,2,4-Trimethylbenzene		1.0	J	1.1	ug/Kg	8260B
1,3,5-Trimethylbenzene		0.42	J	1.1	ug/Kg	8260B
Percent Moisture		18.6		1.0	%	Moisture
Percent Solids		81.4		1.0	%	Moisture
460-42116-2						
	CENTERLINE-E WALL					
Methylene Chloride		1.8	B	1.2	ug/Kg	8260B
Acetone		3.0	J B	12	ug/Kg	8260B
Tetrachloroethene		44		1.2	ug/Kg	8260B
m&p-Xylene		0.75	J	2.4	ug/Kg	8260B
o-Xylene		0.44	J	1.2	ug/Kg	8260B
1,4-Dichlorobenzene		0.42	J	1.2	ug/Kg	8260B
1,2,4-Trimethylbenzene		1.2		1.2	ug/Kg	8260B
1,3,5-Trimethylbenzene		0.44	J	1.2	ug/Kg	8260B
Percent Moisture		18.4		1.0	%	Moisture
Percent Solids		81.6		1.0	%	Moisture
460-42116-3						
	CENTERLINE-S WALL					
Methylene Chloride		1.8	B	1.1	ug/Kg	8260B
Acetone		3.1	J B	11	ug/Kg	8260B
Tetrachloroethene		17		1.1	ug/Kg	8260B
m&p-Xylene		0.86	J	2.1	ug/Kg	8260B
o-Xylene		0.49	J	1.1	ug/Kg	8260B
1,4-Dichlorobenzene		0.31	J	1.1	ug/Kg	8260B
1,2,4-Trimethylbenzene		1.0	J	1.1	ug/Kg	8260B
1,3,5-Trimethylbenzene		0.47	J	1.1	ug/Kg	8260B
Percent Moisture		19.2		1.0	%	Moisture
Percent Solids		80.8		1.0	%	Moisture

EXECUTIVE SUMMARY - Detections

Client: EnviroTrac, Ltd.

Job Number: 460-42116-1

Lab Sample ID Analyte	Client Sample ID	Result	Qualifier	Reporting Limit	Units	Method
460-42116-4 CENTERLINE-W WALL						
Methylene Chloride		1.7	B	1.1	ug/Kg	8260B
Acetone		4.0	J B	11	ug/Kg	8260B
Tetrachloroethene		2.6		1.1	ug/Kg	8260B
m&p-Xylene		0.90	J	2.2	ug/Kg	8260B
o-Xylene		0.57	J	1.1	ug/Kg	8260B
1,4-Dichlorobenzene		0.43	J	1.1	ug/Kg	8260B
Naphthalene		0.29	J	1.1	ug/Kg	8260B
1,2,4-Trimethylbenzene		1.3		1.1	ug/Kg	8260B
1,3,5-Trimethylbenzene		0.56	J	1.1	ug/Kg	8260B
Percent Moisture		18.2		1.0	%	Moisture
Percent Solids		81.8		1.0	%	Moisture
460-42116-5 CENTERLINE-BOTTOM						
Methylene Chloride		2.7	B	1.1	ug/Kg	8260B
Acetone		9.3	J B	11	ug/Kg	8260B
Tetrachloroethene		1.3		1.1	ug/Kg	8260B
o-Xylene		0.21	J	1.1	ug/Kg	8260B
1,4-Dichlorobenzene		0.46	J	1.1	ug/Kg	8260B
1,2,4-Trimethylbenzene		0.24	J	1.1	ug/Kg	8260B
1,3,5-Trimethylbenzene		0.39	J	1.1	ug/Kg	8260B
Percent Moisture		12.9		1.0	%	Moisture
Percent Solids		87.1		1.0	%	Moisture
460-42116-6 NORTHEAST-N WALL						
Methylene Chloride		1.0	B	0.93	ug/Kg	8260B
Acetone		2.7	J B	9.3	ug/Kg	8260B
1,4-Dichlorobenzene		0.20	J	0.93	ug/Kg	8260B
Percent Moisture		4.5		1.0	%	Moisture
Percent Solids		95.5		1.0	%	Moisture
460-42116-7 NORTHEAST-E WALL						
Methylene Chloride		1.6	B	1.0	ug/Kg	8260B
Acetone		3.5	J B	10	ug/Kg	8260B
Tetrachloroethene		6.9		1.0	ug/Kg	8260B
1,4-Dichlorobenzene		0.39	J	1.0	ug/Kg	8260B
1,2,4-Trimethylbenzene		0.31	J	1.0	ug/Kg	8260B
1,3,5-Trimethylbenzene		0.28	J	1.0	ug/Kg	8260B
Percent Moisture		4.4		1.0	%	Moisture
Percent Solids		95.6		1.0	%	Moisture

EXECUTIVE SUMMARY - Detections

Client: EnviroTrac, Ltd.

Job Number: 460-42116-1

Lab Sample ID Analyte	Client Sample ID	Result	Qualifier	Reporting Limit	Units	Method
460-42116-8 NORTHEAST-S WALL						
Methylene Chloride		1.9	B	1.2	ug/Kg	8260B
Acetone		12	B	12	ug/Kg	8260B
2-Butanone		3.0	J	12	ug/Kg	8260B
Tetrachloroethene		0.56	J	1.2	ug/Kg	8260B
m&p-Xylene		0.76	J	2.4	ug/Kg	8260B
o-Xylene		0.49	J	1.2	ug/Kg	8260B
1,4-Dichlorobenzene		0.42	J	1.2	ug/Kg	8260B
1,2,4-Trimethylbenzene		1.5		1.2	ug/Kg	8260B
1,3,5-Trimethylbenzene		0.56	J	1.2	ug/Kg	8260B
Percent Moisture		19.0		1.0	%	Moisture
Percent Solids		81.0		1.0	%	Moisture
460-42116-9 NORTHEAST-W WALL						
Methylene Chloride		1.0	B	0.98	ug/Kg	8260B
Acetone		4.8	J B	9.8	ug/Kg	8260B
Tetrachloroethene		0.12	J	0.98	ug/Kg	8260B
Percent Moisture		3.5		1.0	%	Moisture
Percent Solids		96.5		1.0	%	Moisture
460-42116-10 NORTHEAST-BOTTOM						
Methylene Chloride		1.4	B	0.94	ug/Kg	8260B
Acetone		3.6	J B	9.4	ug/Kg	8260B
Tetrachloroethene		0.28	J	0.94	ug/Kg	8260B
1,4-Dichlorobenzene		0.32	J	0.94	ug/Kg	8260B
1,2,4-Trimethylbenzene		0.16	J	0.94	ug/Kg	8260B
Percent Moisture		3.9		1.0	%	Moisture
Percent Solids		96.1		1.0	%	Moisture

METHOD SUMMARY

Client: EnviroTrac, Ltd.

Job Number: 460-42116-1

Description	Lab Location	Method	Preparation Method
Matrix: Solid			
Volatile Organic Compounds (GC/MS)	TAL EDI	SW846 8260B	
Closed System Purge and Trap	TAL EDI		SW846 5035
Percent Moisture	TAL EDI	EPA Moisture	

Lab References:

TAL EDI = TestAmerica Edison

Method References:

EPA = US Environmental Protection Agency

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

METHOD / ANALYST SUMMARY

Client: EnviroTrac, Ltd.

Job Number: 460-42116-1

Method	Analyst	Analyst ID
SW846 8260B	Martinez, Eddie	EM
SW846 8260B	Tupayachi, Audberto	AT
EPA Moisture	Chang, Ryan	RC

SAMPLE SUMMARY

Client: EnviroTrac, Ltd.

Job Number: 460-42116-1

Lab Sample ID	Client Sample ID	Client Matrix	Date/Time Sampled	Date/Time Received
460-42116-1	Centerline-N Wall	Solid	06/29/2012 1418	07/05/2012 1710
460-42116-2	Centerline-E Wall	Solid	06/29/2012 1423	07/05/2012 1710
460-42116-3	Centerline-S Wall	Solid	06/29/2012 1431	07/05/2012 1710
460-42116-4	Centerline-W Wall	Solid	06/29/2012 1433	07/05/2012 1710
460-42116-5	Centerline-Bottom	Solid	06/29/2012 1437	07/05/2012 1710
460-42116-6	Northeast-N Wall	Solid	06/29/2012 1533	07/05/2012 1710
460-42116-7	Northeast-E Wall	Solid	06/29/2012 1535	07/05/2012 1710
460-42116-8	Northeast-S Wall	Solid	06/29/2012 1542	07/05/2012 1710
460-42116-9	Northeast-W Wall	Solid	06/29/2012 1546	07/05/2012 1710
460-42116-10	Northeast-Bottom	Solid	06/29/2012 1550	07/05/2012 1710

SAMPLE RESULTS

Analytical Data

Client: EnviroTrac, Ltd.

Job Number: 460-42116-1

Client Sample ID: Centerline-N Wall

Lab Sample ID: 460-42116-1

Date Sampled: 06/29/2012 1418

Client Matrix: Solid

% Moisture: 18.6

Date Received: 07/05/2012 1710

8260B Volatile Organic Compounds (GC/MS)

Analysis Method:	8260B	Analysis Batch:	460-119632	Instrument ID:	VOAMS12
Prep Method:	5035	Prep Batch:	460-118899	Lab File ID:	o62211.d
Dilution:	1.0			Initial Weight/Volume:	5.53 g
Analysis Date:	07/12/2012 2333			Final Weight/Volume:	5 mL
Prep Date:	07/06/2012 2013				

Analyte	DryWt Corrected: Y	Result (ug/Kg)	Qualifier	MDL	RL
Chloromethane		0.18	U	0.18	1.1
Bromomethane		0.48	U	0.48	1.1
Vinyl chloride		0.38	U	0.38	1.1
Chloroethane		0.37	U	0.37	1.1
Methylene Chloride		1.3	B	0.17	1.1
Acetone		3.4	J B	1.9	11
Carbon disulfide		0.17	U	0.17	1.1
Trichlorofluoromethane		0.18	U	0.18	1.1
1,1-Dichloroethene		0.21	U	0.21	1.1
1,1-Dichloroethane		0.12	U	0.12	1.1
trans-1,2-Dichloroethene		0.14	U	0.14	1.1
cis-1,2-Dichloroethene		0.12	U	0.12	1.1
Chloroform		0.27	U	0.27	1.1
1,2-Dichloroethane		0.20	U	0.20	1.1
2-Butanone		0.70	U	0.70	11
1,1,1-Trichloroethane		0.14	U	0.14	1.1
Carbon tetrachloride		0.17	U	0.17	1.1
Bromodichloromethane		0.36	U	0.36	1.1
1,2-Dichloropropane		0.17	U	0.17	1.1
cis-1,3-Dichloropropene		0.16	U	0.16	1.1
TCE		0.13	U	0.13	1.1
Dibromochloromethane		0.11	U	0.11	1.1
1,1,2-Trichloroethane		0.16	U	0.16	1.1
Benzene		0.17	U	0.17	1.1
trans-1,3-Dichloropropene		0.11	U	0.11	1.1
Bromoform		0.19	U	0.19	1.1
4-Methyl-2-pentanone		0.22	U	0.22	11
2-Hexanone		0.14	U	0.14	11
Tetrachloroethene		3.2		0.13	1.1
1,1,2,2-Tetrachloroethane		0.10	U	0.10	1.1
Toluene		0.16	U	0.16	1.1
Chlorobenzene		0.20	U	0.20	1.1
Ethylbenzene		0.19	U	0.19	1.1
Styrene		0.31	U	0.31	1.1
m&p-Xylene		0.75	J	0.66	2.2
o-Xylene		0.44	J	0.21	1.1
Ethyl ether		0.23	U	0.23	1.1
Acrolein		8.3	U	8.3	110
Freon TF		0.12	U	0.12	1.1
Acetonitrile		3.3	U	3.3	22
TBA		3.5	U	3.5	22
Acrylonitrile		3.9	U	3.9	56
MTBE		0.12	U	0.12	1.1
Vinyl acetate		0.44	U	0.44	1.1
Cyclohexane		0.14	U	0.14	1.1
Isopropyl acetate		0.19	U	0.19	2.2

Analytical Data

Client: EnviroTrac, Ltd.

Job Number: 460-42116-1

Client Sample ID: Centerline-N Wall

Lab Sample ID: 460-42116-1

Date Sampled: 06/29/2012 1418

Client Matrix: Solid

% Moisture: 18.6

Date Received: 07/05/2012 1710

8260B Volatile Organic Compounds (GC/MS)

Analysis Method:	8260B	Analysis Batch:	460-119632	Instrument ID:	VOAMS12
Prep Method:	5035	Prep Batch:	460-118899	Lab File ID:	o62211.d
Dilution:	1.0			Initial Weight/Volume:	5.53 g
Analysis Date:	07/12/2012 2333			Final Weight/Volume:	5 mL
Prep Date:	07/06/2012 2013				

Analyte	DryWt Corrected: Y	Result (ug/Kg)	Qualifier	MDL	RL
1,2-Dibromoethane		0.17	U	0.17	1.1
1,3-Dichlorobenzene		0.18	U	0.18	1.1
1,4-Dichlorobenzene		0.33	J	0.12	1.1
1,2-Dichlorobenzene		0.11	U	0.11	1.1
Naphthalene		0.26	U	0.26	1.1
Dichlorodifluoromethane		0.24	U	0.24	1.1
1,1-Dichloropropene		0.17	U	0.17	1.1
1,2,4-Trichlorobenzene		0.21	U	0.21	1.1
Hexachlorobutadiene		0.18	U	0.18	5.6
1,1,1,2-Tetrachloroethane		0.12	U	0.12	1.1
1,2,3-Trichlorobenzene		0.18	U	0.18	1.1
1,2,3-Trichloropropane		0.20	U	0.20	1.1
1,2,4-Trimethylbenzene		1.0	J	0.17	1.1
1,2-Dibromo-3-Chloropropane		0.49	U	0.49	1.1
1,3,5-Trimethylbenzene		0.42	J	0.13	1.1
1,3-Dichloropropane		0.26	U	0.26	1.1
2,2-Dichloropropane		0.14	U	0.14	1.1
2-Chlorotoluene		0.14	U	0.14	1.1
4-Chlorotoluene		0.26	U	0.26	1.1
Monobromobenzene		0.33	U	0.33	1.1
Bromochloromethane		0.12	U	0.12	1.1
Dibromomethane		0.26	U	0.26	1.1
Isopropylbenzene		0.12	U	0.12	1.1
N-Propylbenzene		0.17	U	0.17	1.1
p-Isopropyltoluene		0.16	U	0.16	1.1
sec-Butylbenzene		0.14	U	0.14	1.1
tert-Butylbenzene		0.13	U	0.13	1.1
n-Butylbenzene		0.089	U	0.089	1.1
Methyl methacrylate		0.29	U	0.29	1.1
trans-1,4-Dichloro-2-butene		0.29	U	0.29	1.1
Tert-butyl ethyl ether		0.13	U	0.13	1.1

Surrogate	%Rec	Qualifier	Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	93		70 - 130
Toluene-d8 (Surr)	101		70 - 130
Bromofluorobenzene	120		70 - 130

Analytical Data

Client: EnviroTrac, Ltd.

Job Number: 460-42116-1

Client Sample ID: Centerline-E Wall

Lab Sample ID: 460-42116-2

Date Sampled: 06/29/2012 1423

Client Matrix: Solid

% Moisture: 18.4

Date Received: 07/05/2012 1710

8260B Volatile Organic Compounds (GC/MS)

Analysis Method:	8260B	Analysis Batch:	460-119632	Instrument ID:	VOAMS12
Prep Method:	5035	Prep Batch:	460-118899	Lab File ID:	o62212.d
Dilution:	1.0			Initial Weight/Volume:	5.03 g
Analysis Date:	07/12/2012 2358			Final Weight/Volume:	5 mL
Prep Date:	07/06/2012 2015				

Analyte	DryWt Corrected: Y	Result (ug/Kg)	Qualifier	MDL	RL
Chloromethane		0.19	U	0.19	1.2
Bromomethane		0.52	U	0.52	1.2
Vinyl chloride		0.41	U	0.41	1.2
Chloroethane		0.40	U	0.40	1.2
Methylene Chloride		1.8	B	0.18	1.2
Acetone		3.0	J B	2.1	12
Carbon disulfide		0.18	U	0.18	1.2
Trichlorofluoromethane		0.19	U	0.19	1.2
1,1-Dichloroethene		0.23	U	0.23	1.2
1,1-Dichloroethane		0.13	U	0.13	1.2
trans-1,2-Dichloroethene		0.16	U	0.16	1.2
cis-1,2-Dichloroethene		0.13	U	0.13	1.2
Chloroform		0.29	U	0.29	1.2
1,2-Dichloroethane		0.22	U	0.22	1.2
2-Butanone		0.77	U	0.77	12
1,1,1-Trichloroethane		0.16	U	0.16	1.2
Carbon tetrachloride		0.18	U	0.18	1.2
Bromodichloromethane		0.39	U	0.39	1.2
1,2-Dichloropropane		0.18	U	0.18	1.2
cis-1,3-Dichloropropene		0.17	U	0.17	1.2
TCE		0.15	U	0.15	1.2
Dibromochloromethane		0.12	U	0.12	1.2
1,1,2-Trichloroethane		0.17	U	0.17	1.2
Benzene		0.18	U	0.18	1.2
trans-1,3-Dichloropropene		0.12	U	0.12	1.2
Bromoform		0.21	U	0.21	1.2
4-Methyl-2-pentanone		0.24	U	0.24	12
2-Hexanone		0.16	U	0.16	12
Tetrachloroethene		44		0.15	1.2
1,1,2,2-Tetrachloroethane		0.11	U	0.11	1.2
Toluene		0.17	U	0.17	1.2
Chlorobenzene		0.22	U	0.22	1.2
Ethylbenzene		0.21	U	0.21	1.2
Styrene		0.34	U	0.34	1.2
m&p-Xylene		0.75	J	0.72	2.4
o-Xylene		0.44	J	0.23	1.2
Ethyl ether		0.26	U	0.26	1.2
Acrolein		9.1	U	9.1	120
Freon TF		0.13	U	0.13	1.2
Acetonitrile		3.6	U	3.6	24
TBA		3.8	U	3.8	24
Acrylonitrile		4.2	U	4.2	61
MTBE		0.13	U	0.13	1.2
Vinyl acetate		0.49	U	0.49	1.2
Cyclohexane		0.16	U	0.16	1.2
Isopropyl acetate		0.21	U	0.21	2.4

Analytical Data

Client: EnviroTrac, Ltd.

Job Number: 460-42116-1

Client Sample ID: Centerline-E Wall

Lab Sample ID: 460-42116-2

Date Sampled: 06/29/2012 1423

Client Matrix: Solid

% Moisture: 18.4

Date Received: 07/05/2012 1710

8260B Volatile Organic Compounds (GC/MS)

Analysis Method:	8260B	Analysis Batch:	460-119632	Instrument ID:	VOAMS12
Prep Method:	5035	Prep Batch:	460-118899	Lab File ID:	o62212.d
Dilution:	1.0			Initial Weight/Volume:	5.03 g
Analysis Date:	07/12/2012 2358			Final Weight/Volume:	5 mL
Prep Date:	07/06/2012 2015				

Analyte	DryWt Corrected: Y	Result (ug/Kg)	Qualifier	MDL	RL
1,2-Dibromoethane		0.18	U	0.18	1.2
1,3-Dichlorobenzene		0.19	U	0.19	1.2
1,4-Dichlorobenzene		0.42	J	0.13	1.2
1,2-Dichlorobenzene		0.12	U	0.12	1.2
Naphthalene		0.28	U	0.28	1.2
Dichlorodifluoromethane		0.27	U	0.27	1.2
1,1-Dichloropropene		0.18	U	0.18	1.2
1,2,4-Trichlorobenzene		0.23	U	0.23	1.2
Hexachlorobutadiene		0.19	U	0.19	6.1
1,1,1,2-Tetrachloroethane		0.13	U	0.13	1.2
1,2,3-Trichlorobenzene		0.19	U	0.19	1.2
1,2,3-Trichloropropane		0.22	U	0.22	1.2
1,2,4-Trimethylbenzene		1.2		0.18	1.2
1,2-Dibromo-3-Chloropropane		0.54	U	0.54	1.2
1,3,5-Trimethylbenzene		0.44	J	0.15	1.2
1,3-Dichloropropane		0.28	U	0.28	1.2
2,2-Dichloropropane		0.16	U	0.16	1.2
2-Chlorotoluene		0.16	U	0.16	1.2
4-Chlorotoluene		0.28	U	0.28	1.2
Monobromobenzene		0.37	U	0.37	1.2
Bromochloromethane		0.13	U	0.13	1.2
Dibromomethane		0.28	U	0.28	1.2
Isopropylbenzene		0.13	U	0.13	1.2
N-Propylbenzene		0.18	U	0.18	1.2
p-Isopropyltoluene		0.17	U	0.17	1.2
sec-Butylbenzene		0.16	U	0.16	1.2
tert-Butylbenzene		0.15	U	0.15	1.2
n-Butylbenzene		0.097	U	0.097	1.2
Methyl methacrylate		0.32	U	0.32	1.2
trans-1,4-Dichloro-2-butene		0.32	U	0.32	1.2
Tert-butyl ethyl ether		0.15	U	0.15	1.2

Surrogate	%Rec	Qualifier	Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	83		70 - 130
Toluene-d8 (Surr)	94		70 - 130
Bromofluorobenzene	107		70 - 130

Analytical Data

Client: EnviroTrac, Ltd.

Job Number: 460-42116-1

Client Sample ID: Centerline-S Wall

Lab Sample ID: 460-42116-3

Date Sampled: 06/29/2012 1431

Client Matrix: Solid

% Moisture: 19.2

Date Received: 07/05/2012 1710

8260B Volatile Organic Compounds (GC/MS)

Analysis Method: 8260B

Analysis Batch: 460-119632

Instrument ID: VOAMS12

Prep Method: 5035

Prep Batch: 460-118899

Lab File ID: o62213.d

Dilution: 1.0

Initial Weight/Volume: 5.79 g

Analysis Date: 07/13/2012 0023

Final Weight/Volume: 5 mL

Prep Date: 07/06/2012 2016

Analyte	DryWt Corrected: Y	Result (ug/Kg)	Qualifier	MDL	RL
Chloromethane		0.17	U	0.17	1.1
Bromomethane		0.46	U	0.46	1.1
Vinyl chloride		0.36	U	0.36	1.1
Chloroethane		0.35	U	0.35	1.1
Methylene Chloride		1.8	B	0.16	1.1
Acetone		3.1	J B	1.8	11
Carbon disulfide		0.16	U	0.16	1.1
Trichlorofluoromethane		0.17	U	0.17	1.1
1,1-Dichloroethene		0.20	U	0.20	1.1
1,1-Dichloroethane		0.12	U	0.12	1.1
trans-1,2-Dichloroethene		0.14	U	0.14	1.1
cis-1,2-Dichloroethene		0.12	U	0.12	1.1
Chloroform		0.26	U	0.26	1.1
1,2-Dichloroethane		0.19	U	0.19	1.1
2-Butanone		0.67	U	0.67	11
1,1,1-Trichloroethane		0.14	U	0.14	1.1
Carbon tetrachloride		0.16	U	0.16	1.1
Bromodichloromethane		0.34	U	0.34	1.1
1,2-Dichloropropane		0.16	U	0.16	1.1
cis-1,3-Dichloropropene		0.15	U	0.15	1.1
TCE		0.13	U	0.13	1.1
Dibromochloromethane		0.11	U	0.11	1.1
1,1,2-Trichloroethane		0.15	U	0.15	1.1
Benzene		0.16	U	0.16	1.1
trans-1,3-Dichloropropene		0.11	U	0.11	1.1
Bromoform		0.18	U	0.18	1.1
4-Methyl-2-pentanone		0.21	U	0.21	11
2-Hexanone		0.14	U	0.14	11
Tetrachloroethene		17		0.13	1.1
1,1,2,2-Tetrachloroethane		0.096	U	0.096	1.1
Toluene		0.15	U	0.15	1.1
Chlorobenzene		0.19	U	0.19	1.1
Ethylbenzene		0.18	U	0.18	1.1
Styrene		0.30	U	0.30	1.1
m&p-Xylene		0.86	J	0.63	2.1
o-Xylene		0.49	J	0.20	1.1
Ethyl ether		0.22	U	0.22	1.1
Acrolein		8.0	U	8.0	110
Freon TF		0.12	U	0.12	1.1
Acetonitrile		3.2	U	3.2	21
TBA		3.3	U	3.3	21
Acrylonitrile		3.7	U	3.7	53
MTBE		0.12	U	0.12	1.1
Vinyl acetate		0.43	U	0.43	1.1
Cyclohexane		0.14	U	0.14	1.1
Isopropyl acetate		0.18	U	0.18	2.1

Analytical Data

Client: EnviroTrac, Ltd.

Job Number: 460-42116-1

Client Sample ID: Centerline-S Wall

Lab Sample ID: 460-42116-3

Date Sampled: 06/29/2012 1431

Client Matrix: Solid

% Moisture: 19.2

Date Received: 07/05/2012 1710

8260B Volatile Organic Compounds (GC/MS)

Analysis Method:	8260B	Analysis Batch:	460-119632	Instrument ID:	VOAMS12
Prep Method:	5035	Prep Batch:	460-118899	Lab File ID:	o62213.d
Dilution:	1.0			Initial Weight/Volume:	5.79 g
Analysis Date:	07/13/2012 0023			Final Weight/Volume:	5 mL
Prep Date:	07/06/2012 2016				

Analyte	DryWt Corrected: Y	Result (ug/Kg)	Qualifier	MDL	RL
1,2-Dibromoethane		0.16	U	0.16	1.1
1,3-Dichlorobenzene		0.17	U	0.17	1.1
1,4-Dichlorobenzene		0.31	J	0.12	1.1
1,2-Dichlorobenzene		0.11	U	0.11	1.1
Naphthalene		0.25	U	0.25	1.1
Dichlorodifluoromethane		0.24	U	0.24	1.1
1,1-Dichloropropene		0.16	U	0.16	1.1
1,2,4-Trichlorobenzene		0.20	U	0.20	1.1
Hexachlorobutadiene		0.17	U	0.17	5.3
1,1,1,2-Tetrachloroethane		0.12	U	0.12	1.1
1,2,3-Trichlorobenzene		0.17	U	0.17	1.1
1,2,3-Trichloropropane		0.19	U	0.19	1.1
1,2,4-Trimethylbenzene		1.0	J	0.16	1.1
1,2-Dibromo-3-Chloropropane		0.47	U	0.47	1.1
1,3,5-Trimethylbenzene		0.47	J	0.13	1.1
1,3-Dichloropropane		0.25	U	0.25	1.1
2,2-Dichloropropane		0.14	U	0.14	1.1
2-Chlorotoluene		0.14	U	0.14	1.1
4-Chlorotoluene		0.25	U	0.25	1.1
Monobromobenzene		0.32	U	0.32	1.1
Bromochloromethane		0.12	U	0.12	1.1
Dibromomethane		0.25	U	0.25	1.1
Isopropylbenzene		0.12	U	0.12	1.1
N-Propylbenzene		0.16	U	0.16	1.1
p-Isopropyltoluene		0.15	U	0.15	1.1
sec-Butylbenzene		0.14	U	0.14	1.1
tert-Butylbenzene		0.13	U	0.13	1.1
n-Butylbenzene		0.085	U	0.085	1.1
Methyl methacrylate		0.28	U	0.28	1.1
trans-1,4-Dichloro-2-butene		0.28	U	0.28	1.1
Tert-butyl ethyl ether		0.13	U	0.13	1.1

Surrogate	%Rec	Qualifier	Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	91		70 - 130
Toluene-d8 (Surr)	102		70 - 130
Bromofluorobenzene	119		70 - 130

Analytical Data

Client: EnviroTrac, Ltd.

Job Number: 460-42116-1

Client Sample ID: Centerline-W Wall

Lab Sample ID: 460-42116-4

Date Sampled: 06/29/2012 1433

Client Matrix: Solid

% Moisture: 18.2

Date Received: 07/05/2012 1710

8260B Volatile Organic Compounds (GC/MS)

Analysis Method: 8260B

Analysis Batch: 460-119632

Instrument ID: VOAMS12

Prep Method: 5035

Prep Batch: 460-118899

Lab File ID: o62214.d

Dilution: 1.0

Initial Weight/Volume: 5.65 g

Analysis Date: 07/13/2012 0048

Final Weight/Volume: 5 mL

Prep Date: 07/06/2012 2018

Analyte	DryWt Corrected: Y	Result (ug/Kg)	Qualifier	MDL	RL
Chloromethane		0.17	U	0.17	1.1
Bromomethane		0.47	U	0.47	1.1
Vinyl chloride		0.37	U	0.37	1.1
Chloroethane		0.36	U	0.36	1.1
Methylene Chloride		1.7	B	0.16	1.1
Acetone		4.0	J B	1.8	11
Carbon disulfide		0.16	U	0.16	1.1
Trichlorofluoromethane		0.17	U	0.17	1.1
1,1-Dichloroethene		0.21	U	0.21	1.1
1,1-Dichloroethane		0.12	U	0.12	1.1
trans-1,2-Dichloroethene		0.14	U	0.14	1.1
cis-1,2-Dichloroethene		0.12	U	0.12	1.1
Chloroform		0.26	U	0.26	1.1
1,2-Dichloroethane		0.19	U	0.19	1.1
2-Butanone		0.68	U	0.68	11
1,1,1-Trichloroethane		0.14	U	0.14	1.1
Carbon tetrachloride		0.16	U	0.16	1.1
Bromodichloromethane		0.35	U	0.35	1.1
1,2-Dichloropropane		0.16	U	0.16	1.1
cis-1,3-Dichloropropene		0.15	U	0.15	1.1
TCE		0.13	U	0.13	1.1
Dibromochloromethane		0.11	U	0.11	1.1
1,1,2-Trichloroethane		0.15	U	0.15	1.1
Benzene		0.16	U	0.16	1.1
trans-1,3-Dichloropropene		0.11	U	0.11	1.1
Bromoform		0.18	U	0.18	1.1
4-Methyl-2-pentanone		0.22	U	0.22	11
2-Hexanone		0.14	U	0.14	11
Tetrachloroethene		2.6		0.13	1.1
1,1,2,2-Tetrachloroethane		0.097	U	0.097	1.1
Toluene		0.15	U	0.15	1.1
Chlorobenzene		0.19	U	0.19	1.1
Ethylbenzene		0.18	U	0.18	1.1
Styrene		0.30	U	0.30	1.1
m&p-Xylene		0.90	J	0.64	2.2
o-Xylene		0.57	J	0.21	1.1
Ethyl ether		0.23	U	0.23	1.1
Acrolein		8.1	U	8.1	110
Freon TF		0.12	U	0.12	1.1
Acetonitrile		3.2	U	3.2	22
TBA		3.4	U	3.4	22
Acrylonitrile		3.8	U	3.8	54
MTBE		0.12	U	0.12	1.1
Vinyl acetate		0.43	U	0.43	1.1
Cyclohexane		0.14	U	0.14	1.1
Isopropyl acetate		0.18	U	0.18	2.2

Analytical Data

Client: EnviroTrac, Ltd.

Job Number: 460-42116-1

Client Sample ID: Centerline-W Wall

Lab Sample ID: 460-42116-4

Date Sampled: 06/29/2012 1433

Client Matrix: Solid

% Moisture: 18.2

Date Received: 07/05/2012 1710

8260B Volatile Organic Compounds (GC/MS)

Analysis Method:	8260B	Analysis Batch:	460-119632	Instrument ID:	VOAMS12
Prep Method:	5035	Prep Batch:	460-118899	Lab File ID:	o62214.d
Dilution:	1.0			Initial Weight/Volume:	5.65 g
Analysis Date:	07/13/2012 0048			Final Weight/Volume:	5 mL
Prep Date:	07/06/2012 2018				

Analyte	DryWt Corrected: Y	Result (ug/Kg)	Qualifier	MDL	RL
1,2-Dibromoethane		0.16	U	0.16	1.1
1,3-Dichlorobenzene		0.17	U	0.17	1.1
1,4-Dichlorobenzene		0.43	J	0.12	1.1
1,2-Dichlorobenzene		0.11	U	0.11	1.1
Naphthalene		0.29	J	0.25	1.1
Dichlorodifluoromethane		0.24	U	0.24	1.1
1,1-Dichloropropene		0.16	U	0.16	1.1
1,2,4-Trichlorobenzene		0.21	U	0.21	1.1
Hexachlorobutadiene		0.17	U	0.17	5.4
1,1,1,2-Tetrachloroethane		0.12	U	0.12	1.1
1,2,3-Trichlorobenzene		0.17	U	0.17	1.1
1,2,3-Trichloropropane		0.19	U	0.19	1.1
1,2,4-Trimethylbenzene		1.3		0.16	1.1
1,2-Dibromo-3-Chloropropane		0.48	U	0.48	1.1
1,3,5-Trimethylbenzene		0.56	J	0.13	1.1
1,3-Dichloropropane		0.25	U	0.25	1.1
2,2-Dichloropropane		0.14	U	0.14	1.1
2-Chlorotoluene		0.14	U	0.14	1.1
4-Chlorotoluene		0.25	U	0.25	1.1
Monobromobenzene		0.32	U	0.32	1.1
Bromochloromethane		0.12	U	0.12	1.1
Dibromomethane		0.25	U	0.25	1.1
Isopropylbenzene		0.12	U	0.12	1.1
N-Propylbenzene		0.16	U	0.16	1.1
p-Isopropyltoluene		0.15	U	0.15	1.1
sec-Butylbenzene		0.14	U	0.14	1.1
tert-Butylbenzene		0.13	U	0.13	1.1
n-Butylbenzene		0.087	U	0.087	1.1
Methyl methacrylate		0.28	U	0.28	1.1
trans-1,4-Dichloro-2-butene		0.28	U	0.28	1.1
Tert-butyl ethyl ether		0.13	U	0.13	1.1

Surrogate	%Rec	Qualifier	Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	83		70 - 130
Toluene-d8 (Surr)	93		70 - 130
Bromofluorobenzene	109		70 - 130

Analytical Data

Client: EnviroTrac, Ltd.

Job Number: 460-42116-1

Client Sample ID: Centerline-Bottom

Lab Sample ID: 460-42116-5

Date Sampled: 06/29/2012 1437

Client Matrix: Solid

% Moisture: 12.9

Date Received: 07/05/2012 1710

8260B Volatile Organic Compounds (GC/MS)

Analysis Method:	8260B	Analysis Batch:	460-119553	Instrument ID:	VOAMS12
Prep Method:	5035	Prep Batch:	460-118899	Lab File ID:	o62185.d
Dilution:	1.0			Initial Weight/Volume:	5.37 g
Analysis Date:	07/12/2012 1134			Final Weight/Volume:	5 mL
Prep Date:	07/06/2012 2019				

Analyte	DryWt Corrected: Y	Result (ug/Kg)	Qualifier	MDL	RL
Chloromethane		0.17	U	0.17	1.1
Bromomethane		0.46	U	0.46	1.1
Vinyl chloride		0.36	U	0.36	1.1
Chloroethane		0.35	U	0.35	1.1
Methylene Chloride		2.7	B	0.16	1.1
Acetone		9.3	J B	1.8	11
Carbon disulfide		0.16	U	0.16	1.1
Trichlorofluoromethane		0.17	U	0.17	1.1
1,1-Dichloroethene		0.20	U	0.20	1.1
1,1-Dichloroethane		0.12	U	0.12	1.1
trans-1,2-Dichloroethene		0.14	U	0.14	1.1
cis-1,2-Dichloroethene		0.12	U	0.12	1.1
Chloroform		0.26	U	0.26	1.1
1,2-Dichloroethane		0.19	U	0.19	1.1
2-Butanone		0.67	U	0.67	11
1,1,1-Trichloroethane		0.14	U	0.14	1.1
Carbon tetrachloride		0.16	U	0.16	1.1
Bromodichloromethane		0.34	U	0.34	1.1
1,2-Dichloropropane		0.16	U	0.16	1.1
cis-1,3-Dichloropropene		0.15	U	0.15	1.1
TCE		0.13	U	0.13	1.1
Dibromochloromethane		0.11	U	0.11	1.1
1,1,2-Trichloroethane		0.15	U	0.15	1.1
Benzene		0.16	U	0.16	1.1
trans-1,3-Dichloropropene		0.11	U	0.11	1.1
Bromoform		0.18	U	0.18	1.1
4-Methyl-2-pentanone		0.21	U	0.21	11
2-Hexanone		0.14	U	0.14	11
Tetrachloroethene		1.3		0.13	1.1
1,1,2,2-Tetrachloroethane		0.096	U	0.096	1.1
Toluene		0.15	U	0.15	1.1
Chlorobenzene		0.19	U	0.19	1.1
Ethylbenzene		0.18	U	0.18	1.1
Styrene		0.30	U	0.30	1.1
m&p-Xylene		0.63	U	0.63	2.1
o-Xylene		0.21	J	0.20	1.1
Ethyl ether		0.22	U	0.22	1.1
Acrolein		8.0	U	8.0	110
Freon TF		0.12	U	0.12	1.1
Acetonitrile		3.2	U	3.2	21
TBA		3.3	U	3.3	21
Acrylonitrile		3.7	U	3.7	53
MTBE		0.12	U	0.12	1.1
Vinyl acetate		0.43	U	0.43	1.1
Cyclohexane		0.14	U	0.14	1.1
Isopropyl acetate		0.18	U	0.18	2.1

Analytical Data

Client: EnviroTrac, Ltd.

Job Number: 460-42116-1

Client Sample ID: Centerline-Bottom

Lab Sample ID: 460-42116-5

Date Sampled: 06/29/2012 1437

Client Matrix: Solid

% Moisture: 12.9

Date Received: 07/05/2012 1710

8260B Volatile Organic Compounds (GC/MS)

Analysis Method:	8260B	Analysis Batch:	460-119553	Instrument ID:	VOAMS12
Prep Method:	5035	Prep Batch:	460-118899	Lab File ID:	o62185.d
Dilution:	1.0			Initial Weight/Volume:	5.37 g
Analysis Date:	07/12/2012 1134			Final Weight/Volume:	5 mL
Prep Date:	07/06/2012 2019				

Analyte	DryWt Corrected: Y	Result (ug/Kg)	Qualifier	MDL	RL
1,2-Dibromoethane		0.16	U	0.16	1.1
1,3-Dichlorobenzene		0.17	U	0.17	1.1
1,4-Dichlorobenzene		0.46	J	0.12	1.1
1,2-Dichlorobenzene		0.11	U	0.11	1.1
Naphthalene		0.25	U	0.25	1.1
Dichlorodifluoromethane		0.24	U	0.24	1.1
1,1-Dichloropropene		0.16	U	0.16	1.1
1,2,4-Trichlorobenzene		0.20	U	0.20	1.1
Hexachlorobutadiene		0.17	U	0.17	5.3
1,1,1,2-Tetrachloroethane		0.12	U	0.12	1.1
1,2,3-Trichlorobenzene		0.17	U	0.17	1.1
1,2,3-Trichloropropane		0.19	U	0.19	1.1
1,2,4-Trimethylbenzene		0.24	J	0.16	1.1
1,2-Dibromo-3-Chloropropane		0.47	U	0.47	1.1
1,3,5-Trimethylbenzene		0.39	J	0.13	1.1
1,3-Dichloropropane		0.25	U	0.25	1.1
2,2-Dichloropropane		0.14	U	0.14	1.1
2-Chlorotoluene		0.14	U	0.14	1.1
4-Chlorotoluene		0.25	U	0.25	1.1
Monobromobenzene		0.32	U	0.32	1.1
Bromochloromethane		0.12	U	0.12	1.1
Dibromomethane		0.25	U	0.25	1.1
Isopropylbenzene		0.12	U	0.12	1.1
N-Propylbenzene		0.16	U	0.16	1.1
p-Isopropyltoluene		0.15	U	0.15	1.1
sec-Butylbenzene		0.14	U	0.14	1.1
tert-Butylbenzene		0.13	U	0.13	1.1
n-Butylbenzene		0.086	U	0.086	1.1
Methyl methacrylate		0.28	U	0.28	1.1
trans-1,4-Dichloro-2-butene		0.28	U	0.28	1.1
Tert-butyl ethyl ether		0.13	U	0.13	1.1

Surrogate	%Rec	Qualifier	Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	87		70 - 130
Toluene-d8 (Surr)	95		70 - 130
Bromofluorobenzene	107		70 - 130

Analytical Data

Client: EnviroTrac, Ltd.

Job Number: 460-42116-1

Client Sample ID: Northeast-N Wall

Lab Sample ID: 460-42116-6

Date Sampled: 06/29/2012 1533

Client Matrix: Solid

% Moisture: 4.5

Date Received: 07/05/2012 1710

8260B Volatile Organic Compounds (GC/MS)

Analysis Method:	8260B	Analysis Batch:	460-119553	Instrument ID:	VOAMS12
Prep Method:	5035	Prep Batch:	460-118899	Lab File ID:	o62186.d
Dilution:	1.0			Initial Weight/Volume:	5.65 g
Analysis Date:	07/12/2012 1159			Final Weight/Volume:	5 mL
Prep Date:	07/06/2012 2021				

Analyte	DryWt Corrected: Y	Result (ug/Kg)	Qualifier	MDL	RL
Chloromethane		0.15	U	0.15	0.93
Bromomethane		0.40	U	0.40	0.93
Vinyl chloride		0.31	U	0.31	0.93
Chloroethane		0.31	U	0.31	0.93
Methylene Chloride		1.0	B	0.14	0.93
Acetone		2.7	J B	1.6	9.3
Carbon disulfide		0.14	U	0.14	0.93
Trichlorofluoromethane		0.15	U	0.15	0.93
1,1-Dichloroethene		0.18	U	0.18	0.93
1,1-Dichloroethane		0.10	U	0.10	0.93
trans-1,2-Dichloroethene		0.12	U	0.12	0.93
cis-1,2-Dichloroethene		0.10	U	0.10	0.93
Chloroform		0.22	U	0.22	0.93
1,2-Dichloroethane		0.17	U	0.17	0.93
2-Butanone		0.58	U	0.58	9.3
1,1,1-Trichloroethane		0.12	U	0.12	0.93
Carbon tetrachloride		0.14	U	0.14	0.93
Bromodichloromethane		0.30	U	0.30	0.93
1,2-Dichloropropane		0.14	U	0.14	0.93
cis-1,3-Dichloropropene		0.13	U	0.13	0.93
TCE		0.11	U	0.11	0.93
Dibromochloromethane		0.093	U	0.093	0.93
1,1,2-Trichloroethane		0.13	U	0.13	0.93
Benzene		0.14	U	0.14	0.93
trans-1,3-Dichloropropene		0.093	U	0.093	0.93
Bromoform		0.16	U	0.16	0.93
4-Methyl-2-pentanone		0.19	U	0.19	9.3
2-Hexanone		0.12	U	0.12	9.3
Tetrachloroethene		0.11	U	0.11	0.93
1,1,2,2-Tetrachloroethane		0.083	U	0.083	0.93
Toluene		0.13	U	0.13	0.93
Chlorobenzene		0.17	U	0.17	0.93
Ethylbenzene		0.16	U	0.16	0.93
Styrene		0.26	U	0.26	0.93
m&p-Xylene		0.55	U	0.55	1.9
o-Xylene		0.18	U	0.18	0.93
Ethyl ether		0.19	U	0.19	0.93
Acrolein		6.9	U	6.9	93
Freon TF		0.10	U	0.10	0.93
Acetonitrile		2.8	U	2.8	19
TBA		2.9	U	2.9	19
Acrylonitrile		3.2	U	3.2	46
MTBE		0.10	U	0.10	0.93
Vinyl acetate		0.37	U	0.37	0.93
Cyclohexane		0.12	U	0.12	0.93
Isopropyl acetate		0.16	U	0.16	1.9

Analytical Data

Client: EnviroTrac, Ltd.

Job Number: 460-42116-1

Client Sample ID: Northeast-N Wall

Lab Sample ID: 460-42116-6

Date Sampled: 06/29/2012 1533

Client Matrix: Solid

% Moisture: 4.5

Date Received: 07/05/2012 1710

8260B Volatile Organic Compounds (GC/MS)

Analysis Method:	8260B	Analysis Batch:	460-119553	Instrument ID:	VOAMS12
Prep Method:	5035	Prep Batch:	460-118899	Lab File ID:	o62186.d
Dilution:	1.0			Initial Weight/Volume:	5.65 g
Analysis Date:	07/12/2012 1159			Final Weight/Volume:	5 mL
Prep Date:	07/06/2012 2021				

Analyte	DryWt Corrected: Y	Result (ug/Kg)	Qualifier	MDL	RL
1,2-Dibromoethane		0.14	U	0.14	0.93
1,3-Dichlorobenzene		0.15	U	0.15	0.93
1,4-Dichlorobenzene		0.20	J	0.10	0.93
1,2-Dichlorobenzene		0.093	U	0.093	0.93
Naphthalene		0.21	U	0.21	0.93
Dichlorodifluoromethane		0.20	U	0.20	0.93
1,1-Dichloropropene		0.14	U	0.14	0.93
1,2,4-Trichlorobenzene		0.18	U	0.18	0.93
Hexachlorobutadiene		0.15	U	0.15	4.6
1,1,1,2-Tetrachloroethane		0.10	U	0.10	0.93
1,2,3-Trichlorobenzene		0.15	U	0.15	0.93
1,2,3-Trichloropropane		0.17	U	0.17	0.93
1,2,4-Trimethylbenzene		0.14	U	0.14	0.93
1,2-Dibromo-3-Chloropropane		0.41	U	0.41	0.93
1,3,5-Trimethylbenzene		0.11	U	0.11	0.93
1,3-Dichloropropane		0.21	U	0.21	0.93
2,2-Dichloropropane		0.12	U	0.12	0.93
2-Chlorotoluene		0.12	U	0.12	0.93
4-Chlorotoluene		0.21	U	0.21	0.93
Monobromobenzene		0.28	U	0.28	0.93
Bromochloromethane		0.10	U	0.10	0.93
Dibromomethane		0.21	U	0.21	0.93
Isopropylbenzene		0.10	U	0.10	0.93
N-Propylbenzene		0.14	U	0.14	0.93
p-Isopropyltoluene		0.13	U	0.13	0.93
sec-Butylbenzene		0.12	U	0.12	0.93
tert-Butylbenzene		0.11	U	0.11	0.93
n-Butylbenzene		0.074	U	0.074	0.93
Methyl methacrylate		0.24	U	0.24	0.93
trans-1,4-Dichloro-2-butene		0.24	U	0.24	0.93
Tert-butyl ethyl ether		0.11	U	0.11	0.93

Surrogate	%Rec	Qualifier	Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	85		70 - 130
Toluene-d8 (Surr)	95		70 - 130
Bromofluorobenzene	107		70 - 130

Analytical Data

Client: EnviroTrac, Ltd.

Job Number: 460-42116-1

Client Sample ID: Northeast-E Wall

Lab Sample ID: 460-42116-7

Date Sampled: 06/29/2012 1535

Client Matrix: Solid

% Moisture: 4.4

Date Received: 07/05/2012 1710

8260B Volatile Organic Compounds (GC/MS)

Analysis Method:	8260B	Analysis Batch:	460-119553	Instrument ID:	VOAMS12
Prep Method:	5035	Prep Batch:	460-118899	Lab File ID:	o62187.d
Dilution:	1.0			Initial Weight/Volume:	5.04 g
Analysis Date:	07/12/2012 1224			Final Weight/Volume:	5 mL
Prep Date:	07/06/2012 2023				

Analyte	DryWt Corrected: Y	Result (ug/Kg)	Qualifier	MDL	RL
Chloromethane		0.17	U	0.17	1.0
Bromomethane		0.45	U	0.45	1.0
Vinyl chloride		0.35	U	0.35	1.0
Chloroethane		0.34	U	0.34	1.0
Methylene Chloride		1.6	B	0.16	1.0
Acetone		3.5	J B	1.8	10
Carbon disulfide		0.16	U	0.16	1.0
Trichlorofluoromethane		0.17	U	0.17	1.0
1,1-Dichloroethene		0.20	U	0.20	1.0
1,1-Dichloroethane		0.11	U	0.11	1.0
trans-1,2-Dichloroethene		0.13	U	0.13	1.0
cis-1,2-Dichloroethene		0.11	U	0.11	1.0
Chloroform		0.25	U	0.25	1.0
1,2-Dichloroethane		0.19	U	0.19	1.0
2-Butanone		0.65	U	0.65	10
1,1,1-Trichloroethane		0.13	U	0.13	1.0
Carbon tetrachloride		0.16	U	0.16	1.0
Bromodichloromethane		0.33	U	0.33	1.0
1,2-Dichloropropane		0.16	U	0.16	1.0
cis-1,3-Dichloropropene		0.15	U	0.15	1.0
TCE		0.12	U	0.12	1.0
Dibromochloromethane		0.10	U	0.10	1.0
1,1,2-Trichloroethane		0.15	U	0.15	1.0
Benzene		0.16	U	0.16	1.0
trans-1,3-Dichloropropene		0.10	U	0.10	1.0
Bromoform		0.18	U	0.18	1.0
4-Methyl-2-pentanone		0.21	U	0.21	10
2-Hexanone		0.13	U	0.13	10
Tetrachloroethene		6.9		0.12	1.0
1,1,2,2-Tetrachloroethane		0.093	U	0.093	1.0
Toluene		0.15	U	0.15	1.0
Chlorobenzene		0.19	U	0.19	1.0
Ethylbenzene		0.18	U	0.18	1.0
Styrene		0.29	U	0.29	1.0
m&p-Xylene		0.61	U	0.61	2.1
o-Xylene		0.20	U	0.20	1.0
Ethyl ether		0.22	U	0.22	1.0
Acrolein		7.8	U	7.8	100
Freon TF		0.11	U	0.11	1.0
Acetonitrile		3.1	U	3.1	21
TBA		3.2	U	3.2	21
Acrylonitrile		3.6	U	3.6	52
MTBE		0.11	U	0.11	1.0
Vinyl acetate		0.41	U	0.41	1.0
Cyclohexane		0.13	U	0.13	1.0
Isopropyl acetate		0.18	U	0.18	2.1

Analytical Data

Client: EnviroTrac, Ltd.

Job Number: 460-42116-1

Client Sample ID: Northeast-E Wall

Lab Sample ID: 460-42116-7

Date Sampled: 06/29/2012 1535

Client Matrix: Solid

% Moisture: 4.4

Date Received: 07/05/2012 1710

8260B Volatile Organic Compounds (GC/MS)

Analysis Method:	8260B	Analysis Batch:	460-119553	Instrument ID:	VOAMS12
Prep Method:	5035	Prep Batch:	460-118899	Lab File ID:	o62187.d
Dilution:	1.0			Initial Weight/Volume:	5.04 g
Analysis Date:	07/12/2012 1224			Final Weight/Volume:	5 mL
Prep Date:	07/06/2012 2023				

Analyte	DryWt Corrected: Y	Result (ug/Kg)	Qualifier	MDL	RL
1,2-Dibromoethane		0.16	U	0.16	1.0
1,3-Dichlorobenzene		0.17	U	0.17	1.0
1,4-Dichlorobenzene		0.39	J	0.11	1.0
1,2-Dichlorobenzene		0.10	U	0.10	1.0
Naphthalene		0.24	U	0.24	1.0
Dichlorodifluoromethane		0.23	U	0.23	1.0
1,1-Dichloropropene		0.16	U	0.16	1.0
1,2,4-Trichlorobenzene		0.20	U	0.20	1.0
Hexachlorobutadiene		0.17	U	0.17	5.2
1,1,1,2-Tetrachloroethane		0.11	U	0.11	1.0
1,2,3-Trichlorobenzene		0.17	U	0.17	1.0
1,2,3-Trichloropropane		0.19	U	0.19	1.0
1,2,4-Trimethylbenzene		0.31	J	0.16	1.0
1,2-Dibromo-3-Chloropropane		0.46	U	0.46	1.0
1,3,5-Trimethylbenzene		0.28	J	0.12	1.0
1,3-Dichloropropane		0.24	U	0.24	1.0
2,2-Dichloropropane		0.13	U	0.13	1.0
2-Chlorotoluene		0.13	U	0.13	1.0
4-Chlorotoluene		0.24	U	0.24	1.0
Monobromobenzene		0.31	U	0.31	1.0
Bromochloromethane		0.11	U	0.11	1.0
Dibromomethane		0.24	U	0.24	1.0
Isopropylbenzene		0.11	U	0.11	1.0
N-Propylbenzene		0.16	U	0.16	1.0
p-Isopropyltoluene		0.15	U	0.15	1.0
sec-Butylbenzene		0.13	U	0.13	1.0
tert-Butylbenzene		0.12	U	0.12	1.0
n-Butylbenzene		0.083	U	0.083	1.0
Methyl methacrylate		0.27	U	0.27	1.0
trans-1,4-Dichloro-2-butene		0.27	U	0.27	1.0
Tert-butyl ethyl ether		0.12	U	0.12	1.0

Surrogate	%Rec	Qualifier	Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	84		70 - 130
Toluene-d8 (Surr)	91		70 - 130
Bromofluorobenzene	105		70 - 130

Analytical Data

Client: EnviroTrac, Ltd.

Job Number: 460-42116-1

Client Sample ID: Northeast-S Wall

Lab Sample ID: 460-42116-8

Date Sampled: 06/29/2012 1542

Client Matrix: Solid

% Moisture: 19.0

Date Received: 07/05/2012 1710

8260B Volatile Organic Compounds (GC/MS)

Analysis Method: 8260B

Analysis Batch: 460-119553

Instrument ID: VOAMS12

Prep Method: 5035

Prep Batch: 460-118899

Lab File ID: o62188.d

Dilution: 1.0

Initial Weight/Volume: 5.21 g

Analysis Date: 07/12/2012 1249

Final Weight/Volume: 5 mL

Prep Date: 07/06/2012 2024

Analyte	DryWt Corrected: Y	Result (ug/Kg)	Qualifier	MDL	RL
Chloromethane		0.19	U	0.19	1.2
Bromomethane		0.51	U	0.51	1.2
Vinyl chloride		0.40	U	0.40	1.2
Chloroethane		0.39	U	0.39	1.2
Methylene Chloride		1.9	B	0.18	1.2
Acetone		12	B	2.0	12
Carbon disulfide		0.18	U	0.18	1.2
Trichlorofluoromethane		0.19	U	0.19	1.2
1,1-Dichloroethene		0.23	U	0.23	1.2
1,1-Dichloroethane		0.13	U	0.13	1.2
trans-1,2-Dichloroethene		0.15	U	0.15	1.2
cis-1,2-Dichloroethene		0.13	U	0.13	1.2
Chloroform		0.28	U	0.28	1.2
1,2-Dichloroethane		0.21	U	0.21	1.2
2-Butanone		3.0	J	0.75	12
1,1,1-Trichloroethane		0.15	U	0.15	1.2
Carbon tetrachloride		0.18	U	0.18	1.2
Bromodichloromethane		0.38	U	0.38	1.2
1,2-Dichloropropane		0.18	U	0.18	1.2
cis-1,3-Dichloropropene		0.17	U	0.17	1.2
TCE		0.14	U	0.14	1.2
Dibromochloromethane		0.12	U	0.12	1.2
1,1,2-Trichloroethane		0.17	U	0.17	1.2
Benzene		0.18	U	0.18	1.2
trans-1,3-Dichloropropene		0.12	U	0.12	1.2
Bromoform		0.20	U	0.20	1.2
4-Methyl-2-pentanone		0.24	U	0.24	12
2-Hexanone		0.15	U	0.15	12
Tetrachloroethene		0.56	J	0.14	1.2
1,1,2,2-Tetrachloroethane		0.11	U	0.11	1.2
Toluene		0.17	U	0.17	1.2
Chlorobenzene		0.21	U	0.21	1.2
Ethylbenzene		0.20	U	0.20	1.2
Styrene		0.33	U	0.33	1.2
m&p-Xylene		0.76	J	0.70	2.4
o-Xylene		0.49	J	0.23	1.2
Ethyl ether		0.25	U	0.25	1.2
Acrolein		8.9	U	8.9	120
Freon TF		0.13	U	0.13	1.2
Acetonitrile		3.5	U	3.5	24
TBA		3.7	U	3.7	24
Acrylonitrile		4.1	U	4.1	59
MTBE		0.13	U	0.13	1.2
Vinyl acetate		0.47	U	0.47	1.2
Cyclohexane		0.15	U	0.15	1.2
Isopropyl acetate		0.20	U	0.20	2.4

Analytical Data

Client: EnviroTrac, Ltd.

Job Number: 460-42116-1

Client Sample ID: Northeast-S Wall

Lab Sample ID: 460-42116-8

Date Sampled: 06/29/2012 1542

Client Matrix: Solid

% Moisture: 19.0

Date Received: 07/05/2012 1710

8260B Volatile Organic Compounds (GC/MS)

Analysis Method:	8260B	Analysis Batch:	460-119553	Instrument ID:	VOAMS12
Prep Method:	5035	Prep Batch:	460-118899	Lab File ID:	o62188.d
Dilution:	1.0			Initial Weight/Volume:	5.21 g
Analysis Date:	07/12/2012 1249			Final Weight/Volume:	5 mL
Prep Date:	07/06/2012 2024				

Analyte	DryWt Corrected: Y	Result (ug/Kg)	Qualifier	MDL	RL
1,2-Dibromoethane		0.18	U	0.18	1.2
1,3-Dichlorobenzene		0.19	U	0.19	1.2
1,4-Dichlorobenzene		0.42	J	0.13	1.2
1,2-Dichlorobenzene		0.12	U	0.12	1.2
Naphthalene		0.27	U	0.27	1.2
Dichlorodifluoromethane		0.26	U	0.26	1.2
1,1-Dichloropropene		0.18	U	0.18	1.2
1,2,4-Trichlorobenzene		0.23	U	0.23	1.2
Hexachlorobutadiene		0.19	U	0.19	5.9
1,1,1,2-Tetrachloroethane		0.13	U	0.13	1.2
1,2,3-Trichlorobenzene		0.19	U	0.19	1.2
1,2,3-Trichloropropane		0.21	U	0.21	1.2
1,2,4-Trimethylbenzene		1.5		0.18	1.2
1,2-Dibromo-3-Chloropropane		0.52	U	0.52	1.2
1,3,5-Trimethylbenzene		0.56	J	0.14	1.2
1,3-Dichloropropane		0.27	U	0.27	1.2
2,2-Dichloropropane		0.15	U	0.15	1.2
2-Chlorotoluene		0.15	U	0.15	1.2
4-Chlorotoluene		0.27	U	0.27	1.2
Monobromobenzene		0.36	U	0.36	1.2
Bromochloromethane		0.13	U	0.13	1.2
Dibromomethane		0.27	U	0.27	1.2
Isopropylbenzene		0.13	U	0.13	1.2
N-Propylbenzene		0.18	U	0.18	1.2
p-Isopropyltoluene		0.17	U	0.17	1.2
sec-Butylbenzene		0.15	U	0.15	1.2
tert-Butylbenzene		0.14	U	0.14	1.2
n-Butylbenzene		0.095	U	0.095	1.2
Methyl methacrylate		0.31	U	0.31	1.2
trans-1,4-Dichloro-2-butene		0.31	U	0.31	1.2
Tert-butyl ethyl ether		0.14	U	0.14	1.2

Surrogate	%Rec	Qualifier	Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	86		70 - 130
Toluene-d8 (Surr)	94		70 - 130
Bromofluorobenzene	107		70 - 130

Analytical Data

Client: EnviroTrac, Ltd.

Job Number: 460-42116-1

Client Sample ID: Northeast-W Wall

Lab Sample ID: 460-42116-9

Date Sampled: 06/29/2012 1546

Client Matrix: Solid

% Moisture: 3.5

Date Received: 07/05/2012 1710

8260B Volatile Organic Compounds (GC/MS)

Analysis Method:	8260B	Analysis Batch:	460-119553	Instrument ID:	VOAMS12
Prep Method:	5035	Prep Batch:	460-118899	Lab File ID:	o62189.d
Dilution:	1.0			Initial Weight/Volume:	5.30 g
Analysis Date:	07/12/2012 1314			Final Weight/Volume:	5 mL
Prep Date:	07/06/2012 2026				

Analyte	DryWt Corrected: Y	Result (ug/Kg)	Qualifier	MDL	RL
Chloromethane		0.16	U	0.16	0.98
Bromomethane		0.42	U	0.42	0.98
Vinyl chloride		0.33	U	0.33	0.98
Chloroethane		0.32	U	0.32	0.98
Methylene Chloride		1.0	B	0.15	0.98
Acetone		4.8	J B	1.7	9.8
Carbon disulfide		0.15	U	0.15	0.98
Trichlorofluoromethane		0.16	U	0.16	0.98
1,1-Dichloroethene		0.19	U	0.19	0.98
1,1-Dichloroethane		0.11	U	0.11	0.98
trans-1,2-Dichloroethene		0.13	U	0.13	0.98
cis-1,2-Dichloroethene		0.11	U	0.11	0.98
Chloroform		0.23	U	0.23	0.98
1,2-Dichloroethane		0.18	U	0.18	0.98
2-Butanone		0.62	U	0.62	9.8
1,1,1-Trichloroethane		0.13	U	0.13	0.98
Carbon tetrachloride		0.15	U	0.15	0.98
Bromodichloromethane		0.31	U	0.31	0.98
1,2-Dichloropropane		0.15	U	0.15	0.98
cis-1,3-Dichloropropene		0.14	U	0.14	0.98
TCE		0.12	U	0.12	0.98
Dibromochloromethane		0.098	U	0.098	0.98
1,1,2-Trichloroethane		0.14	U	0.14	0.98
Benzene		0.15	U	0.15	0.98
trans-1,3-Dichloropropene		0.098	U	0.098	0.98
Bromoform		0.17	U	0.17	0.98
4-Methyl-2-pentanone		0.20	U	0.20	9.8
2-Hexanone		0.13	U	0.13	9.8
Tetrachloroethene		0.12	J	0.12	0.98
1,1,2,2-Tetrachloroethane		0.088	U	0.088	0.98
Toluene		0.14	U	0.14	0.98
Chlorobenzene		0.18	U	0.18	0.98
Ethylbenzene		0.17	U	0.17	0.98
Styrene		0.27	U	0.27	0.98
m&p-Xylene		0.58	U	0.58	2.0
o-Xylene		0.19	U	0.19	0.98
Ethyl ether		0.21	U	0.21	0.98
Acrolein		7.3	U	7.3	98
Freon TF		0.11	U	0.11	0.98
Acetonitrile		2.9	U	2.9	20
TBA		3.0	U	3.0	20
Acrylonitrile		3.4	U	3.4	49
MTBE		0.11	U	0.11	0.98
Vinyl acetate		0.39	U	0.39	0.98
Cyclohexane		0.13	U	0.13	0.98
Isopropyl acetate		0.17	U	0.17	2.0

Analytical Data

Client: EnviroTrac, Ltd.

Job Number: 460-42116-1

Client Sample ID: Northeast-W Wall

Lab Sample ID: 460-42116-9

Date Sampled: 06/29/2012 1546

Client Matrix: Solid

% Moisture: 3.5

Date Received: 07/05/2012 1710

8260B Volatile Organic Compounds (GC/MS)

Analysis Method:	8260B	Analysis Batch:	460-119553	Instrument ID:	VOAMS12
Prep Method:	5035	Prep Batch:	460-118899	Lab File ID:	o62189.d
Dilution:	1.0			Initial Weight/Volume:	5.30 g
Analysis Date:	07/12/2012 1314			Final Weight/Volume:	5 mL
Prep Date:	07/06/2012 2026				

Analyte	DryWt Corrected: Y	Result (ug/Kg)	Qualifier	MDL	RL
1,2-Dibromoethane		0.15	U	0.15	0.98
1,3-Dichlorobenzene		0.16	U	0.16	0.98
1,4-Dichlorobenzene		0.11	U	0.11	0.98
1,2-Dichlorobenzene		0.098	U	0.098	0.98
Naphthalene		0.22	U	0.22	0.98
Dichlorodifluoromethane		0.22	U	0.22	0.98
1,1-Dichloropropene		0.15	U	0.15	0.98
1,2,4-Trichlorobenzene		0.19	U	0.19	0.98
Hexachlorobutadiene		0.16	U	0.16	4.9
1,1,1,2-Tetrachloroethane		0.11	U	0.11	0.98
1,2,3-Trichlorobenzene		0.16	U	0.16	0.98
1,2,3-Trichloropropane		0.18	U	0.18	0.98
1,2,4-Trimethylbenzene		0.15	U	0.15	0.98
1,2-Dibromo-3-Chloropropane		0.43	U	0.43	0.98
1,3,5-Trimethylbenzene		0.12	U	0.12	0.98
1,3-Dichloropropane		0.22	U	0.22	0.98
2,2-Dichloropropane		0.13	U	0.13	0.98
2-Chlorotoluene		0.13	U	0.13	0.98
4-Chlorotoluene		0.22	U	0.22	0.98
Monobromobenzene		0.29	U	0.29	0.98
Bromochloromethane		0.11	U	0.11	0.98
Dibromomethane		0.22	U	0.22	0.98
Isopropylbenzene		0.11	U	0.11	0.98
N-Propylbenzene		0.15	U	0.15	0.98
p-Isopropyltoluene		0.14	U	0.14	0.98
sec-Butylbenzene		0.13	U	0.13	0.98
tert-Butylbenzene		0.12	U	0.12	0.98
n-Butylbenzene		0.078	U	0.078	0.98
Methyl methacrylate		0.25	U	0.25	0.98
trans-1,4-Dichloro-2-butene		0.25	U	0.25	0.98
Tert-butyl ethyl ether		0.12	U	0.12	0.98

Surrogate	%Rec	Qualifier	Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	81		70 - 130
Toluene-d8 (Surr)	93		70 - 130
Bromofluorobenzene	108		70 - 130

Analytical Data

Client: EnviroTrac, Ltd.

Job Number: 460-42116-1

Client Sample ID: Northeast-Bottom

Lab Sample ID: 460-42116-10

Date Sampled: 06/29/2012 1550

Client Matrix: Solid

% Moisture: 3.9

Date Received: 07/05/2012 1710

8260B Volatile Organic Compounds (GC/MS)

Analysis Method:	8260B	Analysis Batch:	460-119553	Instrument ID:	VOAMS12
Prep Method:	5035	Prep Batch:	460-118899	Lab File ID:	o62190.d
Dilution:	1.0			Initial Weight/Volume:	5.55 g
Analysis Date:	07/12/2012 1339			Final Weight/Volume:	5 mL
Prep Date:	07/06/2012 2027				

Analyte	DryWt Corrected: Y	Result (ug/Kg)	Qualifier	MDL	RL
Chloromethane		0.15	U	0.15	0.94
Bromomethane		0.40	U	0.40	0.94
Vinyl chloride		0.32	U	0.32	0.94
Chloroethane		0.31	U	0.31	0.94
Methylene Chloride		1.4	B	0.14	0.94
Acetone		3.6	J B	1.6	9.4
Carbon disulfide		0.14	U	0.14	0.94
Trichlorofluoromethane		0.15	U	0.15	0.94
1,1-Dichloroethene		0.18	U	0.18	0.94
1,1-Dichloroethane		0.10	U	0.10	0.94
trans-1,2-Dichloroethene		0.12	U	0.12	0.94
cis-1,2-Dichloroethene		0.10	U	0.10	0.94
Chloroform		0.23	U	0.23	0.94
1,2-Dichloroethane		0.17	U	0.17	0.94
2-Butanone		0.59	U	0.59	9.4
1,1,1-Trichloroethane		0.12	U	0.12	0.94
Carbon tetrachloride		0.14	U	0.14	0.94
Bromodichloromethane		0.30	U	0.30	0.94
1,2-Dichloropropane		0.14	U	0.14	0.94
cis-1,3-Dichloropropene		0.13	U	0.13	0.94
TCE		0.11	U	0.11	0.94
Dibromochloromethane		0.094	U	0.094	0.94
1,1,2-Trichloroethane		0.13	U	0.13	0.94
Benzene		0.14	U	0.14	0.94
trans-1,3-Dichloropropene		0.094	U	0.094	0.94
Bromoform		0.16	U	0.16	0.94
4-Methyl-2-pentanone		0.19	U	0.19	9.4
2-Hexanone		0.12	U	0.12	9.4
Tetrachloroethene		0.28	J	0.11	0.94
1,1,2,2-Tetrachloroethane		0.084	U	0.084	0.94
Toluene		0.13	U	0.13	0.94
Chlorobenzene		0.17	U	0.17	0.94
Ethylbenzene		0.16	U	0.16	0.94
Styrene		0.26	U	0.26	0.94
m&p-Xylene		0.55	U	0.55	1.9
o-Xylene		0.18	U	0.18	0.94
Ethyl ether		0.20	U	0.20	0.94
Acrolein		7.0	U	7.0	94
Freon TF		0.10	U	0.10	0.94
Acetonitrile		2.8	U	2.8	19
TBA		2.9	U	2.9	19
Acrylonitrile		3.3	U	3.3	47
MTBE		0.10	U	0.10	0.94
Vinyl acetate		0.38	U	0.38	0.94
Cyclohexane		0.12	U	0.12	0.94
Isopropyl acetate		0.16	U	0.16	1.9

Analytical Data

Client: EnviroTrac, Ltd.

Job Number: 460-42116-1

Client Sample ID: Northeast-Bottom

Lab Sample ID: 460-42116-10

Date Sampled: 06/29/2012 1550

Client Matrix: Solid

% Moisture: 3.9

Date Received: 07/05/2012 1710

8260B Volatile Organic Compounds (GC/MS)

Analysis Method:	8260B	Analysis Batch:	460-119553	Instrument ID:	VOAMS12
Prep Method:	5035	Prep Batch:	460-118899	Lab File ID:	o62190.d
Dilution:	1.0			Initial Weight/Volume:	5.55 g
Analysis Date:	07/12/2012 1339			Final Weight/Volume:	5 mL
Prep Date:	07/06/2012 2027				

Analyte	DryWt Corrected: Y	Result (ug/Kg)	Qualifier	MDL	RL
1,2-Dibromoethane		0.14	U	0.14	0.94
1,3-Dichlorobenzene		0.15	U	0.15	0.94
1,4-Dichlorobenzene		0.32	J	0.10	0.94
1,2-Dichlorobenzene		0.094	U	0.094	0.94
Naphthalene		0.22	U	0.22	0.94
Dichlorodifluoromethane		0.21	U	0.21	0.94
1,1-Dichloropropene		0.14	U	0.14	0.94
1,2,4-Trichlorobenzene		0.18	U	0.18	0.94
Hexachlorobutadiene		0.15	U	0.15	4.7
1,1,1,2-Tetrachloroethane		0.10	U	0.10	0.94
1,2,3-Trichlorobenzene		0.15	U	0.15	0.94
1,2,3-Trichloropropane		0.17	U	0.17	0.94
1,2,4-Trimethylbenzene		0.16	J	0.14	0.94
1,2-Dibromo-3-Chloropropane		0.41	U	0.41	0.94
1,3,5-Trimethylbenzene		0.11	U	0.11	0.94
1,3-Dichloropropane		0.22	U	0.22	0.94
2,2-Dichloropropane		0.12	U	0.12	0.94
2-Chlorotoluene		0.12	U	0.12	0.94
4-Chlorotoluene		0.22	U	0.22	0.94
Monobromobenzene		0.28	U	0.28	0.94
Bromochloromethane		0.10	U	0.10	0.94
Dibromomethane		0.22	U	0.22	0.94
Isopropylbenzene		0.10	U	0.10	0.94
N-Propylbenzene		0.14	U	0.14	0.94
p-Isopropyltoluene		0.13	U	0.13	0.94
sec-Butylbenzene		0.12	U	0.12	0.94
tert-Butylbenzene		0.11	U	0.11	0.94
n-Butylbenzene		0.075	U	0.075	0.94
Methyl methacrylate		0.24	U	0.24	0.94
trans-1,4-Dichloro-2-butene		0.24	U	0.24	0.94
Tert-butyl ethyl ether		0.11	U	0.11	0.94

Surrogate	%Rec	Qualifier	Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	90		70 - 130
Toluene-d8 (Surr)	97		70 - 130
Bromofluorobenzene	113		70 - 130

Analytical Data

Client: EnviroTrac, Ltd.

Job Number: 460-42116-1

General Chemistry**Client Sample ID:** Centerline-N Wall

Lab Sample ID: 460-42116-1

Date Sampled: 06/29/2012 1418

Client Matrix: Solid

Date Received: 07/05/2012 1710

Analyte	Result	Qual	Units	RL	RL	Dil	Method
Percent Moisture	18.6		%	1.0	1.0	1.0	Moisture
	Analysis Batch: 460-119013	Analysis Date: 07/09/2012 0945					DryWt Corrected: N
Percent Solids	81.4		%	1.0	1.0	1.0	Moisture
	Analysis Batch: 460-119013	Analysis Date: 07/09/2012 0945					DryWt Corrected: N

Analytical Data

Client: EnviroTrac, Ltd.

Job Number: 460-42116-1

General Chemistry

Client Sample ID: Centerline-E Wall

Lab Sample ID: 460-42116-2

Date Sampled: 06/29/2012 1423

Client Matrix: Solid

Date Received: 07/05/2012 1710

Analyte	Result	Qual	Units	RL	RL	Dil	Method
Percent Moisture	18.4		%	1.0	1.0	1.0	Moisture
	Analysis Batch: 460-119013	Analysis Date: 07/09/2012 0945					DryWt Corrected: N
Percent Solids	81.6		%	1.0	1.0	1.0	Moisture
	Analysis Batch: 460-119013	Analysis Date: 07/09/2012 0945					DryWt Corrected: N

Analytical Data

Client: EnviroTrac, Ltd.

Job Number: 460-42116-1

General Chemistry**Client Sample ID:** Centerline-S Wall

Lab Sample ID: 460-42116-3

Date Sampled: 06/29/2012 1431

Client Matrix: Solid

Date Received: 07/05/2012 1710

Analyte	Result	Qual	Units	RL	RL	Dil	Method
Percent Moisture	19.2		%	1.0	1.0	1.0	Moisture
	Analysis Batch: 460-119013	Analysis Date: 07/09/2012 0945					DryWt Corrected: N
Percent Solids	80.8		%	1.0	1.0	1.0	Moisture
	Analysis Batch: 460-119013	Analysis Date: 07/09/2012 0945					DryWt Corrected: N

Client: EnviroTrac, Ltd.

Job Number: 460-42116-1

General Chemistry

Client Sample ID: Centerline-W Wall

Lab Sample ID: 460-42116-4

Date Sampled: 06/29/2012 1433

Client Matrix: Solid

Date Received: 07/05/2012 1710

Analyte	Result	Qual	Units	RL	RL	Dil	Method
Percent Moisture	18.2		%	1.0	1.0	1.0	Moisture
	Analysis Batch: 460-119013	Analysis Date: 07/09/2012 0945					DryWt Corrected: N
Percent Solids	81.8		%	1.0	1.0	1.0	Moisture
	Analysis Batch: 460-119013	Analysis Date: 07/09/2012 0945					DryWt Corrected: N

Client: EnviroTrac, Ltd.

Job Number: 460-42116-1

General Chemistry

Client Sample ID: Centerline-Bottom

Lab Sample ID: 460-42116-5

Date Sampled: 06/29/2012 1437

Client Matrix: Solid

Date Received: 07/05/2012 1710

Analyte	Result	Qual	Units	RL	RL	Dil	Method
Percent Moisture	12.9		%	1.0	1.0	1.0	Moisture
	Analysis Batch: 460-119013	Analysis Date: 07/09/2012 0945					DryWt Corrected: N
Percent Solids	87.1		%	1.0	1.0	1.0	Moisture
	Analysis Batch: 460-119013	Analysis Date: 07/09/2012 0945					DryWt Corrected: N

Analytical Data

Client: EnviroTrac, Ltd.

Job Number: 460-42116-1

General Chemistry**Client Sample ID:** Northeast-N Wall

Lab Sample ID: 460-42116-6

Date Sampled: 06/29/2012 1533

Client Matrix: Solid

Date Received: 07/05/2012 1710

Analyte	Result	Qual	Units	RL	RL	Dil	Method
Percent Moisture	4.5		%	1.0	1.0	1.0	Moisture
	Analysis Batch: 460-119013	Analysis Date: 07/09/2012 0945					DryWt Corrected: N
Percent Solids	95.5		%	1.0	1.0	1.0	Moisture
	Analysis Batch: 460-119013	Analysis Date: 07/09/2012 0945					DryWt Corrected: N

Client: EnviroTrac, Ltd.

Job Number: 460-42116-1

General Chemistry**Client Sample ID:** Northeast-E Wall

Lab Sample ID: 460-42116-7

Date Sampled: 06/29/2012 1535

Client Matrix: Solid

Date Received: 07/05/2012 1710

Analyte	Result	Qual	Units	RL	RL	Dil	Method
Percent Moisture	4.4		%	1.0	1.0	1.0	Moisture
	Analysis Batch: 460-119013	Analysis Date: 07/09/2012 0945					DryWt Corrected: N
Percent Solids	95.6		%	1.0	1.0	1.0	Moisture
	Analysis Batch: 460-119013	Analysis Date: 07/09/2012 0945					DryWt Corrected: N

Client: EnviroTrac, Ltd.

Job Number: 460-42116-1

General Chemistry

Client Sample ID: Northeast-S Wall

Lab Sample ID: 460-42116-8

Date Sampled: 06/29/2012 1542

Client Matrix: Solid

Date Received: 07/05/2012 1710

Analyte	Result	Qual	Units	RL	RL	Dil	Method
Percent Moisture	19.0		%	1.0	1.0	1.0	Moisture
	Analysis Batch: 460-119013	Analysis Date: 07/09/2012 0945					DryWt Corrected: N
Percent Solids	81.0		%	1.0	1.0	1.0	Moisture
	Analysis Batch: 460-119013	Analysis Date: 07/09/2012 0945					DryWt Corrected: N

Analytical Data

Client: EnviroTrac, Ltd.

Job Number: 460-42116-1

General Chemistry**Client Sample ID:** Northeast-W Wall

Lab Sample ID: 460-42116-9

Date Sampled: 06/29/2012 1546

Client Matrix: Solid

Date Received: 07/05/2012 1710

Analyte	Result	Qual	Units	RL	RL	Dil	Method
Percent Moisture	3.5		%	1.0	1.0	1.0	Moisture
	Analysis Batch: 460-119013	Analysis Date: 07/09/2012 0945					DryWt Corrected: N
Percent Solids	96.5		%	1.0	1.0	1.0	Moisture
	Analysis Batch: 460-119013	Analysis Date: 07/09/2012 0945					DryWt Corrected: N

Client: EnviroTrac, Ltd.

Job Number: 460-42116-1

General Chemistry

Client Sample ID: Northeast-Bottom

Lab Sample ID: 460-42116-10

Date Sampled: 06/29/2012 1550

Client Matrix: Solid

Date Received: 07/05/2012 1710

Analyte	Result	Qual	Units	RL	RL	Dil	Method
Percent Moisture	3.9		%	1.0	1.0	1.0	Moisture
	Analysis Batch: 460-119013	Analysis Date: 07/09/2012 0945					DryWt Corrected: N
Percent Solids	96.1		%	1.0	1.0	1.0	Moisture
	Analysis Batch: 460-119013	Analysis Date: 07/09/2012 0945					DryWt Corrected: N

DATA REPORTING QUALIFIERS

Client: EnviroTrac, Ltd.

Job Number: 460-42116-1

Lab Section	Qualifier	Description
GC/MS VOA	U	Analyzed for but not detected.
	J	Indicates an estimated value.
	*	LCS or LCSD exceeds the control limits
	B	The analyte was found in an associated blank, as well as in the sample.

QUALITY CONTROL RESULTS

Quality Control Results

Client: EnviroTrac, Ltd.

Job Number: 460-42116-1

QC Association Summary

Lab Sample ID	Client Sample ID	Report Basis	Client Matrix	Method	Prep Batch
GC/MS VOA					
Prep Batch: 460-118899					
LB3 460-118899/1-A	Neutral Leach or MeOH Extraction Blank	T	Solid	5035	
460-42116-1	Centerline-N Wall	T	Solid	5035	
460-42116-2	Centerline-E Wall	T	Solid	5035	
460-42116-3	Centerline-S Wall	T	Solid	5035	
460-42116-4	Centerline-W Wall	T	Solid	5035	
460-42116-5	Centerline-Bottom	T	Solid	5035	
460-42116-6	Northeast-N Wall	T	Solid	5035	
460-42116-7	Northeast-E Wall	T	Solid	5035	
460-42116-8	Northeast-S Wall	T	Solid	5035	
460-42116-9	Northeast-W Wall	T	Solid	5035	
460-42116-10	Northeast-Bottom	T	Solid	5035	
Analysis Batch:460-119109					
LCS 460-119109/3	Lab Control Sample	T	Solid	8260B	
LCSD 460-119109/4	Lab Control Sample Duplicate	T	Solid	8260B	
MB 460-119109/5	Method Blank	T	Solid	8260B	
LB3 460-118899/1-A	Neutral Leach or MeOH Extraction Blank	T	Solid	8260B	460-118899
Analysis Batch:460-119553					
LCS 460-119553/3	Lab Control Sample	T	Solid	8260B	
LCSD 460-119553/4	Lab Control Sample Duplicate	T	Solid	8260B	
MB 460-119553/5	Method Blank	T	Solid	8260B	
460-42116-5	Centerline-Bottom	T	Solid	8260B	460-118899
460-42116-6	Northeast-N Wall	T	Solid	8260B	460-118899
460-42116-7	Northeast-E Wall	T	Solid	8260B	460-118899
460-42116-8	Northeast-S Wall	T	Solid	8260B	460-118899
460-42116-9	Northeast-W Wall	T	Solid	8260B	460-118899
460-42116-10	Northeast-Bottom	T	Solid	8260B	460-118899
Analysis Batch:460-119632					
LCS 460-119632/3	Lab Control Sample	T	Solid	8260B	
LCSD 460-119632/4	Lab Control Sample Duplicate	T	Solid	8260B	
MB 460-119632/5	Method Blank	T	Solid	8260B	
460-42116-1	Centerline-N Wall	T	Solid	8260B	460-118899
460-42116-2	Centerline-E Wall	T	Solid	8260B	460-118899
460-42116-3	Centerline-S Wall	T	Solid	8260B	460-118899
460-42116-4	Centerline-W Wall	T	Solid	8260B	460-118899

Report Basis

T = Total

Quality Control Results

Client: EnviroTrac, Ltd.

Job Number: 460-42116-1

QC Association Summary

Lab Sample ID	Client Sample ID	Report Basis	Client Matrix	Method	Prep Batch
General Chemistry					
Analysis Batch:460-119013					
460-42116-1	Centerline-N Wall	T	Solid	Moisture	
460-42116-1DU	Duplicate	T	Solid	Moisture	
460-42116-2	Centerline-E Wall	T	Solid	Moisture	
460-42116-3	Centerline-S Wall	T	Solid	Moisture	
460-42116-4	Centerline-W Wall	T	Solid	Moisture	
460-42116-5	Centerline-Bottom	T	Solid	Moisture	
460-42116-6	Northeast-N Wall	T	Solid	Moisture	
460-42116-7	Northeast-E Wall	T	Solid	Moisture	
460-42116-8	Northeast-S Wall	T	Solid	Moisture	
460-42116-9	Northeast-W Wall	T	Solid	Moisture	
460-42116-10	Northeast-Bottom	T	Solid	Moisture	

Report Basis

T = Total

Client: EnviroTrac, Ltd.

Job Number: 460-42116-1

Surrogate Recovery Report**8260B Volatile Organic Compounds (GC/MS)****Client Matrix: Solid**

Lab Sample ID	Client Sample ID	DCA %Rec	TOL %Rec	BFB %Rec
460-42116-1	Centerline-N Wall	93	101	120
460-42116-2	Centerline-E Wall	83	94	107
460-42116-3	Centerline-S Wall	91	102	119
460-42116-4	Centerline-W Wall	83	93	109
460-42116-5	Centerline-Bottom	87	95	107
460-42116-6	Northeast-N Wall	85	95	107
460-42116-7	Northeast-E Wall	84	91	105
460-42116-8	Northeast-S Wall	86	94	107
460-42116-9	Northeast-W Wall	81	93	108
460-42116-10	Northeast-Bottom	90	97	113
MB 460-119109/5		104	99	100
MB 460-119553/5		85	94	108
MB 460-119632/5		84	99	114
LB3 460-118899/1-A		99	95	94
LCS 460-119109/3		103	102	103
LCS 460-119553/3		82	99	112
LCS 460-119632/3		80	93	108
LCSD 460-119109/4		106	102	104
LCSD 460-119553/4		81	98	111
LCSD 460-119632/4		82	96	111

Surrogate	Acceptance Limits
DCA = 1,2-Dichloroethane-d4 (Surr)	70-130
TOL = Toluene-d8 (Surr)	70-130
BFB = Bromofluorobenzene	70-130

Quality Control Results

Client: EnviroTrac, Ltd.

Job Number: 460-42116-1

Neutral Leach or MeOH Extraction Blank - Batch: 460-118899

Method: 8260B

Preparation: 5035

Lab Sample ID: LB3 460-118899/1-A
Client Matrix: Solid
Dilution: 1.0
Analysis Date: 07/09/2012 1958
Prep Date: 07/06/2012 2012
Leach Date: N/A

Analysis Batch: 460-119109
Prep Batch: 460-118899
Leach Batch: N/A
Units: ug/Kg

Instrument ID: VOAMS4
Lab File ID: d22427.d
Initial Weight/Volume: 5 g
Final Weight/Volume: 5 mL

Analyte	Result	Qual	MDL	RL
Chloromethane	0.16	U	0.16	1.0
Bromomethane	0.43	U	0.43	1.0
Vinyl chloride	0.34	U	0.34	1.0
Chloroethane	0.33	U	0.33	1.0
Methylene Chloride	1.01		0.15	1.0
Acetone	6.67	J	1.7	10
Carbon disulfide	0.15	U	0.15	1.0
Trichlorofluoromethane	0.16	U	0.16	1.0
1,1-Dichloroethene	0.19	U	0.19	1.0
1,1-Dichloroethane	0.11	U	0.11	1.0
trans-1,2-Dichloroethene	0.13	U	0.13	1.0
cis-1,2-Dichloroethene	0.11	U	0.11	1.0
Chloroform	0.24	U	0.24	1.0
1,2-Dichloroethane	0.18	U	0.18	1.0
2-Butanone	0.63	U	0.63	10
1,1,1-Trichloroethane	0.13	U	0.13	1.0
Carbon tetrachloride	0.15	U	0.15	1.0
Bromodichloromethane	0.32	U	0.32	1.0
1,2-Dichloropropane	0.15	U	0.15	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
TCE	0.12	U	0.12	1.0
Dibromochloromethane	0.10	U	0.10	1.0
1,1,2-Trichloroethane	0.14	U	0.14	1.0
Benzene	0.15	U	0.15	1.0
trans-1,3-Dichloropropene	0.10	U	0.10	1.0
Bromoform	0.17	U	0.17	1.0
4-Methyl-2-pentanone	0.20	U	0.20	10
2-Hexanone	0.13	U	0.13	10
Tetrachloroethene	0.12	U	0.12	1.0
1,1,2,2-Tetrachloroethane	0.090	U	0.090	1.0
Toluene	0.14	U	0.14	1.0
Chlorobenzene	0.18	U	0.18	1.0
Ethylbenzene	0.17	U	0.17	1.0
Styrene	0.28	U	0.28	1.0
m&p-Xylene	0.59	U	0.59	2.0
o-Xylene	0.19	U	0.19	1.0
Ethyl ether	0.21	U	0.21	1.0
Acrolein	7.5	U	7.5	100
Freon TF	0.11	U	0.11	1.0
Acetonitrile	3.0	U	3.0	20
TBA	3.1	U	3.1	20
Acrylonitrile	3.5	U	3.5	50
MTBE	0.11	U	0.11	1.0
Vinyl acetate	0.40	U	0.40	1.0
Cyclohexane	0.13	U	0.13	1.0

Quality Control Results

Client: EnviroTrac, Ltd.

Job Number: 460-42116-1

Neutral Leach or MeOH Extraction Blank - Batch: 460-118899

Method: 8260B

Preparation: 5035

Lab Sample ID: LB3 460-118899/1-A
Client Matrix: Solid
Dilution: 1.0
Analysis Date: 07/09/2012 1958
Prep Date: 07/06/2012 2012
Leach Date: N/A

Analysis Batch: 460-119109
Prep Batch: 460-118899
Leach Batch: N/A
Units: ug/Kg

Instrument ID: VOAMS4
Lab File ID: d22427.d
Initial Weight/Volume: 5 g
Final Weight/Volume: 5 mL

Analyte	Result	Qual	MDL	RL
Isopropyl acetate	0.17	U	0.17	2.0
1,2-Dibromoethane	0.15	U	0.15	1.0
1,3-Dichlorobenzene	0.16	U	0.16	1.0
1,4-Dichlorobenzene	0.11	U	0.11	1.0
1,2-Dichlorobenzene	0.10	U	0.10	1.0
Naphthalene	0.23	U	0.23	1.0
Dichlorodifluoromethane	0.22	U	0.22	1.0
1,1-Dichloropropene	0.15	U	0.15	1.0
1,2,4-Trichlorobenzene	0.19	U	0.19	1.0
Hexachlorobutadiene	0.16	U	0.16	5.0
1,1,1,2-Tetrachloroethane	0.11	U	0.11	1.0
1,2,3-Trichlorobenzene	0.16	U	0.16	1.0
1,2,3-Trichloropropane	0.18	U	0.18	1.0
1,2,4-Trimethylbenzene	0.15	U	0.15	1.0
1,2-Dibromo-3-Chloropropane	0.44	U	0.44	1.0
1,3,5-Trimethylbenzene	0.12	U	0.12	1.0
1,3-Dichloropropane	0.23	U	0.23	1.0
2,2-Dichloropropane	0.13	U	0.13	1.0
2-Chlorotoluene	0.13	U	0.13	1.0
4-Chlorotoluene	0.23	U	0.23	1.0
Monobromobenzene	0.30	U	0.30	1.0
Bromochloromethane	0.11	U	0.11	1.0
Dibromomethane	0.23	U	0.23	1.0
Isopropylbenzene	0.11	U	0.11	1.0
N-Propylbenzene	0.15	U	0.15	1.0
p-Isopropyltoluene	0.14	U	0.14	1.0
sec-Butylbenzene	0.13	U	0.13	1.0
tert-Butylbenzene	0.12	U	0.12	1.0
n-Butylbenzene	0.080	U	0.080	1.0
Methyl methacrylate	0.26	U	0.26	1.0
trans-1,4-Dichloro-2-butene	0.26	U	0.26	1.0
Tert-butyl ethyl ether	0.12	U	0.12	1.0

Surrogate	% Rec	Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	99	70 - 130
Toluene-d8 (Surr)	95	70 - 130
Bromofluorobenzene	94	70 - 130

Quality Control Results

Client: EnviroTrac, Ltd.

Job Number: 460-42116-1

Method Blank - Batch: 460-119109

Method: 8260B Preparation: N/A

Lab Sample ID: MB 460-119109/5
Client Matrix: Solid
Dilution: 1.0
Analysis Date: 07/09/2012 1934
Prep Date: N/A
Leach Date: N/A

Analysis Batch: 460-119109
Prep Batch: N/A
Leach Batch: N/A
Units: ug/Kg

Instrument ID: VOAMS4
Lab File ID: d22426.d
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result	Qual	MDL	RL
Chloromethane	0.16	U	0.16	1.0
Bromomethane	0.43	U	0.43	1.0
Vinyl chloride	0.34	U	0.34	1.0
Chloroethane	0.33	U	0.33	1.0
Methylene Chloride	0.15	U	0.15	1.0
Acetone	9.26	J	1.7	10
Carbon disulfide	0.15	U	0.15	1.0
Trichlorofluoromethane	0.16	U	0.16	1.0
1,1-Dichloroethene	0.19	U	0.19	1.0
1,1-Dichloroethane	0.11	U	0.11	1.0
trans-1,2-Dichloroethene	0.13	U	0.13	1.0
cis-1,2-Dichloroethene	0.11	U	0.11	1.0
Chloroform	0.24	U	0.24	1.0
1,2-Dichloroethane	0.18	U	0.18	1.0
2-Butanone	0.63	U	0.63	10
1,1,1-Trichloroethane	0.13	U	0.13	1.0
Carbon tetrachloride	0.15	U	0.15	1.0
Bromodichloromethane	0.32	U	0.32	1.0
1,2-Dichloropropane	0.15	U	0.15	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
TCE	0.12	U	0.12	1.0
Dibromochloromethane	0.10	U	0.10	1.0
1,1,2-Trichloroethane	0.14	U	0.14	1.0
Benzene	0.15	U	0.15	1.0
trans-1,3-Dichloropropene	0.10	U	0.10	1.0
Bromoform	0.17	U	0.17	1.0
4-Methyl-2-pentanone	0.20	U	0.20	10
2-Hexanone	0.13	U	0.13	10
Tetrachloroethene	0.12	U	0.12	1.0
1,1,2,2-Tetrachloroethane	0.090	U	0.090	1.0
Toluene	0.14	U	0.14	1.0
Chlorobenzene	0.18	U	0.18	1.0
Ethylbenzene	0.17	U	0.17	1.0
Styrene	0.28	U	0.28	1.0
m&p-Xylene	0.59	U	0.59	2.0
o-Xylene	0.19	U	0.19	1.0
Ethyl ether	0.21	U	0.21	1.0
Acrolein	7.5	U	7.5	100
Freon TF	0.11	U	0.11	1.0
Acetonitrile	3.0	U	3.0	20
TBA	3.1	U	3.1	20
Acrylonitrile	3.5	U	3.5	50
MTBE	0.11	U	0.11	1.0
Vinyl acetate	0.40	U	0.40	1.0
Cyclohexane	0.13	U	0.13	1.0

Quality Control Results

Client: EnviroTrac, Ltd.

Job Number: 460-42116-1

Method Blank - Batch: 460-119109

Method: 8260B Preparation: N/A

Lab Sample ID: MB 460-119109/5
Client Matrix: Solid
Dilution: 1.0
Analysis Date: 07/09/2012 1934
Prep Date: N/A
Leach Date: N/A

Analysis Batch: 460-119109
Prep Batch: N/A
Leach Batch: N/A
Units: ug/Kg

Instrument ID: VOAMS4
Lab File ID: d22426.d
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result	Qual	MDL	RL
Isopropyl acetate	0.17	U	0.17	2.0
1,2-Dibromoethane	0.15	U	0.15	1.0
1,3-Dichlorobenzene	0.16	U	0.16	1.0
1,4-Dichlorobenzene	0.11	U	0.11	1.0
1,2-Dichlorobenzene	0.10	U	0.10	1.0
Naphthalene	0.23	U	0.23	1.0
Dichlorodifluoromethane	0.22	U	0.22	1.0
1,1-Dichloropropene	0.15	U	0.15	1.0
1,2,4-Trichlorobenzene	0.19	U	0.19	1.0
Hexachlorobutadiene	0.16	U	0.16	5.0
1,1,1,2-Tetrachloroethane	0.11	U	0.11	1.0
1,2,3-Trichlorobenzene	0.16	U	0.16	1.0
1,2,3-Trichloropropane	0.18	U	0.18	1.0
1,2,4-Trimethylbenzene	0.15	U	0.15	1.0
1,2-Dibromo-3-Chloropropane	0.44	U	0.44	1.0
1,3,5-Trimethylbenzene	0.12	U	0.12	1.0
1,3-Dichloropropane	0.23	U	0.23	1.0
2,2-Dichloropropane	0.13	U	0.13	1.0
2-Chlorotoluene	0.13	U	0.13	1.0
4-Chlorotoluene	0.23	U	0.23	1.0
Monobromobenzene	0.30	U	0.30	1.0
Bromochloromethane	0.11	U	0.11	1.0
Dibromomethane	0.23	U	0.23	1.0
Isopropylbenzene	0.11	U	0.11	1.0
N-Propylbenzene	0.15	U	0.15	1.0
p-Isopropyltoluene	0.14	U	0.14	1.0
sec-Butylbenzene	0.13	U	0.13	1.0
tert-Butylbenzene	0.12	U	0.12	1.0
n-Butylbenzene	0.080	U	0.080	1.0
Methyl methacrylate	0.26	U	0.26	1.0
trans-1,4-Dichloro-2-butene	0.26	U	0.26	1.0
Tert-butyl ethyl ether	0.12	U	0.12	1.0

Surrogate	% Rec	Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	104	70 - 130
Toluene-d8 (Surr)	99	70 - 130
Bromofluorobenzene	100	70 - 130

Quality Control Results

Client: EnviroTrac, Ltd.

Job Number: 460-42116-1

**Lab Control Sample/
Lab Control Sample Duplicate Recovery Report - Batch: 460-119109**

**Method: 8260B
Preparation: N/A**

LCS Lab Sample ID:	LCS 460-119109/3	Analysis Batch:	460-119109	Instrument ID:	VOAMS4
Client Matrix:	Solid	Prep Batch:	N/A	Lab File ID:	d22422.d
Dilution:	1.0	Leach Batch:	N/A	Initial Weight/Volume:	5 mL
Analysis Date:	07/09/2012 1737	Units:	ug/Kg	Final Weight/Volume:	5 mL
Prep Date:	N/A				
Leach Date:	N/A				

LCSD Lab Sample ID:	LCSD 460-119109/4	Analysis Batch:	460-119109	Instrument ID:	VOAMS4
Client Matrix:	Solid	Prep Batch:	N/A	Lab File ID:	d22423.d
Dilution:	1.0	Leach Batch:	N/A	Initial Weight/Volume:	5 mL
Analysis Date:	07/09/2012 1801	Units:	ug/Kg	Final Weight/Volume:	5 mL
Prep Date:	N/A				
Leach Date:	N/A				

Analyte	% Rec.		Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
	LCS	LCSD					
Chloromethane	94	96	50 - 151	2	30		
Bromomethane	98	99	54 - 142	1	30		
Vinyl chloride	90	92	67 - 133	2	30		
Chloroethane	102	100	56 - 146	2	30		
Methylene Chloride	105	107	74 - 137	2	30		
Acetone	133	138	27 - 164	4	30		
Carbon disulfide	92	92	72 - 128	1	30		
Trichlorofluoromethane	87	88	61 - 139	1	30		
1,1-Dichloroethene	91	92	71 - 126	1	30		
1,1-Dichloroethane	98	100	76 - 125	2	30		
trans-1,2-Dichloroethene	94	101	75 - 122	7	30		
cis-1,2-Dichloroethene	96	100	80 - 120	5	30		
Chloroform	99	103	77 - 120	4	30		
1,2-Dichloroethane	99	109	76 - 118	9	30		
2-Butanone	111	111	77 - 117	0	30		
1,1,1-Trichloroethane	94	96	78 - 117	2	30		
Carbon tetrachloride	92	93	79 - 118	2	30		
Bromodichloromethane	95	102	79 - 119	7	30		
1,2-Dichloropropane	97	101	82 - 122	4	30		
cis-1,3-Dichloropropene	90	96	80 - 123	7	30		
TCE	91	97	79 - 119	6	30		
Dibromochloromethane	96	102	68 - 120	6	30		
1,1,2-Trichloroethane	97	103	73 - 118	6	30		
Benzene	96	101	77 - 117	5	30		
trans-1,3-Dichloropropene	97	99	67 - 121	3	30		
Bromoform	96	102	59 - 125	6	30		
4-Methyl-2-pentanone	95	101	68 - 120	6	30		
2-Hexanone	101	109	70 - 122	7	30		
Tetrachloroethene	93	97	80 - 120	4	30		
1,1,2,2-Tetrachloroethane	96	102	79 - 122	5	30		
Toluene	92	95	75 - 115	3	30		
Chlorobenzene	100	99	80 - 120	0	30		
Ethylbenzene	93	96	81 - 121	3	30		
Styrene	97	103	82 - 122	6	30		
m&p-Xylene	97	99	81 - 121	2	30		

Quality Control Results

Client: EnviroTrac, Ltd.

Job Number: 460-42116-1

**Lab Control Sample/
Lab Control Sample Duplicate Recovery Report - Batch: 460-119109**

**Method: 8260B
Preparation: N/A**

LCS Lab Sample ID:	LCS 460-119109/3	Analysis Batch:	460-119109	Instrument ID:	VOAMS4
Client Matrix:	Solid	Prep Batch:	N/A	Lab File ID:	d22422.d
Dilution:	1.0	Leach Batch:	N/A	Initial Weight/Volume:	5 mL
Analysis Date:	07/09/2012 1737	Units:	ug/Kg	Final Weight/Volume:	5 mL
Prep Date:	N/A				
Leach Date:	N/A				

LCSD Lab Sample ID:	LCSD 460-119109/4	Analysis Batch:	460-119109	Instrument ID:	VOAMS4
Client Matrix:	Solid	Prep Batch:	N/A	Lab File ID:	d22423.d
Dilution:	1.0	Leach Batch:	N/A	Initial Weight/Volume:	5 mL
Analysis Date:	07/09/2012 1801	Units:	ug/Kg	Final Weight/Volume:	5 mL
Prep Date:	N/A				
Leach Date:	N/A				

Analyte	% Rec.		Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
	LCS	LCSD					
o-Xylene	97	98	82 - 122	1	30		
Ethyl ether	99	105	71 - 121	6	30		
Acrolein	98	99	10 - 163	1	30		
Freon TF	84	85	73 - 123	1	30		
Acetonitrile	110	115	57 - 141	5	30		
TBA	108	117	65 - 119	9	30		
Acrylonitrile	97	100	71 - 130	3	30		
MTBE	95	101	78 - 120	6	30		
Vinyl acetate	111	95	52 - 116	15	30		
Cyclohexane	84	85	80 - 121	1	30		
Isopropyl acetate	91	99	61 - 123	9	30		
1,2-Dibromoethane	99	104	75 - 117	5	30		
1,3-Dichlorobenzene	96	98	80 - 120	2	30		
1,4-Dichlorobenzene	97	97	80 - 120	0	30		
1,2-Dichlorobenzene	99	99	80 - 120	0	30		
Naphthalene	114	115	78 - 119	1	30		
Dichlorodifluoromethane	92	93	52 - 144	1	30		
1,1-Dichloropropene	89	91	78 - 118	2	30		
1,2,4-Trichlorobenzene	108	107	80 - 120	0	30		
Hexachlorobutadiene	93	91	72 - 120	1	30		
1,1,1,2-Tetrachloroethane	97	100	60 - 126	3	30		
1,2,3-Trichlorobenzene	114	117	75 - 121	3	30		
1,2,3-Trichloropropane	97	97	80 - 120	0	30		
1,2,4-Trimethylbenzene	98	100	81 - 121	1	30		
1,2-Dibromo-3-Chloropropane	101	97	74 - 118	4	30		
1,3,5-Trimethylbenzene	94	97	82 - 122	3	30		
1,3-Dichloropropane	92	101	77 - 116	9	30		
2,2-Dichloropropane	96	96	77 - 120	1	30		
2-Chlorotoluene	93	96	81 - 121	3	30		
4-Chlorotoluene	97	100	82 - 122	3	30		
Monobromobenzene	96	94	80 - 120	2	30		
Bromochloromethane	101	106	74 - 125	5	30		
Dibromomethane	97	103	79 - 118	6	30		
Isopropylbenzene	96	98	65 - 129	2	30		
N-Propylbenzene	93	95	81 - 121	2	30		

Quality Control Results

Client: EnviroTrac, Ltd.

Job Number: 460-42116-1

**Lab Control Sample/
Lab Control Sample Duplicate Recovery Report - Batch: 460-119109**

**Method: 8260B
Preparation: N/A**

LCS Lab Sample ID:	LCS 460-119109/3	Analysis Batch:	460-119109	Instrument ID:	VOAMS4
Client Matrix:	Solid	Prep Batch:	N/A	Lab File ID:	d22422.d
Dilution:	1.0	Leach Batch:	N/A	Initial Weight/Volume:	5 mL
Analysis Date:	07/09/2012 1737	Units:	ug/Kg	Final Weight/Volume:	5 mL
Prep Date:	N/A				
Leach Date:	N/A				

LCSD Lab Sample ID:	LCSD 460-119109/4	Analysis Batch:	460-119109	Instrument ID:	VOAMS4
Client Matrix:	Solid	Prep Batch:	N/A	Lab File ID:	d22423.d
Dilution:	1.0	Leach Batch:	N/A	Initial Weight/Volume:	5 mL
Analysis Date:	07/09/2012 1801	Units:	ug/Kg	Final Weight/Volume:	5 mL
Prep Date:	N/A				
Leach Date:	N/A				

Analyte	% Rec.		Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
	LCS	LCSD					
p-Isopropyltoluene	93	94	82 - 122	1	30		
sec-Butylbenzene	92	92	82 - 122	0	30		
tert-Butylbenzene	89	92	82 - 122	3	30		
n-Butylbenzene	95	93	82 - 122	2	30		
Methyl methacrylate	92	99	76 - 116	8	30		
trans-1,4-Dichloro-2-butene	137	144	67 - 121	5	30	*	*
Tert-butyl ethyl ether	109	117	70 - 130	7	30		
Surrogate	LCS % Rec		LCSD % Rec		Acceptance Limits		
1,2-Dichloroethane-d4 (Surr)	103		106		70 - 130		
Toluene-d8 (Surr)	102		102		70 - 130		
Bromofluorobenzene	103		104		70 - 130		

Quality Control Results

Client: EnviroTrac, Ltd.

Job Number: 460-42116-1

Method Blank - Batch: 460-119553

Method: 8260B

Preparation: N/A

Lab Sample ID: MB 460-119553/5
Client Matrix: Solid
Dilution: 1.0
Analysis Date: 07/12/2012 0724
Prep Date: N/A
Leach Date: N/A

Analysis Batch: 460-119553
Prep Batch: N/A
Leach Batch: N/A
Units: ug/Kg

Instrument ID: VOAMS12
Lab File ID: o62175.d
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result	Qual	MDL	RL
Chloromethane	0.16	U	0.16	1.0
Bromomethane	0.43	U	0.43	1.0
Vinyl chloride	0.34	U	0.34	1.0
Chloroethane	0.33	U	0.33	1.0
Methylene Chloride	0.582	J	0.15	1.0
Acetone	5.97	J	1.7	10
Carbon disulfide	0.15	U	0.15	1.0
Trichlorofluoromethane	0.16	U	0.16	1.0
1,1-Dichloroethene	0.19	U	0.19	1.0
1,1-Dichloroethane	0.11	U	0.11	1.0
trans-1,2-Dichloroethene	0.13	U	0.13	1.0
cis-1,2-Dichloroethene	0.11	U	0.11	1.0
Chloroform	0.24	U	0.24	1.0
1,2-Dichloroethane	0.18	U	0.18	1.0
2-Butanone	0.63	U	0.63	10
1,1,1-Trichloroethane	0.13	U	0.13	1.0
Carbon tetrachloride	0.15	U	0.15	1.0
Bromodichloromethane	0.32	U	0.32	1.0
1,2-Dichloropropane	0.15	U	0.15	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
TCE	0.12	U	0.12	1.0
Dibromochloromethane	0.10	U	0.10	1.0
1,1,2-Trichloroethane	0.14	U	0.14	1.0
Benzene	0.15	U	0.15	1.0
trans-1,3-Dichloropropene	0.10	U	0.10	1.0
Bromoform	0.17	U	0.17	1.0
4-Methyl-2-pentanone	0.20	U	0.20	10
2-Hexanone	0.13	U	0.13	10
Tetrachloroethene	0.12	U	0.12	1.0
1,1,2,2-Tetrachloroethane	0.090	U	0.090	1.0
Toluene	0.14	U	0.14	1.0
Chlorobenzene	0.18	U	0.18	1.0
Ethylbenzene	0.17	U	0.17	1.0
Styrene	0.28	U	0.28	1.0
m&p-Xylene	0.59	U	0.59	2.0
o-Xylene	0.19	U	0.19	1.0
Ethyl ether	0.21	U	0.21	1.0
Acrolein	7.5	U	7.5	100
Freon TF	0.11	U	0.11	1.0
Acetonitrile	3.0	U	3.0	20
TBA	3.1	U	3.1	20
Acrylonitrile	3.5	U	3.5	50
MTBE	0.11	U	0.11	1.0
Vinyl acetate	0.40	U	0.40	1.0
Cyclohexane	0.13	U	0.13	1.0

Quality Control Results

Client: EnviroTrac, Ltd.

Job Number: 460-42116-1

Method Blank - Batch: 460-119553

Method: 8260B Preparation: N/A

Lab Sample ID: MB 460-119553/5
Client Matrix: Solid
Dilution: 1.0
Analysis Date: 07/12/2012 0724
Prep Date: N/A
Leach Date: N/A

Analysis Batch: 460-119553
Prep Batch: N/A
Leach Batch: N/A
Units: ug/Kg

Instrument ID: VOAMS12
Lab File ID: o62175.d
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result	Qual	MDL	RL
Isopropyl acetate	0.17	U	0.17	2.0
1,2-Dibromoethane	0.15	U	0.15	1.0
1,3-Dichlorobenzene	0.16	U	0.16	1.0
1,4-Dichlorobenzene	0.11	U	0.11	1.0
1,2-Dichlorobenzene	0.10	U	0.10	1.0
Naphthalene	0.23	U	0.23	1.0
Dichlorodifluoromethane	0.22	U	0.22	1.0
1,1-Dichloropropene	0.15	U	0.15	1.0
1,2,4-Trichlorobenzene	0.19	U	0.19	1.0
Hexachlorobutadiene	0.16	U	0.16	5.0
1,1,1,2-Tetrachloroethane	0.11	U	0.11	1.0
1,2,3-Trichlorobenzene	0.16	U	0.16	1.0
1,2,3-Trichloropropane	0.18	U	0.18	1.0
1,2,4-Trimethylbenzene	0.15	U	0.15	1.0
1,2-Dibromo-3-Chloropropane	0.44	U	0.44	1.0
1,3,5-Trimethylbenzene	0.12	U	0.12	1.0
1,3-Dichloropropane	0.23	U	0.23	1.0
2,2-Dichloropropane	0.13	U	0.13	1.0
2-Chlorotoluene	0.13	U	0.13	1.0
4-Chlorotoluene	0.23	U	0.23	1.0
Monobromobenzene	0.30	U	0.30	1.0
Bromochloromethane	0.11	U	0.11	1.0
Dibromomethane	0.23	U	0.23	1.0
Isopropylbenzene	0.11	U	0.11	1.0
N-Propylbenzene	0.15	U	0.15	1.0
p-Isopropyltoluene	0.14	U	0.14	1.0
sec-Butylbenzene	0.13	U	0.13	1.0
tert-Butylbenzene	0.12	U	0.12	1.0
n-Butylbenzene	0.080	U	0.080	1.0
Methyl methacrylate	0.26	U	0.26	1.0
trans-1,4-Dichloro-2-butene	0.26	U	0.26	1.0
Tert-butyl ethyl ether	0.12	U	0.12	1.0

Surrogate	% Rec	Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	85	70 - 130
Toluene-d8 (Surr)	94	70 - 130
Bromofluorobenzene	108	70 - 130

Quality Control Results

Client: EnviroTrac, Ltd.

Job Number: 460-42116-1

**Lab Control Sample/
Lab Control Sample Duplicate Recovery Report - Batch: 460-119553**

**Method: 8260B
Preparation: N/A**

LCS Lab Sample ID:	LCS 460-119553/3	Analysis Batch:	460-119553	Instrument ID:	VOAMS12
Client Matrix:	Solid	Prep Batch:	N/A	Lab File ID:	o62171.d
Dilution:	1.0	Leach Batch:	N/A	Initial Weight/Volume:	5 mL
Analysis Date:	07/12/2012 0534	Units:	ug/Kg	Final Weight/Volume:	5 mL
Prep Date:	N/A				
Leach Date:	N/A				

LCSD Lab Sample ID:	LCSD 460-119553/4	Analysis Batch:	460-119553	Instrument ID:	VOAMS12
Client Matrix:	Solid	Prep Batch:	N/A	Lab File ID:	o62172.d
Dilution:	1.0	Leach Batch:	N/A	Initial Weight/Volume:	5 mL
Analysis Date:	07/12/2012 0559	Units:	ug/Kg	Final Weight/Volume:	5 mL
Prep Date:	N/A				
Leach Date:	N/A				

Analyte	% Rec.		Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
	LCS	LCSD					
Chloromethane	111	109	50 - 151	2	30		
Bromomethane	84	91	54 - 142	9	30		
Vinyl chloride	91	89	67 - 133	2	30		
Chloroethane	80	89	56 - 146	10	30		
Methylene Chloride	115	107	74 - 137	8	30		
Acetone	113	116	27 - 164	3	30		
Carbon disulfide	85	82	72 - 128	4	30		
Trichlorofluoromethane	84	83	61 - 139	1	30		
1,1-Dichloroethene	98	95	71 - 126	3	30		
1,1-Dichloroethane	91	89	76 - 125	3	30		
trans-1,2-Dichloroethene	102	96	75 - 122	6	30		
cis-1,2-Dichloroethene	99	94	80 - 120	5	30		
Chloroform	92	91	77 - 120	1	30		
1,2-Dichloroethane	89	83	76 - 118	6	30		
2-Butanone	91	92	77 - 117	1	30		
1,1,1-Trichloroethane	97	94	78 - 117	4	30		
Carbon tetrachloride	101	92	79 - 118	9	30		
Bromodichloromethane	97	93	79 - 119	4	30		
1,2-Dichloropropane	96	89	82 - 122	8	30		
cis-1,3-Dichloropropene	102	97	80 - 123	5	30		
TCE	105	101	79 - 119	4	30		
Dibromochloromethane	89	80	68 - 120	10	30		
1,1,2-Trichloroethane	98	95	73 - 118	3	30		
Benzene	101	97	77 - 117	5	30		
trans-1,3-Dichloropropene	81	77	67 - 121	6	30		
Bromoform	91	86	59 - 125	6	30		
4-Methyl-2-pentanone	93	87	68 - 120	7	30		
2-Hexanone	83	80	70 - 122	4	30		
Tetrachloroethene	115	111	80 - 120	3	30		
1,1,2,2-Tetrachloroethane	92	91	79 - 122	1	30		
Toluene	100	95	75 - 115	5	30		
Chlorobenzene	102	98	80 - 120	4	30		
Ethylbenzene	104	101	81 - 121	3	30		
Styrene	104	99	82 - 122	5	30		
m&p-Xylene	104	99	81 - 121	5	30		

Quality Control Results

Client: EnviroTrac, Ltd.

Job Number: 460-42116-1

**Lab Control Sample/
Lab Control Sample Duplicate Recovery Report - Batch: 460-119553**

**Method: 8260B
Preparation: N/A**

LCS Lab Sample ID:	LCS 460-119553/3	Analysis Batch:	460-119553	Instrument ID:	VOAMS12
Client Matrix:	Solid	Prep Batch:	N/A	Lab File ID:	o62171.d
Dilution:	1.0	Leach Batch:	N/A	Initial Weight/Volume:	5 mL
Analysis Date:	07/12/2012 0534	Units:	ug/Kg	Final Weight/Volume:	5 mL
Prep Date:	N/A				
Leach Date:	N/A				

LCSD Lab Sample ID:	LCSD 460-119553/4	Analysis Batch:	460-119553	Instrument ID:	VOAMS12
Client Matrix:	Solid	Prep Batch:	N/A	Lab File ID:	o62172.d
Dilution:	1.0	Leach Batch:	N/A	Initial Weight/Volume:	5 mL
Analysis Date:	07/12/2012 0559	Units:	ug/Kg	Final Weight/Volume:	5 mL
Prep Date:	N/A				
Leach Date:	N/A				

Analyte	% Rec.		Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
	LCS	LCSD					
o-Xylene	106	100	82 - 122	6	30		
Ethyl ether	88	86	71 - 121	2	30		
Acrolein	67	69	10 - 163	3	30		
Freon TF	97	91	73 - 123	6	30		
Acetonitrile	100	94	57 - 141	7	30		
TBA	84	74	65 - 119	13	30		
Acrylonitrile	82	83	71 - 130	0	30		
MTBE	92	88	78 - 120	5	30		
Vinyl acetate	78	75	52 - 116	4	30		
Cyclohexane	94	90	80 - 121	5	30		
Isopropyl acetate	92	88	61 - 123	5	30		
1,2-Dibromoethane	103	99	75 - 117	4	30		
1,3-Dichlorobenzene	102	99	80 - 120	3	30		
1,4-Dichlorobenzene	100	96	80 - 120	4	30		
1,2-Dichlorobenzene	102	100	80 - 120	2	30		
Naphthalene	93	91	78 - 119	2	30		
Dichlorodifluoromethane	95	95	52 - 144	0	30		
1,1-Dichloropropene	102	97	78 - 118	5	30		
1,2,4-Trichlorobenzene	101	97	80 - 120	3	30		
Hexachlorobutadiene	104	100	72 - 120	4	30		
1,1,1,2-Tetrachloroethane	93	90	60 - 126	3	30		
1,2,3-Trichlorobenzene	97	95	75 - 121	3	30		
1,2,3-Trichloropropane	97	92	80 - 120	5	30		
1,2,4-Trimethylbenzene	97	92	81 - 121	5	30		
1,2-Dibromo-3-Chloropropane	78	81	74 - 118	4	30		
1,3,5-Trimethylbenzene	96	93	82 - 122	3	30		
1,3-Dichloropropane	96	93	77 - 116	4	30		
2,2-Dichloropropane	90	85	77 - 120	6	30		
2-Chlorotoluene	97	92	81 - 121	4	30		
4-Chlorotoluene	95	91	82 - 122	4	30		
Monobromobenzene	103	97	80 - 120	6	30		
Bromochloromethane	116	107	74 - 125	8	30		
Dibromomethane	97	92	79 - 118	5	30		
Isopropylbenzene	104	100	65 - 129	5	30		
N-Propylbenzene	99	95	81 - 121	4	30		

Quality Control Results

Client: EnviroTrac, Ltd.

Job Number: 460-42116-1

**Lab Control Sample/
Lab Control Sample Duplicate Recovery Report - Batch: 460-119553**

**Method: 8260B
Preparation: N/A**

LCS Lab Sample ID:	LCS 460-119553/3	Analysis Batch:	460-119553	Instrument ID:	VOAMS12
Client Matrix:	Solid	Prep Batch:	N/A	Lab File ID:	o62171.d
Dilution:	1.0	Leach Batch:	N/A	Initial Weight/Volume:	5 mL
Analysis Date:	07/12/2012 0534	Units:	ug/Kg	Final Weight/Volume:	5 mL
Prep Date:	N/A				
Leach Date:	N/A				

LCSD Lab Sample ID:	LCSD 460-119553/4	Analysis Batch:	460-119553	Instrument ID:	VOAMS12
Client Matrix:	Solid	Prep Batch:	N/A	Lab File ID:	o62172.d
Dilution:	1.0	Leach Batch:	N/A	Initial Weight/Volume:	5 mL
Analysis Date:	07/12/2012 0559	Units:	ug/Kg	Final Weight/Volume:	5 mL
Prep Date:	N/A				
Leach Date:	N/A				

Analyte	% Rec.		Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
	LCS	LCSD					
p-Isopropyltoluene	99	95	82 - 122	4	30		
sec-Butylbenzene	99	96	82 - 122	3	30		
tert-Butylbenzene	101	96	82 - 122	4	30		
n-Butylbenzene	95	92	82 - 122	4	30		
Methyl methacrylate	97	91	76 - 116	6	30		
trans-1,4-Dichloro-2-butene	88	85	67 - 121	4	30		
Tert-butyl ethyl ether	95	89	70 - 130	6	30		
Surrogate	LCS % Rec		LCSD % Rec		Acceptance Limits		
1,2-Dichloroethane-d4 (Surr)	82		81		70 - 130		
Toluene-d8 (Surr)	99		98		70 - 130		
Bromofluorobenzene	112		111		70 - 130		

Quality Control Results

Client: EnviroTrac, Ltd.

Job Number: 460-42116-1

Method Blank - Batch: 460-119632

Method: 8260B Preparation: N/A

Lab Sample ID: MB 460-119632/5
Client Matrix: Solid
Dilution: 1.0
Analysis Date: 07/12/2012 2128
Prep Date: N/A
Leach Date: N/A

Analysis Batch: 460-119632
Prep Batch: N/A
Leach Batch: N/A
Units: ug/Kg

Instrument ID: VOAMS12
Lab File ID: o62206.d
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result	Qual	MDL	RL
Chloromethane	0.16	U	0.16	1.0
Bromomethane	0.43	U	0.43	1.0
Vinyl chloride	0.34	U	0.34	1.0
Chloroethane	0.33	U	0.33	1.0
Methylene Chloride	0.227	J	0.15	1.0
Acetone	4.11	J	1.7	10
Carbon disulfide	0.15	U	0.15	1.0
Trichlorofluoromethane	0.16	U	0.16	1.0
1,1-Dichloroethene	0.19	U	0.19	1.0
1,1-Dichloroethane	0.11	U	0.11	1.0
trans-1,2-Dichloroethene	0.13	U	0.13	1.0
cis-1,2-Dichloroethene	0.11	U	0.11	1.0
Chloroform	0.24	U	0.24	1.0
1,2-Dichloroethane	0.18	U	0.18	1.0
2-Butanone	0.63	U	0.63	10
1,1,1-Trichloroethane	0.13	U	0.13	1.0
Carbon tetrachloride	0.15	U	0.15	1.0
Bromodichloromethane	0.32	U	0.32	1.0
1,2-Dichloropropane	0.15	U	0.15	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
TCE	0.12	U	0.12	1.0
Dibromochloromethane	0.10	U	0.10	1.0
1,1,2-Trichloroethane	0.14	U	0.14	1.0
Benzene	0.15	U	0.15	1.0
trans-1,3-Dichloropropene	0.10	U	0.10	1.0
Bromoform	0.17	U	0.17	1.0
4-Methyl-2-pentanone	0.20	U	0.20	10
2-Hexanone	0.13	U	0.13	10
Tetrachloroethene	0.12	U	0.12	1.0
1,1,2,2-Tetrachloroethane	0.090	U	0.090	1.0
Toluene	0.14	U	0.14	1.0
Chlorobenzene	0.18	U	0.18	1.0
Ethylbenzene	0.17	U	0.17	1.0
Styrene	0.28	U	0.28	1.0
m&p-Xylene	0.59	U	0.59	2.0
o-Xylene	0.19	U	0.19	1.0
Ethyl ether	0.21	U	0.21	1.0
Acrolein	7.5	U	7.5	100
Freon TF	0.11	U	0.11	1.0
Acetonitrile	3.0	U	3.0	20
TBA	3.1	U	3.1	20
Acrylonitrile	3.5	U	3.5	50
MTBE	0.11	U	0.11	1.0
Vinyl acetate	0.40	U	0.40	1.0
Cyclohexane	0.13	U	0.13	1.0

Quality Control Results

Client: EnviroTrac, Ltd.

Job Number: 460-42116-1

Method Blank - Batch: 460-119632

Method: 8260B

Preparation: N/A

Lab Sample ID: MB 460-119632/5
 Client Matrix: Solid
 Dilution: 1.0
 Analysis Date: 07/12/2012 2128
 Prep Date: N/A
 Leach Date: N/A

Analysis Batch: 460-119632
 Prep Batch: N/A
 Leach Batch: N/A
 Units: ug/Kg

Instrument ID: VOAMS12
 Lab File ID: o62206.d
 Initial Weight/Volume: 5 mL
 Final Weight/Volume: 5 mL

Analyte	Result	Qual	MDL	RL
Isopropyl acetate	0.17	U	0.17	2.0
1,2-Dibromoethane	0.15	U	0.15	1.0
1,3-Dichlorobenzene	0.16	U	0.16	1.0
1,4-Dichlorobenzene	0.11	U	0.11	1.0
1,2-Dichlorobenzene	0.10	U	0.10	1.0
Naphthalene	0.23	U	0.23	1.0
Dichlorodifluoromethane	0.22	U	0.22	1.0
1,1-Dichloropropene	0.15	U	0.15	1.0
1,2,4-Trichlorobenzene	0.19	U	0.19	1.0
Hexachlorobutadiene	0.16	U	0.16	5.0
1,1,1,2-Tetrachloroethane	0.11	U	0.11	1.0
1,2,3-Trichlorobenzene	0.16	U	0.16	1.0
1,2,3-Trichloropropane	0.18	U	0.18	1.0
1,2,4-Trimethylbenzene	0.15	U	0.15	1.0
1,2-Dibromo-3-Chloropropane	0.44	U	0.44	1.0
1,3,5-Trimethylbenzene	0.12	U	0.12	1.0
1,3-Dichloropropane	0.23	U	0.23	1.0
2,2-Dichloropropane	0.13	U	0.13	1.0
2-Chlorotoluene	0.13	U	0.13	1.0
4-Chlorotoluene	0.23	U	0.23	1.0
Monobromobenzene	0.30	U	0.30	1.0
Bromochloromethane	0.11	U	0.11	1.0
Dibromomethane	0.23	U	0.23	1.0
Isopropylbenzene	0.11	U	0.11	1.0
N-Propylbenzene	0.15	U	0.15	1.0
p-Isopropyltoluene	0.14	U	0.14	1.0
sec-Butylbenzene	0.13	U	0.13	1.0
tert-Butylbenzene	0.12	U	0.12	1.0
n-Butylbenzene	0.080	U	0.080	1.0
Methyl methacrylate	0.26	U	0.26	1.0
trans-1,4-Dichloro-2-butene	0.26	U	0.26	1.0
Tert-butyl ethyl ether	0.12	U	0.12	1.0

Surrogate	% Rec	Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	84	70 - 130
Toluene-d8 (Surr)	99	70 - 130
Bromofluorobenzene	114	70 - 130

Quality Control Results

Client: EnviroTrac, Ltd.

Job Number: 460-42116-1

**Lab Control Sample/
Lab Control Sample Duplicate Recovery Report - Batch: 460-119632**

**Method: 8260B
Preparation: N/A**

LCS Lab Sample ID:	LCS 460-119632/3	Analysis Batch:	460-119632	Instrument ID:	VOAMS12
Client Matrix:	Solid	Prep Batch:	N/A	Lab File ID:	o62202.d
Dilution:	1.0	Leach Batch:	N/A	Initial Weight/Volume:	5 mL
Analysis Date:	07/12/2012 1933	Units:	ug/Kg	Final Weight/Volume:	5 mL
Prep Date:	N/A				
Leach Date:	N/A				

LCSD Lab Sample ID:	LCSD 460-119632/4	Analysis Batch:	460-119632	Instrument ID:	VOAMS12
Client Matrix:	Solid	Prep Batch:	N/A	Lab File ID:	o62203.d
Dilution:	1.0	Leach Batch:	N/A	Initial Weight/Volume:	5 mL
Analysis Date:	07/12/2012 1958	Units:	ug/Kg	Final Weight/Volume:	5 mL
Prep Date:	N/A				
Leach Date:	N/A				

Analyte	% Rec.		Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
	LCS	LCSD					
Chloromethane	100	107	50 - 151	7	30		
Bromomethane	89	96	54 - 142	7	30		
Vinyl chloride	80	86	67 - 133	7	30		
Chloroethane	83	89	56 - 146	8	30		
Methylene Chloride	114	116	74 - 137	1	30		
Acetone	114	109	27 - 164	5	30		
Carbon disulfide	84	85	72 - 128	1	30		
Trichlorofluoromethane	72	77	61 - 139	6	30		
1,1-Dichloroethene	88	91	71 - 126	2	30		
1,1-Dichloroethane	92	93	76 - 125	1	30		
trans-1,2-Dichloroethene	96	100	75 - 122	4	30		
cis-1,2-Dichloroethene	100	103	80 - 120	3	30		
Chloroform	95	99	77 - 120	3	30		
1,2-Dichloroethane	90	92	76 - 118	3	30		
2-Butanone	105	89	77 - 117	17	30		
1,1,1-Trichloroethane	91	95	78 - 117	4	30		
Carbon tetrachloride	91	93	79 - 118	2	30		
Bromodichloromethane	101	104	79 - 119	3	30		
1,2-Dichloropropane	96	99	82 - 122	3	30		
cis-1,3-Dichloropropene	104	102	80 - 123	2	30		
TCE	102	103	79 - 119	1	30		
Dibromochloromethane	95	94	68 - 120	2	30		
1,1,2-Trichloroethane	99	98	73 - 118	1	30		
Benzene	100	102	77 - 117	2	30		
trans-1,3-Dichloropropene	83	83	67 - 121	1	30		
Bromoform	103	103	59 - 125	1	30		
4-Methyl-2-pentanone	98	92	68 - 120	6	30		
2-Hexanone	89	81	70 - 122	9	30		
Tetrachloroethene	106	106	80 - 120	1	30		
1,1,2,2-Tetrachloroethane	97	97	79 - 122	0	30		
Toluene	97	97	75 - 115	0	30		
Chlorobenzene	102	101	80 - 120	1	30		
Ethylbenzene	100	104	81 - 121	4	30		
Styrene	101	102	82 - 122	1	30		
m&p-Xylene	100	102	81 - 121	2	30		

Quality Control Results

Client: EnviroTrac, Ltd.

Job Number: 460-42116-1

**Lab Control Sample/
Lab Control Sample Duplicate Recovery Report - Batch: 460-119632**

**Method: 8260B
Preparation: N/A**

LCS Lab Sample ID:	LCS 460-119632/3	Analysis Batch:	460-119632	Instrument ID:	VOAMS12
Client Matrix:	Solid	Prep Batch:	N/A	Lab File ID:	o62202.d
Dilution:	1.0	Leach Batch:	N/A	Initial Weight/Volume:	5 mL
Analysis Date:	07/12/2012 1933	Units:	ug/Kg	Final Weight/Volume:	5 mL
Prep Date:	N/A				
Leach Date:	N/A				

LCSD Lab Sample ID:	LCSD 460-119632/4	Analysis Batch:	460-119632	Instrument ID:	VOAMS12
Client Matrix:	Solid	Prep Batch:	N/A	Lab File ID:	o62203.d
Dilution:	1.0	Leach Batch:	N/A	Initial Weight/Volume:	5 mL
Analysis Date:	07/12/2012 1958	Units:	ug/Kg	Final Weight/Volume:	5 mL
Prep Date:	N/A				
Leach Date:	N/A				

Analyte	% Rec.		Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
	LCS	LCSD					
o-Xylene	103	103	82 - 122	0	30		
Ethyl ether	93	96	71 - 121	4	30		
Acrolein	69	68	10 - 163	1	30		
Freon TF	84	85	73 - 123	1	30		
Acetonitrile	111	108	57 - 141	3	30		
TBA	88	84	65 - 119	4	30		
Acrylonitrile	88	86	71 - 130	2	30		
MTBE	97	96	78 - 120	1	30		
Vinyl acetate	81	78	52 - 116	4	30		
Cyclohexane	81	83	80 - 121	2	30		
Isopropyl acetate	96	92	61 - 123	5	30		
1,2-Dibromoethane	105	105	75 - 117	0	30		
1,3-Dichlorobenzene	102	103	80 - 120	1	30		
1,4-Dichlorobenzene	100	99	80 - 120	1	30		
1,2-Dichlorobenzene	103	104	80 - 120	1	30		
Naphthalene	101	98	78 - 119	4	30		
Dichlorodifluoromethane	75	81	52 - 144	8	30		
1,1-Dichloropropene	92	94	78 - 118	2	30		
1,2,4-Trichlorobenzene	105	102	80 - 120	3	30		
Hexachlorobutadiene	96	96	72 - 120	0	30		
1,1,1,2-Tetrachloroethane	95	95	60 - 126	1	30		
1,2,3-Trichlorobenzene	101	101	75 - 121	1	30		
1,2,3-Trichloropropane	94	97	80 - 120	2	30		
1,2,4-Trimethylbenzene	94	94	81 - 121	1	30		
1,2-Dibromo-3-Chloropropane	88	89	74 - 118	1	30		
1,3,5-Trimethylbenzene	92	94	82 - 122	1	30		
1,3-Dichloropropane	97	96	77 - 116	0	30		
2,2-Dichloropropane	83	86	77 - 120	3	30		
2-Chlorotoluene	93	94	81 - 121	1	30		
4-Chlorotoluene	93	93	82 - 122	0	30		
Monobromobenzene	103	100	80 - 120	3	30		
Bromochloromethane	125	123	74 - 125	2	30		
Dibromomethane	102	105	79 - 118	2	30		
Isopropylbenzene	95	97	65 - 129	2	30		
N-Propylbenzene	92	93	81 - 121	1	30		

Quality Control Results

Client: EnviroTrac, Ltd.

Job Number: 460-42116-1

**Lab Control Sample/
Lab Control Sample Duplicate Recovery Report - Batch: 460-119632**

**Method: 8260B
Preparation: N/A**

LCS Lab Sample ID:	LCS 460-119632/3	Analysis Batch:	460-119632	Instrument ID:	VOAMS12
Client Matrix:	Solid	Prep Batch:	N/A	Lab File ID:	o62202.d
Dilution:	1.0	Leach Batch:	N/A	Initial Weight/Volume:	5 mL
Analysis Date:	07/12/2012 1933	Units:	ug/Kg	Final Weight/Volume:	5 mL
Prep Date:	N/A				
Leach Date:	N/A				

LCSD Lab Sample ID:	LCSD 460-119632/4	Analysis Batch:	460-119632	Instrument ID:	VOAMS12
Client Matrix:	Solid	Prep Batch:	N/A	Lab File ID:	o62203.d
Dilution:	1.0	Leach Batch:	N/A	Initial Weight/Volume:	5 mL
Analysis Date:	07/12/2012 1958	Units:	ug/Kg	Final Weight/Volume:	5 mL
Prep Date:	N/A				
Leach Date:	N/A				

Analyte	% Rec.		Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
	LCS	LCSD					
p-Isopropyltoluene	91	93	82 - 122	3	30		
sec-Butylbenzene	89	91	82 - 122	2	30		
tert-Butylbenzene	92	94	82 - 122	2	30		
n-Butylbenzene	87	87	82 - 122	1	30		
Methyl methacrylate	104	101	76 - 116	3	30		
trans-1,4-Dichloro-2-butene	98	96	67 - 121	2	30		
Tert-butyl ethyl ether	97	94	70 - 130	3	30		
Surrogate	LCS % Rec		LCSD % Rec		Acceptance Limits		
1,2-Dichloroethane-d4 (Surr)	80		82		70 - 130		
Toluene-d8 (Surr)	93		96		70 - 130		
Bromofluorobenzene	108		111		70 - 130		

Quality Control Results

Client: EnviroTrac, Ltd.

Job Number: 460-42116-1

Duplicate - Batch: 460-119013

Method: Moisture Preparation: N/A

Lab Sample ID:	460-42116-1	Analysis Batch:	460-119013	Instrument ID:	No Equipment
Client Matrix:	Solid	Prep Batch:	N/A	Lab File ID:	N/A
Dilution:	1.0	Leach Batch:	N/A	Initial Weight/Volume:	
Analysis Date:	07/09/2012 0945	Units:	%	Final Weight/Volume:	
Prep Date:	N/A				
Leach Date:	N/A				

Analyte	Sample Result/Qual	Result	RPD	Limit	Qual
Percent Moisture	18.6	20.7	11	20	
Percent Solids	81.4	79.3	3	20	

CHAIN OF CUSTODY

Bill To: NYSDEC
625 Broadway, 12th Floor
Albany, NY 12233
Attn: Payson Long

4216

07/24/2012

Login Sample Receipt Checklist

Client: EnviroTrac, Ltd.

Job Number: 460-42116-1

Login Number: 42116

List Source: TestAmerica Edison

List Number: 1

Creator: Hall, Alonzo

Question	Answer	Comment
Radioactivity either was not measured or, if measured, is at or below background	N/A	
The cooler's custody seal, if present, is intact.	N/A	Not present
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	1.4° C IR 50
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the sample IDs on the containers and the COC.	True	
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
VOA sample vials do not have headspace or bubble is <6mm (1/4") in diameter.	N/A	
Multiphasic samples are not present.	N/A	
Samples do not require splitting or compositing.	N/A	
Residual Chlorine Checked.	N/A	No analysis requiring residual chlorine check assigned.

APPENDIX B

**Photographic Documentation on July 2, 2012
NYSDEC- American Drive-In Cleaners
Levittown, NY
Footing Removal**

Picture 1 – North to West excavation (0.0 ppm PID Reading)



Picture 2 –Removal of concrete debris



Photo 3 – North to West excavation (0.0 ppm PID reading)



Photo 4 – Beginning of South western excavation (0.0 ppm PID Reading)



Photo 5 – Removal of the center of the building footing



Photo 6 – South western portion of former building slab



Photo 7 – Sanitary piping encountered



Photo 8 – Removed Piping



Photo 9 – South to West excavation



Photo 10 – Eastern excavation



Picture 11 – Stock pile and Eastern excavation



Picture 12 – Location of former Sub Shop



APPENDIX C

**Photographic Documentation on August 20, 2012
NYSDEC- American Drive-In Cleaners
Levittown, NY
Tank Removal Activities**

Picture 1 – Removal of 5,000 gallon steel tank (North West corner of site)



Picture 2 –Tank excavation



Photo 3 – Tank removal (Formally abandoned 5,000 gallon steel tank)



Photo 4 and 5 – Tank removal



Photo 6 – Removing of sand from the interior of tank



Photo 7 – Preparing tank for transportation to disposal facility



Photo 8 – Discovery of unknown mass containing motor oil container buried in UST excavation



Photo 9 – Unknown mass within excavation area



Photo 10 – Backfilling excavation



Photo 11 – Backfilling excavation



APPENDIX D

**Photographic Documentation on August 21, 2012
NYSDEC- American Drive-In Cleaners
Levittown, NY
Cesspool Remediation**

Picture 1 – Uncovering of Cesspools (August 20, 2012)



Picture 2 – Uncovering of Cesspools (August 20, 2012)



Photo 3 – Northern Cesspool Clean-out



Photo 4 – Northern Cesspool (CP-N)



Photo 5 – Southern Cesspool (Note- 3 foot diameter excavation in center)



Photo 6 – Backfilling of Southern Cesspool (CP-S)



Photo 7 – Southern Cesspool complete with 4 inch diameter PVC sleeve installed



Photo 8– View of Northern and Southern Cesspools (Northern in background)



ANALYTICAL REPORT

Job Number: 460-43931-1

Job Description: Standby site: 130049 American Drive-In C

For:

EnviroTrac, Ltd.
5 Old Dock Road
Yaphank, NY 11980

Attention: Ms. Donna Eschrich



Approved for release.
Kristina Blocker
Project Manager I
9/4/2012 4:33 PM

Designee for
Jackie Trudell
Project Manager I
jackie.trudell@testamericainc.com
09/04/2012

cc: Mr. Payson Long

The test results in this report meet all NELAP requirements unless specified within the case narrative. Pursuant to NELAP, this report may not be reproduced, except in full, without the written approval of the laboratory. All questions regarding this report should be directed to the TestAmerica Edison Project Manager.

TestAmerica Edison Certifications and Approvals: Connecticut: CTDOH #PH-0200, New Jersey: NJDEP (NELAP) #12028, New York: NYDOH (NELAP) #11452, NYDOH (ELAP) #11452, Pennsylvania: PADEP (NELAP) 68-00522 and Rhode Island: RIDOH LAO00132

TestAmerica Laboratories, Inc.

TestAmerica Edison 777 New Durham Road, Edison, NJ 08817
Tel (732) 549-3900 Fax (732) 549-3679 www.testamericainc.com



Job Number: 460-43931-1

Job Description: Standby site: 130049 American Drive-In C

I certify that this data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed within the body of this report. Release of the data contained in this sample data package and in the electronic data deliverable has been authorized by the Laboratory Manager or his/her designee, as verified by the following signature.

A handwritten signature in dark ink, reading "Kristina M. Blocker". The signature is fluid and cursive, with a long horizontal stroke at the end.

Approved for release.
Kristina Blocker
Project Manager I
9/4/2012 4:33 PM

Designee for
Jackie Trudell

Table of Contents

Cover Title Page	1
Report Narrative	4
Executive Summary	5
Method Summary	7
Method / Analyst Summary	8
Sample Summary	9
Sample Results	10
Sample Datasheets	11
Data Qualifiers	23
QC Results	24
Qc Association Summary	25
Surrogate Recovery Report	26
Qc Reports	27
Client Chain of Custody	31
Sample Receipt Checklist	32

CASE NARRATIVE

Client: EnviroTrac, Ltd.

Project: Standby site: 130049 American Drive-In C

Report Number: 460-43931-1

This case narrative is in the form of an exception report, where only the anomalies related to this report, method specific performance and/or QA/QC issues are discussed. If there are no issues to report, this narrative will include a statement that documents that there are no relevant data issues.

It should be noted that samples with elevated Reporting Limits (RLs) as a result of a dilution may not be able to satisfy customer reporting limits in some cases. Such increases in the RLs are unavoidable but acceptable consequence of sample dilution that enables quantification of target analytes or interferences which exceed the calibration range of the instrument.

Calculations are performed before rounding to avoid round-off errors in calculated results.

All holding times were met and proper preservation noted for the methods performed on these samples, unless otherwise detailed in the individual sections below.

RECEIPT

The samples were received on 08/23/2012; the samples arrived in good condition, properly preserved and on ice. The temperature of the coolers at receipt was 1.8 C.

Note: All samples which require thermal preservation are considered acceptable if the arrival temperature is within 2C of the required temperature or method specified range. For samples with a specified temperature of 4C, samples with a temperature ranging from just above freezing temperature of water to 6C shall be acceptable. Samples that are hand delivered immediately following collection may not meet these criteria, however they will be deemed acceptable according to NELAC standards, if there is evidence that the chilling process has begun, such as arrival on ice, etc.

VOLATILE ORGANIC COMPOUNDS (GC-MS)

Samples 460-43931-1 through 460-43931-6 were analyzed for volatile organic compounds (GC-MS) in accordance with EPA SW-846 Method 8260B. The samples were prepared on 08/28/2012 and analyzed on 08/30/2012.

Methylene Chloride was detected in method blank LB3 460-125909/1-A at a level exceeding the reporting limit. If the associated sample reported a result above the MDL and/or RL, the result has been "B" flagged. Toluene was detected in method blank LB3 460-125909/1-A at a level that was above the method detection limit but below the reporting limit. The value should be considered an estimate, and has been flagged "J". If the associated sample reported a result above the MDL and/or RL, the result has been "B" flagged. Methylene Chloride was detected in method blank MB 460-126249/6 at a level that was above the method detection limit but below the reporting limit. The value should be considered an estimate, and has been flagged "J". If the associated sample reported a result above the MDL and/or RL, the result has been "B" flagged. Refer to the QC report for details.

2-Butanone failed the recovery criteria high for LCSD 460-126249/4. Refer to the QC report for details.

No other difficulties were encountered during the volatiles analyses.

All other quality control parameters were within the acceptance limits.

PERCENT SOLIDS

Samples 460-43931-1 through 460-43931-6 were analyzed for percent solids in accordance with D2974-87 Modified by ASTM. The samples were analyzed on 08/27/2012.

No difficulties were encountered during the % solids analyses.

All quality control parameters were within the acceptance limits.

EXECUTIVE SUMMARY - Detections

Client: EnviroTrac, Ltd.

Job Number: 460-43931-1

Lab Sample ID Analyte	Client Sample ID	Result	Qualifier	Reporting Limit	Units	Method
460-43931-1	CPS-N (15FT)					
Methylene Chloride		3.7	B	1.1	ug/Kg	8260B
Acetone		19		11	ug/Kg	8260B
Tetrachloroethene		1.2		1.1	ug/Kg	8260B
Toluene		0.75	J B	1.1	ug/Kg	8260B
Ethylbenzene		0.30	J	1.1	ug/Kg	8260B
Xylenes, Total		1.2	J	3.3	ug/Kg	8260B
Percent Moisture		21.3		1.0	%	Moisture
Percent Solids		78.7		1.0	%	Moisture
460-43931-2	CPS-S (15FT)					
Methylene Chloride		9.4	B	1.2	ug/Kg	8260B
Acetone		19		12	ug/Kg	8260B
2-Butanone		4.8	J *	12	ug/Kg	8260B
Tetrachloroethene		4.8		1.2	ug/Kg	8260B
Toluene		1.0	J B	1.2	ug/Kg	8260B
Percent Moisture		22.1		1.0	%	Moisture
Percent Solids		77.9		1.0	%	Moisture
460-43931-3	CPS-E (15FT)					
Methylene Chloride		2.6	B	0.94	ug/Kg	8260B
Acetone		11		9.4	ug/Kg	8260B
Tetrachloroethene		3.5		0.94	ug/Kg	8260B
Toluene		0.40	J B	0.94	ug/Kg	8260B
Percent Moisture		3.2		1.0	%	Moisture
Percent Solids		96.8		1.0	%	Moisture
460-43931-4	CPS-W (15FT)					
Methylene Chloride		3.1	B	1.0	ug/Kg	8260B
Acetone		14		10	ug/Kg	8260B
Tetrachloroethene		9.6		1.0	ug/Kg	8260B
Toluene		0.39	J B	1.0	ug/Kg	8260B
Percent Moisture		6.2		1.0	%	Moisture
Percent Solids		93.8		1.0	%	Moisture
460-43931-5	CPN (11FT)					
Methylene Chloride		2.8	B	0.96	ug/Kg	8260B
Tetrachloroethene		6.2		0.96	ug/Kg	8260B
Toluene		0.30	J B	0.96	ug/Kg	8260B
Percent Moisture		2.6		1.0	%	Moisture
Percent Solids		97.4		1.0	%	Moisture

EXECUTIVE SUMMARY - Detections

Client: EnviroTrac, Ltd.

Job Number: 460-43931-1

Lab Sample ID Analyte	Client Sample ID	Result	Qualifier	Reporting Limit	Units	Method
460-43931-6	CPS-B (25FT.)					
Methylene Chloride		6.6	B	1.3	ug/Kg	8260B
Acetone		19		13	ug/Kg	8260B
Tetrachloroethene		3.9		1.3	ug/Kg	8260B
Toluene		0.57	J B	1.3	ug/Kg	8260B
Percent Moisture		25.5		1.0	%	Moisture
Percent Solids		74.5		1.0	%	Moisture

METHOD SUMMARY

Client: EnviroTrac, Ltd.

Job Number: 460-43931-1

Description	Lab Location	Method	Preparation Method
Matrix: Solid			
Volatile Organic Compounds (GC/MS)	TAL EDI	SW846 8260B	
Closed System Purge and Trap	TAL EDI		SW846 5035
Percent Moisture	TAL EDI	EPA Moisture	

Lab References:

TAL EDI = TestAmerica Edison

Method References:

EPA = US Environmental Protection Agency

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

METHOD / ANALYST SUMMARY

Client: EnviroTrac, Ltd.

Job Number: 460-43931-1

Method	Analyst	Analyst ID
SW846 8260B	Boykin, Kenneth	KB
EPA Moisture	Armbruster, Chris	CHA

SAMPLE SUMMARY

Client: EnviroTrac, Ltd.

Job Number: 460-43931-1

Lab Sample ID	Client Sample ID	Client Matrix	Date/Time Sampled	Date/Time Received
460-43931-1	CPS-N (15ft)	Solid	08/21/2012 1055	08/23/2012 1750
460-43931-2	CPS-S (15ft)	Solid	08/21/2012 1105	08/23/2012 1750
460-43931-3	CPS-E (15ft)	Solid	08/21/2012 1045	08/23/2012 1750
460-43931-4	CPS-W (15ft)	Solid	08/21/2012 1110	08/23/2012 1750
460-43931-5	CPN (11ft)	Solid	08/21/2012 0920	08/23/2012 1750
460-43931-6	CPS-B (25ft.)	Solid	08/21/2012 1115	08/23/2012 1750

SAMPLE RESULTS

Analytical Data

Client: EnviroTrac, Ltd.

Job Number: 460-43931-1

Client Sample ID: CPS-N (15ft)

Lab Sample ID: 460-43931-1

Client Matrix: Solid

% Moisture: 21.3

Date Sampled: 08/21/2012 1055

Date Received: 08/23/2012 1750

8260B Volatile Organic Compounds (GC/MS)

Analysis Method: 8260B

Analysis Batch: 460-126249

Instrument ID: VOAMS9

Prep Method: 5035

Prep Batch: 460-125909

Lab File ID: k04039.d

Dilution: 1.0

Initial Weight/Volume: 5.73 g

Analysis Date: 08/30/2012 2139

Final Weight/Volume: 5 mL

Prep Date: 08/28/2012 1951

Analyte	DryWt Corrected: Y	Result (ug/Kg)	Qualifier	MDL	RL
Chloromethane		0.18	U	0.18	1.1
Bromomethane		0.48	U	0.48	1.1
Vinyl chloride		0.38	U	0.38	1.1
Chloroethane		0.37	U	0.37	1.1
Methylene Chloride		3.7	B	0.17	1.1
Acetone		19		1.9	11
Carbon disulfide		0.17	U	0.17	1.1
1,1-Dichloroethene		0.21	U	0.21	1.1
1,1-Dichloroethane		0.12	U	0.12	1.1
trans-1,2-Dichloroethene		0.14	U	0.14	1.1
cis-1,2-Dichloroethene		0.12	U	0.12	1.1
Chloroform		0.27	U	0.27	1.1
1,2-Dichloroethane		0.20	U	0.20	1.1
2-Butanone		0.70	U *	0.70	11
1,1,1-Trichloroethane		0.14	U	0.14	1.1
Carbon tetrachloride		0.17	U	0.17	1.1
Bromodichloromethane		0.35	U	0.35	1.1
1,2-Dichloropropane		0.17	U	0.17	1.1
cis-1,3-Dichloropropene		0.16	U	0.16	1.1
Trichloroethene		0.13	U	0.13	1.1
Dibromochloromethane		0.11	U	0.11	1.1
1,1,2-Trichloroethane		0.16	U	0.16	1.1
Benzene		0.17	U	0.17	1.1
trans-1,3-Dichloropropene		0.11	U	0.11	1.1
Bromoform		0.19	U	0.19	1.1
4-Methyl-2-pentanone		0.22	U	0.22	11
2-Hexanone		0.14	U	0.14	11
Tetrachloroethene		1.2		0.13	1.1
1,1,2,2-Tetrachloroethane		0.10	U	0.10	1.1
Toluene		0.75	J B	0.16	1.1
Chlorobenzene		0.20	U	0.20	1.1
Ethylbenzene		0.30	J	0.19	1.1
Styrene		0.31	U	0.31	1.1
Xylenes, Total		1.2	J	0.74	3.3

Surrogate	%Rec	Qualifier	Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	109		70 - 130
Toluene-d8 (Surr)	102		70 - 130
Bromofluorobenzene	105		70 - 130

Analytical Data

Client: EnviroTrac, Ltd.

Job Number: 460-43931-1

Client Sample ID: CPS-S (15ft)

Lab Sample ID: 460-43931-2

Date Sampled: 08/21/2012 1105

Client Matrix: Solid

% Moisture: 22.0

Date Received: 08/23/2012 1750

8260B Volatile Organic Compounds (GC/MS)

Analysis Method: 8260B

Analysis Batch: 460-126249

Instrument ID: VOAMS9

Prep Method: 5035

Prep Batch: 460-125909

Lab File ID: k04040.d

Dilution: 1.0

Initial Weight/Volume: 5.45 g

Analysis Date: 08/30/2012 2200

Final Weight/Volume: 5 mL

Prep Date: 08/28/2012 1953

Analyte	DryWt Corrected: Y	Result (ug/Kg)	Qualifier	MDL	RL
Chloromethane		0.19	U	0.19	1.2
Bromomethane		0.51	U	0.51	1.2
Vinyl chloride		0.40	U	0.40	1.2
Chloroethane		0.39	U	0.39	1.2
Methylene Chloride		9.4	B	0.18	1.2
Acetone		19		2.0	12
Carbon disulfide		0.18	U	0.18	1.2
1,1-Dichloroethene		0.22	U	0.22	1.2
1,1-Dichloroethane		0.13	U	0.13	1.2
trans-1,2-Dichloroethene		0.15	U	0.15	1.2
cis-1,2-Dichloroethene		0.13	U	0.13	1.2
Chloroform		0.28	U	0.28	1.2
1,2-Dichloroethane		0.21	U	0.21	1.2
2-Butanone		4.8	J *	0.74	12
1,1,1-Trichloroethane		0.15	U	0.15	1.2
Carbon tetrachloride		0.18	U	0.18	1.2
Bromodichloromethane		0.38	U	0.38	1.2
1,2-Dichloropropane		0.18	U	0.18	1.2
cis-1,3-Dichloropropene		0.16	U	0.16	1.2
Trichloroethene		0.14	U	0.14	1.2
Dibromochloromethane		0.12	U	0.12	1.2
1,1,2-Trichloroethane		0.16	U	0.16	1.2
Benzene		0.18	U	0.18	1.2
trans-1,3-Dichloropropene		0.12	U	0.12	1.2
Bromoform		0.20	U	0.20	1.2
4-Methyl-2-pentanone		0.24	U	0.24	12
2-Hexanone		0.15	U	0.15	12
Tetrachloroethene		4.8		0.14	1.2
1,1,2,2-Tetrachloroethane		0.11	U	0.11	1.2
Toluene		1.0	J B	0.16	1.2
Chlorobenzene		0.21	U	0.21	1.2
Ethylbenzene		0.20	U	0.20	1.2
Styrene		0.33	U	0.33	1.2
Xylenes, Total		0.79	U	0.79	3.5

Surrogate	%Rec	Qualifier	Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	107		70 - 130
Toluene-d8 (Surr)	102		70 - 130
Bromofluorobenzene	107		70 - 130

Analytical Data

Client: EnviroTrac, Ltd.

Job Number: 460-43931-1

Client Sample ID: CPS-E (15ft)

Lab Sample ID: 460-43931-3

Date Sampled: 08/21/2012 1045

Client Matrix: Solid

% Moisture: 3.2

Date Received: 08/23/2012 1750

8260B Volatile Organic Compounds (GC/MS)

Analysis Method: 8260B

Analysis Batch: 460-126249

Instrument ID: VOAMS9

Prep Method: 5035

Prep Batch: 460-125909

Lab File ID: k04041.d

Dilution: 1.0

Initial Weight/Volume: 5.52 g

Analysis Date: 08/30/2012 2222

Final Weight/Volume: 5 mL

Prep Date: 08/28/2012 1954

Analyte	DryWt Corrected: Y	Result (ug/Kg)	Qualifier	MDL	RL
Chloromethane		0.15	U	0.15	0.94
Bromomethane		0.40	U	0.40	0.94
Vinyl chloride		0.32	U	0.32	0.94
Chloroethane		0.31	U	0.31	0.94
Methylene Chloride		2.6	B	0.14	0.94
Acetone		11		1.6	9.4
Carbon disulfide		0.14	U	0.14	0.94
1,1-Dichloroethene		0.18	U	0.18	0.94
1,1-Dichloroethane		0.10	U	0.10	0.94
trans-1,2-Dichloroethene		0.12	U	0.12	0.94
cis-1,2-Dichloroethene		0.10	U	0.10	0.94
Chloroform		0.22	U	0.22	0.94
1,2-Dichloroethane		0.17	U	0.17	0.94
2-Butanone		0.59	U *	0.59	9.4
1,1,1-Trichloroethane		0.12	U	0.12	0.94
Carbon tetrachloride		0.14	U	0.14	0.94
Bromodichloromethane		0.30	U	0.30	0.94
1,2-Dichloropropane		0.14	U	0.14	0.94
cis-1,3-Dichloropropene		0.13	U	0.13	0.94
Trichloroethene		0.11	U	0.11	0.94
Dibromochloromethane		0.094	U	0.094	0.94
1,1,2-Trichloroethane		0.13	U	0.13	0.94
Benzene		0.14	U	0.14	0.94
trans-1,3-Dichloropropene		0.094	U	0.094	0.94
Bromoform		0.16	U	0.16	0.94
4-Methyl-2-pentanone		0.19	U	0.19	9.4
2-Hexanone		0.12	U	0.12	9.4
Tetrachloroethene		3.5		0.11	0.94
1,1,2,2-Tetrachloroethane		0.084	U	0.084	0.94
Toluene		0.40	J B	0.13	0.94
Chlorobenzene		0.17	U	0.17	0.94
Ethylbenzene		0.16	U	0.16	0.94
Styrene		0.26	U	0.26	0.94
Xylenes, Total		0.63	U	0.63	2.8

Surrogate	%Rec	Qualifier	Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	103		70 - 130
Toluene-d8 (Surr)	96		70 - 130
Bromofluorobenzene	102		70 - 130

Analytical Data

Client: EnviroTrac, Ltd.

Job Number: 460-43931-1

Client Sample ID: CPS-W (15ft)

Lab Sample ID: 460-43931-4

Date Sampled: 08/21/2012 1110

Client Matrix: Solid

% Moisture: 6.2

Date Received: 08/23/2012 1750

8260B Volatile Organic Compounds (GC/MS)

Analysis Method: 8260B

Analysis Batch: 460-126249

Instrument ID: VOAMS9

Prep Method: 5035

Prep Batch: 460-125909

Lab File ID: k04042.d

Dilution: 1.0

Initial Weight/Volume: 5.10 g

Analysis Date: 08/30/2012 2243

Final Weight/Volume: 5 mL

Prep Date: 08/28/2012 1955

Analyte	DryWt Corrected: Y	Result (ug/Kg)	Qualifier	MDL	RL
Chloromethane		0.17	U	0.17	1.0
Bromomethane		0.45	U	0.45	1.0
Vinyl chloride		0.36	U	0.36	1.0
Chloroethane		0.34	U	0.34	1.0
Methylene Chloride		3.1	B	0.16	1.0
Acetone		14		1.8	10
Carbon disulfide		0.16	U	0.16	1.0
1,1-Dichloroethene		0.20	U	0.20	1.0
1,1-Dichloroethane		0.11	U	0.11	1.0
trans-1,2-Dichloroethene		0.14	U	0.14	1.0
cis-1,2-Dichloroethene		0.11	U	0.11	1.0
Chloroform		0.25	U	0.25	1.0
1,2-Dichloroethane		0.19	U	0.19	1.0
2-Butanone		0.66	U *	0.66	10
1,1,1-Trichloroethane		0.14	U	0.14	1.0
Carbon tetrachloride		0.16	U	0.16	1.0
Bromodichloromethane		0.33	U	0.33	1.0
1,2-Dichloropropane		0.16	U	0.16	1.0
cis-1,3-Dichloropropene		0.15	U	0.15	1.0
Trichloroethene		0.13	U	0.13	1.0
Dibromochloromethane		0.10	U	0.10	1.0
1,1,2-Trichloroethane		0.15	U	0.15	1.0
Benzene		0.16	U	0.16	1.0
trans-1,3-Dichloropropene		0.10	U	0.10	1.0
Bromoform		0.18	U	0.18	1.0
4-Methyl-2-pentanone		0.21	U	0.21	10
2-Hexanone		0.14	U	0.14	10
Tetrachloroethene		9.6		0.13	1.0
1,1,2,2-Tetrachloroethane		0.094	U	0.094	1.0
Toluene		0.39	J B	0.15	1.0
Chlorobenzene		0.19	U	0.19	1.0
Ethylbenzene		0.18	U	0.18	1.0
Styrene		0.29	U	0.29	1.0
Xylenes, Total		0.70	U	0.70	3.1

Surrogate	%Rec	Qualifier	Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	104		70 - 130
Toluene-d8 (Surr)	99		70 - 130
Bromofluorobenzene	104		70 - 130

Analytical Data

Client: EnviroTrac, Ltd.

Job Number: 460-43931-1

Client Sample ID: CPN (11ft)

Lab Sample ID: 460-43931-5

Date Sampled: 08/21/2012 0920

Client Matrix: Solid

% Moisture: 2.6

Date Received: 08/23/2012 1750

8260B Volatile Organic Compounds (GC/MS)

Analysis Method: 8260B

Analysis Batch: 460-126249

Instrument ID: VOAMS9

Prep Method: 5035

Prep Batch: 460-125909

Lab File ID: k04043.d

Dilution: 1.0

Initial Weight/Volume: 5.33 g

Analysis Date: 08/30/2012 2304

Final Weight/Volume: 5 mL

Prep Date: 08/28/2012 1957

Analyte	DryWt Corrected: Y	Result (ug/Kg)	Qualifier	MDL	RL
Chloromethane		0.15	U	0.15	0.96
Bromomethane		0.41	U	0.41	0.96
Vinyl chloride		0.33	U	0.33	0.96
Chloroethane		0.32	U	0.32	0.96
Methylene Chloride		2.8	B	0.14	0.96
Acetone		1.6	U	1.6	9.6
Carbon disulfide		0.14	U	0.14	0.96
1,1-Dichloroethene		0.18	U	0.18	0.96
1,1-Dichloroethane		0.11	U	0.11	0.96
trans-1,2-Dichloroethene		0.13	U	0.13	0.96
cis-1,2-Dichloroethene		0.11	U	0.11	0.96
Chloroform		0.23	U	0.23	0.96
1,2-Dichloroethane		0.17	U	0.17	0.96
2-Butanone		0.61	U *	0.61	9.6
1,1,1-Trichloroethane		0.13	U	0.13	0.96
Carbon tetrachloride		0.14	U	0.14	0.96
Bromodichloromethane		0.31	U	0.31	0.96
1,2-Dichloropropane		0.14	U	0.14	0.96
cis-1,3-Dichloropropene		0.13	U	0.13	0.96
Trichloroethene		0.12	U	0.12	0.96
Dibromochloromethane		0.096	U	0.096	0.96
1,1,2-Trichloroethane		0.13	U	0.13	0.96
Benzene		0.14	U	0.14	0.96
trans-1,3-Dichloropropene		0.096	U	0.096	0.96
Bromoform		0.16	U	0.16	0.96
4-Methyl-2-pentanone		0.19	U	0.19	9.6
2-Hexanone		0.13	U	0.13	9.6
Tetrachloroethene		6.2		0.12	0.96
1,1,2,2-Tetrachloroethane		0.087	U	0.087	0.96
Toluene		0.30	J B	0.13	0.96
Chlorobenzene		0.17	U	0.17	0.96
Ethylbenzene		0.16	U	0.16	0.96
Styrene		0.27	U	0.27	0.96
Xylenes, Total		0.65	U	0.65	2.9

Surrogate	%Rec	Qualifier	Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	110		70 - 130
Toluene-d8 (Surr)	99		70 - 130
Bromofluorobenzene	105		70 - 130

Analytical Data

Client: EnviroTrac, Ltd.

Job Number: 460-43931-1

Client Sample ID: CPS-B (25ft.)

Lab Sample ID: 460-43931-6

Date Sampled: 08/21/2012 1115

Client Matrix: Solid

% Moisture: 25.5

Date Received: 08/23/2012 1750

8260B Volatile Organic Compounds (GC/MS)

Analysis Method: 8260B

Analysis Batch: 460-126249

Instrument ID: VOAMS9

Prep Method: 5035

Prep Batch: 460-125909

Lab File ID: k04044.d

Dilution: 1.0

Initial Weight/Volume: 5.15 g

Analysis Date: 08/30/2012 2325

Final Weight/Volume: 5 mL

Prep Date: 08/28/2012 1958

Analyte	DryWt Corrected: Y	Result (ug/Kg)	Qualifier	MDL	RL
Chloromethane		0.21	U	0.21	1.3
Bromomethane		0.56	U	0.56	1.3
Vinyl chloride		0.44	U	0.44	1.3
Chloroethane		0.43	U	0.43	1.3
Methylene Chloride		6.6	B	0.20	1.3
Acetone		19		2.2	13
Carbon disulfide		0.20	U	0.20	1.3
1,1-Dichloroethene		0.25	U	0.25	1.3
1,1-Dichloroethane		0.14	U	0.14	1.3
trans-1,2-Dichloroethene		0.17	U	0.17	1.3
cis-1,2-Dichloroethene		0.14	U	0.14	1.3
Chloroform		0.31	U	0.31	1.3
1,2-Dichloroethane		0.23	U	0.23	1.3
2-Butanone		0.82	U *	0.82	13
1,1,1-Trichloroethane		0.17	U	0.17	1.3
Carbon tetrachloride		0.20	U	0.20	1.3
Bromodichloromethane		0.42	U	0.42	1.3
1,2-Dichloropropane		0.20	U	0.20	1.3
cis-1,3-Dichloropropene		0.18	U	0.18	1.3
Trichloroethene		0.16	U	0.16	1.3
Dibromochloromethane		0.13	U	0.13	1.3
1,1,2-Trichloroethane		0.18	U	0.18	1.3
Benzene		0.20	U	0.20	1.3
trans-1,3-Dichloropropene		0.13	U	0.13	1.3
Bromoform		0.22	U	0.22	1.3
4-Methyl-2-pentanone		0.26	U	0.26	13
2-Hexanone		0.17	U	0.17	13
Tetrachloroethene		3.9		0.16	1.3
1,1,2,2-Tetrachloroethane		0.12	U	0.12	1.3
Toluene		0.57	J B	0.18	1.3
Chlorobenzene		0.23	U	0.23	1.3
Ethylbenzene		0.22	U	0.22	1.3
Styrene		0.36	U	0.36	1.3
Xylenes, Total		0.87	U	0.87	3.9

Surrogate	%Rec	Qualifier	Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	109		70 - 130
Toluene-d8 (Surr)	100		70 - 130
Bromofluorobenzene	103		70 - 130

Analytical Data

Client: EnviroTrac, Ltd.

Job Number: 460-43931-1

General Chemistry**Client Sample ID:** CPS-N (15ft)

Lab Sample ID: 460-43931-1

Date Sampled: 08/21/2012 1055

Client Matrix: Solid

Date Received: 08/23/2012 1750

Analyte	Result	Qual	Units	RL	RL	Dil	Method
Percent Moisture	21.3		%	1.0	1.0	1.0	Moisture
	Analysis Batch: 460-125665	Analysis Date: 08/27/2012 1114					DryWt Corrected: N
Percent Solids	78.7		%	1.0	1.0	1.0	Moisture
	Analysis Batch: 460-125665	Analysis Date: 08/27/2012 1114					DryWt Corrected: N

Client: EnviroTrac, Ltd.

Job Number: 460-43931-1

General Chemistry

Client Sample ID: CPS-S (15ft)

Lab Sample ID: 460-43931-2

Date Sampled: 08/21/2012 1105

Client Matrix: Solid

Date Received: 08/23/2012 1750

Analyte	Result	Qual	Units	RL	RL	Dil	Method
Percent Moisture	22.1		%	1.0	1.0	1.0	Moisture
	Analysis Batch: 460-125665	Analysis Date: 08/27/2012 1114					DryWt Corrected: N
Percent Solids	77.9		%	1.0	1.0	1.0	Moisture
	Analysis Batch: 460-125665	Analysis Date: 08/27/2012 1114					DryWt Corrected: N

Client: EnviroTrac, Ltd.

Job Number: 460-43931-1

General Chemistry

Client Sample ID: CPS-E (15ft)

Lab Sample ID: 460-43931-3

Client Matrix: Solid

Date Sampled: 08/21/2012 1045

Date Received: 08/23/2012 1750

Analyte	Result	Qual	Units	RL	RL	Dil	Method
Percent Moisture	3.2		%	1.0	1.0	1.0	Moisture
	Analysis Batch: 460-125665	Analysis Date: 08/27/2012 1114					DryWt Corrected: N
Percent Solids	96.8		%	1.0	1.0	1.0	Moisture
	Analysis Batch: 460-125665	Analysis Date: 08/27/2012 1114					DryWt Corrected: N

Client: EnviroTrac, Ltd.

Job Number: 460-43931-1

General Chemistry

Client Sample ID: CPS-W (15ft)

Lab Sample ID: 460-43931-4

Client Matrix: Solid

Date Sampled: 08/21/2012 1110

Date Received: 08/23/2012 1750

Analyte	Result	Qual	Units	RL	RL	Dil	Method
Percent Moisture	6.2		%	1.0	1.0	1.0	Moisture
	Analysis Batch: 460-125665	Analysis Date: 08/27/2012 1114					DryWt Corrected: N
Percent Solids	93.8		%	1.0	1.0	1.0	Moisture
	Analysis Batch: 460-125665	Analysis Date: 08/27/2012 1114					DryWt Corrected: N

Analytical Data

Client: EnviroTrac, Ltd.

Job Number: 460-43931-1

General Chemistry**Client Sample ID:** CPN (11ft)

Lab Sample ID: 460-43931-5

Date Sampled: 08/21/2012 0920

Client Matrix: Solid

Date Received: 08/23/2012 1750

Analyte	Result	Qual	Units	RL	RL	Dil	Method
Percent Moisture	2.6		%	1.0	1.0	1.0	Moisture
	Analysis Batch: 460-125665	Analysis Date: 08/27/2012 1114					DryWt Corrected: N
Percent Solids	97.4		%	1.0	1.0	1.0	Moisture
	Analysis Batch: 460-125665	Analysis Date: 08/27/2012 1114					DryWt Corrected: N

Client: EnviroTrac, Ltd.

Job Number: 460-43931-1

General Chemistry

Client Sample ID: CPS-B (25ft.)

Lab Sample ID: 460-43931-6

Client Matrix: Solid

Date Sampled: 08/21/2012 1115

Date Received: 08/23/2012 1750

Analyte	Result	Qual	Units	RL	RL	Dil	Method
Percent Moisture	25.5		%	1.0	1.0	1.0	Moisture
	Analysis Batch: 460-125665	Analysis Date: 08/27/2012 1114					DryWt Corrected: N
Percent Solids	74.5		%	1.0	1.0	1.0	Moisture
	Analysis Batch: 460-125665	Analysis Date: 08/27/2012 1114					DryWt Corrected: N

DATA REPORTING QUALIFIERS

Client: EnviroTrac, Ltd.

Job Number: 460-43931-1

Lab Section	Qualifier	Description
GC/MS VOA	U	Analyzed for but not detected.
	J	Indicates an estimated value.
	*	LCS or LCSD exceeds the control limits
	B	The analyte was found in an associated blank, as well as in the sample.

QUALITY CONTROL RESULTS

Quality Control Results

Client: EnviroTrac, Ltd.

Job Number: 460-43931-1

QC Association Summary

Lab Sample ID	Client Sample ID	Report Basis	Client Matrix	Method	Prep Batch
GC/MS VOA					
Prep Batch: 460-125909					
LB3 460-125909/1-A	Neutral Leach or MeOH Extraction Blank	T	Solid	5035	
460-43931-1	CPS-N (15ft)	T	Solid	5035	
460-43931-2	CPS-S (15ft)	T	Solid	5035	
460-43931-3	CPS-E (15ft)	T	Solid	5035	
460-43931-4	CPS-W (15ft)	T	Solid	5035	
460-43931-5	CPN (11ft)	T	Solid	5035	
460-43931-6	CPS-B (25ft.)	T	Solid	5035	
Analysis Batch:460-126249					
LCS 460-126249/3	Lab Control Sample	T	Solid	8260B	
LCSD 460-126249/4	Lab Control Sample Duplicate	T	Solid	8260B	
MB 460-126249/6	Method Blank	T	Solid	8260B	
LB3 460-125909/1-A	Neutral Leach or MeOH Extraction Blank	T	Solid	8260B	460-125909
460-43931-1	CPS-N (15ft)	T	Solid	8260B	460-125909
460-43931-2	CPS-S (15ft)	T	Solid	8260B	460-125909
460-43931-3	CPS-E (15ft)	T	Solid	8260B	460-125909
460-43931-4	CPS-W (15ft)	T	Solid	8260B	460-125909
460-43931-5	CPN (11ft)	T	Solid	8260B	460-125909
460-43931-6	CPS-B (25ft.)	T	Solid	8260B	460-125909

Report Basis

T = Total

General Chemistry

Analysis Batch:460-125665					
460-43931-1	CPS-N (15ft)	T	Solid	Moisture	
460-43931-2	CPS-S (15ft)	T	Solid	Moisture	
460-43931-3	CPS-E (15ft)	T	Solid	Moisture	
460-43931-4	CPS-W (15ft)	T	Solid	Moisture	
460-43931-5	CPN (11ft)	T	Solid	Moisture	
460-43931-6	CPS-B (25ft.)	T	Solid	Moisture	

Report Basis

T = Total

Client: EnviroTrac, Ltd.

Job Number: 460-43931-1

Surrogate Recovery Report**8260B Volatile Organic Compounds (GC/MS)****Client Matrix: Solid**

Lab Sample ID	Client Sample ID	DCA %Rec	TOL %Rec	BFB %Rec
460-43931-1	CPS-N (15ft)	109	102	105
460-43931-2	CPS-S (15ft)	107	102	107
460-43931-3	CPS-E (15ft)	103	96	102
460-43931-4	CPS-W (15ft)	104	99	104
460-43931-5	CPN (11ft)	110	99	105
460-43931-6	CPS-B (25ft.)	109	100	103
MB 460-126249/6		104	101	103
LB3 460-125909/1-A		106	102	103
LCS 460-126249/3		107	102	102
LCSD 460-126249/4		105	101	103

Surrogate	Acceptance Limits
DCA = 1,2-Dichloroethane-d4 (Surr)	70-130
TOL = Toluene-d8 (Surr)	70-130
BFB = Bromofluorobenzene	70-130

Quality Control Results

Client: EnviroTrac, Ltd.

Job Number: 460-43931-1

Neutral Leach or MeOH Extraction Blank - Batch: 460-125909

Method: 8260B

Preparation: 5035

Lab Sample ID: LB3 460-125909/1-A
 Client Matrix: Solid
 Dilution: 1.0
 Analysis Date: 08/30/2012 2056
 Prep Date: 08/28/2012 1946
 Leach Date: N/A

Analysis Batch: 460-126249
 Prep Batch: 460-125909
 Leach Batch: N/A
 Units: ug/Kg

Instrument ID: VOAMS9
 Lab File ID: k04037.d
 Initial Weight/Volume: 5 g
 Final Weight/Volume: 5 mL

Analyte	Result	Qual	MDL	RL
Chloromethane	0.16	U	0.16	1.0
Bromomethane	0.43	U	0.43	1.0
Vinyl chloride	0.34	U	0.34	1.0
Chloroethane	0.33	U	0.33	1.0
Methylene Chloride	3.24		0.15	1.0
Acetone	1.7	U	1.7	10
Carbon disulfide	0.15	U	0.15	1.0
1,1-Dichloroethene	0.19	U	0.19	1.0
1,1-Dichloroethane	0.11	U	0.11	1.0
trans-1,2-Dichloroethene	0.13	U	0.13	1.0
cis-1,2-Dichloroethene	0.11	U	0.11	1.0
Chloroform	0.24	U	0.24	1.0
1,2-Dichloroethane	0.18	U	0.18	1.0
2-Butanone	0.63	U	0.63	10
1,1,1-Trichloroethane	0.13	U	0.13	1.0
Carbon tetrachloride	0.15	U	0.15	1.0
Bromodichloromethane	0.32	U	0.32	1.0
1,2-Dichloropropane	0.15	U	0.15	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Trichloroethene	0.12	U	0.12	1.0
Dibromochloromethane	0.10	U	0.10	1.0
1,1,2-Trichloroethane	0.14	U	0.14	1.0
Benzene	0.15	U	0.15	1.0
trans-1,3-Dichloropropene	0.10	U	0.10	1.0
Bromoform	0.17	U	0.17	1.0
4-Methyl-2-pentanone	0.20	U	0.20	10
2-Hexanone	0.13	U	0.13	10
Tetrachloroethene	0.12	U	0.12	1.0
1,1,2,2-Tetrachloroethane	0.090	U	0.090	1.0
Toluene	0.329	J	0.14	1.0
Chlorobenzene	0.18	U	0.18	1.0
Ethylbenzene	0.17	U	0.17	1.0
Styrene	0.28	U	0.28	1.0
Xylenes, Total	0.67	U	0.67	3.0

Surrogate	% Rec	Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	106	70 - 130
Toluene-d8 (Surr)	102	70 - 130
Bromofluorobenzene	103	70 - 130

Quality Control Results

Client: EnviroTrac, Ltd.

Job Number: 460-43931-1

Method Blank - Batch: 460-126249

Method: 8260B Preparation: N/A

Lab Sample ID: MB 460-126249/6
Client Matrix: Solid
Dilution: 1.0
Analysis Date: 08/30/2012 2117
Prep Date: N/A
Leach Date: N/A

Analysis Batch: 460-126249
Prep Batch: N/A
Leach Batch: N/A
Units: ug/Kg

Instrument ID: VOAMS9
Lab File ID: k04038.d
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result	Qual	MDL	RL
Chloromethane	0.16	U	0.16	1.0
Bromomethane	0.43	U	0.43	1.0
Vinyl chloride	0.34	U	0.34	1.0
Chloroethane	0.33	U	0.33	1.0
Methylene Chloride	0.502	J	0.15	1.0
Acetone	1.7	U	1.7	10
Carbon disulfide	0.15	U	0.15	1.0
1,1-Dichloroethene	0.19	U	0.19	1.0
1,1-Dichloroethane	0.11	U	0.11	1.0
trans-1,2-Dichloroethene	0.13	U	0.13	1.0
cis-1,2-Dichloroethene	0.11	U	0.11	1.0
Chloroform	0.24	U	0.24	1.0
1,2-Dichloroethane	0.18	U	0.18	1.0
2-Butanone	0.63	U	0.63	10
1,1,1-Trichloroethane	0.13	U	0.13	1.0
Carbon tetrachloride	0.15	U	0.15	1.0
Bromodichloromethane	0.32	U	0.32	1.0
1,2-Dichloropropane	0.15	U	0.15	1.0
cis-1,3-Dichloropropene	0.14	U	0.14	1.0
Trichloroethene	0.12	U	0.12	1.0
Dibromochloromethane	0.10	U	0.10	1.0
1,1,2-Trichloroethane	0.14	U	0.14	1.0
Benzene	0.15	U	0.15	1.0
trans-1,3-Dichloropropene	0.10	U	0.10	1.0
Bromoform	0.17	U	0.17	1.0
4-Methyl-2-pentanone	0.20	U	0.20	10
2-Hexanone	0.13	U	0.13	10
Tetrachloroethene	0.12	U	0.12	1.0
1,1,2,2-Tetrachloroethane	0.090	U	0.090	1.0
Toluene	0.14	U	0.14	1.0
Chlorobenzene	0.18	U	0.18	1.0
Ethylbenzene	0.17	U	0.17	1.0
Styrene	0.28	U	0.28	1.0
Xylenes, Total	0.67	U	0.67	3.0

Surrogate	% Rec	Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	104	70 - 130
Toluene-d8 (Surr)	101	70 - 130
Bromofluorobenzene	103	70 - 130

Quality Control Results

Client: EnviroTrac, Ltd.

Job Number: 460-43931-1

**Lab Control Sample/
Lab Control Sample Duplicate Recovery Report - Batch: 460-126249**

**Method: 8260B
Preparation: N/A**

LCS Lab Sample ID:	LCS 460-126249/3	Analysis Batch:	460-126249	Instrument ID:	VOAMS9
Client Matrix:	Solid	Prep Batch:	N/A	Lab File ID:	k04034.d
Dilution:	1.0	Leach Batch:	N/A	Initial Weight/Volume:	5 mL
Analysis Date:	08/30/2012 1951	Units:	ug/Kg	Final Weight/Volume:	5 mL
Prep Date:	N/A				
Leach Date:	N/A				

LCSD Lab Sample ID:	LCSD 460-126249/4	Analysis Batch:	460-126249	Instrument ID:	VOAMS9
Client Matrix:	Solid	Prep Batch:	N/A	Lab File ID:	k04035.d
Dilution:	1.0	Leach Batch:	N/A	Initial Weight/Volume:	5 mL
Analysis Date:	08/30/2012 2013	Units:	ug/Kg	Final Weight/Volume:	5 mL
Prep Date:	N/A				
Leach Date:	N/A				

Analyte	% Rec.		Limit	RPD	RPD Limit	LCS Qual	LCSD Qual
	LCS	LCSD					
Chloromethane	104	114	50 - 151	9	30		
Bromomethane	103	126	54 - 142	21	30		
Vinyl chloride	87	105	67 - 133	19	30		
Chloroethane	88	105	56 - 146	18	30		
Methylene Chloride	120	130	74 - 137	8	30		
Acetone	158	133	27 - 164	17	30		
Carbon disulfide	90	105	72 - 128	16	30		
1,1-Dichloroethene	104	123	71 - 126	17	30		
1,1-Dichloroethane	98	109	76 - 125	11	30		
trans-1,2-Dichloroethene	95	111	75 - 122	15	30		
cis-1,2-Dichloroethene	96	110	80 - 120	14	30		
Chloroform	100	113	77 - 120	12	30		
1,2-Dichloroethane	101	108	76 - 118	7	30		
2-Butanone	112	129	77 - 117	14	30		*
1,1,1-Trichloroethane	95	110	78 - 117	14	30		
Carbon tetrachloride	90	109	79 - 118	18	30		
Bromodichloromethane	101	112	79 - 119	10	30		
1,2-Dichloropropane	100	108	82 - 122	8	30		
cis-1,3-Dichloropropene	97	106	80 - 123	9	30		
Trichloroethene	95	109	79 - 119	14	30		
Dibromochloromethane	96	104	68 - 120	8	30		
1,1,2-Trichloroethane	95	105	73 - 118	10	30		
Benzene	97	108	77 - 117	11	30		
trans-1,3-Dichloropropene	97	104	67 - 121	7	30		
Bromoform	95	102	59 - 125	7	30		
4-Methyl-2-pentanone	97	105	68 - 120	8	30		
2-Hexanone	97	122	70 - 122	22	30		
Tetrachloroethene	94	110	80 - 120	15	30		
1,1,2,2-Tetrachloroethane	98	104	79 - 122	6	30		
Toluene	91	103	75 - 115	13	30		
Chlorobenzene	97	109	80 - 120	12	30		
Ethylbenzene	92	106	81 - 121	14	30		
Styrene	95	106	82 - 122	11	30		
Xylenes, Total	93	106	82 - 122	13	30		
Surrogate	LCS % Rec		LCSD % Rec		Acceptance Limits		

Quality Control Results

Client: EnviroTrac, Ltd.

Job Number: 460-43931-1

Surrogate	LCS % Rec	LCSD % Rec	Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	107	105	70 - 130
Toluene-d8 (Surr)	102	101	70 - 130
Bromofluorobenzene	102	103	70 - 130

EnviroTrac

CHAIN OF CUSTODY

NYSDEC-American Drive-In Cleaners
Site # 130049

[illegible]

09/04/2012

Login Sample Receipt Checklist

Client: EnviroTrac, Ltd.

Job Number: 460-43931-1

Login Number: 43931

List Source: TestAmerica Edison

List Number: 1

Creator: Rivera, Kenneth

Question	Answer	Comment
Radioactivity either was not measured or, if measured, is at or below background	N/A	
The cooler's custody seal, if present, is intact.	False	Not present
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	1.8°C, IR #60
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
VOA sample vials do not have headspace or bubble is <6mm (1/4") in diameter.	N/A	
Multiphasic samples are not present.	N/A	
Samples do not require splitting or compositing.	N/A	
Residual Chlorine Checked.	N/A	